


A11102 145987

NAT'L INST OF STANDARDS & TECH R.I.C.



A11102145987

/NSRDS-NBS  
QC100 .U573 V24;1968 C.1 NBS-PUB-C 1964

REFERENCE DATA SYSTEM

NSRDS-NBS 24

NBS  
PUBLICATIONS

# Theoretical Mean Activity Coefficients

of Strong Electrolytes in  
Aqueous Solutions from 0 to 100° C

U.S. DEPARTMENT OF COMMERCE  
NATIONAL BUREAU OF STANDARDS



QC  
100  
U573  
#24  
1968  
C.2







UNITED STATES DEPARTMENT OF COMMERCE

C. R. Smith, *Secretary*,

U. S. NATIONAL BUREAU OF STANDARDS; A. V. ASTIN, *Director*

• • •

**Theoretical Mean Activity Coefficients  
Of Strong Electrolytes in  
Aqueous Solutions from 0 to 100 °C**

Walter J. Hamer  
Institute for Basic Standards  
National Bureau of Standards  
Washington, D.C. 20234

This report was prepared in part under the  
sponsorship of the National Aeronautics and  
Space Administration - Contract: R-09-022-029



NSRDS—NBS 24,  
t, National Standard Reference Data Series,  
National Bureau of Standards 24

Issued December 1968

---

For sale by the Superintendent of Documents, U.S. Government Printing Office  
Washington, D.C., 20402 - Price \$4.25

National Bureau of Standards

JAN 15 1969

142813

QC100

U573

No. 24

1968

Copy 2.

Library of Congress Catalog Card Number: 68-60062

## **Foreword**

The National Standard Reference Data System is a Government-wide effort to provide for the technical community of the United States effective access to the quantitative data of physical science, critically evaluated and compiled for convenience, and readily accessible through a variety of distribution channels. The System was established in 1963 by action of the President's Office of Science and Technology and the Federal Council for Science and Technology.

The responsibility to administer the System was assigned to the National Bureau of Standards and an Office of Standard Reference Data was set up at the Bureau for this purpose. Since 1963, this Office has developed systematic plans for meeting high-priority needs for reliable reference data. It has undertaken to coordinate and integrate existing data evaluation and compilation activities (primarily those under sponsorship of Federal agencies) into a comprehensive program, supplementing and expanding technical coverage when necessary, establishing and maintaining standards for the output of the participating groups, and providing mechanisms for the dissemination of the output as required.

The System now comprises a complex of data centers and other activities, carried on in Government agencies, academic institutions, and nongovernmental laboratories. The independent operational status of existing critical data projects is maintained and encouraged. Data centers that are components of the NSRDS produce compilations of critically evaluated data, critical reviews of the state of quantitative knowledge in specialized areas, and computations of useful functions derived from standard reference data. In addition, the centers and projects establish criteria for evaluation and compilation of data and make recommendations on needed modifications or extensions of experimental techniques.

Data publications of the NSRDS take a variety of physical forms, including books, pamphlets, loose-leaf sheets and computer tapes. While most of the compilations have been issued by the Government Printing Office, several have appeared in scientific journals. Under some circumstances, private publishing houses are regarded as appropriate primary dissemination mechanisms.

The technical scope of the NSRDS is indicated by the principal categories of data compilation projects now active or being planned: nuclear properties, atomic and molecular properties, solid state properties, thermodynamic and transport properties, chemical kinetics, colloid and surface properties, and mechanical properties.

An important aspect of the NSRDS is the advice and planning assistance which the National Research Council of the National Academy of Sciences-National Academy of Engineering provides. These services are organized under an overall Review Committee which considers the program as a whole and makes recommendations on policy, long-term planning, and international collaboration. Advisory Panels, each concerned with a single technical area, meet regularly to examine major portions of the program, assign relative priorities, and identify specific key problems in need of further attention. For selected specific topics, the Advisory Panels sponsor subpanels which make detailed studies of users' needs, the present state of knowledge, and existing data resources as a basis for recommending one or more data compilation activities. This assembly of advisory services contributes greatly to the guidance of NSRDS activities.

The NSRDS-NBS series of publications is intended primarily to include evaluated reference data and critical reviews of long-term interest to the scientific and technical community.

A. V. ASTIN, *Director.*

## Contents

	Page
Foreword.....	iii
1. Introduction.....	1
2. Chemical potentials, activities, and activity coefficients.....	1
3. Theoretical expressions for activity coefficients.....	2
4. Uncertainties.....	4
5. Other theoretical treatments.....	5
6. References.....	5

## List of Tables

Table  
No.

1. Relations between mean molality, mean activity coefficient, solute (or electrolyte) activity, and ionic strength for various valence types of electrolytes.....	8
2. Dielectric constant and density of water.....	8
3. Values of the Debye-Hückel constants for activity coefficients for aqueous solutions from 0 to 100 °C.....	9

Table No.	Page	Table No.	Page
(a) Limiting law of Debye-Hückel (on volume basis)		(e) Güntelberg extended (or modified) equation (on volume basis)	
4. 1-1 electrolytes.....	10	36. 2-4 or 4-2 electrolytes.....	74
5. 1-2 or 2-1 electrolytes.....	12	37. 3-3 electrolytes.....	76
6. 1-3 or 3-1 electrolytes.....	14	38. 3-4 or 4-3 electrolytes.....	78
7. 1-4, 4-1, or 2-2 electrolytes.....	16	39. 4-4 electrolytes.....	80
8. 2-3 or 3-2 electrolytes.....	18		
9. 2-4 or 4-2 electrolytes.....	20	40. 1-1 electrolytes.....	82
10. 3-3 electrolytes.....	22	41. 1-2 or 2-1 electrolytes.....	84
11. 3-4 or 4-3 electrolytes.....	24	42. 1-3 or 3-1 electrolytes.....	86
12. 4-4 electrolytes.....	26	43. 1-4, 4-1, or 2-2 electrolytes.....	88
(b) Limiting law of Debye-Hückel (on weight basis)		44. 2-3 or 3-2 electrolytes.....	90
13. 1-1 electrolytes.....	28	45. 2-4 or 4-2 electrolytes.....	92
14. 1-2 or 2-1 electrolytes.....	30	46. 3-3 electrolytes.....	94
15. 1-3 or 3-1 electrolytes.....	32	47. 3-4 or 4-3 electrolytes.....	96
16. 1-4, 4-1, or 2-2 electrolytes.....	34	48. 4-4 electrolytes.....	98
17. 2-3 or 3-2 electrolytes.....	36		
18. 2-4 or 4-2 electrolytes.....	38	(f) Güntelberg extended (or modified) equation (on weight basis)	
19. 3-3 electrolytes.....	40	49. 1-1 electrolytes.....	100
20. 3-4 or 4-3 electrolytes.....	42	50. 1-2 or 2-1 electrolytes.....	102
21. 4-4 electrolytes.....	44	51. 1-3 or 3-1 electrolytes.....	104
(c) Güntelberg equation (on volume basis)		52. 1-4, 4-1, or 2-2 electrolytes.....	106
22. 1-1 electrolytes.....	46	53. 2-3 or 3-2 electrolytes.....	108
23. 1-2 or 2-1 electrolytes.....	48	54. 2-4 or 4-2 electrolytes.....	110
24. 1-3 or 3-1 electrolytes.....	50	55. 3-3 electrolytes.....	112
25. 1-4, 4-1, or 2-2 electrolytes.....	52	56. 3-4 or 4-3 electrolytes.....	114
26. 2-3 or 3-2 electrolytes.....	54	57. 4-4 electrolytes.....	116
27. 2-4 or 4-2 electrolytes.....	56		
28. 3-3 electrolytes.....	58	(g) Davies equation (on volume basis)	
29. 3-4 or 4-3 electrolytes.....	60	58. 1-1 electrolytes.....	118
30. 4-4 electrolytes.....	62	59. 1-2 or 2-1 electrolytes.....	120
(d) Güntelberg equation (on weight basis)		60. 1-3 or 3-1 electrolytes.....	122
31. 1-1 electrolytes.....	64	61. 1-4, 4-1, or 2-2 electrolytes.....	124
32. 1-2 or 2-1 electrolytes.....	66	62. 2-3 or 3-2 electrolytes.....	126
33. 1-3 or 3-1 electrolytes.....	68	63. 2-4 or 4-2 electrolytes.....	128
34. 1-4, 4-1, or 2-2 electrolytes.....	70	64. 3-3 electrolytes.....	130
35. 2-3 or 3-2 electrolytes.....	72	65. 3-4 or 4-3 electrolytes.....	132
		66. 4-4 electrolytes.....	134

Table No.	(h) Davies equation (on weight basis)	Page
67.	1-1 electrolytes.....	136
68.	1-2 or 2-1 electrolytes.....	138
69.	1-3 or 3-1 electrolytes.....	140
70.	1-4, 4-1, or 2-2 electrolytes.....	142
71.	2-3 or 3-2 electrolytes.....	144
72.	2-4 or 4-2 electrolytes.....	146
73.	3-3 electrolytes.....	148
74.	3-4 or 4-3 electrolytes.....	150
75.	4-4 electrolytes.....	152

(i) Scatchard equation  
(on volume basis)

76.	1-1 electrolytes.....	154
77.	1-2 or 2-1 electrolytes.....	156
78.	1-3 or 3-1 electrolytes.....	158
79.	1-4, 4-1, or 2-2 electrolytes.....	160
80.	2-3 or 3-2 electrolytes.....	162
81.	2-4 or 4-2 electrolytes.....	164
82.	3-3 electrolytes.....	166
83.	3-4 or 4-3 electrolytes.....	168
84.	4-4 electrolytes.....	170

(j) Scatchard equation  
(on weight basis)

85.	1-1 electrolytes.....	172
86.	1-2 or 2-1 electrolytes.....	174
87.	1-3 or 3-1 electrolytes.....	176
88.	1-4, 4-1, or 2-2 electrolytes.....	178
89.	2-3 or 3-2 electrolytes.....	180
90.	2-4 or 4-2 electrolytes.....	182
91.	3-3 electrolytes.....	184
92.	3-4 or 4-3 electrolytes.....	186
93.	4-4 electrolytes.....	188

(k) Scatchard extended (or modified) equation  
(on volume basis)

94.	1-1 electrolytes.....	190
95.	1-2 or 2-1 electrolytes.....	192
96.	1-3 or 3-1 electrolytes.....	194
97.	1-4, 4-1, or 2-2 electrolytes.....	196
98.	2-3 or 3-2 electrolytes.....	198

Table No.	Page	
99.	2-4 or 4-2 electrolytes.....	200
100.	3-3 electrolytes.....	202
101.	3-4 or 4-3 electrolytes.....	204
102.	4-4 electrolytes.....	206

(l) Scatchard extended (or modified) equation  
(on weight basis)

103.	1-1 electrolytes.....	208
104.	1-2 or 2-1 electrolytes.....	210
105.	1-3 or 3-1 electrolytes.....	212
106.	1-4, 4-1, or 2-2 electrolytes.....	214
107.	2-3 or 3-2 electrolytes.....	216
108.	2-4 or 4-2 electrolytes.....	218
109.	3-3 electrolytes.....	220
110.	3-4 or 4-3 electrolytes.....	222
111.	4-4 electrolytes.....	224

112. Bjerrum's minimum ion-parameter for uni-univalent electrolytes in aqueous solutions from 0 to 100 °C... 227

(m) Bjerrum equation  
(on volume basis)

113.	1-1 electrolytes.....	228
114.	1-2 or 2-1 electrolytes.....	230
115.	1-3 or 3-1 electrolytes.....	232
116.	1-4, 4-1, or 2-2 electrolytes.....	234
117.	2-3 or 3-2 electrolytes.....	236
118.	2-4 or 4-2 electrolytes.....	238
119.	3-3 electrolytes.....	240
120.	3-4 or 4-3 electrolytes.....	242
121.	4-4 electrolytes.....	244

(n) Bjerrum equation  
(on weight basis)

122.	1-1 electrolytes.....	246
123.	1-2 or 2-1 electrolytes.....	248
124.	1-3 or 3-1 electrolytes.....	250
125.	1-4, 4-1, or 2-2 electrolytes.....	252
126.	2-3 or 3-2 electrolytes.....	254
127.	2-4 or 4-2 electrolytes.....	256
128.	3-3 electrolytes.....	258
129.	3-4 or 4-3 electrolytes.....	260
130.	4-4 electrolytes.....	262

131.	Uncertainties ( $\pm$ ) in activity coefficients for solutions having an ionic strength of 0.1 arising from the established limits of error in the physical constants used in the theoretical equations.....	264
132.	Values of the Debye-Hückel constants for activity coefficients based on the values of the dielectric constant of water determined by Owen et al. [12].....	266
133.	Bjerrum's minimum ion parameter for uni-univalent electrolytes in aqueous solutions from 0 to 100 °C based on the dielectric constant of water determined by Owen et al. [12].....	267
134.	Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5], on volume basis.....	268
135.	Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5], on weight basis.....	270



# Theoretical Mean Activity Coefficients of Strong Electrolytes in Aqueous Solutions from 0 to 100 °C

Walter J. Hamer

In determining the activity coefficients of electrolytes in aqueous solutions from the freezing point to the boiling point of the solvent, various equations have been used in the treatment of the data. This paper gives values for activity coefficients of electrolytes of various valence types from 0 to 100 °C, and for ionic strengths from zero to 0.1 molal or 0.1 molar, as calculated by seven different equations based on the theory of interionic attraction. These equations are those of Debye and Hückel, Güntelberg, Davies, Scatchard, and Bjerrum, and what may be termed an extended Güntelberg equation and an extended Scatchard equation.

Key words: Activity coefficients, electrolytes, interionic attraction expressions.

## 1. Introduction

The mean activity coefficients, on a volume and weight basis, for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 completely dissociated electrolytes in aqueous solutions, as calculated by seven widely referred to theoretical equations are given for ionic strengths of 0.1 and less and for temperatures from 0 °C to 100 °C, inclusive. The theoretical equations employed are those of (1) Debye and Hückel, frequently referred to as the limiting law of Debye and Hückel, (2) Güntelberg, (3) Davies, (4) Scatchard, (5) Bjerrum, and what may be called a (6) modified or extended Güntelberg expression and a (7) modified or extended Scatchard expression. Although these equations reproduce experimental results exactly only in rare cases, they are of value as an aid in rapid interpretations of literature data where expressions, such as "activity coefficients were calculated by the limiting law of Debye and Hückel," or "activity coefficients were calculated by the Davies equation," or "Bjerrum ion sizes were used to calculate activity coefficients," or "Scatchard has suggested that a better average of the higher virial coefficients would be provided by a  $1 + 1.5 m^{1/2}$  term" [1]<sup>1</sup> are encountered. They are also of use in estimating a value for an activity coefficient if an experimental value is not available.

## 2. Chemical Potentials, Activities, and Activity Coefficients

For closed isolated systems to which no matter is added or withdrawn thermodynamics give:

$$dU = TdS - pdV$$

where  $U$  is energy,  $T$  the absolute temperature,  $S$  the entropy,  $p$  the pressure, and  $V$  the volume.

For an open system to which matter may be added or withdrawn (for example, addition of a salt to water or removal of water from a salt solution by evaporation) Gibbs gave (Gibbs used different symbols):

$$dU = TdS - pdV + \mu_A dn_A + \mu_B dn_B + \dots + \mu_Z dn_Z$$

where  $n$  represents the number of moles of component  $A$ ,  $B$ , etc., represented by subscripts and the  $\mu$ 's represent the Gibbs' "chemical potentials" of the various components. Since from thermodynamic considerations,

$$G = U - TS + pV = \text{Gibbs energy}$$

$$H = U + pV = \text{Heat content}$$

$$F(\text{or } A) = U - TS = \text{Helmholtz energy}$$

the Gibbs "chemical potentials" for component  $A$ , for example, may be defined in a multiplicity of ways as follows:

$$\begin{aligned} \mu_A &= (\partial U / \partial n_A)_{S, V, n'} = (\partial H / \partial n_A)_{S, P, n'} \\ &= (\partial F / \partial n_A)_{T, V, n'} = (\partial G / \partial n_A)_{T, P, n'} \end{aligned}$$

where  $n$  now represents the constancy of all components except component  $A$ . Thus, Gibbs' "chemical potentials" can be expressed in various ways depending on what conditions are held constant during an experiment. The last equality is the one generally used in defining the "chemical potential" in that experiments may easily be designed wherein the temperature and pressure are maintained constant. It is inconvenient to conduct experiments at constant volume and temperature, under which conditions the third equality applies; and it is indeed difficult to conceive of ways to conduct experiments either at constant entropy and volume (first equality) or at constant entropy and pressure (second equality).

<sup>1</sup> Figures in brackets indicate the literature references on page 5.

Since the energy, entropy, heat content, Helmholtz energy, and Gibbs energy are defined only by differential equations, we can determine only differences of these quantities between two states of a system containing the same quantity of matter. It is therefore customary to tabulate the differences from some standard state, which is equivalent to an arbitrary assumption that the various functions are each zero in the standard states. For general purposes it is customary to assume that the energy, or the heat content, of each element at some standard temperature, usually 25 °C, and some standard pressure, usually one atmosphere, and in its most stable form under these conditions is zero. This same standard state may be adopted for the entropy, Helmholtz energy, and Gibbs energy, although the entropy is sometimes taken as zero at absolute zero in accordance with the third law of thermodynamics. A knowledge of the individual heat capacities and volumes permits the calculation of these quantities under other conditions.

The same considerations apply to the chemical potential, i.e., only differences from an arbitrarily selected standard state can be determined. Throughout this evaluation the chemical potential shall be defined in terms of the partial molal Gibbs energy (fourth equality in equation above). The difference in chemical potential between two states (compositions) of an *ideal solution* is given by:

$$\mu_i - \mu'_i = RT \ln \frac{p_i}{p'_i} = RT \ln \frac{x_i}{x'_i}$$

where  $i$  = component  $i$  and  $p$  and  $x$  denote, respectively, the vapor pressure and mole fraction. If one of the compositions is the pure component with  $x'_i = 1$ ,  $p'_i = p_i^0$ , and  $\mu'_i = \mu_i^0$ , then

$$\mu_i = \mu_i^0 + RT \ln \frac{p_i}{p_i^0} = \mu_i^0 + RT \ln x_i.$$

where the relative vapor pressure of component  $i$  is equal to the mole fraction of component  $i$ . For *real or nonideal solutions* this equation becomes

$$\mu_i = \mu_i^0 + RT \ln \frac{f_i}{f_i^0} = \mu_i^0 + RT \ln a_i$$

where  $a_i$  is the activity of component  $i$  and defined as the relative fugacity, where  $f$  denotes the fugacity or corrected pressure.

For solutions of electrolytes the standard state is usually chosen so that the ratio of the activity to the concentration is equal to unity at infinite dilution where the laws of ideal solutions are obeyed. G. N. Lewis [2] called this ratio the activity coefficient, thus  $a = x\gamma_x$ .

It is more usual, however, to express the composition of a solution either in terms of concentration (molarity),  $c$ , i.e., moles of solute per liter, or as molalities,  $m$ , in moles of solute per 1000 grams of solvent. In each of these cases, the numerical values

of the activity coefficient differ from those expressed on the basis of mole fraction;  $\gamma_c$  and  $\gamma_m$  are used here to denote the activity coefficient on the molarity and molality scales, respectively. The relations between  $\gamma_x$ ,  $\gamma_c$ , and  $\gamma_m$  are given by:

$$\gamma_x = \gamma_c (d - 0.001 Mc + 0.001 M_s c v) / d_0$$

$$\gamma_x = \gamma_m (1 + 0.001 \nu m M_s)$$

$$c \gamma_c = d_0 m \gamma_m$$

where  $d$  = density of solution,  $d_0$  = density of solvent,  $M_s$  = molecular weight of solvent,  $M$  = molecular weight of solute, and  $\nu$  = the number of ions into which one molecule of the solute dissociates.

As electroneutrality must prevail in electrolytic solutions, the activity of an electrolyte that ionizes into  $\nu_+$  cations and  $\nu_-$  anions is given by:

$$a_{\text{salt}} = a_2 = a_{+}^{\nu_+} \cdot a_{-}^{\nu_-} = a_{\pm}^{\nu}$$

where  $\nu = \nu_+ + \nu_-$ . Therefore, for an electrolytic solution, the mean activity of the ionized electrolyte,  $a_{\pm}$ , would be given by:

$$\mu = \mu^0 + \nu R T \ln a_{\pm}$$

Thus  $a_{\pm} = \gamma_{\pm} m_{\pm}$  and  $a_2 = (\gamma_{\pm} m_{\pm})^{\nu}$  where  $m_{\pm}$  and  $\gamma_{\pm}$  denote, respectively, the mean molality and mean activity coefficient of the electrolyte. The mean activity coefficient of the electrolyte is given by:

$$\gamma_{\pm} = (\gamma_{+}^{\nu_+} \gamma_{-}^{\nu_-})^{1/\nu}$$

and the mean ionic concentration (in molality, for example) by:

$$m_{\pm} = (\nu_{+}^{\nu_+} \nu_{-}^{\nu_-})^{1/\nu} m = X m$$

The properties of electrolytic solutions are, in general, directly related to the ionic strength of the solution, defined by:

$$I = 1/2 \sum_i z_i^2 m_i = Y m$$

where  $z$  is the ionic valence.

Values of  $X m$  and  $Y m$  as well as  $\gamma_{\pm}$  and  $a_2$  are given in table 1<sup>2</sup> for various valence types of electrolytes.

### 3. Theoretical Expressions for Activity Coefficients

Activity coefficients give a measure of the deviations of real solutions from ideality and include the magnitude of all effects that lead to these deviations.

<sup>2</sup> All tables are to be found at the end of the paper.

In dilute solutions the main effect is that of interionic attraction, i.e., the attraction between electrical (ionic) charges of unlike sign, and for which Debye and Hückel [3] assuming that ions are point charges derived a solution which led to the following expression for the mean activity coefficient,  $\gamma_{\pm}$ , of an electrolyte ( $\gamma$  shall be used hereafter for  $\gamma_{\pm}$ ):

$$\log \gamma_c = -z_+ z_- A_c \sqrt{I_c} \quad (1)$$

where the subscript  $c$  refers to concentrations on the volume basis and

$$A_c = \left( \frac{2\pi N}{1000} \right)^{1/2} \frac{e^3}{2.302585 k^{3/2}} \left( \frac{1}{T^{3/2} \epsilon^{3/2}} \right) = \frac{1.824829238 \times 10^6}{(T\epsilon)^{3/2}},$$

where the symbols have the following meanings and numerical values [4]:

$N$  (or  $N_A$ ) = Avogadro constant =  $6.02252(28) \times 10^{23}$  mol<sup>-1</sup>.

$e$  = elementary charge (sometimes called the electronic or protonic charge) =  $4.80298(20)$  esu.

$k$  = Boltzmann constant =  $1.38054(18) \times 10^{-16}$  erg K<sup>-1</sup>.

$T$  = absolute temperature in K (defined in the thermodynamic scale by assigning 273.16 K (Kelvin) to the triple point of water (freezing point of water, 273.15 K = 0 °C (Celsius). (The 13th General Conference on Weights and Measures in 1967 changed the unit of temperature and temperature interval from "degrees Kelvin" to simply "Kelvin," symbol: K.)

$\epsilon$  = dielectric constant of the solvent.

The values given in parentheses above represent established limits of error based on three standard deviations applied to the last digits in the listed value.

The following values of  $\pi$  and ln 10 were used in the calculations:

$$\pi = 3.14159265$$

$$\ln 10 = 2.302585$$

$A_m$  on the molality (or weight) basis is given by  $A_m = A_c(d_0)^{1/2}$  where  $d_0$  is the density of the solvent. Values of  $\epsilon$ , the dielectric constant, and of  $d_0$ , the density of water, from 0 to 100 °C, inclusive, are given in table 2 [5, 6]. Values of  $A_c$  and  $A_m$  for aqueous solutions from 0 to 100 °C, inclusive, are given in table 3.

Values of  $\gamma_c$  as calculated by equation (1) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 4 to 12, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Similar data for  $\gamma_m$  are given in tables 13 to 21, inclusive.

When the size,  $a_i$ , of the ions is taken into account, the Debye-Hückel equation becomes:

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + B_c a_i \sqrt{I_c}}$$

where

$$B_c = \left( \frac{8\pi N}{1000} \right)^{1/2} \frac{e}{k^{1/2}} \left( \frac{1}{T^{1/2} \epsilon^{1/2}} \right) = \frac{50.29158649 \times 10^8}{(T\epsilon)^{1/2}}$$

in which the symbols have the significances given above.  $B_m$  on the molality (or weight) basis is given by  $B_m = B_c(d_0)^{1/2}$ . Values of  $B_c$  and  $B_m$  for aqueous solutions from 0 to 100 °C, inclusive, are given in table 3.

Güntelberg [7] suggested the simpler form

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + \sqrt{I_c}} \quad (2)$$

which is equivalent to assigning a value of approximately 3 Å as calculated by equation (2) to the ion size at all temperatures. Güntelberg values of  $\gamma_c$  for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 22 to 30, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Güntelberg values for  $\gamma_m$  for these same valence types and ranges of ionic strength and temperature are given in tables 31 to 39, inclusive.

A modified or extended Güntelberg equation would be

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + 3B_c \sqrt{I_c}} \quad (3)$$

where the denominator is now temperature dependent since  $B_c$  is a function of temperature. Extended Güntelberg values of  $\gamma_c$  as calculated by equation (3) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 40 to 48, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Extended Güntelberg values for  $\gamma_m$  for the same valence types and ranges of ionic strength and temperature are given in tables 49 to 57, inclusive.

These Güntelberg expressions for the activity coefficient give a fair representation of a number of electrolytes up to  $I=0.1$ . However, a better representation is obtained if a term linear in the ionic strength is added to the right side of the equations. Thus, Guggenheim [8] proposed the equation

$$\log \gamma_c = \frac{-z_+ z_- A_c \sqrt{I_c}}{1 + \sqrt{I_c}} + bI_c$$

where  $b$  is an adjustable parameter.

Davies [9] altered the Guggenheim equation by putting  $b = 0.2A_{z+z_-}$ , thus:

$$\log \gamma_c = \frac{-z+z_- A_c \sqrt{I_c}}{1 + \sqrt{I_c}} + 0.2A_{z+z_-} I_c \quad (4)$$

where the denominator of the first term on the right is again independent of temperature. Davies values of  $\gamma_c$  as calculated by equation (4) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 58 to 66, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Davies values for  $\gamma_m$  for the same valence types and ranges of ionic strength and temperature are given in tables 67 to 75, inclusive.

Scatchard [10] suggested that a better average fit is obtained if  $(1 + 1.5\sqrt{I})$  is used in the denominator of the first term on the right for the expression for  $\log \gamma_c$ , thus:

$$\log \gamma_c = \frac{-z+z_- A_c \sqrt{I_c}}{1 + 1.5\sqrt{I_c}} \quad (5)$$

Scatchard actually used an additional linear term in  $I$  with an adjustable coefficient on the right side of the above equation but this additional term is omitted here. Scatchard values of  $\gamma_c$  as calculated by equation (5) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 76 to 84, inclusive, for ionic strengths of 0.1 and below and for temperatures of 0 to 100 °C, inclusive. Scatchard values for  $\gamma_m$  for the same valence types and ranges of ionic strength and temperature are given in tables 85 to 93, inclusive.

A modified or extended Scatchard equation results if the denominator,  $1 + 1.5\sqrt{I_c}$ , in the above equation is made temperature dependent, thus:

$$\log \gamma_c = \frac{-z+z_- A_c \sqrt{I_c}}{1 + 4.5B_c \sqrt{I_c}} \quad (6)$$

Extended Scatchard values for  $\gamma_c$  as calculated by equation (6) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 94 to 102, inclusive, for ionic strengths of 0.1 and below and for temperatures from 0 to 100 °C, inclusive. Extended Scatchard values for  $\gamma_m$  for the same valence types and ranges of ionic strength and temperature are given in tables 103 to 111, inclusive.

Bjerrum [11] has shown that ion pairs (associated ions with charges of unlike sign) occur if the di-

meter of the ion is less than

$$a_B = \frac{z+z_- e^2}{2\epsilon kT}$$

Values of  $a_B$  for aqueous solutions from 0 to 100 °C, inclusive, are given in table 112. The Bjerrum expression for the activity coefficient is:

$$\log \gamma_c = \frac{-z+z_- A_c \sqrt{I_c}}{1 + B_c a_B \sqrt{I_c}} \quad (7)$$

Bjerrum values of  $\gamma_c$  as calculated by equation (7) for 1-1, 1-2 (or 2-1), 1-3 (or 3-1), 1-4 (or 4-1 or 2-2), 2-3 (or 3-2), 2-4 (or 4-2), 3-3, 3-4 (or 4-3), and 4-4 electrolytes are given, respectively, in tables 113 to 121, inclusive, for ionic strengths of 0.1 and below and for temperatures of 0 to 100 °C, inclusive. Bjerrum values for  $\gamma_m$  for the same valence types and ranges of ionic strength and temperature are given in tables 122 to 130, inclusive.

## 4. Uncertainties

The uncertainties in values of the activity coefficients of electrolytes of various valence types for an ionic strength of 0.1 arising from the established limits of error for the physical constants employed in the above theoretical relations for the activity coefficients are given in table 131 for temperatures of 0, 25, 50, 75, and 100 °C. Uncertainties at intermediate temperatures may be obtained by interpolation. Uncertainties for more dilute solutions may be obtained by interpolation of the uncertainties on a linear plot of the uncertainties versus  $\sqrt{I}$  between 0 (where the uncertainties are zero) and  $\sqrt{0.1}$ . In determining these uncertainties, the limits of error for the dielectric constant of water were taken to be zero.

Owen, Miller, Milner, and Cogan [12] in 1961, and Vidulich and Kay [13] in 1962 reported values for the dielectric constant of water from 0 to 70 °C and 0 to 40 °C, respectively. The values of Owen et al. differed from those of Malmberg and Maryott, used herein, by +0.18 percent, +0.08 percent, 0 percent, -0.16 percent, and -0.25 percent at 0, 25, 40, 70, and 100 °C. (Owen et al. values were calculated from their equation expressing the dielectric constant as a function of temperature), respectively, whereas those of Vidulich and Kay differed from those of Malmberg and Maryott by +0.17 percent, +0.08 percent, and +0.03 percent at 0, 25, and 40 °C, respectively. In table 132, values of the Debye-Hückel constants  $A_c$ ,  $A_m$ ,  $B_c$ , and  $B_m$  based on the dielectric constant of water determined by Owen et al. are given for temperatures from 0 to 100 °C. In table 133, values for the Bjerrum minimum ion parameter, based on the dielectric constant of water as determined by Owen et al., are given for tempera-

tures from 0 to 100 °C. The required Bjerrum values needed to give a smooth difference, as a function of temperature, between those calculated using the dielectric constant of water, as determined by Malmberg and Maryott [5] or Owen et al. [12] are given in the parentheses.

The differences in values of the activity coefficients of electrolytes of various valence types for an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5], are given in table 134 on a volume basis and in table 135 on a weight basis for temperatures of 0, 25, 50, 75, and 100 °C. Differences at intermediate temperatures may be obtained by interpolation. Differences for more dilute solutions may be obtained by interpolation of the differences on a linear plot of the differences versus  $\sqrt{I}$  between 0 and  $\sqrt{0.1}$ .

## 5. Other Theoretical Treatments

The theoretical equations considered here are all general and in principle apply to all completely dissociated electrolytes and differ only in the ionic valence or in the choice of a common ion-size parameter. Those treatments which require, a priori, a specific value for the ion-size parameter [11, 14–17], or hydration number [18, 19], or some physical model for the interaction of ions in order to obtain numerical results [20–28], cannot be treated in a general numerical way and obviously are not included here. Applications of these extended treatments rest with specific cases. The equations given here are especially valuable as aids in extrapolations.

---

The author is greatly indebted to Woodward G. Eicke, Jr., for writing the program for this work for FORTRAN IV.

## 6. References

- [1] K. S. Pitzer and L. Brewer, Lewis and Randall's Thermodynamics, 2d ed., p. 327 (McGraw-Hill Book Company, Inc., New York, New York, 1961).
- [2] G. N. Lewis, Proc. Am. Acad. Arts Sci. **43**, 259 (1907); Z. physik. Chem. **61**, 129 (1907).
- [3] P. Debye and E. Hückel, Physik. Z. **24**, 185, 305 (1932).
- [4] Values recommended in 1963 by the committee on fundamental constants of the National Academy of Sciences—National Research Council, Chem. & Eng. News, Nov. 11, p. 39 (1963).
- [5] C. G. Malmberg and A. A. Maryott, J. Res. NBS **56**, No. 1, 1 (1956) RP2641.
- [6] M. Thiesen, Wiss. Abh. der Physikalisch-Technischen Reichsanstalt **4**, No. 1, 1904; International Critical Tables **3**, 25 (1928).
- [7] E. Güntelberg, Z. physik. Chem. **123**, 199 (1926).
- [8] E. A. Guggenheim, Phil. Mag. **19**, 588 (1935).
- [9] C. W. Davies, J. Chem. Soc. 2093 (1938).
- [10] G. Scatchard, The Structure of Electrolytic Solutions, Ed. W. J. Hamer, p. 9 (John Wiley & Sons, Inc., New York, New York, 1959); Chem. Rev. **19**, 309 (1936).
- [11] N. Bjerrum, Kgl. Danske Videnskab. Selskab. Math.-fys. Medd. **1**, No. 9 (1926).
- [12] B. B. Owen, R. C. Miller, C. E. Milner, and H. L. Cogan, J. Phys. Chem. **65**, 2065 (1961).
- [13] G. A. Vidulich and R. L. Kay, J. Phys. Chem. **66**, 383 (1962).
- [14] T. H. Gronwall, V. K. LaMer, and K. Sandved, Physik. Z. **29**, 358 (1928).
- [15] V. K. LaMer, T. H. Gronwall, and L. J. Greiff, J. Phys. Chem. **35**, 2245 (1931).
- [16] E. Hückel, Physik. Z. **26**, 93 (1925).
- [17] J. G. Kirkwood, Chem. Revs. **19**, 275 (1936).
- [18] E. Glueckauf, The Structure of Electrolytic Solutions, Ed. W. J. Hamer, Chap. 7 (John Wiley & Sons, Inc., New York, New York, 1959).
- [19] R. A. Robinson and R. H. Stokes, Electrolyte Solutions, 2d Ed., p. 8–9 (Butterworths Scientific Publications, London, 1959).
- [20] J. E. Mayer, J. Chem. Phys. **18**, 1426 (1950).
- [21] J. C. Poirier, J. Chem. Phys. **21**, 965, 972 (1953).
- [22] M. Eigen and E. Wicke, Z. Elektrochem. **55**, 354 (1951); **56**, 551 (1952).
- [23] E. Hückel and G. Krafft, Z. Physik. Chem. **3**, 135 (1955).
- [24] E. Wicke and M. Eigen, Z. Elektrochem. **57**, 319 (1953).
- [25] H. Falkenhagen and G. Kelbg, Ann. Physik. VI, **11**, 60 (1952); Z. Elektrochem. **56**, 834 (1952).
- [26] H. Falkenhagen, M. Leist, and G. Kelbg, Ann. Physik. VI, **11**, 51 (1952).
- [27] S. Levine and G. M. Bell, J. Phys. Chem. **64**, 1188 (1960).
- [28] G. Kelbg, Z. Physik. Chem. (Leipzig) **214**, 8, 26, 141, 153 (1960).



**Tables of Theoretical Activity Coefficients  
For Ionic Strengths from 0 to 0.1 and  
Temperatures from 0 to 100 °C**

TABLE 1.—Relations between mean molality, mean activity coefficient, solute (or electrolyte) activity, and ionic strength for various valence types of electrolytes

Type	Example	$m_{\pm} = Xm$	$\gamma_{\pm}$	$a_2 = a_{\pm}^{\nu}$	$I = Ym$ $= 1/2 \sum_i z_i^2 m$
1-1	KCl.....	$m$	$(\gamma_+ \gamma_-)^{1/2}$	$m^2 \gamma_{\pm}^2$	$m$
1-2	Na <sub>2</sub> SO <sub>4</sub> .....	$4^{1/3}m$	$(\gamma_+^2 \gamma_-)^{1/3}$	$4m^3 \gamma_{\pm}^3$	$3m$
1-3	K <sub>3</sub> Fe(CN) <sub>6</sub> .....	$27^{1/4}m$	$(\gamma_+^3 \gamma_-)^{1/4}$	$27m^4 \gamma_{\pm}^4$	$6m$
1-4	K <sub>4</sub> Fe(CN) <sub>6</sub> .....	$256^{1/5}m$	$(\gamma_+^4 \gamma_-)^{1/5}$	$256m^5 \gamma_{\pm}^5$	$10m$
2-1	BaCl <sub>2</sub> .....	$4^{1/3}m$	$(\gamma_+ \gamma_-^2)^{1/3}$	$4m^3 \gamma_{\pm}^3$	$3m$
2-2	MgSO <sub>4</sub> .....	$m$	$(\gamma_+ \gamma_-)^{1/2}$	$m^2 \gamma_{\pm}^2$	$4m$
2-3	Sn <sub>3</sub> [Fe(CN) <sub>6</sub> ] <sub>2</sub> ....	$108^{1/5}m$	$(\gamma_+^3 \gamma_-^2)^{1/5}$	$108m^5 \gamma_{\pm}^5$	$15m$
2-4	Mg <sub>2</sub> Fe(CN) <sub>6</sub> .....	$4^{1/3}m$	$(\gamma_+^2 \gamma_-)^{1/3}$	$4m^3 \gamma_{\pm}^3$	$12m$
3-1	AlCl <sub>3</sub> .....	$27^{1/4}m$	$(\gamma_+ \gamma_-^3)^{1/4}$	$27m^4 \gamma_{\pm}^4$	$6m$
3-2	Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .....	$108^{1/5}m$	$(\gamma_+^2 \gamma_-^3)^{1/5}$	$108m^5 \gamma_{\pm}^5$	$15m$
3-3	LaFe(CN) <sub>6</sub> .....	$m$	$(\gamma_+ \gamma_-)^{1/2}$	$m^2 \gamma_{\pm}^2$	$9m$
3-4	Al <sub>4</sub> [Fe(CN) <sub>6</sub> ] <sub>3</sub> ....	$6912^{1/7}m$	$(\gamma_+^4 \gamma_-^3)^{1/7}$	$6912m^7 \gamma_{\pm}^7$	$42m$
4-1	Th(NO <sub>3</sub> ) <sub>4</sub> .....	$256^{1/5}m$	$(\gamma_+ \gamma_-^4)^{1/5}$	$256m^5 \gamma_{\pm}^5$	$10m$
4-2	Th(SO <sub>4</sub> ) <sub>2</sub> .....	$4^{1/3}m$	$(\gamma_+ \gamma_-^2)^{1/3}$	$4m^3 \gamma_{\pm}^3$	$12m$
4-3	Th <sub>3</sub> (PO <sub>4</sub> ) <sub>4</sub> .....	$6912^{1/7}m$	$(\gamma_+^3 \gamma_-^4)^{1/7}$	$6912m^7 \gamma_{\pm}^7$	$42m$
4-4	SnFe(CN) <sub>6</sub> .....	$m$	$(\gamma_+ \gamma_-)^{1/2}$	$m^2 \gamma_{\pm}^2$	$16m$

TABLE 2. Dielectric constant and density of water

Temperature	Dielectric constant	Density	Temperature	Dielectric constant	Density
$t$	$\epsilon$	$d_0$	$t$	$\epsilon$	$d_0$
°C		g/ml	°C		g/ml
0	87.74	0.99987	50	69.91	0.98807
5	85.76	.99999	55	68.34	.98573
10	83.83	.99973	60	66.81	.98324
15	81.95	.99913	65	65.32	.98059
18	80.84	.99862	70	63.86	.97781
20	80.10	.99823	75	62.43	.97489
25	78.30	.99707	80	61.03	.97183
30	76.55	.99567	85	59.66	.96865
35	74.83	.99406	90	58.32	.96534
38	73.82	.99229	95	57.01	.96192
40	73.15	.99224	100	55.72	.95838
45	71.51	.99025			

TABLE 3. *Values of the Debye-Hückel constants for activity coefficients for aqueous solutions from 0 to 100 °C*

t °C	A		B	
	Weight basis	Volume basis	Weight basis	Volume basis
	$kg^{1/2} mol^{-1/2}$	$l^{1/2} mol^{-1/2}$	$kg^{1/2} 10^8 cm mol^{-1/2}$	$l^{1/2} 10^8 cm mol^{-1/2}$
0	0.4918	0.4918	0.3248	0.3249
5	.4953	.4953	.3256	.3256
10	.4989	.4990	.3264	.3264
15	.5027	.5029	.3271	.3273
18	.5050	.5054	.3276	.3278
20	.5067	.5072	.3279	.3282
25	.5108	.5116	.3287	.3292
30	.5151	.5162	.3294	.3301
35	.5196	.5212	.3302	.3312
38	.5224	.5242	.3307	.3318
40	.5243	.5263	.3310	.3323
45	.5292	.5318	.3318	.3334
50	.5342	.5374	.3326	.3346
55	.5395	.5434	.3334	.3358
60	.5449	.5495	.3343	.3371
65	.5505	.5559	.3351	.3384
70	.5563	.5625	.3359	.3397
75	.5623	.5695	.3368	.3411
80	.5685	.5767	.3377	.3426
85	.5750	.5843	.3386	.3440
90	.5817	.5921	.3395	.3456
95	.5886	.6001	.3405	.3471
100	.5959	.6087	.3414	.3488

TABLE 4. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9880	.9880
.0002	.9841	.9840	.9839	.9838	.9837	.9836	.9835	.9833	.9831
.0003	.9806	.9804	.9803	.9801	.9800	.9798	.9796	.9794	.9793
.0004	.9776	.9774	.9773	.9771	.9770	.9769	.9767	.9765	.9763
.0005	.9750	.9748	.9746	.9744	.9743	.9742	.9740	.9738	.9735
.0006	.9726	.9725	.9722	.9720	.9719	.9718	.9716	.9713	.9710
.0007	.9705	.9703	.9701	.9698	.9697	.9696	.9693	.9690	.9687
.0008	.9685	.9683	.9680	.9678	.9676	.9675	.9672	.9669	.9666
.0009	.9666	.9664	.9661	.9659	.9657	.9656	.9653	.9650	.9646
.0010	.9648	.9646	.9643	.9640	.9639	.9637	.9634	.9631	.9628
.0020	.9506	.9503	.9499	.9495	.9493	.9491	.9487	.9482	.9477
.0030	.9399	.9394	.9390	.9385	.9382	.9380	.9375	.9370	.9364
.0040	.9309	.9304	.9299	.9294	.9290	.9288	.9282	.9276	.9269
.0050	.9230	.9225	.9220	.9214	.9210	.9207	.9201	.9194	.9186
.0060	.9160	.9154	.9148	.9142	.9138	.9135	.9128	.9120	.9112
.0070	.9096	.9090	.9083	.9077	.9072	.9069	.9061	.9053	.9045
.0080	.9037	.9030	.9023	.9016	.9011	.9008	.9000	.8991	.8982
.0090	.8981	.8975	.8967	.8960	.8955	.8951	.8943	.8934	.8924
.0100	.8929	.8922	.8915	.8907	.8901	.8898	.8889	.8879	.8869
.0200	.8520	.8510	.8500	.8489	.8483	.8478	.8465	.8453	.8439
.0300	.8219	.8208	.8195	.8183	.8175	.8169	.8154	.8139	.8123
.0400	.7973	.7960	.7947	.7933	.7924	.7917	.7901	.7884	.7866
.0500	.7763	.7749	.7734	.7719	.7709	.7702	.7684	.7666	.7646
.0600	.7578	.7563	.7547	.7530	.7520	.7512	.7493	.7474	.7453
.0700	.7411	.7395	.7379	.7361	.7350	.7342	.7322	.7302	.7280
.0800	.7259	.7243	.7225	.7207	.7195	.7187	.7166	.7145	.7122
.0900	.7120	.7102	.7084	.7065	.7053	.7044	.7023	.7001	.6977
.1000	.6990	.6972	.6953	.6934	.6921	.6912	.6890	.6867	.6842

TABLE 4. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_{+}z_{-} = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9877	.9876	.9874	.9873	.9871	.9870	.9868	.9866	.9865
.0002	.9827	.9825	.9823	.9821	.9818	.9814	.9812	.9809	.9806
.0003	.9788	.9786	.9783	.9781	.9778	.9775	.9773	.9770	.9767
.0004	.9756	.9753	.9750	.9747	.9744	.9741	.9738	.9735	.9731
.0005	.9727	.9724	.9721	.9718	.9715	.9711	.9707	.9704	.9700
.0006	.9701	.9698	.9695	.9691	.9688	.9684	.9680	.9676	.9672
.0007	.9678	.9674	.9671	.9667	.9663	.9659	.9655	.9650	.9646
.0008	.9656	.9652	.9648	.9644	.9640	.9636	.9631	.9627	.9622
.0009	.9636	.9632	.9628	.9623	.9619	.9614	.9609	.9604	.9599
.0010	.9616	.9612	.9608	.9603	.9599	.9594	.9589	.9583	.9578
.0020	.9462	.9456	.9450	.9444	.9437	.9430	.9423	.9416	.9409
.0030	.9345	.9338	.9330	.9323	.9315	.9307	.9298	.9290	.9280
.0040	.9247	.9239	.9231	.9222	.9213	.9204	.9194	.9184	.9174
.0050	.9162	.9153	.9144	.9135	.9125	.9114	.9104	.9093	.9081
.0060	.9086	.9076	.9066	.9056	.9045	.9034	.9023	.9010	.8998
.0070	.9016	.9006	.8996	.8984	.8973	.8961	.8948	.8935	.8922
.0080	.8952	.8941	.8930	.8918	.8906	.8893	.8880	.8866	.8852
.0090	.8892	.8881	.8869	.8857	.8844	.8830	.8816	.8802	.8787
.0100	.8836	.8824	.8812	.8799	.8785	.8771	.8756	.8741	.8725
.0200	.8395	.8378	.8362	.8344	.8326	.8307	.8288	.8267	.8246
.0300	.8071	.8052	.8032	.8012	.7990	.7968	.7945	.7921	.7897
.0400	.7808	.7786	.7764	.7741	.7718	.7693	.7668	.7641	.7613
.0500	.7583	.7559	.7536	.7511	.7486	.7459	.7431	.7402	.7372
.0600	.7385	.7360	.7335	.7309	.7281	.7253	.7223	.7192	.7161
.0700	.7208	.7182	.7155	.7127	.7099	.7068	.7038	.7005	.6972
.0800	.7047	.7019	.6992	.6963	.6933	.6901	.6869	.6835	.6800
.0900	.6870	.6841	.6811	.6780	.6748	.6714	.6679	.6643	.6606
.1000	.6762	.6732	.6702	.6671	.6639	.6606	.6571	.6535	.6460

TABLE 5. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9776	.9774	.9773	.9771	.9770	.9769	.9767	.9765	.9763
.0002	.9685	.9683	.9680	.9678	.9676	.9675	.9672	.9669	.9664
.0003	.9615	.9613	.9610	.9607	.9605	.9604	.9600	.9597	.9590
.0004	.9557	.9554	.9551	.9547	.9545	.9544	.9540	.9536	.9531
.0005	.9506	.9503	.9499	.9495	.9493	.9491	.9487	.9482	.9477
.0006	.9460	.9457	.9453	.9449	.9446	.9444	.9439	.9434	.9429
.0007	.9418	.9414	.9410	.9406	.9403	.9401	.9396	.9390	.9385
.0008	.9379	.9375	.9371	.9366	.9363	.9361	.9355	.9350	.9344
.0009	.9343	.9339	.9334	.9329	.9326	.9323	.9318	.9312	.9305
.0010	.9309	.9304	.9299	.9294	.9290	.9288	.9282	.9276	.9269
.0020	.9037	.9030	.9023	.9016	.9011	.9008	.9000	.8991	.8982
.0030	.8833	.8826	.8817	.8809	.8803	.8799	.8789	.8779	.8768
.0040	.8665	.8657	.8647	.8637	.8631	.8627	.8616	.8604	.8592
.0050	.8520	.8510	.8500	.8489	.8483	.8478	.8465	.8453	.8439
.0060	.8391	.8380	.8369	.8358	.8350	.8345	.8332	.8318	.8303
.0070	.8274	.8263	.8251	.8239	.8231	.8225	.8211	.8196	.8181
.0080	.8166	.8155	.8142	.8129	.8121	.8115	.8100	.8085	.8068
.0090	.8067	.8054	.8041	.8028	.8019	.8012	.7997	.7981	.7964
.0100	.7973	.7960	.7947	.7933	.7924	.7917	.7901	.7884	.7866
.0200	.7259	.7243	.7225	.7207	.7195	.7187	.7166	.7145	.7122
.0300	.6755	.6736	.6716	.6696	.6682	.6673	.6649	.6625	.6599
.0400	.6357	.6337	.6315	.6293	.6278	.6268	.6243	.6216	.6188
.0500	.6026	.6005	.5982	.5958	.5943	.5932	.5905	.5877	.5847
.0600	.5742	.5719	.5696	.5671	.5655	.5643	.5615	.5586	.5555
.0700	.5492	.5469	.5444	.5419	.5402	.5390	.5362	.5332	.5299
.0800	.5270	.5246	.5221	.5194	.5177	.5165	.5136	.5105	.5072
.0900	.5069	.5045	.5019	.4992	.4975	.4962	.4932	.4901	.4867
.1000	.4886	.4861	.4835	.4808	.4780	.4778	.4747	.4715	.4681

TABLE 5. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $Z_+ Z_- = 2$ )

Ionic strength	Temperature in degrees Celsius									95	100
	50	55	60	65	70	75	80	85	90		
.0001	.9756	.9753	.9750	.9747	.9744	.9741	.9738	.9735	.9731	.9727	.9724
.0002	.9656	.9652	.9648	.9644	.9640	.9636	.9631	.9627	.9622	.9617	.9611
.0003	.9580	.9576	.9571	.9566	.9561	.9556	.9550	.9545	.9539	.9533	.9526
.0004	.9517	.9512	.9506	.9501	.9495	.9489	.9483	.9476	.9469	.9462	.9455
.0005	.9462	.9456	.9450	.9444	.9437	.9430	.9423	.9416	.9409	.9401	.9392
.0006	.9412	.9405	.9399	.9392	.9385	.9378	.9370	.9362	.9354	.9345	.9336
.0007	.9366	.9359	.9352	.9345	.9338	.9330	.9321	.9313	.9304	.9295	.9285
.0008	.9324	.9317	.9309	.9302	.9294	.9285	.9276	.9267	.9258	.9248	.9238
.0009	.9284	.9277	.9269	.9261	.9252	.9243	.9234	.9224	.9215	.9204	.9193
.0010	.9247	.9239	.9231	.9222	.9213	.9204	.9194	.9184	.9174	.9163	.9152
.0020	.8952	.8941	.8930	.8918	.8906	.8893	.8880	.8866	.8852	.8837	.8822
.0030	.8732	.8719	.8706	.8692	.8677	.8662	.8646	.8630	.8613	.8595	.8577
.0040	.8551	.8536	.8521	.8505	.8489	.8472	.8454	.8435	.8416	.8396	.8375
.0050	.8395	.8378	.8362	.8344	.8326	.8307	.8288	.8267	.8246	.8225	.8202
.0060	.8256	.8238	.8220	.8201	.8182	.8162	.8141	.8119	.8096	.8073	.8048
.0070	.8130	.8111	.8092	.8072	.8051	.8030	.8008	.7984	.7960	.7936	.7909
.0080	.8014	.7995	.7974	.7953	.7932	.7909	.7886	.7861	.7836	.7810	.7782
.0090	.7907	.7887	.7866	.7844	.7821	.7797	.7773	.7747	.7721	.7694	.7665
.0100	.7808	.7786	.7764	.7741	.7718	.7693	.7668	.7641	.7613	.7585	.7555
.0200	.7047	.7019	.6992	.6963	.6933	.6901	.6869	.6835	.6800	.6765	.6727
.0300	.6514	.6483	.6451	.6418	.6385	.6349	.6313	.6275	.6236	.6196	.6154
.0400	.6096	.6062	.6028	.5993	.5957	.5918	.5879	.5838	.5796	.5754	.5708
.0500	.5750	.5715	.5679	.5641	.5603	.5563	.5522	.5479	.5435	.5390	.5343
.0600	.5454	.5417	.5380	.5342	.5302	.5260	.5218	.5173	.5128	.5082	.5033
.0700	.5196	.5158	.5120	.5080	.5039	.4996	.4953	.4907	.4861	.4813	.4763
.0800	.4966	.4927	.4888	.4848	.4806	.4763	.4718	.4672	.4624	.4576	.4526
.0900	.4759	.4720	.4681	.4639	.4597	.4553	.4508	.4461	.4413	.4365	.4313
.1000	.4572	.4532	.4492	.4451	.4408	.4363	.4318	.4270	.4222	.4173	.4121

TABLE 6. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9666	.9664	.9661	.9659	.9657	.9656	.9653
.0002	.9531	.9528	.9524	.9521	.9518	.9517	.9512
.0003	.9429	.9425	.9420	.9416	.9413	.9411	.9406
.0004	.9343	.9339	.9334	.9329	.9326	.9323	.9318
.0005	.9268	.9263	.9258	.9253	.9249	.9246	.9240
.0006	.9202	.9196	.9190	.9184	.9180	.9178	.9171
.0007	.9140	.9135	.9128	.9122	.9118	.9115	.9107
.0008	.9084	.9078	.9071	.9064	.9060	.9057	.9049
.0009	.9031	.9024	.9018	.9010	.9006	.9002	.8994
.0010	.8981	.8975	.8967	.8960	.8955	.8951	.8943
.0020	.8590	.8581	.8571	.8561	.8554	.8550	.8538
.0030	.8302	.8291	.8280	.8267	.8260	.8254	.8240
.0040	.8067	.8054	.8041	.8028	.8019	.8012	.7997
.0050	.7865	.7851	.7837	.7822	.7812	.7806	.7789
.0060	.7686	.7672	.7657	.7641	.7631	.7623	.7605
.0070	.7526	.7511	.7495	.7478	.7467	.7459	.7440
.0080	.7380	.7364	.7347	.7329	.7318	.7310	.7290
.0090	.7245	.7228	.7211	.7192	.7181	.7172	.7151
.0100	.7120	.7102	.7084	.7065	.7053	.7044	.7023
.0200	.6185	.6164	.6142	.6118	.6103	.6093	.6067
.0300	.5552	.5529	.5504	.5479	.5462	.5451	.5422
.0400	.5069	.5045	.5019	.4992	.4975	.4962	.4932
.0500	.4678	.4653	.4627	.4599	.4581	.4568	.4537
.0600	.4351	.4325	.4298	.4270	.4252	.4239	.4208
.0700	.4070	.4045	.4017	.3989	.3971	.3958	.3926
.0800	.3826	.3799	.3772	.3743	.3725	.3712	.3680
.0900	.3609	.3583	.3555	.3527	.3509	.3496	.3464
.1000	.3415	.3389	.3362	.3334	.3315	.3302	.3271

TABLE 6. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9636	.9632	.9628	.9623	.9619	.9614	.9609	.9604	.9599	.9594	.9588
.0002	.9489	.9483	.9477	.9471	.9465	.9459	.9452	.9445	.9438	.9431	.9423
.0003	.9377	.9371	.9364	.9357	.9349	.9341	.9333	.9325	.9316	.9307	.9298
.0004	.9284	.9277	.9269	.9261	.9252	.9243	.9234	.9224	.9215	.9204	.9193
.0005	.9203	.9195	.9186	.9177	.9168	.9158	.9148	.9137	.9126	.9115	.9103
.0006	.9131	.9122	.9112	.9102	.9092	.9081	.9070	.9059	.9047	.9034	.9021
.0007	.9065	.9055	.9045	.9034	.9023	.9012	.9000	.8987	.8974	.8961	.8947
.0008	.9003	.8993	.8982	.8971	.8959	.8947	.8934	.8921	.8908	.8894	.8879
.0009	.8946	.8935	.8924	.8912	.8900	.8887	.8874	.8860	.8845	.8831	.8815
.0010	.8892	.8881	.8869	.8857	.8844	.8830	.8816	.8802	.8787	.8771	.8755
.0020	.8470	.8455	.8439	.8422	.8405	.8387	.8368	.8348	.8328	.8308	.8286
.0030	.8160	.8142	.8123	.8103	.8083	.8062	.8040	.8017	.7993	.7969	.7943
.0040	.7907	.7887	.7866	.7844	.7821	.7797	.7773	.7747	.7721	.7694	.7665
.0050	.7691	.7669	.7646	.7622	.7598	.7572	.7545	.7517	.7489	.7459	.7428
.0060	.7501	.7477	.7453	.7427	.7401	.7373	.7345	.7315	.7285	.7254	.7220
.0070	.7330	.7305	.7279	.7252	.7225	.7195	.7166	.7134	.7102	.7069	.7034
.0080	.7175	.7148	.7121	.7093	.7064	.7034	.7003	.6970	.6936	.6902	.6865
.0090	.7032	.7004	.6976	.6947	.6917	.6885	.6853	.6819	.6784	.6749	.6711
.0100	.6899	.6870	.6841	.6811	.6780	.6748	.6714	.6679	.6643	.6606	.6567
.0200	.5916	.5881	.5846	.5810	.5772	.5733	.5693	.5651	.5608	.5564	.5518
.0300	.5257	.5220	.5182	.5142	.5102	.5059	.5016	.4970	.4924	.4877	.4827
.0400	.4759	.4720	.4681	.4639	.4597	.4553	.4508	.4461	.4413	.4365	.4313
.0500	.4360	.4320	.4279	.4237	.4194	.4149	.4103	.4055	.4007	.3958	.3905
.0600	.4028	.3987	.3946	.3904	.3861	.3815	.3769	.3721	.3672	.3623	.3570
.0700	.3745	.3704	.3663	.3620	.3577	.3532	.3485	.3437	.3389	.3340	.3287
.0800	.3499	.3459	.3418	.3375	.3332	.3287	.3241	.3193	.3145	.3096	.3044
.0900	.3284	.3243	.3202	.3160	.3117	.3072	.3027	.2979	.2932	.2883	.2833
.1000	.3092	.3051	.3011	.2969	.2927	.2882	.2837	.2791	.2743	.2696	.2646

TABLE 7. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9557	.9554	.9551	.9547	.9545	.9544	.9540	.9536	.9531
.0002	.9379	.9375	.9371	.9366	.9363	.9361	.9355	.9350	.9344
.0003	.9245	.9240	.9235	.9229	.9225	.9216	.9210	.9202	.9198
.0004	.9134	.9128	.9122	.9115	.9111	.9108	.9101	.9093	.9085
.0005	.9037	.9030	.9023	.9016	.9011	.9008	.9000	.8991	.8982
.0006	.8950	.8943	.8935	.8927	.8922	.8919	.8910	.8901	.8891
.0007	.8871	.8863	.8855	.8847	.8841	.8837	.8828	.8818	.8807
.0008	.8797	.8789	.8781	.8772	.8766	.8762	.8752	.8742	.8730
.0009	.8729	.8721	.8712	.8703	.8697	.8692	.8682	.8671	.8659
.0010	.8665	.8657	.8647	.8637	.8631	.8627	.8616	.8604	.8592
.0020	.8166	.8155	.8142	.8129	.8121	.8115	.8100	.8085	.8068
.0030	.7803	.7789	.7775	.7759	.7749	.7742	.7725	.7707	.7688
.0040	.7509	.7494	.7478	.7461	.7450	.7442	.7423	.7403	.7382
.0050	.7259	.7243	.7225	.7207	.7195	.7187	.7166	.7145	.7122
.0060	.7041	.7023	.7005	.6985	.6973	.6964	.6942	.6919	.6895
.0070	.6846	.6827	.6808	.6787	.6774	.6765	.6742	.6718	.6692
.0080	.6669	.6650	.6629	.6608	.6595	.6585	.6561	.6536	.6509
.0090	.6507	.6487	.6466	.6444	.6430	.6420	.6395	.6370	.6342
.0100	.6357	.6337	.6315	.6293	.6278	.6268	.6243	.6216	.6188
.0200	.5270	.5246	.5221	.5194	.5177	.5165	.5136	.5105	.5072
.0300	.4563	.4538	.4511	.4483	.4465	.4452	.4421	.4389	.4354
.0400	.4042	.4016	.3988	.3960	.3942	.3929	.3897	.3864	.3829
.0500	.3632	.3606	.3578	.3550	.3531	.3518	.3487	.3454	.3418
.0600	.3297	.3271	.3244	.3216	.3198	.3185	.3153	.3121	.3086
.0700	.3017	.2991	.2964	.2936	.2918	.2906	.2875	.2843	.2808
.0800	.2777	.2752	.2725	.2698	.2680	.2668	.2637	.2606	.2572
.0900	.2569	.2545	.2519	.2492	.2475	.2462	.2433	.2402	.2369
.1000	.2387	.2363	.2338	.2311	.2295	.2283	.2254	.2224	.2172

TABLE 47 *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued*  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9517	.9512	.9506	.9501	.9495	.9489	.9483	.9476	.9469
.0002	.9324	.9317	.9309	.9302	.9294	.9285	.9276	.9267	.9258
.0003	.9178	.9170	.9161	.9151	.9142	.9132	.9121	.9110	.9099
.0004	.9057	.9047	.9037	.9027	.9016	.9004	.8992	.8980	.8967
.0005	.8952	.8941	.8930	.8918	.8906	.8893	.8880	.8866	.8852
.0006	.8858	.8846	.8834	.8821	.8808	.8794	.8780	.8765	.8750
.0007	.8773	.8760	.8747	.8733	.8719	.8704	.8689	.8673	.8656
.0008	.8694	.8680	.8666	.8652	.8637	.8621	.8605	.8588	.8571
.0009	.8620	.8606	.8591	.8576	.8561	.8544	.8527	.8509	.8491
.0010	.8551	.8536	.8521	.8505	.8489	.8472	.8454	.8435	.8416
.0020	.8014	.7995	.7974	.7953	.7932	.7909	.7886	.7861	.7836
.0030	.7625	.7602	.7579	.7555	.7529	.7503	.7476	.7447	.7418
.0040	.7312	.7287	.7261	.7234	.7206	.7177	.7147	.7115	.7083
.0050	.7047	.7019	.6992	.6963	.6933	.6901	.6869	.6835	.6800
.0060	.6815	.6786	.6757	.6726	.6694	.6661	.6627	.6591	.6555
.0070	.6609	.6579	.6548	.6516	.6483	.6448	.6412	.6375	.6336
.0080	.6423	.6391	.6359	.6326	.6291	.6255	.6218	.6180	.6140
.0090	.6253	.6220	.6187	.6152	.6117	.6080	.6042	.6002	.5961
.0100	.6096	.6062	.6028	.5993	.5957	.5918	.5879	.5838	.5796
.0200	.4966	.4927	.4888	.4848	.4806	.4763	.4718	.4672	.4624
.0300	.4243	.4203	.4162	.4120	.4077	.4031	.3985	.3937	.3888
.0400	.3716	.3675	.3634	.3592	.3548	.3503	.3457	.3408	.3360
.0500	.3306	.3266	.3225	.3183	.3140	.3095	.3049	.3002	.2954
.0600	.2975	.2935	.2895	.2853	.2811	.2767	.2722	.2676	.2629
.0700	.2699	.2660	.2621	.2580	.2539	.2496	.2453	.2408	.2363
.0800	.2466	.2428	.2390	.2350	.2310	.2268	.2226	.2182	.2139
.0900	.2265	.2228	.2191	.2152	.2113	.2073	.2032	.1990	.1948
.1000	.2090	.2054	.2018	.1981	.1943	.1904	.1864	.1824	.1783

TABLE 8. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9343	.9339	.9334	.9329	.9326	.9323	.9318	.9312	.9305
.0002	.9084	.9078	.9071	.9064	.9060	.9057	.9049	.9041	.9032
.0003	.8890	.8882	.8874	.8866	.8861	.8857	.8848	.8838	.8827
.0004	.8729	.8721	.8712	.8703	.8697	.8692	.8682	.8671	.8659
.0005	.8590	.8581	.8571	.8561	.8554	.8550	.8538	.8526	.8513
.0006	.8467	.8457	.8446	.8435	.8428	.8423	.8410	.8397	.8383
.0007	.8355	.8344	.8333	.8321	.8313	.8308	.8294	.8280	.8265
.0008	.8252	.8240	.8228	.8216	.8208	.8202	.8188	.8173	.8157
.0009	.8156	.8144	.8132	.8119	.8110	.8104	.8089	.8074	.8057
.0010	.8067	.8054	.8041	.8028	.8019	.8012	.7997	.7981	.7964
.0020	.7380	.7364	.7347	.7329	.7318	.7310	.7290	.7269	.7247
.0030	.6893	.6874	.6855	.6835	.6822	.6813	.6790	.6766	.6741
.0040	.6507	.6487	.6466	.6444	.6430	.6420	.6395	.6370	.6342
.0050	.6185	.6164	.6142	.6118	.6103	.6093	.6067	.6039	.6010
.0060	.5908	.5886	.5863	.5838	.5823	.5811	.5784	.5756	.5725
.0070	.5664	.5641	.5617	.5592	.5576	.5564	.5536	.5506	.5475
.0080	.5446	.5422	.5398	.5372	.5355	.5343	.5314	.5284	.5252
.0090	.5249	.5225	.5200	.5173	.5156	.5144	.5114	.5084	.5050
.0100	.5069	.5045	.5019	.4992	.4975	.4962	.4932	.4901	.4867
.0200	.3826	.3799	.3772	.3743	.3725	.3712	.3680	.3647	.3612
.0300	.3083	.3057	.3030	.3002	.2984	.2971	.2940	.2908	.2873
.0400	.2569	.2545	.2519	.2492	.2475	.2462	.2433	.2402	.2369
.0500	.2189	.2165	.2141	.2115	.2099	.2087	.2059	.2030	.1999
.0600	.1893	.1871	.1848	.1823	.1808	.1797	.1771	.1743	.1714
.0700	.1657	.1636	.1614	.1591	.1577	.1566	.1541	.1516	.1488
.0800	.1463	.1444	.1423	.1401	.1388	.1378	.1355	.1330	.1305
.0900	.1302	.1284	.1264	.1244	.1231	.1222	.1200	.1177	.1153
.1000	.1166	.1149	.1130	.1111	.1099	.1070	.1049	.1026	.1013

TABLE 8. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $\text{I}_+ \text{I}_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9284	.9277	.9269	.9261	.9252	.9243	.9234	.9224	.9215
.0002	.9003	.8993	.8982	.8971	.8959	.8947	.8934	.8921	.8908
.0003	.8793	.8781	.8768	.8754	.8741	.8726	.8711	.8695	.8679
.0004	.8620	.8606	.8591	.8576	.8561	.8544	.8527	.8509	.8491
.0005	.8470	.8455	.8439	.8422	.8405	.8387	.8368	.8348	.8328
.0006	.8337	.8320	.8303	.8285	.8267	.8247	.8227	.8206	.8184
.0007	.8217	.8199	.8180	.8161	.8142	.8121	.8099	.8077	.8054
.0008	.8106	.8087	.8068	.8047	.8027	.8005	.7982	.7959	.7934
.0009	.8003	.7983	.7963	.7942	.7920	.7898	.7874	.7849	.7824
.0010	.7907	.7887	.7866	.7844	.7821	.7797	.7773	.7747	.7721
.0020	.7175	.7148	.7121	.7093	.7064	.7034	.7003	.6970	.6936
.0030	.6659	.6629	.6598	.6566	.6533	.6499	.6464	.6427	.6389
.0040	.6253	.6220	.6187	.6152	.6117	.6080	.6042	.6002	.5961
.0050	.5916	.5881	.5846	.5810	.5772	.5733	.5693	.5651	.5608
.0060	.5627	.5590	.5554	.5516	.5477	.5437	.5395	.5351	.5307
.0070	.5373	.5336	.5299	.5259	.5219	.5177	.5135	.5090	.5044
.0080	.5148	.5110	.5071	.5031	.4990	.4947	.4904	.4858	.4811
.0090	.4944	.4906	.4867	.4826	.4784	.4741	.4696	.4650	.4602
.0100	.4759	.4720	.4681	.4639	.4597	.4553	.4508	.4461	.4413
.0200	.3499	.3459	.3418	.3375	.3332	.3287	.3241	.3193	.3145
.0300	.2764	.2724	.2685	.2644	.2603	.2560	.2516	.2470	.2425
.0400	.2265	.2228	.2191	.2152	.2113	.2073	.2032	.1990	.1948
.0500	.1901	.1866	.1831	.1795	.1759	.1722	.1684	.1645	.1606
.0600	.1623	.1590	.1557	.1524	.1490	.1455	.1420	.1384	.1348
.0700	.1403	.1372	.1342	.1311	.1280	.1247	.1215	.1182	.1148
.0800	.1225	.1196	.1168	.1139	.1110	.1080	.1050	.1020	.0989
.0900	.1078	.1052	.1025	.0999	.0972	.0944	.0916	.0888	.0859
.1000	.0956	.0931	.0907	.0882	.0857	.0831	.0805	.0779	.0753

TABLE 9. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9134	.9128	.9122	.9115	.9111	.9108	.9101	.9080
.0002	.8797	.8789	.8781	.8772	.8766	.8752	.8742	.8724
.0003	.8548	.8538	.8528	.8518	.8511	.8506	.8494	.8468
.0004	.8343	.8332	.8321	.8309	.8301	.8296	.8282	.8268
.0005	.8166	.8155	.8142	.8129	.8121	.8115	.8100	.8085
.0006	.8010	.7997	.7984	.7970	.7961	.7954	.7939	.7922
.0007	.7869	.7855	.7841	.7826	.7817	.7810	.7793	.7776
.0008	.7740	.7725	.7711	.7695	.7685	.7678	.7660	.7642
.0009	.7620	.7606	.7590	.7574	.7563	.7556	.7537	.7518
.0010	.7509	.7494	.7478	.7461	.7450	.7442	.7423	.7403
.0020	.6669	.6650	.6629	.6608	.6595	.6585	.6561	.6536
.0030	.6088	.6067	.6044	.6021	.6005	.5995	.5968	.5940
.0040	.5639	.5616	.5591	.5566	.5550	.5538	.5510	.5481
.0050	.5270	.5246	.5221	.5194	.5177	.5165	.5136	.5105
.0060	.4957	.4933	.4907	.4879	.4862	.4850	.4819	.4788
.0070	.4686	.4661	.4635	.4607	.4589	.4576	.4545	.4513
.0080	.4447	.4422	.4395	.4367	.4349	.4336	.4305	.4272
.0090	.4234	.4208	.4181	.4153	.4135	.4122	.4090	.4057
.0100	.4042	.4016	.3988	.3960	.3942	.3929	.3897	.3864
.0200	.2777	.2752	.2725	.2698	.2680	.2668	.2637	.2606
.0300	.2082	.2059	.2035	.2010	.1994	.1982	.1955	.1926
.0400	.1634	.1613	.1591	.1568	.1554	.1543	.1519	.1493
.0500	.1319	.1300	.1280	.1260	.1247	.1238	.1216	.1193
.0600	.1087	.1070	.1052	.1034	.1022	.1014	.0994	.0974
.0700	.0910	.0895	.0879	.0862	.0844	.0826	.0808	.0789
.0800	.0771	.0757	.0743	.0728	.0718	.0712	.0696	.0679
.0900	.0660	.0648	.0634	.0621	.0612	.0606	.0592	.0577
.1000	.0570	.0558	.0547	.0534	.0527	.0521	.0508	.0494

TABLE 9. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9057	.9047	.9037	.9027	.9016	.9004	.8992	.8980	.8967
.0002	.8694	.8680	.8666	.8652	.8637	.8621	.8605	.8588	.8571
.0003	.8424	.8408	.8392	.8375	.8357	.8338	.8319	.8299	.8279
.0004	.8204	.8186	.8167	.8148	.8128	.8107	.8086	.8063	.8040
.0005	.8014	.7995	.7974	.7953	.7932	.7909	.7886	.7861	.7836
.0006	.7847	.7826	.7804	.7782	.7758	.7734	.7709	.7682	.7655
.0007	.7696	.7673	.7651	.7627	.7602	.7576	.7550	.7522	.7493
.0008	.7558	.7534	.7510	.7485	.7460	.7433	.7405	.7375	.7346
.0009	.7431	.7406	.7381	.7355	.7328	.7300	.7271	.7240	.7209
.0010	.7312	.7287	.7261	.7234	.7206	.7177	.7147	.7115	.7083
.0020	.6423	.6391	.6359	.6326	.6291	.6255	.6218	.6180	.6140
.0030	.5815	.5780	.5744	.5707	.5669	.5629	.5589	.5546	.5502
.0040	.5347	.5310	.5272	.5233	.5193	.5151	.5108	.5062	.5017
.0050	.4966	.4927	.4888	.4848	.4806	.4763	.4718	.4672	.4624
.0060	.4645	.4605	.4565	.4524	.4482	.4437	.4392	.4344	.4296
.0070	.4368	.4328	.4288	.4245	.4202	.4157	.4111	.4064	.4015
.0080	.4125	.4085	.4044	.4002	.3958	.3913	.3867	.3819	.3770
.0090	.3910	.3869	.3828	.3785	.3742	.3696	.3650	.3602	.3553
.0100	.3716	.3675	.3634	.3592	.3548	.3503	.3457	.3408	.3360
.0200	.2466	.2428	.2390	.2350	.2310	.2268	.2226	.2182	.2139
.0300	.1800	.1766	.1732	.1697	.1662	.1625	.1588	.1550	.1512
.0400	.1381	.1351	.1321	.1290	.1259	.1227	.1195	.1162	.1129
.0500	.1093	.1066	.1040	.1013	.0986	.0958	.0930	.0901	.0873
.0600	.0885	.0861	.0838	.0814	.0790	.0766	.0741	.0716	.0691
.0700	.0729	.0708	.0687	.0666	.0645	.0623	.0602	.0580	.0558
.0800	.0608	.0589	.0571	.0552	.0534	.0514	.0496	.0476	.0457
.0900	.0513	.0496	.0480	.0463	.0447	.0430	.0413	.0396	.0379
.1000	.0437	.0422	.0407	.0392	.0378	.0362	.0348	.0333	.0318

TABLE 10. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9031	.9024	.9018	.9010	.9006	.9002	.8994
.0002	.8658	.8649	.8639	.8630	.8623	.8619	.8608
.0003	.8382	.8371	.8360	.8348	.8341	.8336	.8322
.0004	.8156	.8144	.8132	.8119	.8110	.8104	.8089
.0005	.7962	.7949	.7936	.7921	.7912	.7905	.7889
.0006	.7791	.7777	.7762	.7747	.7737	.7730	.7713
.0007	.7636	.7622	.7606	.7590	.7580	.7572	.7554
.0008	.7496	.7480	.7464	.7447	.7436	.7428	.7409
.0009	.7366	.7350	.7333	.7315	.7304	.7296	.7276
.0010	.7245	.7228	.7211	.7192	.7181	.7172	.7151
.0020	.6339	.6319	.6297	.6275	.6260	.6250	.6224
.0030	.5722	.5700	.5676	.5651	.5635	.5623	.5595
.0040	.5249	.5225	.5200	.5173	.5156	.5144	.5114
.0050	.4864	.4839	.4813	.4786	.4768	.4756	.4725
.0060	.4541	.4516	.4489	.4461	.4443	.4430	.4399
.0070	.4263	.4237	.4210	.4181	.4163	.4150	.4119
.0080	.4019	.3993	.3966	.3937	.3919	.3906	.3874
.0090	.3803	.3777	.3749	.3721	.3702	.3689	.3658
.0100	.3609	.3583	.3555	.3527	.3509	.3496	.3464
.0200	.2366	.2342	.2317	.2290	.2274	.2262	.2233
.0300	.1711	.1690	.1668	.1645	.1630	.1619	.1594
.0400	.1302	.1284	.1264	.1244	.1231	.1222	.1200
.0500	.1024	.1007	.0990	.0973	.0961	.0953	.0934
.0600	.0824	.0809	.0794	.0779	.0769	.0762	.0745
.0700	.0674	.0662	.0648	.0635	.0626	.0620	.0605
.0800	.0560	.0548	.0537	.0525	.0517	.0512	.0499
.0900	.0470	.0460	.0449	.0439	.0432	.0427	.0416
.1000	.0398	.0389	.0380	.0370	.0364	.0350	.0340

TABLE 10. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+z_- = 9$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8946	.8935	.8924	.8912	.8900	.8887	.8874	.8860	.8845	.8831	.8815
.0002	.8543	.8528	.8513	.8497	.8480	.8463	.8445	.8426	.8407	.8387	.8366
.0003	.8246	.8228	.8210	.8191	.8172	.8151	.8130	.8108	.8085	.8062	.8037
.0004	.8003	.7983	.7963	.7942	.7920	.7898	.7874	.7849	.7824	.7798	.7770
.0005	.7796	.7774	.7752	.7729	.7705	.7681	.7655	.7628	.7601	.7572	.7542
.0006	.7613	.7589	.7566	.7541	.7516	.7489	.7462	.7433	.7404	.7374	.7342
.0007	.7448	.7423	.7399	.7373	.7346	.7318	.7289	.7259	.7228	.7196	.7162
.0008	.7298	.7272	.7246	.7219	.7191	.7162	.7132	.7100	.7068	.7035	.6999
.0009	.7160	.7133	.7106	.7078	.7049	.7018	.6987	.6954	.6920	.6886	.6849
.0010	.7032	.7004	.6976	.6947	.6917	.6885	.6853	.6819	.6784	.6749	.6711
.0020	.6077	.6043	.6009	.5974	.5937	.5899	.5860	.5819	.5777	.5734	.5689
.0030	.5434	.5397	.5359	.5321	.5281	.5239	.5197	.5152	.5107	.5060	.5011
.0040	.4944	.4906	.4867	.4826	.4784	.4741	.4696	.4650	.4602	.4554	.4503
.0050	.4550	.4510	.4470	.4428	.4386	.4341	.4295	.4248	.4199	.4150	.4099
.0060	.4220	.4180	.4139	.4097	.4054	.4008	.3962	.3914	.3866	.3816	.3764
.0070	.3939	.3898	.3857	.3814	.3771	.3725	.3679	.3631	.3582	.3533	.3481
.0080	.3693	.3652	.3611	.3569	.3525	.3480	.3434	.3386	.3337	.3288	.3236
.0090	.3477	.3436	.3395	.3352	.3309	.3264	.3218	.3170	.3122	.3073	.3022
.0100	.3284	.3243	.3202	.3160	.3117	.3072	.3027	.2979	.2932	.2883	.2833
.0200	.2070	.2034	.1998	.1961	.1923	.1884	.1845	.1804	.1764	.1723	.1680
.0300	.1453	.1422	.1391	.1360	.1328	.1295	.1262	.1228	.1194	.1160	.1125
.0400	.1078	.1052	.1025	.0999	.0972	.0944	.0916	.0888	.0859	.0831	.0802
.0500	.0829	.0806	.0784	.0761	.0738	.0714	.0691	.0667	.0643	.0620	.0596
.0600	.0654	.0634	.0615	.0595	.0575	.0555	.0535	.0515	.0495	.0475	.0455
.0700	.0525	.0508	.0492	.0475	.0458	.0440	.0423	.0406	.0389	.0372	.0355
.0800	.0429	.0414	.0399	.0385	.0370	.0355	.0340	.0326	.0311	.0297	.0282
.0900	.0354	.0341	.0328	.0316	.0303	.0290	.0277	.0264	.0252	.0240	.0227
.1000	.0295	.0284	.0273	.0262	.0251	.0239	.0228	.0217	.0206	.0196	.0185

TABLE 11. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8729	.8721	.8712	.8703	.8697	.8692	.8682	.8671	.8659
.0002	.8252	.8240	.8228	.8216	.8208	.8202	.8188	.8173	.8157
.0003	.7903	.7890	.7876	.7861	.7852	.7845	.7828	.7811	.7792
.0004	.7620	.7606	.7590	.7574	.7563	.7556	.7537	.7518	.7497
.0005	.7380	.7364	.7347	.7329	.7318	.7310	.7290	.7269	.7247
.0006	.7169	.7152	.7134	.7115	.7103	.7094	.7073	.7051	.7027
.0007	.6980	.6962	.6943	.6924	.6911	.6902	.6880	.6857	.6832
.0008	.6809	.6790	.6771	.6750	.6737	.6727	.6704	.6680	.6654
.0009	.6652	.6633	.6612	.6591	.6577	.6568	.6544	.6519	.6492
.0010	.6507	.6487	.6466	.6444	.6430	.6420	.6395	.6370	.6342
.0020	.5446	.5422	.5398	.5372	.5355	.5343	.5314	.5284	.5252
.0030	.4751	.4726	.4699	.4672	.4654	.4641	.4610	.4578	.4544
.0040	.4234	.4208	.4181	.4153	.4135	.4122	.4090	.4057	.4022
.0050	.3826	.3799	.3772	.3743	.3725	.3712	.3680	.3647	.3612
.0060	.3490	.3464	.3437	.3408	.3390	.3377	.3345	.3313	.3277
.0070	.3208	.3182	.3155	.3127	.3109	.3096	.3064	.3032	.2997
.0080	.2966	.2940	.2914	.2886	.2868	.2855	.2824	.2792	.2758
.0090	.2755	.2730	.2704	.2676	.2659	.2646	.2616	.2584	.2551
.0100	.2569	.2545	.2519	.2492	.2475	.2462	.2433	.2402	.2369
.0200	.1463	.1444	.1423	.1401	.1388	.1378	.1355	.1330	.1305
.0300	.0950	.0934	.0918	.0901	.0890	.0883	.0864	.0845	.0825
.0400	.0660	.0648	.0634	.0621	.0612	.0606	.0592	.0577	.0561
.0500	.0479	.0469	.0458	.0447	.0440	.0436	.0424	.0412	.0399
.0600	.0358	.0350	.0341	.0332	.0327	.0323	.0313	.0304	.0294
.0700	.0275	.0268	.0260	.0253	.0249	.0245	.0238	.0230	.0221
.0800	.0214	.0208	.0202	.0196	.0193	.0190	.0183	.0177	.0170
.0900	.0170	.0165	.0160	.0155	.0152	.0149	.0144	.0139	.0133
.1000	.0136	.0132	.0128	.0123	.0121	.0119	.0114	.0110	.0105

TABLE 11. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_{+}z_{-} = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8620	.8606	.8591	.8576	.8561	.8544	.8527	.8509	.8491
.0002	.8106	.8087	.8068	.8047	.8027	.8005	.7982	.7959	.7934
.0003	.7732	.7710	.7688	.7664	.7640	.7614	.7588	.7561	.7532
.0004	.7431	.7406	.7381	.7355	.7328	.7300	.7271	.7240	.7209
.0005	.7175	.7148	.7121	.7093	.7064	.7034	.7003	.6970	.6936
.0006	.6951	.6923	.6894	.6864	.6834	.6801	.6768	.6734	.6698
.0007	.6751	.6722	.6692	.6661	.6628	.6595	.6560	.6524	.6487
.0008	.6571	.6540	.6509	.6476	.6443	.6408	.6372	.6334	.6296
.0009	.6405	.6373	.6341	.6308	.6273	.6237	.6200	.6161	.6121
.0010	.6253	.6220	.6187	.6152	.6117	.6080	.6042	.6002	.5961
.0020	.5148	.5110	.5071	.5031	.4990	.4947	.4904	.4858	.4811
.0030	.4434	.4394	.4353	.4311	.4269	.4224	.4178	.4130	.4082
.0040	.3910	.3869	.3828	.3785	.3742	.3696	.3650	.3602	.3553
.0050	.3499	.3459	.3418	.3375	.3332	.3287	.3241	.3193	.3145
.0060	.3166	.3125	.3085	.3043	.3000	.2956	.2910	.2863	.2816
.0070	.2887	.2847	.2807	.2766	.2724	.2681	.2636	.2590	.2544
.0080	.2650	.2611	.2572	.2531	.2490	.2448	.2404	.2360	.2315
.0090	.2445	.2406	.2368	.2329	.2289	.2247	.2205	.2162	.2118
.0100	.2265	.2228	.2191	.2152	.2113	.2073	.2032	.1990	.1948
.0200	.1225	.1196	.1168	.1139	.1110	.1080	.1050	.1020	.0989
.0300	.0764	.0742	.0721	.0699	.0677	.0655	.0633	.0610	.0588
.0400	.0513	.0496	.0480	.0463	.0447	.0430	.0413	.0396	.0379
.0500	.0361	.0348	.0335	.0322	.0309	.0296	.0283	.0270	.0258
.0600	.0263	.0253	.0243	.0232	.0222	.0212	.0202	.0192	.0182
.0700	.0197	.0188	.0180	.0172	.0164	.0156	.0148	.0140	.0132
.0800	.0150	.0143	.0136	.0130	.0123	.0117	.0110	.0104	.0098
.0900	.0116	.0111	.0105	.0100	.0094	.0089	.0084	.0079	.0074
.1000	.0091	.0087	.0082	.0078	.0073	.0069	.0065	.0061	.0057

TABLE 12. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8343	.8332	.8321	.8309	.8301	.8296	.8282	.8268	.8253
.0002	.7740	.7725	.7711	.7695	.7685	.7678	.7660	.7642	.7622
.0003	.7306	.7290	.7273	.7255	.7243	.7235	.7215	.7194	.7171
.0004	.6960	.6942	.6923	.6904	.6891	.6882	.6859	.6836	.6811
.0005	.6669	.6650	.6629	.6608	.6595	.6585	.6561	.6536	.6509
.0006	.6416	.6396	.6374	.6352	.6338	.6327	.6302	.6276	.6248
.0007	.6192	.6171	.6148	.6125	.6110	.6099	.6073	.6046	.6017
.0008	.5990	.5968	.5945	.5921	.5906	.5895	.5868	.5840	.5809
.0009	.5807	.5784	.5761	.5736	.5720	.5709	.5681	.5652	.5621
.0010	.5639	.5616	.5591	.5566	.5550	.5538	.5510	.5481	.5449
.0020	.4447	.4422	.4395	.4367	.4349	.4336	.4305	.4272	.4237
.0030	.3707	.3681	.3653	.3625	.3607	.3593	.3562	.3529	.3493
.0040	.3179	.3153	.3126	.3098	.3080	.3067	.3036	.3004	.2969
.0050	.2777	.2752	.2725	.2698	.2680	.2668	.2637	.2606	.2572
.0060	.2457	.2433	.2407	.2381	.2364	.2352	.2322	.2292	.2260
.0070	.2196	.2173	.2148	.2122	.2106	.2094	.2066	.2037	.2006
.0080	.1978	.1955	.1931	.1907	.1891	.1880	.1853	.1825	.1795
.0090	.1793	.1771	.1748	.1724	.1709	.1699	.1673	.1646	.1618
.0100	.1634	.1613	.1591	.1568	.1554	.1543	.1519	.1493	.1466
.0200	.0771	.0757	.0743	.0728	.0718	.0712	.0696	.0679	.0662
.0300	.0434	.0424	.0414	.0404	.0398	.0393	.0382	.0371	.0359
.0400	.0267	.0260	.0253	.0246	.0241	.0238	.0231	.0223	.0215
.0500	.0174	.0169	.0164	.0159	.0156	.0153	.0148	.0142	.0137
.0600	.0118	.0115	.0111	.0107	.0105	.0103	.0099	.0091	.0088
.0700	.0083	.0080	.0077	.0074	.0073	.0071	.0068	.0065	.0062
.0800	.0059	.0057	.0055	.0053	.0052	.0051	.0048	.0046	.0044
.0900	.0044	.0042	.0040	.0039	.0038	.0037	.0035	.0033	.0031
.1000	.0032	.0031	.0030	.0029	.0028	.0027	.0026	.0024	.0023

TABLE 12. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Debye-Hückel limiting law—Continued  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8204	.8186	.8167	.8148	.8128	.8107	.8086	.8063	.8040	.8016	.7991
.0002	.7558	.7534	.7510	.7485	.7460	.7433	.7405	.7375	.7346	.7315	.7282
.0003	.7097	.7070	.7042	.7014	.6984	.6953	.6921	.6888	.6854	.6819	.6781
.0004	.6730	.6701	.6671	.6639	.6607	.6573	.6538	.6502	.6464	.6426	.6386
.0005	.6423	.6391	.6359	.6326	.6291	.6255	.6218	.6180	.6140	.6100	.6057
.0006	.6157	.6124	.6090	.6055	.6019	.5981	.5943	.5902	.5861	.5818	.5774
.0007	.5923	.5888	.5853	.5817	.5779	.5740	.5700	.5658	.5615	.5571	.5525
.0008	.5712	.5677	.5641	.5603	.5565	.5524	.5483	.5440	.5396	.5351	.5303
.0009	.5521	.5485	.5448	.5410	.5370	.5329	.5287	.5242	.5197	.5152	.5103
.0010	.5347	.5310	.5272	.5233	.5193	.5151	.5108	.5062	.5017	.4970	.4921
.0020	.4125	.4085	.4044	.4002	.3958	.3913	.3867	.3819	.3770	.3721	.3668
.0030	.3381	.3340	.3299	.3257	.3214	.3169	.3123	.3076	.3028	.2979	.2928
.0040	.2859	.2819	.2779	.2738	.2696	.2653	.2609	.2563	.2517	.2470	.2421
.0050	.2466	.2428	.2390	.2350	.2310	.2268	.2226	.2182	.2139	.2094	.2048
.0060	.2158	.2121	.2084	.2047	.2008	.1969	.1929	.1887	.1846	.1804	.1760
.0070	.1908	.1873	.1838	.1802	.1766	.1728	.1690	.1651	.1612	.1573	.1532
.0080	.1702	.1669	.1635	.1601	.1567	.1531	.1495	.1458	.1421	.1384	.1346
.0090	.1529	.1497	.1465	.1433	.1400	.1366	.1332	.1297	.1263	.1228	.1191
.0100	.1381	.1351	.1321	.1290	.1259	.1227	.1195	.1162	.1129	.1096	.1062
.0200	.0608	.0589	.0571	.0552	.0534	.0514	.0496	.0476	.0457	.0439	.0419
.0300	.0324	.0312	.0300	.0288	.0276	.0264	.0252	.0240	.0229	.0217	.0206
.0400	.0191	.0182	.0174	.0166	.0158	.0151	.0143	.0135	.0127	.0120	.0113
.0500	.0119	.0114	.0108	.0103	.0097	.0092	.0086	.0081	.0076	.0071	.0066
.0600	.0078	.0074	.0070	.0066	.0062	.0059	.0055	.0051	.0048	.0044	.0041
.0700	.0053	.0050	.0047	.0044	.0042	.0039	.0036	.0034	.0031	.0029	.0027
.0800	.0037	.0035	.0033	.0030	.0028	.0026	.0025	.0023	.0021	.0019	.0018
.0900	.0026	.0025	.0023	.0021	.0020	.0018	.0017	.0016	.0014	.0013	.0012
.1000	.0019	.0018	.0017	.0015	.0014	.0013	.0012	.0011	.0010	.0009	.0008

TABLE 13. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+z_- = 1$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9887	.9886	.9885	.9884	.9883	.9882	.9881
.0002	.9840	.9839	.9838	.9837	.9836	.9835	.9834
.0003	.9804	.9803	.9802	.9801	.9800	.9798	.9797
.0004	.9776	.9774	.9773	.9771	.9770	.9769	.9768
.0005	.9750	.9748	.9746	.9744	.9743	.9742	.9740
.0006	.9726	.9725	.9723	.9720	.9719	.9718	.9716
.0007	.9705	.9703	.9701	.9698	.9697	.9696	.9694
.0008	.9685	.9683	.9680	.9678	.9676	.9675	.9673
.0009	.9666	.9664	.9661	.9659	.9657	.9656	.9653
.0010	.9648	.9646	.9643	.9641	.9639	.9638	.9635
.0020	.9506	.9503	.9499	.9496	.9493	.9492	.9488
.0030	.9399	.9394	.9390	.9386	.9383	.9381	.9376
.0040	.9309	.9304	.9299	.9294	.9291	.9289	.9283
.0050	.9230	.9225	.9220	.9214	.9211	.9208	.9202
.0060	.9160	.9154	.9149	.9142	.9139	.9136	.9129
.0070	.9096	.9090	.9084	.9077	.9073	.9070	.9063
.0080	.9037	.9030	.9024	.9016	.9012	.9009	.9001
.0090	.8981	.8975	.8967	.8960	.8956	.8952	.8944
.0100	.8929	.8922	.8915	.8907	.8902	.8899	.8890
.0200	.8520	.8510	.8501	.8490	.8484	.8479	.8468
.0300	.8219	.8208	.8196	.8183	.8176	.8170	.8157
.0400	.7973	.7960	.7947	.7933	.7925	.7919	.7904
.0500	.7763	.7749	.7735	.7720	.7710	.7704	.7687
.0600	.7578	.7563	.7547	.7531	.7521	.7514	.7497
.0700	.7411	.7395	.7379	.7362	.7352	.7344	.7326
.0800	.7259	.7243	.7226	.7208	.7197	.7189	.7170
.0900	.7120	.7102	.7085	.7066	.7055	.7047	.7027
.1000	.6990	.6972	.6954	.6935	.6923	.6915	.6894

TABLE 13. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9878	.9877	.9875	.9874	.9873	.9871	.9870	.9868	.9867	.9865	.9864
.0002	.9828	.9826	.9824	.9822	.9820	.9819	.9817	.9815	.9812	.9810	.9808
.0003	.9789	.9787	.9785	.9783	.9781	.9778	.9776	.9773	.9771	.9768	.9765
.0004	.9757	.9755	.9752	.9750	.9747	.9744	.9742	.9739	.9736	.9733	.9729
.0005	.9729	.9726	.9723	.9721	.9718	.9715	.9712	.9708	.9705	.9701	.9698
.0006	.9703	.9700	.9697	.9694	.9691	.9688	.9684	.9681	.9677	.9673	.9669
.0007	.9680	.9677	.9673	.9670	.9667	.9663	.9660	.9656	.9652	.9648	.9643
.0008	.9658	.9655	.9651	.9648	.9644	.9640	.9637	.9632	.9628	.9624	.9619
.0009	.9638	.9634	.9631	.9627	.9623	.9619	.9615	.9611	.9606	.9602	.9597
.0010	.9618	.9615	.9611	.9607	.9603	.9599	.9595	.9590	.9585	.9580	.9575
.0020	.9465	.9460	.9454	.9449	.9443	.9437	.9431	.9425	.9419	.9412	.9405
.0030	.9348	.9342	.9336	.9329	.9322	.9315	.9308	.9300	.9293	.9285	.9276
.0040	.9252	.9244	.9237	.9230	.9222	.9214	.9205	.9197	.9188	.9179	.9169
.0050	.9167	.9159	.9151	.9143	.9134	.9125	.9116	.9106	.9096	.9086	.9075
.0060	.9091	.9083	.9074	.9065	.9055	.9046	.9036	.9025	.9015	.9003	.8992
.0070	.9022	.9013	.9003	.8994	.8984	.8973	.8963	.8951	.8940	.8928	.8915
.0080	.8958	.8948	.8938	.8928	.8917	.8906	.8895	.8883	.8871	.8858	.8845
.0090	.8899	.8888	.8878	.8867	.8856	.8844	.8832	.8820	.8807	.8793	.8779
.0100	.8843	.8832	.8821	.8809	.8798	.8786	.8773	.8760	.8746	.8733	.8718
.0200	.8403	.8389	.8374	.8359	.8343	.8327	.8310	.8292	.8274	.8256	.8236
.0300	.8081	.8064	.8047	.8029	.8010	.7991	.7971	.7951	.7930	.7908	.7885
.0400	.7819	.7800	.7781	.7761	.7740	.7719	.7697	.7674	.7650	.7626	.7600
.0500	.7595	.7575	.7554	.7532	.7509	.7486	.7462	.7437	.7412	.7386	.7358
.0600	.7399	.7376	.7354	.7331	.7307	.7282	.7257	.7230	.7203	.7175	.7146
.0700	.7222	.7199	.7175	.7151	.7126	.7100	.7073	.7045	.7016	.6987	.6956
.0800	.7062	.7037	.7013	.6987	.6961	.6934	.6906	.6876	.6847	.6816	.6784
.0900	.6914	.6889	.6863	.6837	.6809	.6781	.6752	.6722	.6691	.6659	.6626
.1000	.6778	.6751	.6725	.6698	.6669	.6640	.6610	.6579	.6547	.6514	.6480

TABLE 14. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius										
	0	5	10	15	18	20	25	30	35		
.0001	.9776	.9774	.9773	.9771	.9770	.9769	.9768	.9766	.9762	.9761	.9759
.0002	.9685	.9683	.9680	.9678	.9676	.9675	.9673	.9670	.9667	.9664	.9661
.0003	.9615	.9613	.9610	.9607	.9605	.9604	.9601	.9597	.9594	.9590	.9587
.0004	.9557	.9554	.9551	.9548	.9546	.9544	.9540	.9537	.9533	.9530	.9529
.0005	.9506	.9503	.9499	.9496	.9493	.9492	.9488	.9483	.9479	.9476	.9474
.0006	.9460	.9457	.9453	.9449	.9446	.9444	.9440	.9436	.9431	.9428	.9426
.0007	.9418	.9414	.9410	.9406	.9403	.9401	.9397	.9392	.9387	.9383	.9381
.0008	.9379	.9375	.9371	.9366	.9363	.9361	.9356	.9351	.9346	.9342	.9340
.0009	.9343	.9339	.9334	.9329	.9326	.9324	.9319	.9313	.9307	.9304	.9301
.0010	.9309	.9304	.9299	.9294	.9291	.9289	.9283	.9277	.9271	.9267	.9265
.0020	.9037	.9030	.9024	.9016	.9012	.9009	.9001	.8993	.8985	.8980	.8976
.0030	.8833	.8826	.8818	.8809	.8804	.8800	.8791	.8782	.8772	.8765	.8761
.0040	.8665	.8657	.8648	.8638	.8632	.8628	.8618	.8607	.8596	.8589	.8584
.0050	.8520	.8510	.8501	.8490	.8484	.8479	.8468	.8456	.8443	.8436	.8430
.0060	.8391	.8380	.8370	.8358	.8352	.8346	.8334	.8321	.8308	.8300	.8294
.0070	.8274	.8263	.8251	.8239	.8232	.8226	.8213	.8200	.8186	.8177	.8171
.0080	.8166	.8155	.8142	.8130	.8122	.8116	.8103	.8088	.8073	.8064	.8058
.0090	.8067	.8054	.8042	.8028	.8020	.8014	.8000	.7985	.7969	.7959	.7953
.0100	.7973	.7960	.7947	.7933	.7925	.7919	.7904	.7888	.7872	.7862	.7855
.0200	.7259	.7243	.7226	.7208	.7197	.7189	.7170	.7150	.7129	.7116	.7085
.0300	.6755	.6736	.6717	.6697	.6684	.6675	.6654	.6631	.6607	.6592	.6557
.0400	.6357	.6337	.6316	.6294	.6281	.6271	.6247	.6222	.6197	.6181	.6170
.0500	.6026	.6005	.5983	.5959	.5945	.5935	.5910	.5884	.5856	.5839	.5828
.0600	.5742	.5719	.5696	.5672	.5657	.5646	.5620	.5593	.5565	.5547	.5535
.0700	.5492	.5469	.5445	.5420	.5405	.5394	.5367	.5339	.5309	.5291	.5279
.0800	.5270	.5246	.5221	.5196	.5180	.5169	.5141	.5112	.5082	.5064	.5051
.0900	.5069	.5045	.5019	.4993	.4977	.4966	.4938	.4908	.4878	.4859	.4846
.1000	.4886	.4861	.4836	.4809	.4793	.4781	.4753	.4723	.4692	.4660	.4627

TABLE 14. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9757	.9755	.9752	.9750	.9747	.9744	.9742	.9739	.9736
.0002	.9658	.9655	.9651	.9648	.9644	.9640	.9637	.9632	.9628
.0003	.9583	.9579	.9575	.9570	.9566	.9561	.9557	.9552	.9547
.0004	.9520	.9515	.9511	.9506	.9501	.9495	.9490	.9484	.9478
.0005	.9465	.9460	.9454	.9449	.9443	.9437	.9431	.9425	.9419
.0006	.9415	.9410	.9404	.9398	.9392	.9385	.9379	.9372	.9365
.0007	.9370	.9364	.9358	.9351	.9345	.9338	.9331	.9323	.9316
.0008	.9328	.9321	.9315	.9308	.9301	.9294	.9286	.9278	.9270
.0009	.9289	.9282	.9275	.9268	.9260	.9253	.9245	.9236	.9228
.0010	.9252	.9244	.9237	.9230	.9222	.9214	.9205	.9197	.9188
.0020	.8958	.8948	.8938	.8928	.8917	.8906	.8895	.8883	.8871
.0030	.8739	.8728	.8716	.8704	.8691	.8678	.8664	.8650	.8635
.0040	.8559	.8546	.8532	.8519	.8504	.8489	.8474	.8458	.8442
.0050	.8403	.8389	.8374	.8359	.8343	.8327	.8310	.8292	.8274
.0060	.8265	.8249	.8233	.8217	.8200	.8183	.8164	.8146	.8126
.0070	.8140	.8123	.8106	.8089	.8071	.8052	.8033	.8013	.7992
.0080	.8025	.8007	.7990	.7971	.7952	.7933	.7912	.7891	.7869
.0090	.7918	.7900	.7882	.7862	.7842	.7822	.7801	.7779	.7756
.0100	.7819	.7800	.7781	.7761	.7740	.7719	.7697	.7674	.7650
.0200	.7062	.7037	.7013	.6987	.6961	.6934	.6906	.6876	.6847
.0300	.6531	.6503	.6475	.6446	.6416	.6386	.6354	.6321	.6288
.0400	.6114	.6084	.6054	.6023	.5991	.5958	.5924	.5888	.5852
.0500	.5769	.5738	.5706	.5673	.5639	.5604	.5569	.5532	.5494
.0600	.5474	.5441	.5408	.5374	.5339	.5303	.5266	.5228	.5188
.0700	.5216	.5182	.5148	.5113	.5077	.5040	.5002	.4963	.4923
.0800	.4987	.4952	.4918	.4882	.4845	.4807	.4769	.4729	.4687
.0900	.4781	.4746	.4710	.4674	.4637	.4599	.4559	.4519	.4477
.1000	.4593	.4558	.4522	.4486	.4448	.4409	.4370	.4329	.4286

TABLE 15. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9666	.9661	.9659	.9657	.9653	.9650	.9647	.9644	.9641
.0002	.9531	.9528	.9524	.9521	.9519	.9513	.9509	.9502	.9501
.0003	.9429	.9425	.9421	.9416	.9414	.9412	.9407	.9402	.9394
.0004	.9343	.9339	.9334	.9329	.9326	.9319	.9313	.9307	.9304
.0005	.9268	.9263	.9258	.9253	.9250	.9247	.9241	.9235	.9229
.0006	.9202	.9196	.9190	.9185	.9181	.9178	.9172	.9165	.9158
.0007	.9140	.9135	.9129	.9122	.9118	.9116	.9109	.9102	.9094
.0008	.9084	.9078	.9071	.9065	.9060	.9057	.9050	.9043	.9035
.0009	.9031	.9024	.9018	.9011	.9006	.9003	.8996	.8988	.8979
.0010	.8981	.8975	.8967	.8960	.8956	.8952	.8944	.8936	.8927
.0020	.8590	.8581	.8572	.8562	.8556	.8551	.8540	.8529	.8517
.0030	.8302	.8291	.8280	.8268	.8261	.8255	.8243	.8229	.8215
.0040	.8067	.8054	.8042	.8028	.8020	.8014	.8000	.7985	.7969
.0050	.7865	.7851	.7837	.7823	.7814	.7808	.7792	.7776	.7758
.0060	.7686	.7672	.7657	.7642	.7632	.7625	.7609	.7591	.7573
.0070	.7526	.7511	.7495	.7479	.7469	.7461	.7444	.7425	.7406
.0080	.7380	.7364	.7347	.7330	.7320	.7312	.7294	.7274	.7254
.0090	.7245	.7228	.7211	.7193	.7182	.7174	.7155	.7135	.7114
.0100	.7120	.7102	.7085	.7066	.7055	.7047	.7027	.7006	.6984
.0200	.6185	.6164	.6142	.6120	.6106	.6096	.6071	.6046	.6019
.0300	.5552	.5529	.5505	.5480	.5465	.5454	.5427	.5399	.5370
.0400	.5069	.5045	.5019	.4993	.4977	.4966	.4938	.4908	.4878
.0500	.4678	.4653	.4627	.4600	.4584	.4572	.4543	.4513	.4482
.0600	.4351	.4325	.4299	.4272	.4255	.4243	.4213	.4183	.4151
.0700	.4070	.4045	.4018	.3990	.3973	.3961	.3932	.3901	.3869
.0800	.3826	.3799	.3773	.3745	.3728	.3716	.3686	.3655	.3623
.0900	.3609	.3583	.3556	.3528	.3512	.3499	.3470	.3439	.3407
.1000	.3415	.3389	.3363	.3335	.3318	.3306	.3277	.3246	.3214

TABLE 15. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+z_- = 3$ )

Ionic strength	Temperature in degrees Celsius									95	100
	50	55	60	65	70	75	80	85	90		
.0001	.9638	.9634	.9631	.9627	.9623	.9619	.9611	.9606	.9602	.9597	
.0002	.9492	.9487	.9482	.9476	.9471	.9466	.9454	.9448	.9441	.9434	
.0003	.9381	.9375	.9369	.9356	.9349	.9342	.9335	.9328	.9320	.9312	
.0004	.9289	.9282	.9275	.9268	.9260	.9253	.9245	.9236	.9228	.9219	.9210
.0005	.9208	.9200	.9193	.9185	.9177	.9168	.9159	.9150	.9141	.9131	.9121
.0006	.9136	.9128	.9119	.9111	.9102	.9092	.9083	.9073	.9063	.9052	.9041
.0007	.9070	.9061	.9052	.9043	.9033	.9023	.9013	.9002	.8991	.8980	.8968
.0008	.9009	.9000	.8990	.8980	.8970	.8960	.8949	.8937	.8926	.8914	.8901
.0009	.8952	.8942	.8932	.8922	.8911	.8900	.8889	.8877	.8864	.8852	.8838
.0010	.8899	.8888	.8878	.8867	.8856	.8844	.8832	.8820	.8807	.8793	.8779
.0020	.8479	.8465	.8451	.8436	.8421	.8405	.8389	.8373	.8355	.8337	.8319
.0030	.8170	.8154	.8137	.8120	.8102	.8084	.8065	.8045	.8024	.8004	.7981
.0040	.7918	.7900	.7882	.7862	.7842	.7822	.7801	.7779	.7756	.7733	.7708
.0050	.7703	.7683	.7663	.7642	.7621	.7598	.7575	.7551	.7527	.7501	.7475
.0060	.7514	.7493	.7471	.7449	.7426	.7402	.7377	.7352	.7325	.7298	.7270
.0070	.7344	.7321	.7298	.7275	.7251	.7225	.7200	.7173	.7145	.7116	.7086
.0080	.7189	.7165	.7141	.7117	.7091	.7065	.7038	.7010	.6981	.6951	.6920
.0090	.7046	.7022	.6997	.6971	.6945	.6918	.6890	.6860	.6830	.6800	.6767
.0100	.6914	.6889	.6863	.6837	.6809	.6781	.6752	.6722	.6691	.6659	.6626
.0200	.5934	.5903	.5872	.5840	.5807	.5773	.5739	.5702	.5665	.5627	.5587
.0300	.5277	.5244	.5210	.5175	.5140	.5103	.5065	.5026	.4986	.4945	.4902
.0400	.4781	.4746	.4710	.4674	.4637	.4599	.4559	.4519	.4477	.4434	.4390
.0500	.4382	.4346	.4310	.4273	.4235	.4196	.4156	.4114	.4072	.4029	.3983
.0600	.4050	.4014	.3977	.3940	.3901	.3862	.3822	.3780	.3737	.3694	.3648
.0700	.3767	.3731	.3694	.3656	.3618	.3578	.3538	.3496	.3454	.3410	.3365
.0800	.3521	.3485	.3449	.3411	.3373	.3333	.3293	.3252	.3209	.3166	.3121
.0900	.3305	.3269	.3233	.3196	.3157	.3118	.3079	.3037	.2996	.2953	.2909
.1000	.3113	.3077	.3041	.3004	.2967	.2928	.2889	.2848	.2806	.2764	.2721

TABLE 16. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9557	.9554	.9551	.9548	.9546	.9544	.9540
.0002	.9379	.9375	.9371	.9366	.9363	.9361	.9356
.0003	.9245	.9240	.9235	.9229	.9226	.9217	.9211
.0004	.9134	.9128	.9122	.9116	.9112	.9109	.9102
.0005	.9037	.9030	.9024	.9016	.9012	.9009	.9001
.0006	.8950	.8943	.8935	.8928	.8923	.8920	.8912
.0007	.8871	.8863	.8855	.8847	.8842	.8838	.8830
.0008	.8797	.8789	.8781	.8773	.8767	.8763	.8754
.0009	.8729	.8721	.8712	.8703	.8698	.8694	.8684
.0010	.8665	.8657	.8648	.8638	.8632	.8628	.8618
.0020	.8166	.8155	.8142	.8130	.8122	.8116	.8103
.0030	.7803	.7789	.7775	.7760	.7751	.7744	.7728
.0040	.7509	.7494	.7478	.7461	.7452	.7444	.7426
.0050	.7259	.7243	.7226	.7208	.7197	.7189	.7170
.0060	.7041	.7023	.7005	.6986	.6975	.6966	.6946
.0070	.6846	.6827	.6808	.6788	.6776	.6767	.6746
.0080	.6669	.6650	.6630	.6609	.6597	.6587	.6565
.0090	.6507	.6487	.6467	.6445	.6432	.6423	.6400
.0100	.6357	.6337	.6316	.6294	.6281	.6271	.6247
.0200	.5270	.5246	.5221	.5196	.5180	.5169	.5141
.0300	.4563	.4538	.4512	.4485	.4468	.4456	.4427
.0400	.4042	.4016	.3989	.3961	.3945	.3932	.3903
.0500	.3632	.3606	.3579	.3551	.3534	.3522	.3492
.0600	.3297	.3271	.3245	.3217	.3200	.3188	.3159
.0700	.3017	.2991	.2965	.2938	.2921	.2909	.2880
.0800	.2777	.2752	.2726	.2699	.2683	.2671	.2643
.0900	.2569	.2545	.2520	.2493	.2477	.2466	.2438
.1000	.2387	.2363	.2338	.2313	.2297	.2286	.2259

TABLE 16. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued

(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9520	.9515	.9506	.9501	.9495	.9490	.9484	.9478	.9472
.0002	.9328	.9321	.9315	.9308	.9301	.9294	.9286	.9278	.9270
.0003	.9183	.9175	.9167	.9159	.9151	.9142	.9133	.9124	.9114
.0004	.9063	.9054	.9045	.9036	.9026	.9016	.9006	.8995	.8984
.0005	.8958	.8948	.8938	.8928	.8917	.8906	.8895	.8883	.8871
.0006	.8865	.8854	.8843	.8832	.8821	.8809	.8796	.8783	.8770
.0007	.8779	.8768	.8757	.8745	.8732	.8720	.8706	.8693	.8678
.0008	.8701	.8689	.8677	.8664	.8651	.8637	.8623	.8609	.8594
.0009	.8628	.8615	.8602	.8589	.8575	.8561	.8546	.8531	.8515
.0010	.8559	.8546	.8532	.8519	.8504	.8489	.8474	.8458	.8442
.0020	.8025	.8007	.7990	.7971	.7952	.7933	.7912	.7891	.7869
.0030	.7638	.7617	.7597	.7575	.7553	.7530	.7507	.7482	.7457
.0040	.7326	.7303	.7280	.7257	.7232	.7207	.7181	.7154	.7126
.0050	.7062	.7037	.7013	.6987	.6961	.6934	.6906	.6876	.6847
.0060	.6831	.6805	.6779	.6752	.6724	.6695	.6666	.6635	.6603
.0070	.6626	.6599	.6571	.6543	.6514	.6484	.6453	.6420	.6387
.0080	.6440	.6412	.6383	.6354	.6324	.6293	.6260	.6227	.6193
.0090	.6270	.6241	.6212	.6182	.6150	.6118	.6085	.6051	.6015
.0100	.6114	.6084	.6054	.6023	.5991	.5958	.5924	.5888	.5852
.0200	.4987	.4952	.4918	.4882	.4845	.4807	.4769	.4729	.4687
.0300	.4265	.4229	.4193	.4155	.4117	.4078	.4038	.3996	.3954
.0400	.3738	.3702	.3665	.3627	.3589	.3549	.3509	.3467	.3425
.0500	.3328	.3292	.3256	.3218	.3180	.3141	.3101	.3060	.3018
.0600	.2996	.2961	.2925	.2888	.2851	.2812	.2773	.2733	.2692
.0700	.2721	.2686	.2651	.2615	.2578	.2540	.2502	.2463	.2423
.0800	.2487	.2453	.2418	.2383	.2348	.2311	.2274	.2236	.2197
.0900	.2285	.2252	.2219	.2185	.2150	.2115	.2079	.2042	.2004
.1000	.2110	.2078	.2045	.2012	.1978	.1944	.1909	.1874	.1837

TABLE 17. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law  
(Electrolyte, z<sub>+</sub>z<sub>-</sub>=6)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9343	.9339	.9334	.9329	.9326	.9324	.9319	.9313	.9307
.0002	.9084	.9078	.9071	.9065	.9060	.9057	.9050	.9043	.9035
.0003	.8890	.8882	.8875	.8867	.8862	.8858	.8849	.8840	.8831
.0004	.8729	.8721	.8712	.8703	.8698	.8694	.8684	.8673	.8663
.0005	.8590	.8581	.8572	.8562	.8556	.8551	.8540	.8529	.8517
.0006	.8467	.8457	.8447	.8436	.8429	.8424	.8413	.8400	.8388
.0007	.8355	.8344	.8333	.8321	.8314	.8309	.8297	.8284	.8270
.0008	.8252	.8240	.8229	.8217	.8209	.8204	.8191	.8177	.8162
.0009	.8156	.8144	.8132	.8119	.8111	.8106	.8092	.8078	.8063
.0010	.8067	.8054	.8042	.8028	.8020	.8014	.8000	.7985	.7969
.0020	.7380	.7364	.7347	.7330	.7320	.7312	.7294	.7274	.7254
.0030	.6893	.6874	.6856	.6836	.6824	.6815	.6794	.6772	.6750
.0040	.6507	.6487	.6467	.6445	.6432	.6423	.6400	.6376	.6351
.0050	.6185	.6164	.6142	.6120	.6106	.6096	.6071	.6046	.6019
.0060	.5908	.5886	.5863	.5839	.5825	.5814	.5789	.5762	.5735
.0070	.5664	.5641	.5618	.5593	.5578	.5567	.5541	.5513	.5485
.0080	.5446	.5422	.5398	.5373	.5358	.5347	.5320	.5291	.5262
.0090	.5249	.5225	.5200	.5174	.5159	.5147	.5120	.5091	.5061
.0100	.5069	.5045	.5019	.4993	.4977	.4966	.4938	.4908	.4878
.0200	.3826	.3799	.3773	.3745	.3728	.3716	.3686	.3655	.3623
.0300	.3083	.3057	.3031	.3003	.2987	.2975	.2946	.2915	.2884
.0400	.2569	.2545	.2520	.2493	.2477	.2466	.2438	.2409	.2379
.0500	.2189	.2165	.2141	.2116	.2101	.2090	.2064	.2037	.2009
.0600	.1893	.1871	.1848	.1825	.1811	.1800	.1775	.1750	.1723
.0700	.1657	.1636	.1614	.1592	.1579	.1569	.1546	.1522	.1497
.0800	.1463	.1444	.1423	.1402	.1390	.1381	.1359	.1336	.1313
.0900	.1302	.1284	.1265	.1245	.1233	.1224	.1204	.1183	.1161
.1000	.1166	.1149	.1131	.1112	.1101	.1093	.1074	.1054	.1033

TABLE 17. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $Z_+Z_- = 6$ )

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9289	.9275	.9268	.9253	.9245	.9236	.9219	.9210		
.0002	.9009	.8990	.8980	.8960	.8949	.8937	.8926	.8914	.8901	
.0003	.8800	.8789	.8778	.8766	.8754	.8741	.8728	.8715	.8701	.8671
.0004	.8628	.8615	.8602	.8589	.8575	.8561	.8546	.8531	.8515	.8482
.0005	.8479	.8465	.8451	.8436	.8421	.8405	.8389	.8373	.8355	.8337
.0006	.8346	.8331	.8316	.8300	.8284	.8267	.8250	.8232	.8213	.8194
.0007	.8226	.8210	.8194	.8177	.8160	.8142	.8124	.8104	.8085	.8064
.0008	.8116	.8099	.8082	.8064	.8046	.8027	.8008	.7988	.7967	.7945
.0009	.8014	.7996	.7978	.7960	.7941	.7921	.7901	.7880	.7858	.7835
.0010	.7918	.7900	.7882	.7862	.7842	.7822	.7801	.7779	.7756	.7733
.0020	.7189	.7165	.7141	.7117	.7091	.7065	.7038	.7010	.6981	.6951
.0030	.6675	.6648	.6621	.6593	.6564	.6534	.6504	.6472	.6439	.6406
.0040	.6270	.6241	.6212	.6182	.6150	.6118	.6085	.6051	.6015	.5979
.0050	.5934	.5903	.5872	.5840	.5807	.5773	.5739	.5702	.5665	.5627
.0060	.5646	.5614	.5582	.5548	.5514	.5479	.5442	.5405	.5366	.5327
.0070	.5393	.5360	.5327	.5292	.5257	.5221	.5183	.5145	.5105	.5064
.0080	.5168	.5134	.5100	.5065	.5029	.4992	.4953	.4914	.4873	.4832
.0090	.4965	.4931	.4896	.4860	.4823	.4786	.4747	.4707	.4665	.4623
.0100	.4781	.4746	.4710	.4674	.4637	.4599	.4559	.4519	.4477	.4434
.0200	.3521	.3485	.3449	.3411	.3373	.3333	.3293	.3252	.3209	.3166
.0300	.2785	.2750	.2715	.2679	.2642	.2604	.2566	.2526	.2486	.2445
.0400	.2285	.2252	.2219	.2185	.2150	.2115	.2079	.2042	.2004	.1966
.0500	.1920	.1889	.1858	.1826	.1793	.1760	.1727	.1693	.1658	.1623
.0600	.1640	.1611	.1582	.1552	.1522	.1491	.1460	.1429	.1397	.1364
.0700	.1419	.1392	.1365	.1337	.1309	.1280	.1252	.1222	.1193	.1163
.0800	.1240	.1215	.1189	.1164	.1137	.1111	.1084	.1057	.1030	.1003
.0900	.1093	.1069	.1045	.1021	.0997	.0972	.0948	.0923	.0897	.0872
.1000	.0969	.0947	.0925	.0903	.0880	.0857	.0834	.0811	.0788	.0764

TABLE 18. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law  
(Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9134	.9128	.9122	.9116	.9112	.9109	.9102
.0002	.8797	.8789	.8781	.8773	.8767	.8763	.8754
.0003	.8548	.8538	.8528	.8518	.8512	.8507	.8496
.0004	.8343	.8332	.8321	.8309	.8302	.8297	.8285
.0005	.8166	.8155	.8142	.8130	.8122	.8116	.8103
.0006	.8010	.7997	.7984	.7971	.7962	.7956	.7942
.0007	.7869	.7855	.7842	.7827	.7818	.7812	.7796
.0008	.7740	.7725	.7711	.7696	.7687	.7680	.7663
.0009	.7620	.7606	.7590	.7574	.7565	.7558	.7541
.0010	.7509	.7494	.7478	.7461	.7452	.7444	.7426
.0020	.6669	.6650	.6630	.6609	.6597	.6587	.6565
.0030	.6088	.6067	.6045	.6022	.6008	.5998	.5973
.0040	.5639	.5616	.5592	.5567	.5552	.5542	.5515
.0050	.5270	.5246	.5221	.5196	.5180	.5169	.5141
.0060	.4957	.4933	.4907	.4881	.4865	.4853	.4825
.0070	.4686	.4661	.4635	.4608	.4592	.4580	.4551
.0080	.4447	.4422	.4396	.4368	.4352	.4339	.4310
.0090	.4234	.4208	.4182	.4154	.4137	.4125	.4096
.0100	.4042	.4016	.3989	.3961	.3945	.3932	.3903
.0200	.2777	.2752	.2726	.2699	.2683	.2671	.2643
.0300	.2082	.2059	.2036	.2011	.1996	.1986	.1960
.0400	.1634	.1613	.1591	.1569	.1556	.1546	.1523
.0500	.1319	.1300	.1281	.1261	.1249	.1240	.1220
.0600	.1087	.1070	.1053	.1035	.1024	.1016	.0998
.0700	.0910	.0895	.0879	.0863	.0853	.0846	.0830
.0800	.0771	.0757	.0743	.0729	.0720	.0714	.0699
.0900	.0660	.0648	.0635	.0622	.0614	.0608	.0594
.1000	.0570	.0558	.0547	.0535	.0528	.0510	.0498

TABLE 18. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9063	.9054	.9045	.9036	.9026	.9016	.9006	.8995	.8984
.0002	.8701	.8689	.8677	.8664	.8651	.8637	.8623	.8609	.8594
.0003	.8433	.8419	.8404	.8389	.8374	.8358	.8341	.8324	.8306
.0004	.8213	.8197	.8181	.8164	.8147	.8129	.8110	.8091	.8071
.0005	.8025	.8007	.7990	.7971	.7952	.7933	.7912	.7891	.7869
.0006	.7858	.7839	.7820	.7801	.7780	.7759	.7737	.7715	.7691
.0007	.7708	.7688	.7668	.7647	.7625	.7603	.7580	.7556	.7531
.0008	.7570	.7550	.7528	.7506	.7484	.7460	.7436	.7411	.7385
.0009	.7444	.7422	.7400	.7377	.7353	.7329	.7304	.7278	.7251
.0010	.7326	.7303	.7280	.7257	.7232	.7207	.7181	.7154	.7126
.0020	.6440	.6412	.6383	.6354	.6324	.6293	.6260	.6227	.6193
.0030	.5833	.5802	.5771	.5738	.5705	.5670	.5635	.5598	.5560
.0040	.5367	.5334	.5300	.5266	.5230	.5194	.5157	.5118	.5078
.0050	.4987	.4952	.4918	.4882	.4845	.4807	.4769	.4729	.4687
.0060	.4666	.4631	.4596	.4559	.4521	.4483	.4443	.4402	.4360
.0070	.4390	.4354	.4318	.4281	.4243	.4204	.4164	.4122	.4080
.0080	.4147	.4111	.4075	.4037	.3999	.3960	.3919	.3878	.3835
.0090	.3932	.3895	.3859	.3821	.3783	.3743	.3703	.3661	.3618
.0100	.3738	.3702	.3665	.3627	.3589	.3549	.3509	.3467	.3425
.0200	.2487	.2453	.2418	.2383	.2348	.2311	.2274	.2236	.2197
.0300	.1819	.1788	.1758	.1727	.1695	.1663	.1630	.1597	.1563
.0400	.1397	.1370	.1343	.1316	.1288	.1260	.1231	.1202	.1173
.0500	.1108	.1084	.1060	.1036	.1011	.0987	.0962	.0936	.0911
.0600	.0898	.0877	.0855	.0834	.0813	.0791	.0769	.0747	.0725
.0700	.0740	.0721	.0703	.0684	.0665	.0645	.0626	.0607	.0587
.0800	.0618	.0602	.0585	.0568	.0551	.0534	.0517	.0500	.0483
.0900	.0522	.0507	.0492	.0477	.0462	.0447	.0432	.0417	.0402
.1000	.0445	.0432	.0418	.0405	.0391	.0378	.0365	.0351	.0338

TABLE 19. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_{+}z_{-}=9$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9031	.9024	.9018	.9011	.9006	.8996	.8988
.0002	.8658	.8649	.8640	.8630	.8624	.8610	.8599
.0003	.8382	.8371	.8360	.8349	.8342	.8337	.8325
.0004	.8156	.8144	.8132	.8119	.8111	.8106	.8092
.0005	.7962	.7949	.7936	.7922	.7914	.7907	.7892
.0006	.7791	.7777	.7763	.7748	.7739	.7732	.7716
.0007	.7636	.7622	.7607	.7591	.7581	.7574	.7557
.0008	.7496	.7480	.7465	.7448	.7438	.7430	.7413
.0009	.7366	.7350	.7333	.7316	.7306	.7298	.7279
.0010	.7245	.7228	.7211	.7193	.7182	.7174	.7155
.0020	.6339	.6319	.6298	.6276	.6262	.6253	.6229
.0030	.5722	.5700	.5676	.5652	.5637	.5626	.5600
.0040	.5249	.5225	.5200	.5174	.5159	.5147	.5120
.0050	.4864	.4839	.4814	.4787	.4771	.4759	.4731
.0060	.4541	.4516	.4490	.4462	.4446	.4434	.4405
.0070	.4263	.4237	.4210	.4183	.4166	.4154	.4124
.0080	.4019	.3993	.3966	.3939	.3922	.3909	.3880
.0090	.3803	.3777	.3750	.3722	.3705	.3693	.3663
.0100	.3609	.3583	.3556	.3528	.3512	.3499	.3470
.0200	.2366	.2342	.2317	.2292	.2276	.2265	.2238
.0300	.1711	.1690	.1668	.1646	.1632	.1622	.1599
.0400	.1302	.1284	.1265	.1245	.1233	.1224	.1204
.0500	.1024	.1007	.0991	.0973	.0963	.0956	.0938
.0600	.0824	.0809	.0795	.0779	.0770	.0764	.0748
.0700	.0674	.0662	.0649	.0635	.0627	.0622	.0608
.0800	.0560	.0548	.0537	.0525	.0518	.0513	.0501
.0900	.0470	.0460	.0450	.0439	.0433	.0428	.0418
.1000	.0398	.0389	.0380	.0371	.0365	.0361	.0352

TABLE 19. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8952	.8942	.8932	.8922	.8911	.8900	.8889	.8877	.8852
.0002	.8551	.8538	.8524	.8510	.8496	.8481	.8465	.8449	.8416
.0003	.8255	.8239	.8224	.8207	.8190	.8172	.8154	.8135	.8096
.0004	.8014	.7996	.7978	.7960	.7941	.7921	.7901	.7880	.7858
.0005	.7807	.7788	.7769	.7748	.7728	.7706	.7684	.7661	.7637
.0006	.7625	.7604	.7584	.7562	.7540	.7517	.7493	.7469	.7443
.0007	.7461	.7439	.7417	.7395	.7371	.7347	.7322	.7296	.7242
.0008	.7312	.7289	.7266	.7242	.7218	.7192	.7166	.7139	.7111
.0009	.7174	.7150	.7127	.7102	.7076	.7050	.7023	.6994	.6965
.0010	.7046	.7022	.6997	.6971	.6945	.6918	.6890	.6860	.6830
.0020	.6095	.6065	.6035	.6004	.5972	.5939	.5905	.5869	.5833
.0030	.5453	.5421	.5388	.5353	.5318	.5282	.5245	.5207	.5167
.0040	.4965	.4931	.4896	.4860	.4823	.4786	.4747	.4707	.4665
.0050	.4571	.4536	.4500	.4463	.4426	.4387	.4347	.4306	.4264
.0060	.4242	.4206	.4170	.4133	.4094	.4055	.4015	.3973	.3931
.0070	.3961	.3924	.3888	.3850	.3812	.3772	.3732	.3690	.3647
.0080	.3715	.3679	.3642	.3605	.3566	.3527	.3486	.3445	.3402
.0090	.3499	.3462	.3426	.3388	.3350	.3311	.3270	.3229	.3187
.0100	.3305	.3269	.3233	.3196	.3157	.3118	.3079	.3037	.2996
.0200	.2090	.2057	.2025	.1992	.1959	.1924	.1890	.1854	.1818
.0300	.1470	.1442	.1414	.1386	.1358	.1329	.1300	.1270	.1239
.0400	.1093	.1069	.1045	.1021	.0997	.0972	.0948	.0923	.0897
.0500	.0841	.0821	.0801	.0780	.0759	.0739	.0718	.0696	.0675
.0600	.0664	.0647	.0629	.0612	.0594	.0576	.0558	.0540	.0522
.0700	.0535	.0519	.0504	.0489	.0474	.0458	.0443	.0427	.0412
.0800	.0437	.0423	.0410	.0397	.0384	.0370	.0357	.0344	.0331
.0900	.0361	.0349	.0338	.0326	.0315	.0303	.0292	.0280	.0269
.1000	.0302	.0291	.0281	.0271	.0261	.0251	.0241	.0231	.0221

TABLE 20. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8729	.8721	.8712	.8703	.8698	.8694	.8684	.8673	.8663
.0002	.8252	.8240	.8229	.8217	.8209	.8204	.8191	.8177	.8154
.0003	.7903	.7890	.7876	.7862	.7853	.7847	.7831	.7815	.7798
.0004	.7620	.7606	.7590	.7574	.7565	.7558	.7541	.7523	.7504
.0005	.7380	.7364	.7347	.7330	.7320	.7312	.7294	.7274	.7254
.0006	.7169	.7152	.7134	.7116	.7105	.7097	.7077	.7057	.7035
.0007	.6980	.6962	.6944	.6925	.6913	.6904	.6884	.6862	.6840
.0008	.6809	.6790	.6771	.6751	.6739	.6730	.6709	.6686	.6663
.0009	.6652	.6633	.6613	.6592	.6580	.6570	.6548	.6525	.6500
.0010	.6507	.6487	.6467	.6445	.6432	.6423	.6400	.6376	.6351
.0020	.5446	.5422	.5398	.5373	.5358	.5347	.5320	.5291	.5262
.0030	.4751	.4726	.4700	.4673	.4657	.4645	.4616	.4586	.4555
.0040	.4234	.4208	.4182	.4154	.4137	.4125	.4096	.4065	.4033
.0050	.3826	.3799	.3773	.3745	.3728	.3716	.3686	.3655	.3623
.0060	.3490	.3464	.3438	.3410	.3393	.3381	.3351	.3321	.3289
.0070	.3208	.3182	.3156	.3128	.3112	.3099	.3070	.3040	.3008
.0080	.2966	.2940	.2914	.2887	.2871	.2859	.2830	.2800	.2769
.0090	.2755	.2730	.2704	.2677	.2661	.2649	.2621	.2592	.2561
.0100	.2569	.2545	.2520	.2493	.2477	.2466	.2438	.2409	.2379
.0200	.1463	.1444	.1423	.1402	.1390	.1381	.1359	.1336	.1313
.0300	.0950	.0934	.0918	.0902	.0892	.0885	.0868	.0850	.0832
.0400	.0660	.0648	.0635	.0622	.0614	.0608	.0594	.0580	.0566
.0500	.0479	.0469	.0458	.0448	.0442	.0437	.0426	.0415	.0403
.0600	.0358	.0350	.0342	.0333	.0328	.0324	.0315	.0306	.0297
.0700	.0275	.0268	.0261	.0253	.0249	.0246	.0239	.0232	.0224
.0800	.0214	.0208	.0203	.0197	.0193	.0191	.0185	.0179	.0172
.0900	.0170	.0165	.0160	.0155	.0152	.0150	.0145	.0140	.0135
.1000	.0136	.0132	.0128	.0124	.0121	.0119	.0115	.0111	.0107

TABLE 20. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8628	.8615	.8602	.8589	.8575	.8561	.8546	.8531	.8515
.0002	.8116	.8099	.8082	.8064	.8046	.8027	.8008	.7988	.7967
.0003	.7744	.7724	.7705	.7684	.7663	.7641	.7618	.7594	.7570
.0004	.7444	.7422	.7400	.7377	.7353	.7329	.7304	.7278	.7251
.0005	.7189	.7165	.7141	.7117	.7091	.7065	.7038	.7010	.6981
.0006	.6966	.6941	.6916	.6889	.6862	.6835	.6806	.6776	.6746
.0007	.6767	.6741	.6714	.6687	.6659	.6629	.6599	.6568	.6536
.0008	.6587	.6560	.6532	.6504	.6474	.6444	.6413	.6380	.6347
.0009	.6422	.6394	.6366	.6336	.6306	.6274	.6242	.6209	.6174
.0010	.6270	.6241	.6212	.6182	.6150	.6118	.6085	.6051	.6015
.0020	.5168	.5134	.5100	.5065	.5029	.4992	.4953	.4914	.4873
.0030	.4455	.4420	.4384	.4347	.4309	.4270	.4230	.4189	.4146
.0040	.3932	.3895	.3859	.3821	.3783	.3743	.3703	.3661	.3618
.0050	.3521	.3485	.3449	.3411	.3373	.3333	.3293	.3252	.3209
.0060	.3188	.3152	.3115	.3078	.3040	.3001	.2962	.2921	.2879
.0070	.2908	.2873	.2837	.2801	.2764	.2726	.2687	.2647	.2606
.0080	.2671	.2636	.2601	.2565	.2529	.2492	.2454	.2415	.2375
.0090	.2465	.2431	.2397	.2362	.2326	.2290	.2253	.2215	.2177
.0100	.2285	.2252	.2219	.2185	.2150	.2115	.2079	.2042	.2004
.0200	.1240	.1215	.1189	.1164	.1137	.1111	.1084	.1057	.1030
.0300	.0776	.0756	.0737	.0717	.0698	.0678	.0658	.0638	.0618
.0400	.0522	.0507	.0492	.0477	.0462	.0447	.0432	.0417	.0402
.0500	.0369	.0357	.0345	.0333	.0322	.0310	.0298	.0286	.0275
.0600	.0269	.0260	.0250	.0241	.0232	.0222	.0213	.0204	.0195
.0700	.0201	.0194	.0186	.0179	.0171	.0164	.0157	.0149	.0142
.0800	.0154	.0148	.0141	.0135	.0129	.0123	.0118	.0112	.0106
.0900	.0119	.0114	.0109	.0104	.0099	.0095	.0090	.0085	.0081
.1000	.0094	.0090	.0086	.0081	.0077	.0073	.0070	.0066	.0062

TABLE 21. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law*  
(Electrolyte,  $z_+z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8343	.8332	.8321	.8309	.8297	.8285	.8271	.8258	.8249
.0002	.7740	.7725	.7711	.7696	.7687	.7663	.7646	.7628	.7617
.0003	.7306	.7290	.7273	.7256	.7245	.7237	.7218	.7199	.7178
.0004	.6960	.6942	.6924	.6905	.6893	.6884	.6863	.6842	.6819
.0005	.6669	.6650	.6630	.6609	.6597	.6587	.6565	.6542	.6518
.0006	.6416	.6396	.6375	.6353	.6340	.6330	.6307	.6282	.6257
.0007	.6192	.6171	.6149	.6126	.6113	.6102	.6078	.6053	.6026
.0008	.5990	.5968	.5946	.5922	.5908	.5898	.5873	.5846	.5819
.0009	.5807	.5784	.5761	.5737	.5723	.5712	.5686	.5659	.5631
.0010	.5639	.5616	.5592	.5567	.5552	.5542	.5515	.5488	.5459
.0020	.4447	.4422	.4396	.4368	.4352	.4339	.4310	.4280	.4248
.0030	.3707	.3681	.3654	.3626	.3609	.3597	.3567	.3537	.3505
.0040	.3179	.3153	.3127	.3100	.3083	.3071	.3042	.3011	.2980
.0050	.2777	.2752	.2726	.2699	.2683	.2671	.2643	.2614	.2583
.0060	.2457	.2433	.2408	.2382	.2367	.2355	.2328	.2299	.2270
.0070	.2196	.2173	.2149	.2124	.2109	.2098	.2071	.2044	.2016
.0080	.1978	.1955	.1932	.1908	.1894	.1883	.1858	.1832	.1805
.0090	.1793	.1771	.1749	.1726	.1712	.1702	.1677	.1652	.1627
.0100	.1634	.1613	.1591	.1569	.1556	.1546	.1523	.1499	.1474
.0200	.0771	.0757	.0743	.0729	.0720	.0714	.0699	.0683	.0667
.0300	.0434	.0424	.0414	.0404	.0399	.0394	.0384	.0374	.0363
.0400	.0267	.0260	.0253	.0246	.0242	.0239	.0232	.0225	.0217
.0500	.0174	.0169	.0164	.0159	.0156	.0154	.0149	.0144	.0138
.0600	.0118	.0115	.0111	.0107	.0105	.0103	.0100	.0096	.0092
.0700	.0083	.0080	.0077	.0074	.0073	.0072	.0069	.0066	.0063
.0800	.0059	.0057	.0055	.0053	.0052	.0051	.0049	.0047	.0045
.0900	.0044	.0042	.0040	.0039	.0038	.0037	.0035	.0034	.0032
.1000	.0032	.0031	.0030	.0029	.0028	.0027	.0026	.0025	.0023

TABLE 21. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Debye-Hückel limiting law—Continued  
(Electrolyte,  $z_{+}z_{-} = 16$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8213	.8197	.8181	.8164	.8147	.8129	.8110	.8091	.8071
.0002	.7570	.7550	.7528	.7506	.7484	.7460	.7436	.7411	.7385
.0003	.7111	.7087	.7063	.7038	.7012	.6985	.6957	.6929	.6899
.0004	.6746	.6720	.6693	.6666	.6637	.6608	.6578	.6546	.6514
.0005	.6440	.6412	.6383	.6354	.6324	.6293	.6260	.6227	.6193
.0006	.6175	.6146	.6116	.6085	.6053	.6020	.5987	.5952	.5916
.0007	.5941	.5910	.5879	.5847	.5814	.5781	.5746	.5709	.5672
.0008	.5731	.5700	.5668	.5635	.5601	.5566	.5530	.5493	.5454
.0009	.5541	.5509	.5476	.5442	.5407	.5372	.5335	.5297	.5258
.0010	.5367	.5334	.5300	.5266	.5230	.5194	.5157	.5118	.5078
.0020	.4147	.4111	.4075	.4037	.3999	.3960	.3919	.3878	.3835
.0030	.3403	.3367	.3330	.3293	.3254	.3215	.3175	.3134	.3092
.0040	.2880	.2845	.2809	.2773	.2736	.2698	.2659	.2619	.2578
.0050	.2487	.2453	.2418	.2383	.2348	.2311	.2274	.2236	.2197
.0060	.2177	.2145	.2112	.2078	.2044	.2010	.1974	.1938	.1901
.0070	.1927	.1896	.1865	.1833	.1800	.1767	.1734	.1699	.1665
.0080	.1720	.1690	.1660	.1630	.1599	.1568	.1536	.1504	.1471
.0090	.1546	.1517	.1489	.1460	.1431	.1401	.1371	.1340	.1309
.0100	.1397	.1370	.1343	.1316	.1288	.1260	.1231	.1202	.1173
.0200	.0618	.0602	.0585	.0568	.0551	.0534	.0517	.0500	.0483
.0300	.0331	.0320	.0309	.0298	.0287	.0277	.0266	.0255	.0244
.0400	.0195	.0188	.0180	.0173	.0166	.0159	.0152	.0145	.0138
.0500	.0123	.0117	.0112	.0107	.0102	.0097	.0092	.0088	.0083
.0600	.0081	.0077	.0073	.0070	.0066	.0063	.0059	.0056	.0053
.0700	.0055	.0052	.0049	.0047	.0044	.0042	.0039	.0037	.0034
.0800	.0038	.0036	.0034	.0032	.0030	.0029	.0027	.0025	.0023
.0900	.0027	.0026	.0024	.0023	.0021	.0020	.0019	.0017	.0015
.1000	.0020	.0019	.0017	.0016	.0015	.0014	.0013	.0012	.0011

TABLE 22. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Günzberg*  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius							
	0	5	10	15	18	20	25	30
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882
.0002	.9843	.9842	.9841	.9840	.9839	.9838	.9837	.9836
.0003	.9809	.9808	.9806	.9805	.9804	.9803	.9801	.9798
.0004	.9780	.9779	.9777	.9776	.9774	.9772	.9770	.9767
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9743
.0006	.9733	.9731	.9729	.9727	.9726	.9725	.9722	.9720
.0007	.9712	.9710	.9708	.9706	.9704	.9703	.9701	.9698
.0008	.9693	.9691	.9689	.9687	.9685	.9684	.9681	.9678
.0009	.9676	.9673	.9671	.9668	.9667	.9666	.9663	.9660
.0010	.9659	.9656	.9654	.9651	.9650	.9648	.9645	.9642
.0020	.9527	.9524	.9520	.9516	.9514	.9512	.9508	.9504
.0030	.9429	.9425	.9421	.9416	.9414	.9412	.9407	.9401
.0040	.9349	.9344	.9339	.9334	.9331	.9329	.9323	.9317
.0050	.9279	.9274	.9269	.9264	.9260	.9258	.9252	.9245
.0060	.9218	.9213	.9207	.9201	.9197	.9195	.9188	.9181
.0070	.9163	.9157	.9151	.9145	.9141	.9138	.9131	.9123
.0080	.9112	.9106	.9100	.9093	.9089	.9086	.9078	.9070
.0090	.9065	.9059	.9052	.9045	.9041	.9038	.9030	.9021
.0100	.9022	.9015	.9008	.9001	.8996	.8993	.8984	.8976
.0200	.8691	.8682	.8673	.8663	.8657	.8653	.8642	.8631
.0300	.8460	.8450	.8440	.8429	.8421	.8416	.8404	.8391
.0600	.8003	.7990	.7977	.7963	.7954	.7947	.7931	.7915
.0700	.7891	.7877	.7863	.7848	.7839	.7832	.7816	.7798
.0800	.7791	.7777	.7762	.7747	.7737	.7730	.7713	.7695
.0900	.7700	.7686	.7671	.7655	.7645	.7638	.7620	.7601
.1000	.7618	.7603	.7588	.7571	.7561	.7553	.7535	.7516

TABLE 22. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Güntelberg—Continued*  
(Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9878	.9877	.9876	.9874	.9873	.9871	.9869	.9868	.9864
.0002	.9829	.9827	.9825	.9823	.9821	.9819	.9817	.9814	.9809
.0003	.9792	.9789	.9787	.9784	.9782	.9779	.9776	.9774	.9771
.0004	.9760	.9758	.9755	.9752	.9749	.9746	.9743	.9740	.9736
.0005	.9733	.9730	.9727	.9724	.9721	.9717	.9714	.9710	.9706
.0006	.9708	.9705	.9702	.9699	.9695	.9691	.9687	.9683	.9679
.0007	.9686	.9683	.9679	.9675	.9672	.9668	.9664	.9659	.9655
.0008	.9665	.9662	.9658	.9654	.9650	.9646	.9641	.9637	.9632
.0009	.9646	.9642	.9638	.9634	.9630	.9625	.9621	.9616	.9611
.0010	.9628	.9624	.9620	.9615	.9611	.9606	.9601	.9596	.9591
.0020	.9484	.9478	.9473	.9467	.9461	.9454	.9447	.9440	.9433
.0030	.9378	.9371	.9364	.9357	.9350	.9342	.9334	.9325	.9317
.0040	.9290	.9283	.9275	.9267	.9258	.9250	.9241	.9231	.9221
.0050	.9215	.9207	.9198	.9189	.9180	.9170	.9160	.9150	.9139
.0060	.9149	.9140	.9131	.9121	.9111	.9100	.9090	.9078	.9066
.0070	.9089	.9079	.9069	.9059	.9048	.9037	.9026	.9013	.9001
.0080	.9034	.9024	.9013	.9002	.8991	.8979	.8967	.8954	.8941
.0090	.8983	.8973	.8962	.8950	.8938	.8926	.8913	.8900	.8886
.0100	.8936	.8925	.8913	.8902	.8889	.8876	.8863	.8849	.8834
.0200	.8579	.8564	.8549	.8533	.8517	.8500	.8483	.8465	.8446
.0300	.8330	.8313	.8296	.8278	.8260	.8240	.8220	.8199	.8177
.0400	.8136	.8118	.8099	.8079	.8058	.8037	.8015	.7991	.7967
.0500	.7976	.7956	.7936	.7914	.7892	.7869	.7845	.7820	.7795
.0600	.7839	.7818	.7796	.7774	.7750	.7726	.7701	.7674	.7647
.0700	.7719	.7697	.7674	.7651	.7626	.7601	.7574	.7547	.7518
.0800	.7612	.7589	.7566	.7541	.7516	.7489	.7462	.7433	.7404
.0900	.7516	.7492	.7468	.7442	.7416	.7389	.7361	.7331	.7270
.1000	.7428	.7379	.7326	.7298	.7269	.7238	.7207	.7175	.7141

TABLE 23. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Güntelberg*  
(Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	0	5	10	15	Temperature in degrees Celsius						
					18	20	25	30	35	38	40
.0001	.9778	.9777	.9775	.9773	.9771	.9769	.9767	.9765	.9764	.9763	.9760
.0002	.9689	.9687	.9685	.9682	.9681	.9677	.9674	.9671	.9669	.9668	.9664
.0003	.9622	.9619	.9616	.9613	.9611	.9610	.9607	.9603	.9600	.9597	.9592
.0004	.9566	.9563	.9559	.9556	.9554	.9552	.9549	.9545	.9540	.9538	.9531
.0005	.9517	.9513	.9510	.9506	.9504	.9502	.9498	.9493	.9489	.9486	.9478
.0006	.9473	.9469	.9465	.9461	.9459	.9457	.9452	.9447	.9442	.9439	.9437
.0007	.9433	.9429	.9425	.9421	.9418	.9416	.9411	.9406	.9400	.9397	.9394
.0008	.9396	.9392	.9387	.9383	.9380	.9378	.9373	.9367	.9361	.9358	.9349
.0009	.9362	.9357	.9353	.9348	.9345	.9342	.9337	.9331	.9325	.9321	.9318
.0010	.9329	.9325	.9320	.9315	.9311	.9309	.9303	.9297	.9291	.9287	.9277
.0020	.9076	.9070	.9063	.9056	.9052	.9049	.9041	.9032	.9024	.9018	.9014
.0030	.8890	.8883	.8875	.8867	.8862	.8858	.8848	.8839	.8828	.8822	.8817
.0040	.8740	.8731	.8722	.8713	.8707	.8703	.8692	.8681	.8670	.8662	.8644
.0050	.8611	.8602	.8592	.8582	.8575	.8571	.8559	.8547	.8534	.8526	.8507
.0060	.8497	.8488	.8477	.8466	.8459	.8454	.8442	.8429	.8415	.8407	.8386
.0070	.8396	.8385	.8374	.8363	.8355	.8350	.8337	.8323	.8308	.8300	.8293
.0080	.8303	.8292	.8281	.8268	.8261	.8255	.8241	.8227	.8211	.8202	.8196
.0090	.8218	.8207	.8195	.8182	.8174	.8168	.8153	.8139	.8122	.8113	.8106
.0100	.8139	.8127	.8115	.8101	.8093	.8087	.8072	.8056	.8040	.8030	.8022
.0200	.7553	.7538	.7522	.7506	.7495	.7487	.7468	.7449	.7428	.7415	.7406
.0300	.7158	.7141	.7123	.7104	.7092	.7083	.7062	.7040	.7016	.7002	.6992
.0400	.6856	.6838	.6818	.6798	.6785	.6775	.6753	.6729	.6703	.6688	.6677
.0500	.6611	.6591	.6571	.6549	.6536	.6526	.6502	.6476	.6449	.6433	.6422
.0600	.6404	.6384	.6363	.6340	.6326	.6316	.6290	.6264	.6236	.6219	.6207
.0700	.6226	.6205	.6183	.6160	.6145	.6134	.6108	.6081	.6052	.6035	.6022
.0800	.6069	.6048	.6025	.6001	.5986	.5975	.5948	.5921	.5891	.5873	.5860
.0900	.5929	.5907	.5884	.5860	.5844	.5833	.5806	.5778	.5747	.5729	.5716
.1000	.5803	.5781	.5757	.5733	.5717	.5705	.5678	.5649	.5618	.5599	.5586

TABLE 23. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Güntelberg—Continued  
(Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9758	.9755	.9753	.9750	.9747	.9744	.9740	.9737	.9734
.0002	.9661	.9657	.9653	.9649	.9645	.9641	.9636	.9632	.9627
.0003	.9587	.9578	.9574	.9569	.9563	.9558	.9552	.9546	.9540
.0004	.9526	.9516	.9510	.9505	.9499	.9493	.9486	.9479	.9473
.0005	.9473	.9467	.9462	.9455	.9449	.9443	.9436	.9428	.9421
.0006	.9425	.9419	.9413	.9406	.9399	.9392	.9385	.9377	.9369
.0007	.9382	.9375	.9369	.9361	.9354	.9346	.9338	.9330	.9321
.0008	.9342	.9335	.9328	.9320	.9312	.9304	.9296	.9287	.9277
.0009	.9305	.9297	.9289	.9281	.9273	.9265	.9256	.9246	.9237
.0010	.9269	.9262	.9254	.9245	.9237	.9228	.9218	.9208	.9198
.0020	.8995	.8984	.8973	.8962	.8950	.8938	.8925	.8912	.8898
.0030	.8794	.8781	.8769	.8755	.8741	.8727	.8712	.8696	.8680
.0040	.8631	.8617	.8603	.8587	.8572	.8556	.8539	.8521	.8503
.0050	.8492	.8477	.8461	.8445	.8428	.8410	.8391	.8372	.8352
.0060	.8370	.8354	.8337	.8319	.8301	.8282	.8262	.8241	.8220
.0070	.8261	.8243	.8225	.8207	.8187	.8167	.8146	.8124	.8102
.0080	.8161	.8143	.8124	.8104	.8084	.8063	.8041	.8018	.7994
.0090	.8070	.8051	.8031	.8011	.7990	.7967	.7944	.7920	.7896
.0100	.7985	.7965	.7945	.7924	.7902	.7879	.7855	.7830	.7805
.0200	.7359	.7334	.7309	.7282	.7255	.7226	.7196	.7165	.7133
.0300	.6939	.6911	.6883	.6853	.6822	.6790	.6756	.6722	.6686
.0400	.6620	.6590	.6559	.6527	.6494	.6459	.6423	.6386	.6348
.0500	.6362	.6330	.6297	.6264	.6229	.6192	.6155	.6116	.6076
.0600	.6145	.6112	.6078	.6043	.6007	.5969	.5930	.5889	.5848
.0700	.5958	.5924	.5889	.5853	.5816	.5777	.5737	.5695	.5653
.0800	.5795	.5724	.5687	.5649	.5609	.5568	.5525	.5482	.5437
.0900	.5649	.5613	.5577	.5539	.5500	.5460	.5418	.5374	.5285
.1000	.5518	.5481	.5445	.5406	.5367	.5325	.5283	.5239	.5148

TABLE 24. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9669	.9667	.9664	.9662	.9660	.9659	.9653
.0002	.9537	.9534	.9531	.9527	.9525	.9519	.9515
.0003	.9438	.9434	.9430	.9426	.9423	.9416	.9411
.0004	.9356	.9351	.9346	.9342	.9338	.9336	.9331
.0005	.9284	.9279	.9274	.9268	.9265	.9262	.9256
.0006	.9220	.9215	.9209	.9203	.9199	.9196	.9190
.0007	.9162	.9156	.9150	.9143	.9139	.9137	.9129
.0008	.9108	.9102	.9095	.9089	.9084	.9081	.9074
.0009	.9058	.9052	.9045	.9038	.9033	.9030	.9022
.0010	.9011	.9004	.8997	.8990	.8985	.8982	.8973
.0020	.8647	.8638	.8628	.8618	.8612	.8607	.8596
.0030	.8383	.8372	.8361	.8349	.8342	.8337	.8323
.0040	.8170	.8159	.8146	.8133	.8125	.8119	.8104
.0050	.7990	.7978	.7964	.7950	.7941	.7934	.7918
.0060	.7833	.7819	.7805	.7790	.7780	.7773	.7756
.0070	.7693	.7679	.7663	.7647	.7637	.7630	.7612
.0080	.7566	.7551	.7535	.7519	.7508	.7500	.7482
.0090	.7450	.7434	.7418	.7401	.7390	.7382	.7362
.0100	.7343	.7327	.7310	.7292	.7281	.7272	.7252
.0200	.6564	.6545	.6524	.6502	.6488	.6479	.6454
.0300	.6056	.6034	.6012	.5988	.5973	.5962	.5935
.0400	.5677	.5654	.5630	.5605	.5589	.5577	.5549
.0500	.5375	.5351	.5326	.5300	.5284	.5272	.5242
.0600	.5125	.5101	.5075	.5048	.5031	.5019	.4989
.0700	.4913	.4888	.4862	.4834	.4817	.4805	.4774
.0800	.4728	.4703	.4677	.4649	.4631	.4619	.4588
.0900	.4566	.4540	.4514	.4486	.4468	.4455	.4424
.1000	.4421	.4395	.4369	.4340	.4322	.4310	.4278

TABLE 24. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Güntherberg—Continued  
(Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9639	.9635	.9631	.9627	.9623	.9618	.9613	.9608	.9598
.0002	.9496	.9490	.9484	.9479	.9473	.9466	.9460	.9453	.9446
.0003	.9388	.9381	.9374	.9367	.9360	.9352	.9344	.9336	.9327
.0004	.9298	.9290	.9283	.9275	.9266	.9258	.9249	.9239	.9229
.0005	.9220	.9212	.9203	.9194	.9185	.9176	.9166	.9155	.9144
.0006	.9151	.9142	.9132	.9123	.9113	.9102	.9091	.9080	.9068
.0007	.9088	.9078	.9068	.9058	.9047	.9036	.9024	.9012	.8999
.0008	.9029	.9019	.9009	.8998	.8986	.8974	.8962	.8949	.8936
.0009	.8975	.8964	.8953	.8942	.8930	.8917	.8904	.8891	.8877
.0010	.8924	.8913	.8902	.8890	.8877	.8864	.8850	.8836	.8822
.0020	.8531	.8516	.8500	.8484	.8468	.8450	.8432	.8413	.8394
.0030	.8247	.8229	.8211	.8192	.8173	.8152	.8131	.8109	.8086
.0040	.8019	.7999	.7979	.7958	.7936	.7914	.7890	.7866	.7840
.0050	.7826	.7804	.7783	.7760	.7737	.7712	.7687	.7660	.7633
.0060	.7658	.7635	.7612	.7588	.7563	.7537	.7510	.7481	.7452
.0070	.7508	.7484	.7460	.7434	.7408	.7381	.7352	.7323	.7292
.0080	.7373	.7348	.7322	.7296	.7269	.7240	.7210	.7179	.7148
.0090	.7249	.7223	.7197	.7170	.7141	.7112	.7081	.7049	.7016
.0100	.7136	.7109	.7082	.7053	.7024	.6993	.6962	.6929	.6895
.0200	.6313	.6281	.6248	.6214	.6179	.6142	.6104	.6065	.6024
.0300	.5781	.5745	.5710	.5673	.5635	.5595	.5554	.5511	.5467
.0400	.5386	.5349	.5312	.5273	.5233	.5191	.5148	.5103	.5058
.0500	.5074	.5036	.4997	.4957	.4916	.4873	.4829	.4783	.4736
.0600	.4817	.4778	.4739	.4698	.4656	.4612	.4567	.4520	.4472
.0700	.4599	.4560	.4520	.4478	.4435	.4391	.4345	.4298	.4250
.0800	.4411	.4371	.4330	.4288	.4246	.4201	.4155	.4107	.4058
.0900	.4246	.4205	.4165	.4122	.4079	.4034	.3988	.3940	.3891
.1000	.4099	.4058	.4017	.3975	.3932	.3886	.3840	.3792	.3743

TABLE 25. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —*  
*Güntellberg*  
 (Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9561	.9558	.9555	.9552	.9550	.9548	.9544	.9540	.9536
.0002	.9388	.9379	.9375	.9371	.9369	.9364	.9359	.9352	.9349
.0003	.9258	.9247	.9242	.9238	.9235	.9229	.9222	.9215	.9211
.0004	.9150	.9144	.9138	.9132	.9128	.9125	.9117	.9110	.9102
.0005	.9057	.9050	.9044	.9037	.9032	.9029	.9021	.9012	.9003
.0006	.8974	.8967	.8959	.8952	.8947	.8943	.8935	.8925	.8916
.0007	.8898	.8891	.8883	.8875	.8869	.8866	.8856	.8847	.8836
.0008	.8829	.8821	.8812	.8804	.8798	.8794	.8784	.8774	.8763
.0009	.8764	.8756	.8747	.8738	.8732	.8728	.8718	.8707	.8695
.0010	.8704	.8695	.8686	.8676	.8670	.8666	.8655	.8644	.8632
.0020	.8237	.8226	.8214	.8201	.8193	.8188	.8173	.8159	.8142
.0030	.7904	.7891	.7877	.7862	.7853	.7846	.7830	.7812	.7794
.0040	.7638	.7623	.7608	.7592	.7581	.7574	.7556	.7537	.7516
.0050	.7415	.7399	.7382	.7365	.7353	.7345	.7326	.7305	.7283
.0060	.7221	.7204	.7186	.7168	.7156	.7147	.7127	.7105	.7081
.0070	.7049	.7031	.7013	.6993	.6981	.6972	.6950	.6928	.6903
.0080	.6894	.6876	.6857	.6837	.6824	.6815	.6792	.6768	.6743
.0090	.6754	.6735	.6715	.6694	.6681	.6671	.6648	.6624	.6597
.0100	.6625	.6605	.6585	.6563	.6550	.6540	.6516	.6491	.6464
.0200	.5705	.5682	.5658	.5633	.5617	.5606	.5578	.5548	.5517
.0300	.5124	.5099	.5074	.5047	.5030	.5017	.4987	.4956	.4923
.0400	.4700	.4675	.4649	.4621	.4603	.4591	.4560	.4528	.4493
.0500	.4370	.4345	.4318	.4289	.4271	.4258	.4227	.4194	.4159
.0600	.4102	.4076	.4048	.4020	.4002	.3989	.3957	.3924	.3889
.0700	.3876	.3850	.3823	.3794	.3776	.3763	.3731	.3698	.3663
.0800	.3684	.3657	.3630	.3601	.3583	.3570	.3538	.3506	.3470
.0900	.3516	.3490	.3462	.3434	.3416	.3403	.3371	.3338	.3303
.1000	.3368	.3342	.3315	.3286	.3255	.3224	.3191	.3156	.3135

TABLE 25. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Günzelberg—Continued  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9522	.9517	.9511	.9506	.9500	.9494	.9488	.9481	.9474	.9467	.9460
.0002	.9333	.9326	.9319	.9311	.9303	.9295	.9286	.9277	.9268	.9258	.9248
.0003	.9192	.9183	.9174	.9165	.9156	.9146	.9135	.9124	.9113	.9102	.9090
.0004	.9075	.9065	.9055	.9045	.9034	.9023	.9011	.8999	.8986	.8973	.8959
.0005	.8974	.8963	.8952	.8941	.8929	.8916	.8903	.8890	.8876	.8861	.8846
.0006	.8884	.8872	.8860	.8848	.8835	.8821	.8807	.8793	.8778	.8762	.8746
.0007	.8802	.8790	.8777	.8764	.8750	.8735	.8720	.8705	.8689	.8672	.8654
.0008	.8727	.8714	.8700	.8686	.8672	.8656	.8641	.8624	.8607	.8590	.8571
.0009	.8657	.8644	.8629	.8615	.8599	.8583	.8567	.8549	.8531	.8513	.8493
.0010	.8592	.8578	.8563	.8547	.8532	.8515	.8497	.8479	.8461	.8441	.8421
.0020	.8091	.8072	.8052	.8032	.8011	.7989	.7966	.7942	.7918	.7893	.7866
.0030	.7733	.7711	.7689	.7665	.7641	.7616	.7589	.7562	.7534	.7505	.7474
.0040	.7450	.7425	.7400	.7374	.7348	.7320	.7291	.7261	.7230	.7198	.7164
.0050	.7212	.7185	.7159	.7131	.7102	.7072	.7041	.7009	.6976	.6942	.6906
.0060	.7006	.6978	.6950	.6921	.6890	.6859	.6826	.6792	.6757	.6721	.6683
.0070	.6824	.6795	.6766	.6735	.6703	.6670	.6636	.6600	.6564	.6526	.6487
.0080	.6661	.6631	.6600	.6568	.6535	.6501	.6466	.6429	.6391	.6352	.6311
.0090	.6512	.6481	.6450	.6417	.6383	.6348	.6311	.6273	.6234	.6195	.6152
.0100	.6376	.6345	.6312	.6278	.6244	.6207	.6170	.6131	.6091	.6050	.6007
.0200	.5416	.5379	.5342	.5303	.5263	.5221	.5178	.5134	.5088	.5042	.4993
.0300	.4816	.4776	.4737	.4696	.4654	.4610	.4565	.4518	.4470	.4422	.4371
.0400	.4383	.4342	.4302	.4260	.4217	.4172	.4126	.4078	.4030	.3980	.3928
.0500	.4047	.4007	.3966	.3923	.3880	.3835	.3788	.3740	.3691	.3642	.3590
.0600	.3776	.3735	.3694	.3652	.3608	.3563	.3517	.3469	.3420	.3371	.3319
.0700	.3550	.3509	.3468	.3426	.3383	.3337	.3291	.3243	.3195	.3146	.3094
.0800	.3358	.3317	.3276	.3234	.3191	.3146	.3100	.3053	.3005	.2956	.2905
.0900	.3191	.3151	.3110	.3068	.3025	.2981	.2935	.2888	.2841	.2793	.2742
.1000	.3045	.3005	.2964	.2923	.2880	.2836	.2791	.2745	.2698	.2650	.2600

TABLE 26. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —  
*Günzelberg*  
 (Electrolyte,  $z_{+}z_{-} = 6$ )

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35			
.0001	.9349	.9340	.9335	.9332	.9330	.9324	.9318	.9312	.9308	.9305	.9298	
.0002	.9096	.9090	.9083	.9077	.9072	.9069	.9061	.9053	.9045	.9039	.9036	.9026
.0003	.8908	.8900	.8893	.8884	.8879	.8875	.8866	.8857	.8846	.8840	.8836	.8824
.0004	.8753	.8744	.8736	.8726	.8720	.8716	.8706	.8695	.8683	.8676	.8671	.8658
.0005	.8619	.8610	.8600	.8590	.8584	.8579	.8568	.8556	.8543	.8535	.8530	.8516
.0006	.8501	.8491	.8480	.8469	.8462	.8457	.8445	.8432	.8418	.8410	.8404	.8389
.0007	.8393	.8383	.8372	.8360	.8353	.8348	.8334	.8321	.8306	.8297	.8291	.8275
.0008	.8295	.8284	.8273	.8260	.8253	.8247	.8233	.8219	.8203	.8194	.8187	.8170
.0009	.8205	.8193	.8181	.8168	.8160	.8154	.8139	.8124	.8108	.8098	.8091	.8074
.0010	.8120	.8108	.8095	.8082	.8073	.8067	.8052	.8036	.8019	.8009	.8002	.7983
.0020	.7476	.7461	.7445	.7427	.7416	.7408	.7389	.7369	.7347	.7334	.7325	.7301
.0030	.7027	.7009	.6991	.6971	.6959	.6950	.6928	.6905	.6880	.6866	.6855	.6828
.0040	.6675	.6656	.6636	.6615	.6601	.6591	.6568	.6543	.6516	.6500	.6489	.6460
.0050	.6384	.6364	.6343	.6320	.6306	.6295	.6270	.6244	.6216	.6199	.6187	.6156
.0060	.6136	.6114	.6092	.6068	.6053	.6043	.6016	.5989	.5959	.5941	.5929	.5897
.0070	.5918	.5896	.5873	.5848	.5833	.5822	.5794	.5766	.5735	.5717	.5704	.5671
.0080	.5725	.5702	.5678	.5653	.5637	.5625	.5597	.5568	.5537	.5518	.5505	.5471
.0090	.5550	.5527	.5503	.5477	.5461	.5449	.5420	.5391	.5358	.5339	.5326	.5291
.0100	.5392	.5368	.5343	.5317	.5301	.5289	.5260	.5229	.5196	.5177	.5163	.5128
.0200	.4309	.4283	.4256	.4228	.4210	.4197	.4166	.4133	.4098	.4077	.4062	.4024
.0300	.3667	.3641	.3614	.3585	.3567	.3554	.3522	.3489	.3454	.3433	.3418	.3380
.0400	.3223	.3197	.3170	.3141	.3123	.3110	.3079	.3046	.3012	.2991	.2976	.2939
.0500	.2889	.2864	.2837	.2809	.2792	.2779	.2748	.2716	.2682	.2662	.2648	.2612
.0600	.2627	.2602	.2576	.2549	.2531	.2519	.2489	.2458	.2425	.2405	.2392	.2356
.0700	.2413	.2389	.2364	.2337	.2320	.2308	.2279	.2249	.2217	.2198	.2184	.2150
.0800	.2236	.2212	.2187	.2161	.2145	.2133	.2105	.2076	.2044	.2026	.2013	.1979
.0900	.2085	.2062	.2037	.2012	.1996	.1985	.1957	.1929	.1898	.1880	.1868	.1835
.1000	.1955	.1932	.1908	.1884	.1868	.1857	.1830	.1803	.1773	.1755	.1743	.1712

TABLE 26. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9291	.9284	.9276	.9268	.9259	.9251	.9241	.9232	.9222	.9212	.9201
.0002	.9016	.9006	.8995	.8984	.8973	.8961	.8948	.8935	.8922	.8908	.8893
.0003	.8813	.8800	.8788	.8774	.8761	.8746	.8731	.8716	.8700	.8684	.8666
.0004	.8631	.8645	.8617	.8602	.8587	.8570	.8554	.8536	.8518	.8500	.8480
.0005	.8501	.8486	.8470	.8454	.8437	.8419	.8401	.8382	.8362	.8342	.8320
.0006	.8374	.8357	.8340	.8322	.8304	.8285	.8266	.8245	.8224	.8202	.8179
.0007	.8258	.8241	.8223	.8204	.8185	.8164	.8144	.8121	.8099	.8076	.8051
.0008	.8153	.8134	.8115	.8096	.8075	.8054	.8032	.8009	.7985	.7961	.7935
.0009	.8055	.8036	.8016	.7996	.7974	.7952	.7929	.7905	.7880	.7855	.7828
.0010	.7965	.7944	.7924	.7902	.7880	.7857	.7833	.7808	.7782	.7756	.7728
.0020	.7277	.7252	.7225	.7198	.7170	.7140	.7110	.7078	.7046	.7012	.6977
.0030	.6801	.6772	.6742	.6711	.6679	.6646	.6612	.6576	.6539	.6502	.6462
.0040	.6430	.6398	.6366	.6333	.6299	.6262	.6226	.6187	.6147	.6107	.6064
.0050	.6124	.6091	.6057	.6022	.5986	.5948	.5909	.5868	.5826	.5784	.5739
.0060	.5864	.5829	.5794	.5757	.5720	.5680	.5640	.5597	.5554	.5510	.5463
.0070	.5637	.5601	.5565	.5527	.5488	.5447	.5406	.5362	.5318	.5272	.5224
.0080	.5436	.5399	.5362	.5323	.5283	.5242	.5199	.5154	.5109	.5063	.5014
.0090	.5255	.5218	.5180	.5140	.5100	.5057	.5014	.4969	.4922	.4875	.4826
.0100	.5092	.5054	.5015	.4975	.4934	.4891	.4847	.4801	.4754	.4706	.4656
.0200	.3986	.3945	.3904	.3861	.3818	.3773	.3726	.3678	.3629	.3580	.3528
.0300	.3342	.3301	.3260	.3218	.3175	.3130	.3084	.3037	.2989	.2941	.2889
.0400	.2901	.2862	.2822	.2780	.2738	.2695	.2650	.2604	.2558	.2511	.2462
.0500	.2575	.2536	.2497	.2457	.2417	.2374	.2332	.2287	.2243	.2198	.2151
.0600	.2321	.2283	.2245	.2207	.2167	.2127	.2085	.2043	.2000	.1957	.1912
.0700	.2115	.2079	.2043	.2005	.1967	.1928	.1888	.1847	.1806	.1765	.1721
.0800	.1946	.1875	.1839	.1803	.1764	.1726	.1687	.1647	.1607	.1566	.1526
.0900	.1803	.1768	.1734	.1699	.1664	.1627	.1590	.1552	.1514	.1476	.1436
.1000	.1680	.1647	.1614	.1580	.1546	.1510	.1475	.1438	.1401	.1364	.1326

TABLE 27. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35			
.0001	.9142	.9136	.9130	.9124	.9119	.9116	.9109	.9101	.9093	.9088	.9085	.9076
.0002	.8813	.8805	.8797	.8788	.8778	.8769	.8758	.8747	.8740	.8735	.8735	.8723
.0003	.8571	.8561	.8551	.8541	.8534	.8529	.8518	.8505	.8492	.8484	.8478	.8464
.0004	.8372	.8362	.8351	.8339	.8331	.8326	.8313	.8299	.8284	.8275	.8269	.8252
.0005	.8203	.8191	.8179	.8166	.8158	.8152	.8137	.8122	.8106	.8096	.8089	.8071
.0006	.8053	.8040	.8027	.8013	.8004	.7998	.7983	.7966	.7949	.7938	.7931	.7912
.0007	.7918	.7904	.7890	.7876	.7867	.7860	.7843	.7826	.7808	.7797	.7789	.7769
.0008	.7794	.7781	.7766	.7751	.7741	.7734	.7717	.7699	.7679	.7667	.7659	.7638
.0009	.7681	.7666	.7651	.7635	.7625	.7618	.7600	.7581	.7561	.7548	.7540	.7518
.0010	.7575	.7560	.7545	.7528	.7517	.7510	.7491	.7472	.7451	.7438	.7429	.7406
.0020	.6785	.6767	.6747	.6726	.6713	.6704	.6680	.6656	.6630	.6614	.6603	.6575
.0030	.6247	.6226	.6204	.6181	.6167	.6156	.6130	.6103	.6074	.6057	.6045	.6013
.0040	.5834	.5812	.5788	.5763	.5748	.5736	.5709	.5680	.5649	.5631	.5618	.5584
.0050	.5498	.5474	.5450	.5424	.5407	.5396	.5367	.5337	.5304	.5285	.5272	.5236
.0060	.5214	.5190	.5164	.5138	.5121	.5109	.5079	.5048	.5015	.4995	.4981	.4945
.0070	.4969	.4944	.4918	.4891	.4873	.4861	.4831	.4799	.4765	.4745	.4731	.4694
.0080	.4753	.4728	.4702	.4674	.4656	.4644	.4613	.4581	.4547	.4526	.4512	.4474
.0090	.4561	.4536	.4509	.4481	.4463	.4451	.4419	.4387	.4352	.4331	.4317	.4279
.0100	.4389	.4363	.4336	.4308	.4290	.4277	.4245	.4213	.4178	.4157	.4142	.4104
.0200	.3255	.3229	.3202	.3173	.3155	.3142	.3111	.3079	.3044	.3023	.3008	.2971
.0300	.2625	.2600	.2574	.2547	.2530	.2517	.2488	.2457	.2423	.2404	.2390	.2355
.0400	.2209	.2186	.2161	.2135	.2119	.2107	.2079	.2050	.2019	.2000	.1987	.1954
.0500	.1910	.1888	.1864	.1840	.1824	.1813	.1787	.1759	.1730	.1713	.1700	.1669
.0600	.1682	.1661	.1639	.1616	.1601	.1591	.1566	.1540	.1512	.1496	.1485	.1455
.0700	.1503	.1482	.1461	.1440	.1426	.1416	.1392	.1368	.1342	.1326	.1316	.1288
.0800	.1357	.1338	.1318	.1297	.1284	.1275	.1252	.1229	.1204	.1190	.1179	.1153
.0900	.1236	.1218	.1199	.1179	.1167	.1158	.1136	.1114	.1091	.1077	.1068	.1043
.1000	.1134	.1117	.1099	.1080	.1068	.1050	.1039	.1018	.9996	.9974	.9950	.9950

TABLE 27. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_{+}z_{-} = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9066	.9056	.9046	.9036	.9025	.9013	.9002	.8989	.8976
.0002	.8711	.8697	.8684	.8669	.8655	.8639	.8623	.8606	.8589
.0003	.8449	.8433	.8417	.8400	.8383	.8364	.8345	.8326	.8305
.0004	.8236	.8218	.8200	.8181	.8161	.8141	.8120	.8097	.8075
.0005	.8053	.8034	.8014	.7993	.7972	.7950	.7927	.7902	.7878
.0006	.7892	.7872	.7850	.7828	.7806	.7782	.7757	.7731	.7705
.0007	.7748	.7726	.7704	.7680	.7656	.7631	.7605	.7577	.7549
.0008	.7616	.7593	.7570	.7545	.7520	.7493	.7466	.7437	.7408
.0009	.7495	.7471	.7447	.7421	.7395	.7367	.7339	.7309	.7278
.0010	.7383	.7358	.7332	.7306	.7279	.7250	.7221	.7190	.7158
.0020	.6546	.6515	.6484	.6451	.6418	.6382	.6346	.6308	.6269
.0030	.5981	.5946	.5912	.5876	.5839	.5800	.5760	.5718	.5676
.0040	.5550	.5513	.5477	.5438	.5399	.5358	.5316	.5272	.5227
.0050	.5201	.5163	.5125	.5085	.5044	.5002	.4958	.4912	.4866
.0060	.4908	.4869	.4830	.4789	.4748	.4704	.4659	.4613	.4565
.0070	.4657	.4617	.4577	.4536	.4493	.4449	.4404	.4356	.4308
.0080	.4436	.4396	.4356	.4314	.4271	.4226	.4180	.4133	.4084
.0090	.4241	.4201	.4160	.4118	.4075	.4029	.3983	.3935	.3887
.0100	.4066	.4025	.3984	.3942	.3899	.3853	.3807	.3759	.3710
.0200	.2933	.2893	.2853	.2812	.2770	.2726	.2682	.2635	.2589
.0300	.2319	.2281	.2244	.2205	.2166	.2125	.2084	.2041	.1998
.0400	.1921	.1886	.1851	.1815	.1778	.1740	.1702	.1663	.1624
.0500	.1638	.1605	.1573	.1539	.1505	.1470	.1435	.1399	.1363
.0600	.1426	.1395	.1365	.1334	.1302	.1269	.1237	.1203	.1170
.0700	.1260	.1232	.1203	.1174	.1144	.1114	.1083	.1052	.1021
.0800	.1127	.1100	.1073	.1046	.1018	.0990	.0961	.0932	.0903
.0900	.1018	.0993	.0967	.0941	.0915	.0888	.0862	.0834	.0807
.1000	.0927	.0903	.0879	.0854	.0830	.0804	.0779	.0753	.0728

TABLE 28. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Güntelberg*  
 (Electrolyte,  $z_+z_- = 9$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9040	.9034	.9027	.9020	.9015	.9012	.9004
.0002	.8675	.8666	.8657	.8647	.8637	.8626	.8614
.0003	.8407	.8397	.8386	.8374	.8367	.8348	.8335
.0004	.8189	.8177	.8165	.8152	.8144	.8138	.8123
.0005	.8002	.7989	.7976	.7962	.7953	.7946	.7930
.0006	.7837	.7824	.7810	.7794	.7785	.7778	.7761
.0007	.7690	.7675	.7660	.7644	.7634	.7627	.7609
.0008	.7555	.7540	.7524	.7508	.7497	.7489	.7471
.0009	.7432	.7416	.7399	.7382	.7371	.7363	.7343
.0010	.7317	.7301	.7283	.7265	.7254	.7246	.7225
.0020	.6464	.6444	.6423	.6401	.6387	.6377	.6352
.0030	.5891	.5868	.5845	.5821	.5805	.5794	.5766
.0040	.5454	.5431	.5406	.5380	.5363	.5351	.5322
.0050	.5101	.5077	.5051	.5024	.5007	.4995	.4965
.0060	.4806	.4781	.4755	.4727	.4710	.4697	.4666
.0070	.4553	.4527	.4501	.4473	.4455	.4442	.4411
.0080	.4331	.4306	.4278	.4250	.4232	.4219	.4188
.0090	.4135	.4109	.4082	.4053	.4035	.4022	.3991
.0100	.3959	.3933	.3906	.3877	.3859	.3846	.3814
.0200	.2829	.2803	.2777	.2749	.2732	.2719	.2689
.0300	.2221	.2197	.2173	.2147	.2130	.2119	.2090
.0400	.1829	.1807	.1784	.1761	.1745	.1735	.1708
.0500	.1553	.1532	.1511	.1489	.1475	.1465	.1441
.0600	.1346	.1327	.1307	.1287	.1274	.1264	.1242
.0700	.1186	.1168	.1149	.1130	.1118	.1109	.1088
.0800	.1057	.1040	.1023	.1005	.0993	.0985	.0966
.0900	.0952	.0936	.0920	.0903	.0892	.0884	.0866
.1000	.0864	.0849	.0834	.0818	.0808	.0800	.0783

TABLE 28. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8956	.8945	.8934	.8922	.8910	.8897	.8884	.8870	.8856
.0002	.8562	.8547	.8532	.8516	.8500	.8483	.8465	.8446	.8427
.0003	.8273	.8255	.8238	.8219	.8200	.8180	.8159	.8137	.8115
.0004	.8038	.8019	.7999	.7978	.7957	.7934	.7911	.7887	.7862
.0005	.7838	.7817	.7795	.7773	.7750	.7725	.7700	.7673	.7646
.0006	.7662	.7640	.7617	.7592	.7568	.7541	.7515	.7486	.7457
.0007	.7505	.7481	.7456	.7431	.7405	.7377	.7349	.7319	.7289
.0008	.7361	.7336	.7311	.7284	.7257	.7228	.7198	.7167	.7135
.0009	.7230	.7204	.7177	.7150	.7121	.7091	.7060	.7028	.6995
.0010	.7108	.7081	.7053	.7025	.6995	.6964	.6933	.6899	.6865
.0020	.6208	.6175	.6142	.6107	.6071	.6034	.5995	.5955	.5914
.0030	.5608	.5572	.5536	.5498	.5459	.5418	.5376	.5332	.5288
.0040	.5156	.5118	.5080	.5040	.4999	.4956	.4912	.4866	.4820
.0050	.4793	.4754	.4714	.4673	.4631	.4587	.4542	.4495	.4447
.0060	.4490	.4451	.4410	.4368	.4326	.4281	.4235	.4187	.4139
.0070	.4232	.4192	.4151	.4109	.4066	.4020	.3974	.3926	.3878
.0080	.4008	.3967	.3926	.3884	.3840	.3795	.3749	.3701	.3652
.0090	.3810	.3769	.3728	.3685	.3642	.3597	.3550	.3502	.3454
.0100	.3633	.3593	.3551	.3509	.3466	.3420	.3374	.3326	.3278
.0200	.2516	.2478	.2439	.2399	.2359	.2317	.2275	.2231	.2187
.0300	.1932	.1897	.1862	.1825	.1789	.1751	.1713	.1674	.1634
.0400	.1563	.1531	.1499	.1466	.1433	.1399	.1364	.1329	.1294
.0500	.1307	.1277	.1248	.1218	.1188	.1157	.1126	.1094	.1062
.0600	.1118	.1091	.1064	.1037	.1009	.981	.952	.923	.894
.0700	.0973	.0948	.0923	.0898	.0873	.0847	.0821	.0794	.0768
.0800	.0858	.0835	.0812	.0789	.0765	.0741	.0717	.0693	.0668
.0900	.0765	.0744	.0722	.0701	.0679	.0656	.0634	.0612	.0589
.1000	.0689	.0668	.0648	.0628	.0608	.0587	.0566	.0545	.0524

TABLE 29. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Güntherberg  
(Electrolyte,  $z_{+}z_{-} = 12$ )*

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8741	.8733	.8724	.8715	.8709	.8704	.8694	.8683	.8671
.0002	.8274	.8263	.8251	.8238	.8231	.8225	.8211	.8196	.8181
.0003	.7935	.7921	.7908	.7893	.7884	.7877	.7861	.7844	.7826
.0004	.7661	.7646	.7631	.7615	.7605	.7597	.7579	.7560	.7540
.0005	.7429	.7413	.7397	.7379	.7368	.7360	.7341	.7320	.7298
.0006	.7226	.7209	.7192	.7173	.7161	.7153	.7132	.7110	.7087
.0007	.7045	.7027	.7009	.6990	.6977	.6968	.6946	.6924	.6899
.0008	.6881	.6863	.6844	.6823	.6811	.6801	.6778	.6755	.6729
.0009	.6731	.6713	.6693	.6672	.6658	.6649	.6625	.6601	.6574
.0010	.6593	.6574	.6553	.6531	.6518	.6508	.6484	.6458	.6431
.0020	.5589	.5566	.5542	.5517	.5500	.5489	.5460	.5430	.5398
.0030	.4938	.4913	.4887	.4860	.4842	.4830	.4800	.4768	.4734
.0040	.4456	.4431	.4404	.4376	.4358	.4345	.4313	.4281	.4246
.0050	.4076	.4050	.4023	.3994	.3976	.3963	.3932	.3899	.3863
.0060	.3765	.3739	.3711	.3683	.3664	.3651	.3619	.3587	.3551
.0070	.3502	.3476	.3449	.3420	.3402	.3389	.3357	.3325	.3289
.0080	.3277	.3251	.3224	.3196	.3177	.3165	.3133	.3101	.3066
.0090	.3081	.3055	.3028	.3000	.2982	.2969	.2938	.2906	.2871
.0100	.2907	.2882	.2855	.2827	.2810	.2797	.2766	.2734	.2700
.0200	.1857	.1835	.1812	.1788	.1772	.1762	.1735	.1708	.1679
.0300	.1345	.1326	.1306	.1285	.1272	.1263	.1241	.1218	.1193
.0400	.1038	.1022	.1005	.9987	.9975	.9967	.9948	.9928	.9907
.0500	.0835	.0820	.0805	.0789	.0779	.0772	.0755	.0738	.0720
.0600	.0690	.0677	.0663	.0650	.0641	.0635	.0620	.0604	.0588
.0700	.0582	.0571	.0559	.0546	.0538	.0533	.0519	.0506	.0491
.0800	.0500	.0489	.0478	.0467	.0460	.0455	.0443	.0431	.0418
.0900	.0435	.0425	.0415	.0405	.0399	.0394	.0383	.0372	.0360
.1000	.0382	.0373	.0364	.0355	.0349	.0345	.0335	.0325	.0314

TABLE 29. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —  
 Güntelberg — Continued  
 (Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8633	.8619	.8604	.8589	.8574	.8557	.8540	.8523	.8505
.0002	.8130	.8111	.8092	.8072	.8051	.8030	.8007	.7984	.7960
.0003	.7766	.7744	.7722	.7699	.7675	.7650	.7624	.7597	.7569
.0004	.7474	.7450	.7425	.7399	.7373	.7345	.7317	.7286	.7256
.0005	.7227	.7201	.7174	.7147	.7118	.7088	.7057	.7025	.6992
.0006	.7012	.6984	.6956	.6926	.6896	.6864	.6832	.6798	.6763
.0007	.6820	.6791	.6761	.6731	.6699	.6666	.6632	.6596	.6559
.0008	.6647	.6617	.6586	.6554	.6521	.6487	.6451	.6414	.6376
.0009	.6489	.6458	.6426	.6393	.6359	.6323	.6287	.6249	.6209
.0010	.6343	.6311	.6279	.6245	.6210	.6173	.6136	.6096	.6056
.0020	.5296	.5259	.5221	.5181	.5141	.5099	.5055	.5010	.4964
.0030	.4625	.4586	.4546	.4504	.4462	.4417	.4372	.4324	.4276
.0040	.4134	.4094	.4053	.4010	.3967	.3922	.3876	.3828	.3779
.0050	.3751	.3710	.3669	.3626	.3583	.3537	.3491	.3443	.3394
.0060	.3439	.3398	.3357	.3315	.3271	.3226	.3180	.3133	.3085
.0070	.3178	.3137	.3097	.3055	.3012	.2967	.2922	.2875	.2828
.0080	.2955	.2915	.2875	.2834	.2791	.2747	.2703	.2657	.2610
.0090	.2762	.2723	.2683	.2642	.2601	.2558	.2514	.2469	.2423
.0100	.2593	.2554	.2515	.2475	.2434	.2392	.2349	.2305	.2260
.0200	.1589	.1556	.1524	.1491	.1458	.1423	.1389	.1353	.1317
.0300	.1117	.1090	.1063	.1036	.1008	.980	.951	.922	.893
.0400	.0842	.0819	.0796	.0773	.0750	.0726	.0702	.0678	.0654
.0500	.0663	.0643	.0624	.0604	.0584	.0564	.0544	.0523	.0503
.0600	.0538	.0521	.0504	.0487	.0470	.0452	.0435	.0417	.0400
.0700	.0447	.0432	.0417	.0402	.0387	.0372	.0357	.0341	.0326
.0800	.0370	.0365	.0352	.0338	.0325	.0311	.0298	.0284	.0271
.0900	.0325	.0313	.0301	.0289	.0277	.0265	.0253	.0241	.0229
.1000	.0282	.0271	.0260	.0250	.0239	.0228	.0217	.0207	.0196

TABLE 30. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.8358	.8347	.8336	.8324	.8316	.8298	.8284
.0002	.7767	.7753	.7739	.7723	.7713	.7689	.7651
.0003	.7346	.7330	.7313	.7295	.7283	.7255	.7234
.0004	.7010	.6992	.6974	.6954	.6941	.6932	.6910
.0005	.6728	.6709	.6689	.6668	.6655	.6645	.6622
.0006	.6484	.6464	.6443	.6421	.6407	.6397	.6372
.0007	.6269	.6248	.6226	.6203	.6188	.6178	.6152
.0008	.6075	.6054	.6031	.6007	.5992	.5981	.5954
.0009	.5899	.5877	.5854	.5830	.5814	.5803	.5775
.0010	.5738	.5716	.5692	.5667	.5651	.5640	.5612
.0020	.4604	.4579	.4552	.4524	.4507	.4494	.4463
.0030	.3903	.3877	.3850	.3821	.3803	.3790	.3758
.0040	.3404	.3378	.3350	.3322	.3304	.3291	.3259
.0050	.3022	.2997	.2970	.2942	.2924	.2911	.2880
.0060	.2718	.2693	.2667	.2640	.2622	.2610	.2579
.0070	.2469	.2444	.2419	.2392	.2375	.2363	.234
.0080	.2259	.2236	.2211	.2185	.2168	.2156	.2128
.0090	.2081	.2057	.2033	.2008	.1992	.1981	.1953
.0100	.1926	.1904	.1880	.1856	.1840	.1829	.1802
.0200	.1059	.1043	.1025	.1007	.0996	.0987	.0968
.0300	.0689	.0676	.0663	.0649	.0640	.0634	.0619
.0400	.0488	.0478	.0467	.0456	.0449	.0444	.0432
.0500	.0365	.0356	.0348	.0339	.0333	.0329	.0319
.0600	.0283	.0276	.0269	.0261	.0256	.0253	.0245
.0700	.0226	.0220	.0214	.0207	.0203	.0201	.0194
.0800	.0184	.0179	.0174	.0168	.0165	.0162	.0157
.0900	.0153	.0148	.0144	.0139	.0136	.0129	.0124
.1000	.0129	.0125	.0121	.0117	.0114	.0108	.0104

TABLE 30. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_{+}z_{-} = 16$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8220	.8202	.8184	.8165	.8145	.8124	.8103	.8080	.8058
.0002	.7587	.7564	.7540	.7516	.7490	.7463	.7436	.7407	.7377
.0003	.7138	.7112	.7085	.7056	.7027	.6996	.6965	.6932	.6898
.0004	.6783	.6753	.6724	.6693	.6661	.6627	.6593	.6557	.6520
.0005	.6485	.6454	.6423	.6389	.6356	.6320	.6283	.6245	.6206
.0006	.6229	.6196	.6163	.6128	.6093	.6055	.6017	.5977	.5936
.0007	.6003	.5969	.5934	.5899	.5862	.5823	.5783	.5742	.5699
.0008	.5801	.5766	.5730	.5693	.5655	.5615	.5574	.5532	.5488
.0009	.5618	.5582	.5545	.5507	.5468	.5428	.5386	.5342	.5297
.0010	.5450	.5414	.5376	.5338	.5298	.5256	.5214	.5169	.5124
.0020	.4285	.4244	.4204	.4162	.4118	.4073	.4027	.3979	.3931
.0030	.3577	.3536	.3495	.3452	.3409	.3364	.3318	.3270	.3221
.0040	.3080	.3040	.2999	.2958	.2915	.2871	.2826	.2779	.2732
.0050	.2705	.2666	.2626	.2586	.2545	.2502	.2458	.2413	.2368
.0060	.2409	.2371	.2333	.2294	.2254	.2213	.2171	.2128	.2084
.0070	.2168	.2132	.2095	.2057	.2019	.1979	.1939	.1898	.1856
.0080	.1968	.1933	.1897	.1861	.1824	.1786	.1748	.1708	.1668
.0090	.1799	.1765	.1731	.1696	.1660	.1624	.1587	.1549	.1511
.0100	.1653	.1620	.1588	.1554	.1520	.1485	.1449	.1413	.1376
.0200	.0860	.0837	.0814	.0791	.0767	.0743	.0719	.0695	.0670
.0300	.0538	.0520	.0504	.0486	.0469	.0452	.0434	.0417	.0399
.0400	.0369	.0356	.0343	.0329	.0316	.0303	.0290	.0277	.0264
.0500	.0268	.0258	.0247	.0237	.0227	.0216	.0206	.0196	.0186
.0600	.0203	.0195	.0186	.0178	.0170	.0161	.0153	.0145	.0137
.0700	.0159	.0152	.0145	.0138	.0131	.0124	.0117	.0111	.0104
.0800	.0127	.0121	.0115	.0109	.0104	.0098	.0092	.0087	.0082
.0900	.0104	.0099	.0094	.0089	.0084	.0079	.0074	.0070	.0065
.1000	.0086	.0081	.0077	.0073	.0069	.0065	.0061	.0057	.0053

TABLE 31. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Güntelberg*  
 (Electrolyte,  $z_+z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881
.0002	.9843	.9842	.9841	.9840	.9839	.9838	.9837	.9836	.9835
.0003	.9809	.9808	.9806	.9805	.9804	.9803	.9802	.9800	.9798
.0004	.9780	.9779	.9777	.9776	.9775	.9774	.9772	.9770	.9768
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9744	.9742
.0006	.9733	.9731	.9729	.9727	.9726	.9725	.9723	.9720	.9718
.0007	.9712	.9710	.9708	.9706	.9705	.9704	.9701	.9699	.9696
.0008	.9693	.9691	.9689	.9687	.9685	.9684	.9682	.9679	.9676
.0009	.9676	.9673	.9671	.9668	.9667	.9666	.9663	.9660	.9658
.0010	.9659	.9656	.9654	.9651	.9650	.9649	.9646	.9643	.9640
.0020	.9527	.9524	.9520	.9517	.9514	.9513	.9509	.9505	.9501
.0030	.9429	.9425	.9421	.9417	.9414	.9412	.9408	.9403	.9398
.0040	.9349	.9344	.9340	.9335	.9332	.9330	.9324	.9319	.9313
.0050	.9279	.9274	.9269	.9264	.9261	.9258	.9253	.9247	.9240
.0060	.9218	.9213	.9207	.9202	.9198	.9195	.9189	.9183	.9176
.0070	.9163	.9157	.9151	.9145	.9141	.9139	.9132	.9125	.9118
.0080	.9112	.9106	.9100	.9093	.9089	.9087	.9080	.9072	.9064
.0090	.9065	.9059	.9053	.9046	.9042	.9038	.9031	.9023	.9015
.0100	.9022	.9015	.9008	.9001	.8997	.8994	.8986	.8978	.8969
.0200	.8691	.8682	.8673	.8664	.8658	.8654	.8644	.8633	.8622
.0300	.8460	.8450	.8440	.8429	.8423	.8418	.8406	.8394	.8381
.0400	.8280	.8269	.8258	.8245	.8238	.8233	.8220	.8206	.8192
.0500	.8131	.8119	.8106	.8093	.8086	.8080	.8066	.8051	.8036
.0600	.8003	.7990	.7977	.7963	.7955	.7949	.7934	.7919	.7903
.0700	.7891	.7877	.7864	.7849	.7840	.7834	.7819	.7802	.7786
.0800	.7791	.7777	.7763	.7748	.7739	.7732	.7716	.7699	.7681
.0900	.7700	.7686	.7671	.7656	.7646	.7640	.7623	.7606	.7587
.1000	.7618	.7603	.7588	.7572	.7563	.7556	.7538	.7520	.7490

TABLE 31. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*  
*Güntelberg—Continued*  
 (Electrolyte,  $Z_+Z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9879	.9878	.9877	.9875	.9874	.9873	.9871	.9870	.9868
.0002	.9830	.9828	.9827	.9825	.9823	.9821	.9819	.9817	.9815
.0003	.9793	.9791	.9789	.9786	.9784	.9782	.9780	.9777	.9775
.0004	.9762	.9759	.9757	.9755	.9752	.9749	.9747	.9744	.9741
.0005	.9735	.9732	.9729	.9727	.9724	.9721	.9718	.9715	.9711
.0006	.9710	.9707	.9704	.9701	.9698	.9695	.9692	.9688	.9685
.0007	.9688	.9685	.9682	.9679	.9675	.9672	.9668	.9664	.9661
.0008	.9667	.9664	.9661	.9657	.9654	.9650	.9646	.9642	.9638
.0009	.9648	.9645	.9641	.9638	.9634	.9630	.9626	.9622	.9617
.0010	.9630	.9626	.9623	.9619	.9615	.9611	.9607	.9602	.9598
.0020	.9487	.9482	.9477	.9472	.9466	.9461	.9455	.9449	.9443
.0030	.9381	.9375	.9369	.9363	.9356	.9350	.9343	.9336	.9328
.0040	.9294	.9288	.9281	.9274	.9266	.9259	.9251	.9243	.9234
.0050	.9220	.9212	.9205	.9197	.9189	.9180	.9172	.9163	.9153
.0060	.9154	.9146	.9137	.9129	.9120	.9111	.9102	.9092	.9082
.0070	.9094	.9085	.9077	.9068	.9058	.9049	.9039	.9028	.9018
.0080	.9039	.9030	.9021	.9012	.9002	.8992	.8981	.8970	.8959
.0090	.8989	.8980	.8970	.8960	.8949	.8939	.8928	.8916	.8904
.0100	.8942	.8932	.8922	.8912	.8901	.8890	.8878	.8866	.8854
.0200	.8586	.8573	.8560	.8547	.8532	.8518	.8503	.8487	.8471
.0300	.8339	.8324	.8309	.8293	.8277	.8260	.8243	.8225	.8206
.0400	.8146	.8130	.8113	.8096	.8078	.8059	.8040	.8020	.7999
.0500	.7987	.7969	.7951	.7932	.7913	.7893	.7872	.7851	.7829
.0600	.7850	.7832	.7812	.7793	.7772	.7751	.7729	.7707	.7683
.0700	.7731	.7711	.7691	.7671	.7649	.7627	.7604	.7581	.7556
.0800	.7625	.7604	.7583	.7562	.7540	.7517	.7493	.7468	.7443
.0900	.7529	.7508	.7486	.7441	.7417	.7393	.7367	.7341	.7286
.1000	.7441	.7420	.7398	.7351	.7327	.7302	.7275	.7248	.7221

TABLE 32. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9778	.9777	.9775	.9773	.9772	.9770	.9768	.9766	.9764
.0002	.9689	.9687	.9685	.9682	.9681	.9677	.9675	.9672	.9669
.0003	.9622	.9619	.9616	.9614	.9612	.9611	.9607	.9604	.9599
.0004	.9566	.9563	.9560	.9556	.9554	.9553	.9549	.9546	.9538
.0005	.9517	.9513	.9510	.9506	.9504	.9502	.9499	.9494	.9486
.0006	.9473	.9469	.9465	.9462	.9459	.9457	.9453	.9449	.9444
.0007	.9433	.9429	.9425	.9421	.9418	.9416	.9412	.9407	.9402
.0008	.9396	.9392	.9388	.9383	.9380	.9378	.9373	.9368	.9363
.0009	.9362	.9357	.9353	.9348	.9345	.9343	.9338	.9332	.9327
.0010	.9329	.9325	.9320	.9315	.9312	.9310	.9304	.9299	.9293
.0020	.9076	.9070	.9063	.9057	.9052	.9049	.9042	.9034	.9026
.0030	.8890	.8883	.8875	.8867	.8862	.8859	.8850	.8841	.8832
.0040	.8740	.8731	.8723	.8714	.8708	.8704	.8694	.8684	.8673
.0050	.8611	.8602	.8592	.8582	.8576	.8572	.8561	.8550	.8538
.0060	.8497	.8488	.8477	.8467	.8460	.8456	.8444	.8432	.8420
.0070	.8396	.8385	.8375	.8363	.8356	.8351	.8339	.8326	.8313
.0080	.8203	.8202	.8201	.8200	.8200	.8200	.8200	.8200	.8200
.0090	.8218	.8207	.8195	.8182	.8175	.8169	.8156	.8142	.8127
.0100	.8139	.8127	.8115	.8102	.8094	.8089	.8075	.8060	.8045
.0200	.7553	.7538	.7523	.7506	.7497	.7489	.7472	.7453	.7434
.0300	.7158	.7141	.7123	.7105	.7094	.7086	.7066	.7045	.7024
.0400	.6856	.6838	.6819	.6799	.6787	.6778	.6757	.6734	.6711
.0500	.6611	.6591	.6571	.6550	.6538	.6528	.6506	.6482	.6458
.0600	.6404	.6384	.6363	.6341	.6328	.6318	.6295	.6271	.6245
.0700	.6226	.6205	.6184	.6161	.6147	.6137	.6113	.6088	.6061
.0800	.6069	.6048	.6026	.6002	.5988	.5978	.5953	.5927	.5900
.0900	.5929	.5907	.5885	.5861	.5847	.5836	.5811	.5784	.5757
.1000	.5803	.5781	.5758	.5734	.5719	.5709	.5683	.5656	.5628

TABLE 32. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9759	.9757	.9755	.9752	.9750	.9747	.9744	.9741	.9738	.9735	.9732
.0002	.9663	.9659	.9656	.9653	.9649	.9645	.9642	.9637	.9633	.9629	.9625
.0003	.9590	.9586	.9582	.9578	.9573	.9569	.9564	.9559	.9554	.9549	.9544
.0004	.9529	.9525	.9520	.9515	.9510	.9505	.9500	.9494	.9488	.9482	.9476
.0005	.9476	.9471	.9466	.9461	.9455	.9449	.9443	.9437	.9431	.9424	.9417
.0006	.9429	.9423	.9418	.9412	.9406	.9400	.9393	.9387	.9380	.9372	.9365
.0007	.9386	.9380	.9374	.9367	.9361	.9354	.9347	.9340	.9333	.9325	.9317
.0008	.9346	.9339	.9333	.9326	.9320	.9313	.9305	.9298	.9290	.9282	.9273
.0009	.9309	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9249	.9241	.9232
.0010	.9274	.9267	.9260	.9252	.9245	.9237	.9229	.9220	.9212	.9203	.9193
.0020	.9000	.8991	.8982	.8972	.8961	.8951	.8940	.8928	.8917	.8904	.8892
.0030	.8801	.8790	.8778	.8767	.8754	.8742	.8729	.8715	.8701	.8687	.8672
.0040	.8639	.8626	.8613	.8600	.8587	.8572	.8558	.8543	.8527	.8511	.8494
.0050	.8500	.8487	.8473	.8458	.8444	.8428	.8412	.8396	.8379	.8361	.8342
.0060	.8379	.8364	.8349	.8334	.8318	.8301	.8284	.8267	.8248	.8229	.8210
.0070	.8270	.8255	.8239	.8222	.8205	.8188	.8170	.8151	.8132	.8112	.8091
.0080	.8171	.8155	.8138	.8121	.8103	.8085	.8066	.8046	.8026	.8005	.7983
.0090	.8080	.8063	.8046	.8028	.8009	.7990	.7970	.7950	.7929	.7907	.7884
.0100	.7996	.7978	.7960	.7942	.7922	.7902	.7882	.7861	.7839	.7816	.7792
.0200	.7373	.7350	.7328	.7304	.7280	.7255	.7230	.7203	.7176	.7147	.7118
.0300	.6955	.6930	.6904	.6878	.6851	.6823	.6794	.6764	.6734	.6702	.6669
.0400	.6636	.6609	.6582	.6554	.6525	.6495	.6464	.6432	.6399	.6365	.6329
.0500	.6379	.6351	.6322	.6292	.6262	.6230	.6198	.6164	.6129	.6094	.6056
.0600	.6163	.6133	.6103	.6073	.6041	.6008	.5974	.5939	.5903	.5867	.5828
.0700	.5977	.5946	.5915	.5884	.5851	.5817	.5783	.5746	.5709	.5672	.5632
.0800	.5814	.5782	.5751	.5718	.5685	.5650	.5615	.5578	.5540	.5501	.5460
.0900	.5668	.5636	.5604	.5571	.5537	.5501	.5465	.5428	.5389	.5350	.5308
.1000	.5537	.5505	.5472	.5439	.5404	.5368	.5331	.5293	.5254	.5214	.5172

TABLE 33. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9669	.9667	.9665	.9662	.9661	.9659	.9657	.9654	.9651
.0002	.9537	.9534	.9531	.9527	.9525	.9524	.9520	.9516	.9512
.0003	.9438	.9434	.9430	.9426	.9423	.9421	.9417	.9412	.9407
.0004	.9356	.9351	.9347	.9342	.9339	.9337	.9332	.9326	.9320
.0005	.9284	.9279	.9274	.9269	.9265	.9263	.9257	.9251	.9245
.0006	.9220	.9215	.9209	.9203	.9200	.9197	.9191	.9184	.9178
.0007	.9162	.9156	.9150	.9144	.9140	.9137	.9131	.9124	.9116
.0008	.9108	.9102	.9096	.9089	.9085	.9082	.9075	.9068	.9060
.0009	.9058	.9052	.9045	.9038	.9034	.9031	.9023	.9016	.9007
.0010	.9011	.9004	.8997	.8990	.8986	.8983	.8975	.8967	.8958
.0020	.8647	.8638	.8628	.8619	.8613	.8609	.8598	.8587	.8576
.0030	.8383	.8372	.8361	.8350	.8343	.8338	.8326	.8313	.8300
.0040	.8170	.8159	.8147	.8134	.8126	.8120	.8107	.8092	.8078
.0050	.7990	.7978	.7964	.7951	.7942	.7936	.7921	.7906	.7890
.0060	.7833	.7819	.7805	.7791	.7782	.7775	.7760	.7743	.7726
.0070	.7693	.7679	.7664	.7648	.7639	.7632	.7615	.7598	.7580
.0080	.7566	.7551	.7536	.7519	.7510	.7502	.7485	.7467	.7448
.0090	.7450	.7434	.7418	.7402	.7391	.7384	.7366	.7347	.7327
.0100	.7343	.7327	.7310	.7293	.7282	.7275	.7256	.7236	.7216
.0200	.6564	.6545	.6525	.6504	.6491	.6481	.6459	.6435	.6410
.0300	.6056	.6034	.6012	.5989	.5975	.5965	.5940	.5914	.5887
.0400	.5677	.5654	.5631	.5606	.5591	.5580	.5554	.5526	.5498
.0500	.5375	.5351	.5327	.5302	.5286	.5275	.5248	.5219	.5190
.0600	.5125	.5101	.5076	.5050	.5034	.5022	.4995	.4965	.4935
.0700	.4913	.4888	.4862	.4836	.4820	.4808	.4780	.4750	.4719
.0800	.4728	.4703	.4677	.4650	.4634	.4622	.4593	.4563	.4532
.0900	.4566	.4540	.4514	.4487	.4471	.4459	.4430	.4399	.4368
.1000	.4421	.4395	.4369	.4342	.4325	.4313	.4284	.4253	.4222

TABLE 33. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9641	.9638	.9634	.9630	.9627	.9623	.9619	.9614	.9610	.9605	.9601
.0002	.9498	.9494	.9489	.9484	.9478	.9473	.9467	.9461	.9455	.9449	.9442
.0003	.9391	.9385	.9379	.9373	.9367	.9360	.9353	.9346	.9339	.9331	.9323
.0004	.9302	.9295	.9289	.9281	.9274	.9267	.9259	.9251	.9242	.9234	.9225
.0005	.9225	.9217	.9210	.9202	.9194	.9186	.9177	.9168	.9159	.9149	.9139
.0006	.9156	.9148	.9139	.9131	.9122	.9113	.9104	.9094	.9084	.9074	.9063
.0007	.9093	.9084	.9075	.9066	.9057	.9047	.9037	.9027	.9016	.9005	.8993
.0008	.9035	.9026	.9016	.9007	.8997	.8987	.8976	.8965	.8954	.8942	.8929
.0009	.8981	.8971	.8962	.8952	.8941	.8930	.8919	.8908	.8896	.8883	.8870
.0010	.8930	.8920	.8910	.8900	.8889	.8878	.8866	.8854	.8841	.8828	.8815
.0020	.8539	.8525	.8512	.8498	.8483	.8468	.8453	.8436	.8420	.8403	.8384
.0030	.8256	.8241	.8225	.8208	.8191	.8173	.8155	.8136	.8117	.8097	.8075
.0040	.8029	.8012	.7994	.7976	.7957	.7937	.7917	.7896	.7874	.7852	.7828
.0050	.7837	.7818	.7799	.7779	.7759	.7737	.7716	.7693	.7669	.7645	.7620
.0060	.7670	.7650	.7629	.7608	.7586	.7564	.7540	.7516	.7491	.7465	.7438
.0070	.7521	.7500	.7478	.7456	.7433	.7409	.7385	.7359	.7333	.7306	.7277
.0080	.7386	.7364	.7342	.7318	.7294	.7270	.7244	.7217	.7190	.7162	.7132
.0090	.7263	.7240	.7217	.7193	.7168	.7142	.7116	.7088	.7060	.7031	.7000
.0100	.7150	.7126	.7102	.7077	.7052	.7025	.6998	.6969	.6940	.6910	.6878
.0200	.6331	.6302	.6273	.6243	.6212	.6180	.6147	.6113	.6078	.6043	.6005
.0300	.5800	.5768	.5737	.5704	.5670	.5636	.5600	.5563	.5525	.5487	.5446
.0400	.5406	.5373	.5340	.5306	.5270	.5234	.5197	.5158	.5119	.5078	.5036
.0500	.5095	.5061	.5027	.4991	.4955	.4917	.4879	.4839	.4798	.4757	.4713
.0600	.4838	.4803	.4768	.4732	.4695	.4657	.4618	.4577	.4536	.4493	.4449
.0700	.4621	.4585	.4550	.4513	.4475	.4437	.4397	.4356	.4314	.4271	.4226
.0800	.4433	.4397	.4361	.4324	.4286	.4247	.4207	.4166	.4123	.4080	.4035
.0900	.4267	.4232	.4195	.4158	.4120	.4081	.4040	.3999	.3956	.3913	.3868
.1000	.4121	.4085	.4048	.4011	.3972	.3933	.3893	.3851	.3808	.3765	.3720

TABLE 34. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9561	.9558	.9555	.9552	.9550	.9548	.9545	.9541	.9537
.0002	.9388	.9379	.9375	.9372	.9370	.9365	.9360	.9354	.9351
.0003	.9258	.9253	.9247	.9242	.9239	.9236	.9230	.9224	.9218
.0004	.9150	.9144	.9138	.9132	.9128	.9126	.9119	.9112	.9104
.0005	.9057	.9050	.9044	.9037	.9033	.9030	.9022	.9014	.9006
.0006	.8974	.8967	.8960	.8952	.8948	.8944	.8936	.8928	.8919
.0007	.8898	.8891	.8883	.8875	.8870	.8867	.8858	.8849	.8840
.0008	.8829	.8821	.8813	.8804	.8799	.8795	.8786	.8777	.8767
.0009	.8764	.8756	.8747	.8738	.8733	.8729	.8719	.8709	.8699
.0010	.8704	.8695	.8686	.8677	.8671	.8667	.8657	.8647	.8636
.0020	.8237	.8226	.8214	.8202	.8195	.8189	.8176	.8162	.8148
.0030	.7904	.7891	.7877	.7863	.7854	.7848	.7833	.7816	.7800
.0040	.7638	.7623	.7608	.7593	.7583	.7576	.7559	.7541	.7523
.0050	.7415	.7399	.7383	.7366	.7355	.7348	.7329	.7310	.7290
.0060	.7221	.7204	.7187	.7169	.7158	.7150	.7130	.7110	.7089
.0070	.7049	.7031	.7013	.6994	.6983	.6975	.6954	.6933	.6911
.0080	.6894	.6876	.6857	.6838	.6826	.6817	.6796	.6774	.6751
.0090	.6754	.6735	.6716	.6695	.6683	.6674	.6652	.6629	.6606
.0100	.6625	.6605	.6585	.6564	.6552	.6543	.6520	.6497	.6472
.0200	.5705	.5682	.5659	.5635	.5620	.5609	.5583	.5555	.5527
.0300	.5124	.5099	.5074	.5048	.5032	.5021	.4993	.4964	.4934
.0400	.4700	.4675	.4649	.4622	.4606	.4594	.4565	.4535	.4504
.0500	.4370	.4345	.4318	.4291	.4274	.4262	.4233	.4202	.4170
.0600	.4102	.4076	.4049	.4021	.4005	.3992	.3963	.3932	.3900
.0700	.3876	.3850	.3824	.3796	.3779	.3767	.3737	.3706	.3674
.0800	.3684	.3657	.3631	.3603	.3586	.3574	.3544	.3513	.3481
.0900	.3516	.3490	.3463	.3435	.3419	.3406	.3377	.3346	.3314
.1000	.3368	.3342	.3316	.3288	.3271	.3259	.3229	.3199	.3167

TABLE 34. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9525	.9520	.9515	.9510	.9505	.9500	.9495	.9489	.9483
.0002	.9337	.9331	.9324	.9317	.9310	.9303	.9296	.9288	.9280
.0003	.9196	.9189	.9181	.9173	.9165	.9156	.9147	.9138	.9128
.0004	.9080	.9072	.9063	.9054	.9044	.9034	.9024	.9014	.9003
.0005	.8980	.8970	.8960	.8950	.8940	.8929	.8918	.8906	.8894
.0006	.8890	.8880	.8869	.8858	.8847	.8835	.8823	.8811	.8798
.0007	.8809	.8798	.8787	.8775	.8763	.8750	.8737	.8724	.8710
.0008	.8734	.8723	.8711	.8698	.8685	.8672	.8659	.8644	.8630
.0009	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8555
.0010	.8600	.8587	.8574	.8561	.8547	.8532	.8517	.8502	.8485
.0020	.8101	.8084	.8067	.8049	.8031	.8012	.7992	.7972	.7951
.0030	.7745	.7726	.7706	.7685	.7664	.7642	.7619	.7596	.7571
.0040	.7463	.7441	.7419	.7396	.7373	.7349	.7324	.7298	.7271
.0050	.7226	.7203	.7179	.7154	.7129	.7103	.7077	.7049	.7020
.0060	.7021	.6996	.6971	.6945	.6919	.6891	.6863	.6834	.6803
.0070	.6840	.6814	.6788	.6761	.6733	.6704	.6675	.6644	.6612
.0080	.6677	.6650	.6623	.6595	.6566	.6536	.6506	.6474	.6441
.0090	.6529	.6501	.6474	.6445	.6415	.6384	.6353	.6320	.6286
.0100	.6394	.6365	.6337	.6307	.6276	.6245	.6213	.6179	.6144
.0200	.5436	.5403	.5370	.5335	.5300	.5264	.5227	.5188	.5149
.0300	.4837	.4802	.4767	.4731	.4693	.4655	.4616	.4576	.4534
.0400	.4404	.4369	.4332	.4295	.4257	.4218	.4178	.4137	.4094
.0500	.4069	.4033	.3997	.3959	.3921	.3881	.3841	.3799	.3757
.0600	.3798	.3762	.3725	.3688	.3649	.3610	.3569	.3527	.3485
.0700	.3572	.3536	.3499	.3462	.3423	.3384	.3344	.3302	.3260
.0800	.3380	.3344	.3307	.3270	.3231	.3192	.3152	.3111	.3069
.0900	.3213	.3177	.3141	.3103	.3065	.3027	.2987	.2946	.2862
.1000	.3066	.3031	.2995	.2958	.2920	.2882	.2842	.2802	.2760

TABLE 35. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9349	.9345	.9340	.9335	.9333	.9330	.9325	.9320	.9314	.9310	.9308	.9302
.0002	.9096	.9090	.9084	.9077	.9073	.9070	.9063	.9055	.9047	.9043	.9039	.9031
.0003	.8908	.8900	.8893	.8885	.8880	.8876	.8868	.8859	.8850	.8844	.8840	.8830
.0004	.8753	.8744	.8736	.8727	.8721	.8717	.8708	.8698	.8687	.8680	.8676	.8664
.0005	.8619	.8610	.8601	.8591	.8585	.8580	.8570	.8559	.8547	.8540	.8535	.8522
.0006	.8501	.8491	.8481	.8470	.8464	.8459	.8447	.8435	.8423	.8415	.8410	.8396
.0007	.8393	.8383	.8372	.8361	.8354	.8349	.8337	.8324	.8311	.8303	.8297	.8282
.0008	.8295	.8284	.8273	.8261	.8254	.8249	.8236	.8222	.8208	.8199	.8194	.8178
.0009	.8205	.8193	.8181	.8169	.8161	.8155	.8142	.8128	.8113	.8104	.8098	.8082
.0010	.8120	.8108	.8095	.8082	.8075	.8069	.8055	.8040	.8025	.8015	.8009	.7992
.0020	.7476	.7461	.7445	.7428	.7418	.7411	.7393	.7374	.7354	.7342	.7334	.7313
.0030	.7027	.7009	.6991	.6972	.6961	.6952	.6932	.6911	.6888	.6874	.6865	.6841
.0040	.6675	.6656	.6637	.6616	.6603	.6594	.6572	.6549	.6525	.6510	.6499	.6473
.0050	.6384	.6364	.6343	.6321	.6308	.6298	.6275	.6250	.6225	.6209	.6198	.6170
.0060	.6136	.6114	.6093	.6070	.6056	.6046	.6021	.5995	.5969	.5952	.5941	.5912
.0070	.5918	.5896	.5873	.5850	.5835	.5825	.5799	.5773	.5745	.5728	.5716	.5687
.0080	.5725	.5702	.5679	.5654	.5639	.5629	.5602	.5575	.5547	.5529	.5517	.5487
.0090	.5550	.5527	.5503	.5478	.5463	.5452	.5426	.5398	.5369	.5351	.5339	.5307
.0100	.5392	.5368	.5344	.5319	.5303	.5292	.5265	.5236	.5207	.5189	.5176	.5145
.0200	.4309	.4283	.4257	.4230	.4213	.4201	.4171	.4141	.4109	.4089	.4076	.4042
.0300	.3667	.3641	.3615	.3587	.3570	.3558	.3528	.3497	.3465	.3446	.3432	.3398
.0400	.3223	.3197	.3170	.3143	.3126	.3114	.3085	.3054	.3023	.3003	.2990	.2957
.0500	.2889	.2864	.2838	.2811	.2794	.2782	.2754	.2724	.2693	.2674	.2661	.2629
.0600	.2627	.2602	.2577	.2550	.2534	.2522	.2495	.2466	.2436	.2417	.2405	.2373
.0700	.2413	.2389	.2364	.2339	.2323	.2312	.2284	.2256	.2227	.2209	.2197	.2166
.0800	.2236	.2212	.2188	.2163	.2148	.2136	.2110	.2082	.2054	.2037	.2025	.1995
.0900	.2085	.2062	.2038	.2014	.1999	.1988	.1962	.1935	.1908	.1891	.1880	.1850
.1000	.1955	.1932	.1909	.1885	.1871	.1860	.1835	.1809	.1782	.1766	.1755	.1726

TABLE 35. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Günelberg—Continued  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius									100
	50	55	60	65	70	75	80	85	90	
.0001	.9295	.9289	.9282	.9275	.9267	.9260	.9252	.9244	.9235	.9217
.0002	.9022	.9013	.9003	.8994	.8984	.8973	.8963	.8951	.8940	.8915
.0003	.8819	.8808	.8797	.8785	.8773	.8761	.8748	.8735	.8721	.8692
.0004	.8653	.8640	.8628	.8615	.8601	.8587	.8573	.8558	.8542	.8509
.0005	.8509	.8496	.8482	.8468	.8453	.8437	.8422	.8405	.8388	.8352
.0006	.8382	.8368	.8353	.8337	.8321	.8305	.8288	.8270	.8252	.8233
.0007	.8268	.8252	.8236	.8220	.8203	.8185	.8167	.8148	.8129	.8088
.0008	.8163	.8146	.8130	.8112	.8094	.8076	.8057	.8037	.8017	.7974
.0009	.8066	.8049	.8031	.8013	.7994	.7975	.7955	.7934	.7913	.7868
.0010	.7975	.7957	.7939	.7920	.7901	.7881	.7860	.7839	.7817	.7770
.0020	.7291	.7268	.7245	.7221	.7196	.7171	.7145	.7117	.7089	.7030
.0030	.6816	.6791	.6764	.6737	.6709	.6680	.6651	.6620	.6588	.6521
.0040	.6447	.6419	.6390	.6361	.6331	.6300	.6268	.6234	.6200	.6165
.0050	.6142	.6113	.6083	.6052	.6020	.5987	.5953	.5918	.5882	.5845
.0060	.5883	.5852	.5820	.5788	.5755	.5721	.5686	.5649	.5612	.5573
.0070	.5656	.5624	.5592	.5559	.5525	.5489	.5453	.5415	.5377	.5337
.0080	.5456	.5423	.5390	.5356	.5321	.5285	.5248	.5209	.5170	.5129
.0090	.5276	.5242	.5208	.5174	.5138	.5101	.5063	.5024	.4984	.4943
.0100	.5112	.5078	.5044	.5009	.4972	.4935	.4897	.4857	.4816	.4775
.0200	.4008	.3971	.3935	.3897	.3859	.3819	.3779	.3737	.3695	.3651
.0300	.3364	.3327	.3291	.3254	.3215	.3176	.3136	.3095	.3053	.3010
.0400	.2923	.2887	.2852	.2815	.2778	.2740	.2701	.2661	.2620	.2579
.0500	.2596	.2561	.2527	.2491	.2455	.2418	.2380	.2342	.2302	.2263
.0600	.2341	.2307	.2274	.2239	.2204	.2169	.2132	.2095	.2057	.2019
.0700	.2135	.2103	.2070	.2037	.2003	.1968	.1934	.1898	.1861	.1824
.0800	.1965	.1933	.1902	.1870	.1837	.1804	.1770	.1735	.1700	.1665
.0900	.1821	.1791	.1760	.1729	.1697	.1665	.1632	.1599	.1565	.1531
.1000	.1698	.1668	.1639	.1609	.1578	.1547	.1515	.1483	.1450	.1417

TABLE 36. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
.0001	.9142	.9136	.9130	.9124	.9120	.9117	.9110	.9103	.9096	.9091	.9088	.9080	
.0002	.8813	.8805	.8797	.8789	.8783	.8780	.8770	.8761	.8751	.8744	.8740	.8729	
.0003	.8571	.8561	.8552	.8541	.8535	.8531	.8520	.8508	.8496	.8489	.8484	.8471	
.0004	.8372	.8362	.8351	.8340	.8333	.8328	.8315	.8302	.8289	.8280	.8275	.8260	
.0005	.8203	.8191	.8179	.8167	.8159	.8153	.8140	.8126	.8111	.8102	.8096	.8080	
.0006	.8053	.8040	.8027	.8014	.8006	.8000	.7985	.7970	.7955	.7945	.7938	.7921	
.0007	.7918	.7904	.7891	.7877	.7868	.7862	.7846	.7830	.7814	.7803	.7796	.7778	
.0008	.7794	.7781	.7766	.7751	.7742	.7736	.7720	.7703	.7685	.7674	.7667	.7648	
.0009	.7681	.7666	.7652	.7636	.7627	.7620	.7603	.7585	.7567	.7556	.7548	.7528	
.0010	.7575	.7560	.7545	.7529	.7519	.7512	.7494	.7476	.7457	.7445	.7438	.7417	
.0020	.6785	.6767	.6748	.6727	.6715	.6706	.6685	.6662	.6638	.6624	.6614	.6588	
.0030	.6247	.6226	.6205	.6183	.6169	.6159	.6135	.6110	.6083	.6067	.6056	.6028	
.0040	.5834	.5812	.5789	.5765	.5750	.5740	.5714	.5687	.5659	.5642	.5630	.5600	
.0050	.5498	.5474	.5450	.5425	.5410	.5399	.5372	.5344	.5315	.5297	.5284	.5253	
.0060	.5214	.5190	.5165	.5139	.5123	.5112	.5084	.5055	.5025	.5007	.4994	.4962	
.0070	.4969	.4944	.4919	.4892	.4876	.4864	.4836	.4807	.4776	.4757	.4744	.4711	
.0080	.4753	.4728	.4702	.4676	.4659	.4647	.4619	.4589	.4558	.4538	.4525	.4492	
.0090	.4561	.4536	.4510	.4483	.4466	.4454	.4425	.4395	.4363	.4344	.4331	.4297	
.0100	.4389	.4363	.4337	.4309	.4293	.4280	.4251	.4221	.4189	.4169	.4156	.4122	
.0200	.3255	.3229	.3203	.3175	.3158	.3146	.3117	.3086	.3055	.3035	.3022	.2989	
.0300	.2625	.2600	.2575	.2548	.2533	.2521	.2493	.2464	.2434	.2416	.2403	.2371	
.0400	.2209	.2186	.2162	.2137	.2122	.2111	.2084	.2057	.2029	.2011	.2000	.1970	
.0500	.1910	.1888	.1865	.1841	.1827	.1816	.1792	.1766	.1739	.1723	.1712	.1684	
.0600	.1682	.1661	.1640	.1617	.1604	.1594	.1570	.1546	.1521	.1506	.1495	.1469	
.0700	.1503	.1482	.1462	.1441	.1428	.1419	.1397	.1374	.1350	.1335	.1326	.1301	
.0800	.1357	.1338	.1318	.1298	.1286	.1277	.1256	.1234	.1212	.1198	.1189	.1166	
.0900	.1236	.1218	.1199	.1180	.1169	.1160	.1140	.1120	.1098	.1085	.1077	.1054	
.1000	.1134	.1117	.1099	.1081	.1070	.1062	.1043	.1023	.1003	.0991	.0982	.0961	

TABLE 36. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis —

Günzelberg—Continued

(Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9072	.9063	.9054	.9045	.9035	.9025	.9015	.9004	.8993
.0002	.8718	.8706	.8694	.8681	.8668	.8655	.8641	.8627	.8612
.0003	.8457	.8443	.8429	.8414	.8399	.8383	.8367	.8350	.8332
.0004	.8245	.8229	.8213	.8197	.8180	.8162	.8144	.8125	.8105
.0005	.8064	.8046	.8029	.8011	.7992	.7973	.7953	.7932	.7911
.0006	.7904	.7885	.7866	.7847	.7827	.7806	.7785	.7763	.7740
.0007	.7760	.7740	.7720	.7700	.7679	.7657	.7634	.7611	.7587
.0008	.7629	.7608	.7587	.7566	.7544	.7521	.7497	.7473	.7447
.0009	.7508	.7487	.7465	.7443	.7420	.7396	.7371	.7345	.7319
.0010	.7396	.7374	.7351	.7328	.7304	.7280	.7254	.7228	.7200
.0020	.6562	.6535	.6507	.6479	.6449	.6419	.6387	.6355	.6321
.0030	.5999	.5969	.5938	.5906	.5874	.5840	.5805	.5769	.5733
.0040	.5569	.5537	.5504	.5471	.5436	.5400	.5364	.5326	.5287
.0050	.5221	.5188	.5154	.5119	.5083	.5046	.5008	.4968	.4928
.0060	.4929	.4895	.4860	.4824	.4787	.4749	.4710	.4670	.4629
.0070	.4678	.4643	.4607	.4571	.4533	.4495	.4455	.4414	.4372
.0080	.4458	.4422	.4386	.4349	.4311	.4273	.4233	.4191	.4149
.0090	.4263	.4227	.4191	.4153	.4115	.4076	.4036	.3994	.3952
.0100	.4088	.4052	.4015	.3978	.3939	.3900	.3860	.3818	.3775
.0200	.2955	.2919	.2883	.2847	.2809	.2771	.2732	.2692	.2651
.0300	.2339	.2306	.2272	.2238	.2203	.2167	.2131	.2094	.2056
.0400	.1940	.1908	.1877	.1845	.1812	.1779	.1746	.1711	.1676
.0500	.1656	.1627	.1597	.1567	.1537	.1506	.1475	.1443	.1411
.0600	.1443	.1415	.1388	.1360	.1332	.1303	.1274	.1244	.1214
.0700	.1276	.1250	.1225	.1198	.1172	.1145	.1118	.1090	.1063
.0800	.1142	.1118	.1094	.1069	.1044	.1019	.0994	.0968	.0942
.0900	.1032	.1009	.0986	.0963	.0940	.0916	.0892	.0868	.0844
.1000	.0940	.0918	.0897	.0875	.0853	.0830	.0808	.0785	.0762

TABLE 37. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9040	.9034	.9027	.9020	.9016	.9013	.9005	.8997	.8989
.0002	.8675	.8666	.8657	.8648	.8638	.8628	.8617	.8606	.8599
.0003	.8407	.8397	.8386	.8375	.8368	.8363	.8351	.8338	.8325
.0004	.8189	.8177	.8165	.8152	.8145	.8139	.8126	.8111	.8097
.0005	.8002	.7989	.7976	.7962	.7954	.7948	.7933	.7918	.7902
.0006	.7837	.7824	.7810	.7795	.7786	.7780	.7764	.7747	.7730
.0007	.7690	.7675	.7661	.7645	.7636	.7629	.7612	.7595	.7576
.0008	.7555	.7540	.7525	.7509	.7499	.7491	.7474	.7456	.7437
.0009	.7432	.7416	.7400	.7383	.7373	.7365	.7347	.7328	.7308
.0010	.7317	.7301	.7284	.7266	.7256	.7248	.7229	.7209	.7189
.0020	.6464	.6444	.6424	.6402	.6389	.6380	.6356	.6332	.6307
.0030	.5891	.5868	.5846	.5822	.5807	.5797	.5771	.5745	.5717
.0040	.5454	.5431	.5406	.5381	.5366	.5355	.5328	.5300	.5270
.0050	.5101	.5077	.5052	.5026	.5010	.4998	.4970	.4941	.4911
.0060	.4806	.4781	.4756	.4729	.4713	.4701	.4672	.4642	.4611
.0070	.4553	.4527	.4501	.4474	.4458	.4445	.4416	.4386	.4355
.0080	.4331	.4306	.4279	.4252	.4235	.4223	.4193	.4163	.4131
.0090	.4135	.4109	.4083	.4055	.4038	.4026	.3996	.3966	.3934
.0100	.3959	.3933	.3907	.3879	.3862	.3850	.3820	.3789	.3757
.0200	.2829	.2803	.2778	.2751	.2734	.2723	.2694	.2664	.2634
.0300	.2221	.2197	.2173	.2148	.2133	.2122	.2096	.2068	.2040
.0400	.1829	.1807	.1785	.1762	.1748	.1738	.1713	.1688	.1662
.0500	.1553	.1532	.1512	.1490	.1477	.1468	.1445	.1422	.1398
.0600	.1346	.1327	.1308	.1288	.1276	.1267	.1246	.1224	.1202
.0700	.1186	.1168	.1150	.1131	.1120	.1111	.1092	.1072	.1051
.0800	.1057	.1040	.1023	.1006	.0995	.0988	.0969	.0950	.0931
.0900	.0952	.0936	.0920	.0904	.0894	.0886	.0869	.0851	.0833
.1000	.0864	.0834	.0819	.0809	.0802	.0786	.0770	.0752	.0735

TABLE 37. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8962	.8952	.8942	.8932	.8921	.8910	.8899	.8887	.8875
.0002	.8570	.8556	.8543	.8529	.8515	.8500	.8485	.8469	.8453
.0003	.8282	.8267	.8251	.8235	.8218	.8200	.8183	.8164	.8145
.0004	.8049	.8031	.8014	.7996	.7977	.7957	.7937	.7916	.7895
.0005	.7850	.7831	.7812	.7792	.7771	.7750	.7728	.7706	.7682
.0006	.7674	.7654	.7634	.7613	.7591	.7568	.7545	.7521	.7496
.0007	.7518	.7496	.7475	.7452	.7429	.7406	.7381	.7355	.7329
.0008	.7375	.7353	.7330	.7307	.7283	.7258	.7232	.7205	.7178
.0009	.7244	.7221	.7197	.7173	.7148	.7122	.7095	.7068	.7039
.0010	.7122	.7098	.7074	.7049	.7023	.6996	.6969	.6940	.6911
.0020	.6226	.6197	.6167	.6136	.6105	.6072	.6039	.6004	.5969
.0030	.5628	.5596	.5563	.5530	.5496	.5460	.5424	.5386	.5347
.0040	.5176	.5143	.5108	.5073	.5037	.5000	.4962	.4922	.4882
.0050	.4814	.4779	.4744	.4708	.4670	.4632	.4593	.4552	.4511
.0060	.4512	.4476	.4441	.4404	.4366	.4327	.4287	.4246	.4204
.0070	.4254	.4218	.4182	.4145	.4106	.4067	.4027	.3985	.3943
.0080	.4030	.3994	.3957	.3920	.3881	.3842	.3801	.3760	.3717
.0090	.3832	.3796	.3759	.3721	.3683	.3643	.3603	.3561	.3519
.0100	.3655	.3619	.3582	.3545	.3506	.3467	.3427	.3385	.3342
.0200	.2537	.2503	.2468	.2433	.2397	.2360	.2323	.2285	.2246
.0300	.1951	.1919	.1888	.1856	.1823	.1790	.1756	.1722	.1687
.0400	.1580	.1551	.1523	.1494	.1464	.1434	.1404	.1372	.1341
.0500	.1323	.1296	.1270	.1243	.1216	.1189	.1161	.1133	.1105
.0600	.1133	.1108	.1084	.1060	.1035	.1010	.985	.959	.933
.0700	.0987	.0964	.0942	.0919	.0896	.0873	.0850	.0827	.0803
.0800	.0871	.0850	.0829	.0808	.0787	.0766	.0745	.0723	.0701
.0900	.0777	.0758	.0738	.0719	.0699	.0679	.0660	.0639	.0619
.1000	.0700	.0681	.0663	.0645	.0627	.0608	.0590	.0571	.0552

TABLE 38. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Güntelberg*  
(Electrolyte,  $z_{+}z_{-} = 12$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.8741	.8733	.8724	.8715	.8710	.8696	.8675
.0002	.8274	.8263	.8251	.8239	.8232	.8213	.8186
.0003	.7935	.7921	.7908	.7894	.7885	.7864	.7848
.0004	.7661	.7646	.7632	.7616	.7606	.7599	.7582
.0005	.7429	.7413	.7397	.7380	.7370	.7362	.7344
.0006	.7226	.7209	.7192	.7174	.7163	.7155	.7136
.0007	.7045	.7027	.7009	.6991	.6979	.6971	.6950
.0008	.6881	.6863	.6844	.6825	.6813	.6804	.6783
.0009	.6731	.6713	.6693	.6673	.6660	.6651	.6629
.0010	.6593	.6574	.6554	.6533	.6520	.6511	.6488
.0020	.5589	.5566	.5543	.5518	.5503	.5492	.5465
.0030	.4938	.4913	.4888	.4861	.4845	.4833	.4805
.0040	.4456	.4431	.4404	.4377	.4360	.4348	.4319
.0050	.4076	.4050	.4024	.3996	.3979	.3967	.3937
.0060	.3765	.3739	.3712	.3684	.3667	.3655	.3625
.0070	.3502	.3476	.3450	.3422	.3405	.3393	.3363
.0080	.3277	.3251	.3225	.3197	.3180	.3168	.3139
.0090	.3081	.3055	.3029	.3001	.2985	.2973	.2944
.0100	.2907	.2882	.2856	.2829	.2812	.2801	.2772
.0200	.1857	.1835	.1812	.1789	.1775	.1765	.1740
.0300	.1345	.1326	.1307	.1287	.1274	.1266	.1245
.0400	.1038	.1022	.1005	.0988	.0977	.0970	.0951
.0500	.0835	.0820	.0805	.0790	.0781	.0774	.0758
.0600	.0690	.0677	.0664	.0650	.0642	.0636	.0622
.0700	.0582	.0571	.0559	.0547	.0540	.0534	.0522
.0800	.0500	.0489	.0479	.0468	.0461	.0456	.0445
.0900	.0435	.0425	.0415	.0405	.0400	.0395	.0385
.1000	.0382	.0373	.0364	.0355	.0350	.0346	.0337

TABLE 38. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8640	.8628	.8615	.8602	.8588	.8574	.8560	.8544	.8529
.0002	.8140	.8123	.8106	.8089	.8071	.8052	.8033	.8013	.7992
.0003	.7778	.7758	.7739	.7718	.7697	.7676	.7653	.7630	.7606
.0004	.7487	.7465	.7444	.7421	.7398	.7374	.7349	.7323	.7297
.0005	.7241	.7218	.7194	.7170	.7145	.7119	.7092	.7065	.7036
.0006	.7026	.7002	.6977	.6951	.6925	.6897	.6869	.6840	.6778
.0007	.6835	.6810	.6784	.6757	.6729	.6700	.6671	.6640	.6608
.0008	.6663	.6636	.6609	.6581	.6552	.6522	.6492	.6460	.6427
.0009	.6506	.6478	.6450	.6421	.6391	.6360	.6329	.6295	.6262
.0010	.6361	.6332	.6303	.6273	.6243	.6211	.6178	.6145	.6110
.0020	.5316	.5283	.5249	.5215	.5179	.5142	.5105	.5066	.5026
.0030	.4646	.4611	.4576	.4539	.4501	.4463	.4423	.4382	.4340
.0040	.4156	.4120	.4084	.4046	.4008	.3969	.3928	.3887	.3844
.0050	.3773	.3736	.3700	.3662	.3624	.3584	.3544	.3502	.3459
.0060	.3461	.3424	.3388	.3350	.3312	.3273	.3233	.3191	.3149
.0070	.3199	.3163	.3127	.3090	.3052	.3013	.2974	.2933	.2891
.0080	.2977	.2941	.2905	.2868	.2831	.2793	.2754	.2713	.2672
.0090	.2783	.2748	.2713	.2677	.2640	.2602	.2564	.2524	.2484
.0100	.2614	.2579	.2544	.2509	.2472	.2435	.2398	.2359	.2320
.0200	.1606	.1577	.1548	.1519	.1489	.1459	.1428	.1397	.1365
.0300	.1131	.1107	.1083	.1059	.1034	.1009	.9984	.9958	.9932
.0400	.0854	.0834	.0813	.0793	.0772	.0751	.0729	.0708	.0686
.0500	.0674	.0656	.0638	.0621	.0603	.0585	.0567	.0548	.0530
.0600	.0548	.0532	.0517	.0501	.0486	.0470	.0455	.0439	.0423
.0700	.0456	.0442	.0428	.0415	.0401	.0387	.0374	.0360	.0346
.0800	.0386	.0374	.0362	.0350	.0337	.0325	.0313	.0301	.0289
.0900	.0332	.0321	.0310	.0299	.0288	.0277	.0266	.0256	.0245
.1000	.0288	.0278	.0269	.0259	.0249	.0239	.0230	.0220	.0210

TABLE 39. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8358	.8347	.8336	.8325	.8318	.8312	.8300	.8287	.8273
.0002	.7767	.7753	.7739	.7724	.7715	.7708	.7692	.7675	.7657
.0003	.7346	.7330	.7313	.7296	.7285	.7277	.7259	.7239	.7219
.0004	.7010	.6992	.6974	.6955	.6943	.6935	.6914	.6893	.6870
.0005	.6728	.6709	.6690	.6669	.6657	.6648	.6626	.6603	.6579
.0006	.6484	.6464	.6444	.6422	.6409	.6400	.6377	.6353	.6327
.0007	.6269	.6248	.6227	.6204	.6191	.6181	.6157	.6132	.6105
.0008	.6075	.6054	.6032	.6008	.5994	.5984	.5959	.5933	.5906
.0009	.5899	.5877	.5855	.5831	.5816	.5806	.5780	.5754	.5726
.0010	.5738	.5716	.5693	.5668	.5654	.5643	.5617	.5589	.5561
.0020	.4604	.4579	.4553	.4526	.4509	.4497	.4468	.4438	.4407
.0030	.3903	.3877	.3850	.3822	.3806	.3793	.3764	.3733	.3701
.0040	.3404	.3378	.3351	.3323	.3307	.3294	.3265	.3234	.3202
.0050	.3022	.2997	.2971	.2943	.2927	.2915	.2886	.2856	.2825
.0060	.2718	.2693	.2668	.2641	.2625	.2613	.2585	.2556	.2525
.0070	.2469	.2444	.2419	.2393	.2378	.2366	.2339	.2310	.2281
.0080	.2259	.2236	.2211	.2186	.2171	.2160	.2133	.2106	.2077
.0090	.2081	.2057	.2034	.2009	.1995	.1984	.1958	.1931	.1904
.0100	.1926	.1904	.1881	.1857	.1843	.1832	.1807	.1781	.1755
.0200	.1059	.1043	.1026	.1008	.0997	.0990	.0971	.0953	.0933
.0300	.0689	.0676	.0663	.0649	.0641	.0635	.0621	.0607	.0592
.0400	.0488	.0478	.0467	.0457	.0450	.0445	.0434	.0423	.0412
.0500	.0365	.0356	.0348	.0339	.0334	.0330	.0321	.0312	.0303
.0600	.0283	.0276	.0269	.0261	.0257	.0254	.0247	.0239	.0231
.0700	.0226	.0220	.0214	.0208	.0204	.0201	.0195	.0189	.0182
.0800	.0184	.0179	.0174	.0169	.0165	.0163	.0158	.0152	.0147
.0900	.0153	.0148	.0144	.0139	.0137	.0135	.0130	.0125	.0121
.1000	.0129	.0125	.0121	.0117	.0114	.0113	.0109	.0105	.0101

TABLE 39. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis —  
 Güntelberg — Continued  
 (Electrolyte,  $z_{+}z_{-} = 16$ )

Ionic strength	Temperature in degrees Celsius								95	100
	50	55	60	65	70	75	80	85		
.0001	.8230	.8214	.8197	.8181	.8163	.8146	.8127	.8108	.8088	.8046
.0002	.7600	.7579	.7558	.7537	.7514	.7491	.7467	.7442	.7417	.7390
.0003	.7153	.7129	.7105	.7080	.7054	.7028	.7001	.6972	.6943	.6913
.0004	.6798	.6772	.6746	.6719	.6691	.6662	.6632	.6601	.6569	.6536
.0005	.6502	.6474	.6446	.6417	.6387	.6357	.6325	.6292	.6258	.6223
.0006	.6247	.6217	.6188	.6158	.6126	.6094	.6061	.6026	.5991	.5954
.0007	.6021	.5991	.5960	.5929	.5896	.5863	.5828	.5792	.5756	.5718
.0008	.5820	.5788	.5757	.5724	.5691	.5656	.5621	.5584	.5546	.5508
.0009	.5637	.5605	.5573	.5539	.5505	.5470	.5433	.5396	.5357	.5317
.0010	.5470	.5438	.5404	.5370	.5335	.5299	.5262	.5224	.5184	.5144
.0020	.4306	.4271	.4234	.4197	.4159	.4120	.4080	.4038	.3996	.3952
.0030	.3599	.3563	.3526	.3488	.3450	.3410	.3370	.3329	.3286	.3243
.0040	.3102	.3066	.3030	.2993	.2955	.2916	.2877	.2836	.2795	.2753
.0050	.2726	.2691	.2656	.2620	.2583	.2546	.2508	.2468	.2429	.2388
.0060	.2430	.2396	.2362	.2327	.2291	.2255	.2219	.2181	.2142	.2104
.0070	.2188	.2156	.2123	.2089	.2055	.2020	.1985	.1949	.1912	.1875
.0080	.1987	.1956	.1924	.1892	.1859	.1825	.1792	.1757	.1721	.1686
.0090	.1817	.1787	.1756	.1725	.1693	.1661	.1629	.1595	.1562	.1528
.0100	.1671	.1642	.1612	.1582	.1552	.1521	.1490	.1458	.1425	.1393
.0200	.0873	.0852	.0831	.0810	.0789	.0768	.0746	.0725	.0703	.0681
.0300	.0547	.0532	.0516	.0501	.0485	.0470	.0454	.0438	.0423	.0407
.0400	.0376	.0364	.0352	.0340	.0328	.0317	.0305	.0293	.0281	.0269
.0500	.0274	.0265	.0255	.0246	.0236	.0227	.0218	.0208	.0199	.0190
.0600	.0208	.0200	.0193	.0185	.0177	.0170	.0162	.0155	.0147	.0140
.0700	.0163	.0156	.0150	.0144	.0137	.0131	.0125	.0119	.0113	.0107
.0800	.0130	.0125	.0120	.0114	.0109	.0104	.0099	.0094	.0089	.0084
.0900	.0107	.0102	.0097	.0093	.0088	.0084	.0080	.0075	.0071	.0067
.1000	.0088	.0084	.0080	.0077	.0073	.0069	.0065	.0062	.0058	.0055

TABLE 40. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended*  
*Güntelberg*  
 (Electrolyte,  $\gamma_{+Z-} = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9879
.0002	.9843	.9842	.9840	.9839	.9838	.9837	.9836	.9833	.9831
.0003	.9809	.9808	.9806	.9805	.9804	.9803	.9801	.9798	.9796
.0004	.9780	.9779	.9777	.9775	.9774	.9772	.9770	.9767	.9765
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9743	.9739
.0006	.9733	.9731	.9729	.9727	.9725	.9722	.9720	.9717	.9716
.0007	.9712	.9710	.9708	.9706	.9704	.9703	.9701	.9698	.9694
.0008	.9693	.9691	.9689	.9686	.9685	.9684	.9681	.9678	.9673
.0009	.9675	.9673	.9671	.9668	.9667	.9665	.9663	.9660	.9656
.0010	.9659	.9656	.9654	.9651	.9649	.9648	.9645	.9642	.9639
.0020	.9526	.9523	.9520	.9516	.9514	.9512	.9508	.9504	.9499
.0030	.9428	.9424	.9420	.9416	.9413	.9411	.9406	.9401	.9396
.0040	.9348	.9343	.9339	.9334	.9331	.9328	.9323	.9317	.9311
.0050	.9278	.9273	.9268	.9263	.9259	.9257	.9251	.9245	.9238
.0060	.9217	.9212	.9206	.9200	.9197	.9194	.9187	.9180	.9173
.0070	.9161	.9156	.9150	.9144	.9140	.9137	.9130	.9123	.9115
.0080	.9110	.9105	.9098	.9092	.9088	.9085	.9077	.9070	.9061
.0090	.9063	.9057	.9051	.9044	.9040	.9036	.9029	.9021	.9012
.0100	.9020	.9013	.9006	.8999	.8995	.8991	.8983	.8975	.8966
.0200	.8687	.8679	.8670	.8661	.8655	.8650	.8640	.8629	.8617
.0300	.8455	.8446	.8435	.8425	.8418	.8413	.8401	.8388	.8375
.0400	.8273	.8263	.8252	.8240	.8233	.8227	.8214	.8200	.8185
.0500	.8123	.8112	.8100	.8087	.8079	.8073	.8059	.8045	.8029
.0600	.7994	.7982	.7969	.7956	.7948	.7942	.7927	.7911	.7894
.0700	.7881	.7868	.7855	.7841	.7832	.7826	.7811	.7794	.7777
.0800	.7780	.7767	.7753	.7739	.7730	.7723	.7707	.7690	.7672
.0900	.7688	.7675	.7661	.7646	.7637	.7630	.7614	.7596	.7578
.1000	.7605	.7592	.7577	.7562	.7552	.7546	.7529	.7511	.7492

40. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength

	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9878	.9877	.9876	.9874	.9873	.9871	.9869	.9868	.9866	.9864	.9862
.0002	.9829	.9827	.9825	.9823	.9821	.9819	.9817	.9814	.9812	.9809	.9807
.0003	.9792	.9789	.9787	.9784	.9782	.9779	.9777	.9774	.9771	.9768	.9764
.0004	.9760	.9758	.9755	.9752	.9749	.9746	.9743	.9740	.9736	.9733	.9729
.0005	.9733	.9730	.9727	.9724	.9721	.9717	.9714	.9710	.9706	.9703	.9698
.0006	.9709	.9705	.9702	.9699	.9695	.9692	.9688	.9684	.9680	.9675	.9671
.0007	.9686	.9683	.9679	.9676	.9672	.9668	.9664	.9659	.9655	.9650	.9646
.0008	.9665	.9662	.9658	.9654	.9650	.9646	.9642	.9637	.9632	.9627	.9622
.0009	.9646	.9642	.9638	.9634	.9630	.9626	.9621	.9616	.9611	.9606	.9601
.0010	.9628	.9624	.9620	.9615	.9611	.9606	.9601	.9596	.9591	.9586	.9580
.0020	.9484	.9479	.9473	.9467	.9461	.9455	.9448	.9441	.9434	.9427	.9419
.0030	.9378	.9371	.9364	.9357	.9350	.9342	.9335	.9326	.9318	.9309	.9300
.0040	.9291	.9283	.9275	.9268	.9259	.9251	.9242	.9232	.9223	.9213	.9202
.0050	.9215	.9207	.9199	.9190	.9181	.9172	.9162	.9152	.9141	.9130	.9119
.0060	.9149	.9140	.9131	.9122	.9112	.9102	.9091	.9080	.9069	.9057	.9045
.0070	.9089	.9080	.9070	.9060	.9050	.9039	.9028	.9016	.9004	.8991	.8978
.0080	.9034	.9024	.9014	.9004	.8993	.8981	.8969	.8957	.8944	.8931	.8917
.0090	.8984	.8973	.8963	.8951	.8940	.8928	.8916	.8902	.8889	.8875	.8861
.0100	.8936	.8926	.8914	.8903	.8891	.8878	.8866	.8852	.8838	.8824	.8808
.0200	.8579	.8565	.8551	.8536	.8521	.8504	.8488	.8470	.8452	.8434	.8414
.0300	.8331	.8315	.8299	.8282	.8264	.8245	.8226	.8206	.8186	.8165	.8142
.0400	.8137	.8120	.8102	.8083	.8064	.8044	.8023	.8001	.7978	.7955	.7931
.0500	.7977	.7958	.7939	.7919	.7899	.7877	.7855	.7831	.7808	.7783	.7757
.0600	.7840	.7821	.7801	.7779	.7758	.7735	.7712	.7687	.7662	.7636	.7609
.0700	.7721	.7700	.7679	.7657	.7635	.7611	.7586	.7561	.7535	.7508	.7479
.0800	.7614	.7593	.7571	.7548	.7525	.7500	.7475	.7449	.7422	.7394	.7365
.0900	.7518	.7496	.7473	.7450	.7426	.7401	.7375	.7348	.7320	.7292	.7261
.1000	.7430	.7408	.7385	.7361	.7336	.7310	.7284	.7256	.7228	.7198	.7168

TABLE 41. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9778	.9777	.9775	.9773	.9772	.9771	.9769	.9767	.9764
.0002	.9689	.9687	.9685	.9682	.9681	.9679	.9677	.9674	.9671
.0003	.9622	.9619	.9616	.9613	.9611	.9610	.9607	.9603	.9600
.0004	.9565	.9562	.9559	.9556	.9554	.9552	.9548	.9544	.9540
.0005	.9516	.9513	.9510	.9506	.9504	.9502	.9498	.9493	.9489
.0006	.9473	.9469	.9465	.9461	.9459	.9457	.9452	.9447	.9442
.0007	.9433	.9429	.9425	.9420	.9417	.9415	.9411	.9406	.9400
.0008	.9396	.9391	.9387	.9383	.9380	.9377	.9372	.9367	.9361
.0009	.9361	.9357	.9352	.9347	.9344	.9342	.9337	.9331	.9325
.0010	.9329	.9324	.9319	.9314	.9311	.9309	.9303	.9297	.9291
.0020	.9075	.9069	.9062	.9055	.9051	.9048	.9040	.9032	.9023
.0030	.8889	.8882	.8874	.8866	.8861	.8857	.8848	.8838	.8828
.0040	.8738	.8730	.8721	.8712	.8706	.8702	.8691	.8681	.8669
.0050	.8609	.8600	.8590	.8580	.8574	.8569	.8558	.8546	.8534
.0060	.8495	.8485	.8475	.8464	.8458	.8453	.8441	.8428	.8414
.0070	.8393	.8383	.8372	.8361	.8353	.8348	.8335	.8322	.8308
.0080	.8300	.8289	.8278	.8266	.8258	.8253	.8240	.8226	.8211
.0090	.8215	.8203	.8192	.8179	.8171	.8166	.8152	.8137	.8121
.0100	.8135	.8124	.8111	.8099	.8090	.8084	.8070	.8055	.8039
.0200	.7547	.7532	.7517	.7501	.7490	.7483	.7465	.7446	.7426
.0300	.7149	.7133	.7116	.7098	.7086	.7078	.7058	.7037	.7014
.0400	.6845	.6827	.6809	.6790	.6777	.6769	.6747	.6724	.6700
.0500	.6598	.6580	.6560	.6540	.6527	.6518	.6495	.6471	.6446
.0600	.6390	.6371	.6351	.6330	.6316	.6307	.6283	.6259	.6232
.0700	.6210	.6191	.6170	.6148	.6135	.6125	.6101	.6075	.6048
.0800	.6052	.6032	.6011	.5989	.5975	.5965	.5940	.5914	.5886
.0900	.5911	.5891	.5869	.5847	.5832	.5822	.5797	.5771	.5742
.1000	.5763	.5741	.5719	.5704	.5694	.5668	.5641	.5613	.5596

TABLE 41. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9758	.9755	.9753	.9750	.9747	.9744	.9741	.9737	.9730
.0002	.9661	.9657	.9653	.9649	.9645	.9641	.9637	.9632	.9622
.0003	.9587	.9583	.9578	.9574	.9569	.9563	.9558	.9552	.9547
.0004	.9526	.9521	.9516	.9511	.9505	.9499	.9493	.9486	.9480
.0005	.9473	.9467	.9462	.9456	.9449	.9443	.9436	.9429	.9422
.0006	.9426	.9419	.9413	.9406	.9400	.9393	.9385	.9377	.9369
.0007	.9382	.9375	.9369	.9362	.9354	.9347	.9339	.9330	.9322
.0008	.9342	.9335	.9328	.9320	.9313	.9304	.9296	.9287	.9278
.0009	.9305	.9297	.9290	.9282	.9274	.9265	.9256	.9247	.9237
.0010	.9270	.9262	.9254	.9246	.9237	.9228	.9219	.9209	.9199
.0020	.8995	.8984	.8974	.8963	.8951	.8939	.8927	.8913	.8900
.0030	.8794	.8782	.8769	.8756	.8743	.8728	.8713	.8698	.8682
.0040	.8631	.8618	.8603	.8589	.8573	.8557	.8541	.8524	.8506
.0050	.8493	.8477	.8462	.8446	.8429	.8412	.8394	.8375	.8356
.0060	.8371	.8354	.8338	.8321	.8303	.8284	.8265	.8245	.8224
.0070	.8261	.8244	.8227	.8208	.8190	.8170	.8150	.8128	.8106
.0080	.8162	.8144	.8126	.8107	.8087	.8066	.8045	.8023	.8000
.0090	.8071	.8052	.8033	.8013	.7992	.7971	.7949	.7925	.7897
.0100	.7986	.7966	.7947	.7926	.7905	.7883	.7860	.7836	.7811
.0200	.7360	.7336	.7312	.7286	.7260	.7232	.7204	.7174	.7144
.0300	.6941	.6914	.6887	.6858	.6829	.6799	.6767	.6734	.6701
.0400	.6622	.6593	.6564	.6534	.6503	.6470	.6437	.6401	.6366
.0500	.6364	.6334	.6303	.6272	.6239	.6205	.6170	.6133	.6096
.0600	.6147	.6116	.6085	.6052	.6018	.5983	.5947	.5909	.5871
.0700	.5961	.5929	.5897	.5863	.5829	.5792	.5755	.5717	.5677
.0800	.5797	.5765	.5732	.5698	.5662	.5625	.5588	.5548	.5508
.0900	.5652	.5619	.5585	.5550	.5515	.5477	.5439	.5399	.5358
.1000	.5521	.5487	.5454	.5418	.5382	.5344	.5306	.5265	.5224

TABLE 42. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg  
 (Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9669	.9667	.9664	.9662	.9660	.9659	.9656	.9650	.9648
.0002	.9537	.9531	.9527	.9525	.9523	.9519	.9515	.9510	.9508
.0003	.9438	.9434	.9430	.9426	.9423	.9421	.9416	.9405	.9402
.0004	.9355	.9351	.9346	.9341	.9338	.9336	.9330	.9325	.9318
.0005	.9284	.9279	.9273	.9268	.9265	.9262	.9256	.9250	.9243
.0006	.9219	.9214	.9209	.9203	.9199	.9196	.9190	.9183	.9175
.0007	.9161	.9155	.9149	.9143	.9139	.9136	.9129	.9122	.9114
.0008	.9107	.9101	.9095	.9088	.9084	.9081	.9073	.9066	.9057
.0009	.9057	.9051	.9044	.9037	.9033	.9029	.9022	.9013	.9004
.0010	.9010	.9004	.8997	.8989	.8985	.8981	.8973	.8964	.8955
.0020	.8645	.8636	.8627	.8617	.8611	.8606	.8595	.8584	.8571
.0030	.8381	.8370	.8359	.8348	.8341	.8335	.8322	.8309	.8294
.0040	.8168	.8156	.8144	.8131	.8123	.8117	.8103	.8088	.8072
.0050	.7987	.7975	.7962	.7948	.7939	.7932	.7917	.7901	.7883
.0060	.7830	.7816	.7802	.7787	.7778	.7771	.7755	.7737	.7719
.0070	.7689	.7675	.7660	.7645	.7635	.7628	.7610	.7592	.7572
.0080	.7562	.7547	.7532	.7515	.7505	.7498	.7479	.7460	.7440
.0090	.7445	.7430	.7414	.7397	.7386	.7379	.7360	.7340	.7319
.0100	.7338	.7322	.7306	.7288	.7277	.7269	.7250	.7229	.7207
.0200	.6556	.6537	.6517	.6496	.6483	.6473	.6450	.6425	.6399
.0300	.6045	.6024	.6002	.5980	.5965	.5955	.5929	.5903	.5874
.0400	.5663	.5641	.5619	.5595	.5580	.5569	.5542	.5514	.5484
.0500	.5360	.5337	.5314	.5289	.5273	.5262	.5235	.5206	.5175
.0600	.5108	.5085	.5061	.5036	.5020	.5009	.4981	.4951	.4920
.0700	.4894	.4871	.4846	.4821	.4805	.4793	.4765	.4735	.4704
.0800	.4708	.4685	.4660	.4635	.4618	.4607	.4578	.4548	.4516
.0900	.4545	.4521	.4496	.4471	.4442	.4414	.4384	.4351	.4332
.1000	.4399	.4375	.4350	.4325	.4308	.4296	.4267	.4237	.4205

TABLE 42. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_{+}z_{-} = 3$ )

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9639	.9635	.9631	.9627	.9618	.9613	.9608	.9603	.9598	.9592
.0002	.9496	.9490	.9485	.9479	.9466	.9460	.9453	.9446	.9439	.9431
.0003	.9388	.9381	.9374	.9367	.9360	.9352	.9345	.9336	.9328	.9319
.0004	.9298	.9291	.9283	.9275	.9267	.9258	.9249	.9240	.9230	.9220
.0005	.9220	.9212	.9204	.9195	.9186	.9176	.9166	.9156	.9145	.9134
.0006	.9151	.9142	.9133	.9123	.9113	.9103	.9092	.9081	.9069	.9057
.0007	.9088	.9078	.9068	.9058	.9047	.9036	.9025	.9013	.9000	.8988
.0008	.9029	.9019	.9009	.8998	.8987	.8975	.8963	.8950	.8937	.8924
.0009	.8975	.8965	.8954	.8942	.8931	.8918	.8905	.8892	.8878	.8864
.0010	.8925	.8913	.8902	.8890	.8878	.8865	.8851	.8837	.8823	.8808
.0020	.8531	.8516	.8501	.8485	.8469	.8452	.8434	.8415	.8396	.8377
.0030	.8247	.8230	.8212	.8193	.8174	.8154	.8134	.8112	.8090	.8067
.0040	.8019	.8000	.7980	.7960	.7938	.7916	.7893	.7869	.7845	.7819
.0050	.7826	.7805	.7784	.7762	.7739	.7715	.7690	.7664	.7638	.7611
.0060	.7658	.7636	.7613	.7590	.7566	.7540	.7514	.7486	.7458	.7429
.0070	.7509	.7485	.7462	.7437	.7411	.7385	.7357	.7328	.7299	.7269
.0080	.7374	.7349	.7325	.7299	.7272	.7244	.7216	.7186	.7155	.7124
.0090	.7250	.7225	.7199	.7173	.7145	.7116	.7087	.7056	.7024	.6991
.0100	.7137	.7110	.7084	.7057	.7028	.6999	.6968	.6936	.6903	.6870
.0200	.6315	.6284	.6252	.6220	.6186	.6151	.6115	.6077	.6038	.5999
.0300	.5783	.5749	.5715	.5680	.5644	.5606	.5567	.5526	.5485	.5443
.0400	.5389	.5353	.5318	.5281	.5244	.5204	.5164	.5122	.5079	.5035
.0500	.5077	.5041	.5005	.4967	.4928	.4888	.4847	.4803	.4759	.4715
.0600	.4820	.4783	.4746	.4708	.4669	.4628	.4586	.4542	.4498	.4453
.0700	.4602	.4565	.4528	.4489	.4450	.4408	.4366	.4322	.4278	.4232
.0800	.4414	.4377	.4340	.4301	.4261	.4219	.4177	.4133	.4088	.4042
.0900	.4249	.4212	.4174	.4135	.4095	.4054	.4011	.3967	.3922	.3877
.1000	.4102	.4065	.4027	.3988	.3948	.3907	.3865	.3820	.3776	.3682

TABLE 43. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
Günzelberg*  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9561	.9558	.9555	.9552	.9550	.9548	.9544	.9540	.9536
.0002	.9388	.9383	.9379	.9374	.9371	.9369	.9364	.9358	.9352
.0003	.9257	.9252	.9247	.9241	.9238	.9235	.9229	.9215	.9211
.0004	.9150	.9144	.9138	.9132	.9127	.9124	.9124	.9110	.9102
.0005	.9056	.9050	.9043	.9036	.9032	.9028	.9020	.9012	.9003
.0006	.8973	.8966	.8959	.8951	.8946	.8943	.8934	.8925	.8916
.0007	.8897	.8890	.8882	.8874	.8869	.8865	.8856	.8846	.8836
.0008	.8828	.8820	.8812	.8803	.8798	.8794	.8784	.8774	.8763
.0009	.8763	.8755	.8746	.8737	.8732	.8727	.8717	.8706	.8695
.0010	.8703	.8694	.8685	.8676	.8670	.8665	.8655	.8643	.8631
.0020	.8236	.8224	.8213	.8200	.8192	.8186	.8172	.8158	.8142
.0030	.7902	.7889	.7875	.7860	.7851	.7844	.7828	.7811	.7793
.0040	.7635	.7621	.7605	.7590	.7579	.7572	.7554	.7535	.7515
.0050	.7411	.7395	.7379	.7362	.7351	.7343	.7324	.7304	.7282
.0060	.7216	.7200	.7183	.7165	.7153	.7145	.7124	.7103	.7080
.0070	.7044	.7027	.7009	.6990	.6978	.6969	.6948	.6926	.6902
.0080	.6889	.6871	.6853	.6833	.6820	.6811	.6789	.6766	.6741
.0090	.6748	.6730	.6710	.6690	.6677	.6668	.6645	.6621	.6596
.0100	.6618	.6599	.6580	.6559	.6545	.6536	.6513	.6488	.6462
.0200	.5695	.5673	.5650	.5626	.5611	.5600	.5573	.5545	.5514
.0300	.5111	.5087	.5063	.5038	.5021	.5010	.4981	.4951	.4920
.0400	.4685	.4661	.4636	.4610	.4593	.4581	.4552	.4522	.4489
.0500	.4353	.4329	.4304	.4277	.4260	.4248	.4219	.4188	.4155
.0600	.4083	.4059	.4033	.4007	.3990	.3978	.3948	.3917	.3884
.0700	.3857	.3832	.3807	.3780	.3763	.3751	.3722	.3691	.3658
.0800	.3663	.3639	.3613	.3587	.3570	.3558	.3528	.3498	.3465
.0900	.3494	.3470	.3445	.3419	.3402	.3390	.3360	.3330	.3297
.1000	.3346	.3322	.3296	.3270	.3254	.3233	.3213	.3182	.3150

TABLE 43. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9522	.9517	.9511	.9506	.9500	.9494	.9488	.9481	.9475
.0002	.9333	.9326	.9319	.9311	.9303	.9295	.9286	.9277	.9268
.0003	.9192	.9183	.9175	.9165	.9156	.9146	.9136	.9125	.9114
.0004	.9075	.9065	.9055	.9045	.9034	.9023	.9011	.8999	.8987
.0005	.8974	.8963	.8952	.8941	.8929	.8917	.8904	.8890	.8876
.0006	.8884	.8872	.8861	.8848	.8835	.8822	.8808	.8794	.8779
.0007	.8802	.8790	.8777	.8764	.8751	.8736	.8721	.8706	.8690
.0008	.8727	.8714	.8701	.8687	.8672	.8657	.8642	.8625	.8608
.0009	.8658	.8644	.8630	.8615	.8600	.8584	.8568	.8550	.8533
.0010	.8592	.8578	.8563	.8548	.8532	.8516	.8499	.8481	.8462
.0020	.8091	.8072	.8053	.8033	.8012	.7991	.7968	.7945	.7921
.0030	.7734	.7712	.7690	.7667	.7643	.7618	.7593	.7565	.7538
.0040	.7450	.7426	.7402	.7377	.7350	.7323	.7295	.7265	.7235
.0050	.7212	.7187	.7161	.7133	.7106	.7076	.7046	.7014	.6982
.0060	.7007	.6979	.6952	.6923	.6894	.6863	.6831	.6798	.6764
.0070	.6825	.6796	.6768	.6738	.6707	.6675	.6642	.6607	.6571
.0080	.6662	.6632	.6603	.6572	.6540	.6506	.6472	.6436	.6399
.0090	.6513	.6483	.6453	.6421	.6388	.6354	.6318	.6281	.6244
.0100	.6377	.6346	.6315	.6283	.6249	.6214	.6178	.6140	.6101
.0200	.5417	.5382	.5346	.5309	.5271	.5231	.5190	.5147	.5104
.0300	.4818	.4780	.4743	.4704	.4664	.4622	.4580	.4535	.4490
.0400	.4385	.4347	.4309	.4269	.4229	.4186	.4143	.4098	.4052
.0500	.4050	.4012	.3973	.3933	.3893	.3850	.3807	.3762	.3716
.0600	.3779	.3741	.3702	.3663	.3622	.3580	.3537	.3492	.3446
.0700	.3553	.3515	.3477	.3438	.3397	.3355	.3313	.3268	.3223
.0800	.3361	.3323	.3285	.3246	.3206	.3165	.3122	.3078	.3034
.0900	.3194	.3157	.3120	.3081	.3041	.3000	.2958	.2915	.2871
.1000	.3048	.3011	.2974	.2936	.2897	.2856	.2815	.2772	.2729

TABLE 44. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9349	.9340	.9335	.9332	.9330	.9324	.9318	.9312	.9308
.0002	.9096	.9083	.9076	.9072	.9069	.9061	.9053	.9045	.9039
.0003	.8907	.8892	.8884	.8879	.8875	.8866	.8856	.8846	.8836
.0004	.8752	.8744	.8735	.8726	.8720	.8716	.8706	.8695	.8683
.0005	.8618	.8609	.8600	.8590	.8583	.8579	.8567	.8555	.8543
.0006	.8500	.8490	.8480	.8469	.8462	.8457	.8445	.8432	.8418
.0007	.8393	.8382	.8371	.8360	.8352	.8347	.8334	.8320	.8306
.0008	.8294	.8283	.8272	.8260	.8252	.8246	.8233	.8218	.8203
.0009	.8203	.8192	.8180	.8167	.8159	.8153	.8139	.8124	.8108
.0010	.8119	.8107	.8094	.8081	.8072	.8066	.8051	.8036	.8019
.0020	.7474	.7459	.7443	.7426	.7415	.7407	.7388	.7368	.7347
.0030	.7024	.7006	.6988	.6969	.6957	.6948	.6926	.6904	.6879
.0040	.6671	.6652	.6633	.6612	.6598	.6589	.6566	.6541	.6515
.0050	.6380	.6360	.6339	.6317	.6303	.6292	.6268	.6242	.6214
.0060	.6130	.6109	.6087	.6064	.6050	.6039	.6013	.5987	.5958
.0070	.5912	.5890	.5868	.5844	.5829	.5818	.5791	.5764	.5734
.0080	.5718	.5696	.5672	.5648	.5633	.5621	.5594	.5566	.5535
.0090	.5543	.5521	.5497	.5472	.5456	.5445	.5417	.5388	.5357
.0100	.5384	.5361	.5337	.5312	.5296	.5284	.5256	.5226	.5194
.0200	.4298	.4273	.4247	.4220	.4203	.4190	.4160	.4129	.4095
.0300	.3654	.3629	.3603	.3575	.3558	.3546	.3516	.3484	.3450
.0400	.3207	.3183	.3157	.3130	.3113	.3101	.3071	.3041	.3008
.0500	.2872	.2848	.2823	.2797	.2781	.2769	.2740	.2710	.2678
.0600	.2609	.2586	.2562	.2536	.2520	.2509	.2481	.2452	.2421
.0700	.2395	.2372	.2349	.2324	.2309	.2297	.2270	.2242	.2212
.0800	.2217	.2195	.2172	.2148	.2133	.2122	.2096	.2069	.2040
.0900	.2066	.2044	.2022	.1999	.1984	.1973	.1948	.1922	.1894
.1000	.1935	.1914	.1893	.1870	.1856	.1846	.1821	.1795	.1768

TABLE 44. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*  
*Günzberg*—Continued  
 (Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9291	.9284	.9276	.9268	.9260	.9251	.9242	.9232	.9222
.0002	.9017	.9006	.8996	.8985	.8973	.8961	.8949	.8936	.8922
.0003	.8813	.8800	.8788	.8775	.8761	.8747	.8732	.8717	.8701
.0004	.8645	.8631	.8617	.8602	.8587	.8571	.8554	.8537	.8519
.0005	.8501	.8486	.8470	.8454	.8438	.8420	.8402	.8383	.8363
.0006	.8374	.8357	.8341	.8323	.8305	.8286	.8267	.8246	.8225
.0007	.8258	.8241	.8223	.8205	.8186	.8165	.8145	.8123	.8101
.0008	.8153	.8135	.8116	.8096	.8076	.8055	.8033	.8010	.7987
.0009	.8056	.8036	.8017	.7996	.7975	.7953	.7930	.7907	.7882
.0010	.7965	.7945	.7924	.7903	.7881	.7858	.7835	.7810	.7784
.0020	.7278	.7252	.7227	.7200	.7172	.7143	.7113	.7082	.7050
.0030	.6801	.6773	.6744	.6713	.6682	.6649	.6616	.6580	.6544
.0040	.6431	.6399	.6368	.6335	.6302	.6267	.6230	.6192	.6154
.0050	.6125	.6092	.6059	.6025	.5990	.5952	.5914	.5874	.5834
.0060	.5865	.5831	.5797	.5761	.5724	.5685	.5646	.5605	.5563
.0070	.5638	.5603	.5568	.5531	.5493	.5453	.5413	.5370	.5327
.0080	.5437	.5401	.5365	.5327	.5289	.5248	.5207	.5163	.5119
.0090	.5257	.5220	.5183	.5145	.5106	.5064	.5022	.4978	.4933
.0100	.5093	.5056	.5019	.4980	.4940	.4898	.4855	.4811	.4766
.0200	.3987	.3948	.3909	.3868	.3827	.3783	.3739	.3693	.3646
.0300	.3344	.3305	.3266	.3226	.3185	.3142	.3099	.3054	.3008
.0400	.2904	.2866	.2828	.2789	.2750	.2708	.2667	.2623	.2579
.0500	.2577	.2541	.2505	.2467	.2429	.2389	.2349	.2307	.2265
.0600	.2323	.2288	.2253	.2217	.2180	.2142	.2103	.2063	.2023
.0700	.2118	.2084	.2050	.2015	.1980	.1943	.1907	.1868	.1830
.0800	.1948	.1916	.1883	.1850	.1816	.1780	.1745	.1708	.1671
.0900	.1805	.1774	.1742	.1710	.1677	.1643	.1609	.1574	.1538
.1000	.1683	.1652	.1622	.1591	.1559	.1526	.1493	.1459	.1425

TABLE 45. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
*Güntherberg*  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9142	.9136	.9130	.9123	.9119	.9116	.9109	.9101	.9093
.0002	.8813	.8805	.8797	.8788	.8782	.8778	.8768	.8758	.8747
.0003	.8570	.8561	.8551	.8540	.8534	.8529	.8517	.8505	.8492
.0004	.8372	.8361	.8350	.8338	.8331	.8326	.8312	.8299	.8284
.0005	.8202	.8190	.8178	.8165	.8157	.8151	.8137	.8122	.8106
.0006	.8051	.8039	.8026	.8012	.8004	.7997	.7982	.7966	.7949
.0007	.7916	.7903	.7889	.7875	.7866	.7859	.7843	.7826	.7807
.0008	.7793	.7779	.7765	.7750	.7740	.7733	.7716	.7698	.7679
.0009	.7679	.7665	.7650	.7634	.7624	.7617	.7599	.7580	.7560
.0010	.7574	.7559	.7543	.7527	.7516	.7509	.7490	.7471	.7450
.0020	.6783	.6764	.6745	.6724	.6711	.6702	.6679	.6655	.6629
.0030	.6243	.6223	.6201	.6179	.6164	.6154	.6128	.6102	.6073
.0040	.5829	.5807	.5784	.5760	.5745	.5733	.5706	.5678	.5648
.0050	.5492	.5469	.5445	.5420	.5404	.5392	.5364	.5335	.5303
.0060	.5208	.5184	.5159	.5133	.5117	.5105	.5076	.5046	.5013
.0070	.4962	.4938	.4912	.4886	.4869	.4857	.4827	.4797	.4763
.0080	.4746	.4721	.4696	.4669	.4652	.4639	.4609	.4578	.4545
.0090	.4553	.4529	.4503	.4476	.4458	.4446	.4416	.4384	.4350
.0100	.4380	.4355	.4329	.4302	.4284	.4272	.4241	.4210	.4176
.0200	.3243	.3218	.3192	.3165	.3148	.3135	.3105	.3074	.3041
.0300	.2612	.2588	.2563	.2538	.2521	.2510	.2481	.2452	.2420
.0400	.2195	.2173	.2150	.2125	.2110	.2099	.2072	.2045	.2015
.0500	.1895	.1874	.1852	.1830	.1815	.1805	.1780	.1754	.1726
.0600	.1667	.1647	.1627	.1605	.1592	.1582	.1559	.1534	.1509
.0700	.1488	.1469	.1449	.1429	.1416	.1407	.1385	.1362	.1338
.0800	.1342	.1324	.1306	.1286	.1274	.1266	.1245	.1223	.1201
.0900	.1221	.1204	.1187	.1169	.1157	.1149	.1129	.1109	.1087
.1000	.1119	.1103	.1087	.1070	.1059	.1051	.1032	.1013	.0992

TABLE 45. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*  
*Güntelberg*—Continued  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9066	.9057	.9046	.9036	.9025	.9014	.9002	.8989	.8977
.0002	.8711	.8697	.8684	.8670	.8655	.8639	.8624	.8607	.8590
.0003	.8449	.8433	.8417	.8400	.8383	.8365	.8346	.8326	.8306
.0004	.8236	.8218	.8200	.8181	.8162	.8142	.8121	.8098	.8076
.0005	.8053	.8034	.8014	.7994	.7973	.7951	.7928	.7904	.7879
.0006	.7893	.7872	.7851	.7829	.7807	.7783	.7758	.7733	.7706
.0007	.7748	.7726	.7704	.7681	.7657	.7632	.7606	.7579	.7551
.0008	.7617	.7594	.7570	.7546	.7521	.7495	.7468	.7439	.7410
.0009	.7495	.7472	.7447	.7422	.7396	.7369	.7341	.7311	.7281
.0010	.7383	.7358	.7333	.7307	.7280	.7252	.7223	.7192	.7161
.0020	.6546	.6516	.6485	.6453	.6420	.6385	.6350	.6312	.6274
.0030	.5981	.5948	.5914	.5878	.5842	.5804	.5765	.5724	.5682
.0040	.5550	.5515	.5479	.5441	.5403	.5363	.5321	.5278	.5234
.0050	.5202	.5165	.5127	.5089	.5049	.5007	.4964	.4920	.4875
.0060	.4909	.4871	.4833	.4793	.4753	.4710	.4666	.4621	.4575
.0070	.4658	.4619	.4580	.4540	.4499	.4455	.4411	.4365	.4318
.0080	.4438	.4399	.4359	.4319	.4277	.4233	.4189	.4142	.4095
.0090	.4242	.4203	.4164	.4123	.4081	.4037	.3992	.3945	.3898
.0100	.4067	.4028	.3988	.3947	.3905	.3861	.3816	.3770	.3722
.0200	.2935	.2897	.2858	.2819	.2778	.2736	.2694	.2649	.2605
.0300	.2321	.2285	.2249	.2213	.2175	.2136	.2097	.2057	.2016
.0400	.1923	.1890	.1857	.1823	.1788	.1752	.1716	.1679	.1642
.0500	.1640	.1609	.1579	.1547	.1515	.1482	.1449	.1415	.1381
.0600	.1428	.1399	.1371	.1342	.1312	.1281	.1251	.1219	.1188
.0700	.1263	.1236	.1209	.1182	.1154	.1126	.1097	.1068	.1039
.0800	.1130	.1104	.1079	.1054	.1028	.1001	.9975	.9948	.9921
.0900	.1020	.0997	.0973	.0949	.0925	.0900	.0875	.0850	.0824
.1000	.0929	.0907	.0885	.0862	.0839	.0816	.0792	.0768	.0745

TABLE 46. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9040	.9033	.9027	.9019	.9011	.9003	.8995	.8986	.8976
.0002	.8675	.8666	.8657	.8647	.8636	.8625	.8614	.8602	.8594
.0003	.8406	.8396	.8385	.8374	.8366	.8361	.8348	.8335	.8320
.0004	.8188	.8176	.8164	.8151	.8143	.8137	.8123	.8108	.8091
.0005	.8001	.7988	.7975	.7961	.7952	.7946	.7930	.7913	.7896
.0006	.7836	.7823	.7809	.7794	.7784	.7777	.7760	.7743	.7724
.0007	.7688	.7674	.7659	.7643	.7633	.7626	.7608	.7590	.7570
.0008	.7554	.7539	.7523	.7507	.7496	.7488	.7470	.7450	.7429
.0009	.7430	.7414	.7398	.7381	.7370	.7362	.7342	.7322	.7300
.0010	.7315	.7299	.7282	.7264	.7253	.7244	.7224	.7204	.7181
.0020	.6461	.6442	.6421	.6399	.6385	.6375	.6350	.6325	.6297
.0030	.5886	.5865	.5842	.5818	.5802	.5791	.5764	.5736	.5706
.0040	.5449	.5426	.5402	.5376	.5360	.5348	.5320	.5290	.5259
.0050	.5096	.5072	.5047	.5020	.5004	.4991	.4962	.4932	.4899
.0060	.4800	.4775	.4750	.4723	.4706	.4693	.4663	.4632	.4599
.0070	.4546	.4521	.4495	.4468	.4450	.4438	.4407	.4376	.4342
.0080	.4324	.4299	.4272	.4245	.4227	.4215	.4184	.4152	.4118
.0090	.4127	.4102	.4075	.4048	.4030	.4017	.3987	.3955	.3920
.0100	.3951	.3926	.3899	.3871	.3854	.3841	.3810	.3778	.3744
.0200	.2818	.2793	.2768	.2741	.2724	.2712	.2683	.2653	.2620
.0300	.2208	.2186	.2162	.2138	.2122	.2111	.2084	.2057	.2027
.0400	.1816	.1795	.1774	.1751	.1737	.1727	.1702	.1677	.1650
.0500	.1540	.1520	.1500	.1480	.1466	.1457	.1434	.1411	.1386
.0600	.1333	.1315	.1296	.1277	.1265	.1256	.1236	.1214	.1191
.0700	.1172	.1156	.1138	.1121	.1109	.1101	.1082	.1062	.1041
.0800	.1044	.1028	.1012	.0996	.0985	.0978	.0959	.0941	.0921
.0900	.0939	.0924	.0909	.0894	.0884	.0877	.0860	.0842	.0824
.1000	.0851	.0838	.0823	.0809	.0799	.0793	.0777	.0761	.0744

TABLE 46. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8956	.8945	.8934	.8922	.8910	.8897	.8884	.8871	.8856	.8842	.8826
.0002	.8562	.8547	.8532	.8516	.8500	.8483	.8465	.8447	.8428	.8409	.8388
.0003	.8273	.8256	.8238	.8219	.8200	.8180	.8160	.8138	.8116	.8093	.8069
.0004	.8038	.8019	.7999	.7979	.7957	.7935	.7912	.7888	.7863	.7838	.7811
.0005	.7838	.7817	.7796	.7773	.7750	.7726	.7701	.7675	.7648	.7620	.7591
.0006	.7663	.7640	.7617	.7593	.7569	.7543	.7516	.7488	.7459	.7430	.7399
.0007	.7505	.7481	.7457	.7432	.7406	.7378	.7350	.7321	.7291	.7260	.7227
.0008	.7362	.7337	.7312	.7285	.7258	.7229	.7200	.7169	.7138	.7106	.7071
.0009	.7230	.7204	.7178	.7151	.7122	.7093	.7062	.7030	.6998	.6964	.6929
.0010	.7108	.7081	.7054	.7026	.6997	.6966	.6935	.6902	.6868	.6834	.6797
.0020	.6209	.6176	.6143	.6109	.6074	.6037	.5999	.5959	.5919	.5878	.5834
.0030	.5609	.5574	.5538	.5501	.5462	.5422	.5381	.5338	.5294	.5250	.5202
.0040	.5157	.5119	.5082	.5043	.5003	.4961	.4918	.4873	.4827	.4781	.4732
.0050	.4794	.4755	.4717	.4677	.4635	.4592	.4548	.4502	.4456	.4408	.4358
.0060	.4491	.4452	.4413	.4372	.4331	.4287	.4242	.4196	.4149	.4101	.4050
.0070	.4233	.4194	.4154	.4113	.4071	.4027	.3982	.3935	.3888	.3840	.3789
.0080	.4009	.3969	.3930	.3888	.3846	.3802	.3757	.3710	.3663	.3615	.3564
.0090	.3811	.3771	.3732	.3690	.3648	.3604	.3559	.3512	.3465	.3417	.3367
.0100	.3635	.3595	.3555	.3514	.3472	.3428	.3383	.3337	.3290	.3242	.3192
.0200	.2518	.2481	.2444	.2406	.2367	.2327	.2286	.2244	.2202	.2159	.2114
.0300	.1934	.1900	.1867	.1832	.1798	.1762	.1725	.1688	.1650	.1612	.1573
.0400	.1565	.1534	.1504	.1473	.1442	.1409	.1377	.1343	.1310	.1276	.1242
.0500	.1308	.1281	.1253	.1225	.1197	.1168	.1138	.1108	.1078	.1048	.1017
.0600	.1120	.1094	.1069	.1044	.1018	.0991	.0965	.0937	.0910	.0883	.0855
.0700	.0975	.0951	.0928	.0905	.0881	.0857	.0832	.0807	.0783	.0758	.0733
.0800	.0860	.0838	.0817	.0795	.0774	.0751	.0729	.0706	.0683	.0661	.0637
.0900	.0767	.0747	.0727	.0707	.0687	.0666	.0645	.0624	.0603	.0583	.0561
.1000	.0690	.0672	.0653	.0634	.0616	.0596	.0577	.0557	.0538	.0519	.0499

TABLE 47. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8741	.8733	.8724	.8714	.8708	.8704	.8694	.8683	.8671
.0002	.8273	.8262	.8250	.8238	.8230	.8224	.8211	.8196	.8180
.0003	.7934	.7921	.7907	.7893	.7883	.7877	.7861	.7844	.7825
.0004	.7660	.7645	.7630	.7614	.7604	.7597	.7579	.7560	.7540
.0005	.7428	.7412	.7396	.7378	.7367	.7359	.7340	.7320	.7298
.0006	.7225	.7208	.7191	.7172	.7160	.7152	.7131	.7110	.7087
.0007	.7043	.7026	.7008	.6988	.6976	.6967	.6946	.6923	.6899
.0008	.6879	.6861	.6842	.6822	.6809	.6800	.6778	.6754	.6729
.0009	.6729	.6711	.6691	.6670	.6657	.6647	.6624	.6600	.6574
.0010	.6591	.6572	.6551	.6530	.6516	.6506	.6482	.6457	.6430
.0020	.5586	.5563	.5539	.5514	.5498	.5486	.5458	.5429	.5398
.0030	.4933	.4909	.4883	.4857	.4839	.4827	.4797	.4766	.4733
.0040	.4451	.4426	.4399	.4372	.4354	.4341	.4311	.4279	.4244
.0050	.4070	.4045	.4018	.3990	.3972	.3959	.3929	.3896	.3862
.0060	.3758	.3732	.3706	.3678	.3660	.3647	.3616	.3584	.3554
.0070	.3495	.3470	.3443	.3415	.3397	.3385	.3354	.3322	.3288
.0080	.3269	.3244	.3218	.3190	.3173	.3160	.3129	.3098	.3064
.0090	.3073	.3048	.3021	.2994	.2977	.2964	.2934	.2903	.2869
.0100	.2899	.2874	.2848	.2821	.2804	.2792	.2762	.2731	.2698
.0200	.1847	.1826	.1804	.1781	.1766	.1756	.1731	.1704	.1677
.0300	.1335	.1317	.1317	.1298	.1278	.1266	.1257	.1236	.1214
.0400	.1029	.1013	.1013	.0997	.0980	.0969	.0962	.0943	.0925
.0500	.0825	.0811	.0797	.0783	.0773	.0767	.0751	.0735	.0717
.0600	.0681	.0669	.0656	.0643	.0635	.0629	.0615	.0601	.0586
.0700	.0574	.0563	.0552	.0540	.0533	.0528	.0515	.0503	.0489
.0800	.0491	.0482	.0472	.0461	.0455	.0450	.0439	.0428	.0416
.0900	.0427	.0418	.0409	.0399	.0394	.0389	.0379	.0369	.0359
.1000	.0374	.0366	.0358	.0350	.0344	.0341	.0332	.0313	.0307

TABLE 47. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Günzelberg—Continued  
 (Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8633	.8619	.8604	.8589	.8574	.8558	.8541	.8523	.8505	.8487	.8467
.0002	.8130	.8111	.8092	.8072	.8052	.8030	.8008	.7985	.7961	.7937	.7911
.0003	.7766	.7744	.7722	.7699	.7676	.7651	.7625	.7598	.7570	.7542	.7512
.0004	.7474	.7450	.7426	.7400	.7374	.7346	.7318	.7288	.7257	.7226	.7193
.0005	.7227	.7201	.7175	.7147	.7119	.7089	.7059	.7027	.6994	.6960	.6925
.0006	.7012	.6984	.6956	.6927	.6897	.6866	.6834	.6800	.6765	.6730	.6692
.0007	.6820	.6791	.6762	.6732	.6700	.6667	.6634	.6598	.6562	.6525	.6486
.0008	.6647	.6617	.6587	.6555	.6523	.6488	.6453	.6417	.6379	.6341	.6300
.0009	.6489	.6458	.6427	.6394	.6361	.6325	.6289	.6251	.6213	.6173	.6131
.0010	.6344	.6312	.6280	.6246	.6212	.6175	.6138	.6099	.6060	.6019	.5976
.0020	.5297	.5260	.5222	.5184	.5144	.5102	.5060	.5015	.4970	.4924	.4875
.0030	.4626	.4587	.4548	.4507	.4465	.4421	.4377	.4330	.4283	.4235	.4184
.0040	.4135	.4095	.4055	.4014	.3971	.3927	.3882	.3835	.3787	.3738	.3687
.0050	.3752	.3712	.3672	.3630	.3587	.3543	.3498	.3451	.3403	.3355	.3304
.0060	.3440	.3400	.3360	.3319	.3276	.3232	.3188	.3141	.3094	.3047	.2997
.0070	.3179	.3139	.3100	.3059	.3017	.2974	.2930	.2884	.2838	.2791	.2742
.0080	.2956	.2917	.2878	.2838	.2797	.2754	.2711	.2666	.2621	.2575	.2527
.0090	.2763	.2725	.2687	.2647	.2607	.2565	.2522	.2478	.2434	.2389	.2342
.0100	.2594	.2556	.2519	.2480	.2440	.2399	.2358	.2314	.2271	.2227	.2181
.0200	.1590	.1559	.1528	.1496	.1464	.1431	.1398	.1364	.1329	.1295	.1259
.0300	.1118	.1092	.1067	.1041	.1015	.0987	.0960	.0933	.0905	.0878	.0849
.0400	.0843	.0821	.0800	.0778	.0756	.0734	.0711	.0688	.0665	.0643	.0619
.0500	.0664	.0646	.0627	.0609	.0590	.0571	.0552	.0532	.0513	.0494	.0475
.0600	.0540	.0523	.0508	.0491	.0475	.0459	.0442	.0426	.0409	.0393	.0377
.0700	.0449	.0434	.0420	.0406	.0392	.0378	.0363	.0349	.0335	.0321	.0307
.0800	.0380	.0367	.0355	.0342	.0330	.0317	.0304	.0292	.0279	.0267	.0255
.0900	.0326	.0315	.0304	.0292	.0270	.0259	.0248	.0237	.0226	.0215	.0204
.1000	.0283	.0273	.0263	.0253	.0233	.0223	.0213	.0203	.0194	.0184	

TABLE 48. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended*  
*Günzelberg*  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8357	.8347	.8336	.8324	.8316	.8311	.8297	.8284	.8269
.0002	.7767	.7753	.7738	.7723	.7713	.7706	.7688	.7670	.7651
.0003	.7345	.7329	.7312	.7294	.7283	.7274	.7254	.7234	.7211
.0004	.7009	.6991	.6972	.6953	.6941	.6932	.6910	.6887	.6862
.0005	.6727	.6708	.6688	.6667	.6654	.6644	.6621	.6597	.6570
.0006	.6483	.6463	.6442	.6420	.6406	.6396	.6371	.6346	.6318
.0007	.6267	.6246	.6224	.6202	.6187	.6177	.6151	.6124	.6096
.0008	.6073	.6052	.6029	.6006	.5991	.5980	.5953	.5926	.5896
.0009	.5897	.5875	.5852	.5828	.5812	.5801	.5774	.5746	.5716
.0010	.5736	.5714	.5690	.5665	.5649	.5638	.5610	.5582	.5550
.0020	.4600	.4575	.4549	.4522	.4504	.4491	.4461	.4429	.4395
.0030	.3898	.3872	.3846	.3817	.3800	.3787	.3755	.3723	.3688
.0040	.3398	.3373	.3346	.3318	.3300	.3287	.3256	.3224	.3190
.0050	.3016	.2991	.2965	.2937	.2920	.2907	.2877	.2846	.2812
.0060	.2712	.2687	.2662	.2635	.2618	.2606	.2576	.2546	.2513
.0070	.2462	.2438	.2413	.2387	.2371	.2359	.2330	.2301	.2269
.0080	.2252	.2229	.2205	.2180	.2164	.2152	.2125	.2096	.2065
.0090	.2073	.2051	.2027	.2003	.1988	.1976	.1950	.1922	.1892
.0100	.1919	.1897	.1874	.1851	.1836	.1825	.1799	.1772	.1744
.0200	.1052	.1036	.1019	.1002	.0991	.0983	.0964	.0945	.0925
.0300	.0682	.0670	.0657	.0644	.0636	.0630	.0616	.0601	.0586
.0400	.0482	.0472	.0462	.0452	.0445	.0441	.0429	.0418	.0406
.0500	.0359	.0351	.0343	.0335	.0329	.0326	.0317	.0308	.0298
.0600	.0278	.0271	.0265	.0258	.0253	.0250	.0243	.0235	.0228
.0700	.0221	.0216	.0210	.0204	.0201	.0198	.0192	.0186	.0179
.0800	.0180	.0175	.0170	.0166	.0162	.0160	.0155	.0150	.0144
.0900	.0149	.0145	.0141	.0137	.0134	.0132	.0128	.0123	.0118
.1000	.0125	.0122	.0118	.0114	.0112	.0110	.0107	.0103	.0098

TABLE 48. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8220	.8202	.8184	.8165	.8145	.8125	.8103	.8081	.8058
.0002	.7588	.7564	.7541	.7516	.7491	.7464	.7437	.7408	.7378
.0003	.7139	.7112	.7085	.7057	.7028	.6997	.6966	.6933	.6899
.0004	.6783	.6754	.6724	.6693	.6662	.6628	.6594	.6559	.6522
.0005	.6486	.6455	.6423	.6390	.6357	.6321	.6285	.6247	.6208
.0006	.6229	.6197	.6164	.6129	.6094	.6057	.6019	.5979	.5939
.0007	.6003	.5970	.5935	.5900	.5863	.5825	.5785	.5744	.5702
.0008	.5801	.5766	.5731	.5694	.5657	.5617	.5577	.5534	.5491
.0009	.5618	.5582	.5546	.5509	.5470	.5430	.5388	.5345	.5301
.0010	.5451	.5414	.5378	.5339	.5300	.5259	.5217	.5173	.5128
.0020	.4285	.4246	.4206	.4164	.4121	.4077	.4032	.3984	.3936
.0030	.3578	.3537	.3497	.3455	.3413	.3368	.3323	.3276	.3228
.0040	.3081	.3041	.3002	.2961	.2919	.2876	.2832	.2786	.2740
.0050	.2706	.2667	.2629	.2589	.2549	.2507	.2465	.2420	.2376
.0060	.2410	.2373	.2336	.2298	.2259	.2218	.2178	.2135	.2093
.0070	.2169	.2134	.2098	.2061	.2024	.1985	.1946	.1905	.1865
.0080	.1969	.1935	.1900	.1865	.1829	.1792	.1755	.1716	.1677
.0090	.1800	.1767	.1734	.1700	.1665	.1629	.1594	.1557	.1520
.0100	.1654	.1622	.1591	.1558	.1525	.1491	.1456	.1421	.1386
.0200	.0861	.0839	.0817	.0794	.0772	.0749	.0726	.0702	.0679
.0300	.0539	.0522	.0506	.0490	.0473	.0456	.0440	.0423	.0406
.0400	.0370	.0357	.0345	.0332	.0320	.0307	.0295	.0282	.0270
.0500	.0269	.0259	.0249	.0239	.0230	.0220	.0210	.0200	.0191
.0600	.0204	.0196	.0188	.0180	.0172	.0164	.0156	.0149	.0141
.0700	.0159	.0153	.0146	.0140	.0133	.0127	.0120	.0114	.0108
.0800	.0128	.0122	.0117	.0111	.0106	.0100	.0095	.0090	.0085
.0900	.0104	.0099	.0095	.0090	.0086	.0081	.0077	.0072	.0068
.1000	.0086	.0082	.0078	.0074	.0070	.0067	.0063	.0059	.0055

TABLE 49. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881	.9880
.0002	.9843	.9842	.9840	.9839	.9837	.9836	.9835	.9834	.9833
.0003	.9809	.9808	.9806	.9805	.9804	.9803	.9802	.9800	.9798
.0004	.9780	.9779	.9777	.9776	.9775	.9774	.9772	.9770	.9768
.0005	.9755	.9754	.9752	.9750	.9749	.9748	.9746	.9744	.9742
.0006	.9733	.9731	.9729	.9727	.9726	.9725	.9723	.9720	.9718
.0007	.9712	.9710	.9708	.9706	.9705	.9704	.9701	.9699	.9696
.0008	.9693	.9691	.9689	.9686	.9685	.9684	.9682	.9679	.9676
.0009	.9675	.9673	.9671	.9668	.9667	.9666	.9663	.9660	.9657
.0010	.9659	.9656	.9654	.9651	.9650	.9649	.9646	.9643	.9640
.0020	.9526	.9523	.9520	.9516	.9514	.9512	.9509	.9505	.9501
.0030	.9428	.9424	.9420	.9416	.9414	.9412	.9407	.9402	.9397
.0040	.9348	.9343	.9339	.9334	.9331	.9329	.9324	.9318	.9313
.0050	.9278	.9273	.9268	.9263	.9260	.9258	.9252	.9246	.9240
.0060	.9217	.9212	.9206	.9201	.9197	.9195	.9188	.9182	.9175
.0070	.9161	.9156	.9150	.9144	.9140	.9138	.9131	.9124	.9117
.0080	.9110	.9105	.9099	.9092	.9088	.9085	.9079	.9071	.9064
.0090	.9063	.9057	.9051	.9044	.9040	.9037	.9030	.9022	.9014
.0100	.9020	.9013	.9007	.9000	.8995	.8992	.8985	.8977	.8969
.0200	.8687	.8679	.8670	.8661	.8656	.8652	.8642	.8631	.8621
.0300	.8455	.8446	.8436	.8425	.8419	.8414	.8403	.8391	.8379
.0400	.8273	.8263	.8252	.8241	.8234	.8228	.8216	.8203	.8190
.0500	.8123	.8112	.8100	.8088	.8080	.8075	.8062	.8048	.8033
.0600	.7994	.7982	.7970	.7957	.7949	.7943	.7929	.7914	.7899
.0700	.7880	.7868	.7855	.7842	.7834	.7828	.7813	.7798	.7782
.0800	.7780	.7767	.7753	.7739	.7731	.7725	.7710	.7694	.7677
.0900	.7688	.7675	.7662	.7647	.7638	.7632	.7616	.7600	.7583
.1000	.7605	.7592	.7578	.7563	.7554	.7547	.7531	.7514	.7497

TABLE 49. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended*  
*Güntelberg*—Continued  
 (Electrolyte,  $z_+z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9879	.9878	.9877	.9875	.9874	.9873	.9871	.9870	.9868
.0002	.9830	.9828	.9827	.9825	.9823	.9819	.9817	.9815	.9813
.0003	.9793	.9791	.9789	.9787	.9784	.9782	.9780	.9777	.9775
.0004	.9762	.9759	.9757	.9755	.9752	.9749	.9747	.9744	.9741
.0005	.9735	.9732	.9729	.9727	.9724	.9721	.9718	.9715	.9711
.0006	.9710	.9707	.9704	.9702	.9698	.9695	.9692	.9689	.9685
.0007	.9688	.9685	.9682	.9679	.9675	.9672	.9668	.9665	.9661
.0008	.9667	.9664	.9661	.9657	.9654	.9650	.9646	.9643	.9638
.0009	.9648	.9645	.9641	.9638	.9634	.9630	.9626	.9622	.9618
.0010	.9630	.9626	.9623	.9619	.9615	.9611	.9607	.9602	.9598
.0020	.9487	.9482	.9477	.9472	.9467	.9461	.9455	.9449	.9443
.0030	.9381	.9375	.9369	.9363	.9357	.9350	.9343	.9336	.9329
.0040	.9294	.9288	.9281	.9274	.9267	.9259	.9251	.9243	.9235
.0050	.9220	.9212	.9205	.9197	.9189	.9181	.9173	.9164	.9154
.0060	.9154	.9146	.9138	.9129	.9121	.9112	.9103	.9093	.9083
.0070	.9094	.9085	.9077	.9068	.9059	.9049	.9040	.9029	.9019
.0080	.9039	.9030	.9021	.9012	.9002	.8992	.8982	.8971	.8960
.0090	.8989	.8980	.8970	.8960	.8950	.8940	.8929	.8918	.8906
.0100	.8942	.8932	.8922	.8912	.8901	.8891	.8879	.8868	.8855
.0200	.8586	.8573	.8561	.8547	.8534	.8520	.8505	.8490	.8474
.0300	.8339	.8324	.8310	.8295	.8279	.8263	.8246	.8228	.8210
.0400	.8146	.8130	.8114	.8097	.8080	.8062	.8044	.8025	.8005
.0500	.7986	.7969	.7952	.7934	.7916	.7897	.7877	.7856	.7835
.0600	.7850	.7832	.7814	.7795	.7775	.7755	.7735	.7713	.7691
.0700	.7730	.7711	.7692	.7673	.7652	.7632	.7610	.7587	.7564
.0800	.7624	.7604	.7585	.7564	.7543	.7522	.7499	.7476	.7452
.0900	.7528	.7508	.7488	.7466	.7445	.7422	.7400	.7375	.7351
.1000	.7440	.7420	.7399	.7377	.7355	.7332	.7309	.7284	.7259

TABLE 50. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9778	.9777	.9775	.9773	.9772	.9770	.9768
.0002	.9689	.9687	.9685	.9682	.9681	.9680	.9677
.0003	.9622	.9619	.9616	.9613	.9612	.9610	.9607
.0004	.9565	.9562	.9559	.9556	.9554	.9553	.9549
.0005	.9516	.9513	.9510	.9506	.9504	.9502	.9498
.0006	.9473	.9469	.9465	.9461	.9459	.9457	.9453
.0007	.9433	.9429	.9425	.9420	.9418	.9416	.9411
.0008	.9396	.9391	.9387	.9383	.9380	.9378	.9373
.0009	.9361	.9357	.9352	.9348	.9345	.9343	.9338
.0010	.9329	.9324	.9320	.9315	.9312	.9309	.9304
.0020	.9075	.9069	.9063	.9056	.9052	.9049	.9042
.0030	.8889	.8882	.8874	.8866	.8861	.8858	.8849
.0040	.8738	.8730	.8721	.8712	.8707	.8703	.8693
.0050	.8609	.8600	.8590	.8581	.8575	.8570	.8560
.0060	.8495	.8485	.8475	.8465	.8459	.8454	.8443
.0070	.8393	.8383	.8372	.8361	.8354	.8349	.8338
.0080	.8300	.8289	.8278	.8267	.8260	.8254	.8242
.0090	.8215	.8203	.8192	.8180	.8172	.8167	.8154
.0100	.8135	.8124	.8112	.8099	.8092	.8086	.8073
.0200	.7546	.7532	.7517	.7501	.7492	.7485	.7468
.0300	.7149	.7133	.7116	.7098	.7088	.7080	.7061
.0400	.6845	.6827	.6810	.6791	.6779	.6771	.6751
.0500	.6598	.6580	.6561	.6541	.6529	.6520	.6499
.0600	.6390	.6371	.6351	.6331	.6318	.6309	.6287
.0700	.6210	.6191	.6171	.6149	.6137	.6127	.6104
.0800	.6052	.6032	.6012	.5990	.5977	.5967	.5944
.0900	.5911	.5891	.5870	.5848	.5834	.5824	.5801
.1000	.5784	.5763	.5742	.5720	.5706	.5696	.5672

TABLE 50. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+z_- = 2$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9759	.9757	.9755	.9752	.9750	.9747	.9744	.9741	.9738	.9735	.9732
.0002	.9663	.9659	.9656	.9653	.9649	.9645	.9642	.9638	.9633	.9629	.9625
.0003	.9590	.9586	.9582	.9578	.9573	.9569	.9564	.9559	.9554	.9549	.9544
.0004	.9529	.9525	.9520	.9515	.9510	.9505	.9500	.9494	.9488	.9483	.9476
.0005	.9476	.9471	.9466	.9461	.9455	.9449	.9444	.9437	.9431	.9425	.9418
.0006	.9429	.9423	.9418	.9412	.9406	.9400	.9393	.9387	.9380	.9373	.9365
.0007	.9386	.9380	.9374	.9368	.9361	.9354	.9348	.9341	.9333	.9326	.9318
.0008	.9346	.9339	.9333	.9327	.9320	.9313	.9305	.9298	.9290	.9282	.9273
.0009	.9308	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9250	.9241	.9232
.0010	.9274	.9267	.9260	.9252	.9245	.9237	.9229	.9221	.9212	.9203	.9194
.0020	.9000	.8991	.8982	.8972	.8962	.8951	.8940	.8929	.8917	.8905	.8893
.0030	.8801	.8790	.8778	.8767	.8755	.8742	.8730	.8716	.8703	.8688	.8673
.0040	.8639	.8626	.8614	.8601	.8587	.8573	.8559	.8544	.8529	.8513	.8496
.0050	.8500	.8487	.8473	.8459	.8444	.8429	.8413	.8397	.8380	.8363	.8345
.0060	.8379	.8364	.8350	.8334	.8319	.8303	.8286	.8268	.8250	.8232	.8212
.0070	.8270	.8255	.8239	.8223	.8206	.8189	.8172	.8153	.8134	.8115	.8094
.0080	.8171	.8155	.8139	.8122	.8104	.8086	.8068	.8048	.8028	.8008	.7986
.0090	.8080	.8063	.8046	.8029	.8010	.7992	.7972	.7952	.7931	.7910	.7888
.0100	.7996	.7978	.7961	.7943	.7924	.7904	.7884	.7863	.7842	.7820	.7796
.0200	.7372	.7350	.7329	.7306	.7283	.7258	.7234	.7208	.7181	.7154	.7125
.0300	.6954	.6930	.6905	.6880	.6854	.6827	.6799	.6770	.6741	.6711	.6678
.0400	.6635	.6610	.6583	.6556	.6528	.6500	.6470	.6439	.6408	.6375	.6341
.0500	.6378	.6351	.6323	.6295	.6266	.6236	.6205	.6172	.6139	.6105	.6070
.0600	.6162	.6134	.6105	.6076	.6045	.6014	.5982	.5949	.5915	.5880	.5843
.0700	.5975	.5946	.5917	.5887	.5856	.5824	.5791	.5757	.5722	.5686	.5648
.0800	.5812	.5782	.5753	.5722	.5690	.5657	.5624	.5589	.5553	.5517	.5478
.0900	.5667	.5637	.5606	.5575	.5542	.5509	.5475	.5440	.5403	.5366	.5327
.1000	.5536	.5505	.5475	.5443	.5410	.5376	.5342	.5306	.5269	.5232	.5192

TABLE 51. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*  
*Güntelberg*  
 (Electrolyte,  $z_+z_- = 3$ )

Ionic strength	Temperature in degrees Celsius						38	40	45
	0	5	10	15	18	20			
.0001	.96669	.96667	.96664	.96662	.96660	.96559	.96557	.9649	.9648
.0002	.95337	.95334	.95331	.9527	.9525	.9520	.9516	.9509	.9503
.0003	.94338	.94334	.94330	.9426	.9423	.9421	.9417	.9407	.9397
.0004	.93555	.93551	.9346	.9342	.9339	.9337	.9331	.9320	.9308
.0005	.9284	.9279	.9274	.9268	.9265	.9263	.9257	.9245	.9232
.0006	.9219	.9214	.9209	.9203	.9199	.9197	.9191	.9184	.9173
.0007	.9161	.9155	.9150	.9143	.9140	.9137	.9130	.9123	.9112
.0008	.9107	.9101	.9095	.9089	.9085	.9082	.9075	.9067	.9055
.0009	.9057	.9051	.9044	.9038	.9033	.9030	.9023	.9015	.9007
.0010	.9010	.9004	.8997	.8990	.8985	.8982	.8974	.8966	.8953
.0020	.8645	.8636	.8627	.8618	.8612	.8608	.8597	.8587	.8575
.0030	.8381	.8370	.8360	.8349	.8342	.8337	.8325	.8312	.8299
.0040	.8168	.8156	.8144	.8132	.8124	.8119	.8105	.8091	.8077
.0050	.7987	.7975	.7962	.7948	.7940	.7934	.7920	.7904	.7888
.0060	.7830	.7816	.7803	.7788	.7779	.7773	.7758	.7741	.7724
.0070	.7689	.7675	.7661	.7645	.7636	.7629	.7613	.7596	.7578
.0080	.7562	.7547	.7532	.7516	.7507	.7500	.7483	.7465	.7446
.0090	.7445	.7430	.7414	.7398	.7388	.7381	.7363	.7345	.7325
.0100	.7338	.7322	.7306	.7289	.7279	.7271	.7253	.7234	.7214
.0200	.6556	.6537	.6517	.6497	.6485	.6476	.6454	.6431	.6407
.0300	.6044	.6024	.6003	.5980	.5967	.5957	.5933	.5908	.5882
.0400	.5663	.5641	.5619	.5596	.5582	.5571	.5546	.5520	.5493
.0500	.5359	.5337	.5314	.5290	.5276	.5265	.5239	.5212	.5184
.0600	.5108	.5085	.5062	.5037	.5022	.5011	.4985	.4957	.4929
.0700	.4894	.4871	.4847	.4822	.4807	.4796	.4769	.4741	.4712
.0800	.4708	.4685	.4661	.4636	.4621	.4609	.4582	.4554	.4525
.0900	.4545	.4521	.4497	.4472	.4456	.4445	.4418	.4390	.4360
.1000	.4399	.4375	.4351	.4326	.4310	.4299	.4272	.4243	.4214

TABLE 51. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9641	.9638	.9634	.9631	.9627	.9623	.9619	.9614	.9610	.9606	.9601
.0002	.9498	.9494	.9489	.9484	.9478	.9473	.9467	.9461	.9455	.9449	.9442
.0003	.9391	.9385	.9379	.9373	.9367	.9360	.9353	.9346	.9339	.9331	.9323
.0004	.9302	.9295	.9289	.9274	.9267	.9259	.9251	.9243	.9234	.9225	
.0005	.9225	.9217	.9210	.9202	.9194	.9186	.9177	.9168	.9159	.9149	.9139
.0006	.9155	.9148	.9139	.9131	.9122	.9113	.9104	.9094	.9084	.9074	.9063
.0007	.9093	.9084	.9075	.9066	.9057	.9048	.9038	.9027	.9017	.9006	.8994
.0008	.9035	.9026	.9017	.9007	.8997	.8987	.8976	.8965	.8954	.8942	.8930
.0009	.8981	.8971	.8962	.8952	.8941	.8931	.8920	.8908	.8896	.8884	.8871
.0010	.8930	.8920	.8910	.8900	.8889	.8878	.8866	.8854	.8842	.8829	.8815
.0020	.8539	.8525	.8512	.8498	.8484	.8469	.8453	.8437	.8421	.8404	.8386
.0030	.8256	.8241	.8225	.8209	.8192	.8174	.8156	.8138	.8118	.8099	.8078
.0040	.8029	.8012	.7994	.7976	.7957	.7938	.7918	.7897	.7876	.7854	.7831
.0050	.7837	.7818	.7799	.7780	.7760	.7739	.7717	.7695	.7672	.7648	.7623
.0060	.7670	.7650	.7630	.7609	.7587	.7565	.7542	.7518	.7494	.7469	.7442
.0070	.7521	.7500	.7479	.7457	.7434	.7411	.7387	.7362	.7336	.7310	.7282
.0080	.7386	.7364	.7342	.7319	.7296	.7272	.7247	.7220	.7194	.7166	.7137
.0090	.7263	.7240	.7218	.7194	.7170	.7144	.7119	.7091	.7064	.7035	.7005
.0100	.7150	.7126	.7103	.7078	.7053	.7027	.7001	.6973	.6944	.6915	.6884
.0200	.6320	.6302	.6274	.6245	.6215	.6184	.6152	.6119	.6085	.6051	.6014
.0300	.5799	.5768	.5738	.5707	.5674	.5641	.5607	.5571	.5534	.5497	.5458
.0400	.5405	.5374	.5342	.5309	.5275	.5240	.5204	.5167	.5129	.5090	.5049
.0500	.5094	.5061	.5028	.4994	.4960	.4924	.4887	.4849	.4810	.4771	.4729
.0600	.4837	.4804	.4770	.4736	.4700	.4664	.4627	.4588	.4549	.4509	.4466
.0700	.4619	.4586	.4552	.4517	.4481	.4445	.4407	.4368	.4328	.4288	.4245
.0800	.4431	.4397	.4363	.4328	.4292	.4255	.4217	.4178	.4138	.4097	.4055
.0900	.4266	.4232	.4198	.4162	.4126	.4089	.4051	.4012	.3972	.3931	.3888
.1000	.4119	.4085	.4051	.4015	.3979	.3942	.3904	.3865	.3825	.3784	.3741

TABLE 52. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended*  
*Günzberg*  
 (Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9561	.9558	.9555	.9552	.9550	.9548	.9545	.9541	.9537
.0002	.9388	.9383	.9379	.9375	.9372	.9370	.9365	.9360	.9354
.0003	.9257	.9252	.9247	.9242	.9238	.9236	.9230	.9224	.9217
.0004	.9150	.9144	.9138	.9132	.9128	.9125	.9119	.9112	.9104
.0005	.9056	.9050	.9043	.9037	.9032	.9029	.9022	.9014	.9006
.0006	.8973	.8966	.8959	.8952	.8947	.8944	.8936	.8927	.8919
.0007	.8897	.8890	.8882	.8875	.8870	.8866	.8858	.8849	.8839
.0008	.8828	.8820	.8812	.8804	.8799	.8795	.8786	.8776	.8766
.0009	.8763	.8755	.8747	.8738	.8732	.8728	.8719	.8709	.8699
.0010	.8703	.8694	.8685	.8676	.8671	.8666	.8656	.8646	.8635
.0020	.8236	.8224	.8213	.8201	.8193	.8188	.8175	.8161	.8147
.0030	.7902	.7889	.7875	.7861	.7853	.7846	.7831	.7815	.7799
.0040	.7635	.7621	.7606	.7590	.7581	.7574	.7557	.7540	.7521
.0050	.7411	.7395	.7380	.7363	.7353	.7345	.7327	.7308	.7289
.0060	.7216	.7200	.7183	.7166	.7155	.7147	.7128	.7108	.7087
.0070	.7044	.7027	.7009	.6991	.6980	.6971	.6952	.6931	.6909
.0080	.6889	.6871	.6853	.6834	.6822	.6814	.6793	.6771	.6749
.0090	.6748	.6730	.6711	.6691	.6679	.6670	.6649	.6627	.6603
.0100	.6618	.6599	.6580	.6560	.6548	.6538	.6517	.6494	.6470
.0200	.5695	.5673	.5651	.5627	.5613	.5602	.5577	.5551	.5523
.0300	.5111	.5087	.5064	.5039	.5024	.5012	.4986	.4958	.4929
.0400	.4685	.4661	.4637	.4611	.4596	.4584	.4557	.4528	.4498
.0500	.4353	.4329	.4305	.4278	.4263	.4251	.4223	.4194	.4164
.0600	.4083	.4059	.4034	.4008	.3992	.3980	.3953	.3923	.3893
.0700	.3857	.3832	.3808	.3781	.3766	.3754	.3726	.3697	.3667
.0800	.3663	.3639	.3614	.3588	.3572	.3561	.3533	.3504	.3474
.0900	.3494	.3470	.3446	.3419	.3404	.3392	.3365	.3336	.3306
.1000	.3345	.3322	.3297	.3271	.3256	.3244	.3217	.3188	.3159

TABLE 52. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9525	.9520	.9515	.9510	.9505	.9495	.9489	.9483	.9478
.0002	.9337	.9331	.9324	.9317	.9311	.9296	.9288	.9280	.9272
.0003	.9196	.9189	.9181	.9173	.9165	.9147	.9138	.9128	.9119
.0004	.9080	.9072	.9063	.9054	.9044	.9025	.9014	.9003	.8992
.0005	.8980	.8970	.8960	.8950	.8940	.8929	.8918	.8907	.8895
.0006	.8890	.8880	.8869	.8858	.8847	.8836	.8824	.8811	.8798
.0007	.8809	.8798	.8787	.8775	.8763	.8751	.8738	.8724	.8711
.0008	.8734	.8723	.8711	.8698	.8686	.8673	.8659	.8645	.8630
.0009	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8556
.0010	.8600	.8587	.8574	.8561	.8547	.8532	.8518	.8502	.8486
.0020	.8101	.8084	.8067	.8049	.8031	.8012	.7993	.7973	.7952
.0030	.7745	.7726	.7706	.7686	.7665	.7643	.7621	.7597	.7573
.0040	.7462	.7441	.7419	.7397	.7374	.7350	.7326	.7300	.7274
.0050	.7225	.7203	.7179	.7155	.7131	.7105	.7079	.7051	.7023
.0060	.7020	.6996	.6972	.6946	.6920	.6893	.6866	.6837	.6807
.0070	.6839	.6814	.6788	.6762	.6734	.6706	.6677	.6647	.6616
.0080	.6676	.6650	.6624	.6596	.6568	.6539	.6509	.6478	.6446
.0090	.6529	.6502	.6474	.6446	.6417	.6387	.6356	.6324	.6291
.0100	.6393	.6365	.6337	.6308	.6278	.6248	.6216	.6183	.6149
.0200	.5435	.5371	.5338	.5303	.5268	.5233	.5195	.5157	.5118
.0300	.4835	.4802	.4768	.4733	.4697	.4661	.4623	.4584	.4544
.0400	.4403	.4369	.4334	.4299	.4262	.4225	.4186	.4146	.4106
.0500	.4068	.4033	.3999	.3963	.3926	.3888	.3850	.3810	.3769
.0600	.3797	.3762	.3727	.3691	.3655	.3617	.3579	.3539	.3498
.0700	.3571	.3536	.3502	.3466	.3429	.3392	.3354	.3314	.3274
.0800	.3378	.3344	.3309	.3274	.3238	.3201	.3163	.3124	.3084
.0900	.3211	.3177	.3143	.3108	.3072	.3035	.2998	.2959	.2920
.1000	.3064	.3031	.2997	.2962	.2927	.2890	.2854	.2815	.2776

TABLE 53. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9349	.9345	.9340	.9335	.9332	.9330	.9325
.0002	.9096	.9090	.9083	.9077	.9073	.9070	.9063
.0003	.8907	.8900	.8892	.8884	.8880	.8876	.8868
.0004	.8752	.8744	.8735	.8726	.8721	.8717	.8707
.0005	.8618	.8609	.8600	.8590	.8584	.8580	.8569
.0006	.8500	.8490	.8480	.8469	.8463	.8458	.8447
.0007	.8392	.8382	.8371	.8360	.8353	.8348	.8336
.0008	.8294	.8283	.8272	.8260	.8253	.8248	.8235
.0009	.8203	.8192	.8180	.8168	.8160	.8155	.8141
.0010	.8119	.8107	.8094	.8081	.8074	.8068	.8054
.0020	.7474	.7459	.7443	.7426	.7417	.7409	.7391
.0030	.7024	.7006	.6989	.6970	.6959	.6950	.6930
.0040	.6671	.6652	.6633	.6613	.6601	.6591	.6570
.0050	.6380	.6360	.6339	.6318	.6305	.6295	.6272
.0060	.6130	.6109	.6088	.6066	.6052	.6042	.6018
.0070	.5912	.5890	.5868	.5845	.5831	.5821	.5796
.0080	.5718	.5696	.5673	.5649	.5635	.5624	.5599
.0090	.5543	.5521	.5497	.5473	.5458	.5448	.5422
.0100	.5384	.5361	.5338	.5313	.5298	.5287	.5261
.0200	.4298	.4273	.4248	.4221	.4205	.4193	.4165
.0300	.3653	.3629	.3603	.3577	.3561	.3549	.3520
.0400	.3207	.3183	.3158	.3131	.3116	.3104	.3076
.0500	.2872	.2848	.2824	.2798	.2783	.2772	.2745
.0600	.2609	.2586	.2562	.2537	.2522	.2511	.2485
.0700	.2395	.2372	.2350	.2325	.2311	.2300	.2275
.0800	.2217	.2195	.2173	.2149	.2135	.2125	.2100
.0900	.2065	.2044	.2022	.2000	.1986	.1976	.1952
.1000	.1935	.1914	.1893	.1871	.1858	.1848	.1825

TABLE 53. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+z_- = 6$ )

Ionic strength	Temperature in degrees Celsius							95	100
	50	55	60	65	70	75	80		
.0001	.9295	.9289	.9282	.9275	.9267	.9252	.9244	.9235	.9227
.0002	.9022	.9013	.9003	.8994	.8984	.8973	.8963	.8952	.8940
.0003	.8819	.8808	.8797	.8786	.8774	.8761	.8749	.8735	.8722
.0004	.8653	.8640	.8628	.8615	.8601	.8587	.8573	.8558	.8543
.0005	.8509	.8496	.8482	.8468	.8453	.8438	.8422	.8406	.8389
.0006	.8382	.8368	.8353	.8338	.8322	.8305	.8288	.8271	.8253
.0007	.8268	.8252	.8236	.8220	.8203	.8186	.8168	.8149	.8130
.0008	.8163	.8146	.8130	.8113	.8095	.8077	.8058	.8038	.8018
.0009	.8066	.8049	.8031	.8013	.7995	.7976	.7956	.7935	.7914
.0010	.7975	.7957	.7939	.7921	.7901	.7882	.7861	.7840	.7818
.0020	.7291	.7268	.7245	.7222	.7197	.7172	.7146	.7119	.7091
.0030	.6816	.6791	.6765	.6738	.6710	.6682	.6653	.6622	.6591
.0040	.6446	.6419	.6391	.6362	.6332	.6301	.6270	.6237	.6203
.0050	.6142	.6113	.6083	.6053	.6021	.5989	.5956	.5921	.5886
.0060	.5882	.5852	.5821	.5789	.5757	.5723	.5689	.5653	.5616
.0070	.5656	.5625	.5593	.5560	.5527	.5492	.5457	.5420	.5382
.0080	.5455	.5423	.5391	.5357	.5323	.5287	.5251	.5213	.5175
.0090	.5275	.5242	.5209	.5175	.5140	.5104	.5067	.5029	.4990
.0100	.5112	.5078	.5045	.5010	.4975	.4938	.4901	.4862	.4822
.0200	.4007	.3971	.3936	.3900	.3862	.3824	.3785	.3744	.3703
.0300	.3362	.3328	.3293	.3256	.3219	.3182	.3143	.3103	.3063
.0400	.2921	.2887	.2853	.2818	.2782	.2746	.2709	.2670	.2631
.0500	.2594	.2561	.2528	.2494	.2460	.2425	.2389	.2352	.2314
.0600	.2339	.2307	.2276	.2243	.2209	.2175	.2141	.2105	.2069
.0700	.2134	.2103	.2072	.2040	.2008	.1975	.1942	.1908	.1873
.0800	.1963	.1933	.1904	.1873	.1842	.1811	.1779	.1746	.1712
.0900	.1820	.1791	.1762	.1733	.1703	.1672	.1641	.1610	.1578
.1000	.1696	.1669	.1641	.1612	.1583	.1554	.1524	.1494	.1463

TABLE 54. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
*Güntelberg*  
 (Electrolyte,  $Z_{+}Z_{-} = 8$ )

Ionic strength	Temperature in degrees Celsius							38	40	45
	0	5	10	15	18	20	25			
.0001	.9142	.9136	.9130	.9124	.9120	.9117	.9110	.9096	.9088	.9080
.0002	.8813	.8805	.8797	.8788	.8773	.8770	.8760	.8750	.8744	.8729
.0003	.8570	.8561	.8551	.8541	.8535	.8530	.8519	.8508	.8496	.8484
.0004	.8372	.8361	.8350	.8339	.8332	.8327	.8315	.8302	.8289	.8280
.0005	.8202	.8190	.8178	.8166	.8158	.8153	.8139	.8125	.8111	.8102
.0006	.8051	.8039	.8026	.8013	.8005	.7999	.7985	.7970	.7954	.7944
.0007	.7916	.7903	.7890	.7876	.7867	.7861	.7846	.7830	.7813	.7803
.0008	.7793	.7779	.7765	.7750	.7741	.7735	.7719	.7702	.7685	.7674
.0009	.7679	.7665	.7650	.7635	.7626	.7619	.7602	.7585	.7566	.7555
.0010	.7574	.7559	.7544	.7528	.7518	.7511	.7493	.7475	.7457	.7445
.0020	.6783	.6764	.6745	.6725	.6713	.6704	.6683	.6661	.6637	.6623
.0030	.6243	.6223	.6202	.6180	.6166	.6156	.6133	.6108	.6082	.6066
.0040	.5829	.5807	.5785	.5761	.5747	.5736	.5711	.5685	.5657	.5640
.0050	.5492	.5469	.5446	.5421	.5406	.5395	.5369	.5341	.5313	.5295
.0060	.5208	.5184	.5160	.5134	.5119	.5108	.5081	.5052	.5023	.5005
.0070	.4962	.4938	.4913	.4887	.4872	.4860	.4832	.4803	.4773	.4755
.0080	.4746	.4721	.4696	.4670	.4654	.4643	.4615	.4585	.4555	.4536
.0090	.4553	.4529	.4503	.4477	.4461	.4449	.4421	.4391	.4360	.4339
.0100	.4380	.4355	.4330	.4303	.4287	.4275	.4247	.4217	.4186	.4167
.0200	.3243	.3218	.3193	.3166	.3150	.3139	.3110	.3081	.3051	.3032
.0300	.2612	.2588	.2564	.2539	.2524	.2513	.2486	.2458	.2429	.2411
.0400	.2195	.2173	.2150	.2126	.2112	.2102	.2077	.2050	.2024	.2007
.0500	.1895	.1874	.1853	.1830	.1817	.1807	.1784	.1759	.1734	.1719
.0600	.1667	.1647	.1627	.1606	.1594	.1584	.1562	.1539	.1516	.1501
.0700	.1487	.1469	.1450	.1430	.1418	.1409	.1389	.1367	.1345	.1331
.0800	.1342	.1324	.1306	.1287	.1276	.1268	.1248	.1228	.1207	.1194
.0900	.1221	.1204	.1187	.1169	.1159	.1151	.1132	.1113	.1093	.1081
.1000	.1119	.1103	.1087	.1070	.1060	.1053	.1035	.1017	.0998	.0979

TABLE 54. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_{+}z_{-} = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9072	.9063	.9054	.9045	.9035	.9025	.9015	.9005	.8994
.0002	.8718	.8706	.8694	.8681	.8669	.8655	.8642	.8627	.8612
.0003	.8457	.8443	.8429	.8414	.8399	.8384	.8367	.8350	.8333
.0004	.8245	.8229	.8214	.8197	.8180	.8162	.8144	.8125	.8106
.0005	.8064	.8046	.8029	.8011	.7992	.7973	.7953	.7933	.7912
.0006	.7903	.7885	.7867	.7847	.7827	.7807	.7786	.7764	.7741
.0007	.7760	.7740	.7721	.7700	.7679	.7657	.7635	.7612	.7588
.0008	.7629	.7608	.7588	.7566	.7544	.7521	.7498	.7474	.7448
.0009	.7508	.7487	.7465	.7443	.7420	.7396	.7372	.7347	.7320
.0010	.7396	.7374	.7352	.7329	.7305	.7280	.7255	.7229	.7202
.0020	.6562	.6535	.6508	.6479	.6450	.6420	.6389	.6357	.6323
.0030	.5999	.5969	.5938	.5907	.5875	.5842	.5808	.5772	.5736
.0040	.5569	.5537	.5505	.5472	.5437	.5402	.5366	.5329	.5290
.0050	.5221	.5188	.5154	.5120	.5084	.5048	.5011	.4972	.4932
.0060	.4929	.4895	.4860	.4825	.4789	.4752	.4714	.4674	.4633
.0070	.4677	.4643	.4608	.4572	.4535	.4498	.4459	.4419	.4377
.0080	.4457	.4422	.4387	.4351	.4314	.4276	.4237	.4196	.4155
.0090	.4262	.4227	.4192	.4155	.4118	.4079	.4040	.3999	.3957
.0100	.4087	.4052	.4016	.3980	.3942	.3903	.3864	.3823	.3781
.0200	.2954	.2919	.2885	.2849	.2813	.2776	.2738	.2699	.2659
.0300	.2338	.2306	.2274	.2240	.2207	.2172	.2137	.2101	.2065
.0400	.1939	.1908	.1879	.1848	.1816	.1785	.1752	.1719	.1686
.0500	.1655	.1627	.1599	.1570	.1541	.1512	.1482	.1451	.1421
.0600	.1441	.1415	.1389	.1363	.1336	.1308	.1281	.1252	.1224
.0700	.1275	.1250	.1226	.1201	.1176	.1150	.1125	.1098	.1072
.0800	.1141	.1118	.1095	.1072	.1048	.1024	.1000	.0976	.0951
.0900	.1031	.1009	.988	.966	.944	.921	.099	.0876	.0852
.1000	.0939	.0919	.0898	.0878	.0857	.0835	.0814	.0793	.0771

TABLE 55. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9040	.9033	.9027	.9020	.9016	.9012	.9005	.8997	.8984
.0002	.8675	.8666	.8657	.8648	.8642	.8638	.8627	.8617	.8606
.0003	.8406	.8396	.8385	.8374	.8368	.8363	.8350	.8338	.8325
.0004	.8188	.8176	.8164	.8152	.8144	.8139	.8125	.8111	.8096
.0005	.8001	.7988	.7975	.7962	.7953	.7947	.7933	.7917	.7891
.0006	.7836	.7823	.7809	.7794	.7786	.7779	.7763	.7747	.7730
.0007	.7688	.7674	.7660	.7644	.7635	.7628	.7611	.7594	.7576
.0008	.7554	.7539	.7524	.7507	.7498	.7490	.7473	.7455	.7436
.0009	.7430	.7414	.7398	.7382	.7371	.7364	.7346	.7327	.7307
.0010	.7315	.7299	.7282	.7265	.7254	.7247	.7228	.7208	.7188
.0020	.6461	.6442	.6421	.6400	.6387	.6378	.6355	.6331	.6306
.0030	.5886	.5865	.5842	.5819	.5805	.5794	.5769	.5743	.5715
.0040	.5449	.5426	.5402	.5377	.5363	.5351	.5325	.5297	.5268
.0050	.5096	.5072	.5047	.5022	.5006	.4995	.4967	.4939	.4909
.0060	.4800	.4775	.4750	.4724	.4708	.4696	.4668	.4639	.4609
.0070	.4546	.4521	.4495	.4469	.4453	.4441	.4413	.4383	.4352
.0080	.4324	.4299	.4273	.4246	.4230	.4218	.4189	.4159	.4128
.0090	.4127	.4102	.4076	.4049	.4033	.4021	.3992	.3962	.3931
.0100	.3951	.3926	.3900	.3873	.3856	.3844	.3815	.3785	.3754
.0200	.2817	.2793	.2768	.2742	.2727	.2715	.2688	.2659	.2630
.0300	.2208	.2186	.2163	.2139	.2125	.2114	.2089	.2062	.2035
.0400	.1816	.1795	.1774	.1752	.1739	.1729	.1706	.1682	.1657
.0500	.1539	.1520	.1501	.1480	.1468	.1459	.1438	.1416	.1393
.0600	.1333	.1315	.1297	.1278	.1267	.1259	.1239	.1218	.1197
.0700	.1172	.1156	.1139	.1121	.1111	.1103	.1085	.1066	.1046
.0800	.1044	.1028	.1013	.0996	.0987	.0979	.0962	.0945	.0926
.0900	.0939	.0924	.0910	.0894	.0885	.0878	.0862	.0846	.0829
.1000	.0851	.0838	.0824	.0809	.0801	.0794	.0779	.0764	.0748

TABLE 55. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8962	.8952	.8942	.8932	.8921	.8910	.8899	.8887	.8875
.0002	.8569	.8556	.8543	.8529	.8515	.8500	.8485	.8469	.8453
.0003	.8282	.8267	.8251	.8235	.8218	.8201	.8183	.8164	.8145
.0004	.8049	.8031	.8014	.7996	.7977	.7958	.7938	.7917	.7896
.0005	.7849	.7831	.7812	.7792	.7772	.7751	.7729	.7706	.7683
.0006	.7674	.7654	.7634	.7613	.7591	.7569	.7546	.7522	.7497
.0007	.7517	.7496	.7475	.7453	.7430	.7406	.7382	.7356	.7330
.0008	.7375	.7353	.7330	.7307	.7283	.7258	.7233	.7206	.7179
.0009	.7244	.7221	.7197	.7173	.7148	.7123	.7096	.7069	.7040
.0010	.7122	.7098	.7074	.7049	.7024	.6997	.6970	.6941	.6912
.0020	.6225	.6197	.6167	.6137	.6106	.6074	.6041	.6007	.5971
.0030	.5627	.5596	.5564	.5531	.5497	.5462	.5426	.5389	.5351
.0040	.5176	.5143	.5109	.5074	.5039	.5002	.4965	.4926	.4886
.0050	.4813	.4779	.4745	.4709	.4672	.4635	.4596	.4556	.4515
.0060	.4511	.4476	.4441	.4405	.4368	.4330	.4291	.4250	.4209
.0070	.4253	.4218	.4183	.4146	.4108	.4070	.4031	.3990	.3948
.0080	.4029	.3994	.3958	.3921	.3883	.3845	.3805	.3764	.3723
.0090	.3831	.3796	.3760	.3723	.3685	.3647	.3607	.3566	.3524
.0100	.3655	.3619	.3583	.3547	.3509	.3470	.3431	.3390	.3349
.0200	.2536	.2503	.2469	.2435	.2400	.2365	.2329	.2291	.2253
.0300	.1950	.1919	.1889	.1858	.1827	.1795	.1762	.1729	.1695
.0400	.1579	.1552	.1524	.1496	.1468	.1439	.1410	.1380	.1349
.0500	.1321	.1296	.1271	.1246	.1220	.1194	.1167	.1140	.1113
.0600	.1131	.1108	.1086	.1062	.1038	.1015	.9991	.9666	.941
.0700	.0985	.0964	.0943	.0922	.0900	.0878	.0856	.0833	.0811
.0800	.0870	.0850	.0831	.0811	.0791	.0770	.0750	.0729	.0709
.0900	.0776	.0758	.0740	.0721	.0703	.0684	.0665	.0646	.0627
.1000	.0699	.0682	.0665	.0647	.0630	.0613	.0595	.0577	.0559

TABLE 56. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
Güntelberg*  
(Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8741	.8733	.8724	.8715	.8709	.8705	.8696	.8685	.8675
.0002	.8273	.8262	.8251	.8239	.8231	.8226	.8213	.8200	.8185
.0003	.7934	.7921	.7907	.7893	.7885	.7879	.7863	.7848	.7831
.0004	.7660	.7645	.7631	.7615	.7606	.7599	.7582	.7564	.7546
.0005	.7428	.7412	.7396	.7379	.7369	.7361	.7343	.7324	.7305
.0006	.7225	.7208	.7191	.7173	.7162	.7154	.7135	.7115	.7094
.0007	.7043	.7026	.7008	.6989	.6978	.6970	.6949	.6928	.6906
.0008	.6879	.6861	.6843	.6823	.6811	.6803	.6782	.6760	.6737
.0009	.6729	.6711	.6691	.6671	.6659	.6650	.6628	.6605	.6582
.0010	.6591	.6572	.6552	.6531	.6518	.6509	.6487	.6463	.6439
.0020	.5586	.5563	.5540	.5515	.5500	.5490	.5463	.5436	.5407
.0030	.4933	.4909	.4884	.4858	.4842	.4830	.4803	.4773	.4743
.0040	.4451	.4426	.4400	.4373	.4357	.4345	.4316	.4286	.4255
.0050	.4070	.4045	.4019	.3991	.3975	.3963	.3934	.3904	.3872
.0060	.3758	.3732	.3706	.3679	.3663	.3651	.3622	.3591	.3560
.0070	.3495	.3470	.3444	.3417	.3400	.3388	.3359	.3329	.3298
.0080	.3269	.3244	.3218	.3191	.3175	.3163	.3135	.3105	.3074
.0090	.3073	.3048	.3022	.2995	.2979	.2968	.2939	.2910	.2879
.0100	.2899	.2874	.2849	.2823	.2807	.2795	.2767	.2738	.2708
.0200	.1847	.1826	.1804	.1782	.1768	.1758	.1735	.1710	.1685
.0300	.1335	.1317	.1298	.1279	.1268	.1259	.1239	.1219	.1197
.0400	.1028	.1013	.0997	.0981	.0971	.0963	.0946	.0928	.0910
.0500	.0825	.0811	.0798	.0783	.0775	.0768	.0753	.0738	.0722
.0600	.0681	.0669	.0656	.0644	.0636	.0631	.0618	.0604	.0590
.0700	.0574	.0563	.0552	.0541	.0534	.0529	.0517	.0505	.0493
.0800	.0491	.0482	.0472	.0462	.0456	.0451	.0441	.0430	.0419
.0900	.0427	.0418	.0409	.0400	.0394	.0390	.0381	.0371	.0361
.1000	.0374	.0366	.0358	.0350	.0345	.0342	.0333	.0324	.0315

TABLE 56. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8640	.8628	.8615	.8602	.8588	.8574	.8560	.8545	.8529
.0002	.8140	.8123	.8106	.8089	.8071	.8052	.8033	.8013	.7993
.0003	.7778	.7758	.7739	.7719	.7698	.7676	.7654	.7631	.7607
.0004	.7487	.7466	.7444	.7421	.7398	.7374	.7350	.7324	.7298
.0005	.7241	.7218	.7194	.7170	.7145	.7120	.7093	.7065	.7037
.0006	.7026	.7002	.6977	.6951	.6925	.6898	.6870	.6841	.6810
.0007	.6835	.6810	.6784	.6757	.6729	.6701	.6671	.6641	.6609
.0008	.6663	.6636	.6609	.6581	.6553	.6523	.6493	.6461	.6428
.0009	.6505	.6478	.6450	.6421	.6392	.6361	.6330	.6297	.6263
.0010	.6360	.6332	.6303	.6274	.6243	.6212	.6180	.6146	.6112
.0020	.5316	.5283	.5250	.5215	.5180	.5144	.5107	.5068	.5028
.0030	.4646	.4611	.4576	.4540	.4503	.4465	.4426	.4385	.4344
.0040	.4156	.4120	.4084	.4047	.4010	.3971	.3931	.3890	.3848
.0050	.3772	.3736	.3700	.3663	.3625	.3587	.3547	.3506	.3464
.0060	.3460	.3424	.3389	.3352	.3314	.3275	.3236	.3195	.3154
.0070	.3199	.3164	.3128	.3092	.3054	.3016	.2977	.2937	.2896
.0080	.2976	.2941	.2906	.2870	.2833	.2796	.2758	.2718	.2678
.0090	.2783	.2748	.2714	.2678	.2642	.2605	.2568	.2529	.2490
.0100	.2613	.2579	.2545	.2510	.2475	.2439	.2402	.2364	.2325
.0200	.1605	.1577	.1549	.1521	.1492	.1462	.1433	.1402	.1371
.0300	.1131	.1107	.1084	.1060	.1037	.1012	.988	.963	.938
.0400	.0854	.0834	.0814	.0794	.0774	.0754	.0734	.0713	.0692
.0500	.0673	.0656	.0639	.0622	.0605	.0588	.0571	.0553	.0535
.0600	.0547	.0532	.0518	.0503	.0488	.0473	.0458	.0443	.0428
.0700	.0455	.0442	.0429	.0416	.0403	.0390	.0377	.0364	.0351
.0800	.0385	.0374	.0362	.0351	.0339	.0328	.0316	.0305	.0293
.0900	.0331	.0321	.0300	.0290	.0280	.0269	.0259	.0249	.0239
.1000	.0288	.0278	.0269	.0260	.0251	.0241	.0232	.0223	.0214

TABLE 57. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
*Güntelberg*  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8357	.8347	.8336	.8324	.8317	.8312	.8300	.8287	.8273
.0002	.7767	.7753	.7738	.7723	.7714	.7708	.7691	.7675	.7657
.0003	.7345	.7329	.7312	.7295	.7284	.7277	.7258	.7239	.7218
.0004	.7009	.6991	.6973	.6954	.6942	.6934	.6914	.6892	.6870
.0005	.6727	.6708	.6689	.6668	.6656	.6647	.6625	.6602	.6579
.0006	.6483	.6463	.6442	.6421	.6408	.6399	.6376	.6352	.6327
.0007	.6267	.6246	.6225	.6203	.6189	.6179	.6156	.6131	.6105
.0008	.6073	.6052	.6030	.6007	.5993	.5983	.5958	.5932	.5906
.0009	.5897	.5875	.5853	.5829	.5815	.5804	.5779	.5753	.5725
.0010	.5736	.5714	.5691	.5666	.5652	.5641	.5615	.5588	.5560
.0020	.4600	.4575	.4550	.4523	.4507	.4495	.4466	.4436	.4405
.0030	.3898	.3872	.3846	.3819	.3802	.3790	.3761	.3731	.3699
.0040	.3398	.3373	.3347	.3319	.3303	.3291	.3262	.3232	.3200
.0050	.3016	.2991	.2966	.2939	.2923	.2911	.2882	.2853	.2822
.0060	.2712	.2687	.2662	.2636	.2621	.2609	.2581	.2553	.2523
.0070	.2462	.2438	.2414	.2388	.2373	.2362	.2335	.2307	.2279
.0080	.2252	.2229	.2206	.2181	.2166	.2155	.2129	.2102	.2075
.0090	.2073	.2051	.2028	.2004	.1990	.1979	.1954	.1928	.1901
.0100	.1919	.1897	.1875	.1852	.1838	.1828	.1803	.1778	.1752
.0200	.1052	.1036	.1020	.1003	.0993	.0985	.0967	.0949	.0931
.0300	.0682	.0670	.0657	.0645	.0637	.0631	.0618	.0604	.0590
.0400	.0482	.0472	.0462	.0452	.0446	.0442	.0431	.0420	.0409
.0500	.0359	.0351	.0343	.0335	.0330	.0327	.0318	.0309	.0301
.0600	.0278	.0271	.0265	.0258	.0254	.0251	.0244	.0237	.0230
.0700	.0221	.0216	.0210	.0204	.0201	.0199	.0193	.0187	.0181
.0800	.0180	.0175	.0171	.0166	.0163	.0161	.0156	.0151	.0146
.0900	.0149	.0145	.0141	.0137	.0134	.0132	.0128	.0124	.0119
.1000	.0125	.0122	.0118	.0115	.0112	.0107	.0103	.0100	.0097

TABLE 57. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Güntelberg—Continued  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8229	.8214	.8198	.8181	.8164	.8146	.8127	.8108	.8088	.8068	.8047
.0002	.7600	.7579	.7558	.7537	.7514	.7491	.7468	.7443	.7417	.7391	.7364
.0003	.7153	.7129	.7105	.7080	.7055	.7028	.7001	.6973	.6944	.6914	.6882
.0004	.6798	.6772	.6746	.6719	.6691	.6662	.6633	.6602	.6570	.6538	.6503
.0005	.6502	.6474	.6447	.6418	.6388	.6357	.6326	.6293	.6259	.6225	.6188
.0006	.6246	.6218	.6188	.6158	.6127	.6095	.6062	.6027	.5992	.5956	.5918
.0007	.6021	.5991	.5961	.5929	.5897	.5864	.5829	.5794	.5757	.5720	.5681
.0008	.5819	.5789	.5757	.5725	.5691	.5657	.5622	.5585	.5548	.5509	.5469
.0009	.5637	.5605	.5573	.5540	.5506	.5471	.5435	.5397	.5359	.5320	.5278
.0010	.5470	.5438	.5405	.5371	.5336	.5300	.5264	.5225	.5186	.5146	.5105
.0020	.4206	.4271	.4235	.4198	.4160	.4121	.4082	.4041	.3999	.3956	.3911
.0030	.3598	.3563	.3526	.3489	.3451	.3412	.3373	.3332	.3290	.3247	.3203
.0040	.3101	.3066	.3030	.2994	.2957	.2919	.2880	.2840	.2799	.2758	.2714
.0050	.2726	.2691	.2657	.2621	.2585	.2548	.2511	.2472	.2433	.2393	.2351
.0060	.2429	.2396	.2362	.2328	.2293	.2258	.2222	.2185	.2147	.2109	.2069
.0070	.2188	.2156	.2123	.2090	.2057	.2023	.1988	.1952	.1916	.1880	.1842
.0080	.1987	.1956	.1925	.1893	.1861	.1828	.1795	.1761	.1726	.1691	.1655
.0090	.1817	.1787	.1757	.1726	.1695	.1664	.1632	.1599	.1566	.1533	.1498
.0100	.1670	.1642	.1613	.1584	.1554	.1524	.1493	.1462	.1430	.1398	.1365
.0200	.0872	.0852	.0832	.0812	.0791	.0770	.0750	.0728	.0707	.0686	.0664
.0300	.0547	.0532	.0517	.0502	.0487	.0472	.0457	.0441	.0426	.0411	.0396
.0400	.0376	.0364	.0353	.0341	.0330	.0319	.0307	.0296	.0284	.0273	.0261
.0500	.0274	.0265	.0256	.0247	.0238	.0229	.0220	.0211	.0202	.0193	.0184
.0600	.0208	.0200	.0193	.0186	.0178	.0171	.0164	.0157	.0150	.0143	.0136
.0700	.0163	.0156	.0150	.0144	.0138	.0132	.0127	.0121	.0115	.0109	.0104
.0800	.0130	.0125	.0120	.0115	.0110	.0105	.0100	.0095	.0090	.0086	.0081
.0900	.0106	.0102	.0098	.0093	.0089	.0081	.0077	.0073	.0069	.0065	.0056
.1000	.0088	.0084	.0081	.0077	.0073	.0070	.0066	.0063	.0059	.0056	.0053

TABLE 58. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies  
(Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9886	.9885	.9884	.9883	.9882	.9881
.0002	.9844	.9843	.9842	.9840	.9839	.9838	.9836	.9835	.9834
.0003	.9810	.9808	.9807	.9805	.9804	.9802	.9800	.9798	.9797
.0004	.9781	.9780	.9778	.9776	.9775	.9773	.9771	.9768	.9767
.0005	.9756	.9755	.9753	.9751	.9750	.9749	.9747	.9745	.9742
.0006	.9734	.9732	.9730	.9728	.9727	.9726	.9724	.9721	.9719
.0007	.9714	.9712	.9710	.9708	.9706	.9705	.9703	.9700	.9697
.0008	.9695	.9693	.9691	.9688	.9687	.9686	.9683	.9680	.9677
.0009	.9678	.9675	.9673	.9670	.9669	.9668	.9665	.9662	.9659
.0010	.9661	.9659	.9656	.9654	.9652	.9651	.9648	.9645	.9641
.0020	.9531	.9528	.9524	.9521	.9518	.9517	.9513	.9508	.9504
.0030	.9435	.9431	.9427	.9423	.9420	.9418	.9413	.9408	.9403
.0040	.9357	.9353	.9348	.9343	.9340	.9338	.9332	.9326	.9320
.0050	.9290	.9285	.9280	.9275	.9271	.9269	.9262	.9256	.9249
.0060	.9231	.9225	.9220	.9214	.9210	.9208	.9201	.9194	.9187
.0070	.9177	.9172	.9166	.9160	.9156	.9153	.9146	.9138	.9130
.0080	.9129	.9123	.9117	.9110	.9106	.9103	.9095	.9088	.9079
.0090	.9084	.9078	.9071	.9064	.9060	.9057	.9049	.9041	.9032
.0100	.9042	.9036	.9029	.9022	.9017	.9014	.9006	.8997	.8988
.0200	.8730	.8722	.8713	.8704	.8698	.8693	.8683	.8672	.8660
.0300	.8518	.8508	.8498	.8487	.8480	.8475	.8463	.8451	.8437
.0400	.8355	.8345	.8333	.8322	.8314	.8309	.8295	.8281	.8266
.0500	.8223	.8212	.8200	.8187	.8179	.8173	.8159	.8144	.8128
.0600	.8112	.8100	.8087	.8074	.8065	.8059	.8044	.8028	.8011
.0700	.8017	.8004	.7991	.7977	.7968	.7961	.7946	.7929	.7911
.0800	.7933	.7920	.7906	.7892	.7882	.7876	.7859	.7842	.7824
.0900	.7859	.7845	.7831	.7816	.7807	.7800	.7783	.7765	.7746
.1000	.7793	.7779	.7764	.7749	.7732	.7715	.7697	.7677	.7657

TABLE 58. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Davies—Continued  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9878	.9877	.9876	.9874	.9873	.9871	.9870	.9868	.9866	.9864	.9862
.0002	.9829	.9828	.9826	.9824	.9822	.9819	.9817	.9815	.9812	.9810	.9807
.0003	.9792	.9790	.9788	.9785	.9783	.9780	.9777	.9774	.9771	.9768	.9765
.0004	.9761	.9759	.9756	.9753	.9750	.9747	.9744	.9741	.9737	.9734	.9730
.0005	.9734	.9731	.9728	.9725	.9722	.9719	.9715	.9711	.9708	.9704	.9699
.0006	.9710	.9707	.9703	.9700	.9697	.9693	.9689	.9685	.9681	.9677	.9672
.0007	.9688	.9684	.9681	.9677	.9673	.9669	.9665	.9661	.9657	.9652	.9647
.0008	.9667	.9664	.9660	.9656	.9652	.9648	.9643	.9639	.9634	.9629	.9624
.0009	.9648	.9644	.9640	.9636	.9632	.9628	.9623	.9618	.9613	.9608	.9602
.0010	.9630	.9626	.9622	.9618	.9613	.9609	.9604	.9599	.9593	.9588	.9582
.0020	.9489	.9483	.9478	.9472	.9466	.9459	.9452	.9445	.9438	.9431	.9423
.0030	.9385	.9378	.9371	.9364	.9357	.9349	.9341	.9333	.9324	.9315	.9306
.0040	.9300	.9292	.9284	.9276	.9268	.9259	.9250	.9241	.9231	.9221	.9210
.0050	.9227	.9218	.9210	.9201	.9192	.9182	.9173	.9162	.9151	.9140	.9129
.0060	.9162	.9153	.9144	.9135	.9125	.9115	.9104	.9093	.9081	.9069	.9057
.0070	.9105	.9095	.9085	.9075	.9065	.9054	.9042	.9030	.9018	.9006	.8992
.0080	.9052	.9042	.9032	.9021	.9010	.8998	.8986	.8974	.8961	.8947	.8933
.0090	.9003	.8993	.8982	.8971	.8959	.8947	.8934	.8921	.8908	.8894	.8879
.0100	.8958	.8947	.8936	.8924	.8912	.8900	.8886	.8873	.8858	.8844	.8828
.0200	.8621	.8607	.8592	.8577	.8562	.8545	.8528	.8510	.8492	.8473	.8453
.0300	.8392	.8376	.8359	.8342	.8324	.8305	.8286	.8265	.8244	.8223	.8199
.0400	.8217	.8199	.8181	.8162	.8142	.8122	.8100	.8078	.8055	.8031	.8006
.0500	.8075	.8056	.8037	.8016	.7995	.7973	.7950	.7926	.7897	.7850	.7800
.0600	.7956	.7936	.7915	.7894	.7872	.7848	.7824	.7799	.7773	.7747	.7719
.0700	.7854	.7833	.7811	.7789	.7766	.7741	.7716	.7690	.7663	.7636	.7606
.0800	.7764	.7743	.7720	.7697	.7673	.7648	.7622	.7595	.7567	.7539	.7508
.0900	.7685	.7663	.7640	.7616	.7591	.7565	.7539	.7511	.7482	.7453	.7421
.1000	.7614	.7591	.7568	.7543	.7518	.7491	.7464	.7435	.7406	.7376	.7344

TABLE 59. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9777	.9775	.9774	.9773	.9772	.9770	.9768	.9766
.0002	.9690	.9688	.9686	.9683	.9682	.9680	.9678	.9675	.9672
.0003	.9623	.9620	.9618	.9615	.9613	.9611	.9608	.9605	.9601
.0004	.9567	.9564	.9561	.9558	.9556	.9554	.9550	.9546	.9542
.0005	.9519	.9516	.9512	.9508	.9506	.9504	.9500	.9496	.9491
.0006	.9475	.9472	.9468	.9464	.9461	.9460	.9455	.9450	.9445
.0007	.9436	.9432	.9428	.9424	.9421	.9419	.9414	.9409	.9403
.0008	.9399	.9395	.9391	.9386	.9383	.9381	.9376	.9371	.9365
.0009	.9365	.9361	.9356	.9352	.9348	.9346	.9341	.9335	.9329
.0010	.9334	.9329	.9324	.9319	.9316	.9313	.9308	.9302	.9295
.0020	.9084	.9078	.9071	.9065	.9060	.9057	.9049	.9041	.9032
.0030	.8903	.8895	.8887	.8879	.8874	.8870	.8861	.8851	.8841
.0040	.8755	.8747	.8738	.8729	.8723	.8719	.8709	.8698	.8686
.0050	.8630	.8621	.8612	.8602	.8595	.8591	.8579	.8567	.8555
.0060	.8521	.8511	.8501	.8490	.8483	.8478	.8466	.8453	.8439
.0070	.8422	.8412	.8401	.8390	.8383	.8377	.8364	.8351	.8336
.0080	.8333	.8323	.8311	.8299	.8291	.8286	.8272	.8258	.8243
.0090	.8252	.8240	.8229	.8216	.8208	.8202	.8188	.8173	.8157
.0100	.8176	.8164	.8152	.8139	.8131	.8125	.8110	.8095	.8078
.0200	.7622	.7607	.7592	.7575	.7565	.7557	.7539	.7520	.7499
.0300	.7256	.7239	.7222	.7204	.7192	.7183	.7163	.7141	.7118
.0400	.6981	.6963	.6945	.6925	.6912	.6903	.6881	.6858	.6833
.0500	.6762	.6743	.6724	.6703	.6689	.6680	.6657	.6632	.6606
.0600	.6581	.6561	.6541	.6519	.6505	.6495	.6471	.6446	.6418
.0700	.6427	.6406	.6385	.6363	.6348	.6338	.6313	.6287	.6259
.0800	.6293	.6273	.6251	.6228	.6213	.6203	.6177	.6150	.6121
.0900	.6176	.6155	.6133	.6109	.6094	.6084	.6058	.6030	.6001
.1000	.6072	.6051	.6028	.6004	.5989	.5978	.5952	.5924	.5894

TABLE 59. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —  
 Davies — Continued  
 (Electrolyte,  $z_{+}z_{-} = 2$ )

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	
.0001	.9758	.9756	.9753	.9750	.9747	.9744	.9741	.9738	.9731	.9727
.0002	.9662	.9658	.9654	.9650	.9646	.9642	.9637	.9633	.9628	.9618
.0003	.9589	.9584	.9580	.9575	.9570	.9565	.9559	.9554	.9548	.9542
.0004	.9528	.9523	.9518	.9512	.9507	.9501	.9495	.9488	.9481	.9475
.0005	.9475	.9470	.9464	.9458	.9452	.9445	.9438	.9431	.9424	.9416
.0006	.9428	.9422	.9416	.9409	.9402	.9395	.9388	.9380	.9372	.9364
.0007	.9385	.9379	.9372	.9365	.9358	.9350	.9342	.9333	.9325	.9316
.0008	.9346	.9339	.9331	.9324	.9316	.9308	.9299	.9291	.9281	.9272
.0009	.9309	.9301	.9294	.9286	.9278	.9269	.9260	.9251	.9241	.9221
.0010	.9274	.9266	.9258	.9250	.9241	.9232	.9223	.9213	.9203	.9193
.0020	.9004	.8993	.8982	.8971	.8960	.8947	.8935	.8922	.8908	.8894
.0030	.8807	.8795	.8782	.8769	.8755	.8741	.8726	.8710	.8694	.8678
.0040	.8648	.8634	.8620	.8605	.8590	.8574	.8557	.8539	.8521	.8503
.0050	.8513	.8498	.8482	.8466	.8449	.8432	.8414	.8394	.8375	.8355
.0060	.8395	.8379	.8362	.8345	.8327	.8308	.8288	.8268	.8247	.8225
.0070	.8289	.8272	.8254	.8236	.8217	.8197	.8176	.8155	.8133	.8110
.0080	.8194	.8175	.8157	.8138	.8118	.8097	.8075	.8052	.8029	.8005
.0090	.8106	.8087	.8068	.8048	.8027	.8005	.7982	.7959	.7935	.7910
.0100	.8025	.8005	.7985	.7964	.7943	.7920	.7897	.7872	.7847	.7822
.0200	.7432	.7408	.7383	.7357	.7330	.7302	.7273	.7242	.7211	.7180
.0300	.7043	.7016	.6988	.6959	.6929	.6897	.6865	.6831	.6796	.6761
.0400	.6753	.6723	.6693	.6662	.6630	.6596	.6561	.6525	.6488	.6450
.0500	.6521	.6490	.6459	.6426	.6392	.6357	.6321	.6282	.6244	.6204
.0600	.6330	.6298	.6265	.6231	.6197	.6160	.6122	.6083	.6042	.6001
.0700	.6168	.6135	.6102	.6067	.6031	.5993	.5954	.5914	.5872	.5830
.0800	.6029	.5995	.5960	.5925	.5888	.5849	.5810	.5768	.5726	.5683
.0900	.5906	.5872	.5837	.5800	.5763	.5723	.5683	.5641	.5598	.5554
.1000	.5798	.5763	.5727	.5690	.5652	.5612	.5571	.5529	.5485	.5441

TABLE 60. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*  
(Electrolyte,  $Z_{+}Z_{-} = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9670	.9668	.9665	.9663	.9661	.9660	.9657	.9654	.9649
.0002	.9539	.9535	.9528	.9526	.9525	.9520	.9516	.9512	.9509
.0003	.9440	.9436	.9428	.9425	.9423	.9418	.9413	.9407	.9404
.0004	.9358	.9354	.9344	.9341	.9339	.9333	.9327	.9321	.9317
.0005	.9287	.9282	.9277	.9272	.9268	.9266	.9259	.9253	.9246
.0006	.9224	.9218	.9213	.9207	.9203	.9200	.9194	.9187	.9179
.0007	.9166	.9160	.9154	.9148	.9144	.9141	.9134	.9126	.9118
.0008	.9113	.9107	.9100	.9094	.9089	.9086	.9079	.9071	.9062
.0009	.9063	.9057	.9050	.9043	.9039	.9036	.9028	.9019	.9010
.0010	.9017	.9011	.9003	.8996	.8991	.8988	.8980	.8971	.8962
.0020	.8658	.8649	.8640	.8630	.8624	.8619	.8608	.8597	.8584
.0030	.8400	.8389	.8378	.8367	.8359	.8354	.8341	.8327	.8313
.0040	.8193	.8181	.8169	.8156	.8147	.8142	.8127	.8112	.8095
.0050	.8017	.8005	.7992	.7978	.7969	.7962	.7946	.7930	.7912
.0060	.7865	.7852	.7837	.7823	.7813	.7806	.7789	.7772	.7753
.0070	.7730	.7715	.7700	.7685	.7675	.7667	.7650	.7631	.7611
.0080	.7607	.7593	.7577	.7560	.7550	.7542	.7524	.7505	.7484
.0090	.7496	.7480	.7464	.7447	.7436	.7428	.7409	.7389	.7368
.0100	.7393	.7377	.7360	.7343	.7332	.7323	.7304	.7283	.7261
.0200	.6654	.6635	.6615	.6593	.6580	.6570	.6546	.6521	.6494
.0300	.6181	.6160	.6137	.6114	.6099	.6088	.6062	.6035	.6005
.0400	.5833	.5811	.5787	.5763	.5747	.5736	.5708	.5679	.5648
.0500	.5561	.5538	.5513	.5488	.5471	.5459	.5431	.5401	.5369
.0600	.5338	.5315	.5290	.5263	.5247	.5235	.5205	.5175	.5142
.0700	.5152	.5128	.5102	.5075	.5058	.5046	.5016	.4985	.4952
.0800	.4992	.4968	.4942	.4915	.4897	.4885	.4855	.4823	.4789
.0900	.4854	.4829	.4803	.4775	.4758	.4745	.4715	.4683	.4649
.1000	.4732	.4707	.4680	.4653	.4635	.4622	.4592	.4559	.4504

TABLE 60. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Davies—Continued  
 (Electrolyte,  $Z_+Z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.000	.9640	.9636	.9632	.9628	.9623	.9619	.9614	.9609	.9599
.0002	.9497	.9491	.9486	.9480	.9474	.9468	.9461	.9454	.9447
.0003	.9390	.9383	.9376	.9369	.9362	.9354	.9346	.9338	.9330
.0004	.9301	.9293	.9286	.9278	.9269	.9261	.9252	.9242	.9232
.0005	.9224	.9215	.9207	.9198	.9189	.9179	.9169	.9159	.9148
.0006	.9155	.9146	.9137	.9127	.9117	.9107	.9096	.9084	.9073
.0007	.9092	.9083	.9073	.9062	.9052	.9041	.9029	.9017	.9005
.0008	.9035	.9024	.9014	.9003	.8992	.8980	.8968	.8955	.8942
.0009	.8981	.8970	.8959	.8948	.8936	.8924	.8911	.8897	.8883
.0010	.8931	.8920	.8908	.8896	.8884	.8871	.8858	.8843	.8829
.0020	.8543	.8528	.8513	.8497	.8481	.8463	.8446	.8427	.8408
.0030	.8265	.8248	.8230	.8211	.8192	.8172	.8151	.8129	.8106
.0040	.8042	.8023	.8003	.7982	.7961	.7939	.7915	.7891	.7866
.0050	.7855	.7834	.7812	.7790	.7767	.7742	.7717	.7691	.7664
.0060	.7692	.7669	.7647	.7623	.7598	.7572	.7546	.7518	.7489
.0070	.7547	.7524	.7500	.7474	.7449	.7421	.7393	.7364	.7334
.0080	.7417	.7392	.7367	.7341	.7314	.7286	.7257	.7226	.7195
.0090	.7298	.7272	.7246	.7219	.7191	.7162	.7132	.7100	.7068
.0100	.7189	.7162	.7136	.7108	.7079	.7049	.7017	.6985	.6951
.0200	.6408	.6376	.6344	.6310	.6276	.6240	.6202	.6164	.6124
.0300	.5911	.5876	.5841	.5805	.5768	.5728	.5688	.5646	.5603
.0400	.5549	.5512	.5476	.5437	.5398	.5357	.5315	.5271	.5226
.0500	.5266	.5229	.5191	.5151	.5111	.5068	.5025	.4980	.4933
.0600	.5037	.4998	.4959	.4919	.4878	.4834	.4790	.4744	.4697
.0700	.4845	.4806	.4766	.4725	.4683	.4639	.4595	.4548	.4500
.0800	.4681	.4641	.4602	.4560	.4518	.4473	.4428	.4381	.4333
.0900	.4539	.4499	.4459	.4417	.4375	.4330	.4284	.4237	.4188
.1000	.4415	.4375	.4334	.4292	.4249	.4204	.4159	.4111	.4062

TABLE 61. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9562	.9559	.9556	.9553	.9550	.9549	.9545	.9541	.9537
.0002	.9390	.9385	.9381	.9376	.9373	.9371	.9366	.9360	.9354
.0003	.9260	.9255	.9250	.9244	.9241	.9238	.9232	.9225	.9218
.0004	.9153	.9148	.9142	.9135	.9131	.9128	.9121	.9113	.9105
.0005	.9061	.9055	.9048	.9041	.9036	.9033	.9025	.9017	.9008
.0006	.8978	.8972	.8964	.8957	.8952	.8948	.8940	.8931	.8921
.0007	.8904	.8896	.8889	.8880	.8875	.8871	.8862	.8853	.8842
.0008	.8835	.8827	.8819	.8810	.8805	.8801	.8791	.8781	.8770
.0009	.8771	.8763	.8754	.8745	.8739	.8735	.8725	.8714	.8703
.0010	.8711	.8703	.8694	.8684	.8678	.8674	.8663	.8652	.8640
.0020	.8252	.8241	.8229	.8217	.8209	.8203	.8189	.8174	.8158
.0030	.7926	.7912	.7899	.7884	.7875	.7868	.7852	.7835	.7816
.0040	.7666	.7651	.7636	.7620	.7610	.7602	.7584	.7565	.7545
.0050	.7448	.7433	.7416	.7399	.7388	.7380	.7360	.7340	.7318
.0060	.7260	.7243	.7226	.7208	.7196	.7188	.7167	.7146	.7122
.0070	.7094	.7076	.7058	.7039	.7027	.7018	.6996	.6974	.6950
.0080	.6945	.6927	.6908	.6888	.6875	.6866	.6843	.6820	.6795
.0090	.6809	.6790	.6771	.6750	.6737	.6728	.6705	.6680	.6654
.0100	.6685	.6666	.6646	.6624	.6611	.6601	.6577	.6553	.6526
.0200	.5809	.5787	.5763	.5739	.5723	.5711	.5684	.5655	.5624
.0300	.5265	.5241	.5216	.5189	.5172	.5160	.5131	.5100	.5067
.0400	.4874	.4849	.4823	.4795	.4778	.4765	.4735	.4703	.4669
.0500	.4573	.4547	.4521	.4493	.4475	.4462	.4431	.4399	.4364
.0600	.4331	.4305	.4278	.4250	.4232	.4219	.4187	.4155	.4119
.0700	.4130	.4104	.4077	.4049	.4030	.4017	.3986	.3953	.3917
.0800	.3960	.3934	.3907	.3879	.3860	.3847	.3815	.3783	.3747
.0900	.3815	.3788	.3761	.3732	.3714	.3701	.3669	.3636	.3601
.1000	.3687	.3661	.3634	.3605	.3587	.3574	.3542	.3509	.3453

TABLE 61. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*  
*Davies—Continued*  
*(Electrolyte,  $z_+z_- = 4$ )*

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9523	.9517	.9512	.9507	.9501	.9495	.9489	.9482	.9475	.9469	.9461
.0002	.9335	.9328	.9320	.9313	.9305	.9297	.9288	.9279	.9270	.9260	.9250
.0003	.9195	.9186	.9177	.9168	.9159	.9149	.9138	.9127	.9116	.9105	.9093
.0004	.9079	.9069	.9059	.9049	.9038	.9026	.9015	.9002	.8990	.8977	.8963
.0005	.8978	.8968	.8957	.8945	.8933	.8921	.8908	.8894	.8880	.8866	.8851
.0006	.8889	.8878	.8866	.8853	.8840	.8827	.8813	.8798	.8783	.8768	.8751
.0007	.8808	.8796	.8783	.8770	.8756	.8742	.8727	.8711	.8695	.8679	.8661
.0008	.8734	.8721	.8707	.8693	.8679	.8664	.8648	.8632	.8615	.8597	.8579
.0009	.8665	.8651	.8637	.8623	.8607	.8591	.8575	.8558	.8540	.8522	.8502
.0010	.8601	.8586	.8572	.8556	.8540	.8524	.8506	.8488	.8470	.8451	.8430
.0020	.8107	.8088	.8068	.8048	.8028	.8006	.7983	.7960	.7935	.7911	.7884
.0030	.7756	.7735	.7712	.7689	.7665	.7640	.7614	.7586	.7558	.7530	.7499
.0040	.7479	.7455	.7430	.7405	.7378	.7351	.7322	.7292	.7261	.7230	.7196
.0050	.7247	.7221	.7195	.7168	.7139	.7109	.7079	.7047	.7014	.6980	.6944
.0060	.7048	.7020	.6992	.6963	.6933	.6902	.6870	.6836	.6801	.6766	.6728
.0070	.6871	.6843	.6814	.6783	.6752	.6719	.6685	.6650	.6614	.6577	.6538
.0080	.6714	.6684	.6654	.6622	.6590	.6556	.6521	.6484	.6447	.6409	.6368
.0090	.6571	.6540	.6509	.6476	.6443	.6408	.6372	.6334	.6296	.6256	.6215
.0100	.6440	.6408	.6376	.6343	.6309	.6273	.6236	.6197	.6158	.6118	.6075
.0200	.5524	.5488	.5451	.5412	.5373	.5332	.5290	.5245	.5200	.5155	.5106
.0300	.4961	.4922	.4883	.4842	.4801	.4757	.4713	.4666	.4619	.4571	.4520
.0400	.4560	.4520	.4480	.4438	.4395	.4351	.4305	.4258	.4209	.4160	.4108
.0500	.4253	.4212	.4172	.4129	.4086	.4041	.3995	.3947	.3898	.3849	.3797
.0600	.4007	.3967	.3926	.3883	.3840	.3794	.3748	.3700	.3651	.3602	.3549
.0700	.3805	.3764	.3723	.3681	.3637	.3592	.3545	.3497	.3449	.3399	.3347
.0800	.3635	.3594	.3553	.3510	.3467	.3421	.3375	.3327	.3279	.3230	.3178
.0900	.3488	.3448	.3407	.3364	.3321	.3276	.3230	.3182	.3134	.3085	.3034
.1000	.3362	.3321	.3280	.3238	.3195	.3150	.3104	.3057	.3009	.2960	.2909

TABLE 62. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Danes  
 (Electrolyte,  $z_+z_- = 6$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9351	.9346	.9341	.9337	.9333	.9331	.9325
.0002	.9098	.9092	.9086	.9079	.9075	.9072	.9064
.0003	.8911	.8904	.8896	.8888	.8883	.8879	.8870
.0004	.8757	.8749	.8740	.8731	.8725	.8721	.8711
.0005	.8625	.8616	.8606	.8596	.8590	.8585	.8574
.0006	.8508	.8498	.8487	.8477	.8470	.8465	.8452
.0007	.8401	.8391	.8380	.8368	.8361	.8356	.8343
.0008	.8304	.8293	.8282	.8270	.8262	.8256	.8242
.0009	.8215	.8203	.8191	.8178	.8170	.8164	.8150
.0010	.8131	.8119	.8106	.8093	.8084	.8078	.8063
.0020	.7497	.7481	.7465	.7448	.7437	.7429	.7410
.0030	.7056	.7038	.7020	.7000	.6988	.6979	.6957
.0040	.6712	.6693	.6673	.6652	.6638	.6628	.6605
.0050	.6428	.6408	.6387	.6364	.6350	.6340	.6315
.0060	.6186	.6165	.6143	.6119	.6104	.6094	.6067
.0070	.5975	.5953	.5930	.5906	.5890	.5879	.5852
.0080	.5787	.5765	.5741	.5716	.5700	.5689	.5661
.0090	.5619	.5596	.5571	.5546	.5530	.5518	.5490
.0100	.5466	.5442	.5418	.5392	.5375	.5363	.5344
.0200	.4428	.4402	.4375	.4347	.4329	.4316	.4285
.0300	.3820	.3794	.3767	.3738	.3720	.3707	.3675
.0400	.3403	.3377	.3349	.3321	.3303	.3290	.3258
.0500	.3092	.3066	.3040	.3011	.2993	.2981	.2949
.0600	.2850	.2825	.2798	.2770	.2753	.2740	.2709
.0700	.2654	.2629	.2603	.2576	.2559	.2546	.2516
.0800	.2492	.2468	.2442	.2415	.2398	.2386	.2357
.0900	.2356	.2332	.2307	.2280	.2264	.2252	.2223
.1000	.2239	.2215	.2191	.2165	.2148	.2137	.2108

TABLE 62. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis*—  
Davies—Continued  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9293	.9285	.9277	.9269	.9261	.9252	.9243	.9233	.9213
.0002	.9019	.9009	.8998	.8987	.8976	.8964	.8951	.8938	.8925
.0003	.8816	.8804	.8792	.8778	.8765	.8750	.8736	.8720	.8704
.0004	.8650	.8636	.8622	.8607	.8592	.8576	.8559	.8542	.8524
.0005	.8507	.8492	.8477	.8460	.8443	.8426	.8407	.8388	.8369
.0006	.8381	.8364	.8348	.8330	.8312	.8293	.8273	.8253	.8232
.0007	.8267	.8249	.8232	.8213	.8194	.8173	.8153	.8131	.8108
.0008	.8163	.8144	.8125	.8106	.8085	.8064	.8042	.8019	.7996
.0009	.8066	.8047	.8027	.8007	.7986	.7963	.7940	.7916	.7892
.0010	.7976	.7956	.7936	.7915	.7893	.7869	.7846	.7821	.7795
.0020	.7299	.7273	.7247	.7220	.7192	.7163	.7133	.7101	.7069
.0030	.6831	.6802	.6773	.6742	.6711	.6677	.6643	.6608	.6571
.0040	.6468	.6437	.6405	.6372	.6338	.6302	.6265	.6227	.6188
.0050	.6170	.6137	.6103	.6068	.6032	.5995	.5956	.5915	.5874
.0060	.5916	.5882	.5847	.5811	.5773	.5734	.5694	.5652	.5609
.0070	.5696	.5660	.5624	.5587	.5548	.5508	.5466	.5423	.5379
.0080	.5501	.5464	.5427	.5389	.5350	.5308	.5266	.5221	.5176
.0090	.5326	.5289	.5251	.5212	.5172	.5129	.5086	.5041	.4995
.0100	.5168	.5130	.5092	.5052	.5011	.4968	.4924	.4879	.4832
.0200	.4106	.4065	.4024	.3982	.3939	.3893	.3847	.3799	.3750
.0300	.3494	.3453	.3412	.3370	.3326	.3281	.3235	.3188	.3139
.0400	.3079	.3039	.2998	.2957	.2914	.2870	.2825	.2778	.2731
.0500	.2773	.2734	.2694	.2654	.2612	.2569	.2525	.2480	.2434
.0600	.2537	.2498	.2460	.2420	.2379	.2337	.2295	.2251	.2206
.0700	.2347	.2309	.2272	.2233	.2193	.2152	.2111	.2068	.2025
.0800	.2191	.2154	.2118	.2080	.2041	.2001	.1961	.1919	.1877
.0900	.2060	.2024	.1988	.1951	.1914	.1875	.1836	.1795	.1754
.1000	.1949	.1879	.1842	.1806	.1768	.1729	.1690	.1650	.1610

TABLE 63 *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*  
(Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9144	.9138	.9125	.9121	.9118	.9103	.9090
.0002	.8816	.8809	.8791	.8786	.8772	.8761	.8750
.0003	.8575	.8566	.8546	.8539	.8522	.8510	.8497
.0004	.8379	.8368	.8345	.8338	.8332	.8319	.8305
.0005	.8210	.8198	.8174	.8165	.8159	.8145	.8130
.0006	.8061	.8049	.8036	.8022	.8013	.8007	.7992
.0007	.7928	.7914	.7901	.7886	.7877	.7870	.7854
.0008	.7806	.7792	.7777	.7762	.7752	.7745	.7728
.0009	.7693	.7679	.7664	.7648	.7638	.7630	.7613
.0010	.7589	.7574	.7558	.7542	.7531	.7524	.7505
.0020	.6810	.6792	.6772	.6751	.6738	.6729	.6706
.0030	.6281	.6261	.6239	.6216	.6201	.6191	.6165
.0040	.5876	.5854	.5831	.5806	.5791	.5779	.5752
.0050	.5548	.5524	.5500	.5474	.5458	.5446	.5418
.0060	.5271	.5247	.5222	.5195	.5178	.5166	.5137
.0070	.5032	.5008	.4982	.4955	.4937	.4925	.4895
.0080	.4823	.4798	.4771	.4744	.4726	.4714	.4683
.0090	.4636	.4611	.4584	.4557	.4539	.4526	.4495
.0100	.4469	.4443	.4416	.4388	.4370	.4358	.4326
.0200	.3375	.3349	.3322	.3293	.3275	.3262	.3231
.0300	.2772	.2747	.2720	.2693	.2675	.2653	.2632
.0400	.2375	.2351	.2326	.2300	.2283	.2271	.2242
.0500	.2091	.2068	.2044	.2018	.2002	.1991	.1963
.0600	.1875	.1853	.1830	.1806	.1791	.1780	.1753
.0700	.1706	.1684	.1662	.1639	.1624	.1614	.1589
.0800	.1569	.1548	.1527	.1504	.1490	.1480	.1456
.0900	.1455	.1435	.1415	.1393	.1380	.1370	.1346
.1000	.1360	.1341	.1321	.1300	.1287	.1277	.1255

TABLE 63. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Davies—Continued  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9068	.9058	.9048	.9038	.9027	.9015	.9004	.8991	.8978
.0002	.8714	.8687	.8658	.8643	.8627	.8610	.8593	.8575	.8556
.0003	.8454	.8438	.8422	.8405	.8388	.8370	.8351	.8331	.8290
.0004	.8242	.8224	.8206	.8188	.8168	.8148	.8127	.8104	.8082
.0005	.8061	.8042	.8022	.8002	.7980	.7958	.7935	.7911	.7886
.0006	.7902	.7881	.7860	.7838	.7815	.7791	.7767	.7741	.7715
.0007	.7759	.7737	.7714	.7691	.7667	.7642	.7616	.7589	.7561
.0008	.7628	.7605	.7582	.7558	.7533	.7506	.7479	.7450	.7421
.0009	.7509	.7485	.7460	.7435	.7409	.7381	.7353	.7323	.7293
.0010	.7397	.7372	.7347	.7321	.7294	.7265	.7236	.7205	.7174
.0020	.6572	.6541	.6510	.6478	.6444	.6409	.6373	.6335	.6297
.0030	.6016	.5982	.5948	.5912	.5875	.5836	.5797	.5755	.5713
.0040	.5594	.5558	.5521	.5483	.5444	.5403	.5361	.5317	.5273
.0050	.5253	.5215	.5177	.5137	.5097	.5054	.5011	.4966	.4919
.0060	.4967	.4928	.4889	.4849	.4807	.4764	.4719	.4673	.4625
.0070	.4722	.4682	.4643	.4601	.4559	.4515	.4470	.4422	.4374
.0080	.4507	.4467	.4427	.4385	.4343	.4298	.4252	.4204	.4156
.0090	.4317	.4277	.4237	.4194	.4151	.4106	.4060	.4012	.3964
.0100	.4147	.4107	.4066	.4023	.3980	.3935	.3889	.3841	.3792
.0200	.3052	.3011	.2971	.2929	.2887	.2843	.2798	.2751	.2704
.0300	.2461	.2423	.2384	.2345	.2305	.2263	.2221	.2177	.2134
.0400	.2079	.2043	.2007	.1970	.1932	.1893	.1853	.1813	.1772
.0500	.1809	.1774	.1740	.1705	.1670	.1633	.1596	.1558	.1520
.0600	.1606	.1573	.1541	.1508	.1474	.1440	.1405	.1369	.1333
.0700	.1448	.1417	.1386	.1355	.1323	.1290	.1257	.1223	.1189
.0800	.1321	.1291	.1262	.1232	.1202	.1171	.1139	.1107	.1075
.0900	.1217	.1189	.1161	.1132	.1103	.1073	.1043	.1013	.0982
.1000	.1130	.1103	.1076	.1048	.1021	.0992	.0963	.0934	.0905

TABLE 64. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*  
(Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35	38	40	45
.0001	.9042	.9036	.9029	.9021	.9017	.9014	.9005	.8997	.8988	.8982	.8978	.8968
.0002	.8679	.8670	.8661	.8651	.8645	.8640	.8629	.8618	.8605	.8598	.8593	.8579
.0003	.8412	.8402	.8391	.8379	.8372	.8367	.8354	.8340	.8326	.8317	.8311	.8295
.0004	.8195	.8184	.8171	.8159	.8150	.8144	.8130	.8115	.8098	.8089	.8082	.8064
.0005	.8010	.7997	.7984	.7970	.7961	.7955	.7939	.7922	.7904	.7894	.7886	.7867
.0006	.7847	.7833	.7819	.7804	.7795	.7788	.7771	.7753	.7734	.7723	.7715	.7694
.0007	.7701	.7686	.7671	.7655	.7645	.7638	.7620	.7602	.7581	.7569	.7561	.7539
.0008	.7568	.7553	.7537	.7520	.7510	.7502	.7483	.7464	.7443	.7430	.7421	.7398
.0009	.7445	.7430	.7413	.7396	.7385	.7377	.7357	.7337	.7315	.7302	.7293	.7269
.0010	.7332	.7316	.7299	.7281	.7269	.7261	.7241	.7220	.7197	.7183	.7174	.7149
.0020	.6491	.6471	.6450	.6428	.6414	.6404	.6379	.6353	.6325	.6309	.6297	.6267
.0030	.5927	.5905	.5881	.5857	.5842	.5830	.5803	.5775	.5744	.5726	.5713	.5680
.0040	.5499	.5475	.5451	.5425	.5408	.5397	.5368	.5338	.5306	.5286	.5273	.5238
.0050	.5154	.5129	.5104	.5077	.5060	.5048	.5018	.4987	.4953	.4933	.4919	.4883
.0060	.4865	.4840	.4814	.4787	.4769	.4757	.4726	.4694	.4660	.4640	.4625	.4588
.0070	.4618	.4593	.4566	.4538	.4521	.4508	.4477	.4444	.4410	.4389	.4374	.4337
.0080	.4402	.4377	.4350	.4322	.4304	.4291	.4259	.4227	.4192	.4171	.4156	.4118
.0090	.4212	.4186	.4159	.4130	.4112	.4099	.4067	.4035	.3999	.3978	.3964	.3926
.0100	.4041	.4015	.3988	.3959	.3941	.3928	.3896	.3863	.3828	.3807	.3792	.3754
.0200	.2946	.2921	.2894	.2866	.2849	.2836	.2805	.2773	.2739	.2719	.2704	.2668
.0300	.2361	.2337	.2312	.2285	.2269	.2257	.2228	.2198	.2166	.2147	.2134	.2099
.0400	.1985	.1962	.1938	.1914	.1898	.1887	.1860	.1832	.1802	.1784	.1772	.1740
.0500	.1719	.1698	.1676	.1653	.1638	.1627	.1602	.1576	.1548	.1531	.1520	.1490
.0600	.1521	.1501	.1480	.1458	.1444	.1434	.1410	.1386	.1359	.1344	.1333	.1305
.0700	.1367	.1348	.1328	.1307	.1294	.1285	.1262	.1239	.1214	.1199	.1189	.1163
.0800	.1244	.1226	.1207	.1187	.1175	.1166	.1144	.1122	.1099	.1085	.1075	.1050
.0900	.1144	.1126	.1108	.1089	.1077	.1068	.1048	.1027	.1004	.0991	.0982	.0959
.1000	.1060	.1043	.1025	.1007	.0996	.0988	.0968	.0948	.0926	.0914	.0905	.0883

TABLE 64. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Davies—Continued  
 (Electrolyte,  $z_+z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8958	.8947	.8936	.8924	.8912	.8899	.8886	.8872	.8858
.0002	.8565	.8551	.8536	.8520	.8504	.8487	.8469	.8450	.8431
.0003	.8278	.8261	.8243	.8225	.8206	.8185	.8165	.8143	.8121
.0004	.8045	.8026	.8006	.7985	.7964	.7942	.7919	.7894	.7869
.0005	.7847	.7826	.7804	.7782	.7759	.7734	.7709	.7683	.7656
.0006	.7673	.7650	.7627	.7603	.7578	.7552	.7525	.7497	.7468
.0007	.7516	.7493	.7468	.7443	.7417	.7389	.7361	.7331	.7301
.0008	.7375	.7350	.7324	.7298	.7270	.7242	.7212	.7181	.7149
.0009	.7244	.7218	.7192	.7164	.7136	.7106	.7076	.7043	.7010
.0010	.7124	.7097	.7070	.7041	.7012	.6981	.6949	.6916	.6882
.0020	.6236	.6203	.6170	.6135	.6100	.6062	.6024	.5984	.5943
.0030	.5646	.5610	.5574	.5536	.5497	.5457	.5415	.5371	.5327
.0040	.5202	.5164	.5126	.5086	.5046	.5003	.4959	.4914	.4867
.0050	.4846	.4807	.4768	.4727	.4685	.4641	.4596	.4550	.4502
.0060	.4551	.4511	.4471	.4429	.4387	.4342	.4296	.4249	.4200
.0070	.4299	.4259	.4218	.4176	.4133	.4087	.4041	.3994	.3945
.0080	.4080	.4039	.3998	.3956	.3913	.3867	.3821	.3773	.3724
.0090	.3887	.3846	.3805	.3763	.3719	.3674	.3628	.3579	.3531
.0100	.3715	.3674	.3633	.3591	.3547	.3502	.3456	.3408	.3359
.0200	.2631	.2592	.2553	.2513	.2472	.2429	.2386	.2341	.2297
.0300	.2065	.2029	.1993	.1956	.1919	.1880	.1840	.1800	.1759
.0400	.1708	.1675	.1642	.1608	.1573	.1537	.1501	.1464	.1427
.0500	.1461	.1429	.1399	.1367	.1335	.1302	.1269	.1235	.1201
.0600	.1278	.1249	.1220	.1190	.1161	.1130	.1099	.1068	.1036
.0700	.1137	.1110	.1083	.1055	.1027	.0999	.0970	.0941	.0911
.0800	.1026	.1000	.0974	.0948	.0922	.0895	.0868	.0841	.0813
.0900	.0935	.0911	.0887	.0862	.0837	.0812	.0786	.0761	.0735
.1000	.0860	.0837	.0814	.0791	.0767	.0743	.0719	.0695	.0670

TABLE 65. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies  
 (Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8744	.8735	.8726	.8717	.8711	.8707	.8696	.8685	.8674
.0002	.8278	.8267	.8255	.8243	.8235	.8229	.8216	.8201	.8185
.0003	.7941	.7928	.7914	.7900	.7891	.7884	.7868	.7851	.7832
.0004	.7669	.7655	.7640	.7623	.7613	.7606	.7588	.7569	.7549
.0005	.7439	.7423	.7407	.7389	.7378	.7370	.7351	.7331	.7309
.0006	.7238	.7221	.7204	.7185	.7173	.7165	.7144	.7123	.7099
.0007	.7058	.7041	.7023	.7003	.6991	.6982	.6960	.6938	.6913
.0008	.6896	.6878	.6859	.6839	.6826	.6816	.6794	.6770	.6745
.0009	.6748	.6729	.6709	.6688	.6675	.6665	.6642	.6618	.6591
.0010	.6611	.6592	.6571	.6550	.6536	.6526	.6502	.6477	.6450
.0020	.5620	.5597	.5573	.5547	.5531	.5519	.5491	.5462	.5430
.0030	.4978	.4954	.4928	.4901	.4883	.4871	.4840	.4809	.4775
.0040	.4505	.4479	.4452	.4424	.4407	.4394	.4362	.4330	.4295
.0050	.4132	.4106	.4079	.4050	.4032	.4019	.3988	.3955	.3919
.0060	.3827	.3801	.3773	.3745	.3726	.3713	.3681	.3648	.3613
.0070	.3570	.3544	.3516	.3488	.3469	.3456	.3425	.3392	.3356
.0080	.3349	.3323	.3296	.3267	.3249	.3236	.3205	.3172	.3137
.0090	.3157	.3131	.3104	.3076	.3058	.3045	.3014	.2981	.2947
.0100	.2987	.2962	.2935	.2907	.2889	.2876	.2846	.2814	.2779
.0200	.1961	.1938	.1914	.1890	.1874	.1863	.1836	.1808	.1779
.0300	.1459	.1439	.1419	.1397	.1384	.1374	.1350	.1326	.1301
.0400	.1158	.1140	.1122	.1103	.1091	.1082	.1061	.1040	.1018
.0500	.0956	.0940	.0924	.0907	.0896	.0888	.0870	.0851	.0831
.0600	.0812	.0798	.0783	.0767	.0758	.0751	.0734	.0717	.0699
.0700	.0705	.0691	.0678	.0664	.0655	.0648	.0633	.0618	.0601
.0800	.0621	.0609	.0596	.0583	.0575	.0569	.0555	.0541	.0526
.0900	.0555	.0544	.0532	.0520	.0512	.0507	.0494	.0481	.0467
.1000	.0501	.0491	.0480	.0469	.0457	.0452	.0444	.0432	.0419

TABLE 65. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Davies—Continued  
 (Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8635	.8621	.8607	.8592	.8576	.8560	.8543	.8525	.8507	.8489	.8469
.0002	.8134	.8116	.8097	.8077	.8056	.8035	.8013	.7989	.7965	.7941	.7915
.0003	.7773	.7751	.7729	.7706	.7682	.7657	.7631	.7604	.7576	.7548	.7518
.0004	.7483	.7459	.7434	.7409	.7382	.7354	.7326	.7296	.7265	.7234	.7200
.0005	.7238	.7212	.7185	.7158	.7129	.7099	.7069	.7036	.7003	.6970	.6934
.0006	.7024	.6996	.6968	.6939	.6909	.6877	.6845	.6811	.6776	.6740	.6702
.0007	.6834	.6805	.6776	.6745	.6714	.6680	.6646	.6611	.6574	.6537	.6498
.0008	.6663	.6633	.6602	.6570	.6538	.6503	.6468	.6431	.6393	.6354	.6313
.0009	.6506	.6475	.6444	.6411	.6377	.6341	.6305	.6267	.6228	.6188	.6146
.0010	.6362	.6330	.6298	.6264	.6229	.6193	.6155	.6116	.6076	.6035	.5992
.0020	.5328	.5290	.5253	.5213	.5173	.5131	.5088	.5043	.4997	.4950	.4901
.0030	.4667	.4627	.4587	.4546	.4503	.4459	.4414	.4366	.4318	.4269	.4218
.0040	.4184	.4143	.4102	.4060	.4017	.3972	.3925	.3877	.3829	.3779	.3727
.0050	.3807	.3766	.3725	.3682	.3639	.3593	.3547	.3499	.3450	.3401	.3349
.0060	.3500	.3460	.3419	.3376	.3333	.3288	.3242	.3194	.3146	.3097	.3045
.0070	.3244	.3204	.3163	.3121	.3078	.3033	.2988	.2941	.2893	.2845	.2794
.0080	.3026	.2986	.2946	.2904	.2862	.2818	.2773	.2726	.2679	.2632	.2582
.0090	.2837	.2797	.2757	.2716	.2675	.2631	.2587	.2541	.2495	.2449	.2400
.0100	.2671	.2632	.2593	.2552	.2511	.2468	.2425	.2380	.2335	.2290	.2242
.0200	.1686	.1653	.1620	.1586	.1551	.1516	.1480	.1443	.1406	.1370	.1331
.0300	.1221	.1192	.1164	.1136	.1107	.1077	.1047	.1016	.0986	.0955	.0924
.0400	.0948	.0923	.0899	.0874	.0849	.0824	.0798	.0772	.0746	.0720	.0693
.0500	.0769	.0747	.0726	.0704	.0682	.0660	.0638	.0615	.0592	.0570	.0547
.0600	.0644	.0624	.0605	.0586	.0566	.0546	.0527	.0506	.0487	.0467	.0447
.0700	.0551	.0533	.0516	.0499	.0481	.0463	.0446	.0428	.0410	.0393	.0375
.0800	.0480	.0464	.0448	.0432	.0417	.0400	.0385	.0368	.0352	.0337	.0321
.0900	.0425	.0410	.0395	.0381	.0366	.0352	.0337	.0322	.0308	.0294	.0279
.1000	.0380	.0366	.0353	.0339	.0326	.0312	.0299	.0286	.0272	.0259	.0246

TABLE 66. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Davies*  
(Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8361	.8350	.8339	.8327	.8314	.8301	.8287	.8272	.8263
.0002	.7773	.7759	.7744	.7729	.7719	.7712	.7694	.7676	.7657
.0003	.7354	.7338	.7321	.7303	.7291	.7283	.7263	.7242	.7220
.0004	.7020	.7002	.6984	.6964	.6952	.6943	.6921	.6898	.6873
.0005	.6740	.6721	.6702	.6681	.6667	.6658	.6634	.6610	.6583
.0006	.6498	.6479	.6458	.6435	.6421	.6411	.6387	.6361	.6333
.0007	.6285	.6264	.6242	.6219	.6204	.6194	.6168	.6141	.6113
.0008	.6093	.6071	.6049	.6025	.6010	.5999	.5972	.5945	.5915
.0009	.5919	.5897	.5873	.5849	.5834	.5822	.5795	.5767	.5736
.0010	.5759	.5737	.5713	.5688	.5672	.5661	.5633	.5604	.5572
.0020	.4638	.4612	.4586	.4558	.4540	.4528	.4496	.4464	.4430
.0030	.3946	.3920	.3892	.3864	.3845	.3832	.3801	.3768	.3732
.0040	.3453	.3427	.3400	.3371	.3353	.3340	.3309	.3276	.3241
.0050	.3078	.3052	.3025	.2997	.2979	.2966	.2935	.2903	.2868
.0060	.2778	.2753	.2726	.2699	.2681	.2669	.2638	.2607	.2573
.0070	.2532	.2508	.2482	.2455	.2438	.2426	.2396	.2365	.2333
.0080	.2326	.2302	.2277	.2250	.2234	.2222	.2193	.2163	.2132
.0090	.2150	.2126	.2102	.2076	.2060	.2049	.2021	.1992	.1961
.0100	.1997	.1974	.1951	.1926	.1910	.1899	.1872	.1844	.1814
.0200	.1139	.1122	.1103	.1085	.1073	.1064	.1044	.1023	.1000
.0300	.0768	.0754	.0740	.0725	.0716	.0709	.0693	.0676	.0659
.0400	.0564	.0553	.0541	.0529	.0521	.0516	.0503	.0489	.0475
.0500	.0437	.0428	.0418	.0407	.0401	.0396	.0385	.0374	.0363
.0600	.0352	.0343	.0335	.0326	.0321	.0317	.0307	.0298	.0288
.0700	.0291	.0284	.0276	.0269	.0264	.0260	.0252	.0244	.0236
.0800	.0246	.0240	.0233	.0226	.0222	.0219	.0212	.0205	.0197
.0900	.0212	.0206	.0200	.0194	.0190	.0188	.0181	.0175	.0168
.1000	.0185	.0180	.0174	.0169	.0166	.0163	.0157	.0152	.0146

TABLE 66. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Davies—Continued  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8223	.8205	.8187	.8168	.8148	.8128	.8106	.8084	.8061	.8038	.8012
.0002	.7593	.7570	.7547	.7522	.7496	.7470	.7442	.7413	.7384	.7353	.7321
.0003	.7147	.7120	.7093	.7065	.7036	.7005	.6974	.6941	.6907	.6872	.6835
.0004	.6793	.6764	.6735	.6704	.6672	.6638	.6604	.6568	.6531	.6494	.6454
.0005	.6498	.6467	.6436	.6403	.6369	.6333	.6297	.6258	.6219	.6180	.6137
.0006	.6244	.6211	.6178	.6143	.6108	.6071	.6032	.5992	.5952	.5910	.5866
.0007	.6020	.5986	.5951	.5915	.5879	.5840	.5800	.5759	.5717	.5674	.5628
.0008	.5819	.5784	.5749	.5712	.5674	.5634	.5593	.5551	.5507	.5463	.5416
.0009	.5638	.5602	.5566	.5528	.5489	.5448	.5406	.5363	.5318	.5273	.5225
.0010	.5472	.5435	.5398	.5360	.5320	.5278	.5236	.5192	.5146	.5100	.5051
.0020	.4319	.4279	.4238	.4196	.4153	.4108	.4062	.4014	.3965	.3916	.3864
.0030	.3620	.3579	.3538	.3495	.3452	.3406	.3360	.3312	.3264	.3215	.3163
.0040	.3129	.3089	.3048	.3006	.2964	.2919	.2874	.2827	.2780	.2732	.2682
.0050	.2759	.2720	.2680	.2639	.2598	.2555	.2511	.2466	.2420	.2374	.2326
.0060	.2467	.2429	.2390	.2351	.2311	.2269	.2227	.2183	.2139	.2095	.2049
.0070	.2229	.2192	.2155	.2117	.2078	.2038	.1998	.1956	.1914	.1871	.1827
.0080	.2032	.1996	.1960	.1923	.1886	.1847	.1808	.1768	.1727	.1687	.1644
.0090	.1864	.1829	.1795	.1759	.1723	.1686	.1649	.1610	.1571	.1532	.1492
.0100	.1720	.1687	.1653	.1619	.1584	.1548	.1512	.1475	.1438	.1401	.1362
.0200	.0931	.0907	.0883	.0858	.0834	.0808	.0783	.0757	.0731	.0706	.0680
.0300	.0606	.0587	.0569	.0550	.0531	.0512	.0493	.0474	.0455	.0437	.0417
.0400	.0432	.0417	.0403	.0388	.0373	.0358	.0344	.0329	.0314	.0300	.0285
.0500	.0327	.0315	.0303	.0291	.0279	.0267	.0255	.0243	.0231	.0219	.0208
.0600	.0258	.0248	.0237	.0227	.0217	.0207	.0197	.0187	.0178	.0168	.0159
.0700	.0210	.0192	.0175	.0166	.0158	.0150	.0141	.0134	.0126	.0116	.0109
.0800	.0174	.0167	.0159	.0152	.0144	.0137	.0130	.0123	.0116	.0109	.0102
.0900	.0148	.0141	.0135	.0128	.0122	.0115	.0109	.0096	.0091	.0085	.0077
.1000	.0128	.0122	.0116	.0110	.0104	.0098	.0093	.0087	.0082	.0077	.0072

TABLE 67. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies*  
(Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9889	.9887	.9886	.9885	.9884	.9883	.9882
.0002	.9844	.9842	.9840	.9839	.9838	.9836	.9834
.0003	.9810	.9808	.9806	.9805	.9804	.9802	.9799
.0004	.9781	.9780	.9778	.9776	.9775	.9773	.9771
.0005	.9756	.9755	.9753	.9751	.9750	.9749	.9747
.0006	.9734	.9732	.9730	.9728	.9727	.9726	.9724
.0007	.9714	.9712	.9710	.9708	.9706	.9705	.9703
.0008	.9695	.9693	.9691	.9688	.9687	.9686	.9683
.0009	.9678	.9675	.9673	.9670	.9669	.9668	.9665
.0010	.9661	.9659	.9656	.9654	.9652	.9651	.9648
.0020	.9531	.9528	.9525	.9521	.9519	.9517	.9513
.0030	.9435	.9431	.9427	.9423	.9421	.9419	.9414
.0040	.9357	.9353	.9348	.9343	.9340	.9338	.9333
.0050	.9290	.9285	.9280	.9275	.9272	.9269	.9264
.0060	.9231	.9225	.9220	.9214	.9211	.9208	.9202
.0070	.9177	.9172	.9166	.9160	.9156	.9154	.9147
.0080	.9129	.9123	.9117	.9110	.9106	.9104	.9097
.0090	.9084	.9078	.9071	.9065	.9060	.9057	.9050
.0100	.9042	.9036	.9029	.9022	.9018	.9015	.9007
.0200	.8730	.8722	.8713	.8704	.8699	.8695	.8685
.0300	.8518	.8508	.8498	.8488	.8482	.8477	.8466
.0400	.8355	.8345	.8334	.8322	.8315	.8310	.8298
.0500	.8223	.8212	.8200	.8188	.8180	.8175	.8161
.0600	.8112	.8100	.8088	.8075	.8067	.8061	.8047
.0700	.8017	.8004	.7991	.7977	.7969	.7963	.7948
.0800	.7933	.7920	.7907	.7892	.7884	.7878	.7862
.0900	.7859	.7845	.7832	.7817	.7808	.7802	.7786
.1000	.7793	.7779	.7765	.7750	.7741	.7734	.7718

TABLE 67. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Davies—Continued  
 (Electrolyte,  $z_+z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9879	.9878	.9877	.9876	.9874	.9873	.9871	.9870	.9869
.0002	.9830	.9829	.9827	.9825	.9823	.9822	.9820	.9818	.9815
.0003	.9793	.9791	.9789	.9787	.9785	.9783	.9780	.9778	.9775
.0004	.9763	.9760	.9758	.9756	.9753	.9750	.9748	.9745	.9742
.0005	.9736	.9733	.9731	.9728	.9725	.9722	.9719	.9716	.9713
.0006	.9712	.9709	.9706	.9703	.9700	.9697	.9693	.9690	.9709
.0007	.9690	.9687	.9683	.9680	.9677	.9674	.9670	.9666	.9662
.0008	.9669	.9666	.9663	.9659	.9656	.9652	.9648	.9644	.9640
.0009	.9650	.9647	.9643	.9640	.9636	.9632	.9628	.9624	.9620
.0010	.9632	.9629	.9625	.9621	.9617	.9613	.9609	.9605	.9600
.0020	.9492	.9487	.9482	.9477	.9471	.9466	.9460	.9454	.9448
.0030	.9388	.9382	.9376	.9370	.9364	.9357	.9350	.9343	.9336
.0040	.9304	.9297	.9290	.9283	.9276	.9268	.9261	.9252	.9244
.0050	.9231	.9224	.9216	.9209	.9201	.9192	.9184	.9175	.9166
.0060	.9167	.9159	.9151	.9143	.9134	.9125	.9116	.9107	.9097
.0070	.9110	.9101	.9093	.9084	.9075	.9065	.9055	.9045	.9034
.0080	.9057	.9048	.9039	.9030	.9020	.9010	.9000	.8989	.8978
.0090	.9009	.9000	.8990	.8980	.8970	.8960	.8949	.8937	.8926
.0100	.8964	.8954	.8944	.8934	.8924	.8913	.8901	.8889	.8877
.0200	.8629	.8616	.8603	.8590	.8576	.8562	.8547	.8532	.8516
.0300	.8401	.8387	.8372	.8357	.8341	.8325	.8308	.8290	.8272
.0400	.8227	.8211	.8195	.8178	.8161	.8143	.8125	.8105	.8085
.0500	.8086	.8069	.8051	.8033	.8015	.7996	.7976	.7956	.7934
.0600	.7967	.7949	.7931	.7912	.7893	.7873	.7852	.7830	.7808
.0700	.7865	.7847	.7828	.7808	.7788	.7767	.7745	.7722	.7699
.0800	.7776	.7757	.7737	.7717	.7696	.7674	.7652	.7628	.7604
.0900	.7697	.7657	.7636	.7614	.7592	.7569	.7545	.7520	.7495
.1000	.7627	.7606	.7585	.7564	.7542	.7519	.7495	.7471	.7445

TABLE 68. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius.								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9777	.9776	.9774	.9773	.9772	.9770	.9768	.9766
.0002	.9690	.9688	.9686	.9683	.9682	.9681	.9678	.9676	.9673
.0003	.9623	.9620	.9618	.9615	.9613	.9612	.9609	.9606	.9602
.0004	.9567	.9564	.9561	.9558	.9556	.9555	.9551	.9547	.9543
.0005	.9519	.9516	.9512	.9508	.9506	.9505	.9501	.9497	.9492
.0006	.9475	.9472	.9468	.9464	.9462	.9460	.9456	.9451	.9447
.0007	.9436	.9432	.9428	.9424	.9421	.9419	.9415	.9410	.9405
.0008	.9399	.9395	.9391	.9387	.9384	.9382	.9377	.9372	.9367
.0009	.9365	.9361	.9357	.9352	.9349	.9347	.9342	.9336	.9331
.0010	.9334	.9329	.9324	.9319	.9316	.9314	.9309	.9303	.9297
.0020	.9084	.9078	.9072	.9065	.9061	.9058	.9051	.9043	.9035
.0030	.8903	.8895	.8888	.8880	.8875	.8871	.8863	.8854	.8844
.0040	.8755	.8747	.8739	.8730	.8724	.8720	.8711	.8701	.8690
.0050	.8630	.8621	.8612	.8602	.8596	.8592	.8581	.8570	.8559
.0060	.8521	.8511	.8501	.8490	.8484	.8479	.8468	.8456	.8444
.0070	.8422	.8412	.8402	.8390	.8384	.8379	.8367	.8354	.8341
.0080	.8333	.8323	.8311	.8300	.8293	.8287	.8275	.8262	.8248
.0090	.8252	.8240	.8229	.8217	.8209	.8204	.8191	.8177	.8163
.0100	.8176	.8164	.8152	.8140	.8132	.8126	.8113	.8099	.8084
.0200	.7622	.7607	.7592	.7576	.7567	.7560	.7542	.7525	.7506
.0300	.7256	.7239	.7222	.7204	.7194	.7186	.7166	.7146	.7125
.0400	.6981	.6963	.6945	.6926	.6914	.6906	.6885	.6863	.6841
.0500	.6762	.6743	.6724	.6704	.6692	.6683	.6661	.6638	.6614
.0600	.6581	.6561	.6541	.6520	.6507	.6498	.6475	.6452	.6427
.0700	.6427	.6406	.6386	.6364	.6351	.6341	.6318	.6293	.6268
.0800	.6293	.6273	.6251	.6229	.6215	.6206	.6182	.6157	.6131
.0900	.6176	.6155	.6133	.6111	.6097	.6087	.6062	.6037	.6010
.1000	.6072	.6051	.6029	.6006	.5992	.5981	.5956	.5931	.5904

TABLE 68. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*  
*Davies—Continued*  
 (Electrolyte,  $Z_+Z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9760	.9757	.9755	.9753	.9750	.9747	.9742	.9739	.9736
.0002	.9664	.9660	.9657	.9654	.9650	.9646	.9643	.9638	.9630
.0003	.9591	.9587	.9583	.9579	.9575	.9570	.9566	.9561	.9551
.0004	.9531	.9526	.9522	.9517	.9512	.9507	.9502	.9496	.9484
.0005	.9478	.9473	.9468	.9463	.9458	.9452	.9446	.9440	.9433
.0006	.9432	.9426	.9421	.9415	.9409	.9403	.9396	.9389	.9383
.0007	.9389	.9383	.9377	.9371	.9364	.9358	.9351	.9344	.9336
.0008	.9349	.9343	.9337	.9330	.9323	.9316	.9309	.9301	.9294
.0009	.9313	.9306	.9299	.9292	.9285	.9278	.9270	.9262	.9254
.0010	.9278	.9271	.9264	.9257	.9249	.9242	.9234	.9225	.9217
.0020	.9009	.9000	.8991	.8981	.8971	.8960	.8949	.8938	.8926
.0030	.8814	.8803	.8791	.8780	.8768	.8755	.8743	.8729	.8715
.0040	.8656	.8643	.8631	.8618	.8604	.8590	.8576	.8561	.8545
.0050	.8521	.8508	.8494	.8480	.8465	.8450	.8434	.8418	.8401
.0060	.8404	.8389	.8375	.8359	.8344	.8327	.8310	.8293	.8275
.0070	.8299	.8283	.8268	.8252	.8235	.8218	.8200	.8181	.8162
.0080	.8203	.8187	.8171	.8154	.8136	.8118	.8100	.8080	.8060
.0090	.8116	.8099	.8082	.8065	.8046	.8027	.8008	.7988	.7967
.0100	.8035	.8018	.8000	.7982	.7963	.7944	.7923	.7902	.7881
.0200	.7446	.7424	.7402	.7379	.7355	.7331	.7306	.7280	.7253
.0300	.7058	.7034	.7009	.6983	.6957	.6930	.6902	.6873	.6843
.0400	.6768	.6742	.6716	.6688	.6660	.6631	.6601	.6570	.6537
.0500	.6538	.6510	.6483	.6454	.6424	.6393	.6362	.6329	.6295
.0600	.6348	.6319	.6290	.6260	.6229	.6198	.6165	.6131	.6096
.0700	.6186	.6157	.6127	.6096	.6065	.6032	.5998	.5963	.5928
.0800	.6047	.6017	.5986	.5955	.5922	.5889	.5855	.5819	.5782
.0900	.5925	.5893	.5863	.5831	.5798	.5764	.5729	.5693	.5655
.1000	.5817	.5786	.5754	.5721	.5688	.5653	.5618	.5581	.5543

TABLE 69. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies  
(Electrolyte,  $z_+z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9670	.9668	.9665	.9663	.9661	.9660	.9657	.9655	.9652
.0002	.9539	.9535	.9532	.9529	.9527	.9525	.9521	.9517	.9513
.0003	.9440	.9436	.9432	.9428	.9425	.9423	.9419	.9414	.9409
.0004	.9358	.9354	.9349	.9344	.9341	.9339	.9334	.9329	.9323
.0005	.9287	.9282	.9277	.9272	.9269	.9266	.9261	.9255	.9248
.0006	.9224	.9218	.9213	.9207	.9204	.9201	.9195	.9188	.9182
.0007	.9166	.9160	.9154	.9148	.9145	.9142	.9135	.9128	.9121
.0008	.9113	.9107	.9101	.9094	.9090	.9087	.9080	.9073	.9065
.0009	.9063	.9057	.9051	.9044	.9040	.9036	.9029	.9021	.9013
.0010	.9017	.9011	.9004	.8996	.8992	.8989	.8981	.8973	.8965
.0020	.8658	.8649	.8640	.8631	.8625	.8621	.8610	.8599	.8588
.0030	.8400	.8389	.8379	.8367	.8361	.8356	.8343	.8331	.8317
.0040	.8193	.8181	.8169	.8156	.8149	.8143	.8130	.8116	.8101
.0050	.8017	.8005	.7992	.7978	.7970	.7964	.7949	.7934	.7918
.0060	.7865	.7852	.7838	.7823	.7815	.7808	.7792	.7776	.7759
.0070	.7730	.7715	.7701	.7686	.7676	.7669	.7653	.7636	.7618
.0080	.7607	.7593	.7577	.7561	.7552	.7545	.7527	.7509	.7491
.0090	.7496	.7480	.7465	.7448	.7438	.7431	.7413	.7394	.7375
.0100	.7393	.7377	.7361	.7344	.7333	.7326	.7307	.7288	.7268
.0200	.6654	.6635	.6615	.6594	.6582	.6573	.6550	.6527	.6503
.0300	.6181	.6160	.6138	.6115	.6101	.6091	.6067	.6041	.6015
.0400	.5833	.5811	.5788	.5764	.5749	.5739	.5713	.5686	.5658
.0500	.5561	.5538	.5514	.5489	.5474	.5463	.5436	.5408	.5379
.0600	.5338	.5315	.5290	.5265	.5249	.5238	.5211	.5182	.5152
.0700	.5152	.5128	.5103	.5077	.5061	.5049	.5022	.4993	.4962
.0800	.4992	.4968	.4943	.4916	.4900	.4888	.4860	.4831	.4800
.0900	.4854	.4829	.4803	.4777	.4761	.4749	.4720	.4690	.4659
.1000	.4732	.4707	.4681	.4654	.4638	.4626	.4597	.4567	.4536

TABLE 69. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*  
*Davies—Continued*  
 (Electrolyte,  $z_{+}z_{-} = 3$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9642	.9638	.9635	.9631	.9627	.9623	.9619	.9615	.9611
.0002	.9500	.9495	.9490	.9485	.9480	.9474	.9469	.9463	.9457
.0003	.9393	.9387	.9381	.9375	.9369	.9362	.9355	.9348	.9341
.0004	.9305	.9298	.9291	.9284	.9277	.9270	.9262	.9254	.9245
.0005	.9228	.9221	.9213	.9205	.9197	.9189	.9181	.9172	.9162
.0006	.9160	.9152	.9143	.9135	.9126	.9117	.9108	.9098	.9088
.0007	.9097	.9089	.9080	.9071	.9062	.9052	.9042	.9032	.9021
.0008	.9040	.9031	.9022	.9012	.9002	.8992	.8982	.8971	.8959
.0009	.8987	.8977	.8968	.8958	.8947	.8937	.8925	.8914	.8902
.0010	.8937	.8927	.8917	.8906	.8896	.8884	.8873	.8861	.8848
.0020	.8551	.8538	.8525	.8511	.8496	.8481	.8466	.8450	.8433
.0030	.8274	.8259	.8243	.8227	.8210	.8192	.8174	.8156	.8136
.0040	.8053	.8036	.8018	.8000	.7981	.7962	.7942	.7921	.7899
.0050	.7866	.7848	.7828	.7809	.7788	.7768	.7746	.7723	.7700
.0060	.7704	.7684	.7664	.7643	.7621	.7599	.7576	.7552	.7527
.0070	.7560	.7539	.7518	.7496	.7473	.7449	.7425	.7400	.7374
.0080	.7430	.7408	.7386	.7363	.7339	.7315	.7290	.7263	.7236
.0090	.7312	.7289	.7266	.7242	.7218	.7192	.7166	.7139	.7111
.0100	.7203	.7180	.7156	.7131	.7106	.7080	.7053	.7025	.6996
.0200	.6425	.6397	.6368	.6338	.6308	.6277	.6245	.6211	.6177
.0300	.5929	.5899	.5868	.5836	.5803	.5769	.5734	.5697	.5660
.0400	.5568	.5536	.5503	.5470	.5435	.5399	.5363	.5325	.5286
.0500	.5286	.5253	.5219	.5185	.5149	.5112	.5074	.5035	.4995
.0600	.5057	.5023	.4989	.4953	.4917	.4879	.4841	.4801	.4760
.0700	.4866	.4831	.4796	.4760	.4723	.4685	.4646	.4605	.4564
.0800	.4702	.4667	.4632	.4595	.4558	.4519	.4480	.4439	.4397
.0900	.4561	.4525	.4489	.4453	.4415	.4376	.4336	.4295	.4253
.1000	.4436	.4365	.4290	.4251	.4211	.4169	.4127	.4084	.4039

TABLE 70. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9562	.9559	.9556	.9553	.9551	.9549	.9546
.0002	.9390	.9385	.9381	.9376	.9374	.9372	.9367
.0003	.9260	.9255	.9250	.9245	.9241	.9239	.9233
.0004	.9153	.9148	.9142	.9136	.9132	.9129	.9122
.0005	.9061	.9055	.9048	.9041	.9037	.9034	.9026
.0006	.8978	.8972	.8965	.8957	.8953	.8949	.8941
.0007	.8904	.8896	.8889	.8881	.8876	.8872	.8864
.0008	.8835	.8827	.8819	.8811	.8806	.8802	.8793
.0009	.8771	.8763	.8755	.8746	.8740	.8736	.8727
.0010	.8711	.8703	.8694	.8685	.8679	.8675	.8665
.0020	.8252	.8241	.8229	.8217	.8210	.8204	.8191
.0030	.7926	.7912	.7899	.7885	.7876	.7870	.7855
.0040	.7666	.7651	.7636	.7621	.7611	.7604	.7587
.0050	.7448	.7433	.7417	.7400	.7390	.7382	.7364
.0060	.7260	.7243	.7227	.7209	.7198	.7190	.7171
.0070	.7094	.7076	.7059	.7040	.7029	.7020	.7000
.0080	.6945	.6927	.6908	.6889	.6877	.6868	.6847
.0090	.6809	.6790	.6771	.6751	.6739	.6730	.6709
.0100	.6685	.6666	.6646	.6626	.6613	.6604	.6582
.0200	.5809	.5787	.5764	.5740	.5725	.5715	.5689
.0300	.5265	.5241	.5216	.5190	.5175	.5163	.5136
.0400	.4874	.4849	.4824	.4797	.4781	.4769	.4740
.0500	.4573	.4547	.4521	.4494	.4478	.4466	.4437
.0600	.4331	.4305	.4279	.4251	.4234	.4222	.4193
.0700	.4130	.4104	.4078	.4050	.4033	.4021	.3991
.0800	.3960	.3934	.3908	.3880	.3863	.3851	.3821
.0900	.3815	.3788	.3762	.3734	.3717	.3705	.3675
.1000	.3687	.3661	.3635	.3607	.3590	.3578	.3548

TABLE 70. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*  
*Davies—Continued*  
 (Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9525	.9521	.9516	.9511	.9506	.9501	.9496	.9490	.9484	.9478	.9472
.0002	.9339	.9332	.9326	.9319	.9312	.9305	.9298	.9290	.9282	.9274	.9265
.0003	.9199	.9192	.9184	.9176	.9167	.9159	.9150	.9141	.9131	.9121	.9111
.0004	.9084	.9075	.9066	.9057	.9048	.9038	.9028	.9017	.9007	.8995	.8984
.0005	.8984	.8975	.8965	.8955	.8944	.8934	.8923	.8911	.8899	.8887	.8874
.0006	.8895	.8885	.8875	.8864	.8852	.8841	.8829	.8816	.8803	.8790	.8776
.0007	.8815	.8804	.8793	.8781	.8769	.8757	.8744	.8730	.8717	.8702	.8688
.0008	.8741	.8729	.8718	.8705	.8693	.8679	.8666	.8652	.8637	.8622	.8606
.0009	.8673	.8660	.8648	.8635	.8622	.8608	.8594	.8579	.8563	.8548	.8531
.0010	.8608	.8596	.8583	.8569	.8555	.8541	.8526	.8511	.8495	.8478	.8461
.0020	.8117	.8100	.8083	.8065	.8047	.8028	.8009	.7988	.7968	.7946	.7924
.0030	.7768	.7749	.7729	.7709	.7687	.7666	.7643	.7620	.7596	.7571	.7545
.0040	.7492	.7471	.7449	.7426	.7403	.7379	.7355	.7329	.7302	.7275	.7246
.0050	.7261	.7238	.7215	.7191	.7166	.7140	.7114	.7086	.7058	.7029	.6998
.0060	.7062	.7038	.7013	.6988	.6961	.6934	.6906	.6877	.6847	.6817	.6784
.0070	.6887	.6861	.6836	.6809	.6781	.6753	.6724	.6693	.6662	.6630	.6596
.0080	.6730	.6703	.6676	.6649	.6620	.6591	.6561	.6529	.6497	.6464	.6429
.0090	.6587	.6560	.6532	.6504	.6474	.6444	.6413	.6380	.6347	.6313	.6277
.0100	.6457	.6429	.6400	.6371	.6341	.6310	.6278	.6245	.6210	.6176	.6139
.0200	.5544	.5511	.5479	.5445	.5410	.5374	.5338	.5299	.5260	.5220	.5179
.0300	.4981	.4947	.4912	.4877	.4840	.4802	.4763	.4723	.4682	.4640	.4596
.0400	.4581	.4546	.4510	.4473	.4435	.4397	.4357	.4316	.4274	.4231	.4186
.0500	.4274	.4239	.4202	.4165	.4127	.4088	.4047	.4006	.3963	.3920	.3875
.0600	.4029	.3993	.3956	.3919	.3880	.3841	.3801	.3759	.3716	.3673	.3628
.0700	.3827	.3791	.3754	.3716	.3678	.3638	.3598	.3556	.3514	.3470	.3425
.0800	.3656	.3620	.3584	.3546	.3507	.3468	.3428	.3386	.3344	.3300	.3255
.0900	.3510	.3474	.3438	.3400	.3362	.3322	.3282	.3241	.3198	.3155	.3111
.1000	.3383	.3347	.3311	.3273	.3235	.3196	.3156	.3115	.3073	.3030	.2985

TABLE 71. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies*  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9351	.9346	.9342	.9337	.9334	.9332	.9326
.0002	.9098	.9092	.9086	.9079	.9075	.9072	.9065
.0003	.8911	.8904	.8896	.8888	.8884	.8880	.8872
.0004	.8757	.8749	.8741	.8732	.8726	.8722	.8713
.0005	.8625	.8616	.8607	.8597	.8591	.8586	.8576
.0006	.8508	.8498	.8488	.8477	.8471	.8466	.8455
.0007	.8401	.8391	.8380	.8369	.8362	.8357	.8345
.0008	.8304	.8293	.8282	.8270	.8263	.8258	.8245
.0009	.8215	.8203	.8191	.8179	.8171	.8166	.8152
.0010	.8131	.8119	.8107	.8094	.8086	.8080	.8066
.0020	.7497	.7481	.7466	.7449	.7439	.7431	.7414
.0030	.7056	.7038	.7020	.7001	.6990	.6982	.6961
.0040	.6712	.6693	.6673	.6653	.6640	.6631	.6609
.0050	.6428	.6408	.6387	.6365	.6352	.6343	.6319
.0060	.6186	.6165	.6143	.6120	.6107	.6097	.6072
.0070	.5975	.5953	.5930	.5907	.5893	.5882	.5857
.0080	.5787	.5765	.5742	.5717	.5703	.5692	.5666
.0090	.5619	.5596	.5572	.5547	.5532	.5521	.5495
.0100	.5466	.5442	.5418	.5393	.5378	.5367	.5340
.0200	.4428	.4402	.4376	.4349	.4332	.4320	.4291
.0300	.3820	.3794	.3767	.3739	.3723	.3710	.3681
.0400	.3403	.3377	.3350	.3322	.3306	.3293	.3264
.0500	.3092	.3066	.3040	.3013	.2996	.2984	.2955
.0600	.2850	.2825	.2799	.2772	.2755	.2744	.2715
.0700	.2654	.2629	.2604	.2577	.2561	.2550	.2522
.0800	.2492	.2468	.2443	.2417	.2401	.2390	.2362
.0900	.2356	.2332	.2307	.2282	.2266	.2255	.2228
.1000	.2239	.2215	.2191	.2166	.2151	.2140	.2113

TABLE 71. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*  
*Davies—Continued*  
 (Electrolyte,  $z_{+}z_{-} = 6$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9297	.9290	.9283	.9276	.9269	.9261	.9253	.9245	.9237	.9228	.9219
.0002	.9025	.9015	.9006	.8996	.8986	.8976	.8965	.8954	.8943	.8931	.8918
.0003	.8823	.8812	.8801	.8789	.8778	.8765	.8752	.8739	.8725	.8711	.8696
.0004	.8658	.8645	.8633	.8620	.8606	.8592	.8578	.8563	.8548	.8532	.8515
.0005	.8516	.8502	.8488	.8474	.8459	.8444	.8428	.8412	.8395	.8377	.8359
.0006	.8390	.8375	.8360	.8345	.8329	.8313	.8296	.8278	.8260	.8241	.8221
.0007	.8276	.8261	.8245	.8229	.8212	.8194	.8176	.8158	.8138	.8118	.8097
.0008	.8172	.8156	.8139	.8122	.8104	.8086	.8067	.8047	.8027	.8006	.7984
.0009	.8076	.8059	.8042	.8024	.8005	.7986	.7966	.7946	.7925	.7903	.7880
.0010	.7987	.7969	.7951	.7933	.7913	.7893	.7873	.7851	.7829	.7806	.7782
.0020	.7313	.7290	.7267	.7243	.7219	.7193	.7167	.7140	.7112	.7083	.7053
.0030	.6847	.6821	.6795	.6768	.6740	.6712	.6682	.6651	.6620	.6588	.6554
.0040	.6485	.6457	.6429	.6400	.6370	.6339	.6307	.6274	.6240	.6205	.6169
.0050	.6188	.6158	.6129	.6098	.6066	.6033	.6000	.5965	.5929	.5893	.5854
.0060	.5935	.5904	.5873	.5841	.5808	.5774	.5739	.5703	.5666	.5628	.5588
.0070	.5715	.5683	.5651	.5618	.5584	.5549	.5513	.5476	.5438	.5399	.5357
.0080	.5521	.5488	.5455	.5421	.5387	.5351	.5314	.5276	.5236	.5196	.5154
.0090	.5346	.5313	.5280	.5245	.5209	.5173	.5136	.5097	.5057	.5016	.4973
.0100	.5188	.5155	.5121	.5085	.5049	.5012	.4974	.4935	.4894	.4853	.4810
.0200	.4128	.4092	.4055	.4018	.3979	.3940	.3900	.3858	.3815	.3772	.3727
.0300	.3516	.3480	.3443	.3406	.3367	.3328	.3288	.3246	.3204	.3161	.3116
.0400	.3101	.3065	.3029	.2992	.2954	.2915	.2876	.2835	.2794	.2752	.2708
.0500	.2795	.2759	.2724	.2688	.2651	.2613	.2575	.2535	.2495	.2454	.2412
.0600	.2558	.2523	.2489	.2453	.2417	.2381	.2343	.2305	.2266	.2226	.2185
.0700	.2367	.2334	.2300	.2266	.2230	.2195	.2158	.2121	.2083	.2044	.2005
.0800	.2211	.2178	.2145	.2112	.2077	.2042	.2007	.1970	.1933	.1896	.1857
.0900	.2080	.2048	.2015	.1983	.1949	.1915	.1880	.1845	.1809	.1772	.1735
.1000	.1968	.1937	.1905	.1873	.1840	.1807	.1773	.1738	.1703	.1668	.1631

TABLE 72. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.9144	.9138	.9132	.9126	.9119	.9112	.9105	.9090
.0002	.8816	.8809	.8800	.8792	.8787	.8774	.8764	.8748
.0003	.8575	.8566	.8556	.8546	.8540	.8535	.8525	.8501
.0004	.8379	.8368	.8357	.8346	.8339	.8334	.8321	.8295
.0005	.8210	.8198	.8187	.8174	.8167	.8161	.8148	.8134
.0006	.8061	.8049	.8036	.8023	.8015	.8009	.7994	.7979
.0007	.7928	.7914	.7901	.7887	.7878	.7872	.7857	.7841
.0008	.7806	.7792	.7778	.7763	.7754	.7747	.7731	.7715
.0009	.7693	.7679	.7664	.7649	.7639	.7632	.7616	.7598
.0010	.7589	.7574	.7559	.7543	.7533	.7526	.7509	.7490
.0020	.6810	.6792	.6772	.6752	.6740	.6731	.6710	.6687
.0030	.6281	.6261	.6239	.6217	.6203	.6194	.6170	.6145
.0040	.5876	.5854	.5832	.5808	.5793	.5783	.5757	.5730
.0050	.5548	.5524	.5501	.5476	.5461	.5449	.5423	.5395
.0060	.5271	.5247	.5222	.5196	.5181	.5169	.5142	.5113
.0070	.5032	.5008	.4982	.4956	.4940	.4928	.4900	.4871
.0080	.4823	.4798	.4772	.4745	.4729	.4717	.4689	.4659
.0090	.4636	.4611	.4585	.4558	.4542	.4530	.4501	.4471
.0100	.4469	.4443	.4417	.4390	.4373	.4361	.4332	.4302
.0200	.3375	.3349	.3322	.3295	.3278	.3266	.3236	.3206
.0300	.2772	.2747	.2721	.2694	.2678	.2666	.2638	.2608
.0400	.2375	.2351	.2327	.2301	.2286	.2274	.2247	.2219
.0500	.2091	.2068	.2044	.2020	.2005	.1994	.1968	.1942
.0600	.1875	.1853	.1831	.1807	.1793	.1783	.1758	.1732
.0700	.1706	.1684	.1663	.1640	.1627	.1617	.1593	.1569
.0800	.1569	.1548	.1527	.1505	.1492	.1483	.1460	.1437
.0900	.1455	.1435	.1415	.1394	.1382	.1373	.1351	.1328
.1000	.1360	.1341	.1321	.1301	.1289	.1280	.1277	.1259

TABLE 72. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Davies—Continued  
 (Electrolyte,  $z_{+}z_{-}=8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9073	.9065	.9056	.9047	.9037	.9027	.9017	.9006	.8995
.0002	.8721	.8709	.8697	.8685	.8672	.8659	.8645	.8631	.8616
.0003	.8462	.8448	.8434	.8419	.8404	.8388	.8372	.8355	.8338
.0004	.8252	.8236	.8220	.8204	.8186	.8169	.8151	.8132	.8112
.0005	.8072	.8054	.8037	.8019	.8000	.7981	.7961	.7941	.7919
.0006	.7913	.7895	.7876	.7857	.7837	.7816	.7795	.7773	.7750
.0007	.7770	.7751	.7731	.7711	.7690	.7668	.7646	.7622	.7598
.0008	.7641	.7620	.7600	.7578	.7556	.7533	.7510	.7485	.7460
.0009	.7521	.7500	.7479	.7456	.7433	.7409	.7385	.7359	.7333
.0010	.7411	.7389	.7366	.7343	.7319	.7295	.7269	.7243	.7216
.0020	.6588	.6561	.6533	.6505	.6475	.6445	.6414	.6382	.6348
.0030	.6035	.6004	.5974	.5942	.5910	.5876	.5842	.5806	.5770
.0040	.5613	.5581	.5549	.5515	.5481	.5445	.5409	.5371	.5332
.0050	.5273	.5239	.5206	.5171	.5135	.5098	.5061	.5021	.4981
.0060	.4988	.4953	.4919	.4883	.4846	.4808	.4770	.4730	.4688
.0070	.4743	.4708	.4672	.4636	.4599	.4560	.4521	.4480	.4438
.0080	.4529	.4493	.4457	.4421	.4383	.4344	.4304	.4263	.4221
.0090	.4339	.4303	.4267	.4230	.4192	.4153	.4113	.4071	.4029
.0100	.4169	.4133	.4097	.4059	.4021	.3982	.3941	.3900	.3857
.0200	.3073	.3037	.3001	.2965	.2927	.2888	.2849	.2808	.2767
.0300	.2481	.2447	.2413	.2378	.2342	.2306	.2269	.2231	.2192
.0400	.2099	.2066	.2034	.2001	.1967	.1933	.1898	.1863	.1827
.0500	.1827	.1797	.1766	.1735	.1703	.1671	.1638	.1605	.1571
.0600	.1623	.1594	.1565	.1536	.1506	.1475	.1445	.1413	.1381
.0700	.1465	.1437	.1409	.1381	.1353	.1324	.1295	.1265	.1235
.0800	.1337	.1311	.1284	.1257	.1230	.1203	.1175	.1147	.1118
.0900	.1232	.1207	.1182	.1156	.1130	.1104	.1077	.1050	.1023
.1000	.1145	.1120	.1096	.1072	.1047	.1021	.0996	.0970	.0944

TABLE 73. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies*  
(Electrolyte,  $z_+z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9042	.9036	.9029	.9022	.9018	.9014	.9007	.8999	.8991
.0002	.8679	.8670	.8661	.8651	.8646	.8642	.8631	.8609	.8602
.0003	.8412	.8402	.8391	.8380	.8373	.8368	.8356	.8344	.8330
.0004	.8195	.8184	.8172	.8159	.8152	.8146	.8133	.8118	.8104
.0005	.8010	.7997	.7984	.7971	.7962	.7956	.7942	.7926	.7910
.0006	.7847	.7833	.7820	.7805	.7796	.7774	.7757	.7740	.7730
.0007	.7701	.7686	.7672	.7656	.7647	.7640	.7623	.7606	.7588
.0008	.7568	.7553	.7537	.7521	.7511	.7504	.7487	.7468	.7449
.0009	.7445	.7430	.7414	.7397	.7387	.7379	.7361	.7342	.7322
.0010	.7332	.7316	.7299	.7281	.7271	.7263	.7244	.7225	.7204
.0020	.6491	.6471	.6450	.6429	.6416	.6406	.6383	.6359	.6334
.0030	.5927	.5905	.5882	.5858	.5844	.5833	.5808	.5782	.5754
.0040	.5499	.5475	.5451	.5426	.5411	.5400	.5373	.5345	.5316
.0050	.5154	.5129	.5105	.5079	.5063	.5051	.5023	.4994	.4964
.0060	.4865	.4840	.4815	.4788	.4772	.4760	.4732	.4702	.4671
.0070	.4618	.4593	.4567	.4540	.4523	.4511	.4482	.4452	.4421
.0080	.4402	.4377	.4351	.4323	.4307	.4294	.4265	.4235	.4203
.0090	.4212	.4186	.4159	.4132	.4115	.4103	.4073	.4043	.4011
.0100	.4041	.4015	.3988	.3960	.3944	.3931	.3902	.3871	.3839
.0200	.2946	.2921	.2895	.2868	.2851	.2839	.2811	.2781	.2750
.0300	.2361	.2337	.2312	.2287	.2271	.2260	.2233	.2205	.2176
.0400	.1985	.1962	.1939	.1915	.1900	.1890	.1865	.1838	.1811
.0500	.1719	.1698	.1676	.1654	.1640	.1630	.1606	.1582	.1557
.0600	.1521	.1501	.1481	.1459	.1446	.1437	.1415	.1392	.1368
.0700	.1367	.1348	.1329	.1308	.1296	.1287	.1266	.1244	.1222
.0800	.1244	.1226	.1207	.1188	.1177	.1168	.1148	.1127	.1106
.0900	.1144	.1126	.1108	.1090	.1079	.1071	.1052	.1032	.1012
.1000	.1060	.1043	.1026	.1008	.0998	.0990	.0972	.0953	.0933

TABLE 73. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Davies—Continued  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8964	.8954	.8944	.8934	.8923	.8912	.8901	.8889	.8877
.0002	.8573	.8560	.8547	.8533	.8519	.8504	.8489	.8473	.8457
.0003	.8288	.8272	.8257	.8240	.8224	.8206	.8188	.8170	.8150
.0004	.8056	.8039	.8021	.8003	.7984	.7965	.7945	.7924	.7903
.0005	.7858	.7839	.7820	.7801	.7780	.7759	.7738	.7715	.7692
.0006	.7685	.7665	.7644	.7623	.7601	.7579	.7556	.7532	.7507
.0007	.7529	.7508	.7487	.7464	.7441	.7418	.7393	.7368	.7342
.0008	.7388	.7366	.7343	.7320	.7296	.7271	.7246	.7219	.7192
.0009	.7258	.7235	.7212	.7188	.7163	.7137	.7110	.7083	.7054
.0010	.7138	.7114	.7090	.7065	.7039	.7013	.6985	.6957	.6927
.0020	.6253	.6224	.6195	.6164	.6133	.6101	.6068	.6033	.5998
.0030	.5665	.5633	.5601	.5568	.5534	.5498	.5462	.5425	.5386
.0040	.5222	.5189	.5155	.5120	.5084	.5047	.5009	.4970	.4929
.0050	.4867	.4833	.4798	.4762	.4725	.4686	.4647	.4607	.4566
.0060	.4572	.4537	.4501	.4464	.4427	.4388	.4348	.4307	.4265
.0070	.4321	.4285	.4249	.4211	.4173	.4134	.4094	.4052	.4010
.0080	.4102	.4066	.4029	.3992	.3953	.3914	.3874	.3832	.3789
.0090	.3909	.3873	.3836	.3799	.3760	.3721	.3680	.3638	.3596
.0100	.3737	.3701	.3664	.3627	.3588	.3549	.3508	.3467	.3424
.0200	.2652	.2617	.2582	.2547	.2510	.2473	.2435	.2396	.2357
.0300	.2085	.2053	.2020	.1987	.1954	.1920	.1885	.1849	.1813
.0400	.1726	.1697	.1667	.1636	.1605	.1574	.1542	.1510	.1477
.0500	.1477	.1450	.1422	.1394	.1365	.1336	.1307	.1277	.1246
.0600	.1293	.1267	.1242	.1215	.1188	.1161	.1134	.1106	.1078
.0700	.1152	.1127	.1103	.1078	.1053	.1028	.1003	.0977	.0951
.0800	.1040	.1017	.0994	.0970	.0947	.0923	.0899	.0875	.0850
.0900	.0949	.0927	.0905	.0883	.0860	.0838	.0815	.0792	.0769
.1000	.0873	.0852	.0831	.0811	.0789	.0768	.0747	.0725	.0703

TABLE 74. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies  
 (Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8744	.8735	.8727	.8718	.8712	.8708	.8698	.8677	.8666
.0002	.8278	.8267	.8256	.8244	.8236	.8218	.8204	.8190	.8176
.0003	.7941	.7928	.7915	.7901	.7892	.7886	.7871	.7855	.7828
.0004	.7669	.7655	.7640	.7624	.7615	.7608	.7591	.7573	.7555
.0005	.7439	.7423	.7407	.7390	.7380	.7373	.7354	.7335	.7316
.0006	.7238	.7221	.7204	.7186	.7175	.7167	.7148	.7128	.7107
.0007	.7058	.7041	.7023	.7004	.6993	.6984	.6964	.6943	.6921
.0008	.6896	.6878	.6859	.6840	.6828	.6819	.6798	.6776	.6753
.0009	.6748	.6729	.6710	.6689	.6677	.6668	.6646	.6623	.6600
.0010	.6611	.6592	.6572	.6551	.6538	.6529	.6506	.6483	.6458
.0020	.5620	.5597	.5573	.5549	.5534	.5523	.5496	.5469	.5440
.0030	.4978	.4954	.4928	.4902	.4886	.4874	.4846	.4816	.4786
.0040	.4505	.4479	.4453	.4426	.4409	.4397	.4368	.4338	.4306
.0050	.4132	.4106	.4080	.4052	.4035	.4023	.3993	.3963	.3931
.0060	.3827	.3801	.3774	.3746	.3729	.3717	.3687	.3656	.3624
.0070	.3570	.3544	.3517	.3489	.3472	.3460	.3430	.3400	.3368
.0080	.3349	.3323	.3297	.3269	.3252	.3240	.3210	.3180	.3148
.0090	.3157	.3131	.3105	.3077	.3061	.3049	.3019	.2989	.2958
.0100	.2987	.2962	.2936	.2908	.2892	.2880	.2851	.2821	.2790
.0200	.1961	.1938	.1915	.1891	.1877	.1866	.1841	.1815	.1788
.0300	.1459	.1439	.1419	.1398	.1386	.1377	.1355	.1332	.1309
.0400	.1158	.1140	.1122	.1104	.1093	.1085	.1065	.1045	.1025
.0500	.0956	.0940	.0924	.0908	.0898	.0891	.0873	.0856	.0837
.0600	.0812	.0798	.0783	.0768	.0759	.0753	.0737	.0721	.0705
.0700	.0705	.0691	.0678	.0664	.0656	.0650	.0636	.0621	.0606
.0800	.0621	.0609	.0597	.0584	.0577	.0571	.0558	.0545	.0531
.0900	.0555	.0544	.0532	.0521	.0514	.0508	.0496	.0484	.0471
.1000	.0501	.0491	.0480	.0469	.0463	.0458	.0447	.0435	.0423

TABLE 74. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Davies—Continued  
(Electrolyte,  $z_{+}z_{-} = 12$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8643	.8630	.8618	.8605	.8591	.8577	.8562	.8547	.8532	.8515	.8499
.0002	.8144	.8128	.8111	.8094	.8076	.8057	.8038	.8018	.7997	.7976	.7954
.0003	.7785	.7765	.7746	.7725	.7704	.7683	.7661	.7637	.7613	.7589	.7563
.0004	.7496	.7474	.7453	.7430	.7407	.7383	.7358	.7333	.7306	.7279	.7250
.0005	.7252	.7229	.7205	.7181	.7156	.7130	.7104	.7076	.7047	.7018	.6987
.0006	.7039	.7014	.6990	.6964	.6937	.6910	.6882	.6853	.6822	.6792	.6759
.0007	.6850	.6824	.6798	.6771	.6743	.6715	.6685	.6654	.6623	.6591	.6557
.0008	.6679	.6652	.6625	.6597	.6568	.6539	.6508	.6476	.6443	.6410	.6375
.0009	.6523	.6495	.6467	.6438	.6409	.6378	.6346	.6314	.6280	.6245	.6209
.0010	.6379	.6351	.6322	.6293	.6262	.6230	.6198	.6164	.6129	.6094	.6057
.0020	.5348	.5314	.5281	.5246	.5211	.5174	.5137	.5098	.5058	.5017	.4975
.0030	.4688	.4653	.4617	.4581	.4543	.4505	.4465	.4424	.4382	.4340	.4295
.0040	.4205	.4169	.4133	.4096	.4057	.4018	.3978	.3936	.3894	.3850	.3805
.0050	.3829	.3792	.3756	.3718	.3680	.3640	.3600	.3558	.3516	.3472	.3427
.0060	.3522	.3486	.3450	.3412	.3374	.3334	.3294	.3253	.3210	.3167	.3123
.0070	.3266	.3230	.3194	.3157	.3119	.3080	.3040	.2999	.2957	.2914	.2870
.0080	.3048	.3012	.2976	.2939	.2901	.2863	.2824	.2783	.2742	.2700	.2657
.0090	.2858	.2823	.2787	.2751	.2714	.2676	.2637	.2597	.2557	.2516	.2473
.0100	.2692	.2657	.2622	.2586	.2550	.2512	.2474	.2435	.2395	.2355	.2313
.0200	.1704	.1674	.1644	.1614	.1583	.1552	.1521	.1488	.1456	.1423	.1389
.0300	.1236	.1211	.1185	.1160	.1134	.1107	.1081	.1054	.1026	.0999	.0971
.0400	.0961	.0939	.0917	.0895	.0873	.0850	.0827	.0804	.0781	.0757	.0734
.0500	.0781	.0761	.0742	.0723	.0703	.0683	.0663	.0643	.0623	.0602	.0582
.0600	.0654	.0637	.0619	.0602	.0584	.0567	.0549	.0531	.0513	.0496	.0477
.0700	.0560	.0545	.0529	.0513	.0497	.0482	.0466	.0450	.0434	.0418	.0402
.0800	.0489	.0474	.0460	.0431	.0417	.0403	.0388	.0374	.0360	.0345	.0327
.0900	.0433	.0419	.0406	.0393	.0380	.0367	.0354	.0340	.0327	.0314	.0301
.1000	.0387	.0375	.0363	.0351	.0339	.0326	.0314	.0302	.0290	.0278	.0266

TABLE 75. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Davies  
(Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8361	.8350	.8339	.8328	.8321	.8316	.8303	.8290	.8277
.0002	.7773	.7759	.7745	.7730	.7721	.7714	.7698	.7681	.7663
.0003	.7354	.7338	.7321	.7304	.7293	.7285	.7267	.7247	.7227
.0004	.7020	.7002	.6984	.6965	.6954	.6945	.6925	.6903	.6881
.0005	.6740	.6721	.6702	.6682	.6669	.6660	.6638	.6616	.6592
.0006	.6498	.6479	.6458	.6437	.6424	.6414	.6391	.6367	.6342
.0007	.6285	.6264	.6243	.6220	.6207	.6197	.6173	.6148	.6122
.0008	.6093	.6071	.6049	.6026	.6012	.6002	.5977	.5951	.5925
.0009	.5919	.5897	.5874	.5850	.5836	.5825	.5800	.5773	.5746
.0010	.5759	.5737	.5714	.5689	.5675	.5664	.5638	.5611	.5582
.0020	.4638	.4612	.4587	.4559	.4543	.4531	.4502	.4472	.4441
.0030	.3946	.3920	.3893	.3865	.3848	.3836	.3806	.3776	.3744
.0040	.3453	.3427	.3401	.3373	.3356	.3344	.3314	.3284	.3252
.0050	.3078	.3052	.3026	.2998	.2982	.2970	.2941	.2910	.2879
.0060	.2778	.2753	.2727	.2700	.2684	.2672	.2644	.2615	.2584
.0070	.2532	.2508	.2482	.2456	.2441	.2429	.2401	.2373	.2343
.0080	.2326	.2302	.2277	.2252	.2236	.2225	.2198	.2170	.2142
.0090	.2150	.2126	.2102	.2078	.2063	.2052	.2026	.1999	.1971
.0100	.1997	.1974	.1951	.1927	.1913	.1902	.1877	.1850	.1823
.0200	.1139	.1122	.1104	.1085	.1075	.1066	.1047	.1028	.1007
.0300	.0768	.0754	.0740	.0726	.0717	.0711	.0696	.0680	.0665
.0400	.0564	.0553	.0541	.0529	.0522	.0517	.0505	.0492	.0480
.0500	.0437	.0428	.0418	.0408	.0402	.0398	.0387	.0377	.0366
.0600	.0352	.0343	.0335	.0327	.0322	.0318	.0309	.0300	.0291
.0700	.0291	.0284	.0276	.0269	.0265	.0261	.0254	.0246	.0238
.0800	.0246	.0240	.0233	.0227	.0223	.0220	.0213	.0206	.0200
.0900	.0212	.0206	.0200	.0194	.0191	.0188	.0182	.0176	.0170
.1000	.0185	.0180	.0175	.0169	.0166	.0164	.0158	.0153	.0148

TABLE 75. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Davies—Continued  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8233	.8217	.8201	.8184	.8167	.8149	.8131	.8111	.8092
.0002	.7606	.7585	.7564	.7543	.7520	.7497	.7473	.7449	.7423
.0003	.7161	.7138	.7114	.7089	.7063	.7037	.7009	.6981	.6952
.0004	.6809	.6783	.6757	.6730	.6702	.6673	.6643	.6612	.6580
.0005	.6515	.6487	.6459	.6430	.6401	.6370	.6338	.6305	.6271
.0006	.6261	.6232	.6203	.6173	.6141	.6109	.6076	.6041	.6006
.0007	.6038	.6008	.5977	.5946	.5913	.5880	.5845	.5810	.5773
.0008	.5838	.5807	.5775	.5743	.5709	.5675	.5640	.5603	.5565
.0009	.5657	.5625	.5593	.5560	.5525	.5490	.5454	.5416	.5378
.0010	.5492	.5459	.5426	.5392	.5357	.5321	.5284	.5246	.5207
.0020	.4340	.4305	.4269	.4231	.4193	.4154	.4114	.4072	.4030
.0030	.3642	.3605	.3569	.3531	.3493	.3453	.3413	.3371	.3329
.0040	.3151	.3115	.3079	.3042	.3004	.2965	.2926	.2885	.2843
.0050	.2780	.2745	.2710	.2674	.2637	.2599	.2561	.2521	.2481
.0060	.2488	.2454	.2419	.2384	.2349	.2312	.2275	.2237	.2198
.0070	.2249	.2216	.2183	.2149	.2115	.2080	.2044	.2007	.1970
.0080	.2051	.2019	.1987	.1954	.1921	.1887	.1853	.1817	.1781
.0090	.1883	.1852	.1821	.1789	.1757	.1724	.1691	.1657	.1623
.0100	.1738	.1708	.1678	.1648	.1617	.1585	.1553	.1521	.1488
.0200	.0944	.0923	.0901	.0879	.0857	.0834	.0812	.0789	.0766
.0300	.0616	.0599	.0582	.0566	.0549	.0532	.0515	.0498	.0481
.0400	.0440	.0427	.0414	.0400	.0387	.0374	.0360	.0347	.0334
.0500	.0334	.0323	.0312	.0301	.0290	.0279	.0268	.0257	.0247
.0600	.0264	.0254	.0245	.0236	.0227	.0218	.0209	.0200	.0191
.0700	.0214	.0206	.0199	.0191	.0183	.0175	.0168	.0160	.0152
.0800	.0179	.0172	.0165	.0158	.0151	.0145	.0138	.0131	.0125
.0900	.0152	.0146	.0140	.0134	.0128	.0122	.0116	.0110	.0099
.1000	.0131	.0126	.0120	.0115	.0110	.0104	.0099	.0094	.0084

TABLE 76. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard  
(Electrolyte,  $z_{+}z_{-} = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9886	.9886	.9885	.9884	.9882	.9881
.0002	.9844	.9843	.9842	.9841	.9840	.9840	.9838	.9837	.9834
.0003	.9811	.9809	.9808	.9806	.9805	.9805	.9803	.9799	.9798
.0004	.9783	.9781	.9779	.9778	.9777	.9776	.9774	.9772	.9770
.0005	.9758	.9756	.9754	.9753	.9751	.9750	.9748	.9746	.9744
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9726	.9723	.9720
.0007	.9716	.9714	.9712	.9710	.9708	.9707	.9705	.9702	.9699
.0008	.9697	.9695	.9693	.9691	.9689	.9688	.9685	.9683	.9680
.0009	.9680	.9678	.9676	.9673	.9671	.9670	.9667	.9665	.9661
.0010	.9664	.9662	.9659	.9656	.9655	.9654	.9651	.9648	.9644
.0020	.9536	.9533	.9530	.9526	.9524	.9522	.9518	.9514	.9509
.0030	.9443	.9439	.9435	.9431	.9428	.9426	.9421	.9416	.9411
.0040	.9367	.9362	.9358	.9353	.9350	.9348	.9342	.9336	.9330
.0050	.9302	.9297	.9292	.9286	.9283	.9281	.9275	.9268	.9261
.0060	.9244	.9239	.9234	.9228	.9224	.9222	.9215	.9208	.9201
.0070	.9193	.9187	.9181	.9175	.9171	.9168	.9162	.9154	.9147
.0080	.9146	.9140	.9134	.9127	.9123	.9120	.9113	.9105	.9097
.0090	.9102	.9096	.9090	.9083	.9079	.9076	.9068	.9060	.9051
.0100	.9062	.9056	.9049	.9042	.9038	.9034	.9026	.9018	.9009
.0200	.8762	.8754	.8745	.8736	.8730	.8726	.8716	.8705	.8693
.0300	.8558	.8549	.8539	.8528	.8521	.8517	.8505	.8492	.8479
.0400	.8401	.8391	.8380	.8368	.8361	.8355	.8342	.8329	.8314
.0700	.8070	.8057	.8044	.8031	.8022	.8016	.8000	.7984	.7967
.0800	.7986	.7973	.7960	.7946	.7937	.7930	.7914	.7897	.7879
.0900	.7911	.7898	.7884	.7870	.7860	.7853	.7837	.7820	.7801
.1000	.7844	.7830	.7816	.7801	.7791	.7767	.7750	.7731	.7719

TABLE 76. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Scatchard—Continued  
 (Electrolyte,  $\text{I}_\text{eff} = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9879	.9877	.9876	.9875	.9873	.9872	.9870	.9868	.9867
.0002	.9830	.9828	.9826	.9824	.9822	.9820	.9818	.9815	.9813
.0003	.9793	.9791	.9789	.9786	.9784	.9781	.9778	.9775	.9772
.0004	.9763	.9760	.9757	.9755	.9752	.9749	.9745	.9742	.9739
.0005	.9736	.9733	.9730	.9727	.9724	.9720	.9717	.9713	.9705
.0006	.9712	.9709	.9705	.9702	.9699	.9695	.9691	.9687	.9679
.0007	.9690	.9687	.9683	.9680	.9676	.9672	.9668	.9663	.9659
.0008	.9670	.9666	.9663	.9659	.9655	.9650	.9646	.9642	.9637
.0009	.9651	.9647	.9643	.9639	.9635	.9631	.9626	.9621	.9616
.0010	.9633	.9629	.9625	.9621	.9617	.9612	.9607	.9602	.9597
.0020	.9495	.9489	.9484	.9478	.9472	.9465	.9459	.9452	.9445
.0030	.9393	.9386	.9380	.9373	.9365	.9358	.9350	.9342	.9333
.0040	.9310	.9303	.9295	.9287	.9279	.9270	.9262	.9252	.9243
.0050	.9239	.9231	.9223	.9214	.9205	.9196	.9186	.9176	.9165
.0060	.9177	.9168	.9159	.9150	.9140	.9130	.9120	.9109	.9097
.0070	.9121	.9112	.9102	.9092	.9082	.9071	.9060	.9048	.9036
.0080	.9070	.9060	.9050	.9040	.9029	.9018	.9006	.8993	.8981
.0090	.9023	.9013	.9003	.8992	.8980	.8968	.8956	.8943	.8929
.0100	.8980	.8969	.8958	.8947	.8935	.8922	.8909	.8896	.8882
.0200	.8656	.8642	.8628	.8613	.8598	.8581	.8565	.8547	.8529
.0300	.8436	.8420	.8403	.8386	.8369	.8350	.8331	.8311	.8291
.0400	.8267	.8249	.8231	.8213	.8193	.8173	.8152	.8130	.8108
.0500	.8129	.8110	.8091	.8071	.8050	.8029	.8006	.7983	.7959
.0600	.8012	.7992	.7972	.7951	.7929	.7907	.7883	.7858	.7833
.0700	.7911	.7890	.7869	.7847	.7825	.7801	.7776	.7750	.7724
.0800	.7821	.7800	.7778	.7755	.7732	.7707	.7682	.7655	.7628
.0900	.7741	.7719	.7697	.7673	.7649	.7624	.7598	.7570	.7542
.1000	.7669	.7646	.7623	.7599	.7574	.7548	.7522	.7493	.7465

TABLE 77. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9778	.9776	.9774	.9773	.9771	.9769	.9766	.9764
.0002	.9691	.9689	.9687	.9684	.9683	.9682	.9679	.9676	.9673
.0003	.9625	.9622	.9619	.9617	.9615	.9613	.9610	.9607	.9601
.0004	.9570	.9567	.9564	.9560	.9558	.9557	.9553	.9549	.9545
.0005	.9522	.9518	.9515	.9511	.9509	.9507	.9503	.9499	.9494
.0006	.9479	.9475	.9472	.9468	.9465	.9463	.9459	.9454	.9449
.0007	.9440	.9436	.9432	.9428	.9425	.9423	.9418	.9413	.9407
.0008	.9404	.9400	.9396	.9391	.9388	.9386	.9381	.9375	.9370
.0009	.9370	.9366	.9362	.9357	.9354	.9351	.9346	.9340	.9334
.0010	.9339	.9335	.9330	.9325	.9321	.9319	.9313	.9307	.9301
.0020	.9094	.9088	.9082	.9075	.9071	.9067	.9060	.9052	.9043
.0030	.8917	.8910	.8902	.8894	.8889	.8885	.8876	.8866	.8850
.0040	.8774	.8766	.8757	.8748	.8742	.8738	.8728	.8717	.8705
.0050	.8652	.8643	.8634	.8624	.8617	.8613	.8602	.8590	.8577
.0060	.8546	.8536	.8526	.8515	.8509	.8504	.8492	.8479	.8466
.0070	.8450	.8440	.8430	.8418	.8411	.8406	.8393	.8380	.8366
.0080	.8364	.8354	.8342	.8331	.8323	.8318	.8304	.8291	.8275
.0090	.8285	.8274	.8263	.8250	.8242	.8237	.8223	.8208	.8193
.0100	.8212	.8201	.8189	.8176	.8168	.8162	.8148	.8133	.8116
.0200	.7678	.7663	.7648	.7632	.7622	.7615	.7597	.7578	.7558
.0300	.7324	.7308	.7291	.7273	.7262	.7253	.7233	.7212	.7189
.0400	.7058	.7040	.7022	.7003	.6990	.6981	.6960	.6937	.6912
.0500	.6844	.6825	.6806	.6786	.6772	.6763	.6740	.6716	.6690
.0600	.6665	.6646	.6626	.6604	.6591	.6581	.6557	.6532	.6505
.0700	.6512	.6492	.6471	.6449	.6435	.6425	.6400	.6375	.6347
.0800	.6378	.6357	.6336	.6313	.6299	.6289	.6263	.6237	.6209
.0900	.6259	.6238	.6216	.6193	.6178	.6168	.6142	.6115	.6086
.1000	.6152	.6131	.6109	.6085	.6070	.6059	.6033	.6006	.5976

TABLE 77. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Scatchard—Continued  
 (Electrolyte,  $z_{+}z_{-} = 2$ )

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	
.0001	.9759	.9756	.9754	.9751	.9748	.9745	.9742	.9738	.9731	.9728
.0002	.9663	.9659	.9656	.9652	.9648	.9643	.9639	.9634	.9629	.9625
.0003	.9591	.9586	.9582	.9577	.9572	.9567	.9562	.9556	.9550	.9544
.0004	.9531	.9526	.9521	.9515	.9509	.9503	.9497	.9491	.9484	.9478
.0005	.9479	.9473	.9467	.9461	.9455	.9448	.9442	.9434	.9427	.9420
.0006	.9432	.9426	.9420	.9413	.9406	.9399	.9392	.9384	.9376	.9368
.0007	.9390	.9383	.9376	.9369	.9362	.9354	.9346	.9338	.9330	.9321
.0008	.9351	.9344	.9336	.9329	.9321	.9313	.9305	.9296	.9287	.9268
.0009	.9314	.9307	.9307	.9299	.9291	.9283	.9275	.9266	.9257	.9247
.0010	.9280	.9272	.9264	.9256	.9248	.9239	.9229	.9220	.9210	.9200
.0020	.9015	.9004	.8994	.8983	.8971	.8959	.8947	.8934	.8920	.8906
.0030	.8823	.8810	.8798	.8785	.8771	.8757	.8742	.8727	.8711	.8695
.0040	.8668	.8654	.8640	.8625	.8610	.8594	.8578	.8560	.8543	.8525
.0050	.8537	.8522	.8506	.8490	.8474	.8456	.8438	.8420	.8400	.8381
.0060	.8422	.8406	.8389	.8372	.8355	.8336	.8317	.8297	.8276	.8255
.0070	.8320	.8303	.8285	.8267	.8248	.8229	.8208	.8187	.8165	.8143
.0080	.8227	.8209	.8191	.8172	.8152	.8132	.8110	.8088	.8065	.8042
.0090	.8142	.8123	.8105	.8085	.8064	.8043	.8021	.7997	.7974	.7923
.0100	.8064	.8044	.8025	.8004	.7983	.7961	.7938	.7914	.7889	.7864
.0200	.7492	.7468	.7444	.7418	.7392	.7364	.7336	.7306	.7275	.7244
.0300	.7116	.7089	.7062	.7033	.7004	.6973	.6941	.6908	.6874	.6839
.0400	.6834	.6805	.6775	.6745	.6713	.6680	.6646	.6610	.6574	.6537
.0500	.6607	.6577	.6546	.6514	.6481	.6446	.6410	.6373	.6335	.6296
.0600	.6419	.6387	.6355	.6322	.6287	.6251	.6214	.6175	.6136	.6095
.0700	.6258	.6225	.6192	.6158	.6122	.6085	.6047	.6007	.5966	.5925
.0800	.6117	.6084	.6050	.6015	.5978	.5940	.5901	.5860	.5819	.5776
.0900	.5993	.5959	.5924	.5888	.5851	.5812	.5773	.5731	.5688	.5645
.1000	.5881	.5846	.5811	.5775	.5737	.5698	.5657	.5615	.5572	.5528

TABLE 78. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard  
(Electrolyte,  $Z_{+}Z_{-} = 3$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9671	.9669	.9666	.9664	.9662	.9661	.9658
.0002	.9540	.9537	.9534	.9530	.9528	.9526	.9522
.0003	.9443	.9439	.9435	.9430	.9428	.9426	.9421
.0004	.9362	.9357	.9353	.9348	.9345	.9342	.9337
.0005	.9291	.9287	.9281	.9276	.9273	.9270	.9264
.0006	.9229	.9223	.9218	.9212	.9208	.9206	.9199
.0007	.9172	.9166	.9160	.9154	.9150	.9147	.9140
.0008	.9119	.9113	.9107	.9100	.9096	.9093	.9086
.0009	.9071	.9064	.9058	.9051	.9046	.9043	.9035
.0010	.9025	.9019	.9012	.9004	.9000	.8996	.8988
.0020	.8673	.8664	.8655	.8645	.8639	.8634	.8623
.0030	.8420	.8410	.8399	.8388	.8380	.8375	.8362
.0040	.8218	.8207	.8195	.8182	.8174	.8168	.8153
.0050	.8048	.8035	.8022	.8008	.8000	.7993	.7978
.0060	.7900	.7886	.7873	.7858	.7848	.7842	.7825
.0070	.7768	.7754	.7740	.7724	.7714	.7707	.7690
.0080	.7650	.7635	.7620	.7604	.7593	.7586	.7568
.0090	.7542	.7527	.7511	.7494	.7483	.7475	.7456
.0100	.7442	.7427	.7410	.7393	.7382	.7374	.7354
.0200	.6728	.6709	.6689	.6668	.6654	.6645	.6621
.0300	.6268	.6248	.6226	.6203	.6188	.6177	.6152
.0400	.5929	.5907	.5884	.5860	.5844	.5833	.5806
.0500	.5662	.5639	.5615	.5590	.5573	.5562	.5534
.0600	.5441	.5418	.5393	.5367	.5351	.5339	.5310
.0700	.5255	.5231	.5205	.5179	.5162	.5150	.5120
.0800	.5093	.5069	.5043	.5016	.4999	.4987	.4957
.0900	.4952	.4927	.4901	.4874	.4856	.4844	.4813
.1000	.4826	.4801	.4774	.4747	.4729	.4694	.4664

TABLE 78. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Scatchard—Continued  
 (Electrolyte,  $z_{+}z_{-}=3$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9641	.9637	.9633	.9629	.9624	.9620	.9615	.9610	.9605	.9600	.9594
.0002	.9499	.9493	.9488	.9482	.9476	.9470	.9463	.9456	.9449	.9442	.9434
.0003	.9393	.9386	.9379	.9372	.9365	.9357	.9350	.9341	.9333	.9324	.9315
.0004	.9305	.9297	.9289	.9281	.9273	.9265	.9256	.9246	.9237	.9227	.9216
.0005	.9228	.9220	.9212	.9203	.9194	.9184	.9174	.9164	.9153	.9142	.9130
.0006	.9160	.9151	.9142	.9133	.9123	.9112	.9102	.9090	.9079	.9067	.9054
.0007	.9099	.9089	.9079	.9069	.9059	.9047	.9036	.9024	.9012	.8999	.8985
.0008	.9042	.9032	.9021	.9011	.8999	.8988	.8975	.8963	.8950	.8936	.8922
.0009	.8989	.8978	.8968	.8956	.8944	.8932	.8919	.8906	.8892	.8878	.8863
.0010	.8940	.8929	.8917	.8905	.8893	.8880	.8867	.8853	.8838	.8824	.8808
.0020	.8559	.8544	.8529	.8513	.8497	.8480	.8462	.8444	.8425	.8405	.8384
.0030	.8287	.8270	.8252	.8234	.8215	.8195	.8174	.8152	.8130	.8107	.8083
.0040	.8070	.8051	.8031	.8011	.7990	.7967	.7944	.7920	.7896	.7871	.7844
.0050	.7887	.7866	.7845	.7823	.7800	.7776	.7752	.7726	.7699	.7672	.7643
.0060	.7729	.7707	.7684	.7661	.7636	.7611	.7585	.7557	.7529	.7500	.7469
.0070	.7588	.7565	.7541	.7517	.7491	.7464	.7437	.7408	.7378	.7348	.7316
.0080	.7462	.7438	.7413	.7387	.7361	.7333	.7304	.7274	.7243	.7211	.7178
.0090	.7347	.7322	.7296	.7269	.7242	.7213	.7183	.7152	.7120	.7087	.7052
.0100	.7241	.7215	.7189	.7161	.7133	.7103	.7072	.7040	.7007	.6974	.6938
.0200	.6485	.6454	.6422	.6389	.6355	.6319	.6283	.6244	.6205	.6165	.6123
.0300	.6003	.5969	.5934	.5898	.5861	.5822	.5783	.5741	.5699	.5656	.5610
.0400	.5649	.5613	.5577	.5539	.5500	.5460	.5418	.5374	.5330	.5285	.5237
.0500	.5371	.5334	.5296	.5257	.5217	.5175	.5132	.5087	.5042	.4995	.4946
.0600	.5143	.5105	.5066	.5026	.4986	.4943	.4899	.4853	.4806	.4759	.4709
.0700	.4950	.4912	.4873	.4832	.4790	.4747	.4702	.4656	.4608	.4560	.4509
.0800	.4784	.4745	.4706	.4665	.4623	.4578	.4533	.4486	.4439	.4390	.4339
.0900	.4639	.4600	.4560	.4518	.4476	.4431	.4386	.4338	.4290	.4242	.4190
.1000	.4510	.4470	.4430	.4388	.4346	.4301	.4255	.4208	.4159	.4110	.4058

TABLE 79. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Scatchard*  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9564	.9561	.9557	.9554	.9552	.9550	.9546	.9542	.9538
.0002	.9392	.9388	.9383	.9379	.9376	.9374	.9368	.9363	.9357
.0003	.9264	.9259	.9253	.9248	.9244	.9242	.9235	.9229	.9222
.0004	.9158	.9152	.9146	.9140	.9136	.9133	.9126	.9118	.9110
.0005	.9066	.9060	.9053	.9046	.9042	.9039	.9031	.9023	.9014
.0006	.8985	.8978	.8971	.8963	.8959	.8955	.8946	.8937	.8928
.0007	.8911	.8904	.8896	.8888	.8883	.8879	.8870	.8860	.8850
.0008	.8843	.8836	.8828	.8819	.8813	.8810	.8800	.8790	.8779
.0009	.8781	.8773	.8764	.8755	.8749	.8745	.8735	.8724	.8713
.0010	.8722	.8713	.8704	.8695	.8689	.8685	.8674	.8663	.8651
.0020	.8271	.8260	.8248	.8236	.8228	.8222	.8208	.8193	.8178
.0030	.7951	.7938	.7925	.7910	.7901	.7894	.7878	.7861	.7843
.0040	.7698	.7683	.7668	.7652	.7642	.7635	.7617	.7598	.7578
.0050	.7486	.7470	.7454	.7437	.7426	.7418	.7399	.7379	.7357
.0060	.7303	.7286	.7269	.7251	.7239	.7231	.7211	.7190	.7167
.0070	.7141	.7124	.7106	.7087	.7075	.7066	.7045	.7023	.6999
.0080	.6996	.6978	.6960	.6940	.6927	.6918	.6896	.6873	.6848
.0090	.6865	.6846	.6827	.6807	.6794	.6784	.6762	.6738	.6712
.0100	.6744	.6725	.6706	.6685	.6671	.6662	.6638	.6614	.6587
.0200	.5895	.5873	.5850	.5825	.5809	.5798	.5771	.5742	.5712
.0300	.5365	.5341	.5316	.5290	.5273	.5261	.5232	.5201	.5169
.0400	.4981	.4957	.4931	.4904	.4886	.4874	.4844	.4812	.4778
.0500	.4684	.4659	.4632	.4604	.4587	.4574	.4543	.4511	.4476
.0600	.4442	.4417	.4390	.4362	.4344	.4331	.4300	.4267	.4232
.0700	.4240	.4215	.4187	.4159	.4141	.4128	.4096	.4064	.4028
.0800	.4068	.4042	.4014	.3986	.3968	.3955	.3923	.3890	.3855
.0900	.3917	.3891	.3864	.3835	.3817	.3804	.3772	.3739	.3704
.1000	.3785	.3759	.3731	.3703	.3685	.3672	.3640	.3607	.3571

TABLE 79. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Scatchard—Continued  
(Electrolyte,  $z_{+}z_{-}=4$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9524	.9519	.9514	.9508	.9502	.9496	.9490	.9484	.9477
.0002	.9328	.9323	.9316	.9308	.9299	.9291	.9282	.9273	.9263
.0003	.9198	.9190	.9181	.9172	.9163	.9153	.9142	.9132	.9120
.0004	.9084	.9074	.9064	.9054	.9043	.9032	.9020	.9008	.8995
.0005	.8984	.8974	.8963	.8951	.8940	.8927	.8914	.8901	.8887
.0006	.8896	.8885	.8873	.8861	.8848	.8834	.8821	.8806	.8791
.0007	.8817	.8804	.8792	.8778	.8765	.8750	.8736	.8720	.8704
.0008	.8743	.8730	.8717	.8703	.8689	.8673	.8658	.8641	.8625
.0009	.8675	.8662	.8648	.8633	.8618	.8602	.8586	.8568	.8551
.0010	.8612	.8598	.8583	.8568	.8552	.8535	.8518	.8500	.8482
.0020	.8127	.8108	.8089	.8069	.8048	.8027	.8004	.7981	.7957
.0030	.7784	.7762	.7740	.7717	.7693	.7668	.7643	.7616	.7588
.0040	.7513	.7489	.7465	.7440	.7414	.7386	.7358	.7328	.7298
.0050	.7287	.7262	.7236	.7209	.7181	.7151	.7121	.7089	.7056
.0060	.7093	.7066	.7038	.7010	.6980	.6949	.6917	.6883	.6849
.0070	.6922	.6893	.6864	.6834	.6804	.6771	.6738	.6703	.6667
.0080	.6768	.6739	.6709	.6678	.6646	.6612	.6578	.6542	.6505
.0090	.6629	.6599	.6568	.6536	.6503	.6469	.6433	.6396	.6358
.0100	.6502	.6471	.6440	.6407	.6373	.6337	.6301	.6263	.6224
.0200	.5613	.5577	.5541	.5503	.5464	.5423	.5381	.5337	.5293
.0300	.5064	.5025	.4987	.4946	.4905	.4862	.4818	.4772	.4725
.0400	.4670	.4630	.4590	.4549	.4507	.4462	.4417	.4369	.4321
.0500	.4366	.4326	.4285	.4243	.4200	.4155	.4109	.4061	.4013
.0600	.4120	.4080	.4039	.3997	.3953	.3908	.3862	.3814	.3765
.0700	.3916	.3875	.3834	.3792	.3748	.3703	.3657	.3608	.3560
.0800	.3742	.3701	.3660	.3618	.3574	.3529	.3483	.3434	.3386
.0900	.3591	.3551	.3509	.3467	.3424	.3378	.3332	.3284	.3236
.1000	.3459	.3418	.3377	.3335	.3292	.3246	.3201	.3153	.3105

TABLE 80. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard*  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9353	.9348	.9343	.9338	.9335	.9333	.9327
.0002	.9102	.9096	.9089	.9083	.9078	.9075	.9068
.0003	.8916	.8909	.8901	.8893	.8888	.8884	.8875
.0004	.8764	.8756	.8747	.8738	.8732	.8728	.8718
.0005	.8633	.8624	.8614	.8604	.8598	.8593	.8582
.0006	.8517	.8507	.8497	.8486	.8479	.8474	.8462
.0007	.8412	.8402	.8391	.8379	.8372	.8367	.8354
.0008	.8316	.8306	.8294	.8282	.8274	.8269	.8255
.0009	.8228	.8216	.8204	.8192	.8184	.8178	.8164
.0010	.8145	.8134	.8121	.8108	.8099	.8093	.8078
.0020	.7522	.7507	.7491	.7474	.7463	.7455	.7436
.0030	.7090	.7073	.7054	.7035	.7023	.7014	.6993
.0040	.6754	.6735	.6715	.6694	.6681	.6671	.6648
.0050	.6477	.6457	.6436	.6414	.6399	.6389	.6364
.0060	.6241	.6220	.6198	.6175	.6160	.6149	.6123
.0070	.6035	.6013	.5990	.5966	.5951	.5940	.5913
.0080	.5852	.5830	.5806	.5782	.5766	.5754	.5727
.0090	.5688	.5665	.5641	.5616	.5600	.5588	.5560
.0100	.5539	.5515	.5491	.5465	.5449	.5437	.5409
.0200	.4526	.4501	.4474	.4446	.4428	.4415	.4384
.0300	.3929	.3903	.3876	.3847	.3829	.3816	.3784
.0400	.3516	.3490	.3462	.3434	.3416	.3403	.3371
.0500	.3206	.3180	.3153	.3124	.3106	.3093	.3062
.0600	.2961	.2935	.2909	.2881	.2863	.2850	.2819
.0700	.2761	.2736	.2710	.2682	.2665	.2652	.2622
.0800	.2594	.2569	.2543	.2516	.2499	.2487	.2457
.0900	.2452	.2427	.2402	.2375	.2358	.2346	.2317
.1000	.2329	.2305	.2279	.2253	.2225	.2205	.2176

TABLE 80. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Scatchard—Continued  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9295	.9287	.9279	.9271	.9263	.9245	.9235	.9226	.9216
.0002	.9023	.9013	.9002	.8991	.8980	.8955	.8942	.8929	.8915
.0003	.8822	.8810	.8797	.8784	.8770	.8756	.8741	.8726	.8710
.0004	.8644	.8629	.8615	.8599	.8583	.8567	.8549	.8531	.8513
.0005	.8516	.8485	.8469	.8452	.8435	.8417	.8398	.8378	.8358
.0006	.8391	.8375	.8358	.8341	.8323	.8304	.8284	.8264	.8243
.0007	.8278	.8261	.8243	.8225	.8206	.8186	.8165	.8143	.8121
.0008	.8175	.8157	.8138	.8119	.8099	.8078	.8056	.8033	.8010
.0009	.8080	.8061	.8042	.8021	.8000	.7978	.7955	.7931	.7907
.0010	.7992	.7972	.7952	.7931	.7909	.7886	.7862	.7837	.7812
.0020	.7326	.7301	.7275	.7248	.7220	.7191	.7161	.7130	.7098
.0030	.6868	.6839	.6810	.6779	.6748	.6715	.6681	.6646	.6610
.0040	.6512	.6481	.6450	.6417	.6383	.6348	.6311	.6273	.6234
.0050	.6221	.6188	.6155	.6120	.6085	.6047	.6009	.5969	.5928
.0060	.5974	.5939	.5905	.5869	.5832	.5793	.5753	.5711	.5668
.0070	.5758	.5723	.5687	.5650	.5612	.5572	.5531	.5488	.5444
.0080	.5568	.5532	.5495	.5457	.5418	.5377	.5335	.5291	.5246
.0090	.5398	.5361	.5323	.5284	.5245	.5203	.5160	.5115	.5069
.0100	.5243	.5206	.5168	.5128	.5088	.5045	.5002	.4956	.4910
.0200	.4205	.4165	.4124	.4082	.4039	.3993	.3947	.3899	.3850
.0300	.3603	.3562	.3521	.3479	.3435	.3390	.3344	.3296	.3248
.0400	.3191	.3151	.3110	.3068	.3025	.2981	.2935	.2888	.2841
.0500	.2885	.2845	.2805	.2764	.2722	.2678	.2634	.2588	.2542
.0600	.2645	.2606	.2567	.2527	.2486	.2443	.2400	.2355	.2310
.0700	.2451	.2412	.2374	.2335	.2295	.2253	.2211	.2168	.2124
.0800	.2289	.2252	.2214	.2176	.2137	.2096	.2055	.2013	.1970
.0900	.2152	.2116	.2079	.2041	.2003	.1964	.1924	.1882	.1841
.1000	.2034	.1998	.1963	.1926	.1888	.1850	.1811	.1770	.1689

TABLE 81. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard  
(Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9146	.9140	.9134	.9128	.9124	.9121	.9113	.9106	.9097
.0002	.8821	.8813	.8805	.8796	.8786	.8777	.8766	.8755	.8748
.0003	.8582	.8572	.8563	.8552	.8546	.8541	.8529	.8517	.8504
.0004	.8387	.8376	.8365	.8354	.8346	.8341	.8328	.8314	.8299
.0005	.8220	.8209	.8197	.8184	.8176	.8170	.8156	.8141	.8124
.0006	.8073	.8061	.8048	.8034	.8026	.8019	.8004	.7988	.7971
.0007	.7941	.7928	.7914	.7900	.7891	.7884	.7868	.7851	.7832
.0008	.7821	.7807	.7793	.7777	.7768	.7761	.7744	.7726	.7707
.0009	.7710	.7696	.7681	.7665	.7655	.7647	.7630	.7611	.7591
.0010	.7607	.7592	.7577	.7560	.7550	.7542	.7524	.7505	.7484
.0020	.6841	.6822	.6803	.6782	.6769	.6760	.6737	.6713	.6687
.0030	.6322	.6302	.6280	.6257	.6242	.6232	.6207	.6180	.6151
.0040	.5926	.5904	.5880	.5856	.5840	.5829	.5802	.5774	.5743
.0050	.5604	.5581	.5556	.5531	.5515	.5503	.5475	.5445	.5413
.0060	.5333	.5309	.5284	.5258	.5241	.5229	.5200	.5169	.5136
.0070	.5100	.5075	.5049	.5023	.5005	.4993	.4963	.4932	.4898
.0080	.4895	.4870	.4844	.4816	.4799	.4786	.4756	.4724	.4690
.0090	.4712	.4687	.4661	.4633	.4615	.4603	.4572	.4540	.4505
.0100	.4549	.4523	.4496	.4468	.4451	.4438	.4407	.4374	.4339
.0200	.3475	.3449	.3422	.3393	.3375	.3362	.3330	.3298	.3262
.0300	.2878	.2853	.2826	.2798	.2780	.2768	.2737	.2705	.2671
.0400	.2481	.2457	.2431	.2405	.2388	.2375	.2346	.2316	.2283
.0500	.2194	.2170	.2146	.2120	.2104	.2092	.2064	.2035	.2004
.0600	.1973	.1951	.1927	.1902	.1887	.1876	.1849	.1821	.1791
.0700	.1798	.1776	.1753	.1730	.1715	.1704	.1678	.1651	.1623
.0800	.1655	.1633	.1612	.1589	.1574	.1564	.1539	.1513	.1486
.0900	.1535	.1514	.1493	.1471	.1457	.1447	.1423	.1398	.1372
.1000	.1433	.1413	.1392	.1371	.1358	.1348	.1325	.1301	.1275

TABLE 81. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Scatchard—Continued  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9071	.9061	.9051	.9040	.9030	.9018	.9006	.8994	.8981
.0002	.8719	.8706	.8692	.8678	.8663	.8648	.8632	.8615	.8598
.0003	.8461	.8445	.8429	.8412	.8395	.8377	.8358	.8338	.8318
.0004	.8251	.8234	.8216	.8197	.8178	.8157	.8136	.8114	.8091
.0005	.8072	.8053	.8033	.8013	.7992	.7969	.7947	.7923	.7898
.0006	.7915	.7894	.7873	.7851	.7829	.7805	.7780	.7755	.7728
.0007	.7773	.7751	.7729	.7706	.7682	.7657	.7631	.7604	.7576
.0008	.7645	.7622	.7598	.7574	.7549	.7523	.7496	.7467	.7438
.0009	.7526	.7502	.7478	.7453	.7427	.7400	.7371	.7342	.7312
.0010	.7417	.7392	.7367	.7341	.7314	.7285	.7256	.7226	.7194
.0020	.6604	.6574	.6543	.6511	.6477	.6443	.6407	.6369	.6331
.0030	.6059	.6025	.5991	.5955	.5919	.5880	.5841	.5800	.5758
.0040	.5645	.5609	.5573	.5535	.5496	.5455	.5414	.5370	.5326
.0050	.5311	.5273	.5236	.5196	.5156	.5114	.5071	.5025	.4979
.0060	.5031	.4993	.4954	.4913	.4872	.4829	.4784	.4738	.4691
.0070	.4791	.4752	.4712	.4671	.4629	.4585	.4540	.4493	.4445
.0080	.4581	.4541	.4501	.4459	.4417	.4372	.4327	.4279	.4231
.0090	.4395	.4355	.4314	.4272	.4229	.4184	.4138	.4091	.4042
.0100	.4228	.4188	.4147	.4105	.4062	.4016	.3970	.3922	.3874
.0200	.3151	.3110	.3070	.3028	.2985	.2941	.2896	.2849	.2801
.0300	.2564	.2525	.2487	.2447	.2406	.2364	.2321	.2277	.2232
.0400	.2181	.2144	.2107	.2069	.2031	.1991	.1951	.1909	.1868
.0500	.1906	.1871	.1836	.1800	.1764	.1726	.1688	.1649	.1610
.0600	.1698	.1664	.1631	.1597	.1563	.1527	.1491	.1454	.1417
.0700	.1534	.1502	.1470	.1438	.1405	.1371	.1337	.1302	.1267
.0800	.1400	.1370	.1340	.1309	.1277	.1245	.1213	.1180	.1146
.0900	.1290	.1261	.1232	.1202	.1172	.1141	.1110	.1079	.1047
.1000	.1196	.1168	.1141	.1112	.1083	.1054	.1024	.0994	.0964

TABLE 82. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard  
(Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius											
	0	5	10	15	18	20	25	30	35			
.0001	.9045	.9038	.9031	.9024	.9020	.9016	.9008	.9000	.8991	.8985	.8981	.8971
.0002	.8684	.8675	.8666	.8656	.8650	.8645	.8634	.8623	.8611	.8603	.8598	.8585
.0003	.8419	.8409	.8398	.8387	.8379	.8374	.8361	.8348	.8333	.8324	.8318	.8302
.0004	.8205	.8193	.8181	.8168	.8160	.8154	.8139	.8124	.8108	.8098	.8091	.8074
.0005	.8021	.8009	.7995	.7981	.7972	.7966	.7950	.7934	.7916	.7906	.7898	.7879
.0006	.7860	.7847	.7832	.7817	.7808	.7801	.7784	.7767	.7748	.7736	.7728	.7708
.0007	.7715	.7701	.7686	.7670	.7660	.7653	.7635	.7617	.7597	.7585	.7576	.7554
.0008	.7584	.7569	.7553	.7537	.7526	.7519	.7500	.7481	.7460	.7447	.7438	.7415
.0009	.7463	.7448	.7431	.7414	.7403	.7395	.7376	.7356	.7334	.7321	.7312	.7288
.0010	.7351	.7335	.7318	.7301	.7289	.7281	.7261	.7240	.7217	.7204	.7194	.7170
.0020	.6524	.6504	.6483	.6461	.6447	.6437	.6413	.6387	.6359	.6343	.6331	.6301
.0030	.5970	.5948	.5925	.5901	.5885	.5874	.5847	.5819	.5789	.5771	.5758	.5725
.0040	.5550	.5527	.5503	.5477	.5461	.5449	.5420	.5391	.5358	.5339	.5326	.5291
.0050	.5212	.5188	.5163	.5136	.5119	.5107	.5077	.5047	.5013	.4993	.4979	.4943
.0060	.4930	.4905	.4879	.4852	.4834	.4822	.4791	.4760	.4726	.4705	.4691	.4654
.0070	.4688	.4663	.4636	.4608	.4591	.4578	.4547	.4515	.4480	.4460	.4445	.4408
.0080	.4477	.4451	.4424	.4396	.4378	.4365	.4334	.4302	.4267	.4246	.4231	.4193
.0090	.4289	.4264	.4237	.4208	.4190	.4177	.4146	.4113	.4078	.4057	.4042	.4004
.0100	.4122	.4096	.4069	.4040	.4022	.4009	.3978	.3945	.3909	.3888	.3874	.3835
.0200	.3045	.3019	.2992	.2964	.2947	.2934	.2903	.2871	.2836	.2816	.2801	.2764
.0300	.2463	.2439	.2413	.2386	.2369	.2357	.2328	.2298	.2265	.2246	.2232	.2198
.0400	.2085	.2062	.2037	.2012	.1996	.1985	.1957	.1929	.1898	.1880	.1868	.1835
.0500	.1815	.1793	.1770	.1746	.1731	.1720	.1694	.1668	.1639	.1622	.1610	.1580
.0600	.1611	.1590	.1569	.1546	.1532	.1522	.1497	.1472	.1445	.1429	.1417	.1389
.0700	.1451	.1431	.1411	.1389	.1376	.1366	.1342	.1318	.1293	.1278	.1267	.1240
.0800	.1321	.1302	.1283	.1262	.1249	.1240	.1218	.1195	.1171	.1156	.1146	.1121
.0900	.1214	.1196	.1177	.1158	.1145	.1136	.1115	.1093	.1070	.1057	.1047	.1023
.1000	.1124	.1106	.1088	.1070	.1058	.1049	.1029	.1008	.986	.973	.964	.941

TABLE 82. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Scatchard—Continued  
(Electrolyte,  $z_{+}z_{-}=9$ )

Ionic strength	Temperature in degrees Celsius									95	100
	50	55	60	65	70	75	80	85	90		
.0001	.8961	.8950	.8939	.8927	.8915	.8902	.8889	.8875	.8861	.8847	.8831
.0002	.8571	.8556	.8541	.8525	.8509	.8492	.8475	.8456	.8437	.8418	.8397
.0003	.8286	.8269	.8251	.8233	.8214	.8194	.8173	.8151	.8129	.8106	.8082
.0004	.8055	.8036	.8016	.7996	.7974	.7952	.7929	.7905	.7880	.7855	.7828
.0005	.7859	.7838	.7816	.7794	.7771	.7747	.7722	.7695	.7668	.7641	.7612
.0006	.7686	.7664	.7641	.7617	.7593	.7567	.7540	.7512	.7483	.7454	.7423
.0007	.7532	.7508	.7484	.7459	.7433	.7406	.7378	.7348	.7318	.7287	.7254
.0008	.7392	.7367	.7342	.7316	.7289	.7260	.7231	.7200	.7168	.7136	.7102
.0009	.7264	.7238	.7211	.7184	.7156	.7126	.7096	.7064	.7031	.6998	.6962
.0010	.7145	.7118	.7091	.7062	.7033	.7003	.6971	.6938	.6904	.6870	.6833
.0020	.6270	.6238	.6205	.6170	.6135	.6098	.6060	.6020	.5980	.5938	.5894
.0030	.5691	.5655	.5619	.5582	.5543	.5503	.5461	.5418	.5374	.5329	.5281
.0040	.5255	.5218	.5180	.5140	.5100	.5057	.5014	.4969	.4922	.4875	.4826
.0050	.4907	.4868	.4829	.4788	.4746	.4702	.4658	.4611	.4564	.4516	.4465
.0060	.4617	.4577	.4537	.4496	.4453	.4409	.4363	.4316	.4268	.4219	.4167
.0070	.4370	.4330	.4289	.4247	.4204	.4159	.4113	.4065	.4017	.3967	.3915
.0080	.4155	.4114	.4074	.4031	.3988	.3943	.3897	.3848	.3800	.3750	.3698
.0090	.3966	.3925	.3884	.3841	.3798	.3753	.3706	.3658	.3609	.3560	.3508
.0100	.3797	.3756	.3715	.3672	.3629	.3583	.3537	.3489	.3440	.3391	.3339
.0200	.2727	.2688	.2649	.2608	.2567	.2523	.2480	.2435	.2389	.2344	.2295
.0300	.2163	.2126	.2090	.2052	.2014	.1974	.1934	.1892	.1851	.1809	.1765
.0400	.1803	.1768	.1734	.1699	.1664	.1627	.1590	.1552	.1514	.1476	.1436
.0500	.1549	.1517	.1486	.1453	.1420	.1386	.1352	.1317	.1281	.1246	.1210
.0600	.1360	.1330	.1300	.1270	.1239	.1207	.1176	.1143	.1110	.1078	.1044
.0700	.1213	.1185	.1157	.1128	.1099	.1070	.1040	.1009	.9979	.9948	.9917
.0800	.1095	.1069	.1042	.1015	.988	.9660	.932	.9003	.8974	.8946	.8917
.0900	.0998	.0973	.0948	.0922	.0897	.0870	.0844	.0817	.0790	.0763	.0735
.1000	.0918	.0893	.0869	.0845	.0821	.0796	.0770	.0745	.0719	.0694	.0668

TABLE 83. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard*  
(Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.8747	.8739	.8730	.8721	.8715	.8710	.8700
.0002	.8285	.8274	.8262	.8250	.8242	.8236	.8222
.0003	.7950	.7937	.7923	.7909	.7900	.7893	.7877
.0004	.7681	.7666	.7651	.7635	.7625	.7618	.7600
.0005	.7453	.7437	.7421	.7403	.7392	.7384	.7365
.0006	.7254	.7237	.7220	.7201	.7190	.7181	.7161
.0007	.7076	.7059	.7041	.7021	.7009	.7000	.6979
.0008	.6916	.6898	.6879	.6859	.6846	.6837	.6814
.0009	.6770	.6751	.6731	.6710	.6697	.6688	.6664
.0010	.6635	.6615	.6595	.6574	.6560	.6550	.6526
.0020	.5658	.5635	.5611	.5586	.5570	.5558	.5530
.0030	.5027	.5002	.4976	.4949	.4932	.4920	.4890
.0040	.4561	.4536	.4509	.4481	.4463	.4451	.4419
.0050	.4195	.4169	.4142	.4113	.4095	.4082	.4051
.0060	.3894	.3868	.3841	.3812	.3794	.3781	.3749
.0070	.3642	.3616	.3588	.3560	.3541	.3528	.3496
.0080	.3424	.3398	.3371	.3343	.3324	.3311	.3280
.0090	.3235	.3209	.3182	.3154	.3136	.3123	.3091
.0100	.3068	.3042	.3015	.2987	.2969	.2956	.2925
.0200	.2049	.2026	.2002	.1977	.1961	.1949	.1922
.0300	.1544	.1523	.1502	.1480	.1466	.1456	.1432
.0400	.1236	.1218	.1199	.1179	.1167	.1158	.1136
.0500	.1028	.1011	.0994	.0976	.0965	.0957	.0938
.0600	.0877	.0862	.0846	.0830	.0820	.0812	.0795
.0700	.0762	.0749	.0734	.0719	.0710	.0703	.0687
.0800	.0673	.0660	.0647	.0633	.0625	.0618	.0604
.0900	.0601	.0589	.0577	.0564	.0556	.0550	.0537
.1000	.0542	.0531	.0520	.0508	.0500	.0495	.0482

TABLE 83. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Scatchard—Continued  
 (Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8639	.8625	.8611	.8596	.8580	.8564	.8547	.8529	.8511
.0002	.8141	.8123	.8104	.8084	.8063	.8042	.8020	.7997	.7973
.0003	.7783	.7761	.7739	.7716	.7692	.7667	.7641	.7614	.7587
.0004	.7495	.7471	.7447	.7421	.7395	.7367	.7339	.7309	.7278
.0005	.7252	.7226	.7200	.7173	.7144	.7115	.7084	.7052	.7019
.0006	.7041	.7013	.6986	.6956	.6927	.6895	.6863	.6829	.6794
.0007	.6853	.6824	.6795	.6765	.6733	.6700	.6666	.6631	.6595
.0008	.6684	.6654	.6623	.6592	.6559	.6525	.6490	.6453	.6415
.0009	.6529	.6498	.6467	.6434	.6401	.6365	.6329	.6291	.6252
.0010	.6387	.6355	.6323	.6289	.6255	.6218	.6181	.6142	.6102
.0020	.5367	.5330	.5292	.5253	.5213	.5171	.5128	.5083	.5038
.0030	.4716	.4677	.4637	.4596	.4554	.4509	.4464	.4417	.4369
.0040	.4241	.4201	.4160	.4118	.4075	.4029	.3983	.3935	.3887
.0050	.3870	.3829	.3788	.3746	.3702	.3657	.3611	.3562	.3514
.0060	.3568	.3528	.3487	.3444	.3401	.3355	.3309	.3262	.3213
.0070	.3316	.3275	.3235	.3192	.3149	.3104	.3059	.3011	.2964
.0080	.3101	.3060	.3020	.2978	.2935	.2891	.2846	.2799	.2752
.0090	.2914	.2874	.2834	.2792	.2751	.2707	.2662	.2616	.2570
.0100	.2749	.2710	.2671	.2630	.2588	.2545	.2502	.2456	.2411
.0200	.1769	.1735	.1701	.1666	.1631	.1595	.1558	.1520	.1483
.0300	.1298	.1269	.1240	.1210	.1180	.1149	.1118	.1086	.1055
.0400	.1018	.0993	.0967	.0941	.0915	.0888	.0862	.0834	.0807
.0500	.0832	.0809	.0787	.0764	.0741	.0717	.0694	.0670	.0646
.0600	.0700	.0679	.0659	.0638	.0618	.0597	.0576	.0555	.0534
.0700	.0601	.0582	.0564	.0545	.0527	.0508	.0489	.0470	.0451
.0800	.0524	.0507	.0490	.0473	.0457	.0439	.0422	.0405	.0388
.0900	.0463	.0448	.0432	.0417	.0401	.0386	.0370	.0354	.0339
.1000	.0414	.0399	.0385	.0371	.0357	.0342	.0328	.0313	.0299

TABLE 84. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Scatchard  
(Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8365	.8355	.8343	.8332	.8324	.8319	.8305	.8291	.8276
.0002	.7781	.7767	.7752	.7737	.7727	.7720	.7703	.7685	.7665
.0003	.7365	.7349	.7332	.7314	.7303	.7295	.7275	.7254	.7231
.0004	.7034	.7016	.6998	.6978	.6966	.6957	.6935	.6912	.6888
.0005	.6757	.6738	.6718	.6698	.6684	.6675	.6651	.6627	.6601
.0006	.6518	.6498	.6477	.6455	.6441	.6431	.6406	.6381	.6353
.0007	.6306	.6285	.6264	.6241	.6226	.6216	.6190	.6163	.6135
.0008	.6116	.6095	.6073	.6049	.6034	.6023	.5997	.5969	.5939
.0009	.5944	.5922	.5899	.5875	.5859	.5848	.5821	.5793	.5762
.0010	.5787	.5764	.5741	.5716	.5700	.5688	.5661	.5632	.5601
.0020	.4680	.4654	.4628	.4600	.4582	.4570	.4539	.4507	.4472
.0030	.3997	.3971	.3944	.3915	.3897	.3884	.3852	.3819	.3784
.0040	.3511	.3485	.3458	.3429	.3411	.3398	.3366	.3334	.3298
.0050	.3140	.3114	.3087	.3059	.3041	.3028	.2997	.2965	.2930
.0060	.2844	.2819	.2792	.2764	.2747	.2734	.2704	.2672	.2638
.0070	.2601	.2576	.2550	.2523	.2505	.2493	.2463	.2432	.2399
.0080	.2396	.2372	.2346	.2320	.2303	.2291	.2262	.2232	.2200
.0090	.2221	.2197	.2172	.2147	.2130	.2119	.2090	.2061	.2030
.0100	.2069	.2046	.2022	.1997	.1981	.1969	.1942	.1913	.1883
.0200	.1208	.1190	.1171	.1151	.1139	.1130	.1109	.1087	.1064
.0300	.0828	.0814	.0799	.0783	.0773	.0766	.0749	.0732	.0714
.0400	.0616	.0604	.0591	.0578	.0570	.0564	.0550	.0536	.0521
.0500	.0481	.0471	.0460	.0449	.0443	.0438	.0426	.0414	.0401
.0600	.0389	.0381	.0371	.0362	.0356	.0352	.0342	.0332	.0321
.0700	.0323	.0315	.0307	.0299	.0294	.0290	.0282	.0273	.0263
.0800	.0274	.0267	.0260	.0252	.0248	.0245	.0237	.0229	.0221
.0900	.0235	.0229	.0223	.0216	.0212	.0209	.0203	.0196	.0188
.1000	.0205		.0200	.0194	.0188	.0184	.0176	.0169	.0159

TABLE 84. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
Scatchard—Continued  
(Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8228	.8210	.8192	.8173	.8153	.8133	.8111	.8089	.8066
.0002	.7602	.7579	.7555	.7531	.7505	.7478	.7451	.7422	.7393
.0003	.7159	.7132	.7105	.7077	.7048	.7017	.6986	.6953	.6919
.0004	.6808	.6779	.6750	.6719	.6687	.6654	.6620	.6584	.6547
.0005	.6516	.6485	.6453	.6421	.6387	.6351	.6315	.6277	.6238
.0006	.6264	.6231	.6198	.6164	.6129	.6091	.6053	.6013	.5973
.0007	.6042	.6008	.5974	.5938	.5902	.5863	.5824	.5782	.5740
.0008	.5844	.5809	.5774	.5737	.5699	.5659	.5619	.5576	.5533
.0009	.5664	.5629	.5592	.5555	.5516	.5475	.5434	.5390	.5346
.0010	.5501	.5464	.5427	.5389	.5349	.5308	.5265	.5221	.5176
.0020	.4362	.4321	.4281	.4239	.4196	.4151	.4105	.4057	.4008
.0030	.3671	.3630	.3589	.3547	.3503	.3458	.3412	.3364	.3315
.0040	.3186	.3146	.3105	.3063	.3021	.2976	.2931	.2884	.2836
.0050	.2820	.2781	.2741	.2700	.2658	.2615	.2571	.2525	.2479
.0060	.2531	.2493	.2454	.2414	.2374	.2332	.2289	.2245	.2201
.0070	.2295	.2258	.2220	.2182	.2143	.2102	.2061	.2019	.1976
.0080	.2099	.2062	.2026	.1989	.1951	.1912	.1872	.1831	.1790
.0090	.1932	.1896	.1861	.1825	.1789	.1751	.1713	.1673	.1634
.0100	.1788	.1754	.1720	.1685	.1650	.1613	.1576	.1538	.1500
.0200	.0993	.0967	.0942	.0917	.0891	.0865	.0838	.0811	.0785
.0300	.0657	.0638	.0618	.0599	.0579	.0559	.0539	.0518	.0498
.0400	.0476	.0460	.0444	.0428	.0412	.0396	.0381	.0365	.0349
.0500	.0363	.0350	.0337	.0324	.0311	.0298	.0285	.0272	.0259
.0600	.0288	.0277	.0266	.0255	.0244	.0233	.0222	.0212	.0201
.0700	.0235	.0226	.0216	.0207	.0197	.0188	.0179	.0170	.0161
.0800	.0196	.0188	.0179	.0171	.0163	.0155	.0147	.0139	.0131
.0900	.0166	.0159	.0152	.0144	.0137	.0130	.0123	.0116	.0110
.1000	.0143	.0137	.0130	.0124	.0117	.0111	.0105	.0099	.0093

TABLE 85. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9889	.9887	.9886	.9885	.9884	.9883	.9882
.0002	.9844	.9843	.9841	.9840	.9838	.9837	.9835
.0003	.9811	.9809	.9808	.9806	.9805	.9802	.9799
.0004	.9783	.9781	.9779	.9778	.9776	.9774	.9770
.0005	.9758	.9756	.9755	.9753	.9752	.9751	.9749
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9724
.0007	.9716	.9714	.9712	.9710	.9708	.9707	.9705
.0008	.9697	.9695	.9693	.9691	.9689	.9688	.9683
.0009	.9680	.9678	.9676	.9673	.9672	.9671	.9668
.0010	.9664	.9662	.9659	.9657	.9655	.9654	.9648
.0020	.9536	.9533	.9530	.9526	.9524	.9523	.9519
.0030	.9443	.9439	.9435	.9431	.9428	.9427	.9422
.0040	.9367	.9362	.9358	.9353	.9350	.9348	.9343
.0050	.9302	.9297	.9292	.9287	.9284	.9281	.9276
.0060	.9244	.9239	.9234	.9228	.9225	.9222	.9216
.0070	.9193	.9187	.9181	.9176	.9172	.9169	.9163
.0080	.9146	.9140	.9134	.9128	.9124	.9121	.9114
.0090	.9102	.9096	.9090	.9083	.9079	.9077	.9069
.0100	.9062	.9056	.9049	.9042	.9038	.9035	.9028
.0200	.8762	.8754	.8746	.8737	.8731	.8727	.8718
.0300	.8558	.8549	.8539	.8529	.8523	.8518	.8507
.0400	.8401	.8391	.8380	.8369	.8362	.8357	.8345
.0500	.8273	.8262	.8250	.8238	.8231	.8225	.8212
.0600	.8164	.8152	.8140	.8127	.8120	.8114	.8100
.0700	.8070	.8057	.8045	.8031	.8023	.8017	.8003
.0800	.7986	.7973	.7960	.7946	.7938	.7932	.7917
.0900	.7911	.7898	.7885	.7870	.7862	.7855	.7840
.1000	.7844	.7830	.7816	.7801	.7793	.7786	.7770

TABLE 85. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Scatchard—Continued  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9880	.9878	.9877	.9876	.9875	.9873	.9872	.9870	.9869
.0002	.9831	.9829	.9828	.9826	.9824	.9822	.9820	.9818	.9816
.0003	.9794	.9792	.9790	.9788	.9786	.9784	.9781	.9779	.9776
.0004	.9764	.9762	.9759	.9757	.9754	.9752	.9749	.9746	.9743
.0005	.9737	.9735	.9732	.9729	.9727	.9724	.9721	.9718	.9714
.0006	.9714	.9711	.9708	.9705	.9702	.9699	.9695	.9692	.9688
.0007	.9692	.9689	.9686	.9683	.9679	.9676	.9672	.9669	.9665
.0008	.9672	.9669	.9665	.9662	.9658	.9655	.9651	.9647	.9643
.0009	.9653	.9650	.9646	.9643	.9639	.9635	.9631	.9627	.9623
.0010	.9635	.9632	.9628	.9625	.9621	.9617	.9613	.9608	.9604
.0020	.9498	.9493	.9488	.9483	.9477	.9472	.9466	.9460	.9454
.0030	.9396	.9391	.9385	.9379	.9372	.9366	.9359	.9352	.9345
.0040	.9314	.9308	.9301	.9294	.9287	.9279	.9272	.9264	.9255
.0050	.9244	.9237	.9229	.9222	.9214	.9206	.9197	.9188	.9179
.0060	.9182	.9174	.9166	.9158	.9149	.9141	.9132	.9122	.9112
.0070	.9126	.9118	.9109	.9101	.9092	.9082	.9073	.9063	.9052
.0080	.9076	.9067	.9058	.9049	.9039	.9029	.9019	.9009	.8998
.0090	.9029	.9020	.9010	.9001	.8991	.8981	.8970	.8959	.8947
.0100	.8986	.8976	.8966	.8956	.8946	.8935	.8924	.8913	.8901
.0200	.8663	.8651	.8638	.8625	.8612	.8598	.8584	.8569	.8553
.0300	.8444	.8430	.8416	.8401	.8385	.8369	.8353	.8336	.8318
.0400	.8276	.8260	.8245	.8228	.8211	.8194	.8176	.8157	.8138
.0500	.8139	.8122	.8105	.8088	.8070	.8051	.8032	.8012	.7991
.0600	.8022	.8005	.7987	.7969	.7950	.7930	.7910	.7889	.7867
.0700	.7922	.7903	.7885	.7866	.7846	.7825	.7804	.7782	.7759
.0800	.7833	.7814	.7795	.7775	.7754	.7733	.7711	.7688	.7664
.0900	.7753	.7734	.7714	.7693	.7672	.7650	.7627	.7604	.7580
.1000	.7681	.7661	.7641	.7619	.7598	.7575	.7552	.7528	.7503

TABLE 86. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*  
(Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9779	.9776	.9775	.9773	.9771	.9769	.9767
.0002	.9691	.9689	.9684	.9683	.9682	.9679	.9674
.0003	.9625	.9622	.9620	.9617	.9615	.9614	.9607
.0004	.9570	.9567	.9564	.9560	.9558	.9557	.9550
.0005	.9522	.9518	.9515	.9511	.9509	.9508	.9504
.0006	.9479	.9475	.9472	.9468	.9465	.9464	.9459
.0007	.9440	.9436	.9432	.9428	.9425	.9423	.9419
.0008	.9404	.9400	.9396	.9391	.9388	.9386	.9382
.0009	.9370	.9366	.9362	.9357	.9354	.9352	.9347
.0010	.9339	.9335	.9330	.9325	.9322	.9320	.9314
.0020	.9094	.9088	.9082	.9075	.9071	.9068	.9061
.0030	.8917	.8910	.8902	.8894	.8890	.8886	.8878
.0040	.8774	.8766	.8757	.8748	.8743	.8739	.8729
.0050	.8652	.8643	.8634	.8624	.8618	.8614	.8604
.0060	.8546	.8536	.8526	.8516	.8510	.8505	.8494
.0070	.8450	.8440	.8430	.8419	.8412	.8408	.8396
.0080	.8364	.8354	.8343	.8331	.8324	.8319	.8307
.0090	.8285	.8274	.8263	.8251	.8244	.8238	.8225
.0100	.8212	.8201	.8189	.8177	.8169	.8164	.8150
.0200	.7678	.7663	.7649	.7633	.7624	.7617	.7600
.0300	.7324	.7308	.7292	.7274	.7263	.7256	.7237
.0400	.7058	.7040	.7023	.7004	.6992	.6984	.6964
.0500	.6844	.6825	.6807	.6787	.6775	.6766	.6744
.0600	.6665	.6646	.6626	.6605	.6593	.6584	.6561
.0700	.6512	.6492	.6472	.6450	.6437	.6428	.6405
.0800	.6378	.6357	.6336	.6314	.6301	.6291	.6268
.0900	.6259	.6238	.6217	.6194	.6181	.6171	.6147
.1000	.6152	.6131	.6109	.6086	.6073	.6062	.6038

TABLE 86. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis —*  
 Scatchard — Continued  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9758	.9756	.9753	.9751	.9748	.9745	.9742	.9740	.9736
.0002	.9662	.9658	.9655	.9651	.9648	.9644	.9640	.9636	.9632
.0003	.9593	.9589	.9585	.9581	.9577	.9572	.9568	.9563	.9558
.0004	.9534	.9529	.9524	.9520	.9515	.9510	.9504	.9499	.9493
.0005	.9482	.9477	.9472	.9466	.9461	.9455	.9449	.9443	.9437
.0006	.9435	.9430	.9424	.9419	.9413	.9407	.9400	.9394	.9380
.0007	.9393	.9387	.9381	.9375	.9369	.9362	.9355	.9348	.9341
.0008	.9354	.9348	.9342	.9335	.9328	.9322	.9314	.9307	.9299
.0009	.9318	.9312	.9305	.9298	.9291	.9284	.9276	.9268	.9260
.0010	.9284	.9277	.9270	.9263	.9256	.9248	.9240	.9232	.9223
.0020	.9020	.9011	.9002	.8992	.8982	.8972	.8961	.8950	.8938
.0030	.8829	.8818	.8807	.8796	.8784	.8772	.8759	.8746	.8732
.0040	.8675	.8663	.8651	.8638	.8624	.8611	.8596	.8582	.8566
.0050	.8545	.8531	.8518	.8504	.8489	.8474	.8459	.8443	.8426
.0060	.8431	.8416	.8402	.8387	.8371	.8355	.8339	.8321	.8304
.0070	.8329	.8314	.8298	.8282	.8266	.8249	.8232	.8213	.8194
.0080	.8237	.8221	.8205	.8188	.8171	.8153	.8135	.8115	.8096
.0090	.8152	.8136	.8119	.8101	.8083	.8065	.8046	.8026	.8005
.0100	.8074	.8057	.8040	.8022	.8003	.7984	.7964	.7943	.7922
.0200	.7505	.7484	.7462	.7440	.7416	.7392	.7368	.7342	.7316
.0300	.7130	.7106	.7082	.7057	.7031	.7005	.6977	.6949	.6919
.0400	.6849	.6823	.6797	.6770	.6743	.6714	.6685	.6654	.6622
.0500	.6624	.6597	.6569	.6541	.6512	.6482	.6451	.6419	.6386
.0600	.6436	.6408	.6379	.6350	.6320	.6289	.6256	.6223	.6189
.0700	.6275	.6246	.6217	.6187	.6156	.6123	.6090	.6056	.6021
.0800	.6135	.6106	.6075	.6044	.6012	.5980	.5946	.5910	.5874
.0900	.6011	.5981	.5950	.5918	.5886	.5852	.5818	.5782	.5745
.1000	.5900	.5869	.5838	.5806	.5772	.5738	.5703	.5667	.5629

TABLE 87. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard  
(Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9671	.9669	.9666	.9664	.9662	.9661	.9658	.9656	.9653
.0002	.9540	.9537	.9534	.9530	.9528	.9527	.9523	.9519	.9513
.0003	.9443	.9439	.9435	.9431	.9428	.9426	.9422	.9417	.9412
.0004	.9362	.9357	.9353	.9348	.9345	.9343	.9338	.9332	.9327
.0005	.9291	.9287	.9282	.9276	.9273	.9271	.9265	.9259	.9249
.0006	.9229	.9223	.9218	.9212	.9209	.9206	.9200	.9194	.9187
.0007	.9172	.9166	.9160	.9154	.9151	.9148	.9141	.9134	.9127
.0008	.9119	.9113	.9107	.9101	.9097	.9094	.9087	.9080	.9072
.0009	.9071	.9064	.9058	.9051	.9047	.9044	.9037	.9029	.9021
.0010	.9025	.9019	.9012	.9005	.9000	.8997	.8990	.8981	.8973
.0020	.8673	.8664	.8655	.8646	.8640	.8636	.8625	.8615	.8603
.0030	.8420	.8410	.8399	.8388	.8381	.8376	.8364	.8352	.8339
.0040	.8218	.8207	.8195	.8182	.8175	.8169	.8156	.8142	.8127
.0050	.8048	.8035	.8023	.8009	.8001	.7995	.7981	.7965	.7950
.0060	.7900	.7886	.7873	.7859	.7850	.7844	.7828	.7812	.7795
.0070	.7768	.7754	.7740	.7725	.7716	.7709	.7693	.7676	.7658
.0080	.7650	.7635	.7620	.7604	.7595	.7588	.7571	.7553	.7535
.0090	.7542	.7527	.7511	.7495	.7485	.7477	.7460	.7442	.7422
.0100	.7442	.7427	.7411	.7394	.7383	.7376	.7358	.7339	.7319
.0200	.6728	.6709	.6689	.6669	.6656	.6647	.6625	.6602	.6579
.0300	.6268	.6248	.6226	.6204	.6190	.6180	.6156	.6131	.6105
.0400	.5929	.5907	.5885	.5861	.5847	.5836	.5811	.5784	.5757
.0500	.5662	.5639	.5615	.5591	.5576	.5565	.5539	.5511	.5483
.0600	.5441	.5418	.5394	.5368	.5353	.5342	.5315	.5287	.5257
.0700	.5255	.5231	.5206	.5180	.5165	.5153	.5126	.5097	.5067
.0800	.5093	.5069	.5044	.5018	.5002	.4990	.4962	.4933	.4903
.0900	.4952	.4927	.4902	.4875	.4859	.4847	.4819	.4789	.4759
.1000	.4826	.4801	.4775	.4748	.4732	.4720	.4692	.4662	.4631

TABLE 87. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Schaard—Continued  
(Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9643	.9639	.9636	.9632	.9628	.9625	.9620	.9616	.9607
.0002	.9502	.9497	.9492	.9487	.9482	.9476	.9471	.9465	.9459
.0003	.9396	.9390	.9384	.9378	.9372	.9365	.9359	.9351	.9344
.0004	.9309	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9249
.0005	.9233	.9225	.9218	.9210	.9202	.9194	.9185	.9177	.9167
.0006	.9165	.9157	.9149	.9141	.9132	.9123	.9114	.9104	.9094
.0007	.9104	.9095	.9087	.9078	.9068	.9059	.9049	.9039	.9028
.0008	.9047	.9038	.9029	.9020	.9010	.9000	.8989	.8978	.8967
.0009	.8995	.8985	.8976	.8966	.8955	.8945	.8934	.8922	.8910
.0010	.8946	.8936	.8926	.8915	.8905	.8893	.8882	.8870	.8858
.0020	.8567	.8554	.8541	.8527	.8512	.8498	.8482	.8467	.8450
.0030	.8296	.8281	.8265	.8249	.8232	.8215	.8197	.8179	.8160
.0040	.8080	.8063	.8046	.8028	.8009	.7990	.7970	.7950	.7929
.0050	.7899	.7880	.7861	.7842	.7822	.7801	.7780	.7757	.7735
.0060	.7741	.7721	.7701	.7681	.7659	.7637	.7615	.7591	.7567
.0070	.7601	.7580	.7559	.7538	.7515	.7492	.7468	.7443	.7418
.0080	.7475	.7454	.7432	.7409	.7386	.7362	.7337	.7311	.7284
.0090	.7360	.7338	.7315	.7292	.7268	.7243	.7217	.7190	.7163
.0100	.7255	.7232	.7209	.7184	.7159	.7134	.7107	.7079	.7051
.0200	.6502	.6474	.6446	.6417	.6387	.6356	.6324	.6291	.6257
.0300	.6021	.5991	.5960	.5928	.5896	.5862	.5828	.5792	.5755
.0400	.5668	.5636	.5604	.5571	.5537	.5501	.5465	.5428	.5389
.0500	.5391	.5358	.5325	.5290	.5255	.5218	.5181	.5142	.5103
.0600	.5163	.5130	.5095	.5060	.5024	.4987	.4949	.4909	.4869
.0700	.4971	.4937	.4902	.4866	.4829	.4792	.4753	.4713	.4672
.0800	.4806	.4771	.4736	.4699	.4662	.4624	.4585	.4544	.4502
.0900	.4660	.4625	.4590	.4553	.4516	.4477	.4437	.4396	.4355
.1000	.4532	.4496	.4460	.4424	.4386	.4347	.4307	.4266	.4224

TABLE 88. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9564	.9561	.9557	.9554	.9552	.9551	.9547	.9543	.9539
.0002	.9392	.9388	.9383	.9379	.9376	.9374	.9369	.9364	.9359
.0003	.9264	.9259	.9254	.9248	.9245	.9242	.9236	.9230	.9224
.0004	.9158	.9152	.9146	.9140	.9136	.9134	.9127	.9120	.9113
.0005	.9066	.9060	.9054	.9047	.9043	.9040	.9032	.9025	.9016
.0006	.8985	.8978	.8971	.8964	.8959	.8956	.8948	.8940	.8931
.0007	.8911	.8904	.8896	.8889	.8884	.8880	.8872	.8863	.8853
.0008	.8843	.8836	.8828	.8819	.8814	.8811	.8802	.8792	.8782
.0009	.8781	.8773	.8764	.8755	.8750	.8746	.8737	.8727	.8716
.0010	.8722	.8713	.8705	.8695	.8690	.8686	.8676	.8666	.8655
.0020	.8271	.8260	.8248	.8236	.8229	.8224	.8210	.8197	.8183
.0030	.7951	.7938	.7925	.7911	.7902	.7896	.7881	.7865	.7849
.0040	.7698	.7683	.7669	.7653	.7644	.7637	.7620	.7603	.7585
.0050	.7486	.7470	.7455	.7438	.7428	.7420	.7403	.7384	.7364
.0060	.7303	.7286	.7270	.7252	.7241	.7233	.7215	.7195	.7174
.0070	.7141	.7124	.7106	.7088	.7077	.7069	.7049	.7028	.7006
.0080	.6996	.6978	.6960	.6941	.6929	.6921	.6900	.6879	.6856
.0090	.6865	.6846	.6828	.6808	.6796	.6787	.6766	.6743	.6720
.0100	.6744	.6725	.6706	.6686	.6673	.6664	.6642	.6620	.6596
.0200	.5895	.5873	.5850	.5826	.5812	.5801	.5776	.5749	.5721
.0300	.5365	.5341	.5317	.5291	.5276	.5264	.5237	.5209	.5179
.0400	.4981	.4957	.4932	.4905	.4889	.4877	.4849	.4820	.4789
.0500	.4684	.4659	.4633	.4606	.4589	.4577	.4549	.4519	.4487
.0600	.4442	.4417	.4391	.4363	.4347	.4334	.4305	.4275	.4243
.0700	.4240	.4215	.4188	.4160	.4144	.4132	.4102	.4071	.4040
.0800	.4068	.4042	.4015	.3987	.3971	.3958	.3929	.3898	.3866
.0900	.3917	.3891	.3865	.3837	.3820	.3808	.3778	.3747	.3715
.1000	.3785	.3759	.3732	.3704	.3688	.3675	.3646	.3615	.3583

TABLE 88. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Scatchard—Continued  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								95	100
	50	55	60	65	70	75	80	85		
.0001	.9527	.9522	.9518	.9513	.9508	.9503	.9497	.9492	.9486	.9474
.0002	.9341	.9335	.9329	.9322	.9315	.9308	.9301	.9293	.9285	.9268
.0003	.9203	.9195	.9188	.9180	.9171	.9163	.9154	.9145	.9125	.9115
.0004	.9089	.9071	.9062	.9053	.9043	.9033	.9023	.9012	.9001	.8989
.0005	.8990	.8981	.8971	.8961	.8951	.8940	.8929	.8917	.8906	.8893
.0006	.8903	.8892	.8882	.8871	.8860	.8848	.8836	.8824	.8811	.8798
.0007	.8823	.8812	.8801	.8790	.8778	.8765	.8753	.8739	.8725	.8711
.0008	.8750	.8739	.8727	.8715	.8702	.8689	.8676	.8662	.8647	.8632
.0009	.8683	.8671	.8658	.8645	.8632	.8618	.8604	.8590	.8574	.8559
.0010	.8620	.8607	.8594	.8581	.8567	.8553	.8538	.8522	.8507	.8490
.0020	.8137	.8120	.8103	.8086	.8068	.8049	.8030	.8010	.7999	.7968
.0030	.7796	.7776	.7757	.7737	.7716	.7694	.7672	.7649	.7625	.7600
.0040	.7526	.7505	.7483	.7461	.7438	.7414	.7390	.7364	.7338	.7311
.0050	.7301	.7278	.7255	.7231	.7207	.7181	.7155	.7128	.7100	.7071
.0060	.7107	.7083	.7059	.7034	.7008	.6981	.6953	.6924	.6895	.6865
.0070	.6937	.6912	.6886	.6860	.6833	.6805	.6776	.6746	.6715	.6683
.0080	.6784	.6758	.6732	.6704	.6676	.6647	.6617	.6586	.6554	.6521
.0090	.6646	.6619	.6591	.6563	.6534	.6504	.6474	.6441	.6409	.6375
.0100	.6519	.6492	.6464	.6435	.6405	.6374	.6343	.6310	.6276	.6241
.0200	.5632	.5600	.5568	.5535	.5500	.5465	.5429	.5391	.5352	.5313
.0300	.5084	.5050	.5016	.4980	.4944	.4906	.4868	.4828	.4787	.4746
.0400	.4691	.4656	.4620	.4584	.4546	.4508	.4468	.4427	.4386	.4343
.0500	.4387	.4352	.4316	.4278	.4240	.4201	.4161	.4120	.4077	.4034
.0600	.4142	.4106	.4070	.4032	.3994	.3955	.3914	.3873	.3830	.3787
.0700	.3938	.3902	.3865	.3828	.3789	.3750	.3709	.3667	.3625	.3581
.0800	.3764	.3728	.3691	.3653	.3615	.3575	.3535	.3493	.3451	.3408
.0900	.3613	.3577	.3540	.3503	.3464	.3425	.3385	.3343	.3301	.3257
.1000	.3481	.3445	.3408	.3371	.3332	.3293	.3253	.3211	.3169	.3126

TABLE 89. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9353	.9348	.9343	.9339	.9336	.9334	.9328	.9323	.9317
.0002	.9102	.9096	.9090	.9083	.9079	.9076	.9069	.9062	.9054
.0003	.8916	.8909	.8902	.8894	.8889	.8885	.8877	.8868	.8853
.0004	.8764	.8756	.8747	.8738	.8733	.8729	.8719	.8709	.8699
.0005	.8633	.8624	.8615	.8605	.8599	.8595	.8584	.8573	.8562
.0006	.8517	.8507	.8497	.8487	.8480	.8476	.8464	.8452	.8440
.0007	.8412	.8402	.8391	.8380	.8373	.8368	.8356	.8344	.8330
.0008	.8316	.8306	.8294	.8282	.8275	.8270	.8257	.8244	.8230
.0009	.8228	.8216	.8205	.8192	.8185	.8179	.8166	.8152	.8138
.0010	.8145	.8134	.8121	.8108	.8101	.8095	.8081	.8067	.8052
.0020	.7522	.7507	.7491	.7475	.7465	.7457	.7440	.7421	.7402
.0030	.7090	.7073	.7055	.7036	.7025	.7017	.6996	.6975	.6954
.0040	.6754	.6735	.6716	.6695	.6683	.6674	.6652	.6629	.6606
.0050	.6477	.6457	.6436	.6415	.6402	.6392	.6369	.6345	.6320
.0060	.6241	.6220	.6198	.6176	.6162	.6152	.6128	.6103	.6076
.0070	.6035	.6013	.5991	.5967	.5953	.5943	.5918	.5892	.5865
.0080	.5852	.5830	.5807	.5783	.5768	.5758	.5732	.5705	.5677
.0090	.5688	.5665	.5642	.5617	.5602	.5591	.5565	.5538	.5509
.0100	.5539	.5515	.5492	.5467	.5452	.5440	.5414	.5386	.5357
.0200	.4526	.4501	.4475	.4447	.4431	.4419	.4390	.4359	.4328
.0300	.3929	.3903	.3877	.3849	.3832	.3820	.3790	.3759	.3727
.0400	.3516	.3490	.3463	.3435	.3419	.3406	.3377	.3346	.3314
.0500	.3206	.3180	.3153	.3126	.3109	.3097	.3068	.3037	.3006
.0600	.2961	.2935	.2909	.2882	.2866	.2854	.2825	.2795	.2764
.0700	.2761	.2736	.2710	.2684	.2667	.2656	.2627	.2598	.2567
.0800	.2594	.2569	.2544	.2518	.2502	.2490	.2462	.2434	.2404
.0900	.2452	.2427	.2403	.2377	.2361	.2350	.2322	.2294	.2265
.1000	.2329	.2305	.2280	.2255	.2239	.2228	.2201	.2173	.2144

TABLE 89. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Satchard—Continued  
(Electrolyte,  $z_{+z_-} = 6$ )

Ionic strength	50	55	60	65	70	75	80	85	90	95	100	Temperature in degrees Celsius					
												°	°	°	°	°	
.0001	.9299	.9292	.9285	.9278	.9271	.9263	.9255	.9247	.9239	.9230	.9221						
.0002	.9028	.9019	.9010	.9000	.8990	.8980	.8969	.8958	.8947	.8935	.8922						
.0003	.8829	.8818	.8807	.8795	.8783	.8771	.8758	.8745	.8731	.8717	.8702						
.0004	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8555	.8539	.8523						
.0005	.8524	.8511	.8497	.8483	.8468	.8453	.8437	.8421	.8404	.8387	.8368						
.0006	.8400	.8385	.8371	.8355	.8339	.8323	.8306	.8289	.8271	.8252	.8232						
.0007	.8288	.8272	.8257	.8240	.8224	.8206	.8188	.8170	.8150	.8131	.8110						
.0008	.8185	.8169	.8153	.8135	.8118	.8100	.8081	.8061	.8041	.8020	.7998						
.0009	.8091	.8074	.8056	.8039	.8020	.8001	.7981	.7961	.7940	.7918	.7895						
.0010	.8003	.7985	.7967	.7948	.7929	.7909	.7889	.7868	.7846	.7823	.7799						
.0020	.7340	.7317	.7294	.7271	.7246	.7221	.7195	.7168	.7140	.7112	.7082						
.0030	.6883	.6857	.6832	.6805	.6777	.6749	.6720	.6699	.6658	.6626	.6592						
.0040	.6529	.6501	.6474	.6445	.6415	.6384	.6353	.6320	.6286	.6252	.6215						
.0050	.6239	.6210	.6180	.6149	.6118	.6086	.6053	.6018	.5982	.5946	.5908						
.0060	.5992	.5962	.5931	.5899	.5866	.5833	.5798	.5762	.5725	.5687	.5648						
.0070	.5777	.5746	.5714	.5682	.5648	.5613	.5577	.5540	.5502	.5464	.5423						
.0080	.5588	.5555	.5523	.5489	.5455	.5419	.5383	.5345	.5306	.5266	.5224						
.0090	.5418	.5385	.5352	.5317	.5282	.5246	.5209	.5170	.5130	.5090	.5047						
.0100	.5264	.5230	.5196	.5162	.5126	.5089	.5051	.5012	.4972	.4931	.4888						
.0200	.4227	.4191	.4155	.4118	.4079	.4040	.4000	.3958	.3916	.3872	.3827						
.0300	.3625	.3589	.3552	.3515	.3476	.3437	.3397	.3355	.3312	.3269	.3224						
.0400	.3213	.3177	.3141	.3103	.3065	.3027	.2987	.2946	.2904	.2862	.2818						
.0500	.2906	.2871	.2835	.2799	.2761	.2723	.2684	.2644	.2604	.2562	.2520						
.0600	.2666	.2631	.2596	.2561	.2524	.2487	.2449	.2410	.2370	.2330	.2288						
.0700	.2471	.2437	.2403	.2368	.2332	.2296	.2259	.2221	.2182	.2143	.2103						
.0800	.2309	.2276	.2243	.2208	.2173	.2138	.2102	.2065	.2027	.1989	.1950						
.0900	.2172	.2139	.2107	.2073	.2039	.2004	.1969	.1933	.1896	.1859	.1821						
.1000	.2054	.2022	.1990	.1957	.1923	.1890	.1855	.1820	.1784	.1748	.1710						

TABLE 90. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Scatchard*  
 (Electrolyte,  $Z_+Z_- = 8$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9146	.9140	.9134	.9128	.9124	.9121	.9115
.0002	.8821	.8813	.8805	.8796	.8791	.8787	.8778
.0003	.8582	.8572	.8563	.8553	.8547	.8542	.8531
.0004	.8387	.8376	.8366	.8354	.8347	.8342	.8330
.0005	.8220	.8209	.8197	.8185	.8177	.8171	.8158
.0006	.8073	.8061	.8048	.8035	.8027	.8021	.8007
.0007	.7941	.7928	.7915	.7901	.7892	.7886	.7871
.0008	.7821	.7807	.7793	.7778	.7769	.7747	.7730
.0009	.7710	.7696	.7681	.7666	.7656	.7649	.7633
.0010	.7607	.7592	.7577	.7561	.7551	.7544	.7527
.0020	.6841	.6822	.6803	.6784	.6771	.6763	.6741
.0030	.6322	.6302	.6280	.6258	.6245	.6235	.6211
.0040	.5926	.5904	.5881	.5857	.5843	.5832	.5807
.0050	.5604	.5581	.5557	.5532	.5517	.5506	.5480
.0060	.5333	.5309	.5285	.5259	.5244	.5232	.5205
.0070	.5100	.5075	.5050	.5024	.5008	.4997	.4969
.0080	.4895	.4870	.4844	.4818	.4802	.4790	.4761
.0090	.4712	.4687	.4662	.4635	.4618	.4606	.4577
.0100	.4549	.4523	.4497	.4470	.4453	.4441	.4412
.0200	.3475	.3449	.3422	.3395	.3378	.3366	.3336
.0300	.2878	.2853	.2827	.2800	.2783	.2771	.2743
.0400	.2481	.2457	.2432	.2406	.2390	.2379	.2351
.0500	.2194	.2170	.2146	.2121	.2106	.2095	.2069
.0600	.1973	.1951	.1928	.1904	.1889	.1879	.1854
.0700	.1798	.1776	.1754	.1731	.1717	.1707	.1683
.0800	.1655	.1633	.1612	.1590	.1577	.1567	.1543
.0900	.1535	.1514	.1494	.1472	.1459	.1450	.1427
.1000	.1433	.1413	.1393	.1372	.1360	.1351	.1329

TABLE 90. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Scatchard—Continued  
 (Electrolyte,  $z_{+}z_{-} = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9076	.9067	.9058	.9049	.9040	.9030	.9020	.9009	.8998
.0002	.8726	.8714	.8702	.8690	.8677	.8664	.8650	.8636	.8621
.0003	.8469	.8455	.8441	.8427	.8411	.8396	.8380	.8363	.8345
.0004	.8261	.8245	.8229	.8213	.8196	.8178	.8160	.8141	.8122
.0005	.8082	.8065	.8048	.8030	.8012	.7992	.7973	.7952	.7931
.0006	.7926	.7907	.7889	.7870	.7850	.7829	.7808	.7786	.7763
.0007	.7785	.7765	.7746	.7726	.7705	.7683	.7661	.7637	.7613
.0008	.7657	.7636	.7616	.7595	.7573	.7550	.7527	.7502	.7477
.0009	.7539	.7518	.7496	.7474	.7451	.7428	.7403	.7378	.7352
.0010	.7430	.7408	.7386	.7363	.7339	.7315	.7289	.7263	.7236
.0020	.6621	.6594	.6566	.6538	.6509	.6478	.6448	.6415	.6382
.0030	.6077	.6047	.6017	.5985	.5953	.5920	.5886	.5850	.5814
.0040	.5664	.5632	.5600	.5567	.5532	.5497	.5461	.5423	.5385
.0050	.5331	.5298	.5264	.5229	.5194	.5157	.5120	.5081	.5041
.0060	.5052	.5017	.4983	.4947	.4911	.4873	.4835	.4795	.4754
.0070	.4812	.4777	.4742	.4706	.4668	.4630	.4591	.4550	.4509
.0080	.4602	.4567	.4531	.4495	.4457	.4418	.4379	.4337	.4295
.0090	.4416	.4381	.4345	.4308	.4270	.4231	.4191	.4149	.4107
.0100	.4250	.4214	.4178	.4140	.4102	.4063	.4023	.3981	.3939
.0200	.3172	.3137	.3100	.3063	.3025	.2987	.2947	.2906	.2865
.0300	.2585	.2550	.2516	.2480	.2444	.2407	.2370	.2331	.2292
.0400	.2201	.2168	.2135	.2101	.2067	.2032	.1997	.1960	.1923
.0500	.1925	.1894	.1862	.1831	.1798	.1765	.1732	.1697	.1663
.0600	.1716	.1686	.1656	.1626	.1595	.1564	.1532	.1500	.1467
.0700	.1551	.1522	.1494	.1465	.1436	.1406	.1376	.1345	.1314
.0800	.1417	.1390	.1362	.1335	.1307	.1278	.1250	.1220	.1191
.0900	.1306	.1279	.1253	.1227	.1200	.1173	.1146	.1118	.1089
.1000	.1212	.1187	.1161	.1136	.1110	.1084	.1058	.1031	.1004

TABLE 91. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*  
(Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9045	.9038	.9025	.9020	.9017	.9010	.9002	.8993	.8988
.0002	.8684	.8675	.8666	.8657	.8651	.8647	.8636	.8626	.8608
.0003	.8419	.8409	.8398	.8387	.8381	.8376	.8364	.8351	.8338
.0004	.8205	.8193	.8181	.8169	.8161	.8155	.8142	.8128	.8113
.0005	.8021	.8009	.7996	.7982	.7974	.7968	.7953	.7938	.7922
.0006	.7860	.7847	.7833	.7818	.7809	.7803	.7787	.7771	.7754
.0007	.7715	.7701	.7687	.7671	.7662	.7655	.7639	.7621	.7603
.0008	.7584	.7569	.7554	.7538	.7528	.7521	.7503	.7485	.7466
.0009	.7463	.7448	.7432	.7415	.7405	.7397	.7379	.7361	.7341
.0010	.7351	.7335	.7319	.7301	.7291	.7283	.7265	.7245	.7225
.0020	.6524	.6504	.6484	.6462	.6449	.6440	.6417	.6393	.6368
.0030	.5970	.5948	.5926	.5902	.5888	.5877	.5852	.5826	.5798
.0040	.5550	.5527	.5503	.5478	.5463	.5452	.5426	.5398	.5369
.0050	.5212	.5188	.5164	.5138	.5122	.5110	.5083	.5054	.5024
.0060	.4930	.4905	.4880	.4853	.4827	.4805	.4797	.4767	.4737
.0070	.4688	.4663	.4637	.4610	.4593	.4581	.4553	.4523	.4491
.0080	.4477	.4451	.4425	.4397	.4381	.4369	.4340	.4309	.4278
.0090	.4289	.4264	.4237	.4210	.4193	.4181	.4151	.4121	.4089
.0100	.4122	.4096	.4070	.4042	.4025	.4013	.3983	.3953	.3921
.0200	.3045	.3019	.2993	.2966	.2949	.2937	.2908	.2878	.2847
.0300	.2463	.2439	.2414	.2388	.2372	.2361	.2333	.2305	.2275
.0400	.2085	.2062	.2038	.2014	.1999	.1988	.1962	.1935	.1908
.0500	.1815	.1793	.1771	.1748	.1734	.1723	.1699	.1674	.1648
.0600	.1611	.1590	.1569	.1547	.1534	.1524	.1501	.1478	.1453
.0700	.1451	.1431	.1411	.1390	.1378	.1369	.1347	.1324	.1301
.0800	.1321	.1302	.1283	.1263	.1251	.1243	.1222	.1201	.1178
.0900	.1214	.1196	.1178	.1159	.1147	.1139	.1119	.1099	.1078
.1000	.1124	.1106	.1089	.1071	.1060	.1052	.1033	.1013	.0993

TABLE 91. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*  
*Scatchard—Continued*  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8967	.8957	.8947	.8937	.8926	.8915	.8904	.8892	.8880
.0002	.8579	.8566	.8552	.8539	.8524	.8510	.8495	.8479	.8463
.0003	.8295	.8280	.8264	.8248	.8231	.8214	.8196	.8178	.8159
.0004	.8066	.8049	.8031	.8013	.7994	.7975	.7955	.7934	.7913
.0005	.7870	.7851	.7832	.7813	.7793	.7772	.7750	.7727	.7704
.0006	.7699	.7679	.7658	.7637	.7616	.7593	.7570	.7546	.7522
.0007	.7545	.7524	.7502	.7480	.7457	.7434	.7410	.7384	.7358
.0008	.7405	.7383	.7361	.7338	.7314	.7289	.7264	.7237	.7210
.0009	.7277	.7255	.7231	.7207	.7182	.7157	.7130	.7103	.7075
.0010	.7159	.7135	.7111	.7086	.7061	.7034	.7007	.6979	.6949
.0020	.6288	.6259	.6230	.6200	.6168	.6136	.6103	.6069	.6034
.0030	.5710	.5679	.5647	.5613	.5579	.5544	.5509	.5471	.5433
.0040	.5276	.5242	.5208	.5174	.5138	.5101	.5063	.5024	.4984
.0050	.4928	.4893	.4858	.4822	.4785	.4748	.4709	.4668	.4627
.0060	.4638	.4603	.4567	.4531	.4493	.4455	.4415	.4374	.4332
.0070	.4391	.4356	.4320	.4283	.4244	.4205	.4165	.4124	.4082
.0080	.4177	.4141	.4104	.4067	.4029	.3989	.3949	.3907	.3865
.0090	.3988	.3951	.3915	.3877	.3839	.3799	.3759	.3717	.3675
.0100	.3819	.3783	.3746	.3708	.3670	.3630	.3590	.3548	.3506
.0200	.2748	.2713	.2678	.2642	.2605	.2568	.2530	.2490	.2450
.0300	.2183	.2150	.2117	.2084	.2050	.2015	.1980	.1943	.1906
.0400	.1821	.1791	.1760	.1729	.1697	.1665	.1632	.1599	.1565
.0500	.1567	.1538	.1510	.1480	.1451	.1421	.1391	.1360	.1329
.0600	.1376	.1350	.1323	.1296	.1268	.1240	.1212	.1183	.1154
.0700	.1228	.1203	.1178	.1152	.1126	.1100	.1074	.1047	.1020
.0800	.1110	.1086	.1062	.1038	.1013	.0989	.0964	.0938	.0913
.0900	.1012	.0989	.0967	.0944	.0921	.0897	.0874	.0850	.0826
.1000	.0931	.0909	.0887	.0866	.0844	.0821	.0799	.0776	.0754

TABLE 92. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Scatchard*  
(Electrolyte,  $z_{+}z_{-}=12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8747	.8739	.8730	.8721	.8716	.8712	.8702	.8692	.8681
.0002	.8285	.8274	.8262	.8250	.8243	.8238	.8225	.8211	.8197
.0003	.7950	.7937	.7924	.7910	.7901	.7895	.7880	.7864	.7848
.0004	.7681	.7666	.7652	.7636	.7627	.7620	.7603	.7585	.7567
.0005	.7453	.7437	.7421	.7404	.7394	.7387	.7369	.7350	.7330
.0006	.7254	.7237	.7220	.7202	.7192	.7184	.7164	.7144	.7123
.0007	.7076	.7059	.7041	.7022	.7011	.7003	.6983	.6962	.6940
.0008	.6916	.6898	.6880	.6860	.6848	.6839	.6818	.6796	.6774
.0009	.6770	.6751	.6732	.6712	.6699	.6690	.6669	.6646	.6622
.0010	.6635	.6615	.6596	.6575	.6562	.6553	.6530	.6507	.6483
.0020	.5658	.5635	.5612	.5587	.5572	.5561	.5535	.5507	.5479
.0030	.5027	.5002	.4977	.4951	.4935	.4923	.4895	.4866	.4835
.0040	.4561	.4536	.4510	.4483	.4466	.4454	.4425	.4395	.4363
.0050	.4195	.4169	.4143	.4115	.4098	.4086	.4056	.4026	.3994
.0060	.3894	.3868	.3842	.3814	.3797	.3785	.3755	.3724	.3692
.0070	.3642	.3616	.3589	.3561	.3544	.3532	.3502	.3471	.3439
.0080	.3424	.3398	.3372	.3344	.3327	.3315	.3286	.3255	.3223
.0090	.3235	.3209	.3183	.3155	.3138	.3126	.3097	.3067	.3035
.0100	.3068	.3042	.3016	.2988	.2972	.2960	.2931	.2901	.2870
.0200	.2049	.2026	.2002	.1978	.1963	.1952	.1927	.1900	.1873
.0300	.1544	.1523	.1503	.1481	.1468	.1459	.1436	.1413	.1389
.0400	.1236	.1218	.1199	.1180	.1169	.1160	.1140	.1120	.1098
.0500	.1028	.1011	.0994	.0977	.0967	.0959	.0941	.0923	.0904
.0600	.0877	.0862	.0846	.0831	.0821	.0814	.0798	.0781	.0764
.0700	.0762	.0749	.0735	.0720	.0712	.0705	.0690	.0675	.0659
.0800	.0673	.0660	.0647	.0634	.0626	.0620	.0606	.0592	.0578
.0900	.0601	.0589	.0577	.0565	.0557	.0552	.0539	.0526	.0513
.1000	.0542	.0531	.0520	.0508	.0501	.0496	.0484	.0472	.0460

TABLE 92. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Scatchard—Continued  
(Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8647	.8634	.8621	.8608	.8595	.8581	.8566	.8551	.8535
.0002	.8151	.8135	.8118	.8101	.8083	.8064	.8045	.8025	.8004
.0003	.7794	.7775	.7756	.7735	.7714	.7693	.7671	.7647	.7624
.0004	.7508	.7487	.7465	.7443	.7420	.7396	.7371	.7345	.7319
.0005	.7266	.7243	.7220	.7196	.7171	.7145	.7119	.7091	.7063
.0006	.7056	.7031	.7007	.6981	.6955	.6927	.6900	.6870	.6840
.0007	.6869	.6843	.6817	.6790	.6763	.6734	.6705	.6674	.6643
.0008	.6700	.6673	.6646	.6618	.6590	.6560	.6530	.6498	.6465
.0009	.6546	.6518	.6491	.6462	.6432	.6402	.6370	.6337	.6304
.0010	.6404	.6376	.6347	.6318	.6287	.6256	.6224	.6190	.6155
.0020	.5387	.5354	.5321	.5286	.5251	.5214	.5177	.5138	.5099
.0030	.4737	.4702	.4667	.4631	.4593	.4555	.4516	.4475	.4433
.0040	.4263	.4227	.4191	.4153	.4115	.4076	.4036	.3994	.3952
.0050	.3892	.3856	.3819	.3782	.3743	.3704	.3663	.3621	.3579
.0060	.3590	.3554	.3517	.3480	.3441	.3402	.3362	.3320	.3278
.0070	.3338	.3302	.3265	.3228	.3190	.3151	.3111	.3070	.3028
.0080	.3122	.3086	.3050	.3013	.2975	.2937	.2897	.2857	.2815
.0090	.2935	.2900	.2864	.2827	.2790	.2752	.2713	.2673	.2632
.0100	.2771	.2736	.2700	.2664	.2627	.2590	.2551	.2512	.2472
.0200	.1787	.1757	.1726	.1695	.1664	.1632	.1600	.1567	.1533
.0300	.1314	.1288	.1262	.1235	.1208	.1181	.1154	.1126	.1097
.0400	.1032	.1009	.986	.963	.940	.916	.892	.868	.844
.0500	.0845	.0824	.0804	.0783	.0762	.0742	.0721	.0699	.0678
.0600	.0711	.0692	.0674	.0656	.0637	.0618	.0600	.0581	.0562
.0700	.0611	.0594	.0577	.0561	.0544	.0527	.0510	.0493	.0476
.0800	.0533	.0518	.0503	.0488	.0472	.0457	.0442	.0426	.0411
.0900	.0472	.0458	.0444	.0430	.0416	.0402	.0388	.0374	.0360
.1000	.0422	.0409	.0396	.0383	.0370	.0357	.0344	.0331	.0318

TABLE 93. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Scatchard*  
(Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.8365	.8355	.8344	.8332	.8325	.8320	.8308
.0002	.7781	.7767	.7753	.7738	.7729	.7722	.7706
.0003	.7365	.7349	.7332	.7315	.7305	.7297	.7278
.0004	.7034	.7016	.6998	.6979	.6968	.6960	.6939
.0005	.6757	.6738	.6719	.6699	.6686	.6677	.6656
.0006	.6518	.6498	.6477	.6456	.6443	.6434	.6411
.0007	.6306	.6285	.6264	.6242	.6228	.6219	.6195
.0008	.6116	.6095	.6073	.6050	.6036	.6026	.6001
.0009	.5944	.5922	.5900	.5876	.5862	.5851	.5826
.0010	.5787	.5764	.5741	.5717	.5702	.5692	.5666
.0020	.4680	.4654	.4629	.4602	.4585	.4573	.4544
.0030	.3997	.3971	.3944	.3917	.3900	.3887	.3858
.0040	.3511	.3485	.3459	.3431	.3414	.3402	.3372
.0050	.3140	.3114	.3088	.3061	.3044	.3032	.3003
.0060	.2844	.2819	.2793	.2766	.2750	.2738	.2709
.0070	.2601	.2576	.2550	.2524	.2508	.2497	.2469
.0080	.2396	.2372	.2347	.2321	.2306	.2294	.2267
.0090	.2221	.2197	.2173	.2148	.2133	.2122	.2095
.0100	.2069	.2046	.2022	.1998	.1983	.1973	.1947
.0200	.1208	.1190	.1171	.1152	.1141	.1133	.1113
.0300	.0828	.0814	.0799	.0784	.0775	.0768	.0752
.0400	.0616	.0604	.0591	.0579	.0571	.0566	.0553
.0500	.0481	.0471	.0461	.0450	.0444	.0439	.0428
.0600	.0389	.0381	.0372	.0362	.0357	.0353	.0344
.0700	.0323	.0315	.0308	.0300	.0295	.0291	.0283
.0800	.0274	.0267	.0260	.0253	.0249	.0245	.0238
.0900	.0235	.0229	.0223	.0217	.0213	.0210	.0204
.1000	.0205			.0188	.0185	.0182	.0177

TABLE 93. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Scatchard—Continued  
 (Electrolyte,  $z_+z_- = 16$ )

Ionic strength	Temperature in degrees Celsius							95	100
	50	55	60	65	70	75	80		
.0001	.8237	.8222	.8205	.8189	.8172	.8154	.8135	.8097	.8055
.0002	.7614	.7594	.7573	.7551	.7529	.7506	.7482	.7432	.7378
.0003	.7173	.7149	.7126	.7101	.7075	.7049	.7022	.6993	.6934
.0004	.6824	.6798	.6772	.6745	.6717	.6688	.6659	.6628	.6596
.0005	.6533	.6505	.6477	.6448	.6418	.6388	.6356	.6324	.6290
.0006	.6281	.6252	.6223	.6193	.6162	.6130	.6097	.6062	.6027
.0007	.6060	.6030	.6000	.5968	.5936	.5903	.5869	.5833	.5796
.0008	.5863	.5832	.5800	.5768	.5734	.5700	.5665	.5628	.5591
.0009	.5684	.5652	.5620	.5586	.5552	.5517	.5481	.5444	.5405
.0010	.5520	.5488	.5455	.5421	.5386	.5350	.5314	.5275	.5236
.0020	.4383	.4347	.4311	.4274	.4236	.4197	.4157	.4116	.4073
.0030	.3693	.3657	.3620	.3583	.3544	.3505	.3464	.3423	.3380
.0040	.3208	.3172	.3136	.3099	.3061	.3022	.2982	.2941	.2900
.0050	.2842	.2806	.2771	.2735	.2698	.2660	.2621	.2581	.2541
.0060	.2552	.2517	.2483	.2448	.2412	.2375	.2338	.2299	.2260
.0070	.2315	.2282	.2249	.2214	.2179	.2144	.2108	.2071	.2033
.0080	.2118	.2086	.2053	.2020	.1986	.1952	.1917	.1881	.1845
.0090	.1951	.1919	.1888	.1856	.1823	.1790	.1756	.1722	.1687
.0100	.1806	.1776	.1745	.1714	.1683	.1651	.1618	.1585	.1551
.0200	.1006	.0984	.0961	.0938	.0915	.0892	.0868	.0845	.0821
.0300	.0668	.0650	.0633	.0615	.0597	.0580	.0562	.0543	.0525
.0400	.0484	.0470	.0456	.0441	.0427	.0413	.0399	.0384	.0370
.0500	.0371	.0359	.0347	.0335	.0323	.0312	.0300	.0288	.0276
.0600	.0294	.0284	.0274	.0264	.0254	.0245	.0235	.0225	.0215
.0700	.0240	.0232	.0223	.0215	.0206	.0198	.0189	.0181	.0173
.0800	.0201	.0193	.0186	.0178	.0171	.0163	.0156	.0149	.0142
.0900	.0170	.0164	.0157	.0151	.0144	.0138	.0131	.0125	.0119
.1000	.0147	.0135	.0129	.0123	.0118	.0112	.0106	.0101	.0096

TABLE 94. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9888	.9887	.9887	.9886	.9885	.9884	.9882	.9881
.0002	.9844	.9843	.9842	.9841	.9840	.9838	.9837	.9835	.9834
.0003	.9811	.9809	.9808	.9806	.9805	.9803	.9801	.9799	.9797
.0004	.9782	.9781	.9779	.9778	.9776	.9774	.9772	.9770	.9768
.0005	.9758	.9756	.9754	.9752	.9751	.9750	.9748	.9746	.9744
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9725	.9723	.9720
.0007	.9716	.9714	.9712	.9709	.9708	.9707	.9705	.9702	.9699
.0008	.9697	.9695	.9693	.9690	.9689	.9688	.9685	.9683	.9680
.0009	.9680	.9678	.9675	.9673	.9671	.9670	.9667	.9664	.9661
.0010	.9664	.9661	.9659	.9656	.9655	.9653	.9650	.9647	.9644
.0020	.9536	.9533	.9529	.9526	.9523	.9522	.9518	.9514	.9509
.0030	.9442	.9438	.9434	.9430	.9427	.9425	.9421	.9416	.9410
.0040	.9365	.9361	.9357	.9352	.9349	.9347	.9341	.9336	.9330
.0050	.9300	.9295	.9290	.9285	.9282	.9280	.9274	.9268	.9261
.0060	.9242	.9237	.9232	.9226	.9223	.9220	.9214	.9207	.9200
.0070	.9190	.9185	.9180	.9174	.9170	.9167	.9160	.9153	.9146
.0080	.9143	.9138	.9132	.9125	.9121	.9119	.9112	.9104	.9096
.0090	.9100	.9094	.9088	.9081	.9077	.9074	.9067	.9059	.9051
.0100	.9059	.9053	.9047	.9040	.9036	.9032	.9025	.9017	.9008
.0200	.8757	.8749	.8741	.8733	.8727	.8723	.8713	.8703	.8692
.0300	.8551	.8542	.8533	.8523	.8517	.8512	.8501	.8490	.8477
.0400	.8393	.8383	.8373	.8362	.8355	.8350	.8338	.8325	.8312
.0500	.8263	.8252	.8242	.8230	.8223	.8218	.8205	.8191	.8177
.0600	.8153	.8142	.8130	.8118	.8111	.8105	.8092	.8078	.8063
.0700	.8057	.8046	.8034	.8021	.8013	.8008	.7994	.7979	.7963
.0800	.7972	.7961	.7949	.7936	.7927	.7907	.7892	.7876	.7859
.0900	.7897	.7885	.7872	.7859	.7850	.7844	.7830	.7797	.7780
.1000	.7828	.7816	.7803	.7789	.7781	.7774	.7759	.7743	.7726

TABLE 94. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9879	.9877	.9876	.9875	.9873	.9872	.9870	.9868	.9867	.9865	.9863
.0002	.9830	.9828	.9826	.9824	.9822	.9820	.9818	.9816	.9813	.9811	.9808
.0003	.9793	.9791	.9789	.9786	.9784	.9781	.9778	.9776	.9773	.9770	.9766
.0004	.9763	.9760	.9757	.9755	.9752	.9749	.9746	.9742	.9739	.9736	.9732
.0005	.9736	.9733	.9730	.9727	.9724	.9720	.9717	.9713	.9710	.9706	.9702
.0006	.9712	.9709	.9706	.9702	.9699	.9695	.9691	.9687	.9683	.9679	.9675
.0007	.9690	.9687	.9683	.9680	.9676	.9672	.9668	.9664	.9659	.9655	.9650
.0008	.9670	.9666	.9663	.9659	.9655	.9651	.9647	.9642	.9637	.9633	.9628
.0009	.9651	.9647	.9643	.9639	.9635	.9631	.9626	.9622	.9617	.9612	.9606
.0010	.9633	.9629	.9625	.9621	.9617	.9612	.9608	.9603	.9597	.9592	.9587
.0020	.9495	.9489	.9484	.9478	.9472	.9466	.9460	.9453	.9446	.9439	.9431
.0030	.9393	.9387	.9380	.9373	.9366	.9359	.9351	.9343	.9335	.9327	.9318
.0040	.9310	.9303	.9296	.9288	.9280	.9272	.9263	.9254	.9245	.9235	.9225
.0050	.9240	.9232	.9224	.9215	.9207	.9198	.9188	.9178	.9168	.9158	.9147
.0060	.9177	.9169	.9160	.9151	.9142	.9132	.9122	.9111	.9101	.9089	.9077
.0070	.9122	.9113	.9103	.9094	.9084	.9074	.9063	.9051	.9040	.9028	.9015
.0080	.9071	.9061	.9052	.9041	.9031	.9020	.9009	.8997	.8985	.8972	.8959
.0090	.9024	.9014	.9004	.8993	.8982	.8971	.8959	.8947	.8934	.8921	.8907
.0100	.8980	.8970	.8960	.8949	.8937	.8925	.8913	.8900	.8887	.8874	.8859
.0200	.8657	.8643	.8630	.8616	.8602	.8587	.8571	.8555	.8538	.8521	.8503
.0300	.8437	.8422	.8407	.8391	.8375	.8358	.8340	.8321	.8302	.8283	.8262
.0400	.8268	.8252	.8235	.8218	.8201	.8182	.8163	.8143	.8122	.8101	.8079
.0500	.8130	.8113	.8096	.8077	.8059	.8039	.8019	.7997	.7976	.7953	.7930
.0600	.8014	.7996	.7977	.7958	.7939	.7918	.7897	.7875	.7852	.7829	.7804
.0700	.7913	.7894	.7875	.7855	.7835	.7813	.7792	.7768	.7745	.7721	.7695
.0800	.7823	.7804	.7785	.7764	.7743	.7721	.7699	.7675	.7651	.7626	.7599
.0900	.7744	.7724	.7704	.7683	.7661	.7639	.7616	.7591	.7566	.7541	.7514
.1000	.7671	.7651	.7631	.7609	.7587	.7564	.7541	.7515	.7490	.7464	.7436

TABLE 95. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended Scatchard*

(Electrolyte,  $z_+ + z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9778	.9776	.9774	.9773	.9772	.9771	.9768	.9766
.0002	.9691	.9689	.9687	.9684	.9683	.9682	.9679	.9676	.9673
.0003	.9625	.9622	.9619	.9616	.9613	.9610	.9607	.9603	.9601
.0004	.9569	.9566	.9563	.9560	.9558	.9556	.9553	.9549	.9545
.0005	.9521	.9518	.9515	.9511	.9509	.9507	.9503	.9499	.9494
.0006	.9479	.9475	.9471	.9467	.9465	.9463	.9458	.9454	.9449
.0007	.9439	.9436	.9432	.9427	.9425	.9423	.9418	.9413	.9407
.0008	.9403	.9399	.9395	.9391	.9388	.9386	.9380	.9375	.9369
.0009	.9370	.9366	.9361	.9356	.9353	.9351	.9346	.9340	.9334
.0010	.9338	.9334	.9329	.9324	.9321	.9319	.9313	.9307	.9301
.0020	.9093	.9087	.9081	.9074	.9070	.9067	.9059	.9051	.9043
.0030	.8915	.8908	.8900	.8892	.8887	.8884	.8875	.8866	.8856
.0040	.8771	.8763	.8755	.8746	.8740	.8736	.8726	.8716	.8705
.0050	.8649	.8640	.8631	.8622	.8615	.8611	.8600	.8589	.8577
.0060	.8542	.8533	.8523	.8513	.8506	.8501	.8490	.8478	.8465
.0070	.8446	.8437	.8426	.8416	.8409	.8404	.8391	.8379	.8365
.0080	.8360	.8350	.8339	.8327	.8320	.8315	.8302	.8289	.8274
.0090	.8280	.8270	.8258	.8247	.8239	.8234	.8220	.8206	.8191
.0100	.8207	.8196	.8184	.8172	.8164	.8159	.8145	.8130	.8115
.0200	.7669	.7655	.7641	.7626	.7616	.7609	.7592	.7574	.7555
.0300	.7312	.7297	.7281	.7264	.7254	.7246	.7227	.7207	.7186
.0400	.7043	.7027	.7010	.6992	.6981	.6972	.6952	.6931	.6909
.0500	.6827	.6810	.6792	.6774	.6761	.6753	.6732	.6710	.6686
.0600	.6647	.6629	.6610	.6591	.6578	.6570	.6548	.6525	.6501
.0700	.6492	.6473	.6454	.6434	.6422	.6412	.6390	.6367	.6342
.0800	.6356	.6337	.6318	.6298	.6284	.6275	.6252	.6228	.6203
.0900	.6236	.6217	.6197	.6176	.6163	.6153	.6130	.6106	.6080
.1000	.6128	.6108	.6088	.6067	.6054	.6044	.6021	.5996	.5970

TABLE 95. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_{+}z_{-} = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9759	.9756	.9754	.9751	.9748	.9745	.9739	.9735	.9732
.0002	.9663	.9659	.9656	.9652	.9648	.9643	.9639	.9634	.9625
.0003	.9591	.9586	.9582	.9577	.9572	.9567	.9562	.9556	.9545
.0004	.9531	.9526	.9521	.9515	.9510	.9504	.9498	.9491	.9478
.0005	.9479	.9473	.9467	.9461	.9455	.9449	.9442	.9435	.9420
.0006	.9432	.9426	.9420	.9413	.9407	.9400	.9392	.9385	.9377
.0007	.9390	.9383	.9377	.9370	.9363	.9355	.9347	.9339	.9331
.0008	.9351	.9344	.9337	.9329	.9322	.9314	.9306	.9297	.9288
.0009	.9314	.9307	.9300	.9292	.9284	.9275	.9267	.9258	.9248
.0010	.9280	.9273	.9265	.9257	.9248	.9240	.9230	.9221	.9211
.0020	.9015	.9005	.8994	.8984	.8972	.8961	.8948	.8936	.8909
.0030	.8823	.8811	.8799	.8786	.8773	.8759	.8745	.8730	.8714
.0040	.8668	.8655	.8641	.8627	.8612	.8597	.8581	.8564	.8547
.0050	.8537	.8523	.8508	.8492	.8476	.8460	.8442	.8424	.8405
.0060	.8423	.8407	.8391	.8375	.8358	.8340	.8321	.8302	.8282
.0070	.8320	.8304	.8287	.8270	.8252	.8233	.8213	.8193	.8172
.0080	.8228	.8210	.8193	.8175	.8156	.8136	.8116	.8094	.8073
.0090	.8143	.8125	.8107	.8088	.8068	.8048	.8027	.8004	.7982
.0100	.8065	.8046	.8027	.8008	.7988	.7966	.7945	.7921	.7898
.0200	.7494	.7471	.7448	.7424	.7399	.7373	.7347	.7318	.7290
.0300	.7118	.7093	.7067	.7041	.7014	.6985	.6956	.6924	.6893
.0400	.6836	.6809	.6782	.6754	.6725	.6694	.6663	.6630	.6597
.0500	.6610	.6582	.6554	.6524	.6494	.6462	.6430	.6396	.6361
.0600	.6422	.6393	.6364	.6334	.6302	.6270	.6236	.6201	.6165
.0700	.6261	.6231	.6202	.6171	.6139	.6105	.6071	.6035	.5998
.0800	.6121	.6090	.6060	.6028	.5996	.5962	.5927	.5890	.5853
.0900	.5996	.5935	.5903	.5870	.5835	.5800	.5762	.5725	.5686
.1000	.5885	.5823	.5790	.5757	.5722	.5686	.5648	.5610	.5571

TABLE 96. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
Scatchard*  
(Electrolyte,  $z_{+}z_{-} = 3$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9671	.9668	.9666	.9663	.9661	.9658	.9655
.0002	.9540	.9537	.9534	.9530	.9528	.9522	.9518
.0003	.9442	.9438	.9434	.9430	.9427	.9425	.9421
.0004	.9361	.9357	.9352	.9347	.9344	.9342	.9337
.0005	.9291	.9286	.9281	.9276	.9272	.9270	.9264
.0006	.9228	.9223	.9217	.9212	.9208	.9205	.9199
.0007	.9171	.9165	.9160	.9153	.9149	.9147	.9140
.0008	.9119	.9113	.9106	.9100	.9096	.9093	.9085
.0009	.9070	.9064	.9057	.9050	.9046	.9043	.9035
.0010	.9024	.9018	.9011	.9004	.8999	.8996	.8987
.0020	.8671	.8662	.8653	.8644	.8638	.8633	.8622
.0030	.8417	.8407	.8397	.8386	.8378	.8373	.8361
.0040	.8215	.8203	.8192	.8179	.8171	.8166	.8152
.0050	.8044	.8031	.8019	.8005	.7997	.7991	.7976
.0060	.7895	.7882	.7868	.7854	.7845	.7839	.7823
.0070	.7763	.7749	.7735	.7720	.7710	.7704	.7687
.0080	.7644	.7630	.7615	.7599	.7589	.7582	.7565
.0090	.7535	.7520	.7505	.7489	.7479	.7471	.7453
.0100	.7435	.7420	.7404	.7388	.7377	.7369	.7351
.0200	.6716	.6698	.6679	.6659	.6646	.6637	.6615
.0300	.6253	.6233	.6213	.6192	.6178	.6168	.6144
.0400	.5911	.5891	.5869	.5847	.5832	.5822	.5797
.0500	.5641	.5620	.5598	.5575	.5560	.5549	.5523
.0600	.5419	.5397	.5374	.5351	.5336	.5325	.5298
.0700	.5230	.5208	.5185	.5161	.5146	.5135	.5108
.0800	.5067	.5045	.5022	.4998	.4982	.4971	.4944
.0900	.4924	.4902	.4878	.4854	.4838	.4827	.4800
.1000	.4797	.4774	.4751	.4726	.4710	.4699	.4672

TABLE 96. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $Z_+Z_- = 3$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9641	.9637	.9633	.9629	.9625	.9620	.9615	.9610	.9605	.9600	.9594
.0002	.9499	.9494	.9488	.9482	.9476	.9470	.9464	.9457	.9450	.9443	.9435
.0003	.9393	.9386	.9379	.9373	.9365	.9358	.9350	.9342	.9333	.9325	.9316
.0004	.9305	.9297	.9290	.9282	.9274	.9265	.9256	.9247	.9237	.9228	.9217
.0005	.9228	.9220	.9212	.9203	.9194	.9185	.9175	.9165	.9154	.9143	.9132
.0006	.9160	.9152	.9143	.9133	.9123	.9113	.9103	.9091	.9080	.9068	.9056
.0007	.9099	.9089	.9080	.9070	.9059	.9048	.9037	.9025	.9013	.9000	.8987
.0008	.9042	.9032	.9022	.9011	.9000	.8988	.8977	.8964	.8951	.8938	.8924
.0009	.8989	.8979	.8968	.8957	.8945	.8933	.8921	.8907	.8894	.8880	.8865
.0010	.8940	.8929	.8918	.8906	.8894	.8881	.8868	.8854	.8840	.8826	.8810
.0020	.8560	.8545	.8530	.8515	.8499	.8482	.8465	.8447	.8428	.8409	.8389
.0030	.8288	.8271	.8253	.8235	.8217	.8197	.8177	.8156	.8135	.8113	.8089
.0040	.8071	.8052	.8033	.8013	.7992	.7971	.7949	.7925	.7902	.7877	.7851
.0050	.7888	.7868	.7847	.7826	.7804	.7781	.7757	.7732	.7706	.7680	.7652
.0060	.7730	.7708	.7687	.7664	.7641	.7616	.7591	.7564	.7537	.7509	.7480
.0070	.7589	.7567	.7544	.7520	.7496	.7470	.7444	.7416	.7387	.7358	.7327
.0080	.7463	.7440	.7416	.7391	.7366	.7339	.7312	.7283	.7253	.7223	.7191
.0090	.7348	.7324	.7299	.7274	.7247	.7220	.7191	.7161	.7131	.7100	.7067
.0100	.7242	.7217	.7192	.7166	.7139	.7110	.7081	.7050	.7019	.6987	.6953
.0200	.6487	.6457	.6428	.6397	.6365	.6331	.6297	.6261	.6224	.6187	.6147
.0300	.6005	.5973	.5941	.5908	.5874	.5838	.5801	.5762	.5723	.5683	.5641
.0400	.5652	.5619	.5585	.5550	.5515	.5477	.5439	.5399	.5358	.5317	.5273
.0500	.5374	.5340	.5306	.5270	.5233	.5195	.5156	.5115	.5073	.5031	.4986
.0600	.5146	.5112	.5077	.5041	.5003	.4964	.4925	.4883	.4841	.4798	.4752
.0700	.4954	.4919	.4884	.4847	.4810	.4770	.4730	.4688	.4646	.4602	.4556
.0800	.4788	.4753	.4718	.4681	.4643	.4603	.4563	.4520	.4478	.4434	.4388
.0900	.4643	.4608	.4572	.4535	.4497	.4457	.4417	.4374	.4332	.4288	.4242
.1000	.4515				.4443	.4406	.4368	.4328	.4288	.4202	.4112

TABLE 97. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Extended Scatchard*  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9563	.9560	.9557	.9554	.9552	.9550	.9546	.9542	.9538
.0002	.9392	.9388	.9383	.9378	.9376	.9373	.9368	.9363	.9357
.0003	.9263	.9258	.9253	.9248	.9244	.9241	.9235	.9229	.9221
.0004	.9157	.9152	.9146	.9139	.9135	.9132	.9125	.9118	.9110
.0005	.9066	.9060	.9053	.9046	.9041	.9038	.9030	.9022	.9013
.0006	.8984	.8977	.8970	.8963	.8958	.8954	.8946	.8937	.8928
.0007	.8910	.8903	.8895	.8887	.8882	.8879	.8870	.8860	.8850
.0008	.8842	.8835	.8827	.8818	.8813	.8809	.8799	.8789	.8778
.0009	.8779	.8771	.8763	.8754	.8748	.8744	.8734	.8724	.8712
.0010	.8720	.8712	.8703	.8694	.8688	.8684	.8673	.8662	.8650
.0020	.8268	.8257	.8246	.8234	.8226	.8220	.8207	.8192	.8177
.0030	.7948	.7935	.7922	.7908	.7899	.7892	.7876	.7860	.7842
.0040	.7693	.7679	.7665	.7649	.7639	.7632	.7615	.7597	.7577
.0050	.7481	.7466	.7450	.7433	.7423	.7415	.7396	.7377	.7356
.0060	.7297	.7281	.7264	.7247	.7235	.7227	.7208	.7187	.7165
.0070	.7134	.7118	.7100	.7082	.7070	.7062	.7042	.7020	.6997
.0080	.6989	.6972	.6953	.6935	.6922	.6914	.6893	.6870	.6846
.0090	.6857	.6839	.6820	.6801	.6788	.6779	.6757	.6735	.6710
.0100	.6736	.6717	.6698	.6678	.6665	.6656	.6634	.6610	.6585
.0200	.5881	.5860	.5838	.5815	.5800	.5790	.5764	.5737	.5708
.0300	.5347	.5325	.5301	.5277	.5261	.5250	.5223	.5195	.5164
.0400	.4961	.4938	.4914	.4889	.4873	.4861	.4834	.4804	.4773
.0500	.4661	.4638	.4613	.4588	.4572	.4560	.4532	.4502	.4470
.0600	.4418	.4394	.4370	.4344	.4328	.4316	.4287	.4258	.4226
.0700	.4214	.4190	.4166	.4140	.4124	.4112	.4083	.4054	.4022
.0800	.4040	.4016	.3992	.3966	.3949	.3938	.3909	.3879	.3848
.0900	.3888	.3865	.3840	.3815	.3798	.3786	.3758	.3728	.3697
.1000	.3755	.3731	.3707	.3681	.3665	.3653	.3625	.3595	.3564

TABLE 97. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_{+z_-} = 4$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9524	.9519	.9514	.9508	.9503	.9497	.9490	.9484	.9477	.9470	.9463
.0002	.9338	.9323	.9316	.9308	.9300	.9291	.9282	.9273	.9264	.9254	
.0003	.9198	.9181	.9172	.9163	.9153	.9143	.9132	.9121	.9110	.9098	
.0004	.9084	.9074	.9064	.9054	.9043	.9032	.9021	.9009	.8996	.8984	.8970
.0005	.8985	.8974	.8963	.8952	.8940	.8928	.8915	.8902	.8888	.8874	.8859
.0006	.8896	.8885	.8873	.8861	.8849	.8835	.8822	.8807	.8793	.8777	.8761
.0007	.8817	.8804	.8792	.8779	.8766	.8751	.8737	.8722	.8706	.8690	.8673
.0008	.8743	.8731	.8717	.8704	.8690	.8675	.8659	.8643	.8626	.8610	.8591
.0009	.8676	.8662	.8648	.8634	.8619	.8603	.8587	.8570	.8553	.8535	.8516
.0010	.8612	.8598	.8584	.8569	.8553	.8537	.8520	.8502	.8484	.8466	.8446
.0020	.8127	.8109	.8090	.8070	.8050	.8029	.8007	.7984	.7961	.7937	.7911
.0030	.7785	.7763	.7742	.7719	.7696	.7672	.7647	.7621	.7594	.7566	.7537
.0040	.7514	.7491	.7467	.7443	.7417	.7391	.7363	.7334	.7305	.7275	.7243
.0050	.7288	.7263	.7238	.7212	.7185	.7156	.7127	.7096	.7065	.7033	.6999
.0060	.7094	.7068	.7041	.7013	.6985	.6955	.6924	.6892	.6859	.6825	.6790
.0070	.6923	.6895	.6868	.6839	.6809	.6778	.6746	.6712	.6678	.6643	.6606
.0080	.6769	.6741	.6713	.6683	.6652	.6620	.6587	.6552	.6517	.6481	.6442
.0090	.6631	.6602	.6572	.6542	.6510	.6477	.6443	.6407	.6371	.6334	.6294
.0100	.6504	.6474	.6444	.6412	.6380	.6346	.6312	.6275	.6238	.6200	.6160
.0200	.5615	.5581	.5547	.5511	.5475	.5436	.5397	.5356	.5314	.5272	.5227
.0300	.5066	.5031	.4995	.4957	.4919	.4879	.4838	.4795	.4752	.4707	.4660
.0400	.4673	.4636	.4600	.4561	.4522	.4481	.4440	.4396	.4352	.4307	.4260
.0500	.4369	.4332	.4295	.4257	.4217	.4176	.4134	.4090	.4046	.4001	.3954
.0600	.4124	.4087	.4050	.4011	.3972	.3931	.3889	.3845	.3801	.3756	.3709
.0700	.3920	.3883	.3846	.3808	.3768	.3727	.3686	.3642	.3598	.3553	.3506
.0800	.3746	.3709	.3673	.3634	.3595	.3554	.3513	.3469	.3426	.3381	.3335
.0900	.3596	.3559	.3522	.3484	.3445	.3405	.3364	.3320	.3277	.3233	.3187
.1000	.3463	.3427	.3391	.3353	.3314	.3274	.3233	.3190	.3147	.3104	.3058

TABLE 98. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended Scatchard*  
 (Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9352	.9348	.9343	.9338	.9335	.9333	.9327	.9321	.9315
.0002	.9102	.9095	.9089	.9082	.9078	.9075	.9067	.9059	.9051
.0003	.8916	.8908	.8901	.8893	.8888	.8884	.8875	.8865	.8855
.0004	.8763	.8755	.8746	.8737	.8732	.8727	.8717	.8706	.8695
.0005	.8632	.8623	.8614	.8604	.8597	.8593	.8581	.8570	.8557
.0006	.8516	.8506	.8496	.8485	.8478	.8473	.8461	.8449	.8435
.0007	.8411	.8401	.8390	.8378	.8371	.8366	.8353	.8340	.8325
.0008	.8315	.8304	.8293	.8281	.8273	.8268	.8254	.8240	.8225
.0009	.8226	.8215	.8203	.8190	.8182	.8177	.8163	.8148	.8132
.0010	.8143	.8132	.8119	.8106	.8098	.8092	.8077	.8062	.8046
.0020	.7519	.7504	.7488	.7471	.7461	.7453	.7435	.7415	.7394
.0030	.7085	.7068	.7051	.7032	.7020	.7011	.6990	.6968	.6945
.0040	.6748	.6730	.6710	.6690	.6677	.6668	.6645	.6621	.6596
.0050	.6470	.6450	.6430	.6409	.6395	.6385	.6361	.6336	.6309
.0060	.6233	.6213	.6191	.6169	.6155	.6144	.6119	.6093	.6065
.0070	.6026	.6005	.5983	.5960	.5945	.5935	.5909	.5882	.5853
.0080	.5842	.5821	.5798	.5775	.5760	.5749	.5722	.5695	.5665
.0090	.5678	.5656	.5633	.5608	.5593	.5582	.5555	.5527	.5496
.0100	.5528	.5506	.5482	.5458	.5442	.5431	.5403	.5374	.5344
.0200	.4510	.4486	.4461	.4434	.4417	.4405	.4376	.4345	.4313
.0300	.3910	.3886	.3860	.3834	.3816	.3804	.3775	.3744	.3711
.0400	.3494	.3470	.3445	.3419	.3402	.3390	.3360	.3330	.3297
.0500	.3182	.3158	.3134	.3108	.3091	.3079	.3051	.3021	.2989
.0600	.2936	.2913	.2888	.2863	.2847	.2835	.2807	.2778	.2747
.0700	.2736	.2713	.2689	.2664	.2648	.2637	.2609	.2581	.2550
.0800	.2568	.2545	.2522	.2498	.2482	.2471	.2444	.2416	.2387
.0900	.2425	.2403	.2380	.2356	.2341	.2330	.2304	.2276	.2248
.1000	.2301	.2279	.2257	.2234	.2219	.2208	.2183	.2156	.2128

TABLE 98. Mean activity coefficients of electrolytes in aqueous solutions on a *volum.e basis*—*Extended Scatchard*—Continued  
(Electrolyte,  $z_{+}z_{-}=6$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9295	.9287	.9279	.9271	.9263	.9254	.9245	.9236	.9216
.0002	.9023	.9013	.9002	.8991	.8980	.8968	.8956	.8943	.8916
.0003	.8822	.8810	.8797	.8784	.8771	.8757	.8742	.8727	.8678
.0004	.8658	.8644	.8630	.8615	.8600	.8584	.8568	.8550	.8533
.0005	.8516	.8501	.8486	.8470	.8453	.8436	.8418	.8399	.8360
.0006	.8391	.8375	.8359	.8341	.8324	.8305	.8286	.8265	.8245
.0007	.8279	.8261	.8244	.8226	.8207	.8187	.8167	.8145	.8123
.0008	.8176	.8158	.8139	.8120	.8100	.8079	.8058	.8035	.8012
.0009	.8081	.8062	.8043	.8022	.8002	.7980	.7958	.7934	.7910
.0010	.7992	.7973	.7953	.7932	.7910	.7888	.7864	.7840	.7815
.0020	.7327	.7302	.7276	.7250	.7223	.7195	.7165	.7135	.7103
.0030	.6868	.6840	.6812	.6782	.6752	.6720	.6687	.6653	.6617
.0040	.6513	.6483	.6453	.6421	.6388	.6354	.6318	.6281	.6244
.0050	.6222	.6190	.6158	.6125	.6090	.6054	.6017	.5978	.5939
.0060	.5975	.5942	.5908	.5874	.5838	.5800	.5762	.5722	.5681
.0070	.5760	.5726	.5691	.5656	.5619	.5580	.5541	.5499	.5457
.0080	.5570	.5535	.5500	.5463	.5426	.5386	.5346	.5304	.5261
.0090	.5399	.5364	.5328	.5291	.5253	.5212	.5172	.5129	.5085
.0100	.5245	.5209	.5173	.5135	.5096	.5056	.5014	.4971	.4927
.0200	.4208	.4170	.4131	.4092	.4051	.4008	.3965	.3920	.3874
.0300	.3606	.3568	.3530	.3490	.3450	.3408	.3365	.3320	.3275
.0400	.3194	.3157	.3120	.3081	.3041	.3000	.2958	.2915	.2871
.0500	.2888	.2852	.2815	.2777	.2739	.2699	.2658	.2616	.2574
.0600	.2648	.2613	.2577	.2541	.2503	.2464	.2425	.2384	.2343
.0700	.2454	.2420	.2385	.2349	.2313	.2275	.2237	.2198	.2158
.0800	.2293	.2259	.2226	.2191	.2156	.2119	.2082	.2043	.2005
.0900	.2156	.2123	.2090	.2057	.2022	.1987	.1951	.1913	.1876
.1000	.2038	.2006	.1974	.1941	.1908	.1873	.1838	.1802	.1766

TABLE 99. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended Scatchard*  
(Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9146	.9140	.9134	.9128	.9123	.9120	.9113	.9106	.9097
.0002	.8820	.8813	.8804	.8796	.8790	.8786	.8776	.8766	.8755
.0003	.8581	.8572	.8562	.8552	.8545	.8540	.8529	.8517	.8504
.0004	.8386	.8375	.8364	.8353	.8346	.8340	.8327	.8314	.8299
.0005	.8219	.8207	.8195	.8183	.8175	.8169	.8155	.8140	.8124
.0006	.8072	.8059	.8047	.8033	.8024	.8018	.8003	.7987	.7970
.0007	.7939	.7926	.7913	.7899	.7889	.7883	.7867	.7850	.7832
.0008	.7819	.7805	.7791	.7776	.7766	.7760	.7743	.7725	.7706
.0009	.7708	.7694	.7679	.7663	.7653	.7646	.7629	.7610	.7590
.0010	.7605	.7590	.7575	.7559	.7548	.7541	.7523	.7504	.7483
.0020	.6837	.6819	.6799	.6779	.6767	.6757	.6735	.6712	.6686
.0030	.6317	.6296	.6275	.6253	.6239	.6229	.6204	.6178	.6150
.0040	.5919	.5897	.5875	.5851	.5836	.5825	.5799	.5771	.5741
.0050	.5596	.5573	.5550	.5525	.5509	.5498	.5471	.5442	.5411
.0060	.5324	.5301	.5277	.5251	.5235	.5224	.5195	.5166	.5134
.0070	.5090	.5066	.5041	.5016	.4999	.4987	.4958	.4928	.4896
.0080	.4884	.4860	.4835	.4809	.4792	.4780	.4751	.4720	.4687
.0090	.4701	.4677	.4652	.4625	.4608	.4596	.4566	.4535	.4502
.0100	.4537	.4512	.4487	.4460	.4443	.4431	.4401	.4370	.4336
.0200	.3459	.3434	.3408	.3382	.3364	.3352	.3322	.3291	.3258
.0300	.2859	.2835	.2811	.2785	.2768	.2757	.2728	.2698	.2667
.0400	.2461	.2438	.2415	.2390	.2375	.2363	.2336	.2308	.2278
.0500	.2173	.2151	.2128	.2105	.2090	.2079	.2054	.2027	.1998
.0600	.1952	.1931	.1909	.1887	.1873	.1863	.1838	.1813	.1786
.0700	.1776	.1756	.1735	.1714	.1700	.1691	.1667	.1643	.1617
.0800	.1632	.1613	.1593	.1573	.1560	.1551	.1528	.1505	.1480
.0900	.1512	.1494	.1475	.1455	.1443	.1434	.1412	.1390	.1366
.1000	.1410	.1392	.1374	.1355	.1343	.1314	.1293	.1270	.1257

TABLE 99. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_+z_- = 8$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9071	.9061	.9051	.9041	.9030	.9018	.9007	.8994	.8982	.8969	.8955
.0002	.8719	.8706	.8692	.8678	.8664	.8648	.8633	.8616	.8599	.8582	.8563
.0003	.8461	.8445	.8430	.8413	.8396	.8378	.8359	.8340	.8320	.8299	.8277
.0004	.8251	.8234	.8216	.8198	.8178	.8158	.8137	.8116	.8093	.8070	.8046
.0005	.8072	.8053	.8034	.8014	.7993	.7971	.7948	.7925	.7900	.7875	.7849
.0006	.7915	.7894	.7874	.7852	.7830	.7806	.7782	.7757	.7731	.7704	.7676
.0007	.7773	.7752	.7730	.7707	.7684	.7659	.7633	.7607	.7579	.7551	.7521
.0008	.7645	.7622	.7599	.7575	.7551	.7525	.7498	.7470	.7442	.7412	.7381
.0009	.7527	.7503	.7479	.7454	.7429	.7402	.7374	.7345	.7315	.7285	.7252
.0010	.7417	.7393	.7368	.7342	.7316	.7288	.7259	.7229	.7198	.7167	.7133
.0020	.6605	.6575	.6545	.6513	.6481	.6447	.6412	.6375	.6338	.6300	.6259
.0030	.6060	.6027	.5994	.5959	.5923	.5886	.5848	.5807	.5767	.5725	.5681
.0040	.5646	.5611	.5576	.5539	.5502	.5462	.5422	.5379	.5336	.5293	.5246
.0050	.5312	.5276	.5239	.5201	.5162	.5121	.5080	.5036	.4992	.4946	.4899
.0060	.5032	.4995	.4958	.4919	.4879	.4837	.4795	.4750	.4705	.4659	.4610
.0070	.4792	.4755	.4717	.4677	.4637	.4594	.4551	.4506	.4460	.4413	.4364
.0080	.4583	.4544	.4506	.4466	.4425	.4382	.4339	.4293	.4247	.4200	.4150
.0090	.4397	.4358	.4319	.4279	.4238	.4195	.4151	.4105	.4059	.4012	.3962
.0100	.4230	.4191	.4152	.4112	.4071	.4027	.3984	.3937	.3891	.3844	.3794
.0200	.3153	.3115	.3077	.3037	.2997	.2955	.2913	.2869	.2824	.2779	.2732
.0300	.2567	.2531	.2495	.2457	.2420	.2380	.2341	.2299	.2258	.2216	.2172
.0400	.2184	.2150	.2116	.2081	.2045	.2008	.1971	.1933	.1894	.1855	.1815
.0500	.1909	.1877	.1845	.1812	.1779	.1744	.1709	.1673	.1637	.1601	.1563
.0600	.1701	.1670	.1640	.1609	.1578	.1545	.1512	.1478	.1445	.1411	.1375
.0700	.1537	.1508	.1479	.1450	.1420	.1389	.1358	.1326	.1294	.1263	.1229
.0800	.1403	.1376	.1349	.1321	.1292	.1263	.1234	.1204	.1174	.1143	.1112
.0900	.1293	.1267	.1241	.1214	.1187	.1159	.1131	.1103	.1074	.1045	.1016
.1000	.1200	.1174	.1150	.1124	.1098	.1072	.1045	.1018	.0991	.0963	.0935

TABLE 100. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended*  
*Scatchard*  
 (Electrolyte, z<sub>1</sub>z<sub>2</sub> = 9)

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9044	.9038	.9031	.9024	.9019	.9016	.9008	.9000	.8990
.0002	.8683	.8674	.8665	.8656	.8649	.8645	.8634	.8623	.8611
.0003	.8418	.8408	.8397	.8386	.8379	.8374	.8361	.8347	.8333
.0004	.8203	.8192	.8180	.8167	.8159	.8153	.8139	.8124	.8108
.0005	.8020	.8007	.7994	.7980	.7971	.7965	.7950	.7933	.7916
.0006	.7858	.7845	.7831	.7816	.7807	.7800	.7783	.7766	.7747
.0007	.7714	.7699	.7685	.7669	.7659	.7652	.7634	.7616	.7596
.0008	.7582	.7567	.7552	.7535	.7525	.7517	.7499	.7480	.7459
.0009	.7461	.7446	.7429	.7412	.7402	.7394	.7375	.7355	.7333
.0010	.7349	.7333	.7316	.7299	.7287	.7279	.7260	.7239	.7217
.0020	.6519	.6500	.6479	.6458	.6444	.6434	.6410	.6385	.6358
.0030	.5964	.5943	.5920	.5897	.5881	.5871	.5844	.5817	.5787
.0040	.5543	.5521	.5497	.5472	.5456	.5445	.5417	.5388	.5357
.0050	.5204	.5181	.5156	.5130	.5114	.5102	.5073	.5043	.5011
.0060	.4921	.4897	.4872	.4845	.4828	.4816	.4787	.4756	.4723
.0070	.4678	.4653	.4628	.4601	.4584	.4572	.4542	.4511	.4478
.0080	.4466	.4441	.4415	.4388	.4371	.4359	.4329	.4297	.4264
.0090	.4278	.4253	.4227	.4200	.4183	.4170	.4140	.4109	.4075
.0100	.4110	.4085	.4059	.4032	.4014	.4002	.3972	.3940	.3906
.0200	.3029	.3005	.2979	.2953	.2936	.2924	.2895	.2864	.2832
.0300	.2445	.2422	.2398	.2374	.2358	.2346	.2319	.2291	.2261
.0400	.2066	.2044	.2022	.1999	.1984	.1973	.1948	.1922	.1894
.0500	.1795	.1775	.1754	.1732	.1719	.1709	.1685	.1660	.1634
.0600	.1591	.1572	.1552	.1532	.1519	.1510	.1487	.1464	.1440
.0700	.1431	.1413	.1394	.1375	.1363	.1354	.1333	.1311	.1288
.0800	.1301	.1284	.1266	.1248	.1237	.1228	.1208	.1188	.1166
.0900	.1194	.1178	.1161	.1144	.1132	.1125	.1106	.1086	.1066
.1000	.1104	.1088	.1072	.1056	.1045	.1038	.1020	.1001	.0981

TABLE 100. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte, z.z<sub>-</sub>=9)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8961	.8950	.8939	.8927	.8915	.8903	.8890	.8876	.8862
.0002	.8571	.8556	.8541	.8526	.8510	.8493	.8475	.8457	.8438
.0003	.8286	.8269	.8252	.8233	.8214	.8195	.8174	.8153	.8131
.0004	.8056	.8036	.8017	.7996	.7975	.7953	.7930	.7907	.7882
.0005	.7859	.7838	.7817	.7795	.7772	.7748	.7723	.7697	.7671
.0006	.7687	.7664	.7642	.7618	.7594	.7568	.7542	.7514	.7486
.0007	.7532	.7509	.7485	.7460	.7435	.7408	.7380	.7351	.7321
.0008	.7392	.7368	.7343	.7317	.7290	.7262	.7233	.7203	.7172
.0009	.7264	.7238	.7213	.7186	.7158	.7129	.7099	.7067	.7035
.0010	.7145	.7119	.7092	.7064	.7035	.7005	.6974	.6942	.6909
.0020	.6271	.6239	.6207	.6173	.6139	.6102	.6065	.6026	.5987
.0030	.5692	.5657	.5622	.5586	.5548	.5509	.5468	.5426	.5383
.0040	.5257	.5220	.5183	.5145	.5106	.5064	.5022	.4978	.4933
.0050	.4908	.4870	.4833	.4793	.4753	.4710	.4667	.4622	.4576
.0060	.4618	.4580	.4542	.4501	.4460	.4417	.4374	.4328	.4282
.0070	.4371	.4333	.4294	.4253	.4212	.4168	.4124	.4078	.4032
.0080	.4157	.4118	.4079	.4038	.3996	.3953	.3909	.3862	.3816
.0090	.3967	.3928	.3889	.3848	.3807	.3763	.3719	.3673	.3626
.0100	.3799	.3760	.3720	.3680	.3638	.3595	.3551	.3504	.3458
.0200	.2729	.2692	.2655	.2617	.2578	.2538	.2497	.2454	.2411
.0300	.2166	.2131	.2097	.2062	.2026	.1989	.1952	.1913	.1874
.0400	.1805	.1774	.1742	.1710	.1677	.1643	.1609	.1574	.1538
.0500	.1552	.1523	.1494	.1464	.1433	.1402	.1371	.1338	.1306
.0600	.1363	.1336	.1309	.1281	.1252	.1223	.1194	.1164	.1134
.0700	.1216	.1190	.1165	.1139	.1113	.1085	.1058	.1030	.1003
.0800	.1098	.1074	.1050	.1025	.1001	.0975	.0950	.0924	.0898
.0900	.1001	.0978	.0956	.0933	.0909	.0885	.0862	.0837	.0813
.1000	.0920	.0899	.0877	.0855	.0833	.0811	.0788	.0765	.0742

TABLE 101. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended Scatchard*  
(Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8747	.8738	.8729	.8714	.8700	.8689	.8677	.8670	.8665
.0002	.8284	.8273	.8249	.8241	.8225	.8207	.8192	.8182	.8176
.0003	.7949	.7936	.7922	.7908	.7899	.7876	.7860	.7841	.7831
.0004	.7679	.7665	.7650	.7624	.7617	.7599	.7580	.7560	.7548
.0005	.7451	.7436	.7419	.7402	.7391	.7383	.7364	.7344	.7322
.0006	.7252	.7235	.7218	.7200	.7188	.7180	.7160	.7138	.7115
.0007	.7074	.7057	.7039	.7020	.7008	.6999	.6977	.6955	.6931
.0008	.6914	.6896	.6877	.6857	.6844	.6835	.6813	.6790	.6765
.0009	.6767	.6748	.6729	.6708	.6695	.6686	.6663	.6639	.6613
.0010	.6632	.6613	.6592	.6571	.6558	.6548	.6525	.6500	.6473
.0020	.5653	.5630	.5607	.5582	.5566	.5555	.5527	.5498	.5467
.0030	.5020	.4996	.4971	.4945	.4928	.4916	.4886	.4856	.4823
.0040	.4553	.4529	.4503	.4476	.4458	.4446	.4416	.4384	.4350
.0050	.4186	.4161	.4134	.4107	.4089	.4077	.4046	.4014	.3980
.0060	.3885	.3860	.3833	.3806	.3788	.3775	.3745	.3713	.3679
.0070	.3631	.3606	.3580	.3552	.3534	.3522	.3491	.3460	.3426
.0080	.3413	.3388	.3362	.3335	.3317	.3305	.3274	.3243	.3209
.0090	.3223	.3199	.3173	.3145	.3128	.3116	.3086	.3054	.3021
.0100	.3056	.3031	.3005	.2978	.2961	.2949	.2919	.2889	.2856
.0200	.2034	.2012	.1990	.1966	.1951	.1941	.1915	.1888	.1860
.0300	.1529	.1510	.1490	.1470	.1457	.1447	.1425	.1402	.1377
.0400	.1221	.1204	.1187	.1169	.1157	.1149	.1129	.1109	.1087
.0500	.1013	.0998	.0982	.0966	.0956	.0948	.0931	.0913	.0893
.0600	.0862	.0848	.0834	.0820	.0810	.0804	.0788	.0772	.0755
.0700	.0748	.0736	.0723	.0710	.0701	.0695	.0681	.0666	.0650
.0800	.0659	.0648	.0636	.0624	.0616	.0611	.0597	.0584	.0570
.0900	.0588	.0577	.0566	.0555	.0548	.0543	.0531	.0518	.0505
.1000	.0529	.0519	.0509	.0499	.0492	.0488	.0476	.0465	.0453

TABLE 101. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_{+z_-} = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8639	.8625	.8611	.8596	.8581	.8564	.8548	.8530	.8512
.0002	.8141	.8123	.8104	.8084	.8064	.8043	.8021	.7998	.7974
.0003	.7783	.7761	.7739	.7717	.7693	.7668	.7643	.7616	.7589
.0004	.7495	.7472	.7447	.7422	.7396	.7369	.7341	.7311	.7281
.0005	.7253	.7227	.7201	.7174	.7146	.7116	.7086	.7054	.7022
.0006	.7041	.7014	.6987	.6958	.6928	.6897	.6865	.6832	.6797
.0007	.6854	.6825	.6796	.6766	.6735	.6703	.6669	.6634	.6598
.0008	.6684	.6655	.6625	.6593	.6561	.6528	.6493	.6457	.6420
.0009	.6530	.6499	.6468	.6436	.6403	.6368	.6332	.6295	.6257
.0010	.6388	.6356	.6324	.6291	.6257	.6221	.6185	.6146	.6107
.0020	.5368	.5331	.5295	.5256	.5217	.5176	.5134	.5090	.5046
.0030	.4717	.4679	.4640	.4600	.4559	.4516	.4472	.4426	.4379
.0040	.4242	.4203	.4164	.4123	.4081	.4037	.3992	.3945	.3898
.0050	.3871	.3832	.3792	.3751	.3709	.3665	.3620	.3574	.3527
.0060	.3570	.3530	.3491	.3450	.3408	.3364	.3320	.3274	.3227
.0070	.3318	.3278	.3239	.3199	.3157	.3114	.3070	.3024	.2978
.0080	.3102	.3063	.3025	.2984	.2944	.2901	.2858	.2813	.2768
.0090	.2915	.2877	.2839	.2799	.2759	.2717	.2675	.2630	.2586
.0100	.2751	.2713	.2676	.2637	.2597	.2556	.2514	.2471	.2427
.0200	.1771	.1739	.1707	.1674	.1641	.1607	.1572	.1536	.1501
.0300	.1300	.1273	.1246	.1218	.1190	.1161	.1132	.1102	.1073
.0400	.1020	.0997	.0973	.0949	.0925	.0900	.0875	.0850	.0824
.0500	.0834	.0813	.0792	.0771	.0750	.0728	.0707	.0684	.0662
.0600	.0701	.0683	.0664	.0646	.0627	.0607	.0588	.0568	.0549
.0700	.0602	.0585	.0569	.0552	.0535	.0518	.0501	.0483	.0466
.0800	.0526	.0510	.0495	.0480	.0465	.0449	.0433	.0418	.0402
.0900	.0465	.0451	.0437	.0423	.0409	.0395	.0381	.0366	.0352
.1000	.0415	.0402	.0390	.0377	.0364	.0351	.0338	.0325	.0312

TABLE 102. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8365	.8354	.8343	.8331	.8324	.8318	.8305	.8291	.8276
.0002	.7780	.7766	.7752	.7736	.7726	.7719	.7702	.7684	.7665
.0003	.7363	.7347	.7331	.7313	.7302	.7294	.7274	.7253	.7231
.0004	.7032	.7015	.6996	.6977	.6965	.6956	.6934	.6912	.6887
.0005	.6755	.6736	.6717	.6696	.6683	.6673	.6650	.6626	.6600
.0006	.6515	.6495	.6475	.6453	.6439	.6429	.6405	.6380	.6352
.0007	.6303	.6283	.6261	.6239	.6224	.6214	.6189	.6162	.6134
.0008	.6113	.6092	.6070	.6047	.6032	.6021	.5995	.5968	.5938
.0009	.5941	.5919	.5896	.5872	.5857	.5846	.5819	.5792	.5761
.0010	.5783	.5761	.5738	.5713	.5697	.5686	.5659	.5630	.5600
.0020	.4674	.4649	.4623	.4596	.4579	.4566	.4536	.4504	.4471
.0030	.3990	.3964	.3938	.3910	.3892	.3880	.3849	.3816	.3782
.0040	.3503	.3478	.3451	.3423	.3406	.3393	.3362	.3330	.3296
.0050	.3131	.3106	.3080	.3053	.3035	.3023	.2993	.2961	.2928
.0060	.2835	.2810	.2784	.2758	.2741	.2729	.2699	.2668	.2636
.0070	.2591	.2567	.2542	.2516	.2499	.2487	.2458	.2429	.2397
.0080	.2386	.2362	.2338	.2312	.2296	.2285	.2257	.2228	.2197
.0090	.2210	.2187	.2164	.2139	.2123	.2112	.2085	.2057	.2027
.0100	.2058	.2036	.2013	.1989	.1974	.1963	.1937	.1909	.1880
.0200	.1196	.1179	.1162	.1143	.1132	.1124	.1104	.1083	.1062
.0300	.0817	.0804	.0790	.0776	.0766	.0760	.0744	.0728	.0711
.0400	.0606	.0595	.0583	.0571	.0564	.0559	.0546	.0533	.0519
.0500	.0472	.0463	.0453	.0443	.0437	.0432	.0422	.0411	.0399
.0600	.0381	.0373	.0365	.0356	.0351	.0347	.0338	.0329	.0319
.0700	.0315	.0308	.0301	.0294	.0289	.0286	.0278	.0270	.0262
.0800	.0266	.0260	.0254	.0247	.0243	.0240	.0234	.0226	.0219
.0900	.0229	.0223	.0217	.0212	.0208	.0206	.0199	.0193	.0187
.1000	.0199	.0194	.0189	.0184	.0180	.0178	.0173	.0167	.0161

TABLE 102. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_{+}z_{-} = 16$ )

Ionic strength	Temperature in degrees Celsius									95	100
	50	55	60	65	70	75	80	85	90		
.0001	.8228	.8210	.8192	.8173	.8154	.8133	.8112	.8090	.8067	.8044	.8019
.0002	.7602	.7579	.7556	.7531	.7506	.7480	.7452	.7424	.7394	.7365	.7333
.0003	.7159	.7133	.7106	.7078	.7049	.7019	.6988	.6955	.6922	.6888	.6851
.0004	.6809	.6780	.6751	.6720	.6689	.6656	.6622	.6586	.6550	.6513	.6474
.0005	.6516	.6485	.6454	.6422	.6389	.6353	.6318	.6280	.6241	.6202	.6160
.0006	.6264	.6232	.6199	.6165	.6131	.6094	.6056	.6017	.5977	.5936	.5892
.0007	.6043	.6009	.5975	.5940	.5904	.5866	.5827	.5786	.5745	.5702	.5657
.0008	.5844	.5810	.5775	.5739	.5702	.5662	.5622	.5580	.5538	.5494	.5448
.0009	.5665	.5630	.5594	.5557	.5519	.5479	.5438	.5395	.5351	.5307	.5260
.0010	.5501	.5465	.5429	.5391	.5352	.5311	.5270	.5226	.5182	.5136	.5088
.0020	.4362	.4323	.4283	.4242	.4200	.4156	.4111	.4064	.4017	.3969	.3918
.0030	.3672	.3632	.3592	.3551	.3509	.3464	.3419	.3373	.3325	.3278	.3227
.0040	.3188	.3148	.3109	.3068	.3027	.2983	.2939	.2894	.2848	.2801	.2752
.0050	.2822	.2783	.2745	.2705	.2665	.2623	.2580	.2536	.2492	.2447	.2400
.0060	.2532	.2495	.2458	.2420	.2381	.2340	.2299	.2256	.2213	.2170	.2125
.0070	.2297	.2261	.2225	.2187	.2150	.2111	.2071	.2030	.1989	.1948	.1904
.0080	.2100	.2065	.2030	.1994	.1958	.1920	.1882	.1843	.1804	.1764	.1722
.0090	.1933	.1899	.1866	.1831	.1796	.1760	.1723	.1685	.1647	.1609	.1570
.0100	.1789	.1757	.1724	.1691	.1657	.1622	.1587	.1550	.1514	.1478	.1439
.0200	.0994	.0970	.0947	.0923	.0898	.0873	.0849	.0823	.0798	.0772	.0746
.0300	.0659	.0640	.0622	.0604	.0585	.0567	.0548	.0529	.0510	.0491	.0472
.0400	.0477	.0462	.0448	.0433	.0418	.0403	.0389	.0373	.0359	.0344	.0329
.0500	.0364	.0352	.0340	.0328	.0316	.0304	.0292	.0280	.0268	.0256	.0244
.0600	.0289	.0279	.0269	.0259	.0249	.0239	.0229	.0219	.0209	.0199	.0189
.0700	.0236	.0227	.0219	.0210	.0202	.0193	.0185	.0176	.0168	.0159	.0151
.0800	.0197	.0189	.0182	.0174	.0167	.0160	.0152	.0145	.0138	.0131	.0124
.0900	.0167	.0160	.0154	.0147	.0141	.0134	.0128	.0122	.0115	.0109	.0103
.1000	.0144	.0138	.0132	.0126	.0121	.0115	.0109	.0104	.0098	.0093	.0087

TABLE 103. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard  
 (Electrolyte,  $z_+z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9887	.9886	.9885	.9884	.9883	.9882	.9882	.9881
.0002	.9844	.9842	.9841	.9840	.9838	.9837	.9836	.9835	.9833
.0003	.9811	.9808	.9806	.9805	.9803	.9802	.9800	.9799	.9796
.0004	.9782	.9779	.9778	.9777	.9776	.9774	.9772	.9770	.9768
.0005	.9758	.9754	.9753	.9751	.9751	.9749	.9747	.9744	.9740
.0006	.9736	.9734	.9732	.9730	.9729	.9728	.9726	.9724	.9721
.0007	.9716	.9714	.9712	.9710	.9708	.9707	.9705	.9703	.9700
.0008	.9697	.9695	.9693	.9691	.9689	.9688	.9686	.9683	.9680
.0009	.9680	.9678	.9675	.9673	.9671	.9670	.9668	.9665	.9662
.0010	.9664	.9661	.9659	.9656	.9655	.9654	.9651	.9648	.9645
.0020	.9536	.9533	.9529	.9526	.9524	.9522	.9519	.9515	.9508
.0030	.9442	.9438	.9434	.9430	.9428	.9426	.9421	.9417	.9412
.0040	.9365	.9361	.9357	.9352	.9349	.9347	.9342	.9337	.9332
.0050	.9300	.9295	.9291	.9285	.9282	.9280	.9275	.9269	.9263
.0060	.9242	.9237	.9232	.9227	.9223	.9221	.9215	.9209	.9203
.0070	.9190	.9185	.9180	.9174	.9170	.9168	.9162	.9155	.9148
.0080	.9143	.9138	.9132	.9126	.9122	.9119	.9113	.9106	.9099
.0090	.9100	.9094	.9088	.9081	.9078	.9075	.9068	.9061	.9053
.0100	.9059	.9053	.9047	.9040	.9036	.9033	.9026	.9019	.9011
.0200	.8757	.8749	.8741	.8733	.8728	.8724	.8715	.8705	.8695
.0300	.8551	.8542	.8533	.8524	.8518	.8513	.8503	.8492	.8481
.0400	.8392	.8383	.8373	.8362	.8356	.8351	.8340	.8328	.8315
.0500	.8263	.8252	.8242	.8231	.8224	.8219	.8207	.8194	.8181
.0600	.8153	.8142	.8131	.8119	.8112	.8107	.8094	.8080	.8067
.0700	.8057	.8046	.8034	.8022	.8015	.8009	.7996	.7982	.7967
.0800	.7972	.7961	.7949	.7936	.7929	.7923	.7909	.7895	.7880
.0900	.7896	.7885	.7872	.7859	.7852	.7846	.7832	.7817	.7792
.1000	.7828	.7816	.7803	.7790	.7782	.7776	.7762	.7751	.7747

TABLE 103. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_{+}z_{-} = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.001	.9880	.9878	.9877	.9876	.9875	.9873	.9872	.9870	.9869
.002	.9831	.9829	.9828	.9826	.9824	.9822	.9820	.9818	.9816
.003	.9794	.9792	.9790	.9788	.9786	.9784	.9782	.9779	.9777
.004	.9764	.9762	.9759	.9757	.9754	.9752	.9749	.9746	.9743
.005	.9737	.9735	.9732	.9730	.9727	.9724	.9721	.9718	.9715
.006	.9714	.9711	.9708	.9705	.9702	.9699	.9696	.9692	.9689
.007	.9692	.9689	.9686	.9683	.9679	.9676	.9673	.9669	.9665
.008	.9672	.9669	.9665	.9662	.9659	.9655	.9651	.9647	.9643
.009	.9653	.9650	.9646	.9643	.9639	.9635	.9631	.9627	.9623
.010	.9635	.9632	.9628	.9625	.9621	.9617	.9613	.9608	.9604
.020	.9497	.9493	.9488	.9483	.9478	.9472	.9467	.9461	.9455
.030	.9396	.9391	.9385	.9379	.9373	.9366	.9360	.9353	.9345
.040	.9314	.9308	.9301	.9294	.9287	.9280	.9273	.9265	.9257
.050	.9244	.9237	.9229	.9222	.9214	.9206	.9198	.9190	.9181
.060	.9182	.9174	.9166	.9158	.9150	.9142	.9133	.9124	.9114
.070	.9126	.9118	.9110	.9101	.9092	.9083	.9074	.9064	.9054
.080	.9075	.9067	.9058	.9049	.9040	.9030	.9021	.9010	.9000
.090	.9029	.9020	.9011	.9001	.8992	.8982	.8971	.8961	.8950
.100	.8985	.8976	.8967	.8957	.8947	.8937	.8926	.8915	.8903
.200	.8663	.8651	.8639	.8626	.8614	.8600	.8587	.8572	.8558
.300	.8443	.8430	.8416	.8402	.8388	.8373	.8357	.8341	.8324
.400	.8275	.8260	.8246	.8230	.8214	.8198	.8181	.8163	.8145
.500	.8138	.8122	.8106	.8090	.8073	.8055	.8037	.8019	.7999
.600	.8021	.8005	.7989	.7971	.7953	.7935	.7916	.7897	.7876
.700	.7921	.7904	.7886	.7868	.7850	.7831	.7811	.7791	.7770
.800	.7831	.7814	.7796	.7778	.7759	.7739	.7719	.7697	.7676
.900	.7752	.7734	.7715	.7696	.7677	.7657	.7636	.7614	.7592
.1000	.7680	.7661	.7642	.7623	.7603	.7582	.7561	.7539	.7516

TABLE 104. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended Scatchard*  
(Electrolyte,  $z_+z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9779	.9778	.9776	.9774	.9773	.9771	.9769	.9767	.9766
.0002	.9691	.9689	.9687	.9684	.9683	.9682	.9679	.9677	.9672
.0003	.9625	.9622	.9619	.9617	.9615	.9614	.9611	.9607	.9604
.0004	.9569	.9566	.9563	.9560	.9558	.9557	.9553	.9550	.9546
.0005	.9521	.9518	.9515	.9511	.9509	.9507	.9504	.9500	.9495
.0006	.9478	.9475	.9471	.9467	.9465	.9463	.9459	.9455	.9450
.0007	.9439	.9436	.9432	.9428	.9425	.9423	.9419	.9414	.9409
.0008	.9403	.9399	.9395	.9391	.9388	.9386	.9381	.9376	.9371
.0009	.9370	.9366	.9361	.9357	.9354	.9352	.9347	.9341	.9336
.0010	.9338	.9334	.9329	.9324	.9321	.9319	.9314	.9309	.9303
.0020	.9093	.9087	.9081	.9074	.9070	.9067	.9060	.9053	.9045
.0030	.8915	.8908	.8901	.8893	.8888	.8885	.8876	.8868	.8859
.0040	.8771	.8763	.8755	.8746	.8741	.8737	.8728	.8718	.8708
.0050	.8649	.8640	.8631	.8622	.8616	.8612	.8602	.8591	.8580
.0060	.8542	.8533	.8523	.8513	.8507	.8503	.8492	.8480	.8469
.0070	.8446	.8437	.8427	.8416	.8410	.8405	.8393	.8381	.8369
.0080	.8360	.8350	.8339	.8328	.8321	.8316	.8304	.8292	.8279
.0090	.8280	.8270	.8259	.8247	.8240	.8235	.8223	.8209	.8196
.0100	.8207	.8196	.8185	.8173	.8165	.8160	.8147	.8134	.8119
.0200	.7669	.7655	.7641	.7626	.7617	.7611	.7595	.7578	.7561
.0300	.7312	.7297	.7282	.7265	.7255	.7248	.7230	.7211	.7192
.0400	.7043	.7027	.7011	.6993	.6982	.6974	.6955	.6935	.6915
.0500	.6827	.6810	.6793	.6774	.6763	.6755	.6735	.6714	.6692
.0600	.6646	.6629	.6611	.6592	.6580	.6572	.6551	.6529	.6507
.0700	.6491	.6473	.6455	.6435	.6423	.6414	.6393	.6371	.6348
.0800	.6356	.6337	.6318	.6298	.6286	.6277	.6256	.6233	.6209
.0900	.6235	.6217	.6198	.6177	.6165	.6156	.6134	.6110	.6086
.1000	.6127	.6108	.6089	.6068	.6056	.6046	.6024	.6001	.5976

TABLE 104. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_+z_- = 2$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9761	.9758	.9756	.9753	.9751	.9748	.9745	.9743	.9740	.9737	.9733
.0002	.9665	.9662	.9658	.9655	.9651	.9648	.9644	.9640	.9636	.9632	.9627
.0003	.9593	.9589	.9585	.9581	.9577	.9572	.9568	.9563	.9558	.9553	.9548
.0004	.9534	.9529	.9524	.9520	.9515	.9510	.9505	.9499	.9493	.9488	.9481
.0005	.9482	.9477	.9472	.9466	.9461	.9455	.9450	.9443	.9437	.9431	.9424
.0006	.9435	.9430	.9424	.9419	.9413	.9407	.9400	.9394	.9387	.9380	.9373
.0007	.9393	.9387	.9381	.9375	.9369	.9363	.9356	.9349	.9341	.9334	.9326
.0008	.9354	.9348	.9342	.9335	.9329	.9322	.9315	.9307	.9299	.9292	.9283
.0009	.9318	.9312	.9305	.9298	.9291	.9284	.9276	.9268	.9260	.9252	.9243
.0010	.9284	.9277	.9270	.9263	.9256	.9248	.9240	.9232	.9224	.9215	.9206
.0020	.9020	.9011	.9002	.8992	.8982	.8972	.8962	.8951	.8939	.8928	.8915
.0030	.8829	.8818	.8808	.8796	.8785	.8773	.8760	.8747	.8734	.8720	.8705
.0040	.8675	.8663	.8651	.8638	.8625	.8612	.8598	.8583	.8568	.8553	.8537
.0050	.8544	.8531	.8518	.8505	.8490	.8476	.8461	.8445	.8429	.8412	.8394
.0060	.8430	.8416	.8402	.8388	.8372	.8357	.8341	.8324	.8307	.8289	.8270
.0070	.8328	.8314	.8299	.8283	.8267	.8251	.8234	.8216	.8198	.8179	.8159
.0080	.8236	.8221	.8205	.8189	.8172	.8155	.8137	.8119	.8099	.8080	.8059
.0090	.8152	.8136	.8119	.8103	.8085	.8067	.8049	.8029	.8009	.7989	.7967
.0100	.8074	.8057	.8040	.8023	.8005	.7986	.7967	.7947	.7926	.7905	.7883
.0200	.7504	.7484	.7463	.7442	.7419	.7397	.7373	.7348	.7323	.7297	.7270
.0300	.7129	.7107	.7084	.7060	.7035	.7010	.6984	.6957	.6929	.6900	.6870
.0400	.6848	.6824	.6799	.6774	.6747	.6720	.6693	.6664	.6634	.6604	.6571
.0500	.6622	.6597	.6571	.6545	.6517	.6489	.6460	.6430	.6399	.6367	.6334
.0600	.6434	.6408	.6382	.6354	.6326	.6297	.6267	.6235	.6203	.6171	.6136
.0700	.6274	.6247	.6219	.6191	.6162	.6132	.6102	.6070	.6037	.6003	.5968
.0800	.6133	.6106	.6078	.6049	.6019	.5989	.5958	.5925	.5892	.5857	.5821
.0900	.6009	.5981	.5953	.5924	.5893	.5862	.5831	.5797	.5763	.5729	.5692
.1000	.5898	.5841	.5811	.5780	.5749	.5717	.5683	.5649	.5614	.5576	

TABLE 105. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended Scatchard*  
(Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9671	.9668	.9666	.9664	.9662	.9661	.9658	.9655	.9653
.0002	.9540	.9537	.9534	.9530	.9528	.9527	.9523	.9519	.9515
.0003	.9442	.9438	.9435	.9430	.9428	.9426	.9422	.9417	.9412
.0004	.9361	.9357	.9352	.9348	.9345	.9343	.9338	.9332	.9327
.0005	.9291	.9286	.9281	.9276	.9273	.9270	.9265	.9259	.9253
.0006	.9228	.9223	.9217	.9212	.9208	.9206	.9200	.9193	.9187
.0007	.9171	.9165	.9160	.9154	.9150	.9147	.9141	.9134	.9127
.0008	.9119	.9113	.9107	.9100	.9096	.9093	.9087	.9079	.9072
.0009	.9070	.9064	.9057	.9050	.9046	.9043	.9036	.9028	.9021
.0010	.9024	.9018	.9011	.9004	.9000	.8996	.8989	.8981	.8973
.0020	.8671	.8662	.8653	.8644	.8638	.8634	.8624	.8614	.8603
.0030	.8417	.8407	.8397	.8386	.8380	.8375	.8363	.8351	.8338
.0040	.8215	.8203	.8192	.8180	.8172	.8167	.8154	.8140	.8126
.0050	.8044	.8031	.8019	.8006	.7998	.7992	.7978	.7963	.7948
.0060	.7895	.7882	.7869	.7855	.7846	.7840	.7825	.7810	.7793
.0070	.7763	.7749	.7735	.7721	.7712	.7705	.7690	.7673	.7656
.0080	.7644	.7630	.7615	.7600	.7591	.7584	.7568	.7550	.7532
.0090	.7535	.7520	.7505	.7490	.7480	.7473	.7456	.7438	.7420
.0100	.7435	.7420	.7405	.7388	.7378	.7371	.7354	.7335	.7316
.0200	.6716	.6698	.6679	.6660	.6648	.6640	.6619	.6597	.6574
.0300	.6253	.6233	.6214	.6192	.6180	.6170	.6148	.6124	.6099
.0400	.5911	.5891	.5870	.5848	.5834	.5824	.5801	.5776	.5750
.0500	.5641	.5620	.5598	.5576	.5562	.5552	.5527	.5501	.5475
.0600	.5418	.5397	.5375	.5352	.5338	.5327	.5302	.5276	.5249
.0700	.5230	.5208	.5186	.5162	.5148	.5137	.5112	.5085	.5058
.0800	.5067	.5045	.5022	.4998	.4984	.4973	.4948	.4921	.4893
.0900	.4924	.4902	.4879	.4855	.4840	.4829	.4804	.4776	.4748
.1000	.4796	.4774	.4751	.4727	.4712	.4702	.4676	.4648	.4620

TABLE 105. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $Z_+Z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9643	.9639	.9636	.9632	.9629	.9625	.9621	.9616	.9607
.0002	.9502	.9497	.9492	.9487	.9482	.9476	.9471	.9465	.9453
.0003	.9396	.9390	.9384	.9378	.9372	.9365	.9359	.9352	.9344
.0004	.9308	.9302	.9295	.9288	.9281	.9274	.9266	.9258	.9250
.0005	.9233	.9225	.9218	.9210	.9202	.9194	.9186	.9177	.9168
.0006	.9165	.9157	.9149	.9141	.9132	.9123	.9114	.9105	.9095
.0007	.9104	.9095	.9087	.9078	.9069	.9059	.9049	.9039	.9029
.0008	.9047	.9038	.9029	.9020	.9010	.9000	.8990	.8979	.8968
.0009	.8995	.8985	.8976	.8966	.8956	.8945	.8934	.8923	.8911
.0010	.8946	.8936	.8926	.8916	.8905	.8894	.8883	.8871	.8858
.0020	.8567	.8554	.8541	.8527	.8513	.8499	.8484	.8468	.8452
.0030	.8296	.8281	.8266	.8250	.8233	.8216	.8199	.8181	.8162
.0040	.8080	.8063	.8046	.8029	.8010	.7992	.7972	.7952	.7931
.0050	.7898	.7880	.7862	.7843	.7823	.7803	.7782	.7760	.7738
.0060	.7740	.7721	.7702	.7682	.7661	.7639	.7617	.7594	.7571
.0070	.7600	.7580	.7560	.7539	.7517	.7495	.7471	.7447	.7422
.0080	.7475	.7454	.7432	.7410	.7388	.7364	.7340	.7315	.7289
.0090	.7360	.7338	.7316	.7293	.7270	.7246	.7221	.7195	.7168
.0100	.7254	.7232	.7210	.7186	.7162	.7137	.7111	.7084	.7057
.0200	.6501	.6474	.6447	.6419	.6391	.6361	.6331	.6299	.6267
.0300	.6020	.5991	.5962	.5932	.5901	.5869	.5836	.5802	.5767
.0400	.5667	.5637	.5606	.5575	.5542	.5509	.5475	.5440	.5403
.0500	.5389	.5358	.5327	.5295	.5261	.5227	.5192	.5156	.5119
.0600	.5161	.5130	.5098	.5065	.5031	.4996	.4961	.4924	.4886
.0700	.4969	.4937	.4905	.4872	.4837	.4802	.4766	.4729	.4690
.0800	.4803	.4771	.4739	.4705	.4670	.4635	.4599	.4561	.4522
.0900	.4658	.4626	.4593	.4559	.4524	.4489	.4452	.4414	.4375
.1000	.4529	.4496	.4464	.4430	.4395	.4359	.4322	.4284	.4245

TABLE 106. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—*Extended*  
*Scatchard*

(Electrolyte, z<sub>+</sub>z<sub>-</sub> = 4)

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9563	.9560	.9557	.9554	.9552	.9551	.9547
.0002	.9392	.9388	.9379	.9376	.9374	.9369	.9359
.0003	.9263	.9258	.9248	.9245	.9242	.9236	.9224
.0004	.9157	.9152	.9146	.9140	.9136	.9127	.9120
.0005	.9066	.9060	.9053	.9046	.9042	.9039	.9032
.0006	.8984	.8977	.8970	.8963	.8959	.8948	.8939
.0007	.8910	.8903	.8896	.8888	.8883	.8880	.8871
.0008	.8842	.8835	.8827	.8819	.8814	.8810	.8801
.0009	.8779	.8771	.8763	.8754	.8749	.8745	.8736
.0010	.8720	.8712	.8704	.8694	.8689	.8685	.8675
.0020	.8268	.8257	.8246	.8234	.8227	.8222	.8209
.0030	.7948	.7935	.7922	.7908	.7900	.7894	.7879
.0040	.7693	.7679	.7665	.7650	.7641	.7634	.7618
.0050	.7480	.7466	.7450	.7434	.7424	.7417	.7400
.0060	.7297	.7281	.7265	.7247	.7237	.7229	.7211
.0070	.7134	.7118	.7101	.7083	.7072	.7064	.7045
.0080	.6989	.6972	.6954	.6935	.6924	.6916	.6896
.0090	.6856	.6839	.6821	.6802	.6790	.6782	.6761
.0100	.6735	.6717	.6699	.6679	.6667	.6659	.6638
.0200	.5881	.5860	.5839	.5816	.5802	.5792	.5768
.0300	.5347	.5325	.5302	.5278	.5264	.5253	.5227
.0400	.4961	.4938	.4915	.4890	.4875	.4864	.4838
.0500	.4661	.4638	.4614	.4589	.4574	.4563	.4536
.0600	.4417	.4394	.4370	.4345	.4330	.4319	.4292
.0700	.4214	.4190	.4167	.4141	.4126	.4115	.4088
.0800	.4040	.4016	.3992	.3967	.3952	.3940	.3913
.0900	.3888	.3865	.3841	.3815	.3800	.3789	.3762
.1000	.3755	.3731	.3708	.3682	.3667	.3656	.3629

TABLE 106. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
Scatchard—Continued(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9527	.9522	.9518	.9513	.9508	.9503	.9497	.9492	.9486
.0002	.9341	.9335	.9329	.9322	.9315	.9308	.9301	.9293	.9285
.0003	.9203	.9195	.9188	.9180	.9172	.9163	.9154	.9145	.9136
.0004	.9089	.9080	.9072	.9063	.9053	.9044	.9034	.9023	.9012
.0005	.8990	.8981	.8971	.8961	.8951	.8940	.8929	.8918	.8906
.0006	.8902	.8892	.8882	.8871	.8860	.8849	.8837	.8824	.8812
.0007	.8823	.8812	.8801	.8790	.8778	.8766	.8753	.8740	.8726
.0008	.8750	.8739	.8727	.8715	.8702	.8690	.8676	.8662	.8648
.0009	.8683	.8671	.8658	.8646	.8633	.8619	.8605	.8590	.8575
.0010	.8619	.8607	.8594	.8581	.8567	.8553	.8539	.8523	.8508
.0020	.8136	.8120	.8103	.8086	.8068	.8050	.8031	.8011	.7991
.0030	.7795	.7776	.7757	.7737	.7717	.7696	.7674	.7651	.7628
.0040	.7526	.7505	.7484	.7462	.7440	.7416	.7392	.7368	.7342
.0050	.7301	.7279	.7256	.7233	.7209	.7184	.7158	.7132	.7104
.0060	.7107	.7083	.7060	.7035	.7010	.6984	.6957	.6929	.6900
.0070	.6936	.6912	.6887	.6861	.6835	.6808	.6780	.6750	.6720
.0080	.6783	.6758	.6732	.6706	.6678	.6650	.6621	.6591	.6560
.0090	.6645	.6619	.6592	.6565	.6537	.6508	.6478	.6447	.6415
.0100	.6518	.6492	.6465	.6437	.6408	.6378	.6347	.6316	.6283
.0200	.5631	.5601	.5570	.5538	.5505	.5471	.5436	.5400	.5363
.0300	.5083	.5050	.5018	.4984	.4949	.4914	.4878	.4840	.4801
.0400	.4689	.4656	.4623	.4588	.4553	.4516	.4479	.4441	.4401
.0500	.4385	.4352	.4318	.4283	.4247	.4211	.4173	.4134	.4094
.0600	.4140	.4106	.4073	.4038	.4001	.3965	.3927	.3888	.3848
.0700	.3936	.3902	.3868	.3833	.3797	.3760	.3723	.3684	.3644
.0800	.3762	.3728	.3694	.3659	.3623	.3587	.3549	.3511	.3471
.0900	.3611	.3577	.3544	.3509	.3473	.3437	.3400	.3361	.3322
.1000	.3478	.3445	.3411	.3377	.3341	.3305	.3268	.3230	.3151

TABLE 107. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
Scatchard  
(Electrolyte,  $z_+ z_- = 6$ )*

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9352	.9348	.9343	.9338	.9336	.9333	.9328	.9323	.9317
.0002	.9102	.9095	.9089	.9083	.9079	.9076	.9069	.9061	.9054
.0003	.8916	.8908	.8901	.8893	.8888	.8885	.8877	.8868	.8858
.0004	.8763	.8755	.8747	.8738	.8732	.8728	.8719	.8709	.8699
.0005	.8632	.8623	.8614	.8604	.8598	.8594	.8583	.8573	.8561
.0006	.8516	.8506	.8496	.8486	.8479	.8475	.8464	.8452	.8439
.0007	.8411	.8401	.8390	.8379	.8372	.8367	.8355	.8343	.8330
.0008	.8315	.8304	.8293	.8281	.8274	.8269	.8256	.8243	.8230
.0009	.8226	.8215	.8203	.8191	.8184	.8178	.8165	.8151	.8137
.0010	.8143	.8132	.8120	.8107	.8099	.8094	.8080	.8066	.8051
.0020	.7519	.7504	.7488	.7472	.7462	.7455	.7438	.7420	.7401
.0030	.7085	.7068	.7051	.7033	.7022	.7013	.6994	.6973	.6952
.0040	.6748	.6730	.6711	.6691	.6679	.6670	.6649	.6627	.6603
.0050	.6470	.6450	.6431	.6410	.6397	.6388	.6365	.6342	.6317
.0060	.6233	.6213	.6192	.6170	.6157	.6147	.6124	.6099	.6073
.0070	.6026	.6005	.5984	.5961	.5947	.5937	.5913	.5888	.5861
.0080	.5842	.5821	.5799	.5776	.5762	.5751	.5727	.5701	.5674
.0090	.5677	.5656	.5633	.5609	.5595	.5585	.5575	.5559	.5533
.0100	.5528	.5506	.5483	.5459	.5444	.5433	.5408	.5381	.5353
.0200	.4510	.4486	.4461	.4435	.4420	.4408	.4381	.4352	.4322
.0300	.3910	.3886	.3861	.3835	.3819	.3807	.3779	.3750	.3720
.0400	.3494	.3470	.3446	.3419	.3404	.3392	.3365	.3336	.3306
.0500	.3182	.3158	.3134	.3109	.3093	.3082	.3055	.3027	.2997
.0600	.2936	.2913	.2889	.2864	.2849	.2838	.2812	.2784	.2755
.0700	.2735	.2713	.2689	.2665	.2650	.2639	.2613	.2586	.2558
.0800	.2567	.2545	.2523	.2498	.2484	.2473	.2448	.2421	.2394
.0900	.2424	.2403	.2380	.2357	.2343	.2332	.2308	.2281	.2255
.1000	.2301	.2279	.2258	.2234	.2221	.2210	.2186	.2161	.2118

TABLE 107. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_+, z_- = 6$ )

Ionic strength	Temperature in degrees Celsius									95	100
	50	55	60	65	70	75	80	85	90		
.0001	.9299	.9292	.9285	.9278	.9271	.9263	.9256	.9247	.9239	.9230	.9221
.0002	.9028	.9019	.9010	.9000	.8991	.8980	.8970	.8959	.8947	.8935	.8923
.0003	.8829	.8818	.8807	.8795	.8783	.8771	.8759	.8745	.8732	.8718	.8703
.0004	.8665	.8653	.8640	.8627	.8614	.8600	.8586	.8571	.8556	.8540	.8524
.0005	.8524	.8511	.8497	.8483	.8468	.8453	.8438	.8422	.8405	.8388	.8370
.0006	.8400	.8385	.8371	.8356	.8340	.8324	.8307	.8290	.8272	.8253	.8234
.0007	.8288	.8272	.8257	.8241	.8224	.8207	.8189	.8171	.8152	.8132	.8111
.0008	.8185	.8169	.8153	.8136	.8118	.8100	.8082	.8062	.8042	.8022	.8000
.0009	.8091	.8074	.8057	.8039	.8021	.8002	.7982	.7962	.7941	.7920	.7897
.0010	.8002	.7985	.7967	.7949	.7930	.7910	.7890	.7869	.7847	.7825	.7801
.0020	.7339	.7317	.7295	.7271	.7247	.7223	.7197	.7171	.7143	.7115	.7086
.0030	.6882	.6857	.6832	.6806	.6779	.6751	.6722	.6693	.6662	.6630	.6597
.0040	.6529	.6502	.6474	.6446	.6417	.6387	.6356	.6324	.6291	.6257	.6222
.0050	.6238	.6210	.6181	.6151	.6120	.6089	.6056	.6022	.5988	.5952	.5915
.0060	.5991	.5962	.5932	.5901	.5869	.5836	.5802	.5767	.5731	.5695	.5656
.0070	.5777	.5746	.5715	.5683	.5651	.5617	.5582	.5546	.5509	.5471	.5432
.0080	.5587	.5556	.5524	.5491	.5458	.5423	.5388	.5351	.5313	.5275	.5234
.0090	.5417	.5385	.5353	.5319	.5285	.5250	.5214	.5177	.5138	.5099	.5058
.0100	.5263	.5230	.5198	.5164	.5129	.5094	.5057	.5019	.4980	.4940	.4899
.0200	.4226	.4191	.4157	.4121	.4084	.4047	.4008	.3968	.3927	.3886	.3842
.0300	.3624	.3589	.3554	.3519	.3482	.3445	.3406	.3367	.3326	.3285	.3242
.0400	.3211	.3177	.3143	.3108	.3072	.3035	.2998	.2959	.2920	.2880	.2838
.0500	.2904	.2871	.2838	.2803	.2768	.2732	.2696	.2658	.2620	.2581	.2541
.0600	.2664	.2631	.2599	.2565	.2531	.2496	.2461	.2424	.2387	.2350	.2310
.0700	.2469	.2437	.2406	.2373	.2340	.2306	.2272	.2236	.2200	.2163	.2125
.0800	.2307	.2276	.2245	.2214	.2181	.2148	.2115	.2080	.2045	.2010	.1973
.0900	.2170	.2140	.2110	.2078	.2047	.2015	.1982	.1948	.1914	.1880	.1844
.1000	.2051	.2022	.1993	.1962	.1931	.1900	.1868	.1836	.1802	.1769	.1734

TABLE 108. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9146	.9140	.9134	.9128	.9124	.9121	.9114	.9107	.9095
.0002	.8820	.8813	.8804	.8796	.8791	.8787	.8778	.8758	.8752
.0003	.8581	.8572	.8562	.8552	.8546	.8542	.8531	.8519	.8508
.0004	.8386	.8375	.8365	.8353	.8347	.8342	.8330	.8317	.8304
.0005	.8219	.8207	.8196	.8184	.8176	.8171	.8157	.8144	.8129
.0006	.8072	.8059	.8047	.8034	.8026	.8020	.8006	.7991	.7975
.0007	.7939	.7926	.7913	.7899	.7891	.7885	.7870	.7854	.7838
.0008	.7819	.7805	.7791	.7777	.7768	.7761	.7746	.7729	.7712
.0009	.7708	.7694	.7679	.7664	.7655	.7648	.7632	.7614	.7597
.0010	.7605	.7590	.7575	.7559	.7550	.7543	.7526	.7508	.7489
.0020	.6837	.6819	.6800	.6780	.6769	.6760	.6739	.6717	.6694
.0030	.6317	.6296	.6276	.6254	.6241	.6231	.6208	.6184	.6158
.0040	.5919	.5897	.5875	.5852	.5838	.5828	.5803	.5777	.5750
.0050	.5596	.5573	.5551	.5526	.5512	.5501	.5475	.5448	.5420
.0060	.5324	.5301	.5277	.5253	.5238	.5227	.5200	.5172	.5143
.0070	.5090	.5066	.5042	.5017	.5002	.4990	.4963	.4935	.4905
.0080	.4884	.4860	.4836	.4810	.4795	.4783	.4756	.4727	.4697
.0090	.4701	.4677	.4652	.4626	.4611	.4599	.4571	.4542	.4512
.0100	.4537	.4512	.4487	.4461	.4445	.4434	.4406	.4376	.4346
.0200	.3459	.3434	.3409	.3383	.3367	.3355	.3327	.3298	.3268
.0300	.2859	.2835	.2811	.2786	.2771	.2759	.2733	.2704	.2675
.0400	.2461	.2438	.2416	.2391	.2377	.2366	.2340	.2314	.2286
.0500	.2172	.2151	.2129	.2106	.2092	.2082	.2058	.2032	.2006
.0600	.1951	.1931	.1910	.1888	.1875	.1865	.1842	.1818	.1793
.0700	.1776	.1756	.1736	.1715	.1702	.1693	.1671	.1648	.1624
.0800	.1632	.1613	.1594	.1574	.1562	.1553	.1531	.1509	.1487
.0900	.1512	.1494	.1475	.1456	.1444	.1436	.1415	.1394	.1372
.1000	.1410	.1392	.1375	.1356	.1345	.1337	.1317	.1296	.1276

TABLE 108. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_+z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9076	.9067	.9058	.9049	.9040	.9030	.9020	.9009	.8998
.0002	.8726	.8714	.8702	.8690	.8677	.8664	.8650	.8636	.8621
.0003	.8469	.8455	.8441	.8427	.8412	.8396	.8380	.8363	.8346
.0004	.8261	.8245	.8229	.8213	.8196	.8179	.8161	.8142	.8122
.0005	.8082	.8065	.8048	.8030	.8012	.7993	.7973	.7953	.7932
.0006	.7925	.7907	.7889	.7870	.7850	.7830	.7809	.7787	.7765
.0007	.7785	.7765	.7746	.7726	.7705	.7684	.7662	.7639	.7615
.0008	.7657	.7637	.7616	.7595	.7573	.7551	.7528	.7504	.7479
.0009	.7539	.7518	.7497	.7475	.7452	.7429	.7405	.7380	.7354
.0010	.7430	.7408	.7386	.7363	.7340	.7316	.7291	.7265	.7238
.0020	.6620	.6594	.6567	.6539	.6510	.6480	.6450	.6418	.6385
.0030	.6077	.6047	.6017	.5987	.5955	.5922	.5889	.5854	.5818
.0040	.5664	.5632	.5601	.5568	.5535	.5500	.5465	.5428	.5390
.0050	.5330	.5298	.5265	.5231	.5196	.5161	.5124	.5086	.5047
.0060	.5051	.5018	.4984	.4949	.4914	.4877	.4840	.4801	.4761
.0070	.4811	.4777	.4743	.4708	.4671	.4634	.4596	.4557	.4516
.0080	.4601	.4567	.4533	.4497	.4460	.4423	.4384	.4344	.4303
.0090	.4415	.4381	.4346	.4310	.4273	.4235	.4197	.4156	.4115
.0100	.4249	.4214	.4179	.4143	.4106	.4068	.4029	.3989	.3947
.0200	.3171	.3137	.3102	.3067	.3030	.2993	.2955	.2916	.2876
.0300	.2583	.2551	.2518	.2484	.2450	.2415	.2379	.2342	.2305
.0400	.2199	.2168	.2137	.2105	.2073	.2040	.2006	.1972	.1937
.0500	.1923	.1894	.1865	.1835	.1804	.1773	.1742	.1709	.1676
.0600	.1714	.1686	.1659	.1630	.1601	.1572	.1542	.1512	.1481
.0700	.1549	.1523	.1496	.1469	.1442	.1414	.1386	.1357	.1328
.0800	.1415	.1390	.1365	.1339	.1313	.1287	.1260	.1232	.1205
.0900	.1304	.1280	.1256	.1231	.1206	.1181	.1156	.1130	.1103
.1000	.1210	.1187	.1164	.1140	.1116	.1092	.1068	.1043	.1018

TABLE 109. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9044	.9038	.9031	.9024	.9020	.9017	.9009	.9002	.8993
.0002	.8683	.8674	.8665	.8656	.8646	.8636	.8626	.8614	.8608
.0003	.8418	.8408	.8398	.8387	.8380	.8375	.8363	.8351	.8337
.0004	.8203	.8192	.8180	.8168	.8160	.8155	.8141	.8127	.8113
.0005	.8020	.8007	.7994	.7981	.7973	.7967	.7952	.7937	.7921
.0006	.7858	.7845	.7831	.7817	.7808	.7802	.7786	.7770	.7753
.0007	.7714	.7699	.7685	.7670	.7661	.7654	.7637	.7620	.7602
.0008	.7582	.7567	.7552	.7536	.7527	.7519	.7502	.7484	.7466
.0009	.7461	.7446	.7430	.7413	.7403	.7396	.7378	.7359	.7340
.0010	.7349	.7333	.7317	.7299	.7289	.7281	.7263	.7244	.7224
.0020	.6519	.6500	.6480	.6459	.6446	.6437	.6415	.6391	.6366
.0030	.5964	.5943	.5921	.5898	.5884	.5874	.5849	.5823	.5796
.0040	.5543	.5521	.5497	.5473	.5458	.5448	.5422	.5394	.5366
.0050	.5204	.5181	.5157	.5131	.5116	.5105	.5078	.5050	.5021
.0060	.4921	.4897	.4872	.4846	.4831	.4819	.4792	.4763	.4733
.0070	.4678	.4653	.4629	.4602	.4587	.4575	.4547	.4518	.4488
.0080	.4466	.4441	.4416	.4389	.4374	.4362	.4334	.4304	.4274
.0090	.4278	.4253	.4228	.4201	.4185	.4173	.4145	.4115	.4085
.0100	.4110	.4085	.4060	.4033	.4017	.4005	.3977	.3947	.3916
.0200	.3029	.3005	.2980	.2954	.2939	.2927	.2900	.2871	.2841
.0300	.2445	.2422	.2399	.2374	.2360	.2349	.2323	.2297	.2269
.0400	.2065	.2044	.2022	.2000	.1986	.1976	.1952	.1927	.1901
.0500	.1795	.1775	.1755	.1733	.1721	.1711	.1689	.1665	.1641
.0600	.1591	.1572	.1553	.1533	.1521	.1512	.1491	.1469	.1446
.0700	.1431	.1413	.1395	.1376	.1364	.1356	.1336	.1315	.1294
.0800	.1301	.1284	.1267	.1249	.1238	.1230	.1211	.1192	.1171
.0900	.1194	.1178	.1161	.1144	.1134	.1126	.1108	.1090	.1071
.1000	.1103	.1088	.1073	.1056	.1046	.1039	.1022	.1004	.0986

TABLE 109. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_+z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8967	.8957	.8947	.8937	.8926	.8916	.8904	.8893	.8880
.0002	.8579	.8566	.8552	.8539	.8525	.8510	.8495	.8479	.8463
.0003	.8295	.8280	.8264	.8248	.8232	.8215	.8197	.8178	.8159
.0004	.8066	.8049	.8031	.8013	.7995	.7976	.7956	.7935	.7914
.0005	.7870	.7851	.7833	.7813	.7793	.7772	.7751	.7729	.7706
.0006	.7698	.7679	.7659	.7638	.7616	.7594	.7571	.7547	.7523
.0007	.7545	.7524	.7503	.7481	.7458	.7435	.7411	.7386	.7360
.0008	.7405	.7383	.7361	.7338	.7315	.7290	.7265	.7239	.7212
.0009	.7277	.7255	.7232	.7208	.7183	.7158	.7132	.7105	.7077
.0010	.7159	.7135	.7111	.7087	.7061	.7035	.7008	.6980	.6951
.0020	.6287	.6259	.6230	.6200	.6170	.6138	.6106	.6072	.6037
.0030	.5710	.5679	.5647	.5615	.5581	.5547	.5512	.5475	.5437
.0040	.5275	.5242	.5209	.5175	.5140	.5104	.5067	.5029	.4990
.0050	.4927	.4893	.4859	.4824	.4788	.4751	.4713	.4674	.4633
.0060	.4637	.4603	.4569	.4533	.4496	.4458	.4420	.4380	.4339
.0070	.4391	.4356	.4321	.4285	.4248	.4210	.4171	.4130	.4089
.0080	.4176	.4141	.4106	.4069	.4032	.3994	.3955	.3914	.3873
.0090	.3987	.3951	.3916	.3880	.3842	.3804	.3765	.3724	.3683
.0100	.3818	.3783	.3747	.3711	.3673	.3635	.3596	.3556	.3514
.0200	.2747	.2713	.2680	.2645	.2610	.2574	.2538	.2500	.2461
.0300	.2181	.2150	.2119	.2087	.2055	.2022	.1988	.1954	.1918
.0400	.1820	.1791	.1762	.1733	.1703	.1672	.1641	.1610	.1578
.0500	.1565	.1538	.1512	.1484	.1456	.1428	.1400	.1371	.1341
.0600	.1375	.1350	.1325	.1299	.1273	.1247	.1221	.1194	.1166
.0700	.1227	.1203	.1180	.1156	.1132	.1107	.1083	.1057	.1032
.0800	.1108	.1086	.1064	.1041	.1019	.0996	.0972	.0949	.0925
.0900	.1011	.0990	.0969	.0948	.0926	.0904	.0882	.0860	.0838
.1000	.0929	.0909	.0889	.0869	.0849	.0828	.0808	.0786	.0765

TABLE 110. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard  
 (Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8746	.8738	.8730	.8721	.8715	.8711	.8702	.8691	.8681
.0002	.8284	.8273	.8261	.8250	.8242	.8237	.8224	.8211	.8197
.0003	.7949	.7936	.7923	.7909	.7894	.7879	.7864	.7847	.7837
.0004	.7679	.7665	.7650	.7635	.7626	.7619	.7602	.7585	.7566
.0005	.7451	.7436	.7420	.7403	.7393	.7386	.7368	.7349	.7329
.0006	.7252	.7235	.7218	.7201	.7190	.7182	.7163	.7143	.7123
.0007	.7074	.7057	.7039	.7021	.7009	.7001	.6981	.6960	.6939
.0008	.6914	.6896	.6877	.6858	.6846	.6838	.6817	.6795	.6773
.0009	.6767	.6748	.6729	.6709	.6697	.6688	.6667	.6644	.6621
.0010	.6632	.6613	.6593	.6572	.6560	.6551	.6529	.6506	.6481
.0020	.5653	.5630	.5607	.5583	.5569	.5558	.5532	.5505	.5477
.0030	.5020	.4996	.4972	.4946	.4930	.4919	.4891	.4863	.4833
.0040	.4553	.4529	.4503	.4477	.4461	.4449	.4421	.4391	.4360
.0050	.4186	.4161	.4135	.4108	.4092	.4080	.4051	.4022	.3990
.0060	.3885	.3860	.3834	.3807	.3791	.3779	.3750	.3720	.3689
.0070	.3631	.3606	.3580	.3553	.3537	.3525	.3497	.3467	.3436
.0080	.3413	.3388	.3363	.3336	.3320	.3308	.3280	.3250	.3219
.0090	.3223	.3199	.3173	.3147	.3131	.3119	.3091	.3061	.3031
.0100	.3056	.3031	.3006	.2980	.2964	.2952	.2924	.2895	.2865
.0200	.2034	.2012	.1990	.1967	.1954	.1943	.1919	.1894	.1868
.0300	.1529	.1510	.1491	.1470	.1458	.1449	.1428	.1406	.1384
.0400	.1221	.1204	.1187	.1169	.1159	.1151	.1132	.1113	.1093
.0500	.1013	.0998	.0982	.0966	.0957	.0950	.0933	.0916	.0898
.0600	.0862	.0848	.0835	.0820	.0812	.0805	.0790	.0775	.0759
.0700	.0748	.0736	.0723	.0710	.0702	.0697	.0683	.0669	.0654
.0800	.0659	.0648	.0636	.0624	.0617	.0612	.0599	.0586	.0573
.0900	.0588	.0577	.0567	.0555	.0549	.0544	.0532	.0521	.0508
.1000	.0529	.0519	.0510	.0499	.0493	.0489	.0478	.0467	.0456

TABLE 110. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard—Continued  
 (Electrolyte,  $z_{+}z_{-} = 12$ )

Ionic strength	Temperature in degrees Celsius							95	100
	50	55	60	65	70	75	80		
.0001	.8647	.8634	.8621	.8608	.8595	.8581	.8566	.8551	.8520
.0002	.8151	.8135	.8118	.8101	.8083	.8064	.8045	.8026	.7984
.0003	.7794	.7775	.7756	.7736	.7715	.7693	.7671	.7625	.7600
.0004	.7508	.7487	.7465	.7443	.7420	.7396	.7372	.7347	.7294
.0005	.7266	.7243	.7220	.7196	.7171	.7146	.7120	.7092	.7064
.0006	.7056	.7031	.7007	.6982	.6955	.6928	.6901	.6872	.6842
.0007	.6868	.6843	.6817	.6791	.6764	.6735	.6706	.6676	.6645
.0008	.6700	.6673	.6647	.6619	.6591	.6561	.6531	.6500	.6468
.0009	.6546	.6518	.6491	.6462	.6433	.6403	.6372	.6339	.6306
.0010	.6404	.6376	.6348	.6318	.6288	.6257	.6225	.6192	.6158
.0020	.5386	.5354	.5321	.5287	.5252	.5217	.5180	.5142	.5103
.0030	.4737	.4703	.4668	.4632	.4595	.4558	.4519	.4479	.4438
.0040	.4262	.4227	.4192	.4155	.4118	.4079	.4040	.3999	.3957
.0050	.3891	.3856	.3820	.3783	.3746	.3707	.3668	.3627	.3585
.0060	.3590	.3554	.3519	.3482	.3444	.3406	.3367	.3326	.3285
.0070	.3337	.3302	.3267	.3230	.3193	.3155	.3116	.3076	.3035
.0080	.3121	.3086	.3051	.3016	.2979	.2941	.2903	.2863	.2823
.0090	.2934	.2900	.2865	.2830	.2793	.2756	.2719	.2680	.2640
.0100	.2770	.2736	.2702	.2667	.2631	.2594	.2557	.2519	.2480
.0200	.1786	.1757	.1728	.1698	.1668	.1637	.1607	.1575	.1542
.0300	.1313	.1288	.1263	.1238	.1212	.1187	.1160	.1134	.1106
.0400	.1031	.1009	.988	.966	.944	.921	.899	.876	.852
.0500	.0843	.0824	.0805	.0786	.0766	.0747	.0727	.0707	.0686
.0600	.0710	.0692	.0675	.0658	.0641	.0623	.0606	.0588	.0570
.0700	.0610	.0594	.0579	.0563	.0547	.0532	.0516	.0500	.0484
.0800	.0532	.0518	.0504	.0490	.0476	.0461	.0447	.0433	.0418
.0900	.0471	.0458	.0445	.0432	.0419	.0406	.0393	.0380	.0366
.1000	.0421	.0409	.0397	.0385	.0373	.0361	.0349	.0337	.0325

TABLE 111. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended  
 Scatchard  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	0	5	10	15	18	20	25	30	35	38	40	45	Temperature in degrees Celsius
													.8365
.0001	.8354	.8343	.8332	.8325	.8320	.8307	.8294	.8281	.8273	.8267	.8252	.8252	
.0002	.7780	.7766	.7752	.7737	.7728	.7721	.7705	.7688	.7671	.7660	.7653	.7634	
.0003	.7363	.7347	.7331	.7314	.7304	.7296	.7277	.7258	.7238	.7225	.7217	.7195	
.0004	.7032	.7015	.6997	.6978	.6967	.6958	.6938	.6917	.6895	.6881	.6872	.6848	
.0005	.6755	.6736	.6717	.6697	.6685	.6676	.6654	.6632	.6608	.6594	.6584	.6558	
.0006	.6515	.6495	.6475	.6454	.6441	.6432	.6409	.6386	.6361	.6345	.6335	.6308	
.0007	.6303	.6283	.6262	.6240	.6227	.6217	.6193	.6168	.6143	.6127	.6116	.6088	
.0008	.6113	.6092	.6071	.6048	.6034	.6024	.6000	.5974	.5948	.5931	.5920	.5891	
.0009	.5941	.5919	.5897	.5874	.5860	.5849	.5824	.5798	.5771	.5754	.5742	.5713	
.0010	.5783	.5761	.5738	.5714	.5700	.5689	.5664	.5637	.5609	.5592	.5580	.5550	
.0020	.4674	.4649	.4624	.4597	.4581	.4570	.4541	.4512	.4481	.4462	.4449	.4416	
.0030	.3990	.3964	.3939	.3911	.3895	.3883	.3854	.3824	.3792	.3773	.3760	.3726	
.0040	.3503	.3478	.3452	.3425	.3408	.3396	.3368	.3338	.3307	.3287	.3274	.3241	
.0050	.3131	.3106	.3081	.3054	.3038	.3026	.2998	.2968	.2938	.2919	.2906	.2874	
.0060	.2834	.2810	.2785	.2759	.2743	.2732	.2704	.2675	.2645	.2627	.2615	.2583	
.0070	.2591	.2567	.2542	.2517	.2502	.2490	.2463	.2435	.2406	.2388	.2376	.2346	
.0080	.2385	.2362	.2338	.2314	.2299	.2288	.2262	.2234	.2206	.2189	.2177	.2147	
.0090	.2210	.2187	.2164	.2140	.2126	.2115	.2090	.2063	.2036	.2019	.2008	.1979	
.0100	.2058	.2036	.2014	.1990	.1976	.1966	.1941	.1915	.1889	.1873	.1862	.1833	
.0200	.1196	.1179	.1162	.1144	.1134	.1126	.1107	.1088	.1068	.1056	.1047	.1026	
.0300	.0817	.0804	.0790	.0776	.0768	.0761	.0747	.0731	.0716	.0706	.0700	.0684	
.0400	.0606	.0595	.0583	.0572	.0565	.0560	.0548	.0535	.0523	.0515	.0510	.0497	
.0500	.0472	.0463	.0453	.0443	.0438	.0433	.0423	.0413	.0402	.0396	.0392	.0381	
.0600	.0381	.0373	.0365	.0356	.0351	.0348	.0339	.0330	.0321	.0316	.0312	.0303	
.0700	.0315	.0308	.0301	.0294	.0290	.0287	.0279	.0271	.0264	.0259	.0256	.0248	
.0800	.0266	.0260	.0254	.0248	.0244	.0241	.0235	.0228	.0221	.0217	.0214	.0207	
.0900	.0229	.0218	.0212	.0209	.0206	.0200	.0194	.0188	.0185	.0182	.0176	.0152	
.1000	.0199	.0189	.0184	.0181	.0179	.0173	.0168	.0163	.0159	.0157	.0152	.0152	

TABLE 111. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Extended

Scatchard—Continued

(Electrolyte,  $z_{+}z_{-} = 16$ )

## Temperature in degrees Celsius

Ionic strength	50	55	60	65	70	75	80	85	90	95	100
.0001	.8237	.8222	.8206	.8189	.8172	.8154	.8136	.8117	.8097	.8077	.8056
.0002	.7614	.7594	.7573	.7552	.7529	.7506	.7483	.7458	.7433	.7407	.7380
.0003	.7173	.7150	.7126	.7101	.7076	.7049	.7023	.6994	.6965	.6936	.6905
.0004	.6824	.6798	.6772	.6745	.6718	.6689	.6660	.6629	.6597	.6565	.6531
.0005	.6532	.6505	.6477	.6449	.6419	.6389	.6358	.6325	.6292	.6257	.6221
.0006	.6281	.6253	.6223	.6193	.6163	.6131	.6098	.6064	.6029	.5993	.5956
.0007	.6060	.6030	.6000	.5969	.5937	.5904	.5870	.5835	.5799	.5762	.5723
.0008	.5862	.5832	.5801	.5769	.5735	.5702	.5667	.5630	.5593	.5555	.5515
.0009	.5683	.5652	.5620	.5587	.5553	.5519	.5483	.5446	.5408	.5369	.5328
.0010	.5520	.5488	.5455	.5422	.5387	.5352	.5316	.5278	.5239	.5199	.5158
.0020	.4383	.4347	.4312	.4275	.4238	.4199	.4160	.4119	.4077	.4035	.3990
.0030	.3693	.3657	.3621	.3584	.3546	.3507	.3468	.3427	.3385	.3343	.3298
.0040	.3208	.3172	.3137	.3101	.3063	.3025	.2986	.2946	.2906	.2864	.2821
.0050	.2841	.2807	.2772	.2736	.2700	.2663	.2626	.2587	.2547	.2507	.2465
.0060	.2551	.2518	.2484	.2450	.2414	.2379	.2342	.2305	.2266	.2228	.2188
.0070	.2315	.2282	.2250	.2216	.2182	.2148	.2113	.2076	.2040	.2003	.1964
.0080	.2117	.2086	.2054	.2022	.1989	.1956	.1922	.1887	.1852	.1816	.1779
.0090	.1950	.1919	.1889	.1858	.1826	.1794	.1761	.1728	.1694	.1659	.1624
.0100	.1805	.1776	.1746	.1716	.1686	.1655	.1623	.1591	.1558	.1525	.1491
.0200	.1006	.0984	.0962	.0940	.0918	.0896	.0873	.0850	.0827	.0804	.0780
.0300	.0667	.0651	.0634	.0617	.0600	.0583	.0566	.0549	.0531	.0514	.0496
.0400	.0483	.0470	.0457	.0443	.0430	.0416	.0403	.0389	.0375	.0362	.0348
.0500	.0370	.0359	.0348	.0337	.0325	.0314	.0303	.0292	.0281	.0270	.0259
.0600	.0294	.0284	.0275	.0266	.0256	.0247	.0238	.0229	.0219	.0210	.0201
.0700	.0240	.0232	.0224	.0216	.0208	.0200	.0192	.0184	.0176	.0169	.0161
.0800	.0200	.0193	.0186	.0179	.0172	.0166	.0159	.0152	.0145	.0139	.0132
.0900	.0170	.0164	.0158	.0152	.0145	.0140	.0134	.0128	.0122	.0116	.0110
.1000	.0146	.0135	.0130	.0125	.0119	.0114	.0109	.0104	.0099	.0093	



TABLE 112. *Bjerrum's minimum ion-parameter\**  
*for uni-univalent electrolytes in aqueous solutions*  
*from 0 to 100 °C*

Temperature <i>t</i>	Ion-parameter <i>a<sub>B</sub></i>	Temperature <i>t</i>	Ion-parameter <i>a<sub>B</sub></i>
°C	10 <sup>8</sup> cm	°C	10 <sup>8</sup> cm
(On weight or volume basis)			
0	3.49	50	3.70
5	3.50	55	3.73
10	3.52	60	3.75
15	3.54	65	3.78
18	3.55	70	3.81
20	3.56	75	3.84
25	3.58	80	3.88
30	3.60	85	3.91
35	3.62	90	3.94
38	3.64	95	3.98
40	3.65	100	4.02
45	3.67		

\*Sometimes called the ion size.

TABLE 113. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Bjerrum  
(Electrolyte,  $z_{+}z_{-}=1$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9889	.9887	.9886	.9884	.9883	.9882	.9881	.9881	.9880
.0002	.9844	.9843	.9840	.9839	.9837	.9836	.9834	.9833	.9831
.0003	.9809	.9808	.9807	.9805	.9804	.9802	.9800	.9798	.9797
.0004	.9781	.9779	.9778	.9776	.9774	.9772	.9770	.9768	.9767
.0005	.9756	.9754	.9753	.9751	.9750	.9749	.9747	.9744	.9741
.0006	.9734	.9732	.9730	.9728	.9727	.9726	.9723	.9721	.9718
.0007	.9713	.9711	.9709	.9707	.9706	.9705	.9702	.9700	.9697
.0008	.9694	.9692	.9690	.9688	.9686	.9685	.9683	.9680	.9677
.0009	.9677	.9675	.9672	.9670	.9668	.9667	.9664	.9662	.9658
.0010	.9660	.9658	.9655	.9653	.9651	.9650	.9647	.9644	.9641
.0020	.9529	.9526	.9523	.9520	.9517	.9516	.9512	.9508	.9503
.0030	.9433	.9429	.9425	.9421	.9418	.9417	.9412	.9407	.9402
.0040	.9354	.9349	.9345	.9340	.9337	.9335	.9330	.9325	.9319
.0050	.9286	.9281	.9276	.9271	.9268	.9266	.9260	.9254	.9248
.0060	.9225	.9220	.9215	.9210	.9206	.9204	.9198	.9191	.9185
.0070	.9171	.9166	.9160	.9155	.9151	.9148	.9142	.9135	.9128
.0080	.9121	.9116	.9110	.9104	.9100	.9098	.9091	.9084	.9076
.0090	.9076	.9070	.9064	.9058	.9054	.9051	.9044	.9036	.9028
.0100	.9033	.9027	.9021	.9014	.9010	.9007	.9000	.8992	.8984
.0200	.8711	.8703	.8695	.8687	.8682	.8678	.8669	.8660	.8649
.0300	.8488	.8479	.8471	.8462	.8456	.8452	.8441	.8430	.8419
.0400	.8314	.8305	.8296	.8286	.8279	.8275	.8264	.8252	.8240
.0500	.8171	.8161	.8151	.8141	.8134	.8130	.8118	.8106	.8093
.0600	.8049	.8038	.8028	.8018	.8011	.8006	.7994	.7981	.7967
.0700	.7942	.7931	.7921	.7910	.7898	.7885	.7872	.7858	.7850
.0800	.7847	.7835	.7825	.7814	.7806	.7801	.7789	.7775	.7761
.0900	.7761	.7749	.7739	.7728	.7720	.7715	.7702	.7688	.7674
.1000	.7683	.7660	.7641	.7636	.7623	.7609	.7594	.7587	.7581

TABLE 113. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis —

Bjerrum — Continued

(Electrolyte, z<sub>+</sub>z<sub>-</sub> = 1)

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9879	.9877	.9876	.9874	.9873	.9871	.9868	.9866	.9865	.9863
.0002	.9829	.9828	.9826	.9824	.9822	.9820	.9817	.9815	.9813	.9808
.0003	.9792	.9790	.9788	.9785	.9783	.9780	.9778	.9775	.9769	.9766
.0004	.9761	.9759	.9756	.9753	.9751	.9748	.9745	.9741	.9738	.9735
.0005	.9734	.9732	.9729	.9726	.9722	.9719	.9716	.9712	.9708	.9701
.0006	.9710	.9707	.9704	.9701	.9697	.9694	.9690	.9686	.9682	.9678
.0007	.9688	.9685	.9681	.9678	.9674	.9670	.9666	.9662	.9658	.9653
.0008	.9668	.9664	.9660	.9657	.9653	.9649	.9644	.9640	.9635	.9631
.0009	.9648	.9645	.9641	.9637	.9633	.9629	.9624	.9619	.9615	.9610
.0010	.9630	.9627	.9623	.9618	.9614	.9610	.9605	.9600	.9595	.9590
.0020	.9489	.9484	.9479	.9473	.9467	.9461	.9455	.9448	.9441	.9435
.0030	.9385	.9379	.9372	.9366	.9359	.9352	.9345	.9337	.9329	.9312
.0040	.9300	.9293	.9286	.9278	.9271	.9263	.9255	.9246	.9237	.9228
.0050	.9227	.9219	.9212	.9203	.9195	.9186	.9178	.9168	.9158	.9148
.0060	.9163	.9154	.9146	.9137	.9128	.9119	.9110	.9099	.9078	.9067
.0070	.9105	.9096	.9087	.9078	.9069	.9059	.9049	.9038	.9027	.9016
.0080	.9052	.9043	.9033	.9024	.9014	.9003	.8993	.8982	.8970	.8958
.0090	.9003	.8993	.8984	.8974	.8963	.8952	.8942	.8930	.8918	.8906
.0100	.8957	.8948	.8938	.8927	.8917	.8905	.8894	.8882	.8869	.8857
.0200	.8616	.8604	.8592	.8579	.8566	.8552	.8538	.8523	.8507	.8492
.0300	.8382	.8369	.8354	.8340	.8326	.8310	.8295	.8278	.8261	.8244
.0400	.8201	.8186	.8171	.8156	.8140	.8124	.8107	.8089	.8071	.8053
.0500	.8052	.8037	.8021	.8005	.7988	.7971	.7954	.7935	.7916	.7897
.0600	.7925	.7909	.7893	.7876	.7859	.7841	.7824	.7804	.7785	.7766
.0700	.7814	.7799	.7781	.7764	.7747	.7729	.7711	.7691	.7671	.7651
.0800	.7717	.7700	.7683	.7666	.7648	.7629	.7611	.7591	.7570	.7550
.0900	.7629	.7612	.7594	.7577	.7559	.7540	.7522	.7501	.7480	.7460
.1000	.7549	.7532	.7514	.7496	.7478	.7459	.7441	.7419	.7398	.7378

TABLE 114. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum*  
(Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9781	.9779	.9778	.9776	.9775	.9774	.9772
.0002	.9694	.9692	.9688	.9686	.9685	.9683	.9680
.0003	.9630	.9627	.9624	.9622	.9620	.9619	.9616
.0004	.9576	.9573	.9570	.9567	.9565	.9564	.9560
.0005	.9529	.9526	.9523	.9520	.9517	.9516	.9512
.0006	.9488	.9485	.9481	.9477	.9475	.9473	.9469
.0007	.9450	.9447	.9443	.9439	.9436	.9435	.9430
.0008	.9416	.9412	.9408	.9404	.9401	.9399	.9394
.0009	.9384	.9380	.9375	.9371	.9368	.9366	.9361
.0010	.9354	.9349	.9345	.9340	.9337	.9335	.9330
.0020	.9121	.9116	.9110	.9104	.9100	.9098	.9091
.0030	.8955	.8949	.8942	.8935	.8931	.8928	.8920
.0040	.8823	.8815	.8808	.8801	.8796	.8792	.8784
.0050	.8711	.8703	.8695	.8687	.8682	.8678	.8669
.0060	.8614	.8606	.8598	.8589	.8583	.8580	.8570
.0070	.8528	.8519	.8511	.8502	.8496	.8492	.8482
.0080	.8450	.8441	.8432	.8423	.8417	.8413	.8403
.0090	.8379	.8370	.8361	.8352	.8345	.8341	.8330
.0100	.8314	.8305	.8296	.8286	.8279	.8275	.8264
.0200	.7847	.7835	.7825	.7814	.7806	.7801	.7789
.0300	.7545	.7533	.7522	.7511	.7503	.7498	.7484
.0400	.7323	.7310	.7299	.7287	.7279	.7273	.7260
.0500	.7146	.7133	.7122	.7110	.7101	.7096	.7082
.0600	.7000	.6987	.6976	.6964	.6955	.6950	.6936
.0700	.6876	.6863	.6852	.6840	.6831	.6826	.6812
.0800	.6769	.6755	.6744	.6732	.6723	.6718	.6704
.0900	.6674	.6660	.6649	.6637	.6629	.6624	.6610
.1000	.6590	.6576	.6565	.6553	.6544	.6526	.6510

TABLE 114. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9761	.9759	.9756	.9753	.9751	.9748	.9745	.9741	.9738
.0002	.9668	.9664	.9660	.9657	.9653	.9649	.9644	.9640	.9635
.0003	.9597	.9593	.9589	.9584	.9580	.9575	.9570	.9564	.9559
.0004	.9539	.9535	.9530	.9525	.9519	.9514	.9508	.9502	.9496
.0005	.9489	.9484	.9479	.9473	.9467	.9461	.9455	.9448	.9441
.0006	.9444	.9439	.9433	.9427	.9421	.9414	.9408	.9400	.9393
.0007	.9404	.9398	.9392	.9385	.9379	.9372	.9365	.9357	.9349
.0008	.9367	.9360	.9354	.9347	.9340	.9333	.9325	.9317	.9309
.0009	.9332	.9326	.9319	.9312	.9304	.9297	.9289	.9280	.9272
.0010	.9300	.9293	.9286	.9278	.9271	.9263	.9255	.9246	.9237
.0020	.9052	.9043	.9033	.9024	.9014	.9003	.8993	.8982	.8970
.0030	.8875	.8865	.8854	.8843	.8831	.8819	.8808	.8795	.8781
.0040	.8734	.8723	.8711	.8699	.8687	.8674	.8661	.8646	.8632
.0050	.8616	.8604	.8592	.8579	.8566	.8552	.8538	.8523	.8507
.0060	.8514	.8502	.8488	.8475	.8461	.8446	.8432	.8416	.8399
.0070	.8424	.8411	.8397	.8383	.8368	.8353	.8338	.8321	.8304
.0080	.8343	.8329	.8314	.8300	.8285	.8269	.8254	.8237	.8219
.0090	.8269	.8255	.8240	.8225	.8209	.8193	.8177	.8160	.8142
.0100	.8201	.8186	.8171	.8156	.8140	.8124	.8107	.8089	.8071
.0200	.7717	.7700	.7683	.7666	.7648	.7629	.7611	.7591	.7570
.0300	.7408	.7391	.7373	.7355	.7336	.7316	.7298	.7277	.7255
.0400	.7182	.7165	.7145	.7127	.7108	.7088	.7070	.7048	.7025
.0500	.7003	.6986	.6966	.6948	.6929	.6909	.6890	.6868	.6846
.0600	.6857	.6839	.6820	.6801	.6782	.6762	.6744	.6721	.6699
.0700	.6733	.6715	.6695	.6677	.6658	.6638	.6620	.6597	.6575
.0800	.6625	.6608	.6588	.6570	.6551	.6531	.6513	.6491	.6468
.0900	.6531	.6514	.6494	.6476	.6457	.6437	.6420	.6397	.6375
.1000	.6447		.6410		.6392	.6373		.6337	.6292

TABLE 115. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum  
(Electrolyte,  $Z_+Z_- = 3$ )

Ionic strength	Temperature in degrees Celsius						38	40	45
	0	5	10	15	18	20			
.0001	.9677	.9672	.9670	.9668	.9667	.9664	.9662	.9658	.9655
.0002	.9552	.9549	.9546	.9543	.9540	.9539	.9531	.9527	.9523
.0003	.9459	.9456	.9452	.9448	.9446	.9444	.9440	.9435	.9430
.0004	.9384	.9380	.9375	.9371	.9368	.9366	.9361	.9356	.9350
.0005	.9318	.9314	.9309	.9305	.9301	.9299	.9294	.9288	.9282
.0006	.9261	.9256	.9251	.9246	.9242	.9240	.9234	.9228	.9221
.0007	.9208	.9203	.9198	.9193	.9189	.9187	.9181	.9174	.9167
.0008	.9161	.9155	.9150	.9144	.9140	.9138	.9131	.9125	.9117
.0009	.9117	.9111	.9105	.9099	.9095	.9093	.9086	.9079	.9071
.0010	.9076	.9070	.9064	.9058	.9054	.9051	.9044	.9036	.9028
.0020	.8765	.8757	.8750	.8742	.8737	.8733	.8724	.8715	.8705
.0030	.8548	.8540	.8532	.8523	.8517	.8513	.8503	.8493	.8481
.0040	.8379	.8370	.8361	.8352	.8345	.8341	.8330	.8319	.8307
.0050	.8240	.8230	.8220	.8210	.8204	.8199	.8188	.8176	.8163
.0060	.8120	.8110	.8100	.8090	.8083	.8078	.8066	.8054	.8040
.0070	.8015	.8004	.7994	.7984	.7977	.7972	.7960	.7947	.7933
.0080	.7922	.7911	.7901	.7890	.7882	.7877	.7865	.7852	.7838
.0090	.7838	.7826	.7816	.7805	.7797	.7792	.7780	.7766	.7752
.0100	.7761	.7749	.7739	.7728	.7720	.7715	.7702	.7688	.7674
.0200	.7230	.7217	.7206	.7194	.7185	.7180	.7166	.7152	.7136
.0300	.6906	.6892	.6881	.6869	.6860	.6855	.6841	.6826	.6810
.0400	.6674	.6660	.6649	.6637	.6629	.6624	.6610	.6595	.6578
.0500	.6496	.6482	.6471	.6459	.6451	.6446	.6432	.6417	.6401
.0600	.6351	.6337	.6327	.6315	.6307	.6302	.6288	.6273	.6257
.0700	.6231	.6217	.6206	.6195	.6187	.6182	.6169	.6154	.6138
.0800	.6128	.6114	.6104	.6093	.6084	.6080	.6067	.6052	.6036
.0900	.6039	.6025	.6015	.6004	.5996	.5991	.5978	.5964	.5942
.1000	.5960	.5946	.5936	.5925	.5917	.5913	.5900	.5886	.5870

TABLE 115. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
 Bjerrum—Continued  
 (Electrolyte,  $z_+z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9648	.9645	.9641	.9637	.9633	.9629	.9624	.9619	.9615
.0002	.9513	.9508	.9503	.9498	.9492	.9487	.9481	.9474	.9468
.0003	.9414	.9408	.9402	.9395	.9389	.9382	.9375	.9367	.9360
.0004	.9332	.9326	.9319	.9312	.9304	.9297	.9289	.9280	.9272
.0005	.9262	.9255	.9247	.9240	.9232	.9223	.9215	.9206	.9196
.0006	.9200	.9193	.9184	.9176	.9168	.9159	.9149	.9140	.9130
.0007	.9145	.9136	.9128	.9119	.9110	.9100	.9091	.9080	.9070
.0008	.9094	.9085	.9076	.9067	.9057	.9047	.9037	.9026	.9015
.0009	.9047	.9038	.9028	.9018	.9009	.8998	.8988	.8976	.8965
.0010	.9003	.8993	.8984	.8974	.8963	.8952	.8942	.8930	.8918
.0020	.8673	.8661	.8649	.8637	.8624	.8610	.8597	.8582	.8567
.0030	.8445	.8432	.8419	.8405	.8390	.8375	.8360	.8344	.8327
.0040	.8269	.8255	.8240	.8225	.8209	.8193	.8177	.8160	.8142
.0050	.8123	.8108	.8092	.8077	.8061	.8044	.8027	.8009	.7990
.0060	.7999	.7983	.7967	.7951	.7934	.7917	.7900	.7881	.7861
.0070	.7890	.7875	.7858	.7841	.7824	.7806	.7789	.7769	.7749
.0080	.7794	.7778	.7761	.7744	.7726	.7708	.7690	.7670	.7650
.0090	.7707	.7691	.7673	.7656	.7638	.7620	.7602	.7581	.7561
.0100	.7629	.7612	.7594	.7577	.7559	.7540	.7522	.7501	.7480
.0200	.7088	.7071	.7051	.7033	.7014	.6993	.6975	.6953	.6931
.0300	.6762	.6745	.6725	.6706	.6687	.6667	.6649	.6627	.6604
.0400	.6531	.6514	.6494	.6476	.6457	.6437	.6420	.6397	.6375
.0500	.6354	.6337	.6317	.6299	.6281	.6261	.6244	.6222	.6200
.0600	.6212	.6195	.6175	.6158	.6140	.6120	.6104	.6082	.6061
.0700	.6093	.6077	.6057	.6040	.6022	.6003	.5988	.5966	.5945
.0800	.5993	.5977	.5957	.5940	.5923	.5904	.5889	.5868	.5847
.0900	.5905	.5870	.5854	.5836	.5818	.5803	.5782	.5762	.5744
.1000	.5828	.5813	.5794	.5778	.5761	.5742	.5728	.5708	.5687

TABLE 116. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum  
 (Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9576	.9573	.9570	.9567	.9564	.9560	.9556
.0002	.9416	.9412	.9408	.9404	.9401	.9399	.9389
.0003	.9298	.9294	.9289	.9284	.9281	.9279	.9273
.0004	.9203	.9198	.9193	.9187	.9184	.9175	.9168
.0005	.9121	.9116	.9110	.9104	.9100	.9098	.9091
.0006	.9050	.9044	.9038	.9031	.9027	.9024	.9017
.0007	.8985	.8979	.8973	.8966	.8961	.8958	.8951
.0008	.8927	.8920	.8913	.8906	.8902	.8898	.8891
.0009	.8873	.8866	.8859	.8852	.8847	.8843	.8835
.0010	.8823	.8815	.8808	.8801	.8796	.8792	.8784
.0020	.8450	.8441	.8432	.8423	.8417	.8413	.8403
.0030	.8198	.8188	.8178	.8168	.8161	.8157	.8145
.0040	.8004	.7994	.7983	.7973	.7966	.7961	.7949
.0050	.7847	.7835	.7825	.7814	.7806	.7801	.7789
.0060	.7713	.7702	.7691	.7680	.7672	.7667	.7654
.0070	.7598	.7586	.7575	.7564	.7556	.7550	.7537
.0080	.7496	.7484	.7473	.7461	.7453	.7448	.7434
.0090	.7405	.7392	.7381	.7370	.7361	.7356	.7343
.0100	.7323	.7310	.7299	.7287	.7279	.7273	.7260
.0200	.6769	.6755	.6744	.6732	.6723	.6718	.6704
.0300	.6444	.6430	.6420	.6408	.6399	.6394	.6381
.0400	.6219	.6205	.6194	.6183	.6175	.6170	.6157
.0500	.6048	.6034	.6024	.6013	.6005	.6000	.5987
.0600	.5912	.5898	.5888	.5878	.5865	.5853	.5839
.0700	.5800	.5786	.5777	.5767	.5759	.5754	.5742
.0800	.5705	.5691	.5682	.5673	.5665	.5661	.5649
.0900	.5623	.5610	.5592	.5584	.5580	.5568	.5555
.1000	.5552	.5538	.5530	.5521	.5513	.5509	.5498

TABLE 116. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis –  
*Bjerrum* – Continued  
 (Electrolyte:  $z_{+}z_{-} = 4$ )

Ionic strength	Temperature in degrees Celsius									
	50	55	60	65	70	75	80	85	90	95
.0001	.9539	.9530	.9525	.9519	.9514	.9508	.9502	.9496	.9490	.9483
.0002	.9367	.9354	.9347	.9340	.9333	.9325	.9317	.9309	.9301	.9292
.0003	.9241	.9233	.9226	.9218	.9209	.9201	.9192	.9183	.9173	.9153
.0004	.9139	.9130	.9122	.9113	.9104	.9094	.9084	.9074	.9063	.9041
.0005	.9052	.9043	.9033	.9024	.9014	.9003	.8993	.8982	.8970	.8946
.0006	.8975	.8966	.8956	.8945	.8935	.8924	.8913	.8901	.8888	.8863
.0007	.8907	.8897	.8886	.8875	.8864	.8853	.8841	.8828	.8815	.8788
.0008	.8844	.8834	.8823	.8812	.8800	.8788	.8776	.8762	.8749	.8735
.0009	.8787	.8776	.8765	.8753	.8741	.8729	.8716	.8702	.8688	.8674
.0010	.8734	.8723	.8711	.8699	.8687	.8674	.8661	.8646	.8632	.8602
.0020	.8343	.8329	.8314	.8300	.8285	.8269	.8254	.8237	.8219	.8202
.0030	.8079	.8065	.8049	.8033	.8017	.7999	.7983	.7964	.7945	.7926
.0040	.7879	.7863	.7846	.7830	.7813	.7794	.7777	.7757	.7737	.7718
.0050	.7717	.7700	.7683	.7666	.7648	.7629	.7611	.7591	.7570	.7550
.0060	.7580	.7563	.7545	.7527	.7509	.7490	.7472	.7451	.7430	.7410
.0070	.7462	.7445	.7426	.7408	.7390	.7370	.7352	.7331	.7309	.7289
.0080	.7358	.7341	.7322	.7304	.7285	.7265	.7247	.7226	.7204	.7183
.0090	.7265	.7248	.7229	.7211	.7192	.7172	.7154	.7132	.7110	.7089
.0100	.7182	.7165	.7145	.7127	.7108	.7088	.7070	.7048	.7025	.7005
.0200	.6625	.6608	.6588	.6570	.6551	.6531	.6513	.6491	.6468	.6448
.0300	.6304	.6287	.6267	.6249	.6231	.6211	.6194	.6172	.6151	.6131
.0400	.6081	.6065	.6046	.6028	.6011	.5991	.5976	.5954	.5933	.5915
.0500	.5914	.5899	.5879	.5863	.5845	.5827	.5812	.5791	.5771	.5753
.0600	.5782	.5767	.5748	.5732	.5715	.5697	.5683	.5662	.5642	.5626
.0700	.5659	.5673	.5640	.5624	.5608	.5590	.5577	.5557	.5537	.5521
.0800	.5581	.5567	.5549	.5534	.5518	.5500	.5488	.5468	.5449	.5434
.0900	.5502	.5489	.5470	.5456	.5440	.5423	.5412	.5392	.5373	.5359
.1000	.5420	.5434	.5388	.5373	.5356	.5345	.5326	.5308	.5293	.5277

TABLE 117. *Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Bjerrum*  
 (Electrolyte,  $z_+z_- = 6$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9384	.9380	.9375	.9371	.9368	.9366	.9361
.0002	.9161	.9155	.9150	.9144	.9140	.9138	.9131
.0003	.9001	.8995	.8988	.8982	.8977	.8974	.8967
.0004	.8873	.8866	.8859	.8852	.8847	.8843	.8835
.0005	.8765	.8757	.8750	.8742	.8737	.8733	.8724
.0006	.8671	.8663	.8655	.8647	.8641	.8637	.8628
.0007	.8587	.8579	.8570	.8562	.8556	.8552	.8543
.0008	.8512	.8503	.8494	.8486	.8480	.8476	.8465
.0009	.8443	.8434	.8425	.8416	.8410	.8406	.8395
.0010	.8379	.8370	.8361	.8352	.8345	.8341	.8330
.0020	.7922	.7911	.7901	.7890	.7882	.7877	.7865
.0030	.7625	.7613	.7603	.7591	.7583	.7578	.7565
.0040	.7405	.7392	.7381	.7370	.7361	.7356	.7343
.0050	.7230	.7217	.7206	.7194	.7185	.7180	.7166
.0060	.7085	.7071	.7060	.7048	.7040	.7034	.7021
.0070	.6961	.6948	.6936	.6924	.6916	.6911	.6897
.0080	.6854	.6840	.6829	.6817	.6808	.6803	.6789
.0090	.6759	.6745	.6734	.6722	.6713	.6708	.6694
.0100	.6674	.6660	.6649	.6637	.6629	.6624	.6610
.0200	.6128	.6114	.6104	.6093	.6084	.6080	.6067
.0300	.5826	.5812	.5803	.5793	.5785	.5780	.5768
.0400	.5623	.5610	.5601	.5592	.5584	.5580	.5568
.0500	.5474	.5461	.5452	.5443	.5436	.5432	.5421
.0600	.5357	.5344	.5336	.5328	.5320	.5317	.5306
.0700	.5262	.5249	.5242	.5234	.5227	.5223	.5213
.0800	.5183	.5170	.5163	.5156	.5149	.5146	.5136
.0900	.5116	.5103	.5096	.5089	.5082	.5079	.5070
.1000	.5057	.5044	.5038	.5031	.5024	.5022	.5012

TABLE 117. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9332	.9326	.9319	.9312	.9304	.9297	.9280	.9272	.9263
.0002	.9094	.9085	.9076	.9067	.9057	.9047	.9037	.9026	.9015
.0003	.8923	.8913	.8903	.8892	.8881	.8870	.8858	.8846	.8833
.0004	.8787	.8776	.8765	.8753	.8741	.8729	.8716	.8702	.8688
.0005	.8673	.8661	.8649	.8637	.8624	.8610	.8597	.8582	.8567
.0006	.8574	.8562	.8549	.8535	.8522	.8508	.8494	.8478	.8462
.0007	.8486	.8473	.8460	.8446	.8432	.8417	.8402	.8386	.8370
.0008	.8394	.8380	.8365	.8351	.8335	.8320	.8304	.8287	.8270
.0009	.8335	.8321	.8307	.8292	.8277	.8261	.8246	.8229	.8211
.0010	.8269	.8255	.8240	.8225	.8209	.8193	.8177	.8160	.8142
.0020	.7794	.7778	.7761	.7744	.7726	.7708	.7690	.7670	.7650
.0030	.7490	.7473	.7454	.7437	.7418	.7399	.7381	.7359	.7338
.0040	.7265	.7248	.7229	.7211	.7192	.7172	.7154	.7132	.7110
.0050	.7088	.7071	.7051	.7033	.7014	.6993	.6975	.6953	.6931
.0060	.6942	.6924	.6904	.6886	.6867	.6847	.6829	.6806	.6784
.0070	.6818	.6800	.6780	.6762	.6743	.6722	.6704	.6682	.6660
.0080	.6710	.6693	.6673	.6654	.6635	.6615	.6597	.6575	.6552
.0090	.6615	.6598	.6578	.6560	.6541	.6521	.6503	.6481	.6459
.0100	.6531	.6514	.6494	.6476	.6457	.6437	.6420	.6397	.6375
.0200	.5993	.5977	.5957	.5940	.5923	.5904	.5889	.5868	.5847
.0300	.5698	.5684	.5665	.5649	.5633	.5615	.5602	.5582	.5562
.0400	.5502	.5489	.5470	.5456	.5440	.5423	.5412	.5392	.5373
.0500	.5359	.5346	.5328	.5314	.5299	.5283	.5273	.5254	.5236
.0600	.5247	.5234	.5217	.5204	.5190	.5174	.5165	.5147	.5129
.0700	.5156	.5144	.5127	.5115	.5101	.5086	.5077	.5060	.5043
.0800	.5080	.5069	.5053	.5041	.5028	.5013	.5005	.4988	.4972
.0900	.5016	.5006	.4989	.4977	.4965	.4951	.4943	.4927	.4911
.1000	.4961	.4934	.4923	.4911	.4897	.4890	.4874	.4859	.4848

TABLE 118. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—*Bjerrum*  
(Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9203	.9198	.9193	.9187	.9184	.9175	.9168
.0002	.8927	.8913	.8906	.8902	.8898	.8891	.8882
.0003	.8732	.8724	.8717	.8709	.8703	.8691	.8681
.0004	.8578	.8570	.8562	.8553	.8547	.8543	.8534
.0005	.8450	.8441	.8432	.8423	.8417	.8413	.8403
.0006	.8340	.8330	.8321	.8312	.8305	.8301	.8290
.0007	.8242	.8233	.8223	.8213	.8207	.8202	.8191
.0008	.8155	.8145	.8136	.8125	.8119	.8114	.8102
.0009	.8076	.8066	.8056	.8046	.8039	.8034	.8022
.0010	.8004	.7994	.7983	.7973	.7966	.7961	.7949
.0020	.7496	.7484	.7473	.7461	.7453	.7448	.7434
.0030	.7179	.7166	.7154	.7142	.7134	.7129	.7115
.0040	.6948	.6935	.6924	.6912	.6903	.6898	.6884
.0050	.6769	.6755	.6744	.6732	.6723	.6718	.6704
.0060	.6622	.6609	.6597	.6586	.6577	.6572	.6558
.0070	.6499	.6485	.6474	.6463	.6454	.6449	.6449
.0080	.6393	.6379	.6369	.6357	.6349	.6344	.6330
.0090	.6301	.6287	.6276	.6265	.6256	.6251	.6238
.0100	.6219	.6205	.6194	.6183	.6175	.6170	.6157
.0200	.5705	.5691	.5682	.5673	.5665	.5661	.5649
.0300	.5432	.5419	.5411	.5402	.5394	.5391	.5380
.0400	.5253	.5240	.5232	.5225	.5217	.5214	.5204
.0500	.5123	.5110	.5103	.5096	.5089	.5086	.5076
.0600	.5022	.5010	.5003	.4997	.4990	.4987	.4978
.0700	.4941	.4929	.4923	.4917	.4910	.4908	.4899
.0800	.4874	.4862	.4857	.4851	.4844	.4842	.4834
.0900	.4818	.4805	.4795	.4788	.4786	.4778	.4769
.1000	.4769	.4757	.4752	.4746	.4740	.4738	.4731

TABLE 118. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9139	.9130	.9122	.9113	.9104	.9094	.9084	.9074	.9063
.0002	.8844	.8834	.8823	.8812	.8800	.8788	.8776	.8762	.8749
.0003	.8639	.8627	.8614	.8601	.8588	.8575	.8561	.8546	.8531
.0004	.8477	.8464	.8450	.8437	.8422	.8408	.8393	.8377	.8360
.0005	.8343	.8329	.8314	.8300	.8285	.8269	.8254	.8237	.8219
.0006	.8227	.8213	.8198	.8183	.8167	.8151	.8135	.8117	.8099
.0007	.8126	.8111	.8095	.8080	.8064	.8047	.8030	.8012	.7993
.0008	.8035	.8020	.8004	.7988	.7972	.7954	.7937	.7918	.7899
.0009	.7954	.7938	.7922	.7905	.7889	.7871	.7854	.7834	.7814
.0010	.7879	.7863	.7846	.7830	.7813	.7794	.7777	.7757	.7737
.0020	.7358	.7341	.7322	.7304	.7285	.7265	.7247	.7226	.7204
.0030	.7036	.7019	.6999	.6981	.6962	.6941	.6923	.6901	.6879
.0040	.6805	.6788	.6768	.6749	.6730	.6710	.6692	.6669	.6647
.0050	.6625	.6608	.6588	.6570	.6551	.6531	.6513	.6491	.6468
.0060	.6480	.6463	.6443	.6425	.6406	.6386	.6369	.6346	.6324
.0070	.6358	.6341	.6321	.6303	.6284	.6265	.6248	.6226	.6204
.0080	.6253	.6237	.6217	.6199	.6181	.6161	.6145	.6123	.6101
.0090	.6162	.6146	.6126	.6108	.6090	.6071	.6055	.6033	.6012
.0100	.6081	.6065	.6046	.6028	.6011	.5991	.5976	.5954	.5933
.0200	.5581	.5567	.5549	.5534	.5518	.5500	.5488	.5468	.5449
.0300	.5318	.5306	.5288	.5274	.5260	.5244	.5234	.5215	.5198
.0400	.5147	.5135	.5118	.5106	.5092	.5078	.5069	.5051	.5035
.0500	.5023	.5012	.4996	.4984	.4971	.4958	.4950	.4933	.4917
.0600	.4927	.4918	.4901	.4890	.4879	.4865	.4859	.4843	.4827
.0700	.4851	.4842	.4826	.4815	.4804	.4791	.4785	.4770	.4755
.0800	.4788	.4779	.4763	.4753	.4743	.4730	.4725	.4710	.4696
.0900	.4734	.4726	.4711	.4701	.4691	.4679	.4674	.4659	.4646
.1000	.4688	.4665	.4656	.4646	.4635	.4630	.4616	.4603	.4595

TABLE 119. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum  
(Electrolyte,  $z_{+}z_{-} = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9117	.9111	.9105	.9099	.9095	.9093	.9086	.9079	.9071
.0002	.8817	.8809	.8802	.8795	.8790	.8786	.8778	.8769	.8759
.0003	.8607	.8599	.8591	.8582	.8577	.8573	.8563	.8553	.8542
.0004	.8443	.8434	.8425	.8416	.8410	.8406	.8395	.8384	.8372
.0005	.8306	.8297	.8288	.8278	.8272	.8267	.8256	.8245	.8232
.0006	.8190	.8180	.8170	.8160	.8153	.8149	.8137	.8125	.8112
.0007	.8087	.8077	.8067	.8056	.8049	.8045	.8033	.8020	.8007
.0008	.7996	.7985	.7975	.7964	.7957	.7952	.7940	.7927	.7913
.0009	.7913	.7902	.7892	.7881	.7873	.7869	.7856	.7843	.7829
.0010	.7838	.7826	.7816	.7805	.7797	.7792	.7780	.7766	.7752
.0020	.7313	.7300	.7289	.7277	.7269	.7264	.7250	.7235	.7219
.0030	.6990	.6977	.6966	.6954	.6945	.6940	.6926	.6911	.6895
.0040	.6759	.6745	.6734	.6722	.6713	.6708	.6694	.6679	.6663
.0050	.6580	.6566	.6555	.6543	.6535	.6529	.6516	.6501	.6484
.0060	.6434	.6421	.6410	.6398	.6390	.6385	.6371	.6356	.6340
.0070	.6313	.6299	.6288	.6277	.6269	.6264	.6250	.6235	.6219
.0080	.6209	.6195	.6185	.6174	.6165	.6160	.6147	.6132	.6116
.0090	.6119	.6105	.6094	.6083	.6075	.6070	.6057	.6043	.6027
.0100	.6039	.6025	.6015	.6004	.5996	.5991	.5978	.5964	.5948
.0200	.5544	.5530	.5522	.5513	.5505	.5501	.5490	.5477	.5462
.0300	.5284	.5271	.5264	.5256	.5248	.5245	.5235	.5223	.5210
.0400	.5116	.5103	.5096	.5089	.5082	.5079	.5070	.5058	.5046
.0500	.4994	.4981	.4975	.4969	.4962	.4959	.4950	.4940	.4928
.0600	.4900	.4888	.4882	.4876	.4870	.4867	.4859	.4849	.4837
.0700	.4825	.4813	.4808	.4796	.4794	.4786	.4776	.4765	.4764
.0800	.4763	.4751	.4746	.4735	.4733	.4725	.4716	.4705	.4704
.0900	.4710	.4699	.4694	.4689	.4683	.4681	.4674	.4665	.4654
.1000	.4665	.4654	.4649	.4645	.4639	.4637	.4630	.4621	.4611

TABLE 119. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $Z_+Z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9047	.9038	.9028	.9018	.9009	.8998	.8988	.8976	.8953
.0002	.8728	.8717	.8705	.8693	.8680	.8667	.8654	.8640	.8625
.0003	.8507	.8494	.8481	.8467	.8453	.8439	.8424	.8408	.8392
.0004	.8335	.8321	.8307	.8292	.8277	.8261	.8246	.8229	.8211
.0005	.8193	.8178	.8163	.8148	.8132	.8115	.8099	.8081	.8063
.0006	.8056	.8071	.8040	.8024	.8008	.7991	.7974	.7955	.7936
.0007	.7965	.7949	.7933	.7917	.7900	.7882	.7865	.7845	.7826
.0008	.7870	.7854	.7837	.7821	.7804	.7785	.7768	.7748	.7728
.0009	.7785	.7769	.7752	.7735	.7717	.7699	.7681	.7661	.7640
.0010	.7707	.7691	.7673	.7656	.7638	.7620	.7602	.7581	.7561
.0020	.7172	.7155	.7135	.7117	.7098	.7078	.7060	.7038	.7015
.0030	.6847	.6829	.6810	.6791	.6772	.6752	.6734	.6711	.6689
.0040	.6615	.6598	.6578	.6560	.6541	.6521	.6503	.6481	.6459
.0050	.6437	.6421	.6400	.6382	.6364	.6344	.6327	.6304	.6282
.0060	.6294	.6277	.6257	.6239	.6221	.6201	.6185	.6163	.6141
.0070	.6174	.6158	.6138	.6120	.6102	.6083	.6067	.6045	.6024
.0080	.6072	.6056	.6036	.6019	.6001	.5982	.5967	.5945	.5924
.0090	.5983	.5968	.5948	.5931	.5914	.5895	.5880	.5859	.5838
.0100	.5905	.5890	.5870	.5854	.5836	.5818	.5803	.5782	.5762
.0200	.5426	.5412	.5394	.5380	.5365	.5348	.5337	.5318	.5300
.0300	.5177	.5165	.5148	.5135	.5122	.5107	.5098	.5080	.5063
.0400	.5016	.5006	.4989	.4977	.4965	.4951	.4943	.4927	.4911
.0500	.4901	.4891	.4875	.4864	.4852	.4839	.4823	.4817	.4802
.0600	.4812	.4803	.4787	.4777	.4766	.4754	.4748	.4733	.4719
.0700	.4741	.4733	.4717	.4708	.4697	.4686	.4681	.4666	.4652
.0800	.4683	.4675	.4660	.4651	.4641	.4629	.4625	.4611	.4598
.0900	.4626	.4611	.4602	.4593	.4582	.4578	.4564	.4551	.4544
.1000	.4591	.4584	.4569	.4561	.4552	.4541	.4538	.4524	.4512

TABLE 120. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—Bjerrum  
(Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius							45
	0	5	10	15	18	20	25	
.0001	.8873	.8866	.8859	.8852	.8847	.8843	.8835	.8812
.0002	.8512	.8503	.8494	.8486	.8480	.8476	.8465	.8437
.0003	.8266	.8256	.8247	.8237	.8230	.8226	.8215	.8190
.0004	.8076	.8066	.8056	.8046	.8039	.8034	.8022	.7996
.0005	.7922	.7911	.7901	.7890	.7882	.7877	.7865	.7838
.0006	.7791	.7779	.7769	.7758	.7750	.7745	.7732	.7719
.0007	.7677	.7665	.7654	.7643	.7635	.7630	.7617	.7603
.0008	.7576	.7564	.7554	.7542	.7534	.7529	.7516	.7502
.0009	.7486	.7474	.7463	.7452	.7443	.7438	.7425	.7411
.0010	.7405	.7392	.7381	.7370	.7361	.7356	.7343	.7328
.0020	.6854	.6840	.6829	.6817	.6808	.6803	.6789	.6774
.0030	.6528	.6514	.6503	.6492	.6483	.6478	.6464	.6449
.0040	.6301	.6287	.6276	.6265	.6256	.6251	.6238	.6223
.0050	.6128	.6114	.6104	.6093	.6084	.6080	.6067	.6052
.0060	.5990	.5976	.5966	.5956	.5947	.5943	.5930	.5916
.0070	.5876	.5862	.5853	.5843	.5834	.5830	.5817	.5803
.0080	.5780	.5766	.5757	.5747	.5739	.5734	.5722	.5708
.0090	.5696	.5683	.5674	.5664	.5656	.5652	.5640	.5627
.0100	.5623	.5610	.5601	.5592	.5584	.5580	.5568	.5555
.0200	.5183	.5170	.5163	.5156	.5149	.5146	.5136	.5124
.0300	.4960	.4948	.4942	.4935	.4929	.4926	.4917	.4907
.0400	.4818	.4805	.4800	.4795	.4788	.4786	.4778	.4769
.0500	.4716	.4704	.4700	.4695	.4689	.4687	.4679	.4670
.0600	.4638	.4627	.4623	.4618	.4613	.4611	.4604	.4595
.0700	.4577	.4565	.4562	.4558	.4552	.4551	.4544	.4536
.0800	.4526	.4515	.4512	.4508	.4502	.4501	.4495	.4487
.0900	.4484	.4473	.4469	.4466	.4461	.4459	.4454	.4445
.1000	.4447	.4436	.4433	.4430	.4425	.4424	.4418	.4410

TABLE 120. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8777	.8776	.8765	.8753	.8741	.8729	.8716	.8702	.8688
.0002	.8407	.8394	.8380	.8365	.8351	.8335	.8320	.8304	.8287
.0003	.8150	.8136	.8120	.8104	.8089	.8072	.8055	.8037	.8018
.0004	.7954	.7938	.7922	.7905	.7889	.7871	.7854	.7834	.7814
.0005	.7794	.7778	.7761	.7744	.7726	.7708	.7690	.7670	.7650
.0006	.7659	.7643	.7625	.7608	.7590	.7571	.7553	.7532	.7511
.0007	.7543	.7526	.7508	.7490	.7472	.7452	.7434	.7413	.7392
.0008	.7440	.7423	.7404	.7387	.7368	.7348	.7330	.7309	.7287
.0009	.7348	.7331	.7312	.7294	.7275	.7256	.7237	.7216	.7194
.0010	.7265	.7248	.7229	.7211	.7192	.7172	.7154	.7132	.7110
.0020	.6710	.6693	.6673	.6654	.6635	.6615	.6597	.6575	.6552
.0030	.6386	.6370	.6349	.6332	.6313	.6293	.6276	.6254	.6232
.0040	.6162	.6146	.6126	.6108	.6090	.6071	.6055	.6033	.6012
.0050	.5993	.5977	.5957	.5940	.5923	.5904	.5889	.5868	.5847
.0060	.5858	.5843	.5823	.5807	.5790	.5771	.5757	.5736	.5716
.0070	.5747	.5732	.5713	.5697	.5681	.5663	.5649	.5629	.5609
.0080	.5654	.5639	.5620	.5605	.5589	.5571	.5558	.5538	.5518
.0090	.5573	.5559	.5540	.5525	.5509	.5492	.5480	.5460	.5441
.0100	.5502	.5489	.5470	.5456	.5440	.5423	.5412	.5392	.5373
.0200	.5080	.5069	.5053	.5041	.5028	.5013	.5005	.4988	.4972
.0300	.4869	.4859	.4843	.4833	.4821	.4809	.4802	.4787	.4772
.0400	.4734	.4726	.4711	.4701	.4691	.4679	.4674	.4659	.4646
.0500	.4638	.4631	.4616	.4607	.4598	.4587	.4583	.4569	.4556
.0600	.4566	.4559	.4545	.4536	.4527	.4517	.4514	.4501	.4488
.0700	.4508	.4501	.4488	.4480	.4472	.4462	.4459	.4446	.4435
.0800	.4460	.4454	.4441	.4434	.4426	.4416	.4414	.4402	.4391
.0900	.4420	.4415	.4402	.4395	.4387	.4378	.4377	.4365	.4354
.1000	.4386	.4381	.4368	.4362	.4354	.4345	.4344	.4333	.4322

TABLE 121. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis-Bjerrum  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8578	.8570	.8562	.8553	.8547	.8543	.8534	.8523	.8512
.0002	.8155	.8145	.8136	.8125	.8119	.8114	.8102	.8090	.8077
.0003	.7876	.7865	.7854	.7843	.7836	.7831	.7819	.7805	.7791
.0004	.7665	.7653	.7643	.7631	.7624	.7618	.7605	.7591	.7576
.0005	.7496	.7484	.7473	.7461	.7453	.7448	.7434	.7420	.7405
.0006	.7355	.7342	.7331	.7319	.7311	.7306	.7292	.7277	.7262
.0007	.7233	.7220	.7209	.7197	.7189	.7184	.7170	.7155	.7139
.0008	.7127	.7114	.7103	.7091	.7082	.7077	.7063	.7048	.7032
.0009	.7033	.7020	.7008	.6996	.6988	.6983	.6969	.6954	.6938
.0010	.6948	.6935	.6924	.6912	.6903	.6898	.6884	.6869	.6853
.0020	.6393	.6379	.6369	.6357	.6349	.6344	.6330	.6315	.6299
.0030	.6079	.6065	.6055	.6044	.6036	.6031	.6018	.6003	.5988
.0040	.5865	.5851	.5841	.5831	.5823	.5819	.5806	.5792	.5777
.0050	.5705	.5691	.5682	.5673	.5665	.5661	.5649	.5635	.5620
.0060	.5580	.5566	.5557	.5548	.5540	.5536	.5525	.5512	.5497
.0070	.5477	.5463	.5455	.5446	.5439	.5435	.5424	.5411	.5397
.0080	.5391	.5377	.5370	.5361	.5354	.5350	.5339	.5327	.5313
.0090	.5317	.5304	.5296	.5288	.5281	.5277	.5267	.5255	.5241
.0100	.5253	.5240	.5232	.5225	.5217	.5214	.5204	.5192	.5179
.0200	.4874	.4862	.4857	.4851	.4844	.4842	.4834	.4824	.4812
.0300	.4688	.4676	.4672	.4667	.4661	.4659	.4652	.4643	.4633
.0400	.4571	.4559	.4556	.4552	.4546	.4545	.4538	.4530	.4520
.0500	.4488	.4477	.4474	.4470	.4465	.4464	.4458	.4450	.4441
.0600	.4425	.4415	.4412	.4409	.4403	.4403	.4397	.4389	.4381
.0700	.4376	.4365	.4363	.4360	.4355	.4354	.4349	.4342	.4333
.0800	.4335	.4325	.4323	.4320	.4315	.4315	.4310	.4303	.4295
.0900	.4301	.4291	.4289	.4287	.4282	.4281	.4277	.4270	.4262
.1000	.4272	.4262	.4260	.4258	.4253	.4253	.4249	.4242	.4235

TABLE 121. Mean activity coefficients of electrolytes in aqueous solutions on a volume basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 16$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8477	.8464	.8450	.8437	.8422	.8408	.8393	.8377	.8360
.0002	.8035	.8020	.8004	.7988	.7972	.7954	.7937	.7918	.7899
.0003	.7747	.7731	.7713	.7696	.7678	.7660	.7642	.7622	.7601
.0004	.7531	.7514	.7496	.7478	.7460	.7440	.7422	.7401	.7380
.0005	.7358	.7341	.7322	.7304	.7285	.7265	.7247	.7226	.7204
.0006	.7214	.7197	.7178	.7160	.7141	.7121	.7102	.7080	.7058
.0007	.7091	.7074	.7055	.7036	.7017	.6997	.6979	.6957	.6934
.0008	.6984	.6967	.6947	.6929	.6910	.6890	.6871	.6849	.6827
.0009	.6890	.6872	.6852	.6834	.6815	.6795	.6777	.6754	.6732
.0010	.6805	.6788	.6768	.6749	.6730	.6710	.6692	.6669	.6647
.0020	.6253	.6237	.6217	.6199	.6181	.6161	.6145	.6123	.6101
.0030	.5945	.5929	.5909	.5893	.5875	.5856	.5842	.5821	.5800
.0040	.5736	.5721	.5702	.5686	.5670	.5652	.5638	.5618	.5598
.0050	.5581	.5567	.5549	.5534	.5518	.5500	.5488	.5468	.5449
.0060	.5460	.5447	.5428	.5414	.5399	.5382	.5371	.5351	.5333
.0070	.5361	.5349	.5331	.5317	.5302	.5286	.5275	.5257	.5239
.0080	.5279	.5266	.5249	.5235	.5221	.5206	.5196	.5177	.5160
.0090	.5208	.5196	.5179	.5166	.5152	.5137	.5128	.5110	.5093
.0100	.5147	.5135	.5118	.5106	.5092	.5078	.5069	.5051	.5035
.0200	.4788	.4779	.4763	.4753	.4743	.4730	.4725	.4710	.4696
.0300	.4612	.4605	.4590	.4582	.4572	.4562	.4558	.4544	.4532
.0400	.4502	.4496	.4482	.4474	.4466	.4456	.4454	.4441	.4429
.0500	.4425	.4419	.4406	.4399	.4391	.4382	.4381	.4368	.4357
.0600	.4366	.4361	.4348	.4342	.4335	.4326	.4325	.4314	.4303
.0700	.4320	.4315	.4303	.4297	.4290	.4282	.4282	.4271	.4260
.0800	.4282	.4278	.4266	.4254	.4246	.4246	.4235	.4225	.4217
.0900	.4251	.4246	.4235	.4229	.4223	.4216	.4206	.4196	.4188
.1000	.4224	.4220	.4208	.4203	.4197	.4190	.4181	.4171	.4168

TABLE 122. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Bjerrum  
(Electrolyte,  $z_+z_- = 1$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9889	.9887	.9886	.9885	.9884	.9883	.9882
.0002	.9844	.9843	.9840	.9839	.9838	.9836	.9835
.0003	.9809	.9808	.9805	.9804	.9802	.9801	.9799
.0004	.9781	.9779	.9778	.9776	.9775	.9773	.9771
.0005	.9756	.9754	.9753	.9751	.9750	.9749	.9747
.0006	.9734	.9732	.9730	.9728	.9727	.9724	.9722
.0007	.9713	.9711	.9709	.9707	.9706	.9705	.9703
.0008	.9694	.9692	.9690	.9688	.9687	.9686	.9683
.0009	.9677	.9675	.9672	.9670	.9669	.9667	.9665
.0010	.9660	.9658	.9656	.9653	.9652	.9648	.9645
.0020	.9529	.9526	.9523	.9520	.9518	.9516	.9513
.0030	.9433	.9429	.9425	.9421	.9419	.9417	.9413
.0040	.9354	.9349	.9345	.9341	.9338	.9336	.9331
.0050	.9285	.9281	.9276	.9271	.9268	.9266	.9261
.0060	.9225	.9220	.9215	.9210	.9207	.9205	.9199
.0070	.9171	.9166	.9161	.9155	.9152	.9149	.9143
.0080	.9121	.9116	.9110	.9105	.9101	.9098	.9092
.0090	.9076	.9070	.9064	.9058	.9054	.9052	.9045
.0100	.9033	.9027	.9021	.9015	.9011	.9008	.9001
.0200	.8711	.8703	.8696	.8688	.8683	.8680	.8671
.0300	.8488	.8479	.8471	.8462	.8457	.8453	.8443
.0400	.8314	.8305	.8296	.8286	.8281	.8276	.8266
.0500	.8171	.8161	.8152	.8142	.8135	.8131	.8120
.0600	.8048	.8038	.8028	.8018	.8012	.8007	.7996
.0700	.7941	.7931	.7921	.7910	.7904	.7899	.7888
.0800	.7846	.7835	.7825	.7814	.7808	.7803	.7791
.0900	.7761	.7749	.7739	.7728	.7721	.7716	.7704
.1000	.7683	.7671	.7661	.7650	.7643	.7638	.7626

TABLE 122. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 1$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9879	.9878	.9877	.9876	.9874	.9873	.9872	.9870	.9869
.0002	.9830	.9829	.9827	.9825	.9824	.9822	.9820	.9818	.9816
.0003	.9794	.9792	.9790	.9787	.9785	.9783	.9781	.9778	.9776
.0004	.9763	.9760	.9758	.9756	.9753	.9751	.9748	.9745	.9740
.0005	.9736	.9733	.9731	.9728	.9725	.9723	.9720	.9717	.9713
.0006	.9712	.9709	.9706	.9703	.9700	.9697	.9694	.9691	.9687
.0007	.9690	.9687	.9684	.9681	.9678	.9674	.9671	.9667	.9664
.0008	.9669	.9666	.9663	.9660	.9656	.9653	.9649	.9645	.9642
.0009	.9650	.9647	.9644	.9640	.9637	.9633	.9629	.9625	.9621
.0010	.9633	.9629	.9626	.9622	.9618	.9614	.9610	.9606	.9602
.0020	.9492	.9487	.9483	.9478	.9473	.9467	.9462	.9456	.9450
.0030	.9388	.9383	.9377	.9371	.9365	.9359	.9353	.9346	.9339
.0040	.9304	.9298	.9291	.9285	.9278	.9271	.9264	.9256	.9249
.0050	.9231	.9224	.9217	.9210	.9203	.9195	.9188	.9180	.9171
.0060	.9167	.9160	.9152	.9145	.9137	.9129	.9121	.9112	.9103
.0070	.9109	.9102	.9094	.9086	.9077	.9069	.9060	.9051	.9041
.0080	.9056	.9048	.9040	.9032	.9023	.9014	.9005	.8995	.8975
.0090	.9008	.9000	.8991	.8982	.8973	.8964	.8954	.8944	.8923
.0100	.8963	.8954	.8945	.8936	.8927	.8917	.8907	.8897	.8875
.0200	.8623	.8612	.8601	.8590	.8578	.8566	.8554	.8541	.8527
.0300	.8389	.8378	.8365	.8352	.8339	.8326	.8313	.8298	.8269
.0400	.8208	.8196	.8182	.8169	.8155	.8141	.8127	.8111	.8095
.0500	.8060	.8047	.8032	.8018	.8004	.7989	.7974	.7958	.7941
.0600	.7933	.7920	.7905	.7890	.7875	.7860	.7845	.7828	.7810
.0700	.7823	.7809	.7794	.7779	.7763	.7747	.7732	.7715	.7697
.0800	.7725	.7711	.7695	.7680	.7664	.7648	.7633	.7615	.7597
.0900	.7638	.7623	.7607	.7591	.7575	.7559	.7544	.7526	.7507
.1000	.7558	.7543	.7527	.7511	.7495	.7478	.7463	.7444	.7426

TABLE 123. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum  
(Electrolyte,  $z_+z_- = 2$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9781	.9779	.9776	.9775	.9773	.9771	.9769	.9768	.9767
.0002	.9694	.9692	.9688	.9687	.9683	.9681	.9678	.9676	.9675
.0003	.9630	.9627	.9622	.9620	.9619	.9616	.9613	.9610	.9608
.0004	.9576	.9573	.9570	.9567	.9565	.9564	.9561	.9557	.9554
.0005	.9529	.9526	.9523	.9520	.9518	.9516	.9513	.9509	.9505
.0006	.9488	.9485	.9481	.9478	.9475	.9474	.9470	.9466	.9461
.0007	.9450	.9447	.9443	.9439	.9437	.9435	.9431	.9427	.9422
.0008	.9416	.9412	.9408	.9404	.9401	.9400	.9395	.9391	.9386
.0009	.9384	.9380	.9376	.9371	.9369	.9367	.9362	.9357	.9352
.0010	.9354	.9349	.9345	.9341	.9338	.9336	.9331	.9326	.9321
.0020	.9121	.9116	.9110	.9105	.9101	.9098	.9092	.9085	.9079
.0030	.8955	.8949	.8942	.8936	.8932	.8929	.8921	.8914	.8906
.0040	.8823	.8815	.8808	.8801	.8797	.8793	.8785	.8777	.8768
.0050	.8711	.8703	.8696	.8688	.8683	.8680	.8671	.8662	.8653
.0060	.8614	.8606	.8598	.8589	.8584	.8581	.8572	.8562	.8552
.0070	.8528	.8519	.8511	.8502	.8497	.8493	.8484	.8474	.8463
.0080	.8450	.8441	.8433	.8424	.8418	.8414	.8405	.8394	.8383
.0090	.8379	.8370	.8361	.8352	.8346	.8342	.8332	.8322	.8311
.0100	.8314	.8305	.8296	.8286	.8281	.8276	.8266	.8255	.8244
.0200	.7846	.7835	.7825	.7814	.7808	.7803	.7791	.7779	.7765
.0300	.7545	.7533	.7523	.7511	.7504	.7499	.7487	.7473	.7460
.0400	.7322	.7310	.7299	.7287	.7280	.7275	.7262	.7249	.7234
.0500	.7146	.7133	.7122	.7110	.7103	.7098	.7085	.7071	.7056
.0600	.7000	.6987	.6976	.6964	.6957	.6952	.6939	.6924	.6910
.0700	.6876	.6863	.6852	.6840	.6832	.6827	.6814	.6800	.6785
.0800	.6768	.6755	.6745	.6733	.6725	.6720	.6707	.6693	.6678
.0900	.6674	.6660	.6650	.6638	.6630	.6625	.6612	.6598	.6583
.1000	.6589	.6576	.6565	.6553	.6546	.6541	.6528	.6514	.6499

TABLE 123. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_{+}z_{-} = 2$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9763	.9760	.9758	.9756	.9753	.9751	.9748	.9745	.9742
.0002	.9669	.9666	.9663	.9660	.9656	.9653	.9649	.9645	.9642
.0003	.9600	.9596	.9592	.9588	.9584	.9580	.9576	.9571	.9566
.0004	.9542	.9538	.9533	.9529	.9524	.9520	.9515	.9509	.9504
.0005	.9492	.9487	.9483	.9478	.9473	.9467	.9462	.9456	.9450
.0006	.9448	.9443	.9437	.9432	.9427	.9421	.9415	.9409	.9403
.0007	.9407	.9402	.9396	.9391	.9385	.9379	.9373	.9366	.9360
.0008	.9370	.9365	.9359	.9353	.9347	.9340	.9334	.9327	.9320
.0009	.9336	.9330	.9324	.9318	.9311	.9304	.9298	.9290	.9283
.0010	.9304	.9298	.9291	.9285	.9278	.9271	.9264	.9256	.9249
.0020	.9056	.9048	.9040	.9032	.9023	.9014	.9005	.8995	.8975
.0030	.8880	.8871	.8862	.8852	.8842	.8832	.8821	.8810	.8799
.0040	.8740	.8730	.8720	.8709	.8698	.8687	.8676	.8664	.8651
.0050	.8623	.8612	.8601	.8590	.8578	.8566	.8554	.8541	.8527
.0060	.8521	.8510	.8498	.8486	.8474	.8461	.8449	.8435	.8421
.0070	.8431	.8419	.8407	.8394	.8382	.8369	.8356	.8341	.8327
.0080	.8350	.8338	.8325	.8312	.8299	.8285	.8272	.8257	.8242
.0090	.8276	.8264	.8250	.8237	.8224	.8210	.8196	.8181	.8165
.0100	.8208	.8196	.8182	.8169	.8155	.8141	.8127	.8111	.8095
.0200	.7725	.7711	.7695	.7680	.7664	.7648	.7633	.7615	.7597
.0300	.7417	.7403	.7386	.7370	.7353	.7336	.7321	.7302	.7283
.0400	.7191	.7176	.7159	.7142	.7126	.7108	.7092	.7073	.7054
.0500	.7013	.6998	.6980	.6964	.6947	.6929	.6913	.6894	.6874
.0600	.6866	.6851	.6833	.6817	.6800	.6782	.6767	.6747	.6727
.0700	.6742	.6727	.6709	.6693	.6676	.6658	.6643	.6623	.6603
.0800	.6635	.6620	.6602	.6585	.6568	.6551	.6536	.6517	.6497
.0900	.6541	.6526	.6507	.6491	.6474	.6457	.6442	.6423	.6403
.1000	.6457	.6442	.6424	.6408	.6391	.6374	.6359	.6340	.6320

TABLE 124. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum  
(Electrolyte,  $Z_+Z_- = 3$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9677	.9675	.9672	.9669	.9667	.9665	.9662	.9659	.9658
.0002	.9552	.9549	.9546	.9543	.9541	.9539	.9536	.9528	.9526
.0003	.9459	.9456	.9452	.9448	.9446	.9444	.9440	.9436	.9429
.0004	.9384	.9380	.9376	.9371	.9369	.9367	.9362	.9357	.9352
.0005	.9318	.9314	.9310	.9305	.9302	.9300	.9295	.9289	.9284
.0006	.9261	.9256	.9251	.9246	.9243	.9241	.9235	.9230	.9224
.0007	.9208	.9203	.9198	.9193	.9190	.9187	.9182	.9176	.9169
.0008	.9161	.9155	.9150	.9145	.9141	.9139	.9133	.9126	.9119
.0009	.9117	.9111	.9106	.9100	.9096	.9094	.9087	.9081	.9074
.0010	.9076	.9070	.9064	.9058	.9054	.9052	.9045	.9038	.9031
.0020	.8765	.8757	.8750	.8742	.8738	.8734	.8726	.8717	.8708
.0030	.8548	.8540	.8532	.8523	.8518	.8514	.8505	.8495	.8485
.0040	.8379	.8370	.8361	.8352	.8346	.8342	.8332	.8322	.8311
.0050	.8239	.8230	.8221	.8211	.8205	.8201	.8190	.8179	.8167
.0060	.8120	.8110	.8100	.8090	.8084	.8079	.8068	.8057	.8045
.0070	.8015	.8004	.7995	.7984	.7978	.7973	.7962	.7950	.7937
.0080	.7922	.7911	.7901	.7890	.7884	.7879	.7867	.7855	.7842
.0090	.7837	.7826	.7816	.7805	.7799	.7794	.7782	.7769	.7756
.0100	.7761	.7749	.7739	.7728	.7721	.7716	.7704	.7692	.7678
.0200	.7229	.7217	.7206	.7194	.7187	.7182	.7169	.7155	.7141
.0300	.6905	.6892	.6881	.6869	.6862	.6857	.6844	.6830	.6815
.0400	.6674	.6660	.6650	.6638	.6630	.6625	.6612	.6598	.6583
.0500	.6495	.6482	.6471	.6460	.6452	.6447	.6434	.6420	.6406
.0600	.6351	.6337	.6327	.6316	.6308	.6303	.6291	.6277	.6262
.0700	.6230	.6217	.6207	.6196	.6188	.6184	.6171	.6157	.6143
.0800	.6128	.6114	.6104	.6093	.6086	.6081	.6069	.6055	.6041
.0900	.6038	.6025	.6015	.6004	.5997	.5980	.5967	.5953	.5947
.1000	.5959	.5946	.5937	.5926	.5919	.5914	.5902	.5889	.5875

TABLE 124. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 3$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9650	.9647	.9644	.9640	.9637	.9633	.9629	.9625	.9621	.9617	.9612
.0002	.9516	.9512	.9507	.9502	.9498	.9493	.9487	.9482	.9476	.9471	.9465
.0003	.9417	.9412	.9406	.9401	.9395	.9389	.9383	.9377	.9370	.9363	.9356
.0004	.9336	.9330	.9324	.9318	.9311	.9304	.9298	.9290	.9283	.9276	.9268
.0005	.9266	.9260	.9253	.9246	.9239	.9232	.9225	.9217	.9209	.9200	.9192
.0006	.9204	.9198	.9190	.9183	.9176	.9168	.9160	.9152	.9143	.9134	.9125
.0007	.9149	.9142	.9134	.9126	.9118	.9110	.9102	.9093	.9084	.9074	.9065
.0008	.9098	.9091	.9083	.9074	.9066	.9057	.9049	.9039	.9030	.9020	.9010
.0009	.9051	.9043	.9035	.9027	.9018	.9009	.9000	.8990	.8980	.8970	.8959
.0010	.9008	.9000	.8991	.8982	.8973	.8964	.8954	.8944	.8934	.8923	.8912
.0020	.8679	.8669	.8658	.8647	.8636	.8624	.8613	.8600	.8587	.8574	.8560
.0030	.8453	.8441	.8429	.8416	.8404	.8391	.8378	.8364	.8349	.8335	.8320
.0040	.8276	.8264	.8250	.8237	.8224	.8210	.8196	.8181	.8165	.8150	.8134
.0050	.8131	.8118	.8104	.8090	.8076	.8061	.8047	.8031	.8015	.7999	.7982
.0060	.8007	.7994	.7979	.7965	.7950	.7935	.7920	.7903	.7886	.7870	.7853
.0070	.7899	.7885	.7870	.7855	.7840	.7824	.7809	.7792	.7775	.7758	.7740
.0080	.7803	.7789	.7773	.7758	.7743	.7727	.7711	.7694	.7676	.7659	.7641
.0090	.7716	.7702	.7686	.7671	.7655	.7639	.7623	.7606	.7587	.7570	.7552
.0100	.7638	.7623	.7607	.7591	.7575	.7559	.7544	.7526	.7507	.7490	.7471
.0200	.7097	.7082	.7065	.7048	.7031	.7014	.6998	.6979	.6959	.6941	.6922
.0300	.6772	.6756	.6738	.6722	.6705	.6687	.6672	.6653	.6633	.6615	.6596
.0400	.6541	.6526	.6507	.6491	.6474	.6457	.6442	.6423	.6403	.6386	.6367
.0500	.6364	.6349	.6331	.6315	.6298	.6281	.6267	.6248	.6228	.6211	.6193
.0600	.6221	.6207	.6188	.6173	.6156	.6140	.6126	.6107	.6087	.6071	.6053
.0700	.6102	.6088	.6070	.6055	.6039	.6022	.6009	.5990	.5971	.5956	.5938
.0800	.6002	.5988	.5970	.5955	.5939	.5923	.5910	.5891	.5872	.5857	.5840
.0900	.5900	.5883	.5868	.5852	.5836	.5824	.5806	.5787	.5772	.5755	.5731
.1000	.5837	.5824	.5806	.5792	.5776	.5760	.5749	.5731	.5712	.5698	.5681

TABLE 125. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Bjerrum  
(Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.9576	.9573	.9570	.9567	.9564	.9561	.9557
.0002	.9416	.9412	.9408	.9404	.9401	.9395	.9391
.0003	.9298	.9294	.9289	.9284	.9279	.9274	.9269
.0004	.9203	.9198	.9193	.9187	.9184	.9176	.9170
.0005	.9121	.9116	.9110	.9101	.9098	.9092	.9085
.0006	.9050	.9044	.9038	.9032	.9028	.9025	.9018
.0007	.8985	.8979	.8973	.8966	.8962	.8959	.8952
.0008	.8927	.8920	.8914	.8907	.8902	.8899	.8892
.0009	.8873	.8866	.8859	.8852	.8848	.8844	.8837
.0010	.8823	.8815	.8808	.8801	.8797	.8793	.8785
.0020	.8450	.8441	.8433	.8424	.8418	.8414	.8405
.0030	.8198	.8188	.8179	.8169	.8163	.8158	.8148
.0040	.7994	.7994	.7984	.7973	.7967	.7962	.7951
.0050	.7846	.7835	.7825	.7814	.7808	.7803	.7791
.0060	.7713	.7702	.7691	.7680	.7673	.7668	.7656
.0070	.7598	.7586	.7575	.7564	.7557	.7552	.7540
.0080	.7496	.7484	.7473	.7462	.7454	.7449	.7437
.0090	.7405	.7392	.7382	.7370	.7363	.7358	.7345
.0100	.7322	.7310	.7299	.7287	.7280	.7275	.7262
.0200	.6768	.6755	.6745	.6733	.6725	.6720	.6707
.0300	.6444	.6430	.6420	.6408	.6401	.6396	.6383
.0400	.6218	.6205	.6195	.6183	.6176	.6171	.6159
.0500	.6048	.6034	.6025	.6013	.6006	.6002	.5990
.0600	.5912	.5898	.5889	.5878	.5871	.5867	.5855
.0700	.5799	.5786	.5777	.5767	.5760	.5756	.5744
.0800	.5705	.5691	.5683	.5673	.5666	.5662	.5651
.0900	.5623	.5610	.5602	.5592	.5585	.5570	.5558
.1000	.5551	.5538	.5521	.5514	.5511	.5500	.5488

TABLE 125. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Bjerrum—Continued  
 (Electrolyte,  $z_+ z_- = 4$ )

Ionic strength	Temperature in degrees Celsius							95	100
	50	55	60	65	70	75	80		
.0001	.9542	.9538	.9533	.9529	.9524	.9520	.9515	.9509	.9499
.0002	.9370	.9365	.9359	.9353	.9347	.9340	.9334	.9327	.9320
.0003	.9245	.9238	.9231	.9224	.9217	.9210	.9202	.9194	.9186
.0004	.9143	.9136	.9128	.9120	.9112	.9104	.9096	.9087	.9077
.0005	.9056	.9048	.9040	.9032	.9023	.9014	.9005	.8995	.8985
.0006	.8980	.8972	.8963	.8954	.8945	.8935	.8926	.8915	.8904
.0007	.8912	.8903	.8894	.8884	.8875	.8865	.8854	.8844	.8832
.0008	.8850	.8841	.8831	.8821	.8811	.8800	.8790	.8779	.8767
.0009	.8793	.8783	.8773	.8763	.8752	.8742	.8731	.8719	.8707
.0010	.8740	.8730	.8720	.8709	.8698	.8687	.8676	.8664	.8651
.0020	.8350	.8338	.8325	.8312	.8299	.8285	.8272	.8257	.8242
.0030	.8088	.8074	.8060	.8046	.8032	.8017	.8003	.7986	.7970
.0040	.7888	.7874	.7859	.7844	.7829	.7813	.7798	.7781	.7763
.0050	.7725	.7711	.7695	.7680	.7664	.7648	.7633	.7615	.7597
.0060	.7589	.7574	.7558	.7542	.7526	.7510	.7494	.7476	.7457
.0070	.7471	.7456	.7439	.7424	.7407	.7390	.7375	.7356	.7337
.0080	.7367	.7352	.7335	.7319	.7303	.7286	.7270	.7251	.7232
.0090	.7275	.7260	.7242	.7226	.7210	.7192	.7176	.7158	.7138
.0100	.7191	.7176	.7159	.7142	.7126	.7108	.7092	.7073	.7054
.0200	.6635	.6620	.6602	.6585	.6568	.6551	.6536	.6517	.6497
.0300	.6313	.6298	.6280	.6264	.6248	.6231	.6217	.6197	.6178
.0400	.6090	.6076	.6058	.6043	.6027	.6010	.5997	.5979	.5959
.0500	.5923	.5910	.5892	.5877	.5861	.5845	.5833	.5815	.5796
.0600	.5790	.5777	.5760	.5745	.5730	.5715	.5703	.5685	.5667
.0700	.5681	.5669	.5651	.5637	.5623	.5608	.5596	.5579	.5561
.0800	.5589	.5577	.5560	.5547	.5532	.5517	.5507	.5490	.5472
.0900	.5510	.5498	.5482	.5468	.5454	.5440	.5430	.5413	.5396
.1000	.5441	.5413	.5400	.5386	.5372	.5363	.5346	.5329	.5317

TABLE 126. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum  
(Electrolyte,  $z_+ z_- = 6$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9384	.9380	.9376	.9371	.9369	.9367	.9362	.9357	.9352
.0002	.9161	.9155	.9150	.9145	.9141	.9139	.9133	.9126	.9119
.0003	.9001	.8995	.8988	.8982	.8978	.8975	.8968	.8961	.8953
.0004	.8873	.8866	.8859	.8852	.8848	.8844	.8837	.8829	.8820
.0005	.8765	.8757	.8750	.8742	.8738	.8734	.8726	.8717	.8708
.0006	.8670	.8663	.8655	.8647	.8642	.8638	.8630	.8620	.8611
.0007	.8587	.8579	.8571	.8562	.8557	.8553	.8544	.8535	.8525
.0008	.8511	.8503	.8495	.8486	.8481	.8477	.8467	.8457	.8447
.0009	.8443	.8434	.8425	.8416	.8411	.8407	.8397	.8387	.8376
.0010	.8379	.8370	.8361	.8352	.8346	.8342	.8332	.8322	.8311
.0020	.7922	.7911	.7901	.7890	.7884	.7879	.7867	.7855	.7842
.0030	.7625	.7613	.7603	.7592	.7585	.7580	.7567	.7554	.7541
.0040	.7405	.7392	.7382	.7370	.7363	.7358	.7345	.7332	.7317
.0050	.7229	.7217	.7206	.7194	.7187	.7182	.7169	.7155	.7141
.0060	.7084	.7071	.7061	.7049	.7041	.7036	.7023	.7009	.6994
.0070	.6961	.6948	.6937	.6925	.6917	.6912	.6899	.6885	.6870
.0080	.6853	.6840	.6829	.6817	.6810	.6805	.6792	.6778	.6763
.0090	.6758	.6745	.6735	.6723	.6715	.6710	.6697	.6683	.6668
.0100	.6674	.6660	.6650	.6638	.6630	.6625	.6612	.6598	.6583
.0200	.6128	.6114	.6104	.6093	.6086	.6081	.6069	.6055	.6041
.0300	.5826	.5812	.5803	.5793	.5786	.5782	.5770	.5757	.5743
.0400	.5623	.5610	.5602	.5592	.5585	.5581	.5570	.5558	.5545
.0500	.5473	.5461	.5453	.5444	.5437	.5434	.5423	.5411	.5398
.0600	.5357	.5344	.5337	.5328	.5322	.5318	.5308	.5297	.5284
.0700	.5262	.5249	.5243	.5234	.5228	.5225	.5215	.5204	.5192
.0800	.5182	.5170	.5164	.5156	.5150	.5147	.5138	.5126	.5115
.0900	.5115	.5103	.5097	.5089	.5083	.5071	.5061	.5049	.5047
.1000	.5056	.5044	.5039	.5031	.5026	.5023	.5014	.5004	.4991

TABLE 126. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+z_- = 6$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.9336	.9330	.9324	.9318	.9311	.9304	.9298	.9290	.9283	.9276	.9268
.0002	.9098	.9091	.9083	.9074	.9066	.9057	.9049	.9039	.9030	.9020	.9010
.0003	.8929	.8920	.8910	.8901	.8891	.8882	.8872	.8861	.8850	.8839	.8827
.0004	.8793	.8783	.8773	.8763	.8752	.8742	.8731	.8719	.8707	.8695	.8682
.0005	.8679	.8669	.8658	.8647	.8636	.8624	.8613	.8600	.8587	.8574	.8560
.0006	.8581	.8570	.8558	.8547	.8535	.8522	.8510	.8497	.8483	.8470	.8455
.0007	.8493	.8482	.8469	.8457	.8445	.8432	.8420	.8406	.8391	.8377	.8362
.0008	.8414	.8402	.8390	.8377	.8364	.8351	.8338	.8324	.8309	.8294	.8279
.0009	.8342	.8330	.8317	.8304	.8291	.8277	.8264	.8249	.8234	.8219	.8203
.0010	.8276	.8264	.8250	.8237	.8224	.8210	.8196	.8181	.8165	.8150	.8134
.0020	.7803	.7789	.7773	.7758	.7743	.7727	.7711	.7694	.7676	.7659	.7641
.0030	.7499	.7484	.7468	.7452	.7435	.7419	.7403	.7385	.7366	.7348	.7329
.0040	.7275	.7260	.7242	.7226	.7210	.7192	.7176	.7158	.7138	.7120	.7101
.0050	.7097	.7082	.7065	.7048	.7031	.7014	.6998	.6979	.6959	.6941	.6922
.0060	.6951	.6936	.6918	.6902	.6885	.6867	.6851	.6832	.6812	.6794	.6775
.0070	.6827	.6812	.6794	.6777	.6760	.6743	.6727	.6708	.6688	.6670	.6651
.0080	.6720	.6704	.6686	.6670	.6653	.6635	.6620	.6601	.6581	.6563	.6544
.0090	.6625	.6610	.6592	.6575	.6558	.6541	.6526	.6507	.6487	.6469	.6450
.0100	.6541	.6526	.6507	.6491	.6474	.6457	.6442	.6423	.6403	.6386	.6367
.0200	.6002	.5988	.5970	.5955	.5939	.5923	.5910	.5891	.5872	.5857	.5840
.0300	.5707	.5694	.5677	.5663	.5648	.5633	.5621	.5604	.5586	.5572	.5556
.0400	.5510	.5498	.5482	.5468	.5454	.5440	.5430	.5413	.5396	.5383	.5368
.0500	.5366	.5355	.5338	.5326	.5313	.5299	.5290	.5274	.5257	.5246	.5231
.0600	.5254	.5243	.5227	.5215	.5202	.5189	.5181	.5166	.5149	.5139	.5125
.0700	.5163	.5153	.5137	.5126	.5113	.5101	.5093	.5078	.5062	.5052	.5040
.0800	.5087	.5077	.5062	.5051	.5039	.5027	.5020	.5006	.4990	.4981	.4969
.0900	.5023	.5013	.4998	.4988	.4976	.4964	.4958	.4944	.4929	.4920	.4908
.1000	.4967	.4958	.4943	.4933	.4922	.4910	.4904	.4890	.4876	.4867	.4856

TABLE 127. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Bjerrum*  
 (Electrolyte,  $z_+z_- = 8$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9203	.9198	.9193	.9187	.9184	.9182	.9176	.9170	.9163
.0002	.8927	.8920	.8914	.8907	.8902	.8899	.8892	.8884	.8876
.0003	.8732	.8724	.8717	.8709	.8704	.8701	.8692	.8684	.8674
.0004	.8578	.8570	.8562	.8553	.8548	.8545	.8535	.8526	.8516
.0005	.8450	.8441	.8433	.8424	.8418	.8414	.8405	.8394	.8383
.0006	.8340	.8330	.8322	.8312	.8306	.8302	.8292	.8281	.8270
.0007	.8242	.8233	.8224	.8214	.8208	.8204	.8193	.8182	.8170
.0008	.8155	.8145	.8136	.8126	.8120	.8115	.8104	.8093	.8081
.0009	.8076	.8066	.8056	.8046	.8040	.8035	.8024	.8012	.8000
.0010	.7994	.7994	.7984	.7973	.7967	.7962	.7951	.7939	.7926
.0020	.7496	.7484	.7473	.7462	.7454	.7449	.7437	.7423	.7409
.0030	.7178	.7166	.7155	.7143	.7135	.7130	.7117	.7103	.7089
.0040	.6948	.6935	.6924	.6912	.6905	.6900	.6887	.6872	.6858
.0050	.6768	.6755	.6745	.6733	.6725	.6720	.6707	.6693	.6678
.0060	.6622	.6609	.6598	.6586	.6579	.6574	.6561	.6546	.6532
.0070	.6499	.6485	.6475	.6463	.6456	.6451	.6438	.6424	.6409
.0080	.6393	.6379	.6369	.6357	.6350	.6345	.6333	.6318	.6304
.0090	.6300	.6287	.6277	.6265	.6258	.6253	.6240	.6227	.6212
.0100	.6218	.6205	.6195	.6183	.6176	.6171	.6159	.6145	.6131
.0200	.5705	.5691	.5683	.5673	.5666	.5662	.5651	.5638	.5625
.0300	.5431	.5419	.5411	.5402	.5396	.5392	.5382	.5370	.5357
.0400	.5252	.5240	.5233	.5225	.5219	.5215	.5206	.5195	.5183
.0500	.5122	.5110	.5104	.5096	.5090	.5087	.5078	.5067	.5056
.0600	.5021	.5010	.5004	.4996	.4991	.4988	.4980	.4969	.4959
.0700	.4941	.4929	.4917	.4911	.4909	.4901	.4891	.4880	.4879
.0800	.4874	.4862	.4857	.4851	.4846	.4843	.4835	.4826	.4816
.0900	.4817	.4805	.4795	.4790	.4788	.4780	.4771	.4761	.4760
.1000	.4768	.4757	.4746	.4742	.4732	.4723	.4713	.4713	.4710

TABLE 127. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+z_- = 8$ )

Ionic strength	Temperature in degrees Celsius							95	100
	50	55	60	65	70	75	80		
.0001	.9143	.9136	.9128	.9120	.9112	.9104	.9096	.9077	.9068
.0002	.8850	.8841	.8831	.8821	.8811	.8800	.8790	.8779	.8755
.0003	.8645	.8634	.8623	.8612	.8601	.8589	.8577	.8551	.8524
.0004	.8484	.8472	.8460	.8448	.8436	.8423	.8410	.8396	.8353
.0005	.8350	.8338	.8325	.8312	.8299	.8285	.8272	.8257	.8227
.0006	.8235	.8222	.8209	.8196	.8182	.8168	.8154	.8138	.8122
.0007	.8134	.8121	.8107	.8093	.8079	.8064	.8050	.8034	.8018
.0008	.8044	.8030	.8016	.8002	.7987	.7972	.7958	.7941	.7924
.0009	.7962	.7948	.7934	.7919	.7904	.7889	.7874	.7857	.7840
.0010	.7888	.7874	.7859	.7844	.7829	.7813	.7798	.7781	.7763
.0020	.7367	.7352	.7335	.7319	.7303	.7286	.7270	.7251	.7232
.0030	.7046	.7030	.7013	.6996	.6979	.6962	.6946	.6927	.6907
.0040	.6814	.6799	.6781	.6765	.6748	.6730	.6715	.6695	.6675
.0050	.6635	.6620	.6602	.6585	.6568	.6551	.6536	.6517	.6497
.0060	.6489	.6474	.6456	.6440	.6423	.6406	.6391	.6372	.6352
.0070	.6367	.6352	.6334	.6318	.6302	.6284	.6270	.6251	.6231
.0080	.6262	.6248	.6230	.6214	.6198	.6181	.6167	.6148	.6128
.0090	.6171	.6157	.6139	.6123	.6107	.6090	.6077	.6058	.6038
.0100	.6090	.6076	.6058	.6043	.6027	.6010	.5997	.5979	.5959
.0200	.5589	.5577	.5560	.5547	.5532	.5517	.5507	.5490	.5472
.0300	.5326	.5315	.5298	.5286	.5273	.5259	.5251	.5235	.5218
.0400	.5154	.5144	.5128	.5117	.5104	.5092	.5084	.5070	.5054
.0500	.5029	.5005	.4994	.4983	.4971	.4964	.4950	.4935	.4926
.0600	.4933	.4925	.4910	.4900	.4889	.4878	.4872	.4859	.4844
.0700	.4857	.4849	.4834	.4825	.4814	.4803	.4799	.4785	.4771
.0800	.4793	.4785	.4771	.4762	.4752	.4742	.4738	.4725	.4711
.0900	.4739	.4732	.4718	.4709	.4700	.4690	.4686	.4674	.4660
.1000	.4693	.4686	.4672	.4664	.4655	.4645	.4642	.4630	.4617

TABLE 128. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum  
(Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.9117	.9111	.9106	.9100	.9096	.9094	.9087	.9081	.9074
.0002	.8817	.8809	.8802	.8795	.8790	.8787	.8779	.8771	.8762
.0003	.8607	.8599	.8591	.8583	.8577	.8574	.8565	.8555	.8545
.0004	.8443	.8434	.8425	.8416	.8411	.8407	.8397	.8387	.8376
.0005	.8306	.8297	.8288	.8279	.8273	.8268	.8258	.8247	.8236
.0006	.8189	.8180	.8170	.8160	.8154	.8150	.8139	.8128	.8116
.0007	.8087	.8077	.8067	.8057	.8051	.8046	.8035	.8023	.8011
.0008	.7995	.7985	.7975	.7965	.7958	.7954	.7942	.7930	.7918
.0009	.7913	.7902	.7892	.7881	.7875	.7870	.7858	.7846	.7833
.0010	.7837	.7826	.7816	.7805	.7799	.7794	.7782	.7769	.7756
.0020	.7313	.7300	.7289	.7278	.7270	.7265	.7252	.7239	.7224
.0030	.6990	.6977	.6966	.6954	.6947	.6942	.6929	.6914	.6900
.0040	.6758	.6745	.6735	.6723	.6715	.6710	.6697	.6683	.6668
.0050	.6579	.6566	.6555	.6544	.6536	.6531	.6518	.6504	.6489
.0060	.6434	.6421	.6410	.6399	.6391	.6386	.6374	.6359	.6345
.0070	.6313	.6299	.6289	.6277	.6270	.6265	.6253	.6239	.6224
.0080	.6209	.6195	.6185	.6174	.6167	.6162	.6149	.6136	.6121
.0090	.6118	.6105	.6095	.6084	.6076	.6072	.6060	.6046	.6032
.0100	.6038	.6025	.6015	.6004	.5997	.5993	.5980	.5967	.5953
.0200	.5543	.5530	.5522	.5513	.5506	.5502	.5492	.5479	.5466
.0300	.5284	.5271	.5264	.5256	.5250	.5247	.5237	.5225	.5213
.0400	.5115	.5103	.5097	.5089	.5083	.5080	.5071	.5061	.5049
.0500	.4993	.4981	.4976	.4968	.4963	.4961	.4952	.4942	.4931
.0600	.4899	.4888	.4883	.4876	.4871	.4869	.4861	.4851	.4840
.0700	.4824	.4813	.4808	.4802	.4797	.4795	.4787	.4778	.4768
.0800	.4762	.4751	.4747	.4741	.4736	.4734	.4727	.4718	.4708
.0900	.4710	.4699	.4689	.4684	.4683	.4676	.4667	.4657	.4654
.1000	.4664	.4654	.4650	.4644	.4638	.4632	.4623	.4614	.4611

TABLE 128. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
*Bjerrum*—Continued  
 (Electrolyte,  $z_+ z_- = 9$ )

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.9051	.9043	.9035	.9027	.9018	.9009	.9000	.8990	.8980
.0002	.8734	.8724	.8713	.8703	.8692	.8681	.8669	.8657	.8644
.0003	.8514	.8503	.8491	.8479	.8467	.8454	.8441	.8428	.8413
.0004	.8342	.8330	.8317	.8304	.8291	.8277	.8264	.8249	.8234
.0005	.8200	.8188	.8174	.8161	.8147	.8132	.8118	.8103	.8087
.0006	.8079	.8066	.8052	.8038	.8023	.8008	.7994	.7978	.7961
.0007	.7973	.7959	.7945	.7930	.7915	.7900	.7885	.7869	.7851
.0008	.7879	.7865	.7850	.7835	.7820	.7804	.7789	.7772	.7754
.0009	.7794	.7779	.7764	.7749	.7733	.7717	.7702	.7685	.7667
.0010	.7716	.7702	.7686	.7671	.7655	.7639	.7623	.7606	.7587
.0020	.7181	.7166	.7149	.7133	.7116	.7098	.7083	.7063	.7044
.0030	.6856	.6841	.6823	.6807	.6790	.6772	.6757	.6737	.6717
.0040	.6625	.6610	.6592	.6575	.6558	.6541	.6526	.6507	.6487
.0050	.6447	.6432	.6414	.6398	.6381	.6364	.6349	.6330	.6310
.0060	.6303	.6288	.6270	.6255	.6238	.6221	.6207	.6188	.6168
.0070	.6183	.6169	.6151	.6135	.6119	.6102	.6089	.6070	.6050
.0080	.6081	.6067	.6049	.6034	.6018	.6001	.5988	.5969	.5950
.0090	.5992	.5978	.5961	.5946	.5930	.5913	.5901	.5882	.5863
.0100	.5914	.5900	.5883	.5868	.5852	.5836	.5824	.5806	.5787
.0200	.5433	.5422	.5405	.5392	.5379	.5365	.5355	.5339	.5322
.0300	.5184	.5174	.5158	.5146	.5134	.5121	.5114	.5099	.5083
.0400	.5023	.5013	.4998	.4988	.4976	.4964	.4958	.4944	.4929
.0500	.4906	.4898	.4883	.4874	.4863	.4852	.4846	.4833	.4819
.0600	.4818	.4795	.4786	.4776	.4766	.4761	.4748	.4734	.4727
.0700	.4746	.4739	.4725	.4716	.4707	.4697	.4693	.4680	.4667
.0800	.4688	.4667	.4659	.4650	.4640	.4637	.4625	.4612	.4606
.0900	.4638	.4632	.4618	.4610	.4592	.4589	.4577	.4565	.4559
.1000	.4595	.4576	.4569	.4560	.4551	.4548	.4537	.4525	.4520

TABLE 129. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—Bjerrum  
(Electrolyte,  $z_+ z_- = 12$ )

Ionic strength	Temperature in degrees Celsius								
	0	5	10	15	18	20	25	30	35
.0001	.8873	.8866	.8859	.8852	.8848	.8844	.8837	.8829	.8815
.0002	.8511	.8503	.8495	.8486	.8481	.8477	.8467	.8447	.8441
.0003	.8266	.8256	.8247	.8237	.8231	.8227	.8217	.8206	.8194
.0004	.8076	.8066	.8056	.8046	.8040	.8035	.8024	.8012	.8000
.0005	.7922	.7911	.7901	.7890	.7884	.7879	.7867	.7855	.7842
.0006	.7791	.7779	.7769	.7758	.7751	.7747	.7735	.7722	.7709
.0007	.7677	.7665	.7655	.7644	.7637	.7632	.7620	.7607	.7593
.0008	.7576	.7564	.7554	.7543	.7535	.7530	.7518	.7505	.7491
.0009	.7486	.7474	.7464	.7452	.7445	.7440	.7427	.7414	.7400
.0010	.7405	.7392	.7382	.7370	.7363	.7358	.7345	.7332	.7317
.0020	.6853	.6840	.6829	.6817	.6810	.6805	.6792	.6778	.6763
.0030	.6528	.6514	.6504	.6492	.6485	.6480	.6467	.6453	.6438
.0040	.6300	.6287	.6277	.6265	.6258	.6253	.6240	.6227	.6212
.0050	.6128	.6114	.6104	.6093	.6086	.6081	.6069	.6055	.6041
.0060	.5990	.5976	.5967	.5956	.5949	.5944	.5932	.5919	.5905
.0070	.5876	.5862	.5853	.5843	.5836	.5831	.5820	.5807	.5793
.0080	.5779	.5766	.5757	.5747	.5740	.5736	.5724	.5711	.5698
.0090	.5696	.5683	.5674	.5664	.5657	.5653	.5642	.5629	.5616
.0100	.5623	.5610	.5602	.5592	.5585	.5581	.5570	.5558	.5545
.0200	.5182	.5170	.5164	.5156	.5147	.5138	.5126	.5115	.5113
.0300	.4959	.4948	.4942	.4935	.4930	.4927	.4919	.4909	.4898
.0400	.4817	.4805	.4801	.4795	.4790	.4788	.4780	.4771	.4761
.0500	.4715	.4704	.4700	.4694	.4690	.4688	.4681	.4672	.4663
.0600	.4638	.4627	.4624	.4618	.4614	.4612	.4605	.4597	.4588
.0700	.4576	.4565	.4562	.4557	.4553	.4552	.4545	.4537	.4529
.0800	.4525	.4515	.4512	.4507	.4503	.4502	.4496	.4488	.4481
.0900	.4483	.4473	.4470	.4465	.4462	.4460	.4455	.4447	.4439
.1000	.4446	.4436	.4429					.4412	.4405

TABLE 129. *Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
Bjerrum—Continued*  
(Electrolyte,  $z_+z_- = 12$ )

Ionic strength	Temperature in degrees Celsius										
	50	55	60	65	70	75	80	85	90	95	100
.0001	.8793	.8783	.8773	.8763	.8752	.8742	.8731	.8719	.8707	.8695	.8682
.0002	.8414	.8402	.8390	.8377	.8364	.8351	.8338	.8324	.8309	.8294	.8279
.0003	.8158	.8145	.8131	.8118	.8103	.8089	.8075	.8059	.8043	.8027	.8010
.0004	.7962	.7948	.7934	.7919	.7904	.7889	.7874	.7857	.7840	.7824	.7806
.0005	.7803	.7789	.7773	.7758	.7743	.7727	.7711	.7694	.7676	.7659	.7641
.0006	.7668	.7654	.7638	.7622	.7606	.7590	.7575	.7557	.7538	.7521	.7502
.0007	.7552	.7537	.7521	.7505	.7489	.7472	.7456	.7438	.7419	.7402	.7383
.0008	.7449	.7434	.7418	.7402	.7385	.7368	.7353	.7334	.7315	.7297	.7278
.0009	.7357	.7342	.7325	.7310	.7293	.7276	.7260	.7241	.7222	.7204	.7185
.0010	.7275	.7260	.7242	.7226	.7210	.7192	.7176	.7158	.7138	.7120	.7101
.0020	.6720	.6704	.6686	.6670	.6653	.6635	.6620	.6601	.6581	.6563	.6544
.0030	.6396	.6381	.6363	.6347	.6330	.6313	.6299	.6279	.6260	.6243	.6224
.0040	.6171	.6157	.6139	.6123	.6107	.6090	.6077	.6058	.6038	.6023	.6005
.0050	.6002	.5988	.5970	.5955	.5939	.5923	.5910	.5891	.5872	.5857	.5840
.0060	.5867	.5853	.5836	.5821	.5806	.5790	.5778	.5760	.5741	.5726	.5710
.0070	.5756	.5743	.5725	.5711	.5696	.5680	.5669	.5651	.5633	.5619	.5603
.0080	.5662	.5649	.5632	.5618	.5603	.5588	.5577	.5560	.5542	.5529	.5513
.0090	.5581	.5569	.5552	.5538	.5524	.5509	.5499	.5482	.5464	.5451	.5436
.0100	.5510	.5498	.5482	.5468	.5454	.5440	.5430	.5413	.5396	.5383	.5368
.0200	.5087	.5077	.5062	.5051	.5039	.5027	.5020	.5006	.4990	.4981	.4969
.0300	.4874	.4866	.4852	.4842	.4832	.4821	.4816	.4802	.4788	.4780	.4770
.0400	.4739	.4732	.4718	.4709	.4700	.4690	.4686	.4674	.4660	.4654	.4644
.0500	.4643	.4637	.4623	.4615	.4606	.4597	.4582	.4570	.4564	.4555	.4545
.0600	.4570	.4564	.4551	.4544	.4535	.4527	.4524	.4513	.4501	.4496	.4488
.0700	.4512	.4507	.4494	.4487	.4479	.4471	.4469	.4458	.4446	.4442	.4435
.0800	.4464	.4459	.4447	.4440	.4433	.4425	.4424	.4413	.4402	.4398	.4391
.0900	.4424	.4420	.4407	.4401	.4394	.4386	.4385	.4375	.4364	.4361	.4354
.1000	.4390	.4386	.4374	.4368	.4361	.4353	.4353	.4343	.4332	.4329	.4323

TABLE 130. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis-Bjerrum  
(Electrolyte,  $z_+z_- = 16$ )

Ionic strength	Temperature in degrees Celsius						
	0	5	10	15	18	20	25
.0001	.8578	.8570	.8562	.8553	.8548	.8545	.8535
.0002	.8155	.8145	.8136	.8126	.8120	.8115	.8104
.0003	.7876	.7865	.7855	.7844	.7837	.7833	.7821
.0004	.7665	.7653	.7643	.7632	.7625	.7620	.7608
.0005	.7496	.7484	.7473	.7462	.7454	.7449	.7437
.0006	.7354	.7342	.7331	.7320	.7312	.7307	.7294
.0007	.7233	.7220	.7210	.7198	.7190	.7185	.7172
.0008	.7127	.7114	.7103	.7091	.7084	.7079	.7066
.0009	.7033	.7020	.7009	.6997	.6989	.6984	.6971
.0010	.6948	.6935	.6924	.6912	.6905	.6900	.6887
.0020	.6393	.6379	.6369	.6357	.6350	.6345	.6333
.0030	.6076	.6065	.6055	.6044	.6037	.6033	.6020
.0040	.5864	.5851	.5842	.5831	.5824	.5820	.5808
.0050	.5705	.5691	.5683	.5673	.5666	.5662	.5651
.0060	.5579	.5566	.5558	.5548	.5542	.5538	.5527
.0070	.5476	.5463	.5456	.5446	.5440	.5436	.5426
.0080	.5390	.5377	.5370	.5361	.5355	.5351	.5341
.0090	.5316	.5304	.5297	.5288	.5282	.5279	.5269
.0100	.5252	.5240	.5233	.5225	.5219	.5215	.5206
.0200	.4874	.4862	.4857	.4851	.4846	.4843	.4835
.0300	.4687	.4676	.4673	.4667	.4662	.4660	.4654
.0400	.4570	.4559	.4556	.4551	.4547	.4546	.4539
.0500	.4487	.4477	.4474	.4470	.4466	.4465	.4459
.0600	.4424	.4415	.4412	.4408	.4405	.4403	.4398
.0700	.4375	.4365	.4363	.4359	.4356	.4355	.4350
.0800	.4334	.4325	.4323	.4320	.4316	.4315	.4311
.0900	.4300	.4291	.4290	.4286	.4283	.4278	.4271
.1000	.4271	.4262	.4261	.4258	.4254	.4254	.4250

TABLE 130. Mean activity coefficients of electrolytes in aqueous solutions on a weight basis—  
 Bjerrum—Continued  
 (Electrolyte, z<sub>1</sub>z<sub>2</sub> = 16)

Ionic strength	Temperature in degrees Celsius								
	50	55	60	65	70	75	80	85	90
.0001	.8484	.8472	.8460	.8448	.8436	.8423	.8410	.8396	.8382
.0002	.8044	.8030	.8016	.8002	.7987	.7972	.7958	.7941	.7924
.0003	.7755	.7741	.7726	.7710	.7695	.7679	.7663	.7646	.7628
.0004	.7540	.7525	.7509	.7493	.7477	.7460	.7444	.7426	.7407
.0005	.7367	.7352	.7335	.7319	.7303	.7286	.7270	.7251	.7232
.0006	.7224	.7208	.7191	.7175	.7158	.7141	.7125	.7106	.7086
.0007	.7101	.7086	.7068	.7052	.7035	.7017	.7002	.6983	.6963
.0008	.6994	.6979	.6961	.6945	.6928	.6910	.6894	.6875	.6855
.0009	.6899	.6884	.6866	.6850	.6833	.6815	.6800	.6780	.6760
.0010	.6814	.6799	.6781	.6765	.6748	.6730	.6715	.6695	.6675
.0020	.6262	.6248	.6230	.6214	.6198	.6181	.6167	.6148	.6128
.0030	.5953	.5940	.5922	.5907	.5891	.5875	.5863	.5844	.5825
.0040	.5744	.5731	.5714	.5700	.5685	.5669	.5658	.5640	.5622
.0050	.5589	.5577	.5560	.5547	.5532	.5517	.5507	.5490	.5472
.0060	.5468	.5456	.5439	.5426	.5413	.5398	.5389	.5372	.5355
.0070	.5369	.5358	.5341	.5329	.5315	.5302	.5293	.5277	.5260
.0080	.5286	.5275	.5259	.5247	.5234	.5221	.5212	.5197	.5180
.0090	.5215	.5205	.5189	.5177	.5165	.5152	.5144	.5129	.5112
.0100	.5154	.5144	.5128	.5117	.5104	.5092	.5084	.5070	.5054
.0200	.4793	.4785	.4771	.4762	.4752	.4742	.4738	.4725	.4711
.0300	.4617	.4610	.4597	.4589	.4581	.4572	.4569	.4557	.4545
.0400	.4506	.4501	.4488	.4481	.4473	.4465	.4463	.4453	.4441
.0500	.4428	.4424	.4411	.4405	.4398	.4390	.4389	.4379	.4368
.0600	.4370	.4365	.4354	.4348	.4341	.4334	.4334	.4324	.4313
.0700	.4323	.4319	.4308	.4302	.4296	.4289	.4289	.4280	.4270
.0800	.4285	.4282	.4270	.4265	.4259	.4253	.4253	.4244	.4234
.0900	.4254	.4250	.4239	.4234	.4228	.4222	.4223	.4214	.4205
.1000	.4226	.4223	.4212	.4208	.4202	.4196	.4197	.4189	.4178

TABLE 131. *Uncertainties ( $\pm$ ) in activity coefficients for solutions having an ionic strength of 0.1 arising from the established limits of error in the physical constants used in the theoretical equations*

(On weight or volume basis)

Uncertainty  $\times 10^5$

$z_+z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
0 °C							
1	10	8 <sub>5</sub>	8 <sub>5</sub>	7 <sub>9</sub>	7 <sub>8</sub>	7 <sub>8</sub>	8 <sub>3</sub>
2	14	13	13	12	12	12	11
3	15	15	15	14	14	14	13
4	14	15	15	15	15	15	13
6	10	13	13	14	14	14	14
8	6 <sub>6</sub>	10	9 <sub>9</sub>	11	12	11	14
9	5 <sub>2</sub>	8 <sub>6</sub>	8 <sub>5</sub>	9 <sub>7</sub>	10	9 <sub>9</sub>	14
12	2 <sub>4</sub>	5 <sub>1</sub>	5 <sub>0</sub>	6 <sub>1</sub>	6 <sub>4</sub>	6 <sub>3</sub>	15
16	0 <sub>8</sub>	2 <sub>3</sub>	2 <sub>2</sub>	3 <sub>0</sub>	3 <sub>2</sub>	3 <sub>2</sub>	15
25 °C							
1	10	8 <sub>4</sub>	8 <sub>4</sub>	7 <sub>9</sub>	7 <sub>6</sub>	7 <sub>8</sub>	8 <sub>1</sub>
2	14	13	13	12	12	12	11
3	14	14	14	14	14	14	12
4	13	14	14	14	14	14	13
6	9 <sub>3</sub>	12	12	14	13	13	14
8	6 <sub>0</sub>	9 <sub>2</sub>	9 <sub>2</sub>	10	11	10	14
9	4 <sub>6</sub>	7 <sub>8</sub>	7 <sub>8</sub>	8 <sub>9</sub>	9 <sub>2</sub>	9 <sub>2</sub>	14
12	2 <sub>0</sub>	4 <sub>5</sub>	4 <sub>4</sub>	5 <sub>4</sub>	5 <sub>8</sub>	5 <sub>7</sub>	14
16	0 <sub>6</sub>	1 <sub>9</sub>	1 <sub>9</sub>	2 <sub>6</sub>	2 <sub>8</sub>	2 <sub>8</sub>	14

TABLE 131. Uncertainties ( $\pm$ ) in activity coefficients for solutions having an ionic strength of 0.1 arising from the established limits of error in the physical constants used in the theoretical equations — Continued

(On weight or volume basis)

Uncertainty  $\times 10^5$

$z_+ z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
50 °C							
1	10	8 <sub>2</sub>	8 <sub>2</sub>	7 <sub>8</sub>	7 <sub>6</sub>	7 <sub>6</sub>	7 <sub>9</sub>
2	13	12	12	12	12	12	11
3	14	14	14	14	14	14	11
4	12	14	14	14	14	14	12
6	8 <sub>5</sub>	11	11	12	12	12	13
8	5 <sub>2</sub>	8 <sub>3</sub>	8 <sub>3</sub>	9 <sub>3</sub>	9 <sub>6</sub>	9 <sub>6</sub>	13
9	4 <sub>0</sub>	7 <sub>0</sub>	7 <sub>0</sub>	8 <sub>0</sub>	8 <sub>3</sub>	8 <sub>3</sub>	13
12	1 <sub>6</sub>	3 <sub>8</sub>	3 <sub>8</sub>	3 <sub>7</sub>	5 <sub>0</sub>	5 <sub>0</sub>	14
16	0 <sub>5</sub>	1 <sub>6</sub>	1 <sub>6</sub>	1 <sub>7</sub>	2 <sub>3</sub>	2 <sub>3</sub>	14
75 °C							
1	10	8 <sub>2</sub>	8 <sub>1</sub>	7 <sub>8</sub>	7 <sub>5</sub>	7 <sub>3</sub>	7 <sub>8</sub>
2	13	12	12	12	14	11	10
3	13	13	13	13	13	12	11
4	11	13	13	13	13	12	12
6	7 <sub>4</sub>	10	10	11	11	11	13
8	4 <sub>4</sub>	7 <sub>4</sub>	7 <sub>4</sub>	8 <sub>3</sub>	8 <sub>6</sub>	7 <sub>6</sub>	13
9	3 <sub>3</sub>	6 <sub>1</sub>	6 <sub>2</sub>	7 <sub>0</sub>	7 <sub>3</sub>	6 <sub>4</sub>	13
12	1 <sub>3</sub>	3 <sub>2</sub>	3 <sub>2</sub>	4 <sub>0</sub>	4 <sub>2</sub>	3 <sub>5</sub>	13
16	0 <sub>3</sub>	1 <sub>2</sub>	1 <sub>2</sub>	1 <sub>7</sub>	1 <sub>8</sub>	1 <sub>5</sub>	13
100 °C							
1	9 <sub>5</sub>	7 <sub>9</sub>	7 <sub>9</sub>	7 <sub>4</sub>	7 <sub>3</sub>	7 <sub>3</sub>	7 <sub>5</sub>
2	12	12	11	11	11	11	9 <sub>8</sub>
3	12	12	12	12	12	12	11
4	10	12	12	12	12	12	11
6	6 <sub>5</sub>	9 <sub>6</sub>	9 <sub>3</sub>	9 <sub>9</sub>	11	11	12
8	3 <sub>6</sub>	6 <sub>3</sub>	6 <sub>4</sub>	7 <sub>2</sub>	7 <sub>2</sub>	7 <sub>6</sub>	12
9	2 <sub>6</sub>	5 <sub>1</sub>	5 <sub>2</sub>	6 <sub>0</sub>	6 <sub>3</sub>	6 <sub>4</sub>	12
12	0 <sub>9</sub>	2 <sub>5</sub>	2 <sub>6</sub>	3 <sub>2</sub>	3 <sub>5</sub>	3 <sub>5</sub>	12
16	0 <sub>2</sub>	0 <sub>9</sub>	0 <sub>9</sub>	1 <sub>3</sub>	1 <sub>4</sub>	1 <sub>4</sub>	12

TABLE 132. *Values of the Debye-Hückel constants for activity coefficients based on the values of the dielectric constant of water determined by Owen et al. [12]*

<i>t</i> °C	ε <sup>a</sup>	<i>A</i>		<i>B</i>	
		Weight basis	Volume basis	Weight basis	Volume basis
		<i>kg</i> <sup>1/2</sup> <i>mol</i> <sup>-1/2</sup>	<i>l</i> <sup>1/2</sup> <i>mol</i> <sup>-1/2</sup>	<i>kg</i> <sup>1/2</sup> 10 <sup>8</sup> <i>cm mol</i> <sup>-1/2</sup>	<i>l</i> <sup>1/2</sup> 10 <sup>8</sup> <i>cm mol</i> <sup>-1/2</sup>
0	87.90	0.4905	0.4905	0.3245	0.3246
5	85.90	.4941	.4941	.3254	.3254
10	83.95	.4979	.4979	.3262	.3262
15	82.04	.5018	.5021	.3270	.3271
18	80.93	.5042	.5045	.3274	.3276
20	80.18	.5059	.5064	.3277	.3280
25	78.36	.5103	.5110	.3285	.3290
30	76.58	.5148	.5159	.3294	.3301
35	74.85	.5194	.5209	.3302	.3311
38	73.83	.5223	.5241	.3307	.3318
40	73.15	.5243	.5263	.3310	.3323
45	71.50	.5293	.5319	.3318	.3334
50	69.88	.5345	.5378	.3327	.3347
55	68.30	.5400	.5439	.3335	.3359
60	66.76	.5455	.5502	.3344	.3372
65	65.25	.5514	.5568	.3353	.3386
70	63.78	.5573	.5636	.3362	.3400
75	62.34	.5635	.5707	.3371	.3414
80	60.93	.5699	.5781	.3380	.3429
85	59.55	.5766	.5859	.3389	.3444
90	58.20	.5835	.5939	.3399	.3459
95	56.88	.5906	.6022	.3409	.3475
100	55.58	.5981	.6110	.3419	.3492

<sup>a</sup> Values for the dielectric constant of water as determined by Owen et al. [12]; values above 70 °C were calculated from their equation expressing ε as a function of temperature.

TABLE 133. *Bjerrum's minimum ion-parameter for uni-univalent electrolytes in aqueous solutions from 0 to 100 °C based on the dielectric constant of water determined by Owen et al. [12].*

Temperature <i>t</i> °C	Ion-parameter <i>a<sub>B</sub></i> $10^8 \text{ cm}$	Temperature <i>t</i> °C	Ion-parameter <i>a<sub>B</sub></i> $10^8 \text{ cm}$
(On weight or volume basis)			
0	<sup>a</sup> 3.48(3.49)	50	3.70
5	3.50	55	3.73
10	3.52	60	3.76(3.75)
15	3.53(3.54)	65	3.79(3.78)
18	3.55	70	3.82(3.81)
20	3.56	75	3.85(3.84)
25	3.58	80	3.88
30	3.60	85	3.92(3.91)
35	3.62	90	3.95(3.94)
38	3.64	95	3.99(3.98)
40	3.65	100	4.03(4.02)
45	3.67		

<sup>a</sup> See text for meaning of values given in the parentheses.

TABLE 134. *Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]*

(On volume basis)

Uncertainty  $\times 10^5$

$z_+z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
0 °C							
1	66	55	51	52	50	45	48
2	93	84	77	80	79	71	62
3	97	96	88	93	93	83	67
4	91	97	89	97	97	88	69
6	67	85	77	89	90	80	70
8	43	65	60	72	74	65	69
9	34	56	51	63	65	57	69
12	16	33	30	40	42	37	68
16	5 <sub>0</sub>	15	13	20	21	18	67
25 °C							
1	30	25	22	24	23	19	21
2	42	38	33	36	36	30	26
3	43	43	37	42	42	35	27
4	39	43	38	43	43	35	27
6	28	37	32	39	39	33	26
8	18	28	24	31	32	26	26
9	14	23	20	27	27	23	25
12	6 <sub>0</sub>	13	12	16	17	14	24
16	1 <sub>8</sub>	5 <sub>8</sub>	5 <sub>0</sub>	7 <sub>7</sub>	8 <sub>3</sub>	6 <sub>9</sub>	24

TABLE 134. Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]—Continued

(On volume basis)

Uncertainty  $\times 10^5$

$z_+z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
50 °C							
1	-20	-16	-15	-15	-15	-13	-14
2	-27	-24	-22	-24	-23	-20	-18
3	-27	-28	-25	-27	-27	-23	-19
4	-24	-27	-24	-27	-27	-24	-19
6	-17	-22	-20	-24	-25	-21	-19
8	-10	-16	-15	-18	-19	-16	-19
9	-7 <sub>7</sub>	-14	-12	-16	-16	-14	-19
12	-3 <sub>2</sub>	-7 <sub>4</sub>	-6 <sub>8</sub>	-9 <sub>2</sub>	-9 <sub>8</sub>	-8 <sub>6</sub>	-18
16	-0 <sub>9</sub>	-3 <sub>0</sub>	-2 <sub>8</sub>	-4 <sub>1</sub>	-4 <sub>5</sub>	-4 <sub>0</sub>	-18
75 °C							
1	-58	-48	-43	-46	-45	-38	-40
2	-76	-71	-63	-68	-68	-58	-49
3	-75	-77	-69	-77	-76	-66	-52
4	-66	-75	-68	-77	-77	-67	-54
6	-43	-60	-54	-65	-66	-57	-52
8	-25	-43	-39	-48	-50	-43	-51
9	-19	-35	-32	-41	-42	-37	-51
12	-7 <sub>2</sub>	-18	-17	-23	-24	-21	-50
16	-1 <sub>8</sub>	-6 <sub>8</sub>	-6 <sub>3</sub>	-9 <sub>5</sub>	-10	-9 <sub>3</sub>	-49
100 °C							
1	-107	-91	-83	-86	-84	-74	-77
2	-138	-130	-119	-126	-124	-111	-95
3	-133	-140	-128	-138	-138	-124	-101
4	-113	-132	-123	-135	-136	-123	-103
6	-70	-101	-94	-109	-112	-102	-103
8	-38	-68	-65	-79	-82	-75	-103
9	-28	-55	-52	-65	-68	-63	-103
12	-9 <sub>7</sub>	-27	-25	-34	-37	-34	-102
16	-2 <sub>2</sub>	-9 <sub>2</sub>	-8 <sub>9</sub>	-13	-15	-14	-101

TABLE 135. Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]

(On weight basis)

Uncertainty  $\times 10^5$

$z_+ z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
0 °C							
1	66	55	51	52	50	45	49
2	93	84	77	80	79	71	62
3	97	96	88	93	93	83	67
4	91	97	89	97	97	88	69
6	67	85	77	89	90	80	70
8	43	65	60	72	74	65	69
9	34	56	51	63	65	57	69
12	16	33	30	40	42	37	68
16	5 <sub>0</sub>	15	14	20	21	18	68
25 °C							
1	25	21	18	20	19	16	17
2	35	31	27	30	30	24	20
3	36	36	30	35	35	28	21
4	33	36	31	36	36	29	20
6	23	30	26	33	33	26	19
8	15	23	20	26	26	21	19
9	13	20	17	22	23	18	18
12	5 <sub>1</sub>	11	9 <sub>4</sub>	14	14	11	17
16	1 <sub>5</sub>	4 <sub>8</sub>	4 <sub>1</sub>	6 <sub>5</sub>	7 <sub>0</sub>	5 <sub>5</sub>	17

TABLE 135. Differences in activity coefficients for solutions having an ionic strength of 0.1 from those given in the main tables, if the dielectric constant of water determined by Owen et al. [12] is used instead of the values of Malmberg and Maryott [5]—Continued

(On weight basis)

Uncertainty  $\times 10^5$

$z_+z_-$	Debye-Hückel	Güntelberg	Extended Güntelberg	Davies	Scatchard	Extended Scatchard	Bjerrum
50 °C							
1	-15	-12	-11	-12	-11	-9	-10
2	-20	-18	-16	-18	-18	-14	-12
3	-20	-21	-18	-20	-20	-17	-13
4	-18	-20	-18	-21	-21	-17	-13
6	-13	-17	-15	-18	-18	-15	-12
8	-7 <sub>8</sub>	-12	-11	-14	-14	-12	-12
9	-5 <sub>9</sub>	-10	-9 <sub>1</sub>	-12	-12	-10	-12
12	-2 <sub>4</sub>	-5 <sub>7</sub>	-5 <sub>0</sub>	-7 <sub>1</sub>	-7 <sub>4</sub>	-6 <sub>2</sub>	-11
16	-0 <sub>7</sub>	-2 <sub>3</sub>	-2 <sub>0</sub>	-3 <sub>2</sub>	-3 <sub>4</sub>	-2 <sub>9</sub>	-11
75 °C							
1	-55	-49	-44	-46	-45	-39	-41
2	-77	-71	-64	-69	-68	-59	-50
3	-77	-78	-70	-78	-77	-67	-52
4	-68	-76	-69	-78	-78	-67	-53
6	-45	-62	-55	-66	-67	-58	-52
8	-26	-44	-40	-50	-51	-45	-52
9	-20	-36	-33	-42	-44	-38	-51
12	-7 <sub>7</sub>	-19	-17	-24	-25	-22	-50
16	-2 <sub>0</sub>	-7 <sub>3</sub>	-6 <sub>6</sub>	-10	-11	-9 <sub>7</sub>	-50
100 °C							
1	-104	-88	-79	-83	-81	-70	-73
2	-134	-126	-113	-122	-121	-105	-88
3	-130	-136	-122	-135	-135	-117	-92
4	-113	-130	-118	-133	-134	-116	-93
6	-71	-101	-91	-109	-111	-97	-92
8	-40	-69	-63	-79	-82	-72	-92
9	-29	-56	-51	-66	-69	-61	-91
12	-10	-28	-26	-35	-38	-34	-89
16	-2 <sub>4</sub>	-9 <sub>9</sub>	-9 <sub>1</sub>	-14	-16	-14	-88



**National Standard Reference Data Series**  
**National Bureau of Standards**

- National Standard Reference Data System, Plan of Operation, NSRDS-NBS 1— 15 cents\*
- Thermal Properties of Aqueous Uni-univalent Electrolytes, NSRDS-NBS 2—45 cents\*
- Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables—Si II, Si III, Si IV, NSRDS-NBS 3, Section 1—35 cents\*
- Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables—Si I, NSRDS-NBS 3, Section 2—20 cents\*
- Atomic Transition Probabilities, Volume I, Hydrogen Through Neon, NSRDS-NBS 4—\$2.50\*
- The Band Spectrum of Carbon Monoxide, NSRDS-NBS 5—70 cents\*
- Tables of Molecular Vibrational Frequencies, Part 1, NSRDS-NBS 6—40 cents\*
- High Temperature Properties and Decomposition of Inorganic Salts, Part 1, Sulfates, NSRDS-NBS 7—35 cents\*
- Thermal Conductivity of Selected Materials, NSRDS-NBS 8—\$1.00\*
- Tables of Biomolecular Gas Reactions, NSRDS-NBS 9—\$2.00\*
- Selected Values of Electric Dipole Moments for Molecules in the Gas Phase, NSRDS-NBS 10—40 cents\*
- Tables of Molecular Vibrational Frequencies, Part 2, NSRDS-NBS 11—30 cents\*
- Tables for the Rigid Asymmetric Rotor: Transformation Coefficient for Symmetric to Asymmetric Bases and Expectation Values of  $P_z^2$ ,  $P_z^4$ , and  $P_z^6$ , NSRDS-NBS 12—60 cents\*
- Hydrogenation of Ethylene on Metallic Catalysts, NSRDS-NBS 13—\$1.00\*
- X-Ray Wavelengths and X-Ray Atomic Energy Levels, NSRDS-NBS 14—40 cents\*
- Molten Salts: Electrical Conductance, Density and Viscosity Data, NSRDS-NBS 15—In press
- Thermal Conductivity of Selected Materials, NSRDS-NBS 16—\$2.00\*
- Tables of Molecular Vibrational Frequencies, Part 3, NSRDS-NBS 17—30 cents\*
- Critical Analysis of the Heat-Capacity Data of the Literature and Evaluation of Thermodynamic Properties of Copper, Silver, and Gold from 0 to 300 °K, NSRDS-NBS 18—40 cents\*
- Thermodynamic Properties of Ammonia as an Ideal Gas, NSRDS-NBS 19—20 cents\*
- Gas Phase Reaction Kinetics of Neutral Oxygen Species, NSRDS-NBS 20—45 cents\*
- Atomic Transition Probabilities (A Critical Data Compilation) Volume II, Elements Sodium Through Calcium, NSRDS-NBS 22—In press
- Partial Grotrian Diagrams of Astrophysical Interest, NSRDS-NBS 23—55 cents\*

---

\*Send orders with remittance to: Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Remittances from foreign countries should include an additional one-fourth of the purchase price for postage.

## NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards<sup>1</sup> was established by an act of Congress March 3, 1901. Today, in addition to serving as the Nation's central measurement laboratory, the Bureau is a principal focal point in the Federal Government for assuring maximum application of the physical and engineering sciences to the advancement of technology in industry and commerce. To this end the Bureau conducts research and provides central national services in three broad program areas and provides central national services in a fourth. These are: (1) basic measurements and standards, (2) materials measurements and standards, (3) technological measurements and standards, and (4) transfer of technology.

The Bureau comprises the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, and the Center for Radiation Research.

**THE INSTITUTE FOR BASIC STANDARDS** provides the central basis within the United States of a complete and consistent system of physical measurement, coordinates that system with the measurement systems of other nations, and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of an Office of Standard Reference Data and a group of divisions organized by the following areas of science and engineering:

Applied Mathematics—Electricity—Metrology—Mechanics—Heat—Atomic Physics—Cryogenics<sup>2</sup>—Radio Physics<sup>2</sup>—Radio Engineering<sup>2</sup>—Astrophysics<sup>2</sup>—Time and Frequency.<sup>2</sup>

**THE INSTITUTE FOR MATERIALS RESEARCH** conducts materials research leading to methods, standards of measurement, and data needed by industry, commerce, educational institutions, and government. The Institute also provides advisory and research services to other government agencies. The Institute consists of an Office of Standard Reference Materials and a group of divisions organized by the following areas of materials research:

Analytical Chemistry—Polymers—Metallurgy — Inorganic Materials — Physical Chemistry.

**THE INSTITUTE FOR APPLIED TECHNOLOGY** provides for the creation of appropriate opportunities for the use and application of technology within the Federal Government and within the civilian sector of American industry. The primary functions of the Institute may be broadly classified as programs relating to technological measurements and standards and techniques for the transfer of technology. The Institute consists of a Clearinghouse for Scientific and Technical Information,<sup>3</sup> a Center for Computer Sciences and Technology, and a group of technical divisions and offices organized by the following fields of technology:

Building Research—Electronic Instrumentation — Technical Analysis — Product Evaluation—Invention and Innovation—Weights and Measures — Engineering Standards—Vehicle Systems Research.

**THE CENTER FOR RADIATION RESEARCH** engages in research, measurement, and application of radiation to the solution of Bureau mission problems and the problems of other agencies and institutions. The Center for Radiation Research consists of the following divisions:

Reactor Radiation—Linac Radiation—Applied Radiation—Nuclear Radiation.

<sup>1</sup> Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D. C. 20234.  
<sup>2</sup> Located at Boulder, Colorado 80302.

<sup>3</sup> Located at 5285 Port Royal Road, Springfield, Virginia 22151.







