



A11103 804275

NIST Special Publication 305—Supplement 23

NIST
PUBLICATIONS

Publications of the National Institute of Standards and Technology 1991 Catalog

QC

100

.U57

305

SUPP. 23

1992

C.2

Department of Commerce

Technology Administration

National Institute of Standards and Technology

The National Institute of Standards and Technology was established in 1988 by Congress to “assist industry in the development of technology . . . needed to improve product quality, to modernize manufacturing processes, to ensure product reliability . . . and to facilitate rapid commercialization . . . of products based on new scientific discoveries.”

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry’s competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency’s basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department’s Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering and performs related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST’s research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Public Inquiries Desk, 301-975-3058.

Technology Services

- Manufacturing Technology Centers Program
- Standards Services
- Technology Commercialization
- Measurement Services
- Technology Evaluation and Assessment
- Information Services

Electronics and Electrical Engineering Laboratory

- Microelectronics
- Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields¹
- Electromagnetic Technology¹

Chemical Science and Technology Laboratory

- Biotechnology
- Chemical Engineering¹
- Chemical Kinetics and Thermodynamics
- Inorganic Analytical Research
- Organic Analytical Research
- Process Measurements
- Surface and Microanalysis Science
- Thermophysics²

Physics Laboratory

- Electron and Optical Physics
- Atomic Physics
- Molecular Physics
- Radiometric Physics
- Quantum Metrology
- Ionizing Radiation
- Time and Frequency¹
- Quantum Physics¹

Manufacturing Engineering Laboratory

- Precision Engineering
- Automated Production Technology
- Robot Systems
- Factory Automation
- Fabrication Technology

Materials Science and Engineering Laboratory

- Intelligent Processing of Materials
- Ceramics
- Materials Reliability¹
- Polymers
- Metallurgy
- Reactor Radiation

Building and Fire Research Laboratory

- Structures
- Building Materials
- Building Environment
- Fire Science and Engineering
- Fire Measurement and Research

Computer Systems Laboratory

- Information Systems Engineering
- Systems and Software Technology
- Computer Security
- Systems and Network Architecture
- Advanced Systems

Computing and Applied Mathematics Laboratory

- Applied and Computational Mathematics²
- Statistical Engineering²
- Scientific Computing Environments²
- Computer Services²
- Computer Systems and Communications²
- Information Systems

¹At Boulder, CO 80303.

²Some elements at Boulder, CO 80303.

NIST Special Publication 305—Supplement 23

Publications of the National Institute of Standards and Technology 1991 Catalog

Ernestine T. Gladden, Editor

*Office of Information Services
National Institute of Standards and Technology
Gaithersburg, MD 20899*

Issued June 1992



***U.S. Department of Commerce
Barbara Hackman Franklin, Secretary***

*Technology Administration
Robert M. White, Under Secretary for Technology*

*National Institute of Standards and Technology
John W. Lyons, Director*

QC 100
.457
305
Supp. 23
1992
1.2

*National Institute of Standards and Technology Special Publication 305 Supplement 23
to Accompany National Bureau of Standards Special Publication 305 and its Supplements 1 through 22
Natl. Inst. Stand. Technol. Spec. Publ. 305 Suppl. 23, 443 pages (June 1992)*

CODEN: NSPUE2

*U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON: 1992*

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

CONTENTS

Catalog structure and use	iv
Availability and ordering information	iv
NIST publications announcements	1
Indexes	
Personal author	PA-1
Keyword	KW-1
Title	TI-1
NTIS order/report number	OR-1
Appendixes	
A List of depository libraries in the United States	A-1
B List of district offices of the U.S. Department of Commerce	B-1
Order forms	F-1
NIST technical publications program	inside back cover
NTIS subject categories	back cover

CATALOG STRUCTURE AND USE

Full bibliographic citations including keywords and abstracts for National Institute of Standards and Technology (NIST) papers published and entered into the National Technical Information Service (NTIS) collection are cited in the "NIST Publications Announcements" section of this catalog. (Also included are papers published prior to 1991 but not reported in previous supplements of this annual catalog.) Entries are arranged by NTIS subject classifications which consist of 38 broad subject categories (see back cover) and over 350 subcategories. Within a subcategory, entries are listed alphanumerically by NTIS order number.

Four indexes are included to allow the user to identify papers by personal author, keywords, title, and NTIS order/report number. Each entry lists the appropriate title, the NTIS order number, and the abstract number.

Papers may also be identified by searching the NTIS database either online via commercially available systems such as DIALOG, or in the issues of NTIS's *Government Reports Announcements and Index* and its *Government Reports Annual Index*.

AVAILABILITY AND ORDERING INFORMATION

The highest quality and least expensive copies of NIST publications published as Government documents are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402. Publications cited with stock numbers (SN) should be ordered by these numbers. GPO will accept payment by check, money order, VISA, MasterCard, or deposit account. For availability and price, write to the GPO or telephone (202) 783-3238. Should an NIST publication be out of print at the GPO, its continued availability is assured at NTIS which sells publications in microfiche or paper copy reproduced from microfiche.

If an entry has a price code, such as PC A04/MF A01, the publication may be ordered from NTIS in paper copy (PC) or microfiche (MF) or both if both codes are given. Order from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161. A copy of the latest price code schedule is available from NTIS. NTIS will accept payment by check, money order, VISA, American Express, MasterCard, or deposit account. NTIS is the sole source of Federal Information Processing Standards (FIPS), Interagency Reports (IRs), and Grant/Contract Reports (GCRs). For more information call (703) 487-4650.

Papers noted "Not Available NTIS" may be obtained directly from the author or from the external publisher

cited. Such papers are not for sale by either the GPO or NTIS.

Two other sources for NIST publications are depository libraries (libraries designated to receive Government publications) and Department of Commerce District Offices. The depository libraries listed in Appendix A receive selected NIST publications (see inside back cover for a description of the various NIST publication series). While not every Government publication is sent to all depository libraries, certain depositories designated as Regional Depositories receive and retain one copy of all Government publications made available. Contact the depository library in your area to obtain information on what is available and where.

Department of Commerce District Offices listed in Appendix B provide ready access at the local level to publications, statistical data and summaries, and surveys. Each District Office serves as an official sales agency of the Superintendent of Documents, U.S. Government Printing Office. A wide range of Government publications can be purchased from these offices. In addition, the reference library of each District Office contains review copies of many Government publications.

NIST PUBLICATIONS ANNOUNCEMENTS

SAMPLE ENTRY

ENVIRONMENTAL POLLUTION & CONTROL

Air Pollution & Control

100,905

PB91-167353

PC A03/MF A01

National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment

S. Silberstein, Mar 91, 23 p

NISTIR-4523

Contract F-000000

Key words: *Indoor air pollution *Air cleaners, *Air pollution control equipment, *Standards, Air flow, Activated carbon, Service life, Air filters, Performance, Contaminants, Airborne wastes.

The proposed standard practice provides a general and flexible laboratory method for assessing the performance of equipment for controlling indoor concentrations of gas-phase air contaminants. Using a canister filled with adsorption media, a profile of breakthrough concentration over time is obtained during each test conducted at a fixed contaminant challenge concentration. Results of tests performed for different contaminants and different challenge concentrations can be used for estimating the useful life of air cleaning equipment, and for comparing equipment. The information will be useful to the engineer for the design and selection of such equipment.

NTIS Subject Category

NTIS Subcategory

Abstract Number

NTIS order number

Availability

Price Codes

Corporate or performing organization

Report Title

Personal authors

Report date

Page count

Report Number

Contract or grant number

Keywords: * Indicates keyword index entry

Abstract

ADMINISTRATION & MANAGEMENT

Management Practice

100,001

PB91-167833

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Interim Report to the President and to the Congress on the Malcolm Baldrige National Quality Award.

Interim rept. (Final).

Apr 91, 90p

Portions of this document are not fully legible. This publication does not have a series number assigned.

Keywords: *Quality control, *Awards, United States, Productivity, Small business, Manufacturers, Indus-

tries, Information transfer, *Quality management, Malcolm Baldrige National Quality Award.

Contents: A Note from the Secretary; Acknowledgments; Executive Summary; The Malcolm Baldrige National Quality Improvement Act of 1987: Background and Purposes; Award Program Design; 1988 Award Program; 1989 Award Program; 1990 Award Program; Progress in Information Transfer; Benefits of the Award Program; Implications of the Award; Strengthening U.S. Competitiveness; Key Issues; Findings and Conclusions; Appendices.

100,002

PB92-126481

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts.

M. E. McKnight, Nov 91, 19p NISTIR-4706

See also PB86-230653. Sponsored by Tri-Services Facilities Coatings Committee.

Keywords: *Government procurement, *Contracts, *Awards, Painting, Coatings, General Services Administration.

The Department of Defense is placing increasing emphasis on the use of commercially available or brand-

ed products in lieu of Military or Federal Specification products in building construction and maintenance. However, there are few industry consensus specifications for paints and coatings. Although non-government consensus coating specifications are being developed, a General Services Administration Federal Supply Schedule provides an additional mechanism through which Federal agencies can obtain commercially available coatings. Specifically, the use of a Multiple Award Federal Supply Schedule in a military painting contract is discussed in the report. Procedures for obtaining the lowest cost material that would meet the Government's minimum needs are addressed. A description of need based upon performance criteria for the specific end use, that would be included in a painting contract, is suggested. Advantages and disadvantages of using a Multiple Award Schedule in painting contracts are enumerated. Advantages include providing a mechanism for using new coating technology, taking advantage of manufacturer's technical support and knowledge of regulatory issues, and decreasing the need for revising or preparing new coating specifications. Disadvantages include the additional effort needed to revise guide specifications, train both coating users and suppliers in new procedures and the lack of performance criteria for some end uses. Despite the disadvantages cited, it is concluded that the advantages outweigh the disadvantages and that use of a Multiple Award Schedule in painting contracts is feasible.

ADMINISTRATION & MANAGEMENT

Personnel Management, Labor Relations & Manpower Studies

Personnel Management, Labor Relations & Manpower Studies

100,003

PB91-231555 PC A05/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD. Office of Personnel and Civil Rights.
NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.
A. Cassidy. Jul 91, 94p NISTIR-4640

Keywords: *Personnel management, *Payment systems, Government employees, Compensation, Income, Employment, Performance evaluation, Performance standards, Classification, Demonstration projects, Managers, *National Institute of Standards and Technology.

The NIST Authorization Act for Fiscal Year 1987 provided for a 5-year project to demonstrate an alternative personnel management system, which was implemented January 1, 1988. The project system was built on the concepts of total compensation comparability, market sensitivity, pay for performance, administrative simplicity, management flexibility, and government-wide applicability. Designed to improve hiring and retention of high-quality personnel and to more effectively compensate and retain high performers, the project dramatically changed the way NIST administrators pay, position classification, recruitment, qualifications examination, retention, and performance management for former General Schedule employees. Evaluations and feedback from managers and employees have shown that project personnel systems have improved NIST's ability to recruit and retain quality staff; make compensation more competitive; link pay to performance; simplify position classification; streamline processing; improve the staffing process and get new hires aboard faster; and increase the manager's role and accountability in personnel management.

Productivity

100,004

PB91-177774 PC A99/MF A04
National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Code and Information.
Standards Activities of Organizations in the United States.
Special pub. (Final).
R. B. Toth. Feb 91, 738p NIST/SP-806
Supersedes PB85-106151. Also available from Supt. of Docs. See also PB89-221147.

Keywords: *Standardization, *Organizations, *United States, *Directories, Standards, Trade associations, Sources, National government, Specifications, Military organizations, Technical societies, Recommendations.

The directory is a guide to mandatory and voluntary standards activities in the United States at the national level - both governmental and nongovernmental (trade associations, technical and other professional societies). It excludes proprietary (company standards) and state and local levels of government (i.e., county and municipal). It supersedes the 1984 edition (NBS SP 681), 'Standards Activities of Organizations in the United States.' It includes standards distributors, libraries, and information centers, and union lists of standards repositories by regional areas. It also lists organizations that no longer develop standards. Over 750 current descriptive commentaries are formatted, with subject headings to facilitate access to specific information. The main sections cover nongovernment; federal government; sources of standards documents and information; a subject index and related listings covering acronyms and initials, defunct bodies, and those organizations with name changes. Organizations have been included if they develop standards or contribute to the standardization process, whether voluntary or mandatory, or are sources of standards documents or information. An introductory section provides general information on federal (including military) standards activities, a list of 20 major nongovernment standards developers, some historical notes, and an overview of U.S. (national) standardization activities.

Public Administration & Government

100,005

PB91-167379 PC A06/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Code and Information.
Directory of Federal Government Laboratory Accreditation/Designation Programs.
Special pub. (Final).
M. Breitenberg. Feb 91, 105p NIST/SP-808
Also available from Supt. of Docs. See also PB88-201512.

Keywords: *Laboratories, *Certification, *Directories, Specifications, Regulations, Standards, Inspection, Grading, Data bases, *Federal Government certification, Approved products.

The directory is designed to provide updated information on federal government laboratory accreditation and similar type programs conducted by the federal government. The programs designate a set of laboratories or other entities to conduct testing to assist federal agencies in carrying out their responsibilities. The programs include an assessment regarding the capability of the laboratory to conduct the testing. The type and degree of such assessments, however, vary greatly by program. It should be noted that the entries in the directory are based primarily on information provided by the federal agency and reflect the agency's view of its activities. The directory is part of ongoing NIST efforts to establish and maintain comprehensive databases on standards, regulations, laboratory accreditation and certification programs and related information in accordance with the requirements of the Trade Agreements Act of 1979. The material has been compiled to meet the needs of government, industry, and the public for information on U.S. Government laboratory accreditation and related programs.

100,006

PB91-222695 PC A05/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.
Standards for the Physical Protection of National Resources and Facilities.
Final rept.
R. D. Dikkers. Jul 91, 89p NISTIR-4618
Contract IAA-EMW-90-E-3279
Sponsored by Federal Emergency Management Agency, Washington, DC.

Keywords: *Federal buildings, *Security, *Standards, Federal agencies, Equipment, Safety engineering, National government, Facilities, Area security, *Federal Emergency Management Agency.

The specific objectives of the study are: (1) to identify and compile existing standards and guidelines pertaining to the physical protection of facilities and resources; and (2) to prepare a plan and strategies for developing national standards which may be needed to assist Federal departments and agencies in the protection of their facilities and resources.

Research Program Administration & Technology Transfer

100,007

PB91-187559 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
NIST Research Reports, March 1991.
Special pub.
Mar 91, 41p NIST/SP-809
Also available from Supt. of Docs. as SN003-003-03081-3. See also PB91-112813.

Keywords: *Research, International trade, Federal budgets, High temperature superconductors, Electric contacts, Grants, Technology transfer, Drugs, Chemical analysis, Telecommunication, Polymer matrix composites, Helms, Integrated circuits, MMIC, US NIST, Advanced Technology Program, Integrated Services Digital Network.

Contents: Research Update; America's Technology Opportunities; 1992 Budget Seeks Increase for NIST; Making Good Contact; Grants to Advance Key Industrial Technologies; Helping Companies Up the Technology Ladder; New Instrument Promises Improved

Tracking of Drugs; Call of the Future; A New Generation of Materials; Manufacturers, Skiers Gain Competitive Edge; Microwaves on a Chip; New Publications; Conference Calendar.

100,008

PB91-195545 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Office of Energy-Related Inventions.
Trends in Technological Innovation.
Final rept.
H. Robb. 1988, 4p
Sponsored by American Society of Mechanical Engineers, New York.
Pub. in Proceedings of the Intersociety Energy Conversion Engineering Conference (23rd), Denver, CO., July 31-August 5, 1988, p305-308.

Keywords: *Technology innovation, *Trends, Research and development, Technology utilization, Inventions, Changes, Industries, Manufacturing, Businesses, Reprints.

In the last twelve years, several trends have begun to emerge with respect to the type of inventor and the type and level of technology that have succeeded and will succeed (or fail) in the commercial marketplace. The rate of change taking place in almost all areas of technology is not just accelerating, it is amazing. It goes without saying that the kinds of technological changes that are taking place are affecting the future of almost all manufacturing industries. In addition, even many institutions in non-technological areas, including some that seem far removed, are being affected by the rate of technological change. For instance, it is interesting to note that in the specific case of banking the rate of change in technological development throughout the general scientific community is affecting them in ways that many in the banking industry seem to not be aware of. Yet, these many technological developments are quietly restructuring their industry, from the outside. Similar trends are underway in most areas of business.

100,009

PB91-204032 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.
Advanced Materials: Opportunities and Challenges.
Final rept.
L. H. Schwartz. 1988, 8p
Pub. in Proceedings of Israel Materials Engineering Conference (4th), Beer Sheva, Israel, December 7-8, 1988, p51-58.

Keywords: *Materials, *Process control, *Research projects, *Data bases, Polymers, Mechanical properties, Cost analysis, Intermetallic compounds, Design criteria, Composite materials, Ceramics, Reprints, Research needs.

Advanced materials include high performance composites, fine ceramics, intermetallic alloys, and advanced polymers. All technologically developed nations have identified these advanced materials along with biotechnology and information technology as the three principal emerging technologies for the next several decades. However, several obstacles must be overcome before the laboratory promise of advanced materials can be converted into practical, economically attractive alternatives to existing materials. Principal among these obstacles are: the demanding process control required to achieve an adequate level of reproducible quality at low cost; the push from international competitors leading to simultaneous rather than sequential development of processing, structure characterization, properties evaluation and performance assessment; the increased variety of materials available for a given application requiring the development of engineering property data bases.

100,010

PB91-206748 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD. National Voluntary Lab. Accreditation Program.
NVLAP FY 90 Annual Report.
V. R. White. Jun 91, 19p NISTIR-4599
See also PB90-198920.

Keywords: *Laboratories, *Certification, Project management, Research management, Reports, Test facilities, Personnel, Information systems, Research

Research Program Administration & Technology Transfer

projects, Organizational structure, Programs, *NVLAP(National Volunteer Laboratory Accreditation Program).

The report summarizes activities of the National Volunteer Laboratory Accreditation Program (NVLAP) for the fiscal year which ended September 30, 1990. The report covers NVLAP Operations, Technical Activities, Staffing, Publications, Talks and Presentations. The Technical Activities section presents individual descriptions of areas of new activity in FY 90 (Airborne Asbestos Analysis, Secondary Calibration for Ionizing Radiation, Plumbing, GOSIP, POSIX, Fasteners, and Calibration), as well as a summary of future program developments.

100,011
PB91-216531 PC A20/MF A04
 National Inst. of Standards and Technology (TS), Gaithersburg, MD. Information Resources and Services Div.
Publications of the National Institute of Standards and Technology, 1990 Catalog.
 Rept. for Jan-Dec 90.
 E. T. Gladden. Jun 91, 463p NIST/SP-305-SUPPL-22
 Also available from Supt. of Docs. as SN003-003-03085-6. See also PB90-271818.

Keywords: *Catalogs(Publications), *Bibliographies, Science, Technology, Research management, *National Institute of Standards and Technology.

Full bibliographic citations including keywords and abstracts for National Institute of Standards and Technology (NIST) (formerly National Bureau of Standards (NBS)) papers published and entered into the National Technical Information Service (NTIS) collection are cited in the 'NIST Publications Announcements' section of the catalog. Entries are arranged by NTIS subject classifications which consist of 38 broad subject categories and over 350 subcategories. Within a subcategory, entries are listed alphabetically by NTIS order number. Four indexes are included to allow the user to identify papers by personal author, keywords, title, and NTIS order/report number. Each entry lists the appropriate title, the NTIS order number, and the abstract number.

100,012
PB92-109172 PC A05/MF A01
 National Inst. of Standards and Technology, Gaithersburg, MD. Public Affairs Div.
Research. Services. Facilities. (National Institute of Standards and Technology).
 Special pub.
 M. A. Bello, G. Porter, and S. A. Shaffer. Aug 91, 92p NIST/SP-817
 Also available from Supt. of Docs.

Keywords: *Research facilities, *Research programs, US NBS, Cooperation, Government/industry relations, *National Institute of Standards and Technology, US NIST.

Each year more than 1,000 researchers from industry, universities, or other government agencies come to NIST to conduct cooperative research projects lasting from a few weeks to several years. The document describes the full spectrum of NIST programs and facilities available for industry participation and use. Each item includes the name and phone number of a NIST program manager or researcher to contact for more information. Contents: Gaining the competitive edge; Serving the customer; Technology services; Electronics and Electrical Engineering Laboratory; Manufacturing Engineering Laboratory; Chemical Science and Technology Laboratory; Physics Laboratory; Materials Science and Engineering Laboratory; Building and Fire Research Laboratory; Computer Systems Laboratory; Computing and Applied Mathematics Laboratory; Facilities index; Subject index.

100,013
PB92-126697 (Order as PB92-126614, PC A06/MF A02)
 National Inst. of Standards and Technology, Gaithersburg, MD.
Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies.
 B. C. Belanger, G. A. Urano, and R. G. Kammer. 1991, 7p
 Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p605-611 Sep/Oct 91.

Keywords: *Technology, Joint ventures, Competition, Selection, Awards, *Advanced Technology Program, ATP program, Competitiveness, US NIST.

The Advanced Technology Program (ATP) is a new extra mural program operated by the National Institute of Standards and Technology (NIST) for the Department of Commerce's Technology Administration. The ATP will help enhance U.S. competitiveness by funding the development of pre-competitive, generic technologies in partnership with industry. The paper describes the ATP, the first ATP awards made by NIST, and the prognosis for the success of the ATP.

of other investigations reported in the literature are discussed which support the conclusions of the work. The relationship between the centerline mixing and entrainment behaviors of these flows is explored.

AGRICULTURE & FOOD

Food Technology

100,016
PB91-150060 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.
gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy.
 Final rept.
 M. F. Desrosiers. 1989, 5p
 Pub. in Jnl. of Agricultural and Food Chemistry 37, n1 p96-100 Jan/Feb 89.

Keywords: *Seafood, *Food processing, Electron spin resonance, Aquatic animals, Dosimetry, Free radicals, Cobalt 60, Acetylglucosamine, Bones, Reprints, *Food irradiation.

Electron paramagnetic resonance (EPR) spectroscopy was used to measure the production of free radicals induced by (60)Co Gamma-rays in shrimp exoskeleton, mussel shells, and fish bones. The EPR spectrum for irradiated shrimp shell was dose dependent and appeared to be derived from more than one radical. The major component of the radiation-induced spectrum resulted from radical formation in chitin, assigned by comparison with irradiated N-acetyl-D-glucosamine. Other measurements include the total yield of radicals formed as a function of dose and the longevity of the radiation-induced EPR signal. Similar measurements were made for mussel shells and fish bones, and the results are compared and discussed. It was concluded that irradiated shrimp (with shell attached) could definitely be identified by this technique; however, precise determination of absorbed dose was less straightforward. Positive identification of irradiated fish bones was also clearly distinguishable, and dosimetry by EPR appeared to be feasible.

100,017
PB91-194720 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
 Final rept.
 M. F. Desrosiers, W. L. McLaughlin, L. A. Sheahan, N. J. F. Dodd, J. S. Lea, J. C. Evans, C. C. Rowlands, J. J. Raffi, and J. P. L. Agnel. 1990, 10p
 Pub. in International Jnl. of Food Science and Technology 25, p682-691 1990.

Keywords: *Gamma rays, *Food processing, *Meat, *Bones, Electron spin resonance, Poultry, Frogs, Pork, Interlaboratory comparisons, Reprints, *Food irradiation.

A multinational co-trial was organized to determine if electron spin resonance (ESR) spectroscopy could be used to monitor foods exposed to ionizing radiation. The bones of chicken legs, frog legs and pork rib bones were prepared and distributed as unknowns to the participating laboratories. In every instance, non-irradiated bones were correctly identified as such. Moreover, irradiated bones were not only correctly identified, but relatively good estimates of the absorbed dose were obtained. An intercomparison of the different approaches used by each laboratory is discussed, and recommendations for future trials are presented.

100,018
PB92-116672 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.

AERONAUTICS & AERODYNAMICS

Aerodynamics

100,014
PB92-117183 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Measurement and Research Div.
Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets.
 Final rept.
 W. M. Pitts. 1991, 10p
 Contract AFOSR-ISSA-85-00012
 See also PB87-225413. Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.
 Pub. in Experiments in Fluids 11, p125-134 1991.

Keywords: *Density ratio, *Jet mixing flow, *Concentration(Composition), *Turbulent flow, Mixing, Turbulence, Light scattering, Gas flow, Rayleigh scattering, Density(Mass/Volume), Density measurement, Reprints.

Measurements, utilizing Rayleigh light scattering, of time-averaged concentration and unmixedness have been made along the centerlines of axisymmetric turbulent jets formed from six pairs of jet and ambient gases. Jet to ambient density ratios range from 0.14 to 5.11. Findings are compared with predictions of an approx. similarity analysis and with extensive previous literature measurements. It is shown that virtual origins for plots of inverse time-averaged concentration are strongly dependent on global density ratio. Unmixedness values first grow with increasing distance from the jet source and then achieve an asymptote. The flow distance required to reach this asymptote is a strong function of density ratio.

100,015
PB92-117209 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Measurement and Research Div.
Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.
 Final rept.
 W. M. Pitts. 1991, 7p
 Contract AFOSR-ISSA-85-00012
 See also PB87-201836. Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.
 Pub. in Experiments in Fluids 11, p135-141 1991.

Keywords: *Reynolds number, *Concentration(Composition), *Jet mixing flow, *Turbulent flow, Mixing, Turbulence, Light scattering, Gas flow, Rayleigh scattering, Propane, Carbon tetrafluoride, Sulfur hexafluoride, Jets, Reprints.

Measurements of time-averaged jet fluid mass fraction and unmixedness are reported along the centerlines of axisymmetric jets having Reynolds numbers (Re) covering a range of 3,950-11,880. Jet gases investigated are propane, carbon tetrafluoride, and sulfur hexafluoride. The slopes for the fall off of inverse centerline mass fraction with distance are found to be independent of Re for moderate downstream distances, but virtual origins for the data are shown to move downstream with increasing Re. Unmixedness measurements show that flows with higher Re require longer flow distances to achieve asymptotic behavior. Results

AGRICULTURE & FOOD

Food Technology

Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone.

Final rept.
M. F. Desrosiers. 1991, 2p
Pub. in Jnl. of Food Science 56, n4 p1104-1105 1991.

Keywords: *Food processing, *Meat, *Electron spin resonance, *Ionizing radiation, Free radicals, Dose-response relationships, Food industry, Reprints.

Electron spin resonance (ESR) spectroscopy assessed the dose absorbed by radiation-processed meats (containing bone). Additive re-irradiation of the bone generated a dose response curve which could then be used to assess the initial dose from irradiation. An exponential fit to the ESR response to absorbed dose provided a good estimate of initial dose and was a reasonable physical description of the response from absorption of ionizing radiation by bone. These data have implications for regulation of the industry.

ASTRONOMY & ASTROPHYSICS

Astrophysics

100,019
PB91-148825 Not available NTIS
National Bureau of Standards (NML), Boulder, CO. Quantum Physics Div.

Modeling the Coronae and Chromospheres of RS CVn Systems by the Analysis of Ultraviolet, X-ray and Radio Observations.

Final rept.
J. L. Linsky. 1990, 13p
Contracts NASA-NAG5-82, NASA-H-80531-B
Sponsored by National Aeronautics and Space Administration, Washington, DC.
Pub. in Active Close Binaries, p747-759 1990.

Keywords: *Stars, Astronomical models, Stellar chromospheres, Stellar coronal, Ultraviolet spectra, Radio spectra, X ray spectra, Binary stars, Reprints.

The author summarizes the present status of chromospheric and coronal models of active stars in RS CVn systems. The first generation models which assumed plane-parallel, one-component layers are now being supplanted by second generation models in which the covering fraction of the plage or flare plasma is estimated by a Doppler-imaging analysis. Third generation models should include the magnetic field geometry and the total energy balance in a self-consistent manner.

100,020
PB91-148833 Not available NTIS
National Bureau of Standards (NML), Boulder, CO. Quantum Physics Div.

Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.

Final rept.
I. R. Little-Marenin, T. Simon, T. R. Ayres, N. L. Cohen, P. A. Feldman, J. L. Linsky, and S. J. Little. 1986, 11p
Contract NAG5-82
Sponsored by National Aeronautics and Space Administration, Washington, DC.
Pub. in Astrophysical Jnl. 303, n2 p780-790, 15 Apr 86.

Keywords: *Binary stars, Ultraviolet spectra, Infrared spectra, Microwave spectra, Optical spectra, Late stars, Reprints, *HR 5110 stars, Algol type stars.

HR 5110 is a close binary system which is viewed nearly pole-on ($i = 13$ deg). A comparison of the characteristics of Algol and RS CVn systems to those of HR 5110 shows that HR 5110 can also be considered an Algol system. Because the primary star is relatively cool (F2 IV) and there is no apparent emission from an accretion disk, that authors are able to detect in IUE spectra the emission of an active chromosphere and transition region of the cooler (KO IV) secondary. HR 5110 is important because it is the only known Algol system for which the properties of the secondary star can be studied in detail.

100,021
PB91-148957 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Studies of H I and D I in the Local Interstellar Medium.

Final rept.
J. Murthy, R. C. Henry, H. W. Moos, A. Vidal-Madjar, J. L. Linsky, and C. Gry. 1990, 6p
Pub. in Astrophysical Jnl. 356, n1 p223-228, 10 Jun 90.

Keywords: *Interstellar matter, Ultraviolet spectra, Lyman alpha radiation, Emission spectra, Late stars, Hydrogen, Deuterium, Abundance, IUE, Reprints, Capella star.

The authors present high-dispersion IUE spectra of the hydrogen Ly(alpha) chromospheric emission line of two nearby late-type stars, Capella and lambda. Both interstellar H I and D I Ly(alpha) absorption can be seen against the chromospheric line, and the authors have derived the density, velocity dispersion, and bulk velocity of the gas in those lines of sight. They have also placed limits on the D/H ratio.

100,022
PB91-148965 Not available NTIS
National Bureau of Standards (NML), Boulder, CO. Quantum Physics Div.

Spatially Resolved Flares in RS CVn Systems.

Final rept.
J. E. Neff, and J. L. Linsky. 1988, 4p
Sponsored by National Aeronautics and Space Administration, Washington, DC.
Pub. in Activity in Cool Star Envelopes, p175-178 1988.

Keywords: *Binary stars, *Stellar flares, Stellar chromospheres, Ultraviolet spectra, Emission spectra, Magnesium, Reprints.

The authors have isolated Mg II k emission line profiles arising solely from the flaring region during flares on AR Lac and V 711 Tau. From several high-resolution spectra obtained during the lifetime of the flare, they have determined the size and position of the flaring regions and studied the decay of the emission line width, radial velocity, and integrated line flux.

100,023
PB91-149021 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.

Final rept.
R. K. Prinja, M. J. Barlow, and I. D. Howarth. 1990, 14p
Pub. in Astrophysical Jnl. 361, p607-620, 1 Oct 90.

Keywords: *Early stars, *Wolf-Rayet stars, *Supergiant stars, *O stars, *Stellar winds, Stellar mass ejection, Terminal velocity, Reprints, Mass loss.

The authors argue that easily measured, reliable estimates of terminal velocities for early-type stars are provided (1) by the central velocity asymptotically approached by narrow absorption features and (2) by the violet limit of zero residual intensity in saturated P Cygni profiles. They use these estimators to determine terminal velocities, v_{∞} for 181 O stars, 70 early B supergiants, and 35 Wolf-Rayet stars. For OB stars their values are typically 15%-20% smaller than the extreme violet edge velocities, v_{edge} , while for WR stars, $v_{\infty} \approx 0.7 v_{\text{edge}}$ on average. The authors give new mass-loss rates for WR stars which are thermal radio emitters, taking into account the authors' new terminal velocities and recent revisions to estimates of distances and to the mean nuclear mass per electron. The authors examine the relationships between v_{∞} the surface escape velocities, and effective temperatures.

100,024
PB91-149286 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

New Radio Detectors of Early-Type Pre-Main Sequence Stars.

Final rept.
S. L. Skinner, A. Brown, and J. L. Linsky. 1990, 4p
Pub. in Astrophysical Jnl. 357, pL39-L42, 10 Jul 90.

Keywords: *Pre-main sequence stars, *Early stars, Radio sources(Astronomy), Reprints, Very large array.

The authors present results of VLA radio continuum observations of 13 early-type pre-main-sequence stars selected from the 1984 catalog of Finkenzeller and Mundt. The stars HD 259431 and MWC 1080 were detected at 3.6 cm, while HD 200775 and TY CrA were detected at both 3.6 and 6 cm. The flux density S_{ν} of HD 200775 has a frequency dependence of the form $S_{\nu} \propto \nu^{0.50 \pm 0.03}$, consistent with the behavior expected for free-free emission originating in a fully ionized wind. However, an observation in A configuration suggests that the source geometry may not be spherically symmetric. In contrast, the spectral index of TY CrA is negative with a flux behavior of the form $S_{\nu} \propto \nu^{-0.15 \pm 0.01}$, implying nonthermal emission. The physical mechanism responsible for the nonthermal emission has not yet been identified, although gyrosynchrotron and synchrotron processes cannot be ruled out.

100,025
PB91-149849 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Photospheres of Hot Stars. 4. Spectral Type O4.

Final rept.
B. Bohannan, S. A. Voels, D. G. Hummer, and D. C. Abbott. 1990, 9p
Contract NAGW-766, Grant NSF-AST85-05919
See also PB89-202592. Sponsored by National Aeronautics and Space Administration, Washington, DC., and National Science Foundation, Washington, DC.
Pub. in Astrophysical Jnl. 365, p729-737, 20 Dec 90.

Keywords: *Hot stars, Main sequence stars, Supergiant stars, O stars, Stellar atmospheres, Stellar temperature, Stellar evolution, Reprints.

The basic stellar parameters of a supergiant (zeta Pup) and two main-sequence stars, 9 Sgr and HD 46223, at spectral class O4 are determined using line profile analysis. The stellar parameters are determined by comparing high signal-to-noise hydrogen and helium line profiles with those from stellar atmosphere models which include the effect of radiation scattered back onto the photosphere from an overlying stellar wind, an effect referred to as wind blanketing. At spectral class O4, the inclusion of wind-blanketing in the model atmosphere reduces the effective temperature by an average of 10%. The shift in effective temperature is also reflected by shifts in several other stellar parameters relative to previous O4 spectral-type calibrations. It is also shown through the analysis of the two O4 V stars that scatter in spectral type calibrations is introduced by assuming that the observed line profile reflects the photospheric stellar parameters.

100,026
PB91-158956 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.

Working Group 1: Atomic Spectra and Wavelength Standards.

Final rept.
W. C. Martin. 1988, 7p
Pub. in Transactions of the International Astronomical Union, vXXA p111-117 1988.

Keywords: *Atomic spectroscopy, Atomic energy levels, Wavelengths, Bibliographies, Reprints.

The bibliographic report describes atomic spectroscopic research and data of interest for astronomy. It covers the past 3 years.

100,027
PB91-174664 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Radio-Continuum Observations of a Variety of Cool Stars.

Final rept.
S. A. Drake, J. L. Linsky, P. G. Judge, and M. Elitzur. 1991, 7p
Pub. in Astronomical Jnl. 101, n1 p230-236 Jan 91.

Keywords: *Radio sources(Astronomy), *Cool stars, Main sequence stars, Supergiant stars, Giant stars, Radio astronomy, Stellar winds, Reprints.

The authors present radio-continuum observations made at 2 and/or 6 cm of 26 cool stars (FO and later), including 10 F-K main-sequence stars and 16 F-M giant and supergiant stars. The data were obtained as part of several Very Large Array observing programs. 22 of the observed stars were not detected as sources

and have typical 3 sigma upper limits of about 0.35 mJy at 2 cm and about 0.15-0.60 mJy at 6 cm.

100,028
PB91-174920 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
 Final rept.
 B. C. Koo, W. T. Reach, C. Heiles, R. A. Fesen, and J. M. Shull. 1990, 9p
 Sponsored by National Science Foundation, Washington, DC.
 Pub. in *Astrophysical Jnl.* 364, n1 p178-186, 20 Nov 90.

Keywords: *Supernova remnants, *Nebulae, Expansion, Pulsars, Reprints.

The authors have detected an expanding H I shell around the supernova remnant (SNR) CTB 80. The H I shell is clumpy and partially complete, with its SW portion opened. The shell has an expansion velocity of 72 km/s, a radius of 19(d sub 2) pc where (d sub 2) is the distance to CTB 80 in 2 kpc, and a total H I mass of 1200 (d sub 2, sub 2) solar masses. With its measured kinematic and dynamical properties, CTB 80 provides a 'Rosetta Stone' for studies of old SNRs.

100,029
PB91-175026 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Ground-Truth Observations of Stellar Surface Structure from the Lunar Surface.
 Final rept.
 J. L. Linsky. 1990, 10p
 Grant NAG5-82
 Sponsored by National Aeronautics and Space Administration, Washington, DC.
 Pub. in *Proceedings of NASA Workshop on Astrophysics from the Moon*, Annapolis, MD., February 1990, p168-177.

Keywords: *Stellar activity, *Lunar observatories, Lunar surface, Stellar chromospheres, Starspots, Granulation, Convection, Interferometry, Reprints.

Using increasingly sophisticated observing strategies, astronomers have begun to observe brightness inhomogeneities on the surfaces of stars indicative of starspots, active regions, and chemically-anomalous patches with size scales far smaller than the diffraction limits of the present generation of telescopes. While tantalizing, these first glimpses of stellar surface structures are very crude and not unique. Modest-sized optical and ultraviolet interferometers located on the lunar surface could resolve these surface structures on nearby, bright stars to provide 'ground truth' to the present crude images and to extend the studies to much smaller and physically interesting scales. An intermediate scale optical/ultraviolet interferometer on the lunar surface with 0.001 to 0.0001 arcsecond angular resolution would provide unique and spectacular results concerning stellar surface structures. The intermediate scale interferometer could be a very useful device for learning how to build larger interferometers that could address more difficult questions.

100,030
PB91-175034 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Some Concluding Thoughts for Cool Stars VI.
 Final rept.
 J. L. Linsky. 1989, 4p
 Grant NAG5-82
 Sponsored by National Aeronautics and Space Administration, Washington, DC.
 Pub. in *Proceedings of Cambridge Workshop on Cool Stars, Stellar Systems, and the Sun* (6th), Seattle, WA., September 12-14, 1989, p500-503.

Keywords: *Cool stars, Stellar chromospheres, Stellar coronae, Stellar winds, Late stars, Meetings, Reprints.

In the Workshop summary the author highlights some of the major trends in the field of cool stars research and calls attention to some of the important unanswered questions that the author hopes will become the scientific highlights of the next Workshop.

100,031
PB91-175042 Not available NTIS

National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
 Final rept.
 J. L. Linsky, S. A. Drake, and T. S. Bastian. 1990, 4p
 Grant NAGW-1716
 Sponsored by National Aeronautics and Space Administration, Washington, DC.
 Pub. in *Proceedings of Cambridge Workshop on Cool Stars, Stellar Systems, and the Sun* (6th), Seattle, WA., September 12-14, 1989, p189-192 1990.

Keywords: *Radio sources(Astronomy), *Magnetic stars, *B stars, Reprints.

The authors have extended the initial Drake et al (1987) survey in 3 subsequent VLA runs, and have not detected a total of 15 sources at 6 cm. Of these stars 3 are also detected at 2 cm, 3 at 3.6 cm, and 5 at 20 cm. The authors have found no additional early-B He-strong stars, but have detected 10 new stars with spectral types B5-AO that have measured magnetic fields and are generally He-weak and Si-strong. The authors have not yet detected any classical Ap stars despite a number of attempts.

100,032
PB91-200873 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Energy Distributions of Symbiotic Novae.
 Final rept.
 G. L. Bryan, and S. Kwok. 1991, 9p
 Pub. in *Astrophysical Jnl.* 368, p252-260, 10 Feb 91.

Keywords: *Symbiotic stars, *Novae, Infrared astronomy satellite, Infrared spectra, Ultraviolet spectra, Stellar envelopes, IUE, Reprints.

The IRAS low-resolution spectra of three recent symbiotic novae (HM Sge, V1016 Cyg, and RR Tel) are fitted with a dust continuum radiative transfer model. It was found that the dust shells are detached from the photosphere and that the sizes of the inner radii are correlated with times since outburst. An analysis of the IUE spectra of HM Sge at different epochs suggests that the strength of the 2200 A feature is decreasing with time and the grains responsible for the feature are probably formed in the white dwarf ejecta. A complete accounting of the entire energy budget from radio to X-ray shows that most of the energy is emitted by the cool component in the infrared, and a significant fraction of the flux of the hot component is escaping in the far-ultraviolet. The density-bounded nature of the circumstellar gas nebulae could be the result of a bipolar geometry of the nebulae. Unlike classical novae, the optical outburst of symbiotic novae is due to the ionization of the preexisting envelope of the cool component and is not the result of a sudden ejection by the hot component.

100,033
PB91-202861 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Evolution of Infrared Carbon Stars.
 Final rept.
 S. J. Chan, and S. Kwok. 1990, 15p
 Sponsored by Natural Sciences and Engineering Research Council of Canada, Ottawa (Ontario).
 Pub. in *Astronomy and Astrophysics* 237, p354-368 1990.

Keywords: *Carbon stars, *Stellar evolution, Infrared astronomy satellite, Stellar mass ejection, Stellar envelopes, Infrared stars, Late stars, Reprints, Mass loss.

The Infrared Astronomical Satellite (IRAS) survey has shown that carbon stars which were discovered by optical surveys and those identified as such because of their SiC dust features have very different infrared colors. The former is visually bright and has large excesses in 60 micrometers while the latter (which will be referred to as infrared carbon stars) have blackbody-like energy distributions. In the present paper, the authors present model calculations on the evolution from visual carbon stars to infrared carbon stars. The authors have selected a sample of 472 infrared carbon stars from the IRAS Low Resolution Spectra (LRS) Atlas after rejecting mis-classified objects. A new opacity function for the SiC grain is derived from the LRS of the brightest sources in this sample. The energy distributions of about 150 IRAS infrared carbon stars are fitted with a radiative transfer model. The

evolution of infrared carbon stars can be understood by a continuous increase in mass loss rate on the asymptotic giant branch (AGB).

ATMOSPHERIC SCIENCES

Physical Meteorology

100,034
PB91-189340 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Gas and Particulate Science Div.
Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
 Final rept.
 A. Fried, L. Nunnermacker, B. Cadoff, R. Sams, N. Yates, W. Dorko, R. Dickerson, and E. Winstead. 1990, 8p
 Pub. in *Jnl. of Geophysical Research - Atmospheres* 95, nD7 p139-146 1990.

Keywords: *Nitrogen dioxide, Atmospheric composition, Calibration, Reprints, *Reference materials, Global Tropospheric Experiment, Intercomparison.

An NO2 calibration system, based upon a permeation tube and a two stage dynamic dilution system, was designed, constructed, and characterized at the National Bureau of Standards. The calibration system described was employed as the reference standard in NASA's Global Tropospheric Experiment/CITE-II mission in August of 1986, and was capable of accurately delivering known NO2 concentrations in the 0.4 to 200 ppbv concentration range with a total uncertainty around 10%. Extensive laboratory tests were carried out based upon gravimetry, chemiluminescence detection, and tunable diode laser absorption spectroscopy, to characterize both the system performance and the permeation emission rate. Upon completion of these tests, the calibration system was mounted on board NASA's research aircraft at both the Wallops Island and Ames research facilities. Known NO2 concentrations in the 0.4 to 1 ppbv range were delivered to four different NO2 detectors in a double blind inter-comparison.

100,035
PB91-236646 Not available NTIS
 National Inst. of Standards and Technology (CSTL),
 Gaithersburg, MD. Organic Analytical Research Div.
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
 Final rept.
 R. A. Durst, W. Davison, K. Toth, J. E. Rother, M. E. Peden, and B. Griepink. 1991, 9p
 Sponsored by International Union of Pure and Applied Chemistry, Oxford (England).
 Pub. in *Pure and Applied Chemistry* 63, n6 p907-915 1991.

Keywords: *Acid rain, *Deposition, *Chemical analysis, *Anions, Air pollution detection, Precipitation(Meteorology), Wet methods, Sampling, Quality assurance, Sample preparation, Comparisons, Reprints, *Ion chromatography.

For the purposes of the document, only the major anionic constituents of wet deposition, i.e., chloride, sulfate and nitrate, will be considered. The objective of the document is to provide a set of recommended procedures for the collection, handling, and analysis of acid rain samples, and the quality assurance of the resulting data. The use of these procedures should result in greater comparability between laboratories and consequently improved reliability in data interpretation.

BEHAVIOR & SOCIETY

Education, Law, & Humanities

100,036
PB91-147744 Not available NTIS
 National Inst. of Standards and Technology (NCSL),
 Gaithersburg, MD. Systems and Software Technology
 Div.
**Interactive Courseware Is Leading the Multimedia
 Movement.**
 Final rept.
 J. Moline, 1990, 5p
 Pub. in UNIX Technology Advisor 2, n7 p14-18 Jul 90.

Keywords: *Computer assisted instruction, *Training
 devices, Computer systems programs, Operating
 systems(Computers), Auxiliary
 equipment(Computers), Systems engineering, Interac-
 tive systems, Reprints, PORTCO(Portable Courseware
 Project), Multimedia.

The Federal government and other U.S. organizations
 are developing multimedia training materials for deliv-
 ery on computer-based interactive training systems. A
 variety of computers and peripheral devices hosting
 various operating systems and suites of authoring
 system software are being used to develop the
 courseware. The Department of Defense's Portable
 Courseware Project (PORTCO) is typical of such
 projects. PORTCO strategy is applicable to all projects
 that require an open system environment in which to
 achieve mission objectives.

100,037
PB91-148114 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg,
 MD. Center for Mfg. Engineering.
**Agenda for Progress in Technology Education: A
 Personal View.**
 Final rept.
 D. A. Swyt, 1987, 6p
 Pub. in Technology Teacher 47, n1 p3-8 Sep/Oct 87.

Keywords: *Education, *Technology transfer, Method-
 ology, Training, Reprints, Vocational education.

The U.S. as a productive economy and social system
 is in the midst of a technological transformation that is
 fundamentally changing how people live and how they
 earn their livelihoods. This change is straining our edu-
 cational system, requiring innovation under duress.
 With technology as both the source of change and the
 remedy for the problems which change entails, the
 matter of teaching about technology has become a
 strategic issue. As such, the situation calls for a new
 agenda for progress in technology education. The
 paper presents a personal view on the situation and an
 agenda for change by which technology educators
 might deal with it.

100,038
PB91-158725 Not available NTIS
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Applied and Computational Mathe-
 matics Div.
**Engineers' Statistical Literacy Is Key to U.S. Com-
 petitiveness.**
 Final rept.
 J. T. Fong, 1989, 2p
 Pub. in ASME News 9, n5 pl and p5 Oct 89.

Keywords: *Engineering education, *Statistics, *Prob-
 ability theory, Curricula, Mathematics, Experimental
 design, Data analysis, Stochastic processes, Quality
 control, Reprints, ABET(Accreditation Board for Engi-
 neering and Technology).

Highlights of a conference entitled 'Statistics and
 Probability in Engineering Education' are reported. The
 conference brought together engineering, mathemat-
 ics, and statistics educators as well as industry and
 government leaders to discuss the need for incorpo-
 rating statistical experimental design, data analysis,
 stochastic processes, probability, quality management
 technology, and other related areas into the engineer-
 ing curricula. Two keynote speakers challenged the

educators to reform engineering curricula immediately
 to improve statistics education, which was judged so
 inadequate for most engineering colleges as to have
 resulted in numerous crops of 'statistically illiterate'
 graduates in the eyes of several industries which em-
 ployed them. The conference ended with three action
 items and a resolution to move forward in addressing
 the critical issues raised.

Job Training & Career Development

100,039
PB91-143362 PC A04/MF A01
 National Inst. of Standards and Technology (NCSL),
 Gaithersburg, MD. Office Systems Engineering Group.
**Multimedia Courseware in an Open Systems Envi-
 ronment: A Federal Strategy.**
 J. Moline, A. L. Hankinson, and L. A. Welsch. Dec
 90, 55p NISTIR-4484

Keywords: *Computer program portability, *Computer
 assisted instruction, *Training, Interfaces, Standards,
 Open systems interconnections, *Interactive systems,
 National government, Strategy, Computer software,
 Multimedia, National Institute of Standards and Tech-
 nology, Off the shelf computer software, Commercial
 sector.

The Department of Defense (DoD) Portable
 Courseware Project (PORTCO) is typical of projects
 worldwide that require standard software interfaces.
 The document articulates the strategy whereby
 PORTCO leverages the open systems movement and
 the new realities of information technology. The Fed-
 eral strategy for multimedia courseware is to facilitate
 the creation of an environment in which high quality
 portable courseware is available as commercial off-
 the-shelf products competitively supplied by vendors.
 The Request for Architecture developed cooperatively
 by DoD and NIST will generate a portable courseware
 system architecture incorporating standards which
 meet users' needs. A computer-based interactive
 training applications profile must be developed which,
 along with the system architecture, will provide the
 basis for identifying needed standards. NIST will then
 accelerate the development of these standards
 through established standards forums.

BIOMEDICAL TECHNOLOGY & HUMAN FACTORS ENGINEERING

Biomedical Instrumentation & Bioengineering

100,040
PB91-148668 Not available NTIS
 National Inst. of Standards and Technology (MSEL),
 Gaithersburg, MD. Polymers Div.
**Setting Reactions and Compressive Strengths of
 Calcium Phosphate Cements.**
 Final rept.
 Y. Fukase, E. D. Eanes, S. Takagi, L. C. Chow, and
 W. E. Brown. 1990, 5p
 Sponsored by American Dental Association Health
 Foundation, Chicago, IL.
 Pub. in Jnl. of Dental Research 69, n12 p1852-1856
 Dec 90.

Keywords: *Calcium phosphates, *Dental materials,
 *Acid bonded reaction cements; Implantation, Setting
 time, Bones, Compressive strength, Surface chemis-
 try, Chemical analysis, X-ray diffraction, Time depend-
 ence, Reprints.

Setting reactions and compressive strengths of a self-
 hardening calcium phosphate cement (CPC) were in-
 vestigated. The CPC consists of tetracalcium phos-

phate (TTCP) and anhydrous dicalcium phosphate
 (DCPA). The cement specimens were prepared by
 mixing 0.7 g of the powder (TTCP 72.9 wt% + DCPA
 27.1 wt%) with 0.175 mL of the liquid (25 mmol/L
 H3PO4 and 1.32 mmol/L sodium fluoride). The speci-
 mens were removed from the molds at pre-determined
 time intervals after being mixed, and their compressive
 strengths were measured. Immediately afterward, the
 fractured specimens were rapidly frozen in ethanol (-
 80 C), lyophilized, and examined by powder x-ray dif-
 fraction and scanning electron microscopy (SEM). The
 results showed that (1) hydroxyapatite was the only re-
 action product; (2) the reaction was nearly completed
 within four h, during which both the reaction product
 and compressive strength increased linearly with time,
 resulting in a strong correlation between the two; and
 (3) fully set CPC consisted primarily of small rod-like
 crystals and some platy crystals.

100,041
PB91-150029 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Chemical Engineering Science Div.
**Low-Cost Low-Volume Carrier (Minilab) for Bio-
 technology and Fluids Experiments in Low Gravi-
 ty.**
 Final rept.
 J. M. Cassanto, W. Holemans, T. Moller, P. Todd, R.
 M. Stewart, and Z. R. Korzun. 1990, 15p
 Sponsored by National Aeronautics and Space Admin-
 istration, Washington, DC. Commonwealth of Pennsyl-
 vania.
 Pub. in Space Commercialization: Platforms and Proc-
 essing, v127 p199-213 1990.

Keywords: *Reduced gravity, *Automatic control,
 *Space laboratories, *Remote control, Membranes,
 Interfaces, Interfacial tension, Space flight, Experi-
 mental design, Biotechnology, Research projects, Poly-
 meric films, Miniaturization, Reprints.

Research opportunities in biotechnology and fluid
 technology under conditions of microgravity can be
 made available to research workers from developing
 countries through relevant research projects and low-
 cost access to microgravity environments. Examples
 of such projects include polymeric film formation, puri-
 fication methodology, liquid-liquid diffusion, and
 growth of organic and protein crystals. An example of
 a low-cost research device is the Materials Dispersion
 Apparatus (MDA) which can be used to conduct impor-
 tant low-volume experiments in an automated fashion
 wherever pairs, or groups of pairs, of liquids must inter-
 act. The MDA is designed to be compatible with several
 carriers: shuttle middeck lockers, Get-Away Special
 canisters, Hitchhiker, Lifesat, recoverable re-entry ve-
 hicles, low-gravity aircraft flights, and sounding rock-
 ets. The MDA consists of a pair of sliding blocks, in
 which wells in one block move into contact with wells
 in the other block under electronic command. Require-
 ments for power, including temperature control, are
 minimal. Experiments related to biotechnology have
 been designed for a single flight of the MDA in which
 the carrier will be a sounding rocket that provides ap-
 proximately 6 min of low gravity. Examples of experi-
 ments to be conducted include the nucleation of or-
 ganic crystals in aqueous solution, behavior of immis-
 cible aqueous solutions, solid-liquid surface phenom-
 ena at high surface-tension gradients, and the forma-
 tion of thin polymeric membranes.

100,042
PB91-158493 Not available NTIS
 National Inst. of Standards and Technology (MSEL),
 Gaithersburg, MD. Polymers Div.
**Visco-Elastic Deformation of Dental Porcelain and
 Porcelain-Metal Compatibility.**
 Final rept.
 K. Asaoka, and J. A. Tesk. 1991, 6p
 Sponsored by National Inst. of Dental Research, Be-
 thesda, MD.
 Pub. in Dental Material 7, n1 p30-35 Jan 91.

Keywords: *Dental materials, Heat treatment, Firing,
 Dissimilar materials bonding, Metals, Porcelain, Stress
 analysis, Viscoelasticity, Computerized simulation, De-
 formation, Thermal expansion, Reprints.

A computer simulation using a visco-elastic stress
 analysis was conducted to clarify the effect of the
 heating rate on deformation temperature of dental por-
 celain during firing. In the simulation, the following tem-
 perature-dependent factors were incorporated: elastic
 modulus, viscosity, and coefficient of thermal expan-
 sion. Thermal expansion curves of porcelain with an

applied load at various heating rates were computed. The results suggest that the temperature where the incompatibility stress develops in the porcelain-fused-to-metal strips during cooling can be estimated closely from the deformation point of the heating curve of the porcelain with an applied stress of about 1.2 - 3.1 MPa.

100,043
PB91-158691 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer.
Final rept.
M. Farahani, A. D. Johnston, and R. L. Bowen. 1991, 6p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Jnl. of Dental Research 70, n1 p67-71 Jan 91.

Keywords: *Acid bonded reaction cements, *Dental materials, Molecular isomerism, Synthesis (Chemistry), Catalysts, Amines, Ethylamine, Hexamethylenetetramine, Pyromellitic acid, Reprints, Pyromellitic dianhydride, Diisopropylethylamine.

The addition product of 2-hydroxyethyl methacrylate (HEMA) and pyromellitic dianhydride (PMDA), known as PMDM, is a mixture of two structural isomers. The para PMDM isomer--currently used in mediating adhesive bonding of restorative materials to hard tooth issues--is a crystalline solid. The meta isomer is a liquid. In the synthesis of PMDM, the para isomer, which can be purified by crystallization, is usually present to the extent of only 50% of the product mixture. The effect of the amine catalyst structure was studied relative to its role in increasing the yield of the para isomer, either by a reduction in the amount of the meta isomer or by an increase in the extent of overall reaction. The chemical structure of the amine catalyst had an important role in the synthesis of PMDM and influenced the ratio of the isomers. Among aliphatic amines, especially noteworthy as catalysts that gave excellent yields of the para isomer in high purity were N, N-di-isopropyl-ethylamine and hexamethylenetetramine.

100,044
PB91-159210 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Dental Biomaterials and Engineering Frontiers for the 90's.
Final rept.
J. A. Tesk. 1990, 2p
Pub. in Proceedings of the International Kyoto Symposium on Biomedical Engineering (3rd), Kyoto, Japan, November 20-21, 1990, p14-15.

Keywords: *Dental materials, *Biotechnology, Reprints, *Biomedical engineering.

Some areas of dental materials and engineering which should receive increased attention in the 1990's are discussed.

100,045
PB91-174458 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations.
Final rept.
R. L. Bowen, F. C. Eichmiller, and W. A. Marjenhoff. 1991, 3p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Jnl. of the American Dental Association 122, p71, 73, and 75, Mar 91.

Keywords: *Dental materials, *Composite materials, Ceramics, Glass, Inserts, Color, Dimensional stability, Physical properties, Reprints.

Further improvement in the physical properties of directly placed composites is expected with the introduction of preformed, tooth-colored glass-ceramic inserts for Class I, II and III megafilled restorations. Less microleakage is associated with restorations containing inserts. Inserts are also expected to increase the stiffness, strength and durability of composite restorations, promote dimensional stability of the remaining tooth crown during hardening and function, and offer the esthetic advantage of having inherent tooth shades. It is anticipated that the first commercial inserts kits (perhaps available within the year) will be

comprised of three to four standardized shapes in three to four sizes, in the most utilized tooth shades. The additional time required for placement and finishing of inserts by dentists is not expected to be more than two or three minutes. Inserts are expected to add only about a dollar each to the cost of materials used in a composite restoration and should not, therefore, categorically increase current fee structures.

100,046
PB91-174490 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Automated Production Technology Div.
Correction for Converting 2-CM(3)-Coupler Responses to Insertion Responses for Custom in-the-Ear Non-Directional Hearing Aids.
Final rept.
E. D. Burnett, and L. B. Beck. 1987, 6p
Pub. in Ear Hear 8, p89S-94S Oct 87.

Keywords: *Hearing aids, Fourier analysis, Frequency response, Measurement, Responses, Correction, Comparison, Reprints.

A correction for custom in-the-ear non-directional hearing aids is obtained for converting a frequency response obtained using a 2-cm cubed coupler to an insertion response, approximating that measured using a manikin and ear simulator. The results are compared to those of a previous published study. The methods used for obtaining the responses make use of a signal analyzer with discrete Fourier transform capabilities.

100,047
PB91-189555 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Protective Coatings for Tooth Crowns.
Final rept.
A. D. Johnston, and R. L. Bowen. 1991, 3p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Jnl. of the American Dental Association 122, p49-51 Apr 91.

Keywords: *Dental materials, *Dental caries, *Polymeric films, *Protective coatings, Surface chemistry, Enamels, Hydrophilic polymers, Reprints.

The application (and occasional renewal) of invisible polymeric films to entire tooth crown surfaces may someday be an effective means of caries prevention for patients of all ages.

100,048
PB91-194654 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Filler Systems Based on Calcium Metaphosphates.
Final rept.
J. M. Antonucci, B. O. Fowler, and S. Venz. 1991, 6p
Sponsored by National Inst. of Dental Research, Bethesda, MD.
Pub. in Dental Materials 7, p124-129 Apr 91.

Keywords: *Dental materials, *Calcium phosphates, *Dental caries, *Fillers, *Inorganic polymers, Teeth, Chemical radiation effects, Ultraviolet radiation, Reactivity, Crack arrest, Composite materials, Microscopy, Reprints.

Calcium metaphosphates (CMP's)--a unique class of phosphate minerals possessing polymeric structures, $(CaPO_3)_2n$, and having refractive indices of 1.54-1.59 are optically compatible with resins such as BIS-GMA. Several types of CMP's were prepared and evaluated for their potential as fillers for visible-light-activated (VLA) dental composites. The vitreous (V) and beta-crystalline forms of CMP were prepared by controlled thermalolysis of monocalcium phosphate monohydrate. Hybrid fillers were also prepared by thermal methods. Fillers, characterized by IR spectroscopy and optical microscopy, were prepared in several size ranges (e.g., 1-100 micrometers). Beta-CMP composites were more moisture-resistant, had higher diametral tensile strengths (from 12 to 33 MPa), and showed a tendency to arrest brittle fracture. These novel fillers have potential uses in resin-based materials such as dental composites, cements, and adhesives.

100,049
PB91-202879 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Self-Setting Calcium Phosphate Cements.
Final rept.
L. C. Chow, S. Takagi, P. D. Costantino, and C. D. Friedman. 1991, 22p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Materials Research Society Symposium Proceedings, v179 p3-24 1991.

Keywords: *Calcium phosphates, *Dental materials, *Medical supplies, *Cements, Binary system (Materials), Phosphoric acid, Aqueous solutions, Mixtures, Apatites, Hydroxy compounds, Biocompatibility, Hardness, Reprints, Self-setting.

A mixture of tetracalcium phosphate and dicalcium phosphate, when mixed with a dilute phosphoric acid or other aqueous solutions, will harden like a cement-producing hydroxyapatite as the final product. The latter is the principal mineral component of hard tissue. The chemistry, physical properties, and biocompatibility of the calcium phosphate cement are discussed. The setting property, combined with high biocompatibility, makes calcium phosphate cements useful in many applications in dentistry and medicine.

100,050
PB91-204081 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
Final rept.
S. Singh, J. L. Katz, J. Antonucci, R. W. Penn, and J. A. Tesk. 1988, 6p
Pub. in Materials Research Society Symposium Proceedings, v110 p599-604 1988.

Keywords: *Resin matrix composites, *Fiber composites, *Fiberglass, *Dental materials, *Dental caries, Elastic properties, Microstructure, X-ray diffraction, Scanning tunneling microscopy, Mechanical properties, Nondestructive tests, Ultrasonic tests, Amorphous materials, Poisson ratio, Young modulus, Silanes, Velocity, Density, Polymers, Reprints, Energy dispersive spectrometry.

The load-bearing ability of dental restorative materials under cyclic high-stress applications depends upon mechanical properties established by the composition and microstructure. The microstructure and the elastic properties of neat resin and two resin-based glass-reinforced composites have been studied. The microstructure of these materials has been examined using x-ray diffractometry (XRD), scanning electron microscopy (SEM) including energy dispersive spectrometry (EDS). The elastic properties, i.e., Young's, shear and bulk moduli and Poisson's ratio were determined from ultrasonic velocities and densities. The ultrasonic velocities were measured using a pulse-through transmission method; density was measured using a buoyant force method. These studies showed that: (1) these materials have amorphous structures; (2) these materials have Young's moduli of the order of 20 GPa, and (3) the silane coupling agent apparently did not significantly affect the elastic properties of these resin-based composites.

100,051
PB91-204149 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.
Dental Composite Resins: An Update.
Final rept.
S. Venz. 1987, 2p
Pub. in Modern Dentalab 5, n4 p27-28 Jun/Jul 87.

Keywords: *Dental materials, *Dental caries, *Resin matrix composites, PMMA, Radiation curing, Visible radiation, Methacrylates, Surface treatments, Inorganic compounds, Polymers, Plastics, Reprints, Self-curing.

Since the introduction of self-curing dental restorative resins in the 1940s, numerous modifications have been introduced to enhance the performance of resin-based restorations in the oral cavity. Major developments leading to current dental composite resins are the use of di- or polyfunctional methacrylates instead of the monofunctional methyl methacrylate, the incorporation of surface treated inorganic fillers instead of poly-(methylmethacrylate) powder and the introduction of visible light curing, single component materials instead of two part chemical curing systems.

BIOMEDICAL TECHNOLOGY & HUMAN FACTORS ENGINEERING

Biomedical Instrumentation & Bioengineering

100,052
PB91-236539 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.
Development of an Adhesive System for Bonding to Hard Tooth Tissues.
Final rept.
R. L. Bowen, and W. A. Marjenhoff. 1991, 5p
Sponsored by American Dental Association Health
Foundation, Chicago, IL.
Pub. in Jnl. of Esthetic Dentistry 3, n3 p86-90 May/Jun
91.

Keywords: *Acid bonded reaction cements, *Adhesives, *Dental materials, Composite materials, Enamels, Dentin, Teeth, Reviews, Inorganic silicates, Resins, Aqueous solutions, Synthesis (Chemistry), Reprints.

The development of an adhesion system for bonding dental composites to dentin and enamel is reviewed. Building on findings concerning adhesion to enamel, R. L. Bowen and colleagues at the Paffenbarger Research Center, National Institute of Standards and Technology, began addressing and solving problems associated with (1) silicate cements and unfilled resins; (2) bonding in an aqueous environment; and (3) the development of an adhesion system for both dentin and enamel that could withstand various stresses. Although commercial products based on the adhesion system are currently available in the dental materials marketplace, experimentation continues, focusing on the synthesis of potentially better component analogs, the optimization of the individual components, and on improved storage stability and ease of synthesis.

100,053
PB91-237735 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.
Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
Final rept.
R. E. Webb, and A. D. Johnston. 1991, 4p
Sponsored by American Dental Association Health
Foundation, Chicago, IL.
Pub. in Jnl. of Dental Research 70, n3 p211-214 Mar
91.

Keywords: *Amino acids, *Bonding strength, *Dentin, *Acid bonded reaction cements, *Adhesives, Phenylalanine, Glycine, Methyl compounds, Teeth, Nitrogen organic compounds, Alanines, Oxalates, Iron complexes, Dental materials, Reprints, Molar efficiency.

Three structurally related substituted amino acids (N-compounds) were studied in a three-step dentin-bonding protocol. In the second step, the amount of the N-compound—either N-phenylglycine (NPG), N-methyl-N-phenylglycine (NMNPG), or N-phenyl-beta-alanine (NPBA)—was varied in acetone from 0 mol/L through 0.5 mol/L in A+0.001 mol/L for NPG and NMNPG, average bond strength values were 7.4 ± 0.2 and 10.5 ± 0.2 MPa. The highest bond strength value for NMNPG was at 0.01 mol/L, with 13.2 ± 0.4 MPa. The highest value for NPG was at 0.1 mol/L, with a value of 11.8 ± 0.2 MPa. The average bond strength for NPBA did not differ from zero across the entire range of concentrations. Molar efficiency was defined as the bond strength per mole of these applied N-compounds. For the two N-compounds that did provide adhesion to dentin, NPG and NMNPG, the average bond strengths rose, peaked, and fell as the amounts of applied N-compound were increased. The molar efficiency dropped off as the concentration of applied N-compound rose.

Prosthetics & Mechanical Organs

100,054
PB91-194761 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.
Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
Final rept.
M. Farahani, F. C. Eichmiller, and W. L. McLaughlin.
1991, 6p
Sponsored by American Dental Association Health
Foundation, Chicago, IL.

Pub. in Medical Physics 18, n2 p273-278 Mar/Apr 91.

Keywords: *Radiotherapy, *Radiation therapy, *Shielding, *Gamma rays, Tissues, Dosimetry, Particulate composites, Oral diseases, Maxillary neoplasms, Face (Anatomy), Neck (Anatomy), Prosthetic devices, Mouth neoplasms, Molding materials, Cobalt 60, Synthetic elastomers, Resin matrix composites, Siloxanes, Binary alloys, Vinyl compounds, Silver alloys, Copper alloys, Tin alloys, Antimony alloys, Reprints.

In the treatment of some head and neck lesions with high-intensity radiation (teletherapy), an essential procedure is the application of an individually customized shielding appliance, which is designed, modeled, and formed into a working extra- or intraoral stent for the purpose of sparing healthy tissues. The present state of the art is slow and technique intensive, which can add to patient discomfort and inconvenience during molding and fabrication. A new formulation is described, which offers speed and ease of forming a moldable composite stent especially for intraoral use. Tests using collimated gamma-ray beams from a (60)Co teletherapy unit were made in order to measure the dose distribution near interfaces of tissue-simulating polymer and the composite stent material with and without mixtures of metals (Ag-Cu and Sn-Sb). The results show that quickly formed composites made of a flexible resin with high concentrations of powdered spherical metal alloys provide effective custom-designed shielding, and, with a thin overlay of the resin without metal, a diminished back-scattered radiation dose to normal tissues. An example of a successful formulation is a mixture of 90% by weight Ag-Cu alloy powder in a vinyl polysiloxane resin. The material is a moldable putty which, upon polymerization, forms a rigid elastomeric material, providing a half-value layer of approximately 2.5 to 2.8 cm for a gamma-ray beam from a (60)Co source.

100,055
PB91-194787 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Metallurgy Div.
Corrosion Principles in Dental Implantology.
Final rept.
A. C. Fraker, and F. Eichmiller. 1990, 10p
Pub. in Clark's Clinical Dentistry, Chapter 50, v1 p1-10
1990.

Keywords: *Dental materials, *Titanium alloys, *Implants, *Corrosion, *Prosthetic devices, Dissimilar materials bonding, Performance prediction, Apatites, Solid-solid interfaces, Tissues, Surface chemistry, Hydroxy compounds, Reprints.

Corrosion processes that could occur with dental implants and some guidelines for predicting the corrosion behavior of common prosthetic alloys are given. Interactions between dissimilar materials within the prosthetic device can result in corrosion, and this is discussed. The titanium implant will be covered with a surface oxide or with an applied layer of hydroxyapatite. The implant/tissue interface is described and discussed.

100,056
PB92-117407 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
Final rept.
B. B. Tomazic, C. Siew, and W. E. Brown. 1991, 11p
Sponsored by American Dental Association Health
Foundation, Chicago, IL.
Pub. in Cells and Materials 1, n3 p231-241 1991.

Keywords: *Mineralization, *Pericardium, *Heart valve prosthesis, Cattle, Comparison, In vivo analysis, In vitro analysis, Calcinosi, Histology, Rats, Humans, Reprints.

The biomineralization of bovine pericardium (BP) heart valve bioprosthesis was investigated by simulation of the process under in vitro and in vivo conditions. The nature and composition of calcific deposits that formed in human heart valve bioprostheses were compared with the mineral formed on BP discs immersed in a calcifying medium or subcutaneously implanted into Sprague-Dawley rats. The early stage of experimental biomineralization in vitro took place on the surface only, while in vivo deposition appeared to be intrinsic, as documented by histological cross sections. Combined information from in vitro, in vivo and bioprosthetic mineralization supports the concept that octacalcium phosphate is a precursor that transforms into bioapatite and is implicated in the calcification of bioprosthetic heart valves.

cium phosphate is a precursor that transforms into bioapatite and is implicated in the calcification of bioprosthetic heart valves.

BUILDING INDUSTRY TECHNOLOGY

Architectural Design & Environmental Engineering

100,057
PB91-147082 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Building Physics Div.
Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
Final rept.
Y. M. Chang, and R. A. Grot. 1986, 8p
Sponsored by Department of Energy, Washington, DC.
Pub. in Proceedings of International Symposium on
Temperature Measurement in Industry and Science,
Beijing, China, April 16-19, 1986, p277-284.

Keywords: *Calibration, *Infrared equipment, *Temperature measuring instruments, *Heat loss, *Buildings, Temperature measurement, Frequencies, Inspection, Heat transmission, Energy conservation, Standards, Reprints.

The paper describes laboratory measurements for the evaluation of infrared imaging systems commonly used for building inspections. The infrared imaging systems were evaluated at various background temperatures ranging from -20 to 25°C. The tests performed on each infrared imaging system were the determination of the minimum resolvable temperature difference (MRTD) at spatial frequencies ranging from 0.03 to 0.25 cy/mrad and calibration curves of the measured radiosity (isotherm level) versus the equivalent blackbody temperature of the target. The results of the MRTD tests are compared with the theory used in the ASHRAE Standard 101-83. It is shown that the theory accurately predicts the temperature dependence of the MRTD curves only for one infrared imaging system operating in the 2 to 5 micrometer range. For infrared imaging systems in the 8 to 12 micrometer range, the MRTD increases much faster as the object temperature decreases than predicted by the theory. It is also shown that the calibration curves of the two tested infrared imaging systems operating in the 8 to 12 micrometer range have a strong temperature dependence.

100,058
PB91-147140 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Environment Div.
Second-Level Post-Occupancy Evaluation Analysis.
Final rept.
B. L. Collins, W. Fisher, G. Gillette, and R. W. Marans. 1990, 24p
See also DE89014520.
Pub. in Jnl. of the Illuminating Engineering Society,
p21-44 1990.

Keywords: *Lighting systems, *Office buildings, *Comfort, Daylighting, Evaluation, Illuminance, Design, Environmental engineering, Illuminating, Interior lighting, Brightness, Reprints.

Post-occupancy evaluations (POE) have been used by a number of researchers as a tool for documenting, evaluating, and improving environmental conditions in offices. In a project sponsored by the US Department of Energy and the New York State Energy Research and Development Authority during 1984-1986 POE data were collected on lighting power densities, photometric levels, and user attitudes for 912 workstations in 13 office buildings that contained lighting systems somewhat typical of current lighting practice. The purpose of the present evaluation is to examine the relationships between individual lighting system type and these data.

100,059

PB91-147561

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Building Physics Div.

Design Heat Loss Factors for Basement and Slab Floors.

Final rept.

T. Kusuda, and J. W. Bean. 1985, 21p

Pub. in Thermal Insulation: Materials and Systems, ASTM ATP 922, p132-152 1985.

Keywords: *Heat loss, *Basements, *Floors, Design criteria, Thermal insulation, Thermal analysis, Buildings, Concrete slabs, Walls, Slabs on ground construction, Energy conservation, Reprints.

The heat loss factors for selected types of earth contact surfaces, such as basement walls and floors and slab-on-grade floors, are presented to supplement data in the ASHRAE Handbook of Fundamentals for estimating the building design heat loss. The perimeter heat loss factors are derived from the procedure developed by Mitalas and from monthly normal temperature cycles of many localities in the United States. Except for those for cities in California, the heat loss factors are found to be a relatively well-defined function of degree-days and remain constant for degree-days beyond 3000 (engineering units). The heat loss factors show that the most effective way to reduce the earth contact surface heat loss is to insulate the inside corners of wall/floor joints. The insulation installed below the floor slab is found to be the least effective as long as the wall foundation is left uninsulated.

100,060

PB91-147876

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Building Physics Div.

Ventilation System Performance Evaluation Using Tracer Gas Techniques.

Final rept.

A. K. Persily, and R. A. Grot. 1985, 17p

Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of AIC Conference (6th) Ventilation Strategies and Measurement Techniques, Netherlands, September 16-19, 1985, p26.1-26.16.

Keywords: *Indoor air pollution, *Ventilation, *Tracers, *Measurement, Performance evaluation, Air quality, Environmental engineering, Leakage, Air flow, Buildings, HVAC systems, Reprints.

Based on current concerns regarding indoor air quality and energy use, there is a need for in situ techniques for evaluating buildings' infiltration and ventilation characteristics. The U.S. National Bureau of Standards has developed and employed equipment and techniques for such evaluation. The measurement of whole building leakage and ventilation rates has been reported on previously. Additional procedures are presented here for a more complete evaluation of the ventilation system operation and the distribution of air within the building. The measurements reveal both the amount of outside air infiltrating through the envelope and the amount of intentional intake through the air handlers. Tracer gas techniques to study the uniformity of air distribution throughout a building are also discussed. These in situ evaluation techniques are described and results from their application are presented.

100,061

PB91-158535

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.

Conference Coverage: Papers Presentations Shine.

Final rept.

B. L. Collins. 1990, 3p

Pub. in Illuminating Design and Application, p21-23 Oct 90.

Keywords: *Illuminating, Energy conservation, Lamps, Computer graphics, US NBS, Meetings, Reprints, Baltimore(Maryland).

The technical highlights from the recent IESNA Conference in Baltimore, MD are summarized in some detail. At the session 48 papers on lighting research, technology, design and application were presented. Topics discussed included light sources and conservation issues for displays; efficiency standards for lamps; daylight measurement and modeling; lamp performance including fluorescent, incandescent, metal halide, high pressure sodium, and special sources; tunnel and roadway lighting; measurement and con-

trols; modeling and lighting geometry; calculations; visibility and visual performance; computer graphics; and VDT's. Issues relating to energy conservation, such as efficiency standards, daylighting, and new lamp technology generated considerable attention, as did papers on lighting and conservation as well as computer graphics as a design tool.

100,062

PB91-159079

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Building Equipment Div.

Prototype Expert System for Diagnosing Moisture Problems in Houses.

Final rept.

A. K. Persily. 1986, 10p

Pub. in Proceedings of BTECC Symposium on Air Infiltration, Ventilation, and Moisture Transfer, Fort Worth, TX., December 1986, 10p.

Keywords: *Expert systems, *Moisture content, *Residential buildings, *HVAC systems, Ventilation, Prototypes, Air flow, Moisture, Indoor air quality, Comfort, Heat loss, Reprints.

A knowledge based expert system is under development to assist in the identification and diagnosis of air leakage problems in residential buildings. The expert system is intended for use by home energy auditors who are familiar with house construction and building performance issues, but do not have the expertise necessary to deal effectively with the wide variety of circumstances encountered in houses. The system development is beginning with a prototype to diagnose moisture-related problems. This prototype is the first step in the development of the more comprehensive expert system that will deal with air leakage problems associated with indoor air quality, thermal comfort, and heat loss and gain. In the paper the moisture-diagnosis prototype is described and discussed. This prototype system requires the user to describe the symptoms of the existing moisture problems and provide information on house characteristics. Based on additional information on the symptoms and the house, this interactive program produces a list of probable causes and recommendations for remedial action. In addition to describing the current prototype system, the paper also discusses the results of an evaluation of the system based on its use by human experts in the field of residential building moisture. This evaluation, along with insights obtained through the efforts of the system's developers, has led to several proposed improvements of the prototype.

100,063

PB91-159293

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Center for Building Technology.

AI: Does It Have a Place in Building Simulation.

Final rept.

R. N. Wright, and J. Hirsch. 1985, 6p

Pub. in Proceedings of Building Energy Simulation Conference, Seattle, WA., August 21, 1985, p169-174.

Keywords: *Artificial intelligence, *Buildings, Designs, Expert systems, Simulation, Decision making, Architecture, Civil engineering, Design criteria, Construction, Reprints.

Artificial intelligence (AI) technologies and simulation technologies can be combined to support excellent decisions throughout the whole building process. AI technologies are briefly reviewed. Simulation is generalized as a means to predict prototype performance whether in the building process or in the response of the building in use to its natural and man-made environments. AI can assist the decision maker in selecting the simulation scheme, detailing and conducting the simulation, and assessing the validity and meaning of the results of simulation. Simulation can assist the knowledge engineer in the formulation of knowledge bases to guide in decision making for various building problems. AI and simulation technologies are identified as natural and powerful partners for the guidance of decision makers in all phases of the building process. Substantial research, development and education will be required to realize the potential of these technologies to increase the usefulness, safety and economy of buildings.

100,064

PB91-167155

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition).

S. R. Petersen. Jan 91, 36p NISTIR-88/3801-1

See also PB89-159446 and PB89-151765. Sponsored by Department of Energy, Washington, DC. Building Systems Div.

Keywords: *Residential buildings, *Thermal insulation, *Economic analysis, Engineering costs, Climate, Prices, Energy conservation, Life cycle costs, Heating, Cooling, Construction, User manuals(Computer programs), Zip codes, ZIP computer program.

ZIP 2.0 is a revised and updated version of ZIP, the Zip-Code Insulation Program. ZIP is a computer program developed to support the DoE Insulation Fact Sheet by providing users with customized estimates of economic levels of residential insulation. These estimates can be made for any location in the United States by entering the first three digits of its ZIP code. The program and supporting files are contained on a single 5-1/4 in. diskette for use with microcomputers having an MS-DOS operating system. The revised ZIP program calculates economic levels of insulation for attics, cathedral ceilings, exterior woodframe and masonry walls, floors over unheated areas, slab floors, basement and crawlspace walls, ducts in unconditioned spaces, and water heaters. Climate parameters are contained in a file on the ZIP diskette and are automatically retrieved by ZIP code. Regional energy prices and insulation costs are also retrieved from the diskette, but these can be overridden to better reflect local conditions.

100,065

PB91-174607

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.

Refrigerant Charge Effects on Heat Pump Performance.

Final rept.

G. S. Damasceno, P. A. Domanski, S. Rooke, and V. Goldschmidt. 1991, 6p

Sponsored by Ranco Controls, Irving, TX.

Pub. in ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers) Transactions, v97 pt1 6p 1991.

Keywords: *Heat pumps, *Refrigerants, *Performance, Mass transfer, Thermodynamic properties, Air conditioners, Mathematical models, Steady state, Residential buildings, Experimental data, Reprints.

The capability of predicting the effects of refrigerant charge on the steady-state performance of a heat pump is addressed. Rather extensive test data for one particular residential air-to-air heat pump are compared with the predictions of HPSIM, a computer model with the capability of tracking refrigerant mass distribution within the various components. The need to properly account for parasitic volumes and all internal volumes of the heat pump is underscored.

100,066

PB91-174649

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.

Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution.

Final rept.

P. A. Domanski. 1991, 10p

Sponsored by Department of Energy, Washington, DC. Pub. in ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers) Transactions, v97 pt1 10p 1991.

Keywords: *Evaporators, *Computerized simulation, *Heat exchangers, *Air conditioning, Heat transfer, Air flow, Mathematical models, Tubes, Mass transfer, Refrigerants, Dehumidification, Reprints.

The paper presents a simulation model of a plate-fin, air-to-refrigerant heat exchanger used as an evaporator in residential air conditioning. The model can account for nonuniform air distribution between coil tubes and simulates refrigerant distribution for coil circuits and individual tubes. The model is based on a tube-by-tube approach. Performance of each tube is analyzed separately by considering the cross-flow heat transfer with the external airstream and the appropriate heat and mass transfer relationships. Each tube is associated with individual refrigerant parameters and mass flow rate, and air mass flow rate, inlet

BUILDING INDUSTRY TECHNOLOGY

Architectural Design & Environmental Engineering

temperature, and humidity. A comparison of the model's predictions and laboratory test data is provided. Simulation results indicate that air maldistribution may induce maldistribution of a refrigerant, which contributes to the performance degradation of the evaporator.

100,067

PB91-175307 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Physics Div.

Airtightness of Office-Building Envelopes.

Final rept.

A. K. Persily, and R. A. Grot. 1985, 19p
Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of ASHRAE/DOE/BTECC Conference on Thermal Performance of the Exterior Envelopes of Buildings III, Clearwater Beach, FL., December 1985, p125-143.

Keywords: *Ventilation, *Office buildings, *Leakage, *Infiltration, *Envelopes, Indoor air quality, Computerized simulation, Air flow, Pressure, Mathematical models, Energy consumption, Reprints.

Although airtightness, infiltration, and ventilation are important considerations in large office buildings, these issues have been studied less in office buildings than in residential buildings. Several features of office buildings make their air exchange characteristics different from homes. These features include curtain wall design and construction, mechanical ventilation systems, specific occupancy patterns, large volumes and building heights, and low surface to volume ratios. The recent development of measuring procedures and computer simulation programs for large buildings has enabled the study of air leakage in large buildings and the effects of air exchange on energy use and indoor air quality. The paper discusses the airtightness and building envelopes in modern office buildings and the relationship between envelope airtightness and air exchange rates. Results of whole building pressurization measurements and tracer gas measurements of air exchange rates in several office buildings are discussed, along with the relationship between these measurement results. A multizone computer simulation program developed at the National Bureau of Standards is applied to two office buildings to examine the relationship further. The results of the simulations reveal the importance of envelope airtightness, floor-to-floor coupling, and mechanical ventilation to the air change rates in these two buildings.

100,068

PB91-175471 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Physics Div.

Measurement of Thermal Characteristics of Office Buildings.

Final rept.

L. K. Norford, A. Rabl, R. H. Socolow, and A. K. Persily. 1985, 17p
Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of ASHRAE/DOE/BTECC Conference on Thermal Performance of the Exterior Envelopes of Buildings III, Clearwater Beach, FL., December 1985, p272-288.

Keywords: *Office buildings, *Thermal measurements, *Heat loss, Energy consumption, Heat transfer, Specific heat, Thermal analysis, Solar radiation, Heat transmission, Ventilation, Heating load, Reprints.

Thermal characteristics of two adjacent office buildings have been obtained from measurements of temperature, energy consumption and air exchange. The characteristics include the total heat-loss coefficient, a solar aperture, and building heat capacity. The heat-loss coefficient has been determined by steady state and transient analyses; transient analysis is required for the remaining characteristics. The effect of measured infiltration and ventilation rates on the total heat-loss coefficient has been identified. Two methods have been used for the transient analysis: the equivalent thermal parameter method of Sonderegger and the Fourier method of Subbarao.

100,069

PB91-187286 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.

BACnet Communication Protocol for Building Automation Systems.

Final rept.

S. T. Bushby, and H. M. Newman. 1991, 6p
Pub. in ASHRAE (American Society of Heating, Refrigeration and Air-Conditioning Engineers) Jnl., p14-15 and 18-21 Apr 91.

Keywords: *Energy management systems, *Protocol(Computers), *HVAC systems, Communication networks, Data transmission, Standards, Automatic control, Buildings, Ventilation, Controllers, Reprints, *Building Automation and Control network, *BACnet.

The building community in the United States and in several other countries has been carefully watching the efforts by ASHRAE to develop a communication protocol for building energy management and control systems. The name of the standard protocol is 'BACnet' which stands for Building Automation and Control network. The article presents an overview of BACnet as it looks today and describes the tasks remaining to be completed. Control devices are modeled as a network-visible collection of objects. The information represented by these objects are accessed and manipulated through the use of a set of application layer services. The standard object-types that are defined and the application services included in the standard are described. Several possibilities for physical media and networking technology are being considered for inclusion in the standard. It is expected that BACnet will be released for public review by the end of January, 1991.

100,070

PB91-187732 PC A06/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.

Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol.

S. T. Bushby. Apr 91, 119p NISTIR-4563

Keywords: *Protocol(Computers), *Energy management systems, *Buildings, Communication networks, Data transmission, Tests, Standards, Specifications, Control systems design, *BACNET protocol.

The BACnet communication protocol for building automation and control systems is in an advanced state of development and is expected to be released for public review in early 1991. When the review process is completed it will become an ASHRAE standard. One of the important outstanding issues to be resolved is conformance to the standard and how to test devices to determine if they meet the conformance requirements. The report is a draft Abstract Test Suite based on working draft three of the proposed standard. The Abstract Test Suite is a first step in developing the tests which will be used to certify conformance to BACnet. Its purpose is to provide a starting point from which a conformance certification program can be built and to focus discussions on the outstanding conformance issues that need to be resolved before the standard can be considered complete. The role of an abstract test suite in the conformance testing process is described, a proposed BACnet test system architecture is presented and individual test cases are defined. Test cases to determine support for object types and application services defined in working draft three are included. A standard object configuration is also proposed to simplify the testing process.

100,071

PB91-187757 PC A04/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.

Intelligent Building Technology in Japan.

A. Rubin. Apr 91, 69p NISTIR-4546
Sponsored by Department of Commerce, Washington, DC. Technology Administration, and Electric Power Research Inst., Palo Alto, CA.

Keywords: *Buildings, *Energy management systems, *Japan, *Technology assessment, Construction, Thermal energy storage systems, Environmental engineering, Ventilation, Air conditioning, Communication networks, *Intelligent buildings, Office automation.

In May 1990, the author of the report visited Japan at the request of the Department of Commerce, to assess the Japanese experiences with 'intelligent building' design, construction and use. The state-of-the-art was determined by visiting advanced buildings, building complexes, and interviewing architects, engineers, and researchers and academics. Discussions also were conducted with organizations engaged in

promoting the use and design of intelligent buildings. In general, the Japanese experiences have paralleled those in the United States. In both countries, advanced building technologies have been employed to advance organizational effectiveness and personal productivity. A major problem shared by the two countries has been the lack of standardization of hardware and software (protocols), resulting in major difficulties in integrating equipment from different manufacturers, and in some instances, diverse products from the same manufacturer. Intelligent building design in Japan differs from that in the United States in several ways. They incorporate new systems and products into their buildings as soon as they become available. They stress the need for a high quality environment - amenity - more than we do. The commitment for developing improved intelligent buildings includes active governmental involvement by two major ministries and other institutions such as banks.

100,072

PB91-194936 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.

Rule-Based Diagnostic Method for HVAC Fault Detection.

Final rept.

S. T. Liu, and G. E. Kelly. 1989, 6p
Pub. in Proceedings of Building Simulation '89, Vancouver, British Columbia, Canada, June 23-24, 1989, p319-324.

Keywords: *HVAC systems, *Energy management systems, *Diagnostic techniques, Ventilation, Heating systems, Cooling systems, Defects, Control systems design, Signal detection, Reprints, *Air handling units.

The paper describes the development of a prototype computerized diagnostic method for the detection of faulty equipment in an HVAC air handling unit (AHU) using sensor data from the building energy management system (BEMS) as input. The method uses a computer model of the AHU to compute a set of optimum performance parameters for the AHU under normal operating conditions and compares the parameters with actual values calculated from the measured sensor data. Deviations between the two sets of parameters are an indication of either an out-of-tune system or malfunction of certain equipment. The program will point out to the building operator the source of the fault and the possible cause in a timely fashion. The modeling part of the program is computation intensive and is written in the FORTRAN language. The diagnostic part is rule-based and is written in the symbolic language Prolog for its inference capability. Example case runs are presented to illustrate the proposed method.

100,073

PB91-195388 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Environment Div.

Prediction and Fault Detection of Building Energy Consumption Using Multi-Input, Single-Output Dynamical Model.

Final rept.

J. Pakanen. 1988, 11p
Sponsored by Technical Research Center of Finland, Helsinki, and Ministry of Trade and Industry, Helsinki (Finland).
Pub. in Proceedings of International Symposium on Energy Options for the Year 2000 Contemporary Concepts in Technology and Policy, Newark, DE., September 14-17, 1988, v3 p3.57-3.67.

Keywords: *Energy consumption, *Buildings, Environmental engineering, Residential buildings, Space HVAC systems, Computerized simulation, Electrical faults, Degree days, Reprints.

For many years degree-days methods have been used to estimate building energy consumption. However, because degree-day method is based only on the outdoor temperature, there may be large differences between the actual and the calculated results. A new method is proposed, based upon on-line measurements of weather and other characteristic data. The method is capable of being used with building automation systems for both failure detection and energy management applications. The method uses a multi-input, single-output (MISO) dynamical model to predict the power fluctuation of the building. The model parameters are identified recursively using measurements of the actual power, outdoor temperature, solar radiation, wind velocity and indoor temperatures. Other

measurements may also be used as input data. The stochastic variations in power caused by occupants, equipment, lights, etc., can be included in the model. Measurements are taken once an hour and are used to update the model parameters by a recursive extended least square algorithm (RELS). The identified model can be used to predict the energy consumption or to detect the failure of HVAC equipment and systems. Verification of the method has been accomplished using real weather data and the TARP-computer program for the simulation of buildings.

100,074

PB91-195438

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Building Equipment Div.

Diagnostic Techniques for Evaluating Office Building Envelopes.

Final rept.

A. K. Persily, R. A. Grot, J. B. Fang, and Y. M.

Chang. 1988, 20p

Sponsored by Public Buildings Service, Washington, DC.

Pub. in Proceedings of ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers) Winter Meeting, Dallas, TX., January 30, 1988, v94 pt1 p987-1006.

Keywords: *Office buildings, *Diagnostic techniques, *Thermal analysis, *Energy conservation, Thermal insulation, Leakage, Heat flux, Transducers, Heat transmission, Thermal resistance, Reprints.

A variety of diagnostic procedures exists for evaluating the thermal performance of office building envelopes. These measurement techniques enable the quantification of various aspects of envelope thermal performance including airtightness, thermal resistance, and insulation system performance. The paper describes several of these diagnostic measurement techniques in terms of instrumentation, test procedures, and data analysis. Representative measurement results are also presented for each technique. The techniques that are described include tracer gas measurements of air exchange rates, pressurization testing of whole building and component airtightness, thermal resistance measurements with calorimeter boxes and heat flux transducers, and infrared thermographic inspection.

100,075

PB91-206698

PC A03/MF A01

National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Indoor Ventilation Requirements for Manufactured Housing.

D. M. Burch. May 91, 29p NISTIR-4574

Sponsored by Department of Housing and Urban Development, Washington, DC.

Keywords: *Ventilation, *Indoor air pollution, Windows, Condensing, Environmental engineering, Formaldehyde, Air flow, Comfort, HVAC systems, Air quality, Houses, *Manufactured housing.

In the study, a mathematical analysis is carried out to investigate the mechanical ventilation rates required in manufactured housing. The analysis reveals that the ventilation provided by natural infiltration is inadequate to comply with the ventilation requirements of ASHRAE Ventilation Standard 62-1889 and to prevent double-pane window condensation. The study recommends that both single-wide and double-wide mobile homes be equipped with mechanical ventilation equipment having a minimum installed capacity of 0.026 cu m/s (55 cu/min). It was found that considerably larger ventilation rates are needed to prevent condensation on single-pane windows. Therefore, it is recommended that double-pane windows be required in all heating climates.

100,076

PB91-206755

PC A06/MF A01

National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Abstracts of Daylighting Research.

A. I. Rubin, R. Saraiji, R. McCluney, M. Huggins, and C. Emrich. May 91, 120p NISTIR-4578

Prepared in cooperation with Florida Solar Energy Center, Cape Canaveral. Sponsored by Electric Power Research Inst., Palo Alto, CA., and Lighting Research Inst., New York.

Keywords: *Daylighting, *Bibliographies, Research management, Computerized simulation, Mathematical models, Energy conservation, Glare, Abstracts.

The report is an annotated bibliography of Daylight research and practices. It is a compilation of two draft bibliographies, one compiled by the Florida Solar Energy Center, and the other by the National Institute of Standards and Technology. Both were the result of research projects conducted for the Electrical Power Research Institute. The topics covered are as follows: general treatments of daylight, energy saving design, research and design tools, control systems, computer, scale, and mathematical models, skylight research and applications, atria, fenestration systems and materials, shading devices, delivery systems--daylight and sunlight, and finally, the responses of people to light.

100,077

PB91-216655

PC A03/MF A01

National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Variable Air Volume System Design Guide.

J. Y. Kao. Jun 91, 49p NISTIR-4605

Sponsored by Public Buildings Service, Washington, DC.

Keywords: *Office buildings, *Ventilation, *Air flow, *Design criteria, Air conditioning, Environmental engineering, HVAC systems, Air circulation, Space heating, Control equipment.

Variable air volume (VAV) systems have been used extensively in office buildings during recent years. However, there are persistent complaints by building occupants about the air quality and environmental conditions of these buildings. The guide has been developed to give guidelines on VAV system design to alleviate possible design-caused problems. The guide provides general discussion of VAV systems, air handling system design, system control, and commissioning. The guide has been developed for the General Services Administration to be used by GSA personnel and GSA's contract designers. It includes design check lists as a means of identifying major aspects in VAV system design where new construction and alteration of air systems are involved.

100,078

PB91-231563

PC A04/MF A01

National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.

A. Rubin. Jul 91, 65p NISTIR-4639

Sponsored by Electric Power Research Inst., Palo Alto, CA., and Lighting Research Inst., New York, NY.

Keywords: *Buildings, *Daylighting, *Meetings, Research and development, Computer aided design, Architecture, Windows, Energy efficiency, Technology transfer, Electric lighting, Design criteria, Commercial buildings.

The Daylighting Workshop was conducted on August 1-2, 1990 in Baltimore, Maryland. The overall purpose of the meeting was to develop a new research plan for daylighting, including interactions with other systems, such as electrical lighting and HVAC. The major objectives identified were to: determine the needs for new information (i.e. research); and suggest means of encouraging the application of daylighting, based on what is already known.

100,079

PB91-237800

Not available NTIS

National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electronics and Electrical Engineering Lab. Office.

Effect of Veiling Reflections on Vision of Colored Objects.

Final rept.

J. A. Worthey. 1989, 6p

Pub. in Jnl. of the Illuminating Engineering Society 18, n2 p10-15 1989.

Keywords: *Illuminating, *Buildings, Research and development, Reflection, Light sources, Color, Reprints.

Familiar light sources vary greatly in the solid angle they subtend. A recent paper examined the effect of light source size, and quantified the obvious facts that a small source makes veiling reflections brighter, but a large source makes them harder to avoid. One conclusion was that veiling reflections are never negligible. The present paper pursues this idea by quantifying the effect of surface reflections on vision of colored objects. It is found that specular lighting reduces the range of colors seen in glossy objects by 37%.

100,080

PB91-237818

Not available NTIS

National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electronics and Electrical Engineering Lab. Office.

Light Source Area, Shading, and Glare.

Final rept.

J. A. Worthey. 1991, 8p

Pub. in Jnl. of the Illuminating Engineering Society 20, n2 p29-36 1991.

Keywords: *Light sources, *Illuminating, Glare, Reflection, Luminance, Research management, Reprints.

Familiar light sources vary in the solid angle they subtend by a factor of 100,000 or more. The effects of source area on object shading and on direct illumination of the eye are examined through simplified examples. Previous papers have looked at highlights and veiling reflections in a similar way.

100,081

PB91-237826

Not available NTIS

National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electronics and Electrical Engineering Lab. Office.

Role of Theory in Lighting Research and Design.

Final rept.

J. A. Worthey. 1991, 3p

Pub. in Lighting Design and Application 21, n7 p15-17 Jul 91.

Keywords: *Illuminating, *Research management, Spectra, Light sources, Design, Theories, Luminance, Reprints.

Although science in general acknowledges the role of theory, the need for theoretical methods is not so well established in the case of lighting research and design. Among the reasons that theory is important to lighting work are these: (1) Theory is what engineers do. (2) It is hard to vary light-source size. (3) It is also hard to vary Spectral Power Distribution. (4) Optics is not controversial. (5) Theory guides experiment. (6) More speculative theories also have a place.

100,082

PB91-240747

PC A04/MF A01

National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri.

A. K. Persily, W. S. Dols, S. J. Nabinger, and S.

Kirchner. Jul 91, 52p NISTIR-4634

Sponsored by Public Buildings Service, Washington, DC.

Keywords: *Federal buildings, *Environmental engineering, Indoor air pollution, Air infiltration, Air quality, Carbon dioxide, Carbon monoxide, Formaldehyde, Radon, Ventilation, Missouri.

The National Institute of Standards and Technology (NIST) is studying the thermal and environmental performance of new federal office buildings for the Public Buildings Service of the General Services Administration (GSA). The project involves long-term performance monitoring both before occupancy and during early occupancy in three new office buildings. The performance evaluation includes an assessment of the thermal integrity of the building envelope, long-term monitoring of ventilation system performance, and the measurement of indoor levels of selected pollutants. The report describes the effort being conducted in the second of the three buildings, the Federal Records Center in Overland Missouri, and presents preliminary measurement results from the building. The infrared thermographic inspection of the Overland Building did not reveal any significant thermal defects in the building envelope, though the existence of air leakage and thermal bridging was noted. The whole building pressurization test showed that the building is quite leaky compared to other modern office buildings. The measured radon concentrations were 2 pCi/L or less on the B2 level, and less than or equal to 0.5 pCi/L on the other levels. Formaldehyde concentrations ranged from 0.03 to 0.07 ppm, below the 0.1 ppm guideline but above some levels of concern. The measured levels of volatile organic compounds were similar to those observed in other new office buildings, and the impact of building furnishings and construction activities on the VOC levels were noted. The carbon dioxide levels in

BUILDING INDUSTRY TECHNOLOGY

Architectural Design & Environmental Engineering

the building have generally been low, as would be expected in a building with low levels of occupancy.

Building Equipment, Furnishings, & Maintenance

100,083
PB91-161984 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Environment Div.
Visibility of Exit Signs and Directional Indicators.
Final rept.
B. L. Collins. 1991, 17p
Sponsored by National Electrical Mfrs. Association,
Washington, DC.
Pub. in Jnl. of the Illuminating Engineering Society,
p117-133 1991.

Keywords: *Sign visibility, *Exits, *Direction signs,
Visual perception, Color, Signal visibility, Visual thresh-
old, Signs, Contract, Sign effectiveness, Sign colors,
Reprints.

A three-phase experiment assessed the visibility of
exit signs and directional indicators. Sign effectiveness
was determined in terms of distance to detection, cor-
rect identification, and rated effectiveness, as well as
speed through a corridor in one phase. The results in-
dicated that a 2.25-in. chevron in grey on white with a
contrast of about 0.5 (to meet minimum specifications)
was identified correctly at the greatest mean distance
and received the highest mean ratings of effective-
ness, compared to other indicators. The combination
of a 2.25-in. chevron with a 6-in. EXIT sign was iden-
tified correctly at a mean distance of about 100 ft. Use
of color, either red or green increased the identification
distance by about 15 to 20 ft. Reducing width to height
ratio reduced identification distance by about 35-40 ft.
for chevrons of comparable height, although chevrons
of 2.6 to 3.75-in. in height, with a width to height ratio
of 0.29 to 0.43, were identified correctly at about 100
ft. These data suggest that chevron width can be re-
duced if height is increased beyond 2.6-in. to maintain
adequate visibility at 100 ft. The data indicate the im-
portance of chevron size and configuration as well as
sign color and contrast in determining visibility.

100,084
PB91-187260 Not available NTIS
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
**Improving the Fire Performance of Building Con-
tents.**
Final rept.
R. W. Bukowski. 1991, 5p
Pub. in Construction Specifier 44, n2 p42-46 Feb 91.
Keywords: *Building codes, *Fire resistant materials,
*Flammability, Furniture, Fire tests, Standards, Meas-
urement, Risk assessment, Hazards, Upholstery, Re-
prints.

This is a short article for The Construction Specifier
magazine which reviews current activities relative to
the regulation of building contents, e.g., upholstered
furniture, mattresses, drapes, etc. It reviews the cur-
rent status of California Technical Bulletin 133, UL,
and NFPA standardization activities. The role of com-
puter fire models and measurement methods in provid-
ing the data for them in the context of such regulation
is discussed.

100,085
PB91-189274 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Environment Div.
**Measured Performance of Residential Water Heat-
ers Using Existing and Proposed Department of
Energy Test Procedures.**
Final rept.
A. H. Fanney. 1990, 8p
Sponsored by Department of Energy, Washington, DC.
Pub. in ASHRAE (American Society of Heating, Refrig-
erating and Air-Conditioning Engineers) Transactions,
v96, pt1 p288-295 Jan 90.

Keywords: *Water heaters, Residential buildings, Lab-
oratories, Experimental design, Computerized simula-
tion, US DOE, Standards, Reprints.

A computer-based laboratory for testing residential
water heaters has been fabricated at the National Insti-

tute of Standards and Technology (NIST). The paper
describes the automated laboratory, summarizes ex-
isting and proposed Department of Energy test proce-
dures for residential water heaters, and presents ex-
perimental results for six electric, five gas-fired, and
two oil-fired storage-type water heaters obtained from
local distributors.

100,086
PB91-206664 PC A08/MF A01
Dayton Univ., OH. Research Inst.
**Technical Reference and User's Guide for FAST/
FFM Version 3.**
Technical rept. (Final).
M. A. Dienerberger. May 91, 153p NIST/GCR-91/
589
Grant NANB-SD-0557
Sponsored by National Inst. of Standards and Tech-
nology (BFR), Gaithersburg, MD.

Keywords: *Fires, *Furniture, *Burning rate, *Combustion
products, *User manuals (Computer programs),
Buildings, Smoke, Mathematical models, Compart-
ments, Combustion, Heat flux, FAST/FFM computer
program.

The FAST/FFM computer model provides dynamic,
quasi-three-dimensional predictions of furniture fire
growth and burnout in a room as well as of the spread
of both nontoxic and toxic gases, smoke, and fire to
other rooms. The reference guide provides a detailed
description of the furniture fire model (FFM) equations,
the program structure of FFM and its insertion into
FAST, the FFM data input requirements, and the
output produced by version 3 of the model.

100,087
PB92-108984 PC A03/MF A01
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
**Cone Calorimeter Rate of Heat Release Measure-
ments for Upholstered Composites of Polyure-
thane Foams.**
K. M. Villa, and V. Babrauskas. Aug 91, 40p NISTIR-
4652

Keywords: *Fire tests, *Upholstery, *Polyurethanes,
Combustion products, Fire hazards, Furniture, Chairs,
Thermal measurements, Calorimeters, Cone calori-
meters.

Certain regulatory authorities have recently banned or
restricted the use of furniture upholstered with a com-
bination of polyvinyl chloride (PVC) covering and a
melamine-treated polyurethane foam padding. Thus, it
was endeavored to determine if quantitative measure-
ments would reveal any special hazards associated
with this particular combination. The work represents
the testing of nine different upholstered composites,
made of fabric coverings and polyurethane foam,
tested at three different irradiance levels in the National
Institute of Standards and Technology Cone Calori-
meter. Additional combinations using a polyester bat-
ting interbarrier were also used. The composite bench-
scale specimens were tested at 25 kW/sq.m, 35 kW/
sq.m and 50 kW/sq.m irradiance levels. For most vari-
ables describing fire hazard, the performance of the
combination of melamine-treated polyurethane foam
and PVC fabric covering was not found to behave in an
unusual manner. Only by considering the time period
of 15 seconds after ignition was this combination nu-
merically worse than all other combinations tested.

100,088
PB92-109156 PC A09/MF A02
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
**International Fire Detection Bibliography, 1975-
1990.**
R. W. Bukowski, and N. H. Jason. Sep 91, 185p
NISTIR-4661
See also COM-74-50638. Sponsored by National Fire
Protection Research Foundation, Quincy, MA.

Keywords: *Bibliographies, *Fire detection systems,
*Smoke detectors, *Fire alarm systems, Fire protec-
tion, Abstracts, Fire detectors, Sprinkler systems, Gas
detectors, Fire safety, Safety devices.

The bibliography was collected from numerous inter-
national sources and represents as complete a compila-
tion of publications from the 15 years covered as
could be collected. Nearly 1000 references are in-
cluded, separated into one of 20 topics such as aerosols
and smoke, industrial occupancies, ships, smart detec-
tors and systems, and system reliability studies. Each

such section begins with a brief summary and cites the
more important papers within. The bibliography ends
with a commentary on what the overall literature
shows, what research is needed to achieve more reli-
able detection system operation and reduced unwanted
alarms. An author index and a key word index are
provided.

Building Standards & Codes

100,089
PB91-190066 Not available NTIS
National Inst. of Standards and Technology, Gaithers-
burg, MD. Lab. Accreditation Program.
Plumbing Test Lab Accreditation.
Final rept.
J. A. Swaffield, and L. S. Galowin. 1991, 5p
Pub. in Heating/Piping/Air Conditioning 63, n3 p73-77
Mar 91.

Keywords: *Plumbing, *Building codes, *Test facilities,
*Accreditation, Piping systems, Standards, Water con-
servation, Test methods, Drainage, Performance,
Pipes (Tubes), Reprints.

The ability to evaluate plumbing laboratory competen-
cy for conducting tests established in standards is as-
sured through the accreditation of testing laboratories.
The National Voluntary Laboratory Accreditation Pro-
gram (NVLAP) of the National Institute of Standards
and Technology (NIST) has announced Plumbing Ac-
creditation as an addition to the Commercial Products
Testing Program. NVLAP provides recognition for lab-
oratory competence and support for objectivity in test-
ing and thereby assists industry in interstate com-
merce. Procurement officials, designers, specifiers
and water conservation managers and planners can
specify that test data show conformance to specifica-
tions in standards in reports for performance of plum-
bing devices are from NVLAP accredited laboratories.
The accreditation process for determining the quali-
fications for testing laboratories are described. Applica-
tions of research for drainage systems and plumbing
products are discussed for input to plumbing codes
and standards for pipe sizing are shown from experi-
ments and computer model determinations related to
pipe pitch and diameter for waste transport.

100,090
PB91-194811 Not available NTIS
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
**Meeting the Challenges of a Global Market - Con-
struction Standards, Testing and Certification.**
Final rept.
J. G. Gross. 1991, 4p
Pub. in Construction Business Review, p31-34 Mar/
Apr 91.

Keywords: *Standards, *Construction materials,
*Europe, *International trade, Test methods, Product
development, Certification, Competition, Regulations,
Reprints, European Economic Community.

The article provides information on the rapidly chang-
ing global market for construction products and serv-
ices. Particularly, the unification of the European Com-
munity and activities in the development of the EC 92
internal market are discussed. Standards development
processes in the United States and internationally are
reviewed. The importance of standards as the basis
for regulation and commerce makes these activities
extremely important for the U.S. design profession and
building product producers. Related testing, certifica-
tion and product approval requirements are reviewed.
Recommendations for the U.S. construction commu-
nity are provided.

100,091
PB91-216614 PC A03/MF A01
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
**Direct Digital Control Based Building Automation
System Design Criteria.**
J. Y. Kao. Jun 91, 37p NISTIR-4604
Sponsored by Public Buildings Service, Washington,
DC.

Keywords: *Digital command systems, *Automatic
control, *Federal buildings, Public buildings, Energy

management systems, Quality control, HVAC systems, Fire protection, Security, Controllers, Warning systems, Design criteria, Guidelines, Specifications, *Direct digital control, *Building automation control.

The document serves to provide design guidance for Direct Digital Control (DDC) based Building Automation Systems (BAS). It also provides instructions to design engineers for the BAS design. Explanations of general design philosophy, current unresolved problems confronting the application of DDC in BAS, and considerations for choosing alternative control strategies in specifying application programs are given. The guide is intended for use by GSA and contract designers as a means of identifying major aspects in DDC based BAS design where new construction or major renovations of control systems are included.

100,092
PB91-216697 PC A04/MF A01
National Inst. of Standards and Technology (BRL), Gaithersburg, MD.
Guide Specification for Direct Digital Control Based Building Automation System.
J. Y. Kao. Jun 91, 72p NISTIR-4606
Sponsored by Public Buildings Service, Washington, DC.

Keywords: *Specifications, *Digital command systems, *Automatic control, *Federal buildings, Energy management systems, Warning systems, Fire protection, Controllers, HVAC systems, Security, Quality assurance, Design criteria, Public buildings, *Building automation systems, *Direct digital control.

The publication is intended for building system designers' use in specifying direct digital control (DDC) based building automation systems (BAS) for construction of Federal buildings. The guide specification conforms with the format of guide specifications used by the General Services Administration (GSA) and its professional services contractors.

Construction Materials, Components, & Equipment

100,093
PB91-132134 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.
Concept of the Calculus of Fire Safety.
R. L. Smith. Nov 90, 23p NISTIR-4459

Keywords: *Fire safety, *Buildings, Artificial intelligence, Statistical analysis, Probability theory, Burns(Injuries), Death, Fire hazards, Computer systems programs, *Risk assessment, Expert systems.

Many people (builders, owners, designers, occupants, etc.) have an interest in appraising the fire safety of existing or proposed buildings. Computers are playing an ever increasing role in fire safety analysis and in the technology transfer of fire science. In the report the concept of the Calculus of Fire Safety is developed as a declarative programming language. This calculus will enable users to specify what fire safety question is to be answered without specifying how the answer is to be obtained. Advances in Artificial Intelligence programming techniques will enable the implementation of the Calculus of Fire Safety on widely available workstations. This will provide a very powerful tool to anyone interested in determining the fire safety of buildings.

100,094
PB91-143297 PC A04/MF A01
Pennsylvania State Univ., University Park. Dept. of Mechanical Engineering.
Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).
Annual rept.
A. K. Kulkarni, C. I. Kim, and C. H. Kuo. Nov 90, 65p NIST/GCR-90/584
Grant NAN8D0849
Sponsored by National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.

Keywords: *Heat flux, *Walls, *Fire tests, *Flames, Burning rate, Mathematical models, Construction materials, Test facilities, Conduction, Heat transfer, Heat loss.

Progress made during the first year of NIST Grant No. 60NAN8D0849 for the period ending August 14, 1989 is reported here. The overall objective of the grant is to understand the basic mechanisms of upward flame spread and to develop a methodology to predict the flame spread on practical wall materials, approximately verified by experiments. In the report, progress made on the following tasks is described in individual sections, upward flame spread experiments, mathematical model, local mass loss rate apparatus, heat conduction in the interior of burning walls, and Gardon heat flux gage calibration.

100,095
PB91-144394 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.
Using the Harvard/NIST Mark VI Fire Simulation.
J. A. Rockett. Nov 90, 45p NISTIR-4464

Keywords: *Fires, *Computerized simulation, *Buildings, Burning rate, Combustion, Plumes, Entrainment, Walls, Algorithms, Flames, *Harvard/NIST VI computer program.

Installation and use of the Harvard/NIST multi-room fire simulation (computer code on the IBM PC (and compatibles) is described. Two separate auxiliary programs, MASHBANK and PREPLOT are also described and their use illustrated. Use of the input menus is described and illustrated. Comments are made on the effect of the choice of alternative sub-models on predicted results. Some suggestions for use on other computers are made. The H06.3 disks for use with the report include: Disk No. 1: All files (in packed form) needed to run H06.3 and the two auxiliary programs: MASHBANK and PREPLOT. A group of (packed) files including a short data base file and a sample output of H06.3. Disk No. 2: Section 1 including 17 out of 25 source code files for H06.3. Disk No. 3: Section 2 including the final 8 source code files of H06.3 and source code for MASHBANK, PREPLOT and the auxiliary source code file DTIME.

100,096
PB91-144436 PC A06/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.
Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.
Technical note (Final).
W. W. Jones, and G. P. Forney. Nov 90, 107p NIST/TN-1283
Also available from Supt. of Docs. as SN003-003-03041-4.

Keywords: *Smoke, *Fires, *Buildings, Mathematical models, Combustion, Transport properties, Combustion products, Computer applications, Plumes, Pyrolysis, Programming manuals, Protocols, Data file, Software engineering, Computer programs, CFAST computer program.

The document describes the unified model of fire growth and smoke spread, CFAST. The paper documents the internal structure of the model and details the method of modifying the model, together with examples. The intent is to provide a framework and methodology for maintenance of the model, together with a method of updating it. The reader is assumed to have a working knowledge of programming, software maintenance and modeling of physical phenomena.

100,097
PB91-146977 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Measurement and Research Div.
Heat Release Rate: The Single Most Important Variable in Fire Hazard.
Final rept.
V. Babrauskas, and R. D. Peacock. 1990, 14p
Pub. in Proceedings of Fall Meeting Fire Safety Developments and Testing: Toxicity, Heat Release, Product Development, Combustion Corrosivity, Fire Retardant Chemicals Association, Ponte Vedra Beach, FL., October 20-25, 1990, p67-80.

Keywords: *Fire hazards, *Heat of combustion, *Fires, Ignition, Combustion, Fire tests, Burning rate, Thermodynamic properties, Heat transfer, Heat flux, Flammability, Reprints, *Heat release rate.

Heat release rate measurements are sometimes seen by manufacturers and product users as just another

piece of data to gather. It is the purpose of the paper to explain why heat release rate is, in fact, the single most important variable in characterizing the 'flammability' of products and their consequent fire hazard. Examples of typical fire histories are given which illustrate that even though fire deaths are primarily caused by toxic gases, the heat release rate is the best predictor of fire hazard. Conversely, the relative toxicity of the combustion gases plays a smaller role. The delays in ignition time, as measured by various Bunsen burner type tests, also have only a minor effect on the development of fire hazard.

100,098
PB91-147215 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Science and Engineering Div.
Review of Four Compartment Fires with Four Compartment Fire Models.
Final rept.
S. Deal. 1990, 20p
Pub. in Proceedings of Fire Retardant Chemicals Association/Fire Safety Developments and Testing Fall Conference, Ponte Vedra Beach, October 21-24, 1990, p1-20.

Keywords: *Fires, *Compartments, *Models, Air flow, Fire tests, Ventilation, Buildings, Interfaces, Fuels, Gas flow, Combustion, Reprints.

A comparison of four compartment zone fire models (FIRST, FAST, CCFM VENTS and FPETOO) is presented with four experimental compartment fires. The four experiments represent a variation of vent and fuel effects upon the fire. The models were compared with regard to their simulated temperature, oxygen concentration, interface height and vent flow. Overall, the models compared well with the experimental data, but some discrepancies existed. These are discussed. The models are qualitatively ranked with regard to the amount of fire science knowledge the user should possess and the detail with which the simulation is pursued.

100,099
PB91-147439 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Materials Div.
Design of High Strength Cement-Based Materials. Part 2. Microstructure.
Final rept.
H. M. Jennings. 1988, 6p
See also PB90-152653. Sponsored by Air Force Engineering and Services Center, Tyndall AFB, FL.
Pub. in Materials Science and Technology 4, n4 p285-290 Apr 88.

Keywords: *High strength concretes, *Cements, *Microstructure, Strength, Mechanical properties, Toughness, Fracture properties, Concrete durability, Fractures(Materials), Fracture strength, Design criteria, Reprints.

The report is Part II of a three part paper that examines relationships between microstructure and strength of cement-based materials. Microstructural fracture that may be related to strength are discussed.

100,100
PB91-147611 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Environment Div.
Temperature Measurement of Glass Subjected to Solar Radiation.
Final rept.
S. T. Liu. 1988, 10p
Pub. in ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers) Transactions 94, p12 p1350-1359 1988.

Keywords: *Windows, *Temperature measurement, *Solar radiation, Radiative heat transfer, Temperature measuring instruments, Thermal radiation, Thermocouples, Glass coatings, Window glazing, Reflectance, Reprints.

The measurement of the temperature of window glass exposed to direct solar radiation was studied experimentally under clear sky conditions. Thermocouples of different constructions were mounted on the surface of a 3.18 mm (1/8-inch) window glass panel and their outputs were monitored simultaneously under both direct solar radiation and shaded conditions. The thermocouples used for the experiment were a pair of thin foil type with butt-bonded bare metal junction, a pair of

BUILDING INDUSTRY TECHNOLOGY

Construction Materials, Components, & Equipment

thin foil type encased in thin polymer/glass laminates, and a 40 gauge wire, beaded junction. For the foil types, one of each pair was coated with a highly reflective white paint. Shading was applied after stable output was established, and responses from the step change in irradiation level were recorded. It was found that there can be a 0.2 to 0.7°C difference in the measured temperature for the glass surface between a bare metal junction and a junction coated with a high reflectivity (in the shortwave spectrum) paint. The difference in indicated temperature between an unpainted laminated junction and a painted junction can be as high as 1.0°C. The radiative properties of the junction's surface, both in the solar and the infrared spectrum, are shown to have equal effect on the surface temperature measurement.

100,101

PB91-147835

Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Fire Measurement and Research Div.

Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.

Final rept.

T. J. Ohlemiller. 1990, 12p

See also PB86-166657. Sponsored by Department of Energy, Washington, DC.

Pub. in *Combustion and Flame* 81, n3-4 p354-365 Sep 90.

Keywords: *Thermal insulation, *Flame propagation, *Flammability testing, Cellular materials, Construction materials, Combustion, Ignition, Air flow, Reaction kinetics, Fire resistant materials, Flash point, Reprints.

It is well known that a smoldering fuel responds to an increased oxygen supply by becoming faster and hotter until, eventually, flames erupt. The sequence was examined quantitatively for thick horizontal layers of a permeable fuel, i.e., cellulosic insulation. Two configurations are possible, forward and reverse smolder, both were investigated experimentally. Reverse smolder was shown to respond only weakly to an increased air flow and it exhibited no transition to flaming at flow velocities up to 5 m/s. Forward smolder responded strongly to increased air flow and yielded transition to flaming at about 2 m/s for unretarded material. The influence of combustion retardants was also examined; these included boric acid, a smolder retardant, and borax, a flaming retardant. Both prevented the transition to flaming in the absence of adjacent flammable material but were less effective in its presence. The overall response of these various fuel mixtures and configurations suggests that both kinetics (via leading edge heat transfer effects) and oxygen supply rate (not the latter alone) play substantial roles in dictating smolder response to an air flow.

100,102

PB91-147843

Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Fire Measurement and Research Div.

Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.

Final rept.

T. J. Ohlemiller. 1990, 13p

Sponsored by Department of Energy, Washington, DC. Pub. in *Combustion and Flame* 81, n3-4 p341-353 Sep 90.

Keywords: *Flammability testing, *Thermal insulation, *Flame propagation, Flammability, Fire resistant materials, Combustion, Ignition, Reaction kinetics, Pyrolysis, Combustion products, Air flow, Reprints.

Although the propagation rate of smoldering through porous horizontal fuel layers has been measured for a variety of materials, there has been little work on the structure of the smolder reaction zone and the factors controlling it. These latter aspects are the focus here for the case of thick (18 cm) layers of wood-based fibers in the form of cellulosic insulation smoldering under natural convection air supply conditions. Two-dimensional profiles of temperature, oxygen mole fraction, and residual organic material have been measured both for unretarded insulation and for insulation having 25 wt% of the smolder retardant, boric acid, added on. It is inferred that the overall wave structure is dominated by oxygen diffusion from above. The heat release chemistry appears to involve both oxidative pyrolysis and char oxidation in a shifting balance depending on depth in the layer. Boric acid is unable to halt the smolder process in these thick fuel layers but it slows its spread by about a factor of 2 by a combination of endothermic and kinetic effects.

100,103

PB91-147975

Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Equipment Div.

Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.

Final rept.

B. G. Rennex, T. A. Somers, T. K. Faison, and R. R. Zarr. 1990, 12p

Sponsored by Department of Energy, Washington, DC. Office of Buildings Energy R and D.

Pub. in *Insulation Materials, Testing, and Applications*, ASTM STP 1030, p3-14 1990.

Keywords: *Thermal insulation, *Thermal conductivity, *Silicon dioxide, Thermal resistance, Conductive heat transfer, Heat measurement, Test facilities, Temperature effects, Thermodynamic properties, Heat treatment, Heat transfer, Reprints, *Standard reference materials.

Standard Reference Materials (SRMs) used for thermal conductivity measurements are required by industry, academic, and government laboratories for calibrating heat-flux-meter apparatus or checking the accuracy of guarded-hot-plate apparatus. New thermal conductivity SRMs are sought to improve the accuracy and extend the operational range of these apparatus. An advisory panel recommended the development of a low thermal conductivity SRM having approximately the same thermal conductivity as blown fluorocarbon foams, suitable for a temperature range of -175 to 900°C. The National Bureau of Standards (NBS) examined four lots of fumed-silica insulation and recommended one candidate for further development as a low thermal conductivity SRM. The four lots of fumed-silica insulation were examined for their relative handleability, material uniformity, variability of thermal conductivity measurements, and effect of heat treatment on the measured thermal conductivity of the materials. Thermal conductivity measurements were conducted using the NBS 1-m Guarded Hot Plate for each lot of fumed-silica insulation at a mean specimen temperature of 24°C. Analysis of the thermal conductivity data was performed using the NBS statistical analysis program, Dataplot.

100,104

PB91-148510

PC A04/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Center for Fire Research.

Refinement of a Model for Fire Growth and Smoke Transport.

Technical note (Final).

W. W. Jones. Nov 90, 53p NIST/TN-1282

Also available from Supt. of Docs. as SN003-003-03043-1.

Keywords: *Fires, *Smoke, *Buildings, *Mathematical models, Fire hazards, Ventilation, Combustion products, Computer applications, Transport properties, Pyrolysis, Mass flow, Computer programs, Data file, Toxicity, Deposition, Hydrogen chloride.

The document describes the changes which have occurred in FAST, FASTplot, FAST in and the distribution disks in the change from 18.3, the release for Hazard I, and the current release 18.5. Included are an errata section for the Technical Note 1262, a revision history that is distributed with the release disks, the addendum to the Technical Note for the new key words, and the description of the implementation of the physical routines.

100,105

PB91-149153

Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Building Materials Div.

Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes.

Final rept.

W. J. Rossiter. 1988, 7p

Sponsored by Corps of Engineers, Washington, DC. Pub. in *Materials and Structures* 21, p243-249 1988.

Keywords: *Roofing, *Adhesive bonding, *Ethylene propylene diene polymers, *Peel tests, Synthetic elastomers, Process variables, Temperature dependence, Time dependence, Pressure dependence, Surface finishing, Seams(Joints), Quality assurance, Reprints.

A laboratory study was conducted to determine if a T-peel test was sensitive to differences in initial (7 days) bond strength for adhesive-bonded seams of EPDM

(ethylene propylene diene terpolymer) rubber membranes made under different application conditions. The main categories of application parameters investigated were: surface condition (cleanness, moisture) of the rubber; pressure applied; temperature during seam formation; open time. The T-peel test was found to be sensitive to changes in bond resulting from variation of some of the application parameters. Seams prepared using uncleaned sheets (without removing the talc or other contaminants from their surfaces), or using long open times, had lower average peel strengths than those of the control specimens. Light pressure or high temperature during bond formation produced seams with average peel strengths higher than those of the controls. Wet surfaces and low temperature had no significant effect on the average strength of the seams. The result that uncleaned surfaces had reduced T-peel strength was significant in that lack of proper surface preparation has been cited as a major factor affecting seam performance in service. This result suggested that the T-peel test offers promise for use in developing a quality assurance methodology to assess whether field-prepared seams are made in accordance with acceptable practice.

100,106

PB91-157172

PC A03/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Center for Building Technology.

Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.

H. Watanabe, and W. J. Rossiter. Dec 90, 47p

NISTIR-4424

Prepared in cooperation with Takenaka Corp., Tokyo (Japan). Technical Research Lab. Sponsored by Civil Engineering Lab. (Navy), Port Hueneme, CA.

Keywords: *Ultrasonic tests, *Test facilities, *Roofing, *Seams(Joints), *Adhesive bonding, Transducers, Acoustic measurement, Construction materials, Membranes, Adhesion, Voids, Prototypes, Pressure, Non-destructive tests, *Single-ply roofing membranes.

The feasibility of using NDE (non-destructive evaluation) methods to detect voids in adhesive-bonded seams of single-ply membranes has been under investigation at the National Institute of Standards and Technology (NIST). The report covers the first phase of a two-part study to investigate the applicability of a pulse-echo ultrasonic method for this purpose. A prototype pulse-echo ultrasonic apparatus, called the field scanner and suitable for testing of single-ply seams in the field, was developed. A series of laboratory experiments was conducted using the field scanner to investigate: (1) optimal operating conditions, (2) sensitivity and practical limitations for detecting voids, and (3) variables affecting its response. The equipment was found to be effective in maintaining coupling between the transducer and seam specimens. Two 5-MHz transducers (focusing and non-focusing types) were selected as the most suitable for void detection in the seams. Voids incorporated in laboratory seam specimens were readily detected. The results of the Phase 1 investigation provided guidelines on the optimum conditions for use of the field scanner. Although not without limitations, encouraging evidence was obtained indicating that the field scanner should be applicable to inspections of EPDM seams in service. Consequently, field investigations are being conducted, as planned, in Phase 2 of the study.

100,107

PB91-158543

Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Fire Safety Technology Div.

Compartment Fire-Generated Environment and Smoke Filling.

Final rept.

L. Y. Cooper. 1988, 23p

Pub. in *SFPE Handbook of Fire Protection Engineering*, Chapter 7, p2-116-2-138 1988.

Keywords: *Smoke, *Fires, *Mathematical models, *Buildings, *Air flow, Combustion products, Ventilation, Fire safety, Hazards, Fire protection, Reprints.

The Chapter describes some of the key phenomena which occur in compartment fires, and it focuses on Smoke Filling which is one of the simplest quantitative global descriptions of these phenomena. A specific smoke filling model is presented, and solutions to its model equations are discussed along with example applications.

100,108
PB91-158998 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg,
 MD. Fire Safety Technology Div.
Algorithm for the Mass-Loss Rate of a Burning
Wall.
 Final rept.
 H. E. Milner. 1989, 10p
 Pub. in Proceedings of the International Symposium on
 Fire Safety Science (2nd), Tokyo, Japan, June 1988,
 p179-188 1989.

Keywords: *Algorithms, *Burning rate, *Fires, *Walls,
 Pyrolysis, Thermophysical properties, Buildings, Fire
 safety, Mathematical models, Reprints.

A derivation is given for a simple algorithm which yields
 the quasi-steady burning rate of a verticle panel of
 non-charring, non-melting material in an enclosure
 with stratification of temperature and oxygen concen-
 tration. The algorithm requires the solution of a tran-
 scendental equation. Among the thermophysical data
 which are needed, are the mean flame temperature
 and the height-dependent absorption coefficient. It is
 found from experiment that the absorption coefficient
 is well described for PMMA by a two-parameter ex-
 pression linear in $1/z$. Comparison with a transient ex-
 periment yields good agreement for the mass-loss rate,
 over much of the range.

100,109
PB91-159038 Not available NTIS
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Fire Measurement and Research
 Div.
Five Small Flaming Fire Tests in a Simulated Hospi-
tal Patient Room Protected by Automatic Fire
Sprinklers.
 Final rept.
 K. A. Notarianni. 1990, 23p
 Pub. in Report of Test FR 3982, p1-23, 31 Oct 90.

Keywords: *Fire tests, *Hospitals, *Sprinklers, *Fire
 protection, Fire damage, Fire safety, Sprinkler sys-
 tems, Fire fighting, Design criteria, Reprints.

A series of five tests were conducted to measure tem-
 peratures, radiation, and carbon dioxide, carbon mon-
 oxide, and oxygen concentrations resulting from small
 flaming wood crib fires within a simulated NIH hospital
 patient room protected with automatic fire sprinklers.
 Time to activation of quick and standard response
 sprinklers and ionization and photoelectric smoke de-
 tectors at several locations in the room simulating mul-
 tiple options for protection of the space were mea-
 sured. The test series addressed the location of sprin-
 kler heads in the hospital patient room, demonstrated
 the effect of privacy curtains around the beds, the
 effect of a shielded fire, and the effect of sidewall
 sprinklers.

100,110
PB91-159731 PC A03/MF A01
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Center for Building Technology.
Pulse-Echo Ultrasonic Evaluation of the Integrity
of Seams of Single-Ply Roofing Membranes: Re-
sults of Field Investigations and Recommenda-
tions.
 H. Watanabe, and W. J. Rossiter. Nov 90, 42p
 NISTIR-4425
 See also PB91-157172. Prepared in cooperation with
 Takenaka Corp., Tokyo (Japan). Technical Research
 Lab. Sponsored by Civil Engineering Lab. (Navy), Port
 Hueneme, CA.

Keywords: *Ultrasonic tests, *Roofing, *Adhesive
 bonding, *Seams(Joints), Nondestructive tests, Me-
 chanical properties, Acoustic measurement, Construc-
 tion materials, Roofs, Membranes, Inspection, Voids,
 Adhesion, *Single-ply roofing membranes.

The report describes the second and final phase of a
 study to develop an ultrasonic NDE method for evalu-
 ating the integrity of seams of single-ply roofing mem-
 branes. The results of the laboratory evaluation of a
 prototype pulse-echo apparatus (the field scanner)
 were positive in that voids could be distinguished from
 well-bonded sections of the specimen using the inten-
 sity of the echo from the adhesive layer. In the Phase 2
 study, seams of existing EPDM single-ply membranes
 were examined by roof-top scanning to evaluate the
 performance of the field scanner in practice. This was
 followed by laboratory tests to confirm and explain ob-
 servations made during the field tests of the seams.

The field scanner was sensitive to micro-cavities,
 which could be generated in adhesive layers. This re-
 sulted in a number of 'false positive' readings. The for-
 mation of the micro-cavities was attributed to the tem-
 perature-induced volatilization of residual solvent re-
 maining in the adhesive layer after its application on
 the membrane material.

100,111
PB91-162115 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Chemical Engineering Science Div.
Automated High-Temperature Guarded-Hot-Plate
Apparatus for Measuring Apparent Thermal Con-
ductivity of Insulations between 300 and 750 K.
 Final rept.
 J. G. Hust, B. J. Filla, J. A. Hurley, and D. R. Smith.
 1990, 13p
 Contract ORNL/IA-21428
 See also PB88-242060. Sponsored by Oak Ridge Na-
 tional Lab., TN.
 Pub. in Insulation Materials, Testing, and Applications,
 ASTM STP 1030, p710-722 1990.

Keywords: *Thermal insulation, *Thermal conductivity,
 *Test facilities, *Thermocouples, Temperature mea-
 surement, Heat transmission, Algorithms, Heat transfer,
 Thermodynamic properties, Automatic control, Ther-
 mal measurements, Reprints.

An automated guarded-hot-plate apparatus was de-
 signed and built to meet the requirements of ASTM
 standard test method C 177 for measuring the thermal
 transmission properties of thermal insulation. The ap-
 paratus is controlled by a scientific desktop computer.
 Measurements with this apparatus can be performed
 at temperatures from 300 to 750 K in environments of
 different gases at pressures ranging from atmospheric
 pressure to rough-pump vacuum. A novel design for
 a thermocouple device is used; this device more accu-
 rately senses the average temperature over the sur-
 face of each heater plate. An improved algorithm for
 the control sequence provides more stable heater
 powers and specimen temperatures. Initially the algo-
 rithm brings the system rapidly to a temperature set-
 point with minimal overshoot. It also permits highly
 sensitive control of the plate temperatures in later
 phases of the measurement sequence when thermal
 stability of the specimen boundaries is very important
 in measuring the thermal conductivity with high pre-
 cision. Overall uncertainties of thermal conductivities
 at atmospheric pressure are 2% at 300 K and 3% at 750
 K.

100,112
PB91-162149 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg,
 MD. Center for Building Technology.
Computer Simulated Hydration of a Cement Model.
 Final rept.
 S. K. Johnson, and H. M. Jennings. 1986, 10p
 Pub. in CIB 86 Proceedings, Washington, DC., Sep-
 tember 22-26, 1986, v6 p2086-2095.

Keywords: *Cements, *Hydration, *Microstructure,
 *Cementing, Silicate cements, Computer simulation,
 Computer graphics, Bonding, Adhesion, Placing, Re-
 prints.

A computer model is presented, which simulates the
 development of microstructure in hydrating tricalcium
 silicate paste. Hydration is programmed to proceed in
 steps, during which consumption of the anhydrous ma-
 terial occurs in increments and results in the produc-
 tion of calcium silicate hydrate and calcium hydroxide.
 Information concerning the distribution of the hydration
 products is processed by the program and is stored in
 computer files for later production of reports and two-
 dimensional representations of cross-sections of the
 simulated microstructure. These images can be com-
 pared to micrographs of polished samples of hydrated
 tricalcium silicate. The computer program permits the
 selection of the initial system parameters prior to the
 simulation, thus generating the microstructure under a
 variety of conditions.

100,113
PB91-167189 PC A05/MF A01
 National Inst. of Standards and Technology (NCSL),
 Gaithersburg, MD.
Review of Research Literature on Masonry Shear
Walls.
 C. W. C. Yancey, S. G. Fattal, and R. D. Dikkers. Feb
 91, 100p NISTIR-4512
 Portions of this document are illegible.

Keywords: *Building codes, *Masonry, *Walls, Re-
 views, Design standards, Research, Standards,
 Loads(Forces), Compressive strength, Shear strength,
 Construction.

A review of the technical literature on masonry shear
 wall tests was conducted to determine the range and
 depth of research conducted and to identify areas in
 need of additional research. The review covers docu-
 ments published from 1976 to 1989 and includes ap-
 proximately seven hundred masonry wall tests. Both
 U.S. and foreign research was included in the review.
 U.S. code and standard requirements for the design of
 masonry shear walls are discussed and some of the
 provisions are highlighted in tabular and graphic form.
 Technical information regarding experimental studies
 is tabulated for easy reference and a selected number
 of test programs are examined in greater detail to
 present the objective and scope, test variables and
 major findings. Experimental data from comparable re-
 search studies are combined and analyzed to deter-
 mine the influence of key design parameters on the
 response of shear walls to in-plane lateral loading.
 Also included is a comparison of two experimentally-
 derived ultimate shear strength formulae with that in-
 cluded in the 1988 edition of the Uniform Building
 Code. The findings of the review are summarized and
 specific research needs are identified.

100,114
PB91-167197 PC A04/MF A01
 Harvard Univ., Cambridge, MA. Div. of Applied Sci-
 ences.
Ceiling Jet in Fires.
 Annual rept.
 H. W. Emmons. Dec 90, 51p NIST/GCR-90/582
 Grant NIST-60NANB800845
 Sponsored by National Inst. of Standards and Tech-
 nology (NEL), Gaithersburg, MD. Center for Fire Re-
 search.

Keywords: *Fires, *Jet flow, *Air flow,
 *Ceilings(Architecture), Friction, Heat transfer, En-
 trainment, Fluid flow, Froude number, Buildings, Math-
 ematical models.

The steady ceiling jet is examined with a simplified 'top
 heat' theory. Friction causes the jet to change down-
 stream with flow, depth, and/or hydraulic jump adjust-
 ments to produce Richardson Number = 1 at the corri-
 dor exit, just as in hydraulics. Entrainment has a quali-
 tative effect identical to friction, although there are
 quantitative differences. Heat transfer has, however,
 the opposite effect; the Richardson Number moves
 away from 1 as the flow proceeds. When all effects are
 included, high friction cases are predictable, while low
 friction cases are not. New experimental studies are
 needed to locate the reasons.

100,115
PB91-167304 PC A03/MF A01
 National Inst. of Standards and Technology (BFR),
 Gaithersburg, MD.
Computational Models Developed for the Corro-
sion of Prestressing Steel.
 S. T. Wu, and J. R. Clifton. Mar 91, 20p NISTIR-4455
 Prepared in cooperation with Air Force Office of Scien-
 tific Research, Bolling AFB, DC.

Keywords: *Stress corrosion, *Prestressing steels,
 *Prestressed concrete, Fracturing, Fracture prop-
 erties, Cracking(Fracturing), Reinforcing steels, Mathe-
 matical models, Structural steels, Fractures(Materials),
 Corrosion.

Modeling for the purpose of estimating the corrosion
 rates of steel in prestressed concrete are discussed in
 the paper. For steel in concrete, localized corrosion
 processes are not well understood. It is premature at
 present to develop a sophisticated but still incomplete
 mathematical model. Instead, a simplified approach is
 proposed for the quantitative evaluation of corrosion
 rates. A model was developed based upon considera-
 tions of diffusion processes and electrochemical re-
 actions. The dominant chemical factors, such as the
 concentration of oxygen at the electrodes, are treated
 as primary variables in the differential equations. Two
 approaches which have been frequently used to treat
 stress corrosion cracking are briefly described. The
 first approach is based on a conventional engineering
 approach by estimating the stress intensity factors
 under various environments. In the second approach,
 the surface energy at grain boundaries is estimated
 along the crack path.

BUILDING INDUSTRY TECHNOLOGY

Construction Materials, Components, & Equipment

100,116
PB91-16766 PC A03/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Center for Fire Research.
Modern Test Methods for Flammability.
V. Babrauskas. Jun 90, 25p NISTIR-4326

Keywords: *Flammability testing, *Fire tests, Combustion, Flames, Flammability, Calorimeters, Test facilities, Experimental data, Thermal measurements, Fires, Smoke, Ignition, Toxicity, Combustion products, Furniture, Corrosion, Heat transmission.

During the last decade, significant improvements have become available in flammability testing. Rationally-based new methods, derived from fundamental engineering principles are replacing the previously used empirical tests. The major emphasis in the development work has been to provide a basic set of bench-scale methods which can be used to predict full-scale product performance. Reference methods for conducting full-scale tests will continue to be needed to handle products or situations where the bench-scale methods are not applicable. The bulk of the testing needs, however, can now be fulfilled by use of bench-scale tests which are not only simple to run, but are known to accurately predict the full-scale performance.

100,117
PB91-174573 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Fire Science and Engineering Div.
Ceiling Jet-Driven Wall Flows in Compartment Fires.

Final rept.
L. Y. Cooper. 1988, 12p
Pub. in Combustion Science and Technology 62, n4-6
p285-296 1988.

Keywords: *Fires, *Buildings, *Compartments, *Walls, Heat transfer, Plumes, Wall effects, Convection, Air flow, Combustion, Entrainment, Reprints.

Analytic estimates are developed for depth of penetration and lateral entrainment of negatively buoyant, ceiling jet-driven wall flows during early times of compartment fire scenarios. When walls are not too far from the fire source of the order of the fire-to-ceiling distance, it is found that the penetration of these downward wall flows is a large fraction of the fire-to-ceiling distance, and that this fraction is relatively independent of the details of fire size and fire-to-wall spacing. Also, net rate of entrainment into the wall flow as it is buoyed back upward to the ceiling elevation is found to be several times larger than the flow rate of the driving ceiling jet flow immediately upstream of wall impingement. Data from five studies reported in the literature are reviewed relative to the analytic results obtained. One of these involved a field model simulation of the flow generated by a buoyant source in an enclosure. Two experimental laboratory studies involved fires in enclosures with characteristic dimension of the order of several meters. Two others involved saltwater plumes in freshwater tanks with characteristic dimension of the order of several tenths of a meter. These data are found to be consistent generally with the analytic results, and, in particular, with the notion that the wall flows in question provide the mechanism for mixing which leads to the deep and rapid stratification typically observed in enclosed compartment fire environments.

100,118
PB91-174789 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Fire Safety Technology Div.
Letter to the Editor of Standardization News.

Final rept.
D. Gross. 1987, 2p
Pub. in ASTM (American Society for Testing and Materials) Standardization News, p7-8 Feb 87.

Keywords: *Fire tests, *Standards, Research facilities, Measurement, Standardization, Metrology, Test facilities, Fires, Combustion, Reprints.

The letter to the editor responds to a short 'In My Opinion' article on the use, for regulatory purposes, of fire test methods designed for research and development (R&D).

100,119
PB91-175315 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Building Materials Div.

Application of CCRL Data in the Development of Cement Standards.

Final rept.
J. H. Pielert, and C. B. Spring. 1987, 12p
Sponsored by American Society for Testing and Materials, Philadelphia, PA.
Pub. in Uniformity of Cement Strength, ASTM STP 961, p30-41 1987.

Keywords: *Cements, *Standards, *Laboratories, Concretes, Quality assurance, Samples, Test facilities, Aggregates, Reinforcing steels, Portland cements, Construction materials, Reprints.

The Cement and Concrete Reference Laboratory (CCRL) through its laboratory inspection and proficiency sample programs collects data which can be useful in the development of cement and concrete standards. The paper outlines the scope of CCRL activities, discusses the nature of the CCRL data base, discusses specific examples of technical studies which support standard development, and outlines areas of future CCRL support to standards committees. CCRL inspections are conducted in laboratories equipped to perform tests on cement, concrete, concrete aggregate and steel reinforcing bars. The program for the distribution of proficiency samples includes portland cement, portland cement concrete, blended cement and masonry cement. Data from these programs have over the years been made available to the appropriate ASTM committees. CCRL also studies technical problems of interest to ASTM committees C1 and C9. Several CCRL activities will be presented to illustrate the application of CCRL data.

100,120
PB91-175422 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Fire Measurement and Research Div.
Smoke Production and Properties.

Final rept.
G. W. Mulholland. 1988, 10p
Pub. in SFPE (Society of Fire Protection Engineers) Handbook of Fire Protection Engineering, Chapter 25, p368-377 1988.

Keywords: *Smoke, *Fires, *Smoke detectors, Combustion products, Detectors, Transmittance, Visibility, Safety devices, Optical density, Safety engineering, Reprints.

The fundamental concepts relevant to smoke are defined including smoke conversion factor, size distribution function, coagulation, light extinction coefficient, optical density, visibility, and smoke detector response function. Tabulated results are presented on smoke emission, average particle size and width of size distribution, specific optical density, and mass optical density for smoke produced by wood and plastics. Illustrative examples are included in regard to analyzing size distribution data, predicting the effect of particle coagulation on number concentration, estimating the visibility of an exit sign for a developing fire, and predicting smoke detector response time.

100,121
PB91-187278 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Environment Div.

Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.

Final rept.
D. B. Burch, B. A. Licitra, and R. R. Zarr. 1990, 8p
Sponsored by Department of Energy, Washington, DC.
Pub. in Jnl. of Heat Transfer 112, n1 p35-42 Feb 90.

Keywords: *Thermal measurements, *Walls, *Heat transfer coefficient, *Temperature measuring instruments, Test facilities, Heat flux, Heat transmission, Heat transfer, Least squares method, Thermal analysis, Heat loss, Reprints.

The paper compares two dynamic test methods for obtaining empirical transfer-function coefficients (TFCs) for a wall specimen using a calibrated hot box (CHB). The wall specimen consisted of an insulated hollow concrete block wall that contained significant thermal bridges and lateral heat flows. The wall specimen was installed between the climatic and metering chambers of a CHB. The climatic chamber generated a dynamic (i.e., time-dependent) excitation function. The metering chamber maintained a typical indoor condition and served as a calorimeter. The transient heat-transfer rate at the inside surface of the wall specimen was determined at hourly time steps from an energy balance

of the metering chamber. The first method is called the 'curve fitting method.' In the method, a periodic excitation function consisting of a fundamental 24-hour sine wave and several harmonics (e.g., a soil-air diurnal temperature cycle) was generated in the climatic chamber. Empirical TFCs were obtained by curve fitting the measured specimen heat-transfer rate to a transfer function equation using the method of least squares.

100,122
PB91-187807 PC A04/MF A01
National Inst. of Standards and Technology (BRL),
Gaithersburg, MD.

Building and Fire Research Laboratory Publications, 1990.

N. H. Jason. Apr 91, 69p NISTIR-4562
Also available from Supt. of Docs. See also PB90-219809.

Keywords: *Buildings, *Fire safety, *Bibliographies, Research management, Fire models, Fire tests, Smoke.

Building and Fire Research Laboratory Publications, 1990 is the first edition to reflect the combined publications of the Building and Fire Research Laboratory (BRL) for calendar year 1990. In 1991 the Center for Building Technology (CBT) and the Center for Fire Research (CFR) combined to form BRL. The publication is a supplement to previous editions of Fire Research Publications and the Building Technology Publications.

100,123
PB91-189324 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Automated Production Technology Div.

Acoustic Technique for Evaluation of Thermal Insulation.

Final rept.
D. R. Flynn, D. J. Evans, and T. W. Bartel. 1990, 24p
Pub. in Insulation, Materials, Testing, and Applications, ASTM STP 1030, p319-342 1990.

Keywords: *Thermal insulation, *Noise(Sound), Frequencies, Fiberglass, Rock wool, Cellulose, Laboratory tests, Nondestructive tests, Sound transmission, Reprints.

A laboratory apparatus has been constructed that enables rapid measurement of the sound insertion loss of a sample of insulation as a function of frequency. An extensive series of measurements of the sound insertion losses associated with blown samples of fiberglass, rockwool, and cellulose has been completed; the results of these acoustic measurements are highly correlated with coverage (mass per unit area) and thermal resistance (R-value). An investigation is planned to extend the acoustic techniques used in the laboratory apparatus to in situ determination of the sound transmission loss through thermal insulation installed in attics. Two possible approaches to such field measurements are described.

100,124
PB91-189993 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Materials Div.

Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.

Final rept.
W. J. Rossiter, J. F. Seiler, and P. E. Stutzman. 1989, 10p
Pub. in Proceedings of Conference on Roofing Technology (9th), Gaithersburg, MD., May 4-5, 1989, p78-87.

Keywords: *Adhesive bonding, *Seams(Joints), *Roofs, *Rubber adhesives, Adhesion, Bonding, Mechanical properties, Dissimilar materials bonding, Membranes, Bonding strength, Construction materials, Reprints.

Laboratory and field investigations were conducted to obtain data for supporting the development of a methodology to assure the quality of adhesive-bonded seams of vulcanized rubber membranes. The prime factors investigated were surface condition of the rubber, temperature of the rubber at the time of adhesive application and cure time of the adhesive. The laboratory data indicated that the T-peel test is sufficiently sensitive for use in a field methodology for assuring the quality of seams. Based on the laboratory results, it appeared possible to conduct the T-peel

Construction Materials, Components, & Equipment

tests within a day (or perhaps less) of seam formation and to find significant differences in bond strength due to lack of proper surface cleaning of the rubber. Data from field applications are needed to demonstrate whether such differences are found on the job at one day's time or less. Seams sampled from two buildings were found to have low bond strengths, as compared to seams prepared using rubber carefully cleaned in the laboratory.

100,125
PB91-190124 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.
Thermal Conductivity of Fumed Silica Board at Room Temperature.
Final rept.
R. R. Zarr, and T. A. Somers. 1990, 13p
Sponsored by Department of Energy, Washington, DC. Pub. in Thermal Conductivity 21, p247-259 1990.

Keywords: *Thermal insulation, *Silicon dioxide, Thermal conductivity, US NIST, Reprints, Standard Reference Materials.

The thermal conductivity of fumed-silica board insulation was measured using the 1-metre guarded hot plate at the National Institute of Standards and Technology (NIST). Measurements were conducted for the following ranges: bulk density, 304.5 to 325.4 kg/cu m; and air pressure, 97.51 to 103.43 kPa. The effect of moisture content on room-temperature measurements was minimized by prior conditioning of the specimen at 100C for 24 hours. A linear equation having two independent parameters, bulk density and air pressure, was fit to thirty-five data points. Certified values of thermal resistance at room temperature were calculated for the following ranges of bulk density and air pressure; 300 to 330 kg/cu m and 97 to 102 kPa, respectively. The Office of Standard Reference Materials of NIST in Gaithersburg, Maryland, USA has made available two Standard Reference Materials (SRMs) of fumed-silica board, SRMs-1449 and 1459.

100,126
PB91-194696 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.
Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
Final rept.
B. M. Burch, and R. R. Zarr. 1991, 11p
Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of Conference on In-situ Heat Flux Measurements in Buildings Applications and Interpretations of Results, Hanover, NH., May 22-23, 1990, p111-121 1991.

Keywords: *Heat flux, *Thermal measurements, *Walls, *Energy conservation, Thermal analysis, Temperature distribution, Measuring instruments, Transducers, Heat transmission, Heat transfer, Temperature measurement, Reprints, *Heat flux transducers.

Four wall specimens were instrumented with heat flux transducers and tested in a calibrated hot box to determine the accuracy of the heat flux transducers. The heat flux transducers were installed at the interior surface of the wall specimens and exposed to different steady and dynamic (i.e., time-dependent) temperature differences using a calibrated hot box. Two of the wall specimens were composed of homogeneous and monolithic material layers, which yielded virtually one-dimensional heat flux. The other two wall specimens were composed of conventional wall construction with wood structural members, which yielded a two-dimensional heat flux pattern. The heat flux transducers were previously calibrated by exposing them to a uniform heat flux in a guarded hot plate. The steady-state and transient heat flux transducer measurements agreed within 5% of the calibrated hot box measurements.

100,127
PB91-203521 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Materials Div.
NBS Research on Protective Coatings for Buildings and Structures.
Final rept.
L. W. Masters. 1985, 2p
Pub. in Jnl. of Protective Coatings and Linings 2, n3 p15-16 Mar 85.

Keywords: *Protective coatings, *Structural steels, Research projects, Barrier coatings, Construction ma-

terials, US NBS, Performance prediction, Service life, Corrosion prevention, Weathering, Reprints.

The goal of coatings research in the Building Materials Division of the National Bureau of Standards (NBS) is to develop improved technical bases for assuring the quality of and for predicting the service life of protective coatings. The research results lead to test and evaluation methods and criteria to aid in the selection, use, and maintenance of protective coatings.

100,128
PB91-203935 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Materials Div.
Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes.
Final rept.
W. J. Rossiter, and J. R. Clifton. 1986, 10p
Sponsored by Naval Civil Engineering Lab., Port Hueneme, CA.
Pub. in Durability of Building Materials 3, p343-352 1986.

Keywords: *Nondestructive tests, *Roofing, *Membranes, Voids, Moisture content, Construction materials, Ultrasonic tests, Infrared thermography, Inspection, Roofs, Seams(Joints), Reprints.

The laboratory study investigated the use of the ultrasonic pulse echo method and the infrared thermography method to detect voids and delaminations nondestructively in seams of single-ply roofing membranes. Voids were intentionally incorporated in seam specimens prepared using a commercially available EPDM (ethylene-propylene-diene terpolymer) roofing membrane material. A number of factors affecting the response of the nondestructive evaluation (NDE) methods was examined, including: pressure applied during seam fabrication, void size, water in the void, temperature, unbonded seam interfaces, and supporting panel under the seam. The results indicated that both NDE methods were successful under certain laboratory conditions in locating hidden voids and delaminations in the seam specimens. Both the ultrasonic pulse echo and the infrared thermography methods need further research before their reliability in locating defects is ascertained and their results can be more fully interpreted.

100,129
PB91-206680 PC A04/MF A01
Factory Mutual Research Corp., Norwood, MA.
Sprinkler/Hot Layer Interaction.
Technical rept. Sept. 1990.
G. Heskestad. May 91, 56p NIST/GCR-91/590
Grant NAB-OD1066
Sponsored by National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Keywords: *Fires, *Sprinklers, *Cooling, Vaporizing, Spraying, Evaporation, Entrainment, Interfaces, Fire protection, Spray quenching, Mathematical models, Temperature distribution, Boundary layer, Plumes.

A model has been developed for the cooling of a quiescent hot layer by a sprinkler spray in a two-layer zone model (with no direct interaction of the spray with a fire plume), based on existing models of spray-induced flow and heat transfer to evaporating drops. In addition, existing models have been adapted to predict the penetration of the spray-induced flow below the layer interface and associated entrainment of lower-layer fluid into the upper layer. The cooling model is in good agreement with published results from sprinklered room-fire experiments, for which penetration of spray-induced flow into the lower layer and associated entrainment were calculated to be negligible. No published results have been found to test the validity of the adapted models of penetration and associated entrainment, which do not account for possible effects of the spray below the layer interface.

100,130
PB91-216648 PC A04/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.
Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.
R. Bostelman. Jul 91, 70p NISTIR-4595

Keywords: *Cranes(Hoists), *Robotics, *Vibration damping, Construction equipment, Models, Computer systems hardware, Electronics, Design, Data acquisition, Control systems, Systems engineering, Circuit diagrams, Servo control, SSMRC(Small Scale Model Robot Crane).

The report describes the electronic hardware designed and developed for the Small Scale Model Robot Crane (SSMRC) Project sponsored by the Defense Advanced Research Projects Agency (DARPA). The purpose of the electronic hardware is to provide the necessary servo controls for the three axes of the SSMRC. The report begins with an introduction which explains the overall objectives of the project and describes the SSMRC system configuration. An electronic design section discusses each system component and describes the component from both a hardware and a system point of view. Test procedures and results, which give the troubleshooting methods and data needed for development of the system, are then presented. The report concludes with a brief summary and an appendix which provides electronic design schematics and descriptions of the parts used in the construction of the electronic hardware system.

100,131
PB91-216689 PC A05/MF A01
National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.
L. Y. Cooper. Jun 91, 78p NISTIR-4590

Keywords: *Combustion, *Fires, *Buildings, *Methane, *Hexane, Combustion products, Reaction kinetics, Mathematical models, Fluid flow, Chemical reactions, Steady state.

The Generalized Global Equivalence Ratio Model (GGERM) was developed to predict the generation rates of oxygen, fuel, and other products of combustion in rooms containing fires. The GGERM extends to general transient conditions the global equivalence ratio model established during times of steady-state in experimental studies involving two-layer compartment fires. The present work uses the GGERM to predict upper layer mass fractions of products of combustion (fuel, oxygen, CO, and others) in these two-layer fire experiments, but during times of transient response. All predicted results are found to be plausible and, where transient data are available, predicted and measured results compare favorably. However, available data are limited and additional validation of the GGERM under more varied fire conditions is required before it can be used with confidence in two-layer zone-type compartment fire models.

100,132
PB91-216788 PC A08/MF A02
National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.
Building and Fire Research Project Summaries, 1991.
N. J. Raufaste. Jun 91, 155p NISTIR-4582
See also PB91-187807.

Keywords: *Research projects, *Fires, *Buildings, Flammability, Fire resistant materials, Combustion, Fire safety, Indoor air quality, Fire hazards, Smoke, Fire protection, *Building and Fire Research Laboratory.

In early 1991, as part of an agency-wide reorganization, the National Institute of Standards and Technology (NIST) created the Building and Fire Research Laboratory (BFRL) by merging its Centers for Building Technology and Fire Research. BFRL's mission is to increase the usefulness, safety, and economy of constructed facilities, and reduce the human and economic costs of unwanted fires in buildings. The report summarizes BFRL's research for 1991. The report is arranged by its research programs: structural engineering, materials engineering, mechanical and environmental systems, fire science and engineering, and fire measurement and research. Each summary lists the project title, its research, the BFRL point of contact, sponsor, and results.

100,133
PB91-237479 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Materials Div.

BUILDING INDUSTRY TECHNOLOGY

Construction Materials, Components, & Equipment

Microstructural Aspects of the Fracture of Hardened Cement Paste.

Final rept.
L. Struble, P. Stutzman, and E. Fuller. 1989, 5p
Contract AFOSR-ISA88-0039
Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in Jnl. of the American Chemical Society 72, n12 p2295-2299 1989.

Keywords: *Fracture mechanics, *Cements, *Crack propagation, Microstructure, Paste(Consistency), Hardness, Electron microscopy, Microcracks, Construction materials, Reprints.

Microstructures of fractured hardened cement pastes were examined using a scanning electron microscope. Cracks generally appear to pass around unhydrated cement grains and along calcium hydroxide cleavage planes, but to pass through voids, inner hydration product, and outer hydration product with no change in direction. The crack path is often offset, with gaps between offset segments forming bridges. The crack is often branched or forked at the tip, and microcracks are observed just ahead of the tip. The gaps between crack offsets may explain the rising fracture resistance (R-curve) of hardened cement paste, and the microcracking ahead of the crack tip may also provide toughening.

100,134
PB92-108919 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Fire Research.
FPETOOL User's Guide.
H. E. Nelson. Oct 90, 38p NISTIR-4439
Contract GSA/PBS-87-03
Sponsored by Public Buildings Service, Washington, DC.

Keywords: *Fire hazards, *Fire protection, *Computer applications, Computerized simulation, Buildings, Mathematical models, Fire safety, Smoke, Flame propagation, Sprinkler systems, Fire detection systems, Ventilation, Flashover, User manuals(Computer programs), *FPETOOL computer program.

FPETOOL is a computerized package of relatively simple engineering equations and models. FPETOOL consists of a package of engineering tools useful in estimating potential fire hazard and the response of the space and fire protection systems to the developing hazard. To a large extent, user instructions are included as screen messages presented at the time of need by FPETOOL. The document covers information useful to the user, but not included as screen messages.

100,135
PB92-108976 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.
Mathematical Modeling of Enclosure Fires.
H. E. Mittleer. May 91, 47p NISTIR-90-4294
See also PB90-129867 and PB81-110520.

Keywords: *Fires, *Mathematical models, *Enclosures, Fire hazards, Fire safety, Fire tests, Combustion, *Fire models, Field models, Zone models.

After a brief description of the history and physics of enclosure fire modeling, two kinds of deterministic fire models are discussed: field models and zone models. The models consist of sets of coupled equations -- differential, algebraic, or a mixture of the two. Special emphasis is placed on discussing some of the numerical techniques used to solve these equations. Although this is not a comprehensive review article, an attempt has been made to give a sufficiently complete reference section that the interested reader can follow up on any item.

100,136
PB92-112556 PC A03/MF A01
California Univ., Berkeley. Dept. of Mechanical Engineering.
Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.
A. A. Joshi, and P. J. Pagni. Oct 91, 29p NIST/GCR-91/596
Grant NANTB-80848
See also PB90-244443 and PB88-111810. Sponsored by National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Keywords: *Fires, *Buildings, *Window glass, *Breaking, *Computer applications, Mathematical models,

Thermal stresses, Thermal conductivity, Thermal diffusivity, Thermal expansion, Absorption, Modulus of elasticity, Temperature, Heat transfer coefficient, Emissivity, Flames, Radiation, Thermophysical properties, Vents, User manuals(Computer programs).

The report is an instructional manual for the computer program BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire, version 1.0. The thermal response of window glass exposed to a compartment fire and its time to breakage are calculated. The following glass properties, treated here as constant, are required as input: thermal conductivity, thermal diffusivity, absorption length, breaking stress, Young's modulus, coefficient of linear thermal expansion and emissivity. In addition, the ambient temperature, the hot layer temperature, heat transfer coefficients and emissivities and the direct flame radiation histories are needed as input. The window geometry is also required. The output describes the evolution of the window temperature field, $T(x,t)$, where x is the direction normal to the glass pane, culminating in the window breakage time, $t_{sub}(b)$. The manual contains a summary of the mathematical model, sample thermophysical and mechanical data tables, some worked examples and advice on using the program.

100,137
PB92-116334 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
D. M. Burch, and W. C. Thomas. Oct 91, 57p NISTIR-4674
See also DE90014155 and PB85-199248. Sponsored by Department of Energy, Washington, DC.

Keywords: *Moisture content, *Walls, *Construction materials, *Wood products, Framed structures, Sheathing, Humidity, Heat transfer, Mathematical models, Permeability, Finite difference method, Thermal insulation, Winter.

A transient, one-dimensional, finite-difference model is presented that predicts the coupled transfer of heat and moisture in a multilayer wall under nonisothermal conditions. The model can predict moisture transfer in the diffusion through the capillary flow regimes. It has a provision to account for convective moisture transfer by including embedded cavities which may be coupled to indoor and outdoor air. The model is subsequently used to predict the time-varying average moisture content in the sheathing and siding of a wood frame wall as a function of time of year. Results are shown for a mild winter climate (Atlanta, GA), an intermediate winter climate (Boston, MA), and a cold winter climate (Madison, WI). The indoor temperature is maintained at 21°C, and separate computer runs are carried out for indoor relative humidities of 35% and 50%. The effect of several construction parameters on the winter moisture accumulation are investigated. The parameters include the interior vapor retarder permeance, sheathing permeance, exterior paint permeance, indoor air leakage, and the amount of insulation.

100,138
PB92-116342 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.
Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
S. G. Fattal, and D. R. Todd. Oct 91, 47p NISTIR-4633
See also PB91-167189.

Keywords: *Ultimate strength, *Masonry, *Walls, Shear stress, Building codes, Loads(Forces), Mathematical models, Design standards, Earthquake resistant structures, Structural analysis, Earthquake engineering.

The study compares the ability of four different equations to predict the ultimate shear stress in masonry walls failing in shear. Experimental data on full-grouted reinforced shear walls from four different sources are compared with the predictions from the four equations. Wall characteristics from 65 test specimens were used as input to the four predictive equations. The ultimate strength predictions were then compared to the actual measured strength of the 65 test walls. Two of the equations (the existing UBC equation for shear strength of masonry walls and the Architectural Institute of Japan's equation for predicting the shear strength of reinforced concrete shear walls) were found to be inadequate for the prediction of ultimate

shear strength of masonry walls. An equation proposed by Shing et al. was found to predict shear strength well for only limited ranges of variables, primarily because excessive weight is given to the contributions of horizontal reinforcement to strength. An equation proposed by Matsumura was found to be the best predictor of the four equations examined, but it lacks the consistency needed to use it as a basis for design.

100,139
PB92-116458 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Fire Measurement and Research Div.

Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
Final rept.
V. Babrauskas, R. H. Harris, E. Braun, B. C. Levin, M. Paabo, and R. G. Gann. 1991, 24p
Pub. in Jnl. of Fire Sciences 9, n2 p125-148 Mar/Apr 91.

Keywords: *Fire tests, *Standards, *Toxicity, *Construction materials, Test methods, Fire hazards, Test facilities, Chemical properties, Proving, Bench-scale experiments, Buildings, Reprints.

A sizable number of bench-scale fire toxicity tests have been proposed over the last two decades. To date, no test method has successfully passed through the standards bodies ISO, ASTM, or BSI. The reasons are varied, but a major concern has been that none of the methods were seen to adequately predict the behavior of real, large-scale building fires. Such validation efforts have been held back both due to a shortage of good quality data, and because agreement had not been reached on the criteria for successful validation. NIST has now completed a pilot project to address both of these issues. In the study, several criteria for validation have been put forth. An initial data set has been compared against these criteria, comprising 2 bench-scale methods, 3 test materials, and a single real-scale fire scenario. The project results indicate that the course being pursued is appropriate, and provide illustrative performance data for the two bench-scale methods. The present project was a pilot study; further validation data will have to come from additional test materials and additional real-scale fire scenarios being examined. As a result of the studies, a factor-of-3 agreement between bench-scale and real-scale results was established as both useful and practical.

100,140
PB92-116557 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Structures Div.
Impact-Echo: A New Method for Inspecting Construction Materials.
Final rept.
N. J. Carino, and M. Sansalone. 1990, 15p
Pub. in Nondestructive Testing and Evaluation for Manufacturing and Construction, p209-223 1990.

Keywords: *Construction materials, *Nondestructive tests, *Concretes, Impact tests, Fourier transformation, Stress waves, Measurement, Displacement, Frequency response testing, Surface properties, Reflection, S waves, P waves, Transducers, Frequency, Spectrum analysis, Graphic methods, Cross-sections, Voids, Wave propagation, Delaminating, Defects, Reprints, *Impact echo technique.

A technique called impact-echo has been developed for flaw detection in heterogeneous construction materials such as concrete. The technique, which is based on a simple concept, uses mechanical impact to generate a short duration stress pulse which travels into the test object as P- and S-waves. The waves are reflected by internal discontinuities or by external boundaries. A displacement transducer located close to the impact point monitors the dynamic surface displacement caused by the arrival of the reflected waves. The stress waves propagate back and forth between the test surface and an internal discontinuity (or external surfaces). Thus, a natural resonance condition is created, and the displacement waveform has a periodicity which is dependent on the P-wave speed and the distance between the reflecting surfaces. The periodicity is determined by using the fast Fourier transform to obtain the dominant frequency in the waveform. Knowing the P-wave speed, the frequency value is used to compute the distance from the surface to the reflecting interface. The paper discusses the theoretical basis of the method and summarizes laboratory

and field studies, which illustrate the capabilities of the technique. A data analysis technique, called spectral peak plotting, is described.

100,141

PB92-116821 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Materials Div.

Integrated Knowledge Systems for Concrete Science and Technology.

Final rept.

G. Frohnsdorff. 1989, 18p

See also PB89-176119.

Pub. in *Materials Science of Concrete I*, p315-332
1989.

Keywords: *Concretes, *Data bases, *Artificial intelligence, *Expert systems, *Cements, Mathematical models, Software engineering, Knowledge bases(Artificial intelligence), Reprints.

The rapid changes in ability to process, store, and retrieve knowledge brought about by advances in computers and telecommunications have enormous implications for concrete science and technology. Knowledge stored in computers will take on new dimensions as society's collective memory of concrete science and technology grows into a more integrated body of knowledge than has previously been possible. It will make possible powerful decision support systems and will raise problems about the sharing of knowledge. Integrated knowledge systems will consist of text bases, databases, model bases, rule bases, and image bases which may be interfaced through computer networks. It is to be expected that some or all of these forms of knowledge base will become standardized through the voluntary consensus standards process. Development of the integrated knowledge systems will draw attention to the gaps in knowledge and should lead to collaboration between researchers in planning research to fill the gaps. For the systems to develop most effectively, protocols for developing and interfacing the subsystems will need to be developed. The benefits of collaboration will be predictive tools with a power which far exceeds that of anything presently available.

100,142

PB92-123033 PC A07/MF A02
National Inst. of Standards and Technology (BFRL),
Gaithersburg, MD.

Flammability Characterization of Foam Plastics.

T. G. Cleary, and J. G. Quintiere. Oct 91, 143p

NISTIR-4664

Sponsored by Society of the Plastics Industry, Washington, DC.

Keywords: *Flammability, *Polyurethane foam, Ignition, Flammability testing, Flame propagation, Test methods, Test facilities, Standards, Flame calorimeters, Heat measurement, Fire resistance, Construction materials, Polystyrene, Plastics, ASTM E-84 test.

The results of a study to identify an alternative test protocol to the ASTM E-84 (Steiner Tunnel) test as a measure of flammability for foamed plastics are presented. New fire test apparatuses, namely, the Cone Calorimeter and the Lateral Ignition and Flame Spread apparatus were used to more completely characterize foamed plastic flammability. Key flammability properties obtained from these apparatuses describe ignitability, flame spread rate, rate of heat release, and smoke obscuration. An extensive data set of these flammability properties for 10 selected foamed plastics was generated. The tested materials included melting foams (polystyrene foams) and charring foams (polyurethanes, polyisocyanurate and phenolic foams). The effects of melting and dripping were limited by testing the materials in the horizontal orientation. In addition, an integrated approach to material flammability characterization is presented that uses these parameters to predict fire growth potential.

Structural Analyses

100,143

PB91-134668 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Structures Div.

Preliminary Dynamic Analyses of the Ministry of Agriculture Building.

Final rept.

W. C. Stone, and N. R. Cuevas. 1986, 22p

Pub. in *Proceedings of International Conference on Mexico Earthquakes - 1985: Factors Involved and Lessons Learned*, Mexico City, Mexico, September 19-21, 1986, p233-254.

Keywords: *Earthquake resistant structures, *Dynamic structural analysis, *Public buildings, *Concrete structures, Model tests, Mexico City, Concrete slabs, Concrete construction, Reinforced concrete, Seismic waves, Reprints, *Structural vibration, Earthquake engineering, Finite element method.

The Ministry of Agriculture Building on Avenida San Antonio Abad (Mexico City) was originally constructed as a 17-story reinforced concrete waffle slab system with interior reinforced concrete shear walls surrounding the elevator shafts and stairwells. The plan was asymmetrical and included an attached laterally braced annex which protruded from the southwest side of the building. During the 1985 Mexico earthquake it suffered significant damage but did not collapse. Rehabilitation plans for the structure are discussed as well as free vibration tests conducted in the post-earthquake configuration. A structural model of the building was prepared as part of a preliminary investigation on its dynamic behavior during the 1985 earthquake. The model was developed using three dimensional finite elements as part of a benchmark study to determine the feasibility of this analytical approach. Observations on the computational burden and difficulty of employing such detailed computer models are discussed.

100,144

PB91-167239 PC A03/MF A01
National Inst. of Standards and Technology (BFRL),
Gaithersburg, MD.

Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.

R. D. Marshall, L. T. Phan, and M. Celebi. Feb 91,

22p NISTIR-4511

Prepared in cooperation with Geological Survey,
Menlo Park, CA. Branch of Engineering Seismology
and Geology.

Keywords: *Structural vibration, *Buildings, *Dynamic response, *Measurement, *Earthquake engineering, Structural engineering, Earthquakes, Field tests, Dynamic structural analysis, Measuring instruments, Seismic waves, Loma Prieta Earthquake.

The report describes the selection of existing building structures for subsequent field measurements of low-level ambient vibrations. By comparing measurement results with previously recorded high-level responses, it is anticipated that guidance can be developed for improved measurement practice. The buildings selected for the effort represent a cross-section of contemporary structural systems and materials, foundation types, and a range of building heights and aspect ratios. Each building was subjected to strong shaking during the Loma Prieta Earthquake of October 17, 1989.

100,145

PB91-184846 PC A14/MF A02
National Inst. of Standards and Technology (BFRL),
Gaithersburg, MD.

Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD., USA, on May 12-14, 1990.

J. O. Jirsa. Apr 91, 305p NISTIR-4515

Prepared in cooperation with Texas Univ. at Austin.
Sponsored by National Science Foundation, Washington, DC.

Keywords: *Earthquake engineering, *Meetings, *Structural analysis, *Earthquake resistant structures, Earthquake damage, Retrofitting, Repair, Concrete structures, Steel structures, Reinforced concrete, Structural members, Seismic waves, Wind effects.

The report is the Proceedings of an international workshop on Evaluation, Repair, and Retrofit of Structures. The workshop was a joint effort of Task Committees C and D, 'Repair and Retrofit of Existing Structures' and 'Evaluation of Structural Performance' respectively of the U.S.-JAPAN Panel on Wind and Seismic Effects. The workshop was hosted by the National Institute of Standards and Technology during May 12-14 1990. The National Science Foundation provided the finan-

cial support. The subjects addressed included: evaluation of structures; performance of existing structures their repair and strengthening; and research on techniques for repairing and retrofitting structures.

100,146

PB91-204057 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Structures Div.

Investigation of the Collapse of L'Ambiance Plaza.

Final rept.

C. F. Scribner, and C. G. Culver. 1988, 22p

Pub. in *Jnl. of Performance of Constructed Facilities 2*,
n2 p58-79 May 88.

Keywords: *Accident investigations, *Lift slab construction, *Collapse, *Buildings, Failure, Concrete slabs, Loads(Forces), Concrete structures, Concrete construction, Structural members, Structural analysis, Reprints.

Results from an investigation of the collapse of the L'Ambiance Plaza building on April 23, 1987, are presented. The building was being constructed using the lift-slab method; collapse occurred during construction. The investigation included examination of debris at the site of the collapse, review of eyewitness accounts of the collapse, review of project documentation, laboratory and field tests and analyses of the structure. Several potential failure mechanisms were investigated. The most probable cause of the collapse was determined to be loss of support by a lifting jack in the west tower during placement of a group of three floor slabs. The loss of support was likely due to excessive deformation of a shearhead lifting angle which caused a lifting nut to slip off the lifting angle of the shearhead. The failure mechanism was duplicated in laboratory experiments. As loads were redistributed after the initial failure, the remaining jack rods along column line E supporting the package of floor slabs slipped off the lifting angles and the slabs failed in flexure and shear. These slabs fell, causing the slabs below them to fail.

100,147

PB91-204206 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Center for Building Technology.

Research and Technology for Structural Engineering Productivity.

Final rept.

R. N. Wright. 1991, 7p

Sponsored by American Society of Civil Engineers,
New York.

Pub. in *Proceedings of Structures Congress*, Indianapolis, IN., April 29-May 1, 1991, p1-7.

Keywords: *Structural engineering, *Productivity, Competition, Research, Structural design, Construction, Artificial intelligence, Automation, Robotics, Safety, Civil engineering, Reprints.

Structural engineers strive to shelter and support human activities with safe, functional, economic and esthetic structures. Engineers' productivity is measured by the value of their results and the efficiency with which their results are obtained. Demands for improved structural engineering services include: reducing vulnerability to natural disasters, conserving and renewing existing structures, building on difficult sites, protecting the environment, conserving scarce resources, and creating structural systems consistent with evolving human aspirations. Structural engineers will be challenged by colleagues abroad to maintain leadership and competitiveness in structural engineering practice in an increasingly international construction marketplace, and by other professions which may take advantage of their growing knowledge and advanced technologies to extend their activities into what is now structural engineering practice. Productivity, value to the customer, should be the deciding factor. Technical leadership is key to the productivity and vitality of structural engineering. Emerging technologies, such as advanced materials, artificial intelligence, automation and robotics, can greatly increase the powers of structural engineers. Strong research, development and educational efforts are needed to adapt and exploit emerging technologies.

100,148

PB91-206714 PC A03/MF A01
National Inst. of Standards and Technology (BFRL),
Gaithersburg, MD.

BUILDING INDUSTRY TECHNOLOGY

Structural Analyses

Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.
J. W. Martin. Jun 91, 30p NISTIR-4613

Keywords: *Vibration insulators, *Rubber, *Bearings, *Earthquake resistant structures, Vibration damping, Structural vibration, Seismic waves, Service life, Reviews, Earthquake engineering, Loads(Forces).

The use of seismic isolation bearings to decouple buildings and lifeline structures from strong ground motion has received an increased amount of attention in recent years. While several types of seismic isolator bearings have been developed and proposed for use, the most common type is the laminated rubber (elastomeric) bearing. Because the design lifetime of these bearings is expected to be on the order of 50 to 100 years, the long-term performance of the rubber (elastomer) must be addressed. Therefore, a literature review was conducted to identify potential limits on the long-term performance of rubbers (elastomers) used in bearings. Several issues, including the need for consensus of performance standards and for additional research on the effects of creep, aging, temperature, and high-energy radiation on the properties of rubber.

100,149
PB91-222570 PC A05/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.

G. S. Cheok, and H. S. Lew. Jun 91, 85p NISTIR-4589

See also PB91-107623.

Keywords: *Cyclic loads, *Earthquake resistant structures, *Beams(Supports), *Precast concrete, *Construction joints, Concrete structures, Concrete construction, Earthquake engineering, Model tests, Ductility, Failure.

Results are presented from the experimental test program on precast concrete beam-column connections subjected to inelastic cyclic loads being conducted at the National Institute of Standards and Technology. The report is the second in a series and covers the test results from Phase II of a three phase program. The objective of the test program is to develop an economical moment resistant precast beam-column joint for high seismic zones. Test specimens are 1/3-scale models of a prototype interior concrete beam-column connection. The 1985 UBC design criteria for seismic Zones 2 and 4 were used. Six specimens were tested. The experimental variables include the location of the post-tensioning force and the type of post-tensioning tendons used. Comparisons of the performance among these specimens are made. Comparisons with the monolithic specimens are also presented. These comparisons are made based on the failure mode, energy absorption characteristics, strength and ductility of the connection.

100,150
PB91-236588 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Structures Div.

Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading.

Final rept.
G. S. Cheok. 1991, 12p
Pub. in PCI (Prestressed Concrete Institute) Jnl. 36, n3 p56-67 May/Jun 91.

Keywords: *Precast concrete, *Cyclic loads, *Beams(Supports), *Columns(Supports), *Connectors, Earthquake resistant structures, Loads(Forces), Concrete structures, Concrete construction, Joints(Junctions), Structural members, Buildings, Reprints.

An experimental study of the behavior of precast concrete beam-to-column connections subjected to cyclic inelastic loading conducted at the National Institute of Standards and Technology is presented. The study was initiated to provide data for the development of a rational design procedure for such connections in seismically active regions. The objective of the study is to develop a moment resistant precast concrete connection that is economical and can be easily constructed. Four one-third scale monolithic concrete beam-to-column connections were tested: two were designed according to the 1985 Uniform Building Code (UBC) Seismic Zone 2 criteria and two to UBC Zone 4 criteria. In addition, two precast, post-tensioned concrete

beam-to-column connections similar in design to the monolithic Zone 4 specimens were tested. These tests constitute the first phase of a multi-year test program.

100,151
PB91-237834 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Building and Fire Research Lab. Office.

Assessment: U.S. Office Building of Moscow.

Final rept.
R. N. Wright, N. J. Carino, J. G. Gross, and M. Sansalone. 1989, 14p
Pub. in Jnl. of Performance of Constructed Facilities 3, n1 p2-15 Feb 89.

Keywords: *Buildings, *Structural analysis, *Damage assessment, Inspection, Construction, Structural members, Masonry, Steels, Concretes, Deterioration, Construction materials, Office buildings, *US Embassy(Moscow).

On October 30, 1986, the United States Congress directed the National Bureau of Standards (NBS) to conduct an independent analysis of the new United States Embassy Office Building being constructed in Moscow. The analysis was to include '...an assessment of the current structure and recommendations and cost estimates for correcting any structural flaws and construction defect....' The paper describes the history of the building project, the site and building, and the process of investigation, which included field, laboratory and analytical studies, and its findings. The investigation identified important structural defects in the building and defined remedial measures to correct them. While important, these structural defects, in comparison to the total structural system, are modest in scale and fully correctable. Companion papers describe the assessments of: the structural system, the masonry enclosure, and the potential for progressive collapse.

100,152
PB92-116425 PC A99/MF A06
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.

Special pub. (Final).
N. J. Raufaste. Sep 91, 639p NIST/SP-820
Also available from Supt. of Docs. as SN003-003-03107-1. See also DE91005427 and PB91-107094.

Keywords: *Wind pressure, *Earthquakes, *Earthquake resistant structures, Highway bridges, Buildings, Dynamic structural analysis, Dynamic loads, Dams, Building codes, Structural design, International cooperation, Wind loads.

The publication is the proceedings of the 23rd Joint Meeting of the U.S.-Japan Panel on Wind and Seismic Effects. The meeting was held at the Public Works Research Institute, Tsukuba, Japan, during May 14-17, 1991. The proceedings include the program, list of members, panel resolutions, task committee reports, and 42 technical papers. The papers were presented under seven themes: (1) Wind Engineering; (2) Earthquake Engineering; (3) Storm Surge and Tsunamis; (4) Joint Cooperative Research Program; (5) Performance of Nonstructural Systems; (6) International Decade for Natural Disaster Reduction; and (7) Summaries of Task Committee Workshop Reports.

General

100,153
PB91-149302 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Center for Fire Research.

Application of Fire Research.

Final rept.
J. E. Snell. 1986, 20p
Pub. in Proceedings of International Meeting of Fire Research and Test Centers, Avila, Spain, October 7-9, 1986, p97-116.

Keywords: Methodology, Technology transfer, Fire tests, Performance tests, Fire safety, Test facilities,

Research management, Reprints, *Center for Fire Research, *Fire research.

The role of the Center for Fire Research is discussed with three examples of recent major projects. It is predicted that the methodology being developed will lead toward performance codes for fire safety.

100,154
PB91-159764 PC A04/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Computing and Applied Mathematics.

NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual.
S. R. Petersen. Jan 91, 54p NISTIR-4481
Sponsored by Department of Energy, Washington, DC. Federal Energy Management Program Staff.

Keywords: *Buildings, *Economic analysis, *Benefit cost analysis, *Computer applications, Return on investment, Operating costs, Energy conservation, Projects, Savings, Program evaluation, User manuals(Computer programs), Building Life-Cycle Cost computer program, National Institute of Standards and Technology.

The NIST Building Life-Cycle Cost (BLCC) computer program provides economic analysis of proposed capital investments that are expected to reduce long-term operating costs of buildings or building systems. It is especially useful for evaluating the costs and benefits of energy conservation projects in buildings. Two or more alternative designs can be evaluated to determine which has the lowest life-cycle cost. Economic measures, including net savings, savings-to-investment ratio, and adjusted internal rate of return, can be calculated for any design alternative relative to the designated base case. BLCC can be used for evaluating both Federal and private sector projects. It complies with ASTM standards related to building economics as well as FEMP and OMB A-94 guidelines for economic analysis of Federal building projects. BLCC is designed to run on an IBM-PC or compatible micro-computer with approximately 640K of random access memory, with or without a hard disk.

100,155
PB91-167254 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Experimental Study of Top Vented Compartment Fires.

K. M. Tu. Feb 91, 34p NISTIR-4499

Keywords: *Fires, Room fires, Ventilation, Tests, Ceilings(Architecture), Models, Flow rate, Differential pressure, Vents.

In a top vented compartment fire, both density difference and pressure difference across the horizontal ceiling vent control the vent flow. The research work pursued experimental studies and investigations of exchange flows through a horizontal ceiling vent as related to solely top vented compartment fire situations. A cubic box with inside dimensions of 0.43 x 0.43 x 0.43 m high (17 x 17 x 17 in) and walls of 0.025 m (1 in) thick Kaowool was employed for the compartment fire tests. For compartment fires of various horizontal ceiling vent sizes: (1) the fuel mass burning rates were measured, and (2) the air and combustion-flue-gas exchange flow rates were estimated based on (i) available theories and (ii) gas concentrations in the fire compartment.

100,156
PB91-167270 PC A06/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Fire Research.

Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.

Technical note (Final).
V. Babrauskas, R. H. Harris, E. Braun, B. Levin, M. Paabo, and R. G. Gann. Jan 91, 113p NIST/TN-1284

Also available from Supt. of Docs.

Keywords: *Fires, *Toxicology, Furniture, Room fires, Lethality, Laboratory animals, Polyurethane resins, Polyvinylchloride, Gases, Bench-scale experiments.

The need was seen for establishing a methodology by which bench-scale fire toxicity methods could be validated against real-scale room fires. The present study is the result of a pilot project in the area. Appropriate

validation hypotheses have been put forth and examined in the context of some initial data. Three materials - Douglas fir, rigid polyurethane foam, and PVC - were examined in real-scale and bench-scale methods. The real-scale test environment was a post-flashover fire in a three-compartment (room, corridor, room) geometry, with the test specimens comprising wall lining materials. The bench-scale methods examined were the NBS cup furnace method and a new developmental protocol referred to as the 'SwRI/NIST' method. The N-gas Model was applied to the analysis of the data and was found to be consistent with most of the data. The methods were compared for similarity of gas yields, of primary gases, and of types of death. Differences were found in individual cases, but most of those were readily explainable on the basis of an understanding of the test conditions. As a result of these studies, a factor-of-3 agreement between bench-scale and real-scale results was established as both useful and practical.

100,157

PB91-178848 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.

R. G. Rehm, H. C. Tang, H. R. Baum, J. S. Sims, and D. M. Corley. Mar 91, 40p NISTIR-4540

Keywords: *Convection, Computational fluid dynamics, Finite difference theory, Two-dimensional calculations, Stratified flow, Hydrodynamics, Algorithms, *Building fires, *Boussinesq flow.

Approximate equations for a Boussinesq model with viscous dissipation and thermal conduction describing buoyant convection driven by a heat source in a rectangular enclosure are derived. The finite difference algorithm for computing transient solutions in two dimensions to these equations is presented. The algorithm allows the enclosure fluid to be stratified in a direction parallel to the enclosure walls initially, or for gravity to have an arbitrary direction relative to the enclosure (but with no initial stratification). Computational results of transient, two-dimensional buoyant convection for very high resolution are presented. The hydrodynamics is directly based on the time-dependent Navier-Stokes equations; the model is valid in the Boussinesq approximation. No turbulence model or other empirical parameters are introduced. There is no inflow or outflow at boundaries; this assumption, although rather restrictive, allows the mathematical problem to be properly formulated so that no other empiricism is introduced by specification of the algorithmic boundary conditions. A finite-difference scheme second-order in space and first-order in time is used to integrate the evolution equations, and an elliptic solver is used to solve the pressure equation.

100,158

PB91-195222 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Fire Research.

Engineering Analysis of Fire Development in the Hospice of Southern Michigan, December 15, 1985.

Final rept.
H. E. Nelson. 1989, 12p
Pub. in Proceedings of International Symposium on Fire Safety Science (2nd), Tokyo, Japan, June 13-17, 1988, p927-938 1989.

Keywords: *Smoke, *Fires, Investigations, Flashover, Fire safety, Combustion, Reprints.

An analysis of the development of fire and flow of smoke in a multi-fatality fire is presented. The analysis methods used are the least sophisticated available consistent with reasonable accuracy. Fire growth, flashover, pre- and post-flashover spread of products, and impact on victims are addressed. Issues relative to post-flashover combustion chemistry and post-flashover corridor flow are raised.

100,159

PB91-203620 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Fire Science and Engineering Div.

Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment.

Final rept.
J. Milke, D. Evans, and W. Hayes. 1985, 63p
See also PB88-232871. Sponsored by Federal Emergency Management Agency, Washington, DC.
Pub. in Report of Test FR 3956, pt1 p1-63 Jan 85.

Keywords: *Fire extinguishing agents, Water, Sprayers, Nozzle flow, Fire fighting, Fire tests, Experimentation, Reprints, Compartment fires.

A series of five experiments examining the effects of a simulated fire fighting water spray introduced into a fully-developed compartment fire were conducted for the Federal Emergency Management Agency by the Center for Fire Research at the National Bureau of Standards per Interagency Agreement (EMW-E-1239 Task Order 4A). Data from these tests were intended to be used as a check of predicted results from the Mission Research Corporation Fire Demand Model. The results illustrate the dynamics of compartment fire suppression using water sprays.

100,160

PB91-216820 PC A08/MF A02
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Building Technology Publications 1986-1989.

Final rept.
T. A. Somers. Jun 91, 164p NISTIR-4616
See also PB88-110911.

Keywords: *Buildings, *Research management, *Indexes(Documentation), *Bibliographies, Laboratories, Civil engineering, Construction materials, US NIST.

The publication communicates the results of the Center for Building Technology's research during the period 1986 through 1989. Publications constitute a major end product to NIST's efforts. This publication is divided into six chapters: (1) alphabetical listing of publication titles, (2) keyword listing, (3) author listing, (4) title listings classified by NIST Publication Series and by non-NIST publishers such as a professional society. For the former, report titles are listed under six publication designators: Building Science Series, Technical Notes, Special Publications, Journal of Research, Letter Reports, Interagency Reports, (5) technical disciplines - Structures, Materials, Environment, and (6) report reference index used to identify report titles by using the report reference numbers from keywords in Chapter 2 and authors in Chapter 3.

100,161

PB91-217422 PC A05/MF A01
TriData Corp., Arlington, VA.

Estimated Impact of the Center for Fire Research Program on the Costs of Fire.

P. Schaeferman. Jun 91, 83p NIST/GCR-91/591
Sponsored by National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Keywords: *Fire safety, *Cost analysis, Building codes, Economic analysis, Computerized simulation, Smoke detectors, Design standards, Safety engineering, Budgets, Fire detection systems, Flammability testing, CFR(Center for Fire Research).

The Center for Fire Research (CFR) has had a huge impact on reducing casualties and losses from fires. It also has helped stimulate new industries, and saved industry enormous sums by engineering fire safety better, averting business disruption, reducing liability, and in a number of other ways. The dividends of the past continue; CFR's budget essentially has been 'paid' through the Year 2100 by even the most conservative estimates of its impact. This was a first, brief effort to estimate the magnitude of the CFR impact, and how it is distributed across the major components of the total cost of fire. More work is needed on virtually every aspect of the estimation procedures used here. CFR's program has made a great contribution to life safety in the United States and has saved business billions of dollars in losses and unnecessary costs of fire. A much greater impact can be achieved with a few millions of dollars more investment in the CFR program each year - the enhanced program.

100,162

PB91-222604 PC A05/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.

D. Madrzykowski. Jul 91, 90p NISTIR-4631
Sponsored by Public Buildings Service, Washington, DC.

Keywords: *Fire safety, *Sprinklers, *Corridors, Buildings, Graphs(Charts), Oxygen, Carbon dioxide, Carbon monoxide.

Full-scale fire tests were conducted in a noncombustible burn room - corridor - target room test facility using wooden cribs as the fuel load. The facility was instrumented to measure gas temperatures and concentrations of oxygen, carbon dioxide and carbon monoxide. The combustion products were sampled at 1.5 m (5 ft) above the floor. The elevation is considered as a characteristic head height. Sprinklers were installed in the burn room and along the corridor. The sprinkler lines were instrumented with pressure switches and clocks to detect the activation time of the sprinklers. Depending on the test configuration, sprinklers were pressurized either with water for suppression ('wet') or air for measurement of activation time ('dry'). The sprinklers were allowed to activate automatically during the suppression tests.

100,163

PB91-231589 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

General Routine for Analysis of Stack Effect.

J. H. Klotz. Jul 91, 34p NISTIR-4588
Sponsored by General Services Administration, Washington, DC.

Keywords: *Buildings, *Fire tests, *Air infiltration, Stacks, Computerized simulation, Smoke, Ventilation, Air flow.

Stack effect is a major driving force of smoke movement in buildings. The paper presents a general method for evaluation of the location of the neutral plane for a space connected to its surroundings by any number of openings. A computer program, STACK, for analysis of the location of the neutral plane and resulting flows is presented along with example analyses. The examples show that the location of the neutral plane between a space and its surroundings is a weak function of temperature and a strong function of the size of openings. Further, the mass flow rate leaving a space due to stack effect is a strong function of temperature.

100,164

PB91-240770 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.

D. W. Stroup, and D. D. Evans. Jul 91, 41p NISTIR-4625
Sponsored by Swedish Fire Research Board, Stockholm, and Public Buildings Service, Washington, DC.

Keywords: *Fire tests, *Spraying, *Water, Computerized simulation, Sprinkler systems, Buildings, Flashover.

A series of four full scale fire tests were conducted to measure the effect of manual fire fighting efforts on post-flashover room fires. One objective of these tests was to generate data for evaluation of computer models of the fire suppression process. The tests were conducted in a room and corridor configuration consisting of a 2.44 m cube burn room connected to a 12.8 m long, 2.44 m wide, and 2.44 m high corridor. Hose nozzles with different water spray flow rates and medium drop sizes were used in each of the four nominally identical wood crib fires. Gas temperatures, wall surface temperatures and concentrations of oxygen, carbon dioxide, and carbon monoxide were measured in the burn room. Specialized aspirated and shielded thermocouples were used to minimize the effects of the water sprays on gas temperature measurements. The study showed that a water spray flowrate of 36.5 l/min with volume median drop size of 930 microns was just able to control the post-flashover fire, the flowrate of 16.3 l/min with median volume drop size of 800 microns did not control the fire, while the 79 l/min flowrate with volume median drop size of 1040 microns definitely extinguished the fire.

100,165

PB91-240788 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Framework for Utilizing Fire Property Tests.

T. G. Cleary, and J. G. Quintiere. Aug 91, 37p NISTIR-4619

Keywords: *Fires, *Flammability testing, Buildings, Floors, Walls, Ceilings(Architecture), Flame propagation, Mathematical models.

BUILDING INDUSTRY TECHNOLOGY

General

A complete approximate set of equations is developed to describe fire spread and its resultant energy release over a surface. Wall, floor, and ceiling orientations are considered. The needed model data are couched in terms of available test method results, e.g., Cone Calorimeter and LIFT apparatuses. Several applications are presented to show how energy release rates can be predicted and how well they represent real data from full-scale and model room lining experiments.

100,166

PC A16/MF A03

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.

Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989.

N. H. Jason, and D. M. Cramer. Oct 90, 365p

NISTIR-4449

See also PB88-215926.

Keywords: *Meetings, *Fire safety, US NIST, Research management, Evacuating(Transportation), Carbon monoxide, Toxicity, Risk, Fire hazards, Safety engineering, Buildings.

The 11th Joint Meeting of the United States-Japan Panel on Fire Research and Safety was held on the campus of the University of California, Berkeley, October 19-24, 1989. Some disruption of the meeting resulted from the October 17 earthquake. The epicenter was about 60 miles southeast of San Francisco, in the Loma Prieta mountains near Santa Cruz. Thus, some of the papers were not presented, but are included in the volume. The volume comprises a total of 6 progress reports and 30 supporting papers in 3 areas: Risk, Hazard and Evacuation; Fire and Toxicity Chemistry; and Fire and Smoke Physics. The next Panel Meeting will be held in Japan in the autumn of 1992.

100,167

PC A05/MF A01

(Order as PB92-110261, PC A05/MF A01) National Inst. of Standards and Technology, Gaithersburg, MD.

Data for Room Fire Model Comparisons.

R. D. Peacock, S. Davis, and V. Babrauskas. c1991, 52p

Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n4 p411-462 Jul/Aug 91.

Keywords: Data analysis, Fire tests, Buildings, Comparison, *Building fires, *Room fires, Fire models.

With the development of models to predict fire growth and spread in buildings, there has been a concomitant evolution in the measurement and analysis of experimental data in real-scale fires. The report presents the type of analyses that can be used to examine large-scale room fire test data to prepare the data for comparison with zone-based fire models. Five sets of experimental data which can be used to test the limits of a typical two-zone fire model are detailed. A standard set of nomenclature describing the geometry of the building and the quantities measured in each experiment is presented. Availability of ancillary data (such as smaller-scale test results) is included.

100,168

PC A09/MF A03

National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Summaries of BFRL Fire Research In-House Projects and Grants, 1991.

N. H. Jason. Oct 91, 199p NISTIR-4686

See also PB91-216788 and report for 1989, PB90-127101.

Keywords: *Fire prevention, *Fire tests, Research projects, Research management, Buildings, Combustion, Carbon monoxide, Smoke, Furniture, Evacuating(Transportation), Grants.

The report describes the research projects performed in the Building and Fire Research Laboratory (BFRL) Fire Research Program and under its grants program from October 1, 1990 through September 30, 1991. Contents: Carbon Monoxide Prediction; Soot Formation; Turbulent Combustion; Polymer Gasification; Toxic Potency; Furniture Flammability; Wall Fires; Fire Suppression; Fire Hazard Assessment; Engineering Analysis Systems; Large Fires; Fire/Modeling Interactions; Fire Protection Technology.

100,169

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.

H. E. Nelson, and K. M. Tu. Sep 91, 57p NISTIR-4665

Sponsored by Health Care Financing Administration, Baltimore, MD.

Keywords: *Fires, *Nursing homes, Smoke, Fire tests, Flashover, Carbon monoxide.

The report presents the methods and results of an analysis of the development and spread of fire and smoke during the October 5, 1989 fire in the Hillhaven Rehabilitation and Convalescent Center, Norfolk, Virginia. The analysis uses data gathered from onsite visits, reports and information for other investigators, fire tests conducted at the National Institute of Standards & Technology, and fire growth models and similar computations. The report details the procedure and data used, the reasons for those selected, and the results obtained. The analysis addresses mass burning rate; rate of heat release; smoke temperature; smoke layer depth; velocity, depth and temperature of the smoke front; oxygen concentration of smoke layer; carbon monoxide concentrations; and other factors. The areas of building analyzed include the room of fire origin, the corridor system exposed by that room, and other patient rooms on that corridor.

100,170

PC A05/MF A01

Pennsylvania State Univ., University Park. Dept. of Mechanical Engineering.

Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.

Annual rept. 15 Aug 89-14 Aug 90.

A. K. Kulkarni, C. I. Kim, and C. H. Kuo. Sep 91, 88p

NIST/GCR-91/597

Grant NANS-8D0849

See also PB91-143297. Sponsored by National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Keywords: *Fire tests, *Walls, Mathematical models, Buildings, Turbulent flow, Flame propagation, Mathematical models, Polyurethane, Wood, *Upward flame spread.

The report presents the basic mechanisms of upward flame spread and develops a complete procedure to predict the flame spread on practical wall materials of finite thickness, appropriately verified by experiments. These objectives have been met. Specifically in the past year, several wall materials were tested in the upward flame spread apparatus, mathematical model development for predicting the upward flame spread was completed, and comparisons of data and predictions were made, in addition to completion of many other supporting tasks.

BUSINESS & ECONOMICS

Consumer Affairs

100,171

PC A03/MF A01

National Inst. of Standards and Technology (TS), Gaithersburg, MD. Weights and Measures Program.

Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.

Final rept.

C. S. Brickenkamp, and J. A. Koenig. Oct 91, 17p

NIST/HB-133-ED-3-SUPPL 2

Also available from Supt. of Docs. as SN003-003-03111-9. See also PB91-107144.

Keywords: *Packaging, *Commodities, *Labels, *Handbooks, Requirements, Sampling, Revisions, Tests, Procedures.

Only minor additions and revisions to NIST (formerly NBS) Handbook 133, Third Edition, 'Checking the Net Contents of Packaged Goods,' were adopted by the Conference in 1991. A few editorial changes have also

been made. The document consists of change pages to be added to Handbook 133, Third Edition, as amended by the 1990 Supplement.

Domestic Commerce, Marketing, & Economics

100,172

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Services.

Laboratory Accreditation in the United States.

Final rept.

M. A. Breitenberg. May 91, 31p NISTIR-4576

See also PB88-239793.

Keywords: *Test facilities, *Quality assurance, Calibration, Inspection, Tests, United States, USA, *Laboratory accreditation, *Accreditation.

The paper, the third in a series that includes NBSIR 87-3576, The ABC's of Standards-Related Activities in the United States, and NBSIR 88-3821, The ABC's of Certification Activities in the United States, is designed to provide information on laboratory accreditation to readers not entirely familiar with the topic. The report highlights some important aspects on the topic, furnishes information necessary to make informed decisions on the selection and use of laboratories, and serves as background for using other available documents and services. Readers interested in this area may also wish to review NIST SP 808, Directory of Federal Government Laboratory Accreditation/Designation Programs, which provides updated information on federal government laboratory accreditation and similar type programs conducted by the federal government. Companion volumes on state and local government and private sector laboratory accreditation programs are currently in preparation.

100,173

Not available NTIS

National Bureau of Standards, Gaithersburg, MD. Program Office.

Structural Change and Competitiveness: The U.S. Semiconductor Industry.

Final rept.

G. Tassey. 1990, 9p

Pub. in Technological Forecasting and Social Change 37, n1 p85-93 Mar 90.

Keywords: Competition, Diversification, Strategy, Japan, USA, Reprints, *Semiconductor industry, Competitiveness, Innovation.

Part of the difficulties being experienced by U.S. semiconductor firms in competing with the Japanese and several European firms can be explained by significant differences in industry structure. Specifically, semiconductors are produced by large electronics firms in Japan which have diversified into many downstream products, while U.S. firms still concentrate on semiconductor components. The diversification smoothes the shocks of individual product cycles and increases the return on investment in semiconductor technology. Although some U.S. semiconductor firms have diversified into several downstream product areas, the degree has not been sufficient and they have diversified hardly at all into related technologies with substantial economic potential such as optoelectronics.

100,174

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Code and Information.

Directory of State and Local Government Laboratory Accreditation/Designation Programs.

Special pub. (Final).

C. W. Hyer. Jul 91, 90p NIST/SP-815

Contract 43NANB017411

Also available from Supt. of Docs. as SN003-003-03093-7. Supersedes PB85-121390. See also PB91-167379 and PB91-194415. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Code and Information.

Keywords: *Test facilities, *Quality assurance, *Directories, Calibration, Inspection, Tests, Laboratory accreditation.

Domestic Commerce, Marketing, & Economics

The directory is a guide to laboratory accreditation and similar types of programs conducted by state and local government agencies. These programs accredit or designate laboratories or other entities to conduct testing to assist the agencies in carrying out their responsibilities. The accreditation or designation is based on some type of assessment regarding the capability of the laboratory to conduct the testing. However, the nature of such assessments varies considerably from agency to agency. Entries in the directory are based primarily on information provided by each state and local government agency and reflect the agency's view of its activities.

100,175
PB92-126465 PC A03/MF A01
 National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Services.
Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
 M. Breitenberg. Nov 91, 24p NISTIR-4721
 See also PB91-194415.

Keywords: *Test facilities, *International trade, *Standards, *Quality assurance, Assessments, Reliability, Inspection, Requirements, Engineering, Specifications, United States, European Community, *Registration, Laboratory accreditation, ISO 9000 Series.

The report provides information on the development, content, and application of the ISO 9000 standards to readers who are unfamiliar with these aspects of the standards. It attempts to answer some of the most commonly asked questions on quality; quality systems; the content, application and revision of the ISO 9000 standards; quality system approval/registration; European Community requirements for quality system approval/registration; and sources for additional help.

International Commerce, Marketing, & Economics

100,176
PB91-159061 Not available NTIS
 National Bureau of Standards, Gaithersburg, MD. Office of Standards Code and Information.
Domestic Implementation.
 Final rept. 1983-85.
 J. Overman. 1986, 18p
 Pub. in Report to the United States Congress on the Agreement on Technical Barriers to Trade - 'Standards Code', Chapter V, p25-42 Feb 86.

Keywords: *International trade, *Standards, Barriers, United States, Exports, Industries, Regulations, Reprints, Trade Agreements Act.

The report describes the domestic implementation of the GATT Agreement on Technical Barriers to Trade (Standards Code) by the National Bureau of Standards (NBS) and the U.S. Department of Agriculture's Technical Office. During the three year period (1983-1985), NBS reported 59 proposed U.S. regulations to the GATT Secretariat; published 11 issues of tbt news; handled comments on 24 proposed foreign regulations; received 664 notifications of proposed regulations; answered over 6,000 requests for information; and provided standards-related technical assistance to manufacturers and exporters.

100,177
PB91-187823 PC A04/MF A01
 National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Code and Information.
GATT Standards Code Activities of the National Institute of Standards and Technology 1990.
 Annual rept.
 J. R. Overman. Apr 91, 53p NISTIR-4559
 See also PB90-219817.

Keywords: *International trade, *Standards, Technical assistance, Certification, Regulations, Tables(Data), *General Agreement on Tariffs and Trade, Notifications, Trade barriers, US NIST.

The report describes the GATT Standards Code activities conducted by the Standards Code and Information Program, National Institute of Standards and Technology (NIST), for calendar year 1990. NIST responsibilities include operating the U.S. GATT inquiry point for

information on standards and certification activities and the technical office for non-agricultural products; notifying the GATT Secretariat of proposed U.S. Federal Government standards-based rules that might significantly affect trade; assisting U.S. industry with standards-related trade problems; and responding to inquiries about proposed foreign and U.S. regulations.

General

100,178
PB91-194498 PC A11/MF A02
 National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Services.
Meeting of the Standards Working Group of the Joint U.S.-U.S.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991.
 B. G. Simson. May 91, 235p NISTIR-4572

Keywords: *Standardization, *Meetings, International cooperation, Quality control, USSR, USA, Standards Working Group.

In a September 1990 Chairman's meeting of the Joint U.S.-U.S.S.R. Commercial Commission (JCC) in Moscow, senior officials from the U.S. Department of Commerce and the U.S.S.R. Ministry of Foreign Economic Relations established a Standards Working Group for the purpose of developing programs of mutual interest concerning standards development and conformity assessment. During its first meeting in Washington, D.C., and Gaithersburg, Maryland, on March 11-13, 1991, representatives from U.S. Government, trade and professional associations, and standard development associations provided the Soviet delegation with insights into U.S. standardization. The visitors described Soviet legislative initiatives now under development.

CHEMISTRY

Analytical Chemistry

100,179
AD-A227 869/5 PC A02/MF A01
 National Inst. of Standards and Technology, Gaithersburg, MD.
Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
 R. Klein, W. Braun, A. Fahr, A. Mele, and H. Okabe.
 Jun 90, 9p ARO-25911.2-CH,
 Contract MIPR-119-89
 Pub. in Jnl. of Research of the National Institute of Standards and Technology, v95 n3 p337-344 May-Jun 90.

Keywords: *Absorption coefficients, Automation, Auxiliary, Computers, Error analysis, Errors, Gases, Light scattering, Low intensity, Measurement, Reprints, *Ultraviolet spectrometers, Systems approach, *Vacuum ultraviolet radiation.

A systems approach in which computer automation is applied to a vacuum ultra-violet spectrometer and auxiliary components is described. The errors associated with the measurement of gaseous absorption coefficients in the vacuum ultraviolet are considered. The presence of scattered light introduces large errors particularly at those wavelengths where the source used is characterized by low intensity. In the case of a D2 light source this occurs in the region 120 to 130 nm. Simple considerations explain the variation of the absorption coefficient determinations in the presence of scattered light and lead to an appropriate treatment of the data to eliminate the error. Experimental results are presented illustrating the efficiency and precision obtainable with the present approach. Keywords: Absorption coefficient; Computer automation; Error analysis; Instrument; Vacuum; Reprints. (jhd)

100,180
AD-A243 170/8 PC A04/MF A01

National Bureau of Standards (NML), Gaithersburg, MD. Center for Chemical Physics.
CID Spectra of Selected Target Molecules.
 Final rep. Jul 84-Sep 87.
 R. I. Martinez. Dec 89, 58p AFESC/ESL-TR-88-71,
 Contracts MIPR-N84-56, MIPR-N84-56-A01
 Supported in part by MIPR-N85-22, MIPR-N86-12, MIPR-N87-12.

Keywords: Collisions, Cross sections, Data bases, Dissociation, Dynamics, Energy, Ions, Mass, Molecular properties, Molecules, Spectra, Standardization, Structures, Targets, Mass spectroscopy, *Mass spectra, Quadrupole moment, Identification, CID(Collisionally Induced Dissociation), Tandem mass spectrometers, Molecular dynamics.

This report describes research into the molecular dynamics of the collisionally induced dissociation (CID) process. This process occurs in tandem mass spectrometers, and is the major process by which primary or parent ions are converted into daughter ions of smaller mass. This work was undertaken in search of a means of standardizing conditions for tandem mass spectrometers so that standard spectral data bases could be collected and used to identify environmental unknowns. This research indicates that CID cross sections for the parent ions can be reproducibly measured as a function of collision energy, and are characteristic of the parent ion structures. Measurement of CID cross sections offers a new means of identifying unknown compounds.

100,181
PB91-147694 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Instrument-Independent Tandem Mass Spectrometry Database for XQQ Instruments: The Dynamical Prerequisites.
 Final rept.
 R. I. Martinez. 1988, 6p
 Pub. in Rapid Commun. Mass Spectrom. 2, n1 p8-13 1988.

Keywords: *Mass spectroscopy, *Data bases, Computer aided design, Reprints.

The dynamical prerequisites are discussed in order to focus attention on design considerations for accomplishing an instrument independent MS/MS CAD Database for XQQ instruments.

100,182
PB91-147769 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Organic Analytical Research Div.
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.
 Final rept.
 A. Munder, S. Chesler, and S. Wise. 1990, 8p
 Pub. in Jnl. of Chromatography 521, p63-70 1990.

Keywords: *Chromatographic analysis, *Pressure, *Temperature, *Surface properties, Polarity, Siloxanes, Dipole moments, Explosives, Propellants, Solutes, Solid phases, Reprints, *Supercritical fluid chromatography.

The independent effects of pressure and temperature in supercritical fluid chromatography on the capacity ratio on chromatographic resolution of some polar organic model compounds were investigated. Increasing the pressure isothermally leads to a steady decrease in retention and resolution. With changing temperature, a maximum in the capacity ratio as well as the resolution was observed. These observations may be related to a combination of gas chromatographic (GC) and liquid chromatographic (LC) theories of solute interactions with the mobile and stationary phases. However, pure GC or LC-like behavior was not observed either below or above the critical point of the mobile phase. Capacity ratios for various explosives, propellants and related compounds were determined on capillary open tubular columns coated with either a non-polar methyl- or a polar cyanopropyl phenyl-substituted siloxane stationary phase. The mobile phase for all studies was carbon dioxide. On the polar column, many of the solutes exhibited a good correlation between their bulk dipole moment and chromatographic retention. Deviations from the correlation could be explained by means of the physical or steric properties of these solutes. The elution order of the

CHEMISTRY

Analytical Chemistry

compounds on the non-polar column was similar to the order achieved using GC rather than LC.

100, 183
PB91-147777 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Gas and Particulate Science Div.
Use of Single Particle Standards for LAMMA Calibration.
 Final rept.
 I. H. Musselman, D. S. Simons, J. A. Small, and R. W. Linton. 1986, 17p
 Pub. in Jnl. of Trace and Microprobe Techniques 4, n3 p197-213 1986.

Keywords: *Microanalysis, *Standards, Isotope ratio, Calibration, Reprints, *Laser microprobe mass spectroscopy.

Single particle standards are being used in the development and testing of the relatively new technique of laser microprobe mass analysis (LAMMA). Experiments being conducted at the National Bureau of Standards include the use of particle standards to calibrate isotopic measurements, to investigate detection limits and the accuracy of isotopic analysis in submicrometer particles, and to determine the feasibility of nickel speciation by LAMMA.

100, 184
PB91-148148 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Organic Analytical Research Div.
Trace Determination of Cr(VI) by LC/AAS with on-Line Preconcentration.
 Final rept.
 A. Syt, R. G. Christensen, and T. C. Rains. 1986, 4p
 Pub. in Atomic Spectroscopy 7, n4 p89-92 1986.

Keywords: *Chromium, *Chromates, *Liquid chromatography, *Atomic spectroscopy, Concentrating, Spectrochemical analysis, Surface waters.

A liquid chromatography/atomic absorption spectrometric (LC/AAS) technique for the direct determination of Cr(VI) at ng/mL in the presence of Cr(III) is described. In this method Cr(VI) is preconcentrated on a C-18 bonded silica column. The column is connected directly to the aspirating capillary of an atomic absorption spectrometer (AAS). After a preconcentration step the Cr(VI) is eluted from the column directly into the AAS unit where the chromium absorbance is measured. A preconcentration factor of 300 is attained using a 25-cm long column. The method has been evaluated using samples of natural pond water with 100 percent recovery of spiked Cr(VI).

100, 185
PB91-148502 PC A06/MF A01
 National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.
Strategy for Chemical Analysis of Alternative Refrigerants.
 Technical note.
 T. J. Bruno. Aug 90, 102p NIST/TN-1340
 Also available from Supt. of Docs.

Keywords: *Refrigerants, *Substitutes, *Mass spectroscopy, *Gas chromatography, *Infrared spectroscopy, Fluorohydrocarbons, Purity, Contaminants, Water analysis, Adsorbents, Volumetric analysis, Hydrocarbons.

The chemical purity of samples of alternative refrigerants which are used in the determination of the thermophysical properties is of paramount importance. Many properties, such as vapor-liquid equilibria and transport properties such as thermal conductivity, require that measurements be performed on as pure a material as possible. Some common impurities such as water can have an extremely deleterious effect on a measurement, while the effects of other impurities are more subtle. Alternative refrigerants which are not available at purity levels that are normally considered "research grade" must be characterized in order for the data to be properly interpreted, and for the reported results to be used appropriately. In addition, it is necessary to assess the reactivity of alternative refrigerants in the presence of many of the common construction materials used in experimental apparatus. The National Institute of Standards and Technology has evolved an analytical protocol which is applied to each system. In the paper, the various analytical methods will be discussed, and the data of general usefulness presented. In addition, some of the novel instrumental approaches employed at NIST will be described.

100, 186
PB91-148817 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Inorganic Analytical Research Div.
Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.
 Final rept.
 R. M. Lindstrom, A. R. Byrne, D. A. Becker, B. Smoldis, and K. M. Garrity. 1990, 3p
 Pub. in Fresenius Jnl. of Analytical Chemistry 338, p569-571 1990.

Keywords: *Trace elements, *Leaves(Botany), *Standards, *Inorganic materials, Neutron activation analysis, Microscopy, Heterogeneity, Cyclone separators, Reprints, Standard reference materials.

The NIST natural-product leaf Standard Reference Materials have been widely used in developing reliable methods of analysis. A small amount of mineral matter present in these materials was separated by flotation, and characterized qualitatively by microscopy and quantitatively by neutron activation analysis. Several elements are concentrated in the mineral fraction, which can lead to analytical error through incomplete dissolution or sampling statistics. Two new candidate materials prepared by the Office of Standard Reference Materials, SRM 1515 Apple Leaves and SRM 1547 Peach Leaves, have been processed with an air-jet mill, resulting in a very finely ground leaf material, with particle size less than 200 mesh. A cyclone classifier in the process discriminates against coarse grit, so that the content of minerals in the ground material is less than in the first-generation materials. Better homogeneity was in fact observed, even down to 100 mg sample size. One must use caution, however, to assure that any inhomogeneity found in real samples are appropriately considered and dealt with.

100, 187
PB91-148858 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Organic Analytical Research Div.
Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
 Final rept.
 W. A. MacCrehan, and E. Schonberger. 1987, 14p
 Pub. in Jnl. of Chromatography - Biomedical Applications 417, n1 p65-78 1987.

Keywords: *Retinol, *Liquid chromatography, *Vitamin A, Isomers, Blood serum, Electrochemistry, Ultraviolet detectors, Reprints.

Baseline separation of all of the isomers of retinol using reverse-phase liquid chromatography in under 30 minutes is presented. A new approach to the detection of retinol using electrochemical detection is developed. The oxidative electrochemistry of retinol is studied using coulometry and HPLC. The new approach is compared to UV/visible absorbance detection for the determination of retinol in human serum extracts.

100, 188
PB91-148874 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Analytical Research Div.
Research at NBS in Direct Potentiometric Measurements in Blood.
 Final rept.
 G. Marinenko, P. C. Gunaratna, and W. F. Koch. 1987, 11p
 Pub. in Proceedings of Meeting of the European Working Group on Ion-Selective Electrodes (8th), Graz, Austria, October 2-4, 1986, p269-279 1987.

Keywords: *Calcium ions, *Potassium ions, *Sodium ions, *Blood, *Activity coefficients, *Potentiometric analysis, Electrolytes, Ion selective electrodes, Electrochemical cells, Mercury amalgams, Reprints.

A research project, sponsored by the National Committee for Clinical Laboratory Standards and funded by several manufacturers' of clinical potentiometric instruments, has been initiated in the Electroanalytical Research Group at the National Bureau of Standards. The goal of the research is to develop reference methods and materials for measuring the activity of free ionized sodium, potassium, and calcium in blood by direct potentiometry with ion selective electrodes. The initial thrust of the research will focus on sodium, wherein it is anticipated that the definitive method for the sodium activity measurements will be the sodium amalgam cell. A synopsis of the program and the theory supporting

the approach will be given. In preparatory work leading to the use of the amalgam cell, a new cell with low liquid junction potential has been constructed for use with ion selective electrodes. Dilute ammonium chloride is used as the reference filling solution and agar bridge electrolyte. Preliminary results using the cell for comparing activity and concentration measurements will be discussed. The relative accuracy of the measured activity of sodium using a variety of free sodium ion probes has been evaluated. The sodium amalgam cell has been designed and constructed. Preliminary testing of the cell is now underway and appears very promising.

100, 189
PB91-148981 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.
Methods for the Analysis of Organometallic Compounds in Wastes.
 Final rept.
 G. J. Olson, F. E. Brinckman, and W. R. Blair. 1988, 16p
 Sponsored by Office of Naval Research, Arlington, VA. Pub. in Waste Testing and Quality Assurance, ASTM STP 999, p130-145 1988.

Keywords: *Organometallic compounds, *Chemical analysis, *Environmental surveys, Toxic hazards, Waste disposal, Water pollution sampling, Chromatography, Separation processes, Trace elements, Reprints, Chemical specification.

Organometallic compounds occur in the environment as a result of anthropogenic and biogenic processes. Since organometals are often much more toxic than the corresponding inorganic forms of metals, it is important to be able to speciate the forms of metals in environmental samples at ultratrace levels. Chemical speciation methods, based on the use of chromatographic separations followed by element-selective detection, have been developed in the laboratories and elsewhere. These methods, described in part in the paper, are helping the analysis of organometal species at their action levels (down to parts-per-trillion levels) in environmental matrices, leading to a better understanding of environmental occurrence, fate, effects, and transformation. New methods for nondestructive analysis of metal species on surfaces are under development.

100, 190
PB91-149187 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Organic Analytical Research Div.
Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
 Final rept.
 L. C. Sander, C. J. Glinka, and S. A. Wise. 1990, 3p
 Pub. in Analytical Chemistry 62, n10 p1099-1101 1990.

Keywords: *Bonded coatings, *Silicon dioxide, *Thickness, Porosity, Adsorbents, Liquid chromatography, Neutron scattering, Surface properties, Alkylation, Penetration, Methanol, Reprints.

Preliminary results of research using the technique of small angle neutron scattering (SANS) to characterize phase morphology of alkyl modified silica is reported. The technique of contrast variation was used to reduce scattering interferences from the pore structure. With this procedure, the scattering experiments are carried out on the sample in a liquid environment. By varying the deuterium/hydrogen ratio of the liquid (e.g., D₂O/H₂O ratio), the scattering length density (sl_d), essentially the index of refraction for neutrons) of the liquid can be varied. This permits the pore structure to be masked by matching the sl_d of the silica. The thickness of the bonded phase layer was determined for various alkyl modified substrates. In addition, the degree of solvent penetration (volume fraction of methanol associated with the alkyl chains) was determined. The significance of bonded phase thickness to column properties is briefly discussed.

100, 191
PB91-158865 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Inorganic Analytical Research Div.

NIST Standards for Sodium and Potassium.

Final rept.
W. F. Koch. 1990, 9p
Pub. in Proceedings of International Symposium on Metrology and Clinical Applications of Electrochemical and Fiber Optic Sensors, Rochester, MN., September 22-25, 1989, p3-11 1990.

Keywords: *Potassium, *Sodium, *Blood serum, *Standards, Ion selective electrode analysis, Laboratory tests, Precision, Chemical analysis, Reprints.

The collaborative research project with manufacturers and users of clinical potentiometric instruments, sponsored by the NCCLS and conducted at the National Institute of Standards and Technology (NIST), is nearing attainment of its primary goal to bring conformity to the direct potentiometric measurements of sodium and potassium in human serum through the development of reference materials. Based on the results of the fourth interlaboratory test a candidate Standard Reference Material (SRM) has been produced by the Technicon Corporation, according to the specifications of the steering committee of the NCCLS project. The material was prepared from a single human serum pool, processed, ultra-filtered, and spiked with sodium and potassium resulting in three levels, nominally 120, 140, and 160 mmol/L sodium, and correspondingly, 6, 4, and 2 mmol/L potassium. All other components in the sera are at normal levels. The three sera were dispensed into 4-mL glass ampoules (3.2 mL per ampoule) and frozen at -50 C. The material is designated as SRM 956, Electrolytes in Human Serum. To test the efficiency of the material, a fifth interlaboratory test was conducted among eight manufacturers and three hospitals, using the candidate SRM and the prototype material from the fourth test. The results of the test indicate a significant improvement in interlaboratory precision when data are subjected to post-calibration. SRM 956 is now in the final stages of certification for sodium and potassium total concentration. These two analytes have been analyzed by the definitive methods (gravimetry and isotope dilution mass spectrometry, respectively) at NIST and the reference flame methods at NIST and two other cooperating laboratories.

100,192
PB91-162198 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Inorganic Analytical Research Div. **Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.**

Final rept.
R. M. Lindstrom, D. J. Lindstrom, L. A. Slaback, and J. K. Langland. 1990, 5p
Pub. in Nuclear Instruments and Methods in Physics Research A299, p425-429 1990.

Keywords: *Activation analysis, *Gamma counters, Background radiation, Radiation shielding, Cosmic neutrons, Cosmic rays, Comparison, Reprints.

The sources of background in a gamma-ray detector were experimentally determined in underground and surface counting rooms, and an optimized shield was constructed at NIST. The optimum thickness of lead was 10-15 cm, with a greater thickness giving an increased background due to the buildup of tertiary cosmic-ray particles. Neither cadmium, tin, copper nor plastic (hydrocarbon or fluorocarbon) was desirable as a shield liner, since all these increased the background continuum or introduced characteristic peaks into the background spectrum. Two broad peaks in the background result from inelastic scattering of cosmic-ray neutrons (0.02/sq cm/s) in germanium. These neutrons also excite the lower nuclear levels of lead and structural iron to produce additional gamma-ray peaks in the spectrum. The influence of the 20 MW NIST reactor, located 60 m from the detector, was undetectable. Comparisons among detectors and locations clearly separate cosmic from environmental components of the background.

100,193
PB91-162297 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div. **Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni.**

Final rept.
E. B. Saloman. 1991, 60p
Pub. in Spectrochimica Acta 46B, n3 p319-378 1991.

Keywords: *Resonance ionization mass spectrometry, *Chemical analysis, Aluminum, Calcium, Cesium,

Chromium, Cobalt, Copper, Krypton, Magnesium, Mercury, Nickel, Reprints, *Resonance ionization spectroscopy.

A data service has been established at the National Institute of Standards and Technology to provide the necessary information to apply the techniques of Resonance Ionization Spectroscopy (RIS) and Resonance Ionization Mass Spectrometry (RIMS) to routine use in analytical chemistry. The service collects and calculates the relevant atomic data, chooses appropriate resonance ionization schemes, and indicates pertinent operating details of successful RIMS studies. The first group of data sheets was published previously covering the elements As, B, Cd, C, Ge, Au, Fe, Pb, Si and Zn. The second group of data sheets is presented here. It covers the elements Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg and Ni. Others will be published periodically. Reprints of RIS/RIMS work are solicited so that those efforts may be included in future data sheets.

100,194
PB91-174235 Not available NTIS
National Inst. of Standards and Technology, Gaithersburg, MD. Standard Reference Materials Program. **Appendix: Standard Solutions and Certified Reference Materials.**

Final rept.
R. Alvarez. 1990, 9p
Pub. in Official Methods of Analysis, v2 p1214-1222 1990.

Keywords: *Standards, *Solutions, Chemical analysis, Data, Reprints, *Certified reference materials, *Standard reference materials.

The appendix gives the methods to make standard solutions and some standard reference materials.

100,195
PB91-187641 (Order as PB91-187617, PC A06/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD. **Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography.**

P. H. Verdier. 1991, 13p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n2 p177-189 Mar/Apr 91.

Keywords: *Gel permeation chromatography, *Light scattering, *Molecular weight, Optical detectors, Polystyrene, Polymers.

A light scattering detector has been designed and constructed for use with gel permeation chromatographs. The detector measures light scattered from the eluting sample simultaneously at nine scattering angles, and is connected to a computer-controlled display which exhibits the angular dependence of the scattering in real time while the sample is eluting. Use of the light-scattering detector in conjunction with the usual concentration-sensitive detector allows the direct determination of molecular weight as a function of elution volume, thereby making the chromatographic system 'self-calibrating'. Tests of the system with a series of linear and branched polystyrenes suggest that it will be a useful tool for the study and characterization of branched polymers.

100,196
PB91-189282 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Inorganic Analytical Research Div. **Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.**

Final rept.
D. Feng, Y. C. Wu, and W. F. Koch. 1989, 6p
Pub. in Analytical Chemistry 61, n13 p1400-1405 1989.

Keywords: *HEPES, *Buffers(Chemistry), *pH, *Chemical equilibrium, *Dissociation, Sodium chloride, Thermodynamic properties, Electrical potential, Reprints.

HEPES (N-2-Hydroxyethylpiperazine-N'-2-ethanesulfonic acid) has been recommended as a pH buffer for physiological measurements. The pH values for the buffer system at ionic strengths similar to those in physiological fluids have been determined at temperatures from 0 to 50 C by the emf method. The influence of NaCl on the buffer and the liquid junction potential associated with the salt have been evaluated. Thus, the practical, operation pH value can be ascertained.

The second dissociation constant of HEPES has been determined and the thermodynamic properties have been calculated.

100,197
PB91-189860 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Electricity Div. **Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.**

Final rept.
J. K. Olthoff, R. J. Van Brunt, J. T. Heron, and I. Sauers. 1991, 7p
Sponsored by Department of Energy, Washington, DC. Office of Electrical Systems.
Pub. in Analytical Chemistry 63, n7 p726-732, 1 Apr 91.

Keywords: *Sulfur fluorides, *Sulfur hexafluoride, *Mass spectroscopy, *Gas chromatography, Chemical analysis, Pyrolysis, Hydrolysis, Reprints.

A new method is described for detection of S2F10 in SF6 in the parts-per-billion (ppb) level. The method utilizes a gas chromatograph/mass spectrometer (GC/MS) equipped with a heated jet separator. S2F10 is converted to SOF2 on the hot surfaces of the low-pressure portions of the jet separator at temperatures above 150 C by a surface-catalyzed reaction involving H2O. As a consequence of the conversion, peaks corresponding to S2F10 appear on single-ion chromatograms at ion masses characteristic of SOF2 (m/z = 48, 67, and 86) where there is little or not interference from features. By this method, a direct analysis of SF6 for S2F10 content can be performed with greater sensitivity than conventional gas chromatographic methods and with a higher degree of reliability and in a time much shorter than required for chromatographic methods that use enrichment procedures. Problems associated with the preparation and stability of reliable S2F10 reference samples are discussed.

100,198
PB91-189878 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Analytical Research Div. **Introduction to Supercritical Fluid Chromatography. 1. Principles and Instrumentation.**

Final rept.
M. D. Palmieri. 1988, 1p
See also Part 2, PB89-230312.
Pub. in Jnl. of Chemical Education 65, n10 pA254 1988.

Keywords: *Supercritical fluid chromatography, Laboratory equipment, Gas chromatography, Liquid chromatography, Reviews, Reprints, *Supercritical fluids.

The basic characteristics of supercritical fluids are described. Supercritical fluids are used as mobile phases in chromatography, and various aspects of supercritical fluid chromatography (SFC), liquid chromatography, and gas chromatography are compared. Finally the basic instrumentation required to perform SFC is described.

100,199
PB91-190041 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Organic Analytical Research Div. **Evaluation of Column Performance in Liquid Chromatography.**

Final rept.
L. C. Sander. 1988, 8p
Pub. in Jnl. of Chromatographic Science 26, n8 p380-387 1988.

Keywords: *Liquid chromatography, *Columns(Process engineering), Absorbers(Equipment), Surface properties, Reviews, Selectivity, Performance evaluation, Reprints, Silanol activity, Trace metal activity.

Procedures for the evaluation of chromatographic properties of LC columns are described in the review. General tests for assessing silanol activity, hydrophobicity, trace metal activity, phase type (monomeric vs. polymeric chemistry), and pore size are presented. Also included are specific tests for various solute classes. An emphasis is placed on practical aspects of column testing, and characterization procedures that require bulk packing material (i.e., unpacking the column) have been largely excluded.

CHEMISTRY

Analytical Chemistry

100,200
PB91-195156 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Inorganic Analytical Research Div.
**High Purity Chemicals and Clean Rooms for Trace
Metal Analysis.**
Final rept.

J. R. Moody. 1988, 4p
Pub. in Proceedings of International Symposium on
Trace Analysis in Environmental Samples and Stand-
ard Reference Materials, Honolulu, HI., January 6-8,
1988, p97-100.

Keywords: *Trace amounts, *Metals, *Chemical labo-
ratories, Purity, Clean rooms, Reprints, *Trace analy-
sis, *National Bureau of Standards, Environmental
samples, Analytical blanks.

The experience of the analytical laboratories at NBS in
performing trace metal analysis in environmental sam-
ples is analyzed. Specifically, the role of ultra-pure re-
agents and clean laboratories in reducing the analytical
blank is related to significant requirements for environ-
mental samples.

100,201
PB91-195164 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Inorganic Analytical Research Div.
**Recommended Inorganic Chemicals for Calibra-
tion.**
Final rept.

J. R. Moody, K. W. Pratt, T. C. Rains, and R. R.
Greenberg. 1988, 1p
Pub. in Analytical Chemistry 60, n21 p1203 1988.

Keywords: Primary standards, Chemical compounds,
Stoichiometry, Purity, Calibration, Chemical analysis,
Reprints, *Standard solutions.

Compounds and metals have been critically reviewed
in terms of their suitability for use in preparing primary
standard solutions for instrumental calibrations. Meth-
ods for preparing solutions from these chemicals are
discussed. The tables list the available forms and puri-
ties for all but the radioactive elements and rare earth
gases. A discussion of the relevance of purity, stoichi-
ometry, and assay of chemicals for the analyst is
given.

100,202
PB91-195180 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Gas and Particulate Science Div.
**Strategies for Background Subtraction in Electron
Probe Microanalysis X-ray Compositional Map-
ping.**
Final rept.

R. L. Myklebust, D. E. Newbury, and R. B.
Marinenko. 1989, 7p
Pub. in Analytical Chemistry 61, n15 p1612-1618 1989.

Keywords: *Electron probes, *X-ray analysis, *X-ray
spectroscopy, *Spectrum analysis, *Background dis-
crimination, Quantitative analysis, Atomic properties,
Reprints, *Compositional mapping.

The background subtraction methods necessary for
quantitative compositional mapping with an electron
microprobe is discussed. Compositional maps are pre-
sented which demonstrate the need for determining a
background dependent on average atomic number of the
area of the specimen being analyzed. The measure-
ment techniques and requirements for WDS, EDS
and combined EDS/WDS compositional maps are dis-
cussed. The corrections for EDS analyses are built into
the measurement method while for WDS analyses, the
average atomic number of each analyzed point must be
determined in order to compute the background at
that point.

100,203
PB91-195479 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Surface and Microanalysis Science
Div.

Inner-Shell Ionization Cross Sections.

Final rept.
C. J. Powell. 1990, 8p
Pub. in Microbeam Analysis - 1990, p13-20.

Keywords: *Inner-shell ionization, *Ionization cross
sections, *Microanalysis, Auger electron spectroscopy,
X ray analysis, Electron impact, Reprints, Electron
probe microanalysis, Electron energy loss spectroscopy.

Values of cross sections for ionization of inner-shell
electrons by electron impact are required for electron
probe microanalysis, Auger-electron spectroscopy,
and electron energy-loss spectroscopy. The present
author has previously reviewed measurements and
calculations of inner-shell ionization cross sections,
and the present paper is an update and summary of
the earlier reviews with emphasis on data for total
inner-shell ionization cross sections as needed for x-
ray microanalysis. Information is given on the more
useful formulae for ionization cross sections and the
extent to which they agree with calculations and meas-
urements for particular elements.

100,204
PB91-195727 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Gas and Particulate Science Div.
**Accuracy of Transmission Electron Microscopy
Analysis of Asbestos on Filters: Interlaboratory
Study.**
Final rept.

S. Turner, and E. Steel. 1991, 5p
See also PB87-162111.
Pub. in Analytical Chemistry 63, n9 p868-872, 1 May
91.

Keywords: *Asbestos, *Electron microscopy, *Accura-
cy, *Fibers, Laboratory tests, Filters, Statistical analy-
sis, Interlaboratory comparisons, Reprints.

An interlaboratory study was conducted to determine
the accuracy of determinations of the asbestos concen-
tration on filters by use of transmission electron mi-
croscopy. Replica sections were prepared from a
single polycarbonate filter that had chrysotile and sev-
eral types of non-asbestos particles deposited on its
surface. Twenty-seven analysts from 15 laboratories
counted a minimum of 3 grid squares and recorded the
physical characteristics of the particles and the meth-
ods used for identification of the particles. One of the
grid squares counted by each analyst was reanalyzed
at the National Institute of Standards and Technology
(NIST) by using verified counting methods. The mean
value of TP/TNS (true positives/total number of struc-
tures) obtained by the laboratories on the verified grid
squares is 0.67, and the mean value for FP/TNS (false
positives/total number of structures) is 0.04. More
than 40% of the fibers shorter than 1 micrometer were
missed, whereas less than 20% of the fibers longer
than 1 micrometer were missed by the analysts. In-
correct translation of the electron microscope stage is a
likely cause of many false negative values. Other pos-
sible reasons for false negatives and false positives
are discussed.

100,205
PB91-203893 Not available NTIS
National Inst. of Standards and Technology, Gaithers-
burg, MD. Office of Measurement Services.
Reference Materials for Analytical Chemistry.
Final rept.
S. D. Rasberry. 1991, 3p
Pub. in Analysis 19, n1 p35-37 Jan 91.

Keywords: *Standards, *Chemical analysis, Accuracy,
Reprints.

With every passing year, the role of analytical chem-
istry seems to increase in prominence. This may be so
for several reasons, but perhaps most importantly be-
cause good measurement is a key to higher productiv-
ity. Industrialists are eager to improve quality assur-
ance while reducing wasted energy, manufacturing re-
jects, and product liability problems. Patients in hospi-
tals are eager to have accurate clinical analyses to
support proper diagnoses and treatment. All mankind
is eager for more accurate environmental analyses to
help protect the long-term future of our planet.

100,206
PB91-203901 Not available NTIS
National Inst. of Standards and Technology, Gaithers-
burg, MD. Office of Measurement Services.
Role of Reference Materials in Quality Assurance.
Final rept.
S. D. Rasberry. 1990, 2p
Pub. in Analytical Proceedings 27, n11 p296-297 Nov
90.

Keywords: *Chemical analysis, *Quality assurance,
Standards, Decision making, Measurement, Reprints,
*Reference materials, National Institute of Standards
and Technology.

Analytical measurements are increasingly important to
industrial quality assurance (QA) and to critical deci-

sion making in such fields as clinical, nutritional, and
environmental chemistry. Several factors important to
attaining analyses that are reliably accurate will be
noted. The summary will focus on the role of reference
materials in accurate chemical analysis. Fundamental
attributes of reference materials will be described, to-
gether with details on how they serve as benchmarks
for the measurement process. Some examples will be
drawn from materials recently certified at the National
Institute of Standards and Technology (NIST).

100,207
PB91-203968 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Radiation Physics Div.
**Resonance Ionization Spectroscopy/Resonance
Ionization Mass Spectrometry Data Service.**
Final rept.

E. B. Saloman. 1989, 4p
See also PB91-162297.
Pub. in Proceedings of the International Symposium on
Resonance Ionization Spectroscopy and Its Applica-
tions (4th), Gaithersburg, MD., April 10-15, 1989, p255-
258.

Keywords: *Mass spectroscopy, *Chemical analysis,
*Information systems, Cross sections, Data, Oscillator
strength, Reprints, *Resonance ionization spectroscopy,
*Resonance ionization mass spectrometry.

A data service is being established at the National
Bureau of Standards to provide the necessary informa-
tion to apply the technique of Resonance Ionization
Mass Spectrometry (RIMS) to routine use in analytical
chemistry. This service will collect and calculate the
relevant atomic data, choose appropriate resonance
ionization schemes, and indicate pertinent operating
details of successful RIMS studies. A sample data
sheet is included and others will be available at the
Symposium. Suggestions are solicited on how to im-
prove the format and content of the data sheets.

100,208
PB91-236596 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Surface and Microanalysis Science
Div.
**Quantitative Analysis of Impurities in SIMOX Sam-
ples Using Secondary Ion Mass Spectrometry.**
Final rept.

P. H. Chi, D. S. Simons, and P. Roitman. 1991, 5p
Pub. in Surface and Interface Analysis 17, p57-61
1991.

Keywords: *Gas-solid interfaces, *Silicon, *Ion implan-
tation, *Quantitative analysis, *Annealing, Mass spec-
troscopy, Ion microprobe analysis, Microanalysis, Im-
purities, Process variables, Surface chemistry, Tem-
perature dependence, Time dependence, Chemical
analysis, High temperature tests, Diffusion, Nitrogen,
Argon, Oxygen ions, Reprints, Simox process.

Silicon films produced by the SIMOX process (separa-
tion by implanted oxygen) must be annealed at high
temperature to remove the crystal damage introduced
during implantation of the high oxygen dose. Different
annealing gases, temperatures and times have been
investigated. In such processes, various impurities
present in the high-temperature ceramic furnace tube,
as well as annealing gas species, may be incorporated
into the samples. Secondary ion mass spectrometry
(SIMS) is used as a quantitative tool to analyze the dif-
fusion of tube components and gases into annealed
SIMOX samples. Samples prepared for the investiga-
tion were annealed in nitrogen and argon at tempera-
tures ranging from 1250 to 1350 C. It was found that
most impurities are present at low levels and are gen-
erally trapped in the surface oxide that is grown during
the anneal. SIMS analyses of SIMOX samples an-
nealed in nitrogen showed that nitrogen tends to col-
lect in both the surface oxide and buried oxide layers,
piling up at the oxide/silicon interfaces.

100,209
PB91-237727 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Inorganic Analytical Research Div.
**Characteristics of Aerosols Produced by the Spark
Discharge.**
Final rept.

R. L. Watters, J. A. Small, F. H. Shen, J. R. DeVoe,
and R. B. Marinenko. 1989, 8p
Pub. in Analytical Chemistry 61, n17 p1826-1833 1989.

Keywords: *Electric discharges, *Metals, *Aerosols, Brasses, Copper zinc alloys, Chemical analysis, Spectroscopy, Electron microscopy, Chemical composition, Physical properties, Reprints, Spark erosion craters.

A detailed study of the physical properties and the chemical composition of spark-produced aerosol and corresponding erosion craters has been undertaken. A high repetition rate (1 kHz), electronically controlled waveform spark source was used to generate the aerosol from samples of standard reference materials. The feasibility of using an on-line electrical mobility analyzer to monitor real-time particle concentrations was examined. Consistent bias in the Zn/Cu ratios of aerosols from a series of brass SRMs corresponded to a reverse bias in the Zn/Cu ratios measured in the spark erosion pits. Collected particles were dissolved and analyzed by inductively coupled plasma spectrometry. A predominance of small particles (100 Å) was observed and confirming analyses using the analytical electron microscope was used on individual particles.

100,210

PB92-116755

Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Analytical Research Div.

Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.

Final rept.

K. S. Epler, T. C. O'Haver, W. A. MacCrehan, and G. C. Turk. 1988, 5p

Sponsored by Maryland Univ., College Park. Dept. of Chemistry and Biochemistry.
Pub. in Analytical Chemistry 60, n19 p2062-2066 1988.

Keywords: *Tin organic compounds, *Detectors, *Liquid chromatography, *Sediments, Reprints, *Laser enhanced ionization, *Trialkyltins.

Laser-enhanced ionization (LEI), used as an element-specific detector for liquid chromatography (LC), is applied to trialkyltin determinations in sediment. The high sensitivity of LEI compensates for the degradation in detection limits resulting from chromatographic dispersion. The LC speciates the organotins and resolves spectral interferences from the analytes. A rapid method for extracting 97 + or - 8% of the TBT present in sediment into n-butanol is described. The detection limit is 3 ng/mL tin as TBT or 0.06 ng tin.

100,211

PB92-126499

PC A03/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.

Annual rept. (Oct. 1991).

K. L. Jewett, W. R. Blair, F. E. Brinckman, and F. W. Wang. Dec 91, 27p NISTIR-4725

See also PB86-189875. Sponsored by Maryland Univ. at Baltimore.

Keywords: *Lead inorganic compounds, *Liquids, *Stability, *Containers, Concentration(Composition), Water pollution, Monitoring, Acid treatment, Washing, Exposure, pH, Buffers(Chemistry), Absorption, *Lead acetate, Polycarbonates.

The stability of lead(II) acetate solutions at 50, 250 and 1000 mg/l (ppm as lead) in polycarbonate containers has been studied to assure reliable monitoring. The concentrations of aqueous solutions of lead maintained at pH 4.5 were determined at both short term (hours) and long term (months) exposures. Employing acid washed polycarbonate containers, no significant loss in lead concentration was detected for up to 100 hours after initial exposures to 50, 250 and 1000 ppm lead solutions. When containers were pretreated with lead solutions at comparable concentrations that would ultimately be contained within them, no significant loss in concentration was detected over more than 50 days.

100,212

PB92-126614

PC A06/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD.

Journal of Research of the National Institute of Standards and Technology, September-October 1991. Volume 96, Number 5.

1991, 65p

Also available from Supt. of Docs. as SN703-027-00042-3. See also PB92-126622 through PB92-126721 and PB92-110261. Library of Congress catalog card no. 89-656121.

Keywords: *Research projects, *Metrology, Dimensional measurement, Particle size, Microspheres, Dielectric properties, Permeability, Permittivity, Experimental design, Technology, Block design, Silicon isotopes, Voltametry, Air pollution detection, Dental caries, Chemical analysis, Sulfur dioxide, Carbon dioxide, Force standards, Standard reference materials, Orthogonal arrays, Advanced Technology Program, Isotope reference materials, Slovak Metrological Society.

Contents: Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany; Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures; Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures; Certification of NIST SRM 1961--30 micrometers Diameter Polystyrene Spheres; Optimization Techniques for Permittivity and Permeability Determination; Taguchi's Orthogonal Arrays Are Classical Designs of Experiments; A Mathematical Model for Dental Caries--A Coupled Dissolution-Diffusion Process; The Advanced Technology Program--A New Role for NIST in Accelerating the Development of Commercially Important Technologies; A List of New Group Divisible Designs; Silicon Reference Materials Certified for Isotope Abundances; Slovak Metrological Society.

100,213

PB92-126713

(Order as PB92-126614, PC A06/MF A02)
National Inst. of Standards and Technology, Gaithersburg, MD.

Silicon Reference Materials Certified for Isotope Abundances.

S. Valkiers, P. De Bievre, G. Lenaers, and H. S. Peiser. 1991, 3p

Prepared in cooperation with Commission of the European Communities, Geel (Belgium). Central Bureau for Nuclear Measurements, and Antwerp Univ., Wilrijk (Belgium). Dept. of Chemistry.
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p617-619 Sep/Oct 91.

Keywords: *Silicon isotopes, Silicon tetrafluoride, Mass spectroscopy, Atomic weights, *Isotope reference materials, *Reference materials, Isotope abundance.

In a series of gas mass-spectrometric measurements performed near the highest attainable accuracy, samples from two highly homogeneous batches of silicon crystals and silica powder were compared directly with a synthetic mixture of the three stable isotopes of silicon. Thereby, this work not only established the 'absolute' atomic weight of these batches, but also makes portions of these batches available as an Isotopic Reference Material for accurate isotopic abundance measurements in geochemical and other isotope-abundance studies of silicon.

100,214

PB92-127315

Not available NTIS
Teknekron Sensor Development Corp., Menlo Park, CA.

Opportunities for Innovation: Chemical and Biological Sensors.

M. Madou, and J. P. Joseph. Oct 91, 145p NIST/GCR-91/593-1

Grant NANB9D0980

See also PB91-107078. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.
Paper copy only available from National Institute of Standards and Technology, Gaithersburg, MD.

Keywords: *Chemicals, *Biological detection, *Detectors, Technology transfer, Businesses, Markets, Solid state electronics, Measurement, Protons, Carbon dioxide, Machining, Semiconductors, Metal oxides, Gas detectors, Acoustic detectors, Improvement, Signal to noise ratio, Monitoring, Metabolism, Microsensors, Amperometric detectors.

Contents:

Application of Micromachining in Solid-State

Chemical Sensors;

The Challenges and Opportunities of Sensor

Technology;

Metal Oxide Semiconductor Sensors;

Amperometric Gas Sensors;

Opportunities with Acoustic Sensors;

Oxygen, Glucose, Urea, and Cholesterol Sensors

for Biomedical Application;

Biological Applications of Electrolyte/Insulator/Silicon Structures;
and Market Introduction Issues for Chemical Microsensors.

Basic & Synthetic Chemistry

100,215

AD-A243 094/0

PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.

Technical rept.

L. H. Robins, E. N. Farabaugh, and A. Feldman. 27 Sep 91, 19p

Contract N00014-90-F-0011

Keywords: Absorption, Absorption spectra, Adsorption, Carbon, Chemicals, Constants, Energy, Etching, Fittings, Light scattering, Low energy, Models, Near ultraviolet radiation, *Optical properties, Photons, Reflectance, Refractive index, Regions, Removal, Silicon, Single crystals, Substrates, Surfaces, Thinness, Transmittance, *Chemical vapor deposition, *Diamonds, *Chemical.

The optical constants of thin chemical-vapor-deposited diamond windows were determined as a function of photon energy from 0.5 to 6.5 eV by fitting experimental transmittance and a reflectance data to model that includes the effects of surface optical scatter. Root-mean-squared surface roughness values were also obtained from the analysis. The windows were fabricated by microwave plasma assisted CVD on silicon substrates, followed by partial removal of the substrates by etching. The values of the refractive index were diamonds. Substantial adsorption was found to occur in the visible to near ultraviolet region (2 to 5 eV) where single-crystal diamond is transparent. The spectrum of the low-energy absorption spectrum is diamond like amorphous carbon. There is a steep increase in absorption above the indirect bandgap of diamond (5.5 eV).

100,216

PB91-147447

Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Ionizing Radiation Div.

Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.

Final rept.

S. V. Jovanovic, and M. G. Simic. 1986, 5p
Pub. in Jnl. of the American Chemical Society 108, n19 p5968-5972 1986.

Keywords: *Uracils, *Thymine, *Oxidation reduction reactions, *Hydroxyl radicals, Chemical radicals, Oxidizers, Nucleotides, Radiolysis, Glycols, Pyrimidines, Reprints.

Yields of reducing, 6-yl, oxidizing, 5-yl, and methyl radicals, generated by OH radical reaction with uracil, thymine and 1-methyluracil, were determined by pulse radiolysis in aqueous solutions at pH 7. The absolute yields and ratio of 5-yl/6-yl radicals in uracil (20% 5-yl-U and 80% 6-yl-U) are altered in methyl substituted derivatives of uracil. For thymine one finds 35% of 5-yl-T and 57% of 6-yl-T, and for 1-methyluracil 20% of 5-yl-1-MeU and 65% of 6-yl-1-MeU radicals. The yields of pyrimidine glycols in the presence of an oxidizing agent (G = 3.2 for thymine glycols; 4.3 for uracil glycols; and 3.7 for 1-methyluracil glycol), as measured by HPLC, were shown to be equal to the yields of 5-OH-6-yl-Py reducing radicals of thymine (56% OH), uracil (80% OH) and 1-methyluracil (65% OH). It is suggested that 5-hydroxy-6-yl radicals are the exclusive precursors of glycols. Mechanisms of glycol formation in the presence and absence of oxidizing agents are proposed and discussed.

100,217

PB91-159012

Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.

CHEMISTRY

Basic & Synthetic Chemistry

Redox Reactions of Osmium Porphyrins.

Final rept.
S. Mosseri, P. Neta, D. Y. Sabry, P. Hambricht, and A. Harriman. 1988, 7p
Pub. in Jnl. of the Chemical Society - Dalton Transactions 11, p2705-2711 1988.

Keywords: *Osmium, *Porphyrins, *Oxidation reduction reactions, Photolysis, Radiolysis, Electrochemistry, Complex compounds, Ligands, Chemical reactions, Reprints.

Cyclic voltammetric, gamma radiolytic, chemical and photochemical studies have shown that the metal centre in osmium porphyrine (OsP) can exist in a wide range of oxidation states, each being stabilized by axial complexation with a particular ligand. Thus, Os(II)P is stabilized by ligation with a CO molecule. Oxidation occurs readily to form the corresponding Os(III)P which retains the CO ligand and can be reduced quantitatively to the original Os(II) complex. Further oxidation can be achieved, at higher oxidant concentration, and the resultant Os(IV)P is stabilized by axial ligation of two alcohol or water molecules. These Os(IV) complexes are stable to both oxidation and reduction. Treating the Os(III)P with an organic peroxide results in formation of an Os(VI)P which is stabilized by two oxo ligands but can be reduced to the Os(VI)P. Photolysis of Os(II)P and Os(III)P causes loss of the CO ligand, the naked porphyrin species so formed undergoes oxidative reactions with the solvent, O₂ or trace impurities, in most cases forming an Os(IV)P. Photolysis of Os(II)P in benzene containing small amounts of O₂ generates the di-oxo Os(VI)P.

100,218
PB91-174730 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Organic Analytical Research Div.

Oxidation of Organic Compounds by Active Manganese Dioxide.

Final rept.
A. J. Fatiadi. 1986, 142p
Pub. in Organic Syntheses by Oxidation with Metal Compounds, Chapter 3, p119-260 1986.

Keywords: *Manganese oxides, *Oxidation, *Alcohols, *Amines, *Hydrazines, Chemical reactivity, Chemical reactions, Reviews, Organic compounds, Reprints.

The recent, synthetic developments in the oxidation of organic compounds by active manganese dioxide has been reviewed. The topics covered are: (1) methods of preparation of active manganese dioxide; (2) aspects of mechanisms of oxidation by active manganese dioxide; an overview also includes (a) oxidation of alcohols and hydroxy compounds, (b) dehydrogenation and oxidative aromatization, (c) oxidation of hydrocarbons, (d) oxidation of amines and hydrazines, and (e) miscellaneous oxidations.

100,219
PB91-175125 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Ion Incorporation into Octacalcium Phosphate Hydrolyzates.

Final rept.
B. B. Tomazic, I. Mayer, and W. E. Brown. 1991, 13p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Jnl. of Crystal Growth 108, p670-682 1991.

Keywords: *Calcium phosphates, Chemical analysis, Binary system(Materials), Crystal growth, Nonmetallic minerals, Aqueous solutions, Hydrolysis, Ions, Alkali metal compounds, Apatites, Spectroscopy, Solubility, Reprints.

There is considerable evidence indicating that biomimerals are formed by precipitation of octacalcium phosphate followed by its hydrolysis. Therefore, the hydrolysis of octacalcium phosphate was studied in aqueous solutions of alkali nitrates/chlorides or carbonates. The hydrolysis was accompanied by incorporation of alkali and carbonate ions into apatite hydrolysis products. These were characterized by chemical analyses, infrared and X-ray diffraction spectroscopy, and solubility measurements. The extent of hydrolysis in carbonate-free media paralleled the extent of ion incorporation: Li > Na > K. The hydrolyses in corresponding carbonate media produced less crystalline apatitic products with B-type carbonate substitution.

100,220
PB91-184853 PC A07/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Journal of Research of the National Institute of Standards and Technology. January-February 1991. Volume 96, Number 1.

1991, 150p
Also available from Supt. of Docs as SN703-027-000-38-5. See also PB91-184861 and PB91-167411.

Keywords: *Iron complexes, *Iron organic compounds, *Ceramics, Data bases, Calibrating, US NBS, Research projects, Stereo chemistry, Chirality, Carbenes, Biochemistry, Synthesis(Chemistry), Enantiomorphs, Reviews, High-TC superconductors.

Contents: New Chemical and Stereochemical Applications of Organoiron Complexes; International Conference on the Chemistry of Electronic Ceramic Materials; News Briefs; Calibration Services; Standard Reference Data.

100,221
PB91-184861

(Order as PB91-184853, PC A07/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.

New Chemical and Stereochemical Applications of Organoiron Complexes.

A. J. Fatiadi. 1991, 113p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n1 p1-113 Jan-Feb 91.

Keywords: *Iron complexes, *Iron organic compounds, *Chirality, *Biochemistry, Reviews, Synthesis(Chemistry), Enantiomorphs, Carbenes, Stereochemistry, Catalysts, Norbornadiene, Cycloalkanes, Porphyrins, Carbonyls, Ferrocene, Alkaloids.

The objective of the review is to provide a current overview of the rapidly developing chemistry of organometallic complexes and particularly organoiron complexes useful in asymmetric and stereoselective reactions. Also covered are stereoselective reactions of alpha, beta-unsaturated acyl ligands bound to the chiral auxiliary ((eta(sup 5)-C5H5) Fe(CO)(PPh3)) and new applications of organoiron complexes in the synthesis of natural products. The mechanistic aspects and stabilizing effects of the Fe(CO)3 group for alkenes or conjugated dienes are discussed. A brief summary of recent work on the special role of iron in biological reactions is also included.

100,222
PB91-237347 Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.

Antioxidation Mechanisms of Uric Acid.

Final rept.
M. G. Simic, and S. V. Jovanovic. 1989, 5p
Pub. in Jnl. of the American Chemical Society 111, n15 p5778-5782 1989.

Keywords: *Uric acid, *Oxidation reduction reactions, *Reaction kinetics, Radiolysis, Antioxidants, Free radicals, DNA repair, Reprints.

One-electron oxidation of uric acid generates the urate radical which was studied in aqueous solution by pulse radiolysis and oxygen uptake measurements. Acid-base properties of the radical were determined, i.e., pKa1 = 3.1 +/- 0.1 and pKa2 = 9.5 +/- 0.1. The reaction of the radical with oxygen was too slow to be measured, k < 0.01 dm³/mol/s. The one-electron redox potential vs. NHE, E₇ = 0.59 V, was derived from the pH dependence of the redox potential, which was fitted through the values measured at pH 7, 8.9 and previously determined at pH 13. Rapid reactions of uric acid with oxidizing species, peroxy radicals and the guanyl radical, were indicative of uric acid as a possible water soluble physiological antioxidant and repair agent of oxidative damage to DNA bases.

100,223
PB91-237370 Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Organic Analytical Research Div.

Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d5 Acid, and 3-Quinuclidinyl-(18)O, Benzilate-d5.

Final rept.
L. T. Sniogowski, E. White, and G. D. Byrd. 1989, 11p
Pub. in Jnl. of Labelled Compounds and Radiopharmaceuticals 27, n9 p983-993 1989.

Keywords: *Synthesis(Chemistry), *Isotopic labeling, *Benzoic acid, Standards, Mass spectroscopy, Oxygen

18, Purity, Reprints, *Quinuclidinol, *Benzoic acid/(quinuclidinyl-ester), Bicyclooctanol/aza, Benzene acetic acid/hydroxy-phenyl.

Isotopically labeled analogs of 3-quinuclidinol (Q), benzoic acid (BA), and 3-quinuclidinyl benzilate (BZ), for use as internal standards for isotope dilution measurements and the labeled intermediate 3-quinuclidinone and methyl benzilate used in their production, were synthesized. The isotopic purities of the 1-azabicyclo (2.2.2) octan-3-18O-ol, alpha-hydroxy-alpha-phenyl-d5-benzoic acid, and 3-quinuclidinyl-(18)O benzilate-d5 were determined and the electron impact ionization mass spectrum was obtained for each.

Industrial Chemistry & Chemical Process Engineering

100,224
PB91-162008 Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Small Scale Demand Type Neon Liquefaction Plant.

Final rept.
W. P. Dube, A. J. Slifka, R. M. Bitsy, L. L. Sparks, and K. B. Johnson. 1990, 5p
Pub. in Advances in Cryogenic Engineering, v35 p1797-1801 1990.

Keywords: *Neon, *Liquefied gases, *Pilot plants, Liquid hydrogen, Cryogenics, Liquefaction, Cost analysis, Circulation, Design, Reprints.

Low temperature measurement of the thermal conductivity of insulating materials is generally made using a boil-off calorimetry technique involving liquid hydrogen (LH2). Liquid neon (LNe) has nearly the same normal boiling point as LH2, but has a much larger heat of vaporization, allowing extended run times. In the past, the main drawback of using LNe has been its excessive cost, \$170.00 per liter versus \$1.50 per liter for LH2 (1989 prices). A neon liquefaction plant has been designed and constructed to capture, purify and refrigerate the neon boil-off from calorimetry experiments. Recycling the neon reduces operating costs to approximately \$20 per liter. The system consists of a purification section, which removes air and other contaminants from the calorimetry boil-off, a heat exchanger, LNe and LH2 storage dewars and a fully automated control system. After purification, neon is liquified in the heat exchanger by LH2 flowing counter-currently through stainless steel cooling coils. Hydrogen flow is automatically adjusted to keep the neon at its normal saturation temperature, 27 K. The liquid neon is then stored in a dewar placed directly below the heat exchanger. A 5 watt Gifford-McMahon refrigerator provides cooling during extended storage or low-flow applications.

100,225
PB91-162164 Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.

Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components.

Final rept.
M. A. Kedzierski, and D. A. Didion. 1990, 17p
Sponsored by Electric Power Research Inst., Palo Alto, CA.
Pub. in Experimental Heat Transfer 3, p447-463 1990.

Keywords: *Nucleate boiling, *Refrigerants, Bubbles, Heat of vaporization, Heat transfer, Thermodynamics, Binary mixtures, Convection, Optical measurement, Suppressing, Reprints.

Visualization of bubble nucleation during forced-convective flow inside a horizontal, electrically heated quartz tube was done in order to establish a comparison of this phenomenon between refrigerant mixtures and their pure components. The specific phenomena investigated were the suppression of nucleation due to increased mass flow quality while holding all other conditions fixed, and the comparison of the nucleate activity of the binary mixture to the nucleate activity of the pure components. The fluids investigated were a 37.7 mol% R22/62.3 mol% R114 binary mixture and the individual components R22 and R114. These fluids were pumped through an abraded, electrically heated quartz tube. A 16-mm high-speed camera was used, at

7000 frames/s, to film the boiling process. Detailed measurements of bubble frequency and bubble size were possible at low pressures, allowing direct calculation of the latent heat load required to nucleate a single bubble. Further work is required to develop a method that ensures statistically sound bubble frequency measurements. However, the standard deviations of the bubble diameter measurements were acceptable. The films were used to visually demonstrate the suppression of nucleation with increase in quality for R114, R22, and an R22/R114 mixture. The films suggest that, for a given quality, R114 exhibits much more nucleation than either R22 or the mixture, while the amount of nucleation demonstrated by R22 and the mixture was comparable even though the mixture was mostly R114 by mole. Arguments using the latent heat of vaporization, the vapor density, and the liquid thermal conductivity have been made to explain the visual trends.

100,226

PB91-162222

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.

New Wide Range Equation of State for Helium.

Final rept.

R. D. McCarty, and V. D. Arp. 1990, 11p

Pub. in *Advances in Cryogenic Engineering* 35, p1465-1475 1990.

Keywords: *Liquid helium, *Equations of state, Superfluidity, Cryogenics, Accuracy, Reprints.

A new correlation and computer code have been developed for helium. The correlation covers the temperature range of 0.8 to 1500 K using two equations of state, one for superfluid helium and another for the normal fluid. The equation of state for the normal fluid is valid for temperatures between 2 and 1500 K and for pressures up to 2000 MPa. The new normal fluid equation of state achieves increased accuracy in some regions of pressure and temperature, but not in others. There are unique problems involved in the correlation of helium data which prevent obtaining the accuracies which are more easily obtained for the properties of other fluids. Only the normal fluid equations are given here.

100,227

PB91-174672

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.

Final rept.

W. P. Dube, L. L. Sparks, and A. J. Slifka. 1991, 4p

Sponsored by National Aeronautics and Space Administration, Bay Saint Louis, MS. John C. Stennis Space Center.

Pub. in *Cryogenics* 31, n3-6 Jan 91.

Keywords: *Penlite, *Thermal conductivity, *Evacuating(Vacuum), Thermal cycling tests, Hysteresis, Cryogenics, Insulation, Physical properties, Dewar flasks, Reprints, Mechanical loading.

Perlite, a powdered insulation, is commonly used in large cryogenic storage dewars. When these dewars are thermally cycled, the perlite in the evacuated space between the inner and outer vessels of the dewar experiences a changing mechanical load due to thermal expansion and contraction of the inner vessel. Thermal conductivity data were obtained using a boil-off calorimeter. The apparent thermal conductivity of evacuated perlite increases strongly with applied load. Hysteretic behaviour of the conductivity was observed when perlite was subjected to cyclic mechanical loading.

100,228

PB91-175463

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Overview of Facilitated Transport Membrane Systems.

Final rept.

R. D. Noble, C. A. Koval, and J. J. Pellegrino. 1989, 13p

Pub. in *Chemical Engineering Progress*, p58-70 Mar 89.

Keywords: *Membrane transport, Separation, Reviews, Reprints, *Facilitated transport membrane systems.

A review is presented of membrane separation systems which use a reversible chemical reaction to achieve higher selectivities and fluxes that would otherwise be obtainable. Sections describe the system configurations, modeling, theoretical considerations and industrial experience. The authors have also compiled a table of many of the solute and chemical reacting carriers which have been studied for applications in facilitated transport membrane systems.

100,229

PB91-195487

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Chemical Engineering.

Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.

Final rept.

C. Presser, A. K. Gupta, H. G. Semerjian, and R. J. Santoro. 1990, 28p

Pub. in *Chemical Engineering Communications* 90, p75-102 1990.

Keywords: *Drops(Liquids), *Kerosene, *Sprays, Swirling, Air flow, Light scattering, Reprints, *Droplet sizing, Spray combustion, Doppler interferometry.

Results are presented on the spatial distribution of mean droplet size and number density obtained from a hollow cone kerosene spray, introduced into nonswirling and swirling flow fields. An ensemble light scattering technique, based on measurement of the polarization ratio, has been employed to determine local droplet characteristics in dense and dilute regions of the spray. The measurements are complemented with Lorenz-Mie calculations of the scattering characteristics for a polydispersion of droplets of different size and refractive index. The results reveal that the degree of swirl imparted to the surrounding air flow, has a strong influence on spray structure. For all conditions examined the mean droplet size is found to be larger on the spray boundary than towards the centerline. Mean droplet size is also found to increase with distance at all radial positions of the spray; this trend is attributed to the vaporization of smaller droplets and/or possible coalescence between the droplets. In addition to the ensemble technique, measurements have also been obtained with the phase/Doppler interferometry and light intensity deconvolution techniques under identical experimental conditions. The mean droplet sizes obtained with the ensemble approach are in general smaller than those measured with the phase/Doppler technique.

100,230

PB91-195719

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.

Final rept.

P. Todd, S. K. Sikdar, C. Walker, and Z. R. Korszun.

1991, 10p

Pub. in *Jnl. of Crystal Growth* 110, p283-292 1991.

Keywords: *Lysozyme, *Crystallization, *Dewatering, Crystallography, Proteins, Transport properties, Reprints, *Reverse osmosis.

Several methods of crystallization of biological macromolecules depend upon the transport of water through the vapor phase - a process that is sensitive to ambient conditions (temperature, relative humidity). Other methods depend on the transport of solute by diffusion or through a membrane. By regulating the solute concentration on the outside of a reverse-osmosis membrane it is possible to control the rate at which macromolecules and other solutes are concentrated inside a membrane-bound fluid. The effect of dewatering rate on lysozyme crystal quality and growth rate was assessed. A 3-fold increase in concentration over a 9 day period yielded tetragonal crystals 0.5 mm on a side with sharp edges and with ordering at least to 1.73 Å. Transparent crystals of triglycine sulfate were grown by osmotic dewatering; in this case crystal growth could be enhanced or reversed by manipulating the external solution.

100,231

PB91-237230

Not available NTIS

National Inst. of Standards and Technology (CSTL), Boulder, CO. Chemical Engineering Div.

Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Maltodextrin Mixtures.

Final rept.

K. S. M. S. Raghava Rao, R. M. Stewart, and P. W. Todd. 1991, 11p

See also Part 1, PB91-159095.

Pub. in *Separation Science and Technology* 26, n2 p257-267 1991.

Keywords: *Separation processes, *Solvent extraction, *Electrophoresis, *Dextrin, Binary system(Materials), Polyoxyethylene, Electrokinetics, Aqueous solutions, Proteins, Electric fields, Buffers(Chemistry), Polarity, Temperature dependence, Phosphates, Biochemistry, Reprints.

A method for enhanced demixing of aqueous two-phase systems in a thermostated vertical electrophoresis column was therefore studied. The effects of the electric field strength, field polarity, temperature, phase composition, and buffer concentration on demixing rates of a polyethylene glycol-maltodextrin (PEG-MDX) system were quantitatively measured. At normal electrical polarity (anode at the top of the column), using a maximum practicable field strength of 26.4 V/cm, the demixing rate was twice that in zero electric field at 25 + or - 2 C. With polarity reversed (anode at the bottom, electric field opposing gravitational settling) at a field of 26.4 V/cm, demixing was 5.5 times as fast as in zero field. Reduction of the temperature from 25 to 14 C caused an increase in demixing rate in the absence of an applied field, while reduced temperature did not change the rate when using electric fields of either normal or reverse polarity. Increased phosphate buffer concentration substantially increased the demixing rate for PEG-MDX mixtures.

100,232

PB91-237297

Not available NTIS

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Thermophysics Div.

Thermodynamics of Solutions Near the Solvent's Critical Point.

Final rept.

J. M. H. Levelt Sengers. 1991, 56p

Pub. in *Supercritical Fluid Technology: Reviews in Modern Theory and Applications*, Chapter 1, p1-56 1991.

Keywords: *Fluids, *Solutions, *Critical point, Helmholtz free energy, Dilution, Solvents, Thermodynamics, Reprints, Supercritical solubility, Near critical fluids.

This chapter gives a description of dilute-mixture critical behavior that is aimed at the practicing chemical engineer. The basic concepts of critical behavior in pure fluids and fluid mixtures are explained with a maximum of practical examples and graphical material. Many of the peculiarities of dilute near-critical mixtures are described by means of a simple power-series expansion of the classical mixture Helmholtz free energy. Attention is given to the sources of increased error in experiments carried out in near-critical fluids. A number of misleading statements about supercritical solubility that have recently occurred in the literature are reviewed and corrected.

100,233

PB91-237578

Not available NTIS

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Thermophysics Div.

Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.

Final rept.

S. Tang, G. X. Jin, and J. V. Sengers. 1991, 26p

Contract DE-FG05-88ER13902

Sponsored by Department of Energy, Washington, DC. Pub. in *International Jnl. of Thermophysics* 12, n3 p515-540 May 91.

Keywords: *Fluorohydrocarbons, *Equations of state, *Critical point, *Thermodynamic properties, Refrigerants, Temperature dependence, Specific heat, Acoustic velocity, Reprints, 1 1 1 2-Tetrafluoroethane(R134a).

A theoretically based simplified crossover model, which is capable of representing the thermodynamic properties of fluids in a large range of temperatures and densities around the critical point, is presented. The model is used to predict the thermodynamic properties of R134a in the critical region from a limited amount of available experimental information. Values for various thermodynamic properties of R134a at den-

sities from 2 to 8 mol/L and at temperatures from 365 to 450 K are presented.

Photo & Radiation Chemistry

100,234
AD-A227 868/7 PC A02/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
W. Braun, R. Klein, A. Fahr, H. Okabe, and A. Mele.
2 Mar 90, 8p ARO-25911.1-CH,
Contract MIPR-119-89
Pub. in Chemical Physics Letters, v166 n4 p397-403, 2 Mar 90.

Keywords: Chemical reactions, Ethanes, Gallium, Lasers, Methyl radicals, *Photolysis, Production, Quantum efficiency, Reprints, Vapor deposition, Yield, Organic chemistry, *Gallium organic compounds, Isotopic labeling.

Quantum yields for the products from trimethylgallium (TMG) photolysis were determined via a new method involving isotopic analysis using TMG-acetone-d6 mixtures. The following model-dependent quantum yields were obtained: monomethylgallium (MMG), 0.5; dimethylgallium (DMG), 0.2; gallium, 0.3; molecularly eliminated ethane, 0.3; free methyl, 1.5. Two new electronic absorptions at 216 and 220 nm were found and are tentatively ascribed to DMG. Keywords: Trimethylgallium, Quantum yield, Laser photolysis, Chemical vapor deposition, Reprints. (JS)

100,235
PB91-147066 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.
Laser Induced Desorption of Molecules from Surfaces.
Final rept.
R. R. Cavanagh, S. A. Buntin, L. J. Richter, and D. S. King. 1990, 12p
Sponsored by Department of Energy, Washington, DC. Pub. in Comments on Atomic and Molecular Physics 24, n6 p365-376 1990.

Keywords: *Surface reactions, Photochemical reactions, Excitation, Heating, Reprints, *Laser induced desorption.

Great insight into the fundamental mechanisms of optically driven surface processes has been obtained through studies of laser induced desorption of species from well characterized surfaces in ultrahigh vacuum. Key fundamental studies are reviewed, with emphasis placed on three distinct processes by which photons can promote surface reactions: heating, resonant adsorbate excitation, and substrate electronic excitation.

100,236
PB91-147793 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Radiation Chemistry of Enones.
Final rept.
P. Neta, and M. Dizdargolu. 1989, 24p
Sponsored by Department of Energy, Washington, DC. Pub. in Chemistry of Enones, Chapter 16, p757-780 1989.

Keywords: *Aldehydes, *Ketones, *Radiation chemistry, Ionizing radiation, Solutions, Chemical radicals, Reviews, Radiolysis, Reprints.

Radiation chemistry deals with the chemical effects of ionizing radiation, such as X-rays, gamma rays, high energy electrons, or other energetic particles. Ionizing radiation is absorbed in organic materials somewhat indiscriminately and causes ionizations and excitations which may result in bond scission. In discussing the radiation chemistry of an organic compound, the authors distinguish between the radiation chemistry of the neat compound, where the energy is absorbed totally by the compound itself, and the radiation chemistry of its solutions, where the energy is absorbed predominantly by the solvent. In the latter case, the solute undergoes chemical changes only via reactions with the primary radicals formed from the solvent. The radi-

ation chemistry of enones was studied mainly in solution, as will become clear from the review, and most often it involved aqueous solutions.

100,237
PB91-148809 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry.
Final rept.
S. R. Leone. 1989, 13p
Contract DAAG-29-85-K-0033, Grant NSF-CHE84-08403
Sponsored by Department of Energy, Washington, DC., and National Science Foundation, Washington, DC.
Pub. in Proceedings of International Conference on Laboratory Research for Planetary Atmospheres (1st), Bowie, MD., October 25-27, 1989, p129-141.

Keywords: *Planetary atmospheres, *Cometary atmospheres, *Photochemical reactions, Infrared spectra, Emission spectra, Acetylene, Tunable lasers, Reprints, Fourier transform infrared spectroscopy.

Several novel techniques are discussed which can be used to explore laboratory photochemical processes and kinetics relevant to planetary atmospheres; these include time-resolved laser gain-versus-absorption spectroscopy and time-resolved Fourier transform infrared (FTIR) emission studies. The laser gain-versus-absorption method employs tunable diode and F-center lasers to determine the yields of excited photochemicals and their kinetics. The time-resolved FTIR technique synchronizes the sweep of a commercial FTIR with a pulsed source of light to obtain emission spectra of novel transient species in the infrared. These methods are presently being employed to investigate molecular photodissociation, the yields of excited states of fragments, their subsequent reaction kinetics, Doppler velocity distributions, and velocity-changing collisions of translationally fast atoms. Such techniques may be employed in future investigations of planetary atmospheres, for example to study polycyclic aromatic hydrocarbons related to cometary emissions, to analyze acetylene decomposition products and reactions, and to determine spectral features in the near infrared and infrared wavelength regions for planetary molecules and clusters.

100,238
PB91-149252 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Periodic Orbits and Diffuse Structures in the Photodissociation of Symmetric Triatomic Molecules.
Final rept.
R. Schinke, and V. Engel. 1990, 5p
Pub. in Jnl. of Chemical Physics 93, n5 p3252-3256, 1 Sep 90.

Keywords: *Photodissociation, Triatomic molecules, Trajectories, Orbits, Reprints.

The authors reinvestigate the collinear photodissociation of a symmetric triatomic molecule studied a decade ago by Kulander and Light (J. Chem. Phys. 73,4437 (1980)), within the time-dependent formalism. The diffuse structures in the absorption spectrum are uniquely related to three, well separated recurrences which, in turn, are explained by three generic periodic orbits of the corresponding classical Hamiltonian. One of these orbits describes pure symmetric stretch motion while the other two orbits combine symmetric stretch and hyperspherical motion. The applicability of simple one-dimensional, zeroth-order pictures is reviewed in the light of these new results.

100,239
PB91-149260 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Photodissociation of C(I)NO in the S(I)State: A Quantum-Mechanical ab initio Study.
Final rept.
R. Schinke, M. Nonella, H. U. Suter, and J. R. Huber. 1990, 9p
Pub. in Jnl. of Chemical Physics 93, n2 p1098-1106, 15 Jul 90.

Keywords: *Photodissociation, Absorption spectra, Vibrational states, Rotational states, Quantum mechanics, Nitric oxide, Potential energy, Reprints, *Nitrosyl chloride.

The authors investigated the photodissociation of CINO (nitrosyl chloride) via the S(1) electronic state using a three-dimensional (3D) ab initio potential-energy surface (PES). The dissociation is found to be fast and direct. In the Franck-Condon (FC) region the slope of the potential along the dissociation path is relatively small giving rise to narrow partial absorption peaks. The total absorption spectrum therefore exhibits a broad vibrational structure which is in perfect agreement with recent measurements. The vibrational excitation of the NO fragment is small and can be qualitatively described within the adiabatic approximation. It is found to be very sensitive to the vibrational FC factor in the transition region. The rotational state distribution of NO is highly inverted with a peak around $j=30$. It is readily explained by the rotational reflection principle. The experimental results are satisfactorily reproduced by the authors' calculations which underlines the overall quality of the calculated PES. Minor adjustments are necessary, however, to quantitatively reproduce the vibrational branching ratio.

100,240
PB91-203679 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Mechanism of Cyanide Release in the Radiolysis of Acetonitrile.
Final rept.
S. Mosseri, P. Neta, and D. Meisel. 1990, 5p
Pub. in Radiation Physics and Chemistry 36, n6 p683-687 1990.

Keywords: *Acetonitrile, *Cyanides, *Radiolysis, Chemical reactions, Chemical radicals, Peroxy radicals, Solutions, Reprints.

The radiolysis of neat acetonitrile or of its aqueous solutions was found to lead to formation of cyanide ions, but only in the presence of oxygen. The mechanism involved formation of the acetonitrile radical, (dot)CH₂CN, which reacts with O₂ to give the peroxy radical, NCCO₂(dot). Subsequent decay of the peroxy radical results in the release of HCN. From the yield of cyanide under various conditions the authors conclude that the peroxy radicals decay via two main routes, the products of one route from cyanide directly while the product of the second route yield cyanide only after hydrolysis by alkali. The overall yield of CN(-) in 5% acetonitrile aqueous solutions saturated with a mixture of N₂O:O₂ (4:1) was G approximately equal to 6 in alkaline solution and G approximately equal to 3 in neutral solution. The yield of CH₂O in both solutions was G approximately equal to 1.5.

100,241
PB91-236489 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Ionizing Radiation Div.
Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Acidic Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid.
Final rept.
M. Al-Sheikhly, and W. L. McLaughlin. 1991, 9p
Pub. in Radiation Physics and Chemistry 38, n2 p203-211 1991.

Keywords: *Chromates, *Oxidation reduction reactions, *Reaction kinetics, *Acetic acid, Silver ions, pH, Radiolysis, Chemical dosimeters, Chemical radicals, Computerized simulation, Reprints, Radiation chemical mechanisms.

The mechanisms and the kinetics of reactions in deoxygenated and oxygen-saturated aqueous solutions of potassium dichromate in the range of pH 0.4-0.8, in the presence and absence of acetic acid, were investigated by pulse and steady-state radiolysis. Computer simulation of reaction mechanisms was compared with experimental kinetics data for solutions containing silver dichromate and acetic acid. It was found that carboxymethyl reduces Cr(VI) to Cr(V) with a rate constant of 1.8×10^4 to the 8th power/M/s, while carboxymethylperoxy does not reduce Cr(VI). Hydroperoxyl reduces Cr(VI) to Cr(V), but at a much lower rate constant of < 10 to the 6th. The oxidation-reduction reaction between radiolytically produced Cr(V) and Ag(II) was measured and found to have a rate constant of 1.0×10^4 to the 8th power/M/s. The mechanisms for the enhanced stability of Cr(VI) in the presence of Ag+ was studied in the light of the kinetics and the reactivity of the Ag(II) with the intermediate free radicals occurring in this system. The present findings help elucidate the

mechanisms of the dichromate dosimeter, its dose-rate independent response and its stability.

Physical & Theoretical Chemistry

100,242
AD-A227 296/1 PC A04/MF A01
 National Inst. of Standards and Technology, Boulder, CO.
Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.
 Final rept. Oct 88-Sep 89.
 J. Borysow, and A. V. Phelps. Sep 90, 70p WRDC-TR-90-2081,
 Contract MIPR-FY-88-N0655

Keywords: Absorption, Collisions, Detection, Diodes, Doppler effect, Electric fields, Energy, Energy transfer, Field intensity, Impact, Ionization, Kinetic energy, *Laser induced fluorescence, Lasers, Measurement, Nonlinear systems, Profiles, Pulses, Rotation, Time dependence, *Nitrogen ions, *Excited states, Gas ionization.

The laser absorption technique was improved through the use of laser diodes and was applied to absorption measurements of the line profiles for the $A^2\Pi_u$ from $x^2\Sigma^+g$ transition of $N_2(+)$ ions to determine (a) the electric field strength in the positive column of pulsed discharges in N_2 from the Doppler shift and broadening, (b) the time dependence of the density of ground state $N_2(+)$ ions drifting through N_2 resulting from the transfer of kinetic energy of the $N_2(+)$ to rotational energy. An analysis of the impact of measurements made under this program on models of nonlinear ionization in N_2 leads to the conclusion that ionization by collisions between pairs of metastable N_2 molecules in the a' state probably make the largest contribution to the growth of instabilities in high-current discharges. (RH)

100,243
AD-A228 082/4 PC A02/MF A01
 National Inst. of Standards and Technology, Gaithersburg, MD.
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. $N_4(+)$.
 W. E. Thompson, and M. E. Jacox. 15 Sep 90, 8p ARO-25664.4-CH,
 Contract MIPR-120-90
 Pub. in Jnl. of Chemical Physics, v93 n6 p3856-3862, 15 Sep 90.

Keywords: Absorption, Atoms, *Electron spin resonance, Infrared radiation, Infrared spectra, Intensity, Microwaves, *Molecular ions, Neon, Solids, *Vibrational spectra, Nitrogen.

When a $Ne:N_2=100$ or 200 mixture is codeposited at 5 K with a beam of neon atoms excited by a microwave discharge, a weak to moderately intense infrared absorption appears at 2237.6 cm^{-1} which is assigned to the N_4 molecular ion. The analysis of the infrared spectra of the nitrogen-15 substituted species of N_4 supports the conclusion from earlier ab initio calculations and electron spin resonance observations that N_4 has a linear, centrosymmetric ground-state structure. For the N_4 species with noncentrosymmetric isotopic substitution, the in-phase end-atom stretching fundamental becomes infrared active and has also been observed. Although the anion responsible for overall charge neutrality of the deposit has not been definitively identified, secondary photolysis studies provide some information regarding its properties. (js)

100,244
AD-A230 957/3 PC A03/MF A01
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. $NO(+)$, $NO(-)$, $ONNO(+)$, and $ONNO(-)$.
 M. E. Jacox. 1 Dec 90, 14p ARO-25664.7-CH,
 Contract ARO-MIPR-120-90
 Pub. in Jnl. of Chemical Physics, v93 n11 p7609-7621, 1 Dec 90.

Keywords: Absorption, Atoms, Dimers, Electrons, Infrared radiation, Ionization, Ions, Molecular ions, Neon, Photoionization, Solids, Stabilization, Vibrational spectra, Reprints, *Vibrational spectra, *Neon.

When a $Ne:NO$ sample is codeposited at approximately 5 K with a beam of neon atoms that has been excited in a microwave discharge, photoionization and Penning ionization of the NO leads to the stabilization of both monomer and dimer ions. The most prominent infrared absorption, at 1619.2 cm^{-1} , results from the reaction of NO^- with NO or of an electron with $(NO)_2$ to form the charge-delocalized trans-ONNO- species. The position of the totally symmetric NO -stretching absorption of trans-ONNO- can be inferred from observation of a combination band. The infrared absorption of NO^+ has been detected very close to the gas-phase band center. Other infrared absorptions have been tentatively assigned to NO^- , cis-ONNO-, trans-ONNO-, and the lowest energy isomer of ONNO+. Comparison of the gas-phase vibrational frequencies observed for the weakly bound species cis-ONNO and N_2O_3 with the corresponding frequencies observed in this neon-matrix study suggests that the matrix shifts for the dimer ion absorptions in the mid-infrared probably amount to less than 1%.

100,245
AD-A234 043/8 PC A03/MF A01
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Spectroscopy Div.
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
 M. E. Jacox, and W. E. Thompson. 1990, 11p ARO-25664.2-CH,
 Contract ARO-MIPR-120-90
 Availability: Pub. in High Temperature Science, v28 p225-234 1990. Available only to DTIC users. No copies furnished by NTIS.

Keywords: Absorption, Spectroscopy, Neon, *Molecular ions, Infrared spectra, Reprints, Molecular clusters, Cluster ions, *Matrix isolation, Solidified gases.

No abstract available.

100,246
AD-A235 490/0 PC A03/MF A01
 National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
 Annual rept. 1 Oct 89-30 Sep 90.
 J. W. Hastie, P. K. Schenck, and D. W. Bonnell. Nov 90, 31p AFOSR-TR-91-0447,
 Grant AFOSR-ISSA-90-0026

Keywords: Equilibrium(General), Extrapolation, *Hafnium compounds, Heat, High temperature, Kinetics, Lasers, Mass spectra, Measurement, Oxides, Pulsed lasers, *Refractory materials, *Silicon carbides, Stability, Surface temperature, Thermodynamics, Time, Vacuum, Vapor pressure, *Vaporization, LVMS(Laser Vaporization Mass Spectrometry), Mass spectrometry, *Thermal stability, Reaction kinetics, *High temperature, *Ceramic materials, Spectrum analysis, Reaction kinetics.

Using the newly developed measurement technique of Laser Vaporization Mass Spectrometry (LVMS), new vapor pressure data for hafnium oxide and alpha silicon carbide at ultra high temperature have been obtained. The technique uses pulsed lasers to heat a surface on the timescale of 15 ns, providing an effectively containerless environment. Time-resolved mass spectra establish that the vaporization process is occurring under at least local equilibrium conditions. The vapor pressure data are compared with extrapolations from the literature. The agreement for HfO_2 is excellent, while the comparison for SiC indicates a significant discrepancy. Both instrumental and physico-chemical influences affecting the measurements are discussed, and the possibility of a different vaporization mechanism for SiC under vacuum vaporization conditions is suggested. Preliminary optical spectroscopic approaches, to supplement the current indirect methods, to the direct measurement of surface temperatures under short pulse laser heating conditions are presented.

100,247
AD-A236 485/9 PC A03/MF A01
 National Inst. of Standards and Technology, Gaithersburg, MD.

Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.

Interim rept.
 L. H. Robins, E. N. Farabaugh, and A. Feldman. 24 Apr 91, 43p
 Contract N00014-90-F-0011

Keywords: Brightness, Broadband, Cathodoluminescence, Deposition, Impurities, Particles, Temperature, *Carbon, *Diamond, Crystal growth, Vapor deposition.

Spectrally resolved cathodoluminescence (CL) image and spatially resolved CL spectra were obtained from two specimens grown by hot-filament chemical vapor deposition. Each specimen consisted of a large number of unconnected diamond particles with cubo-octahedral and pseudo-five-fold twinned growth habits. The growth temperature was nominally 600 deg C for one specimen and 750 deg C for the other. In the 1.5-3.5 eV range, the spectra are composed of four defect and impurity related bands: there are three bands with zero-phonon lines at 1.68 eV, 2.156 eV, and 2.325 eV, and one broad band centered at 2.85 eV. A weak at 5.27 eV, due to exciton recombination, was also observed. Spectrally resolved images to the two most intense CL bands, at 2.126 eV and 2.85 eV, were obtained for several particles. In the low temperature specimen, bright regions in images of the 2.85 eV band are correlated in some cases with the central regions of (100) facets.

100,248
AD-A237 128/4 PC A03/MF A01
 National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
 Interim rept.
 L. H. Robins. 24 Apr 91, 40p
 Contract N00014-90-F-0011

Keywords: Broadband, *Cathodoluminescence, Growth(General), Impurities, Particles, Temperature, *Diamonds, Crystal growth, *Vapor deposition.

Spectrally resolved cathodoluminescence (CL) image and spatially resolved CL spectra were obtained from two specimens grown by hot-filament chemical vapor deposition. Each specimen consisted of a large number of unconnected diamond particles with cubo-octahedral and pseudo-five-fold twinned growth habits. The growth temperature was nominally 600 C for one specimen and 750 C for the other. In the 1.5-3.5 eV range, the spectra are composed of four defect and impurity related bands: there are three bands with zero-phonon lines at 1.68 eV, 2.156 eV, and 2.325 eV, and one broad band centered at 2.85 eV. A weak peak at 5.27 eV, due to exciton recombination, was also observed. Spectrally resolved images of the two most intense CL bands, at 2.156 eV and 2.85 eV, were obtained for several particles.

100,249
AD-A238 415/4 Not available NTIS
 National Inst. of Standards and Technology, Gaithersburg, MD.
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. $CO_4(-)$.
 M. E. Jacox, and W. E. Thompson. 4 Apr 91, 8p ARO-25664.9-CH
 Contract ARO-MIPR-120-90
 Pub. in Jnl. of Physical Chemistry, v95 n7 p2781-2787, 4 Apr 91. Available only to DTIC users. No copies furnished by NTIS.

Keywords: Molecular spectroscopy, *Molecular vibration, Carbonates, Carbon dioxide, Oxygen, Nitrogen, Reprints, *Neon matrices, *Vibrational spectra, *Molecular ions.

No abstract available.

100,250
AD-A239 729/7 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. $CO(+)$, $C_2O_2(+)$, and $C_2O_2(-)$.
 W. E. Thompson, and M. E. Jacox. 15 Jul 91, 11p ARO-25664.10-CH,
 Pub. in Jnl. of Chemical Physics, v95 n2 p735-745, 15 Jul 91. Available only to DTIC users. No copies furnished by NTIS.

CHEMISTRY

Physical & Theoretical Chemistry

Keywords: *Neon, *Carbon monoxide, *Ion molecule interactions, *Infrared spectra, Photoionization, Ionized gases, Vapor deposition, Absorption, Atomic beams, Electron capture, Reprints, *Molecular ions, Solids, *Vibrational spectra, Penning ionization, Low temperature research.

No abstract available.

100,251

PB90-244526

Not available NTIS

American Chemical Society, Washington, DC.

Journal of Physical and Chemical Reference Data, Volume 19, Number 1, 1990.

Quarterly rept.

c1990, 319p

See also PB90-244534 through PB90-244591 and PB90-161241. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Magnesium oxides, Thermodynamic properties, Benzenes, Thermal conductivity, Standards, Atomic energy levels, Butanes, Reaction kinetics, Combustion, Pericase, Surface structure, Ion scattering, Aluminum ions, Iron ions, Oxygen atoms, Electron-atom collisions, Isobutyl radicals, 2-methylpropane.

Contents: Chemical Kinetic Data Base for Combustion Chemistry. Part 4. Isobutane; Thermodynamic Functions and Properties of MgO at High Compression and High Temperature; Critical Compilation of Surface Structures Determined by Ion Scattering Methods; Benzene-A Further Liquid Thermal Conductivity Standard; Energy Levels of Atomic Aluminum with Hyperfine Structure; Spectral Data and Grotian Diagrams for Highly Ionized Iron, Fe VIII-XXVI; Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.

100,252

PB90-244534

(Order as PB90-244526)

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.

Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane.

Quarterly rept.

W. Tsang, c1990, 68p

Contract DNA-001-85-C-0022

Sponsored by Defense Nuclear Agency, Washington, DC.

Included in Jnl. of Physical and Chemical Reference Data, v19 n1 p1-68 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Butanes, *Reaction kinetics, *Combustion, Pyrolysis, Tables(Data), *Isobutyl radicals, *2-methylpropane, Data bases.

The publication contains evaluated and estimated data on the kinetics of reactions involving isobutane, t-butyl radical and isobutyl radical and various small inorganic and organic species which are of importance for the proper understanding of isobutane combustion and pyrolysis. It is meant to be used in conjunction with the kinetic data given in earlier publications, which is of direct pertinence to the understanding of methane, ethane, methanol and propane pyrolysis and combustion, but which also contains a large volume of data that are applicable to the isobutane system. The temperature range covered is 300-2500 K and the density range 1×10 to the 16 power to 1×10 to the 21 power molecules/cc. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,253

PB90-244542

(Order as PB90-244526)

California Univ., Los Angeles.

Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.

Quarterly rept.

O. L. Anderson, and K. Zou, c1990, 15p

Grants DOE-ER-13803, NSF-EAR86-17290

Sponsored by Department of Energy, Washington, DC., and National Science Foundation, Washington, DC.

Included in Jnl. of Physical and Chemical Reference Data, v19 n1 p69-84 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Magnesium oxides, *Thermodynamic properties, Gibbs free energy, Helmholtz free energy, Entropy, *Pericase, High pressure, High temperature.

The complete thermodynamic functions for MgO (the mineral pericase) are presented for the temperature range 300-2000 K and the pressure range 0-150 GPa, both as tables and as graphs. Careful attention is given to the temperature and pressure dependence of the coefficient of thermal expansion α and the isothermal bulk modulus $K(T)$, which are the major corrections to the thermodynamic functions in extreme conditions. The Birch-Murnaghan equation of state is used to account for certain terms in the expressions for internal energy and enthalpy. The parameters used in the Birch-Murnaghan equation of state are given as functions of temperature. The parameters which presently limit the calculations of thermodynamic functions to even higher temperatures and pressures and limit the applications of this method to other minerals are given.

100,254

PB90-244559

(Order as PB90-244526)

Oregon State Univ., Corvallis. Dept. of Chemistry.

Critical Compilation of Surface Structures Determined by Ion Scattering Methods.

Quarterly rept.

P. R. Watson, c1990, 27p

Grant NBS-60NANB7D0729

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n1 p85-112 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: Crystal structure, Reviews, Comparison, *Surface structure, *Ion scattering, Low energy electron diffraction, Semiconductors.

The review critically compiles all surface structures derived by ion scattering techniques reported in the refereed literature prior to January 1988. They are compared with the more extensive low-energy electron diffraction database reported previously (J. Phys. Chem. Ref. Data 16, 953 (1987)). These investigations cover all types of surfaces including clean and adsorbate-covered metal, semiconductor, and other nonmetallic substrates. The important experimental and theoretical aspects of such investigations have been extracted into easily understood tabular form supplemented by many figures and ancillary tables and complete references. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,255

PB90-244567

(Order as PB90-244526)

Thessaloniki Univ., Salonika (Greece).

Benzene: A Further Liquid Thermal Conductivity Standard.

Quarterly rept.

M. J. Assael, M. L. V. Ramires, C. A. Nieto de

Castro, and W. A. Wakeham, c1990, 3p

Contract DNA-001-85-C-0022

Sponsored by Defense Nuclear Agency, Washington, DC., Lisbon Univ. (Portugal), Dept. de Quimica, and Imperial Coll. of Science and Technology, London (England).

Included in Jnl. of Physical and Chemical Reference Data, v19 n1 p113-116 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Benzene, *Thermal conductivity, *Standards, Liquids, Literature surveys.

The available experimental liquid-phase thermal conductivity data for benzene have been examined with the intention of establishing a further liquid thermal conductivity standard along the saturation line. The quality of the available data is such that new standard reference values can be proposed with confidence limits better than $\pm 1\%$ for most of the normal liquid range. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,256

PB90-244591

(Order as PB90-244526)

R and D Associates, Marina del Rey, CA.

Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.

Quarterly rept.

R. R. Laher, and F. R. Gilmore, c1990, 29p

Contract DNA-001-85-C-0022

Sponsored by Defense Nuclear Agency, Washington, DC.

Included in Jnl. of Physical and Chemical Reference Data, v19 n1 p277-304 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: Upper atmosphere, Excitation, Tables(Data), Graphs(Charts), *Electron-atom collisions, *Oxygen atoms, Ionization cross sections, Electron impact.

Cross sections for the excitation and ionization of atomic oxygen by electron impact are presented as the result of a critical review of experimental and theoretical work on this subject. An effort has been made to compile the most accurate and complete set of cross sections available. More than 60 profiles of excitation cross section versus electron-impact energy are presented. These include transitions to the forbidden metastable $O(2p(4)$ singlet D) and $O((2p(4)$ singlet s) states, the allowed autoionizing $O(2p(5)$ triplet p(0)) state, nine allowed Rydberg series, and twenty-nine forbidden Rydberg series. Recommended ionization cross sections for transitions to the various outer-electron ionization states to the inner-electron ionization state $O(1+)$ quartet p, and to the $O(2+)$ state are also given. The data presented in the report will be useful in calculations of aeronomical and artificially-induced electron impact on atomic oxygen, an important component of the upper atmosphere. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,257

PB90-244609

Not available NTIS

American Chemical Society, Washington, DC.

Journal of Physical and Chemical Reference Data, Volume 19, Number 2, 1990.

Quarterly rept.

D. R. Lide, c1990, 208p

See also PB90-244617 through PB90-244641 and PB90-244526. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Physical chemistry, Thermodynamic properties, Chemical properties, Aromatic polycyclic hydrocarbons, Physical properties, Dielectric properties, Water, Reaction kinetics, Photochemical reactions, *Reference materials, Debye-Huckel theory, Isomers, Peroxyl radicals, Aqueous solutions.

Contents: Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes; Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocorone Series, Ovalene Series, and First Members of Some Higher Series; The Dielectric Constant of Water and Debye-Huckel Limiting Law Slopes; Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions; Cumulative Listing of Reprints and Supplements.

100,258

PB90-244617

(Order as PB90-244609)

Massachusetts Inst. of Tech., Cambridge. Dept. of Chemistry.

Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes.

Quarterly rept.

R. A. Alberty, and M. B. Chung, c1990, 28p

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n2 p321-348 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Thermodynamic properties, *Chloroalkanes, Standards, Gibbs free energy, Enthalpy, Entropy, Specific heat, Tables(Data), Chemical properties, Physical properties, Physical chemistry, *Isomers, *Reference materials, Benson method.

The chemical thermodynamic properties of isomer groups of monochloroalkanes from C_2H_5Cl to $C_8H_{17}Cl$ in the ideal gas phase have been calculated

from 298.15 to 1500 K using new Benson group values from Bozzelli. Increments in isomer group properties per CH₂ have been calculated to show the extent to which thermodynamic properties of higher isomer groups may be obtained by linear extrapolation. Equilibrium mole fractions within isomer groups have been calculated for the ideal gas state. Values of Cp, S, delta (sub f) H, and delta (sub g) G are given for all species of monochloroalkanes from CH₃Cl to C₈H₁₇Cl in SI units for a standard state pressure of 1 bar. The values calculated here are compared with values published by the Thermodynamics Research Center (Texas A and M University) on June 30, 1981. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,259
PB90-244625

(Order as PB90-244609)

Massachusetts Inst. of Tech., Cambridge. Dept. of Chemistry.

Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series.

Quarterly rept.

R. A. Alberty, M. B. Chung, and A. K. Reif. c1990, 22p

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n2 p 349-370 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Thermodynamic properties, *Aromatic polycyclic hydrocarbons, Standards, Numerical analysis, Molecular structure, Gibbs free energy, Tables(Data), Enthalpy, Specific heat, Chemical properties, Naphthalene compounds, Entropy, Physical chemistry, *Isomers, *Reference materials, Benson method, Ovalenes.

The tables in the first two papers on polycyclic aromatic hydrocarbons (J. Phys. Chem. Ref. Data 17,241 (1988) and J. Phys. Chem. Ref. Data 18, 77 (1989)), have been extended by calculating thermodynamic properties for the first two isomer groups in the naphthocoronene series, the first two isomer groups in the ovalene series, and first members of some higher series. Successive isomer groups in each series differ by C₄H₂. The properties of individual species have been estimated using Benson group values of Stein and Fahr for temperatures from 298.15 to 3000 K. Values of C(sub p), S, delta(sub f) H, and delta(sub f) G for a standard state pressure of 1 bar are given for isomer groups and for individual species. The isomer group values provide a basis for extrapolating to higher carbon numbers where it is not feasible to consider individual molecular species. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,260
PB90-244633

(Order as PB90-244609)

National Inst. of Standards and Technology, Gaithersburg, MD.

Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.

Quarterly rept.

D. G. Archer, and P. Wang. c1990, 41p

Included in Jnl. of Physical and Chemical Reference Data, v19 n2 p371-412 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Dielectric properties, *Water, Physical properties, Thermodynamic properties, Graphs(Charts), Numerical analysis, Tables(Data), Equations of state, Physical chemistry, Comparison, Experimental design, Specific heat, Enthalpy, Osmosis, Volume, *Reference materials, *Debye-Hueckel theory.

Experimental values of the dielectric constant of water suggest that, for temperatures greater than 400 K, the integral in the Kirkwood dielectric-constant equation, which involves the intermolecular potential function, is a simpler function of temperature and pressure than of temperature and density. An equation has been fitted to values of this integral calculated from experimental values of the dielectric constant for temperatures from 238.15 K to 823.15 K and to pressures of approximately 500 MPa for temperatures greater than 273 K. The equation for epsilon thus has explicit variables T, rho, p

and gives a good representation of the available experimental results. The quality of representation of the experimental results has been compared to that of previous correlations of the dielectric constant. The new equation is applicable through wider regions of independent variables than the previous equations and is capable of sufficient accuracy to provide values of Debye-Hueckel limiting law slopes which are as accurate as the experimental results allow. Values of Debye-Hueckel limiting-law slopes are tabulated. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,261
PB90-244641

(Order as PB90-244609)

Notre Dame Univ., IN. Radiation Lab.

Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.

Quarterly rept.

P. Neta, R. E. Hue, and A. B. Ross. c1990, 161p

Sponsored by National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.

Included in Jnl. of Physical and Chemical Reference Data, v19 n2 p413-515 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Reaction kinetics, Physical chemistry, Chemical reactions, Alkanes, Photolysis, Radiolysis, Chemical properties, Biochemistry, Photochemical reactions, Atmospheric chemistry, Tables(Data), Solvents, *Peroxyl radicals, *Aqueous solutions.

Absolute rate constants for reactions of alkylperoxyl and substituted alkylperoxyl radicals with inorganic and organic compounds in aqueous and non-aqueous fluid solutions have been compiled. The radicals have been generated by radiolysis or photolysis and their rate constants were determined generally by kinetic spectrophotometry or esr. Rate constants are included also for formation of peroxyl radicals by reaction of alkyl radicals with oxygen and for decay of peroxyl radicals by radical-radical reactions. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,262
PB90-244658

Not available NTIS

American Chemical Society, Washington, DC.

Journal of Physical and Chemical Reference Data, Volume 19, Number 3, 1990.

Quarterly rept.

D. R. Lide. c1990, 294p

See also PB90-244666 through PB90-244724 and PB90-244609. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Research, Collision cross sections, Atomic energy levels, Water vapor, Steam, Specific heat, Alcohol, Carbon dioxide, Photon-atom collisions, Electron-atom collisions, Electron-molecule collisions, Electron-ion collisions, Hydrogen ions, Oxygen atoms, Copper ions, Atom-molecule collisions, Molecule-molecule collisions, Ion-molecule collisions, Refractive index, Alkyl alcohols.

Contents: Energy Levels of Copper, Cu I through Cu XXIX; Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions; Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen; Cross Sections and Swarm Coefficients for H(1+), H2(+), H3(+), H, H2, and H(1-) in H2 for Energies from 0.1 eV to 10 keV; Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density; Heat Capacities of Organic Compounds in the Liquid State I. C1 to C18 1-Alkanols; The Transport Properties of Carbon Dioxide.

100,263
PB90-244674

(Order as PB90-244658)

National Inst. for Fusion Science, Nagoya (Japan).

Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.

Quarterly rept.

H. Tawara, Y. Itikawa, H. Nishimura, and M. Yoshino. c1990, 20p

Prepared in cooperation with Institute of Space and Astronautical Science, Sagami-hara (Japan), Niigata Univ. (Japan). Dept. of Physics, and Shibaura Inst. of Tech., Tokyo (Japan).

Included in Jnl. of Physical and Chemical Reference Data, v19 n3 p617-635 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Collision cross sections, Excitation, Dissociation, Ionization, *Electron-molecule collisions, *Electron-ion collisions, *Hydrogen ions, Molecular ions, Electron impact, Attachment, Rotational states, Vibrational states, Recombination.

Data are compiled and evaluated for collision processes of excitation, dissociation, ionization, attachment, and recombination of hydrogen molecules and molecular ions (H2(1+), H3(1+)) by electron impact as well as for properties of their collision products. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,264
PB90-244682

(Order as PB90-244658)

Institute of Space and Astronautical Science, Sagami-hara (Japan).

Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.

Quarterly rept.

Y. Itikawa, and A. Ichimura. c1990, 13p

Included in Jnl. of Physical and Chemical Reference Data, v19 n3 p637-650 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Collision cross sections, Atomic energy levels, Scattering cross sections, Excitation, *Electron-atom collisions, *Photon-atom collisions, *Oxygen atoms, Photoionization, Oscillator strengths.

Data have been compiled on the cross sections for the collisions of electrons and photons with atomic oxygen (O). The processes considered are total scattering, elastic scattering, momentum transfer, excitations of electronic states (including fine structure levels of the ground state), ionization, and electron attachment. The cross-section data are presented graphically. Energy levels, transition probabilities and some other properties of atomic oxygen are summarized to aid understanding of the collision processes. The literature was surveyed through December 1988, but more recent data, if they are available to the authors, are included also. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,265
PB90-244716

(Order as PB90-244658)

Vysoka Skola Chemicko-Technologiccka, Prague (Czechoslovakia).

Heat Capacities of Organic Compounds in the Liquid State I. C1 to C18 1-Alkanols.

Quarterly rept.

M. Zabransky, V. Ruzicka, and V. Majer. c1990, 44p

Grant NBS-60NANB9D0912

Prepared in cooperation with Delaware Univ., Newark. Dept. of Chemistry. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n3 p719-760 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Specific heat, *Alcohols, Liquids, Polynomials, Tables(Data), Spline functions, Calorimetry, Temperature dependence, Methanol, Ethanol, Alkyl alcohols, Propanols, Butanols.

Heat capacities of liquid C1 to C18 1-alkanols measured by calorimetric methods were compiled and evaluated. The selected experimental data were fitted as a function of temperature with cubic splines using weighted least squares minimization. The parameters of the cubic spline polynomials and the recommended values for heat capacities are presented. A new quasi-polynomial equation which permits extrapolation of heat capacities outside the temperature range of experimental values was derived and its parameters for C1 to C10 1-alkanols are presented. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

100,266
PB90-244724

(Order as PB90-244658)

Imperial Coll. of Science and Technology, London (England). Dept. of Chemical Engineering and Chemical Technology.

Transport Properties of Carbon Dioxide.

Quarterly rept.

V. Vesovic, W. A. Wakeham, G. A. Olchow, J. V. Sengers, J. T. R. Watson, and J. Millat. c1990, 46p Prepared in cooperation with Maryland Univ., College Park. Inst. for Physical Science and Technology, National Engineering Lab., East Kilbride (Scotland), and Rostock Univ. (German D.R.). Included in Jnl. of Physical and Chemical Reference Data, v19 n3 p763-808 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Carbon dioxide, *Thermal conductivity, *Viscosity, Thermodynamic properties, Transport properties.

The paper contains new, representative equations for the viscosity and thermal conductivity of carbon dioxide. The equations are based in part upon a body of experimental data that have been critically assessed for internal consistency and for agreement with theory whenever possible. In the case of the low-density thermal conductivity at high temperatures, all available data are shown to be inconsistent with theoretical expectation and have therefore been abandoned in favor of a theoretical prediction. Similarly, the liquid-phase thermal conductivity has been predicted owing to the small extent and poor quality of the experimental information. The complete correlations cover the temperature range 200 K = or < T < 1500 K for viscosity and 200 K = or < T = or < 1000 K for thermal conductivity, and pressures up to 100 MPa. Tables of the viscosity and thermal conductivity generated by the representative equations are provided to assist with the confirmation of computer implementations of the calculation procedure.

100,267

PB91-134494

Not available NTIS National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.

Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K.

Final rept.

V. G. Niesen, and J. C. Rainwater. 1990, 19p Sponsored by Department of Energy, Washington, DC. Office of Basic Energy Sciences. Pub. in Jnl. of Chemical Thermodynamics 22, p777-795 1990.

Keywords: *Thermodynamic equilibrium, *Carbon dioxide, *Propane, Measurement, Vapors, Liquids, Density(Mass/volume), Critical point, Critical pressure, Correlation, Comparison, Mathematical models, Dew point, Wet bulb temperature, Reprints, Temperature dependence.

Isothermal (vapor + liquid) equilibria and coexisting densities for (carbon dioxide + propane) have been measured at (311.05, 327.75, 344.43, and 361.15) K from the vapor pressure of propane to the critical pressure of the mixture, and the critical locus has thus been determined. Away from the critical locus, the measurements agree within combined experimental uncertainties with those of Reamer, Sage, and Lacey. The measurements confirm the observation of Roof and Baron that the critical pressures reported by Poettmann and Katz and by Reamer et al. are substantially in error. The critical pressures from the study are lower than those of Reamer et al. by as much as 0.785 MPa and of Roof and Baron by as much as 0.034 MPa. The dew- and bubble-points are correlated by three methods, the Soave-Redlich-Kwong (SRK) equation, the DDMIX program of Ely, and the Leung Griffiths model as modified by Moldover and Rainwater. Except for poor predictions of liquid densities by the SRK equation, all three models provide good correlations of the measurements, but the modified Leung-Griffiths model is superior very near the critical locus.

100,268

PB91-134676

Not available NTIS National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.

Neutron Diffraction from Sheared D-Glycerol: Preliminary Studies.

Final rept.

G. C. Straty, and H. J. M. Hanley. 1988, 8p Sponsored by Department of Energy, Washington, DC. Office of Basic Energy Sciences. Pub. in Proceedings of Symposium on Energy Engineering Sciences (6th), May 4-6, 1988, p136-143.

Keywords: Neutron diffraction, Supercooling, Shear properties, Reprints, *Glycerols, Structure factors.

The paper reports on the experimental segment of a wide range investigation of the nature of complexity in liquids, as manifested by their behavior under mechanical stress. An apparatus constructed for a feasibility study of such behavior is described. Preliminary neutron diffraction measurements of the static structure factor of supercooled liquid glycerol under shear are reported. Data were taken on the SANS facility at NBS in the range $0.02 \leq Q \leq 0.39 \text{ \AA}^{-1}$, Q equal to 0.8, 1.35, and 3.5/Å. Comparisons between the sheared data and data for the system at equilibrium are given. The tentative conclusion is that the influence of shear on the structure factor may be strong, but the data are too qualitative for a significant interpretation.

100,269

PB91-134957

Not available NTIS National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.

Structure of a Stage-3 Cs - Graphite Intercalate.

Final rept.

P. A. Wielopolski, J. W. White, and H. J. M. Hanley. 1990, 11p Pub. in Molecular Physics 69, n6 p947-957 1990.

Keywords: *Graphite, *Cesium, Computerized simulation, Structural analysis, Reprints, *Intercalation, Molecular dynamics, Temperature dependence, Multilayers.

The influence of interlayer coupling on the in-plane structural properties of the stage-3 cesium-graphite system is investigated using a multilayer molecular-dynamics simulation. It is shown that the in-plane structure, represented by the circularly averaged pair distribution function, is insensitive to the interlayer coupling over a wide range of temperatures. The structure of the layer is investigated as a function of the parameters of the Cs-Cs potential and of the barrier height for free diffusion created by the graphite periodic potential.

100,270

PB91-146985

Not available NTIS National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.

Final rept.

K. Bange, T. E. Madey, J. K. Sass, and E. M. Stuve. 1987, 29p Pub. in Surface Science 183, n3 p334-362 1987.

Keywords: *Water, *Oxygen, *Chemisorption, *Surface chemistry, Silver, Electron beams, Desorption, Chemical bonds, Hydroxyl radicals.

The adsorption of water on clean and oxygen covered Ag(110) in ultra-high vacuum was studied with thermal desorption spectroscopy (TDS), electron stimulated desorption ion angular distribution (ESDIAD), low energy electron diffraction (LEED), work function measurements, and Auger electron spectroscopy. Water adsorbs on the clean surface at 80 K with no long-range order and only weak short-range order as determined by LEED and ESDIAD, respectively. Electron bombardment of water adlayers on clean Ag(110) results in dissociation to form OH groups at 80 K. Water also reacts with preadsorbed oxygen, either in atomic or molecular form, to form OH groups at 80 K. The O-H bond axis of the OH groups is tilted with respect to the surface normal and its thermodynamically stable, azimuthal orientation is along the (001) direction. In the absence of excess, molecular H₂O, the OH groups exhibit no hydrogen bonding. The OH groups form (lxm) (m = 2,3) LEED compression patterns upon annealing to 200 K. These LEED patterns require the OH groups to diffuse across the ridges of the surface. The gamma adsorption state, which evolves water in a desorption peak at 225 K, was carefully studied. This state consists of coadsorbed H₂O and OH in a 1:2 ratio. The results of the work are combined with earlier TDS and vibrational measurements for this system to propose an adsorption model for the gamma state, in which the H₂O molecules are hydrogen bonded to the OH groups and the OH groups occupy a binding site different from the case where no excess water exists.

100,271

PB91-147009

Not available NTIS National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

Critical Exponent for Viscosity.

Final rept.

R. F. Berg, and M. R. Moldover. 1990, 4p Sponsored by National Aeronautics and Space Administration, Washington, DC. Pub. in Physical Review A 42, n12 p7183-7186, 15 Dec 90.

Keywords: *Viscosity, *Carbon dioxide, *Xenon, Liquefied gases, Critical point, Reduced gravity, Exponents, Reprints.

The authors have measured the critical exponent γ characterizing the divergence of the viscosity η as absolute value of $(T-T_c)^{(\sup-\gamma)}$ for carbon dioxide and xenon. The values of γ for both fluids fall within the range $\gamma=0.041 \pm 0.001$ and are consistent with the range $\gamma=0.042 \pm 0.002$ spanned by the earlier data for four binary liquid mixtures. The agreement is the strongest evidence that pure fluids and binary liquids are in the same dynamic universality class; however, the results for γ are inconsistent with the recent theoretical value of 0.032.

100,272

PB91-147041

Not available NTIS National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.

Final rept.

J. E. Callanan, R. D. Weir, and E. F. Westrum. 1990, 12p Sponsored by Department of National Defence, Ottawa (Ontario). Pub. in Jnl. of Chemical Thermodynamics 22, p979-990 1990.

Keywords: *Specific heat, *Calorimetry, *Ammonium compounds, *Inorganic phosphates, Isotopic labeling, Temperature dependence, Thermodynamic properties, Deuteration, Tables(Data), Order disorder transformations, Reprints.

The heat capacity of deuterated ammonium hexafluorophosphate ND₄PF₆ was measured from 5.8 K to 347 K by adiabatic calorimetry. Two lambda-shaped anomalies were found in the curve for heat capacity against temperature. The upper anomaly reached a peak heat capacity (at constant pressure) of approx 600R at (194.4 ± 0.05) K with $\Delta C_p(\text{sub trs})(\text{sup } 0) = (1.013 \pm 0.016) R (= 8.3145 \text{ J/K/mol})$. The lower anomaly is also lambda-shaped but is gradual, continuous, and reaches its maximum heat capacity = 19.2 R at (137.5 ± 0.10) K with $\Delta C_p(\text{sub trs})(\text{sup } 0) = (0.562 \pm 0.011) R$. Both anomalies are characteristic of order-disorder transitions. Smoothed values of the standard thermodynamic quantities are tabulated up to 350 K.

100,273

PB91-147058

Not available NTIS National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.

Final rept.

J. E. Callanan, R. D. Weir, and E. F. Westrum. 1990, 12p Sponsored by Department of National Defence, Ottawa (Ontario). Pub. in Jnl. of Chemical Thermodynamics 22, p957-968 1990.

Keywords: *Calorimetry, *Ammonium compounds, *Fluoroborates, *Specific heat, Isotopic labeling, Deuteration, Temperature dependence, Tables(Data), Thermodynamic properties, Order disorder transformations, Reprints, *Foreign technology.

The heat capacity of deuterated ammonium tetrafluoroborate ND₄BF₄ was measured at constant pressure from 7 K to 348 K by adiabatic calorimetry. The curve for heat capacity against temperature is smooth with a broad maximum between 120 K and 165 K, and the peak value of approximately 14.9 R occurs between 145 K to 155 K. The shape of the broad maximum is similar to that found in other anisotropic salts and is believed to be a result of contributions both from the rotation of the ND₄(sup +) ion and from a larger than usual dilation of the unit cell. Values of the standard thermodynamic quantities are tabulated up to 350 K.

100,274

PB91-147157 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Organic Analytical Research Div.

Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.

Final rept.

A. L. Colmsjo, and S. A. Wise. 1986, 9p
Pub. in *Analytica Chimica Acta* 187, p129-137 1986.

Keywords: *Aromatic polycyclic hydrocarbons, *Fluorescence spectroscopy, *Pyrenes, Cryogenics, Sensitivity, Selectivity, Molecular weight, Reprints, *Fluoranthenes, *Perylenes, *Shpol'skii effect.

Shpol'skii cryogenic temperature fluorescence spectra of 19 of the possible 33 polynuclear aromatic hydrocarbons with a molecular weight of 302 are reported. The group consists of the benzo- and naphtho-pyrenes and fluoranthenes and also the benzoperylenes. There is a large variation in the degree of selectivity and sensitivity achieved by the Shpol'skii technique within this group of compounds.

100,275

PB91-147199 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.

Hydrogen Slush Production with a Large Auger.

Final rept.

D. E. Daney, V. D. Arp, and R. O. Voth. 1990, 10p
Sponsored by National Aeronautics and Space Administration, Cleveland, OH. Lewis Research Center.
Pub. in *Advances in Cryogenic Engineering* 35, p1767-1776 1990.

Keywords: *Cryogenics, *Solid cryogenics, *Solidified gases, *Augers, Refrigerants, Mathematical models, Generators, Slush, Reprints, *Solid hydrogen.

The design and construction of a 178 mm (7 in) diameter auger type hydrogen slush generator is described. A supercritical helium flow loop, which simulates the performance of a helium refrigerator, cools the generator. The coolant temperature varies down to 5 K and the flow varies about the 1.4 L/s (3 cfm) design point. The computer model of the auger type generator shows that coolant temperature and auger speed have the greatest influence on slush production rate, although coolant flow rate and auger radial clearance are also important. All these effects will be evaluated in the tests of the system.

100,276

PB91-147298 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Surface Science Div.

Soluble Models in Surface Collision Dynamics.

Final rept.

J. W. Gadzuk. 1988, 7p
Pub. in *Solvay Conference on Surface Science*, v14 p310-316 1988.

Keywords: *Molecular collisions, *Surface reactions, Molecular excitation, Dynamics, Phonons, Reprints.

Aspects of electron-hole pair, phonon, and intra-molecular vibrational excitation, as illustrated in some soluble models in surface collision dynamics, are considered. Emphasis is placed on energy redistribution and sticking out metal surfaces.

100,277

PB91-147363 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Thermophysics Div.

Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors.

Final rept.

A. H. Harvey, R. Crovetto, and J. M. H. Levelt
Sengers. 1990, 4p
Pub. in *AIChE Jnl.* 36, n12 p1901-1904 Dec 90.

Keywords: Asymptotic properties, Critical point, Thermodynamics, Solubility, Mixtures, Reprints, *Henry constant.

In previous work, an asymptotic relationship, linear with the appropriate choice of variables, was derived for the variation of Henry's constant for a solute in the neighborhood of the solvent's critical point. When experimental Henry's-constant data in several solvents were plotted in a manner suggested by the asymptotic relationship, linearity was observed over a wide range

of conditions. Since these lines remained straight at the highest (closest-to-critical) temperatures at which data existed, it was assumed that they represented the asymptotic behavior. Further study, however, has shown that this assumption is mistaken and that the Henry's-constant plot attains its asymptotic behavior only in a small region closer to the critical point than the extent of the data. A related asymptotic linear relationship involving the vapor-liquid partition coefficient (K-factor) appears to be a more reliable indicator of the true asymptotic behavior, in part because the limiting value at the critical point is known a priori. The work explains the discrepancy noted in previous work between slopes of Henry's-constant plots and the initial slopes of mixture critical lines.

100,278

PB91-147405 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Thermophysics Div.

Extension of an Improved One-Fluid Conformal Solution Theory to Real Fluid Mixtures with Large Size Differences.

Final rept.

M. L. Huber, and J. F. Ely. 1990, 10p
Sponsored by Department of Energy, Washington, DC.
Pub. in *International Jnl. of Thermophysics* 11, n1 p87-96 Jan 90.

Keywords: *Fluids, Lennard-Jones potential, Perturbation theory, Statistical mechanics, Helmholtz free energy, Hydrocarbons, Mixtures, Reprints.

Conformal solution theories have been shown to be inadequate as the size ratio of the molecules in a mixture increases. The authors present an improved van der Waals-1 fluid conformal solution theory which incorporates a correction term developed using statistical mechanical perturbation theory. The correction addresses the effect of different size molecules on the Helmholtz free energy of the mixture. Results of the new model are compared with other conformal solution theories for model Lennard-Jones systems. They also show how to extend the model to perform computations on real fluid mixtures. Results for selected hydrocarbon mixtures are given.

100,279

PB91-147454 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Molecular Spectroscopy Div.

Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.

Final rept.

K. W. Jucks, Z. S. Huang, D. Dayton, R. E. Miller,
and W. J. Lafferty. 1987, 6p
Pub. in *Jnl. Chemical Physics* 86, n8 p4341-4346 1987.

Keywords: *Molecular structure, Near infrared radiation, Infrared spectra, Dimers, Reprints, *Carbon dioxide dimers.

An F-center laser-molecular beam spectrometer has been used to obtain a sub-Doppler resolution spectrum of the CO₂ dimer. The vibrational mode investigated in corresponds to the $\nu(1) + \nu(3)$ combination band of the monomer located at 3716/cm. A qualitative assignment of the spectrum shows that the equilibrium structure of the molecule has C(2h) symmetry, as, due to zero spin nuclei, half of the expected transitions are missing in the observed spectrum. This implies that the molecule has a slipped parallel structure rather than a T-shaped geometry.

100,280

PB91-147470 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Chemical Kinetics Div.

Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde.

Final rept.

Z. Karpas, and M. Mautner. 1989, 5p
Pub. in *Jnl. of Physical Chemistry* 93, n5 p1859-1863 1989.

Keywords: *Organic ions, *Alcohols, *Ethers, *Reaction kinetics, Stability, Chemical reactivity, Activation energy, Molecular structure, Reprints, *Alkyl transfer reactions.

Alkyl transfer reactions between protonated ethers and alcohols are of the general type $R_2OR(prim)(+) + R(double\ prime)2O \rightleftharpoons R(double\ prime)2OR(prim)(+) + R_2O$, where $R = H$ or an alkyl radical. The reactions are classified according to

the degree of alkylation, with up to $n = 5$ alkyl groups in the system. For $n = 2$ the reaction is alkyl transfer between alcohols $ROH_2(+) + ROH$ to yield protonated ethers $R_2OH(+) + H_2O$. The rate constants for these reactions increase with increasing stability of the transferred $R(+) +$ group, possibly due to lowered activation barrier of the initial partial $R(+) + OH_2$ dissociation. However, the reaction with $R(+) = CH_3(+) +$ is faster and with $R(+) = t-C_4H_9(+) +$ is slower than expected, possibly due to steric effects. For $n = 3$, i.e., reactions between the ethers $R_2OH(+) +$ and the alcohols $R(prim)OH$, both the formation of $R(prim)ORH(+) +$ and of the tertiary oxonium ions $R_2OR(prim)(+) +$ are observed. For $n = 4$, the reaction between the ethers $R_2OH(+) +$ and R_2O to give $R_2OR(+) +$ is observed. For $n = 5$, a completely alkylated system, an example is methyl exchange between $(CH_3)_2OCD_3(+) +$ and $(CH_3)_2O$, which is a very slow thermoneutral reaction with a large activation energy of 13 kcal/mol.

100,281

PB91-147538 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Chemical Process Metrology Div.

Instability in pH Measurements of Sputtered IrO₂ Films.

Final rept.

K. G. Kreider, S. Semancik, and J. E. Erickson. 1987, 4p
Pub. in *Proceedings of International Conference on Sensors and Actuators (4th) - Transducers '87*, Tokyo, Japan, June 2-5, 1987, p734-737.

Keywords: *Iridium oxides, *pH meters, pH value, Instability, Sensors, Thin films, Photoelectron spectroscopy, Crystallinity, Amorphous materials, Reprints.

Sputter deposition of iridium oxide can produce thin films that show significant promise for use as the active coating in pH sensing devices. Among the desirable characteristics of sputtered iridium oxide films are their superior corrosion resistance, high temperature capabilities, and their ability to be fabricated in forms suitable for miniaturized probes. The results of testing of SIROF pH sensors produced in the study indicate that both anhydrous, crystalline films and amorphous films yield similar responses of approximately 56-59 mV/pH. The open circuit potential of these films did vary with various fabrication conditions and environmental exposures. Deliberate attempts to modify the open circuit potential of the SIROFs included air baking at 523K, which significantly increased the output voltage and autoclave heating at 523K, which significantly decreased the voltage. XPS measurements on SIROF films showed that iridium is present in a +4 oxidation for a variety of treatments. Oxygen in core level data suggest that certain test treatments considered here may cause surface hydroxylation.

100,282

PB91-147645 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Chemical Kinetics Div.

Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl₂ and CCl₂.

Final rept.

G. R. Long, and J. W. Hudgens. 1987, 3p
Pub. in *Jnl. of Physical Chemistry* 91, p5870-5872 1987.

Keywords: Deuterium compounds, Rydberg states, Multi-photon processes, Ultraviolet spectra, Vibrational states, Reprints, *Dichloromethane radicals, Multiphoton ionization.

Resonance enhanced multiphoton ionization spectra between 355 and 375 nm of CHCl₂ and CCl₂ radicals are reported. The origin of the observed spectra was at 370.1 nm for CHCl₂ and 370.4 nm for CCl₂. The REMPI mechanism is determined to be a 2 + 1 photon absorption, with the resonant intermediate state tentatively assigned as a 3d Rydberg state. Vibrational structure originated from activity in the C-Cl symmetric stretching and the out-of-plane bending modes. The C-Cl symmetric stretch frequencies are 845/cm in CHCl₂ and 814/cm in CCl₂.

100,283

PB91-147710 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Chemical Kinetics Div.

CHEMISTRY

Physical & Theoretical Chemistry

Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.

Final rept.
M. Mautner, and C. V. Speller. 1989, 4p
See also AD-A167 880.
Pub. in Jnl. of Physical Chemistry 93, n9 p3663-3666 1989.

Keywords: *Protons, *Hydroxyl radicals, Hydration, Enthalpy, Acidity, Alkalinity, Stability, Hydrogen bonds, Reprints, *Cyanide ions, *Cluster ions.

The thermochemistry of cluster ions containing H₂O and HCN was obtained from clustering equilibria. The clustering of H₂O about H₃O(+) and OH(-), and the clustering of HCN about CNH(+) show distinct shell filling effects, but the clustering of H₂O and HCN about CN(-) does not. Hydration by one water molecule eliminates the difference of 5 kcal/mol between the proton affinities of HCN and H₂O. Hydration also decreases the difference between the intrinsic deprotonation energies, i.e., delta H(0) acid' of H₂O and HCN from 37.7 kcal/mol, to 19.8 kcal/mol in the 4-fold hydrated species. In the protonated clusters, exchange of H₂O by HCN does not significantly affect the total stability of the cluster.

100,284
PB91-147785 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.

Slow Electron Transfer Reactions between Alkylhydrazines.

Final rept.
S. F. Nelsen, D. T. Rumack, and M. Mautner. 1987, 7p
Pub. in Jnl. of American Chemical Society 109, n5 p1373-1379 1987.

Keywords: *Hydrazines, *Reaction kinetics, *Electron transfer, Organic ions, Gibbs free energy, Reprints, Energy barriers.

Unlike other gas-phase exoergic electron transfer reactions, reactions between alkylhydrazines, which involve large geometry changes, proceed with unusually low efficiencies, i.e., $k/k(\text{collision}) = 0.01 - 0.0001$. The temperature coefficient of Me₂NNMe₂ + Et-MeNNMeEt → EtMeNNMeEt(+) + Me₂NNMe₂, E_{sub}(a) = +2.7 kcal/mol indicates an energy barrier of 16 kcal/mol for electron transfer within the complex. The energy barrier results from the large geometry change required for relaxation of the product R₂NNR₂(+) ions from a perpendicular to a planar geometry. Nevertheless, the energy barrier is substantially smaller than would result from vertical electron transfer in the complex (44 kcal/mol), indicating geometry relaxation in the transition state. The major trends observed include: slowing of reactions of acyclic vs. cyclic reactants; and small positive or negative temperature coefficients. In these trends, electron transfer is similar to heavy particle transfer.

100,285
PB91-147801 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.

Pulse Radiolysis Studies of Organic Electron Transfer Reactions.

Final rept.
P. Neta, and A. Harriman. 1988, 53p
Pub. in Photoinduced Electron Transfer, Chapter 2.3, p110-162 1988.

Keywords: *Porphyrins, *Electron transfer, Oxidation reduction reactions, Organic ions, Radiolysis, Catalysts, Reprints.

Pulse radiolysis studies on organic electron transfer reactions are reviewed, with special emphasis on porphyrins and redox catalysts.

100,286
PB91-147884 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.

Final rept.
G. J. Piermarini, S. Block, and P. J. Miller. 1989, 6p
Pub. in Jnl. of Physical Chemistry 93, n1 p457-462 1989.

Keywords: *Nitromethane, *High pressure, *Thermal degradation, *Reaction kinetics, Chemical reactivity,

Isotope effect, Melting points, Ammonium formate, Water, Reprints.

The effects of pressure and temperature on the melting point, thermal decomposition rate, and chemical reactivity of nitromethane have been studied. A diamond anvil high pressure cell in conjunction with (1) an optical polarizing microscope for melting point and chemical reactivity observations, and (2) an automated Fourier transform infrared instrument for thermal decomposition kinetic measurements, were used. Both pressure and temperature were found to increase the rate of thermal decomposition indicating an overall bimolecular reaction mechanism. However, the mechanism is complex and appears to vary over large changes in pressure. Nevertheless, a chemical mechanism is proposed which explains the bimolecularity and also accounts for the observed decomposition products, ammonium formate and water. A dynamic stress-induced catastrophic reaction in nitromethane, which appears to be crystal orientation dependent with respect to the applied stress, was found. Under the same conditions, deuterated nitromethane did not exhibit this catastrophic reaction.

100,287
PB91-148015 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Resonant Photoemission and PSD of Rare Earth Oxides.

Final rept.
J. Schmidt-May, F. Senf, J. Voss, C. Kunz, and A. Flodstrom. 1985, 4p
Pub. in Desorption Induced by Electronic Transitions, DIET II, Springer Series in Surface Sciences, v4 p94-97 1985.

Keywords: *Europium oxides, *Samarium oxides, *Ytterbium oxides, *Photoemission, Photoelectron spectroscopy, Reprints, Photon stimulated desorption.

The resonant enhancement in photoelectron spectra at the 4d edges of rare earth atoms and metals is also found in photoyield spectra of desorbed ions from the surfaces of the oxides of Sm, Eu and Yb following the photon excitation. The analysis of the 4d 4f resonance leads to a picture of an indirect mechanism of ion desorption which is caused by the flux of energetic 4f bulk photoelectrons. Photoemission and ion desorption measurements of Sm metal with oxidized Yb overlayer strongly support this idea. The dominant desorption through secondary processes limits the use of the photon-stimulated desorption (PSD) in the sense that it is not known to which type of atom the desorbing species was attached.

100,288
PB91-148080 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.

Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.

Final rept.
R. D. Suenram, F. J. Lovas, and H. M. Pickett. 1986, 10p
Pub. in Jnl. of Molecular Spectroscopy 119, n2 p446-455 1986.

Keywords: *Carbinols, *Fluorine organic compounds, *Microwave spectra, *Dipole moments, Synthesis(Chemistry), Rotational spectra, Electric moments, Conformational changes.

The microwave spectrum of the new molecular species CH₂FOH has been observed and analyzed. The molecule exhibits a gauche conformation which is in accord with previous ab initio calculations. This is also the conformation that is predicted based on anomeric effect arguments. The rotational transitions are split by the tunneling of the molecule between equivalent gauche conformations. A simultaneous fit of both tunneling states allows the determination of perturbation free rotational parameters as well as the tunneling frequency and a tunneling distortion parameter. A dipole moment (dm) analysis yields values of all three dipole moment components and the dm(b)xdm(c) term which indicates that dm(b) and dm(c) have opposite signs.

100,289
PB91-148171 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

Ergodic Convergence Properties of Supercooled Liquids and Glasses.

Final rept.
D. Thirumalai, and R. D. Mountain. 1990, 14p
See also PB90-254814. Sponsored by National Science Foundation, Washington, DC.
Pub. in Physical Review A 42, n8 p4574-4587, 15 Oct 90.

Keywords: *Supercooling, Amorphous materials, Ergodic processes, Binary alloys, Glass, Convergence, Reprints, Molecular dynamics.

The dynamical properties of two measures to probe ergodic behavior in Hamiltonian systems with a large number of degrees of freedom are investigated. The measures, namely, the energy metric d(t) and the fluctuation metric Omega(t) are both based on the time-averaged energies of the individual particles comprising the system. These ideas are used to study the behavior of supercooled and glassy states of soft-sphere binary alloys using microcanonical molecular dynamics.

100,290
PB91-148650 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.

Microwave Spectrum of Ar-H₂O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.

Final rept.
G. T. Fraser, F. J. Lovas, R. D. Suenram, and K. Matsumura. 1990, 16p
Pub. in Jnl. of Molecular Spectroscopy 144, p97-112 1990.

Keywords: *Argon complexes, Microwave spectra, Deuterium compounds, Isotope effects, Oxygen 17, Oxygen 18, Dipole moments, Intermolecular forces, Van der Waals forces, Dimers, Water, Reprints.

Microwave spectra for the K = 0 states of Ar-H₂O, Ar-D₂O, Ar-HOD, Ar-H₂(18)O, and Ar-H₂(17)O were obtained using a pulsed-nozzle Fourier-transform microwave spectrometer. For the Ar-H₂O species, the results are in excellent agreement with the far-infrared data of Cohen et al. (J. Chem. Phys. 89, 4494-4504 (1988) and 92, 169-177 (1990)). The present data are also compared with predictions from the three anisotropic potentials proposed by Hutson (J. Chem. Phys. 92, 157-168 (1990)) to interpret the far-infrared spectrum of the complex.

100,291
PB91-148726 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma).

Final rept.
B. Heumann, K. Kuhl, K. Weide, R. Duren, B. Hess, U. Meier, S. D. Peyerimhoff, and R. Schinke. 1990, 6p
Pub. in Chemical Physics Letters 166, n4 p385-390, 2 Mar 90.

Keywords: *Water, *Photodissociation, Excited states, Potential energy, Vibrational states, Excitation, Reprints.

A three-dimensional potential energy surface for the second excited state of water is calculated by thesecond absorption band. The authors find, in accordance with experimental data, vibrational excitation of OH((Sup 2) Sigma) to be generally weak. This result can be readily explained in terms of the calculated potential surface.

100,292
PB91-148783 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Chemical Engineering Science Div.

Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime.

Final rept.
M. F. Jin, F. C. Michel, and R. D. Noble. 1989, 6p
Pub. in Industrial and Engineering Chemistry Research 28, n2 p193-198 Feb 89.

Keywords: *Copper complexes, *Chelating agents, *Oximes, *Reaction kinetics, Transport properties, Liquid-liquid interfaces, Benzophenone, Decanes, Rotation, Diffusion, Reprints.

For the reaction $(\text{Cu}(2+))(\text{aq}) + 2(\text{HR})(\text{org})$ ($\text{CuR}_2(\text{org}) + 2(\text{H}(1+))(\text{aq})$) using the chelating agent anti-2-hydroxy-5-nonylbenzophenone oxime, the reaction orders for (Cu^{2+}) , the active isomer of the oxime, and (H^+) were measured experimentally using a rotating diffusion cell. The reaction orders were first order in (Cu^{2+}) , first order in the active isomer of oxime, and negative first order in (H^+) . Extrapolation of the diffusion cell data for the kinetically limited case was an important advancement of the technique. The forward and reverse reaction rate constants were calculated. The results were obtained using a resistance model of copper transport.

100,293

PB91-148841 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Quantum Physics Div.

Mode Specific Internal and Direct Rotational Predissociation in HeHF, HeDF, and HeHCl: van der Waals Complexes in the Weak Binding Limit.
Final rept.

C. M. Lovejoy, and D. J. Nesbitt. 1990, 21p
Grant NSF-CHE86-05970

Sponsored by National Science Foundation, Washington, DC.

Pub. in Jnl. of Chemical Physics 93, n8 p5387-5407, 15 Oct 90.

Keywords: *Helium complexes, Hydrogen chloride, Hydrogen fluoride, Deuterium compounds, Van der Waals forces, Intermolecular forces, Infrared spectra, Predissociation, Reprints, Feshbach resonances, Supersonic expansion.

The near-infrared vibration-rotation spectra of the weakly bound complexes HeHF, HeDF, and HeHCl are observed in a slit supersonic expansion. The spectra correspond to simultaneous excitation of vibration and internal rotation of the $(\text{H/D})\text{X}$ subunit within the complex. The HeHF and HeDF P/R branch transitions show J-dependent excess linewidths, which are attributed to rapid predissociation of the excited states from intramolecular rotation-translation energy transfer. The corresponding P/R branch transitions in HeHCl are not observed despite good S/N on the Q branch, suggesting even more rapid predissociation for the upper state of the complex. In addition to isotropic intermolecular potentials, the HeHF/HeDF data yield considerable information on the potential anisotropy in the region sampled by the bound and quasibound states. The information so obtained is complementary to results from scattering studies and provides sensitive tests for refining trial potential energy surfaces.

100,294

PB91-148882 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Molecular Physics Div.

Structures of the $\text{NH}_3\text{-HCCCCH}$ and $\text{H}_2\text{-HCCCCH}$ Complexes by Fourier-Transform Microwave Spectroscopy.
Final rept.

K. Matsumura, F. J. Lovas, and R. D. Suenram.
1990, 16p

Pub. in Jnl. of Molecular Spectroscopy 144, p123-138 1990.

Keywords: *Complexes, *Molecular structure, Acetylene, Ammonia, Water, Microwave spectra, Hydrogen bonds, Rotational spectra, Electric dipole moments, Dimers, Reprints, *Ammonia complexes, *Water complexes, Diacetylene, Fourier transform microwave spectroscopy.

The microwave spectra of the ammonia-diacetylene and water-diacetylene complexes have been observed with a pulsed-beam, Fabry-Perot cavity, Fourier-transform microwave spectrometer. In addition to the normal isotopic forms, the authors have also observed the spectra of $\text{ND}_3\text{-HCCCCH}$, $(15)\text{NH}_3\text{-HCCCCH}$, HDO-HCCCCH , and $\text{D}_2\text{O-HCCCCH}$. Present results derived for the diacetylene complexes are compared with those of the acetylene complexes. It is noteworthy that the induced dipole moment of the ammonia-diacetylene complex is about 50% larger than that of the ammonia-acetylene complex. The effects of the conjugation of the carbon-carbon triple bonds are discussed.

100,295

PB91-148924 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Quantum Physics Div.

Multireference-Configuration Interaction (MR-CI) Calculations on $\text{HS}(2+)$ and Experimental Observation via Electron Impact Ionization of H_2S .
Final rept.

P. J. Miller, S. A. Rogers, J. Senekowitsch, S. V. O'Neil, and S. R. Leone. 1990, 15p

Contract AFOSR89-0073

Sponsored by Air Force Office of Scientific Research,
Bolling AFB, Washington, DC.

Pub. in International Jnl. of Mass Spectrometry and Ion Processes 100, p505-519 1990.

Keywords: *Hydrogen sulfides, Metastable state, Electron impact, Sulfur ions, Ionization, Reprints, Dictation.

The stability of the $\text{HS}(2+)$ dication is investigated both theoretically and experimentally. The theoretical analysis involves complete active-space self-consistent field (CASSCF) and multi-configuration reference-configuration interaction (MR-CI) theory. A metastable (sup 2)Pi ground state is found with a calculated barrier to dissociation of 1.52eV. No other metastable states for energies up to 10eV above the ground state are found. In conjunction with the theoretical results, electron impact ionization of H_2S is able to generate the $\text{HS}(2+)$ dication, demonstrating that the species exists on a time scale longer than 10 microseconds. The appearance potential for $\text{HS}(2+)$ from H_2S is 42.3 ± 0.1 eV. Evidence is also presented for the electron neutral production of $\text{S}(2+)$, $\text{H}_2\text{S}(2+)$ and $\text{H}_3\text{S}(2+)$.

100,296

PB91-148940 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Fire Measurement and Research Div.

Applicability of Smoluchowski's Equation with a Constant Kernel to Coalescence.
Final rept.

G. W. Mulholland, and R. D. Mountain. 1986, 2p
Pub. in Jnl. of Chemical Physics 84, n7 p4109-4110, 1 Apr 86.

Keywords: *Coalescence, Computerized simulation, Reprints, *Smoluchowski equation.

A computer simulation of particle size independent coagulation is carried out to test the applicability of Smoluchowski's coagulation theory for coalescence. A small time enhancement in the coagulation rate is observed for the simulation. A straightforward generalization of the coagulation theory to include a transient term does not yield results in quantitative agreement with the simulation.

100,297

PB91-148973 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Quantum Physics Div.

H + O₃ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
Final rept.

D. D. Nelson, A. Schiffman, D. J. Nesbitt, J. J. Orlando, and J. B. Burkholder. 1990, 17p

Contract AFOSR-F49620-86-C-0056

Sponsored by Air Force Office of Scientific Research,
Bolling AFB, DC.

Pub. in Jnl. of Chemical Physics 93, n10 p7003-7019, 15 Nov 90.

Keywords: *Hydroxyl radicals, Vibrational spectra, Dipole moments, Einstein coefficients, Atmospheric radiation, Reprints, Fourier transform infrared spectroscopy.

The relative intensities of 88 pairs of rovibrational transitions of OH (X (Sup 2) Pi) distributed over 16 vibrational bands (ν prime < 9 , $\Delta \nu = -1, -2$) have been measured using Fourier transform infrared (FTIR) emission/absorption spectroscopy. Each pair of transitions originates from a common vibrational, rotational, and spin-orbit state, so that the measured relative intensities are independent of the OH number density and quantum state distribution. These data are combined with previous $\nu = 1$ relative intensity absorption measurements and $\nu = 0, 1$, and 2 permanent dipole moments to determine the OH dipole moment function as a cubic polynomial expanded about the equilibrium bond length. The relative intensities provide detailed information about the shape of the OH dipole moment function $\mu(r)$ and hence the absolute Einstein A coefficients. Absolute Einstein A coefficients from the present $\mu(r)$ are therefore presented in order to provide the most reliable experimental numbers for modeling of near IR atmosphere OH emission phenomena.

100,298

PB91-149005 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Quantum Physics Div.

Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba^+ in Ar: Moment Analysis and a Direct Measure of Skewness.
Final rept.

S. M. Penn, J. P. M. Beijers, R. A. Dressler, V. M. Bierbaum, and S. R. Leone. 1990, 10p

Contract AFOSR84-02

Sponsored by Air Force Office of Scientific Research,
Bolling AFB, DC.

Pub. in Jnl. of Chemical Physics 93, n7 p5118-5127, 1 Oct 90.

Keywords: *Barium ions, Laser induced fluorescence, Ion mobility, Ion temperature, Velocity distribution, Doppler effect, Skewness, Argon, Drift, Reprints.

Velocity distributions for $\text{Ba}(1+)$ ions drifting in argon under the influence of an electric field are measured using single-frequency, laser-induced fluorescence techniques. A moment analysis of these data yields values for the ion mobilities, temperatures, and, for the first time, skewness parameters of the ion velocity distributions. Doppler profiles of the drifting ions are obtained with the laser beam propagating both parallel and perpendicular to the electric field direction as a function of E/N up to 148 Td.

100,299

PB91-149161 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.

Applied Electric Fields for Downstream Processing.
Final rept.

S. R. Rudge, and P. Todd. 1990, 27p

Pub. in Protein Purification from Molecular Mechanisms to Large-Scale Processes, ACS Symposium Series 427, Chapter 16, p244-270 1990.

Keywords: *Ions, *Interfaces, *Electric fields, Thermodynamics, Electrolytes, Electrophoresis, Reviews, Proteins, Reprints, *Ionic partitioning.

Electric potentials at interfaces are governed by the distribution of ions between the phases. The fundamental thermodynamics of ionic partitioning are reviewed, and the implications of the resulting double layer for transport processes in electric fields are discussed. The special considerations of electric field applications, concerning heat and mass transport, are presented. Electric fields have been applied to aqueous biphasic demixing and to cell separations by density gradient electrophoresis and free flow electrophoresis, for the purpose of producing gram quantities of protein. Analytical applications of electric fields, for the purpose of monitoring downstream processes, have also been successful. These applications include capillary electrophoresis, electrospray mass spectrometry, and pulsed field electrophoresis.

100,300

PB91-149369 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Surface Science Div.

Influence of Sulfur on Methanation over Tungsten(110).
Final rept.

P. D. Szuromi, R. D. Kelley, and T. E. Madey. 1986, 9p

Pub. in Jnl. of Physical Chemistry 90, n24 p6499-6507 1986.

Keywords: *Sulfur, *Tungsten, *Reaction kinetics, *Surface chemistry, *Catalysts, Carbon monoxide, Hydrogen, Oxygen, Auger electron spectroscopy, Clumps, Activation energy, Methane, Reprints, *Methanation.

The effect of adsorbed sulfur on the rate of methanation over W(110) is reported for a range of sulfur coverages (0.03-0.55 mL) and temperatures (600-750K) for 1 Torr CO and 100 Torr hydrogen. The rate drops sharply for low sulfur coverages (by 40% at 0.05 mL) but decreases less dramatically for higher coverages. Postreaction Auger spectra reveal that the sulfur-free surface for the sample is covered with both carbide carbon and oxygen, and is oxygen rich. Increasing

sulfur coverages leads to little change in the postreaction carbon level but does cause the oxygen coverage to fall substantially, to zero by 0.40 ml S. The activation energy for methanation is unaffected by the presence of sulfur, suggesting that the decrease in rate is caused by sulfur limiting the saturation coverages that can be attained by the reactants. This possibility motivated a thermal desorption study of CO and hydrogen adsorption on sulfur precovered surfaces. Good agreement is obtained between the changes in these saturation coverages and the decrease in methanation rate due to the presence of sulfur when small coverages of coadsorbed oxygen are present. These results taken as a whole suggest that sulfur adatoms inhibit methanation through long-range effects, which appear to be moderated by the formation of clusters. Such cluster formation is itself inhibited at low sulfur coverages by the presence of oxygen, which causes sulfur to poison the reaction more effectively at such low coverages.

100,301
PB91-149377 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.
Summary Abstract: The Influence of Sulfur on Methanation over W(110).
Final rept.
P. D. Szuromi, R. D. Kelley, and T. E. Madey. 1987, 2p
Pub. in Jnl. of Vacuum Science and Technology A 5, n4 p867-868 1987.

Keywords: *Sulfur, *Tungsten, *Reaction kinetics, *Surface chemistry, *Catalysts, Carbon monoxide, Hydrogen, Oxygen, Auger electron spectroscopy, Clumps, Activation energy, Methane, Reprints, *Methanation.

The effect of adsorbed sulfur on the rate of methanation over W(110) is reported for a range of sulfur coverages (0.03-0.55 mL) and temperatures (600-750K) for 1 Torr CO and 100 Torr hydrogen. The rate drops sharply for low sulfur coverages (by 40% at 0.05 mL) but decreases less dramatically for higher coverages. Postreaction Auger spectra reveal that the sulfur-free surface for the sample is covered with both carbide carbon and oxygen, and is oxygen rich. Increasing sulfur coverages leads to little change in the postreaction carbon level but does cause the oxygen coverage to fall substantially, to zero by 0.40 mL of S. The activation energy for methanation is unaffected by the presence of sulfur, suggesting that the decrease in rate is caused by sulfur limiting the saturation coverages that can be attained by the reactants. This possibility motivated a thermal desorption study of CO and hydrogen adsorption on sulfur precovered surfaces. Good agreement is obtained between the changes in these saturation coverages and the decrease in methanation rate due to the presence of sulfur when small coverages of coadsorbed oxygen are present. These results taken as a whole suggest that sulfur adatoms inhibit methanation through long-range effects, which appear to be moderated by the formation of clusters. Such cluster formation is itself inhibited at low sulfur coverages by the presence of oxygen, which causes sulfur to poison the reaction more effectively at such low coverages.

100,302
PB91-149385 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy.
Final rept.
C. A. Taatjes, J. I. Cline, and S. R. Leone. 1990, 6p
Grant NSF-PHY86-04504
Sponsored by National Science Foundation, Washington, DC., and Air Force Weapons Lab., Kirtland AFB, NM.
Pub. in Jnl. of Chemical Physics 93, n9 p6554-6559, 1 Nov 90.

Keywords: Velocity distribution, Doppler effect, Hermite polynomials, Anisotropy, Reprints, *Iodine atoms, Fourier transform Doppler spectroscopy.

A general method is developed for determination of cylindrically symmetric velocity distributions from Doppler profile measurements. The method applies Kinsey's Fourier transform Doppler spectroscopy (J. L. Kinsey, J. Chem. Phys. 66,2560 (1977)) to distributions arising from photodissociation and uses an orthogonal

polynomial expansion to perform the integral transforms analytically. The method is shown to offer an improvement in stability over direct numerical solution of the integral equation and to have applicability to distributions which are not 'separable,' that is, which cannot be separated into a product of speed- and angle-dependent factors. The method is applied to experimental measurements of the collisional relaxation of a fast anisotropic distribution of (doublet P(1/2)) atoms in a thermal bath. It is shown that the nascent distribution is separable, but the distribution does not remain separable throughout the relaxation process.

100,303
PB91-149393 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Relation between the Surface Energy and the Debye Temperature for Cubic Solids.
Final rept.
V. K. Tewary, and E. R. Fuller. 1990, 5p
Pub. in Jnl. of Materials Research 5, n5 p1118-1122 May 90.

Keywords: *Specific heat, *Surface energy, *Simple cubic lattices, *Solids, Atomic mass, Reprints.

It is shown that a phenomenological relation exists between the Debye temperature theta (in degree Kelvin) and the surface energy Gamma (in ergs/sq cm) of cubic solids: $\theta = (71.9)(\Gamma/M)^{1/2}$, where M is the atomic weight. This relation is derived theoretically in the Debye isotropic approximation by assuming that the interatomic potential is central. No restrictions are imposed on the range of the potential. The relation is obeyed very well by the observed values of theta and gamma in the case of many solids.

100,304
PB91-149831 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO. Chemical Engineering Science Div.
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromoindate Monohydrate Salt (NH₄)₂ InBr₅.H₂O from 7.8 to 348 K.
Final rept.
S. M. Acosta, E. F. Westrum, R. J. C. Brown, J. E. Callanan, and R. D. Weir. 1988, 6p
See also PB89-123905.
Pub. in Jnl. of Chemical Thermodynamics 20, p1321-1326 1988.

Keywords: *Indium inorganic compounds, *Specific heat, Calorimetry, Adiabatic conditions, Reprints, *Ammonium pentabromoindate monohydrate.

The molar heat capacity of ammonium pentabromoindate monohydrate (NH₄)₂InBr₅ · H₂O was measured from 7.8 to 348 K using adiabatic calorimetry. The curve of heat capacity as a function of temperature is continuous. There is no sign of the phase transition predicted by Yamada and Weiss (Ber. Bunsenges. Phys. Chem. 1983, 87, 932). Values of the standard molar thermodynamic quantities for (NH₄)₂InBr₅ · H₂O are presented to 345 K.

100,305
PB91-149864 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor SrSnF₄ from 6 to 344 K.
Final rept.
J. E. Callanan, R. Shaviv, E. F. Westrum, and R. D. Weir. 1989, 7p
See also PB91-133850.
Pub. in Jnl. of Solid State Chemistry 81, p51-57 1989.

Keywords: *Specific heat, Ionic conductivity, Temperature dependence, Reprints, *Strontium tin fluorides, *Strontium tetrafluorostannates.

The heat capacity of the fast ion conductor SrSnF₄ was measured by adiabatic calorimetry from 6 < T/K < 344. A phase transition was not detected, but an anomalous rise in the molar heat capacity was found above 280 K that showed no sign of lessening at 344 K. The rise is coincident with the temperature range where a rapid drop in the (19F) spin-lattice relaxation time T(1) occurs. Standard molar thermodynamic functions are given at selected temperatures from 5 to 345 K.

100,306

PB91-149906 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. N₂O(1+) and NNO(1-).
Final rept.
M. E. Jacox. 1990, 10p
See also PB91-149914 and PB91-112714. Sponsored by Army Research Office, Research Triangle Park, NC. Pub. in Jnl. of Chemical Physics 93, n11 p7622-7631, 1 Dec 90.

Keywords: *Molecular ions, *Nitrous oxide, *Vibrational spectra, Matrix isolation, Infrared spectra, Solidified gases, Penning effect, Absorption spectra, Photoionization, Photolysis, Cryogenics, Reprints, Solid neon.

When a Ne:N₂O = 200 or 800 sample is codeposited at approximately 5 K with a beam of neon atoms that has been excited in a microwave discharge, the infrared spectrum of the products includes absorptions contributed by the two stretching fundamentals of ground-state N₂O(H). An absorption near 1200/cm also results from the stabilization of NNO(1-) on reaction of O(1-) with N₂O. The two other stretching fundamentals of NNO(1-) have also been identified. Detailed isotopic substitution studies support these identifications and permit a normal coordinate analysis for both N₂O(1+) and NNO(1-). The nitrogen-nitrogen bond of NNO(1-) has approximately single bond character, and the nitrogen-oxygen bonds are relatively weak. The photodestruction threshold for NNO(1-) in this experimental system is near 420 nm. Photolysis of NNO(1-) is accompanied by growth in the absorptions of cis ONNO. Several other infrared absorptions in the initial sample are tentatively assigned to vibrations of N₂O complexed to various ions.

100,307

PB91-149914 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. NO(1+), NO(1-), ONNO(1+), and ONNO(1-).
Final rept.
M. E. Jacox, and W. E. Thompson. 1990, 13p
See also PB91-149906 and PB91-112714. Sponsored by Army Research Office, Research Triangle Park, NC. Pub. in Jnl. of Chemical Physics 93, n11 p7609-7621, 1 Dec 90.

Keywords: *Molecular ions, *Nitric oxide, *Vibrational spectra, Matrix isolation, Solidified gases, Photoionization, Photolysis, Infrared spectra, Penning effect, Cryogenics, Reprints, Solid neon.

When a Ne:NO sample is codeposited at approximately 5 K with a beam of neon atoms that has been excited in a microwave discharge, photoionization and Penning ionization of the NO lead to the stabilization of both monomer and dimer ions. The most prominent infrared absorption, at 1619.2/cm, results from the reaction of NO with NO or of an electron with (NO)₂ to form the charge-delocalized trans-ONNO(1-) species. The position of the totally symmetric NO-stretching absorption of trans ONNO(1-) can be inferred from observation of a combination band. The infrared absorption of NO(1+) has been detected very close to the gas-phase band center. Other infrared absorptions have been tentatively assigned to NO, cis ONNO(1-), trans ONNO, and the lowest energy isomer of ONNO(1+). Comparison of the gas-phase vibrational frequencies observed for the weakly bound species cis ONNO and N₂O₃ with the corresponding frequencies observed in this neon-matrix study suggests that the matrix shifts for the dimer ion absorptions in the mid-infrared probably amount to less than 1%.

100,308

PB91-149955 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.
Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics.
Final rept.
S. A. Angel, P. A. Hansen, E. J. Heilweil, and J. C. Stephenson. 1990, 3p
Pub. in Springer Series in Chemical Physics, v53 p480-482 1990.

Keywords: *Metal carbonyls, Carbon monoxide, Nitric oxide, Infrared spectra, Picosecond pulses, Liquid phases, Vapor phases, Vibrational spectra, Reprints.

Population lifetimes and energy transfer dynamics obtained from transient multichannel infrared spectra of CO and NO ($\nu=1$) vibrations for gas and liquid phase metal-carbonyl systems are presented.

100,309

PB91-150003

Not available NTIS

National Inst. of Standards and Technology (NEL), Boulder, CO. Chemical Engineering Science Div.

Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry.

Final rept.

J. E. Callanan, K. M. McDermott, and E. F. Westrum. 1990, 6p

Pub. in Jnl. of Chemical Thermodynamics 22, p225-230 1990.

Keywords: *Mercury, *Heat of fusion, *Melting points, *Standards, *Differential thermal analysis, Calorimetry, Adiabatic conditions, Reprints.

From the results of adiabatic-calorimetric measurements, mercury has been certified as a standard reference material for temperature and enthalpy of fusion for differential scanning calorimetry. The fusion temperature is (234.30 ± 0.03) K and the molar enthalpy of fusion is (2.301 ± 0.001) kJ per mole. Adiabatic-calorimetric measurements made by heating continuously at 0.00017 K per second through the transition showed a fusion temperature of (234.32 ± 0.03) K. Differential-scanning-calorimetric measurements gave a fusion temperature of (234.34 ± 0.048) K.

100,310

PB91-150052

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Diode Laser Probing of $I^*(2P_{1/2})$ Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath.

Final rept.

J. I. Cline, C. A. Taatjes, and S. R. Leone. 1990, 11p

Sponsored by Weapons Lab., Kirtland AFB, NM. Pub. in Jnl. of Chemical Physics 93, n9 p6543-6553, 1 Nov 90.

Keywords: Velocity distribution, Doppler effect, Infrared spectra, Anisotropy, Reprints, *Iodine atoms.

The relaxation of a nonthermal translational population distribution of fast I^* (doublet $P(1/2)$) atoms dilutely dispersed in a gaseous bath at thermal equilibrium is studied by time-resolved Doppler spectroscopy. The fast, anisotropic velocity distribution of I^* atoms is produced by pulsed laser photolysis of n -perfluoropropyl iodide (n -C₃F₇I) at 266 nm. A frequency-narrowed, GaAs:InP diode laser is tuned across the iodine transition at 1315 nm to measure the Doppler gain profile of the I^* photofragments. The velocity distribution is expressed as a separable product of a radial speed function and an angular function describing the anisotropy. The collision-induced time evolution of both the speed and anisotropy components of the nascent velocity population distribution relaxing to form a 300 K Maxwellian equilibrium distribution is determined.

100,311

PB91-158717

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Reactor Radiation Div.

New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.

Final rept.

R. Fischer, W. Baur, R. Shannon, J. Parise, and J. Faber. 1989, 7p

Pub. in Acta Cryst. C45, p983-989 1989.

Keywords: *Zeolites, *Ion exchange resins, Crystal structure, Neutron diffraction, Ammonia, Powder (Particles), Simple cubic lattices, Deuteration, Calcines, Roasting, Cesium compounds, Aluminum compounds, Inorganic silicates, Ions, Reprints, Zeolite RHO, Rietveld method.

Zeolite ND4-Rho, prepared by shallow-bed calcination of ammonium-exchanged Rho under flowing dry nitrogen at 873 K, subsequently reloaded with ammonium, deuterium exchanged and dehydrated: D_{2.5}(ND₄)_{7.4}CS_{0.7}AI_{10.9}Si_{37.1}O₉₆, $M(\text{sub } r) = 3073.45$, cubic, $a = 14.5265(7)$ Å, $V = 3065.37$ cu

Å, $Z = 1$, $D_x = 1.685$ g/cc, Reitveld refined refinement based on time-of-flight neutron powder diffraction data collected at room temperature. Zeolite ND4-Rho, prepared by deep-bed calcination of ammonium-exchanged Rho in air at 633 K, yielding a partly deammoniated sample, subsequently deuterium exchanged and dehydrated: D_x(ND₄)_{4.6}CS_{0.55}AI_{10.1}Si_{37.9}O₉₆, $M(\text{sub } r) = 3047.28$, cubic, $a = 14.4247(5)$ Å, $V = 3001.38$ cu Å, $Z = 1$, $D_x = 1.685$ g/cc, Rietveld refinement based on fixed-wavelength neutron powder diffraction data collected at room temperature, $\lambda = 1.5423(6)$ Å.

100,312

PB91-158790

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.

Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures.

Final rept.

J. T. Herron, and R. J. Van Brunt. 1989, 6p

Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of International Symposium on Plasma Chemistry (9th), Pugnuchiuso, Italy, September 4-8, 1989, v1 p257-262.

Keywords: *Sulfur hexafluoride, *Reaction kinetics, *Oxidation, *Corona discharges, *Mathematical models, Oxygen, Oxygen fluorides, Mixtures, Water vapor, Reprints.

A chemical kinetics model for oxidation of SF₆ in negative glow-type corona discharges is proposed. The model is applied to highly localized dc, point-plane negative corona discharges in SF₆/O₂ mixtures containing water vapor, and resulting predictions for oxidation by-product yields are compared with recent data on rates for SOF₂, SOF₄, SO₂F₂, SO₂, and S₂F₁₀ formation from corona discharges in SF₆ and SF₆/O₂ mixtures.

100,313

PB91-158857

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Thermophysics Div.

Wetting Layers on Solid Substrates.

Final rept.

R. F. Kayser. 1987, 19p

Pub. in KINAM, v8 p1A p87-105 1987.

Keywords: *Wetting, Wettability, Substrates, Glass, Dispersion, Reprints, Ionic forces.

When two fluids coexist near a substrate, a thin layer of one fluid often intrudes between the other fluid and the substrate. The thickness of such an intruding layer is often determined by a competition between gravitational forces, which tend to thin the layer, and long-range dispersion forces, which tend to thicken the layer. The paper reviews the theory of wetting layers stabilized by dispersion forces and delimits the applicability of the theory. It also presents a new derivation of the wetting layer thickness for wetting layers stabilized by ionic forces. The mechanism differs from that of dispersion forces and arises when a solid surface can become electrically charged. Elements of both theories are needed to explain recent measurements of wetting layers on glass.

100,314

PB91-161927

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111).

Final rept.

J. D. Beckerle, M. P. Casassa, E. J. Heitweil, R. R. Cavanagh, and J. C. Stephenson. 1990, 10p

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.

Pub. in Jnl. of Electron Spectroscopy and Related Phenomena 54/55, p17-26 1990.

Keywords: *Carbon monoxide, *Vibrational states, Vibrational spectra, Infrared spectroscopy, Picosecond pulses, Chemisorption, Platinum, Surfaces, Reprints.

The vibrational dynamics of chemisorbed CO on Pt(111) are investigated by picosecond IR transient saturation spectroscopy. An intense ps pump pulse excites the CO stretch vibration for CO/Pt(111) and the transient differential IR spectrum of the vibrationally excited adlayer is monitored with a second IR probe pulse. The transient spectrum exhibits a dispersive bandshape, with both bleach and absorption features. The transient spectrum appears prior to the pump

pulse and decays within a few ps following the pump pulse. The results are interpreted by comparison with analogous measurements on metal carbonyl molecules, and model calculations including the effects of optical coherence.

100,315

PB91-161968

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Thermodynamics Div.

Research at NBS on Dynamic Measurements of Thermophysical Properties at High Temperature (Abstract).

Final rept.

A. Cezairliyan. 1988, 1p

Pub. in Thermal Conductivity, p3 1988.

Keywords: *Thermophysical properties, Electric conductors, High temperature, Reduced gravity, Measurement, US NBS, Reprints.

Techniques will be described for the dynamic measurements of selected thermophysical properties of electrically conducting substances at temperatures above 1500 K and up to about 10,000 K. The techniques are based on rapid resistive self-heating of the specimen from room temperature to any desired high temperature in less than one second by the passage of an electrical current pulse through it and on measuring the pertinent quantities with appropriate time resolution. Both millisecond and microsecond resolution techniques developed at NBS will be described, and examples of measured properties will be given. The potential applications of the technique, including property measurements in a microgravity environment, will be discussed.

100,316

PB91-162057

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.

H₂O₂: Spectroscopy, Structure and Dynamics.

Final rept.

G. T. Fraser. 1991, 18p

Pub. in International Review in Physical Chemistry 10, n2 p189-206 1991.

Keywords: *Water, *Dimerization, *Hydrogen bonds, Electron tunneling, Molecular structure, Molecular spectroscopy, Reprints.

Tunnelling in water dimer allows each of the hydrogen atoms to participate in the hydrogen bonding, giving rise to a complicated energy-level scheme and rotational spectrum. As a result of new theoretical and experimental developments, great progress has been made in the analysis and interpretation of the spectrum, yielding detailed information about this hydrogen-bonded interaction. The paper reviews the spectroscopy of the highly non-rigid dimer, which is becoming a prototype system for the study of multidimensional tunnelling problems in weakly bound complexes.

100,317

PB91-162065

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Resonant Tunneling with Electron-Phonon Interactions: An Exactly Solvable Model Applied to Desorption.

Final rept.

J. W. Gadzuk. 1990, 10p

Pub. in Jnl. of Electron Spectroscopy and Related Phenomena 54/55, p201-210 1990.

Keywords: *Resonant tunneling, *Desorption, Electron phonon interactions, Electron tunneling, Hot electrons, Surface reactions, Molecules, Atoms, Reprints, Laser induced desorption, Quantum wells.

The problem of hot electron and/or laser induced desorption of atoms or molecules on surfaces is considered. The equivalence between a previous wavepacket model for this process and the problem of inelastic resonant electron tunneling through a quantum well with electron-phonon coupling is established. Numerical consequences of some exactly solved quantum well models are explored as they relate to desorption.

100,318

PB91-162073

Not available NTIS

CHEMISTRY

Physical & Theoretical Chemistry

National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.

Phase Transitions.

Final rept.

M. S. Green, and J. M. H. Levelt Sengers. 1990, 5p
Pub. in Encyclopedia of Physics, p897-901 1990.

Keywords: *Phase transformations, Order disorder transformations, Phase diagrams, Phase rule, Liquid crystals, Ising model, Order parameters, Reprints, Lat-tice gas.

The report is an update of the original Article on Phase Transitions written by M. S. Green. Several phase transitions have been added to the ones covered by M. S. Green. The presentations of the concepts of order-disorder phenomena, order parameter and critical-point universality have been expanded and updated. Illustrations have been improved and new ones added.

100,319

PB91-162081

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.

Final rept.

A. H. Harvey, J. M. H. Levelt Sengers, and J. C. Tanger. 1991, 6p

Pub. in Jnl. of Physical Chemistry 95, n2 p932-937 1991.

Keywords: *Solubility, *Henry's law, *Argon, *Xenon, *Ethylene, *Specific heat, *Aqueous solutions, Critical point, Density(Mass/volume), Thermodynamics, Analysis(Mathematics), Reprints, *Infinite dilution, *Molar volume.

A linear expression, asymptotically correct near a solvent's critical point, is derived relating Henry's constant of a solute to the density of the pure solvent. Since the expression is general (i.e. not restricted to the solvent's saturation curve), it may be differentiated to yield other infinite-dilution thermodynamic properties such as partial molar volumes. This enables these properties for a solute to be predicted from a single fit of the Henry's constant expression to solubility data. Such predictions are compared with published measurements of apparent molar volumes and a apparent molar heat capacities for aqueous argon, xenon, and ethylene. The volumes are predicted well over a wide range of conditions including the region near water's critical point, where large effects are observed. Agreement with heat capacity data is only qualitative; the authors show that this may be in part a consequence of a higher order term in the asymptotic expression that becomes important after two differentiations. The divergent behavior of the infinite-dilution properties near the critical point is determined by divergences in pure-solvent properties; the only solute dependence is in the amplitude of the divergence, which is proportional to the slope of the Henry's constant expression. While the experimental Henry's constant data yield a very large linear region, it now appears that the slope in the region is not the true asymptotic slope. Nevertheless, it appears that predictions of infinite-dilution thermodynamic properties based on Henry's constants are adequate over a wide range of conditions.

100,320

PB91-162289

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si(111).

Final rept.

L. J. Richter, S. A. Buntin, D. S. King, and R. R. Cavanagh. 1990, 4p

Contract DE-AI05-84ER13150

Sponsored by Department of Energy, Washington, DC. Pub. in Physical Review Letters 65, n15 p1957-1960, 8 Oct 90.

Keywords: *Nitric oxide, *Desorption, Chemisorption, Surface chemistry, Silicon, Lasers, Reprints.

Laser-induced desorption of NO from Si(111) has been investigated using state-specific detection techniques. Characterization of the internal-state population distributions with desorption-laser wavelengths in the range 1907-355 nm indicate that, at low initial NO coverages, desorption is driven by a common, nonthermal mechanism. The wavelength dependence of the yield and the effects of coadsorbates on the yield establish that photogenerated holes in a Si intrinsic surface state mediate the laser-adsorbate interaction.

100,321

PB91-167213

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Technical Activities 1990, Standard Reference Data Program.

M. W. Chase. Jan 91, 83p NISTIR-4505

See also PB90-185109.

Keywords: Physical properties, Chemical properties, Thermodynamics, Materials, Data bases, *Chemical information systems, *Standard reference data, US NIST, NSRDS system.

Standard Reference Data is a program office within the Office of Measurement Services in Technology Services, National Institute of Standards and Technology. Standard Reference Data develops and disseminates publications and databases of critically evaluated physical, chemical, and materials properties of substances. These publications and databases are available through NIST and private publishers, on magnetic tape and PC diskettes, and from online retrieval systems. Standard Reference Data is responsible for management and coordination of the program. Work is carried out through a decentralized network of data centers and projects referred to as the National Standard Reference Data System (NSRDS). The volume summarizes the activities of the program for the fiscal year 1990.

100,322

PB91-174763

Not available NTIS

National Inst. of Standards and Technology (NEL), Boulder, CO. Thermophysics Div.

Viscosity Surface for Mixtures of Methane and Ethane.

Final rept.

D. G. Friend. 1990, 8p

Pub. in Cryogenics 30, p105-112 Feb 90.

Keywords: *Ethane, *Methane, *Viscosity, *Binary mixtures, Fluids, Physical properties, Experimental data, Statistical analysis, Reprints.

The viscosity surface for methane-ethane mixtures has been correlated as a function of composition, density and temperature. The correlation is based on measurements, made at the National Institute of Standards and Technology, using a torsionally oscillating quartz crystal viscometer, which have been reported previously. The viscosity data cover the composition range including both pure fluids and three of their binary mixtures and include temperatures from 100 to 320 K with pressures to 30 MPa. The correlation comprises contributions from the dilute gas state, based entirely on Chapman-Enskog mixture theory and an empirical excess function. The excess function exploits corresponding states arguments and, with suitable reductions of the viscosity, density and temperature, the data are seen to conform closely to a single function of the reduced quantities. The very steep rise of viscosity at high densities is described by a simple rational polynomial and this is added to another polynomial in reduced density and temperature to completely represent the reduced excess viscosity. For the 624 experimental points which were considered, the average absolute deviation from the correlation is less than 1.5%.

100,323

PB91-174805

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes.

Final rept.

M. D. Heaney, and J. J. Pellegrino. 1989, 19p

Sponsored by Department of Energy, Morgantown, WV. Morgantown Energy Technology Center.

Pub. in Jnl. of Membrane Science 47, p143-161 1989.

Keywords: *Ion exchange materials, *Membrane transport, *Membranes, Microstructure, Heating, Temperature dependence, Hydrophilic polymers, Perfluoro compounds, Polymeric films, Swelling, Corrosive gases, Permeability, Small angle scattering, Carbon dioxide, Separation processes, Reprints, Ionomers.

Poly(perfluorosulfonic acid) ionomer films were subjected to a heat treatment, with a low volatility polar solvent, which swells the film. These swollen films were used as supports for liquid membranes using

water as a solvent. The diffusive and facilitated transport of acid gases was measured and found to be greatly increased in these membranes versus untreated ones. Microstructural analysis of the films, using small angle X-ray scattering, indicates that there is an increase in the size of the ionic (hydrophilic) clusters. The increase in ionic cluster size correlates with the observed increase in permeability of the acid gases. The effective diffusion coefficient of the carbon dioxide carrier complex (determined from a model for facilitated transport) has increased by 1-2 orders of magnitude, while that of the carbon dioxide alone has increased only 4-fold over the same range of heat treatment conditions. The microstructural changes persist over extended periods of time, and therefore the heat treatment is possibly a practical means of increasing permeability for this polymer in commercial applications. In limited tests it has been previously confirmed that the selectivity of the treated membranes for carbon dioxide versus carbon monoxide remains high, with separation factors of 126 to 70.

100,324

PB91-174813

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.

Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micas.

Final rept.

E. J. Heilweil, M. P. Cassassa, R. R. Cavanagh, and J. C. Stephenson. 1986, 4p

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.

Pub. in Springer Series in Chemical Physics 'Ultrafast Phenomena V', v46 p465-468 1986.

Keywords: *Vibrational states, *Alcohols, *Mica, Silanes, Deuterium compounds, Chemical bonds, Electronic states, Lifetime, Reprints, Hydroxy group, Silanols.

Vibrational energy dynamics of excited fundamental modes of ground electronic state condensed-phase molecules is suspected of playing a role in many bond-breaking physical and chemical processes. As a first step in elucidating this role, it is necessary to compare the vibrational $v=1$ lifetimes ($T_{sub 1}$) of a specific functional group in a variety of molecules and chemical environments. It should then be possible to determine whether structural or other vibrational properties of a molecular family influence that particular group's chemical reactivity.

100,325

PB91-174821

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.

Thermochemistry of Sulfoxides and Sulfones.

Final rept.

J. T. Herron. 1988, 12p

Pub. in Chem. Sulphonates Sulphoxides, p95-106 1988.

Keywords: *Sulfoxides, *Sulfones, *Sulfates, *Sulfites, *Thermochemical properties, Experimental data, Reviews, Reprints, Chemical structure.

The report is a review of the experimental data on the thermochemistry of sulfoxides, sulfones, sulfites, and sulfates, and the use of such data in developing estimation methods, deriving bond strengths, and interpreting data on the thermal stability and chemical kinetics of these species. Group values are presented for the estimation of thermochemical properties using the method of group additivity.

100,326

PB91-174839

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.

Formation and Stability of SF5 and S2F10.

Final rept.

J. T. Herron, and W. Tsang. 1987, 6p

Pub. in Proceedings of International Symposium on Gaseous Dielectrics (5th), p199-204 1987.

Keywords: *Sulfur fluorides, *Sulfur hexafluoride, *Dielectric properties, *Thermal stability, Thermodynamic properties, Reaction kinetics, Water vapor, Computerized simulation, Reprints.

The simulation of the dielectric breakdown of SF6 through the use of computer modeling offers many advantages over more costly direct testing methods for determining the conditions under which potentially

toxic by-products may be generated. A complete model calculation requires a knowledge of the rate constants or cross sections for all relevant processes. A complete data base of that nature has not yet been assembled. However enough data exist to begin to answer some of the pressing questions regarding the formation and stability of various proposed reaction intermediates. Computer modeling studies have been carried out for very simple systems in order to determine the conditions under which S2F10 is formed and the role of water vapor in that process. Many other recombination products of undetermined toxicity such as S2F4, S2F6, and S2F8 can be formed following the breakdown of SF6. The thermal stability of SF5 and S2F10 is discussed and the lifetimes of these species given as a function of temperature.

100,327

PB91-174847 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Letter to Editor of Chemical and Engineering News.
Final rept.
J. T. Herron, and W. Tsang. 1987, 1p
Pub. in Chemical and Engineering News 65, n44 p3 1987.

Keywords: *Combustion, Chemical reactions, Reaction kinetics, Reprints.

This is a one-page letter to the editor of Chemical and Engineering News, on the subject of combustion chemistry.

100,328

PB91-174870 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl2 and CCl2.
Final rept.
J. W. Hudgens, and G. R. Long. 1988, 3p
Pub. in AIP Conference Proceedings, n172 p337-339 1988.

Keywords: *Electronic spectra, *Ionization, Spectrum analysis, Spectral lines, Free radicals, Isotope effect, Molecular vibration, Reprints, *Chloromethyl radicals, Rydberg states.

Resonance enhanced multiphoton ionization spectra of CHCl2 and CCl2 were observed between 355-375 nanometers (nm) via a 2 + 1 excitation process. Electronic origins tentatively assigned to 3d Rydberg states were observed at 370.1 nm (frequency = 54,024 per cm) for CHCl2 and at 370.4 nm (frequency = 53,980 per cm) for CCl2. The C-Cl symmetric stretch frequencies are 845 per cm in CHCl2 and 814 per cm in CCl2.

100,329

PB91-174995 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
Final rept.
D. W. Lindle, P. L. Cowan, T. Jach, R. E. LaVilla, R. D. Deslattes, and R. C. C. Perera. 1991, 14p
Sponsored by Department of Energy, Washington, DC. Pub. in Physical Review A 43, n5 p2353-2366, 1 Mar 91.

Keywords: *Chloromethanes, *Methyl chloride, *Dichlorodifluoromethane, Polarization(Waves), Synchrotron radiation, X ray fluorescence, Molecular orbitals, X rays, Reprints, *Chlorotrifluoromethane, *Trichlorofluoromethane.

A new technique sensitive to molecular orientation and geometry, and based on measuring the polarization of x-ray emission, has been applied to the Cl-containing molecules methyl chloride (CH3Cl) and the chlorofluoromethanes (CF3Cl, CF2Cl2, and CFC13) in the gas phase. Upon selective excitation using monochromatic synchrotron radiation in the Cl K-edge (Cl 1s) near-threshold region, polarization-selective x-ray emission studies reveal highly polarized molecular valence x-ray fluorescence for all four molecules. It is shown that the polarized x-ray emission technique can be used to infer, directly from experiment, symmetries of occupied and unoccupied valence molecular orbitals, anisotropies in absorption and emission, and orientational and geometrical information. It is suggested that the x-ray polarized-fluorescence phenomenon, re-

ported here for simple molecules, can be used as a new approach to study more complicated systems in a variety of environments.

100,330

PB91-175059 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
Final rept.
R. Liu, T. J. Wallington, P. Dagaut, and M. J. Kurylo. 1989, 4p
Pub. in Wuli Huaxue Xuebao 5, n2 p210-213 1989.

Keywords: *Hydroxy radicals, *Ethers, *Reaction kinetics, Chemical reactivity, Photolysis, Reprints, Chemical functional groups, Gas phase.

The absolute rate constant was determined for the gas phase reaction of OH radicals with diethoxy methane using the flash photolysis resonance fluorescence technique. $\text{OH} + \text{CH}_3\text{CH}_2\text{OCH}_2\text{OCH}_2\text{CH}_3 \rightarrow \text{products}$ (1) Experiments were performed at total pressures (using Ar diluent gas) between 25-50 torr. The authors' earlier kinetic measurements for normal aliphatic mono-ethers are used to calculate reactivity values for CH3 and CH2 which are significantly enhanced over those in normal alkanes. These values predict the rate constant for reaction (1) quite accurately, indicating that there is no further reactivity enhancement due to the second functional group.

100,331

PB91-175133 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
Final rept.
W. Tsang, Y. Z. He, W. G. Mallard, and J. P. Cui. 1988, 8p
Pub. in Shock Tubes and Waves, p467-474 1988.

Keywords: *Hydrogen, *Atoms, *Reaction kinetics, Displacement reactions, Thermodynamics, Shock tubes, Reprints, *Chlorotoluenes, Hydrogen atom abstraction.

The hydrogen atom induced decomposition of para and ortho chlorotoluene was studied in single pulse shock tube experiments. The hydrogen atoms are generated through the decomposition of trace quantities of hexamethylethane in large excesses of the chlorotoluene. The displacement products, chlorobenzene and toluene, are directly detected. The importance of the abstraction channel is determined by the difference between the total amount of isobutene, produced in equal molar quantities with the H-atoms, and the displacement products. With rate constants for hydrogen atom attack on methane as internal standards, the rate expressions for the three parachlorotoluene decomposition channels have been found to be, $k(\text{H} + \text{p-C}_6\text{H}_4\text{CH}_3) = 9.6 \times 10^{-10}$ to the 10th power $\text{Exp}(-4265/\text{T})$ l/mol-s $k(\text{H} + \text{p-C}_6\text{H}_4\text{CH}_3 - \text{CH} + \text{C}_6\text{H}_5) = 3.5 \times 10^{-10}$ to the 10th power $\text{Exp}(-3710/\text{T})$ l/mol-s $k(\text{H} + \text{p-C}_6\text{H}_4\text{CH}_3 - \text{Cl} + \text{C}_6\text{H}_4\text{CH}_3) = 4.8 \times 10^{-10}$ to the 10th power $\text{Exp}(-4795/\text{T})$ l/mol-s at 1010 - 1130. The measurements for orthochlorotoluene are more difficult due to the presence of toluene and chlorotoluene impurities. The rate constants for the comparable processes are close to that for the parachloro compound and have been found to be factors of 1.2, 1.3, and 1.1 of the values given above. The authors results are compared with previously published numbers of toluene and phenol.

100,332

PB91-175174 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.
Molecular Spectroscopy Division of the National Bureau of Standards.
Final rept.
A. Weber. 1987, 2p
Pub. in Applied Spectroscopy 41, n6 p1085-1086 1987.

Keywords: *Molecular spectroscopy, US NBS, Research, Reprints.

The report is a brief description of the activities of the Molecular Spectroscopy Division at the National Bureau of Standards.

100,333

PB91-175257 Not available NTIS
National Bureau of Standards (NML), Boulder, CO. Chemical Engineering Science Div.
Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology.
Final rept.
G. F. Slaff. 1987, 1p
Pub. in Jnl. of American Chemical Society 109, n5 p1606 1987.

Keywords: *Phase, *Partition, Solvent extraction, Separation, Reviews, Biotechnology, Reprints, *Aqueous systems.

This is a review of the book, 'Partitioning in Aqueous Two-Phase Systems'.

100,334

PB91-175505 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Rotational Predissociation, Vibrational Mixing, and van der Waals Intermolecular Potentials of NeDF.
Final rept.
C. M. Lovejoy, and D. J. Nesbitt. 1991, 16p
Grant NSF-CHE86-05970
Sponsored by National Science Foundation, Washington, DC.
Pub. in Jnl. of Chemical Physics 94, n1 p208-223, 1 Jan 91.

Keywords: *Neon complexes, Van der Waals forces, Hydrogen fluoride, Deuterium compounds, Supersonic jet flow, Infrared spectroscopy, Laser spectroscopy, Binding energy, Near infrared radiation, Predissociation, Neon 20, Neon 22, Potentials, Reprints.

The near-infrared spectrum of NeDF formed in a slit free jet expansion is recorded with a high resolution, tunable laser spectrometer. Four bands, consisting of the DF stretching fundamental and three internal rotation and van der Waals stretch combination bands, are observed and analyzed for both the 20Ne and 22Ne isotopomers. All three combination bands reveal a sudden onset of rotational predissociation at modest J, which is modeled with effective one-dimensional potentials to determine the binding energy. The experimental results are compared with predictions of a recently published ab initio anisotropic potential surface, and an improved potential is developed and tested.

100,335

PB91-175562 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Direct Determination of Molecular Orbital Symmetry of H2S Using Polarized X-ray Emission.
Final rept.
R. Mayer, D. W. Lindle, S. H. Southworth, and P. L. Cowan. 1991, 7p
Pub. in Physical Review A 43, n1 p235-241, 1 Jan 91.

Keywords: *Hydrogen sulfide, *Molecular orbitals, Polarization(Waves), Emission spectra, X rays, Symmetry, Reprints.

X-ray emission from the molecule H2S is strongly polarized following excitation of a sulfur K-shell electron to an unoccupied subthreshold molecular orbital with a polarized x-ray beam. Changes in the polarization of the emission spectrum are observed as the incident beam's energy is swept across the subthreshold absorption resonance. The previously unresolved absorption resonance is shown experimentally to be primarily associated with a molecular orbital of b2 symmetry, but with a high-excitation-energy component due to an orbital with a1 symmetry. Satellite emission intensity is shown to depend on the primary photon energy, and is therefore associated with multivacancy effects and not with contamination, as previously suggested.

100,336

PB91-187138 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Chemical Physics.

CHEMISTRY

Physical & Theoretical Chemistry

Concerning the Formation and the Kinetics of Phenylum Ions.

Final rept.
P. Ausloos, S. G. Lias, T. J. Buckley, and E. E. Rogers. 1989, 13p
Pub. in International Jnl. Mass Spectrom. Ion Processes 92, p65-77 1989.

Keywords: *Reaction kinetics, Organic ions, Isomerization, Hydrocarbons, Molecular structure, Potential energy, Reprints, *Phenylum ions, Ion molecule reactions, Halobenzenes, Pulsed ion cyclotron spectrometry.

Kinetic measurements carried out in a pulsed ion cyclotron spectrometer show that C₆H₅(+) ions formed in unimolecular and bimolecular processes can exhibit two populations of different reactivities. As expected, ground-state singlet phenylum ions are predominantly formed in low energy processes, while higher energy isomeric (mainly acyclic) ions appear in the high energy electron impact fragmentation of C₆H₆ and halobenzenes, as well as in highly exothermic ion/molecule reactions. The energy barrier for ring opening was estimated to be 2.0 + or - 0.3 eV, in reasonably good agreement with theory. Phenylum ions react readily with hydrocarbons and polar molecules. By means of isotopic labelling it was shown that alkanes transfer H₂ via a two-stage process consisting of the transfer of H(-) to the phenylum ion followed by a transfer in the complex of H(+) to the resulting benzene moiety. Cyclopropane was found to transfer CH₂ to the phenylum ion in a direct concerted process. In contrast, reaction with unsaturated hydrocarbons involves extensive hydrogen and carbon atom scrambling. Contrary to earlier findings phenylum ions were found to react at least ten times faster with acetylene than the other C₆H₅(+) isomer(s).

100,337
PB91-187195 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Thermodynamics Div.

Critical Exponent for the Viscosity of Four Binary Liquids.

Final rept.
R. F. Berg, and M. R. Moldover. 1988, 11p
Contract NASA-C-86129D
Sponsored by National Aeronautics and Space Administration, Cleveland, OH. Lewis Research Center.
Pub. in Jnl. of Chemical Physics 89, n6 p3694-3704 1988.

Keywords: *Viscosity, *Binary mixtures, *Liquids, Viscosity, Viscoelasticity, Critical temperature, Reprints.

We have measured the viscosity of four binary mixtures near their consolute points: (1) methanol + cyclohexane, (2) isobutyric acid + water, (3) nitroethane + 3-methylpentane, and (4) 2-butoxyethanol + water. The viscosity data are consistent with the power-law divergence: η approximately equal to $(T - T_c)^{-y}$, with an apparent viscosity exponent in the range $0.0404 < y < 0.0444$. Recent theoretical estimates for y are near 0.032, which is outside the experimental range. The value of y is independent of whether the critical point is an upper or a lower consolute point and of whether the approach toward T_c is at constant pressure or at constant volume. Our torsion oscillator viscometer is unique in its simultaneous low frequency (1 Hz) and low shear rate (0.1/s), allowing its use close to the critical point before encountering non-Newtonian fluid behavior associated with critical slowing down. Nevertheless, we find quantitative evidence for viscoelasticity near the critical point.

100,338
PB91-187435 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Radiometric Physics Div.

Shape Resonances in Molecular Fields.

Final rept.
J. L. Dehmer, D. Dill, and A. C. Parr. 1988, 23p
See also DE84009206.
Pub. in Fundamental Processes of Atomic Dynamics, p541-563 1988.

Keywords: Electron-molecule collisions, Electron scattering, Photoionization, Molecular models, Spectroscopy, Nitrogen, Reprints, *Shape resonances.

A shape resonance is a quasibound state in which a particle is temporarily trapped by a potential barrier (i.e., the shape of the potential), through which it may eventually tunnel and escape. This simple mechanism

plays a prominent role in a variety of excitation processes in molecules, ranging from vibrational excitation by slow electrons to ionization of deep core levels by x-rays. Moreover, their localized nature makes shape resonances a unifying link between otherwise dissimilar circumstances. One example is the close connection between shape resonances in electron-molecule scattering and in molecular photoionization. Another is the frequent persistence of free-molecule shape resonant behavior upon adsorption on a surface or condensation into a molecular solid. The main focus of the article is a discussion of the basic properties of shape resonances in molecular fields, illustrated by the sigma(sub u) shape resonance in N₂. Other aspects to be discussed are vibrational effects of shape resonances, connections between shape resonances in different physical settings, and examples of shape resonant behavior in more complex cases, which form current challenges in the field.

100,339
PB91-187658 (Order as PB91-187617, PC A06/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
Y. C. Wu, W. F. Koch, and K. W. Pratt. 1991, 11p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n2 p191-201 Mar/Apr 91.

Keywords: *Primary standards, *Aqueous electrolytes, *Potassium chloride, *Standards, Electrical conductivity, *Electrolytic conductivity, Cell constants, Demal.

An absolute determination of aqueous electrolytic conductivity has been made for 0.01 molal (m) and 0.1 m potassium chloride solutions, over the temperature range of 0 to 50 C in 5 degree intervals. A cell with a removable center section of accurately known length and area was used for the measurements. Values were adjusted to be in conformity with the ITS-90 temperature scale. The overall uncertainty over the entire temperature range is estimated to be 0.03%. Values at 25 C for 0.01 and 0.1 m are 0.00140823 and 0.0128246 S/cm, respectively. It is proposed that these values be adopted as primary standards for aqueous electrolytic conductivity, replacing the demal scale.

100,340
PB91-189233 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Thermodynamics Div.
Combustion Calorimeters.
Final rept.
E. S. Domalski. 1990, 61p
Pub. in Advances in Calorimetry and Thermochemistry, v1 p51-111 1990.

Keywords: *Heat measurement, *Combustion, *Calorimetry, Physical chemistry, Thermodynamics, Reviews, Thermochemistry, US NBS, Reprints.

The paper provides a survey of ongoing activities in combustion calorimetry in the Chemical Thermodynamics Division at the National Bureau of Standards (NBS), USA. For some time, many physical chemists have felt that the frontiers of combustion calorimetry have disappeared and that little novelty or innovation is required for the application of the technique. Moreover, they also felt that the impact of new developments in the area of physical chemistry would not be very significant. The paper seeks to demonstrate that significant innovation in combustion calorimetric methods is occurring, and that significant accomplishments have been made and should be expected for the future in the area of research.

100,341
PB91-189241 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
How Does Surface Roughness Affect Polymer-Surface Interactions.
Final rept.

J. F. Douglas. 1989, 10p
Pub. in Macromolecules 22, n9 p3707-3716 Sep 89.

Keywords: *Surface roughness, *Fractals, *Adsorption, *Fluid-solid interactions, *Polymers, Liquid-solid interfaces, Entropy, Mathematical models, Monte Carlo Method, Invariance, Reprints.

A simple model is introduced to qualitatively describe the effect of surface roughness on the properties of

surface interacting polymers and comparison is made with recent Monte Carlo data and renormalization group calculations. The model indicates that increasing the surface irregularity (i.e. the fractal dimension) has the effect of enhancing polymer-surface interactions relative to the idealized planar interface. This is a consequence of a greater probability of polymer-surface intersection with increasing roughness. It is also argued that adsorption occurs more readily on fractal surfaces since then adsorption requires a smaller 'entropic price'. A rough surface (fractal dimension = 3) may adsorb a polymer when a corresponding smooth surface (fractal dimension = 2) of the same material will not adsorb. Roughness can thus alter the effective polymer-surface interaction in a fundamental way.

100,342
PB91-189381 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Thermophysics Div.
Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States.
Final rept.
J. S. Gallagher, and J. M. H. Levelt Sengers. 1988, 13p
Pub. in International Jnl. of Thermophysics 9, n5 p649-661 1988.

Keywords: *Sodium chloride, *Solutions, *Thermodynamic properties, *Phase transformations, Aqueous electrolytes, Steam, Helmholtz free energy, Critical pressure, Critical temperature, Mathematical models, Reprints, *Apparent molar specific heat, *Apparent molar volume, Corresponding states.

Recent precise data on anomalous behavior of apparent molar properties of electrolyte solutions in near-critical steam have raised important questions as to how the thermodynamic properties of these systems should be described. Current Gibbs free energy models fail for highly compressible solutions. Here, a Helmholtz free energy formulation is presented as a first step in modelling compressible dilute aqueous electrolyte solutions. Comparisons are made with the known critical line, coexistence curves, apparent molar volumes and specific heats of NaCl in steam, and conclusions presented on improving the model.

100,343
PB91-189415 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.
Spectroscopic Constants for the nu9 Infrared Band of HNO₃.
Final rept.
A. Goldman, A. G. Maki, C. J. Howard, J. B. Burkholder, and R. Escribano. 1988, 6p
Pub. in Jnl. of Molecular Spectroscopy 131, n1 p195-200 1988.

Keywords: *Nitric acid, *Spectrum analysis, *Infrared spectroscopy, Vibrational spectra, Rotational spectra, Atmospheric chemistry, Air pollution, Reprints.

High resolution infrared measurements have been made on the nu 9 band of HNO₃ from 414 to 500/cm. Over 2300 transitions have been measured, assigned, and fit to obtain 14 ro-vibrational constants for the nu9=1 state that reproduce the observed spectrum with a RMS deviation of 0.0004/cm. The band center for nu 9 is at 458.2887 + or - 0.0005/cm.

100,344
PB91-189431 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Thermophysics Div.
Effect of Long Range Interfacial Forces on the Dynamics of Wetting Layers at a Liquid Vapor Interface.
Final rept.
J. L. Harden, and R. F. Kayser. 1989, 10p
Pub. in Jnl. of Colloid and Interface Science 127, n2 p548-557 1989.

Keywords: *Liquid-vapor interfaces, Van der Waals forces, Light scattering, Capillary waves, Thickness, Wetting, Reprints.

For certain binary liquid solutions, the denser fluid will form a thin wetting layer between the less dense fluid and the vapor. The authors consider the possible effect of interfacial van der Waals forces on the capillary waves residing on such wetting layers. In the limit where wetting layer thickness, h, is much smaller than

the capillary wavelength, they find a damped peristaltic mode that behaves as $(\omega/\lambda)^2$ varies as (k/λ^2) for typical wave numbers. Such a mode, if observable, could provide an alternate means of measuring wetting layer thicknesses and could be used to check the dependence of wetting layer thickness on long range interfacial forces.

100,345

PB91-189514 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Thermophysics Div.

Mobility Fluctuations and Electrophoretic Light Scattering from Macromolecular Solutions.

Final rept.
J. B. Hubbard, and D. A. McQuarrie. 1988, 15p
Pub. in Jnl. of Statistical Physics 52, n5-6 p1247-1261 1988.

Keywords: *Macromolecules, Light scattering, Stochastic processes, Electrophoresis, Solutions, Mobility, Reprints.

The authors discuss the origins and the effects of mobility fluctuations of rigid, globular macromolecules on a solution's electrophoretic light scattering spectrum. Assuming a dilute solution, a modified van Hove self-correlation function is calculated via van Kampen's time-ordered cumulant method, and the results are compared with less rigorous approaches. The consequences of generalizing to dynamic external fields are briefly considered.

100,346

PB91-189548 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.

Electronic Spectrum of the GeH₃ Radical.

Final rept.
R. D. Johnson, J. W. Hudgens, and B. P. Tsai. 1988, 6p
Pub. in Jnl. of Chemical Physics 89, n8 p4558-4563 1988.

Keywords: Free radicals, Rydberg states, Vibrational states, Chemical reactions, Chlorine, Fluorine, Reprints, *Germyl radicals, Multiphoton ionization.

The germyl (GeH₃) radical has been observed by resonance enhanced multiphoton ionization (REMPI) spectroscopy in the region of 370 - 430 nm. The spectrum arises from two-photon resonances with the 5p doublet A double prime, sub 2 (D sub 3h) Rydberg state that possesses an origin at 419.1 nm ($\nu(0-0)=47,705/\text{cm}$). A vibrational progression of 758/ cm was assigned to the 'umbrella' mode, ν' sub 2. The observed X doublet A sub 1 (C sub 3V) (V double prime, sub 2) = 2 to (V double prime, sub 2) = 0 vibrational interval is 663/ cm which leads to an estimated barrier to inversion of 1530/ cm .

100,347

PB91-189613 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Thermodynamics Div.

Energy of Combustion of Triphenylphosphate.

Final rept.
D. R. Kirklin, and E. S. Domalski. 1989, 8p
Pub. in Jnl. of Chemical Thermodynamics 21, n5 p449-456 1989.

Keywords: *Heat of combustion, *Heat of formation, Phosphorus organic acid esters, Heat measurement, Heat of fusion, Heat of vaporization, Reprints, *Triphenylphosphate.

The enthalpy of combustion of crystalline triphenylphosphate was measured in the NBS aneroid adiabatic rotating calorimeter. The standard molar enthalpy of combustion at 298.15 K and 1 bar $P(\text{O})=100,000\text{Pa}$ for the reaction: $\text{C}_{18}\text{H}_{15}\text{PO}_4(\text{cr}) + 21 \text{O}_2(\text{g}) = 18 \text{CO}_2(\text{g}) + (\text{H}_3\text{PO}_4 + 6 \text{H}_2\text{O})(\text{aq})$ is $(9259.31 \pm \text{or} - 4.96) \text{ kJ/mol}$. The derived enthalpy of formation for crystalline triphenylphosphate is $(-829.26 \pm \text{or} - 5.72) \text{ kJ/mol}$. Enthalpies of formation of the liquid and gas phases were calculated using literature values of the enthalpies of fusion and vaporization. Group contribution values were derived for estimating enthalpies of formation of aromatic phosphates in the gas, liquid, and solid phases.

100,348

PB91-189639 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.

Hydrogen Bonding in Pt Ammine Complexes.

Final rept.
M. Krauss, K. J. Miller, and H. Basch. 1988, 4p
Pub. in Chemical Physics Letters 148, n6 p577-580 1988.

Keywords: *Platinum complexes, *Amino compounds, *Bonding strength, *Hydrogen bonds, Oligonucleotides, Mathematical models, Calculation methods, Guanines, Formaldehyde, Carbonyl compounds, Ligands, Reprints.

Intra- and inter-ligand hydrogen bonding stabilize the binding of Pt ammine complexes to oligonucleotides. Model calculations explore the energetics of intra-ligand binding of the ammine to G(06) in PtA3G (A=ammine, G=guanine) and the inter-ligand binding of a carbonyl oxygen to the ammine in a complex of PtA4 and formaldehyde. Hydrogen bonding interaction to the G(06) site yields a weak bonding interaction but permits the close approach of the guanine(06) and ammine(H) atoms. Inter-ligand hydrogen bonding is strong as expected for an optimal ionic hydrogen bond.

100,349

PB91-189837 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Thermophysics Div.

Modelling Aqueous Solutions Near the Critical Point of Water.

Final rept.
G. Morrison. 1988, 21p
Pub. in Jnl. of Solution Chemistry 17, n9 p887-907 1988.

Keywords: *Aqueous electrolytes, *Solutions, *Thermodynamic properties, *Partial molar volume, Water, Dilution, Critical temperature, Critical pressure, Helmholtz free energy, Mathematical models, Reprints, *Nonelectrolytes, *Partial molar isobaric thermal expansion.

The thermodynamic properties of a dilute solution near the critical point of the solvent are discussed. Two examples are discussed, a solution of a nonelectrolyte and a solution of an electrolyte. The limiting behavior of the electrolyte solutions is modelled with a Debye-Huckel term in the Helmholtz free energy. The partial molar properties, in particular the volume and isobaric thermal expansion are examined in detail. The derivation of these properties is introduced by considering the geometry of the thermodynamic surfaces near to and far from the critical point of the solvent. The authors conclude that the properties of solutions near the solvent critical point are dominated by that feature; solution properties cannot be adequately modelled without including the functional forms associated with the critical point.

100,350

PB91-189845 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

Ergodic Measures for the Simulation of Dielectric Properties of Water.

Final rept.
R. D. Mountain, and D. Thirumalai. 1991, 8p
Sponsored by National Science Foundation, Washington, DC.
Pub. in Computer Physics Communications 62, p352-359 1991.

Keywords: *Water, Dielectric properties, Time intervals, Dipole moments, Computerized simulation, Hydrogen bonds, Reprints, Molecular dynamics.

The authors determine the time interval $t(\text{obs})$, required for effective ergodic convergence of the fluctuations in dipole moment which are needed for the computation of the dielectric properties of water. It is established that the value of $t(\text{obs})$ can be computed from the scaling relations obeyed by the fluctuation metric, $\Omega_{\text{sub}} \text{ mu}$ (l), associated with the time-averaged values of the dipole moment of the individual water molecules. The theoretical ideas behind $\Omega_{\text{sub}} \text{ mu}$ (l) are used to compute $t(\text{obs})$ at several temperatures for the simple point-charge model of water. It is found that $t(\text{obs})$ increases exponentially with decreasing temperature, the barrier being associated with the difficulty in making collective orientational rearrangements. For the simple point-charge model considered in the paper, the barrier for these collective motions is estimated to be 3.5 kcal/mole. The study provides a firm basis for obtaining reliable values of the dielectric properties of dipolar fluids using molecular dynamics simulations.

100,351

PB91-189852 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.

Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.

Final rept.
G. S. Nahor, S. Mosseri, P. Neta, and A. Harriman. 1988, 6p
Pub. in Jnl. of Physical Chemistry 92, n15 p4499-4504 1988.

Keywords: *Iridium oxides, *Ruthenium oxides, *Catalysts, *Water, *Hydrosols, *Photooxidation, Porphyrins, Quantum efficiency, Oxygen, Solar energy, Reaction kinetics, Reprints.

Colloids of ruthenium dioxide and iridium oxide have been prepared and characterized. These colloids, which are inherently negatively-charged in neutral water, have been stabilized with a surface layer of polyelectrolyte. Electrostatic binding occurs between the stabilized colloids and water-soluble zinc porphyrins of the opposite electronic charge. Such electrostatic forces affect the rate constant for interfacial electron transfer between the colloids and radical cations derived from the zinc porphyrins. The products of these reactions depend upon the relative charges of the reactants. For oppositely charged reactants, the rate of interaction was very high but O₂ generation was not observed. In cases where the porphyrin and colloid possess the same charge, the system can be used to oxidize water to O₂ under photochemical conditions. The yield of O₂ depends upon the solution pH and the nature of both reactants. With negatively charged reactants in alkaline solution, the authors have reported quantum efficiencies for O₂ generation in the range of 50-60%. With positively charged reactants, oxygen formation could be observed in acidic solution, although the quantum efficiencies were less than 10%.

100,352

PB91-189902 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.

Proton Affinity of Cyanogen and Ion-Molecule Reactions of C₂N₂(+).

Final rept.
S. A. H. Petrie, M. Mautner, M. J. McEwan, and C. G. Freeman. 1989, 10p
Pub. in International Jnl. of Mass Spectrometry and Ion Processes 90, n3 p241-250 1989.

Keywords: *Cyanogen, Nitriles, Reaction kinetics, Thermochemistry, Thermodynamics, Organic ions, Hydrocarbons, Carbon monoxide, Carbon dioxide, Reprints, *Proton affinity, *Ion molecule reactions.

The proton affinity (PA) of C₂N₂ has been determined by proton transfer equilibria using forward and reverse rate coefficients from SIFT measurements. The results yield a PA for CH₃Cl of $673 \pm \text{or} - 4 \text{ kJ/mol}$ and a PA for C₂N₂ of $674 \pm \text{or} - 4 \text{ kJ/mol}$ relative to a PA for C₂H₄ of $680 \pm \text{or} - 2 \text{ kJ/mol}$. C₂N₂H⁺ is also formed by the reactions of C₂N₂(+) with H₂ and H₂O. In the latter, charge transfer competes with H atom transfer, while in the reaction of C₂N₂(+) with C₂H₂ and C₂H₄, only charge transfer occurs. In each instance for these reactions of C₂N₂(+), the most exothermic channel is dominant and occurs at or near the collision rate. Rate coefficients are also reported for association (condensation) of C₂N₂(+) with CO, CO₂, C₂H₂ and C₂H₄.

100,353

PB91-189936 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Recent Developments in Applied Surface Science.

Final rept.
C. J. Powell. 1989, 2p
Pub. in Vide, Couches Minces 44, n248 p427-428 1989.

Keywords: *Surfaces, Reprints, Overviews.

An overview is given of the recent growth of applied surface science and of the recent proposal to form an Applied Surface Science Division within the International Union of Vacuum Science, Technique and Applications.

100,354

PB91-192435 Not available NTIS

CHEMISTRY

Physical & Theoretical Chemistry

American Chemical Society, Washington, DC.
Journal of Physical and Chemical Reference Data,
Volume 19, Number 4, July-August 1990.
Bimonthly rept.

D. R. Lide. c1990, 270p
See also PB91-192443 through PB91-192468 and
PB90-244658. Errata sheet inserted. Prepared in co-
operation with American Inst. of Physics, New York.
Sponsored by National Inst. of Standards and Tech-
nology, Gaithersburg, MD.
Available from American Chemical Society, 1155 16th
St., NW, Washington, DC. 20036-9976.

Keywords: *Sulfur, *Atomic energy levels, *Atomic
spectra, *Specific heat, *Entropy, *Solids, Phase
transformations, Sulfur ions, Thermodynamic prop-
erties, Enzymes, *Liquids, *Krebs Cycle, *Organic acids,
*Amino acids, *Organic compounds, Oxidation reduc-
tion reactions.

Contents:

- Energy Levels of Sulfur, S(I) Through S(XVI);
Heat Capacities and Entropies of Organic
Compounds in the Condensed Phase, Volume
II;
- The Thermodynamics of the Krebs Cycle and
Related Compounds.

100,355

PB91-192443 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Center for Atomic, Molecular and
Optical Physics.

Energy Levels of Sulfur, S I Through S XVI.

Bimonthly rept.
W. C. Martin, R. Zalubas, and A. Musgrove. c1990,
60p

Included in Jnl. of Physical and Chemical Reference
Data, v19 n4 p821-880 Jul/Aug 90. Available from
American Chemical Society, 1155 16th St., NW, Wash-
ington, DC. 20036-9976.

Keywords: *Sulfur, *Atomic energy levels, *Atomic
spectra, Sulfur ions, Ionization potentials, Electron
configurations.

Energy level data are given for the atom and all posi-
tive ions of sulfur ($Z=16$). These data have been criti-
cally compiled, mainly from published and unpublished
material on measurements and analyses of the optical
spectra. The authors have derived or recalculated the
levels for a number of the ions. In addition to the level
values in reciprocal cm and the parity, the J value and
the configuration and term assignments are listed if
known. Leading percentages from the calculated ei-
genvalues are tabulated or quoted wherever avail-
able. Ionization energies are given for all spectra.

100,356

PB91-192450 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Chemical Thermodynamics Div.

**Heat Capacities and Entropies of Organic Com-
pounds in the Condensed Phase. Volume 2.**

Bimonthly rept.
E. S. Domalski, and E. D. Hearing. c1990, 168p
Included in Jnl. of Physical and Chemical Reference
Data, v19 n4 p881-1048 Jul/Aug 90. Available from
American Chemical Society, 1155 16th St., NW, Wash-
ington, DC. 20036-9976.

Keywords: *Specific heat, *Entropy, *Liquids, *Solids,
*Organic compounds, Tables(Data), Reviews, Ther-
modynamic properties, Phase transformations.

The compilation of data on the heat capacities, entrop-
ies, and phase transitions of organic compounds in
the condensed phase supplements the document pub-
lished earlier on the subject, namely 'Heat Capacities
and Entropies of Organic Compounds in the Con-
densed Phase' by E. S. Domalski, W. H. Evans, and E.
D. Hearing, J. Phys. Chem. Ref. Data, 13, Suppl. 1,
(1984). It provides data on approximately 1300 organic
compounds. About half of the articles examined con-
tain data published prior to 1982. A total of 565 articles
have been examined, evaluated, and referenced. In
addition to values for the heat capacity and entropy at
298.15 K, phase transitions for solid/solid, solid/liquid,
and in some instances, solid/gas and liquid/gas are
tabulated as encountered from the articles examined
and evaluated.

100,357

PB91-192468 Not available NTIS
California Univ., San Diego, La Jolla. Dept. of Chemis-
try.

Thermodynamics of the Krebs Cycle and Related Compounds.

Bimonthly rept.
S. L. Miller, and D. Smith-Magowan. c1990, 25p
Grant NAB6-D0656
Prepared in cooperation with National Inst. of Stand-
ards and Technology (NML), Gaithersburg, MD. Chem-
ical Thermodynamics Div.
Included in Jnl. of Physical and Chemical Reference
Data, v19 n4 p1049-1074 Jul/Aug 90. Available from
American Chemical Society, 1155 16th St., NW, Wash-
ington, DC. 20036-9976.

Keywords: *Krebs Cycle, *Entropy, *Heat of forma-
tion, *Gibbs free energy, *Aspartic acid, *Citric acid,
*Acetic acid, *Fumaric acid, *Formic acid, *Glutamic
acid, *Succinic acid, *Organic acids, *Alanines, *Gly-
cine, Chemical equilibrium, Metabolism, Enzymes, Cat-
alysis, Oxidation reduction reactions.

A survey is made of the enthalpies of formation, third
law entropies and Gibbs energies available for Krebs
cycle and related compounds. These include formate,
acetate, succinate, fumarate, glycine, alanine, aspar-
tate and glutamate. The potential of the NAD^+/NADH
couple is recalculated based on the ethanol/acetalde-
hyde and isopropanol/acetone equilibria. The reported
enzyme catalyzed equilibrium constants of the Krebs
cycle reactions are evaluated with estimated errors.
These 28 equilibria form a network of reactions that is
solved by a least squares regression procedure giving
Gibbs energies of formation for 21 Krebs cycle and re-
lated compounds. They appear to be accurate to \pm or
 ± 0.4 kJ/mol for some compounds but \pm or ± 1 kJ/mol
in less favorable cases. This procedure indicates
which third law Δ_f and enzyme equilibria are
inaccurate, and allows very accurate Δ_f to be
determined for compounds related to the Krebs cycle
by measuring enzyme equilibrium constants.

100,358

PB91-192476 Not available NTIS
American Chemical Society, Washington, DC.

Journal of Physical and Chemical Reference Data,
Volume 19, Number 5, September-October 1990.
Bimonthly rept.

D. R. Lide. c1990, 202p
See also PB91-192484 through PB91-192534. Pre-
pared in cooperation with American Inst. of Physics,
New York. Sponsored by National Inst. of Standards
and Technology, Gaithersburg, MD.
Available from American Chemical Society, 1155 16th
St., NW, Washington, DC. 20036-9976.

Keywords: *Thermodynamic properties, Liquid
oxygen, Polyatomic gases, Thermal conductivity,
Carbon tetrafluoride, Methane, Molten salts, Phase
diagrams, Rare gases, Water.

Contents:

- Transport Properties of Fluid Oxygen;
Thermal Conductivity of Nine Polyatomic Gases
at Low Density;
The Thermal Conductivity of Methane and
Tetrafluoromethane in the Limit of Zero
Density;
Coupled Phase Diagram-Thermodynamic Analysis
of the 24 Binary Systems, $\text{A}2\text{CO}_3\text{-AX}$ and
 $\text{A}2\text{SO}_4\text{-AX}$ Where $\text{A}=\text{Li}, \text{Na}, \text{K}$ and $\text{X}=\text{Cl}, \text{F},$
 NO_3, OH ;
Equilibrium and Transport Properties of Gas
Mixtures at Low Density—Eleven Polyatomic
Gases and Five Noble Gases;
A Unified Fundamental Equation of State for the
Thermodynamic Properties of H_2O .

100,359

PB91-192484 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Thermophysics Div.

Transport Properties of Fluid Oxygen.

Bimonthly rept.
A. Laesecke, R. Krauss, K. Stephan, and W. Wagner.
c1990, 34p
Prepared in cooperation with Stuttgart Univ. (Germany,
F.R.). Inst. fuer Technische Thermodynamik und Ther-
mische Verfahrenstechnik, and Ruhr Univ., Bochum
(Germany, F.R.). Inst. fuer Thermo- und Fluidodynamik.
Included in Jnl. of Physical and Chemical Reference
Data, v19 n5 p1089-1122 Sep/Oct 90. Available from
American Chemical Society, 1155 16th St., NW, Wash-
ington, DC. 20036-9976.

Keywords: *Liquid oxygen, *Oxygen, Transport prop-
erties, Thermal conductivity, Viscosity, Equations of
state, Graphs(Charts).

Supplementing the recently completed IUPAC tables
for the thermodynamic properties of oxygen, the paper
presents a data evaluation of the transport properties,
viscosity, and thermal conductivity. From a compre-
hensive literature survey the available data have been
compiled, and their quality was assessed. Selected
measurements were correlated to generate skeleton
tables of the most reliable data along the vapor-liquid
coexistence curve and for the fluid region at pressures
from 0.1 to 100 MPa and at temperatures from 70 to
1400 K. The set of correlations which was developed
includes residual concept formulations as well as
transport equations of state. These allow the direct
calculation of viscosities and thermal conductivities
from pressure and temperature as input variables. The
simplified crossover model was employed to represent
the enhancement of the thermal conductivity in the
critical region.

100,360

PB91-192492 Not available NTIS
Universidad Autonoma Metropolitana, Mexico City,
Dept. of Fisica.

**Thermal Conductivity of Nine Polyatomic Gases at
Low Density.**

Bimonthly rept.
F. J. Uribe, E. A. Mason, and J. Kestin. c1990, 14p
Grants NSF-CHE85-09416, NSF-CHE88-19370
Prepared in cooperation with Brown Univ., Providence,
RI. Sponsored by National Science Foundation, Wash-
ington, DC., and National Inst. of Standards and Tech-
nology, Gaithersburg, MD.
Included in Jnl. of Physical and Chemical Reference
Data, v19 n5 p1123-1136 Sep/Oct 90. Available from
American Chemical Society, 1155 16th St., NW, Wash-
ington, DC. 20036-9976.

Keywords: *Polyatomic gases, *Thermal conductivity,
Nitrogen, Oxygen, Nitrogen oxide(NO), Nitrogen
oxide(N_2O), Carbon monoxide, Carbon dioxide,
Carbon tetrafluoride, Sulfur hexafluoride, Methane,
Tables(Data).

The authors present a complete set of easily program-
mable computer algorithms, and a set of numerical
tables, for the thermal conductivities of the nine gases:
 N_2 , O_2 , NO , CO , CO_2 , N_2O , CH_4 , CF_4 , and SF_6 . This
complements their earlier corresponding-states work
on the equilibrium and transport properties of these
gases (J. Phys. Chem. Ref. Data 16, 445 (1987); 17,
255 (1988)). The results embrace the temperature
range from $T^* = kT/\epsilon = 1$ up to a nominal
upper limit of 3000 K. The accuracy achieved is spec-
ified, and the correlation can be used in a predictive
mode.

100,361

PB91-192500 Not available NTIS
Imperial Coll. of Science and Technology, London
(England), Dept. of Chemical Engineering and Chemi-
cal Technology.

**Thermal Conductivity of Methane and Tetrafluoro-
methane in the Limit of Zero Density.**

Bimonthly rept.
M. J. Assael, J. Millat, V. Vesovic, and W. A.
Wakeham. c1990, 11p
Sponsored by National Inst. of Standards and Tech-
nology, Gaithersburg, MD., Department of Industry,
London (England), and Rostock Univ. (German D.R.).
Included in Jnl. of Physical and Chemical Reference
Data, v19 n5 p1137-1148 Sep/Oct 90. Available from
American Chemical Society, 1155 16th St., NW, Wash-
ington, DC. 20036-9976.

Keywords: *Carbon tetrafluoride, *Methane, *Thermal
conductivity, Polyatomic gases, Transport properties,
Tables(Data).

The paper presents accurate representations of the
thermal conductivity of methane and tetrafluorometh-
ane in the limit of zero density. The theoretically-based
correlations provided are valid for the temperature
range 120-1000 K and 280-750 K for methane and tet-
rafluoromethane respectively. The methane correla-
tion has associated uncertainties of \pm or $\pm 2\%$ be-
tween 300 and 500 K, rising to \pm or $\pm 2.5\%$ at the low,
and \pm or $\pm 4\%$ at the high, temperature extremes. The
tetrafluoromethane correlation has uncertainties of
1% between 280 K and 450 K, rising to \pm or $\pm 5\%$
at the highest temperature. A comparison with some ear-
lier correlations is given. The paper also includes an
improved correlation for the temperature dependence
of the zero-density viscosity of tetrafluoromethane.

100,362

PB91-192518 Not available NTIS
Ecole Polytechnique, Montreal (Quebec).**Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A2CO3-AX and A2SO4-AX Where A=Li, Na, K and X=Cl, F, NO3, OH.**
Bimonthly rept.

Y. Dessureault, J. Sangster, and A. D. Pelton. c1990, 30p

Sponsored by American Ceramic Society, Columbus, OH., and National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n5 p1149-1178 Sep/Oct 90. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Molten salts, *Phase diagrams, Thermodynamic properties, Lithium halides, Sodium halides, Potassium halides, Chlorides, Carbonates, Fluorides, Nitrates, Sulfates, Hydroxides.

A complete bibliographic search for all thermodynamic and phase diagram data on the 24 binary systems A2CO3-AX and A2SO4-AX (where A=Li, Na, K and X=F, Cl, OH, NO3) was carried out. A computer-assisted simultaneous evaluation of all data was performed in order to obtain optimized equations for the thermodynamic properties of the phases. A re-evaluation of the thermodynamic data for several of the pure salts was also carried out. The optimized thermodynamic parameters are reported as well as the phase diagrams calculated from these equations. These are considered to be the best evaluated phase diagrams which can be deduced from the data currently available. Estimated error limits of all binary assessments are given.

100,363

PB91-192526 Not available NTIS
Brown Univ., Providence, RI. Div. of Engineering.**Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.**
Bimonthly rept.

J. Bzowski, J. Kestin, E. A. Mason, and F. J. Uribe. c1990, 44p

Grant NANB7-D0703

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n5 p1179-1232 Sep/Oct 90. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Polyatomic gases, *Rare gases, Transport properties, Chemical equilibrium, Mixtures, Algorithms.

The paper uses results from statistical-mechanical theory, applied through a combination of an extended principle of corresponding states with some knowledge of intermolecular potentials, to the calculation of the transport and equilibrium properties of gas mixtures at low density. The gases involved are: N2, O2, NO, CO, CO2, N2O, CH4, CF4, SF6, C2H4, C2H6, and He, Ar, Ne, Kr, Xe. The properties included are: second virial coefficient, viscosity, diffusion, and thermal diffusion, but not thermal conductivity. The calculations are internally, thermodynamically consistent and the resulting algorithms, which are fully programmable, operate in an entirely predictive mode by means of validated combination rules. The paper is a sequel to one on the five noble gases and all their possible mixtures and a second on the above eleven polyatomic gases. The paper contains ten tables (mainly intended for the checking of computer codes) and 201 graphs of deviation and comparison plots.

100,364

PB91-192534 Not available NTIS
British Columbia Univ., Vancouver. Dept. of Mechanical Engineering.**Unified Fundamental Equation for the Thermodynamic Properties of H2O.**
Bimonthly rept.

P. G. Hill. c1990, 42p

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n5 p1233-1274 Sep/Oct 90. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Water, *Thermodynamic properties, Equations of state, Compressive properties, Acoustic velocity, Specific heat, Graphs(Charts).

A new unified equation of state for H2O is presented, which includes the revised and extended scaling equation of Levelt Sengers, Kamgar-Parsi, Balfour and Sengers, is continuous over all single phase states of H2O from triple point pressure and temperature to 1000 MPa (or the melting line) and 1000 C and provides accurate representation of existing thermodynamic data in that range. In addition it provides a smooth transition from singular critical region functions to the nonsingular far-field functions. This is demonstrated by the variations of isochoric specific heat, isothermal compressibility, speed of sound, specific heat ratio and coexistence line properties in the critical region.

100,365

PB91-192542 Not available NTIS
American Chemical Society, Washington, DC.**Journal of Physical and Chemical Reference Data, Volume 19, Number 6, November-December 1990.**
Bimonthly rept.

D. R. Lide. c1990, 389p

See also PB91-192559 through PB91-192583. Errata sheet inserted. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Research, Thermal conductivity, Viscosity, Rare gases, Line spectra, Stark effect, Polyatomic molecules, Molecular energy levels, Vibrational states, Organic nitrogen compounds, Amines, Thermodynamic properties, Thermophysical properties, Transient molecules.

Contents:

The Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point up to 5000 K in the Limit of Zero Density and at 0.101325 MPa;

Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms (A Critical Review of Selected Data for the Period 1983 through 1988);

Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules Supplement 1; Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.

100,366

PB91-192559 Not available NTIS
Rostock Univ. (German D.R.). Fachbereich Chemie.**Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.**
Bimonthly rept.

E. Bich, J. Millat, and E. Vogel. c1990, 17p

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n6 p1289-1306 Nov/Dec 90. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Thermal conductivity, *Viscosity, *Helium, *Neon, *Argon, *Krypton, *Xenon, Transport properties, Kinetic theory, Tables(Data).

The kinetic theory of gases in the limit of zero density and that of moderately dense gases is used to generate accurate tables of the viscosity and thermal conductivity of the pure monatomic gases for zero density and for a pressure of 0.101325 MPa. The theoretically-based tables cover the temperature range from the normal boiling point of the relevant gas up to 5000 K. The associated uncertainties of the proposed data are detailed in the paper. A comparison of the correlated data with experimental results and some other recent correlations is given.

100,367

PB91-192575 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.**Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.**
Bimonthly rept.

M. E. Jacox. c1990, 160p

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n6 p1387-1546 Nov/Dec 90. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Polyatomic molecules, *Molecular energy levels, *Vibrational states, Laser induced fluorescence, Photoelectron spectroscopy, Emission spectra, Free radicals, Infrared spectra, Hydrides, Matrix isolation, Molecular ions, Radiative lifetime, Raman spectra, Ultraviolet absorption, Tables(Data), *Transient molecules.

New information on the experimentally determined vibrational and electronic energy levels of approximately 500 neutral and ionic transient molecules possessing from 3 to 16 atoms has been evaluated and added to the previously established database for these species. There has been selective extension of the compilation to somewhat less reactive species such as HNCO, HCNO, H2O2, and cis- and trans-HONO, as well as to many transient molecules which include atoms beyond the third row of the Periodic Table. Electronic spectral data are also given for a number of transient molecules which possess more than six atoms. Radiative life-times and the principal rotational constants are included. Observations in the gas phase, in molecular beams, and in rare-gas and nitrogen matrices are evaluated. The types of measurement surveyed include conventional and laser-based absorption and emission techniques, laser absorption with mass analysis, and photoelectron spectroscopy.

100,368

PB91-192583 Not available NTIS
Texas A and M Univ., College Station. Thermodynamics Research Center.**Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.**
Bimonthly rept.

J. Chao, N. A. M. Gadalla, B. E. Gammon, K. N. Marsh, A. S. Rodgers, G. R. Somayajulu, and R. C. Wilhoit. c1990, 70p

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n6 p1547-1616 Nov/Dec 90. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Organic nitrogen compounds, *Amines, *Thermodynamic properties, *Thermophysical properties, Boiling points, Freezing, Critical point, Specific heat, Vapor pressure, Enthalpy, Vaporization, Virial coefficients, Density, Combustion, Thermochemistry.

The thermodynamic and thermophysical properties of eight primary amines, methanamine, ethanamine, 1- and 2-propanamine, benzenamine, and 2-, 3-, and 4-methylbenzenamine have been evaluated. Recommended values are given for the following properties: normal boiling, freezing, and triple-point temperatures, critical constants, thermodynamic properties in the solid and liquid phases, vapor pressure, enthalpy of vaporization, density, second virial coefficients, and enthalpy of combustion. Ideal gas thermodynamic properties have been calculated by statistical mechanical methods.

100,369

PB91-194472 PC A04/MF A01
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD.**Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.**
Final rept.

R. A. Perkins, and M. T. Cieszkiewicz. Mar 91, 65p

NISTIR-3961

See also PB89-148407. Sponsored by Wright Research and Development Center, Wright-Patterson AFB, OH., and National Aeronautics and Space Administration, Cleveland, OH. Lewis Research Center.

Keywords: *Thermal conductivity, *Thermal diffusivity, *Specific heat, *Ternary systems, *Nitrogen, *Oxygen, *Argon, Binary system(Materials), Hot wire anemometers, Tables(Data), Temperature dependence, Pressure dependence, Standards, Thermodynamic properties, Measurement, Supercritical state, Mixtures, Equations of state, Correlations, Liquefied gases, Air.

Physical & Theoretical Chemistry

Experimental measurements of thermal conductivity and thermal diffusivity obtained with a transient hot-wire apparatus are reported for three mixtures of nitrogen, oxygen, and argon. Values of the specific heat, C_p , are calculated from these measured values and the density calculated with an equation of state. The measurements were made at temperatures between 65 and 303 K with pressures between 0.1 and 70 MPa. The data cover the vapor, liquid, and supercritical gas phases for the three mixtures. The total reported points are 1066 for the air mixture (78.11% nitrogen - 20.97% oxygen - 0.92% argon), 1058 for the 50% nitrogen - 50% oxygen mixture, and 864 for the 25% nitrogen - 75% oxygen mixture. Empirical thermal conductivity correlations are provided for the three mixtures.

100,370
PB91-194837 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Spectroscopy Div.
Theoretical Model of Metal Binding Sites in Proteins.
Final rept.
M. Krauss, and W. J. Stevens. 1989, 13p
Pub. in Progress in Clinical and Biological Research 289, p95-107 1989.

Keywords: *Subtilisins, *Molecular orbitals, *Binding energy, *Calcium ions, *Magnesium ions, *Sodium ions, *Proteins, *Cations, *Metals, *Reprints, *Binding sites.

Ab initio molecular orbital calculations of the binding energy of metal cations to clusters of water, formamide, and formate ligands are used to analyze Ca binding sites in proteins. The ab initio energetics of the first coordination shell provide a basis for evaluating the conformation behavior and the selectivity of cation binding. The enthalpies of binding are modeled by estimating the Born polarization energy relative to the model cluster of the first shell. The data is applied to an analysis of binding sites in the protein, Subtilisin BPN. In the study the Ca, Mg, and Na cation energetic selectivity is compared for binding to two of the sites.

100,371
PB91-194944 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.
Reflection-Extended X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge.
Final rept.
G. G. Long, D. R. Black, and D. K. Tanaka. 1989, 6p
Pub. in Materials Research Society Symposia Proceedings, v143 p157-162 1989.

Keywords: *Glassy carbon, *Graphite, *Chemical bonds, *Vitreous state, *Backscattering, *Reprints, *Extended X-ray absorption fine structure spectroscopy, *K-edge energy.

The carbon K-edge Reflection-Extended X-Ray Absorption Fine Structure (refl-EXAFS) spectra from graphite, diamond and glassy carbon have been investigated. There is good phase shift transferability between the two well-known bonding types in diamond and graphite, provided that appropriate inner potential corrections to the K-edge ($E_{\text{sub}}(0)$) are made. The model spectra from diamond and graphite were used to investigate the nature of glassy carbon. It was found that, for the particular form of glassy carbon used in the study, the bonding more closely resembled sp³ than sp². The result is preliminary pending the authors' evaluation of the influence of surface oxygen.

100,372
PB91-194951 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.
Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity.
Final rept.
G. G. Long, D. K. Tanaka, J. Kruger, G. A. Danko, and D. A. Fischer. 1989, 7p
Pub. in Physical Review B 39, n15 p651-657 1989.

Keywords: *Iron oxides, *X-ray absorption, *Proportional counters, *Photocathodes, *Thin films, *Substrates, *Surfaces, *Reprints.

Surface-EXAFS (extended x-ray absorption fine structure) measurements at atmospheric pressure were made by means of a new photocathode proportional

counter on the oxide films that form on bulk iron substrates. Both thermally-formed and chemically-formed films were studied. Near-edge spectra with effective monolayer sensitivity were used to investigate the ionicity of cations in ultra-thin films.

100,373
PB91-194985 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Chemical Technology.
PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
Final rept.
J. C. Luo, G. L. Gilliland, and H. L. Ammon. 1989, 1p
Pub. in Jnl. of Applied Crystallography 22, p186 Apr 89.

Keywords: *Crystallography, *Stereochemistry, *Graphic methods, *Crystal structure, *Computer programs, *Molecular structure, *Reprints, *PLOTMD program.

A program was written to display an HP 7550A plot file on a MicroVax II workstation. Some of the modifications of the picture that can be performed are: (1) change between 8.5 x 11 and 11 x 8.5 inch formats; (2) rotate about Z-axis; (3) move picture up-down and right-left; (4) increase or decrease picture size; (5) insert dashed lines between atoms, perhaps to indicate a weak interaction; (6) manipulate labels. Label-text information can be deleted, inserted, moved, altered and increased or decreased in size. Stereo-labeling is carried out automatically from manipulations on the left-eye image. The program is written in VAX FORTRAN(V4.0) on the MicroVMS operating system(V4.5). The graphics procedures are based on the MicroVMS workstation graphics software(V3.0). The program is implemented on a standard MicroVAX II workstation with a 20 inch monochrome monitor and a mouse.

100,374
PB91-195008 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.
Atomistic Diffusion Equations and Kinetic Forces.
Final rept.
J. R. Manning. 1989, 15p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Diffusion Analysis and Applications, p3-17 1989.

Keywords: *Diffusion, *Reaction kinetics, *Thermodynamic equilibrium, *Metals, *Theories, *Equations, *Vacancies, *Crystal structure, *Reprints.

There are two major approaches to diffusion theory, (1) the atomistic-kinetic approach in which the motions of individual atoms are followed and (2) the continuum-thermodynamic approach in which thermodynamic forces are described which move the system toward an equilibrium state by inducing atom fluxes. In the present paper, atomistic-kinetic diffusion equations are developed from a consistent point of view based on calculations of the energy change resulting from individual atom jumps. The approach, which is generally applicable, is employed here to give for the first time a fully atomistic calculation of kinetic driving forces from coherency strains, the energy of mixing and the gradient energy. Effects on the kinetic equations from vacancy concentration gradients, vacancy fluxes and dependencies of vacancy formation energy on composition are also calculated; and a general atomistic-kinetic expression for the atom flux between neighboring planes is developed. The equation is shown to provide the same type of forces and terms as those in the general thermodynamic diffusion equations. Thus, the two approaches yield identical results. They can be usefully combined to provide practical applications of diffusion theory that would not be obtained from either approach alone.

100,375
PB91-195065 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annulated Rings.
Final rept.
M. Mautner, J. F. Liebman, and S. A. Kafafi. 1988, 5p
Pub. in Jnl. of the American Chemical Society 110, n18 p5937-5941 1988.

Keywords: *Aromatic compounds, *Chemical bonds, *Aromatic polycyclic hydrocarbons, *Hydrogen ions 1

plus, Acidity, Carbon, Atomic models, Resonance charge exchange, Benzene, Pyridines, Ionization, Polarizability, Naphthalene, Indene, Semiempirical equations, Stability, Reprints, Protonation, Annulation, Charge stabilization.

Ionization by the deprotonation of benzene and pyridine, and by the protonation of pyridine, involve lone pairs in the sigma plane without significant pi effects. In these cases annulation by a benzene ring increases the acidity or proton affinity by a constant 6 + or - 1 kcal/mol, ascribed to increased polarizability. In comparison, protonation of benzene and deprotonation of cyclopentadiene disrupts or creates a 6-electron aromatic system, respectively, and in their annulated derivatives, naphthalene and indene, a secondary 4-electron conjugated pi system. These cases involving pi electrons show annulation effects that are substantially larger (13.4 kcal/mol) or smaller (1.0 kcal/mol) respectively, than just the electrostatic effect. Analysis of these data suggests that the stability of secondary 4-electron systems in the annulated rings is smaller by 6 + or - kcal/mol than the aromatic 6-electron systems. In fair agreement with Herndon's structure resonance values for these species. Annulation effects are reproduced well by Dewar's AM1 semiempirical method.

100,376
PB91-195073 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether.
Final rept.
M. Mautner, and L. W. Sieck. 1989, 11p
See also PB87-162301.
Pub. in International Jnl. of Mass Spectrometry and Ion Processes 92, p123-133 1989.

Keywords: *Organic ions, *Ethanol, *Ethyl ether, *Pyrolysis, *Reaction kinetics, *Activation energy, *Protons, *Reprints.

Above 550 K, the C₂H₅OH₂⁺ ion decomposes to yield H₃O⁺ with the loss of C₂H₄. An alternative decomposition channel is the formation of CH₃CHOH⁺, where in the H₂ lost, deuteration studies suggest that one hydrogen atom originates from hydroxyl and another from the ethyl group. The decomposition products regenerate C₂H₅OH₂⁺ by proton transfer to C₂H₅OH, forming reaction cycles that reach steady-states. At higher concentrations of C₂H₅OH, condensation with C₂H₅OH₂⁺ forms (C₂H₅)₂OH⁺, which in turn decomposes with the loss of C₂H₄ to regenerate C₂H₅OH₂⁺, resulting in another steady-state cycle. Decomposition rate constants are calculated from steady-state ion ratios, and 150-670 K are in the range of 1 to 100000/sec for all the reactions. The decompositions of C₂H₅OH₂⁺ are at the low-pressure limit and of (C₂H₅)₂OH⁺ are at the high-pressure limit at 2 - 8 torr. The decompositions show Arrhenius activation energies of 10 to 30 KJ/mol.

100,377
PB91-195131 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.
Dipole Moments of Seven Partially Halogenated Ethane Refrigerants.
Final rept.
C. W. Meyer, and G. Morrison. 1991, 7p
Pub. in Jnl. of Physical Chemistry 95, n9 p3860-3866, 2 May 91.

Keywords: *Refrigerants, *Fluorinated aliphatic hydrocarbons, *Ethane, *Dipole moments, *Gases, *Temperature dependence, *Refractivity, *Measurement, *Dielectric properties, *Polarizability, *Reprints.

Dielectric constant measurements have been performed on seven partially halogenated ethanes, currently being considered as alternative refrigerants, in the gaseous state over the range 305-415 K in order to determine their dipole moments. Argon was also studied to test the apparatus. Five of the refrigerants have temperature-independent moments: R125 (CF₃CHF₂), $\mu = 1.563 \pm 0.005$ D; R134a (CF₃CH₂F), $\mu = 2.058 \pm 0.010$ D; R152a (CHF₂CH₃), $\mu = 2.262 \pm 0.008$ D; and R124 (CF₃CHClF), $\mu = 1.469 \pm 0.012$ D. Two refrigerants have conformer-dependent moments, making their time-averaged moments temperature dependent: R134 (CHF₂CHF₂), with a moment ranging from 0.991 + or - 0.004 D at 309 K to 1.250 + or - 0.004 D at 413 K; and R143 (CHF₂CH₂F), where the moment ranges

from 1.680 + or - 0.001 D at 309 K to 1.745 + or - 0.001 D at 410 K. Accurate estimation of a molecule's temperature-dependent dipole moment requires an independent determination of its polarizability; this determination has been made from index of refraction measurements. Where possible, the present results are compared with earlier determinations of dipole moments. In all but one instance, the agreement is good.

100,378
PB91-195214 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Proton Affinities and pKa Values of Tetraalkylhydrazines.
 Final rept.
 S. F. Nelsen, M. Mautner, D. T. Rumack, and L. W. Sieck. 1988, 6p
 Pub. in Jnl. of the American Chemical Society 110, n19 p6303-6308 1988.

Keywords: *Hydrazine, *Proton affinity, *Pyridines, *Dissociation, *Tertiary amines, Alkyl compounds, Amines, Thermodynamic equilibrium, Solvation, Hydrogen ions 1 plus, Reprints, Proton affinity, Protonation.

Proton affinities for 16 saturated tetraalkylhydrazines were determined by equilibration with triethylamine, 2,6-dimethyl pyridine, and 2,6-diethylpyridine using high pressure mass spectrometry, and pKa measurements in water were made for the 14 compounds which proved soluble enough. Proton transfer equilibria for these compounds are compared with electron transfer equilibria previously measured.

100,379
PB91-195230 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Rate Constants for Reduction of Substituted Methylperoxy Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
 Final rept.
 P. Neta, S. Steenken, L. V. Shastri, R. E. Huie, S. Mosseri, J. P. Mittal, and P. Maruthamuthu. 1989, 6p
 Pub. in Jnl. of Physical Chemistry 93, n10 p4099-4104 1989.

Keywords: *Reaction kinetics, *Reduction(Chemistry), *Free radicals, Ascorbic acid, Ions, Peroxy radicals, Radiolysis, Thermodynamic equilibrium, Pulse techniques, Alkyl compounds, Reprints, Tetramethyl-p-phenylenediamine, Taft constants.

Absolute rate constants (k) for reduction of substituted methylperoxy radicals by ascorbate ions and by TMPD (N,N,N',N'-tetramethyl-p-phenylenediamine) in aqueous solutions have been determined by pulse radiolysis. The rate constants vary from 10 to the 6th power to 10 to the 9th power/M/s, increasing as the electron withdrawing capacity of the substituent on the peroxy group increases. Linear correlations are observed between log k and the Taft substituent constants sigma* for a wide variety of substituents, but not all substituents fit the same line. In the case of ascorbate as reductant, the points for peroxy radicals that contain halogens on the alpha-carbon lie on a different line (rho* = 0.41) than that for the other substituents (rho* = 1.25). In the case of TMPD there are also two families of peroxy radicals: those comprising the electron donating groups Me through t-Bu (rho* = 5.6) and those containing electron-withdrawing substituents (rho* = 0.64).

100,380
PB91-195255 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
 Final rept.
 J. M. Nicol, J. Howard, and J. Eckert. 1988, 5p
 Pub. in Jnl. of Physical Chemistry 92, n25 p7117-7121 1988.

Keywords: *Hydrogen, *Adsorption, *Zeolites, Cobalt ions, Sodium ions, Neutron scattering, Chemical bonds, Reprints, *Molecular dynamics, Vibrational spectra.

The dynamics of molecular hydrogen adsorbed in the cavities of partially cobalt exchanged type A zeolite (CoA.1Na3.8-A) has been investigated in the energy range 0-40 meV by incoherent inelastic neutron scattering. Both rotational and vibrational excitations are identified in the spectra. The rotational tunnel splitting

of the vibrational ground state of the coordinated molecular hydrogen is observed at 3.8 meV. Analysis of the data in terms of a twofold cosine potential with two degrees of rotational freedom suggests that the hydrogen molecules are bound end-on to the Co cations and perform 180 deg. reorientations with a barrier of 55-68 meV (1.3-1.5 Kcal/mole). A mode at 15.3 meV is identified as a vibration of the bound hydrogen. Evidence for the torsional mode of Al(OH)4 complexes, formed in the beta-cages during ion-exchange, is found in the vibrational spectra at 21 meV.

100,381
PB91-195297 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Quantum Metrology Group.
Anomalous Th M3O1 X-ray Emission Spectrum of ThO2.
 Final rept.
 M. Ohno, and R. E. LaVilla. 1988, 4p
 Pub. in Physical Review B 37, n18 p915-918 1988.

Keywords: *Thorium oxides, *X ray spectra, Emission spectra, Greens function, Coster-Kronig transitions, Reprints.

The Th M3O1 (triplet P(3/2)(sup -1) -> 5s(sup -1)) x-ray emission spectrum (XES) of ThO2 was measured with a high resolution vacuum double crystal spectrometer. The spectrum is the first evidence of the splitting of a 5s hole level into two main structures which are due to a strong configuration interaction; 5s(sup -1) <-> 5p(sup -1)5d(sup -1)5(n, epsilon) f super Coster-Kronig process. The O(1a) and O(1b) hole energies of ThO2 determined by the present measurements are respectively, 293.9 and 276.2 eV. A large energy shift (order of about 15 eV) to lower binding energy from the theoretically predicted atomic energies is observed even when one takes into account the atom-oxide energy shift. The cause of discrepancy is suggested to be due to a strong configuration interaction of the final 5p5d double hole.

100,382
PB91-195305 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Many Electron Effects in Lgamma2,3 X-ray Emission Spectroscopy Spectrum of BaO.
 Final rept.
 M. Ohno, and R. E. LaVilla. 1989, 7p
 Pub. in Physical Review B 39, n13 p8845-8851 1989.

Keywords: *Barium oxides, *X ray spectra, Coster-Kronig transition, Emission spectra, Greens function, Reprints.

The L(gamma 2,3)(2s(sup -1) -> 4p(sup -1)) x-ray emission spectrum (XES) of BaO was measured in fluorescence with a high resolution vacuum double crystal spectrometer. The spectrum was also calculated by the Green's function method. It is shown that the spectrum can be interpreted essentially in terms of a two level system in the final state, e.g., the 4p hole level interacting with the product of the 4p(sup -1) <-> 4d(sup -2)4f super Coster-Kronig process. It is also shown that it is necessary to take into account the 4d(sup -2)4f multiplet.

100,383
PB91-195313 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Many-Electron Effects in Lgamma2,3 XES Spectra from Rare Earth Elements.
 Final rept.
 M. Ohno, and R. E. LaVilla. 1989, 6p
 Pub. in Physical Review B 39, n13 p8852-8857 1989.

Keywords: *Neodymium oxides, *Samarium oxides, *X ray spectra, Coster-Kronig transitions, Emission spectra, Greens function, Reprints.

The L(gamma 2,3)(2s(sup -1) -> 4p(sup -1)) x-ray emission spectra of Nd2O3 and Sm2O3 were measured in order to study the strong configuration interaction between a 4p hole level and the double 4d hole 4f(sup n+1) electron levels. The spectra are calculated also using the Green's function method. The agreement between theory and experiment is reasonably good. The spectrum can be interpreted in terms of the spectral function of the final 4p hole while it is shown that the one-electron picture of the 4p hole breaks down due to the strong 4p(sup -1) <-> 4d(sup -2) 4f(sup n+1) super Coster-Kronig process.

100,384
PB91-195370 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
 Final rept.
 F. Ozturk, S. G. Lias, M. Moyni, F. W. Brill, and T. J. Buckley. 1989, 7p
 See also AD-A197 087.
 Pub. in Jnl. of Physical Chemistry 93, n10 p4038-4044 1989.

Keywords: *Acetylene, *Alkene compounds, *Alkyne compounds, Ion cyclotron-resonance, Reaction kinetics, Reprints, *Organic ions, *Diacetylene, *Butyne, Fourier transform mass spectroscopy, Ion molecule reactions.

The reactions of C5H3(1+) and C5H5(1+) ions with acetylene and diacetylene were investigated using a Fourier transform ion cyclotron resonance (FTICR) mass spectrometer. The ejection capabilities of FTICR were used to determine the reaction mechanisms and rate constants for the reactions of ions produced from a number of different precursors. While different structures could be attributed to C5H3(1+) ions produced from different precursors on the basis of reactivity, no significant differences in the rate constants of C5H5(1+) ions were observed. Different percentages of reactive C5H5(1+) structure(s) were produced from different precursors using different charge transfer gases. Formation of C5H5(1+) from norbornadiene and cycloheptatriene was studied in more detail and existence of a second formation mechanism was shown to be possible.

100,385
PB91-195735 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.
High-Temperature High-Pressure Raman Spectra from Liquid Water.
 Final rept.
 G. E. Walrafen, W. H. Yang, M. S. Hokmabadi, and G. J. Piermarini. 1988, 3p
 Pub. in Jnl. of Physical Chemistry 92, n15 p4540-4542 1988.

Keywords: *Raman spectra, *Water, Hydrogen bonds, Pressure dependence, High pressure, High temperature, Reprints, Diamond anvils.

Raman spectra were obtained from liquid water at 33 kbar and at 170 and 200 C using a diamond anvil cell. Pressures were determined from the ice VII-water melting temperatures. Comparison of the present data, with data from Lindner and Franck, indicates that the OH-stretching peak frequency, in cm(sup -1), decreases with increasing pressure at constant temperature. Further analysis of the data suggests that the double-to-single, hydrogen-bond potential-well transformation, which is known to occur for linear hydrogen bonds, also occurs for severely bent, nonhydrogen-bonded, O-H-O configurations.

100,386
PB91-200782 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
 Final rept.
 Z. B. Alfassi, S. Mosseri, and P. Neta. 1989, 6p
 Sponsored by Department of Energy, Washington, DC.
 Pub. in Physical Chemistry 93, n4 p1380-1385 1989.

Keywords: *Methylene chloride, *Peroxyl radicals, *Chlorine, *Atoms, *Reactivity, *Reaction kinetics, Radiolysis, Anilines, Chemical radicals, Phenols, Hydrogen transfer, Ethers, Reprints.

Radiolysis of dichloromethane (DCM) leads to formation of primary oxidizing radicals and carbon-centered radicals. The latter react with oxygen to yield peroxy radicals. The yields and chemical behavior of these intermediates were studied by pulse radiolysis of DCM solutions containing various solutes: phenols, anilines, dimethoxybenzene, hexamethylbenzene, cyclohexene, dimethyl sulfoxide, and zinc tetratolylporphyrin. At low concentrations, some of these solutes were found to be oxidized by two peroxy radicals, CHClO2(dot) and CHClO2O2(dot), with different rate constants. At higher concentrations, the solutes react also with the

CHEMISTRY

Physical & Theoretical Chemistry

primary radicals: Cl atoms and the radical cations $\text{CH}_2\text{Cl}_2^+(\cdot, \text{dot})$ with diffusion-controlled rate constants. The rates of these reactions were determined by competition kinetics because of the very short lifetimes of the species. Cl atoms were found to have a half-life of about 5 ns in DCM, reacting predominantly with the solvent by hydrogen abstraction. The radical cations decay within a fraction of a nanosecond. The total yield of these primary radicals was determined to be $G = 3.6$ and appears to be divided about equally between Cl and the radical cations. The total yield of oxidation, by the primary and the peroxy radicals, was found to be $G = 7.5$. Cl atoms were found to be very reactive in electron transfer as well as addition and hydrogen abstraction reactions.

100,387
PB91-202846 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.
Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
Final rept.
M. P. Casassa, J. C. Stephenson, and D. S. King.
1988, 11p
Pub. in Jnl. of Chemical Physics 89, n4 p1966-1976 1988.

Keywords: *Nitric oxide, *Photodissociation, Laser induced fluorescence, Van der Waals forces, Vibrational states, Picosecond pulses, Infrared spectra, Predissociation, Lifetime, Dimers, Reprints.

Picosecond and nanosecond lasers and pulsed molecular beam techniques have been used to measure the infrared photodissociation spectra, the product state distributions, and the predissociation lifetimes of vibrationally excited nitric oxide dimer, $(\text{NO})_2$. Results for the $\nu(1)(\nu=1)$ symmetric NO stretching mode and the $\nu(4)(\nu=1)$ antisymmetric NO stretching mode are presented. Predissociation lifetimes are determined by time-resolved laser induced fluorescence probing of the NO monomer product appearance rate. The observations are discussed in terms of various vibrational predissociation mechanisms, including vibrational potential coupling and electronically nonadiabatic predissociation.

100,388
PB91-202853 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.
Grain Boundaries in a 2-D Superlattice.
Final rept.
P. Cenedese, R. Kikuchi, and J. W. Cahn. 1988, 6p
Pub. in Materials Research Society Symposium Proceedings 122, p231-236 1988.

Keywords: *Crystal structure, *Grain boundaries, *Superlattices, *Bicrystals, Cluster analysis, Predictions, Two-dimensional calculations, Microstructure, Thermodynamic properties, Mathematical models, Gases, Dihedral angle, Wetting, Transition temperature, Critical temperature, Temperature dependence, Adsorption, Reprints.

In bicrystals with CSL orientation relationships two kinds of coincidence site lattices form, resulting in two kinds of grain boundaries. The thermodynamic properties are examined, using a lattice gas model, and make microstructural predictions about the dihedral angles at junctions between these boundaries. The behavior of these boundaries is examined for low temperatures and through the critical disordering temperature. Some aspects of nonstoichiometry are presented. A wetting transition is found at low temperatures, in which one kind of grain boundary is converted into the other by expelling antiphase domain boundary. No wetting transition is found at the critical temperature because an unusually high critical exponent of 3 is found for the difference in grain boundary energies between the symmetric and antisymmetric cases.

100,389
PB91-202986 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Causes of SiH_4 Dissociation in Silane dc Discharges.
Final rept.
D. A. Dougherty, and A. Gallagher. 1990, 5p
Contract SERI-XB-2-02189
Sponsored by Solar Energy Research Inst., Golden, CO.
Pub. in Physical Review A 42, n10 p6166-6170, 15 Nov 90.

Keywords: *Silane, *Gas discharges, *Chemical dissociation, Ion-molecule collisions, Silicon hydrides, Amorphous silicon, Semiconducting films, Substrates, Glass, Reprints.

Hydrogenated amorphous-silicon ($\alpha\text{-Si:H}$) film growth on glass fibers strung between discharge electrodes is used to measure the distribution of film-producing radicals in a silane dc discharge. The measured distribution, as well as film deposition rates on the electrodes, show that typically $> 80\%$ of the depositing radicals are produced in the cathode sheath. Discharge models, confirmed by the spatial distribution of optical emission, rule out the possibility that this dissociation in the sheath is due to electron impact. Collisions of energetic ions and neutrals with silane are clearly implicated as the cause of the sheath dissociation. In contrast, due to much lower ion kinetic energies, almost all dissociation is due to electron collisions in the low-power rf discharges most commonly used for film production. In addition, the ratio of the number of Si atoms deposited on all surfaces to the total number of ions collected at the dc-discharge cathode is measured to be 30, demonstrating the dominance of neutral radical deposition in these discharges.

100,390
PB91-202994 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Silane Dissociation Products in Deposition Discharges.
Final rept.
J. R. Doyle, D. A. Dougherty, and A. Gallagher. 1990, 10p
Contract SERI-XG-1-1216
Sponsored by Solar Energy Research Inst., Golden, CO.
Pub. in Jnl. of Applied Physics 68, n9 p4375-4384, 1 Nov 90.

Keywords: *Silane, *Gas discharges, *Chemical dissociation, Surface reactions, Amorphous silicon, Semiconducting films, Reprints.

Time-dependent production of higher-silane gases and $\alpha\text{-Si:H}$ film are measured relative to decomposed silane in rf and dc, hot and cold cathode, static-gas discharges. From the absence of higher-silane production in very low silane partial-pressure discharges, it is inferred that most higher silanes are produced by gas-phase SiH_2 -initiated reactions. The higher silanes are thus tracers of SiH_2 , while the film production traces the fraction of H, SiH , and SiH_3 in the initial decomposition. From the measured stable product yields, the authors deduce that $\text{SiH}_4 \rightarrow \text{SiH}_2 + 2\text{H}$ is the dominant electron-collisional dissociation channel.

100,391
PB91-203018 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen.
Final rept.
A. Fahr, and A. H. Laufer. 1988, 4p
Pub. in Jnl. of Physical Chemistry 92, n26 p7229-7232 1988.

Keywords: *Vinyl radicals, *Ultraviolet spectra, Photolysis, Reaction kinetics, Fan ultraviolet radiation, Absorptivity, Oxygen, Reprints.

Two absorption features at 1647.1 Å and 1683.3 Å have been detected from the vacuum ultraviolet flash photolysis of either $\text{Sn}(\text{C}_2\text{H}_3)_4$ or $\text{Hg}(\text{C}_2\text{H}_3)_2$. The features are assigned to the vinyl radical. Extinction coefficients of $1150 \pm 0.500/\text{cm}^2/\text{atm}$ and $1120 \pm 0.500/\text{cm}^2/\text{atm}$ (base e) for the two bands, respectively, have been measured and a rate constant of $(6.7 \pm 0.27) \times 10^{-12} \text{ cc/mole}^2/\text{sec}$ for the reaction of $\text{C}_2\text{H}_3 + \text{O}_2$ has been determined.

100,392
PB91-203034 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.
Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate.
Final rept.
R. A. Faltynek. 1989, 8p
Pub. in Jnl. of Coordination Chemistry 20, n1 p73-80 1989.

Keywords: *Lanthanum complexes, *Spectrum analysis, *Borates, *Terbium complexes, *Europium complexes, Charge transfer, Infrared spectra, Ultraviolet spectra, Imidazoles, Pyrazoles, Luminescence, Ligands, Electron spectroscopy, Reprints.

Complexes formed between poly(pyrazol-1-yl) - or poly(imidazol-1-yl) borate anions and tripositive cations of terbium or europium were examined by infrared, UV absorption, and emission spectroscopy. Tris- and tetrakis(heterocycle)borates yielded isostructural compounds with both lanthanides, having a different molecular geometry than the bis(heterocycle)borate complexes. Electronic spectra indicate that the poly(pyrazol-1-yl)borate complexes emit from a ligand-to-metal (LMCT) charge transfer state. The free ligands are UV transparent however, suggesting that the sensitizing chromophore responsible for emission is created only upon complexation. The poly(imidazol-1-yl)borate compounds, exhibit a more complex excited state profile, with emission apparently originating from both LMCT and intraligand states.

100,393
PB91-203075 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Chemical Process Metrology Div.
Chemical and Electronic Properties of Pd/SnO₂(110) Model Gas Sensors.
Final rept.
T. B. Fryberger, J. W. Erickson, and S. Semancik. 1989, 7p
Pub. in Surface and Interface Analysis 14, n1-2 p83-89 Jan/Feb 89.

Keywords: *Catalysts, *Palladium, *Tin oxides, *Vapor deposited coatings, *Ceramics, *Gas detectors, Metal films, Solid-solid interfaces, Monomolecular films, Annealing, Surface chemistry, Surface resistivity, Metallography, Hydrogen, Time dependence, Pressure dependence, Chemical properties, Electronic structure, Scattering, Reprints.

The Pd/SnO₂(110) interface has been investigated as a model gas sensor system. Techniques including XPS, UPS, ISS, and 4-point conductivity measurements were used to study the growth mode and chemical interaction of Pd with this SnO₂ surface for coverages between 0.1 and 10.0 monolayer-equivalents (ML-EQ). It was found that the Pd overlayer grows by clustering at 300K and that the deposited Pd is primarily metallic by 3 ML-EQ. Heating Pd-covered surfaces up to 800K causes a decrease in the XPS Pd/Sn 3d intensity ratio, possibly due to further clustering of the overlayer above room temperature. Annealing did not, however, change the metallic nature of the deposited Pd. The gas sensing behavior of these model surfaces was tested by measuring the surface conductivity vs. time at several hydrogen pressures and the conductivity response for a 3 ML-EQ Pd/SnO₂(110) surface was found to be 16 times greater than that for the Pd-free surface.

100,394
PB91-203232 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄⁻ Alkanes and Ethers.
Final rept.
R. E. Huie, and C. L. Clifton. 1989, 9p
Pub. in International Jnl. of Chemical Kinetics 21, n8 p611-619 Aug 89.

Keywords: *Sulfates, *Radicals, *Hydrogen transfer, *Reaction kinetics, *Alkanes, *Ethers, Photolysis, Persulfate, Chemical reactions, Reprints.

Rate constants have been determined for the reactions of $\text{SO}_4^{\cdot-}$ with a series of alkanes and ethers. The $\text{SO}_4^{\cdot-}$ radical was produced by the laser-flash photolysis of persulfate, $\text{S}_2\text{O}_8^{2-}$. For methane, only an upper limit of 1×10^{-10} to the 6th power l/mol/sec could be determined. For ethane, propane, and 2-methylpropane, rate constants of 0.44, 4.0, and 10.5×10^{-10} to the 7th power were found. For ethyl and n-propyl ether, rate constants of 1.3×10^{-10} to the 8th power and 2.2×10^{-10} to the 8th power l/mol/sec were found and for 1,4-dioxane and tetrahydrofuran, rate constants of 7.2×10^{-10} to the 7th power and 2.8×10^{-10} to the 8th power were obtained. The reaction of $\text{SO}_4^{\cdot-}$ with allyl alcohol was also studied and found to have a rate constant of 1.4×10^{-10} to the 9th power l/mol/sec.

Physical & Theoretical Chemistry

100,395
PB91-203273 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Molecular Physics Div.
**Production and Spectroscopy of Small Polyatomic
 Molecular Ions Isolated in Solid Neon.**
 Final rept.
 M. E. Jacox, and W. E. Thompson. 1990, 10p
 Sponsored by Army Research Office, Arlington, VA.
 Pub. in High Temperature Science 28, p225-234 1990.

Keywords: *Oxygen ions, *Molecular ions, *Carbon di-
 oxide, *Infrared spectra, Molecular structure, Neon, Vi-
 brational states, Reprints, Cluster ions.

The use of a newly developed discharge sampling
 configuration has led to the stabilization of several
 small polyatomic molecular ions in solid neon in suf-
 ficient concentration for detection of their infrared ab-
 sorptions. The results obtained in these experiments
 will be illustrated by observations of the ions which
 appear when carbon dioxide or oxygen is present in the
 system. In the experiments on carbon dioxide, the
 antisymmetric stretching absorptions of both CO₂(+) and
 CO₂(-) have been identified. An infrared absorp-
 tion of O₄(-) had previously been observed in systems
 in which an alkali metal atom, M, was codeposited with
 an Ar:O₂ mixture. The appearance of this absorption in
 the discharge sampling experiments on oxygen defini-
 tively excludes an alternate assignment of the absorp-
 tion to an MO₄ structure in which two O₂ units are co-
 ordinated to a central alkali metal atom. Detailed iso-
 topic substitution experiments support the assignment
 of four infrared absorptions to a vibrational fundamen-
 tal and combination bands of O₄(+) for which no
 spectroscopic data have previously been reported.
 Analysis of the spectrum provides information regard-
 ing the molecular structure of O₄(+).

100,396
PB91-203281 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg,
 MD. Chemical Thermodynamics Div.
**Resonance Enhanced Multiphoton Ionization
 Spectra of the GeF and GeCl Radicals from 400-
 500 nm.**
 Final rept.
 R. D. Johnson, J. W. Hudgens, and B. P. Tsai. 1988,
 5p
 Pub. in Jnl. of Chemical Physics 89, n10 p6064-6068
 1988.

Keywords: *Electron transitions, *Rydberg states,
 *Germanium, *Electron spectra, Electron structure,
 Energy levels, Excited states, Reprints, *Germanium
 fluoride radicals, *Germanium chloride radicals, *Multi-
 photon ionization.

The resonance enhanced multiphoton ionization spec-
 tra from 400 to 500 nm of the Germanium chloride and
 Germanium fluoride radicals are reported.

100,397
PB91-203331 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Molecular Spectroscopy Div.
**Molecular Desorption from Solid Surfaces: Laser
 Diagnostics and Chemical Dynamics.**
 Final rept.
 D. S. King, and R. R. Cavanagh. 1989, 45p
 Pub. in Advances in Chemical Physics 76, p45-89
 1989.

Keywords: *Surface chemistry, *Desorption, *Solids,
 Spectroscopy, Reviews, Heating, Laser radiation,
 Nitric oxide, Reprints, Molecular dynamics.

Review of recent state-resolved experiments exploring
 thermal and laser-driven desorption processes at
 metal surfaces is presented.

100,398
PB91-203448 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Molecular Spectroscopy Div.
**Microwave Spectrum and Molecular Structure of
 the N₂-H₂O Complex.**
 Final rept.
 H. O. Leung, M. D. Marshall, R. D. Suenram, and F.
 J. Lovas. 1989, 13p
 Pub. in Jnl. of Chemical Physics 90, n2 p700-712, 15
 Jan 89.

Keywords: *Complex compounds, *Water, *Nitrogen,
 *Microwave spectra, *Molecular structure, Molecular

rotation, Hydrogen bonds, Dipole moments, Nuclear
 quadrupole resonance, Electron tunneling, Reprints.

The a-type, K = 0 microwave spectrum of the N₂-H₂O
 complex has been observed using a pulsed molecular
 beam Fabry-Perot cavity microwave spectrometer.
 Seven isotopic species have been studied in the range
 of 5-23 GHz. The N₂-H₂O complex exhibits tunneling
 motions similar to the 1 -> 2 tunnelling motion of the
 H₂O-DOD complex which gives rise to four compo-
 nents for each rotational transition.

100,399
PB91-203471 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Surface Science Div.
**Chemical Effects of Ne+ Bombardment on the
 MoS₂(0001) Surface Studied by High-Resolution
 Photoelectron Spectroscopy.**
 Final rept.
 J. R. Lince, T. B. Stewart, M. M. Hills, P. D.
 Fleischauer, J. A. Yarmoff, and A. Taleb-Ibrahimi.
 1989, 19p
 Pub. in Surface Science 210, n3 p387-405 1989.

Keywords: *Molybdenum disulfide, *Ion bombard-
 ment, Photoelectron spectroscopy, High resolution,
 Neon ions, Surfaces, Reprints.

The effect of 1 KeV Ne(1+) ion bombardment on the
 clean, ordered MoS₂(0001) surface was studied using
 high-resolution photoelectron spectroscopy excited
 with synchrotron radiation. A qualitative depth distribu-
 tion of the chemical species present after Ne(1+)-
 bombardment was determined by varying the photon
 energies employed for core-level spectroscopy. The
 results indicate that the preferential sputtering of sulfur
 over molybdenum occurs predominately through a
 mechanism involving chemical bonding effects, specif-
 ically through the preferential emission of polysulfide
 ions over other species in the bombarded region.

100,400
PB91-203547 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg,
 MD. Chemical Kinetics Div.
**Ionic Hydrogen Bonds. Part 1. Thermochemistry,
 Structural Implications, and Role in Ion Solvation.**
 Final rept.
 M. Mautner. 1987, 34p
 See also AD-A178 839.
 Pub. in Molecular Structure and Energetics, Chapter 3,
 v4 p71-104 1987.

Keywords: *Hydrogen bonds, *Clustering, *Solvation,
 *Ions, Water, Heat of solution, Thermochemistry, Re-
 views, Molecular structure, Reprints.

The energetics and structural implications of ionic hy-
 drogen bonds are reviewed. Gas-phase clustering
 properties are compared with solvation in liquid water.

100,401
PB91-203562 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
**Structural Dependence of HF Vibrational Red
 Shifts in Ar_nHF, n = 1-4, via High-Resolution Slit Jet
 Infrared Spectroscopy.**
 Final rept.
 A. McIlroy, R. Lascola, C. M. Lovejoy, and D. J.
 Nesbitt. 1991, 9p
 Grant NSF-CHE86-05970
 Sponsored by National Science Foundation, Washing-
 ton, DC.
 Pub. in Jnl. of Physical Chemistry 95, n7 p2636-2644
 1991.

Keywords: *Argon complexes, Van der Waals forces,
 Supersonic jet flow, Vibrational spectra, Infrared spec-
 troscopy, Hydrogen fluoride, High resolution, Red shift,
 Reprints.

The rotationally resolved nu = 1 < 0 HF stretching
 spectra of Ar_nHF, n = 1-4, have been observed by
 using a slit jet, difference frequency infrared laser
 spectrometer. The red shift of the HF vibrational fre-
 quency is seen to be sensitively dependent on the
 placement of the Ar with respect to the projection of
 the HF dipole moment; the largest incremental red
 shift is observed for the ArHF linear geometry. The n
 = 1-3 red shifts account for almost half (9.65-19.26/
 cm) of the shift observed for HF in an Ar matrix (42.4/
 cm), suggesting that only the nearest neighbors con-
 tribute significantly to the perturbation of the HF vibra-
 tional frequency. The geometry of the experimentally

observed isomer of Ar₄HF places the fourth Ar in what
 would be the second coordination layer from the HF
 where it has little effect (<2%) on the observed red
 shift, supporting the proposed dominance of the near-
 est neighbors in determining the HF vibrational fre-
 quency. In all spectra, no evidence for vibrational pre-
 dissociation is observed, indicating an extremely long
 excited state lifetime (approx = or > 16 ns).

100,402
PB91-203661 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Chemical Kinetics Div.
**Radiolytic Studies of the Reduction Reactions of Ru-
 thenium Porphyrins.**
 Final rept.
 S. Mosseri, P. Neta, and P. Hambright. 1989, 5p
 Pub. in Jnl. of Physical Chemistry 93, n6 p2358-2362
 1989.

Keywords: *Ruthenium compounds, *Porphyrins, *Ox-
 idation reduction reactions, Radiolysis, Reaction kinet-
 ics, Ligands, Cyanides, Reprints.

Oxidation of Ru(II) porphyrins to the Ru(III) and Ru(IV)
 states and ligand exchange reactions of the various
 states have been studied by radiolytic methods. Ru(II)
 porphyrins, stabilized with a CO ligand, undergo one
 electron oxidation on the porphyrin ring to form the pi-
 radical cation. When Ru(II)(P)(CO) (P-octaethylpor-
 phyrin (OEP) or tetraphenylporphyrin (TPP)) is oxidized
 by irradiation in CH₂Cl₂, the initial radical cation com-
 bines with Cl⁻, formed by radiolysis of the solvent or
 added beforehand, with a rate constant of about
 100000l/mol/s to yield Ru(II)(P+)(CO)(Cl⁻). Irradiation
 of the same porphyrins in acetonitrile does not result in
 oxidation but rather in uptake of the CN⁻ produced by
 the radiolysis to form Ru(III)(P)(CN)₂. When this prod-
 uct is oxidized by irradiation in acetonitrile/CCl₄ solu-
 tions, oxidation occurs on the metal center to give
 Ru(III)(P)(CN)₂ as the final product. Chemical oxida-
 tions and reductions were carried out to complement
 the radiolysis results.

100,403
PB91-203695 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
**Progress on the Determination of Intermolecular
 Potential Energy Surfaces from High Resolution
 Spectroscopy.**
 Final rept.
 D. J. Nesbitt. 1990, 10p
 Grants NSF-CHE86-05970, NSF-PHY86-04504
 Sponsored by National Science Foundation, Washing-
 ton, DC.
 Pub. in Dynamics of Polyatomic Van der Waals Com-
 plexes, p461-470 1990.

Keywords: *Complexes, Van der Waals forces, Vibra-
 tional states, Infrared spectroscopy, Intermolecular
 forces, Hydrogen bonds, High resolution, Predissocia-
 tion, Rare gases, Water, Reprints, *Potential energy
 surfaces.

The determination of intermolecular potentials be-
 tween chemical species has been pursued via a varie-
 ty of methods including scattering experiments, line
 broadening, virial coefficients and transport phenom-
 ena. A powerful alternative approach is to orient the
 collisional intermediate in a weakly bound complex,
 and sample the bound region of the potential via high
 resolution IR spectroscopy on excited intermolecular
 vibrational states. The author illustrates recent theo-
 retical and experimental progress toward this goal.
 Molecular systems are discussed that illustrate large
 amplitude motion characteristic of a (1) 'ball+ball', (2)
 'ball+stick', and (3) 'ball+top' intermolecular poten-
 tial energy surface. The examples are drawn from high
 resolution near IR measurements on rare gas-hydro-
 gen halide and rare gas-water complexes.

100,404
PB91-203703 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
**Multiple Intermolecular Bend Vibrational Excita-
 tion of a Hydrogen Bond: An Extended Infrared
 Study of OCOHF.**
 Final rept.
 D. J. Nesbitt, and C. M. Lovejoy. 1990, 15p
 Grant NSF-CHE86-05970
 Sponsored by National Science Foundation, Washing-
 ton, DC.

CHEMISTRY

Physical & Theoretical Chemistry

Pub. in Jnl. of Chemical Physics 93, n11 p7716-7730, 1 Dec 90.

Keywords: *Hydrogen bonds, *Complexes, Near infrared radiation, Supersonic jet flow, Vibration spectra, Carbon dioxide, Hydrogen fluoride, Laser radiation, Predissociation, Excitation, Bending, Reprints.

The authors report the use of near infrared tunable difference frequency laser absorption methods to investigate low-frequency bending of the intermolecular hydrogen bond in OCOHF complexes. By deliberate thermal warming of the slit jet expansion to 16 K, they observe bending 'hot band' transitions built on the fundamental $\nu(\text{HF}) = < -0$ HF stretch from the lowest five internally excited bending states which correspond to low-frequency, skeletal bending of the intermolecular hydrogen bond. In addition, much weaker parallel ($\Delta l = 0$) combination band transitions are observed.

100,405
PB91-203760 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Kinetics Div.
Dissociation Energetics of Simple Diazirines by Photon and Electron Impact.
Final rept.
H. Okabe. 1987, 14p
Pub. in Chemistry of Diazirines, Chapter 7, v2 p19-32 1987.

Keywords: *Dissociation energy, Halohydrocarbons, Absorption spectra, Photolysis, Mass spectra, Heat of formation, Reviews, Thermodynamic properties, Reprints, *Diazirine, Methyl compounds, Difluorodiazirine.

Dissociation energetics by photon and electron impact for six simple diazirines has been reviewed. The data on absorption spectra, UV photolysis, the heats of formation, mass spectra and appearance potentials are presented.

100,406
PB91-203844 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.
Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer.
Final rept.
A. S. Pine, and G. T. Fraser. 1988, 8p
Pub. in Jnl. of Chemical Physics 89, n11 p6636-6643 1988.

Keywords: *Hydrogen fluoride, *Predissociation, Vibrational spectra, Laser spectroscopy, Line width, Dimers, Reprints.

Vibrational predissociation linewidths have been resolved in the two H-F stretching bands of the HF dimer using an optothermal (bolometer-detected) molecular-beam color-center laser spectrometer. In addition to the strong vibrational mode dependence reported earlier by several groups, one observes a substantial K-rotational and tunneling dependence to the longer-lived mode, $\nu(1)$, which is associated with the 'free-H' stretch. The predissociation linewidths (FWHM in MHz) for this vibration are 6.4(5) for $K=0(+)$, 9.5(5) for $K=0(-)$, 10.2(5) for $K=1(+)$ and 11.8(5) for $K=1(-)$, where the $+/-$ superscripts refer to the symmetric/asymmetric tunneling states. The $K=0$ levels of the 'bound-H' stretch have tunneling-independent widths of 330(30) MHz. Extraneous broadening due to saturation effects was observed and corrected for in these measurements.

100,407
PB91-203927 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.
Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
Final rept.
B. Robertson, and R. D. Astumian. 1991, 6p
Pub. in Jnl. of Chemical Physics 94, n11 p7414-7419, 1 Jun 91.

Keywords: *Reaction kinetics, *Catalysis, *Frequency response, *Mathematical models, Ion mobility, Phosphates, Erythrocytes, Reprints, *Lorentz curves, *Oscillating fields, Sodium/potassium adenosine triphosphatase.

The frequency dependence of the average rates of reactions catalyzed by one or more catalysts in a weak

oscillating field is derived. The average rates are sums of Lorentzian curves whose characteristic frequencies are the inverse relaxation times of the normal modes of the kinetic system and whose amplitudes are quadratic in the field. The signs of the Lorentz amplitudes can be either positive or negative, so the rates versus frequency can have a variety of shapes, including frequency windows. One can get relaxation times and amplitudes by measuring steady-state rates as a function of the frequency of the field. The theory is applied to determine the Lorentz amplitudes and characteristic frequencies of ion transport rates catalyzed by $\text{Na}(+)$ - $\text{K}(+)$ ATPase in erythrocytes.

100,408
PB91-204008 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
Final rept.
A. Schiffman, D. D. Nelson, M. S. Robinson, and D. J. Nesbitt. 1991, 8p
Contract AFOSR-F49620-86-C-0056
Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in Jnl. of Physical Chemistry 95, n7 p2629-2636 1991.

Keywords: *Hydroxyl radicals, *Reaction kinetics, *Ethane, *Butanes, *Propane, Infrared lasers, Infrared spectra, Photolysis, Atmospheric circulation, Reprints, Flash kinetic spectroscopy.

A high-resolution infrared flash kinetic spectrometer is used for time- and frequency-resolved studies of the OH radical. OH is produced by 193-nm excimer laser photolysis of $\text{HNO}_3/\text{buffer}$ gas mixtures in a 100-cm flow tube and is probed via weak fractional absorption of light from a widely tunable (2.35-3.59 micrometers) single-mode (frequency spread < 2 MHz) color center laser. The IR absorption technique allows fast (< 0.000001 s), sensitive (< 1 billion radicals/cc per quantum state) detection of OH and is designed to permit determination of absolute OH number densities. The spectrometer is used to measure rate constants for the reactions of OH with ethane (k_1), propane (k_2), n-butane (k_3), and isobutane (k_4). The reliability of these measurements is tested on a variety of rotational, spin-orbit, and lambda-doublet states, with several buffer gases, and over more than an order of magnitude of alkane concentrations. The resulting rate constants are, in units of 10 to the -12th power cc/molecule/sec, $k_1 = 0.243 \pm 0.012$, $k_2 = 1.02 \pm 0.05$, $k_3 = 2.35 \pm 0.08$, and $k_4 = 2.11 \pm 0.09$. The rate constants for the ethane, n-butane, and isobutane reactions agree with some previous determinations but are found to be between 10% and 25% lower than values currently used in atmospheric modeling; it is recommended that these values be revised to reflect the lower rates from the study. Current models of atmospheric air flow based on these rate constants, as well as those of previously accepted values, are found to be inconsistent with daily changes in observed atmospheric alkane concentrations.

100,409
PB91-204024 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.
Final rept.
M. Schuder, D. Nelson, and D. J. Nesbitt. 1991, 16p
Grants NSF-CHE86-05970, NSF-PHY86-04504
Sponsored by National Science Foundation, Washington, DC.
Pub. in Jnl. of Chemical Physics 94, n9 p5796-5811, 1 May 91.

Keywords: *Argon complexes, *Neon complexes, Van der Waals forces, Supersonic jet flow, Intermediate infrared radiation, Laser radiation, Vibrational spectra, Deuterium compounds, Hydrogen chloride, Infrared spectroscopy, Predissociation, Reprints, Potential energy surfaces.

The van der Waals complexes, NeDCI and ArDCI, are produced in a slit jet supersonic expansion and observed via direct absorption of tunable mid-infrared Pb-salt diode laser radiation. The relative fundamental vs bend combination band intensity distributions are very different for the two complexes. The ArDCI fundamental to Pi bend combination band intensity ratio is 4:1, whereas for NeDCI the corresponding ratio is 1:8. This anomalous intensity pattern for NeDCI and the proxim-

ity of the bend combination bands to the DCI R(0) line indicate that the DCI diatomic is exhibiting nearly free rotation within the complex, compared to more restricted librational motion of DCI in ArDCI. Experimentally determined rotational constants, vibrational frequencies, and relative intensities are compared to predictions based on existing empirical potential surfaces.

100,410
PB91-204065 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Thermophysics Div.
Thermodynamic Properties of Aqueous Solutions at High Temperatures; Needs, Methods, and Challenges.
Final rept.
J. M. H. Levelt Sengers. 1990, 17p
Pub. in International Jnl. of Thermophysics 11, n2 p399-415 1990.

Keywords: *Aqueous solutions, *Thermodynamic properties, *Thermophysical properties, *Hydrothermal systems, Autoclaves, Debye-Huckel theory, High temperature tests, High pressure tests, Data bases, Methodology, Reviews, Hot-water systems, BWR type reactors, Hydroelectric power, Reprints, Research needs.

Needs exist for thermophysical data on aqueous solutions at high temperatures and pressures in many different areas of science and engineering. These needs are reviewed and references are given to recent relevant conference proceedings, reviews and papers. Aspects and drawbacks are discussed of current methods, which are most often extensions to high temperatures of methods developed for liquid water. The challenges posed by engineering needs and by new phenomena resulting from experimental breakthroughs are discussed. Some examples are given of alternative approaches more suitable for highly compressible media.

100,411
PB91-216713 Not available NTIS
(Order as PB91-216705, PC A07/MF A01)
National Inst. of Standards and Technology, Boulder, CO.
High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
R. A. Perkins, H. M. Roder, and C. A. Nieto de Castro. 1991, 23p
Prepared in cooperation with Lisbon Univ. (Portugal). Dept. de Quimica.
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n3 p247-269 May/Jun 91.

Keywords: *Thermal conductivity, *Thermal diffusivity, Measuring instruments, Hot-wire gages, Specific heat, High temperature, Toluene, Nitrogen, Argon, Fluids.

A new apparatus for measuring both the thermal conductivity and thermal diffusivity of fluids at temperatures from 220 to 775 K at pressures to 70 MPa is described. The instrument is based on the step-powered transient hot-wire technique. Performance of the instrument was verified with measurements on liquid toluene as well as argon and nitrogen gas. In particular, new data for the thermal conductivity of liquid toluene near the saturation line, between 298 and 550 K, are presented. These new data can be used to illustrate the importance of radiative heat transfer in transient hot-wire measurements. Thermal conductivity data for liquid toluene, which are corrected for radiation, are reported. From the measured thermal conductivity and thermal diffusivity, the authors can calculate the specific heat, C_p , of the fluid, provided that the density is measured, or available through an equation of state.

100,412
PB91-236521 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Office of Intelligent Processing of Materials.
Problem of Detailed Balance and Model Line-shapes in Collision-Induced Rotovibrational Bands: H₂-H₂ and H₂-He.
Final rept.
G. Birnbaum, and A. Borysow. 1991, 12p
Pub. in Molecular Physics 73, n1 p57-68 1991.

Keywords: *Molecular collisions, Vibrational spectra, Hydrogen, Helium, Line shape, Reprints.

When account is taken of the vibrational dependence of the potential function, the usual condition of detailed balance taken with respect to the vibrational-rotational frequencies does not apply, and model spectral functions satisfying the condition are inaccurate. A model correlation function is derived that deals with the case of vibration-dependent potentials. The parameters of the model are computed from relations involving the spectral moments. The model is shown to give spectral shapes, for a number of examples involving the fundamental and first overtone bands of H₂-He and H₂-H₂ at room temperature and 1000K, in excellent agreement with spectra calculated quantum mechanically from first principles. The model is useful for predicting the collision-induced vibrational spectra for these and other systems for which the vibration-dependent induced dipole and potential are known.

100,413

PB91-236547 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Surface and Microanalysis Science
Div.

Photodissociation Dynamics of Mo(CO)₆ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.

Final rept.
S. A. Buntin, R. R. Cavanagh, L. J. Richter, and D. S. King. 1991, 14p

Sponsored by Department of Energy, Washington, DC.
Pub. in Jnl. of Chemical Physics 94, n12 p7937-7950, 15 Jun 91.

Keywords: *Carbon monoxide, *Photodissociation, Near ultraviolet radiation, Photofragment spectroscopy, Laser induced fluorescence, Kinetic energy, Photolysis, Reprints, *Hexacarbonylmolybdenum.

The internal-state and kinetic-energy distributions of the CO photofragments from the 266 and 355 nm photolysis of Mo(CO)₆ have been measured under collision-free conditions using vacuum-ultraviolet laser-induced fluorescence. The Doppler-broadened CO photofragment line shapes indicate that the translational energy distributions are isotropic and Maxwellian. There is no photolysis-laser wavelength or internal-state dependence to the extracted translational 'temperatures.' The observed energy partitioning and kinetic-energy distributions are inconsistent with an impulsive ejection of a single CO ligand. The results also suggest that the photodissociation of Mo(CO)₆ at 266 and 355 nm involves a common initial 'state' and that similar exit channel effects are operative.

100,414

PB91-236570 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.

Temperature Gradient in Differential Scanning Calorimetry.

Final rept.
S. S. Chang. 1991, 7p
Pub. in Thermochimica Acta 178, p195-201 1991.

Keywords: *Calorimeters, *Heat measurement, *Thermal analysis, *Temperature gradients, Reaction heat, Heat flow, Dynamic tests, Measurement, Epoxy resins, Mathematical models, Curing, Reprints.

A temperature gradient is required for any type of heat flow process. In a dynamic calorimeter, temperature gradients exist in the entire calorimetric system during the measurement of temperature differences or heat flow. Most organic materials are of relatively low thermal conductivity in comparison to metallic and inorganic materials. Therefore large temperature gradients are expected to exist in organic materials during the measurement. The magnitude of the temperature gradient can be estimated through a simple modeling procedure. The results of experimentally determined temperature gradients during the cure of an epoxy resin in a differential scanning calorimeter are presented to confirm the expected magnitude of temperature non-uniformity.

100,415

PB91-236661 Not available NTIS
National Inst. of Standards and Technology (PL),
Gaithersburg, MD. Molecular Physics Div.

Rotational Spectrum and Structure of the Complex Ar-CH₃CN.

Final rept.
R. S. Ford, R. D. Suenram, G. T. Fraser, F. J. Lovas, and K. R. Leopold. 1991, 7p
Grant NSF-CHE88-07895
Sponsored by National Science Foundation, Washington, DC.
Pub. in Jnl. of Chemical Physics 94, n8 p5306-5312, 15 Apr 91.

Keywords: *Argon complexes, *Acetonitrile, Van der Waals forces, Microwave spectra, Molecular structure, Reprints.

The microwave spectrum of the weakly bound complex Ar-CH₃CN has been observed using a pulsed-nozzle Fourier-transform microwave spectrometer. The spectrum is characteristic of an asymmetric rotor with nearly free internal rotation of the methyl group. Spectroscopic constants for the ground internal rotor state, in megaHertz, are given. The complex has a T-shaped geometry in which the acetonitrile axis is nearly perpendicular to the line joining the centers of mass of the monomers, and the methyl group undergoes nearly free internal rotation. The center-of-mass separation is 3.6505(7) Å and the dipole moment component along the b inertial axis of the complex is 3.802(5) D. The latter is quantitatively accounted for by the sum of the monomer permanent moment and the dipole-induced dipole in the argon.

100,416

PB91-236679 Not available NTIS
National Inst. of Standards and Technology (PL),
Gaithersburg, MD. Molecular Physics Div.

Optothermal-Detected Microwave-Sideband CO₂-Laser Spectroscopy of Ar-NH₃.

Final rept.
G. T. Fraser, A. S. Pine, and W. A. Kreiner. 1991, 7p
Pub. in Jnl. of Chemical Physics 94, n11 p7061-7067, 1 Jun 91.

Keywords: *Argon complexes, *Ammonia, Intermolecular forces, Van der Waals forces, Laser spectroscopy, Carbon dioxide lasers, Infrared spectra, Reprints.

A microwave-sideband CO₂-laser optothermal spectrometer with a resolution better than 1 MHz has been used to record the infrared spectrum of Ar-NH₃ in the vicinity of the aR(O,O) line of the nu(2) vibration of free NH₃. A Pi <- Sigma type band is observed, giving a positive l-type doubling constant q, of 90.9 MHz for the upper state. The nu(2) vibrationally excited complex is found to predissociate in less than the 0.9 ms transit time between the bolometer detector and laser-excitation region. A lower limit to the upper-state lifetime can be obtained from the observed linewidths, which range from 1.5 to 3 MHz (FWHM). The present results agree with and extend the previous free-jet diode-laser absorption measurements on this band.

100,417

PB91-236737 Not available NTIS
National Inst. of Standards and Technology (PL),
Gaithersburg, MD. Molecular Physics Div.

Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.

Final rept.
C. W. Gillies, J. Z. Gillies, R. D. Suenram, F. J. Lovas, E. Kraka, and D. Cremer. 1991, 10p
Pub. in Jnl. of the American Chemical Society 113, n7 p2412-2421 1991.

Keywords: *Oxygen complexes, *Ozone, *Ethylene, Van der Waals forces, Rotational spectra, Microwave spectra, Electric dipole moments, Deuterium compounds, Molecular structure, Cyclization, Reprints.

Microwave spectra of O₃-CH₂=CH₂, O₃-CD₂=CH₂, O₃-trans-CHD=CHD, and O₃-cis-CHD=CHD have been observed with a pulsed-beam Fabry-Perot cavity, Fourier transform microwave spectrometer. Internal motion in the van der Waals complex give two states for the normal, 1,1-dideuterated and trans-1,2-dideuterated isotopic forms. The c-type transitions of the two states for the isotopic species above, as well as the one observed isotopic form of O₃-cis-CHD=CHD, independently fit to an asymmetric top Watson Hamiltonian. Stark effect measurements were performed.

100,418

PB91-236778 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Thermophysics Div.

Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.

Final rept.
A. H. Harvey. 1991, 6p
Pub. in Jnl. of Chemical Physics 95, n1 p479-484, 1 Jul 91.

Keywords: *Solutions, *Aqueous electrolytes, *Mathematical models, *Phase diagrams, *Thermodynamic equilibrium, *Critical point, Thermodynamics, Dipoles, Spheres, Binary mixtures, Reprints, *Critical lines, *Mean spherical approximation.

The mean spherical approximation solution for the thermodynamics of a mixture of equal-sized dipolar hard spheres and charged hard spheres is used to calculate phase equilibria and critical lines. The binary system is characterized by the dimensionless ratio of the dipolar strength to the strength of the charges. At high values of this ratio, the critical curve is interrupted by a liquid-liquid equilibrium and the phase diagram (under the usual classification scheme) is type III. As the ratio is lowered, the critical curve becomes continuous; this is type I or II behavior. The continuous critical line is maintained until the critical temperature of the ionic component exceeds that of the dipolar component by a factor of approximately 3.56; such a lengthy unbroken critical line is unusual in ordinary fluid systems but is observed in many mixtures of water with strong electrolytes. At sufficiently low values of the dimensionless ratio, the critical line is interrupted very near the critical point of the dipolar component; these systems exhibit type IV or V behavior. The simple model used here reproduces the qualitative features of the phase diagrams of real water/salt systems. Insights from the model suggest at least partial explanations for the unusually long unbroken critical lines observed in many of these systems.

100,419

PB91-236836 Not available NTIS
National Inst. of Standards and Technology (PL),
Gaithersburg, MD. Molecular Physics Div.

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(1-).

Final rept.
M. E. Jacox, and W. E. Thompson. 1991, 7p
See also PB91-149906.
Pub. in Jnl. of Physical Chemistry 95, n7 p2781-2787, 4 Apr 91.

Keywords: *Neon, *Matrix isolation, *Molecular ions, *Vibrational spectra, Infrared spectra, Cryogenics, Carbon dioxide, Oxygen, Molecular structure, Reprints, *Percarbonate ion, Force constants.

When a Ne:CO₂:O₂=200:1:1 mixture is codeposited at approximately 5 K with a beam of neon atoms that have been excited in a microwave discharge, several prominent infrared absorptions appear in the resulting deposit. In addition to the absorptions of unreacted CO₂, absorptions previously assigned to O₄(1+) and O₄(1-) are present, and new absorptions appear at 697, 1256, 1865, and 1895 cm⁻¹. Detailed isotopic substitution experiments demonstrate that these new absorptions are contributed by a product of formula CO₄ in which the CO₂ moiety is joined to O₂ in such a way that the two O atoms of each of these groups are nonequivalent. Arguments are presented indicating that this product is the CO₄(1-) anion. The infrared frequencies of the isotopically substituted species have been used for a least-squares force constant adjustment calculation, assuming a planar O₂CdashO₂(1-) C(s) structure in which most of the negative charge remains on the O₂ moiety. The photodestruction threshold of CO₄(-) lies near 260 nm. Evidence has been obtained for the formation of CO₃(1-) or of CO₃(3) in an excited state with 3-fold symmetry, for which randomization of the oxygen isotopic substitution occurs.

100,420

PB91-236851 Not available NTIS
National Inst. of Standards and Technology, Gaithersburg, MD.

Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.

Final rept.
R. Joklik, J. Horvath, and H. Semerjian. 1991, 8p
Contract N0001989IPB7387
Sponsored by Naval Air Systems Command, Washington, DC.
Pub. in Applied Optics 30, n12 p1497-1504, 20 Apr 91.

Keywords: *Temperature measurement, *Flames, Laser induced fluorescence, Gallium, Reprints.

CHEMISTRY

Physical & Theoretical Chemistry

The use of thermally assisted fluorescence (THAF) for temperature measurements has been investigated in a laminar, premixed C₂H₂/O₂/Ar flame seeded with Ga atoms. Average temperature measurements were made with an uncertainty of less than + or - 100 K in flames > 2150 K and were found to be in agreement with sodium line reversal temperature measurements and equilibrium calculations. In both fuel rich and lean flames spanning equivalence ratios from 0.75 to 2.0, it was found that composition influenced the measured temperatures, resulting in an accuracy of + or - 100 K over the range of flame conditions. Results indicate that THAF with gallium as the thermometric species is limited to cases in which an inefficient quencher, such as a rare gas, is the primary diluent.

100,421

PB91-236869 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Molecular Physics Div.
Molecular-Beam Optothermal Spectroscopy of the 9.6 μ m nu₁₄.
Final rept.
M. L. Junttila, J. L. Domenech, G. T. Fraser, and A. S. Pine. 1991, 8p
Sponsored by National Aeronautics and Space Administration, Washington, DC.
Pub. in Jnl. of Molecular Spectroscopy 147, p513-520 1991.

Keywords: *Benzene, Intermediate infrared radiation, Carbon dioxide lasers, Infrared spectra, Ground state, Molecular beams, Reprints.

The nu₁₄(sub 14) e(sub 1u)-symmetry fundamental band of C₆H₆ has been recorded with sub-Doppler resolution under collisionless low-temperature molecular-beam conditions using bolometric detection of molecules excited by tunable microwave sidebands of a Lamb-dip-stabilized CO₂ laser. The sidebands cover about 40% of the spectrum between laser lines in which 117 transitions for J, K = or < 11 have been observed and fit to a precision of + or - 24 kHz, yielding improved ground and excited state rotational constants with nearly microwave accuracy. The authors' measured ground state rotational constant, B(sub 0)=0.18977389(3)/cm, is compared with several disparate values reported previously.

100,422

PB91-236885 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
Final rept.
H. Kim, D. Waldow, C. Han, Q. Tran-Cong, and M. Yamamoto. 1991, 5p
Pub. in Polymer Communications 32, n4 p108-112 1991.

Keywords: *Polymerization, *Diffusion, *Rayleigh scattering, *Probes, Chemical radiation effects, Predictions, Matrix materials, Temperature dependence, Photochemical reactions, Melts, Measurement, Dimers, Reprints, Cyclophane.

The temperature dependence of the diffusion coefficients for a photobleachable molecular probe in various polymer matrices has been studied using forced Rayleigh scattering (FRS). The probe molecule, a cyclophane derivative, is demonstrated to be a suitable probe for the FRS experiment due to the characteristics of the photodimerization reaction. The dynamic range of the FRS experiment enabled the measurement of the self diffusion coefficients over a range of nearly eight orders of magnitude. The temperature dependence of the self diffusion coefficients is well described by the Williams, Landel, Ferry (WLF) equation for all the polymer matrices studied. In addition, the data from the individual polymer matrices can be shifted to construct a universal curve which is also well described by the WLF equation.

100,423

PB91-236984 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
Final rept.
A. G. Maki, J. S. Wells, and D. A. Jennings. 1990, 6p
Sponsored by National Aeronautics and Space Administration, Washington, DC. Office of Atmospheric Research.

Pub. in Jnl. of Molecular Spectroscopy 144, p224-229 1990.

Keywords: *Carbon dioxide, *Molecular spectra, *Infrared spectra, *Carbon oxysulfide, Frequencies, Tables(Data), Band spectra, Lasers, Reprints.

Infrared heterodyne frequency measurements are given for absorption lines of the 04(o)0-00(o)0 band of OCS and the fundamental band of CO. Transition frequencies of several isotopomers of CO are given. The frequency measurements were based on doubled CO₂ laser radiation used as a local oscillator and as a frequency standard. Tables of wavenumber standards based on both OCS and CO absorption lines are given.

100,424

PB91-237016 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Molecular Physics Div.
Perpendicular Bands of Cyclopropane in the 3.5 μ m Region.
Final rept.
D. W. Merdes, J. Pliva, and A. S. Pine. 1991, 17p
Pub. in Jnl. of Molecular Spectroscopy 147, p431-447 1991.

Keywords: *Cyclopropane, *Infrared spectra, Intermediate infrared radiation, Laser spectroscopy, Band spectra, High resolution, Reprints.

The spectrum of the cyclopropane molecule was measured in the region 2898.5 to 3157.3/cm with Doppler-limited resolution using a difference frequency laser spectrometer. Deconvolution was used to further enhance the effective resolution in the main part of the highly perturbed spectrum. The region below about 3060/cm contains perpendicular bands. The nu(2) + nu(9)E' state is also perturbed by anharmonic interactions with additional E' states. A comprehensive analysis of this complex system of perpendicular bands based on a Hamiltonian model of the main interactions yielded much improved spectroscopic constants, as well as information on seven tentatively identified perturbing states.

100,425

PB91-237032 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Surface and Microanalysis Science Div.
Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.
Final rept.
M. H. Mintz, P. Shuker, and J. Fine. 1990, 5p
Pub. in Surface Science Letters 238, pL473-L477 1990.

Keywords: *Chemisorption, *Surface chemistry, *Metals, *Laser spectroscopy, Mechanism, Low temperature, Ambient temperature, Oxygen, Magnesium, Polycrystals, Measurement, Laser heating, Vaporizing, Reprints, Laser resonance ionization.

A new method for monitoring the development of chemisorption processes on metallic surfaces (either single crystals or polycrystalline), is demonstrated. The method involves direct detection of metal vaporization by laser resonance ionization. It has a remarkably high sensitivity and selectivity for detecting vapor densities (of the order of a few atoms cm/cc) enabling vaporization measurements even at relatively low temperatures (about room temperature). The method is demonstrated for the case of room-temperature chemisorption of oxygen on polycrystalline magnesium. A random initial chemisorption stage followed by an island growth stage is seen to dominate the chemisorption process.

100,426

PB91-237149 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO. Chemical Engineering Science Div.
Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
Final rept.
T. A. Patil, S. K. Sikdar, S. B. Sawant, and J. B. Joshi. 1988, 6p
Pub. in Chemical Engineering Jnl. and Biochemical Engineering Jnl. 39, n1 pB1-B6 1988.

Keywords: *Mass transfer, Bovine serum albumin, pH, Temperature, Molecular weight, Polyoxethylene, Separation, Extraction, Reprints.

Mass transfer coefficients of bovine serum albumin in two-phase aqueous systems were measured in a 51 mm i.d. stirred cell with a plane interface. Two systems, sodium sulfate-PEG and dextran-PEG were employed. The effects of stirring speed, pH, temperature and the PEG molecular mass on mass transfer and partition coefficients were investigated. The authors strong dependence of mass transfer and partition on pH. Using the variation of the overall mass transfer coefficients with pH, the authors were able to determine the individual-phase mass transfer coefficients.

100,427

PB91-237164 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Ionizing Radiation Div.
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
Final rept.
R. C. C. Perera, P. L. Cowan, D. W. Lindle, R. E. LaVilla, T. Jach, and R. D. Deslattes. 1991, 10p
Sponsored by Department of Energy, Washington, DC.
Pub. in Physical Review A 43, p3609-3618 1991.

Keywords: *Dichlorodifluoromethane, *Chloromethanes, X ray fluorescence, X ray absorption, Synchrotron radiation, Molecular orbitals, Reprints, *Chlorotrifluoromethane.

X-ray absorption and emission measurements in the vicinity of the chlorine K edge of the three chlorofluoromethanes have been made using monochromatic synchrotron radiation as the source of excitation. By selectively tuning the incident radiation to just above the Cl is single-electron ionization threshold for each molecule, less complex x-ray-emission spectra are obtained. This reduction in complexity is attributed to the elimination of multielectron transitions in the Cl K shell, which commonly produce satellite features in x-ray emission. The resulting 'satellite-free' x-ray-emission spectra exhibit peaks due only to electrons in valence molecular orbitals filling a single Cl vacancy. These simplified emission spectra and the associated x-ray absorption spectra are modeled using straightforward procedures and compared with semiempirical ground-state molecular-orbital calculations. Good agreement is observed between the present experimental and theoretical results for valence-orbital energies and those obtained from ultraviolet photoemission, and between relative radiative yields determined both experimentally and theoretically in the work.

100,428

PB91-237172 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Molecular Physics Div.
Hydration of Carbon Dioxide: The Structure of H₂O-H₂O-CO₂ from Microwave Spectroscopy.
Final rept.
K. I. Peterson, R. D. Suenram, and F. J. Lovas. 1991, 12p
Pub. in Jnl. of Chemical Physics 94, n1 p106-117, 1 Jan 91.

Keywords: *Carbon dioxide, *Hydration, Electric dipole moments, Molecular structure, Molecular spectra, Rotational spectra, Hydrogen bonds, Complexes, Trimers, Water, Reprints.

The structure of the gas-phase trimeric complex H₂O-H₂O-CO₂ is determined through an analysis of the rotational spectra of ten isotopically substituted species. These spectra were measured in the region between 7.5 and 18 GHz using a pulsed-molecular-beam Fourier-transform microwave spectrometer. The structure is found to be cyclical with the dimer-type bond lengths within the trimer being approximately the same as those found in the free heterodimers. One water molecule is oxygen bound to the carbon atom of the CO₂ and is also hydrogen bonded to the oxygen of the second water molecule. The second water molecule is in turn hydrogen bonded to one of the oxygens of the CO₂ molecule. The observed splittings are most likely due to a hydrogen-exchanging internal rotation of the second water molecule.

100,429

PB91-237487 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Molecular Physics Div.

Microwave Spectra and Electric Dipole Moments of X(Sigma(1-1/2) VO and NbO.

Final rept.
R. D. Suenram, G. T. Fraser, F. J. Lovas, and C. W. Gillies. 1991, 9p
Pub. in Jnl. of Molecular Spectroscopy 148, p114-122 1991.

Keywords: *Niobium oxides, *Vanadium oxides, *Electric dipole moments, Microwave spectra, Rotational spectra, Fourier transform spectrometers, Reprints.

Microwave spectra and electric dipole moments have been measured for the X(sup 4)Sigma(sub 1/2, sup -) states of VO and NbO using a pulsed-nozzle Fourier-transform microwave spectrometer with a laser-vaporization source. An analysis of the Stark effect of hyperfine components of the $J = 3/2 \leftarrow 1/2$ transition yields dipole moments of 3.355(14) and 3.498(7)D for VO and NbO, respectively. The dipole-moment measurements are compared with recent ab initio calculations.

100,430

PB91-237529 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Chemical Kinetics and Thermodynamics Div.

Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.

Final rept.
M. M. Suryan, and S. E. Stein. 1989, 4p
Pub. in Jnl. of Physical Chemistry 93, n21 p7362-7365 1989.

Keywords: *Reaction kinetics, *Dissociation, *Chemical stability, Decomposition reactions, Pyrolysis, Low pressure research, Free radicals, Chemical bonds, Reprints, *Benzyl radicals, Benzene/aminoethyl, Benzene/hydroxyethyl, Benzene/cyanoethyl.

Rates of unimolecular thermal decomposition of amino, hydroxy, and cyano ethylbenzenes have been determined by the very low pressure pyrolysis technique. These rates relative to the rate of dissociation of ethylbenzene, yield the following substituent effects on benzylic C-C bond strengths: NH₂ (ortho)-2.7, (meta)-0.3, and (para)-1.7; OH (ortho)-1.7, (meta)-0.7, and (para)-1.1; CN (ortho)-0.3, (meta)0.4, and (para)-1.5. These effects are generally smaller than those for substituted anisoles and follow different trends. Along with results of ESR studies of Nicholas and Arnold, the present substituent effects indicate that a 1 G change in the benzylic hyperfine coupling constant corresponds to a 1.8 kcal/mol change in bond strengths.

100,431

PB91-237537 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Chemical Kinetics and Thermodynamics Div.

Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.

Final rept.
M. M. Suryan, S. E. Stein, and S. A. Kafafi. 1989, 7p
Pub. in Jnl. of the American Chemical Society 111, n13 p4594-4600 1989.

Keywords: *Anisoles, *Dissociation, *Molecular structure, Chemical bonds, Aryl ethers, Free radicals, Reaction kinetics, Reprints, *Bond strength, *Substituent effects.

Rates of O-methyl homolysis of 24 substituted anisoles were determined by the very-low-pressure pyrolysis technique. All ortho substituents weakened the O-methyl bond, with effects ranging from -0.2 to -7.4 kcal. Effects of para substituents varied over the narrower range 1.2 to -2.9 kcal, while in the meta position effects were even smaller (1.1 to -1.0 kcal, including substituents previously studied). There was some correlation between the measured differences in substituent effects on bond strengths (DeltaBDE) and literature rates of H-abstraction from substituted phenols, but differences were also clear, presumably reflecting polar effects in the abstraction reactions. Overall, DeltaBDE showed a fair correlation with the substituent constant (sc) (cor. coeff. = 0.91). Deviations were attributed to contributions to sc from substituent bond dipole-charge interaction. A good correlation was also found between DeltaBDE and ESR hyperfine coupling constants (hfcc) for o- and p-substituted phenoxy radicals. However, substituents affected the degree of apparent spin density alternation in the ring rather than absolute values, obscuring the physical connection between DeltaBDE and hfcc.

100,432

PB91-237636 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.

Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.

Final rept.
T. J. Udovic, J. J. Rush, and R. R. Cavanagh. 1988, 2p
Pub. in Jnl. of the American Chemical Society 110, n16 p5590-5591 1988.

Keywords: *Platinum black, *Catalysts, *Adsorption, *Surface chemistry, *Hydroxyl compounds, Neutron scattering, Monomolecular films, Hydrogen, Vibrational spectra, Spectrum analysis, Volumetric analysis, Chemical reactions, Synthesis(Chemistry), Oxygen, Reprints, Electron energy loss spectroscopy.

The scarcity of vibrational spectroscopic studies confirming the stability of hydroxyl species on high-surface-area metallic materials has led to the use of incoherent inelastic neutron scattering (IINS) to investigate the possible extent of surface hydroxyl formation from the reaction of oxygen with hydrogen on platinum black. The titration of 0.4 monolayers residual H on the reduced Pt black surface with O₂ (O:H = 1) at 80K followed by equilibration at 300K and recoiling to 80K led to the disappearance of residual hydrogen vibrational peaks at 104 and 152 meV and the formation of a vibrational peak maximized at 128 meV. The peak became more intense upon the further addition of equimolar amounts of H₂ and O₂ (ca. 0.5 more monolayers each of O and H) to the Pt surface at 80K followed by similar 300K equilibration and 80K recoiling steps. Comparison of the IINS spectra with electron energy loss results on Pt(111) suggest that the 128 meV peak is indeed due to the Pt-O-H bending mode of adsorbed OH species present as the dominant hydrogenous species on the Pt black surface for O:H ratios of unity.

100,433

PB91-237651 Not available NTIS
National Inst. of Standards and Technology (CSTL), Boulder, CO. Thermophysics Div.

Extended Phase Rule for Nonreactive, Multiphase, Multicomponent Chemical Systems.

Final rept.
L. J. Van Poolen. 1990, 13p
Pub. in Fluid Phase Equilibria 58, n1-2 p133-145, 1 Jun 90.

Keywords: *Phase rule, *Mixtures, Phase diagrams, Phase transformations, Degrees of freedom, Thermodynamics, Reprints, Total density, Total composition, Phase volume fractions.

A comprehensive phase rule for nonreacting, multi-component, multiphase systems is developed which considers the system intensive variables, overall or total density, overall composition and phase volume fractions. This extended phase rule, especially as it incorporates overall density and composition, may be of use to engineers who design chemical processing equipment and to theoreticians concerned with the nature of thermodynamic equilibrium. The degrees of freedom are given as $(C + 1)$ where (C) is the number of components. The Gibbs phase rule is incorporated into this formulation. For a single phase the system intensive variables are the same as phase intensive variables and the rule given here and that of Gibbs are coincident. When the maximum possible number of phase is present, e.g., for a pure substance at its triple point, only system intensive variables such as total density or phase volume fractions can be specified. For cases other than the single phase or maximum number of possible phases it is shown that no phase intensive variables need be specified to fix the state of thermodynamic equilibrium. However, in the case of vapor-liquid equilibria it is useful to fix the phase intensive variable temperature along with the system intensive variables total density and composition. Along such thermodynamic paths mixtures are seen to behave similarly to pure fluids in that the mixture can be represented by pure-liquid-like vapor pressure and coexistence density curves.

100,434

PB91-237693 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties.

Final rept.
P. Wang, and D. B. Neumann. 1989, 8p
Pub. in Jnl. of Chemical Information and Computer Sciences 29, n1 p31-38 1989.

Keywords: *Thermodynamic properties, *Chemical properties, *Information systems, Data base management, Inorganic compounds, Organic compounds, Information retrieval, Reprints.

The organization and structure of a database for the 'NBS tables of chemical thermodynamic properties - Selected values for inorganic and C1 and C2 organic substances in SI units' is explained. The use of a commercial database management system for the storage and retrieval system is discussed. The file constructs necessary to provide rapid retrieval by elemental composition in the type of database management system are shown. Both implementations on a mini-computer and on personal computers are discussed.

100,435

PB91-237701 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Surface Oxidation Kinetics of Si₃N₄ - 4% Y₂O₃ Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.

Final rept.
P. S. Wang, S. M. Hsu, S. G. Malghan, and T. N. Wittberg. 1991, 4p
Pub. in Jnl. of Materials Science 26, p3249-3252 1991.

Keywords: *Oxidation, *Reaction kinetics, *Silicon nitrides, *Ceramics, *Auger electron spectroscopy, Powders, Surface chemistry, Yttrium oxides, Bremsstrahlung, Time dependence, Silicon oxides, Activation energy, Solid-solid interfaces, Sintering, Reprints.

Samples of silicon nitride powder containing 4.0% Y₂O₃ in weight were heated in air at temperatures between 900 and 1000 C. The average SiO₂ layer thickness on the Si₃N₄ powder particles, as a function of time at a particular temperature, was measured by Bremsstrahlung-excited Auger electron spectroscopy. Oxidation was found to follow a linear rate law with an activation energy of 56 ± 1.5 kcal/mol. The yttrium level measured by X-ray photoelectron spectroscopy was also found to decrease as a function of the oxide layer thickness. This suggests that there is a reaction between the Si₃N₄ and Y₂O₃ particles which results in the formation of an yttrium-rich phase at the interface between the surface SiO₂ layer and the underlying Si₃N₄ particle.

100,436

PB91-237719 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.

Final rept.
P. S. Wang, S. M. Hsu, and T. N. Wittberg. 1991, 4p
Pub. in Jnl. of Materials Science 26, p1655-1658 1991.

Keywords: *Oxidation, *Reaction kinetics, *Silicon carbides, *Ceramics, Whiskers, Photoelectron spectroscopy, X ray analysis, Surface chemistry, Thickness, Silicon oxides, Equations, Calculation methods, Activation energy, Measurement, Reprints.

Silicon carbide whisker surfaces were characterized by X-ray photoelectron spectroscopy (XPS) to determine changes in the surface oxide film which occurred as a result of heating in air at temperatures from 600 to 800 C. Equations were derived for the calculation of surface oxide film thickness from the SiC to SiO₂ 2p intensity ratios. Oxidation was found to follow a linear rate law in the temperature range for the first 10 nm of oxide growth. An activation energy of $17.2 \pm$ or $- 2.8$ kcal/mol ($72 \pm$ or $- 12$ kJ/mol) was measured.

100,437

PB91-237784 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Chemical Physics.

CHEMISTRY

Physical & Theoretical Chemistry

Rovibrational Analysis of the $\nu_7(1)$ Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.

Final rept.
B. A. Wofford, W. J. Lafferty, W. B. Olsen, R. S. Ram, A. Quinonez, and J. W. Bevan. 1988, 6p
Pub. in Chemical Physics Letters 152, n4-5 p299-304 1988.

Keywords: *Hydrogen bonds, *Hydrogen cyanide, *Hydrogen fluoride, *Molecular vibration, *Vibrational spectra, Infrared spectroscopy, Molecular structure, Reprints, *Hydrogen bonded complexes, Rotational constants.

The $\nu_7(1)$ fundamental of the hydrogen bonded complex, HCN-HF, has been observed in the gas phase in the far infrared using a cooled static long path gas cell. The frequency of this intermolecular vibration is 73.5835(6)/cm. Rotational constants have been determined.

100,438
PB91-237859 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths.

Final rept.
Y. C. Wu, W. F. Koch, and D. Feng. 1989, 9p
Pub. in Jnl. of Solution Chemistry 18, n7 p641-649 1989.

Keywords: *Electric potential, *pH, Electrochemistry, Inorganic acids, Solutions, Ionic strength, Reprints, *Junction potential, Strong acids.

A new method is proposed for the evaluation of the liquid junction potential and the single ion activity. Neither of these quantities can be determined independently. However, the ratio of the activity coefficients may be evaluated by following the method suggested by Frank, from which the liquid junction potential may be computed, so also the pH values at higher ionic strengths (<1 m). Experimental results are presented and uncertainty is discussed.

100,439
PB91-237867 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.

Final rept.
W. T. Yap, E. A. Blubaugh, R. A. Durst, and C. K. Chiang. 1989, 4p
Pub. in Jnl. of the Electrochemical Society 136, n9 p2588-2591 1989.

Keywords: *Polyethylene glycols, *Solid electrolytes, *Conductive polymers, *Ferrocene, *Electrochemistry, Photovoltaic cells, Battery charging, Solutes, Electron transfer, Volt-ampere characteristics, Chemical reactions, Diffusion, Reprints.

There have been many studies on and applications of polymer-based (polyethylene oxides) solid electrolytes. These polymeric electrolytes are utilized in areas, such as, solid state batteries and photovoltaic cells. The high boiling point of these polymer electrolytes makes them potentially useful as solvents for electrochemical reactions at elevated temperatures. Additionally, the study of the physical properties for dissolved analyte such as, diffusion, chemical reactivities are of more fundamental but important, in nature. Presented in the work are studies involving the electroactivity of ferrocene in polyethylene glycol-400. Discussions are included involving the relative contributions of electron transfer rates and uncompensated resistance to the current potential curves obtained in the studies.

100,440
PB92-110113 Not available NTIS
American Chemical Society, Washington, DC.
Journal of Physical and Chemical Reference Data, Volume 20, Number 1, 1991.

Bimonthly rept.
D. R. Lide. c1991, 202p
See also PB92-110121 through PB92-110154, PB92-110162, PB92-110212, and PB91-192542. Errata sheet inserted. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.

Available from American Chemical Society, 115 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Physical properties, Spectrum analysis, Tables(Data), Copper ions, Atomic energy levels, Magnesium, Alkali compounds, Alkoxy compounds, Wavelengths, Enthalpy, Liquid crystals, Ionization, Molecular structure, Hydrides, Diatomic molecules, Transition temperature, *Reference materials, Benzoic acid/(phenyl-ester), Grotrian diagrams.

Contents:
Spectral Data and Grotrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX;
Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I thru XII);
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions;
Critical Evaluation of Liquid Crystal Transition Temperatures I:
4,4'-Alkyl/alkoxyphenylbenzoates;
Cumulative listing of Reprints and Supplements.

100,441
PB92-110121 (Order as PB92-110113)

Japan Atomic Energy Research Inst., Tokai.
Spectral Data and Grotrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.

T. Shirai, T. Nakagaki, Y. Nakai, J. Sugar, and K. Ishii. c1991, 81p
Prepared in cooperation with National Inst. of Standards and Technology, Gaithersburg, MD., Kyoto Univ. (Japan), and Hiroshima-Denki Inst. of Tech. (Japan). Included in Jnl. of Physical and Chemical Reference Data, v20 n1 p1-81 1991. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Spectrum analysis, *Copper ions, Wavelengths, Tables(Data), Atomic energy levels, Graphs(Charts), Ionization, *Reference materials, *Grotrian diagrams.

Wavelengths, energy levels, level classifications, intensities, and transition probabilities for the copper spectra Cu X to Cu XXIX are compiled. The data are critically evaluated and the best results, in the authors' judgement are quoted. A short review of the work on each stage of ionization is included. Grotrian diagrams are also presented to provide graphical overviews. The literature has been surveyed to March 1990. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,442
PB92-110139 (Order as PB92-110113)

National Inst. of Standards and Technology, Gaithersburg, MD.

Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).

V. Kaufman, and W. C. Martin. c1991, 70p
Included in Jnl. of Physical and Chemical Reference Data, v20 n1 p83-152 1991. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Wavelengths, *Spectrum analysis, *Atomic energy levels, *Magnesium, Tables(Data), Listings, Ionization, Critical point, *Reference materials.

Wavelengths and their classifications are compiled for the spectra of magnesium. Selections of data are based on the critical evaluations in the compilation of energy levels by Martin and Zalubas with some updating from the more recent literature. All classifications have been verified with predictions made by differencing the energy levels. In addition to the spectra ordered by ionization stage, two finding lists are included, one containing Mg I to Mg III and the other Mg IV to Mg XII. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,443
PB92-110147 (Order as PB92-110113)

Iowa Univ., Iowa City.
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.

W. C. Stwalley, W. T. Zemke, and S. C. Yang. c1991, 35p
Prepared in cooperation with Wartburg Coll., Waverly, IA. Dept. of Chemistry, and Rhode Island Univ., Kingston. Dept. of Chemistry.

Included in Jnl. of Physical and Chemical Reference Data, v20 n1 p153-187 1991. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: Spectrum analysis, *Molecular structure, *Metal hydrides, *Diatomic molecules, *Ions, Sodium hydrides, Potassium hydrides, Cesium hydrides, Atomic energy levels, Rubidium hydrides, Alkali metals, Hydrides, Deuterium compounds, Laser spectroscopy, Excitation, *Reference materials.

All significant experimental measurements and theoretical calculations of the spectroscopy and structure of the alkali hydrides NaH, KH, RbH and CsH, and the corresponding alkali deuterides, are identified and reviewed. Published molecular constant determinations from conventional and laser spectroscopy are evaluated; recommended spectroscopic constants for $\text{Chi}(1)\text{Sigma}(+)$ and $\text{Alpha}(1)\text{Sigma}(+)$ states are tabulated. RKR and hybrid potential energy curves are evaluated; recommended RKR curves for $\text{Chi}(1)\text{Sigma}(+)$ and $\text{Alpha}(1)\text{Sigma}(+)$ states are tabulated. Ground state dissociation energy (D_e) estimates are evaluated; recommended $\text{Chi}(1)\text{Sigma}(+)$ and $\text{Alpha}(1)\text{Sigma}(+)$ state D_e and D_0 values are tabulated. Accurate electronic structure calculations (Hartree Fock or better) are listed and described briefly; all excited electronic states considered are included. Experimental and theoretical radiative and dipole properties are noted and discussed. Calculations on the positive and negative ions of the four diatomic alkali hydrides are also listed and described briefly. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,444
PB92-110154 (Order as PB92-110113)

Kent State Univ., OH.
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.

T. T. Blair, M. E. Neubert, M. Tsai, and C. Tsai. c1991, 16p
Included in Jnl. of Physical and Chemical Reference Data, v20 n1 p189-204 1991. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Liquid crystals, *Transition temperatures, *Alkyl compounds, *Alkoxy compounds, Melting points, Enthalpy, Phase transformations, Tables(Data), Graphs(Charts), Error analysis, Molecular structure, *Benzoic acid/(phenyl-ester).

Transition temperatures for 366 straight chain 4,4'-alkyl/alkoxyphenylbenzoates (through Nov. 1990) have been compiled and critically evaluated. Information was obtained wherever possible, with the exception of the patent literature, and examined for editorial coherency. Line graphs of the melting and clearing temperatures were plotted as a function of the chain length of either side, while holding constant the other side, and evaluated for consistency, particularly for the persistence of the odd-even alternation in the clearing curve. It became apparent that major breaks in the curve indicated errors in the data which, when corrected, restored the alternating curve. Mesophase identification was reviewed by evaluating bar graphs and block diagrams. Usually, a given phase appeared first in a monotropic form, then in an enantiotropic form, and finally disappeared without reappearing in the series. Further evaluation of the data suggested that a number of phases have been missed. Evaluated transition temperatures are available on 38 dialkyl, 91 alkyl/alkoxy, 100 alkoxy/alkyl, and 137 dialkoxy compounds. Enthalpies for 93 of the esters are also included. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,445
PB92-110162 Not available NTIS

American Chemical Society, Washington, DC.
Journal of Physical and Chemical Reference Data, Volume 20, Number 2, March-April 1991.

Bimonthly rept.
D. R. Lide. c1991, 234p
See also PB92-110170 through PB92-110204, PB92-110212, PB92-110113, and PB91-192542. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Physical & Theoretical Chemistry

Keywords: *Physical chemistry, Thermochemistry, Combustion, Propenes, Thermodynamic properties, Thermophysical properties, Ethane, Information systems, Specific heat, Polymers, Organic compounds, Liquid phases, Alkanes, *Reference materials, ATHAS system.

Contents:

Chemical Kinetic Data Base for Combustion Chemistry Part V. Propene;
Thermophysical Properties of Ethane;
Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. X.
Update of the ATHAS 1980 Data Bank;
Heat Capacities of Organic Compounds in Liquid State. II. C1 to C18 n-Alkanes;
Cumulative Listing of Reprints and Supplements.

100,446
PB92-110170

(Order as PB92-110162)

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.
W. Tsang. c1991, 53p
Included in Jnl. of Physical and Chemical Reference Data, v20 n2 p221-273 Mar/Apr 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Reaction kinetics, *Combustion, *Propenes, *Thermochemistry, Inorganic compounds, Pyrolysis, Alkanes, Transport properties, Thermodynamic properties, Vapor phases, Tables(Data), *Reference materials.

The publication contains evaluated and estimated data on the kinetics of reactions involving propene and allyl radical and various small inorganic and organic species which are of importance for the proper understanding of the early stages of propene and the intermediate stages of propane and isobutane combustion and pyrolysis. It is meant to be used on conjunction with the kinetic data given in earlier publications, which is of direct pertinence to the understanding of methane, ethane, methanol, propane and isobutane pyrolysis and combustion, but which also contains a large volume of data that are applicable to the propene system. The temperature range covered is 300-2500 K and the density range 10 to the 16th power to 10 to the 21st power molecules/cu cm. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,447
PB92-110188

(Order as PB92-110162)

National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.
Thermophysical Properties of Ethane.
D. G. Friend, H. Ingham, and J. F. Ely. c1991, 73p
Included in Jnl. of Physical and Chemical Reference Data, v20 n2 p275-347 Mar/Apr 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Thermophysical properties, *Ethane, Liquid phases, Thermodynamic properties, Equations of state, Transport properties, Specific heat, Tables(Data), Boundary layer transition, Phase rule, Viscosity, Ideal gas, Thermal conductivity, *Reference materials.

New correlations for the thermophysical properties of fluid ethane are presented. The correlations are based on a critical evaluation of the available experimental data and have been developed to represent these data over a broad range of the state variables. Estimates for the accuracy of the equations and comparisons with measured properties are given. The reasons for the new study of ethane include significant new and accurate data and improvements in the correlating functions which allow increased accuracy of the correlations—especially in the extended critical region. Short tables of the thermophysical properties of ethane are included. The study complements an earlier study of methane and uses the same correlating equations and format. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,448
PB92-110204

(Order as PB92-110162)

Vysoka Skola Chemicko-Technologiccka, Prague (Czechoslovakia).

Heat Capacities of Organic Compounds in Liquid State. 2. C1 to C18 n-Alkanes.

V. Rizicka, M. Zabransky, and V. Majer. c1991, 52p
Prepared in cooperation with Clermont-Ferrand-2 Univ., Aubiere (France).
Included in Jnl. of Physical and Chemical Reference Data, v20 n2 p405-444 Mar/Apr 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Specific heat, *Organic compounds, *Alkanes, *Liquid phases, Thermodynamic properties, Tables(Data), Experimental design, Least square methods, Temperature, *Reference materials.

Heat capacities of liquid C1 to C18 n-alkanes measured by calorimetric methods have been compiled and evaluated. The selected experimental data were fitted as a function of temperature with cubic splines using weighted least squares minimization. The parameters of the cubic spline polynomials and the recommended values for heat capacities are presented. Heat capacities were also fitted by a quasipolynomial equation permitting extrapolation of heat capacities outside the temperature range of experimental values. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,449
PB92-110212

Not available NTIS

American Chemical Society, Washington, DC.
Journal of Physical and Chemical Reference Data, Volume 20, Number 3, May-June 1991.
Bimonthly rept.

D. R. Lide. c1991, 128p
See also PB92-110220 through PB92-110253, PB92-110113 and PB92-110162. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.
Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036-9976.

Keywords: *Physical chemistry, Argon ions, Nitrogen, Reaction kinetics, Vapor phases, Thermodynamic properties, Nitroxyl radicals, Organic compounds, Sodium bromides, Argon, Nitrogen ions, Atomic energy levels, Ion-molecule collisions, Molecule-molecule collisions, Solubility, Carbon dioxide, Critical point, Water, Cross sections, *Reference materials, Chemical reaction mechanisms.

Contents:

Kinetics and Mechanisms of the Gas-Phase Reactions of the NO3 Radical with Organic Compounds;
Thermodynamic Properties of the NaBr + H2O System;
Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N2 and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV;
Evaluation of Solubility Data of the System CO2-H2O from 273 K to the Critical Point of Water;
Cumulative Listing of Reprints and Supplements.

100,450
PB92-110220

(Order as PB92-110212)

California Univ., Riverside. Statewide Air Pollution Research Center.
Kinetics and Mechanisms of the Gas-Phase Reactions of the NO3 Radical with Organic Compounds.
R. Atkinson. c1991, 49p
Included in Jnl. of Physical and Chemical Reference Data, v20 n3 p459-507 May/Jun 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036-9976.

Keywords: *Reaction kinetics, *Nitroxyl radicals, *Organic compounds, Vapor phases, Reviews, Chemical reactions, Free radicals, Nitrates, *Chemical reaction mechanisms, *Reference materials.

A substantial data base concerning the rate constants for the gas-phase reactions of the nitrate (NO3) radical with organic compounds is now available, with rate constants having been determined using both absolute and relative rate methods. To date, the majority of these kinetic data have been obtained at room temperature using relative rate techniques utilizing both the reactions of the NO3 radical with other organic compounds and the equilibrium constants for the NO3 + NO2 in equilibrium with N2O5 reactions as the reference reaction. In the article, the literature kinetic and mechanistic data for the gas-phase reactions of the NO3 radical with organic compounds (through late

1990) have been tabulated, reviewed and evaluated. While the available data base exhibits generally good agreement and self-consistency, further absolute rate data are needed, preferably as a function of temperature. Most importantly, mechanistic and product data for the reactions of the NO3 radical with organic compounds need to be obtained. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,451
PB92-110238

(Order as PB92-110212)

National Inst. of Standards and Technology, Gaithersburg, MD.

Thermodynamic Properties of the NaBr + H2O System.

D. G. Archer. c1991, 47p
Included in Jnl. of Physical and Chemical Reference Data, v20 n3 p509-555 May/Jun 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036-9976.

Keywords: *Thermodynamic properties, *Sodium bromides, *Water, Chemical reactions, Experimental design, Thermodynamic activity, Reaction kinetics, Gibbs free energy, Enthalpy, Entropy, *Reference materials.

Equations that described the thermodynamic properties of the NaBr + H2O system were obtained from a fit to experimental results for the system. The experimental results included in the fit spanned the range of temperature of approximately 260 to 623 K and the range of pressure from the vapor pressure of the solution to 150 MPa. New equations and/or values for the following properties are given in the present work: (1) the change in chemical potential with respect to temperature and pressure for NaBr(cr), valid from 200 to 900 K. (2) ΔG and ΔH for the elements, as well as S and C_p for NaBr, all for 298.15 K, 0.1 MPa for NaBr·2H2O(cr), (4) the change in chemical potential for both NaBr and H2O in NaBr(aq) as a function of temperature, pressure, and molality, valid from 260 to 600 K and from the vapor pressure of the solution to 150 MPa. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,452
PB92-110246

(Order as PB92-110212)

Joint Inst. for Lab. Astrophysics, Boulder, CO.
Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N2 and Argon Ions and Neutrals in N2 and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV.
A. V. Phelps. c1991, 17p
Included in Jnl. of Physical and Chemical Reference Data, v20 n3 p557-573 May/Jun 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036-9976.

Keywords: *Ion-molecule collisions, *Molecule-molecule collisions, *Cross sections, Nitrogen ions, Nitrogen, Argon ions, Argon, Atomic energy levels, Charged-particle transfer, Reaction kinetics, Excitation, Tables(Data), Graphs(Charts).

Graphical and tabulated data and the associated bibliography are presented for cross sections for elastic, excitation, and ionization collisions of N(+), N2(+), N, and N2 with N2 and for Ar(+) and Ar with Ar for laboratory energies from 0.1 eV to 10 keV. Where appropriate, drift velocities and reaction or excitation coefficients are calculated from the cross sections and recommended for use in analyses of swarm experiments and electrical discharges. In the case of N(+) in N2, cross sections for momentum transfer, charge transfer, electronic excitation, and electron production are recommended. In the case of N in N2, only cross sections for momentum transfer are recommended. For N2 in N2, cross sections for momentum transfer, electronic excitation, and electron production are recommended. Collisions of electronically excited states with N2 are not included. For Ar(+) in Ar, cross sections for charge transfer, electronic excitation, and electron production are recommended. For Ar in Ar, cross sections for momentum transfer, electronic excitation, and electron production are recommended.

100,453
PB92-110253

(Order as PB92-110212)

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

CHEMISTRY

Physical & Theoretical Chemistry

Evaluation of Solubility Data of the System CO₂-H₂O from 273 K to the Critical Point of Water.

R. Crovetto. c1991, 15p
Included in Jnl. of Physical and Chemical Reference Data, v20 n3 p575-589 May/Jun 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036-9976.

Keywords: *Solubility, *Carbon dioxide, *Water, High temperature tests, Critical point, Pressure, Henry's law, Equations of state, Vapor phases.

The critical review covers the existing literature on the solubility of CO₂ in water from 273 K to the critical temperature of the solvent (647 K). Results of the evaluation are expressed in the form of fitting equations for the infinite dilution Henry's constant, k , as a function of the density of the solvent, and also as an explicit function of the temperature. The pressure effect on the solubility is considered in the formulation. Different equations of state were used for the description of the CO₂-H₂O vapor phase and the effect on the calculated Henry's constant values are analyzed. The 'best' solubility estimates are presented in smoothed tabular form. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,454
PB92-116326 PC A03/MF A01
National Inst. of Standards and Technology (CSTL), Boulder, CO. Chemical Engineering Div.
Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.

B. Louie, and W. G. Steward. Oct 91, 42p NISTIR-3951

Contract WPAFB MIPR FY1455-89-N0604
See also PB90-254764. Prepared in cooperation with FluidTherm Engineering, Boulder, CO.

Keywords: *Liquid hydrogen, *Heat transfer, Cryogenics, Transients, Thin films, Carbon, Platinum, Heat of vaporization, Nucleate boiling, Heat measurement, Substrates, Ceramics, Aluminum oxide, Quartz, Glass epoxy composites, Electric conductivity, Power generation.

Transient heat transfer to liquid hydrogen was investigated. Thin carbon films and Pt foils submerged in liquid hydrogen received stepped inputs of power ranging from 1 to 42 W/sq cm, and the onset of nucleate or film boiling was obtained for each power level. The critical heat flux was found to be approximately 8 W/sq cm, with the transition to film boiling occurring in times less than 0.001 s. Premature film boiling can be related to the positive temperature coefficient of resistance and the narrowness of the heaters. Thermometric devices and power generation equipment selection are discussed.

100,455
PB92-116508 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.
Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence. Final rept.

T. J. Bruno, J. A. Schroeder, and S. L. Outcalt. 1990, 8p
See also PB89-124853. Sponsored by Gas Research Inst., Chicago, IL.
Pub. in International Jnl. of Thermophysics 11, n5 p889-896 1990.

Keywords: *Fugacity, *Binary mixtures, *Hydrogen, *Ethane, Test chambers, Comparison, Reprints.

The fugacity coefficients of hydrogen in binary mixtures with ethane were measured. Data were taken using an experimental chamber which is divided into two regions by a semipermeable membrane through which hydrogen, but not ethane can penetrate. The measurement of the gas pressures inside and outside the membrane gives the hydrogen component fugacity at a given temperature, binary mixture mole fraction, and mixture pressure. In the paper, results are reported at mixture pressures of 5.25, 6.97, 10.21, and 13.47 MPa. In each case, the temperature of the mixture was maintained at an average value of 130 C (403.15K). The general qualitative features of the data are discussed, and comparisons are made with predictions obtained from the Redlich-Kwong and Peng-Robinson equations of state.

100,456
PB92-116524 Not available NTIS
National Inst. of Standards and Technology (CSTL), Boulder, CO. Chemical Engineering Div.

Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.

Final rept.
J. E. Callanan, and R. D. Weir. 1991, 10p
See also PB91-149864. Sponsored by Department of National Defence, Ottawa (Ontario).
Pub. in Jnl. of Chemical Thermodynamics 23, p411-420 1991.

Keywords: *Ionic conductivity, *Calorimetry, *Specific heat, *Stannates, Thermodynamic properties, Temperature dependence, Strontium compounds, Barium compounds, Lead compounds, Phase transformations, Monoclinic lattices, Tetragonal lattices, Cubic lattices, Fluorine 19, Enthalpy, Entropy, Transition temperature, Reprints, *Fast ion conductors, Tetrafluorostannates.

The low-temperature adiabatic calorimetric measurements on three fast-ion conductors have been extended to 660 K by differential scanning calorimetry (d.s.c.). For strontium tetrafluorostannate SrSnF₄ the heat capacities from the d.s.c. merged smoothly with those from the adiabatic measurements and no phase transition was observed up to 660 K. The anomaly between 280 K and 350 K was confirmed and a second anomaly was found near 475 K coincident with changes in the spin-lattice relaxation time of (19)F. The heat capacity of BaSnF₄ rose smoothly from the anomaly between 210 K and 320 K noted previously in the adiabatic measurements. No evidence of a phase transition was observed up to 660 K, although the slope of the heat capacity against temperature curve increased above 510 K. In lead tetrafluorostannate PbSnF₄ the transition from the monoclinic alpha-phase to tetragonal beta-phase was complete at 365 K with an associated enthalpy = (306.0 ± 0.2) J/mol and entropy = (0.97 ± 0.02) J/K/mol. The heat capacity then rose smoothly to 500 K where it increased sharply leading up to the tetragonal beta-phase to cubic gamma-phase transition at 600 K with enthalpy = (2.53 ± 0.02) kJ/mol and entropy = (4.03 ± 0.05) J/K/mol. Thermodynamic functions are tabulated to 600 K for SrSnF₄ and to 650 K for BaSnF₄ and PbSnF₄.

100,457
PB92-116649 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Physics Div.
Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex. Final rept.

L. H. Coudert, K. Matsumura, and F. J. Lovas. 1991, 15p
Pub. in Jnl. of Molecular Spectroscopy 147, p46-60 1991.

Keywords: *Microwave spectra, *Argon compounds, *Sulfur dioxide, Gases, Molecular structure, Spectrum analysis, Fourier transformation, Fabry-perot interferometer, Sulfur 32 reactions, Sulfur 34 reactions, Rotational states, Coriolis force, Reprints.

The microwave spectrum of Ar-SO₂ has been observed with a pulsed beam, Fabry-Perot cavity, Fourier transform microwave spectrometer. This complex displays a- and c-type spectra, the latter of which is shifted by internal motion of the SO₂ unit. In addition to the spectrum of the normal isotopic form, the spectrum of Ar-(34) SO₂ was observed. Rotational analysis of each spectrum provides the constants A = 9151.235(5) MHz, 1/2 (B + C) = 1402.0444 (3) MHz, and B - C = 167.808 (2) MHz for the normal species, and A = 9112.734 (6) MHz, 1/2 (B + C) = 1385.149 (6) MHz, and B - C = 162.838 (2) MHz for the Ar-(34) SO₂ species. Constants relevant to the Coriolis coupling between the tunneling motion and the overall rotation of the molecule are also determined and, along with the rotational constants, make possible an unambiguous determination of the angle between the a axis of the complex and the C2 axis of the SO₂ molecule.

100,458
PB92-116839 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.
Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures. Final rept.

K. A. Gillis, and M. R. Moldover. 1991, 8p
Contracts DE-AI05-88ER13823, N0002490MP33493
Sponsored by Department of Energy, Washington, DC., and Department of the Navy, Washington, DC.

Pub. in Proceedings of Symposium on Energy Engineering Sciences Fluid and Dynamical Systems (9th), Argonne, IL., May 13-15, 1991, p310-317.

Keywords: *Sound waves, *Gases, *Sound transducers, Specific heat, Virial equation, Thermodynamic properties, High temperature tests, Refrigerants, Reprints, Bis(difluoromethyl) ether.

Accurate measurements of the speed of sound in gases are conventionally made using metal resonators with small transducers embedded in their walls. The authors have extended the method to include gases at high temperatures and gases that are corrosive or incompatible with elastomers and thermoplastics. The authors use remote transducers coupled to a resonator through acoustic waveguides. Thin metal diaphragms separate the waveguides from the resonator and confine the test gas within an all-metal environment. In the present apparatus, any gas compatible with gold and stainless steel can be studied. The apparatus was tested by determining the ideal-gas heat capacity and second acoustic virial coefficient of bis(difluoromethyl) ether. The ether is an environmentally benign compound; however, its solubility in polymer o-rings made it incompatible with conventional acoustic apparatus containing elastomers.

100,459
PB92-116854 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model. Final rept.

R. N. Goldberg, and Y. B. Tewari. 1991, 21p
Pub. in Biophysical Chemistry 40, p241-261 1991.

Keywords: *Disproportionation, *Enzymes, *Adenosine phosphates, *ADP, *Magnesium ions, *ATP, Activity coefficients, Thermodynamic equilibrium, Mathematical models, Specific heat, AMP, Enthalpy, Blood cells, Nucleotides, Protons, Gibbs free energy, Hemoglobin, Catalysts, Biochemistry, Entropy, Reprints, Adenylate kinase, Ionic strength.

The thermodynamic treatment of the disproportionation reaction of adenosine 5'-diphosphate to adenosine 5'-triphosphate and adenosine 5'-monophosphate is discussed in terms of an equilibrium model which includes the effects of the multiplicity of ionic and metal bound species and the presence of long range electrostatic and short range repulsive interactions. Calculated quantities include equilibrium constants, enthalpies, heat capacities, entropies, and the stoichiometry of the overall reaction. The matter of how these calculations can be made self-consistent with respect to both calculated values of the ionic strength and the motility of the free magnesium ion is discussed. The thermodynamic data involving proton and magnesium-ion binding data for the nucleotides involved in this reaction have been evaluated.

100,460
PB92-117035 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes. Final rept.

G. G. Long, and J. Kruger. 1991, 43p
Sponsored by National Science Foundation, Washington, DC., and Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in Techniques for Characterization of Electrodes and Electrochemical Processes, Chapter 4, p167-209 1991.

Keywords: *Electrodes, *Surface chemistry, *Electrochemistry, Corrosion inhibitors, X ray analysis, Reviews, On-line measurement systems, Characterization, Passivity, Electrolytes, Reprints, Extended x-ray absorption fine structure.

The report is a review of extended x-ray absorption fine structure (EXAFS) and NEXAFS spectroscopy as it applies to important issues in electrochemistry. The theory and the resolution of some of the problems encountered are given. Techniques and instrumentation are reviewed. And finally, examples are given of applications from passivity, corrosion inhibitors and batteries.

100,461

PB92-117050

Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Thermophysics Div.

Semiclassical Calculation of Self-Broadening in O₂, N₂, and CO Raman Spectra.

Final rept.

J. P. Looney, and G. J. Rosasco. 1991, 12p

Sponsored by Army Research Office, Research Triangle Park, NC.

Pub. in Jnl. of Chemical Physics 95, n4 p2379-2390, 15 Aug 91.

Keywords: *Raman spectra, *Oxygen, *Nitrogen, *Carbon monoxide, Semiclassical approximation, Calculation methods, Spectrum analysis, Temperature dependence, Gases, Line broadening, Reprints.

Semiclassical calculations of the J and temperature dependence of the Raman Q1 and S0 self-broadened linewidths of O₂, N₂, and CO have been performed within the framework of Robert and Bonamy with J = 0-30 and T = 300-1500 K. The calculation of the CO self-broadened R1 linewidths are also reported for T = 100-300 K and J = 0-20. Comparison of the results of these calculations with recent experiments shows good overall agreement.

100,462

PB92-117092

Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Semiconductor Electronics Div.

XANES of Transition Metal Zinc-Blende Semiconductors.

Final rept.

D. A. McKeown. 1991, 3p

Pub. in X-ray Absorption Fine Structure, Chapter 85, p346-348 1991.

Keywords: *X ray analysis, *Electron transitions, Semiconductors(Materials), *Transition metals, Sulfides, Iron compounds, Copper compounds, Zinc compounds, Chalcopyrite, Sphalerite, Atomic structure, Reprints, X ray absorption near-edge structure, Zinc blende.

XANES (X-ray absorption near-edge structure) is known to be sensitive to both the arrangement of atoms around, as well as the atomic states of the absorbing atom. Therefore, it is not surprising that XANES data, collected on compounds having different arrangements of atoms around the absorbing atom, can have very different features. In the study, XANES data were gathered for three transition metals: Fe and Cu in chalcopyrite (CuFeS₂), and Zn in sphalerite (ZnS), where all three cations are in nearly identical atomic environments (similar to the zinc-blende type structures in III-V semiconductors). Since the environments are similar, any change in the XANES should, to first approximation, be due entirely to atomic effects of the absorbing atom. The rationale behind the study is to see if any changes in the near-edge data can be assigned to electronic transitions of the absorbing atom; this may be useful for interpreting XANES for III-V semiconductors. Previously, Zn, Cu, and Fe edges were presented separately, but no comparisons or calculations have been made for all three edges.

100,463

PB92-117175

Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Molecular Physics Div.

High-Resolution Infrared Spectrum of the nu₁ Band of OCIO.

Final rept.

J. Ortigoso, R. Escribano, J. B. Burkholder, C. J.

Howard, and W. J. Lafferty. 1991, 25p

Pub. in Jnl. of Molecular Spectroscopy 148, p346-370 1991.

Keywords: *Chlorine oxides, *Infrared spectra, High resolution, Absorption spectra, Band spectra, Reprints, Fourier transform infrared spectroscopy.

The infrared absorption spectrum of the nu(sub 1) band of OCIO (care must be taken to distinguish it from ClOO, which also exists) has been recorded in the 950/cm region, with a Fourier transform infrared spectrometer with an instrumental resolution of about 0.004/cm. Most lines appear as doublets owing to the spin-rotation interaction present in this molecule. Around 2800 lines have been assigned for the (35)ClO₂ species and about 800 for the (37)ClO₂ species. In addition, a number of lines of the 'hot band' nu(sub 1) + nu(sub 2) - nu(sub 2) have been assigned

for the (35)ClO₂ species. Effective rotational and spin-rotational spectroscopic constants have been obtained for the ground and the nu(sub 1) - 1 vibrational states of (35) ClO₂ and (37)ClO₂ and the corresponding band origins have also been determined. Fermi resonance between the 2nu(sub 2) and nu(sub 1) bands has been found to be negligible; however, a weak resonance between the K(sub alpha) = 7 levels of nu(sub 1) = 1 and the K(sub alpha) = 9 levels of nu(sub 2) = 2 has been observed. The measured integrated nu(sub 1) band strength is 87 + or - 6/sq cm/atm at 300 K.

100,464

PB92-117290

Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Metallurgy Div.

Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa₂Cu₃O_x.

Final rept.

P. K. Schenck, D. W. Bonnell, and J. W. Hastie.

1989, 5p

Pub. in Jnl. of Vacuum Science and Technology A 7, n3 p1745-1749 1989.

Keywords: *Graphite, Laser target interactions, High temperature superconductors, Mass spectroscopy, Reaction kinetics, Thermochemistry, Vaporization, Targets, Plumes, Reprints, *Yttrium barium cuprates.

A very high pressure sampling mass spectrometer has been used to study the thermochemistry and kinetics of laser induced plumes from graphite and YBa₂Cu₃O_x targets. Time resolved mass spectra of C(sub n) (n = 1-9) neutral vapor species were obtained from graphite targets under conditions of varying laser-surface interaction geometry and vapor plume-sampling geometry. Ionic species C₁(1+), C₂(1+), C₃(1+), and impurities Na(1+) and K(1+) were also observed in the laser induced plume. Mass spectra obtained from superconducting YBa₂Cu₃O_x targets showed an abundance of species in the laser induced plumes including both neutral and ionic Y, Ba, and Cu. In addition, species such as BaO, CuO(1+), YO and bimetallics (BaCu, YCu) were observed. Similar neutral and ionic metal atom species were observed using time resolved optical spectroscopy of the plume.

100,465

PB92-123157

PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

NIST X-Ray Photoelectron Spectroscopy (XPS) Database.

Technical note (Final).

C. D. Wagner. Oct 91, 62p NIST/TN-1289

Also available from Supt. of Docs. as SN003-003-03104-6. Prepared in cooperation with Surfex Co., Oakland, CA.

Keywords: *X ray photoelectron spectroscopy, *Photoelectron spectroscopy, *Data bases, *Bibliographies, Chemical shift, Binding energy, Auger electrons, Tables(Data).

The technique known as XPS (X-Ray Photoelectron Spectroscopy) involves x-ray irradiation of surface samples under high vacuum. Electrons escaping from the samples are sorted and arranged to form a spectrum. A compilation of data for binding energy and kinetic energy of sample electrons from all elements has been collected. Depending on the nature of the chemical bond, the chemical shift can be as much as 10 eV. Over the past 6 years the author has indexed articles related to the subject area. The data bank contains a total of 13,200 records, from a total of 800 papers.

100,466

PB92-148063

Not available NTIS
American Chemical Society, Washington, DC.

Journal of Physical and Chemical Reference Data, Volume 20, Number 4, July/August 1991.

Bimonthly rept.

D. R. Lide. c1991, 168p

See also PB92-148071 through PB92-148105 and PB92-110212. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Available from American Chemical Society, 115 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Physical chemistry, Supercritical fluids, Reaction kinetics, Combustion, Propellants, Molecular orbitals, Thermodynamic properties, Cyclopentadiene, Solutes, Liquids, Solids, Solubility, Nitrogen, Oxygen,

Molecular vibration, Molecular rotation, Constants, Carbon dioxide, Ab-initio calculations.

Contents:

Chemical Kinetic Data Base for Propellant

Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN, and N₂O;

Ab-Initio Calculations and Ideal Gas

Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives;

Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen;

Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.

100,467

PB92-148071

(Order as PB92-148063)
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Chemical Kinetics Div.

Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O.

W. Tsang, and J. T. Herron. c1991, 55p

Included in Jnl. of Physical and Chemical Reference Data, v20 n4 p609-663 Jul/Aug 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Reaction Kinetics, *Combustion, *Propellants, Transport properties, Nitrogen oxides, Chemical equilibrium, Chemical reactions, Hydrogen, Oxygen, Oxygen compounds, Carbon monoxide, RDX, Explosives, Cyanides, Tables(Data).

The publication contains evaluated chemical kinetic data on a number of single elementary reactions involving small polyatomic molecules which are of importance in propellant combustion. The work involves the collection and evaluation of mechanistic and rate information and the use of various methods for the extrapolation and estimation of rate data where information does not exist. The conditions covered range from 500-2500K and 10 to the 17 power - 10 to the 22 power particles/cu cm. The results of the first years effort lead to coverage of all pertinent reactions of the following species; H, H₂, H₂O, O, OH, HCHO, CHO, CO, NO, NO₂, HNO HNO₂, HCN, and N₂O. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,468

PB92-148089

(Order as PB92-148063)
Technion - Israel Inst. of Tech., Haifa.

Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.

M. Karni, I. Oref, and A. Burcat. c1991, 19p

Included in Jnl. of Physical and Chemical Reference Data, v20 n4 p665-683 Jul/Aug 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Thermodynamic properties, *Molecular orbitals, *Cyclopentadiene, Cycloalkenes, Combustion, Fuels, Ideal gas, Molecular structure, Enthalpy, Thermochemistry, Entropy, Free radicals, Tables(Data), Moments of inertia, Molecular vibrations, Specific heat, *Ab-initio calculations.

Analysis of recent experiments in combustion kinetics of cyclopentene (6), requires knowledge of the thermodynamic parameters of cyclopentadienyl radicals. Structures, frequencies and energies, ideal gas thermodynamic properties and values, have been calculated for cyclopentadiene, cyclopentadienols, and a number of radicals derived from them. The necessary molecular information for these calculations was found by ab-initio molecular orbital calculations. The geometries, vibrational frequencies and moments of inertia of 8 species are reported. In order to estimate the accuracy of the computations the molecular parameters were compared with known values reported in the literature whenever those were available. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,469

PB92-148097

(Order as PB92-148063)
R and D Associates, Los Angeles, CA.

CHEMISTRY

Physical & Theoretical Chemistry

Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen. R. R. Laher, and F. R. Gilmore. c1991, 28p Contract DNA-001-88-C-0046 Sponsored by Defense Nuclear Agency, Washington, DC.

Included in Jnl. of Physical and Chemical Reference Data, v20 n4 p685-712 Jul/Aug 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Nitrogen, *Oxygen, *Molecular vibration, *Molecular vibration, *Molecular rotation, *Constants, Molecular energy levels, Excitations, Ions, Graphs(Charts), Tables(Data), Spectrum analysis.

All pertinent measurements of the vibrational intervals delta G (upsilon + 1/2) and rotational constants b(sub upsilon) for 11 states of N2, four states of N2(+), the ground state of O2, and four states of O2(+) that could be found in published papers have been assembled and plotted against upsilon. (These are the states important in modeling the fluorescence produced when air is bombarded by fast electrons.) These values of delta G and B(sub upsilon) are compared with values calculated from the standard polynomials in powers of upsilon + 1/2, using the coefficients tabulated by Huber and Herzberg (1979), as well as coefficients derived by later analysts, when available. In about 25 percent of the states considered, the coefficients of Huber and Herzberg are found to still yield good fits to the latest available spectroscopic data. In another 25 percent, good fits are obtained from more recently published coefficients. For the remaining 50 percent of the states, new improved coefficients have been derived by least-squares fitting. The results are tabulated and plotted. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,470
PB92-148105

(Order as PB92-148063)

Leeds Univ. (England).

Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.

K. D. Bartle, A. A. Clifford, S. A. Jafar, and G. F. Shilstone. c1991, 42p

Included in Jnl. of Physical and Chemical Reference Data, v20 n4 p713-756 Jul/Aug 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Carbon dioxide, *Solubility, *Solids, *Liquids, *Solutes, Supercritical fluids, Temperature, Pressure, Tables(Data), Gravimetric analysis, Chromatographic analysis, Phase studies, Phase stability, Equations of state, Graphs(Charts), Spectrum analysis.

A table is given of the compounds of low volatility, whose experimental solubilities in supercritical carbon dioxide have been published up to the end of 1989, with the temperature and pressure ranges of the experimental measurements, the experimental method, and references to the source of data. The data for pure compounds, which were presented in tabular form in the original publications, are shown in a series of figures along with correlation lines for each isotherm. The method of correlation was to fit the experimental data for each isotherm, in the form of the natural logarithm of the product of mole fraction and pressure, to a linear function of density above a pressure of 100 bars. The constants obtained from the fitting procedures are given in a table. Procedures for estimating, from these constants, the solubilities of the compounds at temperatures and pressures different from those of the experimental data are suggested. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,471
PB92-148113

Not available NTIS

American Chemical Society, Washington, DC.

Journal of Physical and Chemical Reference Data, Volume 20, Number 5, September/October 1991. Bimonthly rept.

D. R. Lide. c1991, 289p

See also PB92-148121 through PB92-148154 and PB92-148063. Prepared in cooperation with American Inst. of Physics, New York. Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Thermodynamic properties, *Energy levels, Aluminum ions, Krypton ions, Oxygen, Water, Steam, Multicharged ions, Wavelengths, Tables(Data).

Contents:

Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII); Energy Levels of Krypton, Kr I through Kr XXXVI; Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa;

Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam;
Cumulative Listing of Reprints and Supplements.

100,472
PB92-148121

(Order as PB92-148113)

National Inst. of Standards and Technology, Gaithersburg, MD.

Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).

V. Kaufman, and W. C. Martin. c1991, 82p Included in Jnl. of Physical and Chemical Reference Data, v20 n5 p775-858 Sep/Oct 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Aluminum ions, *Aluminum, *Energy levels, *Wavelengths, Atomic energy levels, Atomic spectra, Multicharged ions, Positive ions, Tables(Data).

Wavelengths and their classifications have been compiled for the spectra of the atom and all positive ions of aluminum (Z=13). The selections of data are based on the compilations of energy levels by Martin and Zalubas (1970, J. Phys. Chem. Ref. Data 8, 817-864), with some updating from the more recent literature. Wavelengths (or wavenumbers) calculated from the differences of the energy levels are given, along with the observed values for all classified lines; these calculated wavelengths should in general be more accurate than the observed values wherever the two values differ significantly. Calculated wavelengths are also given for a number of lines that have not yet been observed, including some important forbidden transitions. The most complete data are given in separate tables for the different spectra. No limitation has been imposed on the wavelength range of the classified lines, except for the omission of x-ray transitions in the neutral atom. Two finding lists are also included, one for Al I through Al III and the other Al IV through Al XIII. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,473
PB92-148139

(Order as PB92-148113)

National Inst. of Standards and Technology (PL), Gaithersburg, MD. Atomic Physics Div.

Energy Levels of Krypton, Kr I through Kr XXXVI.

J. Sugar, and A. Musgrove. c1991, 57p Sponsored by Department of Energy, Washington, DC.

Office of Magnetic Fusion Energy. Included in Jnl. of Physical and Chemical Reference Data, v20 n5 p859-915 Sep/Oct 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Krypton ions, *Krypton, *Energy levels, Atomic energy levels, Multicharged ions, Ionized gases, Spectra, Tables(Data).

The energy levels of the krypton atom, in all stages of ionization for which experimental data are available, have been compiled. No data has yet been published for Kr XI through Kr XVII. For H-like krypton very accurate calculated level values are compiled. In all, data for 29 spectra are given. Experimental g-factors are included for Kr I and Kr II. Calculated percentage compositions of levels are given for 12 ions. A value for the ionization energy of each ion, either experimental or theoretical, is included. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,474
PB92-148147

(Order as PB92-148113)

Idaho Univ., Moscow.

Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.

R. B. Stewart, R. T. Jacobsen, and W. Wagner. c1991, 105p

Prepared in cooperation with Ruhr Univ., Bochum (Germany, F.R.). Inst. fuer Thermo- und Fluidodynamik. Included in Jnl. of Physical and Chemical Reference Data, v20 n5 p917-1021 Sep/Oct 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Thermodynamic properties, *Oxygen, Equations of state, Acoustic velocity, Specific heat, Enthalpy, Entropy, Density, Pressure dependence, Critical point, Triple point, Tables(Data).

A joint project by the authors has resulted in two new thermodynamic property formulations for oxygen. The fundamental equation explicit in Helmholtz energy by Schmidt and Wagner has been used for the calculation of the property tables presented here, and for comparisons of calculated properties to the experimental data. The formulation by Stewart and Jacobsen is used in the paper in comparisons of properties calculated by the two formulations. These comparisons provide the basis for independent assessment of the accuracy of the available data and calculated properties. The fundamental equation is valid for thermodynamic properties of oxygen from the freezing line to 300 K at pressures to 80 MPa. A separate vapor pressure equation and equations for the saturated liquid and saturated vapor densities and the ideal gas heat capacity are included. Functions for calculating internal energy, enthalpy, entropy, isochoric heat capacity (Cv), isobaric heat capacity (Cp) and velocity of sound are also included. Tables of thermodynamic properties of oxygen are given within the range of validity of the fundamental equation. The fundamental equation reported here may be used to calculate densities with an uncertainty of 0.10 percent, heat capacities within 2.0 percent, and velocity of sound values within 1.0 percent. These uncertainty values are valid for the range outside of the critical region. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,475
PB92-148154

(Order as PB92-148113)

Keio Univ., Yokohama (Japan). Dept. of Mechanical Engineering.

Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam.

H. Sato, K. Watanabe, J. M. H. L. Sengers, J. S. Gallagher, and P. G. Hill. c1991, 22p

Prepared in cooperation with National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div., British Columbia Univ., Vancouver. Dept. of Mechanical Engineering, Technische Univ. Muenchen (Germany, F.R.), and Ruhr Univ., Bochum (Germany, F.R.). Inst. fuer Thermo- und Fluidodynamik. Included in Jnl. of Physical and Chemical Reference Data, v20 n5 p1023-1044 Sep/Oct 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Thermodynamic properties, *Steam tables(Thermodynamics), *Water, Equation of state, Acoustic velocity, Vapor pressure, Metastable state, Pressure dependence, Density, Enthalpy, Virial coefficients, Temperature dependence, Tables(Data).

As part of the activities of the International Association for the Properties of Water and Steam, all reliable sources of experimental data on the thermodynamic properties of ordinary (light) water and steam have been collected and converted to common temperature, pressure, volume, mass and heat scales. The data are grouped by state or phase: ideal-gas properties; sublimation and melting curves; saturation properties; properties of liquid water at ambient pressure; thermodynamic properties of the single-phase state; and those of metastable states. In each category, a subdivision is made by property. Properties include the volume, enthalpy, heat capacities, sound velocity, internal energy and Joule-Thomson and related coefficients. The total data collection contains approximately 16,000 data points and covers a century of experimental work at temperatures from 253 to 1273 K and pressures up to 1 GPa. The report characterizes the data and gives the literature references. The actual data collection is available in computerized form. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,476

PB92-148162

Not available NTIS

American Chemical Society, Washington, DC.

Journal of Physical and Chemical Reference Data, Volume 20, Number 6, November/December 1991. Bimonthly rept.

D. L. Lide. c1991, 346p

See also PB92-148170 through PB92-148220 and PB92-148113. Errata sheet inserted. Prepared in cooperation with American Inst. of Physics, New York.

Physical & Theoretical Chemistry

Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.
Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Physical chemistry, Atomic weights, Standards, Equations of State, Thermodynamic properties, Methane, Propulsion, Sulfuric acid, Carbon dioxide, Solubility, Reaction kinetics, High temperature tests, Combustion, Atmospheric chemistry, *Foreign technology, Isotopic composition.

Contents:

- A New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa;
- Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K;
- The Solubility of Carbon Dioxide in Water at Low Pressure;
- Chemical Kinetic Data Sheets for High-Temperature Reactions. Part II;
- Atomic Weights of the Elements 1989;
- Isotopic Compositions of the Elements 1989.

100,477
PB92-148170

(Order as PB92-148162)

Ruhr Univ., Bochum (Germany, F.R.). Inst. fuer Thermo- und Fluidodynamik.

New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa.

U. Setzmann, and W. Wagner. c1991, 95p
Included in Jnl. of Physical and Chemical Reference Data, v20 n6 p1061-1155 Nov/Dec 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036-9976.

Keywords: *Equations of State, *Thermodynamic properties, *Methane, Tables(Data), Pressures, Specific heat, Helmholtz free energy, Enthalpy, Phase transformation, Ideal gas, Melting, Liquid-vapor interfaces, Saturation, Virial coefficients.

The work reviews the data on thermodynamic properties of methane which were available up to the middle of 1991 and presents a new equation of state in the form of a fundamental equation explicit in the Helmholtz free energy. A new strategy for optimizing the structure of empirical thermodynamic correlation equations was used to determine the functional form of the equation. The Helmholtz function containing 40 fitted coefficients was fitted to selected experimental data of the following properties: (1) thermal properties of the single phase (P rho T) and (2) of the liquid-vapor saturation curve (P (sat) rho' rho'') including the Maxwell criterion, (3) speed of sound w , (4) isochoric heat capacity c_v , (5) isobaric heat capacity c_p , (6) difference of enthalpy Δh , and (7) second virial coefficient B . Independent equations are also included for the vapor pressure, the saturated liquid and vapor densities, the isobaric ideal gas heat capacity and the melting pressure as functions of temperature. Tables for the thermodynamic properties of methane from 90 K to 620 K for pressures up to 1000 MPa are presented. To verify the accuracy of the new formulation, the calculated property values are compared with selected experimental results and existing equations of state for methane. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,478
PB92-148188

(Order as PB92-148162)

National Aeronautics and Space Administration, Cleveland, OH. Lewis Research Center.

Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K.

F. J. Zeleznik. c1991, 44p
Included in Jnl. of Physical and Chemical Reference Data, v20 n6 p1157-1200 Nov/Dec 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Thermodynamic properties, *Sulfuric acid, Electrolytes, Liquid phases, Specific heat, Enthalpy, Melting points, Electromotive force, Tables(Data), Osmosis, Activity coefficients, Heat of fusion, Solid phases, Gibbs free energy, Freezing, Phase transformations, Entropy.

Experimental measurements for aqueous sulfuric acid and its related pure, solid phases have been thermo-

dynamically analyzed and correlated as a function of temperature and composition from pure water to pure acid. The pure phases included anhydrous sulfuric acid, five of its hydrates and ice. Experimental data which were used in the correlation included measurements of the enthalpy of dilution, both solution and pure phase heat capacities, electromotive force and solution freezing points. The correlation yielded mutually consistent expressions for the Gibbs energy of each phase and these functions generally reproduce the experimental data to ± 0.75 percent. The Gibbs energy functions of the pure solid phases were used to generate tables of their thermodynamic properties from 0 K to the melting points. The Gibbs energy function for aqueous sulfuric acid was used to produce tables of both integral and partial molar solution properties as a function of sulfuric acid mole fraction every 50 degrees from 200 to 350 K. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,479
PB92-148196

(Order as PB92-148162)

Alberta Univ., Edmonton. Dept. of Chemical Engineering.

Solubility of Carbon Dioxide in Water at Low Pressure.

J. J. Carrol, J. D. Slupsky, and A. E. Mather. c1991, 9p
Included in Jnl. of Physical and Chemical Reference Data, v20 n6 p1201-1209 Nov/Dec 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Carbon dioxide, *Solubility, Henry's law, Low pressure tests, Water, Enthalpy, Vapor phases, Chemical composition.

The system carbon dioxide-water is of great scientific and technological importance. Thus, it has been studied often. The literature for the solubility of carbon dioxide in water is vast and interdisciplinary. An exhaustive survey was conducted and approximately 100 experimental investigations were found that reported equilibrium data at pressures below 1 MPa. A model based on Henry's law was used to correlate the low pressure data (those up to 1 MPa). The following correlation of the Henry's constants (expressed on a mole fraction basis) was developed. $\ln(H_{21}/\text{MPa}) = -6.8346 + 12817/T - 3766800/\text{sq } T + 2.997 \times 10$ to the 8th power/cu T. The correlation is valid for $273 < T < 433$ K ($0 < t < 160$ C) where T is in K. Any experimental data that deviated significantly from this model were duly noted. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,480
PB92-148204

(Order as PB92-148162)

Aerospace Corp., Los Angeles, CA.

Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.

c1991, 100p
Included in Jnl. of Physical and Chemical Reference Data, v20 n6 p1211-1311 Nov/Dec 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Reaction kinetics, *High temperature tests, *Combustion, *Atmospheric chemistry, *Propulsion, Vapor phases, Graphs(Charts), Thermochemistry, Oxygen atoms, Alkanes, Hydroxyl radicals, Halogen organic compounds, Oxygen, Ammonia.

Rate coefficient measurements for over fifty gas-phase bimolecular reactions were critically evaluated and compared to theoretical calculations. The results of the work are summarized here in forty-nine Data Sheets, one sheet for each reaction or set of reactions of a single pair of reagents. The reactions chosen are of interest in propulsion, combustion, and atmospheric chemistry. Each Data Sheet consists of two pages that include a brief resume of the important experimental measurements and theoretical calculations, a graphical presentation of the data, a recommended rate coefficient expressed as a function of temperature, $k(T) = AT(\text{sup } n) \exp(-B/T)$, with probable uncertainty limits, a discussion of the basis for the recommendation, an equilibrium constant and a rate coefficient for the reverse reaction where applicable, and pertinent references. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,481
PB92-148212

(Order as PB92-148162)
Curtin Univ. of Technology, Bentley (Australia).

Atomic Weights of the Elements 1989.
J. R. De Laeter, and K. G. Heumann. c1991, 13p
Prepared in cooperation with Regensburg Univ. (Germany, F.R.).

Included in Jnl. of Physical and Chemical Reference Data, v20 n6 p1313-1325 Nov/Dec 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Atomic weights, *Standards, Chemical elements, Radioisotopes, Half life, Extraterrestrial matter, Tables(Data), Isotopic composition.

The biennial review of atomic weight, $A(\text{sub } r)(E)$, determinations, and other cognate data has resulted in changes for nickel from 58.69 ± 0.01 to 58.6934 ± 0.0002 and for antimony from 121.75 ± 0.03 to 121.757 ± 0.003 due to new calibrated measurements. Because the measurement of the isotopic composition of mercury has also been improved during the last two years, the Commission was able to reduce the uncertainty of the atomic weight of this element from 200.59 ± 0.03 to 200.59 ± 0.02 . Due to the nearly constant isotopic composition of protactinium in nature, where (231) Pa is the predominant isotope, the atomic weight of this element was fixed to 231.03588 ± 0.00002 . The Table of Isotopic Compositions of the Elements 1989 will be published as a companion paper to that on Atomic Weights of the Elements 1989. The Table of Standard Atomic Weights Abridged to Five Significant Figures and current data on isotopic compositions of nonterrestrial material are included to benefit users who are more concerned with the length of time during which a given table has full validity to the precision limit of their interest. The Table of Atomic Weights to Four Significant Figures was prepared and has been published separately. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,482
PB92-148220

(Order as PB92-148162)

Curtin Univ. of Technology, Bentley (Australia).

Isotopic Compositions of the Elements 1989.
J. R. De Laeter, K. G. Heumann, and K. J. R.

Rosman. c1991, 11p
Prepared in cooperation with Regensburg Univ. (Germany, F.R.).

Included in Jnl. of Physical and Chemical Reference Data, v20 n6 p1327-1337 Nov/Dec 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: Atomic weights, Chemical elements, Mass spectroscopy, Tables(Data), *Isotopic composition.

The Subcommittee for Isotopic Abundance Measurements (SIAM) of the IUPAC Commission on Atomic Weights and Isotopic Abundances has carried out its biennial review of isotopic compositions, as determined by mass spectrometry and other relevant methods. The Subcommittee's critical evaluation of the published literature element by element forms the basis of the Table of Isotopic Compositions of the Elements as Determined by Mass Spectrometry 1989, which is presented in the Report. Atomic Weights calculated from the tabulated isotopic abundances are consistent with $A(\text{sub } r)(E)$ values listed in the Table of Standard Atomic Weights 1989. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

Polymer Chemistry

100,483
PB91-144402
National Inst. of Standards and Technology (NIST), Boulder, CO. Chemical Engineering Science Div.

Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.

D. L. Rule, D. R. Smith, and L. L. Sparks. Aug 90, 77p NISTIR-3948
Sponsored by Ship Structure Committee, Washington, DC.

Keywords: *Polymeric films, *Thermal conductivity, *Composite materials, *Polyimide resins, Ceramics, Polymer matrix composites, Aluminum oxide, Particles,

CHEMISTRY

Polymer Chemistry

Fillers, Cryogenics, Temperature dependence, Tables(Data), Graphs(Charts), Pressure dependence.

The thermal conductivity of several types of a commercial polyimide (specifically, polypyromellitimide: PPMI) film was measured over a range of temperatures from 4.2 to 300 K using an unguarded steady-state parallel-plate apparatus. Specimens were made by stacking multiple layers of film together. Conductive grease was used between layers of film to reduce thermal contact resistance. Two specimens were made from two different types of neat (unadmixed) film with a thickness of 76 micrometers, and three specimens were made from films containing two different amounts of admixed alumina filler and having thicknesses of 25 micrometers or 76 micrometers. The conductivity of PPMI film increases with the amount of alumina filler present. The thermal conductivity of specimens made from film of the same type but of different thickness is independent of film thickness, within the limits of experimental uncertainty. The thermal conductivity of a specimen subjected to a simulated curing process by being held at a temperature of 150 °C for ninety minutes was indistinguishable from that of a similar, control specimen not subjected to such treatment.

100,484

PB91-147231

Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.

Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers.

Final rept.

E. A. DiMarzio. 1988, 8p

Pub. in *Macromolecules* 21, n7 p2262-2269 Jul 88.

Keywords: *Block copolymers, *Entropy, *Lamellar structure, *Membranes, *Orientation, *Packing, *Micellar systems, *Molecular models, *Thickness, *Equations, *Reprints.

Equations for the dimensions of the A and B regions of monodisperse diblock copolymers with lamellar morphology are obtained. An important feature of the treatment is the incorporation of the orientation-dependent packing entropy into the formalism. The equations are believed to be accurate over the whole range of orientation of bonds, from random orientation to perfect alignment. Copolymer thicknesses vary as the 2/3 power of molecular weight to the first power depending on the amount of orientation induced by the packing entropy and the energetics. The amount of bond orientation in stretched molecules in bulk material is twice what the molecules would have if they were stretched (by the same stretch ratio) in solvent. It is observed that the effect is important to those systems of micelles, vesicles, membranes, soaps, liquid crystals, and block copolymers that experimentally are known to display significant orientation, and it is suggested that extant theories can be modified to include the effect.

100,485

PB91-148890

Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Chain Conformation of a Block Polymer in a Microphase-Separated Structure.

Final rept.

Y. Matsushita, K. Mori, Y. Mogi, R. Saguchi, I. Noda, M. Nagasawa, T. Chang, C. Glinka, and C. Han. 1990, 5p

Pub. in *Macromolecules* 23, n19 p4317-4321, 17 Sep 90.

Keywords: *Block copolymers, *Polystyrene, *Vinyl copolymers, *Radius of gyration, *Neutron scattering, *Lamellar structure, *Molecular weight, *Pyridines, *Measurement, *Reprints.

The radii of gyration of a polystyrene block along the directions parallel and perpendicular to the lamellae in the lamellar structure of poly(styrene-*b*-2-vinylpyridine) were measured by small-angle neutron scattering. It was found that the block polymer is extended along the perpendicular direction, while it is contracted along the parallel direction. The extension is in accord with the theories of microphase-separated structure, but no theory predicts the contraction. From the molecular weight dependences of the radius of gyration along the directions parallel and perpendicular to the lamellae, it is concluded that the block polymer is contracted along the parallel direction to keep the volume occu-

ried by the block chain constant when the microphase separation occurs.

100,486

PB91-158626

Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.

Measurement of Space Charge Fields in Polymers.

Final rept.

A. S. DeReggi, M. G. Broadhurst, G. T. Davis, and F. I. Mopsik. 1987, 6p
Pub. in *Proceedings of Annual Report Conference on Electrical Insulation and Dielectric Phenomena*, Gaithersburg, MD., October 18-22, 1987, p307-312.

Keywords: *Polymeric films, *Electrical transients, *Dielectric films, *Pulses, *Surface energy, *Imbeddings(Mathematics), *Electric fields, *Electrodes, *Laser heating, *Polyethylene, *Calibrating, *Measurement, *Laser heating, *Space charge, *Reprints, *Ionomers.

Progress in analyzing and interpreting electrical transients induced by imbedded space charge when the surface of a dielectric polymer film is heated with short thermal pulses is reported. The thermal pulse currently comes from the energy of a dye laser absorbed by the electrodes. Measurement of the transient with and without a potential difference applied to the film allows (1) scaling and combining the transients obtained by heating each side of the film and (2) quantifying the resulting Fourier coefficients of the electric field distribution due to the imbedded space charge. The calibration procedure is all electrical, and does not require a knowledge of the energy in the pulse, the electrode absorbency, or thermal properties of the polymer film.

100,487

PB91-159095

Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.

Final rept.

K. S. M. S. Raghava Rao, R. M. Stewart, and P. Todd. 1990, 12p

Pub. in *Separation Science and Technology* 25, n9-10 p985-996 1990.

Keywords: *Separation processes, *Solvent extraction, *Electrophoresis, *Polymers, *Phase separation(Materials), *Aqueous solutions, *Electric fields, *Buffers(Chemistry), *Polyoxyethylene, *Dextran, *Polarity, *Convection, *Phosphates, *Electrokinetics, *Rates, *Binary system(Materials), *Reprints.

The separation of biomolecules and cells using aqueous two-phase systems provides a mild, nontoxic extraction medium, in contrast with conventional organic-aqueous phase extraction. However, due to their similar physical properties, immiscible aqueous phases do not separate rapidly. Because a net surface potential occurs on phase droplets due to the unequal partitioning of certain dissolved ions, a study was undertaken in which the resulting motion in an electric field (electrophoresis) was explored as a possible method for rapid demixing of aqueous two-phase systems in a vertical electrophoresis column. The effects of electric field strength, buffer concentration, and field polarity on the demixing rate of mixtures of polyethylene glycol and dextran in phosphate buffer were measured. It was found that an optimum field strength of around 29.2 V/cm exists at which demixing is most rapid and occurs at about twice the rate in zero field at 25 + or - 2°C using normal polarity (anode at the top of the column). With reverse polarity (anode at the bottom; electric field opposing gravitational settling) at a field strength of 14.6 V/cm the rate was 3 times as fast as in zero field. Strong convection was observed at high field strengths. Increasing the phosphate concentration increased the demixing rate.

100,488

PB91-159715

PC A07/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Polymers: Technical Activities 1990.

L. E. Smith, and B. M. Fanconi. Jan 91, 134p
NISTIR-4396

See also PB86-165024.

Keywords: *Polymers, *US NBS, *Research projects, *Resins, *Polymer matrix composites, *Inks, *Optical materials, *Dental materials, *Medical supplies, *Biodeterior-

ation, *Injection molding, *Process control, *Mathematical models, *Fluid flow, *Mechanical properties, *Polymer blends, *Test equipment.

Technical Activities of the Polymers Division for FY 90 are reviewed. Included are descriptions of the 6 Tasks of the Division, project reports, publications, and other technical activities.

100,489

PB91-162099

Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.

Final rept.

M. He, Y. Liu, Y. Feng, M. Jiang, and C. C. Han. 1991, 10p

Pub. in *Macromolecules* 24, n2 p464-473 1991.

Keywords: *Polymer blends, *Hydrogen bonds, *Binary system(Materials), *Polystyrene, *Polyacrylates, *Fluoropolymers, *Opacity, *Coarseness, *Temperature measurement, *Phase diagrams, *Light scattering, *Optical properties, *Reprints, *Spinodal decomposition.

The spinodal decomposition of a hydrogen-bonded binary blend, which consists of a polystyrene with 1.5 mol % of p-(1,1,1,3,3,3-hexafluoro-2-hydroxyisopropyl)-alpha-methylstyrene comonomer and a poly(butyl methacrylate), has been studied. The system has a LCST with a very asymmetrical phase diagram. Also the critical point does not coincide with the temperature minimum of either the spinodal or the cloud-point curve. The kinetics follows the Cahn-Hilliard-Cook model for early spinodal decomposition and a self-similar mechanism for late-stage coarsening for most cases. For shallow quench cases and for close to glass transition temperature cases, double peaks have been observed during spinodal decomposition, which suggests that a second or an alternative relaxation mechanism may be dominating the coarsening process. A special procedure has been developed to measure the cloud point for the system, which should be applicable to any polymer blend system that has a cloud temperature close to the glass transition temperature.

100,490

PB91-162131

Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HPI) Blends.

Final rept.

H. Jinnai, H. Hasegawa, T. Hashimoto, and C. C. Han. 1991, 8p

Pub. in *Macromolecules* 24, n1 p282-289 1991.

Keywords: *Polymer blends, *Spinodal decomposition, *Optical properties, *Polyisoprene, *Polybutadiene, *Synthetic elastomers, *Light scattering, *Phase diagrams, *Time resolution, *Deuteration, *Small angle scattering, *Reprints.

Time-resolved small-angle neutron scattering (SANS) experiments were performed to study the later stage (i.e., the intermediate stage and the late stage) of spinodal decomposition (SD) of a critical mixture of perdeuterated polybutadiene (DPB) and protonated polyisoprene (HPI) with an LCST-type phase diagram and a critical temperature $T_c = 36.1^\circ\text{C}$. Time-sliced SANS intensity, $S(q,t)$, is generally composed of the scattering due to growing domains, $I(\text{sub } d)(q,t)$, and that due to the thermally induced local composition fluctuations inside the domain $I(\text{sub } \tau)(q,t)$ where q and t are the scattering vector and time, respectively. $S(q,t)$ as a function of q shows the 'spatial crossover' such that at q much below and above a time-dependent wavenumber, $q(\text{sub } s)(t)$, it depends only on $I(\text{sub } d)(q,t)$ and $I(\text{sub } \tau)(q,t)$, respectively. The time evolution of the composition difference between the two coexisting domains, $\Delta\phi(t)$, was determined from $I(\text{sub } \tau)(q,t)$, which was found to be consistent with the prediction of the scattering theory based upon the random-phase approximation. $\Delta\phi(t)$ was found to increase with t and reach a constant equilibrium value $\Delta\phi(\text{sub } 0)$ at $t > t(\text{cr})$, where $t(\text{cr})$ is the crossover time from the intermediate to the late-stage SD. The crossover wavenumber, $q(\text{sub } s)(t)$, also underwent a characteristic change at $t(\text{cr})$.

100,491

PB91-162255 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Inorganic Analytical Research Div.
High Purity Fluoropolymer Materials: Trace Element Content and Leaching.
Final rept.

J. R. Moody, E. S. Beary, D. S. Bushee, and P. J. Paulsen. 1988, 6p
Pub. in Jnl. of Crystal Growth 89, p43-48 1988.

Keywords: *Fluoropolymers, Solvent extraction, Trace elements, Mass spectroscopy, Purification, Leaching, Crystal growth, Chemical analysis, Resins, Impurities, Reprints.

Many problems in analytical chemistry are shared by the high purity crystal growth community since both are greatly concerned with the effects of impurities either upon an analysis or upon a device. Fluoropolymers are widely used today in applications where inertness or high purity or both are needed. The behavior of these polymers in high purity solvent systems has been investigated by several analytical techniques. Both the resin from which finished parts are made as well as blow molded bottles have been evaluated to determine cationic impurities in both the resin and in leachates.

100,492

PB91-174482 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.
Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
Final rept.

A. Bur, F. Wang, and R. Lowry. 1988, 4p
Pub. in Proceedings of Society of Plastics Engineers ANTEC '88, Atlanta, GA., April 18-22, 1988, p1107-1110.

Keywords: *Propellants, *Polymers, *Fluorescence spectroscopy, Process variables, Monitors, Temperature dependence, Doped materials, Mixing, Binders (Materials), Rheological properties, Reprints.

Fluorescence spectroscopy is being employed to monitor processing parameters such as non-Newtonian viscosity, molecular orientation, intersegmental penetration, and the degree of mixing of product ingredients. In order to do this, the processing ingredients are doped at a low concentration with fluorescent chromophores which are added as separate entities or chemically bound to the polymer binder. The chromophores are chosen in accordance with their sensitivity to a particular processing parameter. Information about the process being examined is obtained with the aid of known correlations between fluorescence spectra, rheological data, and other processing parameters. Two experiments determined: (1) the measurement of the change in fluorescence intensity as a function mixing time for a two component specimen, and (2) the measurement, at zero shear, of the dependence of the intensity of the fluorescence spectra from a doped polymer binder as a function of temperature. The feasibility of the fluorescence monitoring technique is demonstrated in each case.

100,493

PB91-174508 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Statistical Mechanical Model of Aqueous Two-Phase Systems.
Final rept.

H. Cabezas, J. D. Evans, and D. C. Szlag. 1989, 10p
Pub. in Fluid Phase Equilibria 53, p453-462 1989.

Keywords: *Binary system (Materials), *Polymer blends, Phase diagrams, Aqueous solutions, Statistical mechanics, Mathematical models, Forecasting, Interactions, Molecular weight, Polyoxyethylene, Dextran, Methyl cellulose, Virial coefficients, Reprints.

A predictive model for the phase diagrams of two-polymer aqueous two-phase systems has been developed from the solution theory of Hill. This theory gives chemical potentials in terms of isobaric isothermal osmotic virial coefficients representing polymer pair interactions. Predictive expressions for the dependence of these coefficients on molecular weight and polydispersity from Renormalization Group theory were developed. For a two-polymer system the model contains three monomer interaction coefficients, one for each polymer pair, and two scaling exponents, one for each

polymer. Phase diagrams for four different systems have been calculated from the model at ambient conditions and shown to agree with experiment within 1-2% in polymer weight fraction. Two of the systems contain polyethylene glycol and dextran with molecular weights from 4000 to 280,000. The other two systems contain methylcellulose and dextran with molecular weights from 30,000 to 280,000.

100,494

PB91-187153 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.
Final rept.

B. J. Bauer, R. M. Briber, and C. C. Han. 1989, 9p
Pub. in Macromolecules 22, n2 p940-948 Feb 89.

Keywords: *Polymer blends, *Small angle scattering, *Binary system (Materials), *Vinyl ether resins, Phase separation (Materials), Networks, Temperature dependence, Crosslinking, Deuteration, Labeled substances, Graphs (Charts), Swelling, Reprints.

Small angle neutron scattering (SANS) from single phase polymer blends of crosslinked deuterated polystyrene (PSD) and linear polyvinylmethylether (PVME) has been studied as a function of temperature. Phase separation during the polymerization resulted if the PVME present is greater than the amount which would swell the PSD network at equilibrium. SANS from the single phase linear blend and the lowest crosslink density sample exhibited linear behavior for inverse zero angle scattering, $1/S(Q)$ and inverse correlation length squared, $1/(\chi)_{\text{sup}}$ 2, versus $1/T$ while the higher crosslink density sample showed pronounced curvature in the same plot, eventually crossing over the curves for the other two samples. Linear plots for $S(Q)$ and χ versus $1/T$ for the highest crosslink density single phase sample could be obtained with the exponents $1/S(Q)_{\text{sup}}$ 57 and $1/(\chi)_{\text{sup}}$ 1.44. The highest crosslink density single phase sample was then deformed to $L/L = 2.5$ and the SANS examined as a function of temperature. The scattering obtained was anisotropic with different values of $S(Q)$ and χ in the directions parallel and perpendicular to the deformation. Plots of $1/S(Q)$ and $1/(\chi)_{\text{sup}}$ 2 versus $1/T$ indicated that the sample phase separated in the direction parallel to the deformation at a lower temperature than in the perpendicular direction.

100,495

PB91-187229 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Measurement and Research Div.

Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
Final rept.

E. Blaisten-Barojas, and M. R. Nyden. 1990, 7p
Sponsored by National Science Foundation, Washington, DC.
Pub. in Chemical Physics Letters 171, n5-6 p499-505, 17 Aug 90.

Keywords: *Depolymerization, *Monomers, *Synthesis (Chemistry), *Combustion, Computerized simulation, Reaction kinetics, Thermal degradation, Oxidation, Agglomerates, Infrared spectra, Temperature dependence, Reprints, *Molecular dynamics.

A molecular dynamics experiment was designed to follow the sequence of depolymerization reactions occurring when a polymer degrades into its constituent monomers. The simulation addresses internal changes that certain materials undergo at the moment of burning. Polymer fragments were thermally generated from the random scission of longer polymer chains containing 50-950 units. Subsequently, these thermal fragments depolymerized and coiled dramatically, forming incipient 'agglomerates'. These agglomerates cooled while depolymerizing; the cooling mechanism remarkably inhibits the depolymerization reaction and eventually terminates the degradation process leading behind a sample of cold stable agglomerates. The size distribution of the polymer fragments is given as well as the IR spectrum of a typical sample at 2000 K.

100,496

PB91-187385 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.

Final rept.

B. D. Coleman, and L. J. Zapas. 1989, 16p
Pub. in Jnl. of Rheology 33, n3 p501-516 1989.

Keywords: *Stress relaxation, *Polymers, *Strain tests, *Isotherms, Constitutive equations, Viscoelasticity, Theories, Time dependence, Rheological properties, Incompressible flow, Reprints, Strain history, BKZ.

Constitutive relations are formulated for a class of incompressible viscoelastic fluids for which internal structural changes occur at a rate that is influenced by the history of the strain. For the materials considered, the contribution to the stress at time t made by the strain at an earlier time T is a function of that strain, the true elapsed time $t - T$, and a quantity $\sigma(t, T)$ that can be interpreted as the elapsed time measured by a clock whose rate of advance, because it is tied to the rate of structural change, is affected by the history of the strain. The functional relating $\sigma(t, T)$ to the history of the strain up to time t is assumed to have the same domain and a structure similar to that relating stress to strain history. The present theory reduces to the theory of BKZ fluids in the (extreme) special case in which $\sigma(t, T) = t - T$, i.e., in which $\sigma(t, T)/\sigma(t, t) = 1$. It is shown that there is a sense in which constitutive relations recently found to account well for observed discrepancies between experimental observations and predictions of the BKZ theory can be considered first-order approximations to the relations formulated here.

100,497

PB91-187427 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C₂₀H₄₂) in Torsion.
Final rept.

J. M. Crissman. 1989, 7p
Pub. in Jnl. of Applied Physics 66, n1 p169-175, 1 Jul 89.

Keywords: *Single crystals, *Stress relaxation, *Polymers, Hydrocarbons, Viscoelasticity, Constitutive equations, Torsion tests, Time dependence, Reprints, *Eicosane.

Multistep stress-relaxation experiments in torsion have been done on a single crystal of the long chain hydrocarbon compound n-eicosane. It was found that at very small strains the behavior approaches that of a linear viscoelastic material whereas at larger strains the behavior becomes increasingly nonlinear and time dependent. In the region where the stress-strain behavior becomes nonlinear it is shown that the second step response, in an experiment in which the magnitude of the second step is one half that of the first step, can be described very well using a recent constitutive equation derived by Zapas.

100,498

PB91-187450 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles.
Final rept.

E. A. Di Marzio. 1991, 10p
Pub. in Macromolecules 24, n7 p1595-1604 1991.

Keywords: *Polymers, *Stereochemistry, *Statistical analysis, *Statistical mechanics, Configuration, Molecular weight, Barriers, Orientation, Chemical bonds, Probability, Reprints.

The number of configurations W of a polymer in a field of fixed obstacles is obtained. The cubic lattice of N sites has a coordination number z and is of $d = z/2$ dimensions. The obstacles are modeled as rigid rods or rigid but bent polymers. A fraction of the obstacle bonds are oriented in orientation i . The flexible polymer which is placed into the field of rigid obstacles is of length M and has $\beta(\text{sub } i)$ of its bonds lying in orientation i . The formula for W results in expectation values only a few percent different from the exact expressions for the known special cases. The $\beta(\text{sub } i)$ are not fixed numbers but rather occur with a probability given by W . With the maximum term method the dimensions of the polymer are calculated. The polymer is elongated in the direction of alignment of the obsta-

CHEMISTRY

Polymer Chemistry

cles. The volume of the polymer is found to increase with volume fraction of obstacles for isotropically ordered obstacles, but it decreases for high concentrations of obstacles if the obstacles are strongly aligned. The scaling law exponent describing molecular weight dependence of linear polymer dimension is 0.6 for each of the three dimensions but deviates from the value for large elongation. Seven possible applications of the formula are discussed.

100,499
PB91-194456 PC A03/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation.
Annual rept.
B. Dickens, B. J. Bauer, and W. J. Pummer. May 91, 27p NISTIR-4564
Sponsored by Bureau of Engraving and Printing, Washington, DC.

Keywords: *Inks, Aqueous solutions, Resins, Polymeric films, Radiation curing, Electron beams, Polymerization, Engraving, Printing, Chemical radiation effects, Polyethylene glycols, Methacrylates, Siloxanes, Phosphazene, PMMA, Polyurethanes, Isocyanates, Viscosity, Synthesis(Chemistry), *Intaglio.

Several types of non-ionic resins which cure under the action of radiation such as UV or electron beam have been synthesized. The resins disperse in neutral water when uncured. The water dispersibility is conferred by incorporating polyethylene oxide sequences in the resin molecules. The polymerizing action is conferred by methacrylate groups. Typically, one end of each polyethylene sequence is attached to a methacrylate group, and the other end is chemically linked in various ways to produce resins varying from 2 to 4 methacrylate functionality. The linking moieties used are (1) a phosphazene ring, (2) a siloxane center, (3) a poly(methyl methacrylate backbone, and (4) a mixture of difunctional and trifunctional isocyanates. When the resins containing the urethane linkages were used with low viscosity crosslinkers, the mixtures were of appropriate viscosity for use in intaglio inks and cured with less than two megareads exposure to give reasonably flexible scuff-free films. The other resins were not viscous enough for use in intaglio inks and in some cases cured too slowly.

100,500
PB91-194688 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene.
Final rept.
R. M. Briber, and B. J. Bauer. 1991, 6p
Pub. in *Macromolecules* 24, n8 p1899-1904, 15 Apr 91.

Keywords: *Small angle scattering, *Neutron, *Polymer blends, *Polystyrene, Labeled substances, Crosslinking, Networks, Thermodynamic properties, Deuteration, Isotope exchange, Synthesis(Chemistry), Divinyl benzene, Elastic properties, Free energy, Phase separation(Materials), Binary system(Materials), Density(Mass/volume), Mixing, Rubber, Reprints.

Small-angle neutron scattering (SANS) has been used to study the scattering function and thermodynamics of blends of linear protonated polystyrene (PSH) and cross-linked deuterated polystyrene (PSD). Two series of samples were synthesized. In both cases the samples were made by dissolving the linear PSH in deuterated (d8) styrene monomer containing a small amount of divinylbenzene, which was then polymerized to form the PSD network around the linear PSH chains. The samples were all made at a concentration of 50/50 by weight PSD/PSH. Series 1 is a set of samples with the same cross-link density varying the length of the linear chain. Series 2 is a set of samples containing the same length linear chain varying the cross-link density systematically. By extrapolation of $S(q)$ obtained from SANS using an Ornstein-Zernike plot ($1/S(q)$ versus q squared) to $q = 0$, the zero-angle scattering, $S(0)$, was obtained. $S(0)$ is inversely proportional to the second derivative of the free energy with respect to composition. For the series 1 and 2 samples it was found that the samples could be driven to phase separation by increasing either the length of the linear chain or the network density. In the series 1 samples the zero-angle scattering scaled as $1/S(0)$ approximately $= 1/N(\text{sub } b)$. In the series 2 samples the zero-angle scat-

tering scaled as $1/S(0)$ approximately $= 1/N(\text{sub } c)$. In addition, the scattering was found to increase as $N(\text{sub } c)$ decreased for the series 2 samples, a behavior opposite to that predicted by combining classical rubber elasticity and mixing theories.

100,501
PB91-195099 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.
Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior.
Final rept.
G. B. McKenna, and R. J. Gaylord. 1988, 6p
Pub. in *Polymer* 29, n11 p2027-2032 Nov 88.

Keywords: *Viscoelasticity, *Relaxation, *Synthetic elastomers, *Crosslinking, Networks, Theories, Mathematical models, Density(Mass/Volume), Superposition(Mathematics), Time dependence, Reprints.

The viscoelastic behavior of crosslinked polymer networks is discussed. Models of the long term relaxation based on the retracing of dangling chains are described. It is pointed out that the theories all predict a power law time relation but differ in predictions of the crosslink density dependence of the power law exponent. The experimental data of Chasset and Thirion is examined. It is shown that the power law relation works only over a limited time span with deviations occurring at long times and more markedly for more highly crosslinked systems. Furthermore, the validity of time-crosslink density superposition for networks is confirmed, thereby precluding a crosslink density dependent exponent in any power law representation of the data.

100,502
PB91-195107 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
Final rept.
G. B. McKenna, B. J. Hostetter, N. Hadjichristidis, L. J. Fetters, and D. J. Plazek. 1989, 19p
Pub. in *Macromolecules* 22, n4 p1834-1852 Apr 89.

Keywords: *Polystyrene, *Viscoelasticity, *Molecular weight, *Rheological properties, *Fractionation, Creep properties, Dilution, Measurement, Contamination, Cyclic compounds, Polymer blends, Chromatography, Reprints, Size exclusion chromatography, Zero shear viscosity, Recoverable compliance, Plateau compliance, Linear molecules.

The viscoelastic behavior of macrocyclic polystyrene fractions having molecular weights ranging from 19400 to 390000 was studied. Measurements of zero shear viscosity and recoverable compliance were made on the so-called Strasburg fractions, Akron fractions, and two of the former which were refractionated. Also, studies of the effects of blending of up to 15.75% linear chains with the refractionated Strasburg fractions were carried out. The studies show that the presence of linear chain contaminants in the macrocyclic fractions has the effect of decreasing the plateau compliance and increasing the steady state value of the recoverable compliance. Also, the presence of small amounts of linear contaminant increases dramatically the viscosity of the cyclic fractions. The results of analysis of the good and moderate fractions gives a picture of the cycles as showing 'classical' viscoelastic behavior, i.e., the steady state recoverable compliance increases with increasing molecular weight and attains a constant value at high molecular weights (MW greater than 180,000), as do linear polymers. The zero shear viscosity-molecular weight relation is well described by an equation of the form $\eta = A + B(\text{sup } a)$ where $a = 3.9$, which is somewhat higher than the 3.4 power obtained for entangled linear chains.

100,503
PB91-195271 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Measurement and Research Div.
Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
Final rept.
M. Nyden, and D. W. Noid. 1991, 6p
Pub. in *Jnl. of Physical Chemistry* 95, n2 p940-945 1991.

Keywords: *Combustion, *Polyethylene, *Thermal degradation, Polymers, Computerized simulation, Reaction kinetics, Mechanisms, Chemical bonds, Hydrogen bonds, Mathematical models, Reprints, *Molecular dynamics.

Computer simulations, based on molecular dynamics, have been used to reveal kinetic and mechanistic aspects of initial events in the thermal degradation of polyethylene and related polymers. Simulations were performed on a series of model polymers and the rate constants for random scission of the carbon-carbon bonds were computed. The results are consistent with the predictions of statistical theories of unimolecular reactivity. Observations of the detailed motions of the model polymers have also revealed pronounced coiling actions in the vicinity of dissociating bonds. The behavior is examined in the light of proposed mechanisms for intramolecular hydrogen transfer.

100,504
PB91-195685 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Difunctional and Multifunctional Monomers Capable of Cyclopolymerization.
Final rept.
J. W. Stansbury. 1991, 7p
Sponsored by National Inst. of Dental Research, Bethesda, MD.
Pub. in *Macromolecules* 24, n8 p2029-2035 1991.

Keywords: *Acrylates, *Esters, *Cyclic compounds, *Monomers, *Polymerization, Synthesis(Chemistry), Aldehyde polymers, Dental materials, Ethers, Reaction kinetics, Steric hindrance, Solubility, Oligomers, Reprints, Diazabicyclooctane.

The reaction of an acrylate ester with paraformaldehyde in the presence of diazabicyclo(2.2.2)octane has been shown to provide access to novel ether-fused dimethacrylate-like monomers that can undergo cyclopolymerization. The study examined the influence of the pendant ester functionality on the synthesis and polymerization of these monomers. While bulky ester groups were generally found to reduce the rate of reaction in monomer synthesis, the more hindered monomers appear to polymerize through the available intramolecular cyclization pathway with greater efficiency than monomers without significant steric constraints. Polymerizations in solution lead to mainly cyclized, soluble polymers up to relatively high monomer concentrations. Bulk polymerizations provided brittle, cross-linked polymers with high degrees of conversion. The work was extended to include the synthesis of a multifunctional oligomer based on the same 1,6-diene substructure. The polymerization of this oligomer produced a tough, highly cross-linked polymer.

100,505
PB91-202887 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers.
Final rept.
L. D. Coyne, and W. L. Wu. 1989, 3p
Pub. in *Polymer Communications* 30, n10 p312-314 1989.

Keywords: *Small angle scattering, *Thermal neutrons, *PMMA, *Polymers, Incoherent scattering, Mechanism, Neutron cross sections, Deuteration, Polyvinyl alcohol, Quantitative analysis, Methyl radicals, Methylene radicals, Hydroxy compounds, Glass transition temperature, Protons, Labeled compounds, Reprints, Methyne compounds.

Proper account for the large incoherent contribution is vital for quantitative evaluation of small-angle neutron scattering data of polymers. Knowledge of the relative contributions of hydrogen atoms in differing chemical substituents will aid in a priori estimates of incoherent scattering cross-sections for polymers of complex structure. From subthermal neutron transmission measurements on poly(methyl methacrylate) and hydrogenous and partially deuterated poly(vinyl alcohol) it is established that contributions to levels of incoherent scattering by protons in polymers are ordered quantitatively as $-\text{CH}_3 > -\text{OH} > -\text{CH}_2- > \text{CH}-$. No apparent effect of the glass transition on incoherent scattering of subthermal neutrons by polymers was discerned.

100,506

PB91-203224

Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.**Morphology of Polymer Films and Single Molecules.**

Final rept.

B. Howell, and D. H. Reneker. 1990, 20p

Pub. in *Jnl. of Applied Polymer Science* 40, n9-10
p1663-1682 1990.

Keywords: *Monomolecular films, *Polymeric films, *Plastics, *Polystyrene, Labelled compounds, Electron microscopy, Thin films, Molecular weight, Peek, Polyethylene, Elastomers, Deuteration, PMMA, Block copolymers, Ruthenium oxide, Polyacetylenes, Polybutadiene, Glutamates, Reprints, Poly4BCMU, Polybenzyl-L-glutamate.

Seven polymeric substances were examined by high resolution electron microscopy. Features on the scale of the diameter of single molecular chains were observed. Polymers examined include: (1) linear polyethylene (Mw = 52,000), (2) polyethylene (Mw approximately 5,000,000), (3) poly-(cis-1,4-butadiene), (4) poly-gamma-benzyl-L-glutamate, (5) poly(etheretherketone) (PEEK), (6) deuterated polystyrene - poly(methylmethacrylate) (PMMA) block copolymer, and (7) a polydiacetylene, poly(1,12 di(butoxy-carbonylmethylurethane))-5,8-dodecadiyne, also called poly-4BCMU. A variety of methods were used to prepare dispersed single molecules, and very thin films, some of which had regions with strands containing only a few molecules. Staining with RuO₄ revealed structures near the surface of the films that were reproducible and characteristic of each polymer.

100,507

PB91-203364

Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.**Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models.**

Final rept.

D. Kranbuehl, D. Eichinger, and P. H. Verdier. 1991, 9p

Pub. in *Macromolecules* 24, n9 p2419-2427 1991.

Keywords: *Polymers, *Monte Carlo method, *Statistical mechanics, Stereochemistry, Computerized simulation, Mathematical models, Scale(Ratio), Relaxation time, Diffusion, Molecular chains, Reprints, Markov chains, Chain length, Excluded volume, Off lattice.

Computer simulations of off-lattice bead-stick models of polymer chains with a variety of move rules have been carried out to gauge the effect of these move rules on the dynamical behavior of the chains. Long relaxation times, translational diffusion constants, and mean-square end-to-end length for chains of from 9 to 99 beads, both with and without excluded volume, are reported. For several move rules the excluded volume constraints increase the chain-length dependence of the long relaxation times by about the square root of chain length, roughly twice the exponent expected from simple scaling arguments based on the expansion of equilibrium dimensions by excluded volume. Move rules analogous to some of those used in the present study have been employed by others in previous lattice-model studies. Those earlier lattice-model results appeared to suggest that relaxation times scale like mean-square chain dimensions. Present results suggest, however, that the earlier result is an artifact resulting from the combination of lattice constraints with the use of move rules explicitly dependent upon local chain conformation.

100,508

PB91-203570

Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Polymers Div.**Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Cross-linked Rubber in the Dry and Swollen States.**

Final rept.

G. B. McKenna, K. M. Flynn, and Y. Chen. 1989, 5p

Pub. in *Molecular Basis of Polymer Networks*, p127-131 1989.

Keywords: *Polymers, *Solvents, *Elastomers, *Rubber, *Free energy, *Swelling, Networks, Elastic properties, Conformational changes, Compression tests, Torsion tests, Thermodynamic properties, Reprints, Frenkel-Flory-Rehner hypothesis.

One of the presumptions of the Frenkel-Flory-Rehner (FFR) hypothesis is that the form of the elastic component of the free energy function is not affected by the presence of solvent molecules. The change in elastic properties of the swollen rubber are then attributed to changes in chain conformation alone. Experiments in which the derivative of the elastic free energy with respect to the deformation for both dry and swollen rubber was measured were used to test the aspect of the FFR hypothesis. Torsional and compression experiments were carried out on samples of dicumyl peroxide crosslinked natural rubber. Results show that the elastic free energy function of a rubber network is unaffected, at least to first order, by the presence of solvent. This appears to be true over the entire range of experimental parameters investigated, i.e., crosslink density, solvent quality, and degree of swelling.

100,509

PB91-203711

Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Building Materials Div.**Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.**

Final rept.

T. Nguyen, D. Bentz, and W. Byrd. 1988, 5p

Pub. in *Proceedings of ACS Division of Polymeric Materials Science and Engineering*, Los Angeles, CA., September 26-30, 1988, v59 p459-463.

Keywords: *Polymeric films, *Epoxy resins, *Steels, *Coatings(Materials), Thickness, Crosslinking, Thin films, Spectrum analysis, Amines, Infrared spectra, Calculation methods, Fourier transformation, Theories, Transmission, Substrates, Absorptivity, Reflection, Comparative evaluation, Reprints.

The study examined, both theoretically and experimentally, band shapes of the reflection/absorption FTIR spectra of thin and thick crosslinked epoxy films on steel substrates. Amine-cured epoxy films of between 10nm and 2.5µm were spin coated on mechanically polished cold rolled steel samples, and reflection/absorption FTIR (RA-FTIR) spectra were taken at 84 degree angle of incidence using single reflection and parallel polarized light. The theoretical curves were calculated using Greenler's boundary-value equations for films on metals. For thin films, except for the broad and strong bands at 1510 and 1247 1/cm which shifted to higher frequency, other bands were similar to that obtained by the transmission technique. For micrometer films, numerous bands shifted to higher frequency and the bands at 1510 and 1247 1/cm distorted and split. The theory agreed well with experimental results for thin films. However, for micrometer thick films, although the theory correctly predicted distortion and splittings of strong bands, it underestimated the intensity of the splitted bands. Comparison between experimental data and theoretical calculations on the relationship between RA-FTIR band intensity and film thickness will also be discussed.

100,510

PB91-222612

PC A07/MF A02
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.**Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.**D. Hunston, W. McDonough, B. Fanconi, F. Mopsik, F. Wang, F. Phelan, and M. Chang. 1 Jun 91, 145p
NISTIR-4514

Keywords: *Polymers, *Ultrasonics, *Dielectrics, *Detectors, *Spectroscopy, *Optical scanners, Process control, Sensor characteristics, Composite materials, *Process monitoring, Research and development.

A variety of techniques have been applied to monitoring the changes that occur in the resin during composite processing. The report identifies and analyzes those techniques that have the most promise for on-line application, namely: ultrasonic, dielectric, spectroscopic, and optical techniques. All these methods have advantages and disadvantages, and the best technique for a given application will depend strongly on the materials and processes involved. The report discusses these on-line monitoring techniques and compares them in the areas of measurement speed, sampling volume, sensitivity to different resins, effects of fiber type, resistance to the manufacturing environment, interpretation of the data, adaptability for other uses, and temperature capabilities. The most important comparison, however, concerns the research and development work that is needed to achieve the full potential of each technique in applications on the fac-

tory floor. Dielectric and ultrasonic methods have an advantage in this connection because commercial equipment designed for process monitoring is already available. The various spectroscopic and optical methods are generally in an earlier stage of development. The great potential inherent in these latter methods, however, makes it highly desirable to actively pursue their developments as well.

100,511

PB91-236638

Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Polymers Div.**Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.**

Final rept.

J. F. Douglas, and J. B. Hubbard. 1991, 15p

Pub. in *Macromolecules* 24, n11 p3163-3177, 27 May 91.

Keywords: *Polymers, *Viscoelasticity, *Stress relaxation, *Glass, *Melts, Diffusion, Molecular weight, Cluster model, Transport theory, Homogeneity, Viscosity, Reprints, Memory effects.

Classical models of viscoelasticity neglect memory effects arising from material inhomogeneity and cooperative molecular motion. These memory effects are modeled by using an integral equation approach in which physical arguments are employed to estimate the memory kernel. The model memory kernel depends on two parameters: beta, which is interpreted as a measure of material inhomogeneity, and phi, which is interpreted as a measure of cooperativity of molecular motion. Here the authors apply a relaxation model to polymer melt dynamics. An idealized 'cluster' model of stress relaxation in glasses is introduced to estimate beta. This model rationalizes well the observed stress relaxation of polymer glasses. A cluster model is also introduced to estimate the molecular weight dependence of the zero-shear rate viscosity and the diffusion coefficient of entangled polymers. For flexible polymers in three dimensions the viscosity molecular weight exponent ranges in the interval 3.3 to 3.7, depending on the strength of the excluded-volume interaction. The diffusion coefficient molecular weight exponent in three dimensions is predicted to lie in the interval -2.3 to -2.5. Results similar to the reptation model are obtained in four dimensions, and the Rouse theory is recovered in the limit of infinite dimensionality. Estimates of the concentration dependence of entangled polymer solution transport properties are also given.

100,512

PB91-236653

Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.**Thin and Composite High-Flux Membranes of Perfluorosulfonated Ion-Exchange Polymer.**

Final rept.

B. K. Dutta, D. Randolph, and S. K. Sikdar. 1990, 11p

Pub. in *Jnl. of Membrane Science* 54, p51-61 1990.

Keywords: *Perfluoro compounds, *Sulfonic acids, *Membrane transport, *Polymeric films, *Castings, Composite structures, Ion exchange materials, Curing, Amino acids, Permeability, Thin films, Electron microscopy, Mixtures, Glycine, Alanines, Separation processes, Reprints.

The techniques of casting thin and composite membranes of perfluorosulfonic acid polymer (PFSA) are reviewed. The thin PFSA membrane was prepared by a hot-casting method using an aqueous methanol solution with nonsolvents cyclohexanol and dimethylformamide. The composite PFSA membrane was cold-cast and subsequently cured at a higher temperature. Scanning electron micrographs showed the thin membrane to be asymmetric, whereas the composite membrane had a thin homogeneous polymer layer on the porous support. Permeation through the membranes was tested using several amino acids and their mixtures as model permeants. It was found that membranes of both types provided higher fluxes than the commercial membrane of the same polymeric material. Permeation studies on amino acid mixtures using the composite membrane revealed that glycine permeated faster than either L-alanine or L-phenylalanine, and that glycine separation factors were higher for the composite PFSA membrane than for other polymeric membranes.

CHEMISTRY

Polymer Chemistry

100,513
PB91-236786 Not available NTIS
 National Inst. of Standards and Technology (CSTL),
 Gaithersburg, MD. Process Measurements Div.
Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
 Final rept.
 H. Hasegawa, S. Sakurai, M. Takenaka, T. Hashimoto, and C. C. Han. 1991, 7p
 Pub. in *Macromolecules* 24, n8 p1813-1819 1991.

Keywords: *Synthetic elastomers, *Polyisoprene, *Polybutadiene, Polymer blends, Neutron scattering, Light scattering, Solubility, Isotope exchange, Protons, Deuterium, Hydrogen, Binary system(Materials), Small angle scattering, Mixtures, Phase diagrams, Fluid-fluid interactions, Reprints.

Binary mixtures of protonated polyisoprene and deuterated polybutadiene with particular microstructures exhibit an LCST-type phase behavior. Small-angle neutron scattering (SANS) and time-resolved small-angle light scattering (SALS) techniques were employed to study the static and dynamic phase behavior of the mixtures. From the static study by SANS, binary interaction parameters and the phase diagram were obtained. The spinodal temperature at the critical blend composition obtained by the analysis of SANS profiles from the single-phase state was in good agreement with that obtained by the time-resolved SALS measurements. The component polymers are prepared by living anionic polymerization and hence have well-defined molecular characteristics. Therefore, this system is considered to be an excellent polymer mixture system for the study of the relationships between static and dynamic phase behaviors of the polymer mixture and the molecular parameters such as molecular weight, polydispersity, microstructure, etc.

100,514
PB91-237842 Not available NTIS
 National Inst. of Standards and Technology (IMSE),
 Gaithersburg, MD. Polymers Div.
Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering.
 Final rept.
 W. L. Wu, W. Su, and B. J. Bauer. 1989, 5p
 See also PB88-195094.
 Pub. in *Polymer* 30, n8 p1384-1388 1989.

Keywords: *Epoxy resins, Curing, Molecular structure, Molecular weight, Neutron scattering, Percolation, Reprints.

The curing process of epoxies in bulk prior to the gelation threshold was investigated using small angle neutron scattering. Both the radius of gyration and the molecular weight of the partially cured molecular network were measured at various extent of cure. Two curing agents with a difference in their functionality were included to elucidate the curing mechanism. The experimental results were interpreted in terms of the classical Flory-Stockmayer theory in one case and the percolation theory for the other case.

100,515
PB92-110196 (Order as PB92-110162)
 Tennessee Univ., Knoxville, Dept. of Chemistry.
Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
 M. Varma-Nair, and B. Wunderlich. c1991, 56p
 Prepared in cooperation with Oak Ridge National Lab., TN. Chemistry Div.
 Included in Jnl. of Physical and Chemical Reference Data, v20 n2 p349-404 Mar/Apr 91. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Specific heat, *Thermodynamic properties, *Polymers, Linear systems, Information systems, Gibbs free energy, Experimental design, Aromatic compounds, Tables(Data), *Reference materials, ATHAS system.

The prior published ATHAS 1980 Data Bank of experimental heat capacities of linear macromolecules that included critically reviewed material on almost 100 polymers is updated. In addition, the data bank has been computerized so that future updates can be made continuously, and new print-outs or computer files will be available from the authors from 1990 on. (Copyright (c) 1991 by the U.S. Secretary of Commerce.)

100,516
PB92-116284 PC A07/MF A02
 National Inst. of Standards and Technology (MSEL),
 Gaithersburg, MD.
Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
 L. E. Smith, and B. M. Fanconi. Oct 91, 131p
 NISTIR-4696
 See also PB91-159715.

Keywords: *Polymers, *Polymer matrix composites, *Polymer blends, Medical supplies, Dental materials, Standards, On-line measurement systems, Technology transfer, Shear, Phase separation(Materials), Dissimilar materials bonding, Corona discharges, Vinyl polymers, Rheological properties, Automobiles, Thin films, Computerized simulation, Neutron scattering, Biodegradation, Porcelain, US NIST, Standard Reference Materials.

All of the Division's programs are described in the report, organized according to these six Groups. These Groups have made a number of significant accomplishments during the last year. Some of these are summarized below: A computer simulation was performed to model resin flow in liquid molding of the front end structure of a Ford Escort; A NIST/industry consortium has evolved for the purpose of developing in-line measurement technology based on optical and fluorescence methods; A combined light scattering photometer/rheometer has been constructed to examine phase separation behavior of polymer blends and solutions under the influence of a simple shear field; A unique new tool has been developed to study the physics involved in the adhesion between a polymer and a solid surface like glass; The distribution of polarization in poly(vinylidene fluoride) poled by corona discharge rather than by contacting electrodes indicated positive charge injection near the surface; Proton spin diffusion results indicated domain sizes in poly(butylmethacrylate)/hydroxy modified polystyrene blends with minimum dimensions in the 6-10 nm range and stoichiometries of the order of 75/25; Novel, siloxane-containing difunctional and multifunctional vinyl monomers were prepared; The apparent 'shift' in polymer blend phase separation temperature, T_c , under shear flow has been interpreted with the mode-coupling theory for mean-field polymer blend systems; The radial flow behavior was successfully predicted from measurements in unidirectional flow; An exposure technique that rapidly determines whether or not a polymer is biodegradable has been developed; Instrumentation has been set up and calibrated to measure the dielectric constant of thin polymer films at high electric fields; A viscoelastic model of stresses in porcelain-metal strips has been developed.

100,517
PB92-116698 Not available NTIS
 National Inst. of Standards and Technology (MSEL),
 Gaithersburg, MD. Polymers Div.
Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple epsilon Perturbation Theory.
 Final rept.
 J. F. Douglas, and M. K. Kosmas. 1989, 8p
 Pub. in *Macromolecules* 22, n5 p2412-2419 May 89.

Keywords: *Polymers, *Surface properties, Perturbation theory, Calculation methods, Interactions, Renormalization, Reprints, *Excluded volume.

Application of the renormalization group method to the perturbative treatment of surface interacting polymers with excluded volume currently requires the surface dimension to be fixed. A multiple epsilon perturbation expansion method is proposed to circumvent the technical restriction. There are numerous potential applications of multiple epsilon perturbation theory (e.g. combined treatment of binary and ternary excluded volume interactions) which can be pursued once the internal consistency of the method is demonstrated in higher order calculations. The surface interaction model provides a good starting point for studying the multiple method because of the relative simplicity of the perturbative calculations which provide the input into the multiple epsilon renormalization group calculations. Another convenient aspect of the model is that the consistency of the multiple epsilon method can be checked against accurate results for the limits of each interaction (surface and excluded volume) alone and the combined interactions for the special case of a two dimensional surface.

100,518
PB92-117266 Not available NTIS

National Inst. of Standards and Technology (MSEL),
 Gaithersburg, MD. Polymers Div.
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
 Final rept.
 S. Sakurai, H. Jinnai, H. Hasegawa, T. Hashimoto, and C. C. Han. 1991, 5p
 Pub. in *Macromolecules* 24, n17 p4839-4843 1991.

Keywords: *Synthetic elastomers, *Polymer blends, *Neutron scattering, *Polybutadiene, *Polyisoprene, Binary system(Materials), Microstructure, Small angle scattering, Deuteration, Isotope exchange, Labelled compounds, Solubility, Solutions, Critical temperature, Phase diagrams, Vinyl polymers, Phase separation(Materials), Randomness, Reprints.

The miscibility of a blend of protonated polyisoprene (HPI) with the 3,4-linkage microstructure in the range 7-15% and of deuterated polybutadiene (DPB) with the 1,2-linkage microstructure in the range 12-28% was studied by small-angle neutron scattering (SANS). It was found that all blends studied here show lower critical solution temperature (LCST) type phase behaviors; i.e., the phase separation occurs by raising the temperature. It was also found that the miscibility is quite sensitive to the microstructures of the polydienes used. The effective thermodynamic interaction parameter (χ_{eff}) per segment between two polymers was determined by fitting SANS data in the single-phase state with a theoretical scattering curve obtained on the basis of the random-phase approximation. The temperature dependence of (χ_{eff}) showed a systematic change with the microstructure. For a given HPI, the (χ_{eff}) values decreased, and therefore, the blends became more miscible, with an increase in the vinyl content (i.e., 1,2-linkage content) in DPB. On the contrary, for a given DPB, the values increased, and therefore, the blends became more immiscible, with an increase in the vinyl content (i.e., 3,4-linkage content) in HPI. An alternative explanation for the LCST phase behavior is proposed based on treatment for the random copolymer blends.

100,519
PB92-117274 Not available NTIS
 National Inst. of Standards and Technology (MSEL),
 Gaithersburg, MD. Polymers Div.
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
 Final rept.
 S. Sakurai, T. Izumitani, H. Hasegawa, T. Hashimoto, and C. Han. 1991, 8p
 See also PB91-236786.
 Pub. in *Macromolecules* 24, n17 p4844-4851 1991.

Keywords: *Solubility, *Polymer blends, *Synthetic elastomers, *Styrene butadiene resins, *Polybutadiene, Binary system(Materials), Copolymers, Small angle scattering, Randomness, Light scattering, Neutron scattering, X-ray scattering, Predictions, Reprints.

The miscibility of binary blends of polybutadiene (PB) and poly(styrene-ran-butadiene)(SBR) was studied on the basis of segmental interaction parameters. In the analysis PB was assumed to be a random copolymer comprising 1,2-linkages (V) and 1,4-linkages (B) and SBR to be the one comprising styrene (S) and butadiene with V and B. The segmental interaction parameters between V and S (χ_{VS}), B and S (χ_{BS}), and V and B (χ_{VB}) were determined on the basis of the copolymer blend theory from the effective interaction parameters (χ_{eff} 's) for the blends of PB and SBR, and those for poly(styrene-b-butadiene-b-styrene) triblock copolymer (SBS), with different copolymer compositions and microstructures of polybutadienes. The values χ_{eff} were determined from either the small-angle neutron or X-ray scattering of the mixtures in the single-phase state. By use of these segmental interaction parameters, χ_{VS} , χ_{BS} , and χ_{VB} , the miscibility of the SBR/PB blends was predicted for a given set of V, B, and S contents in PB and SBR. The predictions of the miscibility for several SBR/PB blends agreed well with the results of the light scattering experiments.

General

100,520
PB92-112499 PC A04/MF A01
 National Inst. of Standards and Technology (CSLT),
 Gaithersburg, MD.
NIST Calibration Services for Humidity Measurement.
 A. Wexler, R. W. Hyland, S. Hasegawa, and P. H.
 Huang. Oct 91, 65p NISTIR-4677
 See also PB270 049.

Keywords: *Humidity measurement, *Calibration, *Hygrometers, Water vapor, Moisture content, Calibration standards, Gas generating systems, Vapor pressure, Error analysis, Tables(Data), US NIST.

The National Institute of Standards and Technology (NIST), formerly National Bureau of Standards (NBS), provides a service to Government agencies and the public for the calibration of humidity measuring instruments. Calibrations are performed by subjecting the instrument under test to atmospheres of known moisture content produced by the NBS two-pressure humidity generator. The most accurate calibrations are made with the NBS standard hygrometer, a device based on the gravimetric method. The internal report documents the original work for the NBS standard hygrometer, and for the NBS two-pressure humidity generator. The operations, tests, calibrations of component parts, and sources of errors of the standard hygrometer and the humidity generator are summarized. The random and systematic errors affecting the overall accuracy of the standard hygrometer and the humidity generator are analyzed and shown by tables.

A workshop on high-performance concrete (HPC) was held in Gaithersburg, MD on May 16, 17, and 18, 1990. The workshop was co-sponsored by the American Concrete Institute. High-performance concrete was defined as concrete having desired properties and uniformity which cannot be obtained routinely using only conventional constituents and normal mixing, placing, and curing practices. Eight working groups were organized to address different topics. The report summarizes the discussions and conclusions of the working groups. Each chapter begins with a brief introduction providing background on the nature of the problems addressed by the working group. Specific research topics are identified, and discussions are provided to explain the rationale for the needed research. The recommended research is proposed as the basis for a national program to exploit the potential of high-performance concrete and ensure U.S. competitiveness in concrete technology. Recommendations for implementing the plan are provided.

100,523
PB91-148072 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg,
 MD. Building Materials Div.
Microstructure and Fracture at the Cement Paste-Aggregate Interface.
 Final rept.
 L. Struble. 1988, 10p
 Sponsored by Air Force Office of Scientific Research,
 Bolling AFB, DC.
 Pub. in Materials Research Society Symposium Proceedings, v114 p11-20 1988.

Keywords: *Microstructure, *Bonding strength, *Cements, *Aggregates, *Fractures(Materials), Cementing, Interfaces, Cement aggregate reactions, Concretes, Bonding, Cracks, Reprints.

The mechanical behavior of concrete in thought to be affected by the microstructure of the paste-aggregate interface, which differs in several respects from the microstructure of bulk paste. General aspects of interfacial microstructure, which appear to be fairly well understood, are reviewed. Recent microstructural studies using back-scattered electron imaging show that there is a zone along the interface (approximately 50 micrometers wide) within which there are generally few large unhydrated clinker grains, many large voids (greater than 5 micrometers), a generally porous microstructure, many hollow-shell hydration grains, and in some cases little calcium hydroxide. The tendency for cracks to develop or grow along the paste-aggregate interface is discussed in relation to specific features of the interfacial microstructure.

100,524
PB91-148528 PC A03/MF A01
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Center for Building Technology.
Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBBS) Computer.
 L. J. Kaetzel, and J. R. Clifton. Dec 90, 49p NISTIR-4473

Keywords: *Cements, *Concretes, *Research projects, *Data bases, Computer systems hardware, Information systems, Computer systems programs, Data transmission, Data retrieval, *Remote bulletin board system, National Institute of Standards and Technology.

A computer system has been installed at the National Institute of Standards and Technology, Building Materials Division, for exchanging and disseminating information related to cement and concrete research. The computer is accessible, remotely, through telephone lines. Messages, and computer stored files in many formats can be exchanged among cement researchers. Also, information can be retrieved and/or viewed that describes: scheduled symposia, archived computer based models, project summaries, and published papers. The document describes how to use the computer system.

100,525
PB91-149922 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg,
 MD. Building Materials Div.
Pozzolan Programs of the Cement and Concrete Reference Laboratory.
 Final rept.
 J. H. Pielt, and R. M. Kolos. 1987, 13p
 See also PB80-160047. Sponsored by American Society for Testing and Materials, Philadelphia, PA.

Pub. in Proceedings of the International Ash Utilization Symposium (8th), p19-1-19-13 1987.

Keywords: *Laboratories, *Concretes, *Cements, *Pozzolans, Aggregates, Inspection, Fly ash, Admixtures, Concrete durability, Standards, Quality assurance, Reprints.

The Cement and Concrete Reference Laboratory (CCRL) located in the Center for Building Technology of the National Bureau of Standards has as its goal the improvement in the quality of testing of construction materials. This is accomplished through the inspection of laboratories who test construction materials, distribution of proficiency samples, studies of testing problems, and participation on technical committees. Until recently, the inspection and proficiency sample programs considered portland, blended and masonry cements; portland cement concrete; aggregates; and reinforcing steel. In response to requests of the Joint ASTM C1/C9 Subcommittee on the CCRL, two new programs related to pozzolans have been added; a pozzolan laboratory inspection program was begun in January 1987 and the distribution of a fly ash reference sample is planned for September 1987. The paper will provide a short overview of CCRL programs for cement, concrete, aggregates and reinforcing steel and give specifics on the pozzolan programs including scope of coverage, schedules, costs, anticipated benefits, and participation information.

100,526
PB91-174524 Not available NTIS
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Structures Div.
Introduction to ACI 306.1-87: Specification for Cold Weather Concreting.
 Final rept.
 N. J. Carino. 1988, 8p
 Pub. in Concrete International 10, p50-57 Oct 88.

Keywords: *Cold weather construction, *Concrete construction, *Specifications, Concrete durability, Structural forms, Concrete structures, Concretes, Freezing, Construction, Strength, Reprints.

The historical developments leading to the new ACI specification on cold weather concreting are reviewed. Attention is focused on the evolution of the current definition of 'cold weather' and on changes in the protection requirements to prevent damage from freezing at an early age. The evolution of the current criteria for form removal is also reviewed, and the paper concludes with a presentation of key aspects of the standard specification.

100,527
PB91-175117 Not available NTIS
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Structures Div.
Rate Constant Functions for Strength Development of Concrete.
 Final rept.
 R. C. Tank, and N. J. Carino. 1991, 10p
 Pub. in ACI Materials Jnl. 88, n1 p74-83 Jan/Feb 91.

Keywords: *Concretes, *Curing, *Strength, Concrete construction, Temperature effects, Concrete durability, Mechanical properties, Aging tests(Materials), Construction materials, Concrete structures, Life(Durability), Reprints.

The rate constant for strength development of a particular concrete mixture is the initial slope of the relative strength-versus-age curve at constant temperature curing. The form of the rate constant versus temperature function is needed to describe the combined effects of time and temperature on strength development. The study investigates the relationship between the rate constant and curing temperature. Based on strength gain data for concrete and mortar specimens made with Type I cement and cured at 10, 23, and 40 C (50, 73, and 104 F), the following conclusions are drawn: (1) strength gain can be represented by a three-parameter hyperbolic function; (2) the rate constant is a nonlinear function of curing temperature and a simple exponential function describes the relationship; (3) tests of appropriate mortar specimens provide the information needed to predict relative strength development of the corresponding concrete; and (4) the proposed rate constant model accurately describes the development of relative strength as a function of the equivalent age.

Construction Equipment, Materials, & Supplies

100,521
PB91-134189 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg,
 MD. Building Materials Div.
Techniques to Observe the Fracture Zone in Mortar and Concrete.
 Final rept.
 L. I. Knab, H. Jennings, H. N. Walker, J. R. Clifton,
 and J. W. Grimes. 1986, 7p
 Pub. in Fracture Toughness and Fracture Energy of Concrete, p241-247 1986.

Keywords: *Crack propagation, *Concretes, *Microscopy, Mortars(Material), Fractures(Materials), Electron microscopy, Fluorescence, Cracking(Fracturing), Fracture tests, Fracture zones, Building materials, Reprints.

There have been relatively few studies of the microstructural details of the fracture zone of propagating cracks in mortar and concrete. This lack of detailed information has hindered the development and validation of fracture mechanics theories based on the micromechanisms of crack propagation. The paper presents the application of two techniques to observe the microstructural details of the fracture zone: fluorescent light microscopy using thin sections, and scanning electron microscopy using backscattered electrons. Preliminary findings indicate that both techniques have the potential to provide new information on the fracture zone in mortar and concrete, both near the exterior and in the interior of specimens.

100,522
PB91-143321 PC A04/MF A01
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Center for Building Technology.
Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990.
 N. J. Carino, and J. R. Clifton. Dec 90, 63p NISTIR-4465

Keywords: *High strength concretes, *Meetings, Alkali aggregate reactions, Mechanical properties, Service life, Specifications, Concrete durability, Standards, Tests, Curing, Mixing, Recommendations.

CIVIL ENGINEERING

Construction Equipment, Materials, & Supplies

100,528

PB91-178863 PC A03/MF A01
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
Characterization of Field Concrete.
P. E. Stutzman. Jan 91, 35p NISTIR-4516

Keywords: *Concretes, *Field tests, Construction materials, Performance prediction, Service life, Chemical analysis, Characterization, Crack propagation, Microstructure, Compressive strength, Sampling, Tests.

Field inspection and laboratory analysis of concrete and concrete structures are necessary for condition evaluation, determination of the need and extent of repairs, and for the prediction of concrete service life. A detailed evaluation includes field inspection, field testing, sampling, and laboratory analyses and also involves the description of the structure, concrete, and aggregates. Field inspection for overall structure condition includes the identification and description of surface defects, cracks, and cracking patterns. Field testing determines relative concrete quality and location of degraded concrete, and provides guidance in developing a sampling plan. Laboratory analyses provide detailed information on the microstructure, phase composition, chemical composition, and strength of the concrete.

100,529

PB91-187179 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Materials Div.
Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model.
Final rept.
D. P. Bentz, and E. J. Garboczi. 1991, 20p
Sponsored by National Science Foundation, Washington, DC.
Pub. in Cement and Concrete Research 21, p325-344 1991.

Keywords: *Cements, *Microstructure, *Hydration, *Percolation, Water cement ratio, Admixtures, Porosity, Curing, Computerized simulation, Models, Reprints.

A three-dimensional digital-image-based simulation model of cement hydration is used to study the percolation or connectivity of phases as a function of hydration. Results from an investigation of the effects of water-to-cement ratio, degree of hydration, and the substitution of inert and pozzolanic mineral admixtures for cement, on the connectivity of the capillary porosity are presented. For all scenarios studied, plotting pore connectivity vs. total porosity results in a single universal curve. Based on the curve, the degree of hydration required to achieve pore discontinuity as a function of water-to-cement ratio and pozzolanic mineral admixture concentration has been determined. Similar universal curves have been obtained for the connectivity of the calcium silicate hydrate and calcium hydroxide phases in hydrated neat cement when plotted against the appropriate phase fraction. Simulation results are analyzed using percolation theory, and are applied to interpreting observed experimental results concerning cement properties as a function of hydration.

100,530

PB91-189621 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Materials Div.
Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete.
Final rept.
L. I. Knab, and C. Spring. 1989, 12p
See also PB88-215488. Sponsored by Tri-Service Building Materials Committee, Washington, DC.
Pub. in Cement, Concrete and Aggregates 11, n1 p3-14 1989.

Keywords: *Portland cements, *Bonding strength, Tension tests, Tensile stress, Repair, Bonding, Mechanical properties, Dissimilar materials bonding, Concretes, Tensile strength, Concrete construction, Reprints.

Three bond test methods were evaluated for screening and selecting repair materials used in overlaying and patching portland cement concrete. The bond strengths of three repair materials to base concrete were investigated using two uniaxial tensile bond test methods and a slant shear bond test method. The differing strength characteristics of the repair materials as compared to the base concrete resulted in different

failure patterns, which had to be taken into account in the analyses of the failure stresses. Substantial differences in the failure stresses of the two test types (slant shear and uniaxial tension) were attributed to their completely different geometries and loading conditions. Differences in the failure stress of the two test types emphasized the importance of selecting a test method that simulates, in so far as possible, the anticipated in-service conditions of repair material. It was concluded that both the slant shear test method and the pipe nipple grips uniaxial tensile test method can be used to screen and select repair materials of the type investigated (portland cement concrete or latex modified concrete) for overlaying or patching portland cement concrete.

100,531

PB91-203836 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Building Materials Div.
Activities of the Construction Materials Reference Laboratories Related to Laboratory Accreditation.
Final rept.
J. H. Pielert. 1989, 7p
Sponsored by American Association of State Highway and Transportation Officials, Washington, DC.
Pub. in Accreditation Practices for Inspections, Tests, and Laboratories, ASTM STP 1057, p30-36 1989.

Keywords: *Construction materials, Test facilities, Aggregates, Concretes, Standards, Reprints, *Laboratory accreditation.

A conference was held at the National Institute of Standards and Technology (formerly The National Bureau of Standards) in May 1986 to consider the status of existing evaluation and accreditation programs for construction materials testing laboratories and to determine the need for a coordinated national system. The conference attendees concluded that 'there is a need for a coordinated national system for the accreditation of construction materials testing laboratories and its development should be initiated.' The paper will discuss activities since the conference, including the work of a planning committee formed to define the goals, scope, format, and procedures of such a system. There will be particular emphasis on activities of CCRL and AMRL, which make up the Construction Materials Reference Laboratories. They are research associate programs at NIST sponsored by ASTM and AASHTO, respectively, and provide laboratory assessment and proficiency sample services, but do not accredit laboratories. However, the AASHTO Executive and Policy Committee approved the AASHTO Accreditation Program utilizing AMRL technical programs for implementation in mid-1988. The Executive Group of the Joint ASTM C1/C9 Subcommittee on the CCRL is changing CCRL programs for concrete and concrete aggregates to comply with new ASTM laboratory evaluation standards.

100,532

PB91-240804 PC A03/MF A01
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.
L. J. Kaetzel, J. R. Clifton, and L. J. Struble. Aug 91, 35p NISTIR-4650
Prepared in cooperation with Illinois Univ. at Urbana-Champaign. Dept. of Civil Engineering.

Keywords: *Cements, *Materials tests, *Mathematical models, *Computerized simulation, Construction materials, US NBS, Software engineering, Recommendations, Standards, National science Foundation, Data bases, Equipment interfaces, Computer networks.

The paper presents guidelines and considerations for the development, archiving, and distribution of computer models for a centralized cementitious materials modeling laboratory. An analysis of the approach used by cement researchers to develop large complex computer models reveals the need for guidelines in selecting computer platforms, software languages and tools, software engineering and documentation. A modeling laboratory established at NIST associated with the NSF Center for Science and Technology of Advanced Cement-Based Materials is discussed and the importance of such a facility in promoting the exchange of information (i.e. ideas, models, data). The computer models currently archived in the modeling laboratory are used as test cases to describe the facility.

100,533

PB92-116300 PC A03/MF A01
National Inst. of Standards and Technology (BFR),
Gaithersburg, MD.
Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.
R. G. Mathey, and L. I. Knab. Oct 91, 37p NISTIR-4648
See also PB90-204520. Sponsored by U.S. Army Corps of Engineers, Washington, DC, Naval Facilities Engineering Command, Alexandria, VA, Air Force Engineering and Services, AFB, Washington, DC.

Keywords: *Pavement overlays, *Concrete pavements, *Bonding strength, *Tension tests, Tensile properties, Concrete slabs, Dissimilar materials bonding, Concretes, Mechanical properties, Tensile strength, Concrete durability, Test facilities, Mechanical tests.

The feasibility of two in situ tensile test methods for use in the field to measure the bond of concrete overlays was investigated in the laboratory. The two test methods used pneumatic and hydraulic loading apparatuses. The uniaxial tensile tests were conducted using partial-depth in situ cores drilled through overlay concrete and into previously cast slabs. Comparisons of the magnitude and repeatability of the tensile strength results for the two test methods indicated that they were comparable. The study demonstrated that both the pneumatic and hydraulic test methods are applicable for field use for measuring the tensile strength of the bond between a relatively thick overlay and its base concrete.

Highway Engineering

100,534

PB91-187849 PC A04/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Center for Building Technology.
Proposed Design Criteria for Shallow Bridge Foundations.
F. Y. Yekel. Feb 90, 57p NISTIR-90/4248
Sponsored by Federal Highway Administration, McLean, VA. Office of Research, Development, and Technology.

Keywords: *Bridge foundations, *Design criteria, *Settlement (Structural), Loads (Forces), Structural engineering, Highway bridges, Displacement, Bearing capacity, Ultimate strength, Failure, Stresses.

Criteria for the design of spread footings for highway bridges are proposed. The criteria address working load as well as load and resistance factor design (LRFD) procedures. Importance factors to be used in conjunction with the LRFD design format are proposed. The importance factors increase the design loads as the span length increases and also otherwise account for the severity of the consequences of a structural or foundation failure. Further data on LRFD design will be available from studies presently in progress. Available information on tolerances of highway bridges and other structures to foundation displacements are reviewed. On the basis of the information, allowable foundation-displacement limits are proposed. Unconditionally allowable foundation displacements will not affect the strength and serviceability of bridges and therefore do not require structural design modifications.

COMBUSTION, ENGINES, & PROPELLANTS

Combustion & Ignition

100,535
PB91-134510 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg,
MD. Fire Measurement and Research Div.
Aspects of Smoldering Combustion.
Final rept.
T. J. Ohlemiller. 1987, 9p
Pub. in Proceedings of International Conference on
the Physical and Chemical Processes Occurring in a
Burning Cigarette, Winston-Salem, NC., April 26-29,
1987, p346-354.

Keywords: *Combustion, Reprints, *Cigarettes, Fire
models.

Several application areas of smoldering combustion
phenomena are reviewed and inter-compared to
demonstrate the range of length and time scales possible,
as well as the dependence of controlling factors on the
configuration of the smolder wave. Existing models for
these same application areas are briefly examined.

100,536
PB91-144428 PC A04/MF A01
National Inst. of Standards and Technology (NIST),
Boulder, CO. Chemical Engineering Science Div.
**Ignition Characteristics of the Nickel-Based Alloy
UNS N07001 in Pressurized Oxygen.**
J. W. Bransford, and P. A. Billiard. Sep 90, 53p
NISTIR-3947
Prepared in cooperation with Boeing Co., Seattle, WA.
Sponsored by National Aeronautics and Space Admin-
istration, Huntsville, AL. George C. Marshall Space
Flight Center.

Keywords: *Ignition, *Laser heating, *Waspaloy,
*Combustion, *High pressure oxygen, Carbon dioxide
lasers, Nickel alloys, Graphs(Charts), Oxygen supply
equipment, Pressurized cabins.

The development of ignition and combustion in pres-
surized oxygen atmospheres was studied for the
nickel-based alloy UNS N07001. Ignition of the alloy
was achieved by heating the top surface of a cylindri-
cal specimen with a continuous-wave CO₂ laser. Two
heating procedures were used. In the first, laser power
was adjusted to maintain an approximately linear in-
crease in surface temperature. In the second, laser
power was periodically increased until autoheating
(self-heating) was established. It was found that the
alloy would autoheat to combustion from temperatures
below the solidus temperature. In addition, the alloy
had a tendency to develop combustion zones (hot
spots) at high oxygen pressures when the incremental
(step) heating test mode was used. Unique points on
the temperature-time curves that describe certain
events are defined and the temperatures at which
these events occur are given for the oxygen pressure
range of 1.72 to 13.8 MPa (250 to 2000 psia).

100,537
PB91-147280 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg,
MD. Chemical Kinetics Div.
**Mechanism of Soot Formation in Acetylene-
Oxygen Mixtures.**
Final rept.
M. Frenklach, D. W. Clary, W. C. Gardiner, S. E.
Stein, and T. Yuan. 1986, 37p
Pub. in Combustion Science and Technology 50, n1-3
p79-115 1986.

Keywords: *Acetylene, *Soot, *Oxygen, *Reaction ki-
netics, Computation, Decomposition reactions, Pyroly-
sis, Chemical reactions, Chemical radicals, Shock
tubes, Reprints.

A computational study of the chemical kinetic effects
of oxygen addition on the process of soot formation

from hot acetylene is reported. The results, which are
supported by trends observed in shock-tube experi-
ments, reveal that the reaction pathway to soot iden-
tified previously for acetylene pyrolysis remains essen-
tially unchanged in an oxidative environment. The main
effects of oxygen are: (1) promotion of fuel decomposi-
tion, which slightly alters the initiation route to soot; (2)
supplementary rapid production of hydrogen atoms in
the initial, small-molecule reactions, which drives the
concentration of hydrogen above the equilibrium value
with respect to H(2) and thus enhances polymeric
growth of polycyclic aromatics; (3) oxidation of arom-
atic radicals by molecular oxygen, which removes them
from the polymeric growth. The computational results
indicate a crucial need for kinetic studies of high-tem-
perature reactions between molecular oxygen and hy-
drocarbon radicals.

100,538
PB91-147306 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg,
MD. Fire Science and Engineering Div.
**Radiant Heat Fluxes from 100-200 MW Natural
Gas/Air Diffusion Flames.**
Final rept.
J. P. Gore, G. M. Faeth, D. Evans, and D. B.
Pfenning. 1987, 4p
Pub. in Proceedings of Fall Technical Meeting Chemi-
cal and Physical Processes in Combustion, San Juan,
PR., December 15-17, 1986, p21.1-21.4 1987.

Keywords: *Diffusion flames, *Thermal radiation, *Ra-
diative heat transfer, *Natural gas, *Heat flux, Heat
transfer, Combustion, Flame propagation, Flames,
Flame temperature, Radiant flux density, Reprints.

Extended abstract on the calculation of radiation from
100-200 MW natural gas/air diffusion jet flames.

100,539
PB91-147934 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg,
MD. Chemical Process Metrology Div.
**Velocity and Droplet Size Measurements in a Fuel
Spray.**
Final rept.
C. Presser, A. K. Gupta, R. J. Santoro, and H. G.
Semerjian. 1986, 11p
Sponsored by Department of Energy, Washington, DC.
Pub. in Proceedings of AIAA Aerospace Sciences
Meeting (24th), Reno, NV., January 6-9, 1986, p1-11.

Keywords: *Kerosene, *Flame spraying,
*Drops(Liquids), *Particle size distribution, Air flow,
Mass transfer, Light scattering, Swirling, Velocity, Re-
prints.

Experimental results are presented for size, number
density and velocity of droplets in a pressure atomized,
hollow cone kerosene spray introduced into nonswirl-
ing and swirling air flow fields. Laser Doppler veloci-
metry has been employed to measure the axial, radial
and tangential velocity components of the spray drop-
lets, introduced at the exit plane of a moveable-vane
swirl-stabilized burner. Spatial distributions of droplet
size and number density have been obtained by utiliz-
ing an ensemble light scattering technique, based on
the measurement of the polarization ratio. Lorenz-Mie
calculations of the scattering characteristics of a poly-
dispersion of droplets have been carried out to com-
plement the light scattering measurements. High
speed cinematography was also used to observe the
overall qualitative features of the spray and flame. The
results reveal that swirl has a significant influence on
the spray jet spread downstream of the nozzle where
fuel/air mixing occurs. Swirl modifies both the droplet
size and number density, in addition to the expected
modification of the velocity distribution. A large number
of droplets are captured by the centrally located recir-
culation region and returned back upstream. These
droplets are then transported radially outwards into the
surrounding combustion air. The correlation between
fuel droplet size and velocity due to its interaction with
the swirled combustion air is of major importance
toward understanding the phenomenological trends
associated with spray flames.

100,540
PB91-148056 Not available NTIS
National Inst. of Standards and Technology (NIST),
Gaithersburg, MD. Fire Measurement and Research
Div.

**Signal Detection Efficiency in Multiphoton Ioniza-
tion Flame Measurements.**

Final rept.
K. C. Smyth, and P. J. H. Tjsssem. 1990, 8p
Pub. in Applied Optics 29, n33 p4891-4898, 20 Nov 90.

Keywords: *Diffusion flames, Multi-photon processes,
Signal detection, Carbon monoxide, Argon, Methane,
Fluorescence, Reprints, *Multiphoton ionization.

Multiphoton ionization is often the most sensitive
method available for detecting radical species in flame
environments. To make accurate relative concentra-
tion measurements, however, the electron (or ion) de-
tection efficiency as a function of flame position must
be known. Two methods are presented for determining
this quantity in a laminar CH₄/air diffusion flame burn-
ing at atmospheric pressure. The results show signifi-
cant variation of the electron detection efficiency in the
lean, stoichiometric, and rich flame regions, with the
greatest detection sensitivity observed in the high-tem-
perature, primary reaction zones (i.e., near stoichi-
ometric conditions). Corrections to multiphoton ioniza-
tion data obtained for H atoms are discussed in terms
of determining relative concentration profiles across
the methane/air diffusion flame.

100,541
PB91-149013 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg,
MD. Thermophysics Div.
**Laser Diagnostics for Characterization of Fuel
Sprays.**
Final rept.
C. Presser, A. K. Gupta, R. J. Santoro, and H. G.
Semerjian. 1987, 8p
Sponsored by Department of Energy, Washington, DC.
Pub. in Proceedings of International Congress on Ap-
plications of Lasers and Electro-Optics (5th), ICALEO
'86, Arlington, VA., November 10-13, 1986, p160-167
1987.

Keywords: *Fuel sprays, Drop size, Density(Number/
volume), Light scattering, Laser applications, Combustion,
Reprints, Phase Doppler velocimetry, Deconvolu-
tion.

Experimental measurements are presented for a pres-
sure-atomized hollow cone spray introduced into nonswirl-
ing and swirling air flow fields. An ensemble light
scattering technique, based on measurement of the
polarization ratio, is used to obtain detailed information
on mean droplet size and number density in dense re-
gions of the spray. The results reveal that combustion
air swirl has a significant influence on the spray struc-
ture. Mean droplet size on the spray boundary is found
to be larger than that on the centerline for both the
nonswirling and swirling cases.

100,542
PB91-157180 PC A12/MF A02
California Inst. of Tech., Pasadena. Guggenheim Jet
Propulsion Center.
**Species Produced in Fires Burning in Two-Layered
and Homogeneous Vitiated Environments.**
Rept. for 1 Aug 89-31 Jul 90.
J. H. Morehart, E. E. Zukoski, and T. Kubota. Dec
90, 275p NIST/GCR-90/585
Grant NANO090958
Sponsored by National Inst. of Standards and Tech-
nology (NIST), Gaithersburg, MD. Center for Fire Re-
search.

Keywords: *Combustion products, *Diffusion flames,
*Stoichiometry, Natural gas, Plumes, Fires, Combustion,
Ethylene, Chemical reactions, Air, Pyrolysis.

The chemical species produced in a buoyant, turbulent
diffusion flame exposed initially to a supply of fresh air
and extending into a reduced-oxygen environment
containing products of combustion are investigated.
The stably stratified, vitiated region is formed by plac-
ing a hood above a burner so that it accumulates the
gases of the fire plume, while the direct injection of air
into the upper portion of the hood allows conditions to
be studied where the stoichiometry of the collected
gases is different than that of the plume flow crossing
the interface between these two regions. Measure-
ments of the composition show that the species pro-
duced in the flame depend primarily on the stoichiome-
try of the gases in the vitiated region, but are independ-
ent of the fuel-air ratio of the mass transported across
the interface by the plume. Experiments were conduct-
ed with natural gas, ethylene, and propylene fuels. For
natural gas fires, a weak dependence of species con-

COMBUSTION, ENGINES, & PROPELLANTS

Combustion & Ignition

centrations on the temperature of the product gas layer was observed over the range 500 to 900K.

100,543
PB91-157206 PC A07/MF A01
California Univ., Berkeley, Dept. of Mechanical Engineering.

Fire Propagation in Concurrent Flows.

Final progress rept. 1 Aug 89-31 Jul 90.

A. C. Fernandez-Pello. Dec 90, 133p NIST/GCR-90/586

Grant NANB7D0737

See also PB90-151754. Sponsored by National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Fire Research.

Keywords: *Flame propagation, *Fire tests, *Air flow, *Flames, *Mathematical models, *Experimental data, *Combustion, *Ignition, *Burning rate, *Turbulent flow, *Velocity measurement.

A research program is being conducted to study the mechanisms controlling the spread of fire in turbulent forced gas flows moving in the direction of flame propagation. The research tasks completed during the reporting period include experimental studies of the effect of flow turbulence on the rate of concurrent flame spread, and of mass burning when the combustible material is in a floor configuration. The results of the experiments with thick PMMA sheets show that flow turbulence affects significantly the flame spread and mass burning processes. As the turbulence intensity is increased, the flame spread rate decreases because the flame length sharply decreases, and the mass burning rate increases because the surface heat flux increases. Currently underway is a complementary study with the combustible material placed in a ceiling geometry to observe the effect of buoyancy on the flame spread and mass burning processes. An additional task also completed during the period is a review of the processes of ignition and flame spread of solid combustibles. The review presents a novel approach to the analysis and prediction of both processes based in their close interrelationship.

100,544
PB91-174474 Not available NTIS
National Bureau of Standards (NIST), Boulder, CO. Chemical Engineering Science Div.

Ignition Characteristics of Selected SSME Alloys.

Final rept.

J. W. Bransford, P. A. Billiard, J. A. Hurley, and I. Vasquez. 1986, 21p

Contract H43201B

Sponsored by National Aeronautics and Space Administration, Huntsville, AL. George C. Marshall Space Flight Center.

Pub. in Proceedings of NASA Conference on Advanced Earth-to-Orbit Propulsion Technology, Huntsville, AL., May 13-15, 1986, p366-386.

Keywords: *Heat resistant alloys, *Metals, *Combustion, *Ignition temperature, *Laser heating, *Differential thermal analysis, *Phase transformations, *Oxygen supply systems, *Hyperbaric oxygenation, *Oxides, *Reprints.

Data from the measurement of the surface and interior temperatures of laser heated cylindrical specimens and from Differential Thermal Analysis (DTA) thermograms have shown that the ignition of alloys is a complex process. The complexity of the process arises from the numerous complex oxides that are formed during the heating process prior to alloy ignition. The ignition process can involve one or more phase transitions and can also be dependent upon the experimental procedures. The ignition temperature as a function of oxygen pressure has been determined for a series of alloys used in or proposed for use in high pressure oxygen systems. The results for five alloys - UNS N07001, N07718, N07750, S30403, and R30188 - are presented and discussed.

100,545
PB91-174797 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Center for Fire Research.

Letter to the Editor, Fire Technology, Comments on T.Z. Harmathy Viewpoint, May 1985.

Final rept.

D. Gross. 1985, 3p

Pub. in Fire Technology 21, n4 p324-326 Nov 85.

Keywords: *Heat transfer, *Absorptivity, *Inertia, *Fires, *Heat flux, *Heat transmission, *Transport properties, *Thermodynamic properties, *Absorption, *Reprints.

Comments on Viewpoint by T.Z. Harmathy, Fire Technology, May 1985 (rho) or the square root of K(rho)-Thermal Inertia or Thermal Absorptivity.

100,546
PB91-175331 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Fire Safety Technology Div.

Surface Flame Spread.

Final rept.

J. G. Quintiere. 1988, 8p

Pub. in SFPE (Society of Fire Protection Engineers) Handbook of Fire Protection Engineering, Chapter 24, p360-367 1988.

Keywords: *Flame propagation, *Fires, *Flames, *Combustion, *Combustible flow, *Combustion physics, *Liquid fuels, *Forest fires, *Mathematical models, *Burning rate, *Reprints.

The contribution is intended for a proposed handbook currently being organized by a committee of the Society of Fire Protection Engineers. It attempts to address the student or practicing fire protection engineer by its tutorial format. It covers both opposed flow and wind-aided flame spread over solids in some detail. Approximate formulas are developed using simple assumptions in order to illustrate the role of the relevant physical and chemical variables. The relationship between these approximate formulas and more exact results and data are discussed. Although an extensive review is not presented, an attempt is made to illustrate the extent of knowledge and opportunities for application. Flame spread over liquid fuels and in the forest are briefly discussed.

100,547
PB91-178830 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

FIREDOC Users Manual, 2nd Edition.

N. H. Jason. Mar 91, 36p NISTIR-4526

See also PB90-271800.

Keywords: *Fire research, *Information dissemination, *Information retrieval, *User manuals (Computer programs), *Data bases, *Bibliographies, *US NIST, *On line systems, *FIREDOC systems, *Fire Research Information Services.

FIREDOC is the on-line bibliographic database which reflects the holdings (published reports, articles, books, and audiovisual items) of the Fire Research Information Services (FRIS), at the Building and Fire Research Laboratory, National Institute of Standards and Technology. The manual provides a step-by-step technique for entering and exiting the database via telecommunication lines, as well as a number of techniques for searching the database and processing the results of the searches. The Second Edition incorporates changes from a recent STAR software upgrade, a section of Advanced Techniques and procedures for using FIREDOC with an IBM PC, XT, AT and compatible computers and with a Macintosh computer.

100,548
PB91-203794 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Fire Measurement and Research Div.

Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.

Final rept.

W. J. Parker, and S. L. LeVan. 1989, 17p

Pub. in Wood and Fiber Science 21, n3 p289-305 1989.

Keywords: *Douglas fir wood, *Pyrolysis, *Combustion products, *Heat of combustion, *Cellulose, *Lignin, *Xylans, *Nitrogen, *Activation energy, *Mass balance, *Reprints.

Specimens of the chemical components of Douglas-fir which include cellulose, lignin, mannan, and xylan were pyrolyzed in nitrogen in the temperature range between 290 and 370 C, which is characteristic of the pyrolysis temperature range of wood in a fire environment. From the data the effective activation energy, preexponential factor, and the net heat of combustion of the volatiles were calculated as a function of mass retention fraction of the specimen. The kinetic parameters were used to calculate the mass loss rate of Douglas-fir and a prepared mixture of the components in a pyrolyzer based on their measured temperature history. The calculated mass loss rates were compared with the measured values.

100,549

PB91-203851 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Fire Measurement and Research Div.

Wind Effects on Fires.

Final rept.

W. M. Pitts. 1991, 52p

Sponsored by Defense Nuclear Agency, Washington, DC.

Pub. in Progress in Energy and Combustion Science 17, p83-134 1991.

Keywords: *Fires, *Urban areas, *Nuclear explosion effects, *Firestorms, *Wind (Meteorology), *Models, *Reprints.

In the review characteristics of the two types of mass fire--fire storm and conflagration--are discussed. Brief histories of urban mass fire and research efforts on the topic are given. Models which have been developed to predict the initiation, development, spread, and behavior of mass fires following the detonation of a nuclear device in an urban environment are summarized. The current understanding of the fire processes which are believed to control mass fire behavior are reviewed. Particular emphasis is placed on the wind-fire interactions mentioned in the last paragraph. The discussion forms the basis for an analysis of the effectiveness of existing models for mass fire growth and behavior. It is concluded that the understanding of the important physical processes is incomplete and that models for mass fire development and behavior are likely to be subject to large and uncharacterized errors. The possibility of improving our understanding of the underlying physical and chemical processes utilizing reduced-scale experiments is assessed.

100,550

PB91-203869 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Chemical Process Metrology Div.

Effect of Atomization Air on Droplet Dynamics of Spray Flames.

Final rept.

C. Presser, A. K. Gupta, and H. G. Semerjian. 1988, 4p

Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of Fall Technical Meeting on Chemical and Physical Processes in Combustion, Clearwater Beach, FL., December 5-7, 1988, p105-1105-4.

Keywords: *Atomization, *Sprays, *Flames, *Droplets, *Dynamics, *Combustion, *Spatial distribution, *Aerodynamic characteristics, *Flow visualization, *Reprints, *Atomization air.

Fuel spray combustion is an important part of a wide variety of propulsion and power systems such as furnaces and gas turbine combustors, afterburners, fuel-injection internal combustion engines, liquid rocket engines, etc. Recent studies using air-assist nozzles have shown that the design and fabrication of these nozzles can directly influence spray circumferential uniformity, i.e., the presence of asymmetrical fuel flux profiles in combustors. The practical implications of these fuel flux nonuniformities are that they seriously alter the spray structure, which subsequently affects droplet/air interactions, local fuel/air mixing, overall flame characteristics and combustor performance, and pollutant emission levels. In addition, the effect of aerodynamic factors (i.e., combustion air swirl and atomization air flow rate) on spray characteristics has been investigated. The paper discusses the effect of atomization air on the droplet dynamics of spray flames formed by an air-assist nozzle. Presented are spatial distributions of mean droplet velocity and their probability distributions, which provide quantitative information for examination of the observed spray flame features.

100,551

PB91-216804 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Interaction of an Isolated Sprinkler Spray and a Two-Layer Compartment Fire Environment.

L. Y. Cooper. May 91, 49p NISTIR-4587

Sponsored by American Architectural Mfrs. Association, Des Plaines, IL.

Keywords: *Fire tests, *Sprinkler systems, Spraying, Mathematical models, Nozzles, Computerized simulation, Water, Combustion, Buildings.

A mathematical model is developed to simulate the interaction of an isolated operating sprinkler and a two-layer fire environments under arbitrary conditions of sprinkler-nozzle elevation, and upper- and lower-layer thickness and temperature. The sprinkler is characterized by water flow rate, nozzle diameter, and three other device parameters. The model takes account of all effects of the sprinkler spray as it entrains drives downward (by aerodynamic drag on the spray drops), humidifies, and cools (by drop evaporation) gases from both the high temperature upper layer and the relatively cooler lower layer. The model provides a means of predicting the rates of flow of mass, enthalpy, products of combustion, and evaporated water to each of the two layers as a result of sprinkler operation. An algorithm for such predictions is presented in a manner that is suitable for general use in two-layer zone-type compartment fire models. The model is exercised in example calculations which simulate the interaction between the spray of a real sprinkler device and both fire and non-fire environments. The calculations revealed an important generic interaction phenomenon, namely, an abrupt and large change in the growth rate of an upper layer that would accompany an increase in upper layer thickness beyond a critical thickness (for a given upper layer temperature) or an increase in upper layer temperature beyond a critical temperature (for a given upper layer thickness). Exceeding critical values would lead to very large rate of growth of upper layer thickness, a growth that would likely lead to rapid and complete smoke filling of even the largest compartments of fire origin.

100,552
PB91-216838 PC A99/MF E08
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD.

ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD. on July 15-18, 1991.

Special pub. (Final).
H. G. Semerjian, Jul 91, 874p NIST/SP-813
Also available from Supt. of Docs. as SN003-003-03086-4.

Keywords: *Meetings, *Atomization, *Sprays, *Liquids, Atomizers, Diesel engines, Spraying, Atomizing, Fuel systems, Fuel sprays, Metal powder, Combustion, Size determination, Drops(Liquids).

The NIST Special Publication contains the Proceedings of the Fifth International Conference on Liquid Atomization and Spray Systems, sponsored and organized by the Institute for Liquid Atomization and Spray Systems (ILASS-Americas) and the National Institute of Standards and Technology (NIST), held at NIST, in Gaithersburg, Maryland on July 15-18, 1991. One hundred papers were presented at the Conference, including four keynote lectures on Physics of Atomization, Experimental and Theoretical Studies on the Structure of Fuel Sprays in Diesel Engines, Atomization of Liquid Metals for the Manufacture of Metal Powder and for Spray Forming, and Twin Fluid Atomization: Factors Influencing Mean Drop Size. Technical sessions were organized on Evaporation and Mass Transfer in Sprays, Spray Coating, Basic Atomization Processes, Pressure Atomizers, Diesel Sprays, Drop Size Distribution of Sprays, Novel Atomizers, Diagnostics, Atomization of Special Liquids, Spray Combustion, Twin Fluid Atomization, Spray Modeling, Airblast and Electrostatic Atomization, and Airbreathing and Rocket Engines.

100,553
PB91-237024 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Measurement and Research Div.

Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames.

Final rept.
J. H. Miller, and K. C. Smyth. 1988, 4p
Pub. in Chemical Physics Process Combustion, p16/1-16/4 1988.

Keywords: *Diffusion flames, *Hydrogen, *Oxygen, *Atoms, Hydroxyl radicals, Hydrocarbons, Equilibrium, Chemical radicals, Reprints, Flame structure, Combustion chemistry.

Possible methods of estimating H-atom and O-atom concentrations from OH- and major species measure-

ments are discussed. Assumptions of full and partial equilibrium are examined.

100,554
PB91-237099 Not available NTIS
National Inst. of Standards and Technology (BFRL), Gaithersburg, MD. Fire Measurement and Research Div.

Laser-Induced Fluorescence of CH₂ in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.

Final rept.
T. S. Norton, and K. C. Smyth. 1991, 20p
Pub. in Combustion Science and Technology 76, p1-20 1991.

Keywords: *Methane, *Diffusion flames, *Combustion kinetics, Laser applications, Free radicals, Aromatic polycyclic hydrocarbons, Concentration(Composition), Hydrogen atoms, Reprints, *Laser induced fluorescence, *Methyl radicals.

Relative CH radical concentration profiles have been measured in a laminar, flowing methane/air diffusion flame using laser-induced fluorescence from the (0,0) band of the A(sup 2)delta-->X(sup 2) pi transition. CH has the narrowest profile of any species yet measured in the flame. The CH peak does not coincide with the position of the OH and temperature maxima, but appears on the fuel-rich side, between the peak concentrations of hydrogen atoms and methyl radicals. If CH fluorescence is detected with a narrow bandpass dielectric filter, rather than using a monochromator, severe interference attributed to fluorescence from polycyclic aromatic hydrocarbons (PAH) is observed. The CH concentration decreases, while PAH fluorescence interference increases rapidly with height above the burner. Implications for CH imaging experiments in turbulent diffusion flames are discussed. The net chemical production/destruction rate of CH is determined as a function of flame position at a height H of 9 mm above the burner. The CH production rate profile is used to derive a relative mole fraction profile for triplet methylene 3CH₂. The concentration ratio (3)CH₂:max/(CH):max is found to be 13-300, where the major source of uncertainty is the reaction rate of (3)CH₂: + H --> CH + H₂. Maximum concentrations of the CH₂ radicals are not well established in the flame. However, if the derived (3)CH₂:max/(CH):max ratio is combined with the calculated value of 25 ppm for (3)CH₂:max from Puri et al. (1987), one estimates that the peak CH mole fraction lies between 0.08 and 2 ppm at H = 9mm.

100,555
PB91-237412 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Fire Science and Engineering Div.

Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.

Final rept.
K. D. Steckler, and H. E. Mitler. 1988, 4p
Pub. in Chem. Phys. Processes Combust., p73/1-73/4 1988.

Keywords: *PMMA, *Plastics, *Construction materials, *Pyrolysis, Combustion chambers, Reaction kinetics, Wallboard, Panels, Fire tests, Flammability, Mathematical models, Comparison, Ventilation, Linings, Reprints.

A series of experiments was conducted to study the pyrolysis rate of a fully-ignited fixed-area wall panel in a reduced-scale enclosure for a wide range of ventilation conditions. The wall panel was PMMA, a non-charring homogeneous material which is amenable to theoretical analysis. Experimental results are compared with theoretical results obtained from a steady-state algebraic model for non-charring, non-melting, homogeneous materials.

100,556
PB92-112432 PC A11/MF A03
Michigan State Univ., East Lansing. Dept. of Mechanical Engineering.

Theoretical Investigation of Piloted Ignition of Wood.

L. S. Tzeng, and A. Atreya. Aug 91, 230p NIST/GCR-91-595
Grant NANB8D0861
Sponsored by National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Keywords: *Wood fuels, *Combustion, *Pyrolysis, Solids, Flame propagation, Gases, Equations, Diffu-

sion flames, Mathematical models, Activation energy, Ignition, Heat transfer, Predictions, Pilot lights.

A theoretical model for piloted ignition of a flame in the gas phase above a vaporizing or pyrolyzing solid has been developed. Using the model it has been found that (1) The postulated simplified governing equations adequately explain the pre-ignition flashes that are often observed experimentally; (2) A rational criterion for positioning the pilot flame exists; (3) The heat losses to the surface play an important role, indicating that the fuel evolution rate by itself is insufficient for predicting the onset of piloted ignition. In the investigation, a numerical integration scheme is developed that accounts for the often vastly different rates between chemical reaction and convection or diffusion processes in the equations of combustion theory. The new numerical scheme is found to be very efficient for the piloted ignition problem, which involves both pre-mixed and diffusion flames. Finally, a numerical model for piloted ignition of wood which includes transient solid-phase decomposition has been developed. It has been found that the activation energy for the combustion of the evolved fuel is 49 Kcal/mole.

100,557
PB92-112473 PC A04/MF A01
National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.

R. H. Harris, V. Babrauskas, B. C. Levin, and M. Paabo. Oct 91, 56p NISTIR-4649
Sponsored by Huber (J.M.) Corp., Norcross, GA. Solem Div., and Aluminum Co. of America, Alcoa Center, PA. Alcoa Technical Center.

Keywords: *Fire resistant materials, *Plastics, *Fire hazards, *Flammability testing, Halogens, Additives, Comparison, Toxicity, Calorimetry, Combustion products, Thermal degradation, Hydrogen chloride, Hydrogen bromide, Smoking, Ignition, Gases, Cone calorimeters.

Five plastic materials, with and without fire retardants, were studied to compare the fire hazards of non-halogenated fire retardant additives with halogenated flame retardants. The plastic materials were identified by the sponsors as unsaturated polyesters, thermoplastic high density, low density and cross-linked low density polyethylenes, polypropylene, flexible and rigid poly(vinyl chlorides), and cross-linked and thermoplastic ethylene-vinyl acetate copolymers. The non-halogenated fire retardants tested were aluminum hydroxide (Al(OH)₃), also known as alumina trihydrate (ATH), sodium aluminosulfate, and magnesium hydroxide. The halogenated flame retardants were chlorine or bromine/antimony oxides. The plastics were studied using the Cone Calorimeter and the cup furnace smoke toxicity method (high density polyethylene only). The Cone Calorimeter provided data on mass consumed, time to ignition, peak rate and peak time of heat release, total heat released, effective heat of combustion, average yields of CO, CO₂, HCl, and HBr, and average smoke obscuration. The concentrations of toxic gases generated in the cup furnace smoke toxicity method were used to predict the toxic potency of the mixed thermal decomposition products. The data from the Cone Calorimeter indicate that the non-halogenated fire retardants were, in most of the tested plastic formulations, more effective than the halogenated flame retardants in increasing the time to ignition. The non-halogenated fire retardants were also more effective in reducing the mass consumed, peak rate of heat release, total heat released, and effective heat of combustion, and in reducing the amount of smoke produced. The use of halogenated flame retardants increased smoke production and CO yields and, additionally, produced the known acid gases and toxic irritants, HCl and HBr, in measureable quantities.

100,558
PB92-117191 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Fire Measurement and Research Div.

Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.

Final rept.
W. M. Pitts. 1990, 8p
Pub. in Proceedings of International Symposium on Combustion/The Combustion Institute (23rd), Orleans, France, July 22-27, 1990, p661-668.

COMBUSTION, ENGINES, & PROPELLANTS

Combustion & Ignition

Keywords: *Diffusion flames, *Vortices, *Jet flow, Turbulence, Rayleigh scattering, Turbulent flow, Light scattering, Velocity measurement, Flame photometry, Hot wire anemometers, Combustion stability, Reprints.

The physical mechanisms responsible for the stabilization of lifted axisymmetric turbulent jet diffusion flames remain uncharacterized. Flame stabilization has been shown to take place at radial locations in the corresponding isothermal jets where the flow has an intermittent character. Recently developed flow diagnostics capable of simultaneous multi-point concentration and velocity measurements are used to investigate the large-scale turbulent structures in the intermittent region of an isothermal jet of propane. The findings, in conjunction with earlier literature results, show that large-scale structures form as the result of organized turbulent motion during which strong outward ejections of fluid from central regions of the jet flow into the ambient surroundings. Once formed, the large-scale structures are convected downstream for long distances. The downstream edges of the structures are regions of significantly higher concentration gradients and shear than regions further upstream. Occasionally, the jet fluid loses its turbulent energy and is no longer transported by the flow. The fluid can be reentrained by the passage of later large-scale structures. It is concluded that the processes responsible for flame stabilization must occur in these large-scale turbulent structures.

100,559

PB92-117365

Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Fire Measurement and Research Div.

Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.

Final rept.

K. C. Smyth, and P. J. H. Tjossem. 1990, 9p. Pub. in Proceedings of Symposium on Combustion/The Combustion Institute (23rd), France, July 22-27, 1990, p1829-1837.

Keywords: *Ionization, *Diffusion flames, *Concentration(Composition), *Fluorescence, *Laser applications, Quantitative analysis, Chemical analysis, Electrophotometry, Laser beams, Methane, Hydrogen, Flame photometry, Laser spectroscopy, Laminar flow, Oxygen, Reprints.

Relative H-atom and O-atom concentration profiles have been measured in a laminar, co-flowing methane/air diffusion flame burning at atmospheric pressure. Multiphoton ionization ($2 + 1$ process at 243 nm) has been used to detect H atoms, while laser-induced fluorescence at 845 nm excited by two-photon absorption at 226 nm was employed to observe O atoms. In both cases it was found that low photon intensities were required in order to avoid the photolytic production of the species of interest. Doppler-free measurements were carried out using a retroreflected-beam geometry in order to provide sufficient signal levels. Under these experimental conditions it is necessary to correct the raw profile data for variations in collisional quenching and electron detection sensitivity as a function of flame position. Establishing absolute radical concentrations is discussed in terms of partial equilibrium considerations and detailed flame structure calculations.

Fuel & Propellant Tanks

100,560

PB91-175570

Not available NTIS

National Inst. of Standards and Technology, Boulder, CO. Chemical Engineering Science Div.

Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.

Final rept.

P. S. McAuliffe, A. H. Taylor, L. L. Sparks, and W. P. Dube. 1991, 12p. Pub. in Proceedings of AIAA Aerospace Sciences Meeting (29th), Reno, NV., January 7-10, 1991, p1-12.

Keywords: *Propellant tanks, *Thermal insulation, *Cryogenic fluid storage, Cryogenic rocket propellants, Rocket propellants, Storage tanks, Fuel tanks, Thermal conductivity, Foams, Aerospace vehicles, Reprints.

Future high-speed aircraft and aerospace vehicles using cryogenic propellants will require an advanced reusable insulation system for the propellant tank structure. The cryogenic insulation system must be lightweight, structurally and thermally efficient, and capable of multiple reuse without cracking or degraded performance. The paper presents recent progress in the development of a reusable cryogenic foam insulation system having a maximum service temperature of 400 F. The system consists of pre-shaped, pre-cut blocks of rigid polymethacrylimide foam insulation, wrapped with a high-temperature Kapton and aluminum foil vapor barrier which is adhesively bonded to the propellant tank wall.

Reciprocation & Rotating Combustion Engines

100,561

PB91-189498

Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Ceramics Div.

Ceramic Wear Maps.

Final rept.

S. M. Hsu, D. S. Lim, and R. G. Munro. 1988, 10p. Pub. in Proceedings of the International Symposium on Ceramic Materials and Components for Engines (3rd), Las Vegas, NV., November 27-30, 1988, p1236-1245.

Keywords: *Wear, *Ceramics, *Graphic methods, *Tribology, *Heat engines, Friction, Mapping, Tests, Methodology, Reprints.

Friction and wear characteristics of ceramics are crucial properties for their successful application to new engine designs. Tests for friction and wear performance usually are based on empirical field trials. These tests are very expensive. Laboratory measurements of tribological properties would be much less expensive. However, laboratory tests are specific to a particular wear tester and the specific operating conditions. Translation of laboratory results to industrial application and design is often difficult and fraught with uncertainty. The paper describes a new systematic effort to measure and represent the wear characteristics of ceramics in a uniform and unified methodology. For any material, the methodology leads to a set of wear maps which collectively provide a comprehensive representation of the wear properties of the materials. The maps provide critical guidance to design engineers for materials selection.

COMMUNICATION

Common Carrier & Satellite

100,562

FIPS PUB 159

PC E07

National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Detail Specification for 62.5-um Core Diameter/125-um Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.

Federal information processing standards (Final).

S. M. Radack, and A. G. Hanson. 27 Dec 90, 24p. Also pub. as American National Standards Inst., New York rept. no. ANSI/EIA/TIA-492AAAA-1989. Prepared in cooperation with American National Standards Inst., New York, and National Communications System, Arlington, VA.

Three ring vinyl binder also available: North American Continent price \$7.00; all others write for quote.

Keywords: *Standards, *Optical waveguides, *Glass fibers, *Telecommunications, *Data processing systems, Cladding, Cores, Acceptability, Industries, Protective coatings, Performance tests, Measurement, Attenuation coefficients, Bandwidth, Length, Federal Information Processing Standards.

The standard, by adoption of American National Standard/EIA/TIA-492AAAA-1989, defines the opti-

cal, geometrical, environmental, and mechanical specifications for glass (EIA/TIA-458-A-1984 Class Ia) multimode optical waveguide fibers. Minimum acceptable values for all characteristics are given, and applicable industry standards for their measurement are referenced. The standard supersedes former draft Federal Standard (FED-STD) 1070 in its entirety.

100,563

PB91-134825

Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Systems and Network Architecture Div.

Performance of OSI Transport over ACCUNET and IBERPAC.

Final rept.

E. Vazquez, R. Colella, J. Vinyes, J. Fox, and J. Berrocal. 1988, 10p.

Sponsored by Universidad Politecnica de Madrid (Spain). Escuela Tecnica Superior de Ingenieros de Telecomunicacion.

Pub. in Proceedings of Annual Joint Conference IEEE (Institute of Electrical and Electronics Engineers) Computer and Communications Societies - IEEE INFOCOM (7th), New Orleans, LA., March 27-31, 1988, p651-660.

Keywords: *Computer networks, Simulation, Specifications, Reprints, *Computer communications, *Protocols, Throughput.

The paper presents the results of a research project intended to assess the effect of several transport mechanisms on throughput observed between two transport users communicating over concatenated X.25 networks. Two main areas of effort are covered. First, the protocol design and development process is addressed, including the formal specification of class 4 transport and the tools used to support protocol implementation and testing. The main advantages of ESTELLE, the formal specification language used, and the development method are outlined. The second area covered is a set of simulated and live experiments investigating transport performance over X.25 networks. The transport mechanisms of potential interest (splitting, concatenation and acknowledgement withholding) are described and the main simulation results are presented. Finally, the simulation results are validated with live experiments over two concatenated X.25 networks. As indicated in the conclusion, use of the three mechanisms considered in the paper result in significant transport user throughput improvements.

100,564

PB91-148734

Not available NTIS

National Inst. of Standards and Technology (NIST), Boulder, CO. Electromagnetic Fields Div.

Quasi-Static Analysis of a Two-Wire Transmission Line Located at an Interface.

Final rept.

D. A. Hill. 1990, 6p.

Pub. in Radio Science 25, n4 p435-440 Jul/Aug 90.

Keywords: *Transmission lines, Characteristic impedance, Permeability, Permittivity, Interfaces, Reprints.

Simple quasi-static expressions have been derived for the propagation constant, the characteristic impedance, and the field distribution of a two-wire transmission line located at the air-Earth interface. Both the complex permittivity and the complex permeability of the Earth are allowed to differ from the free-space values, and a numerical solution of the mode equation shows that quasi-static approximation is valid when the wire separation is much less than a free-space wavelength. The quasi-static approximation can be used to determine both the complex permittivity and the complex permeability of the Earth from measurements of the propagation constant and the characteristic impedance of the transmission line.

100,565

PB91-158584

Not available NTIS

National Bureau of Standards (NIST), Gaithersburg, MD. Building Equipment Div.

Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques.

Final rept.

W. F. Danner. 1986, 10p.

Pub. in Proceedings of Annual Technical Symposium (25th) Distributed Information Systems: Emerging

Common Carrier & Satellite

Uses and Technology, Gaithersburg, MD., June 12, 1986, p63-72.

Keywords: *Computer communications, *Protocols, *Artificial intelligence, Information systems, Computer aided design, Data base management systems, Distributed computer systems, Computer programming, Knowledge representation, LISP programming language, Reprints, Object-oriented programming.

A communication capability between incompatible information systems is presented. Formats for Modular Semantic Application Layer Protocols (MS-ALPs) are described. A Meta-Information (MI) Format supports the exchange of knowledge necessary for each system to understand the other. Subsequently an Information (I) Format provides for the exchange of information in the context of that knowledge while maintaining system semantics. The MS-ALP Formats make use of two artificial intelligence (AI) programming techniques: frame-based knowledge representation; and object-oriented programming capabilities as an integral part of the frame-based representation. These 'self-descriptive' formats provide for a virtual extension of an information management system (IMS) which does not require a detailed understanding of IMS operations for access to information. An implementation is described which operates within LISP programming environments. However, the concepts developed during the course of this research are believed to have wider applicability.

100,566
PB91-175018 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Systems and Network Architecture Div.
Application of Formal Description Techniques to the Specification of Distributed Test Systems.
Final rept.
R. J. Linn, and J. P. Favreau. 1988, 14p
Pub. in Proceedings of IEEE INFOCOM Conference on Computer Communications, New Orleans, LA., March 27-31, 1988, p96-109.

Keywords: *Distributed processing, *Tests, *Electronic mail, Specifications, Protocols, Distributed computer systems, Translators, Computer networks, Computer communications, Reprints, Department of Defense, OSI(Open Systems Interconnection).

As part of a planned transition by the Department of Defense (DoD) from military standard to Open Systems Interconnection (OSI) protocols, the National Bureau of Standards (NBS) is implementing and testing two application-layer gateways. NBS is applying description techniques developed within the International Organization for Standardization (ISO) and the Consultative Committee for International Telephone and Telegraph (CCITT) to the specification of distributed test systems for the gateways between OSI and DoD networks. Translators, developed at NBS, for Es-telle and ASN.1 aid in automating the implementation of the test systems. An overview of the test system for an electronic mail gateway and the methods employed to realize it are presented. Measures of productivity of the methods employed are also presented.

100,567
PB91-187682
(Order as PB91-187617, PC A06/MF A01)
National Inst. of Standards and Technology, Boulder, CO.

Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
R. L. Gallawa, J. L. Gardner, D. H. Nettleton, K. D. Stock, T. H. Ward, and X. Li. 1991, 6p
Prepared in cooperation with National Measurement Lab., Lindfield (Australia), National Physical Lab., Ted-dington (England), and Physikalisches Technische Bundesanstalt, Brunswick (Germany, F.R.).
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n2 p225-245 Mar/Apr 91.

Keywords: *Optical communication, Near infrared radiation, Ge semiconductor detectors, Interlaboratory comparisons, Optical detectors, Optical fibers, Fiber optics, Standards, Optical power, Intercomparison.

The authors report here on a recent limited international intercomparison of responsivity scales at wavelengths of interest to the optical communications community. Participants in the comparison were the national laboratories in the United States, the United Kingdom, Germany, and Australia. The wavelengths tested were 1300 and 1550 nm. Data taken at 850 nm are

only briefly discussed. The disagreement between the national laboratories' responsivity scale is comfortably within the uncertainty claimed by each laboratory.

100,568
PB91-187724 PC A03/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Validation of an OSI Transport Class 4 Simulator.
O. Kim, S. Heatley, and B. Bishop. May 91, 36p
NISTIR-4530

Keywords: *Computer communications, *Computer networks, *Protocols, Scheduling, Algorithms, Simulation, Models, Computer systems hardware, Computer software, OSI transport.

Most work on scheduling in communications protocols has considered only the MAC layer. Token bus, token ring, and FDDI all have priority mechanisms. But mechanisms for scheduling must be extended into the upper OSI layers to be effective. The National Institute of Standards and Technology (NIST) has chosen to study possible scheduling mechanisms for Transport Class 4 by first developing a detailed Transport Class 4 simulator. The discrete event simulator is written in Simscript II.5 and simulates the Intel iNA960 implementation of Transport Class 4 running on a 186/51 front-end board with a 286/10 host. In the paper, the model is described, the processing times which serve as inputs into the model are specified and the validation experiments are documented.

100,569
PB91-187831 PC A05/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Issues in Transparent File Access.
Special pub. (Final).
K. Olsen, and J. Barkley. Apr 91, 90p NIST/SP-500/186
Also available from Supt. of Docs. as SN003-003-03079-1.

Keywords: *Communication networks, *File management systems, *Access methods, Operating systems(Computers), Standards, UNIX(Operating system), Semantics, File structures, Access control, Applications programs(Computers), Protocols, Interfaces, Remote systems, Computer programs, NES(Network File System), TFA(Transparent File Access), POSIX.

For a computer system attached to a network, the network provides connectivity to many other systems whose file systems may be very different from the local file system. However, there is no standard way for an application to 'transparently' access files on several file systems whose access characteristics may differ from the access characteristics of the local file system. Transparent file access means that remote files are accessed as though they were local. The Institute of Electrical and Electronics Engineers (IEEE) 1003.8 Transparent File Access (TFA) Working Group of the POSIX Standards Committee (IEEE P1003) has undertaken the development of an application programming interface specification based on the IEEE 1003.1-1990 Standard. The objective of IEEE 1003.8 is to permit access to the widest possible range of file systems which can resemble the file system of IEEE 1003.1-1990. The report presents the major issues and problems whose resolution form the basis of the IEEE 1003.8 TFA Standard. Some issues are illustrated with examples and demonstrations using the Network File System (NFS), the most widely used implementation for accessing remote files on a network.

100,570
PB91-203091 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Frequency Stabilization of an Erbium-Doped Fiber Laser: A Potential Wavelength Standard for Optical Communications.
Final rept.
S. L. Gilbert. 1991, 1p
Pub. in Proceedings of Optical Fiber Communication Conference, San Diego, CA., February 18-22, 1991, p85.

Keywords: *Optical communication, Near infrared radiation, Infrared lasers, Tunable lasers, Frequency standards, Frequency stability, Acetylene, Reprints, *Erbium lasers, Fiber lasers, Wavelength standards.

A single frequency, \approx or $<$ 1.6 MHz linewidth, tunable Er(+)-doped fiber laser has been constructed. Stabili-

zation to an absorption line of acetylene near 1.53 micrometers reduced the laser frequency noise to less than 500 kHz rms.

100,571
PB91-216622 PC A03/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Electronic Data Interchange in Message Handling Systems.
P. Markovitz. Jun 91, 39p NISTIR-4608
Sponsored by Internal Revenue Service, Washington, DC.

Keywords: *Message processing, *Electronic mail, *Data transmission, Standardization, Computer communications, Protocols, Data structures, Data processing security, Models, Dictionaries, EDI(Electronic Data Interchange), MHS(Message Handling System), IPMS(Interpersonal Messaging Service).

Electronic Data Interchange (EDI) identifies a family of standards used for the electronic transmission of business oriented data (e.g., invoices and purchase orders). EDI standards specify data formats, but are designed independent of a communications protocol. In June, 1990, the Consultative Committee on International Telephony and Telegraphy (CCITT) drafted two Recommendations (F.435:EDI Messaging Service, X.435: EDI Messaging System) which define a standardized service and protocol for transmitting EDI data via the Message Handling System (MHS). Using the MHS, EDI data can be transferred between compatible EDI applications implemented on heterogeneous computer systems. The paper introduces the MHS, the carrier service for EDI data; and the Interpersonal Messaging Service, the only MHS application currently standardized and the model for the EDI Messaging Service. Following the introductory material is a detailed review of the EDI Messaging draft Recommendations. The transmission of EDI data via the MHS is described as well as the relationships between EDI Messaging and directory, security, and physical delivery services. Three appendices are also included in the paper. Appendix A contains a list of abbreviations. Appendix B provides a glossary of MHS terms, and Appendix C briefly describes EDI messaging elements of service.

100,572
PB92-102201 PC A05/MF A01
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Advanced Systems Div.
ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side.
Special pub. (Final).
S. A. Wakid, and K. M. Roberts. Sep 91, 91p NIST/SP-500/194
Also available from Supt. of Docs. as SN003-003-03109-7.

Keywords: Telecommunication, Test methods, Interfaces, Communication networks, Communications management, *Integrated Services Digital Network, Test specifications, Conformance tests.

The American National Standard for Telecommunications T1.605-1989 specifies the Layer 1 requirements to provide for satisfactory transmission between a Terminal Equipment (TE) and Network Termination (NT). It describes both the physical interface and the electrical characteristics of the signals appearing at the S and T reference points. Equipment designed to operate on the Integrated Services Digital Network (ISDN) Basic Rate S or T interface must conform with this set of requirements. The document describes a set of test specifications which test conformance of TEs and NTs to the ISDN Physical Layer at the S/T reference point, as defined in ANS T1.605-1989. These tests were developed and approved by members of North American ISDN Users' Forum (NIU-Forum).

100,573
PB92-102219 PC A08/MF A02
National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Advanced Systems Div.
North American ISDN Users' Forum Agreements on Integrated Services Digital Network.
Special pub. (Final).
S. A. Wakid, and K. M. Roberts. Sep 91, 152p NIST/SP-500/195
Also available from Supt. of Docs. as SN003-003-03110-1. See also PB91-171967, PB91-197004, PB92-112200 and PB92-102201.

COMMUNICATION

Common Carrier & Satellite

Keywords: *Standards, Communication networks, Computer networks, Computer software, Specifications, User needs, Tests, *ISDN(Integrated Services Digital Network), Basic rate interface, Primary rate interface.

The document compiles the existing North American ISDN Users' Forum (NIU-Forum) agreements for an Integrated Services Digital Network (ISDN) developed and approved in the NIU-Forum as of November 1990. These agreements cover: Layer 1 Basic Rate Interface (BRI) at the U, and S/T reference points; Layer 1 Primary Rate Interface (PRI) at the U reference point; Layer 2 BRI and PRI; Layer 3 BRI Basic Call Control for Class I equipment; Layer 3 PRI Basic Call Control for Class II equipment; and Generic Control procedures for Class I BRI Supplementary Services. In addition, the document references the Conformance tests which have been completed by the NIU-Forum. These include: Layer 1 BRI S/T interface; and Layer 2 BRI Link Access Procedure, D-channel (LAPD). Finally, the document contains the Application Profile for four of the Incoming Call Management applications which have been submitted to the NIU-Forum.

Graphics

100,574

PB91-187773 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Office Systems Engineering Group. **Government Document Processing Requirements Report.**
R. F. Sies. Apr 91, 16p NISTIR-4560

Keywords: *Standards, Documents, User needs, *Electronic publishing, Electronic Information Exchange Standards, ODA(Office Document Architecture), SGML(Standard Generalized Markup Language), SPDL(Standard Page Description Language), ODL(Office Document Language).

The report describes several activities of the Office Systems Engineering Group in the area of electronic publishing standards. It gives an account of the July 30, 1990 workshop on Electronic Information Exchange Standards Used in Document Processing Applications and the list of User Requirements that came out of that workshop. The report also talks about other efforts the Office Systems Engineering Group has made to help bring about the harmonization of electronic publishing standards.

Policies, Regulations, & Studies

100,575

N91-25760/0
(Order as N91-25755/0, PC A99/MF A04)
National Inst. of Standards and Technology (NIST), Boulder, CO. Time and Frequency Div.
Trapped-Ion Frequency Standards.
D. J. Wineland, W. M. Itano, J. C. Bergquist, J. J. Bollinger, and D. J. Heinzen. May 90, 8p
Pub. in Proceedings of Annual Precise Time and Time Interval (PTTI) Applications and Planning Meeting (22nd) p53-60 (See N91-25755 17-70). Sponsored by AFOSR and Onr.

Keywords: Atoms, *Frequency standards, Ions, *Trapped particles, Clocks, Microwaves, Optical equipment, Radio frequencies, Time measurement.

Frequency standards based on stored atomic ions are briefly reviewed. Specific examples are chosen to illustrate what is currently possible. Both rf/microwave and optical devices are discussed. The present limitations to existing experiments and possibilities for future improvement are outlined.

100,576

N91-25766/7
(Order as N91-25755/0, PC A99/MF A04)
National Inst. of Standards and Technology, Boulder, CO.

GPS Time Transfer with Implementation of Selective Availability.

D. W. Allan, M. P. Granveaud, W. J. Klepczynski, and W. W. Lewandowski. May 90, 11p
Pub. in Proceedings of Annual Precise Time and Time Interval (PTTI) Applications and Planning Meeting (22nd) p145-155.

Keywords: *Global positioning system, *Metrology, *Navigation satellites, *Time measurement, Atomic clocks, Navigation, Observatories.

The international community of time metrology is facing a major challenge with the Selective Availability (SA) degradation of GPS satellite signals. At present there are 6 Block 1 satellites and 8 Block 2 satellites operating. According to the policy of the U.S. Department of Defense the Block 1 satellite signals will not be degraded, but these satellites are old with a finite life. The Block 2 satellites, which have all been launched since 1988, were subject to Selective Availability from March 25, 1990. The effect of SA should be to limit precision to about 100 meters for navigation and 167 ns for timing. A study was conducted in order to understand the nature of the actual introduced degradation, and to elaborate the means of removing the effects of this degradation on time transfer. This study concerns the time extraction from GPS satellites at NIST, USNO and Paris Observatory, and the comparison of atomic clocks between these laboratories by common view approach. The results show that when using the data taken over several days the time extraction can be achieved with uncertainty of a few tens of nanoseconds, while strict common-view has removed entirely the effects of SA during the periods under study.

100,577

PB91-134593 Not available NTIS
National Bureau of Standards (NML), Boulder, CO. Time and Frequency Div.
Israel's New Synchronized Time Scale, UTC(INPL). Final rept.

A. Shenhar, W. Litman, A. Lepek, A. Citrinovitch, and D. W. Allan. 1988, 5p
Pub. in Proceedings of Annual Symposium on Frequency Control 1988 (42nd), Baltimore, MD., June 1-3, 1988, p485-489.

Keywords: *Time measurement, Cesium frequency standards, Frequency stability, Synchronism, Israel, Reprints, Software clocks.

The National Physical Laboratory of Israel (INPL) together with Time and Frequency Limited (TFL) and NBS is building a software clock to be used as the Israeli national time base, UTC(INPL). The software clock is based on several commercial Cs clocks (HP and TFL) whose outputs are routed sequentially through a TFL programmed switch into a time interval counter. The paper presents the principles of generating the software clock, its performance and the method to compare it to UTC and UTC(NBS). The paper also presents the optimization procedures for synchronizing and synchronizing UTC(INPL) with UTC as a coordinated time scale.

100,578

PB91-162388 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Time and Frequency Div.
Calculated from the Frequency Domain: An Update. Final rept.
F. L. Walls, J. Gary, A. O'Gallagher, L. Sweet, and R. Sweet. 1990, 8p
Pub. in Proceedings of the European Frequency and Time Forum (4th), Neuchatel, Switzerland, March 13-15, 1990, p197-204.

Keywords: *Frequency stability, Time domain, Reprints, Allan variance, Phase noise.

The authors investigate the dependence of the fractional frequency stability measures and mode on the parameter for common power-law noise types. The authors have implemented the calculations using numerical techniques which make it possible to perform the calculations for virtually any value of the parameter for common power-law noise types and a wide variety of high-frequency filters.

100,579

PB91-192989 PC A06/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Services.

Conformity Assessment Workshop on Electromagnetic Compatibility.

B. G. Simson. Jun 91, 111p NISTIR-4611
See also PB91-192997. Sponsored by American Society of Mechanical Engineers, Washington, DC., and American Council of Independent Labs., Washington, DC.

Keywords: *Electromagnetic compatibility, *Meetings, Government policies, Recommendations, Competition, European Economic Community, Conformity assessment.

On April 4, 1991, the National Institute of Standards and Technology (NIST) cosponsored a conformity assessment workshop on electromagnetic compatibility (EMC) with the American Council of Independent Laboratories (ACIL) and the American Electronics Association (AEA). The purpose of the workshop, which focused on information technology equipment (ITE), was to explore how the U.S. Government can assist EMC laboratories in gaining acceptance of their test results in such other markets as the European Community (EC). The following consensus recommendations were reached by the private sector panelists: (1) establishing an EMC advisory committee; (2) harmonizing the National Voluntary Laboratory Accreditation Program (NVLAP) and Federal Communications Commission (FCC) programs; (3) negotiating an agreement with the EC to permit establishing notified bodies in the United States; (4) establishing a formal U.S. Government role in accrediting conformity assessment programs; and (5) establishing a proactive role for NIST in disseminating information in affected interests in the EMC area.

100,580

PB91-200790 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
New Inexpensive Frequency Calibration Service from NIST. Final rept.

D. W. Allan, D. D. Davis, J. Levine, M. A. Weiss, and N. Hironaka. 1990, 10p
Pub. in Proceedings of Annual Symposium on Frequency Control (44th), Baltimore, MD., May 23-25, 1990, p107-116.

Keywords: Frequency stability, Accuracy, Reprints, *Frequency calibration, Automated computer time system, ACTS system, US NIST.

A new inexpensive frequency calibration service from NIST is now available. The service takes advantage of the operation of the NIST Automated Computer Time System (ACTS), which was begun in 1988. Software to access the service from several types of computers was released at the same time. Time and frequency dissemination by the modest-accuracy service depends on the reciprocity of the telephone system. The round-trip delay is measured by the NIST equipment. The advance of an on-time marker is adjusted so as to arrive at the user's site on time. A frequency calibration method taking advantage of the service has been designed and preliminary tests conducted. A computer is not required to access the service. All that is required is a telephone modem, a simple peripheral circuit to generate an on time marker and standard time and frequency measurement and data processing equipment.

100,581

PB91-200808 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability. Final rept.
D. W. Allan, and J. Levine. 1990, 10p
Pub. in Proceedings of Annual Symposium on Frequency Control, Baltimore, MD., May 23-25, 1990, p151-160.

Keywords: *Rubidium frequency standards, *Global positioning system, *Frequency stability, Cesium frequency standards, Frequency synchronization, Reprints, Time transfer.

The short-term stability of a rubidium gas-cell frequency standard is usually better than that of commercial cesium-beam frequency standards. Cesium almost always has better stability in the long-term because cesium has less sensitivity to environmental perturbations. For example, cesium has little or no frequency

drift, whereas rubidium usually does. Improving a clock's environment invariably improves the long-term performance, especially in the case of rubidium. Satellite time transfer shows a day-to-day stability of about a nanosecond. If a rubidium standard, in a good environment with the above performance in the short-term, were married to a satellite time-transfer system, then the combined performance of the system could have better short-term and better long-term stability than a stand-alone, free-running, commercial cesium standard. The authors have taken some data to test the idea. The conclusions confirm the hypothesis. The authors have also replaced the rubidium oscillator with a quartz oscillator and with a high-performance commercial cesium standard. In both cases the system had significantly improved long-term stability over what otherwise would be obtainable from either oscillator by itself.

100,582
PB91-202937 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Time and Frequency Div.
Frequency and Time Stability of GPS and GLONASS Clocks.
Final rept.
P. Daly, I. D. Kitching, D. W. Allan, and T. K. Peppier.
1990, 13p
Pub. in Proceedings of Annual Symposium on Frequency Control (44th), Baltimore, MD., May 23-25, 1990, p127-139.

Keywords: *Global positioning system, *Frequency stability, Frequency standards, Time standards, Atomic clocks, Comparison, Reprints, *GLONASS system.

The frequency stability and reliability of the clocks are critical to the success of the GPS and GLONASS programs. The authors show some of the similarities and differences between the clocks involved in these two systems. On-board clocks and the stability of the master control clocks for these systems are analyzed. The authors discuss the attributes of these two systems as time and frequency references. Their relationship to UTC will also be illustrated. More data over a longer period of time was available for the authors from GPS than from GLONASS. Even so it is obvious that both systems have matured. Though the GLONASS system was developed later, its overall clock performance has improved more rapidly. Some of the more recent GLONASS clock performance is at about the same level as that of the GPS clocks. The analysis has yielded some very interesting contrasts, comparisons, and changes in these systems that should be of great interest for time and frequency users, as well as for clock vendors and receiver vendors.

100,583
PB91-203174 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD.
Advances in Science, Emerging Technologies and Global Competition: Opportunities and Challenge.
Final rept.
H. Hellwig. 1988, 9p
Pub. in Proceedings European Frequency and Time Forum (2nd), Neuchatel, Switzerland, March 16-18, 1988, p13-21 1988.

Keywords: *Frequency standards, *Time standards, Competition, Technology, Oscillators, Clocks, Reprints.

For the remainder of the century, the time and frequency community is faced with significant new opportunities and challenges. The roots of current time and frequency technology date back half a century; scientific advances have been largely evolutionary and have gradually expanded the boundaries of these known foundations. In stark contrast to this, the technological world is undergoing nearly revolutionary changes which are driven by 3 interrelated forces: Global Competition, Emerging Technologies and Advances in Science. In the following, specific examples of these three areas are described as they relate to time and frequency. The opportunities which can be derived from emerging technologies and scientific advances are quite large, but seemingly require more efficient methods of moving an idea from the laboratory to market readiness and a more sophisticated pooling of resources. Thus, winning ideas and organizations probably will be based on significant levels of cooperation both vertically (research, engineers, marketers) as well as horizontally (between organizations nationally and internationally).

100,584
PB91-203182 Not available NTIS
National Bureau of Standards, Gaithersburg, MD.
Office of the Associate Director for Programs, Budget and Finance.
Established Microwave Frequency Standards.
Final rept.
H. Hellwig. 1989, 2p
Pub. in Frequency Standards and Metrology, p44-45 1989.

Keywords: *Frequency standards, Historical aspects, Atomic clocks, Ion storage, Microwaves, Rubidium, Cesium, Hydrogen, Masers, Reprints.

The paper is the introduction to a series of papers by other authors on 'established microwave frequency standards'. A historical background is given tracing the development of microwave frequency standards since the experiments by Stern-Gerlach in 1921. A brief summary of their salient technical features is given, followed by a discussion of performance and applications. Finally, the advent of a new contender, the mercury ion storage principle, is briefly described.

100,585
PB91-231605 PC A03/MF A01
National Inst. of Standards and Technology (NML),
Boulder, CO. Time and Frequency Div.
NIST Time and Frequency Services.
Special pub. (Final).
R. E. Beehler, and M. A. Lombardi. Jun 91, 32p
NIST/SP-432
Also available from Supt. of Docs.

Keywords: *Radio broadcasting, *Frequency standards, *Time signals, High frequency, Low frequency, Navigational aids, Computer networks, Voice communication, Air traffic control, GOES satellites, Calibration, Uses, US NIST.

NIST Time and Frequency Services (Special Publication 432 (Revised 1990)) is a revision of SP 432, last published in 1979. It describes services available, as of December 1990, from NIST radio stations WWV, WWVH, and WWVB; from GOES satellites; from Loran-C; by telephone (voice and modem); and from the NIST Frequency Measurement Service.

100,586
PB91-236950 Not available NTIS
National Inst. of Standards and Technology (PL),
Boulder, CO. Time and Frequency Div.
Precise Ephemerides for GPS Time Transfer.
Final rept.
W. Lewandowski, and M. A. Weiss. 1988, 11p
Pub. in Proceedings of Annual Precise Time and Time Interval (PTTI) Applications and Planning Meeting (21st), Redondo Beach, CA., November 28-30, 1990, p95-105 1988.

Keywords: *Ephemeris time, Global positioning system, Precision, Comparison, Reprints, *Broadcast ephemerides, *Time transfer.

The present technology of atomic clocks motivates time transfer techniques with nanosecond accuracy. Global Positioning System (GPS), the most common means for international time comparisons could achieve such accuracy over short distances (up to 1000 km). Over intercontinental distances, the accuracy of the GPS time transfer ranges between 20 and 30 ns. Some of the principal error sources are the broadcast ephemerides, the broadcast ionospheric model, and the local antenna coordinates. The study investigates the quality of broadcast ephemerides by comparing them with precise ephemerides and by using precise ephemerides for time transfer. Another aspect of the work is to suggest a strategy to overcome the planned degradation of GPS satellite messages via Selective Availability (SA).

100,587
PB92-123132 PC A03/MF A01
National Inst. of Standards and Technology, Boulder, CO.
Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
F. L. Walls, J. Gary, A. O'Gallagher, R. Sweet, and L. Sweet. Sep 91, 39p NISTIR-89/3916-REV
Supersedes PB90-257684.

Keywords: *Frequency stability, Time domain, SIGINT computer code, Fortran 77 programming language, Frequency domain, Allan variance.

The authors describe the use of SIGINT, an interactive software package developed by the National Institute of Standards and Technology, which facilitates the calculation of time domain frequency stability from frequency domain data as a function of measuring time in terms of either the Allan variance ($\sigma^2(\tau)$) or the modified Allan variance, $\text{mod}(\sigma^2(\tau)) = (\tau / \sqrt{3}) \text{mod}(\sigma^2(\tau))$. Except for the graphic output, the code is written in standard FORTRAN 77 and runs on AT compatible computers that have a math co-processor. It also runs on many other systems; however, calls to an available graphics library will need to be substituted for those that are included in this version. The program uses either a user defined function for the input noise or default functions that describe the noise types commonly found in oscillators, amplifiers, frequency multipliers, frequency dividers, and general signal processing equipment including up to four coherent bright lines in the noise spectra. These default functions make it simple to analyze the time domain frequency stability as a function of measuring bandwidth using realistic first-, second-, or third-order low-pass filters or the simplified infinitely sharp cutoff parameter. The default functions are also set up to examine the effect of various servo parameters on the performance of a frequency source locked to a frequency reference.

Radio & Television Equipment

100,588
PB91-134874 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Time and Frequency Div.
Extending the Range and Accuracy of Phase Noise Measurements.
Final rept.
F. L. Walls, A. J. D. Clements, C. M. Felton, M. A. Lombardi, and M. D. Vanek. 1988, 10p
Pub. in Proceedings of Symposium on Frequency Control (42nd), Baltimore, MD., June 1-3, 1988, p432-441.

Keywords: Electrical measurement, Quartz resonators, Frequency stability, Oscillators, Accuracy, Reprints, *Phase noise, Calibration.

The paper describes recent progress in extending high accuracy measurements of phase noise in oscillators and other devices for carrier frequencies from the rf to the millimeter region and Fourier frequencies up to 10% of the carrier (or a maximum of about 1 GHz). A brief survey of traditional precision techniques for measuring phase noise is included as a basis for comparing their relative performance and limitations.

100,589
PB91-134882 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Time and Frequency Div.
Accuracy Model for Phase Noise Measurements.
Final rept.
F. L. Walls, C. M. Felton, A. J. D. Clements, and T. D. Martin. 1989, 16p
Pub. in Proceedings of Annual Precise Time and Time Interval (PTTI) Applications and Planning Meeting (21st), Redondo Beach, CA., November 28-30, 1989, p295-310.

Keywords: Microwave amplifiers, Microwave oscillators, Frequency synthesizers, Spectrum analyzers, Frequency stability, Electrical measurement, Accuracy, Reprints, *Phase noise, Time domain, Calibration.

The authors have recently completed a new modular system for accurate measurements of phase noise in oscillators, amplifiers, frequency synthesizers, and passive components. This new system is capable of measuring the phase noise at carrier frequencies from 5 MHz to 1.5 GHz, 1.5 to 26 GHz, and 33 to 50 GHz. Other frequency ranges can be measured using external mixers to convert the signals into one of the above frequency ranges. The analysis bandwidths vary from 0.1 Hz to 10% of the carrier frequency up to a maximum of about 1 GHz. Extensive internal calibration of the system is used to correct for all gain variations with

COMMUNICATION

Radio & Television Equipment

analysis frequency including phase-locked-loop and cable-loss effects. Detailed descriptions of the new calibration procedures, including a sample table of uncertainties, are given. High accuracy determinations of phase noise can be used to compute accurate values of short-term, time-domain frequency stability.

100,590

PB91-162040 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
**Evaluation of Dual-Port Circularly Polarized
Probes for Planar Near-Field Measurements.**
Final rept.

M. H. Francis, and K. MacReynolds. 1990, 6p
Pub. in Proceedings of Annual Meeting and Symposium
on Antenna Measurement Techniques Association
(12th), Philadelphia, PA., October 7-16, 1990, p13-3-
13-8.

Keywords: *Probes(Electromagnetic), Extremely high
frequency, Millimeter waves, Near field, Circular polar-
ization, Cross polarization, Gain, Reprints, *Antenna
measurements.

Accurate near-field cross-polarization measurements
on circularly polarized (CP) antennas at millimeter-
wave frequencies require well-characterized probes
with low axial ratios. The authors have recently ob-
tained and calibrated dual-port CP horns for use as
near-field probes at frequencies of 40-50 GHz. The au-
thors present some gain, axial ratio, and pattern mea-
surements for these probes and show that they give ac-
curate cross-polarization measurements.

100,591

PB91-162156 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
**Microstrip Patch Antenna as a Standard Transmit-
ting and Receiving Antenna.**
Final rept.

M. Kanda. 1989, 3p
See also PB90-206038.
Pub. in Proceedings of International Symposium on
Electromagnetic Compatibility, Nagoya, Japan, Sep-
tember 8-10, 1989, p460-462.

Keywords: *Microstrip antennas, Antenna radiation
patterns, Electrical impedance, Standards, Reprints,
Patch antennas.

The paper discusses the possibility of employing a mi-
crostrip patch antenna as a standard transmitting and
receiving antenna. The intrinsic properties of the sub-
strate used for the antenna are determined by careful
impedance measurements. The experimental results
indicate that the transmitting characteristics of a mi-
crostrip antenna can be theoretically determined from
its geometry. The microstrip patch antenna discussed
here is physically small (20 cm square for 450 MHz)
and can be well matched to a power delivery system
(SWR = 1.17).

Verbal

100,592

PB91-189910 Not available NTIS
National Inst. of Standards and Technology (NCSL),
Gaithersburg, MD. Advanced Systems Div.
**Phone-Mediated Word Alignment for Speech Rec-
ognition Evaluation.**
Final rept.

J. Picone, G. R. Doddington, and D. S. Pallett. 1990,
4p
Pub. in IEEE (Institute of Electrical and Electronics En-
gineers) Transactions on Acoustics, Speech and
Signal Processing 38, n3 p559-562 Mar 90.

Keywords: *Speech recognition, *Algorithms, Automa-
tion, Performance evaluation, Speech analysis, Re-
prints.

The paper presents an algorithm that produces a
word-based alignment of two text strings by post-pro-
cessing the output of a phone-based alignment pro-
cedure. The alignment is performed using an uncon-
strained endpoint dynamic optimization framework,
and minimizes the readjustment of word boundaries as
determined by the phone-level alignment.

100,593

PB91-195396 Not available NTIS
National Bureau of Standards (ICST), Gaithersburg,
MD. Advanced Systems Div.
**Scoring Continuous Speech in the DARPA Speech
Recognition Program: Part 2.**
Final rept.

D. S. Pallett. 1988, 5p
Pub. in Proceedings of AVIOS '88 Voice I/O System
Applications Conference, San Francisco, CA., October
4-6, 1988, p1-5.

Keywords: *Speech recognition, *Computer applica-
tions, *Performance evaluation, Automation, Tests,
Protocol, Computer software, Reprints.

The paper outlines considerations taken in developing
and implementing Benchmark Test Procedures for
evaluating the performance of large vocabulary contin-
uous speech recognition systems using the DARPA
Resource Management Speech Database. These
tests were implemented in March and October 1987
and in June of 1988, with future tests planned using
the same test protocol. The emphasis of the discus-
sion in the paper is on scoring the results of the tests
and includes a brief discussion of results obtained
using scoring software.

100,594

PB91-505370 CD-ROM\$1200.00
National Inst. of Standards and Technology (CSL),
Gaithersburg, MD. Automated Speech Recognition
Group.
**DARPA Air Travel Information System (ATIS)
Speaker-Dependent Training Data (on CD-ROM).**
Data file.

Nov 90, CD-ROM NIST/DF/VD-91/003
Microsoft Extension version 2.1. User instructions on
disc 'readme.doc'. See also PB91-505362, PB91-
505354, PB90-501776, PB89-226666, PB90-500547,
PB91-505065, PB91-506592, and PB90-500539.
The datafile is on four, 4.72 inch discs.

Keywords: *Data file, *Speech recognition, Training,
Air traffic, Information systems, Acoustics, Models,
Microphones, CD-ROM.

The set of discs is the third release in a series of CD-
ROMs containing recordings of speech in the DARPA
Air Travel Information System (ATIS) domain. The set
contains 'read' speech intended to permit acoustic
modeling for 10 of the speakers of an earlier release
(CD5-1.1) in the series, and can be used in training
speaker-dependent speech recognition systems.
Discs 5-3.1 and 5-4.1 contain speech data for the
close-talking (Sennheiser) microphone, and 5-5.1 and
5-6.1 contain data for the desk-top (Crown PCC-160)
microphone. The set of CD-ROMs augments material
on two earlier releases, PB91-505354 and PB91-
505362. The first release contains spontaneous utter-
ances elicited in a 'Wizard-of-Oz' simulation of a
spoken language system capable of providing air
travel information derived from a simplified version of
the Official Airline Guide, along with the relational data-
base containing the travel information. The second re-
lease contains 'read' versions of the spontaneous ut-
terances for 20 of the speakers, along with 40 adapta-
tion utterances for each of these speakers.

100,595

PB91-509802 CD-ROM\$500.00
National Inst. of Standards and Technology (CSL),
Gaithersburg, MD. Automated Speech Recognition
Group.
**Road Rally Conversational Speech Corpora (on
CD-ROM).**
Data file.

Sep 91, CD-ROM NIST/DF/VD-91/015
System: Sun Microsystems 3/180; OS 4.1 operating
system. Microsoft Extension Version 2.1. No color re-
quirement or hard disk required. 'Readme.doc' on
Disc. Software is written in 'C' Source Code. See also
PB89-226666, PB90-501776, PB90-500539, PB91-
505362, PB91-505354, PB90-500547, PB91-505065
and PB91-506592.
The datafile is on one, 4.72 inch disc. Data format: ISO
9660.

Keywords: *Data file, *Speech recognition,
Words(Language), Planning, CD-ROM, Conversation,
Road rallies.

The 'Road Rally' corpora were designed for the devel-
opment and testing of word-spotting systems and were
collected in a conversational domain using a road rally

planning task as the topic. The corpora actually con-
sists of two sub-corpora, 'Stonehenge' and 'Waterloo'.
The Stonehenge corpus contains road rally planning
conversations as well as some read speech collected
using high quality microphones and a telephone-simu-
lating filter. The Waterloo corpus contains read speech
in a road rally planning domain collected using actual
telephone lines.

COMPUTERS, CONTROL & INFORMATION THEORY

Computer Hardware

100,596

N91-25793/1
(Order as N91-25755/0, PC A99/MF A04)
National Inst. of Standards and Technology (NML),
Boulder, CO. Time and Frequency Div.
**Synchronizing Computer Clocks Using a Local
Area Network.**

J. Levine. May 90, 9p
Pub. in Proceedings of Annual Precise Time and Time
Interval (PTTI) Applications and Planning Meeting
(22nd) p409-417 (See N91-25755 17-70).

Keywords: Calibrating, *Clocks, *Local area networks,
*Time measurement, Protocol (Computers), Tele-
phones, *Computer networks, *Synchronism.

Researchers completed the first tests of a method to
synchronize the clocks of networked computers to the
National Institute of Standards and Technology (NIST)
time scale. The method uses a server computer to dis-
seminate the time to other clients on the same local-
area network. The server is synchronized to NIST
using the ACTS protocol over a dial-up telephone line.
The software in both the server and the parameters of
this model are used to adjust the time of the local clock
and the interval between calibration requests in a sta-
tistically optimum way. The algorithm maximizes the
time between calibrations while at the same time keep-
ing the time of the local clock correct within a specific
tolerance. The method can be extended to synchro-
nize computers linked over wide-area networks, and
an experiment to test the performance of the algo-
rithms over such networks is being planned.

100,597

PB91-147652 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Mathematical Analysis Div.
Closure and Precision in Level-Index Arithmetic.
Final rept.
D. W. Lozier, and F. W. J. Olver. 1990, 10p
Pub. in SIAM (Society for Industrial and Applied Mathe-
matics) Jnl. of Numerical Analysis 27, n5 p1295-1304
Oct 90.

Keywords: *Arithmetic units, *Computer systems hard-
ware, Numerical precision, Error analysis, Computer
calculations, Floating point arithmetic, Reprints.

First it is proved that two recently introduced systems
of computer arithmetic, the level-index (li) and sym-
metric level-index (sli) systems are closed under the
four basic arithmetic operations, provided that division
by zero is excluded and the operations are executed in
finite precision. In consequence, the li and sli systems
are free from the defects of overflow and underflow.
Second, measures of precision are discussed and
compared. Third, the ranges and local precisions of
numbers stored in the li and sli systems are compared
with corresponding ranges and local precisions of
numbers stored in the floating-point system.

100,598

PB91-147660 Not available NTIS
National Inst. of Standards and Technology (ICST),
Gaithersburg, MD. Advanced Systems Div.

Workloads, Observables, Benchmarks and Instrumentation.

Final rept.

G. Lyon, and R. D. Snelick. 1990, 12p

See also PB90-207770.

Pub. in Proceedings of Joint International Conference on Vector and Parallel Processing, Zurich, Switzerland, September 10-13, 1990, p86-97.

Keywords: *Computer systems performance, *Performance evaluation, Benchmarks, Comparison, Trees(Mathematics), Observation, Work measurement, Reprints, Workloads.

A compact user-level summary, a use-tree, explains system variabilities across benchmarks. The tree provides a clear, static declaration of the relationships among a limited number of major system resources that determine most performance variance. The new approach is especially effective with hardware instrumentation that decouples workload from observation (otherwise, a compact set of observables may be unavailable). A tree supports simple predictions and promotes more meaningful comparisons of workloads. Accounting for the sources of performance variation shown in the tree can inspire new methods of assessment; a 'time dilation' technique illustrates this for loosely-coupled systems with local clocks.

100,599

PB91-158766

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Systems and Software Technology Div.

1987: The Year of the 386.

Final rept.

A. L. Hankinson. 1988, 2p

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Spectrum 25, n1 p32-33 Jan 88.

Keywords: *Personal computers, *Chips(Electronics), Workstations, Microcomputers, Computer software, Reprints, Intel 80386 computers.

Users of personal computers will likely remember 1987 as the year of the Intel 80386. This chip had a major influence on the three themes that characterized the significant PC related milestones during 1987. The first theme is the convergence of PC's and engineering workstations. The second theme is the blurring of the distinction between software for PC's minicomputers and mainframes. The final theme is the end of the era of the 'safe buy'. Each of these themes is presented in the context of the significant PC related milestones that occurred during 1987.

100,600

PB91-158899

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Factory Automation Systems Div.

Choosing a Name for Your Computer.

Final rept.

D. Libes. 1990, 8p

Pub. as Choosing a Name for Your Computer, p1-8 Aug 90.

Keywords: *Computers, Guidelines, Reprints, *Domain name system, Hostname, Computer name.

In order to easily distinguish between multiple computers, the authors give them names. Experience has taught that it is as easy to choose bad names as it is to choose good ones. The essay presents guidelines for deciding what makes a name good or bad.

100,601

PB91-159319

Not available NTIS

National Inst. of Standards and Technology (ICST), Gaithersburg, MD. Advanced Systems Div.

Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor.

Final rept.

G. Nacht, and A. Mink. 1989, 16p

See also PB89-186852. Sponsored by Defense Advanced Research Projects Agency, Arlington, VA.

Pub. in Proceedings of International Conference on Modeling Techniques and Tools for Computer Performance Evaluation (4th), Palma, Spain, September 14-16, 1988, p249-264 1989.

Keywords: *Multiprocessors, *Computer performance evaluation, Parallel processors, Measuring instruments, Computer systems hardware, Reprints.

Two approaches for the design of performance measurement instrumentation for a shared memory, tightly

coupled, MIMD multiprocessor are presented. The TRAcE Measurement System (TRAMS) is a hybrid measurement tool used to obtain trace measurement information. The Resource Measurement System (REMS) is a non-intrusive hardware measurement tool used to obtain both trace measurement and resource utilization information. The TRAMS approach provides a hardware assist to the more traditional software approach of obtaining timestamps from the operating system at each event to be measured. The hardware assist reduces the artifact that is introduced in a test program and is a feasible and economical approach to providing measurement capabilities to a wide range of multiprocessors. Manufacturers could offer this type of measurement tool as a plug-in option. The REMS approach provides more detailed and extensive measurement information than does the TRAMS approach and introduces no artifact to the test program, but it does this at a significantly higher cost. When access to pertinent signals is restricted the applicability of such a hardware tool is limited.

100,602

PB91-189894

Not available NTIS

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Advanced Systems Div.

Conformance Tester for X.25 DTE Implementations.

Final rept.

H. Peng, D. H. Su, and S. A. Wakid. 1989, 4p

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Network Magazine 3, n4 p27-30, 39, Jul 89.

Keywords: Standards, Tests, Reprints, *Data terminal equipment, Defense Data Network, C programming language, Protocols.

A validation suite is presented to test the conformance of Data Terminal Equipment (DTE) to the ISO International Standard of the 1984 X.25 protocol (ISO 7776 and 8208) as well as to the CCITT recommendations of the 1980 version of the protocol. The test cases are based on ISO 8882 and the testing methodology itself complies with ISO 9646. The paper describes the design, instrumentation, and execution of this tester which is written in 'C' and available in the public domain.

100,603

PB91-201822

PC A05/MF A01

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

National Computer Systems Laboratory Annual Report, 1990.

E. Lennon, S. Radack, and R. Roach. Dec 90, 76p

NISTIR-4492

Also available from Supt. of Docs.

Keywords: *Computers, *Computer software, Information systems, Systems engineering, Computer security, Computer networks, Computer architecture, Telecommunication, Technology transfer, Federal information processing standards, *National Computer Systems Laboratory.

The report describes the annual computer and related telecommunications activities and accomplishments of the National Computer Systems Laboratory (NCSL). Following the Director's Foreword, an overview of the Laboratory is presented, including a current NCSL Organization Chart and selected staff accomplishments. Overviews of NCSL's five technical divisions are featured, followed by a section on Technology Transfer which details the vehicles NCSL uses to disseminate research and information to the public and technical communities. A list of Federal Information Processing Standards (FIPS) and FIPS order information conclude the annual report.

100,604

PB92-108950

PC A04/MF A01

National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electricity Div.

Video Processing with the Princeton Engine at NIST.

Technical note (Final).

B. F. Field, and C. Fenimore. Aug 91, 54p NIST/TN-1288

Also available from Supt. of Docs. as SN003-003-03091-1.

Keywords: *Image processing, *Supercomputers, Computer aided design, Computer architecture, Parallel computers, Real time operations, Data compression, Modules, Fortran, *Princeton Engine, Video processing, SIMD(Computers).

The document describes the NIST program in digital processing, including a newly created Image Processing Laboratory at NIST that is available to governmental, industrial, and academic researchers working on digital image processing. The centerpiece of the laboratory is a video supercomputer, the Princeton Engine, designed and constructed by the David Sarnoff Research Center. The engine provides real-time video and image-processing capability, accepting a variety of video formats over multiple wideband input channels and outputting real-time video for immediate viewing. Because the Engine is programmable, it is possible to use it to evaluate prototypes of image processing components rapidly and efficiently. The hardware capabilities of the Princeton Engine are described as well as the available supporting video equipment in the Laboratory. Two programming examples are included to demonstrate the unusual programming environment and 'language' used to program the Engine. Appendices list the available predefined library modules, and the processor assembly language instructions.

100,605

PB92-116409

PC A05/MF A01

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Advanced Systems Div.

Test Methods for Optical Disk Media Characteristics for 356 mm Ruggedized Magneto-optic Media).

Special pub.

F. L. Podio. Sep 91, 79p NIST/SP-500/191

Also available from Supt. of Docs. as SN003-003-03103-8. Sponsored by National Aeronautics and Space Administration, Hampton, VA. Langley Research Center.

Keywords: *Tests, *Computer storage devices, *Optical disks, Optical data storage materials, Environmental tests, Radiation tests, Substrates, Standards, Magneto-optic media.

Standard test methods for computer storage media characteristics are essential and allow for conformance verification to media interchange standards. Tests methods are also needed to develop procedures which would allow for repeatability of results among different industry and U.S. Government sites. The test procedures documented in the publication reflect the work done by the NIST/NASA Working Group for the Development of Test Methods and Specifications for 356 mm Ruggedized Rewritable Media. The test methods were developed for 356 mm two-sided laminated glass substrate with a magneto-optic active layer media technology. These test methods may be used for testing other media types, but in each case their applicability must be evaluated. Test methods are included for a series of different media characteristics including: operational, non-operational, and storage environments, mechanical and physical characteristics, and substrate, recording layer, and preformat characteristics. Tests for environmental qualification and media lifetimes are also included. The test methods include testing conditions, testing procedures, a description of the testing setup, and the required calibration procedures.

100,606

PB92-123124

PC A05/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Advanced Systems Div.

Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems.

Final rept.

F. L. Podio. Oct 91, 92p NIST/SP-500/198

Also available from Supt. of Docs. as SN003-003-03125-9. Proceedings of a workshop held in Colorado Springs, Colorado on August 5, 1991.

Keywords: *Optical disks, *Meetings, State of the art, Mechanical drives, Error analysis, Recommendations, Error detection, Error correction.

The report constitutes the proceedings of the workshop on Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems held on August 5, 1991, in Colorado Springs, Colorado. The objectives of the workshop were to identify the state of the art on error rate monitoring and reporting techniques in optical disk systems and to promote discussions on possible future implementations. The workshop presentations included the description of a Computer Systems Laboratory of the National Institute of Standards and Technology (CSL/NIST) program for investigating error reporting capabilities of optical disk

COMPUTERS, CONTROL & INFORMATION THEORY

Computer Hardware

drives, Federal Government needs on error detection, correction and reporting, and the state of the art on error reporting capabilities in current generation drives. Presentations also included the description of the capabilities of error correction and detection current chips and discussions on error management strategies. During a discussion panel, the participants identified a preliminary set of user requirements and it was suggested that a Government/industry working group be organized in order to document a consensus position between the Federal Government and industry in error reporting capabilities for future generation drives.

Computer Software

100,607
AD-A233 961/2 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Certificate Number: 901109S1.11053, Digital Equipment Corporation VAX Ada, Version 2.2 VAX 8800 => VAX 8800.
Final rept.
12 Dec 90, 59p Rept no. AVF-NIST90DEC505-1-1.11

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedure (Pro90) against the Ada Standard (Ada83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation.

100,608
AD-A234 083/4 PC A05/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: DDC International A/S, DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6, VAX 8530 (Host) to Bare Board iSBC 186/93A (Host), 901129S1.11079.
Final rept.
30 Nov 90, 98p Rept no. NIST-90DDC500-8-1.11

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures Pro90 against the Ada Standard Ada83 using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation.

100,609
AD-A234 118/8 PC A06/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11112 DDC International A/S DACS 80386 DMS/OS Ada Compiler System, Version 4.6 IBM PS/2 Model 80-311 => IBM PS/2 Model 80-311.
Final rept.
30 Nov 90, 117p Rept no. NIST90DDC500-9-1.11

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures (Pro90) against the Ada Standard (Ada83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation.

100,610
AD-A234 323/4 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11050 DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 VAX 8530 => VAX 8530.
30 Nov 90, 53p

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures Pro90 against the Ada Standard Ada83 using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation.

100,611
AD-A234 350/7 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Digital Equipment Corporation, VAX Ada, Version 2.2, BAX 8800 (Host) t VAX MicroVAX II Running VAXELN Version 4.1 (Target), 901109S1.11054.
Final rept.
12 Dec 90, 59p Rept no. NIST-90DEC505-2-1.11

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures Pro90 against the Ada Standard Ada83 using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation.

100,612
AD-A234 380/4 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11051, DDC International A/S, DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 MicroVAX 3100 Greater Than or Equal to Motorola MVME133.
Final rept. 17 Dec 90-1 Mar 91.
1 Mar 91, 45p

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures Pro 90 against the Ada Standard Ada 83 using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Reports (VCR) gives an account of the testing of this data implementation.

100,613
AD-A234 438/0 PC A06/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11077 DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 VAX 8530 => Bare Board iSBC/03A.
Final rept.
30 Nov 90, 101p

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures (Pro 90) against the Ada Standard (Ada 83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation.

100,614
AD-A234 439/8 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11075 DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 ICL DRS300 => ICL DRS300.
Final rept.
30 Nov 90, 72p

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures Pro90 against the Ada Standard Ada83 using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives account of the testing of this Ada implementation.

100,615
AD-A234 529/6 PC A06/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11074 DDC International A/S DACS VAX/VMS 60 80386 PM Bare Ada Cross Compiler System, Version 4.6 VAX 8530 => Bare Board iSBC 386/21.
Final rept.
30 Nov 90, 101p

Keywords: *Ada programming language, *Compilers, *Validation summary reports, Standards, Tests.

The Ada implementation described above was tested according to the Ada Validation Procedures Pro90 against the Ada Standard Ada83 using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation.

100,616
AD-A239 715/6 PC A06/MF A02
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Software Standards Validation Group.
Ada Compiler Validation Summary Report: Certificate Number: 910510S1.11161 UNISYS Corporation, UCS Ada, Version 1R1, 2200/600 (Host and Target). Revision.
Final rept.
24 Jul 91, 123p
Revision of report dated 9 Apr-10 May 91.

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, Computers, Computer program verification, *Validation summary reports.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,617
AD-A240 511/6 PC A05/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11179 U.S. Navy Ada/M, Version 4.0 (OPTIMIZE) VAX 11/785 => AN/AYK-14 (Bare Board).
Final rept.
30 Jul 91, 89p

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation depend-

encies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,618

AD-A240 512/4

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number 910705S1.11192 InterAct Corporation InterAct Ada Mips Cross-Compiler System, Release 2.0 MicroVAX 3100 Cluster => Lockheed Sanders STAR MVP R3000/R3010 board (Bare Machine).

Final rept.

31 Jul 91, 63p

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,619

AD-A240 610/6

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11158 DDC International A/S, DACS VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1, VAX 8530 (Host) to Tadpole Technology PLC TP860M (Bare Board) (Target).

Final rept.

24 Jul 91, 36p

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

tion testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,620

AD-A240 611/4

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11176 U.S. Navy, Ada/L, Version 4.0 (/Optimize), VAX 11/785 (Host) to AN/UYJ-43 (Single CPU) (Bare Board) (Target).

Final rept.

30 Jul 91, 79p

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,621

AD-A240 612/2

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11174 U.S. Navy, Ada/M, Version 4.0 (/Optimize), VAX 8550, Running VAX/VMS Version 5.3 (Host) to AN/UYK-44 (EMR) (Bare Board) (Target).

Final rept.

30 Jul 91, 89p

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,622

AD-A240 613/0

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11175 U.S. Navy Ada/M, Version 4.0 (/Optimize), VAX 8550 (Host) to AN/UYK-14 (Bare Board) (Target).

Final rept.

30 Jul 91, 87p

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,623

AD-A240 762/5

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report. Certificate Number: 910705S1.11191, InterACT Corporation InterACT Ada 1750A Compiler System, Release 3.5, MicroVAX 3100 Cluster => InterACT MIL-STD-1750A Instruction Set Architecture Simulator, Release 2.3 (Bare Machine).

Final rept.

31 Jul 91, 75p

Keywords: *Ada programming language, *Compilers, Computer program verification, *Validation summary reports, Standardization, Test and evaluation.

The Ada implementation described above was tested according to the Ada Validation Procedures (Pro90) against the Ada Standard (Ada83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation. For any technical terms used in this report, the reader is referred to Pro90. A detailed description of the ACVC may be found in the current ACVC User's Guide (UG89).

100,624

AD-A240 763/3

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report. Certificate Number: 910626S1.11178, U.S. Navy Ada/M, Version 4.0 (/OPTIMIZE) VAX 11/785 => AN/UYK-44 (EMR) (Bare Board).

Final rept.

30 Jul 91, 89p

Keywords: *Ada programming language, *Compilers, Computer program verification, *Validation summary reports, Standardization, Test and evaluation.

The Ada implementation described above was tested according to the Ada Validation Procedures (Pro90) against the Ada Standard (Ada83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation. For any technical terms used in this report, the reader is referred to Pro90. A detailed description of the ACVC may be found in the current ACVC User's Guide (UG89).

100,625

AD-A240 783/1

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

COMPUTERS, CONTROL & INFORMATION THEORY

Computer Software

Ada Compiler Validation Summary Report: Certificate Number 910626S1.11173 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 855 = AN/UYK-43 (EMR) (Bare Board).
Final rept.
30 Jul 91, 80p

Keywords: *Ada programming language, *Compilers, Computer program verification, *Validation summary reports, Standardization, Test and evaluation.

The Ada implementation described above was tested according to the Ada Validation Procedures (Pro90) against the Ada Standard (Ada83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation. For any technical terms used in this report, the reader is referred to Pro90. A detailed description of the ACVC may be found in the current ACVC User's Guide (UG89).

100,626
AD-A240 784/9 PC A05/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number 910626S1.11172 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 8550 = AN/UYK-43 (Single CPU) (Bare Board).
Final rept.
30 Jul 91, 80p

Keywords: *Ada programming language, *Compilers, Computer program verification, *Validation summary reports, Standardization, Test and evaluation.

The Ada implementation described above was tested according to the Ada Validation Procedures (Pro90) against the Ada Standard (Ada83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation. For any technical terms used in this report, the reader is referred to Pro90. A detailed description of the ACVC may be found in the current ACVC User's Guide (UG89).

100,627
AD-A240 785/6 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11159 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC-MODE) Sun-3/50 = Motorola MVME143 Board (68030/68882).

Final rept.
24 Jul 91, 50p

Keywords: *Ada programming language, *Compilers, Computer program verification, *Validation summary reports, Standardization, Test and evaluation.

The Ada implementation described above was tested according to the Ada Validation Procedures (Pro90) against the Ada Standard (Ada83) using the current Ada Compiler Validation Capability (ACVC). This Validation Summary Report (VSR) gives an account of the testing of this Ada implementation. For any technical terms used in this report, the reader is referred to Pro90. A detailed description of the ACVC may be found in the current ACVC User's Guide (UG89).

100,628
AD-A240 849/0 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report. Certificate Number: 910502S1.11160 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE MODE) Sun-3/50 => Motorola MVME143 Board (68030/68882).

Final rept.
24 Jul 91, 50p

Keywords: *Ada programming language, *Compilers, Security, Standardization, Test and evaluation, *Validation summary reports, Computer program verification.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada

Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies—for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,629
AD-A240 850/8 PC A05/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report. Certificate Number: 910626S1.11177 U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) VAX 11/785 => AN/UYK-43 (EMR) (Bare Board).

Final rept.
26 Jun 91, 80p

Keywords: *Ada programming language, *Compilers, Test and evaluation, *Validation summary reports, Computer program verification, Standards.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies—for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,630
AD-A242 268/1 PC A08/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11163 U.S. Navy, AdaVAX, Version 5.0, (/NO OPTIMIZE) VAX 8350 (Host and Target).

Final rept.
17 May 91, 175p
No software available for distribution.

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports, Computer program verification.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies—for example, the maximum length of identifiers

or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,631
AD-A242 269/9 PC A05/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11162 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE) VAX 8600 (Host and Target).

Final rept.
17 May 91, 76p
No software available for distribution.

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports, Computer program verification.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada standard, and any implementation-dependent features must conform to the requirements of the Ada standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies—for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,632
AD-A242 270/7 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11165 U.S. Navy, AdaVAX, Version 5.0 (/NO-OPTIMIZE), VAX 11/785 (Host and Target).

Final rept.
17 May 91, 72p
No software available for distribution.

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports, Computer program verification.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies—for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,633

AD-A242 273/1

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11164 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE), VAX11/785 (Host and Target).

Final rept.

17 May 91, 72p

No software available for distribution.

Keywords: *Ada programming language, *Compilers, Standardization, Test and evaluation, *Validation summary reports, Computer program verification.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validation Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,634

AD-A242 609/6

PC A05/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report: Certificate Number 910918S1.11216, NEC Corporation, NEC Ada Compiler System for EWS-UX/V (Rel 4.0), Version Release 2.1(4.6) EWS4800/220 = EWS4800/220.

Final rept.

18 Sep 91, 77p

No software available with this document.

Keywords: Standardization, Test and evaluation, *Compilers, *Ada programming language, *Validation summary reports, Computer program verification.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,635

AD-A242 896/9

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Ada Compiler Validation Summary Report. Certificate Number: 911025S1.11226, Digital Equipment Corporation DEC Ada, Version 1.0 DECstation 5000 Model 200 => DECstation 5000 Model 200. Final rept. 28 Oct 91, 71p

Keywords: Standardization, Test and evaluation, *Compilers, *Ada programming language, *Validation summary reports, Computer program verification.

This Validation Summary Report describes the extent to which a specific Ada compiler conforms to the Ada Standard, ANSI/MIL-STD-1815A. This report explains all technical terms used within it and thoroughly reports the results of testing this compiler using the Ada Compiler Validation Capability. An Ada compiler must be implemented according to the Ada Standard, and any implementation-dependent features must conform to the requirements of the Ada Standard. The Ada Standard must be implemented in its entirety, and nothing can be implemented that is not in the Standard. Even though all validated Ada compilers conform to the Ada Standard, it must be understood that some differences do exist between implementations. The Ada Standard permits some implementation dependencies--for example, the maximum length of identifiers or the maximum values of integer types. Other differences between compilers result from the characteristics of particular operating systems, hardware, or implementation strategies. All the dependencies observed during the process of testing this compiler are given in this report. The information in this report is derived from the test results produced during validation testing. The validation process includes submitting a suite of standardized tests, the ACVC, as inputs to an Ada compiler and evaluating the results.

100,636

FIPS PUB 120-1A

PC E09

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Graphical Kernel System (GKS). Pascal Binding; Category: Software Standard; Subcategory: Graphics.

Federal information processing standards (Final).

D. R. Benigni. c1991, 179p

Supersedes FIPS PUB 120. See also FIPS PUB 120-1 and FIPS PUB 120-1B. Also pub. as American National Standards Inst., New York rept. no. ANSI-X3.124.2-1988. Prepared in cooperation with American National Standards Inst., New York.

Three ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *Computer graphics, *Interactive graphics, Software, Requirements, Subroutines, Specifications, Federal Information Processing Standards Publications 120-1A, FIPS 120-1A, *Graphical Kernel System, American National Standard Graphical Kernel System (ANS/GKS) ANSI X3.124-1985, Language binding, Graphics software standard.

The revision supersedes FIPS PUB 120 and modifies the standard by adding a requirement for validation of GKS implementations that are acquired by Federal agencies. FIPS 120-1 adopts American National Standard Graphical Kernel System (ANS GKS), ANSI X3.124-1985, Functional Description, which consists for four parts (X3.124.1-1985 FORTRAN Binding, X3.124.2-1988 Pascal Binding, X3.124.3-1989 Ada Binding), as a FIPS. ANS GKS specifies a library (or toolbox package) of subroutines for an application programmer to incorporate within a program in order to produce and manipulate two-dimensional pictures. The purpose of the standard is to promote portability of graphics application programs between different installations. The standard is for use by implementors as the reference authority in developing graphics software systems; and by other computer professionals who need to know the precise syntactic and semantic rules of the standard.

100,637

PB91-134536

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Systems and Software Technology Div.

Developing Federal Software Standards: A New Direction. Final rept.

W. M. Osborne, and A. L. Hankinson. 1986, 2p

Pub. in Proceedings of Computer Standards Conference Striking a Balance between Technology, Economics, Politics, and Reality - for Substance, Not Form, San Francisco, CA., May 13-15, 1986, p1-2.

Keywords: Reprints, *Federal information processing standards, *Computer software, *Software engineering, Software tools, Computer software maintenance, Computer program reliability, Computer software management.

The software community has made great strides in the application of engineering methods and tools to improve software quality and to enhance the productivity of the software development process. The discussion describes efforts underway at the National Institute of Standards and Technology to use software standards as a framework for developing, acquiring, and maintaining software during its operational life.

100,638

PB91-143289

PC A03/MF A01

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

Assembly Code to Compute Sine and Cosine Using the Cordic Algorithm.

J. A. Horst. Dec 90, 20p NISTIR-4480

Keywords: *Computer calculations, Assembly languages, Algorithms, Computation, Computer programs, *CORDIC algorithm, Sine, Cosine, Intel 8051 microcontrollers.

The CORDIC algorithm is commonly used to approximate certain elementary functions. Many microprocessor and microcontroller chips without the availability of math coprocessor chips could benefit from the efficient implementation of this algorithm. The focus of the work is to report on a specific implementation in assembly code (for an 8051 microcontroller) that computes the sine and cosine to eleven bits of accuracy.

100,639

PB91-149179

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Center for Computer Systems Engineering.

UNIX Expert: A Prototype Knowledge-Based Software Development Workstation.

Final rept.

S. B. Salazar. 1985, 6p

Pub. in Intelligent Systems: Their Development and Application, p103-108 1985.

Keywords: *UNIX(Operating system), *Expert systems, Knowledge bases(Artificial intelligence), Software engineering, Workstations, Prototypes, Reprints.

U-Expert is a prototype expert system that assists in resolving UNIX needs. Implementing this system has raised issues regarding the construction of complex knowledge-based systems, among them problems of organizing large amounts of knowledge and providing an acceptable interface for users of varying experience levels. These observations suggest that a programmer's assistant should combine artificial intelligence methods, such as rules, frames, and natural language processing, with more traditional approaches, such as graphics.

100,640

PB91-149336

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD.

Algorithm Design for Large-Scale Computations.

Final rept.

F. Sullivan. 1987, 7p

Pub. in International Jnl. of Supercomputer Applications 1, n1 p99-105 1987.

Keywords: *Computer programming, Ising model, Supercomputers, Computation, Algorithms, Reprints, *Algorithm design, Fractal dimensions, Molecular dynamics.

Success in large scale scientific computations often depends on algorithm design. Even the fastest machine may prove to be inadequate unless sufficient attention is paid to the way in which the computation is organized. In the paper, the authors use several problems from computational physics to illustrate the importance of good algorithms, and they offer some very general principles for designing algorithms. Two subthemes are: first, the strong connection between the algorithm and the architecture of the target machine; and second, the importance of non-numerical methods in scientific computations.

100,641

PB91-157198

PC A07/MF A01

COMPUTERS, CONTROL & INFORMATION THEORY

Computer Software

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada.
E. N. Fong. Jan 91, 150p NISTIR-4488

Keywords: *Meetings, *Data bases, *Standardization, Data base management systems, Programming languages, Standards, Models, Data processing security, Query languages, *Object-oriented programming.

The report constitutes the proceedings of a one-day workshop on standardization of object database systems. The workshop was the second attempt to solicit public input to identify what aspects of object database systems may be candidates for consensus that can lead to standards. The workshop goals focused on concrete proposals for languages or module interfaces, exchange mechanisms, abstract specifications, common libraries, or benchmarks. The workshop announcement also solicited papers on relationships of object database systems capabilities to existing standards, including assertions that question the wisdom of standardization. The proceedings consist of 13 position papers covering various aspects where standardization on object database systems may be possible.

100,642

PB91-159160 Not available NTIS
National Bureau of Standards, Gaithersburg, MD. Program Office.

Agency Exploits Flexibility of Software in Moving Info.

Final rept.
A. H. Sher, and P. B. Saunders. 1986, 1p
Pub. in Government Computer News 5, n9 p35(2), 9 May 86.

Keywords: *Microcomputers, *Computer software, *Data bases, Word processing, Data conversion, Data base management systems, Text processing, Data dictionaries, Reprints.

The article examines problems encountered when data is not in a form immediately suitable for a particular software package. It describes two applications. In the first, global word processor commands are used to convert text files created on a variety of hardware and software systems to a format that can be imported directly into a database file; in the second, the use of database management software enhances the utility of a directory by permitting queries on any information field or part thereof without restricting searches to a rigid list of prespecified keywords.

100,643

PB91-159723 PC A14/MF A02
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990.

E. N. Fong, and C. W. Thompson. Feb 91, 308p
NISTIR-4503

See also PB91-157198. Prepared in cooperation with Texas Instruments, Inc., Dallas.

Keywords: *Meetings, *Data bases, *Standardization, Data base management systems, Programming languages, Standards, Models, Information systems, Query languages, *Object-oriented programming.

The report constitutes the proceedings of a one-day workshop on standardization of object database systems. The workshop was the first of two workshops held to solicit public input to identify what aspects of object database systems may be candidates for consensus that can lead to standards. The workshop attempted to focus on concrete proposals for language or module interfaces, exchange mechanisms, abstract specifications, common libraries, or benchmarks. The workshop announcement also solicited papers on the relationship of object database system capabilities to existing standards, including assertions that question the wisdom of standardization. The proceedings consists of 22 position papers covering various aspects where standardization on object database systems may be possible.

100,644

PB91-167387 PC A04/MF A01
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Functional Benchmarks for Fourth Generation Languages.

Special pub. (Final).
M. M. Gray, and G. E. Fisher. Mar 91, 61p NIST/SP-500/184

Also available from Supt. of Docs. as SN003-003-03071-6. See also PB87-210332.

Keywords: *Tests, Data base management, High level languages, Methodology, Man computer interface, Computer graphics, Data processing security, Software engineering, Application programs(Computers), *Fourth generation languages, *Functional benchmarks.

In recent years, fourth generation language (4GL) usage has expanded in data processing organizations, especially where end-users have assumed increased programming responsibilities. Since there are no 4GL standards, managers selecting a 4GL need some method of determining how well a particular 4GL will meet organizational, application, and user requirements. The report provides a methodology to assist in that determination. It contains 'functional benchmarks' (as opposed to performance benchmarks) consisting of a testing methodology and descriptions of tests to evaluate the capabilities of a particular 4GL in relation to organizational requirements. Test results are evaluated at two levels: the 4GL's ability to perform a task, and the ease of performing it. These evaluations are combined with user-defined weighted requirements to produce an overall rating for each 4GL tested.

100,645

PB91-174441 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.

DEQSOL and ELLPACK: Problem-Solving Environments for Partial Differential Equations.

Final rept.
R. F. Boisvert, and D. K. Kahaner. 1991, 13p
Pub. in Office of Naval Research Asian Office Scientific Information Bulletin 16, n1 p7-19 Jan/Mar 91.

Keywords: *Partial differential equations, *Computer programming, Elliptic differential equations, Boundary value problems, Numerical integration, Supercomputers, Fortran, Reprints, DEQSOL system, ELLPACK system.

A number of integrated problem-solving environments for the solution of partial differential equations have been developed in recent years. Such systems permit very-high-level descriptions of the mathematical problem and its solution algorithm. These descriptions are translated into efficient Fortran programs that produce solutions in both tabular and graphical forms. In the paper the authors compare and contrast two such systems: DEQSOL, a Japanese project, and ELLPACK, an American project. For each system, the authors present a brief history, describe its capabilities, and present several examples of its use.

100,646

PB91-175455 Not available NTIS
National Bureau of Standards (ICST), Gaithersburg, MD. Information Systems Engineering Div.

Designing Data Entity Naming Conventions.

Final rept.
J. Newton. 1988, 11p
Pub. in Proceedings of International Conference on Entity-Relationship Approach (6th), New York, NY., November 9-11, 1987, p439-449 1988.

Keywords: *Data bases, *Data management, Data base administrators, Data dictionaries, Standards, Data structures, Reprints, Information Resource Dictionary System.

A coherent set of naming conventions for data entities is crucial to the central management of data. Name content and format must be designed to maximize the information content and relationship to the logical structure of the data. Information Resource Dictionary System (IRDS) metaname structure provides a framework for name development; a methodology is described for mapping between an entity's data dictionary names.

100,647

PB91-185108 PC A04/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.

VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.

D. K. Kahaner, and W. E. Anderson. Feb 90, 55p
NISTIR-90/4238

Keywords: *Plotting, *Subroutines, Fortran programming language, Two dimensional, Interactive systems, Printers(Data processing), User manuals(Computer programs), VolksGrapher computer program.

VolksGrapher(VG) is a collection of FORTRAN callable subroutines for plotting two dimensional data. The main features of VG are: Portability; Ease of use; Realistic flexibility; Built-in interactivity; Support for several printers; Works in the window environment of the Sun; VG is in the public domain.

100,648

PB91-187567 PC A04/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Guide to Design, Implementation and Management of Distributed Databases.

Special pub.
E. N. Fong, C. L. Sheppard, and K. A. Harvill. Feb 91, 60p NIST/SP-500/185
Also available from Supt. of Docs. as SN003-003-03076-7.

Keywords: *Data base management systems, *Distributed computer systems, Data bases, Life cycles, Computer systems hardware, Computer systems programs, Systems engineering, Computer networks, Computer communications, Computer software, Data dictionaries, Protocols.

For an organization to operate in a distributed database environment, there are two related but distinct tasks that must be accomplished. First, the distributed database environment must be established. Then, a distributed database application can be designed and installed within the environment. The guide describes both of these activities based on a development lifecycle phase framework. The guide provides practical information and identifies skills needed for systems designers, application developers, database and data administrators who are interested in the effective planning, design, installation, and support for a distributed database environment. In addition, the guide instructs system analysts and application developers with a step-by-step procedure for the design, implementation and management of a distributed data base management system (DBMS) application. The guide also notes that truly heterogeneous distributed database technology is still a research consideration.

100,649

PB91-187716 PC A04/MF A01
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Software Standards Validation Group.

Programming Languages and Database Language SQL. Validated Processor List Including GOSIP Conformance Testing Registers.

J. B. Kailey. Apr 91, 59p NISTIR-4557

Keywords: *Compilers, *Operating systems(Computers), *Validity, Federal information processing standards, PASCAL programming language, Query languages, Tests, Data bases, Ada programming language, COBOL programming language, Fortran programming language, SQL programming language, Federal Information Resources Management Regulation.

The Validated Processor List identifies those COBOL, Fortran, Ada, and Pascal programming language processors that have a current validation certificate and those SQL language processors that have a registered test report, referencing the applicable Federal Information Processing Standard (FIPS) as of the date of the publication. The testing of language processors to determine the degree to which they conform to the Federal Standards is required by Government agencies as specified by the FIPS, Federal Information Resources Management Regulation (FIRMR) Parts 201.13 and 201.39, and the associated Federal ADP and Telecommunications Standards Index. The List is updated and published quarterly.

100,650

PB91-189456 Not available NTIS
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Systems and Software Technology Div.

Difficulties in Parsing SGML.

Final rept.

J. Heath, and L. Welsch. 1988, 7p

Pub. in Proceedings of ACM Conference on Document Processing Systems, Santa Fe, NM., December 5-9, 1988, p71-77.

Keywords: *Parsers, Documents, Parsing algorithms, Programming languages, Translators, Reprints, *SGML(Standard Generalized Markup Language).

A frequently cited problem with the Standard Generalized Markup Language (SGML) is that applications using the standard have been slow in arriving. Part of this delay is because of the instability of the standard and part because of constructs of the language that are functionally redundant and/or add unnecessary complexity to both machine and human processing. The paper examines the implementation of an SGML parser using commonly available tools for building programming language translators. It describes the problems encountered and suggests modifications to SGML to eliminate those problems. The modified language can be implemented using well tested tools and will be more stable and more amenable to both computer and human processing while maintaining all of the fundamental strengths of SGML.

100,651

PB91-201772

PC A03/MF A01

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Software Standards Validation Group.

FORTTRAN Temporary Program Fixes, FCVS78 Version 2.0, Level 26.

1 Feb 87, 22p

See also PB85-226736 and PB82-250903.

Keywords: *Compilers, *Error correction codes, Errors, Tests, Computer program verification, Computer software maintenance, Debugging(Computers), *Fortran programming language.

The report is a supplement to the 1978 FORTRAN Compiler Validation System (FCVS78) User's Guide which documents the errors that are contained in Version 2.0 of the FCVS78. An update to the FCVS78 is referred to as Temporary Program Fix (TPF). These TPF's must be applied to the FCVS78 population tape to correct the identified errors and will be used in conducting an official validation. An explanation of each error is provided in the 'description of problem' paragraph together with the name of the test(s), if any, affected by the error.

100,652

PB91-216598

PC A03/MF A01

National Inst. of Standards and Technology (CAML), Gaithersburg, MD.

Portable Vectorized Software for Bessel Function Evaluation.R. F. Boisvert, and B. V. Saunders. Jun 91, 18p
NISTIR-4615

Keywords: *Bessel functions, *Computer programming, Vector processing, CRAY computers, Computation, Algorithms, Fortran 77 programming language, Chebyshev series, Portability, VFNLIB system.

A suite of computer programs for the evaluation of Bessel functions and modified Bessel functions of orders zero and one for a vector of real arguments is described. Distinguishing characteristics of these programs are that (1) they are portable across a wide range of machines, and (2) they are vectorized in the case when multiple function evaluations are to be performed. The performance of the new programs are compared with software from the FNLIB collection of Fullerton on which the new software is based.

100,653

PB91-222588

PC A03/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Advanced Systems Div.

Performance Evaluation of Hypercube Applications: Using a Global Clock and Time Dilation.

R. D. Snelick. Jul 91, 27p NISTIR-4630

Sponsored by Defense Advanced Research Projects Agency, Arlington, VA., and Department of Energy, Washington, DC.

Keywords: *Hypercube multiprocessors, Parallel processing, Performance evaluation, Time dilation.

Time dilation provides an accurate method for investigating the performance of an application using a varie-

ty of physical transport speeds. Measuring sources of communication delay in a global domain reveals performance data that are important in the analysis of loosely-coupled machine applications. Together, time dilation and communication delay measurement provide an environment that offers insight for the development and analysis of concurrent algorithms and architectures. Logical and physical transport latencies indicate whether a poorly performing application needs a new algorithm (less logical delay) or a faster interconnection hardware (less physical delay). Other algorithmic and architectural characteristics are revealed with the performance evaluation measurements. The runtime statistics should be available to programmers so that necessary steps can be taken to improve their programs.

100,654

PB91-231571

PC A03/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Database and Graphics Group.

Computer Implementation of a Discrete Set Algebra.

L. Gallagher. Jul 91, 31p NISTIR-4637

Keywords: *Data management, *Set theory, Trees(Mathematics), Data structures, Boolean algebra, Algorithms, Binary trees.

Large finite sets occur naturally in computer data management. Discrete elements such as numbers, pointers, icons, and object identifiers all have fixed-length bit sequence representations that may be viewed as base-two integers. The efficient storage and manipulation of large collections of such items is a longstanding problem in computer science. In particular, many data management algorithms may be specified in terms of set operations (e.g. union, intersection, crossproduct) on these collections. Often a large set is stored in reduced form for storage efficiency. A specific problem is then to find efficient algorithms for performing set operations over the reduced representations. The paper presents a binary tree storage mechanism for efficient representation of arbitrary sets of discrete elements taken from a fixed universe. It then develops high-level algorithms for mapping these sets to and from their tree representations and for executing set operations directly on the storage representation itself. This approach provides a method for direct computer implementation of mathematical models based on Boolean algebras defined over finite sets.

100,655

PB91-236687

Not available NTIS

National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Systems and Software Technology Div.

Functional Meta-Structure for Hypertext Models and Systems.

Final rept.

R. Furuta, and P. D. Stotts. 1990, 27p

Pub. in Electronic Publishing 3, n4 p179-205 Nov 90.

Keywords: *Models, Systems analysis, Publishing, Information retrieval, Reprints, *Hypertext, Meta-structure.

The authors describe a hypertext 'meta-structure'-one that provides an organization for the architecture of hypertext models and systems. The meta-structure was initially developed to help us understand the architecture of a specific hypertext model (the Trellis hypertext model). However, its organization seems generally applicable to a wide range of other models and systems as well. As such, the meta-structure is a good candidate for a high-level hypertext reference model, and so they refer to it as the Trellis hypertext reference model, or the r-model. The r-model represents a hypertext at five levels of abstraction-two abstract levels, two concrete levels, and one visible level. In the paper, they present the r-model, use it to classify four different hypertext (and hypertext-like) systems, and then discuss its relationship to various hypertext-defined concepts.

100,656

PB91-237040

Not available NTIS

National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Systems and Software Technology Div.

Book Review: Hypertext Hands-On.

Final rept.

J. Moline. 1990, 2p

Pub. in Electronic Publishing 3, n3 p173-174 Aug 90.

Keywords: *Books, *Reviews, Information retrieval, Publishing, Computer software, Systems engineering, Reprints, *Hypertext.

Hypertext Hands-On, by Ben Shneiderman and Greg Kearsley, is an excellent introduction to hypertext, whether in book or electronic form. The serious user of the material should start with the software. It provides a quick introduction to this new way of organizing and accessing information through examples of potential hypertext applications that could not be represented in the book. These applications provide a context for the concepts of hypertext. The authors have included material on how hypertext works, why one might use it, things of concern to system designers, and help on authoring and implementing a hypertext. Further, they have included a discussion of many of the commercial hypertext systems and also articles on the major personalities in the development of the hypertext concept. The book, whether as a hyperbook or a hardback, is an excellent introduction to this new approach of organizing and accessing information.

100,657

PB91-237057

Not available NTIS

National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Systems and Software Technology Div.

Linking Information to Objects: A Hypertext Prototype for Numismatists.

Final rept.

J. Moline. 1991, 17p

Pub. in Visual Resources VII, p361-377 1991.

Keywords: *Museums, *Information systems, Computer applications, Prototypes, Data bases, Man computer interface, Parallel processing, Reprints, *Numismatics, *Hypertext.

The researcher discusses a hypertext prototype developed to provide for the information needs of numismatists, particularly those working with early Arab coins. The structure of the prototype is discussed showing the organization of the information bases, the links among information bases, and the links to tools which facilitate the work of the researcher. The information bases include image bases, object bases, and document bases. Hypertext provides a user interface with simple links to allow non-sequential browsing of the material, as well as complex links which integrate other components into the prototype. The purpose of the paper to present a system of limited scope as a basis for discussing how it deals with some of the issues which may be important in museum settings. It is expected that this research could serve as a model for the development of parallel systems for other user groups. Further, it is expected that this prototype will provide a better understanding of the technologies available and their role in facilitating information use by a particular user community.

100,658

PB91-237685

Not available NTIS

National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Systems and Software Technology Div.

Software Verification and Validation: An Overview.

Final rept.

D. R. Wallace, and R. U. Fujii. 1989, 8p

See also PB90-111691.

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Software 6, n3 p10-17 May 89.

Keywords: *Computer program verification, *Software engineering, *Computer software management, Standards, Guidelines, Computer software maintenance, Tests, Reprints.

The application of software verification and validation (V&V) to the development and maintenance of computer software is governed by three types of software engineering standards and guidelines: those identifying requirements for planning and performing software V&V, those requiring software V&V, and those including software V&V activities as part of their domain. Specific definitions, requirements, and approaches vary among them but together they provide strong direction for planning and implementing a software verification and validation effort which includes software testing.

100,659

PB91-240754

PC A03/MF A01

National Inst. of Standards and Technology (MEL), Gaithersburg, MD. Robot Systems Div.

COMPUTERS, CONTROL & INFORMATION THEORY

Computer Software

Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.

K. L. Manheimer, S. N. Clark, B. A. Warsaw, and W. P. Rowe, Sep 90, 14p NISTIR-4436
Prepared in cooperation with Century Computing, Inc., Laurel, MD.

Keywords: *Distributed computer systems, *Computer software, *Installing, UNIX(Operating system), File management systems, Distributed processing, USR local.

The depot provides a coherent and accommodating framework for distributing and administering nonstandard UNIX applications across extensively numerous and diverse computer platforms. It is designed to promote sharing of expertise and disk resources necessary to maintain elaborate third-party applications, supplementing the utility of ad hoc /usr/local arrangement in a formal scheme that allows extension across non-homogeneous clusters of hosts. In particular, it facilitates software installation, release, and accommodation across multiple platforms and diverse host configurations. The authors have implemented the Depot using conventional UNIX subsystems and resources combined with policies for coordinating them. The paper presents the specific aims, structure, and rationale of the depot framework in sufficient detail to facilitate its implementation elsewhere.

100,660

PB91-507699 CP T99
MUMPS System Lab., Nagoya (Japan).
MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991.

Software.
1 Mar 91, mag tape NIST/SW/MT-91/011
System: DEC PDP-11/34; Vax/VMS Version V5.3 operating system. Language: MUMPS. File format: Vax/VMS Backup. Other formats available as PB91-507707 (for Microcomputers), PB91-507715 (ANSI), and PB91-507723 (TAR). Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.
Available in 9-track, ASCII character set, 1600 or 6250 bpi.

Keywords: *Software, *Compilers, *Tests, Federal information processing standards, Precompilers, Validation summary reports, Computer systems programs, Computer program verification, Interpreters, Magnetic tapes, *MUMPS programming language.

Version 7.6 of the ANSI/MDC X11.1-1984 MUMPS Validation Suite (the MVS) is the revision of Version 7.51 (August, 1990) designed to meet the requirements in FIPS PUB 125 for a conformance test method. The revision was made with U.S. reviewers' comments and suggestions in order to incorporate into the validation suite such features as computer detection of integrity of the validation suite, pass/fail conditions of individual tests, checkpointing test runs to enable interrupted test process to restart from the most suitable position, instructions and warnings at adequate points, and fully automated tabulation of the Validation Summary Report (the VSR). Provision of such features will facilitate evaluation of the validation process by relegating these time-consuming tasks to the computer, assisted by a few experienced personnel.

100,661

PB91-507707 CP D99
MUMPS System Lab., Nagoya (Japan).
MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers).

Software.
1 Mar 91, 2 diskettes NIST/SW/DK-91/012
System: IBM PC/XT; MS DOS 3.0 or higher operating system. Language: MUMPS. Supersedes PB90-500125. Other formats available as PB91-507699 (Vax/VMS), PB91-507715 (ANSI), and PB91-507723 (TAR). Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.
The software is on two 1.2M, 5 1/4 inch diskettes, high density. The diskettes are in ASCII format.

Keywords: *Software, *Compilers, *Tests, Microcomputers, Federal information processing standards, Precompilers, Validation summary reports, Computer systems programs, Computer program verification, Interpreters, Diskettes, *MUMPS programming language.

Version 7.6 of the ANSI/MDC X11.1-1984 MUMPS Validation Suite (the MVS) is the revision of Version 7.51 (August, 1990) designed to meet the require-

ments in FIPS PUB 125 for a conformance test method. The revision was made with U.S. reviewers' comments and suggestions in order to incorporate into the validation suite such features as computer detection of integrity of the validation suite, pass/fail conditions of individual tests, checkpointing test runs to enable interrupted test process to restart from the most suitable position, instructions and warnings at adequate points, and fully automated tabulation of the Validation Summary Report (the VSR). Provision of such features will facilitate evaluation of the validation process by relegating these time-consuming tasks to the computer, assisted by a few experienced personnel.

100,662

PB91-507715 CP T99
MUMPS System Lab., Nagoya (Japan).
MUMPS Validation Suite, Version 7.6 (ANSI), 1991.

Software.
1 Mar 91, mag tape NIST/SW/MT-91/013
System: DEC PDP-11/34. Language: MUMPS. Supersedes PB90-500117. Other formats available as PB91-507699 (Vax/VMS Backup), PB91-507707 (for Microcomputers), and PB91-507723 (TAR). Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.
Available in 9-track, ASCII character set, 1600 or 6250 bpi.

Keywords: *Software, *Compilers, *Tests, Federal information processing standards, Precompilers, Validation summary reports, Computer systems programs, Computer program verification, Interpreters, Magnetic tapes, *MUMPS programming language.

Version 7.6 of the ANSI/MDC X11.1-1984 MUMPS Validation Suite (the MVS) is the revision of Version 7.51 (August, 1990) designed to meet the requirements in FIPS PUB 125 for a conformance test method. The revision was made with U.S. reviewers' comments and suggestions in order to incorporate into the validation suite such features as computer detection of integrity of the validation suite, pass/fail conditions of individual tests, checkpointing test runs to enable interrupted test process to restart from the most suitable position, instructions and warnings at adequate points, and fully automated tabulation of the Validation Summary Report (the VSR). Provision of such features will facilitate evaluation of the validation process by relegating the time-consuming tasks to the computer, assisted by a few experienced personnel.

100,663

PB91-507723 CP T99
MUMPS System Lab., Nagoya (Japan).
MUMPS Validation Suite, Version 7.6 (TAR), 1991.

Software.
1 Mar 91, mag tape NIST/SW/MT-91/014
System: DEC PDP-11/34; VAX/VMS Version V5.3 operating system. Language: MUMPS. Other formats available as PB91-507699 (Vax/VMS Backup), PB91-507707 (for Microcomputers), and PB91-507715 (ANSI). Sponsored by National Inst. of Standards and Technology, Gaithersburg, MD.
Available in 9-track, ASCII character set, 1600 or 6250 bpi.

Keywords: *Software, *Compilers, *Tests, Federal information processing standards, Precompilers, Validation summary reports, Computer systems programs, Computer program verification, Interpreters, Magnetic tapes, *MUMPS programming language.

Version 7.6 of the ANSI/MDC X11.1-1984 MUMPS Validation Suite (the MVS) is the revision of Version 7.51 (August, 1990) designed to meet the requirements in FIPS PUB 125 for a conformance test method. The revision was made with U.S. reviewers' comments and suggestions in order to incorporate into the validation suite such features as computer detection of integrity of the validation suite, pass/fail conditions of individual tests, checkpointing test runs to enable interrupted test process to restart from the most suitable position, instructions and warnings at adequate points, and fully automated tabulation of the Validation Summary Report (the VSR). Provision of such features will facilitate evaluation of the validation process by relegating these time-consuming tasks to the computer, assisted by a few experienced personnel.

100,664

PB91-937301 Not available NTIS
National Inst. of Standards and Technology, Gaithersburg, MD.

Validated Processor List (Cobol, Fortran, ADA, Pascal, SQL). July 1991.
Jul 91, 65p NISTIR/4623

Keywords: Cobol Programming Language, Fortran Programming Language, Language Programming.

Validated Processor List identifies those COBOL, Fortran, ADA and Pascal programming language processors that have a current validation certificate and those SQL language processors that have a registered test report, referencing the applicable Federal Information Processing Standard (FIPS) as of the date of this publication. This list also includes GOSIP Conformance Testing Registers. The testing of language processors to determine the degree to which they conform to the Federal Standards is required by Government agencies in accordance with Federal Information Resources Management Regulation (FIRMR) Parts 201.13 and 201.39, and the associated Federal ADP and Telecommunications Standards Index. The list is updated and published quarterly.

100,665

PB91-937302 Not available NTIS
National Inst. of Standards and Technology, Gaithersburg, MD.

Validated Processor List (Cobol, Fortran, ADA, Pascal, SQL). October 1991.
Oct 91, 94p NISTIR/4690
Supersedes PB91-937301.

Keywords: Cobol Programming Language, Fortran Programming Language, Language Programming.

Validated Processor List identifies those COBOL, Fortran, ADA and Pascal programming language processors that have a current validation certificate and those SQL language processors that have a registered test report, referencing the applicable Federal Information Processing Standard (FIPS) as of the date of this publication. This list also includes GOSIP Conformance Testing Registers. The testing of language processors to determine the degree to which they conform to the Federal Standards is required by Government agencies in accordance with Federal Information Resources Management Regulation (FIRMR) Parts 201.13 and 201.39, and the associated Federal ADP and Telecommunications Standards Index. The list is updated and published quarterly.

100,666

PB92-108943 PC A07/MF A02
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Development of an Optical Disk System for the Automated Retrieval of EASEAR Records.
Final rept.

N. Willman. Aug 91, 139p NISTIR-4654
Sponsored by Social Security Administration, Baltimore, MD.

Keywords: *Information retrieval, *Optical disks, Programming manuals, Computer programs, Magnetooptics, Automation, Feasibility, Pilot studies, *Social Security Administration, EASEAR pilot system, EASEAR records.

The Social Security Administration (SSA) maintains records of the yearly wages earned by every person in the United States. Each year, approximately 2.5 gigabytes of data are collected on self-employed wage earners, and 47 gigabytes of data are collected on other wage earners. The records are currently stored on over 110,000 rolls of microfilm. It takes over 400 scouts to retrieve information needed by the professional staff. Often, the needed roll of film is missing from the file due to being currently in use, misfiled, or misplaced. In addition, the information obtained from the microfilm is not always the most current, and decisions are sometimes based on obsolete data. Advances in peripheral mass storage technology during the 1980s (e.g. magneto-optic recording) now allow for alternate approaches to data storage and retrieval. It is believed that an automated retrieval system would provide a more accurate, timely, and cost effective means of retrieving information. The pilot application detailed in the document is intended to demonstrate the feasibility of a full scale automated records retrieval system, to study the impact of an automated system on the users, and to gain insight into the factors which would impact the design of a full scale system.

100,667

PB92-109040 PC A03/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.

Special pub. (Final).

D. R. Wallace, D. R. Kuhn, and J. C. Cherniavsky.

Aug 91, 11p NIST/SP-500/190

Also available from Supt. of Docs. as SN003-003-03108-9. Prepared in cooperation with National Science Foundation, Washington, DC.

Keywords: *Meetings, *Computer program reliability, *Computer software, *Standards, Standardization, Computer security, Benefit cost analysis, Safety, Data integrity, Computer software management, Hazards, Criticality, *NIST.

The paper provides information related to the National Institute of Standards and Technology (NIST) effort to coordinate an effort to produce a comprehensive set of standards and guidelines for the assurance of high integrity software. The effort may include adapting or adopting existing standards as appropriate. In particular, the paper presents the results of a Workshop on the Assurance of High Integrity Software held at NIST on January 22-23, 1991. Workshop participants addressed techniques, costs and benefits of assurance, controlled and encouraged practices, and hazard analysis. A preliminary set of recommendations was prepared and future directions for NIST activities in this area were proposed.

100,668

PB92-112267

PC A04/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991.

D. R. Wallace, M. Brown, and A. McKinlay. Sep 91,

64p NISTIR-4656

See also PB92-109040. Prepared in cooperation with Naval Surface Warfare Center, Dahlgren, VA., and McDonnell Douglas Corp., St. Louis, MO.

Keywords: *Meetings, *Computer software, *Computer security, *Standards, Quality assurance, Safety, Software engineering, Hazards, Computer program reliability, Computer program verification.

The report provides information related to the Forum on Standards for High Integrity Software (Department of Defense, Government, and Industry) held at the National Institute of Standards and Technology (NIST) on June 28, 1991. At the forum, software engineering experts presented their perspectives on the role of software engineers in software safety, a comparison for safety and computer security issues in standards, hazard analysis, assurance standards, and software certification. Future directions for NIST activities for assurance of high integrity software were proposed.

100,669

PB92-116417

PC A03/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Software Reengineering: A Case Study and Lessons Learned.

Special pub. (Final).

M. K. Ruhl, and M. T. Gunn. Sep 91, 42p NIST/SP-500/193

Also available from Supt. of Docs. as SN003-003-03100-3. See also N91-24047.

Keywords: *Software engineering, Computer software maintenance, Case studies, Cost effectiveness, Recommendations, *Software reuse, CASE(Computer Aided Software Engineering).

The report is aimed at managers and technical personnel (both Federal Government and industry) who need to understand: the concepts and issues of software reengineering; the use of Computer Aided Software Engineering (CASE) tools in the reengineering process; and the application of the technology to organizational problems. Software reengineering involves the use of existing software and documentation to specify requirements, design, documentation, and to produce software for a target platform. CASE tools are expected to play an important role in automating parts of the reengineering process. In the report software reengineering and other related terms are defined and possible benefits that relate to the technology are described. The use of CASE tools for reengineering are examined. A case study that examines the feasibility

and cost-effectiveness of software reengineering is described. Study results are addressed along with recommendations for organizations that are considering the use of reengineering.

100,670

PB92-117308

Not available NTIS

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Systems and Software Technology Div.

Interactive Video Software Portability: Migrating a DOS Application to POSIX.

Final rept.

R. D. Schneeman. 1991, 9p

Pub. in Proceedings of the Annual Technical Symposium (29th) Advanced Information Interfaces: Making Data Accessible, Washington, DC., June 19-20, 1991, p1-9.

Keywords: *Computer program portability, *Disk operating system(DOS), Video disks, Interactive systems, Computer program transferability, Computer software, Interruption, Computer graphics, Reprints, *POSIX(Portable Operating System Interface for Computer Environments).

Research on the migration of an MS-DOS based Interactive Video (IV) application to the Portable Operating System Interface for Computer Environments (POSIX) has revealed several key portability concerns. Namely, when (1) mapping the MS-DOS software interrupt application interface into a suitable POSIX paradigm; (2) implementing the necessary subset of IV commands from the Interactive Multimedia Association's (IMA), Recommended Practices for Multimedia Portability document; and (3) supplanting the original graphics capabilities with an Open Systems windowing solution. The paper addresses the above concerns in the context of migrating an MS-DOS application into a POSIX environment. The computing environment used in the research study and the target application are described fully.

100,671

PB92-937300

Standing Order

National Inst. of Standards and Technology, Gaithersburg, MD.

Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL).

1992, 1p

Supersedes PB91-937300.

Paper copy available on Standing Order, deposit account required (U.S., Canada, and Mexico \$100; all others \$200). Single copies also available in paper copy only.

Keywords: *Cobol programming language, *Fortran programming language, Language programming, *Federal Information Processing Standards, *Validation summary reports, *Pascal programming language, *Ada programming language, SQL programming language.

The Validated Processor List identifies those COBOL, Fortran, Ada and Pascal programming language processors that have a current validation certificate and those SQL language processors that have a registered test report, referencing the applicable Federal Information processing Standard (FIPS) as of the date of the publication. The list also includes GOSIP Conformance Testing Registers. The testing of language processors to determine the degree to which they conform to the Federal Standards is required by Government agencies in accordance with Federal Information Resources Management regulation (FIRMR) Parts 201.13 and 201.39, and the associated Federal ADP and Telecommunications Standards Index. The list is updated and published quarterly.

Information Processing Standards

100,672

FIPS PUB 100-1

PC A03

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.

Final rept.

c1989, 24p

Also pub. as American National Standards Inst., New York rept. no. ANSI-X3.100-1989. Supersedes FIPS PUB 100. Prepared in cooperation with American National Standards Inst., New York.

Three ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *Computer networks, *Data processing terminals, Telecommunication, *Interfaces, *Federal Information Processing Standards, *Communication networks, Communication terminals, X-25 protocol, Packet switching.

The Federal Information Processing Standard (FIPS) specifies the interface between data terminating equipment (DTE) such as automated data processing (ADP) equipment and telecommunication system terminal equipment, and data circuit-terminating equipment (DCE) for operation in the packet mode on packet-switched data networks (PSDN), or between two DTEs, by dedicated circuit. The revised standard adopts American National Standard ANSI X3.100-1989 which in turn adopts CCITT Recommendation X-25-1988 developed by the Consultative Committee on International Telephone and Telegraph, and ISO 7776-1986 and ISO 8208-1987 developed by the International Organization for Standardization. The revision supersedes FIPS 100/FED-STD 1041. More detailed specifications on the applicable interface points for the standard in an Integrated Services Digital Network (ISDN) environment will be developed for a future FIPS for ISDN.

100,673

FIPS PUB 120-1

PC E15

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Graphical Kernel System (GKS). Category: Software Standard; Subcategory: Graphics.

Federal information processing standards (Final).

D. R. Benigni. c1991, 401p

Supersedes FIPS PUB 120. See also FIPS PUB 120-1A and FIPS PUB 120-1B. Also pub. as American National Standards Inst., New York rept. no. ANSI-X3.124-1985. Prepared in cooperation with American National Standards Inst., New York.

Three ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *Computer software, *Federal information processing standards, Computer graphics, Fortran, Pascal programming language, Validation, Ada programming language, *Graphic Kernel System, Language binding.

The report's revision supersedes FIPS PUB 120 and modifies the standard by adding a requirement for validation of GKS implementations that are acquired by Federal agencies. FIPS 120-1 adopts American National Standard Graphical Kernel System (ANS GKS), ANSI X3.124-1985, Functional Description, which consists of four parts (X3.124.1-1985 FORTRAN Binding, X3.124.2-1985 Pascal Binding, X3.124.3-1989 Ada Binding), as a FIPS. ANS GKS specifies a library (or toolbox package) of subroutines for an application programmer to incorporate within a program in order to produce and manipulate two-dimensional pictures. The purpose of the standard is to promote portability of graphics application programs between different installations. The standard is for use by implementors as the reference authority in developing graphics software systems; and by other computer professionals who need to know the precise syntactic and semantic rules of the standard.

100,674

FIPS PUB 120-1B

PC E12

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics.

Federal information processing standards (Final).

D. R. Benigni. c1991, 218p

Supersedes FIPS PUB 120. See also FIPS PUB 120-1 and FIPS PUB 120-1A. Also pub. as American National Standards Inst., New York rept. no. ANSI-X3.124.3-

COMPUTERS, CONTROL & INFORMATION THEORY

Information Processing Standards

1989. Prepared in cooperation with American National Standards Inst., New York.
Three ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *Computer software, *Federal information processing standard, Computer graphics, Fortran, Pascal programming language, Validation, Ada programming language, *Graphic Kernel System, *Language binding.

The report revision supersedes FIPS PUB 120 and modifies the standard by adding a requirement for validation of GKS implementations that are acquired by Federal agencies. FIPS 120-1 adopts American National Standard Graphical Kernel System (ANS GKS), ANSI X3.124-1985, Functional Description, which consists of four parts (X3.124.1-1985 FORTRAN Binding, X3.124.2-1988 Pascal Binding, X3.124.3-1989 Ada Binding), as a FIPS. ANS GKS specifies a library (or toolbox package) of subroutines for an application programmer to incorporate within a program in order to produce and manipulate two-dimensional pictures. The purpose of the standard is to promote portability of graphics application programs between different installations. The standard is for use by implementors as the reference authority in developing graphics software systems; and by other computer professionals who need to know the precise syntactic and semantic rules of the standard.

100,675
FIPS PUB 146-1 **PC A05/MF A01**
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Government Open Systems Interconnection Profile (GOSIP); Category: Hardware and Software Standards; Subcategory: Computer Network Protocols.

3 Apr 91, 81p
Supersedes FIPS PUB 146.
Three ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *Computer networks, *Standards, Protocols, Specifications, *Open systems interconnections, *Federal information processing standards.

The publication is a revision of Federal Information Processing Standards (FIPS) 146 and supersedes FIPS 146 in its entirety. FIPS 146 adopted the Government Open Systems Interconnection Profile (GOSIP) which defines a common set of data communication protocols that enable systems developed by different vendors to interoperate and the users of different applications on those systems to exchange information. The revision contains all of the protocols in FIPS 146 plus additional protocols which provide new services useful to Federal agencies and increase the interoperability achievable among end systems of different manufacture. The revision also includes minor technical changes to the protocols in FIPS 146.

100,676
FIPS PUB 160 **PC E15**
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.
American National Standard for C. Category: Software Standard. Subcategory: Programming Language.

Final rept.
K. A. Miles. c1990, 361p
Also pub. as American National Standards Inst., New York rept. no. ANSI-X3.159-1989. Prepared in cooperation with American National Standards Inst., New York.
Three-ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *Programming languages, Standards, Data processing, *Federal Information Processing Standard, Information processing, Computer software, *C programming language.

The publication announces the adoption of American National Standard for C, ANSI X3.159-1989, as a Federal Information Processing Standard (FIPS). The American National Standard for C specifies the form and establishes the interpretation of programs written in the C programming language. The purpose of the standard is to promote portability of C programs for use on a variety of data processing systems. The standard is for use by implementors as the reference authority in developing compilers, interpreters, or other forms of high level language processors; and by other computer professionals who need to know the precise syntactic and semantic rules adopted by ANSI.

100,677
FIPS PUB 161 **PC A02**
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.
Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange.
Final rept.
R. G. Saltman. 29 Mar 91, 10p
Three ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *Data transmission, Electronics, Telecommunication, Businesses, *Federal Information Processing Standard, *Electronic data interchange.

The publication announces the adoption, as a Federal Information Processing Standard, of recognized national and international standards for EDI. In EDI, data that would be traditionally conveyed on paper documents are transmitted or communicated electronically according to established rules and formats. The data that are associated with each type of functional document, such as a purchase order or invoice, are transmitted together as an electronic message. The formatted data may be transmitted from originator to recipient via telecommunications or physically transported on electronic storage media.

100,678
FIPS PUB 54-1 **PC E18**
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media.
Federal information processing standards (Final).

T. C. Bagg. c15 Jan 91, 24p
Supersedes FIPS PUB 54. Also pub. as American National Standards Inst., New York rept. no. ANSI/AIIM-MS14-1988. Prepared in cooperation with American National Standards Inst., New York, and Association for Information and Image Management, Silver Spring, MD.
Three ring vinyl binder also available; North American price \$7.00; all others write for quote.

Keywords: *Microfilm, *Standards, Data processing, Reduction, *Federal information processing standards, *Microform, *Microfiche, Computer output microfilm.

The FIPS PUB specifies the image arrangement, size, and reduction ratios for 16mm and 105mm microforms generated by Computer Output Microfilm. It is limited to systems using business-oriented fonts similar to line printer output. The revised FIPS adopts American National Standard for Information and Image Management -- Microfiche, ANSI/AIIM MS5-1991, and American National Standard for Information and Image Management -- Specifications for 16mm and 35mm Roll Microfilm, ANSI/AIIM MS14-1988.

100,679
FIPS PUB 9-1 **PC A02/MF A01**
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.
Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes.
Federal information processing standards (Final).
H. Tom. 30 Nov 90, 10p
Supersedes FIPS PUB 9.
Three ring vinyl binder also available; North American Continent price \$7.00; all others write for quote.

Keywords: *United States, *Congress, *Federal Information Processing Standards, *Specifications, Representation, Codes, Guidelines, *Congressional Districts.

The standard provides the structure of numeric codes for representing congressional districts and similar areas defined for the various congresses of the United States. Congressional districts are legislatively defined subdivisions of a State for the purpose of electing representatives or delegates to the House of Representatives of the United States Congress. A State or equivalent entity may comprise a single congressional district or similar representational area.

100,680
FIPS SET 1991 **PC\$2300.00**
National Inst. of Standards and Technology, Gaithersburg, MD.

Federal Information Processing Standards Publication.

Federal Information Processing Standards.
1991, 2895p in 162v
Set includes FIPS PUB 0 through FIPS PUB 161 and 13 ring vinyl binders. Supersedes FIPS SET 1990.

Keywords: *Computer Software, *Federal Information Processing Standards.

No abstract available.

100,681
PB91-132126 **PC A03/MF A01**
National Inst. of Standards and Technology, Gaithersburg, MD.
Fed-X: The NIST Express Translator. Revised, November 1990.
S. N. Clark. Aug 90, 18p NISTIR-4371-REV
See also PB90-269507.

Keywords: *Translators, Parsers, Standards, *Product data exchange, *PDES(Product Data Exchange Specification), *EXPRESS programming language, Software tools, Computer aided manufacturing.

The Product Data Exchange Specification (PDES) is an emerging standard for the exchange of product information among various manufacturing applications. PDES includes an information model written in the Express language; other PDES-related information models are also written in Express. The National PDES Testbed at NIST has developed software to manipulate and translate Express models. This software consists of an in-memory working form and an associated Express language parser, FED-X. The design and capabilities of FED-X and the Express Working Form are discussed.

100,682
PB91-132159 **PC A03/MF A01**
National Inst. of Standards and Technology, Gaithersburg, MD.
NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised).
S. N. Clark. Nov 90, 34p NISTIR-4335/REV
See also PB90-250093.

Keywords: Standards, Translators, *Product data exchange, *PDES(Product Data Exchange Specification), *STEP(Standard for the Exchange of Product Model Data), *Software tools, Computer aided manufacturing, Software libraries, Application programs(Computers), EXPRESS programming language.

The Product Data Exchange Specification (PDES) is an emerging standard for the exchange of product information among various manufacturing applications. A software toolkit for manipulating PDES data has been developed at the National PDES Testbed at NIST. A technical overview of this PDES Toolkit is provided. Fundamental software libraries are described, and techniques for creating applications based on the Toolkit are discussed.

100,683
PB91-132183 **PC A03/MF A01**
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.
NIST Working Form for STEP: National PDES Testbed Report Series (Revised).
S. N. Clark. 19 Nov 90, 11p NISTIR-4351/REV
See also PB90-250044.

Keywords: *Standards, *Parsers, *Product data exchange, *PDES(Product Data Exchange Specification), *STEP(Standard for the Exchange of Product Model Data), *Computer aided manufacturing, Software tools.

The Product Data Exchange Specification (PDES) is an emerging standard for the exchange of product information among various manufacturing applications. The neutral exchange medium for PDES product models is the STEP physical file format. The National PDES Testbed at NIST has developed software to manipulate and translate STEP models. This software consists of an in-memory working form and an associated physical file parser, STEPparse. The design and capabilities of STEPparse and of the STEP Working Form are discussed.

100,684
PB91-132209 **PC A03/MF A01**

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Use of the IRDS Standard in CALS (Revised).

D. K. Jefferson, and C. M. Furlani. Sep 89, 16p
NISTIR-89-4169-REV
See also PB90-112467.

Keywords: *Information systems, *Standards, *Data base management systems, *CALS(Computer aided Acquisition and Logistics Support), *IRDS(Information Resource Dictionary System), Data dictionaries, Distributed data bases.

The objective of the point paper is to show how the Information Resource Dictionary System (IRDS) can fulfill critical design and operational requirements for CALS Phase II. First, a series of assumptions are made about the data management services which are needed by CALS Phase II. Next, these assumptions are used to develop a series of requirements for a dictionary system. The structure of the IRDS family of standards is then described. Examples are provided to illustrate how the IRDS could meet the requirements. A schedule is presented to show that the IRDS and other data management standards will be available when needed to meet the immediate requirements of CALS. An architecture is presented to illustrate additional standards required to achieve longer-range goals of distributed database. Finally, development tasks are recommended.

100,685

PB91-134635

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Information Systems Engineering Div.

Information Systems Engineering Program.

Final rept.

F. E. Spielman. 1987, 3p

Pub. in Proceedings of International Conference on Interactive Information and Processing Systems for Meteorology, Oceanography, and Hydrology (3rd), New Orleans, LA., January 12-16, 1987, p58-60.

Keywords: *Standards, *Information systems, Programming languages, Computer graphics, Systems engineering, Reprints, *Data bases, *Data management, Data dictionaries, Data base management systems, Computer applications, National Institute of Standards and Technology.

Because of the increased use of packaged software for data management and applications development, there is a renewed interest in Federal, national, and international standards for database languages, data dictionary systems, computer graphics, data interchange, and interfaces to programming languages. Along with such specific standards, there is a need for guidance documents on data administration, logical database design, use of standard codes and representations, selection of DBMS and graphics systems, and applications development. The presentation discusses the Information Systems Engineering program within the Institute for Computer Sciences and Technology (ICST) at the National Institute of Standards and Technology (NIST) and identifies standards, research activities, and guidance projects in these areas.

100,686

PB91-144444

PC A99/MF A04

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Working Implementation Agreements for Open Systems Interconnection Protocols.

T. Boland. Nov 90, 611p NISTIR-4448

See also PB90-259763. Presented at the NIST Workshop for Implementors of OSI Plenary Assembly, Gaithersburg, MD., September 14, 1990.

Keywords: *Protocols, Standards, Computer networks, Message processing, File management systems, Computer security, Access, Data base management, Local area networks, *OSI(Open Systems Interconnection), National Institute of Standards and Technology.

The document records Working Agreements on Implementation details of Open Systems Interconnection (OSI) Protocols among the organizations participating in the National Institute of Standards and Technology (NIST)/OSI Workshop Series for Implementors of OSI Protocols. These decisions are documented to facilitate organizations in their understanding of the status of agreements. It is a standing document that is updated after each workshop (about 4 times a year).

100,687

PB91-158758

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Information Systems Engineering Div.

Specifications for a Federal Information Processing Standard Data Dictionary System.

Final rept.

A. H. Goldfine. 1984, 13p

Pub. in Proceedings of NASA Administrative Data Base Management Systems Conference, Greenbelt, MD., May 25-26, 1983, p121-133 1984.

Keywords: *Federal information processing standards, *Data dictionaries, Data base management systems, Computer software, Specifications, Reprints.

The paper describes the data dictionary software specifications being developed by the Institute for Computer Sciences and Technology. The functionality and user interfaces in the final specifications will be incorporated into a planned Federal Information Processing Standard (FIPS) Data Dictionary System. The paper also discusses the focus and status of the effort to develop the planned FIPS DDS.

100,688

PB91-158915

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Systems and Network Architecture Div.

Features and Facilities of Estelle.

Final rept.

R. J. Linn. 1986, 26p

Pub. in Protocol Specification, Testing and Verification, p271-296 1986.

Keywords: *Standards, Protocols, Pascal programming language, Specifications, Finite state machines, Reprints, *Estelle, *Data communications, ISO(International Organization for Standardization).

Estelle is a formal description technique developed by the International Organization for Standardization (ISO) in collaboration with the International Telegraph and Telephone Consultative Committee (CCITT). It is a draft proposed standard within ISO. Estelle was developed to be used by standards committees for the specification of data communications protocols which are destined to become international standards. A specification in Estelle is comprised of a set of modules which communicate with each other. Modules are specified as extended finite state machines using facilities in Estelle which consist of a set of extensions to ISO Pascal.

100,689

PB91-171967

PC A99/MF E06

National Inst. of Standards and Technology (BFR), Gaithersburg, MD.

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990.

Special pub. (Final).

T. Boland. Mar 91, 803p NIST/SP-500/183

Also available from Supt. of Docs. as SN903-015-00000-4. Supersedes PB90-212192.

Based on the Proceedings of the NIST Workshop for Implementors of OSI. Held in Gaithersburg, Maryland.

Keywords: *Protocols, *Computer communications, *Computer networks, Standards, Agreements, Local area networks, Access methods, Message processing, Computer security, File management systems, Directories, Data base management systems, *OSI(Open Systems Interconnection).

The document records current Stable Agreements for Open Systems Interconnection (OSI) Protocols among the organizations participating in the National Institute of Standards and Technology/OSI Workshop Series for Implementors of OSI Protocols.

100,690

PB91-187542

PC A03/MF A01

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Advanced Systems Div.

Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 Inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge.

Special pub. (Final).

M. P. Williamson, N. E. Willman, and D. S. Grubb.

Feb 91, 39p NIST/SP-260-115

Also available from Supt. of Docs. as SN003-003-03068-6.

Keywords: *Magnetic tapes, *Standards, Calibration, Test methods, *Standard reference materials.

The publication describes the test system design and operation for the calibration of the NIST secondary

standard reference tapes SRM 3201 for 0.5 inch (12.65mm) 22 and 48 track serial serpentine magnetic tape cartridges. The importance of producing a Standard Reference Material for the magnetic tape cartridge is to promote the ability to interchange data both within and among various computer installations. Reliable interchange is assured when the media is designed and manufactured on the basis of a comparison to a known and accepted standard reference media.

100,691

PB91-197004

PC A11/MF A02

National Inst. of Standards and Technology, Gaithersburg, MD.

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement).

Special pub. (Final).

T. Boland. Jun 91, 236p NIST/SP-500/183SUPPL1
Also available from Supt. of Docs. as SN903-015-00000-4. See also PB91-171967.

Keywords: *Protocols, Changes, Computer networks, Message processing, File management systems, Computer security, Data processing security, Algorithms, *OSI(Open Systems Interconnection), National Institute of Standards and Technology.

The document records current Stable Agreements for Open Systems Interconnection (OSI) Protocols among the organizations participating in the National Institute of Standards and Technology (NIST)/OSI Workshop Series for Implementors of OSI Protocols.

100,692

PB91-201004

PC A05/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.

Special pub. (Final).

G. Fisher. Apr 91, 78p NIST/SP-500/187

Also available from Supt. of Docs.

Keywords: *Computer applications, *Computer program portability, *Specifications, Computer program transferability, Protocols, Data structures, National government, United States, Information systems, Federal agencies, *Open System Environment, *APP(Application Portability Profile), National Institute of Standards and Technology.

An Open System Environment (OSE) encompasses the functionality needed to provide interoperability, portability, and scalability of computerized applications across networks of heterogeneous hardware/software platforms. The OSE forms an extensible framework that allows interfaces, services, protocols, and supporting data formats to be defined in terms of nonproprietary specifications that evolve through open (public), consensus-based forums. A selected suite of specifications that define these interfaces, services, protocols, and data formats for a particular class or domain of applications is called a profile. The Application Portability Profile (APP) is the U.S. Government's OSE profile. It was developed to provide functionality across a broad range of Federal applications. The report describes the service areas and components included in the APP and provides evaluations of recommended specifications for the majority of the service area components. Organizations should use the report to assist in determining which specifications may be applicable to their particular environments.

100,693

PB91-203133

Not available NTIS

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Systems and Software Technology Div.

How the Government Shapes UNIX Standards.

Final rept.

J. A. Hall. 1989, 1p

Pub. in UNIX World 6, n4 p87(2) Apr 89.

Keywords: *UNIX(Operating system), *Federal information processing standards, Reprints, APP(Applications Portability Profile), POSIX(Portable Operating System Interface for Computer Environments), National Institute of Standards and Technology.

The National Institute of Standards and Technology (NIST) is actively supporting standards developing activities relating to the Applications Portability Profile

COMPUTERS, CONTROL & INFORMATION THEORY

Information Processing Standards

(APP). A major component of the APP is POSIX (the Portable Operating System Interface for Computer Environments), and its relationship to the UNIX operating system.

100,694

PB92-110105 PC A05/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

GOSIP Conformance and Interoperation Testing and Registration.

J. S. Nightingale. Mar 91, 94p NISTIR-4594
See also FIPS PUB 146-1 and PB91-187716.

Keywords: *Federal information processing standards, *Government procurement, *Computer networks, *Protocols, Acquisition, Computer communications, Computer program verification, Tests, Message processing, *GOSIP (Government Open Systems Interconnection Profile).

The development of Federal Information Processing Standard (FIPS) 146 which specifies the Government Open Systems Interconnection Profile (GOSIP) resulted in the need to establish policy and procedures aimed at ensuring that Federally procured data communications products adhere to the technical documents referenced by GOSIP and that they interoperate. The goal of the report is to aid a Federal Acquisition Authority in procurement of GOSIP products by employing publicly accessible registers verifying supplier claims of conformance and documenting instances of interoperability of GOSIP conformant products.

100,695

PB92-112000 PC A04/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement).

Final rept.
T. Boland, and B. Gray. Sep 91, 68p NIST/SP500-183 2
Also available from Supt. of Docs. as SN903-015-00000-4. See also PB91-171967 and PB91-197004.

Keywords: *Protocols, *Computer communications, *Computer networks, Standards, Changes, Agreements, Local area networks, Message processing, File management systems, Directories, *OSI (Open Systems Interconnection), NIST.

The document records current Stable Agreements for Open Systems Interconnection (OSI) Protocols among the organizations participating in the National Institute of Standards and Technology (NIST)/OSI Workshop Series for Implementors of OSI Protocols.

100,696

PB92-119676 PC A08/MF A02
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Government Open Systems Interconnection Profile Users' Guide, Version 2.

Final rept.
T. Boland. Oct 91, 167p NIST/SP-500/192
Also available from Supt. of Docs. Supersedes PB90-111212. See also PB91-171967, PB91-197004, PB92-112200 and FIPS PUB 146-1.

Keywords: *Protocols, *Computer communications, *Computer networks, Standards, Message processing, OSI (Open Systems Interconnection), *GOSIP (Government Open System Interconnection), Federal agencies.

The document assists Federal agencies in planning for and procuring OSI. It provides tutorial information on OSI Protocols as well as information on OSI Registration, GOSIP Technical Evaluation, and GOSIP Transition Strategies.

100,697

PB92-126408 PC A11/MF A03
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, Change Pages September 1991. Output from the September 1991 OSI Implementors Workshop. Held in Gaithersburg, Maryland.

Final rept.
T. Boland. Nov 91, 242p NIST/SP500-183 3
Also available from Supt. of Docs. as SN903-015-00000-4. See also PB91-171967, PB91-197004 and PB92-112200.

Keywords: *Protocols, Computer networks, Local area networks, *OSI (Open System Interconnection), National Institute of Standards and Technology.

The document records current Stable Agreements for Open Systems Interconnection Protocols among the organizations participating in the NIST/OSI Implementors Workshop series.

100,698

PB92-126523 PC A17/MF A04
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Working Implementation Agreements for Open Systems Interconnection Protocols.

T. Boland. Mar 91, 394p NISTIR-4507
Proceedings of the NIST workshop held in Gaithersburg, MD., December 14, 1990. See also PB91-144444.

Keywords: *Protocols, Standards, Computer networks, Message processing, File management systems, Local area networks, *OSI (Open Systems Interconnection), National Institute of Standards and Technology.

The document records Working Implementation Specification Agreements of Open Systems Interconnection Protocols among the organizations participating in the NIST/OSI Workshop Series for Implementors of OSI Protocols. These decisions are documented to assist organizations in their understanding of the status of agreements. This is a standing document that is updated after each workshop (about 4 times a year).

100,699

PB92-126580 PC A05/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Guidelines for the Evaluation of File Transfer, Access and Management Implementations.

Special pub.
P. Markovitz, S. Trus, and C. Royster. Oct 91, 85p NIST/SP-500/196
Also available from Supt. of Docs. See also PB90-111212, PB91-171967, PB91-107565 and PB92-110105. Sponsored by Army Information Systems Command, Fort Huachuca, AZ., Air Force Communications Command, Scott AFB, IL., and Internal Revenue Service, Washington, DC.

Keywords: *Computer network, *Computer communications, File management systems, Access methods, *OSI (Open Systems Interconnection).

The document advances the goals of the Government Open Systems Interconnection Profile (GOSIP) by providing guidelines for evaluating File Transfer, Access and Management (FTAM) implementations. These guidelines can assist a user in determining which implementation, among several candidates, will best meet the functional and performance requirements of that user. Specifically, the document contains: (1) guidelines for evaluating the functional specifications of FTAM implementations, (2) guidelines for measuring the performance of FTAM implementations, and (3) guidelines for matching the functional and performance specifications of an FTAM implementation to the functional and performance requirements of the user.

Pattern Recognition & Image Processing

100,700

PB91-216630 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

Real-Time Model-Based Tracking Combining Spatial and Temporal Features.

K. Chaconas, and M. Nashman. Jun 91, 24p NISTIR-4610

Keywords: *Tracking (Position), Moving targets, Real time, Correlation, Algorithms, *Robot vision.

The paper describes a method for tracking moving image features by combining spatial and temporal edge information with model based feature information. The algorithm updates the two-dimensional position of object features by correlating predicted model features with current image data. The results of the correlation process are used to compute an updated model. The algorithm makes use of a high temporal sampling rate with respect to spatial changes of the image features and operates in a real-time multi-processing environment. Preliminary results demonstrate successful tracking for image feature velocities between 1.1 and 4.5 pixels every image frame.

100,701

PB92-112275 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

Integration-Based Method for Depth Estimation.

D. Raviv. Sep 91, 24p NISTIR-4669
Prepared in cooperation with Florida Atlantic Univ., Boca Raton.

Keywords: *Image reconstruction, *Depth finding, Computer vision, Three dimensional, Edge detection, Motion, Algorithms.

A closed-form, integration-based, and massively-parallel algorithm for determining depth of points in 3-D using one moving camera is presented. It is based on analyzing a sequence of images that result from a known rectilinear motion of a camera (with no rotation) in a stationary environment. A traceable point in an image sequence is reconstructed using an integration operation (no differentiation operator is involved). The method arose from two simple observations: (1) Stationary points in the 3-D scene appear to move away from the focus of expansion (FOE); (2) The distance of a point in 3-D space from the camera motion-axis is the same at all instants of time. Any visible moving point in the image can be processed independently of, and concurrently with, any other point. Laboratory results for the case where the optical axis is parallel to the motion axis show an error of less than 0.6% in absolute distance.

100,702

PB92-112507 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Three Dimensional Reconstruction from Optical Flow Using Temporal Integration.

R. Rangachar, T. H. Hong, M. Herman, and R. Luck. Apr 91, 14p NISTIR-4570
Prepared in cooperation with American Univ., Washington, DC., Maryland Univ., College Park. Dept. of Mechanical Engineering, and Aspex, Inc., New York.

Keywords: *Image reconstruction, Three dimensional, Image segmentation, Optical flow, Temporal integration, PIPE (Pipelined Image Processing Engine).

Image flow, the apparent motion of brightness patterns on the image plane, can provide important visual information such as distance, shape, surface orientation, and boundaries. It can be determined by either feature tracking or spatio-temporal analysis. The optical flow thus determined can be used to reconstruct the 3-D scene by determining the depth from camera of every point in the scene. However, the optical flow determined by either of the methods mentioned above will be noisy. As a result, the depth information obtained from optical flow can not be successfully used in practical applications such as image segmentation, 3-D reconstruction, path planning, etc. By using temporal integration, the accuracy of both the optical flow and the depth determined from optical flow can be increased. In the work, the authors describe an incremental integration scheme called the running average method to temporally integrate the image flow. They integrate the depth from camera obtained using optical flow determined from gradient based methods, and show that the results of temporal integration are much more useful in practical applications than the results from local edge operators. Finally, they consider an image segmentation example and show the advantages of temporal integration.

100,703

PB92-112564

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Analysis of Optical Flow Estimation Using Epipolar Plane Images.

R. Rangachar, T. H. Hong, M. Herman, and R. Luck. Apr 91, 14p NISTIR-4569

Prepared in cooperation with American Univ., Washington, DC., Maryland Univ., College Park. Dept. of Mechanical Engineering, and Aspex, Inc., New York.

Keywords: *Image analysis, Image reconstruction, Edge detection, Distance, Motion, *Optical flow, PIPE(Pipelined Image Processing Engine).

Image flow, the apparent motion of brightness patterns on the image plane, can provide important visual information such as distance, shape, surface orientation, and boundaries. It can be determined by either feature tracking or spatio-temporal analysis. The authors consider spatio-temporal methods, and show how differential range can be estimated from time-space imagery. The authors generate a time-space image by considering only one scan line of the image obtained from a camera moving in the horizontal direction at each time interval. At the next instant of time, the authors shift the previous line up by one pixel, and obtain another line from the image. The authors continue the procedure to obtain a time-space image, where each horizontal line represents the spatial relationship of the pixels, and each vertical line the temporal relationship. Each feature along the horizontal scan line generates an edge in the time-space image, the slope of which depends upon the distance of the feature from the camera. The authors apply two mutually perpendicular edge operators to the time-space image, and determine the slope of each edge. The authors show that this corresponds to optical flow. The authors use the result to obtain the differential range, and show how this can be implemented on the Pipelined Image Processing Engine (PIPE). The authors use a simple technique to calibrate the camera and show how the depth can be obtained from optical flow. The authors provide a statistical analysis of the results of 3-D reconstruction of the scenes using optical flow determined from 3x3, 5x5, and 7x7 edge operators.

General

100,704

PB91-148486

PC A09/MF A02

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Bibliography of Selected Computer Security Publications, January 1980-October 1989.

Special pub (January 1980-October 1989).

R. Turn, and L. E. Bassham. Dec 90, 200p NIST/SP-800/1

Contract 43NANB922203

Also available from Supt. of Docs. as SN003-003-03060-1. Prepared in cooperation with Turn (Rein) Associates, Pacific Palisades, CA.

Keywords: *Computer security, *Bibliographies, Access control, Data processing security, Computer privacy, Data bases, Computer networks, Cryptography, Secure communications, Auditing, Data integrity.

The bibliography cites selected books and articles on computer security published from January 1980 through October 1989. To have been selected, an article had to be substantial in content and have been published in professional or technical journals, magazines, or conference proceedings. Only very substantial articles from the popular or trade press were included. English language articles from foreign journals were included as available. The citations are listed under nine categories. A tenth category of pre-1980 publications is also provided, as well as an appendix containing addresses of all journals and magazines referenced in the bibliography.

100,705

PB91-159228

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Systems and Software Technology Div.

Thwarting the Hackers.

Final rept.

E. F. Troy. 1984, 6p

Pub. in Datamation, 6p, 1 Jul 84.

Keywords: *Computer security, *Access control, Computer communications, Operating systems(Computers), Modems, Reprints.

The article provides general information about a new class of device designed to enhance communications security for computer systems. The 'port protection device' (PPD) is fitted on a computer's dial-up telephone line between the telephone set and the computer port, and operates independently of the computer. The PPD in its simplest form requires the dial-up user to supply a special password before gaining access to the computer line. Additional features described in the article include: camouflage of the port by initially hiding the characteristic modem tone; call-back to the authorized user telephone number for independent verification before connection; and logging of all activity on the line. The article includes a general table of characteristics for devices from the eleven known vendors, without performing any qualitative evaluation of them.

100,706

PB91-187740

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Computer Security: Selected Articles.

Internal rept.

M. Swanson, and E. Lennon. cApr 91, 46p NISTIR-4545

Keywords: *Computer security, Local area networks, Risk, Computer viruses, Computer privacy, Data integrity, Data processing security, Computer software, Personal computers, Data encryption, Computer networks, Internet.

Contents: Is Your System Safe; Proper assignment of responsibility for data security; Assessing Security; NIST Group Explores Risk-Assessment Packages; Crackdown on software pirates; Memo: Computer Viruses and Personal Computers; Reflections on Trusting Trust; The Science of Computing: The Internet Worm; and Secret Codes.

100,707

PB91-187781

PC A06/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook.

E. Roback. Mar 91, 107p NISTIR-4518, NHB-2410.9 Sponsored by National Aeronautics and Space Administration, Washington, DC. Information Resources Management Office.

Keywords: *Data processing security, *Handbooks, Risk assessment, Telecommunication, Microcomputers, NASA, *Computer security, *Information security, Automated Information Security programs, Accreditation, Contingency plans.

The National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook provides NASA's overall approach to automated information systems security including discussions of such aspects as: program goals and objectives, assignment of responsibilities, risk assessment, foreign national access, contingency planning and disaster recovery, awareness training, procurement, certification, planning, and special considerations for microcomputers.

100,708

PB91-187864

PC A08/MF A01

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Public-Key Cryptography. Computer Security.

Special pub. (Final).

J. Nechvatal. Apr 91, 172p NIST/SP-800/2

Also available from Supt. of Docs. as SN003-003-03078-3.

Keywords: *Cryptography, *Computer security, Cryptology, Data encryption, Data processing security, Computer information security, Data integrity, Access control, Secure communications, Authentication, Protocols, Local area networks, Algorithms, Computer architecture, *Public-key systems, Digital signatures, Hash functions.

The paper surveys public-key cryptography. It discusses the theory of public-key cryptography and examines several examples of public-key cryptosystems. It also treats the related topics of digital signatures, hash functions, and, more briefly, zero-knowledge protocols. Modes of implementation of public-key crypto-

systems are discussed, including implementation in networks. Examples of existing or proposed implementations are summarized. Comparisons to secret-key cryptography are made. Relevant mathematics is covered in appendices. An extensive bibliography is included.

100,709

PB91-189571

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.

Final rept.

D. Khera, L. W. Linholm, R. A. Allen, M. W. Cresswell, V. C. Tyree, W. Hansford, and C. Pina. 1991, 5p

Pub. in Proceedings of International Conference on Microelectronic Test Structures, Kyoto, Japan, March 18-20, 1991, p145-149.

Keywords: *Machine learning, *Knowledge bases(Artificial intelligence), Export systems, Systems engineering, Tests, Heuristic methods, Comparison, Reprints.

The paper describes an approach for evaluating and refining the rules, based on test structure measurements, to be entered into the knowledge base of an expert system that characterizes device performance. The objective is to qualify the performance of rules determined by a machine-learning classification application with the best knowledge available from the human experts. The technique combines a machine-learning approach with the traditional heuristic based development of an expert system. Strengths and weaknesses of the individual techniques are compared.

100,710

PB91-203380

Not available NTIS

National Bureau of Standards (ICST), Gaithersburg, MD. Systems and Software Technology Div.

Static Analysis Tools for Software Security Certification.

Final rept.

D. R. Kuhn. 1988, 9p

Pub. in Proceedings of the National Computer Security Conference (11th), October 17-20, 1988, p290-298.

Keywords: *Computer software, *Computer security, *Software tools, Cryptography, Electronic funds transfer, Data encryption, Data processing security, Computer program verification, Reprints, Static analysis.

The paper describes a suite of tools used in evaluating software for security certification. The tools are currently being used on cryptographic software for secure Electronic Funds Transfer, but could be applied to other applications as well.

100,711

PB91-204107

Not available NTIS

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Computer Security Div.

Data Encryption Standard: Past and Future.

Final rept.

M. E. Smid, and D. K. Branstad. 1988, 10p

Pub. in Proceedings of the IEEE (Institute of Electrical and Electronics Engineers) 76, n5 p550-559 1988.

Keywords: *Data encryption, *Standards, Cryptography, Algorithms, Data processing security, Electronic funds transfer, Reprints.

The Data Encryption Standard (DES) is the first, and to the present date, only, publicly available cryptographic algorithm that has been endorsed by the U.S. Government. The paper deals with the past and future of the DES. It discusses the forces leading to the development of the standard during the early 1970's, the controversy regarding the proposed standard during the mid 1970's, the growing acceptance and use of the standard in the 1980's, and some recent developments that could affect the future of the standard.

100,712

PB91-216671

PC A07/MF A02

National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

COMPUTERS, CONTROL & INFORMATION THEORY

General

Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991.
N. Nazario. Jun 91, 133p NISTIR-4614

Keywords: *Meetings, *Computer security, *Standards, Protocols, United States government, Computer networks, Federal information processing standards, Data processing security, Government policies, Cryptography, Data integrity, *GOSIP(Government Open Systems Interconnection Profile), National Institute of Standards and Technology, Security labels.

On April 9 and 10, 1991 the Protocol Security Group at the National Institute of Standards and Technology (NIST) held its Second Workshop on Security Labels. Forty representatives from the U.S. Government, Industry, and the Canadian Government gathered for two days to discuss a NIST proposed Standard Security Label for the U.S. Government Open Systems Interconnection Profile (GOSIP). Issues on security policy and security object registration were also discussed in reference to the proposed label. The information shared during the two days of discussion and the recommendations of the group are documented in the proceedings.

100,713
PB91-222638 PC A08/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD.
Automated Information Systems Security Program Handbook.
E. Roback. Jul 91, 156p NISTIR-4636
Reprinted with Permission by U.S. Department of Human Services.

Keywords: *Computer information security, *Handbooks, Data processing security, Risk assessment, Personal computers, Word processing, Telecommunication, *Computer security, Contingency plans, US HHS.

The Interagency Report presents the U.S. Department of Health and Human Services' (HHS) Automated Information Systems Security Program Handbook which provides a comprehensive description of the program elements which comprise HHS's approach to computer security. Among the varied items included are: security policy and responsibilities, security level designators, security level requirements, security administration, risk management, contingency planning, personnel security, facility security, application systems and data security, personal computers, data communications, and acquisitions and contracts.

100,714
PB91-237677 Not available NTIS
National Inst. of Standards and Technology (MEL), Gaithersburg, MD. Robot Systems Div.
Geometric Reasoning for Constructing 3D Scene Descriptions for Images.
Final rept.
E. L. Walker, and M. Herman. 1988, 16p
Pub. in Artificial Intelligence 37, n1-3 p275-290 Dec 88.

Keywords: *Computer vision, *Three dimensional models, *Image processing, Reasoning, Expert systems, Knowledge bases(Artificial intelligence), Robotics, Knowledge representation, Reprints.

There are many applications for a vision system which derives a three-dimensional model of a scene from one or more images and stores the model for easy retrieval and matching. The derivation of a 3D model of a scene involves transformations between four levels of representation: images, 2D features, 3D structures, and 3D geometric models. Geometric reasoning is used to perform these transformations, as well as for the eventual model matching. Since the image formation process is many-to-one, the problem of deriving 3D features from 2D features is ill-constrained. Additional constraints may be derived from knowledge of the domain from which the images were taken. The 3D Mosaic system has successfully used domain specific knowledge to drive the geometric reasoning necessary to acquire 3D models for complex real-world urban scenes. To generalize this approach, a framework for the representation and use of domain knowledge for geometric reasoning for vision is proposed.

100,715
PB92-108893 PC A08/MF A02
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Guide to Expert System Building Tools for Microcomputers.
Special pub. (Final).
C. E. Dabrowski, and E. N. Fong. Jul 91, 151p NIST/SP-500/188
Also available from Supt. of Docs. as SN003-003-03088-1.

Keywords: *Expert systems, *Microcomputers, *Systems engineering, *Software tools, Knowledge bases(Artificial intelligence), Knowledge representation, Man computer interface, Computer software, Object-oriented programming.

Microcomputer-based expert system building tools (microcomputer-based ESBTs), sometimes known as expert system shells, are software packages for development of expert systems that run on microcomputers. The report provides system managers, planners, and potential expert system developers with a readable description of ESBTs for microcomputers including a detailed description of specific tool features and the capabilities they support. The technical content of the report is based on analysis of commercially available ESBTs. However, individual commercial products are not described, compared, or ranked.

100,716
PB92-112259 PC A09/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD.
Glossary of Computer Security Terminology.
E. Roback. Sep 91, 177p NISTIR-4659

Keywords: *Computer information security, *Data processing security, *Dictionaries, Computer security, Computer privacy.

The Glossary of Computer Security Terminology provides a summary of frequently encountered computer and communications security terms and various definitions used by federal agencies for those terms. The glossary does not provide a single definition per term; rather it reflects the variations in use of these terms among federal organizations.

100,717
PB92-112390 PC A03/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Computer Security Div.
Computer Security Bulletin Board System. User's Guide.
M. Skandera, and M. Swanson. Sep 91, 40p NISTIR-4667

Keywords: *Computer information security, User manuals, Bulletin Board System, BBS system, Computer security, Computer privacy, US NIST.

The Computer Security Act of 1987 assigned to the National Institute of Standards and Technology (NIST) the responsibility for providing federal agencies with advice and assistance in the area of computer security. To accomplish a portion of the task, the NIST Computer Security Division maintains an electronic bulletin board system (BBS) which focuses on computer security issues. The NIST Computer Security BBS makes a wide variety of computer security information available to federal agencies and the public and encourages the sharing of information which can help users and managers protect their data and systems. The document describes the BBS and provides detailed instructions on how to use the many functions.

100,718
PB92-116391 PC A05/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Security in ISDN.
Special pub. (Final).
W. E. Burr. Sep 91, 77p NIST/SP-500/189
Also available from Supt. of Docs. as SN003-003-03112-7. See also PB90-198946 and N89-25634.

Keywords: *Computer security, *Computer networks, *Communication networks, Standards, Access control, Data encryption, Data processing security, Computer privacy, Data integrity, Protocols, *ISDN(Integrated Services Digital Network), OSI(Open Systems Interconnection).

The Integrated Services Digital Network (ISDN) standards will provide worldwide digital communications service and will play a key role in the transition to electronic documents and business transactions. ISDN has been developed with little thought to security.

ISDN security will become a pressing concern for both government and business. ISDN's digital nature facilitates adding security, but the deployment of ISDN in the public network is well under way and the present investment in ISDN equipment, as well as the commercial necessity to deploy ISDN in a timely manner, constrains how security features may be added. ISDN security standards should take advantage of, and be compatible with, emerging standards for Open Systems Interconnection (OSI) security. International Standard 7498-2 defines five security services for OSI: Confidentiality, Access Control, Authentication, Data Integrity and Non-repudiation. The challenge of ISDN security is to extend these concepts to all ISDN applications, including voice use of the public network. Terminal-to-terminal link encryption provides a powerful ISDN security mechanism, because of ISDN's ability to provide circuit switched connections throughout the world. A standard for the reliable authentication of human users is badly needed for ISDN security.

100,719
PB92-117068 Not available NTIS
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.
Book Review: 'The Art of Computer Systems Performance Analysis' by R. Jain.
Final rept.
G. Lyon. 1991, 2p
Sponsored by Defense Advanced Research Projects Agency, Arlington, VA.
Pub. in IEEE (Institute for Electrical and Electronics Engineers) Design and Test of Computers, p90-91 Sep 91.

Keywords: *Computer systems performance, *Computer performance evaluation, Reviews, Experimental design, Probability theory, Computerized simulation, Mathematical models, Statistical analysis, Queueing theory, Reprints.

The book covers a wide spectrum of performance topics. Its review is organized as follows: Overview. Professional sources, projects, mistakes, techniques, metrics; Measurement. Workloads (type, selection, characterization), monitors, accounting logs, capacity planning, benchmarking, data presentation, honesty in comparisons; Probability and Statistics. Summarizing measured data, comparing systems, regressions (linear and other); Design of Experiments. Screening: 2 to the k power, 2 to the k power r factorials, 2 to the (k-p) power fractional factorials; Comparing: One-factor experiments, two-factor full factorials (without and with replication, r), full factorials with k factors; Simulation. Background, mistakes, verification, random numbers and their tests, random-variates, 20 common distributions; Queueing Models. Single queues, networks, operational laws, mean-value analysis, convolution, hierarchical decomposition.

100,720
PB92-123140 PC A03/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Establishing a Computer Security Incident Response Capability (CSIRC).
Special pub. (Final).
J. P. Wack. Nov 91, 47p NIST/SP-800/3
Also available from Supt. of Docs as SN003-003-03121-6. See also PB90-115601.

Keywords: *Computer information security, Data processing security, Computer viruses, Risk analysis, Threat evaluation, Vulnerability, *CSIRC, Computer Security Incident Response Capabilities.

Government agencies and other organizations have begun to augment their computer security efforts because of increased threats to computer security. Incidents involving these threats, including computer viruses, malicious user activity, and vulnerabilities associated with high technology, require a skilled and rapid response before they can cause significant damage. These increased computer security efforts, described here as Computer Security Incident Response Capabilities (CSIRCs), have as a primary focus the goal of reacting quickly and efficiently to computer security incidents. CSIRC efforts provide agencies with a centralized and cost-effective approach to handling computer security incidents so that future problems can be efficiently resolved and prevented. While the risks to computer security have increased, agencies have also become more dependent on computers. Many systems in widespread use today do not contain safeguards to guarantee protection from these threats. Ad-

ditionally, as systems become more complex, they are more prone to vulnerabilities that can increase the risk of malicious exploitation. Due to greater availability of computers, users are often de facto system managers, however many have neither the requisite skills nor time to manage their systems effectively. These factors make it clear that agencies need to augment their computer security capabilities before they suffer from serious computer security problems that can harm their missions, result in significant expense, and tarnish their images. A CSIRC can help agencies resolve computer security problems in a way that is both efficient and cost-effective. Combined with policies for centralized reporting, a CSIRC can reduce waste and duplication while providing a better posture against potentially devastating threats. A CSIRC is a proactive approach to computer security, one that combines reactive capabilities with active steps to prevent future incidents from occurring.

DETECTION & COUNTERMEASURES

Magnetic Detection

100,721
AD-A230 438/4 PC A02/MF A01
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.
Final rept.
F. R. Clague. Dec 89, 8p Rept no. SR-723-29-89

Keywords: Anomalies, Antennas, *Antipersonnel mines, *Countermeasures, Cross polarization, *Detection, Dielectrics, Holography, Horn antennas, Images, Intrusion, Measurement, *Mine detectors, Narrow-band, Plates, Time domain.

This report summarizes experiments conducted for the Mine Detection Division, Counter-Mine, Counter-Intrusion Department. The objective of this report is to provide a condensed overview of the major things tried, with an indication of how well they worked, and a reference to the original report that will allow finding the more detailed description if desired. The objective of the experiments was to study and improve what has generally been called the separated aperture system of dielectric anomaly detection. The detection portion of the system is a 'head' made of a transmit antenna and a receive antenna separated by a flat plate called the 'septum'. While the items tested were primarily the different versions of the separated aperture heads, a small number of other antennas was also evaluated. These included broadband horns used for time domain measurements, a narrow band horn used for holographic imaging, and cross polarized antennas that were used in an antipersonnel mine detector.

Radiofrequency Detection

100,722
PB91-143347 PC A03/MF A01
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium.
D. A. Hill. Sep 90, 38p NISTIR-3954
Sponsored by Army Belvoir Research Development and Engineering Center, Fort Belvoir, VA.

Keywords: *Magnetic fields, *Electric conductors, Electric fields, Field strength, Far fields, Near fields, Electric dipoles, Line current, Plane waves, Excitation, Tunnels, Grounded conductors, Insulated conductors, Underground conductors, Electromagnetic detection.

Excitation of currents on an infinitely long conductor is analyzed for horizontal electric dipole or line sources and for a plane-wave, far-field source. Any of these

sources can excite strong currents which produce strong scattered fields for detection. Numerical results for these sources indicate that long conductors produce a strong anomaly over a broad frequency range. The conductor can be either insulated or bare to model ungrounded or grounded conductors.

ELECTROTECHNOLOGY

Antennas

100,723
PB91-132274 PC A07/MF A01
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
Spherical Near-Field Scanning: Experimental and Theoretical Studies.
R. C. Wittmann, and C. F. Stubenrauch. Jul 90, 127p
NISTIR-3955
Sponsored by Rome Air Development Center, Hanscom AFB, MA. Electromagnetics Directorate.

Keywords: Spherical harmonics, Spherical waves, Far field, Algorithms, *Antenna measurements, Microstrip antennas, Probes(Electromagnetic), Near field.

The report documents the evaluation of spherical near-field scanning algorithms and computer code developed at the National Institute of Standards and Technology. The experimental work is primarily a comparison of probe-compensated spherical and planar near-field measurement results for a common test antenna. Theoretical work is largely supportive of the experimental effort, but some peripheral topics are developed: For example, (1) application of spherical near-field measurements to the determination of incident fields in compact ranges; and, (2) spherical-wave expansions for the fields of a uniformly excited circular aperture (to facilitate the creation of analytic test data).

100,724
PB91-134239 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
Final rept.
E. B. Larsen, R. L. Ehret, D. G. Camell, and G. H. Koepke. 1989, 6p
Sponsored by Naval Air Systems Command, Washington, DC.
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) National Symposium on Electromagnetic Compatibility, Denver, CO., May 23-25, 1989, p19-24.

Keywords: *Antennas, *Electromagnetic fields, *Network analyzers, *Test facilities, Electromagnetic radiation, Field strength, Antenna radiation patterns, Amplification, Dipoles, Reprints, *Calibration.

The technique now employed at the National Institute of Standards and Technology (NIST) for calibrating antenna factor at frequencies from 25 to 1000 MHz uses a standard open-circuit half-wave receiving dipole to measure the electric field strength. Unfortunately, the dipole responds to ambient fields over a large frequency range. This approach is compared with a three-antenna method which uses an accurate automatic network analyzer with 120 dB dynamic range to measure insertion loss between the transmitting and receiving antennas. A field site having a 20 m x 60 m ground screen which acts as a good reflector is used.

100,725
PB91-148239 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
Spherical Near-Field Scanning: Determining the Incident Field Near a Rotatable Probe.
Final rept.
R. C. Wittman. 1990, 4p
Pub. in Proceedings of Antennas and Propagation Symposium Digest, Dallas, TX., May 7-11, 1990, p224-227.

Keywords: Probes(Electromagnetic), Electromagnetic compatibility, Electromagnetic interference, Near field, Scanning, Algorithms, Reprints, *Antenna measurements.

Many RCS, EMI/EMC, and antenna measurements require a known incident field within a test volume. To evaluate systems designed to produce a specific incident field (compact ranges, for example), one must measure the actual illumination for comparison with design specifications. Beyond its diagnostic value, this incident field data can also be used for error estimation and for calculating first order corrections. In the paper, the author develops a spherical near-field scanning algorithm for determining incident fields inside a probe's 'minimum sphere.' This differs from the well-known spherical near-field scanning formulation which determines fields outside the source's minimum sphere. The scanner size depends on the extent of the region of interest and not on the extent of the (possibly much larger) source. The data may be collected using a standard roll-over-azimuth positioner.

100,726
PB91-185124 PC A03/MF A01
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
Technical note.
D. G. Camell, E. B. Larsen, J. E. Cruz, and D. A. Hill.
Jan 91, 26p NIST/TN-1347
Also available from Supt. of Docs. as SN003-003-03077-5.

Keywords: *Monopole antennas, *Calibration, Low frequency, Medium frequency, High frequency, Very high frequency, Polarization, Antenna factors.

The report describes the theoretical basis and test procedure for vertically polarized monopole antenna calibrations at the National Institute of Standards and Technology (NIST). The standard field method applies the theoretical equations of a vertical monopole antenna to calculate the vertical electric field. The method is used at the NIST open field site in the frequency range of 30 kHz to 300 MHz. The uncertainty in the antenna factor of the antenna under test (AUT) is now + or - 1 dB.

100,727
PB91-236919 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
Alignment Fixture for Millimeter Waveguide.
Final rept.
D. P. Kremer, and A. C. Newell. 1990, 4p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Antennas and Propagation Society Magazine 32, n3 p45-48 Jun 90.

Keywords: *Antennas, Millimeter waves, Alignment, Fixtures, Reprints, *Waveguide flanges.

Millimeter wave measurements require that care be exercised in the connection and handling of the waveguide flanges and their contact surfaces. When properly connected these flanges can provide many years of reliable and repeatable measurements. Improper use will limit the flange use to just a few connections, and result in large measurement errors. These errors are especially acute in situations requiring repeated connecting and disconnecting of these flanges, such as in antenna or insertion loss measurements. Several factors contribute to these errors, but the largest are: improperly installed waveguide flanges, misalignment in flange connections, and excess strain on the waveguide or the flange. The National Institute of Standards and Technology has addressed these problems by developing a mechanical alignment fixture for millimeter band waveguide. Two fixtures were developed; one for small devices such as standard gain horns which can be supported by the fixture and another for larger devices. These systems along with a properly installed flange can reduce the uncertainty of the connection from greater than 1 dB to a few hundredths of a decibel.

100,728
PB91-237073 Not available NTIS
National Inst. of Standards and Technology (EEL),
Boulder, CO. Electromagnetic Fields Div.

ELECTROTECHNOLOGY

Antennas

General Technique to Correct Probe Position Errors in Planar Near-Field Measurements to Arbitrary Accuracy.

Final rept.

L. A. Muth, and R. L. Lewis. 1990, 8p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Antennas and Propagation 38, n12 p1925-1932 Dec 90.

Keywords: *Antennas, Probes(Electromagnetic), Taylor series, Error analysis, Near field, Far field, Reprints.

A general theoretical procedure is presented to remove known probe position errors when planar near-field data are transformed to the far field. The authors represented the measured data as a Taylor series, whose terms contain the error function and the ideal spectrum of the antenna. This representation is then assumed to be an actual near field existing on an error free regularly spaced two dimensional scan plane. Then by inverting the Taylor series, they obtain the ideal spectrum in terms of the measured data and the position errors. The solution is given by an infinite series of an error operator acting on data containing errors of measurement. The error operator is the Taylor series without the zeroth-order term. The nth order approximation to the ideal near field of the antenna can be explicitly constructed by inspection of the structure of the error operator.

100,729

PB92-110279

(Order as PB92-110261, PC A05/MF A01)
National Inst. of Standards and Technology, Boulder, CO.

General Analytic Correction for Probe-Position Errors in Spherical Near-Field Measurements.

L. A. Muth. c1991, 20p

Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n4 p391-410 Jul/Aug 91.

Keywords: *Antenna radiation patterns, Probes(Electromagnetic), Computerized simulation, Spherical configuration, Near field, Correction, Graphs(Charts).

A general theoretical procedure is presented to remove known probe-position errors in spherical near-field data to obtain highly accurate far fields. The measured data is represented as a Taylor series in terms of the displacement errors and the ideal spectrum of the antenna. The representation is then assumed to be an actual near field on a regularly spaced error-free spherical grid. The ideal spectrum is given by an infinite series of an error operator acting on data containing errors of measurement. This error operator is the Taylor series without the zeroth-order term. The nth-order approximation to the ideal near field of the antenna can be explicitly constructed by inspection of the error operator. Computer simulations using periodic error functions show that the authors are dealing with a convergent series, and the error-correction technique is highly successful.

100,730

PB92-112283

PC A04/MF A01
National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.

Personal Computer Codes for Analysis of Planar Near Fields.

L. A. Muth, and R. L. Lewis. Jun 91, 64p NISTIR-3970

Sponsored by Air Force Guidance and Metrology Center, Newark AFS, OH.

Keywords: *Antenna radiation patterns, Data management, Personnel computers, Computer applications, Near field, Far field, Metrology, Computation, Subroutines, Fortran, PNFC codes.

Fortran codes were developed for analysis of planar near-field data. The report describes some of the inner workings of the codes, the data management schemes, and the structure of the input/output sections to enable scientists and programmers to use these codes effectively as a research tool in antenna metrology. The open structure of the codes allows a user to incorporate into the package new applications for future use with relative ease. The subroutines currently in existence are briefly described, and a table showing the interdependence among these subroutines is constructed. Some basic research problems, such as transformation of a near field to the far field and correction of probe position errors, are carried out

from start to finish to illustrate use and effectiveness of these codes. Sample outputs are shown. The advantage of a high degree of modularization is demonstrated by the use of DOS batch files to execute FORTRAN modules in a desired sequence.

Circuits

100,731

PB91-148700

Not available NTIS
National Bureau of Standards (NEL), Boulder, CO. Electromagnetic Technology Div.

High Speed Superconducting A/D Converter.

Final rept.

C. A. Hamilton, F. L. Lloyd, and R. L. Kautz. 1984, 4p Contract N00014-83-F-0012

Sponsored by Office of Naval Research, Arlington, VA. Pub. in Proceedings of Government Microcircuit Applications Conference, Las Vegas, NV., November 6-8, 1984, p140-143.

Keywords: *Analog to digital converters, *Superconducting devices, Signal processing, Reprints.

Superconducting electronics has demonstrated impressive performance capabilities for small digital systems and analog signal processing applications. One of the areas where superconductivity offers a unique advantage is in ultra-high speed A/D conversion. The paper describes the operation and current status of a 6-bit, 4 gigasample/second A/D converter which has been developed at NBS.

100,732

PB91-149310

Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Electricity Div.

Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.

Final rept.

T. M. Souders, and G. N. Stenbakken. 1990, 8p
Pub. in Proceedings of International Test Conference, Washington, DC., September 10-14, 1990, p169-176 1990.

Keywords: *Models, *Tests, Analog to digital converters, Optimization, Computer software, Reprints, *Analog devices, *Mixed-signal devices.

An approach is presented for optimizing the testing of analog and mixed-signal devices. The entire process is performed with algebraic operations on an appropriate model. The paper demonstrates how this is accomplished using simple calls with public-domain software. Examples of test results achieved using this approach are included.

100,733

PB91-149401

Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Electricity Div.

Device for Audio-Frequency Power Measurement.

Final rept.

G. Q. Tong, Z. T. Qian, X. Y. Xu, and L. X. Liu. 1990, 5p

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 39, n3 p540-544 Jun 90.

Keywords: *Power measurement, Electric current meters, Voltage measuring instruments, Audio frequencies, Reprints.

A new device for the measurement of audio-frequency power is introduced. The device can also be used to measure audio-frequency voltage and current. The full range of power factors are accommodated ($\cos \theta = 0$ to 1). Voltage and current measuring ranges are 15-600 V and 0.1-10 A, respectively. When $\cos \theta = 1$, the permissible error of the power measurement is from 50 to 150 ppm over the frequency range of 40 Hz to 10 kHz (including the line power frequency).

100,734

PB91-236554

Not available NTIS
National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electricity Div.

Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.

Final rept.

M. E. Cage, D. Y. Yu, B. M. Jeckelmann, R. L. Steiner, and R. V. Duncan. 1991, 5p

See also PB91-101097.

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 40, n2 p262-266 Apr 91.

Keywords: *Electrical resistance, *Multimeters, *Standards, Josephson junctions, Calibration, Resistors, Accuracy, Reprints, *Quantum Hall effect, *Resistance standards, Josephson arrays.

A new generation of digital multimeters was used to compare directly the ratios of the resistances of several wire-wound resistors and a quantized Hall resistor. The accuracies are better than 0.1 ppm for ratios as large as 4:1 if the multimeters are calibrated with a Josephson array.

100,735

PB91-236802

Not available NTIS
National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electricity Div.

RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.

Final rept.

D. X. Huang, J. R. Kinard, and G. Rebuldela. 1991, 6p

See also PB91-101295.

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 40, n2 p360-365 Apr 91.

Keywords: Electric connectors, Transmission lines, Skin effect, Reprints, *Thermal voltage converters, Thermal converters.

The RF-dc differences of thermal voltage converters (TVC's) caused by skin effect and transmission-line effects of different length input structures have been studied. Some discrepancies do exist between simple mathematical models and measured results for commonly used input connectors. The paper reports a study of these discrepancies and some worst-case results of changes in RF-dc difference due to connection and disconnection of TVC's.

100,736

PB91-236810

Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Excess Low-Frequency Flux Noise in dc Squids Incorporating Nb/Al-Oxide/Nb Josephson Junctions.

Final rept.

M. E. Huber, and M. W. Cromar. 1990, 2p
Pub. in Physica B 165-166, p77-78 1990.

Keywords: *SQUID devices, Electromagnetic noise, Josephson junctions, Direct current, Low frequency, Aluminum oxide, Niobium, Reprints, SIS(Superconductors).

The authors have fabricated thin-film dc SQUIDS (Superconducting QUantum Interference Devices) incorporating Nb/Al-Oxide/Nb tunnel junctions. The spectral density of the voltage noise, $S(v)$, of stripline SQUIDS is characterized between 1 Hz and 2000 Hz. In this frequency range, $S(v)$ is proportional to the square of the responsivity over a significant range of bias conditions with an unusual frequency dependence. In a 7 pH SQUID, the spectral density of the flux noise, $S(\phi)$ at 1 Hz is less than 10 to the -11 power ($\Phi(0)$ squared/Hz where $\Phi(0)$ is identically $= h/2e$). The observed noise does not appear to be environmental; also, it is independent of the value of the junction shunt resistance and whether the stripline material is a Pb-in alloy or Nb. Subject to the constraint of a constant product of the junction area, critical current density, and SQUID self-inductance in the SQUIDS studied, $S(\phi)$ is inversely proportional to the junction area.

100,737

PB91-236893

Not available NTIS
National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electricity Div.

AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations.

Final rept.

J. R. Kinard, T. E. Lipe, and C. B. Childers. 1991, 4p
See also PB91-101378.

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 40, n2 p352-355 Apr 91.

Keywords: Alternating current, Direct current, Mutual inductance, Electrical measurement, Electric converters, Reprints, *Thermal converters, Current shunts, Thermal voltage converters, Thermal current converters.

The paper describes the relationship between the overall ac-dc difference of a current-shunt/thermal-converter combination and the individual characteristics of the current shunt and thermal converter (TC) considered separately. Equations governing these characteristics are derived for the general case where the characteristics include mutual inductance between the shunt and the TC circuits, and for the simplified case such as the replacement of just a thermoelement (TE) within the TC, where the change in mutual inductance is negligible. Predicted and measured results are given for shunts used with different TC's.

100,738
PB91-237107 Not available NTIS
National Inst. of Standards and Technology (EEL),
Gaithersburg, MD. Electricity Div.

New Low-Voltage Standards in the DC to 1-MHz Frequency Range.

Final rept.
N. M. Oldham, and R. M. Henderson. 1991, 5p
See also PB91-101493.

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 40, n2 p368-372 Apr 91.

Keywords: *Standards, Electrical measurement, Audio frequencies, Radio frequencies, Low voltage, Potentiometers (Resistors), Electric potential, Dividers, Reprints, *Voltage standards, Thermal voltage converters, Thermal converters.

Two new instruments for generating and measuring 1-200-mV signals have been developed and used to test a number of different low-voltage measurement techniques. Differences between the various measurement methods at 100 mV are typically within + or - 20 ppm in the 1-20 kHz range and within + or - 300 ppm out to 1 MHz.

100,739
PB91-237446 Not available NTIS
National Inst. of Standards and Technology (EEL),
Gaithersburg, MD. Electricity Div.

Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.

Final rept.
R. L. Steiner, and R. J. Astalos. 1991, 5p
See also PB91-101592.

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 40, n2 p321-325 Apr 91.

Keywords: *Calibration, *Standards, Josephson junctions, Direct current, Digital systems, Automation, Voltmeters, Reprints, *Voltage standards, Josephson arrays.

A voltage standard system based on a 10-V Josephson array have been completely automated with three novel developments. First, a unique way of connecting Zener voltage standards, a digital voltmeter (DVM), and the array to a commercial standard cell scanner has provided necessary switching flexibility. Second, using a programmable millimeter wave attenuator has greatly simplified the selection of voltage steps. Third and last, programmed error checking, which verifies array steps by comparing measurement scatter to previously characterized system noise levels, has proven more reliable than visual observation. The operation of this new system is simplified enough for an inexperienced user while the calibration uncertainty (1 sigma) is still a few parts in 100 million.

100,740
PB91-237586 Not available NTIS
National Inst. of Standards and Technology (PL),
Gaithersburg, MD. Physics Lab. Office.

New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.

Final rept.
B. N. Taylor, and T. J. Witt. 1989, 16p
Sponsored by Bureau International des Poids et Mesures, Sevres (France).
Pub. in Metrologia 26, n1 p47-62 1989.

Keywords: *Electrical resistance, *Voltage, *Standards, Josephson effect, International, Reprints, *Resistance standards, *Voltage standards, Quantum Hall effect, Ohm, Volt.

The authors discuss the background and basis for the new international electrical reference standards of voltage and resistance that are to come into effect worldwide, starting on 1st January 1990. Founded on the Josephson and Quantum Hall effects, respectively, these new reference standards will improve significantly the international uniformity of electrical measurements and their consistency with the SI.

100,741
PB92-117076 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Electricity Div.

Need for Power Quality Testing Standards.

Final rept.
F. D. Martzloff. 1990, 2p
Pub. in Proceedings of National Conference Power Quality for End-Use Applications (2nd), San Francisco, CA., March 21-23, 1990, p171-172.

Keywords: *Power supply circuits, *Standards, *Quality, *Surges, Voltage regulation, Power measurement, Electronic equipment, Power, Voltage regulators, Overvoltage, Overcurrent, Reprints.

The quality of the power supplied to sensitive electronic equipment is an important issue. Quantifying this quality, however, is difficult under the present state of nonexistent or uncoordinated standards. Improvements in the situation described as poor power quality can be achieved by reducing the sensitivity of equipment to power line disturbances, or by limiting the injection of disturbances. While these remedies might seem obvious in principle, their implementation appears more difficult. Voluntary standards provide a guide for such an implementation. The formation by IEEE of a Standards Coordinating Committee on Power Quality responds to the need.

100,742
PB92-117431 Not available NTIS
National Inst. of Standards and Technology (EEL),
Gaithersburg, MD. Electricity Div.

Performance Evaluation of a New Audio-Frequency Power Bridge.

Final rept.
B. C. Waltrip, and N. M. Oldham. 1991, 4p
See also PB91-101634.
Pub. in IEEE (Institute for Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 40, n2 p380-383 Apr 91.

Keywords: *Electric bridges, Electrical measurement, Alternating current, Audio frequencies, Power factor, Electrical impedance, Performance evaluation, Wattmeters, Reprints.

Several techniques for measuring active and reactive power in the 50 Hz to 20 kHz frequency range are described. The approaches include: (1) the development of a high-precision sampling wattmeter using a resistive attenuator, a shunt, and two commercially available sampling voltmeters configured as a dual-channel equivalent-time sampler; (2) the development of another high-precision sampling wattmeter using the same shunt and attenuator, a high-impedance, wide-band differential amplifier, and a commercially available, dual-channel, direct-sampling waveform analyzer; (3) for zero power factor measurements, the use of a digital generator to produce precise phase shifts from + pi/2 to pi/2; and (4) the use of simultaneous thermal voltage and current measurements for unity power factor measurements. These approaches were developed to evaluate a new high-accuracy, audio-frequency power bridge that is based on ac voltage and impedance measurements.

Electromechanical Devices

100,743
PB91-236620 Not available NTIS
National Inst. of Standards and Technology (EEL),
Boulder, CO. Electromagnetic Fields Div.

Determining Adapter Efficiency by Envelope Averaging Swept Frequency Reflection Data.

Final rept.
W. C. Daywitt. 1990, 5p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Microwave Theory and Techniques 38, n11 p1748-1752 Nov 90.

Keywords: *Adapters, Electric connectors, Microwave equipment, Millimeter waves, Metrology, Efficiency, Reprints, Automated network analyzers.

A simple automated network analyzer swept frequency technique for measuring adapter efficiency across its entire frequency band is described. Envelope averaging is used to avoid the model assumptions usually found in regression averaging techniques. Calculations show that errors arising from the theoretical assumptions leading to the technique are around 0.004 dB for a common WR 42 waveguide-to-coaxial adapter.

Optoelectronic Devices & Systems

100,744
AD-A227 836/4 PC A01/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.

W. Braun, R. Klein, A. Fahr, and A. Mele. 1990, 4p
ARO-25911.3-CH.
Contract MIPR-ARO-119-89
Pub. in Review of Scientific Instruments, v61 n5
p1558-1560 May 90.

Keywords: *Housings, Operation, Photometry, *Photomultiplier tubes, Reprints, Sides, Tubes, Vacuum, Vacuum ultraviolet radiation.

A design for the mounting of a side-on tube such as the 1P28 type which has proven simple to construct, reliable, and evacuable is described. Keywords: Reprints; Housing; Photomultiplier; Vacuum Ultraviolet; photometry; design. (jhd)

100,745
PB91-134734 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO.
Electromagnetic Technology Div.

Progress in the Development of Miniature Optical Fiber Current Sensors.

Final rept.
D. Tang, and G. W. Day. 1988, 1p
Sponsored by Defense Nuclear Agency, Washington, DC., and Los Alamos National Lab., NM.
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) Lasers and Electro-Optics Society 1988 LEOS Annual Meeting, Santa Clara, CA., November 2-4, 1988, p306.

Keywords: *Electric current meters, *Fiber optics, Faraday effect, Birefringence, Optical measuring instruments, Reprints, *Optoelectronic devices, *Optical fibers, Sensors.

Recent improvements in fiber annealing technology have allowed the authors to substantially reduce the size and increase the number of turns of fiber current sensing coils. Coils as small as 7 mm diameter have been successfully annealed. Coils with more than 100 turns and diameters of 1 or 3 cm are routinely produced. The linear birefringence of such coils is small enough that Faraday rotation is not measurably diminished. Increased loss as a result of annealing is minimal.

100,746
PB91-134742 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Technology Div.

Practical Considerations in the Design of Optical Fiber Current Sensors.

Final rept.
D. Tang, A. H. Rose, and G. W. Day. 1990, 6p
Sponsored by National Aeronautics and Space Administration, Washington, DC., Department of Defense, Washington, DC., and Department of Energy, Washington, DC.

ELECTROTECHNOLOGY

Optoelectronic Devices & Systems

Pub. in Proceedings of International Congress on Optical Science and Engineering, The Hague, Netherlands, March 12-15, 1990, 6p.

Keywords: *Electric current meters, *Fiber optics, Optical measuring instruments, Birefringence, Reprints, *Optoelectronic devices, *Optical fibers, Sensors.

While current sensors based on the Faraday effect in bulk materials have shown good success in field tests, the use of single mode fiber as the sensing element has both technical and economic advantages. In the paper the authors describe some of the practical problems that have inhibited the development of fiber current sensors. Recent research suggests that most of these problems, including especially the problem of linear birefringence in the sensing coils, can be solved. Instruments providing a measurement quality approaching that set by fundamental material parameters can now be achieved.

100,747

PB91-148254 Not available NTIS
National Bureau of Standards (ICST), Gaithersburg, MD. Advanced Systems Div.

Conformance Verification of FDDI Stations.
Final rept.

L. Zuqiu, and W. E. Burr. 1988, 15p
Pub. in Fiber and Integrated Optics 7, n3 p181-195 1988.

Keywords: *Local area networks, Fiber optics, Verification, Standards, Tests, Reprints, *FDDI(Fiber Distributed Data Interface), *Fiber distributed data interface, *Token ring networks.

The Fiber Distributed Data Interface (FDDI) is an emerging standard for a 100 Mbit/s. fiber optic token ring Local Area Network. The paper outlines an approach to testing FDDI stations to verify their conformance to the FDDI standards.

100,748

PB91-148999 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.

Final rept.
M. Parameswaran, A. M. Robinson, D. L. Blackburn, M. Gaitan, and J. Geist. 1991, 3p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Electron Device Letters 12, n2 p57-59 Feb 91.

Keywords: *Infrared sources, *Thermal radiation, CMOS, Reprints, Thermal scene simulation.

Fabrication of thermally isolated micromechanical structures capable of generating thermal radiation for dynamic thermal scene simulation (DTSS) is described. Complete compatibility with a commercial CMOS process is achieved through design of a novel, but acceptable, layout for implementation by the CMOS foundry using its regular process sequence. Following commercial production and delivery of the CMOS chips, a single maskless etch in an aqueous ethylenediamine-pyrocatechol mixture (EDP) is performed to realize the micromechanical structures. The resulting structures are suspended plates consisting of polysilicon resistors encapsulated in the field and CVD oxides available in the CMOS process. The plates are suspended by aluminum heater leads that are also encapsulated in the field and CVD oxides. Studies of the suitability of these structures for DTSS have been initiated, and early favorable results are reported.

100,749

PB91-149146 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Performance and Limitations of Faraday Effect Sensors.

Final rept.
A. H. Rose, M. N. Deeter, D. Tang, and G. W. Day. 1990, 1p
Sponsored by Department of Energy, Washington, DC., and Department of Defense, Washington, DC.
Pub. in Proceedings of Electrochemical Society Fall Meeting, Seattle, WA., October 14-19, 1990, p1093.

Keywords: *Optical measuring instruments, *Electric current meters, *Magnetic fields, *Faraday effect, Measurement, Sensors, Reprints.

Sensors that use the Faraday effect to measure electric current and magnetic fields are becoming more

prevalent because of their sensitivity, bandwidth, stability, and ability to operate in the presence of high voltage or EMI. They are now routinely used to measure large current pulses and are becoming available to the power industry. They can measure currents from milliamperes to megamperes and magnetic fields in the nanotesla range. Their size has been reduced and stability increased. Their speed is limited by material effects or transit time, but often extends to hundreds of megahertz.

100,750

PB91-162206 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.

Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.

Final rept.
K. D. Masterson, L. D. Driver, and M. Kanda. 1989, 6p
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) National Symposium on Electromagnetic Compatibility, Denver, CO., May 23-25, 1989, p1-6.

Keywords: *Photonics, Electromagnetic fields, Directional couplers, Pockels cell, Fiber optics, Sensors, Reprints, *Electric field meters, Optical modulators.

The characteristics of photonic systems which make them especially well suited for use as broadband electromagnetic field sensors are discussed. Transfer functions are given for the individual components of such a measurement system, with special emphasis given to those of Pockels-cell and modified-directional-coupler optical modulators. An isotropic electric-field meter having 15 cm resistively tapered dipole elements combined with bulk crystal, Pockels-cell modulators is described. The meter's frequency response is flat between 30 kHz and 100 MHz, except for resonances in the modulator crystals that occur between 1 and 10 MHz. A photonic probe that uses a modified directional-coupler modulator is also briefly described.

100,751

PB91-174615 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field.

Final rept.
M. N. Deeter, A. H. Rose, and G. W. Day. 1990, 4p
Pub. in Proceedings of Optical Fibre Sensors Conference, Sydney, New South Wales, Australia, December 2-6, 1990, p341-344.

Keywords: *Magnetic detection, *Fiber optics, Yttrium iron garnets, Faraday effect, Magnetic fields, Magneto-optics, Substitutes, Gallium, Sensors, Reprints.

The sensitivity of Faraday-effect sensors incorporating diamagnetically substituted yttrium iron garnet (YIG) is potentially much higher than of sensors employing pure YIG. Results of Faraday rotation linearity and sensitivity measurements are presented for gallium-substituted YIG. At 500 Hz, the noise-equivalent magnetic field is approximately 100 pT/square root of Hz.

100,752

PB91-174706 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Radiometric Physics Div.

Electronic and Radiometric Characteristics of Near Infrared Photodiodes.

Final rept.
G. Eppeldauer, M. Tsudagawa, E. Zalewski, and J. Houston. 1987, 10p
Pub. in Proceedings of International Symposium on Tech. Comm. Photon Detect., Int. Meas. Confed., v13 p215-224 1987.

Keywords: *Photodiodes, *Radiometry, Near infrared radiation, Quantum efficiency, Indium phosphides, Reprints, Gallium indium arsenides.

Three different types of infrared photodiodes from three manufacturers have been examined for their electronic and radiometric performance. Measurements were made of the shunt resistance, absolute response, reflectance, uniformity and linearity. The results of these measurements are presented in a manner that selects the best device for radiometric applications. From the limited sampling of devices available at the time of the study, InGaAs/InP photodiodes appear to be the most suitable. They have a very high internal quantum efficiency, are linear and reasonably

uniform, and may be expected to perform well in high gain applications. Their high internal quantum efficiency can be interpreted as indicating that they may be suitable for self-calibration in a manner resembling silicon photodiodes.

100,753

PB91-175109 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.

Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.

Final rept.
D. Tang, A. H. Rose, and G. W. Day. 1990, 4p
Pub. in Proceedings of Optical Fibre Sensors Conference (7th), Sydney, New South Wales, Australia, December 2-6, 1990, p77-80.

Keywords: *Electric current meters, *Optical fibers, Thermal stability, Faraday effect, Sensors, Reprints.

The authors describe an optical fiber current sensor with a normalized temperature coefficient of $+0.000084/K$ over the range from -75 to $+145C$. This is within 20% of the limit set by the temperature dependence of the Verdet constant measured in bulk silica. Packaging of the sensor coil degrades its stability, but a fully packaged coil with a stability of $+0.00017/K$ over the range from -30 to $+125C$ has also been demonstrated.

100,754

PB91-175158 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.

Final rept.
L. R. Veaser, and G. W. Day. 1990, 189p
Pub. in Proceedings of Optical Fibre Sensors Conference (7th), Sydney, New South Wales, Australia, December 2-6, 1990, p325-328.

Keywords: *Optical measuring instruments, *Electric current meters, *Fiber optics, Optical interferometers, Sagnac effect, Faraday effect, Sensors, Reprints, Optical couplers.

The authors demonstrate a fiber optic current sensor based on a Sagnac interferometer with a 3x3 fiber coupler. Compared to the more common Sagnac interferometer with a 2x2 coupler, the design offers the additional benefits of a greater response for small signals and the unambiguous interpretation of signals that exceed the period of the response function.

100,755

PB91-187625 (Order as PB91-187617, PC A06/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.

Linearity of a Silicon Photodiode at 30 MHz and Its Effect on Heterodyne Measurements.

A. L. Migdal, and C. Winnewisser. 1991, 4p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n2 p143-146 Mar/Apr 91.

Keywords: *Photodiodes, Si semiconductor detectors, Silicon diodes, Light modulation, Laser radiation, High frequency, Heterodyning, Irradiance, Linearity.

The effect of optical irradiance on the linearity of a Si photodiode was studied. These results are compared for light modulated at 30 MHz and at dc as the optical irradiance was varied over a 9 decade range. The authors discuss how these results affect the use of the detector as a heterodyne receiver. As the optical irradiance varied from 0.01 to 1000 mW/sq cm, while maintaining constant total power, the photocurrent was constant to about 1%, but as the power density increased further, the photocurrent increased about 13%. At the highest densities that the authors could achieve, about 60 million mW/sq cm, there was only slight evidence of the onset of saturation. These results are of importance in the work to use optical heterodyne detection to measure filter transmittances over a wide dynamic range. The results provide guidelines for achieving maximum accuracy when using this particular diode as an optical heterodyne receiver.

100,756

PB91-194845 Not available NTIS

National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides.
 Final rept.

D. R. Larson, and R. J. Phelan. 1990, 3p
 Pub. in Optics Letters 15, n10 p544-546, 15 May 90.

Keywords: *Ge semiconductor detectors, *Photodetectors, Amorphous materials, Integrated optics, Lithium niobates, Picosecond pulses, Substrates, Glass, Doped materials, Phosphorus, Reprints.

The authors have fabricated hydrogenated amorphous germanium photodetectors coupled to channel waveguides in glass and lithium niobate substrates. They measured a pulse response duration of 140 psec (FWHM), which is shorter than that of any previously reported photodetectors deposited onto dielectric waveguides. The optical gap, which determines the spectral response characteristics, is approximately 1.2 eV. A photoconductive gain of 18 was measured in phosphorus-doped detectors.

100,757

PB91-203349 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Radiation Physics Div.

Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications.

Final rept.
 R. Korde, L. R. Canfield, and B. Wallis. 1988, 8p
 Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) Ultraviolet Technology II, Orlando, FL, April 4-5, 1988, p153-160.

Keywords: *Ultraviolet detectors, *Photodiodes, Vacuum ultraviolet radiation, Silicon diodes, Quantum efficiency, Radiometry, Standards, Reprints.

Silicon photodiodes have been developed by defect-free phosphorus diffusion having practically no carrier recombination at the Si-SiO₂ interface or in the front diffused region. The quantum efficiency of these photodiodes was found to be around 120% at 100 nm. Unlike the previously tested silicon photodiodes, the developed photodiodes exhibit extremely stable quantum efficiency over extended periods of time. Currently, the authors are investigating the possibility of using these photodiodes as vacuum ultraviolet detector standards.

100,758

PB91-203976 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Integrated-Optic Waveguide Glass Lasers.

Final rept.
 N. A. Sanford, K. J. Malone, and D. R. Larson. 1991, 1p
 Pub. in Proceedings of Optical Fiber Communication Conference, San Diego, CA., February 18-22, 1991, p27.

Keywords: *Integrated optics, *Waveguide lasers, Mode locked lasers, Q switched lasers, Glass lasers, Rare earth elements, Doped materials, Chemical vapor deposition, Reprints.

Rare-earth-doped integrated-optic waveguide devices offer new miniaturized cw and pulsed lasers, amplifiers, and other active elements. Fabrication methods which use bulk glasses as well as chemical-vapor deposition techniques are being explored.

100,759

PB91-204131 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods.

Final rept.
 Y. Tu, I. C. Goyal, and R. L. Gallawa. 1990, 3p
 Pub. in Applied Optics 29, n36, p5313-5315, 20 Dec 90.

Keywords: *Optical waveguides, *Integrated optics, WKB approximation, Fourier series, Numerical analysis, Comparison, Reprints.

The authors present a comparison of two recently developed methods of analyzing optical waveguides. One of them is numerical, and the other is an approximate analytical method.

100,760

PB91-236901 Not available NTIS

National Inst. of Standards and Technology (EEL), Gaithersburg, MD. Semiconductor Electronics Div.

Generalized Photodiode Self-Calibration Formula.

Final rept.
 R. Kohler, J. Geist, and J. Bonhoure. 1991, 3p
 Pub. in Applied Optics 30, n7 p884-886, 1 Mar 91.

Keywords: *Photodiodes, *Calibration, Quantum efficiency, Silicon diodes, Reprints, Self calibration, Oxide bias experiment, Reverse bias experiment.

The authors have derived the photodiode self-calibration formula for calculating the internal quantum efficiency of silicon photodiodes from the results of one, two, or three independent self-calibration experiments and from the results of oxide bias and reverse bias experiments in conjunction with a calculation of the effect of Auger recombination. They show that the formula published elsewhere for these three effects is not correct.

100,761

PB91-237792 Not available NTIS
 National Inst. of Standards and Technology (EEL), Gaithersburg, MD. Electronics and Electrical Engineering Lab. Office.

Dealing with Obvious Issues in Lighting.

Final rept.
 J. A. Worthey. 1991, 4p
 Pub. in Lighting Design and Application 21, n8 p15, 17-19, Aug 91.

Keywords: *Illuminating, *Daylighting, Research management, Design criteria, Luminance, Light sources, Lighting systems, Color, Reprints.

An early 'controlled study' of lighting effects is reviewed. Although the authors did not present it in that way, the study controlled for most obvious differences between two light sources, then looked for possible effects of more subtle physical differences. The outcome was null -- no difference in the light sources. The suggestion is made that while subtle differences may be easier to study in a simple experiment, obvious differences may be more important. To deal with obvious facts, an approach involving more theory and calculation is appropriate.

100,762

PB92-110261 PC A05/MF A02
 National Inst. of Standards and Technology, Gaithersburg, MD.

Journal of Research of the National Institute of Standards and Technology. July-August 1991. Volume 96, Number 4.

c1991, 100p
 Also available from Supt. of Docs as SN703-027-0041-5. See also PB92-110279 through PB92-110311 and PB91-216705. Library of Congress catalog card no. 89-656121.

Keywords: *Photodiodes, *Computerized simulation, Antenna radiation patterns, Building fires, Room fires.

Contents:

- General Analytic Correction for Probe-Position Errors in Spherical Near-Field Measurements;
- Data for Room Fire Model Comparisons;
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications--Part I. Simulation Programs;
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications--Part II. Interpreting Oxide-Bias Experiments;
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications--Part III. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.

100,763

PB92-110295 (Order as PB92-110261, PC A05/MF A01)
 National Inst. of Standards and Technology, Gaithersburg, MD.

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs.

J. Geist, D. Chandler-Horowitz, A. M. Robinson, and C. R. James. c1991, 7p
 Prepared in cooperation with Alberta Univ., Edmonton. Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n4 p463-469 Jul/Aug 91.

Keywords: *Photodiodes, *Computerized simulation, Mathematical models, Silicon diodes, Quantum effi-

ciency, One dimensional, Accuracy, PC-1D computer program.

The suitability of the semiconductor-device modeling program PC-1D for high-accuracy simulation of silicon photodiodes is discussed. A set of user interface programs optimized to support high-accuracy batch-mode operation of PC-1D for modeling the internal quantum efficiency of photodiodes is also described. The optimization includes correction for the dark current under reverse- and forward-bias conditions before calculating the quantum efficiency, and easy access to the highest numerical accuracy available from PC-1D, neither of which is conveniently available with PC-1D's standard user interface.

100,764

PB92-110303 (Order as PB92-110261, PC A05/MF 01)
 National Inst. of Standards and Technology, Gaithersburg, MD.

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments.

J. Geist, R. Koehler, R. Goebel, A. M. Robinson, and C. R. James. c1991, 9p
 Prepared in cooperation with Bureau International des Poids et Mesures, Sevres (France), and Alberta Univ., Edmonton.

Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n4 p471-479 Jul/Aug 91.

Keywords: *Photodiodes, *Computerized simulation, Silicon diodes, Quantum efficiency, Mathematical models, Numerical solution, Visible radiation, PC-1D computer program, Oxide bias experiments.

The semiconductor device modeling program PC-1D and the programs that support its use in high-accuracy modeling of photodiodes, all of which were described in Part I of the series of papers, are used to simulate oxide-bias self-calibration experiments on three different types of silicon photodiodes. It is shown that these simulations can be used to determine photodiode characteristics, including the internal quantum efficiency for the different types of photodiodes. In the latter case, the simulations provide more accurate values than can be determined by using the conventional data reduction procedure, and an uncertainty estimate can be derived. Finally, it is shown that 0.9997 ± 0.0001 is a nominal value for the internal quantum efficiency of one type of photodiode over the 440 to 460 nm spectral region.

100,765

PB92-110311 (Order as PB92-110261, PC A05/MF A01)
 National Inst. of Standards and Technology, Gaithersburg, MD.

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.

J. Geist, A. M. Robinson, and C. R. James. c1991, 12p
 Prepared in cooperation with Alberta Univ., Edmonton. Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n4 p481-492 Jul/Aug 91.

Keywords: *Photodiodes, *Computerized simulation, Silicon diodes, Mathematical models, Quantum efficiency, Visible radiation, Near infrared radiation, Interpolation, Extrapolation, PC-1D computer program.

The semiconductor device modeling program PC-1D and the programs that support its use in high-accuracy modeling of photodiodes, all of which were described in Part I of the series of papers, are used to simulate the interpolation of high-accuracy calibrations in the spectral region between 450 nm and 850 nm. Conventional interpolation formulae that depend only upon wavelength are derived. Uncertainty spectra for a number of sources of error are also derived. The formulae are normalized to experimental internal-quantum efficiency calibrations in the 440 to 470 nm spectral region and at 860 nm and are used to interpolate the calibration values between these wavelengths. The results of the interpolations are compared with experimental calibration data that are available at a few wavelengths between 440 and 860 nm.

100,766

PB92-112382 PC A05/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD.
HgCdTe Detector Reliability Study for the GOES Program.

D. G. Seiler, G. G. Harman, J. R. Lowney, S. Mayo, and W. S. Liggett. Sep 91, 100p NISTIR-4687
Sponsored by National Oceanic and Atmospheric Administration, Rockville, MD.

Keywords: *GOES satellites, *Infrared detectors, Intermediate infrared radiation, Mercury cadmium tellurides, Satellite-borne instruments, Reliability(Electronics), Degradation.

The report summarizes the results of a special assessment concerning the reliability of certain infrared detectors for the Geostationary Operational Environmental Satellite (GOES) system. The data made available by ITT on detector resistances and signals support the conclusion that degradation of some detector responses has occurred, even when the estimated measurement uncertainty is included. Statistical analysis of the 11-micrometer detectors confirmed that detector 11-105 decreased in signal with time. The existing data available to NIST is not sufficient to identify uniquely the cause of degradation or unstable behavior present in a number of detectors. NIST's physical examination of several detectors by optical and SEM microscopy methods and an examination and analysis of the Detector Measurement Database has yielded several plausible possible mechanisms for the observed degradation. The possible mechanisms are related to the detector fabrication or processing steps and include: Incomplete or poor passivation procedures, excess mercury diffusion resulting from the ion-beam milling fabrication step, poor indium electrical contacts produced by the indium-plated fabrication step, and delamination of the ZnS antireflection optical coating. Other observed problems are also discussed.

100,767

PB92-116763 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Radiometric Physics Div.
Temperature Monitored/Controlled Silicon Photodiodes for Standardization.

Final rept.
G. Eppeldauer. 1991, 7p
Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - Surveillance Technologies, v1479 p71-77 1991.

Keywords: *Photometers, *Radiometers, Silicon diodes, Temperature measurement, Temperature control, Standardization, Photodiodes, Correction, Reprints.

Two alternative approaches to reducing errors in radiometers and photometers caused by temperature variations involve temperature monitoring and temperature control. In the first method, the measurement results are interpreted using the temperature of the detector at the time of measurement. The other method is to control the temperature of the detector to a constant value. Design considerations and examples of both approaches are discussed.

100,768

PB92-116771 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Radiometric Physics Div.

Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.

Final rept.
G. Eppeldauer, and J. E. Hardis. 1991, 9p
Pub. in Applied Optics 30, n22 p3091-3099, 1 Aug 91.

Keywords: *Optical detectors, *Photodiodes, *Photocurrents, Electrical measurement, Silicon diodes, Room temperature, Radiometry, Bandwidth, Sensitivity, Reprints.

Recent improvements in commercial silicon photodiodes and operational amplifiers permit electrical noise to be reduced to an equivalent of 0.1 fA of photocurrent when a measurement time of 400 s is used. This is equivalent to a photocurrent resulting from fewer than 800 photons/s, and it implies a dynamic range of 14 orders of magnitude for a detector circuit. The authors explain the circuit theory, paying particular attention to the measurement bandwidth, the causes of noise and drift, and the proper selection of circuit

components. These optical radiation detectors complement the primary radiometric standards. These detectors may replace photomultiplier tubes that have been used traditionally and or that were too costly to be used.

Power & Signal Transmission Devices

100,769

PB91-133892 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

AC Loss Measurements of Two Multifilamentary NbTi Composite Strands.

Final rept.
E. W. Collings, K. R. Marken, M. D. Sumpson, R. B. Goldfarb, and R. J. Loughran. 1990, 8p
See also DE90005388. Sponsored by Department of Energy, Washington, DC. Div. of High Energy Physics. Pub. in Advances in Cryogenic Engineering (Materials) 36, p169-176 1990.

Keywords: Filament winding, Magnetization, Hysteresis, Reprints, *Superconducting wires, *AC losses, Niobium titanium.

As part of an interlaboratory comparative testing program conducted in support of the Versailles Agreement on Advanced Materials and Standards (VAMAS), transverse-field DC hysteresis loss measurements were made at liquid-helium temperatures at fields of up to 3 T (30 kG) on two samples of multifilamentary NbTi composite. The strands differed widely in filament number, were comparable in filament diameter, and one of them was provided with a Cu-Ni barrier between the filaments. The results have been analyzed, and magnetically deduced critical current density values obtained (for comparison with directly measured transport data) using various standard techniques. Based on these studies, a figure-of-merit for AC loss is recommended. The Cu-matrix strand, with its interfilamentary spacing of less than 1 micrometer, exhibited pronounced proximity-effect-induced coupling losses; this was not observed in the mixed-matrix strand which possessed not only a Cu-Ni barrier but also an interfilamentary spacing of typically 4 micrometers.

100,770

PB91-134114 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.

Determination of Scattering Parameters with Respect to the Characteristic Impedance of Precision Coaxial Air-Line Standards.

Final rept.
D. R. Hilt. 1990, 2p
Pub. in Proceedings of Conference on Precision Electromagnetic Measurements (CPEM 90), Ottawa, Canada, June 11-14, 1990, p282-283.

Keywords: *Coaxial cables, Characteristic impedance, Skin effect, Surface roughness, Scattering, Standards, Reprints.

Scattering parameter expressions with respect to the characteristic impedances in correspondence to the principal mode are developed for the coaxial air-line standard. Dimensional variations of the inner and outer conductors and skin effect loss are included in the model. The local characteristic impedance, which is found from the stored energy principle, is derived from the forward and backward voltage and current waves of the principal mode. Four sources of error for absolute value of S (sub 11) are discussed.

100,771

PB91-134650 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Electricity Div.

Partial Discharges in Low Voltage Cables.

Final rept.
J. P. Steiner, and F. D. Martzloff. 1990, 4p
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) International Symposium on Electrical Insulation, Toronto, Canada, June 3-6, 1990, p149-152.

Keywords: *Electrical insulation, *Electric discharges, Signal processing, Reprints, *Electric cables, Low voltage, Test methods.

Testing of high voltage apparatus for partial discharges has long been recognized as an important

part of quality control for these devices. Recently, interest has been focused on methods for testing low voltage cables to determine their integrity under adverse operating conditions such as a loss of coolant accident. A new method using partial discharges, is presented which has the potential for locating breaches in the insulation of in situ, low voltage, multi-conductor cables.

100,772

PB91-134759 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Magnetoresistance of Multifilament Al/Al-Alloy Conductors.

Final rept.
C. A. Thompson, and F. R. Fickett. 1990, 7p
Pub. in Advances in Cryogenic Engineering Materials, v36 p663-669 1990.

Keywords: *Electric conductors, Aluminum alloys, Reprints, *Magnetoresistance, Multifilaments.

Previously the authors have shown that composite monofilament conductors consisting of very pure aluminum confined in an Al-Fe-Ce alloy sheath show an anomalously high magnetoresistance compared to pure aluminum. Some monofilament conductors showed values of Delta R/R in excess of 50 at 4 K in fields of 10 T, whereas pure aluminum values are usually an order of magnitude smaller. Concerns that similar anomalous behavior might occur in multifilament wires of the same materials prompted this study. Multifilamentary conductors with pure aluminum filaments contained in an Al-Fe-Ce matrix have been investigated.

100,773

PB91-161943 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Proceedings of Cable '89 Workshop.

Final rept.
M. G. Broadhurst, and E. Kelly. 1990, 119p
Pub. in Proceedings of JICABLE/EPRI/CEA Workshop 'Cable 89' The Aging of Extruded Dielectric Cables, St. Petersburg, FL., November 2-3, 1990, 119p.

Keywords: *Meetings, *Polymers, *Electric cables, *Dielectric materials, Power lines, Extrusion, Aging tests, Maintenance, Performance prediction, Accelerated tests, Electrical insulators, Reprints.

The report presents the proceedings of the workshop 'Cable 89' on The Aging of Extruded Dielectric Cables. The workshop was held in St. Petersburg, FL on November 2-3, 1989. The sponsoring organizations are The Electric Power Research Institute (US), the Canadian Electric Association and JICABLE (France). Attendance at the workshop was by invitation only, and attendees included 60 representatives of universities, research organizations, electric utilities, and manufacturers of insulating polymers and power cables, from eight countries. The workshop was created as a forum for world experts to relate and compare their service experiences, theoretical, fundamental and experimental studies, and test results on the topic of aging of solid dielectric cables. The overall topic included materials aging, cable and accessories aging, diagnostic tests, accelerated aging and service experiences and conditions. The first half day of the workshop featured six overview presentations by international experts. The presentations and the brief discussions that followed each presentation are included in the report. The second half day was devoted to discussions within three separate working groups dealing with the three topic areas: materials, cables, and accelerated tests. Reports from the three working groups were given on the third half day, and are included in the report with the general discussions that followed each one.

100,774

PB91-236752 Not available NTIS
National Inst. of Standards and Technology (ESEL), Boulder, CO. Electromagnetic Technology Div.

Methods of Analyzing Planar Optical Waveguides.

Final rept.
I. C. Goyal, R. L. Gallawa, and A. K. Ghatak. 1991, 3p
Pub. in Optic Letters 16, n1 p30-32, 1 Jan 91.

Keywords: *Optical waveguides, *Optical fibers, *Fiber optics, Wave equations, Integrated optics, WKB approximation, Reprints.

The authors present a new approximate solution of the scalar-wave equation for planar optical waveguides with arbitrary refractive-index profiles. Test calculations are done for an index profile with a known solution. The comparison demonstrates the accuracy of their method. The method may also be applied to circularly symmetric optical fibers.

100,775
PB91-236992 Not available NTIS
 National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.
Characteristic Impedance Determination Using Propagation Constant Measurement.
 Final rept.
 R. Marks, and D. Williams. 1991, 3p
 Pub. in IEEE (Institute of Electrical and Electronics Engineers) Microwave and Guided Wave Letters 1, n6 p141-143 Jun 91.

Keywords: *Transmission lines, *Characteristic impedance, Electrical conductivity, Electrical measurement, Reprints, Microwave monolithic integrated circuits, Coplanar waveguides.

A method is demonstrated where by the characteristic impedance of transmission lines may be easily determined from a measurement of the propagation constant. The method is based on a rigorous analysis using realistic approximations to account for the effects of imperfect conductors. Numerical studies indicate that high accuracy is possible, and experiments using coplanar waveguide demonstrate the advantage of the method in the interpretation of S-parameters.

100,776
PB92-116656 Not available NTIS
 National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.
Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
 Final rept.
 M. L. Crawford, and J. M. Ladbury. 1989, 7p
 See also PB89-149264.
 Pub. in Connection Technology 5, n6 p45-51 Jun 89.

Keywords: *Electromagnetic shielding, *Electric connectors, *Electric cables, Communication cables, Ultra-high frequency, Superhigh frequency, Electrical measurement, Recommendations, Reprints, Mode stirred method.

The mode-stirred method for measuring the shielding effectiveness (SE) of cables and connectors as specified in MIL-STD-1344A Method 3008 is examined. Problems encountered in applying the method are identified and recommendations to improve the measurement results are provided. These include chamber design, type and placement of transmitting and reference receiving antenna, determination and correction for VSWR of the reference antenna and equipment under test (EUT), and the measurement approach to use at specified test frequencies. Design and measurement setups for a small mode-stirred chamber suitable for performing SE measurements in the frequency range (1-18)GHz with dynamic ranges up to 130 dB are given along with SE measurement results of some sample EUTs.

100,777
PB92-117324 Not available NTIS
 National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.
Air Gage Size Measurement of Microwave Standards.
 Final rept.
 G. V. Sherwood. 1991, 10p
 Pub. in Proceedings of Measurement Science Conference, Anaheim, CA., January 31-February 1, 1991, p1-10.

Keywords: *Transmission lines, *Coaxial cables, *Waveguides, *Standards, Dimensional measurement, Microwave equipment, Surface roughness, Mechanical measurement, Metrology, Calibration, Reprints.

Size measurement of wave guides and coaxial transmission line standards has been performed at NIST for many years. Recently, the air gaging systems used to perform these measurements have been enhanced using digital data acquisition methods to facilitate com-

puter analysis. Initial experiments were performed using air gaging probes on a coordinate measuring machine to correlate linear position with size attributes. Related geometric and dimensional characteristics that contribute to the uncertainty of measurement were also studied. Alternative assessment methods have been used to provide a more complete characterization of these features and complement air gage size measurements using a systems approach. The article is a report of these developments at NIST.

Resistive, Capacitive, & Inductive Components

100,778
N91-25797/2
 (Order as N91-25755/0, PC A99/MF A04)
 National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
Environmental Sensitivities of Quartz Crystal Oscillators.
 F. L. Walls. May 90, 22p
 Pub. in Proceedings of Annual Precise Time and Time Interval (PTTI) Applications and Planning Meeting (22nd) p465-486 (See N91-25755 17-70).

Keywords: *Crystal oscillators, Frequencies, Quartz crystals, Sensitivity, Electric fields, Humidity, Loads (Forces), Magnetic fields, Precision, Pressure distribution, Vibration, *Quartz resonators.

The frequency, amplitude, and noise of the output signal of a quartz crystal controlled oscillator is affected by a large number of environmental effects. The physical basis for the sensitivity of precision oscillators to temperature, humidity, pressure, vibration, magnetic field, electric field, load, and radiation is discussed. The sensitivity of crystal oscillators to radiation is a very complex topic and poorly understood. Therefore only a few general results are mentioned. The sensitivity to most external influences often varies significantly from one oscillator type to another and from one unit of given type to another. For a given unit, the sensitivity to one parameter often depends on the value of other parameters and history.

100,779
PB91-134320 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Temperature and Pressure Div.
Stability of Thermistors.
 Final rept.
 B. W. Mangum. 1987, 6p
 Pub. in Proceedings of International Symposium on Temperature Measurement in Industry and Science, p170-175 1987.

Keywords: *Thermistors, *Thermal stability, Aging tests(Materials), Reprints.

Thirty-two bead-in-glass probe-type and 67 disc-type thermistors from six manufacturers have been investigated for stability upon thermal cycling from 0 to 300 or 150C for the beads and 0 to 100C for the discs. Also, 12 bead-in-glass probes and 11 discs were aged for about 4000 hours at 100C. After the thermistors were heat treated at the elevated temperatures, their resistances were measured over the range from 0 to 100C. The disc-type thermistors were much less stable than the bead-in-glass probe types. The bead thermistors were not very stable when subjected to 300C environments nor were the discs when subjected to 100C environments.

100,780
PB91-134338 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Temperature and Pressure Div.
SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors.
 Final rept.
 B. W. Mangum. 1987, 6p
 Pub. in Proceedings of International Symposium on Temperature Measurement in Industry and Science, p60-65 1987.

Keywords: *Thermistors, Reprints, *Standard reference materials, *Succinonitrile, *Calibration.

The triple-point temperature of succinonitrile (SCN) has been found to be a good reference point at about

58.08 C, a value in a region devoid of fixed points. Cells with reentrant wells and containing approximately 60 grams of zone-refined SCN have been investigated for use as a Standard Reference Material (SRM), SRM 1970. They were designed to accept thermistor thermometers primarily, but will accept any thermometer that is less than 4.5 mm in diameter. Through a three-point calibration obtained by the use of SRM 1970, SRM 1968 (the Gallium Melting-Point Standard), and the triple point of water, thermistors can be calibrated with an uncertainty as small as + or - 2 or 3 mK over the range from 0 to 70 C.

100,781
PB91-134866 Not available NTIS
 National Bureau of Standards (NML), Boulder, CO. Time and Frequency Div.
Environmental Effects on the Medium and Long Term Frequency Stability of Quartz Oscillators.
 Final rept.
 F. L. Walls. 1988, 9p
 Pub. in Proceedings of European Frequency and Time Forum (2nd), Neuchatel, Switzerland, March 16-18, 1988, p719-727.

Keywords: *Quartz resonators, *Frequency stability, Environmental tests, Atomic clocks, Pressure, Humidity, Frequency standards, Reprints.

The medium and longterm frequency stability of most quartz oscillators is degraded by various environmental effects, the most important of which appear to be acceleration, temperature, load change, pressure, and possibly humidity. In the paper, preliminary data are shown which indicate that the medium and long term frequency stability of some oscillators can be improved by controlling the pressure and humidity around the oscillator. These data were obtained on only one oscillator of each type and may or may not be representative. If these improvements can be obtained in other precision crystal oscillators, then crystal oscillators may become usable in some applications generally thought to require atomic standards.

100,782
PB91-174912 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Noise-Affected I-V Curves in Small Hysteretic Josephson Junctions.
 Final rept.
 R. L. Kautz, and J. M. Martinis. 1990, 35p
 Sponsored by Office of Naval Research, Arlington, VA.
 Pub. in Physical Review B 42, n16 p9903-9937, 1 Dec 90.

Keywords: *Josephson junctions, Electromagnetic noise, Quasi particles, Hysteresis, Reprints.

The authors investigate the noise-affected I-V curves of small-area Josephson junctions through experiment, simulation, and theory. In particular, the authors consider I-V curves in which two different states of finite voltage coexist at the same de bias: a high-voltage state that corresponds to the usual quasiparticle branch and a low-voltage state that is characterized by thermally activated phase diffusion. In addition, the authors develop analytic expressions for three key parameters of the I-V curve of junctions displaying hysteresis between the phase-diffusion and quasiparticle branches: the initial slope of the phase-diffusion branch, the bias level at which the junction switches from the phase-diffusion branch to the quasiparticle branch, and the bias level at which it returns to the phase-diffusion branch.

100,783
PB91-190116 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Chemical Process Metrology Div.
Transparent Thin Film Thermocouple.
 Final rept.
 M. Yust, and K. G. Kreider. 1989, 6p
 See also PB91-110635.
 Pub. in Thin Solid Films 176, n1 p73-78 Sep 89.

Keywords: *Thin films, *Thermocouples, *Indium oxides, *Tin oxides, Sputtering, Ceramics, Transparency, Platinum, Calibrating, Temperature measuring instruments, Reprints.

A transparent thin film thermocouple has been produced by reactive sputtering which has a Seebeck coefficient of 0.14 mV/C. The positive leg of the thermocouple is indium tin oxide (ITO) and the negative leg is

ELECTROTECHNOLOGY

Resistive, Capacitive, & Inductive Components

indium oxide (In2O3). The In2O3 and ITO thin films were also tested with sputtered thin film platinum to obtain their individual thermoelectric potentials. Stability of the transparent thermocouple at 575K and calibration data of sputtered ITO and platinum are also reported.

100,784

PB91-195446 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Technology Div.
Sidelobe Suppression in Small Josephson Junctions.
Final rept.
R. L. Peterson. 1991, 4p
Pub. in Cryogenics 31, p132-135 Feb 91.

Keywords: *Josephson junctions, *Critical current, Diffraction patterns, Sidelobes, Reprints.

Many applications of Josephson junctions require that the sidelobes of the critical-current patterns as a function of magnetic field be as small as possible. The sidelobes can be significantly suppressed by appropriate choice of junction geometry. The paper emphasizes that suppression is not just a long-junction effect. For a wide variety of shaped small junctions, the diffraction patterns are given by simple expressions, inspection of which quickly shows the overall features of the patterns. For some shapes the highest sidelobes can be kept well under 1% of the central lobe. For applications requiring long junctions, the geometry of small junctions giving the desired pattern is a practical starting point for a long-junction analysis.

Semiconductor Devices

100,785

DE91002169 PC A03/MF A01
Solar Energy Research Inst., Golden, CO.
Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
Progress rept.
A. Gallagher, R. Ostrom, and D. Tannenbaum. Jun 91, 35p SERI/TP-214-4409
Contract AC02-83CH10093
Sponsored by Department of Energy, Washington, DC.

Keywords: *Germanium Compounds, *Silicon Compounds, Amorphous State, Chemical Reactions, Chemical Vapor Deposition, Electric Discharges, Etching, Hydrogen Compounds, Microstructure, Progress Report, Scanning Electron Microscopy, Silanes, Solar Cells, Stoichiometry, Thin Films, EDB/360602, EDB/140501, EDB/400102.

The report contains a detailed description of the experimental complexities encountered in developing scanning tunneling microscope (STM) probing of atomic structure on the surface of freshly-grown hydrogenated-amorphous semiconductors. It also contains a speculative microscopic film-growth model that explains differences between the disorder in CVD grown a-Ge:H versus a-Si:H films. This model is derived from prior results obtained in the chemical analysis of GeH(sub 4) plasmas, combined with surface reaction and thermodynamic considerations. The neutral radical fragments of silane, disilane and germane dissociation in discharges, which dominate the vapor and film-growth reactions, have been deduced from detailed analysis of prior data and are reported. 4 refs., 7 figs.

100,786

PB91-134692 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Semiconductor Electronics Div.
Current Density Dependence of Electromigration t50 Enhancement Due to Pulsed Operation.
Final rept.
J. S. Suehle, and H. A. Schafft. 1990, 5p
Pub. in Proceedings of Annual Conference on Reliability Physics 1990 (28th), New Orleans, LA., March 27-29, 1990, p106-110.

Keywords: *Integrated circuits, Reliability(Electronics), Current density, Metallizing, Reprints, *Electromigration, Electric pulses.

Two effects that complicate the electromigration characterization of metallization for pulsed stress have

been observed. One is the dependence of the t(50) enhancement (due to pulsed operation) on current density and the other is a decrease of this enhancement over a range of frequencies (0.2 to 2 MHz) that is connected with the joule heating. These effects are discussed in terms of changes in the buildup and relaxation response times of the excess vacancy concentration.

100,787

PB91-147181 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Technology Div.
Low-Temperature, Electrically Calibrated SOS Bolometer for Power and Energy Measurements.
Final rept.
R. M. Craig, and R. J. Phelan. 1990, 11p
Sponsored by Aerospace Guidance and Metrology Center, Newark AFS, OH.
Pub. in Proceedings of Measurement Science Conference, Anaheim, CA., February 8-9, 1990, p3A-1-3A-11 1990.

Keywords: *Bolometers, Visible radiation, Infrared radiation, Power measurement, Radiometry, Cryogenics, Reprints, SOS(Semiconductors), Silicon on sapphire.

A system has been constructed to allow absolute, electrically calibrated radiometry of low power (pW/Hz to the 1/2 power) and low energy (pJ) beams. The detector is based on an adaptation of silicon-on-sapphire (SOS) technology with an integral absorber/heater for real-time electrical substitution. Cooling is provided by a custom closed-cycle helium liquefaction system built into an optical access Dewar. Convenient control and data analysis are provided by use of the GPIB bus and a computer. This arrangement will allow routine laser measurements and detector calibrations at 1%-5% accuracy across the 0.4 micrometer to 15 micrometers wavelength range.

100,788

PB91-147520 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Semiconductor Electronics Div.
Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers.
Final rept.
J. J. Kopanski, J. Albers, G. P. Carver, and J. R. Ehrstein. 1990, 7p
Pub. in Jnl. of the Electrochemical Society 137, n12 p3935-3941 Dec 90.

Keywords: *Electrical resistance, *Silicon, Electrical measurement, Probes(Electromagnetic), Laplace equation, Wafers, Reprints, Spreading resistance, Multilayers.

The predicted relation between the two-probe resistance (spreading resistance) and the four-probe resistance, and the dependence of the four-probe resistance on the ratio of layer thickness to probe spacing have been experimentally verified. The verified behavior is predicted from calculations, based upon the solution of Laplace's equation, of the two- and four-probe resistance for arbitrary, vertical resistivity profiles. Arrays of lithographically fabricated, geometrically well-defined contacts on silicon wafers were utilized to make the necessary precise, reproducible resistance measurements. Additional measurements using point pressure contacts were also made. The dependence of the four-probe resistance on the ratio of layer thickness to probe spacing was verified for both the in-line and square probe configurations.

100,789

PB91-147819 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Thermal Characterization of Integrated Circuits - A Tutorial.
Final rept.
F. F. Oettinger. 1986, 4p
Pub. in Proceedings of Symposium SEMI-THERM 3, Scottsdale, AZ., December 10, 1986, 4p.

Keywords: *Integrated circuits, Thermal analysis, Computation, Experimentation, Reprints.

The tutorial deals with the practicalities of the thermal characterization of integration of integrated circuit devices and packages, using both computational and experimental techniques.

100,790

PB91-147827 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Thermal Measurements of VLSI Packages: A Critical Review.
Final rept.
F. F. Oettinger. 1985, 4p
Pub. in Program and Extended Abstracts VLSI Packaging Workshop, Gaithersburg, MD., September 9-11, 1985, p26-29.

Keywords: *Very large scale integration, *Integrated circuits, *Thermal measurements, Computerized simulation, Chips(Electronics), Reviews, Reprints.

Techniques to thermally characterize ceramic and plastic VLSI packages are discussed. Computer simulations and both direct and indirect thermal evaluation techniques are highlighted. Limitations and strengths of the various techniques are identified.

100,791

PB91-147918 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS).
Final rept.
P. Pollack-Dingels, G. Burdige, C. H. Lee, A. C. Seabaugh, R. T. Brundage, M. I. Bell, and J. Albers. 1987, 5p
See also PB90-218124.
Pub. in Proceedings of OSA-IEEE (LEOS) Meeting (2nd) Picosecond Electronics and Optoelectronics II, Incline Village, NV., January 14-16, 1987, p232-236.

Keywords: *Semiconductor switches, Amorphous silicon, Electrical resistivity, Microstrip devices, Ion implantation, Silicon ions, Raman effect, Photoconductivity, Radiation damage, Lifetime, Reprints, SOS(Semiconductors), Picosecond pulses.

Silicon on sapphire (SOS) switches, damaged by Si implantation at fluence levels of 10 to the 13 power to 10 to the 15 power/sq cm, were characterized by picosecond cross-correlation, Raman, and resistivity measurements.

100,792

PB91-148197 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Semiconductor Electronics Div.
Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.
Final rept.
W. R. Thurber, J. R. Ehrstein, and J. R. Lowney. 1990, 2p
Pub. in Extended Abstracts, Electrochemical Society 1990 Fall Meeting, Seattle, WA., October 14-19, 1990, v90-2 p581-582.

Keywords: *Electrical resistivity, *Silicon, Electrical impedance, Electrical measurement, Probes(Electromagnetic), Comparison, Reprints.

Resistivity measurements by different techniques are compared for high-resistivity silicon. The ac impedance method is emphasized as it is seldom used for silicon but has certain advantages for high-resistivity material. Slices with implanted and annealed surfaces were measured by the impedance method and two-terminal dc resistance. For material with lapped surfaces, results were obtained by ac impedance, van der Pauw, and four-probe methods. The agreement was within 5% for slices and ingot sections greater than 0.1 cm in length and resistivity above 5 K(ohm)-cm.

100,793

PB91-149062 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Characteristics of the Breakdown Voltage of Power MOSFETs After Total Dose Irradiation.
Final rept.
R. D. Pugh, A. H. Johnston, and K. F. Galloway. 1986, 5p
Sponsored by Air Force Inst. of Tech., Wright-Patterson AFB, OH.
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Nuclear Science NS-33, n6 p1460-1464 Dec 86.

Keywords: *Field effect transistors, *MOSFET, *Radiation effects, *Breakdown(Electronic threshold), Gamma irradiation, Radiation hardening, Silicon, Reprints.

The effects of total dose irradiation on the breakdown voltage of p-channel power MOSFETs are examined. Although breakdown voltage for p-channel devices increased at higher dose levels, as expected, some devices exhibited an initial decrease in breakdown at very low levels of total dose. The interaction of ionizing radiation effects with the junction termination methods designed to increase the voltage at which breakdown occurs is analyzed.

100,794
PB91-149070 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.
MMIC Related Metrology at the National Institute of Standards and Technology.
Final rept.
G. R. Reeve, R. Marks, and D. L. Blackburn. 1990, 4p
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) Instrumentation and Measurement Technology Conference, San Jose, CA., February 13-15, 1990, p196-199.

Keywords: *Integrated circuits, *Metrology, Gallium arsenides, Probes(Electromagnetic), Wafers, Reprints, *MMIC, US NIST.

Last year a program was instituted at the National Institute of Standards and Technology (NIST) specifically directed at developing improved metrology methods and standards to support microwave monolithic integrated circuit (MMIC) technology. The paper describes how the program was developed, the modes of interaction with the industrial community and the DARPA MIMIC initiative, and the particular projects being undertaken which will result in a more consistent measurement base for those engaged in the design and manufacture of MMIC devices.

100,795
PB91-149120 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Measurement of Capacitance on Wafers.
Final rept.
P. Roitman, J. S. Suehle, T. J. Russell, and M. Gaitan. 1986, 9p
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) VLSI (Very Large Scale Integration) Workshop on Test Structures, Long Beach, CA., February 17-18, 1986, p96-104.

Keywords: *Very large scale integration, *Integrated circuits, *Capacitance, Electrical measurement, Probes(Electromagnetic), Wafers, Reprints.

Capacitance measurements of both capacitor and transistor structures can provide critical parameters for process monitoring, process modeling, device modeling and circuit modeling. However, accurate measurements of capacitance on small devices located on large silicon wafers are very difficult. The problem is simply that very low level analog measurements must be made at the end of a necessary system of cables and probes. Several authors have proposed building capacitance meters on the wafer, which would provide relatively high level outputs to the external test system. The authors have chosen to improve their capability to measure capacitance on wafers directly. This improvement involved three parts of the experiment: the design of the capacitors, the design of the probe fixturing, and the instrumentation. These are discussed in turn.

100,796
PB91-149880 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.
Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
Final rept.
J. A. Dagata, W. Tseng, J. Bennett, C. J. Evans, J. Schneir, and H. H. Harary. 1990, 3p
See also AD-A209 079.
Pub. in Applied Physics Letters 57, n23 p2437-2439, 3 Dec 90.

Keywords: *Gallium arsenides, *Epitaxial growth, Scanning tunneling microscopy, Substrates, Silicon, Reprints, Nanotechnology.

Selective-area epitaxial growth of gallium arsenide on n-Si(100) substrates is reported, where the oxide (SiO₂) mask consists of 1-2 monolayer-thick features patterned onto a silicon substrate using a scanning tunneling microscope (STM) operating in air. The technique for generating the STM patterns on hydrogen-passivated silicon was reported recently (1990). The GaAs epilayer was grown by migration-enhanced epitaxy at 580C and its morphology was investigated by scanning electron microscopy. The chemical selectivity of the STM-patterned regions was verified by imaging time-of-flight secondary-ion mass spectrometry. The implications of these results for the development of a unique, STM-based nanostructure fabrication technology are discussed.

100,797
PB91-149989 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Modelling Gallium Arsenide Transistors.
Final rept.
J. L. Blue, and C. L. Wilson. 1990, 9p
Pub. in Lectures in Applied Mathematics 25, p89-97 1990.

Keywords: *Transistors, *Gallium arsenides, *Mathematical models, Partial differential equations, Monte Carlo method, Quantum mechanics, Thermodynamics, Reprints.

The usual equations used in modelling semiconductor devices are a set of three coupled partial differential equations first formulated forty years ago. These PDEs are adequate to model present-day silicon transistors, but are inadequate for modelling GaAs transistors. Suitable PDEs can be formulated using quantum mechanics and statistical thermodynamics models obtained by Monte-Carlo calculations.

100,798
PB91-158873 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Precision Engineering Div.
NBS Submicron Particle Standards for Microcontamination Measurement.
Final rept.
T. R. Lettieri. 1989, 7p
Pub. in Semiconductor Fabrication: Technology and Metrology, ASTM STP 990, p215-221 1989.

Keywords: *Semiconductor devices, *Standards, Contamination, Microspheres, Substrates, Silicon, Surfaces, Wafers, Reprints, *Particle standards, US NIST.

There is a recognized need for standard artifacts with which to calibrate the laser-scanning instruments which detect and monitor microcontamination on semiconductor wafers. Although commercial calibration wafers are available for this purpose, the present paper proposes the use of National Bureau of Standards (NBS) particle-sizing standard microspheres, deposited on polished silicon substrates, as an alternative working standard until such time as a true national calibration artifact is developed. To this end, several techniques for depositing the microspheres on semiconductor surfaces are presented in the paper. In addition, the techniques used to certify the NBS particle standards and the measurement results from each technique are summarized.

100,799
PB91-159087 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.
Submicrometer SEM Magnification Standard.
Final rept.
M. T. Postek, and R. C. Tiberio. 1989, 4p
Pub. in National Nanofabrication Facility Research Accomplishments 1988-89, 4p 1989.

Keywords: *Dimensional measurements, *Scanning electron microscopy, *Standards, Line widths, Lithography, Prototypes, Reprints, *Magnification standards, Nanofabrication, Standard reference materials.

The National Institute of Standards and Technology (NIST) in conjunction with the National Nanofabrication Facility (NNF) has had a continuing effort for the development of a submicrometer scanning electron microscope (SEM) magnification standard prototype. The program is one portion of a feature-size measurement program specifically aimed at the development and certification of SEM magnification and linewidth standards and the associated techniques for their cali-

bration and use. The program has several distinct tasks that have undergone simultaneous development at NIST (Postek et al., 1987, Postek et al., 1989, Postek, 1989). One of these tasks has been the development and fabrication of a lithographically produced submicrometer SEM magnification standard useful at low accelerating voltages. With the assistance of the NNF, a prototype magnification standard has been fabricated and has undergone further refinements in materials selection and etching techniques during the year.

100,800
PB91-159244 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Permittivity Measurements on Molecular-Sized Samples.
Final rept.
A. van Roggen, L. Yuwono, H. Zhou, P. H. E. Meijer, and J. J. Kopanski. 1990, 6p
Sponsored by National Science Foundation, Washington, DC.
Pub. in Proceedings of Conference on Electrical Insulation and Dielectric Phenomena, Pocono Manor, PA, October 29-31, 1990, p385-390.

Keywords: *Molecular electronics, *Organic semiconductors, *Permittivity, Measurement, Polyethylene, Reprints.

A new laboratory on Molecular Electronics has been started at the Physics Department of the Catholic University of America. In their efforts to make organic bistable devices, one of the research functions of the laboratory is to measure the electrical properties of materials and active devices made with molecular (mainly organic) materials. The size of material samples, and the specimens used for measurement, is exceedingly small, typically layers with a thickness of the order of 100 nm. Consequently, the setups used for normal dielectric and conductivity measurements = or > 10 mm electrode size) cannot be used, and special cells and instrumentation have to be developed.

100,801
PB91-159749 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Center for Electronics and Electrical Engineering Technical Progress Bulletin Covering Center Programs, July to September 1990, with 1991 CEECE Events Calendar.
J. A. Gonzalez. Jan 91, 48p NISTIR-4496
See also PB91-107201.

Keywords: *Semiconductor devices, *Metrology, Electromagnetic interference, Optical fibers, Integrated circuits, Antennas, Silicon, Electrooptics, Superconductors, Signal processing, Waveforms, Progress report, US NIST.

The report is the thirty-second issue of a quarterly publication providing information on the technical work of the National Institute of Standards and Technology (formerly the National Bureau of Standards) Center for Electronics and Electrical Engineering. The issue of the CEECE Technical Progress Bulletin covers the third quarter of calendar year 1990. Abstracts are provided by technical area for both published papers and papers approved by NIST for publication. General topics discussed include the following: Semiconductor Technology Program; Signals and Systems Metrology Program; Additional Information; 1991 CEECE Calendar; Sponsor List; and Key Contacts in Center, Center Organization.

100,802
PB91-167163 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Mfg. Engineering.
Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
Special pub (Final).
C. F. Vezzetti, R. N. Varner, and J. E. Potzick. Jan 91, 47p NIST/SP-260/114
Also available from Supt. of Docs. as SN003-003-03047-3.

Keywords: *Integrated circuits, *Dimensional measurement, *Optical microscopes, *Calibration, *Photomasking, *Line width, Process control, Precision, Chromium, *Standard reference materials.

ELECTROTECHNOLOGY

Semiconductor Devices

Standard Reference Material, SRM 476, was developed for use in calibrating optical microscopes used to measure linewidths in the range of 0.9 to 10.8 micrometers on bright chromium photomasks, such as those used in the production of integrated circuits. The SRM, the measurement system, and the procedures used to calibrate the SRM are described. The algorithm for determining the line edge location uses a threshold criterion derived from analysis of microscope image profiles. The profiles are predicted by computer modeling based on the theory of partial coherence. The performance of the system is monitored by measuring line features on a control photomask before and after calibrating each SRM. Precautions concerning care and handling and instruction for the use of SRM 476 to calibrate optical microscopes for photomask linewidth measurement are given.

100,803
PB91-174581 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Devices and Circuits Div.
Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.
Final rept.
M. W. Cresswell, E. S. Coleman, W. D. Partlow, and L. W. Linholm. 1985, 2p
Pub. in Proceedings of Government Microcircuit Applications Conference, Orlando, FL, November 5-7, 1985, p359-360.

Keywords: *Very large scale integration, *Integrated circuits, Test equipment, Test methods, Lithography, Fabrication, Aluminum, Silicon, Design, Reprints.

The paper describes a systematic approach to the comparative experimental evaluation of alternative sub-micron lithographic methods using microelectronic test structures. Measurements are presented for both polysilicon and aluminum lines with design geometries of 0.6 to 4.0 micrometers. These structures provide unambiguous results which can be used as a tool to improve the control and performance of VLSI devices.

100,804
PB91-175000 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Devices and Circuits Div.
Characterizing VLSI Processes Using Test Structures.
Final rept.
L. W. Linholm, J. A. Mazer, and K. F. Galloway. 1985, 3p
Pub. in Proceedings of Digest of the DOD/NBS Conference on Microelectronic Electromagnetic Susceptibility, Gaithersburg, MD, March 12-13, 1985, p16-18.

Keywords: *Very large scale integration, *Integrated circuits, Test equipment, Test methods, Electromagnetic interference, Microelectronics, Wafers, Reprints.

Functional tests alone cannot fully evaluate complex integrated circuits (ICs). Comprehensive test programs are needed to assure, with acceptable confidence, that desired performance has been built into these circuits. Results from measurements obtained using specially designed microelectronic test structures can be an important element in a comprehensive test program to assure circuit performance and reliability. In the paper, six categories of test structures are identified and the step at which they impact VLSI circuit production is indicated. An example of the use of test structures is given. Finally, a brief discussion considering the use of test structures for measurements important to understanding effects such as electromagnetic interference (EMI) is given.

100,805
PB91-175489 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
Final rept.
T. W. O'Keeffe, M. W. Cresswell, L. W. Linholm, and D. J. Radack. 1986, 13p
Pub. in Proceedings of IEEE VLSI Workshop on Test Structures, Long Beach, CA., February 17-18, 1986, p82-94.

Keywords: *Very large scale integration, *Integrated circuits, Test equipment, Test methods, Chips(Electronics), Electron beams, Microelectronics, Line width, Reprints.

The paper describes the use of the cross-bridge test structure in conjunction with a series of interconnect test structures to assess and improve the exposure routines and procedures in the replication of sub-micron features. The interconnect test structures used in the experiment are resistors which include both serpentine and comb-like interconnect patterns and can be used to assess line continuity and line-to-line isolation. Results obtained during the evaluation of line continuity, resolution, linewidth, and proximity exposure effects are presented.

100,806
PB91-189399 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
Final rept.
G. Gao, Z. Fan, D. L. Blackburn, M. S. Unlu, J. Chen, K. Adomi, and H. Morkoc. 1991, 3p
Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in Applied Physics Letter 58, n10 p1068-1070, 11 Mar 91.

Keywords: *Bipolar transistors, Aluminum gallium arsenides, Thermal stability, Heterojunctions, Substrates, Silicon, Reprints, Power transistors.

AlGaAs/GaAs power heterojunction bipolar transistors on Si substrates exhibiting uniform junction temperature distribution are reported. Owing to a unique device design, the temperature spread across the entire device area is about 1 deg C. The device exhibits a common emitter current gain of 20, a maximum collector current of 0.6 A, and a collector base junction breakdown voltage of 25 V.

100,807
PB91-189779 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Inorganic Analytical Research Div.
Neutron Activation Analysis in Electronic Technology.
Final rept.
R. M. Lindstrom. 1988, 1p
Pub. in Jnl. of the Electrochemical Society 135, n8 pC372 1988.

Keywords: *Neutron activation analysis, Chemical analysis, Trace amounts, Semiconductors, Silicon, Reprints.

The procedure of neutron activation analysis is reviewed, with recent examples of the application of this and other nuclear analytical methods in semiconductor technology. These methods in many situations offer highly specific and sensitive elemental analysis capability, often wholly instrumental. The sample physics involved in neutron activation in many cases make systematic errors different in kind and less important in quantity than in analytical methods relying on atomic phenomena.

100,808
PB91-194712 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
Final rept.
J. A. Dagata, J. Schneir, H. H. Harary, J. Bennett, and W. Tseng. 1991, 5p
Pub. in Jnl. of Vacuum Science and Technology B 9, n2 p1384-1388 Mar/Apr 91.

Keywords: *Semiconductor devices, *Pattern making, *Scanning tunneling microscopy, Gallium arsenides, Silicon, Epitaxy, Masking, Surfaces, Scanning electron microscopy, Reprints, Nanotechnology.

Recent results employing scanning tunneling microscope-based techniques for the generation of nanometer-scale patterns on passivated semiconductor surfaces are presented. Preparation and characterization of hydrogen-passivated silicon and sulfur-passivated gallium arsenide surfaces are described, and the determination of the chemical and morphological properties of the patterned regions by scanning electron microscopy and time-of-flight secondary ion mass spectrometry are discussed. The authors' demonstration that ultrashallow, oxide features written by scanning tunneling microscope (STM) can serve as an effective mask for selective-area GaAs heteroepitaxy on

silicon is used to illustrate key requirements necessary for the realization of a unique, STM-based nanotechnology.

100,809
PB91-194829 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
High Spatial Resolution Mapping of Semiconductor Resistivity.
Final rept.
J. J. Kopanski, G. P. Carver, J. R. Lowney, D. S. Miles, and D. B. Novotny. 1991, 2p
Pub. in Extended Abstracts, v91-1 p698-699 1991.

Keywords: *Mercury cadmium tellurides, *Gallium arsenides, *Silicon, *Electrical resistivity, High resolution, Laplace equation, Semiconductors, Lithography, Reprints, *Resistivity mapping, Spreading resistance.

A new approach to the resistivity mapping of semiconductors uses an array of lithographically defined contacts (at a density of 60,000 sites per sq cm and an automated probe station for data acquisition. Resistivity growth striations in silicon as narrow as 45 micrometers in width and with + or - 5% variation from the background resistivity have been resolved. Solution of the Laplace equation for the measurement geometry and measurements on ion implanted test structures are described. Anticipated applications include resistivity mapping of liquid encapsulated Czochralski GaAs, Hg(1-x)Cd(x)Te, and fine scale resistivity variations in processed silicon.

100,810
PB91-203141 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Cratering.
Final rept.
G. G. Harman. 1989, 13p
Pub. in Reliability and Yield Problems of Wire Bonding in Microelectronics, Chapter 5, p141-163 1989.

Keywords: *Electric contacts, *Microelectronics, Integrated circuits, Reliability(Electronics), Fracture mechanics, Gallium arsenides, Test methods, Silicon, Failure, Reprints, *Wire bonds.

The monograph describes the several methods of testing the quality of wire bonds, including the pull test, the shear test, and the high-temperature stress test. Essentially all metallurgical, chemical, and mechanical bond failure modes are described, including cratering, 'plaque,' the effect of various contaminants, cleaning and cleaning methods, poor bonding machine control, and the effect of external environments. Methods of preventing or detecting these failures are given. In conclusion, how 'new technology' processing and packaging have changed classical wire bond failures is discussed. Discussion of proposed 'new' wire and pad metallizations and general guidelines for anticipating the reliability of such new materials is also given.

100,811
PB91-203752 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Precision Engineering Div.
New Approach to Image Modeling and Edge Detection in the SEM.
Final rept.
D. Nyyssonen. 1988, 9p
Sponsored by CD Metrology, Inc., Germantown, MD.
Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - Integrated Circuit Metrology, Inspection, and Process Control II, v921 p48-56 1988.

Keywords: *Scanning electron microscopy, *Edge detection, *Imaging techniques, *Very large scale integration, Probability density functions, Monte Carlo method, Electron scattering, Integrated circuits, Process control, Line width, Reprints, Secondary electrons, Micrometrology.

The need for feature-size measurements on microchips for VLSI and other developing technologies with micrometer and submicrometer dimensions has resulted in the use of scanning electron microscopes (SEMs) for process control measurements. However, good measurement practice requires the ability to accurately predict the observed signal output for any given structure of the feature. The model forms the basis for measurement algorithms, error analysis, and proper calibration techniques. The SEM, especially for

secondary electron imaging and low beam voltages, has lacked the ability to quantitatively predict image structure at the 0.01 micrometer level needed for sub-micrometer dimensional control. A new approach to secondary-electron image modeling has been developed consisting of a surface integral (over the line structure) of a probability density function which describes the likelihood of a secondary electron being generated by the primary beam and emitted at a given point in space, if that point coincides with the surface of a line structure. This probability density function can be determined by using either a state-of-the-art Monte Carlo technique or by using a modified diffusion model. The calculation of the image from this probability density function takes into account edge geometry and shadowing due to nearby edges as well as field effects due to any bias voltage on the electron-detector grid.

100,812
PB91-203992 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Building-in Reliability: Making It Work.
Final rept.

H. A. Schafft, D. A. Baglee, and P. E. Kennedy.
1991, 7p
Contract ARPA-3882
Sponsored by Defense Advanced Research Projects Agency, Arlington, VA.
Pub. in Proceedings of International Reliability Physics Symposium, Las Vegas, NV., April 9-11, 1991, p1-7.

Keywords: *Reliability(Electronics), Microelectronics, Semiconductor devices, Process control, Quality control, Packaging, Measurement, Reprints.

Aggressive reliability and market-entry demands will require the use of a building-in approach to reliability. To adopt this approach and make it work requires that very significant breaks be made from the traditional ways of improving and appraising reliability. The nature of these breaks are discussed in the context of describing the basic elements of the approach of building-in reliability and the obstacles that hinder its adoption. To help visualize how the approach can be implemented, initial steps to make the transition and some specific examples of its use are described.

100,813
PB91-216739
(Order as PB91-216705, PC A07/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.

Automated Reverse-Bias Second-Breakdown Transistor Tester.
D. Berning. 1991, 14p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n3 p291-304 May/Jun 91.

Keywords: *Nondestructive tests, *Transistors, *Second breakdown, Power transistors, Reverse bias.

An automated instrument is described for generating curves for the reverse-bias, safe-operating area of transistors nondestructively. A new technique for detecting second breakdown that makes automation possible is highlighted. Methods to reduce stress to the device under test are discussed, as are several other innovations that enhance automation. Measurements using the tester are described, and limitations on nondestructive testability are discussed.

100,814
PB91-236513 Not available NTIS
National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Semiconductor Electronics Div.
Automated Reverse-Bias Second-Breakdown Transistor Tester.
Final rept.
D. W. Berning. 1991, 8p
Pub. in Proceedings of Applied Power Electronics Conference and Exposition, Dallas, TX., March 10-15, 1991, p339-346.

Keywords: *Transistors, Electromagnetic testing, Non-destructive tests, Automation, Reprints, *Second breakdown, Reverse bias.

An automated instrument is described for generating curves for the reverse-bias, safe-operating area of transistors nondestructively. A new technique for detecting second breakdown that makes automation possible is highlighted. Methods to reduce stress to the device under test are discussed, as are several other innovations that enhance automation. Measure-

ments using the tester are described, and limitations on nondestructive testability are discussed.

100,815
PB91-236703 Not available NTIS
National Inst. of Standards and Technology (CSL), Gaithersburg, MD. Systems and Software Technology Div.

Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors.

Final rept.
G. Gao, M. S. Unlu, H. Morkoc, and D. L. Blackburn.
1991, 12p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Electron Device 38, n2 p185-196 Feb 91.

Keywords: *Bipolar transistors, Aluminum gallium arsenides, Thermal analysis, Heterojunctions, Resistors, Reprints, Power transistors, Emitter ballasting.

A systematic investigation of the emitter ballasting resistor for power Heterojunction Bipolar Transistors (HBTs) is presented. The current-handling capability of power HBTs is found to improve with ballasting resistance. An equation for the optimal ballasting resistance is presented, where the effects of thermal conductivity of the substrate material and the temperature coefficient of the ballasting resistor are taken into account. Current levels of 400 to 800 mA/mm of emitter periphery at case temperatures of 25 to -80 C for power AlGaAs/GaAs HBTs have been obtained using an on-chip lightly-doped GaAs emitter ballasting resistor. Device temperature has been measured using both an infrared micro-radiometer and temperature-sensitive electrical parameters. Steady-state and transient thermal modeling were also performed. Although the measured temperature is spatially nonuniform, the modeling results show that such nonuniformities occur for a uniform current distribution, as is to be expected for an HBT with emitter ballasting resistors.

100,816
PB91-237255 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.
Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.

Final rept.
G. R. Reeve, R. Marks, and D. L. Blackburn. 1990, 4p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 39, n6 p958-961 Dec 90.

Keywords: *Integrated circuits, *Metrology, Microwave circuits, Gallium arsenides, Probes(Electromagnetic), Wafers, Reprints, US NIST.

The paper describes how the National Institute of Standards and Technology (NIST) interacts with the GaAs community and the Defense Advanced Research Projects Agency (DARPA) MIMIC initiative. The organization of a joint industry and government laboratory consortium, for MIMIC related metrology research is described, along with some of the initial technical developments at NIST done in support of the consortium.

100,817
PB91-240739 PC A03/MF A01
National Inst. of Standards and Technology (EEEL), Gaithersburg, MD.
Metrology for the Semiconductor Industry.
R. I. Scace. Sep 91, 47p NISTIR-4653

Keywords: *Integrated circuits, *Metrology, Semiconductor devices, Semiconductor materials, Microwave equipment, Process control, Optoelectronics, Manufacturing, Automation, Market surveys, *Semiconductor industry.

The metrological needs of the semiconductor industry and its supporting materials and manufacturing equipment industries for the 1990's are set forth. The information in the report derives from technological workshops sponsored by the American Society for Testing and Materials, NIST, SEMATECH, Semiconductor Equipment and Materials International, and the Semiconductor Research Corporation; from industry information sources such as Dataquest and VLSI Research; from NIST colleagues; and from personal discussions with many others in the field. The data from these sources have been analyzed for their implica-

tions for measurement science and technology, on which the report focuses. It contains a brief introduction to the economic significance of the semiconductor industry, an overview of the relevant technologies, their development trends and the metrological needs thus implied, and evidence of needs expressed by sources outside of NIST. The report deals with the needs for measurements of all kinds, but intentionally does not discuss the means by which these may be met. The text is also to be published as one chapter in a more comprehensive assessment covering the electronics industry as a whole.

100,818
PB92-116466 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Scientific Computing Div.

Three-Dimensional Simulations of High-Resolution Photoresist Processing.
Final rept.

E. Barouch, B. Bradie, and H. A. Fowler. 1991, 12p
Sponsored by Defense Advanced Research Projects Agency, Arlington, VA., and Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in Jnl. of Imaging Science 35, n4 p240-251 Jul/Aug 91.

Keywords: *Integrated circuits, *Computerized simulation, Computer graphics, Three dimensional, Dissolving, Reprints, *Microlithography, Photoresists.

A computer simulation package for optical microlithography contains modules for the processing of positive photoresists in the three stages of aerial-image transfer, exposure-bleaching, and dissolution. Evolving and final resist profiles are displayed in three dimensions at several dissolution times, thus simulating real systems in their natural form. Results presented for a variety of examples demonstrate the robustness and versatility of the package.

100,819
PB92-116599 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Ellipsometry SRM's for Use in Thin Film Measurements.

Final rept.
D. Chandler-Horowitz, J. F. Marchiando, and B. J. Belzer. 1990, 11p
Pub. in Proceedings of Measurement Science Conference, Anaheim, CA., February 8-9, 1990, p5A-11-5A-21.

Keywords: *Silicon dioxide, *Film thickness, *Dimensional measurement, *Ellipsometry, Helium neon lasers, Refractive index, Thin films, Polarimetry, Semiconductors, Reprints, *Standard reference materials.

A Standard Reference Material (SRM) consisting of a film of silicon dioxide on a silicon substrate has been designed, fabricated, measured, and certified at NIST for the ellipsometric angles, Delta and psi, and for the derived film thickness and refractive index. The SRM can be used as an aid in the evaluation of the performance of optical and mechanical thickness-monitoring instruments as well as ellipsometers. The optical instruments are based on the theory describing reflection of light from a sample. The film thickness is determined by using a model having one or two uniform isotropic films atop a substrate. The calculated thicknesses rely on accurate values of the indices of refraction of the substrate and/or film at the necessary frequencies of light. The measurement procedure used here to certify the ellipsometric angles uses an accurate rotating-analyzer ellipsometer and HeNe laser source operating near the principal angle of incidence. The measurement data from several samples are analyzed collectively to determine the certified film thicknesses and refractive index. At the present time, three different film thicknesses, 50, 100, and 200 nm, are being certified. Future work may involve certifying thinner layers of oxide.

100,820
PB92-116607 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

ELECTROTECHNOLOGY

Semiconductor Devices

Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.

Final rept.

D. Chandler-Horowitz, J. F. Marchiando, M. Doss, S. Krause, and S. Visitserntrakul. 1990, 2p
Pub. in Proceedings of IEEE SOS/SOI Technology Conference, Key West, FL., October 2-4, 1990, p73-74.

Keywords: Transmission electron microscopy, Precipitates, Silicon, Sensitivity, Reprints, *SIMOX, Spectroscopic ellipsometry, Multilayers.

Spectroscopic ellipsometry is a nondestructive probe which can be highly sensitive to the multilayer structure of materials such as SIMOX (Separation by IM-planted Oxygen). Recent TEM micrographs of high-flux single-implant SIMOX annealed at 1300 C for 6 hours, show 'islands' of silicon precipitates near the bottom of the buried oxide layer. Spectroscopic ellipsometric measurements were performed on these samples at various implant doses and beam current densities to observe how the measured data fit the data theoretically predicted for various models of SIMOX that lead to the presence of these 'islands'.

100,821

PB92-116664 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.

Final rept.

M. W. Cresswell, M. Gaitan, R. A. Allen, and L. W. Linholm. 1991, 6p
Pub. in Proceedings of IEEE (Institute for Electrical and Electronics Engineering) International Conference on Microelectronic Test Structures, Kyoto, Japan, March 18-20, 1991, v4 n1 p129-134.

Keywords: *Potentiometers(Instruments), *Dimensional measurement, Wafers, Reprints, X ray lithography, Nanometer measurement.

The paper presents a modified voltage-dividing potentiometer test structure which overcomes a problem typical in scaling electrical test structures; it provides a correction for electrical length shortening of a resistor strip caused by the attachment of voltage taps of non-negligible width. The test structure was implemented in chrome on quartz, and measurements of displacements between 10 and 500 nm with + or - 12-nm random error were made using available test equipment. Applications for the test structure may include: monitoring the self-registration accuracy and precision of primary pattern generator systems and monitoring level-to-level overlay in advanced wafer fabrication.

100,822

PB92-116862 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.

Final rept.

A. R. Hefner, and D. M. Diebolt. 1991, 10p
Pub. in Proceedings of Annual IEEE (Institute for Electrical and Electronics Engineers) Power Electronics Specialists Conference (22nd), Cambridge, MA., June 24-27, 1991, p10-19.

Keywords: *Bipolar transistors, Reprints, *Circuit simulators, Saber model, Power transistors.

A physics-based IGBT (Insulated Gate Bipolar Transistors) model is implemented into the general purpose circuit simulator Saber (TM). The IGBT model includes all of the physical effects that have been shown to be important for describing IGBTs, and the model is valid for general external circuit conditions. The Saber IGBT model is evaluated for the range of static and dynamic conditions in which the device is intended to be operated, and the simulations compare well with experimental results for all of the conditions studied.

100,823

PB92-116920 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.

Final rept.

M. A. Jones, J. A. Roberts, C. H. Ellenwood, M. W. Cresswell, and R. A. Allen. 1991, 6p
Pub. in Proceedings of IEEE (Institute for Electrical and Electronics Engineers) International Conference on Microelectronic Test Structures, Kyoto, Japan, March 18-20, 1991, v4 n1 p35-40.

Keywords: Very large scale integration, Scanning electron microscopy, Circuit interconnections, Chips(Electronics), Metallizing, Integrated circuits, Aluminum, Reprints, *Test chips, Planarization.

A test chip has been designed and fabricated for the evaluation of surface-diffusion phenomena in sputtered aluminum planarization processes. It allows for confirmation of the correct sample cross-section bevel angle and orientation for scanning electron microscopy (SEM) inspection of step coverage. These features eliminate ambiguities that may otherwise arise in the interpretation of the SEM images. The chip design provides arrays of vias with multiple combinations of size and spacing to enable characterization and modeling of the aluminum planarization phenomena for a full range of deposition parameters. It also incorporates electrically readable test structures that allow relating the SEM images of step coverage to corresponding electrical properties, such as electromigration, of the deposited metal. These are extracted from standardized electrical test structures designed and characterized for that purpose. The overall objective is to enable the selection of deposition parameters that simultaneously produce visually acceptable step-coverage images as well as optimized electrical properties of the film.

100,824

PB92-116979 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.

Final rept.

D. Khera, M. W. Cresswell, L. W. Linholm, G. Ramanathan, J. Buzzeo, and A. Nagarajan. 1990, 6p
Pub. in Proceedings of International Semiconductor Manufacturing Science Symposium, Burlingame, CA., May 21-23, 1990, p44-49.

Keywords: *Integrated circuits, Expert systems, Screening, Yield, Wafers, Reprints.

The paper describes a procedure for using induction-based classification techniques for identifying relationships between work-in-process (WIP) test structure data and future IC yield at wafer test on a wafer-by-wafer or lot-by-lot basis. The relationships are extracted from databases of previously processed WIP wafer test structure measurements and final wafer yield. They are presented in the form of rules relating WIP data to final yield. It is further shown that these rules, when incorporated into expert systems, can advise the human operator responsible for screening wafers which are likely to produce sub-marginal yield if processed to completion. These rules also identify the WIP test structure parameters and values which have historically provided the highest and lowest final wafer yields.

100,825

PB92-116987 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.

Final rept.

J. J. Kopanski, D. L. Blackburn, G. G. Harman, and D. W. Berning. 1991, 6p
Sponsored by National Aeronautics and Space Administration, Cleveland, OH. Lewis Research Center.
Pub. in Proceedings of International High Temperature Electronics Conference (1st), Albuquerque, NM., June 16-20, 1991, p137-142 1991.

Keywords: *Semiconductor devices, *Reliability(Electronics), Temperature effects, Arrhenius equation, High temperature, Accelerated tests, Circuits, Reprints.

Factors that may affect the long-term (30 yrs = approx 1 million h) reliability of electronic systems that can withstand temperature extremes (-150 to +300 C) are

discussed. There is ample evidence that a straightforward application of the Arrhenius equation, with activation energies determined from high-temperature accelerated stress testing, is not strictly valid for predicting real device lifetime. The relevance and validity of this traditional reliability assurance methodology, especially near the high-temperature operating limit, is critiqued. Some of the barriers to long-term reliable operation of devices and circuits subject to extreme temperatures are identified in the broad areas of: (1) semiconductor materials, (2) components and circuit design, and (3) packaging and assembly. Finally, alternative approaches to reliability assurance, not dependent on elevated temperature testing, which may be applicable to high-temperature electronics, are discussed.

100,826

PB92-117084 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Persistent Photoconductivity in SIMOX Films.

Final rept.

S. Mayo, J. R. Lowney, P. Roitman, and D. B. Novotny. 1990, 2p
Contract DNA-IACRO-88-800
See also PB91-112409. Sponsored by Defense Nuclear Agency, Washington, DC.
Pub. in Proceedings of IEEE SOS/SOI Technology Conference, Key West, FL., October 2-4, 1990, p156-157.

Keywords: *Photoconductivity, Film resistors, Time dependence, Interfaces, Wafers, Reprints, *SIMOX, SIMOX(Separation by Implanted Oxygen), Photoinduced transient spectroscopy.

Photoinduced transient spectroscopy (PITS) was used to measure the persistent photoconductive (PPC) response in film resistors fabricated on two different commercial n-type SIMOX (Separation by IM-planted Oxygen) wafers. A broadband, single-shot, flashlamp-pumped dye laser pulse was used to photoexcite inter-band electrons in the film, and the decay in the induced excess carrier population was measured at temperatures in the 60- to 220-K Range. The post-illumination conductivity transients observed show PPC signals exhibiting nonexponential character. They were recorded for periods of time up to 30 s at constant temperature. The photoconductive data from these film resistors are analyzed by using the Queisser and Theodorou potential barrier model, and a logarithmic time decay dependence is confirmed for the first time in SIMOX material. The sensitivity of PITS is demonstrated to be appropriate for characterization of the SIMOX interface structure and for material qualification.

100,827

PB92-117159 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Band-Gap Narrowing and III-V Heterostructure FETs.

Final rept.

D. R. Myers, J. A. Lott, J. R. Lowney, J. F. Klem, and C. P. Tigges. 1990, 4p
See also DE91000401.
Pub. in Proceedings of International Electron Devices Meeting, San Francisco, CA., December 9-12, 1990, p31.1-31.1.4.

Keywords: *Field effect transistors, *Energy gap, Aluminum gallium arsenides, Quantum wells, Valence bands, Reprints, Gallium indium arsenides, Density of states, Heterostructures.

The authors calculate the magnitude of band-gap narrowing for GaAs-based alloys, and have included these results into one-dimensional heterojunction device models for strained In(0.15)Ga(0.85)As quantum-well MODulation-doped Field-Effect Transistors (MODFETs). Equivalent rigid shifts of as much as 102 meV are obtained for the valence band of depleted p-type Al(0.15)Ga(0.85) as doped as 5 x 10 to the 18th power/cc. Their simulations suggest that band-gap narrowing is most significant for p-channel MODFETs. The predicted effect of band-gap narrowing in p-channel MODFETs is the formation of parasitic conduction in the low-mobility parent dopant region. The parasitic conduction would reduce the intrinsic gain.

100,828

PB92-117217 Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.
Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
 Final rept.

M. T. Postek, R. D. Larrabee, W. J. Keery, and E. Marx. 1991, 13p
 Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - Integrated Circuit Metrology, Inspection, and Process Control V, v1464 p35-47 1991.

Keywords: *Integrated circuits, *Calibration, Transmission electron microscopy, Scanning electron microscopy, Electron detection, Dimensional measurement, Metrology, Inspection, Reprints, *X ray masks, X ray lithography.

Masks used for the manufacture of integrated circuits by x-ray lithography can be calibrated and inspected in a scanning electron microscope by using the transmitted electron detection mode. By their nature, these masks present a measurement subject unique from most (if not all) other objects used in semiconductor processing because the support membrane is, by design, x-ray transparent. The characteristic can be used as an advantage in electron beam-based mask metrology since, depending upon the incident electron beam voltages, substrate composition and substrate thickness, the membrane can also be essentially electron transparent. The areas of the mask where the absorber structures are located are essentially x-ray opaque as well as electron opaque. Viewing the sample from a perspective below an x-ray mask can provide excellent electron signal contrast (depending upon the instrument conditions) between the absorber structure and the membrane. Thus, the mask can be viewed in the transmitted electron detection mode of the scanning electron microscope, and precise and potentially accurate dimensional measurements can be made.

100,829
PB92-117233 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Residual Defects in SIMOX: Threading Dislocations and Pipes.
 Final rept.

P. Roitman, M. Edelstein, S. Krause, and S. Visitsengtrukul. 1990, 2p
 Contract DNA-IACRO-88-800
 Sponsored by Defense Nuclear Agency, Washington, DC.
 Pub. in Proceedings of IEEE SOS/SOI Technology Conference, Key West, FL., October 2-4, 1990, p154-155.

Keywords: *Crystal defects, Crystal dislocations, Very large scale integration, Bipolar transistors, Stacking faults, Integrated circuits, Electron microscopy, Silicon, Reprints, *SIMOX.

In the past few years, due to improved control of the ion implantation process and improved annealing sequences, a qualitative improvement has been realized in the structural quality of SIMOX films. The dense network of oxide precipitates and threading dislocations in the top silicon can be annealed out, reducing the dislocation density from about 10 to the 10th power/sq cm to about 100,000/sq cm or less. CMOS transistors and circuits have been successfully fabricated in this material. However, bipolar devices are sensitive to defect densities in this range, as is VLSI yield. Therefore, the defect density must be monitored and reduced. The authors discuss below some techniques for monitoring dislocations and stacking faults in SIMOX films. Also, a different type of defect, a silicon 'pipe' running through the buried oxide has been observed. The origin of these defects, and a technique for detecting them, will be described.

100,830
PB92-117241 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
 Final rept.

P. Roitman, D. S. Simons, P. H. Chi, R. M. Lindstrom, G. E. Lux, S. Baumann, S. W. Novak, R. G. Wilson, D. Farrington, J. Keenan, F. A. Stevie, J. L. Moore, R. B. Irwin, A. J. Filo, C. W. Magee, R. Alcorn, and D. File. 1990, 3p
 Pub. in Proceedings of International Conference on Secondary Ion Mass Spectrometry (SIMS VII) (7th), Monterey, CA., September 3-8, 1989, p115-117 1990.

Keywords: *Ion implantation, *Silicon dioxide, *Silicon, Carbon, Sodium, Aluminum, Chromium, Iron, Copper, Reprints, Secondary ion mass spectroscopy.

A round-robin study of implants of C, Na, Al, Cr, Fe, and Cu into Si and SiO₂ has been conducted. The results are reported.

100,831
PB92-117282 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Measurement, Use, and Interpretation of TCR.
 Final rept.

H. A. Schafft. 1991, 7p
 Pub. in Proceedings of International Wafer Level Reliability Workshop, Lake Tahoe, CA., October 7-10, 1990, p211-217 1991.

Keywords: *Integrated circuits, Stress testing, Electromigration, Metallizing Measurement, Reprints, *Temperature coefficient of resistance.

A few comments are made about the measurement, use, and interpretation of the temperature coefficient of resistance (TCR). TCR is important when one wants to determine the temperature of a metallization line in an electromigration stress test.

General

100,832
PB91-132241 PC A06/MF A01
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.
Bibliography of the NIST Electromagnetic Fields Division Publications.
 R. M. Lyons, and K. A. Gibson. Aug 90, 104p
 NISTIR-3945
 Supersedes PB90-163635.

Keywords: *Electromagnetic fields, Electrical measurement, Dielectric properties, Electromagnetic interference, Electromagnetic noise, Remote sensing, Radiation hazards, Antennas, Metrology, Waveforms, Standards, Time domain, Near field, US NIST.

The bibliography lists the publications by the staff of the Electromagnetic Fields Division of the National Institute of Standards and Technology for the period January 1970 through July 1990. It supersedes PB90-163635 which listed the publications of the Electromagnetic Fields Division from January 1970 through August 1989. Topics covered include antennas, dielectric measurements, electromagnetic interference, microwave metrology, noise, remote sensing, time domain, and waveform metrology. Selected earlier publications from the Division's predecessor organizations are included.

100,833
PB91-132266 PC A04/MF A01
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
 M. E. DeWeese. Aug 90, 66p NISTIR-3946
 Supersedes PB90-161670.

Keywords: *Metrology, *Bibliographies, Optical communication, Superconductors, Electrooptics, Cryogenics, Lasers, *Electromagnetic metrology, Cryoelectronics, Optical fibers, Superconducting devices, US NIST.

The bibliography lists the publications of the personnel of the Electromagnetic Technology Division of NIST during the period from January 1970 through publication of this report. Topics include cryoelectronics, electromagnetic metrology, lasers, magnetics, optical fibers, and superconducting materials. A few earlier references that are directly related to the present work of the Division are also included.

100,834
PB91-133868 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.

Final rept.
 T. E. Capobianco. 1989, 9p
 Sponsored by Army Materials Technology Lab., Watertown, MA.
 Pub. in Proceedings of Defense Conference on Non-destructive Testing (38th), San Antonio, TX., October 31-November 2, 1989, p193-201.

Keywords: *Eddy current tests, *Electrical impedance, *Standards, Display devices, Nondestructive tests, Electromagnetic testing, Calibrating, Conductivity, Aluminum alloys, Probes, Reprints, *Calibration.

The U.S. Army is sponsoring work at the National Institute of Standards and Technology to develop a military standard for characterizing eddy current probe performance. Presently, the test method of this draft standard is the measurement of the probe impedance change when the probe is applied to test blocks of two different conductivities. The authors hoped that this impedance measurement would be easy to perform in the field, but they discovered that field and depot level operations lack the equipment for measuring impedance. This has become a serious obstacle to the implementation of the standard. However, depot operations often have an eddy current instrument which displays flaw signals in the impedance plane. These instruments do not display the actual impedance values of the flaw signals presented but could possibly be calibrated for this purpose. Results of an experiment where a calibration technique was tried and eddy current probe impedances measured are presented.

100,835
PB91-134213 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Electricity Div.
Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge.
 Final rept.
 S. V. Kulkarni, R. J. Van Brunt, and V. K. Lakdawala. 1990, 8p
 Sponsored by Department of Energy, Washington, DC. Div. of Electric Energy Systems.
 Pub. in Proceedings of Annual Report Conference on Electrical Insulation and Dielectric Phenomena, Pocono Manor, PA., October 28-31, 1990, p267-274.

Keywords: Electrical insulation, Electric discharges, Dielectrics, Reprints, *Corona discharges, Trichel pulses.

Experiments are conducted to investigate the conditions under which the transition from negative corona to dielectric barrier controlled discharge occurs. A negative point-plane electrode (covered with PTFE dielectric) geometry is studied using a newly developed partial discharge detection technique. At a critical gap distance, an abrupt transition from a rapid pulsating behavior to a widely distributed random pulse behavior is observed. The critical distance increases with increasing diameter of the solid dielectric and decreases with increase in applied voltage. The influence of dielectric surface charging on the Trichel pulse behavior is manifested by the measured pulse height and time separation distributions. As the influence of dielectric charging increases, the pulse separation distribution begins to broaden significantly and the corresponding pulse height distribution becomes narrower.

100,836
PB91-134528 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Electricity Div.
Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
 Final rept.
 J. K. Olthoff, R. J. Van Brunt, Y. Wang, L. D. Doverspike, and R. L. Champion. 1990, 16p
 Sponsored by Department of Energy, Washington, DC. Pub. in Nonequilibrium Effects in Ion and Electron Transport, p229-244 1990.

Keywords: *Sulfur hexafluoride, Electric discharges, Cross sections, Reprints, *Electron detachment, *Ion-molecule collisions, Fluorine ions, Sulfur fluorides.

Results are summarized from the first direct measurements of absolute cross sections for electron-detachment and ion-conversion processes involving interactions of SF₆(1-), SF₅(1-) and F(1-), with SF₆. These cross sections are used to calculate electron-detachment and ion-conversion reaction coefficients as func-

General

tions of electric field-to-gas density ratios (E/N) for various reactions. The relevance of these results is discussed to the interpretation of data from uniform-field drift-tube measurements and measurements of electrical-discharge initiation processes.

100,837
PB91-134684 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Electricity Div.

Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
Final rept.

K. L. Stricklett, E. F. Kelley, H. Yamashita, H. Kawai, and C. Fenimore. 1990, 4p
Sponsored by Department of Energy, Washington, DC. Office of Energy Storage and Distribution.
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) International Symposium on Electrical Insulation, Toronto, Canada, June 3-6, 1990, p61-64.

Keywords: *Hexanes, *Dielectric breakdown, *Electric discharges, High speed photography, Liquids, Reprints, *Breakdown(Electronic threshold), Streamer initiation.

Under uniform field conditions, two modes of electrical breakdown are observed in liquid n-hexane: breakdown may be initiated by either cathode or anode streamers. This observation suggests that two unique sets of phenomena lead to electrical breakdown. In the work described, high-speed photography is employed to obtain a record of each breakdown event thereby providing statistical information regarding the relative frequencies of anode and cathode processes. The degree to which the relative probability for either process is influenced by experimental conditions is discussed.

100,838
PB91-134916 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.

Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
Final rept.

C. M. Weil, F. E. Marler, J. R. Major, M. F. Weidman, and D. H. Russell. 1989, 13p
Pub. in ARFTG Conference Digest (33rd), Long Beach, CA., June 15-16, 1989, p76-88.

Keywords: *Microwave reflectometers, Extremely high frequencies, Superhigh frequencies, Millimeter waves, Waveguides, Scattering, Bolometers, Reprints, Six port, Uncertainty.

The development and evaluation of three dual six-port reflectometer systems, that use WR-42, WR-28 and WR-22 waveguides are discussed; these cover the frequency range 18-50 GHz. The systems are capable of automated or semiautomated operation and will provide complex scattering parameter data for customer waveguide components, as well as effective efficiency data for power sensors. Some representative measurement data are presented that demonstrate that these systems yield results that do not differ significantly from those obtained using older measurement systems. Some discussion of measurement uncertainties is also included.

100,839
PB91-135020 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Electricity Div.

Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
Final rept.

H. Yamashita, H. Kawai, K. L. Stricklett, and E. F. Kelley. 1990, 6p
Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of International Conference on Conduction and Breakdown in Dielectric Liquids (10th), Grenoble, France, September 10-14, 1990, p404-409.

Keywords: *Dielectric breakdown, *Electric discharges, Liquids, Electric fields, Electric potential, Shadowgraph photography, Reprints, *Pressure effects, *Hexane, Nonuniform fields, Streamer initiation.

The effect of pressure on the initiation of prebreakdown streamers in n-hexane in a non-uniform field is investigated. Using a high-magnification (100x) high-resolution (1 micrometers) optical system and a high-speed camera, the initial growth of low-density stream-

ers propagating from a needle cathode is examined at pressures ranging from 0.1 to 1.1 MPa. The initial streamer is a single filament which grows to approximately 4 micrometers in diameter and 8 micrometers in length before the appearance of a dense bushy structure at its tip. Oscillatory behavior of the initial streamer is observed in which the diameter of the initial streamer expands and contracts as the streamer grows. The pressure dependence of the streamer initiation voltage is shown.

100,840
PB91-147223 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Technology Div.

High Speed Magnetic Field Sensors Based on Iron Garnets.
Final rept.

M. N. Deeter, A. H. Rose, and G. W. Day. 1990, 2p
Pub. in Proceedings of AFCEA Department of Defense Fiber Optics Conference, McLean, VA., March 20-23, 1990, p423-424.

Keywords: *Yttrium iron garnets, *Magnetic measurement, *Magnetic fields, *Magnetooptics, Faraday effect, Optical fibers, Fiber optics, Sensors, Reprints.

The authors characterize magnetic field sensors based on the Faraday effect in ferrimagnetic iron garnets in terms of their sensitivity and frequency response. Signal-to-noise measurements at 80 Hz on a sample of yttrium iron garnet yield noise equivalent magnetic fields of 10 nT/Hz. Frequency response measurements exhibit virtually flat response to approximately 700 MHz.

100,841
PB91-147702 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Precision Engineering Div.

Determination of Fields Near a Silver Strip on a Glass Substrate.
Final rept.

E. Marx, and E. C. Teague. 1988, 9p
Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - Scanning Microscopy Technologies and Applications, v897 p176-184 1988.

Keywords: *Dimensional measurement, *Light scattering, Electromagnetic scattering, Optical scanning, Integral equations, Resonance scattering, Near field, Reprints, *Silver strips.

The theory and numerical considerations that are used in the computation of the scattered electromagnetic fields near the surface of a silver strip on a glass substrate are presented. These calculations provide theoretical guidance for the measurement of the width of the strip by means of near-field optical scanning. The dimensions of the strip cross section, e.g. 300 nm by 100 nm, can be a fraction of the wavelength of the incident light, 632.8 nm. The flux 1 nm above the surface shows sharp spikes at the edges of the strip. The features of the fields near such a surface could be used for accurate determination of the width of the strip by measurements up to about 30 nm above the strip. The effects of other variables are also shown in the figures.

100,842
PB91-148676 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Technology Div.

Integrity Tests for High-(T sub c) and Conventional Critical-Current Measurement Systems.
Final rept.

L. F. Goodrich, and S. L. Bray. 1990, 8p
Sponsored by Department of Energy, Washington, DC. Pub. in Advances in Cryogenic Engineering (Materials), v36 pA43-50 1990.

Keywords: *Critical current, High temperature superconductors, Electrical measurement, Power supplies, Test methods, Voltmeters, Reprints, Ground loops.

Critical-current measurement systems must be extremely sensitive to the small differential voltage that is present across the test specimen as it changes from the zero resistance state to the flux-flow resistance state. Consequently, these measurement systems are also sensitive to interfering voltages. Such voltages can be caused by ground loops and by common mode voltages. Specific methods for testing the sensitivity of critical-current measurement systems and for detecting the presence of interfering voltages are discussed. These include a simple procedure that simulates the

zero resistance state and the use of an electronic circuit that simulates the flux-flow resistance state.

100,843
PB91-158816 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Chemical Process Metrology Div.

Surface Acoustical Wave Spectroscopy for High Humidity Sensing.
Final rept.

P. H. Huang. 1987, 5p
Pub. in Proceedings of International Conference on Solid-State Sensors and Actuators (4th), Tokyo, Japan, June 2-5, 1987, p462-466.

Keywords: *Surface acoustic wave devices, *Humidity measurement, High humidity, Lithium niobates, Electric fields, Acoustic fields, Sensors, Reprints, *SAW devices.

Polar water molecules in ambient moist air can be made to interact with the electric and acoustic fields of surface acoustical waves (SAW) in piezoelectric crystal surface. The interaction causes a change in the amplitude of the received surface wave which is proportional to the energy density of the wave. An amplitude-modulated SAW technique, which does not use adsorptive coatings, has been used to study this electroacoustic interaction for high humidity sensing in the range 90 to 98% RH. The sensor system consists of two identical high frequency, wide band SAW delay lines. One is used as a reference channel with shorted electric fields at the surface. The reference delay line is maintained in an environment of nearly zero percent relative humidity. The ratio of voltage output from the sensing channel to that of the reference channel has been measured. An exponential relationship exists between the measured voltage ratio and the relative humidity in the range from 89 to 98% for SAW frequencies at 210, 220, 230, 240, and 250 MHz, respectively. Measurements of spectral group delay reveal the limitation on the transmission bandwidths of the sensor system for high humidity sensing.

100,844
PB91-161919 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.

Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method.
Final rept.

J. Baker-Jarvis, E. J. Vanzura, and W. A. Kissick. 1990, 8p

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Microwave Theory and Techniques 38, n8 p1096-1103 Aug 90.

Keywords: *Permittivity, Dielectric properties, Permeability, Transmission, Reflection, Reprints.

The transmission/reflection method for complex permittivity and permeability determination is studied. The special case of permittivity measurement is examined in detail. New robust algorithms for permittivity determination that eliminate the ill-behaved nature of the commonly used procedures at frequencies corresponding to integer multiples of one-half wavelength in the sample are presented. An error analysis is presented which yields estimates of the errors incurred due to the uncertainty in scattering parameters, length measurement, and reference plane position. In addition, new equations are derived for determining complex permittivity independent of reference plane position and sample length.

100,845
PB91-161992 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.

TEM/Reverberating Chamber Design/Concept Study: A Single Facility for Large System Radiated EMC Testing, 10 kHz - 40 Ghz.
Final rept.

M. L. Crawford. 1989, 15p
Pub. in Proceedings of EMC EXPO Conference Record, Washington, DC., August 1-3, 1989, 15p.

Keywords: *Reverberation chambers, *Electromagnetic compatibility, Transmission lines, Scale models, Performance, Design, Reprints, US NIST.

The paper describes work in progress at NIST to develop a single, integrated facility using a large shielded enclosure configured as a TEM transmission line

driven reverberating chamber. TEM test fields are generated at frequencies below multimode cutoff, and mode-stirred test fields are generated at frequencies above multimode cutoff. The paper discusses a proposed facility design, advantages and limitations, the theoretical basis for the work, and the proposed experimental approach for evaluating a 1/10 scale model of a large enclosure having a test volume of 8m x 16m x 30m.

100,846

PB91-162362 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Electricity Div.
Cutting the High Cost of Testing.
Final rept.

T. M. Souders, and G. N. Stenbakken. 1991, 4p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Spectrum, p48-51 Mar 91.

Keywords: *Test methods, Computer applications, Analog circuits, Linear equations, Mathematical models, Reprints.

An approach is presented for optimizing the testing of analog and mixed-signal devices. The entire process is performed with algebraic operations on an appropriate model. The paper demonstrates how this is accomplished, using simple calls with public-domain software. Examples of test results achieved using this approach are included.

100,847

PB91-162370 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO.
Electromagnetic Fields Div.
Intercomparison of NBS Noise Calibration Services.
Final rept.

D. F. Wait, W. C. Daywitt, and G. Counas. 1988, 2p
Pub. in Proceedings of Conference on Precision Electromagnetic Measurements 'CPEM '88 Digest', Tsukuba, Ibaraki, Japan, June 7-10, 1988, p209-210.

Keywords: *Thermal noise, *Standards, Microwave radiometers, Noise temperature, Reflectometers, Calibration, Reprints, Intercomparison.

New, less restrictive thermal noise calibration services recently established in the frequency range of 2 - 12.4 GHz overlap prior NBS services and provide an opportunity for intercomparison. The agreement between old and new calibration systems is better than 0.4%.

100,848

PB91-171959 PC A08/MF A01
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Fields Div.
Transmission/Reflection and Short-Circuit Line Permittivity Measurements.
Technical note.

J. Baker-Jarvis. Jul 90, 156p NIST/TN-1341
Also available from Supt. of Docs. as SN003-003-03058-9.

Keywords: *Dielectric properties, Microwaves, Electrical measurement, Calibration, Permeability, Reflection, Uncertainty, Coaxial cables, Computer programs, *Permittivity measurement, Loss factors.

The transmission/reflection and short-circuit line methods for measuring complex permittivity are examined. Equations for permittivity are developed from first principles. New robust algorithms that eliminate the ill-behaved nature of the commonly used transmission/reflection method at frequencies corresponding to integral multiples of one-half wavelength in the sample are presented. These allow measurements to be made on samples of any length. An uncertainty analysis is presented which yields estimates of the errors incurred due to the uncertainty in scattering parameters, length measurement and reference plane position. The equations derived here indicate that the minimum uncertainty for transmission/reflection measurements of nonmagnetic materials occurs at integral multiples of one-half wavelength in the material. In addition, new equations for determining complex permittivity independent of reference plane position and sample length are derived. New equations are derived for permittivity determination using the short-circuit line allow positioning the sample arbitrarily in the sample holder.

100,849

PB91-175240 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Electrosystems Div.

Recent Developments in Digital Oscilloscopes.

Final rept.
H. K. Schoenwetter. 1989, 2p
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) Instrumentation and Measurement Technology Conference, Washington, DC., April 25-27, 1989, p154-155.

Keywords: *Oscilloscopes, Digitizers, Reprints, *Digital oscilloscopes, Waveform recorders.

The paper reviews the latest developments in digital storage oscilloscopes (DSOs) as reported in the open literature. DSOs are used to digitize and store waveforms which may be compared, analyzed, and manipulated. DSO capabilities usually include programmability, automatic waveform parameter measurement, the display of pre-trigger signal activity, and waveform averaging to reduce noise and ripple.

100,850

PB91-175356 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO.
Electromagnetic Fields Div.
Lattice Approach to Environments Irradiated by Unknown Sources.
Final rept.

J. Randa, and M. Kanda. 1987, 5p
Pub. in Proceedings of the International Zurich Symposium and Technical Exhibition on Electromagnetic Compatibility (7th), Zurich, March 3-5, 1987, p191-195.

Keywords: *Electromagnetic environments, Maxwells equations, Numerical solution, Reprints, Successive overrelaxation method, Ill posed problems.

An approach is suggested to the characterization of electromagnetic environments irradiated by unknown sources. The approach is based on the numerical solution of Maxwell's equations subject to the constraints imposed by the measured values of the field at a small number of measurement points and by boundary conditions. The idea is demonstrated using a particular method for the numerical solution. Examples which demonstrate the approach but reveal deficiencies in the numerical method are given. Possible future directions are suggested.

100,851

PB91-175398 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Electricity Div.
Measurements of Power Frequency Magnetic Fields Away from Power Lines.
Final rept.

M. Misakian, J. M. Silva, and R. S. Baishiki. 1991, 11p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Power Delivery 6, n2 p901-911 Apr 91.

Keywords: *Magnetic fields, Residential buildings, Industrial buildings, Environments, Measurement, Calibration, Reprints.

Recent epidemiological studies have focused attention on the measurement of ambient level power frequency magnetic fields in residential and industrial settings. These fields can be as much as two orders of magnitude smaller than power line magnetic fields and can also contain significant levels of harmonic content. Because the existing IEEE standard for characterizing power frequency magnetic fields is intended for measurements near power lines, it has a number of inadequacies if used alone for guidance during the measurement of residential fields. The paper describes the instrumentation, calibration procedures, and outlines measurement strategies which can overcome some of the shortcomings of the existing standard. Examples of ambient level magnetic field measurements are also provided.

100,852

PB91-184754 PC A03/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Center for Electronics and Electrical Engineering.
Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar.
J. A. Gonzalez. Apr 91, 31p NISTIR-4537
See also PB90-206491.

Keywords: *Semiconductor devices, *Metrology, Electrical engineering, Electronics, Electromagnetic inter-

ference, Integrated circuits, Antennas, Optical fibers, Signal processing, Sensors, Waveforms, Electrooptics, Photodetectors, High temperature superconductors, Progress report.

This is the twenty-sixth issue of a quarterly publication providing information on the technical work of the National Institute of Standards and Technology (formerly the National Bureau of Standards) Center for Electronics and Electrical Engineering. This issue of the CEEE Technical Publication Announcement covers the third quarter of calendar year 1990. Topics discussed include the following: Semiconductor Technology Program; Signals & Systems Metrology Program; Fast Signal Acquisition, Processing, & Transmission; Electrical Systems; Electromagnetic Interference; 1991 CEEE Calendar.

100,853

PB91-189290 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Electricity Div.
Measurement Reliability: The Detection of Nonlinearities.
Final rept.

C. P. Fenimore, and G. J. FitzPatrick. 1991, 6p
Sponsored by Defense Nuclear Agency, Washington, DC.

Pub. in Proceedings of Space Nuclear Power Systems Symposium (8th), Albuquerque, NM., January 7-10, 1991, p1113-1118.

Keywords: *Electrical measurement, Spacecraft power supplies, Reliability(Electronics), Failure(Electronics), Photomultiplier tubes, Voltage dividers, Kerr cells, Error analysis, Reprints.

The detection of a single measurement failure in a compound measurement system consisting of a voltage divider and a Kerr cell is demonstrated. The comparison of measurement devices based on distinct technologies is inherently robust; they may be expected to have distinct failure characteristics. The Kerr comparison is based on model fitting applied to numerically-generated data and experimental, digitally-recorded waveforms. The characteristic signatures of two measurement errors are found: for a quadratic nonlinearity in the detector and for an overdriven photodetector. The length of the data records permits the detection of nonlinearities which are comparable to the noise in magnitude. Detection of such errors is a prerequisite to recalibration in software which enables error correction in remote applications, such as space power systems.

100,854

PB91-189308 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Electricity Div.
Incompatibility between the 100/1300 Surge Test and Varistor Failure Rates.
Final rept.

C. P. Fenimore, and F. D. Martzloff. 1991, 6p
Pub. in Proceedings of International Zurich Symposium (9th), and Technical Exhibition on Electromagnetic Compatibility, Zurich, Switzerland, March 12-14, 1991, p525-530.

Keywords: *Surges, *Varistors, Mathematical models, Nonlinear systems, Circuits, Tests, Reprints.

A proposed high-energy surge test featuring a 100/1300 microsec waveform and a peak voltage of 2.3 times the peak voltage of the low-frequency mains is under consideration by the IEC. The energy storage capacitor suggested for the surge generator, originally specified as high as 25 000 microfarad, has been scaled down but is still at a level of several thousand microfarads. To determine the energy dissipated in various surge tests, numerical integration is applied to a simple but realistic mathematical model of a test circuit. The energy that would be deposited into a varistor of the voltage rating commonly used in protecting load equipment, if subjected to this test, far exceeds the capability of the varistor, but reported varistor failure rates do not reflect such a situation. Thus, a re-examination of the premises that led to the 100/1300 microsec test specifications appears necessary.

100,855

PB91-189811 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Electricity Div.

ELECTROTECHNOLOGY

General

Real, Realistic Ring Waves for Surge Testing.

Final rept.
F. D. Martzloff, and G. Pellegrini. 1991, 6p
Pub. in Proceedings of the International Zurich Symposium and Technical Exhibition on Electromagnetic Compatibility (9th), Zurich, Switzerland, March 12-14, 1991, p499-504.

Keywords: *Surges, Data transmission systems, Transmission lines, Power lines, Lightning, Transients, Test methods, Reprints, Ring waves.

Five independent investigations on the coupling of surges into low-voltage circuits (data or power lines), and of their effects, show that a damped oscillatory transient is a real, realistic stress for equipment connected to these lines.

100,856

PB91-202895 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO. Electromagnetic Fields Div.

TEM Driven Reverberating Chamber, a Single Facility for Radiated EMS/V Testing, 10 kHz - 18 GHz.

Final rept.
M. L. Crawford. 1987, 11p
Pub. in Proceedings of International Conference on Electromagnetic Compatibility EMC EXPO 87, San Diego, CA., May 19-21, 1987, pT11.18-T11.28.

Keywords: *Reverberation chambers, *Electromagnetic testing, Electromagnetic susceptibility, Vulnerability, Test facilities, Performance evaluation, Operation, Design, Reprints.

The paper discusses the design, operation, and evaluation of a reverberating chamber, excited by a transverse electromagnetic (TEM) transmission line, for use in establishing radiated electromagnetic fields for susceptibility/vulnerability (EMS/V) testing of electronic equipment. The potential range of application is from 10 kHz to 18 GHz. Included are brief descriptions of the facility, the operation procedures, the method for determining the test field amplitude inside the chamber, and the evaluation of the chambers electrical parameters such as VSWR and E-field strength as a function of input power. Also the E-field spatial uniformity and a summary of measurement uncertainties and conclusions derived from the test results are presented.

100,857

PB91-203885 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.

Simultaneous versus Independent Injection Testing of Nonlinear Multiport Systems.

Final rept.
J. Randa. 1991, 4p
Pub. in Proceedings of International Zurich Symposium and Technical Exhibition on Electromagnetic Compatibility (9th), Zurich, Switzerland, March 12-14, 1991, p71-74.

Keywords: *Electromagnetic susceptibility, Electromagnetic interference, Nonlinear systems, Reprints, *Injection testing.

The paper is a theoretical investigation of the question whether, in injection testing of a multiport system, all ports must be injected and tested simultaneously. A general, nonlinear, three-port system is analyzed. Conditions under which the ports can be tested separately are derived, and problems with the practical application of these conditions are pointed out. Systems with memory are also treated, and the extension to general multiports is given. The relevance to bulk injection testing is discussed.

100,858

PB91-236844 Not available NTIS
National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.

Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity.

Final rept.
M. D. Janezic, and J. H. Grosvenor. 1991, 5p
Sponsored by Department of the Navy, Washington, DC.
Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) Instrumentation and Measurement Technology Conference Enhancing Productivity with Instrumentation and Measurement Technologies, Atlanta, GA., May 14-16, 1991, p580-584.

Keywords: *Dielectrics, *Permittivity, Electrical measurement, Dielectric properties, Cavity resonators, Aluminum oxide, Magnesium titanates, Polystyrene, Microwaves, Reprints.

A new technique for measuring the relative permittivity of thin, low-loss dielectric materials in a cylindrical resonant cavity has been developed. A thin dielectric sample, of unknown characteristics, is placed upon a thicker dielectric sample whose permittivity is well characterized. Both samples are then placed on the endplate in the cylindrical resonant cavity. In this way, the thin sample is placed in a region of the cavity where interaction with the electromagnetic fields is greater. From knowledge of the cavity's resonant frequency, dimensions of the cavity and both dielectric samples, and the permittivity of the thicker sample, the authors are able to use iterative techniques to accurately determine the permittivity of the thin dielectric sample. A derivation and discussion of the theory used in this layered-dielectric permittivity measurement technique is provided. Also, measurement results, at frequencies between 9 and 10 GHz, are given.

100,859

PB91-237214 Not available NTIS
National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electricity Div.

Precision Qualification of Watthour Meters.

Final rept.
J. D. Ramboz, C. Fenimore, and S. B. Schiller. 1991, 4p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instruments and Measurement 40, n2 p406-409 Apr 91.

Keywords: *Watt hour meters, Electric energy meters, Experimental design, Electrical measurement, Precision, Standards, Reprints.

One of the NIST Measurement Assurance Programs transfers the unit of the watthour using transport meters. For the application, the response of these meters to variations in environmental conditions must be well-characterized. A statistically planned experiment is employed to determine corrections for the response of each meter to varying conditions of voltage, current, temperature, and power factor. This qualification procedure is designed to be efficient with the number of test points and to yield estimates of the model parameters describing the corrections.

100,860

PB91-237222 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.

Theoretical Considerations for a Thermo-Optic Microwave Electric-Field-Strength Probe.

Final rept.
J. Randa. 1990, 8p
Sponsored by Naval Ocean Systems Center, San Diego, CA.
Pub. in Jnl. of Microwave Power and Electromagnetic Energy 25, n3 p133-140 1990.

Keywords: *Electric fields, *Probes(Electromagnetic), Microwave equipment, Electrical measurement, Ultra-high frequency, Superhigh frequency, Millimeter waves, Reprints.

Theoretical background for the design of a microwave electric-field probe is presented. The design uses a fiber-optic thermometer to measure the temperature rise of a resistive sphere or spherical shell in an electromagnetic field. Design parameters are chosen to optimize sensitivity and frequency response for the 1 GHz to 10 GHz range. These parameters also result in good frequency response well into the millimeter-wave range. Advantages of the design are that it is small, nonperturbing, and can be used in high electromagnetic fields.

100,861

PB91-237644 Not available NTIS
National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electricity Div.

Influence of Memory Propagation on Phase-Resolved Stochastic Behavior of AC-Generated Partial Discharges.

Final rept.
R. J. Van Brunt, and E. W. Cernyar. 1991, 3p
Sponsored by Department of Energy, Washington, DC. Office of Energy Storage and Distribution.
Pub. in Applied Physics Letters 58, n23 p2628-2630, 10 Jun 91.

Keywords: *Electric discharges, Stochastic processes, Static electricity, Alternating current, Dielectrics, Reprints.

Using measurements of phase-restricted conditional partial-discharge pulse-amplitude and phase distributions, it is shown for the first time that the stochastic properties of a dielectric-barrier type of partial discharge generated by an ac voltage are significantly influenced by memory associated with charge deposited on the dielectric surface by preceding discharge events. The memory effect must be considered in any attempt to interpret results of phase-resolved partial-discharge measurements.

100,862

PB91-237776 Not available NTIS
National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.

Translate LRL and LRM Calibrations.

Final rept.
D. Williams, R. Marks, and K. Phillips. 1991, 5p
Pub. in Microwaves and RF 30, n2 p78, 80-82 and 84, Feb 91.

Keywords: *Calibration, Probes(Electromagnetic), Microwaves, Wafers, Reprints, LRM method, LRL method, Line reflect match method, Line reflect line method, Automatic network analyzers.

The Line-Reflect-Match calibration technique (LRM) is reviewed. Unless the match standard is perfect, calibration using the most common form of LRM differs from that of the Line-Reflect-Line technique (LRL). The authors present an explicit transformation which relates the two calibrations.

100,863

PB91-240838 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Electronics and Electrical Engineering.

Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, October to December 1990, with 1991 CEEE Events Calendar.

J. A. Gonzales. Aug 91, 32p NISTIR-4645
See also PB90-265232 and PB91-184754.

Keywords: *Electrical engineering, *Electronics, Semiconductors(Materials), Metrology, Signal processing, Electromagnetic interference, Antennas, Lasers, Magnetic materials, Microwaves, Fiber optics, Superconductors, Electrooptics, Abstracts, Technology innovation, Semiconductor devices, NIST(National Institute of Standards and Technology), CEEE(Center for Electronics and Electrical Engineering).

This is the twenty-seventh issue of a quarterly publication providing information on the technical work of the National Institute of Standards and Technology (formerly the National Bureau of Standards) Center for Electronics and Electrical Engineering. The issue of the Center for Electronics and Electrical Engineering Technical Publication Announcements covers the fourth quarter of calendar year 1990. Abstracts are provided by technical area for papers published this quarter.

100,864

PB92-112309 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar.

J. A. Gonzalez. Sep 91, 20p NISTIR-4675
See also PB91-240838.

Keywords: *Electromagnetic interference, *Microelectronics, *Electrooptics, *Metrology, Integrated circuits, Bipolar transistors, High temperature superconductors, Signal processing, Millimeter waves, Antennas, Lasers, Microwaves, Optical fibers, Magnetic materials, Sensors, Fiber optics, Progress report, Abstracts.

The report is the twenty-eighth issue of a quarterly publication providing information on the technical work of the National Institute of Standards and Technology, Electronics and Electrical Engineering Laboratory. The issue of the EEEL Technical Publication Announcements covers the first quarter of calendar year 1991. Abstracts are provided by technical area for papers published this quarter. Major topic areas include the following: Semiconductor microelectronics; Signal acquisition, processing, and transmission; Electrical systems; Electromagnetic interference.

100,865

PB92-112325

PC A03/MF A01

National Inst. of Standards and Technology, Boulder, CO.

Optimization Techniques for Permittivity and Permeability Determination.

P. D. Dornich, J. Baker-Jarvis, and R. G. Geyer. Jun 91, 23p NISTIR-4571

Keywords: *Permeability, *Permittivity, Regression analysis, Complex variables, S matrix, Optimization, Microwaves, Transmission lines, Glass, Yttrium iron garnets, Barium titanates, Nickel ferrite, Polystyrene, Polymers.

The paper discusses optimization techniques for the determination of complex permittivity and permeability in transmission lines. The traditional theoretical model using scattering parameters is extended into a mathematical regression model that can be solved with widely accepted numerical techniques. The new model produces accurate primary mode results for the samples tested including nonmagnetic materials with high dielectric constants. An extension of the model includes responses due to higher order modes. The general model determines parameters to specify the spectral functional form of complex permittivity and permeability and is capable of small corrections to independent variable data including angular frequency, sample length, sample position, and cutoff wavelength. The method provides reliable determination for both low and high permittivity materials.

Keywords: *Josephson junctions, *Standards, *Calibration, Computerized control systems, Arrays, Uses, Reprints, *Voltage standards.

The recent development of large arrays of Josephson junctions is allowing an ever increasing number of laboratories to maintain intrinsic Josephson voltage standards at an accuracy near 0.05 ppm. The paper reviews the fundamentals of Josephson voltage standards and how computer control makes these standards simple to use in a variety of applications.

100,869

PB92-117167

Not available NTIS

National Inst. of Standards and Technology (EEEL), Gaithersburg, MD. Electricity Div.

Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.

Final rept.

N. M. Oldham, and T. L. Nelson. 1991, 6p

Pub. in Proceedings of IEEE (Institute for Electrical and Electronics Engineers) Winter Power Meeting, New York City, NY., February 3-7, 1991, p7-12.

Keywords: *Phase meters, *Voltmeters, *Ammeters, Waveforms, Tests, Reprints.

The operating principles of various voltmeters, ammeters, and phase meters are described. The results of tests on these instruments at different levels of distortion indicate that phase meters are subject to large, often unpredictable errors while most voltmeters and ammeters respond to the rms value, independent of waveshape.

100,870

PB92-123082

PC A03/MF A01

National Inst. of Standards and Technology (EEEL), Gaithersburg, MD.

Electronics and Electrical Engineering Laboratory. 1991 Strategic Plan. Supporting Technology for U.S. Competitiveness in Electronics.

R. M. Powell. Nov 91, 38p NISTIR-4714

See also PB92-112309.

Keywords: *Electrical measurement, Electronics industry, Optical communication, Semiconductor devices, Microwave equipment, Video equipment, Integrated circuits, Microelectronics, Signal processing, Optical fibers, Strategy, Trends, Facilities, Sensors, Metrology, Electronics and Electrical Engineering Laboratory, Competitiveness, US NIST.

Among U.S. manufacturing industries, the electronics industry is the largest employer (1.94 million) and is a close second in shipments (\$266 billion) to the chemical industry (1990). U.S. competitiveness in many fields of electronics has been declining. Improved competitiveness will require outstanding performance from manufacturers in every step required to put a product into service to a buyer: research and development, manufacturing, marketplace exchange, and after-sales support. All of these steps are highly measurement intensive and have outstripped available measurement support. Improved measurement support is an essential part of any successful strategy for improving U.S. competitiveness. The Electronics and Electrical Engineering Laboratory (EEEL), within the National Institute of Standards and Technology, as part of a continuing study of the electronics industry, is identifying measurement needs in important fields of electronics: semiconductors, superconductors, magnetics, microwaves, lightwaves (optoelectronics), power networks, video, electromagnetic compatibility, and complex-system description and testing. The document describes EEEL's strategic plan for a response in terms of both general strategic directions across all of these fields and specific strategic directions for four fields: semiconductors, microwaves, optical-fiber communications, and video. The plan relates these directions to important goals for improved U.S. competitiveness.

100,871

PB92-126663

(Order as PB92-126614, PC A06/MF A02)

National Inst. of Standards and Technology, Boulder, CO.

Optimization Techniques for Permittivity and Permeability Determination.

P. D. Dornich, J. Baker-Jarvis, and R. G. Geyer.

1991, 11p

Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p565-575 Sep/Oct 91.

Keywords: *Dielectric properties, *Permeability, *Permittivity, Mathematical models, Superhigh frequency, Nonlinear analysis, Microwave frequencies, S matrix, Optimization, Yttrium iron garnets, Barium titanates, Nickel ferrite, Polystyrene, Polymers, Glass.

The paper discusses optimization techniques for the determination of complex permittivity and permeability in transmission lines. The traditional theoretical model using scattering parameters is extended into a mathematical regression model that can be solved with widely accepted numerical techniques. This new model produces accurate primary mode results for the samples tested including nonmagnetic and magnetic materials with high dielectric constants. An extension of the model includes responses due to higher order modes. The general model determines parameters to specify the spectral functional form of complex permittivity and permeability and is capable of small corrections to independent variable data including angular frequency, sample length, sample position, and cutoff wavelength. The method provides reliable determination for both low and high permittivity materials.

ENERGY

Electric Power Transmission

100,872

PB91-162248

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Electricity Div.

Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields.

Final rept.

M. Misakian. 1991, 11p

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Power Delivery 6, n1 p1-11 Jan 91.

Keywords: *Power systems, *Magnetic fields, *Magnetic measurement, AC systems, Instruments, Exposure meters, Performance, Meetings, Tests, Reprints.

A workshop was organized by the AC Fields Working Group for the purpose of evaluating instrumentation designed for measuring power system magnetic fields. The instruments tested varied from simple single axis survey meters to microcontroller based instruments designed for long term data collection and analysis. The working group designed a series of tests which were used to evaluate each instrument. These included calibration and harmonic response tests, tests of susceptibility to high 60 Hz electric fields and electromagnetic interference and the measurement of fields typical of transmission line, appliance, substation and office/shop environments. Results for each of these tests are presented and discussed. With some minor exceptions, the performance of all instruments was satisfactory.

100,873

PB91-216770

PC A04/MF A01

National Inst. of Standards and Technology (EEEL), Gaithersburg, MD.

NIST Measurement Services: Calibration Service for Current Transformers.

Special pub. (Final).

J. D. Ramboz, and O. Petersons. Jun 91, 62p NIST/SP-250/36

Also available from Supt. of Docs. as SN003-003-03087-2.

Keywords: *Current transformers, *Calibration, Electrical measurement, Electric power distribution, Standards, Uncertainty, US NIST.

A calibration service at the National Institute of Standards and Technology (NIST) for laboratory-quality current transformers is described. The service provides measurements of the current ratio and the phase angle between the secondary and primary currents. In the Report of Calibration or Test, the measured ratio is reported as the product of the marked (nominal) ratio and the ratio correction factor. The measured phase angle is reported directly in milliradians (mrad) and is

100,866

PB92-116367

PC A06/MF A02

National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Technology Div.

Bibliography of the NIST Electromagnetic Fields Division Publications.

R. M. Lyons, and K. A. Gibson. Aug 91, 108p

NISTIR-3973

Supersedes PB91-132241.

Keywords: *Electromagnetic fields, *Bibliographies, Electrical measurement, Dielectric properties, Electromagnetic interference, Electromagnetic noise, Remote sensing, Time domain, Radiation hazards, Near field, Antennas, Metrology, Waveforms, Standards, Microwaves, Attenuation, Dielectric measurements, Microwave metrology, Microwave power, Impedance, Near-field antenna measurements, Noise, Nonionizing radiation, Waveform metrology.

The bibliography lists the publications by the staff of the Electromagnetic Fields Division of the National Institute of Standards and Technology for the period January 1970 through July 1991. It supersedes NISTIR 3945, which listed the publications of the Electromagnetic Fields Division from January 1970 through July 1990. Selected earlier publications from the Division's predecessor organizations are included.

100,867

PB92-113735

PC A04/MF A01

National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Technology Div.

Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.

M. E. DeWeese. Aug 91, 69p NISTIR-3972

Supersedes PB91-132266.

Keywords: *Metrology, *Bibliographies, Optical communication, Optical fibers, Magnetic measurement, Superconducting devices, Superconductors, Optoelectronic devices, Electrooptics, Lasers, Cryoelectronics, Electromagnetic metrology, Superconducting materials, *Electromagnetic metrology, Cryoelectronics.

The bibliography lists the publications of the personnel of the Electromagnetic Technology Division of NIST during the period from January 1970 through publication of the report. A few earlier references that are directly related to the present work of the Division are also included.

100,868

PB92-116516

Not available NTIS

National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Voltage Calibration Systems Using Josephson Junction Arrays.

Final rept.

C. J. Burroughs, and C. A. Hamilton. 1990, 4p

Pub. in IEEE (Institute for Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 39, n6 p972-975 Dec 90.

ENERGY

Electric Power Transmission

positive if the secondary current leads the primary. The range of primary-to-secondary current ratios that can be measured with the equipment at NIST extends from 0.25 A:5 A to 12000 A:5 A. The maximum current at the present time is about 20000 A. Estimates of calibration uncertainties, including their sources, are given and quality control procedures are described. For routine calibrations, uncertainties of $\pm 0.01\%$ for the ratio and ± 0.1 mrad for the phase angle are quoted. However, lower uncertainties— $\pm 0.0005\%$ or 5 parts per million (ppm) for ratio and ± 0.005 mrad or 5 microrads for phase angle—are possible under the provisions of Special Tests.

100,874
PB92-112341 PC A06/MF A02
National Inst. of Standards and Technology (EEL),
Gaithersburg, MD. Electricity Div.
Research for Electric Energy Systems: An Annual Report.
Annual rept. 1990.
W. E. Anderson. Jun 91, 105p NISTIR-4691
See also report for 1989, PB90-228032. Sponsored by Department of Energy, Washington, DC. Div. of Electric Energy Systems.

Keywords: *Surges, *Power transmission lines, *Electric fields, *Dielectrics, Kerr cells, Power lines, Chemical detection, Mathematical models, Graphs(Charts).

The report documents the technical progress in four investigations which make up the project 'Support of Research Projects for Electrical Energy Systems,' funded by the U.S. Department of Energy and performed by the Electricity Division of the National Institute of Standards and Technology (NIST). Specifically these investigations include: (1) Measurements of magnetic fields in support of epidemiological and in vitro studies of biological field effects; (2) development of a technique to measure trace amounts of SF₆ in the presence of SF₆ and the development of an improved stochastic analyzer for pulsating phenomena; (3) optical and electrical measurements of negative streamers preceding electric breakdown in liquid dielectrics; and (4) the development of a reference resistive divider for high voltage impulse measurements. The work discussed in the report is part of an ongoing research activity at NIST.

Fuel Conversion Processes

100,875
PB91-134940 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
Effect of Slag Penetration on the Performance of Magnesite Refractories in Slagging Gasifiers.
Final rept.
S. M. Wiederhorn, R. F. Krause, J. Sun, and G. V. Sklizkov. 1987, 8p
Sponsored by Department of Energy, Oak Ridge, TN. Fossil Energy Program.
Pub. in Proceedings of Symposium on Materials for Coal Gasification, Cincinnati, OH., October 10-15, 1987, p121-128.

Keywords: *Coal gasification, *Magnesite refractories, *Refractory materials, *Creep rupture tests, Slags, Magnesite oxides, Microstructure, Creep rupture strength, Creep properties, Bricks, Fractures(Materials), Reprints.

The purpose of the paper is to present a summary of a study on the morphological changes that occur when refractory bricks are penetrated by slag. The study consisted primarily of a microstructural analysis of specimens from a brick that had been removed from a coal gasifier. Laboratory studies were also conducted on newly manufactured brick to clarify the nature of the reactions that occur in practice. Data suggests a strong correlation between the structural stability of the refractory and the viscosity of the intergranular vitreous phase that forms as a result of slag penetration. In the course of the paper, the effect of viscosity on grain growth and on the creep and creep rupture behavior of this material is discussed.

100,876
PB91-158592 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg,
MD. Ceramics Div.

Rapporteur's Summary Materials Development for Coal Gasification.

Final rept.
S. J. Dapkunas. 1987, 3p
Pub. in Proceedings of ASM Conference on Materials for Coal Gasification, Cincinnati, OH., October 10-15, 1987, p183-185.

Keywords: *Coal gasification, *Corrosion, *Refractories, Steels, Hydrogen sulfide, Chromium additions, Erosion, Sulfidization, Heat resistant materials, Linings, Aluminum oxide, Ceramics, Slags, Concrete, Reviews, Reprints.

The operating conditions found in coal gasification systems have long been recognized as placing severe demands on materials of construction. An assessment of the performance of German wartime synfuels plants specifically cited hydrogen sulfide attack of alloy steels in high pressure Lurgi gasifiers as a problem and noted that 23 percent chromium steels were required for adequate corrosion resistance. The energy crisis of the 1970's raised renewed concern for the behavior of materials in coal gasifiers, and several assessments of the performance of materials, particularly for internal environments of dry ash gasifiers, were conducted. In-plant tests and extensive laboratory testing programs identified sulfidation attack of alloys and, in some applications, erosion to be primary modes of alloy deterioration.

Fuels

100,877
AD-A242 816/7 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
Final rept. May 89-Sep 90.
K. C. Smyth, and N. P. Bryner. Jan 91, 49p AFESC/ESL-TR-90-43.

Keywords: Air, *Autoignition, Control, Decomposition, Determination, Fuels, Heat, High temperature, Hydrocarbons, Ignition, Measurement, Metals, Mixtures, Nickel, Reliability, Short range(Time), Stainless steel, Surfaces, *Temperature, Test methods, Titanium, *Hydrocarbon fuels.

This study develops an experimental method for the reliable determination of auto ignition temperatures under a variety of conditions which involve short duration exposures of controlled fuel/air mixtures on three metal surfaces. Over 1100 auto ignition temperature determinations have been made for the ignition of 15 hydrocarbons on heated nickel, stainless steel, and titanium surfaces for three different fuel/air mixtures. The measured autoignition temperatures generally decrease for the larger hydrocarbons and for richer mixtures, with the C₂ hydrocarbons having particularly low values. The highest autoignition temperature are observed for nickel surfaces and the lowest for the stainless steel, with titanium being an intermediate case. Relationships between autoignition, radical-based chemical mechanisms and end-gas autoignition (engine knock) are discussed. Most of the previous autoignition data are unsatisfactory since measurements are typically carried out using ASTM E659 test. This test method attempts to measure the autoignition temperature of hydrocarbons fuels in the gas-phase under experimental conditions where it is more likely that ignition temperatures for a complex mixture of the products of fuel decomposition are being determined rather than those of the original fuel.

100,878
PB91-133942 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Chemical Thermodynamics Div.
MSW Calorimetry.
Final rept.
E. S. Domalski, K. L. Churney, A. E. Ledford, and M. L. Reilly. 1986, 4p
Pub. in Mechanical Engineering, p32-35 Aug 86.

Keywords: *Colorimeters, *Calorific value, *Fuels, *Garbage, Thermodynamic properties, Solid waste disposal, Heat measurement, Combustion, Sampling, Test facilities, Reprints, *Municipal wastes, Solid wastes.

For many years, it has been the opinion of combustion engineers that one cannot sample a multi-ton quantity of municipal solid waste (MSW) and remove a representative gram-size sample for bomb calorimetric measurement. As a response to this concern, a multi-kilogram capacity combustion flow calorimeter has been designed, constructed, and placed into operation to assess the credibility of the bomb calorimetric determination using gram-size samples. Calorific values derived from both gram-size samples in a bomb calorimeter and multi-kilogram-size samples in a large flow calorimeter have been compared and found to be in good agreement. The study has shown that the determination of the calorific value of MSW using gram-size samples is credible provided proper attention is paid to sampling, sample size-reduction, and sample subdivision.

100,879
PB91-134403 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg,
MD. Chemical Process Metrology Div.
Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards.
Final rept.
G. E. Mattingly. 1987, 24p
Pub. in Natural Gas Energy Measurement, p219-242 1987.

Keywords: *Flowmeters, *Flow measurement, *Natural gas, Fluid flow, Gas flow, Standards, Test facilities, Calibrating, Accuracy, Reprints, *Calibration.

As the value of scarce fluid resources increases in today's domestic and international market places and process industries so does the need for improved fluid measurement and for improved traceability to primary standards. Both buyers and sellers of fluid products are increasingly concerned about accurate custody transfer. Designers and operators of industrial processes are increasingly concerned about the precision of their fluid measurement to optimize the performance of their continuous production technologies. To satisfy these expressed needs for improved fluid measurements and traceability in the wide range of fluids and conditions required, is a considerable task. The calibration facilities which flow gas and which are currently in use at the National Bureau of Standards (NBS) are described. The performance characteristics of these facilities are given together with corresponding levels of uncertainties.

100,880
PB91-147025 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.
Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations.
Final rept.
J. A. Brennan, C. F. Sindt, and M. A. Lewis. 1990, 9p
Sponsored by Gas Research Inst., Chicago, IL.
Pub. in Proceedings of American Gas Association Distribution/Transmission Conference, Los Angeles, CA., May 7-9, 1990, p594-602.

Keywords: *Orifice meters, *Gas meters, *Standards, Roughness, Flowmeters, Orifices, Specifications, Flow measurement, Gas flow, Pipes(Tubes), Gas pipes, Reprints.

There are two standards for orifice flow measurement that are the primary references used in the gas industries around the world. These standards differ significantly on some installation specifications. The differences can profoundly affect the design, cost, and measurement accuracy of meter stations. Revisions to the standards are currently being completed. A new flow equation has been developed, and serious consideration given to changing some of the installation specifications. New experimental test results are the basis for changing the installation specifications on pipe roughness and flow conditioner location. These two parameters are being studied both individually and collectively. Results from tests on orifice flowmeters ranging from 3 to 24 in are presented.

100,881
PB91-148791 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.

Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.

Final rept.

K. M. Kothari, J. A. Brennan, and J. Gorter. 1990, 9p
Sponsored by Gas Research Inst., Chicago, IL.
Pub. in Proceedings of International Gas Research Conference, Tokyo, Japan, November 6-9, 1989, p541-549 1990.

Keywords: *Flow regulators, *Flow measurement, Flowmeters, Natural gas, Nitrogen, Tubes, Reynolds number, Reprints, *Tube discharge flow conditioners, *Discharge coefficients.

Two experimental test programs on the use of tube bundle flow conditioners upstream of an orifice flowmeter have been completed. One program used a flange tapped 100 mm orifice flowmeter in nitrogen gas at pressures of approximately 4 MPa and the other used a 600 mm orifice flowmeter in natural gas at pressures of approximately 6 MPa. The 100 mm flowmeter tests were run at a Reynolds number near 1,000,000 and the 600 mm flowmeter test covered the Reynolds number range of 1,000,000 to 55,000,000 and included D-D/2, flange, and corner tapings. Both programs included several beta ratio orifice plates. Test results clearly show that placement of the flow conditioner 7 pipe diameters upstream of the orifice plate can cause bias measurement errors compared to long pipe data. For some beta ratios, these bias errors exceeded 1%.

100,882

PB91-162214

Not available NTIS

National Bureau of Standards (NEL), Boulder, CO.
Thermophysics Div.

Speed of Sound of Natural Gas Mixtures.

Final rept.

R. D. McCarty. 1986, 7p
Pub. in Proceedings of International Symposium on Fluid Flow Measurement, Arlington, VA., November 16-19, 1986, 7p.

Keywords: *Natural gas, *Acoustic velocity, Equations of state, Mathematical prediction, State of the art, Mixtures, Density, Reprints.

Accurate values for the speed of sound in natural gas mixtures are important in the application of sonic metering devices and in many design applications. In the case of mixtures, it is not possible to obtain experimentally determined speed of sound data for all possible compositions of the pure components found in natural gases. The alternative is a mathematical model of acceptable accuracy which allows the prediction of the speed of sound at an arbitrary state point composition. The paper describes the 'state of the art' for the prediction of the speed of sound for natural gases.

100,883

PB91-162271

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.

Final rept.

G. J. Olson, T. L. Peeples, I. I. Blumentals, R. N. Schicho, and S. H. Brown. 1989, 16p
Pub. in Proceedings of Symposium on Biological Processing of Coal and Coal-Derived Substances, Palo Alto, CA., May 15-19, 1989, p2-53-2-68.

Keywords: *Coal, *Metabolism, *Sulfur, *Desulfurization, Bacteria, Thermophiles, Hydrogen sulfide, Cysteine, Thiols, Sulfides, Reprints, *Pyrococcus furiosus, *Bioprocessing.

Studies on the metabolism of sulfur in model compounds and in coals at 98-100 C were conducted using the hyperthermophilic archaeobacterium, *Pyrococcus furiosus* (P. furiosus). The bacterium produced hydrogen sulfide from elemental sulfur, cystine, methyl trisulfide and thiocystine. In addition, mercaptans were detected when the organism was grown in the presence of disulfides. Instability of several of the model compounds at the high incubation temperatures may have accounted for some of the observed transformations. P. furiosus produced small amounts of hydrogen sulfide when grown in the presence of coals given oxidative or perchloroethylene treatments. A continuous feed process at 98 C was demonstrated with refuse coal containing over 1% by weight elemental sulfur. At a dilution rate of 0.25 per hour, coal sulfur decreased from 6.4 to 5.2%.

100,884

PB91-175299

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Gas Analysis Modeling System.

Final rept.

R. P. O'Neill, W. G. Kurator, B. Mariner-Volpe, W. A. Trapmann, and J. Heinkel. 1984, 19p
Pub. in Analytic Techniques for Energy Planning, p265-283 1984.

Keywords: *Natural gas, *Gas pipelines, *Gas supply, *Energy models, Gas distribution, Reserves, Fuel consumption, Regulations, Mathematical models, Reprints, *Gas Analysis Modeling System.

The Gas Analysis Modeling System (GAMS) has been developed to provide EIA with the ability to study issues associated with natural gas supply and pipeline regulatory options. GAMS represents aggregates of the major United States pipelines, domestic supply sources and end uses as well as the corresponding regulations.

100,885

PB91-195339

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.

Recent Progress in Coal Bioprocessing Research in the United States: Scope and Areas Needing Further Research.

Final rept.

G. J. Olson. 1988, 7p
Pub. in Conservation and Recycling 1, n3-4 p319-325 Aug 88.

Keywords: *Coal preparation, Desulfurization, Microorganisms, Research management, Solubility, Reprints.

The paper summarizes the scope of recent coal bioprocessing research in the United States including desulfurization, solubilization, and other aspects of coal cleaning. Measurement and standards needs are discussed, areas of controversy or neglect which require additional research are also described.

100,886

PB91-203323

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.

Final rept.

R. M. Kelly, R. N. Schicho, S. H. Brown, J. P. Soisson, I. I. Blumentals, G. J. Olson, and E. J. Parks. 1989, 15p
Pub. in Proceedings of the Annual EPRI (Electric Power Research Institute) Conference (13th) on Fuel Science and Conversion, Santa Clara, CA., May 18-19, 1988, p7-3-7-17 1989.

Keywords: *Qualitative analysis, *Sulfur ions, *Coal, *Desulfurization, *Bioassay, Biochemistry, Oxidation, Reduction (Chemistry), Bacteria, Thiobacillus oxidans, Carbon sulfides, Microbiology, Reprints, Pyrococcus furiosus, Pyrodictium brockii, Speciation.

Sulfur speciation in coal is limited by uncertainties in the analytical methods used. Assays based on biological activity may eliminate some of these limitations. Using bacteria capable of elemental sulfur oxidation (Thiobacillus thiooxidans) or elemental sulfur reduction (Pyrococcus furiosus and Pyrodictium brockii), it was possible to determine the approximate levels of the sulfur species in four different coal samples. It was found that in three of the coal samples (Illinois No. 6, Indiana No. 5, and an Australian coal), only trace amounts of elemental sulfur could be detected by bioassay. However, an Indiana bog coal was found to have in excess of 1% (by weight) elemental sulfur content. Existing analytical methodology for coal sulfur speciation was shown to characterize the sulfur fraction as organic. In all cases, the results obtained by bioassay were reinforced through chemical analysis following CS₂ extraction of the coals. Elemental sulfur levels in the Indiana bog coal could be determined by either oxidative or reductive microbial processing. The results obtained here suggest that bioassay can be used to screen coals for elemental sulfur content and may provide an alternate and complementary probe for sulfur speciation.

100,887

PB92-108927

PC A03/MF A01

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.

Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.

K. C. Smyth, and N. P. Bryner. Dec 90, 48p NISTIR-4469

Contract JON-2104-3039

See also AD-778 998. Sponsored by Air Force Engineering and Services Center, Tyndall AFB, FL.

Keywords: *Autoignition, *Hydrocarbons, *Fuels, Temperature measurement, Tests, Laboratory equipment.

The autoignition of hydrocarbon fuels on hot surfaces is a process of practical significance which occurs when self-sustained combustion of a gas mixture is initiated. Possible prevention can be accomplished by choosing fuels of the proper molecular structure, by choosing the composition, coatings, or treatment of the hot surface, or by other intervention strategies. The goal of the present investigation is to devise a reliable method for measuring the autoignition behavior of hydrocarbon fuels in order to formulate appropriate strategies to reduce autoignition tendencies.

Heating & Cooling Systems

100,888

PB91-134221

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Building Physics Div.

Method for Measuring Heat Loss from Underground Heat Distribution Systems.

Final rept.

T. Kusuda, J. B. Fang, and W. M. Ellis. 1987, 17p
Pub. in Thermal Insulation: Materials and Systems, ASTM STP 922, p52-68 1987.

Keywords: *Heat loss, *Heat measurement, *Thermal measurements, Pipes (Tubes), Distribution systems, Heat transmission, Field tests, Heat transfer, Model tests, Reprints, *Heat distribution systems.

A simple procedure to obtain the in situ determination of heat loss from an underground heat distribution system is described. The proposed procedure for estimating the heat loss from underground heat distribution systems consists of making a series of temperature and thermal conductivity measurements on the ground grid in the vicinity of the pipe system and deducing the heat loss by statistically determining the parameters of a mathematical model using the gathered data. Verification of the procedure was tested in a simulated scale model of an underground system using an insulated sandbox. The scale model is a two-pipe system buried 0.3045 m (12 in.) below the top surface of a 0.66-m (26-in.)-wide, 0.71-m (28-in.)-high, and 1.22-m (48-in.)-long sandbox. The test pipes are two electrically heated steel pipes having an outside diameter of 3.37 cm (1.325 in.). The walls of the sandbox are insulated by 5.08-cm (2-in.) thick expanded polystyrene board. The heat loss measurements from this simulated underground heat distribution system were obtained for pipe surface temperatures of 66 C (150.9 F), 93.8 C (200.8 F), and 149.2 C (300.7 F) for three different sand moisture contents (dry, 10%, and 13%). Relatively good agreement was obtained between the measured electrical power input to the test pipes and the system heat loss estimated by the sand temperature profile around the pipes and sand thermal conductivity measured by the thermal needle technique.

100,889

PB91-144386

PC A05/MF A01

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Building Technology.

Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report.

G. N. Walton. Dec 90, 99p NISTIR-4472

Sponsored by Department of Energy, Washington, DC., and Electric Power Research Inst., Palo Alto, CA.

Keywords: *HVAC systems, *Lighting systems, *Computerized simulation, *Buildings, Algorithms, Interactions, Thermal measurements, Energy audits, HLITE computer program, National Institute of Standards and Technology.

The report describes the initial release of the HLITE program, which simulates the thermal interaction of lighting and HVAC systems. The program was developed to extend the results of an experimental study in

ENERGY

Heating & Cooling Systems

HVAC/lighting interaction being conducted at the National Institute of Standards and Technology (NIST). It will serve in planning future experimental test cases and in the development of algorithms that can be incorporated into larger building energy analysis programs. The interim report covers the first phase of the development of HLITE which simulates the NIST HVAC/lighting test facility. Future planned developments will expand its capabilities to larger facilities with more complete thermal interactions. The computer program is based on a simple combined explicit and implicit time integration scheme for a finite volume model which may be applicable to a much broader range of building simulations.

100,890

PC A03/MF A01

National Inst. of Standards and Technology (NIST), Boulder, CO. Chemical Engineering Science Div.

Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.

D. E. Daney. Sep 90, 38p NISTIR-90/3936

Sponsored by Air Force Space Technology Center, Kirtland AFB, NM.

Keywords: *Regenerative cooling, *Helium, *Krypton, *Argon, *Binary mixtures, *Heat transfer, Cryogenics, Prandtl number, Viscosity, Thermal conductivity, Performance evaluation, Graphs(Charts).

The authors compare the performance of regenerators that use noble gas mixtures to the performance of those that use pure helium gas. Both helium-argon and helium-krypton mixtures are investigated. For some heat transfer surfaces, a modest gain in heat transfer can be achieved with these mixtures. The concomitant increase in pressure drop, however, more than offsets the heat transfer gain so the net regenerator loss increases for all cases they evaluated. The dependence of heat transfer on Prandtl number (Pr) has not been measured for the range associated with noble gas mixtures, $0.2 < Pr < 0.5$, and they estimate that the uncertainty from the source can exceed 20 percent. The authors give the estimates for the transport properties (Prandtl number, viscosity, and thermal conductivity) of helium-argon and helium-krypton mixtures because of the absence of experimental data at low temperature.

100,891

PC A03/MF A01

National Bureau of Standards (NBS), Gaithersburg, MD. Building Environment Div.

Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants.

Final rept.

J. M. Calm, and D. A. Didion. 1985, 8p

Sponsored by Electric Power Research Inst., Palo Alto, CA.

Pub. in ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers) Technical Data Bulletin, v1 n9 p132-139 Jun 85.

Keywords: *Refrigerants, *Heat pumps, Air conditioning equipment, Cooling systems, Air conditioners, Research projects, Thermodynamic properties, Coolants, Heating systems, Working fluids, Reprints, *Nonazeotropic mixtures.

Although nearly a century has passed since the use of multicomponent refrigerants was first proposed, such refrigerants have achieved only extremely limited application. Further research and development will be needed before widespread use of nonazeotropic mixture refrigerants will be commercially attractive. The paper summarizes a workshop conducted to identify these research and development needs.

100,892

PC A04/MF A01

National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Measurement and Evaluation of Lighting/HVAC Interaction.

S. J. Treado, and J. W. Bean. May 91, 55p NISTIR-4429

Keywords: *Lighting systems, *HVAC systems, *Cooling load, *Energy consumption, Temperature measurement, Energy conservation, Heat transfer, Heat transmission, Walls, Ventilation, Test facilities.

The interaction of building lighting and HVAC systems and the effects on cooling load and lighting system performance are being evaluated using a full-scale test facility at the National Institute of Standards and Tech-

nology (NIST). The test facility and measurement methodology are described, along with sample test data and performance evaluation results. The implications of measurement uncertainty on results are discussed.

100,893

PC A07/MF A02

National Inst. of Standards and Technology, Gaithersburg, MD.

Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants.

M. Chwalowski. Nov 91, 148p NISTIR-4723

See also PB87-152286. Sponsored by Electric Power Research Inst., Palo Alto, CA. Nuclear Power Div.

Keywords: *Evaporators, *Air conditioning, *Reliability, Residential buildings, Heat exchangers, Refrigerants, Mixtures, Performance evaluation, Design criteria, Effectiveness, Profiles, Nonazeotropic.

The design of the heat exchanger utilizing nonazeotropic refrigerant in an air conditioning application presents unique problems due to the phase change of the moist air and the variable specific heat of the evaporating refrigerant mixture. The study discusses the performance analysis and the design procedure of a cross counterflow heat exchanger working as an evaporator in an experimental system which simulated a residential air conditioning application. The effect of the change of the mixture composition on heat exchanger performance was evaluated. The focus of the theoretical study was the development of the effectiveness/Number of Transfer Units (NTU) (Exit/NTU) relationships with the use of the experimentally derived quantities for moist air flowing across the heat exchanger.

100,894

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.

S. T. Liu, G. E. Kelly, and C. P. Terlizzi. Nov 91, 61p NISTIR-4717

See also PB-289 484. Sponsored by Department of Energy, Washington, DC. Office of Conservation and Renewable Energy.

Keywords: *Gas furnaces, Air flow, Heat exchanger, Draft control systems, Energy consumption, Tracer techniques, Tests, Flue gases, Gas burners, *Burner box inlet dampers, Atmospheric gas furnaces, Flue dampers, Draft diverters.

An atmospheric furnace with an integral draft diverter and an electro-mechanical burner box inlet damper was tested by the tracer gas method for the development of a test procedure. Tracer gas tests were conducted under two conditions: with the diverter open, and with the diverter sealed and the stack restricted. Test results indicated that the flue gas flow patterns inside the heat exchanger were different for the two conditions. There was reverse flow in one of the clam shells when the diverter was open, but no flow reversal when the diverter was sealed. The off-cycle sensible loss which was a measure of the effectiveness of the burner box inlet damper gave similar value for both conditions. Because of the change in flow pattern and the fact that the furnace normally operated in the field with the diverter open, a recommended test procedure was developed which requires that the tracer gas test should be conducted with the diverter open. A calculation procedure was developed to compute the annual fuel utilization efficiency for the type of furnaces that employ a burner box inlet damper or flue damper for off-cycle loss reduction.

Policies, Regulations & Studies

100,895

PC A03/MF A01

National Bureau of Standards (NBS), Gaithersburg, MD. Office of Energy-Related Inventions.

Feasibility of Using Knowledge-Based Systems for Aiding Inventors.

Final rept.

J. L. Merchant. 1986, 14p

Pub. in Proceedings of the Annual Meeting of the Technology Transfer Society (11th), Indianapolis, IN., June 23-26, 1986, p1-12.

Keywords: *Research management, *Expert systems, Research projects, Knowledge bases(Artificial intelligence), Inventions, Computers, Computer systems programs, Computer applications, Reprints, *ERIP(Energy-Related Inventions Program), Department of Energy.

The Energy-Related Inventions Program (ERIP) is a small program whose purpose is to provide support to independent inventors and small businesses with promising energy-related inventions and to move these inventions closer to the marketplace. The National Bureau of Standards (NBS) provides, at no cost to the inventor, evaluations of energy-related inventions and recommends those it considers promising to the Department of Energy (DOE). In turn, DOE provides financial support and/or help in marketing an inventor's idea. The objective of the task is to estimate the potential for use of computers to assist inventors in the development of their ideas or to provide synergism for the development of new ideas. The paper will explore the current state of knowledge-based systems and other computer software as they could relate to invention, and recommend ERIP actions that would lead to realization of their potential.

100,896

PC A03/MF A01

National Bureau of Standards (NBS), Gaithersburg, MD. Office of Energy-Related Inventions.

Evaluation of Building Systems Inventions.

Final rept.

J. S. Dhillon, and T. A. Coultas. 1986, 4p

Pub. in Proceedings of Conference on Energy: An Integrated Approach, Chattanooga, TN., April 30-May 2, 1986, p97-100.

Keywords: *Grants, *Inventions, *Buildings, Meetings, Energy conservation, Research management, US NBS, US DOE, Reprints.

One part of the United States Federal Nonnuclear Energy Research and Development Act of 1974 directs the National Bureau of Standards (NBS) to evaluate all promising nonnuclear energy-related inventions for the purpose of obtaining direct grants for their development from the Department of Energy (DOE). The program provides an opportunity for independent inventors and small businesses to obtain Federal assistance in developing and commercializing their inventions.

100,897

PC A03/MF A01

National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual.

Final rept.

S. R. Petersen. Jan 91, 22p NISTIR-4513

Prepared in cooperation with Federal Energy Management Program, Washington, DC.

Keywords: *Energy conservation, *Energy sources, *Life cycle costs, *Cost analysis, Economic analysis, Projects, Buildings, Value, Discounted cash flow, Interest rate, Present worth, Return on investment, User manuals(Computer programs), DISCOUNT computer program.

The DISCOUNT computer program has been prepared as an aid to implementing life-cycle cost evaluations of potential energy conservation and renewable energy projects in new and existing Federal buildings. It can also be used for evaluating similar projects in the private sector and at the state and local government levels. The DISCOUNT program computes discount factors and related present values, future values, and periodic payment values of cash flows occurring at known points in time. DISCOUNT computations are especially useful in life-cycle cost analysis, financial analysis, and engineering-economics problems not requiring comprehensive summation and reporting. DISCOUNT performs all of the functions of standard discounting tables, computing present values of future amounts, future values of present amounts, present and future values of periodic payments, and periodic payments corresponding to present and future amounts. In addition, DISCOUNT computes the present value of periodic payments which increase at known rates over time, and the present value of energy costs which increase at rates projected by the U.S. Department of Energy for use in Federal life-cycle cost analyses. DISCOUNT provides the added flexibil-

ity of accepting non-integer discount rates, time periods, and escalation rates in its computations. DISCOUNT runs on most IBM PC and compatible microcomputers with no special equipment requirements.

100,898

PB91-507970

CP D02

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Office of Applied Economics.

Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers).

Software.

Jul 91, 2 diskettes NIST/SW/DK-91/013

Supersedes PB90-501206 and PB90-501198.

The software is on two 360K, 5 1/4 inch diskettes, double density. Documentation included; may be ordered separately as PB91-159764.

Keywords: *Software, *Buildings, *Life cycle costs, *Economic analysis, Operating costs, Benefit cost analysis, Energy conservation, Savings, Return on investment, Cash flow, Project management, Diskettes, Savings-to-investment ratio.

Building Life Cycle Cost (BLCC) Computer Program 3.0 is an economic analysis software package for evaluating investments in buildings and building systems which reduce their long-term operating costs. It is especially useful for evaluating the costs and savings of energy conservation projects in buildings. BLCC computes life-cycle costs, savings-to-investment ratio, net savings, internal rate of return, and cash flow analysis for project alternatives. It is appropriate for Federal and private sector use, as well as for state and local governments. BLCC runs on most IBM-PC and compatible microcomputers, with or without a hard disk. No special computer hardware or graphics capabilities are needed.

100,899

PB92-112515

PC A04/MF A01

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Computing and Applied Mathematics.

Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709.

B. C. Lippitt. Oct 91, 63p NISTIR-91/3273-6

See also report for 1991, PB91-113613. Sponsored by Department of Energy, Washington, DC. Federal Energy Management Program Staff.

Keywords: *Cost analysis, *Prices, *Life cycle costs, Fuels, Residential buildings, National government, Electric appliances, Economic analysis, Energy conservation, Energy supplies, Tables(Data), *Federal Energy Management Program.

The report is the 1992 annual edition of energy prices and discount factors for performing life-cycle cost analyses of energy conservation and renewable energy projects. It supports the Federal life-cycle costing methodology by updating the energy price projections and discount factors that are described, explained, and illustrated in NIST Handbook 135 (HB 135). It supports private-sector life-cycle cost analysis by updating the energy price indices that are described, explained, and illustrated in NBS Special Publication 709 (SP 709). It also supports the Energy Conservation Mandatory Performance Standards for New Federal Residential Buildings (10 CFR 435) by providing a table of factors for updating appliance label values.

Reserves

100,900

N91-20219/2

(Order as N91-20207/7, PC A05/MF A01) National Bureau of Standards (IMSE), Gaithersburg, MD.

Kelvin Water-Drop Experiment.

R. D. Shull. Jan 90, 3p

In NASA, Langley Research Center, National Educators' Workshop: Update 1988. Standard Experiments in Engineering Materials Science and Technology p 51-53.

Keywords: *Electric potential, Experimentation, *Procedures, *Water, Copper, Electrons, Metal plates, Students.

This experiment was originally designed and performed by Lord Kelvin (William Thomson) in the late 1800's to demonstrate the creation of an electric potential simply by means of dividing up a body of flowing water. The objective is to demonstrate the power of electrical forces in a material as common as water and to help teach the student that even simple, well understood phenomena sometimes present unexpected results that, at first thought, defeat explanation. The experimental equipment and procedure are explained.

Solar Energy

100,901

PB91-159152

Not available NTIS

National Bureau of Standards (NIST), Gaithersburg, MD. Building Equipment Div.

Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data. Final rept.

J. Seem, and E. Hancock. 1985, 12p

Sponsored by Department of Energy, Washington, DC. Passive and Hybrid Solar Energy Div.

Pub. in Proceedings of ASHRAE/DOE/BTECC Conference on Thermal Performance of the Exterior Envelopes of Buildings III, Clearwater Beach, FL., December 2-5, 1985, p1304-1315.

Keywords: *Heat transfer, *Thermal energy storage systems, *Solar energy, *Walls, Regression analysis, Least squares method, Calorimeters, Heat flux, Solar architecture, Heat transmission, Construction materials, Reprints.

A technique is presented for characterizing the dynamic performance of a thermal-storage wall based on the data obtained from a series of temperature and heat flux measurements. It is shown that the coefficients of a transfer function model can be estimated directly from data using linear least squares regression. Data from the National Bureau of Standards (NBS) Passive Solar Component Calorimeter are used to demonstrate that the technique can be successfully applied. The transfer function techniques are potentially applicable to linear systems with time-invariant properties. It is also shown that a very simple set of parameters can be derived from the transfer function coefficients to characterize the steady-state performance. Only one parameter for each system input is required to predict long-term average thermal performance of the component.

General

100,902

PB91-178871

PC A09/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD. Office of Energy-Related Inventions.

Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250.

Mar 91, 179p NISTIR-4533

Supersedes PB90-225988.

Keywords: *Inventions, *US NIST, *US DOE, Recommendations, Indexes(Documentation).

A brief description of the Energy-Related Inventions Program and all inventions recommended by the National Institute of Standards and Technology to the Department of Energy since the inception of the program, including a brief summary of the current status of each.

100,903

PB91-184770

PC A13/MF A02

National Inst. of Standards and Technology, Gaithersburg, MD. Office of Energy-Related Inventions.

Energy Related Inventions Program. A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 251 through 523.

Mar 91, 298p NISTIR-4534

Supersedes PB90-221813.

Keywords: *Inventions, Technology innovation, Product development, Recommendations, Evaluation,

Grants, US DOE, *Energy related inventions program, US NIST.

The Energy-Related Inventions Program was established in 1975. Since its inception over 27,000 inventions have been evaluated. As of the printing of the report, 523 have been recommended to the Department of Energy. The report supercedes NISTIR 4313 and summarizes the status of inventions 251 through 523. A companion report (NISTIR 4533) summarizes recommended inventions 1 through 250.

ENVIRONMENTAL POLLUTION & CONTROL

Air Pollution & Control

100,904

PB91-158741

Not available NTIS

National Bureau of Standards (NIST), Gaithersburg, MD. Chemical Thermodynamics Div.

Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session).

Interim rept. Sep 86-Jun 87.

D. Garvin, M. W. Chase, and S. Abramowitz. 1987,

3p

Contract DE-AL22-83PC60425

Sponsored by Department of Energy, Pittsburgh, PA. Pittsburgh Energy Technology Center.

Pub. in Proceedings of Coal Utilization and Environmental Control Contractors' Review Meeting, Gaithersburg, MD., July 7-9, 1987, 3p.

Keywords: *Sulfur dioxide, *Nitrogen oxides, *Flue gases, Thermochemistry, Air pollution control, Stationary sources, Abstracts, Data, Reprints.

A thermodynamic data system has been designed for use with flue gas control systems. Values of thermodynamic properties have been selected for the major species in SO_x-NO_x systems. For each selected value a reliability is given together with documentation of the source of the value. Data are given for chemical processes in the gas, solid and solution phases. Both tabular and graphical presentations are used. A new analysis has been made of the solubility of SO₂ and its ionization in aqueous solution.

100,905

PB91-167353

PC A03/MF A01

National Inst. of Standards and Technology (BFR), Gaithersburg, MD.

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment.

S. Silberstein. Mar 91, 23p NISTIR-4523

Keywords: *Indoor air pollution, *Air cleaners, *Air pollution control equipment, *Standards, Air flow, Activated carbon, Service life, Air filters, Performance, Contaminants, Airborne wastes.

The proposed standard practice provides a general and flexible laboratory method for assessing the performance of equipment for controlling indoor concentrations of gas-phase air contaminants. Using a canister filled with adsorption media, a profile of breakthrough concentration over time is obtained during each test conducted at a fixed contaminant challenge concentration. Results of tests performed for different contaminants and different challenge concentrations can be used for estimating the useful life of air cleaning equipment, and for comparing equipment. The information will be useful to the engineer for the design and selection of such equipment.

100,906

PB91-175539

Not available NTIS

National Bureau of Standards (NIST), Gaithersburg, MD. Molecular Spectroscopy Div.

Air Pollution & Control

Infrared Spectroscopy Applied to Atmospheric Chemistry.

Final rept.
A. G. Maki. 1985, 7p
Pub. in Proceedings of CMA/NBS Workshop on Atmospheric Spectra, Gaithersburg, MD., November 3-4, 1983, p1-7 1985.

Keywords: *Atmospheric composition, *Infrared spectroscopy, Absorption spectra, Trace amounts, High resolution, Monitoring, Detection, Reprints.

The requirements of laboratory infrared spectroscopy for applications to detection and monitoring of molecular species present in trace amounts in the earth's atmosphere are reviewed. A critical evaluation is presented of the problems encountered in accurate determination of the frequencies, intensities, and line shapes of the absorption features. Problems encountered with transient, unstable species and the effect of perturbations on the intensities are discussed.

100,907
PB91-187146 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.
Multi-Zone Dispersal Analysis by Element Assembly.
Final rept.

J. W. Axley. 1989, 18p
Sponsored by Department of Energy, Washington, DC., Environmental Protection Agency, Washington, DC., and Consumer Product Safety Commission, Washington, DC.
Pub. in Building and Environment 24, n2 p113-130 1989.

Keywords: *Indoor air quality, *Transport properties, *Flow models, Particulates, Mass flow, Air pollution, Mathematical models, Computerized simulation, Buildings, Air flow, Reprints.

An element-assembly formulation of multi-zone contaminant dispersal theory that is not limited to the well-mixed zone idealization is described. In the approach flow systems are idealized as assemblages of elements that model specific instances on contaminant mass transport within a system. A general form and specific examples of element equations are presented. The process of assembling the element equations to form system equations and the qualitative character of the resulting system equations is discussed. Solutions options are outlined, examples of application are presented, and one implementation of the theory, the CONTAM family of programs developed at NBS, is briefly described.

100,908
PB91-195347 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Analytical Research Div.
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
Final rept.

J. M. Ondov, and W. R. Kelly. 1988, 1p
Pub. in Abstracts of Papers of the American Chemical Society 195, p84 Jun 88.

Keywords: *Isotopic labeling, *Rare earth elements, *Fly ash, *Flue gases, *Electric power plants, *Neodymium 148, Technology assessment, Field tests, Coal combustion, Design, Stationary sources, Deposition, Tracer techniques, Reprints.

Under funding from the Electric Power Research Institute, the authors are developing a new particulate tracer technology suitable for use in power plant studies using enriched rare-earth (RE) isotopes and advanced tracer delivery techniques. Highly enriched RE isotopes are nontoxic, chemically and radiologically stable, and are available at modest cost. The relative abundances of most RE isotopes are invariant in nature and can be measured with great precision by thermal ionization mass spectrometry. Since there are no industrial sources of enriched RE isotopes, they can be used as definitive tracers. Design calculations suggest that signal-to-noise (S:N) ratios > 500:1 could be achieved in ambient aerosols 100-km downwind of a 425-MW(e) power plant with a release rate of only 126 mg (148)Nd/hr. Error analyses suggest that the technique offers a > 40,000-fold advantage over previously proposed whole-element tracer schemes. Results of limited field tests suggest that S:N ratios adequate for detection at 100 km could be achieved in ambient aerosol particles less than or equal to 10 micrometers from a 100 MW(e) coal-fired power plant

with a release rate as little as 13 mg/hr. The S:N ratios of submicrometer particles are enormous and should permit detection over 1000-km distances. The tests further suggest that fly ash particles can be effectively 'tagged' by coagulation with fine residue particles made with simple two-fluid atomizers operated at elevated pressure.

100,909
PB91-195420 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Building Environment Div.
Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
Final rept.

A. Persily, W. S. Dols, and R. Grot. 1988, 10p
Sponsored by Geological Survey, Reston, VA., and General Services Administration, Washington, DC.
Pub. in Proceedings of CIB Conference Health Buildings '88, Stockholm, Sweden, September 1988, p591-600.

Keywords: *Air pollution monitoring, *Commercial buildings, *Carbon monoxide, *Carbon dioxide, *Formaldehyde, *Radon, *Indoor air pollution, *Air circulation, Air quality, Air flow, Ventilation, Volatile organic compounds, Garages, Tracer techniques, Office buildings, Reprints, Tracer gas analysis.

Long term measurements of air exchange rates and indoor pollutant concentrations were made in two, mechanically ventilated office buildings. The measurements employed automatic tracer gas measurement systems for the continuous monitoring of air exchange rates. Automated measurements of carbon monoxide and dioxide were made concurrently. Passive monitors were employed to measure concentrations of radon and formaldehyde. Measurements were also made of particulate concentrations and for the identification of volatile organic compounds. The first building had a history of indoor air quality and thermal comfort complaints, but the air exchange rates were very high and no excessive pollutant levels were identified. Problems of intake air quality did occur periodically. The second building is recently constructed and has had few indoor air quality problems. Airflow from the underground parking garage into the office space has led to elevated carbon monoxide levels at times.

100,910
PB91-206722 PC A07/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.
User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multizone Buildings.

R. A. Grot. Jun 91, 150p NISTIR-4585
Sponsored by Department of Energy, Washington, DC. Building Services Div., Consumer Product Safety Commission, Washington, DC. Directorate of Engineering Science, and Environmental Protection Agency, Research Triangle Park, NC. Atmospheric Research and Exposure Assessment Lab.

Keywords: *User manuals (Computer programs), *Indoor air quality, *Air flow, Buildings, Indoor air pollution, Ventilation, Steady state, Air quality, Contaminants, Leakage, Environmental quality, CONTAM88 computer program.

The manual describes the usage of three computer programs for analyzing the air movement and indoor air quality in multizone buildings. The first program NBSAVIS creates and edits a building description and generates the leakage, fan and contaminant data necessary to predict the air infiltration and internal air movement in a building and perform an indoor air quality analysis. These data are used by the program CONTAM88 which calculates the air flows and both dynamic and steady state levels of indoor contaminants. CONTAMEZ also produces an output file which can serve as the input for the NIST programs CONTAM86 and CONTAM87 developed by Dr. James Axley.

100,911
PB92-116805 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Gas and Particulate Science Div.
New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.
Final rept.

R. A. Fletcher. 1989, 4p
Pub. in Analytical Chemistry 61, n8 p914-917 1989.

Keywords: *Particulates, *Carbon, *Sample preparation, Quartz, Fibers, Aerosols, Air pollution, Mass spectroscopy, Reprints, Laser microprobe.

A new particle mounting sample preparation technique for the Laser Microprobe Mass Analyzer is presented. The substrate is high purity quartz fiber material conventionally used to collect airborne particulate matter. Advantages to using quartz fiber are low contamination, ease of sample preparation, and low background due to the transparency and high melting point of the quartz.

100,912

PB92-126630 (Order as PB92-126614, PC A06/MF A02)
National Inst. of Standards and Technology, Gaithersburg, MD.

Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.
G. D. Mitchell, and A. A. Bell. 1991, 6p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p541-546 Sep/Oct 91.

Keywords: *Voltametry, *Air pollution detection, *Chemical analysis, *Sulfur dioxide, Acid rain, Gas cylinders, Compressed air, Binary mixtures, Performance evaluation, Standards, Electrochemistry, Comparison, Concentration (Composition), *Standard reference materials.

Sulfur dioxide (SO₂) in the atmosphere is a common pollutant and is a major contributor to the formation of acid rain. Accurate and precise determinations of SO₂ in the atmosphere are essential to determine the magnitude of the problem. Reference gas mixtures such as NIST SRMs are an important part of the measurement procedure. Coulometry has been established as an important and reliable method for the determination of acidic compounds. The analytical method and simple apparatus described here are applied to the precise and accurate determination of sulfur dioxide in nitrogen, specifically in compressed gas cylinders at nominal concentrations of 50 and 100 micromol/mol (ppm). The method is constant current coulometry where the magnitude of the current is set by the balance between the electrochemical generation of OH(-), the flow of SO₂, and the chemical reaction of the solution. The method is direct, rapid, and can be refined further to provide analysis at the nanomol/mol level.

100,913

PB92-126648 (Order as PB92-126614, PC A06/MF A02)
National Inst. of Standards and Technology, Gaithersburg, MD.

Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures.
G. D. Mitchell, and A. A. Bell. 1991, 4p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p547-550 Sep/Oct 91.

Keywords: *Air pollution detection, *Chemical analysis, *Carbon dioxide, *Voltametry, Concentration (Composition), Greenhouse effect, Comparison, Standards, Performance evaluation, Nondispersive infrared spectroscopy, Experimental design, Binary mixtures, Compressed air, Gas cylinders, *Standard reference materials.

The understanding of global 'greenhouse' issues as they relate to CO₂ in the atmosphere is a current environmental concern. At the National Institute of Standards and Technology there is a continuous search for methods of analysis that yield results that are traceable to fundamental quantities. The coulometric method presented here is a reliable method for the direct analysis of CO₂/air cylinder gas mixtures. It is based on Faraday's laws of electrolysis and therefore no external standardization is required. A series of CO₂/air cylinder gas mixtures ranging in concentration from 300 to 375 micromol/mol (ppm) were analyzed and the results compared to those results obtained by non-dispersive infrared (NDIR) analysis with traceability to gravimetric standards. The coulometric method is rapid, sensitive, precise, and with the proper experimental controls, will yield accurate results.

Environmental Health & Safety

100,914

PB92-116359 PC A07/MF A02
National Inst. of Standards and Technology (NIST), Gaithersburg, MD.

Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
Technical note (Final).

D. J. Evans, D. R. Flynn, V. Nedzelnitsky, and E. D. Burnett. Jun 91, 148p NIST/TN-1286
Also available from Supt. of Docs. as SN003-003-03116-0. See also PB80-176084 and PB86-109139. Sponsored by Occupational Safety and Health Administration, Washington, DC.

Keywords: *Personnel dosimetry, *Dosimeters, *Noise meters, *Occupational safety and health, *Sound level meters, Occupational exposure, Regulations, Law enforcement, Design criteria, Performance evaluation, Continuous noise, Pulses, Signal-to-noise ratio, Standards, Calibrating, Acoustic detection, Sound intensity.

A study of the capabilities of noise dosimeters to measure personal exposure to time-varying and impulse-like noises was carried out. Ten commercial noise dosimeters were obtained. A laboratory reference noise dosimeter was constructed to provide a demonstrably accurate basis with which to compare the commercial noise dosimeters. Each commercial dosimeter, when ordered from the manufacturer, was specified to have: (1) a threshold A-weighted sound level of 80 dB, (2) a criterion sound level of 90 dB, and (3) an exchange rate of 5 dB and/or 3 dB. The performance of the commercial dosimeters was compared with theory and with results obtained from the reference dosimeter. Except in a few isolated cases, the commercial dosimeters were in general agreement with the performance specification of the appropriate American National Standard and with OSHA regulations.

Solid Wastes Pollution & Control

100,915

DE91018580 PC A09/MF A02
Institute of Paper Science and Technology, Atlanta, GA. Chemical Recovery Group.

Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987-December 1989.

Progress rept.
D. T. Clay, S. J. Lien, T. M. Grace, C. A. Brown, and H. L. Empie. Mar 90, 190p DOE/CE/40637-T9
Contract AC02-83CE40637
Sponsored by Department of Energy, Washington, DC.

Keywords: *Black Liquids, *Paper Industry, Boilers, Cogeneration, Combustion Properties, Energy Conservation, Energy Recovery, Furnaces, Mathematical Models, Progress Report, Waste Product Utilization, EDB/320303, EDB/320304.

The fundamentals of black liquor combustion are being studied in a project being carried out for the US Department of Energy by the Institute of Paper Science & Technology (IPST, formerly the Institute of Paper Chemistry) and the National Institute of Science & Technology (NIST, formerly the National Bureau of Standards). The project was divided into four phases. This report covers the completion of Phase 1 (in-flight processes), the results of all of the work on Phase 2 (char bed processes), Phase 3 (fume processes), and Phase 4 (furnace simulation). 41 refs., 62 figs., 30 tabs.

100,916

PB91-147264 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Thermodynamics Div.

NBS Research Program in Municipal Solid Waste Combustion.

Final rept. 1 Oct 85-30 Jun 86.
E. S. Domalski. 1986, 28p
Sponsored by Department of Energy, Washington, DC. Biofuels and Municipal Waste Technology Div.
Pub. in Proceedings of Biofuels and Municipal Waste Technology Division Management Review Meeting, Washington, DC., July 29-30, 1986, 28p.

Keywords: *Solid wastes, *Combustion, *Research projects, Free radicals, Calorimeters, Reaction kinetics, Thermodynamics, Solid waste disposal.

Research activities conducted at NBS for DOE are summarized, covering the period 1 October 1985 to 30 June 1986. Major accomplishments consist of: (1) reporting of research results (8 publications), (2) describing modifications to the calorimeter's combustor, (3) studying reaction kinetics using H atoms and OH radicals as reactants, and (4) conducting combustion measurement which more closely simulate field conditions of real-world incinerators.

100,917

PB91-174631 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Thermodynamics Div.

Monitoring the Fate of Chlorine from MSW Sampling through Combustion.

Final rept.
E. S. Domalski, K. L. Churney, A. E. Ledford, S. S. Bruce, T. J. Buckley, R. M. Parris, and S. N. Chesler. 1986, 14p
Pub. in Proceedings of Municipal Solid Waste as a Utility Fuel, Madison, WI., November 20-22, 1985, p16-1-16-14 1986.

Keywords: *Chlorine, *Solid wastes, *Municipal wastes, Chemical analysis, Combustion, Field tests, Monitoring, Reprints, Baltimore County(Maryland), Brooklyn(New York).

The total chlorine and water soluble chlorine contents of the components of municipal solid waste (MSW) have been determined from sampling studies carried out at two sites, Baltimore County, MD, and Brooklyn, NY, for a five-day period. The total chlorine contents of the MSW samples from Baltimore County, MD, and Brooklyn, NY, are 0.45 and 0.89 mass %, respectively.

Water Pollution & Control

100,918

PB91-195040 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.

Final rept.
C. L. Matthias, S. J. Bushong, L. W. Hall, J. M. Bellama, and F. E. Brinckman. 1988, 6p
Pub. in Appl. Organomet. Chem. 2, n6 p547-552 1988.

Keywords: *Chesapeake Bay, *Water pollution, *Metal alkyl compounds, Sediments, Estuaries, Marinas, Anti-fouling coatings, Toxic substances, Biodeterioration, Reprints, *Tributyltins, Microlayers.

Butyltins were determined in the microlayer, water column and sediment of a northern Chesapeake Bay marina and its receiving system. Concentrations of the toxicant species tributyltin (TBT) ranged from 60 to 4130 ng/L in the microlayer, from 34 to 367 ng/L in the water column and from 0.05 to 1.4 microgram/g (dry weight) in sediment. TBT concentrations in all three environmental compartments were higher in the marinas than in the receiving system. Concentrations of TBT in the micro-layer and water column of the study area were potentially toxic to sensitive aquatic biota. The microlayer appears to be depleted in dibutyltin relative to both water column and sediment, suggesting that the rate of stepwise dealylation of dibutyltin is faster in the microlayer than in the other compartments studied.

General

100,919

PB91-189761 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Statistical Engineering Div.

Replicate Measurements in the Interpretation of Environmental Monitoring.

Final rept.
W. S. Liggett. 1990, 7p
Pub. in Environmental Monitoring, Restoration, and Assessment (What Have We Learned), p249-255 1990.

Keywords: *Environmental monitoring, *Replicating, *Measurement, Errors, Probability density functions, Estimating, Analysis of variance, Sampling, Reprints.

In simultaneous monitoring at several sites, replicate samples and measurements, when chosen properly, provide a useful and unambiguous basis for data interpretation. Simultaneous monitoring permits calculation of indices of environmental change that are not influenced by weather changes. When the small changes measured by such an index are of interest, comparison of the index with the sampling and measurement error is appropriate. This comparison is made possible by the replicates. The familiar two-way table obtained by sampling a set of locations at several times is also considered. The indices considered are ones that perform well when large errors are more frequent than predicted by the normal distribution. Through the use of replicates, the variation in such indices caused by error alone can be assessed and thus environmental change is determined.

INDUSTRIAL & MECHANICAL ENGINEERING

Hydraulic & Pneumatic Equipment

100,920

PB91-134411 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Chemical Process Metrology Div.

Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem.

Final rept.
G. E. Mattingly, and T. T. Yeh. 1986, 22p
See also PB89-132856.
Pub. in Proceedings of International Conference on Flow Measurement in the Mid 80's, East Kilbride, Glasgow, June 9-12, 1986, p1-22.

Keywords: *Pipe flow, *Flow measurement, *Flow visualization, Flowmeters, Velocity measurement, Fluid flow, Turbulent flow, Pipes(Tubes), Reprints, Laser doppler velocimeters, Velocity distribution.

For a selected piping configuration, elbows-out-of-plane, preliminary results are presented for laser Doppler velocimetry (LDV) profiles taken in the downstream piping near its configuration. These results quantify pipeflow profiles for both time-averaged and turbulent-velocity components as well as swirl-angle and power-spectral density distributions. It is planned that these experiments will describe the pipeflows downstream of this configuration. These results are also intended to provide validation data for computer modelling studies of this flow. It is also planned that future phases of this research include pipeflows from other prevalently encountered piping configurations. Additionally, these phases can also focus on the benefit-cost aspects (capital and pressure loss) of flow-conditioning elements.

100,921

PB91-134445 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.

Final rept.
S. E. McFaddin, C. F. Sindt, and J. A. Brennan. 1989, 6p
Contract GRI-5081-353-0422
Sponsored by Gas Research Inst., Chicago, IL.
Pub. in Flow Meas. Instrum. 1, p9-14 Oct 89.

INDUSTRIAL & MECHANICAL ENGINEERING

Hydraulic & Pneumatic Equipment

Keywords: *Orifice meters, *Flowmeters, *Orifice flow, *Finishes, *Flow measurement, *Fluid flow, *Surface properties, *Reprints, *Rod bundles, *Discharge coefficient.

The Gas Research Institute has sponsored many significant flow measurement studies at the National Institute of Standards and Technology. The main thrust of the 1988 research project was to determine the effect of the location of an in-line tube bundle flow conditioner on the orifice discharge coefficient. An in-line tube bundle was placed at four locations—7, 12, 17, and 27 pipe diameters upstream of the orifice plate in a 100mm (4 inch) orifice meter. The research has determined that if the in-line tube bundle is placed at 7 pipe diameters, the minimum distance specified in the flow measurement standards for a 0.75 beta ratio plate, as much as 1% error in the discharge coefficient occurs. At 17 pipe diameters, the discharge coefficients of all the beta ratios are statistically the same as would be determined in 'ideal' conditions. These new experimental data will help to improve the current flow measurement standards and suggest the direction of future research.

100,922

PB91-147108

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Chemical Technology.

Stabilization Techniques for Spinning Rotor Gage Residual Drag.

Final rept.

S. H. Choi, S. Dittmann, and C. R. Tilford. 1990, 7p. Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy.

Pub. in Jnl. of Vacuum Science and Technology A 8, n6 p4079-4085 Nov/Dec 90.

Keywords: *Vacuum gages, *Rotor dynamics, *Stabilization, *Measurement, *Instability, *Reprints, *Residual drag.

The pressure-independent residual drag on a spinning ball requires an offset correction for the accurate use of a spinning rotor vacuum gage (SRG) at low pressures. Instabilities in the residual drag (RD) can cause significant errors in low-pressure SRG measurements. The instabilities usually occur as discontinuous shifts when a ball is levitated by the magnetic suspension, or as continuous changes as the ball slows down. The discontinuous shifts in residual drag have been found to be caused by changes in the orientation of the ball's magnetic moment, induced by the suspension field or the inductive drive circuit. Premagnetizing the ball in a strong field has stabilized the orientation of the magnetic moment and the RD value. The continuous changes are caused by competition between magnetic and inertial forces, which result in a frequency-dependent orientation of the rotational axis of the ball. Etching a spot on the ball alters its shape and defines an inertial axis. Magnetizing the ball in a preferred direction with respect to the axis minimizes both the residual drag and its frequency dependence.

100,923

PB91-147488

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

SHOOT Flowmeter and Pressure Transducers.

Final rept.

A. Kashani, R. A. Wilcox, A. L. Spivak, D. E. Daney, and C. E. Woodhouse. 1990, 6p. Pub. in Cryogenics 30, p286-291 Mar 90.

Keywords: *Pressure transducers, *Flowmeters, *Spaceborne experiments, *Liquid helium, *Superfluidity, *Reprints, *SHOOT experiment.

A venturi flowmeter has been designed and constructed for the Superfluid Helium On-Orbit Transfer (SHOOT) experiment. The calibration results obtained from the SHOOT venturi demonstrate the ability of the flowmeter to meet the requirements of the SHOOT experiment. Flow rates as low as 20 cu dm/h and as high as 800 cu dm/h have been measured with the flowmeter. The pressure drop in the flowmeter is measured by two Validyne differential pressure transducers. The ranges of the two transducers are 0.86 kPa (0.125 p.s.i.d.) and 8.62 kPa (1.25 p.s.i.d.). The low range transducer measures flow rates less than 200 cu dm/h, whereas the high range transducer measures flow rates greater than 200 cu dm/h. The repeatability of the flowmeter at the nominal flow rate of 500 cu dm/h is within + or - 1% of the flow rate. Performances of the SHOOT differential and absolute pressure transducers, which have undergone calibration and vibration tests, are also included. Throughout the tests, the responses of the transducers remained linear and re-

peatable to within + or - 1% of the full scales of the transducers.

Laboratory & Test Facility Design & Operation

100,924

N91-21361/1

(Order as N91-21331/4, PC A24/MF A03)

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.

A. Cezairliyan, R. F. Chang, and G. M. Foley. 1 May 90, 5p.

In JPL, Proceedings of the First Workshop on Containerless Experimentation in Microgravity p 352-356.

Keywords: High temperature environments, *Pyrometers, *Scanners, *Temperature distribution, *Temperature measurement, *Linear arrays, *Photodiodes, *Radiance, *Reduced gravity, *Silicon, *Spectra.

Development of a fast spatial scanning pyrometer for temperature measurements above 1500 K is described. The salient features of the pyrometer are: (1) it measures spectral radiance temperature (at 0.65 micron) at 1024 points along a straight line (25 mm long) on the target; (2) it has no moving parts and uses a self-scanning linear array of silicon photodiodes as the detector; (3) its output is recorded digitally every 1 microsec with a full-scale resolution of about 1 part in 4000, permitting performance of a complete cycle of measurements (1024 points) in about 1 ms. Operational characteristics of the pyrometer are given. Examples of measurements of the temperature along rapidly heated (resistive self-heating) specimens (rod, tube, strip) are presented. Potential use of the pyrometer in the experiments, both ground-based and in microgravity, requiring temperature mapping and property distribution of the specimen at high temperatures is discussed.

100,925

PB91-132282

PC A04/MF A01

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research.

Y. W. Cheng, and C. L. Sargent. Aug 90, 68p.

NISTIR-3950

Keywords: *Computer systems programs, *Data processing, *Data reduction, *Phase transformations, *Test equipment, *Deformation, *Strain rate, *Loads(Forces), *Cooling rate, *Time dependence, *Thermomechanical treatments, *Temperature dependence.

The report described the data-reduction procedures and computer programs used to reduce and analyze the data obtained with a hot-deformation apparatus. The measured raw data with the apparatus include temperature vs. time, specimen's relative length (dilation) vs. time, actuator movement (stroke) vs. time, and load vs. time. Four computer programs were written for data reduction and analysis to determine the cooling rates, the true stress-true strain curves, the true strain rates, and the phase-transformation temperatures. Local averaging techniques were used to smooth the data of temperature, dilation, stroke, and load. Source codes for the computer programs are included. Example results of the analyses are presented and an example of the program execution is given.

100,926

PB91-147272

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

Study of the Linearity of Transfer Leaks and a Helium Leak Detector.

Final rept.

C. D. Ehrlich, S. A. Tison, H. Y. Hsiao, and D. B. Ward. 1990, 6p.

Pub. in Jnl. of Vacuum Science and Technology A 8, n6 p4086-4091 Nov/Dec 90.

Keywords: *Leak detectors, *Linearity, *Helium, *Leakage, *Gas detectors, *Flow measurement, *Accuracy, *Errors, *Drift(Instrumentation), *Mass spectrometers, *Random variables, *Reprints.

A study has been performed of the linearity of two types of variable-reservoir-pressure leaks and a commercial tuned magnetic sector mass-spectrometer helium leak detector. While the leaks exhibit predictable (but not always linear) behavior over a broad range, the linearity of the leak detector depends strongly on properly correcting for observed drift and random fluctuations in the measured leak rate.

100,927

PB91-158519

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Materials Div.

Levitation Calorimetry.

Final rept.

D. W. Bonnell, R. L. Montgomery, B. Stephenson, P. C. Sundareswaran, and J. L. Margrave. 1988, 34p. Sponsored by Rice Univ., Houston, TX. Dept. of Chemistry.

Pub. in Specific Heat of Solids, p265-298 1988.

Keywords: *Calorimetry, *Levitation melting, *Liquid metals, *Specific heat, *Thermodynamic properties, *High temperature tests, *Heat measurement, *Reviews, *Reprints.

The determination of high temperature thermodynamic properties is of fundamental importance in chemistry, physics, and engineering. The temperature region above 2000 K has been generally inaccessible to direct measurement, with basic properties even of elements often being obtained by extrapolation. The development of levitation calorimetry has provided the technique for precision measurements of conducting materials in the previously difficult to study regime. The chapter presents a review of the development of the field, from the first successful calorimeter system in the late 1960's, to the reviewed, and the various considerations in coil development are discussed. Actual calorimeter systems are discussed, with a detailed development of the data analysis being presented. A comprehensive review of the literature is presented, with examples of results obtained and comparisons of the current state of liquid properties.

100,928

PB91-159004

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Mechanical Testing Revitalized.

Final rept.

L. Mordfin. 1990, 1p.

Pub. in Experimental Techniques 14, n5 p20 Sep/Oct 90.

Keywords: *Mechanical tests, *Strain gages, *Test facilities, *Stress analysis, *Strain measurement, *Mechanical properties, *Nondestructive tests, *Experimentation, *Materials testing, *Reprints.

The fiftieth anniversary of the invention of the bonded resistance strain gage was celebrated last year. Over a period of about twenty years, which encompassed World War II and the postwar years, this device completely revolutionized the field of experimental stress analysis. Today, this field is considered relatively mature; although strain gages continue to be used in ever-increasing quantities, significant new advancements in the way they are used have become rare. The field of mechanical testing, which is closely intertwined with that of experimental stress analysis, grew in much the same way... until the 1980s. The last ten years have witnessed a revival of interest in mechanical testing, with major efforts devoted to the development of new mechanical test methods and techniques to satisfy needs for new kinds of measurements on new kinds of materials. A new group on Mechanical Properties and Performance was established at NIST to address these needs. It is suggested that the Society for Experimental Mechanics could fulfill an important role as a central forum for the revitalized field of mechanical testing.

100,929

PB91-175067

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.

Final rept.

G. G. Long, P. R. Jemian, J. R. Weertman, D. R.

Black, H. E. Burdette, and R. Spal. 1991, 8p.

Sponsored by Department of Energy, Washington, DC.

INDUSTRIAL & MECHANICAL ENGINEERING

Laboratory & Test Facility Design & Operation

Pub. in Jnl. of Applied Crystallography 24, p30-37 1991.

Keywords: *Small angle scattering, *Cameras, *X-ray analysis, *Photodetectors, Test equipment, Measuring instruments, Steels, Microstructure, Temperature dependence, Photodiodes, Precipitates, Calibrating, AC generators, Correlators, Reprints.

The design and operation of a new small-angle X-ray scattering instrument, optimized for high throughput at a synchrotron source, high angular and wave-length resolution, large sample cross-sectional area, accurate energy tuning, excellent signal-to-noise ratio and harmonic rejection are presented. The principles of design and implementation are given, as are the details of primary calibration of absolute intensity and experimental desmearing. The instrument has been tested for application to anomalous-scattering measurements near the chromium K edge. Preliminary results on samples of a heat-treated steel are presented as a demonstration of the capability of this experiment to separate the microstructure evolution as a function of temperature of a chromium-rich precipitate from the thermal behavior of other precipitates in the steel.

100,930
PB91-175216 Not available NTIS
National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.
Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
Final rept.

Y. A. Rosenthal, R. L. Tobler, and P. T. Purtscher. 1990, 4p
Pub. in Jnl. of Testing and Evaluation 18, n4 p301-304 Jul 90.

Keywords: *Crack propagation, *J integral, *Mechanical tests, Crack initiation, Fracture mechanics, Austenitic steels, Measurement, Standards, Fracturing, Fracture properties, Toughness, Reprints.

It often occurs in J-R testing that some of the initial crack extension data points have anomalous negative values. ASTM Methods 813-87 and 813-81, however, do not specify any procedures for treating such data. The authors propose a procedure for data analysis which utilizes the negative data point values and is consistent with ASIM E 813-87. The proposed correction procedure is illustrated using a data set for austenitic steel; also, J values obtained using ASIM E 813-87 are compared to those obtained from its predecessor E 813-81.

100,931
PB91-175406 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Mechanical Production Metrology Div.
Eccentric Load Sensitivity of Force Sensors.
Final rept.

R. A. Mitchell, R. L. Seifarth, and C. P. Reeve. 1986, 7p
Pub. in Mechanical Problems in Measuring Force and Mass, p275-281 1986.

Keywords: *Force, *Sensors, *Eccentricity, Loads(Forces), Measurement, Statistical analysis, Mathematical models, Tension, Compressive properties, Bending moments, Sensitivity, Reprints.

A test has been developed to measure the eccentric load sensitivity of universal (tension and compression) force sensors. The test can also be used to calibrate the transverse bending moment measuring bridges of multi-axis force-moment sensors. Results of tests of five sensors are given. The results are analyzed in terms of a sinusoidal statistical model.

100,932
PB91-187633

(Order as PB91-187617, PC A06/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.

Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.

P. D. Kinney, D. Y. H. Pui, G. W. Mulholland, and N. P. Bryner. 1991, 30p
Sponsored by Minnesota Univ., Minneapolis.
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n2 p147-176 Mar/Apr 91.

Keywords: *Dimensional measurement, *Particle size, *Microspheres, Aerosol generators, Atomizers, Con-

densation nuclei, Polystyrene, Electrostatics, Mobility, Feasibility, *Standard reference materials.

The use of the electrostatic classification method for sizing monodisperse 0.1 micrometer polystyrene latex (PSL) spheres has been investigated experimentally. The objective was to determine the feasibility of using electrostatic classification as a standard method of particle sizing in the development of a 0.1 micrometer particle diameter Standard Reference Material (SRM). The mean particle diameter was calculated from a measurement of the mean electrical mobility of the PSL spheres as an aerosol using an electrostatic classifier. The performance of the classifier was investigated by measuring its transfer function, conducting a sensitivity analysis to verify the governing theoretical relationships, measuring the repeatability of particle sizing, and sizing NIST SRM 1691, 0.269 micrometer and NIST SRM 1690, 0.895 micrometer particles.

100,933
PB91-206730 PC A03/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.
Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates.
R. R. Zarr, and B. A. Licitra. May 91, 36p NISTIR-4539
Sponsored by Department of Energy, Washington, DC. Office of Buildings Energy R and D.

Keywords: *Heat flow meters, *Calibration, Heat measurement, Heat flux, Heat transmission, Test facilities, Plates, Data acquisition, Thermal insulation, Thermal measurements, Thermal conductivity.

Results are summarized for 38 individual calibration measurements conducted at 24 C and atmospheric conditions for a heat-flow-meter apparatus having 610 mm square plates. The apparatus was calibrated using a 26.2-mm-thick specimen of fibrous-glass board having a density of 139 kg/cu m. The specimen was selected from an internal lot (Lot 1970) of Standard Reference Material (SRM) similar to SRMs 1450, 1450a, and 1450b. Values of apparent thermal conductivity were predicted using a regression equation developed for the lot of fibrous-glass insulation. Calibration measurements varied + or - 0.4% with small drift of 0.4% over 250 days. The apparent thermal conductivity of the calibration specimen was also measured using the National Institute of Standards and Technology's one-meter Line-Heat-Source Guarded Hot Plate. Agreement between measurements of thermal conductivity of the guarded hot plate and predicted values were within +0.2 to -0.3% at 24 C. The report describes the heat-flow-meter apparatus and the computer data-acquisition-system used to collect data from the apparatus.

100,934
PB91-222646 PC A08/MF A02
National Inst. of Standards and Technology (TS), Gaithersburg, MD.
Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
Final rept.

N. M. Trahey, V. R. White, and J. Horlick. Apr 91, 170p NIST/SP-810
Also available from Supt. of Docs. as SN003-003-03082-1. See also PB90-198920.

Keywords: *Laboratories, *Directories, Acoustics, Asbestos, Carpets, Computer applications, Construction materials, Dosimetry, Electromagnetic compatibility, Paints, Papers, Plastics, Sealers, Seals(Stoppers), Stoves, Telecommunication, Thermal insulation, *National Voluntary Laboratory Accreditation program, NVLAP program.

The annual Directory provides a listing of laboratories accredited as of March 1, 1991, by the National Institute of Standards and Technology, National Voluntary Laboratory Accreditation Program (NVLAP). The names of approximately 900 laboratories in 15 fields of testing are included. A brief description of the NVLAP program is given, and a summary of laboratory participation is provided. To aid the user, indexes cross reference the laboratories by company name, NVLAP Lab Code Number, field of testing, and geographic location (state or country). A listing of the test methods (scope of accreditation) is provided for each laboratory.

100,935
PB92-109024 PC A03/MF A01

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Process Measurements Div.
Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
Special pub. (Final).

J. A. Wise. Aug 91, 19p NIST/SP-819
Also available from Supt. of Docs. as SN003-003-03102-0.

Keywords: *Temperature measuring instruments, *Thermometers, *Calibration, Volume, Liquid in glass thermometers, Ice baths, ITS-90.

High quality liquid-in-glass thermometers require only one complete calibration in their lifetime and it is possible to avoid the usual requirement for complete recalibration of the instrument by the recalibration of a single previously calibrated thermometer. The need for recalibration of properly manufactured liquid-in-glass thermometers is due to the gradual relaxation of residual mechanical strains in the glass that have a significant effect on the volume of the bulb. The recalibration of a single point provides a reliable indication of the effect of this change in volume and provides a means for the accurate adjustment of the remainder of the scale. The paper describes a procedure for the single temperature recalibration of liquid-in-glass thermometers that can be performed in the user's laboratory and the subsequent adjustment of the entire scale. The adjustment of the scale that is required by the recent introduction of the new International Temperature Scale (ITS-90) is also described.

100,936
PB92-126416 PC A10/MF A03
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Physical Measurement Services Program.
NIST Calibration Services Users Guide, 1991.
Special pub.
J. D. Simmons. Oct 91, 221p NIST/SP-250 91ED
Also available from Supt. of Docs. as SN003-003-03115-2. Supersedes PB89-200216. See also PB90-127820.

Keywords: *Fees, *Metrology, Manual, Measuring instruments, Test facilities, Standards, Dimensions, Mechanical tests, Acoustics, Ultrasonics, Microwaves, Thermodynamics, Ionizing radiation, Electromagnetic properties, Prices, *National Institute of Standards and Technology, *Calibration.

The National Institute of Standards and Technology (NIST) Calibration Services Users Guide provides detailed descriptions of currently available NIST calibration services, measurement assurance programs, and special test services. The following measurement areas are covered: (1) dimensional; (2) mechanical, including flow, acoustic, and ultrasonic; (3) thermodynamic; (4) optical radiation; (5) ionizing radiation; and (6) electromagnetic, including dc, ac, rf, and microwave. A separate Fee Schedule is issued annually, providing current prices for the services offered, updates on points of contact, and information on measurement seminars.

100,937
PB92-126655

(Order as PB92-126614, PC A06/MF A02)
National Inst. of Standards and Technology, Gaithersburg, MD.

Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.

A. W. Hartman, T. D. Doiron, and G. G. Hembree. 1991, 13p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p551-563 Sep/Oct 91.

Keywords: *Dimensional measurement, *Particle size, *Microspheres, Electron microscopy, Optical microscopy, Polystyrene, *Standard reference materials.

The report describes the certification of SRM 1961, an NIST Standard Reference Material for particle diameter. It consists of an aqueous suspension of monosize 30 micrometers diameter polystyrene spheres. The primary technique used optical microscopy; it gave a mean diameter value $D(\bar{d}) = 29.62 \pm 0.04$ micrometer and a standard deviation of the size distribution of 0.21 micrometer. Over 2000 spheres were measured. The supporting technique used electron microscopy, which yielded $D(bas) = 29.68 \pm 0.11$ micrometer. Ninety spheres were measured.

INDUSTRIAL & MECHANICAL ENGINEERING

Laboratory & Test Facility Design & Operation

100,938
PB92-126721

(Order as PB92-126614, PC A06/MF A02)
Slovak Metrological Society, Bratislava (Czechoslovakia).

Slovak Metrological Society.

J. Mandak. 1991, 2p

Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p621-622 Sep/Oct 91.

Keywords: *Metrology, Czechoslovak organizations, Historical aspects, Meetings, *Slovak Metrological Society.

The brief communication describes the establishment of the Slovak Metrological Society (SMS). SMS came into being on October 16, 1990, as the result of a special founding Congress held in DT Zilina with 137 delegates from the whole of Slovakia in attendance. It brings together individuals involved in both the technical and legal aspects of metrology and its aim is to help in developing metrology and measurement in Slovakia. SMS functions under the direction of the Czechoslovak Metrological Institute (CSMU), the center of Czechoslovak metrology. Together with the Federal Weights and Measures Office (FUNM), state metrological centers, centers of the calibration service, and production plant metrological centers, it establishes the principal tasks of present-day metrology in the Czechoslovak Federal Republic (CSFR).

100,939
PB92-163864

Not available NTIS
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Physical Measurement Services Program.

Modernized Metric System (Chart).

Final rept.

Aug 91, 1p NIST/SP-304-91-ED

Keywords: *Metric system, Units of measurement, Training aids, Metric system, SI, Units of measurement.

The chart presents a popularized yet technically accurate guide to SI base units, supplementary units, multiples and prefixes, and common conversions. The intended audience is (mainly) school children and the general public.

100,940
PB92-163872

Not available NTIS
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Physical Measurement Services Program.

Brief History of Measurement Systems with a Chart of the Modernized Metric System.

Aug 91, 1p NIST/SP-304A-91-ED

Keywords: *Metric system, International system of units, Measurement, History.

The Modernized Metric System (also called the International System of Units) is made up of seven base units, two supplementary units, and many derived units. The chart describes this entire system, including details about the standards for each base unit and information on how the system is used. The reverse side of the chart contains a brief history of measurement systems. The need for measurement began with primitive man, who used parts of his body and his natural surroundings for measurement standards and measuring instruments. As societies evolved, weights and measures became more complex. Two systems became predominant: the English system, rooted in the history and tradition of England; and the metric system, a scientifically based system using decimal notation. The metric system, with its inherent decimal advantages, gained widespread acceptance and is now the official measurement system in nearly all countries of the world.

100,941
PB92-163880

Not available NTIS
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Physical Measurement Services Program.

Metric Conversion Card.

Final rept.

J. D. Simmons. Aug 91, 1p NIST/SP-365-91-ED

Keywords: Metric system, *Metrication, Units of measurement.

NIST SP365 is a pocket size plastic Metric Conversion Card with approximate conversions to and from metric

for the most commonly used units of measurement on the opposite sides of the card.

100,942
PB92-163898

Not available NTIS
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Physical Measurement Services Program.

Metric Measures Up (Ruler).

Final rept.

Aug 91, 1p NIST/SP-376-91-ED

Keywords: *Units of measurement, Metric system.

This ruler provides metric linear measure (17.75) and customary-unit linear equivalents (approximately 7 inches).

Manufacturing Processes & Materials Handling

100,943
PB92-126457

PC A05/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packaging.

Final rept. 11 Jun 90-31 Dec 91.

J. M. Crissman, and M. A. Schen. Dec 91, 77p

NISTIR-4729

Contract DTRS-56-90-X-70006

See also PB-280 215 and PB90-235417. Sponsored by Department of Transportation, Washington, DC. Office of Hazardous Materials Regulations.

Keywords: *Hazardous materials, *Polyethylene, *Shipping containers, Compatibility, Test methods, Packaging, Oxidation, Permeability, Cracks, Degradation, Peroxides, Transportation safety, Regulations, Hazardous materials transportation, Organic peroxides, Hazardous liquids.

The report describes work done for the Department of Transportation, Office of Hazardous Materials Transportation, to develop test methods which can be used to determine whether a liquid hazardous material may be shipped in a specific type of polyethylene container. Current federal regulations require that each prospective lading be tested individually in proposed polyethylene packagings. The central task of the project is to determine the feasibility of substituting a set of standard liquids for the purpose of compatibility testing with polyethylene. In determining the compatibility of hazardous liquids with polyethylene there are three major areas of concern, permeation and/or swelling, environmental stress cracking, and oxidative degradation. Specific recommendations are made for a set of standard liquids which address all three aspects of compatibility. Special attention is given the class of organic peroxides which may be unstable at the test temperatures currently in use. In the area of permeation, an empirical method known as the 'Permachor' scheme is proposed as a means of estimating the permeability of many liquid hazardous materials, and for ranking individual members within a given class of liquids.

Nondestructive Testing

100,944
PB91-187120

Not available NTIS
National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.

Eddy Current Reflection Probe: Theory and Experiment.

Final rept.

B. A. Auld, J. C. Moulder, S. Jefferies, P. J. Shull, and S. Ayter. 1989, 11p

Pub. in Research in Nondestructive Evaluation 1, n1 p1-11 1989.

Keywords: *Eddy currents, *Nondestructive tests, Signal processing, Measuring instruments, Electric coils, Defects, Probes, Finite difference method, Reflection, Experimental data, Aluminum, Reprints.

Eddy current reflection probes are two-port devices consisting of a drive coil encircling a differential pair of

pickup coils. In operation, the drive coil is excited with an alternating current and the signal detected is the emf induced in the pickup coils. When no flaw is present there is no output signal, but when a flaw is present, the perturbed field from the drive coil induces a signal in the pickup coils. In this respect, reflection probes are fundamentally different from absolute eddy current probes, which are generally operated as passive elements in a bridge circuit. With an absolute probe, the impedance of the probe is monitored and a flaw is detected by the change in probe impedance it causes. A general delta Z theory of eddy current reflection probes was previously developed for application to new types of robotic sensors. In the paper the theory is applied to the characterization of surface-connected flaws. Flaw signals were calculated using a finite-difference implementation of the delta Z theory developed at Stanford University. A special air-core eddy-current reflection probe was fabricated at NBS and used to obtain flaw signals for a number of rectangular-shaped slots in aluminum. An automatic impedance analyzer was used to measure flaw signals as the probe was scanned down the length of a flaw. The paper compares the experimental results with predictions of the theory.

100,945

PB91-236562

Not available NTIS
National Inst. of Standards and Technology (ECEL), Boulder, CO. Electromagnetic Technology Div.

Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.

Final rept.

T. E. Capobianco, J. Splett, and H. Iyer. 1990, 18p

Pub. in Res. Nondestruct. Eval. 2, p169-186 1990.

Keywords: *Nondestructive tests, *Eddy current tests, *Electric coils, Notch tests, Eddy currents, Defects, Permeability, Measuring instruments, Wire, Sensitivity, Inspection, Reprints.

The authors report the results of the first phase of a study designed to quantify the relationship between eddy current coil construction and the performance of these coils used in nondestructive evaluation (NDE) inspections. The ferrite core coils wound for the study are small but typical of the sizes commonly used in commercially manufactured eddy current probes. The data reported here were produced from a set of 27 probes scanned over a single defect. The defect was an electrical-discharge-machined (EDM) notch in a 19 mm thick 7075-T6 aluminum alloy specimen. The particular EDM notch was 9 mm long and 3 mm deep and 0.1 mm wide. Analysis of the data shows that the number of turns, the winding distance, the coil aspect ratio, and the backside ferrite length all affect the coil sensitivity. Winding inhomogeneity is significant for coils having many winding layers and can be considerably larger than the contribution made by variations in some of the construction factors. Wire gauge, ferrite diameter, and permeability showed no significant effects on their measure of sensitivity in the study.

100,946

PB91-237305

Not available NTIS
National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.

Characterization of Capacitive Array for NDE Applications.

Final rept.

P. J. Shull, A. V. Clark, P. R. Heyliger, J. C. Moulder, and B. A. Auld. 1990, 17p

Pub. in Research in Nondestructive Evaluation 2, p11-27 1990.

Keywords: *Nondestructive tests, *Capacitance, *Dielectrics, *Arrays, Detectors, Ferroelectric materials, Capacitors, Measuring instruments, Dielectric properties, Reprints.

The authors have developed a capacitive array sensor which responds to the complex dielectric constant of an interrogated material. The sensor requires only single-sided access and operates in a differential mode for detection of discontinuities in the relative dielectric constant, or in the absolute mode where the interest is in absolute quantities. The device in general is noncontacting but can be fabricated as an embedded sensor. Various proof-of-concept studies have been performed to explore possible applications of the device. In the differential mode, small surface features (notches) were detected in a conductor; in dielectrics, both surface and subsurface features were detected. The probe was sensitive to change in impedance caused by a curing epoxy, viewed through a graphite-

epoxy composite panel. A study was performed to assess the use of the probe for noncontact characterization of sintering of ceramics. In this (absolute) mode, the effects of liftoff and dielectric constant must be separated. They propose a scheme based on the ability to multiplex the capacitive array probe to accomplish this. Preliminary investigation shows that the effect of parasitic capacitance between the probe and ground points in the environment must be suppressed.

100,947

PB91-237313

Not available NTIS
National Bureau of Standards (IMSE), Boulder, CO.
Fracture and Deformation Div.

Capacitive Array Sensors for Nondestructive Evaluation.

Final rept.

P. J. Shull, P. Heyliger, B. A. Auld, and A. V. Clark.

1988, 1p

Pub. in Jnl. of Metals 40, n11 p112 1988.

Keywords: *Capacitance, *Detectors, *Nondestructive tests, *Arrays, *Ceramics, Dielectric materials, Sintering, Surface properties, Epoxy resins, Coatings(Materials), Defects, Insulators, Electric conductors, Reprints.

Capacitive array sensors can be used to characterize: (1) surface features on conductors; (2) surface and subsurface features on dielectrics. The versatility is a decided advantage over inductive probes. The study characterized the sensor on both conductors and dielectrics for a variety of both real and simulated surface and subsurface (dielectrics only) flaws. This was done with the probe elements configured for both absolute and differential modes. In the absolute mode there are two electrodes - a source and a receiver. A voltage is impressed across these elements. In the differential mode there are three electrodes: one source and two receiver electrodes. These receiver electrodes are then connected to a differential amplifier. The probe's potential was examined for the following applications: monitoring of the cure of epoxy resins, thickness and porosity of thermal barrier coatings, flaws in ceramics and subsurface flaws in insulators.

100,948

PB91-237610

Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Materials Reliability Div.

Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials.

Final rept.

V. K. Tewary, P. R. Heyliger, and A. V. Clark. 1991,

10p

Pub. in Jnl. of Materials Research 6, n3 p629-638 Mar 91.

Keywords: *Dielectric materials, *Capacitance, Finite element analysis, Hilbert transformation, Reliability, Characterization, Nondestructive tests, Capacitance, Measurement, Monitors, Theories, Surface energy, Reprints, Capacitive probe.

The capacitive probe method for noncontact characterization and monitoring of dielectric materials is analyzed theoretically. An analytical method based upon the Hilbert transform technique and a numerical method using the finite element technique for calculating the potential distribution and change in admittance of the probe caused by presence of the dielectric material as a function of liftoff (distance between the probe plane and the surface of the dielectric material) are described. The two methods are compared with each other and their relative advantages discussed. The possibility of extracting useful information about the dielectric constant of the material from experimental data is also discussed in the light of the proposed theory.

100,949

PB92-117423

Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Advanced Sensing of Materials Processing.

Final rept.

H. N. G. Wadley, A. H. Kahn, and W. L. Johnson.

1988, 10p

Pub. in Materials Research Society Symposium Proceedings, v117 p109-118 1988.

Keywords: *Nondestructive tests, *Process control, *Metals, *Detectors, Artificial intelligence, Reviews, Microstructure, Measurement, Ultrasonic tests, Acoustic emission, Eddy currents, Reprints.

To implement new process control strategies including Intelligent Processing of Materials, advanced sensors are required to nonintrusively evaluate process and microstructure variables. Researchers increasingly are looking to innovative extensions of traditional nondestructive evaluation technologies, such as ultrasonics, acoustic emission, and eddy current methodologies for this. Here, the nature and characteristics of emerging sensors based upon these new measurement methods are described and examples of their application discussed.

LIBRARY & INFORMATION SCIENCES

Information Systems

100,950

PB91-157123

PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

STEP On-Line Information Service User's Guide. National PDES Testbed Report Series.

S. Katz. 2 Jan 91, 25p NISTIR-4491

Supersedes PB91-143354.

Keywords: *Information services, *On line systems, Information systems, Access methods, User manuals, Documents, Computer software, Computer networks, STEP(Standard for the Exchange of Product Model Data), PDES(Product Data Exchange using STEP), National Institute of Standards and Technology.

The document describes how to access the on-line STEP (Standard for the Exchange of Product Model Data) information service provided by the National PDES (Product Data Exchange using STEP) Testbed at the National Institute of Standards and Technology (NIST). All items available through the STEP information service are public domain materials. The Testbed will maintain the on-line system; however, the contributing organizations are responsible for the content and timeliness of the materials provided. The STEP information service contains both documents and software modules.

100,951

PB91-159756

PC A02/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series.

S. Ressler. 31 Jan 91, 10p NISTIR-4508

Keywords: *Electronic mail, Document circulation, Archives, Documents, Access methods, User manuals, *PDES(Product Data Exchange using STEP), STEP(Standard for the Exchange of Product Model Data).

As part of the Nation PDES Testbed Project, the Information Services Center has established a facility to electronically distribute documents. The facility is based on software known as an 'archive server' or 'mail server'. Electronic documents may be requested and in turn received via electronic mail (e-mail). The report is intended to function both as a user's guide and as a general explanation of the system and its capabilities.

100,952

PB91-167312

PC A04/MF A01
National Inst. of Standards and Technology (TS), Gaithersburg, MD.

NIST Standard Reference Data Products 1991 Catalog.

Special pub.

M. W. Chase, and J. C. Sauerwein. Feb 91, 53p

NIST/SP-782

Also available from Supt. of Docs. as SN003-003-03063-5. Supersedes PB90-219841.

Keywords: *Catalogs(Publications), Indexes(Documentation), Chemical analysis, Atomic

physics, Reaction kinetics, Properties, Molecular structure, Molecular spectroscopy, Thermochemistry, Thermophysical properties, *National Institute of Standards and Technology, *Data bases, Materials science.

The National Institute of Standards and Technology's Standard Reference Data Program provides reliable, well-documented data to scientists and engineers for use in technical problem-solving, research, and development. The catalog lists classic data compilations in hard-copy form and current databases in the Standard Reference Database Series. The edition of the catalog updates many new databases. These data compilations have been subdivided into seven categories. Prices and ordering information are located at the back of the document.

100,953

PB91-189795

Not available NTIS
National Bureau of Standards, Gaithersburg, MD.
Office of Standards Code and Information.

Standardizing Standards.

Final rept.

D. R. Mackay. 1988, 2p

Pub. in Visions of the Future, p45-46 1988.

Keywords: *Standards, Guidelines, Reprints, Standards Engineering Society, Keywords, Titles.

The paper describes the activities of the Standards Engineering Society relating to the development of a draft standard for standards incorporating guidelines for designating standards, selecting titles and keywords for standards, providing abstracts of standards, and establishing formats for different types of standards. A second standard establishing guidelines for the production of catalogs and indexes is described as under development.

100,954

PB92-109016

PC A07/MF A02
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Information Resources and Services Div.

Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.

Special pub. (Final).

D. Cunningham. Sep 91, 131p NIST/SP-818

Supersedes PB91-107284. Also available from Supt. of Docs. as SN003-003-03101-1.

Keywords: *Data bases, *Information services, Directories, Indexes(Documentation), Subject indexing, Vendors, Tables(Data), *NIST.

The publication supersedes and revises NIST SP 799, which is dated September 1990. Data bases are listed by acronyms and by full titles. Citations also include dates covered, brief descriptions, kinds of information each contains, producers, the titles of corresponding hard copy, and vendors. A list of vendors with addresses and telephone numbers precedes the list. The General Subject Index is arranged alphabetically by subject categories and the Cross Reference Index lists variant forms of the names of the data bases in the left column with cross references to the name of the data base used in the publication on the right.

100,955

PB92-126556

PC A03/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.

Guide to Schema and Schema Extensibility.

Final rept.

B. K. Rosen, and I. des Fontaines. Nov 91, 35p

NIST/SP-500/197

Also available from Supt. of Docs. See also PB90-147919 and PB90-219866. Prepared in cooperation with Geological Survey, Reston, VA. Water Resources Div.

Keywords: *Information systems, *Data management, Dictionaries, Data base management, Computer aided software engineering, Information resources management.

The guide was developed to assist both the casual user of Information Systems (IS) as well as ADP professionals in understanding the concepts behind databases and data dictionary schemas and schema extensibility. It was developed in the context of its application and pertinence to the ANSI standard X3.138-1988, Information Resource Dictionary Systems (IRDS). The guide begins with a set of definitions that

Information Systems

provide an understanding of data dictionary and repository terminology. It then follows with a discussion of the IRDS. After establishing these basic definitions, the discussion of schema is initiated. The document also discusses the importance of schema extensibility to the exchange of information between Computer Aided Software Engineering (CASE) tools. Included is a discussion of the CASE tool to IRDS data exchange prototype that was developed at NIST. The document concludes with a discussion of possible future impacts of schema extensibility on the development of standards in areas related to data dictionaries and repositories.

Reference Materials

100,956
FIPS PUB 11-3 PC E14
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Guideline: American National Dictionary for Information Systems. Category: Software; Subcategory: Documentation.
Federal information processing standards (Final). S. M. Radack. c1991, 150p
Supersedes FIPS PUB 11-2. Also pub. as American Standards Committee, New York rept. no. ANSI-X3.172-1990. Prepared in cooperation with American National Standards Committee, New York.
Three ring vinyl binder also available: North American Continent price \$7.00; all others write for quote.

Keywords: *Dictionaries, *Information systems, National government, Data processing, Computers, *Federal information processing standards.

The publication adopts ANSI X3.172-1990, AMERICAN NATIONAL DICTIONARY FOR INFORMATION SYSTEMS (ANSDIS), as a FIPS Guideline. The FIPS PUB provides a common reference within the Federal Government for terms and definitions used in the field of information systems including computers, data communications, data processing, text processing, and related fields. The DICTIONARY consists of an alphabetic listing of terms and their definitions. The DICTIONARY includes terms and definitions from the ISO Vocabulary -- Information Systems developed by IEC JTC 1/TC 97/SC1: Vocabulary. The revision supersedes FIPS PUB 11-2 (ANSI X3/TR-1-82) in its entirety.

100,957
PB91-136507 PC A99/MF A99
National Inst. of Standards and Technology, Gaithersburg, MD.
National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
Special pub (Final rept. 1977-87).
R. Pardee, E. Gladden, and D. Harris. Aug 90, 1675p
NIST/SP-790-VOL-1
Also available from Supt. of Docs. See also PB91-136515.

Keywords: *US NBS, *Bibliographies, Subject index terms, Abstracts, *National Bureau of Standards, US NIST.

Volume 1 contains full bibliographic citations, key words, and abstracts for 15,746 National Bureau of Standards (NBS) (as of August 23, 1988 the National Institute of Standards and Technology (NIST)) papers published and entered into the National Technical Information Service (NTIS) collection between 1977 and 1987. Also included are several papers published prior to 1977 but not entered into the NTIS collection until 1977. Volume 2 (PB91-136515) contains four indexes to allow the user to identify papers by personal author, key words, title, and NTIS order/report number.

100,958
PB91-136515 PC A99/MF A99
EnviroSystems Supply, Inc., Fort Myers, FL.
National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
Special pub (Final rept. 1977-87).
R. Pardee, E. Gladden, and D. Harris. Aug 90, 1442p
NIST/SP-790-VOL-2
Also available from Supt. of Docs. See also PB91-136507.

Keywords: *US NBS, *Bibliographies, Subject index terms, Indexes(Documentation), Authors, *National Bureau of Standards, US NIST.

Volume 1 contains full bibliographic citations, key words, and abstracts for 15,746 National Bureau of Standards (NBS) (as of August 23, 1988 the National Institute of Standards and Technology (NIST)) papers published and entered into the National Technical Information Service (NTIS) collection between 1977 and 1987. Also included are several papers published prior to 1977 but not entered into the NTIS collection until 1977. The volume, Volume 2, contains four indexes to allow the user to identify papers by personal author, key words, title, and NTIS order/report number.

100,959
PB91-148494 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD. Information Resources and Services Div.
Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).
Special pub. (Final).
D. Cunningham. Dec 90, 36p NIST/SP-803
Also available from Supt. of Docs. as SN003-003-03056-2. Supersedes PB89-103790.

Keywords: *Indexes(Documentation), *Abstracts, Technical reports, Information centers, Descriptive cataloging, Subject indexing, *National Institute of Standards and Technology, *Technical Information Centers, Research Information Center(NIST).

An alphabetical arrangement of abstracts and indexes available in the Research Information Center (RIC) of the National Institute of Standards and Technology (NIST) is listed by most current title of the publication. Other information includes description of the abstract or index, RIC holdings, principal sources, publisher or association, corresponding RIC data base and the classification number. A general subject and former title/data base name index follow the main text of the report.

100,960
PB91-171330 PC A12/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD. Office of Information Services.
NIST Serial Holdings, 1991.
Special pub. (Final).
M. L. Kingston. Feb 91, 268p NIST/SP-777
Also available from Supt. of Docs. as SN003-003-03075-9. Supersedes PB90-183245.

Keywords: *Periodicals, *Catalogs(Documentation), *Collection, *Information centers, Standards, Libraries, Metrology, *US National Institute of Standards and Technology, *NIST.

The publication contains holdings information for approximately 5,000 titles held in the National Institute of Standards and Technology (NIST) Research Information Center, representing current and noncurrent journals, periodicals, annuals, memoirs, proceedings, and transactions.

General

100,961
PB91-189522 Not available NTIS
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Systems and Software Technology Div.
Document Architecture for Open Systems.
Final rept.
R. Hunter, P. Kaijser, and F. Nielsen. 1989, 11p
Pub. in Computer Communications 12, n2 p69-79 Apr 89.

Keywords: *Documents, *Standards, Data processing, Information transfer, Format, Reprints, *ODA(Office Document Architecture), *Document processing.

The document provides a tutorial overview to the Office Document Architecture (ODA) standard-ISO 8613. The document presents historical information about the development of the standard and summarizes the features of ODA. The prime objective of ODA is to provide for the representation and encoding of documents so that they can be transferred between different document processing systems. ODA docu-

ments may be transferred in three forms: formatted form, processable form, and formatted processable form. These forms are described as well as other concepts of ODA including: logical and layout structures, document constituents, content architectures, and so on. The ODA standard is briefly, yet thoroughly, described.

100,962
PB92-116383 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Guide for the Use of the International System of Units: The Modernized Metric System.
Special pub. (Final).
A. O. McCoubrey. Sep 91, 39p NIST/SP-811
Also available from Supt. of Docs. as SN003-003-03113-5. See also PB92-109032 and N73-26969.

Keywords: *International system of units, *Metric system, *Conversion tables, Units of measurement.

The Guide for the Use of the Modernized Metric System is a practical tool for the use of authors in the preparation of technical manuscripts in conformance with the NIST policy that requires the use of the International System of Units (SI) for all publications. For this purpose, the Guide replaces Exhibit 2-D of Chapter 2 in the NBS Communications Manual for Scientific, Technical, and Public Information; it has also been prepared to support the broad objectives of the NIST program for metric conversion. The Guide is further intended to replace NBS Letter Circular LC 1120 (1979) as a document suitable for distribution to other Government agencies and the public.

MANUFACTURING TECHNOLOGY

Computer Aided Design (CAD)

100,963
PB91-147579 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Factory Automation Systems Div.
UNIX in the Government's Automated Manufacturing Research Facility (AMRF).
Final rept.
D. Libes. 1986, 6p
Pub. in Government Computer News 5, n6 p1-6, 14 Feb 86.

Keywords: *UNIX(Operating system), *Research projects, Computer aided manufacturing, Automation, Computer aided design, Robotics, Computer systems hardware, Programming languages, Operating systems(Computers), Reprints, *Automated Manufacturing Research Facility.

The report discusses all projects in the Automated Manufacturing Research Facility (AMRF) using UNIX. Brief descriptions of each project include machine, language and version of UNIX used.

100,964
PB91-157164 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series.
S. N. Clark. Dec 90, 52p NISTIR-4407
See also PB90-269531.

Keywords: *Computer aided design, *Computer aided manufacturing, *Standards, *Software tools, Computer programming, Mathematical models, Programming manuals, Parsers, Translators, *PDES(Product Data Exchange Specifications), National Institute of Standards and Technology.

The Product Data Exchange Specification (PDES) is an emerging standard for the exchange of product information among various manufacturing applications. PDES includes an information model written in the Ex-

press language; other PDES-related information models are also written in Express. The National PDES Testbed at the National Institute of Standards and Technology (NIST) has developed software to manipulate and translate Express models. The software consists of an in-memory working form and an associated Express language parser, Fed-X. The internal operation of the Fed-X parser is described. The implementation of the data abstractions which make up the Express Working Form is discussed, and specifications are given for the Working Form access functions. The creation of Express language translators using Fed-X is discussed.

100,965

PB91-167262

PC A03/MF A01

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD. Information Systems Engineering Div.

SQL3 Support for CALS Applications.

L. Gallagher. Feb 91, 39p NISTIR-4494

Keywords: *Computer aided manufacturing, *Data base management systems, Computer aided design, Federal information processing standards, Standardization, Data processing security, Recursive functions, *CALS, *SQL3 database language, ANSI(American National Standards Institute), ISO(International Organization for Standardization).

Previous reports to CALS have identified the importance of Database Language SQL in CALS Phase II requirements. In particular, a July 1989 point paper on SQL and RDA identified features in the existing SQL standard and its near-term SQL2 replacement that are most appropriate to CALS data management concerns. The report focuses on SQL3, a follow-on standardization project for major new SQL enhancements that is expected to be adopted by American National Standards Institute (ANSI), International Organization for Standardization (ISO), and as a Federal Information Processing Standard (FIPS) in the mid 1990's. Many of the proposed SQL3 features are of particular importance to the Standard for the Exchange of Product model data (STEP) because of that standard's unique data modeling and data access requirements. Existing and planned features in SQL3 may not satisfy all STEP requirements, but they should provide an appropriate base from which many requirements can be suitably addressed. Since features in SQL3 are just now being specified, they are open to modification and improvement to best suit CALS needs. The report identifies the major enhancements under consideration by the ANSI and ISO SQL standardization committees and relates them to known manufacturing and product management requirements. It also discusses the status of these features in the SQL3 specification and indicates opportunities available to CALS to influence further development.

100,966

PB91-184788

PC A03/MF A01

National Inst. of Standards and Technology (BFR), Gaithersburg, MD.

STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.

W. F. Danner, D. T. Sanford, and Y. Yang. Mar 91, 21p NISTIR-4528

Keywords: *Standards, *Models, Computer aided design, Semantics, Syntax, *STEP(Standard for the Exchange of Product Model Data), PDES(Product Data Exchange using STEP), National Institute of Standards and Technology.

The report documents the rules that are used in the integration of Standard for the Exchange of Product Model Data (STEP) draft resource models. The rules are applied in the development of the STEP Integrated Resource that satisfies application requirements for STEP.

100,967

PB91-216663

PC A03/MF A01

National Bureau of Standards (NEL), Gaithersburg, MD. Machine Intelligence Group.

Apparel STEP Translator.

H. T. Moncarz, and Y. T. Lee. Jun 91, 19p NISTIR-4612

Sponsored by Defense Logistics Agency, Alexandria, VA.

Keywords: *Clothing industry, *Computer aided design, Computer aided manufacturing, Prototypes,

Data structures, File structures, Format, Translators, Man computer interface, Models, Standardization, *STEP(Standard for the Exchange of Product Model Data), National Institute of Standards and Technology.

The paper describes the implementation of a prototype computer program for translating apparel pattern data between different file storage formats. The program demonstrates the feasibility of using a single, standard format as a mechanism for exchanging data between dissimilar pattern design systems. The software was developed as part of an ongoing project to incorporate apparel applications into the Standard for the Exchange of Product Model Data (STEP), an emerging international standard. In the short term, the project goal is to develop a neutral data format for exchanging two-dimensional pattern data between apparel computer aided design (CAD) systems. In the longer term, the goal is to develop an information model that can be used to encompass the entire apparel life cycle. This achievement would allow all of the processes involved in the apparel life cycle to share the same data.

100,968

PB91-222620

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series.

S. B. Katz. 10 Jul 91, 20p NISTIR-4629

Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Computer aided manufacturing, *Standards, *Product development, Computer aided design, *STEP(Standard for the Exchange of Product Model Data), ISO(International Organization for Standardization), PDES(Product Data Exchange using STEP), National Institute of Standards and Technology, Configuration management.

The paper proposes configuration management procedures that support the International Organization for Standardization's (ISO's) approval process for the Standard for the Exchange of Product Model Data (STEP), and introduces requirements for incorporating those procedures into a configuration management system.

100,969

PB92-112374

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series.

M. J. Mitchell. 26 Sep 91, 51p NISTIR-4684

Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Protocols, *Tests, *Product development, *Standards, Computer aided design, Computer aided manufacturing, Standardization, Specifications, Models, Methodology, *STEP(Standard for the Exchange of Product Model Data), PDES(Product Data Exchange Using STEP).

An Application Protocol (AP) is a specification for a subset of the data described by the Standard for the Exchange of Product Model Data (STEP). Application Protocols are designed to permit practical implementations of STEP. Validation is needed to ensure that the technical solutions provided by the AP will work in a practical sense. The document proposes that the STEP development policy be strengthened to require that Application Protocols be validated prior to being submitted for standardization. Justification for the additional requirement on Application Protocols is provided. The body of the paper describes a series of validation techniques that are appropriate for the development methods used by STEP. A process is proposed under which these validation techniques should be applied. In addition, the paper describes the contribution that AP validation could make to conformance testing.

100,970

PB92-112523

PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series.

K. K. Jurens. Aug 91, 55p NISTIR-4699

Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Computer aided design, *Computer aided manufacturing, *Models, *Metal sheets, *Dies, Product development, Tests, Requirements, Protocols, Software tools, Facilities, Training, Scheduling, CDIM(Context Driven Integrated Model), PDES(Product Data Exchange Using STEP), STEP(Standard for the Exchange of Product Model Data).

The document defines the Test Plan that will govern testing of the first Context Driven Integrated Model (CDIM) developed by the PDES, Inc. Sheet Metal Project (CDIM SM1). The Test Plan specifies the test objectives, methodology, constraints, requirements, evaluation criteria, resources, deliverables, and issue procedures for the testing activity. In addition, the document provides a brief introductory overview of CDIM SM1.

100,971

PB92-123090

PC A06/MF A02

National Inst. of Standards and Technology, Gaithersburg, MD.

Validation Testing Laboratory User's Guide. National PDES Testbed Report Series.

J. N. Breese, M. McLay, and G. Silvernale. Sep 91, 105p NISTIR-4683

See also PB91-107581. Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Computer aided design, *Computer aided manufacturing, *Standardization, *Product development, Standards, Data processing, UNIX(Operating system), Utility routines, Computer vision, Translator routines, Compilers, Parsers, Editing routines, Data base management systems, User manuals(Computer programs), Computer systems hardware, Computer systems programs, PDES(Product Data Exchange using STEP), STEP(Standard for The Exchange of Product model data), CALS, US NIST.

Product Data Exchange Using STEP (PDES) is the United States activity supporting the Standard for the Exchange of Product Model Data (STEP), a proposed international standard for product data representation and exchange. The document is a quick reference for those using the Validation Testing Laboratory of the National PDES Testbed. It is not intended for those wishing to learn about the tools in the Testbed but is rather for those who already have a working knowledge of the programs and terminology. The Testbed was initiated in 1988 under the sponsorship of the U.S. Department of Defense Computer-aided Acquisition and Logistic Support (CALS) program. A major goal of the Testbed is to provide technical leadership in a national effort to implement a complete and useful specification for the exchange of product data. The specification must be designed to meet the needs of U.S. industry and the CALS program. The National PDES Testbed supports and actively participates in the international effort to develop (STEP).

Computer Aided Manufacturing (CAM)

100,972

PB91-132142

PC A03/MF A01

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Factory Automation Systems Div.

Software and Computer Integrated Manufacturing.

H. M. Bloom. Nov 90, 11p NISTIR-4468

Keywords: *Computer aided manufacturing, *Computer software, Systems engineering, Production management, Data management, Communications management, Standards, Data bases.

The paper outlines present and future directions for software in a Computer Integrated Manufacturing (CIM) environment. The three major CIM components -- production management, data management, and communications management -- are described in

MANUFACTURING TECHNOLOGY

Computer Aided Manufacturing (CAM)

terms of software available today and future software based on emerging international standards. Key standards efforts such as product data exchange, open systems interfaces, database systems frameworks, and CIM frameworks are described.

100,973
PB91-134718 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Center for Mfg. Engineering.
AI in Manufacturing: The NBS AMRF as an Intelligent Machine.
Final rept.
D. A. Swyt. 1988, 16p
Pub. in Proceedings of International Conference on Expert Systems and the Leading Edge in Production Planning and Control, Intelligent Manufacturing (1st), p357-372 1988.

Keywords: *Artificial intelligence, Robots, Standards, Automation, Reprints, *Automated Manufacturing Research Facility, *Computer aided manufacturing, National Institute of Standards and Technology, Control systems, Knowledge representation.

Consisting of robots, machine tools and computers, the Automated Manufacturing Research Facility (AMRF) is being integrated using a real-time, sensory-feedback, data-driven hierarchical control architecture. As such, the AMRF is a research tool for investigating the manufacturing enterprise as a system of intelligent machines. The report describes the AMRF in terms of its real-time control system architecture; notes the role of symbolic languages, knowledge-representation, sensory-processing and other aspects of artificial intelligence (AI) in its development; and speculates on further application of AI in future intelligent manufacturing systems similar in form to the AMRF.

100,974
PB91-147595 Not available NTIS
National Bureau of Standards (ICST), Gaithersburg, MD. Systems and Network Architecture Div.
Application of OSI Protocols for Plant Information Networks.
Final rept.
R. J. Linn. 1987, 21p
Pub. in Proceedings of International Conference on Foundations of Computer Aided Process Operations, Park City, UT., July 5-10, 1987, p453-473.

Keywords: *Computer aided manufacturing, *Communication networks, *Protocols, Standards, Computer networks, Information systems, Computer architecture, Reprints, OSI(Open Systems Interconnection), MAP(Manufacturing Automation Protocol), GOSIP(Government Open Systems Interconnection Profile), TOP(Technical and Office Protocols).

The International Organization for Standardization (ISO) has developed a set of standards defining data communications protocols for heterogeneous computer systems. Collectively, these protocols are called the Open Systems Interconnection (OSI) protocols. Computer and communications equipment manufacturers are beginning to provide implementations of these protocols as product offerings which can be applied to manufacturing plant information networks. Summaries are provided of the functional aspects of selected international standards, and their relationships to U.S. Government and industrial profiles of the same standards. These profiles are the Government Open Systems Interconnection Profile (GOSIP), Manufacturing Automation Protocol (MAP) and Technical and Office Protocols (TOP). The MAP profile was developed under the leadership of General Motors Corporation with the objective of applying emerging international standards to plant information networks in highly automated factories. The TOP and GOSIP profiles extend the application of the same kernel of protocols to scientific, engineering, and office environments which may be geographically or locally distributed. Application of OSI protocols for plant information networks is illustrated by example.

100,975
PB91-148122 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Center for Mfg. Engineering.
CIM, Data and Standardization within the NBS AMRF.
Final rept.
D. A. Swyt. 1988, 7p
Pub. in Robotics 4, n2 p193-199 Jun 88.

Keywords: *Computer aided manufacturing, *Data management, *Standards, Automation, Robotics,

Computer aided design, Reprints, Automated Manufacturing Research Facility, National Institute of Standards and Technology.

Computer-Integrated-Manufacturing (CIM) is key to the factory of the future, shared data is key to integration, and interface standards are key to data-sharing. Within its Automated Manufacturing Research Facility (AMRF), the U.S. National Bureau of Standards is addressing issues of standardized interfaces in the four principal data activities of the automated factory: data preparation, data administration, data communication, and data-driven control. By means of such interface standards, the flexibly-automated, robotics-based, computer-integrated factory of the future can be realized in a modular, easily-integratable, multi-vendor form.

100,976
PB91-148130 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Center for Mfg. Engineering.
Innovation in Manufacturing Technology: A View from NBS.
Final rept.
D. A. Swyt. 1985, 16p
Pub. in Proceedings of Conference on Manufacturing Research: Organizational and Institutional Issues, Stuttgart, West Germany, August 19-23, 1985, p1-16.

Keywords: *Computer aided manufacturing, *Manufacturing, *Technology assessment, Automation, Process control, Robotics, Automatic control, Man machine systems, Standardization, Industrial plants, Industries, Reprints.

Based on work in measurements and standards for the automated manufacturing of discrete parts, the view of manufacturing technologies from the National Bureau of Standards is one of substantial change and growth following the current seminal stage of development. Economics and the desire for advanced capabilities drive the change. Relative to technological ideas being developed in laboratories such as NBS, current industrial robots are crude and the most automated processes not under adequate control. Simple extrapolation of current work will result in profoundly more advanced robotic systems and effective automated control of entire factories. This impending change provides substantial challenges for coordinated research in three key areas: the basics of unit processes, control systems for intelligent machines, and the integration of unit processes and intelligent machines into whole factory systems.

100,977
PB91-167320 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Factory Automation Systems Div.
Engineering Design Laboratory Guide.
A. B. Feeney. 19 Feb 91, 19p NISTIR-4519

Keywords: *Computer aided manufacturing, *Computer aided design, Structural analysis, Finite element analysis, Knowledge base, Computerized simulation, Numerical control, Clothing, US NIST, *Engineering Design Laboratory, *Factory automation, Geometric modeling.

The document provides a brief description of the systems available for use in the Engineering Design Laboratory at the National Institute of Standards and Technology, Gaithersburg, Maryland. The Engineering Design Laboratory was established to study the process of design, how design information can be represented, and how to make design information available to necessary systems throughout a product's life cycle. The document also discusses opportunities for collaborative or independent research in the Engineering Design Lab.

100,978
PB91-167700 PC A04/MF A01
National Inst. of Standards and Technology (CAML), Gaithersburg, MD. Office of Applied Economics.
Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual.
S. F. Weber. Mar 91, 75p NISTIR-4543, NIST/SW/DK-91/007A, NIST/SW/DK-91/009A
For system on diskette, see PB91-506568 and PB91-507194.

Keywords: *Computer aided manufacturing, *Investments, *Decision support systems, Automation, Life cycle costs, Present worth, Evaluation, Comparison, Ranking, Ratings, User manuals(Computer programs), Documentation, Automan computer program.

The manual documents Automan, a microcomputer program designed to support multi-criteria decisions about automated manufacturing investments. The program permits users to combine quantitative and qualitative criteria in evaluating investment alternatives. Quantitative criteria could include such traditional financial measures as Life-Cycle Cost and Net Present Value as well as such engineering performance measures as throughput and setup time. Qualitative criteria could include flexibility and product quality. First, the user specifies the evaluation criteria and the investment alternatives to be evaluated. Second, the user makes pairwise comparisons between criteria to establish their weights. Third, the user rates each investment alternative with respect to the criteria. The pairwise comparison process helps the user rate the qualitative criteria, while measured performance data, such as cost, setup time, or throughput, can be entered for quantitative criteria. Automan combines ratings with criteria weights into an overall rating for each investment alternative and then ranks alternatives. Finally, graphical sensitivity analysis can be conducted to visualize the overall ratings of every alternative for every possible weight that could be assigned to any criterion. Automan comes with sample decision models and a manual that includes a detailed tutorial, a glossary of evaluation criteria, a bibliography, and an index.

100,979
PB91-174623 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.
High Precision Gaging with Computer Vision Systems.
Final rept.
T. D. Doirin. 1990, 12p
Contract DE-AI05-85OR21584
Sponsored by Department of Energy, Oak Ridge, TN.
Pub. in Industrial Metrology 1, p43-54 1990.

Keywords: *Computer vision, Edge detection, Video equipment, Interfaces, Cameras, Precision, Accuracy, Reprints, *Gaging, Robot vision.

In order to use a computer vision system for high accuracy gaging, the intensity array reported to the computer from the camera must correspond closely to the geometry of the part to be measured. To verify this correspondence for two different vision systems, a number of tests are reported and discussed. A number of effects due to the camera sensor geometry, the type of edge finder employed, the thermal properties of the camera, and the interface method used between the camera and computer are explored.

100,980
PB91-174938 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Factory Automation Systems Div.
Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine.
Final rept.
T. R. Kramer, and W. T. Strayer. 1987, 19p
Grant 70NANB4H0006
Sponsored by Catholic Univ. of America, Washington, DC.
Pub. in Proceedings of Symposium on Intelligent and Integrated Manufacturing Analysis and Synthesis, Boston, MA., December 13-18, 1987, p195-213.

Keywords: *Computer aided manufacturing, *Error detection codes, *Milling machines, Numerical control, Workstations, Detection, Software(Computers), Errors, Checking(Proving), Milling(Machining), Quality control, Reprints.

In the Vertical Workstation (VWS) of the NBS Automated Manufacturing Research Facility, metal parts are machined automatically from a feature-based design. A simple two-and-a-half dimensional part may be designed and machined within an hour, allowing half the time for design input. Workstation activity may be divided into design, process planning, data execution, and physical execution stages. In order to make VWS operation safe and accurate, extensive error prevention and detection (verification) procedures have been incorporated in the data preparation stages, particularly design and data execution. The software for these stages is about 700 pages of LISP code and runs on a Sun computer. About a quarter of the code is solely for error prevention. Automatic verification includes, design editor dialogs, design enhancement, design verification (subdivided into parameter type checks, feature verification, and reference feature fit checking), process plan verification, workpiece verification,

part model checking, and other items. Interactive verification includes design drawing, workpiece model drawing, and tool path drawing. The feature verifiers are prepared by a rule-based automatic programming subsystem.

100,981
PB91-175091 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Center for Mfg. Engineering.
U.S. Manufacturing Systems: Factories Past, Present, and Future.
Final rept.
D. A. Swyt. 1987, 13p
Pub. in Proceedings of U.S./Japan Conference on Manufacturing Research Perspectives, Tokyo, Japan, October 27-29, 1986, p38-50 1987.

Keywords: *Computer aided manufacturing, *Robots, Automation, United States, Competition, Industrial plants, Robotics, Reprints, Automated Manufacturing Research Facility.

U.S. manufacturing is in the throes of a fundamental changeover in its production technologies and systems. Under pressures of rapid globalization of its own markets, fierce competition from technologically-capable trading partners, and an aging industrial base, the United States is beginning to move from the labor-intensive mass production factory of the past to the information-intensive, custom-quantity factory of the future. The principle technology of the factory of the future is robotic-based, computer-integrated, flexible automation. In machine-tool-based factory production, the computer and robot have been joined with the machine tool to form the flexible manufacturing cell, the first realization on the shop floor of the central principles of the factory of the future. To allow achievement of the total factory of the future, manufacturing research in the United States, represented by work at the Automated Manufacturing Research Facility, is directed at bringing the entire factory under computer-integrated control.

100,982
PB91-193367 PC A05/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Factory Automation Systems Div.
Concurrent Engineering through Product Data Standards.
G. P. Carver, and H. M. Bloom. May 91, 77p NISTIR-4573

Keywords: *Computer aided manufacturing, *Standards, Concurrent processing, Automation, Information processing, Data bases, Computer aided design, *Concurrent engineering, STEP(Standard for the Exchange of Product Model Data), PDES(Product Data Exchange using STEP), National Institute of Standards and Technology.

Concurrent engineering involves the integration of people, systems and information into a responsive, efficient system. Integration of computerized systems allows additional benefits: automatic knowledge capture during development and lifetime management of a product, and automatic exchange of that knowledge among different computer systems. Critical enablers are product data standards and enterprise integration frameworks. A pioneering assault on the complex technical challenges is associated with the emerging international Standard for the Exchange of Product Model Data (STEP). Surpassing in scope previous standards efforts, the goal is a complete, unambiguous, computer-readable definition of the physical and functional characteristics of a product throughout its life cycle. U.S. government agencies, industrial firms, and standards organizations are cooperating in a program, Product Data Exchange using STEP (PDES), to develop and implement STEP in a shared-database environment. PDES will lead to higher, integrated levels of automation based upon information standards and frameworks. U.S. manufacturers will benefit from concurrent engineering without sacrificing the historical strengths and traditions of individuality, initiative, and intellectual property rights. Concurrent engineering, through information technology and standards, represents the power of a new industrial revolution. The role of the National Institute of Standards and Technology (NIST) National PDES Testbed, technical leadership and a testing-based foundation for the development of a STEP, is described.

100,983
PB91-194449 PC A04/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.

T. R. Kramer. 2 May 91, 56p NISTIR-4577
Prepared in cooperation with Catholic Univ. of America, Washington, DC. Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Solids, *Three dimensional models, *Translators, Mathematical models, Computer software, Translator routines, Topology, Geometry, *STEP(Standard for the Exchange of Product Model Data), *Parasolid software system.

Parasolid is a commercial solid modeling software system. It uses a manifold boundary representation. STEP is an emerging international Standard for the Exchange of Product Model Data. Included in STEP are proposed standards for Topology and Geometry (which provide the definitions of data types required for building boundary representations) and for physical files representing products. Parasolid-to-STEP is a software system written in the C programming language for translating a Parasolid format boundary representation file giving the shape of an object into a STEP format file describing the same shape. The system handles elementary curves (lines, circle, ellipse) and surfaces (plane, sphere, cylinder, cone, torus).

100,984
PB91-194480 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Configuration Management Concepts Document. National PDES Testbed Report Series.
S. B. Katz. 26 Apr 91, 33p NISTIR-4538

Keywords: *File management systems, *Access, Computer aided manufacturing, Documents, Software engineering, Quality assurance, *CMS(Configuration Management System), *STEP(Standard for the Exchange of Product Model Data), ISO(International Organization for Standardization).

The purpose of the document is to establish Configuration Management (CM) concepts to be applied in support of the development of the Standard for the Exchange of Product Model Data (STEP). Configuration management is the management of change. It is a formal discipline which provides methods and tools to: identify components, versions and baselines of selected items; and control changes to those items. CM provides a method for logically grouping related components throughout the various stages of product development. It also provides visibility and traceability for the evolving status of each item. An effective CM system thus identifies, controls, records, and reports on any functional, physical or status changes to the controlled items.

100,985
PB91-195172 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.
CAD Directed Robotic Deburring.
Final rept.
K. N. Murphy, R. J. Norcross, and F. M. Proctor. 1988, 7p
Pub. in Proceedings of International Symposium on Robotics and Manufacturing (2nd): Research, Education, and Applications, Albuquerque, NM., November 16-18, 1988, p959-965.

Keywords: *Robots, *Deburring, *Computer aided manufacturing, *Computer aided design, Robotics, Real time systems, Off line systems, Programming, Control systems, Paths, Automation, Interactive graphics, Algorithms, Data structures, Reprints, Automated Manufacturing Research Facility.

At the Automated Manufacturing Research Facility, research is being conducted on techniques to automate robot programming. A technique has been developed and demonstrated in the Cleaning and Deburring Workstation which uses Computer Aided Design (CAD) geometry data to automatically generate robot deburring paths. Using a graphics interface, an operator specifies the edges on a part to be deburred, the deburring tools to be used, and the speeds, feed rates, and contact forces desired. Deburring paths are generated and sent to a PUMA 760 robot controlled by the Real-Time Control System. The robot uses a two-pass

technique for deburring. On the first pass, the robot uses force feedback to correct the deburring path points to account for robot kinematic errors, tool wear, and minor part misplacement. On the second pass, the robot follows the corrected path, deburring the part. The paper describes the techniques, algorithms and data formats used in the robotic deburring system.

100,986
PB91-195495 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.
Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF.
Final rept.
F. M. Proctor, K. N. Murphy, and R. J. Norcross. 1989, 11p
Pub. in Proceedings of SME Conference Deburring and Surface Conditioning '89, San Diego, CA., February 13-16, 1989, p1-11.

Keywords: *Robots, *Automation, *Workstations, *Computer aided manufacturing, Robotics, Scheduling, Materials handling, Deburring, Cleaning, Precision finishing, Buffing, Process control, Reprints, Automated Manufacturing Research Facility.

In the cleaning and deburring workstation, two robots cooperate to accomplish deburring, buffing, cleaning, and handling of machined parts. A technique has been developed which uses part geometry data to automatically generate robot paths. Using a graphics interface, an operator specifies how a part is to be gripped, fixtured, deburred, buffed, and cleaned. A path planner combines the process plan with geometry data to compute robot paths. A workstation controller coordinates the actions of both robots, allowing various steps in the finishing process to be performed simultaneously. The paper describes the methods used to automate the finishing process.

100,987
PB91-203299 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Mfg. Engineering.
Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing.
Final rept.
A. Jones, E. Barkmeyer, and W. Davis. 1989, 12p
Pub. in International Jnl. of Computer Integrated Manufacturing 2, n2 p65-76 Mar/Apr 89.

Keywords: *Computer aided manufacturing, *Systems engineering, *Computer architecture, Production planning, Production control, Data management, Automation, Computer systems hardware, Computer systems programs, Reprints.

The advent of sophisticated automation equipment and computer hardware and software is changing the way manufacturing is carried out. To be competitive, manufacturing companies must integrate these new technologies into their existing and future factories. In addition, they must integrate the planning, control, and data management methodologies needed to make effective use of those technologies. The paper discusses several issues related to the design and implementation of a system architecture which can serve as the basis for those integration efforts. That architecture includes separate architecture for production planning and control, data management, and data communications.

100,988
PB91-203356 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Factory Automation Systems Div.
Parser That Converts a Boundary Representation into a Features Representation.
Final rept.
T. R. Kramer. 1989, 10p
Contract NANTB-7-H0716
See also PB89-160634. Sponsored by Catholic Univ. of America, Washington, DC.
Pub. in International Jnl. of Computer Integrated Manufacturing 2, n3 p154-163 May/Jun 89.

Keywords: *Computer aided manufacturing, *Machining, *Parsers, Workstations, File structures, Feature extraction, Computer aided design, Pattern recognition, Boundaries, Reprints, VWS2 computer program, Automated Manufacturing Research Facility,

MANUFACTURING TECHNOLOGY

Computer Aided Manufacturing (CAM)

PDES(Product Data Exchange Specification), STEP(Standard for The Exchange of Product Data).

The VWS2 B-rep Parser is a computer program written in LISP that takes a file giving the boundary representation of a part as input and produces a file giving a feature-based representation of the part as output. The format of the input file is a Product Data Exchange Specification (PDES)/Standard for The Exchange of Product Data (STEP) boundary representation, and the format of the output file is that required by the VWS2 system of the National Institute of Standards and Technology (NIST) Automated Manufacturing Research Facility (AMRF). The parser deals with a limited range of two-and-a-half dimensional parts. The general approach to parsing is to expect that the part is parsable and look for arrangements of faces which are the signatures of features. The initial implementation of the approach recognizes five feature types. The approach is extendible to a wider range of feature and subfeature types, and to parts which have features made from several sides. Parts having features which intersect in a complex manner are likely to test the limits of the approach, or be beyond the limits. With the addition of the parser, the AMRF Vertical Workstation is capable of making a part from a PDES/STEP file without human intervention.

100,989

PB91-203737

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.

Control Structure for Multi-Tasking Workstations. Final rept.

R. J. Norcross. 1988, 3p

Pub. in Proceedings of IEEE (Institute of Electrical and Electronics Engineers) International Conference on Robotics and Automation, Philadelphia, PA., April 24-29, 1988, p1133-1135.

Keywords: *Workstations, *Control systems, *Manufacturing, Operating systems(Computers), Concurrent processing, Resource allocation, Multiprocessing, Reprints.

Manufacturing control modules, which are based on hierarchical control theory, decompose commands from a supervisory controller into elementary tasks to be performed by subordinate systems. The ability to simultaneously manage coordinated and independent functions of subordinates, while also processing new commands from the supervisory controller, is beneficial in advanced implementations of the controllers. The paper describes a control structure, based on computer operating system principles, which provides the desired capabilities. Utilizing concurrent processing and coordinating tasks via resource allocation provides extensive modularity which simplifies integration, gives a multi-processing environment, and produces the aforementioned capabilities.

100,990

PB91-222596

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.

C. Stark, and M. Mitchell. 2 Jul 91, 36p NISTIR-4628
Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Computer aided manufacturing, *Mechanical devices, *Protocols, Computer applications, Production planning, Standards, *STEP(Standard for the Exchange of Product Model Data), PDES(Product Data Exchange using STEP), National Institute of Standards and Technology.

The Standard for the Exchange of Product Model Data (STEP) is being developed as an international standard. The National Product Data Exchange using STEP (PDES) Testbed was established at the National Institute of Standards and Technology (NIST) specifically to address the development and testing of STEP, and to serve U.S. industry in its use of the standard. An Application Protocol (AP) is a specification for a subset of STEP data that can be implemented in an application system. The APs for Mechanical Parts Production effort will produce an early example of APs being used together in an operational prototype. This effort will develop, fully test, validate, and deliver a set of APs to the STEP Production Cell application systems which support the following: detailed design, process planning, and numerical control programming. The docu-

ment describes the plan for developing and validating a series of three APs required as input to the STEP Production Cell. The resultant candidate APs, that will be submitted to the International Organization for Standardization (ISO) for inclusion in the standard, will have been validated and thoroughly tested prior to their submission.

100,991

PB91-240796

PC A03/MF A01

National Inst. of Standards and Technology (MEL), Gaithersburg, MD.

Manufacturing Systems Integration Control Entity Interface Document.

M. K. Senehi, S. Wallace, E. Barkmeyer, S. Ray, and E. K. Wallace. Jun 91, 47p NISTIR-4626

Keywords: *Computer aided manufacturing, *Control systems, *Interfaces, Automation, Hierarchies, Integrated systems, Production planning, Production control, Systems engineering, Models, NIST(National Institute of Standards and Technology), MSI(Manufacturing Systems Integration).

The document defines a set of interfaces for controllers to be incorporated into an integrated manufacturing production planning and control environment that conforms to the National Institute of Standards and Technology (NIST) Manufacturing Systems Integration (MSI) architectural model.

100,992

PB92-108885

PC A03/MF A01

National Inst. of Standards and Technology (MEL), Gaithersburg, MD.

Clock for the Manufacturing Systems Integration Testbed.

D. Libes. 5 Sep 91, 19p NISTIR-4666

Keywords: *Computer aided manufacturing, *Clocks, *Computer systems programs, Timing devices, UNIX(Operating system), Scheduling, Automation, Man computer interface, Time, MSI(Manufacturing Systems Integration).

The paper describes a software module that provides timing services to the Manufacturing Systems Integration (MSI) Testbed in the automated factory. The software 'alarm clock' provides services to other MSI software including: synchrony; real-time, or nonreal-time adjusted in a variety of ways; and alarms at relative or absolute intervals. By providing a central time service, these services are provided more reliably, efficiently, and flexibly than could any client on its own. The paper describes the implementation, interfaces, and how to design and write programs that use it.

100,993

PB92-112234

PC A03/MF A01

National Inst. of Standards and Technology, Gaithersburg, MD.

Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.

E. J. Barkmeyer, J. E. Fowler, and S. P. Magleby. 27 Sep 91, 39p NISTIR-4685

Prepared in cooperation with Brigham Young Univ., Provo, UT.

Keywords: *Computer aided manufacturing, *Mechanical devices, *Standards, *Data processing, Computer aided design, File management systems, Protocols, Production models, Systems design, Data bases, Computer systems programs, Product development, *STEP(Standard for the Exchange of Product Model Data), PDES(Product Data Exchange Using STEP).

The Standard for the Exchange of Product Model Data (STEP) is an emerging standard addressing the problems of data exchange and representation of produced goods in a variety of manufacturing enterprises. Given that the initial STEP specifications largely pertain to mechanical parts production, this domain is an appropriate context for initial STEP implementations. The document describes an architecture for systems realizing a mechanical parts production capability using STEP data exchange. The functions of the major systems and relationships between systems is discussed. Software components which could be used to implement major systems are identified. Major emphasis is given as to how STEP is implemented and used in the context of the architecture.

100,994

PB92-112242

PC A04/MF A01

National Inst. of Standards and Technology (MEL), Gaithersburg, MD.

Manufacturing Systems Integration: Initial Architecture Document.

M. K. Senehi, E. Barkmeyer, M. Luce, S. Ray, E. K. Wallace, and S. Wallace. Sep 91, 70p NISTIR-4682
See also PB91-240796. Sponsored by Naval Research Lab., Washington, DC. Navy Manufacturing Technology Program.

Keywords: *Computer aided manufacturing, *Systems engineering, *Production planning, *Production control, Computer architecture, Systems design, Automation, Industrial plants, Hierarchies, Models, Error correction codes, Process control, Control systems, Data processing, Man computer interface, Materials handling, Data management, Resource allocation, Production management.

The goal of the Manufacturing Systems Integration (MSI) project at the National Institute of Standards and Technology (NIST) is to develop an approach to solving the problem of incompatible data and control processes within a manufacturing enterprise. A major activity of the MSI project is the development of a system architecture that incorporates an integrated production planning and control environment. A particular difficulty in developing such an architecture is the sharing of information between engineering, production management and control systems; there are no standards specifying the interactions among such systems. The MSI team is developing a testbed environment which allows experimentation with integrated production management and control systems. A critical feature of the testbed is the specification of an architecture and interfaces which allow the incorporation of commercial products and university-built prototype systems that support production engineering and control. The validation of the architecture will be via a demonstration of the production of selected parts, using either actual or emulated shop floor equipment or any combination of both. The document describes the first draft of that architecture and serves as an interim report to record progress in the architecture design.

100,995

PB92-112572

PC A05/MF A01

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD.

Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).

Annual rept.

H. T. Yolken. 1991, 96p NISTIR-4693

See also PB89-151823 and PB91-143339.

Keywords: *Artificial intelligence, *Process control, *Materials, *Nondestructive tests, Magnetic properties, Steels, Feasibility analysis, Expert systems, Thermomechanical treatments, Metals, Powder metallurgy, Aluminum, Ceramics, Polymers, Detectors, On-line systems, Standards, US NIST.

Contents: Intelligent Processing of Rapidly solidified metal powders by inert gas atomization; Progress Towards Development of an Intelligent Processing System for On-line Control of Steel Sheet Formability; Thermomechanical Processing of Steels; Magnetic Methods for Evaluation of Mechanical Properties of Steels; Ultrasonic Sensing of Liquid/Solid Interfaces in Metals; Physical and Mechanical Metallurgy and Sensor Technology Development for Intelligent Processing of Soldered Assemblies; Temperature Measurement in Aluminum Processing; Fluorescence and Optical Monitoring of Polymer Processing; Coatings Technology Consortium; Measurement of Dispersion of Ceramic Powders in Dense Slurries Using Electroacoustics; Application of NMR Imaging Technique for Intelligent Processing of Materials; Eddy Current Sensing of Carbon-Carbon Composites During Processing; Development of Electromagnetic Probes for Intelligent Processing of Dielectric Materials; Transient Elastic Waves in Laminates; X-Ray Radioscopy Standards; Advancement of Documentary Standards for Nondestructive Evaluation; Eddy Current Standards and Methods; Ultrasonics and Acoustic Emission Standards and Methods; Nondestructive Evaluation Using Magnetic Particles.

100,996

PB92-117027

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Automated Production Technology Div.

Mare Island Flexible Manufacturing Workstation.

Final rept.
K. Lee, and C. Lee. 1988, 10p
Sponsored by Naval Research Lab., Washington, DC.
Navy Manufacturing Technology Program.
Pub. in Proceedings of International Conference on
Computer Integrated Manufacturing, Troy, NY., May
23-25, 1988, p9-18.

Keywords: *Computer aided manufacturing, *Workstations, Automation, Robotics, Robots, Quality control, Reprints, NIST, Flexible manufacturing.

The Mare Island Flexible Manufacturing Workstation is being developed at the National Institute of Standards and Technology (NIST). Advanced features include hierarchical control architecture, combined machining and turning operations in one machine, adaptable workholding, flexible robot end-effector, robotic changing of tools, chuck jaws, and gripper fingers, robotic workpiece loading and unloading, and automated buffer storage of supplies. Quality control is achieved by using in-process gaging, tool setting, and tool condition monitoring. When completed, the Mare Island Flexible Manufacturing Workstation will be the first small-batch flexible manufacturing system in the U.S. capable of continuous unattended production of RISIC parts.

100,997
PB92-123058 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Factory Automation Systems Div.
Multi-Enterprise Concurrent Engineering through International Standards.
G. P. Carver, and H. M. Bloom. Oct 91, 27p NISTIR-4708
See also PB91-193367.

Keywords: *Computer aided manufacturing, *Product development, *Standards, Automation, Standardization, Data bases, Concurrent processing, *Concurrent engineering, PDES(Product Data Exchange Using STEP), STEP(Standard for The Exchange of Product model data).

Concurrent engineering involves the integration of people, systems and information into a responsive, efficient system. Integration of computerized systems allows additional benefits: automatic knowledge capture during development and lifetime management of a product, and automatic exchange of that knowledge among different computer systems. Critical enablers are product data standards and enterprise integration frameworks. A pioneering assault on the complex technical challenges is associated with the emerging international Standard for the Exchange of Product Model Data (STEP). Surpassing in scope previous standards efforts, the goal is a complete, unambiguous, computer-readable definition of the physical and functional characteristics of a product throughout its life cycle. The use of STEP will lead to higher, integrated levels of automation based upon information standards and frameworks. Concurrent engineering, through information technology and standards, represents the power of a new industrial revolution.

Computer Software

100,998
PB91-144378 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised).
S. N. Clark. 29 Nov 90, 27p NISTIR-4353/REV
See also PB90-250077.

Keywords: *Standards, *Computer aided design, *Computer aided manufacturing, Mathematical models, Computer software, Parsers, File structures, Translators, Computer programming, *PDES(Product Data Exchange Specification), *STEP(Standard for the Exchange of Product Model Data), National Institute of Standards and Technology.

The Product Data Exchange Specification (PDES) is an emerging standard for the exchange of product information among various manufacturing applications. The neutral exchange medium for PDES product models is the Standard for the Exchange of Product

Model Data (STEP) physical file format. The National PDES Testbed at the National Institute of Standards and Technology (NIST) has developed software to manipulate and translate STEP models. The software consists of an in-memory working form and an associated physical file parser, STEPparse. The internal operation of the STEPparse parser is described. The implementation of the data abstractions which make up the STEP Working Form is discussed, and specifications are given for the Working Form access functions. The creation of STEP translators using STEPparse is discussed.

Job Environment

100,999
PB91-167403 PC A06/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Fire Research.
Users Guide for RAPID, Version 2.3.
Special pub. (Final).
R. D. Peacock, J. N. Breese, and C. L. Forney. Jan 91, 113p NIST/SP-798
Supersedes PB87-100996. Also available from Supt. of Docs. as SN003-003-03046-5.

Keywords: *Fire tests, *Data reduction, *Computer applications, Data acquisition, Data processing, Data file, Input output processing, Utility routines, Digital command systems, User manuals(Computer programs), RAPID computer program.

The voluminous amount of data that can be collected by automatic data acquisition systems during large scale fire tests requires the use of a digital computer for the reduction of data. RAPID is a stand-alone program specifically designed to convert raw instrument voltages collected during such tests into a meaningful form. The reduced data can also be used alone or in combinations to obtain derived quantities. The program is written with the ability to accept data from a user defined data acquisition system and to check the correctness of data being analyzed. The data can be converted into meaningful scientific units and then presented in tabular or printer plot form, or stored for further processing. The guide provides detailed instructions for the use of the program.

101,000
PB91-184762 PC A03/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.
Visibility of Exit Directional Indicators.
B. L. Collins, and P. J. Goodin. Mar 91, 44p NISTIR-4532
See also PB91-161984. Sponsored by National Electrical Mfrs. Association, Washington, DC.

Keywords: *Emergency planning, *Human factors engineering, Display devices, Indicator lights, Safety, Visibility, Human behavior, Luminance, Egress, Exit signs.

A three-phase experiment assessed the effectiveness of different configurations for exit signs and directional indicators. Two phases involved visibility assessments, while a third phase was a behavioral assessment. In the experiment, sign effectiveness was determined in terms of distance to detection, correct identification, and rated effectiveness, as well as speed through a corridor. The results indicated that a chevron in grey on white with a contrast of about 0.4 to 0.5 (to meet minimum specifications) was identified correctly at the greatest mean distance and received the highest mean ratings of effectiveness, as compared to other directional indicators. The combination of a 2.25-in chevron with a 6-in EXIT sign was identified correctly at a mean distance of about 100 ft. Use of color, either red or green, increased the distance by about 15 to 20 ft. Visibility is best predicted by total chevron area, with chevrons with larger total areas seen at greater distances. Analysis of the movement data from the behavioral phase indicated that chevrons of 2.25-in provided adequate visibility at about 100 ft, but that speed of movement is not a sensitive indicator for sign visibility. Finally, the data from all three phases indicate the importance of chevron size and configuration as well as sign color and contrast in determining visibility.

Joining

101,001
PB91-134619 Not available NTIS
National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.
Report on 1989 Actions by International Institute of Welding.
Final rept.
T. A. Siewert, and M. J. Houle. 1990, 3p
Pub. in Materials Evaluation 48, p408, 411-412 Mar 90.

Keywords: *Welding, *Nondestructive tests, Standards, Reprints, *Foreign technology, International Institute of Welding, International organizations.

The summary describes the activities at the 1989 meeting of the International Institute of Welding Commission V - Testing, Measurement, and Control of Welds. The summary makes U.S. industry aware of European research and standard development in this area, and solicits U.S. input for international documents.

101,002
PB91-149278 Not available NTIS
National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.
Dynamic Arc-Power Source Response in GMA Welding.
Final rept.
T. A. Siewert, and G. Kohn. 1989, 4p
Pub. in Proceedings of American Welding Society Annual Meeting (68th) and International American Welding Society Brazing Conference (18th), Chicago, IL., March 22-27, 1987, p43-46 1989.

Keywords: *Gas metal arc welding, *Dynamic response, Weld metal, Welding current, Base metal, Electric current, Filler metal, Weldments, Welding, Reprints.

Previous studies of droplet transfer frequency in gas metal arc (GMA) welding have been reported primarily as a function of the welding current. The study investigates both current and voltage effects in the short circuiting mode and reports the additional effects of the power supply characteristics and other welding procedure parameters on the droplet transfer. A computer simulation of short-circuiting transfer has been developed. The effect of changes in the welding parameters in the model are compared to actual welds. The simulated weld data match the actual weld data to within 10%.

101,003
PB91-163339 Not available NTIS
National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.
Analysis and Characterization of Commercial Welding Fluxes.
Final rept.
T. A. Siewert, and G. L. Franke. 1990, 9p
Sponsored by David Taylor Research Center, Bethesda, MD.
Pub. in Welding Research Supplement, p247s-255s Jul 90.

Keywords: *Welding, *Composition(Property), *Spectroscopic analysis, X ray fluorescence, X ray diffraction, Fluxes, Welding rods, Welding electrodes, Chemical properties, Quality control, Reprints.

Various quantitative and qualitative flux analysis techniques were evaluated using a series of highly basic submerged arc welding fluxes. The test matrix included some replicate testing so the precision of the primary measurement techniques could be compared. The results indicate that optical emission spectroscopy can match the precision of x-ray fluorescence, while providing data on many more elements, some of which could be important monitors of the quality of the flux. X-ray diffraction and particle size analysis provide additional information that complement the compositional data provided by the first two techniques. The techniques were able to identify compositional variations that explained the difference in the color of two flux samples and revealed a composition change with particle size for one flux sample. For applications where a tighter control of flux composition is warranted, these techniques can provide quality control information beyond that provided by typical quality control procedures.

MANUFACTURING TECHNOLOGY

Joining

101,004
PB91-174250 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Boulder, CO. Fracture and Deformation Div.
Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode.
Final rept.
G. Adam, and T. A. Siewert. 1990, 6p
Pub. in Welding Research Supplement, p103-s-108-s
Mar 90.

Keywords: *Gas metal arc welding, *Control systems design, *Computer applications, Welding current, Welding electrodes, Weld metal, Microcomputers, Computer aided manufacturing, Weldments, Statistical analysis, Sensors, Reprints.

The authors evaluated the capability of a 16-MHz microcomputer with a fast analog-to-digital conversion board to capture welding data and to develop through-the-arc sensing and control parameters for the gas metal arc welding process. After software was customized for the application, current and voltage data at sampling rates up to 50 kHz could be recorded for relatively long times, limited only by available disk space. The analysis software enabled them to extract numerical data and manipulate it using statistical analysis. Fourier transforms, amplitude frequency histograms, peak-searching algorithms and smoothing procedures. To determine the capabilities of the system, it was applied to the study of welding with an ER100S-1 electrode. The current and voltage were recorded for 197 welds which formed a matrix of welding conditions encompassing short-circuiting, globular and spray transfer modes, as well as the transition regions between these modes.

Manufacturing, Planning, Processing & Control

101,005
PB91-162230 Not available NTIS
National Bureau of Standards (NBS), Gaithersburg,
MD. Factory Automation Systems Div.
Research Tackles Automation Issues.
Final rept.
C. R. McLean. 1986, 5p
Pub. in Design News 7, p94-98 Jul 86.

Keywords: *Automation, *Manufacturing, *Technology utilization, Industrial plants, Research projects, Computer aided manufacturing, Fabrication, Assembly lines, Production management, Industries, Production engineering, Reprints, *Automated Manufacturing Research Facility.

Major technical obstacles have inhibited the spread of automation within key sectors of American industry. Factory automation researchers at the National Bureau of Standards in Gaithersburg, Md. are working on overcoming some of those obstacles. A small batch manufacturing system testbed, the Automated Manufacturing Research Facility (AMRF), currently under construction at the National Bureau of Standards (NBS), is designed to support research in factory automation standards. The article briefly describes the technical obstacles inhibiting factory automation, the goals of the project, key participants, system concepts, and the architecture of the AMRF testbed.

101,006
PB91-240812 PC A04/MF A01
National Inst. of Standards and Technology (MEL),
Gaithersburg, MD.
New Concepts of Precision Dimensional Measurement for Modern Manufacturing.
D. A. Swyt. Aug 91, 59p NISTIR-94-644

Keywords: *Manufacturing, *Dimensional measurement, Error analysis, Accuracy, Precision, Machine tools, Length, Distance measuring equipment.

A new scheme for the analysis of the origin and propagation of errors in length-based dimensions is presented, one which is applicable to the characterization of measuring machines, machine tools, and the dimensioned parts which they characterize or form. The scheme involves a matrix of four dimensional-type-specific errors (associated with the length-based quantities of displacement, position, distance and extension) and three measurement-axiom-specific errors

(associated with rules governing the zero, the unit and the scale of measurement). Application of the scheme is illustrated by a propagation of error analysis of the use of a laser-interferometer-based coordinate measuring machine for the determination of the length of a simple part. Also indicated is how an identical analysis applies to the characterization of the performance of machine tools which shape such parts.

Optics & Lasers

101,007
PB91-162107 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Ceramics Div.
Analytic Solution for the Three-Layer Multiple Beam Interferometer.
Final rept.
R. G. Horn, and D. T. Smith. 1991, 7p
Contract ONR-N0014-8-F-0034
Sponsored by Office of Naval Research, Arlington, VA.
Pub. in Applied Optics 30, n1 p59-65, 1 Jan 91.

Keywords: *Interferometers, Diffraction patterns, Coatings (Materials), Silver, Silica, Sapphire, Mica, Thin films, Measurement, Analytical solution, Metal films, Reprints.

A simple analytic solution for the condition of constructive interference for light transmitted through an interferometer incorporating three ideally transparent layers of arbitrary thickness and refractive index is presented. Also considered are the effect of adding two metallic coatings to the outer surfaces of the interferometer and empirical expressions for the associated phase changes for silver coatings on silica, sapphire, and mica substrates. A particular application to fringes of equal chromatic order can be utilized to obtain precise measurements of the thickness of extremely thin films sandwiched between two substrates.

Quality Control & Reliability

101,008
PB91-143339 PC A05/MF A01
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD.
Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991).
H. I. McHenry. Dec 90, 82p NISTIR-90/4395

Keywords: *Research projects, *Reliability, Aircraft construction materials, Ultrasonic tests, Nondestructive tests, Polymer-matrix composites, Greens function, US NBS, Cryogenics, Aluminum alloys, Thermo-mechanical treatment, Lithium alloys, Packaging, Soldered joints, Stress analysis, Steels, Charpy impact test, Standards, Arc welding, Super conductors.

Selected Highlights of the Materials Reliability Division are as follows: Composites NDE: A high resolution ultrasonic system has been developed for inspecting thick polymer-matrix composites; NDE Instruments: Field trials were conducted on two prototype ultrasonic NDE instruments. A formability sensor system was delivered to the Ford Motor Company for evaluation at their Dearborn stamping plant. An ultrasonic system for roll-by inspection of railroad wheels is being evaluated at the American Association of Railroads test track in Pueblo, Colorado; Elastic Waves in Composites: A powerful technique using a time-dependent Green's function method has been developed for studying propagation of elastic waves and their scattering from discontinuities in anisotropic solids; Electronic Packaging: Computer programs have been developed to convert coordinate points on solder joint surfaces obtained by x-ray laminography and optical inspection into finite element meshes for stress analysis; Thermomechanical Processing: The continuous cooling transformation (CCT) characteristics and the high-temperature, high strain-rate flow properties were measured for microalloyed SAE 1141 forging steel; Charpy Standards: Over 1000 industrial customers were supplied with Charpy V-notch reference specimens and calibration services for certification of Charpy impact test machines to ASTM Standard E23;

Cryogenic Testing: A 5 MN (1 million pound-force) servohydraulic testing machine was refurbished and equipped with a cryostat and dewar capable of testing specimens 2 m long and 50 cm in diameter in liquid helium; Aluminum-Lithium Alloys: A cooperative program with NASA indicated that aluminum-lithium alloys have sufficient oxygen compatibility for use in cryogenic tankage for the Advanced Launch System; Automated Welding: An intelligent welding program was initiated for the U.S. Navy in conjunction with Babcock and Wilcox and INEL; and Superconductors: Using an ionic-crystal model and ultra sound-velocity measurements, some physical properties of the Y1Ba2Cu3Ox superconductor were studied as a function of oxygen content (x = 6-7).

101,009
PB91-147132 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Radiometric Physics Div.
Fundamentals and Applications of Infrared Thermography for Nondestructive Testing.
Final rept.
J. Cohen. 1987, 43p
Pub. in International Advances in Nondestructive Testing, v13 p39-81 1987.

Keywords: *Nondestructive tests, *Infrared thermography, *Thermography, Temperature measurement, Thermal radiation, Imaging techniques, Reprints.

The recent availability of highly sophisticated thermal imaging systems, in particular, digitized scanners with storage and computational capabilities, has engendered a rash of new NDT applications for infrared thermography which pervades industry. The paper treats two areas: fundamental physical concepts of infrared thermography, which provides the rationale for experimentation, and applications of thermography to NDT. Topics included in the former area are thermal radiation; thermal imaging systems, their operation, performance characteristics, and external influences; targets; and radiation thermometry. The latter area is a critical review of applications literature, with emphasis on the 'new thermography' and with examples selected to illustrate new trends and techniques.

101,010
PB91-147900 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Ionizing Radiation Div.
Real-Time Radiology Standards: Results of a Workshop.
Final rept.
R. C. Placios, and T. A. Siewert. 1987, 2p
Pub. in Materials Evaluation 45, p1270-1271 Nov 87.

Keywords: *Radiology, *Radiography, *Standards, Real time, US NBS, Meetings, Reprints.

A two day workshop was held recently to review National Bureau of Standards (NBS) activities in real-time radiology, to obtain the opinion of experts on standards needs in the rapidly developing technology, and to guide NBS in identifying, in order of priority, those activities that would most benefit the industry.

101,011
PB91-148163 Not available NTIS
National Bureau of Standards, Gaithersburg, MD. Program Office.
Industry and Government Strategies for Product Quality.
Final rept.
G. Tassey. 1989, 15p
Pub. in International Jnl. of Technology Management 4, n2 p189-203 1989.

Keywords: *Quality, *Product development, Government policies, Industries, Technology innovation, Competition, Manufacturing, Reliability, Marketing, Reprints.

Quality has become an increasingly important part of competitiveness strategies in the United States and other nations. Yet, the concept of quality and the approaches to implementing strategies to improve quality are not well developed. In particular, the term quality connotes to many a highly subjective image in which qualitative reactions by customers is the primary measuring stick. Views on the barriers to achieving higher levels of quality suffer from a singular focus on technical or organization factors. Quality in manufactured products is a combination of performance levels, performance stability, reliability, and longevity. Ad-

vancing any or all of these elements of quality requires a range of technological, organizational, and marketing changes. Specific technical solutions cannot be effectively conceived and implemented in isolation from the broader system of production and servicing of targeted markets. This implies a trend toward integration of research and development, production, and marketing. Moreover, an increasing fraction of technical solutions will have to come from outside the corporate entity as will information on the broader technological and market trends.

101,012

PB91-149088 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD.

NBS Quality Assurance Support: Current and Planned Services.

Final rept.
C. W. Reimann. 1986, 9p
Pub. in Proceedings of American Society for Quality Control, Annual Quality Congress Transactions (40th), Anaheim, CA., May 19-21, 1986, p53-61.

Keywords: *Quality assurance, *US NBS, Measurement, Calibration, Uses, Reprints, *National Bureau of Standards, Reference materials, US NIST.

The National Bureau of Standards (NBS) is the central reference laboratory for the U.S. that provides measurement services - calibrations, standard reference materials, and standard reference data - for process and quality control applications, adaptable to a wide range of technologies and quality assurance management systems. Measurement provides a quantitative foundation for quality assurance. Chemical and physical tests are used increasingly throughout the cycle of production and plant operations, and measurement now represents a significant manufacturing cost element. While measurement science has made enormous gains, the state of measurement practice lags in many areas. Despite the growing need for reliable measurement, there are a number of barriers to wider use of standards and related quality assurance services. Cooperative projects and broader community input to NBS priorities offer avenues to improve use of NBS quality assurance services and to stimulate the development of needed services. The paper summarizes growing application areas, measurement trends, NBS' current services and plans, and outlines mechanisms for effective interaction with NBS.

101,013

PB91-149930 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD.

Measurement Quality Assurance.

Final rept.
C. W. Reimann. 1987, 10p
See also PB89-147508.
Pub. in Proceedings of American Society for Quality Control Annual Quality Congress Transactions (41st), Minneapolis, MN., May 4-6, 1987, p389-398.

Keywords: *Quality assurance, *US NBS, Measurement, Calibration, Uses, Reprints, *National Bureau of Standards, Standards laboratories, US NIST, Traceability.

Measurements in the U.S. economy now cost more than \$200B annually. The principal uses of measurements are as appraisal tools in quality assurance applications affecting products, processes, environmental quality, and health care. High technology areas such as advanced materials, aerospace and defense systems, opto-electronics, and biotechnology incur measurement costs three to five times higher than such costs in traditional technologies. In addition, high technology areas demand greater accuracy, in many cases challenging state-of-the-art capabilities. The paper summarizes the rationale for measurement quality, key elements contained in such a system, linkages between standards laboratories and plant operations, and the role of the National Bureau of Standards (NBS). The paper will include an update of services available from NBS to support corporate quality assurance.

101,014

PB91-159103 Not available NTIS
National Inst. of Standards and Technology, Gaithersburg, MD. Standard Reference Materials Program.

Reference Materials: Their Role in Measurement Accuracy.

Final rept.
W. P. Reed, and S. D. Rasberry. 1990, 9p
Pub. in Impact of Science on Society, n157 p71-79 1990.

Keywords: Materials tests, Measurement, Accuracy, Reprints, *Reference materials, US NIST.

Measurement compatibility and the establishment of production standards are very important aspects of manufacturing, material processing, and environmental monitoring. Organizations such as the US National Institute of Standards and Technology play a key role in providing the wide variety of reference materials required.

101,015

PB91-162354 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.

Stylus Profiling at High Resolution and Low Force.

Final rept.
J. F. Song, and T. V. Vorburger. 1991, 9p
Pub. in Applied Optics 30, n1 p42-50, 1 Jan 91.

Keywords: Gratings(Spectra), Calibration, Surface roughness, High resolution, Diamonds, Pens, Reprints, *Atomic force microscopy, *Profilometry, Styluses.

The paper describes experimental work to improve the lateral resolution of stylus instruments. The efforts involve (1) use of a fine stylus, (2) low stylus load, (3) high magnification in the lateral direction, and (4) specimens with fine surface structure by which the lateral resolution of stylus instruments could be detected. By using stylus with tip widths between 0.05 and 0.15-micrometer a stylus load of 0.6-1.2 x 10 to the -6 power N (0.06-0.12-mgf), and a piezostage for lateral displacement, the authors detected 0.05-0.15 micrometer lateral resolution on the surfaces of different kinds of specimens. To get a high lateral resolution, the most important consideration is a fine stylus with small tip size.

101,016

PB91-167221 PC A03/MF A01
National Bureau of Standards (NEL), Gaithersburg, MD. Machine Intelligence Group.

Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms.

S. C. Feng, and T. H. Hopp. Feb 91, 24p NISTIR-4509
Sponsored by Naval Research Lab., Washington, DC. Navy Manufacturing Technology Program.

Keywords: *Dimensional measurement, *Tolerances(Mechanics), State of the art, Computer aided design, Computer aided manufacturing, Inspection, Algorithms, Reviews, *Coordinate measuring machines.

The report provides an overview of the state of the art in mechanical dimensioning and tolerancing theories and CMM inspection data analysis technology. It is expected that the information included in this review will benefit CMM software developers, CMM users, and researchers of new CMM technology. The document is the result of a survey of published geometric dimensioning and tolerancing theories and post-inspection data analysis algorithms. Both traditional and modern theories have been reviewed. Principles on which current national standards and international standards based have been stated. These geometric dimensioning and tolerancing principles are commonly used in mechanical design and part inspection. Post-inspection data analysis algorithms, used for extracting features and evaluating tolerances, have also been reviewed. The effects of using different fitting criteria are discussed. From the theory and algorithm review, the authors recommend directions for future development in these areas. The bibliography covers activities and accomplishments of the research in advancing inspection technology.

101,017

PB91-187765 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

AMRF Composites Fabrication Workstation: A Test Methodology to Measure the Quality of Thermoplastic Composite Parts.

J. A. Falco. Apr 91, 23p NISTIR-4552

Keywords: *Composite fabrication, *Nondestructive tests, Composite materials, Workstations, Robotics,

Manipulators, Consolidation, Reinforced plastics, Quality control, Inspection, Methodology, Automated Manufacturing Research Facility, Thermoplastic composites.

The Robot Systems Division of the National Institute of Standards and Technology (NIST) requires a test methodology to measure the quality of the composite parts produced by an advanced manufacturing workstation being assembled in the Automated Manufacturing Research Facility (AMRF). The workstation will be used to study methods of fabricating complex shaped, continuous carbon fiber reinforced, thermoplastic composite parts using pre-impregnated tow. The paper discusses the mechanisms of thermoplastic consolidation and the various defects associated with poor consolidation. Several testing techniques are discussed concerning their ability to locate, identify and/or quantify these defects. The discussion is followed by a trade off analysis of all considered testing techniques in an attempt to determine the most effective test methodology to measure the quality of thermoplastic composite parts.

101,018

PB91-190058 Not available NTIS
National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Image Quality Indicator Design for Radioscopy and Tomography.

Final rept.
T. A. Siewert, D. W. Fitting, D. A. Shepherd, M. W. Austin, and C. N. McCowan. 1990, 8p
Pub. in Review of Progress in Quantitative Nondestructive Evaluation, v9 p383-390 1990.

Keywords: *Tomography, Monte Carlo method, X-ray imagery, Radiation transport, Image analysis, Resolution, Reprints, *Image quality indicators, *Radioscopy.

A new image quality indicator design is proposed for real-time radioscopy systems. The design has spherical symmetry, so it provides the same image quality information independent of rotation. The resolution of several prototype indicators was measured by image analysis of a fine-grained radiograph. The resulting image intensity profile was compared to a radiation transport model.

101,019

PB91-194993 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD.

Process Quality Enhancement for Machine Tools: Measurements and Standards.

Final rept.
J. W. Lyons. 1989, 11p
Pub. in Proceedings of U.S.-China Science, Technology, and Economic Development Program - Technical Transformation of Traditional Industries, May 1988, p70-80 1989.

Keywords: *Quality assurance, *Process control, *Process computers, Machine tools, Measurement, Standards, Mathematical models, Error correcting devices, Error detection codes, Reprints.

A careful study of three-dimensional coordinate measuring machines (CMM) has been made to ascertain the errors inherent in the machines and to learn how to provide measurement services for such devices. The errors in such machines are largely repeatable, systematic errors; the random errors are generally much smaller. Improved performance can be achieved with these machines by measuring the systematic errors and then removing them by adding corrections to the control computer. Next, the similar but more difficult problem of error determination and correction for cutting machines was considered. Besides the quasi-static errors found in the CMMs there are additional dynamic errors, principal among which are from thermal gradients arising in spindle bearings and other points of friction. Ways were devised to compute these errors from real-time sensory information combined with stored data on machine behavior and, also in real time, to add correction information to the control signals. Ultimately, quality assurance for dimensions of parts will be attained in the factory of the future by an extension of the above approach rather than by post-production gaging. The computer is making it possible to understand the behavior of the process machines and to use mathematical models of this behavior in the process control computers so that the machines are self-correcting and must perform within the specified control limits.

MANUFACTURING TECHNOLOGY

Quality Control & Reliability

101,020

PB91-203463

Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Precision Engineering Div.

Capacitance versus Stylus Measurements of Surface Roughness.

Final rept.

A. G. Lieberman, T. V. Vorburger, C. H. W. Giauque, D. G. Risko, R. Resnick, and J. Rose. 1988, 16p
Pub. in Surface Topography 1, p315-330 1988.

Keywords: *Surface roughness, Mathematical models, Capacitance, Profiles, Probes, Metals, Pens, Reprints, Styluses.

Roughness measurements were performed upon a large variety of mechanical metal surfaces using capacitance roughness gauges and high-quality stylus instruments. Profile measurements obtained from the stylus instruments served as the basis for modeling the response of the capacitance gauge to the surfaces. The probing element of the capacitance gauges consisted of a 2.0 x 16.8 mm flexible platen, which, together with the rough metal surface, formed an electrical capacitor. Modeling the probe involved a detailed understanding of (1) how each element of the rough surface affects the sensed capacitance and (2) the way the flexible platen rests on top of the highest peaks of the surface and sags between these peaks. The model was realized as a FORTRAN computer program that uses a digitized stylus-generated profile as input data and computes the capacitive-roughness parameter R(c) as output. The model was validated by comparing the computed value of R(c) to that measured using the capacitance gauge for each of 41 different surfaces. The correlation of R(c) with more traditional definitions of roughness is also addressed for these same surfaces.

101,021

PB91-216721

(Order as PB91-216705, PC A07/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.

Standard Reference Specimens in Quality Control of Engineering Surfaces.

J. F. Song, and T. V. Vorburger. 1991, 19p
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n3 p271-289 May/Jun 91.

Keywords: *Surface roughness, *Quality control, Calibration, Standard reference materials.

In the quality control of engineering surfaces, the authors aim to understand and maintain a good relationship between the manufacturing process and surface function. This is achieved by controlling the surface texture. In the paper, the characteristics, utilizations, and limitations of different classes of precision roughness calibration specimens are described. A measuring procedure of engineering surfaces, based on the calibration procedure of roughness specimens at NIST, is proposed. This procedure involves utilization of check specimens with waveform, wavelength, and other roughness parameters similar to functioning engineering surfaces. These check specimens would be certified under standardized reference measuring conditions, or by a reference instrument, and could be used for overall checking of the measuring procedure and for maintaining accuracy and agreement in engineering surface measurement.

101,022

PB92-112416

PC A08/MF A02
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Weights and Measures Program.

Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.

Handbook.

C. S. Brickenkamp, and J. A. Koenig. Oct 91, 173p
NIST/HB-130-1992 ED
Also available from Supt. of Docs. as SN003-003-03105-4. Supersedes PB91-107102.

Keywords: *Weight measurement, *Law(Jurisprudence), *Regulations, *Handbooks, Automotive fuels, Consumer affairs, Packaging, Standardization, Commodities, Prices, Labels, Food, Sales, *Weights and measures, Weightmaster law, Open dating, Unit pricing.

The handbook, which is revised annually, compiles the uniform laws and regulations developed by the Com-

mittee on Laws and Regulations of the National Conference on Weights and Measures (NCWM). The compilation itself was approved by the NCWM in 1979, and the edition includes amendments adopted by the Conference at its annual meeting in 1991. The edition also contains an updated reprint of Section 2 from NCWM Publication 3, 'Policy, Interpretations, and Guidelines.' The NCWM recommends adoption and promulgation by the States of these uniform laws and regulations as updated in the handbook.

101,023

PB92-112424

PC A10/MF A03
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Weights and Measures Program.

Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991.

Handbook.

H. V. Oppermann. Oct 91, 214p NIST/HB-44-1992 ED

Also available from Supt. of Docs. as SN003-003-03114-3. Supersedes PB91-107136.

Keywords: *Measuring instruments, *Weight indicators, *Handbooks, Tolerances(Mechanics), Volume unit meters, Dimensional measurement, Specifications, Length, Odometers, Liquids, Vapors.(25) Grain moisture, Taximeters.

Handbook 44 was first published in 1949, having been preceded by similar handbooks of various designations and in several forms beginning in 1918. The 1992 edition was developed by the Committee on Specifications and Tolerances of the National Conference on Weights and Measures with the assistance of the Office of Weights and Measures of the National Institute of Standards and Technology. It includes amendments adopted by the 76th annual meeting of the National Conference on Weights and Measures in 1991. Handbook 44 is published in its entirety each year following the annual meeting of the National Conference on Weights and Measures.

101,024

PB92-112465

PC A16/MF A03
National Inst. of Standards and Technology (TS), Gaithersburg, MD. Weights and Measures Program.

Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991.

Special pub. (Final).

C. S. Brickenkamp, and A. H. Turner. Sep 91, 374p
NIST/SP-816

Also available from Supt. of Docs. as SN003-003-03115-1. See also report for 1990, PB91-112763. Library of Congress catalog card no. 26-27766.

Keywords: *Weight measurement, *Regulations, *Meetings, Automotive fuels, Consumer affairs, Tolerances(Mechanics), Law(Jurisprudence), Railroad tracks, Food packaging, Measuring instruments, Standardization, Specifications, Commodities, Metrology, Training, Safety, *Weights and measures, National Type Evaluation Program, NTEP program.

The theme of the 76th Annual Meeting of the National Conference on Weights and Measures (NCWM) was 'Weights and Measures for the Twenty-first Century.' In the address to the delegates, Chairman David Smith of NIOSpection Service and NCWM joint program; the National Type Evaluation Program; and the needs for State metrology. Special meetings included those of the Metrollogists, the Associate Membership Committee, the Retired Officials Committee the Scale Manufacturers' Association, the American Petroleum Institute, the Industry Committee on Packaging and Labeling, the State regional weights and measures associations, and the National Association of State Departments of Agriculture Weights and Measures Division, and the National Council on State Metrication. Reports by the standing and annual committees of the Conference comprise the major portion of the publication, along with the addresses delivered by Conference officials and other authorities from government and industry.

Research Program Administration & Technology Transfer

101,025

PB91-149351

Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Center for Mfg. Engineering.

Transferring NBS Technology to Small Manufacturers Through State and Local Centers.

Final rept.

D. A. Swyt. 1988, 7p

Pub. in Jnl. of Technology Transfer 13, n1 p7-13 1988.

Keywords: *Technology transfer, *Small businesses, Manufacturers, Government/industry relations, Robotics, Reprints, Automated Manufacturing Research Facility.

The paper provides a model of a technology-transfer system in which a federal laboratory -- the National Bureau of Standards's Automated Manufacturing Research Facility -- is linked to small manufacturers through state- and community-based technology centers, where the various institutions in the system are matched along dimensions of: level of government; stage in cycle of innovation; education of prototypical worker; and nature of capital-revenue base.

Robotics/Robots

101,026

PB91-157214

PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Intelligent Controls Group.

TROI User's Guide.

B. Warsaw, and J. Michaloski. Jan 91, 46p NISTIR-4471

Keywords: *Robots, *Control systems, *Man machine systems, Space stations, Man computer interface, User manuals(Computer programs), Real time systems, Interactive systems, *TROI(TeleRobotic Operator Interface), Object-oriented programming.

The document provides an introduction to the TeleRobotic Operator Interface (TROI) system and a user guide to TROI programming and operation. TROI provides a flexible, extensible, object-oriented interface to the NASREM robot control system (RCS). It consists of two major portions, the X-window system Graphical User Interface (GUI), and the RCS's data-server interface modules. TROI provides a highly dynamic environment for interacting with the RCS. The user is able to view and modify state variables of a running control system, and to edit, save, and load graphical interface configurations while connected to a running control system. In this way, the user can interactively perform diagnostics, switch diagnostic contexts by creating and destroying interactive objects, and reconfigure data flow networks, allowing control of RCS operations without the costs of switching operating modes. TROI merges a user-initiated window system event model and an independent data driven event model into a single event stream.

101,027

PB91-158568

Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.

Self-Adjustment of a Robot Joint Controller.

Final rept.

N. Dagalakis, and D. R. Myers. 1986, 8p
Pub. in Proceedings of Annual IEEE (Institute of Electrical and Electronics Engineers) Industrial Electronics Society Conference (12th), Milwaukee, WI., September 1986, p530-537.

Keywords: *Robots, *Joints(Anatomy), *Self adaptive control systems, Man machine systems, Optimization, Reprints.

A self-adjustment technique based on performance scheduling is applied to a robot joint controller. The technique allows a user to specify the desired time response of a joint to a step input. Using an optimization search routine the robot controller modifies its gain settings until its joint response matches the reference response. The adjustment technique has been tested on the wrist rotation joint of an industrial robot using a joint controller excitation and examination procedure

previously developed at the National Bureau of Standards. The results indicate that the technique does permit the robot controller to modify joint response to match a user-specified desired performance.

101,028

PB91-158576 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.

Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints.

Final rept.

N. G. Dagalakakis, and D. R. Myers. 1987, 11p

Contract N00014-83-K-0236

Sponsored by Office of Naval Research, Arlington, VA. Pub. in Proceedings of SME Conference on Robots, Chicago, IL., April 27-30-, 1987, p17-43-17-54.

Keywords: *Robots, *Gears, Performance evaluation, Adjusting, Accelerometers, Low frequencies, Reprints.

Previous work has demonstrated the use of the robot joint excitation technique and coherence analysis to adjust robot joint gears of light links for maximum precision. Band limited random joint motions are induced and the response of the link is monitored by one or more accelerometers. The gears are adjusted to minimize the effect of nonlinearities caused by backlash or tight meshing. The application of the technique to low frequencies and to heavy robot joints is examined. Experimental results are given from several robot adjustment tests as one recommendation for the easiest way to use this technique.

101,029

PB91-159194 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Automated Production Technology Div.

Design and Implementation of a Five-Axis Robotic Micromanipulator for Inserting Parts into Precision Collets.

Final rept.

A. H. Slocum, L. Greenspan, and J. P. Peris. 1988, 9p

Pub. in International Jnl. of Machine Tools and Manufacture 28, n2 p131-139 1988.

Keywords: *Manipulators, *Robotics, Servomechanisms, Hydraulic cylinders, Hydraulic motors, Degrees of freedom, Machine tools, Reprints.

The design, construction, and testing of a five-axis micromanipulator is described. It is designed to be attached to the end of a machine tool tending robot and to insert a part into a collet which is only 0.1 - 0.2 mm (.004 - .008 in) larger in diameter than the part; thus compensating for robot positioning errors. The micromanipulator weighs 22N (5 lbs) and is 64mm (2.5 in) thick and 127mm (5 in) square with two linear axes with +/- 3mm (0.13 in) of travel, two angular axes with +/- 4 angular degrees of motion, and one linear degree of freedom with +/- 25 mm (1.0 in) of travel. Hydraulic actuators, with 6.9 MPa (1000 psi) fluid, provide 2700 N (600lbs) of force along the linear axes, and 68 N-m (600 in-lbs) of torque about angular axes. Repeatability of the device is .013mm (.0005 in).

101,030

PB91-167361 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

Robot Characterization Testing.

N. Dagalakakis. Jan 91, 19p NISTIR-4510

Keywords: *Robots, *Characteristics, *Performance evaluation, Tests, Manpower, Equipment, Capabilities, Standards, Parameter identification, Man machine systems.

The document describes the field of robot characterization which is broken into the areas of performance, parameter identification, and environmental interaction. Each area is explored by considering the tests, equipment, and manpower required to characterize the capabilities and performance of robots.

101,031

PB91-174961 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.

Robot Sensor Language.

Final rept.

S. Leake. 1987, 8p

Pub. in Proceedings of Goddard Conference on Space Applications of Artificial Intelligence (AI) and Robotics, Greenbelt, MD., May 13-14, 1987, p1-8.

Keywords: *Robot sensors, *Programming languages, Control systems, Syntax, Interactive systems, Algorithms, Debugging(Computers), Reprints, RSL(Robot Sensor Language).

Robot Sensor Language (RSL) is a data-driven, semi-interpreted, hierarchical, user extensible, robot task description language. It provides four levels of task decomposition, with structures and syntax specialized for each level. The user can add commands for new sensors appropriate to the task at hand. The language is highly interactive, easing debugging and algorithm development. It may also be used as an interface to a task planning system.

101,032

PB91-174979 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.

Control of Flexible Robot Arm.

Final rept.

J. D. Lee, L. S. Haynes, B. L. Wang, and K. H. Tsai. 1987, 11p

Pub. in Proceedings of Conference on Modeling and Control of Robotic Manipulators and Manufacturing Processes, Boston, MA., December 13-18, 1987, p241-251.

Keywords: *Robot arms, *Control systems, Computerized simulation, Sampling, Degrees of freedom, Damping, Reprints.

The work is a computer simulation of the control of the flexible robot arm. The dynamic equations for a single-link flexible robot arm have been derived rigorously. The arm has two degrees of freedom in rotation and one in translation so that the workspace is three-dimensional. The payload is simulated by attaching additional mass to the arm at a specified location. The governing equations of the plant and the measurements are nonlinear. The process of control is divided into two stages: coarse control and fine control. Based on the pole-placement method, a linear observer is constructed for fine control. The numerical results of several cases are presented here. The effects of damping and sampling rate are also discussed.

101,033

PB91-194969 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

NASREM Robot Control System and Testbed.

Final rept.

R. Lumia, J. Fiala, and A. Wavering. 1990, 7p

Pub. in International Jnl. of Robotics and Automation 5, n1 p20-26 1990.

Keywords: *Robots, *Control systems, Hierarchies, Robotics, Manipulators, Remote sensing, Mathematical models, Algorithms, Test equipment, Reprints, *NASREM, National Institute of Standards and Technology, National Aeronautics and Space Administration.

The National Aeronautics and Space Administration (NASA) National Institute of Standards and Technology (NIST) Standard Reference Model for Telerobot Control System Architecture (NASREM) provides the framework for a complete manipulator control system. It is composed of three hierarchies: task decomposition, world modeling, and sensory processing. In the process of building NASREM, a great deal of effort has been spent in the definition of the interfaces between levels of the hierarchy so that the majority of robot control and sensory processing algorithms in the literature can be implemented. This allows the realization of the NASREM architecture to serve the dual purpose of robot controller and testbed for robot control algorithms. The paper describes the purpose and overall organization of NASREM. Then, two examples of NASREM task decomposition modules are discussed in terms of function as well as interface requirements.

101,034

PB91-203190 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.

Application of the PIPE Image Processing Machine to Scanning Microscopy.

Final rept.

M. Herman. 1988, 5p

Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - Scanning Microscopy Technologies and Applications, Los Angeles, CA., January 13-15, 1988, v697 p169-173.

Keywords: *Robots, *Computer vision, *Image processing, Pipelining(Computers), Robotics, Microscopy, Scanners, Stereoscopes, Motion, Reprints.

PIPE is a pipelined image processing device that was designed for real-time robot vision applications. It accepts image from a video camera 60 times per second, and contains hardware for digitizing, displaying and performing operations on these images at video rates. Each stage of the pipeline contains arithmetic and logic units, convolvers, image buffers, and look-up tables. The purpose of the paper is to introduce PIPE and some of its applications to the scanning microscopy community. Three kinds of applications are described. The first is stereo analysis, whose purpose is to automatically extract range from two cameras mounted side by side. The second application is motion analysis and tracking. The application involves detecting motion, measuring its velocity, using it to obtain three-dimensional information, and tracking it through time. The final application is inspection of two-dimensional patterns.

101,035

PB91-203208 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

Video Compression for Remote Vehicle Driving.

Final rept.

M. Herman, K. Chaconas, M. Nashman, and T. H. Hong. 1989, 8p

Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - Mobile Robots III, Cambridge, MA., November 10-11, 1988, v1007 p136-143 1989.

Keywords: *Robotics, *Ground vehicles, *Teleoperators, Image processing, Data compression, Real time, Remote control, Algorithms, Pipelining(Computers), Reprints.

In order to effectively drive a remote ground vehicle using video images, the operator must be provided with a natural, real-time video sequence and the imagery must be accurate and detailed enough so that the operator can make mobility and survivability decisions. Unfortunately, high data rate communication channels are often not feasible for the task. To accomplish remote driving using a low data rate channel, video compression techniques must be incorporated. The paper discusses the remote vehicle driving problem and describes several video compression algorithms that have been implemented on PIPE, a real-time pipelined image processing machine. The paper then discusses how the algorithms are evaluated on real-world remote driving tests. Finally, advanced techniques for providing video compression are proposed.

101,036

PB91-217414 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

Generation of Smooth Trajectories without Planning.

J. C. Fiala. Jun 91, 19p NISTIR-4622

Keywords: *Manipulators, *Control systems, *Trajectory control, Dynamical systems, Control theory, Robotics, Smoothing, Trajectory optimization, Robot dynamics, Simulation.

A technique for generating smooth trajectories of a system is presented. The approach is to find a dynamical equation with the desired transient behavior and use it as the basis of the control algorithm. It is shown that an appropriate dynamical equation can be obtained by varying the position and velocity gains of a proportional-derivative control loop over the duration of the movement. The dynamical equation can be used to generate trajectories online with minimal planning. The resulting manipulator control system responds to path errors in a more reasonable fashion than traditional approaches to trajectory control since explicit re-planning is not required.

101,037

PB91-117019 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.

MANUFACTURING TECHNOLOGY

Robotics/Robots

Performance Measures of a Robotic Micropositioner.

Final rept.
J. D. Lee, J. S. Albus, N. G. Dagalakis, and T. M. Tsai. 1988, 10p
Pub. in Proceedings of International Symposium on Robotics and Manufacturing: Research, Education, and Applications (2nd), Albuquerque, NM., November 16-18, 1988, p1047-1056.

Keywords: *Robotics, *Robot dynamics, *Control systems, Computerized simulation, Robot arms, Manipulators, Algorithms, Positioning devices(Machinery), Reprints.

The work describes a computer simulation of the dynamics and control of a robotic micropositioner. The robotic micropositioner is a parallel link manipulator which has six actuators, each controlled independently by a hydraulic system. The dynamic equations of the micropositioner are derived. The control algorithm for path tracing is formulated and tested. In the work, the performance of the micropositioner is investigated as a function of damping, speed, payload, and location of target.

Tooling, Machinery, & Tools

101,038
PB91-146993 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Chemical Process Metrology Div. State-of-the-Art in Pressure Metrology.
Final rept.
V. E. Bean. 1990, 19p
Pub. in Proceedings of Symposium Semana de la Calidad y la Metrologia en El Politecnico, Mexico City, Mexico, November 26-30, 1990, p231-249 1990.

Keywords: *Pressure measurement, *Metrology, *Standards, State of the art, Manometers, Reviews, Reprints, Piston gages.

The state-of-the-art in pressure primary standards is reviewed. Among the areas that require continued research are: (1) The dependence of the effective area of a gas-operated piston gage on the gas species; (2) The dependence of the effective area of a gas-operated piston gage upon whether the gage is operated in the gage or absolute mode; (3) Methods for obtaining improved distortion coefficients for piston gages.

101,039
PB91-147751 Not available NTIS
National Bureau of Standards (IMSE), Boulder, CO. Fracture and Deformation Div.
Progress in Uniform Field Eddy Current Methods.
Final rept.
J. D. Moulder, N. Nakagawa, and P. J. Shull. 1987, 9p
Contract W-7405-ENG-82
Sponsored by Air Force Wright Aeronautical Labs., Wright-Patterson AFB, OH. Materials Lab.
Pub. in Review of Progress in Quantitative Nondestructive Evaluation, v7A p147-155 1987.

Keywords: *Eddy current tests, *Nondestructive tests, Electric current, Hysteresis, Magnetic fields, Eddy currents, Magnetic properties, Electrical properties, Field strength, Electromagnetic testing, Measuring instruments, Reprints.

The use of eddy current probes with a spatially uniform magnetic field distribution is especially advantageous for quantitative NDE, since the theoretical analysis of field-flaw interactions is much simpler for a uniform field. The authors reported here recent progress in the design and fabrication of high frequency uniform field eddy current probes. The goal has been to achieve higher frequency operation and greater bandwidth than previous designs so that smaller flaws may be studied over a greater range of skin depths. Measurements on artificial flaws designed to simulate crack 'bridging' phenomena are also described.

101,040
PB91-158675 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Automated Production Technology Div.

Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling.

Final rept.
L. Evans. 1986, 6p
Pub. in Proceedings of North American Manufacturing Research Conference (14th), Minneapolis, MN., May 28-30, 1986, p177-182.

Keywords: *Surface roughness, *Machine tools, *Wear, *Steels, Machining, Surface properties, Finishes, Wear tests, Metal working, Reprints.

At the present time, there is no good quantitative wear-out criterion that relates wear on the tool to the fitness of the tool for use in machining, and therefore no good one for tool wear testing. A criterion based on flank wear is commonly used but not universally accepted because it provides no indication of other kinds of wear occurring on the tool, and little information about the surface finish or dimensions of the machined part. It is important to choose a criterion related to the workpiece, since it is the quality of the part that matters. In the study, a wear-out criterion based on surface roughness is chosen and high-speed steel end-milling tests performed in order to judge the usefulness of the criterion. These tests do not monitor surface roughness in-process; two indirect methods, feed force and cutting power, are studied as potential techniques to detect when a tool can no longer produce parts with a quality surface finish.

101,041
PB91-159186 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Automated Production Technology Div.
Kinematic Couplings for Precision Fixturing. Part 2. Experimental Determination of Repeatability and Stiffness.
Final rept.
A. H. Slocum, and A. Donmez. 1988, 8p
Sponsored by Oak Ridge National Lab., TN.
Pub. in Precision Engineering 10, n3 p115-122 Jul 88.

Keywords: *Couplings, Fasteners, Stiffness, Precision, Test facilities, Ball bearings, Couplers, Fittings, Lubrication, Reproducibility, Reprints.

The paper describes results of tests performed to determine the repeatability of a large heavily preloaded kinematic coupling. The coupling was constructed from two 355.6 mm (14 in) diameter 101.6 mm (4 in) thick cast iron disks with hardened steel gothic arch inserts and 28.6 mm (1.125 in) diameter balls. A special load frame was constructed for performing cyclic tests of kinematic coupling while applying a 5800 N (1300 lbf) preload. Different types of balls and lubrication at the interface were tested. When using lubricated silicon nitride balls, axial and radial repeatability was on the order of 0.25 micrometers (+ or - 10 micrometers). Stiffness was on the order of 180 kN/mm (10 (exp 6) lbf/in).

101,042
PB91-189225 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.
Statistical Process Control Tactics for Coordinate Measuring Machines.
Final rept.
T. Doiron. 1991, 12p
Pub. in Proceedings of Measurement Science Conference, Anaheim, CA., January 31-February 1, 1991, 12p.

Keywords: *Dimensional measurement, *Process control, Standards, Artifacts, Metrology, Accuracy, Reprints, *Coordinate measuring machines, Gage blocks, Ball bars, Hole plates.

As coordinate measuring machines (CMMs) become the primary instruments for dimensional measurement in industry, the problem of process control for CMM accuracy is receiving increasing attention. While there is no obvious 'best' method for CMM statistical Process Control (SPC), there are a number of strategies based on the measurement of artifacts which are currently in use. A number of these methods are presented, and their strengths and weaknesses are discussed with respect to accuracy, ease of use, reproducibility, flexibility, and response to common CMM problems.

101,043
PB91-202978 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.

Computer Vision Based Station for Tool Setting and Tool Form Measurement.

Final rept.
T. D. Doiron. 1989, 8p
Contract DE-AI05-85OR21584
Sponsored by Department of Energy, Oak Ridge, TN.
Pub. in Precision Engineering 11, n4 p231-238 Oct 89.

Keywords: *Computer vision, *Tools, *Metrology, Algorithms, Measuring instruments, Shape, Position(Location), Accuracy, Workstations, Reprints.

The paper describes a computer vision based system which measures the shape of a turning tool edge and determines its position. The system consists of three subsystems: a computer vision system with a solid state camera and microscope as the sensor, a metrology frame to provide scale and position information, and a set of algorithms to extract the needed information from the video output from the camera. The accuracy limitations of each subsystem are discussed and test data are compared with the accuracy predictions. The tool form measurements exhibited an accuracy which varied from 0.3 to 1.5 micrometers depending on the edge orientation. The tool setting accuracy was found to be near 2 micrometers. Suggestions for improvement are discussed.

101,044
PB92-123066 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Factory Automation Systems Div.
Use of Solid Modeling in the Design of M3 Components.
A. B. Feeney, and P. F. Brown. Sep 91, 35p NISTIR-4710
See also PB90-136938 and PB90-242207.

Keywords: Computer aided design, Vibration isolators, Dynamic control, Microelectronics, Metrology, Mass, *Molecular measuring machines, Coordinate measuring machines, Solid modeling, Nanotechnology, M3 project.

The paper documents the work done for the Molecular Measuring Machine (M3) Project by the Engineering Design Laboratory (EDL) at NIST. The M3 Project is developing and fabricating a device capable of making repeatable measurements of atomic scale features within a volume of 50mm x 100 micrometers. Extraordinary measures are being taken to isolate the device from mechanical vibrations, thermal loading and acoustic noise. The finest level of control over mechanical vibrations is achieved through an active vibration isolation system. The EDL created solid models of the components and assemblies related to the active vibration isolation system in order to obtain the mass properties calculations required by the dynamic control system. The paper provides an overview of the M3 Project, describes the modeling work that was done within the EDL, and gives the mass property calculation results for the M3 parts and assemblies. Additionally, the paper discusses the advantages of using solid models as an integrated shape representation and a number of ways solid models are being used in product lifecycle applications.

Tribology

101,045
PB91-203943 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Numeric Database for Tribology: Format and Application Issues.
Final rept.
A. W. Ruff, J. Rumble, and S. Jahanmir. 1991, 17p
Sponsored by Department of Energy, Washington, DC., National Science Foundation, Washington, DC., and Department of the Army, Washington, DC.
Pub. in Computerization and Networking of Materials Databases: Second Volume, ASTM STP 1106, p180-196 1991.

Keywords: *Data bases, *Tribology, Personal computers, Meetings, Friction, Wear, Mathematical models, Design criteria, Stress tests, Temperature dependence, Software engineering, Reprints, ACTIS data base.

A computerized tribology information system designed for use with personal computers and including a numeric database is presently under development. The status of the system (named ACTIS) is summarized. Two important issues associated with the numeric database component were the data format and the organization of numeric data for user applications. Based on information developed at a National Institute of Standards and Technology (NIST) workshop on tribology information, a set of data fields has been identified for use in a database on friction and wear of materials, and on material properties. Evaluated data in these categories have been assembled and loaded into that format using commercial database management software. Over 360 records are presently contained in the database covering a broad range of materials of tribological significance. The data are organized for direct application by the user in material selection, wear model calculations, tribological component design, and with other software codes such as stress and temperature calculations.

General

101.046
PB91-147942 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.
Review of Pulse Tube Refrigeration.
Final rept.
R. Radebaugh. 1990, 15p
Sponsored by National Aeronautics and Space Administration, Moffett Field, CA. Ames Research Center.
Pub. in *Advances in Cryogenic Engineering* 35, p1191-1205 1990.

Keywords: *Refrigerators, *Cryogenic cooling, Cryogenics, Stirling cycle, Coolers, Heat transfer, Refrigerating, Thermodynamic cycles, Efficiency, Mass flow, Pressure, Reprints, *Pulse tube refrigerators.

The paper reviews the development of the three types of pulse tube refrigerators: basic, resonant, and orifice types. The principles of operation are given. It is shown that the pulse tube refrigerator is a variation of the Stirling-cycle refrigerator, where the moving displacer is substituted by a heat transfer mechanism or by an orifice to bring about the proper phase shifts between pressure and mass flow rate. A harmonic analysis with phasors is described which gives reasonable results for the refrigeration power yet is simple enough to make clear the processes which give rise to the refrigeration. The efficiency and refrigeration power are compared with those of other refrigeration cycles. A brief review is given of the research being done at various laboratories on both one and two-stage pulse tubes. A preliminary assessment of the role of pulse tube refrigerators is discussed.

101.047
PB91-147967 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
Final rept.
W. Rawlins, and R. Radebaugh. 1990, 9p
Sponsored by National Aeronautics and Space Administration, Moffett Field, CA. Ames Research Center.
Pub. in *Advances in Cryogenic Engineering* 35, p1213-1221 1990.

Keywords: *Refrigerators, *Cryogenic cooling, *Regenerators, *Measuring instruments, *Effectiveness, Coolers, Cryogenics, Mass flow, Heat loss, Heat exchangers, Cooling systems, Reprints, *Pulse tube refrigerators.

The paper discusses the design and construction of an apparatus to measure the ineffectiveness of regenerators used for pulse tube refrigerators. Because of the fairly large mass flow rates which occur in pulse tube refrigerators, the regenerator ineffectiveness must be made quite small. The apparatus described here allows for the measurement of the regenerator's heat loss under actual operating conditions in a pulse tube refrigerator. A low temperature heat sink of liquid nitrogen is used since it approximates the temperatures normally achieved in a one-stage pulse tube.

101.048
PB91-187534 PC A05/MF A01

National Inst. of Standards and Technology (NEL),
Boulder, CO. Chemical Engineering Science Div.
Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.

Technical note.
P. J. Storch, R. Radebaugh, and J. E. Zimmerman.
Dec 90, 95p NIST/TN-1343
Also available from Supt. of Docs. Sponsored by National Aeronautics and Space Administration, Moffett Field, CA. Ames Research Center.

Keywords: *Refrigeration, *Mathematical models, *Cryogenic cooling, Refrigerating, Refrigerating machinery, Coolers, Mass flow, Refrigerators, Cryogenics, Orifices, Pulses, *Pulse tube refrigerators.

The pulse tube refrigerator is a cryocooler with potential for high reliability. The regenerative refrigerator operates with low average pressures, small compression ratios, and only one moving part. In research conducted at the National Institute of Standards and Technology, a pulse tube refrigerator with an orifice located at the closed, hot end of the system has been used to reach 60 K in one stage. A gross refrigeration power of 12 W has been measured at 80 K with a pulse tube volume of 30 cu m. The paper presents the development of an analytical model to predict the refrigeration power produced in an orifice pulse tube. Three versions of the model are presented: the first calculates quantities which are independent of dead volume; the second neglects dead volume; and the third describes a system with dead volume. Experimental results confirm predictions by the model that refrigeration power is proportional to the average pressure, the pulse frequency, the mass flow ratio, and the square of the dynamic pressure ratio. Results are presented that are useful for approximate design of orifice pulse tube systems. The model assumes adiabatic conditions and an energy balance is performed in terms of net enthalpy flow. Phasor analysis was found to be very useful for analyzing the oscillations of pressure, temperature, and mass flow rate.

101.049
PB91-192997 PC A06/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD. Office of Standards Services.
Conformity Assessment Workshop on Pressure Vessels.
B. G. Simson. Apr 91, 103p NISTIR-4542
Sponsored by American Society of Mechanical Engineers, New York.

Keywords: *Pressure vessels, *Boilers, *Meetings, Federal assistance programs, Government policies, European communities, Common market, Recommendations, Standards, International trade, Conformity assessment.

On January 31, 1991, The American Society of Mechanical Engineers (ASME) and the National Institute of Standards and Technology (NIST) cosponsored a workshop on pressure vessels at the Department of Commerce auditorium in Washington D.C. The purpose of the workshop, attended by one hundred and thirty two persons, was to explore how the U.S. Government can assist the pressure vessel industry in conformity assessment activities aimed at gaining acceptance of their products in such other markets as the European Community. The following recommendations were reached by the private sector panelists: (1) U.S. Government promotion of national consensus standards; (2) enhancing NIST's standard information capability; (3) U.S. Government negotiation with the European Commission for establishing notified bodies for pressure vessels in the United States; and (4) U.S. Government establishment of a sectoral technical advisory organization.

101.050
PB91-194464 PC A05/MF A01
National Inst. of Standards and Technology (CSTL),
Boulder, CO. Chemical Engineering Div.
Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
D. A. Olson. Feb 91, 78p NISTIR-3965
Sponsored by National Aeronautics and Space Administration, Hampton, VA. Langley Research Center.

Keywords: *Heat transfer, *Pressure gradients, *Friction factor, Turbulent flow, Reynolds number, Heat flux, Nusselt number, Heat exchangers, Temperature distribution, Experimental data, Mathematical models, *Compact heat exchangers.

The authors have measured the heat transfer and pressure drop characteristics of a novel, compact heat exchanger in helium gas at 3.5 MPa and Reynolds numbers of 450 to 12,000. The 'pin-fin' specimen consisted of pins, 0.51 mm high and spaced 2.03 mm on centers, spanning a channel through which the helium flows; the angle of the row of pins to the flow direction was 18 degrees. The specimen was radiatively heated on the top side at heat fluxes up to 74 W/sq cm and insulated on the back side. Correlations were developed for the friction factor and Nusselt number. The Nusselt number compares favorably to those of past studies of staggered pin-fins, when the measured temperatures are extrapolated to the temperature of the wall-fluid interface.

101.051
PB91-203877 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO. Chemical Engineering Science Div.
Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume.
Final rept.
R. Radebaugh, K. Chowdhury, and J. Zimmerman. 1988, 13p
Sponsored by National Aeronautics and Space Administration, Moffett Field, CA. Ames Research Center.
Pub. in *Proceedings of the International Cryocooler Conference (5th)*, Monterey, CA., August 18-19, 1988, p113-125.

Keywords: *Cryogenic cooling, Refrigerators, Optimization, Cryogenic equipment, Refrigerating equipment, Cryogenics, Cooling, Ultralow temperatures, Refrigerating, Compressors, Cooling systems, Reprints, *Pulse tube refrigerators.

The paper discusses experiments which were done to determine the minimum temperature and the maximum refrigeration power available with an orifice pulse tube refrigerator driven by a compressor with a fixed swept volume of 25 cu cm. The frequency of the compressor motion could be varied between 10 and 25 Hz. Only screen regenerators were studied but several mesh sizes and regenerator volumes were used. The screen materials tested were phosphor bronze, stainless steel, and nylon. Three different pulse tube volumes were investigated for most regenerators. The lowest temperatures achieved were about 67 K with the following conditions: pulse tube volume of 7.9 cu cm, regenerator gas volume of 9.2 cu cm, regenerator screen of 250 mesh stainless steel, frequency of 10-15 Hz, and average pressures of 1500-2000 kPa. These optimum volumes resulted in a pressure ratio of about 1.3.

101.052
PB92-116482 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Chemical Engineering Science Div.
Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
Final rept.
P. E. Bradley, and R. Radebaugh. 1991, 10p
Pub. in *Proceedings of Interagency Meeting on Cryocoolers (4th)*, Plymouth, MA., October 24, 1990, p195-204 1991.

Keywords: *Refrigerators, *Performance evaluation, *Regenerators, Cooling systems, Heat exchangers, Thermal efficiency, Mathematical models, Cryogenics, Low temperature tests, Refrigerating, Refrigerating machinery, Reprints, *Vuilleumier refrigerator.

A 3-stage Vuilleumier refrigerator developed for Wright-Patterson Air Force Base has been used to measure the performance of third-stage regenerators. The refrigerator operates between 2.5 to 5.0 Hz and achieves temperatures of 10 to 20 K at the third-stage cold end. The purpose of the paper is to present a comparison of regenerator performance for two regenerator materials and to compare experimental results with a third order numerical model and a first order approximation for calculating the regenerator performance. Measurements of two regenerator materials are presented. Even though Brass has a volumetric heat capacity approximately 15 times lower than that of Pb+5%Sn, the regenerator loss with brass is only 60% higher than that of Pb+5%Sn because of the large heat capacity contribution of the helium gas in the regenerator void volume. These results are in fair agreement with a third order numerical model.

MANUFACTURING TECHNOLOGY

General

101,053

PB92-123041

PC A05/MF A01

National Inst. of Standards and Technology (MEL), Gaithersburg, MD.

Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.

P. Nanzetta, C. F. Hutchins, and L. L. Wood. Nov 91, 95p NISTIR-4713
See also PB90-130568.

Keywords: *Bibliographies, Dimensional measurement, Artificial intelligence, Production engineering, Automation, Metrology, Precision, Robotics, *Manufacturing Engineering Laboratory.

The document provides a list of publications by staff of the Manufacturing Engineering Laboratory for the period of January 1989 through September 1991. Publications cover research done by the Laboratory in the areas of the precision dimensional measurement and precision engineering; robotics and intelligent machines; manufacturing data description, data administration, and information processing; and, sensors for manufacturing processes.

MATERIALS SCIENCES

Carbon & Graphite

101,054

PB91-158683

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Effects of Different CH₄-H₂ Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD.

Final rept.

E. N. Farabaugh, and A. Feldman. 1990, 6p

Pub. in Materials Research Society Symposium Proceedings, v162 p127-132 1990.

Keywords: *Diamonds, *Thin films, Chemical vapor deposition, Crystal growth, Single crystals, Substrates, Methane, Hydrogen, Electron microscopy, Surface roughness, Process variables, X ray diffraction, Silicon, Mullite, Reprints.

Diamond films have been grown on single crystal Si and polycrystalline mullite substrates by hot filament chemical vapor deposition. Both substrates offer a good thermal expansion match with diamond. Gas mixture ratios of CH₄:H₂ ranged from 0.1-1.0%. The remaining deposition parameters were: substrate temperature, 750C; filament temperature, 1800C; gas pressure, 5000 Pa; gas flow rate, 52 sccm except for the 0.1% CH₄:H₂ ratio deposition in which the flow rate was 120 sccm. Film thicknesses were determined from cross sectional SEM micrographs. The average growth rates on the mullite increased nearly linearly with increasing CH₄ gas fraction, ranging from 0.05 micrometers/hr to 0.21 micrometers/hr. Growth rates on the Si substrates were slightly lower for identical growth conditions. Surface SEM micrographs revealed that the roughness of the films decreased with increasing CH₄ gas fraction during deposition. X-ray diffraction patterns showed that crystalline grain size in the films decreased with increasing CH₄ gas fraction. No preferred crystallographic orientation was seen in the diffraction patterns.

101,055

PB92-116540

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.

Neutron Measurements of Intramolecular Vibrational Modes in C60.

Final rept.

R. L. Cappelletti, J. R. D. Copley, W. A.

Kamitakahara, F. Li, J. S. Lannin, and D. Ramage.

1991, 4p

Pub. in Physical Review Letters 66, n25 p3261-3264, 24 Jun 91.

Keywords: *Vibrational spectra, *Carbon, Spectrum analysis, Neutron scattering, Measurement, Intramole-

cular structures, Reprints, *Buckeyballs, *Buckminsterfullerene.

Neutron-inelastic-scattering measurements have been made on a sample of highly purified solid C₆₀. New features in the spectrum of intramolecular modes not obtainable by optical spectroscopy have been identified. Available theoretical calculations show trends in accord with the experimental results but disagree in important details, and improved calculations are desirable.

Ceramics, Refractories, & Glass

101,056

AD-A243 049/4

PC A08/MF A02

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Strength and Microstructure of Ceramics.

Final technical rept. 1 Oct 89-30 Sep 91.

B. R. Lawn. Oct 91, 170p AFOSR-TR-91-0892,

Grants AFOSR-ISSA-90-0003, AFOSR-ISSA-91-0002

Keywords: Aluminum oxides, Ceramic materials, Composite materials, Cracks, Cycles, Degradation, Documents, Fatigue, Friction, Grain boundaries, Interfaces, Mechanical properties, *Microstructure, Models, Predictions, Residual stress, Routing, Scanning electron microscopes, Strength(General), Test and evaluation, Theory, *Ceramics, *Strength(Mechanics), Grain size, Crystallization, *Fracture(Mechanics), Toughness, Advanced composites, Cracking(Fracturing), Scanning electron microscopy, Bridging, Tensile tests, Processing, Micromechanics.

Results of a program on the toughness properties of monophase and two phase ceramics that toughen by bridging are presented. Fracture mechanics models describing this behavior, in the particular context of strength, are developed. Results of strengths tests confirming the essential predictions of the theory are presented. Innovative processing routes suggested by the models are shown to lead to two phase composites with impressive flaw insensitivity. A partial list of publications included in this report are: (1) The role of crystallization of an intergranular glassy phase in determining grain boundary residual stresses in debased aluminas; (2) In situ measurements of bridged crack interfaces in scanning electron microscopes; (3) Cyclic fatigue from frictional degradation at bridging grains in alumina; (4) Microstructure, toughness curves and mechanical properties of alumina ceramics; (5) Fabrication of flaw tolerant aluminum titanate reinforced alumina; and (6) Influence of grain size and degree of crystallization of intergranular glassy phase on the mechanical behaviour of a debased alumina.

101,057

PB91-132233

PC A08/MF A01

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Institute for Materials Science and Engineering, Ceramics: Technical Activities 1990.

S. M. Hsu. Nov 90, 170p NISTIR-4394

See also report for 1989, PB90-163981.

Keywords: *Ceramics, Silicon nitrides, Phase diagrams, Data retrieval, Standards, Superconductors, Thin films, Optical materials, Construction materials, Powder(Particles), Microstructure, Creep properties, Crack propagation, Surface energy, Glass, Data bases, Lubricants, Diamonds, Tribology, Characterization, Ceramic matrix composites, Fracture mechanics, Solid-solid interfaces.

Current programs of the Ceramics Division are reviewed. In 1990, technology transfer was accomplished by the preparation and publication of 180 papers, the presentation of 150 talks and the submission of 6 invention disclosures. Leadership of national and international standards activities continued. The Structural Ceramics Database (SCD) Version 1.0 which contains evaluated thermomechanical data for industrial designers has been offered for public distribution by the Office of Standard Reference Data. Other database activities continued with the distribution of A Computerized Tribology Information System (ACTIS) and the completion of Volumes 7 and 8 of the NIST/American Ceramic Society Phase Diagrams for Ceramists. A new activity, an assessment of the New Diamond Technology in Japan was undertaken by division personnel in 1990. In the structural materials area,

research on the chemistry of ceramic slurries and suspensions has led to identification of mechanisms for coating silicon nitride powders with discrete sintering aids. Significant advances in the ability to measure surface forces between dissimilar materials were achieved. Basic research on bridging effects in fracture have been extended to microstructural design and studies of cyclic fatigue. Phase diagram determinations and studies of the role of processing environments on microstructural features of high temperature superconductors continued. The role of rare earth substitutions on YBaCO properties were evaluated and provided insight into the effect of atomic size of substitutional atoms.

101,058

PB91-147330

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Dihedral Angles in Magnesia and Alumina: Distribution from Surface Thermal Grooves.

Final rept.

C. A. Handwerker, J. M. Dynys, R. M. Cannon, and

R. L. Coble. 1990, 7p

Pub. in Jnl. of the American Ceramic Society 73, n5 p1371-1377 May 90.

Keywords: *Aluminum oxide, *Magnesium oxides, *Dihedral angle, Grain boundaries, Polycrystalline, Surfaces, Reprints.

Dihedral angles, psi, from surface thermal grooves were measured using a metal reference line technique for polycrystalline MgO, undoped Al₂O₃, and MgO-doped Al₂O₃. The values of psi, span the following ranges: 89 deg to 116 deg for MgO at 1520 K, 76 deg to 166 deg for undoped Al₂O₃ at 1870 K, and 90 deg to 139 deg for MgO-doped Al₂O₃ at 1870 K. The range of inclination angles of the grain boundary to the surface was a function of psi, with the maximum inclination angle of about 13 deg, in quantitative agreement with theory.

101,059

PB91-147348

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.

Final rept.

C. A. Handwerker, J. M. Dynys, R. M. Cannon, and

R. L. Coble. 1990, 6p

Pub. in Jnl. of the American Ceramic Society 73, n5 p1365-1370 May 90.

Keywords: *Grain boundaries, *Dihedral angle, Scanning electron microscopy, Aluminum oxide, Magnesium oxides, Grain growth, Surface energy, Reprints.

A metal reference line (MRL) technique is described for the measurement of surface-grain-boundary dihedral angles, psi, from thermal grooves at a sample surface using scanning electron microscopy (SEM). Metal lines deposited onto a thermally grooved surface using photolithography conform to the contours of the grain-boundary groove and provide a high-contrast reference line for measuring psi, by SEM. Measurements of psi from optical interferometry and calculated from groove dimensions using surface diffusion models of thermal grooving are compared with the metal reference line measurements from the same thermally grooved surface of MgO-doped Al₂O₃. Distributions of psi are found to shift to lower angles and approach the true psi value as the resolution of the technique increases, with the MRL technique having the highest resolution.

101,060

PB91-147389

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Application of Analytical Electron Microscopy to Glass-Bonded Aluminas.

Final rept.

B. J. Hockey. 1986, 4p

Proceedings of Annual Meeting Electron Microscopy Society of America (44th), Albuquerque, NM., August 10-15, 1986, p436-439.

Keywords: *Ceramics, *Aluminum oxide, Electron microscopy, Electron diffraction, X ray analysis, Crystallization, Glass, Reprints.

The application of analytical electron microscopy to multi-phase ceramic materials is illustrated by studies

on glass-bonded aluminas. Particular emphasis is placed on describing not only the morphology of the glassy intergranular phase, but its composition using energy dispersive X-ray analyses (EDX). Similarly, EDX, in conjunction with electron diffraction, is also used to determine the specific nature and distribution of intergranular crystalline phases that form as a result of devitrification during heat treatment of these aluminas.

101,061

PB91-147553 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction.

Final rept.
M. A. Kuchinski, C. R. Hubbard, L. A. Johnson, and V. A. Greenhut. 1988, 9p
Pub. in Proceedings of International Conference on Ceramic Powder Processing Science (1st), Orlando, FL., November 1-4, 1987, p321-329 1988.

Keywords: *Ceramics, *Amorphous materials, X ray diffraction, Cristobalite, Reprints, Powder diffraction.

A quantitative technique which employs a modified method of additions approach to analyze for low amorphous content in crystalline matrices was developed and tested. Known amounts of amorphous material are added to the starting powder ('spiking'). The method uses the ratio of a measure of the intensity of the amorphous phase corrected for background to the background corrected intensity of a reference line from a crystalline phase. The amorphous spiking phase must be close in composition to the amorphous phase existing in the analyte. A critical step of the method is to correctly establish the background intensity. A completely crystalline material of similar scattering power was used to establish background intensity.

101,062

PB91-147983 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Hermetically Sealed Inert Atmosphere Cell for X-ray Powder Diffraction.

Final rept.
J. J. Ritter, 1988, 2p
Pub. in Powder Diffraction 3, n1 p30-31 Mar 88.

Keywords: *X ray diffraction, *Inert atmospheres, Hermetic seals, Barium oxides, Titanium boride, Reprints, Powder diffraction.

The construction and use of a captive inert atmosphere cell for the preservation of atmospherically sensitive samples during x-ray diffraction is described.

101,063

PB91-147991 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Graphics Program for Binary and Ternary Ceramic Phase Diagrams.

Final rept.
P. K. Schenck, and J. R. Dennis. 1987, 7p
Pub. in Proceedings of International Conference on User Applications of Alloy Phase Diagrams, ASM Materials Week '86, Lake Buena Vista, FL., October 1986, p255-261 1987.

Keywords: *Ceramics, *Phase diagrams, *Computer graphics, Computer applications, Data bases, Reprints.

The paper describes the computer graphics program developed for the National Bureau of Standards (NBS) - American Ceramic Society (ACerS) Phase Diagrams for Ceramists Data Center for computer capture and reproduction of ceramic phase diagrams. The graphics program allows diagrams to be digitized, or entered by the keyboard, and provides a number of powerful editing features. The program produces publication quality diagrams for future volumes of 'Phase Diagrams for Ceramists'. The database of graphics files generated using the program will eventually be integrated with other databases under development in the Data Center, as described in a companion paper in the volume.

101,064

PB91-148221 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Effects of Crystal Bonding on Brittle Fracture.

Final rept.
G. S. White, E. R. Fuller, S. W. Freiman, and T. L. Baker. 1988, 7p
Pub. in Jnl. of Materials Research 3, n3 p491-497 1988.

Keywords: *Ceramics, *Semiconductors(Materials), *Fracture mechanics, *Brittle materials, Crack propagation, Indentation, Crystal structure, Environmental tests, Reprints.

Indentation techniques have been used both to obtain fracture energies as a function of board ionicity in various IV, III-V, and II-VI compounds and to determine the ability of environments to enhance crack growth in some of these materials. The fracture energies are compared to those obtained using a simplistic inter-planer stress model and are found to agree within approximately 50%. Limitations of the indentation technique for evaluating n-values are discussed.

101,065

PB91-148767 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.

Final rept.
R. P. Ingel, P. A. Wilgong, B. A. Bender, and T. W. Coyle. 1988, 11p
Sponsored by Naval Research Lab., Washington, DC. Pub. in Advances in Ceramics 24A, p459-469 1988.

Keywords: *Zirconium oxides, *Ceramics, *Single crystals, *Monoclinic lattices, Electron microscopy, Temperature dependence, Mechanical hysteresis, Tetragonal lattices, Reprints, Thermomechanical properties.

Single crystals of unstabilized pure ZrO₂ were successfully grown by the skull melting technique. TEM analysis revealed that the material was a monoclinic single crystal but heavily twinned with dislocations clearly visible. Physical property measurements (density, x-ray, etc.) were typical of monoclinic ZrO₂. Strength and fracture toughness measurements as a function of temperature showed significant increases at 1200 C, just above the A(sub f) temperature of 1190 C. The strength and toughness increased from 174 MPa and 2.4 MPa(m Sup 1/2) at room temperature to 350 MPa and 5 MPa(m Sup 1/2) at 1200 C. Testing at 1100 C showed large differences in behavior depending on whether the material was heated to the test temperature or cooled to the test temperature from the tetragonal phase field. These results indicate that there is a mechanical hysteresis which parallels the thermal expansion hysteresis. These effects are expected based on the stress-driven nature of the Monoclinic <-> Tetragonal transformation.

101,066

PB91-149096 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.

Final rept.
J. J. Ritter. 1987, 21p
Pub. in Proceedings of Conference on Ceramic Powder Science and Technology, Boston, MA., August 6, 1986, 21p 1987.

Keywords: *Ceramics, *Precursors, *Silicon carbides, *Titanium borides, *Boron carbides, Synthesis(Chemistry), Powder(Particules), Low temperature, Reprints.

The controlled reductive dehalogenation of elemental halides has been studied as a low temperature approach to boride and carbide precursors. It was shown that TiCl₄ and BCl₃ react with metallic sodium at 130 C in a nonpolar solvent to give the precursor to TiB₂. Similar type reactions with SiCl₄ and CCl₄ or with BCl₃ and CCl₄ have produced the precursors to SiC and B₄C respectively. The chemistry is generally applicable to any combination of elemental halides which can be reduced by alkali metals or alkali metal alloys. The reactions in these systems are facilitated by high-speed, high-shear stirring and reaction temperatures of 110-130 C. Product NaCl is separated from the amorphous precursors by vacuum sublimation at 900 C. The TiB₂ precursor undergoes initial crystallization at this temperature while the SiC precursor requires heating in excess of 1500 C to achieve crystallinity. The procedure has been successfully applied to the

synthesis of precursors to the particulate composites SiC/TiC and SiC/TiN.

101,067

PB91-149104 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.

Final rept.
J. J. Ritter, and K. G. Frase. 1986, 497p
Pub. in Proceedings of International Conference on Ultrastructure Processing of Ceramics, Glasses and Composites (2nd), Palm Coast, FL., March 1985, 497p 1986.

Keywords: *Ceramics, *Precursors, *Titanium borides, *Silicon carbides, *Boron carbides, Barium titanates, Aluminum oxide, Tantalum compounds, Alcoholates, Synthesis(Chemistry), Low temperature, Yttrium compounds, Metals, Reprints.

Low temperature chemical routes to ceramic powders have received considerable attention within recent years. A novel, low temperature approach to TiB₂, SiC and B₄C ceramics is described as well as studies on alkoxide routes for barium polytitanates, beta/beta'' aluminas and yttrium tantalate. The concept of controlling powder crystalline phases, phase stability and particle size through manipulation of synthesis parameters is discussed.

101,068

PB91-149112 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.

Final rept.
J. Rodel, J. F. Kelly, and B. R. Lawn. 1990, 6p
Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in Jnl. of the American Ceramic Society 73, n11 p3313-3318 Nov 90.

Keywords: *Ceramics, *Crack propagation, *Fracture mechanics, Electron microscopy, Aluminum oxide, Solid-solid interfaces, Test equipment, Crack opening displacement, Reprints, In-situ tests.

A device for in situ SEM examination of crack propagation during loading of compact tension specimens is described, with a specific demonstration on an alumina ceramic. The device facilitates direct qualitative observations of the inception and subsequent frictional pull-out of grain-localized bridges at the crack interface. Quantitative data on the bridging mechanism are obtained from measurements of the crack-opening displacements behind the crack tip. The crack profile is found to be closer to linear than parabolic at the bridged interface. Deconvolution of these crack-opening data allow for an evaluation of the closure tractions operative at the crack walls within the bridging zone, and thence the R-curve.

101,069

PB91-149419 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning.

Final rept.
M. Turchinskaya, L. H. Bennett, L. J. Swartzendruber, A. Roitburd, C. K. Chiang, M. Hill, J. E. Blendell, and K. Sawano. 1990, 4p
Pub. in Materials Research Society Symposium Proceedings, v169 p931-934 1990.

Keywords: *Ceramics, *Pinning, Kinetics, Magnetization, Time dependence, Temperature, Superconductors, Reprints, *Yttrium barium cuprates.

The kinetics of magnetization in two samples of YBa₂Cu₃O₇ prepared by different methods, are studied. Magnetization vs. time data were obtained at various temperatures for a number of applied fields. The data display (after some short period of time) logarithmic behavior and (after a sufficiently long time) exponential behavior. The pinning parameter 'activation volume' was determined from the experimental data for both samples.

101,070

PB91-149435 Not available NTIS

MATERIALS SCIENCES

Ceramics, Refractories, & Glass

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Mechanical Loss in a Glass-Epoxy Composite.

Final rept.

M. Weller, and H. Ledbetter. 1990, 3p

Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy.

Pub. in Jnl. of Materials Research 5, n5 p913-915 May 90.

Keywords: *Fiber composites, *Epoxy matrix composites, *Mechanical measurement, *Glass fiber reinforced plastics, Elastic properties, Torsional stress, Reprints.

Using a computer-controlled inverted torsion pendulum at frequencies near 1 Hz, the mechanical losses in a uniaxially fiber-reinforced composite were determined. The composite comprised glass fibers in an epoxy-resin matrix. Three fiber contents: 0, 41, and 49 vol. % were studied. Three mechanical-loss peaks appeared: above 300 K, near 200 K, and near 130 K. They correspond closely to alpha, beta, and gamma peaks found previously in many polymers. A mechanical-loss peak for either the glass or the glass-resin interface was not seen. Between 300 and 4 K, the torsion modulus increased in the resin by a factor of 3.30 and in the 0.49 glass-epoxy by a factor of 2.37.

101,071

PB91-150037

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Improved Analysis for Flexural Creep with Application to Sialon Ceramics.

Final rept.

C. F. Chen, and T. J. Chuang. 1990, 8p

Contract DE-A105-850421569

Pub. in Jnl. of American Ceramic Society 73, n8 p2366-2373 Aug 90.

Keywords: *Ceramics, *Sialon, *Creep strength, Performance prediction, Indentation, Least squares method, Compression tests, Engines, Tension tests, Bend tests, Comparison, Reprints.

By using a statistical least-squares method to minimize the differences between predicted and measured load-point displacement rates from four-point bend specimens, power-law creep parameters for tension and compression were estimated. An alternative but simpler method of estimating power-law creep parameters from flexural creep data is also proposed. The method entails the direct measurements of steady-state creep strain rates at two stress levels by an indentation technique. Based on a closed-form solution, the power-law creep parameters could then be estimated from both the measured neutral axis locations and curvature rates. The results from these two methods compare favorably with one another, and with the simple compressive creep data. Both methods yield a high stress exponent of about 14 for tension and a stress exponent of about unity for compression. Cavitation-enhanced creep in tension and diffusional creep in compression are responsible for the asymmetric behavior.

101,072

PB91-158600

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Near Net Shape Forming of Ceramics.

Final rept.

S. J. Dapkunas, and A. L. Dragoo. 1987, 13p

Pub. in Proceedings of ASME Winter Annual Meeting Interdisciplinary Issues in Materials Processing and Manufacturing, Boston, MA., December 13-18, 1987, p19-31.

Keywords: *Ceramics, Processing, Manufacturing, Intelligence, Process control, Reprints, *Net shaping.

The widespread use of advanced ceramics requires the development of reliable, economic, reproducible manufacturing. Near net shape forming is required to achieve these manufacturing goals and the many types of these forming processing offer a variety of benefits for specific applications. Ultimately the development of intelligent processing systems is required.

101,073

PB91-158774

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

National Bureau of Standards-American Ceramic Society Phase Diagram Data Program.

Final rept.

J. W. Hastie. 1987, 5p

Pub. in Proceedings of International CODATA Conference (10th), Computer Handling and Dissemination of Data, Ottawa, Canada, July 14-17, 1986, p179-183 1987.

Keywords: *Ceramics, *Data bases, Phase diagrams, Computer graphics, Mathematical models, US NBS, Thermodynamic equilibrium, Reprints.

In recent years the National Bureau of Standards-American Ceramic Society phase diagram data program has made increased use of computers in handling and disseminating the data. Computers play a key role in many areas, such as: literature retrieval, bibliographic file development, phase diagram editing, coupled thermo-chemical-phase diagram evaluation, isothermal sectioning, multi-dimensional representation, and model predictions. Preparation of hard-copy compilations of phase diagrams, together with bibliographic and critical evaluation information, is also facilitated using the computer stored data. A discussion is given of the current status and future directions of the recently expanded program.

101,074

PB91-158840

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Building Materials Div.

Towards Computer-Based Microstructure Models for Cement-Based Systems.

Final rept.

H. M. Jennings. 1987, 10p

Pub. in Materials Research Society Symposium Proceedings, v85 p291-300 1987.

Keywords: *Cements, Mathematical models, Microstructure, Software engineering, Computerized simulation, Reprints.

Aspects of a computer model for cement-based systems is described. It can incorporate separately many assumptions in the form of sub-models. Two different types of sub-model are described, one that represents average characteristics of the system and one that sums individual contributions to particular characteristics of the system. The core of the overall model is a file of numbers representing the microstructure. The file is operated on to simulate hydration and the development of bulk properties.

101,075

PB91-159277

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Tensile Creep Behavior of Structural Ceramics.

Final rept.

S. M. Wiederhorn, L. Chuck, and T. J. Chuang. 1986, 20p

Pub. in Proceedings of Automotive Technology Development Contractors' Coordination Meeting (24th), Dearborn, MI., October 27, 1986, 20p.

Keywords: *Ceramics, Heat engines, Tension tests, Creep properties, Heat resistant materials, Silicon carbides, Fracture mechanics, Performance prediction, Sampling, Reprints.

The paper describes an inexpensive method of studying tensile creep of ceramic materials up to temperatures of 1500C. The technique used self aligning test fixtures, and simple grinding procedures for specimen preparation. Results suggest that tensile testing can be carried out with almost the same ease and cost as flexural testing. Since the tensile test configuration results in a simple state of stress, data from tensile testing can be used to understand creep behavior in more complex states of mechanical loading. Following the line of reasoning, data presented in the paper are being used to predict the creep behavior and state of stress in flexural bars of siliconized, silicon carbide subjected to creep at elevated temperatures.

101,076

PB91-162321

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Superconducting Properties of Bi2-x-yPbxSnySr2Ca2Cu3Oz.

Final rept.

H. M. Seyoum, J. M. Habib, L. H. Bennett, W. Wong-Ng, and A. J. Shapiro. 1990, 6p

Pub. in Supercond. Sci. Technol. 3, p616-621 1990.

Keywords: *High-TC superconductors, *Ceramics, Stannates, Transition temperature, Strontium compounds, Bismuth oxides, Lead oxides, Tin oxides, Strontium oxides, Calcium oxides, Copper oxides, X ray diffraction, Electron microscopy, Magnetization, Tin additions, Lead additions, Reprints.

Two systematically processed series, Bi_{1.6}Pb_xSn(0.4-x)Sr₂Ca₂Cu₃O_z and Bi(1.9-x)Pb_xSn_{0.1}Sr₂Ca₂Cu₃O_z (where X ranges from 0 to 0.4) have been examined via magnetization measurements, x-ray diffraction and scanning electron microprobe. In addition to observing the often reported high T_c superconducting transition temperatures at 80 K (2212) and 110 K (2223), a range of well resolved transition temperatures have been found, implying the possible existence of new phases. The presence of Sn in these materials appeared to suppress the formation of the low T_c Raveau 2201 phase. Also observed was an ordered variation in the amount of flux pinning as the Sn and Pb concentrations were changed. It is suggested that Sn increases flux pinning by forming the compound Sr₃Sn₂O₇.

101,077

PB91-175075

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.

Final rept.

G. G. Long, S. Krueger, P. R. Jemian, D. R. Black, H. E. Burdette, J. P. Cline, and R. A. Gerhardt. 1990, 10p

Pub. in Jnl. of Applied Crystallography 23, p535-544 1990.

Keywords: *Small angle scattering, *Silica, *Ceramics, X-ray analysis, Neutron scattering, Sintering, Inorganic silicates, Potassium compounds, Particle size distribution, Colloids, Microstructure, Reprints, *Ceramic precursors.

Small-angle X-ray and small-angle neutron scattering measurements were carried out on a series of porous silica precursor (unsintered) bodies with different starting chemistries. The samples were prepared from mixtures containing 10 to 30 wt% colloidal silica sol and 90 to 70 wt% potassium silicate. Particle-size distributions were derived from the data using a maximum-entropy technique. Scattering data from the porous silica samples are especially suitable for such an analysis because the colloidal particles and clusters and aggregates of these particles are verified in detail to be spherical, and the scattering instrument use for the study covered the entire range of sizes in the material and was very well calibrated. It was found that the lower the amount of colloidal silica, the broader the size distribution of the silica aggregates.

101,078

PB91-175190

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Low Temperature Chemical Route to Precursors of Boride and Carbide Ceramic Powders.

Final rept.

J. J. Ritter. 1986, 6p

Pub. in Materials Research Society Symposia Proceedings, v73 p367-372 1986.

Keywords: *Ceramics, Borides, Carbides, Low temperature, Synthesis(Chemistry), Dehalogenation, Silicon chlorides, Silanes, Boron chlorides, Binary system(Materials), Titanium compounds, Reduction(Chemistry), Particulate composites, Sintering, Reprints, *Ceramic precursors.

The controlled reductive dehalogenation of elemental halides has been studied as a low temperature approach to boride and carbide precursors. It is shown that SiCl₄ and CCl₄ can be reacted with metallic sodium at 130 degrees in a non-polar solvent to give the precursor to SiC. Similar type reactions with TiCl₄ and BCl₃ or with BCl₃ and CCl₄ have produced the precursors to TiB₂ and B₄C respectively. This procedure has also been used to generate the precursors to the two-phase composites SiC/TiC and SiC/TiN. The method is generally applicable to any combination of elemental halides which can be reduced by alkali metals or alkali metal alloys.

101,079

PB91-175620

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Environment Div.

Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989.

Final rept.

R. R. Zarr. 1991, 10p

Pub. in Jnl. of Thermal Insulation 14, p211-220 Jan 91.

Keywords: *Thermal insulation, *Glass fibers, *Standards, Samples, Manmade fibers, Calibrating, Metrology, Measurement, Reprints, *Standard reference materials, National Institute of Standards and Technology.

The paper reviews three programs at the National Institute of Standards and Technology (NIST) that provide specimens of low-density glass-fiber insulation as reference materials. The National Voluntary Laboratory Accreditation Program (NVLAP) provides specimens as Proficiency Test Materials; the Standard Reference Materials Program (SRMP), as Standard Reference Materials; and the Center for Building Technology (CBT), as Calibrated Transfer Specimens. The programs of SRMP and CBT are summarized for the years 1980 to 1989. The paper includes a catalogue of NIST publications covering the technical development of the low-density glass-fiber insulation used in the programs of NVLAP, SRMP and CBT.

101,080

PB91-187237

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.

Final rept.

S. Block, G. J. Piermarini, R. G. Munro, and E. Fuller.

1989, 12p

Pub. in Physica A 156, n1 p341-352, 15 Mar 89.

Keywords: *Isothermal treatment, *Phase transformations(Materials), *Silver inorganic compounds, *Antimonides, *Germanides, *Single crystals, Pressure dependence, Bulk modulus, Sulfides, Phosphides, Ceramics, Wurtzite, Sphalerite, Compressibility, Equations of state, Young modulus, Reprints.

The isothermal phase behavior as a function of pressure and the bulk moduli of Ag₃SbS₃, ZnGeP₂, and ZnS have been determined. The respective transformation pressures observed optically with single crystals are 4.9 ± 0.15 GPa, 20 ± 0.5 GPa, and 15.0 ± 0.2 GPa. The latter transformation pressure is for both the wurtzite and sphalerite forms of ZnS. ZnGeP₂ also transforms to a second high pressure phase at approximately 32 GPa. Under hydrostatic pressure zinc sulfide shows no transformation between the wurtzite and sphalerite forms. The bulk modulus was determined using the Birch, Birch-Murnaghan, Murnaghan, and Tait equations of state with both the entire sets of compressibility data and only the linear range. The full sets of data are not as self consistent as the linear range and are useful only for interpolation. The linear sets give more reliable values for determining physical parameters such as Young's modulus. The linear sets of compressibility values yield bulk moduli and pressure derivatives: wurtzite 80 and 3.7 GPa, sphalerite 67 and 4.8 GPa, Ag₃SbS₃ 28 and 5.6 GPa and ZnGeP₂ 79 and 3.2 GPa.

101,081

PB91-189449

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.

Structures and Properties of New Zeolite X-Type Zincophosphate and Beryllophosphate Molecular Sieves.

Final rept.

W. T. A. Harrison, T. E. Gier, K. L. Moran, J. M.

Nicol, H. Eckert, and G. D. Stucky. 1991, 3p

Pub. in Chemical Materials 3, n1 p27-29 1991.

Keywords: *Zeolites, *Molecular sieves, *Faujasite, *Zinc phosphates, *Beryllium phosphates, Neutron scattering, X ray scattering, Crystal structure, Phase diagrams, Aluminum silicates, FCC lattices, Reprints.

The crystal structures and properties of two new faujasite analogues containing zinc and phosphorus (ZnPO-X) and beryllium and phosphorus (BePO-X) as the only framework tetrahedral atoms, are reported. These phases were prepared at ambient conditions and characterized by Rietveld refinement of powder neutron data (BePO-X) and powder X-ray data (ZnPO-X). Both crystallize in the face-centered cubic space group Fd 3m and display 1:1 Zn/Be:P tetrahedral-

atom order. Extra-framework cation positions have been established and these are compared with known aluminosilicate analogues. BePO-X is stable to calcination at least 500 °C, whilst the ZnPO-X framework transfers to a new phase at 300 °C. The BePO-X displays a typical zeolitic ion-exchange chemistry. These novel phases are members of a large new family of non-aluminosilicate (Zn/Be,P/AsO) molecular sieves.

101,082

PB91-189704

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics.

Final rept.

B. R. Lawn. 1991, 4p

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.

Pub. in Jnl. of the European Ceramic Society 7, p17-20 1991.

Keywords: *Ceramics, *Fracture mechanics, *Polycrystals, Microcracks, Crack propagation, Grain size, Defects, Residual stress, Reprints, Microcrack clouds.

Conditions for the existence of a microcrack cloud about a primary crack front in monophase polycrystalline ceramics are examined. With the assumption that microcracks initiate from sub-facet flaws, and that these flaws scale with the grain size, an expression is derived for the cloud radius. The cloud radius diminishes rapidly with grain size, from unlimited dimensions at the critical size for spontaneous, general microcracking to sub-grain level at some fraction of the critical size. The corresponding grain-size 'window' is dependent on the flaw size but is restrictively small for typical monophase ceramics.

101,083

PB91-190082

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Indentation Determination of Crack Growth Parameters in Gallium Arsenide.

Final rept.

G. S. White, S. W. Freiman, and A. M. Wilson. 1991, 3p

Contract N00014-87-F-0007

Sponsored by Office of Naval Research, Arlington, VA. Pub. in Jnl. of the American Ceramic Society 74, n2 p419-421 Feb 91.

Keywords: *Ceramics, *Indentation, *Crack growth, *Fracture mechanics, *Gallium arsenides, Measurement, Environmental tests, Water, Acetonitrile, Mechanical properties, Reprints.

Indentation measurements of the environmentally enhanced crack growth parameter, *n*, in GaAs have been made in water, acetonitrile, and methanol. Reasonable agreement with *n* values obtained from double-cantilever-beam tests was obtained. It is concluded that the range of *n* values which can be measured by the indentation technique is much wider than previously observed, and is strongly dependent upon the experimental configuration employed.

101,084

PB91-194670

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.

Final rept.

B. A. Bender, J. S. Wallace, and D. J. Schrodt. 1991, 7p

Sponsored by Naval Air Systems Command, Washington, DC.

Pub. in Jnl. of Materials Science 26, p970-976 1991.

Keywords: *Ceramic fibers, *Ceramic matrix composites, *Tensile strength, *Silicon carbides, *Thermochemical properties, Thermal cycling tests, Microstructure, Thermal degradation, Fabrication, High temperature, Carbon monoxide, Annealing, Electron microscopy, Polymers, Optical microscopy, Auger electron spectroscopy, Reprints.

The room-temperature strength of commercially available polymer-derived SiC fibers degrades during the typical high-temperature thermal cycle used in ceramic matrix composite fabrication. Substantial improvements in retained room-temperature strength for two different commercially available fibers were observed after annealing in carbon powder at temperatures up

to 1600°C. Further improvements in strength were observed for both fibers when heat treated in CO atmospheres. X-ray diffraction, TEM, SEM, auger electron spectroscopy, and optical microscopy were used to characterize the microstructure and chemistry of the heat-treated fibers in order to understand better the degradation mechanisms of the fibers as well as the improved strength retention.

101,085

PB91-195628

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.

Final rept.

R. S. Roth, C. J. Rawn, J. J. Ritter, and B. Burton.

1989, 5p

Pub. in Jnl. of the American Ceramic Society 72, n8 p1545-1549 1989.

Keywords: *Ceramics, *Phase diagrams, *Crystal structure, *Calcium oxides, *Strontium oxides, *Copper oxides, X-ray diffraction, Orthorhombic lattices, Solid solutions, Tetragonal lattices, Reprints.

A new phase, probably CaCuO₂, stable only to 740 °C was found to have an orthorhombic subcell, Cmc₂a, *a* = 10.588(1), *b* = 2.8122(4), *c* = 6.3245(6) × 0.1 nm with weak diffraction spots of two superimposed larger cells, one requiring 10 times the subcell *b* axis, the other belonging to a monoclinic lattice (interchanging *b* and *c*) with the short axis multiplied by 6 times and *beta* approximately = 105.5 degrees. The ternary system at 950 °C shows large regions of solid solution. Complete solid solution is observed for the series (Sr, Ca)₂CuO₃. The compound SrCuO₂ accepts Ca up to Sr_{0.25}Ca_{0.75}O₂ and Sr₁₄Cu₂₄O₄₁ extends to at least Sr₇Ca₇Cu₂₄O₄₁. A new ternary phase exists with a small homogeneity region (Ca_{1-x}Sr_x)CuO₂ with *x* approximately = 0.15. The composition (Ca_{0.84}Sr_{0.16})CuO₂ has a primitive tetragonal unit cell with *a* = 3.867(2) and *c* = 3.2195(2) × 0.1 nm.

101,086

PB91-195669

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD.

Standardization of Advanced Ceramics.

Final rept.

S. J. Schneider, and D. R. Bradley. 1988, 7p

Pub. in Advanced Ceramic Materials 3, n5 p442-448 1988.

Keywords: *Standardization, *Ceramics, Tests, Methodology, Terminology, Mechanical properties, Data bases, Classifications, Reliability, Nomenclature, Reprints.

Advanced Ceramics, because of the superior and multifaceted properties, are being extensively developed and brought to market as rapidly as possible. A wide spectrum of commercial standards (test methods, classification system, reference materials and data) however, are lacking, and the lack may impede further marketplace diffusion and industrial acceptance. The paper elaborates upon general Advanced Ceramics standards needs and the mechanisms and organizations by which the needs could be addressed and met. Currently, a unified classification system, along with standard terminology/nomenclature are needed to set the basis for unanimity in information transfer between designers, manufacturers and product users. Standard mechanical property behavior tests, particularly high temperature procedures, have been identified as one additional singular need as mechanical integrity and reliability are pervasive requirements for all Advanced Ceramics.

101,087

PB91-202820

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Comparison of Creep Rupture Behavior in Tension and Bending.

Final rept.

D. F. Carroll, T. J. Chuang, and S. M. Wiederhorn.

1988, 7p

Pub. in Ceramic Engineering and Science Proceedings 9, n7-8 p635-641 1988.

Keywords: *Ceramics, *Creep properties, *Silicon carbides, Bend tests, Tension tests, Comparison, Rupture, Compression tests, Cavities, Failure, Service life,

MATERIALS SCIENCES

Ceramics, Refractories, & Glass

Performance prediction, Stress strain relations, Reprints.

Creep-rupture data in flexure are analyzed in terms of creep-rupture data in tension, and creep data obtain in both tension and compression. Based upon a critical strain criterion for cavity coalescence, and the assumption that the failure modes in tension and flexure are the same, accurate predictions of component life-time in flexure were made.

101,088

PB91-202838

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

High Temperature Creep Testing of Ceramics.

Final rept.

D. F. Carroll, and S. M. Wiederhorn. 1988, 15p
Pub. in International Jnl. of High Technology Ceramics 4, n2-4 p227-241 1988.

Keywords: *Silicon carbides, *Ceramics, *High temperature tests, Creep properties, Heat resistant materials, Construction materials, Tension tests, Compression tests, Loads(Forces), US NBS, Methodology, Characterization, Binary system(Materials), Failure, Reprints.

In structural applications, materials are often subjected to complex modes of loading, simple tensile or compressive stresses being uncommon. During creep deformation, these complex modes of loading result in time dependent stress and strain distributions because ceramics tend to creep faster in tension than in compression. Consequently, creep of ceramic materials must be characterized in both tension and in compression before any predictions can be made on how a component will behave under complex stress states. Experimental techniques currently being used at the National Bureau of Standards to characterize the creep behavior of two phase ceramic materials at high temperatures are described. Techniques for creep studies in both tension and compression are usable to temperatures of 1500 C. The reliability of the test techniques with regard to linearity of loading and stability during testing is discussed.

101,089

PB91-203489

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Small Angle Neutron Scattering Characterization of Microporous Silica.

Final rept.

G. G. Long, S. T. Krueger, and R. A. Gerhardt. 1988, 9p
Pub. in Ceramic Transactions, v5 p171-179 1988.

Keywords: *Small angle scattering, *Ceramics, *Porosity, *Silica, On-line measurement systems, Neutron scattering, Characterization, Microstructure, Densification, Heat treatment, Nondestructive tests, Reprints.

The new technique of multiple small angle neutron scattering has been used to study the densification of microporous silica as a function of thermal processing. One of the advantages of small angle neutron scattering is that all of the scatterers, which in this case are pores within ceramic bodies, are measured whether they are open or closed, to yield a statistically significant determination of microstructure morphology. Furthermore, the neutron scattering techniques are non-destructive, and the time scale of data collection has been reduced, offering future possibilities for in situ measurements of microstructure evolution during processing.

101,090

PB91-203786

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.

Refinement of the Structure of Beta'-MoO₃.

Final rept.

J. B. Parise, E. M. McCarron, A. W. Sleight, and E. Prince. 1988, 4p
Pub. in Materials Science Forum 27-28, p85-88 1988.

Keywords: *Crystal structure, *Molybdenum oxides, Rhenium oxides, Neutron diffraction, Monoclinic lattices, Tungsten oxides, Deuterium, Labelled compounds, Oxidation, Instability, Reprints.

The structure of beta'-MoO₃, a new modification of MoO₃, is closely related to the structure of ReO₃ and has been refined using high resolution neutron powder diffraction data and the Rietveld technique. The struc-

ture is monoclinic (P2 (sub 1)/n, a = 7.415(1), b = 7.433(1), c = 7.654(1)Å, Beta = 90.09(2)). Beta' - MoO₃ is isostructural with the room temperature monoclinic modification of WO₃ and may be derived from the deuterated intercalate (DxMoO₃), also with ReO₃-type structure, by heating in oxygen at 200C. The modification is structurally intermediate between the WO₃-type and the thermodynamically stable alpha-MoO₃.

101,091

PB91-204172

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Creep and Reliability of Ceramic Materials at Elevated Temperatures.

Final rept.

S. M. Wiederhorn, T. J. Chuang, and D. F. Carroll. 1988, 14p

Contract DE-AL05-85OR21569

Sponsored by Department of Energy, Oak Ridge, TN. Pub. in Proceedings of International Symposium on Fine Ceramics Arita '87, Japan, November 17-19, 1987, p117-130 1988.

Keywords: *Ceramics, *Heat engines, *Heat resistant materials, *Creep properties, *Silicon carbides, Constitutive equations, Failure, Reliability, Fracture mechanics, Compression tests, Tension tests, Stress strain relations, Defects, Holes(Mechanics), Cavities, Bend tests, Surface properties, Methodology, Rates(Per time), Performance prediction, Reprints.

Failure at elevated temperatures in structural ceramics often occurs as a consequence of creep deformation, which results in the generation of cavities within the ceramic. With time, cavities grow and then coalesce to form the cracks that eventually are the cause of structural failure. The generation of cavities not only leads to failure of structural ceramics, but also changes the constitutive relation between creep rate and applied stress, so that, as a consequence of cavitation, creep in tension is more sensitive to stress than creep in compression. The net effect of this asymmetric behavior is a time dependence in the stress distribution when components are subjected to bending moments. Methods of measuring the creep rate in ceramic materials are discussed. Creep in tension is shown to be at least 20 times that in compression for a commercial grade of reaction bonded silicon carbide. Also, bimodal creep rate curves are observed in both tension and compression. As an example of the application of the data to more complex configurations, the constitutive equations developed for this material are used to predict the stress and strain distribution and the zone of cavitation in four point-flexure bars. Experimental data on cavitation and strain are in satisfactory agreement with predictions.

101,092

PB91-236927

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.

Final rept.

S. Lathabai, J. Rodell, and B. R. Lawn. 1991, 9p
Pub. in Jnl. of the American Ceramic Society 74, n6 p1340-1348 Jun 91.

Keywords: *Ceramics, *Aluminum oxide, *Fatigue life, *Tension tests, *Grain size, *Fracture mechanics, Cyclic loads, Friction, Microstructure, Fracture properties, Wear, Electron microscopy, Polycrystals, Reprints, Grain bridging.

Tension-tension cyclic loading tests have been conducted on a coarse-grained alumina ceramic that exhibits toughness-curve behavior by grain-interlock bridging. Fatigue effects are observed in the regions of both short cracks, using indentation flaws, and long cracks, using compact-tension specimens. A true mechanical fatigue effect is demonstrated by running the tests below the static fatigue limit. A custom-made device for in situ observation of crack propagation in the scanning electron microscope enables us to identify bridge degradation as a cause of the fatigue process. 'Wear' debris accumulates at the sliding intergranular frictional contact points, indicating a loss of traction at the junction. The basis of a fracture mechanics model describing the effect of the frictional degradation in reducing crack-tip shielding is outlined and fitted to the data.

101,093

PB91-236935

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Fracture Mechanics Model for Subthreshold Indentation Flaws. Part 1. Equilibrium Fracture.

Final rept.

S. Lathabai, J. Rodell, T. Dabbs, and B. R. Lawn.

1991, 12p

Sponsored by Office of Naval Research, Arlington, VA. Pub. in Jnl. of Materials Science 26, p2157-2168 1991.

Keywords: *Crack propagation, *Models, *Silica glass, *Fractures(Materials), Residual stress, Defects, Equilibrium, Deformation, Cracking(Fracturing), Fracture properties, Stress intensity factors, Reprints.

A fracture mechanics model for subthreshold indentation flaws is described. The model describes the initiation and extension of a microcrack from a discrete deformation-induced shear fault (shear crack) within the contact zone. A stress-intensity factor analysis for the microcrack extension in residual-contact and applied-stress fields is used in conjunction with appropriate fracture conditions, equilibrium in Part 1 and non-equilibrium in Part II, to determine critical instability configurations. In Part I, the K-field relations are used in conjunction with the Griffith requirements for crack equilibrium in essentially inert environments to determine: (I) the critical indentation size (or load) for spontaneous radial crack pop-in from a critical shear fault under the action of residual stresses alone; (II) the inert strengths of surfaces with subthreshold or postthreshold flaws. The theory is fitted to literature data for silicate glasses. These fits are used to 'calibrate' dimensionless parameters in the fracture mechanics expressions, for later use in Part II. The universality of the analysis in its facility to predict the main features of crack initiation and propagation in residual and applied fields will be demonstrated. Special emphasis is placed on the capacity to account for the significant increase in strength (and associated scatter) observed on passing from the postthreshold to the subthreshold domain.

101,094

PB91-237131

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Cathodoluminescence Measurement of Strained Alumina Single Crystals.

Final rept.

C. P. Ostertag, L. H. Robins, and L. P. Cook. 1991, 8p
Pub. in Jnl. of the European Ceramic Society 7, p109-116 1991.

Keywords: *Cathodoluminescence, *Aluminum oxide, *Single crystals, *Vickers hardness, *Residual stress, Emission spectroscopy, Measurement, Electron microscopy, Spectrum analysis, Stress strain relations, Annealing, Indentation, Reprints.

Alumina single crystals indented with a Vickers hardness indenter were investigated by cathodoluminescence (CL) imaging and spectroscopy in a scanning electron microscope. The spatial resolution of the CL images was approximately 0.4 micrometers. CL spectra were measured with wavelength resolution of 1.0nm in the wavelength range of 200 to 900nm; in the immediate region of the ruby lines (693 nm), spectra were measured with a resolution of 0.15 nm. Stress-induced frequency shifts of the ruby lines were utilized to measure the residual stresses in the region surrounding the indentation.

101,095

PB91-237339

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

New Layered Cuprate Structure-Type, (A1-xA'x)14Cu24O41.

Final rept.

T. Siegrist, L. F. Schneemeyer, R. S. Roth, J. V. Waszczak, and S. A. Sunshine. 1988, 10p
Pub. in Materials Research Bulletin 23, n10 p1429-1438 1988.

Keywords: *Ceramics, *Semiconductors(Materials), *Crystal structure, *Alkaline earth metal compounds, *Cuprates, Calcium compounds, Lanthanum compounds, Melts, Oxides, Orthorhombic lattices, Strontium compounds, Bismuth compounds, Barium compounds, Reprints.

Phases crystallizing in a new structure-type with general formula (A1-xA'x)14Cu24 O41 (A = alkaline earth

metal, $A' = \text{trivalent metal}$) and symmetry C_{ccm} with an extended stoichiometry range have been found in studies of the $Sr-Y-Cu-O$, $Ba-Sr-Cu-O$, $Ca-Sr-Bi-Cu-O$ and $Ca-La-Cu-O$ systems. Single crystal X-ray studies on several crystals grown from different alkaline earth/metal oxide-cuprate melts reveal a common orthorhombic F -centered subcell of $a=11.3A$, $b=13.0A$ and $c=3.9A$. Super-structure is observed in crystals, leading to a 7-fold increase of the c -axis and a change in symmetry to space group C_{ccm} . As in $Ba_2YCu_3O_7$, the Cu atoms are found as $Cu-O$ planes and linear $Cu-O$ chains. Due to shear in the planes, half of the $Cu-O$ squares share edges, producing $Cu-Cu$ zigzag chains, similar to the planes observed in $CaCu_2O_3$. In the linear $Cu-O$ chains, the $Cu-O$ squares share edges as well, leading to a short $Cu-Cu$ contact of 2.75A. Experiments on ceramic samples indicate that the oxygen content is fixed and that the samples are semiconducting.

101,096
PB91-237628 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
Final rept.
T. K. Trout, R. A. Faltynsek, F. E. Brinckman, and J. M. Bellama. 1989, 5p
Pub. in Jnl. of Materials Research 4, n2 p399-403 1989.

Keywords: *Fourier transformation, *Infrared spectroscopy, *Ceramics, *Quantitative analysis, *Silicon nitrides, Compositions, Powders, Spectrum analysis, Amorphous materials, Crystal structure, Ternary systems, Phase diagrams, Reflectance, Reprints.

Fourier transform infrared spectroscopy (FT-IR) forms the basis for determining the morphological composition of mixtures containing alpha, beta, and amorphous phases of silicon nitride. The analytical technique involving multiple linear regression treatment of Kubelka-Munk absorbance values from diffuse reflectance measurements, yields specific percent composition data for the amorphous phase as well as the crystalline phases in ternary mixtures of 0-1% by weight Si_3N_4 in potassium bromide.

101,097
PB91-237743 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Environmentally Enhanced Fracture of Gallium Arsenide.
Final rept.
G. S. White, S. W. Freiman, and A. M. Wilson. 1989, 3p
Contract N00014-87-F-0007
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Jnl. of the American Ceramic Society 72, n11 p2193-2195 Nov 89.

Keywords: *Gallium arsenides, *Ceramics, *Fracture mechanics, Stress corrosion cracking, Environmental tests, Single crystals, Nitrogen, Crack propagation, Ammonia, Water, Methanol, Acetonitrile, Humidity, Reprints.

GaAs has been found to undergo environmentally enhanced fracture in water, acetonitrile, formamide, and methanol. In contrast, no effect on crack growth has been observed in ammonia gas or N_2 gas at 50% relative humidity. These results are consistent with the model proposed by Michelske, et al. of electrostatically enhanced bond rupture. The lack of water controlled regions in ammonia or N_2 gas is presently not understood.

101,098
PB92-116797 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Design and Fabrication of a Miniature High-Temperature Guarded-Hot-Plate Apparatus.
Final rept.
B. J. Filla. 1990, 8p
Pub. in Proceedings of International Thermal Conductivity Conference (21st), Lexington, KY., October 15-18, 1989, p67-74 1990.

Keywords: *Test equipment, Ceramics, Thermal conductivity, Measurement, Ceramic matrix composites, Oxidation, Corrosion, High temperature tests, Design

criteria, Fabrication, Thickness, Platinum, Rhodium, Reprints, *Hot plates, Miniaturization.

A miniature guarded-hot-plate apparatus has been built to measure thermal conductivity of ceramics and ceramic composites at temperatures between 700 K and 1500 K in a neutral or mildly oxidizing atmosphere. The system is composed of a set of 7.94 cm diameter boron nitride disks supported by high-purity alumina insulation board. Thermocouple-grade platinum and platinum-rhodium wiring are used for both the heater and thermometry elements. A typical specimen examined in this apparatus is 7 cm in diameter with a thickness between 1 and 8 mm. Optimal specimen thermal conductivities fall in the range of 0.05 to 5 W/(m)(K). Design features and choice of materials used in this apparatus are discussed.

101,099
PB92-116995 Not available NTIS
National inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams.
Final rept.
R. F. Krause, and T. J. Chuang. 1991, 10p
Pub. in Ceramics Today - Tomorrow's Ceramics, p1865-1874 1991.

Keywords: *Ceramics, *Construction materials, *Flexural strength, Creep tests, Silicon carbides, Tension tests, High temperature tests, Displacement, Loads(Forces), Compression tests, Bend tests, Sintered materials, Flexing, Beams(Supports), Reprints, Power law.

A novel method of analysis is described for evaluating the power-law parameters for tensile creep of structural ceramics at elevated temperatures. Displacement rate, invariant with time in the secondary mode of creep, is measured versus load on both compression and flexure specimens of a material. The analysis takes into account that the material behaves differently in tensile and compressive creep. The power-law parameters for compressive creep are evaluated directly from strain rate versus stress in the compression tests. Using these values for compressive creep, those for tensile creep are evaluated from displacement rate versus bending moment in the flexure tests. The compressive and tensile creep properties of the material determine the curvature and neutral-axis position in the flexure specimen under a given bending moment. The power-law parameters for creep of sintered alpha silicon carbide are evaluated to demonstrate the usefulness of the method.

101,100
PB92-117001 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.
Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering.
Final rept.
S. Krueger, G. G. Long, and R. A. Page. 1991, 9p
Contracts MIPR-ARO-102-90, DE-FG05-84ER45063
Sponsored by Army Research Office, Research Triangle Park, NC., and Department of Energy, Washington, DC.
Pub. in Acta Crystallographica A47, p282-290 1991.

Keywords: *Aluminum oxides, *Porosity, Neutron scattering, Ceramics, Small angle scattering, Sintering, Microstructure, Reprints, Pore size.

Multiple small-angle neutron scattering was used to follow the evolution of the pore-size distribution in alpha- Al_2O_3 through the intermediate and final stages of sintering. The new technique enables the study of microstructure in the 0.08-10 micrometers size regime, which is the size range of importance for many materials systems, without needing to increase the resolution of currently available small-angle scattering instruments. The microstructure evolution results indicate a nearly constant effective pore radius for the alumina throughout the intermediate sintering stage, ranging from 0.19 micrometers at 54% of theoretical density to 0.17 micrometers at 79% dense. As the alumina densities further, there is a transition region after which the effective pore radius grows rapidly to greater than or equal to 0.6 micrometers at 97.5% dense.

101,101
PB92-117043 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
Final rept.

G. G. Long, S. Krueger, and R. A. Page. 1991, 7p
Pub. in Jnl. of the American Ceramic Society 74, n7 p1578-1584 Jul 91.

Keywords: *Aluminum oxides, *Densification, *Ceramics, Neutron scattering, Small angle scattering, Density, Green strength, Sintering, Magnesium oxides, Measurement, Additives, Porosity, Microstructure, Characterization, Reprints.

Small-angle neutron scattering measurements were used to examine the effect of green density and the role of MgO additive on the evolution of the porous microstructure of alumina during intermediate- and final-stage sintering. It was found that the initial connectivity in the green state plays a dominant role in establishing the channel diameters during the intermediate stage of sintering, and contributes also to determining the onset density at which the final stage of sintering begins. The role of MgO as a sintering aid lies, at least in part, in prolonging the stability of intermediate-stage sintering such that the body achieves greater density before the transition to final-stage sintering after which isolated pores are formed.

101,102
PB92-117357 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
Final rept.
D. R. Smith. 1990, 16p
Contract ORNL/IA-21428
Sponsored by Oak Ridge National Lab., TN.
Pub. in Proceedings of International Thermal Conductivity Conference (21st), Lexington, KY., October 15-18, 1989, p261-276 1990.

Keywords: *Vapor deposition, *Thermal conductivity, *Silica, *Insulating boards, Fumes, Measurement, Microporosity, Temperature dependence, Atmospheric pressure, Pressure dependence, Density, Statistical analysis, Moisture content, Reprints, *Fumed silica, *Standard reference materials, Hot plates.

Measurements of apparent thermal conductivity of microporous fumed-silica insulation board (MFS) are reported here for mean specimen temperatures ranging from 318 to 733 K (45 to 460 C) and environmental air pressures from 83.5 kPa (626 Torr) down to 27 kPa (200 Torr). Apparent conductivity is correlated with temperature, pressure, and density; the correlation obtained represents the data within a standard deviation of 0.68 percent. MFS with a density of 300 kg/cu m and at an ambient pressure of 83 kPa has an apparent thermal conductivity of 19.8 mW/(m K) at 300 K. It is suitable for use as a standard reference material of very low conductivity from 297 to 733 K (24 to 460 C). Adsorbed moisture within this material must be driven off by prolonged heating at 110 C before its conductivity is measured. Great care in handling MFS is necessary because of its fragility.

101,103
PB92-117449 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Effect of Surface Forces on Subcritical Crack Growth in Glass.
Final rept.
S. M. Wiederhorn, and E. R. Fuller. 1989, 4p
Pub. in Jnl. of the American Ceramic Society 72, n2 p248-251 Feb 89.

Keywords: *Surface forces, *Crack propagation, *Silica glass, Fracture mechanics, Aqueous solutions, Stress intensity factors, pH, Surface chemistry, Reprints.

Data on the growth of cracks tested in aqueous solutions were interpreted in terms of surface force theory. For applied stress intensity factors greater than 0.25 MPa ($m(\text{sup } 0.5)$), the position and the slope of the curves and their dependence on pH and ion concentration can be explained in terms of surface force theory, provided these forces are of a magnitude and range that are representative of those involved in the cohesive bonding of solids. Weaker forces, such as structural, double-layer, or dispersion forces, have little

MATERIALS SCIENCES

Ceramics, Refractories, & Glass

effect on crack growth in silica glass for $K(\text{sub } 1) > 0.25 \text{ MPa} (\text{m}(\text{sup } 0.5))$.

101,104
PB92-126507 PC A09/MF A02
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD, Ceramics Div.
Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
Annual rept.
S. W. Freiman. Feb 92, 176p NISTIR-4694
See also PB91-132233.

Keywords: *Research projects, *Ceramics, Standards, Materials, Mechanical properties, Processing, Superconductors, Microstructure, Synchrotron radiation, Tribology, Patents, Vapor deposition, Databases, Photonic materials, Optoelectronic materials, Advanced ceramics, Ferroelectric oxide films, High temperature superconductors.

In 1991, the Ceramics Division continued its program of standards development, data generation and evaluation, and research focused on the characterization and understanding of material behavior. The research program focuses on the critical issues which control the implementation of advanced ceramics and is developed through internal assessment and consultation with representatives from ceramic industries and academia. Some areas of research were: ferroelectric oxide films, glass compositions, advanced ceramics, powder processing, modelling and superconductivity.

101,105
PB92-126564 PC A05/MF A01
National Inst. of Standards and Technology (EEL),
Boulder, CO, Electromagnetic Technology Div.
High-Temperature Superconductivity: Abstracts of NIST Publications, 1987-1991.
Final rept.
M. E. DeWeese. Nov 91, 93p NIST/SP-826
Also available from Supt. of Docs. Supersedes PB89-148340.

Keywords: *Ceramics, *Superconductivity, *Abstracts, Bismuth, Standards, Thallium, Yttrium, High temperature tests, Thin films, X ray diffraction, Crystal defects, Phase transformations.

The report is a collection of abstracts from 243 papers published between March 1987 and August 1991 covering various aspects of superconductivity research. The work of nine divisions of the National Institute of Standards and Technology (formerly the National Bureau of Standards) in both Boulder, Colorado, and Gaithersburg, Maryland, is represented.

Coatings, Colorants, & Finishes

101,106
AD-A243 095/7 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Chemical Vapor Deposited Diamond.
Technical rept.
A. Feldman, E. N. Farabaugh, and L. H. Robins. 27 Sep 91, 50p
Contract N00014-90-F-0011

Keywords: Chemical reactions, Chemicals, Coefficients, Deposition, *Diamonds, Diffusion, Electrical resistance, Far infrared radiation, Frequency, Friction, Measurement, Modulus of elasticity, Optics, Permeability, Room temperature, Single crystals, Thermal conductivity, Transparencies, *Vapor deposition, *Chemical vapor deposition.

There is considerable interest in using diamond for numerous applications because of the development of methods that allow for the deposition of diamond by chemical vapor deposition (CVD) techniques over large areas. The interest in new applications for diamond rests on combinations of superior properties that diamond possesses. These extreme properties, which are based on measurements in bulk single crystal diamond, include greatest hardness, highest elastic moduli, and highest thermal conductivity at room temperature of any material. Other important properties include optical transparency over an extensive wavelength range from the ultraviolet through the far infrared, high electrical resistivity, dopability to be a semi-

conductor, low permeability to diffusion, chemical inertness, and low coefficient of friction.

101,107
PB91-167395 PC A05/MF A01
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD.
U.S. Assessment of the New Diamond Technology in Japan.
Special pub. (Final).
A. Feldman, and L. H. Schwartz. Jan 91, 100p NIST/SP-807
Also available from Supt. of Docs. as SN003-003-03067-8.

Keywords: *Diamonds, *Vapor deposited coatings, *Chemical vapor deposition, *Japan, Etching, Abrasives, Polishing, Reviews, Epitaxy, Ion implantation, Laser cutting, Cutting tools, Heat sinks, Electro-optics, Optical materials, Research projects, Lithography, International cooperation, Boron nitrides, Ceramics, Industrial engineering.

The assessment of Japanese diamond technology was undertaken at the request of the joint committees for implementation of the 1988 United States-Japan Agreement on Cooperation in Research and Development in Science and Technology under the auspices of the Committee on Materials, Office of Science and Technology Policy. The purposes of the study were to assess the level of scientific activity, areas of intended commercialization, progress in commercialization, the role of the Japanese government in assisting industry to exploit the new diamond technology, and the relative positions of Japan and the U.S. in all aspects of synthesized diamond technology. Japanese efforts were chosen for assessment because Japan is the apparent world leader in the drive for commercialization of the technology. The principal focus of the study was diamond produced by chemical vapor deposition, with a peripheral investigation of cubic boron nitride and diamond-like carbon. Based on the assessment, a set of conclusions and recommendations is presented. The assessment is based on site visits in Japan between May 28 and June 5, 1990.

101,108
PB91-195248 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD, Building Materials Div.
Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
Final rept.
T. Nguyen, and W. E. Byrd. 1988, 20p
Pub. in Proceedings of FATIPEC Congress (19th), v3 p255-274 1988.

Keywords: *Protective coatings, *Steels, *Polyurethanes, *Polyethers, *Corrosion mechanisms, Polymers, Construction materials, Fourier transformation, Infrared spectra, Degradation, Time dependence, Brittle materials, Dissociation, Reprints.

The degradation of one-component polyether polyurethane coatings on steel in corrosive environments was investigated using reflection/absorption Fourier transform infrared spectroscopy (FTIR-RA). Coatings of about 2 micrometers were applied uniformly to the mechanically polished (0.25 micrometer) cold-rolled steel substrates using a spin coater. After curing at room conditions, the coated specimens were exposed to an aerated 40C and 80% RH environment. The studies showed that considerable chemical changes occurred in the structure of the coating after 8 months exposure to the exposure environment. Besides changes in the intensities of the amino, carbonyl and isocyanate groups, some of the hydrogen bonded amino groups also become dissociated. Exposure in the environment also results in extensive brittleness and crazing in the polyurethane coatings. The competitive formation and degradation reactions of various chemical groups in polyurethane during exposure will also be discussed.

101,109
PB91-203729 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD, Building Materials Div.
Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study.
Final rept.
T. Nguyen, W. E. Byrd, and D. P. Bentz. 1988, 18p
See also PB88-175518.
Pub. in Proceedings of FATIPEC Congress (19th), v2 p229-246 1988.

Keywords: *Polymeric films, *Epoxy resins, *Steels, *Coatings (Materials), Thickness, Characterization, Thin films, Spectrum analysis, Infrared spectra, Calculation methods, Fourier transformation, Theories, Substrates, Absorptivity, Reflection, Transmission, Comparative evaluation, Reprints.

The study examines, both theoretically and experimentally, the effects of film thickness and angle of incidence on band shape intensities of an epoxy coating on a steel substrate. Crosslinked epoxy films between 10nm and 25 micrometers were uniformly spin coated on 25x25mm, mechanically polished (0.25 micrometers), cold-rolled steel samples. The most intense band of an epoxy coating, the 1510 1/cm band, was used for the study. There is a good linearity between band intensity and film thickness up to about 200nm; above that it deviates from Beer-Lambert law. Above 250nm, the theory underestimates the intensity and in this range a power law expression is more useful to estimate film thickness from the peak height of a FTIR-RA spectrum. For thin films (100nm), the theory agrees very well with experimental results on the relationship between band intensity and angle of incidence. However, for thick films the theory underestimates the intensity at low angles of incidence and overestimates at high angles of incidence, particularly in the micrometer thickness range. There are certainly some differences between the spectrum of an epoxy on steel substrate obtained by the FTIR-RA technique and that of a film on NaCl obtained by the transmission technique. These differences become quite pronounced in thick films.

101,110
PB91-204073 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD, Metallurgy Div.
Magnetic Properties of Iron/Silica Gel Nanocomposites.
Final rept.
R. D. Shull, J. J. Ritter, A. J. Shapiro, L. J. Swartzendruber, and L. H. Bennett. 1989, 6p
Pub. in Materials Research Society Symposium Proceedings, v132 p179-184 1989.

Keywords: *Silica gel, *Iron, *Particulate composites, *Magnetic properties, *Paramagnetic materials, Matrix materials, Spin glass, Homogeneous mixtures, X-ray diffraction, Porosity, Particle size, Mossbauer effect, Spectrum analysis, Heating, Temperature dependence, Hydrogen, Ammonia, Superparamagnetism, Reprints, *Nanocomposites.

Homogeneous gelled composites of iron and silica containing 5-30 wt. % Fe have been prepared by low temperature polymerization of aqueous solutions of ferric nitrate, tetraethoxysilane, and ethanol (with an HF catalyst). X-ray diffraction data indicated that these bulk materials are comprised of nanometer-sized regions of iron compounds embedded in a silica gel matrix. Scanning electron microscopy observations show that this matrix is characterized by the presence of many interconnected pores and that the size of these pores is related to the particle size of the Fe-containing regions. The paramagnetic nature of these materials at room temperature, as well as small size of the iron-containing regions, is indicated by the appearance in many of the sample of only a high intensity central doublet in the (57) Fe Mossbauer spectra. The Mossbauer effect data indicated that the form of the iron can be changed by a subsequent treatment in an atmosphere of ammonia or hydrogen at elevated temperatures. In addition, magnetic susceptibility measurements indicated that the hydrogen treated material becomes a spin glass at low temperatures.

101,111
PB91-237669 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD, Ceramics Div.
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
Final rept.
P. B. Vandiver, L. A. Cort, and C. A. Handwerker. 1989, 42p
Pub. in Ceram. Civiliz. 4, p347-388 1989.

Keywords: *Ceramic glazing, *Archaeological specimens, *Glazed ware, *Porcelain, Korea, China, Technology transfer, Comparison, Reprints, *Celadon.

Korean celadon glazes remained quite constant in visual appearance and technology during the Koryo

dynasty (A.D. 918-1392), the result of a conservative craft workshop tradition which supplied green-glazed wares for the court, and they changed very little during the early Choson dynasty (fifteenth century) when they became a popular ware. The technological feat is contrasted with the diversity in visual appearance and ceramic technology found in Chinese celadons. The potential interactions of these traditions are explored.

101,112
PB92-116813 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.
Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
Final rept.
H. P. R. Frederikse, and X. T. Ying. 1988, 4p
Pub. in *Applied Optics* 27, n22 p4672-4675 1988.

Keywords: *Thermal conductivity, *Coatings(Materials), *Metal oxides, *Ceramics, Photothermal conversion, Nondestructive tests, Substrates, Radiometers, Reprints, Thermal waves.

Optical generation and optical detection of thermal waves are being used to determine the thermal properties of oxide coatings on metal substrates.

Composite Materials

101,113
AD-A231 778/2 PC A03/MF A01
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.
Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite.
Technical rept. 1 Feb 89-1 Feb 91.
M. R. Stoudt, E. Escalante, and R. E. Ricker. 12 Feb 91, 14p
Contract N00014-89-F-0072

Keywords: Absorption, Degradation, Desorption, Epoxy compounds, Glass, High pressure, Intervals, Matrix materials, Mechanical properties, Orientation(Direction), Pressure, Sampling, Water, Weight, *Composite materials.

The influence of exposure to water at ambient pressure and at an elevated pressure on the mechanical properties of a glass fiber epoxy matrix composite was investigated. The mechanical properties of three orientations of the composite were determined in the dry condition, after exposure to water at ambient pressure and after exposure to water at 5.9 MPa. Then, to determine the mechanism of the observed degradation, the mechanical properties of samples exposed at the two pressures were determined after the absorbed water was removed. The rate and extent of water absorption and desorption was evaluated by measuring the weight change at periodic intervals.

101,114
AD-A239 509/3 PC A03/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Corrosion Group.
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
Technical rept. no. 2, 1 Feb 89-1 Feb 91.
M. R. Stoudt, E. Escalante, and R. E. Ricker. Jul 91, 30p
Contract N00014-89-F-0072

Keywords: Absorption, *Composite materials, Degradation, Desorption, Dry materials, Epoxy compounds, Exposure(General), Fibers, Graphited materials, High pressure, Intervals, Matrix materials, Mechanical properties, Moisture, Orientation(Direction), Pressure, Sampling, Strength(Mechanics), Water, Weight, Wet strength, Yield strength, *Glass, *Graphite epoxy composites, *Epoxy composites, Hydrostatic pressure, Water absorption, Moisture content, Fiber reinforced composites, Polymers, Plasticity, Glass fibers.

The influence of exposure to water at ambient pressure and at elevated pressure was evaluated on the mechanical properties of a glass fiber-epoxy matrix composite and a graphite fiber-epoxy matrix composite. The mechanical properties of three different fiber orientations for each material were measured in the dry condition, after exposure to water at ambient pres-

sure and after exposure to water at 5.9 MPa. In order to determine if the observed degradation was permanent, the mechanical properties were also measured after the absorbed water was removed. During exposure, the rate and extent of water absorption and desorption was evaluated by measuring the weight change at periodic intervals. Substantial reductions in the yield strength and ultimate strength were observed in the wet condition for the glass epoxy samples at both pressures, while the strength of the graphite epoxy composite was found to be insensitive to the water exposure. The wet strength of the glass epoxy composite was found to be independent of water pressure during absorption and upon desorption, complete recovery of the dry strength was demonstrated. Evidence of compression-induced failure was observed for the graphite-epoxy composite in the wet condition.

101,115
PB91-132191 PC A05/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD.
Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
C. Johnson, S. S. Chang, and D. Hunston. Dec 90, 87p NISTIR-4461
See also PB88-179882.

Keywords: *Thermosetting resins, *Composite materials, *Fiber composites, *Meetings, Processing, Molding techniques, Pressing(Forming), Filament winding, Preimpregnating, Standards, Heat transfer, Delaminating, Creep properties, Fatigue life, Environmental tests, Microstructure, *Polymer matrix composites, *Resin matrix composites, Prepregs, Solid-Solid interfaces.

Industry representatives identified the most important processing methods, and scientific and technical barriers to improved polymer composite processing. Two processing methods were selected as most important: pressure molding and liquid molding. Seven scientific and technical barriers to the full exploitation of these processing methods were identified. The three highest priority items are the need to understand and control resin flow and fiber orientation, to develop process monitoring sensors for on-line control, and to understand and control the fiber-matrix interface. The remaining areas where there is a need for improvement are data validation and testing standards, determination and control of morphology, surface quality and dimensional stability, and understanding of heat flow. The Workshop also identified and prioritized eight technologies that complement processing and are important for the future. The three highest ranked items were fiber placement, new methods to prepare prepreg, and joining. The remaining items are preform preparation, recycling, environmental safety, tooling, and alternate sources of energy. The majority of people at the Workshop felt that thermosets were still the dominant resin system in most applications. The Workshop also selected seven performance issues that they felt were critical for the future: impact, environmental attack, delamination, dimensional changes, thermal stability, fatigue, and creep.

101,116
PB91-147090 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates.
Final rept.
M. Y. M. Chiang, and H. K. Stolarsky. 1990, 14p
Pub. in *Proceedings of Technical Conference on Composite Materials* (5th), East Lansing, MI., June 11-14, 1990, p336-349.

Keywords: *Laminates, *Stress intensity factors, Composite materials, Singularity, Reprints.

The study explains the relative importance of two types of stress singularities ($r(\sup \delta)$ and $\log r$), which may occur at the free edge of laminates. The $r(\sup \delta)$ singularity and $\log r$ singularity are merged to describe the edge effects of composite laminates. A combination of asymptotic analysis, which gives the strength of the singularity, and enriched finite element method (global/local technique) is used to solve a complete boundary value problem. The numerical results have been obtained for three different composite laminates: (45 deg/-45 deg) laminate, (90 deg/15 deg) laminate and (-15 deg/75 deg) laminate. It is concluded that the inclusion of the additional weaker singularity ($\log r$) may significantly change the value of the

stress intensity factor based on consideration of the strong singularity ($r(\sup \delta)$) alone.

101,117
PB91-159178 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.
Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites.
Final rept.
R. D. Shull, and J. J. Ritter. 1990, 6p
Pub. in *Materials Research Society Symposium Proceedings*, v195 p435-440 1990.

Keywords: *Composite materials, *Iron compounds, *Silica gel, *Spin glass, *Polymers, Magnetic properties, Paramagnetic materials, Magnetic permeability, Measurement, Cryogenics, Anisotropy, Ferromagnetic materials, X-ray diffraction, Mossbauer effect, Electron microscopy, Reprints, *Nanocomposites.

Homogeneous gelled composites of iron and silica containing 5.40 wt.%Fe prepared by low temperature polymerization of aqueous solutions of ferric nitrate, tetraethoxysilane, and ethanol (with an HF catalyst) were heated to 380 C in the presence of hydrogen gas. X-ray diffraction and Mossbauer effect measurements, and transmission electron microscope (TEM) observations show these materials are comprised of nano-meter-sized regions of iron compounds embedded in a silica gel matrix. Magnetic susceptibility data indicate the materials became either superparamagnetic or ferromagnetic at room temperature. On cooling, the magnetization data furthermore show that the hydrogenated materials containing 11-30%Fe become magnetic spin glasses at temperatures less than 30K. Magnetic history effects are observed in addition to displaced hysteresis loops below their spin freezing temperatures (T_f). For field-cooled materials at 10 K, the displacement of the hysteresis loops along the field axis indicates the presence of a unidirectional anisotropy which decreases with the cooling field. Both superparamagnetic-to-spin glass and ferromagnetic-to-spin glass transitions are observed in these nanocomposites. T_f varies with the Fe content from approximately 30 K for the 11%Fe nanocomposite to approximately 10 K for a content near 33%Fe.

101,118
PB91-162180 Not available NTIS
National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.
Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension.
Final rept.
R. D. Kriz, and J. D. McColskey. 1990, 7p
Sponsored by National Aeronautics and Space Administration, Moffett Field, CA. Ames Research Center.
Pub. in *Advances in Cryogenic Engineering* (Materials) 36, p921-927 1990.

Keywords: *Aluminum oxide, *Fiber composites, *Ceramic matrix composites, Cryogenics, Compression tests, Low temperature, Thermoplastics, Fracture strength, Fatigue, Tension tests, Shear tests, Peek, Reprints.

A new Al₂O₃ (alumina) fiber composite with high strain to failure was fabricated with a thermal plastic PEEK (poly-ether-ether-ketone). The Al₂O₃-PEEK composite shows a marked improvement over thermally setting composite in that it absorbs 150 percent more elastic strain energy at 76 K than at room temperature. This increase in fracture toughness at low temperatures can provide improved fatigue performance for thermal isolation straps at low temperature. Other mechanical property results suggest improvements for applications where graphite-epoxy materials are presently being used at low temperatures and where light weight is not a critical issue.

101,119
PB91-174656 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.
Emissivity of Aluminized Mylar.
Final rept.
S. R. Domen. 1991, 3p
Pub. in *Radiation Physics and Chemistry* 37, n2 p199-201 1991.

Keywords: *Thermal insulation, *Polyethylene terephthalate, *Aluminum coatings, Calorimeters, Com-

MATERIALS SCIENCES

Composite Materials

posite materials, Plastics, Graphite, Thermal emission, Polymeric films, Metallizing, Reprints.

Commercially-available aluminized Mylar, 6 micrometers thick, is a useful material for reducing heat losses by thermal radiation in some calorimeters, such as those constructed of graphite or A-150 plastic. The present experiment shows that clean aluminized layers have a thermal emissivity near 0.044.

101,120

PB91-174946

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites.

Final rept.

R. D. Kriz, and J. M. Gary. 1990, 8p

Pub. in Review of Progress in Quantitative Nondestructive Evaluation, v9 p125-132 1990.

Keywords: *Stress waves, *Wave propagation, *Computerized simulation, *Finite difference method, *Composite materials, Nondestructive tests, Supercomputers, Finite element method, Elastic waves, Wave phases, Reflection, Reprints.

Based on previous results by finite elements the authors have extended their studies to include a fourth order splitting finite difference scheme of MacCormack. The finite difference method has allowed the authors to solve much larger problems. With a finite element method a mesh with 16458 degrees of freedom was solved in 2.2 hours on the NIST Cyber 205. With the finite difference scheme a mesh with 221502 degrees of freedom was solved in 70 seconds without using the full memory capacity of the Cyber 205. With this improved numerical method more accurate stress wave propagation simulations were possible. The authors studied some interesting phenomena observed in previous studies where the mesh was too coarse to conclude meaningful results. They studied the reflection of a single pulse in an off-axis unidirectional graphite/epoxy composite where the large deviation angle of the propagating wave resulted in a short lived surface wave shift of the reflected wave. A colored movie of this phenomena shows L, q_L , q_t and t modes and other physical phenomena not predicted by simple plane-wave theory.

101,121

PB91-185116

PC A09/MF A01

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.

Special pub. (Final).

V. K. Tewary, and R. D. Kriz. Mar 91, 186p NIST/SP-802

Also available from Supt. of Docs.

Keywords: *Stress analysis, *Free surfaces(Crystallography), *Composite materials, Binary system(Materials), Greens function, Elastic properties, Loads(Forces), Grain boundaries, Equations, Solid-solid interfaces, Plane strain, Free edge effect.

The paper is in two parts. In Part I, the St Green's function is calculated and applied to plane-strain problems in cubic solids. In Part II, an extension of the Green's function method to the generalized-plane-strain problem is described, which enables the calculation of the elastic response of a solid to a prescribed out-of-plane strain. It is applied to calculate the stress distribution in a composite solid subjected to an out-of-plane load. The final results are in the form of an analytical closed integral representation which can be calculated numerically as well as analytically. The analytical evaluation of the integral by using the contour integration method gives the result in the form of a series. The series contains singular as well as non-singular terms. In general, it is difficult to ascertain the convergence of the series representation. The analytical series representation can be used to identify precisely the nature and the weight of each singularity in the stress distribution.

101,122

PB91-187336

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Interlaminar Shear Fracture of Laminated Composites.

Final rept.

H. Chai. 1990, 15p

Pub. in International Jnl. of Fracture 43, p117-131 1990.

Keywords: *Resin matrix composites, *Composite materials, *Fracture mechanics, Fracture strength, Electron microscopy, Surface energy, Adhesion, Plasticity, Deformation, Performance prediction, Reprints, Interlaminar shear.

The interlaminar fracture toughness in mode II and mode III of a number of advanced composites was studied using beam type test specimens and scanning electron microscopy. Special emphasis was placed on elucidating the material aspects of the fracture process and on quantifying the effect of matrix on fracture energy. The fracture energy in mode II was independent of crack extension while that for mode III exhibited a rather probabilistic 'resistance' behavior that was attributed to the effect of fiber bridging. The initiation fracture energy, considered here the true measure of G(IIIc), coincided with G(IIc). For either mode, the interlaminar region ahead of the crack tip exhibited considerable plastic deformations, the severity that is believed to control the laminate toughness. The interlaminar fracture energy in shear, hereby denoted as G(sc) (=G(IIc)=G(IIIc)), was accurately predicted from a straightforward adhesive joint fracture test provided the adhesive thickness coincide with the thickness of the interlaminar resin layer.

101,123

PB91-194878

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach.

Final rept.

H. Ledbetter, and M. Lei. 1990, 3p

Pub. in Proceedings of Ultrasonics Symposium, Honolulu, HI., December 4-7, 1990, p1267-1269.

Keywords: *Fiber composites, *Elastic properties, *Metal matrix composites, *Graphite composites, *Ultrasonic tests, Measurement, Methodology, Magnesium, Reprints.

Composites reinforced with uniaxial fibers often possess transverse-isotropic symmetry and, therefore, five independent elastic constants: C11, C33, C44, C66, C13. (X3 is the fiber direction, X1 the plate-normal direction.) Measurements on a single specimen along principal axes give all the Cij except C13. To get C13, the usual approach is to propagate waves in nonprincipal directions such as (110). A fresh approach is proposed that requires measurements only along principal directions: <100>. The approach also avoids the thin-plate problem, where measuring C22 and C33 may be difficult. In the new approach, a pulse-echo (megahertz-frequency) method is used to measure C11, C44, C66. (All three involve waves propagating along X1, through the plate.) A resonance (kilohertz-frequency) method is used to measure two elastic compliances: S11 and S33, S44, and S12 come from simple formulas containing C44 and C66. S13 comes from a relatively simple formula containing S11, S12, S33, and C11. The new approach is applied to a graphite-magnesium composite.

101,124

PB91-195362

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Reduction in Sintering Damage of Fiber Reinforced Composites.

Final rept.

C. P. Ostertag. 1990, 8p

Pub. in Ceramic Transactions 7, p745-752 1990.

Keywords: *Sintering, *Fiber composites, *Ceramic matrix composites, *Fracture mechanics, *Residual stress, Stress tests, Crack propagation, Loads(Forces), Compression tests, Processing, Reprints.

Sintering of fiber reinforced composites results in the creation of residual stresses. Previous experiments revealed that these stresses initiate in the early stage of sintering usually during the heating cycle, and may be responsible for the sintering damage observed in fiber-reinforced composites. Processing techniques were developed to reduce stress generation during the heating cycle by applying uniaxial compressive

stresses in the range of 0.5 MPa to 2.3 MPa to the green composites and compare the results with composites under no load. The application of a compressive load increases the matrix density and hence, after the load is removed, the critical stress necessary for crack formation is increased. No sintering damage such as crack formation was observed after the composites were subjected to a compressive stress of 1.5 MPa.

101,125

PB91-202952

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.

Final rept.

U. V. Deshmukh, A. Kanei, S. W. Freiman, and D. C. Cranmer. 1988, 6p

Pub. in Materials Research Society Symposium Proceedings, v120 p253-258 1988.

Keywords: *Interfacial tension, *Thermal expansion, *Fiber composites, *Ceramic fibers, *Glass, *Matrix materials, Carbon fibers, Silicon carbides, Sliding friction, Borosilicate glass, Silica glass, Alkali glass, Moisture content, Shear strength, Stress tests, Wetting, Reprints, Fiber pull-out.

Single fiber pull-out tests can be used to directly measure the fiber-matrix interfacial shear stress in glass matrix composites. The system under investigation consisted of a soda-lime-silica glass matrix containing SiC monofilaments with a carbon-rich surface. The presence of the carbon-rich layer on the surface of the fibers makes them non-wetting to most glasses; hence the fibers are held in the matrix only by frictional forces acting at the interface. The mechanical gripping responsible for the force can be changed by manipulating the glass matrix/fiber thermal expansion coefficient mismatch. Frictional stresses (τ) and friction coefficients (μ) obtained for SiC monofilaments in a soda-lime-silica glass matrix were compared with previously obtained data on a borosilicate glass matrix ($\tau = 2-3$ MPa, $\mu = 0.72$ or -0.36). For the soda-lime-silica system, τ 's of 4-20 MPa and μ of 0.10 or -0.03 were obtained. τ in the soda-lime-silica system is higher due to the larger difference in thermal expansion mismatch between the fiber and matrix. The differences in μ may be due to lubrication effects caused by water at the fiber-matrix interface.

101,126

PB91-203059

Not available NTIS

National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.

Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.

Final rept.

D. W. Fitting, and A. V. Clark. 1989, 8p

Sponsored by National Research Council of Canada, Ottawa (Ontario).

Pub. in Proceedings of International Symposium on Nondestructive Characterization of Materials (3rd), Saarbruchen, FRG, October 3-6, 1988, p91-98 1989.

Keywords: *Anisotropy, *Elastic properties, *Ultrasonic tests, *Piezoelectric gages, *Materials tests, On-line measurement systems, Monitors, Measurement, Arrays, Graphite-epoxy composites, Phase velocity, Nondestructive tests, Receivers, Reprints.

A robust technique has been developed for determining the elastic constants of an anisotropic material and for on-line monitoring of changes in the elastic properties. Use of an array of small piezoelectric elements as the receiver permits gathering information on the angle-of-arrival of the ultrasonic beam as well as the arrival time. On-line monitoring of changes in the elastic properties of a material is carried out by directing an ultrasound beam from a stationary transmitting transducer into the sample in a specified direction. Alterations in the stiffness constants of the material (as a result of such things as moisture absorption) will cause the direction of the energy flux to deviate. These deviations are readily monitored with the array of receivers. The arrays fabricated for monitoring elastic properties and the electronics required to process their signals are described herein. Use of the arrays for measuring the quasilongitudinal and quasitransverse wave fields in an anisotropic material (graphite-epoxy composite) is described and the importance of the measurement in correctly determining group and phase velocities is discussed.

101,127
PB91-203687 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg,
 MD. Ceramics Div.

Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.

Final rept.
 S. V. Nair, K. Jakus, and C. Ostertag. 1988, 6p
 Pub. in Proceedings of Annual Conference on Composites and Advanced Ceramic Materials (12th), p681-686 1988.

Keywords: *Composite materials, *Ceramic matrix composites, *Ceramic fibers, *Fracture mechanics, Aluminum oxide, Silicon carbides, Crack arrest, High temperature tests, Fiber composites, Interfacial tension, Time dependence, Bridging, Temperature dependence, Loads(Forces), Borosilicate glass, Coatings(Materials), Crack propagation, Reprints, Fiber pull-out.

Glassy alumina reinforced with continuous SiC fibers and pure alumina reinforced with SiC fibers with and without a coating of a borosilicate glass were studied in this investigation. The experimental component involved conducting constant displacement rate and constant load tests at approximately 1000 C. These tests were interrupted at various times to examine crack morphology changes with temperature and time dependent effects on fiber bridging of cracks. A significant result was that cracks were found to open in a time dependent fashion by fiber pull out prior to eventual failure. It is shown that such a time dependent interfacial slip can be modeled based on viscous slip in a glassy layer at the fiber/matrix interface.

101,128
PB91-237123 Not available NTIS
 National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Differential Sintering.

Final rept.
 C. Ostertag. 1991, 7p
 Pub. in Science of Sintering, p453-459 1991.

Keywords: *Ceramic matrix composites, *Fiber composites, *Sintered materials, Stress relaxation, Stress tests, Crack initiation, Fracture mechanics, Ceramic coatings, Aluminum oxide, Reprints.

The paper discusses an extreme example of differential sintering, namely sintering of fiber-reinforced composites. The stress that develops during sintering of composites initiate during the heating cycle, where the matrix has a low density and, hence, a low strength. Crack formation occurs mainly during the stage of sintering. Stress relaxation methods by coating the fibers with coarse-grained alumina particles is being discussed.

101,129
PB91-237321 Not available NTIS
 National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Fracture and Deformation Div.

Change in Magnetic State of Fe+Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.

Final rept.
 R. D. Shull, J. J. Ritter, and L. J. Swartzendruber. 1991, 3p
 Pub. in Jnl. of Applied Physics 69, n8 p5144-5146, 15 Apr 91.

Keywords: *Magnetic materials, *Iron compounds, *Silica gel, *Composite materials, *Nanostructures, Ferromagnetic materials, Polymerization, Ambient temperature, Aqueous solutions, Superparamagnetism, Mossbauer effect, Hydrogen, Ammonia, Annealing, Spin glass, Reprints.

Homogeneous gelled composites of iron and silica containing 11-40 wt. % Fe were prepared by room temperature polymerization of aqueous solutions of ferric nitrate, tetraethoxysilane, and ethanol (with an hydrogen fluoride catalyst). The effect on the magnetic state of these nanocomposites following a low temperature ($T < 400$ C) treatment in 1 atm of ammonia (after a prior anneal in 1 atm of hydrogen) is presented, along with the dependence on the H₂ pretreatment. In all cases the room temperature Mossbauer spectra for the material in the NH₃-treated and H₂-pretreated conditions were similar. However, when treated in H₂ at 770 C (2 h) the Mossbauer spectra also contained a significant component having a large isomer shift (1.3 mm/s) and quadrupole splitting (3.2 mm/s). The material

was also slightly ferromagnetic at all temperatures below 300 K. For materials pretreated in hydrogen below 400 C, a threefold enhancement in the magnetic susceptibility was measured following treatment in ammonia. In addition, both the field and temperature dependence of the susceptibility indicated the presence of spin-glass behavior at 10 K for NH₃-treated samples containing up to 40% Fe. At room temperature, these latter ammonia-treated nanocomposites were either superparamagnetic (Fe contents, C(sub Fe) up to 25%) or ferromagnetic (C(sub Fe) < 25%).

101,130
PB92-117258 Not available NTIS
 National Inst. of Standards and Technology (CSTL), Boulder, CO. Chemical Engineering Div.

Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.

Final rept.
 D. L. Rule, and L. L. Sparks. 1990, 15p
 See also PB89-218358.
 Pub. in Proceedings of International Thermal Conductivity Conference (21st), Lexington, KY., October 15-18, 1989, p671-685 1990.

Keywords: *Thermal conductivity, *Peek, *Epoxy matrix composites, *Polymer matrix composites, *Resin matrix composites, *Fiber composites, Temperature dependence, Aluminum oxides, Ceramic fibers, Thermal cycling tests, Orientation, Measurement, Reprints.

The thermal conductivities of poly-ether-ketone (PEEK), of alumina fiber in a matrix of PEEK, and of alumina fiber in a matrix of epoxy were determined along with the effects of fiber orientation and thermal cycling. Thermal conductivity was measured over the temperature range 4.2 to 310 K using a steady-state apparatus. These data are presented and discussed relative to specimen characteristics. After different fiber fractions in the specimens were accounted for, the thermal conductivity of the PEEK composite material is less than that of the epoxy composite material in particular temperature ranges for the heat flow parallel to the fiber direction.

101,131
PB92-117332 Not available NTIS
 National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.

Final rept.
 R. D. Shull, J. J. Ritter, A. J. Shapiro, L. J. Swartzendruber, and L. H. Bennett. 1991, 6p
 Pub. in Materials Research Society Symposia Proceedings, v206 p455-460 1991.

Keywords: *Ceramic matrix composites, *Gels, *Aluminum oxides, *Polymerization, *Iron compounds, Magnetic materials, Iron nitrates, Aqueous solutions, Vitreous state, Alcoholates, Ferromagnetism, Nitric acid, Electron microscopy, X-ray diffraction, Mossbauer effect, Embedding, Magnetic permeability, Temperature dependence, Hydrogen, Reduction(Chemistry), Paramagnetism, Reprints, Nanocomposites.

Homogeneous gelled composites of iron and vitreous alumina containing 10-40% Fe have been prepared by room temperature polymerization of aqueous aluminum alkoxide solutions containing ferric nitrate and nitric acid at low pH. Scanning electron microscopy, x-ray diffraction, and Mossbauer spectroscopy demonstrated that this bulk material is comprised of nanometer-sized regions of iron compounds embedded in a vitreous alumina gel matrix. Magnetization data showed that in the as-cured condition these nanocomposites are paramagnetic at room temperature and become either superparamagnetic or ferromagnetic on cooling to 10 K. The magnetic susceptibility increased with the Fe content and with decreasing temperature. Analysis of the temperature dependence of the magnetic susceptibility indicated the magnetic moment per Fe atom was 1.87 for the 10% Fe nanocomposite and that it increased linearly with composition to 1.96 for the 40% Fe material. Mossbauer effect data showed that subsequent treatment of these materials in a gaseous environment of hydrogen at elevated temperatures ($T < 400$ C) changed the form of the iron in the magnetic regions. These results are compared to that observed for similar nanocomposites prepared using a silica gel matrix.

Corrosion & Corrosion Inhibition

101,132
PB91-134700 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.

Final rept.
 P. Sung, and A. C. Fraker. 1987, 10p
 Pub. in Proceedings of Conference on Environmental Degradation of Engineering Materials III, University Park, PA., April 13-15, 1987, p471-480.

Keywords: *Cobalt alloys, *Chromium alloys, *Molybdenum alloys, *Corrosion alloys, Surgical transplantation, Implantation, Orthopedics, Passivity, Bones, Joints(Anatomy), Reaction kinetics, Surface chemistry, Protective coatings, Fatigue life, Reprints.

The cobalt-chromium-molybdenum (Co-Cr-Mo) alloy is used widely as an orthopedic surgical implant material. In-vivo degradation of the alloy due to corrosion or corrosion fatigue can lead to metal ion release into the body or fracture of the device. The continual destruction of the protective film can promote crack formation and thereby cause fracture of the implant. Scully, and Ambrose and Kruger were among the earliest workers to emphasize the importance of passive film and repassivation results in the metal ions adjacent to the ruptured films being dissolved before another protective film can be formed. However, if the repassivation rate is much faster than the rate of film rupture, metal ions may not be dissolved, and corrosion may not occur. By monitoring the current transient after a bare metal surface is formed by abrading, while maintaining a constant potential with a potentiostat, the repassivation kinetics can be measured.

101,133
PB91-149047 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking.

Final rept.
 E. N. Pugh, and M. J. Kaufman. 1986, 11p
 Pub. in Proceedings of Materials Technology Congress, Adelaide, Australia, May 19-21, 1986, v2 p1-11.

Keywords: *Stress corrosion, *Metals, *Fracture mechanics, *Transgranular corrosion, Crack propagation, Cleavage, Embrittlement, Shear strength, Precipitation hardening, Reprints.

A new approach to improving the resistance of alloys to transgranular SCC is described. It is based on the view that this important service failure occurs by discontinuous cleavage and that resistance to this form of cracking can be achieved by impeding the formation of steps between parallel but displaced cleavage facets. It is suggested that the steps in the case of susceptible alloys are produced by plastic shearing on slip planes, and that this low energy process can be restricted either by ensuring that ready cross-slip can occur (by avoiding low stacking fault energy and short range order) or by increasing the shear strength by precipitation hardening. This approach does not affect the intrinsic susceptibility of the material but is designed to impart resistance by inhibiting crack propagation. The approach also provides new insight into the mechanism of the embrittlement process.

101,134
PB91-150078 Not available NTIS
 National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.

Concepts of Underground Corrosion.

Final rept.
 E. Escalante. 1989, 14p
 Pub. in Effects of Soil Characteristics on Corrosion, ASTM STP 1013, p81-94 1989.

Keywords: *Metals, *Electrochemical corrosion, *Soil properties, *Steels, Soil microbiology, Electrical resistivity, Aeration, Oxygenation, Reprints.

Corrosion in soil is a complex phenomenon, but there are some basic concepts that are useful in understanding the process. Underground corrosion is electrochemical in character, and this fact is used to describe the corrosion process in terms of an ordinary dry cell. The differences between corrosion in disturbed and undisturbed soil are discussed, and data

MATERIALS SCIENCES

Corrosion & Corrosion Inhibition

are presented to emphasize these differences. The results reveal that soil composition is less important than soil resistivity, but both are subordinate in importance to oxygen availability. Thus, corrosion is negligible in undisturbed soils where oxygen concentration is low.

101,135

PB91-158667

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Corrosion Testing in Soil.

Final rept.

E. Escalante. 1987, 4p

Pub. in Metals Handbook, v13 p208-211 1987.

Keywords: *Corrosion tests, *Soils, *Metals, Measurement, Underground corrosion, Sampling, Oxygen, Design criteria, Reprints.

An approach to evaluating the durability of a metal in soil will be described. Specimen design, preparation, burial, and retrieval techniques will be discussed. The type of information sought during soil-induced corrosion evaluation controls the design configuration and the nature of the corrosion measurements. Consideration of these factors during the planning stage will help the corrosion engineer obtain a maximum amount of information with a minimum number of future problems in the program. The corrosion of metals underground can be divided into two broad categories: corrosion in undisturbed soils and corrosion in disturbed soils. Corrosion in undisturbed soil is always low, regardless of soil conditions, and is limited only by the availability of the oxygen necessary for the cathodic reaction. Steel piles driven into soil fall under this category and therefore undergo limited corrosive attack.

101,136

PB91-174714

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Measuring the Corrosion of Metals in Soil.

Final rept.

E. Escalante. 1990, 13p

Pub. in Corrosion Testing and Evaluation: Silver Anniversary Volume, ASTM STP 1000, p112-125 1990.

Keywords: *Soils, *Underground corrosion, *Copper, Corrosion tests, Measurement, Polarization, Galvanic corrosion, Alternating current, Pile structures, Reprints.

Polarization resistance and galvanic current measurements, used for underground corrosion studies, are described, and problems encountered in making these measurements in the field, along with solutions, are discussed. Polarization measurements, supported by physical measurements, have shown that induced alternating current increases the corrosion rate of copper concentric neutrals compared to copper neutrals without ac. These measurements also revealed that driven piles undergo less corrosion attack than similar piles in backfilled trenches. Galvanic current measurements provide valuable information on the behavior of galvanically coupled materials and can be used to compare the corrosivity of soil environments.

101,137

PB91-175182

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.

Final rept.

R. E. Ricker, J. L. Fink, and A. K. Vasudevan. 1991, 4p

Pub. in Metallurgical Transactions A 22A, p264-267 Jan 91.

Keywords: *Aluminum alloys, *Lithium alloys, *Stress corrosion cracking, Grain boundaries, Precipitates, Precipitation hardening, Microstructure, Heat treatment, Copper alloys, Binary alloys, Ternary alloys, Yield strength, Fracture mechanics, Reprints.

The stress corrosion cracking (SCC) behavior of precipitation hardened alloys may depend on a large number of microstructural parameters that vary during fabrication and heat treatment such as grain size, grain boundary (gb) solute segregation, precipitate size, precipitate free zone, and matrix slip character. Since all of these factors vary simultaneously during normal heat treatments, it is difficult to assess independently the contribution of each microstructural factor to the SCC behavior of the alloy. In particular, a series of experiments were designed which would allow the evaluation

of the role of gb precipitates in the SCC behavior of Al-Li and Al-Li-Cu alloys independent of the other factors (such as matrix precipitate microstructure) that normally vary during aging treatments. For these experiments, the matrix precipitates of a binary Al-Li alloy were held constant, keeping the yield strength constant, while the gb precipitate size and volume percent were systematically varied. In contrast, to keep the yield strength of the ternary Al-Li-Cu alloy constant at the same level as the binary alloy, the matrix precipitate size and distribution were varied with the gb precipitate size.

101,138

PB91-187690

PC A03/MF A01

National Inst. of Standards and Technology (BFR), Gaithersburg, MD.

Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes.

J. R. Clifton, L. I. Knab, E. J. Garboczi, and L. X.

Xiong. Apr 91, 31p NISTIR-4549

Published in cooperation with Shanghai Research Inst. (China). Sponsored by Nuclear Regulatory Commission, Washington, DC.

Keywords: *Corrosion tests, *Reinforced concrete, *Composite materials, *Reinforcing steels, *Chlorine ions, Diffusion, Portland cements, Moisture content, Mathematical models, Service life, Performance prediction, Radioactive waste management, Low-level radioactive wastes.

Diffusion coefficients of 0.3 water to solids ratio (w/s) hydrated portland cement paste specimens were measured using a conventional diffusion cell. Specimens were made from both ASTM Type I and Type II portland cements and blends containing mineral admixtures (fly ash, granulated blastfurnace slag, or silica fume). The average diffusion coefficient for the portland cement paste specimens was $14 \times 10^{-13} \text{ sq m/s}$. The effects of the depth of concrete cover over reinforcing steel and of the chloride ion diffusion coefficient on the service life of reinforced concrete exposed to chloride ions were predicted based on a diffusion model. Based on the model, the effect of the cover was shown to be proportional to the square of the cover depth. A 10-fold decrease in the diffusion coefficient of concrete was predicted to result in a 10-fold increase in the predicted service life.

101,139

PB91-203588

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Materials Div.

Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography.

Final rept.

M. E. McKnight, and J. W. Martin. 1989, 6p

Contract NCEL-86WR60188

Sponsored by Naval Civil Engineering Lab., Port Hueneme, CA.

Pub. in Jnl. of Coatings Technology 61, n775 p57-62 Aug 89.

Keywords: *Protective coatings, *Structural steels, *Barrier materials, *Corrosion prevention, Corrosion products, Characterization, Weathering, Quantitative analysis, Thermography, Blisters, Infrared thermal detectors, Process variables, Air flow, Organic compounds, Thickness, Image analysis, Time dependence, Panels, Construction materials, Interfaces, Reprints.

Results of studies to assess the effect of several key experimental variables on the detection of blisters and corrosion spots at the interface of organic coatings and steel using infrared thermography are presented. Coating defects, such as blisters and corrosion spots, are detected as a result of differences in the thermal properties of degraded and non-degraded areas of a coated panel when a temperature gradient is induced through the thickness of the coated panel. The resulting thermographic image is then analyzed using computer image processing to determine size, location and extent of degradation. Therefore, the method provides a quantitative, nondestructive procedure for determining the extent of deterioration on coated metal panels. The results of the studies show that experimental variables such as the method of heating test panels, the panel temperature, the flow rate of air, the time between initiation of heating and acquisition of the thermographic image and the thickness of the organic coatings can affect the results.

Elastomers

101,140

PB91-132167

PC A03/MF A01

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.

Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.

B. C. Levin, E. Braun, J. R. Shields, and D. Lowe.

Oct 90, 39p NISTIR-4441

Sponsored by International Copper Research Association, Inc., New York, and Society of the Plastics Industry, Inc., New York.

Keywords: *Hydrogen cyanide, *Combustion products, *Copper compounds, *Foam rubber, *Polyurethane resins, Exhaust gases, Flammability testing, Toxicity, Thermal degradation, Respiration, Statistical analysis, Heat measurement, Ignition, Oxidation.

The report addresses the issue of whether the addition of a copper compound to a flexible polyurethane foam would affect the flammability characteristics of the foam. The following properties were examined: (1) ignitability in three systems (the NBS Toxicity Test Method, the Cone Calorimeter, and Lateral Ignition and Flame Spread Test (LIFT)), (2) heat release rate under small-scale (Cone Calorimeter) and medium-scale (furniture calorimeter), (3) smoke obscuration (Cone Calorimeter), and (4) rate of flame spread (LIFT). In all cases, no differences in flammability characteristics between the treated and untreated foam were observed.

101,141

PB91-195081

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.

Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.

Final rept.

G. B. McKenna, K. M. Flynn, and Y. Chen. 1988, 4p

Pub. in Polymer Communications 29, n9 p272-275 Sep 88.

Keywords: *Natural rubber, *Swelling, *Crosslinking, Networks, Benzene, Methyl ethyl ketone, Ethyl acetate, Acetone, Density(Mass/Volume), Elastic properties, Heat of mixing, Reprints, *Flory-Rehner hypothesis, *Flory-Huggins parameter, Dicumyl peroxide.

The Frenkel-Flory-Rehner (FFR) hypothesis that the elastic free energy of a swollen network is balanced by the free energy of mixing has been examined using experiments on dicumyl peroxide crosslinked natural rubber. Swelling was performed in good solvent (benzene) and poor solvent (Methyl ethyl ketone, Ethyl acetate, acetone) conditions crosslink density varied from 2.3×10^{-5} to 3.26×10^{-4} moles/cu m. Validity of the FFR hypothesis demands that the Flory-Huggins interaction parameter, χ , in the expression for the free energy of mixing be dependent upon the crosslink density, ν . Then it is found that there is an apparently universal relationship between the volume fraction of rubber, ν_2 , and the effective interaction parameter χ (effective), viz, $\nu_2 = \nu_2(\chi(\text{effective})) = \nu_2(\chi, \nu)$. The value of χ (effective) depends upon crosslink density as $\chi(\text{effective}) - \chi(0) = (\alpha/\nu)$ where for the natural rubber and solvents studied appears to be independent of solvent.

Fibers & Textiles

101,142

AD-A236 708/4

PC A02/MF A01

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films.

Interim rept.

E. N. Farabaugh, A. Feldman, and L. H. Robins. 12

Apr 91, 9p

Contract N00014-90-F-0011

Keywords: Chambers, Deposition, *Diamonds, Feeding, *Filaments, Films, Flow rate, Gas flow, Gases, Geometry, Growth(General), High rate, Hot wire, Morphology, Parameters, Pressure, Rates, Surface properties, Volume, Methane, Pyrolysis.

Scaleup of hot filament chemical vapor deposition of diamond films requires knowledge of how filament geometry affects the deposition process. The effect of multiple filament geometry on the growth rate and surface morphology of diamond films is presented. Three factors were varied: the number of helical turns in a filament - 5, 10 or 15; the number of filaments present -- 1 or 2; and the CH₄ fraction in the CH₄-H₂ feed gas mixture -- 0.25%, 0.5%, 0.75% or 1.0%. Other deposition parameters were 750 C substrate temperature, 52 standard cm³/m total feed gas flow rate, and 5300 Pa deposition pressure. The deposition chamber volume was 1.9 liters. Increasing the CH₄ concentration in the feed gas results in higher growth rates. However, increasing the number of filament turns in dual filament systems resulted in lower than expected growth rates for dual 10 and 15 turn filaments.

101,143

PB91-149948

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations.

Final rept.

R. D. Adams, and J. G. Hust. 1990, 27p

Sponsored by Oak Ridge National Lab., TN.

Pub. in *Insulation Materials, Testing, and Applications*, ASTM STP 1030, p263-289 1990.

Keywords: *Thermal insulation, *Thermal conductivity, *Interlaboratory comparisons, Cellulose, Rock wool, Glass fibers, Fabrics, Measurement, Precision, Bias, Fillers, Reprints.

The primary means of establishing the thermal performance of loose-fill insulation is ASTM Standard Practice C 687. To provide information for the development of a statement of precision and bias for the Standard Practice, a round robin was carried out by eleven laboratories measuring apparent thermal conductivity of four common loose-fill insulation products (cellulose, rock/slag wool, and bonded and unbonded glass fiber) and a glass fiber blanket. The test results on the glass fiber blanket indicate that the measurement capability of the participants can be characterized by an imprecision of 3.0%, as measured by two standard deviations, and a negligible bias of the mean. The measurements on the loose-fill materials are characterized by an imprecision ranging from 21% for cellulose to 10% for the rock/slag wool. The increase in imprecision for the loose-fill materials is attributed primarily to inadequately defined procedures for preparing and conditioning the specimens.

Iron & Iron Alloys

101,144

N91-20218/4

(Order as N91-20207/7, PC A05/MF A01)

National Bureau of Standards (IMSE), Gaithersburg, MD.

Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties.

R. D. Shull. Jan 90, 4p

In NASA, Langley Research Center, National Educators' Workshop: Update 1988. Standard Experiments in Engineering Materials Science and Technology p 47-50.

Keywords: Experimentation, *Low carbon steels, *Mechanical properties, *Metallurgy, Heat treatment, Low cost, Phase diagrams, Pins, Procedures, Students, Temperature effects, *Thermomechanical treatment.

The objective is to provide a low cost, simple experiment for either demonstration purposes or as a laboratory experiment that will teach the student the importance of the thermal-mechanical history of a metallic

alloy in determining that material's mechanical behavior. Hairpins are subjected to various treatments. The experimental equipment and procedures are discussed.

101,145

PB91-134627

Not available NTIS

National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.

Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.

Final rept.

T. A. Siewert, C. N. McCowan, and D. P. Vigliotti.

1990, 9p

Pub. in *Cryogenics* 30, p356-364 Apr 90.

Keywords: *Chromium nickel alloys, *Weldments, *Manganese alloys, *Cryogenics, Pipes(Tubes), Mechanical properties, Superconductors, Flanges, Tension tests, Tensile strength, Notch strength, Fatigue life, Failure, Thermal cycling tests, Loads(Forces), Reprints, *Stainless steel-304L, *Stainless steel-316L, *Superconducting super collider.

The mechanical properties of stainless steel tube-to-flange welds for a cryogenic piping application were measured. A planar specimen was developed to duplicate the constraint, loading and heat-sink properties of the circular joint, while reducing preparation time and cost. Specimens were evaluated containing welds between the tube material (21Cr-6Ni-9Mn) and the three stainless steels being considered for the flange materials: type 304L, type 316L and 21Cr-6Ni-9Mn. The mechanical property tests consisted of three phases: simple tensile testing to failure, tensile testing of notched specimens (where the notch simulated fabrication flaws) and fatigue testing of notched specimens for the 4 x 10(sup 4) cycle design life of the structure. The type 316L stainless steel flange produced welds with the best combination of strength and ductility at 295 and 4K in all three phases of testing.

101,146

PB91-147686

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Building Materials Div.

Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.

Final rept.

J. W. Martin, and D. P. Bentz. 1987, 18p

Pub. in *Proceedings of Symposium on Corrosion Protection by Organic Coatings*, v87-2 p179-196 1987.

Keywords: *Surface roughness, *Steels, *Panels, *Thermography, *Abrasive blasting, Abrasion, Surface properties, Roughness, Profilometers, Finishes, Blasting, Reprints.

A standard series of blasted steel panels were imaged with a thermographic camera and characterized with respect to surface roughness using fractal and depth mapping techniques. It was shown that the fractal dimensions of these blasted steel panels correlate very well with their perceived roughness and that a computer rendering of a fractal surface looks like a blasted surface. At present, depth mapping on blasted steel substrates is too complicated to perform; instead, a series of precision drilled and milled holes were used. For milled holes, a good relationship exists between thermographically and physically measured diameter and depth measurements. For drilled holes, a good relationship exists for diameter, but not depth, since the emission effects of hole depth and drill angle have not been separated out.

101,147

PB91-148106

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Study of the Galling of Two Steels Using Two Test Methods.

Final rept.

P. A. Swanson, L. K. Ives, E. P. Whitenon, and M. B. Peterson. 1988, 17p

Pub. in *Wear* 122, n2 p207-223, 1 Mar 88.

Keywords: *Tribology, *Steels, *Galling, Wear tests, Measurement, Carburizing, Quenching(Cooling), Comparison, Methodology, Reprints, *Steel-AISI-1541, *Steel-AISI-8620.

The galling behavior of two heat treated steels, AISI 1541 and 8620, was investigated. Two laboratory tests were used. The first utilized a sphere-on-flat contact geometry and the second a flat-on-flat geometry. The galling damage that was generated was measured by

using a stylus profilometer to collect a series of parallel profiles through the damage zone. The maximum peak-to-valley distance for each profile was calculated and the average of this parameter was then used to quantify the amount of galling that was produced. The measurement technique enabled the authors to not only assess the galling behavior of the test materials but it also allowed the authors to determine the variability inherent in each test method. Significantly less damage was obtained for carburized 8620 on 'as-quenched' 1541 steel than was observed when the quenched 1541 steel was tested under self-mated conditions. The greatest amount of damage was generated when hot-rolled 1541 steel was run against itself. Possible reasons for these results will be reviewed.

101,148

PB91-158980

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.

Final rept.

C. N. McCowan, and T. A. Siewert. 1990, 8p

Sponsored by Department of Energy, Washington, DC.

Pub. in *Advances in Cryogenic Engineering (Materials)*, v36 p1331-1338 1990.

Keywords: *Fracture strength, *Stainless Steel-316L, *Weld defects, *Inclusions, Hardness, Welding, Stainless steels, Loads(Forces), Voids, Cracks, *Cryogenics, Reprints.

The 4K fracture toughness of a type 316L stainless steel weld composition increased significantly when the inclusion contents of the GMA welds were decreased. For the three welds tested (Ni-13 wt. 4K yields strength approx. 740 MPa), the fracture toughness increased 35% as the inclusion contents were decreased by 65%. Expressing the effect of inclusions on the toughness in terms of the inclusion spacing (inverse square root of the inclusion density), the fracture toughness of the 316L welds increased 18 MPa.m(exp 1/2) per micron increase in the average inclusion spacing. Fractographic studies were conducted to characterize differences in the initiation of fracture as a function of the inclusion content. Fracture specimens that were examined after loading into the blunting range had stable crack growth lengths of 0.1 to 0.25 mm. Crack growth occurs as voids which formed at inclusions link by microcracking, rather than coalescence.

101,149

PB91-167171

PC A03/MF A01

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.

G. E. Hicho, W. J. Boettinger, L. Swartzendruber, and T. R. Shives. Jan 91, 32p NISTIR-4502

Keywords: *Austenite, *Stainless steels, *Chromium-nickel steels, Surface properties, Precipitation hardening, Heat treatment, Microstructure, Aluminum additions.

A 'mishap' section, and other selected sections made from 17-7 precipitation hardening stainless steel were metallurgically examined, and it was concluded that the unusually large amount of retained austenite, greater than 7%, measured on the surface appears to have been produced during both the solution annealing and austenite conditioning steps of the heat treating process, but was revealed only after the austenite conditioning step. It is suspected that the excessive retained austenite occurred during the heat treating process where these sections may have been exposed to a furnace atmosphere that contained too much carbon or nitrogen. The exposure could have led to an increase in the amount of retained austenite both on the surface and internally.

101,150

PB91-167346

PC A03/MF A01

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

MATERIALS SCIENCES

Iron & Iron Alloys

Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel.

G. E. Hicho. Feb 91, 18p NISTIR-4501, REPT-21

Keywords: *Fracture mechanics, *Carbon steels, *Railroad cars, Tank cars, Fracture strength, Crack arrest, Measurement, Inclusions, Process variables, Process control.

The crack arrest fracture toughness was determined for normalized AAR TC 128 grade B steel and control rolled A 8XX grade B steel. Both steels were made using inclusion shape control practice. The crack arrest fracture toughness of the AAR TC 128 steel was slightly better than that for the A 8XX steel.

101,151

PB91-175372

Not available NTIS

National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.

Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.

Final rept.

R. P. Reed, and M. W. Austin. 1989, 4p

Pub. in Scripta Metallurgica 23, n8 p1359-1362 1989.

Keywords: *Austenitic steels, *Nitrogen additions, Austenite, Ferrite, Martensitic transformation, FCC lattices, HCP lattices, *Carbon additions, Reprints.

High-nitrogen austenitic steels have recently been developed for low-temperature use. For a long time it has been recognized that both nitrogen and carbon increase austenite stability with respect to formation of delta ferrite at high temperatures and body-centered cubic (bcc) martensite at low temperatures. Yet, the effects of nitrogen and carbon on austenite (fcc) stability relative to hexagonal close-packed (hcp) martensite and the stacking-fault energy have not been adequately clarified.

101,152

PB91-175448

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Mechanical Sputtering of Structural Stainless Steels.

Final rept.

T. Nenadovic, N. Popovic, and J. Fine. 1989, 8p

Pub. in Jnl. of Materials Science 24, p3699-3706 1989.

Keywords: *Sputtering, *Austenitic stainless steels, *Erosion, Structural steels, Gas turbine blades, Pressure vessels, Deterioration, Wear, Surfaces, Pitting, Reprints.

In the paper the results of an investigation of the beam modification (erosion) of stainless steel are presented. The possible similarity of the martensitic stainless steel degradation for turbine engine blades and austenitic stainless steel used as a wall of the vacuum vessel for fusion reactor application has been pointed out. Changes appearing during the interaction have been investigated on the rotating turbine blade material. Simultaneously morphological changes of the 'target' and the change of shape of bombarding species have been analyzed.

101,153

PB91-184747

PC A03/MF A01

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.

T. A. Siewert, and A. Tomer. Jan 91, 26p NISTIR-3960

Keywords: *Rockwell hardness, *Standards, *Steels, Compositions, Microstructure, Hardness, Purity.

The microstructure, composition, and hardness of hardness blocks (Rockwell C scale) that are commonly available in the country were examined. Blocks near HRC levels of 25, 45, and 65 were obtained from each of six sources to represent the HRC measurement range. It was found that the steels used in the blocks had surprisingly high levels of impurity elements, which are one source of scatter in the hardness values. Other than the concern for the steel purity, it is concluded that most of these hardness block producers possess the technology necessary to manufacture a reference hardness block, or series of blocks, if it is found desirable for NIST to distribute a national hardness standard.

101,154

PB91-184838

PC A03/MF A01

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Fire Research.

Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions.

B. A. Fields, and R. J. Fields. Jan 91, 46p NISTIR-4497

Sponsored by American Iron and Steel Inst., Washington, DC.

Keywords: *Structural steels, Performance prediction, High temperature tests, Deformation, Strain tests, Creep properties, Computer programs, Heating, Elastic properties, Equations, Tables(Data), Strain hardening, Steel-ASTM-A36, Anisothermal.

Using a previously formulated equation which calculates the elastic, plastic and creep strains during loading at a constant elevated temperature, a method and a computer program have been developed that will predict the strain due to creep during anisothermal tests at constant load. Comparisons were made with results from anisothermal tests for AS A149, an Australian steel close to the specification for ASTM A36. Agreement is excellent for several linear heating rates and one nonlinear heating rate.

101,155

PB91-187856

PC A03/MF A01

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.

Y. W. Cheng, and A. Tomer. Feb 91, 39p NISTIR-3964

Prepared in cooperation with Israel Atomic Energy Commission, Beersheba. Nuclear Research Center-Negev.

Keywords: *Low carbon steels, *Heat resistant alloys, *Thermomechanical treatment, Temperature dependence, Phase transformations, Stress tests, Deformation, Fluid flow, Viscosity, Flow stress, Austenite, Ferrite, Pearlite, Microstructure, Crystallization, Automobiles, *Steel-SAE-1141, *Microalloyed steels, Continuous cooling.

The report presents the results of a thermomechanical processing (TMP) study on a microalloyed SAE 1141 forging steel. The primary objective of the study is to investigate the effects of deformation temperature on the phase-transformation kinetics and to determine the high-temperature flow characteristics of the steel. One-hit compression tests at a constant true strain rate of 10/s were performed with a TMP simulator. Tests were performed at 900, 1000, and 1100 C. The results show that flow stress increased with decreasing temperature. In the strain range 0.35 to 0.6, the effect of temperature on the flow stress can be described by the equation, $\sigma \text{ (MPa)} = 2.93 \exp(4944/T \text{ (K)})$. Continuous-cooling transformation (CCT) diagrams determined following deformation at 1000 and 1100 C were similar. However, deformation at 900 C shifted the ferrite-plus-pearlite nose to a shorter time and produced a much finer ferrite-plus-pearlite microstructure. This is because the steel does not recrystallize at 900 C after deformation imposed in the study. The usefulness of the CCT diagram and the relationship between deformation and austenite recrystallization are discussed.

101,156

PB91-189464

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.

Final rept.

G. E. Hicho, and R. J. Fields. 1988, 9p

Sponsored by David Taylor Research Center, Bethesda, MD.

Pub. in Jnl. of Heat Treating 6, n2 p77-85 1988.

Keywords: *Austenitic steels, *Yield strength, *Heat treatment, Tensile strength, Quenching(Cooling), Temperature dependence, Metal plates, Optimization, Rates(Per time), Reaction kinetics, Thickness, High strength steels, Low alloy steels, Reprints, *Steel HSLA-80, *Steel HSLA-100.

Heat treating experiments were conducted on HSLA-80 in order to maximize the yield strength. The paper

concentrates on the optimization of the austenitizing treatment and the cooling rate. The optimum austenitizing temperature was found to vary with plate thickness. In all cases, the time-at-temperature was 60 minutes followed by an immersion in water. Double austenitization and other cooling rates did not significantly improve the yield strength. A heat treatment was found for the 19 mm and 32 mm thick plates that improved the yield strength beyond those specified for HSLA-100.

101,157

PB91-189944

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Influence of Interstitial Content on Fracture Toughness.

Final rept.

P. T. Purtscher, and R. P. Reed. 1989, 5p

Pub. in Proceedings of International Conference on High Nitrogen Steels, Lille, France, May 18-20, 1988, p189-193 1989.

Keywords: *Interstitials, *Crystal defects, *Cryogenics, *Austenitic steels, *Fracture mechanics, Martensitic transformation, Fracture strength, Tension tests, Ductility, Nitrogen additions, Inclusions, Metallography, Nucleation, Yield strength, Mathematical models, Voids, Stress concentration, Reprints.

The effects of interstitial content on tensile properties, martensitic transformation, and inclusion content are examined in relationship to the measured fracture toughness of austenitic stainless steels at cryogenic temperatures. Metallographic sections show that void nucleation occurs ahead of a crack only after the applied J exceeds a large fraction of the measured toughness, J(sub Ic). A stress intensity factor is calculated for void nucleation from a simple model that considers the yield strength and inclusion spacing.

101,158

PB91-189951

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.

Final rept.

P. T. Purtscher, R. P. Reed, and D. K. Matlock. 1989, 6p

Sponsored by Department of Energy, Washington, DC.

Pub. in Proceedings of MRS International Meeting on Advanced Materials, Tokyo, Japan, May 31-June 4, 1988, p391-396 1989.

Keywords: *Fracture mechanics, *Crack opening displacement, *Austenitic steels, *Ferritic stainless steels, *Strain hardening, Fracture strength, Electron microscopy, Etching, Metallography, Microhardness, Ductility, Reprints.

Metallographic sections of blunted and growing cracks in steels with different strain-hardening capacities are observed in the light and scanning electron microscope. The strain distribution around the crack-tip region is inferred from the etching behavior and microhardness readings. The direction of initial growth is approximately straight ahead of the fatigue precrack in the high strain-hardening austenitic steels and at an angle of about 45 degrees in the low strain-hardening ferritic steel. These observations are discussed in terms of different criteria for ductile fracture in fracture mechanics specimens.

101,159

PB91-189977

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Discontinuous Yielding during Tensile Tests at Low Temperatures.

Final rept.

R. P. Reed, and N. J. Simon. 1990, 10p

Sponsored by Department of Energy, Washington, DC.

Pub. in Advances in Cryogenic Engineering, v36 p1077-1086 1990.

Keywords: *Tensile tests, *Austenitic steels, *Low temperature tests, Yield strength, Temperature effects, Stresses, Strains, Mechanical properties, Yield point, Tensile properties, Compressive properties, Reprints.

The effects of temperature and coolant on the initiation of discontinuous yielding were studied. As the

temperature is increased above 4 K, discontinuous yielding begins at higher stresses and strains; discontinuous yielding is not present at temperatures above 30 K. Results are interpreted in terms of macroscopic heat balances and localized generation of heat from moving dislocations.

101,160

PB91-194795

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.

Final rept.

L. J. Freiburger, and J. W. Bransford. 1990, 10p. Sponsored by National Aeronautics and Space Administration, Huntsville, AL. George C. Marshall Space Flight Center.

Pub. in *Advanced Earth-to-Orbit Propulsion Technology* 1990, v1 p113-122.

Keywords: *Stainless steel-440, *Liquid metals, *Combustion, Thermophysical properties, Mathematical models, Melting points, Thermal conductivity, Extrapolation, Thermodynamic properties, Spacecraft construction materials, Multivariate analysis, High temperature tests, Reprints.

In order to model the thermal behavior of steel alloys in the temperature range at which ignition and combustion may occur, their thermophysical properties at temperatures up to their melting points, approximately 1600 to 1800 K for many iron, nickel and cobalt-based alloys, must be known. Published values of thermal conductivity, specific heat, and emissivity are either given for much lower temperatures or are absent for alloys of special interest. Therefore, the development of a simple experimental method coupled with a numerical technique that can be used to extrapolate existing data or to estimate property values where no data exists was undertaken. The paper describes the experiment and numerical technique. The application of the procedures to estimate the thermophysical properties of UNS S44004 (AISI 440-C) are discussed.

101,161

PB91-195321

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans': Results of an Interlaboratory Comparison.

Final rept.

G. J. Olson. 1991, 3p

Pub. in *Applied and Environmental Microbiology* 57, n3 p642-644 Mar 91.

Keywords: *Pyrite, *Beneficiation, *Leaching, *Biotechnology, Standards, Iron, Extractive metallurgy, Interlaboratory comparisons, Rates(Per time), Variability, Thiobacillus ferrooxidans, Variability, Reprints.

Ten laboratories participated in an interlaboratory comparison of determination of bioleaching rates of a pyrite reference material. A standardized procedure and a single strain of *Thiobacillus ferrooxidans* were used in the study. The mean rate of bioleaching of the pyrite reference material was 12.4 mg of Fe per liter per h, with a coefficient of variation (percent relative standard deviation) of 32% as determined by eight laboratories. These results show the precision among laboratories of the determination of rates of pyrite bioleaching when a standard test procedure and reference material are used.

101,162

PB91-195404

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.

Final rept.

E. J. Parks, G. J. Olson, F. E. Brinckman, and F. Baldi. 1990, 7p

Pub. in *Jnl. of Industrial Microbiology* 5, n2-3 p183-189 1990.

Keywords: *Biotechnology, *Fungi, *Liquid column chromatography, *Iron, *Phosphorus, *Beneficiation, Contamination, Characterization, Leaching, Metalliferous ores, Apatites, Hydroxy compounds, Solvation, Oxalic acid, Metabolites, Solubilization, Hydrochloric acid, Separation processes, Reprints.

The value of iron ore is adversely affected by phosphorus in concentrations over 0.03 percent by weight. The

present research concerns using metabolic products of fungi to leach insoluble phosphates (hydroxyapatite) from ores. Ion chromatography was used to measure metabolization of glucose into acidic fragments. The rate and products of glucose degradation depend on both the chemical composition of the growth medium (buffered or not) and incubation conditions (shaken or quiescent). The principal products are identified as oxalic acid and tautomers of propylene dicarboxylic acid, mainly itaconic acid. Slow metabolization of the latter generates more oxalic acid. Aliphatic acids were not detected. Both iron ore phosphate and calcium phosphate are partially solubilized by either the spent broth or aqueous oxalic acid. Solubilization of ore phosphorus is greatly assisted by hydrochloric acid added to the spent broth in small increments. The data suggest biological and chemical leaching procedures for iron ore dephosphorization.

101,163

PB91-195529

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.

Final rept.

R. P. Reed, and N. J. Simon. 1989, 9p

Sponsored by Department of Energy, Washington, DC. Pub. in *Proceedings of International Conference on High Nitrogen Steels*, Lille, France, May 18-20, 1988, p180-188 1989.

Keywords: *Austenitic stainless steels, *Nitrogen, *Yield strength, *Stress relaxation, *Low temperature, Hardening(Materials), Tensile properties, Mechanical properties, Stresses, Strains, Elastic properties, Reprints.

Additions of nitrogen to austenitic steels significantly increase their flow strengths at low temperatures. Tensile stress-strain, stress relaxation, and strain-rate-change measurements on Fe-Cr-Ni alloys have been completed. For these same alloys, elastic constants and lattice parameters were measured from 295 to 4 K. Regression analyses of NBS data was used to assess the dependence of yield strength on carbon and nitrogen content. These data were interpreted in terms of strengthening mechanisms.

101,164

PB91-236505

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.

Final rept.

J. R. Berger, and J. W. Dally. 1990, 7p

Pub. in *Mechanics Research Communications* 17, n2 p93-99 1990.

Keywords: *Strain gages, *Toughness, *Stainless steels, *Fracture properties, Fracture tests, Fractures(Materials), Strain measurement, Mechanical properties, Crack propagation, Cracking(Fracturing), Spatial distribution, Reprints.

Recent work by the authors has shown the applicability of strain measurements to static and dynamic fracture characterizations. Here they develop a methodology to analyze the spatial variations in strain sensed by a series of strain gages as a crack propagates beneath them. They analyze the dynamic fracture of a 4340 steel compact specimen using the developed methodology. The propagation toughness was determined to be 119 MPa square root of m at a crack speed of 644 m/s.

101,165

PB91-236943

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Load-Controlled Tensile Tests of Austenitic Steels at 4 K.

Final rept.

H. M. Lee, R. P. Reed, and J. K. Han. 1990, 10p

Sponsored by Department of Energy, Washington, DC. Pub. in *Advances in Cryogenic Engineering (Materials)*, v36 p1273-1282 1990.

Keywords: *Tension tests, *Low temperature tests, *Loads(Forces), *Austenitic stainless steels, *High strength steels, Tensile properties, Ultimate strength, Yield point, Fracture properties, Mechanical properties, Yield strength, Reprints.

Load-controlled tensile tests were conducted at 4 K on high-strength austenitic steels. The rate of loading was

varied from 5 to 5000 N/s. This change of loading rate affected the onset of discontinuous yielding and, in turn, the fracture characteristics of the steels. Ultimate strength decreased at higher loading rates. The role of discontinuous yielding in affecting the dependence of these properties on loading rate is discussed. If conventional pressure vessel codes are used for the designation of structural design stresses, these data suggest that the ultimate strength, not the yield strength, controls the assignment.

101,166

PB91-237081

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.

Final rept.

H. Nakajima, K. Yoshida, S. Shimamoto, R. L. Tobler, R. P. Reed, R. P. Walsh, and P. T. Purtscher. 1990, 8p

Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy.

Pub. in *Advances in Cryogenic Engineering (Materials)*, v36 p261-268 1990.

Keywords: *Austenitic stainless steels, *Low temperature tests, *Fracture properties, *Toughness, Fractures(Materials), Standards, Experimental data, Fracture tests, Mechanical properties, Cryogenics, Tension tests, Reprints.

Interlaboratory tests are part of the U.S.-Japan cooperative program in fusion energy to establish cryogenic test standards for structural alloys. The second round of 4-K tension and fracture toughness tests for CSUS-JN1 (Fe-25Cr-15Ni-0.35N) austenitic stainless steel are described in the paper. The scatter of interlaboratory measurements is acceptable if some fracture toughness data are excluded as outliers.

101,167

PB91-237206

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.

Final rept.

P. T. Purtscher, M. C. Mataya, L. M. Ma, and R. P. Reed. 1990, 8p

Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy.

Pub. in *Advances in Cryogenic Engineering (Materials)*, v36 p79-86 1990.

Keywords: *Austenitic stainless steels, *Toughness, *Fracture properties, Tensile properties, Hot rolling, Alloy steels, Mechanical properties, Hot working, Annealing, Cryogenics, Low temperature tests, Reprints.

Tensile and fracture toughness tests were performed at 4 K as a function of hot-rolling temperature and compared with similar data for the steel in the annealed condition. Results show that the properties in hot-rolled conditions were comparable to annealed steel so there was no advantage to annealing after processing. Microalloy precipitates were effective at controlling grain size during processing at temperatures below 1150 C, and did influence the flow stress at 4 K.

101,168

PB91-237248

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.

Final rept.

R. P. Reed, R. P. Walsh, and R. L. Tobler. 1990, 8p

Pub. in *Advances in Cryogenic Engineering (Materials)*, v36 p1061-1068 1990.

Keywords: *Tensile properties, *Strain rate, *High strength steels, *Austenitic stainless steels, *Low temperature tests, Ultimate strength, Mechanical tests, Mechanical properties, Tension tests, Yield point, Displacement, Reprints.

A high-strength austenitic steel with nominal composition Fe-25Cr-14Ni-0.37N was included in an international round-robin measurement program. Tensile and fracture toughness tests were conducted at 4 K by leading low temperature test laboratories in Japan, Europe, and the U.S. The paper reports on the effect

MATERIALS SCIENCES

Iron & Iron Alloys

of strain rate on displacement-controlled tensile tests at 4 K. Similar to other recent results on austenitic steels, a transition in ultimate strength was observed as a function of strain rate: at higher strain rates the strength decreased about 10%. The onset of discontinuous yielding was also strain-rate dependent. The reduction of ultimate tensile strength is associated with the change from the nucleate to film heat transfer mechanism from the specimen surface to liquid helium.

101,169

PB92-108901 PC A03/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.
Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
G. E. Hicho, and D. E. Harne. Sep 91, 46p NISTIR-4660, REPT-24
See also PB90-207796.

Keywords: *Fracture mechanics, *Toughness, *Carbon steels, *Fracture strength, Tensile strength, Normalizing(Statistics), Stress relaxation, Temperature dependence, Crack opening displacement, Manganese alloys, Tank cars, J integral.

Traditional mechanical property tests, ultimate and yield strength, reduction in area, elongation, impact, and the nil-ductility temperature were performed on AAR TC128 grade B steel in the normalized, and the normalized and stress relieved conditions from -51 C to room temperature. In addition the crack initiation fracture toughness, as function of temperature, was determined using crack tip opening displacement (CTOD) and J integral test procedures. The crack arrest fracture toughness, as a function of temperature were also determined. It was found that the normalized and stress relieved steel had overall better mechanical and fracture toughness properties than the normalized steel.

101,170

PB92-116615 Not available NTIS
National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.
Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
Final rept.
A. V. Clark, R. B. Thompson, Y. Li, R. C. Reno, G. V. Blessing, D. V. Mitrakovic, R. E. Schramm, and D. Matlock. 1990, 19p
Pub. in Research in Nondestructive Evaluation 2, p239-257 1990.

Keywords: *Steels, *Metal sheets, *Ultrasonic tests, Rolling, Nondestructive tests, On-line measurement systems, Plastic deformation, Electroacoustic transducers, Predictions, Measurement, Orientation, Comparison, Neutron diffraction, Formability, Texture, Lamb waves, Reprints, Orientation distribution coefficients, R-value.

Ultrasonic measurements were made on a set of thin steel sheets, using the lowest-order shear horizontal mode (SH(sub 0)-mode) and lowest-order symmetric Lamb-wave mode (S(sub 0)-mode). The velocities of these modes were measured as a function of angle relative to the sheet rolling direction. From the data reduction it is, in theory, possible to (1) partially characterize the texture of the sheet, and (2) predict the plastic strain ratio (r-value). The plate texture can be completely characterized by quantities known as orientation distribution coefficients (ODCs). The lowest-order ODCs can be obtained from the measurements; these were compared with ODCs measured by neutron diffraction, with good agreement for the dominant ODC. The r-value is a commonly used measure of sheet formability. It is typically measured mechanically with uniaxial tension specimens subjected to large plastic strain. Therefore, the r-value test is destructive and time consuming. A good correlation was found between S(sub 0) mode velocity measurements and the average in-plane r-value. Consequently, the use of noncontacting electromagnetic-acoustic transducers (EMATs) may offer an online nondestructive measurement of sheet formability.

101,171

PB92-126515 PC A07/MF A02
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
Annual rept. 1 Oct 90-30 Sep 91.
E. N. Pugh, and S. C. Hardy. Dec 91, 136p NISTIR-4697
See also PB91-132225.

Keywords: *Metallurgy, *Research projects, Metal matrix composites, Alloys, Superconductors, Corrosion, Electrodeposition, Magnetic materials, Mechanical properties, Process control, Intermetallic alloys, Metals processing, Process sensors.

The report summarizes the FY 1991 activities of the Metallurgy Division of the National Institute of Standards and Technology (NIST). These activities center upon the structure-processing-properties relations of metals and alloys and on methods of measurement; and also include the generation and evaluation of critical materials data. Efforts comprise studies of metals processing and process sensors; advanced materials, including metal matrix composites, intermetallic alloys and superconductors; corrosion and electrodeposition; mechanical properties; magnetic materials; and high temperature reactions.

Lubricants & Hydraulic Fluids

101,172

PB91-158808 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.
Mechanisms of Additive Effectiveness.
Final rept.
S. M. Hsu, P. Pei, C. S. Ku, R. S. Lin, and S. T. Hsu. 1986, 10p
Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of International Colloquium Additives for Lubricants and Operational Fluids (5th), January 14-16, 1986, p3.14-1-3.14-10.

Keywords: *Lubricant additives, *Wear, *Tribology, Oxidation, Corrosion, Fluid-solid interactions, Reaction kinetics, Polar compounds, Reprints.

The interactions among naturally occurring polar molecular species with additives in wear and oxidation are studied. Base oil heteroatoms such as sulfur, nitrogen, and oxygen have pronounced effects on additive performance. Interaction studies in wear and oxidation tests suggest a complex chemical reaction mechanism that has heretofore been little understood but is beginning to be defined now by critical experiments.

101,173

PB91-158923 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.
Heats of Immersion, Friction, and Wear of Base Oil Fractions.
Final rept.
F. E. Lockwood, K. Bridger, and S. M. Hsu. 1989, 11p
Pub. in Tribology Transactions 32, n4 p506-516 1989.

Keywords: *Lubricating oils, *Mixed base crudes, Friction, Adsorption, Surface chemistry, Thermodynamic properties, Fluid flow, Wear, Interfacial tension, Reprints, *Heat of immersion.

Heats of immersion were determined for three base oils, their fractions as separated by polarity, and model compounds on a 52,100 steel surface. The method consists of calculating the heat of immersion based on surface tension and contact angle measurements made at temperatures from 25C to 175C. Friction and wear tests were performed on the same oils using micro-sample four-ball wear tests. The heat of immersion data were found to be inversely proportional to friction and wear. Model compounds with different functional groups similarly tested, however, suggest molecular structures have a significant role in influencing friction and wear when chemical reactions become the dominant lubrication mechanism rather than adsorption.

101,174

PB91-174862 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Mechanisms of Additive Effectiveness.

Final rept.
S. M. Hsu, P. Pei, C. S. Ku, R. S. Lin, and S. T. Hsu. 1989, 20p
Sponsored by Department of Energy, Washington, DC. Pub. in Lubrication Science 1, n2 p165-184 Jan 89.

Keywords: *Lubricant additives, *Tribology, Interactions, Lubricating oils, Wear, Oxidation, Quantity ratio, Calorimetry, Mechanism, Reprints, FRT, ZDP, Four-ball test.

The article discusses the nature and extent of base oil-additive and additive-additive interactions. The first interaction is in the bulk oil phase, where solution chemistry is involved. The second interaction occurs at the wear surfaces. Various experimental techniques (DSC, thin film oxygen uptake, FRT, four ball) were used to measure interactions. In an examination of base oil-additive-interactions on oxidation stability, various species of base oils exert a strong influence on the performance of antioxidants. In additive-additive interactions, the data suggest a strong concentration of dependent interaction patterns among the various additives and the base oils. Mechanistic studies are recommended to elucidate some of the observed phenomena.

101,175

PB91-174953 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.
Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice.
Final rept.
C. S. Ku, E. E. Klaus, and S. M. Hsu. 1985, 13p
Pub. in Proceedings of European Tribology Congress (4th), Ecully, France, September 9-12, 1985, v1 p1-13.

Keywords: *Automobiles, *Lubricating oils, *Tribology, Lubricant additives, Compositions, Refining, Oxidation, Comparison, Recycled materials, Thin films, Reprints, Oxygen uptake.

A group of 14 refined base oils representing 6 refining processes and 10 geographic areas of the U.S. and Canada have been evaluated extensively to determine compositional detail. The additive responses of these base oils to six commercial automotive additive packages were studied. The NBS thin film oxygen uptake test (TFOUT) was used in the study with test conditions which showed good correlation with IILD engine sequence test results. A group of 43 virgin base oils with a common additive package was also tested for comparison with the refined base oils. The oxidation induction times from the TFOUT with six commercial additive packages were correlated with basestock compositional parameters. The study shows that satisfactory quality commercial motor oils can be formulated with refined base oils and a number of commercial additive packages. Correlational studies show that the major compositional parameters that are important with refined oils are sulfur, nitrogen, and polars, all of which have a negative effect on additive response.

101,176

PB91-189407 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.
Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
Final rept.
R. S. Gates, S. M. Hsu, and K. L. Jewett. 1989, 8p
Sponsored by Department of Energy, Washington, DC. Energy Conversion and Utilization Technologies Div. Pub. in Tribology Transactions 32, n4 p423-430 1989.

Keywords: *Tribology, *Lubrication, *Polymeric films, *Chemical analysis, *Fluid-solid interactions, Refractivity, Organometallic compounds, Ultraviolet spectra, Absorption spectroscopy, Molecular weight, Surface chemistry, Interfaces, Oxidation, Wear, Reprints, Size exclusion chromatography.

The nature of the boundary lubricating film and its formation mechanism has been the subject of research in the last several decades. The study describes the development of a novel analytical technique designed specifically for the analysis of small amounts of lubricating film using an integrated size exclusion chromatography-refractive index-ultraviolet-graphite furnace atomic absorption (SEC-RI-UV-GFAA) system. Experiments under static simulation conditions as well as under dynamic rubbing conditions were conducted.

Analysis of the reaction products in each case indicates the formation of high molecular weight organo-metallic compounds with molecular weights range from 1,000 to 100,000. The paper describes the methodology, equipment, and the procedures developed to measure nanogram quantities of the organometallic compounds generated by the tribochemical reactions in the boundary contact of a four ball wear tester.

101,177
PB91-189480 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions.
Final rept.
S. M. Hsu, E. E. Klaus, and H. S. Cheng. 1988, 17p
Sponsored by Department of Energy, Washington, DC.
Office of Basic Energy Sciences.
Pub. in *Wear* 128, n3 p307-323, 15 Dec 88.

Keywords: *Tribology, *Lubrication, *Wear, *Surface chemistry, Probabilistic estimation, Performance prediction, Process control, Reprints.

The processes of lubrication are systematically analyzed and explained with the aid of recent experimental discoveries. Effective lubrication often involves surface chemical reactions which are dependent on contact geometry, load, speed, and environmental influences. Materials properties such as hardness, elasticity and others also affect the wear outcome. Fluid mechanics under the influence of interfacial pressures and temperatures control a significant portion of the wearing processes. A conceptual model is proposed to link all these factors in a line of defense framework, and to discuss how wear can be predicted based on a probabilistic model. The model proposes a series of criteria for various combinations of chemically controlled, and materials properties controlled situations.

101,178
PB91-195412 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
Diesel Deposit Forming Tendencies - Microanalysis Methods.
Final rept.
J. M. Perez, P. Pei, Y. Zhang, and S. M. Hsu. 1991, 10p
Sponsored by Department of Energy, Washington, DC.
Pub. in *SAE Technical Paper Series* 910750 International Congress and Exposition, Detroit, MI., February 25-March 1, 1991, p1-10.

Keywords: *Lubricants, *Liquids, *Diesel engines, *Deposits, *Tribology, Thermal degradation, Oxidation, Automotive engineering, Chemical analysis, Wear tests, Microanalysis, Reprints.

Liquid lubricants are crucial to the successful development of advanced engines for the next decade. Engines are being optimized to meet emission standards as well as improved durability and fuel economy. Lubricant research is focused on the severe environment and temperature requirements of advanced engines with a top ring reversal temperature of over 400 C. The paper describes key lubricant considerations including oxidation and thermal stability, volatility, deposit formation, friction and wear control. Cooperative research efforts between industry and NIST resulted in several candidate high temperature liquid lubricants.

101,179
PB91-203810 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
Final rept.
J. M. Perez, C. S. Ku, P. Pei, B. E. Hegemann, and S. M. Hsu. 1990, 9p
Pub. in *Tribology Transactions* 33, n1 p131-139 1990.

Keywords: *Lubricant additives, *Films, *Tribology, *TCP, Infrared spectra, Fourier transformation, Characterization, Microanalysis, Wear tests, Calorimetry, Oxidation, Temperature dependence, Corrosion products, Chemical analysis, Methodology, Reprints.

The characterization of tricresylphosphate lubricating films by use of micro-Fourier Transform Infrared Spectroscopy is reported. The study uses a combination of test methods to establish the sequence of chemical reactions that result in the formation of anti-wear films

observed. A four-ball wear test sequence, using a 6 microliter sample to increase test severity, generated the tribological films. A pressurized differential scanning calorimeter (DSC) was used to obtain oxidized samples at various temperatures. The wear contact temperatures are estimated by comparison of the spectra analyses of the oxidation products to the wear film analyses. The combination of test methods is rapid and reliable. DSC oxidation and spectra analyses coupled with the sequential wear test method enabled characterization of the films formed. The approach is useful in evaluating additive effectiveness.

101,180
PB91-236711 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
Final rept.
R. S. Gates, and S. M. Hsu. 1991, 9p
Sponsored by Department of Energy, Washington, DC.
Energy Conversion and Utilization Technologies Program.
Pub. in *Tribology Transactions* 34, n3 p417-425 1991.

Keywords: *Tribology, *Lubricant additives, *Ceramics, *Friction, *Wear tests, *Paraffin, *Silicon nitrides, Sulfonic acids, Monomolecular films, Oleic acid, Salicylic acid, Imidazoles, Phenol, Lubricating oils, Fluid-solid interactions, Phosphorus compounds, Glycols, Reprints.

Information on the chemical interactions of ceramics is scarce. This is especially true for chemical interactions with regard to lubrication of these materials. The paper investigates the influence of selected chemical compounds on the friction and wear of silicon nitride under boundary lubrication conditions. A ball-on-three-flat modification of the four-ball wear tester was utilized to evaluate the tribological characteristics of a hot pressed silicon nitride lubricated with a paraffinic base oil containing 1 weight percent additives. Friction, wear, and film formation tendencies were observed for a range of oil soluble chemical compounds containing oxygen, sulfur, nitrogen, chlorine, and phosphorus. A wide range of additive response was observed. Friction coefficient varied from increases of 30 percent to decreases of 47 percent below that of the base case of paraffin oil without additive. Wear was measured as the wear scar diameter increase above the Hertz diameter. Relative to the base case, wear additive response ranged from an increase in diameter of 61 percent to a decrease of 96 percent. Successful wear reduction was obtained by all phosphorus containing compounds, several glycol compounds, oleic acid, sulfonates, a salicylate, an imidazoline, and a phenol, and was generally associated with the formation of a film in the contact region.

Materials Degradation & Fouling

101,181
PB91-143313 PC A03/MF A01
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Polymers Div.
Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
E. J. Parks, C. M. Guttman, K. L. Jewett, and F. E. Brinkman. Dec 90, 47p NISTIR-4456
Sponsored by National Archives and Records Administration, Washington, DC.

Keywords: *Newsprint, *Papers, *Degradation, *Sulfur dioxide, *Acetic acid, Aging tests(Materials), Organic acids, Gas chromatography, Mass spectroscopy, Liquid chromatography, Graphs(Charts).

The authors have developed methods using Mass Spectroscopy, Liquid Chromatography and Gas Chromatography to detect degradation products of rag paper and newsprint in the presence of some common air pollutants. They have searched for products that might themselves be autocatalytic to encourage degradation of these materials. In particular, they have looked at gaseous degradation products and those degradation products which are mobile and which may be transferred one paper to another by surface or gas phase diffusion. Six organic acids have been tentatively identified as degradation products which are surface

mobile on newsprint and rag paper. Acetic acid is a major organic acid gas phase component. The results of these studies were correlated with more traditional bulk paper properties tests.

101,182
PB91-144345 PC A03/MF A01
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Polymers Div.
Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
Annual rept.
B. J. Bauer, and B. Dickens. Dec 90, 45p NISTIR-4474
Sponsored by Bureau of Engraving and Printing, Washington, DC.

Keywords: *Radiation curing, *Resins, *Electron beams, *Inks, X ray analysis, Neutron scattering, Chemical radiation effects, Polymeric films, Transition temperature, Polymethyl methacrylate, Copolymers, Polyoxethylene, *Intaglio ink.

Macromonomers have been investigated as components in electron beam curing resins for use in intaglio inks. Thermal studies of cured samples of macromonomer-conventional monomer networks show a single transition for macromonomer containing samples and multiple transitions for equivalent samples made with unfunctionalized polymer. Small angle neutron and x-ray scattering studies show that samples made with macromonomers are much more uniform than those made with unfunctionalized polymers. Cure studies show that macromonomers with different polymerizable end groups have very different rates of cure, most of the groups inhibiting the cure.

101,183
PB91-159269 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg,
MD. Metallurgy Div.
Method for Quantitative Measurement of Galling Damage.
Final rept.
E. P. Whitenon, M. B. Peterson, and L. K. Ives. 1987, 16p
Pub. in *Proceedings of Metal Transfer and Galling in Metallic Systems Symposium*, Orlando, FL., October 8-9, 1986, p155-170 1987.

Keywords: *Galling, *Tribology, *Metals, Quantitative analysis, Measurement, Damage assessment, Profilometers, Sensor mapping, Surface roughness, Wear, Computerized simulation, Reprints.

Galling damage at sliding contacts is recognized by the occurrence of a significant increase in surface roughness, characterized by gouges, grooves, prowls, transferred lumps of material, and sometimes cracks. In the past, little effort has been made to measure the severity or nature of the damage quantitatively. Rather, a description based on visual observation was usually the only means employed to distinguish between the damage produced by different tribological contact conditions or exhibited by different types of materials. The method described employs an automated profilometer system to map a relatively large area of the damaged surface. From the topographic data obtained it was possible to evaluate parameters that are descriptive of the area as a whole rather than along a single trace as is normally done in profilometer based roughness measurements. Three rather simple parameters were found to give a good account of observed galling damage. The parameters were the average maximum peak to valley roughness, Rt ave., the displaced volume, DV, and a measure of the shape or aspect ratio of damage feature, AR. Results using these and other parameters are given. In addition, different galled surfaces are compared using computer generated damage maps.

101,184
PB91-174904 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
ACTIS: Towards a Comprehensive Tribology Data Base.
Final rept.
S. Jahanmir, S. M. Hsu, and R. G. Munro. 1989, 9p
Pub. in *Computerization and Networking of Materials Data Bases*, ASTM STP 1017, p340-348 1989.

MATERIALS SCIENCES

Materials Degradation & Fouling

Keywords: *Data bases, *Tribology, International co-operation, Technology transfer, Friction, Lubrication, Wear, Design criteria, Reprints, *Actis code.

Tribology is being increasingly recognized as a critical discipline that can play a key role in raising the level of U.S. competitiveness. The transfer of tribology research information into general engineering practice can be made quickly and efficiently by the computerizing of tribology data. The tribology community has been participating in an international effort to centralize and computerize tribology data that goes beyond the establishment of bibliographic data bases. The community is developing a computerized tribology information system as a self-sustaining activity, with government providing the initial funding for research and prototype construction of a PC-based system that contains six data-base components: numeric, design, newsletter, research-in-progress, bibliography, and product and services directory. The numeric data base, which contains 'best judgment' values compiled by experts, and the design data base, which contains validated design programs, are being developed in the first two years of a six-year program. These two data bases present a formidable technical challenge, since not only must they be self-contained, but they must also interact.

101,185

PB91-187328 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Analytical Research Div.

Method to Enhance Porosity of Micro-particles.

Final rept.

B. S. Carpenter, L. C. Sander, C. Horvath, and W. R. Brown. 1988, 9p
Pub. in Jnl. of Radioanalytical and Nuclear Chemistry 124, n2 p523-531 1988.

Keywords: *Silica, *Fission products, *Uranium, *Porosity, *Ceramics, Coatings(Materials), Trace elements, Fission tracks, Microparticles, Reprints.

The Nuclear Track Technique (NTT) is used to enhance the porosity of silica micro-particles. The enhanced porosity is a result of the formation of surface and interior pores or tracks in the silica by the action of external and internal fission fragments. The fission tracks produced at the surface and within the interior of the micro-particles are a result of coating the particles with trace quantities of uranium, instead of having trace quantities of uranium incorporated within the silicon dioxide matrix.

101,186

PB91-189530 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.

Final rept.

S. Jahanmir, L. K. Ives, A. Feldman, E. Farabaugh, and D. E. Deckman. 1989, 9p
Pub. in Wear 133, n1 p73-81 1989.

Keywords: *Tribology, *Vapor deposited coatings, *Diamonds, *Silicon carbides, *Ceramics, *Wear, X ray analysis, Friction, Surface chemistry, Thin films, Graphite, Reprints, Carbon films.

The purpose of the research is to explore the possible use of synthesized diamond films as wear resistant, low friction materials for tribological applications. Silicon carbide specimens, in the form of small disks, were coated with diamond films using the hot filament CVD process. A ball-on-three-flat contact geometry was used in the wear experiments. The experimental results confirmed that wear rate of the disk specimens can be reduced by a factor of 200, when they are deposited with a diamond film. The friction coefficient was reduced by almost one order of magnitude. Although it was not explicitly shown the wear resistance may be related to the hardness of the diamond film. EDAN analysis of the worn surface of the diamond indicated that the SiC counterface undergoes tribochemical reactions with the air atmosphere producing hydrated silicates. Formation of the tribochemical reaction product cannot be responsible for low friction coefficients, since the same material is formed in SiC/SiC tests. It is, therefore, hypothesized that the low friction coefficient of diamond may be related to formation of a thin film of graphite at the real area of contact. Removal of these graphitic regions by wear would then produce a smooth wear surface.

101,187

PB91-190017 Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Comparison of Standard Test Methods for Non-Lubricated Sliding Wear.

Final rept.

A. W. Ruff. 1989, 9p
Pub. in Wear 134, n1 p49-57 1989.

Keywords: *Standards, *Interlaboratory comparisons, *Wear tests, *Tribology, Sliding friction, Methodology, Variability, Metals, Solid-solid interfaces, Reprints.

The paper analyzes non-lubricated sliding wear data obtained using three standard test methods and geometries: block-on-ring, crossed-on-cylinder, and pin-on-disk. The data discussed here were obtained in interlaboratory testing programs where the conditions were carefully specified, and where the test materials were provided to the different laboratories. Such an approach should provide the most consistent data and should allow direct comparison of the intrinsic characteristics of the different test methods. However, results showed that when the above mentioned three tests were carried out under similar load and speed conditions, the typical within-laboratory variation in reproducing wear volume measurements in metal-on-metal sliding ranged from 21% to 57%. By comparison, using standard test methods one finds the variation to be about 5% for abrasive wear, and about 5% for erosive wear.

101,188

PB91-190025 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.

Final rept.

A. W. Ruff, and Z. X. Wang. 1989, 14p
Pub. in Wear 131, n2 p259-272 1989.

Keywords: *Tribology, *Wear tests, *Steels, *Coatings(Materials), *Nickel alloys, *Copper alloys, Friction alloys, Sliding friction, Binary alloys, Composites, Laminates, Loads(Forces), Reprints.

Sliding wear measurements have been conducted on Ni-Cu composition-modulated coatings on steel. The coatings consisted of alternate layers of nickel and copper with layer spacings of 10 nm and 100 nm. Pure nickel and pure copper coatings were also prepared in the same way and studied. The coated steel cylinders were slid against 52100 steel in a crossed-cylinder test under clean conditions without lubrication at various loads and sliding distances. It was found that the most wear-resistant coating was the one having the smallest layer spacing. This effect was most pronounced at low loads. Both composition-modulated coatings showed less wear than coatings of pure Cu and Ni from the same solution. The layer microstructure in these coatings is believed to provide internal barriers to wear damage that lead to the improvements in wear resistance. Results from examination of the worn specimens and collections of wear debris are also described.

Miscellaneous Materials

101,189

PB91-147074 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities.

Final rept.

H. B. Chae, J. W. Schmidt, and M. R. Moldover. 1990, 6p

Sponsored by Department of Energy, Washington, DC. Pub. in Jnl. of Physical Chemistry 94, n25 p8840-8845, 13 Dec 90.

Keywords: *Refrigerants, Critical temperature, Critical density, Refractive index, Interfacial tension, Surface tension, Reprints, Chlorofluorocarbons.

Differential capillary rise and refractive index data are reported for five alternative refrigerants: R123a(CHClF-CClF₂), R132(CHF₂-CHF₂), R141b(CCl₂F-CH₂), R142b(CClF₂-CH₃), and R152a(CHF₂-CH₃). The data extend from about 25 C

to the critical point of each fluid and directly yield the critical temperature T_c and the temperature-dependent capillary length. The present data were combined with liquid density data (near ambient temperature) to determine the Lorentz-Lorenz constant. The Lorentz-Lorenz relation is used to estimate the liquid, vapor, and critical densities, and the surface tension.

101,190

PB91-149344 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation.

Final rept.

P. L. Swanson. 1987, 22p
Contract USGS-414274

Sponsored by Geological Survey, Menlo Park, CA. Pub. in Jnl. of Geophysical Research-Solid Earth and Planets 92, nNB8 p8015-8036 1987.

Keywords: *Brittle materials, *Polycrystals, *Fracture mechanics, Ceramics, Microscopy, Ultrasonic tests, Granite, Aluminum oxide, Rocks, Reprints, In-situ tests.

The material-breakdown processes associated with mode-I fracture propagation in brittle polycrystals is investigated using ultrasonic-wave probing and in-situ optical microscopy. Emphasis is placed on delineation of the size and shape of the 'fracture process zone' and identification of its constitutive micromechanisms. Two materials were investigated: imperfectly-elastic multi-phase Westerly granite and near perfectly-elastic single-phase polycrystalline alumina (Al₂O₃). In both materials a zone of 'tractions' was observed to develop along the macrocrack flanks behind the visually-identified primary fracture tip. The tractions, or restraining forces, were provided by both frictional interlocking of the fracture surfaces and 'bridging' by intact material left behind the advancing fracture front. Localized microcracking (friction-induced microcracking and material-bridge rupture) was found to be associated with the traction sites. Traction-zone lengths in the granite were as long as 15-40 mm (0.75 mm grain size) and 2 mm in the alumina (20-100 micrometer grain size). The crack-interface restraining mechanisms are incorporated into a simple fracture mechanics formulation which is used to describe several commonly observed features (e.g. R-curves) of macroscopic fracture behavior.

101,191

PB91-159137 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.

International Co-operation: The Versailles Project on Advanced Materials and Standards.

Final rept.

L. H. Schwartz, and B. W. Steiner. 1988, 2p
Pub. in ATAS Bulletin 5, p135-136 May 88.

Keywords: *International cooperation, *Materials, *Standards, Reprints, *VAMAS Project.

The formation and activity of the Versailles Project on Advanced Materials and Standards (VAMAS) is described.

101,192

PB91-159145 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.

VAMAS Bulletin.

Final rept.

L. H. Schwartz, and B. W. Steiner. Jul 87, 16p
Pub. as VAMAS Bulletin, n6 p1-16 Jul 87.

Keywords: *Materials, *Standards, *International co-operation, Reprints, *VAMAS project.

Recent work of the Versailles Project on Advanced Materials and Standards (VAMAS) is described.

101,193

PB91-162024 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals.

Final rept.

N. Eidelman, W. E. Brown, and J. L. Meyer. 1991, 9p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Jnl. of Crystal Growth 108, p385-393 1991.

Keywords: *Calcium phosphates, *Pyrophosphates, Crystal growth, Concentration(Composition), Apatites, Hydroxy compounds, Inhibitors, Comparison, Dental materials, Reprints.

The comparative effects of 0.3, 1 and 3 micromolar P2O7(sup 4-) concentrations on the growth of calcium phosphate on octacalcium phosphate (OCP) and on 'well-crystallized' hydroxyapatite (OHAp) seeds were studied. The control growth rates (without P2O7(sup 4-)) were adjusted by weight or surface area of the seed crystals. The induction periods were longer with higher P2O7(sup 4-) concentrations and longer on OCP seeds than on the OHAp seeds. However, the final growth rates were about the same on both kinds of seeds when equal concentrations of P2O7(sup 4-) were used, suggesting that the same phase was growing on both kinds of seeds. The growth rates were faster when higher concentrations of OHAp seeds were used. The crystal growth on both OCP and OHAp seeds was accelerated when most of the labeled P2O7(sup 4-) disappeared from the solution. The composition of the initial phase that grew on either OCP or OHAp seed crystals appears to be OCP or partially hydrolyzed OCP. These results lead to the conclusion that apparently OCP, but not OHAp, grew on OCP and OHAp seeds in the presence of P2O7(sup 4-).

101,194

PB91-174243

Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Building Environment Div.

Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors.

Final rept.

D. A. Aaron, and P. A. Domanski. 1990, 13p
Sponsored by Department of Energy, Washington, DC.
Pub. in ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers) Transactions, v96 pt1 13p 1990.

Keywords: *Refrigerants, *Pipe flow, *Heat pumps, Tubes, Orifices, Air conditioners, Pressure reduction, Expansion, Diameters, Fluid flow, Mass flow, Reprints.

Refrigerant-22 flow through short tube restrictors was investigated. The analysis pertained to initially subcooled refrigerant flowing through short tubes with $5 < L/D < 20$. The flow conditions studied were those typically found in heat pumps. Flow dependencies upon upstream subcooling, upstream pressure, downstream pressure, tube length, tube diameter, entrance chamfering, and exit chamfering were examined. A correlation and flow charts for mass flow rate prediction were developed from a large experimental data base.

101,195

PB91-175414

Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Thermophysics Div.

Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a).

Final rept.

G. Morrison, and D. K. Ward. 1991, 22p
Sponsored by Department of Energy, Washington, DC.
Pub. in Fluid Phase Equilibria 62, p65-86 1991.

Keywords: *Refrigerants, *Thermodynamic properties, Temperature effects, Vapor pressure, Working fluids, Critical point, Thermophysical properties, Density(Mass/volume), Measurement, Pressure, Reprints.

The paper describes two different sets of measurements of the properties of two proposed alternative refrigerants, 1,1,1,2-tetrafluoroethane (R134a) and 1,1-dichloro-2,2,2-trifluoroethane (R123). The first are vapor-liquid equilibrium measurements made in a simple variable-volume sapphire cell. The vapor pressures and saturation liquid densities were determined for both materials, between 268 K and the critical temperature for R134a and between 303 K and 373 K for R123. The saturation vapor density was also determined for R134a from 298 K to the critical point, where the critical conditions were measured. The second set

of measurements were made with a vibrating tube densimeter from the saturation pressure to 5500 kPa for R134a and to 3500 kPa for R123 in the temperature range 278 K-368 K. These data are then compared with other determinations of similar properties.

101,196

PB91-189563

Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Building Environment Div.

Study of Flow Boiling Heat Transfer with Refrigerant Mixtures.

Final rept.

D. S. Jung, M. O. McLinden, R. Radermacher, and D. A. Didion. 1989, 14p
Sponsored by Electric Power Research Inst., Palo Alto, CA.

Pub. in International Jnl. of Heat Mass Transfer. 32, n9 p1751-1764 1989.

Keywords: *Heat pumps, *Refrigerants, Heat transfer coefficient, Mixtures, Nucleate boiling, Reprints.

Mixture effects are studied on horizontal flow boiling heat transfer with both azeotropic and non-azeotropic refrigerant mixtures. More than 2000 local heat transfer coefficients are obtained with the azeotropic R12/R152a mixture and compared against the previously measured data with the non-azeotropic R22/R114 mixture. In a convective evaporation region, small mass transfer resistance is found for mixtures. The variation of physical properties due to mixing is responsible for almost all of the heat transfer degradation. In a partial boiling region, however, severe degradation of heat transfer with mixtures, similar to that in nucleate pool boiling heat transfer with mixtures, is found. A suppression of nucleate boiling at lower qualities due to loss of wall superheat with mixtures is responsible for the degradation. An analysis is developed to predict a transition quality by using Hsu's onset of nucleate boiling theory. The prediction agreed well with observed transition qualities for both pure and mixed refrigerants. Correlations, based on the supposition of Chen and using only phase equilibrium data to consider mixture effects, are developed with mean deviations of 7.2 and 9.6% for pure and mixed refrigerants.

101,197

PB91-236695

Not available NTIS

National Bureau of Standards (NIST), Gaithersburg, MD. Thermophysics Div.

Thermodynamic Diagrams for Refrigerant Mixtures.

Final rept.

J. S. Gallagher, M. O. McLinden, and G. Morrison. 1988, 18p
Sponsored by Electric Power Research Inst., Palo Alto, CA.

Pub. in ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers) Transactions, v94 pt2 p2119-2136 1988.

Keywords: *Refrigerants, *Equations of state, *Thermodynamic properties, Thermochemical diagrams, Fluorohydrocarbons, Entropy, Thermodynamics, Temperature, Pressure, Thermophysical properties, Thermochemical properties, Reprints, *Thermodynamic diagrams.

Several highly detailed diagrams of the thermodynamic properties of refrigerant mixtures have been generated. These diagrams are based on the Carnahan-Starling-DeSantis equation of state and are useful in the analysis and design of refrigeration equipment using refrigerant mixtures. Presented are pressure-enthalpy diagrams for R13/12, R22/114 and R22/11 mixtures at compositions of 60/40 and 40/60 weight percent for each mixture. Temperature-entropy diagrams for the R22/114 mixture as well as for pure R22 and R114 are also presented. The CSD equation of state is briefly reviewed along with a description of the routines used to produce the diagrams.

101,198

PB92-112366

PC A05/MF A01

National Inst. of Standards and Technology (NIST), Boulder, CO. Thermophysics Div.

Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.

M. O. McLinden, W. M. Haynes, J. T. R. Watson, and K. Watanabe. Jun 91, 82p NISTIR-3969
Prepared in cooperation with National Engineering Lab., East Kilbride (Scotland), and Keio Univ., Yokohama (Japan). Dept. of Mechanical Engineering. Spon-

sored by Department of Energy, Washington, DC. Office of Buildings and Community Systems.

Keywords: *Refrigerants, *Thermophysical properties, Transport properties, Surveys, Research, Thermodynamic properties, Tables(Data), Fluorohydrocarbons, Permittivity, Refractivity, Foreign technology, Global, Hydrochlorofluorocarbons, Hydrofluorocarbons.

The survey represents an exhaustive compilation of the research activities throughout the world concerned with either measurements or correlations of the thermophysical properties of alternative refrigerants. The properties covered in the study include thermodynamic, transport, phase equilibria, and other properties such as dielectric constant and refractive index. The survey has included a wide range of fluids (including R23, R32, R125, R143a, R22, R134a, R152a, R134, R124, R142b, R123, R123a, R141b) along with mixtures containing at least one of these fluids. The report presents in tabular form summary information about each research activity; the survey does not present raw data or correlating equations.

101,199

PB92-116748

Not available NTIS

National Inst. of Standards and Technology (NIST), Boulder, CO. Thermophysics Div.

Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.

Final rept.

J. F. Ely, and M. L. Huber. 1990, 10p
Pub. in Proceedings of ASHRAE-Purdue CFC and IIR-Purdue Refrigeration Conference, West Lafayette, IN., July 17-20, 1990, 10p.

Keywords: *Thermophysical properties, *Refrigerants, Enthalpy, Equations of state, Mixtures, Entropy, Thermal conductivity, Computer programs, Thermodynamic properties, Forecasting, Viscosity, Models, Density(Mass/volume), Thermodynamic equilibrium, Reprints, PROZPER computer program.

The authors have developed a predictive corresponding states model for the thermophysical properties of pure refrigerants and refrigerant mixtures. The bulk phase properties such as the density, enthalpy and entropy are predicted using the principle of extended corresponding states. The theoretically based model uses shape factors to insure conformity among the various components and R134a is used as the reference fluid. The shape factors are found by mapping saturation boundaries of the fluids of interest onto the reference fluid. In the case where no saturation data are available, the shape factors are predicted. In addition to equilibrium properties, a one-fluid corresponding states model is used to predict the viscosity and thermal conductivity. Phase equilibria is predicted using a Peng-Robinson equation of state. The corresponding states model is contained in an interactive microcomputer program, PROZPER (PProperties of Ozone Protecting Environmentally acceptable Refrigerants). In addition, the program can 'learn' new components using only a minimum amount of information--the molecular weight, the normal boiling point and the critical parameters of the chemical species. Additional information such as vapor pressures, saturated liquid densities, saturated liquid thermal conductivities and viscosities may be input to improve the predictive capability of the model.

101,200

PB92-116946

Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Building Equipment Div.

Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.

Final rept.

D. Jung, M. O. McLinden, R. Radermacher, and D. A. Didion. 1989, 15p
Sponsored by Electric Power Research Inst., Palo Alto, CA.

Pub. in International Jnl. of Heat and Mass Transfer 32, n1 p131-145 1989.

Keywords: *Refrigerants, *Thermodynamic properties, *Heat transfer, *Boiling, Heat transfer coefficient, Heat flux, Mixtures, Concentration(Composition), Liquid phases, Fluid flow, Transport properties, Reprints.

An experimental study on horizontal flow boiling heat transfer for pure R22 and R114 and their mixtures under uniform heat flux condition is reported. More than 1200 local heat transfer coefficients are obtained for annular flow at a reduced pressure of 0.08 and

MATERIALS SCIENCES

Miscellaneous Materials

qualities up to 85% for various heat fluxes and mass fluxes. The results show that local heat transfer coefficients for mixtures are as much as 44% lower than a linear mole fraction weighting of the pure component values for the same flow condition. A composition variation of up to 0.07 mole fraction in the annular liquid film was measured between the top and bottom of the tube. The effects of the composition variation and non-ideal variations in physical properties account for the most of the heat transfer degradation seen with mixtures.

Nonferrous Metals & Alloys

101,201

AD-A229 229/0

PC A10/MF A02

National Inst. of Standards and Technology, Boulder, CO.

Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility, Volume 1.

Interim rept. Nov 88-Jun 90.

R. P. Reed, N. J. Simon, J. D. McColskey, and J. R. Berger. Sep 90, 207p AL-TR-90-063-VOL-1.

Keywords: Alloys, *Aluminum alloys, Compatibility, Contamination, *Cryogenics, Documents, Experimental data, Laboratories, *Liquid oxygen, Oxygen, Portable equipment, *Tanks(Containers), Test and evaluation, Test facilities, Test methods, *Lithium alloys, *Compatibility, Lox(liquid oxygen), Aluminum alloy 8090, Aluminum alloy 2090, Aluminum alloy 2219, Advanced Launch System.

In Part I of this program, Al-Li alloys 8090-T3 and 2090-T81 and Al alloy 2219 (tempers T851, T37) were tested for compatibility with liquid oxygen using pressurized mechanical-impact apparatuses at two NASA laboratories, Marshall Space Flight Center (MSFC) and White Sands Test Facility (WSTF). Specimens and data from tests at Santa Susana Field Laboratory (SSFL), Rocketdyne, on alloy 2090-T81 were supplied by ALCOA. Pressurized mechanical-impact data on alloy WL049-T351 were produced by WSTF. In addition, WSTF conducted open-cup mechanical-impact and promoted-combustion tests on all alloys. Reactions occurred in some specimens of all alloys during pressurized mechanical-impact tests at MSFC. There were no reactions during similar tests at WSTF and SSFL. The reactions at MSFC are not attributed to specimen contamination. This interim report analyzes the ignitions found in the MSFC pressurized mechanical-impact tests, compares the results and test methodologies of both MSFC and WSTF facilities (since each laboratory is producing test data that are apparently divergent), and addresses the current test standard document NASA NHB 8060.1B as it pertains to this study. (TTL)

101,202

AD-A229 231/6

PC A09/MF A02

National Inst. of Standards and Technology, Boulder, CO.

Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.

Final rpt. Nov 88-Jun 90.

N. J. Simon, E. S. Drexler, and R. P. Reed. Sep 90, 197p AL-TR-90-064.

Keywords: Air force facilities, Air force systems command, *Aluminum alloys, Astronautics, Constants, *Cryogenic storage devices, Cryogenics, Elastic properties, Elongation, Fracture(Mechanics), High strength alloys, Laboratories, *Launching, *Lithium alloys, *Mechanical properties, Specific heat, Supervisors, *Tanks(Containers), Tensile strength, Thermal conductivity, Thermal expansion, *Thermal properties, Toughness, Validation, Yield strength, Launchers, Aluminum alloy 2219, Cryogenic tankage, Advanced Launch System.

The review of cryogenic mechanical and thermal properties presented here is part of a broader NIST program to assess new high-strength Al-Li alloys for use in the cryogenic tankage of the Advanced Launch System. This program is sponsored by the Air Force Systems Command, Astronautics Laboratory, Edwards Air Force Base, with Bao Nguyen, Task Manager. It is part of the Materials and Process Validation (3101) of the Structures, Materials, and Manufacturing (3000) portion of the ALS Advanced Development Program. Since the purpose of the NIST program has

been to assess the relative suitability of high-strength Al-Li alloys and alloy 2219 for use in ALS cryogenic tanks, data on Al-Li alloys 8090, 2090, WeldaliteTM 049, and Al alloy 2219 have been included in the survey. Properties covered in this survey are tensile strength, yield strength, elongation, fracture toughness, elastic constants, specific heat, thermal conductivity, and thermal expansion. (tll)

101,203

AD-A231 830/1

PC A07/MF A01

National Inst. of Standards and Technology, Boulder, CO.

Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility, Volume 2.

Final rept. Nov 88-Jun 90.

R. P. Reed, N. J. Simon, J. D. McColskey, C. N. McCowan, and E. S. Drexler. Sep 90, 128p AL-TR-90-0630-VOL-2.

See also Volume 1, AD-A229 229.

Keywords: Alloys, Compatibility, Cryogenics, Drop tests, Electron microscopes, Electronic scanners, Eye, Gases, Height, Liquid oxygen, Lithium alloys, Magnification, Microscopy, Optical analysis, Oxygen, Potential energy, Power, Tanks(Combat vehicles), Test facilities, *Aluminum alloys, Aluminum-lithium alloys, Weldalite.

In Part II of this program, selected tempers of alloys 8090, 2090, WL049, and 2219 were tested for compatibility with liquid oxygen in modified open-cup and pressurized mechanical-impact equipment at White Sands Test Facility. Drop height (potential energy), pressure, and environment (liquid oxygen, LOX, and gaseous oxygen, GOX) were varied in these tests. Additional promoted-combustion tests were also conducted at WSTF. Reactions, ranging in size from those that could be observed with the naked eye to those that required use of the scanning electron microscope (SEM), were identified in all alloys. Those that require little or no magnifying power to view are labeled macroreactions; those that require the use of optical microscopy or SEM are called microreactions. Al-Li alloys had more macroreactions than 2219; 2219 had more, or an equivalent number of microreactions than each of the Al-Li alloys.

101,204

AD-A242 956/1

PC A07/MF A02

National Inst. of Standards and Technology, Boulder, CO.

Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.

Final rept. Aug 89-Mar 90.

R. P. Reed, P. T. Purtscher, N. J. Simon, J. D. McColskey, and R. P. Walsh. Oct 91, 146p

Keywords: *Aluminum alloys, *Lithium alloys, *Cryogenics, Mechanical properties, Tensile properties, Fracture(Mechanics), Toughness, Delamination, Cracking(Fracturing), Low temperature alloys, Grain size, Aluminum - Lithium Alloys, Cryogenic Mechanical Properties, Alloy 2219, Surface Flaw.

Tensile and plane-strain fracture toughness properties were obtained at cryogenic temperatures to compare the Al-Li alloys 8090, 2090, and WL049 and alloy 2219 in various tempers and specimen orientations. The strongest alloy at very low temperatures is WL049-T851, which is about 10% stronger than 2090-T81. Both alloys are considerably stronger than 2219-T87. Alloy 2090-T81 is tougher in the in-plane orientations (about 50%) than WL049-T851 at low temperatures; the higher in-plane toughness is attributed to the presence of less constituent particles and the tendency to crack out-of-plane or delaminate at low temperatures. This delamination tends to divide the moving crack, thus separating it into smaller regions where plane stress (rather than plane strain) conditions are conducive to increased toughness. Thus, a dichotomy: reduced toughness in the through-thickness or out-of-plane orientations leads to increased toughness in the in-plane orientations. In service, a leak in the tank is considered failure, and a leak will be caused by a crack in the panels of the tankage growing through the panel thickness. To measure the resistance to crack growth under these conditions, surface-flawed panel tests are recommended.

101,205

DE91016274

PC A03/MF A01

National Inst. of Standards and Technology, Boulder, CO.

Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.

L. F. Goodrich. 1989, 18p CONF-890701-31

Contract A101-86ER52132

International cryogenic materials conference, Los Angeles, CA (United States), 24-28 Jul 1989. Sponsored by Department of Energy, Washington, DC.

Keywords: *Critical Current, *Niobium Base Alloys, *Tin Alloys, Bonding, Composite Materials, Fiberglass, Intermetallic Compounds, Measuring Methods, Meetings, EDB/360104, *Cryogenics, *Superconductors.

This guideline was prompted, in part, by presentations given at the 6th Japan-US Workshop on High Field Superconductors (February 22-24, 1989, Boulder, CO) and subsequent discussions. The results of the recent Versailles Project on Advanced Materials and Standards (VAMAS) Nb(sub 3)Sn critical-current round robin indicate that increased consistency in interlaboratory measurements might be achieved by a more detailed specification of the critical-current (I(sub c)) measurement technique. However, a competition exists between the benefit of a rigidly specified measurement technique, which ensure measurement reproducibility, and a less restrictive technique that would be practical for a greater number of laboratories. Ideally, the measurement technique should have the least number of restrictions that is consistent with measurement reproducibility. This measurement guideline is intended to be one of a few different measurement techniques in a second Nb(sub 3)Sn (I(sub c)) round robin that is envisioned to determine the preferred measurement method for Nb(sub 3)Sn. At this time, there is no consensus regarding the materials used for the reaction mandrel, measurement mandrel, or sample bonding. There are advantages and disadvantages for all known materials. This guideline was written for one combination of materials. This measurement guideline assumes that the reader has the basic knowledge and experience with I(sub c) measurements of NbTi and Nb(sub 3)Sn conductors.

101,206

N91-21347/0

(Order as N91-21331/4, PC A24/MF A03)
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Thermophysics Div.

Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment.

A. P. Müller, and A. Cezairliyan. 1 May 90, 5p

In JPL, Proceedings of the First Workshop on Containerless Experimentation in Microgravity p 243-247.

Keywords: Heating, High temperature, *Interfacial tension, *Liquid metals, Melting, Microgravity applications, Pipes (Tubes), Reduced gravity, C-135 aircraft, Copper, Electric current, Melting points, Refractory metals, Simulation, Tantalum, *Surface tension.

The feasibility of a dynamic technique for measuring surface tension of liquid metals at high temperatures in a microgravity environment was demonstrated. The basic method involves heating a tubular specimen resistively from ambient temperature through its melting point in about 1 sec by passing an electrical current pulse through it, while simultaneously recording the pertinent experimental quantities. Static equilibrium for the molten specimen is achieved in a microgravity environment by splitting the current after it passes through the specimen tube and returning a fraction along the tube axis, and the remaining fraction outside the specimen. Adjustments to the current split enable a balance between the magnetic and surface tension forces acting on the specimen. Values for surface tension are determined from measurements of the equilibrium dimensions of the molten specimen tube, and the magnitudes of the currents. Rapid melting experiments, performed during microgravity simulations with the NASA KC-135 aircraft, yield a value for the surface tension of copper at its melting point which is in agreement with literature data. Measurements of surface tension of a refractory metal (tantalum) are underway.

101,207

PB91-132225

PC A07/MF A01

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Metallurgy Div.

Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.

Annual rept. 1 Oct 89-30 Sep 90.

E. N. Pugh, and J. H. Smith. Dec 90, 142p NISTIR-4397

See also report for 1989, PB90-161159.

Keywords: *Metallurgy, Magnetic materials, Electrodeposited coatings, Corrosion, Processing, Process control, Superconductors, Intermetallic compounds, High temperature tests, Heat resistant alloys, Steels, Microstructure, Weldments, Phase diagrams, Construction materials, Detectors, Metal matrix composites, International cooperation.

The report summarizes the FY 1990 activities of the Metallurgy Division of the National Institute of Standards and Technology (NIST). These activities center upon the structure-processing-properties relations of metals and alloys and on methods of measurement; and also include the generation and evaluation of critical materials data. Efforts comprise studies of metals processing and process sensors; advanced materials, including metal matrix composites, intermetallic alloys and superconductors; corrosion and electrodeposition; mechanical properties; magnetic materials; and high temperature reactions. The work described also includes two cooperative programs with professional societies (the Alloy Phase Diagram Program with ASM International, and the Corrosion Data Program with the National Association of Corrosion Engineers); two with trade associations (the Temperature Sensor Program with the Aluminum Association, and the Steel Sensor Program with the American Iron and Steel Institute); and several with industry including the Powder Atomization Consortium with three companies.

101,208

PB91-134551 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Literature Review of the Galling Process.

Final rept.

M. B. Peterson, L. K. Ives, and K. J. Bhansali. 1987, 25p
Pub. in Proceedings of Symposium on Metal Transfer and Galling in Metallic Systems, Orlando, FL., October 8-9, 1986, p1-25 1987.

Keywords: *Galling, *Reviews, *Metals, Plastic deformation, Surface roughness, Microstructure, Crystal structure, Loads(Forces), Strain hardening, Reprints, Preferred orientation, Temperature dependence, Asperity.

A review was conducted of the technical literature relating to the process of galling. Approximately 250 references pertinent to galling were reviewed and key references selected. A principal focus of the review concerned the relationship between galling and plastic deformation. Attention was directed to two deformation models; a soft asperity model and a hard asperity model. From these models a postulate on frictional behavior has been developed. The severity of galling is determined not only by contact conditions such as load and contact geometry but also by factors affecting deformation characteristics such as crystal structure, preferred orientation, work hardening rate, and microstructure. The severity of galling is found to increase with increasing load, reduced surface roughness, higher adhesion, reduced strain hardening rate and higher temperature. These and other factors relating to galling severity are discussed.

101,209

PB91-147314 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Phase Formation in Electrodeposited and Thermally Annealed Al-Mn Alloys.

Final rept.

B. Grushko, and G. R. Stafford. 1990, 11p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Metallurgical Transactions A 21A, p2869-2879 Nov 90.

Keywords: *Aluminum manganese alloys, Amorphous materials, Electrodeposition, Aluminum intermetallics, Annealing, Icosahedrons, BCC lattices, FCC lattices, Reprints, Icosahedral phase, Quasicrystals, Manganese intermetallics.

Aluminum-manganese alloys with compositions ranging from 0 to 50 wt pct Mn were electrodeposited onto copper substrates from a chloroaluminate molten salt electrolyte containing MnCl₂ at temperatures of 150 C

to 325 C. The structures of these electrodeposits were then compared to those observed when metastable electrodeposits were thermally annealed at 200 C to 610 C. The alloys were characterized by scanning electron microscopy, transmission electron microscopy (TEM), energy dispersive spectroscopy, and X-ray diffraction. At deposition temperatures of 150 C to 250 C, no stable structure other than the strongly supersaturated and highly dislocated Al-face-centered cubic (fcc) solid solution is observed. An amorphous phase and body-centered cubic (bcc) Al₈Mn₅ are observed at higher manganese compositions.

101,210

PB91-147322 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.

Final rept.

C. A. Handwerker, J. W. Cahn, D. N. Yoon, and J. E. Blendell. 1985, 18p
Sponsored by Army Research Office, Research Triangle Park, NC.

Pub. in Proceedings of TMS-AIME Fall Meeting Diffusion in Solids: Recent Developments, Detroit, MI., September 17, 1984, p275-292 1985.

Keywords: *Alloys, Mathematical models, Thermodynamics, Diffusion, Reprints, *Liquid films.

When solid solution grains are not in chemical equilibrium with the liquid in which they are imbedded, equilibration frequently occurs by dissolution and reprecipitation of saturated solid solution, rather than by solid state diffusion. At small volume fractions of liquid, this mechanism has the appearance of liquid film migration and is modelled by diffusion of the components of the solid through the liquid film, driven by differences in solubility in the liquid between the dissolving grain and the growing grain. A thermodynamic analysis is given for the solubilities of the grains, which includes local interfacial curvature and local coherency stresses due to lattice parameter variations in the diffusion zones. An expression for the migration velocity derived from the model contains no unmeasurable parameters. Except for curvature and liquid film thickness, the parameters are all thermodynamic, elastic, crystallographic or diffusive and can be measured independent of the liquid film migration process.

101,211

PB91-147512 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.

Phase Diagrams of Hexagonal Binary Ordering Alloys with Anisotropic Interactions.

Final rept.

R. Kikuchi, and J. W. Cahn. 1987, 6p
Pub. in Proceedings of International Conference on User Applications of Alloy Phase Diagrams, Lake Buena Vista, FL., October 4-9, 1986, p19-24 1987.

Keywords: *Binary alloys, *Phase diagrams, Hexagonal close packed lattices, Order disorder transformations, Interactions, Reprints, Cluster variation method.

Phase diagrams between the disordered and the DO(19) ordered A(3)B phases are calculated for the hexagonal lattice using the tetrahedron approximation of the cluster-variation method. Nearest-neighbor pairwise interactions are assumed, but the bonds within the basal plane are allowed to differ from the bonds between basal planes, r being the ratio of interaction energies. When $r = 1$, the disorder-A(3)B phase boundary agrees exactly with that calculated for fcc, although the entropy expressions for the hcp and fcc cases are different. For $0.8 < r < 1.2$, the boundary shape is qualitatively the same as the $r = 1$ case. When $0 < r < 0.7$, the present calculations for the B-rich side of the A(3)B phase becomes unstable.

101,212

PB91-147637 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Structure of Surface Films on Magnesium and on Magnesium Alloys.

Final rept.

G. G. Long, J. Kruger, D. K. Tanaka, and Z. Zhang. 1988, 1p
Pub. in Jnl. of the Electrochemical Society 135, n3 pC144 1988.

Keywords: *Magnesium oxides, *Magnesium, *Surfaces, X ray spectroscopy, Crystal structure, Oxygen, Films, Reprints, *Magnesium alloy AZ61.

Surface reflection x-ray spectroscopy measurements at the oxygen K-edge are reported for surface films on high purity magnesium and on AZ61 magnesium alloy. Surface-EXAFS data was extracted for the films and for a single crystal MgO standard sample. The experimental curves were fitted by theoretical curves to obtain oxygen nearest neighbor distances, coordination numbers, and a measure of the disorder in the surface films.

101,213

PB91-148866 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.

Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr₂Pd, Zr₂PdD_{1.70}, and Zr₂PdD_{1.96}.

Final rept.

A. J. Maeland, E. Lukacevic, J. J. Rush, and A.

Santoro. 1987, 15p

Pub. in Jnl. of the Less Common Metals 129, p77-91 Feb 87.

Keywords: *Zirconium hydrides, *Palladium, *Alloys, Crystal structure, Deuteration, Isotope effects, Neutron diffraction, Intermetallic compounds, Tetragonal lattices, Reprints.

The compounds Zr₂Pd, Zr₂PdD_{1.70}, and Zr₂PdD_{1.96} have been studied with the neutron powder diffraction technique and the Rietveld method of profile analysis. All three materials crystallize with the symmetry of space group I4/mmm, Z=2. The lattice parameters are $a = 3.3085(9)$ and $c = 10.8907(6)$ Å for Zr₂PdD_{1.70}, and $a = 3.3715(3)$ and $c = 11.438(2)$ Å for Zr₂PdD_{1.96}. The D atoms are located at the centers of slightly distorted tetrahedra of Zr atoms with a Zr-D distance of 2.071(1) Å in Zr₂PdD_{1.70} and 2.092(2) Å in Zr₂PdD_{1.96} and with Zr-D-Zr angles ranging from 106.6 deg to 110.9 deg. The hydrogen location in the structure has been confirmed by neutron inelastic scattering measurements. These show a broad hydrogen vibration peak at 135 meV analogous to that observed for hydrogen bound in relatively undistorted tetrahedral sites in other hydrides. As a consequence of the insertion of deuterium in the structure of the intermetallic compound, the Zr-Zr distances in the deuterides are considerably different from the corresponding ones in Zr₂Pd. However the Zr-Pd separation remains practically identical in the three materials.

101,214

PB91-149039 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Materials Research at the National Bureau of Standards.

Final rept.

E. N. Pugh. 1986, 3p

Pub. in Proceedings of Materials Technology Congress, Adelaide, Australia, May 19-21, 1986, v1 p1-3.

Keywords: *Research projects, *Metals, *Nondestructive tests, *US NBS, International cooperation, Australia, Processing, Reprints.

Materials research at NBS is centered in the Institute for Materials Science and Engineering, one of four major organizational units at the Bureau. The Institute is comprised of five Divisions, namely Ceramics, Fracture and Deformation, Metallurgy, Polymers, and Reactor Radiation; it also manages a Bureau wide interdisciplinary program in nondestructive evaluation. As an agency of the Department of Commerce, NBS has traditionally provided the measurement foundation to support our industrial economy, and the Institute continues to generate measurement methods, critical materials data and standards for the industrial and scientific community. The Institute's research programs support the measurement activities and, in addition, are moving increasingly to address the science base underlying both traditional and new materials technologies. The lecture outlines these activities, focusing mainly on those of the Metallurgy Division and the NDE program.

101,215

PB91-149427 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

MATERIALS SCIENCES

Nonferrous Metals & Alloys

Structural Instabilities and Superconductivity in Quasi-Binary Mn₅Si₃-Type Compounds.

Final rept.
R. M. Waterstrat, R. Kuentzler, and J. Muller. 1990, 10p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Jnl. of the Less-Common Metals 167, p169-178 1990.

Keywords: *Binary alloy systems, *Superconductivity, *Zirconium alloys, *Platinum alloys, Iridium alloys, Osmium alloys, Specific heat, Magnetic permeability, Gold additions, Transition temperature, Low temperature, Reprints, Manganese silicides.

Measurements have been made of the low temperature specific heat, magnetic susceptibility, lattice parameters and superconducting behavior of quasi-binary compounds based on the Mn₅Si₃-type structure and having the general formula Zr₅Ir₃(1-v)Tv where T is either platinum or osmium. The atomic displacements previously reported for the Zr₅Ir₃ structure occur only near this binary composition; other alloys in the quasi-binary systems have an undistorted Mn₅Si₃ type structure. Superconductivity occurs in these quasi-binary systems, and T_c is a continuous function of the electron concentration reaching a maximum of T_c = 7.2 K for the binary compound Zr₅Pt₃. Substitution of small amounts of gold for platinum in Zr₅Pt₃ apparently destabilizes the Mn₅Si₃ type structure and produces alloys of unknown structure with lower T_c values (about 4 K).

101,216
PB91-149450 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Automated Production Technology Div.
Material Dependency of Chip-Form Detection Using Acoustic Emission.
Final rept.

K. W. Yee. 1987, 5p
Pub. in Proceedings of NAMRC (North American Manufacturing Research) Conference (15th), Bethlehem, PA., May 27-29, 1987, p458-462.

Keywords: *Chips, *Machining, *Acoustic detectors, *Metal spinning, Microcomputers, Monitoring, Aluminum, Steels, Metal products, Metal scrap, Metal working, Reprints.

An acoustic-emission-based microcomputer chip-form monitor has been designed and built at the National Bureau of Standards. The monitor implements algorithms based on research by the University of California, Berkeley. The ability to identify chip form in turning of three types of metal (aluminum, low-carbon steel, and an alloy steel) has been previously reported. The monitor performs best for the easy-to-machine metals where chip breaking is most difficult and disastrous tangles are most likely. Subsequent experiments have shown that the successful identification of chip form is dependent on the work-place metal. Additional results from the machining of two-nonmagnetic stainless steels and a copper alloy are contrasted with the previous results.

101,217
PB91-158485 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Reactor Radiation Div.
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScHx System.
Final rept.

I. S. Anderson, N. F. Berk, J. J. Rush, T. J. Udovic, R. G. Barnes, A. Magerl, and D. Richter. 1990, 4p
Pub. in Physical Review Letters 65, n12 p1439-1442, 17 Sep 90.

Keywords: *Scandium, *Hydrogen, Low temperature research, Neutron scattering, Structure factors, Diffusion, Reprints.

The localized motion of hydrogen in scandium has been studied by quasielastic neutron scattering. The results reveal that the quasielastic linewidth has a pronounced minimum near 100 K and rises at lower temperature with approximate 1/T dependence, indicative of nonadiabatic behavior that can be associated with weak coupling of hydrogen to the metal conduction electrons. This is the first such observation in a pure-metal-hydrogen system. The simultaneous determination of the elastic incoherent structure factor is interpreted in terms of labile and nonlabile hydrogen configurations in a manner consistent with recent estimates of pairing and activation energies in the rare-earth-hydrogen systems.

101,218
PB91-158527 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.
Acoustic Emission Monitoring of Laser Drilling.
Final rept.
R. B. Clough, R. J. Schaefer, and H. N. G. Wadley. 1984, 10p
Pub. in Proceedings of ASM Metals Congress Metals/Materials Technology Series, Detroit, MI., September 15-10, 1984, p1-10.

Keywords: *Metals, *Laser drilling, *Acoustic emission, Manufacturing, Nondestructive tests, Process control, Laser radiation, Aluminum, Reprints.

Laser drilling, because of its speed, controllability, and ability to penetrate tough or exceptionally hard materials, is a rapidly growing manufacturing method. However, beam power spikes and intervening disintegration products can disrupt or diminish energy transmission to the hole site, resulting in variable hole depth. To improve the situation, a combination of acoustic emission monitoring and laser settings has been investigated to improve hole depth prediction. The emission is suggested to be generated principally by liquid expulsion; intergranular cracking appears to be a secondary source. Acoustic emission shows promise as an experimental method for study of directed energy beam-material interactions.

101,219
PB91-158550 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Metallurgy Div.
Convective and Morphological Instabilities during Directional Solidification.
Final rept.
S. R. Coriell, and G. B. McFadden. 1990, 15p
Sponsored by National Aeronautics and Space Administration, Washington, DC.
Pub. in Principles of Solidification and Materials Processing, Chapter 16, v1 p365-379 1990.

Keywords: *Directional solidification(Crystals), *Binary alloys, Liquid-solid interfaces, Convection, Rayleigh scattering, Crystal growth, Separation, Morphology, Finite difference theory, Liquid metals, Stability, Mathematical models, Time dependence, Reprints.

During the directional solidification of a binary alloy at constant velocity, solute segregation may arise due to either interface instability or fluid flow in the melt. Recent calculations of cellular shapes in the absence of fluid flow and thermosolutal convection caused by the rejection of a lighter solute during growth vertically upwards are presented. Three-dimensional steady-state solutions for nonplanar interface morphologies are computed numerically by finite differences. A linear temperature field is assumed, and the solute field in the melt and the unknown crystal-melt interface position are obtained self-consistently. For a model of an aluminum-chromium alloy with a distribution coefficient greater than unity, the calculations predict hexagonal nodes near the onset of instability. Numerical results for the solute segregation caused by thermosolutal convection are obtained using finite differences in a two-dimensional, time-dependent model that assumes a planar-crystal melt interface. The system is assumed periodic in the horizontal direction, and the possibility of multiple flow states sharing the same period is examined. As the solutal Rayleigh number is varied, multiple steady states, time-periodic states, and quasi-periodic states occur.

101,220
PB91-158949 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.
Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass.
Final rept.

J. R. Manning. 1986, 6p
Pub. in ASTM (American Society for Testing and Materials) Standardization News 14, n9 p26-31 Oct 86.

Keywords: *Metals, *Alloys, Reviews, Phase transformations, Metallic glasses, Microstructure, Reprints, *Quasicrystals, *Rapid solidification process.

An overview is given of rapid solidification processes and the advantages rapid solidification can provide to alloys. The advantages include finer microstructures, decreased segregation, extended solid solubility, and formation of new types of phases, including the recently discovered quasicrystal phases.

101,221
PB91-158964 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.
Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys.
Final rept.
A. J. McAlister, L. A. Bendersky, R. J. Schaefer, and F. S. Biancaniello. 1987, 4p
Pub. in Scripta Metallurgica 21, n2 p103-106 1987.

Keywords: *Aluminum manganese alloys, Phase transformations, Crystallization, Icosahedrons, Aluminum intermetallics, Thermal analysis, X ray diffraction, Electron microscopy, Activation energy, Reaction kinetics, Heat of crystallization, Reprints, *Quasicrystals, Icosahedral phase, Manganese intermetallics.

Crystallization of the quasicrystalline icosahedral phase formed in Al-rich Al-Mn alloys has been studied by constant heat rate DTA, XRD, and TEM. Heats and activation energies of transformation were obtained, and evidence presented which suggests that the transformation is diffusion controlled.

101,222
PB91-159111 Not available NTIS
National Bureau of Standards (IMSE), Boulder, CO. Fracture and Deformation Div.
Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
Final rept.
R. C. Reno, A. V. Clark, G. V. Blessing, R. J. Fields, A. Govada, R. B. Thompson, P. P. Del Santo, R. B. Mignogna, and J. F. Smith. 1987, 7p
Pub. in Proceedings of ASM Symposium on Intelligent Processing of Materials and Advanced Sensors, Orlando, FL., 1986, p77-83 1987.

Keywords: *Metal plates, *Aluminum, *Neutron diffraction, *Process control, Intelligence, Calibrating, Ultrasonic tests, Texture, Metal rolling, Crystallography, On-line systems, Monitors, Detectors, Comparison, Nondestructive tests, Reprints.

Neutron pole figures were used to determine the crystallographic texture in rolled aluminum plates that were previously characterized with ultrasonic techniques. The orientation distribution function coefficients (ODC's) determined by neutron diffraction are in excellent agreement with those derived from ultrasound measurements, thus confirming the efficacy of ultrasound as an on-line monitoring technique.

101,223
PB91-159202 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.
Electrodeposition of Aluminum from Molten Salts.
Final rept.
G. Stafford, and C. Turner. 1987, 13p
Pub. in AESF Annual Technical Conference, v74 13p 1987.

Keywords: *Electrodeposition, *Aluminum manganese alloys, *Fused salts, Amorphous materials, Aluminum intermetallics, Electrolytes, Manganese additions, Metallic glasses, Heat treatment, X ray diffraction, Reprints, Manganese intermetallics.

The effect of additions of Mn to molten salt electrolytes will be discussed. It was found that aluminum manganese alloys exhibit x-ray diffraction patterns consistent with a metallic glass structure which upon heat treatment transforms to the crystalline intermetallic Al₆Mn. Some electrochemical phenomena operative in these melts will be discussed.

101,224
PB91-167338 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Intercomparison Study of Rockwell Hardness Test Blocks.
T. R. Shives, and J. H. Smith. Feb 91, 74p NISTIR-4531

Keywords: *Standards, *Rockwell hardness, *Metals, Comparison, Test equipment, Diamond pyramid hardness tests, Aging tests(Materials), Calibrating.

The National Institute of Standards and Technology undertook an intercomparison study of Rockwell hard-

ness test blocks marketed in the United States. Test blocks from six different manufacturers were included in the study. Measurements were made generally on seven sets of test blocks at three hardness levels for each of the HRC, HRB, HR30N and HR30T hardness scales. Even for the nearly ideal conditions of the study, it was found that there are significant differences among hardness test blocks of different manufacturers for some hardness levels. This is especially true for the high hardness part of the HRC scale, the lower and middle parts of the HRB scale, and parts of both the HR30N and HR30T scales. In these regions, the ranges of test results for blocks of different manufacturers that have similar assigned values exceed the tolerance limits for standardized test blocks according to ASTM Standard E 18-89a. Reevaluation of HRB and HR30T test blocks four to five years after initial evaluation indicated that many of these are unstable. There were significant changes in hardness in a number of the blocks.

101,225
PB91-174466 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.
Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhH_x) Prepared from Glassy and Crystalline Alloys.

Final rept.
R. C. Bowman, J. S. Cantrell, K. Samwer, J. Tebbe, E. L. Venturini, and J. J. Rush. 1988, 13p
Pub. in *Physics Review B: Condensed Matter* 37, n15 p8575-8587 1988.

Keywords: *Amorphous materials, *Zirconium alloys, *Rhodium alloys, *Metal hydrides, Metallic glasses, Hydrogenation, Neutron scattering, Nuclear magnetic resonance, Electronic structure, Thermal degradation, Magnetic permeability, X ray diffraction, Calorimetry, Reprints.

The a-Zr₃RhH_x samples with $x < 5.5$ were studied by x-ray diffraction, proton nuclear magnetic resonance, magnetic susceptibility, low temperature heat capacity, differential scanning calorimetry, and inelastic neutron scattering. All hydride samples are amorphous with similar properties which are shown to be independent of the structure for the initial alloy. Namely, the solid-state reaction of hydrogen with crystalline c-Zr₃Rh appeared to produce an equivalent amorphous phase to hydrogenated glassy alloys. The changes in the electronic and magnetic properties upon hydrogenation imply a systematic decrease in the Fermi level density of states in a-Zr₃RhH_x as the hydrogen content increases. The thermal stabilities of the amorphous hydrides (with respect to the irreversible formation of crystalline ZrH_x phases) also decrease with increasing hydrogen stoichiometry. Whereas the hydrogen atoms predominantly occupy tetrahedral interstitial sites coordinated with zirconium atoms there is strong circumstantial evidence for occupancies of different and less stable sites at the higher compositions.

101,226
PB91-174771 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.

Final rept.
D. Gratias, J. W. Cahn, M. Bessiere, Y. Calvayrac, S. Lefebvre, A. Quivy, and B. Mozer. 1987, 12p
Pub. in *Proceedings of NATO Advanced Research Workshop, Italy, October 4-8, 1987*, 12p.

Keywords: *Aluminum alloys, *Icosahedrons, *Phase diagrams, X ray diffraction, Neutron diffraction, Electron diffraction, Crystallography, Reprints, Quasiperiodic.

Icosahedral phases in aluminium based alloys have been extensively studied by means of x-ray, neutron and electron diffraction. Many spectra have been collected, but no fully satisfying crystallographic model that matches properly the observed diffracted intensities has been proposed. The structural characterization of quasiperiodic phases is a formidable task due to the numerous parameters which have to be determined in addition to those of standard 3D crystallography.

101,227
PB91-187161 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.

Final rept.
L. A. Bendersky, P. W. Voorhees, W. J. Boettinger, and W. C. Johnson. 1988, 6p
Pub. in *Scripta Metallurgica* 22, n7 p1029-1034 Jul 88.

Keywords: *Strain energy methods, *Morphology, *Nickel alloys, *Titanium alloys, *Aluminum alloys, Elastic properties, Microstructure, Quenching(Cooling), Electron microscopy, Annealing, Phase transformations(Materials), Transmission electron microscopy, Heusler alloys, Precipitates, Coherence, Reprints, *Rapid solidification process.

The late-stage microstructural development of a rapidly solidified Ni₅₀Ti_{37.5} alloy, studied by TEM is described. During 800 C annealing, the following transformations occur: Heusler single phase to modulated precipitation of B2 phase to cuboidal precipitates of Heusler phase in B2 matrix to interconnected Heusler/B2 structure. The morphological evolution of the coherent system is controlled primarily by elastic strain energy.

101,228
PB91-187187 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Building Materials Div.
Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.

Final rept.
D. P. Bentz, J. W. Martin, and M. E. Batts. 1991, 12p
Pub. in *Wear* 143, p255-266 1991.

Keywords: *Thermal emission, *Holes(Mechanics), *Aluminum, *Steels, *Metals, *Infrared mapping, Infrared thermal detectors, Metal plates, Depth measurement, Temperature measuring instruments, Comparison, Theories, Milling(Machining), Geometry, Substrates, Ambient temperature, Calibrating, Surface energy, Reprints.

IR emission patterns for a series of cylindrical holes milled into aluminum and steel plates were compared with those predicted from existing theory. The emission patterns were found to be influenced by the hole geometry, the substrate material and the IR camera system itself. For holes milled into an aluminum plate, the results were adequately explained by existing theory for diffuse materials. For holes milled into a steel plate, however, the theory was found not to apply and empirical calibration was required. It is concluded that the IR technique may have promise in characterizing the diameter and depth of milled holes at temperatures near ambient.

101,229
PB91-187203 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.
Particle Size Measurement of Inert Gas Atomized Powder.

Final rept.
F. S. Biancianiello, J. J. Conway, P. I. Espina, G. E. Mattingly, and S. D. Ridder. 1990, 6p
Pub. in *Materials Science and Engineering A* A124, n1 p9-14, 10 Apr 90.

Keywords: *Atomizers, *Powder metallurgy, *Particle size distribution, *Supersonic flow, Measurement, Metal powder, Reliability, Reproducibility, Graphic methods, Reprints, *Supersonic inert gas metal atomizer.

Metal powder produced by a Supersonic Inert Gas Metal Atomizer (SIGMA) has been analyzed by using several diagnostic methods. These analyses have brought several interesting results. Some of these unexpected results are the reliability of the various techniques, the procedures for proper (reproducible) particle size analysis, and the graphical representation of the data that best shows the powder characteristics. The study has shown that gas atomized powder produced in the SIGMA facility has distinct size distribution characteristics that do not follow the log-normal pattern. The fragmentation mechanisms leading to droplet formation are examined which explain the SIGMA powder size distribution data. These powder analysis procedures are applicable to all inert gas atomized powder and could lead to a better understanding of the atomizing system's operative liquid disruption mechanisms.

101,230
PB91-187252 Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Reactor Radiation Div.

Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdH_x.

Final rept.
R. C. Bowman, D. R. Torgeson, R. G. Barnes, A. J. Maeland, and J. J. Rush. 1989, 6p
Pub. in *Z. Phys. Chem.* 163, n2 p425-430 1989.

Keywords: *Amorphous materials, *Zirconium alloys, *Palladium alloys, *Zirconium hydrides, *Diffusion, Neutron scattering, Neutron diffraction, Nuclear magnetic resonance, Relaxation time, Crystal structure, Surface chemistry, Protons, Reprints.

New measurements of the proton relaxation times have resulted in more thorough analyses of the diffusion properties in crystalline and amorphous Zr₂PdH_x. The influences of host metal and hydrogen site occupancies were better recognized when additional information from the proton second moments, inelastic neutron scattering spectra, and published neutron diffraction data was included. Complex motion is indicated when multiple sites become occupied at the higher stoichiometries of the crystalline phases or in the glassy hydride.

101,231
PB91-189423 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.
Structural Study of Electrodeposited Aluminum-Manganese Alloys.

Final rept.
B. Grushko, and G. Stafford. 1989, 9p
Pub. in *Metallurgical Transactions A* 20, n8 p1351-1359 1989.

Keywords: *Aluminum alloys, *Manganese additions, *Electrodeposited coatings, Phase transformations(Materials), Liquid metals, Compositions, FCC lattices, Substrates, Copper, Amorphous materials, Binary alloys, X-ray diffraction, Electron microscopy, Aluminum chlorides, Solutes, Reprints, *Rapid solidification process, Icosahedral phase.

Al-Mn alloys with compositions ranging between 0-27 wt% Mn were electrodeposited at 150C onto copper substrates from a chloroaluminate melt with controlled addition of MnCl₂. The specimens were studied by SEM, TEM, EDAX and x-ray diffraction. The addition of small amounts of Mn results in the formation of a supersaturated fcc solid solution of Mn in Al. At the higher Mn content an amorphous phase is established. The highly faceted crystalline surface of pure Al and Al-Mn solid solution becomes a smooth nearly specular surface when the amorphous phase is present. There is a concentration discontinuity between the above limit and the higher Mn concentration limit of the fcc phase (about 9 wt%). Appearance of the amorphous phase in the alloy results in a decrease in the Mn concentration in solid solution to about 2 wt%. The crystallization of the amorphous phase starts at the fcc-amorphous phase interface at 230C. As a result of treatment at 230-340C, the amorphous phase completely transforms into Al₆Mn, while the fcc phase is unaffected. Prior to crystallization, the amorphous phase shows a modification that could be interpreted as the formation of fine-grain icosahedral phase. The formation of phases by electrodeposition and rapid solidification is discussed.

101,232
PB91-189696 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.
Surface Properties and Coatings of Materials Microalloyed Alloys.

Final rept.
D. Lashmore. 1988, 7p
Pub. in *Israel Jnl. of Technology* 24, n3-4 p469-475 1988.

Keywords: *Electrochemical coating, *Electrodeposition, *Process control, *Alloys, Compositions, Surface properties, Microstructure, X-ray diffraction, Copper alloys, Cobalt alloys, Nickel alloys, Interfaces, Reprints.

Electrochemical deposition is becoming recognized as an important processing technique to produce alloys whose properties can be controlled on a near atomic level. In the paper alloy deposition is reviewed with particular emphasis on a deposition process incorpo-

MATERIALS SCIENCES

Nonferrous Metals & Alloys

rating a feedback system allowing a high degree of control over composition. Such a process can be used to produce unique microstructures which may be tailored on a near atomic level resulting in materials whose properties may be very finely tailored. Such a control has implication for the design of new alloys whose interfacial properties must be precisely controlled.

101,233

PB91-189985

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Creep of Copper: 4 to 295 K.

Final rept.

R. P. Reed, N. J. Simon, and R. P. Walsh. 1990, 9p. Sponsored by Department of Energy, Washington, DC. Pub. in *Advances in Cryogenic Engineering*, v36 p1175-1183 1990.

Keywords: *Copper, *Creep properties, *Creep tests, Least squares method, Strains, Shear properties, Tensile properties, Steady state, Mechanical properties, Shear flow, Experimental data, Reprints.

Creep measurements at 295, 76 and 4 K have been conducted on C10400 copper. Specimens were held under constant tensile load (dead weight) for periods of time sometimes exceeding one month. Creep data have been fitted to a series of expressions relating creep strain to time by a nonlinear least-squares procedure. The coefficients of the terms in the equations were related to applied stress levels. Primary, logarithmic, and steady-state creep ranges are discussed.

101,234

PB91-194852

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.

Final rept.

H. Ledbetter, and S. Datta. 1991, 4p. Pub. in *JSME International Jnl.*, Series I, v34 n2 p194-197 1991.

Keywords: *Elastic properties, *Metal matrix composites, *Particulate composites, *Copper, *Tungsten, Ultrasonic tests, Young modulus, Shear strength, Bulk modulus, Mathematical models, Poisson ratio, Anisotropy, Reprints.

Using a megahertz-frequency ultrasonic method, a measurement of the elastic constants of a composite consisting of seventy-volume-percent tungsten particles in a copper matrix was done. The Young, shear, and bulk moduli and the Poisson ratio are reported. Tungsten is much stiffer than copper: the Young-modulus ratio equals $410/129=3.2$. Thus, from a linear rule-of-mixture, large departures were found. (The Poisson ratio comes close to a linear rule-of-mixture.) Unexpectedly, a substantial elastic anisotropy was found: eighteen percent in the shear modulus. To model the system, a scattered-plane-wave ensemble-average approach was used. For the four elastic constants listed above, reasonable model-measurement agreement was found, one-to-seven percent for the averaged-over-direction measurements. Assuming oblate-spheroidal ($c/a = 0.5$) particles improves the agreement: two percent or less for the four cases.

101,235

PB91-195537

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.

Final rept.

W. H. Rhee, C. A. Handwerker, and D. N. Yoon. 1986, 7p. Pub. in *Proceedings of MRS Symposium on Interfacial Structure, Properties and Design*, v122 p205-211 1986.

Keywords: *Instability, *Liquid-solid interfaces, *Molybdenum alloys, *Nickel alloys, *Binary alloys, Time dependence, Equations, Microstructure, Diffusion, Grain boundaries, Migration length, Films, Grain growth, Liquid metals, Liquids, Reprints, Coherency strain.

An instability at solid-liquid interfaces induced by coherency strain has been studied in the Mo-Ni system. The coherency strain is developed in the diffusion zone by solute diffusion into the solid when the lattice parameter varies with composition. As a result of the

strain, the originally planar solid-liquid interface becomes unstable by dissolution of the initial solid and reprecipitation of the new solid, forming a sinusoidal interface shape. In a previous study, the coherency strains have been shown to be the driving force for the solution and reprecipitation process of the instability. The paper analyzes the evolution of the instability with time, from initiation to healing of the instability. Using the equations developed for liquid film migration (LFM) the change of microstructure is explained qualitatively. In addition, the relationships between the instability and diffusion induced grain boundary migration (DIGM) and LFM are discussed.

101,236

PB91-195651

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.

Phase Selection in Non-Equilibrium Processing.

Final rept.

R. J. Schaefer. 1989, 14p. Pub. in *Proceedings of Indo-US Workshops on Solidification Principles and Materials Processing*, Hyderabad, India, January 15-21, 1988, p381-394 1989.

Keywords: *Quenching(Cooling), *Phase diagrams, *Solidification, *Aluminum alloys, *Manganese alloys, Microstructure, Nucleation, Crystallization, Rates(Per time), Binary alloys, Reprints, *Rapid solidification process.

When an alloy is solidified rapidly, it is often thermodynamically possible for several different phases to form. Which of the phases dominates the final microstructure depends on the nucleation and growth kinetics of the several possible phases and also on the detailed thermal conditions of the specific solidification process. The effects are discussed with reference to the aluminum-manganese system, where the results of several types of experiments can be understood in terms of the strikingly different nucleation and growth behavior of several stable and metastable phases.

101,237

PB91-202945

Not available NTIS

National Inst. of Standards and Technology, Gaithersburg, MD.

Anisotropic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates.

Final rept.

P. P. Delsanto, R. B. Mignogna, and A. V. Clark. 1990, 10p. Sponsored by Office of Naval Research, Arlington, VA. Pub. in *Jnl. of the Acoustical Society of America* 87, n1 p215-224 Jan 90.

Keywords: *Acoustics, *Ultrasonic tests, *Metal plates, *Anisotropy, Residual stress, Texture, Reliability, Comparative evaluation, Methodology, Neutron diffraction, Strain gages, Polycrystals, Aggregates, Rayleigh waves, Time-of-flight method, Deformation, Homogeneity, Reprints.

A perturbative treatment of ultrasonic Rayleigh wave propagation is applied to investigate the case of an initially deformed metal plate, assumed to be homogeneous and to consist of an orthotropic distribution of cubic crystallites. Time-of-flight measurement techniques are proposed for the determination of both stress and texture. An analysis of these experimental results and a comparison with results of both ultrasonic bulk waves and neutron diffraction techniques confirm the reliability of this method. The special case of residual stresses is discussed in detail. Measurements of residual stresses with this technique agree with the results of strain gage measurements.

101,238

PB91-204156

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Metallurgy Div.

Crystalline and Glassy Phases of Transition-Metal-Metalloid Systems.

Final rept.

R. E. Watson, and L. H. Bennett. 1991, 11p. Sponsored by Department of Energy, Washington, DC. Pub. in *Physical Review B* 43, n14 p11 642-11 652, 15 May 91.

Keywords: *Metallic glasses, *Nickel alloys, *Iron alloys, *Metalloid, *Polymorphism, Phosphorus additions, Boron additions, Silicon additions, Carbon additions, Nitrogen additions, Crystal structure, Reprints.

Glasses formed in the Ni-P and Fe-B systems are known to be polymorphic. The crystalline phases in

these systems display markedly different metalloid environments and a one-to-one relationship can be made between those environments and the glassy phases for Ni-P. It is the purpose of the present paper to explore the prospects for polymorphism in other transition-metal-rich metalloid glassy systems in which the metalloids are P, Si, B, C, and N. The known crystal structures of the phosphides, silicides, carbides, nitrides, and borides have been inspected using radical Voronoi (Wigner-Seitz) -cell constructs to deduce metalloid-site nearest-neighbor arrangements. The occurrence of differences, such as those obtained in Ni-P and Fe-B, is taken as indicative of possible polymorphism in the glasses. A list of such glasses has been constructed. It is seen that polymorphism is most likely to occur in the phosphides and silicides, and very unlikely in the nitrides.

101,239

PB91-236760

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Microstructural Control Through Diffusion-Induced Grain Boundary Migration.

Final rept.

C. A. Handwerker, and J. W. Cahn. 1988, 7p. Pub. in *Materials Research Society Symposium Proceedings*, v106 p127-133 1988.

Keywords: *Microstructure, *Grain boundaries, *Diffusion, *Metals, *Ceramics, Migration length, Vapor deposition, Low temperature, Silicon, Process control, Polycrystals, Compositions, Reprints.

Diffusion-induced grain boundary migration (DIGM) is a common, but only recently discovered low temperature phenomenon that results in high rates of both chemical mixing (or unmixing) and grain boundary migration. DIGM is found in many situations where chemical heterogeneities lead to diffusion. For example, DIGM is observed during diffusion and compound formation in polycrystalline multilayer contact systems produced by low temperature deposition techniques. The diffusional mixing along the moving grain boundary is high, localized, and results in a distinctive composition profile behind the moving interface. Theory has indicated, and experiments have confirmed, which conditions lead to DIGM and which conditions suppress it. The microstructural changes can result in either a grain refinement as seen in many metallic systems or in enhanced grain growth as seen in polysilicon. In either case these microstructural and compositional changes are controllable in a way that may allow fabrication of unique devices.

101,240

PB92-108992

PC A04/MF A01

National Inst. of Standards and Technology (CAML), Gaithersburg, MD.

Phase-Field Model for Isothermal Phase Transitions in Binary Alloys.

A. A. Wheeler, W. J. Boettinger, and G. B. McFadden. Aug 91, 52p NISTIR-4662

Keywords: *Binary alloys, *Phase transformations, Copper nickel alloys, One-dimensional calculations, Two-dimensional calculations, Asymptotic methods, Interfaces, Separation.

The authors describe a new phase-field model, which models isothermal phase transitions between ideal binary alloy solution phases. Equations are developed for the temporal and spatial variation of the phase field, which describes the identity of the phase, and for the composition. The authors conduct an asymptotic analysis as the gradient energy coefficient of the phase field becomes small. From their analysis they show that their model recovers classical sharp interface models of this situation when the interfacial layers are thin, and they show how to relate the parameters appearing in the phase-field model to material and growth parameters in real systems. Further, the authors identify three stages of temporal evolution: the first corresponding to interfacial genesis which occurs very rapidly, the second to interfacial motion controlled by the local energy difference across the interface and diffusion; the last taking place on a long time scale in which curvature effects are important, and corresponds to Ostwald ripening. The authors also present results of numerical calculations.

101,241

PB92-116938

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.
Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
Final rept.
S. A. Jones, R. D. Shull, A. J. McAlister, and M. J. Kaufman. 1988, 6p
Pub. in Scripta Metallurgica 22, n8 p1235-1240 Aug 88.

Keywords: *Binary alloys, *Titanium alloys, *Aluminum alloys, Phase transformations, Phase diagrams, Inter-metallic compounds, Thermal analysis, Electron microscopy, High temperature tests, Eutectoids, Compositions, Reprints.

The Ti-Al phase diagram in the composition range between 35 and 50 atomic percent Al has been studied by means of optical and transmission electron microscopy and differential thermal analysis. The observations indicate inconsistencies with the alpha to alpha(2) + gamma eutectoid interpretation of the phase equilibria near 1100 C at 45 at. % Al and suggest the low temperature 'eutectoid-like' structure may be produced by the decomposition of the high temperature alpha phase via a cellular reaction: alpha (solid solution) to alpha + gamma.

Plastics

101,242
PB91-148247 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
Final rept.
L. J. Zapas, and J. M. Crissman. 1990, 13p
Pub. in Jnl. of Rheology 34, n1 p1-13 Jan 90.

Keywords: *Polyethylene, *Stress relaxation, *Ethylene copolymers, *Hexenes, Viscoelasticity, Performance prediction, Constitutive equations, Reprints.

For crystallizable polymers such as polyethylene it is found that the mechanical response in a stress relaxation experiment is nonlinear, even at quite small deformations, and the behavior for some multistep stress relaxation strain histories cannot be described quantitatively by the BKZ theory. A better description of the behavior is obtained using a new constitutive equation proposed by Zapas. The predictions of both the BKZ theory and the new description are shown for a series of single and multistep stress-relaxation experiments done in uniaxial extension on an ethylene-hexene copolymer. The results of the calculations using the new description are in good agreement with experiment.

101,243
PB91-150086 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Biodegradable Plastics: An Idea Whose Time Has Come.
Final rept.
J. D. Evans, and S. K. Sikdar. 1990, 5p
Pub. in CHEMTECH 20, p38-42 Jan 90.

Keywords: *Packaging materials, *Plastics, *Biodegradation, *Waste disposal, Enzymes, Photochemical reactions, Valeric acid, Polymers, Earth fills, Butyric acid, Reprints.

Because of severe environmental impacts of the use of plastics in recent times, regulatory and government authorities in many countries are beginning to outlaw certain plastic products, especially in packaging. Biodegradable plastics have emerged lately to redress the problems. In the article the progress made in this endeavor is reviewed and a few commercial successes are highlighted.

101,244
PB91-189712 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.
Effect of Crosslink Density on Physical Aging of Epoxy Networks.
Final rept.
A. Lee, and G. B. McKenna. 1988, 6p
Pub. in Polymer 29, n10 p1812-1817 Oct 88.

Keywords: *Networks, *Crosslinking, *Aging tests(Materials), *Epoxy resins, Temperature dependence, Density(Mass/volume), Polyoxypropylene, Stress relaxation, Glass, Transition temperature, Specific heat, Calorimetry, Superposition(Mathematics), Thermodynamic equilibrium, Quenching(Cooling), Reprints, DGEBA.

Physical aging of different crosslink density polypropylene oxide/DGEBA networks were investigated using the small-strain stress relaxation technique in simple extension. The effects of crosslink density on the glass transition temperature, Tg, and the change in specific heat at Tg were measured using a scanning calorimeter in heating. Although an increase in Tg was observed as crosslink density increased, contrary to other studies of crosslinked polymers, the specific heat did not change as the crosslink density changed. Aging was studied at several values of temperature below Tg after quenching from above Tg. The stress relaxation curves at different aging times, temperatures and crosslink densities were able to superimposed to form a single master curve, demonstrating the applicability of a time-aging time-temperature-crosslink density superposition principle to this type of network. Under all aging conditions, the double logarithmic shift rate was found to decrease with increasing crosslink density while being independent of temperature for a given network. Furthermore, at temperatures of 10 C and 5 C below Tg, the network glasses were aged into structural equilibrium.

101,245
PB91-189720 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.
Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments.
Final rept.
A. Lee, and G. B. McKenna. 1989, 4p
Pub. in Proceedings of ANTEC 89 Annual Technical Conference of Society of Plastics Engineers (47th), New York, NY., May 1-4, 1989, p1170-1173.

Keywords: *Epoxy resins, *Crosslinking, *Networks, *Viscoelasticity, Thermodynamic equilibrium, Heat treatment, Glass, Transition temperature, Polymers, Aging tests(Materials), Quenching(Cooling), Stress relaxation, Time dependence, Temperature dependence, Density(Mass/volume), Superposition(Mathematics), Deformation, Reprints.

Physical aging studies were made using model epoxy network glasses. Linear and nonlinear viscoelastic responses were measured after quenching the glass from above Tg to the temperature of interest. In the linear viscoelastic regime, the authors studied the effects of temperature and crosslink density on physical aging. The stress relaxation curves at different aging times, temperatures and crosslink densities were able to be superimposed to form a single master curve, demonstrating the validity of a time-aging time - temperature - crosslink density superposition principle for this type of epoxy network. Furthermore, at temperatures of 10 C and 5 C below Tg, the network glasses were aged into structural equilibrium, thus obtaining t star, the time required to reach structural equilibrium. Results in the nonlinear viscoelastic regime showed that t star did not change with the applied stress; therefore, aging is not 'erased' by large mechanical stimuli. These results support the argument that the volume recovery which occurs during aging impact the small deformation response differently than it does the large deformation response.

101,246
PB91-189829 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Polymers Div.
Physical Aging and the Viscoelastic Response of Network Glasses.
Final rept.
G. B. McKenna, and A. Lee. 1988, 4p
Pub. in Proceedings of the International Conference on Deformation, Yield and Fracture of Polymers (7th), Cambridge, UK., April 11-14, 1988, p2/1-2/4.

Keywords: *Epoxy resins, *Networks, *Aging tests(Materials), Superposition(Mathematics), Deformation, Viscoelasticity, Glass, Transition temperature, Stress tests, Time dependence, Quenching(Cooling), Crosslinking, Reprints.

Physical aging studies were made using a model epoxy network. Linear and nonlinear viscoelastic responses were measured after quenching the glass

from above Tg to temperatures near Tg. Results are presented which show that aging is not 'erased' by large mechanical deformations rather the time required for the glass to age into equilibrium is independent of the applied stress.

101,247
PB91-236612 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.
Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
Final rept.
J. M. Crissman. 1991, 7p
Pub. in Polymer Engineering and Science 31, n8 p541-547 Apr 91.

Keywords: *Polymers, *Plastics, *Polyethylene, Time dependence, *Creep tests, Density, Predictions, Services life, Stress tests, Temperature dependence, Graphic methods, Reprints.

The paper describes uniaxial creep measurements done on a linear low density polyethylene over a wide range of temperatures and applied stresses. It is found that the creep behavior overall is quite complex and that the one quantity which can best be used to predict useful lifetime of this material is the time at which necking is observed. The time to neck data has been used to generate a composite curve which can serve as an upper bound to lifetime prediction.

Wood & Paper Products

101,248
DE91007688 PC A05/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Center for Chemical Engineering.
Advanced sensor development program for the pulp and paper industry. Final report.
Progress rept.
J. D. Allen, S. R. Charagundla, A. Macek, H. G. Semerjian, and J. R. Whetstone. Oct 90, 100p DOE/CE/40748-T1
Contract A101-85CE40748
Sponsored by Department of Energy, Washington, DC.

Keywords: Emission Spectra, Flames, *Paper Industry, *Sodium, Absorption, Boilers, *Combustion Control, *Emission Spectroscopy, Hydroxyl Radicals, Mathematical Models, Measuring Instruments, Potassium, Probes, Progress Report, Radicals, Remote Sensing, Research Programs, Spent Liquors, Temperature Measurement, Windows, EDB/320300, EDB/440500, *Air pollution control equipment.

This report describes experimental and theoretical studies toward development of a remote sensing technique for non-intrusive temperature measurement based on optical spectroscopic analysis of recovery boiler. The overall objectives were (a) construction of a fiber-optic system for measurement of spectroscopic emission intensities at several wavelengths and (b) development of a computer program relating these intensities to temperatures of the emitting species. The emitting species for temperature measurements in flames can be either naturally occurring free radicals (OH, CH, C(sub 2)) or atoms which, in turn, can be either naturally occurring or seeded into flames. Sodium atoms, the obvious emitters in recovery boilers, are not promising as thermometric species because of their high concentration. At high concentrations, strong self-absorption results cause optical depths to be much smaller than the sampling depths desired for recovery boilers. An experimental program was, therefore, undertaken with the objective of identification and spectroscopic detection and measurement of other naturally occurring thermometric species. The program consisted of several laboratory studies and four field trips to different recovery boilers. 19 refs., 43 figs., 8 tabs.

General

101,249
PB91-147546 Not available NTIS

MATERIALS SCIENCES

General

National Bureau of Standards (NML), Gaithersburg, MD. Office of Standard Reference Data.

Factual Materials Databanks - The Need for Standards.

Final rept.
H. Krockel, K. Reynard, and J. Rumble. 1987, 60p
Pub. in VAMAS (Versailles Project on Advanced Materials and Standards) Report, pi-51 Jul 87.

Keywords: *Materials, *Data bases, *Standards, Information systems, Data analysis, Access, Reprints, National Institute of Standards and Technology.

The VAMAS Task Group on Factual Materials Databanks has identified the areas where standards development would significantly and positively impact the building and dissemination of materials databanks. Materials databanks are becoming substantial elements of the computerized flow of information on materials properties from the generation of the information to its use. Their features and operational conditions will therefore be influenced by all standards related to any phase of the information flow. Accordingly, the review includes the aspects of data generation, data analysis, data presentation, access to data, and use of data; and the report presents sets of recommendations under four headings: Basic considerations for handling data; Material data generation and reporting; Materials databanks; and Access to materials data.

101,250

PB91-148049 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Apparatus for Measurement of Coefficient of Friction.

A. J. Slifka, J. D. Siegwirth, L. L. Sparks, and D. K. Chaudhuri. 1990, 7p
Sponsored by National Aeronautics and Space Administration, Huntsville, AL. George C. Marshall Space Flight Center.
Pub. in Advances in Cryogenic Engineering (Materials) 36, p1119-1125 1990.

Keywords: *Coefficient of friction, *Friction measurement, Controlled atmospheres, Cryogenics, Steels, Reprints.

An apparatus has been built at the National Institute of Standards and Technology in Boulder, Colorado to measure the coefficient of friction in certain controlled atmospheres. The machine uses either of two configurations of specimens. A cone-on-cone configuration can be loaded to produce a contact stress of 137 MPa (20 ksi) and surface velocities from 0.03 m/s to 1.2 m/s. A ball-on-flat configuration can be loaded to produce a Hertzian contact stress in excess of 1830 MPa (267 ksi) and surface velocities from 0.06 m/s to 2.0 m/s. The designed temperature-range of operation is 80 to 1030 K. The machine is described and some test results are presented.

101,251

PB91-204040 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD.
International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.

Final rept.
L. H. Schwartz, and B. W. Steiner. 1989, 6p
Pub. in ASTM (American Society for Testing and Materials) Standardization News 17, n2 p28-33 Feb 89.

Keywords: *Materials tests, *Data bases, *Standards, *Research projects, *International cooperation, Surface chemistry, Chemical analysis, Characterization, Ceramics, Polymer matrix composites, Methodology, Cryogenics, Superconductors, Weld, Corrosion, Weldments, Creep tests, Fracture mechanics, Fatigue, Reprints, *Vamas(Versailles Project on Advanced Materials and Standards).

VAMAS, the Versailles Project on Advanced Materials and Standards, now encompasses international collaboration in thirteen areas of prestandards research on advanced materials. One of the most successful projects has stimulated the development of a consensus on high priority action essential for the development of compatible computerized materials databanks. Another has established a framework for a coherent international research effort laying the foundation for standards in surface chemical analysis. Six projects address critical problem areas in the characterization of particular classes of advanced materials:

ceramics, polymer blends, polymer composites, efficient test procedures for polymer properties, superconducting and cryogenic structural materials, and bioengineering materials. The other five projects deal with characterization of the response of advanced materials to particularly challenging performance situations: wear, hot salt corrosion resistance, weld characteristics, creep crack growth, and low cycle fatigue. Recent results of VAMAS activity in these various areas are surveyed and directions for the future are indicated.

101,252

PB92-126424 PC A05/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD.

Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).

H. I. McHenry. 1992, 95p NISTIR-4695
See also PB91-143339.

Keywords: *Materials, *Research projects, Quality, Reliability, Safety, Process control, Nondestructive tests, Standards, Cryogenics, Automation, Fracture mechanics, Metals, Microstructure, Physical properties, Ceramics, Superconductors, Advanced materials, Intelligent welding, Acoustic microscopy.

The report describes the 1991 fiscal-year programs of the Materials Reliability Division of the Materials Science and Engineering Laboratory. It summarizes the principal accomplishments in three general research areas: materials performance, properties, and processing. The Fracture Mechanics, Fracture Physics, Nondestructive Evaluation, and Composite Materials Groups work together to detect damage in metals and composite materials and to assess the significance of the damage with respect to service performance. The Cryogenic Materials and Physical Properties Groups investigate the behavior of materials at low temperature and measure and model the physical properties of advanced materials, including composites, ceramics, and the new high-critical-temperature superconductors. The Welding and Thermomechanical Processing Groups investigate the nonequilibrium metallurgical changes that occur during processing and affect the quality, microstructure, properties, and performance of metals.

101,253

PB92-126606 PC A15/MF A03
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD.

National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.

Final rept.
J. S. Harris, and J. A. Jacobs. Nov 91, 341p NIST/SP-822

Also available from Supt. of Docs as SN003-003-03124-1. See also N90-24350 and N91-20207. Proceedings of a Workshop held in Gaithersburg, MD., November 13-15, 1990. Prepared in cooperation with Norfolk State Univ., VA., and National Aeronautics and Space Administration, Washington, DC. Sponsored by ASM International, Detroit, MI., and Battelle Pacific Northwest Labs., Richland, WA.

Keywords: *Education, *Materials tests, *Fracture(Mechanics), *Structural properties, Standards, Microstructure, Steels, Metals, Strain rate, Fiber reinforced composites, Ceramics, Tensile properties, Metal working, Thermoplastics, Biodegradation, Universities, Experimentation.

The report includes proceedings of a workshop sponsored jointly by NIST and the Schools of Technology and Science, Norfolk State University, Norfolk, Virginia, and held in Gaithersburg, Maryland, November 13-15, 1990. The workshop theme was strengthening materials education. Material in the publication can serve as a valuable guide to faculty who are interested in useful experiments for their students. There was a blend of experiments on new materials and traditional materials. Uses of computers in MS&E, experimental design and an approach to systematic materials are among the topics presented.

MATHEMATICAL SCIENCES

Algebra, Analysis, Geometry, & Mathematical Logic

101,254

PB91-147850 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Scientific Computing Div.
Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices.

Final rept.
D. P. O'Leary, and G. W. Stewart. 1990, 9p
Pub. in Jnl. of Computational Physics 90, n2 p497-505 Oct 90.

Keywords: *Sparse matrix, *Matrices, Fermi liquids, Eigenvectors, Eigenvalues, Radiationless decay, Computation, Algorithms, Reprints.

The paper treats the eigenvalue problem for a symmetric matrix which is zero except for its main diagonal and one row and column. Such problems arise in the description of radiationless transitions in isolated molecules and of oscillators vibrationally coupled with a Fermi liquid. In these applications, the order of the matrix A can be in the thousands. The purpose of the paper is to present formulas and efficient algorithms for computing eigenvalues and eigenvectors of such matrices.

101,255

PB91-148742 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Asymptotic Shooting Method for the Solution of Differential Equations.

Final rept.
A. Holubec, A. D. Stauffer, P. Acacia, and J. A. Stauffer. 1990, 15p
Pub. in Jnl. of Physics A: Mathematical and General 23, p4081-4095 1990.

Keywords: *Differential equations, Numerical integration, Analytic continuation, Asymptotic methods, Series(Mathematics), Polynomials, Eigenvalues, Reprints.

The authors present a method for the solution of ordinary differential equations over a semi-infinite interval, including the determination of eigenvalues, which is in principle capable of arbitrary accuracy. The solution is expressed in terms of finite polynomials, rendering the integration or determination of zeros of such solutions a straightforward matter. The authors have applied the method to a number of examples including the determination of the eigenvalues of the screened Coulomb potential and the three-dimensional quartic oscillator.

101,256

PB91-148759 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.
Certain Theorems on Bilateral Generating Functions Involving Hermite, Laguerre, and Gegenbauer Polynomials.

Final rept.
J. H. Hubbell, and H. M. Srivastava. 1990, 11p
Pub. in Jnl. of Mathematical Analysis and Applications 152, p343-353 1990.

Keywords: *Generating functions, Hermite polynomials, Laguerre polynomials, Bessel functions, Gamma transport theory, Theorems, Reprints, Gegenbauer polynomials, Konhauser polynomials.

The object of the paper is to present simpler proofs of the various generalizations of some interesting results on bilateral generating functions which were derived recently by group-theoretic methods. It is also shown how one of our main theorems on generating functions would apply not only to the Bessel function but indeed also to the Konhauser biorthogonal polynomials whose special case when $s=2$ was encountered in

certain analytical calculations involving the penetration of gamma rays through matter.

101,257
PB91-159046 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg, MD. Mathematical Analysis Div.
Simplified Error Bounds for Newton's Rule.
 Final rept.
 F. W. J. Olver. 1986, 7p
 Pub. in IMA Jnl. of Numerical Analysis 6, n3 p373-379 1986.

Keywords: *Iterative methods, *Newton method, Roots of equations, Error analysis, Analytic functions, Approximation, Precision, Reprints, Interval analysis.

A posteriori error bounds are given for approximations to zeros of a function f obtained by Newton's rule. Here f is a differentiable function of a real variable, or an analytic function of a complex variable. The bounds are somewhat simpler and sharper than existing results. Numerical examples are included.

101,258
PB91-175281 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg, MD. Mathematical Analysis Div.
Some Algorithms for Approximating Convolutions.
 Final rept.
 D. P. O'Leary. 1988, 13p
 Pub. in Computer Vision, Graphics, and Image Processing 41, n3 p333-345 Mar 88.

Keywords: *Image processing, *Convolution, Parallel processing, Factorization, Polynomials, Algorithms, Reprints, Singular value decomposition.

The paper presents some algorithms for approximating two-dimensional convolution operators of size $n \times n$, n odd, by a product, or sum of products, of 3×3 convolutions. Inaccuracies resulting from the approximation as well as from fixed point computation are discussed, and examples are given.

101,259
PB91-187245 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Algorithms for Special Tridiagonal Systems.
 Final rept.
 R. F. Boisvert. 1991, 20p
 Pub. in SIAM (Society for Industrial and Applied Mathematics) Jnl. on Scientific and Statistical Computing 12, n2 p423-442 Mar 91.

Keywords: *Matrices, Elliptic differential equations, Poisson equation, Fourier analysis, Factorization, Algorithms, Reprints, *Tridiagonal matrices.

Algorithms for the solution of symmetric diagonally dominant tridiagonal systems of linear equations with constant diagonals are considered. Such systems occur, for example, when solving certain constant-coefficient elliptic partial differential equations by the Fourier method. In particular, the specialized LU factorization method of Malcolm and Palmer (SpLU), the cyclic reduction method of Hockney (CR), and the reversed triangular factorization method of Evans (RTF) are considered. An interesting property of the first two algorithms is that they may be terminated early for highly diagonally dominant systems. A new implementation of RTF that also has the property is presented, significantly reducing its operation count in many cases. The slightly perturbed systems that arise from problems with Neumann or periodic boundary conditions are also considered, with extensions given for SpLU to the periodic case and RTF to the Neumann case. Floating-point operation counts are given for each method, and the results of experiments on a single scalar processor are reported.

101,260
PB91-187799 PC A03/MF A01
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Convergence Properties of a Class of Rank-Two Updates.
 P. T. Boggs, and J. W. Tolle. Apr 91, 49p NISTIR-4554
 Contracts AFOSR-ISSA-90-0004, AFOSR-88-0267
 Prepared in cooperation with North Carolina Univ. at Chapel Hill. Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.

Keywords: *Numerical analysis, Mathematical programming, Sequences(Mathematics), Newton method, Approximation, Iteration, Convergence, Matrices, Theorems, *Foreign technology, Unconstrained optimization, Constrained optimization.

Many optimization algorithms generate, at each iteration, a pair $x_{sub k}$, $H_{sub k}$ consisting of an approximation to the solution, $x_{sub k}$, and a Hessian matrix approximation, $H_{sub k}$, which contains local second-order information about the problem. Much is known about the convergence of the $x_{sub k}$ to the solution of the problem but relatively little about the behavior of the sequence of matrix approximations. The authors analyze the sequence $H_{sub k}$ generated by the extended Broyden class of updating schemes independently of the optimization setting in which they are used, deriving various conditions under which convergence is assured and delineating the structure of the limits. Rates of convergence are also obtained. The results extend and clarify those already in the literature.

101,261
PB91-203497 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD.
Nature of Collinearity.
 Final rept.
 J. Mandel. 1989, 9p
 Pub. in Jnl. of Quality Technology 21, n4 p268-276 1989.

Keywords: *Collinearity, Regression analysis, Quality control, Reprints, Multiple linear regression, Effective prediction domain, Singular value decomposition.

Collinearity is treated as an indication that use of the regression equation for prediction is limited to a specific portion of the sample space regressors. A method is presented for determination of this portion, called the Effective Prediction Domain (EPD). The same basic technique is also used for the detection of collinearity. Numerical examples are discussed in detail.

101,262
PB91-216754 (Order as PB91-216705, PC A07/MF A01)
 National Inst. of Standards and Technology, Gaithersburg, MD.
Root Projection of One-Sided Time Series.
 J. A. Simmons. 1991, 11p
 Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n3 p333-343 May/Jun 91.

Keywords: *Time series analysis, *Signal processing, Least squares method, Laplace transformation, Complex variables, Prony method, Gram-Schmidt algorithm, Root projection, Deconvolution.

Until recently it has been impossible to accurately determine the roots of polynomials of high degree, even for polynomials derived from the Z transform of time series where the dynamic range of the coefficients is generally less than 100 dB. In a companion paper, two new programs for solving such polynomials were discussed and applied to signature analysis of one-sided time series. The author presents here another technique, that of root projection (RP), together with a Gram-Schmidt method for implementing it on vectors of large dimension. This technique uses the roots of the Z transform of a one-sided time series to construct a weighted least squares modification of the time series whose Z transform has an appropriately modified root distribution. Such a modification can be employed in a manner which is very useful for filtering and deconvolution applications. Examples given here include the use of boundary root projection for front end noise reduction, and a generalization of Prony's method.

101,263
PB91-216762 (Order as PB91-216705, PC A07/MF A01)
 National Inst. of Standards and Technology, Gaithersburg, MD.
Deconvolution of Acoustic Emission and Other Causal Time Series.
 J. A. Simmons. 1991, 25p
 Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n3 p345-369 May/Jun 91.

Keywords: *Time series analysis, *Signal processing, *Acoustic emissions, Fast Fourier transforms, One dimensional, Transducers, Calibration, Comparison, Algorithms, Graphs(Charts).

A new technique, root projection (RP), is given for quantitative deconvolution of causal time series in the presence of moderate amounts of noise. Deconvolution is treated as a well-conditioned but underdetermined problem and a priori information is employed to obtain comparable noise reduction to that achieved by singular value decomposition (SVD) techniques while providing more accurate frequency information about the inverse. Two detailed examples are given. The first gives noise analysis for alternate methods for deconvolution with a Gaussian kernel. The second example presents a model acoustic emission transducer calibration problem with typical noisy and incomplete output data. This example is treated by the use of a robust cross-cutting algorithm combining both the RP and SVD methods.

101,264
PB92-112408 PC A09/MF A02
 National Inst. of Standards and Technology (CAML), Gaithersburg, MD.
NBS-INA. The Institute for Numerical Analysis. UCLA 1947-1954.
 Special pub. (Final).
 M. R. Hestenes, and J. Todd. Aug 91, 185p NIST/SP-730
 Also available from Supt. of Docs. as SN003-003-03094-5. Prepared in cooperation with California Univ., Los Angeles. Dept. of Mathematics, and California Inst. of Tech., Pasadena. Dept. of Mathematics. Sponsored by Mathematical Association of America, Washington, DC.

Keywords: Differential equations, Numerical integration, Numerical analysis, Digital computers, Computer applications, Linear programming, Historical aspects, Matrices, US NBS, *Institute for Numerical Analysis, UCLA.

The report is a history of the Institute for Numerical Analysis (INA) with special emphasis on its research program during the period 1947 to 1956. The Institute for Numerical Analysis was located on the campus of the University of California, Los Angeles. It was a section of the National Applied Mathematics Laboratories, which formed the Applied Mathematics Division of the National Bureau of Standards (now the National Institute of Standards and Technology), under the U.S. Department of Commerce. The history of the program at INA is concerned primarily with the development of mathematics pertinent to solving numerical computations. The development could happen only if some mathematicians were proficient in handling the electronic digital computers. To insure that there would be some, INA was constituted. It was well funded, and could attract first class mathematicians to take a year off for research at INA. They were in the midst of people solving problems of considerable difficulty using digital computers. They were thus enticed into using them. When this happened, many important developments emerged. The history is centered around these people and discusses who they were, what their interests were, and what they did.

101,265
PB92-123108 PC A03/MF A01
 National Inst. of Standards and Technology (CAML), Gaithersburg, MD. Applied and Computational Mathematics Div.
Computing Delaunay Triangulations for Comet-Shaped Polygons.
 J. Bernal. Nov 91, 19p NISTIR-4716
 See also PB89-129480.

Keywords: *Computational geometry, Computation, Polygons, Algorithms, *Delaunay triangulations, Computational complexity, Voronoi diagrams.

The author presents two triangulation algorithms which combined produce an algorithm for computing Delaunay triangulations for comet-shaped polygons. The first algorithm constructs in linear time a triangulation for a comet-shaped polygon. The second algorithm constructs a Delaunay triangulation for a polygon from any triangulation for the polygon. The algorithms can be used for deleting vertices in a Delaunay triangulation and for computing constrained Delaunay triangulations.

Operations Research

101,266
PB91-148775 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg, MD. Center for Applied Mathematics.
Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications.
 Final rept.
 R. H. F. Jackson, and G. P. McCormick. 1988, 273p
 Pub. in Mathematical Programming 41, n1 p1-273 May 88.

Keywords: *Mathematical programming, *Optimization, Nonlinear programming, Tensors, Reprints, Second-order sensitivity analysis.

Second-order sensitivity analysis methods are developed for analyzing the behavior of a local solution to a constrained nonlinear optimization problem when the problem functions are perturbed slightly. Specifically, formulas involving third-order tensors are given to compute second derivatives of components of the local solution with respect to the problem parameters. When in addition, the problem functions are factorable, it is shown that the resulting tensors are polyadic in nature.

101,267
PB91-174540 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg, MD. Mathematical Analysis Div.
Applications of Operations Research Techniques to System Design and Evaluation.
 Final rept.
 R. E. Chapman. 1986, 2p
 Pub. in Proceedings of Symposium on ASME (American Society of Mechanical Engineers) Codes and Standard Advances in PVP and Valve Technology, Chicago, IL, July 20-24, 1986, p139-140.

Keywords: *Systems design, *Systems analysis, *Operations research, Systems engineering, Economic analysis, Mathematical programming, Monte Carlo methods, Simulation, Mathematical models, Reprints.

The paper illustrates how several operations research techniques can be used to facilitate the system design/evaluation process. Two classes of techniques, mathematical programming and Monte Carlo simulation, are used to demonstrate how cooperative efforts between engineering professionals and operations research analysts can promote more informed decision making. The paper concludes with a discussion of the role of standardized practices for performing economic evaluations of competing system designs.

101,268
PB91-174896 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg, MD. Operations Research Div.
State-of-the-Art of Computational Testing of Mathematical Programming Algorithms.
 Final rept.
 R. H. F. Jackson. 1985, 6p
 Pub. in Mathematical Programming Society Committee on Algorithms Newsletter, n12 p8-13 May 85.

Keywords: *Mathematical programming, Algorithms, Tests, Computer program verification, Reprints, *Computational testing.

The article summarizes some of the philosophical aspects on computational testing, including some historical background.

101,269
PB91-187815 PC A03/MF A01
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Interior-Point Method for Linear and Quadratic Programming Problems.
 P. T. Boggs, P. D. Domich, J. E. Rogers, and C. Witzgall. Apr 91, 13p NISTIR-4556

Keywords: *Linear programming, *Quadratic programming, Mathematical programming, Algorithms, Interior point methods.

The authors have been working on a particular class of interior point methods for solving linear programming problems for several years. The methods combine several search directions that are readily computed at

each iteration. The final step is then calculated by computing the step that solves the original problem restricted to the subspace spanned by these several directions. In the paper, they propose an extension of these ideas to the case of convex quadratic programming.

101,270
PB91-204198 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Convergence Behavior of Trajectories for Linear Programming.
 Final rept.
 C. Witzgall, P. T. Boggs, and P. D. Domich. 1990, 27p
 Contract ONR-N-0014-87-F0053
 Sponsored by Office of Naval Research, Arlington, VA.
 Pub. in Contemporary Mathematics 114, p161-187 1990.

Keywords: *Linear programming, *Trajectories, *Convergence, Linear inequalities, Logarithm functions, Constraints, Reprints, Analytic centers, Center manifolds.

The convergence behavior of center trajectories arising from the use of the logarithmic barrier function in linear programming is examined based on the concept of analytic center of a system of linear constraints. Main results are the convergence of A-trajectories to g-centers of the optimal face and the convergence of their tangential directions. Both results hold in the presence of primal and dual degeneracies. g-center varieties are introduced extending the concept of analytic g-centers.

101,271
PB92-116318 PC A03/MF A01
 National Inst. of Standards and Technology (CAML), Gaithersburg, MD.
Merit Function for Inequality Constrained Nonlinear Programming Problems.
 P. T. Boggs, J. W. Tolle, and A. J. Kearsley. Oct 91, 34p NISTIR-4702
 See also PB90-123944 and PB86-105830. Prepared in cooperation with North Carolina Univ. at Chapel Hill. Dept. of Mathematics, and Rice Univ., Houston, TX. Dept. of Mathematical Sciences.

Keywords: *Nonlinear programming, Optimization, Quadratic programming, Constraints, Convergence, Algorithms, Tables(Data), *Merit functions.

The authors consider the use of the sequential quadratic programming (SQP) technique for solving the inequality constrained minimization problem $\min \text{sub } x f(x)$ subject to: $g(\text{sub } i)(x) \leq 0$, $i = 1, \dots, m$. SQP methods require the use of an auxiliary function, called a merit function or line-search function, for assessing the steps that are generated. The authors derive a merit function by adding slack variables to create an equality constrained problem and then using the merit function developed earlier by the authors for the equality constrained case. They stress that they do not solve the slack variable problem, but only use it to construct the merit function. The resulting function is simplified in a certain way that leads to an effective procedure for updating the squares of the slack variables. The final form of the merit function has many desirable properties, and is demonstrated to be effective in practice.

Statistical Analysis

101,272
PB91-147017 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Orthogonal Distance Regression.
 Final rept.
 P. T. Boggs, and J. R. Donaldson. 1989, 12p
 See also PB90-151747.
 Pub. in Proceedings of Summer Research Conference on Contemporary Mathematics, Arcata, CA., June 10-16, 1989, v112 p183-194 1990.

Keywords: *Error analysis, Maximum likelihood estimation, Confidence limits, Computation, Computer ap-

plications, Reprints, *Orthogonal distance regression, Parameter estimation, Covariance matrices.

Orthogonal distance regression (ODR) is the name given to the computational problem associated with finding the maximum likelihood estimators of parameters in measurement error models in the case of normally distributed errors. The authors examine the stable and efficient algorithm of Boggs, Byrd, and Schnabel (1987) for finding the solution to the problem when the underlying model is assumed to be nonlinear in both the independent variable and the parameters. The authors also describe the associated public-domain software package, ODRPACK. The authors then review the results of a simulation study that compares ODR with ordinary least squares (OLS). The authors also present the new results of an extension to the study. Finally the authors discuss the use of the asymptotic covariance matrix for computing confidence regions and intervals for the estimated parameters. Their conclusions are that ODR is better than OLS for the criteria considered, and that ODRPACK can provide effective solutions and useful statistical information for nonlinear ODR problems.

101,273
PB91-149443 Not available NTIS
 National Bureau of Standards (NEL), Boulder, CO. Statistical Engineering Div.
Linear Calibration When the Coefficient of Variation is Constant.
 Final rept.
 Y. C. Yao, and D. F. Vecchia. 1988, 13p
 Pub. in Probability and Statistics, p297-309 1988.

Keywords: *Calibrating, *Coefficient of variation, Parameter identification, Maximum likelihood estimates, Reprints, Pitman closeness.

The report considers point estimation of the unknowns in the calibration problem when the calibration curve is a straight line through the origin and the responses are normal with variances proportional to the square of their mean. It presents four different estimators and compares their performances using the criterion of Pitman closeness. For all the practical ranges of parameter values, one of these estimators is found to dominate the others under the normality assumption. Non-normal cases are not considered.

101,274
PB91-158824 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg, MD. Statistical Engineering Div.
Design and Analysis of Experiments.
 Final rept.
 J. S. Hunter, M. G. Natrella, E. H. Barnett, W. G. Hunter, and T. L. Koehler. 1988, 81p
 Pub. in Juran's Quality Control Handbook, Section 26, p26.1-26.81 1988.

Keywords: *Experimental design, Factorial design, Block design, Laboratory tests, Mixtures, Statistics, Reprints.

The chapter outlines some general considerations in planning experiments and some tools for sound experimentation. Various statistical experiment designs are classified according to their structure, their purpose, and the kind of information obtained. Detailed explanations of the design structure and analysis are given for completely randomized designs, various kinds of block designs, factorial and fractional factorial designs, and mixture designs. Some methods for planning the size of the experiment, and for planning interlaboratory tests are also given.

101,275
PB91-158907 Not available NTIS
 National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Statistical Engineering Div.
New Yorker in Japan.
 Final rept.
 W. Liggett. 1990, 2p
 Pub. in Industrial Science and Technology 31, p46-47 1990.

Keywords: Culture(Social sciences), United States, Japan, Travel, Statistics, Reprints, *National Research Laboratory of Metrology, US NIST.

A personal note is provided on experiences at NRLM (National Research Laboratory of Metrology) in Japan, which relate NIST to NRLM, and U.S. culture to that of Japan.

101,276
PB91-158931 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg,
 MD. Statistical Engineering Div.
Calibration with Working Standards.
 Final rept.
 T. Lwin, and C. H. Spiegelman. 1986, 6p
 Contract ONR-00014-83-005
 Sponsored by Office of Naval Research, Arlington, VA.
 Pub. in Applied Statistics 35, n3 p256-261 1986.

Keywords: *Calibration, Error analysis, Regression
 analysis, Nonparametric statistics, Reprints, Working
 standards.

Certified values of working standards used for calibra-
 tions are rarely exact, and calibration curve proce-
 dures should take into account all sources of error, in-
 cluding errors in the working standards. When the
 errors in working standards have a known finite bound,
 the authors give an easily implementable accurate
 calibration curve procedure. It produces conservative
 confidence intervals based on an expansion.

101,277
PB91-203414 Not available NTIS
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Statistical Engineering Div.
Estimators for Censored (Log)Normal Samples.
 Final rept.
 J. A. Lechner. 1989, 7p
 Pub. in Proceedings of Annual Reliability and Maintain-
 ability Symposium, Atlanta, GA., January 24-26, 1989,
 p262-268.

Keywords: Life tests, Reliability, Reprints, *Lognormal
 distribution, Parameter estimation.

The paper presents an evaluation of the properties of
 several estimators of the parameters of the (two-
 parameter) logNormal distribution, for sample sizes from
 10 to 60 and for right-censoring of 0 to 80% of the
 sample. Correction factors to reduce bias and recom-
 mendations are included. The estimators are also ap-
 plicable to right-censored Normal samples.

101,278
PB91-507954 CP T06
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Statistical Engineering Div.
**OMNITAB 80 (ASCII): An Interactive System for
 Statistical and Numerical Data Analysis (Version
 7.0).**
 Software.
 Mar 91, mag tape NIST/SW/MT-91/011
 System: SUN/UNIX; VMS V4.7 operating system. Lan-
 guage: TAR UNIX command FO. Other formats avail-
 able as PB91-507962 (UNIX).
 Available in 9-track, ASCII character set, 1600 or 6250
 bpi. For 6250 bpi, the price is T06. Documentation in-
 cluded; may be ordered separately as PB87-172235.

Keywords: *Software, *Statistical analysis, *Numerical
 analysis, *Data analysis, Computer calculations, Com-
 putation, Tabulation processes, Integrated systems,
 Interactive systems, Batch processing, Regression
 analysis, Correlation, Magnetic tapes.

OMNITAB 80 is a high-level integrated general pur-
 pose programming language and statistical software
 computing system. The system enables the user to
 use a digital computer to perform statistical and nu-
 merical data analysis without having any prior knowl-
 edge of computers or programming language. It per-
 mits one to perform arithmetic, complex arithmetic,
 trigonometric calculations as well as data manipula-
 tion, special function calculations, statistical analysis,
 and matrix and array operations. The system responds
 to simple instructions to obtain accurate results since
 reliable, varied, and sophisticated algorithms for data
 analysis and manipulation are referenced. It may be
 used either interactively or in batch mode. Some of the
 major statistical capabilities are regression, correlation
 analysis and oneway/twoway analysis. OMNITAB 80
 has been installed nationally and internationally. The
 source language of the system is in FORTRAN for im-
 plementation on the VAX computer. Input/output is
 done in ASCII format. A load and run module is also
 included as well as a module of test problems.

101,279
PB91-507962 CP T06
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Statistical Engineering Div.

**OMNITAB 80 (UNIX): An Interactive System for
 Statistical and Numerical Data Analysis. Version
 7.0.**

Software.
 May 91, mag tape NIST/SW/MT-91/012
 System: SUN/UNIX; VMS V4.7 operating system. Lan-
 guage: TAR UNIX command FO. Other formats avail-
 able as PB91-507954 (ASCII).
 Available in 9-track, ASCII character set, 1600 or 6250
 bpi. For 6250 bpi, the price is T06. Documentation in-
 cluded; may be ordered separately as PB87-172235.

Keywords: *Software, *Statistical analysis, *Numerical
 analysis, *Data analysis, Computer calculations, Com-
 putation, Tabulation processes, Integrated systems,
 Interactive systems, Batch processing, Regression
 analysis, Correlation, Magnetic tapes.

OMNITAB 80 is a high-level integrated general pur-
 pose programming language and statistical software
 computing system. The system enables the user to
 use a digital computer to perform statistical and nu-
 merical data analysis without having any prior knowl-
 edge of computers or programming language. It per-
 mits one to perform arithmetic, complex arithmetic,
 trigonometric calculations as well as data manipula-
 tion, special function calculations, statistical analysis,
 and matrix and array operations. The system responds
 to simple instructions to obtain accurate results since
 reliable, varied, and sophisticated algorithms for data
 analysis and manipulation are referenced. It may be
 used either interactively or in batch mode. Some of the
 major statistical capabilities are regression, correlation
 analysis and oneway/twoway analysis. OMNITAB 80
 has been installed nationally and internationally. The
 source language of the system is in FORTRAN for im-
 plementation on the VAX computer. Input/output is
 done in UNIX format. A load and run module is also
 included as well as a module of test problems.

101,280
PB92-126671
 (Order as PB92-126614, PC A06/MF A02)
 National Inst. of Standards and Technology, Gaithers-
 burg, MD.
**Taguchi's Orthogonal Arrays Are Classical De-
 signs of Experiments.**
 R. N. Kacker, E. S. Lagergren, and J. J. Filliben.
 1991, 15p
 Included in Jnl. of Research of the National Institute of
 Standards and Technology, v96 n5 p577-591 Sep/Oct
 91.

Keywords: *Experimental design, Factorial design,
 Matrices, *Orthogonal arrays, Taguchi arrays.

Taguchi's catalog of orthogonal arrays is based on the
 mathematical theory of factorial designs and differ-
 ence sets developed by R. C. Bose and his associates.
 These arrays evolved as extensions of factorial de-
 signs and latin squares. The paper (1) describes the
 structure and constructions of Taguchi's orthogonal
 arrays, (2) illustrates their fractional factorial nature,
 and (3) points out that Taguchi's catalog can be ex-
 panded to include orthogonal arrays developed since
 1960.

101,281
PB92-126705
 (Order as PB92-126614, PC A06/MF A02)
 Birsa Agricultural Univ., Ranchi (India). Dept. of Statis-
 tics.

List of New Group Divisible Designs.
 K. Sinha. 1991, 3p
 Included in Jnl. of Research of the National Institute of
 Standards and Technology, v96 n5 p613-615 Sep/Oct
 91.

Keywords: *Experimental design, *Block design,
 Tables(Data).

Group divisible designs are the most important class of
 partially balanced incomplete block (PBIB) designs. A
 list of new group divisible designs with r, k, e or < 10 is
 provided.

General

101,282
PB91-132175 PC A03/MF A01
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Applied and Computational Mathe-
 matics Div.

**Guide to Available Mathematical Software Problem
 Classification System.**

R. F. Boisvert, S. E. Howe, and D. K. Kahaner. Nov
 90, 33p NISTIR-4475
 See also PB90-216508.

Keywords: *Applications of mathematics, *Classifica-
 tions, Subject indexing, Cataloging, Mathematical
 models, *Computer software, Computer calculations.

A vast collection of reusable mathematical and statisti-
 cal software is now available for use by scientists and
 engineers in their modeling efforts. This software rep-
 resents a significant source of mathematical expertise,
 created and maintained at considerable expense. Un-
 fortunately, the collection is so heterogeneous that it is
 a tedious and error-prone task simply to determine
 what software is available to solve a given problem. In
 mathematical problem-solving environments of the
 future such questions will be fielded by expert software
 advisory systems. One way for such systems to sys-
 tematically associate available software with the prob-
 lems they solve is to use a problem classification
 system. The paper describes a detailed tree-structured
 problem-oriented classification system appropriate for
 such use.

MEDICINE & BIOLOGY

Biochemistry

101,283
PB91-134544 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Chemical Engineering Science Div.
**Chitin-Chitosan Membranes: Separations of Amino
 Acids and Polypeptides.**
 Final rept.
 J. J. Pellegrino, S. Geer, K. Maegley, R. Rivera, and
 D. Steward. 1990, 16p
 Pub. in Annals of the New York Academy of Sciences
 589, p229-244, 20 May 90.

Keywords: *Adsorption, *Amino acids, *Peptides,
 *Chitins, *Membranes, Measurement, Yeasts, Alcohol
 oxidoreductases, Dehydrogenase, Mixtures, Perme-
 ability, Molecular weight, Diffusion theory, Crosslink-
 ing, Aldehydes, Gels, Reprints, *Separation process-
 es, Chitosan, Glutaraldehyde.

The permeation of several amino acids and yeast alco-
 hol dehydrogenase (YADH) has been measured for
 membranes made from poly(N-acetyl-D-glucosamine)/
 poly(D-glucosamine)(chitin/chitosan) mem-
 branes. Sorption data for a number of amino acids has
 also been measured and indicates that those with
 polar aromatic residues are preferentially sorbed. Prefer-
 ential sorption combines with the molecular size ef-
 fects on diffusion, to cause permeation to not be mon-
 otonic with molecular weight. Other interaction effects
 due to pH and the presence of co-ions have been ob-
 served. Limited mixture studies indicate separation
 factors slightly higher than those predicted by pure
 component permeation are obtained. It was also found
 that films which are initially impermeable to YADH may
 be made gel-like and thus YADH-permeable by con-
 trolled treatment with glutaraldehyde crosslinking.

101,284
PB91-174565 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Organic Analytical Research Div.
Planar Waveguide Optical Immunosensors.
 Final rept.
 S. J. Choquette, L. Locascio-Brown, and R. A. Durst.
 1990, 6p
 Pub. in Proceedings of SPIE (Society of Photo-Optical
 Instrumentation Engineers) Chemical, Biochemical,
 and Environmental Fiber Sensors II, San Jose, CA.,
 September 19-21, 1990, v1368 p258-263.

Keywords: *Theophylline, Monoclonal antibodies, Flu-
 orescence, Liposomes, Reprints, *Planar waveguides,
 *Immunosensors.

Monoclonal antibodies were covalently bonded to the
 surfaces of planar waveguides to confer immunoreac-

tivity. Silver-ion diffused waveguides were used to measure theophylline concentrations in a fluorescence immunoassay, and silicon nitride waveguides were used to detect theophylline in an absorbance-based immunoassay. Liposomes were employed in both assays as the optically detectable label in a competitive reaction to monitor antigen-antibody complexation. Regeneration of the active antibody site will be discussed.

101,285

PB91-175349 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Thermodynamics Div.

Neutron Crystallography of Proteins.

Final rept.
N. V. Raghavan, and A. Wlodawer. 1987, 31p
Pub. in *Methods of Experimental Physics*, v23 ptC p335-365 1987.

Keywords: *Single crystals, *Neutron diffraction, *Proteins, *Biochemistry, Crystal structure, Solvents, Solvolysis, Hydrogen isotopes, Labeled reactions, Isotope exchange, Reprints.

Single crystal neutron diffraction has reached the stage where the efforts of the last fifteen years are beginning to provide results. Three facilities are now available for data collection. Although large crystals are still desirable, their sizes no longer limit successful neutron analyses. The results of hydrogen exchange experiments and of methyl rotor analyses provide unique methods for correlating the dynamic properties of proteins with their three-dimensional structures. Such motions in proteins are thought to play an important role in their function and may affect processes such as ligand binding, enzyme catalysis, and electron transfer. Finally, the improved description of the bound solvent that is obtained by neutron diffraction and the differentiation of solvent components is also gaining in importance.

101,286

PB91-189472 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.

8-Hydroxyguanine Content of Isolated Mitochondria Increases with Lipid Peroxidation.

Final rept.
A. M. Hruszkewycz, and D. S. Bergtold. 1990, 6p
Pub. in *Mutation Research* 244, n2 p123-128 1990.

Keywords: *Lipid peroxidation, *Mitochondria, Alcotocopherol, Deoxyribonucleic acids, DNA damage, Agar gel electrophoresis, Reprints, *8-hydroxyguanine.

When lipid peroxidation was induced in isolated mitochondria there was a marked increase in the 8-hydroxyguanine content of the nucleic acids extracted from these mitochondria. The elevation of 8-hydroxyguanine levels was associated with an extensive alteration of normal electrophoretic mobility of mitochondrial DNA. However, suppression of lipid peroxidation with alpha-tocopherol proportionally attenuated 8-hydroxyguanine production and limited the electrophoretic mobility change of mitochondrial DNA.

101,287

PB91-189886 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Enhanced Transport and Liquid Membranes in Bio-separations.

Final rept.
J. Pellegrino, and R. Noble. 1990, 9p
Pub. in *Trends in Biotechnology* 8, p216-224 Aug 90.

Keywords: *Biological transport, *Chemical reactions, *Artificial membranes, Reprints, *Bioseparations.

Membranes that use a reversible chemical reaction or sequestration to achieve high selectivities and productivities show great potential for use in bioseparations was studied. The concept of liquid membranes, with and without a complexing agent (carrier), and the types of system configurations and carriers that may be used with these membranes, are discussed.

101,288

PB91-194803 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Thermodynamics of Hydrolysis of Oligosaccharides.

Final rept.
R. N. Goldberg, D. Bell, Y. B. Tewari, and M. A. McLaughlin. 1991, 8p
Pub. in *Biophysical Chemistry* 40, p69-76 1991.

Keywords: *Thermodynamics, *Oligosaccharides, Hydrolysis, Enthalpy, High pressure liquid chromatography, Chemical reactions, 1,4-alpha-glucosidase, Reprints, Beta-fructofuranosidase.

Microcalorimetry has been used to determine enthalpy changes for the hydrolysis of a series of oligosaccharides. High-pressure liquid chromatography was used to determine the extents of reaction and to check for any possible side reactions. The enzyme glucan 1,4-alpha-glucosidase was used to bring about the following hydrolysis reactions: (A) maltose(aq) + H₂O(liq) = 2D-glucose(aq); (B) maltotriose(aq) + 2H₂O(liq) = 3D-glucose(aq); (C) maltotetraose(aq) + 3H₂O(liq) = 4D-glucose(aq); (D) maltopentaose(aq) + 4H₂O(liq) = 5D-glucose(aq); (E) maltohexaose(aq) + 5H₂O(liq) = 6D-glucose(aq); (F) maltoheptaose(aq) + 6H₂O(liq) = 7D-glucose(aq); (G) amylose(aq) + nH₂O(liq) = (n + 1) D-glucose(aq); and (H) panose(aq) + 2H₂O(liq) = 3D-glucose(aq); (J) isomaltotriose(aq) + 2H₂O(liq) = 3D-glucose(aq). The enzyme beta-fructofuranosidase was used for the reactions; (K) raffinose(aq) + H₂O(liq) = alpha-D-melibiose(aq) + D-fructose(aq); and (L) stachyose(aq) + H₂O(liq) = o-alpha-D-galactopyranosyl-(1 -> 6)-alpha-D-galactopyranosyl-(1 -> 6)-alpha-D-glucopyranose + D-fructose(aq). These processes correspond to the hydrolysis of the following linkages: glucose-glucose (alpha, 1 -> 4) glucose-glucose (alpha, 1 -> 6), and glucose-fructose (1 -> 6). The respective enthalpy changes accompanying the hydrolysis of these linkages are -453, 5.8 and -15.0 kJ/mol. Both these results and available thermodynamic data in the literature demonstrate that additivity works well in predicting the thermodynamics of hydrolysis reactions involving oligosaccharides.

101,289

PB91-195701 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Thermodynamics of Hydrolysis of Disaccharides: Lactulose, alpha-D-Melibiose, Palatinose, D-Trehalose, D-Turanose and 3-o-beta-D-Galactopyranosyl-D-arabinose.

Final rept.
Y. B. Tewari, and R. N. Goldberg. 1991, 9p
See also PB89-186761.
Pub. in *Biophysical Chemistry* 40, p59-67 1991.

Keywords: *Thermodynamics, *Disaccharides, Hydrolysis, High pressure liquid chromatography, Enthalpy, Entropy, Beta-galactosidases, Fructose, Galactose, Sucrose, Glucose, Reprints.

High-pressure liquid chromatography and microcalorimetry have been used to study the thermodynamics of the hydrolysis reactions of a series of disaccharides. The enzymes used to bring about the hydrolyses were beta-galactosidase for lactulose and 3-o-beta-D-galactopyranosyl-D-arabinose; beta-glucosidase for alpha-D-melibiose; beta-amylase for D-trehalose; isomaltase for palatinose; and alpha-glucosidase for D-turanose. The buffer used was sodium acetate (0.02-0.10 M and pH 4.44-5.65). These six processes correspond, respectively, to the hydrolysis of the following linkages: galactose-fructose (1 -> 4), galactose-glucose (1 -> 6), glucose-fructose (1 -> 6), glucose-glucose (1 -> 1'), glucose-fructose (1 -> 3), and galactose-ambiose (1 -> 3). Using available data in the literature, the heat capacity changes for these processes are found to be in the range -36 to -69 J/mol/K. The available thermodynamic data on the hydrolysis of disaccharides is summarized. It is found that the entropy changes for the hydrolysis of disaccharides are in the range 31 - 56 J/mol/K and are well represented by an average value of 40 + or - 7 J/mol/K. The abnormally high enthalpy of hydrolysis of aqueous sucrose (-14.96 kJ/mol) can be explained by consideration of the enthalpy of conversion of fructopyranose to fructofuranose.

101,290

PB92-116953 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.

Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.

Final rept.
L. R. Karam, and M. G. Simic. 1990, 5p
Pub. in *Jnl. of Biological Chemistry* 265, n20 p11581-11585, 15 Jul 90.

Keywords: *Poultry, *Tyrosine, *Organic solvents, *Radiation, Tissues(Biology), Mass fragmentography, Dose-response relationships, Reprints.

Fresh chicken breast and beef incubated in water were found to contain no o-Tyr at the current levels of detection (0.1 ppm) by capillary gas chromatography/mass spectrometry and selective ion monitoring. In contrast, samples incubated at 37 C in the presence of ethanol, benzene, or carbon tetrachloride (used in fat extraction) contained large quantities (2.5-5.1 ppm) of o-Tyr. No o-Tyr was detected in the water-insoluble fraction of meat treated with carbon tetrachloride after triple extraction by water. However, reaction of radiation generated OH in gamma-irradiated fresh chicken tissue with endogenous phenylalanine yields o-Tyr with a linear yield-dose response in both water-soluble and -insoluble tissue fractions.

Clinical Chemistry

101,291

PB91-147629 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Organic Analytical Research Div.

Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.

Final rept.
L. Locascio-Brown, A. L. Plant, V. Horvath, and R. A. Durst. 1990, 7p
Pub. in *Analytical Chemistry* 62, n23 p2587-2593, 1 Dec 90.

Keywords: *Liposomes, *Immunoassay, *Theophylline, Antibodies, *Flow injection analysis.

The report describes the use of a liposome-based flow injection immunoassay (FIIA) system for quantitation of a clinical analyte, theophylline. With very minor changes in assay format, the procedure can also be used for the quantitation of anti-theophylline. Automated sequential analyses were performed at room temperature with picomole sensitivity and a day-to-day coefficient of variation of less than 5% for aqueous solutions. The system components include liposomes that contain fluorophores in their aqueous centers and an immobilized antibody reactor column. The immunoreactor was regenerated hundreds of times over 3 months of continuous use with no measurable loss of antibody activity. The two assay formats studied produced distinct dynamic ranges for their respective analytes. The special advantages of using flow injection analysis for immunoassays and of using liposomes in FIIA are discussed.

101,292

PB91-189266 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Organic Analytical Research Div.

Stability of Uric Acid in Ammonium Hydroxide.

Final rept.
P. Ellerbe, A. Cohen, M. J. Welch, and E. White V. 1988, 3p
Pub. in *Clinical Chemistry* 34, n11 p2280-2282 1988.

Keywords: *Uric acid, *Stability, *Ammonia, Decomposition reactions, Chemical analysis, Mass spectroscopy, Allantoin, Urea, Reprints.

The stability of uric acid in dilute aqueous ammonium hydroxide solution was examined by mass spectrometry. Uric acid decomposes in ammonium hydroxide even at the low concentration of 0.015 M at a mole ratio of ammonium hydroxide to uric acid of 50:1. The slope of the decomposition curve indicates that uric acid was being destroyed at an initial rate of several percent per hour. There are at least four products of the decomposition two of which have been identified as allantoin and urea. Uric acid does not detectably decompose in ammonium hydroxide at a concentration of 0.001 M and mole ratio of ammonium hydroxide to uric acid of 3.4 or less. The results have certain implications. Firstly, any method for the determination of

uric acid that involves treating the analyte with ammonium hydroxide before analysis may destroy it. Secondly, a published 'definitive' method for uric acid could produce incorrect results because the uric acid is stored in 0.015 M ammonium hydroxide at a mole ratio of over 120:1 of ammonium hydroxide to uric acid.

Clinical Medicine

101,293
PB91-195198 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons.
Final rept.
E. Navon, C. E. Dick, and G. Barnea. 1991, 6p
Pub. in Medical Physics 18, n2 p299-304 Mar/Apr 91.

Keywords: *Radiographic films, *X ray film, *Radiation effects, *Electron bombardment, Bremsstrahlung, Lead(Metal), Aluminum, Copper, Foils(Materials), Sensitivity, Reprints, Metal screens, Intensification factors.

Measurements are carried out to determine the relative photographic effect produced by electrons emanating from metallic screens on a typical radiographic film. The electrons are produced in metal foils of aluminum, copper, and lead by the interaction of photons in a 400-kV bremsstrahlung beam. Intensification factors of up to 1.65, 2.05, and 5.90 for aluminum, copper, and lead screens, respectively, are determined as a function of the foil thickness. The equilibrium thickness screens are determined to be 20 mg/sq cm for aluminum and 30 mg/sq cm for copper and lead. These results are compared with the absorbed dose in the film emulsions, calculated by Monte Carlo methods. The results of the present work are compared with those for (60)Co and (137)Cs photon beams. The dependence of the equilibrium thickness and the intensification factor on photon energy and the atomic number of the screen material is summarized and explained.

101,294
PB91-203745 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.
Mossbauer Imaging.
Final rept.
S. J. Norton. 1988, 1p
See also PB89-176895.
Pub. in Physics Bulletin 39, n5 p182 1988.

Keywords: *Mossbauer effect, *Imaging techniques, *Computerized tomography, *Spectroscopy, Metallography, Diagnostic techniques, Tests, Reprints.

Imaging techniques are playing an increasingly important role in many areas of research. Although NMR has long been employed as an important spectroscopic tool in chemistry, biology and materials science, a significant recent advance is nuclear-magnetic-resonance (NMR) imaging. Now the Mossbauer effect, another well-established spectroscopic technique, has also been proposed as the basis of a new imaging method (S. J. Norton, Nature, 12 Nov., 1987).

101,295
PB92-116623 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Statistical Engineering Div.
Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction.
Final rept.
K. J. Coakley. 1991, 8p
Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - Medical Imaging V: Image Physics, v1 443 p226-233 1991.

Keywords: *Image reconstruction, *Tomography, Stopping rules(Mathematics), Reprints, *Positron emission tomography, EM algorithm, Cross validation.

Simulated and real Positron Emission Tomography (PET) images are reconstructed using the iterative EM algorithm. The data is split up into independent parts. The EM algorithm is applied to each part and stopped according to a cross-validation procedure. For a variety of simulated and real data sets, stopping points

were reached. For simulated data, the average of the reconstructions from a four-way split of the data was visually superior to the reconstruction obtained by applying the EM algorithm to the full data and stopping at a subjectively chosen iteration. For real data, such an improvement was not observed. To remove point artifacts, the reconstructions were filtered.

101,296
PB92-117142 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
Final rept.
P. J. Muench, A. S. Meigooni, R. Nath, and W. L. McLaughlin. 1991, 7p
Sponsored by Public Health Service, Rockville, MD.
Pub. in Medical Physics 18, n4 p769-775 Jul/Aug 91.

Keywords: *Brachytherapy, *Film dosimetry, *Thermoluminescent dosimetry, *Photons, Comparison, Iridium, Silver halides, Ionizing radiation, Polymerization, Dyes, Reprints, *Radiochromic film.

There is a new radiochromic film, a highly uniform, thin (100 micrometers) detector whose sensitive layer (6 micrometers thick) changes from colorless to blue by dye polymerization without processing, upon exposure to ionizing radiation. Because the dose gradients around brachytherapy sources are steep, the high spatial resolution offered by film dosimetry is an advantage over other detectors such as thermoluminescent dosimeters (TLDs). This compares the photon energy dependence of the sensitivities of GafChromic film, silver halide verification film (Kodak X-Omat V Film), and lithium fluoride TLDs (Harshaw), over the photon energy range 28 keV to 1.7 MeV, which is of interest in brachytherapy. Sensitivity of the radiochromic film is observed to decrease by about 30% as effective photon energy decreases from 1710 keV (4-MV x rays) to 28 keV (60-kV x rays, 2-mm Al filter). In contrast, the sensitivity of verification film increases by 980% and that of LiF TLDs increases by 41%. Radiochromic film, like LiF TLDs, does not exhibit the drastic sensitivity changes below 127 keV that silver halide film exhibits. Dose distribution in the immediate vicinity of a high activity (370 GBq) brachytherapy (192)Ir source has been mapped using radiochromic film and is presented to illustrate the applicability of this new technology to brachytherapy dosimetry.

Cytology, Genetics, & Molecular Biology

101,297
PB91-134767 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Gravity-Dependent Phenomena at the Scale of the Single Cell.
Final rept.
P. Todd. 1989, 19p
Pub. in American Society for Gravitational and Space Biology Bulletin 2, p95-113 Aug 89.

Keywords: *Cells(Biology), Reduced gravity, Sedimentation, Diffusion, Solutes, Gravity, Reprints, Gravitational effects, Intracellular transport, Convective flow.

Progress in gravitational cell biology research will depend on the continuing evaluation of a wide variety of physical phenomena affected by gravity and their roles in extracellular, intercellular, and intracellular processes. The paper examines those responses of organisms to gravity which depend on functions at the single cell level. Single cell functions are affected by perturbations in their internal and external environment by a variety of factors, one of which is the effect of gravity. In a microgravity environment extracellular solutes must be transported by diffusion or active circulatory processes in the absence of density gradient-driven convection, and flocculation and coalescence are reduced by the lack of motion of aggregates.

101,298
PB91-148098 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Thermodynamics Div.

Multiple Conformations of Amino Acid Residues in Ribonuclease A.

Final rept.
L. A. Svensson, L. Sjölin, G. L. Gilliland, B. C. Finzel, and A. Wlodawer. 1986, 6p
Pub. in Proteins: Struct., Funct., Genet. 1, n4 p370-375 1986.

Keywords: *Amino acids, *Pancreatic ribonuclease, *Protein conformation, Structure-activity relationship, Protein engineering, Reprints.

Highly refined 1.26 Å structure ($R = 0.15$) of phosphate-free bovine pancreatic ribonuclease A was modeled with 13 residues having discrete multiple conformations of side chains. These residues are widely distributed over the protein surface, but only one of them Lys 61, is involved in crystal packing interactions. The discrete conformers have no unusual torsion angles and their interactions with the solvent and with other atoms of the protein are similar to those residues modeled with a single conformation. For three of the residues, Val 43, Asp 83, and Arg 85, two correlated conformations are found. The observed plasticity in the protein surface will be of significance in analyzing structure-function relationships and in performing protein engineering.

101,299
PB91-148213 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Thermodynamics Div.
Crystallizing Catabolite Gene Activator Protein with cAMP for Structural Analysis.
Final rept.
I. T. Weber. 1988, 8p
Pub. in Methods in Enzymology 159, p278-285 1988.

Keywords: *Adenosine cyclic monophosphate, *Catabolite gene activator proteins, Binding sites, Protein kinases, Protein conformation, DNA-binding proteins, Regulator genes, Reprints.

The crystal structure of the CAP dimer with cAMP has provided many insights into the action of this gene regulatory protein. The CAP subunit is divided into two domains that are connected by a hinge region. The carboxy-terminal domains bind to DNA and show both sequence and structural homologies with many other gene regulatory proteins from bacteria and viruses. The amino-terminal domain forms a binding site for cAMP and has been used to model the cAMP-binding domains of the regulatory subunits of mammalian cAMP-dependent protein kinase.

101,300
PB91-149229 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
Final rept.
S. B. Sawant, S. K. Sikdar, and J. B. Joshi. 1990, 7p
Pub. in Biotechnology and Bioengineering 36, p109-115 1990.

Keywords: *Hydrodynamics, *Mass transfer, *Sprays, *Albumins, *Separation, Polyoxyethylene, Dextran, Phase velocity, Reprints, *Two phase aqueous extraction.

Spray columns can be used to isolate and purify proteins using the two-phase aqueous extraction technique based on polyethylene glycol (PEG) and dextran. The fractional dispersed phase (PEG) holdup and overall mass transfer coefficients were measured in a 9.7 mm i.d. spray column. The authors found that the dispersed phase holdup increased with increasing PEG phase velocity. The overall mass transfer coefficients for bovine serum albumin, normalized for the PEG holdup, were found to be independent of the PEG phase velocity. The result was expected, since true mass transfer coefficients do not vary with phase velocity.

101,301
PB91-175604 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Chemical Thermodynamics Div.

MEDICINE & BIOLOGY

Cytology, Genetics, & Molecular Biology

Crystal Structure of Phosphate-Free Ribonuclease.

Final rept.

A. Wlodawer, G. I. Gilliland, L. Sjölin, and L. A. Svensson. 1987, 10p
Pub. in *UCLA (University of California, Los Angeles) Symposium on Molecular and Cellular Biology* 69, n2 p109-118 1987.

Keywords: *Ribonucleases, *Crystal structure, *Protein conformation, *Pancreas, *Amino acids, *Phosphates, *Binding sites, *Butanols, *Molecular models, *Reprints.

The crystal structure of phosphate-free bovine pancreatic ribonuclease has been refined with 1.26 Å resolution X-ray diffraction data. The final R factor was 15%, with the rms deviation of bond lengths from ideality of 0.024 Å. Even in the absence of the anion bound in the active site, only minor movements of the side chains were noticed in that area. Thirteen amino acids, all but one of them on the protein surface, were modeled with two different conformations of the side chains. The bound solvent of the refined model includes a t-butanol and 188 fully or partially occupied water sites. The structure was compared in detail with three other highly refined models of ribonuclease.

101,302

PB91-187476

Not available NTIS

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.

Final rept.

M. Dizdaroğlu. 1990, 16p
Pub. in *Methods of Enzymology* 193, p842-857 1990.

Keywords: *Deoxyribonucleic acids, *Pyrimidines, *Purines, *DNA damage, *Free radicals, *Mass fragmentography, *Hydrolysis, *pH, *Reprints.

A description is provided of the application of the gas chromatography-mass spectrometry (GC-MS) technique to measurement of products of pyrimidines and purines in DNA, which are formed by reactions of free radicals with DNA. Acidic or enzymatic hydrolyses are used to free base products as bases or nucleosides prior to their analysis by GC-MS. Acidic hydrolysis releases DNA base-amino acid crosslinks from nucleoprotein. The trimethylsilyl derivatives of all these products provide characteristic mass spectra, which contain a molecular ion and other typical ions of this class of compounds. The t-butyltrimethylsilyl derivatives are also used for measurement of modified bases. The use of the selected-ion monitoring technique permits the characterization and quantitative measurement of the products at low concentrations. Examples of mass spectra are presented and the fragmentation patterns of the molecules are discussed.

101,303

PB91-187484

Not available NTIS

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Measurement of DNA Base Damage and DNA-Protein Cross-Links in Mammalian Chromatin.

Final rept.

M. Dizdaroğlu. 1990, 14p
Sponsored by Department of Energy, Washington, DC. Pub. in *Ionizing Radiation Damage to DNA: Molecular Aspects*, p17-30 1990.

Keywords: *DNA damage, *DNA-binding proteins, *Chromatin, *Ionizing radiation, *Cross-linking reagents, *Mass fragmentography, *Mammals, *Free radicals, *Reprints.

Methodologies incorporating the technique of gas chromatography/mass spectrometry (GC/MS) have been developed in recent years for measurement of DNA damage produced by ionizing radiation or by other free radical-generating systems. GC/MS with selected-ion monitoring (SIM) facilitates unequivocal identification and quantitation of a plethora of products of all four bases in DNA. In addition, DNA-protein cross-links in mammalian chromatin are unequivocally identified and quantitated. The sensitivity and selectivity of the GC/MS-SIM technique also enables the measurement of DNA base products in isolated mammalian chromatin without the necessity of first isolating DNA. Recent results demonstrate the usefulness of the GC/MS technique for measurement of DNA damage in DNA as well as in mammalian chromatin under a vast variety of conditions of free radical production.

101,304

PB91-189365

Not available NTIS

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.

Final rept.

E. Gajewski, and M. Dizdaroğlu. 1990, 4p

Pub. in *Biochemistry* 29, n4 p977-980 1990.

Keywords: *Cytosine, *Tyrosine, *Hydroxyl radicals, *Cross-linking reagents, *Mass fragmentography, *Gamma rays, *Hydrolysis, *Reprints, *Nucleohistones.

Hydroxyl radical induced formation of a DNA-protein cross-link involving cytosine and tyrosine in nucleohistone in buffered aqueous solution is reported. The technique of gas chromatography-mass spectrometry was used for the investigation. A gamma-irradiated aqueous mixture of cytosine and tyrosine was first investigated in order to obtain gas chromatographic-mass spectrometric properties of possible cytosine-tyrosine cross-links. One cross-link was observed, and its structure was identified as the product from the formation of a covalent bond between carbon 6 of cytosine and carbon 3 of tyrosine. With the use of gas chromatography-mass spectrometry with selected-ion monitoring, this cytosine-tyrosine cross-link was identified in acidic hydrolysates of calf thymus nucleohistone gamma-irradiated in N₂O-saturated aqueous solution. The yield of the DNA-protein cross-link in nucleohistone was found to be a linear function of the radiation dose in the range of 100-500 Gy (J/kg). The yield amounted to 0.05 nmol/J. Mechanisms underlying the formation of the cytosine-tyrosine cross-link in nucleohistone were proposed to involve radical-radical and/or radical addition reactions of hydroxyl adduct radicals of cytosine and tyrosine moieties, forming a covalent bond between carbon 6 of cytosine and carbon 3 of tyrosine. When oxygen was present in irradiated solutions, no cytosine-tyrosine cross-links were observed.

101,305

PB91-190074

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Thermodynamics Div.

Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.

Final rept.

M. C. Vaney, G. L. Gilliland, J. G. Harman, A. Peterkofsky, and I. T. Weber. 1989, 7p

Pub. in *Biochemistry* 28, n11 p4568-4574 1989.

Keywords: *Catabolite gene activator proteins, *Adenosine cyclic monophosphate, *Crystallization, *Protein conformation, *Adenosine, *Binding sites, *Genetic transcription, *Operon, *Escherichia coli, *Mutation, *X-ray diffraction, *Reprints.

Catabolite gene activator protein (CAP) in the presence of cAMP stimulated transcription from several operons in *E. coli*. A cAMP-independent variant, in which Ala144 is replaced by Thr (CAP91), has been crystallized as the cAMP complex. CAP91, unlike the wild-type CAP, is activated by analogs of cAMP, including adenosine. In order to test the effect of adenosine on the structure, a crystal of CAP91 was soaked in a solution of 10mM adenosine, and X-ray diffraction data were measured to 3.5 Å resolution. The difference Fourier map calculated with phases from the CAP91 structure showed significant negative density at the position of the phosphate of cAMP bound in the 'closed' subunit of the CAP91 dimer. This was consistent with the replacement of adenosine for cAMP in the 'closed' subunit. The cAMP-binding site of the 'open' subunit was apparently still occupied by cAMP. The coordinates were refined by restrained least-square to an R factor of 20.2%. Adenosine is bound in the cAMP-binding pocket in almost the same position as cAMP, however, the new position of 5'OH of adenosine allowed formation of two new hydrogen bonds with Ser 83, instead of the interactions of the phosphate of cAMP with Arg 82 and Ser 83.

101,306

PB91-200824

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.

Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.

Final rept.

O. I. Aruoma, B. Halliwell, and M. Dizdaroğlu. 1989, 5p

Pub. in *Jnl. of Biological Chemistry* 264, n22 p13024-13028, 5 Aug 89.

Keywords: *Deoxyribonucleic acids, *Superoxide, *Hypoxanthines, *Xanthine oxidase, *Iron, *Mass fragmentography, *Hydroxyl radicals, *DNA damage, *Hydrolysis, *Ions, *Reprints.

Damage to the bases in DNA produced by the hypoxanthine/xanthine oxidase system in the presence of iron ions was studied. The base products in DNA were measured using gas chromatography-mass spectrometry with selected ion monitoring after acidic hydrolysis of DNA and trimethylsilylation. Products identified were cytosine glycol, thymine glycol, 5,6-dihydroxycytosine, 4,6-diamino-5-formamidopyrimidine, 8-hydroxyadenine, 2,6-diamino-4-hydroxy-5-formamidopyrimidine, and 8-hydroxyguanine. These are typical hydroxyl radical-induced products of the bases in DNA. 2,6-Diamino-4-hydroxy-5-formamidopyrimidine, 5,6-dihydroxycytosine, 4,6-diamino-5-formamidopyrimidine, and 8-hydroxyguanine were proposed as the products in DNA to measure if one aims to measure DNA products as indices of oxidative DNA damage involving hydroxyl radicals in vivo.

101,307

PB91-202960

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.

Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage.

Final rept.

M. Dizdaroğlu, and E. Gajewski. 1990, 15p
Pub. in *Methods in Enzymology* 186, p530-544 1990.

Keywords: *Mass spectrometry, *Oxidation, *DNA damage, *Ions, *Mass fragmentography, *Hydrolysis, *Hydroxyl radicals, *Cross-linking reagents, *Nucleoproteins, *DNA-binding proteins, *Reprints.

Chemical characterization and quantitative measurement of oxidative damage to DNA caused by free radicals is essential for an understanding of the biological consequences of such damage. The present article describes the technical details of the application of the gas chromatography-mass spectrometry (GC-MS) technique to measurement of DNA damage caused by hydroxyl radicals. Reactions of hydroxyl radicals form a variety of base products in DNA and DNA-protein crosslinks in nucleoprotein. Acidic or enzymatic hydrolyses are used to free base products as bases or nucleosides prior to their analysis by GC-MS. Acidic hydrolysis releases DNA base-amino acid crosslinks from nucleoprotein. The trimethylsilyl derivatives of all these products provide characteristic mass spectra, which contain a molecular ion and other typical ions of this class of compounds. The use of the selected-ion monitoring technique permits the characterization and quantitative measurement of the products at low concentrations.

101,308

PB91-237198

Not available NTIS

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.

Final rept.

A. L. Plant, L. Locascio-Brown, W. Haller, and R. A. Durst. 1991, 16p
Pub. in *Applied Biochemistry and Biotechnology* 30, p83-98 1991.

Keywords: *Proteins, *Binding sites, *Glass, *Nylon, *Polystyrene, *Monoclonal antibodies, *Theophylline, *Biotin, *Ligands, *Radioactivity, *Reprints.

Four different nonporous particulate materials, nylon, polystyrene, soda-lime silicate glass, and fused silica glass, have been evaluated for their appropriateness as immobilization supports for immunoglobulins. A method of protein quantitation that is usually applied to solutions, the bicinchoninic acid (BCA) assay, was used successfully to directly measure ng amounts of protein immobilized on the supports. Two proteins, a monoclonal antibody to theophylline and the biotin binding protein avidin, were studied. Radioactive theo-

phylline and radioactive biotin were used to measure the activity of the immobilized protein. Ligand binding capacity per sqmm of support was measured as a function of amount of protein immobilized. The binding activity of biotinyl-antibody conjugate immobilized on avidin-adsorbed polystyrene is stable, even when stored for over 22 wk. Antibody covalently immobilized on soda-lime silicate glass beads retains its binding.

101,309
PB91-237362 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Reactor Radiation Div.
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
Final rept.
L. Sjolin, E. Prince, L. Anders Svensson, and G. L. Gilliland. 1991, 8p
Pub. in Acta Crystallographica A47, p216-223 1991.

Keywords: *Proteins, *Crystal structure, *Phase diagrams, Algorithms, X ray diffraction, Fourier transformation, Electron density, Molecular structure, Cattle, Reflection, Entropy, Reprints, *Bovine chymosin.

An efficient algorithm for the determination of an everywhere positive electron-density distribution that agrees with observed structure amplitudes has been used to determine the phases of X-ray diffraction data from recombinant bovine chymosin, a protein with 323 amino-acid residues in the molecular chain whose structure was recently determined using molecular replacement methods. A systematic procedure for testing the signs of centric reflections, using the total entropy of the map as a figure of merit, was used to produce a low-resolution map. The phases of acentric and additional centric reflections were then chosen by adding them to the map with various possible phases and computing the total entropy of the resulting map. The molecule is many times larger than any whose structures have previously been determined without the use of isomorphous replacement, molecular replacement or anomalous dispersion, and the map demonstrates the potential of maximum-entropy methods in macromolecular structure determination.

101,310
PB91-237560 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO.
Chemical Engineering Science Div.
Low-Cost Aqueous Two-Phase System for Enzyme Extraction.
Final rept.
D. C. Szlag, and K. A. Giuliano. 1988, 6p
Pub. in Biotechnol. Tech. 2, n4 p277-282 1988.

Keywords: *Enzymes, *Extraction, Purification, Alcohol dehydrogenase, Polyoxethylene, Dextran, Separation, Viscosity, Yeasts, Reprints, Maltodextrins.

Several low-cost maltodextrins formed two liquid phases with polyethylene glycol (PEG) in aqueous solution. The physical characteristics of these maltodextrin/PEG systems are similar in many respects to dextran/PEG systems except for the cost. Maltodextrins are currently available for \$0.56/kg as compared to \$150/kg for fractionated dextran (industrial grade). The remarkable cost savings makes the large scale application of polymer-polymer aqueous two-phase extractions commercially viable. The authors have measured some of the physical properties of the maltodextrin/PEG two-phase systems and found them to exhibit low viscosities and excellent processibility. Extraction of alcohol dehydrogenase from homogenized yeast cells and yeast enzyme concentrate was performed in both PEG/dextran and PEG/maltodextrin systems using PEG bound Cibacron blue. Greater purification factors were measured for the PEG/maltodextrin system for similar recoveries.

101,311
PB91-237602 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Biotechnology Div.
Thermodynamics of Industrially Important Enzyme Catalyzed Reactions.
Final rept.
Y. B. Tewari. 1990, 17p
Pub. in Appl. Biochem. Biotechnol. 23, n3 p187-203 1990.

Keywords: *Thermodynamics, *Enzymes, *Catalysis, Penicillins, Chemical reactions, Amino acids, Saccharides, Enthalpy, Reprints.

The paper presents an examination of the thermodynamics of ten industrially important enzyme catalyzed

reactions. The reactions discussed are: the conversions of penicillin G to 6-amino-penicillanic acid using the enzyme penicillin acylase; starch to glucose using amylases; glucose to fructose using glucose (xylose) isomerase; cellulose to glucose using cellulase; fumaric acid and ammonia to L-aspartic acid using L-aspartase; transinnamic acid and ammonia to L-phenylalanine using L-phenylalanine ammonia-lyase; L-histidine to urocanic acid and ammonia using L-histidine ammonia-lyase; lactose to glucose and galactose using lactase; and the reactions catalyzed by aminoacylases and proteases. The selection of these processes was based on the economic value of the products and their intrinsic industrial importance. The available thermodynamic properties, such as equilibrium constants, Gibbs energies (Delta G), enthalpies (Delta H), and heat capacity changes (Delta C(sub p)) of these enzyme catalyzed reactions are reviewed and summarized. Recommendations are made for future research in this area.

101,312
PB92-116912 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Chemical Thermodynamics Div.
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
Final rept.
J. H. Jackson, P. A. Hyslop, I. U. Schraufstatter, C. G. Cochrane, M. D. Dizardoglu, A. F. Fuciarelli, and E. Gajewski. 1989, 6p
Pub. in Jnl. of Clinical Investigation 84, n5 p1644-1649 1989.

Keywords: *DNA damage, *Neutrophils, Free radicals, Mass fragmentography, Carcinogens, Base pairs, Thymus gland, Reprints.

Inflammatory leukocytes (neutrophils) have been associated with carcinogenesis in chronic inflammation and malignant transformation of cells. Stimulated neutrophils have been known to cause DNA damage. Here, the authors report on the chemical characterization of base damage in DNA induced by a tumor promoter-stimulated human neutrophils. Calf thymus DNA was treated with stimulated neutrophils in the presence and absence of iron ions, and then analyzed by gas chromatography-mass spectrometry with selected-ion monitoring. Cytosine glycol, thymine glycol, 4,6-diamino-5-formamidopyrimidine, 8-hydroxyadenine, 2,6-diamino-4-hydroxy-5-formamidopyrimidine and 8-hydroxyguanine were identified as base products in DNA, and their yields were measured. These products are the typical hydroxyl radical-induced products of DNA bases, which are well known from the radiation chemistry of DNA in aqueous solution. This fact suggests that they were likely due to hydroxyl radicals produced in the neutrophil system.

101,313
PB92-117399 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Chemical Thermodynamics Div.
Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
Final rept.
Y. B. Tewari, R. N. Goldberg, and J. V. Advani. 1991, 14p
See also PB92-116854.
Pub. in Biophysical Chemistry 40, p163-176 1991.

Keywords: *Thermodynamic equilibrium, *Blood cells, *Disproportionation, *Magnesium ions, *Adenosine phosphates, Liquid column chromatography, Calorimetry, Enthalpy, Entropy, ADP, Enzymes, Catalysts, Biochemistry, ATP, Temperature dependence, AMP, Measurement, pH, Hydrolysis, Specific heat, Activity coefficients, Reprints.

High-pressure liquid-chromatography and microcalorimetry have been used to determine equilibrium constants and enthalpies of reaction for the disproportionation reaction of adenosine 5'-diphosphate (ADP) to adenosine 5'-triphosphate (ATP) and adenosine 5'-monophosphate (AMP). Adenylate kinase was used to catalyze the reaction. The measurements were carried out over the temperature range 286 to 311 K, at ionic strengths varying from 0.06 to 0.33 mol/kg, over the pH range 6.04 to 8.87, and over the pMg range 2.22 to 7.16, where pMg = -log a(Mg(sup 2+))). The equilibrium model developed by Goldberg and Tawari was used for the analysis of the measurements. For the reference reaction: 2 ADP (3-(a) o) to AMP (2-(a) o) + ATP(4-(a) o), K=0.225 + or - 0.010, Delta G = 3.70 +

or - 0.11 kJ/mol, Delta H = -1.5 + or - 1.5 kJ/mol, Delta S = -17 + or - 5 J/mol/K and Delta C(sub p) = -46 J/mol/K at 298.15K and 0.1 MPa. These results and the thermodynamic parameters for the auxiliary equilibria in solution have been used to model the thermodynamics of the disproportionation reaction over a wide range of temperature, pH, ionic strength, and magnesium ion molality. Under approximately physiological conditions (311.15 K, pH 6.94, (Mg(2+)))=1.35 x 10(sup 3-) mol/kg, and I = 0.23 mol/kg) the apparent equilibrium constant for the overall disproportionation reaction is equal to 0.93 + or - 0.02. Thermodynamic data on the disproportionation reaction and literature values for this apparent equilibrium constant in human red blood cells are used to calculate a molality of 1.94 x 10 (sup -4) mol/kg for free magnesium ion in human red blood cells. The results are also discussed in relation to thermochemical cycles and compared with data on the hydrolysis of the guanosine phosphates.

Dentistry

101,314
PB91-187666 (Order as PB91-187617, PC A06/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.
Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
L. C. Chow, S. Takagi, W. Tung, and T. H. Jordan. 1991, 12p

Prepared in cooperation with American Dental Association Health Foundation, Chicago, IL.
Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n2 p203-214 Mar/Apr 91.

Keywords: *Dental caries, *Microradiography, *Image analysis, Digital data, Lesions, Measurement, Thickness, Mineral content, Remineralization.

The study investigated the feasibility of using a digital image analysis system to process the information contained in microradiographs of tooth sections that included dental caries lesions. The results show that by using an aluminum step wedge to provide a range of thickness standards and a sound area of the sample as an internal reference, data on tooth mineral content as a function of the location can be obtained with an estimated error of less than 5% relative to the mineral content of sound area. The microradiographic technique allows the response of tooth samples to a remineralization treatment to be quantitatively measured and statistically analyzed.

101,315
PB91-194746 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Polymers Div.
Effects of pH and Calcium on Hydrolysis of Na2SiF6 and Na2SnF6: A Quasi-Constant Composition Titration Study.
Final rept.
N. Eidelman, and L. C. Chow. 1991, 7p
Sponsored by American Dental Association Health Foundation, Chicago, IL.
Pub. in Caries Research 25, p101-107 1991.

Keywords: *Dental caries, *Calcium ions, *Reaction kinetics, *Hydrolysis, *Acid resistance, pH, Calcium phosphates, Titration, Surface chemistry, Inhibitors, Tin compounds, Fluoridation, Reprints, Sodium hexafluorostannate, Sodium hexafluorosilicate.

Hydrolysis reactions of sodium hexafluorosilicate (Na2SiF6) and sodium hexafluorostannate (Na2SnF6) were studied at various combinations of pH and calcium ion (Ca(2+)) concentrations using a quasi-constant composition titration method. Under high concentrations of hydrogen ion and Ca(2+), the promoting effect of Ca(2+) on the hydrolysis of Na2SiF6 was stronger than the inhibition effect of hydrogen ion. However, the inhibition effect of hydrogen ion on the hydrolysis of Na2SnF6 was stronger than the promoting effect of Ca(2+). Na2SiF6 and Na2SnF6 were found to have hydrolysis properties that may make them suitable for use with an acidic calcium phosphate solution in a topical fluoride treatment which forms di-calcium phosphate dihydrate as an intermediate.

MEDICINE & BIOLOGY

Dentistry

101,316
PB92-126689

(Order as PB92-126614, PC A06/MF A02)
National Inst. of Standards and Technology, Gaithersburg, MD.

Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process.

T. M. Gregory, L. C. Chow, and C. M. Carey. 1991, 12p

Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p593-604 Sep/Oct 91.

Keywords: *Dental caries, *Teeth, Diffusion, Hydroxy compounds, Apatites, Computerized simulation, Demineralizing, Dissolution, Mathematical models, Thermodynamic equilibrium, Calcium ions, Phosphates, pH, Plaque formation, Membranes.

Demineralization of tooth mineral in the caries process was studied using a computer model that simulates a diffusion controlled dissolution process. The solution in the inner ('lesion') compartment was in equilibrium with the tooth mineral, but its composition changed in response to diffusion of ions between the two solutions through an infinitely thin barrier. A steady state condition is eventually reached under which the ratio of flux of Ca to that of P becomes 5/3. The results of the simulation show that for a given 'plaque' pH, the rate of demineralization at steady state was the highest for cation and the lowest for anion permselective membranes.

Nutrition

101,317
PB91-147413

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Analytical Research Div.

Dietary Collection Procedures.

Final rept.

G. V. Iyengar. 1987, 7p

Pub. in Clinical Nutrition 6, n4 p147-153 Jul/Aug 87.

Keywords: *Food analysis, *Standards, Food consumption, Chemical analysis, Nutritive value, Diets, Nutrition.

There is no single method that may be regarded as entirely satisfactory for the purpose of estimating the human dietary intake of nutrients and toxic substances in foods, since each approach has some limitation or the other. Yet, many decisions of public health concern need to be made with analytical information available from ongoing biomedical trace element research studies. Therefore, every effort should be made to generate reliable analytical data from these investigations. More efforts are urgently needed to develop several kinds of dietary reference materials and to promote their use in standardizing analytical procedures in the food analysis laboratories if the results generated from field studies are to be used for the development of newer concepts for improving the currently used dietary intake models and to provide new guidelines.

101,318
PB91-147421

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Inorganic Analytical Research Div.

Practical Constraints in Monitoring Micronutrient Intake.

Final rept.

G. V. Iyengar. 1987, 5p

Pub. in Clinical Nutrition 6, n4 p154-158 Jul/Aug 87.

Keywords: *Trace elements, *Monitoring, Chemical analysis, Nutrition, Nutritive value, Diets, Food consumption, *Biomonitoring.

Monitoring of human subjects for the daily intake of essential and toxic trace elements poses certain inherent difficulties. The reasons include, among others (1) there are only a few situations in which a direct association between specific elements, target specimens, and dietary intake have been established, and (2) in many other situations, meaningful information can be derived only when simultaneous analyses of several different specimens from the same subject has been carried out. It is important to recognize that solutions to many of the biomonitoring type of problems require a

multidisciplinary approach to the problem as a whole, a sound understanding of the metabolic roles played by each element, as well as the gastrointestinal absorption properties as observed from different kinds of foods.

Pharmacology & Pharmacological Chemistry

101,319

PB91-195149

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Adsorption and Orientation of Tetracycline on Hydroxyapatite.

Final rept.

D. N. Misra. 1991, 6p

Sponsored by American Dental Association Health Foundation, Chicago, IL.

Pub. in Calcified Tissue International 48, p362-367 1991.

Keywords: *Hydroxy compounds, *Apatites, *Tetracyclines, *Separation processes, Adsorbents, Calcification, Bone, Teeth, Polymers, Orientation, Tissues, Ethanol, Chloromethanes, Surface chemistry, Hydrogen bonds, Reprints.

Adsorption of tetracycline from separate solutions of ethanol, p-dioxane, and chloroform onto synthetic hydroxyapatite (containing about 1.5 monolayer of physisorbed water) was studied in order to understand its interaction with bone and teeth. The adsorption isotherms of tetracycline are reversible and Langmuirian from ethanol and p-dioxane and are almost identical. The isotherm is irreversible from chloroform, and a constant amount of adsorbate is removed from the solutions above a certain concentration. An analysis of the reversible isotherms showed that at maximum coverage the ring or polycyclic structure of the molecule stands perpendicular to the surface with appropriate hydroxyl groups and ketoxygens hydrogen bonded to the surface. The process of adsorption does not affect the chemical integrity of tetracycline.

Public Health & Industrial Medicine

101,320

PB91-204099

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Gas and Particulate Science Div.

Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.

Final rept.

J. A. Small. 1985, 18p

Sponsored by Ontario Research Foundation, Mississauga.

Pub. in Proceedings of Workshop on Asbestos Fibre Measurements in Building Atmospheres, Toronto, Canada, March 1985, p69-86.

Keywords: *Asbestos, *Scanning electron microscopy, *Visibility, Contrast, Chemical analysis, Fibers, Resolution, Reprints, *Chrysotile.

Most manufacturers of conventional scanning electron microscopes (SEM)s claim resolution of the order of 3-10 nm for their instruments which is substantially less than the diameters of 20-30 nm reported for single-fibril chrysotile. With this level of resolution, it appears that these instruments should be able to image single fibrils of chrysotile asbestos under normal operating conditions in a real-time imaging mode appropriate to rapid sample searching. The limiting resolution performance of an SEM however can only be realized with an ideal high contrast sample such as a thin edge or a strongly scattering particle viewed against a weakly scattering background. In analyzing a material such as chrysotile asbestos with a low electron scattering coefficient, the visibility of chrysotile asbestos fibers is limited by the contrast of the sample rather than the ultimate resolution of the SEM used for the analysis.

Radiobiology

101,321

PB91-190108

Not available NTIS

National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.

Final rept.

M. L. Wood, M. Dizdaroğlu, E. Gajewski, and J. M.

Essigmann. 1990, 9p

Pub. in Biochemistry 29, n30 p7024-7032 1990.

Keywords: *Ionizing radiation, *Mutagenesis, *Viral genes, DNA adducts, Escherichia coli, High pressure liquid chromatography, Mass fragmentography, Ultraviolet spectroscopy, T phages, Phosphorylation, Codon, Polynucleotide synthetase, Mutation, Reprints, *8-hydroxyguanine.

T4 RNA ligase was used to construct a deoxypentnucleotide containing a single 8-hydroxyguanine (7-hydro-8-oxoguanine; G(sup 8-OH) residue, which is one of the putatively mutagenic DNA adducts produced by oxidants and ionizing radiation. The pentamer d(GCTAG(sup 8-OH)p) was prepared by the ligation of a chemically synthesized acceptor molecule, d(GCTA), to an adducted donor, 8-hydroxy-2'-deoxyguanosine 5',3'-bisphosphate. The acceptor was efficiently converted to the reaction product (>95%), and the final product yield was 50%. Following 3'-dephosphorylation, the pentamer was characterized by UV spectroscopy, by high-pressure liquid chromatography, and by gas chromatography-mass spectrometry of the nucleosides released by enzymatic hydrolysis. Both d(GCTAG(sup 8-OH) and an unmodified control were 5'-phosphorylated by using (gamma-32P) ATP and incorporated covalently by DNA ligase into a five-base gap at a unique NheI restriction site in the other duplex genome of an M13mp19 derivative. The ligation product contained G(sup 8-OH) at the 3' residue of an in-frame amber codon (5'-TAG-3') (genome position 6276) of the phage lacZa gene. The adduct was part of a nonsense codon in a unique restriction site in order to facilitate the identification and selection of mutants generated by the replication of the modified genome in Escherichia coli.

101,322

PB91-195057

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.

Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber.

Final rept.

O. Mattsson, H. Svensson, G. Wickman, S. R. Domen, J. S. Pruitt, and R. Loevinger. 1990, 6p

Sponsored by Sahlgren Hospital, Gothenburg (Sweden), and Umea Univ. (Sweden).

Pub. in Acta Oncologica 29, n2 p235-240 1990.

Keywords: *Radiation doses, Liquid ionization chambers, Iron sulfates, Gamma rays, Calorimeters, Dosimetry, Comparison, Water, Reprints.

A liquid ionization chamber has been used as a transfer instrument for the quantity absorbed dose to water in a cobalt-60 gamma ray beam. The characteristics of the liquid ionization chamber are described. The transferred dosimetric information has been compared with absorbed dose determinations using air ionization chamber dosimetry, water calorimetry and ferrous sulphate dosimetry. The agreement between the different measured absorbed dose values is very good, i.e., within 0.2%. This is an indication that the consistency in the methods to determine absorbed dose to water is good. The impact of the new standard for air-kerma, introduced in 1986 by the BIPM, on the air ionization chamber is investigated. It is shown that any differences in the dosimetry when using the old or the new set of data cancel out for the cobalt-60 beam. The investigation also shows that the value of (epsilon sub m)G for the ferrous sulphate dosimeter recommended in ICRU 35 for electrons can be used also in the cobalt-60 beams.

101,323

PB91-203265

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.

Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.

Final rept.
K. G. W. Inn, W. S. Liggett, H. L. Volchok, M. S. Feiner, J. F. McInroy, D. S. Popplewell, D. R. Percival, R. A. Wessman, V. T. Bowen, H. D. Livingston, R. L. Kathren, and H. Kawamura. 1990, 11p
Pub. in Jnl. of Radioanalytical and Nuclear Chemistry 138, n2 p219-229 1990.

Keywords: *Actinides, *Tissues(Biology), *Plutonium 239, *Plutonium 240, *Interlaboratory comparisons, Humans, Reprints, Standard Reference Materials.

An international laboratory intercomparison of actinides in human tissues was organized by the United States Transuranic Registry and the National Bureau of Standards. Five laboratories from the United States, United Kingdom, and Japan participated in the intercomparison. The laboratories were requested to analyze Standard Reference Materials 4351 (Human Lung) and 4352 (Human Liver) for (239)Pu + (240)Pu concentration. In general, approximately equivalent measurement capabilities were found among the participants. The results of the intercomparison were statistically comparable to those used for the original certification of the SRMs, and were combined for a re-evaluation of the certified values. The sum of the data sets resulted in notable improvements in the certification for the plutonium content in these SRMs.

101,324

PB91-236497 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Ionizing Radiation Div.
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
Final rept.
G. Barnea, E. Navon, A. Ginzburg, J. Politch, H. Roehrig, C. E. Dick, and R. C. Placius. 1991, 7p
Pub. in Medical Physics 18, n3 p432-438 May/Jun 91.

Keywords: *Biomedical radiography, *Dosimetry, *Phosphors, *Nuclear medicine, Sensitivity, Metals, Images, Radiation transport, Photon beams, Cobalt 60, Spectrum analysis, Radiation doses, Monte Carlo method, Reprints.

The sensitivity of storage phosphor imaging plates (SPIP) at megavolt photon energies (Cobalt 60, 6-, 10-, and 18-MV radiotherapy beams) is studied both experimentally and by Monte Carlo radiation transport calculations. In addition, the same techniques are used to investigate the intensifying effect of metal screens on the sensitivity of the SPIP. The results provide evidence that the sensitivity of the SPIPs is proportional to the absorbed energy in the phosphor layer per cGy. The spectral sensitivity is calculated for photon energies from 10 keV and 20 MeV for various SPIP-screen combinations.

101,325

PB91-236877 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Ionizing Radiation Div.
Biomarkers of OH Radical Damage In vivo.
Final rept.
L. R. Karam, D. S. Bergtold, and M. G. Simic. 1991, 7p
Sponsored by Defense Nuclear Agency, Washington, DC.
Pub. in Free Rad. Res. Comms. 12-13, p11-16 1991.

Keywords: *Chemical radiation effects, *Free radicals, *Hydroxyl radicals, *In vivo, *Biological effects, Mechanism, Synthesis(Chemistry), Tyrosine, Thymine, Glycols, Urine, Biological markers, Reprints.

Mechanisms of formation of o-tyrosine (o-Tyr) and thymine glycol (TG), the two possible markers of OH radical generation in biosystems and in vivo are described. The o-Tyr measurements require invasive approaches, while TG detection may be accomplished by noninvasive analysis in the urine.

101,326

PB91-237008 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Ionizing Radiation Div.

Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.

Final rept.
W. L. McLaughlin, C. Yun-Dong, C. G. Soares, A. Miller, G. Van Dyk, and D. F. Lewis. 1991, 12p
Pub. in Nuclear Instruments and Methods in Physics Research A302, p165-176 1991.

Keywords: *Dosemeters, *Film dosimetry, *Gamma rays, *Electron beams, Biomedical radiography, Industrial radiography, Images, Irradiation, Nondestructive tests, Sensitivity, Spectrum analysis, Temperature dependence, Reprints.

A new radiation-sensitive imaging material, called GafChromic (TM) Dosimetry Media, offers advances in high-dose radiation dosimetry and high-resolution radiography for gamma radiation and electrons. The potential uses in radiation processing, radiation sterilization of medical devices, population control of insects by irradiation, food irradiation, blood irradiation for organ-transplant immuno-suppression, clinical radiography, and industrial radiography have led to the present sensitometric study over the breadth of the wide dynamic range of the new routine detector and imaging material, namely, absorbed doses from 10 Gy to 5×10 to the 4th power Gy. The thin-coated film is colorless before irradiation, and registers a deep-blue image upon irradiation, with two absorption bands at about 650 nm (major band) and 600 nm (minor band). The response to electrons, in terms of increase in absorbance per unit absorbed dose, is the same as that to gamma radiation within the estimated uncertainty of the measurements (+ or - 5%, 95% confidence level). The spatial resolving power is > 1200 lines/mm. After the first 24 hours, the image is stable over many months (within + or - 5% in absorbance), however, the system should be irradiated and analyzed at approximately the temperatures used during calibration, because of temperature dependence during irradiation and readout, and temperatures greater than 55 C should be avoided.

101,327

PB91-237388 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Ionizing Radiation Div.
Calibration of Ophthalmic Applicators at NIST: A Revised Approach.
Final rept.
C. G. Soares. 1991, 7p
Pub. in Medical Physics 18, n4 p787-793 Jul/Aug 91.

Keywords: *Radiation doses, *Calibrating, *Film dosimetry, *Ophthalmology, *Beta dosimetry, Electric currents, Extrapolation chambers, Irradiation, Spectrum analysis, Measurement, US NBS, Reprints, *Ophthalmic applicators.

A revised approach to the problem of measuring a surface-absorbed dose from beta-particle-emitting ophthalmic applicators is presented. The technique chosen employs an extrapolation chamber equipped with a 4-mm-diam collecting electrode to make current measurements at air gaps from 0.08 to 0.20 mm at 0.02-mm intervals. These data yield a linear relationship between current and air gap, the slope of which is used to determine average surface-absorbed-dose rate over the central area of the source. For additional information about the distribution of the activity over the source surface, autoradiographs using calibrated radiochromic dye films are analyzed to map the dose-rate profile across the surface of the applicator. Experiments varying several parameters of the extrapolation chamber measurement, including collecting electrode area, voltage gradient, range of air gaps used, and entrance foil material, are described. Also treated are calibrations of, and a description of the use of, radiochromic dye films for source profiling. Experiments for determining correction factors for the extrapolation chamber measurements are described, and an assessment of the uncertainties associated with these measurements is given.

Toxicology

101,328

PB91-162032 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Polymers Div.

Newest Approaches to Quantitative Assessment of Bioactive Organotins.

Final rept.
I. C. Felkner, B. Worthy, G. J. Olson, and F. E. Brinckman. 1989, 14p
Pub. in Chemical Speciation and Bioavailability 1, n3 p79-92 Oct 89.

Keywords: *Organotin compounds, *Bacillus subtilis, *Toxicity, Bioassay, Lasers, Genetic engineering, Reprints, *Toxic substances.

New approaches for assessing the toxicity of organotin chemical species have been developed. These approaches are based upon the selective responses of sensitive bioreactors whose chemical and molecular interactions with a wide variety of toxicants have been previously determined and reported. Bioassays capable of quantitating and chemically speciating toxicants for impacts on diverse bacterial sensors are discussed herein. The principal new development is a laser/bacterial bioassay which is capable of differentiating between various toxic chemicals and specifically distinguishing between the different organotin species based on their mechanism of toxic action. The system uses a battery of isogenic *Bacillus subtilis* strains genetically engineered to respond differentially to specific toxicants. The response is monitored by differential light scattering of a laser which is integrated with a computerized system that collects and analyzes the data. The system routinely generates fully analyzed data within 66 min for most samples. It is capable of making 1,200 measurements on each sample within 2 to 4 seconds, and shows promise as a rapid and inexpensive system to monitor organotins and various other toxicants on site.

101,329

PB91-187070 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Chemical Kinetics Div.
Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
Final rept.
S. A. Akman, J. Doroshow, and M. Dizdaroglu. 1990, 4p
Pub. in Archives of Biochemistry and Biophysics 282, n1 p202-205 Oct 90.

Keywords: *Plasmids, *Deoxyribonucleic acids, *Potassium permanganate, *DNA damage, *Toxicity, Mass fragmentography, Mutagenicity tests, Cell survival, Ions, Reprints.

KMnO₄ is a powerful oxidizing agent which has been used to modify DNA bases. In previous studies, mild KMnO₄ treatment has been shown to preferentially modify Thy; Cyt and Gua are modified only under harsher conditions to as yet unidentified products. In the present study, denatured plasmid pCMV beta gal DNA was exposed to 0.015-1.5 mM KMnO₄, pH 8.6, at 4 C for 5 min, after which the DNA was hydrolyzed in formic acid, trimethylsilylated, and analyzed for modified base content by gas chromatography-mass spectrometry/selected ion monitoring. The study data suggest that previous studies which have used treatment with KMnO₄ to study the mutagenicity of Thy glycol specifically or as a Thy-specific probe in DNA structure should be interpreted with caution.

101,330

PB91-187104 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
Final rept.
O. I. Aruoma, B. Halliwell, E. Gajewski, and M. Dizdaroglu. 1991, 4p
Pub. in Biochemistry Jnl. 273, p601-604 1991.

Keywords: *DNA damage, *Hydrogen peroxide, *Toxicity, *Copper, *Iron, Ions, Hydroxyl radicals, Catalase, Superoxide dismutase, Ascorbic acid, Reprints, Hypoxanthine-xanthine oxidase system.

Mixtures of Cu(sup 2+) and H2O2 at pH 7.4 caused damage to the bases in DNA greater than that caused by mixtures of Fe(sup 3+) and H2O2. Addition of ascorbic acid to the Cu(sup 2+)/H2O2 system caused a very large increase in base damage, much greater than that produced by the Fe(sup 3+)/H2O2/ascorbic acid system. The products of base damage in the presence of Cu(sup 2+) were typical products that have been shown to result from attack of hydroxyl radical.

calls upon the DNA bases. Cytosine glycol, thymine glycol, 8-hydroxyadenine and especially 8-hydroxyguanine were the major products in both the Cu(sup 2+)/H₂O₂ and the Cu(sup 2+)/H₂O₂/ascorbic acid systems. Base damage in DNA by these systems was inhibited by the chelating agents EDTA and nitrilotriacetic acid and by catalase, but not by superoxide dismutase, nor by the hydroxyl-radical scavenger mannitol. It is proposed that Cu(sup 2+) ions bound to the DNA react with H₂O₂ and ascorbic acid to generate hydroxyl radicals, which then immediately attack the DNA bases in a site-specific manner. A hypoxanthine/xanthine oxidase system also caused damage to the DNA bases in the presence of Cu(sup 2+) ions. This was inhibited by superoxide dismutase and catalase. The high activity of Cu(sup 2+) ions, when compared with Fe(sup 3+) ions, in causing hydroxyl-radical-dependent damage to DNA and to other biomolecules, means that the availability of Cu(sup 2+) ions in vivo must be carefully controlled.

101,331
PB91-187112 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Chemical Kinetics Div.
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.

Final rept.
O. I. Aruoma, B. Halliwell, E. Gajewski, and M. Dizdaroglu. 1989, 4p
Pub. in Jnl. of Biological Chemistry 264, n34 p20509-20512, 5 Dec 89.

Keywords: *DNA damage, *Hydrogen peroxide, *Iron, *Chelating agents, *Toxicity, Hydroxyl radicals, Enzyme inhibitors, Superoxide dismutase, Carcinogens, Kidney, Reprints, Hypoxanthine-xanthine oxidase system.

Incubation of a number of ferric ion chelates with H₂O₂ at pH 7.4 generated a reactive species able to produce chemical modifications of the bases in DNA that are very similar to those produced in DNA by the hypoxanthine/xanthine oxidase system. Products were identified and quantitated by the use of gas chromatography-mass spectrometry with selected-ion monitoring. Compared with other complexes used, ferric ion-nitrilotriacetic acid produced by far the largest amount of the base products. Typical hydroxyl radical scavengers and superoxide dismutase provided significant decreases in the yields of the products. On this basis, it is proposed that ferric ion complexes react with H₂O₂ to produce hydroxyl radical; this was also shown using the deoxyribose assay.

101,332
PB91-187468 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.
Chemical Determination of Free Radical-Induced Damage to DNA.

Final rept.
M. Dizdaroglu. 1991, 18p
Sponsored by Department of Energy, Washington, DC. Pub. in Free Radical Biology and Medicine 10, p225-242 1991.

Keywords: *Free radicals, *DNA damage, *Toxicity, Mass fragmentography, Hydroxyl radicals, Cross-linking reagents, Histones, Chromatin, Mammals, Reprints.

Free radical-induced damage to DNA in vivo can result in deleterious biological consequences such as the initiation and promotion of cancer. Chemical characterization and quantitation of such DNA damage is essential for an understanding of its biological consequences and cellular repair. Methodologies incorporating the technique of gas chromatography/mass spectrometry (GC/MS) have been developed in recent years for measurement of free radical-induced DNA damage. The use of GC/MS with selected-ion monitoring (SIM) facilitates unequivocal identification and quantitation of a large number of products of all four DNA bases produced in DNA by reactions with hydroxyl radical, hydrated electron, and H atom. Hydroxyl radical-induced DNA-protein cross-links in mammalian chromatin, and products of the sugar moiety in DNA are also unequivocally identified and quantified. The sensitivity and selectivity of the GC/MS-SIM technique enables the measurement of DNA base products even in isolated mammalian chromatin without the necessity of first isolating DNA, and despite the presence of histones. Recent results demonstrate the usefulness of the GC/MS technique for chemical determination of free radical-induced DNA damage in DNA as well as in

mammalian chromatin under a vast variety of conditions of free radical production.

101,333
PB91-187492 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.
Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.

Final rept.
M. Dizdaroglu, O. I. Aruoma, and B. Halliwell. 1990, 5p
Pub. in Biochemistry 29, n36 p8447-8451 1990.

Keywords: *DNA damage, *Toxicity, Superoxide, Pyrimidines, Purines, Hydroxyl radicals, Catalase, Dimethyl sulfoxide, Reprints, Copper ion-phenanthroline complexes.

Damage to the bases in DNA by the cupric ion-1,10-phenanthroline complex was investigated. Ten base products in DNA were identified and quantitated by the use of gas chromatography/mass spectrometry with selected-ion monitoring. DNA damage by the cupric ion-1,10-phenanthroline complex required the presence of a reducing agent such as ascorbic acid or mercaptoethanol. Products identified were typical hydroxyl radical induced products from the pyrimidines and purines in DNA, well-known from previous studies using various hydroxyl radical producing systems such as ionizing radiation, hypo-xanthine/xanthine oxidase, or hydrogen peroxide in the presence of transition metal ions. Product formation was not significantly inhibited by typical scavengers of hydroxyl radical such as mannitol and sodium formate, but there was partial inhibition by dimethyl sulfoxide. Catalase substantially decreased formation of base products, and added hydrogen peroxide stimulated it, indicating the hydrogen peroxide dependency of DNA base damage. Superoxide dismutase afforded only a partial reduction in product yields in systems containing ascorbic acid. On the basis of the types of base products formed, the hydrogen peroxide dependency of product formation, and a previous report suggesting that DNA damage is due to a diffusible species the study suggests that DNA base damage is caused by hydroxyl radical.

101,334
PB91-187518 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.
Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.

Final rept.
M. Dizdaroglu, and E. Gajewski. 1989, 5p
Pub. in Cancer Research 49, p3463-3467, 1 Jul 89.

Keywords: *DNA damage, *DNA-binding proteins, *Thymine, *Lysine, *Hydroxyl radicals, *Toxicity, Mass fragmentography, Cross-linking reagents, Amino acids, Reprints, *Nucleohistones.

Hydroxyl radical-induced formation of a DNA-protein cross-link involving thymine and lysine in calf thymus nucleohistone in vitro is reported. Basic amino acids such as lysine constitute a very high proportion of the amino acids of histones, and help histones to bind to DNA in chromatin. For this reason, basic amino acids are likely to participate in DNA-protein cross-linking. For identification of the thymine-lysine cross-link in nucleohistone, hydroxyl radical-induced cross-linking of thymine to lysine was investigated first using a model system, i.e., an aqueous mixture of thymine and lysine. Hydroxyl radicals were generated by exposure of the mixture to ionizing radiation after N₂O saturation. The technique of gas chromatography-mass spectrometry was used to analyze the samples for possible cross-links. One thymine-lysine cross-link was found and its structure was elucidated. Using gas chromatography-mass spectrometry with selected-ion monitoring, this thymine-lysine cross-link was identified in acidic hydrolysates of calf thymus nucleohistone gamma-irradiated in N₂O-saturated aqueous solution.

101,335
PB91-187526 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.

Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
Final rept.

M. Dizdaroglu, Z. Nackerdien, B. C. Chao, E. Gajewski, and G. Rao. 1991, 3p
Sponsored by Department of Energy, Washington, DC., and National Science Foundation, Washington, DC.
Pub. in Archives of Biochemistry and Biophysics 285, n2 p388-390 Mar 91.

Keywords: *DNA damage, *Hydrogen peroxide, *Toxicity, Mammals, Cells(Biology), In vivo analysis, Mass fragmentography, Hydroxyl radicals, Chromatin, Reprints.

Hydrogen peroxide is generated in mammalian cells by normal metabolism or by treatment with external agents. Treatment of mammalian cells with this oxidizing agent results in DNA damage. Little is known about the chemical nature of hydrogen peroxide-mediated DNA damage in mammalian cells. The study reports on the chemical characterization of in vivo base damage to nuclear DNA in mammalian cells caused by exposure to H₂O₂. Chromatin was isolated from cells and analyzed by gas chromatography/mass spectrometry with selected-ion monitoring. Ten DNA base products were identified and quantitated. Modified bases identified were typical hydroxyl radical-induced products of DNA bases. Results indicate involvement of hydroxyl radicals in the mechanism of nuclear DNA damage in mammalian cells caused by H₂O₂.

101,336
PB91-189217 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.
Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.

Final rept.
M. Dizdaroglu, G. Rao, B. Halliwell, and E. Gajewski. 1991, 8p
Sponsored by Department of Energy, Washington, DC. Pub. in Archives of Biochemistry and Biophysics 285, n2 p317-324 Mar 91.

Keywords: *DNA damage, *Chromatin, *Hydrogen peroxide, *Iron, *Copper, *Toxicity, Cations, Mammals, Superoxide dismutase, Hydroxyl radicals, Reprints.

Modification of DNA bases in mammalian chromatin upon treatment with hydrogen peroxide in the presence of ferric and cupric ions was studied. Ten DNA base products in mammalian chromatin were identified and quantitated by the use of gas chromatography-mass spectrometry with selected-ion monitoring after hydrolysis of chromatin and trimethylsilylation of hydrolysates. Hydrogen peroxide in the presence of cupric ions caused more DNA damage than in the presence of ferric ions. Chelation of cupric ions caused a marked inhibition in product formation. By contrast, DNA was damaged more extensively in the presence of chelated ferric ions than in the presence of unchelated ferric ions. The presence of ascorbic acid generally increased the yields of the products, indicating increased production of hydroxyl radical by reduction of metal ions by ascorbic acid.

101,337
PB91-189357 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Biotechnology Div.
Bleomycin-Dependent Damage to the Bases in DNA Is a Minor Side Reaction.

Final rept.
E. Gajewski, O. I. Aruoma, M. Dizdaroglu, and B. Halliwell. 1991, 5p
Pub. in Biochemistry 30, n9 p2444-2448 1991.

Keywords: *Bleomycin, *Toxicity, *DNA damage, Antineoplastic agents, Gas fragmentography, Catalase, Hydroxyl radicals, Iron, Hydrogen peroxide, Superoxide dismutase, Thiobarbituric acid, Reprints.

The antitumor antibiotic bleomycin degrades DNA in the presence of ferric ions and H₂O₂ or in the presence of ferric ions, oxygen, and ascorbic acid. When DNA degradation is measured as formation of base products by the thiobarbituric acid assay, it is not inhibited by superoxide dismutase and scavengers of the hydroxyl radical or by catalase (except that catalase inhibits in the bleomycin/ferric ion/H₂O₂ system by removing H₂O₂). Using the technique of gas chro-

matography/mass spectrometry with selected-ion monitoring, the study shows that DNA degradation is accompanied by formation of small amounts of modified DNA bases. The products formed are identical with those generated when hydroxyl radicals react with DNA bases. Base modification is significantly inhibited by catalase and partially inhibited by scavengers of the hydroxyl radical and by superoxide dismutase. The study suggests that the bleomycin-oxo-iron ion complex that cleaves the DNA to form base propenals can decompose in a minor side reaction to generate hydroxyl radical, which accounts for the base modification in DNA. However, hydroxyl radical makes no detectable contribution to the base propenal formation.

101,338
PB91-189373 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Biotechnology Div.
Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
Final rept.
E. Gajewski, G. Rau, Z. Nackerdien, and M. Dizdaroğlu. 1990, 7p
Pub. in Biochemistry 29, n34 p7876-7882 1990.

Keywords: *DNA damage, *Chromatin, *Free radicals, *Toxicity, *Ionizing radiation, Mammals, Hydrolysis, Superoxide, Mass fragmentography, Reprints.

Modification of DNA bases in mammalian chromatin in aqueous suspension by ionizing radiation generated free radicals was investigated. Argon, air, N₂O, and N₂O/Q2 were used for saturation of the aqueous system in order to provide different radical environments. Radiation doses ranging from 20 to 200 Gy (J/kg) were used. Thirteen products resulting from radical interactions with pyrimidines and purines in chromatin were identified and quantitated by using the technique of gas chromatography/mass spectrometry with selected-ion monitoring after acidic hydrolysis and trimethylsilylation of chromatin. The methodology used permitted analysis of the modified bases directly in chromatin without the necessity of isolation of DNA from chromatin first. The results indicate that the radical environment provided by the presence of different gases in the system had a substantial effect on the types of products and their quantities. Some products were produced only in the presence of oxygen, whereas other products were detected only in the absence of oxygen. Products produced under all four gaseous conditions were also observed. Generally, the presence of oxygen in the system increased the yields of the products with the exception of formamidopyrimidines. Superoxide radical formed in the presence of air, and to a lesser extent in the presence of N₂O/O₂, had no effect on product formation.

shared database. These objectives can be attained in an open systems (non-proprietary) environment only through the use of national and international standards for data interchange and database. The presentation describes the current status and future expectations for the key database standards: the SQL family for database definition and manipulation; the IRDS family for metadata management; and the RDA family for database distribution. Together these standards will provide a robust, flexible foundation for data management solutions to important national problems of efficiency and quality control.

101,340
PB91-167247 PC A05/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Center for Building Technology.
Field Study of the Performance of EPDM Roofing at Air Force Facilities.
W. J. Rossiter, J. F. Seiler, W. P. Spencer, and P. E. Stutzman. Jan 91, 78p NISTIR-4504
Sponsored by Air Force Engineering and Services Center, Tyndall AFB, FL.

Keywords: *Military facilities, *Roofs, *Inspection, Membranes, Performance, Mechanical tests, Field tests, Surveys, Defects, Adhesion, Seams(Joints).

A study was conducted at the request of the Air Force Engineering and Services Center to obtain and analyze information on the in-service performance of low-sloped EPDM roofing systems at Air Force installations. Because of the benefits to be gained in having available alternative materials for fabricating membranes for low-sloped roofing systems, the Air Force has proposed developing a guide specification for EPDM roofing. Technical data are needed to support the development of the guide specification. The information obtained in the study contributes to the data base. Fifteen USAF installations in 11 states were visited, and 61 EPDM roofs were inspected. This represented about 50 percent of the number of Air Force installations and buildings with EPDM roofing. The age of the roof systems ranged from 3 to 156 months, although 40 percent were only 30 months old or less. The inspections were performed by walking over the roofs during which notes were recorded and photos were taken. During the field visits, discussions were held with base engineering personnel to determine their views of the performance of EPDM roofing under their responsibility. Considering the relatively young age of the roofs inspected, their overall performance was found to be satisfactory. About half were visually seen to be in fine condition, while another third displayed only minor defects which were limited in scope and were considered to be readily repairable with routine maintenance. On a less positive note, in the latter case, the observed defects had gone without repair. This illustrated a key concern expressed by field personnel that they lacked ability to perform routine maintenance.

101,341
PB91-167296 PC A04/MF A01
National Inst. of Standards and Technology (NCSL),
Gaithersburg, MD.
Raster Graphics Conformance Testing.
F. E. Spielman. Feb 91, 54p NISTIR-4524

Keywords: *Computer graphics, *Sweep generators, *Laboratories, *Tests, Conformity, Standards, Evaluation, Programs, Management, *Computer-aided Acquisition and Logistic Support, Department of Defense.

The report evaluates the alternatives for identifying and selecting a conformance testing laboratory for raster graphics in support of the Department of Defense (DoD) Computer-aided Acquisition and Logistic Support (CALS) Program. It discusses and analyzes four different approaches to selecting a conformance testing laboratory. After discussing the approaches, it recommends an alternative for DoD to pursue in selecting a laboratory for conducting conformance testing of raster graphics implementations. The annexes to the report describe the requirements, procedures, forms, and criteria necessary for establishing and managing a raster graphics conformance testing program.

101,342
PB91-178889 PC A12/MF A02
National Inst. of Standards and Technology (NCSL),
Gaithersburg, MD.

Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management.
Rept. for Oct 87-Sep 88.

R. S. Morgan. Apr 90, 253p NISTIR-4315
See also PB91-178897 and PB91-178905. Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Data management, *Text processing, *Computer security, Publishing, Federal information processing standards, Computer graphics, Tests, *CALS(Computer-aided Acquisition and Logistic Support), National Institute of Standards and Technology, PDES(Product Data Exchange Specification).

Computer-aided Acquisition and Logistic Support (CALS) Program is a Department of Defense (DoD) and Industry strategy to transition from paper-intensive acquisition and logistic processes to a highly automated and integrated mode of operation for the weapon systems of the 1990s. The three volumes of the report document and accomplishments of the National Institute of Standards and Technology (NIST) to advance the development of technology and standards in support of CALS. In Volume 1, work on text and graphics standards in the CALS publishing environment is described, including technology assessments, application guidance, conformance test plans and a draft Federal Information Processing Standard (FIPS) for ODA/ODIF. Additionally, a technology assessment and proposed conformance testing strategy for page description management tools is presented with a discussion of computer security issues. The use of the Information Resource Dictionary System, (IRDS, ANSI Standard X3. 138-1988) is proposed as an integration and configuration management mechanism for the Product Data Exchange Specification (PDES).

101,343
PB91-178897 PC A21/MF A03
National Inst. of Standards and Technology (NCSL),
Gaithersburg, MD.
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC.
Rept. for Oct 87-Sep 88.

R. S. Morgan. Mar 91, 482p NISTIR-4316
See also PB91-178889 and PB91-178905. Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Computer graphics, *Standards, Tests, Information systems, Data processing, Text processing, Protocols, *CALS(Computer-aided Acquisition and Logistic Support), National Institute of Standards and Technology, CGM(Computer Graphics Metafile), Department of Defense.

Computer-aided Acquisition and Logistic Support (CALS) Program is a Department of Defense (DoD) Industry strategy to transition from paper-intensive acquisition and logistic processes to a highly automated and integrated mode of operation for the weapon systems of the 1990s. The three volumes of the report document the accomplishments of the National Institute of Standards and Technology (NIST) to advance the development of technology and standards in support of CALS. In Volume 2, progress in the Computer Graphics Metafile (CGM) standard is described, including work in the graphics standards committees and the expansion and updating of the CALS CGM application profile. A draft Military Specifications for CGM is included. A plan for Extended CGM is presented, including documentation of relevant standards committee work.

101,344
PB91-178905 PC A08/MF A01
National Inst. of Standards and Technology (NCSL),
Gaithersburg, MD.
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 3 of 3. CGM Registration.
Rept. for Oct 87-Sep 88.
R. S. Morgan. Apr 90, 173p NISTIR-4317
See also PB91-178897 and PB91-178889. Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Logistics, Military Facilities, & Supplies

101,339
PB91-158832 Not available NTIS
National Inst. of Standards and Technology (NCSL),
Gaithersburg, MD. Information Systems Engineering Div.
Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS).
Final rept.
D. K. Jefferson. 1990, 30p
Pub. in Proceedings of Technology for Space Station Evolution Workshop, Dallas, TX., January 16-19, 1990, v2 p197-226 1990.

Keywords: *Logistics support, *Computer applications, *Data management, *Standards, Federal information processing standards, Data bases, Query languages, Quality control, Reprints, IRDS(Information Resource Dictionary System), RDA(Remote Database Access), SQL.

The Computer-aided Acquisition and Logistic Support (CALS) initiative intends to replace the present flow of paper between islands of automation with, initially, digital data interchange, and, ultimately, an integrated

MILITARY SCIENCES

MILITARY SCIENCES

Logistics, Military Facilities, & Supplies

Keywords: Registration, Programming languages, Standardization, *CALS(Computer-aided Acquisition and Logistic Support), *CGM(Computer Graphics Metafile), National Institute of Standards and Technology.

Computer-aided Acquisition and Logistic Support (CALS) Program is a Department of Defense (DOD) and Industry strategy to transition from paper-intensive acquisition and logistic processes to a highly automated and integrated mode of operation for the weapon systems of the 1990s. The three volumes of the report document the accomplishments of the National Institute of Standards and Technology (NIST) to advance the development of technology and standards in support of CALS. Volume 3 documents work accomplished to meet CALS needs for Computer Graphics Metafile (CGM) functionality through the registration of graphical elements within the standardization process.

101,345
PB91-184812 PC A03/MF A01
National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.
Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile.
R. B. Wilson. Apr 91, 34p NISTIR-4547

Keywords: *Information processing, *Documents, Standards, Text processing, Logistics support, Computer applications, *Computer-aided Acquisition and Logistic Support, *SGML(Standard Generalized Markup Language), ODA(Office Document Architecture), DAP(Document Application Profile), Abstract Syntax Notation One.

The Office Systems Engineering Group (OSE) at the National Institute of Standards and Technology (NIST) was tasked by the Computer-aided Acquisition and Logistic Support (CALS) Project Office to bring CALS requirements to the Open Systems Interconnection (OSI) Implementor's Workshop sponsored by NIST. CALS tasked the OSE Group to assist in the SGML encoding of the Office Document Architecture (ODA) Document Application Profile (DAP). NIST offered to encode the ODA DAP in the Standard Generalized Markup Language (SGML) to illustrate the similarities between the two standards and to provide a common SGML/ASN.1 profile. The report describes in various levels of detail the two international standards. It then discusses, by offering a simple example, the methodology involved in performing an SGML encoding. Subsequently, it examines the SGML encoding of the ODA DAP. The report provides two accompanying tables with the SGML encoding and finishes with a brief summary of the two standards.

101,346
PB91-187708 PC A06/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.
F. E. Spielman, and L. H. Sharpe. Apr 91, 106p
NISTIR-4567
Sponsored by Assistant Secretary of Defense (Production and Logistics), Washington, DC. Computer-Aided Acquisition and Logistic Support Program.

Keywords: *Computer graphics, *Sweep generators, Standards, Documents, Standardization, Image processing, Data compression, Coding, Software tools, *Military specification MIL-R-28002A, Abstract Syntax Notation One, Computer-aided Acquisition and Logistic Support.

The report examines the technical issues facing an implementor of the raster data interchange format defined in military specification MIL-R-28002A. Information previously scattered throughout several standards is incorporated into the report for ease of reference. The National Institute of Standards and Technology Office Document Architecture Raster Document Application Profile (NIST ODA Raster DAP) is analyzed with regard to both notation and intent.

101,347
PB91-193821 PC A03/MF A01
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
NIST Support of the CALS Program: 1990 Synopsis.
S. J. Kemmerer. Jun 91, 22p NISTIR-4609

Keywords: *Project management, Data transmission, Computer graphics, Documents, Standards, Adminis-

tration, Data management, Computer security, Telecommunication, Bibliographies, *CALS(Computer-aided Acquisition and Logistic Support), *NIST(National Institute of Standards and Technology).

The report summarizes overall Computer-aided Acquisition and Logistic Support (CALS) program management, technical support, and administration provided by National Institute of Standards and Technology (NIST). A brief summary of some of the 1990 activities is offered in each of the general technical support areas: electronic data interchange, graphics, document standards, raster compression, data management, security, and data communication. Most of the NIST deliverables given to the CALS Office have since been published for easier access by the CALS community. The report offers the titles and brief abstracts of such published deliverables, as well as titles and abstracts for those NIST CALS deliverables published in previous years.

101,348
PB91-194506 PC A14/MF A02
National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990.
Rept. for Oct 89-Dec 90.
D. R. Benigni. May 91, 311p NISTIR-4579
See also PB90-228016 and PB90-257759. Sponsored by Office of the Secretary of Defense, Washington, DC.

Keywords: *Logistics support, *Computer applications, *Computer graphics, *Standards, Requirements, Federal information processing standards, Specifications, Software tools, CALS(Computer-aided Acquisition and Logistic Support), NIST(National Institute of Standards and Technology), Department of Defense.

Computer-aided Acquisition and Logistic Support (CALS) is a program of the Office of the Secretary of Defense. Its objective is to establish an integrated set of standards and specifications for the creation, management, and exchange of logistics data and product development data—including graphical data—by computer. Since FY86, the National Institute of Standards and Technology (NIST) has been funded to recommend the standards to satisfy CALS requirements for system integration and digital data transfer, and to accelerate standards implementation. The report comprises the continuing work of the NIST Graphics Software Group in support of the CALS Program for 1990. The format of the report combines the separate task deliverables assigned to the NIST Graphics Software Group for 1990, which were as follows: (1) update Computer Graphics Metafile (CGM) Application Profile; (2) inject CALS requirements into the standards committees' work on Amendments to the CGM standard; (3) produce a software tool to determine conformance of a metafile to the CGM standard and to MIL-D-28003; and (4) explore potential sources of generator and interpreter conformance test capabilities.

101,349
PB92-112440 PC A99/MF A06
National Inst. of Standards and Technology (CAML), Gaithersburg, MD. Office of Applied Economics.
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
R. T. Ruegg, and S. K. Fuller. Sep 91, 637p NISTIR-90/4256
See also Student's manual, PB92-112457. Sponsored by Corps of Engineers, Huntsville, AL. Huntsville Training Div.

Keywords: *Military training, *Construction management, *Economic analysis, *Instructors, Benefit cost analysis, Energy conservation, Life cycle costs, Structural design, Manuals, Requirements, Buildings, Military facilities, Case studies.

The Instructor's Manual is a detailed guidebook for teaching the five-day course, 'Economic Analysis for Military Construction Design: Concepts, Techniques, and Applications for the Analyst'. It provides numerous aids for teaching the course, including pre-course check-lists, descriptions of instructional techniques, for making the course more effective, and step-by-step lesson plans. Copies of all slides and vugraphs are reproduced in the guidebook, together with presentation text, exercises, and solutions. Through spe-

cial fonts and a page numbering system geared to the Student Manual, the instructor always knows exactly what the student sees without the necessity of manipulating both manuals at once.

101,350
PB92-112457 PC A21/MF A04
National Inst. of Standards and Technology (CAML), Gaithersburg, MD. Office of Applied Economics.
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
R. T. Ruegg, and S. K. Fuller. Sep 91, 476p NISTIR-90/4255
See also Instructor's manual, PB92-112440. Sponsored by Corps of Engineers, Huntsville, AL. Huntsville Training Div.

Keywords: *Military training, *Construction management, *Economic analysis, *Students, Benefit cost analysis, Energy conservation, Life cycle costs, Structural design, Requirements, Military facilities, Buildings, Case studies, Manuals.

The manual is the class workbook for a five-day course, 'Economic Analysis for Military Construction Design: Concepts, Techniques, and Applications for the Analyst'. The course equips design professionals to conduct, document, and review economic studies of building and facility design alternatives in accordance with Army and Air Force requirements. It demonstrates a variety of applications through realistic examples and case studies. The workbook covers 16 training modules; including orientation, pre and post tests, aids to learning, time value of money, mathematical operations, general economic studies, energy conservation studies, data, computer software, and uncertainty and risk analysis. Each of the technical modules lists learning objectives and summarizes key points. The manual is designed not as a stand-alone tutorial, but as a working document for a course taught by an instructor who provides additional information.

NATURAL RESOURCES & EARTH SCIENCES

Cartography

101,351
PB91-147678 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Mathematical Analysis Div.
Non-Linear Contour-to-Grid Digital Interpolation.
Final rept.
B. A. Mandel. 1986, 9p
See also AD-A180 632.
Pub. in Proceedings of DOD Mapping, Charting, and Geodesy (MC&G) Conference, Alexandria, VA., May 8, 1986, 9p.

Keywords: *Contours, *Grids(Coordinates), *Maps, *Terrain models, Triangulation, Mapping, Conversion, Elevation, Interpolation, Methodology, Nonlinear systems, Digital systems, Sampling, Reprints.

A technical approach to the task of performing a contour-to-grid conversion using non-linear interpolation has been studied. The approach consists of reconstructing a terrain surface from the digitized contour lines on a map. The approximating surface is defined in terms of a partition of the region into irregular triangles obtained by a Voronoi method. The vertices of the triangles are selected by sampling a large set of digitized contour data with a tolerance band technique. The result is a smooth synthetic surface with which the elevation of any given point can be calculated. Therefore, grids of any given dimensions can be generated.

Forestry

101,352
PB91-143305 PC A04/MF A01
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Center for Fire Research.
Canadian Mass Fire Experiment, 1989.
 Final rept.
 J. G. Quintiere. Nov 90, 64p NISTIR-4444
 Sponsored by Defense Nuclear Agency, Washington,
 DC.

Keywords: *Fire tests, *Forest fires, *Environmental
 impacts, *Atmospheric motion, Combustion, Smoke,
 Particulates, Air pollution, Plumes, Fuel consumption,
 Clouds, Prescribed burning.

Working with Forestry Canada and the Ontario Ministry
 of Natural Resources, the Defense Nuclear agency
 carried out an extensively instrumented experiment of
 a prescribed burn in forest debris to simulate condi-
 tions of a mass fire. In addition to the Canadian team,
 a multi-institutional US team made both ground and air-
 borne measurements of the fire and smoke conditions.
 The fire reported on was in Hill Township, Ontario and
 covered nearly 480 ha in its overall burning area. Both
 flaming and smoldering modes contributed to the
 energy and combustion products of the fire. Significant
 quantities measured and determined included estima-
 tions of energy release rate, emission factors for
 smoke particulates and species, ground level wind and
 temperatures, and aspects of cloud dynamics and
 cloud particles. The fire caused a capping cloud to
 form and reach a level of 6.5 km. Rain, snow, hail and
 lightning were reported along with ground level fire
 whirls and water spouts on the adjoining lakes. Fire
 spread rates reached 1 m/s and fire induced winds
 reached 12 m/s.

Geology & Geophysics

101,353
PB91-203026 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Lunar Laser Ranging.
 Final rept.
 J. E. Faller, and J. O. Dickey. 1990, 2p
 Pub. in EOS 71, n21 p725-726, 22 May 90.

Keywords: *Lunar ranging, *Geodesy, Apollo 11
 flight, Laser range finders, Earth rotation, Lunar land-
 ing, Gravitation, Reprints, Lunar libration, Nordvedt
 effect.

At the 1990 AGU Spring Meeting in Baltimore, Md., on
 Tuesday morning, May 29, there will be the special
 joint Geodesy-Planetology session Apollo Lunar Laser
 Ranging and Our Lunar Return. The session of invited
 papers will focus on and, yes, celebrate lunar laser
 ranging, which has been made possible by simple
 laser reflectors of the type first left by Buzz Aldrin on
 the powdery surface of the Sea of Tranquility. The ses-
 sion has been arranged to recall that on July 20 of this
 past year we celebrated the twentieth anniversary of
 the first human landing on the Moon.

101,354
PB91-237396 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg,
 MD. Gas and Particulate Science Div.
**Accelerator (14)C Dating of Late Pleistocene Me-
 gafauna.**
 Final rept.
 T. Stafford. 1988, 3p
 Pub. in Current Research in the Pleistocene, v5 p41-43
 1988.

Keywords: *Radiocarbon dating, *Age determination,
 *Fossils, *Geologic ages, Mass spectroscopy, Pleisto-
 cene epoch, Bones, Wildlife, Stratigraphy, Reprints.

A significant application of tandem accelerator mass
 spectrometry ¹⁴C dating has been attempting to re-
 solve two, decades-old controversies--the timing of
 human migrations into the New World and the dating
 of Late Pleistocene megafaunal extinctions, which are
 nearly coincident with the Clovis-period hunters. The
 precise dating of the Clovis culture (Haunes 1984) has
 not been accomplished for the extinct, terminal Pleis-
 tocene faunas, which are dated to 10,000-12,000 yr

B.P. (Martin 1984) and into the Holocene (Kurten and
 Anderson 1980). Two questions remain to be re-
 solved--are post 10,500 yr B.P. ¹⁴C dates accurate
 and what is the time range within which the genera
 became extinct. Direct dating of fossils is mandatory
 because the approach eliminates uncertainty from
 stratigraphic interpretation, bioturbation and sediment
 recycling. Although the problems with bone dating are
 longstanding (Taylor 1982; Piorsch 1986; Stafford et al
 1987), fossil bone can now be dated accurately if a
 rigorous biochemical and geochemical approach is
 taken (Stafford, Brendel and Duhamel 1988).

101,355
PB91-237404 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Gas and Particulate Science Div.
**Accelerator Radiocarbon Dates on Charcoal, Shell,
 and Human Bone from the Del Mar Site, California.**
 Final rept.
 T. W. Stafford, and R. A. Tyson. 1989, 7p
 Pub. in American Antiquity 54, n2 p389-395 1989.

Keywords: *Radiocarbon dating, *Age determination,
 *Fossils, *Site surveys, *Geologic ages, California,
 Mass spectroscopy, Amino acids, Bones, Charcoal,
 Hemispherical shells, Reprints.

Accelerator radiocarbon dates on shell, charcoal, and
 human bone samples are an indication that human ac-
 tivity at the Del Mar site dates to 5000 yr B.P. and po-
 sibly from 7000 yr B.P. The shell and charcoal frag-
 ments were stratigraphically dislocated by extensive
 bioturbation and are evidence that accelerator dates
 on extremely small samples should be used with cau-
 tion. Certain depositional environments will require
 multiple-dating within a site because single-sample
 dating will not yield definitive ages. Dating of individual
 amino acids from the Del Mar sphenoid yielded an av-
 erage age of 4900 (+ or -) 40 yr and conclusively es-
 tablishes the age for the Del Mar skull. The previously
 dated tibia was found to be contaminated with exoge-
 nous amino acids, thereby making its age uncertain.

Mineral Industries

101,356
PB91-144337 PC A05/MF A01
 Maryland Univ., College Park. Dept. of Mechanical En-
 gineering.
Investigation of Simulated Oil-Well Blowout Fires.
 Annual rept.
 J. P. Gore, S. M. Skinner, and U. S. Ip. Nov 90, 82p
 NIST/GCR-90/581
 Grant NANB8D0834
 Sponsored by National Inst. of Standards and Tech-
 nology (NML), Gaithersburg, MD. Center for Fire Re-
 search.

Keywords: *Blowouts, *Oil wells, *Fires, *Fire protec-
 tion, Heat flux, Temperature measurement, Flames,
 Fire extinguishers, Fire tests, Reaction kinetics, Burn-
 ing rate.

A study of simulated oil well blowout fires aimed at im-
 proving predictive capabilities needed for the develop-
 ment of radiation and fire suppression technology is
 described. Measurements of temperature distributions
 and radiative heat flux to representative locations are
 used to evaluate the analysis. Methane/air flames with
 suppression and heptane+ methane/air flames with-
 out suppression are considered. The analysis consists
 of (i) construction of state relationships for fuel with
 water addition and two phase fuel mixtures using spe-
 cies concentration data for single fuels with the help
 of mixing rules and (ii) application of an existing flow
 solver under the locally homogeneous flow approxima-
 tion. The predictions and measurements are in reason-
 ably good agreement. Direct verification of the mixing
 rule for state relationships and treatment of two phase
 flow effects is necessary for further improvement.

101,357
PB91-231597 PC A03/MF A01
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Unmanned Systems Group.
**Task Decomposition and Algorithm Development
 for Real-Time Motion Control of a Continuous
 Mining Machine.**
 H. M. Huang, J. A. Horst, and R. Quintero. May 91,
 46p NISTIR-4596
 Sponsored by Bureau of Mines, Pittsburgh, PA.

Keywords: *Mining equipment, *Algorithms, *Under-
 ground mining, *Coal mining, *Control systems design,
 Cutting, Real time operations, Systems engineering,
 Mining engineering, Error analysis, *Continuous
 mining machines.

The drive toward increased safety for coal miners has
 led to the development of computer-assisted methods
 of underground coal mining. The development of con-
 trol architectures and accompanying code for the con-
 trol of the movement of continuous mining machines
 (tramming control) is an important part of this overall
 effort. The tramming control algorithm design de-
 scribed is in concert with hierarchical architecture
 design principles developed at National Institute of
 Standards and Technology (NIST), referred to as the
 Real-Time Control Systems (RCS) methodology. The
 algorithm design with accompanying code allows for
 the control of both cutting and free-space movement
 by a continuous mining machine (CM) and allows for a
 high degree of human operator interaction.

Natural Resource Management

101,358
PB92-123116 PC A05/MF A01
 Maryland Univ., College Park. Dept. of Fire Protection
 Engineering.
**Development of a Technique to Assess the Ade-
 quacy of the Municipal Water Supply for a Resi-
 dential Sprinkler System.**
 J. A. Milke, and J. L. Bryan. Nov 91, 83p NBS/GCR-
 91/600
 Grant NANB8D0814
 See also PB88-155825. Sponsored by National Inst. of
 Standards and Technology (NML), Gaithersburg, MD.
 Center for Fire Research, and Fire Administration, Em-
 mitsburg, MD.

Keywords: *Assessments, *Water supply, *Municipali-
 ties, Residential buildings, Cost effectiveness, Water
 storage, Storage tanks, Plumbing, Prototypes, Water
 flow, Sprinklers, Piping systems, Evaluation.

The research effort developed a technique to assess
 the adequacy of the municipal water supply for resi-
 dential sprinkler systems installed in one- and two-
 family dwellings. The effort is a continuation of a re-
 cently completed project which investigated cost-effec-
 tive techniques for alleviation of deficiencies in the
 municipal water supply. In that effort, a need was iden-
 tified to develop a technique to evaluate the adequacy
 of the municipal water supply. The report includes
 characterizing typical plumbing flow fixtures in resi-
 dences to permit an analysis of the domestic water
 supply within a residence. Having characterized the
 residential flow devices, techniques to evaluate the do-
 mestic water supply are investigated. The investigation
 considers the feasibility of developing an inexpensive
 prototype apparatus with which to conduct the water
 supply evaluations.

Soil Sciences

101,359
PB91-174680 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Gas and Particulate Science Div.
**Wawayandaite, a New Calcium Manganese Berylli-
 um Boron Silicate from Franklin, New Jersey.**
 Final rept.
 P. J. Dunn, D. R. Peacor, J. D. Grice, F. J. Wicks,
 and P. H. Chi. 1990, 4p
 Pub. in American Mineralogist 75, p405-408 1990.

Keywords: *Nonmetalliferous minerals, *Inorganic sili-
 cates, New Jersey, Crystal structure, Calcium com-
 pounds, Manganese compounds, Beryllium com-
 pounds, Boron compounds, Reprints, *Wawayandaite.

Wawayandaite, a new mineral from Franklin, New
 Jersey, is found associated with willemite, fiedelite,
 and numerous other minerals. It is monoclinic, space
 group P2/c or Pc, with a = 15.59(2), b = 4.78(1), c =
 18.69(4) Å, beta = 101.84(15) degrees, Z = 1. Chemi-
 cal analyses yielded BeO 17.6, MgO 1.9, CaO 24.8,
 MnO 9.8, ZnO 1.1, B₂O₃ 3.8, SiO₂ 28.2, H₂O 9.6, Cl

Soil Sciences

3.0, less O = Cl 0.7, total = 99.1 wt%. The idealized chemical formula is $\text{Ca}_{12}\text{Mn}_4\text{B}_2\text{Be}_{18}\text{Si}_{12}\text{O}_{46}(\text{OH},\text{Cl})_{30}$. Wawayandaite occurs as colorless platy crystals with a pearly luster; many are strongly curved. Cleavage is perfect on (010), D (sub measured) is approximately 3.0, D (sub calculated) = 2.98 g/cc. It is biaxial, negative, with $2V = 85$ degrees alpha = 1.619, beta = 1.631, and gamma = 1.641.

Isotope ratio measurements in Mo and Sn by Sputter-Initiated Resonance Ionization Spectroscopy show that the response for odd isotopes and even isotopes can be dramatically different in some cases, even if the laser linewidth is larger than the span of the hyperfine structure and isotope shifts. Power broadening on the resonance transition has not removed the odd/even effect in the cases studied.

A commercially available leuco-dye film (FWT-63-02), having a thickness of 0.55 mm, has been investigated spectrophotometrically for its characteristics as a radiochromic dosimeter and for its potential use in food-irradiation applications. The gamma-ray irradiation of the nearly colorless, transparent film induces blue color with an absorption maximum at 600 nm. The increase in absorbance at 600 nm per unit thickness of film is linear with dose in the dose range up to 8 kGy, with a slope of 0.91/mm/kGy. After a modest additional increase during the first day following irradiation, the radiation-induced color is stable when stored at room temperature at least for 5 weeks. The response slope is 16% higher when stored at 60 C, however, after the initial 1-day increase it is stable for several weeks when stored at that temperature. The response of the dosimeter is independent of dose rate in the range 0.5-170 Gy/min.

NAVIGATION, GUIDANCE, & CONTROL

Navigation & Guidance System Components

101,360
PB91-195354 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Robot Systems Div.
Real-Time Algorithms and Data Structures for Underwater Mapping.
Final rept.
D. N. Oskard, T. H. Hong, and C. A. Shafer. 1990, 7p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Systems Man and Cybernetics 20, n6 p1469-1475 1990.

Keywords: *Autonomous navigation, *Mapping, Models, Underwater navigation, Data bases, Algorithms, Data structures, Real time systems, Hierarchies, Sonar detection, *MAUV (Multiple Autonomous Underwater Vehicles).

As part of the Multiple Autonomous Underwater Vehicle (MAUV) project at the National Institute of Standards and Technology, a spatial mapping system has been developed to provide a model of the underwater environment suitable for autonomous navigation. The system is comprised of multi-resolution depth maps designed to integrate sensor data with a priori model, an object/attribute database for storing information known about detected objects, and a set of flags to monitor abnormal or emergency conditions in the environment. The paper describes the organization and structure of the mapping system and the algorithms used to map terrain and obstacles detected by acoustic sonar.

Nuclear Instrumentation

101,362
PB91-178855 PC A08/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Radiation Research.
Center for Radiation Research. 1990 Technical Activities.
C. E. Kuyatt. Feb 91, 158p NISTIR-4506
See also PB90-130279.

Keywords: *Research projects, *Radiation measuring instruments, *Radiometric analysis, Methodology, Calibrating, US NIST, Tests, Radiation sources, Radiation dosage, Neutron fluence, *NIST Center for Radiation Research.

The report summarizes research projects, measurement method development, calibration and testing and data evaluation activities that were carried out during Fiscal Year 1990 in the NIST Center for Radiation Research. These activities fall in the areas of radiometric physics, radiation sources and instrumentation, and ionizing radiation.

101,363
PB92-116441 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Ionizing Radiation Div.
Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters.
Final rept.
M. Al-Sheikhly, W. J. Chappas, W. L. McLaughlin, and J. C. Humphreys. 1991, 16p
Pub. in Proceedings of International Symposium on High Dose Dosimetry for Radiation Processing, Vienna, Austria, November 5-9, 1990, p419-434 1991.

Keywords: *Radiation curing, *Dosimeters, Gamma rays, Irradiation, Plastics, Calibrating, Temperature dependence, PMMA, Dyes, Color centers, Measurement, Reprints, Adsorbed dose, Radiochromic dosimeters.

The influences of irradiation temperature and gamma radiation dose rate on the response of red 4034 Perspex dosimeters have been reported in the literature to be of relatively minor consequence, particularly for irradiations at up to a temperature of 40 C and at absorbed dose rates of the order of 7 kGy/h (about 2Gy/s). The present study shows this to be true; however, if there are marked differences in the temperature (22 C to 50 C) during extended storage periods (up to 16 hours) after irradiation, there is a tendency to overestimate an unknown dose administered at the elevated temperature, as a result of using a calibration made at an ambient lower temperature (e.g. 22 C). The present study of dose rate effects also shows that there is a pronounced tendency to overestimate an unknown gamma ray dose administered at a relatively low dose rate (3 and 7 kGy/h) as a result of using a calibration made at a considerably higher dose rate (e.g. 31 kGy/h), even when the temperature of irradiation and storage is controlled at 22 C.

101,364
PB92-116961 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Polymers Div.
Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.
Final rept.
H. M. Khan, M. Farahani, and W. L. McLaughlin. 1991, 4p
Pub. in Radiation Physics and Chemistry 38, n4 p395-398 1991.

Keywords: *Film dosimetry, *Gamma dosimetry, Food irradiation, Gamma rays, Dose-response relationships, Spectrophotometry, Reprints, *Radiochromic film.

101,365
PB92-117100 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Ionizing Radiation Div.
Dosimetry: New Approaches for New Challenges.
Final rept.
W. L. McLaughlin. 1991, 31p
Pub. in Proceedings of Nordion Gamma Processing Seminar (4th), Ottawa, Ontario, Canada, May 26-31, 1991, p1-31.

Keywords: *Dosimetry, *Radiation curing, *Chemical radiation effects, *Plastics, Polymeric films, Gamma rays, PMMA, Polymers, Quality control, Mapping, Dosimeters, Dichromates, Photographic film dosimeters, Reprints, Adsorbed dose, Radiochromic dosimeters.

During the past few years, since the time of the 3rd Gamma-Processing Seminar in 1983, new and improved dosimetry systems and applications have been introduced for radiation processing. These include better reference and transfer standards; more accurate calorimeters; alanine (ESR analysis) with greater precision and wider dose ranges; several liquid dosimeters (UV and visible spectrophotometry), and radiochromic dye organic solutions; several solid polymeric dosimeters, including new polymethylmethacrylate (Perspex) and Nylon and other plastic films. The latter systems are commercially available in large quantities, and are relatively inexpensive and easy to use over the absorbed dose ranges encountered in radiation processing (10-10 to the 5th power Gy). Some of these are especially useful for dose mapping in radiation processed products, as a means of determining the locations and mean values of minimum and maximum doses and the dose uniformity ratios, and others are used for day-to-day quality control measurements.

101,366
PB92-117126 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Ionizing Radiation Div.
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
Final rept.
W. L. McLaughlin, M. Farahani, and J. H. Liang. 1991, 13p
Pub. in Proceedings of International Symposium on High Dose Dosimetry for Radiation Processing, Vienna, Austria, November 5-9, 1990, p159-171 1991.

Keywords: *Dosimeters, *Gamma rays, *Deoxyribose, *Arabinose, Optical activity, Aqueous solutions, Irradiation, Chemical radiation effects, Radiation curing, Polymers, Maltose, Storage life, Time dependence, Temperature dependence, Saccharides, Sugars, Reprints.

The change in the angle of optical rotation (delta alpha) of buffered aqueous solution (pH7) of 2-deoxy-D-ribose due to irradiation with gamma radiation gives a convenient means of dosimetry. The method is shown to be suitable with solutions stored and irradiated in sealed glass ampoules. The dosimeter solution is not sensitive to light and is not affected by contamination by trace organic or inorganic impurities. The radiation induced value of (delta alpha) is reproducible to within + or - 3% (95% confidence level) at dose levels of 50-500 kGy. The useful radiation response range of the dosimeter is 10 to 1000 kGy, and this represents a more sensitive and reproducible response than the conventional optical rotation of glucose or sucrose solution. Comparisons were also made with solutions of D-(-) arabinose and D-(+) maltose. The value of (delta alpha) of 2-deoxy-D-ribose does not change during storage and reading, over at least several weeks stor-

NUCLEAR SCIENCE & TECHNOLOGY

Isotopes

101,361
PB92-116789 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Ionizing Radiation Div.
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
Final rept.
W. M. Fairbank, M. T. Spaar, J. E. Parks, and J. M. R. Hutchinson. 1988, 4p
Pub. in Proceedings of International Symposium on Resonance Ionization Spectroscopy and Its Applications (4th), Gaithersburg, MD., April 10-15, 1988, p293-296.

Keywords: *Molybdenum isotopes, *Tin isotopes, *Isotope ratio, *Resonance ionization mass spectroscopy, Laser radiation, Measurement, Hyperfine structure, Sputter-ion pumps, Reprints, Sputter-initiated resonance ionization spectroscopy.

age period. There is no appreciable variation of response with dose rate, but the irradiation temperature coefficient over the temperature range 0 to 17 C is approximately + 1.5% C, and at higher temperatures up to 33 C is + 3.0% C.

Radioactive Wastes & Radioactivity

101,367

NUREG/CR-5711 PC A06/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD.

Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories.

Technical rept. 30 Jun 87-28 Feb 91.

K. G. Kreider, M. J. Tarlov, and P. H. Huang. Oct 91, 102p

Also available from Supt. of Docs. See also NUREG/CR-5166 and NUREG/CR-5484. Sponsored by Nuclear Regulatory Commission, Washington, DC. Div. of Engineering.

Keywords: *Electrodes, *Radioactive wastes, *pH, *Thin films, Iridium oxides, Data covariances, Tuff, Measurement, Corrosion resistance, Aqueous solutions, Ceramics, Sputtering, Spectrum analysis, Electrochemistry, High temperature tests.

The report focuses on evaluation and characteristics of sputtered thin film pH electrodes which can be used to assess the corrosivity of hot (100 C) aqueous solutions present in nuclear repositories. Sputtered thin films have the advantages of high temperature capability, ruggedness, and low cost. The sputtered iridium oxide films (SIROF) were found to have a linear, 58 mV/pH, response to changes in pH. They had little hysteresis but drifted approximately 0.2 V over a period of two days exposure to pH 2-12 solutions. The films were found to be insensitive to interference from most ions such as alkali ions but had redox sensitivity to ferri-/ferrocyanide ions. Although special surface treatments were needed for the films for good adherence at 200 C the films were not degraded after 20 hours exposure at pH 4, 7, and 10 at 200 C. Ruthenium oxide sputtered films performed equally well to the iridium oxide films in parallel tests. The report also contains information on electrochemistry and testing of thin film electrodes and the characterization of the thin films by x-ray photoemission spectroscopy, ultraviolet photoemission spectroscopy, and ion scattering spectroscopy.

101,368

NUREG/CR-5716 PC A05/MF A01
Arizona Univ., Tucson. Dept. of Soil and Water Science.

Model Validation at the Las Cruces Trench Site.

Technical rept. 1 Nov 90-20 May 91.

R. G. Hills, and P. J. Wierenga. Jun 91, 94p

Also available from Supt. of Docs. Prepared in cooperation with New Mexico State Univ., Las Cruces. Dept. of Mechanical Engineering. Sponsored by Nuclear Regulatory Commission, Washington, DC. Div. of Engineering.

Keywords: *Radioactive waste facilities, *Low level radioactive wastes, Field tests, Water flow, Radionuclide migration, Soils, Ground disposal, Las Cruces Trench Site.

A series of dynamic field experiments have been performed at the Las Cruces Trench Site to provide data to test deterministic and stochastic models for water flow and solute transport in spatially variable unsaturated soils. Two experiments were performed to provide support for model validation efforts during Phase I of INTRAVAL (an international effort towards validation of geosphere models for transport of radionuclides) and a third experiment is currently underway to support the INTRAVAL Phase II efforts. The third experiment utilized different boundary and initial conditions and additional chemical tracers. The report summarizes the Las Cruces Trench Site model validation efforts and presents the INTRAVAL Phase II validation plans. The Phase II validation strategy is discussed in detail.

Reactor Engineering & Nuclear Power Plants

101,369

PB91-222687 PC A10/MF A03
National Inst. of Standards and Technology (EEL), Gaithersburg, MD. Electricity Div.

Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.

F. D. Martzloff, and A. G. Perrey. Jul 91, 224p

NISTIR-4485

Sponsored by Nuclear Regulatory Commission, Washington, DC.

Keywords: *Bibliographies, *Defects, *Nuclear power plants, *Cables, *Nondestructive tests, Surveys, Cable insulation, Wire, Detection, Aging, Damage assessment.

Open-literature papers and some limited-distribution documents were reviewed in a search to identify promising approaches to the in-situ detection of incipient defects in nuclear power-plant cables. The search was extended to the topics of detection of any defect, to radiation effects, and to basic considerations on partial discharges. The report presents a review of 150 papers that appeared significant on the basis of their title, but many of which were found not applicable upon close review. A compilation of 850 references cited in the reviewed papers is included in the report.

101,370

PB92-123074 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.

L. Y. Cooper. Nov 91, 58p NISTIR-4705

Sponsored by Nuclear Regulatory Commission, Washington, DC.

Keywords: *Fires, *Heat transfer, *Reactor safety, *Walls, *Ceilings(Architecture), Subroutines, Mathematical models, Algorithms, Computer programs, Temperature distribution, Jet flow, Heat flux, Plumes, Velocity, CEILHT Subroutine.

The work presents a model to predict the instantaneous rate of convective heat transfer from fire plume gases to the overhead ceiling surface in a room of fire origin. The room is assumed to be a rectangular parallelepiped and, at times of interest, ceiling temperatures are simulated as being uniform. Also presented is an estimate of the convective heat-transfer, due to ceiling-jet-driven wall flows, to both the upper and lower portions of the walls. The effect on the heat transfer of the location of the fire within the room is taken into account. Finally presented is a model of the velocity and temperature distributions in the ceiling jet. The model equations were used to develop an algorithm and associated modular computer subroutine to carry out the indicated heat transfer calculations. The subroutine is written in FORTRAN 77 and called CEILHT. The algorithm and subroutine are suitable for use in two-layer zone-type compartment fire model computer codes.

101,371

PB92-126598 PC A05/MF A01
National Inst. of Standards and Technology (BFRL), Gaithersburg, MD.

Predicting the Remaining Service Life of Concrete.

J. R. Clifton. Nov 91, 84p NISTIR-4712

See also PB89-215362 and PB91-107219. Prepared in cooperation with Oak Ridge National Lab., TN., and Nuclear Regulatory Commission, Washington, DC.

Keywords: *Nuclear power plants, *Service life, *Concretes, Performance, Estimates, Comparisons, Accelerated tests, Statistical models, Mathematical models, Degradation, Corrosion, Sulfates, Alkali-aggregate reactions, Frost, Leaching, Radiation.

The report examines the basis for predicting the remaining service lives of concrete materials of nuclear power facilities. Methods for predicting the service life of new and in-service concrete materials are analyzed. These methods include (1) estimates based on experience, (2) comparison of performance, (3) accelerated testing, (4) stochastic methods, and (5) mathematical modeling. New approaches for predicting the remaining service lives of concrete materials are proposed

and recommendations for their further development are given. Degradation processes are discussed based on considerations of their mechanisms, likelihood of occurrence, manifestations, and detection. They include corrosion, sulfate attack, alkali-aggregate reactions, frost attack, leaching, radiation, salt crystallization, and microbiological attack.

Reactor Fuels & Fuel Processing

101,372

PB91-158733 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.

Final rept.

A. C. Fraker, and J. Harris. 1990, 8p

Sponsored by Nuclear Regulatory Commission, Washington, DC. Office of Nuclear Material Safety and Safeguards.

Pub. in Materials Research Society Symposium Proceedings, v176 p549-556 1990.

Keywords: *Zircalloys, *Corrosion tests, *Nuclear fuel claddings, Passivity, Polarization, Crevice corrosion, Surface finishing, Electrical faults, Chemical radiation effects, Alkalinity, Temperature dependence, Reprints.

Zircaloy-2 and -4 are used as nuclear fuel cladding. Both alloys are more than ninety-eight percent zirconium and are corrosion resistant to various media. Electrochemical measurements using polarization techniques have been made on these alloys in aqueous media with a pH of 8.5 and varying ionic concentration (1X and 10X) at temperatures of 22C and 95C. Results showed that under the test conditions of the study these alloys passivated and had negligible corrosion rates, but there were some variations in passivation due to surface preparation and some crevice corrosion was observed. Data are presented and discussed in terms of passivity, breakdown potential and susceptibility to localized corrosion.

Reactor Materials

101,373

PB91-189316 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Plastic Zone Formation Around an Arresting Crack.

Final rept.

R. J. Fields, and R. deWit. 1990, 8p

Sponsored by Nuclear Regulatory Commission, Washington, DC.

Pub. in International Jnl. of Fracture 42, n3 p231-238 1990.

Keywords: *Crack arrest, *Pressure vessels, *Reactor materials, *Steels, *Fracture mechanics, *Strain tests, *Plasticity, Strain gages, Reactor components, Velocity, Reprints.

The evolution of strain near the tip of an arresting cleavage crack was followed using a strain gage technique. The results were obtained in a body so large that reflected elastic waves did not contribute significantly to the strain records during the time interval of interest. The measurements were made using a linear array of strain gages located along the intended crack path and 0.65B (B = specimen thickness) above this plane. The gages were read using instrumentation capable of resolving strain in time intervals of less than 10 microseconds. To within the resolution of the technique, the results did not suggest plasticity near the rapidly propagating, cleavage crack tip. At the instant of arrest, however, the strain gages detected a plastic zone which increased in intensity over a period of several milliseconds. This increasing intensity was interpreted as an elastic-plastic boundary emanating from the arresting crack tip and eventually reaching an equilibrium size, i.e., that predicted from the applied stress intensity factor and the static plastic properties. A simple analysis is presented to estimate the velocity of

NUCLEAR SCIENCE & TECHNOLOGY

Reactor Materials

the elastic-plastic boundary from the strain data and results are given for several experiments.

OCEAN TECHNOLOGY & ENGINEERING

Biological Oceanography

101,374
PB91-184796 PC A03/MF A01
National Inst. of Standards and Technology (CSLT), Gaithersburg, MD.
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
P. R. Becker, S. A. Wise, B. J. Koster, and R. Zeisler. Mar 91, 40p NISTIR-4529
Prepared in cooperation with National Ocean Service, Anchorage, AK. Arctic Environmental Assessment Center. Sponsored by Minerals Management Service, Anchorage, AK. Alaska Outer Continental Shelf Office.
Keywords: *Alaska, *Aquatic animals, *Mammals, *Tissues(Biology), Archives, Sampling, Procedures, Field tests.

In 1987, the Outer Continental Shelf Studies Program of the Minerals Management Service (MMS) provided funds to the Ocean Assessments Division (OAD) Alaska Office, National Oceanic and Atmospheric Administration (NOAA), to establish and conduct a program of collecting tissues from Alaska marine mammals and storing them under conditions which would allow for future analyses for substances indicative of contamination from offshore oil and gas, and mining activities. Cataloging and archiving of samples are conducted at the Alaska Marine Mammal Tissue Archive, which is maintained by NIST in its National Bio-monitoring Specimen Bank (NBSB), Gaithersburg, Maryland. The report presents the protocol used in the collection and archival process.

Marine Engineering

101,375
PB91-158782 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Robot Systems Div.
Real-Time Hierarchical Planning for Multiple Mobile Robots.
Final rept.
M. Herman, and J. S. Albus. 1987, 10p
Pub. in Proceedings of DARPA Knowledge-Based Planning Workshop, Austin, TX., December 8-10, 1987, p22-1-22-10.
Keywords: *Underwater vehicles, *Robotics, Control systems, Real time, Knowledge bases(Artificial intelligence), Reprints, MAUV(Multiple Autonomous Underwater Vehicles), Hierarchical control.

The Multiple Autonomous Underwater Vehicles (MAUV) project is described. The goal of the project is to have multiple underwater vehicles exhibiting intelligent, autonomous, cooperative behavior. The MAUV control system is hierarchically structured and incorporates sensing, world modeling, planning and execution. The levels in the hierarchy include a mission level, a group level, a vehicle task level, and an elemental action level. Issues of real-time planning and dynamic replanning in unstructured environments are discussed.

101,376
PB92-108935 PC A05/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.
Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.
R. S. Levine. Apr 91, 86p NISTIR-4620
Portions of this document are not fully legible. Sponsored by Nuclear Regulatory Commission, Washington, DC.

Keywords: *Fire protection, *Electrical equipment, *Fire damage, *Fire extinguishing agents, *Shipboard fire control, Fire extinguishers, Sprinkler systems, Safety engineering, Fire hazards, Accident records, Tables(Data), Fire detection systems, Naval ships, Submarines, Halon, Carbon dioxide, Military facilities, Accident statistics.

Records of the Navy Safety Center, Norfolk, VA were reviewed to find data relevant to inadvertent operation of installed Fire Extinguishing Systems in civilian Nuclear power plants. Navy data show the incidence of collateral fire or other damage by fresh water on operating electrical equipment in submarines, and in shore facilities is about the same as the civilian experience, about 30%. Aboard surface ships, however, the collateral damage incidence is much lower, about 15%. With sea water, the collateral damage incidence is at least 75%. It is concluded that the fire extinguisher water has to be contaminated, as by rust in sprinkler systems or deposited salt spray, for most collateral damage to occur. Reasons for inadvertent operation (or inadvertent operation) of fire systems at shore facilities, submarines, and surface ships resemble those for nuclear power plants. Mechanical or electrical failures lead the list, followed by mishaps during maintenance. Detector and alarm system failures are significant problems at navy shore facilities, and significant at nuclear power plants. Fixed halon and CO2 systems in shore facilities cause no collateral damage. Lists of individual Navy incidents with water and with halon and carbon dioxide are included as appendices to the report.

Physical & Chemical Oceanography

101,377
PB91-149237 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Organic Analytical Research Div.
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
Final rept.
M. M. Schantz, B. A. Benner, S. N. Chesler, B. J. Koster, and K. E. Hehn. 1990, 14p
Pub. in Fresenius Jnl. of Analytical Chemistry 338, p501-514 1990.

Keywords: *Sediments, *Marine environments, *Standards, *Aromatic polycyclic hydrocarbons, *Polychlorobiphenyl compounds, Liquid chromatography, Gas chromatography, Mass spectroscopy, Trace elements, Sulfur, Contaminants, Reprints, Standard reference materials.

A new marine sediment Standard Reference Material (SRM) has been prepared and analyzed for the determination of trace organic constituents. SRM 1941. Organics in Marine Sediment, has been certified for concentrations of 11 PAHs using results obtained from gas chromatography (GC) with flame ionization detection, gas chromatography-mass spectrometry, and liquid chromatography with fluorescence detection. Non-certified values for 24 additional PAHs are also reported. GC with electron capture detection was used to provide non-certified concentrations for 15 PCB congeners and 7 chlorinated pesticides. In addition to the organic contaminants, concentrations of 32 major and trace elements were determined using neutron activation analysis, and the sulfur content was also determined using isotope dilution thermal ionization mass spectrometry.

ORDNANCE

Ammunition, Explosives, & Pyrotechnics

101,378
PB92-116292 PC A09/MF A02
National Inst. of Standards and Technology (ECEL), Boulder, CO. Electromagnetic Fields Div.

Quantifying Standard Performance of Electromagnetic-Based Mine Detectors.

W. L. Gans, R. G. Geyer, and W. K. Klemperer. Oct 91, 180p NISTIR-3982
See also AD-A226 626. Sponsored by Army Belvoir Research Development and Engineering Center, Fort Belvoir, VA:

Keywords: *Mine detectors, Buried objects, Dielectric properties, Portable equipment, Electromagnetic properties, Soil properties, Remote sensing, Basic programming language, Computer programs, Permeability, Permittivity, Sensitivity, Algorithms.

This is a final report to sponsor on work performed by National Institute of Standards and Technology (NIST) personnel from January 1, 1985 to December 31, 1990. An overview of the theory of the electromagnetic properties of soils is presented along with a brief review of existing technologies for the detection of buried objects using electromagnetics. The critical electromagnetic performance factors for portable EM mine detectors that NIST has identified are presented, along with a discussion of measurement systems for measuring the constitutive properties of soil and mine-like materials. Recommendations are then presented for a measurement system configuration that should meet most of the Army's requirements. A recommended mine detector testing strategy is then presented along with a set of instructions for specific tests and an algorithm for comparatively scoring the performance of detectors. The tests and the scoring algorithm are as specific and as detailed as is possible at this stage of development. Last, a section is included that contains NIST's recommendations for the test data that should be archived.

Combat Vehicles

101,379
PB91-134726 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.
Control System Architecture for Unmanned Ground Vehicles.
Final rept.
S. Szabo, H. Scott, and R. Kilmer. 1990, 9p
Pub. in Proceedings of AUUS-90 Technical Symposium, Dayton, OH., July 30-August 1, 1990, p258-266.
Keywords: *Ground vehicles, *Military vehicles, Remote control, Artificial intelligence, Systems engineering, Reprints, *Autonomous control, Teleoperation, Robotics, Control systems, Real time systems, National Institute of Standards and Technology.

The U.S. Army Laboratory Command is spearheading a program designed to demonstrate cooperative real-time control of multiple unmanned ground vehicles. The program, titled TEAM, involves the teleoperated control of two vehicles from remotely located operator control stations. The function of the system is to provide remote operation of military vehicles equipped with any of a variety of reconnaissance or related mission packages. The National Institute of Standards and Technology's (NIST's) role in the program is to apply their hierarchically-structured real-time sensor-based control architecture, originally developed for the control of industrial robots, to the design of the supervisory control systems in the two vehicles and the operator control stations. The paper presents a description of the NIST Real-time Control System (RCS) architecture for the TEAM program. A general description of the TEAM operational scenarios and functional requirements relevant to these control systems is provided. The overall control architecture developed on the basis of these requirements is presented.

PHOTOGRAPHY & RECORDING DEVICES

Recording Devices

101,380
PB91-132258 PC A03/MF A01
 National Inst. of Standards and Technology, Gaithersburg, MD.
Overview of the Product Data HyperStandard CD-ROM Prototype.
 S. Ressler. Nov 90, 16p NISTIR-4470

Keywords: *Information systems, *Information retrieval, *Standardization, Specifications, Prototypes, Data storage devices, Cost effectiveness, Computer systems hardware, *CD ROM, *Product data exchange, *Product Data HyperStandard CD ROM, STEP(Standard for the Exchange of Product Model Data), PDES(Product Data Exchange using STEP), CALS(Computer aided Acquisition and Logistics Support), Computer aided design.

The paper describes the contents of the Product Data HyperStandard CD-ROM Prototype containing information related to product data standards. HyperStandard is a generic term describing the application of hypertext and multimedia technologies to standards in general. The CD-ROM contains both browsers for perusing the documents, and a number of other items of interest to the product data community. These include: IGES Version 5; the CALS specifications; preliminary STEP drafts, PDES, Inc. technical documents; the NIST PDES Toolkit; plus miscellaneous other pieces of information. (The sources of data for the document browsers on the CD-ROM prototype were the original electronic documents used to print those documents.) All of these data combined should serve as a useful repository of information for the community of technical experts developing product data standards. This variety of information has been assembled to demonstrate that CD-ROM's are a convenient and cost-effective medium for use by the people involved in product data standardization efforts.

101,381
PB92-126549 PC A04/MF A01
 National Inst. of Standards and Technology (CSL), Gaithersburg, MD.
3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks.
 Final rept.
 M. P. Williamson. Nov 91, 60p NIST/SP-500/199
 Also available from Supt. of Docs. See also PB83-237271 and PB88-233135. Sponsored by National Environmental Satellite, Data, and Information Service, Washington, DC.

Keywords: *Data storage devices, *Computer storage devices, *Magnetic tapes, CLASS 3480 cartridge tape system, Magnetic tape cartridges.

The 3480 type media was introduced to the data storage industry in 1984. Early problems were reported due to premature degradation of the polyester polyurethane binder. In addition, the lack of guidelines for proper care and handling increased the risks associated with the storage of data on the 3480 type media. After approximately seven years experience, media manufacturers have significantly improved their binder formulations. Furthermore, 3480 type media users from government and industry have experienced the dependability and, conversely, the problems associated with the storage of data on the 3480 type media. The National Institute of Standards and Technology (NIST), under the sponsorship of the National Oceanic and Atmospheric Administration (NOAA), has undertaken an appraisal of the potential risks associated with the storage of data on the 3480 type media. In addition, the study summarizes reasonable procedures for the care and handling of the 3480 type media in order to minimize potential risks. The conclusions of the NIST study are based on information gathered by NIST from pertinent scientific literature, and interviews with 3480 type technology users and manufacturers.

PHYSICS

Acoustics

101,382
PB92-116847 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.
Accurate Acoustic Measurements in Gases Under Difficult Conditions.
 Final rept.
 K. A. Gillis, M. R. Moldover, and A. R. H. Goodwin. 1991, 5p
 Sponsored by Department of Energy, Washington, DC., and Department of the Navy, Washington, DC.
 Pub. in Review of Scientific Instruments 62, n9 p2213-2217 Sep 91.

Keywords: *Test equipment, *Waveguides, *Sound waves, *Gases, *Acoustics, Measurement, Diaphragms(Mechanics), Transducers, Resonators, Reprints.

Accurate measurements of the speed of sound in gases are often made using metal resonators with small transducers that perturb the resonance frequencies in minor and predictable ways. The method is extended to gases that may be corrosive and to high temperatures by using remote transducers coupled to a resonator by acoustic waveguides. Thin metal diaphragms separate the waveguides from the resonator. Thus, only metal parts come into contact with the test gas. In the present apparatus, any gas compatible with gold and stainless steel can be studied.

101,383
PB92-117456 Not available NTIS
 National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.
Probe-Corrected Spherical Near-Field Scanning Theory in Acoustics.
 Final rept.
 R. C. Wittmann. 1991, 4p
 Pub. in Proceedings of IEEE (Institute for Electrical and Electronics Engineers) Instrumentation and Measurement Technology Conference Enhancing Productivity with Instrumentation and Measurement Technologies, Atlanta, GA., May 14-16, 1991, p283-286.

Keywords: *Acoustic fields, *Sound transducers, *Transducers, Acoustic measurement, Spherical waves, Near field, Scanning, Probes, Reprints.

Spherical near-field scanning is well known in electromagnetics. The acoustical analog is outlined here. Data are taken, with an arbitrary probe, on a spherical surface surrounding an unknown transducer. The algorithms use these data to characterize the fields of the transducer everywhere outside the measurement sphere. The results can be corrected for probe effects if the probe's receiving pattern is known.

Fluid Mechanics

101,384
DE91012660 PC A03/MF A01
 National Inst. of Standards and Technology, Boulder, CO. Thermodynamics Div.
Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).
 J. F. Ely. Nov 90, 24p DOE/ER/13992-T1
 Contract A105-89ER13992
 Sponsored by Department of Energy, Washington, DC.

Keywords: *Suspensions, Colloids, Computerized Simulation, *Fluids, Microstructure, Mixtures, Neutrons, Polystyrene, Progress Report, Scattering, Shear, Silica, Thermal Conductivity, EDB/640410, EDB/360603, *Thermophysical properties.

In this report we highlight the progress made during the period February 1990 through February 1991. The

objective of this research is twofold: 1. Development of predictive and correlative procedures for the thermophysical properties of complex fluids and fluid mixtures; and 2. Furthering our basic understanding of fluid behavior with advances in microscopic theory, computer simulation and selected experimentation. Substantial progress has been made in both of these areas. 39 refs., 4 figs.

101,385
PB91-134585 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Thermophysics Div.
Phase Equilibria from the One-Fluid Model.
 Final rept.
 K. D. Romig, and H. J. M. Hanley. 1989, 3p
 Sponsored by Department of Energy, Washington, DC.
 Pub. in Cryogenics 29, n1 p65-67 Jan 89.

Keywords: Mathematical models, Predictions, Reprints, *Binary fluids, Binary mixtures, Phase equilibrium, Lennard-Jones potential.

The prediction of possible phase behavior in binary fluid mixtures is discussed in the context of the Scott and van Konynenberg scheme. It is shown that the corresponding states one-fluid model for Lennard-Jones mixtures gives qualitative agreement with experiment.

101,386
PB91-17892 Not available NTIS
 National Bureau of Standards (NEL), Gaithersburg, MD. Fire Measurement and Research Div.
Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.
 Final rept.
 W. M. Pitts. 1987, 9p
 Contract AFOSR-ISSA86-0008
 Sponsored by Air Force Office of Scientific Research, Bolling AFB, Washington, DC.
 Pub. in Proceedings of International Congress on Applications of Lasers and Electrooptics (5th), Arlington, VA., November 10-13, 1986, p7-15 1987.

Keywords: *Flow visualization, *Turbulent flow, *Cameras, Rayleigh scattering, Light scattering, Real time operations, Concentration(Composition), Image intensifiers, Laser applications, Gas flow, Propane, Reprints.

The development of an intensified digital line camera for laser-induced Rayleigh light scattering measurements of real-time concentration fluctuations in turbulent flow fields is described. Particular attention is given to the need for and choice of an image intensifier. Preliminary results for a turbulent jet of propane flowing into air are presented.

101,387
PB91-148031 Not available NTIS
 National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
 Final rept.
 C. F. Sindt, J. A. Brennan, S. E. McFaddin, and K. M. Kothari. 1990, 8p
 Sponsored by Gas Research Inst., Chicago, IL.
 Pub. in Proceedings of International Gas Research Conference, Tokyo, Japan, November 6-9, 1989, p1-8 1990.

Keywords: *Flow measurement, *Orifice meters, *Pipes(Tubes), Surface properties, Roughness, Gas flow, Reynolds number, Reprints.

The National Institute of Standards and Technology (NIST) under the sponsorship of the Gas Research Institute (GRI) has completed an investigation of the change in the orifice discharge coefficient caused by the surface finish in the pipe upstream of the orifice plate. Three sizes of pipes of three roughnesses were tested. The results from this investigation show that the orifice discharge coefficient is affected by pipe surface finish and the effect depends upon the Reynolds number and the orifice beta ratio.

101,388
PB91-162263 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Thermophysics Div.

PHYSICS

Fluid Mechanics

Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks.

Final rept.
R. D. Mountain, and A. H. Harvey. 1991, 6p
Pub. in Jnl. of Chemical Physics 94, n3 p2238-2243, 1 Feb 91.

Keywords: *Equilibrium, *Binary mixtures, *Liquids, Gibbs equations, Thermodynamic properties, Monte Carlo method, Simulation, Stochastic processes, Molecular flow, Mixing, Mixtures, Reprints.

Fluid-fluid phase equilibrium in binary mixtures of positively nonadditive soft disks is studied using both molecular dynamics and Gibbs ensemble Monte Carlo simulations. The molecular dynamics simulations are unable to provide quantitative results for the phase transition, but they do indicate that some sort of ordering takes place as the temperature is lowered. In contrast, the Gibbs ensemble simulations demonstrate unambiguously the presence of a first-order transition and give quantitative results for the coexistence curve; however, convergence is very slow for mixtures that are not symmetric. Comparison with the Gibbs ensemble results indicates that a simple first-order perturbation theory provides good results far from the consolute point. Closer to the consolute point, the theory does not reproduce the flatness of the coexistence curve; the limitation is intrinsic in any mean-field theory. Comments are made regarding the relative merits of molecular dynamics and Gibbs ensemble simulations for studying fluid-fluid phase coexistence.

101,389
PB91-162347 Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.

Final rept.
C. F. Sindt, J. A. Brennan, S. E. McFaddin, and R. Wilson. 1989, 8p
Sponsored by Gas Research Inst., Chicago, IL.
Pub. in VDI Berichte 768, p49-56 1989.

Keywords: *Pipe flow, *Surface roughness, *Orifice meters, *Orifice flow, Finishes, Surface properties, Pipes(Tubes), Orifices, Flow measurement, Reynolds number, Gas flow, Reprints.

The U.S. National Institute of Standards and Technology (NIST), under the sponsorship of the Gas Research Institute (GRI), investigated the change in the orifice discharge coefficient caused by the interior surface finish in the pipe upstream of the orifice plate. Three sizes of meters and three surface finishes were tested over a range of pipe Reynolds numbers from 4.3×10^4 (to the power of 5) to 1.2×10^5 (to the power of 7). The results of the investigation show that the orifice discharge coefficient changed more than one percent at a Reynolds number of 7×10^4 (to the power of 6) between a smooth pipe, 2.8 micrometer Ra, and a rough pipe, 8.9 micrometer Ra, for a beta ratio of 0.74. For beta ratios less than 0.5 the change in the orifice discharge coefficient was not measurable for the same change in pipe roughness.

101,390
PB91-195263 Not available NTIS

National Inst. of Standards and Technology (NEL), Boulder, CO. Scientific Computing Div.
Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.

Final rept.
G. C. Nielson, M. O. McLinden, and G. Morrison. 1990, 10p
Pub. in Jnl. of Symbolic Computation 10, n5 p499-508 Nov 90.

Keywords: *Fluids, *Mixtures, *Loci, *Computer calculations, Algebra, Rational functions, Linear algebraic equations, Symbolic codes, Phase diagrams, Refrigerants, Reprints.

The authors have explored the use of the symbolic manipulator MACSYMA to generate FORTRAN code for finding critical loci in 2-component fluid mixtures. For a given equation of state and mixing rules, MACSYMA can generate the equations satisfied at a critical point. MACSYMA also produces FORTRAN code that can be used to develop codes for finding critical loci. The results for test cases where traditional methods have been applied are identical to earlier work. They describe the application of the technique to the Carnahan-Starling-De Santis equation, a non-cubic function consisting of a hard-sphere kernel and a Redlich-

Kwong-like attractive term. Examples of its application to refrigerant mixtures are described.

101,391

PB91-195636 Not available NTIS
National Inst. of Standards and Technology, Boulder, CO. Thermodynamics Div.

Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes.

Final rept.
R. L. Rowley, and J. F. Ely. 1991, 16p
Pub. in Molecular Physics 72, n4 p831-846 1991.

Keywords: *Viscosity, *Butane, *Lennard-Jones potential, *Nonequilibrium flow, Rheology, Simulation, Reprints, Molecular dynamics.

Corresponding-states theories fail to predict the large difference observed between n-butane and isobutane viscosities at similar reduced conditions. To investigate the molecular cause of the structural effects upon viscosity, non-equilibrium molecular dynamics simulations of Lennard-Jones site-site models representing n-butane and isobutane are performed over much of the density range for which experimental data are available. Simulated viscosities at zero shear agree very well with experimental data over the entire density range. Site size, non-equilibrium molecular alignment and molecular geometry are the primary factors causing both the similarities and differences between the isomers' viscosity and rheology.

101,392

PB91-200832 Not available NTIS
National Bureau of Standards (NEL), Boulder, CO. Thermophysics Div.

Taking the Measure of Fluid Properties Data Bases.

Final rept.
M. E. Baltatu, H. J. M. Hanley, and N. A. Olien. 1987, 1p
Pub. in Mechanical Engineering, p64 Dec 87.

Keywords: *Fluids, *Thermophysical properties, *Data bases, Critical point, Melting points, Thermochemical properties, Thermodynamic properties, Pressure, Temperature, Reprints.

The status of thermophysical properties data bases today is discussed with comments on needs for the future. Recommendations for obtaining the best possible bases are discussed. Future work will require close cooperation between the scientist and the engineer. Examples of such cooperation are given.

101,393

PB91-203000 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.

Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization.

Final rept.
B. E. Eaton. 1987, 29p
Sponsored by National Research Council of Canada, Ottawa (Ontario).
Pub. in Jnl. of Fluid Mechanics 180, p117-145 1987.

Keywords: *Flow visualization, *Computational fluid dynamics, *Vortex shedding, *Cylinders, Finite element method, Numerical analysis, Navier-Stokes equations, Reynolds number, Two dimensional flow, Wakes, Critical point, Vortex flow, Vortices, Reprints.

Streamline, streakline, and material-line flow-visualization techniques have been numerically simulated in the vortex-shedding flow field from a finite-element simulation of the two-dimensional Navier-Stokes equations at a Reynolds number of 110. The results have been used (i) to characterize the wake in terms of its critical-point trajectories, and (ii) to verify that the two-dimensional Navier-Stokes model predicts the mechanism of vortex shedding experimentally observed by Gerrard (1978). A technique for determining vorticity balances in the flow field is also presented.

101,394

PB91-204123 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Thermophysics Div.

Thermodynamic Behavior of Fluids in the Supercritical Region.

Final rept.
S. Tang, and J. V. Sengers. 1991, 4p
Contract DE-FG05-88ER13902
Sponsored by Department of Energy, Washington, DC.
Pub. in Proceedings of International Symposium on Supercritical Fluids (2nd), Boston, MA., May 20-22, 1991, p254-257.

Keywords: *Thermodynamic properties, *Fluids, *Supercritical state, Free energy, Temperature, Critical temperature, Critical point, Thermodynamics, Pressure, Equations of state, Reprints.

A procedure for constructing a thermodynamic free energy of fluids is discussed which incorporates a crossover from singular thermodynamic behavior at the critical point to regular thermodynamic behavior far away from the critical point. The procedure is based on an approximate solution of the renormalization-group theory of critical phenomena and yields an accurate representation of the thermodynamic properties of fluids in a large range of temperatures and densities around the critical point.

101,395

PB91-222679 PC A03/MF A01
National Inst. of Standards and Technology (CSTL), Boulder, CO. Chemical Engineering Div.

Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.

J. F. Welch, J. A. Hurley, M. P. Glover, R. D. Nassimbeni, and M. R. Yetzbacher. May 91, 27p
NISTIR-3963

Keywords: *Laminar flow, *Computational fluid dynamics, *Pipe flow, *Velocity distribution, Fluid flow, Pressure gradients, Unsteady flow, Computer programs, Partial differential equations, Numerical analysis, Tubes, HERCOL computer program.

HERCOL, a computer code for the integration of second-order differential equations in one space dimension by Hermitian collocation was used to calculate the unsteady velocity profiles for laminar flow in a circular tube. The code was tested for stability and accuracy on the problem for which an analytical solution exists prior to application to a like problem in which the initial and boundary conditions preclude the existence of analytical solutions. The test problem is one in which a pressure gradient is imposed on a fluid initially at rest in a circular tube; the fluid accelerates and at steady state has a parabolic velocity profile. A second example was constructed from the first; a pressure gradient equal but opposite in sign is imposed on the fluid with a fully developed parabolic velocity profile. At steady state, the velocity is again parabolic but in the opposite direction to that at the initial conditions. Excellent agreement with the analytical solution was obtained in the first problem; in the second, the behavior was as expected. This example is suitable for first-time users of the code.

101,396

PB92-112291 PC A03/MF A01
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.

Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.

B. V. Saunders, B. T. Murray, G. B. McFadden, S. R. Coriell, and A. A. Wheeler. Oct 91, 42p NISTIR-4679
See also PB90-265281.

Keywords: *Convection, Binary alloys, Reduced gravity, Instability, *Thermosolutal convection, Thermohaline convection, Buoyant convection, Gravity modulation, Directional solidification.

The effect of time-periodic vertical gravity modulation on the onset of thermosolutal convection in an infinite horizontal layer with stress-free boundaries is investigated using Floquet theory for the linear stability analysis. The authors consider situations for which the fluid layer is stably stratified in either the fingering or diffusive regimes of double-diffusive convection. Results are presented both with and without steady background acceleration. Modulation may stabilize an unstable base solution or destabilize a stable base solution. In addition to synchronous and subharmonic response to the modulation frequency, instability in the double-diffusive system can occur via a complex conjugate mode. In the diffusive regime, where oscillatory

onset occurs in the unmodulated system, regions of resonant instability occur and exhibit strong coupling with the unmodulated oscillatory frequency.

101,397
PB92-116490 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Boulder, CO. Chemical Engineering Div.
Choosing Flow Conditioners and Their Location
for Orifice Flow Measurement.
Final rept.

J. A. Brennan, C. F. Sindt, M. A. Lewis, and J. L. Scott. 1991, 5p
Contract GRI-5088-271-1680
Sponsored by Gas Research Inst., Chicago, IL.
Pub. in Flow Meas. Instrum. 2, p40-44 Jan 91.

Keywords: *Orifice meters, *Orifice flow, *Rod bundles, Fluid flow, Flowmeters, Orifices, Flow measurement, Flow control, Turbulence, Reprints, *Flow conditions.

Three different tube bundles, a zanker, and an etoile flow conditioner have been tested in a 100 mm orifice flowmeter. The tube bundles included a seven- and a 19-tube configuration. Tests were designed to determine a location for the flow conditioner that would remove the effects of flow disturbances and keep the length of the meter tube as short as possible. The disturbances included an inlet tee, two out-of-plane elbows, and a single elbow. All disturbances were preceded by another long radius elbow located 12 pipe diameters upstream. Results indicate that it may be possible to move the conditioner closer to the disturbance than current standards permit.

Optics & Lasers

101,398
AD-A207 806/1 PC A06/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.
Annual rept. 1 Apr 88-31 Mar 89.
R. G. Johnson. 5 May 86, 101p
Contract N00014-87-F-0066

Keywords: Acceleration, Damage, Electric current, Engineering, *Free electron lasers, Mirrors, Peak power, Short pulses, Test and evaluation, *Antimissile defense systems, *Strategic Defense Initiative.

Excellent progress has been made during the past year on all areas critical to the NIST-NRL FEL project. A contract for the construction of a wiggler was signed early in this reporting period. The contractor has completed the engineering design of the wiggler and is well along in construction. Several methods to increase the peak current in the RTM were studied. The conceptual design of the injector for the method selected was completed. A study on the problem of mirror damage has been completed, and commercial suppliers of mirrors that can withstand the high intracavity power of the FEL have been identified. The design of the room in which the FEL is located has been improved, and the design of the users area has been completed. Calculations of FEL performance have been extended to include short-pulse effects and the effects of wiggler magnetic field errors. A major activity in this period has been preparation of the RTM for one-pass acceleration to 17 MeV. One-pass tests were started, and preliminary measurements of beam quality were better than design goals by a factor of two.

101,399
AD-A227 310/0 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
NIST-NRL Free-Electron Laser.
Status rept.
P. H. Debenham, R. L. Ayres, W. A. Cassatt, B. C. Johnson, and R. G. Johnson. 1990, 12p
Contract N00014-87-F-0066

Keywords: Accuracy, Cavities, Electron beams, Errors, Facilities, *Free electron lasers, Frequency, Length, Losses, Mirrors, Models, Oscillators, Pulses, Simulation, Three dimensional, User needs, White light, Racetrack microtrons, Picosecond pulses, Tunable lasers.

A free-electron laser (FEL) user facility is being constructed. The FEL, which will be operated as an oscillator, will be driven by the 17 MeV to 185 MeV to 185 MeV electron beam of the NIST continuous-wave racetrack microtron. Anticipated performance of the FEL includes: wavelength tuneable from 200 nm to 10 micrometers; a continuous train of 3-ps pulses at either 16.5 or 66.1 MHz; and average power of 10 W to 200 W. Construction of the RTM will be completed in January 1991. The measured rms field error is 0.6%, which is sufficiently small for good gain. With a full-scale model of the 9-m-long optical cavity, we have developed a method of aligning the cavity end mirrors to the required accuracy using white light and an autocollimator/telescope. We have performed three-dimensional simulations of performance including the effects of the electron beam (emittance, pulse length and shape, and timing jitter), undulator field errors, and cavity losses. These calculations predict adequate gain for lasing across the full wavelength range. (RH)

101,400
AD-A236 746/4 PC A02/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Critical Assessment of Optical Properties of CVD Diamond Films.
Interim rept.
A. Feldman, and L. H. Robins. 12 Apr 91, 10p
Contract N00014-90-F-0011

Keywords: Blue(Color), Coatings, Deposits, Diamonds, Energy bands, Infrared windows, Laser materials, Luminescence, Optical materials, Optical properties, Phonons, Quality, Quantum efficiency, Surface roughness, Vapor deposition, X rays, Thin films, *Diamond films, Chemical vapor deposition, Progress report.

The basic phenomena that determine the optical properties of diamond, which include the electronic band structure, the phonon structure, and defects, are discussed. Experiments on chemical vapor deposited diamond relevant to its applications as an optical material are reviewed. The most immediate application is the diamond x-ray window. Other applications, such as infrared transmissive elements and coatings, will require considerable improvement in material quality. Surface roughness is a major impediment. The ability to deposit smooth surfaces would make diamond considerably more attractive as optical material. Diamond also has promise as a blue luminescent or laser material. Identifying and controlling the relevant luminescent centers will be needed to improve the quantum efficiencies of such devices.

101,401
AD-A243 097/3 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Use of Diamond as an Optical Material.
Technical rept.
A. Feldman. 27 Sep 91, 17p
Contract N00014-90-F-0011

Keywords: Absorption, Adhesion, Carbon, Chemical reactions, Coatings, Films, Impurities, Lithography, Materials, Methodology, *Optical materials, *Optical properties, Optics, Phase, Polishing, Scattering, Single crystals, Substrates, Surface roughness, Vapor deposition, X rays, *Diamonds, Chemical vapor deposition.

Chemical vapor deposition (CVD) processes promise inexpensive diamond optics and coatings with large dimensions. Near term optical applications include x-ray windows, membranes for x ray lithography, and infrared windows and domes. CVD diamond, which is mainly polycrystalline, shows materials problems that include scattering due to large surface roughness, absorption due to defects, non diamond carbon phases, and impurities, and poor diamond/substrate adhesion. Free carrier absorption in CVD diamond has also been reported. While diamond films less than 3 μ m thick can be made transmissive in the visible and in the ultraviolet, at these wavelengths, thicker components scatter excessively and show absorption due to defects. Continuing research is improving the optical quality of CVD diamond. New polishing methods have yielded smooth surfaces in reasonable polishing times. Recent research holds promise for large optics made from single crystal diamond.

101,402
PB90-244708 (Order as PB90-244658)
Technische Univ. Muenchen (Germany, F.R.). Lehrstuhl fuer Thermodynamik.

Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.

Quarterly rept.
P. Schiebener, J. Straub, J. M. H. Levelt Sengers, and J. S. Gallagher. c1990, 41p
Prepared in cooperation with National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Thermophysics Div.
Included in Jnl. of Physical and Chemical Reference Data, v19 n3 p677-717 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Water, *Water vapor, *Steam, Near infrared radiation, Near ultraviolet radiation, Tables(Data), *Refractive index, Visible radiation, Temperature dependence.

Based on a comprehensive collection of data previously obtained by Thormahlen et al. on the experimental refractive index of water and steam from the 1870s to the present, a new formulation is presented for the range of 0.2 to 2.5 micrometers in wavelength, -10 to +500 deg C in temperature and 0 to 1045 kg/cu m in density. The Lorentz-Lorenz function or molar refraction, a strong function of wavelength but only weakly dependent on density and temperature, is fitted to a selected set of accurate refractive index data. The NBS/NRC equation of state for water and steam, the new international standard, is used to convert the experimental pressures to density. The deviations of all experimental data from the formulation are shown. A detailed assessment of the accuracy of the formulation is presented. It is demonstrated that several recent formulations of optical properties of liquid water over large ranges of wavelength need improvement in the range covered here. The new formulation is used to generate tables of the refractive index of water and steam at six wavelengths in the visible, near-infrared and near-ultraviolet, from 0 to 500 deg C and up to 100 MPa in pressure.

101,403
PB91-132308 PC A10/MF A02
National Inst. of Standards and Technology (NIST), Boulder, CO. Electromagnetic Technology Div.
Technical Digest-Symposium on Optical Fiber Measurements, 1990.
G. W. Day, and D. L. Franzen. Sep 90, 211p NIST/SP-792
Also available from Supt. of Docs. See also PB89-129555. Prepared in cooperation with Optical Society of America, Washington, DC.

Keywords: *Fiber optics, *Optical measurement, *Meetings, Optical communication, Electrooptics, Reflectometers, *Optical fibers, Fiber optics transmission lines, Sensors.

The digest contains summaries of 45 papers presented at the Symposium on Optical Fiber Measurements, held September 11-12, 1990, at the National Institute of Standards and Technology, Boulder, Colorado.

101,404
PB91-134106 Not available NTIS
National Bureau of Standards (NML), Boulder, CO. Time and Frequency Div.
Modulatable Narrow-Linewidth Semiconductor Lasers.
Final rept.
L. Hollberg, and M. Ohtsu. 1988, 3p
See also PB88-239470.
Pub. in Applied Physics Letters 53, n11 p944-946 Sep 88.

Keywords: *Semiconductor lasers, Frequency control, Frequency stability, Line width, Optical communication, Reprints, Frequency division multiplexing, Line narrowing.

The authors found that using the technique of optical feedback locking, to narrow semiconductor linewidths, does not sacrifice the ability to modulate the laser's frequency via the injection current. The frequency of a laser is stabilized to a separate Fabry-Perot reference cavity using resonant optical feedback and can be modulated efficiently at frequencies related by rational fractions to the free-spectral range of the reference cavity. This system can provide an array of narrow-linewidth, frequency-stable laser lines and shows promise for applications in frequency-division-multiplexed coherent communications, as well as laser frequency control and precision measurement systems.

PHYSICS

Optics & Lasers

101,405
PB91-134130 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Time and Frequency Div.
**Accurate Frequency of the 119 μ m Methanol
 Laser from Tunable Far-Infrared Absorption Spec-
 troscopy.**
 Final rept.
 M. Inguscio, L. R. Zink, K. M. Evenson, and D. A.
 Jennings. 1990, 5p
 Pub. in IEEE (Institute of Electrical and Electronics En-
 gineers) Jnl. of Quantum Electronics 26, n3 p575-579
 Mar 90.

Keywords: *Frequency measurement, Far infrared ra-
 diation, Absorption spectra, Infrared lasers, Reprints,
 *Methanol lasers, *Laser frequencies.

The authors report on high accuracy absorption spec-
 troscopy of CH₃OH in the far infrared. In addition to 22
 transitions in the ground state, the authors have mea-
 sured the frequency of the (n, tau, J, K), (0, 1, 16, 8) ->
 (0, 2, 15, 7) transition in the nu sub 5 excited vibrational
 level, which is responsible for the laser emission at 119
 micrometers. An accurate remeasurement of the laser
 emission frequency has also been performed, and the
 results are in good agreement.

101,406
PB91-147207 Not available NTIS
 National Inst. of Standards and Technology (NEL),
 Boulder, CO. Electromagnetic Technology Div.
**Standard Reference Fibers for Calibration of the
 Optical Time Domain Reflectometer.**
 Final rept.
 B. L. Danielson, C. D. Whittenberg, and T. Drapela.
 1989, 4p
 Pub. in Proceedings of International Instrumentation
 Symposium (35th), Orlando, FL., May 1-4, 1989, p895-
 898.

Keywords: *Reflectometers, *Calibration, Optical
 fibers, Reprints, *Standard reference fibers, *Refer-
 ence materials, *Optical time domain reflectometers,
 OTDR (Optical time domain reflectometers).

Calibration of optical time domain reflectometers by
 military and industrial users can be achieved by a
 number of published test procedures. For some per-
 formance parameters, a particularly convenient way
 for establishing measurement verification and tracea-
 bility to national standards is through the use of a
 standard reference fiber. At NIST the authors have
 begun a program to evaluate such test lightguides.
 Prototype standard reference fibers have been char-
 acterized for spectral attenuation, group delay, group
 index, and length. The authors describe measurement
 methods and tolerances for these devices.

101,407
PB91-147868 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Chemical Engineering Science Div.
**Fiber-Optic Fluorescence Array to Study Free
 Convection in Porous Media.**
 Final rept.
 R. A. Perkins, and M. C. Jones. 1989, 6p
 Sponsored by Department of Energy, Washington, DC.
 Office of Basic Energy Sciences.
 Pub. in Review of Scientific Instruments 60, n11
 p3492-3497 Nov 89.

Keywords: *Convection, *Fiber optics, *Fluorescence,
 Fluorescent dyes, Labelled substances, Porous mate-
 rials, Design, Fluid mechanics, Reprints.

A 64-point fiber-optic fluorescence array is integrated
 into a heated-packed bed to study free convection in
 porous media. The array consists of 64 individual fluo-
 rescence coupler-detector modules. The array mod-
 ules are designed for rhodamine 6G dye and allow
 real-time measurement of tracer concentrations to
 about 40 ppb. The coupler-detectors are inexpensive
 and allow a single fiber to carry both the excitation light
 and the emitted fluorescence light between the detec-
 tors and the remote probe terminations at known loca-
 tions within the bed. Dilute pulses of tracer dye are
 injected into the packed bed and the dye concentration
 at each of the 64 fiber-optic probe terminations is mon-
 itored as a function of elapsed time. The tracer con-
 centration as a function of time and position allows the
 fluid movement to be followed within the porous
 medium.

101,408
PB91-148007 Not available NTIS

National Inst. of Standards and Technology (NEL),
 Boulder, CO. Electromagnetic Technology Div.
**Subpicosecond Pulse Compression and Raman
 Generation Using a Mode-Locked Erbium-Doped
 Fiber Laser-Amplifier.**

Final rept.
 J. B. Schlager, P. D. Hale, and D. L. Franzen. 1990,
 3p
 Pub. in IEEE (Institute of Electrical and Electronics En-
 gineers) Photonics Technology Letters 2, n8 p562-564
 Aug 90.

Keywords: *Pulse compression, Near infrared radi-
 ation, Mode locked lasers, Picosecond pulses, Doped
 materials, Raman effect, Raman lasers, Solitons, Re-
 prints, Femtosecond pulses, Erbium fibers.

Pulses of 20 ps duration from a 1536 nm erbium-doped
 fiber laser mode-locked at 10 MHz are soliton-com-
 pressed in a 1 km fiber to 1.5 ps. The pulses are then
 amplified in an erbium-doped fiber amplifier and com-
 pressed in a second fiber to less than 300 fs. Pulses
 give rise to stimulated Raman scattering in fibers; the
 direct output from the erbium fiber laser-amplifier has
 sufficient peak power to pump fiber Raman lasers.

101,409
PB91-148478 PC A99/MF A04
 National Inst. of Standards and Technology, Boulder,
 CO.

Laser Induced Damage in Optical Materials: 1989.
 Special pub.
 H. E. Bennett, L. L. Chase, A. H. Guenther, B. E.
 Newnam, and M. J. Soileau. Oct 90, 674p NIST/SP-
 801

Also available from Supt. of Docs. as SN003-003-
 03061-9. See also report for 1988, PB90-185570.
 Errata sheet inserted. Proceedings of Annual Sym-
 posium on Optical Materials for High-Power Lasers
 (21st), Boulder, CO., Nov. 1-3, 1989. Prepared in coop.
 with American Society for Testing and Materials, Phila-
 delphia, PA., SPIE-The International Society for Opti-
 cal Engineering, Bellingham, WA.

Keywords: *Optical materials, *Radiation damage,
 *Laser damage, *Meetings, Physical radiation effects,
 Laser materials, Thin films, Optical coatings, Surfaces,
 Mirrors.

The Twenty-First Annual Symposium on Optical Mate-
 rials for High-Power Lasers was divided into sessions
 concerning Materials and Measurements, Mirrors and
 Surfaces, Thin Films, and, finally, Fundamental Mech-
 anisms. As in previous years, the emphasis of the
 papers presented at the Symposium was directed
 toward new frontiers and new developments. Partic-
 ular emphasis was given to materials for high power ap-
 paratus. The wavelength range of the prime interest
 was from 10.6 micrometers to the uv region. Highlights
 included surface characterization, thin film substrate
 boundaries, and advances in fundamental laser-matter
 threshold interactions and mechanisms. The scaling
 of damage thresholds with pulse duration, focal area,
 and wavelength was discussed in detail.

101,410
PB91-148908 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Radiometric Physics Div.
**Use of Heterodyne Detection to Measure Optical
 Transmittance over a Wide Range.**

Final rept.
 A. L. Migdall, B. Roop, Y. C. Zheng, J. E. Hardis, and
 G. J. Xia. 1990, 9p
 Pub. in Applied Optics 29, n34 p5136-5144, 1 Dec 90.

Keywords: *Transmittance, Optical filters, Mach-
 Zehnder interferometers, Demodulation, Heterodyn-
 ing, Acoustooptics, Optical measurement, Reprints,
 Densitometry.

The authors are developing a heterodyne detection
 technique to measure optical transmittance with high
 accuracy over an unprecedented dynamic range. They
 have measured filters spanning a wide range of trans-
 mittances (12 orders of magnitude) and have evaluat-
 ed the absolute uncertainties and discuss the ultimate
 accuracies that may be achieved. Their setup uses a
 two-beam Mach-Zehnder interferometer with acous-
 tooptic frequency shifting to produce a frequency dif-
 ference between the two light beams. The authors de-
 termine the optical transmittance of a filter by inserting
 it into one of the interferometer arms and measuring
 the change in amplitude of the signal at the difference
 frequency on the interferometer output beam. The
 method allows direct comparisons between optical

and rf attenuators, ultimately tying optical transmit-
 tance measurements to rf attenuation standards in an
 absolute way.

101,411
PB91-149138 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg,
 MD. Temperature and Pressure Div.
**Dispersion of the Electronic Contribution to the
 Third-Order Nonlinear Susceptibility of H₂.**
 Final rept.

G. J. Rosasco, and W. S. Hurst. 1986, 6p
 Pub. in Jnl. of the Optical Society of America B 3, n10
 p1251-1256 Oct 86.

Keywords: *Hydrogen, Raman spectra, Kerr effect,
 Reprints, Nonlinear susceptibility, Second harmonic
 generation, Third harmonic generation.

A new value is reported for the electronic contribution
 (the electronic hyperpolarizability) to the third-order
 nonlinear susceptibility of H₂. The result is derived
 from a measurement of the ac (optical)-Kerr constant
 referenced to the resonant Q-branch susceptibility of
 D₂. A long-known dispersion formula is applied to
 compare the authors' value of the electronic hyperpo-
 larizability with values determined by other nonlinear
 optical techniques. The dispersion formula is shown to
 account systematically for the results of other nonlin-
 ear techniques.

101,412
PB91-149195 Not available NTIS
 National Bureau of Standards (NML), Boulder, CO.
 Electromagnetic Technology Div.
Laser Measurements.
 Final rept.
 A. A. Sanders. 1983, 3p
 Pub. in Proceedings of Measurement Science Confer-
 ence, Palo Alto, CA., January 20-21, 1986 p198-200
 1983.

Keywords: *Laser radiation, *Lasers, Power measure-
 ment, Beam profiles, Calorimeters, Metrology, US
 NBS, Reprints.

The report will review some of the national standards
 and measurement services for lasers available at NBS,
 highlight some of the current research, and indicate
 some of the future needs and direction of NBS laser
 metrology research.

101,413
PB91-158709 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg,
 MD. Ceramics Div.
Stoichiometry of Reactively Evaporated Films.
 Final rept.

A. Feldman, E. N. Farabaugh, and Y. N. Sun. 1988,
 4p
 Pub. in Proceedings of Optical Interference Coatings
 Topical Meeting, Tucson, AZ., April 12-15, 1988, p14-
 17.

Keywords: *Optical films, *Silicon oxides, *Oxidation,
 Photoelectron spectroscopy, Dielectric films, Thin
 films, Stoichiometry, Reprints.

If an optical film is not fully oxidized, its refractive index
 will be different from expected, and significant optical
 absorption may result. In order to ensure full oxidation
 of oxide films, evaporations are frequently carried out
 in reactive atmospheres containing significant partial
 pressures of oxygen. SiO(x) films provide a convenient
 system for studying the oxidation state of reactively
 evaporated films, not only because they are important
 coating materials, but because structural models have
 been developed for the system. In the paper, the
 degree of oxidation of SiO(x) films, prepared by reac-
 tive electron-beam evaporation of Si under different
 partial pressures of oxygen, has been examined by X-
 ray photoelectron spectroscopy (XPS). The analysis
 suggests that the silicon in the films is not as fully ox-
 idized as might be expected on the basis of the meas-
 ured oxygen content.

101,414
PB91-158972 Not available NTIS
 National Inst. of Standards and Technology (NEL),
 Gaithersburg, MD. Applied and Computational Mathe-
 matics Div.

Algorithm and Computer Program for the Calculation of Envelope Curves.

Final rept.
M. McClain, A. Feldman, D. Kahaner, and X. T. Ying.
1991, 4p
See also PB90-155409.
Pub. in *Computers in Physics*, p45-48 Jan/Feb 91.

Keywords: *Curve fitting, *Light transmission, Refractive index, Absorptivity, Transmittance, Oscillations, Interpolation, Algorithms, Reprints, Envelope curves.

A procedure has been developed to calculate numerically the envelope functions of an oscillatory curve. The method has been shown to be applicable to optical transmission data, but it is general enough to be used for many other data sets. The program is available on request.

101,415
PB91-174854 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.

Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions.

Final rept.
W. T. Hill, and C. L. Cromer. 1987, 12p
Pub. in *Springer Ser. Opt. Sci.* 54, p183-194 1987.

Keywords: *Atomic ions, *Photoabsorption, Barium ions, Cesium ions, Xenon ions, Isoelectronic sequence, Laser radiation, Ionization, R matrix, Reprints.

The application of laser-driven ionization techniques to photoabsorption spectroscopy of atomic ions will be discussed. A summary of the experimental results which confirm that a collisional mechanism is responsible for the nearly complete ionization following laser irradiation is given, along with a bibliography of the photoabsorption measurements reported to date. The importance of these investigations, demonstrated in two studies involving the Ba nuclear sequence (i.e. Ba, Ba(1+), and Ba(2+)) and the Xe isoelectronic sequence (i.e. Xe, Cs(1+) and Ba(2+)), will be discussed. Finally, a tabulation of quantum defect parameters for Xe, Cs(1+), and Ba(2+) based on a re-analysis of the Xe-sequence spectra via a shifted R-matrix quantum defect approach will be presented.

101,416
PB91-175141 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Electromagnetic Technology Div.

Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors.

Final rept.
D. L. Veasey, D. R. Larson, R. J. Phelan, and T. E. Batchman. 1990, 1p
Pub. in *Proceedings of Optical Society of America Annual Meeting Technical Digest*, Boston, MA., November 4-9, 1990, pMA5.

Keywords: *Polarizers, Amorphous silicon, Waveguides, Detectors, Semiconductors, Reprints, Claddings.

TE and TM polarizers and polarization sensitive detectors were fabricated by cladding glass channel waveguides with hydrogenated amorphous silicon. Extinction ratios as high as 48 dB have been observed for the TE pass device and up to 34 dB for the TM pass device.

101,417
PB91-175596 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Correlated Spontaneous Emission in a Zeeman Laser.

Final rept.
M. P. Winters, and J. L. Hall. 1990, 4p
Contract N00014-89-J-1227, Grant NSF-PHY86-04504
Sponsored by Office of Naval Research, Arlington, VA., and National Science Foundation, Washington, DC.
Pub. in *Physical Review Letters* 65, n25 p3116-3119, 17 Dec 90.

Keywords: *Helium neon lasers, Spontaneous emission, Laser interferometry, Sensitivity, Reprints, *Zeeman lasers.

The authors have observed phase-diffusion noise 40% below the Schawlow-Townsend limit in the relative phase of a two-mode HeNe Zeeman laser due to the correlated-emission-laser effect.

101,418
PB91-187096 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Radiometric Physics Div.

Temperature Dependence of High Accuracy-Photometer Heads.

Final rept.
G. Andor. 1989, 2p
Pub. in *Applied Optics* 28, n22 p4733-4734, 15 Nov 89.

Keywords: *Photometers, *Photodiodes, Silicon diodes, Temperature dependence, Transmittance, Reprints.

The redefinition of the Candela in 1979 permits the use of upsilong(lambda) response photodetectors as primary photometric standards. Their long-term stability and temperature dependence is of prime importance in this application. Modern high-accuracy photometer heads consist of a silicon photodiode, a upsilong(lambda) matched glass filter and a current to voltage converter. The purpose of the letter is to report an investigation of the temperature characteristics for three types of high-quality silicon photodiodes and their matching filters. The temperature dependence of a properly designed current to voltage converter in the practical illuminance range of 0.0001 to 10,000 lux is negligible.

101,419
PB91-187419 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.

Design Diagrams for Heavy Metal Fluoride Glass Windows.

Final rept.
D. Cranmer, T. Chuang, S. Freiman, and A. Raynes. 1990, 17p
Sponsored by Naval Research Lab., Washington, DC., and Center for Naval Analyses, Alexandria, VA. Naval Warfare Operations Div.
Pub. in *Proceedings of High Power Laser Optical Components Topical Meeting*, China Lake, CA., October 30-31, 1989, p98-114 1990.

Keywords: *Design criteria, *Glass, *Window glass, *Fluorides, *Optical materials, Lasers, Service life, Finite difference theory, Fatigue limit, Weibull density functions, Reliability, Stress analysis, Mathematical models, Reprints, Heavy metals.

In order to design structures with materials such as heavy metal fluoride glasses, it is necessary that the stresses under which the structure will operate and the probability that the structure will survive these stresses be known. An experimental and theoretical methodology is described that combines stress determination using a finite element method with experimental determinations of the requisite fracture parameters, leading to the prediction of structural lifetimes. The stresses for an assumed geometry will be presented and combined with the fracture parameters needed to describe the behavior of the glass. These parameters include measures of the strength and strength distribution as well as the material's sensitivity to the service environment. A preliminary stress-lifetime diagram for the material has been created and compared to the results of the finite element model.

101,420
PB91-187617 PC A06/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

Journal of Research of the National Institute of Standards and Technology. March-April 1991. Volume 96, Number 2.

1991, 109p
Also available from Supt. of Docs. as SN703-027-00039-3. See also PB91-187625 through PB91-187682 and PB91-184853. Library of Congress catalog card no. 89-656121.

Keywords: *Photodiodes, Dimensional measurement, Particle size, Microsphere, Gel permeation chromatography, Light scattering, Molecular weight, Potassium chloride, Standards, Dental caries, Optical communication, Standard reference materials, Electrolytic conductivity, Bidirectional scattering distribution function.

Contents:
Linearity of a Silicon Photodiode at 30 MHz and Its Effect on Heterodyne Measurements;
Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles--A Feasibility Study;

A Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography;
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions;
Digital Image Analysis Assisted Microradiography--Measurement of Mineral Content of Caries Lesions in Teeth;
Bidirectional Scattering Distribution Function (BSDF)--A Systematized Bibliography;
A Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.

101,421
PB91-187674

(Order as PB91-187617, PC A06/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.

Bidirectional Scattering Distribution Function (BSDF): A Systematized Bibliography.

C. Asmail. 1991, 9p
Included in *Jnl. of Research of the National Institute of Standards and Technology*, v96 n2 p215-223 Mar/Apr 91.

Keywords: *Light scattering, *Bibliographies, Distribution functions, Inverse scattering, Specular reflection, Diffuse reflection, Surface properties, Polarization, *BSDF(Bidirectional Scattering Distribution Function), *Bidirectional scattering distribution function.

In conjunction with the development of a bidirectional scattering metrology project, a large number of papers pertaining to the theory and measurement of bidirectional scattering from optical surfaces were collected and categorized. The collection includes papers that deal with various aspects of the bidirectional scattering distribution function (BSDF), its measurement, interpretation, use, and implications. Each paper is classified in one or more subject categories on the basis of its technical content. The subject categories are included just to serve as a key to the most salient characteristics of each paper cited. Because of the interest in the field, the bibliography is being published as a service to the public.

101,422
PB91-189332 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses.

Final rept.
V. A. French, R. C. Powell, D. H. Blackburn, and D. C. Cranmer. 1991, 5p
Sponsored by Army Research Office, Research Triangle Park, NC.
Pub. in *Jnl. of Applied Physics* 69, n2 p913-917, 15 Jan 91.

Keywords: *Gratings, Laser applications, Refractive index, Doped materials, Europium ions, Silicates, Glass, Reprints.

Four-wave-mixing techniques were used to produce permanent laser-induced refractive index gratings in Eu(3+)-doped silicate glasses. The gratings are associated with a thermally induced change in the local glass structure at the site of the Eu(3+) ions, leading to a double-minimum potential well for the electronic energy levels of the Eu(3+) ions. The effects on the characteristics of the permanent laser-induced gratings produced by changing the divalent modifier ions of the glass host are reported, and a theoretical model is presented to explain the physical origin of the change in the refractive index of the material.

101,423
PB91-189738 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electricity Div.

Effects of Colored Pump Noise on Intensity Correlations of a Single Mode Dye Laser.

Final rept.
P. D. Lett, and E. C. Gage. 1989, 7p
Pub. in *Physical Review A* 39, n3 p1193-1199, 1 Feb 89.

Keywords: *Dye lasers, Optical pumping, Quantum optics, Langevin equation, White noise, Intensity, Reprints.

Recent theoretical analyses of the single mode laser with colored noise pump fluctuations have allowed the detailed prediction of the short-time behavior of the in-

PHYSICS

Optics & Lasers

tensity autocorrelations of such a laser. In particular, a rounding-off of the intensity correlation function on the time scale of the correlation time of the pump fluctuations has been predicted. The authors present results from experiments performed on a single mode dye laser system that clearly confirm these predictions. Numerical simulations of the laser Langevin equations including the colored noise pump fluctuations are used to fit the experimental results.

101,424
PB91-189803 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Molecular Spectroscopy Div.
Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules.
Final rept.
A. G. Maki. 1989, 4p
Pub. in Proceedings of High Resolution Fourier Transform Spectroscopy Topical Meeting, Santa Fe, NM., February 13-15, 1989, p98-101.

Keywords: *Fourier spectroscopy, *Molecular spectroscopy, *Infrared spectroscopy, Atmospheric chemistry, Air pollution, High temperature, Infrared instruments, Calibration, Reprints, US NIST.

The paper gives some of the interesting results from three projects that involve Fourier Transform Spectroscopy (FTS) measurements, studies of molecules involved in atmospheric chemistry, high temperature studies, and the compilation of data for wavenumber calibration of infrared instrumentation. Earlier work on these projects was conducted with a tunable diode laser, now many of the measurements are made with a FTS spectrometer. The FTS instrument is not as sensitive as the diode laser spectrometer, nor does it give as high resolution, but it has the advantage of conveniently and quickly giving broad band spectra with thousands of absorption lines.

101,425
PB91-195644 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Radiometric Physics Div.
Roughened Quartz Surfaces and Teflon as Small-Angle Diffusers and Depolarizers between 200 and 400 nm.
Final rept.
R. D. Saunders, and H. J. Kostkowski. 1989, 4p
Pub. in Applied Optics 28, n15 p3242-3245 1989.

Keywords: *Spectroradiometers, *Diffusers, Rocket-borne instruments, Near ultraviolet radiation, Small angle scattering, Depolarization, Quartz, Teflon, Reprints, *Depolarizers.

Laboratory tests of transmission diffusers are reported for quartz and teflon. These tests were conducted in order to select transmission diffusers for the NOAA rocket-flight UV spectroradiometers.

101,426
PB91-203042 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.
Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle.
Final rept.
A. Feldman. 1988, 2p
Pub. in Applied Optics 27, n22 p4608-4609 1988.

Keywords: *Optics, *Optical materials, *Prismatic bodies, *Brewster angle, Graphs(Charts), Visible radiation, Reprints.

An alternate representation of prism refraction provides a convenient context for solving the problem of a beam incident on a wedged plate at the Brewster angle and allows for a graphical solution based on a simple geometric construction.

101,427
PB91-203109 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Frequency Stabilization of a Tunable Erbium-Doped Fiber Laser.
Final rept.
S. L. Gilbert. 1991, 3p
Sponsored by Naval Sea Systems Command, Washington, DC.
Pub. in Optics Letters 16, n3 p150-152, 1 Feb 91.

Keywords: Near infrared radiation, Optical communication, Frequency standards, Frequency stability, In-

frared lasers, Tunable lasers, Acetylene, Reprints, *Erbium lasers, Fiber lasers, Wavelength standards.

A single-frequency Er-doped fiber laser that is tunable from 1.52 to 1.58 micrometers has been constructed. The laser linewidth was determined to be less than 1.6 MHz FWHM by observing the spectrum of the beat between the fiber laser and a 1.523 micrometer He-Ne laser. The frequency of the fiber laser was locked to several absorption lines of acetylene near 1.53 micrometers. The research demonstrates the inherent stability of fiber lasers and their potential for use in a wavelength standard for optical communications.

101,428
PB91-203158 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Precision Engineering Div.
Note on the Precision Cementing of Small Optical Components.
Final rept.
A. W. Hartman. 1988, 2p
Pub. in Review of Scientific Instruments 59, n12 p2617-2618 1988.

Keywords: *Optical equipment, *Cementing, Alignment, Substrates, Precision, Shrinkage, Reprints.

When optical or mechanical components are cemented to a substrate that exhibits errors in surface figure or tilt angle, the possibility exists that these errors will propagate to the work piece. If the cement layer thickness shrinks by a given fraction p during setting of the cement, the error propagation will occur at the same fraction causing losses in flatness, tilt angle, etc. These losses can be reduced to near harmless levels by adopting a two-stage cementing process, involving an intermediate substrate.

101,429
PB91-203802 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Fields Div.
New Triple Correlator Design for the Measurement of Ultrashort Laser Pulses.
Final rept.
N. G. Paulter, and A. K. Majumdar. 1991, 6p
Pub. in Optics Communications 81, n1-2 p95-100, 1 Feb 91.

Keywords: *Optical correlators, *Correlators, Optical measurement, Laser radiation, Light pulses, Nonlinear optics, Design, Reprints.

A measurement device, a triple correlator, is proposed for the characterization of ultrashort optical pulses. The proposed triple correlator uses two consecutive nonlinear optical interactions, a sum frequency generation followed by a difference frequency generation, to produce a triple correlation output at the same optical frequencies as the input pulse. Phase matching for the triple correlator is greatly simplified by using the given design. The operation of the triple correlator is described, and examples of expected output signals are given. The reconstructed optical pulse is quite insensitive to noise, as shown by computer simulations.

101,430
PB91-203984 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy.
Final rept.
C. J. Sansonetti. 1989, 6p
Pub. in Proceedings of International Laser Science Conference (4th), Advances in Laser Science IV, Atlanta, GA., 1988, p548-553 1989.

Keywords: *Dye lasers, *Laser radiation, *Wavelengths, Fabry Perot interferometers, Continuous wave lasers, Fourier spectrometers, Reprints, *Wavelength measurement.

The wavelengths of cw dye lasers are typically measured using Michelson wavemeters, but the absolute accuracy of such instruments is limited by their sensitivity to alignment of the laser beams. This systematic problem can be largely eliminated by diffusely scattering the beams and using classical spectroscopic methods to measure the wavelength. We have developed a laser wavemeter, based on a static Fabry-Perot interferometer, with an accuracy of a few parts in a billion and an update rate of about 2 Hz. The system is insensitive to the alignment and collimation of the incoming laser beams. The potential for a more precise wave-

meter based on techniques of Fourier transform spectroscopy is also considered.

101,431
PB91-204016 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Production and Diagnosis of a Highly Spin-Polarized Na Beam.
Final rept.
G. W. Schinn, X. L. Han, and A. Gallagher. 1991, 5p
Contract DE-FG02-87ER13720
Sponsored by Department of Energy, Washington, DC. Office of Basic Energy Sciences.
Pub. in Jnl. of the Optical Society of America B 8, n1 p169-173 Jan 91.

Keywords: *Sodium, *Optical pumping, Laser induced fluorescence, Polarization(Spin alignment), Atomic beams, Reprints.

The authors describe optically pumping a beam of sodium atoms to $>96\%$ m(s) and $>92\%$ m(s), m(l) state selection. For the optical pumping both ground hyperfine states are pumped, using single-mode cw dye-laser radiation tuned to the triplet S(1/2)-triplet P(1/2) transition that is phase modulated in a LiTaO₃ crystal to produce first-order sidebands at approximately the 1772-MHz hyperfine splitting of the ground state. The z-directed optical pumping is performed in a z-directed magnetic field of (about) 5 G. The state-selected atoms then move, in (about) 1 cm, into an (about) 200 G, z-directed field. The downstream probe laser beam is scanned through the triplet S(1/2) m(s), m(l) \rightarrow triplet P(3/2) m(s), m(l) transitions, which are spectroscopically resolved at 200 G, and the fluorescence intensities portray the residual populations in each of the eight triplet S(1/2) states.

101,432
PB91-204180 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Correlated Spontaneous Emission in a Zeeman Laser.
Final rept.
M. P. Winters, and J. L. Hall. 1990, 9p
Contract N00014-89-J-1227, Grant NSF-PHY86-04504
See also PB91-175596. Sponsored by Office of Naval Research, Arlington, VA., and National Science Foundation, Washington, DC.
Pub. in New Frontiers in Quantum Electrodynamics and Quantum Optics, p193-201 1990.

Keywords: Gravitational wave detectors, Spontaneous emission, High sensitivity, Reprints, *Zeeman lasers, Correlated emission lasers, Laser interferometers, Squeezed states.

In recent years there has been great interest in the development of high sensitivity laser interferometers for use in the detection of gravitational waves. Ordinarily, the sensitivity of these devices is limited by quantum fluctuations that take the form of shot noise in passive interferometers and spontaneous emission noise in active interferometers. Proposals for increasing the sensitivity of these interferometers include squeezed states for passive devices and the correlated emission laser (CEL) for active devices. Generation of squeezed states has now been demonstrated by several groups and it is the purpose of the article to describe an experimental investigation of the CEL.

101,433
PB91-237065 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Exploding Foil Photoionization X-ray Laser.
Final rept.
P. D. Morley, and J. Sugar. 1988, 4p
Pub. in Physical Review A 38, n6 p3139-3142 1988.

Keywords: *X ray lasers, Multicharged ions, Iodine ions, Soft x rays, Photoionization, Inner-shell ionization, Reprints, *Copper-like ions, Exploding foils.

By combining the techniques of exploding foils and inner-shell photoionization, it is predicted that lasing can occur for x-rays less than 50 Å. As an example, the authors work out the case for Cu-like iodine (I(24+)) which should lase on the 3d(10)4p - 3d(9)4s(2) doublet calculated at 24.565 Å and 26.026 Å with integrated line intensities comparable to the selenium x-ray laser.

101,434
PB91-237156 Not available NTIS
National Inst. of Standards and Technology (EEL),
Boulder, CO. Electromagnetic Fields Div.
**New Triple Correlation Technique for Measuring
Ultrashort Laser Pulses.**
Final rept.
N. G. Paulter, and A. Majumdar. 1991, 12p
See also PB91-203802.
Pub. in Review of Scientific Instruments 62, n3 p567-
578 Mar 91.

Keywords: *Laser radiation, *Light pulses, Picosecond
pulses, Nonlinear optics, Optical measurement, Re-
prints, Triple correlation method.

A new triple correlation technique for measuring the
complete intensity profile of ultrashort optical pulses is
described. The triple correlation preserves the phase
information of the input pulse so that a reconstruction
of the triply correlated signal will provide a unique re-
construction of the input. The new technique de-
scribed here uses two second-order, nonlinear optical
interactions for the generation of a triply correlated
signal. A derivation of the measured triple-correlation
signal and the pulse reconstruction is given. The ef-
fects of noise on the measured signal are also exam-
ined.

101,435
PB92-102185 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Radiometric Physics Div.
LBIR Facility User Handbook.
Final rept.
R. U. Datta, S. C. Ebner, J. Proctor, and A. C. Parr.
Jun 91, 31p NIST/HB-147
Sponsored by Army Strategic Defense Command,
Huntsville, AL.

Keywords: *Research facilities, *Handbooks, Black-
body radiation, Clean rooms, Standards, *Low Back-
ground Infrared Calibration Facility (LBIR), *LBIR facil-
ity, Absolute cryogenic radiometer, US NIST.

A handbook has been prepared to aid prospective
users of NIST's Low Background Infrared Calibration
Facility (LBIR). A detailed overview of the facility is
given, including directions to the NIST site and places
to stay. The sponsorship of the facility by the Strategic
Defense Command to serve the community using
blackbody sources in a cryogenic environment is
stated in the introduction. The vacuum and cryogenic
hardware associated with the facility is discussed in
detail, as well as procedures the user must follow re-
garding clean room practice, vacuum compatibility,
and electrical hookup. Much discussion is also given to
Absolute Cryogenic Radiometer (ACR) which serves
as the standard detector for the system. An electrical
substitution radiometer, the ACR measures the total
flux emitted from a blackbody.

101,436
PB92-116532 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Precision Engineering Div.
**Light-Scattering Measurement of the RMS Slopes
of Rough Surfaces.**
Final rept.
L. X. Cao, T. V. Vorburger, A. G. Lieberman, and T.
R. Lettieri. 1991, 7p
Pub. in Applied Optics 30, n22 p3221-3227, 1 Aug 91.

Keywords: *Surface roughness, *Optical measure-
ment, Laser applications, Light scattering, Metrology,
Texture, Slope, Reprints.

Angle-resolved light scattering (ARLS) is used to es-
timate the root-mean-square (rms) slopes of rough sur-
faces having a well-defined lay, and the effect on slope
measurements caused by changing the angles of inci-
dence and scattering is investigated. The ARLS pat-
terns are taken with the Detector Array for Laser Light
Angular Scattering (Dallas) research instrument, and
the rms slopes are obtained from the angular widths of
these patterns. In general, it was found that the angu-
lar width, and thus the estimated rms slope, is surpris-
ingly insensitive to relatively large changes in both the
incident and scattering angles of light. These results
are independent of surface material and are valid for
both sinusoidal and random rough surface with lay.
The principles, experiments, analyses, and conclu-
sions involved in using ARLS to estimate rms surface
slopes are described.

101,437
PB92-116888 Not available NTIS
National Inst. of Standards and Technology (EEL),
Boulder, CO. Electromagnetic Fields Div.
Diffraction by a Half-Plane in a Lossy Medium.
Final rept.
D. A. Hill. 1991, 3p
Sponsored by Army Belvoir Research and Develop-
ment Center, Fort Belvoir, VA.
Pub. in Jnl. of Applied Physics 69, n12 p8405-8407, 15
Jun 91.

Keywords: *Wave diffraction, *Diffraction, Plane
waves, Fresnel integrals, Fresnel zones, Polarization,
Remote sensing, Reprints.

The classical problem of plane-wave diffraction by
half-plane is extended to allow for loss in the surround-
ing medium. The loss causes the arguments of the in-
tegral functions to become complex. Numerical results
show that the relative importance of the edge-diffract-
ed field decreases as the loss is increased. This effect
is important in interpreting the effects of off-path scat-
terers in remote sensing of lossy media. The results for
both electric and magnetic polarizations are in qualita-
tive agreement with previous results based on the
Kirchhoff approximation.

101,438
PB92-116896 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Time and Frequency Div.
CW Dye Lasers.
Final rept.
L. Hollberg. 1990, 54p
Pub. in Dye Laser Principles with Applications, Chapter
5, p185-238 1990.

Keywords: *Continuous wave lasers, *Dye lasers, His-
torical aspects, Frequency control, Performance,
Design, Theory, Reprints.

The chapter describes the principles, construction,
performance, and some of the theory of CW dye lasers.
It briefly reviews the history of CW dye laser develop-
ment and also the modern frequency control technol-
ogies.

101,439
PB92-116904 Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Time and Frequency Div.
Diode Lasers and Their Application to Spectroscopy.
Final rept.
L. Hollberg. 1990, 9p
Pub. in Applied Laser Spectroscopy, p117-125 1990.

Keywords: *Semiconductor lasers, *Spectroscopy,
Semiconductor diodes, Reviews, Uses, Reprints.

The paper is a brief review of lasers and their applica-
tion to spectroscopy.

101,440
PB92-126531 PC A08/MF A02
National Inst. of Standards and Technology (EEL),
Boulder, CO. Electromagnetic Technology Div.
**Modified Airy Function and WKB Solutions to the
Wave Equation.**
A. K. Ghatak, R. L. Galloway, and I. C. Goyal. Nov 91,
175p NIST/MONO-176
Also available from Supt. of Docs. See also PB91-
236752. Prepared in cooperation with Indian Inst. of
Tech., New Delhi. Dept. of Physics.

Keywords: *Optical waveguides, Optical fibers, Wave
equations, Integrated optics, WKB approximation, Re-
prints, Airy Functions.

The WKB method has served in problems of quantum
mechanics and nonuniform optical waveguides, the
discipline treated in the monograph. The monograph
discusses the WKB and the Modified Airy Function
(MAF) methods in considerable detail, to the end that
the reader gains an appreciation of the strengths and
weaknesses of each. The authors treat eigenvalue
problems as well as initial value problems. The two
methods could be illustrated via any of several disci-
plines, but they chose to use problems that are of cur-
rent interest to the optical waveguide community. They
have also used Schrodinger's equation for typical po-
tential well problems to further illustrate the method.
Both the wave functions and the eigenvalues are
found. They have also included several exercises, to

be solved by the reader. They give several examples
to illustrate the method for problems of interest in opti-
cal telecommunications devices.

Plasma Physics

101,441
AD-A227 656/6 PC A02/MF A01
National Inst. of Standards and Technology, Boulder,
CO.
Liquid and Solid Ion Plasmas.
Annual rept. 1 Oct 89-31 Sep 90.
D. J. Wineland, and J. J. Bollinger. 15 Sep 90, 10p
Contract N00014-89-F-0020

Keywords: Angular momentum, Cooling,
Coupling(Interaction), Radiative transfer, Distribution
functions, Electromagnetic fields, Images, Ions, Laser
applications, *Plasmas(Physics), Spatial distribution,
Spectroscopy, Temperature, Velocity, Penning Traps,
Laser Cooling.

Atomic ions which are stored in electromagnetic fields
are an example of nonneutral plasmas. Laser tech-
niques allow control of plasma angular momentum and
provide plasma cooling to temperatures much less
than 1K. Using imaging techniques, plasma spatial in-
formation is achieved. Laser spectroscopic techniques
allow measurement of plasma velocity distribution
functions. Liquid and solid behavior of ion plasmas is
studied. Keywords: Nonneutral plasma; One compo-
nent plasma; Strongly coupled plasma; Liquid and
solid plasma, Plasma distribution functions; Penning
trap; Laser cooling. (jhd)

101,442
PB91-147504 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Atomic and Plasma Radiation Div.
**Overview of the Ion Dynamic Effect in Line Broad-
ening, and a Generalization of the Unified Theory.**
Final rept.
D. E. Kelleher, D. H. Oza, J. Cooper, and R. L.
Greene. 1990, 7p
Pub. in Jnl. of Quantitative Spectroscopy and Radi-
ative Transfer 44, n1 p101-107 1990.

Keywords: *Thermal plasmas, *Line broadening, Com-
putation, Reprints, Ion dynamics.

The authors present a brief overview of the collisional
broadening of hydrogenic radiators in thermal plas-
mas. Their focus is on lines with unshifted central com-
ponents, particularly the alpha lines ($\Delta = 1$), for
which ion motion effects can be very large. The calcu-
lations span a wide range of electron densities, tem-
peratures, and radiator - ion perturber reduced masses
mu. The computations were made using a numerical
simulation approach. Numerical methods have proven
necessary to deal with the overlapping strong colli-
sions of different ion perturbers. Most current analyti-
cal methods, such as the unified theory, are not valid
when strong collisions overlap, as is often the case
with ion perturbers.

101,443
PB91-158618 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Radiometric Physics Div.
**Relative Populations of Excited Levels within the
Ground Configuration of Si-Like Cu, Zn, Ge, and Se
Ions.**
Final rept.
R. U. Datta, J. R. Roberts, and A. K. Bhatia. 1991, 4p
Contract DE-FA-77-A-01-6010
Sponsored by Department of Energy, Washington, DC.
Pub. in Physical Review A 43, n2 p1110-1113, 15 Jan
91.

Keywords: *Copper ions, *Zinc ions, *Germanium
ions, *Selenium ions, Multicharged ions, Excited
states, TEXT devices, M1-transitions, Electron colli-
sions, Reprints, Proton collisions.

Populations of 3p(2) singlet D(2), triplet P(1), triplet
P(2) levels in Si-like Cu, Zn, Ge, and Se ions have been
deduced from the measurements of absolute intensi-
ties of magnetic dipole transitions within the 3s(2)
3p(2) ground configuration. Observations have been
made in the Texas Experimental Tokamak (TEXT).
The measured population ratios are compared with

PHYSICS

Plasma Physics

theoretical calculations based on the distorted-wave approximation for the electron collisions and a semi-classical approximation for the proton collisions. The observed deviation from the statistical distribution for the excited-level populations within the ground configuration along the silicon isoelectronic sequence is in agreement with theoretical prediction.

101,444
PB92-117225 Not available NTIS
National Inst. of Standards and Technology (EEL),
Gaithersburg, MD. Electricity Div.
Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas.
Final rept.
S. B. Radovanov, J. K. Olthoff, and R. J. Van Brunt.
1991, 2p
Sponsored by SEMATECH, Austin, TX.
Pub. in Proceedings of International Conference on Phenomena in Ionized Gases (20th), Barga, Italy, July 8-12, 1991, p835-836.

Keywords: *Argon plasma, Argon ions, Kinetic energy, Gas discharges, RF systems, Reprints, Reference cells.

Ion kinetic energy distributions are presented for argon plasmas in the GEC RF reference cell and are compared with other previous measurements.

101,445
PB92-126473 PC A04/MF A01
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Ionizing Radiation Div.
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
P. D. Higgins, F. H. Attix, J. H. Hubbell, S. M. Seltzer, M. J. Berger, and C. H. Sibata. Nov 91, 70p NISTIR-4680
See also PB87-116141, PB88-109830, UCRL-50400-V6-REV-2 and UCRL-50174-SEC-2-R1. Prepared in cooperation with Cleveland Clinic Foundation, OH. Dept. of Radiation Therapy, and Wisconsin Univ.-Madison. Dept. of Medical Physics.

Keywords: *Energy transfer, *Photon cross sections, *Energy absorption, Scattering, Computation, Pair production, X rays, Gamma rays, Bremsstrahlung, Photoelectric emission, Irradiation, Corrections, Radiography, Positrons.

Mass energy-transfer ($\mu(\text{sub } u)/\rho$) and mass energy-absorption coefficients ($\mu(\text{sub } en)/\rho$) are tabulated in units of (sqcm/g) for photon energies between 1 keV and 100 MeV for 29 elements ($Z = 1-92$), and 14 mixtures and compounds of general dosimetric interest. Cross sections for photo-effect, incoherent scattering, pair and triplet production are those compiled or generated by the National Institute of Standards and Technology (NIST) (formerly the National Bureau of Standards). Corrections are included for in-flight positron annihilation, previously not applied in NIST calculations for energies above 10 MeV.

Radiofrequency Waves

101,446
PB91-203505 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Precision Engineering Div.
Computed Fields Near the Edge of a Dielectric Wedge.
Final rept.
E. Marx. 1990, 5p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Antennas and Propagation 38, n9 p1438-1442 Sep 90.

Keywords: *Electromagnetic scattering, Electromagnetic fields, Integral equations, Edges, Reprints, Dielectric wedges.

The behavior of the electromagnetic field near the edge of an infinite sharp dielectric wedge has not been unequivocally established, and a numerical experiment is performed to learn about this behavior. The fields scattered by a finite wedge are determined by solving an integral equation. The fields near the edge of the wedge are computed from a boundary function by integration. The theory of the fields near the edge of

the dielectric wedge appears to imply that some of the components diverge, but the analysis is based on a power series expansion that has not been shown to exist. The numerical experiment shows that the behavior of the fields near the edge does not follow the expected behavior. The problem of the perfectly conducting wedge is well understood and is used here to verify the numerical methods.

101,447
PB91-203513 Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Precision Engineering Div.
Scattering by an Arbitrary Cylinder at a Plane Interface.
Final rept.
E. Marx. 1989, 10p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Antennas and Propagation 37, n5 p619-628 1989.

Keywords: *Electromagnetic scattering, Radar cross sections, Maxwells equations, Integral equations, Plane waves, Interfaces, Cylinders, Dielectrics, Reprints.

The problem of the determination of the fields scattered by an infinite cylinder of arbitrary cross section located at the interface between two semi-infinite media is reduced to the solution of integral equations for unknown functions defined on the boundaries. These boundary functions are chosen so as to minimize their number. The incident field is that of a plane monochromatic wave. The derivation of the integral equations is given for the TE mode for a dielectric cylinder and for a perfectly conducting cylinder. The exact electromagnetic fields are obtained from the solutions of the integral equations by integration, and the radar cross section can be computed from the far-field approximation. Sample outputs of the computer programs that implement the solution are shown.

Solid State Physics

101,448
AD-A231 818/6 PC A02/MF A01
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
Influence of Filament Geometry on Hot Filament Growth of Diamond Films.
Technical rept.
E. N. Farabaugh, A. Feldman, and L. Robins. 5 Feb 91, 8p Rept no. TR-1
Contract N00014-90-F-0011

Keywords: Filaments, Silicon, Single crystals, Substrates, *Diamond films.

The influence of filament geometry on growth rate and morphology has been observed on diamond films deposited on single crystal silicon substrates in a hot filament CVD reactor. Single and dual helical W filaments having 5, 10, or 15 turns and CH₄:H₂ ratios of 0.25%-1.00% were used. With single filaments the deposition rate was approximately proportional to the number of turns in the filaments produced lower deposition rates, compared to single filaments for depositions carried out at the same CH₄:H₂ of 0.5%. Employing dual filaments doubled the area of uniform growth. Faceting of our films changed from (111) to (100), as the CH₄:H₂ ratio was increased.

101,449
AD-A243 093/2 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
Technical rept.
D. Shechtman, E. N. Farabaugh, L. H. Robins, and A. Feldman. 25 Sep 91, 25p
Contract N00014-90-F-0011

Keywords: Angles, Crystal growth, Crystals, Defects(Materials), Density, Diamonds, Electron microscopy, Grain size, High rate, High resolution, Locus, Microstructure, Nucleation, Sites, Twinning(Crystallography), *Diamond films, Chemical vapor deposition.

High resolution electron microscopy of plasma-assisted chemical vapor deposition (CVD) diamond films

was performed. The film was fine grained with a grain size of the order of 0.1 micrometer. Several features of the microstructure were studied and their importance to the understanding of the diamond film growth was evaluated. The observation include: 1. Twinning density rises as a function of the distance from the center of the crystal. 2. The twins have an important role in the rapid growth of this kind of film. The reentrant angle between intersecting twins serves as a nucleation site for the growth of new (111) planes. 3. The center point of a twin quintuplet has five reentrant angles and thus serves as a preferred nucleation site for new planes as the crystal grows. 4. Misfit boundaries, being the locus of intersection points of the growing planes on two adjacent twins can serve as an indicator for the local crystal growth direction. The central nucleation site serve as an indicator for the local crystal growth direction. The central nucleation site for the growing planes can thus be traced back in many cases to a quintuplet twin point.

101,450
AD-A243 096/5 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Transmission Electron Microscopy of the CVD Diamond Film/Substrate Interface.
Technical rept.
D. Shechtman. 27 Sep 91, 14p
Contract N00014-90-F-0011

Keywords: Diamonds, Electrical properties, Germanium, Grain boundaries, Interfaces, Mechanical properties, Migration, Semiconductors, Silicon, Substrates, *Diamond films, Transmission electron microscopy, Chemical vapor deposition.

The structure of grain boundaries in the diamond lattice, and twin boundaries as a special case, received considerable attention in over thirty years. This is mainly due to the importance of defects in silicon and germanium to their usefulness as efficient semiconductors. Twin boundaries have equal importance to various properties of diamond films. Electrical and mechanical properties as well as migration mechanisms are all affected by the twin boundaries and their structure. The ever presence of twins in CVD diamond films makes their study even more important compared to semiconductors which can be grown without boundaries. The purpose of the study reported here is, therefore, to investigate the crystallography of twin boundaries which form in chemical vapor deposited (CVD) diamond films, and to compare them to the ones which were found in silicon and in germanium.

101,451
AD-A243 220/1 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films.
Technical rept.
L. H. Robins, E. N. Farabaugh, and A. Feldman. 27 Sep 91, 15p Rept no. NIST-TR-6
Contract N00014-90-F-0011

Keywords: *Cathodoluminescence, Concentration(Composition), Cross sections, Depth, Gradients, Impurities, Interfaces, Low temperature, Luminescence, Measurement, Particles, Polycrystalline, Recombination reactions, Silicon, Spatial distribution, Substrates, *Diamonds, Color centers, Crystal structure, Chemical vapor deposition, *Diamond films.

Spatially and spectrally resolved cathodoluminescence (CL) was used to investigate the spatial distribution of luminescence centers in CVD-grown diamond particles and polycrystalline films. For single particles grown at a low substrate temperature (nominally 650 C), one of the two most intense CL bands, the 2.156 eV band, was found to be associated with (111) facets. The CL image of the other intense band, the 2.85 eV band, showed considerable particle-to-particle variation among the same particles. The images of the 2.156 eV and 2.85 eV CL bands were found to have a complementary relationship for some particles. A model of competing recombination centers is proposed to help explain these results. Cross-sectional measurements of the CL spectra of polycrystalline films on silicon showed that the intensity of a silicon-impurity-related CL band decreases with increasing distance from the film-substrate interface. This depth variation is interpreted as due to a silicon impurity concentration gradient.

101,452
DE91016275 PC A03/MF A01
 National Inst. of Standards and Technology, Boulder, CO.
Integrity tests for high-(T_c) and conventional critical-current measurements systems.
 L. F. Goodrich, and S. L. Bray. 1989, 15p CONF-890701-30
 Contract A101-86ER52132
 International cryogenic materials conference, Los Angeles, CA (United States), 24-28 Jul 1989. Sponsored by Department of Energy, Washington, DC.

Keywords: *Superconductors, Electric Impedance, Electrical Testing, High-T_c Superconductors, Measuring Methods, Simulation, Meetings, EDB/420500, EDB/360204.

A set of simple procedures that will test the integrity of measurement systems used for critical-current determinations on high-(T_c) and conventional superconductors has been developed. These tests include a finite resistance, a zero resistance, and a superconductor voltage-current simulator. In the measurement of the critical current, voltage sensitivity is a key factor. The zero resistance test is the most effective test to detect the presence of interfering voltages such as ground loop or common-mode voltages and will determine the voltage sensitivity limit of a measurement system. 5 refs., 3 figs.

101,453
N91-20208/5 (Order as N91-20207/7, PC A05/MF A01)
 National Bureau of Standards (IMSE), Gaithersburg, MD.
High T(sub C) Superconductors: Are They Magnetic.
 R. D. Shull. Jan 90, 5p
 In NASA, Langley Research Center, National Educators' Workshop: Update 1988. Standard Experiments in Engineering Materials Science and Technology p 1-5.

Keywords: Experimentation, *High temperature superconductors, Magnetic properties, Oxides, Procedures, Transition temperature, *Yttrium barium cuprates.

The objective is to demonstrate the magnetic characteristics of the new superconducting oxides with transition temperatures above liquid nitrogen temperature (77 K). The first task was to find out whether YBa₂Cu₃O_{7-x} is magnetic at liquid nitrogen temperature, and if so, what the sign of its magnetic susceptibility is. Details of the experimental procedure are given.

101,454
PATENT-4 954 481 Not available NTIS
 Department of Commerce, Washington, DC.
Superconductor-Polymer Composites.
 Patent.
 A. S. DeReggi, C. K. Chiang, and G. T. Davis. Filed 29 Dec 88, patented 4 Sep 90, 2p PB91-176032, PAT-APPL-7-292 601
 This Government-owned invention available for U.S. licensing and, possibly, for foreign licensing. Copy of patent available Commissioner of Patents, Washington, DC 20231 \$1.50.

Keywords: *Superconducting films, *Polymer matrix composites, *Particulate composites, *Patents, Rare earth alloys, Cuprates, Barium oxides, Thermoplastic resins, Polymeric films, Thin films, PAT-CL-505-1, Vinylidene fluoride resins.

Superconductor-polymer composite materials comprise a matrix formed of a thermoplastic polymer and a superconductor powder dispersed in the matrix. The superconductor powder preferably has a composition RBa₂Cu₃O_{7-x} wherein R is a rare earth metal and x is less than or equal to 1. The thermoplastic polymer matrix comprises a vinylidene fluoride homopolymer or copolymer. The composite materials may be formed as shaped products, sheets or films.

101,455
PB91-133827 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Current Supply for High-T(sub c) Superconductor Testing.
 Final rept.
 S. L. Bray, and L. F. Goodrich. 1990, 4p
 Sponsored by Department of Energy, Washington, DC.

Pub. in Meas. Sci. Technol. 1, p491-494 1990.

Keywords: *Superconductors, Electrical measurement, Direct current, Power supplies, Design, Reprints, *High temperature superconductors, *Critical current, *Current sources.

Precise and accurate measurements of the DC critical current of high-T_c superconductors often require a current supply that has high input-to-output isolation, high isolation from ground and low output ripple. Also, to ensure precise current control, the supply should have low current drift and its input-output characteristic should be linear. A design for a simple and inexpensive current supply that has these characteristics is presented. The primary power source is a 12 V wet-cell battery and the typical operating range is from 10 mA to 10 A. The supply's current ripple is <0.4 mA RMS over this operating range. At an output current of 5 A the current drift is <2%/h without a warm-up period. The maximum variation of the supply's output from linearity, over its full operating range is <5%.

101,456
PB91-133983 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Non-weak-Linked Component of Intergranular Current Conduction.
 Final rept.
 J. W. Ekin, H. R. Hart, and A. R. Gaddipati. 1990, 11p
 Sponsored by Department of Energy, Washington, DC., and Office of Naval Research, Arlington, VA.
 Pub. in Jnl. of Applied Physics 68, n5 p2285-2295, 1 Sep 90.

Keywords: *Superconductors, *Grain structure, Magnetic fields, Direct current, Polycrystalline, Alignment, Reprints, *High temperature superconductors, *Yttrium barium cuprates, *Critical current, Weak links.

A study of grain alignment and its effect on the dc transport critical current in fine-grained bulk Y1Ba₂Cu₃O₇(δ) is reported in magnetic fields from 0.0001 T to 26 T. The data clearly demonstrate that alignment alone significantly reduces the weak-link problem in fine-grained polycrystalline samples with low-aspect-ratio (4:1) grains (unlike melt-grown samples where there has been some ambiguity as to the relative importance of alignment versus large grain growth). Furthermore, the results provide strong evidence that there are two parallel components of intergranular current conduction, one consisting of weak-linked material, the other behaving like intrinsic intragranular material that is not weak-linked. Field-cooled and force-free J(c) data are also presented, along with detailed measurements of the shapes of the voltage-current characteristics.

101,457
PB91-134056 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
High T(sub c) Superconductors and the Critical Current Measurement.
 Final rept.
 L. F. Goodrich, and S. L. Bray. 1990, 11p
 Pub. in Cryogenics 30, p667-677 Aug 90.

Keywords: *Superconductors, Electrical measurement, Recommendations, Reprints, *High temperature superconductors, *Critical current, Interlaboratory comparisons.

With the introduction of high T_c superconductors, a number of problems associated with critical current I(c) measurement have arisen. The existing I(c) measurement practices were developed and proved for low T_c superconductors. There are substantial differences between the two classes of materials. When the I(c) concept was casually extended to the high T_c conductors, measurement inconsistency, ambiguity and, in some cases, invalidity followed. A discussion of the underlying philosophy of I(c) measurement is presented, and a number of measurement variables that can influence the measured I(c) are discussed. Many of the problems stem from inadequate reporting practices, and recommendations are given for improving measurement reports.

101,458
PB91-134148 Not available NTIS
 National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Fundamental and Harmonic Susceptibilities of YBa2Cu3O7-delta.

Final rept.
 T. Ishida, and R. B. Goldfarb. 1990, 12p
 Sponsored by Ministry of Education, Science and Culture, Tokyo (Japan).
 Pub. in Physical Review B 41, n13 p8937-8948, 1 May 90.

Keywords: *Superconductors, Magnetic measurement, Magnetic fields, Magnetization, Reprints, *High temperature superconductors, *Magnetic susceptibility, *Yttrium barium cuprates, Temperature dependence.

The authors have examined the complex harmonic magnetic susceptibilities χ_i (sub n) of the sintered high-critical-temperature superconductor YBa₂Cu₃O₇(δ). The experimental variables for the measurements of χ_i (sub n) were the sample temperature, the ac magnetic field amplitude, frequency, and the magnitude of a superimposed dc field H(dc). Results are given.

101,459
PB91-134254 Not available NTIS
 National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.
Madelung Potentials and Valences in the Y1Ba2Cu3O7 Superconductor.
 Final rept.
 H. Ledbetter, and M. Lei. 1990, 3p
 Pub. in Physica C 166, p483-485 1990.

Keywords: *Superconductors, Valence, Reprints, *High temperature superconductors, *Yttrium barium cuprates, Ewald method.

Using Ewald's method, the authors calculated the on-site potentials and Madelung energy of Y1Ba₂Cu₃O₇(orthorhombic, Pmmm, No. 47). They considered the effects of copper-ion and oxygen-ion valences. Among seven suggested copper-oxygen ion-charge configurations, only two give a low electrostatic bonding energy to agree with oxygen vacancies on O(1) sites. Only one configuration gives a realistic bulk modulus. The authors perturbed this configuration by equalizing the Cu(1)-Cu(2) valences and introducing a hole into the CuO₂ plane at the oxygen sites. This configuration also agrees well with observation.

101,460
PB91-134262 Not available NTIS
 National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.
Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides.
 Final rept.
 H. Ledbetter, M. Lei, and S. Kim. 1990, 10p
 Pub. in Phase Transitions 23, p61-70 1990.

Keywords: *Superconductors, Strontium titanates, Barium titanates, Elastic properties, Electron phonon interactions, Bulk modulus, Reprints, *High temperature superconductors, Lanthanum strontium cuprates, Yttrium barium cuprates, Lanthanum cuprates, Debye temperature, Kresin model, Born model.

Using both measurements and modeling, the authors studied the cohesive and related properties of several oxides. Superconducting oxides include La(1.85)Sr(0.15)CuO₄, Y1Ba₂Cu₃O₇, and (Bi-Pb)₂Sr₂Ca₂Cu₃O₁₀. Related nonsuperconducting oxides include SrTiO₃, BaTiO₃, and La₂CuO₄. For these materials, the authors give the complete quasi-isotropic elastic constants corrected to the void-free state. From elastic constants and atomic volume, the authors calculate Debye characteristic temperatures. The authors support their elastic-constant measurements with Born-model calculations of the bulk modulus.

101,461
PB91-134270 Not available NTIS
 National Inst. of Standards and Technology (IMSE), Boulder, CO. Fracture and Deformation Div.
Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor.
 Final rept.
 H. M. Ledbetter, S. A. Kim, R. B. Goldfarb, and K. Togano. 1989, 4p
 Pub. in Physical Review B 39, n13 p9689-9692, 1 May 89.

PHYSICS

Solid State Physics

Keywords: *Superconductors, Electron phonon interactions, Shear modulus, Bulk modulus, Modulus of elasticity, Poisson ratio, Critical temperature, Bismuth oxides, Lead oxides, Strontium oxides, Calcium oxides, Polycrystalline, Reprints, *High temperature superconductors, Young modulus, Debye temperature, Kresin model, Temperature dependence, Cuprates.

For polycrystalline (Bi-Pb)₂Sr₂Ca₂Cu₃O₁₀, the authors report the 5-295-K elastic constants: shear modulus (G), Young modulus (E), bulk modulus (B), and Poisson ratio (nu). Both G and E show nearly normal temperature variation. During cooling, B softens between 215 and 65 K. The Poisson ratio decreases abruptly at 215 K and decreases almost five percent in the 295-5-K region. In its temperature dependence, this compound resembles YBa₂Cu₃O₇. However, it shows much lower elastic stiffness. Corrected to the void-free state, the authors calculate a Debye temperature of 312 K, versus 436 K for YBa₂Cu₃O₇. The Poisson ratio, 0.20, agrees well with that of YBa₂Cu₃O₇, 0.21. The authors use Kresin's model to interrelate Debye temperature, critical temperature, and electron-phonon interaction parameter for four classes of copper-oxide superconductors.

101,462

PB91-134478 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors.
Final rept.
J. Moreland, C. K. Chiang, and L. J. Swartzendruber. 1990, 7p
Pub. in *Advances in Cryogenic Engineering (Materials)* 36, p619-625 1990.

Keywords: Electron tunneling, Energy gap, Single crystals, Reprints, *High temperature superconductors, *Superconducting junctions, Bismuth strontium calcium cuprates, Break junctions.

The authors have measured the tunneling spectra of some high temperature superconducting crystal break junctions at 4 K. The samples were thin plates of Bi₂Sr₂Ca₂Cu₂O₅ compound. The tunneling spectra (conductance versus voltage) were not typical of BCS superconductor tunneling electrodes. The spectra of higher-resistance break-junction settings ($R > 1$ M ohm) show a tunneling gap on top of a linearly increasing conductance background signal. "Harmonic" dip features in the spectra of lower resistance break junction settings ($R < 1$ M ohm) indicated tunneling between multiple particles in the vicinity of the primary (highest resistance) contact of the junction. The dips occurred at about the same current but shifted in voltage when the resistance of the break junction was continuously adjusted to new settings.

101,463

PB91-134569 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Magnetization of Anisotropic Superconducting Grains.
Final rept.
R. L. Peterson. 1990, 4p
Pub. in *Jnl. of Applied Physics* 67, n11 p6930-6933, 1 Jun 90.

Keywords: *Type 2 superconductors, *Superconductors, Magnetic anisotropy, Magnetic hysteresis, Magnetization, Grain size, Single crystals, Reprints, *High temperature superconductors, Critical current, Bean model.

A critical-state calculation of the magnetization of hard type-II superconducting grains having anisotropic critical-current densities is given. The analysis shows how the critical-current densities should be deduced from magnetization measurements for various grain morphologies. A universal curve of the magnetization hysteresis versus one of the grain dimensions is presented, showing that the hysteresis does not change linearly with grain size. Applications to single crystals and to bulk materials are made.

101,464

PB91-134601 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.

Calculation of Energy of Low-Angle Grain Boundaries.
Final rept.

A. C. Shi, Y. He, and C. Rottman. 1987, 13p
Pub. in *Philosophical Magazine A-Defects and Mechanical Properties* 55, n4 p499-511 1987.

Keywords: *Grain boundaries, Reprints, Crystal dislocations, Elasticity.

Various techniques for calculating the linear elastic energy of low-angle grain boundaries are reviewed. The dependence of both elastic and inelastic contributions on boundary-plane orientation (n) and axis of rotation (u) is considered in detail. Particular attention is devoted to the treatment of the elastic contribution near the dislocation cores. The differences in elastic energy between the recent calculations of Rey and Saada (1977) and Bonnet (1981) with the classic calculation of Read and Shockley (1950) are explained by the differing treatments used by these authors for the region near the cores. The elastic energy for low-angle grain boundaries composed of three sets of parallel, equally spaced dislocations is calculated, within an easily understood convention for handling the region near the cores, for the first time. The dependence of the total energy, elastic plus core, on (n) and (u) is given.

101,465

PB91-147165 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
Final rept.
L. P. Cook, C. K. Chiang, W. Wong-Ng, L. J. Swartzendruber, and L. H. Bennett. 1990, 4p
Pub. in *Materials Research Society Symposia Proceedings*, v169 p137-140 1990.

Keywords: *High temperature superconductors, *Superconductors, X-ray diffraction, Magnetic susceptibility, Reprints, *Thallium barium calcium cuprates, Phase equilibrium.

Results are presented for 850 C oxygen annealing experiments (up to 62 hr) on the 2122 (Tl:Ca:Ba:Cu) oxide phase, with and without intermediate grinding. Samples were characterized by powder X-ray diffraction and a.c. magnetic susceptibility. The 2122 phase appears to be thermodynamically stable in oxygen under conditions of both extensive grinding, and, annealing of long duration. However, onset T(c)'s vary from 71 K to 109 K for apparently single-phase 2122 samples with nearly identical X-ray powder patterns, depending upon the heat treatment.

101,466

PB91-147397 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.
RIR - Measurement and Use in Quantitative XRD.
Final rept.
C. R. Hubbard, and R. L. Snyder. 1988, 4p
Pub. in *Powder Diffraction* 3, n2 p74-77 Jun 88.

Keywords: *X ray diffraction, Quantitative analysis, X ray analysis, Reprints, *Reference intensity ratio.

The Reference Intensity Ratio (RIR) is a general, instrument-independent constant for use in quantitative phase analysis by the X-ray powder diffraction internal standard method. When the reference standard is corundum, RIR is known as I/I(c); These constants are collected in the Powder Diffraction File (1987), can be calculated, and can be measured. Recommended methods for accurate measurement of RIR constants are presented, and methods of using these constants for quantitative analysis are discussed. The numerous, complex constants in Copeland and Bragg's method introduced to account for superimposed lines can be simply expressed in terms of RIR constants and relative intensities. This formalism also permits introduction of constraints and supplemental equations based on elemental analysis.

101,467

PB91-147603 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.

Final rept.
C. L. Littler, W. Zawadzki, M. R. Loloee, X. N. Song, and D. G. Seiler. 1990, 3p
Grant NSF-DMR86-17823
Sponsored by National Science Foundation, Washington, DC.
Pub. in *Semicond. Sci. Technol.* 5, n3S p169-171 Mar 90.

Keywords: *Indium antimonides, *Optical transition, Excited states, Phonons, Reprints.

The authors have observed and described new optical transitions between magneto-donor states in InSb assisted by optic phonon emission. The phonon-assisted transitions provide a unique opportunity to investigate high excited states of the magneto-Coulomb system. High-resolution data reveal the presence of excited magneto-donor states belonging to the same Landau sub-band.

101,468

PB91-147736 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
Final rept.
K. E. Miyano, T. Kendelewicz, R. Cao, C. J. Spindt, and I. Lindau. 1990, 7p
Sponsored by Defense Advanced Research Projects Agency, Arlington, VA., and Office of Naval Research, Arlington, VA.
Pub. in *Physical Review B* 42, n5 p3017-3023, 15 Aug 90.

Keywords: *Indium phosphides, *Bismuth, *Interfaces, Band theory, Substrates, Photoelectron spectroscopy, Reprints.

The development of the interface between cleaved n- and p-type InP(110) substrates and overlayers of Bi has been studied in the coverage range of 0.01 to 10 monolayers with use of soft-x-ray photoemission spectroscopy. The attenuation and narrowing of the substrate In 4d and P 2p core-level spectra, as well as the line-shape development of the adatom Bi 5d signal, indicate that the morphology is of the Stranski-Krastanov type, as has been verified previously for Sb and Bi overlayers on GaAs(110). Specifically, the Bi grows in ordered two-dimensional patches that merge at 1 monolayer coverage, and beyond the coverage the deposited adatoms form three-dimensional clusters. The band bending as measured from energy shifts of the In 4d and P 2p spectra approaches midgap near 0.3 monolayer coverage, but between 0.3 and 1.0 monolayer the band bending for both doping types exhibits a reversal.

101,469

PB91-147926 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.
Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.
Final rept.
M. T. Postek. 1990, 5p
Pub. in *Review of Scientific Instruments* 61, n12 p3750-3754 Dec 90.

Keywords: *Scanning electron microscopy, *Semiconductors, *Metrology, Microchannel electron multipliers, Electron scattering, Line width, Backscattering, Reprints.

An approach to measure semiconductor structures for nondestructive submicrometer metrology in the scanning electron microscope (SEM) at low accelerating voltage is described, using the collection and measurement of only the backscattered electron signal rather than the more commonly used secondary electron signal. In this technique, the backscattered electron signal is collected using a high-efficiency microchannel-plate electron detector system with the front face of the detector biased negatively to reject the low-energy secondary electrons thus collecting only the backscattered electrons. The advantage of using the backscattered electron signal is discussed, as well as a comparison to measurements using the secondary electron signal. The potential of this technique for application to accurate SEM metrology and standards development is also discussed.

101,470

PB91-148023

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.

Crystal and Spin Structures of Nd₂CuO₄.

Final rept.

S. Skanthakumar, and J. W. Lynn. 1990, 3p

Pub. in *Physica C* 170, p175-177 1990.

Keywords: *Crystal structure, Single crystals, Tetragonal lattices, Neutron diffraction, X-ray diffraction, Electron spin, Reprints, *Neodymium cuprates, Magnetic ordering.

X-ray and neutron diffraction have been used to study the magnetic and structural properties of single crystal Nd₂CuO₄. The authors previously observed a small distortion of the basic tetragonal structure, whereby peaks were observed with both X-ray and neutron diffraction. The authors explicitly show that these are not due to lambda/2 wavelength contamination, as recently suggested. The authors also clarify the nature of the magnetic structures observed in the material. In particular, with the present neutron diffraction data on multidomain samples, it is not possible to distinguish between the collinear and noncollinear spin configurations which have been proposed for this system.

101,471

PB91-148064

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Gas and Particulate Science Div.

Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.

Final rept.

F. Stevie, P. Kahora, D. Simons, and P. Chi. 1988,

5p

Pub. in *Jnl. of Vacuum Science and Technology A* 6, n1 p76-80 1988.

Keywords: *Gallium arsenides, *Silicon, *Ion bombardment, Scanning electron microscopy, Oxygen ions, Cesium ions, Topography, Reprints, Secondary ion mass spectroscopy, Depth profiles.

Changes in secondary ion yields of matrix and dopant species have been correlated with changes in surface topography during O₂(1+) bombardment of Si and GaAs. It is concluded that changes in surface topography under O₂ ion bombardment can affect secondary ion yields of matrix and dopant species in Si and GaAs. In light of these observations, the practice of normalizing SIMS dopant profiles to a matrix signal must be re-examined.

101,472

PB91-148155

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Strontium-Induced Oxygen Defect Structure and Hole Doping in La_{2-x}Sr_xCuO₄.

Final rept.

Z. Tan, M. E. Filipkowski, J. I. Budnick, E. K. Heller, D. L. Brewes, B. L. Chamberland, C. E. Bouldin, J. C. Woicik, and D. Shi. 1990, 4p

Sponsored by Department of Energy, Washington, DC. Pub. in *Physical Review Letters* 64, n22 p2715-2718, 28 May 90.

Keywords: *High temperature superconductors, *Superconductors, Strontium additions, Crystal defects, Doped materials, Polycrystalline, Reprints, *Lanthanum strontium cuprates, Lanthanum cuprates.

The authors have discovered that the apical oxygen with a 2.35-A La-O bond length is removed when La is substituted by Sr in polycrystalline La(2-x)Sr(x)CuO₄ under normal preparation conditions. This apical oxygen can be partially filled by oxygen annealing. It is reasoned that a defect oxygen is trapped at an interstitial site near the Sr atom. The authors present evidence that this defect oxygen is intrinsic to Sr doping, independent of processing conditions. The authors propose that this defect oxygen serves as a mechanism for hole doping similar to that in the superconducting oxygen-rich La₂CuO₄(4+y).

101,473

PB91-148189

Not available NTIS

National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Cryogenic Properties of Copper (Wall Chart).

Final rept.

C. A. Thompson, W. M. Manganaro, and F. R.

Fickett. 1990, 1p

Keywords: *Copper, *Copper alloys, *Graphs(Charts), *Magnetic properties, *Electrical resistivity, *Thermodynamic properties, Cryogenics, Magnetoresistivity.

The document is a wall chart prepared using data selected from the extensive literature on the low temperature properties of copper and from the author's measurements made over the past two decades. It is a successor to, and an update of, an earlier chart with the same title.

101,474

PB91-148205

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.

Final rept.

J. S. Wallace, E. R. Fuller, A. S. Raynes, S. W.

Freiman, J. E. Blendell, M. L. Balmer, and M. Hill.

1989, 13p

Pub. in *Proceedings of International Symposium on High Temperature Superconducting Compounds: Processing and Related Properties*, Las Vegas, NV., February 27-28, 1989, p597-609.

Keywords: *High temperature superconductors, *Superconductors, Fracture strength, Phase transformations, Microcracks, Toughness, Strains, Reprints, *Yttrium barium cuprates.

Mechanical reliability is an important aspect of the technological application of high-temperature ceramic superconductors. The paper discusses the strength and fracture behavior of Ba-Y-Cu-O superconducting ceramics, and, more importantly, the influence that the microstructures of these materials impart to the mechanical properties. The sintering conditions are seen to have a profound influence on the microstructure development in these materials. In addition, large internal strains can develop on cooling from the sintering temperature. These strains result either from the phase transformation that occurs during oxygenation or from anisotropy in the thermal expansion. Since strain-relief by plastic deformation or diffusion is generally not active below the sintering temperature in these materials, these strains are most easily accommodated by microcracking. Such microcracking was seen to have a profound influence on the strength behavior.

101,475

PB91-148916

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg, MD. Thermophysics Div.

Theory of Specific Heat of Solids.

Final rept.

A. P. Miller. 1988, 89p

Pub. in *Specific Heat of Solids*, Chapter 1, p1-89 1988.

Keywords: *Specific heat, Lattice vibrations, Band theory, Superconductors, Spin waves, Spin glass state, Kondo effect, Reviews, Reprints.

A review of the theory describing the contributions of the lattice vibrations, conduction electrons and various magnetic excitations to the specific heat of solids is presented. The lattice contribution is described in terms of a number of models based on the harmonic approximation, namely, the simple Einstein and Debye models and the more realistic Born-von Karman model. The effect of anharmonicity of the lattice vibrations and of the formation of lattice vacancies on the specific heat at elevated temperatures is also considered. The contribution of the conduction of the conduction electrons in their normal state is described in terms of the free electron model and deviations from free electron behavior due to band structure and many-body enhancement effects are also discussed. The results for the specific heat of superconducting-state electrons as predicted by classical thermodynamics and BCS theory are described. Discussions of theoretical results describing magnetic contributions include the topics: spin-wave specific heat, specific heat in the critical temperature region, Schottky anomalies and, the Kondo and spin-glass effects. An extensive list of references is included.

101,476

PB91-148932

Not available NTIS

National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Possible 'Proximity Matrix' Route to High Current Conductors.

Final rept.

J. Moreland, Y. Li, J. W. Ekin, and L. F. Goodrich.

1990, 9p

Sponsored by Department of the Navy, Washington, DC.

Pub. in *Advances in Cryogenic Engineering (Materials)*, v36 pA413-421 1990.

Keywords: *High temperature superconductors, *Superconducting films, *Yttrium barium cuprates, *Silver coatings, Electrical conductivity, Vacuum deposition, Proximity effect, Powder(Particles), Reprints.

The conductance of point contacts between the surfaces of superconducting YBa₂Cu₃O(7-delta) thin films is very low. This is probably due to a native insulating surface layer. The conductance of these point contacts can be markedly increased by vacuum depositing and subsequently annealing a thin layer of Ag into the surface of the films. The authors believe that what might be described as a normal-metal superconducting 'proximity matrix', is formed at the surface of the Ag coated YBa₂Cu₃O(7-delta) films. In the paper, they describe their efforts to adapt this method to YBa₂Cu₃O(7-delta) powder. In particular, they have developed a procedure for vacuum deposition of very thin Ag coatings onto the surface of YBa₂Cu₃O(X) powder grains. The Ag-treated powder is then pelletized, sintered, annealed, and cut to form small conducting bars for electrical transport testing.

101,477

PB91-149294

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.

Final rept.

R. V. Smilgys, D. J. Oostra, and S. R. Leone. 1990,

7p

Contract AFOSR87-0119

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.

Pub. in *Jnl. of Vacuum Science and Technology B* 8, n5 p1102-1108 Sep/Oct 90.

Keywords: *Gallium arsenides, *Interfaces, *Desorption, Laser induced fluorescence, Surface reactions, Silicon, Reprints, Thermal desorption.

The thermal desorption kinetics of Ga from initially As-terminated Si(100) is investigated using laser-induced fluorescence spectroscopy. During the Ga desorption process the surface does not remain fully As terminated because a significant fraction of the initial As coverage simultaneously desorbs with the Ga. The results on the GaAs system are compared with those previously reported on the InAs system, which show that In interacts with As on Si(100) less strongly than does Ga.

101,478

PB91-149328

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

Epitaxial fcc Fe Films on Cu(100).

Final rept.

D. A. Steigerwald, and W. F. Egelhoff. 1988, 1p

Pub. in *Physical Review Letters* 60, n24 p2558, 13 Jun 88.

Keywords: *Iron, *Epitaxial growth, Substrates, Metal films, Magnetic films, FCC lattices, Magnetism, Diffusion, Copper, Reprints.

A comment is given of a recent report on the magnetic properties of ultra-thin films of fcc Fe on Cu(001). The criticism is based on investigations of the epitaxial growth processes in terms of diffusion and segregation.

101,479

PB91-149898

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

Hall Effect.

Final rept.

S. M. Girvin. 1987, 2p

See also N87-28431.

Pub. in *McGraw-Hill Encyclopedia of Science and Technology*, p296-297 1987.

PHYSICS

Solid State Physics

Keywords: *Hall effect, Transport properties, Magnetic fields, Electrical conductivity, Reprints, *Quantum Hall effect.

The classical and quantum Hall effects are briefly defined and discussed.

101,480

PB91-149963 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.

Final rept.
S. E. Asher, A. J. Nelson, A. R. Mason, A. B. Swartzlander, R. Dhere, L. Kazmerski, J. Halbritter, T. E. Harvey, J. A. Beall, and R. H. Ono. 1990, 7p
Pub. in Proceedings of American Vacuum Society Fall Meeting, Boston, Ma., October 10-15, 1990, p205-211.

Keywords: *High temperature superconductors, *Superconducting films, *Yttrium barium cuprates, Strontium titanates, Annealing, Interfaces, Thin films, Reprints.

A multiple technique approach is used to study YBa₂Cu₃O₇ grown on SrTiO₃ as a function of post-deposition annealing temperature. X-ray diffraction data are used to determine the relative amounts of a-axis and c-axis oriented growth. These results are compared to the surface morphology of the films observed by SEM. Secondary ion mass spectrometry (SIMS) is used to study the diffusion of substrate elements into the YBCO films as a function of post-deposition annealing temperature. The data obtained from all these techniques are correlated to determine an optimized temperature for post-deposition annealing. The results of the study show that the desired c-axis oriented growth can be obtained with minimal diffusion of substrate elements into the film at annealing temperatures of 750 C.

101,481

PB91-149997 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD.
Emergence of Modern Nucleation Theory.
Final rept.
J. W. Cahn. 1987, 15p
Pub. in Materials Research Society Symposia Proceedings, v57 p41-55 1987.

Keywords: *Nucleation, *Crystal growth, Theories, Reprints.

A series of important papers by David Turnbull and his collaborators in the late 1940's and early 1950's laid the experimental and theoretical foundation of modern nucleation theory. The elegance, versatility, and generality of the phenomenological approach, coupled with brilliant and insightful experimental confirmation, sparked widespread application which continues today. Much of David Turnbull's subsequent work in other subjects grew directly or indirectly from that work.

101,482

PB91-150045 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation.
Final rept.
D. R. Clarke, C. M. Kroll, P. D. Kirchner, R. F. Cook, and B. J. Hockey. 1988, 4p
Pub. in Physical Review Letters 60, n21 p2156-2159, 23 May 88.

Keywords: *Germanium, *Silicon, Transmission electron microscopy, Electrical conductivity, Indentation, Reprints, *Amorphization.

The authors report the observation, by transmission electron microscopy, that single crystal silicon and germanium is converted to an amorphous state at room temperature directly under both Vickers and Knoop indentations. The effect is seen for crystal orientations of (brackets: 001), (brackets: 011) and (brackets: 111), and with applied loads between 0.1 N and 0.5 N. They also observe that the materials become electrically conducting under load and that the process is reversible on subsequent unloading and reloading. Furthermore, the transformed phase is found to make ohmic contact to the surrounding, untransformed, semiconductor.

101,483

PB91-158501 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.
Micromagnetic Calculations of 180 deg Surface Domain-Wall Magnetization Profiles with Comparison to Measurements.
Final rept.
J. L. Blue, and M. R. Scheinfein. 1990, 3p
See also PB91-107557. Sponsored by Office of Naval Research, Arlington, VA.
Pub. in Jnl. of Applied Physics 68, n12 p6504-6506, 15 Dec 90.

Keywords: *Domain walls, Scanning electron microscopy, Mathematical models, Ferromagnetism, Magnetization, Permalloys, Comparison, Reprints, Landau-Lifshitz-Gilbert equation, Surface magnetism, Micromagnetics.

The authors compare measurements of magnetization profiles across 180 deg surface domain walls in a permalloy ferromagnet with calculations from micromagnetic models. The models were solved both by relaxation and by a time-evolution calculation. The measurements were made using scanning electron microscopy with polarization analysis. The authors obtain good agreement without postulating any surface anisotropy effect. This is the first successful comparison between experiment and a time-evolution calculation of domain walls.

101,484

PB91-158642 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Quantum Metrology Group.
X-ray Interferometry and gamma-ray Wavelengths.
Final rept.
R. D. Deslattes. 1988, 16p
Pub. in Art of Measurement: Metrology in Fundamental and Applied Physics, p193-208 1988.

Keywords: *Interferometry, *X-rays, X-ray diffraction, Crystal structure, Silicon, Reprints.

The role of x-ray interferometry in linking the visible, x-ray and gamma-ray domains is briefly reviewed, and several applications are considered. Resolution of the conflict between two optical determinations of Si lattice periods is reported.

101,485

PB91-159020 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Gas and Particulate Science Div.
Modeling Electron Beam Interactions in Semiconductors.
Final rept.
D. Newbury. 1989, 40p
Pub. in SEM Microcharacterization of Semiconductors, Chapter 2, p29-68 1989.

Keywords: *Electron beams, *Semiconductors, Scanning electron microscopy, Beam interactions, Elastic scattering, Monte Carlo methods, Electron trajectories, Mathematical models, Analytic functions, Inelastic scattering, Reprints.

A quantitative description of electron beam - specimen interactions with solids forms the basis for developing models by which scanning electron microscope images of semiconductor materials and devices can be calculated. Elastic and inelastic scattering processes are considered, including both discrete and continuous energy loss descriptions. These processes can be described by analytic functions, and by considering both elastic and inelastic scattering, simulation of individual electron trajectories by Monte Carlo calculations is possible. Applications to specific problems of interest to semiconductor science and technology are described, including spatial resolution at interfaces, details of contrast in charge collection microscopy (electron beam induced conductivity), and energy deposition in solids.

101,486

PB91-159053 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.
Chemical Modification of the Orthorhombic Superconductor Ba₂YCu₃O_{7-delta}.
Final rept.
C. P. Ostertag, F. Beech, and E. R. Fuller. 1988, 10p
Pub. in Ceramic Transactions 1, n2 p501-510 1988.

Keywords: *High temperature superconductors, *Superconductors, Orthorhombic lattices, Chemical reactions, Modification, Silicon carbides, Acetone, Mullite, Reinforcing materials, Whiskers, Milling, Reprints, *Yttrium barium cuprates.

The superconducting orthorhombic phase of Ba₂YCu₃O_{7-delta} has been observed to undergo a low-temperature chemical reaction with acetone, when used as a milling medium. The chemically modified powder is non-superconducting. The orthorhombic structure and superconductivity can be fully regenerated by annealing in oxygen at 950 C. The modified powder is unstable against and reactive with potential reinforcing materials, such as silicon carbide and multi whiskers.

101,487

PB91-159129 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.
Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
Final rept.
J. J. Rhyne, D. A. Neumann, J. A. Gotaas, F. Beech, L. Toth, S. Lawrence, S. Wolf, M. Osofsky, and D. U. Gubser. 1987, 4p
Pub. in Physical Review B 36, n4 p2294-2297, 1 Aug 87.

Keywords: *High temperature superconductors, *Superconductors, *Phonons, Orthorhombic lattices, Neutron scattering, Atomic structure, Reprints, *Yttrium barium cuprates, Density of states.

Neutron scattering has been used to study the vibrational density of states and the atomic structure of the high temperature superconductor YBa₂Cu₃O₇. The oxygen atoms were found to occupy four sites and to form chains along the b axis direction of the orthorhombic Pmmn cell. The density of states shows a strong double peak at about 20 meV and a second major maximum near 70 meV with additional less-intense features present at intermediate energies.

101,488

PB91-159772 PC A05/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.
NIST Reactor: Summary of Activities July 1989 through June 1990.
Technical note.
C. O'Connor. Dec 90, 90p NIST/TN-1285
Also available from Supt. of Docs. as SN003-003-03057-1. See also PB90-169996.

Keywords: *NBSR reactor, Research reactors, Activation analysis, Cold neutrons, Crystal structure, Neutron diffraction, Neutron radiography, Nondestructive tests, High temperature superconductors, Polymeric films, Isotopes, Molecular dynamics, Magnetic semiconductors.

The report summarizes all those programs which use the NIST reactor. It covers the period for July 1989 through June 1990. The programs range from the use of neutron beams to study the structure and dynamics of materials, through nuclear physics and neutron standards to sample irradiations for activation analysis, isotope production, neutron radiography, and non-destructive evaluation.

101,489

PB91-161935 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.
Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects.
Final rept.
J. A. Borchers, M. B. Salamon, R. W. Erwin, J. J. Rhyne, and R. R. Du. 1991, 14p
Pub. in Physical Review B 43, n4 p3123-3136, 1 Feb 91.

Keywords: *Erbium, *Yttrium, Thin films, Superlattices, Molecular beam epitaxy, Magnetic properties, X ray scattering, Magnetization, Neutron diffraction, Comparison, Interfacial tension, Ferromagnetic materials, Magnetoelastic waves, Strain tests, Reprints.

Crystalline erbium thin films and Er/Y superlattices with varying Er-layer thicknesses have been grown by molecular-beam epitaxy. The magnetic and structural

properties of these samples have been analyzed by x-ray-scattering, bulk magnetization, and neutron-diffraction techniques. From a comparison of the data for the two systems, the importance of interfacial strain relative to artificial modulation in shaping the magnetic behavior has been determined. Though the basic nature of the erbium magnetic order is not qualitatively altered in either the thin films or superlattices, the conical ferromagnetic phase is suppressed in all of the samples considered. The enhanced critical fields exhibit a systematic dependence on Er-layer thickness. These effects appear to follow directly from the epitaxial basal-plane strain which is measurable in films over 14,000 Å thick. The strain, along with a 'clamping' of the Er thermal expansion to the Y lattice, leads to a reduction of the magnitude of the magnetoelastic energy that drives the ferromagnetic transition. The dependence of the magnetoelastic energy on the epitaxial strain is described by a model which accounts for the elastic coupling of the erbium lattice to the yttrium.

101,490

PB91-162172 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div. **Uses of Spin-Polarized Electrons in Fundamental Electron-Atom Collision Processes and the Analysis of Magnetic Microstructures.**
Final rept.

M. H. Kelley. 1990, 18p
Sponsored by Department of Energy, Washington, DC. Pub. in Australian Jnl. of Physics 43, p565-582 1990.

Keywords: *Electron-atom collisions, Electron scattering, Ferromagnetic materials, Magnetic storage, Microstructure, Reprints, *Electron spin polarization, Secondary electrons, Sodium atoms.

Two experimental programs are discussed which exploit the use of polarized electrons for studies of fundamental processes and physical properties. In one program, collisions between spin-polarized electrons and optically pumped sodium atoms provide a very detailed characterization of the spin-dependent interactions important in low-energy electron-atom collisions. The results of these measurements provide a critical test for the reliability of state-of-the-art electron scattering calculations. In the second program, the spin polarization of secondary electrons ejected by high-energy electron impact is used to determine the magnetic structure of ferromagnetic materials with very high spatial resolution (about 60 nm). The ability to perform such studies with high resolution has been exploited both in studies of the basic magnetic properties of ferromagnetic materials and in studies of how these basic properties affect the magnetic structure and performance of devices used for magnetic information storage.

101,491

PB91-162305 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div. **Micromagnetics of Domain Walls at Surfaces.**
Final rept.

M. R. Scheinfein, J. Unguris, J. L. Blue, K. J. Coakley, and D. T. Pierce. 1991, 28p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Physical Review B 43, n4 p3395-3422, 1 Feb 91.

Keywords: *Domain walls, Scanning electron microscopy, Bloch wall, High resolution, Nickel rich permalloy, Magnetic films, Single crystals, Iron, Reprints, Surface magnetism, Neel wall.

High-spatial-resolution magnetization maps of ferromagnetic surfaces are generated with use of scanning electron microscopy with polarization analysis (SEMPA). The structure of surface Neel walls is measured by SEMPA and compared directly to the results of micromagnetics simulations. The authors find that the surface magnetic properties observed with SEMPA can be modeled using standard micromagnetic theory using only bulk parameters. Surface-domain-wall magnetization profiles were measured, using two different probe diameters in each case, for an Fe(100) single crystal and for Permalloy films with thicknesses of 0.12, 0.16, 0.20, and 0.24 micrometer. The micromagnetic simulations show the 180 deg wall of the bulk turning over into a Neel wall at the surface with the magnetization in the plane of the surface. The Neel wall extends from the surface into the bulk over a depth approximately equal to a Bloch-wall width.

101,492

PB91-162313 Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Semiconductor Electronics Div.

Narrow-Gap Semiconductors and Related Materials.

Final rept.

D. G. Seiler, and C. L. Littler. 1990, 345p

See also AD-A223 534.

Pub. in Jnl. of Semiconductor Science and Technology 5, n5 pS1-S345 May 90.

Keywords: *Narrow gap semiconductors, *Semiconductors, *Meetings, Reprints.

An introduction to the Conference on Narrow Gap Semiconductors and Related Materials held in Gaithersburg, MD, June 12-15, 1989 is given.

101,493

PB91-174532 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Radiation Physics Div.

Book Review: Polarized Electrons at Surfaces by J. Kirschner.

Final rept.

R. J. Celotta. 1986, 1p

Pub. in Applied Optics 25, n12 p1860, 15 Jun 86.

Keywords: *Surfaces, Polarization(Spin alignment), Reprints, *Electron spin polarization, Surface magnetism, Book reviews.

The article reviews the book entitled 'Polarized Electrons at Surfaces' by J. Kirschner.

101,494

PB91-174557 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.

Final rept.

J. H. Chiou, J. D. Lee, and A. G. Erdman. 1990, 15p
Pub. in Computers and Structures 36, n4 p631-645 1990.

Keywords: *Plastic properties, *Three dimensional models, *Computer calculations, Mathematical models, Elastic properties, Plastic deformation, Strain rate, Finite element method, Numerical solution, Reprints.

In recent years the progress in computational mechanics has made it possible to adopt more sophisticated constitutive models for solving complicated plasticity problems. For the formulation of elastic-plastic theory at finite strain, E. H. Lee decomposed the deformation gradient into a product of the elastic and plastic parts instead of assuming that the strain rate is the combination of the elastic and plastic strain rates. A finite element model has been formulated based on E. H. Lee's theory. Accordingly, a three-dimensional general purpose finite element software package has been developed. The simple tension problem and the simple shear problem are solved as examples so that the numerical solutions and the exact analytical solutions can be compared. Finally, a tensile test of a thin-walled aluminum alloy tube is solved and compared with the experimental data. The good agreement between the finite element solution and the experimental data demonstrates the validity and applicability of the proposed numerical model.

101,495

PB91-174698 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

XPS and Auger Forward Scattering in Epitaxial Films.

Final rept.

W. F. Egelhoff. 1987, 1p

Pub. in Physics Today, pS-69 Jan 87.

Keywords: *X ray photoelectron spectroscopy, *Interfaces, *Epitaxy, Forward scattering, Auger electrons, Thin films, Copper, Nickel, Reprints.

Very recently, a phenomenon long known in angle-resolved x-ray photoelectron spectroscopy (XPS) has been reinterpreted. The new interpretation is that XPS peak intensities are enhanced at angles corresponding to axes connecting the photoemitting atom to its immediate neighboring atoms. These enhanced intensities thus identify the bond axes present near the surface. In the paper, examples are presented of the great power of the 'XPS searchlight' effect as a new tool for studying epitaxy and interfaces.

101,496

PB91-175232 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.

Models for Oxygen Ordering and Diffusion in Ba₂YCu₃O_x and Ba₂YCu₃-yMyO_x (M = Fe, Co, Al, Ga).

Final rept.

A. Santoro. 1990, 4p

Pub. in Materials Research Society Symposia Proceedings, v169 p185-188 1990.

Keywords: *High temperature superconductors, Vacancies(Crystal defects), Twinning, Substitutes, *Superconductors, Reprints, *Yttrium barium cuprates.

One of the most important aspects of the structure of Ba₂YCu₃O_x is the local arrangement of the oxygen atoms on the basal plane of the unit cell for compositions comprised between $x = 6.0$ and $x = 7.0$ (the 'basal plane' is defined by the copper atoms forming the Cu-O₂ chains). The paper discusses, from a geometric point of view, models of vacancy formation and ordering in the pure compound, and possible configurations of the oxygen atoms in metal doped materials. These models take into account the existence of twinning in samples of composition $6.5 < x < 7.0$, are consistent with the observed movement of the twin walls occurring when the oxygen stoichiometry is varied and explain the symmetry and the composition of the metal doped compounds. As the oxygen atoms relevant in the study are those located on the basal plane of the structure, in what follows one needs to consider only the atomic configuration on the plane and one may ignore all the other atoms in the unit cell.

101,497

PB91-175323 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Radiation Physics Div.

Book Review: 'Polarized Electrons at Surfaces' by J. Kirschner.

Final rept.

D. T. Pierce. 1986, 1p

Pub. in Jnl. of the Optical Society of America B 3, n7 p1040 Jul 86.

Keywords: *Surfaces, Magnetic materials, Polarization(Spin alignment), Polarized beams, Reprints, *Electron spin polarization, Book reviews, Surface magnetism.

The application of electron spin polarization to the study of surfaces is a highly exciting and rapidly growing research area. The monograph gives the author's incisive and up-to-date (as of 1984) view of the field. The book has four main parts: Basic Concepts, Experimental Considerations, Results from Non-Magnetic Crystals, and Results from Magnetic Materials. The book is sufficiently self-contained to provide an introduction to the field, for students at the graduate level, for example, as well as to serve as a useful reference work.

101,498

PB91-175554 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.

Final rept.

D. Marton, J. Fine, and G. P. Chambers. 1989, 5p
Pub. in Materials Science and Engineering A115, p223-227 1989.

Keywords: *Silver, Auger electron spectroscopy, Metal films, Thin films, Nickel, Reprints, *Radiation enhanced diffusion, Multilayers.

Radiation-enhanced diffusion (RED) was observed during the Auger electron spectroscopy sputter depth profiling of multilayered Ag/Ni thin films. Broadening of the thin (4 nm) silver layers occurred during sputter profiling and resulted in silver Auger intensity profiles for each of these five layers which were asymmetric, exhibiting a steep leading edge followed by a more slowly decreasing tail. These findings can be interpreted in terms of interface broadening due to two main factors: (1) surface roughening-symmetric broadening; (2) RED of silver-asymmetric broadening. With the model, it has been possible to separate these factors and to determine the rate of RED.

PHYSICS

Solid State Physics

101,499
PB91-175612 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Gaithersburg, MD. Surface Science Div.
Electron Attenuation Lengths at SiO₂/Si Interfaces.
 Final rept.
 J. A. Yarmoff, S. A. Joyce, E. Cartier, and F. R. McFeely. 1990, 7p
 Pub. in Jnl. of Electron Spectroscopy and Related Phenomena 52, p221-227 1990.

Keywords: *Silicon dioxide, *Electron transport, Electron phonon interactions, Kinetic energy, EV range 1-10, EV range 10-100, Photoemission, Interfaces, Reprints, Attenuation length.

The attenuation length, λ , was measured as a function of kinetic energy for low energy electrons (8-70 eV) traveling through SiO₂ with the use of core-level soft x-ray photoemission. Two oxides of different thickness were compared, and the extra attenuation resulting from the additional oxide on the thicker sample was used to determine the attenuation length. The curve resulting from an analysis which employs an exponential attenuation model displays a minima at an electron kinetic energy of about 35 eV, which is a result of scattering from the bulk plasmon. Below 35 eV, λ increases and reaches a local maxima at about 20 eV, at which point λ begins to decrease again. The decrease in λ at low electron energies arises in part from electron-phonon scattering. This is confirmed by the shape of the bulk Si 2p photoemission peak observed on the thicker oxide sample, which is distorted by the phonon-induced loss processes.

101,500
PB91-178822 PC A23/MF A03
 National Inst. of Standards and Technology, Gaithersburg, MD.
Chemistry of Electronic Ceramic Materials.
 Final rept.
 P. K. Davies, and R. S. Roth. Jan 91, 535p NIST/SP-804
 Also available from Supt. of Docs. Prepared in cooperation with Pennsylvania Univ., Philadelphia. Sponsored by National Aeronautics and Space Administration, Washington, DC, Office of Naval Research, Arlington, VA., and Idaho National Engineering Lab., Idaho Falls.
 Proceedings of the International Conference on the Chemistry of Electronic Ceramic Materials. Held in Jackson, Wyoming on August 17-22, 1990.

Keywords: *Meetings, *Ceramics, *Superconductors, *Dielectric materials, Dielectric properties, Surface chemistry, Synthesis(Chemistry), Characterization, Crystal growth, Perovskites, Oxides, Computerized simulation.

Partial Contents: Chemical reaction controlled microstructures and properties of ferroelectric ceramics; Chemistry and properties of temperature compensated microwave dielectrics; Molecular chemistry and the synthesis of precursors to electronic ceramic materials; Polymeric synthesis of perovskite powders and films; Electrodeposition of nanomodulated electronic ceramic thin films; Properties of some mixed uranium oxides; The kinetics and mechanism of the crystallization of Mg₂Al₄Si₅O₁₈ from MgAl₂O₄ and SiO₂ in the presence of a bismuth oxide flux; Alkaline earth nitrides and hydrides; Oxygen diffusion in Y₂O₃-containing tetragonal zirconia polycrystals (Y-TZP); Microstructures in high temperature superconductors; Calorimetric studies of ceramics; Surface energy barrier formed by adsorbed oxygen in porous ZnO; A scanning tunneling microscopy study of single crystal ZnO and TiO₂ surfaces; Computer simulation studies of electronic ceramics; Molecular dynamics simulations of ion motion in divalent and mixed monovalent-divalent beta'-alumina.

101,501
PB91-187294 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD.
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal.
 Final rept.
 J. W. Cahn, D. Gratias, and B. Mozer. 1988, 9p
 Pub. in Jnl. of Physics 49, n7 p1225-1233 1988.

Keywords: *Crystal models, Aluminum manganese alloys, Silicon containing alloys, X-ray diffraction, Reprints, *Quasicrystals, Icosahedral phase.

A 6-dimensional (6-D) periodic model is proposed for the Al-Mn-Si icosahedral quasicrystalline crystal. The model results from an embedding of the periodic cubic alpha structure in 6-D. In the Janner-Janssen-Bak description, it consists of three concentric spherical shells of respectively Mn, Al and Al aligned in perpendicular space around the lattice nodes and two additional shells of Al around the body centers. The model is shown to match the X-ray powder diffraction data with a satisfactory residual R-factor of 0.128.

101,502
PB91-187344 Not available NTIS
 National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
 Final rept.
 C. K. Chiang, L. P. Cook, P. K. Schenck, P. S. Brody, and J. M. Benedetto. 1990, 7p
 Pub. in Proceedings of Materials Research Society Symposium Ferroelectric Thin Films, San Francisco, CA., April 16-20, 1990, v200 p133-139.

Keywords: *Lead zirconate titanates, *PZT, Ferroelectric materials, Dielectric properties, Electrical resistivity, Thin films, Reprints, Laser ablation.

Lead zirconate-titanate (PZT) thin films were prepared by the laser ablation technique. The PZT (Zr/Ti=53/47) target was irradiated using a focused q-switched Nd:YAG laser (15 ns, 100 mJ at 1.064 micrometers). The as-deposited films were amorphous as indicated by X-ray powder patterns, but crystallized readily with brief annealing above 650C. The dielectric constant and the resistivity of the crystallized films were studied using a parallel-plate type capacitor structure.

101,503
PB91-187351 Not available NTIS
 National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Levitation of Superconducting Composites.
 Final rept.
 C. K. Chiang, M. Turchinskaya, L. J. Swartzendruber, R. D. Shull, and L. H. Bennett. 1990, 5p
 Pub. in Proceedings of Advances in Materials Science and Applications of High Temperature Superconductors, Greenbelt, MD., April 2-6, 1990, p181-185.

Keywords: *High temperature superconductors, *Superconducting composites, Electrical resistivity, Magnetic susceptibility, Magnetic hysteresis, Flux pinning, Levitation, Reprints, *Yttrium barium cuprates, *Cyanocrylate.

The inverse levitation of a high temperature superconductor-polymer composite consisting of powdered quench-melt-growth Ba₂Cu₃O₇(δ) and cyanocrylate is reported. Magnetic hysteresis loop measurements for the composite are compared to those measured for the bulk material prior to powdering. Differences in the flux pinning capability between the two material forms are small but significant.

101,504
PB91-187369 Not available NTIS
 National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Ceramics Div.
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
 Final rept.
 C. K. Chiang, W. Wong-Ng, L. P. Cook, S. W. Freiman, N. M. Hwang, M. Vaudin, M. D. Hill, R. D. Shull, A. J. Shapiro, L. J. Swartzendruber, and L. H. Bennett. 1990, 10p
 Pub. in Proceedings of Advances in Materials Science and Applications of High Temperature Superconductors, Greenbelt, MD., April 2-6, 1990, p127-136.

Keywords: *High temperature superconductors, *Superconductors, Magnetic susceptibility, Electrical resistivity, Amorphous state, Crystallization, X-rays, Reprints, *Bismuth strontium calcium cuprates.

The bismuth-based high-T(c) superconductors can be processed via an amorphous Bi-Pb-Sr-Ca-Cu oxide. The amorphous oxides were prepared by melting the constituent powders in an alumina crucible at 1200 C in air, followed by pouring the liquid onto an aluminum plate, and rapidly pressing with a second plate. In the amorphous state, no crystalline phase was identified in the powder X-ray diffraction pattern of the quenched materials. After heat treatment at high temperature, the amorphous materials crystallized into a glass-ceramic containing a large fraction of the

Bi₂Sr₂Ca₂Cu₃O(x) phase (T(c)=110K). The processing method, crystallization, and results of dc electrical resistivity and ac magnetic susceptibility measurements are discussed.

101,505
PB91-187377 Not available NTIS
 National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Reactor Radiation Div.
Magnetic Ordering of Er in Powder and Single Crystals of ErBa₂Cu₃O₇.
 Final rept.
 T. W. Clinton, and J. W. Lynn. 1991, 4p
 Pub. in Physica C 174, p487-490 1991.

Keywords: *High temperature superconductors, *Superconductors, Temperature measurement, Powder(Particles), Single crystals, Reprints, *Erbium barium cuprates, *Magnetic ordering.

A comment is made on the article '2D and 3D Magnetic Ordering of Er in ErBa₂Cu₃O(x) (6 = or < x = or < 7)', by Maletta, et al. We point out that our originally published Meissner Effect data conclusively shows that our sample is fully superconducting, contrary to their assertion. Secondly, we note that our temperature measurements are done via a standard four-probe resistance measurement, which gives a correct value for the resistance of the calibrated thermometer, while their resistance measurements yield values which are systematically high, thus providing an incorrect temperature scale. Hence their own thermometry is in error rather than ours, contrary to their assertion.

101,506
PB91-189258 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.
X-ray Photoelectron Forward Scattering Studies of Surface Segregation in Epitaxial Cu-Ni-Ni(100) Sandwich Structures.
 Final rept.
 W. F. Egelhoff. 1989, 5p
 Pub. in Jnl. of Vacuum Science and Technology A 7, n3 p2060-2064 1989.

Keywords: *Surfaces, Electron scattering, Metal films, Photoelectrons, Separation, Epitaxy, Copper, Nickel, X-rays, Reprints, Multilayers.

The forward scattering of the Cu 2p(3/2) core level photoelectrons by overlying Ni lattice atoms which occurs in the photoemission process has been used to follow the segregation of Cu to the surface in epitaxial Ni-Cu-Ni(100) sandwich structures. When 1-monolayer of Cu is covered by 1-2 monolayers (ML) of Ni, surface diffusion processes constitute the mechanism by which the segregation occurs, whereas if 1 ML Cu is covered by 10 ML Ni or more, the segregation involves the usual bulk (vacancy) diffusion mechanism.

101,507
PB91-189506 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.
Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension.
 Final rept.
 C. Y. Huang, Y. Shapira, E. J. McNiff, P. N. Peters, B. B. Schwartz, M. K. Wu, R. D. Shull, and C. K. Chiang. 1988, 6p
 Pub. in Modern Physics Letters B 2, n7 p869-874 Aug 88.

Keywords: *High temperature superconductors, *Superconducting composites, Magnetic hysteresis, Flux pinning, Magnetization, Levitation, Silver oxides, Reprints, *Yttrium barium cuprates.

The authors have measured the magnetization M of superconducting YBa₂Cu₃O(x)-AgO composites with T(c) approximately equal to 92 K as a function of an applied magnetic field H at 77 and 87 K. A very pronounced M-H hysteresis loop occurs even at 87 K, indicating the presence of extremely strong pinning centers. The results of these measurements, together with a simple model, explain qualitatively why these superconductors could be suspended below a magnet.

101,508
PB91-189589 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.

Final rept.
B. F. Kim, J. S. Wallace, L. J. Swartzendruber, J. Bohandy, L. H. Bennett, F. J. Adrian, E. Agostinelli, W. J. Green, K. Mooljani, R. D. Shull, and T. E. Phillips. 1988, 3p
Pub. in Applied Physics Letters 53, n4 p321-323 1988.

Keywords: *High temperature superconductors, *Superconducting films, Electrical resistivity, Thin films, Reprints, *Bismuth strontium calcium cuprates, Laser ablation, Microwave absorption.

Thin films of Bi-Sr-Ca-Cu-O, deposited on (100) cubic zirconia by laser ablation from a bulk superconducting target of nominal composition BiSrCaCu₂O(x), have been investigated by dc resistance and magnetically modulated microwave absorption measurements. The latter technique reveals important features regarding the phase purity of superconducting samples that are masked in the dc resistance measurements. The superconducting behavior of the films, as a function of the substrate temperature during deposition and the post-deposition annealing conditions, is discussed.

101,509
PB91-189647 Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Chemical Process Metrology Div. **Sputtered Thin Film YBa₂Cu₃O_n.**

Final rept.
K. G. Kreider, J. P. Cline, A. Shapiro, J. L. Pena, A. Rojas, J. A. Azamar, L. Maldonado, and L. Del Castillo. 1988, 8p
Pub. in Proceedings of Topical Conference on High T_c Superconducting Thin Films, Devices and Applications of the American Vacuum Society, Atlanta, GA., September 1988, p53-60.

Keywords: *High temperature superconductors, *Superconducting films, Temperature dependence, Partial pressure, Stoichiometry, Substrates, Oxygen, Sputtering, Thin films, Reprints, *Yttrium barium cuprates.

The study was carried out to determine the effect substrate temperature, target to substrate angle, and the partial pressure of oxygen in the sputtering atmosphere on the stoichiometry. Films were deposited by planar magnetic sputtering of stoichiometric 1:2:3 pressed and sintered targets on MgO, ZrO₂(Y) and ZrO₂ coated Al₂O₃ substrates. DEX and WDS were used to determine the chemical composition of the thin films. X-ray diffraction was used to identify the structure after film crystallization at 1175K and oxidation at 800K. The partial pressure of oxygen appears to have the most profound effect on the stoichiometry by lowering the barium content. Negative ion resputtering of the growing film apparently also slows film growth rate. Films deposited on alumina circuitboard with a ZrO₂ barrier layer have demonstrated transitions to superconducting behavior at 95K when the stoichiometric ratio is preserved.

101,510
PB91-189654 Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Ceramics Div. **Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation.**

Final rept.
M. Kuriyama, R. C. Dobbey, and B. W. Steiner. 1989, 15p
Pub. in Annual Review of Materials Science 19, p183-207 1989.

Keywords: Synchrotron radiation, X-rays, Topography, Electrooptics, Reprints, *Diffraction imaging.

New materials with enormous practical interest are now being produced in industry by far more sophisticated processing methods than those used a decade ago. The structure of these advanced materials is not in a 'stable' state normally found in nature. Even traditional structural materials used for familiar industrial components are virtually all frozen configurationally from states that are metastable or unstable before freezing. Moreover, some materials contain non-equilibrium atomic level dispersions of impurities and topologically metastable structures. In the areas of electronics and electrooptics, materials have already been made with structural control at the atomic level. The wide use of single crystals and single crystal layers as industrial materials requires precise information on atomic behavior during modern processing, such as Czochralski growth and chemical vapor deposition.

Success with such 'high-tech' materials requires the knowledge of new ways to arrange atoms in order to achieve the desired properties.

101,511
PB91-189662 Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Streaking Images That Appear Only in the Plane of Diffraction in Undoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation.

Final rept.
M. Kuriyama, U. Laor, D. Larson, R. C. Dobbey, M. Brown, and B. Steiner. 1988, 7p
See also N88-30437.
Pub. in Physical Review B 38, n17 p2421-2427 1988.

Keywords: Monochromatic radiation, Synchrotron radiation, Gallium arsenides, Single crystals, Topography, Reprints, *Diffraction imaging.

Streaking images restricted to the direction of the diffraction (scattering) vector have been observed on transmission through undoped GaAs. These disruption images (caused by the reduction of diffraction in the direction of observation) appear both in the forward and in Bragg diffracted directions in monochromatic synchrotron radiation diffraction imaging. This previously unobserved phenomenon can be explained in terms of the effective volume of planar defects or platelets which affects the absorption coefficient in anomalous transmission. Such regions of the crystal look perfect despite the presence of imperfections when the scattering vector is not perpendicular to the normal of the platelets.

101,512
PB91-189670 Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La₂-xSr_xCuO₄.

Final rept.
R. L. Kurtz, T. E. Madey, L. Toth, R. Stockbauer, A. Shih, and D. Mueller. 1988, 4p
Pub. in Physical Review B 37, n13 p7936-7939 1988.

Keywords: *High temperature superconductors, *Superconductors, *Chemisorption, Photoelectron spectroscopy, Ultraviolet spectroscopy, Water vapor, Carbon dioxide, Carbon monoxide, Oxygen, Degradation, Surfaces, Reprints, *Lanthanum strontium cuprates.

The initial stages of degradation of high-T_c superconductor surfaces by interaction with atmospheric gases have been studied using ultraviolet photoelectron spectroscopy. O₂ has little effect, while H₂O adsorbs dissociatively with an initial sticking coefficient S(0) 1, and forms a surface hydroxide. CO₂ adsorbs forming a carbonate-like surface species with an initial sticking coefficient of 0.3. CO is observed to result in similar adsorbed surface species with a much lower sticking coefficient of 0.0003.

101,513
PB91-189688 Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Surface Science Div.

Electronic Structure of High-T_c Superconductors Studied Using Photoelectron Spectroscopy.

Final rept.
R. L. Kurtz, S. W. Robey, R. L. Stockbauer, D. Mueller, A. Shih, L. Toth, A. K. Singh, and M. Osafsky. 1989, 5p
Pub. in Vacuum 39, n7-8 p611-615 1989.

Keywords: *High temperature superconductors, *Electronic structure, *Superconductors, Photoelectron spectroscopy, Synchrotron radiation, Valence bands, Photoemission, Stoichiometry, Carbon dioxide, Carbon monoxide, Water vapor, Oxygen, Surfaces, Reprints, Lanthanum strontium cuprates, Yttrium barium cuprates, Bismuth strontium calcium cuprates, Thallium barium calcium cuprates.

Fundamental information about the structure of the valence band and the chemical valence states of the various constituents of the La-Sr-Cu, Y-Ba-Cu, Bi-Sr-Ca-Cu and Ti-Ca-Ba-Cu oxides have been obtained using photoelectron spectroscopy. These results show that the one-electron theories do not adequately describe the electronic structure of these superconductors. The atomic origins of the features observed in the valence

bands have been investigated by studying photoemission resonances and changes in excitation cross-sections with photon energy. Results to date suggest that these materials have varying densities of states at the Fermi level, valence bands composed of O 2p and Cu 3d states, and display no significant changes in the band structure associated with the superconducting behavior when the temperature is lowered below T_c. In addition, the complex surface chemistry of these oxides make it essential to study the surface stoichiometry and the interaction of simple molecules. O₂ and CO are found to interact only weakly with the surfaces of the materials studied to date, while H₂O and CO₂ react strongly, forming hydroxides and carbonates.

101,514
PB91-189787 Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Reactor Radiation Div.

Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.

Final rept.
J. W. Lynn, I. W. Sumarlin, D. A. Neumann, J. J. Rush, J. L. Peng, and Z. Y. Li. 1991, 4p
Pub. in Physical Review Letters 66, n7 p919-922, 18 Feb 91.

Keywords: *High temperature superconductors, *Superconductors, Neutron scattering, Inelastic scattering, Electron tunneling, Phonons, Reprints, *Neodymium cerium cuprates, Density of states.

Inelastic-neutron-scattering techniques have been used to measure the generalized phonon density of states in superconducting Nd_{1.85}Ce_{0.15}CuO₄. There is reasonable agreement at low energies between the authors' measurements and recent point-contact-tunneling density-of-states measurements reported by Huang et al., which suggests that phonons play a major role in pairing in the electron-superconductor systems. The correspondence at higher energies, however, is not particularly good, but probably reflects the difficulty in obtaining quantitative tunneling data.

101,515
PB91-189928 Not available NTIS

National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Precision Engineering Div.

Microchannel-Plate Detection Systems for Low Accelerating Voltage SEM.

Final rept.
M. T. Postek. 1991, 8p
Pub. in Hitachi Instrument News, p3-10 Feb 91.

Keywords: *Scanning electron microscopy, *Microchannel electron multipliers, Secondary emission, Electron scattering, Line width, Reprints.

Microchannel-plate electron detector systems provide a high gain, low noise capability for low-voltage scanning electron microscopy for the collection of both secondary and backscattered electrons. Coupled with field emission scanning electron microscopes, such as the Hitachi S-800 and the Hitachi S-4000, microchannel-plate detector systems enable the investigation of secondary electron induced contrast mechanisms and backscattered electron detection at extremely low accelerating voltages (i.e., below 1.0 keV for an array of new applications in scanning electron microscopy).

101,516
PB91-189969 Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Gas and Particulate Science Div.

Fe Implantation in In_{0.53}Ga_{0.47}As/InP.

Final rept.
M. V. Rao, D. S. Simons, P. E. Thompson, N. R. Keshavarzania, J. M. Kuo, P. M. Amirtharaj, and T. Y. Chang. 1989, 5p
Pub. in Jnl. of Applied Physics 65, n2 p481-485 1989.

Keywords: *Ion implantation, *Iron, Indium phosphides, Annealing, Reprints, *Gallium indium arsenides, Secondary ion mass spectroscopy, Depth profiles, Photoreflectance.

Single and multiple energy Fe ion implants are performed in n-type InGaAs. Rapid thermal and furnace anneals are used to activate the implanted material. Surface Fe accumulation, multiple Fe peaks and deep in-diffusion of Fe are observed in the secondary ion mass spectrometry depth profiles of the implanted material. The crystal lattice perfection of the annealed

PHYSICS

Solid State Physics

material is evaluated qualitatively by photoreflectance measurements.

101,517

PB91-19090

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div. Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.

Final rept.

L. J. Whitman, J. A. Strosio, R. A. Dragoset, and R. J. Celotta. 1991, 4p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Physical Review Letters 66, n10 p1338-1341, 11 Mar 91.

Keywords: *Chemisorption, *Cesium, Scanning tunneling microscopy, Indium antimonides, Gallium arsenides, Superlattices, Adsorption, Surfaces, Reprints.

The authors report the structural and electronic properties of Cs adsorbed on room-temperature GaAs and InSb (110) surfaces as observed with scanning tunneling microscopy. Cs initially forms long one-dimensional (1D) zigzag chains on both surfaces. Additional Cs adsorption on GaAs(110) results in the formation of a 2D overlayer consisting of five-atom Cs polygons arranged in a c(4x4) superlattice. The tunneling gap measured over these insulating structures narrows with the transition from 1D to 2D, with metallic characteristics observed following saturation with a second Cs overlayer.

101,518

PB91-194662

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Electromagnetic Technology Div. YBa₂Cu₃O_{7-δ}/Insulator Multi-Layers for Crossover Fabrication.

Final rept.

J. A. Beall, M. W. Cromar, T. E. Harvey, M. E. Johansson, and R. H. Ono. 1991, 4p
Sponsored by Defense Advanced Research Projects Agency, Arlington, VA.
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Magnetics 27, n2 p1596-1599 Mar 91.

Keywords: *High temperature superconductors, *Superconducting films, Strontium titanates, Thin films, Substrates, Dielectrics, Crossovers, Reprints, *Yttrium barium cuprates, Laser ablation, Multilayers.

The development of thin-film dielectrics compatible with the epitaxial growth of YBa₂Cu₃O_{7-δ}(YBCO) is crucial to the fabrication of multi-layer device and circuit structures. The authors have investigated the YBCO/SrTiO₃(STO) system by fabricating YBCO/STO bilayers and simple YBCO/STO/YBCO crossover structures. The thin films were deposited in situ by pulsed laser deposition and analyzed using x-ray diffraction and scanning electron microscopy. The film interfaces were characterized by secondary ion mass spectrometry (SIMS) depth profiling. They have developed photolithographic and wet-etching processes for patterning the crossovers which are compatible with these materials. The crossover structures were characterized by resistance and insulator pinhole density as well as the superconducting properties of the patterned top and bottom YBCO electrodes (critical temperature, T_c and critical current density, J_c). Using SrTiO₃ as the insulating layer, they have made crossovers with good isolation between layers (> 100 Megohm) and high J_c even in the top electrode (J_c(76 K) > 100,000 A/cm squared).

101,519

PB91-194704

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Electromagnetic Technology Div. Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 GHz.

Final rept.

R. W. Cross, C. E. Patton, G. Srinivasan, J. G. Booth, and M. Chen. 1991, 5p
Contract USAF-F19628-85-0002
Sponsored by Rome Air Development Center, Griffiss AFB, NY.
Pub. in Jnl. of Applied Physics 69, n3 p1569-1573, 1 Feb 91.

Keywords: *Yttrium iron garnets, Ferromagnetic resonance, Ultrahigh frequency, Spin waves, Line width, Thin films, Damping, Reprints.

Subsidiary absorption butterfly curves of spin-wave instability threshold versus static in-plane field have been obtained for yttrium iron garnet (YIG) thin films at 3 GHz. The butterfly curves have been found to be rather anomalous, typically displaying a pronounced dip and a very low minimum threshold. These anomalous features are attributed to the overlap of the subsidiary absorption field region with ferromagnetic resonance (FMR). First-order instability theory was extended to include the uniform mode response near FMR. The extended theory yields good fits to the data for reasonable values of the YIG FMR linewidths. The theoretical analysis also shows a predicted flip in the azimuthal propagation angle $\phi(\text{sub } k)$ for the unstable spin waves in the region of FMR overlap. With increasing field, there are predicted discontinuous changes in $\phi(\text{sub } k)$ from 90 deg. to 0 deg. and back to 90 deg. in the region of FMR.

101,520

PB91-194738

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Radiation Physics Div.

Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.

Final rept.

D. L. Ederer, L. R. Canfield, T. A. Callcott, K. L. Tsang, C. H. Zhang, and E. T. Arakawa. 1988, 5p
See also DE89001207.
Pub. in Proceedings of SPIE (Society of Photo-Optical Instrumentation Engineers) - X-ray Vac. Ultraviolet Interact. Data Bases, Calc., Meas., v911 p75-79 1988.

Keywords: *Electronic structure, High temperature superconductors, Aluminum manganese alloys, X-ray fluorescence, X-ray spectroscopy, Soft x-rays, Synchrotron radiation, Absorption spectra, Emission spectra, Band theory, Reprints, Lithium aluminides, Quasicrystals.

The technique of soft x-ray fluorescence spectroscopy (SXE) is complementary to that of photoemission spectroscopy (PES). SXE probes the local partial density of states (PDOS), selects dipole allowed symmetries, and is not necessarily surface sensitive. PES on the other hand, averages over the DOS and can be used to measure the dispersion of the energy bands. PES is also very surface sensitive. The authors present measurements on the high T_c superconductors, the quasicrystalline phase of AlMn, and the LiAl intermetallic alloy. These measurements provide insight for theoretical modeling. In the case of the high T_c compound and the intermetallic compound, the measurements are in good agreement with the theory. However, for the quasicrystals, the measurements provide new insights to challenge theory.

101,521

PB91-194753

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Electromagnetic Technology Div.

Current Record in Superconductors.

Final rept.

J. W. Ekin, K. Salama, and V. Selvamanickam. 1991, 1p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Nature 350, p26, 7 Mar 91.

Keywords: *High temperature superconductors, *Critical current, *Superconductors, Magnetic fields, Reprints, *Yttrium barium cuprates.

The authors report the first direct demonstration that high transport J_c can be achieved in bulk melt-grown YBa₂Cu₃O₇ at magnetic fields up to 30 T at liquid nitrogen temperature.

101,522

PB91-194779

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div. System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.

Final rept.

P. N. First, J. A. Strosio, D. T. Pierce, R. A. Dragoset, and R. J. Celotta. 1991, 6p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Jnl. of Vacuum Science and Technology B 9, n2 p531-536 Mar/Apr 91.

Keywords: *Scanning tunneling microscopy, *Ferromagnetic materials, Magnetic films, Magnetization, Feasibility, Reprints, Electron spin polarization, Secondary electrons.

A report of work in progress to determine the feasibility of imaging the magnetization of ferromagnetic samples with the scanning tunneling microscope (STM) is presented. A vacuum system was designed to test several different proposals as well as to prepare and characterize thin films of magnetic materials by conventional means, including STM. This was begun with an attempt to detect spatially resolved spin-polarization of secondary electrons emitted from the sample when operating the STM in the scanning field emission mode. Results are currently inconclusive, but encouraging. A weak spin-polarization signal has been observed corresponding to one of the in-plane components of magnetization. However, topographic feedthrough has not been fully eliminated as a possible spurious source of contrast.

101,523

PB91-194860

Not available NTIS

National Inst. of Standards and Technology (MSEL), Boulder, CO. Fracture and Deformation Div.

Group and Phase Sound Velocities in an EuBa₂Cu₃O₇ Superconductor and Related Perovskite Oxides.

Final rept.

H. Ledbetter, C. M. Fortunko, and S. Lin. 1990, 5p
Pub. in Proceedings of Ultrasonics Symposium, Honolulu, HI., December 4-7, 1990, p1215-1219.

Keywords: *Acoustic velocity, *Superconductors, Barium titanates, Strontium titanates, Phase velocity, Group velocity, Ultrasonic radiation, Reprints, *Europium barium cuprates.

A material's longitudinal sound-wave velocity relates strongly to the electron-lattice interaction, which affects both conductivity and superconductivity. Measuring phase velocity versus frequency, $v(\omega)$, reveals dispersion, which may arise from various sources. To measure $v(\omega)$ accurately over a large frequency range, the authors used a modified amplitude-spectrum, pulse-echo method. Specifically, they used a buffer rod whose elastic impedance differed substantially from that of the specimen. Also, they used very broadband ultrasonic transducers and a broadband receiver with large dynamic range. They established the validity of their measurement method by measuring BaTiO₃ and SrTiO₃ polycrystals. They then used the method to measure the longitudinal-wave velocities in an EuBa₂Cu₃O₇ superconductor, both at 295 and 76 K. Against expectation, they found no remarkable dispersion.

101,524

PB91-194894

Not available NTIS

National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.

Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient R_{Ba}2Cu3O_{6+x}.

Final rept.

W. H. Li, J. W. Lynn, H. A. Mook, B. C. Sales, and Z. Fisk. 1988, 4p
Pub. in Physical Review B 37, n16 p9844-9847 1988.

Keywords: *High temperature superconductors, *Antiferromagnetism, *Superconductors, Tetragonal lattices, Neutron diffraction, Single crystals, Polarized beams, Copper ions, Reprints, *Yttrium barium cuprates, *Neodymium barium cuprates, *Magnetic ordering.

The authors have employed polarized and unpolarized neutron diffraction techniques on both powders and single crystals to establish the nature of the magnetic order of the Cu ions in oxygen deficient R_{Ba}2Cu3O_{6+x} (R = Y, Nd). Magnetic Bragg peaks of the type $(h/2, k/2, l)$ are observed, which yield a magnetic structure in which the Cu spins are coupled antiferromagnetically both in the Cu-O planes as well as along the tetragonal c-axis, with the spin direction in the tetragonal plane. The Neel temperature is very sensitive to the oxygen content, with T(N)_x approx = 0 approx = 500 K, while the spin configuration is independent of x.

101,525

PB91-194902

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Reactor Radiation Div.

Crystal-Field Splittings in the Cubic Heusler Alloys HoPd₂Sn and ErPd₂Sn.

Final rept.
W. H. Li, J. W. Lynn, H. B. Stanley, T. J. Udovic, R. N. Shelton, and P. Klavins. 1989, 8p
Pub. in Physical Review B 39, n7 p4119-4126, 1 Mar 89.

Keywords: *Crystal field, Time-of-flight method, Neutron scattering, Inelastic scattering, Magnetic moments, Heusler alloys, Reprints, *Holmium palladium stannides, *Erbium palladium stannides, Magnetic superconductors.

Neutron inelastic scattering measurements have been taken with triple-axis and time-of-flight techniques to determine the crystal field levels of the rare-earth ions in the cubic Heusler alloys HoPd₂Sn and ErPd₂Sn. The observed excitations have been identified as crystal field in origin by their dispersionless character as well as by the temperature and wave-vector dependence of the intensities. Analysis of the data shows that the energies and intensities can be understood on the basis of a crystalline electric field with cubic point symmetry, with Lea, Leask, and Wolf parameters of $W = 0.0287(4)$ meV, $x = 0.3248(8)$ for HoPd₂Sn, and $W = -0.0450(4)$ meV, $x = 0.3022(6)$ for ErPd₂Sn. The crystal field parameters for the other rare-earth elements have also been calculated by scaling to the values determined for HoPd₂Sn.

101,526

PB91-194977 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.

Final rept.
D. Lundy, J. Ritter, L. Swartzendruber, R. Shull, and L. Bennett. 1989, 7p
Pub. in Jnl. of Superconductivity 2, n2 p273-279 Jun 89.

Keywords: *High temperature superconductors, *Superconductors, Magnetic measurement, Magnetic hysteresis, Magnetic flux, Flux pinning, Reprints, *Bismuth lead strontium calcium cuprates.

Magnetic measurements were conducted on a sample of chemically synthesized Bi(1.5)Pb(0.5)Sr(1.5)Ca(1.75)Cu₂O(x) using an ac susceptibility and a vibrating sample magnetometer. The sample showed a large fraction of the phase with a superconducting onset temperature of 110K. This high temperature superconducting phase appears to have an extremely narrow hysteresis loop showing a small number of flux pinning sites.

101,527

PB91-195024 Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Surface and Microanalysis Science Div.

Ion Bombardment Induced Diffusion: A Case Study on a Sputtered Ag/Ni Layered System.

Final rept.
D. Marton, and J. Fine. 1990, 19p
Pub. in Periodica Polytechnica 34, n1-3 p37-55 1990.

Keywords: *Diffusion, Ion bombardment, Metal films, Separation, Surfaces, Nickel, Silver, Reprints, Multi-layers.

The layered Ag/Ni system has been shown to exhibit surface segregation of Ag when Ag layer buried between two Ni layers is sputter profiled at room temperature (J. Fine et al., 1983). While the study was concerned with the analysis of radiation induced segregation (RIS), it also demonstrated the role of bombardment enhanced diffusion in the transport of Ag atoms to the surface. The segregation rate was shown to obey first order kinetic equations, and segregation rates for 1 keV and 4 keV sputtering were determined.

101,528

PB91-195115 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Metallurgy Div.

Wigner-Seitz Local-Environment Study of the High Tc Superconductors.

Final rept.
M. Melamud, L. H. Bennett, and R. E. Watson. 1988, 8p
Pub. in Physical Review B 38, n7 p4624-4631 1988.

Keywords: *High temperature superconductors, *Chemical bonds, Wigner-Seitz method, Anisotropy, Reprints, Yttrium barium cuprates, Lanthanum cuprates.

The neighborhood and bonding of atoms in the high T_c superconductors are studied using a Wigner-Seitz-cell construction. Assuming metallic radii for the atoms, it is shown that the Ba, Y, and La atoms have large coordination numbers. A three-dimensional bonding scheme is suggested. The same bonding characteristics result for both the La-Cu-O type (about 40K) and the Y-Ba-Cu-O type (about 90K) superconductors.

101,529

PB91-195461 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Precision Engineering Div.

SEM Imaging and Metrology at Low Accelerating Voltages Using Backscattered Electrons.

Final rept.
M. T. Postek. 1990, 1p
Pub. in Proceedings of Scanning '91, Atlantic City, NJ., April 8-12, 1991, pl-21 1990.

Keywords: *Scanning electron microscopy, *Semiconductors, Microchannel electron multipliers, Electron scattering, Backscattering, Metrology, Reprints, Secondary electrons.

An approach to measure semiconductor structures for nondestructive submicrometer metrology in the scanning electron microscope (SEM) at low accelerating voltage is described, using the collection and measurement of only the backscattered electron signal rather than the more commonly used secondary electron signal. In the technique, the backscattered electron signal is collected using a high-efficiency microchannel-plate electron detector system with the front face of the detector biased negatively to reject the low-energy secondary electrons thus collecting only the backscattered electrons. The advantage of using the backscattered electron signal is discussed, as well as a comparison to measurements using the secondary electron signal. The potential of the technique for application to accurate SEM metrology and standards development is also discussed.

101,530

PB91-195552 Not available NTIS
National Bureau of Standards (NEL), Gaithersburg, MD. Chemical Process Metrology Div.

Comparison of Amorphous and Quasicrystalline Films of Sputtered Al_{0.72}Mn_{0.22}Si_{0.06}.

Final rept.
J. L. Robertson, S. C. Moss, and K. G. Kreider. 1988, 4p
Pub. in Physical Review Letters 60, n20 p2062-2065 1988.

Keywords: *Aluminum manganese alloys, Amorphous materials, Metallic glasses, Sputtering, Thin films, Silicides, Comparison, Reprints, *Quasicrystals.

X-ray data were collected on films of Al(0.72)Mn(0.22)Si(0.06) sputtered on NaCl at 45. Films showed a typical metallic glass structure factor, S(Q), while at 230 C the structure was quasicrystalline plus Al. A combined broadening function was applied to the normalized and reduced S(Q) for the 230 C film to bring it essentially into coincidence with the amorphous (45 C) S(Q). This involved both a Lorentzian broadening for particle size and a broadening proportional to Q squared associated with phason strain, and leads the authors to conclude that the glass, or amorphous, phase is a defect limit of the quasicrystal.

101,531

PB91-195560 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.

Final rept.
L. H. Robins, E. N. Farabaugh, A. Feldman, and L. P. Cook. 1991, 6p
Pub. in Physical Review B 43, n11 p9102-9107, 15 Apr 91.

Keywords: *Cathodoluminescence, *Photoluminescence, Chemical vapor deposition, Raman spectra, Thin films, Reprints, *Diamond films.

Diamond films grown by filament-assisted or microwave-plasma-assisted chemical-vapor deposition

(CVD) were characterized by photoluminescence (PL), cathodoluminescence (CL), and Raman spectroscopies. The laser-excited PL spectra of these films in and near the carbon Raman region (1100-1800/cm from the 514.5-nm laser line, or 2.18-2.28 eV) are broad and featureless; CL spectra measured within a wider spectral range (1.5-3.5 eV) shows several distinct components. Because of its correlation with the Raman band of sp²-bonded carbon, the visible-laser-excited PL in the carbon Raman region is attributed to sp²-bonded carbon clusters. The spectrally integrated CL intensity is found to vary from specimen to specimen approximately inversely with the intensity of the laser-excited PL. The inverse correlation is especially strong for one component of the CL, a broad band at 2.85 eV. To explain these results, it is proposed that the luminescence centers in these CVD diamond films can be classified into two types with differing excitation and recombination properties. Rate equations are derived for the luminescence kinetics of such a system of two types of recombination centers.

101,532

PB91-195578 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn.

Final rept.
L. H. Robins, T. A. Kennedy, and P. C. Taylor. 1988, 10p
Pub. in Physical Review B 38, n18 p3227-3236 1988.

Keywords: *Indium phosphides, Electron spin resonance, Magnetic resonance, Point defects, Doped materials, Photoluminescence, Zinc, Reprints, Antisites.

The paramagnetic state of the phosphorus-on-indium antisite has been observed by optically detected magnetic resonance (ODMR) in as-grown zinc-doped indium phosphide. The antisite resonance is seen both as an enhancing ODMR signal on the antisite-acceptor photoluminescence (PL) at 0.8 eV and as a quenching ODMR signal on the shallow-donor-acceptor PL at 1.37 eV. The dependence of the ODMR on microwave power, microwave modulation frequency, and photoexcitation intensity is examined, and a rate equation model is developed for the important recombination processes. The experimental results suggest that the antisite-acceptor recombination rate is approximately 40,000/s; the antisite electron spins are unthermalized, but recombine with spin-thermalized holes; and the antisite concentration may be greater than 2 x 10 to the 15th power/cc. Two other resonances are also observed, the shallow donor resonance at g=1.217 and an unidentified broad resonance at g=2.0.

101,533

PB91-195586 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Ceramics Div.

Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.

Final rept.
L. H. Robins, P. J. H. Tjossem, K. C. Smyth, P. Y. Barnes, E. N. Farabaugh, and A. Feldman. 1991, 7p
Pub. in Jnl. of Applied Physics 69, n6 p3702-3708, 15 Mar 91.

Keywords: *Photoluminescence, Chemical vapor deposition, Laser spectroscopy, Thin films, Excitation, Reprints, *Diamond films.

Photoluminescence excitation (PLE) spectra at photon energies near the indirect band gap of diamond have been obtained for diamond films grown by the filament-assisted chemical vapor deposition (CVD) method. The PLE intensity was observed to increase abruptly with photon energy above 5.5 eV. This increase coincides with the onset of phonon-emission-assisted interband absorption, which was observed independently by diffuse transmittance measurements. A lower-energy PLE threshold at about 5.25 eV, which coincides approximately with the onset of phonon-absorption-assisted interband absorption, was observed in the spectrum of a gem-quality natural diamond, but not in the spectra of the CVD-grown films. Emission spectra of the luminescence excited by above-band-gap photons have features similar to luminescence spectra of the same specimens excited by 20-keV electrons. The spectrally integrated intensities of the luminescence excited by above-band-gap photons and by electrons were found to vary from specimen to

PHYSICS

Solid State Physics

specimen in a linearly related manner, suggesting that similar recombination processes occur in both cases.

101,534
PB91-195594 Not available NTIS
National Inst. of Standards and Technology (NIST),
Boulder, CO. Electromagnetic Technology Div.

Morphology of Silver on YBa₂Cu₃O_{7-δ} Thin Films.

Final rept.
A. Roshko, R. H. Ono, J. A. Beall, J. Moreland, A. J. Nelson, and S. Asher. 1991, 3p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Magnetics 27, n2 p1616-1618 Mar 91.

Keywords: *High temperature superconductors, *Superconducting films, Strontium titanates, Magnesium oxides, Thin films, Microstructure, Morphology, Annealing, Substrates, Silver, Reprints, *Yttrium barium cuprates, Lanthanum aluminates, Laser ablation.

The morphology of silver layers deposited and annealed on laser ablated YBa₂Cu₃O_{7-δ} films has been examined. Silver was found to dewet the YBa₂Cu₃O_{7-δ} (001) surface on annealing in oxygen and nitrogen. This dewetting behavior may be kinetically inhibited by using either thick silver layers or short anneals and low temperatures. Silver layers 70 nm to 2.5 micrometers thick were studied on films deposited on SrTiO₃, LaAlO₃ and MgO substrates. Anneal times were varied from 6.5 min to 15 hrs at temperatures from 200 to 700 C.

101,535
PB91-195677 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg, MD. Ceramics Div.

Parent Structure of the Layered High-Temperature Superconductors.

Final rept.
T. Siegrist, S. M. Zahurak, D. W. Murphy, and R. S. Roth. 1988, 2p
Pub. in Nature 334, n6179 p231-232 1988.

Keywords: *High temperature superconductors, *Crystal structure, *Superconductors, Tetragonal lattices, X ray diffraction, Reprints, *Calcium strontium cuprates.

Crystals of composition (Ca_{0.86}Sr_{0.14})CuO₂ have been grown and characterized by single crystal X-ray diffraction. The crystals are tetragonal with space group P4/mmm (No. 123), $a = 3.8611(2)$ Å, $c = 3.1995(2)$ Å, $c/a = 0.829$, $Z = 1$. The structure contains planar CuO₂ layers separated by Ca (Sr) atoms. The structure is a simple defect perovskite with ordered oxygen vacancies and can be regarded as the $n = \infty$ parent of the A₂B₂Ca_(n-1)Cu_{(n)O_{4+2n}} (A = Bi, Tl; B = Sr, Ba) superconductors.

101,536
PB91-195743 Not available NTIS
National Inst. of Standards and Technology (NIST),
Gaithersburg, MD. Mathematical Analysis Div.

Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Nonlinear Theory.

Final rept.
A. A. Wheeler, G. B. McFadden, S. R. Coriell, and D. T. J. Hurle. 1990, 11p
See also PB90-193541.
Pub. in Jnl. of Crystal Growth 100, n1-2 p78-88 Feb 90.

Keywords: Binary alloys, Crystal growth, Electric fields, Electromigration, Electroepitaxy, Stability, Reprints, *Crystal-melt interface.

The effect of a constant electric current on the crystal-melt interface morphology during directional solidification at constant velocity of a binary alloy is considered. A linear temperature field is assumed, and thermoelectric effects and Joule heating are neglected; electromigration and differing electrical conductivities of crystal and melt are taken into account. A two-dimensional weakly nonlinear analysis is carried out to third order in the interface amplitude, resulting in a cubic amplitude equation that describes whether the bifurcation from the planar state is supercritical or subcritical. For wavelengths corresponding to the most dangerous mode of linear theory, the authors calculate the demarcation between supercritical behavior as a function of processing conditions and material parameters. The bifurcation behavior is a sensitive function of the magnitude and direction of the electric current and of the electrical conductivity ratio.

101,537
PB91-195750 Not available NTIS
National Inst. of Standards and Technology (NIST),
Gaithersburg, MD. Electron and Optical Physics Div.

Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).

Final rept.
L. J. Whitman, J. A. Stroscio, R. A. Dragoset, and R. J. Celotta. 1991, 5p
Sponsored by Office of Naval Research, Arlington, VA.

Keywords: *Indium antimonides, Scanning tunneling microscopy, Crystal defects, Surfaces, Coatings, Cesium, Reprints.

Scanning tunneling microscopy has been employed to study clean and Cs-covered InSb(110) surfaces. Atomic-resolution images of both the filled and empty electronic state densities have been obtained. The surface relaxation determined from these images is in good agreement with that predicted by structure calculations. A variety of surface defects have been observed, with the most common appearing to be simple Sb vacancies. Adjacent In and Sb vacancies (Schottky defects) have also been observed. The perturbation of the surface surrounding these defects is asymmetrical along (in brackets: 001), as might be expected due to the asymmetry in the surface. Surprisingly, the perturbation is also asymmetrical along (in brackets: 1,-1,0), where symmetry is expected. Cs adsorbed on room-temperature InSb(110) forms one-dimensional zig-zag chains along (in brackets: 1,-1,0), similar to those previously observed on GaAs(110).

101,538
PB91-200865 Not available NTIS
National Inst. of Standards and Technology (NIST),
Gaithersburg, MD. Mathematical Analysis Div.

Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.

Final rept.
L. N. Brush, and R. F. Sekerka. 1989, 23p
Sponsored by Carnegie-Mellon Univ., Pittsburgh, PA.
Pub. in Jnl. of Crystal Growth, p419-441 1989.

Keywords: *Crystal growth, *Two-dimensional calculations, *Anisotropy, *Kinetics, Single crystals, Rates(Per time), Morphology, Mathematical models, Liquid-solid interfaces, Fourier transformation, Heat flow, Cooling, Surface tension, Stability, Computation, Quasi-steady states.

A model of the free growth of a two-dimensional single crystal of pure material from an undercooled melt is presented. Quasi-steady-state heat flow and anisotropic interfacial properties couple in the model, governing the morphology of the evolving crystal-melt interface. The evolution of an initially slightly perturbed circular crystal as it grows from the linear into the non-linear regime both in the absence and in the presence of anisotropic interfacial growth kinetics is studied. The calculations show that in the absence of kinetic anisotropy, splitting of the tip of an initial perturbation occurs. For an initial shape consisting of two Fourier components, a resonant growth effect of the high frequency Fourier component occurs for special initial configurations. Furthermore, the overall rate of crystal growth is shown to be only of the heat extracted from the system and is virtually independent of the interface shape; this is a consequence of the quasi-steady state approximation to heat flow. In the presence of anisotropic growth kinetics, tip stabilization may be observed for certain initial conditions. However, a resonant growth effect can still act to destabilize the tip even in the presence of anisotropic interfacial growth kinetics.

101,539
PB91-203117 Not available NTIS
National Inst. of Standards and Technology (NIST),
Boulder, CO. Electromagnetic Technology Div.

Switching in High-Tc Superconductor Current Transport Measurements.

Final rept.
L. F. Goodrich, J. Moreland, and A. Roshko. 1991, 4p
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Magnetics 27, n2 p1194-1197 Mar 91.

Keywords: *High temperature superconductors, Electrical measurement, Critical current, Niobium stanides, Reprints, Switching voltages, Yttrium barium cuprates, Niobium titanium, Weak links.

Switching voltages can occur in four-wire current transport measurements of sintered high-T_c superconductors. These switching voltages are irreversible shifts in the voltage-current characteristic of the superconductor that result in multiple branches. The voltage along these branches can be very nonlinear as a function of current and can be positive or negative in polarity relative to the current direction. These voltages can interface with the correct determination of resistivity and critical current density. Experimental data on unaligned sintered YBa₂Cu₃O_{7-δ} which illustrate the complex nature of the voltages and the confusion they can create are presented. Models based on weak links and H(c1) and on other effects, are discussed as are observations on NbTi and Nb₃Sn based superconductors.

101,540
PB91-203539 Not available NTIS
National Inst. of Standards and Technology (NIST),
Gaithersburg, MD. Surface Science Div.

Core Hole Screening for Intermediate Size Metal Particles.

Final rept.
J. A. D. Matthew. 1990, 5p
Pub. in Solid State Communication 73, n2 p179-183 1990.

Keywords: *Dielectric properties, *Molecular relaxation, *Metal particles, *Solid state physics, Electrical properties, Binding, Dielectrics, Metals, Particles, Molecular structure, Reprints.

A hierarchy of dielectric sphere models is presented to account for the shift in binding energy with particle size for a core hole at the center of a jellium sphere of radius R. It is shown that the classical final state interaction between the screening charge deficit at the cluster surface and the localized core hole is indeed very important as recently suggested in the literature, so that for a wide range of R the relaxation energy shift is only weakly dependent on metal dielectric properties. The breakdown of the simple classical rule observed below R 20a requires further study both theoretically and under more controlled experimental conditions.

101,541
PB91-203554 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Semiconductor Electronics Div.

Lattice Relaxation in Silicon Doped with 4d- and 5d-Transition Metals.

Final rept.
S. Mayo, and J. R. Lowney. 1988, 6p
Pub. in Jnl. of Applied Physics 64, n9 p4538-4543 1988.

Keywords: *Silicon, Ionization cross sections, Electron transitions, Conduction bands, Valence bands, Doped materials, Photoionization, Silver, Platinum, Gold, Phonons, Reprints, Lattice relaxation.

Photoionization cross-section spectra from deep centers in silicon doped with technologically important 4d- and 5d-transition elements were analyzed by the Ridley and Amato lattice coupling model to determine threshold energy and lattice relaxation parameters corresponding to optically induced transitions involving either band. The average optic phonon energy is 50 meV. Electron transitions to the conduction band from the silver, platinum, and gold acceptor centers have, respectively, threshold energies (in meV) E(T₀) = 550, 226, and 570. For silver and gold, the Huang-Rhys parameter S could not be determined because of a mixture of both allowed and forbidden transitions; for platinum, S = 0.3. Electron transition data from the donor centers of these elements to the conduction band are not available or insufficient to allow analysis of the threshold region.

101,542
PB91-203596 Not available NTIS
National Bureau of Standards (NIST), Gaithersburg, MD. Surface Science Div.

Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides.

Final rept.
A. J. Melmed. 1988, 5p
Pub. in Jnl. of Physics C6, p67-71 1988.

Keywords: *Field ion microscopy, *Ion microscopy, *Superconductors, Cuprates, Oxides, Reprints, *Field electron microscopy.

A new method is described for preparation of oxide specimens for field-ion and field-electron emission microscopy.

101,543

PB91-203604

Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides.

Final rept.

A. J. Melmed, R. D. Shull, and C. K. Chiang. 1988, 6p

Pub. in Jnl. of Physics C6, p459-464 1988.

Keywords: *High temperature superconductors, *Field ion microscopy, *Superconductors, Image analysis, Reprints, Yttrium barium cuprates, Lanthanum strontium cuprates.

Field ion Microscopy (FIM) of many of the new high-transition-temperature superconducting oxides has become routine. The older La-Sr-Cu-O type and the newer R-Ba-Cu-O ('1,2,3') type, with R= Y, Yb, Sm, Gd, Dy, Ho, Er, Pr, Eu or La, consistently image well at low temperature in hydrogen FIM and argon FIM at higher temperatures, and less consistently in neon FIM. The newest Bi-Sr-Ca-Cu-O type and Tl-Ba-Ca-Cu-O type can be imaged by hydrogen FIM, but the Bi-based specimens thus far have been mechanically weak and phase identification in both types poses a significant problem. Some details of FIM image interpretation for the '1,2,3' superconductors are addressed in particular, the various degrees of order in the images and the question of identity of the imaging species.

101,544

PB91-203612

Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

Atomic Fingerprint of YBa₂Cu₃O_{7-x}-Type High-Temperature Superconductors Observed by Field Ion Microscopy.

Final rept.

A. J. Melmed, R. D. Shull, C. K. Chiang, and H. A. Fowler. 1988, 6p

Pub. in Materials Science and Engineering 100, pL27-L32 Apr 88.

Keywords: *High temperature superconductors, *Crystal defects, *Superconductors, Field ion microscopy, Grain boundaries, Crystal dislocations, Twinning, Reprints, Yttrium barium cuprates, Ytterbium barium cuprates, Samarium barium cuprates, Gadolinium barium cuprates.

The high-transition-temperature superconducting oxides YBa₂Cu₃O(7-x), YbBa₂Cu₃O(7-x), SmBa₂Cu₃O(7-x) and GdBa₂(Cu(0.96)Fe(0.04))₃O(7-x) (0 < X < 0.05) have been found to exhibit a common, unusual but characteristic field ion microscope image at low temperatures, due to inhomogeneous field evaporation, field ionization or both, resulting in preferentially imaged atoms. The characteristically striated images enable identification of various lattice defects such as dislocations, twin boundaries and grain boundaries.

101,545

PB91-203646

Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Prospects for High Temperature Superconductor - Semiconductor Contacts.

Final rept.

J. Moreland, J. W. Ekin, and T. Larson. 1991, 7p

Contract DE-AC05-89ER14044

Sponsored by Department of Energy, Washington, DC. Pub. in Proceedings of ASM International Electronic Materials and Processing Congress (3rd), San Francisco, CA., August 20-23, 1990, p195-201 1991.

Keywords: *High temperature superconductors, *Semiconductor devices, *Circuit interconnections, *Electric contacts, *Superconductors, Gallium arsenides, Silicon, Reprints, Yttrium barium cuprates, Ohmic contacts.

Development of high temperature superconductor - semiconductor contacts with very low contact resistivities is required for microelectronic applications such as circuit interconnects or superconductor - semiconductor - superconductor (S/Semi/S) proximity effect devices. Several thin-film deposition methods have been developed for forming very low resistance contacts to

high temperature superconductors. Such a contact could potentially be part of a superconductor - semiconductor contact that relies on an intervening normal metal, spanning superconductor and semiconductor interfaces. Presently the authors are surveying materials commonly used to make ohmic contacts to Si and GaAs for their compatibility with high-temperature superconductors. Prime material characteristics necessary for potential contact structures are (1) low chemical reactivity of the intervening materials with high-temperature superconductors, (2) limited interdiffusion of multilayer constituents, and (3) stable, low contact resistivity, ohmic I-V characteristics.

101,546

PB91-203653

Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.

Final rept.

J. Moreland, and P. Rice. 1991, 4p

Pub. in IEEE (Institute for Electrical and Electronics Engineers) Transactions on Magnetics 27, n2 p1198-1201 Mar 91.

Keywords: *Images, *Tunnel effect, Cryogenics, Superconductors, Magnetic forces, Resolution, Superconducting junctions, Superconducting films, Reprints, *Tunneling stabilized magnetic force microscopy, Magnetic force microscopes, Flux lattice, Bitter patterns, Yttrium barium cuprates.

The authors have recently demonstrated an imaging technique referred to as tunneling stabilized magnetic force microscopy or TSMFM. TSMFM is performed using a scanning tunneling microscope (STM) with a flexible, magnetic, tunneling tip in place of the usual rigid tunneling tip. TSMFM images are therefore combinations of topography and the magnetic forces between the tip and the sample. Room temperature TSMFM images of magnetic bit tracks on a hard disk have 100 nm resolution and are comparable to Bitter patterns made using a ferrofluid. They have built a low temperature STM with the hope of getting TSMFM images of the flux lattice in superconductors. Preliminary TSMFM images of a YBa₂(Cu₃O_x) (YBCO) film (T_c - 88 K) in a 50 mT field show that relatively large magnetic forces are acting on the flexible tip while scanning at 48 K.

101,547

PB91-203950

Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.

Properties of YBa₂Cu₃O_{7-delta} Thin Films Grown on Off-Axis-Cut MgO Substrates.

Final rept.

S. E. Russek, B. Jeanneret, D. A. Rudman, and J. W. Ekin. 1991, 4p

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Magnetics 27, n2 p931-934 Mar 91.

Keywords: *High temperature superconductors, *Superconducting films, Transition temperature, Magnesium oxides, Crystal growth, Thin films, Substrates, Reprints, *Yttrium barium cuprates, Sputtered films.

A series of YBa₂Cu₃O(7-delta) films has been reactively sputtered on off-axis-cut MgO substrates. All the films were oriented with the c axis normal to the substrate regardless of substrate orientation, indicating that growth dynamics is a major factor influencing film orientation on non-lattice-matched substrates. As the substrate orientation is moved off the (100) direction the films showed a decrease in transition temperature and showed properties indicative of an increased density of weak links. The films grown on high-angle substrates showed better properties than the films grown on low-angle substrates. Films grown on (110) MgO were as good as films grown on (100) MgO.

101,548

PB91-216747

(Order as PB91-216705, PC A07/MF A01)
National Inst. of Standards and Technology, Gaithersburg, MD.

High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.

B. Steiner, R. C. Dobbyn, D. Black, H. Burdette, and M. Kuriyama. 1991, 27p

Prepared in cooperation with EG and G Energy Measurements, Inc., Goleta, CA., National Aeronautics and

Space Administration, Hampton, VA. Langley Research Center, Alabama A and M Univ., Huntsville, and GTE Labs., Inc., Waltham, MA.

Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n3 p305-331 May/Jun 91.

Keywords: *Crystal growth, *Crystal defects, X ray diffraction, Synchrotron radiation, Czochralski method, Bridgman method, Mercury iodides, Gallium arsenides, Reduced gravity, High resolution, Electrooptics, Lead tin tellurides, Triglycine sulfates.

Irregularities in three crystals (useful in electrooptic detector research) grown in space and in four terrestrial crystals grown under other wise comparable conditions have been observed in high resolution diffraction imaging. The images provide important new clues to the nature and origins of irregularities in each crystal. For two of the materials, mercuric iodide and lead tin telluride, more than one phase (an array of non diffracting inclusions) was observed in terrestrial samples; but the formation of these multiple phases appears to have been suppressed in directly comparable crystals grown in microgravity. The terrestrial seed crystal of triglycine sulfate displayed an unexpected layered structure, which propagated during directly comparable space growth. Terrestrial Bridgman re-growth of gallium arsenide revealed a mesoscopic structure substantially different from that of the original Czochralski material. A directly comparable crystal is to be grown shortly in space.

101,549

PB91-236729

Not available NTIS
National Inst. of Standards and Technology (EEL), Gaithersburg, MD. Semiconductor Electronics Div.

Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.

Final rept.

J. Geist, J. R. Lowney, C. R. James, and A. M.

Robinson. 1991, 7p

Pub. in Jnl. of Applied Physics 70, n1 p236-242, 1 Jul 91.

Keywords: *Carrier density, One-dimensional calculations, Charge carriers, Mathematical models, Diffusion theory, Iterative methods, Semiconductors, Tests, Reprints.

Simple analytic expressions for the one-dimensional, majority-carrier concentration in a uniformly doped, semi-infinite semiconductor with a charge-accumulated front surface are derived. These expressions are based on the assumption that the effective intrinsic carrier concentration depends only upon the concentration of the majority dopant. Within the framework of this assumption, the expressions derived here are rigorously accurate for intrinsic material, and are accurate to well within 100 parts per million (ppm) for doping concentrations above one trillion/cc. The results of calculations of the majority-carrier concentration carried out using these expressions and using a widely available one-dimensional semiconductor device modeling program are compared to illustrate how these expressions are used for testing the accuracy of iterative solutions of the drift-diffusion equations in the presence of surface fields.

101,550

PB91-236968

Not available NTIS
National Inst. of Standards and Technology (EEL), Gaithersburg, MD. Semiconductor Electronics Div.

Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.

Final rept.

J. R. Lowney, and H. S. Bennett. 1991, 9p

Pub. in Jnl. of Applied Physics 69, n10 p7102-7110, 15 May 91.

Keywords: *Gallium arsenides, *Electron mobility, *Hole mobility, Minority carriers, Semiconductor doping, Doped materials, Reprints.

The majority electron and minority hole mobilities have been calculated in GaAs for donor densities between 5 x 10 to the 16th power and 1 x 10 to the 19th power cc. Similarly, the majority hole and minority electron mobilities have been calculated for acceptor densities between 5 x 10 to the 16th power and 1 x 10 to the 20th power cc. All the important scattering mechanisms have been included. The ionized impurity and carrier-carrier scattering processes have been treated with a phase-shift analysis. These calculations are the first to

PHYSICS

Solid State Physics

use a phase-shift analysis for minority carriers scattering from majority carriers. The results are in good agreement with experiment, but predict that at high dopant densities minority mobilities should increase with increasing dopant density for a short range of densities. The results are important for device modeling because of the need to have values for minority mobilities.

101,551
PB91-237180 Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Technology Div.
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.
Final rept.
R. L. Peterson, and J. W. Ekin. 1990, 5p
Pub. in Physical Review B 42, n13 p8014-8018, 1 Nov 90.

Keywords: *Josephson junctions, *Critical current, High temperature superconductors, Superconducting junctions, Diffraction patterns, Grain boundaries, Magnetic fields, Reprints, Weak links.

The authors discuss the diffraction patterns and other characteristics of the critical current as a function of magnetic field in grain-boundary Josephson barriers. Diffraction patterns occur not just for SIS junctions but for all types of Josephson links, including SNS junctions, which may be present at grain boundaries in high-T(c) superconductors. The authors discuss the generality of the Airy diffraction pattern, which is expected to characterize grain-boundary barriers in bulk material more accurately than the Fraunhofer pattern. The transport critical-current density in many bulk, granular high-T(c) superconductors has a power-law dependence on very low magnetic fields, characteristic of averaged diffraction patterns, and cannot be fitted by an exponential magnetic-field dependence, which may result from the material properties of the barriers.

101,552
PB91-237263 Not available NTIS
National Inst. of Standards and Technology (MSEL),
Gaithersburg, MD. Ceramics Div.
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
Final rept.
M. Richter, J. C. Woicik, J. Nogami, P. Pianetta, K. E. Miyano, A. A. Baski, T. Kendelevicz, C. E. Bouldin, W. E. Spicer, C. F. Quate, and I. Lindau. 1990, 4p
Contract N00014-90-J-1001
Sponsored by Office of Naval Research, Arlington, VA.
Pub. in Physical Review Letters 65, n27 p3417-3420, 31 Dec 90.

Keywords: *Silicon, *Antimony, *Interfaces, Scanning tunneling microscopy, X ray absorption, Chemical bonds, Surfaces, Dimers, Reprints, Low energy electron diffraction.

Surface extended-x-ray-absorption fine structure (SEXAFS) has been combined with scanning tunneling microscopy (STM) to determine both the local and long-range bonding properties of the Si(001)2x1-Sb interface. Sb L(3) edge SEXAFS shows that Sb dimers occupy a modified bridge site on the Si(001) surface with a Sb-Sb near-neighbor distance of 2.88 + or - 0.03 Å. Each Sb atom of the dimer is bonded to two Si atoms with a Sb-Si bond length of 2.63 + or - 0.04 Å. STM resolves the dimer structure and provides the long-range periodicity of the surface. Low-energy-electron diffraction of vicinal Si(001) shows that the Sb dimer chains run perpendicular to the original Si dimer chains.

101,553
PB91-237271 Not available NTIS
National Inst. of Standards and Technology (CAML),
Gaithersburg, MD. Applied and Computational Mathematics Div.
Micromagnetic Calculations of 180 deg Surface Domain Walls.
Final rept.
M. R. Scheinfein, and J. L. Blue. 1991, 12p
See also PB91-158501.
Pub. in Jnl. of Applied Physics 69, n11 p7740-7751, 1 Jun 91.

Keywords: *Domain walls, Mathematical models, Microstructure, Permalloys, Iron, Reprints, Landau-Lifshitz-Gilbert equation, Surface magnetism, Micromagnetics.

The authors compare quantitative results from two methods of solving the micromagnetics equations for 180 deg domain walls. The first method solves the Landau-Lifshitz-Gilbert equation by time integration of the stiff differential equations. The second method uses a relaxation scheme to determine the equilibrium domain wall magnetization configuration. They compare results from these calculations for various damping parameters and discretization mesh densities, and also compare their results with domain wall measurements made using scanning electron microscopy with polarization analysis. They conclude that equilibrium domain wall microstructure is insensitive to the damping parameter used in the time method of solution for domain walls in magnetically soft iron and Permalloy. For large damping parameters, the approach to equilibrium is the same for the time method and the relaxation method. Further, they can obtain metastable equilibrium states with both methods.

101,554
PB91-237289 Not available NTIS
National Inst. of Standards and Technology (PL),
Gaithersburg, MD. Electron and Optical Physics Div.
Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
Final rept.
M. R. Scheinfein, J. Unguris, M. Aeschlimann, D. T. Pierce, and R. J. Celotta. 1991, 7p
See also PB91-112672. Sponsored by Office of Naval Research, Arlington, VA.
Pub. in Jnl. of Magnetism and Magnetic Materials 93, p109-115 1991.

Keywords: *Magnetic domains, *Domain walls, Scanning electron microscopy, Magnetic recording, Magnetic films, Thin films, Magneto-optics, Microstructure, Terbium alloys, Cobalt alloys, Iron alloys, Permalloys, Reprints, *Surface magnetism, Neel walls, SEMPA system, Electron spin polarization, Micromagnetics.

Scanning Electron Microscopy with Polarization Analysis (SEMPA) is used to investigate the surface magnetic microstructure of domain walls in thin permalloy films and the domain structure of magneto-optic TbFeCo alloys. Domain wall measurements confirm the results of micromagnetic theory.

101,555
PB91-237420 Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Surface Science Div.
Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100).
Final rept.
D. A. Steigerwald, I. Jacob, and W. F. Egelhoff.
1988, 21p
Pub. in Surface Science 202, n3 p472-492 1988.

Keywords: *Iron, *Epitaxial growth, Metal films, Thin films, Superlattices, Agglomeration, FCC lattices, Magnetism, Substrates, Copper, Reprints.

The epitaxial growth of ultrathin films of pseudomorphic fcc-Fe on Cu(100) has been studied with several structure sensitive techniques. It has been found that the growth is not via a Frank-van der Merwe (layer-by-layer) mechanism, as proposed by several others, but rather exhibits Fe agglomeration, and at or slightly above 300 K, Cu surface segregation. This manner of growth is shown to be consistent with the generally recognized parameters which affect thin film growth. Several adsorbed gas species are found to strongly affect the growth process and the resulting film morphology. The conditions for growth of the best quality Fe films, sandwiches, and superlattices on Cu(100) are presented and are contrasted with the conditions which have been used in previous studies.

101,556
PB91-237438 Not available NTIS
National Inst. of Standards and Technology (IMSE),
Gaithersburg, MD. Ceramics Div.
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
Final rept.
B. Steiner, M. Brown, R. C. Dobbyn, M. Kuriyama, U. Laor, and Larson. 1989, 10p
See also N89-11595.
Pub. in Jnl. of Applied Physics 66, n2 p559-568 1989.

Keywords: *Gallium arsenides, *Crystal defects, X ray diffraction, Synchrotron radiation, Monochromatic radiation.

ation, Grain boundaries, High resolution, Anomalies, Reprints.

Novel streak-like disruption features restricted to the plane of diffraction have recently been observed in synchrotron radiation diffraction from undoped, semi-insulating gallium arsenide crystals. These features were identified as ensembles of very thin platelets (or interfaces) normal to the various 110 directions, and a structural model consisting of antiphase domain boundaries was proposed. The other principal characteristics observed in high resolution monochromatic synchrotron radiation diffraction images are: (quasi)cellular structure, linear low angle subgrain boundaries in 110 directions, and stripes in a 110 direction, as well as systematic differences in the acceptance angle for various diffractions. When these detailed structures are considered together, a unifying picture of these features emerges. That is, the presence of ensembles of thin 110 antiphase platelet regions or boundaries is generally consistent not only with the streak-like diffraction features but with all other observations of defects as well. For the formation of such regions, the authors propose two mechanisms, operating in parallel, that appear to be consistent with the various defect features observed by a variety of techniques.

101,557
PB91-237453 Not available NTIS
National Inst. of Standards and Technology (CSTL),
Gaithersburg, MD. Surface and Microanalysis Science Div.
Theory of Ballistic-Electron-Emission Spectroscopy of NiSi2/Si(111) Interfaces.
Final rept.
M. D. Stiles, and D. R. Hamann. 1991, 4p
Pub. in Physical Review Letters 66, n24 p3179-3182, 17 Jun 91.

Keywords: *Nickel silicides, *Silicon, Scanning tunneling microscopy, Electronic structure, Electron transport, Interfaces, Epitaxy, Reprints, Ballistic electron emission microscopy.

The authors discuss theoretical calculations of ballistic-electron-emission-microscopy spectra based in part on a first-principles computation of the transmission across the interfaces. They propose a way of presenting experimental data that highlights the transmission process with respect to contributions from the tunneling distribution. They also present a specific application to A- and B-type NiSi2/Si(111) interfaces, showing a factor three difference between them at low voltages.

101,558
PB91-237545 Not available NTIS
National Bureau of Standards (IMSE), Gaithersburg,
MD. Metallurgy Div.
Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba2(CuO.97Fe0.03)3O7-x.
Final rept.
L. J. Swartzendruber, L. H. Bennett, M. Z. Harford, and M. Rubinstein. 1988, 12p
Pub. in Jnl. of Superconductivity 1, n2 p219-230 1988.

Keywords: *High temperature superconductors, *Mossbauer effect, *Superconductors, Room temperature, Doped materials, Stoichiometry, Iron 57, Oxygen, Reprints, *Yttrium barium cuprates, *Praseodymium barium cuprates, Magnetic ordering.

The Mossbauer effect of oxygen-depleted YBa2Cu3O(7-x) and PrBa2Cu3O(7-x) doped with 3% (57)Fe has been investigated at room temperature. A manifold of quadrupole-split spectra has been found, whose parameters are in general agreement with those found by other workers. In addition, the Mossbauer spectra show that a fraction of the Fe sites develop magnetic order at room temperature when the oxygen content is reduced. It is demonstrated that the observed asymmetries in the Mossbauer spectra can be the result of a preferential alignment of the plate-like crystallites that arises during the normal sample preparation process. The tendency to bond with the oxygen atoms is presumed to be responsible for the discreteness of the Mossbauer spectra as a function of oxygen depletion.

101,559
PB91-237552 Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O_{7-x}.

Final rept.

L. J. Swartzendruber, D. L. Kaiser, F. W. Gayle, L. H. Bennett, and A. Roytburd. 1991, 3p
Pub. in *Applied Physics Letters* 58, n14 p1566-1568, 8 Apr 91.

Keywords: *High temperature superconductors, *Flux pinning, *Superconductors, Single crystals, Twinning, Reprints, *Yttrium barium cuprates.

Flux trapping in single crystals of YBa₂Cu₃O_{7-x} before and after twin removal has been measured for vortices parallel and perpendicular to the c axis. The results show clearly that, for low applied magnetic fields, twins contribute significantly to flux pinning over the temperature range 60 to 85 K when the vortices are parallel to the twin boundaries (i.e., parallel to the c axis).

101,560

PC A04/MF A01
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.
Technical Activities 1990 Surface Science Division.
C. J. Powell. May 91, 57p NISTIR-4643
See also PB90-161985.

Keywords: Surface chemistry, Surface reactions, Superconducting films, High temperature superconductors, Magnetic recording, Magnetic alloys, Ion irradiation, Synchrotron radiation, Standards, Electron transport, Thin films, Magneto-optics, Semiconductors, Adsorption, Interfaces, Bibliographies, *Surface science, US NIST.

The report summarizes technical activities and accomplishments of the NIST Surface Science Division during Fiscal Year 1990. Overviews are presented of the Division and of its three constituent groups: Surface Dynamical Processes, Thin Films and Interfaces, and Surface Spectroscopies and Standards. These overviews are followed by reports of selected technical accomplishments during the year. A summary is given of Division outputs and interactions that includes lists of publications, talks, committee assignments, seminars (including both Division seminars and Interface Science seminars arranged through the Division), conferences organized, and a standard reference material certified. Finally, lists are given of Division staff and of guest scientists who have worked in the Division during the past year.

101,561

PC A03/MF A01
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.
NIST *LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version.
Technical note (Final).
V. L. Karen, and A. D. Mighell. Sep 91, 41p NIST/TN-1290
Also available from Supt. of Docs. as SN003-003-03106-2. See also PB86-166774.

Keywords: *Crystal lattices, *Computer programming, Programming manuals, Crystal symmetry, Fortran, NIST star LATTICE computer program, Matrix inversion.

The NIST * LATTICE program is written in standard FORTRAN and is designed to be used in any analytical laboratory. The software is multifunctional and can be used to analyze various types of lattice relationships. The present version of the program performs several functions including: (1) the determination of symmetry, and the evaluation of experimental error, through Converse-Transformation analysis; (2) the generation of transformation matrices relating any two unit cells; (3) the calculation of the reduced cell of the lattice, and the calculation and reduction of specified derivative supercells and/or subcells; (4) unit cell transformations; and (5) matrix inversions. It is planned to incorporate additional features in forthcoming versions of the program.

101,562

PC A08/MF A02
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD.

High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.

Technical note (Final).

B. Steiner, R. Dobbyn, D. Black, H. Burdette, M. Kuriyama, R. Spal, L. van den Berg, A. Fripp, R. Simchick, R. Lal, A. Batra, D. Mattiesen, and B. Ditchek. Aug 91, 165p NIST/TN-1287

Also available from Supt. of Docs. as SN003-003-03092-9. Sponsored by National Aeronautics and Space Administration, Washington, DC. Microgravity Science and Applications Div.

Keywords: *Mercury iodides, *Gallium arsenides, *Crystal growth, *Crystal structure, *Reduced gravity, X ray diffraction, Microgravity applications, HgI₂ semiconductor detectors, Synchrotron radiation, Monochromatic radiation, High resolution, *Lead tin tellurides, *Triglycine sulfates.

The paper reports on irregularities found in three crystals grown in space, in four crystals grown entirely on the ground, and compares the two sets. Irregularities have been observed in mercuric iodide, lead tin telluride, triglycine sulfate, and gallium arsenide by high resolution synchrotron x-radiation diffraction imaging. Radiation detectors made from mercuric iodide crystals grown in microgravity have been reported to perform far better than conventional detectors grown from the same material under full gravity. Effort is now underway to reproduce these 'space' crystals, optimize their properties, and extend comparable superiority to other types of material.

101,563

PC A05/MF A02
National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.
Oxides and Oxide Superconductors: Elastic and Related Properties.

M. Lei, and H. Ledbetter. Aug 91, 100p NISTIR-3980

Keywords: *High temperature superconductors, *Superconductivity, Electron phonon interactions, Elastic properties, Debye temperature, Bulk modulus, Barium titanates, Strontium titanates, *Yttrium barium cuprates, Kresin model, Born model.

Using both measurements and modeling, the elastic and related properties of some oxides and oxide superconductors were studied. The polycrystal elastic constants were measured using a MHz-frequency pulse-echo method between 295 and 4 K and corrected to the void-free state by using a model for a composite material containing spherical particles. The elastic moduli of the high-T_c superconductor Y₁Ba₂Cu₃O₇ (YBCO) were compared with that of oxides, especially the perovskites BaTiO₃ and SrTiO₃, which are crystal-structure building blocks for the YBCO superconductor. The bulk moduli were also calculated using a Born ionic model with two energy terms: electrostatic (Madelung) and ion-core-repulsion. The calculated bulk modulus of YBCO, 98 GPa, agrees well with measurement, 101 GPa. Based on monocrystal measurements combined with analysis-theory, elastic stiffnesses C_{ij} for orthorhombic YBCO were estimated. The bulk modulus obtained from the estimated C_{ij} by the Voigt-Reuss-Hill averaging method agrees with the monocrystal measurement. From the measured polycrystalline elastic constants, the Debye characteristic temperatures were calculated.

101,564

PC A08/MF A02
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.
Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors.
Final rept.
R. C. Casella. 1991, 3p
Pub. in *Solid State Communications* 78, n5 p377-379 1991.

Keywords: *High temperature superconductors, *Superconductors, Band theory, Single crystals, Reprints, *Bismuth strontium calcium cuprates, Tunneling gap anisotropy.

A two-band model, in which the pair constituents in one band are linked via double intermediate boson (IB) exchange with a third fermion in the other band, is invoked to understand the tunneling-gap anisotropy observed in Bi₂Sr₂CaCu₂O₈ single crystals. The coordinates of the two IBs and of the third fermion are inte-

grated out, leading to effective pair correlations. The theory is presently in agreement with the data and subject to further experimental test via more precise measurements. Within the model, present data imply that the IB cut-off energy $\omega > 0.3$ eV. The observed broad i.r. excitation centered at approximately 3000/cm is taken as a candidate for the (possibly composite) IB. Experimental implications are discussed in a general context.

101,565

PB92-116631
Not available NTIS
National Inst. of Standards and Technology (CSTL), Gaithersburg, MD. Surface and Microanalysis Science Div.

Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.

Final rept.

J. F. Cochran, W. B. Muir, J. M. Rudd, B. Heinrich, Z. Celinski, T. T. Le-Tran, W. Schwarzscher, W. Bennett, and W. F. Egelhoff. 1991, 3p
Sponsored by Natural Sciences and Engineering Research Council of Canada, Ottawa (Ontario).
Pub. in *Jnl. of Applied Physics* 69, n8 p5206-5208, 15 Apr 91.

Keywords: *Thin films, *Magnetic fields, *Molecular beam epitaxy, *Magnons, Monomolecular films, FCC lattices, Copper, Substrates, Anisotropy, Polishing, Surface finishing, Etching, Smoothing, Brillouin effect, Light scattering, Measurement, Ferromagnetic resonance, Reprints, *Ultrathin films.

Brillouin light scattering and ferromagnetic resonance have been used to measure the magnetic field dependence of the magnon frequency at room temperature for 3 monolayer thick films of fcc Fe(001) grown by means of molecular beam epitaxy on Cu(001) substrates. These films exhibit a strong uniaxial magnetic anisotropy which causes the magnetization to be oriented perpendicular to the film plane in zero applied field. Four specimens were grown on copper substrates prepared using a chemical polishing technique which avoided the use of abrasives; this treatment greatly reduced the density of etch pits on the copper surface. The uniaxial anisotropies found for these specimens were very consistent and comparable to that previously measured for the best film grown on a mechanically polished copper substrate. There is evidence that substrate smoothness is improved, and hence that the uniaxial anisotropy is increased, when the substrate is covered with a few monolayers of epitaxial copper before the iron films are grown.

101,566

PB92-116680
Not available NTIS
National Bureau of Standards (NEL), Boulder, CO. Electromagnetic Technology Div.

Single-Target Magnetron Sputter-Deposition of High-T_c Superconducting Bi-Sr-Ca-Cu-O Thin Films.

Final rept.

N. G. Dhere, J. P. Goral, A. R. Mason, R. G. Dhere, and R. H. Ono. 1988, 3p
Pub. in *Jnl. of Applied Physics* 64, n10 p5259-5261, 15 Nov 88.

Keywords: *High temperature superconductors, *Superconducting films, Tetragonal lattices, X ray diffraction, Sputtering, Thin films, Reprints, *Bismuth strontium calcium cuprates.

Single-target RF magnetron sputtering was used to deposit superconducting thin films of Bi-Sr-Ca-Cu-O with a T_c(co) above 80 K. Varying P(O₂) modified the concentrations of Bi, Cu, and O in the films by 10-20%. Higher annealing temperatures, especially with brief melting, favored the formation of the higher T_c phases. Tetragonal phases (6-K and 75-K T_c), with a 3.8097 Å, c = 24.607 Å, and Bi₂Sr₂CuO₆ composition, and a = 3.812 Å, c = 30.66 Å, and Bi₂Sr(2-x)Ca(1+x)Cu₂O₈ composition, were identified; 70-84 K films contained large proportions of a new tetragonal phase, with a = 3.81 Å, and c = 55.23 Å.

101,567

PB92-116730
Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Surface Science Div.

PHYSICS

Solid State Physics

Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-Tc Superconductors.

Final rept.
H. B. Elswijk, H. A. Fowler, and A. J. Melmed. 1988, 5p
Pub. in Jnl. de Physique 49, nC-6 p489-493 1988.

Keywords: *High temperature superconductors, *Field ion microscopy, *Superconductors, Image analysis, Asymmetry, Reprints, Yttrium barium cuprates.

Field Ion Microscopy (FIM) specimens of '1,2,3'-type high-Tc superconducting materials, typically have an asymmetrical shape. This results from the anisotropic properties, which are involved in the preparation techniques. As a consequence of this shape, the magnification and resolution depend on the direction in the FIM image. Assuming that the elliptical poles in published micrographs are due to tip shape, the authors calculate an asymmetry in the magnification as large as a factor of four. Therefore, the current image interpretation is revisited quantitatively, keeping in mind the magnification asymmetry. The strong effect enhances the striped appearance of the images, and has not been fully recognized so far.

101,568

PB92-117316 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Semiconductor Electronics Div.
Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of $E_g(x,T)$.
Final rept.

D. G. Seiler, J. R. Lowney, C. L. Littler, and I. T. Yoon. 1991, 5p
Pub. in Materials Research Society Symposia Proceedings, v216 p59-63 1991.

Keywords: *Mercury cadmium tellurides, Temperature dependence, Energy gap, Carrier density, Nonlinear analysis, Reprints, Magnetoabsorption.

Intrinsic carrier concentrations of narrow-gap $Hg(1-x)Cd(x)Te$ alloys ($0.17 < x < 0.30$) have been calculated as a function of temperature between 0 and 300 K by using the new nonlinear temperature dependence of the energy gap obtained previously by two-photon magneto-absorption measurements for samples with $0.24 < x < 0.26$. The authors report here experimental values for $E_{\text{sub}}(g)(x,T)$ for samples with $x = 0.20$ and 0.23 obtained by one-photon magneto-absorption measurements. These data confirm the validity of the new $E_{\text{sub}}(g)(x,T)$ relationship for these x values. In this range of composition and temperature, the energy gap of mercury cadmium telluride is small, and very accurate values are needed for the gap to obtain reliable values for the intrinsic carrier density. Large percentage differences exist between their new calculations and previous values for $n_{\text{sub}}(i)$ at low temperatures. Even at 77 K, differences approaching 10 percent exist, confirming the importance of using the new $n_{\text{sub}}(i)$ results for materials and device characterization and a proper understanding of device operation in long-wavelength materials.

101,569

PB92-117340 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.
Antiferromagnetic Order of Cu in Sm_2CuO_4 .
Final rept.

S. Skanthakumar, J. W. Lynn, J. L. Peng, and Z. Y. Li. 1991, 3p
Pub. in Jnl. of Applied Physics 69, n8 p4866-4868, 15 Apr 91.

Keywords: *Samarium compounds, *Cuprates, *Copper ions, Antiferromagnetism, Neutron diffraction, Single crystals, Ceramics, Comparison, Praseodymium compounds, Neodymium compounds, Tetragonal lattices, Neel temperature, Spin waves, Reprints, Samarium cuprate.

Neutron diffraction techniques have been used to study the magnetic order of the Cu ions in a single crystal of Sm_2CuO_4 . The measurements revealed the development of long-range magnetic order of the Cu moments at $T_{\text{sub}}(N) = 280 \pm 1$ K, with a relatively simple antiferromagnetic configuration of spins as found in Nd_2CuO_4 and Pr_2CuO_4 . However, the spin directions in Sm_2CuO_4 are rotated by 90 degrees from the spin directions in Nd_2CuO_4 and Pr_2CuO_4 . The detailed spin structure can be either collinear or noncollinear, and in these tetragonal systems it is not possible

to distinguish between them with the present neutron diffraction data on multidomain samples. Measurements demonstrate that there are no spin reorientations below the Neel temperature, in contrast to the behavior found for Nd_2CuO_4 .

101,570

PB92-117373 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div.
Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
Final rept.

M. D. Stiles, and D. R. Hamann. 1991, 5p
Pub. in Jnl. of Vacuum Science and Technology B 9, n4 p2394-2398 Jul/Aug 91.

Keywords: *Cobalt silicides, *Nickel silicides, *Silicon, *Interfaces, Electronic structure, Electron transport, Band theory, Epitaxy, Reprints, Ballistic electron emission spectroscopy.

The electronic structure of the materials being measured has a strong effect on the spectroscopy of the interface between them measured by ballistic electron emission microscopy (BEEM). Specific calculations for $CoSi_2/Si(111)$ and $NiSi_2/Si(111)$ based on the calculated band structures of the materials illustrate some of the observable effects due to band structures, particularly of the overlayer. The BEEM spectra for $CoSi_2/Si(111)$ show a delayed onset due to a mismatch of the states near the conduction band minimum in the Si. The spectra for $NiSi_2/Si(111)$ show structure due to a decrease in the density of states in the $NiSi_2$ at about 1.8 eV above the Fermi level.

101,571

PB92-117381 Not available NTIS
National Inst. of Standards and Technology (IMSE), Gaithersburg, MD.
Theory of Orientation Textures Due to Surface Energy Anisotropies.
Final rept.

J. E. Taylor, and J. W. Cahn. 1988, 3p
Pub. in Jnl. of Electronic Materials 17, n5 p443-445 1988.

Keywords: *Crystallization, *Nucleation, *Surface energy, Epitaxy, Anisotropy, Substrates, Orientation, Liquid-solid interfaces, Free energy, Surfactants, Wetting, Electronics, Texture, Reprints, Wulff construction.

The effect of surface free energy on the orientation of nuclei on a substrate is examined. In general, the orientation of the nuclei is not determined by minimizing the nucleus-substrate interfacial free energy alone: all interfacial anisotropies must be considered. That orientation preferences should result from anisotropies in the substrate-nucleus interfacial free energies is obvious, but it was found that strong orientation effects are present even if the energy is assumed to be independent of the nucleus orientation, provided that the nucleus-nucleus interfacial free energies are anisotropic. Furthermore, varying the magnitude of even an isotropic nucleus-substrate energy will change the orientation of the nuclei. The theory points to some simple rules for prediction of nucleation orientations.

101,572

PB92-117415 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div.
Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100).
Final rept.

J. Unguris, R. J. Celotta, and D. T. Pierce. 1991, 4p
Pub. in Physical Review Letters 67, n1 p140-143, 1 Jul 91.

Keywords: *Magnetization, Scanning electron microscopy, Antiferromagnetism, Ferromagnetism, Chromium, Iron, Oscillations, Magnetoresistivity, Reprints.

Oscillations of ferromagnetic to antiferromagnetic exchange coupling between two Fe layers separated by a Cr spacer of linearly increasing thickness were investigated by imaging the magnetic domains with scanning electron microscopy with polarization analysis. Up to six oscillations in the coupling with a period of 10-12 Cr layers were observed, and, in the case of an extremely well ordered Cr interlayer, additional oscillations with a period of 2 Cr layers were observed.

101,573

PB92-117464 Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.
Low Temperature Magnetization and Magnetic Excitations in Amorphous $Fe_{78}B_{13}Si_9$.
Final rept.

S. C. Yu, J. W. Lynn, J. J. Rhyne, and G. E. Fish. 1991, 5p
Pub. in Jnl. of Magnetism and Magnetic Materials 97, p286-290 1991.

Keywords: *Iron alloys, *Magnetization, Boron containing alloys, Silicon containing alloys, Amorphous materials, Temperature dependence, Dispersion relations, Neutron scattering, Spin waves, Reprints.

The authors have carried out a study of the low-temperature magnetization and spin-wave dispersion in the amorphous metallic ferromagnet $Fe_{78}B_{13}Si_9$. The temperature dependence of the magnetization was measured with a vibrating sample magnetometer and the spin-wave measurements were carried out using inelastic neutron scattering techniques. The magnetization is found to obey the usual law for $M_{\text{sub}}(T)$, while the spin waves follow the conventional ferromagnetic dispersion relation for $E_{\text{sub}}(q)$. The spin wave stiffness constant $D(T)$ is found to be substantially larger than the value inferred from the magnetization data, similar to the behavior observed in other invar-type materials.

Structural Mechanics

101,574

PB91-132217 PC A09/MF A01
National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.
Study of Static and Dynamic Fracture Using Strain Measurements.
J. R. Berger, and J. W. Dally. Sep 90, 188p NISTIR-3952

Keywords: *Strain measurement, *Fractures(Materials), *Crack propagation, Cracking(Fracturing), Strain gages, Strain measuring instruments, Pressure vessels, Algorithms, Least squares method, Accuracy, Steels.

The analysis of strain fields surrounding both stationary and propagating cracks is presented. Series expansions of the static and dynamic strain fields are developed. Gage orientation angles are then studied to optimize the strain response. The orientation angles are found to be dependent on gage type and material. Algorithms are developed which use the temporal or spatial strain variations to extract fracture parameters. The accuracy of the parameter determinations is shown to be excellent, and limits are placed on the validity of the developed methods. The methods are then applied to the analysis of a large scale crack arrest test conducted in a pressure vessel steel. The behavior of the crack-tip position with time and the propagation toughness with time, temperature and position are determined. From this information, details of the conditions at crack arrest are extracted. The propagation toughness-crack-velocity relation is then constructed.

101,575

PB91-147033 Not available NTIS
National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Applied and Computational Mathematics Div.

Mechanism for High Strain-Rate Shear Band Formation.
Final rept.

T. J. Burns. 1990, 4p
Pub. in Shock Compression of Condensed Matter 1989, p345-348 1990.

Keywords: *Torsion tests, Mathematical models, Viscoplasticity, Shear properties, Strains, Reprints.

Two numerical simulations of a model of the high-strain-rate torsion test are discussed, one with isothermal temperature boundary conditions, the other with adiabatic boundary conditions. It is shown that a moving boundary of rigid unloading, starting from isothermal ends of the thin-walled tube, caused by heat conduction, is a plausible mechanism for shear band formation during the test.

101,576

PB91-147256

Not available NTIS

National Inst. of Standards and Technology (IMSE),
Boulder, CO. Fracture and Deformation Div.**Experimental and Numerical Studies of the J-Integral for a Surface Flaw.**

Final rept.

R. H. Dodds, and D. T. Read. 1990, 21p

Sponsored by David Taylor Research Center, Bethesda, MD.

Pub. in International Jnl. of Fracture 43, p47-67 1990.

Keywords: *Fractures(Materials), *Fracture properties, *J integral, *Crack propagation, Displacement, Deformation, Fracture tests, Tensile stress, Strains, Cracking(Fracturing), Surface properties, Reprints.

Applied J-integral values for a surface cracked tensile panel are experimentally evaluated by measuring strain and displacement quantities along an instrumented contour located on the longitudinal symmetry plane. Nonlinear, 3-D, finite-element analyses are employed to obtain corresponding estimates of the contour and area integral contributions to a 3-D J-integral. Finite element results indicate that the area integral contribution is negligibly small on the symmetry plane; the fracture driving force is thus adequately characterized by the experimental contour values. Detailed comparisons of the experimental and numerical results (crack mouth opening displacement, J-values, and strains along the contour) reveal that the one-quarter symmetric, finite element model accurately predicts the panel response for overall (gauge length) strains approaching 1.6 times the material yield strain, beyond which the observed deformation patterns exhibited globally asymmetric shear bands.

101,577

PB91-147371

Not available NTIS

National Inst. of Standards and Technology (IMSE),
Boulder, CO. Fracture and Deformation Div.**Stress Intensity Factors by Enriched Mixed Finite Elements.**

Final rept.

P. R. Heyliger, and R. D. Kriz. 1989, 13p

Pub. in International Jnl. for Numerical Methods in Engineering 28, p1461-1473 1989.

Keywords: *Fracture mechanics, *Stress intensity factors, Finite element method, Crack initiation, Fracturing, Stresses, Strains, Elastic properties, Linear systems, Approximation, Displacement, Reprints.

An enriched finite element model for linear elastic fracture mechanics is developed for a mixed variational statement. The independent approximations for the displacement and stress components are enriched by adding the near-field analytic expressions for a cracked body to the polynomial approximations of a conventional element. This allows for an accurate representation of the stress and displacement fields near the crack tip and also results in the direct calculation of the appropriate stress intensity factors. The accuracy of the formulation is demonstrated through several numerical examples.

101,578

PB91-149211

Not available NTIS

National Inst. of Standards and Technology (NML),
Boulder, CO. Quantum Physics Div.**Thermal Noise in Mechanical Experiments.**

Final rept.

P. R. Saulson. 1990, 9p

Pub. in Physical Review D 42, n8 p2437-2445, 15 Oct 90.

Keywords: *Mechanical oscillators, *Thermal noise, Gravitational wave detectors, Suspension devices, Pendulums, Anelasticity, Reprints.

The fluctuation-dissipation theorem is applied to the case of low-dissipation mechanical oscillators, whose losses are dominated by processes occurring inside the material of which the oscillators are made. In the common case of losses described by a complex spring constant with a constant imaginary part, the thermal noise displacement power spectrum is steeper by one power of omega than is predicted by a velocity-damping model. The author constructs models for the thermal noise spectra of systems with more than one mode of vibration, and evaluate a model of a specific design of pendulum suspension for the test masses in a gravitational-wave interferometer.

101,579

PB91-149872

Not available NTIS

National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Applied and Computational Mathematics Div.**Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test.**

Final rept.

T. J. Burns. 1990, 9p

See also PB89-215370.

Pub. in Transactions of the ASME 57, p836-844 Dec 90.

Keywords: *Viscoelasticity, *Torsion tests, *Shear properties, Thermoelasticity, Mechanical properties, Rheological properties, Elastic properties, Strains, Stresses, Heat transfer, Plastic flow, Mathematical models, Reprints.

A numerical study of a one-dimensional model of the high strain-rate torsion test shows that a moving boundary of rigid unloading, starting from the ends of the thin-walled tubular specimen, is a plausible mechanism for adiabatic shear band formation during the test. Even though the dimensionless thermal diffusivity parameter is very small, the moving boundary is due to heat transfer from the specimen through its ends, which are assumed to be isothermal heat sinks. The mathematical model is based on a physical model of thermoelastic-plastic flow and a phenomenological Arrhenius model for the plastic flow surface. The numerical technique used is the semi-discretization method of lines.

101,580

PB91-174268

Not available NTIS

National Inst. of Standards and Technology (IMSE),
Boulder, CO. Fracture and Deformation Div.**Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.**

Final rept.

J. R. Berger, J. W. Dally, and R. J. Sanford. 1990,

12p

Sponsored by National Science Foundation, Washington, DC.

Pub. in Engineering Fracture Mechanics 36, n1 p145-156 1990.

Keywords: *Strain measurement, *Stress intensity factors, *Crack initiation, Strain gages, Stress analysis, Algorithms, Strains, High alloy steels, Fracture mechanics, Crack propagation, Stress concentration, Reprints.

Recent experimental studies have shown that strain gages can be employed to determine either static or dynamic stress intensity factors, with relatively simple experiments. The paper describes an analysis method for determining stress intensity factors associated with a propagating crack. The analysis is based on a three parameter representation of the strain field near the crack tip. An algorithm is developed where triangulation is used to precisely locate the crack tip position. The algorithm also includes an iteration scheme which permits an accurate determination of two key parameters in the series representation of the strain field. The new method of analysis is demonstrated in a dynamic experiment with a high strength 4340 alloy steel.

101,581

PB91-174433

Not available NTIS

National Inst. of Standards and Technology (IMSE),
Boulder, CO. Fracture and Deformation Div.**Improved Optical Diffraction Strain Measurement System.**

Final rept.

J. R. Berger, and R. D. Kriz. 1989, 7p

Pub. in Proceedings of SEM Spring Conference on Experimental Mechanics, Cambridge, MA., May 29-June 1, 1989, p572-578.

Keywords: *Strain measurement, *Diffraction, *Laser applications, *Fracture mechanics, Gratings(Spectra), Optical equipment, Image processing, Strains, Diffraction patterns, Optical measuring instruments, Crack propagation, Reprints.

Improvements on an automated optical post-processor previously developed at NIST Boulder are described. All three components of in-plane strain as well as rigid body rotations are determined at a material point by observing changes in the diffraction pattern from a high frequency grating. The procedure is automated for full field analysis by using digital image processing and a computer controlled positioning device. Spatial resolution and strain sensitivity were improved by decreasing the laser beam diameter, using a sepa-

rate camera for each diffraction peak, and using frame averaging techniques.

101,582

PB91-174599

Not available NTIS

National Inst. of Standards and Technology (IMSE),
Boulder, CO. Fracture and Deformation Div.**Use of Birefringent Coatings in Fracture Mechanics.**

Final rept.

J. W. Dally, J. R. Berger, and K. C. Ham. 1989, 8p

Grant NSF-MSM85-13037

Sponsored by National Science Foundation, Washington, DC.

Pub. in Proceedings of SEM Spring Conference on Experimental Mechanics, Cambridge, MA., May 29-June 1, 1989, p513-520.

Keywords: *Strain measurement, *Stress intensity factors, *Fracture mechanics, *Birefringent coatings, Birefringence, Optical equipment, Refractivity, J integral, Plastic deformation, Strains, Elastic properties, Reprints.

The equations which describe the response of birefringent strips, patches and arrays of strips to the strains developed in a plane body with a through thickness crack subjected to opening mode loading are described. The strain-optic equations are shown in terms of K(I) for small scale yielding where an elastic analysis is sufficient. The optical response is also shown in terms of J for a power law hardening material where a plastic region has developed and small scale yielding is not valid. Design concepts for very simple optical gages to measure both K(I) and J are introduced.

101,583

PB91-175208

Not available NTIS

National Inst. of Standards and Technology (IMSE),
Boulder, CO. Fracture and Deformation Div.**Computerization of a Thermomechanical Processing Research System.**

Final rept.

Y. Rosenthal, and Y. W. Cheng. 1989, 31p

Pub. in Intelligent Instruments and Computers, p58-88 Mar/Apr 89.

Keywords: *Data acquisition, *Mechanical properties, *Computerized simulation, Mechanical tests, Software(Computers), Stress strain diagrams, Data analysis, Personal computers, High temperature tests, Processing, Reprints.

Software programs for data acquisition and analysis were developed for a personal computer that operates a thermomechanical processing research system. The programs enable data acquisition during mechanical testing at high temperatures, and at constant true strain rates, as well as enabling post-test data analysis. The system is described and results (mechanical properties, engineering and true stress-strain curves, continuous cooling-transformation diagrams) are presented.

101,584

PB91-175224

Not available NTIS

National Bureau of Standards (NEL), Gaithersburg,
MD. Structures Div.**Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.**

Final rept.

M. Sansalone, N. J. Carino, and N. N. Hsu. 1986, 4p

Pub. in Jnl. of Acoustic Emission 5, n1 pS24-S27 Jan-Mar 86.

Keywords: *Stress waves, *Wave propagation, *Finite element method, *Displacement, Nondestructive tests, Impact tests, Defects, Greens function, Concrete, Plates, Stresses, Reprints, *Impact-echo tests.

The National Bureau of Standards is working to develop a nondestructive test method for finding flaws within heterogeneous materials, such as concrete. The method, which is referred to as the impact-echo method, involves introducing transient stress waves into a test object by mechanical impact (point source) and monitoring reflections of the waves from internal defects and external boundaries using a displacement transducer (point receiver) which is located close to the impact point. The impact-echo test is a simple procedure; however, successful interpretation of recorded surface displacement waveforms requires an understanding of the interaction of transient stress waves with internal defects. To develop a basis for the

PHYSICS

Structural Mechanics

method, Green's function solutions, finite element solutions, and experimental studies of transient stress wave propagation in solid plates and in plates containing flaws have been carried out. The abstract will discuss some significant findings of the finite element studies.

101,585

PB91-202812

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Mathematical Analysis Div.

Identification of Dynamic Green's Functions in Structural Networks.

Final rept.

A. S. Carasso, and E. Simiu. 1989, 8p

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC., and Directorate of Aerospace Studies, Kirtland AFB, NM.

Pub. in AIAA (American Institute of Aeronautics and Astronautics) Jnl. 27, n4 p492-499 Apr 89.

Keywords: *Dynamic structural analysis, *Greens function, Large space structures, Timoshenko beams, Integral equations, Reprints, Ill posed problems, Deconvolution.

The paper presents the mathematical and computational basis of a method for experimentally identifying the dynamic behavior of linear structural systems. The method consists of exciting the structure with specific pulses and reconstructing the dynamic Green's functions by deconvolution of the measured response. The reconstruction procedure involves the solution of an ill-posed integral equation in the presence of noise. Inverse Gaussian functions, which have mathematical properties that render the deconvolution problem tractable, are used as probing pulses. Two examples are presented for which dynamic Green's functions are reconstructed from synthetic response data: (1) a non-dispersive medium consisting of a mechanical slider with free body motion, and (2), a network that may be representative of a large orbiting structure, with rigidly connected torsional members and Timoshenko beams. It is shown that residual effects of noise that may be detectable in the reconstructed Green's functions, are effectively smoothed out when these functions are used to predict the response to forces such as may be induced by control systems. Finally, an example is presented of deconvolution implemented in slow motion.

101,586

PB91-236794

Not available NTIS

National Inst. of Standards and Technology (IMSE), Gaithersburg, MD. Fracture and Deformation Div.

Resonating-Orthotropic-Cube Method for Elastic Constants.

Final rept.

P. Heyligier, H. Ledbetter, and M. Austin. 1990, 10p

Pub. in Dynamic Elastic Modulus Measurements in Materials, ASTM STP 1045, p100-109 1990.

Keywords: *Elastic constants, *Vibration tests, Piezoelectric transducers, Anisotropy, Mechanical properties, Rayleigh-Ritz method, Reprints.

Following studies by Demarest (1969) and by Ohno (1976), the authors describe measurements and analysis that yield, from a single cube-shape specimen, in a single measurement, the complete set of anisotropic elastic-stiffness constants, the C_{ij}. Experimentally, they place a cubic specimen between two piezoelectric transducers, which excite and detect the cube's macroscopic free-vibration (fundamental-mode) frequencies, up to 10 MHz. From the specimen's shape, size, and mass, and from the measured resonance-frequency spectrum, they analyze for the C_{ij} within a given tolerance.

101,587

PB91-237354

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Structures Div.

Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.

Final rept.

E. Simiu, and G. Cook. 1989, 14p

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in Jnl. of Sound and Vibration 135, p275-288, 8 Dec 89.

Keywords: *Dynamic response, *Greens function, *Degrees of freedom, *Elastic analysis, Manipulators, Structural analysis, Functions, Fourier transformation,

Many body problem, Robotics, Structural engineering, Reprints.

A procedure based on the theory of generalized functions is developed which allows the calculation of dynamic Green's functions for discrete and continuous elastic systems with rigid body degrees of freedom. For any given degree of freedom the procedure divides the Fourier transform of the dynamic Green's function into two parts. The first part contains the singularity due to the rigid body degree of freedom. Its time domain counterpart is obtained in closed form. The second part exhibits no singularities, and its time domain counterpart is obtained by numerical integration using a Fast Fourier Transform routine. The procedure is applied to two systems for which closed form solutions are also obtained: a system consisting of two point masses connected by an elastic spring which slide without friction on a horizontal plane, and a non-dispersive mechanical slider with elastic deformations due to shear strain. The agreement between the results yielded by the proposed procedure and the closed form solutions is shown to be excellent. The procedure is then used to calculate the dynamic Green's function for the tip displacement of a dispersive medium consisting of a flexible robot manipulator with the mechanical properties of a Timoshenko beam.

101,588

PB92-116573

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis.

Final rept.

H. Chai. 1990, 8p

See also Part 2, PB92-116581.

Pub. in Jnl. of Applied Mechanics 57, p981-988 Dec 90.

Keywords: *Structural analysis, *Composite structures, *Plates, *Elliptical configuration, *Buckling, Calculation methods, Polynomials, Ritz method, Delaminating, Stress analysis, Displacement, Deformation, Loads(Forces), Substrates, Reprints.

A polynomial series expansion for displacements is used in conjunction with the Rayleigh-Ritz energy method to produce buckling and post-buckling stress solutions for an elliptically-shaped surface layer that has been delaminated from the main load-bearing body. Plate deformations are induced by a combined in-plane displacement field applied to the plate boundary and normal pressure. Convergence of the plate solution is assessed by systematically increasing the number of displacement terms in the series expansion. The convergence of membrane and bending stresses at the plate boundary was generally slow and nonuniform. The degrees-of-freedom necessary for a satisfactory solution typically increase with increasing complexity or magnitude of the plate deformations. By employing as many as 77 displacement terms, practically exact stress solutions are obtained for a wide variety of basic delamination plate problems. The proposed solution procedure is highly efficient and economical, and it may be easily extended to other plate geometries of loading conditions.

101,589

PB92-116581

Not available NTIS

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

Buckling and Post-Buckling Behavior of Elliptical Plates. Part 2. Results.

Final rept.

H. Chai. 1990, 6p

See also Part 1, PB92-116573.

Pub. in Jnl. of Applied Mechanics 112, p989-994 Dec 90.

Keywords: *Composite structures, *Delaminating, *Buckling, Elliptical configuration, Stress analysis, Structural analysis, Graphic methods, Substrates, Membrane structures, Bend tests, Loads(Forces), Displacement, Plates, Reprints.

The large-deflection plate solution developed in Part I is used here to study the buckling and post-buckling deformation and stress characteristics of an elliptically-shaped surface layer that has been delaminated from a large material body. The economical, yet accurate nature of the solution, together with available graphic routines, has made it possible to present, figuratively, a comprehensive description of the plate behavior. The conditions for a layer-substrate overlap and the variations of membrane and bending stresses

along the plate boundary are emphasized. Deformations were induced either by a normal pressure or a biaxial displacement field applied to the plate boundary. The problem variables are plate size and shape, details of load biaxiality, and load level.

101,590

PB92-126622

(Order as PB92-126614, PC A06/MF A02)

National Inst. of Standards and Technology, Gaithersburg, MD.

Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.

S. L. Yaniv, A. Sawla, and M. Peters. 1991, 12p

Prepared in cooperation with Physikalisch-Technische Bundesanstalt, Brunswick (Germany, F.R.). Included in Jnl. of Research of the National Institute of Standards and Technology, v96 n5 p529-540 Sep/Oct 91.

Keywords: *Standards, Force(Mechanics), Interlaboratory comparisons, Static loads, Transducers, *Force measurement, *Force standards, Deadweight machines, US NIST.

A comparison of force measurements performed at the National Institute of Standards and Technology, USA, and at the Physikalisch-Technische Bundesanstalt, Germany is reported. The focus of the study was the intercomparison of the forces realized by the two Institutes rather than the measurement process. The transfer standards used in the comparison consisted of force transducers and associated readout instrumentation. The results of the intercomparison reveal that over a range of 50 kN to 4.5 MN, the forces realized at NIST and at PTB compare favorably. For forces up to 900 kN the agreement is within + or - 40 ppm; above 900 kN the agreement is within + or - 100 ppm.

General

101,591

AD-A227 806/7

PC A03/MF A01

National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.

Cooled Ion Frequency Standard.

Annual rept. 1 Oct 89-31 Sep 90.

D. J. Wineland. 15 Sep 90, 17p

Contract N00014-90-F-0004

Keywords: Atomic spectroscopy, Cooling, Doppler effect, Electromagnetism, *Frequency standards, High resolution, Ions, Laser applications, Radiation pressure, Residuals, Radiative transfer, Storage, Transitions, Traps, Penning Traps, Laser Cooling, Ion traps, Penning traps.

The purpose of this work is to develop techniques to overcome the fundamental limits of present frequency standards—the second order and residual first-order Doppler shifts. To this end suitable frequency reference transitions are studied for ions which are stored on electromagnetic traps and cooled by radiation pressure to less than 1 K. **Keywords:** Atomic spectroscopy; Doppler narrowing; Doppler shifts; Frequency standards; High resolution spectroscopy; Ion storage; Laser spectroscopy; Penning trap; Laser cooling. (Jhd)

101,592

AD-A242 029/7

PC A02/MF A01

National Inst. of Standards and Technology, Boulder, CO.

Liquid and Solid Ion Plasmas.

Annual rept. 1 Oct 90-31 Sep 91.

D. J. Wineland, and J. J. Bollinger. 15 Sep 91, 8p

Contract N00014-89-F-0020

Keywords: Angular momentum, Cooling, Distribution functions, Electromagnetic fields, Images, Ions, Lasers, Plasmas(Physics), Solids, Spatial distribution, Spectroscopy, Temperature, Velocity, Laser cooling, Penning traps, *Ion plasmas.

Atomic ions which are stored in electromagnetic fields are an example of nonneutral plasmas. Laser techniques allow control of plasma angular momentum and provide plasma cooling to temperatures much less than 1 K. Using imaging techniques, plasma spatial information is achieved. Laser spectroscopic techniques

allow measurement of plasma velocity distribution functions. Liquid and solid behavior of ion plasmas is studied.

101,593

AD-A242 030/5 PC A02/MF A01
National Inst. of Standards and Technology, Boulder, CO.

Cooled Ion Frequency Standard.

Annual rept. 1 Oct 90-31 Sep 91.
D. J. Wineland. 15 Sep 91, 8p
Contract N00014-90-F-0004

Keywords: Doppler effect, *Frequency standards, Ions, Radiation pressure, Residuals, Transitions, *Laser cooling, Penning traps, *Atomic spectroscopy.

The purpose of this work is to develop techniques to overcome the fundamental limits of present frequency standards--the second order and residual first-order Doppler shifts. To this end we study suitable frequency reference transitions in ions which are stored on electromagnetic traps and cooled by radiation pressure to less than 1K.

101,594

PB90-244575 (Order as PB90-244526)
Massachusetts Univ., Amherst. Dept. of Physics and Astronomy.

Energy Levels of Atomic Aluminum with Hyperfine Structure.

Quarterly rept.
E. S. Chang. c1990, 7p
Contract DNA-001-85-C-0022
Sponsored by Defense Nuclear Agency, Washington, DC.

Included in Jnl. of Physical and Chemical Reference Data, v19 n1 p119-126 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Atomic energy levels, Hyperfine structure, Electron transition, Ionization potentials, Spectra, *Aluminum ions.

A new energy level table for Al I has been constructed to include hyperfine structure from observations within the last decade. Improvement in accuracy over older tables is about an order of magnitude. The analysis of high-*n* Rydberg levels using the polarization formula results in a new value for the ionization potential which is 0.110/cm or five standard deviations above the old value. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

101,595

PB90-244583 (Order as PB90-244526)

Japan Atomic Energy Research Inst., Tokai.
Spectral Data and Grottrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.

Quarterly rept.
T. Shirai, Y. Funatake, K. Mori, J. Sugar, W. L. Wiese, and Y. Nakai. c1990, 149p
Sponsored by Department of Energy, Washington, DC. Prepared in cooperation with Hiroshima-Denki Inst. of Tech. (Japan), and National Inst. of Standards and Technology, Gaithersburg, MD.

Included in Jnl. of Physical and Chemical Reference Data, v19 n1 p127-276 1990. Available from American Chemical Society, 115 16th St., NW, Washington, DC 20036.

Keywords: Transition probabilities, Atomic energy levels, Spectra, Tables(Data), Graphs(Charts), *Iron ions, Multicharged ions, Grottrian diagrams, Oscillator strengths.

Wavelengths, energy levels, level classifications, oscillator strengths, and atomic transition probabilities for the iron ions Fe VIII to Fe XXVI are critically reviewed and tabulated. Grottrian diagrams are also presented to provide graphical overviews. The literature has been surveyed to March 1988. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

101,596

PB90-244666 (Order as PB90-244658)
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Atomic, Molecular and Optical Physics.

Energy Levels of Copper, Cu I through Cu XXIX.

Quarterly rept.
J. Sugar, and A. Musgrove. c1990, 90p
Included in Jnl. of Physical and Chemical Reference Data, v19 n3 p527-616 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Atomic energy levels, Spectra, Tables(Data), *Copper ions, Multicharged ions.

The energy levels of the copper atom, in all stages of ionization for which experimental data are available, have been compiled. Ionization energies, either experimental or theoretical, and experimental g-factors are given. Leading components of calculated eigenvectors are listed. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

101,597

PB90-244690 (Order as PB90-244658)
Joint Inst. for Lab. Astrophysics, Boulder, CO.

Cross Sections and Swarm Coefficients for H⁺, H₂⁺, H₃⁺, H, H₂, and H-in H₂ for Energies from 0.1 eV to 10 keV.

Quarterly rept.
A. V. Phelps. c1990, 23p
Included in Jnl. of Physical and Chemical Reference Data, v19 n3 p653-673 1990. Available from American Chemical Society, 1155 16th St., NW, Washington, DC 20036.

Keywords: *Collision cross sections, Momentum transfer, Excitation, Dissociation, *Atom-molecule collisions, *Molecule-molecule collisions, *Ion-molecule collisions, *Hydrogen ions 1 minus, *Hydrogen ions 1 plus, *Hydrogen ions 2 plus, *Hydrogen ions 3 plus, Charge exchange, Rotational states, Vibrational states, Swarm coefficients.

Graphical and tabulated data and the associated bibliography are presented for cross sections for elastic, excitation and ionization collisions of H(1+), H₂(1+), H₃(1+), H, H₂, and H(1-) with H₂ at laboratory energies from 0.1 to 10 keV. Where appropriate, drift velocities and reaction or excitation coefficients are calculated from the cross sections and recommended for use in analyses of swarm experiments and electrical discharges. Collisions of electronically excited states with H₂ are not included. (Copyright (c) 1990 by the U.S. Secretary of Commerce.)

101,598

PB91-132290 PC A04/MF A01
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Radiation Research.
Absorbed-Dose Calibration of Ionization Chambers in a(60)Co Gamma-Ray Beam.
Special pub. (Final).
J. S. Pruitt. Oct 90, 56p NIST/SP-250/40
Also available from Supt. of Docs. as SN003-003-03034-1.

Keywords: *Ionization chambers, Radiation dosage, Cobalt 60, Calorimeters, Gamma rays, Water, *Radiation doses, *Calibration, Interlaboratory comparisons, Gamma dosimetry.

Measurement Service C.1 from the National Institute of Standards and Technology (NIST) publication SP 250 provides calibrations for customer-owned ionization chambers so that they may be used to determine absorbed dose to water in (60)Co gamma-ray beams. The calibrations are based on calorimetric measurement of absorbed dose to graphite in a graphite phantom. Transformation of the calibrations to a water phantom is made with a specially-designed graphite ionization chamber, and requires knowledge of photon mass attenuation coefficients and the perturbation of the graphite chamber in the water medium. The determination of these quantities is described in detail, along with the operational techniques normally used to transfer the calibration to customer-owned chambers. Appendix A lists experimental data used to test the photon-fluence scaling theorem. Appendices B, C, and D describe international comparisons of the chamber calibrations, and Appendix E shows a sample calibration report.

101,599

PB91-133900 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.

Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.

Final rept.
J. W. Cooper, D. W. Lindle, T. A. Carlson, D. R. Mullins, C. E. Beall, B. W. Yates, J. W. Taylor, and F. A. Grimm. 1990, 10p
Pub. in Jnl. of Electron Spectroscopy and Related Phenomena 51, p397-406 1990.

Keywords: *Argon, *Krypton, *Xenon, Synchrotron radiation, Electron transitions, Auger electrons, Angular distribution, Reprints, *Photoemission, Electron spectroscopy, High resolution.

High-resolution angle-resolved electron spectroscopy with synchrotron radiation has been used to study the angular distributions of resonant-Auger processes near the core-level thresholds Ar 2p, Kr 3d and Xe 4d. Angular-distribution parameters (beta) were measured for all resolved peaks in the electron spectra, and large negative values of beta were found for some peaks. A quantitative method for calculating the angular-distribution parameters is described and results of calculations for the Ar 2p(3/2) -> 4s resonant-Auger spectrum are compared with the experimental results.

101,600

PB91-134486 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
High-Resolution, Tunneling-Stabilized Magnetic Imaging and Recording.

Final rept.
J. Moreland, and P. Rice. 1990, 3p
Pub. in Applied Physics Letters 57, n3 p310-312, 16 Jul 90.

Keywords: *Magnetic recording, Metal films, Iron, Reprints, Surface magnetism, Imaging techniques, High resolution, Scanning tunneling microscopy, Magnetic films.

The authors have used a scanning tunneling microscope (STM) to record and image magnetic regions on the surface of a hard disk. The usual rigid STM tip was replaced by a compliant magnetized Fe film tip. As a result, tunneling images were combinations of the surface topography and variations in the magnetic force between the Fe film tip and the disk surface. The authors believe that the recording process relied on maintaining the proximity of the magnetized Fe film tip near the disk surface. Apparently, the magnetic field was focused near the Fe film tip with sufficient intensity to change the surface magnetization of the disk. The authors have recorded spots on the disk within a 500 nm X 500 nm area. These spots were subsequently imaged with the same STM tip. Their best magnetic image resolution was 20 nm. The compliance of the Fe film tips was such that image contrast due to variation of the magnetic force on the tip corresponded to z motions of the piezoelectric translator as large as 50 nm.

101,601

PB91-134502 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.
Thermal Conductivity of a Moderately Dense Gas.

Final rept.
C. A. Nieto de Castro, D. G. Friend, R. A. Perkins, and J. C. Rainwater. 1990, 8p
Pub. in Chemical Physics 145, p19-26 1990.

Keywords: *Thermal conductivity, *Gases, Nitrogen, Argon, Reprints, Lennard-Jones potential, Virial coefficients, Density dependence.

Recent extensive measurements of the thermal conductivity of argon and nitrogen have enabled us to evaluate the first density correction as a function of temperature and to compare it with a theoretical prediction. The prediction follows from a previously published microscopically based theory, which includes effects due to collisional transfer, collisions among three molecules, and monomer-dimer collisions. The first density correction was evaluated for a Lennard-Jones interaction potential. An ad hoc modification of the theory accounts for contributions to the thermal conductivity from internal degrees of freedom. The comparison shows good agreement over a wide range of temperatures.

101,602

PB91-134577 Not available NTIS

PHYSICS

General

National Inst. of Standards and Technology (NML), Boulder, CO. Thermophysics Div.

Thermal Conductivity and Heat Capacity of Gaseous Argon.

Final rept.

H. M. Roder, R. A. Perkins, and C. A. Nieto de Castro. 1989, 24p

Pub. in International Jnl. of Thermophysics 10, n6 p1141-1164 Nov 89.

Keywords: *Argon, *Thermal conductivity, *Thermal diffusivity, *Specific heat, Gases, Reprints, Transient hot wire technique.

The paper presents new absolute measurements of the thermal conductivity and of the thermal diffusivity of gaseous argon obtained with a transient hot-wire instrument. The authors measured seven isotherms in the supercritical dense gas at temperatures between 157 and 324 K with pressures up to 70 MPa and densities up to 32 mol/L and five isotherms in the vapor at temperatures between 103 and 142 K with pressures up to the saturation vapor pressure. The instrument is capable of measuring the thermal conductivity with an accuracy better than 1% and thermal diffusivity with an accuracy better than 5%. Heat capacity results were determined from the simultaneously measured values of thermal conductivity and thermal diffusivity and from the density calculated from measured values of pressure and temperature from an equation of state. The heat capacities presented in the paper, with a nominal accuracy of 5%, prove that heat capacity data can be obtained successfully with the transient hot wire technique over a wide range of fluid states. The technique will be invaluable when applied to fluids which lack specific heat data or an adequate equation of state.

101.603

PB91-134643

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Lunar Gravitational Wave Antenna Using a Laser Interferometer.

Final rept.

R. T. Stebbins, and P. L. Bender. 1990, 14p

Pub. in AIP Conference Proceedings 202, Physics and Astrophysics from a Lunar Base, NASA Workshop (1st), Stanford, CA., May 19-20, 1989, p188-201 1990.

Keywords: Angular resolution, Sensitivity, Reprints, *Gravitational wave antennas, Laser interferometers, Lunar bases, Lunar surface.

A moon-based laser interferometer for detecting gravitational radiation could detect signals in the band 0.1 to 10,000 Hz. A preliminary evaluation of the noise budget for an optimistic antenna design is reported here and compared to that for other planned gravitational wave interferometers. Over most of the frequency range, the sensitivity is controlled by the thermal noise in the test mass suspensions. As pointed out by others, the most important role of a lunar antenna would be the improved angular resolution made possible by the long baseline to terrestrial antennas.

101.604

PB91-144360

PC A03/MF A01

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Computing and Applied Mathematics.

Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem.

A. S. Carasso. 21 Nov 90, 41p NISTIR-4482

Keywords: *Conduction, *Gun barrels, Nonlinear differential equations, Finite difference theory, One-dimensional calculations, Mathematical models, Heat transfer, Fourier analysis, Error analysis, Ill posed problems, Inverse problems.

The Lax-Richtmyer theory is used to study the error amplification properties of 18 space marching finite difference schemes, for the 1-D nonlinear inverse heat conduction problem. A non-dimensional parameter Ω , involving the time step Δt , the effective thermal diffusivity α , and the distance l from the sensor to the active surface, provides a measure of the numerical difficulty of the inverse calculation. All 18 schemes are unstable and blow-up like $10(\sup \lambda \Omega)$, where the constant λ depends on the particular numerical method. However, there are substantial differences in the λ 's, and some newly constructed algorithms, employing forward time differences at nonadjacent mesh points, are shown to produce relatively low values of λ . Using synthetic noisy data, a nonlinear reconstruction problem is

considered for which $\Omega = 25$. This problem simulates heat transfer in gun barrels when a shell is fired. It is shown that while most of the 18 schemes cannot recover the thermal pulses at the gun tube wall, two of the new methods provide reasonably accurate results. A tendency to underestimate peak values in fast, narrow thermal pulses, is also noted.

101.605

PB91-147116

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Radiation Physics Div.

Giant Resonances in the Transition Regions of the Periodic Table.

Final rept.

C. W. Clark, and T. B. Lucatorto. 1986, 15p

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC.

Pub. in Giant Resonances in Atoms, Molecules, and Solids, p137-151 1986.

Keywords: *Transition metals, *Rare earth elements, *Atomic orbitals, Giant resonance, Atomic structure, Reprints, Orbital collapse.

The behavior of the transition elements and the lanthanides is described in terms of an independent electron model. The properties of the transition elements and the lanthanides which are associated with orbital collapse are described in terms of an independent electron model. Special attention is focused on elements at the beginning of the transition period, such as Cs, Ba, and La, to show that the dramatic changes in such properties as the photoabsorption can be explained in terms of orbital collapse, provided one carefully treats exchange and correlation effects. Theoretical models are compared with experimental results in isoelectronic and isonuclear systems.

101.606

PB91-147124

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Electricity Div.

Adjustment of the Fundamental Physical Constants: A Report of the CODATA Task Group on Fundamental Constants, 1986.

Final rept.

E. R. Cohen, and B. N. Taylor. 1986, 39p

Sponsored by Rockwell International, Thousand Oaks, CA. Science Center.

Pub. in CODATA Bulletin, n63 39p 1986.

Keywords: *Fundamental constants, Least squares method, Adjusting, Correction, Reprints.

The paper summarizes in some detail the 1986 least-squares adjustment of the fundamental physical constants carried out by the authors under the auspices and guidance of the CODATA Task Group on Fundamental constants, and gives tables of recommended values of the constants for international use resulting from the 1986 adjustment. The 1986 CODATA set of values entirely replaces its immediate predecessor, that recommended for international use by CODATA in 1973. The latter was based on the 1973 least-squares adjustment of the fundamental constants which was also carried out by the authors under the auspices and guidance of the Task Group.

101.607

PB91-147173

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.

Selective Excitation of X-ray Emission Spectra.

Final rept.

P. L. Cowan. 1990, 7p

Pub. in Physica Scripta T31, p112-118 1990.

Keywords: *X ray spectra, Synchrotron radiation, X ray absorption, X ray fluorescence, Emission spectra, Excitation, Reprints.

While X-ray emission spectroscopy is a relatively old technique, it takes on important new characteristics when samples are selectively excited by a carefully prepared beam of X-rays. The method is made practical by the availability of synchrotron radiation sources and it extends the capabilities of the traditional technique. Both the energy and the polarization of the excitation X-rays can have significant effects on the emission spectra. Selective control of these parameters can provide specific information on both the electronic structure and the atomic structure of molecules or solids. Examples of the new types of studies include: satellite free X-ray emission, multi-vacancy excitation, polarized X-ray excitation and emission, and state selective excitation of neutral atoms and molecules.

101.608

PB91-147249

Not available NTIS

National Bureau of Standards (NML), Gaithersburg, MD. Ionizing Radiation Div.

Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.

Final rept.

L. J. Dobrilovic, M. Simovic, D. J. Bek-Uzarov, J. M.

R. Hutchinson, and W. B. Mann. 1988, 7p

Pub. in Applied Radiation and Isotopes 39, n9 p999-1005 1988.

Keywords: *Monomolecular films, *Radioactivity, *Mountings, Chemisorption, Adsorption, Reprints, Calcium stearate, Multilayers.

The physical properties of the calcium-stearate monomolecular layer have been examined using an automatic torsion balance. These layers were obtained by adsorption of $\text{Ca}(2+)$ ions from 0.0001 M CaCl_2 onto the stearic-acid monomolecular layer. The introduction also briefly reviews previous work on the preparation of monomolecular layers and their use, for some 50 years, for radioactivity measurements.

101.609

PB91-147355

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Radiation Research.

Electrofission in the Quasifree and Delta Regions.

Final rept.

K. Hansen, J. O. Adler, K. I. Blomqvist, D. Nilsson, A. Sandell, B. Schroder, W. R. Dodge, J. W. Lightbody,

J. S. Connell, J. R. Calarco, J. P. Connelly, F. W.

Hersman, W. Kim, and M. Leuschner. 1990, 6p

Pub. in Physical Review C 41, n4 p1619-1624 Apr 90.

Keywords: *Uranium 238, *Uranium 233, *Fission cross sections, *Electrofission, MeV range 100-1000, Reprints.

The coincident electrofission (e,e') cross sections of $(233,238)\text{U}$ were measured in the excitation range 150-550 MeV. The probability of fission was found to be near unity in the delta resonance region (250-550 MeV), but less than unity in the quasifree scattering region (150-250 MeV). The data are analyzed with a model based on the quasifree and delta reaction mechanisms. An excitation energy of 25 MeV is found for the residual nucleus in the quasifree region and over 40 MeV in the delta region.

101.610

PB91-147462

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.

Transitions and Energy Levels for Cu-Like $\text{Yb}(41+)$, $\text{Ta}(44+)$, and $\text{U}(63+)$.

Final rept.

D. R. Kania, B. J. MacGowan, C. J. Keane, C. M.

Brown, and J. O. Ekberg. 1990, 4p

Sponsored by Department of Energy, Washington, DC. Pub. in Jnl. of the Optical Society of America B 7, n10 p1993-1996 Oct 90.

Keywords: *Ytterbium ions, *Tantalum ions, *Uranium ions, *Atomic energy levels, *Electron transitions, Plasma spectra, Multicharged ions, Soft x rays, Laser-produced plasma, Reprints.

Transitions from the $n = 4, 5$, and 6 excited levels of the Cu-like ions $\text{Yb}(41+)$, $\text{Ta}(44+)$, and $\text{U}(63+)$ were observed in the spectra from plasmas that were produced by one or two beams of the Nova laser. Wavelengths in the range 9-140 Å were measured with an uncertainty of ± 0.015 Å and were compared with previously measured and predicted wavelengths. The energy levels were derived from the observed wavelengths.

101.611

PB91-147496

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Electromagnetic Technology Div.

Global Stability of the Chaotic State Near an Interim Crisis.

Final rept.

R. L. Kautz. 1989, 20p

Contract N00014-85-F-0085

Sponsored by Office of Naval Research, Arlington, VA. Pub. in Structure, Coherence and Chaos in Dynamical Systems, p207-226 1989.

Keywords: *Chaos, Josephson junctions, Thermal noise, Attractors, Stability, Reprints.

In dissipative systems, chaotic trajectories are locally unstable in that they show a sensitive dependence on initial conditions but globally stable in that they are represented by attractors. The global stability of the chaotic state is examined in the neighborhood of an interior crisis using the rf-biased Josephson junction as an example. A measure of global stability is developed by considering the response of the system to thermal noise. In the presence of noise, the system occasionally escapes from the region of state space containing the attractor and the temperature dependence of the average escape time is characterized by an activation energy. The activation energy is a useful measure of the global stability of the chaotic state, being analogous to the barrier height for a particle in a potential well.

101,612

PB91-147587 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Center for Radiation Research.

Possible (e,e'²N) Studies at CEBAF.

Final rept.

J. W. Lightbody. 1988, 9p

Pub. in Proceedings of Workshop on Perspectives in Nuclear Physics at Intermediate Energies (3rd), Trieste, Italy, May 18-22, 1987, p455-473 1988.

Keywords: *Knock-out reactions, *Electron scattering, CEBAF accelerator, High energy particles, Spectrometers, Hadrons, Reprints.

Multi-hadron knockout by high energy electron scattering will be one of the high priority experimental programs at CEBAF. The motivation for such reaction studies has both an experimental and theoretical side and is discussed herein. The equipment required for such studies, the kinematics employed, estimates of counting rates, and related issues are also discussed.

101,613

PB91-147959 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Center for Radiation Research.

Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect.

Final rept.

J. Rafelski, B. Muller, M. Danos, G. Velarde, and E. Minguez. 1987, 6p

Pub. in Proceedings of International Conference on Emerging Nuclear Energy Systems (4th), Madrid, Spain, June 30-July 4, 1986, p383-388 1987.

Keywords: *Muon-catalyzed fusion, Deuteron reactions, Triton reactions, Reprints, Nuclear resonance.

The kinetic energy of a muon attached to the recoiling particle in d-t fusion reduces the energy available in the nuclear fusion channel by about (90 + or - 50 deV.) The highly resonant d-t reaction amplitude is deduced and therefore the reaction channel is further suppressed in comparison to the nonsticking reaction.

101,614

PB91-148684 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Close-Coupling Calculation for the (2)(Sigma sub u)(+) State of (H sub 2)(-).

Final rept.

T. Górczyca, and D. W. Norcross. 1990, 7p

Grant NSF-PHY86-04504

Sponsored by National Science Foundation, Washington, DC.

Pub. in Physical Review A 42, n9 p5132-5138, 1 Nov 90.

Keywords: *Hydrogen, Molecular structure, Negative ions, Bound state, Reprints.

The authors demonstrate the utility of the close-coupling approximation, usually applied to scattering problems, for calculations of molecular bound states. Their primary test case is the doublet Sigma (sub u)(sup +) state of H2(1-). While limited to Hartree-Fock accuracy, their analysis of this resonant state within the bound region parallels closely the results from more precise quantum-chemical calculations. Specifically, the crossing between the neutral and negative-ion curves occurs at an internuclear separation of 3.025 a.u. in their calculation, in good agreement with a multireference configuration-interaction approach of previous authors. The shape and total energy of the anion

curve, when corrected for by the correlation energy of the target at the crossing, is also in good agreement with earlier results. The method is then extended into the unbound or resonant-state region by studying the shape-resonance behavior of scattering eigenphase sums.

101,615

PB91-148692 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Quantum Metrology Group.

Determination of the Neutron Mass and Implications for Fundamental Constants.

G. L. Greene, E. G. Kessler, M. S. Dewey, and R. D. Deslattes. 1987, 5p

Pub. in Proceedings of International Conference on Neutron Physics, Kiev, Ukraine, USSR, September 21-25, 1987, p76-80.

Keywords: Quantum electrodynamics, Fundamental constants, Rest mass, Reviews, Tests, Reprints, *Neutron mass.

The neutron mass, while not well understood theoretically, is known to quite high accuracy by a combination of absolute gamma ray spectroscopy and high accuracy mass spectroscopy. A review of the current experimental status of the neutron mass is given, along with a discussion of the prospects for improvement in the near future. The implication of these results for the fundamental constants as well as for tests of QED is briefly reviewed.

101,616

PB91-148718 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Thermophysics Div.

Anisotropic Structure of a Simple Liquid.

Final rept.

H. J. M. Hanley. 1988, 16p

Sponsored by Department of Energy, Washington, DC. Office of Basic Energy Sciences.

Pub. in Proceedings of the Winter Meeting on Statistical Physics Lectures on Thermodynamics and Statistical Mechanics (17th), Oaxtepec, Mexico, January 5-8, 1988, p109-124.

Keywords: *Non-Newtonian fluids, Couette flow, Structure factors, Reprints, Molecular dynamics.

Non-Newtonian behavior in a sheared simple fluid is reviewed briefly. The author points out that such behavior is more often associated with fluids of very complex structure, such as polymers. The concept of the Maxwell relaxation time is introduced and it is shown that the product of the time and a shear rate is a key parameter that indicates if a fluid will display non-Newtonian characteristics, regardless of molecular structure. The author discusses the distorted structure factor of a dense two-dimensional soft disk liquid undergoing Couette flow. The structure factor is determined experimentally by light scattering from the output of a nonequilibrium molecular dynamic simulation. The distorted pair correlation function is also discussed.

101,617

PB91-149203 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.

Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium.

Final rept.

C. J. Sansonetti, J. D. Gillaspay, and C. L. Cromer.

1990, 4p

Pub. in Physical Review Letters 65, n20 p2539-2542, 12 Nov 90.

Keywords: *Helium, *Lamb shift, Quantum electrodynamics, Electron transitions, Metastable state, Laser spectroscopy, Atomic energy levels, Tests, Reprints.

The authors have measured the wave number of the (4)He 2 singlet S -> 3 singlet P transition by Doppler-free spectroscopy in a metastable helium beam. The result, 19931.924794(45)/cm, represents an order of magnitude improvement over previous measurements and provides a sensitive test of two-electron QED effects. The result shows an unexpectedly large deviation from theoretical prediction. The authors derive improved term values for a number of low-lying helium levels. All levels with n=2 show significant deviations from theory that are correlated with the size of calculated two-electron contributions to the Lamb shifts.

101,618

PB91-149245 Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub <-sup->) (3)He + (4)He(+).

Final rept.

M. M. Schauer, S. R. Jefferts, and G. H. Dunn. 1990, 6p

Grant NSF-PHY86-04504

Sponsored by National Science Foundation, Washington, DC.

Pub. in Physical Review A 42, n9 p5332-5337, 1 Nov 90.

Keywords: *Helium, *Charge transfer, Isotope effects, Helium 3, Helium 4, Cryogenics, Reprints.

Measurements of the ratio of the rate coefficient for charge transfer between (3)He(1+) and (4)He to that for the reverse process have been made in the temperature range 8 K approx = or < T approx = or < 80 K. A 1.1-meV difference in the ionization potential of these species leads to an endothermicity in the forward direction of the reaction, and these experiments constitute the only measurements of a threshold resulting from such a small endothermicity. In addition, a limited number of direct measurements of the rate coefficients for these processes have been made and are included here. The measurements were done in a cooled Penning trap using Fourier transform spectroscopy of the axial trapping frequency. The measurements are compared to theoretical estimates.

101,619

PB91-149971 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon.

Final rept.

K. Bartschat, R. P. McEachran, and A. D. Stauffer.

1990, 7p

Pub. in Jnl. of Physics B: Atomic and Molecular Physics 23, p2349-2355 1990.

Keywords: *Electron-atom collisions, *Positron-atom collisions, *Neon, Electron scattering, Differential cross sections, Total cross sections, Optical models, Reprints.

The authors have extended their previous work on an optical potential method to electron and positron scattering from neon. In addition, they have modified the approach to include the diagonal potentials previously neglected. This required the use of a numerical form of the Green function. Comparison with recent experimental measurements with positrons indicates the necessity of including absorption effects at higher energies, although these effects appear to be smaller for neon than they were for argon. At energies just above the inelastic excitation thresholds, however, the picture is not so clear at the moment.

101,620

PB91-150011 Not available NTIS
National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Reactor Radiation Div.

Nonlocal Phase Shifts Induced by Static Electric Fields in Neutron Interferometers When the Path-Enclosed Charge Vanishes.

Final rept.

R. C. Casella. 1990, 4p

Pub. in Physical Review Letters 65, n18 p2217-2220, 29 Oct 90.

Keywords: Electric fields, Phase shift, Reprints, *Neutron interferometry.

An experiment, analogous to that of Cimmino et al., is proposed to measure the phase shift induced by static electric fields on the passage of neutrons through an interferometer when the path-enclosed linear charge density is zero. A finite shift is predicted and discussed in light of the Aharonov-Casher result.

101,621

PB91-158634 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Center for Basic Standards.

Accurate Spectroscopy in the X-ray Region.

Final rept.

R. D. Deslattes. 1988, 8p

Pub. in Nuclear Instruments and Methods in Physics Research B31, n1-2 p51-58 Apr 88.

PHYSICS

General

Keywords: *X ray spectroscopy, Multicharged ions, Heavy ions, Precision, Accuracy, Reprints.

There is currently not only keen interest in accurate spectroscopy of one- and two-electron ions but also the by now well-founded hope that these spectra can be produced under conditions where Doppler and spectator electron problems are under adequate control. These developments will require that one confront problems of wavelength normalization at a more refined level than has been necessary in the past. The report briefly outlines the present-day situation in the case of using normal x-ray lines as references, and the steps which might be taken to transcend limitations inherent in the approach.

101,622

PB91-158881 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Molecular Spectroscopy Div.

Explicit Mapping of the Set of Dynamical Symmetries onto the Set of Equivalent Lagrangians for Systems with One Degree of Freedom.

Final rept.

C. Leubner, and M. A. M. Marte. 1986, 6p

Pub. in Physics Letters A 117, n2 p67-72, 28 Jul 86.

Keywords: *Mechanics, Lagrangian functions, Dynamics, Reprints, One degree of freedom.

For newtonian systems with one degree of freedom, for which the existence of a relationship between the dynamical symmetries of the equation of motion and its equivalent lagrangian descriptions is well known, an explicit method is given for establishing the lagrangian associated with any particular dynamical symmetry.

101,623

PB91-159236 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Electricity Div.

Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'.

Final rept.

R. J. Van Brunt. 1990, 2p

Pub. in Nonequilibrium Effects in Ion and Electron Transport, pv-vi 1990.

Keywords: *Gas discharges, *Electron transport, Breakdown(Electronic threshold), Electric discharges, Collision cross sections, Electron collisions, Atomic collisions, Reprints, *Ion transport, Swarm seminar.

The volume presents the contributions of the participants in the Sixth International Swarm Seminar, held August 2-5, 1989, at the Webb Institute in Glen Cove, New York. The Swarm Seminars are traditionally held as relatively small satellite conferences of the International Conference on the Physics of Electronic and Atomic Collisions (ICPEAC) which occurs every two years. The 1989 ICPEAC took place in New York City prior to the Swarm Seminar. The focus of the Swarm Seminars has been on basic research relevant to understanding the transport of charged particles, mainly electrons and ions, in weakly ionized gases. This is a field that tends to bridge the gap between studies of fundamental binary atomic and molecular collision processes and studies of electrical breakdown or discharge phenomena in gases. Topics included in the 1989 seminar ranged the gamut from direct determinations of charged-particle collision cross sections to use of cross sections and swarm parameters to model the behavior of electrical gas discharges.

101,624

PB91-159251 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Office of Standard Reference Data.

Steam Tables.

Final rept.

H. J. White. 1987, 10p

Pub. in Encyclopedia of Physical Science and Technology, v13 p328-337 1987.

Keywords: *Steam tables(Thermodynamics), Physical properties, Encyclopedias, Reprints.

Steam tables are defined and a brief history of the development is given. Emphasis is based on steam tables receiving international acceptance, i.e., those of the International Association for the Properties of Steam (IAPS) and its predecessors. A listing of current releases from IAPS, including automated versions and archival documents supporting those releases, are available.

101,625

PB91-159285 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.

Progress at NIST on Absolute Frequency Standards Using Stored Ions.

Final rept.

D. J. Wineland, J. C. Berquist, J. J. Bollinger, W. M.

Itano, D. J. Heinzen, S. L. Gilbert, C. H. Manney, M.

G. Raizen, and C. S. Weimer. 1990, 6p

See also PB90-188616. Sponsored by Office of Naval Research, Arlington, VA., and Air Force Office of Scientific Research, Bolling AFB, DC.

Pub. in Proceedings of European Frequency and Time Forum (4th), Neuchatel, Switzerland, March 13-15, 1990, p267-272.

Keywords: *Atomic clocks, *Frequency standards, *Standards, *Ion storage, Atomic spectroscopy, High resolution, Laser spectroscopy, Beryllium 9, Mercury 199, Reprints, Ion storage, Penning traps, Paul traps, Laser cooling.

Experiments at NIST, whose goal is to realize frequency standards of high accuracy using stored ions, are briefly summarized. In one experiment, an rf oscillator is locked to a nuclear spin-flip hyperfine transition in $(9)\text{Be}(1+)$ ions which are stored in a Penning trap and sympathetically laser-cooled. Uncertainty in Doppler shifts is estimated to be less than $5 \times 10(\text{sup } -15)$. In a second experiment, a stable laser is used to probe an electric quadrupole transition (frequency = $1.07 \times 10(\text{sup } 15)$ Hz) in a single laser-cooled $(199)\text{Hg}(1+)$ ion stored in a Paul trap. The measured Q value of the transition is approximately $10(\text{sup } 13)$.

101,626

PB91-159301 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Radiation Physics Div.

Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations.

Final rept.

F. J. Wuilleumier, D. L. Ederer, and J. L. Picque.

1987, 90p

Pub. in Advances in Atomic and Molecular Physics 23, p197-286 1987.

Keywords: *Excited states, *Photoionization, Laser radiation, Synchrotron radiation, Autoionization, Atoms, Reprints, Collisional ionization.

The article is devoted to a description of various ionization processes which may be studied in excited atoms. Some of these processes are: photoionization, autoionization, and collisional ionization. The development of the field has been accelerated by combining tunable lasers, which excite the atomic species, with synchrotron radiation, which probes the excited atoms. The authors concentrate on the two-step photoionization in free atoms where one electron is promoted to an outer orbital and another is promoted either to a highly excited state which subsequently autoionizes, or to a continuum state.

101,627

PB91-161976 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Statistical Engineering Div.

Cross-Validation Procedure for Stopping the EM Algorithm and Deconvolution of Neutron Depth Profiling Spectra.

Final rept.

K. Coakley. 1991, 7p

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Nuclear Science 38, n1 p9-15 Feb 91.

Keywords: *Neutron spectra, *Image reconstruction, Stopping rules(Mathematics), Iterations, Reprints, Emission tomography, EM algorithm, Deconvolution, Depth profiles.

The iterative EM algorithm is used to deconvolve neutron depth profiling spectra. Because of statistical noise in the data, artifacts in the estimated particle emission rate profile appear after too many iterations of the EM algorithm. To avoid artifacts, the EM algorithm is stopped using a cross-validation procedure. The data are split into two independent halves. The EM algorithm is applied to one half of the data to get an estimate of the emission rates. The algorithm is stopped when the conditional likelihood of the other half of the data passes through its maximum. The roles

of the two halves of the data are then switched to get a second estimate of the emission rates. The two estimates are then averaged.

101,628

PB91-162123 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.

Quantum Optics of Single, Trapped Ions.

Final rept.

W. M. Itano, J. C. Bergquist, F. Diedrich, and D. J.

Wineland. 1990, 5p

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC., and Office of Naval Research, Arlington, VA.

Pub. in Coherence and Quantum Optics VI, p539-543 1990.

Keywords: *Mercury ions, *Ion storage, *Quantum optics, Trapping(Charged particles), Photons, Reprints, Laser cooling, Ion traps.

Quantum jumps in laser-cooled, trapped, mercury ions were observed. These quantum jumps were used to infer some quantum properties of the electromagnetic field, such as photon antibunching and sub-Poissonian photon statistics. A single mercury ion was cooled to the ground (zero-point) energy in the harmonic effective potential of the trap.

101,629

PB91-167205 PC A03/MF A01
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Computing and Applied Mathematics.

Uncertainty and Accuracy in Physical Measurements.

Special pub. (Final).

H. H. Ku. Dec 90, 14p NIST/SP-805

Also available from Supt. of Docs.

Keywords: *Uncertainty, *Accuracy, Measurement, Recommendations, Standards, Calibration.

The formulation of the 'uncertainty' of a reported value always involves a certain degree of arbitrariness, depending primarily on how the value is going to be used. Currently there are at least two schools of thought on the subject: physicists interested in detecting differences among result are in favor of the recommendations of the International Bureau of Weights and Measures (BIPM/CIPM 1981), whereas those involved in calibration work and routine measurements follow the orthodox method (see e.g., NBS Special Publication 644). In the note, the suggestion is made to use the word 'accuracy/inaccuracy' for standards that follow BIPM's recommendation, and the word 'uncertainty' for standards that follow the orthodox method. It is believed that the use of different terms for distinct purposes will resolve some of the basic difficulties facing international groups who are attempting to write their own standards.

101,630

PB91-174722 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Gyroscope-Weighing Experiment Revisited -- with a Null Result.

Final rept.

J. E. Faller, W. J. Hollander, P. G. Nelson, and M. P. McHugh. 1990, 5p

Pub. in Proceedings of Rencontre de Moriond New and Exotic Phenomena (25th), Les Arcs, Savoie, France, January 20-27, 1990, p197-201.

Keywords: *Weight reduction, *Gyroscopes, Spinning(Motion), Experimentation, Gravity, Reprints.

A recent experiment that reported finding an anomalous weight reduction for a spinning gyroscope weighed on a pan balance has been repeated during six days in the laboratory. No anomalous weight changes of the magnitude reported, were found that depended on rotor speed and/or its direction of rotation about the vertical axis.

101,631

PB91-174748 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Electromagnetic Technology Div.

Anomalous Magnetoresistance in Al/Al-Alloy Composite Conductors.

Final rept.

F. R. Fickett, and C. A. Thompson. 1990, 8p
Sponsored by Wright Research and Development Center, Wright-Patterson AFB, OH.
Pub. in *Advances in Cryogenic Engineering (Materials)*, v36 p671-678 1990.

Keywords: *Magnetoresistance, Electric conductors, Composite materials, Aluminum, Cryogenics, Anomalies, Reprints.

The transverse magnetoresistance of several composite conductors containing a large single filament of pure aluminum in a matrix of Al-Fe-Ce has been measured at 4 K to fields of 10 T. The magnetoresistance ($\Delta R/R$) of the composite is very large, rising to 55 in the 'worst' case. Previous measurements on pure polycrystalline aluminum have always shown a rapidly saturating behavior with a very small linear component; $\Delta R/R$ rarely exceeds a value of 5-6. In addition, the magnetoresistance of the composite samples shows a structure as the field is rotated around the current axis.

101,632
PB91-174755

Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.

New Test of Quantum Mechanics: Is Planck's Constant Unique.

Final rept.

E. Fischbach, G. L. Greene, and R. J. Hughes. 1991, 4p
Sponsored by Department of Energy, Washington, DC.
Pub. in *Physical Review Letters* 66, n3 p256-259, 21 Jan 91.

Keywords: *Quantum mechanics, *Conservation laws, *Planck's constant, Fundamental constants, Invariance, Tests, Reprints.

The possibility that different realms of physics are described by distinct quantization constants is considered. From the consistency of existing data, the authors infer limits on the differences between hypothetically distinct quantization constants for different elementary particles. Since the existence of multiple Planck constants implies violations of space-time symmetries, these limits may be viewed as precise tests of fundamental conservation laws, including the conservation of linear momentum and energy.

101,633
PB91-174888

Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Surface Science Div.

Instrumentation of X-ray Beam Lines with PIN Diode Detectors.

Final rept.

T. J. Jach. 1990, 4p
Pub. in *Nuclear Instruments and Methods in Physics Research A* 299, p76-79 1990.

Keywords: *Synchrotron radiation sources, *X-ray detection, *PIN diodes, Silicon diodes, Photodiodes, Performance, Reprints, Beamlines.

Much of the X-ray work on synchrotron-radiation beam lines is still done using ion chambers as detectors. Silicon PIN photodiodes offer considerable advantages over ion chambers for many applications. In addition to greater efficiency over a wide energy range (1-20 keV), they possess a flat configuration, large areas, an absence of bias requirements, high dynamic range, and compatibility with ultrahigh vacuum. The researchers have characterized the properties of several commercial PIN photodiodes at X-ray energies, have had diodes commercially produced which were specialized for use in synchrotron beam lines, and have produced new photodiode devices for synchrotron-radiation applications. The performance of these devices was reviewed over extended periods of time in beam-line control and as detectors in experiments.

101,634
PB91-174987

Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Precision Engineering Div.

Optical Levitation of Single Particles.

Final rept.

T. R. Lettieri. 1988, 10p
Pub. in *Proceedings of Scientific Conference on Obscuration and Aerosol Research*, Edgewood, MD., June 26-30, 1987, p305-314 1988.

Keywords: *Radiation pressure, *Levitation, Laser radiation, Drops(Liquids), Microspheres, Reprints, *Optical levitation.

Experimental techniques are presented for optically levitating single particles using laser radiation pressure.

101,635

PB91-175083

Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Gravitational Radiation Observations on the Moon.

Final rept.

R. T. Stebbins, J. W. Armstrong, P. L. Bender, R. W. Drever, R. W. Hellings, and P. R. Saulson. 1990, 10p
Pub. in *Proceedings of NASA Workshop on Astrophysics from the Moon*, Annapolis, MD., February 5-7, 1990, p637-646.

Keywords: *Gravitational wave antennas, *Lunar observatories, Laser interferometry, Lunar bases, Reprints.

A Laser-Interferometer Gravitational-Wave Observatory (LIGO) is planned for operation in the United States, with two antennas separated by several thousand kilometers. Each antenna would incorporate laser interferometers with 4 km arm lengths, operating in vacuum. The frequency range covered initially would be from a few tens of Hz to a few kHz, with possible extension to lower frequencies later. Similar systems are likely to be constructed in Europe, and there is a possibility of at least one system in Asia or Australia. It will be possible to determine the direction to a gravitational wave source by measuring the difference in the arrival times at the various antennas for burst signals or the phase difference for short duration nearly periodic signals. The addition of an antenna on the Moon, operating in support of the Earth-based antennas, would improve the angular resolution for burst signals by about a factor 50 in the plane containing the source, the Moon, and the Earth.

101,636

PB91-175265

Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Ionizing Radiation Div.

Status of Beta-Particle Calibration Studies at NBS.

Final rept.

C. G. Soares, and J. S. Pruitt. 1987, 3p
Pub. in *Proceedings of Department of Energy Workshop on Beta Measurements*, Albuquerque, NM., January 23-24, 1986, p169-171 1987.

Keywords: *Ionization chambers, *Beta detection, *Beta sources, *Test facilities, *Calibration, Radiation protection, Electron beams, NBS, Reprints.

A calibration facility for beta-particle instruments and sources used in radiation protection has been established at the National Bureau of Standards (NBS). The facility consists of standardized beta-particle sources and extrapolation ionization chambers for the accurate measurement of beta-particle absorbed dose. The facility also includes a series of nearly monoenergetic electron beams for measurement of instrument response functions. A service which has been established for the calibration of beta-particle sources and transfer-quality ionization chambers is described. The latest improvements to the monoenergetic electron facility are also discussed.

101,637

PB91-175273

Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.

Final rept.

C. C. Speake, T. M. Niebauer, M. P. McHugh, P. T. Keyser, J. E. Faller, J. Y. Curz, J. C. Harrison, J. Makinen, and R. B. Beruff. 1990, 8p
Pub. in *Proceedings of Rencontre de Moriond New and Exotic Phenomena (25th)*, Les Arcs, Savoie, France, January 20-27, 1990, p255-262.

Keywords: *Gravitation, *Gravity, Tests, Reprints, Meteorological towers, Inverse square laws, Newton laws.

A 300-m meteorological tower was used to measure gravity at eight different heights above the surface of the earth. The observed gravity values were corrected

for tides and gravimeter screw error. Also, tests were performed to look for systematic effects due to tower motion. The resulting values are compared to values predicted by Newton's inverse-square law from upward continuation of surface gravity. The result places new constraints on any non-Newtonian interaction.

101,638

PB91-175364

Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Atomic Physics Div.

Spectrum and Energy Levels of the Xenonlike Ion Ce V.

Final rept.

A. Redfors, and J. Reader. 1991, 7p
Sponsored by Department of Energy, Washington, DC.
Pub. in *Physical Review A* 43, n5 p2367-2373, 1 Mar 91.

Keywords: *Cerium ions, *Energy levels, *Ultraviolet spectra, Vacuum ultraviolet radiation, Multicharged ions, Hartree-Fock approximation, Reprints.

The spectrum of four-times ionized cerium Ce V has been observed with a sliding-spark discharge and a 10.7-m normal-incidence vacuum spectrograph. A total of 107 lines have been classified as transitions between 5p energy levels. All levels of the 5p(6), 5p quintet 4f, 5p quintet 5d, 5p quintet 6s, 5p quintet 6p, and 5p quintet 6d configurations have been determined. Because of collapse of the 4f shell, the 5p quintet 4f configuration is situated well below 5p quintet 5d. Ab initio calculations and least-squares fits of the energy parameters to the experimental energy levels are reported. The ionization energy is revised to $527100 \pm \text{or } 2000/\text{cm}$ ($65.35 \pm \text{or } 0.25 \text{ eV}$).

101,639

PB91-175380

Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance.

Final rept.

M. P. McHugh, P. T. Keyser, and J. E. Faller. 1990, 4p
Pub. in *Proceedings of the Rencontre de Moriond New and Exotic Phenomena (25th)*, Les Arcs, Savoie, France, January 20-27, 1990, p233-236.

Keywords: *Basic interactions, Torsion balances, Lead(Metal), Copper, Reprints, *Fifth force, Eotvos experiment.

Current efforts are discussed to search for an intermediate range composition dependent interaction, using a liquid-supported torsion balance containing a Pb-Cu composition dipole. The mass inhomogeneity of the basement laboratory serves as the source for the interaction. The expected sensitivity and preliminary results are presented.

101,640

PB91-175430

Not available NTIS
National Bureau of Standards (NML), Boulder, CO. Chemical Engineering Science Div.

Saran Carbon Cryogenic Regenerator for Liquid Helium.

Final rept.

L. V. Munukutla, J. A. Jones, and R. Radebaugh. 1988, 10p
Pub. in *Proceedings of Interagency Meeting on Cryocoolers*, Monterey, CA., August 17, 1988, p109-118.

Keywords: *Carbon, *Regenerators, *Liquid helium, Cryogenics, Adsorption, Heat exchangers, Thermal conductivity, Reprints.

A promising solution to the problems of regenerator ineffectiveness in the 4K to 15K region is the use of saran carbon with adsorbed helium as the regenerator material. Preliminary measurements indicate that this material has a higher volumetric specific heat than any other known material in the 4K to 15K temperature range. Furthermore, the estimated thermal conductivity of saran carbon is low enough to permit its use as a continuous matrix between the hot and cold ends of the regenerator, but it does not adversely affect the longitudinal conduction heat loss along the regenerator length. An NBS computer regenerator program has been used to show that a saran carbon/ adsorbed helium, parallel-plate geometry regenerator is likely to be superior to any other known regenerator for cooling in the 4K to 15K temperature region.

PHYSICS

General

101,641
PB91-175497 Not available NTIS
 National Inst. of Standards and Technology (NML),
 Boulder, CO. Quantum Physics Div.
Spin-Dependent Electron-Impact Excitation of Sodium.
 Final rept.
 H. L. Zhou, B. L. Whitten, G. Snitchler, D. W. Norcross, and J. Mitroy. 1990, 6p
 Contract DE-AI05-86ER53237
 Sponsored by Department of Energy, Washington, DC.
 Office of Basic Energy Sciences.
 Pub. in Physical Review A 42, n7 p3907-3912, 1 Oct 90.

Keywords: *Electron scattering, *Sodium, Atomic energy levels, Electron spin, Excitation, EV range 01-10, R matrix, Reprints.

The spin-dependent cross sections for electron excitation of the 3p level of sodium at energies just above threshold are studied using the R-matrix approach. In addition to the total cross section for excitation, the authors present results for the excitation cross sections as a function of the change in the spin and orbital angular-momentum projection of the target. Calculations were made in the four-(3s,3p,4s,3d), five-(+4p,4d) approximations, for electron energies ranging from threshold to 4.0 eV. The results are compared with other calculations and with the recent experimental results of Han, Schinn, and Gallagher (Phys. Rev. A 38,535 (1988)).

101,642
PB91-175513 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Radiation Physics Div.
Of What Use Is Basic Research.
 Final rept.
 T. B. Lucatorto. 1987, 1p
 Pub. in Candela Wavelength, p5 1987.

Keywords: *Racetrack microtrons, *Beam steering, Linear accelerators, Electron accelerators, Electron beams, MeV range 10-100, Design, Reprints.

In the NBS-Los Alamos racetrack microtron (RTM), the 17 MeV electron beam, which has made one pass through the RTM linac, is deflected 180 deg in one end magnet and is returned to the same end of the (standing wave) linac for a second pass. A pair of dipole magnets on the linac axis compensate for the beam displacement caused by the end magnet so that the beam enters the linac on axis. These two magnets are designed to have equal field integrals in order to produce a pure displacement. Matching the field integrals was complicated by the quite different widths of the two magnets which have different beam clearance requirements. In addition, the wider magnet contains a quadrupole coil for beam steering. Design considerations are presented. Magnetic field measurements show that critical design goals have been achieved.

101,643
PB91-175521 Not available NTIS
 National Bureau of Standards (IMSE), Gaithersburg, MD. Reactor Radiation Div.
Fe-W Supermirrors for Polarizing Neutrons.
 Final rept.
 C. F. Majkrzak, D. A. Neumann, J. R. D. Copley, and R. P. DiNardo. 1988, 6p
 Pub. in Proceedings of 1987 Fall MRS Meeting, v103 p115-120 1988.

Keywords: *Polarizers, Polarization(Spin alignment), Metal films, Thin films, Substrates, Tungsten, Glass, Iron, Sputtering, Reprints, *Neutron polarizers, *Supermirrors, Multilayers.

Thin film bilayers of ferromagnetic Fe and nonmagnetic W have been deposited by sputtering on flat glass substrates according to a sequence of gradually varying bilayer thicknesses which in effect extends the critical angle for external mirror reflection for neutrons of one spin state when the Fe is magnetized in the plane of the film. The measured reflectivity of the Fe-W multilayer system is compared with that of other supermirror polarizers consisting of different materials and layer sequences.

101,644
PB91-175547 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Ionizing Radiation Div.

Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes.

Final rept.
 A. G. Malonda, and B. M. Coursey. 1988, 6p
 Pub. in Applied Radiation and Isotopes - International Jnl. of Radiation Applications and Instrumentation 39, n12 p1191-1196 1988.

Keywords: *Scintillation counters, *Liquid scintillators, *Beta detection, Phototubes, Counting, Efficiency, Computation, Reprints.

Formulae are derived for the computation of beta-particle counting efficiency for three-phototube liquid-scintillation counters. It is shown that the counting efficiency for triple coincidences may be computed by considering either the pulse-production probabilities or the non-detection probabilities. Effects due to asymmetry of the phototubes are also evaluated.

101,645
PB91-175588 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Working Group 2: Atomic Transition Probabilities.
 Final rept.
 W. L. Wiese. 1988, 7p
 Pub. in Reports of Astronomy, vXXA p117-123 1988.

Keywords: *Electron transitions, *Transition probabilities, Oscillator strengths, Literature surveys, Reprints.

Some new activities on the determination of atomic transition probabilities are briefly described and an exhaustive list of new literature references is given which covers all transition probability data for the three year period August, 1984-August, 1987.

101,646
PB91-187088 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Electric Quadrupole and Magnetic Dipole Transition Probabilities in Potassium Isoelectronic Sequence.
 Final rept.
 M. A. Ali, and Y. K. Kim. 1988, 6p
 Sponsored by Department of Energy, Washington, DC.
 Office of Fusion Energy.
 Pub. in Physical Review A 38, n8 p3992-3997 1988.

Keywords: *E2-transitions, *M1-transitions, Forbidden transitions, Transition probabilities, Multicharged ions, Molybdenum ions, Potassium, Reprints.

Electric quadrupole and magnetic dipole transition probabilities between 3p(6)4s doublet S(1/2) and 3p(6)3d doublet D(3/2), doublet D(5/2) levels for K through Mo(23+) have been calculated in the relativistic Dirac-Fock single configuration approximation. The positions of the (excited) 4s doublet S(1/2) level for Mn(7+)-Mo(23+) are predicted along with the fine structure splitting in the ground configuration 3p(6)3d.

101,647
PB91-187211 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Temperature and Pressure Div.
H₂O(I)-H₂O(III)-H₂O(L) Triple Point of Water as a Fixed Pressure Point.
 Final rept.
 N. Bignelli, and V. E. Bean. 1988, 5p
 Pub. in Metrologia 25, n4 p205-209 1988.

Keywords: *Pressure measurement, *Water, Phase diagrams, Triple point, Reprints.

An apparatus to use the H₂O(I)-H₂O(III)-H₂O(L) triple-point as a fixed pressure point is described. A technique to establish the three phases simultaneously in the cell is given. The value of the pressure was measured with a piston gage and was found to be 208.829 ± 0.025 MPa at the 99.7 percent confidence level.

101,648
PB91-187302 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
 Final rept.
 T. A. Carlson, D. R. Mullins, C. E. Beall, B. W. Yates, J. W. Taylor, D. W. Lindle, and F. A. Grimm. 1989, 16p
 Pub. in Physical Review A: General Physics 39, n3 p1170-1185 1989.

Keywords: *Argon, *Krypton, *Xenon, *Auger effect, Photoelectron spectroscopy, Autoionization, Angular distribution, Reprints.

Angle-resolved electron spectroscopy with the help of synchrotron radiation has been used to study resonant Auger processes near the core shells of Ar2p, Kr3d and Xe4d. Results for the lowest energy resonances have received special attention: argon (Ar2p(3/2)->4s) at a photon energy of 244.4 eV, krypton (Kr3d(5/2)->6p) at 91.2 eV, and xenon (Xe4d(5/2)->6p) at 65.1 eV. The angular distribution parameters, beta, are evaluated for each of the resolved Auger peaks. Most striking is the occurrence of large negative beta values for some of the higher kinetic energy peaks. The results are most apparent under high electron resolution. The beta values near -1 are justified in terms of the angular-momentum transfer theory, which predicts beta = -1 for parity unfavored transitions. Results on the Auger spectra are also given at lower kinetic energies, for shake-up states, and for higher energy resonances, especially those involving vacancies in the core shells of the lower spin states.

101,649
PB91-187310 Not available NTIS
 National Bureau of Standards (NML), Gaithersburg, MD. Quantum Metrology Group.
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
 Final rept.

T. A. Carlson, D. R. Mullins, C. E. Beall, B. W. Yates, J. W. Taylor, D. W. Lindle, B. P. Pullen, and F. A. Grimm. 1988, 4p
 Pub. in Physical Review Letters 60, n14 p1382-1385 1988.

Keywords: *Krypton, *Auger effect, Photoemission, Anisotropy, Excitation, Reprints.

The angular distribution parameter, beta, has been measured for the resonant Auger spectra in Kr following 3d->5p excitation. Unusually low values, close to -1, were seen for two bands. From optical spectroscopy data these bands are assigned to the final states 4p(4)(triplet)P5p(quartet)P(5/2), quartet P(3/2). Accordintet D(5/2).

101,650
PB91-187393 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Angular Distributions of Electrons in Resonant Auger Spectra.
 Final rept.
 J. W. Cooper. 1989, 3p
 Pub. in Physical Review A 39, n7 p3714-3716, 1 Apr 89.

Keywords: *Auger electrons, Angular distribution, Auger effect, Argon, Reprints.

Recent measurements have shown that the angular distribution of Auger electrons observed in near threshold resonant excitation with energy resolution adequate to partially resolve the multiplet structure corresponding to final core states exhibited a marked change in the angular distributions as a function of final electron energy. A method of calculating these angular distributions is proposed which extends the formalism developed for treating angular distributions in photoeffect via a separation into parity favored and unfavored components. As an example of the use of the method, calculations are presented for the 2p-4s resonant Auger process in Argon and compared with recent experiments.

101,651
PB91-187401 Not available NTIS
 National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Polarization and Anisotropy of X-ray Emission from Molecules.
 Final rept.
 P. L. Cowan. 1990, 14p
 Pub. in Proceedings of International Conference on X-Ray and Inner-Shell Processes (15th), Knoxville, TN., July 9-13, 1990, p696-709.

Keywords: *Molecular gases, *X-rays, Angular distribution, Polarization, Anisotropy, Reprints.

X-ray emission from selectively excited core hole states in molecular gases can exhibit strong polarization and anisotropic angular distributions. These ef-

fects are attributable to the creation of an aligned ensemble of excited molecules within the otherwise randomly oriented molecular gas. This alignment can be created because the resonant excitation probability of core hole states can be strongly dependent upon the instantaneous molecular orientation. This effect presents a novel opportunity for studying molecular symmetries and the structure of matter in disordered phases.

101,652
PB91-187443 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Some Historical Remarks Concerning These Conferences: With Emphasis on the X-ray Component.
Final rept.

R. D. Deslattes. 1990, 10p
Pub. in Proceedings of International Conference on X-ray and Inner-Shell Processes (15th), Knoxville, TN., July 9-13, 1990, p3-12.

Keywords: *X-rays, Inner-shell excitation, Inner-shell ionization, Synchrotron radiation, Historical aspects, Meetings, Reprints.

The text is an essay dealing with historical aspects of the series of International Conference on X-ray and Inner Shell Physics. It is intended as part of the preface to the Proceedings volume of the year's Conference, X-90. It emphasizes not only the earliest meetings but also one that took place earlier and, though not generally considered part of the present sequence, anticipated much of what has transpired subsequently.

101,653
PB91-189597 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Quantum Electrodynamical Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions.
Final rept.

Y. K. Kim, V. Kaufman, J. Sugar, and M. A. Ali. 1988, 5p
Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy, and Howard Univ., Washington, DC.
Pub. in Jnl. of the Optical Society of America B 5, n10 p2225-2229 1988.

Keywords: Multicharged ions, Quantum electrodynamics, L-S coupling, Ground state, Lamb shift, Cobalt ions, Xenon ions, M shell, Reprints, *Aluminum-like ions.

It is shown that the inclusion of QED corrections for the M-shell electrons substantially improves the agreement between multiconfiguration Dirac-Fock calculations and experimental values on the spin-orbit splitting in the ground state ($3s(2)3p(2P)$) of Al-like ions. Recommended values of the spin-orbit splitting are presented for Co(14+) through Xe(41+).

101,654
PB91-189605 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Relativistic and Correlation Effects in the 2s3p Configuration of Beryllium-Like Ions.
Final rept.

Y. K. Kim, A. W. Weiss, and W. C. Martin. 1988, 10p
Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy.

Pub. in Jnl. of the Optical Society of America B 5, n10 p2215-2224 1988.

Keywords: Multicharged ions, Oscillator strengths, Excited states, Relativistic effects, Energy levels, Correlation, Reprints, *Beryllium-like ions.

Relativistic and correlation effects cause several inversions of the 'triplet' and 'singlet' $J=1$ levels in the $2s3p$ configuration of Be-like ions. The authors have studied these effects in the range of atomic number $Z=6-54$ using both relativistic and nonrelativistic multiconfiguration wave functions. Theoretical predictions of energies of these levels with respect to the $2s(2)$ singlet $S(0)$ ground level are compared with experimental data, and the authors conclude that overall, the predictions for the ions having $Z=$ or > 12 are probably more accurate than the available measurements. Calculated oscillator strengths for these resonance transitions are also reported. Near cadmium ($Z=48$), the authors confirm still another inversion due to the complete dominance of relativistic effects, which has been reported earlier in the literature.

101,655
PB91-189746 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Electricity Div.
Observation of Atoms Laser-Cooled Below the Doppler Limit.
Final rept.

P. D. Lett, R. N. Watts, C. I. Westbrook, W. D. Phillips, and P. L. Gould. 1988, 4p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Physical Review Letters 61, n2 p169-172, 11 Jul 88.

Keywords: Temperature measurement, Cryogenics, Reprints, *Ultracold atoms, Sodium atoms, Laser cooling.

The authors have measured the temperature of a gas of sodium atoms in 'optical molasses' to be as low as 43 ± 20 (micro)K. Surprisingly, this strongly violates the generally accepted theory of Doppler cooling which predicts a limit of 240 (micro)K. Several complementary measurements of the ballistic motion of atoms released from the molasses were used to determine the temperature.

101,656
PB91-189753 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
Final rept.

K. P. Lieb, H. G. Borner, M. S. Dewey, J. Jolie, S. J. Robinson, S. Ulbig, and C. Winter. 1988, 5p
Pub. in Physics Letters B 215, n1 p50-54, 8 Dec 88.

Keywords: *Chromium 54, Interacting boson model, Neutron capture, Thermal neutrons, Doppler broadening, Lifetime, Reprints.

The double crystal spectrometer GAMS4 in combination with the ILL high flux reactor has been used to determine the lifetimes of the $3074 \text{ keV } (2 \text{ sub } 3, \text{ sup } +)$ and $3720 \text{ keV } (1,2)_{+}$ states in $(54)\text{Cr}$. The initial recoil energy of about 0.5 keV imparted by the primary gamma-radiation after thermal neutron capture in $(53)\text{Cr}$ produces Doppler broadened line shapes of the secondary transitions. The large $(2 \text{ sub } 3, \text{ sup } +)$ ($2 \text{ sub } 1, \text{ sup } +$) M1 strength of $B(M1) = 0.39(6) (\mu\text{ sub } n)^2$ suggests the $(2 \text{ sub } 3, \text{ sup } +)$ state to be of mixed symmetry within the Interacting Boson model IBM-2.

101,657
PB91-190009 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Dielectronic Recombination Rate Coefficients of $O(5+)$ and $O(2+)$.
Final rept.

L. J. Roszman. 1989, 3p
Pub. in Physica Scripta T28, p36-38 1989.

Keywords: *Oxygen ions, Multicharged ions, L-S coupling, Autoionization, Reprints, Dielectronic recombination.

The dielectronic recombination rate coefficients for $O(5+)$ and $O(2+)$ in a single-configuration and LS-coupled atomic model are presented. A model calculation for the effects of thermal equilibration of the final states with the plasma electrons is presented and examined.

101,658
PB91-190033 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Radiation Physics Div.
Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions.
Final rept.

E. B. Saloman, and Y. K. Kim. 1989, 18p
Pub. in Atomic Data and Nuclear Data Tables 41, n2 p339-356 1989.

Keywords: *Energy levels, Forbidden transitions, Multicharged ions, Transition probabilities, Ground state, Reprints, *Sulfur-like ions.

Theoretical energy levels have been calculated for the terms of the ground state configuration of all the sulfur-like ions of atomic number $Z=16-92$. Transition probabilities have been obtained for the M1 and E2 transitions within the configuration. The calculations were by

means of a multiconfiguration-Dirac-Fock technique which included perturbatively the Breit interaction and the Lamb shift for the K-, L-, and M-shell electrons. Results are presented which use experimental and semi-empirical fits to the term energies for ions with atomic numbers up to $Z=42$. Above $Z=42$, purely theoretical results are given. It is shown that the agreement between the authors' theoretical results and the semi-empirical values of the term energies improves rapidly as Z increases, with all values in excellent agreement by $Z=42$.

101,659
PB91-192567 Not available NTIS
Institute of Physics, Belgrade (Yugoslavia).

Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms: A Critical Review of Selected Data for the Period 1983 through 1988.
Bimonthly rept.

N. Konjevic, and W. L. Wiese. c1990, 79p
Prepared in cooperation with National Inst. of Standards and Technology, Gaithersburg, MD.
Included in Jnl. of Physical and Chemical Reference Data, v19 n6 p1307-1386 Nov/Dec 90. Available from American Chemical Society, 1155 16th St., NW, Washington, DC. 20036-9976.

Keywords: *Line spectra, *Stark effect, Neutral atoms, Positive ions, Line width, Line broadening, Spectral shift, Reviews, Tables(Data).

A critical review of the available experimental data on Stark widths and shifts for spectral lines of non-hydrogenic neutral atoms and positive ions has been carried out. The review covers the period from 1983 through the end of 1988 and represents a continuation of earlier critical reviews up to 1982. Data tables containing the selected experimental Stark broadening parameters are presented with estimated accuracies. Guidelines for the accuracy estimates have been developed during the previous reviews and are summarized. The data are arranged according to elements and spectra, and these are presented in alphabetical and numerical order, respectively. Comparisons with comprehensive calculations based either on the semiclassical theory, or-for multiply ionized atoms-on the modified semiempirical approximation, are made whenever possible, since the comparison with theory has often been a principal motivation for the experiments.

101,660
PB91-194399 PC A04/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.
Stopping Power of Fast Charged Particles in Heavy Elements.
H. Bichsel. Apr 91, 74p NISTIR-4550
Prepared in cooperation with Bichsel (Hans), Seattle, WA.

Keywords: *Stopping power, Proton bombardment, Charged particles, Excitation, Bethe-Bloch theory.

The stopping power formula from Bethe's theory contains terms which are known only approximately and must be estimated with the use of experimental data. These terms include a material constant, the mean excitation energy of the medium, and the shell-, Bloch- and Barkas-corrections. In an analysis of measured proton and alpha-particle stopping powers and ranges, modifying parameters have been introduced into these corrections, and the mean excitation energy was simultaneously adjusted, so as to get the closest possible agreement with experimental results. Such an analysis is reported here for elements with atomic numbers $Z=$ or > 57 . The modification parameters introduced for the shell corrections have a simple relation to atomic energy levels. The Bethe theory with the adopted mean excitation energies and proposed adjustments of the shell- and Barkas- corrections predicts stopping powers that are in close agreement with experimental values, within the experimental uncertainties. This agreement was obtained for protons with kinetic energies above about 0.5 MeV , and for heavier ions of charge z at energies above ($z-1.5$) MeV/u .

101,661
PB91-194407 PC A03/MF A01
National Inst. of Standards and Technology, Gaithersburg, MD.

PHYSICS

General

Model for the Non-Perturbative QCD (Quantum Chromodynamics) Vacuum.

M. Danos, D. Gogny, and D. Iracane. Apr 91, 34p
NISTIR-4555
Prepared in cooperation with CEA Centre d'Etudes de Bruyeres-le-Chatel, Montrouge (France).

Keywords: *Quantum chromodynamics, *Vacuum states, Meissner-Ochsenfeld effect, Bose-Einstein condensation, Lagrangian functions, Quarks, Gluons.

By treating the high-momentum gluon and the quark sector as an in principle calculable effective Lagrangian, the authors obtain a non-perturbative vacuum state for QCD as an infrared quark-gluon condensate. This vacuum is removed from the perturbative vacuum by an energy gap and supports a Meissner-Ochsenfeld effect. It is unstable below a minimum size and it also suggests the existence of a universal hadronization time. This vacuum thus exhibits all the properties required for color confinement.

101,662

PB91-194423 PC A04/MF A01
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electron and Optical Physics Div. Technical Activities 1990, Electron and Optical Physics Division.
C. W. Clark. May 91, 72p NISTIR-4553
See also report for 1989, PB90-207267.

Keywords: *Research, Far ultraviolet radiation, Soft x rays, Synchrotron radiation, SURF II storage ring, Multi-photon processes, Scanning tunneling microscopy, Electron-atom collisions, Atomic physics, Radiometry, Calibration, Magnetic films.

The report summarizes technical activities of the NIST Electron and Optical Physics Division during Fiscal Year 1990. These fall into five general areas: soft x-ray radiometry, operation of the SURF-II synchrotron storage ring; electron microscopy and basic surface physics; soft x-ray emission studies; and multiphoton processes. A listing is given of calibration services, publications, talks, and other relevant activities of the Division's staff.

101,663

PB91-194886 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Electricity Div.
Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen.
Final rept.
P. D. Lett, P. L. Gould, and W. D. Phillips. 1988, 14p
Pub. in Hyperfine Interactions 44, n1-4 p335-348 1988.

Keywords: *Antimatter, Storage, Reprints, *Antihydrogen, *Atom traps, Laser cooling.

The storage and handling of atomic antimatter presents special problems because contact with the walls of any material container is prohibited. Laser cooling and trapping and magnetic trapping techniques for neutral atoms are therefore especially appealing. Here the authors review the basic principles of electromagnetic trapping and laser cooling for neutral atoms, and briefly describe a number of already-demonstrated laser and magnetic traps. They discuss limits on the temperatures achievable by laser cooling, as well as some special problems in the laser cooling of hydrogen/antihydrogen. In particular, they present some new results for the case of pulsed cooling.

101,664

PB91-194910 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Quantum Metrology Div.
Photoionization Studies of Atoms and Molecules Using Synchrotron Radiation.
Final rept.
D. W. Lindle. 1989, 6p
Pub. in Nuclear Instruments and Methods in Physics Research 280, n2-3 p161-166, 10 Aug 89.

Keywords: *Photoionization, X ray fluorescence, Synchrotron radiation, Reprints.

Photoionization studies of free atoms and molecules have undergone considerable development in the past decade, in large part due to the use of synchrotron radiation. The tunability of synchrotron radiation has permitted the study of photoionization processes near valence- and core-level ionization thresholds for atoms and molecules throughout the Periodic Table. A general illustration of these types of study will be presented,

with emphasis on a few of the more promising new directions in atomic and molecular physics being pursued with synchrotron radiation.

101,665

PB91-194928 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Quantum Metrology Group.
Angle-Resolved Photoemission from the Ar 2p Subshell.
Final rept.
D. W. Lindle, L. J. Medhurst, T. A. Ferrett, P. A. Heimann, M. N. Piancastelli, S. H. Liu, D. A. Shirley, T. A. Carlson, P. C. Deshmukh, G. Nasreen, and S. T. Manson. 1988, 4p
Pub. in Physical Review A 38, n5 p2371-2374, 1 Sep 88.

Keywords: *Inner-shell ionization, *Photionization, *Argon, Synchrotron radiation, Photoemission, X rays, Reprints.

The angular distribution for Ar 2p photoionization has been measured from just above threshold to 400 eV photon energy, and calculated in the same energy range using the relativistic random-phase approximation. The experimental and theoretical results exhibit good agreement, but the present results disagree somewhat with earlier Hartree-Fock (HF) calculations, with the HF values found to be significantly higher in the near-threshold region. Possible reasons for this discrepancy are discussed with relevance to the general understanding of inner-shell photoionization phenomena.

101,666

PB91-195016 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Radiometric Physics Div.
Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu.
Final rept.
H. Maoqi, L. Ronggen, and C. L. Cromer. 1990, 5p
Pub. in Acta Optica Sinica 10, n5 p385-389 May 90.

Keywords: *Heat pipes, *Europium, Atomic spectra, Excited states, Metal vapors, Reprints, Double resonance optogalvanic spectroscopy.

The authors describe a new low pressure symmetric discharge heat pipe (LPDP) which may be used to generate high Z low pressure metal vapor sample. The authors have studied the double resonance opto-galvanic spectroscopy (DROGS) of Eu atom in different pressure with the LPDP. Four new lines of Eu from 17341/cm excited level and three from 16612/cm are observed for the first time. It is verified that such a new LPDP is suitable for studying highly excited state spectroscopy of high Z metal elements.

101,667

PB91-195032 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Precision Engineering Div.
Relativistic Probability Amplitudes and State Preparation.
Final rept.
E. Marx. 1989, 3p
Pub. in Bell's Theorem, Quantum Theory and Conceptions of the Universe, p127-129 1989.

Keywords: *Quantum electrodynamics, Klein-Gordon equation, Relativistic effects, Quantum mechanics, Wave functions, Charged particles, Antiparticles, Reprints, Probability amplitudes.

The wave function for a spinless charged particle in an electromagnetic field is decomposed into two probability amplitudes, one for a particle and one for an antiparticle. The particle amplitude is specified at the initial time and the antiparticle amplitude at the final time. Time reflection invariance indicates that the preparation of the antiparticle state at the final time should be carried out by observers composed of antiparticles. A model of elementary particles shows how relativistic quantum mechanics can be used to describe all reactions.

101,668

PB91-195123 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Center for Radiation Research.

Glueballs and Hadron Spectroscopy.

Final rept.
S. Meshkov. 1988, 9p
Pub. in Proceedings of the Conference on the Intersections between Particle and Nuclear Physics (3rd), Rockport, ME., May 14-19, 1988, p796-804 1988.

Keywords: *Glueballs, Pseudoscalar mesons, Spectroscopy, Tensors, Hadrons, Reprints.

Identifying glueballs is intimately intertwined with the study of meson spectroscopy. In the brief review, recent experimental results are compared with QCD inspired predictions for the masses of the $0(-+)$, $1(+ -)$, $1(-)$, $1(++)$ mesons. They agree remarkably well. For the $0(-+)$ and $1(++)$ systems, these agreements lead to the possibility of identifying additional states as candidates for exotica. A major mystery is why the $(2(++))$ sub gT states are not seen in $J/\psi \rightarrow \gamma \phi \pi$ phi phi, in view of the fact that the OZI-violating mechanism should be a good way to produce glueballs.

101,669

PB91-195206 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Ionizing Radiation Div.
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV.
Final rept.
E. Navon, C. E. Dick, and G. Barnea. 1989, 4p
Pub. in Jnl. of Applied Physics 65, n7 p2852-2855 1989.

Keywords: *X ray film, *Radiation effects, *Electron bombardment, KeV range 100-1000, Foils(Materials), Lead(Metal), Aluminum, Copper, Radiation doses, Comparison, Sensitivity, Reprints, Intensification factors, Metal screens.

The relative photographic effect of electrons originating from 662 keV photons interacting in aluminum, copper and lead foils was measured as a function of the foil thickness. Intensification factors on the sensitivity of KODAK AA x-ray films of up to 5.5, 4.6, and 8.7 were determined for aluminum, copper and lead respectively. The equilibrium thicknesses for back screens were found to be 40, 65 and 110 mg/sq cm respectively. For front screens, the equilibrium thicknesses is 110 mg/sq cm in all cases. The results were compared with the absorbed dose in the film's emulsions, calculated by Monte Carlo methods and found to agree within 10 percent.

101,670

PB91-195289 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Quantum Metrology Group.
Anomalous Lgamma2,3 X-ray Emission Spectrum of Xe.
Final rept.
M. Ohno, and R. E. LaVilla. 1988, 5p
Pub. in Physical Review A 38, n7 p3479-3483 1988.

Keywords: *Xenon, *X ray spectra, Emission spectra, Greens function, Fluorescence, Reprints.

The $L(\gamma_{2,3}(2s_{sup} - 1) \rightarrow 4p_{sup} - 1))$ x-ray emission spectrum (XES) of gaseous xenon was measured in fluorescence with a high resolution vacuum double crystal spectrometer. The spectrum was also calculated by the Green's function method. The agreement is excellent. It is shown that the spectrum can be interpreted essentially in terms of the spectral function of the 4p hole. The effects of the initial 2s hole state on the final 4p hole state are small. The spectrum shows that the quasi-particle picture of a 4p hole in xenon breaks down due to strong $4p_{sup} - 1) \leftrightarrow 4d_{sup} - 2) 4(n, \epsilon) f$ super Coster-Kronig processes.

101,671

PB91-195453 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Electricity Div.
Observation of Atoms Laser Cooled Below the Doppler Limit.
Final rept.
W. D. Phillips, C. I. Westbrook, P. D. Lett, R. N. Watts, P. L. Gould, and H. J. Metcalf. 1989, 3p
Pub. in At. Phys. 11, p633-635 1989.

Keywords: Reprints, *Ultracold atoms, Sodium atoms, Laser cooling.

The authors have measured the temperature of a three-dimensional gas of laser cooled Na atoms to be as low as $40 \pm$ or -20 microK. This is in strong disagreement with the expected Doppler-cooling limit of 240 microK.

101,672
PB91-195503 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div. **Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions.** Final rept.
W. J. Qian, J. P. Desclaux, and Y. K. Kim. 1989, 9p
Pub. in Physical Review A 39, n9 p4509-4517 1989.

Keywords: *Electron-ion collisions, Electron impact, Relativistic effects, Wave functions, Cross sections, Excitation, Reprints, *Beryllium-like ions.

Relativistic distorted-wave Born (RDWB) cross sections of Be-like ions for excitations from the ground state, $2s(2)$ singlet $S(0)$, to the $2s2p$ triplet $P(1)$ and singlet $P(1)$ state by electron impact are reported for Ne(6+) through U(88+). Multiconfiguration Dirac-Fock (MCDF) wave functions were used to describe the target ion states, and the relativistic continuum wave functions were calculated in the field of (frozen) target ion charge distribution with the configuration-average exchange potential. Cross sections are presented in compact fitting formulas that allow interpolations to determine cross sections with high precision for arbitrary Be-like ions ($10 \leq Z \leq 92$) and arbitrary incident energies ($T \leq 20$ keV).

101,673
PB91-195511 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Atomic Physics Div.
Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VIII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX). Final rept.
J. Reader, N. Acquista, and V. Kaufman. 1991, 10p
Sponsored by Department of Energy, Washington, DC. Pub. in Jnl. of the Optical Society of America B 8, n3 p538-547 Mar 91.

Keywords: *Krypton ions, *Line spectra, *Energy levels, Extreme ultraviolet radiation, Reprints, Copper-like ions.

The spectrum of the copperlike ion Kr VIII was observed with a low-inductance spark and 10.7-m normal- and grazing-incidence spectrographs. A total of 46 new lines with wavelengths ranging from 115 to 696 Å were identified: 18 of the type $3d(10)nl-3d(10)nl'$, 10 of the type $3d(10)4s-3d(9)4s4p$, and 18 of the type $3d(10)4p-3d(9)4p(2)$. From these lines 37 new energy levels were determined: 14 of the type $3d(10)nl$, 10 belonging to $3d(9)4s4p$, and 13 to $3d(9)4p(2)$. New values for all known levels were derived by combining the present results with measurements at longer wavelength by Gallardo et al. (Appl. Opt. 28, 5088 (1989)). The ionization energy was found to be $1014.665 \pm$ or -25 cm ($125.802 \pm$ or -0.003 eV). New wavelength measurements were made for the $3d(10)-3d(9)4p$, 4f resonance lines of the nickel-like ion Kr IX.

101,674
PB91-195602 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div. **Dielectronic Recombination Rate Coefficients for Ions of the Fluorine Isoelectronic Sequence.** Final rept.
L. J. Roszman. 1989, 2p
Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy.
Pub. in Physical Review A 39, n2 p913-914 1989.

Keywords: *Isoelectronic sequence, Krypton ions, Molybdenum ions, Selenium ions, Reprints, *Fluorine-like ions, *Dielectronic recombination.

The dielectronic-recombination rate coefficients for the fluorine isoelectronic sequence have been revised due to an error for the rate coefficients of Kr(27+) and Mo(33+). Additionally, the calculations of the dielectronic-recombination rate coefficients associated with the $\delta n = 0$ radiative transitions have been extended to include orbital angular momentum values for the Rydberg and continuum electrons as high as 15 and 17 respectively. A separate calculation has been made for the rate coefficient of Se(24+) in order that

comparisons can be made with recently completed relativistic calculations.

101,675
PB91-195610 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div. **Influence of Metastable States and Thermal Equilibration upon Dielectronic Recombination in Low Density to Moderate Density.** Final rept.
L. J. Roszman. 1989, 5p
Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy.
Pub. in Physical Review A 39, n4 p2073-2077 1989.

Keywords: Isoelectronic sequence, Metastable state, Excited states, Reprints, *Oxygen-like ions, Dielectronic recombination.

The decrease of the dielectronic recombination rate coefficient by the equilibration of the highly excited final states of the process with the plasma continuum is examined for the oxygen isoelectronic sequence. The enhancement of the effective rate of dielectronic recombination by the presence of metastable states in the ground configuration of the initial ion is analyzed for Fe(18+).

101,676
PB91-200816 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Atomic Physics Div.
 $5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s)$ Transitions in Sb II and $5s(2)5p - (5s5p(2) + 5s(2)nl)$ Transitions in Sb III. Final rept.
B. Arcimowicz, Y. N. Joshi, and V. Kaufman. 1989, 7p
Pub. in Canadian Jnl. of Physics 67, n6 p572-578 1989.

Keywords: *Antimony ions, *Ultraviolet spectra, Electron transitions, Ground state, Reprints.

The spectrum of antimony was photographed in the 575-2300 Å region using a hollow cathode and a triggered spark source. The analysis of the $5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p6s + 5s(2)5p7s)$ transitions in Sb II spectrum was revised and interpreted on the basis of multiconfiguration interaction calculations. Accurate wavelength measurements of Sb III lines lead to a revised ground-state $5s(2)5p$ doublet P interval value of 6574.57 cm.

101,677
PB91-200840 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
Clocks, Atomic and Molecular. Final rept.
J. A. Barnes, and J. J. Bollinger. 1991, 2p
See also PB81-236606.
Pub. in Encyclopedia of Physics, p154-155 1991.

Keywords: *Frequency standards, *Atomic clocks, Ion traps (Instrumentation), Cesium, Time, Reprints, Laser cooling.

Atomic and molecular clocks are described in simple terms using the cesium atomic clock as an example. Some applications of atomic clocks are listed. Current research on frequency metrology including ion traps, laser cooling, and optical frequency standards are discussed.

101,678
PB91-200857 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
Observation of Correlations in Finite, Strongly Coupled Ion Plasmas. Final rept.

J. J. Bollinger, S. L. Gilbert, D. J. Heinzen, W. M. Itano, and D. J. Wineland. 1990, 11p
Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC., and Office of Naval Research, Arlington, VA.
Pub. in Proceedings of Yamada Conference (24th) on Strongly Coupled Plasma Physics, Lake Yamanaka, Japan, August 29-September 2, 1989, p177-187 1990.

Keywords: Laser induced fluorescence, Beryllium ions, Reprints, *Ion plasmas, Penning traps, Laser cooling.

The authors have observed spatial correlations with up to 15,000 Be(1+) ions in a Penning trap with Gamma

> 100. These correlations are strongly affected by the boundary conditions and take the form of concentric shells as predicted by computer simulations. In the paper the authors briefly describe the experimental confinement geometry and the laser cooling of the ions. Experimental techniques for observing the shell structure are described. The relatively large spacings between the ions permit the shells to be directly viewed by imaging the Be(1+) laser-induced fluorescence onto a photon-counting camera. Diagnostic techniques capable of measuring the ion diffusion are then discussed. Qualitative observations of the ion diffusion are compared with theoretical predictions.

101,679
PB91-200881 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.
Near-Threshold Vibrational Excitation of H2 by Electron Impact: Resolution of Discrepancies between Experiment and Theory. Final rept.
S. J. Buckman, M. J. Brunger, D. S. Newman, G. Snitchler, S. Alston, D. W. Norcross, M. A. Morrison, B. C. Saha, G. Danby, and W. K. Trail. 1990, 4p
See also PB91-101584.
Pub. in Physical Review Letters 65, n26 p3253-3256, 24 Dec 90.

Keywords: *Electron-molecule collisions, *Hydrogen, Vibrational states, Excitation, Reprints.

New measurements and calculations of near-threshold (0.5-5.0 eV) e-H2 vibrational-excitation cross sections challenge previous determinations based on transport analysis. Elastic and $\mu(0) = 0 \rightarrow \mu = 1$ cross sections measured in a crossed electron-molecular-beam apparatus agree well with values calculated using a vibrational close-coupling theory with a separable representation of exchange, particularly at energies below 2.0 eV, but are incompatible with cross sections derived via analysis of electron-swarm transport data.

101,680
PB91-202903 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Enhanced Flux Creep in Nb-Ti Superconductors After an Increase in Temperature. Final rept.
R. W. Cross, and R. B. Goldfarb. 1991, 2p
Sponsored by Department of Energy, Washington, DC. Pub. in Applied Physics Letters 58, n4 p415-416, 28 Jan 91.

Keywords: *Superconducting super collider, *Superconducting cables, Superconducting magnets, Temperature dependence, Magnetization, Relaxation, Reprints, Flux creep, Niobium titanium.

The magnetic fields of Superconducting Super Collider (SSC) dipole magnets change with time when the magnets are operated at constant current. The decay of the field is thought to be a consequence of flux creep in the Nb-Ti filaments in the superconducting cables. However, measured magnetic relaxation of small samples of SSC cable as a function of time is unlike the large decays that are observed in the fields of the actual magnets. The authors have made relaxation measurements on sample SSC conductors at 3.5 and 4.0 K after field cycling. The decay at both temperatures was 2.8% in 50 min. However, the relaxation measured after a temperature increase from 3.5 to 4.0 K was 4.8% in 50 min. A likely reason for the greater magnetization decay is that, after an increase in temperature, the Nb-Ti is in a supercritical state, with shielding currents flowing at a density greater than the new critical current density. This causes enhanced flux creep. The authors suggest that a small temperature rise during the operation of SSC magnets may contribute to the unexpectedly large magnetic field decay.

101,681
PB91-202911 Not available NTIS
National Inst. of Standards and Technology (NEL), Boulder, CO. Electromagnetic Technology Div.
Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep. Final rept.
R. W. Cross, and R. B. Goldfarb. 1991, 3p
Sponsored by Department of Energy, Washington, DC.

PHYSICS

General

Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Magnetism 27, n2 p1796-1798 Mar 91.

Keywords: *Superconducting super collider, *Superconducting cables, *Magnetometers, Superconducting magnets, Magnetic hysteresis, Magnetization, Hall effect, AC losses, Reprints, Flux creep.

The authors constructed a Hall probe magnetometer to measure the magnetization hysteresis loops of Superconducting Super Collider magnet cables. The instrument uses two Hall-effect field sensors to measure the applied field H and the magnetic induction B. Magnetization M is calculated from the difference of the two quantities. The Hall probes are centered coaxially in the bore of a superconducting solenoid with the B probe against the sample's broad surface. An alternative probe arrangement, in which M is measured directly, aligns the sample probe parallel to the field. The authors measured M as a function of H and field cycle rate both with and without a dc transport current. Flux creep as a function of current was measured from the dependence of ac loss on the cycling rate and from the decay of magnetization with time. Transport currents up to 20% of the critical current have minimal effect on magnetization and flux creep.

101,682

PB91-202929 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Electromagnetic Technology Div.

Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.

Final rept.
C. E. Cunningham, G. S. Park, B. Cabrera, and M. E. Huber. 1990, 2p
Sponsored by Office of Naval Research, Arlington, VA. Pub. in Physica B 165 and 166, p113-114 1990.

Keywords: Optical switching, Magnetic flux, Light pulses, Reprints, *Superconducting switches.

The authors pulse a superconducting microbridge with light, changing the quantum flux state of a superconducting circuit. Long sequences of pulses are used to measure the degree of correlation between successive flux states. In a series of runs, the pulse length was changed over six decades from 6 ns to 10 ms. The correlations fit a simple Fokker-Planck conditional probability model.

101,683

PB91-203067 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Quantum Physics Div.

Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.

Final rept.
J. L. Forand, C. Timmer, E. Wahlin, B. D. DePaola, G. H. Dunn, D. R. Swenson, and K. Rinn. 1990, 6p
Contract DE-AC05-86ER53237
Sponsored by Department of Energy, Washington, DC. Pub. in Review of Scientific Instruments 61, n11 p3372-3377 Nov 90.

Keywords: *Probes(Electromagnetic), *Particle beams, Charged particles, Real time, Density, Reprints.

The authors have developed a real-time charged particle beam probe which can be used both as a beam diagnostic (beam tuning) and to quantitatively determine the three-dimensional density distribution of a beam. The probe consists of a microchannel plate, an aluminized phosphor screen deposited on a fiber-optic faceplate, a flexible fiber-optic bundle, and a charge injection device (CID) in tandem. Digital or analog video output of the CID is fed into a computer or oscilloscope, respectively, for analysis or observation. The probe can be moved continuously along the beams' paths to obtain 'pictures' of the beam at any desired interval thus giving three-dimensional form factors. Either beam singly or both beams simultaneously may be observed on the monitor facilitating the task of beam adjustment for optimum overlap. The digital output is used for quantitative computation of the beam overlaps. The device is linear with beam intensity, but the performance degrades with time due to beam damage of the microchannel plate.

101,684

PB91-203083 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Quantum Physics Div.

Measurements of Velocity-Changing Collision Kernels.

Final rept.
K. E. Gibble, and A. C. Gallagher. 1991, 15p
Grant NSF-PHY86-04504
Sponsored by National Science Foundation, Washington, DC.
Pub. in Physical Review A 43, n3 p1366-1380, 1 Feb 91.

Keywords: *Atomic collisions, Line broadening, Ground state, Rare gases, Rubidium, Reprints, *Collision kernels.

Measurements of velocity-changing collision (VCC) kernels are obtained using velocity-selective optical pumping. This is the first measurement of the shape of an elastic VCC kernel over the full thermal range of velocity changes. Since ground-state collisions are studied (quintet 5(1/2)) Rb and He, Ne, Ar, Kr, or Xe), very low buffer-gas pressures can be used, and therefore pressure broadening (dephasing collisions) does not obscure the effects of VCC's. The data are deconvolved to eliminate the effects of the natural linewidth and are then extrapolated with respect to buffer-gas pressure to determine the single-collision limit. For small initial velocities, the measured kernels are consistent with a hard-sphere model for large velocity changes, but differ significantly for small velocity changes. The measured VCC kernels for large initial velocities and large velocity changes do not exhibit the agreement with the hard-sphere kernel. This implies that information about the inter-atomic potential can be obtained from a measurement of VCC kernels. The authors also show the inadequacy of the much-used Keilson-Storer kernel (J. Appl. Math. 10, 243 (1952)).

101,685

PB91-203125 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Quantum Physics Div.

Squeezed Quantum States of Relic Gravitons and Primordial Density Fluctuations.

Final rept.
L. P. Grishchuk, and Y. V. Sidorov. 1990, 9p
Pub. in Physical Review D 42, n10 p3413-3421, 15 Nov 90.

Keywords: *Gravitons, Gravitational waves, Particle production, Quantum mechanics, Black holes, Cosmology, Reprints.

The close relationship between the theory of particle creation in external fields and the theory of quantum-mechanical squeezed states is clarified. It is shown that relic gravitons (and other primordial perturbations), created from zero-point quantum fluctuations in the course of cosmological evolution, should now be in strongly squeezed states. The statistical properties of the stochastic collection of relic gravitational waves are investigated. Some other examples of particle creation, and in particular Hawking's process of black-hole evaporation, are considered in the context of the theory of squeezed states.

101,686

PB91-203166 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Center for Radiation Research.

Polarizability of the Photon.

Final rept.
E. Hayward. 1989, 3p

Pub. in Physics Letters B 223, n2 p133-135, 8 Jun 89.

Keywords: *Protons, Scattering cross sections, Dispersion relations, Polarization, Reprints.

The relationship between the static polarizability of the proton and the electric and magnetic polarizabilities obtained from low-energy photon scattering is discussed. It is shown that a consistent picture emerges if one associates the static polarizability with the imaginary part of the forward scattering amplitude, and the photon scattering cross section with the real part.

101,687

PB91-203216 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Electromagnetic Fields Div.

Generalization of the Cornu Spiral for Lossy Media.

Final rept.
D. A. Hill. 1991, 3p
Pub. in Jnl. of Applied Physics 69, n3 p1772-1774, 1 Feb 91.

Keywords: *Fresnel diffraction, Fresnel integrals, Fresnel zones, Complex variables, Lossy media, Half planes, Reprints, Cornu spiral.

The classical problem of Fresnel diffraction by a straightedge is extended to allow for loss in the medium. The loss modifies the usual Cornu spiral solution because the argument of the Fresnel integral becomes complex. For high loss, the contributions of the outer Fresnel zones are highly attenuated.

101,688

PB91-203240 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Quantum Physics Div.

Asymptotic Expansions of the Kernel Functions for Line Formation with Continuous Absorption.

Final rept.
D. G. Hummer. 1991, 6p
Contract NAGW-766, Grant NSF-AST88-02937
Sponsored by National Aeronautics and Space Administration, Washington, DC, and National Science Foundation, Washington, DC.
Pub. in Jnl. of Quantitative Spectroscopy and Radiative Transfer 45, n4 p211-216 1991.

Keywords: *Line spectra, Radiative transfer, Asymptotic series, Analytic functions, Kernel functions, Line broadening, Reprints.

Asymptotic expressions are obtained for the kernel functions $Mn_2(\tau, \alpha, \beta)$ and $K_2n(\tau, \alpha, \beta)$ appearing in the theory of line formation with complete redistribution over a Voigt profile with damping parameter α , in the presence of a source of continuous opacity parameterized by β . For $\alpha > 0$, each coefficient in the asymptotic series is expressed as the product of analytic functions of α and β identically = $\beta(\tau)$ separately. For Doppler broadening, only the leading term can be evaluated analytically.

101,689

PB91-203257 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Ionizing Radiation Div.

NIST High-Dose Calibration Services.

Final rept.
J. C. Humphreys. 1989, 5p

Pub. in Nuclear Instruments and Methods in Physics Research B40-41, pt2 p1173-1177 Apr 89.

Keywords: *Radiation doses, *Dosimeters, *Calibration, Gamma rays, Measurement, Reprints, Traceability, US NIST.

There is a need for standardization of high-dose measurements used in the radiation processing industry in order to provide measurement assurance and traceability to national standards. NIST provides dosimetry calibration services to this industry. One of these services involves the administering of known absorbed doses of gamma rays to customer-supplied dosimeters. The dosimeters are packaged to provide appropriate electron equilibrium conditions and are irradiated in a standard (60)Co calibration facility; this provides a calibration of the response of that batch of dosimeters. Another service consists of supplying to a customer calibrated transfer dosimeters for irradiation with the customer's in-house radiation source. The irradiated transfer dosimeters are then returned to NIST for analysis and the results reported to the customer, thereby providing a calibration of the dose rate of the customer's source.

101,690

PB91-203307 Not available NTIS
National Inst. of Standards and Technology (NIST), Gaithersburg, MD. Molecular Spectroscopy Div.

Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra.

Final rept.
P. S. Julienne, and L. Frommhold. 1989, 7p

Pub. in Spectral Line Shapes, p800-806 1989.

Keywords: Collision broadening, Line broadening, Line spectra, Dipole moments, Reprints, *Laser assisted collisions, *Collision induced spectra.

It is especially fitting at the conference, which for the first time brings together the communities on line broadening and collision-induced absorption, that the roundtable sessions on laser-assisted collisions and collision-induced spectra be combined into one dis-

cussion. This enables one to point out the very strong similarities between these two fields, both in the types of phenomena treated and in the methodology used to calculate the spectra. Therefore, as a major theme of the discussion, the authors would like to point out the similarities and differences between the two fields.

101,691

PB91-203315

Not available NTIS
National Inst. of Standards and Technology (NIST),
Boulder, CO. Electromagnetic Fields Div.

Estimation of Electromagnetic Fields in Complex Environments.

Final rept.

M. Kanda, and J. Randa. 1991, 6p

Pub. in Proceedings of the International Zurich Symposium and Technical Exhibition on Electromagnetic Compatibility (9th), Zurich, Switzerland, March 12-14, 1991, p337-342.

Keywords: *Electromagnetic fields, *Field strength, *Estimating, Statistical analysis, Finite element method, Directional measurement, Reprints, National Institute of Standards and Technology.

The problem of measuring and characterizing complicated multiple-source, multiple-frequency electromagnetic environments is becoming more important and more difficult as electrical devices proliferate. The paper reviews three general approaches to the problem which have been investigated at the National Institute of Standards and Technology (NIST). The three approaches are: a statistical treatment of the spatial distribution of electromagnetic field intensities; a numerical computation using a finite-element (or lattice) form of the electromagnetic action functional; and use of a directional probe to scan a volume. All three methods are still in the development stage, but each appears promising.

101,692

PB91-203372

Not available NTIS
National Bureau of Standards (NBS), Gaithersburg,
MD. Statistical Engineering Div.

Experimentation and Measurement.

Final rept.

H. H. Ku. 1988, 5p

See also PB84-233659.

Pub. in Basic Questions in Fatigue: ASTM STP 924, v1
p9-13 1988.

Keywords: *Experimental design, Statistical analysis, Variability, Planning, Reprints.

The paper reviews a number of statistical concepts and methods that could be helpful to experiments in the planning stage. These include: (1) sharpening the objective of the experiment, (2) avoiding confounding of experimental factors, and (3) providing realistic estimates of variabilities. Two examples are given.

101,693

PB91-203398

Not available NTIS
National Bureau of Standards (NBS), Gaithersburg,
MD. Ionizing Radiation Div.

Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field.

Final rept.

G. P. Lamaze, C. M. Eisenhauer, J. A. Grundl, E. D.

McGarry, and F. J. Schima. 1988, 4p

Pub. in Proceedings of International Conference on Nuclear Data for Science and Technology, Mito, Japan, May 30, 1988, p1033-1036.

Keywords: *Neutron cross sections, Cobalt 59 target, Gold 197 target, Indium 115 target, Scandium 45 target, Silver 109 target, Sodium 23 target, Neutron reactions, Fast neutrons, Reprints.

Measured and calculated results are reported for the spectrum-averaged cross sections of the $(115)\text{In}(n,n')(115\text{m})\text{In}$, $(197)\text{Au}(n,\gamma)(198)\text{Au}$, $(23)\text{Na}(n,\gamma)(24)\text{Na}$, $(59)\text{Co}(n,\gamma)(60)\text{Co}$, and $(45)\text{Sc}(n,\gamma)(46)\text{Sc}$ reactions in the Intermediate Energy Standard Neutron Field (ISNF) at the National Bureau of Standards (NBS). The ISNF spectrum resembles a fission spectrum at energies above 3.7 MeV; between 0.18 and 3.7 MeV, the spectrum is dominated by neutrons returning from the graphite after several collisions; and at lower energies the shape is determined by the $1/v$ absorption in the $(10)\text{B}$ shell. The median energy is about 0.58 MeV, with 98% of the neutron fluence rate occurring between 1.2 keV and 5.6 MeV. The fluence was determined by a fluence transfer reaction $((235)\text{U}(n,f)(140)\text{Ba})$ from a well-calibrated $(252)\text{Cf}$ fission source.

101,694

PB91-203406

Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Ionizing Radiation Div.

Spectrum-Averaged Cross-Section Measurement of $(103)\text{Rh}(n,n')(103\text{m})\text{Rh}$ in the $(252)\text{Cf}$ Fission Neutron Spectrum.

Final rept.

G. P. Lamaze, F. J. Schima, C. M. Eisenhauer, and

V. Spiegel. 1988, 5p

Pub. in Nuclear Science and Engineering 100, n1 p43-47 Sep 88.

Keywords: *Rhodium 103 target, *Neutron cross sections, Neutron scattering, Fission neutrons, Inelastic scattering, Dosimetry, Californium 252, Reprints.

Because of the close correspondence of the $(103)\text{Rh}(n,n')$ differential cross section and the kerma muscle response function for neutrons, rhodium is an attractive neutron kerma monitor. In support of its use as a neutron monitor, the spectrum averaged cross section, $\sigma(\text{bar})$, has been measured for a $(252)\text{Cf}$ fission neutron spectrum. Pairs of rhodium foils were irradiated on opposite sides of a thinly-encapsulated $(252)\text{Cf}$ neutron source. The neutron fluence incident on the foils is determined by the source strength, average foil distance, and length of time of the irradiation. Corrections are made for neutron scattering, saturation of activity, and attenuation of the x-rays in the foil during counting. The x-rays were detected with an intrinsic germanium x-ray detector. The results of five separate irradiations yield a value of $\sigma(\text{bar})(\text{star})P(Kx)=62.3 \pm 0.19\text{mb}$. A discussion of systematic uncertainties is given.

101,695

PB91-203422

Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Precision Engineering Div.

Calibration of the NBS 10um Space Beads.

Final rept.

T. R. Lettieri, A. W. Hartman, G. G. Hembree, and E.

Marx. 1989, 11p

Pub. in Jnl. of Colloid Interface Science 131, n2 p550-560 1989.

Keywords: *Microspheres, *Dimensional measurement, Electron microscopy, Light scattering, Particle size, Diameters, Calibration, Certification, Reprints, *Standard reference materials, Space beads, Micro-metrology.

A summary is presented of the procedures used to certify NBS Standard Reference Material 1960, nominal 10 micrometer 'space beads'. Three independent micrometry techniques were used, with the results agreeing to about 0.1%. Center distance finding, a method based on optical microscopy, gave a value of 9.89 ± 0.04 micrometers which was chosen as the certified mean diameter. Two supporting measurements, made using metrology electron microscopy and resonance light scattering, yielded mean diameters of 9.886 ± 0.029 micrometers and 9.898 ± 0.029 micrometers, respectively. The main peak of the size distribution for this material is nearly Gaussian, with a certified standard deviation of 0.09 micrometers, excluding outlying particles. The SRM 1960 microspheres were grown in microgravity aboard the NASA space shuttle 'Challenger', making the material the first commercial product to be made in space.

101,696

PB91-203430

Not available NTIS
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Precision Engineering Div.

Dimensional Calibration of an NBS 0.3-mum-Diameter Particle-Sizing Standard.

Final rept.

T. R. Lettieri, and G. G. Hembree. 1989, 7p

Pub. in Jnl. of Colloid Interface Science 127, n2 p566-572 1989.

Keywords: *Microspheres, *Dimensional measurement, Transmission electron microscopy, Light scattering, Particle size, Calibration, Certification, Diameters, Reprints, *Standard reference materials, Micro-metrology.

The article summarizes the procedures used at the National Bureau of Standards (NBS) in the certification of a new submicrometer particle-sizing Standard Reference Material (SRM 1691). The mean diameter of the polystyrene microspheres was accurately measured using two independent micrometry techniques.

One technique, transmission electron microscopy, measured the particles dried and in a vacuum, and gave a result of 0.269 ± 0.007 micrometer for the certified mean diameter. The supporting method, quasi-elastic light scattering, yielded a value of 0.276 ± 0.007 micrometer for the diameter of the microspheres in liquid suspension. Descriptions of the experimental techniques, data analyses, and sources of error are discussed in the paper. The calibrated microspheres are now available from NBS for use as a primary length standard in the submicrometer size range. Applications include microcontamination measurement in semiconductor processing, atmospheric sampling, and electron-microscope calibration.

101,697

PB91-203455

Not available NTIS
National Bureau of Standards (NML), Gaithersburg,
MD. Office of Standard Reference Data.

Critical Data in Physics and Chemistry.

Final rept.

D. R. Lide, and B. B. Molino. 1987, 12p

Pub. in Encyclopedia of Physical Science and Technology, v3 p786-797 1987.

Keywords: *Physical properties, *Chemical properties, Atomic weights, Fundamental constants, Thermodynamics, Fluids, Historical aspects, Reprints, Critical data.

The history and current status of activities related to critical evaluations of physical and chemical data are summarized. A general description of methods for evaluating data is given. Representative tables of important physical and chemical constants are included.

101,698

PB91-203638

Not available NTIS
National Inst. of Standards and Technology (NML),
Boulder, CO. Quantum Physics Div.

Observation of the Cesium Clock Transition Using Laser-Cooled Atoms in a Vapor Cell.

Final rept.

C. Monroe, H. Robinson, and C. Wieman. 1991, 3p

Pub. in Optics Letters 16, n1 p50-52, 1 Jan 91.

Keywords: *Atomic clocks, Electron transitions, Cesium, Reprints, Atom traps, Laser cooling.

Cesium atoms in a vapor cell have been trapped and cooled by using light from laser diodes. The $6S\ F=4$, $m=0 \rightarrow 6S\ F=3$, $m=0$ hyperfine clock transition was excited as these atoms then fell 2.5 cm in darkness. The authors observed a linewidth of 8 Hz with good signal-to-noise ratio. This gave a short-term fractional frequency resolution of 6.5×10^{-12} to the -12 power/sec (sup 1/2), and there is potential for substantial improvement. The apparatus is extremely simple and compact, consisting of a small cesium vapor cell and two diode lasers.

101,699

PB91-203778

Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Radiation Physics Div.

High Harmonic Generation in Hydrogenic Ions.

Final rept.

L. Pan, K. T. Taylor, and C. W. Clark. 1989, 4p

Pub. in Physical Review A 39, n9 p4894-4897, 1 May 89.

Keywords: *Harmonic generation, Multi-photon processes, Nonlinear optics, Reprints, *Hydrogen-like ions, *Hydrogenic ions.

The authors have calculated the frequency-dependent nonlinear susceptibilities of hydrogenic ions up to very high order of nonlinearity. The critical driving intensity, at which the radiated harmonic intensity of the $(q+2)$ th order, produced by the direct process, exceeds that of the q th order, is found to decrease rapidly with q . The computed values of critical intensity are comparable to those at which 'plateau' behavior is observed in recent experiments.

101,700

PB91-203828

Not available NTIS
National Inst. of Standards and Technology (NEL),
Boulder, CO. Electromagnetic Technology Div.

Effect of Mechanical Deformation on Nb-Ti Filament Proximity-Effect Coupling at the Edges of SSC Cables.

Final rept.
T. W. Petersen, and R. B. Goldfarb. 1991, 2p
Sponsored by Department of Energy, Washington, DC.
Div. of High Energy Physics.
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Magnetics 27, n2 p1809-1810 Mar 91.

Keywords: *Superconducting super collider, *Superconducting cables, Superconducting magnets, Magnetic fields, Proximity effect, Time dependence, Magnetization, Deformation, Reprints, Niobium titanium.

Magnetization as a function of transverse magnetic field and time was measured for short strands extracted from the centers and edges of five Nb-Ti Rutherford cables designed for use in Superconducting Super Collider dipole magnets. The multifilamentary strands all had 6-micrometer diameter filaments. Edge samples, which had severe mechanical deformation, showed small magnetic coupling losses at low fields, compared to no coupling losses for undeformed center strands. Sharp strand bends at cable edges decreases the interfilament spacing to the order of the coherence length in the normal matrix material which increases the effective filament diameter and hysteresis loss at low fields. Microscopic studies of the cables' cross sections confirmed smaller interfilament separations in these samples. Flux creep measurements, represented by the time dependence of magnetization, showed little difference between edge and center samples. This indicates that the proximity-coupled matrix in edge samples is not a significant source of flux creep.

101,701
PB91-203919 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Electromagnetic Technology Div.
New Look at the Bitter Method of Magnetic Imaging.

Final rept.
P. Rice, and J. Moreland. 1991, 2p
Pub. in Review of Scientific Instruments 62, n3 p844-845 Mar 91.

Keywords: Scanning tunneling microscopy, Magnetic storage, Magnetic disks, High resolution, Imaging techniques, Ferrofluids, Reprints, *Bitter method, *Magnetic imaging.

A scanning tunneling microscope (STM) was used in place of an optical microscope in the Bitter method to image the magnetic ferrofluid particles on the surface of a hard disk. The resolution obtainable with the usual Bitter method is limited by the optical viewing of the magnetic particles. Using the scanning tunneling microscope, the authors have obtained image resolution limited only by the ferrofluid particle size.

101,702
PB91-204115 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Quantum Physics Div.
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.

Final rept.
C. C. Speake, T. M. Niebauer, M. P. McHugh, P. T. Keyser, J. E. Faller, J. Y. Cruz, J. C. Harrison, J. Makinen, and R. B. Beruff. 1990, 5p
Pub. in Physical Review Letters 65, n16 p1967-1971, 15 Oct 90.

Keywords: *Gravitation, Basic interactions, Towers, Tests, Reprints, Inverse square laws, Fifth force.

Gravity was measured at eight different heights on a 300-m meteorological tower using LaCoste and Romberg gravimeters. The observed values were adjusted for tides, drift, and gravimeter screw errors, and tested for systematic effects due to tower motion. These results are compared with values predicted using Newton's inverse-square law from surface gravity. The differences exhibit no systematic trends and their rms value is well within the estimated errors of the experiment. This result places new constraints on the possible strength and range of any non-Newtonian force.

101,703
PB91-204164 Not available NTIS
National Inst. of Standards and Technology (NIST), Boulder, CO. Quantum Physics Div.

Collisional Energy Transfer between Excited Sr Atoms.

Final rept.
H. G. C. Werij, M. Harris, J. Cooper, A. Gallagher, and J. F. Kelly. 1991, 13p
Contract NSF-PHY86-04504
Sponsored by National Science Foundation, Washington, DC.
Pub. in Physical Review A 43, n5 p2237-2249, 1 Mar 91.

Keywords: *Atomic collisions, *Strontium, Excited states, Reprints, Collisional energy transfer.

The following energy-transfer reactions have been observed in a Sr vapor following pulsed excitation of the 5 singlet P(1) state. The r singlet D(2) state was populated by a nonlinear stimulated process. By measuring the rate coefficients for these reactions for over 40 final states $n(s + 1)L$, one looks for insight into how these reactions depend on energy defect, spin, and angular momentum. It is found that there is not a very strong dependence on the energy defect, and that singlet and triplet final states are produced in comparable amounts. The final states tend to be populated more effectively as their angular momentum increases. Total rate coefficients are of the order of gas-kinetic rates.

101,704
PB91-216705 PC A07/MF A02
National Inst. of Standards and Technology, Gaithersburg, MD.
Journal of Research of the National Institute of Standards and Technology. May-June 1991. Volume 96, Number 3.
1991, 150p
Also available from Supt. of Docs. as SN703-027-00040-7. See also PB91-216713 through PB91-216762 and PB91-187617. Library of Congress catalog card no. 89-656121.

Keywords: *Research, Thermal conductivity, Thermal diffusivity, Fluids, Surface roughness, Quality control, Nondestructive tests, Transistors, Crystal growth, Crystal defects, Time series analysis, Signal processing, Acoustic emissions, Second breakdown.

Contents:
A High-Temperature Transient Hot-Wire Thermal Conductivity Apparatus for Fluids;
Standard Reference Specimens in Quality Control of Engineering Surfaces;
An Automated Reverse-Bias Second-Breakdown Transistor Tester;
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals;
Root Projection of One-Sided Time Series;
Deconvolution of Acoustic Emission and Other Causal Time Series.

101,705
PB91-216812 PC A04/MF A01
National Inst. of Standards and Technology (PL), Gaithersburg, MD.
Evidence for Surface alpha Particle Clusters in (nat)Ag(197)Au from the (e, alpha) Reaction.
W. R. Dodge. Jun 91, 57p NISTIR-4495

Keywords: *Alpha particles, *Cluster model, *Gold 197 target, *Silver, *Electron reactions, MeV range 100-1000, MeV range 10-100, Electroproduction, Protons, Graphs(Charts).

The (nat) Ag and (197) Au (e,p) and (e, alpha) energy and angular distributions were measured at 6 electron bombarding energies between 50 and 115 MeV at the National Institute of Standards and Technology. The (nat) Ag and (197) Au (e,p) angular distributions exhibit an asymmetric component which increases from 0 to 50% as the proton energy increases from the proton Coulomb barrier to 26 MeV. The (nat) Ag and (197) Au (e, alpha) angular distributions exhibit an asymmetric component which increases from 0 to 30% as the alpha energy increases from the alpha particle Coulomb barrier to 26 MeV. The authors conclude that the asymmetric component of the proton and alpha particle yields are the result of direct or semidirect processes rather than resonance processes and hence, because of the short mean free paths of alpha particles in nuclear matter, give evidence for the existence of alpha particle clusters in the nuclear surface.

101,706
PB91-236604 Not available NTIS

Transmission Properties of a Counter-Rotating Pair of Disk Choppers.

Final rept.
J. R. D. Copley. 1991, 10p
Pub. in Nuclear Instruments and Methods in Physics Research A303, p332-341 1991.

Keywords: *Neutron choppers, Time-of-flight spectrometers, High resolution, Crosstalk, Design, Reprints.

Counter-rotating pairs of disk choppers are used to provide pulsed neutron beams for thermal neutron scattering experiments. An important advantage of this type of device, compared with the single disk chopper, is that each disk can be equipped with several slots. A choice of slot widths is then made possible, simply by changing the relative phasing of the two disks. The resolution of an instrument with counter-rotating chopper pairs can therefore be altered without having to modify the incident wavelength or the speed of the choppers. A potential problem, when there are several slots in each disk, is that there will be 'cross talk', i.e. neutrons will be transmitted by a pair of slots other than the intended combination. The author examines the transmission properties of a counter-rotating pair of choppers, and describes methods to determine whether or not cross talk can occur. An important conclusion is that the axial separation between the two choppers must be included in the analysis; this separation, which is generally small (of order several cm), significantly increases the potential for unwanted cross talk. The author briefly discusses the implications of cross talk in the design of a high resolution time-of-flight spectrometer.

101,707
PB91-236745 Not available NTIS
National Inst. of Standards and Technology (PL), Gaithersburg, MD. Electron and Optical Physics Div.
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
Final rept.
P. L. Gould, P. D. Lett, R. N. Watts, C. I. Westbrook, P. S. Julienne, W. D. Phillips, H. R. Thorsheim, and J. Weiner. 1989, 14p
Pub. in At. Phys. 11, p215-228 1989.

Keywords: *Sodium atoms, Reprints, *Associative ionization, Ultracold atoms, Laser cooling, Laser trapping.

The authors describe their recent investigations of associative ionization in laser cooled sodium confined in a new type of laser trap. Their measured cross section at a temperature < 1 mK is three orders of magnitude larger than that measured in previous experiments at higher temperatures. The authors have also seen a dramatic influence of laser intensity on the collision dynamics.

101,708
PB91-236828 Not available NTIS
National Inst. of Standards and Technology (PL), Boulder, CO. Time and Frequency Div.
Reply to Comment on 'Quantum Zeno Effect'.

Final rept.
W. M. Itano, D. J. Heinzen, J. J. Bollinger, and D. J. Wineland. 1991, 2p
See also PB90-254715.
Pub. in Physical Review A 43, n9 p5168-5169, 1 May 91.

Keywords: Quantum mechanics, Ion storage, Reprints, *Quantum Zeno effect, *Zeno effect, Laser cooling, Penning traps.

Various interpretations of quantum mechanics are valid insofar as they predict the same experimental results. Some invoke 'wave-function collapse' and some do not. An interpretation based on the collapse postulate provides a simple explanation for a recent experimental demonstration of the quantum Zeno effect (Itano et al., Phys. Rev. A-41, 2295 (1990)), but other interpretations are also valid.

101,709
PB91-236976 Not available NTIS
National Inst. of Standards and Technology (EEEL), Boulder, CO. Electromagnetic Fields Div.

Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.

Final rept.

L. Ma, J. K. Han, R. L. Tobler, R. P. Walsh, and R. P. Reed. 1990, 8p

Sponsored by Department of Energy, Washington, DC. Office of Fusion Energy, and Universities Research Association, Berkeley, CA. Superconducting Super Collider Central Design Group.

Pub. in *Advances in Cryogenic Engineering* (Materials), v36 p375-382 1990.

Keywords: *Superconducting super collider, *Aluminum alloys, *Stress tests, *Cryogenic storage devices, Tensile strength, Fatigue life, Metal sheets, Reprints, Aluminum alloy 7075, Aluminum alloy 7475, Aluminum alloy 2219, Aluminum alloy 2090.

Notched and unnotched sheet specimens of four aluminum alloys were fatigue tested to evaluate potential use in the Superconducting Super Collider. Alloys 7075-T6, 7475-T6, 2219-T87, and 2090-T8E41 were tested in axial fatigue at a stress ratio of 0.1. The unnotched specimens were tested at 295, 76, and 4 K, whereas notched specimens were tested at 76 K only. The fatigue strengths of these alloys were compared with a practical interest in a life of 100,000 cycles. Fatigue strengths with static tensile strengths for notched and unnotched specimens.

101,710

PB91-237115

Not available NTIS

National Inst. of Standards and Technology (EEL), Gaithersburg, MD. Electricity Div.

Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.

Final rept.

P. T. Olsen, W. L. Tew, E. R. Williams, R. E. Elmquist, and H. Sasaki. 1991, 6p

See also PB91-101501.

Pub. in *IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement* 40, n2 p115-120 Apr 91.

Keywords: *Mass, *Standards, Superconducting magnets, Rest mass, Hysteresis, Monitoring, Balances, Comparison, Reprints, *Kilogram, Watt.

The paper presents the current status of the NIST SI watt experiment. Included are goals for the near future as well as projections regarding the viability of monitoring and/or replacing the kilogram mass standard. Although several significant systematic errors have yet to be evaluated, the standard deviation of the mean of the authors' present measurement distributions is 0.05 ppm.

101,711

PB91-237461

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Gas and Particulate Science Div.

Structure of Odd-Odd (132)Sb.

Final rept.

C. A. Stone, W. B. Walters, and S. H. Faller. 1989, 9p

Pub. in *Physical Review C* 39, n5 p1963-1971 1989.

Keywords: *Antimony 132, Nuclear energy levels, Nuclear structure, Fission products, Lifetime, Reprints.

New information is presented on the decay of 40-s (132)Sb. A second beta-fed 1+ level was identified in Sb; it lies at an energy of 2268 keV and is fed by a relatively strong 0.83% beta-decay branch. Four gamma rays were identified that form a weakly populated cascade from a level at 483 keV. Coincidence data demonstrate that the 254-keV level in this cascade is the 102-ns isomer identified previously by Clark et al. A 96-keV, isomeric gamma ray has also been observed that is placed in the decay of the 4.1-min, 8-isomer in (132)Sb. It may also be the 96-keV transition that is associated with the 1.8 microsec isomer identified in the A=132 chain by Clark et al. The splitting of the levels in the proton-neutron multiplets is discussed and compared with the results of several recent shell model calculations.

101,712

PB91-237495

Not available NTIS

National Inst. of Standards and Technology (PL), Gaithersburg, MD. Atomic Physics Div.

Extreme-Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma.

Final rept.

J. Sugar, V. Kaufman, and W. L. Rowan. 1991, 4p

Sponsored by Department of Energy, Washington, DC.

Pub. in *Jnl. of the Optical Society of America B* 8, n5 p913-916 May 91.

Keywords: *Plasma spectra, Isoelectronic sequence, Extreme ultraviolet radiation, Ultraviolet spectra, Palladium, Silver, Cadmium, Reprints, Cadmium-like ions, Chlorine-like ions, Potassium-like ions, Sulfur-like ions.

The elements Pd, Ag, Cd, and Sn were each injected by laser ablation into a tokamak plasma of 1.3-keV electron temperature. Spectra in the range of 50-400 Å were observed photographically with a 2.2-m grazing-incidence spectrograph. The authors identified lines in the isoelectronic sequences of S, Cl, Ar and K that were not previously classified. They fall in the range of 51-78 Å and were measured with an uncertainty of + or - 0.010 Å. Graphs of the differences between the measured and the calculated transition energies vary smoothly and confirm the identifications. Least-squares fits to these differences permit accurate predictions for elements Tc, Ru, Rh, and In that have not been investigated. Similar fits to ground-state doublet splittings in the Cl and K sequences provide accurate values of magnetic dipole transition energies for these ions.

101,713

PB91-237503

Not available NTIS

National Inst. of Standards and Technology (PL), Gaithersburg, MD. Atomic Physics Div.

Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII.

Final rept.

J. Sugar, V. Kaufman, and W. L. Rowan. 1991, 5p

Contract DE-AC05-78ET-53043

Sponsored by Department of Energy, Washington, DC. Pub. in *Jnl. of the Optical Society of America B* 8, n1 p22-26 Jan 91.

Keywords: *Plasma spectra, Isoelectronic sequence, M1-transitions, Soft x rays, Reprints, *Phosphorus-like ions.

Phosphorus like spectra Cu XV to Mo XXVIII have been identified in tokamak- and laser-produced plasmas in the wavelength range of 83 to 163 Å. These were obtained with the TEXT tokamak at the University of Texas and the 1-GW Nd:glass laser at the National Institute of Standards and Technology, using 2.2- and 10.7-m grazing-incidence spectrographs, respectively. Wavelength measurements were made with an uncertainty of + or - 0.005 Å. All the classified lines arise from the 3s(2)3p(3)-3s(2)3p(2)3d array. They were identified through detailed comparisons with Hartree-Fock calculations of wavelengths and relative intensities along the isoelectronic sequence. All spectra from Cu to Mo were observed, except for Rb and Sr, whose wavelengths are predicted by interpolation with an uncertainty of + or - 0.02 Å. By means of previously observed magnetic-dipole (M1) lines within the 3s(2)3p(3) ground configuration and comparisons with published Dirac-Fock calculations, all the energy levels of the configuration were determined with an uncertainty of + or - 10 to 100 cm for Co to Mo. These levels were used to predict all the M1 wavelengths. A correction to the Co XIV ground configuration is made by means of a previously published list of M1 lines.

101,714

PB91-237511

Not available NTIS

National Inst. of Standards and Technology (PL), Gaithersburg, MD. Atomic Physics Div.

Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.

Final rept.

J. Sugar, E. Trabert, G. Moller, P. H. Heckmann, J. H. Blanke, and I. Martinson. 1991, 6p

Pub. in *Physica Scripta* 43, p484-489 1991.

Keywords: Extreme ultraviolet radiation, Ultraviolet lasers, Electron transitions, Niobium ions, Molybdenum ions, Silver ions, Reprints, *Copper-like ions.

The transition 3d(10)4p doubletP(0)-3d(9)4s(2) doublet D in Cu-like ions, the XUV laser transition proposed by Morley and Sugar, has now been identified in delayed spectra obtained with foil-excited ion beams of Nb, Mo and Ag. Calculations of the wavelengths agree closely with the observations, but the observed decay times are significantly larger than the theoretically expected lifetimes. It is shown that the lifetime is probably obscured by long-lived cascades from the lowest-lying quartet levels.

101,715

PB91-237594

Not available NTIS

National Inst. of Standards and Technology (PL), Gaithersburg, MD. Physics Lab. Office.

Basic Standards and Fundamental Constants.

Final rept.

B. N. Taylor. 1989, 3p

Pub. in *IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement* 38, n2 p164-166 1989.

Keywords: *Fundamental constants, *Electrical measurement, *Standards, Josephson effect, Least squares method, Reprints, Quantum Hall effect.

These introductory remarks to the panel discussion on Basic Standards and Fundamental Constants at the 1988 Conference on Precision Electromagnetic Measurements (CPEM) touch upon two topics: the importance of precision electromagnetic measurements to the fundamental constants and vice versa; and the idea that recent advances in the determination of a number of constants may have made future least-squares adjustments of the constants unnecessary.

101,716

PB91-237750

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.

Spectroscopic Data Base for Carbon and Oxygen.

Final rept.

W. L. Wiese. 1989, 2p

Pub. in *Physica Scripta* T28, p10-11 1989.

Keywords: *Carbon, *Oxygen, *Atomic energy levels, *Transition probabilities, *Ionization, Spectrum analysis, Wavelengths, Reprints, *Spectroscopic data.

Comprehensive compilations of critically evaluated spectroscopic data for all stages of ionization of carbon and oxygen are briefly reviewed, especially with respect to their scope and the accuracy of the listed data. The spectroscopic quantities covered are wavelengths, energy levels, and transition probabilities.

101,717

PB91-237768

Not available NTIS

National Inst. of Standards and Technology (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.

Unified Set of Atomic Transition Probabilities for Neutral Argon.

Final rept.

W. L. Wiese, J. W. Brault, K. Danzmann, M. Kock, and V. Helbig. 1989, 11p

Pub. in *Physical Review A* 39, n5 p2461-2471 1989.

Keywords: *Argon, *Atomic energy levels, *Transition probabilities, Atomic spectra, Electron transitions, Reprints, *Atomic transition probabilities, *Atomic lifetimes.

While the atomic transition probabilities and radiative lifetimes of neutral argon have been the subject of numerous experiments and calculations, the results exhibit numerous discrepancies and inconsistencies. The authors present for the first time a unified set of atomic transition probabilities, which is consistent with essentially all recent results, sometimes after critical re-analysis. The data consistency and scale confirmation has been achieved in two ways: (1) The authors have carried out some lifetime/branching ratio measurements for a principal 5p level and the associated 4s-5p transitions. These measurements have very closely confirmed the accuracy of the results of recent independent emission experiments. (2) The authors have critically re-analyzed and revised the literature data for the 4s-4p transitions, as well as utilized the results of a similar critical analysis for the 4s-5p transition array, to establish complete sets of absolute data for these arrays. They have found these data to be mutually consistent from cross-correlation checks between the two arrays using recent literature data. Finally, they have proposed renormalization factors for other argon transitions based on the analysis.

101,718

PB91-240762

PC A04/MF A01

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Polymers Div.

High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).

R. D. Shull. Aug 91, 62p NISTIR-4593

Keywords: *Magnetic fields, *Superconductors, Research facilities, Superconducting magnets, High tem-

PHYSICS

General

perature superconductors, Critical current, Critical field, Magnetic resonance, Japan, *Foreign technology, *High magnetic fields.

The report describes the high magnetic field facilities presently available in Japan and how those facilities are being used for the study of superconducting materials. Particular attention is devoted to Japanese technological advances in the development of superconducting materials which may have an impact on the construction of future high magnetic field facilities. Both pulsed magnetic field facilities and constant field generation are evaluated. In addition, future facilities to become available in Japan are listed.

101,719
PB92-109032 PC A04/MF A01
National Inst. of Standards and Technology (PL), Gaithersburg, MD.
International System of Units (SI).
Special pub. (Final).
B. N. Taylor. Aug 91, 64p NIST/SP-330
Also available from Supt. of Docs. as SN003-003-03099-6. Supersedes PB86-244159.

Keywords: *International system of units, *Metric system, *Units of measurement, Primary standards, Translations, *Foreign technology, International Bureau of Weights and Measures.

The booklet is the United States of America edition of the English-language translation of the sixth edition of Le Systeme International d'Unites (SI), the definitive reference on the SI published in 1991 by the International Bureau of Weights and Measures (BIPM) in the French language. The USA edition conforms in substance with the English-language translation that follows the French-language text in the BIPM publication. That translation was a joint effort of the BIPM, the National Institute of Standards and Technology (NIST) in the United States, and the National Physical Laboratory (NPL) in the United Kingdom. However, to make the booklet helpful to the broadest community of users in the USA, it was necessary to follow current Federal policy, to recognize present USA practices as they are found in the literature of the authors domestic voluntary standards organizations such as ASTM and IEEE, and to use American spelling of certain words. Thus, the USA edition differs from the English-language version in the BIPM publication in the following details: (1) the dot is used instead of the comma as the decimal marker; (2) the American spellings 'meter', 'liter', and 'deka' are used instead of 'metre', 'litre', and 'deca'; (3) a small number of footnotes are added for explanatory purposes and to identify USA practices that differ from those suggested in the BIPM publication; (4) in a few instances, American rather than British spelling or usage is followed for a few common words; and (5) the index has been moderately expanded.

101,720
PB92-112358 PC A04/MF A01
National Inst. of Standards and Technology (EEL), Boulder, CO. Electromagnetic Technology Div.
Magnetic Measurements for High Energy Physics Applications.
Final rept. Jun 15 88-Jun 14 91.
R. B. Goldfarb. Aug 91, 69p NISTIR-3975
Contract DE-AL05-85-ER40240
Sponsored by Department of Energy, Washington, DC. Div. of High Energy Physics.

Keywords: *Superconducting magnets, *Superconducting cables, Superconducting wires, Superconducting super collider, High energy physics, Time dependence, Magnetic fields, Critical current, Eddy currents, Magnetization, AC losses, Niobium titanium, Flux creep.

The report is a collection of papers describing magnetic measurements on multifilamentary Nb-Ti superconductor wires and cables as a function of magnetic field and time at liquid-helium temperatures. The papers deal with ac losses and interfilament coupling by proximity effect and eddy currents. Flux creep was investigated under different experimental conditions. A Hall-probe magnetometer, which was used to measure magnetization and flux creep in the presence of a transport current, is described. A method for increasing the critical current of superconducting cable by controlling twist pitch is demonstrated. A critical-state model for the magnetization of superconductors was developed for samples with field-dependent critical current density and rectangular cross section.

101,721
PB92-112481 PC A04/MF A01

National Inst. of Standards and Technology (TS), Gaithersburg, MD. Standards Code and Information Program.

Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
Special pub. (Final).
E. H. Eisenhower. Aug 91, 66p NIST/SP-812
Also available from Supt. of Docs. as SN003-003-03095-3.

Keywords: *Ionizing radiation, *Survey monitors, *Dosimeters, *Calibration, *Laboratories, Performance standards, Gamma rays, X rays, Beta particles, Alpha particles, Neutrons, Criteria, Secondary laboratories, Accreditation.

The document contains standards of performance for laboratories that calibrate instrumentation used to measure ionizing radiation. Such standards are useful for the development of a secondary level of calibration laboratories that can provide a high-quality link between the National Institute of Standards and Technology and those who make routine measurements at the field level. The standards may also be used as criteria on which a decision is based regarding accreditation of a particular laboratory. They were developed by representatives of federally-owned laboratories that perform calibrations of the type addressed by the document. The first major part contains general criteria that must be satisfied by all laboratories seeking accreditation. It includes requirements relating to management and staff, physical aspects of the laboratory, calibrations facilities and equipment, operational procedures, accuracy and quality assurance, and records and reports. Five subsequent major parts establish criteria for calibration of survey instruments, irradiation of personnel dosimeters, calibration of sources, calibration of instruments for diagnostic levels, and calibration of reference-class instruments. The types of radiation covered include gamma rays, x rays, beta particles, neutrons, and alpha particles. An appendix describes the proficiency tests administered by NIST to secondary laboratories as a prerequisite for their accreditation.

101,722
PB92-116474 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
303-MHz Frequency Standard Based on Trapped Be⁺ Ions.
Final rept.

J. J. Bollinger, D. J. Heinzen, W. M. Itano, S. L. Gilbert, and D. J. Wineland. 1991, 3p
Sponsored by Office of Naval Research, Arlington, VA., and Air Force Office of Scientific Research, Bolling AFB, DC.
Pub. in IEEE (Institute of Electrical and Electronics Engineers) Transactions on Instrumentation and Measurement 40, n2 p126-128 Apr 91.

Keywords: *Frequency standards, *Atomic clocks, Hyperfine structure, Beryllium ions, Beryllium 9, Ground state, Ultrahigh frequency, Doppler effect, Reprints, Laser cooling, Penning traps, Ion traps.

A 303-MHz hyperfine transition in the ground state of (9)Be⁺(1+) was used as a basis of a frequency standard. The ions were stored in a Penning ion trap. Linewidths as narrow as 900 micro Hz were obtained. The frequency stability was measured to be better than 3 x 10 to the -12 power/square root of tau. The inaccuracy in the second-order Doppler shift was reduced to 5 parts in 10 to the 15th power by laser cooling. An apparent pressure shift with an unexpectedly large value was discovered which limits the accuracy of the current experiment to approximately 1 part in 10 to the 13 power.

101,723
PB92-116706 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Ionizing Radiation Div.
Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
Final rept.
K. C. Duvall, S. M. Seltzer, C. G. Soares, and B. W. Rust. 1988, 5p
Pub. in Nuclear Instruments and Methods in Physics Research 272, n3 p866-870 Nov 88.

Keywords: *Gamma dosimetry, *NaI detectors, Scintillation counters, MeV range 01-10, Radiation protection, Fluorine 19 target, Proton reactions, Spectra unfolding, Calibration, Kerma, Reprints.

The dosimetry of a nearly-monoenergetic 6- to 7-MeV photon source developed at the National Bureau of Standards (NBS) for radiation protection instrument calibration has been carried out by NaI(Tl) scintillation spectrometry. The approach uses calculated 3-inch x 3-inch NaI(Tl) detector-response functions that have been shown to be reasonably accurate up to 20 MeV. A least-squares fit of the appropriate response functions to a selected region of the pulse-height distribution determines the primary 6- to 7-MeV photon fluence. The uncertainty in the fluence determination is based on the chi squared of the fit, the statistics of the data, and the uncertainty in the response functions. The air kerma delivery due to the primary photons at a reference point in the photon field is calculated from the primary photon fluence.

101,724
PB92-116714 Not available NTIS
National Bureau of Standards (NML), Gaithersburg, MD. Atomic and Plasma Radiation Div.
Atomic Spectroscopy in the 20th Century - A Tribute to Sitterly, Charlotte Moore, on the Occasion of Her 90th Birthday.
Final rept.
B. Edlen, and W. C. Martin. 1988, 4p
Pub. in Jnl. of the Optical Society of America B 5, n10 p2039-2042 1988.

Keywords: *Atomic spectroscopy, Reprints, Sitterly Charlotte Moore.

The introduction describes several areas of atomic spectroscopy represented by 24 papers to be published in a feature issue of J. Opt. Soc. Am. B. This feature issue is a tribute to Charlotte Moore Sitterly on the occasion of her 90th birthday. The introductory material includes an appreciation of Dr. Sitterly's career at NBS.

101,725
PB92-116722 Not available NTIS
National Inst. of Standards and Technology (NML), Gaithersburg, MD. Temperature and Pressure Div.
Differences between Thermodynamic Temperature and t(IPTS-68) in the Range 230C to 660C.
Final rept.
R. E. Edsinger, and J. F. Schooley. 1989, 12p
Pub. in Metrologia 26, p95-106 1989.

Keywords: *Temperature scales, Temperature measurement, Melting points, Aluminum, Uncertainty, Comparison, Reprints, International Practical Temperature Scale of 1968, Kelvin Thermodynamic Temperature Scale, Gas thermometry, IPTS-68.

Determination of the differences between the Kelvin Thermodynamic Temperature Scale (KTTs) and the International Practical Temperature Scale of 1968 (IPTS-68) in the range from 230 C to 660 C has been accomplished by gas thermometry. The estimated random uncertainty of the results ranges from + or - 0.005 C to + or - 0.008 C; the major uncertainties appear to lie in the determination of the volume of the gas bulb and the determination of its IPTS-68 temperature. The present results differ noticeably from earlier gas-thermometric determinations in the range of temperature overlap. The value found for the thermodynamic temperature of the freezing point of Al is (660.342 + or - 0.015) C.

101,726
PB92-116730 Not available NTIS
National Inst. of Standards and Technology (NML), Boulder, CO. Time and Frequency Div.
Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be⁺(1+) Ground State.
Final rept.
D. J. Heinzen, J. J. Bollinger, W. M. Itano, S. L. Gilbert, and D. J. Wineland. 1990, 3p
See also PB90-205899. Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC., and Office of Naval Research, Arlington, VA.
Pub. in Proceedings of Rochester Conference on Coherence and Quantum Optics (6th), Rochester, NY., June 26-28, 1989, p479-481 1990.

Keywords: *Quantum mechanics, *Beryllium 9, Nuclear magnetic resonance, Radiofrequency spectroscopy, Frequency standards, Ground state, Beryllium ions, Linearity, Tests, Reprints, Ion storage, Penning traps.

A frequency standard based on an rf hyperfine resonance in the ground state of (9)Be⁺(1+) ions is used to set limits on possible nonlinearities in quantum me-

chanics. A limit of 2.4×10 to the -20 power eV is placed on the size of a possible nonlinear correction to the (9)Be(1+) nuclear Hamiltonian.

101,727
PB92-117118 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Ionizing Radiation Div.
Novel Radiation Dosimetry Systems.
Final rept.

W. L. McLaughlin. 1991, 25p
Pub. in Proceedings of International Symposium on
High Dose Dosimetry for Radiation Processing,
Vienna, Austria, November 5-9, 1990, p3-27 1991.

Keywords: *Dosimeters, Electron spin resonance,
Free radicals, Luminescence, Polymeric films, Optical
activity, Alanines, Reprints, Dye dosimeters, Quartz
dosimeters, Telemetering dosimetry, Telemetering do-
simetry, Radiochromic dyes, Radiation processing.

New developments of high dose dosimetry systems
have led to a number of improved adaptations of exist-
ing dosimeters and several promising innovations.
These systems include the following: thin film and poly-
meric 'radiochromic' systems; liquid and gel phase ra-
diochromic systems; free radical systems analyzed by
either electron spin resonance (ESR), color complex
spectrophotometry, selective electrode potentiometry,
or luminescence analysis; saccharide solutions ana-
lyzed by ESR or optical rotation measurement; blea-
chable aqueous dye solutions or dye films analyzed by
visible spectrophotometry; inorganic solid state sen-
sors, such as SiO₂, by potentiometric methods or ESR
analysis; telemetering dosimetry systems based on
laser beam analysis of radiochromic sensors.

101,728
PB92-117134 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Ionizing Radiation Div.
**Temperature Dependence of Radiochromic Film
Dosimeters.**
Final rept.

W. L. McLaughlin, J. C. Humphreys, W. Z. Ba, H. M.
Khan, M. Al-Sheikhly, and W. J. Chappas. 1991, 12p
Pub. in Proceedings of International Symposium on
High Dose Dosimetry for Radiation Processing,
Vienna, Austria, November 5-9, 1990, p305-316 1991.

Keywords: *Photographic film dosimeters, *Film do-
simetry, *Dosimeters, Temperature dependence,
Gamma radiation, Polymeric films, Reprints, Radioch-
romic dyes, Radiation processing.

Three types of transparent radiochromic films, two
forming a blue image and one a red image, are now
widely used in high dose dosimetry. These are FWT-
60-00, a free standing nylon base film (nominal ab-
sorbed dose range: 1-50 kGy) which is usually mea-
sured at 605 and 510 nm wavelengths, GafChromic do-
simetry media, a coated polyester film (nominal dose
range: 0.05-30 kGy), which is measured at a variety of
visible wavelengths from 675 down to 400 nm, and
Riso B3, a free standing polyvinylbutyral base film
(nominal absorbed dose range 1-200 kGy) which is
measured at a single wavelength, 554 nm. Each of
these film types is also supplied in other forms for spe-
cial applications and different useful dose ranges, so
that the systems are now able to measure doses and
make radiographic images (without development) over
a wide dynamic range, namely 10 to 200,000 Gy, with
reasonable precision, nominally $\pm 3\%$ at 95%
confidence limits, without appreciable dose rate de-
pendence. The high resolution radiographic images
can be used for archival dose distribution records.

101,729
PB92-126572 PC A03/MF A01
National Inst. of Standards and Technology (PL),
Gaithersburg, MD.
**Interpretation of the SI for the United States and
Metric Conversion Policy for Federal Agencies.**
Final rept.
B. N. Taylor. Oct 91, 20p NIST/SP-814
Also available from Supt. of Docs. See also PB92-
109032.

Keywords: *International system of units, *Metric
system, Units of measurement, Policies, Federal agen-
cies.

The National Institute of Standards and Technology
(NIST) Special Publication replaces National Bureau of
Standards (NBS) Letter Circular LC1132 published
April 19, 1982. It reprints the Department of Com-

merce, NIST, Federal Register notice of December 20,
1990 titled 'Metric System of Measurement; Interpreta-
tion of the International System of Units for the United
States' (the International System of Units, abbreviated
SI, is the modernized metric system); the Department
of Commerce, Office of the Secretary, Federal Regis-
ter notice of January 2, 1991 titled 'Metric Conversion
Policy for Federal Agencies'; and Executive Order
12770 issued by the President of the United States on
July 25, 1991 titled 'Metric Usage in Federal Govern-
ment Programs.' The first Federal Register notice re-
states the Department of Commerce's interpretation of
the International System of Units for the United States
that was last published by the Department in 1982; the
second revises the Code of Federal Regulations (CFR)
to remove the voluntary aspect of the conversion to
the metric system of measurement for Federal agen-
cies; and the Executive Order provides Presidential au-
thority and direction for the use of the metric system of
measurement by Federal departments and agencies in
their programs. Also included is a diagram that shows
graphically how the 19 SI derived units with special
names are derived in a coherent manner from the SI
base and supplementary units.

PROBLEM-SOLVING INFORMATION FOR STATE & LOCAL GOVERNMENTS

Police, Fire, & Emergency Services

101,730
PB91-216796 PC A04/MF A01
Herndon Group, Inc., Chapel Hill, NC.
**First Pass at Computing the Cost of Fire Safety in a
Modern Society.**
W. P. Meade. Jun 91, 51p NIST/GCR-91/592
Contract NIST-525BNB1C6678
Sponsored by National Inst. of Standards and Tech-
nology (BFR), Gaithersburg, MD.

Keywords: *Fire safety, *Cost estimates, US NIST,
Residential buildings, Commercial buildings, Research
management, Economic analysis, Insurance, Con-
struction.

The report provides an estimate of the total annual
dollar costs of establishing and maintaining fire safety
in 20th-Century United States. The cost of fire safety
estimate is needed to serve as a basis for evaluating
the benefits and appropriateness of current and pro-
posed fire research programs of NIST. This was a rela-
tively modest effort to obtain a first-order estimate of
these costs and much of what is reported in these two
reports is anecdotal. Nonetheless, the central conclu-
sions one comes to in reading them are that the
burden of fire on our society is substantially greater
than previously realized and that significant reductions
in this burden may be readily achievable through the
continued development of fire science and the rapid
transfer of fire research results. These findings are
particularly relevant as the U.S. economy and its man-
ufacturing infrastructure adjust to the competitive chal-
lenges of the global marketplace.

SPACE TECHNOLOGY

Astronautics

101,731
PB91-144352 PC A04/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Robot Systems Div.

**Short-Term Evolution for the Flight Telerobotic
Servicer.**
R. Lumia. Dec 90, 61p NISTIR-4463

Keywords: *Robotics, *Teleoperators, *Remote ma-
nipulator system, Space maintenance, Automatic con-
trol, Control systems design, Computer vision, Auto-
mation, Space station servicing, Space telerobotics,
Flight telerobotic servicer.

The document identifies near term technology devel-
opments which would have significant impact on the
evolution of the FTS toward autonomous operation.
Analysis of anticipated FTS tasks is used to identify
operations that might be performed autonomously
rather than in a purely teleoperated fashion. Alterna-
tive techniques for automating these operations are
then described. A discussion of FTS long term evolu-
tion is included as an appendix.

101,732
PB91-185090 PC A06/MF A01
National Inst. of Standards and Technology (NEL),
Gaithersburg, MD. Robot Systems Div.
**Recommended Fine Positioning Test for the De-
velopment Test Flight (DTF-1) of the NASA Flight
Telerobotic Servicer (FTS).**
N. Dagalakis, A. J. Wavering, and P. Spidaliere. Feb
91, 124p NISTIR-4478
Prepared in cooperation with National Aeronautics and
Space Administration, Greenbelt, MD. Goddard Space
Flight Center.

Keywords: *Spacecraft maintenance, *Telerobotics,
*Positioning, *Flight tests, Robots, Robot sensors,
Robot arms, Standards, Off line systems, Computer
programming, DTF-1(Development Test Flight),
NASA(National Aeronautics and Space Administra-
tion), FTS(Flight Telerobotic Servicer).

The purpose of the report is to propose test proce-
dures for the NASA DTF (Development Test Flight)-1
positioning tests of the FTS (Flight Telerobotic Ser-
vicer). The unique problems associated with the DTF-1
mission are discussed, standard robot performance
tests and terminology are reviewed and a very detailed
description of flight-like testing and analysis is present-
ed. The major technical problem associated with DTF-
1 is that only one position sensor can be used, which
will be fixed at one location, with a working volume
which is probably smaller than some of the robot errors
to be measured. Radiation heating of the arm and the
sensor could also cause distortions that would inter-
fere with the test. Two robot performance testing com-
mittees have established standard testing procedures
relevant to the DTF-1. Due to the technical problems
associated with DTF-1 these procedures cannot be
applied directly. These standard tests call for the use
of several test positions at specific locations. Only one
position, that of the position sensor, can be used by
DTF-1. Off-line programming accuracy might be im-
possible to measure and in that case it will have to be
replaced by forward kinematics accuracy.

Extraterrestrial Exploration

101,733
PB91-237875 Not available NTIS
National Inst. of Standards and Technology (NML),
Gaithersburg, MD. Ionizing Radiation Div.
**Possible Use of Pattern Recognition for the Ana-
lysis of Mars-Rover X-ray-Fluorescence Spectra.**
Final rept.
L. I. Yin, J. I. Trombka, S. M. Seltzer, R. G. Johnson,
and J. A. Philpotts. 1989, 8p
Pub. in Jnl. of Geophysical Research 94, nNB10
p3611-3618 1989.

Keywords: *Mars sample return missions, *Mars sur-
face samples, *X-ray fluorescence analysis, *Pattern
recognition, *Soils, Chemical analysis, Reprints.

In the Mars Sample Return Mission, a rover vehicle
may be used to collect and select samples from differ-
ent locations on the Martian surface to be brought
back to earth for laboratory studies. It is anticipated
that an in-situ energy-dispersive x-ray fluorescence
(XRF) spectrometer will be on-board the rover. In such
a mission, sample selection is of higher priority than in-
situ quantitative chemical analysis. With this in mind, a
simple, direct and speedy pattern-recognition method

SPACE TECHNOLOGY

Extraterrestrial Exploration

has been developed as an alternative to detailed chemical analysis of the XRF spectra. The authors present and discuss laboratory demonstrations of the efficacy of this pattern-recognition technique in the analysis of many XRF spectra obtained from a series of geological samples, including a simulated Martian soil.

Manned Spacecraft

101,734
PB91-184804 PC A05/MF A01
National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.
Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas.

D. A. Olson. Jan 91, 99p NISTIR-3959
See also PB91-107573. Sponsored by National Aeronautics and Space Administration, Hampton, VA. Langley Research Center.

Keywords: *Heat exchangers, *Heat transfer, Friction factor, Channel flow, Heat transfer coefficient, Reynolds number, Turbulent flow, Experimental data, Heat flux, Temperature distribution, Nusselt number, Helium, Mass flow, National Aerospace Plane.

Development of a National Aerospace Plane (NASP), which will fly at hypersonic speeds, requires novel cooling techniques to manage the anticipated high heat fluxes on various components. The author has constructed a compact heat exchanger consisting of 12 parallel, rectangular channels in a flat piece of commercially pure nickel. The channel specimen was radiatively heated on the top side at heat fluxes of up to 77 W/sq cm insulated on the back side, and cooled with helium gas flowing in the channels at 3.5 to 7.0 MPa and Reynolds numbers of 1400 to 28,000. The measured friction factor was lower than that of the accepted correlation for fully developed turbulent flow, although our uncertainty was high due to uncertainty in the channel height and a high ratio of dynamic pressure to pressure drop. The measured Nusselt number, when modified to account for differences in fluid properties between the wall and the cooling fluid, agreed with past correlations for fully developed turbulent flow in channels. Flow nonuniformity from channel-to-channel was as high as 12% above and 19% below the mean flow.

101,735
PB91-216606 PC A05/MF A01
National Inst. of Standards and Technology (BFR), Gaithersburg, MD.
Material Flammability Test Assessment for Space Station Freedom.

T. J. Ohlemiller, and K. M. Villa. Jun 91, 79p NISTIR-4591, NASA-CR-187115
Sponsored by National Aeronautics and Space Administration, Cleveland, OH. Lewis Research Center.

Keywords: *Spacecraft construction materials, *Space stations, *Flammability testing, Reduced gravity, Test methods, Fire tests, Ignition, Comparison, Space hazards, NASA, Graphs(Charts), US NIST.

The NASA Upward Flame Propagation test, which measures response to a well-defined laminar flame at the bottom of a test sample, is currently used to screen for flammability all materials intended for use in the interior of manned spacecraft. The response of a series of materials was compared in the test and in the standard NIST flammability tests (Cone Calorimeter for rate of heat release and LIFT tests for ignitability and lateral flame spread). The goal was to see if these differing flammability assessment approaches provide comparable information on the potential hazards of a material. At the present, a firm relation between the behavior in the NASA test and in the NIST tests has not been established. Recommendations are given for future testing.

Spacecraft Trajectories & Flight Mechanics

101,736
PB91-175166 Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Quantum Physics Div.

Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite.

Final rept.

M. A. Vincent, and P. L. Bender. 1990, 5p

Grant NAGW-822

Sponsored by National Aeronautics and Space Administration, Washington, DC.

Pub. in Jrl. of Geophysical Research 95, nB13 p21,357-21,361, 10 Dec 90.

Keywords: *Gravitational fields, *Orbit calculation, *Mercury(Planet), Mercury spacecraft, Range finding, Circular orbits, Polar orbits, Transponders, Librations, Reprints.

Covariance studies were performed to investigate the orbit determination problem for a small transponder satellite in a nearly circular polar orbit with 4-hour period around Mercury. With X band and Ka band Doppler and range measurements, the analysis indicates that the gravitational field through degree and order 10 can be solved for from as few as 40 separate 8-hour arcs of tracking data. In addition, the Earth-Mercury distance can be determined during each ranging period with about 6-cm accuracy. The expected geoid accuracy is 10 cm up through degree 5, and 1 m through degree 8. The main error sources were the geocentric range measurement error, the uncertainties in higher degree gravity field terms, which were not solved for, and the solar radiation pressure uncertainty.

Unmanned Spacecraft

101,737

PB91-161950

Not available NTIS

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Scientific Computing Div.

Probe Waveforms and the Reconstruction of Structural Dynamic Green's Functions.

Final rept.

A. S. Carasso. 1991, 5p

Contracts AFOSR-ISSA-88-0036, ONR-N00014-89-F-0013

Sponsored by Air Force Office of Scientific Research, Bolling AFB, DC., and Office of Naval Research, Arlington, VA.

Pub. in AIAA Jnl. 29, n1 p114-118 Jan 91.

Keywords: *Large space structures, Dynamic structural analysis, Greens function, Waveforms, Pulses, Reprints, Deconvolution.

Experimental identification of dynamic behavior in linear structural systems can be achieved by exciting the structure with a specifically synthesized pulse, and reconstructing the relevant dynamic Green's function by deconvolution of the measured response. The reconstruction procedure involves the solution of an ill-posed integral equation in the presence of noise. The paper underlines the rich variety of infinitely divisible pulse shapes that may be used while still retaining a tractable deconvolution problem. Flexibility in pulse shape is necessary to allow for possible perturbations caused by interfacing devices that convert electrical voltages into mechanical forces. A numerical experiment, using synthetic noisy data, shows that the reconstruction procedure remains effective even when the probe waveform deviates strongly from the preferred unimodal shape. A dispersive structural network that may be representative of a large space structure is used as an illustrative example.

General

101,738

PB91-162016

Not available NTIS

National Inst. of Standards and Technology (NML), Boulder, CO. Chemical Engineering Science Div.

Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.

Final rept.

W. P. Dube, L. L. Sparks, A. J. Slifka, and R. M. Bitsy. 1990, 7p

Sponsored by National Aeronautics and Space Administration, Hampton, VA. Langley Research Center.

Pub. in Advances in Cryogenic Engineering (Materials), v36 p853-859 1990.

Keywords: *Thermal insulation, *Thermal conductivity, *Test facilities, *Spacecraft design, *Thermal measurements, Thermal analysis, Thermal protection, Cryogenics, Temperature measurement, Heat transmission, Heat transfer, Reprints.

Advanced aerospace designs require thermal insulation systems which are consistent with cryogenic fluids, high thermal loads, and design restrictions such as weight and volume. To evaluate the thermal performance of these insulating systems, an apparatus capable of measuring thermal conductivity using extreme temperature differences (27 to 1100 K) is being developed. The system is described along with estimates of precision and accuracy in selected operating conditions. Preliminary data are presented.

TRANSPORTATION

Air Transportation

101,739

PB92-112226

PC A05/MF A01

National Inst. of Standards and Technology (MSEL), Gaithersburg, MD. Metallurgy Div.

Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.

Final rept.

R. J. Fields, S. R. Low, and D. E. Harne. 27 Oct 88, 82p NISTIR-88-3884

Sponsored by Federal Aviation Administration, Washington, DC. Navigation and Landing Div.

Keywords: *Static tests, *Strength, *Electric wire, *Landing aids, Electric conductors, Dynamic tests, Experimental data, Test facilities, Displacement, Strains, Mechanical properties, Fatigue(Mechanical), Wire, Impact tests, Loads(Forces), Mechanical tests.

The report covers a series of static and dynamic tests on electrical conductors specified for use in landing aids on airport runways carried out by NIST for the Federal Aviation Administration. The structures are intended to be frangible so that they will break up readily if impacted, thus minimizing damage to the impacting aircraft. While the structures are frangible, they contain electrical cables which, due to the requirement of electrical conduction, are not frangible. In an actual impact, these cables do not break readily and tend to wrap around the aircraft. The tests authorized by the FAA were carried out to assess the force required to break through various types of FAA specified cables by a simulated aircraft impact. Furthermore, the effectiveness of using break-away connectors was evaluated to determine if they would reduce the total load on an impacting aircraft. In order to correctly design the dynamic test apparatus, it was necessary to know the approximate, expected load levels and cable elongations at fracture. Therefore a series of quasi-static tests were performed on the cables and break-away connectors. The report describes these quasi-static tests as well as the construction and application of the dynamic test apparatus.

101,740

PB92-112580

PC A06/MF A02

National Inst. of Standards and Technology (NCSL), Gaithersburg, MD.

Prototyping the IRDS: An Airport Application.

A. P. Sani. Oct 91, 119p NISTIR-4688

See also PB89-136329. Sponsored by Univ. of Toronto, Mississauga (Ontario). Inst. for Land Information Management.

Keywords: *Geographic information systems, *Data management, *Airports, Software tools, Data bases, *Information Resource Dictionary System, *IRDS system, GIRDS system, Federal information processing standards.

The management of geographic information resources (GIRS) continues to be plagued by problems of monitoring, locating and controlling the array of geographic information in complex organizations. Software tools to support these functions are fundamental to any effort to maintain the integrity of geographic information as it changes. In addition, such tools are desirable when formalizing, then managing the integration of geographic information resources within an organization. One of the major approaches to the problem in the area of database systems has been the development of the information resource dictionary (IRD) which contains meta-data. An Information Resource Dictionary System (IRDS) is a database of meta-data along with software and procedures for the creation and maintenance of the IRD. In 1989 the American National Standards Institute (ANSI) X3.138-1988 IRDS (ANSI-IRDS) was adopted as Federal Information Processing Standard 156 by the United States Government. ANSI-IRDS is intended to support the definition, management and control of meta-data. The study presents the first known attempt to actually apply ANSI-IRDS in the geographic information management domain.

Railroad Transportation

101,741

PB91-222653

PC A03/MF A01

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.

Final rept. Sep 85-Dec 90.

R. E. Schramm, A. V. Clark, D. V. Mitrakovic, S. R. Schaps, and T. J. McGuire. May 91, 47p NISTIR-3968

Contract DTFR-53-89-X-00018

See also PB91-222661. Sponsored by Federal Railroad Administration, Washington, DC. Office of Research and Development.

Keywords: *Ultrasonic tests, *Railroad cars, *Wheels, *Residual stress, Detection, Inspection, Accident prevention, Nondestructive tests, Signal processing, Transducers, Surface waves.

The report covers research performed by the National Institute of Standards and Technology for the Federal Railroad Administration. The report covers a project by the Materials Reliability Division (formerly the Fracture and Deformation Division) to develop and build a system to detect and measure residual stress in the rims of railroad wheels. Acoustic birefringence is the underlying principle of operation. This is a measure of the relative difference in the propagation times of two shear waves polarized in radial and circumferential directions. Measurements employ an EMAT (electromagnetic-acoustic transducer) as an ultrasonic probe. This type of transducer requires little or no surface preparation and no acoustic couplant. The system operates in a pulse-echo mode. A short burst of shear horizontal waves travels through the rim thickness. The rotation of the EMAT determines the orientation of the polarization vector, radial or circumferential. Precise timing of echoes in both directions reveals the degree of birefringence. Changes are due to both stress state and metallurgical texture. Initial tests indicate it may be possible to separate these two.

101,742

PB91-222661

PC A04/MF A01

National Inst. of Standards and Technology (MSEL), Boulder, CO. Materials Reliability Div.

Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.

Final rept. Sep 85-Dec 90.

R. E. Schramm, A. V. Clark, D. V. Mitrakovic, Y. Cohen, P. J. Schull, and S. R. Schaps. May 91, 69p NISTIR-3967

Contract DTFR-53-89-X-00018

See also PB91-222653. Sponsored by Department of Transportation, Federal Railroad Administration, Washington, DC. Office of Research and Development.

Keywords: *Ultrasonic tests, *Railroad cars, *Wheels, *Cracks, Fractures(Materials), Detection, Treads, Nondestructive tests, Accident prevention, Inspection, Signal processing.

The report covers research performed by the National Institute of Standards and Technology (NIST) for the Federal Railroad Administration (FRA). The report covers a project by the Materials Reliability Division (formerly the Fracture and Deformation Division) to develop and build an ultrasonic system to detect crack-type flaws in the tread of railroad wheels. To achieve fully automatic operation, the sensor is built into the rail so testing occurs as the train rolls past. Signal analysis takes place in real time. The ultrasonic probe is an EMAT (electromagnetic-acoustic transducer). As con-

figured here, the EMAT has a small footprint, and, due to its principle of operation, it does not require any acoustic couplant. The system operates in a pitch-catch mode. A short burst of Rayleigh (surface) waves travels around the wheel tread, and an echo indicates a flaw's presence and size. Testing was performed on both a short track in the NIST laboratory and the full-scale facilities of the Transportation Test Center (TTC) in Pueblo, Colorado. The report documents the design, construction, and testing of the system. It is also to serve as an operational guide for the equipment being delivered to the FRA.

Road Transportation

101,743

PB91-157156

PC A03/MF A01

National Inst. of Standards and Technology (NEL), Gaithersburg, MD. Robot Systems Div.

New Approach to Vision and Control for Road Following.

D. Raviv, and M. Herman. Jan 91, 46p NISTIR-4476. Prepared in cooperation with Florida Atlantic Univ., Boca Raton.

Keywords: *Robot dynamics, *Control systems, *Computer vision, *Ground vehicles, Robots, Optical processing, Autonomous navigation, Image processing.

The paper deals with a new quantitative, vision-based approach to road following. It is based on the theoretical framework of the recently developed optical flow-based visual field theory. By building on this theory, the authors suggest that motion commands can be generated directly from a visual feature, or cue, consisting of the projection into the image of the tangent point to the edge of the road, along with the optical flow of this point. Using this cue, they suggest several different vision-based control approaches. There are several advantages to using this visual cue: it is extracted directly from the image, i.e., there is no need to reconstruct the scene; for many road following situations this is the only necessary visual cue; only the horizontal component of the optical flow of the tangent point needs to be extracted; it has a scientific basis, i.e., the described techniques are not ad-hoc; and the related computations are relatively simple and thus suitable for real-time applications. For each control approach, they derive the value of the related steering commands.



PERSONAL AUTHOR INDEX

SAMPLE ENTRY

S. Silberstein

Proposed Standard Practice for Assessing the Performance
of Gas-Phase Air Cleaning Equipment
PB91-167353

100,905

Author name(s)
Title

NTIS order number

Abstract number

AARON, D. A.
Experimentation, Analysis, and Correlation of Refrigerant-22
Flow Through Short Tube Restrictors.
PB91-174243 101,194

ABBOTT, D. C.
Photospheres of Hot Stars. 4. Spectral Type O4.
PB91-149849 100,025

ABRAMOWITZ, S.
Thermodynamic Data for Modeling of Flue Gas Cleanup
Systems (Abstract for Poster Session).
PB91-158741 100,904

ACACIA, P.
Asymptotic Shooting Method for the Solution of Differential
Equations.
PB91-148742 101,255

ACOSTA, S. M.
Thermodynamics of Ammonium Indates. 2. The Molar Heat
Capacity of the Ammonium Pentabromide Monohydrate
Salt (NH₄)₂ InBr₅·H₂O from 7.8 to 348 K.
PB91-149831 100,304

ACQUISTA, N.
Spectrum and Energy Levels of Seven-Times-Ionized Kryp-
ton (Kr VIII) and Resonance Lines of Eight-Times-Ionized
Krypton (Kr IX).
PB91-195511 101,673

ADAM, G.
Sensing of GMAW Droplet Transfer Modes Using an ER
100S-1 Electrode.
PB91-174250 101,004

ADAMS, R. D.
Round Robin on Apparent Thermal Conductivity of Several
Loose-Fill Insulations.
PB91-149948 101,143

ADLER, J. O.
Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609

ADOMI, K.
Uniform Junction Temperature AlGaAs/GaAs Power Hetero-
junction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806

ADRIAN, F. J.
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by
Laser Ablation Processing.
PB91-189589 101,508

ADVANI, J. V.
Thermodynamics of the Disproportionation of Adenosine 5'-
diphosphate to Adenosine 5'-triphosphate and Adenosine
5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313

AESCHLIMANN, M.
Scanning Electron Microscopy with Polarization Analysis
(SEMPA)-Studies of Domains, Domain Walls and Magnetic
Singularities at Surfaces and in Thin Films.
PB91-237289 101,554

AGNEL, J. P. L.
Co-Trial on ESR Identification and Estimates of gamma-Ray
and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017

AGOSTINELLI, E.
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by
Laser Ablation Processing.
PB91-189589 101,508

AKMAN, S. A.
Base Modifications in Plasmid DNA Caused by Potassium
Permanganate.
PB91-187070 101,329

AL-SHEIKHLY, M.
Effects of Absorbed Dose Rate, Irradiation Temperature
and Post-Irradiation Temperature on the Gamma Ray Re-
sponse of Red Perspex Dosimeters.
PB92-116441 101,363

**MECHANISMS OF THE REDUCTION REACTIONS OF Cr(VI) IN THE
RADIOLYSIS OF ACIDIC POTASSIUM AND SILVER DICHROMATE SOLU-
TIONS IN THE PRESENCE OR ABSENCE OF ACETIC ACID.**
PB91-236489 100,241

**TEMPERATURE DEPENDENCE OF RADIOCHROMIC FILM DOSI-
METERS.**
PB92-117134 101,728

ALBERS, J.
Investigation of Photoconductive Picosecond Microstripline
Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791

Verification of the Relation between Two-Probe and Four-
Probe Resistances as Measured on Silicon Wafers.
PB91-147520 100,788

ALBERTY, R. A.
Standard Chemical Thermodynamic Properties of Isomer
Groups of Monochloroalkanes.
PB90-244617 100,258

Standard Chemical Thermodynamic Properties of Polycyclic
Aromatic Hydrocarbons and Their Isomer Groups. III.
Naphthocoronene Series, Ovalene Series, and First Mem-
bers of Some Higher Series.
PB90-244625 100,259

ALBUS, J. S.
Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037
Real-Time Hierarchical Planning for Multiple Mobile Robots.
PB91-158782 101,375

ALCORN, R.
Round-Robin Study of Implants in Si and SiO₂ by SIMS,
RBS, and NAA.
PB92-117241 100,830

ALFASSI, Z. B.
Reactivities of Chlorine Atoms and Peroxyl Radicals
Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386

ALI, M. A.
Electric Quadrupole and Magnetic Dipole Transition Prob-
abilities in Potassium Isoelectronic Sequence.
PB91-187088 101,646
Quantum Electrodynamical Contributions to Spin Orbit Split-
ting in the Ground State of Aluminum-Like Ions.
PB91-189597 101,653

ALLAN, D. W.
Frequency and Time Stability of GPS and GLONASS
Clocks.
PB91-202937 100,582
GPS Time Transfer with Implementation of Selective Avail-
ability.
N91-25766/7 100,576
Israel's New Synchronized Time Scale, UTC(INPL).
PB91-134593 100,577

PERSONAL AUTHOR INDEX

- New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580
- Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 100,581
- ALLEN, J. D.**
Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
- ALLEN, R. A.**
Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821
Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823
- ALSTON, S.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- ALVAREZ, R.**
Appendix: Standard Solutions and Certified Reference Materials.
PB91-174235 100,194
- AMIRTHARAJ, P. M.**
Fe Implantation in In_{0.53}Ga_{0.47}As/InP.
PB91-189969 101,516
- AMMON, H. L.**
PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
PB91-194985 100,373
- ANDERS SVENSSON, L.**
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309
- ANDERSON, I. S.**
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The Schx System.
PB91-158485 101,217
- ANDERSON, O. L.**
Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.
PB90-244542 100,253
- ANDERSON, W. E.**
Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874
VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.
PB91-185108 100,647
- ANDOR, G.**
Temperature Dependence of High Accuracy-Photometer Heads.
PB91-187096 101,418
- ANGEL, S. A.**
Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics.
PB91-149955 100,308
- ANTONUCCI, J.**
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050
- ANTONUCCI, J. M.**
Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048
- ARAKAWA, E. T.**
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 101,520
- ARCHER, D. G.**
Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.
PB90-244633 100,260
Thermodynamic Properties of the NaBr + H₂O System.
PB92-110238 100,451
- ARCIMOWICZ, B.**
5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)nI) Transitions in Sb III.
PB91-200816 101,676
- ARMSTRONG, J. W.**
Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
- ARP, V. D.**
Hydrogen Slush Production with a Large Auger.
PB91-147199 100,275
New Wide Range Equation of State for Helium.
PB91-162222 100,226
- ARUOMA, O. I.**
Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337
- Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.**
PB91-187104 101,330
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.
PB91-187112 101,331
Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306
Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.
PB91-187492 101,333
- ASAOKA, K.**
Visco-Elastic Deformation of Dental Porcelain and Porcelain-Metal Compatibility.
PB91-158493 100,042
- ASHER, S.**
Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films.
PB91-195594 101,534
- ASHER, S. E.**
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
- ASMAIL, C.**
Bidirectional Scattering Distribution Function (BSDF): A Systematized Bibliography.
PB91-187674 101,421
- ASSAEL, M. J.**
Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255
Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density.
PB91-192500 100,361
- ASTALOS, R. J.**
Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.
PB91-237446 100,739
- ASTUMIAN, R. D.**
Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407
- ATKINSON, R.**
Kinetics and Mechanisms of the Gas-Phase Reactions of the NO₃ Radical with Organic Compounds.
PB92-110220 100,450
- ATREYA, A.**
Theoretical Investigation of Piloted Ignition of Wood.
PB92-112432 100,556
- ATTIX, F. H.**
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
- AULD, B. A.**
Capacitive Array Sensors for Nondestructive Evaluation.
PB91-237313 100,947
Characterization of Capacitive Array for NDE Applications.
PB91-237305 100,946
Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944
- AUSLOOS, P.**
Concerning the Formation and the Kinetics of Phenylum Ions.
PB91-187138 100,336
- AUSTIN, M.**
Resonating-Orthotropic-Cube Method for Elastic Constants.
PB91-236794 101,586
- AUSTIN, M. W.**
Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.
PB91-175372 101,151
Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018
- AXLEY, J. W.**
Multi-Zone Dispersal Analysis by Element Assembly.
PB91-187146 100,907
- AYRES, R. L.**
NIST-NRL Free-Electron Laser.
AD-A227 310/0 101,399
- AYRES, T. R.**
Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020
- AYTER, S.**
Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944
- AZAMAR, J. A.**
Sputtered Thin Film YBa₂Cu₃O_n.
PB91-189647 101,509
- BA, W. Z.**
Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728
- BABRAUSKAS, V.**
Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams.
PB92-108984 100,087
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.
PB92-112473 100,557
Data for Room Fire Model Comparisons.
PB92-110287 100,167
Heat Release Rate: The Single Most Important Variable in Fire Hazard.
PB91-146977 100,097
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139
Modern Test Methods for Flammability.
PB91-167676 100,116
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156
- BAGG, T. C.**
Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media.
FIPS PUB 54-1 100,678
- BAGLEE, D. A.**
Building-in Reliability: Making It Work.
PB91-203992 100,812
- BAISHIKI, R. S.**
Measurements of Power Frequency Magnetic Fields Away from Power Lines.
PB91-175398 100,851
- BAKER-JARVIS, J.**
Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method.
PB91-161919 100,844
Optimization Techniques for Permittivity and Permeability Determination.
PB92-112325 100,865
Optimization Techniques for Permittivity and Permeability Determination.
PB92-126663 100,871
Transmission/Reflection and Short-Circuit Line Permittivity Measurements.
PB91-171959 100,848
- BAKER, T. L.**
Effects of Crystal Bonding on Brittle Fracture.
PB91-148221 101,064
- BALDI, F.**
Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162
- BALMER, M. L.**
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
- BALTATU, M. E.**
Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392
- BANGE, K.**
Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-146985 100,270
- BARKLEY, J.**
Issues in Transparent File Access.
PB91-187831 100,569
- BARKMEYER, E.**
Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing.
PB91-203299 100,987
Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991
Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- BARKMEYER, E. J.**
Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.
PB92-112234 100,993
- BARLOW, M. J.**
Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.
PB91-149021 100,023
- BARNEA, G.**
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV.
PB91-195206 101,669

PERSONAL AUTHOR INDEX

BENNETT, L. H.

- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons. PB91-195198 101,293
- Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity. PB91-236497 101,324
- BARNES, J. A.**
Clocks, Atomic and Molecular. PB91-200840 101,677
- BARNES, P. Y.**
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films. PB91-195586 101,533
- BARNES, R. G.**
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The Schx System. PB91-158485 101,217
- Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdHx. PB91-187252 101,230
- BARNETT, E. H.**
Design and Analysis of Experiments. PB91-158824 101,274
- BAROUCH, E.**
Three-Dimensional Simulations of High-Resolution Photorealist Processing. PB92-116466 100,818
- BARTEL, T. W.**
Acoustic Technique for Evaluation of Thermal Insulation. PB91-189324 100,123
- BARTLE, K. D.**
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide. PB92-148105 100,470
- BARTSCHAT, K.**
Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon. PB91-149971 101,619
- BASCH, H.**
Hydrogen Bonding in Pt Ammine Complexes. PB91-189639 100,348
- BASKI, A. A.**
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb. PB91-237623 101,552
- BASSHAM, L. E.**
Bibliography of Selected Computer Security Publications, January 1980-October 1989. PB91-148486 100,704
- BASTIAN, T. S.**
Extension of the Class of Magnetic B Star Nonthermal Radio Sources. PB91-175042 100,031
- BATCHMAN, T. E.**
Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors. PB91-175141 101,416
- BATRA, A.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals. PB92-109008 101,562
- BATTS, M. E.**
Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns. PB91-187187 101,228
- BAUER, B. J.**
Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering. PB91-237842 100,514
- Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene. PB91-194688 100,500
- Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene. PB91-187153 100,494
- Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation. PB91-194456 100,499
- Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation. PB91-144345 101,182
- BAUM, H. R.**
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions. PB91-178848 100,157
- BAUMANN, S.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA. PB92-117241 100,830
- BAUR, W.**
New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder. PB91-158717 100,311
- BEALL, C. E.**
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe. PB91-187302 101,648
- Parity-Unflavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results. PB91-133900 101,599
- Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr. PB91-187310 101,649
- BEALL, J. A.**
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature. PB91-149963 101,480
- Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films. PB91-195594 101,534
- YBa₂Cu₃O₇-delta/Insulator Multi-Layers for Crossover Fabrication. PB91-194662 101,518
- BEAN, J. W.**
Design Heat Loss Factors for Basement and Slab Floors. PB91-147561 100,059
- Measurement and Evaluation of Lighting/HVAC Interaction. PB91-206706 100,892
- BEAN, V. E.**
H₂O(I)-H₂O(III)-H₂O(L) Triple Point of Water as a Fixed Pressure Point. PB91-187211 101,647
- State-of-the-Art in Pressure Metrology. PB91-146993 101,038
- BEARY, E. S.**
High Purity Fluoropolymer Materials: Trace Element Content and Leaching. PB91-162255 100,491
- BECK, L. B.**
Correction for Converting 2-CM(3)-Coupler Responses to Insertion Responses for Custom in-the-Ear Non-Directional Hearing Aids. PB91-174490 100,046
- BECKER, D. A.**
Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results. PB91-148817 100,186
- BECKER, P. R.**
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol. PB91-184796 101,374
- BECKERLE, J. D.**
Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111). PB91-161927 100,314
- BEECH, F.**
Chemical Modification of the Orthorhombic Superconductor Ba₂YCu₃O₇-delta. PB91-159053 101,486
- Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆. PB91-159129 101,487
- BEEHLER, R. E.**
NIST Time and Frequency Services. PB91-231605 100,585
- BEIJERS, J. P. M.**
Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba(+) in Ar: Moment Analysis and a Direct Measure of Skewness. PB91-149005 100,298
- BEK-UZAROV, D. J.**
Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts. PB91-147249 101,608
- BELANGER, B. C.**
Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies. PB92-126697 100,013
- BELL, A. A.**
Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures. PB92-126630 100,912
- Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures. PB92-126648 100,913
- BELL, D.**
Thermodynamics of Hydrolysis of Oligosaccharides. PB91-194803 101,288
- BELL, M. I.**
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS). PB91-147918 100,791
- BELLAMA, J. M.**
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride. PB91-237628 101,096
- Simultaneous Butylin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System. PB91-195040 100,918
- BELLO, M. A.**
Research. Services. Facilities. (National Institute of Standards and Technology). PB92-109172 100,012
- BELZER, B. J.**
Ellipsometry SRM's for Use in Thin Film Measurements. PB92-116599 100,819
- BENDER, B. A.**
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers. PB91-194670 101,084
- Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals. PB91-148767 101,065
- BENDER, P. L.**
Gravitational Radiation Observations on the Moon. PB91-175083 101,635
- Lunar Gravitational Wave Antenna Using a Laser Interferometer. PB91-134643 101,603
- Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite. PB91-175166 101,736
- BENDERSKY, L. A.**
Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy. PB91-187161 101,227
- Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys. PB91-158964 101,221
- BENEDETTO, J. M.**
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique. PB91-187344 101,502
- BENIGNI, D. R.**
Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics. FIPS PUB 120-1B 100,674
- Graphical Kernel System (GKS); Category: Software Standard; Subcategory: Graphics. FIPS PUB 120-1 100,673
- Graphical Kernel System (GKS). Pascal Binding; Category: Software Standard; Subcategory: Graphics. FIPS PUB 120-1A 100,636
- NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990. PB91-194506 101,348
- BENNER, B. A.**
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents. PB91-149237 101,377
- BENNETT, H. E.**
Laser Induced Damage in Optical Materials: 1989. PB91-148478 101,409
- BENNETT, H. S.**
Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs. PB91-236968 101,550
- BENNETT, J.**
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air. PB91-194712 100,808
- Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air. PB91-149880 100,796
- BENNETT, L.**
Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor. PB91-194977 101,526
- BENNETT, L. H.**
Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning. PB91-194919 101,069
- Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems. PB91-204156 101,238
- Levitation of Superconducting Composites. PB91-187351 101,503
- Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O₇-x. PB91-237552 101,559
- Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel. PB92-117332 101,131
- Magnetic Properties of Iron/Silica Gel Nanocomposites. PB91-204073 101,110

PERSONAL AUTHOR INDEX

- Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba2(CuO.97Fe0.03)3O7-x.
PB91-237545 101,558
- Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465
- Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
- Superconducting Properties of Bi2-x-yPbSnSr2Ca2Cu3Oz.
PB91-162321 101,076
- Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
- Wigner-Seitz Local-Environment Study of the High Tc Superconductors.
PB91-195115 101,528
- BENNETT, W.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- BENTZ, D.**
Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.
PB91-203711 100,509
- BENTZ, D. P.**
Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.
PB91-187187 101,228
- Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study.
PB91-203729 101,109
- Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model.
PB91-187179 100,529
- Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.
PB91-147686 101,146
- BERG, R. F.**
Critical Exponent for the Viscosity of Four Binary Liquids.
PB91-187195 100,337
- Critical Exponent for Viscosity.
PB91-147009 100,271
- BERGER, J. R.**
Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201
- Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580
- Improved Optical Diffraction Strain Measurement System.
PB91-174433 101,581
- Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.
PB91-236505 101,164
- Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574
- Use of Birefringent Coatings in Fracture Mechanics.
PB91-174599 101,582
- BERGER, M. J.**
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
- BERGQUIST, J. C.**
Quantum Optics of Single, Trapped Ions.
PB91-162123 101,628
- Trapped-Ion Frequency Standards.
N91-25760/0 100,575
- BERGTOLD, D. S.**
8-Hydroxyguanine Content of Isolated Mitochondria Increases with Lipid Peroxidation.
PB91-189472 101,286
- Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325
- BERK, N. F.**
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The Schx System.
PB91-158485 101,217
- BERNAL, J.**
Computing Delaunay Triangulations for Comet-Shaped Polygons.
PB92-123108 101,265
- BERNING, D.**
Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-216739 100,813
- BERNING, D. W.**
Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.
PB92-116987 100,825
- Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-236513 100,814
- BERQUIST, J. C.**
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
- BERROCAL, J.**
Performance of OSI Transport over ACCUNET and IBER-PAC.
PB91-134825 100,563
- BERUFF, R. B.**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
- Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- BESSIERE, M.**
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al73Mn21Si6 Quasiperiodic Structure.
PB91-174771 101,226
- BEVAN, J. W.**
Rovibrational Analysis of the nu7(1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- BHANSALI, K. J.**
Literature Review of the Galling Process.
PB91-134551 101,208
- BHATIA, A. K.**
Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443
- BIANCANELLO, F. S.**
Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229
- Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys.
PB91-158964 101,221
- BICH, E.**
Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
- BICHSEL, H.**
Stopping Power of Fast Charged Particles in Heavy Elements.
PB91-194399 101,660
- BIERBAUM, V. M.**
Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba(+) in Ar: Moment Analysis and a Direct Measure of Skewness.
PB91-149005 100,298
- BIGNELL, N.**
H2O(I)-H2O(III)-H2O(L) Triple Point of Water as a Fixed Pressure Point.
PB91-187211 101,647
- BILLIARD, P. A.**
Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544
- Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536
- BIRNBAUM, G.**
Problem of Detailed Balance and Model Lineshapes in Collision-Induced Rotovibrational Bands: H2-H2 and H2-He.
PB91-236521 100,412
- BISHOP, B.**
Validation of an OSI Transport Class 4 Simulator.
PB91-187724 100,568
- BITSY, R. M.**
Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
- Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
- BLACK, D.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- High-Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
- BLACK, D. R.**
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929
- Reflection-Extended-X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge.
PB91-194944 100,371
- Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
- BLACKBURN, D. H.**
Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses.
PB91-189332 101,422
- BLACKBURN, D. L.**
Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.
PB92-116987 100,825
- Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors.
PB91-236703 100,815
- Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
PB91-148999 100,748
- Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816
- MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794
- Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806
- BLAIR, T. T.**
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444
- BLAIR, W. R.**
Methods for the Analysis of Organometallic Compounds in Wastes.
PB91-148981 100,189
- Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
- BLAISTEN-BAROJAS, E.**
Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
PB91-187229 100,495
- BLANKE, J. H.**
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714
- BLENDELL, J. E.**
Comparison of Flux Dynamics in Two Samples of YBa2Cu3O7 with Different Pinning.
PB91-149419 101,069
- Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210
- Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
- BLESSING, G. V.**
Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170
- Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- BLOCK, S.**
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.
PB91-147884 100,286
- Isothermal Phase Behavior of Ag3SbS3, ZnGeP2, and ZnS.
PB91-187237 101,080
- BLOMQUIST, K. I.**
Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609
- BLOOM, H. M.**
Concurrent Engineering through Product Data Standards.
PB91-193367 100,982
- Multi-Enterprise Concurrent Engineering through International Standards.
PB92-123058 100,997
- Software and Computer Integrated Manufacturing.
PB91-132142 100,972
- BLUBAUGH, E. A.**
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.
PB91-237867 100,439
- BLUE, J. L.**
Micromagnetic Calculations of 180 deg Surface Domain-Wall Magnetization Profiles with Comparison to Measurements.
PB91-158501 101,483
- Micromagnetic Calculations of 180 deg Surface Domain Walls.
PB91-237271 101,553
- Micromagnetics of Domain Walls at Surfaces.
PB91-162305 101,491
- Modelling Gallium Arsenide Transistors.

PERSONAL AUTHOR INDEX

BRICKENKAMP, C. S.

- PB91-149989 100,797
- BLUMENTALS, I. I.**
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
- BOETTINGER, W. J.**
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.
PB91-167171 101,149
Phase-Field Model for Isothermal Phase Transitions in Binary Alloys.
PB92-108992 101,240
Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227
- BOGGS, P. T.**
Convergence Behavior of Trajectories for Linear Programming.
PB91-204198 101,270
Convergence Properties of a Class of Rank-Two Updates.
PB91-187799 101,260
Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269
Merit Function for Inequality Constrained Nonlinear Programming Problems.
PB92-116318 101,271
Orthogonal Distance Regression.
PB91-147017 101,272
- BOHANDY, J.**
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
- BOHANNAN, B.**
Photospheres of Hot Stars. 4. Spectral Type O4.
PB91-149849 100,025
- BOISVERT, R. F.**
Algorithms for Special Tridiagonal Systems.
PB91-187245 101,259
DEQSOL and ELLPACK: Problem-Solving Environments for Partial Differential Equations.
PB91-174441 100,645
Guide to Available Mathematical Software Problem Classification System.
PB91-132175 101,282
Portable Vectorized Software for Bessel Function Evaluation.
PB91-216598 100,652
- BOLAND, T.**
Government Open Systems Interconnection Profile Users' Guide, Version 2.
PB92-119676 100,696
Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, Change Pages September 1991. Output from the September 1991 OSI Implementors Workshop. Held in Gaithersburg, Maryland.
PB92-126408 100,697
Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990.
PB91-171967 100,689
Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement).
PB92-112200 100,695
Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement).
PB91-197004 100,691
Working Implementation Agreements for Open Systems Interconnection Protocols.
PB91-144444 100,686
Working Implementation Agreements for Open Systems Interconnection Protocols.
PB92-126523 100,698
- BOLLINGER, J. J.**
303-MHz Frequency Standard Based on Trapped Be(+) Ions.
PB92-116474 101,722
Clocks, Atomic and Molecular.
PB91-200840 101,677
Liquid and Solid Ion Plasmas.
AD-A227 656/6 101,441
Liquid and Solid Ion Plasmas.
AD-A242 029/7 101,592
Observation of Correlations in Finite, Strongly Coupled Ion Plasmas.
PB91-200857 101,678
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
Reply to Comment on 'Quantum Zeno Effect'.
- PB91-236828 101,708
Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State.
PB92-116870 101,726
Trapped-Ion Frequency Standards.
N91-25760/0 100,575
- BONHOURE, J.**
Generalized Photodiode Self-Calibration Formula.
PB91-236901 100,760
- BONNELL, D. W.**
Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa₂Cu₃O_x.
PB92-117290 100,464
Levitation Calorimetry.
PB91-158519 100,927
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
- BOOTH, J. G.**
Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 GHz.
PB91-194704 101,519
- BORCHERS, J. A.**
Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects.
PB91-161935 101,489
- BORNER, H. G.**
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656
- BORYSOW, A.**
Problem of Detailed Balance and Model Lineshapes in Collision-Induced Rotovibrational Bands: H₂-H₂ and H₂-He.
PB91-236521 100,412
- BORYSOW, J.**
Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.
AD-A227 296/1 100,242
- BOSTELMAN, R.**
Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.
PB91-216648 100,130
- BOULDIN, C. E.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La₂-xSr_xCuO₄.
PB91-148155 101,472
Surface Extended X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB92-127263 101,552
- BOWEN, R. L.**
Development of an Adhesive System for Bonding to Hard Tooth Tissues.
PB91-236539 100,052
Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer.
PB91-158691 100,043
Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations.
PB91-174458 100,045
Protective Coatings for Tooth Crowns.
PB91-189555 100,047
- BOWEN, V. T.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- BOWMAN, R. C.**
Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhH_x) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdH_x.
PB91-187252 101,230
- BRADIE, B.**
Three-Dimensional Simulations of High-Resolution Photorealist Processing.
PB92-116466 100,818
- BRADLEY, D. R.**
Standardization of Advanced Ceramics.
PB91-195669 101,086
- BRADLEY, P. E.**
Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052
- BRANSFORD, J. W.**
High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.
PB91-194795 101,160
Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544
Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536
- BRANSTAD, D. K.**
Data Encryption Standard: Past and Future.
- PB91-204107 100,711
- BRAULT, J. W.**
Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717
- BRAUN, E.**
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156
- BRAUN, W.**
Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 868/7 100,234
Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.
AD-A227 836/4 100,744
Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179
- BRAY, S. L.**
Current Supply for High-T(sub c) Superconductor Testing.
PB91-133827 101,455
High T(sub c) Superconductors and the Critical Current Measurement.
PB91-134056 101,457
Integrity Tests for High-(T sub c) and Conventional Critical-Current Measurement Systems.
PB91-148676 100,842
Integrity tests for high-(Tc) and conventional critical-current measurements systems.
DE91016275 101,452
- BREESE, J. N.**
Users Guide for RAPID, Version 2.3.
PB91-167403 100,999
Validation Testing Laboratory User's Guide. National PDES Testbed Report Series.
PB92-123090 100,971
- BREITENBERG, M.**
Directory of Federal Government Laboratory Accreditation/Designation Programs.
PB91-167379 100,005
Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175
- BREITENBERG, M. A.**
Laboratory Accreditation in the United States.
PB91-194415 100,172
- BRENNAN, J. A.**
Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397
Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
PB91-148031 101,387
Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.
PB91-162347 101,389
Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.
PB91-134445 100,921
Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.
PB91-148791 100,881
Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations.
PB91-147025 100,880
- BREWE, D. L.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La₂-xSr_xCuO₄.
PB91-148155 101,472
- BRIBER, R. M.**
Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene.
PB91-194688 100,500
Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.
PB91-187153 100,494
- BRICKENKAMP, C. S.**
Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.
PB92-112549 100,171
Report of the National Conference on Weights and Measures (76th), Held in Philadelphia, PA. on July 14-19, 1991.
PB92-112465 101,024

PERSONAL AUTHOR INDEX

- Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.
PB92-112416 101,022
- BRIDGER, K.**
Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173
- BRILL, F. W.**
Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384
- BRINCKMAN, F. E.**
Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096
Methods for the Analysis of Organometallic Compounds in Wastes.
PB91-148981 100,189
Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328
Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.
PB91-195040 100,918
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181
- BROADHURST, M. G.**
Measurement of Space Charge Fields in Polymers.
PB91-158626 100,486
Proceedings of Cable '89 Workshop.
PB91-161943 100,773
- BRODY, P. S.**
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
PB91-187344 101,502
- BROWN, A.**
New Radio Detectors of Early-Type Pre-Main Sequence Stars.
PB91-149286 100,024
- BROWN, C. A.**
Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987--December 1989.
DE91018580 100,915
- BROWN, C. M.**
Transitions and Energy Levels for Cu-Like Yb(41+) , Ta(44+) , and U(63+) .
PB91-147462 101,610
- BROWN, M.**
Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991.
PB92-112267 100,668
Streaking Images That Appear Only in the Plane of Diffraction in Unoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation.
PB91-189662 101,511
Structural Anomalies in Unoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
- BROWN, P. F.**
Use of Solid Modeling in the Design of M3 Components.
PB92-123066 101,044
- BROWN, R. J. C.**
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromindate Monohydrate Salt (NH₄)₂ InBr₅·H₂O from 7.8 to 348 K.
PB91-149831 100,304
- BROWN, S. H.**
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
- BROWN, W. E.**
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056
Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals.
PB91-162024 101,193
Ion Incorporation into Octacalcium Phosphate Hydrolyzates.
PB91-175125 100,219
Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 100,040
- BROWN, W. R.**
Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185
- BRUCE, S. S.**
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
- BRUNDAGE, R. T.**
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791
- BRUNGER, M. J.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- BRUNO, T. J.**
Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.
PB92-116508 100,455
Strategy for Chemical Analysis of Alternative Refrigerants.
PB91-148502 100,185
- BRUSH, L. N.**
Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.
PB91-200865 101,538
- BRYAN, G. L.**
Energy Distributions of Symbiotic Novae.
PB91-200873 100,032
- BRYAN, J. L.**
Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System.
PB92-123116 101,358
- BRYNER, N. P.**
Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877
Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
PB92-108927 100,887
Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
- BUCKLEY, T. J.**
Concerning the Formation and the Kinetics of Phenylum Ions.
PB91-187138 100,336
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384
- BUCKMAN, S. J.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- BUDNICK, J. I.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La₂-xSr_xCuO₄.
PB91-148155 101,472
- BUKOWSKI, R. W.**
Improving the Fire Performance of Building Contents.
PB91-187260 100,084
International Fire Detection Bibliography, 1975-1990.
PB92-109156 100,088
- BUNTIN, S. A.**
Laser Induced Desorption of Molecules from Surfaces.
PB91-147066 100,235
Photodissociation Dynamics of Mo(CO)₆ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413
Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si (111).
PB91-162289 100,320
- BUR, A.**
Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
PB91-174482 100,492
- BURCAT, A.**
Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.
PB92-148089 100,468
- BURCH, B. M.**
Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
PB91-194696 100,126
- BURCH, D. B.**
Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.
PB91-187278 100,121
- BURCH, D. M.**
Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB92-116334 100,137
Indoor Ventilation Requirements for Manufactured Housing.
PB91-206698 100,075
- BURDETTE, H.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
- BURDETTE, H. E.**
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
- BURDGE, G.**
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791
- BURKHOLDER, J. B.**
H + O₃ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297
High-Resolution Infrared Spectrum of the nu₁ Band of OCIO.
PB92-117175 100,463
Spectroscopic Constants for the nu₉ Infrared Band of HNO₃.
PB91-189415 100,343
- BURNETT, E. D.**
Correction for Converting 2-CM(3)-Coupler Responses to Insertion Responses for Custom in-the-Ear Non-Directional Hearing Aids.
PB91-174490 100,046
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- BURNS, T. J.**
Mechanism for High Strain-Rate Shear Band Formation.
PB91-147033 101,575
Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test.
PB91-149872 101,579
- BURR, W. E.**
Conformance Verification of FDDI Stations.
PB91-148254 100,747
Security in ISDN.
PB92-116391 100,718
- BURROUGHS, C. J.**
Voltage Calibration Systems Using Josephson Junction Arrays.
PB92-116516 100,868
- BURTON, B.**
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
- BUSHBY, S. T.**
BACNet Communication Protocol for Building Automation Systems.
PB91-187286 100,069
Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol.
PB91-187732 100,070
- BUSHEE, D. S.**
High Purity Fluoropolymer Materials: Trace Element Content and Leaching.
PB91-162255 100,491
- BUSHONG, S. J.**
Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.
PB91-195040 100,918
- BUZZEO, J.**
Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824
- BYRD, G. D.**
Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d₅ Acid, and 3-Quinuclidinyl-(18)O, Benzoate-d₅.
PB91-237370 100,223

- BYRD, W.**
Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.
PB91-203711 100,509
- BYRD, W. E.**
Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study.
PB91-203729 101,109
Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108
- BYRNE, A. R.**
Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.
PB91-148817 100,186
- BZOWSKI, J.**
Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.
PB91-192526 100,363
- CABEZAS, H.**
Statistical Mechanical Model of Aqueous Two-Phase Systems.
PB91-174508 100,493
- CABRERA, B.**
Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.
PB91-202929 101,682
- CADOFF, B.**
Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- CAGE, M. E.**
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- CAHN, J. W.**
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal.
PB91-187294 101,501
Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210
Emergence of Modern Nucleation Theory.
PB91-149997 101,481
Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388
Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al73Mn21Si6 Quasiperiodic Structure.
PB91-174771 101,226
Phase Diagrams of Hexagonal Binary Ordering Alloys with Anisotropic Interactions.
PB91-147512 101,211
Theory of Orientation Textures Due to Surface Energy Anisotropies.
PB92-117381 101,571
- CALARCO, J. R.**
Electrofriction in the Quasifree and Delta Regions.
PB91-147355 101,609
- CALLANAN, J. E.**
Fusion of Mercury: A New Certified Standard for Differential Scanning Calorimetry.
PB91-150003 100,309
Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND4PF6 from 5.8 K to 347 K.
PB91-147041 100,272
Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND4BF4 from 7 to 348 K.
PB91-147058 100,273
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromindate Monohydrate Salt (NH4)2 InBr5.H2O from 7.8 to 348 K.
PB91-149831 100,304
Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF4 from 6 to 344 K.
PB91-149864 100,305
Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF4, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.
PB92-116524 100,456
- CALLCOTT, T. A.**
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 101,520
- CALM, J. M.**
Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants.
PB91-174516 100,891
- CALVAYRAC, Y.**
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al73Mn21Si6 Quasiperiodic Structure.
PB91-174771 101,226
- CAMELL, D. G.**
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-185124 100,726
- CANFIELD, L. R.**
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 101,520
Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications.
PB91-203349 100,757
- CANNON, R. M.**
Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058
Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.
PB91-147348 101,059
- CANTRELL, J. S.**
Properties of Amorphous Zirconium Rhodium Hydride (Zr3RhHx) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
- CAO, L. X.**
Light-Scattering Measurement of the RMS Slopes of Rough Surfaces.
PB92-116532 101,436
- CAO, R.**
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468
- CAPOBIANCO, T. E.**
Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.
PB91-133868 100,834
Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945
- CAPPELLETTI, R. L.**
Neutron Measurements of Intramolecular Vibrational Modes in C60.
PB92-116540 101,055
- CARASSO, A. S.**
Identification of Dynamic Green's Functions in Structural Networks.
PB91-202812 101,585
Probe Waveforms and the Reconstruction of Structural Dynamic Green's Functions.
PB91-161950 101,737
Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem.
PB91-144360 101,604
- CAREY, C. M.**
Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process.
PB92-126689 101,316
- CARINO, N. J.**
Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151
Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.
PB91-175224 101,584
Impact-Echo: A New Method for Inspecting Construction Materials.
PB92-116557 100,140
Introduction to ACI 308.1-87: Specification for Cold Weather Concrete.
PB91-174524 100,526
Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990.
PB91-143321 100,522
Rate Constant Functions for Strength Development of Concrete.
PB91-175117 100,527
- CARLSON, T. A.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649
- CARPENTER, B. S.**
Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185
- CARROL, J. J.**
Solubility of Carbon Dioxide in Water at Low Pressure.
PB92-148196 100,479
- CARROLL, D. F.**
Comparison of Creep Rupture Behavior in Tension and Bending.
PB91-202820 101,087
Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091
High Temperature Creep Testing of Ceramics.
PB91-202838 101,088
- CARTIER, E.**
Electron Attenuation Lengths at SiO2/Si Interfaces.
PB91-175612 101,499
- CARVER, G. P.**
Concurrent Engineering through Product Data Standards.
PB91-193367 100,982
High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809
Multi-Enterprise Concurrent Engineering through International Standards.
PB92-123058 100,997
Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers.
PB91-147520 100,788
- CASASSA, M. P.**
Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111).
PB91-161927 100,314
Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
PB91-202846 100,387
- CASELLA, R. C.**
Nonlocal Phase Shifts Induced by Static Electric Fields in Neutron Interferometers When the Path-Enclosed Charge Vanishes.
PB91-150011 101,620
Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors.
PB92-116565 101,564
- CASSADY, A.**
NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.
PB91-231555 100,003
- CASSANTO, J. M.**
Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- CASSASSA, M. P.**
Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micas.
PB91-174813 100,324
- CASSATT, W. A.**
NIST-NRL Free-Electron Laser.
AD-A227 310/0 101,399
- CAVANAGH, R. R.**
Laser Induced Desorption of Molecules from Surfaces.
PB91-147066 100,235
Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics.
PB91-203331 100,397
Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.
PB91-237636 100,432
Photodissociation Dynamics of Mo(CO)6 at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413
Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111).
PB91-161927 100,314
Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micas.
PB91-174813 100,324
Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si(111).
PB91-162289 100,320
- CELEBI, M.**
Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144
- CELINSKI, Z.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565

PERSONAL AUTHOR INDEX

- CELOTTA, R. J.**
Book Review: Polarized Electrons at Surfaces by J. Kirschner.
PB91-174532 101,493
Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.
PB91-190090 101,517
Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100).
PB92-117415 101,572
Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 101,554
Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).
PB91-195750 101,537
System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.
PB91-194779 101,522
- CENEDESE, P.**
Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388
- CERNYAR, E. W.**
Influence of Memory Propagation on Phase-Resolved Stochastic Behavior of AC-Generated Partial Discharges.
PB91-237644 100,861
- CEZAIRLIYAN, A.**
Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment.
N91-21347/0 101,206
High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.
N91-21361/1 100,924
Research at NBS on Dynamic Measurements of Thermophysical Properties at High Temperature (Abstract).
PB91-161968 100,315
- CHACONAS, K.**
Real-Time Model-Based Tracking Combining Spatial and Temporal Features.
PB91-216630 100,700
Video Compression for Remote Vehicle Driving.
PB91-203208 101,035
- CHAE, H. B.**
Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities.
PB91-147074 101,189
- CHAI, H.**
Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis.
PB92-116573 101,588
Buckling and Post-Buckling Behavior of Elliptical Plates: Part 2. Results.
PB92-116581 101,589
Interlaminar Shear Fracture of Laminated Composites.
PB91-187336 101,122
- CHAMBERLAND, B. L.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La₂-xSr_xCuO₄.
PB91-148155 101,472
- CHAMBERS, G. P.**
Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.
PB91-175554 101,498
- CHAMPION, R. L.**
Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
PB91-134528 100,836
- CHAN, S. J.**
Evolution of Infrared Carbon Stars.
PB91-202861 100,033
- CHANDLER-HOROWITZ, D.**
Ellipsometry SRM's for Use in Thin Film Measurements.
PB92-116599 100,819
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs.
PB92-110295 100,763
Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.
PB92-116607 100,820
- CHANG, E. S.**
Energy Levels of Atomic Aluminum with Hyperfine Structure.
PB90-244575 101,594
- CHANG, M.**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
- CHANG, R. F.**
High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.
N91-21361/1 100,924
- CHANG, S. S.**
Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115
Temperature Gradient in Differential Scanning Calorimetry.
PB91-236570 100,414
- CHANG, T.**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
- CHANG, T. Y.**
Fe Implantation in In_{0.53}Ga_{0.47}As/InP.
PB91-189969 101,516
- CHANG, Y. M.**
Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
PB91-147082 100,057
Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074
- CHAO, B. C.**
Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
- CHAO, J.**
Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368
- CHAPMAN, R. E.**
Applications of Operations Research Techniques to System Design and Evaluation.
PB91-174540 101,267
- CHAPPAS, W. J.**
Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters.
PB92-116441 101,363
Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728
- CHARAGUNDLA, S. R.**
Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
- CHASE, L. L.**
Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409
- CHASE, M. W.**
NIST Standard Reference Data Products 1991 Catalog.
PB91-167312 100,952
Technical Activities 1990, Standard Reference Data Program.
PB91-167213 100,321
Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session).
PB91-158741 100,904
- CHAUDHURI, D. K.**
Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250
- CHEN, C. F.**
Improved Analysis for Flexural Creep with Application to Sialon Ceramics.
PB91-150037 101,071
- CHEN, J.**
Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806
- CHEN, M.**
Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 GHz.
PB91-194704 101,519
- CHEN, Y.**
Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141
Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508
- CHENG, H. S.**
Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions.
PB91-189480 101,177
- CHENG, Y. W.**
Computerization of a Thermomechanical Processing Research System.
PB91-175208 101,583
Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155
- CHESLER, S.**
Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research.
PB91-132282 100,925
- CHEOK, G. S.**
Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading.
PB91-236588 100,150
Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149
- CHERNIAVSKY, J. C.**
Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.
PB92-109040 100,667
- CHESLER, S.**
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.
PB91-147769 100,182
- CHESLER, S. N.**
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377
- CHI, P.**
Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 101,471
- CHI, P. H.**
Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
Wawayandaita, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey.
PB91-174680 101,359
- CHIANG, C. K.**
Atomic Fingerprint of YBa₂Cu₃O_{7-x}-Type High-Temperature Superconductors Observed by Field Ion Microscopy.
PB91-203612 101,544
Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors.
PB91-134478 101,462
Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning.
PB91-149419 101,069
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.
PB91-237867 100,439
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
PB91-187344 101,502
Levitation of Superconducting Composites.
PB91-187351 101,503
Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides.
PB91-203604 101,543
Superconductor-Polymer Composites.
PATENT-4 954 481 101,454
- CHIANG, M. Y. M.**
Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates.
PB91-147090 101,116
- CHILDERS, C. B.**
AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations.
PB91-236893 100,737
- CHIOU, J. H.**
Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.
PB91-174557 101,494
- CHOI, S. H.**
Stabilization Techniques for Spinning Rotor Gage Residual Drag.
PB91-147108 100,922
- CHOQUETTE, S. J.**
Planar Waveguide Optical Immunosensors.
PB91-174565 101,284

PERSONAL AUTHOR INDEX

COLMSJO, A. L.

- CHOW, L. C.**
Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth. PB91-187666 101,314
Effects of pH and Calcium on Hydrolysis of Na₂SiF₆ and Na₂SnF₆: A Quasi-Constant Composition Titration Study. PB91-194746 101,315
Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process. PB92-126689 101,316
Self-Setting Calcium Phosphate Cements. PB91-202879 100,049
Setting Reactions and Compressive Strengths of Calcium Phosphate Cements. PB91-148668 100,040
- CHOWDHURY, K.**
Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume. PB91-203877 101,051
- CHRISTENSEN, R. G.**
Trace Determination of Cr(VI) by LC/AAS with on-Line Pre-concentration. PB91-148148 100,184
- CHUANG, T.**
Design Diagrams for Heavy Metal Fluoride Glass Windows. PB91-187419 101,419
- CHUANG, T. J.**
Comparison of Creep Rupture Behavior in Tension and Bending. PB91-202820 101,087
Creep and Reliability of Ceramic Materials at Elevated Temperatures. PB91-204172 101,091
Improved Analysis for Flexural Creep with Application to Sialon Ceramics. PB91-150037 101,071
Tensile Creep Behavior of Structural Ceramics. PB91-159277 101,075
Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams. PB92-116995 101,099
- CHUCK, L.**
Tensile Creep Behavior of Structural Ceramics. PB91-159277 101,075
- CHUNG, M. B.**
Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes. PB90-244617 100,258
Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series. PB90-244625 100,259
- CHURNEY, K. L.**
Monitoring the Fate of Chlorine from MSW Sampling through Combustion. PB91-174631 100,917
MSW Calorimetry. PB91-133942 100,878
- CHWALOWSKI, M.**
Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants. PB92-126432 100,893
- CIESZKIEWICZ, M. T.**
Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon. PB91-194472 100,369
- CITRINOVITCH, A.**
Israel's New Synchronized Time Scale, UTC(INPL). PB91-134593 100,577
- CLAGUE, F. R.**
Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection. AD-A230 438/4 100,721
- CLARK, A. V.**
Capacitive Array Sensors for Nondestructive Evaluation. PB91-237313 100,947
Characterization of Capacitive Array for NDE Applications. PB91-237305 100,946
Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays. PB91-203059 101,126
Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23. PB91-222653 101,741
Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials. PB91-237610 100,948
Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22. PB91-222661 101,742
Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements. PB92-116615 101,170
Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates. PB91-202945 101,237
Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates. PB91-159111 101,222
- CLARK, C. W.**
Giant Resonances in the Transition Regions of the Periodic Table. PB91-147116 101,605
High Harmonic Generation in Hydrogenic Ions. PB91-203778 101,699
Technical Activities 1990, Electron and Optical Physics Division. PB91-194423 101,662
- CLARK, S. N.**
Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries. PB91-240754 100,659
Fed-X: The NIST Express Translator. Revised, November 1990. PB91-132126 100,681
NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series. PB91-157164 100,964
NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised). PB91-132159 100,682
NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised). PB91-144378 100,998
NIST Working Form for STEP: National PDES Testbed Report Series (Revised). PB91-132183 100,683
- CLARKE, D. R.**
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation. PB91-150045 101,482
- CLARY, D. W.**
Mechanism of Soot Formation in Acetylene-Oxygen Mixtures. PB91-147280 100,537
- CLAY, D. T.**
Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987--December 1989. DE91018580 100,915
- CLEARY, T. G.**
Flammability Characterization of Foam Plastics. PB92-123033 100,142
Framework for Utilizing Fire Property Tests. PB91-240788 100,165
- CLEMENTS, A. J. D.**
Accuracy Model for Phase Noise Measurements. PB91-134882 100,589
Extending the Range and Accuracy of Phase Noise Measurements. PB91-134874 100,588
- CLIFFORD, A. A.**
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide. PB92-148105 100,470
- CLIFTON, C. L.**
Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄⁻ Alkanes and Ethers. PB91-203232 100,394
- CLIFTON, J. R.**
Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes. PB91-187690 101,138
Computational Models Developed for the Corrosion of Prestressing Steel. PB91-167304 100,115
Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer. PB91-148528 100,524
Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory. PB91-240804 100,532
Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990. PB91-143321 100,522
Predicting the Remaining Service Life of Concrete. PB92-126598 101,371
Techniques to Observe the Fracture Zone in Mortar and Concrete. PB91-134189 100,521
Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes. PB91-203935 100,128
- CLINE, J. I.**
Diode Laser Probing of I⁺((2)P_{1/2}) Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath. PB91-150052 100,310
General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy. PB91-149385 100,302
- CLINE, J. P.**
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies. PB91-175075 101,077
Sputtered Thin Film YBa₂Cu₃O_n. PB91-189647 101,509
- CLINTON, T. W.**
Magnetic Ordering of Er in Powder and Single Crystals of ErBa₂Cu₃O₇. PB91-187377 101,505
- CLOUGH, R. B.**
Acoustic Emission Monitoring of Laser Drilling. PB91-158527 101,218
- COAKLEY, K.**
Cross-Validation Procedure for Stopping the EM Algorithm and Deconvolution of Neutron Depth Profiling Spectra. PB91-161976 101,627
- COAKLEY, K. J.**
Micromagnetics of Domain Walls at Surfaces. PB91-162305 101,491
Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction. PB92-116623 101,295
- COBLE, R. L.**
Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves. PB91-147330 101,058
Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves. PB91-147348 101,059
- COCHRAN, J. F.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates. PB92-116631 101,565
- COCHRANE, C. G.**
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils. PB92-116912 101,312
- COHEN, A.**
Stability of Uric Acid in Ammonium Hydroxide. PB91-189266 101,292
- COHEN, E. R.**
Adjustment of the Fundamental Physical Constants: A Report of the CODATA Task Group on Fundamental Constants, 1986. PB91-147124 101,606
- COHEN, J.**
Fundamentals and Applications of Infrared Thermography for Nondestructive Testing. PB91-147132 101,009
- COHEN, N. L.**
Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110. PB91-148833 100,020
- COHEN, Y.**
Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22. PB91-222661 101,742
- COLELLA, R.**
Performance of OSI Transport over ACCUNET and IBER-PAC. PB91-134825 100,563
- COLEMAN, B. D.**
Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation. PB91-187385 100,496
- COLEMAN, E. S.**
Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes. PB91-174581 100,803
- COLLINGS, E. W.**
AC Loss Measurements of Two Multifilamentary NbTi Composite Strands. PB91-133892 100,769
- COLLINS, B. L.**
Conference Coverage: Papers Presentations Shine. PB91-158535 100,061
Second-Level Post-Occupancy Evaluation Analysis. PB91-147140 100,058
Visibility of Exit Directional Indicators. PB91-184762 101,000
Visibility of Exit Signs and Directional Indicators. PB91-161984 100,083
- COLMSJO, A. L.**
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302. PB91-147157 100,274

PERSONAL AUTHOR INDEX

- CONNELL, J. S.**
Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609
- CONNELLY, J. P.**
Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609
- CONWAY, J. J.**
Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229
- COOK, G.**
Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587
- COOK, L. P.**
Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094
Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
PB91-187344 101,502
Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
- COOK, R. F.**
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation.
PB91-150045 101,482
- COOPER, J.**
Collisional Energy Transfer between Excited Sr Atoms.
PB91-204164 101,703
Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory.
PB91-147504 101,442
- COOPER, J. W.**
Angular Distributions of Electrons in Resonant Auger Spectra.
PB91-187393 101,650
Parity-Unflavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
- COOPER, L. Y.**
Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.
PB91-216689 100,131
Ceiling Jet-Driven Wall Flows in Compartment Fires.
PB91-174573 100,117
Compartment Fire-Generated Environment and Smoke Filling.
PB91-158543 100,107
Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370
Interaction of an Isolated Sprinkler Spray and a Two-Layer Compartment Fire Environment.
PB91-216804 100,551
- COPLEY, J. R. D.**
Fe-W Supermirrors for Polarizing Neutrons.
PB91-175521 101,643
Neutron Measurements of Intramolecular Vibrational Modes in C60.
PB92-116540 101,055
Transmission Properties of a Counter-Rotating Pair of Disk Choppers.
PB91-236604 101,706
- CORIELL, S. R.**
Convective and Morphological Instabilities during Directional Solidification.
PB91-158550 101,219
Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Non-linear Theory.
PB91-195743 101,536
Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396
- CORLEY, D. M.**
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.
PB91-178848 100,157
- CORT, L. A.**
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
- COSTANTINO, P. D.**
Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049
- COUDERT, L. H.**
Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex.
PB92-116649 100,457
- COULTAS, T. A.**
Evaluation of Building Systems Inventions.
PB91-158659 100,896
- COUNAS, G.**
Intercomparison of NBS Noise Calibration Services.
PB91-162370 100,847
- COURSEY, B. M.**
Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes.
PB91-175547 101,644
- COWAN, P. L.**
Direct Determination of Molecular Orbital Symmetry of H₂S Using Polarized X-ray Emission.
PB91-175562 100,335
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
Polarization and Anisotropy of X-ray Emission from Molecules.
PB91-187401 101,651
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
Selective Excitation of X-ray Emission Spectra.
PB91-147173 101,607
- COYLE, T. W.**
Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
PB91-148767 101,065
- COYNE, L. D.**
Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers.
PB91-202887 100,505
- CRAIG, R. M.**
Low-Temperature, Electrically Calibrated SOS Bolometer for Power and Energy Measurements.
PB91-147181 100,787
- CRAMER, D. M.**
Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989.
PB92-109164 100,166
- CRANMER, D.**
Design Diagrams for Heavy Metal Fluoride Glass Windows.
PB91-187419 101,419
- CRANMER, D. C.**
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses.
PB91-189332 101,422
- CRAWFORD, M. L.**
Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
PB92-116656 100,776
TEM Driven Reverberating Chamber, a Single Facility for Radiated EMS/V Testing, 10 kHz - 18 Ghz.
PB91-202895 100,856
TEM/Reverberating Chamber Design/Concept Study: A Single Facility for Large System Radiated EMC Testing, 10 kHz - 40 Ghz.
PB91-161992 100,845
- CREMER, D.**
Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.
PB91-236737 100,417
- CRESSWELL, M. W.**
Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.
PB91-174581 100,803
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805
Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824
Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821
Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823
- CRISMAN, J. M.**
Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packaging.
PB92-126457 100,943
Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247
Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
PB91-148247 101,242
Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C₂₀H₄₂) in Torsion.
PB91-187427 100,497
- CROMAR, M. W.**
Excess Low-Frequency Flux Noise in dc Squids Incorporating Nb/Al-Oxide/Nb Josephson Junctions.
PB91-236810 100,736
YBa₂Cu₃O_{7- δ} /Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518
- CROMER, C. L.**
Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions.
PB91-174854 101,415
Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu.
PB91-195016 101,666
Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium.
PB91-149203 101,617
- CROSS, R. W.**
Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 Ghz.
PB91-194704 101,519
Enhanced Flux Creep in Nb-Ti Superconductors After an Increase in Temperature.
PB91-202903 101,680
Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep.
PB91-202911 101,681
- CROVETTO, R.**
Evaluation of Solubility Data of the System CO-H₂O from 273 K to the Critical Point of Water.
PB92-110253 100,453
Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors.
PB91-147363 100,277
- CRUZ, J. E.**
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-185124 100,726
- CRUZ, J. Y.**
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- CUEVAS, N. R.**
Preliminary Dynamic Analyses of the Ministry of Agriculture Building.
PB91-134668 100,143
- CUI, J. P.**
Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331
- CULVER, C. G.**
Investigation of the Collapse of L'Ambiance Plaza.
PB91-204057 100,146
- CUNNINGHAM, C. E.**
Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.
PB91-202929 101,682
- CUNNINGHAM, D.**
Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).
PB91-148494 100,959
Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.
PB92-109016 100,954
- CURZ, J. Y.**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
- DABBS, T.**
Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093
- DABROWSKI, C. E.**
Guide to Expert System Building Tools for Microcomputers.
PB92-108893 100,715

- DAGALAKIS, N.**
Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732
Robot Characterization Testing.
PB91-167361 101,030
Self-Adjustment of a Robot Joint Controller.
PB91-158568 101,027
- DAGALAKIS, N. G.**
Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints.
PB91-158576 101,028
Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037
- DAGATA, J. A.**
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
PB91-194712 100,808
Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 100,796
- DAGAUT, P.**
Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330
- DALLY, J. W.**
Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580
Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.
PB91-236505 101,164
Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574
Use of Birefringent Coatings in Fracture Mechanics.
PB91-174599 101,582
- DALTA, R. U.**
Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443
- DALY, P.**
Frequency and Time Stability of GPS and GLONASS Clocks.
PB91-202937 100,582
- DAMASCENO, G. S.**
Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065
- DANBY, G.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- DANEY, D. E.**
Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.
PB91-144410 100,890
Hydrogen Slush Production with a Large Auger.
PB91-147199 100,275
SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923
- DANIELSON, B. L.**
Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- DANKO, G. A.**
Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity.
PB91-194951 100,372
- DANNER, W. F.**
STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.
PB91-184788 100,966
Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques.
PB91-158584 100,565
- DANOS, M.**
Model for the Non-Perturbative QCD (Quantum Chromodynamics) Vacuum.
PB91-194407 101,661
Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect.
PB91-147959 101,613
- DANZMANN, K.**
Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717
- DAPKUNAS, S. J.**
Near Net Shape Forming of Ceramics.
PB91-158600 101,072
Rapporteur's Summary Materials Development for Coal Gasification.
PB91-158592 100,876
- DATLA, R. U.**
LBIR Facility User Handbook.
PB92-102185 101,435
- DATTA, S.**
Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.
PB91-194852 101,234
- DAVIES, P. K.**
Chemistry of Electronic Ceramic Materials.
PB91-178822 101,500
- DAVIS, D. D.**
New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580
- DAVIS, G. T.**
Measurement of Space Charge Fields in Polymers.
PB91-158626 100,486
Superconductor-Polymer Composites.
PATENT-4 954 481 101,454
- DAVIS, S.**
Data for Room Fire Model Comparisons.
PB92-110287 100,167
- DAVIS, W.**
Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing.
PB91-203299 100,987
- DAVISON, W.**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
- DAY, G. W.**
Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.
PB91-175158 100,754
High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field.
PB91-174615 100,751
Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.
PB91-175109 100,753
Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746
Progress in the Development of Miniature Optical Fiber Current Sensors.
PB91-134734 100,745
Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403
- DAYTON, D.**
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.
PB91-147454 100,279
- DAYWITT, W. C.**
Determining Adapter Efficiency by Envelope Averaging Sweep Frequency Reflection Data.
PB91-236620 100,743
Intercomparison of NBS Noise Calibration Services.
PB91-162370 100,847
- DE BIEVRE, P.**
Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
- DE LAETER, J. R.**
Atomic Weights of the Elements 1989.
PB92-148212 100,481
Isotopic Compositions of the Elements 1989.
PB92-148220 100,482
- DEAL, S.**
Review of Four Compartment Fires with Four Compartment Fire Models.
PB91-147215 100,098
- DEBENHAM, P. H.**
NIST-NRL Free-Electron Laser.
AD-A227 310/0 101,399
- DECKMAN, D. E.**
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
- DEETER, M. N.**
High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field.
PB91-174615 100,751
Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
- DEHMER, J. L.**
Shape Resonances in Molecular Fields.
PB91-187435 100,338
- DEL CASTILLO, L.**
Sputtered Thin Film YBa₂Cu₃O_n.
PB91-189647 101,509
- DEL SANTO, P. P.**
Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- DELSANTO, P. P.**
Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates.
PB91-202945 101,237
- DENNIS, J. R.**
Graphics Program for Binary and Ternary Ceramic Phase Diagrams.
PB91-147991 101,063
- DEPAOLA, B. D.**
Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683
- DEREGGI, A. S.**
Measurement of Space Charge Fields in Polymers.
PB91-158626 100,486
Superconductor-Polymer Composites.
PATENT-4 954 481 101,454
- DES FONTAINES, I.**
Guide to Schema and Schema Extensibility.
PB92-126556 100,955
- DESLAUX, J. P.**
Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions.
PB91-195503 101,672
- DESHMUKH, P. C.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- DESHMUKH, U. V.**
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
- DESLATTES, R. D.**
Accurate Spectroscopy in the X-ray Region.
PB91-158634 101,621
Determination of the Neutron Mass and Implications for Fundamental Constants.
PB91-148692 101,615
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
Some Historical Remarks Concerning These Conferences: With Emphasis on the X-ray Component.
PB91-187443 101,652
X-ray Interferometry and gamma-ray Wavelengths.
PB91-158642 101,484
- DESROSIERS, M. F.**
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone.
PB92-116672 100,018
gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy.
PB91-150060 100,016
- DESSUREAULT, Y.**
Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A₂CO₃-AX and A₂SO₄-AX Where A = Li, Na, K and X = Cl, F, NO₃, OH.
PB91-192518 100,362
- DEVUE, J. R.**
Characteristics of Aerosols Produced by the Spark Discharge.
PB91-237727 100,209
- DEWEESE, M. E.**
High-Temperature Superconductivity: Abstracts of NIST Publications, 1987-1991.
PB92-126564 101,105
Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB91-132266 100,833
Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB92-116375 100,867

PERSONAL AUTHOR INDEX

- DEWEY, M. S.**
Determination of the Neutron Mass and Implications for Fundamental Constants.
PB91-148692 101,615
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656
- DEWIT, R.**
Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373
- DHERE, N. G.**
Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566
- DHERE, R.**
Analysis of the YBaCu3O7/SrTiO3 Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
- DHERE, R. G.**
Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566
- DHILLON, J. S.**
Evaluation of Building Systems Inventions.
PB91-158659 100,896
- DI MARZIO, E. A.**
Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles.
PB91-187450 100,498
- DICK, C. E.**
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV.
PB91-195206 101,669
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons.
PB91-195198 101,293
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324
- DICKENS, B.**
Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation.
PB91-194456 100,499
Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182
- DICKERSON, R.**
Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- DICKEY, J. O.**
Lunar Laser Ranging.
PB91-203026 101,353
- DIDION, D. A.**
Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200
Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants.
PB91-174516 100,891
Study of Flow Boiling Heat Transfer with Refrigerant Mixtures.
PB91-189563 101,196
Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components.
PB91-162164 100,225
- DIEBOLT, D. M.**
Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.
PB92-116862 100,822
- DIEDRICH, F.**
Quantum Optics of Single, Trapped Ions.
PB91-162123 101,628
- DIETENBERGER, M. A.**
Technical Reference and User's Guide for FAST/FFM Version 3.
PB91-206664 100,086
- DIKKERS, R. D.**
Review of Research Literature on Masonry Shear Walls.
PB91-167189 100,113
Standards for the Physical Protection of National Resources and Facilities.
PB91-222695 100,006
- DILL, D.**
Shape Resonances in Molecular Fields.
PB91-187435 100,338
- DIMARZIO, E. A.**
Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers.
PB91-147231 100,484
- DINARDO, R. P.**
Fe-W Supermirrors for Polarizing Neutrons.
PB91-175521 101,643
- DITCHEK, B.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- DIITMANN, S.**
Stabilization Techniques for Spinning Rotor Gage Residual Drag.
PB91-147108 100,922
- DIZDAROGLU, M.**
46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.
PB91-187476 101,302
Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
PB91-187070 101,329
Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337
Chemical Determination of Free Radical-Induced Damage to DNA.
PB91-187468 101,332
Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
PB91-187104 101,330
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.
PB91-187112 101,331
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312
Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336
Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.
PB91-189365 101,304
Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306
Measurement of DNA Base Damage and DNA-Protein Cross-Links in Mammalian Chromatin.
PB91-187484 101,303
Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.
PB91-190108 101,321
Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.
PB91-187492 101,333
Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338
Radiation Chemistry of Enones.
PB91-147793 100,236
Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage.
PB91-202960 101,307
Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
- DOBBYN, R.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- DOBBYN, R. C.**
Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation.
PB91-189654 101,510
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
Streaking Images That Appear Only in the Plane of Diffraction in Undoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation.
PB91-189662 101,511
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
- DOBRIOVIC, L. J.**
Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608
- DODD, N. J. F.**
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- DODDINGTON, G. R.**
Phone-Mediated Word Alignment for Speech Recognition Evaluation.
PB91-189910 100,592
- DODDS, R. H.**
Experimental and Numerical Studies of the J-Integral for a Surface Flaw.
PB91-147256 101,576
- DODGE, W. R.**
Electrofission in the Ouasifree and Delta Regions.
PB91-147355 101,609
Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e,alpha) Reaction.
PB91-216812 101,705
- DOIRON, T.**
Statistical Process Control Tactics for Coordinate Measuring Machines.
PB91-189225 101,042
- DOIRON, T. D.**
Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.
PB92-126655 100,937
Computer Vision Based Station for Tool Setting and Tool Form Measurement.
PB91-202978 101,043
High Precision Gaging with Computer Vision Systems.
PB91-174623 100,979
- DOLS, W. S.**
Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909
Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri.
PB91-240747 100,082
- DOMALSKI, E. S.**
Combustion Calorimeters.
PB91-189233 100,340
Energy of Combustion of Triphenylphosphate.
PB91-189613 100,347
Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2.
PB91-192450 100,356
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
MSW Calorimetry.
PB91-133942 100,878
NBS Research Program in Municipal Solid Waste Combustion.
PB91-147264 100,916
- DOMANSKI, P. A.**
Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors.
PB91-174243 101,194
Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065
Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution.
PB91-174649 100,066
- DOMEN, S. R.**
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber.
PB91-195057 101,322
Emissivity of Aluminized Mylar.
PB91-174656 101,119
- DOMENECH, J. L.**
Molecular-Beam Optothermal Spectroscopy of the 9.6 μm nu14.
PB91-236869 100,421
- DOMICH, P. D.**
Convergence Behavior of Trajectories for Linear Programming.
PB91-204198 101,270
Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269
Optimization Techniques for Permittivity and Permeability Determination.
PB92-112325 100,865
Optimization Techniques for Permittivity and Permeability Determination.
PB92-126663 100,871
- DONALDSON, J. R.**
Orthogonal Distance Regression.
PB91-147017 101,272
- DONMEZ, A.**
Kinematic Couplings for Precision Fixturing. Part 2. Experimental Determination of Repeatability and Stiffness.
PB91-159186 101,041
- DORKO, W.**
Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- DOROSHOW, J.**
Base Modifications in Plasmid DNA Caused by Potassium Permanganate.

PERSONAL AUTHOR INDEX

ELMQUIST, R. E.

- PB91-187070 101,329
- DOSS, M.**
Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.
PB91-116607 100,820
- DOUGHTY, D. A.**
Causes of SiH₄ Dissociation in Silane dc discharges.
PB91-202986 100,389
Silane Dissociation Products in Deposition Discharges.
PB91-202994 100,390
- DOUGLAS, J. F.**
Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple epsilon Perturbation Theory.
PB92-116698 100,517
How Does Surface Roughness Affect Polymer-Surface Interactions.
PB91-189241 100,341
Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511
- DOVERSPIKE, L. D.**
Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
PB91-194528 100,836
- DOYLE, J. R.**
Silane Dissociation Products in Deposition Discharges.
PB91-202994 100,390
- DRAGOO, A. L.**
Near Net Shape Forming of Ceramics.
PB91-158600 101,072
- DRAGOSET, R. A.**
Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.
PB91-190090 101,517
Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).
PB91-195750 101,537
System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.
PB91-194779 101,522
- DRAKE, S. A.**
Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
PB91-175042 100,031
Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027
- DRAPELA, T.**
Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- DRESSLER, R. A.**
Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba(+) in Ar: Moment Analysis and a Direct Measure of Skewness.
PB91-149005 100,298
- DREVER, R. W. P.**
Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
- DREXLER, E. S.**
Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2.
AD-A231 830/1 101,203
Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
- DRIVER, L. D.**
Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.
PB91-162206 100,750
- DU, R. R.**
Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects.
PB91-161935 101,489
- DUBE, W. P.**
Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.
PB91-175570 100,560
Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.
PB91-174672 100,227
- DUNCAN, R. V.**
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- DUNN, G. H.**
Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub <-sup>->) (3)He + (4)He(+).
PB91-149245 101,618
Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683
- DUNN, P. J.**
Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey.
PB91-174680 101,359
- DUREN, R.**
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma).
PB91-148726 100,291
- DURST, R. A.**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.
PB91-237867 100,439
Immobilization of Binding Proteins on Nonporous Supports: Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291
Planar Waveguide Optical Immunosensors.
PB91-174565 101,284
- DUTTA, B. K.**
Thin and Composite High-Flux Membranes of Perfluorosulfonated Ion-Exchange Polymer.
PB91-236653 100,512
- DUVALL, K. C.**
Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723
- DYNYS, J. M.**
Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058
Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.
PB91-147348 101,059
- ENANES, E. D.**
Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 100,040
- EATON, B. E.**
Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization.
PB91-203000 101,393
- EBNER, S. C.**
LBIR Facility User Handbook.
PB92-102185 101,435
- ECKERT, H.**
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllophosphate Molecular Sieves.
PB91-189449 101,081
- ECKERT, J.**
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
PB91-195255 100,380
- EDELSTEIN, M.**
Residual Defects in SIMOX: Threading Dislocations and Pipes.
PB92-117233 100,829
- EDERER, D. L.**
Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations.
PB91-159301 101,626
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 101,520
- EDLEN, B.**
Atomic Spectroscopy in the 20th Century - A Tribute to Sitterly, Charlotte Moore, on the Occasion of Her 90th Birthday.
PB92-116714 101,724
- EDSINGER, R. E.**
Differences between Thermodynamic Temperature and t(IPTS-68) in the Range 230C to 660C.
PB92-116722 101,725
- EGELHOFF, W. F.**
Epitaxial fcc Fe Films on Cu(100).
PB91-149328 101,478
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100).
PB91-237420 101,555
X-ray Photoelectron Forward Scattering Studies of Surface Segregation in Epitaxial Cu-Ni(100) Sandwich Structures.
PB91-189258 101,506
XPS and Auger Forward Scattering in Epitaxial Films.
- PB91-174698 101,495
- EHRET, R. L.**
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
- EHRLICH, C. D.**
Study of the Linearity of Transfer Leaks and a Helium Leak Detector.
PB91-147272 100,926
- EHRSTEIN, J. R.**
Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.
PB91-148197 100,792
Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers.
PB91-147520 100,788
- EICHINGER, D.**
Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models.
PB91-203364 100,507
- EICHMILLER, F.**
Corrosion Principles in Dental Implantology.
PB91-194787 100,055
- EICHMILLER, F. C.**
Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations.
PB91-174458 100,045
Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054
- EIDELMAN, N.**
Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals.
PB91-162024 101,193
Effects of pH and Calcium on Hydrolysis of Na₂SiF₆ and Na₂SnF₆: A Quasi-Constant Composition Titration Study.
PB91-194746 101,315
- EISENHauer, C. M.**
Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field.
PB91-203398 101,693
Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum.
PB91-203406 101,694
- EISENHOWER, E. H.**
Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
PB92-112481 101,721
- EKBERG, J. O.**
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
- EKIN, J. W.**
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.
PB91-237180 101,551
Current Record in Superconductors.
PB91-194753 101,521
Possible 'Proximity Matrix' Route to High Current Conductors.
PB91-148932 101,476
Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547
Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545
Transport Critical Current of Aligned Polycrystalline Y1Ba₂Cu₃O₇-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456
- ELITZUR, M.**
Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027
- ELLENWOOD, C. H.**
Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823
- ELLERBE, P.**
Stability of Uric Acid in Ammonium Hydroxide.
PB91-189266 101,292
- ELLIS, W. M.**
Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888
- ELMQUIST, R. E.**
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710

PERSONAL AUTHOR INDEX

- ELSWIJK, H. B.**
Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-Tc Superconductors.
PB92-116730 101,567
- ELY, J. F.**
Extension of an Improved One-Fluid Conformal Solution Theory to Real Fluid Mixtures with Large Size Differences.
PB91-147405 100,278
Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).
DE91012660 101,384
Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes.
PB91-195636 101,391
Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.
PB92-116748 101,199
Thermophysical Properties of Ethane.
PB92-110188 100,447
- EMMONS, H. W.**
Ceiling Jet in Fires.
PB91-167197 100,114
- EMPIE, H. L.**
Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987-December 1989.
DE91018580 100,915
- EMRICH, C.**
Abstracts of Daylighting Research.
PB91-206755 100,076
- ENGEL, V.**
Periodic Orbits and Diffuse Structures in the Photodissociation of Symmetric Triatomic Molecules.
PB91-149252 100,238
- EPLER, K. S.**
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210
- EPPELDAUER, G.**
Electronic and Radiometric Characteristics of Near Infrared Photodiodes.
PB91-174706 100,752
Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.
PB92-116771 100,768
Temperature Monitored/Controlled Silicon Photodiodes for Standardization.
PB92-116763 100,767
- ERDMAN, A. G.**
Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.
PB91-174557 101,494
- ERICKSON, J. E.**
Instability in pH Measurements of Sputtered IrO₂ Films.
PB91-147538 100,281
- ERICKSON, J. W.**
Chemical and Electronic Properties of Pd/SnO₂(110) Model Gas Sensors.
PB91-203075 100,393
- ERWIN, R. W.**
Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects.
PB91-161935 101,489
- ESCALANTE, E.**
Concepts of Underground Corrosion.
PB91-150078 101,134
Corrosion Testing in Soil.
PB91-158667 101,135
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114
Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite.
AD-A231 778/2 101,113
Measuring the Corrosion of Metals in Soil.
PB91-174714 101,136
- ESCRIBANO, R.**
High-Resolution Infrared Spectrum of the nu₁ Band of OC₁₀.
PB92-117175 100,463
Spectroscopic Constants for the nu₉ Infrared Band of HNO₃.
PB91-189415 100,343
- ESPINA, P. I.**
Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229
- ESSIGMANN, J. M.**
Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.
PB91-190108 101,321
- EVANS, C. J.**
Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 100,796
- EVANS, D.**
Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538
Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment.
PB91-203620 100,159
- EVANS, D. D.**
Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.
PB91-240770 100,164
- EVANS, D. J.**
Acoustic Technique for Evaluation of Thermal Insulation.
PB91-189324 100,123
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- EVANS, J. C.**
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- EVANS, J. D.**
Biodegradable Plastics: An Idea Whose Time Has Come.
PB91-150086 101,243
Statistical Mechanical Model of Aqueous Two-Phase Systems.
PB91-174508 100,493
- EVANS, L.**
Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling.
PB91-158675 101,040
- EVENSON, K. M.**
Accurate Frequency of the 119 μ m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy.
PB91-134130 101,405
- FABER, J.**
New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.
PB91-158717 100,311
- FAETH, G. M.**
Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538
- FAHR, A.**
Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 868/7 100,234
Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.
AD-A227 836/4 100,744
Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179
Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen.
PB91-203018 100,391
- FAIRBANK, W. M.**
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116789 101,361
- FAISON, T. K.**
Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.
PB91-147975 100,103
- FALCO, J. A.**
AMRF Composites Fabrication Workstation: A Test Methodology to Measure the Quality of Thermoplastic Composite Parts.
PB91-187765 101,017
- FALLER, J. E.**
Gyroscope-Weighing Experiment Revisited -- with a Null Result.
PB91-174722 101,630
Lunar Laser Ranging.
PB91-203026 101,353
Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance.
PB91-175380 101,639
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- FALLER, S. H.**
Structure of Odd-Odd (132)Sb.
PB91-237461 101,711
- FALTYNEK, R. A.**
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096
Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate.
PB91-203034 100,392
- FAN, Z.**
Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806
- FANCONI, B.**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
- FANCONI, B. M.**
Polymers: Technical Activities 1990.
PB91-159715 100,488
Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-116284 100,516
- FANG, J. B.**
Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074
Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888
- FANNEY, A. H.**
Measured Performance of Residential Water Heaters Using Existing and Proposed Department of Energy Test Procedures.
PB91-189274 100,085
- FARABAUGH, E.**
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
- FARABAUGH, E. N.**
Chemical Vapor Deposited Diamond.
AD-A243 095/7 101,106
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215
Effects of Different CH₄-H₂ Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD.
PB91-158683 101,054
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films.
AD-A236 708/4 101,142
High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
AD-A243 093/2 101,449
Influence of Filament Geometry on Hot Filament Growth of Diamond Films.
AD-A231 818/6 101,448
Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533
Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films.
AD-A243 220/1 101,451
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A236 485/9 100,247
Stoichiometry of Reactively Evaporated Films.
PB91-158709 101,413
- FARAHANI, M.**
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366
Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer.
PB91-158691 100,043
Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054
Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.
PB92-116961 101,364
- FARRINGTON, D.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- FATIADI, A. J.**
New Chemical and Stereochemical Applications of Organon Complexes.
PB91-184861 100,221

PERSONAL AUTHOR INDEX

FLYNN, K. M.

- Oxidation of Organic Compounds by Active Manganese Dioxide.
PB91-174730 100,218
- FATTAL, S. G.**
Review of Research Literature on Masonry Shear Walls.
PB91-167189 100,113
Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
PB92-116342 100,138
- FAVREAU, J. P.**
Application of Formal Description Techniques to the Specification of Distributed Test Systems.
PB91-175018 100,566
- FEENEY, A. B.**
Engineering Design Laboratory Guide.
PB91-167320 100,977
Use of Solid Modeling in the Design of M3 Components.
PB92-123066 101,044
- FEINER, M. S.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- FELDMAN, A.**
Algorithm and Computer Program for the Calculation of Envelope Curves.
PB91-158972 101,414
Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle.
PB91-203042 101,426
Chemical Vapor Deposited Diamond.
AD-A243 095/7 101,106
Critical Assessment of Optical Properties of CVD Diamond Films.
AD-A236 746/4 101,400
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215
Effects of Different CH₄-H₂ Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD.
PB91-158683 101,054
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films.
AD-A236 708/4 101,142
High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
AD-A243 093/2 101,449
Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533
Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films.
AD-A243 220/1 101,451
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A236 485/9 100,247
Stoichiometry of Reactively Evaporated Films.
PB91-158709 101,413
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
U.S. Assessment of the New Diamond Technology in Japan.
PB91-167395 101,107
Use of Diamond as an Optical Material.
AD-A243 097/3 101,401
- FELDMAN, P. A.**
Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020
- FELFMAN, A.**
Influence of Filament Geometry on Hot Filament Growth of Diamond Films.
AD-A231 818/6 101,448
- FELKNER, I. C.**
Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328
- FELTON, C. M.**
Accuracy Model for Phase Noise Measurements.
PB91-134882 100,589
Extending the Range and Accuracy of Phase Noise Measurements.
PB91-134874 100,588
- FENG, D.**
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths.
PB91-237859 100,438
Second Dissociation Constant and pH of N-2-hydroxyethyl-piperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.
PB91-189282 100,196
- FENG, S. C.**
Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms.
PB91-167221 101,016
- FENG, Y.**
Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
PB91-162099 100,489
- FENIMORE, C.**
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
PB91-134684 100,837
Precision Qualification of Watthour Meters.
PB91-237214 100,859
Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604
- FENIMORE, C. P.**
Incompatibility between the 100/1300 Surge Test and Varistor Failure Rates.
PB91-189308 100,854
Measurement Reliability: The Detection of Nonlinearities.
PB91-189290 100,853
- FERNANDEZ-PELLO, A. C.**
Fire Propagation in Concurrent Flows.
PB91-157206 100,543
- FERRETT, T. A.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- FESEN, R. A.**
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
PB91-174920 100,028
- FETTERS, L. J.**
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
- FIALA, J.**
NASREM Robot Control System and Testbed.
PB91-194969 101,033
- FIALA, J. C.**
Generation of Smooth Trajectories without Planning.
PB91-217414 101,036
- FICKETT, F. R.**
Anomalous Magnetoresistance in Al/Al-Alloy Composite Conductors.
PB91-174748 101,631
Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473
Magnetoresistance of Multifilament Al/Al-Alloy Conductors.
PB91-134759 100,772
- FIELD, B. F.**
Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604
- FIELDS, B. A.**
Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions.
PB91-184838 101,154
- FIELDS, R. J.**
Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.
PB91-189464 101,156
Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373
Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions.
PB91-184838 101,154
Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.
PB92-112226 101,739
Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- FILE, D.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- FILIPKOWSKI, M. E.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La₂-xSr_xCuO₄.
PB91-148155 101,472
- FILLA, B. J.**
Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.
PB91-162115 100,111
Design and Fabrication of a Miniature High-Temperature Guarded-Hot-Plate Apparatus.
PB92-116797 101,098
- FILLIBEN, J. J.**
Taguchi's Orthogonal Arrays Are Classical Designs of Experiments.
PB92-126671 101,280
- FILO, A. J.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- FINE, J.**
Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.
PB91-237032 100,425
Ion Bombardment Induced Diffusion: A Case Study on a Sputtered Ag/Ni Layered System.
PB91-195024 101,527
Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.
PB91-175554 101,498
Mechanical Sputtering of Structural Stainless Steels.
PB91-175448 101,152
- FINK, J. L.**
Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137
- FINZEL, B. C.**
Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298
- FIRST, P. N.**
System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.
PB91-194779 101,522
- FISCHBACH, E.**
New Test of Quantum Mechanics: Is Planck's Constant Unique.
PB91-174755 101,632
- FISCHER, D. A.**
Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity.
PB91-194951 100,372
- FISCHER, R.**
New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.
PB91-158717 100,311
- FISH, G. E.**
Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe₇₈B₁₃Si₉.
PB92-117464 101,573
- FISHER, G.**
Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.
PB91-201004 100,692
- FISHER, G. E.**
Functional Benchmarks for Fourth Generation Languages.
PB91-167387 100,644
- FISHER, W.**
Second-Level Post-Occupancy Evaluation Analysis.
PB91-147140 100,058
- FISK, Z.**
Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RBa₂Cu₃O₆ + x.
PB91-194894 101,524
- FITTING, D. W.**
Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018
Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126
- FITZPATRICK, G. J.**
Measurement Reliability: The Detection of Nonlinearities.
PB91-189290 100,853
- FLEISCHAUER, P. D.**
Chemical Effects of Ne⁺ Bombardment on the MoS₂(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy.
PB91-203471 100,399
- FLETCHER, R. A.**
New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.
PB92-116805 100,911
- FLODSTROM, A.**
Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287
- FLYNN, D. R.**
Acoustic Technique for Evaluation of Thermal Insulation.
PB91-189324 100,123
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- FLYNN, K. M.**
Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141

PERSONAL AUTHOR INDEX

- Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508
- FOLEY, G. M.**
High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.
N91-213617/1 100,924
- FONG, E. N.**
Guide to Design, Implementation and Management of Distributed Databases.
PB91-187567 100,648
Guide to Expert System Building Tools for Microcomputers.
PB92-108893 100,715
Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990.
PB91-159723 100,643
Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada.
PB91-157198 100,641
- FONG, J. T.**
Engineers' Statistical Literacy is Key to U.S. Competitiveness.
PB91-158725 100,038
- FORAND, J. L.**
Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683
- FORD, R. S.**
Rotational Spectrum and Structure of the Complex Ar-CH₃CN.
PB91-236661 100,415
- FORNEY, C. L.**
Users Guide for RAPID, Version 2.3.
PB91-167403 100,999
- FORNEY, G. P.**
Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.
PB91-144436 100,096
- FORTUNKO, C. M.**
Group and Phase Sound Velocities in an EuBa₂Cu₃O₇ Superconductor and Related Perovskite Oxides.
PB91-194860 101,523
- FOWLER, B. O.**
Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048
- FOWLER, H. A.**
Atomic Fingerprint of YBa₂Cu₃O_{7-x}-Type High-Temperature Superconductors Observed by Field Ion Microscopy.
PB91-203612 101,544
Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-Tc Superconductors.
PB92-116730 101,567
Three-Dimensional Simulations of High-Resolution Photorealist Processing.
PB92-116466 100,818
- FOWLER, J. E.**
Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.
PB92-112234 100,993
- FOX, J.**
Performance of OSI Transport over ACCUNET and IBER-PAC.
PB91-134825 100,563
- FRAKER, A. C.**
Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.
PB91-158733 101,372
Corrosion Principles in Dental Implantology.
PB91-194787 100,055
Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.
PB91-134700 101,132
- FRANCIS, M. H.**
Evaluation of Dual-Port Circularly Polarized Probes for Planar Near-Field Measurements.
PB91-162040 100,590
- FRANKE, G. L.**
Analysis and Characterization of Commercial Welding Fluxes.
PB91-162339 101,003
- FRANZEN, D. L.**
Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Fiber Laser-Amplifier.
PB91-148007 101,408
Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403
- FRASE, K. G.**
Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067
- FRASER, G. T.**
H2O2: Spectroscopy, Structure and Dynamics.
PB91-162057 100,316
Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-1)/2 VO and NbO.
PB91-237487 100,429
Microwave Spectrum of Ar-H2O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.
PB91-148650 100,290
Molecular-Beam Optothermal Spectroscopy of the 9.6 mum nu14.
PB91-236869 100,421
Optothermal-Detected Microwave-Sideband CO2-Laser Spectroscopy of Ar-NH3.
PB91-236679 100,416
Rotational Spectrum and Structure of the Complex Ar-CH3CN.
PB91-236661 100,415
Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer.
PB91-203844 100,406
- FREDERIKSE, H. P. R.**
Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
PB92-116813 101,112
- FREEMAN, C. G.**
Proton Affinity of Cyanogen and Ion-Molecule Reactions of C2N2(+).
PB91-189902 100,352
- FREIBERGER, L. J.**
High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.
PB91-194795 101,160
- FREIMAN, S.**
Design Diagrams for Heavy Metal Fluoride Glass Windows.
PB91-187419 101,419
- FREIMAN, S. W.**
Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126507 101,104
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
Effects of Crystal Bonding on Brittle Fracture.
PB91-148221 101,064
Environmentally Enhanced Fracture of Gallium Arsenide.
PB91-237743 101,097
Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
- FRENCH, V. A.**
Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses.
PB91-189332 101,422
- FRENKLACH, M.**
Mechanism of Soot Formation in Acetylene-Oxygen Mixtures.
PB91-147280 100,537
- FRIED, A.**
Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- FRIEDMAN, C. D.**
Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049
- FRIEND, D. G.**
Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601
Thermophysical Properties of Ethane.
PB92-110188 100,447
Viscosity Surface for Mixtures of Methane and Ethane.
PB91-147463 100,322
- FRIPP, A.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- FROHNSDORFF, G.**
Integrated Knowledge Systems for Concrete Science and Technology.
PB92-116821 100,141
- FROMMHOLD, L.**
Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra.
PB91-203307 101,690
- FRYBERGER, T. B.**
Chemical and Electronic Properties of Pd/SnO2(110) Model Gas Sensors.
PB91-203075 100,393
- FUCIARELLI, A. F.**
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312
- FUJII, R. U.**
Software Verification and Validation: An Overview.
PB91-237685 100,658
- FUKASE, Y.**
Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 100,040
- FULLER, E.**
Isothermal Phase Behavior of Ag3SbS3, ZnGeP2, and ZnS.
PB91-187237 101,080
Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133
- FULLER, E. R.**
Chemical Modification of the Orthorhombic Superconductor Ba2YCu3O7-delta.
PB91-159053 101,486
Effect of Surface Forces on Subcritical Crack Growth in Glass.
PB92-117449 101,103
Effects of Crystal Bonding on Brittle Fracture.
PB91-148221 101,064
Relation between the Surface Energy and the Debye Temperature for Cubic Solids.
PB91-149393 100,303
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
- FULLER, S. K.**
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350
- FUNATAKE, Y.**
Spectral Data and Grotrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.
PB90-244583 101,595
- FURLANI, C. M.**
Use of the IRDS Standard in CALS (Revised).
PB91-132209 100,684
- FURUTA, R.**
Functional Meta-Structure for Hypertext Models and Systems.
PB91-236687 100,655
- GADALLA, N. A. M.**
Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368
- GADDIPATI, A. R.**
Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456
- GADZUK, J. W.**
Resonant Tunneling with Electron-Phonon Interactions: An Exactly Solvable Model Applied to Desorption.
PB91-162065 100,317
Soluble Models in Surface Collision Dynamics.
PB91-147298 100,276
- GAGE, E. C.**
Effects of Colored Pump Noise on Intensity Correlations of a Single Mode Dye Laser.
PB91-189738 101,423
- GAITAN, M.**
Measurement of Capacitance on Wafers.
PB91-149120 100,795
Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
PB91-148999 100,748
Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821
- GAJEWSKI, E.**
Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337
Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
PB91-187104 101,330

PERSONAL AUTHOR INDEX

GILMORE, F. R.

- Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates. PB91-187112 101,331
- Damage to the Bases in DNA Induced by Stimulated Human Neutrophils. PB92-116912 101,312
- Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions. PB91-189217 101,336
- Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone. PB91-189365 101,304
- Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome. PB91-190108 101,321
- Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals. PB91-189373 101,338
- Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage. PB91-202960 101,307
- Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone. PB91-187518 101,334
- GALLAGHER, A.**
- Causes of SiH₄ Dissociation in Silane dc discharges. PB91-202986 100,389
- Collisional Energy Transfer between Excited Sr Atoms. PB91-204164 101,703
- Production and Diagnosis of a Highly Spin-Polarized Na Beam. PB91-204016 101,431
- Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991. DE91002169 100,785
- Silane Dissociation Products in Deposition Discharges. PB91-202994 100,390
- GALLAGHER, A. C.**
- Measurements of Velocity-Changing Collision Kernels. PB91-203083 101,684
- GALLAGHER, J. S.**
- Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States. PB91-189381 100,342
- Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density. PB90-244708 101,402
- Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam. PB92-148154 100,475
- Thermodynamic Diagrams for Refrigerant Mixtures. PB91-236695 101,197
- GALLAGHER, L.**
- Computer Implementation of a Discrete Set Algebra. PB91-231571 100,654
- SOL3 Support for CALS Applications. PB91-167262 100,965
- GALLAWAY, R. L.**
- Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods. PB91-204131 100,759
- Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths. PB91-187682 100,567
- Methods of Analyzing Planar Optical Waveguides. PB91-236752 100,774
- Modified Airy Function and WKB Solutions to the Wave Equation. PB92-126531 101,440
- GALLOWAY, K. F.**
- Characteristics of the Breakdown Voltage of Power MOS-FETs After Total Dose Irradiation. PB91-149062 100,793
- Characterizing VLSI Processes Using Test Structures. PB91-175000 100,804
- GALOWIN, L. S.**
- Plumbing Test Lab Accreditation. PB91-190066 100,089
- GAMMON, B. E.**
- Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine. PB91-192583 100,368
- GANN, R. G.**
- Large-Scale Validation of Bench-Scale Fire Toxicity Tests. PB92-116458 100,139
- Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity. PB91-167270 100,156
- GANS, W. L.**
- Quantifying Standard Performance of Electromagnetic-Based Mine Detectors. PB92-116292 101,378
- GAO, G.**
- Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors. PB91-236703 100,815
- Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates. PB91-189399 100,806
- GARBOCZI, E. J.**
- Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes. PB91-187690 101,138
- Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model. PB91-187179 100,529
- GARDINER, W. C.**
- Mechanism of Soot Formation in Acetylene-Oxygen Mixtures. PB91-147280 100,537
- GARDNER, J. L.**
- Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths. PB91-187682 100,567
- GARRITY, K. M.**
- Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results. PB91-148817 100,186
- GARVIN, D.**
- Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session). PB91-158741 100,904
- GARY, J.**
- Calculated from the Frequency Domain: An Update. PB91-162388 100,578
- Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain. PB92-123132 100,587
- GARY, J. M.**
- Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites. PB91-174946 101,120
- GATES, R. S.**
- Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride. PB91-236711 101,180
- Study on the Nature of Boundary Lubricating Film: Analytical Method Development. PB91-189407 101,176
- GAYLE, F. W.**
- Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O_{7-x}. PB91-237552 101,559
- GAYLORD, R. J.**
- Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior. PB91-195099 100,501
- GEER, S.**
- Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides. PB91-134544 101,283
- GEIST, J.**
- Generalized Photodiode Self-Calibration Formula. PB91-236901 100,760
- Micromachined Thermal Radiation Emitter from a Commercial CMOS Process. PB91-148999 100,748
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs. PB92-110295 100,763
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments. PB92-110303 100,764
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations. PB92-110311 100,765
- Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields. PB91-236729 101,549
- GERHARDT, R. A.**
- Small Angle Neutron Scattering Characterization of Microporous Silica. PB91-203489 101,089
- Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies. PB91-175075 101,077
- GEYER, R. G.**
- Optimization Techniques for Permittivity and Permeability Determination. PB92-112325 100,865
- Optimization Techniques for Permittivity and Permeability Determination. PB92-112325 100,865
- PB92-126663 100,871
- Quantifying Standard Performance of Electromagnetic-Based Mine Detectors. PB92-116292 101,378
- GHATAK, A. K.**
- Methods of Analyzing Planar Optical Waveguides. PB91-236752 100,774
- Modified Airy Function and WKB Solutions to the Wave Equation. PB92-126531 101,440
- GIAUQUE, C. H. W.**
- Capacitance versus Stylus Measurements of Surface Roughness. PB91-203463 101,020
- GIBBLE, K. E.**
- Measurements of Velocity-Changing Collision Kernels. PB91-203083 101,684
- GIBSON, K. A.**
- Bibliography of the NIST Electromagnetic Fields Division Publications. PB91-132241 100,832
- Bibliography of the NIST Electromagnetic Fields Division Publications. PB92-116367 100,866
- GIER, T. E.**
- Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllophosphate Molecular Sieves. PB91-189449 101,081
- GILBERT, S. L.**
- 303-MHz Frequency Standard Based on Trapped Be(+) Ions. PB92-116474 101,722
- Frequency Stabilization of a Tunable Erbium-Doped Fiber Laser. PB91-203109 101,427
- Frequency Stabilization of an Erbium-Doped Fiber Laser: A Potential Wavelength Standard for Optical Communications. PB91-203091 100,570
- Observation of Correlations in Finite, Strongly Coupled Ion Plasmas. PB91-200857 101,678
- Progress at NIST on Absolute Frequency Standards Using Stored Ions. PB91-159285 101,625
- Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State. PB92-116870 101,726
- GILLASPY, J. D.**
- Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium. PB91-149203 101,617
- GILLETTE, G.**
- Second-Level Post-Occupancy Evaluation Analysis. PB91-147140 100,058
- GILLIES, C. W.**
- Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-1/2) VO and NbO. PB91-237487 100,429
- Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene. PB91-236737 100,417
- GILLIES, J. Z.**
- Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene. PB91-236737 100,417
- GILLILAND, G. I.**
- Crystal Structure of Phosphate-Free Ribonuclease. PB91-175604 101,301
- GILLILAND, G. L.**
- Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein. PB91-237362 101,309
- Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites. PB91-190074 101,305
- Multiple Conformations of Amino Acid Residues in Ribonuclease A. PB91-148098 101,298
- PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal. PB91-194985 100,373
- GILLIS, K. A.**
- Accurate Acoustic Measurements in Gases Under Difficult Conditions. PB92-116847 101,382
- Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures. PB92-116839 100,458
- GILMORE, F. R.**
- Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen. PB92-148097 100,469

PERSONAL AUTHOR INDEX

- Updated Excitation and Ionization Cross Sections for Elec-
tron Impact on Atomic Oxygen.
PB90-244591 100,256
- GINZBURG, A.**
Use of Storage Phosphor Imaging Plates in Portal Imaging
and High-Energy Radiography: The Intensifying Effect of
Metallic Screens on the Sensitivity.
PB91-236497 101,324
- GIRVIN, S. M.**
Hall Effect.
PB91-149898 101,479
- GIULIANO, K. A.**
Low-Cost Aqueous Two-Phase System for Enzyme Extrac-
tion.
PB91-237560 101,310
- GLADDEN, E.**
National Bureau of Standards Publications 1977-1987.
Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957
National Bureau of Standards Publications 1977-1987.
Volume 2. Indexes.
PB91-136515 100,958
- GLADDEN, E. T.**
Publications of the National Institute of Standards and
Technology, 1990 Catalog.
PB91-216531 100,011
- GLINKA, C.**
Chain Conformation of a Block Polymer in a Microphase-
Separated Structure.
PB91-148890 100,485
- GLINKA, C. J.**
Determination of Bonded Phase Thickness in Liquid Chro-
matography by Small Angle Neutron Scattering.
PB91-149187 100,190
- GLOVER, M. P.**
Unsteady Laminar Flow in a Circular Tube: A Test of the
HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395
- GOEBEL, R.**
Numerical Modeling of Silicon Photodiodes for High-Accu-
racy Applications. Part 2. Interpreting Oxide-bias Experiments.
PB92-110303 100,764
- GOGNY, D.**
Model for the Non-Perturbative OCD (Quantum Chromodyn-
amics) Vacuum.
PB91-194407 101,661
- GOLDBERG, R. N.**
Thermodynamics of Hydrolysis of Disaccharides: Lactulose,
alpha-D - Melibiose, Palatinose, D - Trehalose, D - Turan-
ose and 3-o-beta-D-Galactopyranosyl-D-arabinose.
PB91-195701 101,289
Thermodynamics of Hydrolysis of Oligosaccharides.
PB91-194803 101,288
Thermodynamics of the Disproportionation of Adenosine 5'-
diphosphate to Adenosine 5'-triphosphate and Adenosine
5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459
Thermodynamics of the Disproportionation of Adenosine 5'-
diphosphate to Adenosine 5'-triphosphate and Adenosine
5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313
- GOLDFARB, R. B.**
AC Loss Measurements of Two Multifilamentary NbTi Com-
posite Strands.
PB91-133892 100,769
Effect of Mechanical Deformation on Nb-Ti Filament Prox-
imity-Effect Coupling at the Edges of SSC Cables.
PB91-203828 101,700
Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Su-
perconductor.
PB91-134270 101,461
Enhanced Flux Creep in Nb-Ti Superconductors After an In-
crease in Temperature.
PB91-202903 101,680
Fundamental and Harmonic Susceptibilities of YBa2Cu3O7-
delta.
PB91-134148 101,458
Hall Probe Magnetometer for SSC Magnet Cables: Effect of
Transport Current on Magnetization and Flux Creep.
PB91-202911 101,681
Magnetic Measurements for High Energy Physics Applica-
tions.
PB92-112358 101,720
- GOLDFINE, A. H.**
Specifications for a Federal Information Processing Stand-
ard Data Dictionary System.
PB91-158758 100,687
- GOLDMAN, A.**
Spectroscopic Constants for the nu9 Infrared Band of
HNO3.
PB91-189415 100,343
- GOLDSCHMIDT, V.**
Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065
- GONZALES, J. A.**
Center for Electronics and Electrical Engineering Technical
Publication Announcements Covering Center Programs, Oc-
tober to December 1990, with 1991 CEEE Events Calendar.
PB91-240838 100,863
- GONZALEZ, J. A.**
Center for Electronics and Electrical Engineering Technical
Progress Bulletin Covering Center Programs, July to Sep-
tember 1990, with 1991 CEEE Events Calendar.
PB91-159749 100,801
- GONZALEZ, J. A.**
Center for Electronics and Electrical Engineering Technical
Publication Announcements Covering Center Programs,
July to September 1990, with 1991 CEEE Events Calendar.
PB91-184754 100,852
- GONZALEZ, J. A.**
Electronics and Electrical Engineering Laboratory Technical
Publication Announcements Covering Laboratory Programs,
January to March 1991, with 1991 EEE Events Calendar.
PB92-112309 100,864
- GOODIN, P. J.**
Visibility of Exit Directional Indicators.
PB91-184762 101,000
- GOODRICH, L. F.**
Current Supply for High-T(sub c) Superconductor Testing.
PB91-133827 101,455
Guideline for Nb(sub 3)Sn critical current measurements
using fiberglass-epoxy composite sample mandrels.
DE91016274 101,205
High T(sub c) Superconductors and the Critical Current
Measurement.
PB91-134056 101,457
Integrity Tests for High-(T sub c) and Conventional Critical-
Current Measurement Systems.
PB91-148676 100,842
Integrity tests for high-(Tc) and conventional critical-current
measurements systems.
DE91016275 101,452
Possible 'Proximity Matrix' Route to High Current Conduc-
tors.
PB91-148932 101,476
Switching in High-Tc Superconductor Current Transport
Measurements.
PB91-203117 101,539
- GOODWIN, A. R. H.**
Accurate Acoustic Measurements in Gases Under Difficult
Conditions.
PB92-116847 101,382
- GORAL, J. P.**
Single-Target Magnetron Sputter-Deposition of High-Tc Su-
perconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566
- GORCZYCA, T.**
Close-Coupling Calculation for the (2)(Sigma sub u)(+)
State of (H sub 2)(-).
PB91-148684 101,614
- GORE, J. P.**
Investigation of Simulated Oil-Well Blowout Fires.
PB91-144337 101,356
Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Dif-
fusion Flames.
PB91-147306 100,538
- GORTER, J.**
Effect of Tube Bundle Flow Conditioners on Orifice Meter
Discharge Coefficients.
PB91-148791 100,881
- GOTAAS, J. A.**
Phonon Density of States of Superconducting YBa2Cu3O7
and the Nonsuperconducting Analog YBa2Cu3O6.
PB91-159129 101,487
- GOULD, P. L.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium
Atoms.
PB91-236745 101,707
Observation of Atoms Laser-Cooled Below the Doppler
Limit.
PB91-189746 101,655
Observation of Atoms Laser Cooled Below the Doppler
Limit.
PB91-195453 101,671
Prospects for Electromagnetic Manipulation and Trapping
of Antihydrogen.
PB91-194886 101,663
- GOVADA, A.**
Use of Neutron Pole Figures to Calibrate Ultrasonic Tech-
niques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- GOYAL, I. C.**
Analyzing Integrated Optical Waveguides: A Comparison of
Two New Methods.
PB91-204131 100,759
Methods of Analyzing Planar Optical Waveguides.
PB91-236752 100,774
Modified Airy Function and WKB Solutions to the Wave
Equation.
PB92-126531 101,440
- GRACE, T. M.**
Fundamental studies of black liquor combustion. Report
No. 4, Phases, 2, 3, and 4: Final report, December 1987--
December 1989.
DE91018580 100,915
- GRANVEAUD, M. P.**
GPS Time Transfer with Implementation of Selective Avail-
ability.
N91-25766/7 100,576
- GRATIAS, D.**
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasi-
crystal.
PB91-187294 101,501
N-Dimensional Crystallographic Description of the Icosahe-
dral Phases; the Example of the Al73Mn21Si6 Quasiperio-
dic Structure.
PB91-174771 101,226
- GRAY, B.**
Stable Implementation Agreements for Open Systems Inter-
connection Protocols. Version 4, Edition 1, June 1991
Change Pages (Supplement).
PB92-112200 100,695
- GRAY, M. M.**
Functional Benchmarks for Fourth Generation Languages.
PB91-167387 100,644
- GREEN, M. S.**
Phase Transitions.
PB91-162073 100,318
- GREEN, W. J.**
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by
Laser Ablation Processing.
PB91-189589 101,508
- GREENBERG, R. R.**
Recommended Inorganic Chemicals for Calibration.
PB91-195164 100,201
- GREENE, G. L.**
Determination of the Neutron Mass and Implications for
Fundamental Constants.
PB91-148692 101,615
New Test of Quantum Mechanics: Is Planck's Constant
Unique.
PB91-174755 101,632
- GREENE, R. L.**
Overview of the Ion Dynamic Effect in Line Broadening,
and a Generalization of the Unified Theory.
PB91-147504 101,442
- GREENHUT, V. A.**
Quantitative Determination of Amorphous Content in Cer-
amic Materials Using X-ray Powder Diffraction.
PB91-147553 101,061
- GREENSPAN, L.**
Design and Implementation of a Five-Axis Robotic Micro-
manipulator for Inserting Parts into Precision Collets.
PB91-159194 101,029
- GREGORY, T. M.**
Mathematical Model for Dental Caries: A Coupled Dissolu-
tion-Diffusion Process.
PB92-126689 101,316
- GRICE, J. D.**
Wawayandaite, a New Calcium Manganese Beryllium Boron
Silicate from Franklin, New Jersey.
PB91-174680 101,359
- GRIEPINK, B.**
Analysis of Wet Deposition (Acid Rain): Determination of
the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
- GRIMES, J. W.**
Techniques to Observe the Fracture Zone in Mortar and
Concrete.
PB91-134189 100,521
- GRIMM, F. A.**
Angular Distribution of Ejected Electrons in Resonant Auger
Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Parity-Unflavored Transitions in Resonant Photoemission
from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
Unusual Degree of Angular Anisotropy in the Resonant
Auger Spectrum of Kr.
PB91-187310 101,649
- GRISHCHUK, L. P.**
Squeezed Quantum States of Relic Gravitons and Primordi-
al Density Fluctuations.
PB91-203125 101,685
- GROSS, D.**
Letter to the Editor, Fire Technology, Comments on T.Z.
Harmathy Viewpoint, May 1985.
PB91-174797 100,545
Letter to the Editor of Standardization News.
PB91-174789 100,118
- GROSS, J. G.**
Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151
Meeting the Challenges of a Global Market - Construction
Standards, Testing and Certification.
PB91-194811 100,090

PERSONAL AUTHOR INDEX

HARMAN, G. G.

GROSVENOR, J. H.

Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity.
PB91-236844 100,858

GROT, R.

Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909

GROT, R. A.

Airtightness of Office-Building Envelopes.
PB91-175307 100,067
Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
PB91-147082 100,057
Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074
User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multi-zone Buildings.
PB91-206722 100,910
Ventilation System Performance Evaluation Using Tracer Gas Techniques.
PB91-147876 100,060

GRUBB, D. S.

Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 Inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge.
PB91-187542 100,690

GRUNDL, J. A.

Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field.
PB91-203398 101,693

GRUSHKO, B.

Phase Formation in Electrodeposited and Thermally Annealed Al-Mn Alloys.
PB91-147314 101,209
Structural Study of Electrodeposited Aluminum-Manganese Alloys.
PB91-189423 101,231

GRY, C.

Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021

GUBSER, D. U.

Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487

GUENTHER, A. H.

Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409

GUNARATNA, P. C.

Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188

GUNN, M. T.

Software Reengineering: A Case Study and Lessons Learned.
PB92-116417 100,669

GUPTA, A. K.

Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229
Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
Laser Diagnostics for Characterization of Fuel Sprays.
PB91-149013 100,541
Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539

GUTTMAN, C. M.

Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181

HABIB, J. M.

Superconducting Properties of Bi₂-x-yPb_xSr₂Ca₂Cu₃O_z.
PB91-162321 101,076

HADJICHRISTIDIS, N.

Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502

HALBRITTER, J.

Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480

HALE, P. D.

Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Fiber Laser-Amplifier.
PB91-148007 101,408

HALL, J. A.

How the Government Shapes UNIX Standards.
PB91-203133 100,693

HALL, J. L.

Correlated Spontaneous Emission in a Zeeman Laser.

PB91-175596 101,417

Correlated Spontaneous Emission in a Zeeman Laser.
PB91-204180 101,432

HALL, L. W.

Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.
PB91-195040 100,918

HALLER, W.

Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308

HALLIWELL, B.

Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
PB91-187104 101,330
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.
PB91-187112 101,331
Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336

Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306

Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.
PB91-187492 101,333

HAM, K. C.

Use of Birefringent Coatings in Fracture Mechanics.
PB91-174599 101,582

HAMANN, D. R.

Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570
Theory of Ballistic-Electron-Emission Spectroscopy of NiSi₂/Si(111) Interfaces.
PB91-237453 101,557

HAMBRIGHT, P.

Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins.
PB91-203661 100,402
Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217

HAMILTON, C. A.

High Speed Superconducting A/D Converter.
PB91-148700 100,731
Voltage Calibration Systems Using Josephson Junction Arrays.
PB92-116516 100,868

HAN, C.

Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422

HAN, C. C.

Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518

Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513

Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.
PB91-187153 100,494

Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
PB91-162099 100,489

Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HP) Blends.
PB91-162131 100,490

HAN, J. K.

Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709

Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165

HAN, X. L.

Production and Diagnosis of a Highly Spin-Polarized Na Beam.
PB91-204016 101,431

HANCOCK, E.

Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data.
PB91-159152 100,901

HANDWERKER, C. A.

Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235
Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058
Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210
Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.
PB91-147348 101,059
Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111

HANKINSON, A. L.

1987: The Year of the 386.
PB91-158766 100,599
Developing Federal Software Standards: A New Direction.
PB91-134536 100,637
Multimedia Courseware in an Open Systems Environment: A Federal Strategy.
PB91-143362 100,039

HANLEY, H. J. M.

Anisotropic Structure of a Simple Liquid.
PB91-148718 101,616
Neutron Diffraction from Sheared D-Glycerol: Preliminary Studies.
PB91-134676 100,268
Phase Equilibria from the One-Fluid Model.
PB91-134585 101,385
Structure of a Stage-3 Cs - Graphite Intercalate.
PB91-134957 100,269
Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392

HANSEN, K.

Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609

HANSEN, P. A.

Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics.
PB91-149955 100,308

HANSFORD, W.

Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709

HANSON, A. G.

Detail Specification for 62.5-mum Core Diameter/125-mum Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.
FIPS PUB 159 100,562

HARARY, H. H.

Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
PB91-194712 100,808
Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 100,796

HARDEN, J. L.

Effect of Long Range Interfacial Forces on the Dynamics of Wetting Layers at a Liquid Vapor Interface.
PB91-189431 100,344

HARDIS, J. E.

Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.
PB92-116771 100,768
Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range.
PB91-148908 101,410

HARDY, S. C.

Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
PB92-126515 101,171

HARFORD, M. Z.

Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba₂(CuO_{0.97}Fe_{0.03})O_{7-x}.
PB91-237545 101,558

HARMAN, G. G.

Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.
PB92-116987 100,825
Cratering.
PB91-203141 100,810

PERSONAL AUTHOR INDEX

- HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766
- HARMAN, J. G.**
Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
- HARNE, D. E.**
Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169
Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.
PB92-112226 101,739
- HARRIMAN, A.**
Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351
Pulse Radiolysis Studies of Organic Electron Transfer Reactions.
PB91-147801 100,285
Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217
- HARRIS, D.**
National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957
National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
PB91-136515 100,958
- HARRIS, J.**
Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.
PB91-158733 101,372
- HARRIS, J. S.**
National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253
- HARRIS, M.**
Collisional Energy Transfer between Excited Sr Atoms.
PB91-204164 101,703
- HARRIS, R. H.**
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3583.
PB92-112473 100,557
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156
- HARRISON, J. C.**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- HARRISON, W. T. A.**
Structures and Properties of New Zeolite X-Type Zincophosphate and Beryllophosphate Molecular Sieves.
PB91-189449 101,081
- HART, H. R.**
Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456
- HARTMAN, A. W.**
Calibration of the NBS 10um Space Beads.
PB91-203422 101,695
Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.
PB92-126655 100,937
Note on the Precision Cementing of Small Optical Components.
PB91-203158 101,428
- HARVEY, A. H.**
Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks.
PB91-162263 101,388
Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors.
PB91-147363 100,277
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319
- HARVEY, T. E.**
Analysis of the YBa2Cu3O7/SrTiO3 Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
YBa2Cu3O7-delta/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518
- HARVILL, K. A.**
Guide to Design, Implementation and Management of Distributed Databases.
PB91-187567 100,648
- HASEGAWA, H.**
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519
Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HPI) Blends.
PB91-162131 100,490
- HASEGAWA, S.**
NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520
- HASHIMOTO, T.**
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519
Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HPI) Blends.
PB91-162131 100,490
- HASTIE, J. W.**
Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa2Cu3Ox.
PB92-117290 100,464
National Bureau of Standards-American Ceramic Society Phase Diagram Data Program.
PB91-158774 101,073
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
- HAYES, W.**
Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment.
PB91-203620 100,159
- HAYNES, L. S.**
Control of Flexible Robot Arm.
PB91-174979 101,032
- HAYNES, W. M.**
Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198
- HAYWARD, E.**
Polarizability of the Photon.
PB91-203166 101,686
- HE, M.**
Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
PB91-162099 100,489
- HE, Y.**
Calculation of Energy of Low-Angle Grain Boundaries.
PB91-134601 101,464
- HE, Y. Z.**
Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331
- HEANEY, M. D.**
Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes.
PB91-174805 100,323
- HEARING, E. D.**
Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2.
PB91-192450 100,356
- HEATH, J.**
Difficulties in Parsing SGML.
PB91-189456 100,650
- HEATLEY, S.**
Validation of an OSI Transport Class 4 Simulator.
PB91-187724 100,568
- HECKMANN, P. H.**
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714
- HEFNER, A. R.**
Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.
PB92-116862 100,822
- HEGEMANN, B. E.**
Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
PB91-203810 101,179
- HEHN, K. E.**
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377
- HEILES, C.**
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
PB91-174920 100,028
- HEILWEIL, E. J.**
Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics.
PB91-149955 100,308
Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111).
PB91-161927 100,314
Population Lifetimes of OH (v= 1) and OD (v= 1) Vibrations in Alcohols, Silanols and Crystalline Micelles.
PB91-174813 100,324
- HEIMANN, P. A.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- HEINKEL, J.**
Gas Analysis Modeling System.
PB91-175299 100,884
- HEINRICH, B.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- HEINZEN, D. J.**
303-MHz Frequency Standard Based on Trapped Be(+) Ions.
PB92-116474 101,722
Observation of Correlations in Finite, Strongly Coupled Ion Plasmas.
PB91-200857 101,678
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
Reply to Comment on 'Quantum Zeno Effect'.
PB91-236828 101,708
Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State.
PB92-116870 101,726
Trapped-Ion Frequency Standards.
N91-25760/0 100,575
- HELBIG, V.**
Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717
- HELLER, E. K.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La2-xSrxCuO4.
PB91-148155 101,472
- HELLINGS, R. W.**
Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
- HELLWIG, H.**
Advances in Science, Emerging Technologies and Global Competition: Opportunities and Challenge.
PB91-203174 100,583
Established Microwave Frequency Standards.
PB91-203182 100,584
- HEMBREE, G. G.**
Calibration of the NBS 10um Space Beads.
PB91-203422 101,695
Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.
PB92-126655 100,937
Dimensional Calibration of an NBS 0.3-mum-Diameter Particle-Sizing Standard.
PB91-203430 101,696
- HENDERSON, R. M.**
New Low-Voltage Standards in the DC to 1-MHz Frequency Range.
PB91-237107 100,738
- HENRY, R. C.**
Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021

PERSONAL AUTHOR INDEX

HSU, S. M.

- HERMAN, M.**
Analysis of Optical Flow Estimation Using Epipolar Plane Images. PB92-112564 100,703
Application of the PIPE Image Processing Machine to Scanning Microscopy. PB91-203190 101,034
Geometric Reasoning for Constructing 3D Scene Descriptions for Images. PB91-237677 100,714
New Approach to Vision and Control for Road Following. PB91-157156 101,743
Real-Time Hierarchical Planning for Multiple Mobile Robots. PB91-158782 101,375
Three Dimensional Reconstruction from Optical Flow Using Temporal Integration. PB92-112507 100,702
Video Compression for Remote Vehicle Driving. PB91-203208 101,035
- HERON, J. T.**
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry. PB91-189860 100,197
- HERRON, J. T.**
Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O. PB92-148071 100,467
Formation and Stability of SF₅ and S₂F₁₀. PB91-174839 100,326
Letter to Editor of Chemical and Engineering News. PB91-174847 100,327
Thermochemistry of Sulfoxides and Sulfones. PB91-174821 100,325
Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures. PB91-158790 100,312
- HERSMAN, F. W.**
Electrofission in the Quasifree and Delta Regions. PB91-147355 101,609
- HESKESTAD, G.**
Sprinkler/Hot Layer Interaction. PB91-206680 100,129
- HESS, B.**
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma). PB91-148726 100,291
- HESTENES, M. R.**
NBS-INA. The Institute for Numerical Analysis. UCLA 1947-1954. PB92-112408 101,264
- HEUMANN, B.**
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma). PB91-148726 100,291
- HEUMANN, K. G.**
Atomic Weights of the Elements 1989. PB92-148212 100,481
Isotopic Compositions of the Elements 1989. PB92-148220 100,482
- HEYLIGER, P.**
Capacitive Array Sensors for Nondestructive Evaluation. PB91-237313 100,947
Resonating-Orthotropic-Cube Method for Elastic Constants. PB91-236794 101,586
- HEYLIGER, P. R.**
Characterization of Capacitive Array for NDE Applications. PB91-237305 100,946
Stress Intensity Factors by Enriched Mixed Finite Elements. PB91-147371 101,577
Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials. PB91-237610 100,948
- HICHO, G. E.**
Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel. PB91-167346 101,150
Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100. PB91-189464 101,156
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel. PB91-167171 101,149
Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions. PB92-108901 101,169
- HIGGINS, P. D.**
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV. PB92-126473 101,445
- HILL, D. A.**
Diffraction by a Half-Plane in a Lossy Medium. PB92-116888 101,437
Generalization of the Cornu Spiral for Lossy Media. PB91-203216 101,687
Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium. PB91-143347 100,722
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz. PB91-185124 100,726
Quasi-Static Analysis of a Two-Wire Transmission Line Located at an Interface. PB91-148734 100,564
- HILL, M.**
Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning. PB91-149419 101,069
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics. PB91-148205 101,474
- HILL, M. D.**
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State. PB91-187369 101,504
- HILL, P. G.**
Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam. PB92-148154 100,475
Unified Fundamental Equation for the Thermodynamic Properties of H₂O. PB91-192534 100,364
- HILL, W. T.**
Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions. PB91-174854 101,415
- HILLS, M. M.**
Chemical Effects of Ne+ Bombardment on the MoS₂(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy. PB91-203471 100,399
- HILLS, R. G.**
Model Validation at the Las Cruces Trench Site. NUREG/CR-5716 101,368
- HIRONAKA, N.**
New Inexpensive Frequency Calibration Service from NIST. PB91-200790 100,580
- HIRSCH, J.**
AI: Does It Have a Place in Building Simulation. PB91-159293 100,063
- HOCKEY, B. J.**
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation. PB91-150045 101,482
Application of Analytical Electron Microscopy to Glass-Bonded Aluminas. PB91-147389 101,060
- HOKMABADI, M. S.**
High-Temperature High-Pressure Raman Spectra from Liquid Water. PB91-195735 100,385
- HOLEMANS, W.**
Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity. PB91-150029 100,041
- HOLLANDER, W. J.**
Gyroscope-Weighing Experiment Revisited -- with a Null Result. PB91-174722 101,630
- HOLLBERG, L.**
CW Dye Lasers. PB92-116896 101,438
Diode Lasers and Their Application to Spectroscopy. PB92-116904 101,439
Modulatable Narrow-Linewidth Semiconductor Lasers. PB91-134106 101,404
- HOLT, D. R.**
Determination of Scattering Parameters with Respect to the Characteristic Impedance of Precision Coaxial Air-Line Standards. PB91-134114 100,770
- HOLUBEC, A.**
Asymptotic Shooting Method for the Solution of Differential Equations. PB91-148742 101,255
- HONG, T. H.**
Analysis of Optical Flow Estimation Using Epipolar Plane Images. PB92-112564 100,703
Real-Time Algorithms and Data Structures for Underwater Mapping. PB91-195354 101,360
Three Dimensional Reconstruction from Optical Flow Using Temporal Integration. PB92-112507 100,702
Video Compression for Remote Vehicle Driving. PB91-203208 101,035
- HOPP, T. H.**
Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms. PB91-167221 101,016
- HORLICK, J.**
Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP). PB91-222646 100,934
- HORN, R. G.**
Analytic Solution for the Three-Layer Multiple Beam Interferometer. PB91-162107 101,007
- HORST, J. A.**
Assembly Code to Compute Sine and Cosine Using the Cordic Algorithm. PB91-143289 100,638
Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine. PB91-231597 101,357
- HORVATH, C.**
Method to Enhance Porosity of Micro-particles. PB91-187328 101,185
- HORVATH, J.**
Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga. PB91-236851 100,420
- HORVATH, V.**
Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration. PB91-147629 101,291
- HOSTETTER, B. J.**
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements. PB91-195107 100,502
- HOULE, M. J.**
Report on 1989 Actions by International Institute of Welding. PB91-134619 101,001
- HOUSTON, J.**
Electronic and Radiometric Characteristics of Near Infrared Photodiodes. PB91-174706 100,752
- HOWARD, C. J.**
High-Resolution Infrared Spectrum of the nu₁ Band of OC1O. PB92-117175 100,463
Spectroscopic Constants for the nu₉ Infrared Band of HNO₃. PB91-189415 100,343
- HOWARD, J.**
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite. PB91-195255 100,380
- HOWARTH, I. D.**
Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars. PB91-149021 100,023
- HOWE, S. E.**
Guide to Available Mathematical Software Problem Classification System. PB91-132175 101,282
- HOWELL, B.**
Morphology of Polymer Films and Single Molecules. PB91-203224 100,506
- HRUSZKEWYCZ, A. M.**
8-Hydroxyguanine Content of Isolated Mitochondria Increases with Lipid Peroxidation. PB91-189472 101,286
- HSIAO, H. Y.**
Study of the Linearity of Transfer Leaks and a Helium Leak Detector. PB91-147272 100,926
- HSU, N. N.**
Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact. PB91-175224 101,584
- HSU, S. M.**
ACTIS: Towards a Comprehensive Tribology Data Base. PB91-174904 101,184
Ceramic Wear Maps. PB91-189498 100,561
Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy. PB91-203810 101,179
Diesel Deposit Forming Tendencies - Microanalysis Methods. PB91-195412 101,178
Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride. PB91-236711 101,180

PERSONAL AUTHOR INDEX

- Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173
- Institute for Materials Science and Engineering, Ceramics: Technical Activities 1990.
PB91-132233 101,057
- Mechanisms of Additive Effectiveness.
PB91-158808 101,172
- Mechanisms of Additive Effectiveness.
PB91-174862 101,174
- Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions.
PB91-189480 101,177
- Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436
- Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175
- Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176
- Surface Oxidation Kinetics of Si₃N₄ - 4% Y₂O₃ Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- HSU, S. T.**
Mechanisms of Additive Effectiveness.
PB91-158808 101,172
- Mechanisms of Additive Effectiveness.
PB91-174862 101,174
- HUANG, C. Y.**
Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
- HUANG, D. X.**
RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.
PB91-236802 100,735
- HUANG, H. M.**
Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357
- HUANG, P. H.**
Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories. NUREG/CR-5711 101,367
- NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520
- Surface Acoustical Wave Spectroscopy for High Humidity Sensing.
PB91-158816 100,843
- HUANG, Z. S.**
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.
PB91-147454 100,279
- HUBBARD, C. R.**
Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction.
PB91-147553 101,061
- RIR - Measurement and Use in Quantitative XRD.
PB91-147397 101,466
- HUBBARD, J. B.**
Mobility Fluctuations and Electrophoretic Light Scattering from Macromolecular Solutions.
PB91-189514 100,345
- Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511
- HUBBELL, J. H.**
Certain Theorems on Bilateral Generating Functions Involving Hermite, Laguerre, and Gegenbauer Polynomials.
PB91-148759 101,256
- Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
- HUBER, J. R.**
Photodissociation of C(I)NO in the S(I) State: A Quantum-Mechanical ab initio Study.
PB91-149260 100,239
- HUBER, M. E.**
Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.
PB91-202929 101,682
- Excess Low-Frequency Flux Noise in dc Squids Incorporating Nb/Al-Oxide/Nb Josephson Junctions.
PB91-236810 100,736
- HUBER, M. L.**
Extension of an Improved One-Fluid Conformal Solution Theory to Real Fluid Mixtures with Large Size Differences.
PB91-147405 100,278
- Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.
PB92-116748 101,199
- HUDGENS, J. W.**
Electronic Spectrum of the GeH₃ Radical.
PB91-189548 100,346
- Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl₂ and CCl₂.
PB91-147645 100,282
- Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl₂ and CCl₂.
PB91-174870 100,328
- HUE, R. E.**
Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261
- HUGGINS, M.**
Abstracts of Daylighting Research.
PB91-206755 100,076
- HUGHES, R. J.**
New Test of Quantum Mechanics: Is Planck's Constant Unique.
PB91-174755 101,632
- HUIE, R. E.**
Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄· Alkanes and Ethers.
PB91-203232 100,394
- Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
- HUMMER, D. G.**
Asymptotic Expansions of the Kernel Functions for Line Formation with Continuous Absorption.
PB91-203240 101,688
- Photospheres of Hot Stars. 4. Spectral Type O4.
PB91-149849 100,025
- HUMPHREYS, J. C.**
Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters.
PB92-116441 101,363
- NIST High-Dose Calibration Services.
PB91-203257 101,689
- Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728
- HUNSTON, D.**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
- Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115
- HUNTER, J. S.**
Design and Analysis of Experiments.
PB91-158824 101,274
- HUNTER, R.**
Document Architecture for Open Systems.
PB91-189522 100,961
- HUNTER, W. G.**
Design and Analysis of Experiments.
PB91-158824 101,274
- HURLE, D. T. J.**
Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Non-linear Theory.
PB91-195743 101,536
- HURLEY, J. A.**
Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.
PB91-162115 100,111
- Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544
- Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitean Collocation) Computer Code.
PB91-222679 101,395
- HURST, W. S.**
Dispersion of the Electronic Contribution to the Third-Order Nonlinear Susceptibility of H₂.
PB91-149138 101,411
- HUST, J. G.**
Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.
PB91-162115 100,111
- Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations.
PB91-149948 101,143
- HUTCHINS, C. F.**
Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.
PB92-123041 101,053
- HUTCHINSON, J. M. R.**
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116789 101,361
- Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608
- HWANG, N. M.**
Processing Bi-Pb-Sr-Ca-Cu-Q Superconductors from Amorphous State.
PB91-187369 101,504
- HYER, C. W.**
Directory of State and Local Government Laboratory Accreditation/Designation Programs.
PB92-108968 100,174
- HYLAND, R. W.**
NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520
- HYSLOP, P. A.**
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312
- ICHIMURA, A.**
Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.
PB90-244682 100,264
- INGEL, R. P.**
Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
PB91-148767 101,065
- INGHAM, H.**
Thermophysical Properties of Ethane.
PB92-110188 100,447
- INGUSCIO, M.**
Accurate Frequency of the 119 μm Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy.
PB91-134130 101,405
- INN, K. G. W.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- IP, U. S.**
Investigation of Simulated Oil-Well Blowout Fires.
PB91-144337 101,356
- IRACANE, D.**
Model for the Non-Perturbative QCD (Quantum Chromodynamics) Vacuum.
PB91-194407 101,661
- IRWIN, R. B.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- ISHIDA, T.**
Fundamental and Harmonic Susceptibilities of YBa₂Cu₃O_{7-δ}.
PB91-134148 101,458
- ISHII, K.**
Spectral Data and Grotian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
- ITANO, W. M.**
303-MHz Frequency Standard Based on Trapped Be(+) Ions.
PB92-116474 101,722
- Observation of Correlations in Finite, Strongly Coupled Ion Plasmas.
PB91-200857 101,678
- Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
- Quantum Optics of Single, Trapped Ions.
PB91-162123 101,628
- Reply to Comment on 'Quantum Zeno Effect'.
PB91-236828 101,708
- Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State.
PB92-116870 101,726
- Trapped-Ion Frequency Standards.
N91-25760/0 100,575
- ITIKAWA, Y.**
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263
- Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.
PB90-244682 100,264
- IVES, L. K.**
Literature Review of the Galling Process.
PB91-134551 101,208
- Method for Quantitative Measurement of Galling Damage.
PB91-159269 101,183
- Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147

PERSONAL AUTHOR INDEX

JOLIE, J.

- Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
- IYENGAR, G. V.**
Dietary Collection Procedures.
PB91-147413 101,317
Practical Constraints in Monitoring Micronutrient Intake.
PB91-147421 101,318
- IYER, H.**
Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945
- IZUMITANI, T.**
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-*ran*-butadiene)/Polybutadiene Blends.
PB92-112724 100,519
- JACH, T.**
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
- JACH, T. J.**
Instrumentation of X-ray Beam Lines with PIN Diode Detectors.
PB91-174888 101,633
- JACKSON, J. H.**
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312
- JACKSON, R. H. F.**
Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications.
PB91-148775 101,266
State-of-the-Art of Computational Testing of Mathematical Programming Algorithms.
PB91-174896 101,268
- JACOB, I.**
Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100).
PB91-237420 101,555
- JACOBS, J. A.**
National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253
- JACOBSEN, R. T.**
Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.
PB92-148147 100,474
- JACOX, M. E.**
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
AD-A234 043/8 100,245
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
PB91-203273 100,395
Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.
PB91-192575 100,367
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N₄(+).
AD-A228 082/4 100,243
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. NO(+), NO(-), ONNO(+), and aNd ONNO(-).
AD-A230 957/3 100,244
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. NO(1+), NO(1-), ONNO(1+), and ONNO(1-).
PB91-149914 100,307
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. N₂O(1+) and NNO2(1-).
PB91-149906 100,306
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(-).
AD-A238 415/4 100,249
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(1-).
PB91-236836 100,419
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO₂(+), C₂O₂(+), and C₂O₂(-).
AD-A239 729/7 100,250
- JAFAR, S. A.**
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.
PB92-148105 100,470
- JAHAHMIR, S.**
ACTIS: Towards a Comprehensive Tribology Data Base.
PB91-174904 101,184
Numeric Database for Tribology: Format and Application Issues.
PB91-203943 101,045
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
- JAKUS, K.**
Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 101,127
- JAMES, C. R.**
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs.
PB92-110295 100,763
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments.
PB92-110303 100,764
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.
PB92-110311 100,765
Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.
PB91-236729 101,549
- JANEZIC, M. D.**
Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity.
PB91-236844 100,858
- JASON, N. H.**
Building and Fire Research Laboratory Publications, 1990.
PB91-187807 100,122
FIREDOC Users Manual, 2nd Edition.
PB91-178830 100,547
International Fire Detection Bibliography, 1975-1990.
PB92-109156 100,088
Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989.
PB92-109164 100,166
Summaries of BFRL Fire Research In-House Projects and Grants, 1991.
PB92-112218 100,168
- JEANNERET, B.**
Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547
- JECKELMANN, B. M.**
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- JEFFERIES, S.**
Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944
- JEFFERSON, D. K.**
Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS).
PB91-158832 101,339
Use of the IRDS Standard in CALS (Revised).
PB91-132209 100,684
- JEFFERTS, S. R.**
Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sup<-sup>->) (3)He + (4)He(+).
PB91-149245 101,618
- JEMIAN, P. R.**
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
- JENNINGS, D. A.**
Accurate Frequency of the 119 mu m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy.
PB91-134130 101,405
Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423
- JENNINGS, H.**
Techniques to Observe the Fracture Zone in Mortar and Concrete.
PB91-134189 100,521
- JENNINGS, H. M.**
Computer Simulated Hydration of a Cement Model.
PB91-162149 100,112
Design of High Strength Cement-Based Materials. Part 2. Microstructure.
PB91-147439 100,099
Towards Computer-Based Microstructure Models for Cement-Based Systems.
PB91-158840 101,074
- JEWETT, K. L.**
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181
Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
- PB91-189407 101,176
- JIANG, M.**
Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
PB91-162099 100,489
- JIN, G. X.**
Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.
PB91-237578 100,233
- JIN, M. F.**
Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Non-lybenzophenone Oxime.
PB91-148783 100,292
- JINNAI, H.**
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HPI) Blends.
PB91-162131 100,450
- JIRSA, J. O.**
Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD., USA, on May 12-14, 1990.
PB91-184846 100,145
- JOHANSSON, M. E.**
YBa₂Cu₃O₇-delta/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518
- JOHNSON, B. C.**
NIST-NRL Free-Electron Laser.
AD-A227 310/0 101,399
- JOHNSON, C.**
Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115
- JOHNSON, K. B.**
Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
- JOHNSON, L. A.**
Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction.
PB91-147553 101,061
- JOHNSON, R. D.**
Electronic Spectrum of the GeH₃ Radical.
PB91-189548 100,346
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- JOHNSON, R. G.**
Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.
AD-A207 806/1 101,398
NIST-NRL Free-Electron Laser.
AD-A227 310/0 101,399
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- JOHNSON, S. K.**
Computer Simulated Hydration of a Cement Model.
PB91-162149 100,112
- JOHNSON, W. C.**
Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227
- JOHNSON, W. L.**
Advanced Sensing of Materials Processing.
PB92-117423 100,949
- JOHNSTON, A. D.**
Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735 100,053
Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer.
PB91-158691 100,043
Protective Coatings for Tooth Crowns.
PB91-189555 100,047
- JOHNSTON, A. H.**
Characteristics of the Breakdown Voltage of Power MOS-FETs After Total Dose Irradiation.
PB91-149062 100,793
- JOKLIK, R.**
Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.
PB91-236851 100,420
- JOLIE, J.**
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.

PERSONAL AUTHOR INDEX

- PB91-189753 101,656
- JONES, A.**
Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing.
PB91-203299 100,987
- JONES, J. A.**
Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640
- JONES, M. A.**
Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823
- JONES, M. C.**
Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media.
PB91-147868 101,407
- JONES, S. A.**
Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
PB92-116938 101,241
- JONES, W. W.**
Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.
PB91-144436 100,096
Refinement of a Model for Fire Growth and Smoke Transport.
PB91-148510 100,104
- JORDAN, T. H.**
Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
PB91-187666 101,314
- JOSEPH, J. P.**
Opportunities for Innovation: Chemical and Biological Sensors.
PB92-127315 100,214
- JOSHI, A. A.**
Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.
PB92-112556 100,136
- JOSHI, J. B.**
Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300
Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426
- JOSHI, Y. N.**
5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)nl) Transitions in Sb III.
PB91-200816 101,676
- JOVANOVIC, S. V.**
Antioxidation Mechanisms of Uric Acid.
PB91-237347 100,222
Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.
PB91-147447 100,216
- JOYCE, S. A.**
Electron Attenuation Lengths at SiO₂/Si Interfaces.
PB91-175612 101,499
- JUCKS, K. W.**
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.
PB91-147454 100,279
- JUDGE, P. G.**
Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027
- JULIENNE, P. S.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra.
PB91-203307 101,690
- JUNG, D.**
Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200
- JUNG, D. S.**
Study of Flow Boiling Heat Transfer with Refrigerant Mixtures.
PB91-189563 101,196
- JUNTILA, M. L.**
Molecular-Beam Optothermal Spectroscopy of the 9.6 μm nu14.
PB91-236869 100,421
- JURRENS, K. K.**
Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series.
PB92-112523 100,970
- KACKER, R. N.**
Taguchi's Orthogonal Arrays Are Classical Designs of Experiments.
PB92-126671 101,280
- KAETZEL, L. J.**
Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer.
PB91-148528 100,524
Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.
PB91-240804 100,532
- KAFABI, S. A.**
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annulated Rings.
PB91-195065 100,375
Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431
- KAHANER, D.**
Algorithm and Computer Program for the Calculation of Envelope Curves.
PB91-158972 101,414
- KAHANER, D. K.**
DEOSOL and ELLPACK: Problem-Solving Environments for Partial Differential Equations.
PB91-174441 100,645
Guide to Available Mathematical Software Problem Classification System.
PB91-132175 101,282
VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.
PB91-185108 100,647
- KAHN, A. H.**
Advanced Sensing of Materials Processing.
PB92-117423 100,949
- KAHORA, P.**
Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 101,471
- KAJISER, P.**
Document Architecture for Open Systems.
PB91-189522 100,961
- KAILEY, J. B.**
Programming Languages and Database Language SOL. Validated Processor List Including GOSIP Conformance Testing Registers.
PB91-187716 100,649
- KAISER, D. L.**
Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O_{7-x}.
PB91-237552 101,559
- KAMITAKAHARA, W. A.**
Neutron Measurements of Intramolecular Vibrational Modes in C60.
PB92-116540 101,055
- KAMMER, R. G.**
Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies.
PB92-126697 100,013
- KANDA, M.**
Estimation of Electromagnetic Fields in Complex Environments.
PB91-203315 101,691
Lattice Approach to Environments Irradiated by Unknown Sources.
PB91-175356 100,850
Microstrip Patch Antenna as a Standard Transmitting and Receiving Antenna.
PB91-162156 100,591
Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.
PB91-162206 100,750
- KANEI, A.**
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
- KANIA, D. R.**
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
- KAO, J. Y.**
Direct Digital Control Based Building Automation System Design Criteria.
PB91-216614 100,091
Guide Specification for Direct Digital Control Based Building Automation System.
PB91-216697 100,092
Variable Air Volume System Design Guide.
PB91-216655 100,077
- KARAM, L. R.**
Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325
Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290
- KAREN, V. L.**
NIST*LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version.
PB92-108877 101,561
- KARNI, M.**
Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.
PB92-148089 100,468
- KARPAS, Z.**
Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde.
PB91-147470 100,280
- KASHANI, A.**
SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923
- KATHREN, R. L.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- KATZ, J. L.**
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050
- KATZ, S.**
STEP On-Line Information Service User's Guide. National PDES Testbed Report Series.
PB91-157123 100,950
- KATZ, S. B.**
Configuration Management Concepts Document. National PDES Testbed Report Series.
PB91-194480 100,984
Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series.
PB91-222620 100,968
- KAUFMAN, M. J.**
Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking.
PB91-149047 101,133
Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
PB92-116938 101,241
- KAUFMAN, V.**
5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)nl) Transitions in Sb III.
PB91-200816 101,676
Extreme-Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma.
PB91-237495 101,712
Quantum Electrodynamical Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions.
PB91-189597 101,653
Spectra of the P I Isoelectronic Sequence from Co XIII to Kr XXVIII.
PB91-237503 101,713
Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX).
PB91-195511 101,673
Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).
PB92-148121 100,472
Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442
- KAUTZ, R. L.**
Global Stability of the Chaotic State Near an Interior Crisis.
PB91-147496 101,611
High Speed Superconducting A/D Converter.
PB91-148700 100,731
Noise-Affected I-V Curves in Small Hysteretic Josephson Junctions.
PB91-174912 100,782
- KAWAI, H.**
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
PB91-134684 100,837
- KAWAMURA, H.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- KAYSER, R. F.**
Effect of Long Range Interfacial Forces on the Dynamics of Wetting Layers at a Liquid Vapor Interface.
PB91-189431 100,344
Wetting Layers on Solid Substrates.
PB91-158857 100,313

- KAZMERSKI, L.**
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
- KEANE, C. J.**
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
- KEARSLEY, A. J.**
Merit Function for Inequality Constrained Nonlinear Programming Problems.
PB92-116318 101,271
- KEDZIERSKI, M. A.**
Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components.
PB91-162164 100,225
- KEENAN, J.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- KEERY, W. J.**
Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828
- KELLEHER, D. E.**
Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory.
PB91-147504 101,442
- KELLEY, E. F.**
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
PB91-134684 100,837
- KELLEY, M. H.**
Uses of Spin-Polarised Electrons in Fundamental Electron-Atom Collision Processes and the Analysis of Magnetic Microstructures.
PB91-162172 101,490
- KELLEY, R. D.**
Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300
Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301
- KELLY, E.**
Proceedings of Cable '89 Workshop.
PB91-161943 100,773
- KELLY, G. E.**
Rule-Based Diagnostic Method for HVAC Fault Detection.
PB91-194936 100,072
Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894
- KELLY, J. F.**
Collisional Energy Transfer between Excited Sr Atoms.
PB91-204164 101,703
In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068
- KELLY, R. M.**
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
- KELLY, W. R.**
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908
- KEMMERER, S. J.**
NIST Support of the CALS Program: 1990 Synopsis.
PB91-193821 101,347
- KENDELEWICZ, T.**
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- KENNEDY, P. E.**
Building-in Reliability: Making It Work.
PB91-203992 100,812
- KENNEDY, T. A.**
Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn.
PB91-195578 101,532
- KESHAVARZANIA, N. R.**
Fe Implantation in In_{0.53}Ga_{0.47}As/InP.
PB91-189969 101,516
- KESSLER, E. G.**
Determination of the Neutron Mass and Implications for Fundamental Constants.
PB91-148692 101,615
- KESTIN, J.**
Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.
PB91-192526 100,363
Thermal Conductivity of Nine Polyatomic Gases at Low Density.
PB91-192492 100,360
- KEYSER, P. T.**
Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance.
PB91-175380 101,639
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- KHAN, H. M.**
Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.
PB92-116961 101,364
Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728
- KHERA, D.**
Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824
Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
- KIKUCHI, R.**
Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388
Phase Diagrams of Hexagonal Binary Ordering Alloys with Anisotropic Interactions.
PB91-147512 101,211
- KILMER, R.**
Control System Architecture for Unmanned Ground Vehicles.
PB91-134726 101,379
- KIM, B. F.**
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
- KIM, C. I.**
Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).
PB91-143297 100,094
Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.
PB92-112531 100,170
- KIM, H.**
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422
- KIM, O.**
Validation of an OSI Transport Class 4 Simulator.
PB91-187724 100,568
- KIM, S.**
Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides.
PB91-134262 101,460
- KIM, S. A.**
Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor.
PB91-134270 101,461
- KIM, W.**
Electrofission in the Ouasifree and Delta Regions.
PB91-147355 101,609
- KIM, Y. K.**
Electric Quadrupole and Magnetic Dipole Transition Probabilities in Potassium Isoelectronic Sequence.
PB91-187088 101,646
Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions.
PB91-190033 101,658
Quantum Electrodynamical Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions.
PB91-189597 101,653
Relativistic and Correlation Effects in the 2s3p Configuration of Beryllium-Like Ions.
PB91-189605 101,654
Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions.
PB91-195503 101,672
- KINARD, J. R.**
AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations.
PB91-236893 100,737
RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.
PB91-236802 100,735
- KING, D. S.**
Laser Induced Desorption of Molecules from Surfaces.
PB91-147066 100,235
Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics.
PB91-203331 100,397
Photodissociation Dynamics of Mo(CO)₆ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413
Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si (111).
PB91-162289 100,320
Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
PB91-202846 100,387
- KINGSTON, M. L.**
NIST Serial Holdings, 1991.
PB91-171330 100,960
- KINNEY, P. D.**
Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
- KIRCHNER, P. D.**
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation.
PB91-150045 101,482
- KIRCHNER, S.**
Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri.
PB91-240747 100,082
- KIRKLIN, D. R.**
Energy of Combustion of Triphenylphosphate.
PB91-189613 100,347
- KISSICK, W. A.**
Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method.
PB91-161919 100,844
- KITCHING, I. D.**
Frequency and Time Stability of GPS and GLONASS Clocks.
PB91-202937 100,582
- KLAUS, E. E.**
Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions.
PB91-189480 101,177
Study of Additive Response in a Series of Rerefined Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175
- KLAVINS, P.**
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd₂Sn and ErPd₂Sn.
PB91-194902 101,525
- KLEIN, R.**
Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 868/7 100,234
Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.
AD-A227 836/4 100,744
Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179
- KLEM, J. F.**
Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827
- KLEMPERER, W. K.**
Quantifying Standard Performance of Electromagnetic-Based Mine Detectors.
PB92-116292 101,378
- KLEPCZYNSKI, W. J.**
GPS Time Transfer with Implementation of Selective Availability.
N91-25766/7 100,576
- KLOTE, J. H.**
General Routine for Analysis of Stack Effect.
PB91-231589 100,163
- KNAB, L. I.**
Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes.
PB91-187690 101,138
Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete.
PB91-189621 100,530
Techniques to Observe the Fracture Zone in Mortar and Concrete.
PB91-134189 100,521
Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.
PB92-116300 100,533

PERSONAL AUTHOR INDEX

- KOCH, W. F.**
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths. PB91-237859 100,438
NIST Standards for Sodium and Potassium. PB91-158865 100,191
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions. PB91-187658 100,339
Research at NBS in Direct Potentiometric Measurements in Blood. PB91-148874 100,188
Second Dissociation Constant and pH of N-2-hydroxyethyl-piperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C. PB91-189282 100,196
- KOCK, M.**
Unified Set of Atomic Transition Probabilities for Neutral Argon. PB91-237768 101,717
- KOEHLER, R.**
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments. PB92-110303 100,764
- KOEHLER, T. L.**
Design and Analysis of Experiments. PB91-158824 101,274
- KOENIG, J. A.**
Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2. PB92-112549 100,171
Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991. PB92-112416 101,022
- KOEPKE, G. H.**
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer. PB91-134239 100,724
- KOHLER, R.**
Generalized Photodiode Self-Calibration Formula. PB91-236901 100,760
- KOHN, G.**
Dynamic Arc-Power Source Response in GMA Welding. PB91-149278 101,002
- KOLOS, R. M.**
Pozzolan Programs of the Cement and Concrete Reference Laboratory. PB91-149922 100,525
- KONJEVIC, N.**
Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms: A Critical Review of Selected Data for the Period 1983 through 1988. PB91-192567 101,659
- KOO, B. C.**
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80. PB91-174920 100,028
- KOPANSKI, J. J.**
Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits. PB92-116987 100,825
High Spatial Resolution Mapping of Semiconductor Resistivity. PB91-194829 100,809
Permittivity Measurements on Molecular-Sized Samples. PB91-159244 100,800
Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers. PB91-147520 100,788
- KORDE, R.**
Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications. PB91-203349 100,757
- KORSZUN, Z. R.**
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds. PB91-195719 100,230
- KORZUN, Z. R.**
Low-Cost Low-Volume Carrier (Minitab) for Biotechnology and Fluids Experiments in Low Gravity. PB91-150029 100,041
- KOSMAS, M. K.**
Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple epsilon-Perturbation Theory. PB92-116698 100,517
- KOSTER, B. J.**
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol. PB91-184796 101,374
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents. PB91-149237 101,377
- KOSTKOWSKI, H. J.**
Roughened Quartz Surfaces and Teflon as Small-Angle Diffrusers and Depolarizers between 200 and 400 nm. PB91-195644 101,425
- KOTHARI, K. M.**
Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter. PB91-148031 101,387
Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients. PB91-148791 100,881
- KOVAL, C. A.**
Overview of Facilitated Transport Membrane Systems. PB91-175463 100,228
- KRAKA, E.**
Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene. PB91-236737 100,417
- KRAMER, T. R.**
Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine. PB91-174938 100,980
Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP. PB91-194449 100,983
Parser That Converts a Boundary Representation into a Features Representation. PB91-203356 100,988
- KRANBUHL, D.**
Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models. PB91-203364 100,507
- KRAUSE, R. F.**
Effect of Slag Penetration on the Performance of Magnesite Chromite Refractories in Slagging Gasifiers. PB91-134940 100,875
Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams. PB92-116995 101,099
- KRAUSE, S.**
Residual Defects in SIMOX: Threading Dislocations and Pipes. PB92-117233 100,829
Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX. PB92-116607 100,820
- KRAUSS, M.**
Hydrogen Bonding in Pt Ammine Complexes. PB91-189639 100,348
Theoretical Model of Metal Binding Sites in Proteins. PB91-194837 100,370
- KRAUSS, R.**
Transport Properties of Fluid Oxygen. PB91-192484 100,359
- KREIDER, K. G.**
Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories. NUREG/CR-5711 101,367
Comparison of Amorphous and Quasicrystalline Films of Sputtered Al_{0.72}Mn_{0.22}Si_{0.06}. PB91-195552 101,530
Instability in pH Measurements of Sputtered IrO₂ Films. PB91-147538 100,281
Sputtered Thin Film YBa₂Cu₃O_n. PB91-189647 101,509
Transparent Thin Film Thermocouple. PB91-190116 100,783
- KREINER, W. A.**
Optothermal-Detected Microwave-Sideband CO₂-Laser Spectroscopy of Ar-NH₃. PB91-236679 100,416
- KREMER, D. P.**
Alignment Fixture for Millimeter Waveguide. PB91-236919 100,727
- KRIZ, R. D.**
Effect of a Free Surface on Stress Distribution in a Bimaterial Composite. PB91-185116 101,121
Improved Optical Diffraction Strain Measurement System. PB91-174433 101,581
Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension. PB91-162180 101,118
Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites. PB91-174946 101,120
Stress Intensity Factors by Enriched Mixed Finite Elements. PB91-147371 101,577
- KROCKEL, H.**
Factual Materials Databanks - The Need for Standards. PB91-147546 101,249
- KROLL, C. M.**
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation. PB91-150045 101,482
- KRUEGER, S.**
Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering. PB92-117001 101,100
Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering. PB92-117043 101,101
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies. PB91-175075 101,077
- KRUEGER, S. T.**
Small Angle Neutron Scattering Characterization of Microporous Silica. PB91-203489 101,089
- KRUGER, J.**
Structure of Surface Films on Magnesium and on Magnesium Alloys. PB91-147637 101,212
Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity. PB91-194951 100,372
Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes. PB92-117035 100,460
- KU, C. S.**
Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy. PB91-203810 101,179
Mechanisms of Additive Effectiveness. PB91-158808 101,172
Mechanisms of Additive Effectiveness. PB91-174862 101,174
Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice. PB91-174953 101,175
- KU, H. H.**
Experimentation and Measurement. PB91-203372 101,692
Uncertainty and Accuracy in Physical Measurements. PB91-167205 101,629
- KUBOTA, T.**
Species Produced in Fires Burning in Two-Layered and Homogeneous Vitrified Environments. PB91-157180 100,542
- KUCHINSKI, M. A.**
Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction. PB91-147553 101,061
- KUENTZLER, R.**
Structural Instabilities and Superconductivity in Quasi-Binary MnSi₃-Type Compounds. PB91-149427 101,215
- KUHL, K.**
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma). PB91-148726 100,291
- KUHN, D. R.**
Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991. PB92-109040 100,667
Static Analysis Tools for Software Security Certification. PB91-203380 100,710
- KULKARNI, A. K.**
Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990). PB91-143297 100,094
Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness. PB92-112531 100,170
- KULKARNI, S. V.**
Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge. PB91-134213 100,835
- KUNZ, C.**
Resonant Photoemission and PSD of Rare Earth Oxides. PB91-148015 100,287
- KUO, C. H.**
Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990). PB91-143297 100,094
Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness. PB92-112531 100,170
- KUO, J. M.**
Fe Implantation in In_{0.53}Ga_{0.47}As/InP. PB91-189969 101,516
- KURATOR, W. G.**
Gas Analysis Modeling System. PB91-175299 100,884

PERSONAL AUTHOR INDEX

LEFEBVRE, S.

- KURIYAMA, M.**
Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation.
PB91-189654 101,510
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
Streaking Images That Appear Only in the Plane of Diffraction in Undoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation.
PB91-189662 101,511
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
- KURTZ, R. L.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La₂-xSr_xCuO₄.
PB91-189670 101,512
- KURYIO, M. J.**
Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330
- KUSUDA, T.**
Design Heat Loss Factors for Basement and Slab Floors.
PB91-147561 100,059
Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888
- KUYATT, C. E.**
Center for Radiation Research. 1990 Technical Activities.
PB91-178855 101,362
- KWOK, S.**
Energy Distributions of Symbiotic Novae.
PB91-200873 100,032
Evolution of Infrared Carbon Stars.
PB91-202861 100,033
- LADBURY, J. M.**
Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
PB92-116656 100,776
- LAESECKE, A.**
Transport Properties of Fluid Oxygen.
PB91-192484 100,359
- LAFFERTY, W. J.**
High-Resolution Infrared Spectrum of the nu₁ Band of OC₁O.
PB92-117175 100,463
Rovibrational Analysis of the nu₇(1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.
PB91-147454 100,279
- LAGERGREN, E. S.**
Taguchi's Orthogonal Arrays Are Classical Designs of Experiments.
PB92-126671 101,280
- LAHER, R. R.**
Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.
PB92-148097 100,469
Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.
PB90-244591 100,256
- LAKDAWALA, V. K.**
Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge.
PB91-134213 100,835
- LAL, R.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- LAMAZE, G. P.**
Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field.
PB91-203398 101,693
Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum.
PB91-203406 101,694
- LANGLAND, J. K.**
Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.
PB91-162198 100,192
- LANNIN, J. S.**
Neutron Measurements of Intramolecular Vibrational Modes in C60.
PB92-116540 101,055
- LAOR, U.**
Streaking Images That Appear Only in the Plane of Diffraction in Undoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation.
PB91-189662 101,511
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
- LARRABEE, R. D.**
Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828
- LARSEN, E. B.**
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-188124 100,726
- LARSON, D.**
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
- LARSON, D.**
Streaking Images That Appear Only in the Plane of Diffraction in Undoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation.
PB91-189662 101,511
- LARSON, D. R.**
Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides.
PB91-194845 100,756
Integrated-Optic Waveguide Glass Lasers.
PB91-203976 100,758
Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors.
PB91-175141 101,416
- LARSON, T.**
Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545
- LASCOLA, R.**
Structural Dependence of HF Vibrational Red Shifts in ArnHF, n = 1-4, via High-Resolution Slit Jet Infrared Spectroscopy.
PB91-203562 100,401
- LASHMORE, D.**
Surface Properties and Coatings of Materials Microtailored Alloys.
PB91-189696 101,232
- LATHABAI, S.**
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092
Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093
- LAUFER, A. H.**
Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen.
PB91-203018 100,391
- LAVILLA, R. E.**
Anomalous Lgamma_{2,3} X-ray Emission Spectrum of Xe.
PB91-195289 101,670
Anomalous Th M3O1 X-ray Emission Spectrum of ThO₂.
PB91-195297 100,381
Many Electron Effects in Lgamma_{2,3} X-ray Emission Spectroscopy Spectrum of BaO.
PB91-195305 100,382
Many-Electron Effects in Lgamma_{2,3} XES Spectra from Rare Earth Elements.
PB91-195313 100,383
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
- LAWN, B. R.**
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092
Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093
Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics.
PB91-189704 101,082
In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068
- Strength and Microstructure of Ceramics.
AD-A243 049/4 101,056
- LAWRENCE, S.**
Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487
- LE-TRAN, T. T.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- LEA, J. S.**
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- LEAKE, S.**
Robot Sensor Language.
PB91-174961 101,031
- LECHNER, J. A.**
Estimators for Censored (Log)Normal Samples.
PB91-203414 101,277
- LEDBETTER, H.**
Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides.
PB91-134262 101,460
Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.
PB91-194852 101,234
Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach.
PB91-194878 101,123
Group and Phase Sound Velocities in an Eu₁Ba₂Cu₃O₇ Superconductor and Related Perovskite Oxides.
PB91-194860 101,523
Madelung Potentials and Valences in the Y₁Ba₂Cu₃O₇ Superconductor.
PB91-134254 101,459
Mechanical Loss in a Glass-Epoxy Composite.
PB91-149435 101,070
Oxides and Oxide Superconductors: Elastic and Related Properties.
PB92-112333 101,563
Resonating-Orthotropic-Cube Method for Elastic Constants.
PB91-236794 101,586
- LEDBETTER, H. M.**
Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor.
PB91-134270 101,461
- LEDFOED, A. E.**
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
MSW Calorimetry.
PB91-133942 100,878
- LEE, A.**
Effect of Crosslink Density on Physical Aging of Epoxy Networks.
PB91-189712 101,244
Physical Aging and the Viscoelastic Response of Network Glasses.
PB91-189829 101,246
Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments.
PB91-189720 101,245
- LEE, C.**
Mare Island Flexible Manufacturing Workstation.
PB92-117027 100,996
- LEE, C. H.**
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791
- LEE, H. M.**
Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165
- LEE, J. D.**
Control of Flexible Robot Arm.
PB91-174979 101,032
Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.
PB91-174557 101,494
Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037
- LEE, K.**
Mare Island Flexible Manufacturing Workstation.
PB92-117027 100,996
- LEE, Y. T.**
Apparel STEP Translator.
PB91-216663 100,967
- LEFEBVRE, S.**
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.
PB91-174771 101,226

PERSONAL AUTHOR INDEX

- LEI, M.**
Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides.
PB91-134262 101,460
Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach.
PB91-194878 101,123
Modeling Potentials and Valences in the Y1Ba2Cu3O7 Superconductor.
PB91-134254 101,459
Oxides and Oxide Superconductors: Elastic and Related Properties.
PB92-112333 101,563
- LENAERS, G.**
Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
- LENNON, E.**
Computer Security: Selected Articles.
PB91-187740 100,706
National Computer Systems Laboratory Annual Report, 1990.
PB91-201822 100,603
- LEONE, S. R.**
Diode Laser Probing of $I^*((2)P_{1/2})$ Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath.
PB91-150052 100,310
General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy.
PB91-148935 100,302
Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba(+) in Ar: Moment Analysis and a Direct Measure of Skewness.
PB91-149005 100,298
Multireference-Configuration Interaction (MR-CI) Calculations on HS(2+) and Experimental Observation via Electron Impact Ionization of H2S.
PB91-148924 100,295
Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry.
PB91-148809 100,237
Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.
PB91-149294 101,477
- LEOPOLD, K. R.**
Rotational Spectrum and Structure of the Complex Ar-CH3CN.
PB91-236661 100,415
- LEPEK, A.**
Israel's New Synchronized Time Scale, UTC(INPL).
PB91-134593 100,577
- LETT, P. D.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
Effects of Colored Pump Noise on Intensity Correlations of a Single Mode Dye Laser.
PB91-189738 101,423
Observation of Atoms Laser-Cooled Below the Doppler Limit.
PB91-189746 101,655
Observation of Atoms Laser Cooled Below the Doppler Limit.
PB91-195453 101,671
Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen.
PB91-194886 101,663
- LETTIERI, T. R.**
Calibration of the NBS 10μm Space Beads.
PB91-203422 101,695
Dimensional Calibration of an NBS 0.3-μm-Diameter Particle-Sizing Standard.
PB91-203430 101,696
Light-Scattering Measurement of the RMS Slopes of Rough Surfaces.
PB92-116532 101,436
NBS Submicron Particle Standards for Microcontamination Measurement.
PB91-158873 100,798
Optical Levitation of Single Particles.
PB91-174987 101,634
- LEUBNER, C.**
Explicit Mapping of the Set of Dynamical Symmetries onto the Set of Equivalent Lagrangians for Systems with One Degree of Freedom.
PB91-158861 101,622
- LEUNG, H. O.**
Microwave Spectrum and Molecular Structure of the N2-H2O Complex.
PB91-203448 100,398
- LEUSCHNER, M.**
Electrodiffusion in the Quasifree and Delta Regions.
PB91-147355 101,609
- LEVAN, S. L.**
Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.
PB91-203794 100,548
- LEVELT SENGERS, J. M. H.**
Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors.
PB91-147363 100,277
Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States.
PB91-189381 100,342
Phase Transitions.
PB91-162073 100,318
Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.
PB90-244708 101,402
Thermodynamic Properties of Aqueous Solutions at High Temperatures; Needs, Methods, and Challenges.
PB91-204065 100,410
Thermodynamics of Solutions Near the Solvent's Critical Point.
PB91-237297 100,232
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319
- LEVIN, B.**
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156
- LEVIN, B. C.**
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.
PB92-112473 100,557
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140
- LEVINE, J.**
New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580
Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 100,581
Synchronizing Computer Clocks Using a Local Area Network.
N91-25793/1 100,596
- LEVINE, R. S.**
Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.
PB92-108935 101,376
- LEW, H. S.**
Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149
- LEWANDOWSKI, W.**
Precise Ephemerides for GPS Time Transfer.
PB91-236950 100,586
- LEWANDOWSKI, W. W.**
GPS Time Transfer with Implementation of Selective Availability.
N91-25766/7 100,576
- LEWIS, D. F.**
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326
- LEWIS, M. A.**
Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397
Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations.
PB91-147025 100,880
- LEWIS, R. L.**
General Technique to Correct Probe Position Errors in Planar Near-Field Measurements to Arbitrary Accuracy.
PB91-207073 100,728
Personal Computer Codes for Analysis of Planar Near Fields.
PB92-112283 100,730
- LI, F.**
Neutron Measurements of Intramolecular Vibrational Modes in C60.
PB92-116540 101,055
- LI, W. H.**
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd2Sn and ErPd2Sn.
PB91-194902 101,525
Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RBA2Cu3O6+ x.
- LI, X.**
Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
PB91-187682 100,567
- LI, Y.**
Possible 'Proximity Matrix' Route to High Current Conductors.
PB91-148932 101,476
Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170
- LI, Z. Y.**
Antiferromagnetic Order of Cu in Sm2CuO4.
PB92-117340 101,569
Phonon Density of States and Superconductivity in Nd1.85Ce0.15CuO4.
PB91-189787 101,514
- LIANG, J. H.**
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366
- LIAS, S. G.**
Concerning the Formation and the Kinetics of Phenylum Ions.
PB91-187138 100,336
Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384
- LIBES, D.**
Choosing a Name for Your Computer.
PB91-158899 100,600
Clock for the Manufacturing Systems Integration Testbed.
PB92-108885 100,992
UNIX in the Government's Automated Manufacturing Research Facility (AMRF).
PB91-147579 100,963
- LICITRA, B. A.**
Calibration at 24°C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates.
PB91-206730 100,933
Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.
PB91-187278 100,121
- LIDE, D. L.**
Journal of Physical and Chemical Reference Data, Volume 20, Number 6, November/December 1991.
PB92-148162 100,476
- LIDE, D. R.**
Critical Data in Physics and Chemistry.
PB91-203455 101,697
Journal of Physical and Chemical Reference Data, Volume 19, Number 2, 1990.
PB90-244609 100,257
Journal of Physical and Chemical Reference Data, Volume 19, Number 3, 1990.
PB90-244658 100,262
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354
Journal of Physical and Chemical Reference Data, Volume 19, Number 5, September-October 1990.
PB91-192476 100,358
Journal of Physical and Chemical Reference Data, Volume 19, Number 6, November-December 1990.
PB91-192542 100,365
Journal of Physical and Chemical Reference Data, Volume 20, Number 1, 1991.
PB92-110113 100,440
Journal of Physical and Chemical Reference Data, Volume 20, Number 2, March-April 1991.
PB92-110162 100,445
Journal of Physical and Chemical Reference Data, Volume 20, Number 3, May-June 1991.
PB92-110212 100,449
Journal of Physical and Chemical Reference Data, Volume 20, Number 4, July/August 1991.
PB92-148063 100,466
Journal of Physical and Chemical Reference Data, Volume 20, Number 5, September/October 1991.
PB92-148113 100,471
- LIEB, K. P.**
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656
- LIEBERMAN, A. G.**
Capacitance versus Stylus Measurements of Surface Roughness.
PB91-203463 101,020
Light-Scattering Measurement of the RMS Slopes of Rough Surfaces.
PB92-116532 101,436

PERSONAL AUTHOR INDEX

LOUGHRAN, R. J.

- LIEBMAN, J. F.**
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings.
PB91-195065 100,375
- LIEN, S. J.**
Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987--December 1989.
DE91018580 100,915
- LIGGETT, W.**
New Yorker in Japan.
PB91-158907 101,275
- LIGGETT, W. S.**
HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
Replicate Measurements in the Interpretation of Environmental Monitoring.
PB91-189761 100,919
- LIGHTBODY, J. W.**
Electrofusion in the Quasifree and Delta Regions.
PB91-147355 101,609
Possible (e,e'2N) Studies at CEBAF.
PB91-147587 101,612
- LIM, D. S.**
Ceramic Wear Maps.
PB91-189498 100,561
- LIN, R. S.**
Mechanisms of Additive Effectiveness.
PB91-158808 101,172
Mechanisms of Additive Effectiveness.
PB91-174862 101,174
- LIN, S.**
Group and Phase Sound Velocities in an EuBa2Cu3O7 Superconductor and Related Perovskite Oxides.
PB91-194860 101,523
- LINCE, J. R.**
Chemical Effects of Ne+ Bombardment on the MoS2(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy.
PB91-203471 100,399
- LINDAU, I.**
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468
Surface Extended X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- LINDLE, D. W.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Direct Determination of Molecular Orbital Symmetry of H2S Using Polarized X-ray Emission.
PB91-175562 100,335
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
Photoionization Studies of Atoms and Molecules Using Synchrotron Radiation.
PB91-194910 101,664
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649
- LINDSTROM, D. J.**
Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.
PB91-162198 100,192
- LINDSTROM, R. M.**
Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.
PB91-148817 100,186
Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.
PB91-162198 100,192
Neutron Activation Analysis in Electronic Technology.
PB91-189779 100,807
Round-Robin Study of Implants in Si and SiO2 by SIMS, RBS, and NAA.
PB92-117241 100,830
- LINHOLM, L. W.**
Characterizing VLSI Processes Using Test Structures.
PB91-175000 100,804
Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.
PB91-174581 100,803
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805
Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824
Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821
- LINN, R. J.**
Application of Formal Description Techniques to the Specification of Distributed Test Systems.
PB91-175018 100,566
Application of OSI Protocols for Plant Information Networks.
PB91-147595 100,974
Features and Facilities of Estelle.
PB91-158915 100,688
- LINSKY, J. L.**
Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
PB91-175042 100,031
Ground-Truth Observations of Stellar Surface Structure from the Lunar Surface.
PB91-175026 100,029
Modelling the Coronae and Chromospheres of RS CVn Systems by the Analysis of Ultraviolet, X-ray and Radio Observations.
PB91-148825 100,019
New Radio Detectors of Early-Type Pre-Main Sequence Stars.
PB91-149286 100,024
Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027
Some Concluding Thoughts for Cool Stars VI.
PB91-175034 100,030
Spatially Resolved Flares in RS CVn Systems.
PB91-148965 100,022
Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021
Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020
- LINTON, R. W.**
Use of Single Particle Standards for LAMMA Calibration.
PB91-147777 100,183
- LIPE, T. E.**
AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations.
PB91-236893 100,737
- LIPPIATT, B. C.**
Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709.
PB92-112515 100,899
- LITMAN, W.**
Israel's New Synchronized Time Scale, UTC(INPL).
PB91-134593 100,577
- LITTLE-MARENIN, I. R.**
Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020
- LITTLE, S. J.**
Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020
- LITTLER, C. L.**
Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of Eg(x,T).
PB92-117316 101,568
Narrow-Gap Semiconductors and Related Materials.
PB91-162313 101,492
Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
- LIU, L. X.**
Device for Audio-Frequency Power Measurement.
PB91-149401 100,733
- LIU, R.**
Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330
- LIU, S. H.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- LIU, S. T.**
Rule-Based Diagnostic Method for HVAC Fault Detection.
PB91-194936 100,072
Temperature Measurement of Glass Subjected to Solar Radiation.
PB91-147611 100,100
Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894
- LIU, Y.**
Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
PB91-162099 100,489
- LIVINGTON, H. D.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- LOYD, F. L.**
High Speed Superconducting A/D Converter.
PB91-148700 100,731
- LOCASCIO-BROWN, L.**
Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291
Planar Waveguide Optical Immunosensors.
PB91-174565 101,284
- LOCKWOOD, F. E.**
Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173
- LOEVINGER, R.**
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber.
PB91-195057 101,322
- LOLOEE, M. R.**
Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
- LOMBARDI, M. A.**
Extending the Range and Accuracy of Phase Noise Measurements.
PB91-134874 100,588
NIST Time and Frequency Services.
PB91-231605 100,585
- LONG, G. G.**
Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering.
PB92-117001 101,100
Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
PB92-117043 101,101
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929
Reflection-Extended-X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge.
PB91-194944 100,371
Small Angle Neutron Scattering Characterization of Microporous Silica.
PB91-203489 101,089
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
Structure of Surface Films on Magnesium and on Magnesium Alloys.
PB91-147637 101,212
Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity.
PB91-194951 100,372
Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the in situ and Ex situ Study of Electrodes.
PB92-117035 100,460
- LONG, G. R.**
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl2 and CDCl2.
PB91-147645 100,282
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl2 and CDCl2.
PB91-174870 100,328
- LOONEY, J. P.**
Semiclassical Calculation of Self-Broadening in O2, N2, and CO Raman Spectra.
PB92-117050 100,461
- LOTT, J. A.**
Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827
- LOUGHRAN, R. J.**
AC Loss Measurements of Two Multifilamentary NbTi Composite Strands.
PB91-133892 100,769

PERSONAL AUTHOR INDEX

- LOUIE, B.**
Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.
PB92-116326 100,454
- LOVAS, F. J.**
Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
Hydration of Carbon Dioxide: The Structure of H₂O-H₂O-CO₂ from Microwave Spectroscopy.
PB91-237172 100,428
Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-1)/2 VO and NbO.
PB91-237487 100,429
Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex.
PB91-203448 100,398
Microwave Spectrum of Ar-H₂O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.
PB91-148650 100,290
Rotational Spectrum and Structure of the Complex Ar-CH₃CN.
PB91-236661 100,415
Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex.
PB92-116649 100,457
Structures of the NH₃-HCCCOH and H₂O-HCCCOH Complexes by Fourier-Transform Microwave Spectroscopy.
PB91-148882 100,294
Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.
PB91-236737 100,417
- LOVEJOY, C. M.**
Mode Specific Internal and Direct Rotational Predissociation in HeHF, HeDF, and HeHCL: van der Waals Complexes in the Weak Binding Limit.
PB91-148841 100,293
Multiple Intermolecular Bend Vibrational Excitation of a Hydrogen Bond: An Extended Infrared Study of OCOHF.
PB91-203703 100,404
Rotational Predissociation, Vibrational Mixing, and van der Waals Intermolecular Potentials of NeDF.
PB91-175505 100,334
Structural Dependence of HF Vibrational Red Shifts in ArnHF, n = 1-4, via High-Resolution Slit Jet Infrared Spectroscopy.
PB91-203562 100,401
- LOW, S. R.**
Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.
PB92-112226 101,739
- LOWE, D.**
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140
- LOWNEY, J. R.**
Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827
Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.
PB91-148197 100,792
HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766
High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809
Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of Eg(x,T).
PB92-117316 101,568
Lattice Relaxation in Silicon Doped with 4d- and 5d-Transition Metals.
PB91-203554 101,541
Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.
PB91-236968 101,550
Persistent Photoconductivity in SIMOX Films.
PB92-117084 100,826
Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.
PB91-236729 101,549
- LOWRY, R.**
Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
PB91-174482 100,492
- LOZIER, D. W.**
Closure and Precision in Level-Index Arithmetic.
PB91-147652 100,597
- LUCATORTO, T. B.**
Giant Resonances in the Transition Regions of the Periodic Table.
PB91-147116 101,605
- Of What Use Is Basic Research.**
PB91-175513 101,642
- LUCE, M.**
Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- LUCK, R.**
Analysis of Optical Flow Estimation Using Epipolar Plane Images.
PB92-112564 100,703
Three Dimensional Reconstruction from Optical Flow Using Temporal Integration.
PB92-112507 100,702
- LUKACEVIC, E.**
Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr₂Pd, Zr₂PdD_{1.70}, and Zr₂PdD_{1.96}.
PB91-148866 101,213
- LUMIA, R.**
NASREM Robot Control System and Testbed.
PB91-194969 101,033
Short-Term Evolution for the Flight Telerobotic Servicer.
PB91-143352 101,731
- LUNDY, D.**
Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526
- LUO, J. C.**
PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
PB91-194985 100,373
- LUX, G. E.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- LWIN, T.**
Calibration with Working Standards.
PB91-158931 101,276
- LYNN, J. W.**
Antiferromagnetic Order of Cu in Sm₂CuO₄.
PB92-117340 101,569
Crystal and Spin Structures of Nd₂CuO₄.
PB91-148023 101,470
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd₂Sn and ErPd₂Sn.
PB91-194902 101,525
Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RbBa₂Cu₃O_{6+x}.
PB91-194894 101,524
Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe₇₈B₁₃Si₉.
PB92-117464 101,573
Magnetic Ordering of Er in Powder and Single Crystals of ErBa₂Cu₃O₇.
PB91-187377 101,505
Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514
- LYON, G.**
Book Review: 'The Art of Computer Systems Performance Analysis' by R. Jain.
PB92-117068 100,719
Workloads, Observables, Benchmarks and Instrumentation.
PB91-147660 100,598
- LYONS, J. W.**
Process Quality Enhancement for Machine Tools: Measurements and Standards.
PB91-194993 101,019
- LYONS, R. M.**
Bibliography of the NIST Electromagnetic Fields Division Publications.
PB91-132241 100,832
Bibliography of the NIST Electromagnetic Fields Division Publications.
PB92-116367 100,866
- MA, L.**
Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709
- MA, L. M.**
Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
- MACCREHAN, W. A.**
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210
Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
PB91-148858 100,187
- MAČEK, A.**
Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
- MACGOWAN, B. J.**
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
- MACKAY, D. R.**
Standardizing Standards.
PB91-189795 100,953
- MACREYNOLDS, K.**
Evaluation of Dual-Port Circularly Polarized Probes for Planar Near-Field Measurements.
PB91-162040 100,590
- MADEY, T. E.**
Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-146985 100,270
Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300
Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La₂-xSr_xCuO₄.
PB91-189670 101,512
Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301
- MADOU, M.**
Opportunities for Innovation: Chemical and Biological Sensors.
PB92-127315 100,214
- MADRZYKOWSKI, D.**
Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.
PB91-222604 100,162
- MAEGLEY, K.**
Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
- MAELAND, A. J.**
Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr₂Pd, Zr₂PdD_{1.70}, and Zr₂PdD_{1.96}.
PB91-148866 101,213
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdH_x.
PB91-187252 101,230
- MAGEE, C. W.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- MAGERL, A.**
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScHx System.
PB91-158485 101,217
- MAGLEBY, S. P.**
Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Repl. Series.
PB92-112234 100,993
- MAJER, V.**
Heat Capacities of Organic Compounds in Liquid State. 2. C₁ to C₁₈ n-Alkanes.
PB92-110204 100,448
Heat Capacities of Organic Compounds in the Liquid State I. C₁ to C₁₈ 1-Alkanols.
PB90-244716 100,265
- MAJKRZAK, C. F.**
Fe-W Supermirrors for Polarizing Neutrons.
PB91-175521 101,643
- MAJOR, J. R.**
Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838
- MAJUMDAR, A.**
New Triple Correlation Technique for Measuring Ultrashort Laser Pulses.
PB91-237156 101,434
- MAJUMDAR, A. K.**
New Triple Correlator Design for the Measurement of Ultrashort Laser Pulses.
PB91-203802 101,429
- MAKI, A. G.**
Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules.
PB91-189803 101,424
Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423
Infrared Spectroscopy Applied to Atmospheric Chemistry.
PB91-175539 100,906
Spectroscopic Constants for the nu₉ Infrared Band of HNO₃.
PB91-189415 100,343

PERSONAL AUTHOR INDEX

MATLOCK, D.

- MAKINEN, J.**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- MALDONADO, L.**
Sputtered Thin Film YBa₂Cu₃O_n.
PB91-189647 101,509
- MALGHAN, S. G.**
Surface Oxidation Kinetics of Si₃N₄ - 4% Y₂O₃ Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- MALLARD, W. G.**
Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331
- MALONDA, A. G.**
Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes.
PB91-175547 101,644
- MALONE, K. J.**
Integrated-Optic Waveguide Glass Lasers.
PB91-203976 100,758
- MANDAK, J.**
Slovak Metrological Society.
PB92-126721 100,938
- MANDEL, B. A.**
Non-Linear Contour-to-Grid Digital Interpolation.
PB91-147678 101,351
- MANDEL, J.**
Nature of Collinearity.
PB91-203497 101,261
- MANGANARO, W. M.**
Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473
- MANGUM, B. W.**
SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors.
PB91-134338 100,780
Stability of Thermistors.
PB91-134320 100,779
- MANHEIMER, K. L.**
Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.
PB91-240754 100,659
- MANN, W. B.**
Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608
- MANNEY, C. H.**
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
- MANNING, J. R.**
Atomistic Diffusion Equations and Kinetic Forces.
PB91-195008 100,374
Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass.
PB91-158949 101,220
- MANSON, S. T.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- MAOQI, H.**
Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu.
PB91-195016 101,666
- MARANS, R. W.**
Second-Level Post-Occupancy Evaluation Analysis.
PB91-147140 100,058
- MARCHIANDO, J. F.**
Ellipsometry SRM's for Use in Thin Film Measurements.
PB92-116599 100,819
Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.
PB92-116607 100,820
- MARGRAVE, J. L.**
Levitron Calorimetry.
PB91-158519 100,927
- MARINENKO, G.**
Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188
- MARINENKO, R. B.**
Characteristics of Aerosols Produced by the Spark Discharge.
PB91-237727 100,209
Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping.
PB91-195180 100,202
- MARINER-VOLPE, B.**
Gas Analysis Modeling System.
PB91-175299 100,884
- MARJENHOFF, W. A.**
Development of an Adhesive System for Bonding to Hard Tooth Tissues.
PB91-236539 100,052
Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations.
PB91-174458 100,045
- MARKEN, K. R.**
AC Loss Measurements of Two Multifilamentary NbTi Composite Strands.
PB91-133892 100,769
- MARKOVITZ, P.**
Electronic Data Interchange in Message Handling Systems.
PB91-216622 100,571
Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699
- MARKS, R.**
Characteristic Impedance Determination Using Propagation Constant Measurement.
PB91-236992 100,775
Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816
MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794
Translate LRL and LRM Calibrations.
PB91-237776 100,862
- MARLER, F. E.**
Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838
- MARSH, K. N.**
Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368
- MARSHALL, M. D.**
Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex.
PB91-203448 100,398
- MARSHALL, R. D.**
Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144
- MARTE, M. A. M.**
Explicit Mapping of the Set of Dynamical Symmetries onto the Set of Equivalent Lagrangians for Systems with One Degree of Freedom.
PB91-158881 101,622
- MARTIN, J. W.**
Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.
PB91-187187 101,228
Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography.
PB91-203588 101,139
Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.
PB91-206714 100,148
Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.
PB91-147686 101,146
- MARTIN, T. D.**
Accuracy Model for Phase Noise Measurements.
PB91-134882 100,589
- MARTIN, W. C.**
Atomic Spectroscopy in the 20th Century - A Tribute to Sitterly, Charlotte Moore, on the Occasion of Her 90th Birthday.
PB92-116714 101,724
Energy Levels of Sulfur, S I Through S XVI.
PB91-192443 100,355
Relativistic and Correlation Effects in the 2s3p Configuration of Beryllium-Like Ions.
PB91-189605 101,654
Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).
PB92-148121 100,472
Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442
Working Group 1: Atomic Spectra and Wavelength Standards.
PB91-158956 100,026
- MARTINEZ, R. I.**
CID Spectra of Selected Target Molecules.
AD-A243 170/8 100,180
- MARTINIS, J. M.**
Noise-Affected I-V Curves in Small Hysteretic Josephson Junctions.
PB91-174912 100,782
- MARTINSON, I.**
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714
- MARTON, D.**
Ion Bombardment Induced Diffusion: A Case Study on a Sputtered Ag/Ni Layered System.
PB91-195024 101,527
Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.
PB91-175554 101,498
- MARTZLOFF, F. D.**
Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369
Incompatibility between the 100/1300 Surge Test and Varistor Failure Rates.
PB91-189308 100,854
Need for Power Quality Testing Standards.
PB92-117076 100,741
Partial Discharges in Low Voltage Cables.
PB91-134650 100,771
Real, Realistic Ring Waves for Surge Testing.
PB91-189811 100,855
- MARUTHAMUTHU, P.**
Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
- MARX, E.**
Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828
Calibration of the NBS 10μm Space Beads.
PB91-203422 101,695
Computed Fields Near the Edge of a Dielectric Wedge.
PB91-203505 101,446
Determination of Fields Near a Silver Strip on a Glass Substrate.
PB91-147702 100,841
Relativistic Probability Amplitudes and State Preparation.
PB91-195032 101,667
Scattering by an Arbitrary Cylinder at a Plane Interface.
PB91-203513 101,447
- MASON, A. R.**
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566
- MASON, E. A.**
Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.
PB91-192526 100,363
Thermal Conductivity of Nine Polyatomic Gases at Low Density.
PB91-192492 100,360
- MASTERS, L. W.**
NBS Research on Protective Coatings for Buildings and Structures.
PB91-203521 100,127
- MASTERSON, K. D.**
Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.
PB91-162206 100,750
- MATAYA, M. C.**
Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
- MATHER, A. E.**
Solubility of Carbon Dioxide in Water at Low Pressure.
PB92-148196 100,479
- MATHEY, R. G.**
Uniaxial Tensile Tests to Measure the Bond of In Situ Concrete Overlays.
PB92-116300 100,533
- MATLOCK, D.**
Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170

PERSONAL AUTHOR INDEX

- MATLOCK, D. K.**
Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels. PB91-189951 101,158
- MATSUMURA, K.**
Microwave Spectrum of Ar-H₂O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants. PB91-148650 100,290
Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex. PB92-116649 100,457
Structures of the NH₃-HCCCH and H₂O-HCCCH Complexes by Fourier-Transform Microwave Spectroscopy. PB91-148882 100,294
- MATSUSHITA, Y.**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure. PB91-148890 100,485
- MATTHEW, J. A. D.**
Core Hole Screening for Intermediate Size Metal Particles. PB91-203539 101,540
- MATTHIAS, C. L.**
Simultaneous Butylin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System. PB91-195040 100,918
- MATTIESEN, D.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals. PB92-109008 101,562
- MATTINGLY, G. E.**
Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem. PB91-134411 100,920
Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards. PB91-134403 100,879
Particle Size Measurement of Inert Gas Atomized Powder. PB91-187203 101,229
- MATTSSON, O.**
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber. PB91-195057 101,322
- MAUTNER, M.**
Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde. PB91-147470 100,280
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annulated Rings. PB91-195065 100,375
Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation. PB91-203547 100,400
Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide. PB91-147710 100,283
Proton Affinities and pK_a Values of Tetraalkylhydrazines. PB91-195214 100,378
Proton Affinity of Cyanogen and Ion-Molecule Reactions of C₂N₂(+). PB91-189902 100,352
Slow Electron Transfer Reactions between Alkylhydrazines. PB91-147785 100,284
Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether. PB91-195073 100,376
- MAYER, I.**
Ion Incorporation into Octacalcium Phosphate Hydrolyzates. PB91-175125 100,219
- MAYER, R.**
Direct Determination of Molecular Orbital Symmetry of H₂S Using Polarized X-ray Emission. PB91-175562 100,335
- MAYO, S.**
HgCdTe Detector Reliability Study for the GOES Program. PB92-112382 100,766
Lattice Relaxation in Silicon Doped with 4d- and 5d-Transition Metals. PB91-203554 101,541
Persistent Photoconductivity in SIMOX Films. PB92-117084 100,826
- MAZER, J. A.**
Characterizing VLSI Processes Using Test Structures. PB91-175000 100,804
- MICALISTER, A. J.**
Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction. PB92-116938 101,241
Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys. PB91-158964 101,221
- MCAULIFFE, P. S.**
Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles. PB91-175570 100,560
- MCCARRON, E. M.**
Refinement of the Structure of Beta'-MoO₃. PB91-203786 101,090
- MCCARTY, R. D.**
New Wide Range Equation of State for Helium. PB91-162222 100,226
Speed of Sound of Natural Gas Mixtures. PB91-162214 100,882
- MCCCLAIN, M.**
Algorithm and Computer Program for the Calculation of Envelope Curves. PB91-158972 101,414
- MCCLUNEY, R.**
Abstracts of Daylighting Research. PB91-206755 100,076
- MCCOLSKEY, J. D.**
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219. AD-A242 956/1 101,204
Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2. AD-A231 830/1 101,203
Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1. AD-A229 229/0 101,201
Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension. PB91-162180 101,118
- MCCORMICK, G. P.**
Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications. PB91-148775 101,266
- MCCOUBREY, A. O.**
Guide for the Use of the International System of Units: The Modernized Metric System. PB92-116383 100,962
- MCCOWAN, C. N.**
Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2. AD-A231 830/1 101,203
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds. PB91-134627 101,145
Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K. PB91-158980 101,148
Image Quality Indicator Design for Radioscopy and Tomography. PB91-190058 101,018
- MCDERMOTT, K. M.**
Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry. PB91-150003 100,309
- MCDONOUGH, W.**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites. PB91-222612 100,510
- MCEACHRAN, R. P.**
Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon. PB91-149971 101,619
- MCEWAN, M. J.**
Proton Affinity of Cyanogen and Ion-Molecule Reactions of C₂N₂(+). PB91-189902 100,352
- MCFADDEN, G. B.**
Convective and Morphological Instabilities during Directional Solidification. PB91-158550 101,219
Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Non-linear Theory. PB91-195743 101,536
Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid. PB92-112291 101,396
Phase-Field Model for Isothermal Phase Transitions in Binary Alloys. PB92-108992 101,240
- MCFADDIN, S. E.**
Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter. PB91-148031 101,387
Effect of Pipe Surface Finish on the Orifice Discharge Coefficient. PB91-162347 101,389
Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance. PB91-134445 100,921
- MCFEELY, F. R.**
Electron Attenuation Lengths at SiO₂/Si Interfaces. PB91-175612 101,499
- MCGARRY, E. D.**
Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field. PB91-203398 101,693
- MCGUIRE, T. J.**
Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23. PB91-222653 101,741
- MCHENRY, H. I.**
Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991). PB91-143339 101,008
Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992). PB92-126424 101,252
- MCHUGH, M. P.**
Gyroscope-Weighing Experiment Revisited -- with a Null Result. PB91-174722 101,630
Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance. PB91-175380 101,639
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado. PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado. PB91-204115 101,702
- MCLROY, A.**
Structural Dependence of HF Vibrational Red Shifts in ArnHF, n = 1-4, via High-Resolution Slit Jet Infrared Spectroscopy. PB91-203562 100,401
- MCINROY, J. F.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu. PB91-203265 101,323
- MCKENNA, G. B.**
Effect of Crosslink Density on Physical Aging of Epoxy Networks. PB91-189712 101,244
Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis. PB91-195081 101,141
Physical Aging and the Viscoelastic Response of Network Glasses. PB91-189829 101,246
Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior. PB91-195099 100,501
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements. PB91-195107 100,502
Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States. PB91-203570 100,508
Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments. PB91-189720 101,245
- MCKEOWN, D. A.**
XANES of Transition Metal Zinc-Blende Semiconductors. PB92-117092 100,462
- MCKINLAY, A.**
Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991. PB92-112267 100,668
- MCKNIGHT, M. E.**
Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography. PB91-203588 101,139
Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts. PB92-126481 100,002
- MCLAUGHLIN, M. A.**
Thermodynamics of Hydrolysis of Oligosaccharides. PB91-194803 101,288
- MCLAUGHLIN, W. L.**
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter. PB92-117126 101,366
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones. PB91-194720 100,017
Dosimetry: New Approaches for New Challenges. PB92-117100 101,365
Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters. PB92-116441 101,363

PERSONAL AUTHOR INDEX

MITTAL, J. P.

- Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Acidic Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid. PB91-236489 100,241
- Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors. PB91-194761 100,054
- Novel Radiation Dosimetry Systems. PB92-117118 101,727
- Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry. PB92-117142 101,296
- Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy. PB92-116961 101,364
- Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams. PB91-237008 101,326
- Temperature Dependence of Radiochromic Film Dosimeters. PB92-117134 101,728
- MCLAY, M.**
Validation Testing Laboratory User's Guide. National PDES Testbed Report Series. PB92-123090 100,971
- MCLEAN, C. R.**
Research Tackles Automation Issues. PB91-162230 101,005
- MCCLINDEN, M. O.**
Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114. PB92-116946 101,200
- Study of Flow Boiling Heat Transfer with Refrigerant Mixtures. PB91-189563 101,196
- Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants. PB92-112366 101,198
- Thermodynamic Diagrams for Refrigerant Mixtures. PB91-236695 101,197
- Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures. PB91-195263 101,396
- MCNIFF, E. J.**
Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension. PB91-189506 101,507
- MCQUARRIE, D. A.**
Mobility Fluctuations and Electrophoretic Light Scattering from Macromolecular Solutions. PB91-189514 100,345
- MEADE, W. P.**
First Pass at Computing the Cost of Fire Safety in a Modern Society. PB91-216796 101,730
- MEDHURST, L. J.**
Angle-Resolved Photoemission from the Ar 2p Subshell. PB91-194928 101,665
- MEIER, U.**
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma). PB91-148726 100,291
- MEIGONI, A. S.**
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry. PB92-117142 101,296
- MEIJER, P. H. E.**
Permittivity Measurements on Molecular-Sized Samples. PB91-159244 100,800
- MEISEL, D.**
Mechanism of Cyanide Release in the Radiolysis of Acetonitrile. PB91-203679 100,240
- MELAMUD, M.**
Wigner-Seitz Local-Environment Study of the High T_c Superconductors. PB91-195115 101,528
- MELE, A.**
Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production. AD-A227 868/77 100,234
- Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes. AD-A227 836/4 100,744
- Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach. AD-A227 869/5 100,179
- MELMED, A. J.**
Atomic Fingerprint of YBa₂Cu₃O_{7-x}-Type High-Temperature Superconductors Observed by Field Ion Microscopy. PB91-203612 101,544
- Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-T_c Superconductors. PB92-116730 101,567
- Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides. PB91-203596 101,542
- Progress in Field Ion Microscopy Imaging of High-T_c Superconducting Oxides. PB91-203604 101,543
- MERCHANT, J. L.**
Feasibility of Using Knowledge-Based Systems for Aiding Inventors. PB91-147728 100,895
- MERDES, D. W.**
Perpendicular Bands of Cyclopropane in the 3.5μm Region. PB91-237016 100,424
- MESHKOV, S.**
Glueballs and Hadron Spectroscopy. PB91-195123 101,668
- METCALF, H. J.**
Observation of Atoms Laser Cooled Below the Doppler Limit. PB91-195453 101,671
- MEYER, C. W.**
Dipole Moments of Seven Partially Halogenated Ethane Refrigerants. PB91-195131 100,377
- MEYER, J. L.**
Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals. PB91-162024 101,193
- MICHALOSKI, J.**
TROI User's Guide. PB91-157214 101,026
- MICHEL, F. C.**
Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Non-lybenzophenone Oxime. PB91-148783 100,292
- MIGDALL, A. L.**
Linearity of a Silicon Photodiode at 30 MHz and Its Effect on Heterodyne Measurements. PB91-187625 100,755
- Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range. PB91-148908 101,410
- MIGHELL, A. D.**
NIST LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version. PB92-108877 101,561
- MIGNOGNA, R. B.**
Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates. PB91-202945 101,237
- Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates. PB91-159111 101,222
- MILLER, A. P.**
Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment. N91-21347/0 101,206
- Theory of Specific Heat of Solids. PB91-148916 101,475
- MILES, D. S.**
High Spatial Resolution Mapping of Semiconductor Resistivity. PB91-194829 100,809
- MILES, K. A.**
American National Standard for C. Category: Software Standard. Subcategory: Programming Language. FIPS PUB 160 100,676
- MILKE, J.**
Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment. PB91-203620 100,159
- MILKE, J. A.**
Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System. PB92-123116 101,358
- MILLAT, J.**
Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density. PB91-192500 100,361
- Transport Properties of Carbon Dioxide. PB90-244724 100,266
- Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa. PB91-192559 100,366
- MILLER, A.**
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams. PB91-237008 101,326
- MILLER, J. H.**
Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames. PB91-237024 100,553
- MILLER, K. J.**
Hydrogen Bonding in Pt Ammine Complexes. PB91-189639 100,348
- MILLER, P. J.**
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane. PB91-147884 100,286
- Multireference-Configuration Interaction (MR-CI) Calculations on HS(2+) and Experimental Observation via Electron Impact Ionization of H₂S. PB91-148924 100,295
- MILLER, R. E.**
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy. PB91-147454 100,279
- MILLER, S. L.**
Thermodynamics of the Krebs Cycle and Related Compounds. PB91-192468 100,357
- MINGUEZ, E.**
Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect. PB91-147959 101,613
- MINK, A.**
Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor. PB91-195319 100,601
- MINTZ, M. H.**
Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms. PB91-237032 100,425
- MISAKIAN, M.**
Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields. PB91-162248 100,872
- Measurements of Power Frequency Magnetic Fields Away from Power Lines. PB91-175398 100,851
- MISRA, D. N.**
Adsorption and Orientation of Tetracycline on Hydroxyapatite. PB91-195149 101,319
- MITCHELL, G. D.**
Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures. PB92-126630 100,912
- Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures. PB92-126648 100,913
- MITCHELL, M.**
Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series. PB91-222596 100,990
- MITCHELL, M. J.**
Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series. PB92-112374 100,969
- MITCHELL, R. A.**
Eccentric Load Sensitivity of Force Sensors. PB91-175406 100,931
- MITLER, H. E.**
Algorithm for the Mass-Loss Rate of a Burning Wall. PB91-158998 100,108
- Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure. PB91-237412 100,555
- Mathematical Modeling of Enclosure Fires. PB92-108976 100,135
- MITRAKOVIC, D. V.**
Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23. PB91-222653 101,741
- Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22. PB91-222661 101,742
- Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements. PB92-116615 101,170
- MITROY, J.**
Spin-Dependent Electron-Impact Excitation of Sodium. PB91-175497 101,641
- MITTAL, J. P.**
Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine. PB91-195230 100,379

PERSONAL AUTHOR INDEX

- MIYANO, K. E.**
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- MOGI, Y.**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
- MOINI, M.**
Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384
- MOLDOVER, M. R.**
Accurate Acoustic Measurements in Gases Under Difficult Conditions.
PB92-116847 101,382
Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities.
PB91-147074 101,189
Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures.
PB92-116839 100,458
Critical Exponent for the Viscosity of Four Binary Liquids.
PB91-187195 100,337
Critical Exponent for Viscosity.
PB91-147009 100,271
- MOLINE, J.**
Book Review: Hypertext Hands-On.
PB91-237040 100,656
Interactive Courseware is Leading the Multimedia Movement.
PB91-147744 100,036
Linking Information to Objects: A Hypertext Prototype for Numismatists.
PB91-237057 100,657
Multimedia Courseware in an Open Systems Environment: A Federal Strategy.
PB91-143362 100,039
- MOLINO, B. B.**
Critical Data in Physics and Chemistry.
PB91-203455 101,697
- MOLLER, G.**
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714
- MOLLER, T.**
Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- MONCARZ, H. T.**
Apparel STEP Translator.
PB91-216663 100,967
- MONROE, C.**
Observation of the Cesium Clock Transition Using Laser-Cooled Atoms in a Vapor Cell.
PB91-203638 101,698
- MONTGOMERY, R. L.**
Levitator Calorimetry.
PB91-158519 100,927
- MOODY, J. R.**
High Purity Chemicals and Clean Rooms for Trace Metal Analysis.
PB91-195156 100,200
High Purity Fluoropolymer Materials: Trace Element Content and Leaching.
PB91-162255 100,491
Recommended Inorganic Chemicals for Calibration.
PB91-195164 100,201
- MOJANI, K.**
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
- MOOK, H. A.**
Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient $\text{Pb}_2\text{Cu}_3\text{O}_{6+x}$.
PB91-194894 101,524
- MOORE, J. L.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- MOOS, H. W.**
Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021
- MOPSIK, F.**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
- MOPSIK, F. I.**
Measurement of Space Charge Fields in Polymers.
PB91-158626 100,486
- MORAN, K. L.**
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllphosphate Molecular Sieves.
PB91-189449 101,081
- MORFIN, L.**
Mechanical Testing Revitalized.
PB91-159004 100,928
- MOREHART, J. H.**
Species Produced in Fires Burning in Two-Layered and Homogeneous Vented Environments.
PB91-157180 100,542
- MORELAND, J.**
Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors.
PB91-134478 101,462
High-Resolution, Tunneling-Stabilized Magnetic Imaging and Recording.
PB91-134486 101,600
Morphology of Silver on YBa₂Cu₃O_{7-δ} Thin Films.
PB91-195594 101,534
New Look at the Bitter Method of Magnetic Imaging.
PB91-203919 101,701
Possible 'Proximity Matrix' Route to High Current Conductors.
PB91-148932 101,476
Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545
Switching in High-Tc Superconductor Current Transport Measurements.
PB91-203117 101,539
Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.
PB91-203653 101,546
- MORGAN, R. S.**
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management.
PB91-178889 101,342
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC.
PB91-178897 101,343
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 3 of 3. CGM Registration.
PB91-178905 101,344
- MORI, K.**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
Spectral Data and Grotrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.
PB90-244583 101,595
- MORKOC, H.**
Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors.
PB91-236703 100,815
Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806
- MORLEY, P. D.**
Exploding Foil Photoionization X-ray Laser.
PB91-237065 101,433
- MORRISON, G.**
Dipole Moments of Seven Partially Halogenated Ethane Refrigerants.
PB91-195131 100,377
Modelling Aqueous Solutions Near the Critical Point of Water.
PB91-189837 100,349
Thermodynamic Diagrams for Refrigerant Mixtures.
PB91-236695 101,197
Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a).
PB91-175414 101,195
Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.
PB91-195263 101,390
- MORRISON, M. A.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- MOSS, S. C.**
Comparison of Amorphous and Quasicrystalline Films of Sputtered Al_{0.72}Mn_{0.22}Si_{0.06}.
PB91-195552 101,530
- MOSSERI, S.**
Mechanism of Cyanide Release in the Radiolysis of Acetonitrile.
PB91-203679 100,240
- MOSELEY, J. C.**
Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351
Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins.
PB91-203661 100,402
Rate Constanz for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386
Redox Reactions of Osmium Porphyrins.
PB91-195012 100,217
- MOULDER, J. C.**
Characterization of Capacitive Array for NDE Applications.
PB91-237305 100,946
Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944
- MOULDER, J. D.**
Progress in Uniform Field Eddy Current Methods.
PB91-147751 101,039
- MOUNTAIN, R. D.**
Applicability of Smoluchowski's Equation with a Constant Kernel to Coalescence.
PB91-148940 100,296
Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks.
PB91-162263 101,388
Ergodic Convergence Properties of Supercooled Liquids and Glasses.
PB91-148171 100,289
Ergodic Measures for the Simulation of Dielectric Properties of Water.
PB91-198845 100,350
- MOZER, B.**
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal.
PB91-187294 101,501
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.
PB91-174771 101,226
- MUELLER, D.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La_{2-x}Sr_xCuO₄.
PB91-189670 101,512
- MUENCH, P. J.**
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LIF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296
- MUIR, W. B.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- MULHOLLAND, G. W.**
Applicability of Smoluchowski's Equation with a Constant Kernel to Coalescence.
PB91-148940 100,296
Smoke Production and Properties.
PB91-175422 100,120
Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
- MULLER, B.**
Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect.
PB91-147959 101,613
- MULLER, J.**
Structural Instabilities and Superconductivity in Quasi-Binary Mn₅Si₃-Type Compounds.
PB91-194627 101,215
- MULLINS, D. R.**
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649
- MUNDER, A.**
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.
PB91-147769 100,182

PERSONAL AUTHOR INDEX

NEUMANN, D. B.

- MUNRO, R. G.**
ACTIS: Towards a Comprehensive Tribology Data Base.
PB91-174904 101,184
Ceramic Wear Maps.
PB91-189498 100,561
Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.
PB91-187237 101,080
- MUNUKUTLA, L. V.**
Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640
- MURPHY, D. W.**
Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535
- MURPHY, K. N.**
Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF.
PB91-195495 100,986
CAD Directed Robotic Deburring.
PB91-195172 100,985
- MURRAY, B. T.**
Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396
- MURTHY, J.**
Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021
- MUSGROVE, A.**
Energy Levels of Copper, Cu I through Cu XXIX.
PB90-244666 101,596
Energy Levels of Krypton, Kr I through Kr XXXVI.
PB92-148139 100,473
Energy Levels of Sulfur, S I Through S XVI.
PB91-192443 100,355
- MUSSELMAN, I. H.**
Use of Single Particle Standards for LAMMA Calibration.
PB91-147777 100,183
- MUTH, L. A.**
General Analytic Correction for Probe-Position Errors in Spherical Near-Field Measurements.
PB92-110279 100,729
General Technique to Correct Probe Position Errors in Planar Near-Field Measurements to Arbitrary Accuracy.
PB91-237073 100,728
Personal Computer Codes for Analysis of Planar Near Fields.
PB92-112283 100,730
- MYERS, D. R.**
Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints.
PB91-158576 101,028
Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827
Self-Adjustment of a Robot Joint Controller.
PB91-158568 101,027
- MYKLEBUST, R. L.**
Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping.
PB91-195180 100,202
- NABINGER, S. J.**
Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri.
PB92-240747 100,082
- NACHT, G.**
Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor.
PB91-159319 100,601
- NACKERDIEN, Z.**
Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338
- NAGARAJAN, A.**
Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824
- NAGASAWA, M.**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
- NAHOR, G. S.**
Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351
- NAIR, S. V.**
Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 101,127
- NAKAGAKI, T.**
Spectral Data and Grotrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
- NAKAGAWA, N.**
Progress in Uniform Field Eddy Current Methods.
PB91-147751 101,039
- NAKAI, Y.**
Spectral Data and Grotrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
Spectral Data and Grotrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.
PB90-244583 101,595
- NAKAJIMA, H.**
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- NANZETTA, P.**
Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.
PB92-123041 101,053
- NASHMAN, M.**
Real-Time Model-Based Tracking Combining Spatial and Temporal Features.
PB91-216630 100,700
Video Compression for Remote Vehicle Driving.
PB91-203208 101,035
- NASREEN, G.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- NASSIMBENE, R. D.**
Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395
- NATH, R.**
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296
- NATRELLA, M. G.**
Design and Analysis of Experiments.
PB91-158824 101,274
- NAVON, E.**
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV.
PB91-195206 101,669
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons.
PB91-195198 101,293
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324
- NAZARIO, N.**
Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991.
PB91-216671 100,712
- NECHVATAL, J.**
Public-Key Cryptography. Computer Security.
PB91-187864 100,708
- NEDZELNITSKY, V.**
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- NEFF, J. E.**
Spatially Resolved Flares in RS CVn Systems.
PB91-148965 100,022
- NELSEN, S. F.**
Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378
Slow Electron Transfer Reactions between Alkylhydrazines.
PB91-147785 100,284
- NELSON, A. J.**
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films.
PB91-195594 101,534
- NELSON, D.**
Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.
PB91-204024 100,409
- NELSON, D. D.**
H + O₃ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297
High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408
- NELSON, H. E.**
Engineering Analysis of Fire Development in the Hospice of Southern Michigan, December 15, 1985.
PB91-195222 100,158
- Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.**
PB92-112317 100,169
- FPETOOL User's Guide.**
PB92-108919 100,134
- NELSON, P. G.**
Gyroscope-Weighing Experiment Revisited -- with a Null Result.
PB91-174722 101,630
- NELSON, T. L.**
Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869
- NENADOVIC, T.**
Mechanical Sputtering of Structural Stainless Steels.
PB91-175448 101,152
- NESBITT, D. J.**
H + O₃ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297
High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408
Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.
PB91-204024 100,409
Mode Specific Internal and Direct Rotational Predissociation in HeHF, HeDF, and HeHCL: van der Waals Complexes in the Weak Binding Limit.
PB91-148841 100,293
Multiple Intermolecular Bend Vibrational Excitation of a Hydrogen Bond: An Extended Infrared Study of OCOHF.
PB91-203703 100,404
Progress on the Determination of Intermolecular Potential Energy Surfaces from High Resolution Spectroscopy.
PB91-203695 100,403
Rotational Predissociation, Vibrational Mixing, and van der Waals Intermolecular Potentials of NeDF.
PB91-175505 100,334
Structural Dependence of HF Vibrational Red Shifts in ArnHF, n = 1-4, via High-Resolution Slit Jet Infrared Spectroscopy.
PB91-203562 100,401
- NETA, P.**
Mechanism of Cyanide Release in the Radiolysis of Acetonitrile.
PB91-203679 100,240
Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351
Pulse Radiolysis Studies of Organic Electron Transfer Reactions.
PB91-147801 100,285
Radiation Chemistry of Enones.
PB91-147793 100,236
Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins.
PB91-203661 100,402
Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261
Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386
Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217
- NETTLETON, D. H.**
Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
PB91-187682 100,567
- NEUBERT, M. E.**
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444
- NEUMANN, D. A.**
Fe-W Supermirrors for Polarizing Neutrons.
PB91-175521 101,643
Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514
Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487
- NEUMANN, D. B.**
Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties.
PB91-237693 100,434

PERSONAL AUTHOR INDEX

- NEWBURY, D.**
Modeling Electron Beam Interactions in Semiconductors.
PB91-159020 101,485
- NEWBURY, D. E.**
Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping.
PB91-195180 100,202
- NEWELL, A. C.**
Alignment Fixture for Millimeter Waveguide.
PB91-236919 100,727
- NEWMAN, D. S.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- NEWMAN, H. M.**
BACnet Communication Protocol for Building Automation Systems.
PB91-187286 100,069
- NEWNAM, B. E.**
Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409
- NEWTON, J.**
Designing Data Entity Naming Conventions.
PB91-175455 100,646
- NGUYEN, T.**
Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study.
PB91-203729 101,109
Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108
Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.
PB91-203711 100,509
- NICOL, J. M.**
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
PB91-195255 100,380
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllophosphate Molecular Sieves.
PB91-189449 101,081
- NIEBAUER, T. M.**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- NIELSEN, F.**
Document Architecture for Open Systems.
PB91-189522 100,961
- NIELSON, G. C.**
Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.
PB91-195263 101,390
- NIESEN, V. G.**
Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K.
PB91-134494 100,267
- NIETO DE CASTRO, C. A.**
Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255
High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602
Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601
- NIGHTINGALE, J. S.**
GOSIP Conformance and Interoperation Testing and Registration.
PB92-110105 100,694
- NILSSON, D.**
Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609
- NISHIMURA, H.**
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263
- NOBLE, R.**
Enhanced Transport and Liquid Membranes in Bioseparations.
PB91-189886 101,287
- NOBLE, R. D.**
Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Non-lybenzophenone Oxime.
PB91-148783 100,292
Overview of Facilitated Transport Membrane Systems.
- PB91-175463 100,228
- NODA, I.**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
- NOGAMI, J.**
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- NOID, D. W.**
Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503
- NONELLA, M.**
Photodissociation of C(I)NO in the S(I) State: A Quantum-Mechanical ab initio Study.
PB91-149260 100,239
- NORCROSS, D. W.**
Close-Coupling Calculation for the (2)(Sigma sub u)(+) State of (H sub 2)(-).
PB91-148684 101,614
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
Spin-Dependent Electron-Impact Excitation of Sodium.
PB91-175497 101,641
- NORCROSS, R. J.**
Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF.
PB91-195495 100,986
CAD Directed Robotic Deburring.
PB91-195172 100,985
Control Structure for Multi-Tasking Workstations.
PB91-203737 100,989
- NORFORD, L. K.**
Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068
- NORTON, S. J.**
Mossbauer Imaging.
PB91-203745 101,294
- NORTON, T. S.**
Laser-Induced Fluorescence of CH₃ in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.
PB91-237099 100,554
- NOTARIANNI, K. A.**
Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers.
PB91-159038 100,109
- NOVAK, S. W.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- NOVOTNY, D. B.**
High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809
Persistent Photoconductivity in SIMOX Films.
PB92-117084 100,826
- NUNNEMACKER, L.**
Reference NO₂ Calibration System for Ground-Based Inter-comparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- NYDEN, M.**
Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503
- NYDEN, M. R.**
Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
PB91-187229 100,495
- NYSSONEN, D.**
New Approach to Image Modeling and Edge Detection in the SEM.
PB91-203752 100,811
- O'CONNOR, C.**
NIST Reactor: Summary of Activities July 1989 through June 1990.
PB91-159772 101,488
- O'GALLAGHER, A.**
Calculated from the Frequency Domain: An Update.
PB91-162388 100,578
Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
PB92-123132 100,587
- O'HAVER, T. C.**
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210
- O'KEEFE, T. W.**
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805
- O'LEARY, D. P.**
Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices.
PB91-147850 101,254
Some Algorithms for Approximating Convolutions.
PB91-175281 101,258
- O'NEILL, R. P.**
Gas Analysis Modeling System.
PB91-175299 100,884
- OETTINGER, F. F.**
Thermal Characterization of Integrated Circuits - A Tutorial.
PB91-147819 100,789
Thermal Measurements of VLSI Packages: A Critical Review.
PB91-147827 100,790
- OHLEMILLER, T. J.**
Aspects of Smoldering Combustion.
PB91-134510 100,535
Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.
PB91-147835 100,101
Material Flammability Test Assessment for Space Station Freedom.
PB91-216606 101,735
Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.
PB91-147843 100,102
- OHNO, M.**
Anomalous Lgamma_{2,3} X-ray Emission Spectrum of Xe.
PB91-195289 101,670
Anomalous Th M3O1 X-ray Emission Spectrum of ThO₂.
PB91-195297 100,381
Many Electron Effects in Lgamma_{2,3} X-ray Emission Spectroscopy Spectrum of BaO.
PB91-195305 100,382
Many-Electron Effects in Lgamma_{2,3} XES Spectra from Rare Earth Elements.
PB91-195313 100,383
- OHTSU, M.**
Modulatable Narrow-Linewidth Semiconductor Lasers.
PB91-134106 101,404
- OKABE, H.**
Dissociation Energetics of Simple Diazirines by Photon and Electron Impact.
PB91-203760 100,405
Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 868/7 100,234
Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179
- OLCHOWY, G. A.**
Transport Properties of Carbon Dioxide.
PB90-244724 100,266
- OLDHAM, N. M.**
Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869
New Low-Voltage Standards in the DC to 1-MHz Frequency Range.
PB91-237107 100,738
Performance Evaluation of a New Audio-Frequency Power Bridge.
PB92-117431 100,742
- OLIEN, N. A.**
Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392
- OLSEN, K.**
Issues in Transparent File Access.
PB91-187831 100,569
- OLSEN, P. T.**
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710
- OLSEN, W. B.**
Rovibrational Analysis of the nu₇(1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- OLSON, D. A.**
Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
PB91-194464 101,050
Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas.
PB91-184804 101,734

PERSONAL AUTHOR INDEX

PEI, P.

- OLSON, G. J.**
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162
Methods for the Analysis of Organometallic Compounds in Wastes.
PB91-148981 100,189
Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328
Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans': Results of an Interlaboratory Comparison.
PB91-195321 101,161
Recent Progress in Coal Bioprocessing Research in the United States: Scope and Areas Needing Further Research.
PB91-195339 100,885
- OLTHOFF, J. K.**
Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
PB91-134528 100,836
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197
Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas.
PB92-117225 101,444
- OLVER, F. W. J.**
Closure and Precision in Level-Index Arithmetic.
PB91-147652 100,597
Simplified Error Bounds for Newton's Rule.
PB91-159046 101,257
- ONDOV, J. M.**
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908
- ONEIL, S. V.**
Multireference-Configuration Interaction (MR-CI) Calculations on HS(2+) and Experimental Observation via Electron Impact Ionization of H₂S.
PB91-148924 100,295
- ONO, R. H.**
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films.
PB91-195594 101,534
Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566
YBa₂Cu₃O₇-delta/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518
- OOSTRA, D. J.**
Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.
PB91-149294 101,477
- OPPERMANN, H. V.**
Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991.
PB92-112424 101,023
- OREF, I.**
Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.
PB92-148089 100,468
- ORLANDO, J. J.**
H + O₃ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297
- ORTIGOSO, J.**
High-Resolution Infrared Spectrum of the nu₁ Band of OCIO.
PB92-117175 100,463
- OSBORNE, W. M.**
Developing Federal Software Standards: A New Direction.
PB91-134536 100,637
- OSKARD, D. N.**
Real-Time Algorithms and Data Structures for Underwater Mapping.
PB91-195354 101,360
- OSOFSKY, M.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487
- OSTERTAG, C.**
Differential Sintering.
PB91-237123 101,128
Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 101,127
- OSTERTAG, C. P.**
Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094
Chemical Modification of the Orthorhombic Superconductor Ba₂YCu₃O₇-delta.
PB91-159053 101,486
Reduction in Sintering Damage of Fiber Reinforced Composites.
PB91-195362 101,124
- OSTROM, R.**
Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
DE91002169 100,785
- OUTCALT, S. L.**
Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.
PB92-116508 100,455
- OVERMAN, J.**
Domestic Implementation.
PB91-159061 100,176
- OVERMAN, J. R.**
GATT Standards Code Activities of the National Institute of Standards and Technology 1990.
PB91-187823 100,177
- OZA, D. H.**
Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory.
PB91-147504 101,442
- OZTURK, F.**
Reactions of C₅H₃(+) and C₅H₅(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384
- PAABO, M.**
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.
PB92-112473 100,557
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156
- PAGE, R. A.**
Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering.
PB92-117001 101,100
Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
PB92-117043 101,101
- PAGNI, P. J.**
Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.
PB92-112556 100,136
- PAKANEN, J.**
Prediction and Fault Detection of Building Energy Consumption Using Multi-Input, Single-Output Dynamical Model.
PB91-195388 100,073
- PALLET, D. S.**
Phone-Mediated Word Alignment for Speech Recognition Evaluation.
PB91-189910 100,592
Scoring Continuous Speech in the DARPA Speech Recognition Program: Part 2.
PB91-195396 100,593
- PALMIERI, M. D.**
Introduction to Supercritical Fluid Chromatography. 1. Principles and Instrumentation.
PB91-189878 100,198
- PAN, L.**
High Harmonic Generation in Hydrogenic Ions.
PB91-203778 101,699
- PARAMESWARAN, M.**
Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
PB91-148999 100,748
- PARDUE, R.**
National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957
National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
PB91-136515 100,958
- PARISE, J.**
New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.
PB91-158717 100,311
- PARISE, J. B.**
Refinement of the Structure of Beta'-MoO₃.
PB91-203786 101,090
- PARK, G. S.**
Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.
PB91-202929 101,682
- PARKER, W. J.**
Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.
PB91-203794 100,548
- PARKS, E. J.**
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162
Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181
- PARKS, J. E.**
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116789 101,361
- PARR, A. C.**
LBIR Facility User Handbook.
PB92-102185 101,435
Shape Resonances in Molecular Fields.
PB91-187435 100,338
- PARRIS, R. M.**
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
- PARTLOW, W. D.**
Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.
PB91-174581 100,803
- PATIL, T. A.**
Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426
- PATTON, C. E.**
Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 GHz.
PB91-194704 101,519
- PAULSEN, P. J.**
High Purity Fluoropolymer Materials: Trace Element Content and Leaching.
PB91-162255 100,491
- PAULTER, N. G.**
New Triple Correlation Technique for Measuring Ultrashort Laser Pulses.
PB91-237156 101,434
New Triple Correlator Design for the Measurement of Ultrashort Laser Pulses.
PB91-203802 101,429
- PEACOCK, R. D.**
Data for Room Fire Model Comparisons.
PB92-110287 100,167
Heat Release Rate: The Single Most Important Variable in Fire Hazard.
PB91-146977 100,097
Users Guide for RAPID, Version 2.3.
PB91-167403 100,999
- PEACOR, D. R.**
Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey.
PB91-174680 101,359
- PEDEN, M. E.**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
- PEEPLES, T. L.**
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
- PEI, P.**
Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
PB91-203810 101,179
Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178
Mechanisms of Additive Effectiveness.
PB91-158808 101,172
Mechanisms of Additive Effectiveness.
PB91-174862 101,174

PERSONAL AUTHOR INDEX

- PEISER, H. S.**
Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
- PELLEGRINI, G.**
Real, Realistic Ring Waves for Surge Testing.
PB91-189811 100,855
- PELLEGRINO, J.**
Enhanced Transport and Liquid Membranes in Bioseparations.
PB91-189886 101,287
- PELLEGRINO, J. J.**
Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes.
PB91-174805 100,323
Overview of Facilitated Transport Membrane Systems.
PB91-175463 100,228
- PELTON, A. D.**
Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, $\text{A}_2\text{CO}_3\text{-AX}$ and $\text{A}_2\text{SO}_4\text{-AX}$ Where $\text{A} = \text{Li, Na, K}$ and $\text{X} = \text{Cl, F, NO}_3, \text{OH}$.
PB91-192518 100,362
- PENA, J. L.**
Sputtered Thin Film $\text{YBa}_2\text{Cu}_3\text{O}_n$.
PB91-189647 101,509
- PENG, H.**
Conformance Tester for X.25 DTE Implementations.
PB91-189894 100,602
- PENG, J. L.**
Antiferromagnetic Order of Cu in Sm_2CuO_4 .
PB92-117340 101,569
Phonon Density of States and Superconductivity in $\text{Nd}_{1.85}\text{Ce}_{0.15}\text{CuO}_4$.
PB91-189787 101,514
- PENNI, R. W.**
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050
- PENNI, S. M.**
Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba^+ in Ar: Moment Analysis and a Direct Measure of Skewness.
PB91-149005 100,298
- PEPPLER, T. K.**
Frequency and Time Stability of GPS and GLONASS Clocks.
PB91-202937 100,582
- PERCIVAL, D. R.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- PERERA, R. C. C.**
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
- PEREZ, J. M.**
Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
PB91-203810 101,179
Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178
- PERIS, J. P.**
Design and Implementation of a Five-Axis Robotic Micro-manipulator for Inserting Parts into Precision Collets.
PB91-159194 101,029
- PERKINS, R. A.**
Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media.
PB91-147868 101,407
High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602
Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601
- PERREY, A. G.**
Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369
- PERSILY, A.**
Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909
- PERSILY, A. K.**
Airtightness of Office-Building Envelopes.
PB91-175307 100,067
Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074
Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068
Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri.
PB91-240747 100,082
Prototype Expert System for Diagnosing Moisture Problems in Houses.
PB91-159079 100,062
Ventilation System Performance Evaluation Using Tracer Gas Techniques.
PB91-147876 100,060
- PETERKOFISKY, A.**
Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
- PETERS, M.**
Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590
- PETERS, P. N.**
Magnetic Hysteresis of High-Temperature $\text{YBa}_2\text{Cu}_3\text{O}_x\text{-AgO}$ Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
- PETERSEN, S. R.**
DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual.
PB91-167288 100,897
NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual.
PB91-159764 100,154
ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition).
PB91-167155 100,064
- PETERSEN, T. W.**
Effect of Mechanical Deformation on Nb-Ti Filament Proximity-Effect Coupling at the Edges of SSC Cables.
PB91-203828 101,700
- PETERSON, K. I.**
Hydration of Carbon Dioxide: The Structure of $\text{H}_2\text{O-H}_2\text{O-CO}_2$ from Microwave Spectroscopy.
PB91-237172 100,428
- PETERSON, M. B.**
Literature Review of the Galling Process.
PB91-134551 101,208
Method for Quantitative Measurement of Galling Damage.
PB91-159269 101,183
Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147
- PETERSON, R. L.**
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.
PB91-237180 101,551
Magnetization of Anisotropic Superconducting Grains.
PB91-134569 101,463
Sidelobe Suppression in Small Josephson Junctions.
PB91-195446 100,784
- PETERSONS, O.**
NIST Measurement Services: Calibration Service for Current Transformers.
PB91-216770 100,873
- PETRIE, S. A. H.**
Proton Affinity of Cyanogen and Ion-Molecule Reactions of C_2N_2^+ .
PB91-189902 100,352
- PEYERIMHOFF, S. D.**
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2Σ)).
PB91-148726 100,291
- PFENNING, D. B.**
Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538
- PHAN, L. T.**
Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144
- PHELAN, F.**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
- PHELAN, R. J.**
Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides.
PB91-194845 100,756
Low-Temperature, Electrically Calibrated SOS Bolometer for Power and Energy Measurements.
PB91-147181 100,787
Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors.
PB91-175141 101,416
- PHELPS, A. V.**
Cross Sections and Swarm Coefficients for H^+ , H_2^+ , H_3^+ , H , H_2 , and H-in H_2 for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597
Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N_2 and Argon Ions and Neutrals in N_2 and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV.
PB92-110246 100,452
Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.
AD-A227 296/1 100,242
- PHILLIPS, K.**
Translate LRL and LRM Calibrations.
PB91-237776 100,862
- PHILLIPS, T. E.**
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
- PHILLIPS, W. D.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
Observation of Atoms Laser-Cooled Below the Doppler Limit.
PB91-189746 101,655
Observation of Atoms Laser Cooled Below the Doppler Limit.
PB91-195453 101,671
Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen.
PB91-194886 101,663
- PHILPOTTS, J. A.**
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- PIANCASTELLI, M. N.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- PIANETTA, P.**
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of $\text{Si}(\text{001})2\times 1\text{-Sb}$.
PB91-237263 101,552
- PICKETT, H. M.**
Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
- PICONE, J.**
Phone-Mediated Word Alignment for Speech Recognition Evaluation.
PB91-189910 100,592
- PICQUE, J. L.**
Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations.
PB91-159301 101,626
- PIELERT, J. H.**
Activities of the Construction Materials Reference Laboratories Related to Laboratory Accreditation.
PB91-203836 100,531
Application of CCRL Data in the Development of Cement Standards.
PB91-175315 100,119
Pozzolan Programs of the Cement and Concrete Reference Laboratory.
PB91-149922 100,525
- PIERCE, D. T.**
Book Review: 'Polarized Electrons at Surfaces' by J. Kirschner.
PB91-175323 101,497
Micromagnetics of Domain Walls at Surfaces.
PB91-162305 101,491
Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100).
PB92-117415 101,572
Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 101,554
System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.
PB91-194779 101,522

- PIERMARINI, G. J.**
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.
PB91-147884 100,286
High-Temperature High-Pressure Raman Spectra from Liquid Water.
PB91-195735 100,385
Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.
PB91-187237 101,080
- PINA, C.**
Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
- PINE, A. S.**
Molecular-Beam Optothermal Spectroscopy of the 9.6 μ m nu14.
PB91-236869 100,421
Optothermal-Detected Microwave-Sideband CO₂-Laser Spectroscopy of Ar-NH₃.
PB91-236679 100,416
Perpendicular Bands of Cyclopropane in the 3.5 μ m Region.
PB91-237016 100,424
Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer.
PB91-203844 100,406
- PITTS, W. M.**
Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.
PB91-147892 101,386
Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117183 100,014
Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.
PB92-117191 100,558
Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117209 100,015
Wind Effects on Fires.
PB91-203851 100,549
- PLACIOUS, R. C.**
Real-Time Radiology Standards: Results of a Workshop.
PB91-147900 101,010
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324
- PLANT, A. L.**
Immobilization of Binding Proteins on Nonporous Supports: Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291
- PLAZEK, D. J.**
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
- PLIVA, J.**
Perpendicular Bands of Cyclopropane in the 3.5 μ m Region.
PB91-237016 100,424
- PODIO, F. L.**
Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems.
PB92-123124 100,606
Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media).
PB92-116409 100,605
- POLITCH, J.**
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324
- POLLACK-DINGELS, P.**
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791
- POPOVIC, N.**
Mechanical Sputtering of Structural Stainless Steels.
PB91-175448 101,152
- POPPLEWELL, D. S.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- PORTER, G.**
Research. Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012
- POSTEK, M. T.**
Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828
Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.
- PB91-147926 101,469
Microchannel-Plate Detection Systems for Low Accelerating Voltage SEM.
PB91-189928 101,515
SEM Imaging and Metrology at Low Accelerating Voltages Using Backscattered Electrons.
PB91-195461 101,529
Submicrometer SEM Magnification Standard.
PB91-159087 100,799
- POTZICK, J. E.**
Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- POWELL, C. J.**
Inner-Shell Ionization Cross Sections.
PB91-195479 100,203
Recent Developments in Applied Surface Science.
PB91-189936 100,353
Technical Activities 1990 Surface Science Division.
PB91-240820 101,560
- POWELL, R. C.**
Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses.
PB91-189332 101,422
- POWELL, R. M.**
Electronics and Electrical Engineering Laboratory. 1991 Strategic Plan. Supporting Technology for U.S. Competitiveness in Electronics.
PB92-123082 100,870
- PRATT, K. W.**
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
PB91-187658 100,339
Recommended Inorganic Chemicals for Calibration.
PB91-195164 100,201
- PRESSER, C.**
Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229
Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
Laser Diagnostics for Characterization of Fuel Sprays.
PB91-149013 100,541
Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539
- PRINCE, E.**
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309
Refinement of the Structure of Beta'-MoO₃.
PB91-203786 101,090
- PRINJA, R. K.**
Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.
PB91-149021 100,023
- PROCTOR, F. M.**
Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF.
PB91-195495 100,986
CAD Directed Robotic Deburring.
PB91-195172 100,985
- PROCTOR, J.**
LBIR Facility User Handbook.
PB92-102185 101,435
- PRUITT, J. S.**
Absorbed-Dose Calibration of Ionization Chambers in a(60)Co Gamma-Ray Beam.
PB91-132290 101,598
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber.
PB91-195057 101,322
Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636
- PUGH, E. N.**
Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking.
PB91-149047 101,133
Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.
PB91-132225 101,207
Materials Research at the National Bureau of Standards.
PB91-149039 101,214
Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
PB92-126515 101,171
- PUGH, R. D.**
Characteristics of the Breakdown Voltage of Power MOS-FETs After Total Dose Irradiation.
PB91-149062 100,793
- PUI, D. Y. H.**
Use of the Electrostatic Classification Method to Size 0.1 μ m SRM Particles: A Feasibility Study.
- PB91-187633 100,932
- PULLEN, B. P.**
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649
- PUMMER, W. J.**
Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation.
PB91-194456 100,499
- PURTSCHER, P. T.**
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204
Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930
Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158
- QIAN, W. J.**
Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions.
PB91-195503 101,672
- QIAN, Z. T.**
Device for Audio-Frequency Power Measurement.
PB91-149401 100,733
- QUATE, C. F.**
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- QUINONEZ, A.**
Rovibrational Analysis of the nu₇(1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- QUINTERO, R.**
Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357
- QUINTIERE, J. G.**
Canadian Mass Fire Experiment, 1989.
PB91-143305 101,352
Flammability Characterization of Foam Plastics.
PB92-123033 100,142
Framework for Utilizing Fire Property Tests.
PB91-240788 100,165
Surface Flame Spread.
PB91-175331 100,546
- QUIVY, A.**
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.
PB91-174771 101,226
- RABL, A.**
Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068
- RADACK, D. J.**
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805
- RADACK, S.**
National Computer Systems Laboratory Annual Report, 1990.
PB91-201822 100,603
- RADACK, S. M.**
Detail Specification for 62.5- μ m Core Diameter/125- μ m Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.
FIPS PUB 159 100,562
Guideline: American National Dictionary for Information Systems. Category: Software, Subcategory: Documentation.
FIPS PUB 11-3 100,956
- RADEBAUGH, R.**
Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.
PB91-187534 101,048
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052

PERSONAL AUTHOR INDEX

- Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume.
PB91-203877 101,051
- Review of Pulse Tube Refrigeration.
PB91-147942 101,046
- Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640
- RADERMACHER, R.**
Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200
- Study of Flow Boiling Heat Transfer with Refrigerant Mixtures.
PB91-189563 101,196
- RADOVANOVIĆ, S. B.**
Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas.
PB92-117225 101,444
- RAFELSKI, J.**
Muon Sticking in Catalysed d-1 Fusion: Nuclear Resonance Effect.
PB91-147959 101,613
- RAFFI, J. J.**
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- RAGHAVA RAO, K. S. M. S.**
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
- Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Maltodextrin Mixtures.
PB91-237230 100,231
- RAGHAVAN, N. V.**
Neutron Crystallography of Proteins.
PB91-175349 101,285
- RAINS, T. C.**
Recommended Inorganic Chemicals for Calibration.
PB91-195164 100,201
- Trace Determination of Cr(VI) by LC/AAS with on-Line Pre-concentration.
PB91-148148 100,184
- RAINWATER, J. C.**
Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K.
PB91-134494 100,267
- Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601
- RAIZEN, M. G.**
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
- RAM, R. S.**
Rovibrational Analysis of the nu7(1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- RAMAGE, D.**
Neutron Measurements of Intramolecular Vibrational Modes in C60.
PB92-116540 101,055
- RAMANATHAN, G.**
Knowledge Extraction Techniques for Expert System Assisted Water Screening.
PB92-116979 100,824
- RAMBOZ, J. D.**
NIST Measurement Services: Calibration Service for Current Transformers.
PB91-216770 100,873
- Precision Qualification of Watthour Meters.
PB91-237214 100,859
- RAMIREZ, M. L. V.**
Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255
- RANDA, J.**
Estimation of Electromagnetic Fields in Complex Environments.
PB91-203315 101,691
- Lattice Approach to Environments Irradiated by Unknown Sources.
PB91-175356 100,850
- Simultaneous versus Independent Injection Testing of Non-linear Multiphoton Systems.
PB91-203885 100,857
- Theoretical Considerations for a Thermo-Optic Microwave Electric-Field-Strength Probe.
PB91-237222 100,860
- RANDOLPH, D.**
Thin and Composite High-Flux Membranes of Perfluorosulfonated Ion-Exchange Polymer.
PB91-236653 100,512
- RANGACHAR, R.**
Analysis of Optical Flow Estimation Using Epipolar Plane Images.
PB92-112564 100,703
- Three Dimensional Reconstruction from Optical Flow Using Temporal Integration.
PB92-112507 100,702
- RAO, G.**
Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
- Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336
- RAO, M. V.**
Fe Implantation in In0.53Ga0.47As/InP.
PB91-189969 101,516
- RASBERRY, S. D.**
Reference Materials for Analytical Chemistry.
PB91-203893 100,205
- Reference Materials: Their Role in Measurement Accuracy.
PB91-159103 101,014
- Role of Reference Materials in Quality Assurance.
PB91-203901 100,206
- RAU, G.**
Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338
- RAUFASTE, N. J.**
Building and Fire Research Project Summaries, 1991.
PB91-216788 100,132
- Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.
PB92-116425 100,152
- RAVIV, D.**
Integration-Based Method for Depth Estimation.
PB92-112275 100,701
- New Approach to Vision and Control for Road Following.
PB91-157156 101,743
- RAWLINS, W.**
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- RAWN, C. J.**
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
- RAY, S.**
Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991
- Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- RAYNES, A.**
Design Diagrams for Heavy Metal Fluoride Glass Windows.
PB91-187419 101,419
- RAYNES, A. S.**
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
- REACH, W. T.**
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
PB91-174920 100,028
- READ, D. T.**
Experimental and Numerical Studies of the J-Integral for a Surface Flaw.
PB91-147256 101,576
- READER, J.**
Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX).
PB91-195511 101,673
- Spectrum and Energy Levels of the Xenonlike Ion Ce V.
PB91-175364 101,638
- REBULDELA, G.**
RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.
PB91-236802 100,735
- REDFORS, A.**
Spectrum and Energy Levels of the Xenonlike Ion Ce V.
PB91-175364 101,638
- REED, R. P.**
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204
- Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2.
AD-A231 830/1 101,203
- Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
- AD-A229 229/0 101,201
- Creep of Copper: 4 to 295 K.
PB91-189985 101,233
- Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709
- Discontinuous Yielding during Tensile Tests at Low Temperatures.
PB91-189977 101,159
- Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.
PB91-175372 101,151
- Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
- Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
- Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165
- Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158
- Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163
- Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
- Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168
- REED, W. P.**
Reference Materials: Their Role in Measurement Accuracy.
PB91-159103 101,014
- REEVE, C. P.**
Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931
- REEVE, G. R.**
Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816
- MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794
- REHM, R. G.**
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.
PB91-178848 100,157
- REIF, A. K.**
Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series.
PB90-244625 100,259
- REILLY, M. L.**
MSW Calorimetry.
PB91-133942 100,878
- REIMANN, C. W.**
Measurement Quality Assurance.
PB91-149930 101,013
- NBS Quality Assurance Support: Current and Planned Services.
PB91-149088 101,012
- RENEKER, D. H.**
Morphology of Polymer Films and Single Molecules.
PB91-203224 100,506
- RENNEX, B. G.**
Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.
PB91-147975 100,103
- RENO, R. C.**
Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170
- Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- RESNICK, R.**
Capacitance versus Stylus Measurements of Surface Roughness.
PB91-203463 101,020
- RESSLER, S.**
National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series.
PB91-159756 100,951
- Overview of the Product Data HyperStandard CD-ROM Prototype.
PB91-132258 101,380

PERSONAL AUTHOR INDEX

ROMIG, K. D.

- REYNARD, K.**
Factual Materials Databanks - The Need for Standards.
PB91-147546 101,249
- RHEE, W. H.**
Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235
- RHYNE, J. J.**
Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe78B13Si9.
PB92-117464 101,573
Phonon Density of States of Superconducting YBa2Cu3O7 and the Nonsuperconducting Analog YBa2Cu3O6.
PB91-159129 101,487
Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects.
PB91-161935 101,489
- RICE, P.**
High-Resolution, Tunneling-Stabilized Magnetic Imaging and Recording.
PB91-134486 101,600
New Look at the Bitter Method of Magnetic Imaging.
PB91-203919 101,701
Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.
PB91-203653 101,546
- RICHTER, D.**
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScHx System.
PB91-158485 101,217
- RICHTER, L. J.**
Laser Induced Desorption of Molecules from Surfaces.
PB91-147066 100,235
Photodissociation Dynamics of Mo(CO)6 at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413
Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si (111).
PB91-162289 100,320
- RICHTER, M.**
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- RICKER, R. E.**
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114
Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite.
AD-A231 778/2 101,113
Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137
- RIDDER, S. D.**
Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229
- RINN, K.**
Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683
- RISKO, D. G.**
Capacitance versus Stylus Measurements of Surface Roughness.
PB91-203463 101,020
- RITTER, J.**
Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526
- RITTER, J. J.**
Change in Magnetic State of Fe+ Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.
PB91-237321 101,129
Hermetically Sealed Inert Atmosphere Cell for X-ray Powder Diffraction.
PB91-147983 101,062
Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.
PB91-149096 101,066
Low Temperature Chemical Route to Precursors of Boride and Carbide Ceramic Powders.
PB91-175190 101,078
Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067
Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131
Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites.
- PB91-159178 101,117**
- RIVERA, R.**
Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
- RIZICKA, V.**
Heat Capacities of Organic Compounds in Liquid State. 2. C1 to C18 n-Alkanes.
PB92-110204 100,448
- ROACH, R.**
National Computer Systems Laboratory Annual Report, 1990.
PB91-201822 100,603
- ROBACK, E.**
Automated Information Systems Security Program Handbook.
PB91-222638 100,713
Glossary of Computer Security Terminology.
PB92-112259 100,716
National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook.
PB91-187781 100,707
- ROBB, H.**
Trends in Technological Innovation.
PB91-195545 100,008
- ROBERTS, J. A.**
Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823
- ROBERTS, J. R.**
Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443
- ROBERTS, K. M.**
ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side.
PB92-102201 100,572
North American ISDN Users' Forum Agreements on Integrated Services Digital Network.
PB92-102219 100,573
- ROBERTSON, B.**
Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407
- ROBERTSON, J. L.**
Comparison of Amorphous and Quasicrystalline Films of Sputtered Al0.72Mn0.22Si0.06.
PB91-195552 101,530
- ROBEY, S. W.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189668 101,513
- ROBINS, L.**
Influence of Filament Geometry on Hot Filament Growth of Diamond Films.
AD-A231 818/6 101,448
- ROBINS, L. H.**
Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094
Chemical Vapor Deposited Diamond.
AD-A243 095/7 101,106
Critical Assessment of Optical Properties of CVD Diamond Films.
AD-A236 746/4 101,400
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films.
AD-A236 708/4 101,142
High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
AD-A243 093/2 101,449
Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531
Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn.
PB91-195578 101,532
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533
Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films.
AD-A234 220/1 101,451
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A236 485/9 100,247
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A237 128/4 100,248
- ROBINSON, A. M.**
Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
- PB91-148999 100,748**
- ROBINSON, H.**
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs.
PB92-110295 100,763
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments.
PB92-110303 100,764
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.
PB92-110311 100,765
Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.
PB91-236729 101,549
- ROBINSON, M. S.**
High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408
- ROBINSON, S. J.**
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656
- ROCKETT, J. A.**
Using the Harvard/NIST Mark VI Fire Simulation.
PB91-144394 100,095
- RODEL, J.**
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092
Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093
In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068
- RODER, H. M.**
High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602
- RODGERS, A. S.**
Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368
- ROEHRLIG, H.**
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324
- ROGERS, E. E.**
Concerning the Formation and the Kinetics of Phenylum Ions.
PB91-187138 100,336
- ROGERS, J. E.**
Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269
- ROGERS, S. A.**
Multireference-Configuration Interaction (MR-CI) Calculations on HS(2+) and Experimental Observation via Electron Impact Ionization of H2S.
PB91-148924 100,295
- ROITBURD, A.**
Comparison of Flux Dynamics in Two Samples of YBa2Cu3O7 with Different Pinning.
PB91-149419 101,069
- ROITMAN, P.**
Measurement of Capacitance on Wafers.
PB91-149120 100,795
Persistent Photoconductivity in SIMOX Films.
PB92-117084 100,826
Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208
Residual Defects in SIMOX: Threading Dislocations and Pipes.
PB92-117233 100,829
Round-Robin Study of Implants in Si and SiO2 by SIMS, RBS, and NAA.
PB92-117241 100,830
- ROJAS, A.**
Sputtered Thin Film YBa2Cu3O_n.
PB91-189647 101,509
- ROMIG, K. D.**
Phase Equilibria from the One-Fluid Model.
PB91-134585 101,385

PERSONAL AUTHOR INDEX

- RONGGEN, L.**
Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu.
PB91-195016 101,666
- ROOKE, S.**
Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065
- ROOP, B.**
Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range.
PB91-148908 101,410
- ROSASCO, G. J.**
Dispersion of the Electronic Contribution to the Third-Order Nonlinear Susceptibility of H₂.
PB91-149138 101,411
Semiclassical Calculation of Self-Broadening in O₂, N₂, and CO Raman Spectra.
PB92-117050 100,461
- ROSE, A. H.**
High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field.
PB91-174615 100,751
Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.
PB91-175109 100,753
Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746
- ROSE, J.**
Capacitance versus Stylus Measurements of Surface Roughness.
PB91-203463 101,020
- ROSEN, B. K.**
Guide to Schema and Schema Extensibility.
PB92-126556 100,955
- ROSENTHAL, Y.**
Computerization of a Thermomechanical Processing Research System.
PB91-175208 101,583
- ROSENTHAL, Y. A.**
Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930
- ROSHKO, A.**
Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films.
PB91-195594 101,534
Switching in High-Tc Superconductor Current Transport Measurements.
PB91-203117 101,539
- ROSMAN, K. J. R.**
Isotopic Compositions of the Elements 1989.
PB92-148220 100,482
- ROSS, A. B.**
Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261
- ROSSITER, W. J.**
Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340
Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.
PB91-189993 100,124
Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes.
PB91-149153 100,105
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations.
PB91-159731 100,110
Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes.
PB91-203935 100,128
- ROSZMAN, L. J.**
Dielectronic Recombination Rate Coefficients for Ions of the Fluorine Isoelectronic Sequence.
PB91-195602 101,674
Dielectronic Recombination Rate Coefficients of O(5+) and O(2+).
PB91-190009 101,657
Influence of Metastable States and Thermal Equilibration upon Dielectronic Recombination in Low Density to Moderate Density.
PB91-195610 101,675
- ROTH, R. S.**
Chemistry of Electronic Ceramic Materials.
PB91-178822 101,500
New Layered Cuprate Structure-Type, (A1-xA'x)14Cu24O41.
PB91-237339 101,095
Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
- ROTHER, J. E.**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
- ROTTMAN, C.**
Calculation of Energy of Low-Angle Grain Boundaries.
PB91-134601 101,464
- ROWAN, W. L.**
Extreme-Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma.
PB91-237495 101,712
Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII.
PB91-237503 101,713
- ROWE, W. P.**
Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.
PB91-240754 100,659
- ROWLANDS, C. C.**
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- ROWLEY, R. L.**
Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes.
PB91-195636 101,391
- ROYSTER, C.**
Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699
- ROYTBURD, A.**
Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O₇-x.
PB91-237552 101,559
- RUBIN, A.**
Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.
PB91-231563 100,078
Intelligent Building Technology in Japan.
PB91-187757 100,071
- RUBIN, A. I.**
Abstracts of Daylighting Research.
PB91-206755 100,076
- RUBINSTEIN, M.**
Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba2(CuO.97Fe0.03)3O7-x.
PB91-237545 101,558
- RUDD, J. M.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- RUDGE, S. R.**
Applied Electric Fields for Downstream Processing.
PB91-149161 100,299
- RUDMAN, D. A.**
Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547
- RUEGG, R. T.**
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350
- RUFF, A. W.**
Comparison of Standard Test Methods for Non-Lubricated Sliding Wear.
PB91-190017 101,187
Numeric Database for Tribology: Format and Application Issues.
PB91-203943 101,045
Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188
- RUHL, M. K.**
Software Reengineering: A Case Study and Lessons Learned.
PB92-116417 100,669
- RULE, D. L.**
Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483
Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130
- RUMACK, D. T.**
Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378
Slow Electron Transfer Reactions between Alkylhydrazines.
PB91-147785 100,284
- RUMBLE, J.**
Factual Materials Databanks - The Need for Standards.
PB91-147546 101,249
Numeric Database for Tribology: Format and Application Issues.
PB91-203943 101,045
- RUSH, J. J.**
Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr₂Pd, Zr₂PdD1.70, and Zr₂PdD1.96.
PB91-148866 101,213
Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.
PB91-237636 100,432
Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514
Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhH_x) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScH_x System.
PB91-158485 101,217
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdH_x.
PB91-187252 101,230
- RUSSEK, S. E.**
Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547
- RUSSELL, D. H.**
Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838
- RUSSELL, T. J.**
Measurement of Capacitance on Wafers.
PB91-149120 100,795
- RUST, B. W.**
Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723
- RUZICKA, V.**
Heat Capacities of Organic Compounds in the Liquid State I. C1 to C18 1-Alkanols.
PB90-244716 100,265
- SABRY, D. Y.**
Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217
- SAGUCHI, R.**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
- SAHA, B. C.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- SAKURAI, S.**
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519
- SALAMA, K.**
Current Record in Superconductors.
PB91-194753 101,521
- SALAMON, M. B.**
Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects.
PB91-161935 101,489
- SALAZAR, S. B.**
UNIX Expert: A Prototype Knowledge-Based Software Development Workstation.
PB91-149179 100,639
- SALES, B. C.**
Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RBA₂Cu₃O_{6+x}.
PB91-194894 101,524

PERSONAL AUTHOR INDEX

SCHMIDT-MAY, J.

- SALOMAN, E. B.**
Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions.
PB91-190033 101,658
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service.
PB91-203968 100,207
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni.
PB91-162297 100,193
- SALTMAN, R. G.**
Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange.
FIPS PUB 161 100,677
- SAMS, R.**
Reference NO2 Calibration System for Ground-Based Inter-comparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- SAMWER, K.**
Properties of Amorphous Zirconium Rhodium Hydride (Zr3RhHx) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
- SANDELL, A.**
Electrofission in the Ouasifree and Delta Regions.
PB91-147355 101,609
- SANDER, L. C.**
Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
PB91-149187 100,190
Evaluation of Column Performance in Liquid Chromatography.
PB91-190041 100,199
Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185
- SANDERS, A. A.**
Laser Measurements.
PB91-149195 101,412
- SANFORD, D. T.**
STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.
PB91-184788 100,966
- SANFORD, N. A.**
Integrated-Optic Waveguide Glass Lasers.
PB91-203976 100,758
- SANFORD, R. J.**
Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580
- SANGSTER, J.**
Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A2CO3-AX and A2SO4-AX Where A= Li, Na, K and X= Cl, F, NO3, OH.
PB91-192518 100,362
- SANI, A. P.**
Prototyping the IRDS: An Airport Application.
PB92-112580 101,740
- SANSALONE, M.**
Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151
Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.
PB91-175224 101,584
Impact-Echo: A New Method for Inspecting Construction Materials.
PB92-116557 100,140
- SANSONETTI, C. J.**
Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium.
PB91-149203 101,617
Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy.
PB91-203984 101,430
- SANTORO, A.**
Models for Oxygen Ordering and Diffusion in Ba2YCu3Ox and Ba2YCu3-yMyOx (M = Fe, Co, Al, Ga).
PB91-175232 101,496
Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr2Pd, Zr2PdD1.70, and Zr2PdD1.96.
PB91-148866 101,213
- SANTORO, R. J.**
Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229
Laser Diagnostics for Characterization of Fuel Sprays.
PB91-149013 100,541
Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539
- SARAJI, R.**
Abstracts of Daylighting Research.
PB91-206755 100,076
- SARGENT, C. L.**
Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research.
PB91-132282 100,925
- SASAKI, H.**
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710
- SASS, J. K.**
Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-146985 100,270
- SATO, H.**
Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam.
PB92-148154 100,475
- SAUERS, I.**
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197
- SAUERWEIN, J. C.**
NIST Standard Reference Data Products 1991 Catalog.
PB91-167312 100,952
- SAULSON, P. R.**
Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
Thermal Noise in Mechanical Experiments.
PB91-149211 101,578
- SAUNDERS, B. V.**
Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396
Portable Vectorized Software for Bessel Function Evaluation.
PB91-216598 100,652
- SAUNDERS, P. B.**
Agency Exploits Flexibility of Software in Moving Info.
PB91-159160 100,642
- SAUNDERS, R. D.**
Roughened Quartz Surfaces and Teflon as Small-Angle Diffrusers and Depolarizers between 200 and 400 nm.
PB91-195644 101,425
- SAWANO, K.**
Comparison of Flux Dynamics in Two Samples of YBa2Cu3O7 with Different Pinning.
PB91-149419 101,069
- SAWANT, S. B.**
Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300
Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426
- SAWLA, A.**
Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590
- SCACE, R. I.**
Metrology for the Semiconductor Industry.
PB91-240739 100,817
- SCHAEFER, R. J.**
Acoustic Emission Monitoring of Laser Drilling.
PB91-158527 101,218
Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236
Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys.
PB91-158964 101,221
- SCHAENMAN, P.**
Estimated Impact of the Center for Fire Research Program on the Costs of Fire.
PB91-217422 100,161
- SCHAFFT, H. A.**
Building-in Reliability: Making It Work.
PB91-203992 100,812
Current Density Dependence of Electromigration 150 Enhancement Due to Pulsed Operation.
PB91-134692 100,786
Measurement, Use, and Interpretation of TCR.
PB92-117282 100,831
- SCHANTZ, M. M.**
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377
- SCHAPS, S. R.**
Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741
Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742
- SCHAUER, M. M.**
Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub < -sup> >) (3)He + (4)He(+).
PB91-149245 101,618
- SCHNEIFIN, M. R.**
Micromagnetic Calculations of 180 deg Surface Domain-Wall Magnetization Profiles with Comparison to Measurements.
PB91-158501 101,483
Micromagnetic Calculations of 180 deg Surface Domain Walls.
PB91-237271 101,553
Micromagnetics of Domain Walls at Surfaces.
PB91-162305 101,491
Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 101,554
- SCHEN, M. A.**
Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packaging.
PB92-126457 100,943
- SCHENCK, P. K.**
Graphics Program for Binary and Ternary Ceramic Phase Diagrams.
PB91-147991 101,063
Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa2Cu3Ox.
PB92-117290 100,464
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
PB91-187344 101,502
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
- SCHICHO, R. N.**
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
- SCHIEBENER, P.**
Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.
PB90-244708 101,402
- SCHIFFMAN, A.**
H + O3 Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297
High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408
- SCHILLER, S. B.**
Precision Qualification of Watthour Meters.
PB91-237214 100,859
- SCHIMA, F. J.**
Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field.
PB91-203398 101,693
Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum.
PB91-203406 101,694
- SCHINKE, R.**
Periodic Orbits and Diffuse Structures in the Photodissociation of Symmetric Triatomic Molecules.
PB91-149252 100,238
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma).
PB91-148726 100,291
Photodissociation of C(l)NO in the S(l) State: A Quantum-Mechanical ab initio Study.
PB91-149260 100,239
- SCHINN, G. W.**
Production and Diagnosis of a Highly Spin-Polarized Na Beam.
PB91-204016 101,431
- SCHLAGER, J. B.**
Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Fiber Laser-Amplifier.
PB91-148007 101,408
- SCHMIDT, J. W.**
Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities.
PB91-147074 101,189
- SCHMIDT-MAY, J.**
Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287

PERSONAL AUTHOR INDEX

- SCHNEEMAN, R. D.**
Interactive Video Software Portability: Migrating a DOS Application to POSIX.
PB92-117308 100,670
- SCHNEEMEYER, L. F.**
New Layered Cuprate Structure-Type, (A1-xA'x)14Cu24O41.
PB91-237339 101,095
- SCHNEIDER, S. J.**
Standardization of Advanced Ceramics.
PB91-195669 101,086
- SCHNEIR, J.**
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
PB91-194712 100,808
Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 100,796
- SCHOENWETTER, H. K.**
Recent Developments in Digital Oscilloscopes.
PB91-175240 100,849
- SCHONBERGER, E.**
Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
PB91-148858 100,187
- SCHOOLEY, J. F.**
Differences between Thermodynamic Temperature and $t(\text{IPTS-68})$ in the Range 230C to 660C.
PB92-116722 101,725
- SCHRAMM, R. E.**
Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741
Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742
Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170
- SCHRAUFSTATTER, I. U.**
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312
- SCHRODER, B.**
Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609
- SCHRODT, D. J.**
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084
- SCHROEDER, J. A.**
Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.
PB92-116508 100,455
- SCHUDER, M.**
Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.
PB91-204024 100,409
- SCHULL, P. J.**
Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742
- SCHWARTZ, B. B.**
Magnetic Hysteresis of High-Temperature YBa2Cu3Ox-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
- SCHWARTZ, L. H.**
Advanced Materials: Opportunities and Challenges.
PB91-204032 100,009
International Co-operation: The Versailles Project on Advanced Materials and Standards.
PB91-159137 101,191
International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB91-204040 101,251
U.S. Assessment of the New Diamond Technology in Japan.
PB91-167395 101,107
VAMAS Bulletin.
PB91-159145 101,192
- SCHWARZACHER, W.**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- SCOTT, H.**
Control System Architecture for Unmanned Ground Vehicles.
PB91-134726 101,379
- SCOTT, J. L.**
Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397
- SCRIBNER, C. F.**
Investigation of the Collapse of L'Ambiance Plaza.
PB91-204057 100,146
- SEABAUGH, A. C.**
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791
- SEEM, J.**
Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data.
PB91-159152 100,901
- SEIFARTH, R. L.**
Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931
- SEILER, D. G.**
HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766
Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of $E_g(x,T)$.
PB92-117316 101,568
Narrow-Gap Semiconductors and Related Materials.
PB91-162313 101,492
Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
- SEILER, J. F.**
Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340
Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.
PB91-189993 100,124
- SEKERKA, R. F.**
Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.
PB91-200865 101,538
- SELTZER, S. M.**
Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- SELVAMANICKAM, V.**
Current Record in Superconductors.
PB91-194753 101,521
- SEMANCIK, S.**
Chemical and Electronic Properties of Pd/SnO2(110) Model Gas Sensors.
PB91-203075 100,393
Instability in pH Measurements of Sputtered IrO2 Films.
PB91-147538 100,281
- SEMERJIAN, H.**
Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.
PB91-236851 100,420
- SEMERJIAN, H. G.**
Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229
Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD, on July 15-18, 1991.
PB91-216838 100,552
Laser Diagnostics for Characterization of Fuel Sprays.
PB91-149013 100,541
Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539
- SENEHI, M. K.**
Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991
Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- SENEKOWITZ, J.**
Multireference-Configuration Interaction (MR-CI) Calculations on HS(2+) and Experimental Observation via Electron Impact Ionization of H2S.
PB91-148924 100,295
- SENF, F.**
Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287
- SENGERS, J. M. H. L.**
Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam.
PB92-148154 100,475
- SENGERS, J. V.**
Thermodynamic Behavior of Fluids in the Supercritical Region.
PB91-204123 101,394
Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.
PB91-237578 100,233
Transport Properties of Carbon Dioxide.
PB90-244724 100,266
- SETZMANN, U.**
New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa.
PB92-148170 100,477
- SEYOUM, H. M.**
Superconducting Properties of Bi2-x-yPbxBiSnySr2Ca2Cu3Oz.
PB91-162321 101,076
- SHAFFER, C. A.**
Real-Time Algorithms and Data Structures for Underwater Mapping.
PB91-195354 101,360
- SHAFFER, S. A.**
Research Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012
- SHANNON, R.**
New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.
PB91-158717 100,311
- SHAPIRA, Y.**
Magnetic Hysteresis of High-Temperature YBa2Cu3Ox-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
- SHAPIRO, A.**
Sputtered Thin Film YBa2Cu3Ox.
PB91-189647 101,509
- SHAPIRO, A. J.**
Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131
Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
Superconducting Properties of Bi2-x-yPbxBiSnySr2Ca2Cu3Oz.
PB91-162321 101,076
- SHARPE, L. H.**
Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.
PB91-187708 101,346
- SHASTRI, L. V.**
Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
- SHAVIV, R.**
Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF4 from 6 to 344 K.
PB91-149864 100,305
- SHEAHEN, L. A.**
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- SHECHTMAN, D.**
High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
AD-A243 093/2 101,449
Transmission Electron Microscopy of the CVD Diamond Film/Substrate Interface.
AD-A243 096/5 101,450
- SHELTON, R. N.**
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd2Sn and ErPd2Sn.
PB91-194902 101,525
- SHEN, F. H.**
Characteristics of Aerosols Produced by the Spark Discharge.
PB91-237727 100,209
- SHENHAR, A.**
Israel's New Synchronized Time Scale, UTC(INPL).
PB91-134593 100,577
- SHEPHERD, D. A.**
Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018

PERSONAL AUTHOR INDEX

SIMONS, D. S.

- SHEPPARD, C. L.**
Guide to Design, Implementation and Management of Distributed Databases.
PB91-187567 100,648
- SHER, A. H.**
Agency Exploits Flexibility of Software in Moving Info.
PB91-159160 100,642
- SHERWOOD, G. V.**
Air Gage Size Measurement of Microwave Standards.
PB92-117324 100,777
- SHI, A. C.**
Calculation of Energy of Low-Angle Grain Boundaries.
PB91-134601 101,464
- SHI, D.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La₂-xSr_xCuO₄.
PB91-148155 101,472
- SHIELDS, J. R.**
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140
- SHIH, A.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
- Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La₂-xSr_xCuO₄.
PB91-189670 101,512
- SHILSTONE, G. F.**
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.
PB92-148105 100,470
- SHIMAMOTO, S.**
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- SHIRAI, T.**
Spectral Data and Grottrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
- Spectral Data and Grottrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.
PB90-244583 101,595
- SHIRLEY, D. A.**
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- SHIVES, T. R.**
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.
PB91-167171 101,149
- Intercomparison Study of Rockwell Hardness Test Blocks.
PB91-167338 101,224
- SHUKER, P.**
Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.
PB91-237032 100,425
- SHULL, J. M.**
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
PB91-174920 100,028
- SHULL, P. J.**
Capacitive Array Sensors for Nondestructive Evaluation.
PB91-237313 100,947
- Characterization of Capacitive Array for NDE Applications.
PB91-237305 100,946
- Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944
- Progress in Uniform Field Eddy Current Methods.
PB91-147751 101,039
- SHULL, R.**
Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526
- SHULL, R. D.**
Atomic Fingerprint of YBa₂Cu₃O₇-x-Type High-Temperature Superconductors Observed by Field Ion Microscopy.
PB91-203612 101,544
- Change in Magnetic State of Fe+ Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.
PB91-237321 101,129
- High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).
PB91-240762 101,718
- High T(sub C) Superconductors: Are They Magnetic.
N91-20208/5 101,453
- Kelvin Water-Drop Experiment.
N91-20219/2 100,900
- Levitation of Superconducting Composites.
- PB91-187351 101,503
- Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties.
N91-20218/4 101,144
- Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131
- Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
- Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110
- Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
PB92-116938 101,241
- Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
- Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides.
PB91-203604 101,543
- Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites.
PB91-159178 101,117
- Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
- SIBATA, C. H.**
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
- SIDOROV, V. V.**
Squeezed Quantum States of Relic Gravitons and Primordial Density Fluctuations.
PB91-203125 101,685
- SIECK, L. W.**
Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378
- Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether.
PB91-195073 100,376
- SIEGRIST, T.**
New Layered Cuprate Structure-Type, (A1-xA'_x)14Cu₂₄O₄₁.
PB91-237339 101,095
- Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535
- SIEGWARTH, J. D.**
Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250
- SIES, R. F.**
Government Document Processing Requirements Report.
PB91-187773 100,574
- SIEW, C.**
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056
- SIEWERT, T. A.**
Analysis and Characterization of Commercial Welding Fluxes.
PB91-162339 101,003
- Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
- Dynamic Arc-Power Source Response in GMA Welding.
PB91-149278 101,002
- Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.
PB91-158980 101,148
- Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018
- Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.
PB91-184747 101,153
- Real-Time Radiology Standards: Results of a Workshop.
PB91-147900 101,010
- Report on 1989 Actions by International Institute of Welding.
PB91-134619 101,001
- Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode.
PB91-174250 101,004
- SIKDAR, S. K.**
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230
- Biodegradable Plastics: An Idea Whose Time Has Come.
PB91-150086 101,243
- Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300
- Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426
- Thin and Composite High-Flux Membranes of Perfluorosulfonated Ion-Exchange Polymer.
PB91-236653 100,512
- SILBERSTEIN, S.**
Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment.
PB91-167353 100,905
- SILVA, J. M.**
Measurements of Power Frequency Magnetic Fields Away from Power Lines.
PB91-175398 100,851
- SILVERNALE, G.**
Validation Testing Laboratory User's Guide. National PDES Testbed Report Series.
PB92-123090 100,971
- SIMCHICK, R.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- SIMIC, M. G.**
Antioxidant Mechanisms of Uric Acid.
PB91-237347 100,222
- Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325
- Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290
- Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.
PB91-147447 100,216
- SIMIU, E.**
Identification of Dynamic Green's Functions in Structural Networks.
PB91-202812 101,585
- Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB92-237354 101,587
- SIMMONS, J. A.**
Deconvolution of Acoustic Emission and Other Causal Time Series.
PB91-216762 101,263
- Root Projection of One-Sided Time Series.
PB91-216754 101,262
- SIMMONS, J. D.**
Metric Conversion Card.
PB92-163880 100,941
- NIST Calibration Services Users Guide, 1991.
PB92-126416 100,936
- SIMON, N. J.**
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204
- Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2.
AD-A231 830/1 101,203
- Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201
- Creep of Copper: 4 to 295 K.
PB91-189985 101,233
- Discontinuous Yielding during Tensile Tests at Low Temperatures.
PB91-189977 101,159
- Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163
- Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
- SIMON, T.**
Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020
- SIMONS, D.**
Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 101,471
- SIMONS, D. S.**
Fe Implantation in In_{0.53}Ga_{0.47}As/InP.
PB91-189969 101,516
- Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208
- Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- Use of Single Particle Standards for LAMMA Calibration.
PB91-147777 100,183

PERSONAL AUTHOR INDEX

- SIMOVIC, M.**
Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608
- SIMS, J. S.**
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.
PB91-178848 100,157
- SIMSON, B. G.**
Conformity Assessment Workshop on Electromagnetic Compatibility.
PB91-192989 100,579
Conformity Assessment Workshop on Pressure Vessels.
PB91-192997 101,049
Meeting of the Standards Working Group of the Joint U.S.-U.S.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991.
PB91-194498 100,178
- SINDT, C. F.**
Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397
Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
PB91-148031 101,387
Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.
PB91-162347 101,389
Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.
PB91-134445 100,921
Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations.
PB91-147025 100,880
- SINGH, A. K.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
- SINGH, S.**
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050
- SINHA, K.**
List of New Group Divisible Designs.
PB92-126705 101,281
- SJOLIN, L.**
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309
Crystal Structure of Phosphate-Free Ribonuclease.
PB91-175604 101,301
Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298
- SKANDERA, M.**
Computer Security Bulletin Board System. User's Guide.
PB92-112390 100,717
- SKANTHAKUMAR, S.**
Antiferromagnetic Order of Cu in Sm₂CuO₄.
PB92-117340 101,569
Crystal and Spin Structures of Nd₂CuO₄.
PB91-148023 101,470
- SKINNER, S. L.**
New Radio Detectors of Early-Type Pre-Main Sequence Stars.
PB91-149286 100,024
- SKINNER, S. M.**
Investigation of Simulated Oil-Well Blowout Fires.
PB91-144337 101,356
- SKLIZKOV, G. V.**
Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875
- SLABACK, L. A.**
Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.
PB91-162198 100,192
- SLAFF, G. F.**
Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology.
PB91-175257 100,333
- SLEIGHT, A. W.**
Refinement of the Structure of Beta'-MoO₃.
PB91-203786 101,090
- SLIFKA, A. J.**
Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250
Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
- Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.
PB91-174672 100,227
- SLOCUM, A. H.**
Design and Implementation of a Five-Axis Robotic Micro-manipulator for Inserting Parts into Precision Collets.
PB91-159194 101,029
Kinematic Couplings for Precision Fixturing. Part 2. Experimental Determination of Repeatability and Stiffness.
PB91-159186 101,041
- SLUPSKY, J. D.**
Solubility of Carbon Dioxide in Water at Low Pressure.
PB92-148196 100,479
- SMALL, J. A.**
Characteristics of Aerosols Produced by the Spark Discharge.
PB91-237727 100,209
Use of Single Particle Standards for LAMMA Calibration.
PB91-147777 100,183
Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.
PB91-204099 101,320
- SMID, M. E.**
Data Encryption Standard: Past and Future.
PB91-204107 100,711
- SMILGYS, R. V.**
Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.
PB91-149294 101,477
- SMITH, D. R.**
Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
PB92-117357 101,102
Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.
PB91-162115 100,111
Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483
- SMITH, D. T.**
Analytic Solution for the Three-Layer Multiple Beam Interferometer.
PB91-162107 101,007
- SMITH, J. F.**
Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- SMITH, J. H.**
Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.
PB91-132225 101,207
Intercomparison Study of Rockwell Hardness Test Blocks.
PB91-167338 101,224
- SMITH, L. E.**
Polymers: Technical Activities 1990.
PB91-159715 100,488
Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-116284 100,516
- SMITH-MAGOWAN, D.**
Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- SMITH, R. L.**
Concept of the Calculus of Fire Safety.
PB91-132134 100,093
- SMODIS, B.**
Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.
PB91-148817 100,186
- SMYTH, K. C.**
Laser-Induced Fluorescence of CH₃ in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.
PB91-237099 100,554
Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames.
PB91-237024 100,553
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533
Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.
PB92-117365 100,559
Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877
Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
PB92-108927 100,887
Signal Detection Efficiency in Multiphoton Ionization Flame Measurements.
PB91-148056 100,540
- SNELICK, R. D.**
Performance Evaluation of Hypercube Applications: Using a Global Clock and Time Dilation.
PB91-222588 100,653
Workloads, Observables, Benchmarks and Instrumentation.
PB91-147660 100,598
- SNELL, J. E.**
Application of Fire Research.
PB91-149302 100,153
- SNIEGOSKI, L. T.**
Synthesis of 3-Ouinuclidinol-(18)O, Benzilic-d₅ Acid, and 3-Ouinuclidinyl-(18)O, Benzilate-d₅.
PB91-237370 100,223
- SNITCHLER, G.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
Spin-Dependent Electron-Impact Excitation of Sodium.
PB91-175497 101,641
- SNYDER, R. L.**
RIR - Measurement and Use in Quantitative XRD.
PB91-147397 101,466
- SOARES, C. G.**
Calibration of Ophthalmic Applicators at NIST: A Revised Approach.
PB91-237388 101,327
Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326
Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636
- SOCOLOV, R. H.**
Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068
- SOILEAU, M. J.**
Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409
- SOISSON, J. P.**
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
- SOMAYAJULU, G. R.**
Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368
- SOMERS, T. A.**
Building Technology Publications 1986-1989.
PB91-216820 100,160
Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.
PB91-147975 100,103
Thermal Conductivity of Fumed Silica Board at Room Temperature.
PB91-190124 100,125
- SONG, J. F.**
Standard Reference Specimens in Quality Control of Engineering Surfaces.
PB91-216721 101,021
Stylus Profiling at High Resolution and Low Force.
PB91-162354 101,015
- SONG, X. N.**
Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
- SOUDERS, T. M.**
Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.
PB91-149310 100,732
Cutting the High Cost of Testing.
PB91-162362 100,846
- SOUTHWORTH, S. H.**
Direct Determination of Molecular Orbital Symmetry of H₂S Using Polarized X-ray Emission.
PB91-175562 100,335
- SPAAR, M. T.**
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116789 101,361
- SPAL, R.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929

PERSONAL AUTHOR INDEX

STILES, M. D.

- SPARKS, L. L.**
Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250
Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.
PB91-175570 100,560
Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483
Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130
Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.
PB91-174672 100,227
- SPEAKE, C. C.**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- SPELLER, C. V.**
Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.
PB91-147710 100,283
- SPENCER, W. P.**
Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340
- SPICER, W. E.**
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- SPIDALIERE, P.**
Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732
- SPIEGEL, V.**
Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum.
PB91-203406 101,694
- SPIEGELMAN, C. H.**
Calibration with Working Standards.
PB91-158931 101,276
- SPIELMAN, F. E.**
Information Systems Engineering Program.
PB91-134635 100,685
Raster Graphics Conformance Testing.
PB91-167296 101,341
Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.
PB91-187708 101,346
- SPINDT, C. J.**
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468
- SPIVAK, A. L.**
SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923
- SPLETT, J.**
Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945
- SPRING, C.**
Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete.
PB91-189621 100,530
- SPRING, C. B.**
Application of CCRL Data in the Development of Cement Standards.
PB91-175315 100,119
- SRINIVASAN, G.**
Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 GHz.
PB91-194704 101,519
- SRIVASTAVA, H. M.**
Certain Theorems on Bilateral Generating Functions Involving Hermite, Laguerre, and Gegenbauer Polynomials.
PB91-148759 101,256
- STAFFORD, G.**
Electrodeposition of Aluminum from Molten Salts.
PB91-159202 101,223
Structural Study of Electrodeposited Aluminum-Manganese Alloys.
PB91-189423 101,231
- STAFFORD, G. R.**
Phase Formation in Electrodeposited and Thermally Annealed Al-Mn Alloys.
PB91-147314 101,209
- STAFFORD, T.**
Accelerator (14)C Dating of Late Pleistocene Megafauna.
PB91-237396 101,354
- STAFFORD, T. W.**
Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California.
PB91-237404 101,355
- STANLEY, H. B.**
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd2Sn and ErPd2Sn.
PB91-194902 101,525
- STANSBURY, J. W.**
Diffunational and Multifunctional Monomers Capable of Cyclopolymerization.
PB91-195685 100,504
- STARK, C.**
Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.
PB91-222596 100,990
- STAUFFER, A. D.**
Asymptotic Shooting Method for the Solution of Differential Equations.
PB91-148742 101,255
Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon.
PB91-149971 101,619
- STAUFFER, J. A.**
Asymptotic Shooting Method for the Solution of Differential Equations.
PB91-148742 101,255
- STEBBINS, R. T.**
Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
Lunar Gravitational Wave Antenna Using a Laser Interferometer.
PB91-134643 101,603
- STECKLER, K. D.**
Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.
PB91-237412 100,555
- STEEL, E.**
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study.
PB91-195727 100,204
- STEENKEN, S.**
Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
- STEIGERWALD, D. A.**
Epitaxial fcc Fe Films on Cu(100).
PB91-149328 101,478
Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100).
PB91-237420 101,555
- STEIN, S. E.**
Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431
Mechanism of Soot Formation in Acetylene-Oxygen Mixtures.
PB91-147280 100,537
Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.
PB91-237529 100,430
- STEINER, B.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
Streaking Images That Appear Only in the Plane of Diffraction in Unoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation.
PB91-189662 101,511
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
- STEINER, B. W.**
Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation.
PB91-189654 101,510
International Co-operation: The Versailles Project on Advanced Materials and Standards.
PB91-159137 101,191
- STEINER, J. P.**
Partial Discharges in Low Voltage Cables.
PB91-134650 100,771
- STEINER, R. L.**
Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.
PB91-237446 100,739
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- STENBAKKEN, G. N.**
Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.
PB91-149310 100,732
Cutting the High Cost of Testing.
PB91-162362 100,846
- STEPHAN, K.**
Transport Properties of Fluid Oxygen.
PB91-192484 100,359
- STEPHENSON, B.**
Levitron Calorimetry.
PB91-158519 100,927
- STEPHENSON, J. C.**
Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics.
PB91-149955 100,308
Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111).
PB91-161927 100,314
Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micas.
PB91-174813 100,324
Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
PB91-202846 100,387
- STEVENS, W. J.**
Theoretical Model of Metal Binding Sites in Proteins.
PB91-149837 100,370
- STEVIE, F.**
Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 101,471
- STEVIE, F. A.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- STEWART, D.**
Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
- STEWART, W. G.**
Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.
PB92-116326 100,454
- STEWART, G. W.**
Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices.
PB91-147850 101,254
- STEWART, R. B.**
Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.
PB92-148147 100,474
- STEWART, R. M.**
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Malto-dextrin Mixtures.
PB92-237230 100,231
Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- STEWART, T. B.**
Chemical Effects of Ne⁺ Bombardment on the MoS₂(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy.
PB91-203471 100,399
- STILES, M. D.**
Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570
Theory of Ballistic-Electron-Emission Spectroscopy of NiSi₂/Si(111) Interfaces.
PB91-237453 101,557

PERSONAL AUTHOR INDEX

- STOCK, K. D.**
Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
PB91-187682 100,567
- STOCKBAUER, R.**
Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La₂-xSr_xCuO₄.
PB91-189670 101,512
- STOCKBAUER, R. L.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
- STOLARSKY, H. K.**
Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates.
PB91-147090 101,116
- STONE, C. A.**
Structure of Odd-Odd (132)Sb.
PB91-237461 101,711
- STONE, W. C.**
Preliminary Dynamic Analyses of the Ministry of Agriculture Building.
PB91-134668 100,143
- STORCH, P. J.**
Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.
PB91-187534 101,048
- STOTTS, P. D.**
Functional Meta-Structure for Hypertext Models and Systems.
PB91-236687 100,655
- STOUDT, M. R.**
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114
Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite.
AD-A231 778/2 101,113
- STRATY, G. C.**
Neutron Diffraction from Sheared D-Glycerol: Preliminary Studies.
PB91-134676 100,268
- STRAUB, J.**
Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.
PB90-244708 101,402
- STRAYER, W. T.**
Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine.
PB91-174938 100,980
- STRICKLETT, K. L.**
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
PB91-134684 100,837
- STROSCIO, J. A.**
Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.
PB91-190090 101,517
Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).
PB91-195750 101,537
System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.
PB91-194779 101,522
- STROUP, D. W.**
Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.
PB91-240770 100,164
- STRUBLE, L.**
Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133
Microstructure and Fracture at the Cement Paste-Aggregate Interface.
PB91-148072 100,523
- STRUBLE, L. J.**
Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.
PB91-240804 100,532
- STUBENRAUCH, C. F.**
Spherical Near-Field Scanning: Experimental and Theoretical Studies.
PB91-132274 100,723
- STUCKY, G. D.**
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllophosphate Molecular Sieves.
PB91-189449 101,081
- STUTZMAN, P.**
Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133
- STUTZMAN, P. E.**
Characterization of Field Concrete.
PB91-178863 100,528
Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340
Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.
PB91-189993 100,124
- STUVE, E. M.**
Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-146985 100,270
- STWALLEY, W. C.**
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.
PB92-110147 100,443
- SU, D. H.**
Conformance Tester for X.25 DTE Implementations.
PB91-189894 100,602
- SU, W.**
Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering.
PB91-237842 100,514
- SUEHLE, J. S.**
Current Density Dependence of Electromigration t50 Enhancement Due to Pulsed Operation.
PB91-134692 100,786
Measurement of Capacitance on Wafers.
PB91-149120 100,795
- SUENRAM, R. D.**
Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
Hydration of Carbon Dioxide: The Structure of H₂O-H₂O-CO₂ from Microwave Spectroscopy.
PB91-237172 100,428
Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-)/2 VO and NbO.
PB91-237487 100,429
Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex.
PB91-203448 100,398
Microwave Spectrum of Ar-H₂O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.
PB91-148650 100,290
Rotational Spectrum and Structure of the Complex Ar-CH₃CN.
PB91-236661 100,415
Structures of the NH₃-HCCCH and H₂O-HCCCH Complexes by Fourier-Transform Microwave Spectroscopy.
PB91-148882 100,294
Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.
PB91-236737 100,417
- SUGAR, J.**
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714
Energy Levels of Copper, Cu I through Cu XXIX.
PB90-244666 101,596
Energy Levels of Krypton, Kr I through Kr XXXVI.
PB92-148139 100,473
Exploding Foil Photoionization X-ray Laser.
PB91-237065 101,433
Extreme-Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma.
PB91-237495 101,712
Quantum Electrodynamical Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions.
PB91-189597 101,653
Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII.
PB91-237503 101,713
Spectral Data and Grottrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
Spectral Data and Grottrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.
PB90-244583 101,595
- SULLIVAN, F.**
Algorithm Design for Large-Scale Computations.
PB91-149336 100,640
- SUMARLIN, I. W.**
Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514
- SUMPTION, M. D.**
AC Loss Measurements of Two Multifilamentary NbTi Composite Strands.
PB91-133892 100,769
- SUN, J.**
Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875
- SUN, Y. N.**
Stoichiometry of Reactively Evaporated Films.
PB91-158709 101,413
- SUNDARESWARAN, P. C.**
Levitation Calorimetry.
PB91-158519 100,927
- SUNG, P.**
Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.
PB91-134700 101,132
- SUNSHINE, S. A.**
New Layered Cuprate Structure-Type, (A_{1-x}A_x)₁₄Cu₂₄O₄₁.
PB91-237339 101,095
- SURYAN, M. M.**
Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431
Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.
PB91-237529 100,430
- SUTER, H. U.**
Photodissociation of C(I)NO in the S(I) State: A Quantum-Mechanical ab initio Study.
PB91-149260 100,239
- SVENSSON, H.**
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber.
PB91-195057 101,322
- SVENSSON, L. A.**
Crystal Structure of Phosphate-Free Ribonuclease.
PB91-175604 101,301
Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298
- SWAFFIELD, J. A.**
Plumbing Test Lab Accreditation.
PB91-190066 100,089
- SWANSON, M.**
Computer Security Bulletin Board System. User's Guide.
PB92-112390 100,717
Computer Security: Selected Articles.
PB91-187740 100,706
- SWANSON, P. A.**
Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147
- SWANSON, P. L.**
Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation.
PB91-149344 101,190
- SWARTZENDRUBER, L.**
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.
PB91-167171 101,149
Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526
- SWARTZENDRUBER, L. J.**
Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors.
PB91-134478 101,462
Change in Magnetic State of Fe + Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.
PB91-237321 101,129
Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning.
PB91-149419 101,069
Levitation of Superconducting Composites.
PB91-187351 101,503
Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O_{7-x}.
PB91-237552 101,559
Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131
Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110
Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y₁Ba₂(Cu_{0.97}Fe_{0.03})O_{7-x}.
PB91-237545 101,558
Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508

PERSONAL AUTHOR INDEX

THOMPSON, R. B.

SWARTZLANDER, A. B.

Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480

SWEET, L.

Calculated from the Frequency Domain: An Update.
PB91-162388 100,578
Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
PB92-123132 100,587

SWEET, R.

Calculated from the Frequency Domain: An Update.
PB91-162388 100,578
Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
PB92-123132 100,587

SWENSON, D. R.

Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683

SWYT, D. A.

Agenda for Progress in Technology Education: A Personal View.
PB91-148114 100,037
AI in Manufacturing: The NBS AMRF as an Intelligent Machine.
PB91-134718 100,973
CIM, Data and Standardization within the NBS AMRF.
PB91-148122 100,975
Innovation in Manufacturing Technology: A View from NBS.
PB91-148130 100,976
New Concepts of Precision Dimensional Measurement for Modern Manufacturing.
PB91-240812 101,006
Transferring NBS Technology to Small Manufacturers Through State and Local Centers.
PB91-149351 101,025
U.S. Manufacturing Systems: Factories Past, Present, and Future.
PB91-175091 100,981

SYTY, A.

Trace Determination of Cr(VI) by LC/AAS with on-Line Pre-concentration.
PB91-148148 100,184

SZABO, S.

Control System Architecture for Unmanned Ground Vehicles.
PB91-134726 101,379

SZLAG, D. C.

Low-Cost Aqueous Two-Phase System for Enzyme Extraction.
PB91-237560 101,310
Statistical Mechanical Model of Aqueous Two-Phase Systems.
PB91-174508 100,493

SZUROMI, P. D.

Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300
Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301

TAATJES, C. A.

Diode Laser Probing of I^{*(2)P}_{1/2} Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath.
PB91-150052 100,310
General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy.
PB91-149385 100,302

TAKAGI, S.

Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
PB91-187666 101,314
Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049
Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 100,040

TAKENAKA, M.

Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513

TALEB-IBRAHIMI, A.

Chemical Effects of Ne⁺ Bombardment on the MoS₂(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy.
PB91-203471 100,399

TAN, Z.

Sr²⁺-Induced Oxygen Defect Structure and Hole Doping in La_{2-x}Sr_xCuO₄.

PB91-148155 101,472

TANAKA, D. K.

Reflection-Extended-X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge.
PB91-194944 100,371
Structure of Surface Films on Magnesium and on Magnesium Alloys.
PB91-147637 101,212
Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity.
PB91-194951 100,372

TANG, D.

Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.
PB91-175109 100,753
Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746
Progress in the Development of Miniature Optical Fiber Current Sensors.
PB91-134734 100,745

TANG, H. C.

Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.
PB91-178848 100,157

TANG, S.

Thermodynamic Behavior of Fluids in the Supercritical Region.
PB91-204123 101,394
Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.
PB91-237578 100,233

TANGER, J. C.

Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319

TANK, R. C.

Rate Constant Functions for Strength Development of Concrete.
PB91-175117 100,527

TANNENBAUM, D.

Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
DE91002169 100,785

TARLOV, M. J.

Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories.
NUREG/CR-5711 101,367

TASSEY, G.

Industry and Government Strategies for Product Quality.
PB91-148163 101,011
Structural Change and Competitiveness: The U.S. Semiconductor Industry.
PB91-195693 100,173

TAWARA, H.

Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263

TAYLOR, A. H.

Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.
PB91-175570 100,560

TAYLOR, B. N.

Adjustment of the Fundamental Physical Constants: A Report of the CODATA Task Group on Fundamental Constants, 1986.
PB91-147124 101,606
Basic Standards and Fundamental Constants.
PB91-237594 101,715
International System of Units (SI)--Translation.
PB92-109032 101,719
Interpretation of the SI for the United States and Metric Conversion Policy for Federal Agencies.
PB92-126572 101,729
New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.
PB91-237586 100,740

TAYLOR, J. E.

Theory of Orientation Textures Due to Surface Energy Anisotropies.
PB92-117381 101,571

TAYLOR, J. W.

Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Parity-Unflavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649

TAYLOR, K. T.

High Harmonic Generation in Hydrogenic Ions.
PB91-203778 101,699

TAYLOR, P. C.

Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn.
PB91-195578 101,532

TEAGUE, E. C.

Determination of Fields Near a Silver Strip on a Glass Substrate.
PB91-147702 100,841

TEBBE, J.

Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhH_x) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225

TERLIZZI, C. P.

Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894

TESK, J. A.

Dental Biomaterials and Engineering Frontiers for the 90's.
PB91-159210 100,044
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050
Visco-Elastic Deformation of Dental Porcelain and Porcelain-Metal Compatibility.
PB91-158493 100,042

TEW, W. L.

Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710

TEWARI, Y. B.

Thermodynamics of Hydrolysis of Disaccharides: Lactulose, alpha-D - Melibiose, Palatinose, D - Trehalose, D - Turanose and 3-o-beta-D-Galactopyranosyl-D-arabinose.
PB91-195701 101,289
Thermodynamics of Hydrolysis of Oligosaccharides.
PB91-194803 101,288
Thermodynamics of Industrially Important Enzyme Catalyzed Reactions.
PB91-237602 101,311
Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459
Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313

TEWARY, V. K.

Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.
PB91-185116 101,121
Relation between the Surface Energy and the Debye Temperature for Cubic Solids.
PB91-149393 100,303
Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials.
PB91-237610 100,948

THIRUMALAI, D.

Ergodic Convergence Properties of Supercooled Liquids and Glasses.
PB91-148171 100,289
Ergodic Measures for the Simulation of Dielectric Properties of Water.
PB91-189845 100,350

THOMAS, W. C.

Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB92-116334 100,137

THOMPSON, C. A.

Anomalous Magnetoresistance in Al/Al-Alloy Composite Conductors.
PB91-174748 101,631
Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473
Magnetoresistance of Multifilament Al/Al-Alloy Conductors.
PB91-134759 100,772

THOMPSON, C. W.

Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990.
PB91-159723 100,643

THOMPSON, P. E.

Fe Implantation in In_{0.53}Ga_{0.47}As/InP.
PB91-189969 101,516

THOMPSON, R. B.

Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170

PERSONAL AUTHOR INDEX

- Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- THOMPSON, W. E.**
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
AD-A234 043/8 100,245
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
PB91-203273 100,395
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N₄(+).
AD-A228 082/4 100,243
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. NO(1+), NO(1-), ONNO(1+), and ONNO(1-).
PB91-149914 100,307
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(-).
AD-A238 415/4 100,249
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(1-).
PB91-236836 100,419
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO(1+), C₂O₂(+), and C₂O₂(-).
AD-A239 729/7 100,250
- THORSHEIM, H. R.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
- THURBER, W. R.**
Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.
PB91-148197 100,792
- TIBERIO, R. C.**
Submicrometer SEM Magnification Standard.
PB91-159087 100,799
- TIGGES, C. P.**
Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827
- TILFORD, C. R.**
Stabilization Techniques for Spinning Rotor Gage Residual Drag.
PB91-147108 100,922
- TIMMER, C.**
Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683
- TISON, S. A.**
Study of the Linearity of Transfer Leaks and a Helium Leak Detector.
PB91-147272 100,926
- TJOSSEM, P. J. H.**
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533
Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.
PB92-117365 100,559
Signal Detection Efficiency in Multiphoton Ionization Flame Measurements.
PB91-148056 100,540
- TOBLER, R. L.**
Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930
Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168
- TODD, D. R.**
Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
PB92-116342 100,138
- TODD, J.**
NBS-INA. The Institute for Numerical Analysis. UCLA 1947-1954.
PB92-112408 101,264
- TODD, P.**
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230
Applied Electric Fields for Downstream Processing.
PB91-149161 100,299
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
- Gravity-Dependent Phenomena at the Scale of the Single Cell.
PB91-134767 101,297
Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- TODD, P. W.**
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Malto-dextrin Mixtures.
PB91-237230 100,231
- TOGANO, K.**
Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor.
PB91-134270 101,461
- TOLLE, J. W.**
Convergence Properties of a Class of Rank-Two Updates.
PB91-187799 101,260
Merit Function for Inequality Constrained Nonlinear Programming Problems.
PB92-116318 101,271
- TOM, H.**
Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes.
FIPS PUB 9-1 100,679
- TOMAZIC, B. B.**
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056
Ion Incorporation into Octacalcium Phosphate Hydrolyzates.
PB91-175125 100,219
- TOMER, A.**
Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155
Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.
PB91-184747 101,153
- TONG, G. Q.**
Device for Audio-Frequency Power Measurement.
PB91-149401 100,733
- TORGESON, D. R.**
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdHx.
PB91-187252 101,230
- TOTH, K.**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
- TOTH, L.**
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La_{2-x}Sr_xCuO₄.
PB91-189670 101,512
Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487
- TOTH, R. B.**
Standards Activities of Organizations in the United States.
PB91-177774 100,004
- TRABERT, E.**
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714
- TRAHEY, N. M.**
Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
PB91-222646 100,934
- TRAIL, W. K.**
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- TRAN-CONG, Q.**
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422
- TRAPMANN, W. A.**
Gas Analysis Modeling System.
PB91-175299 100,884
- TREADO, S. J.**
Measurement and Evaluation of Lighting/HVAC Interaction.
PB91-206706 100,892
- TROMBKA, J. I.**
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- TROUT, T. K.**
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096
- TROY, E. F.**
Thwarting the Hackers.
PB91-159228 100,705
- TRUS, S.**
Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699
- TSAL, B. P.**
Electronic Spectrum of the GeH₃ Radical.
PB91-189548 100,346
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- TSAL, C.**
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444
- TSAL, K. H.**
Control of Flexible Robot Arm.
PB91-174979 101,032
- TSAL, M.**
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444
- TSAL, T. M.**
Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037
- TSANG, K. L.**
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 101,520
- TSANG, W.**
Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane.
PB90-244534 100,252
Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.
PB92-110170 100,446
Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O.
PB92-148071 100,467
Formation and Stability of SF₅ and S₂F₁₀.
PB91-174839 100,326
Letter to Editor of Chemical and Engineering News.
PB91-174847 100,327
Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331
- TSENG, W.**
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
PB91-194712 100,808
Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 100,796
- TSUDAGAWA, M.**
Electronic and Radiometric Characteristics of Near Infrared Photodiodes.
PB91-174706 100,752
- TU, K. M.**
Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.
PB92-112317 100,169
Experimental Study of Top Vented Compartment Fires.
PB91-167254 100,155
- TU, Y.**
Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods.
PB91-204131 100,759
- TUNG, W.**
Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
PB91-187666 101,314
- TURCHINSKAYA, M.**
Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning.
PB91-149419 101,069
Levitation of Superconducting Composites.
PB91-187351 101,503
- TURK, G. C.**
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210
- TURN, R.**
Bibliography of Selected Computer Security Publications, January 1980-October 1989.
PB91-148486 100,704

PERSONAL AUTHOR INDEX

WAGNER, W.

- TURNER, A. H.**
Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991.
PB92-112465 101,024
- TURNER, C.**
Electrodeposition of Aluminum from Molten Salts.
PB91-159202 101,223
- TURNER, S.**
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study.
PB91-195727 100,204
- TYREE, V. C.**
Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
- TYSON, R. A.**
Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California.
PB91-237404 101,355
- TZENG, L. S.**
Theoretical Investigation of Piloted Ignition of Wood.
PB92-112432 100,556
- UDOVIC, T. J.**
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd₂Sn and ErPd₂Sn.
PB91-194902 101,525
Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.
PB91-237636 100,432
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScHx System.
PB91-158485 101,217
- ULBIG, S.**
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656
- UNGURIS, J.**
Micromagnetics of Domain Walls at Surfaces.
PB91-162305 101,491
Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100).
PB92-117415 101,572
Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 101,554
- UNLU, M. S.**
Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors.
PB91-236703 100,815
Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806
- URIANO, G. A.**
Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies.
PB92-126697 100,013
- URIBE, F. J.**
Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.
PB91-192526 100,363
Thermal Conductivity of Nine Polyatomic Gases at Low Density.
PB91-192492 100,360
- VALKIERS, S.**
Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
- VAN BRUNT, R. J.**
Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
PB91-134528 100,836
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197
Influence of Memory Propagation on Phase-Resolved Stochastic Behavior of AC-Generated Partial Discharges.
PB91-237644 100,861
Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas.
PB92-117225 101,444
Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'.
PB91-159236 101,623
Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge.
PB91-134213 100,835
Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures.
PB91-158790 100,312
- VAN DEN BERG, L.**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- VAN DYK, G.**
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326
- VAN POOLEN, L. J.**
Extended Phase Rule for Nonreactive, Multiphase, Multi-component Chemical Systems.
PB91-237651 100,433
- VAN ROGGEN, A.**
Permittivity Measurements on Molecular-Sized Samples.
PB91-159244 100,800
- VANDIVER, P. B.**
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
- VANEK, M. D.**
Extending the Range and Accuracy of Phase Noise Measurements.
PB91-134874 100,588
- VANEY, M. C.**
Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
- VANZURA, E. J.**
Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method.
PB91-161919 100,844
- VARMA-NAIR, M.**
Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
PB92-110196 100,515
- VARNER, R. N.**
Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- VASQUEZ, I.**
Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544
- VASUDEVAN, A. K.**
Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137
- VAUDIN, M.**
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
- VAZQUEZ, E.**
Performance of OSI Transport over ACCUNET and IBER-PAC.
PB91-134825 100,563
- VEASEY, D. L.**
Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors.
PB91-175141 101,416
- VECCHIA, D. F.**
Linear Calibration When the Coefficient of Variation is Constant.
PB91-149443 101,273
- VEESER, L. R.**
Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.
PB91-175158 100,754
- VELARDE, G.**
Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect.
PB91-147959 101,613
- VENTURINI, E. L.**
Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhH_x) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
- VENZ, S.**
Dental Composite Resins: An Update.
PB91-204149 100,051
Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048
- VERDIER, P. H.**
Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography.
PB91-187641 100,195
Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models.
PB91-203364 100,507
- VESOVIC, V.**
Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density.
PB91-192500 100,361
Transport Properties of Carbon Dioxide.
PB90-244724 100,266
- VEZZETTI, C. F.**
Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- VIDAL-MADJAR, A.**
Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021
- VIGLIOTTI, D. P.**
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
- VILLA, K. M.**
Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams.
PB92-108984 100,087
Material Flammability Test Assessment for Space Station Freedom.
PB91-216606 101,735
- VINCENT, M. A.**
Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite.
PB91-175166 101,736
- VINYES, J.**
Performance of OSI Transport over ACCUNET and IBER-PAC.
PB91-134825 100,563
- VISITSERNGTRUKUL, S.**
Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.
PB92-116607 100,820
Residual Defects in SIMOX: Threading Dislocations and Pipes.
PB92-117233 100,829
- VOELS, S. A.**
Photospheres of Hot Stars. 4. Spectral Type O4.
PB91-149849 100,025
- VOGEL, E.**
Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
- VOLCHOK, H. L.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- VOORHEES, P. W.**
Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227
- VORBURGER, T. V.**
Capacitance versus Stylus Measurements of Surface Roughness.
PB91-203463 101,020
Light-Scattering Measurement of the RMS Slopes of Rough Surfaces.
PB92-116532 101,436
Standard Reference Specimens in Quality Control of Engineering Surfaces.
PB91-216721 101,021
Stylus Profiling at High Resolution and Low Force.
PB91-162354 101,015
- VOSS, J.**
Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287
- VOTH, R. O.**
Hydrogen Slush Production with a Large Auger.
PB91-147199 100,275
- WACK, J. P.**
Establishing a Computer Security Incident Response Capability (CSIRC).
PB92-123140 100,720
- WADLEY, H. N. G.**
Acoustic Emission Monitoring of Laser Drilling.
PB91-158527 101,218
Advanced Sensing of Materials Processing.
PB91-171423 100,949
- WAGNER, C. D.**
NIST X-Ray Photoelectron Spectroscopy (XPS) Database.
PB92-123157 100,465
- WAGNER, W.**
New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa.
PB92-148170 100,477
Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.
PB92-148147 100,474
Transport Properties of Fluid Oxygen.
PB91-192484 100,359

PERSONAL AUTHOR INDEX

- WAHLIN, E.**
Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683
- WAIT, D. F.**
Intercomparison of NBS Noise Calibration Services.
PB91-162370 100,847
- WAKEHAM, W. A.**
Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255
Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density.
PB91-102500 100,361
Transport Properties of Carbon Dioxide.
PB90-244724 100,266
- WAKID, S. A.**
Conformance Tester for X.25 DTE Implementations.
PB91-189894 100,602
ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side.
PB92-102201 100,572
North American ISDN Users' Forum Agreements on Integrated Services Digital Network.
PB92-102219 100,573
- WALDOW, D.**
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422
- WALKER, C.**
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230
- WALKER, E. L.**
Geometric Reasoning for Constructing 3D Scene Descriptions for Images.
PB91-237677 100,714
- WALKER, H. N.**
Techniques to Observe the Fracture Zone in Mortar and Concrete.
PB91-134189 100,521
- WALLACE, D. R.**
Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991.
PB92-112267 100,668
Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.
PB92-109040 100,667
Software Verification and Validation: An Overview.
PB91-237885 100,658
- WALLACE, E. K.**
Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991
Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- WALLACE, J. S.**
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
- WALLACE, S.**
Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991
Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- WALLINGTON, T. J.**
Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330
- WALLIS, B.**
Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications.
PB91-203349 100,757
- WALLS, F. L.**
Accuracy Model for Phase Noise Measurements.
PB91-134882 100,589
Calculated from the Frequency Domain: An Update.
PB91-162388 100,578
Environmental Effects on the Medium and Long Term Frequency Stability of Quartz Oscillators.
PB91-134866 100,781
Environmental Sensitivities of Quartz Crystal Oscillators.
N91-25797/2 100,778
Extending the Range and Accuracy of Phase Noise Measurements.
PB91-134874 100,588
- Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.**
PB92-123132 100,587
- WALRAFEN, G. E.**
High-Temperature High-Pressure Raman Spectra from Liquid Water.
PB91-195735 100,385
- WALSH, R. P.**
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204
Creep of Copper: 4 to 295 K.
PB91-189985 101,233
Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168
- WALTERS, W. B.**
Structure of Odd-Odd (132)Sb.
PB91-237461 101,711
- WALTON, G. N.**
Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report.
PB91-144386 100,889
- WALTRIP, B. C.**
Performance Evaluation of a New Audio-Frequency Power Bridge.
PB92-117431 100,742
- WANG, B. L.**
Control of Flexible Robot Arm.
PB91-174979 101,032
- WANG, F.**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
PB91-174482 100,492
- WANG, F. W.**
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
- WANG, P.**
Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties.
PB91-237693 100,434
Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.
PB90-244633 100,260
- WANG, P. S.**
Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436
Surface Oxidation Kinetics of Si3N4 - 4% Y2O3 Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- WANG, Y.**
Collisional Electron-Detachment and Ion-Conversion Processes in SF6.
PB91-134528 100,836
- WANG, Z. X.**
Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188
- WARD, D. B.**
Study of the Linearity of Transfer Leaks and a Helium Leak Detector.
PB91-147272 100,926
- WARD, D. K.**
Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a).
PB91-175414 101,195
- WARD, T. H.**
Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
PB91-187682 100,567
- WARSAW, B.**
TROJ User's Guide.
PB91-157214 101,026
- WARSAW, B. A.**
Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.
PB92-204754 100,659
- WASZCZAK, J. V.**
New Layered Cuprate Structure-Type, (A1-xA'x)14Cu24O41.
PB91-237339 101,095
- WATANABE, H.**
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations.
PB91-159731 100,110
- WATANABE, K.**
Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam.
PB92-148154 100,475
Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198
- WATERSTRAT, R. M.**
Structural Instabilities and Superconductivity in Quasi-Binary Mn5Si3-Type Compounds.
PB91-149427 101,215
- WATSON, J. T. R.**
Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198
Transport Properties of Carbon Dioxide.
PB90-244724 100,266
- WATSON, P. R.**
Critical Compilation of Surface Structures Determined by Ion Scattering Methods.
PB90-244559 100,254
- WATSON, R. E.**
Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems.
PB91-204156 101,238
Wigner-Seitz Local-Environment Study of the High Tc Superconductors.
PB91-195115 101,528
- WATERS, R. L.**
Characteristics of Aerosols Produced by the Spark Discharge.
PB91-237727 100,209
- WATTS, R. N.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
Observation of Atoms Laser-Cooled Below the Doppler Limit.
PB91-189746 101,655
Observation of Atoms Laser Cooled Below the Doppler Limit.
PB91-195453 101,671
- WAVERING, A.**
NASREM Robot Control System and Testbed.
PB91-194969 101,033
- WAVERING, A. J.**
Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732
- WEBB, R. E.**
Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735 100,053
- WEBER, A.**
Molecular Spectroscopy Division of the National Bureau of Standards.
PB91-175174 100,332
- WEBER, I. T.**
Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
Crystallizing Catabolite Gene Activator Protein with cAMP for Structural Analysis.
PB91-148213 101,299
- WEBER, S. F.**
Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual.
PB91-167700 100,978
- WEERTMAN, J. R.**
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929
- WEIDE, K.**
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma).
PB91-148726 100,291
- WEIDMAN, M. F.**
Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838

PERSONAL AUTHOR INDEX

WINELAND, D. J.

- WEIL, C. M.**
Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838
- WEIMER, C. S.**
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
- WEINER, J.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
- WEIR, R. D.**
Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.
PB91-147041 100,272
Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromide Monohydrate Salt (NH₄)₂InBr₅·H₂O from 7.8 to 348 K.
PB91-149831 100,304
Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF₄ from 6 to 344 K.
PB91-149864 100,305
Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.
PB92-116524 100,456
- WEISS, A. W.**
Relativistic and Correlation Effects in the 2s3p Configuration of Beryllium-Like Ions.
PB91-189605 101,654
- WEISS, M. A.**
New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580
Precise Ephemerides for GPS Time Transfer.
PB91-236950 100,586
- WELCH, J. F.**
Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395
- WELCH, M. J.**
Stability of Uric Acid in Ammonium Hydroxide.
PB91-189266 101,292
- WELLER, M.**
Mechanical Loss in a Glass-Epoxy Composite.
PB91-149435 101,070
- WELLS, J. S.**
Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423
- WELSCH, L.**
Difficulties in Parsing SGML.
PB91-189456 100,650
- WELSCH, L. A.**
Multimedia Courseware in an Open Systems Environment: A Federal Strategy.
PB91-143362 100,039
- WERIJ, H. G. C.**
Collisional Energy Transfer between Excited Sr Atoms.
PB91-204164 101,703
- WESSMAN, R. A.**
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- WESTBROOK, C. I.**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
Observation of Atoms Laser-Cooled Below the Doppler Limit.
PB91-189746 101,655
Observation of Atoms Laser Cooled Below the Doppler Limit.
PB91-195453 101,671
- WESTRUM, E. F.**
Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry.
PB91-150003 100,309
Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.
PB91-147041 100,272
Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromide Monohydrate Salt (NH₄)₂InBr₅·H₂O from 7.8 to 348 K.
PB91-149831 100,304
Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF₄ from 6 to 344 K.
PB91-149864 100,305
- WEXLER, A.**
NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520
- WHEELER, A. A.**
Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Non-linear Theory.
PB91-195743 101,536
Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396
Phase-Field Model for Isothermal Phase Transitions in Binary Alloys.
PB92-108992 101,240
- WHETSTONE, J. R.**
Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
- WHITE, E.**
Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d₅ Acid, and 3-Quinuclidinyl-(18)O, Benzilate-d₅.
PB91-237370 100,223
- WHITE, G. S.**
Effects of Crystal Bonding on Brittle Fracture.
PB91-148221 101,064
Environmentally Enhanced Fracture of Gallium Arsenide.
PB91-237743 101,097
Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
- WHITE, H. J.**
Steam Tables.
PB91-159251 101,624
- WHITE, J. W.**
Structure of a Stage-3 Cs - Graphite Intercalate.
PB91-134957 100,269
- WHITE V, E.**
Stability of Uric Acid in Ammonium Hydroxide.
PB91-189266 101,292
- WHITE, V. R.**
Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
PB91-222646 100,934
NVLAP FY 90 Annual Report.
PB91-206748 100,010
- WHITENTON, E. P.**
Method for Quantitative Measurement of Galling Damage.
PB91-159269 101,183
Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147
- WHITMAN, L. J.**
Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.
PB91-190090 101,517
Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).
PB91-195750 101,537
- WHITTEN, B. L.**
Spin-Dependent Electron-Impact Excitation of Sodium.
PB91-175497 101,641
- WHITTENBERG, C. D.**
Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- WICKMAN, G.**
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber.
PB91-195057 101,322
- WICKS, F. J.**
Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey.
PB91-174680 101,359
- WIEDERHORN, S. M.**
Comparison of Creep Rupture Behavior in Tension and Bending.
PB91-202820 101,087
Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091
Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875
Effect of Surface Forces on Subcritical Crack Growth in Glass.
PB92-117449 101,103
High Temperature Creep Testing of Ceramics.
PB91-202838 101,088
Tensile Creep Behavior of Structural Ceramics.
PB91-159277 101,075
- WIELOPOLSKI, P. A.**
Structure of a Stage-3 Cs - Graphite Intercalate.
PB91-149864 100,305
- WILCOX, R. A.**
SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923
- WILHOIT, R. C.**
Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368
- WILLGING, P. A.**
Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
PB91-148767 101,065
- WILLIAMS, D.**
Characteristic Impedance Determination Using Propagation Constant Measurement.
PB91-236992 100,775
Translate LRL and LRM Calibrations.
PB91-237776 100,862
- WILLIAMS, E. R.**
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710
- WILLIAMSON, M. P.**
3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks.
PB92-126549 101,381
Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 Inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge.
PB91-187542 100,690
- WILLMAN, N.**
Development of an Optical Disk System for the Automated Retrieval of EASEAR Records.
PB92-108943 100,666
- WILLMAN, N. E.**
Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 Inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge.
PB91-187542 100,690
- WILSON, A. M.**
Environmentally Enhanced Fracture of Gallium Arsenide.
PB91-237743 101,097
Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
- WILSON, C. L.**
Modelling Gallium Arsenide Transistors.
PB91-149989 100,797
- WILSON, R.**
Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.
PB91-162347 101,389
- WILSON, R. B.**
Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile.
PB91-184812 101,345
- WILSON, R. G.**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- WINELAND, D. J.**
303-MHz Frequency Standard Based on Trapped Be(+) Ions.
PB92-116474 101,722
Cooled Ion Frequency Standard.
AD-A227 806/7 101,591
Cooled Ion Frequency Standard.
AD-A242 030/5 101,593
Liquid and Solid Ion Plasmas.
PB91-134957 100,269

PERSONAL AUTHOR INDEX

- AD-A227 656/6 101,441
Liquid and Solid Ion Plasmas.
AD-A242 029/7 101,592
Observation of Correlations in Finite, Strongly Coupled Ion Plasmas.
PB91-200857 101,678
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
Quantum Optics of Single, Trapped Ions.
PB91-162123 101,628
Reply to Comment on 'Quantum Zeno Effect'.
PB91-236828 101,708
Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State.
PB92-116870 101,726
Trapped-Ion Frequency Standards.
N91-25760/0 100,575
- WINNEWISSE, C.**
Linearity of a Silicon Photodiode at 30 MHz and Its Effect on Heterodyne Measurements.
PB91-187625 100,755
- WINSTEAD, E.**
Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- WINTER, C.**
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656
- WINTERS, M. P.**
Correlated Spontaneous Emission in a Zeeman Laser.
PB91-175596 101,417
Correlated Spontaneous Emission in a Zeeman Laser.
PB91-204180 101,432
- WISE, J. A.**
Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
PB92-109024 100,935
- WISE, S.**
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.
PB91-147769 100,182
- WISE, S. A.**
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
PB91-149187 100,190
- WITT, T. J.**
New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.
PB91-237586 100,740
- WITTEBERG, T. N.**
Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436
Surface Oxidation Kinetics of Si3N4 - 4% Y2O3 Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- WITTMAN, R. C.**
Spherical Near-Field Scanning: Determining the Incident Field Near a Rotatable Probe.
PB91-148239 100,725
- WITTMANN, R. C.**
Probe-Corrected Spherical Near-Field Scanning Theory in Acoustics.
PB92-117456 101,383
Spherical Near-Field Scanning: Experimental and Theoretical Studies.
PB91-132274 100,723
- WITZGALL, C.**
Convergence Behavior of Trajectories for Linear Programming.
PB91-204198 101,270
Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269
- WLODAWER, A.**
Crystal Structure of Phosphate-Free Ribonuclease.
PB91-175604 101,301
Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298
Neutron Crystallography of Proteins.
PB91-175349 101,285
- WOFFORD, B. A.**
Rovibrational Analysis of the nu7(1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- WOICIK, J. C.**
Strontium-Induced Oxygen Defect Structure and Hole Doping in La2-xSrxCuO4.
PB91-148155 101,472
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- WOLF, S.**
Phonon Density of States of Superconducting YBa2Cu3O7 and the Nonsuperconducting Analog YBa2Cu3O6.
PB91-159129 101,487
- WONG-NG, W.**
Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
Superconducting Properties of Bi2-x-yPbxSnySr2Ca2Cu3Oz.
PB91-162321 101,076
- WOOD, L. L.**
Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.
PB92-123041 101,053
- WOOD, M. L.**
Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.
PB91-190108 101,321
- WOODHOUSE, C. E.**
SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923
- WORTHEY, J. A.**
Dealing with Obvious Issues in Lighting.
PB91-237792 100,761
Effect of Veiling Reflections on Vision of Colored Objects.
PB91-237800 100,079
Light Source Area, Shading, and Glare.
PB91-237818 100,080
Role of Theory in Lighting Research and Design.
PB91-237826 100,081
- WORTHY, B.**
Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328
- WRIGHT, R. N.**
AI: Does It Have a Place in Building Simulation.
PB91-159293 100,063
Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151
Research and Technology for Structural Engineering Productivity.
PB91-204206 100,147
- WU, M. K.**
Magnetic Hysteresis of High-Temperature YBa2Cu3Ox-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
- WU, S. T.**
Computational Models Developed for the Corrosion of Prestressing Steel.
PB91-167304 100,115
- WU, W. L.**
Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers.
PB91-202887 100,505
Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering.
PB91-237842 100,514
- WU, Y. C.**
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths.
PB91-237859 100,438
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
PB91-187658 100,339
Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.
PB91-189282 100,196
- WUILLEUMIER, F. J.**
Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations.
PB91-159301 101,626
- WUNDERLICH, B.**
Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
PB92-110196 100,515
- XIA, G. J.**
Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range.
PB91-148908 101,410
- XIONG, L. X.**
Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes.
PB91-187690 101,138
- XU, X. Y.**
Device for Audio-Frequency Power Measurement.
PB91-149401 100,733
- YAMAMOTO, M.**
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422
- YAMASHITA, H.**
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
PB91-134684 100,837
- YANCEY, C. W. C.**
Review of Research Literature on Masonry Shear Walls.
PB91-167189 100,113
- YANG, S. C.**
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.
PB92-110147 100,443
- YANG, W. H.**
High-Temperature High-Pressure Raman Spectra from Liquid Water.
PB91-195735 100,385
- YANG, Y.**
STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.
PB91-184788 100,966
- YANIV, S. L.**
Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590
- YAO, Y. C.**
Linear Calibration When the Coefficient of Variation is Constant.
PB91-149443 101,273
- YAP, W. T.**
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.
PB91-237867 100,439
- YARMOFF, J. A.**
Chemical Effects of Ne+ Bombardment on the MoS2(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy.
PB91-203471 100,399
Electron Attenuation Lengths at SiO2/Si Interfaces.
PB91-175612 101,499
- YATES, B. W.**
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Parity-Unflavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649
- YATES, N.**
Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- YEE, K. W.**
Material Dependency of Chip-Form Detection Using Acoustic Emission.
PB91-149450 101,216
- YEH, T. T.**
Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem.
PB91-134411 100,920
- YETZBACHER, M. R.**
Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395
- YIN, L. I.**
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- YING, X. T.**
Algorithm and Computer Program for the Calculation of Envelope Curves.
PB91-158972 101,414
Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
PB92-116813 101,112
- YOKEL, F. Y.**
Proposed Design Criteria for Shallow Bridge Foundations.

PERSONAL AUTHOR INDEX

ZUQIU, L.

- PB91-187849 100,534
- YOLKEN, H. T.**
Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995
- YOON, D. N.**
Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235
Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210
- YOON, I. T.**
Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of $E_g(x,T)$.
PB92-117316 101,568
- YOSHIDA, K.**
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- YOSHINO, M.**
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263
- YU, D. Y.**
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- YU, S. C.**
Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe₇₈B₁₃Si₉.
PB92-117464 101,573
- YUAN, T.**
Mechanism of Soot Formation in Acetylene-Oxygen Mixtures.
PB91-147280 100,537
- YUN-DONG, C.**
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326
- YUST, M.**
Transparent Thin Film Thermocouple.
PB91-190116 100,783
- YUWONO, L.**
Permittivity Measurements on Molecular-Sized Samples.
PB91-159244 100,800
- ZABRANSKY, M.**
Heat Capacities of Organic Compounds in Liquid State. 2. C1 to C18 n-Alkanes.
PB92-110204 100,448
- Heat Capacities of Organic Compounds in the Liquid State I. C1 to C18 1-Alkanols.
PB90-244716 100,265
- ZAHURAK, S. M.**
Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535
- ZALESKI, E.**
Electronic and Radiometric Characteristics of Near Infrared Photodiodes.
PB91-174706 100,752
- ZALUBAS, R.**
Energy Levels of Sulfur, S I Through S XVI.
PB91-192443 100,355
- ZAPAS, L. J.**
Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
PB91-148247 101,242
- Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.
PB91-187385 100,496
- ZARR, R. R.**
Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates.
PB91-206730 100,933
- Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.
PB91-187278 100,121
- Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.
PB91-147975 100,103
- Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
PB91-194696 100,126
- Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989.
PB91-175620 101,079
- Thermal Conductivity of Fumed Silica Board at Room Temperature.
PB91-190124 100,125
- ZAWADZKI, W.**
Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
- ZEISLER, R.**
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374
- ZELEZNIK, F. J.**
Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K.
PB92-148188 100,478
- ZEMKE, W. T.**
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.
PB92-110147 100,443
- ZHANG, C. H.**
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 101,520
- ZHANG, Y.**
Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178
- ZHANG, Z.**
Structure of Surface Films on Magnesium and on Magnesium Alloys.
PB91-147637 101,212
- ZHENG, Y. C.**
Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range.
PB91-148908 101,410
- ZHOU, H.**
Permittivity Measurements on Molecular-Sized Samples.
PB91-159244 100,800
- ZHOU, H. L.**
Spin-Dependent Electron-Impact Excitation of Sodium.
PB91-175497 101,641
- ZIMMERMAN, J.**
Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume.
PB91-203877 101,051
- ZIMMERMAN, J. E.**
Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.
PB91-187534 101,048
- ZINK, L. R.**
Accurate Frequency of the 119 μ m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy.
PB91-134130 101,405
- ZOU, K.**
Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.
PB90-244542 100,253
- ZUKOSKI, E. E.**
Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments.
PB91-157180 100,542
- ZUQIU, L.**
Conformance Verification of FDDI Stations.
PB91-148254 100,747



KEYWORD INDEX

SAMPLE ENTRY

Air Pollution & Control

Proposed Standard Practice for Assessing the Performance
of Gas-Phase Air Cleaning Equipment
PB91-167353

100,905

Keyword term

Title

NTIS order number

Abstract number

2-METHYLPROPANE

Chemical Kinetic Data Base for Combustion Chemistry
Part 4. Isobutane.
PB90-244534

100,252

8-HYDROXYGUANINE

8-Hydroxyguanine Content of Isolated Mitochondria In-
creases with Lipid Peroxidation.
PB91-189472

101,286

Mechanistic Studies of Ionizing Radiation and Oxidative
Mutagenesis: Genetic Effects of a Single 8-Hydroxyguan-
ine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique
Site in a Viral Genome.
PB91-190108

101,321

AB-INITIO CALCULATIONS

Ab-Initio Calculations and Ideal Gas Thermodynamic
Functions of Cyclopentadiene and Cyclopentadiene De-
rivatives.
PB92-148089

100,468

ABRASIVE BLASTING

Roughness Measures of Blasted Steel Surfaces Remotely
Imaged with a Thermographic Camera.
PB91-147686

101,146

ABSORPTION COEFFICIENTS

Scattered Light and Other Corrections in Absorption Co-
efficient Measurements in the Vacuum Ultraviolet: A Sys-
tems Approach.
AD-A227 869/5

100,179

ABSORPTIVITY

Letter to the Editor, Fire Technology, Comments on T.Z.
Harmathy Viewpoint, May 1985.
PB91-174797

100,545

ABSTRACTS

Abstract and Index Collection in the Research Informa-
tion Center of the National Institute of Standards and
Technology (Fourth Edition).
PB91-148494
High-Temperature Superconductivity: Abstracts of NIST
Publications, 1987-1991.
PB92-126564

100,959

101,105

AC LOSSES

AC Loss Measurements of Two Multifilamentary NbTi
Composite Strands.
PB91-133892

100,769

ACCESS

Configuration Management Concepts Document. National
PDES Testbed Report Series.

PB91-194480

100,984

ACCESS CONTROL

Thwarting the Hackers.
PB91-159228

100,705

ACCESS METHODS

Issues in Transparent File Access.
PB91-187831

100,569

ACCIDENT INVESTIGATIONS

Investigation of the Collapse of L'Ambiance Plaza.
PB91-204057

100,146

ACCREDITATION

Plumbing Test Lab Accreditation.
PB91-190066
Laboratory Accreditation in the United States.
PB91-194415

100,089

100,172

ACCURACY

Uncertainty and Accuracy in Physical Measurements.
PB91-167205
Accuracy of Transmission Electron Microscopy Analysis
of Asbestos on Filters: Interlaboratory Study.
PB91-195727

101,629

100,204

ACETIC ACID

Studies on the Degradation Products of Paper with and
without Pollutants in a Closed Environment. 1. Preliminary
Results.
PB91-143313
Thermodynamics of the Krebs Cycle and Related Com-
pounds.
PB91-192468
Mechanisms of the Reduction Reactions of Cr(VI) in the
Radiolysis of Acidic Potassium and Silver Dichromate So-
lutions in the Presence or Absence of Acetic Acid.
PB91-236489

101,181

100,357

100,241

ACETONITRILE

Mechanism of Cyanide Release in the Radiolysis of Ace-
tonitrile.
PB91-203679
Rotational Spectrum and Structure of the Complex Ar-
CH₃CN.
PB91-236661

100,240

100,415

ACETYLENE

Mechanism of Soot Formation in Acetylene-Oxygen Mix-
tures.

PB91-147280

100,537

Reactions of C₅H₃(+) and C₅H₅(+) Ions with Acety-
lene and Diacetylene.
PB91-195370

100,384

ACID BONDED REACTION CEMENTS

Setting Reactions and Compressive Strengths of Calcium
Phosphate Cements.
PB91-148668

100,040

Effect of Catalyst Structure on the Synthesis of a Dental
Restorative Monomer.
PB91-158691

100,043

Development of an Adhesive System for Bonding to Hard
Tooth Tissues.
PB91-236539

100,052

Dentin-Bonding Molar Efficiency Using N-Phenylglycine,
N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735

100,053

ACID RAIN

Analysis of Wet Deposition (Acid Rain): Determination of
the Major Anionic Constituents by Ion Chromatography.
PB91-236646

100,035

ACID RESISTANCE

Effects of pH and Calcium on Hydrolysis of Na₂SiF₆ and
Na₂SnF₆: A Quasi-Constant Composition Titration Study.
PB91-194746

101,315

ACOUSTIC DETECTORS

Material Dependency of Chip-Form Detection Using
Acoustic Emission.
PB91-149450

101,216

ACOUSTIC EMISSION

Acoustic Emission Monitoring of Laser Drilling.
PB91-158527

101,218

ACOUSTIC EMISSIONS

Deconvolution of Acoustic Emission and Other Causal
Time Series.
PB91-216762

101,263

ACOUSTIC FIELDS

Probe-Corrected Spherical Near-Field Scanning Theory in
Acoustics.
PB92-117456

101,383

ACOUSTIC VELOCITY

Speed of Sound of Natural Gas Mixtures.

KEYWORD INDEX

- PB91-162214 100,882
Group and Phase Sound Velocities in an Eu1Ba2Cu3O7
Superconductor and Related Perovskite Oxides.
PB91-194860 101,523
- ACOUSTICS**
Ultrasonic Texture and Stress Measurements in Aniso-
tropic Polycrystalline Aggregates.
PB91-202945 101,237
Accurate Acoustic Measurements in Gases Under Diffi-
cult Conditions.
PB92-116847 101,382
- ACOUSTICS & SOUND**
Device for Audio-Frequency Power Measurement.
PB91-149401 100,733
Extended Abstract: A Finite Element Study of the Stress
and Displacement Fields Produced by Point Impact.
PB91-175224 101,584
Acoustic Technique for Evaluation of Thermal Insulation.
PB91-189324 100,123
Microstructure and Elastic Properties of Dental Resin and
Resin-Based Glass-Reinforced Composites: XRD, SEM
and Ultrasonic Methods.
PB91-204081 100,050
Deconvolution of Acoustic Emission and Other Causal
Time Series.
PB91-216762 101,263
Apparatus for Acoustic Measurements of Gases with Ap-
plications for High Temperatures.
PB92-116839 100,458
Accurate Acoustic Measurements in Gases Under Diffi-
cult Conditions.
PB92-116847 101,382
Performance Evaluation of a New Audio-Frequency
Power Bridge.
PB92-117431 100,742
- ACRYLATES**
Diffunctional and Multifunctional Monomers Capable of
Cyclopolymerization.
PB91-195685 100,504
- ACTINIDES**
Interlaboratory Comparison of Actinides in Human Tissue
(239)Pu + (240)Pu.
PB91-203265 101,323
- ACTIS CODE**
ACTIS: Towards a Comprehensive Tribology Data Base.
PB91-174904 101,184
- ACTIVATION ANALYSIS**
Low-Background Gamma-Ray Assay Laboratory for Acti-
vation Analysis.
PB91-162198 100,192
- ACTIVITY COEFFICIENTS**
Research at NBS in Direct Potentiometric Measurements
in Blood.
PB91-148874 100,188
- ADA PROGRAMMING LANGUAGE**
Ada Compiler Validation Summary Report: Certificate
Number: 901109S1.11053, Digital Equipment Corporation
VAX Ada, Version 2.2 VAX 8800 = > VAX 8800.
AD-A233 961/2 100,607
Ada Compiler Validation Summary Report: DDC Interna-
tional A/S, DACS VAX/VMS to 80186 Bare Ada Cross
Compiler System, Version 4.6, VAX 8530 (Host) to Bare
Board iSBC 186/93A (Host), 901129S1.11079.
AD-A234 083/4 100,608
Ada Compiler Validation Summary Report: Certificate
Number: 901129S1.11112 DDC International A/S DACS
90386 DMS/OS Ada Compiler System, Version 4.6 IBM
PS/2 Model 80-311 = > IBM PS/2 Model 80-311.
AD-A234 118/8 100,609
Ada Compiler Validation Summary Report: Certificate
Number: 901129S1.11050 DDC International A/S DACS
VAX/VMS Native Ada Compiler System, Version 4.6 VAX
8530 = > VAX 8530.
AD-A234 323/4 100,610
Ada Compiler Validation Summary Report: Digital Equip-
ment Corporation, VAX Ada, Version 2.2, BAX 8800
(Host) t VAX MicroVAX II Running VAXELN Version 4.1
(Target), 901109S1.11054.
AD-A234 350/7 100,611
Ada Compiler Validation Summary Report: Certificate
Number: 901129S1.11051, DDC International A/S, DACS
VAX/VMS to 68020 Bare Cross Compiler System, Ver-
sion 4.6 MicroVAX 3100 Greater Than or Equal to Motor-
ola MVME133.
AD-A234 380/4 100,612
Ada Compiler Validation Summary Report: Certificate
Number: 901129S1.11077 DDC International A/S DACS
VAX/VMS to 80186 Bare Ada Cross Compiler System
with Rate Monotonic Scheduling, Version 4.6 VAX 8530
= > Bare Board iSBC/03A.
AD-A234 438/0 100,613
Ada Compiler Validation Summary Report: Certificate
Number: 901129S1.11075 DDC International A/S DACS
80386 UNIX V Ada Compiler System, Version 4.6 ICL
DRS300 = > ICL DRS300.
AD-A234 439/8 100,614
Ada Compiler Validation Summary Report: Certificate
Number: 901129S1.11074 DDC International A/S DACS
VAX/VMS 60 80386 PM Bare Ada Cross Compiler
System, Version 4.6 VAX 8530 = > Bare Board iSBC
386/21.
AD-A234 529/6 100,615
Ada Compiler Validation Summary Report: Certificate
Number: 910510S1.11161 UNISYS Corporation, UCS
Ada, Version 1R1, 2200/600 (Host and Target). Revision.
AD-A239 715/6 100,616
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11179 U.S. Navy Ada/M, Version 4.0
(OPTIMIZE) VAX 11/785 = > AN/AYK-14 (Bare
Board).
AD-A240 511/6 100,617
Ada Compiler Validation Summary Report: Certificate
Number: 910705S1.11192 InterAct Corporation InterAct
Ada Mips Cross-Compiler System, Release 2.0 MicroVAX
3100 Cluster = > Lockheed Sanders STAR MVP
R3000/R3010 board (Bare Machine).
AD-A240 512/4 100,618
Ada Compiler Validation Summary Report: Certificate
Number: 910502S1.11158 DDC International A/S, DACS
VAX/VMS to 80860 Bare Ada Cross Compiler System,
Version 4.6.1, VAX 8530 (Host) to Tadpole Technology
PLC TP860M (Bare Board) (Target).
AD-A240 610/6 100,619
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11176 U.S. Navy, Ada/L, Version 4.0
(/Optimize), VAX 11/785 (Host) to AN/UYJ-43 (Single
CPU) (Bare Board) (Target).
AD-A240 611/4 100,620
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11174 U.S. Navy, Ada/M, Version 4.0
(/Optimize), VAX 8550, Running VAX/VMS Version 5.3
(Host) to AN/UYK-44 (EMR) (Bare Board) (Target).
AD-A240 612/2 100,621
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11175 U.S. Navy Ada/M, Version 4.0
(/Optimize), VAX 8550 (Host) to AN/AYK-14 (Bare
Board) (Target).
AD-A240 613/0 100,622
Ada Compiler Validation Summary Report: Certificate
Number: 910705S1.11191, InterACT Corporation Inter-
ACT Ada 1750A Compiler System, Release 3.5, Micro-
VAX 3100 Cluster = > InterACT MIL-STD-1750A In-
struction Set Architecture Simulator, Release 2.3 (Bare
Machine).
AD-A240 762/5 100,623
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11178, U.S. Navy Ada/M, Version 4.0
(/OPTIMIZE) VAX 11/785 = > AN/UYK-44 (EMR)
(Bare Board).
AD-A240 763/3 100,624
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11173 U.S. Navy Ada/L, Version 4.0
(/Optimize) VAX 855 = AN/UYK-43 (EMR) (Bare
Board).
AD-A240 783/1 100,625
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11172 U.S. Navy Ada/L, Version
4.0 (/Optimize) VAX 8550 = AN/UYK-43 (Single
CPU) (Bare Board).
AD-A240 784/9 100,626
Ada Compiler Validation Summary Report: Certificate
Number: 910502S1.11159 DDC International A/S DACS
Sun-3/SunOS to 68030 Bare Ada Cross Compiler
System, Version 4.6.4, MRI IEEE 695 (BASIC-MODE)
Sun-3/50 = Motorola MVME143 Board (68030/68882).
AD-A240 785/6 100,627
Ada Compiler Validation Summary Report: Certificate
Number: 910502S1.11160 DDC International A/S DACS
Sun-3/SunOS to 68030 Bare Ada Cross Compiler
System, Version 4.6.4, MRI IEEE 695 (SECURE MODE)
Sun-3/50 = > Motorola MVME143 Board (68030/
68882).
AD-A240 849/0 100,628
Ada Compiler Validation Summary Report: Certificate
Number: 910626S1.11177 U.S. NAVY Ada/L, Version 4.0
(/OPTIMIZE) VAX 11/785 = > AN/UYK-43 (EMR)
(Bare Board).
AD-A240 850/8 100,629
Ada Compiler Validation Summary Report: Certificate
Number: 910517S1.11163 U.S. Navy, AdaVAX, Version
5.0, (/NO OPTIMIZE) VAX 8350 (Host and Target).
AD-A242 268/1 100,630
Ada Compiler Validation Summary Report: Certificate
Number: 910517S1.11162 U.S. Navy, AdaVAX, Version
5.0, (/OPTIMIZE) VAX 8600 (Host and Target).
AD-A242 269/9 100,631
Ada Compiler Validation Summary Report: Certificate
Number: 910517S1.11165 U.S. Navy, AdaVAX, Version
5.0 (/NO-OPTIMIZE), VAX 11/785 (Host and Target).
AD-A242 270/7 100,632
Ada Compiler Validation Summary Report: Certificate
Number: 910517S1.11164 U.S. Navy, AdaVAX, Version
5.0, (/OPTIMIZE), VAX11/785 (Host and Target).
AD-A242 273/1 100,633
Ada Compiler Validation Summary Report: Certificate
Number: 910918S1.11216, NEC Corporation, NEC Ada
Compiler System for EWS-UX/V (Rel 4.0), Version Re-
lease 2.1(4.6) EWS4800/220 = EWS4800/220.
AD-A242 609/6 100,634
Ada Compiler Validation Summary Report: Certificate
Number: 911025S1.11226, Digital Equipment Corporation
DEC Ada, Version 1.0 DECstation 5000 Model 200 = >
DECstation 5000 Model 200.
- AD-A242 896/9 100,635
Validated Products List (Cobol, Fortran, ADA, Pascal,
MUMPS, SQL).
PB92-937300 100,671
- ADAPTERS**
Determining Adapter Efficiency by Envelope Averaging
Swept Frequency Reflection Data.
PB91-236620 100,743
- ADENOSINE**
Crystal Structure of a cAMP-Independent Form of Cata-
bolite Gene Activator Protein with Adenosine Substituted
in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
- ADENOSINE CYCLIC MONOPHOSPHATE**
Crystallizing Catabolite Gene Activator Protein with cAMP
for Structural Analysis.
PB91-148213 101,299
Crystal Structure of a cAMP-Independent Form of Cata-
bolite Gene Activator Protein with Adenosine Substituted
in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
- ADENOSINE PHOSPHATES**
Thermodynamics of the Disproportionation of Adenosine
5'-diphosphate to Adenosine 5'-triphosphate and Adeno-
sine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459
Thermodynamics of the Disproportionation of Adenosine
5'-diphosphate to Adenosine 5'-triphosphate and Adeno-
sine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313
- ADHESIVE BONDING**
Further Investigation of the Effect of Application Param-
eters on Adhesive-Bonded Seams of Single-Ply Roof
Membranes.
PB91-149153 100,105
Pulse-Echo Ultrasonic Evaluation of the Integrity of
Seams of Single-Ply Roofing Membranes: Laboratory
Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106
Pulse-Echo Ultrasonic Evaluation of the Integrity of
Seams of Single-Ply Roofing Membranes: Results of
Field Investigations and Recommendations.
PB91-159731 100,110
Field Testing of Adhesive-Bonded Seams of Rubber
Roofing Membranes.
PB91-189993 100,124
- ADHESIVES**
Development of an Adhesive System for Bonding to Hard
Tooth Tissues.
PB91-236539 100,052
Dentin-Bonding Molar Efficiency Using N-Phenylglycine,
N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735 100,053
- ADP**
Thermodynamics of the Disproportionation of Adenosine
5'-diphosphate to Adenosine 5'-triphosphate and Adeno-
sine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459
- ADSORPTION**
Chitin-Chitosan Membranes: Separations of Amino Acids
and Polypeptides.
PB91-134544 101,283
How Does Surface Roughness Affect Polymer-Surface
Interactions.
PB91-189241 100,341
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A
Zeolite.
PB91-195255 100,380
Neutron Spectroscopic Evidence for Adsorbed Hydroxyl
Species on Platinum Black.
PB91-237636 100,432
- ADVANCED TECHNOLOGY PROGRAM**
Advanced Technology Program: A New Role for NIST in
Accelerating the Development of Commercially Important
Technologies.
PB92-126697 100,013
- AEROSOLS**
Characteristics of Aerosols Produced by the Spark Dis-
charge.
PB91-237727 100,209
- AGE DETERMINATION**
Accelerator (14)C Dating of Late Pleistocene Megafauna.
PB91-237396 101,354
Accelerator Radiocarbon Dates on Charcoal, Shell, and
Human Bone from the Del Mar Site, California.
PB91-237404 101,355
- AGGREGATES**
Microstructure and Fracture at the Cement Paste-Aggre-
gate Interface.
PB91-148072 100,523
- AGING TESTS (MATERIALS)**
Effect of Crosslink Density on Physical Aging of Epoxy
Networks.
PB91-189712 101,244
Physical Aging and the Viscoelastic Response of Net-
work Glasses.
PB91-189829 101,246

KEYWORD INDEX

AMMONIUM COMPOUNDS

AIR CIRCULATION

Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909

AIR CLEANERS

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment.
PB91-167353 100,905

AIR CONDITIONING

Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution.
PB91-174649 100,066

Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants.
PB92-126432 100,893

AIR FLOW

Fire Propagation in Concurrent Flows.
PB91-157206 100,543

Compartment Fire-Generated Environment and Smoke Filling.
PB91-158543 100,107

Ceiling Jet in Fires.
PB91-167197 100,114

User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multizone Buildings.
PB91-206722 100,910

Variable Air Volume System Design Guide.
PB91-216655 100,077

AIR HANDLING UNITS

Rule-Based Diagnostic Method for HVAC Fault Detection.
PB91-194936 100,072

AIR INFILTRATION

General Routine for Analysis of Stack Effect.
PB91-231589 100,163

AIR POLLUTION CONTROL EQUIPMENT

Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment.
PB91-167353 100,905

AIR POLLUTION DETECTION

Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.
PB92-126630 100,912

Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures.
PB92-126648 100,913

AIR POLLUTION MONITORING

Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909

AIRPORTS

Prototyping the IRDS: An Airport Application.
PB92-112580 101,740

ALANINES

Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357

ALASKA

Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374

ALBUMINS

Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300

ALCOHOLS

Heat Capacities of Organic Compounds in the Liquid State I. C₁ to C₁₈ 1-Alkanols.
PB90-244716 100,265

Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde.
PB91-147470 100,280

Oxidation of Organic Compounds by Active Manganese Dioxide.
PB91-174730 100,218

Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micelles.
PB91-174813 100,324

ALDEHYDES

Radiation Chemistry of Enones.
PB91-147793 100,236

ALGORITHM DESIGN

Algorithm Design for Large-Scale Computations.
PB91-149336 100,640

ALGORITHMS

Algorithm for the Mass-Loss Rate of a Burning Wall.
PB91-158998 100,108

Phone-Mediated Word Alignment for Speech Recognition Evaluation.
PB91-189910 100,592

Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.

PB91-231597 101,357

ALKALINE EARTH METAL COMPOUNDS

New Layered Cuprate Structure-Type, (A_{1-x}A_x)₁₄Cu₂₄O₄₁.
PB91-237339 101,095

ALKANES

Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄· Alkanes and Ethers.
PB91-203232 100,394

Heat Capacities of Organic Compounds in Liquid State. 2. C₁ to C₁₈ n-Alkanes.
PB92-110204 100,448

ALKENE COMPOUNDS

Reactions of C₅H₃(+) and C₅H₅(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384

ALKOXY COMPOUNDS

Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444

ALKYL COMPOUNDS

Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444

ALKYL TRANSFER REACTIONS

Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde.
PB91-147470 100,280

ALKYNE COMPOUNDS

Reactions of C₅H₃(+) and C₅H₅(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384

ALLOYS

Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210

Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr₂Pd, Zr₂PdD_{1.70}, and Zr₂PdD_{1.96}.
PB91-148866 101,213

Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass.
PB91-158949 101,220

Surface Properties and Coatings of Materials Microtailored Alloys.
PB91-189696 101,232

ALPHA PARTICLES

Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e,α) Reaction.
PB91-216812 101,705

ALUMINUM

Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222

Characterization of Cylindrical Holes in Metallic Substrates by Their Infrared Emission Patterns.
PB91-187187 101,228

Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).
PB92-148121 100,472

ALUMINUM ALLOYS

Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201

Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202

Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2.
AD-A231 830/1 101,203

Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204

N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.
PB91-174771 101,226

Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137

Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227

Structural Study of Electrodeposited Aluminum-Manganese Alloys.
PB91-189423 101,231

Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236

Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709

Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
PB92-116938 101,241

ALUMINUM COATINGS

Emissivity of Aluminized Mylar.

PB91-174656 101,119

ALUMINUM IONS

Energy Levels of Atomic Aluminum with Hyperfine Structure.
PB90-244575 101,594

Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).
PB92-148121 100,472

ALUMINUM-LIKE IONS

Quantum Electrodynamical Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions.
PB91-189597 101,653

ALUMINUM MANGANESE ALLOYS

Phase Formation in Electrodeposited and Thermally Annealed Al-Mn Alloys.
PB91-147314 101,209

Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys.
PB91-158964 101,221

Electrodeposition of Aluminum from Molten Salts.
PB91-159202 101,223

Comparison of Amorphous and Quasicrystalline Films of Sputtered Al_{0.72}Mn_{0.22}Si_{0.06}.
PB91-195552 101,530

ALUMINUM OXIDE

Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058

Application of Analytical Electron Microscopy to Glass-Bonded Aluminas.
PB91-147389 101,060

Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension.
PB91-162180 101,118

Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092

Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094

ALUMINUM OXIDES

Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering.
PB92-117001 101,100

Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
PB92-117043 101,101

Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131

AMINES

Oxidation of Organic Compounds by Active Manganese Dioxide.
PB91-147330 100,218

Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368

AMINO ACIDS

Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283

Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298

Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354

Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735 100,053

AMMETERS

Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869

AMMINO COMPOUNDS

Hydrogen Bonding in Pt Ammine Complexes.
PB91-189639 100,348

AMMONIA

Stability of Uric Acid in Ammonium Hydroxide.
PB91-189266 101,292

Optothermal-Detected Microwave-Sideband CO₂-Laser Spectroscopy of Ar-NH₃.
PB91-236679 100,416

AMMONIA COMPLEXES

Structures of the NH₃-HCCCH and H₂O-HCCCH Complexes by Fourier-Transform Microwave Spectroscopy.
PB91-148882 100,294

AMMONIUM COMPOUNDS

Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.
PB91-147041 100,272

KEYWORD INDEX

- Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273
- AMMONIUM PENTABROMOINDATE MONOHYDRATE**
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromindate Monohydrate Salt (NH₄)₂ InBr₅H₂O from 7.8 to 348 K.
PB91-149831 100,304
- AMORPHIZATION**
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation.
PB91-150045 101,482
- AMORPHOUS MATERIALS**
Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction.
PB91-147553 101,061
Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhH_x) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdH_x.
PB91-187252 101,230
- ANALOG DEVICES**
Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.
PB91-149310 100,732
- ANALOG TO DIGITAL CONVERTERS**
High Speed Superconducting A/D Converter.
PB91-148700 100,731
- ANALYTICAL CHEMISTRY**
Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179
CID Spectra of Selected Target Molecules.
AD-A243 170/8 100,180
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
Dietary Collection Procedures.
PB91-147413 101,317
Practical Constraints in Monitoring Micronutrient Intake.
PB91-147421 101,318
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.
PB91-147769 100,182
Use of Single Particle Standards for LAMMA Calibration.
PB91-147777 100,183
Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 101,471
Trace Determination of Cr(VI) by LC/AAS with on-Line Preconcentration.
PB91-148148 100,184
Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
PB91-148858 100,187
Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188
Methods for the Analysis of Organometallic Compounds in Wastes.
PB91-148981 100,189
Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
PB91-149187 100,190
Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.
PB91-162198 100,192
High Purity Fluoropolymer Materials: Trace Element Content and Leaching.
PB91-162255 100,491
Robot Characterization Testing.
PB91-167361 101,030
Infrared Spectroscopy Applied to Atmospheric Chemistry.
PB91-175539 100,906
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374
Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography.
PB91-187641 100,195
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
PB91-187658 100,339
Stability of Uric Acid in Ammonium Hydroxide.
PB91-189266 101,292
Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50°C.
PB91-189282 100,196
Reference NO₂ Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
Neutron Activation Analysis in Electronic Technology.
PB91-189779 100,807
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197
Evaluation of Column Performance in Liquid Chromatography.
PB91-190041 100,199
High Purity Chemicals and Clean Rooms for Trace Metal Analysis.
PB91-195156 100,200
Recommended Inorganic Chemicals for Calibration.
PB91-195164 100,201
Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping.
PB91-195180 100,202
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study.
PB91-195727 100,204
High-Temperature High-Pressure Raman Spectra from Liquid Water.
PB91-195735 100,385
Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate.
PB91-203034 100,392
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203285 101,323
Mossbauer Imaging.
PB91-203745 101,294
Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.
PB91-204099 101,320
Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
Accelerator (14)C Dating of Late Pleistocene Megafauna.
PB91-237396 101,354
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
Characteristics of Aerosols Produced by the Spark Discharge.
PB91-237727 100,209
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths.
PB91-237859 100,438
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.
PB91-237867 100,439
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210
New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.
PB92-116805 100,911
Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa₂Cu₃O_x.
PB92-117290 100,464
Multi-Enterprise Concurrent Engineering through International Standards.
PB92-123058 100,997
Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.
PB92-126630 100,912
Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures.
PB92-126648 100,913
- ANIONS**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
- ANISOLES**
Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431
- ANISOTROPY**
Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.
PB91-200865 101,538
Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates.
PB91-202945 101,237
Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126
- ANNEALING**
Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208
- ANTENNA MEASUREMENTS**
Spherical Near-Field Scanning: Experimental and Theoretical Studies.
PB91-132274 100,723
Spherical Near-Field Scanning: Determining the Incident Field Near a Rotatable Probe.
PB91-148239 100,725
Evaluation of Dual-Port Circularly Polarized Probes for Planar Near-Field Measurements.
PB91-162040 100,590
- ANTENNA RADIATION PATTERNS**
General Analytic Correction for Probe-Position Errors in Spherical Near-Field Measurements.
PB92-110279 100,729
Personal Computer Codes for Analysis of Planar Near Fields.
PB92-112283 100,730
- ANTENNAS**
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
Alignment Fixture for Millimeter Waveguide.
PB91-236919 100,727
General Technique to Correct Probe Position Errors in Planar Near-Field Measurements to Arbitrary Accuracy.
PB91-237073 100,728
- ANTIFERROMAGNETISM**
Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient Rb₂Cu₃O₆ + x.
PB91-194894 101,524
- ANTIHYDROGEN**
Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen.
PB91-194886 101,663
- ANTIMATTER**
Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen.
PB91-194886 101,663
- ANTIMISSILE DEFENSE SYSTEMS**
Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.
AD-A207 806/1 101,398
- ANTIMONIDES**
Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.
PB91-187237 101,080
- ANTIMONY**
Surface Extended X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- ANTIMONY 132**
Structure of Odd-Odd (132)Sb.
PB91-237461 101,711
- ANTIMONY IONS**
5s(2)5p(2) - 5s(2)5p(5d) + 5s5p(3) + 5s(2)5p(6s) + 5s(2)5p(7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)5p) Transitions in Sb III.
PB91-200816 101,676
- ANTIPERSONNEL MINES**
Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.
AD-A230 438/4 100,721
- ANTONOMOUS CONTROL**
Control System Architecture for Unmanned Ground Vehicles.
PB91-134726 101,379
- APATITES**
Adsorption and Orientation of Tetracycline on Hydroxyapatite.
PB91-195149 101,319
- APP (APPLICATION PORTABILITY PROFILE)**
Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.
PB91-201004 100,692
- APPARENT MOLAR SPECIFIC HEAT**
Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States.
PB91-189381 100,342
- APPARENT MOLAR VOLUME**
Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States.
PB91-189381 100,342
- APPLICATIONS OF MATHEMATICS**
Guide to Available Mathematical Software Problem Classification System.
PB91-132175 101,282
- AQUATIC ANIMALS**
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374
- AQUEOUS ELECTROLYTES**
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.

KEYWORD INDEX

ATOMIC & MOLECULAR STUDIES

- PB91-187658 100,339
Modelling Aqueous Solutions Near the Critical Point of Water.
PB91-189837 100,349
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
- AQUEOUS SOLUTIONS**
Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319
Thermodynamic Properties of Aqueous Solutions at High Temperatures; Needs, Methods, and Challenges.
PB91-204065 100,410
- AQUEOUS SYSTEMS**
Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology.
PB91-175257 100,333
- ARABINOSE**
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366
- ARCHAEOLOGICAL SPECIMENS**
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
- ARGON**
Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599
Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602
Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.
PB91-144410 100,890
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717
- ARGON COMPLEXES**
Microwave Spectrum of Ar-H₂O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.
PB91-148650 100,290
Structural Dependence of HF Vibrational Red Shifts in ArnHF, n = 1-4, via High-Resolution Slit Jet Infrared Spectroscopy.
PB91-203562 100,401
Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.
PB91-204024 100,409
Rotational Spectrum and Structure of the Complex Ar-CH₃CN.
PB91-236661 100,415
Optothermal-Detected Microwave-Sideband CO₂-Laser Spectroscopy of Ar-NH₃.
PB91-236679 100,416
- ARGON COMPOUNDS**
Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex.
PB92-116649 100,457
- ARGON PLASMA**
Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas.
PB92-117225 101,444
- ARITHMETIC UNITS**
Closure and Precision in Level-Index Arithmetic.
PB91-147652 100,597
- AROMATIC COMPOUNDS**
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings.
PB91-195065 100,375
- AROMATIC POLYCYCLIC HYDROCARBONS**
Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series.
- PB90-244625 100,259
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings.
PB91-195065 100,375
- ARRAYS**
Characterization of Capacitive Array for NDE Applications.
PB91-237305 100,946
Capacitive Array Sensors for Nondestructive Evaluation.
PB91-237313 100,947
- ARTIFICIAL INTELLIGENCE**
AI in Manufacturing: The NBS AMRF as an Intelligent Machine.
PB91-134718 100,973
Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques.
PB91-158584 100,565
AI: Does It Have a Place in Building Simulation.
PB91-159293 100,063
Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995
Integrated Knowledge Systems for Concrete Science and Technology.
PB92-116821 100,141
- ARTIFICIAL MEMBRANES**
Enhanced Transport and Liquid Membranes in Bioseparations.
PB91-189886 101,287
- ASBESTOS**
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study.
PB91-195727 100,204
Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.
PB91-204099 101,320
- ASPARTIC ACID**
Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- ASSESSMENTS**
Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System.
PB92-123116 101,358
- ASSOCIATIVE IONIZATION**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707
- ATMOSPHERIC CHEMISTRY**
Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.
PB92-148204 100,480
- ATMOSPHERIC COMPOSITION**
Infrared Spectroscopy Applied to Atmospheric Chemistry.
PB91-175539 100,906
- ATMOSPHERIC MOTION**
Canadian Mass Fire Experiment, 1989.
PB91-143305 101,352
- ATOM-MOLECULE COLLISIONS**
Cross Sections and Swarm Coefficients for H⁺, H₂⁺, H₃⁺, H, H₂, and H- in H₂ for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597
- ATOM TRAPS**
Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen.
PB91-194886 101,663
- ATOMIC CLOCKS**
Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
Clocks, Atomic and Molecular.
PB91-200840 101,677
Observation of the Cesium Clock Transition Using Laser-Cooled Atoms in a Vapor Cell.
PB91-203638 101,698
303-MHz Frequency Standard Based on Trapped Be(+) Ions.
PB92-116474 101,722
- ATOMIC COLLISIONS**
Measurements of Velocity-Changing Collision Kernels.
PB91-203083 101,684
Collisional Energy Transfer between Excited Sr Atoms.
PB91-204164 101,703
- ATOMIC ENERGY LEVELS**
Energy Levels of Atomic Aluminum with Hyperfine Structure.
- PB90-244575 101,594
Energy Levels of Copper, Cu I through Cu XXIX.
PB90-244666 101,596
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354
Energy Levels of Sulfur, S I Through S XVI.
PB91-192443 100,355
Spectroscopic Data Base for Carbon and Oxygen.
PB91-237750 101,716
Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717
Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442
- ATOMIC FORCE MICROSCOPY**
Stylus Profiling at High Resolution and Low Force.
PB91-162354 101,015
- ATOMIC IONS**
Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions.
PB91-174854 101,415
- ATOMIC LIFETIMES**
Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717
- ATOMIC & MOLECULAR STUDIES**
Cooled Ion Frequency Standard.
AD-A227 806/7 101,591
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N₄(+), NO(-), ONNO(+), and ONNO(-).
AD-A228 082/4 100,243
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. NO(+), NO(-), ONNO(+), and ONNO(-).
AD-A230 957/3 100,244
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
AD-A234 043/8 100,245
Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601
Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
PB91-134528 100,836
Giant Resonances in the Transition Regions of the Periodic Table.
PB91-147116 101,605
Selective Excitation of X-ray Emission Spectra.
PB91-147173 101,607
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.
PB91-147454 100,279
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory.
PB91-147504 101,442
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl₂ and CCl₂.
PB91-147645 100,282
Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
Microwave Spectrum of Ar-H₂O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.
PB91-148650 100,290
Structures of the NH₃-HCCCH and H₂O-HCCCH Complexes by Fourier-Transform Microwave Spectroscopy.
PB91-148882 100,294
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium.
PB91-149203 101,617
Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub< -sup>->) (3)He + (4)He(+).
PB91-149245 101,618
Periodic Orbits and Diffuse Structures in the Photodissociation of Symmetric Triatomic Molecules.
PB91-149252 100,238
Photodissociation of C(I)NO in the S(I) State: A Quantum-Mechanical ab initio Study.
PB91-149260 100,239
Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.
PB91-149294 101,477

KEYWORD INDEX

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. $\text{N}_2\text{O}(1+)$ and $\text{NNO}(1-)$. PB91-149906 100,306

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. $\text{NO}(1+)$, $\text{NO}(1-)$, $\text{ONNO}(1+)$, and $\text{ONNO}(1-)$. PB91-149914 100,307

Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics. PB91-149955 100,308

Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon. PB91-149971 101,619

Emergence of Modern Nucleation Theory. PB91-149997 101,481

Nonlocal Phase Shifts Induced by Static Electric Fields in Neutron Interferometers When the Path-Enclosed Charge Vanishes. PB91-150011 101,620

Diode Laser Probing of $\text{I}^*(2\text{P}_{1/2})$ Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath. PB91-150052 100,310

Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScHx System. PB91-150485 101,217

Working Group 1: Atomic Spectra and Wavelength Standards. PB91-150956 100,026

Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'. PB91-159236 101,623

Permittivity Measurements on Molecular-Sized Samples. PB91-159244 100,800

Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations. PB91-159301 101,626

H_2O_2 : Spectroscopy, Structure and Dynamics. PB91-162057 100,316

Resonant Tunneling with Electron-Phonon Interactions: An Exactly Solvable Model Applied to Desorption. PB91-162065 100,317

Quantum Optics of Single, Trapped Ions. PB91-162123 101,628

Uses of Spin-Polarised Electrons in Fundamental Electron-Atom Collision Processes and the Analysis of Magnetic Microstructures. PB91-162172 101,490

Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni. PB91-162297 100,193

Oxidation of Organic Compounds by Active Manganese Dioxide. PB91-174730 100,218

Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micas. PB91-174813 100,324

Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions. PB91-174854 101,415

Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl_2 and CDCl_2 . PB91-174870 100,328

Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes. PB91-174995 100,329

Molecular Spectroscopy Division of the National Bureau of Standards. PB91-175174 100,332

Spectrum and Energy Levels of the Xenonlike Ion Ce V . PB91-175364 101,638

Spin-Dependent Electron-Impact Excitation of Sodium. PB91-175497 101,641

Fe-W Supermirrors for Polarizing Neutrons. PB91-175521 101,643

Direct Determination of Molecular Orbital Symmetry of H_2S Using Polarized X-ray Emission. PB91-175562 100,335

Working Group 2: Atomic Transition Probabilities. PB91-175588 101,645

Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide. PB91-187104 101,330

Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers. PB91-187229 100,495

Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe. PB91-187302 101,648

Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr. PB91-187310 101,649

Angular Distributions of Electrons in Resonant Auger Spectra. PB91-187393 101,650

Shape Resonances in Molecular Fields.

PB91-187435 100,338

Some Historical Remarks Concerning These Conferences: With Emphasis on the X-ray Component. PB91-187443 101,652

Electronic Spectrum of the GeH_3 Radical. PB91-189548 100,346

Quantum Electrodynamical Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions. PB91-189597 101,653

Relativistic and Correlation Effects in the $2s3p$ Configuration of Beryllium-Like Ions. PB91-189605 101,654

Hydrogen Bonding in Pt Ammine Complexes. PB91-189639 100,348

Observation of Atoms Laser-Cooled Below the Doppler Limit. PB91-189746 101,655

Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules. PB91-189803 101,424

Introduction to Supercritical Fluid Chromatography. 1. Principles and Instrumentation. PB91-189878 100,198

Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions. PB91-190033 101,658

Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen. PB91-194886 101,663

Photoionization Studies of Atoms and Molecules Using Synchrotron Radiation. PB91-194910 101,664

Angle-Resolved Photoemission from the Ar $2p$ Subshell. PB91-194928 101,665

Atomistic Diffusion Equations and Kinetic Forces. PB91-195008 100,374

Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite. PB91-195255 100,380

Many Electron Effects in $\text{L}_{\gamma}2,3$ X-ray Emission Spectroscopy Spectrum of BaO. PB91-195305 100,382

Many-Electron Effects in $\text{L}_{\gamma}2,3$ XES Spectra from Rare Earth Elements. PB91-195313 100,383

Observation of Atoms Laser Cooled Below the Doppler Limit. PB91-195453 101,671

Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes. PB91-195636 101,391

Clocks, Atomic and Molecular. PB91-200840 101,677

Observation of Correlations in Finite, Strongly Coupled Ion Plasmas. PB91-200857 101,678

Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon. PB91-203273 100,395

Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm. PB91-203281 100,396

Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models. PB91-203364 100,507

Microwave Spectrum and Molecular Structure of the $\text{N}_2\text{-H}_2\text{O}$ Complex. PB91-203448 100,398

High Harmonic Generation in Hydrogenic Ions. PB91-203778 101,699

Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer. PB91-203844 100,406

Problem of Detailed Balance and Model Lineshapes in Collision-Induced Rotovibrational Bands: $\text{H}_2\text{-H}_2$ and $\text{H}_2\text{-He}$. PB91-236521 100,412

Photodissociation Dynamics of $\text{Mo}(\text{CO})_6$ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions. PB91-236547 100,413

Rotational Spectrum and Structure of the Complex Ar- CH_3CN . PB91-236661 100,415

Optothermal-Detected Microwave-Sideband CO_2 -Laser Spectroscopy of Ar- NH_3 . PB91-236679 100,416

Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene. PB91-236737 100,417

Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms. PB91-236745 101,707

Reply to Comment on 'Quantum Zeno Effect'.

PB91-236828 101,708

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. $\text{CO}_4(1-)$. PB91-236836 100,419

Molecular-Beam Optothermal Spectroscopy of the 9.6 μm nu_{14} . PB91-236869 100,421

Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm^{-1} . PB91-236984 100,423

Perpendicular Bands of Cyclopropane in the 3.5 μm Region. PB91-237016 100,424

Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes. PB91-237164 100,427

Hydration of Carbon Dioxide: The Structure of $\text{H}_2\text{O-H}_2\text{O-CO}_2$ from Microwave Spectroscopy. PB91-237172 100,428

Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California. PB91-237404 101,355

Structure of Odd-Odd (132)Sb. PB91-237461 101,711

Microwave Spectra and Electric Dipole Moments of $\text{X}(4)\text{Sigma}(1-1/2)$ VO and NbO. PB91-237487 100,429

Extreme Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma. PB91-237495 101,712

Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions. PB91-237511 101,714

Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black. PB91-237636 100,432

Spectroscopic Data Base for Carbon and Oxygen. PB91-237750 101,716

Rovibrational Analysis of the $\text{nu}_7(1)$ Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy. PB91-237784 100,437

303-MHz Frequency Standard Based on Trapped $\text{Be}(+)$ Ions. PB92-116474 101,722

Rotational-Tunneling Spectrum of the Ar- SO_2 van der Waals Complex. PB92-116649 100,457

Atomic Spectroscopy in the 20th Century - A Tribute to Sitterly, Charlotte Moore, on the Occasion of Her 90th Birthday. PB92-116714 101,724

Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the $(9)\text{Be}(+)$ Ground State. PB92-116870 101,726

Semiclassical Calculation of Self-Broadening in O_2 , N_2 , and CO Raman Spectra. PB92-117050 100,461

High-Resolution Infrared Spectrum of the nu_{11} Band of OCIO . PB92-117175 100,463

Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas. PB92-117225 101,444

ATOMIC ORBITALS

Giant Resonances in the Transition Regions of the Periodic Table. PB91-147116 101,605

ATOMIC SPECTRA

Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990. PB91-192435 100,354

Energy Levels of Sulfur, S I Through S XVI. PB91-192443 100,355

ATOMIC SPECTROSCOPY

Cooled Ion Frequency Standard. AD-A242 030/5 101,593

Trace Determination of Cr(VI) by LC/AAS with on-Line Preconcentration. PB91-148148 100,184

Working Group 1: Atomic Spectra and Wavelength Standards. PB91-158956 100,026

Atomic Spectroscopy in the 20th Century - A Tribute to Sitterly, Charlotte Moore, on the Occasion of Her 90th Birthday. PB92-116714 101,724

ATOMIC TRANSITION PROBABILITIES

Unified Set of Atomic Transition Probabilities for Neutral Argon. PB91-237768 101,717

ATOMIC WEIGHTS

Atomic Weights of the Elements 1989. PB92-148212 100,481

KEYWORD INDEX

AUTOMATION & ROBOTICS

ATOMIZATION

- Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
- ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD, on July 15-18, 1991.
PB91-216838 100,552

ATOMIZATION AIR

- Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550

ATOMIZERS

- Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229

ATOMS

- Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331
- Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386
- Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames.
PB91-237024 100,553

ATP

- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459

AUGER EFFECT

- Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
- Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649

AUGER ELECTRON SPECTROSCOPY

- Surface Oxidation Kinetics of Si3N4 - 4% Y2O3 Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435

AUGER ELECTRONS

- Angular Distributions of Electrons in Resonant Auger Spectra.
PB91-187393 101,650

AUGERS

- Hydrogen Slush Production with a Large Auger.
PB91-147199 100,275

AUSTENITE

- Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.
PB91-167171 101,149

AUSTENITIC STAINLESS STEELS

- Mechanical Sputtering of Structural Stainless Steels.
PB91-175448 101,152
- Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163
- Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165
- Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
- Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168

AUSTENITIC STEELS

- Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.
PB91-175372 101,151
- Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.
PB91-189464 101,156
- Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
- Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158
- Discontinuous Yielding during Tensile Tests at Low Temperatures.
PB91-189977 101,159

AUTOIGNITION

- Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877
- Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
PB92-108927 100,887

AUTOMATED MANUFACTURING RESEARCH FACILITY

- AI in Manufacturing: The NBS AMRF as an Intelligent Machine.

- PB91-134718 100,973
- UNIX in the Government's Automated Manufacturing Research Facility (AMRF).
PB91-147579 100,963
- Research Tackles Automation Issues.
PB91-162230 101,005

AUTOMATIC CONTROL

- Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- Direct Digital Control Based Building Automation System Design Criteria.
PB91-216614 100,091
- Guide Specification for Direct Digital Control Based Building Automation System.
PB91-216697 100,092

AUTOMATION

- Research Tackles Automation Issues.
PB91-162230 101,005
- Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF.
PB91-195495 100,986

AUTOMATION & ROBOTICS

- Fed-X: The NIST Express Translator. Revised, November 1990.
PB91-132126 100,681
- NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised).
PB91-132159 100,682
- Control System Architecture for Unmanned Ground Vehicles.
PB91-134726 101,379
- Short-Term Evolution for the Flight Telerobotic Servicer.
PB91-144352 101,731
- UNIX in the Government's Automated Manufacturing Research Facility (AMRF).
PB91-147579 100,963
- CIM, Data and Standardization within the NBS AMRF.
PB91-148122 100,975
- Innovation in Manufacturing Technology: A View from NBS.
PB91-148130 100,976
- Transferring NBS Technology to Small Manufacturers Through State and Local Centers.
PB91-149351 101,025
- Material Dependency of Chip-Form Detection Using Acoustic Emission.
PB91-149450 101,216
- STEP On-Line Information Service User's Guide. National PDES Testbed Report Series.
PB91-157123 100,950
- New Approach to Vision and Control for Road Following.
PB91-157156 101,743
- TROI User's Guide.
PB91-157214 101,026
- Self-Adjustment of a Robot Joint Controller.
PB91-158568 101,027
- Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints.
PB91-158576 101,028
- Real-Time Hierarchical Planning for Multiple Mobile Robots.
PB91-158782 101,375
- Kinematic Couplings for Precision Fixturing. Part 2. Experimental Determination of Repeatability and Stiffness.
PB91-159186 101,041
- Design and Implementation of a Five-Axis Robotic Micro-manipulator for Inserting Parts into Precision Collets.
PB91-159194 101,029
- National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series.
PB91-159756 100,951
- Research Tackles Automation Issues.
PB91-162230 101,005
- ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition).
PB91-167155 100,064
- Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms.
PB91-167221 101,016
- Engineering Design Laboratory Guide.
PB91-167320 100,977
- High Precision Gaging with Computer Vision Systems.
PB91-174623 100,979
- Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine.
PB91-174938 100,980
- Robot Sensor Language.
PB91-174961 101,031
- Control of Flexible Robot Arm.
PB91-174979 101,032
- U.S. Manufacturing Systems: Factories Past, Present, and Future.

- PB91-175091 100,981
- Computerization of a Thermomechanical Processing Research System.
PB91-175208 101,583
- Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732
- AMRF Composites Fabrication Workstation: A Test Methodology to Measure the Quality of Thermoplastic Composite Parts.
PB91-187765 101,017
- Statistical Process Control Tactics for Coordinate Measuring Machines.
PB91-189225 101,042
- Concurrent Engineering through Product Data Standards.
PB91-193367 100,982
- Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.
PB91-194449 100,983
- NASREM Robot Control System and Testbed.
PB91-194969 101,033
- CAD Directed Robotic Deburring.
PB91-195172 100,985
- Real-Time Algorithms and Data Structures for Underwater Mapping.
PB91-195354 101,360
- SEM Imaging and Metrology at Low Accelerating Voltages Using Backscattered Electrons.
PB91-195461 101,529
- Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF.
PB91-195495 100,986
- Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VIII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX).
PB91-195511 101,673
- Computer Vision Based Station for Tool Setting and Tool Form Measurement.
PB91-202978 101,043
- Application of the PIPE Image Processing Machine to Scanning Microscopy.
PB91-203190 101,034
- Video Compression for Remote Vehicle Driving.
PB91-203208 101,035
- Control Structure for Multi-Tasking Workstations.
PB91-203737 100,989
- Real-Time Model-Based Tracking Combining Spatial and Temporal Features.
PB91-216630 100,700
- Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.
PB91-216648 100,130
- Standard Reference Specimens in Quality Control of Engineering Surfaces.
PB91-216721 101,021
- Generation of Smooth Trajectories without Planning.
PB91-217414 101,036
- Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.
PB91-222596 100,990
- Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series.
PB91-222620 100,968
- Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357
- Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991
- Clock for the Manufacturing Systems Integration Testbed.
PB92-108885 100,992
- Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.
PB92-112234 100,993
- Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- Integration-Based Method for Depth Estimation.
PB92-112275 100,701
- Three Dimensional Reconstruction from Optical Flow Using Temporal Integration.
PB92-112507 100,702
- Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series.
PB92-112523 100,970
- Analysis of Optical Flow Estimation Using Epipolar Plane Images.
PB92-112564 100,703
- Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037

KEYWORD INDEX

- Mare Island Flexible Manufacturing Workstation.
PB92-117027 100,996
- Publications of the Manufacturing Engineering Laboratory
Covering the Period January 1989-September 1991.
PB92-123041 101,053
- Use of Solid Modeling in the Design of M3 Components.
PB92-123066 101,044
- AUTOMOBILES**
- Study of Additive Response in a Series of Refined
Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175
- AUTONOMOUS NAVIGATION**
- Real-Time Algorithms and Data Structures for Underwater
Mapping.
PB91-195354 101,360
- AWARDS**
- Interim Report to the President and to the Congress on
the Malcolm Baldrige National Quality Award.
PB91-167833 100,001
- Feasibility of Using a Multiple Award Schedule for Specifying
Paints in Government Painting Contracts.
PB92-126481 100,002
- B STARS**
- Extension of the Class of Magnetic B Star Nonthermal
Radio Sources.
PB91-175042 100,031
- BACILLUS SUBTILIS**
- Newest Approaches to Quantitative Assessment of
Bioactive Organotins.
PB91-162032 101,328
- BACKGROUND DISCRIMINATION**
- Strategies for Background Subtraction in Electron Probe
Microanalysis X-ray Compositional Mapping.
PB91-195180 100,202
- BACNET**
- BACnet Communication Protocol for Building Automation
Systems.
PB91-187286 100,069
- BACNET PROTOCOL**
- Draft Abstract Test Suite for Determining Conformance to the
BACnet Protocol.
PB91-187732 100,070
- BARIUM IONS**
- Laser-Induced Fluorescence Measurements of Drift-Velocity
Distributions for Ba(+) in Ar: Moment Analysis and a
Direct Measure of Skewness.
PB91-149005 100,298
- BARIUM OXIDES**
- Many Electron Effects in Lgamma2,3 X-ray Emission
Spectroscopy Spectrum of BaO.
PB91-195305 100,382
- BARRIER MATERIALS**
- Detection and Quantitative Characterization of Blistering
and Corrosion of Coatings on Steel Using Infrared Thermography.
PB91-203588 101,139
- BASEMENTS**
- Design Heat Loss Factors for Basement and Slab Floors.
PB91-147561 100,059
- BASIC INTERACTIONS**
- Search for a Composition Dependent Force Using a
Liquid-Supported Torsion Balance.
PB91-175380 101,639
- BEAM STEERING**
- Of What Use Is Basic Research.
PB91-175513 101,642
- BEAMS (SUPPORTS)**
- Performance of 1/3-Scale Model Precast Concrete
Beam-Column Connections Subjected to Cyclic Inelastic
Loads. Report No. 2.
PB91-222570 100,149
- Performance of Precast Concrete Beam-to-Column Connections
Subject to Cyclic Loading.
PB91-236588 100,150
- BEARINGS**
- Long Term Performance of Rubber in Seismic and Non-Seismic
Bearings: A Literature Review.
PB91-206714 100,148
- BENEFICIATION**
- Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans':
Results of an Interlaboratory Comparison.
PB91-195321 101,161
- Characterization by High Performance Liquid Chromatography
(HPLC) of the Solubilization of Phosphorus in Iron
Ore by a Fungus.
PB91-195404 101,162
- BENEFIT COST ANALYSIS**
- NIST 'Building Life-Cycle Cost' (BLCC) Program (Version
3.0). User's Guide and Reference Manual.
PB91-159764 100,154
- BENZENE**
- Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255
- Molecular-Beam Optothermal Spectroscopy of the 9.6
microm nu14.
PB91-236869 100,421
- BENZILIC ACID**
- Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d5 Acid, and
3-Quinuclidinyl-(18)O, Benzilate-d5.
PB91-237370 100,223
- BENZILIC ACID/ (QUINUCLIDINYL-ESTER)**
- Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d5 Acid, and
3-Quinuclidinyl-(18)O, Benzilate-d5.
PB91-237370 100,223
- BENZOIC ACID/ (PHENYL-ESTER)**
- Critical Evaluation of Liquid Crystal Transition Temperatures
I. 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444
- BENZYL RADICALS**
- Stabilities of Substituted Benzyl Radicals: Dissociation
Rates of Aminoethylbenzenes, Hydroxyethylbenzenes,
and Cyanoethylbenzenes.
PB91-237529 100,430
- BERYLLIUM 9**
- Test of the Linearity of Quantum Mechanics by rf Spectroscopy
of the (9)Be(+) Ground State.
PB92-116870 101,726
- BERYLLIUM-LIKE IONS**
- Relativistic and Correlation Effects in the 2s3p Configuration
of Beryllium-Like Ions.
PB91-189605 101,654
- Relativistic Distorted-Wave Cross Sections for Electron-
Impact Excitations of Berylliumlike Ions.
PB91-195503 101,672
- BERYLLIUM PHOSPHATES**
- Structures and Properties of New Zeolite X-Type Zinco-
phosphate and Beryllophosphate Molecular Sieves.
PB91-189449 101,081
- BESSEL FUNCTIONS**
- Portable Vectorized Software for Bessel Function Evaluation.
PB91-216598 100,652
- BETA DETECTION**
- Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636
- Calculation of Beta-Particle Counting Efficiency for Liquid
Scintillation Systems with Three Phototubes.
PB91-175547 101,644
- BETA DOSIMETRY**
- Calibration of Ophthalmic Applicators at NIST: A Revised
Approach.
PB91-237388 101,327
- BETA SOURCES**
- Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636
- BIBLIOGRAPHIES**
- Metrology for Electromagnetic Technology: A Bibliography
of NIST Publications.
PB91-132266 100,833
- National Bureau of Standards Publications 1977-1987.
Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957
- National Bureau of Standards Publications 1977-1987.
Volume 2. Indexes.
PB91-136515 100,958
- Bibliography of Selected Computer Security Publications,
January 1980-October 1989.
PB91-148486 100,704
- Bidirectional Scattering Distribution Function (BPDF): A
Systematized Bibliography.
PB91-187674 101,421
- Building and Fire Research Laboratory Publications,
1990.
PB91-187807 100,122
- Abstracts of Daylighting Research.
PB91-206755 100,076
- Publications of the National Institute of Standards and
Technology, 1990 Catalog.
PB91-216531 100,011
- Building Technology Publications 1986-1989.
PB91-216820 100,160
- Annotated Bibliography: Diagnostic Methods and Measurement
Approaches to Detect Incipient Defects Due to
Aging of Cables.
PB91-222687 101,369
- International Fire Detection Bibliography, 1975-1990.
PB92-109156 100,088
- Bibliography of the NIST Electromagnetic Fields Division
Publications.
PB92-116367 100,866
- Metrology for Electromagnetic Technology: A Bibliography
of NIST Publications.
PB92-116375 100,867
- Publications of the Manufacturing Engineering Laboratory
Covering the Period January 1989-September 1991.
PB92-123041 101,053
- NIST X-Ray Photoelectron Spectroscopy (XPS) Database.
PB92-123157 100,465
- BICRYSTALS**
- Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388
- BIDIRECTIONAL SCATTERING DISTRIBUTION FUNCTION**
- Bidirectional Scattering Distribution Function (BPDF): A
Systematized Bibliography.
- PB91-187674 101,421
- BINARY ALLOY SYSTEMS**
- Structural Instabilities and Superconductivity in Quasi-Binary
Mn5Si3-Type Compounds.
PB91-149427 101,215
- BINARY ALLOYS**
- Phase Diagrams of Hexagonal Binary Ordering Alloys
with Anisotropic Interactions.
PB91-147512 101,211
- Convective and Morphological Instabilities during Directional
Solidification.
PB91-158550 101,219
- Coherency Strain Induced Instability of Solid-Liquid Interfaces
in the Mo-Ni System.
PB91-195537 101,235
- Phase-Field Model for Isothermal Phase Transitions in
Binary Alloys.
PB92-108992 101,240
- Microstructural Studies of Ti-Al Alloys in the Vicinity of the
'Eutectoid' Reaction.
PB92-116938 101,241
- BINARY FLUIDS**
- Phase Equilibria from the One-Fluid Model.
PB91-134585 101,385
- BINARY MIXTURES**
- Effect of Noble Gas Mixtures on the Performance of Regenerative-Type
Cryocoolers Analytical Estimate.
PB91-144410 100,890
- Computer Simulation of Fluid-Fluid Phase Coexistence in
Mixtures of Nonadditive Soft Disks.
PB91-162263 101,388
- Viscosity Surface for Mixtures of Methane and Ethane.
PB91-174763 100,322
- Critical Exponent for the Viscosity of Four Binary Liquids.
PB91-187195 100,337
- Hydrogen Component Fugacity Coefficients in Binary Mixtures
with Ethane: Pressure Dependence.
PB92-116508 100,455
- BINARY STARS**
- Ultraviolet, Optical, Infrared, and Microwave Observations
of HR 5110.
PB91-148833 100,020
- Spatially Resolved Flares in RS CVn Systems.
PB91-148965 100,022
- BINARY SYSTEM (MATERIALS)**
- Statistical Mechanical Model of Aqueous Two-Phase Systems.
PB91-174508 100,493
- Small-Angle Neutron Scattering Studies of Compatible
Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked
Deuterated Polystyrene.
PB91-187153 100,494
- BINDING ENERGY**
- Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370
- BINDING SITES**
- Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370
- Immobilization of Binding Proteins on Nonporous Supports
Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
- BIOASSAY**
- Biological Sulfur Oxidation and Reduction for Coal Sulfur
Speciation and Desulfurization.
PB91-203323 100,886
- BIOCHEMISTRY**
- Neutron Crystallography of Proteins.
PB91-175349 101,285
- New Chemical and Stereochemical Applications of Organoiron
Complexes.
PB91-184861 100,221
- BIODETERIORATION**
- Biodegradable Plastics: An Idea Whose Time Has Come.
PB91-150086 101,243
- BIOLOGICAL DETECTION**
- Opportunities for Innovation: Chemical and Biological
Sensors.
PB92-127315 100,214
- BIOLOGICAL EFFECTS**
- Biomarkers of OH Radical Damage in vivo.
PB91-236877 101,325
- BIOLOGICAL TRANSPORT**
- Enhanced Transport and Liquid Membranes in Bioseparations.
PB91-189886 101,287
- BIOMEDICAL ENGINEERING**
- Dental Biomaterials and Engineering Frontiers for the
90's.
PB91-159210 100,044
- BIOMEDICAL RADIOGRAPHY**
- Use of Storage Phosphor Imaging Plates in Portal Imaging
and High-Energy Radiography: The Intensifying Effect
of Metallic Screens on the Sensitivity.
PB91-236497 101,324

KEYWORD INDEX

BIOMONITORING

Practical Constraints in Monitoring Micronutrient Intake.
PB91-147421 101,318

BIOPROCESSING

Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883

BIOSEPARATIONS

Enhanced Transport and Liquid Membranes in Bioseparations.
PB91-189886 101,287

BIOTECHNOLOGY

Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291

Radiation Chemistry of Enones.
PB91-147793 100,236

Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298

Crystallizing Catabolite Gene Activator Protein with cAMP for Structural Analysis.
PB91-148213 101,299

Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041

Dental Biomaterials and Engineering Frontiers for the 90's.
PB91-159210 100,044

Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328

Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883

Neutron Crystallography of Proteins.
PB91-175349 101,285

Crystal Structure of Phosphate-Free Ribonuclease.
PB91-175604 101,301

Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
PB91-187070 101,329

Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.
PB91-187112 101,331

Chemical Determination of Free Radical-Induced Damage to DNA.
PB91-187468 101,332

46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.
PB91-187476 101,302

Measurement of DNA Base Damage and DNA-Protein Cross-Links in Mammalian Chromatin.
PB91-187484 101,303

Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.
PB91-187492 101,333

Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334

Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335

Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336

Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337

Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.
PB91-189365 101,304

Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338

8-Hydroxyguanine Content of Isolated Mitochondria Increases with Lipid Peroxidation.
PB91-189472 101,286

Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305

Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.
PB91-190108 101,321

Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370

Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans': Results of an Interlaboratory Comparison.
PB91-195321 101,161

Recent Progress in Coal Bioprocessing Research in the United States: Scope and Areas Needing Further Research.

PB91-195339 100,885

Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162

Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306

Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage.
PB91-202960 101,307

Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886

Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325

Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308

Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309

Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459

Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312

Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290

Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313

Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056

Opportunities for Innovation: Chemical and Biological Sensors.
PB92-127315 100,214

BIPOLAR TRANSISTORS

Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806

Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors.
PB91-236703 100,815

Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.
PB92-116862 100,822

BIREFRINGENT COATINGS

Use of Birefringent Coatings in Fracture Mechanics.
PB91-147599 101,582

BISMUTH

Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468

BISMUTH LEAD STRONTIUM CALCIUM CUPRATES

Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526

BISMUTH STRONTIUM CALCIUM CUPRATES

Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504

Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508

Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors.
PB92-116565 101,564

Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566

BITTER METHOD

New Look at the Bitter Method of Magnetic Imaging.
PB91-203919 101,701

BLACK LIQUIDS

Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987--December 1989.
DE91018580 100,915

BLEOMYCIN

Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337

BLOCK COPOLYMERS

Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers.
PB91-147231 100,484

Chain Conformation of a Block Polymer in a Microphase-Separated Structure.

BREAKDOWN (ELECTRONIC THRESHOLD)

PB91-148890 100,485

BLOCK DESIGN

List of New Group Divisible Designs.
PB92-126705 101,281

BLOOD

Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188

BLOOD CELLS

Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313

BLOOD SERUM

NIST Standards for Sodium and Potassium.
PB91-158865 100,191

BLOWOUTS

Investigation of Simulated Oil-Well Blowout Fires.
PB91-144337 101,356

BOILERS

Conformity Assessment Workshop on Pressure Vessels.
PB91-192997 101,049

BOILING

Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200

BOLOMETERS

Low-Temperature, Electrically Calibrated SOS Bolometer for Power and Energy Measurements.
PB91-147181 100,787

BOND STRENGTH

Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431

BONDED COATINGS

Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
PB91-149187 100,190

BONDING STRENGTH

Microstructure and Fracture at the Cement Paste-Aggregate Interface.
PB91-148072 100,523

Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete.
PB91-189621 100,530

Hydrogen Bonding in Pt Ammine Complexes.
PB91-189639 100,348

Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735 100,053

Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.
PB92-116300 100,533

BONES

Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017

BOOKS

Book Review: Hypertext Hands-On.
PB91-237040 100,656

BORATES

Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate.
PB91-203034 100,392

BORON CARBIDES

Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.
PB91-149096 101,066

Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067

BOUSSINESQ FLOW

Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.
PB91-178848 100,157

BOVINE CHYMOSIN

Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309

BRACHYTHERAPY

Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296

BREAKDOWN (ELECTRONIC THRESHOLD)

Electrical Breakdown and Streamer Statistics in Hexane under Uniform Field Conditions.
PB91-134684 100,837

Characteristics of the Breakdown Voltage of Power MOS-FETs After Total Dose Irradiation.
PB91-149062 100,793

KEYWORD INDEX

- BREAKING**
Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire. PB92-112556 100,136
- BREWSTER ANGLE**
Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle. PB91-203042 101,426
- BRIDGE FOUNDATIONS**
Proposed Design Criteria for Shallow Bridge Foundations. PB91-187849 100,534
- BRITTLE MATERIALS**
Effects of Crystal Bonding on Brittle Fracture. PB91-148221 101,064
Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation. PB91-149344 101,190
- BROADCAST EPHEMERIDES**
Precise Ephemerides for GPS Time Transfer. PB91-236950 100,586
- BSDF (BIDIRECTIONAL SCATTERING DISTRIBUTION FUNCTION)**
Bidirectional Scattering Distribution Function (BSDF): A Systematized Bibliography. PB91-187674 101,421
- BUCKYBALLS**
Neutron Measurements of Intramolecular Vibrational Modes in C60. PB92-116540 101,055
- BUCKLING**
Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis. PB92-116573 101,588
Buckling and Post-Buckling Behavior of Elliptical Plates. Part 2. Results. PB92-116581 101,589
- BUCKMINSTERFULLERENE**
Neutron Measurements of Intramolecular Vibrational Modes in C60. PB92-116540 101,055
- BUFFERS (CHEMISTRY)**
Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C. PB91-189282 100,196
- BUILDING AND FIRE RESEARCH LABORATORY**
Building and Fire Research Project Summaries, 1991. PB91-216788 100,132
- BUILDING AUTOMATION AND CONTROL NETWORK**
BACnet Communication Protocol for Building Automation Systems. PB91-187286 100,069
- BUILDING AUTOMATION CONTROL**
Direct Digital Control Based Building Automation System Design Criteria. PB91-216614 100,091
- BUILDING AUTOMATION SYSTEMS**
Guide Specification for Direct Digital Control Based Building Automation System. PB91-216697 100,092
- BUILDING CODES**
Review of Research Literature on Masonry Shear Walls. PB91-167189 100,113
Improving the Fire Performance of Building Contents. PB91-187260 100,084
Plumbing Test Lab Accreditation. PB91-190066 100,089
- BUILDING FIRES**
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions. PB91-178848 100,157
Data for Room Fire Model Comparisons. PB92-110287 100,167
- BUILDING TECHNOLOGY**
Techniques to Observe the Fracture Zone in Mortar and Concrete. PB91-134189 100,521
Method for Measuring Heat Loss from Underground Heat Distribution Systems. PB91-134221 100,888
Preliminary Dynamic Analyses of the Ministry of Agriculture Building. PB91-134668 100,143
Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop, Held in Gaithersburg, MD on May 16-18, 1990. PB91-143321 100,522
Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report. PB91-144386 100,889
Calibration Procedures for Infrared Imaging Systems for Building Diagnostics. PB91-147082 100,057
Second-Level Post-Occupancy Evaluation Analysis. PB91-147140 100,058
- Design of High Strength Cement-Based Materials. Part 2. Microstructure. PB91-147439 100,099
Design Heat Loss Factors for Basement and Slab Floors. PB91-147561 100,059
Temperature Measurement of Glass Subjected to Solar Radiation. PB91-147611 100,100
Ventilation System Performance Evaluation Using Tracer Gas Techniques. PB91-147876 100,060
Microstructure and Fracture at the Cement Paste-Aggregate Interface. PB91-148072 100,523
Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBBS) Computer. PB91-148528 100,524
Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes. PB91-149153 100,105
Pozzolan Programs of the Cement and Concrete Reference Laboratory. PB91-149922 100,525
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus. PB91-157172 100,106
Conference Coverage: Papers Presentations Shine. PB91-158535 100,061
Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques. PB91-158584 100,565
Rapporteur's Summary Materials Development for Coal Gasification. PB91-158592 100,876
Towards Computer-Based Microstructure Models for Cement-Based Systems. PB91-158840 101,074
Prototype Expert System for Diagnosing Moisture Problems in Houses. PB91-159079 100,062
AI: Does It Have a Place in Building Simulation. PB91-159293 100,063
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations. PB91-159731 100,110
NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual. PB91-159764 100,154
Computer Simulated Hydration of a Cement Model. PB91-162149 100,112
Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components. PB91-162164 100,225
Review of Research Literature on Masonry Shear Walls. PB91-167189 100,113
Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures. PB91-167239 100,144
Field Study of the Performance of EPDM Roofing at Air Force Facilities. PB91-167247 101,340
Computational Models Developed for the Corrosion of Prestressing Steel. PB91-167304 100,115
Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors. PB91-174243 101,194
Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants. PB91-174516 100,891
Introduction to ACI 306.1-87: Specification for Cold Weather Concreting. PB91-174524 100,526
Refrigerant Charge Effects on Heat Pump Performance. PB91-174607 100,065
Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution. PB91-174649 100,066
Rate Constant Functions for Strength Development of Concrete. PB91-175117 100,527
Airtightness of Office-Building Envelopes. PB91-175307 100,067
Application of CCRL Data in the Development of Cement Standards. PB91-175315 100,119
Measurement of Thermal Characteristics of Office Buildings. PB91-175471 100,068
Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989. PB91-175620 101,079
- Characterization of Field Concrete. PB91-178863 100,528
Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD., USA, on May 12-14, 1990. PB91-184846 100,145
Multi-Zone Dispersal Analysis by Element Assembly. PB91-187146 100,907
Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model. PB91-187179 100,529
Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box. PB91-187278 100,121
BACnet Communication Protocol for Building Automation Systems. PB91-187286 100,069
Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes. PB91-187690 101,138
Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol. PB91-187732 100,070
Intelligent Building Technology in Japan. PB91-187757 100,071
Measured Performance of Residential Water Heaters Using Existing and Proposed Department of Energy Test Procedures. PB91-189274 100,085
Study of Flow Boiling Heat Transfer with Refrigerant Mixtures. PB91-189563 101,196
Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete. PB91-189621 100,530
Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes. PB91-189993 100,124
Thermal Conductivity of Fumed Silica Board at Room Temperature. PB91-190124 100,125
Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls. PB91-194696 100,126
Rule-Based Diagnostic Method for HVAC Fault Detection. PB91-194936 100,072
Dipole Moments of Seven Partially Halogenated Ethane Refrigerants. PB91-195131 100,377
Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel. PB91-195248 101,108
Prediction and Fault Detection of Building Energy Consumption Using Multi-Input, Single-Output Dynamical Model. PB91-195388 100,073
Air Exchange and Pollutant Concentration Measurements in Two Office Buildings. PB91-195420 100,909
Diagnostic Techniques for Evaluating Office Building Envelopes. PB91-195438 100,074
Identification of Dynamic Green's Functions in Structural Networks. PB91-202812 101,585
Frequency and Time Stability of GPS and GLONASS Clocks. PB91-202937 100,582
NBS Research on Protective Coatings for Buildings and Structures. PB91-203521 100,127
Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates. PB91-203711 100,509
Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study. PB91-203729 101,109
Activities of the Construction Materials Reference Laboratories Related to Laboratory Accreditation. PB91-203836 100,531
Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes. PB91-203935 100,128
Investigation of the Collapse of L'Ambiance Plaza. PB91-204057 100,146
Research and Technology for Structural Engineering Productivity. PB91-204206 100,147
Indoor Ventilation Requirements for Manufactured Housing. PB91-206698 100,075

KEYWORD INDEX

CALIBRATION

- Measurement and Evaluation of Lighting/HVAC Interaction.
PB91-206706 100,892
- Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.
PB91-206714 100,148
- User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multizone Buildings.
PB91-206722 100,910
- Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates.
PB91-206730 100,933
- Abstracts of Daylighting Research.
PB91-206755 100,076
- Direct Digital Control Based Building Automation System Design Criteria.
PB91-216614 100,091
- Variable Air Volume System Design Guide.
PB91-216655 100,077
- Guide Specification for Direct Digital Control Based Building Automation System.
PB91-216697 100,092
- Building and Fire Research Project Summaries, 1991.
PB91-216788 100,132
- Building Technology Publications 1986-1989.
PB91-216820 100,160
- Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149
- Standards for the Physical Protection of National Resources and Facilities.
PB91-222695 100,006
- Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.
PB91-231563 100,078
- Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading.
PB91-236588 100,150
- Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587
- Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133
- Dealing with Obvious Issues in Lighting.
PB91-237792 100,761
- Effect of Veiling Relections on Vision of Colored Objects.
PB91-237800 100,079
- Light Source Area, Shading, and Glare.
PB91-237818 100,080
- Role of Theory in Lighting Research and Design.
PB91-237826 100,081
- Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151
- Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349
- Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350
- Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.
PB92-116300 100,533
- Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB92-116334 100,137
- Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
PB92-116342 100,138
- Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.
PB92-116425 100,152
- Impact-Echo: A New Method for Inspecting Construction Materials.
PB92-116557 100,140
- Integrated Knowledge Systems for Concrete Science and Technology.
PB92-116821 100,141
- Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200
- Probe-Corrected Spherical Near-Field Scanning Theory in Acoustics.
PB92-117456 101,383
- Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants.
PB92-126432 100,893
- Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894
- Predicting the Remaining Service Life of Concrete.
PB92-126598 101,371
- BUILDINGS**
- Concept of the Calculus of Fire Safety.
PB91-132134 100,093
- Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report.
PB91-144386 100,889
- Using the Harvard/NIST Mark VI Fire Simulation.
PB91-144394 100,095
- Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.
PB91-144436 100,096
- Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
PB91-147082 100,057
- Refinement of a Model for Fire Growth and Smoke Transport.
PB91-148510 100,104
- Compartment Fire-Generated Environment and Smoke Filling.
PB91-158543 100,107
- Evaluation of Building Systems Inventions.
PB91-158659 100,896
- AI: Does It Have a Place in Building Simulation.
PB91-159293 100,063
- NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual.
PB91-159764 100,154
- Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144
- Ceiling Jet-Driven Wall Flows in Compartment Fires.
PB91-174573 100,117
- Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol.
PB91-187732 100,070
- Intelligent Building Technology in Japan.
PB91-187757 100,071
- Building and Fire Research Laboratory Publications, 1990.
PB91-187807 100,122
- Prediction and Fault Detection of Building Energy Consumption Using Multi-Input, Single-Output Dynamical Model.
PB91-195388 100,073
- Investigation of the Collapse of L'Ambiance Plaza.
PB91-204057 100,146
- Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.
PB91-216689 100,131
- Building and Fire Research Project Summaries, 1991.
PB91-216788 100,132
- Building Technology Publications 1986-1989.
PB91-216820 100,160
- Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.
PB91-231563 100,078
- General Routine for Analysis of Stack Effect.
PB91-231589 100,163
- Effect of Veiling Relections on Vision of Colored Objects.
PB91-237800 100,079
- Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151
- Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers).
PB91-507970 100,898
- Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.
PB92-112556 100,136
- BURNER BOX INLET DAMPERS**
- Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894
- BURNING RATE**
- Algorithm for the Mass-Loss Rate of a Burning Wall.
PB91-158998 100,108
- Technical Reference and User's Guide for FAST/FFM Version 3.
PB91-206664 100,086
- BUTANE**
- Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes.
PB91-195636 101,391
- BUTANES**
- Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane.
PB90-244534 100,252
- High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408
- BUTYNE**
- Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384
- C PROGRAMMING LANGUAGE**
- American National Standard for C. Category: Software Standard. Subcategory: Programming Language.
FIPS PUB 160 100,676
- CABLES**
- Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369
- CALCIUM IONS**
- Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188
- Effects of pH and Calcium on Hydrolysis of Na2SiF6 and Na2SnF6: A Quasi-Constant Composition Titration Study.
PB91-194746 101,315
- Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370
- CALCIUM OXIDES**
- Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
- CALCIUM PHOSPHATES**
- Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 100,040
- Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals.
PB91-162024 101,193
- Ion Incorporation into Octacalcium Phosphate Hydrolyzates.
PB91-175125 100,219
- Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048
- Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049
- CALCIUM STRONTIUM CUPRATES**
- Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535
- CALIBRATING**
- Linear Calibration When the Coefficient of Variation is Constant.
PB91-149443 101,273
- Calibration of Ophthalmic Applicators at NIST: A Revised Approach.
PB91-237388 101,327
- CALIBRATION**
- Absorbed-Dose Calibration of Ionization Chambers in a(60)Co Gamma-Ray Beam.
PB91-132290 101,598
- Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.
PB91-133868 100,834
- Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
- SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors.
PB91-134338 100,780
- Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards.
PB91-134403 100,879
- Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
PB91-147082 100,057
- Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- Calibration with Working Standards.
PB91-158931 101,276
- Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636
- NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-185124 100,726
- NIST High-Dose Calibration Services.
PB91-203257 101,689
- Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates.
PB91-206730 100,933
- NIST Measurement Services: Calibration Service for Current Transformers.
PB91-216770 100,873
- Generalized Photodiode Self-Calibration Formula.
PB91-236901 100,760
- Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.
PB91-237446 100,739

KEYWORD INDEX

- Translate LRL and LRM Calibrations.
PB91-237776 100,862
- Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
PB92-109024 100,935
- Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
PB92-112481 101,721
- NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520
- Voltage Calibration Systems Using Josephson Junction Arrays.
PB92-116516 100,868
- Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828
- NIST Calibration Services Users Guide, 1991.
PB92-126416 100,936
- CALORIFIC VALUE**
MSW Calorimetry.
PB91-133942 100,878
- CALORIMETERS**
Temperature Gradient in Differential Scanning Calorimetry.
PB91-236570 100,414
- CALORIMETRY**
Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.
PB91-147041 100,272
- Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273
- Levitation Calorimetry.
PB91-158519 100,927
- Combustion Calorimeters.
PB91-189233 100,340
- Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.
PB92-116524 100,456
- CALS**
SQL3 Support for CALS Applications.
PB91-167262 100,965
- CALS (COMPUTER-AIDED ACQUISITION AND LOGISTIC SUPPORT)**
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management.
PB91-178889 101,342
- Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC.
PB91-178897 101,343
- Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 3 of 3. CGM Registration.
PB91-178905 101,344
- CALS (COMPUTER AIDED ACQUISITION AND LOGISTICS SUPPORT)**
Use of the IRDS Standard in CALS (Revised).
PB91-132209 100,684
- NIST Support of the CALS Program: 1990 Synopsis.
PB91-193821 101,347
- CAMERAS**
Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.
PB91-147892 101,386
- High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929
- CAPACITANCE**
Measurement of Capacitance on Wafers.
PB91-149120 100,795
- Characterization of Capacitive Array for NDE Applications.
PB91-237305 100,946
- Capacitive Array Sensors for Nondestructive Evaluation.
PB91-237313 100,947
- Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials.
PB91-237610 100,948
- CARBINOLS**
Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
- CARBON**
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A236 485/9 100,247
- Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640
- Spectroscopic Data Base for Carbon and Oxygen.
PB91-237750 101,716
- Neutron Measurements of Intramolecular Vibrational Modes in C₆₀.
PB92-116540 101,055
- New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.
PB92-116805 100,911
- CARBON ADDITIONS**
Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.
PB91-175372 101,151
- CARBON DIOXIDE**
Transport Properties of Carbon Dioxide.
PB90-244724 100,266
- Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K.
PB91-134494 100,267
- Critical Exponent for Viscosity.
PB91-147009 100,271
- Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909
- Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
PB91-203273 100,395
- Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423
- Hydration of Carbon Dioxide: The Structure of H₂O-H₂O-CO₂ from Microwave Spectroscopy.
PB91-237172 100,428
- Evaluation of Solubility Data of the System CO-H₂O from 273 K to the Critical Point of Water.
PB92-110253 100,453
- Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures.
PB92-126648 100,913
- Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.
PB92-148105 100,470
- Solubility of Carbon Dioxide in Water at Low Pressure.
PB92-148196 100,479
- CARBON DIOXIDE DIMERS**
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.
PB91-147454 100,279
- CARBON MONOXIDE**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO(+) , C₂O₂(+), and C₂O₂(-).
AD-A239 729/7 100,250
- Pico-second IR Studies of the Vibrational Dynamics of CO/Pt(111).
PB91-161927 100,314
- Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909
- Photodissociation Dynamics of Mo(CO)₆ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413
- Semiclassical Calculation of Self-Broadening in O₂, N₂, and CO Raman Spectra.
PB92-117050 100,461
- CARBON OXYLSULFIDE**
Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423
- CARBON STARS**
Evolution of Infrared Carbon Stars.
PB91-202861 100,033
- CARBON STEELS**
Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel.
PB91-167346 101,150
- Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169
- CARBON TETRAFLUORIDE**
Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density.
PB91-192500 100,361
- CARRIER DENSITY**
Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.
PB91-236729 101,549
- CASTINGS**
Thin and Composite High-Flux Membranes of Perfluoro-sulfonated Ion-Exchange Polymer.
PB91-236653 100,512
- CATABOLITE GENE ACTIVATOR PROTEINS**
Crystallizing Catabolite Gene Activator Protein with cAMP for Structural Analysis.
PB91-148213 101,299
- Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
- CATALOGS (DOCUMENTATION)**
NIST Serial Holdings, 1991.
PB91-171330 100,960
- CATALOGS (PUBLICATIONS)**
NIST Standard Reference Data Products 1991 Catalog.
PB91-167312 100,952
- Publications of the National Institute of Standards and Technology, 1990 Catalog.
PB91-216531 100,011
- CATALYSIS**
Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407
- Thermodynamics of Industrially Important Enzyme Catalyzed Reactions.
PB91-237602 101,311
- CATALYSTS**
Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300
- Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301
- Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351
- Chemical and Electronic Properties of Pd/SnO₂(110) Model Gas Sensors.
PB91-203075 100,393
- Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.
PB91-237636 100,432
- CATHODOLUMINESCENCE**
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A237 128/4 100,248
- Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films.
AD-A243 220/1 101,451
- Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531
- Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094
- CD ROM**
Overview of the Product Data HyperStandard CD-ROM Prototype.
PB91-132258 101,380
- CEILINGS (ARCHITECTURE)**
Ceiling Jet in Fires.
PB91-167197 100,114
- Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370
- CELADON**
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
- CELLS (BIOLOGY)**
Gravity-Dependent Phenomena at the Scale of the Single Cell.
PB91-134767 101,297
- CEMENTING**
Computer Simulated Hydration of a Cement Model.
PB91-162149 100,112
- Note on the Precision Cementing of Small Optical Components.
PB91-203158 101,428
- CEMENTS**
Design of High Strength Cement-Based Materials. Part 2. Microstructure.
PB91-147439 100,099
- Microstructure and Fracture at the Cement Paste-Aggregate Interface.
PB91-148072 100,523
- Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer.
PB91-148528 100,524
- Pozzolan Programs of the Cement and Concrete Reference Laboratory.
PB91-149922 100,525
- Towards Computer-Based Microstructure Models for Cement-Based Systems.
PB91-158840 101,074
- Computer Simulated Hydration of a Cement Model.

KEYWORD INDEX

CHEMICAL DISSOCIATION

- PB91-162149 100,112
Application of CCRL Data in the Development of Cement Standards.
PB91-175315 100,119
Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model.
PB91-187179 100,529
Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049
Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133
Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.
PB91-240804 100,532
Integrated Knowledge Systems for Concrete Science and Technology.
PB92-116821 100,141
- CENTER FOR FIRE RESEARCH**
Application of Fire Research.
PB91-149302 100,153
- CERAMIC FIBERS**
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 101,127
- CERAMIC GLAZING**
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
- CERAMIC MATERIALS**
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
- CERAMIC MATRIX COMPOSITES**
Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension.
PB91-162180 101,118
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084
Reduction in Sintering Damage of Fiber Reinforced Composites.
PB91-195362 101,124
Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 101,127
Differential Sintering.
PB91-237123 101,128
Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131
- CERAMIC PRECURSORS**
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
Low Temperature Chemical Route to Precursors of Boride and Carbide Ceramic Powders.
PB91-175190 101,078
- CERAMICS**
Strength and Microstructure of Ceramics.
AD-A243 049/4 101,056
Institute for Materials Science and Engineering, Ceramics: Technical Activities 1990.
PB91-132233 101,057
Application of Analytical Electron Microscopy to Glass-Bonded Aluminas.
PB91-147389 101,060
Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction.
PB91-147553 101,061
Graphics Program for Binary and Ternary Ceramic Phase Diagrams.
PB91-147991 101,063
Effects of Crystal Bonding on Brittle Fracture.
PB91-148221 101,064
Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
PB91-148767 101,065
Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramic Powders.
PB91-149096 101,066
Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067
In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068
Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning.
- PB91-149419 101,069
Improved Analysis for Flexural Creep with Application to Sialon Ceramics.
PB91-150037 101,071
Near Net Shape Forming of Ceramics.
PB91-158600 101,072
National Bureau of Standards-American Ceramic Society Phase Diagram Data Program.
PB91-158774 101,073
Tensile Creep Behavior of Structural Ceramics.
PB91-159277 101,075
Superconducting Properties of Bi₂-x-yPb_xSnySr₂Ca₂Cu₃O_z.
PB91-162321 101,076
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
Low Temperature Chemical Route to Precursors of Boride and Carbide Ceramic Powders.
PB91-175190 101,078
Chemistry of Electronic Ceramic Materials.
PB91-178822 101,500
Journal of Research of the National Institute of Standards and Technology. January-February 1991. Volume 96, Number 1.
PB91-184853 100,220
Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185
Ceramic Wear Maps.
PB91-189498 100,561
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics.
PB91-189704 101,082
Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
Standardization of Advanced Ceramics.
PB91-195669 101,086
Comparison of Creep Rupture Behavior in Tension and Bending.
PB91-202820 101,087
High Temperature Creep Testing of Ceramics.
PB91-202838 101,088
Chemical and Electronic Properties of Pd/SnO₂(110) Model Gas Sensors.
PB91-203075 100,393
Small Angle Neutron Scattering Characterization of Microporous Silica.
PB91-203489 101,089
Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091
Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180
Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092
Capacitive Array Sensors for Nondestructive Evaluation.
PB91-237313 100,947
New Layered Cuprate Structure-Type, (A_{1-x}A_x)₁₄Cu₂₄O₄₁.
PB91-237339 101,095
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096
Surface Oxidation Kinetics of Si₃N₄ - 4% Y₂O₃ Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436
Environmentally Enhanced Fracture of Gallium Arsenide.
PB91-237743 101,097
Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
PB92-116813 101,112
Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams.
PB92-116995 101,099
Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
PB92-117043 101,101
Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
- PB92-126507 101,104
High-Temperature Superconductivity: Abstracts of NIST Publications, 1987-1991.
PB92-126564 101,105
- CERIUM IONS**
Spectrum and Energy Levels of the Xenonlike Ion Ce V.
PB91-175364 101,638
- CERTIFICATION**
Directory of Federal Government Laboratory Accreditation/Designation Programs.
PB91-167379 100,005
NVLAP FY 90 Annual Report.
PB91-206748 100,010
- CERTIFIED REFERENCE MATERIALS**
Appendix: Standard Solutions and Certified Reference Materials.
PB91-174235 100,194
- CESIUM**
Structure of a Stage-3 Cs - Graphite Intercalate.
PB91-134957 100,269
Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.
PB91-190090 101,517
- CGM (COMPUTER GRAPHICS METAFILE)**
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 3 of 3. CGM Registration.
PB91-178905 101,344
- CHAOS**
Global Stability of the Chaotic State Near an Interior Crisis.
PB91-147496 101,611
- CHARACTERISTIC IMPEDANCE**
Characteristic Impedance Determination Using Propagation Constant Measurement.
PB91-236992 100,775
- CHARACTERISTICS**
Robot Characterization Testing.
PB91-167361 101,030
- CHARGE TRANSFER**
Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub < -sup>->) (3)He + (4)He(+) +).
PB91-149245 101,618
- CHELATING AGENTS**
Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime.
PB91-148783 100,292
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.
PB91-187112 101,331
- CHEMICAL**
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215
- CHEMICAL ANALYSIS**
Methods for the Analysis of Organometallic Compounds in Wastes.
PB91-148981 100,189
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni.
PB91-162297 100,193
Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176
Reference Materials for Analytical Chemistry.
PB91-203693 100,205
Role of Reference Materials in Quality Assurance.
PB91-203901 100,206
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service.
PB91-203968 100,207
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035
Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.
PB92-126630 100,912
Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures.
PB92-126648 100,913
- CHEMICAL BONDS**
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings.
PB91-195065 100,375
Wigner-Seitz Local-Environment Study of the High T_c Superconductors.
PB91-195115 101,528
- CHEMICAL DISSOCIATION**
Causes of SiH₄ Dissociation in Silane dc discharges.
PB91-202986 100,389
Silane Dissociation Products in Deposition Discharges.

KEYWORD INDEX

- PB91-202994 100,390
- CHEMICAL EQUILIBRIUM**
Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.
PB91-189282 100,196
- CHEMICAL INFORMATION SYSTEMS**
Technical Activities 1990, Standard Reference Data Program.
PB91-167213 100,321
- CHEMICAL LABORATORIES**
High Purity Chemicals and Clean Rooms for Trace Metal Analysis.
PB91-195156 100,200
- CHEMICAL PROPERTIES**
Critical Data in Physics and Chemistry.
PB91-203455 101,697
Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties.
PB91-237693 100,434
- CHEMICAL RADIATION EFFECTS**
Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325
Dosimetry: New Approaches for New Challenges.
PB92-117100 101,365
- CHEMICAL REACTION MECHANISMS**
Kinetics and Mechanisms of the Gas-Phase Reactions of the NO3 Radical with Organic Compounds.
PB92-110220 100,450
- CHEMICAL REACTIONS**
Enhanced Transport and Liquid Membranes in Bioseparations.
PB91-189886 101,287
- CHEMICAL STABILITY**
Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.
PB91-237529 100,430
- CHEMICAL VAPOR DEPOSITION**
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215
Chemical Vapor Deposited Diamond.
AD-A243 095/7 101,106
U.S. Assessment of the New Diamond Technology in Japan.
PB91-167395 101,107
- CHEMICALS**
Opportunities for Innovation: Chemical and Biological Sensors.
PB92-127315 100,214
- CHEMISORPTION**
Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-146985 100,270
Initial Stages of Degradation of Superconductor Surfaces: O2, H2O, CO2 and CO Chemisorption on La2-xSrxCuO4.
PB91-189670 101,512
Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.
PB91-190090 101,517
Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.
PB91-237032 100,425
- CHESAPEAKE BAY**
Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.
PB91-195040 100,918
- CHIPS**
Material Dependency of Chip-Form Detection Using Acoustic Emission.
PB91-149450 101,216
- CHIPS (ELECTRONICS)**
1987: The Year of the 386.
PB91-158766 100,599
- CHIRALITY**
New Chemical and Stereochemical Applications of Organoniron Complexes.
PB91-184861 100,221
- CHITINS**
Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
- CHLORINE**
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386
- CHLORINE IONS**
Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes.
- PB91-187690 101,138
- CHLORINE OXIDES**
High-Resolution Infrared Spectrum of the nu1 Band of OC1O.
PB92-117175 100,463
- CHLOROALKANES**
Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes.
PB90-244617 100,258
- CHLOROMETHANES**
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
- CHLOROMETHYL RADICALS**
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl2 and CDCl2.
PB91-174870 100,328
- CHLOROTOLUENES**
Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331
- CHLOROTRIFLUOROMETHANE**
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427
- CHROMATES**
Trace Determination of Cr(VI) by LC/AAS with on-Line Preconcentration.
PB91-148148 100,184
Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Acidic Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid.
PB91-236489 100,241
- CHROMATIN**
Measurement of DNA Base Damage and DNA-Protein Cross-Links in Mammalian Chromatin.
PB91-187484 101,303
Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336
Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338
- CHROMATOGRAPHIC ANALYSIS**
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.
PB91-147769 100,182
- CHROMIUM**
Trace Determination of Cr(VI) by LC/AAS with on-Line Preconcentration.
PB91-148148 100,184
- CHROMIUM 54**
Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656
- CHROMIUM ALLOYS**
Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.
PB91-134700 101,132
- CHROMIUM NICKEL ALLOYS**
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
- CHROMIUM-NICKEL STEELS**
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.
PB91-167171 101,149
- CHRYSTOLITE**
Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.
PB91-204099 101,320
- CIGARETTES**
Aspects of Smoldering Combustion.
PB91-134510 100,535
- CIRCUIT INTERCONNECTIONS**
Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545
- CIRCUIT SIMULATORS**
Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.
PB92-116862 100,822
- CITRIC ACID**
Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- CLASSIFICATIONS**
Guide to Available Mathematical Software Problem Classification System.
- PB91-132175 101,282
- CLOCKS**
Synchronizing Computer Clocks Using a Local Area Network.
N91-25793/1 100,596
Clock for the Manufacturing Systems Integration Testbed.
PB92-108885 100,992
- CLOTHING INDUSTRY**
Apparel STEP Translator.
PB91-216663 100,967
- CLUSTER IONS**
Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.
PB91-147710 100,283
- CLUSTER MODEL**
Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e,alpha) Reaction.
PB91-216812 101,705
- CLUSTERING**
Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation.
PB91-203547 100,400
- CMS (CONFIGURATION MANAGEMENT SYSTEM)**
Configuration Management Concepts Document. National PDES Testbed Report Series.
PB91-194480 100,984
- COAL**
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
- COAL GASIFICATION**
Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875
Rapporteur's Summary Materials Development for Coal Gasification.
PB91-158592 100,876
- COAL MINING**
Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-213597 101,357
- COAL PREPARATION**
Recent Progress in Coal Bioprocessing Research in the United States: Scope and Areas Needing Further Research.
PB91-195339 100,885
- COALESCENCE**
Applicability of Smoluchowski's Equation with a Constant Kernel to Coalescence.
PB91-148940 100,296
- COATINGS (MATERIALS)**
Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188
Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.
PB91-203711 100,509
Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study.
PB91-203729 101,109
Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
PB92-136813 101,112
- COAXIAL CABLES**
Determination of Scattering Parameters with Respect to the Characteristic Impedance of Precision Coaxial Air-Line Standards.
PB91-134114 100,770
Air Gage Size Measurement of Microwave Standards.
PB92-117324 100,777
- COBALT ALLOYS**
Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.
PB91-134700 101,132
- COBALT SILICIDES**
Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570
- COBOL PROGRAMMING LANGUAGE**
Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL).
PB92-937300 100,671
- COEFFICIENT OF FRICTION**
Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250
- COEFFICIENT OF VARIATION**
Linear Calibration When the Coefficient of Variation is Constant.
PB91-149443 101,273

KEYWORD INDEX

COMPILERS

COLD WEATHER CONSTRUCTION

Introduction to ACI 306.1-87: Specification for Cold Weather Concreting.
PB91-174524 100,526

COLLAPSE

Investigation of the Collapse of L'Ambiance Plaza.
PB91-204057 100,146

COLLECTION

NIST Serial Holdings, 1991.
PB91-171330 100,960

COLLINEARITY

Nature of Collinearity.
PB91-203497 101,261

COLLISION CROSS SECTIONS

Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263

Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.
PB90-244682 100,264

Cross Sections and Swarm Coefficients for H⁺, H₂⁺, H₃⁺, H, H₂, and H-in H₂ for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597

COLLISION INDUCED SPECTRA

Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra.
PB91-203307 101,690

COLLISION KERNELS

Measurements of Velocity-Changing Collision Kernels.
PB91-203083 101,684

COLORIMETERS

MSW Calorimetry.
PB91-133942 100,878

COLUMNS (PROCESS ENGINEERING)

Evaluation of Column Performance in Liquid Chromatography.
PB91-190041 100,199

COLUMNS (SUPPORTS)

Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading.
PB91-236588 100,150

COMBUSTION

Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane.
PB90-244534 100,252

Aspects of Smoldering Combustion.
PB91-134510 100,535

Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536

NBS Research Program in Municipal Solid Waste Combustion.
PB91-147264 100,916

Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544

Letter to Editor of Chemical and Engineering News.
PB91-174847 100,327

Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
PB91-187229 100,495

Combustion Calorimeters.
PB91-189233 100,340

High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.
PB91-194795 101,160

Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503

Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.
PB91-216689 100,131

Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.
PB92-110170 100,446

Theoretical Investigation of Piloted Ignition of Wood.
PB92-112432 100,556

Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O.
PB92-148071 100,467

Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.
PB92-148204 100,480

COMBUSTION CONTROL

Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248

COMBUSTION KINETICS

Laser-Induced Fluorescence of CH₃ in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.
PB91-237099 100,554

COMBUSTION PRODUCTS

Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane

Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140

Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments.
PB91-157180 100,542

Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.
PB91-203794 100,548

Technical Reference and User's Guide for FAST/FFM Version 3.
PB91-206664 100,086

COMETARY ATMOSPHERES

Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry.
PB91-148809 100,237

COMFORT

Second-Level Post-Occupancy Evaluation Analysis.
PB91-147140 100,058

COMMERCIAL BUILDINGS

Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909

COMMODITIES

Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.
PB92-112549 100,171

COMMUNICATION NETWORKS

Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.
FIPS PUB 100-1 100,672

Application of OSI Protocols for Plant Information Networks.
PB91-147595 100,974

Issues in Transparent File Access.
PB91-187831 100,569

Security in ISDN.
PB92-116391 100,718

COMPACT HEAT EXCHANGERS

Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
PB91-194464 101,050

COMPARTMENTS

Review of Four Compartment Fires with Four Compartment Fire Models.
PB91-147215 100,098

Ceiling Jet-Driven Wall Flows in Compartment Fires.
PB91-174573 100,117

COMPATIBILITY

Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201

COMPILERS

Ada Compiler Validation Summary Report. Certificate Number: 901109S1.11053, Digital Equipment Corporation VAX Ada, Version 2.2 VAX 8800 = > VAX 8800.
AD-A233 961/2 100,607

Ada Compiler Validation Summary Report: DDC International A/S, DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6, VAX 8530 (Host) to Bare Board (ISBC 186/93A (Host), 901129S1.11079.
AD-A234 083/4 100,608

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11112 DDC International A/S DACS 80386 DMS/OS Ada Compiler System, Version 4.6 IBM PS/2 Model 80-311 = > IBM PS/2 Model 80-311.
AD-A234 118/8 100,609

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11050 DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 VAX 8530 = > VAX 8530.
AD-A234 323/4 100,610

Ada Compiler Validation Summary Report: Digital Equipment Corporation, VAX Ada, Version 2.2, BAX 8800 (Host) t VAX MicroVAX II Running VAXELN Version 4.1 (Target), 901109S1.11054.
AD-A234 350/7 100,611

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11051, DDC International A/S, DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 MicroVAX 3100 Greater Than or Equal to Motorola MVME133.
AD-A234 380/4 100,612

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11077 DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 VAX 8530 = > Bare Board ISBC/03A.
AD-A234 438/0 100,613

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11075 DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 ICL DRS300 = > ICL DRS300.

AD-A234 439/8 100,614

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11074 DDC International A/S DACS VAX/VMS 60 80386 PM Bare Ada Cross Compiler System, Version 4.6 VAX 8530 = > Bare Board ISBC 386/21.
AD-A234 529/6 100,615

Ada Compiler Validation Summary Report. Certificate Number: 910510S1.11161 UNISYS Corporation, UCS Ada, Version 1R1, 2200/600 (Host and Target). Revision.
AD-A239 715/6 100,616

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11179 U.S. Navy Ada/M, Version 4.0 (OPTIMIZE) VAX 11/785 = > AN/AYK-14 (Bare Board).
AD-A240 511/6 100,617

Ada Compiler Validation Summary Report: Certificate Number: 910705S1.11192 InterAct Corporation InterAct Ada Mips Cross-Compiler System, Release 2.0 MicroVAX 3100 Cluster = > Lockheed Sanders STAR MVP R3000/R3010 board (Bare Machine).
AD-A240 512/4 100,618

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11158 DDC International A/S, DACS VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1, VAX 8530 (Host) to Tadpole Technology PLC TP860M (Bare Board) (Target).
AD-A240 610/6 100,619

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11176 U.S. Navy, Ada/L, Version 4.0 (/Optimize), VAX 11/785 (Host) to AN/UYJ-43 (Single CPU) (Bare Board) (Target).
AD-A240 611/4 100,620

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11174 U.S. Navy, Ada/M, Version 4.0 (/Optimize), VAX 8550, Running VAX/VMS Version 5.3 (Host) to AN/UYK-44 (EMR) (Bare Board) (Target).
AD-A240 612/2 100,621

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11175 U.S. Navy Ada/M, Version 4.0 (/Optimize), VAX 8550 (Host) to AN/AYK-14 (Bare Board) (Target).
AD-A240 613/0 100,622

Ada Compiler Validation Summary Report. Certificate Number: 910705S1.11191, InterACT Corporation InterACT Ada 1750A Compiler System, Release 3.5, MicroVAX 3100 Cluster = > InterACT MIL-STD-1750A Instruction Set Architecture Simulator, Release 2.3 (Bare Machine).
AD-A240 762/5 100,623

Ada Compiler Validation Summary Report. Certificate Number: 910626S1.11178, U.S. Navy Ada/M, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-44 (EMR) (Bare Board).
AD-A240 763/3 100,624

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11173 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 855 = AN/UYK-43 (EMR) (Bare Board).
AD-A240 783/1 100,625

Ada Compiler Validation Summary Report: Certificate Number Number 910626S1.11172 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 8550 = AN/UYK-43 (Single CPU) (Bare Board).
AD-A240 784/9 100,626

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11159 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC-MODE) Sun-3/50 = Motorola MVME143 Board (68030/68882).
AD-A240 785/6 100,627

Ada Compiler Validation Summary Report. Certificate Number: 910502S1.11160 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE MODE) Sun-3/50 = > Motorola MVME143 Board (68030/68882).
AD-A240 849/0 100,628

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11177 U.S. Navy Ada/L, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-43 (EMR) (Bare Board).
AD-A240 850/8 100,629

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11163 U.S. Navy, AdaVAX, Version 5.0, (/NO OPTIMIZE) VAX 8350 (Host and Target).
AD-A242 268/1 100,630

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11162 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE) VAX 8600 (Host and Target).
AD-A242 269/9 100,631

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11165 U.S. Navy, AdaVAX, Version 5.0 (/NO-OPTIMIZE), VAX 11/785 (Host and Target).
AD-A242 270/7 100,632

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11164 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE), VAX11/785 (Host and Target).
AD-A242 273/1 100,633

Ada Compiler Validation Summary Report: Certificate Number 910918S1.11216, NEC Corporation, NEC Ada

KEYWORD INDEX

- Compiler System for EWS-UX/V (Rel 4.0), Version Release 2.1(4.6) EWS4800/220 = EWS4800/220. AD-A242 609/6 100,634
- Ada Compiler Validation Summary Report. Certificate Number: 911025S1.11226, Digital Equipment Corporation DEC Ada, Version 1.0 DECstation 5000 Model 200 = > DECstation 5000 Model 200. AD-A242 896/9 100,635
- Programming Languages and Database Language SOL. Validated Processor List Including GOSIP Conformance Testing Registers. PB91-187716 100,649
- FORTRAN Temporary Program Fixes, FCVS78 Version 2.0, Level 26. PB91-201772 100,651
- MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991. PB91-507699 100,660
- MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers). PB91-507707 100,661
- MUMPS Validation Suite, Version 7.6 (ANSI), 1991. PB91-507715 100,662
- MUMPS Validation Suite, Version 7.6 (TAR), 1991. PB91-507723 100,663
- COMPLEX COMPOUNDS**
- Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex. PB91-203448 100,398
- COMPLEXES**
- Structures of the NH₃-HCCCCH and H₂O-HCCCCH Complexes by Fourier-Transform Microwave Spectroscopy. PB91-148882 100,294
- Progress on the Determination of Intermolecular Potential Energy Surfaces from High Resolution Spectroscopy. PB91-203695 100,403
- Multiple Intermolecular Bend Vibrational Excitation of a Hydrogen Bond: An Extended Infrared Study of OCOHF. PB91-203703 100,404
- COMPOSITE FABRICATION**
- AMRF Composites Fabrication Workstation: A Test Methodology to Measure the Quality of Thermoplastic Composite Parts. PB91-187765 101,017
- COMPOSITE MATERIALS**
- Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite. AD-A231 778/2 101,113
- Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite. AD-A239 509/3 101,114
- Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990. PB91-132191 101,115
- Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler. PB91-144402 100,483
- Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites. PB91-159178 101,117
- Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations. PB91-174458 100,045
- Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites. PB91-174946 101,120
- Effect of a Free Surface on Stress Distribution in a Bimaterial Composite. PB91-185116 101,121
- Interlaminar Shear Fracture of Laminated Composites. PB91-187336 101,122
- Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes. PB91-187690 101,138
- Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina. PB91-203687 101,127
- Change in Magnetic State of Fe+ Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia. PB91-237321 101,129
- COMPOSITE STRUCTURES**
- Buckling and Post-Buckling Behavior of Elliptical Plates. Part 1. Analysis. PB92-116573 101,588
- Buckling and Post-Buckling Behavior of Elliptical Plates. Part 2. Results. PB92-116581 101,589
- COMPOSITION (PROPERTY)**
- Analysis and Characterization of Commercial Welding Fluxes. PB91-162339 101,003
- COMPOSITIONAL MAPPING**
- Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping. PB91-195180 100,202
- COMPUTATIONAL FLUID DYNAMICS**
- Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization. PB91-203000 101,393
- Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code. PB91-222679 101,395
- COMPUTATIONAL GEOMETRY**
- Computing Delaunay Triangulations for Comet-Shaped Polygons. PB92-123108 101,265
- COMPUTATIONAL TESTING**
- State-of-the-Art of Computational Testing of Mathematical Programming Algorithms. PB91-174896 101,268
- COMPUTER-AIDED ACQUISITION AND LOGISTIC SUPPORT**
- Raster Graphics Conformance Testing. PB91-167296 101,341
- Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile. PB91-184812 101,345
- COMPUTER AIDED DESIGN**
- NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised). PB91-144378 100,998
- NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series. PB91-157164 100,964
- Engineering Design Laboratory Guide. PB91-167320 100,977
- CAD Directed Robotic Deburring. PB91-195172 100,985
- Apparel STEP Translator. PB91-216663 100,967
- Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series. PB92-112523 100,970
- Validation Testing Laboratory User's Guide. National PDES Testbed Report Series. PB92-123090 100,971
- COMPUTER AIDED MANUFACTURING**
- Software and Computer Integrated Manufacturing. PB91-132142 100,972
- NIST Working Form for STEP: National PDES Testbed Report Series (Revised). PB91-132183 100,683
- AI in Manufacturing: The NBS AMRF as an Intelligent Machine. PB91-134718 100,973
- NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised). PB91-144378 100,998
- Application of OSI Protocols for Plant Information Networks. PB91-147595 100,974
- CIM, Data and Standardization within the NBS AMRF. PB91-148122 100,975
- Innovation in Manufacturing Technology: A View from NBS. PB91-148130 100,976
- NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series. PB91-157164 100,964
- SOL3 Support for CALS Applications. PB91-167262 100,965
- Engineering Design Laboratory Guide. PB91-167320 100,977
- Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual. PB91-167700 100,978
- Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine. PB91-174938 100,980
- U.S. Manufacturing Systems: Factories Past, Present, and Future. PB91-175091 100,981
- Concurrent Engineering through Product Data Standards. PB91-193367 100,982
- CAD Directed Robotic Deburring. PB91-195172 100,985
- Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF. PB91-195495 100,986
- Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing. PB91-203299 100,987
- Parser That Converts a Boundary Representation into a Features Representation. PB91-203356 100,988
- Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series. PB91-222596 100,990
- Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series. PB91-222620 100,968
- Manufacturing Systems Integration Control Entity Interface Document. PB91-240796 100,991
- Clock for the Manufacturing Systems Integration Testbed. PB92-108885 100,992
- Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series. PB92-112234 100,993
- Manufacturing Systems Integration: Initial Architecture Document. PB92-112242 100,994
- Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series. PB92-112523 100,970
- Mare Island Flexible Manufacturing Workstation. PB92-117027 100,996
- Multi-Enterprise Concurrent Engineering through International Standards. PB92-123058 100,997
- Validation Testing Laboratory User's Guide. National PDES Testbed Report Series. PB92-123090 100,971
- COMPUTER APPLICATIONS**
- Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS). PB91-158832 101,339
- NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual. PB91-159764 100,154
- Users Guide for RAPID, Version 2.3. PB91-167403 100,999
- Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode. PB91-174250 101,004
- NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990. PB91-194506 101,348
- Scoring Continuous Speech in the DARPA Speech Recognition Program: Part 2. PB91-195396 100,593
- Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0. PB91-201004 100,692
- FPETOOL User's Guide. PB92-108919 100,134
- Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire. PB92-112556 100,136
- COMPUTER ARCHITECTURE**
- Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing. PB91-203299 100,987
- COMPUTER ASSISTED INSTRUCTION**
- Multimedia Courseware in an Open Systems Environment: A Federal Strategy. PB91-143362 100,039
- Interactive Courseware is Leading the Multimedia Movement. PB91-147744 100,036
- COMPUTER CALCULATIONS**
- Assembly Code to Compute Sine and Cosine Using the Cordic Algorithm. PB91-143289 100,638
- Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids. PB91-174557 101,494
- Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures. PB91-195263 101,390
- COMPUTER COMMUNICATIONS**
- Performance of OSI Transport over ACCUNET and IBER-PAC. PB91-134825 100,563
- Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques. PB91-158584 100,565
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990. PB91-171967 100,689
- Validation of an OSI Transport Class 4 Simulator. PB91-187724 100,568
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement). PB92-112200 100,695
- Government Open Systems Interconnection Profile Users' Guide, Version 2. PB92-119676 100,696

KEYWORD INDEX

Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699

COMPUTER GRAPHICS

Graphical Kernel System (GKS). Pascal Binding; Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1A 100,636

Graphics Program for Binary and Ternary Ceramic Phase Diagrams.
PB91-147991 101,063

Raster Graphics Conformance Testing.
PB91-167296 101,341

Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC.
PB91-178897 101,343

Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.
PB91-187708 101,346

NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990.
PB91-194506 101,348

COMPUTER INFORMATION SECURITY

Automated Information Systems Security Program Handbook.
PB91-222638 100,713

Glossary of Computer Security Terminology.
PB92-112259 100,716

Computer Security Bulletin Board System. User's Guide.
PB92-112390 100,717

Establishing a Computer Security Incident Response Capability (CSIRC).
PB92-123140 100,720

COMPUTER NETWORK

Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699

COMPUTER NETWORKS

Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.
FIPS PUB 100-1 100,672

Government Open Systems Interconnection Profile (GOSIP); Category: Hardware and Software Standards; Subcategory: Computer Network Protocols.
FIPS PUB 146-1 100,675

Synchronizing Computer Clocks Using a Local Area Network.
N91-25793/1 100,596

Performance of OSI Transport over ACCUNET and IBER-PAC.
PB91-134825 100,563

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990.
PB91-171967 100,689

Validation of an OSI Transport Class 4 Simulator.
PB91-187724 100,568

GOSIP Conformance and Interoperation Testing and Registration.
PB92-110105 100,694

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement).
PB92-112200 100,695

Security in ISDN.
PB92-116391 100,718

Government Open Systems Interconnection Profile Users' Guide, Version 2.
PB92-119676 100,696

COMPUTER PERFORMANCE EVALUATION

Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor.
PB91-159319 100,601

Book Review: 'The Art of Computer Systems Performance Analysis' by R. Jain.
PB92-117068 100,719

COMPUTER PROGRAM PORTABILITY

Multimedia Courseware in an Open Systems Environment: A Federal Strategy.
PB91-143362 100,039

Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.
PB91-201004 100,692

Interactive Video Software Portability: Migrating a DOS Application to POSIX.
PB92-117308 100,670

COMPUTER PROGRAM RELIABILITY

Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.
PB92-109040 100,667

COMPUTER PROGRAM VERIFICATION

Software Verification and Validation: An Overview.

PB91-237685 100,658

COMPUTER PROGRAMMING

Algorithm Design for Large-Scale Computations.
PB91-149336 100,640

DEQSOL and ELLPACK: Problem-Solving Environments for Partial Differential Equations.
PB91-174441 100,645

Portable Vectorized Software for Bessel Function Evaluation.
PB91-216598 100,652

NIST*LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version.
PB92-108877 101,561

COMPUTER PROGRAMS

PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
PB91-194985 100,373

COMPUTER SCIENCE & TECHNOLOGY

Ada Compiler Validation Summary Report: Certificate Number: 901109S1.11053. Digital Equipment Corporation VAX Ada, Version 2.2 VAX 8800 = > VAX 8800.
AD-A233 961/2 100,607

Ada Compiler Validation Summary Report: DDC International A/S, DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6, VAX 8530 (Host) to Bare Board iSBC 186/93A (Host), 901129S1.11079.
AD-A234 083/4 100,608

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11112 DDC International A/S DACS 80386 DMS/OS Ada Compiler System, Version 4.6 IBM PS/2 Model 80-311 = > IBM PS/2 Model 80-311.
AD-A234 118/8 100,609

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11050 DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 VAX 8530 = > VAX 8530.
AD-A234 323/4 100,610

Ada Compiler Validation Summary Report: Digital Equipment Corporation, VAX Ada, Version 2.2, BAX 8800 (Host) t VAX MicroVAX II Running VAXELN Version 4.1 (Target), 901109S1.11054.
AD-A234 350/7 100,611

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11051, DDC International A/S, DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 MicroVAX 3100 Greater Than or Equal to Motorola MVME133.
AD-A234 380/4 100,612

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11077 DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 VAX 8530 = > Bare Board iSBC/03A.
AD-A234 438/0 100,613

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11075 DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 ICL DRS300 = > ICL DRS300.
AD-A234 439/8 100,614

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11074 DDC International A/S DACS VAX/VMS 60 80386 PM Bare Ada Cross Compiler System, Version 4.6 VAX 8530 = > Bare Board iSBC 386/21.
AD-A234 529/6 100,615

Ada Compiler Validation Summary Report: Certificate Number: 910510S1.11161 UNISYS Corporation, UCS Ada, Version 1R1, 2200/600 (Host and Target). Revision.
AD-A239 715/6 100,616

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11179 U.S. Navy Ada/M, Version 4.0 (OPTIMIZE) VAX 11/785 = > AN/AYK-14 (Bare Board).
AD-A240 511/6 100,617

Ada Compiler Validation Summary Report: Certificate Number: 910705S1.11192 InterACT Corporation InterACT Ada Mips Cross-Compiler System, Release 2.0 MicroVAX 3100 Cluster = > Lockheed Sanders STAR MVP R3000/R3010 board (Bare Machine).
AD-A240 512/4 100,618

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11158 DDC International A/S, DACS VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1, VAX 8530 (Host) to Tadpole Technology PLC TP860M (Bare Board) (Target).
AD-A240 610/6 100,619

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11176 U.S. Navy, Ada/L, Version 4.0 (/Optimize), VAX 11/785 (Host) to AN/UYJ-43 (Single CPU) (Bare Board) (Target).
AD-A240 611/4 100,620

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11174 U.S. Navy, Ada/M, Version 4.0 (/Optimize), VAX 8550, Running VAX/VMS Version 5.3 (Host) to AN/UYK-44 (EMR) (Bare Board) (Target).
AD-A240 612/2 100,621

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11175 U.S. Navy Ada/M, Version 4.0 (/Optimize), VAX 8550 (Host) to AN/AYK-14 (Bare Board) (Target).
AD-A240 613/0 100,622

Ada Compiler Validation Summary Report: Certificate Number: 910705S1.11191, InterACT Corporation Inter-

COMPUTER SCIENCE & TECHNOLOGY

ACT Ada 1750A Compiler System, Release 3.5, Micro-VAX 3100 Cluster = > InterACT MIL-STD-1750A Instruction Set Architecture Simulator, Release 2.3 (Bare Machine).
AD-A240 762/5 100,623

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11178 U.S. Navy Ada/M, Version 4.0 (OPTIMIZE) VAX 11/785 = > AN/UYK-44 (EMR) (Bare Board).
AD-A240 763/3 100,624

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11173 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 855 = AN/UYK-43 (EMR) (Bare Board).
AD-A240 783/1 100,625

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11172 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 8550 = AN/UYK-43 (Single CPU) (Bare Board).
AD-A240 784/9 100,626

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11159 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC-MODE) Sun-3/50 = Motorola MVME143 Board (68030/68882).
AD-A240 785/6 100,627

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11160 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE MODE) Sun-3/50 = > Motorola MVME143 Board (68030/68882).
AD-A240 849/0 100,628

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11177 U.S. NAVY Ada/L, Version 4.0 (OPTIMIZE) VAX 11/785 = > AN/UYK-43 (EMR) (Bare Board).
AD-A240 850/8 100,629

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11163 U.S. Navy, AdaVAX, Version 5.0, (/NO OPTIMIZE) VAX 8350 (Host and Target).
AD-A242 268/1 100,630

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11162 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE) VAX 8600 (Host and Target).
AD-A242 269/9 100,631

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11165 U.S. Navy, AdaVAX, Version 5.0 (/NO-OPTIMIZE), VAX 11/785 (Host and Target).
AD-A242 270/7 100,632

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11164 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE), VAX11/785 (Host and Target).
AD-A242 273/1 100,633

Ada Compiler Validation Summary Report: Certificate Number: 910918S1.11216, NEC Corporation, NEC Ada Compiler System for EWS-UX/V (Rel 4.0), Version Release 2.1(4.6) EWS4800/220 = EWS4800/220.
AD-A242 609/6 100,634

Ada Compiler Validation Summary Report: Certificate Number: 911025S1.11226, Digital Equipment Corporation DEC Ada, Version 1.0 DECstation 5000 Model 200 = > DECstation 5000 Model 200.
AD-A242 896/9 100,635

Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes.
FIPS PUB 9-1 100,679

Guideline: American National Dictionary for Information Systems. Category: Software; Subcategory: Documentation.
FIPS PUB 11-3 100,956

Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media.
FIPS PUB 54-1 100,678

Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.
FIPS PUB 100-1 100,672

Graphical Kernel System (GKS); Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1 100,673

Graphical Kernel System (GKS). Pascal Binding; Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1A 100,636

Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1B 100,674

Government Open Systems Interconnection Profile (GOSIP); Category: Hardware and Software Standards; Subcategory: Computer Network Protocols.
FIPS PUB 146-1 100,675

Detail Specification for 62.5-mum Core Diameter/125-mum Cladding Diameter Class LA Multimode, Graded-Index Optical Waveguide Fibers.
FIPS PUB 159 100,562

American National Standard for C. Category: Software Standard. Subcategory: Programming Language.

KEYWORD INDEX

FIPS PUB 160	100,676	PB91-167288	100,897	PB91-201004	100,692
Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange.		Raster Graphics Conformance Testing.		FORTTRAN Temporary Program Fixes, FCVS78 Version 2.0, Level 26.	
FIPS PUB 161	100,677	PB91-167296	101,341	PB91-201772	100,651
Federal Information Processing Standards Publication.		Functional Benchmarks for Fourth Generation Languages.		National Computer Systems Laboratory Annual Report, 1990.	
FIPS SET 1991	100,680	PB91-167387	100,644	PB91-201822	100,603
Synchronizing Computer Clocks Using a Local Area Network.		Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual.		How the Government Shapes UNIX Standards.	
N91-25793/1	100,596	PB91-167700	100,978	PB91-203133	100,693
Software and Computer Integrated Manufacturing.		Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990.		Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing.	
PB91-132142	100,972	PB91-171967	100,689	PB91-203299	100,987
NIST Working Form for STEP: National PDES Testbed Report Series (Revised).		Designing Data Entity Naming Conventions.		Parser That Converts a Boundary Representation into a Features Representation.	
PB91-132183	100,683	PB91-175455	100,646	PB91-203356	100,988
Use of the IRDS Standard in CALS (Revised).		Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management.		Static Analysis Tools for Software Security Certification.	
PB91-132209	100,684	PB91-178889	101,342	PB91-203380	100,710
Overview of the Product Data HyperStandard CD-ROM Prototype.		Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC.		Numeric Database for Tribology: Format and Application Issues.	
PB91-132258	101,380	PB91-178897	101,343	PB91-203943	101,045
Developing Federal Software Standards: A New Direction.		Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 3 of 3. CGM Registration.		Data Encryption Standard: Past and Future.	
PB91-134536	100,637	PB91-178905	101,344	PB91-204107	100,711
Information Systems Engineering Program.		Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, July to September 1990, with 1991 CEE Events Calendar.		Electronic Data Interchange in Message Handling Systems.	
PB91-134635	100,685	PB91-184754	100,852	PB91-216622	100,571
AI in Manufacturing: The NBS AMRF as an Intelligent Machine.		Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile.		Apparel STEP Translator.	
PB91-134718	100,973	PB91-184812	101,345	PB91-216663	100,967
Performance of OSI Transport over ACCUNET and IBER-PAC.		VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.		Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991.	
PB91-134825	100,563	PB91-185108	100,647	PB91-216671	100,712
Assembly Code to Compute Sine and Cosine Using the Cordic Algorithm.		Guide to Design, Implementation and Management of Distributed Databases.		Automated Information Systems Security Program Handbook.	
PB91-143289	100,638	PB91-187567	100,648	PB91-222638	100,713
Multimedia Courseware in an Open Systems Environment: A Federal Strategy.		Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.		Computer Implementation of a Discrete Set Algebra.	
PB91-143362	100,039	PB91-187708	101,346	PB91-231571	100,654
NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised).		Programming Languages and Database Language SQL. Validated Processor List Including GOSIP Conformance Testing Registers.		Functional Meta-Structure for Hypertext Models and Systems.	
PB91-144378	100,998	PB91-187716	100,649	PB91-236687	100,655
Working Implementation Agreements for Open Systems Interconnection Protocols.		Validation of an OSI Transport Class 4 Simulator.		Linking Information to Objects: A Hypertext Prototype for Numismatists.	
PB91-144444	100,686	PB91-187724	100,568	PB91-237057	100,657
Application of OSI Protocols for Plant Information Networks.		Computer Security: Selected Articles.		Geometric Reasoning for Constructing 3D Scene Descriptions for Images.	
PB91-147595	100,974	PB91-187740	100,706	PB91-237677	100,714
Feasibility of Using Knowledge-Based Systems for Aiding Inventors.		Government Document Processing Requirements Report.		Software Verification and Validation: An Overview.	
PB91-147728	100,895	PB91-187773	100,574	PB91-237685	100,658
Interactive Courseware is Leading the Multimedia Movement.		National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook.		Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties.	
PB91-147744	100,036	PB91-187781	100,707	PB91-237693	100,434
Conformance Verification of FDDI Stations.		Issues in Transparent File Access.		Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.	
PB91-148254	100,747	PB91-187831	100,569	PB91-240754	100,659
Bibliography of Selected Computer Security Publications, January 1980-October 1989.		Public-Key Cryptography. Computer Security.		Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.	
PB91-148486	100,704	PB91-187864	100,708	PB91-240804	100,532
UNIX Expert: A Prototype Knowledge-Based Software Development Workstation.		Difficulties in Parsing SGML.		DARPA Air Travel Information System (ATISO) Speaker-Dependent Training Data (on CD-ROM).	
PB91-149179	100,639	PB91-189456	100,650	PB91-505370	100,594
NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series.		Document Architecture for Open Systems.		MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991.	
PB91-157164	100,964	PB91-189522	100,961	PB91-507699	100,660
Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada.		Conformance Tester for X.25 DTE Implementations.		MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers).	
PB91-157198	100,641	PB91-189894	100,602	PB91-507707	100,661
Specifications for a Federal Information Processing Standard Data Dictionary System.		Phone-Mediated Word Alignment for Speech Recognition Evaluation.		MUMPS Validation Suite, Version 7.6 (ANSI), 1991.	
PB91-158758	100,687	PB91-189910	100,592	PB91-507715	100,662
1987: The Year of the 386.		NIST Support of the CALS Program: 1990 Synopsis.		MUMPS Validation Suite, Version 7.6 (TAR), 1991.	
PB91-158766	100,599	PB91-193821	101,347	PB91-507723	100,663
Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS).		Configuration Management Concepts Document. National PDES Testbed Report Series.		Road Rally Conversational Speech Corpora (on CD-ROM).	
PB91-158832	101,339	PB91-194480	100,984	PB91-509802	100,595
Choosing a Name for Your Computer.		NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards. Calendar Year 1990.		Validated Processor List (Cobol, Fortran, ADA, Pascal, SQL). July 1991.	
PB91-158899	100,600	PB91-194506	101,348	PB91-937301	100,664
Features and Facilities of Estelle.		PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.		Validated Processor List (Cobol, Fortran, ADA, Pascal, SQL). October 1991.	
PB91-158915	100,688	PB91-194985	100,373	PB91-937302	100,665
Algorithm and Computer Program for the Calculation of Envelope Curves.		Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.		ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side.	
PB91-158972	101,414	PB91-195263	101,390	PB92-102201	100,572
Agency Exploits Flexibility of Software in Moving Info.		Scoring Continuous Speech in the DARPA Speech Recognition Program: Part 2.		North American ISDN Users' Forum Agreements on Integrated Services Digital Network.	
PB91-159160	100,642	PB91-195396	100,593	PB92-102219	100,573
Thwarting the Hackers.		Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement).		Guide to Expert System Building Tools for Microcomputers.	
PB91-159228	100,705	PB91-197004	100,691	PB92-108893	100,715
Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor.		Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.		Development of an Optical Disk System for the Automated Retrieval of EASEAR Records.	
PB91-159319	100,601			PB92-108943	100,666
Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990.				Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.	
PB91-159723	100,643			PB92-109040	100,667
SOL3 Support for CALS Applications.				GOSIP Conformance and Interoperation Testing and Registration.	
PB91-167262	100,965			PB92-110105	100,694
DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual.					

KEYWORD INDEX

CONSERVATION LAWS

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement). PB92-112200 100,695

Glossary of Computer Security Terminology. PB92-112259 100,716

Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991. PB92-112267 100,668

Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series. PB92-112374 100,969

Computer Security Bulletin Board System. User's Guide. PB92-112390 100,717

Prototyping the IRDS: An Airport Application. PB92-112580 101,740

Security in ISDN. PB92-116391 100,718

Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media). PB92-116409 100,605

Software Reengineering: A Case Study and Lessons Learned. PB92-116417 100,669

Interactive Video Software Portability: Migrating a DOS Application to POSIX. PB92-117308 100,670

Government Open Systems Interconnection Profile Users' Guide, Version 2. PB92-119676 100,696

Validation Testing Laboratory User's Guide. National PDES Testbed Report Series. PB92-123090 100,971

Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems. PB92-123124 100,606

Establishing a Computer Security Incident Response Capability (CSIRC). PB92-123140 100,720

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, Change Pages September 1991. Output from the September 1991 OSI Implementors Workshop. Held in Gaithersburg, Maryland. PB92-126408 100,697

Working Implementation Agreements for Open Systems Interconnection Protocols. PB92-126523 100,698

3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks. PB92-126549 101,381

Guide to Schema and Schema Extensibility. PB92-126556 100,955

Guidelines for the Evaluation of File Transfer, Access and Management Implementations. PB92-126580 100,699

Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL). PB92-937300 100,671

COMPUTER SECURITY

Bibliography of Selected Computer Security Publications, January 1980-October 1989. PB91-148486 100,704

Thwarting the Hackers. PB91-159228 100,705

Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management. PB91-178889 101,342

Computer Security: Selected Articles. PB91-187740 100,706

National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook. PB91-187781 100,707

Public-Key Cryptography. Computer Security. PB91-187864 100,708

Static Analysis Tools for Software Security Certification. PB91-203380 100,710

Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991. PB91-216671 100,712

Automated Information Systems Security Program Handbook. PB91-222638 100,713

Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991. PB92-112267 100,668

Security in ISDN. PB92-116391 100,718

COMPUTER SOFTWARE

Graphical Kernel System (GKS); Category: Software Standard; Subcategory: Graphics. FIPS PUB 120-1 100,673

Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics.

FIPS PUB 120-1B 100,674

Federal Information Processing Standards Publication. FIPS SET 1991 100,680

Software and Computer Integrated Manufacturing. PB91-132142 100,972

Guide to Available Mathematical Software Problem Classification System. PB91-132175 101,282

Developing Federal Software Standards: A New Direction. PB91-134536 100,637

Agency Exploits Flexibility of Software in Moving Info. PB91-159160 100,642

National Computer Systems Laboratory Annual Report, 1990. PB91-201822 100,603

Static Analysis Tools for Software Security Certification. PB91-203380 100,710

Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries. PB91-240754 100,659

Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991. PB92-109040 100,667

Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991. PB92-112267 100,668

COMPUTER SOFTWARE MANAGEMENT

Software Verification and Validation: An Overview. PB91-237685 100,658

COMPUTER STORAGE DEVICES

Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media). PB92-116409 100,605

3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks. PB92-126549 101,381

COMPUTER SYSTEMS HARDWARE

Closure and Precision in Level-Index Arithmetic. PB91-147652 100,597

COMPUTER SYSTEMS PERFORMANCE

Workloads, Observables, Benchmarks and Instrumentation. PB91-147660 100,598

Book Review: 'The Art of Computer Systems Performance Analysis' by R. Jain. PB92-117068 100,719

COMPUTER SYSTEMS PROGRAMS

Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research. PB91-132282 100,925

Clock for the Manufacturing Systems Integration Testbed. PB92-108885 100,992

COMPUTER VISION

New Approach to Vision and Control for Road Following. PB91-157156 101,743

High Precision Gaging with Computer Vision Systems. PB91-174623 100,979

Computer Vision Based Station for Tool Setting and Tool Form Measurement. PB91-202978 101,043

Application of the PIPE Image Processing Machine to Scanning Microscopy. PB91-203190 101,034

Geometric Reasoning for Constructing 3D Scene Descriptions for Images. PB91-237677 100,714

COMPUTERIZED SIMULATION

Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report. PB91-144386 100,889

Using the Harvard/NIST Mark VI Fire Simulation. PB91-144394 100,095

Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution. PB91-174649 100,066

Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites. PB91-174946 101,120

Computerization of a Thermomechanical Processing Research System. PB91-175208 101,583

Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory. PB91-240804 100,532

Journal of Research of the National Institute of Standards and Technology. July-August 1991. Volume 96, Number 4. PB92-110261 100,762

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs. PB92-110295 100,763

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments.

PB92-110303 100,764

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations. PB92-110311 100,765

Three-Dimensional Simulations of High-Resolution Photoresist Processing. PB92-116466 100,818

COMPUTERIZED TOMOGRAPHY

Mossbauer Imaging. PB91-203745 101,294

COMPUTERS

Choosing a Name for Your Computer. PB91-158899 100,600

National Computer Systems Laboratory Annual Report, 1990. PB91-201822 100,603

CONCENTRATION (COMPOSITION)

Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets. PB92-117183 100,014

Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets. PB92-117209 100,015

Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame. PB92-117365 100,559

CONCRETE CONSTRUCTION

Introduction to ACI 306.1-87: Specification for Cold Weather Concreting. PB91-174524 100,526

CONCRETE PAVEMENTS

Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays. PB92-116300 100,533

CONCRETE STRUCTURES

Preliminary Dynamic Analyses of the Ministry of Agriculture Building. PB91-134668 100,143

CONCRETES

Techniques to Observe the Fracture Zone in Mortar and Concrete. PB91-134189 100,521

Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer. PB91-148528 100,524

Pozzolan Programs of the Cement and Concrete Reference Laboratory. PB91-149922 100,525

Rate Constant Functions for Strength Development of Concrete. PB91-175117 100,527

Characterization of Field Concrete. PB91-178863 100,528

Impact-Echo: A New Method for Inspecting Construction Materials. PB92-116557 100,140

Integrated Knowledge Systems for Concrete Science and Technology. PB92-116821 100,141

Predicting the Remaining Service Life of Concrete. PB92-126598 101,371

CONCURRENT ENGINEERING

Concurrent Engineering through Product Data Standards. PB91-193367 100,982

Multi-Enterprise Concurrent Engineering through International Standards. PB92-123058 100,997

CONDUCTION

Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem. PB91-144360 101,604

CONDUCTIVE POLYMERS

Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400. PB91-237867 100,439

CONGRESS

Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes. FIPS PUB 9-1 100,679

CONGRESSIONAL DISTRICTS

Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes. FIPS PUB 9-1 100,679

CONNECTORS

Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading. PB91-236588 100,150

CONSERVATION LAWS

New Test of Quantum Mechanics: Is Planck's Constant Unique. PB91-174755 101,632

KEYWORD INDEX

CONSTANTS

Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.
PB92-148097 100,469

CONSTRUCTION JOINTS

Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149

CONSTRUCTION MANAGEMENT

Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB91-112440 101,349

Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350

CONSTRUCTION MATERIALS

Meeting the Challenges of a Global Market - Construction Standards, Testing and Certification.
PB91-194811 100,090

Activities of the Construction Materials Reference Laboratories Related to Laboratory Accreditation.
PB91-203836 100,531

Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.
PB91-237412 100,555

Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB92-116334 100,137

Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139

Impact-Echo: A New Method for Inspecting Construction Materials.
PB92-116557 100,140

Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams.
PB92-116995 101,099

CONTAINERS

Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211

CONTINUOUS MINING MACHINES

Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357

CONTINUOUS WAVE LASERS

CW Dye Lasers.
PB92-116896 101,438

CONTOURS

Non-Linear Contour-to-Grid Digital Interpolation.
PB91-147678 101,351

CONTRACTS

Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts.
PB92-126481 100,002

CONTROL SYSTEMS

New Approach to Vision and Control for Road Following.
PB91-157156 101,743

TROI User's Guide.
PB91-157214 101,026

Control of Flexible Robot Arm.
PB91-174979 101,032

NASREM Robot Control System and Testbed.
PB91-194969 101,033

Control Structure for Multi-Tasking Workstations.
PB91-203737 100,989

Generation of Smooth Trajectories without Planning.
PB91-217414 101,036

Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991

Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037

CONTROL SYSTEMS DESIGN

Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode.
PB91-174250 101,004

Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357

CONVECTION

Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media.
PB91-147868 101,407

Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.
PB91-178848 100,157

Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396

CONVERGENCE

Convergence Behavior of Trajectories for Linear Programming.
PB91-204198 101,270

CONVERSION TABLES

Guide for the Use of the International System of Units: The Modernized Metric System.
PB92-116383 100,962

CONVOLUTION

Some Algorithms for Approximating Convolutions.
PB91-175281 101,258

COOL STARS

Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027

Some Concluding Thoughts for Cool Stars VI.
PB91-175034 100,030

COOLING

Sprinkler/Hot Layer Interaction.
PB91-206680 100,129

COOLING LOAD

Measurement and Evaluation of Lighting/HVAC Interaction.
PB91-206706 100,892

COORDINATE MEASURING MACHINES

Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms.
PB91-167221 101,016

Statistical Process Control Tactics for Coordinate Measuring Machines.
PB91-189225 101,042

COPPER

Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473

Measuring the Corrosion of Metals in Soil.
PB91-174714 101,136

Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
PB91-187104 101,330

Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336

Creep of Copper: 4 to 295 K.
PB91-189985 101,233

Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.
PB91-194852 101,234

COPPER ALLOYS

Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473

Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188

COPPER COMPLEXES

Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime.
PB91-148783 100,292

COPPER COMPOUNDS

Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140

Energy Levels of Copper, Cu I through Cu XXIX.
PB90-244666 101,596

Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443

Spectral Data and Grotrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441

Antiferromagnetic Order of Cu in Sm₂CuO₄.
PB92-117340 101,569

COPPER IONS

Exploding Foil Photoionization X-ray Laser.
PB91-237065 101,433

Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714

COPPER OXIDES

Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085

CORDIC ALGORITHM

Assembly Code to Compute Sine and Cosine Using the Cordic Algorithm.
PB91-143289 100,638

CORONA DISCHARGES

Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge.
PB91-134213 100,835

Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures.
PB91-158790 100,312

CORRELATORS

New Triple Correlator Design for the Measurement of Ultra-short Laser Pulses.
PB91-203802 101,429

CORRIDORS

Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.
PB91-222604 100,162

CORROSION

Rapporteur's Summary Materials Development for Coal Gasification.
PB91-158592 100,876

Corrosion Principles in Dental Implantology.
PB91-194787 100,055

CORROSION ALLOYS

Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.
PB91-134700 101,132

CORROSION MECHANISMS

Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108

Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography.
PB91-203588 101,139

Corrosion Testing in Soil.
PB91-158667 101,135

Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.
PB91-158733 101,372

Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes.
PB91-187690 101,138

Estimated Impact of the Center for Fire Research Program on the Costs of Fire.
PB91-217422 100,161

Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709.
PB92-112515 100,899

First Pass at Computing the Cost of Fire Safety in a Modern Society.
PB91-216796 101,730

Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.
AD-A230 438/4 100,721

Kinematic Couplings for Precision Fixturing. Part 2. Experimental Determination of Repeatability and Stiffness.
PB91-159186 101,041

Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373

Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083

Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580

Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158

Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574

Techniques to Observe the Fracture Zone in Mortar and Concrete.
PB91-134189 100,521

Experimental and Numerical Studies of the J-Integral for a Surface Flaw.
PB91-147256 101,576

In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068

Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930

Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093

Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133

- Effect of Surface Forces on Subcritical Crack Growth in Glass.
PB92-117449 101,103
- CRACKS**
Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742
- CRANES (HOISTS)**
Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.
PB91-216648 100,130
- CREEP PROPERTIES**
Creep of Copper: 4 to 295 K.
PB91-189985 101,233
Comparison of Creep Rupture Behavior in Tension and Bending.
PB91-202820 101,087
Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091
- CREEP RUPTURE TESTS**
Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-213490 100,875
- CREEP STRENGTH**
Improved Analysis for Flexural Creep with Application to Silicon Ceramics.
PB91-150037 101,071
- CREEP TESTS**
Creep of Copper: 4 to 295 K.
PB91-189985 101,233
Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247
- CRITICAL CURRENT**
Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.
DE91016274 101,205
Current Supply for High-T(sub c) Superconductor Testing.
PB91-133827 101,455
Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456
High T(sub c) Superconductors and the Critical Current Measurement.
PB91-134056 101,457
Integrity Tests for High-T(sub c) and Conventional Critical-Current Measurement Systems.
PB91-148676 100,842
Current Record in Superconductors.
PB91-194753 101,521
Sidelobe Suppression in Small Josephson Junctions.
PB91-195446 100,784
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.
PB91-237180 101,551
- CRITICAL LINES**
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
- CRITICAL POINT**
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
Thermodynamics of Solutions Near the Solvent's Critical Point.
PB91-237297 100,232
Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.
PB91-237578 100,233
- CROSS SECTIONS**
Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N2 and Argon Ions and Neutrals in N2 and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV.
PB92-110246 100,452
- CROSSLINKING**
Effect of Crosslink Density on Physical Aging of Epoxy Networks.
PB91-189712 101,244
Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments.
PB91-189720 101,245
Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141
Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior.
PB91-195099 100,501
- CRYOGENIC COOLING**
Review of Pulse Tube Refrigeration.
PB91-147942 101,046
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.
PB91-187534 101,048
Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume.
PB91-203877 101,051
- CRYOGENIC FLUID STORAGE**
Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.
PB91-175570 100,560
- CRYOGENIC STORAGE DEVICES**
Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709
- CRYOGENICS**
Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204
Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.
DE91016274 101,205
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
Hydrogen Slush Production with a Large Auger.
PB91-147199 100,275
Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.
PB91-158980 101,148
Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
- CRYPTOGRAPHY**
Public-Key Cryptography. Computer Security.
PB91-187864 100,708
- CRYSTAL DEFECTS**
Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
Atomic Fingerprint of YBa2Cu3O7-x-Type High-Temperature Superconductors Observed by Field Ion Microscopy.
PB91-203612 101,544
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
Residual Defects in SIMOX: Threading Dislocations and Pipes.
PB92-117233 100,829
- CRYSTAL FIELD**
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd2Sn and ErPd2Sn.
PB91-194902 101,525
- CRYSTAL GROWTH**
Emergence of Modern Nucleation Theory.
PB91-149997 101,481
Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.
PB91-200865 101,538
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- CRYSTAL LATTICES**
NIST*LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version.
PB92-108877 101,561
- CRYSTAL-MELT INTERFACE**
Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Nonlinear Theory.
PB91-195743 101,536
- CRYSTAL MODELS**
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal.
PB91-187294 101,501
- CRYSTAL OSCILLATORS**
Environmental Sensitivities of Quartz Crystal Oscillators.
N91-25797/2 100,778
- CRYSTAL STRUCTURE**
Crystal and Spin Structures of Nd2CuO4.
PB91-148023 101,470
Crystal Structure of Phosphate-Free Ribonuclease.
PB91-175604 101,301
PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
- PB91-194985 100,373
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535
Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388
Refinement of the Structure of Beta'-MoO3.
PB91-203786 101,090
New Layered Cuprate Structure-Type, (A1-xA'x)14Cu24O41.
PB91-237339 101,095
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- CRYSTALLIZATION**
Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230
Theory of Orientation Textures Due to Surface Energy Anisotropies.
PB92-117381 101,571
- CRYSTALLOGRAPHY**
PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
PB91-194985 100,373
- CSIRC**
Establishing a Computer Security Incident Response Capability (CSIRC).
PB92-123140 100,720
- CUPRATES**
New Layered Cuprate Structure-Type, (A1-xA'x)14Cu24O41.
PB91-237339 101,095
Antiferromagnetic Order of Cu in Sm2CuO4.
PB92-117340 101,569
- CURING**
Rate Constant Functions for Strength Development of Concrete.
PB91-175117 100,527
- CURRENT SOURCES**
Current Supply for High-T(sub c) Superconductor Testing.
PB91-133827 101,455
- CURRENT TRANSFORMERS**
NIST Measurement Services: Calibration Service for Current Transformers.
PB91-216770 100,873
- CURVE FITTING**
Algorithm and Computer Program for the Calculation of Envelope Curves.
PB91-158972 101,414
- CYANIDE IONS**
Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.
PB91-147710 100,283
- CYANIDES**
Mechanism of Cyanide Release in the Radiolysis of Acetonitrile.
PB91-203679 100,240
- CYANOACRYLATE**
Levitation of Superconducting Composites.
PB91-187351 101,503
- CYANOGEN**
Proton Affinity of Cyanogen and Ion-Molecule Reactions of C2N2(+).
PB91-189902 100,352
- CYCLIC COMPOUNDS**
Difunctional and Multifunctional Monomers Capable of Cyclopolymerization.
PB91-195685 100,504
- CYCLIC LOADS**
Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149
Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading.
PB91-236588 100,150
- CYCLOPENTADIENE**
Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.
PB92-148089 100,468

KEYWORD INDEX

CYCLOPROPANE

Perpendicular Bands of Cyclopropane in the 3.5μm Region.
PB91-237016 100,424

CYLINDERS

Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization.
PB91-203000 101,393

CYTOSINE

Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.
PB91-189365 101,304

DAMAGE ASSESSMENT

Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151

DATA ACQUISITION

Computerization of a Thermomechanical Processing Research System.
PB91-175208 101,583

DATA ANALYSIS

OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0).
PB91-507954 101,278
OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0.
PB91-507962 101,279

DATA BASE MANAGEMENT SYSTEMS

Use of the IRDS Standard in CALS (Revised).
PB91-132209 100,684
SQL3 Support for CALS Applications.
PB91-167262 100,965
Guide to Design, Implementation and Management of Distributed Databases.
PB91-187567 100,648

DATA BASES

Information Systems Engineering Program.
PB91-134635 100,685
Factual Materials Databanks - The Need for Standards.
PB91-147546 101,249
Instrument-Independent Tandem Mass Spectrometry Database for XOO Instruments: The Dynamical Prerequisites.
PB91-147694 100,181
Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer.
PB91-148528 100,524
Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada.
PB91-157198 100,641
National Bureau of Standards-American Ceramic Society Phase Diagram Data Program.
PB91-158774 101,073

Agency Exploits Flexibility of Software in Moving Info.
PB91-159160 100,642

Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990.
PB91-159723 100,643

NIST Standard Reference Data Products 1991 Catalog.
PB91-167312 100,952

ACTIS: Towards a Comprehensive Tribology Data Base.
PB91-174904 101,184

Designing Data Entity Naming Conventions.
PB91-175455 100,646

Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392

Numeric Database for Tribology: Format and Application Issues.
PB91-203943 101,045

Advanced Materials: Opportunities and Challenges.
PB91-204032 100,009

International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB91-204040 101,251

Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.
PB92-109016 100,954

Integrated Knowledge Systems for Concrete Science and Technology.
PB92-116821 100,141

NIST X-Ray Photoelectron Spectroscopy (XPS) Database.
PB92-123157 100,465

DATA COMMUNICATIONS

Features and Facilities of Estelle.
PB91-158915 100,688

DATA DICTIONARIES

Specifications for a Federal Information Processing Standard Data Dictionary System.
PB91-158758 100,687

DATA ENCRYPTION

Data Encryption Standard: Past and Future.
PB91-204107 100,711

DATA FILE

DARPA Air Travel Information System (ATISO) Speaker-Dependent Training Data (on CD-ROM).
PB91-505370 100,594

Road Rally Conversational Speech Corpora (on CD-ROM).
PB91-509802 100,595

DATA MANAGEMENT

Information Systems Engineering Program.
PB91-134635 100,685

CIM, Data and Standardization within the NBS AMRF.
PB91-148122 100,975

Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS).
PB91-158832 101,339

Designing Data Entity Naming Conventions.
PB91-175455 100,646

Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management.
PB91-178889 101,342

Computer Implementation of a Discrete Set Algebra.
PB91-231571 100,654

Prototyping the IRDS: An Airport Application.
PB92-112580 101,740

Guide to Schema and Schema Extensibility.
PB92-126556 100,955

DATA PROCESSING

Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research.
PB91-132282 100,925

Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.
PB92-112234 100,993

DATA PROCESSING SECURITY

National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook.
PB91-187781 100,707

Glossary of Computer Security Terminology.
PB92-112259 100,716

DATA PROCESSING SYSTEMS

Detail Specification for 62.5-μm Core Diameter/125-μm Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.
FIPS PUB 159 100,562

DATA PROCESSING TERMINALS

Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.
FIPS PUB 100-1 100,672

DATA REDUCTION

Users Guide for RAPID, Version 2.3.
PB91-167403 100,999

DATA STORAGE DEVICES

3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks.
PB92-126549 101,381

DATA TERMINAL EQUIPMENT

Conformance Tester for X.25 DTE Implementations.
PB91-189894 100,602

DATA TRANSMISSION

Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange.
FIPS PUB 161 100,677

Electronic Data Interchange in Message Handling Systems.
PB91-216622 100,571

DAYLIGHTING

Abstracts of Daylighting Research.
PB91-206755 100,076

Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.
PB91-231563 100,078

Dealing with Obvious Issues in Lighting.
PB91-237792 100,761

DEBURRING

CAD Directed Robotic Deburring.
PB91-195172 100,985

DEBYE-HUCKEL THEORY

Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.
PB90-244633 100,260

DECISION SUPPORT SYSTEMS

Automat 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual.
PB91-167700 100,978

DEFECTS

Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369

DEGRADATION

Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181

101,181

DEGREES OF FREEDOM

Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587

DELAMINATING

Buckling and Post-Buckling Behavior of Elliptical Plates. Part 2. Results.
PB92-116581 101,589

DELAUNAY TRIANGULATIONS

Computing Delaunay Triangulations for Comet-Shaped Polygons.
PB92-123108 101,265

DENSIFICATION

Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
PB92-117043 101,101

DENSITY RATION

Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117183 100,014

DENTAL CARIES

Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Canes Lesions in Teeth.
PB91-187666 101,314

Protective Coatings for Tooth Crowns.
PB91-189555 100,047

Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048

Effects of pH and Calcium on Hydrolysis of Na2SiF6 and Na2SnF6: A Quasi-Constant Composition Titration Study.
PB91-194746 101,315

Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050

Dental Composite Resins: An Update.
PB91-204149 100,051

Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process.
PB92-126689 101,316

DENTAL MATERIALS

Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 100,040

Visco-Elastic Deformation of Dental Porcelain and Porcelain-Metal Compatibility.
PB91-158493 100,042

Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer.
PB91-158691 100,043

Dental Biomaterials and Engineering Frontiers for the 90's.
PB91-159210 100,044

Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations.
PB91-174458 100,045

Protective Coatings for Tooth Crowns.
PB91-189555 100,047

Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048

Corrosion Principles in Dental Implantology.
PB91-194787 100,055

Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049

Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050

Dental Composite Resins: An Update.
PB91-204149 100,051

Development of an Adhesive System for Bonding to Hard Tooth Tissues.
PB91-236539 100,052

DENTIN

Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735 100,053

DEOXYRIBONUCLEIC ACIDS

Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
PB91-187070 101,329

46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.
PB91-187476 101,302

Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306

DEOXYRIBOSE

2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366

KEYWORD INDEX

DIFFUSION FLAMES

- DEPOLARIZERS**
Roughened Quartz Surfaces and Teflon as Small-Angle Diffusers and Depolarizers between 200 and 400 nm. PB91-195644 101,425
- DEPOLYMERIZATION**
Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers. PB91-187229 100,495
- DEPOSITION**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography. PB91-236646 100,035
- DEPOSITS**
Diesel Deposit Forming Tendencies - Microanalysis Methods. PB91-195412 101,178
- DEPTH FINDING**
Integration-Based Method for Depth Estimation. PB92-112275 100,701
- DESIGN CRITERIA**
Design Diagrams for Heavy Metal Fluoride Glass Windows. PB91-187419 101,419
Proposed Design Criteria for Shallow Bridge Foundations. PB91-187849 100,534
Variable Air Volume System Design Guide. PB91-216655 100,077
- DESORPTION**
Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics. PB91-149294 101,477
Resonant Tunneling with Electron-Phonon Interactions: An Exactly Solvable Model Applied to Desorption. PB91-162065 100,317
Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si (111). PB91-162289 100,320
Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics. PB91-203331 100,397
- DESULFURIZATION**
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria. PB91-162271 100,883
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization. PB91-203323 100,886
- DETECTION**
Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection. AD-A230 438/4 100,721
- DETECTORS**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites. PB91-222612 100,510
Capacitive Array Sensors for Nondestructive Evaluation. PB91-237313 100,947
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment. PB92-116755 100,210
Advanced Sensing of Materials Processing. PB92-117423 100,949
Opportunities for Innovation: Chemical and Biological Sensors. PB92-127315 100,214
- DETONES**
Radiation Chemistry of Enones. PB91-147793 100,236
- DEWATERING**
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds. PB91-195719 100,230
- DEXTRIN**
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Maltodextrin Mixtures. PB91-237230 100,231
- DIACETYLENE**
Reactions of C₅H₃(+) and C₅H₅(+) Ions with Acetylene and Diacetylene. PB91-195370 100,384
- DIAGNOSTIC TECHNIQUES**
Rule-Based Diagnostic Method for HVAC Fault Detection. PB91-194936 100,072
Diagnostic Techniques for Evaluating Office Building Envelopes. PB91-195438 100,074
- DIAMOND**
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles. AD-A236 485/9 100,247
- DIAMOND FILMS**
Influence of Filament Geometry on Hot Filament Growth of Diamond Films. AD-A231 818/6 101,448
Critical Assessment of Optical Properties of CVD Diamond Films. AD-A236 746/4 101,400
High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions. AD-A243 093/2 101,449
Transmission Electron Microscopy of the CVD Diamond Film/Substrate Interface. AD-A243 096/5 101,450
Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films. AD-A243 220/1 101,451
Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films. PB91-195560 101,531
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films. PB91-195586 101,533
- DIAMONDS**
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films. AD-A236 708/4 101,142
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles. AD-A237 128/4 100,248
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV. AD-A243 094/0 100,215
Chemical Vapor Deposited Diamond. AD-A243 095/7 101,106
Use of Diamond as an Optical Material. AD-A243 097/3 101,401
Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films. AD-A243 220/1 101,451
Effects of Different CH₄-H₂ Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD. PB91-158683 101,054
U.S. Assessment of the New Diamond Technology in Japan. PB91-167395 101,107
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide. PB91-189530 101,186
- DIATOMIC MOLECULES**
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions. PB92-110147 100,443
- DIAZIRINE**
Dissociation Energetics of Simple Diazirines by Photon and Electron Impact. PB91-203760 100,405
- DICHLORODIFLUOROMETHANE**
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes. PB91-174995 100,329
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes. PB91-237164 100,427
- DICHLOROMETHANE RADICALS**
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl₂ and CDCl₂. PB91-147645 100,282
- DICTIONAIRES**
Glossary of Computer Security Terminology. PB92-112259 100,716
- DICTIONARIES**
Guideline: American National Dictionary for Information Systems. Category: Software; Subcategory: Documentation. FIPS PUB 11-3 100,956
- DIELECTRIC BREAKDOWN**
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions. PB91-134684 100,837
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane. PB91-135020 100,839
- DIELECTRIC FILMS**
Measurement of Space Charge Fields in Polymers. PB91-158626 100,486
- DIELECTRIC MATERIALS**
Proceedings of Cable '89 Workshop. PB91-161943 100,773
Chemistry of Electronic Ceramic Materials. PB91-178822 101,500
Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials. PB91-237610 100,948
- DIELECTRIC PROPERTIES**
Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes. PB90-244633 100,260
Transmission/Reflection and Short-Circuit Line Permittivity Measurements. PB91-171959 100,848
Formation and Stability of SF₅ and S₂F₁₀. PB91-174839 100,326
Core Hole Screening for Intermediate Size Metal Particles. PB91-203539 101,540
Optimization Techniques for Permittivity and Permeability Determination. PB92-126663 100,871
- DIELECTRICS**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites. PB91-222612 100,510
Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity. PB91-236844 100,858
Characterization of Capacitive Array for NDE Applications. PB91-237305 100,946
Research for Electric Energy Systems: An Annual Report. PB92-112341 100,874
- DIELECTRONIC RECOMBINATION**
Dielectronic Recombination Rate Coefficients for Ions of the Fluorine Isoelectronic Sequence. PB91-195602 101,674
- DIES**
Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series. PB92-112523 100,970
- DIESEL ENGINES**
Diesel Deposit Forming Tendencies - Microanalysis Methods. PB91-195412 101,178
- DIFFERENTIAL EQUATIONS**
Asymptotic Shooting Method for the Solution of Differential Equations. PB91-148742 101,255
- DIFFERENTIAL THERMAL ANALYSIS**
Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry. PB91-150003 100,309
- DIFFRACTION**
Improved Optical Diffraction Strain Measurement System. PB91-174433 101,581
Diffraction by a Half-Plane in a Lossy Medium. PB92-116888 101,437
- DIFFRACTION IMAGING**
Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation. PB91-189654 101,510
Streaking Images That Appear Only in the Plane of Diffraction in Unoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation. PB91-189662 101,511
- DIFFUSERS**
Roughened Quartz Surfaces and Teflon as Small-Angle Diffusers and Depolarizers between 200 and 400 nm. PB91-195644 101,425
- DIFFUSION**
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdH_x. PB91-187252 101,230
Atomistic Diffusion Equations and Kinetic Forces. PB91-195008 100,374
Ion Bombardment Induced Diffusion: A Case Study on a Sputtered Ag/Ni Layered System. PB91-195024 101,527
Microstructural Control Through Diffusion-Induced Grain Boundary Migration. PB91-236760 101,239
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices. PB91-236885 100,422
- DIFFUSION FLAMES**
Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames. PB91-147306 100,538
Signal Detection Efficiency in Multiphoton Ionization Flame Measurements. PB91-148056 100,540
Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments. PB91-157180 100,542
Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames. PB91-237024 100,553
Laser-Induced Fluorescence of CH_i in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates. PB91-237099 100,554

KEYWORD INDEX

- Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.
PB92-117191 100,558
- Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.
PB92-117365 100,559
- DIGITAL COMMAND SYSTEMS**
- Direct Digital Control Based Building Automation System Design Criteria.
PB91-216614 100,091
- Guide Specification for Direct Digital Control Based Building Automation System.
PB91-216697 100,092
- DIGITAL OSCILLOSCOPES**
- Recent Developments in Digital Oscilloscopes.
PB91-175240 100,849
- DIHEDRAL ANGLE**
- Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058
- Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.
PB91-147348 101,059
- DIMENSIONAL MEASUREMENT**
- Determination of Fields Near a Silver Strip on a Glass Substrate.
PB91-147702 100,841
- Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms.
PB91-167221 101,016
- Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
- Statistical Process Control Tactics for Coordinate Measuring Machines.
PB91-189225 101,042
- Calibration of the NBS 10um Space Beads.
PB91-203422 101,695
- Dimensional Calibration of an NBS 0.3-mum-Diameter Particle-Sizing Standard.
PB91-203430 101,696
- New Concepts of Precision Dimensional Measurement for Modern Manufacturing.
PB91-240812 101,006
- Ellipsometry SRM's for Use in Thin Film Measurements.
PB92-116599 100,819
- Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821
- Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.
PB92-126655 100,937
- DIMENSIONAL MEASUREMENTS**
- Submicrometer SEM Magnification Standard.
PB91-159087 100,799
- DIMERIZATION**
- H₂O₂: Spectroscopy, Structure and Dynamics.
PB91-162057 100,316
- DIPOLE MOMENTS**
- Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
- Dipole Moments of Seven Partially Halogenated Ethane Refrigerants.
PB91-195131 100,377
- DIRECT DIGITAL CONTROL**
- Direct Digital Control Based Building Automation System Design Criteria.
PB91-216614 100,091
- Guide Specification for Direct Digital Control Based Building Automation System.
PB91-216697 100,092
- DIRECTION SIGNS**
- Visibility of Exit Signs and Directional Indicators.
PB91-161984 100,083
- DIRECTIONAL SOLIDIFICATION (CRYSTALS)**
- Convective and Morphological Instabilities during Directional Solidification.
PB91-158550 101,219
- DIRECTORIES**
- Directory of Federal Government Laboratory Accreditation/Designation Programs.
PB91-167379 100,005
- Standards Activities of Organizations in the United States.
PB91-177774 100,004
- Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
PB91-222646 100,934
- Directory of State and Local Government Laboratory Accreditation/Designation Programs.
PB92-108968 100,174
- DISACCHARIDES**
- Thermodynamics of Hydrolysis of Disaccharides: Lactulose, alpha-D - Melibiose, Palatinose, D - Trehalose, D - Turanose and 3-0-beta-D-Galactopyranosyl-D-arabinose.
PB91-195701 101,289
- DISCHARGE COEFFICIENTS**
- Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.
PB91-148791 100,881
- DISK OPERATING SYSTEM (DOS)**
- Interactive Video Software Portability: Migrating a DOS Application to POSIX.
PB92-117308 100,670
- DISPLACEMENT**
- Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.
PB91-175224 101,584
- DISPROPORTIONATION**
- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459
- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313
- DISSOCIATION**
- Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.
PB91-189282 100,196
- Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378
- Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.
PB91-237529 100,430
- Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431
- DISSOCIATION ENERGY**
- Dissociation Energetics of Simple Diazirines by Photon and Electron Impact.
PB91-203760 100,405
- DISTRIBUTED COMPUTER SYSTEMS**
- Guide to Design, Implementation and Management of Distributed Databases.
PB91-187567 100,648
- Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.
PB91-240754 100,659
- DISTRIBUTED PROCESSING**
- Application of Formal Description Techniques to the Specification of Distributed Test Systems.
PB91-175018 100,566
- DNA-BINDING PROTEINS**
- Measurement of DNA Base Damage and DNA-Protein Cross-Links in Mammalian Chromatin.
PB91-187484 101,303
- Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
- DNA DAMAGE**
- Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
PB91-187070 101,329
- Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
PB91-187104 101,330
- Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.
PB91-187112 101,331
- Chemical Determination of Free Radical-Induced Damage to DNA.
PB91-187468 101,332
- 46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.
PB91-187476 101,302
- Measurement of DNA Base Damage and DNA-Protein Cross-Links in Mammalian Chromatin.
PB91-187484 101,303
- Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.
PB91-187492 101,333
- Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
- Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
- Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336
- Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337
- Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338
- Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage.
PB91-202960 101,307
- Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312
- DOCUMENT PROCESSING**
- Document Architecture for Open Systems.
PB91-189522 100,961
- DOCUMENTS**
- Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile.
PB91-184812 101,345
- Document Architecture for Open Systems.
PB91-189522 100,961
- DOMAIN NAME SYSTEM**
- Choosing a Name for Your Computer.
PB91-158899 100,600
- DOMAIN WALLS**
- Micromagnetic Calculations of 180 deg Surface Domain-Wall Magnetization Profiles with Comparison to Measurements.
PB91-158501 101,483
- Micromagnetics of Domain Walls at Surfaces.
PB91-162305 101,491
- Micromagnetic Calculations of 180 deg Surface Domain Walls.
PB91-237271 101,553
- Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 101,554
- DOSEMETERS**
- Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326
- DOSIMETERS**
- NIST High-Dose Calibration Services.
PB91-203257 101,689
- Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
PB92-112481 101,721
- Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters.
PB92-116441 101,363
- Novel Radiation Dosimetry Systems.
PB92-117118 101,727
- 2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366
- Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728
- DOSIMETRY**
- Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324
- Dosimetry: New Approaches for New Challenges.
PB92-117100 101,365
- DOUGLAS FIR WOOD**
- Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.
PB91-203794 100,548
- DROPLET SIZING**
- Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229
- DROPLETS**
- Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
- DROPS (LIQUIDS)**
- Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539
- Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229
- DYE LASERS**
- Effects of Colored Pump Noise on Intensity Correlations of a Single Mode Dye Laser.
PB91-189738 101,423
- Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy.
PB91-203984 101,430

KEYWORD INDEX

ELECTRICAL TRANSIENTS

- CW Dye Lasers.
PB92-116896 101,438
- DYNAMIC RESPONSE**
Dynamic Arc-Power Source Response in GMA Welding.
PB91-149278 101,002
Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144
Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587
- DYNAMIC STRUCTURAL ANALYSIS**
Preliminary Dynamic Analyses of the Ministry of Agriculture Building.
PB91-134668 100,143
Identification of Dynamic Green's Functions in Structural Networks.
PB91-202812 101,585
- DYNAMICS**
Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
- E2-TRANSITIONS**
Electric Quadrupole and Magnetic Dipole Transition Probabilities in Potassium Isoelectronic Sequence.
PB91-187088 101,646
- EARLY STARS**
Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.
PB91-149021 100,023
New Radio Detectors of Early-Type Pre-Main Sequence Stars.
PB91-149286 100,024
- EARTHQUAKE ENGINEERING**
Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144
Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD, USA, on May 12-14, 1990.
PB91-184846 100,145
- EARTHQUAKE RESISTANT STRUCTURES**
Preliminary Dynamic Analyses of the Ministry of Agriculture Building.
PB91-134668 100,143
Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD, USA, on May 12-14, 1990.
PB91-184846 100,145
Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.
PB91-206714 100,148
Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149
Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.
PB92-116425 100,152
- EARTHQUAKES**
Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.
PB92-116425 100,152
- ECCENTRICITY**
Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931
- ECONOMIC ANALYSIS**
NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual.
PB91-159764 100,154
ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition).
PB91-167155 100,064
Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers).
PB91-507970 100,898
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350
- EDDY CURRENT TESTS**
Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.
PB91-133868 100,834
Progress in Uniform Field Eddy Current Methods.
PB91-147751 101,039
- Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945
- EDDY CURRENTS**
Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944
- EDGE DETECTION**
New Approach to Image Modeling and Edge Detection in the SEM.
PB91-203752 100,811
- EDUCATION**
Agenda for Progress in Technology Education: A Personal View.
PB91-148114 100,037
National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253
- EFFECTIVENESS**
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- EICOSANE**
Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C₂₀H₄₂) in Torsion.
PB91-187427 100,497
- ELASTIC ANALYSIS**
Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587
- ELASTIC CONSTANTS**
Resonating-Orthotropic-Cube Method for Elastic Constants.
PB91-236794 101,586
- ELASTIC PROPERTIES**
Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.
PB91-194852 101,234
Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach.
PB91-194878 101,123
Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126
- ELASTOMERS**
Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508
- ELECTRIC BRIDGES**
Performance Evaluation of a New Audio-Frequency Power Bridge.
PB92-117431 100,742
- ELECTRIC CABLES**
Partial Discharges in Low Voltage Cables.
PB91-134650 100,771
Proceedings of Cable '89 Workshop.
PB91-161943 100,773
Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
PB92-116656 100,776
- ELECTRIC COILS**
Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945
- ELECTRIC CONDUCTORS**
Magnetoresistance of Multifilament Al/Al-Alloy Conductors.
PB91-134759 100,772
Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium.
PB91-143347 100,722
- ELECTRIC CONNECTORS**
Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
PB92-116656 100,776
- ELECTRIC CONTACTS**
Cratering.
PB91-203141 100,810
Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545
- ELECTRIC CURRENT METERS**
Progress in the Development of Miniature Optical Fiber Current Sensors.
PB91-134734 100,745
Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746
Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.
PB91-175109 100,753
Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.
- PB91-175158 100,754
- ELECTRIC DIPOLE MOMENTS**
Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-)/2 VO and NbO.
PB91-237487 100,429
- ELECTRIC DISCHARGES**
Partial Discharges in Low Voltage Cables.
PB91-134650 100,771
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
PB91-134684 100,837
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839
Influence of Memory Propagation on Phase-Resolved Stochastic Behavior of AC-Generated Partial Discharges.
PB91-237644 100,861
Characteristics of Aerosols Produced by the Spark Discharge.
PB91-237727 100,209
- ELECTRIC FIELD METERS**
Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.
PB91-162206 100,750
- ELECTRIC FIELDS**
Applied Electric Fields for Downstream Processing.
PB91-149161 100,299
Theoretical Considerations for a Thermo-Optic Microwave Electric-Field-Strength Probe.
PB91-237222 100,860
Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874
- ELECTRIC POTENTIAL**
Kelvin Water-Drop Experiment.
N91-20219/2 100,900
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths.
PB91-237859 100,438
- ELECTRIC POWER PLANTS**
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908
- ELECTRIC WIRE**
Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.
PB92-112226 101,739
- ELECTRICAL ENGINEERING**
Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, October to December 1990, with 1991 CEE Events Calendar.
PB91-240838 100,863
- ELECTRICAL EQUIPMENT**
Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.
PB92-108935 101,376
- ELECTRICAL IMPEDANCE**
Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.
PB91-133868 100,834
- ELECTRICAL INSULATION**
Partial Discharges in Low Voltage Cables.
PB91-134650 100,771
- ELECTRICAL MEASUREMENT**
Measurement Reliability: The Detection of Nonlinearities.
PB91-189290 100,853
Basic Standards and Fundamental Constants.
PB91-237594 101,715
Electronics and Electrical Engineering Laboratory. 1991 Strategic Plan. Supporting Technology for U.S. Competitiveness in Electronics.
PB92-123082 100,870
- ELECTRICAL RESISTANCE**
Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers.
PB91-147520 100,788
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.
PB91-237586 100,740
- ELECTRICAL RESISTIVITY**
Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473
Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.
PB91-148197 100,792
High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809
- ELECTRICAL TRANSIENTS**
Measurement of Space Charge Fields in Polymers.

KEYWORD INDEX

- PB91-158626 100,486
- ELECTROCHEMICAL COATING**
Surface Properties and Coatings of Materials Microtailored Alloys.
PB91-189696 101,232
- ELECTROCHEMICAL CORROSION**
Concepts of Underground Corrosion.
PB91-150078 101,134
- ELECTROCHEMISTRY**
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.
PB91-237867 100,439
Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes.
PB92-117035 100,460
- ELECTRODEPOSITED COATINGS**
Structural Study of Electrodeposited Aluminum-Manganese Alloys.
PB91-189423 101,231
- ELECTRODEPOSITION**
Electrodeposition of Aluminum from Molten Salts.
PB91-159202 101,223
Surface Properties and Coatings of Materials Microtailored Alloys.
PB91-189696 101,232
- ELECTRODES**
Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories.
NUREG/CR-5711 101,367
Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes.
PB92-117035 100,460
- ELECTROFISSION**
Electrofiission in the Quasifree and Delta Regions.
PB91-147355 101,609
- ELECTROLYTIC CONDUCTIVITY**
Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
PB91-187658 100,339
- ELECTROMAGNETIC COMPATIBILITY**
TEM/Reverberating Chamber Design/Concept Study: A Single Facility for Large System Radiated EMC Testing, 10 kHz - 40 GHz.
PB91-161992 100,845
Conformity Assessment Workshop on Electromagnetic Compatibility.
PB91-192989 100,579
- ELECTROMAGNETIC ENVIRONMENTS**
Lattice Approach to Environments Irradiated by Unknown Sources.
PB91-175356 100,850
- ELECTROMAGNETIC FIELDS**
Bibliography of the NIST Electromagnetic Fields Division Publications.
PB91-132241 100,832
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
Estimation of Electromagnetic Fields in Complex Environments.
PB91-203315 101,691
Bibliography of the NIST Electromagnetic Fields Division Publications.
PB92-116367 100,866
- ELECTROMAGNETIC INTERFERENCE**
Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar.
PB92-112309 100,864
- ELECTROMAGNETIC METROLOGY**
Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.
AD-A230 438/4 100,721
Trapped-Ion Frequency Standards.
N91-25760/0 100,575
GPS Time Transfer with Implementation of Selective Availability.
N91-25766/7 100,576
Bibliography of the NIST Electromagnetic Fields Division Publications.
PB91-132241 100,832
Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB91-132266 100,833
Spherical Near-Field Scanning: Experimental and Theoretical Studies.
PB91-132274 100,723
Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403
Determination of Scattering Parameters with Respect to the Characteristic Impedance of Precision Coaxial Air-Line Standards.
PB91-134114 100,770
Accurate Frequency of the 119 μ m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy.
- PB91-134130 101,405
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
Partial Discharges in Low Voltage Cables.
PB91-134650 100,771
Progress in the Development of Miniature Optical Fiber Current Sensors.
PB91-134734 100,745
Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746
Accuracy Model for Phase Noise Measurements.
PB91-134882 100,589
Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838
Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium.
PB91-143347 100,722
Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers.
PB91-147520 100,788
Determination of Fields Near a Silver Strip on a Glass Substrate.
PB91-147702 100,841
Spherical Near-Field Scanning: Determining the Incident Field Near a Rotatable Probe.
PB91-148239 100,725
Integrity Tests for High-(T sub c) and Conventional Critical-Current Measurement Systems.
PB91-148676 100,842
Quasi-Static Analysis of a Two-Wire Transmission Line Located at an Interface.
PB91-148734 100,564
MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794
Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method.
PB91-161919 100,844
TEM/Reverberating Chamber Design/Concept Study: A Single Facility for Large System Radiated EMC Testing, 10 kHz - 40 GHz.
PB91-161992 100,845
Evaluation of Dual-Port Circularly Polarized Probes for Planar Near-Field Measurements.
PB91-162040 100,590
Microstrip Patch Antenna as a Standard Transmitting and Receiving Antenna.
PB91-162156 100,591
Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.
PB91-162206 100,750
Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields.
PB91-162248 100,872
Intercomparison of NBS Noise Calibration Services.
PB91-162370 100,847
Transmission/Reflection and Short-Circuit Line Permittivity Measurements.
PB91-171959 100,848
Lattice Approach to Environments Irradiated by Unknown Sources.
PB91-175356 100,850
Measurements of Power Frequency Magnetic Fields Away from Power Lines.
PB91-175398 100,851
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-185124 100,726
Incompatibility between the 100/1300 Surge Test and Varistor Failure Rates.
PB91-189308 100,854
Conformity Assessment Workshop on Electromagnetic Compatibility.
PB91-192989 100,579
Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 100,581
TEM Driven Reverberating Chamber, a Single Facility for Radiated EMS/V Testing, 10 kHz - 18 GHz.
PB91-202895 100,856
Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.
PB91-202929 101,682
Established Microwave Frequency Standards.
PB91-203182 100,584
Generalization of the Cornu Spiral for Lossy Media.
PB91-203216 101,687
Estimation of Electromagnetic Fields in Complex Environments.
PB91-203315 101,691
Computed Fields Near the Edge of a Dielectric Wedge.
PB91-203505 101,446
- Scattering by an Arbitrary Cylinder at a Plane Interface.
PB91-203513 101,447
Simultaneous versus Independent Injection Testing of Nonlinear Multiport Systems.
PB91-203885 100,857
New Look at the Bitter Method of Magnetic Imaging.
PB91-203919 101,701
NIST Measurement Services: Calibration Service for Current Transformers.
PB91-216770 100,873
Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945
Determining Adapter Efficiency by Envelope Averaging Swept Frequency Reflection Data.
PB91-236620 100,743
RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.
PB91-236802 100,735
Excess Low-Frequency Flux Noise in dc Squids Incorporating Nb/Al-Oxide/Nb Josephson Junctions.
PB91-236810 100,736
Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity.
PB91-236844 100,858
AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations.
PB91-236893 100,737
Alignment Fixture for Millimeter Waveguide.
PB91-236919 100,727
Precise Ephemerides for GPS Time Transfer.
PB91-236950 100,586
Characteristic Impedance Determination Using Propagation Constant Measurement.
PB91-236992 100,775
General Technique to Correct Probe Position Errors in Planar Near-Field Measurements to Arbitrary Accuracy.
PB91-237073 100,728
New Low-Voltage Standards in the DC to 1-MHz Frequency Range.
PB91-237107 100,738
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710
New Triple Correlation Technique for Measuring Ultra-short Laser Pulses.
PB91-237156 101,434
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.
PB91-237180 101,551
Precision Qualification of Watthour Meters.
PB91-237214 100,859
Theoretical Considerations for a Thermo-Optic Microwave Electric-Field-Strength Probe.
PB91-237222 100,860
Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816
Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.
PB91-237446 100,739
Influence of Memory Propagation on Phase-Resolved Stochastic Behavior of AC-Generated Partial Discharges.
PB91-237644 100,861
Translate LRL and LRM Calibrations.
PB91-237776 100,862
General Analytic Correction for Probe-Position Errors in Spherical Near-Field Measurements.
PB92-110279 100,729
Personal Computer Codes for Analysis of Planar Near Fields.
PB92-112283 100,730
Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874
Quantifying Standard Performance of Electromagnetic-Based Mine Detectors.
PB92-116292 101,378
Bibliography of the NIST Electromagnetic Fields Division Publications.
PB92-116367 100,866
Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB92-116375 100,867
Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
PB92-116656 100,776
Diffraction by a Half-Plane in a Lossy Medium.
PB92-116888 101,437
Need for Power Quality Testing Standards.
PB92-117076 100,741
Air Gage Size Measurement of Microwave Standards.
PB92-117324 100,777
Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Soft-

KEYWORD INDEX

ELECTRONIC TECHNOLOGY

- ware Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
PB92-123132 100,587
- Modified Airy Function and WKB Solutions to the Wave Equation.
PB92-126531 101,440
- ELECTROMAGNETIC SCATTERING**
Computed Fields Near the Edge of a Dielectric Wedge.
PB91-203505 101,446
Scattering by an Arbitrary Cylinder at a Plane Interface.
PB91-203513 101,447
- ELECTROMAGNETIC SHIELDING**
Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
PB92-116656 100,776
- ELECTROMAGNETIC SUSCEPTIBILITY**
Simultaneous versus Independent Injection Testing of Nonlinear Multiport Systems.
PB91-203885 100,857
- ELECTROMAGNETIC TESTING**
TEM Driven Reverberating Chamber, a Single Facility for Radiated EMS/V Testing, 10 kHz - 18 GHz.
PB91-202895 100,856
- ELECTROMIGRATION**
Current Density Dependence of Electromigration t50 Enhancement Due to Pulsed Operation.
PB91-134692 100,786
- ELECTRON-ATOM COLLISIONS**
Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.
PB90-244591 100,256
Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.
PB90-244682 100,264
Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon.
PB91-149971 101,619
Uses of Spin-Polarised Electrons in Fundamental Electron-Atom Collision Processes and the Analysis of Magnetic Microstructures.
PB91-162172 101,490
- ELECTRON BEAMS**
Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182
Modeling Electron Beam Interactions in Semiconductors.
PB91-159020 101,485
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326
- ELECTRON BOMBARDMENT**
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons.
PB91-195198 101,293
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV.
PB91-195206 101,669
- ELECTRON DETACHMENT**
Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
PB91-134528 100,836
- ELECTRON-ION COLLISIONS**
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263
Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions.
PB91-195503 101,672
- ELECTRON MICROSCOPY**
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study.
PB91-195727 100,204
- ELECTRON MOBILITY**
Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.
PB91-236968 101,550
- ELECTRON-MOLECULE COLLISIONS**
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263
Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679
- ELECTRON PROBES**
Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping.
PB91-195180 100,202
- ELECTRON REACTIONS**
Evidence for Surface alpha Particle Clusters in (nat)Ag(197)Au from the (e, alpha) Reaction.
PB91-216812 101,705
- ELECTRON SCATTERING**
Possible (e, e'²N) Studies at CEBAF.
PB91-147587 101,612
- Spin-Dependent Electron-Impact Excitation of Sodium.
PB91-175497 101,641
- ELECTRON SPECTRA**
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- ELECTRON SPIN POLARIZATION**
Uses of Spin-Polarised Electrons in Fundamental Electron-Atom Collision Processes and the Analysis of Magnetic Microstructures.
PB91-162172 101,490
Book Review: Polarized Electrons at Surfaces by J. Kirschner.
PB91-174532 101,493
Book Review: 'Polarized Electrons at Surfaces' by J. Kirschner.
PB91-175323 101,497
- ELECTRON SPIN RESONANCE**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N₄(+).
AD-A228 082/4 100,243
Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone.
PB92-116672 100,018
- ELECTRON TRANSFER**
Slow Electron Transfer Reactions between Alkylhydrazines.
PB91-147785 100,284
Pulse Radiolysis Studies of Organic Electron Transfer Reactions.
PB91-147801 100,285
- ELECTRON TRANSITIONS**
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
Working Group 2: Atomic Transition Probabilities.
PB91-175588 101,645
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
XANES of Transition Metal Zinc-Blenide Semiconductors.
PB92-117092 100,462
- ELECTRON TRANSPORT**
Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'.
PB91-159236 101,623
Electron Attenuation Lengths at SiO₂/Si Interfaces.
PB91-175612 101,499
- ELECTRONIC DATA INTERCHANGE**
Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange.
FIPS PUB 161 100,677
- ELECTRONIC MAIL**
National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series.
PB91-159756 100,951
Application of Formal Description Techniques to the Specification of Distributed Test Systems.
PB91-175018 100,566
Electronic Data Interchange in Message Handling Systems.
PB91-216622 100,571
- ELECTRONIC PUBLISHING**
Government Document Processing Requirements Report.
PB91-187773 100,574
- ELECTRONIC SPECTRA**
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl₂ and CDCl₂.
PB91-174870 100,328
- ELECTRONIC STRUCTURE**
Electronic Structure of High-T_c Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 101,520
- ELECTRONIC TECHNOLOGY**
Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
DE91002169 100,785
Environmental Sensitivities of Quartz Crystal Oscillators.
N91-25797/2 100,778
Current Supply for High-T(sub c) Superconductor Testing.
PB91-133827 101,455
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions.
PB91-134684 100,837
Current Density Dependence of Electromigration t50 Enhancement Due to Pulsed Operation.
PB91-134692 100,786
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839
Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181
- Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
- Thermal Characterization of Integrated Circuits - A Tutorial.
PB91-147819 100,789
- Thermal Measurements of VLSI Packages: A Critical Review.
PB91-147827 100,790
- Investigation of Photoconductive Picosecond Microstrip Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791
- Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.
PB91-147926 101,469
- Sr²⁺-Induced Oxygen Defect Structure and Hole Doping in La_{2-x}Sr_xCuO₄.
PB91-148155 101,472
- Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.
PB91-148197 100,792
- High Speed Superconducting A/D Converter.
PB91-148700 100,731
- Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
PB91-148999 100,748
- Characteristics of the Breakdown Voltage of Power MOSFETs After Total Dose Irradiation.
PB91-149062 100,793
- Measurement of Capacitance on Wafers.
PB91-149120 100,795
- Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 100,796
- Modelling Gallium Arsenide Transistors.
PB91-149989 100,797
- NBS Submicron Particle Standards for Microcontamination Measurement.
PB91-158873 100,798
- Modeling Electron Beam Interactions in Semiconductors.
PB91-159020 101,485
- Center for Electronics and Electrical Engineering Technical Progress Bulletin Covering Center Programs, July to September 1990, with 1991 CEE Events Calendar.
PB91-159749 100,801
- Narrow-Gap Semiconductors and Related Materials.
PB91-162313 101,492
- Cutting the High Cost of Testing.
PB91-162362 100,846
- Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.
PB91-174581 100,803
- Characterizing VLSI Processes Using Test Structures.
PB91-175000 100,804
- Application of Formal Description Techniques to the Specification of Distributed Test Systems.
PB91-175018 100,566
- Recent Developments in Digital Oscilloscopes.
PB91-175240 100,849
- Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805
- Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944
- Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806
- Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
- Real, Realistic Ring Waves for Surge Testing.
PB91-189811 100,855
- YBa₂Cu₃O_{7-delta}/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518
- Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides.
PB91-194845 100,756
- Sidelobe Suppression in Small Josephson Junctions.
PB91-195446 100,784
- New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580
- Cratering.
PB91-203141 100,810
- Lattice Relaxation in Silicon Doped with 4d- and 5d-Transition Metals.
PB91-203554 101,541
- New Approach to Image Modeling and Edge Detection in the SEM.
PB91-203752 100,811

KEYWORD INDEX

- Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369
- Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-236513 100,814
- Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors.
PB91-236703 100,815
- Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.
PB91-236729 101,549
- Generalized Photodiode Self-Calibration Formula.
PB91-236901 100,760
- Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.
PB91-236968 101,550
- Metrolgy for the Semiconductor Industry.
PB91-240739 100,817
- Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, October to December 1990, with 1991 CEE Events Calendar.
PB91-240838 100,863
- Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs.
PB92-110295 100,763
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments.
PB92-110303 100,764
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.
PB92-110311 100,765
- HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766
- Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.
PB92-116607 100,820
- Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821
- Temperature Monitored/Controlled Silicon Photodiodes for Standardization.
PB92-116763 100,767
- Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.
PB92-116862 100,822
- Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824
- Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.
PB92-116987 100,825
- Persistent Photoconductivity in SIMOX Films.
PB92-117084 100,826
- Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827
- Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869
- Residual Defects in SIMOX: Threading Dislocations and Pipes.
PB92-117233 100,829
- Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830
- Measurement, Use, and Interpretation of TCR.
PB92-117282 100,831
- Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of E_g(T).
PB92-117316 101,568
- Electronics and Electrical Engineering Laboratory. 1991 Strategic Plan. Supporting Technology for U.S. Competitiveness in Electronics.
PB92-123082 100,870
- ELECTRONICS**
- Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, October to December 1990, with 1991 CEE Events Calendar.
PB91-240838 100,863
- ELECTROOPTICS**
- Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar.
PB92-112309 100,864
- ELECTROPHORESIS**
- Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
- Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Malodextrin Mixtures.
PB91-237230 100,231
- ELLIPSOmetry**
- Ellipsometry SRM's for Use in Thin Film Measurements.
PB92-116599 100,819
- ELLIPTICAL CONFIGURATION**
- Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis.
PB92-116573 101,588
- EMERGENCY PLANNING**
- Visibility of Exit Directional Indicators.
PB91-184762 101,000
- EMISSION SPECTROSCOPY**
- Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
- ENCLOSURES**
- Mathematical Modeling of Enclosure Fires.
PB92-108976 100,135
- ENERGY ABSORPTION**
- Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
- ENERGY CONSERVATION**
- DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual.
PB91-167288 100,897
- Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
PB91-194696 100,126
- Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074
- ENERGY CONSERVATION & PRODUCTION**
- Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877
- Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations.
PB91-149948 101,143
- Evaluation of Building Systems Inventions.
PB91-158659 100,896
- Gas Analysis Modeling System.
PB91-175299 100,884
- Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250.
PB91-178871 100,902
- Energy Related Inventions Program. A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 251 through 523.
PB91-184770 100,903
- Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
- Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers).
PB91-507970 100,898
- Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709.
PB92-112515 100,899
- ENERGY CONSUMPTION**
- Prediction and Fault Detection of Building Energy Consumption Using Multi-Input, Single-Output Dynamical Model.
PB91-195388 100,073
- Measurement and Evaluation of Lighting/HVAC Interaction.
PB91-206706 100,892
- ENERGY GAP**
- Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827
- ENERGY LEVELS**
- Spectrum and Energy Levels of the Xenonlike Ion Ce V.
PB91-175364 101,638
- Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions.
PB91-190033 101,658
- Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VIII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX).
PB91-195511 101,673
- Journal of Physical and Chemical Reference Data, Volume 20, Number 5, September/October 1991.
PB92-148113 100,471
- Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).
PB92-148121 100,472
- Energy Levels of Krypton, Kr I through Kr XXXVI.
PB92-148139 100,473
- ENERGY MANAGEMENT SYSTEMS**
- BACnet Communication Protocol for Building Automation Systems.
PB91-187286 100,069
- Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol.
PB91-187732 100,070
- Intelligent Building Technology in Japan.
PB91-187757 100,071
- Rule-Based Diagnostic Method for HVAC Fault Detection.
PB91-194936 100,072
- ENERGY MODELS**
- Gas Analysis Modeling System.
PB91-175299 100,884
- ENERGY RELATED INVENTIONS PROGRAM**
- Energy Related Inventions Program. A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 251 through 523.
PB91-184770 100,903
- ENERGY SOURCES**
- DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual.
PB91-167288 100,897
- ENERGY TRANSFER**
- Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
- ENGINEERING DESIGN LABORATORY**
- Engineering Design Laboratory Guide.
PB91-167320 100,977
- ENGINEERING EDUCATION**
- Engineers' Statistical Literacy is Key to U.S. Competitiveness.
PB91-158725 100,038
- ENGINEERING/PRODUCT/INFORMATION STANDARDS**
- Domestic Implementation.
PB91-159061 100,176
- International Co-operation: The Versailles Project on Advanced Materials and Standards.
PB91-159137 101,191
- Directory of Federal Government Laboratory Accreditation/Designation Programs.
PB91-167379 100,005
- Standards Activities of Organizations in the United States.
PB91-177774 100,004
- GATT Standards Code Activities of the National Institute of Standards and Technology 1990.
PB91-187823 100,177
- Standardizing Standards.
PB91-189795 100,953
- Plumbing Test Lab Accreditation.
PB91-190066 100,089
- Conformity Assessment Workshop on Pressure Vessels.
PB91-192997 101,049
- Laboratory Accreditation in the United States.
PB91-194415 100,172
- Meeting of the Standards Working Group of the Joint U.S.-U.S.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991.
PB91-194498 100,178
- Meeting the Challenges of a Global Market - Construction Standards, Testing and Certification.
PB91-194811 100,090
- International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB91-204040 101,251
- Directory of State and Local Government Laboratory Accreditation/Designation Programs.
PB92-108968 100,174
- Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.
PB92-112416 101,022
- Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991.
PB92-112424 101,023
- Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991.
PB92-112465 101,024
- Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.
PB92-112549 100,171
- ENTROPY**
- Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers.
PB91-147231 100,484

KEYWORD INDEX

Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990. PB91-192435 100,354

Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2. PB91-192450 100,356

Thermodynamics of the Krebs Cycle and Related Compounds. PB91-192468 100,357

ENVELOPES

Airtightness of Office-Building Envelopes. PB91-175307 100,067

ENVIRONMENTAL ENGINEERING

Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri. PB91-240747 100,082

ENVIRONMENTAL IMPACTS

Canadian Mass Fire Experiment, 1989. PB91-143305 101,352

ENVIRONMENTAL MONITORING

Replicate Measurements in the Interpretation of Environmental Monitoring. PB91-189761 100,919

ENVIRONMENTAL STUDIES: POLLUTION MEASUREMENT

Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987-December 1989. DE91018580 100,915

Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session). PB91-158741 100,904

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment. PB91-167353 100,905

Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri. PB91-240747 100,082

ENVIRONMENTAL SURVEYS

Methods for the Analysis of Organometallic Compounds in Wastes. PB91-148981 100,189

ENZYMES

Low-Cost Aqueous Two-Phase System for Enzyme Extraction. PB91-237560 101,310

Thermodynamics of Industrially Important Enzyme Catalyzed Reactions. PB91-237602 101,311

Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model. PB92-116854 100,459

EPHEMERIS TIME

Precise Ephemerides for GPS Time Transfer. PB91-236950 100,586

EPITAXIAL GROWTH

Epitaxial fcc Fe Films on Cu(100). PB91-149328 101,478

Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air. PB91-149880 100,796

Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100). PB91-237420 101,555

EPITAXY

XPS and Auger Forward Scattering in Epitaxial Films. PB91-174698 101,495

EPOXY COMPOSITES

Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite. AD-A239 509/3 101,114

EPOXY MATRIX COMPOSITES

Mechanical Loss in a Glass-Epoxy Composite. PB91-149435 101,070

Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K. PB92-117258 101,130

EPOXY RESINS

Effect of Crosslink Density on Physical Aging of Epoxy Networks. PB91-189712 101,244

Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments. PB91-189720 101,245

Physical Aging and the Viscoelastic Response of Network Glasses. PB91-189829 101,246

Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates. PB91-203711 100,509

Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study. PB91-203729 101,109

Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering. PB91-237842 100,514

EQUATIONS OF STATE

New Wide Range Equation of State for Helium. PB91-162222 100,226

Thermodynamic Diagrams for Refrigerant Mixtures. PB91-236695 101,197

Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region. PB91-237578 100,233

New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa. PB92-148170 100,477

EQUILIBRIUM

Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks. PB91-162263 101,388

ERBIUM

Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects. PB91-161935 101,489

ERBIUM BARIUM CUPRATES

Magnetic Ordering of Er in Powder and Single Crystals of ErBa2Cu3O7. PB91-187377 101,505

ERBIUM LASERS

Frequency Stabilization of an Erbium-Doped Fiber Laser: A Potential Wavelength Standard for Optical Communications. PB91-203091 100,570

Frequency Stabilization of a Tunable Erbium-Doped Fiber Laser. PB91-203109 101,427

ERBIUM PALLADIUM STANNIDES

Crystal-Field Splittings in the Cubic Heusler Alloys HoPd2Sn and ErPd2Sn. PB91-194902 101,525

ERIP (ENERGY-RELATED INVENTIONS PROGRAM)

Feasibility of Using Knowledge-Based Systems for Aiding Inventors. PB91-147728 100,895

EROSION

Mechanical Sputtering of Structural Stainless Steels. PB91-175448 101,152

ERROR ANALYSIS

Orthogonal Distance Regression. PB91-147017 101,272

ERROR CORRECTION CODES

FORTTRAN Temporary Program Fixes, FCVS78 Version 2.0, Level 26. PB91-201772 100,651

ERROR DETECTION CODES

Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine. PB91-174938 100,980

ESTELLE

Features and Facilities of Estelle. PB91-158915 100,688

ESTERS

Difunctional and Multifunctional Monomers Capable of Cyclopolymerization. PB91-195685 100,504

ESTIMATING

Estimation of Electromagnetic Fields in Complex Environments. PB91-203315 101,691

ETHANE

Viscosity Surface for Mixtures of Methane and Ethane. PB91-174763 100,322

Dipole Moments of Seven Partially Halogenated Ethane Refrigerants. PB91-195131 100,377

High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals. PB91-204008 100,408

Thermophysical Properties of Ethane. PB92-110188 100,447

Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence. PB92-116508 100,455

ETHANOL

Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether. PB91-195073 100,376

ETHERS

Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde. PB91-147470 100,280

Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers. PB91-175059 100,330

Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO4- Alkanes and Ethers. PB91-203232 100,394

EXPRESS PROGRAMMING LANGUAGE

ETHYL ETHER

Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether. PB91-195073 100,376

ETHYLENE

Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes. PB91-162081 100,319

Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene. PB91-236737 100,417

ETHYLENE COPOLYMERS

Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer. PB91-148247 101,242

ETHYLENE PROPYLENE DIENE POLYMERS

Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes. PB91-149153 100,105

EUROPE

Meeting the Challenges of a Global Market - Construction Standards, Testing and Certification. PB91-194811 100,090

EUROPIUM

Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu. PB91-195016 101,666

EUROPIUM BARIUM CUPRATES

Group and Phase Sound Velocities in an Eu1Ba2Cu3O7 Superconductor and Related Perovskite Oxides. PB91-194860 101,523

EUROPIUM COMPLEXES

Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate. PB91-203034 100,392

EUROPIUM OXIDES

Resonant Photoemission and PSD of Rare Earth Oxides. PB91-148015 100,287

EVACUATING (VACUUM)

Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History. PB91-174672 100,227

EVAPORATORS

Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution. PB91-174649 100,066

Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants. PB92-126432 100,893

EXCITED STATES

Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer. AD-A227 296/1 100,242

Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations. PB91-159301 101,626

EXCLUDED VOLUME

Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple epsilon-Perturbation Theory. PB92-116698 100,517

EXITS

Visibility of Exit Signs and Directional Indicators. PB91-161984 100,083

EXPERIMENTAL DESIGN

Design and Analysis of Experiments. PB91-158824 101,274

Experimentation and Measurement. PB91-203372 101,692

Taguchi's Orthogonal Arrays Are Classical Designs of Experiments. PB92-126671 101,280

List of New Group Divisible Designs. PB92-126705 101,281

EXPERT SYSTEMS

Feasibility of Using Knowledge-Based Systems for Aiding Inventors. PB91-147728 100,895

UNIX Expert: A Prototype Knowledge-Based Software Development Workstation. PB91-149179 100,639

Prototype Expert System for Diagnosing Moisture Problems in Houses. PB91-159079 100,062

Guide to Expert System Building Tools for Microcomputers. PB92-108893 100,715

Integrated Knowledge Systems for Concrete Science and Technology. PB92-116821 100,141

EXPRESS PROGRAMMING LANGUAGE

Fed-X: The NIST Express Translator. Revised, November 1990. PB91-132126 100,681

KEYWORD INDEX

- EXTRACTION**
Low-Cost Aqueous Two-Phase System for Enzyme Extraction. PB91-237560 101,310
- FACILITATED TRANSPORT MEMBRANE SYSTEMS**
Overview of Facilitated Transport Membrane Systems. PB91-175463 100,228
- FACTORY AUTOMATION**
Engineering Design Laboratory Guide. PB91-167320 100,977
- FAILURE ANALYSIS**
Effects of Crystal Bonding on Brittle Fracture. PB91-148221 101,064
Dynamic Arc-Power Source Response in GMA Welding. PB91-149278 101,002
Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages. PB91-236505 101,164
- FARADAY EFFECT**
Performance and Limitations of Faraday Effect Sensors. PB91-149146 100,749
- FAST ION CONDUCTORS**
Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K. PB92-116524 100,456
- FATIGUE LIFE**
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina. PB91-236927 101,092
- FAUJASITE**
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllophosphate Molecular Sieves. PB91-189449 101,081
- FDDI (FIBER DISTRIBUTED DATA INTERFACE)**
Conformance Verification of FDDI Stations. PB91-148254 100,747
- FEDERAL BUILDINGS**
Direct Digital Control Based Building Automation System Design Criteria. PB91-216614 100,091
Guide Specification for Direct Digital Control Based Building Automation System. PB91-216697 100,092
Standards for the Physical Protection of National Resources and Facilities. PB91-222695 100,006
Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri. PB91-240747 100,082
- FEDERAL EMERGENCY MANAGEMENT AGENCY**
Standards for the Physical Protection of National Resources and Facilities. PB91-222695 100,006
- FEDERAL ENERGY MANAGEMENT PROGRAM**
Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709. PB92-112515 100,899
- FEDERAL GOVERNMENT CERTIFICATION**
Directory of Federal Government Laboratory Accreditation/Designation Programs. PB91-167379 100,005
- FEDERAL INFORMATION PROCESSING STANDARD**
Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics. FIPS PUB 120-1B 100,674
American National Standard for C. Category: Software Standard. Subcategory: Programming Language. FIPS PUB 160 100,676
Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange. FIPS PUB 161 100,677
- FEDERAL INFORMATION PROCESSING STANDARDS**
Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes. FIPS PUB 9-1 100,679
Guideline: American National Dictionary for Information Systems. Category: Software; Subcategory: Documentation. FIPS PUB 11-3 100,956
Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media. FIPS PUB 54-1 100,678
Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission. FIPS PUB 100-1 100,672
Graphical Kernel System (GKS); Category: Software Standard; Subcategory: Graphics. FIPS PUB 120-1 100,673
Government Open Systems Interconnection Profile (GOSIP); Category: Hardware and Software Standards; Subcategory: Computer Network Protocols.
- FIPS PUB 146-1** 100,675
Federal Information Processing Standards Publication. FIPS SET 1991 100,680
Developing Federal Software Standards: A New Direction. PB91-134536 100,637
Specifications for a Federal Information Processing Standard Data Dictionary System. PB91-158758 100,687
How the Government Shapes UNIX Standards. PB91-203133 100,693
GOSIP Conformance and Interoperation Testing and Registration. PB92-110105 100,694
Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL). PB92-937300 100,671
- FEES**
NIST Calibration Services Users Guide, 1991. PB92-126416 100,936
- FERRITIC STAINLESS STEELS**
Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels. PB91-189951 101,158
- FERROCENE**
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400. PB91-237867 100,439
- FERROMAGNETIC MATERIALS**
System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope. PB91-194779 101,522
- FIBER COMPOSITES**
Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990. PB91-132191 101,115
Mechanical Loss in a Glass-Epoxy Composite. PB91-149435 101,070
Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension. PB91-162180 101,118
Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach. PB91-194878 101,123
Reduction in Sintering Damage of Fiber Reinforced Composites. PB91-195362 101,124
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites. PB91-202952 101,125
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods. PB91-204081 100,050
Differential Sintering. PB91-237123 101,128
Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K. PB92-117258 101,130
- FIBER DISTRIBUTED DATA INTERFACE**
Conformance Verification of FDDI Stations. PB91-148254 100,747
- FIBER OPTICS**
Technical Digest-Symposium on Optical Fiber Measurements, 1990. PB91-132308 101,403
Progress in the Development of Miniature Optical Fiber Current Sensors. PB91-134734 100,745
Practical Considerations in the Design of Optical Fiber Current Sensors. PB91-134742 100,746
Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media. PB91-147868 101,407
Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field. PB91-174615 100,751
Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler. PB91-175158 100,754
Methods of Analyzing Planar Optical Waveguides. PB91-236752 100,774
- FIBERGLASS**
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods. PB91-204081 100,050
- FIBERS**
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study. PB91-195727 100,204
- FIELD EFFECT TRANSISTORS**
Characteristics of the Breakdown Voltage of Power MOS-FETs After Total Dose Irradiation. PB91-149062 100,793
Band-Gap Narrowing and III-V Heterostructure FETs. PB92-117159 100,827
- FIELD ELECTRON MICROSCOPY**
Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides. PB91-203596 101,542
- FIELD ION MICROSCOPY**
Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides. PB91-203596 101,542
Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides. PB91-203604 101,543
Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-Tc Superconductors. PB92-116730 101,567
- FIELD STRENGTH**
Estimation of Electromagnetic Fields in Complex Environments. PB91-203315 101,691
- FIELD TESTS**
Characterization of Field Concrete. PB91-178863 100,528
- FIFTH FORCE**
Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance. PB91-175380 101,639
- FILAMENTS**
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films. AD-A236 708/4 101,142
- FILE MANAGEMENT SYSTEMS**
Issues in Transparent File Access. PB91-187931 100,569
Configuration Management Concepts Document. National PDES Testbed Report Series. PB91-194480 100,984
- FILLERS**
Filler Systems Based on Calcium Metaphosphates. PB91-194654 100,048
- FILM DOSIMETRY**
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams. PB91-237008 101,326
Calibration of Ophthalmic Applicators at NIST: A Revised Approach. PB91-237388 101,327
Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy. PB92-116961 101,364
Temperature Dependence of Radiochromic Film Dosimeters. PB92-117134 101,728
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry. PB92-117142 101,296
- FILM THICKNESS**
Ellipsometry SRM's for Use in Thin Film Measurements. PB92-116599 100,819
- FILMS**
Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy. PB91-203810 101,179
- FINITE DIFFERENCE METHOD**
Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites. PB91-174946 101,120
- FINITE ELEMENT METHOD**
Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact. PB91-175224 101,584
- FIRE ALARM SYSTEMS**
International Fire Detection Bibliography, 1975-1990. PB92-109156 100,088
- FIRE DAMAGE**
Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment. PB92-108935 101,376
- FIRE DETECTION SYSTEMS**
International Fire Detection Bibliography, 1975-1990. PB92-109156 100,088
- FIRE EXTINGUISHING AGENTS**
Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment. PB91-203620 100,159
Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment. PB92-108935 101,376
- FIRE HAZARDS**
Heat Release Rate: The Single Most Important Variable in Fire Hazard.

KEYWORD INDEX

FIRE TESTS

PB91-146977	100,097	PB91-174573	100,117	PB92-109164	100,166
FPETOOL User's Guide.		Letter to the Editor of Standardization News.		Data for Room Fire Model Comparisons.	
PB92-108919	100,134	PB91-174789	100,118	PB92-110287	100,167
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.		Letter to the Editor, Fire Technology, Comments on T.Z. Harmathy Viewpoint, May 1985.		Summaries of BFRL Fire Research In-House Projects and Grants, 1991.	
PB92-112473	100,557	PB91-174797	100,545	PB92-112218	100,168
FIRE MODELS		Surface Flame Spread.		Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.	
Mathematical Modeling of Enclosure Fires.		PB91-175331	100,546	PB92-112317	100,169
PB92-108976	100,135	Smoke Production and Properties.		Theoretical Investigation of Piloted Ignition of Wood.	
FIRE PREVENTION		PB91-175422	100,120	PB92-112432	100,556
Summaries of BFRL Fire Research In-House Projects and Grants, 1991.		FIREDOC Users Manual, 2nd Edition.		Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.	
PB92-112218	100,168	PB91-178830	100,547	PB92-112473	100,557
FIRE PROTECTION		Visibility of Exit Directional Indicators.		Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.	
Investigation of Simulated Oil-Well Blowout Fires.		PB91-184762	101,000	PB92-112531	100,170
PB91-144337	101,356	STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.		Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.	
Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers.		PB91-184788	100,966	PB92-112556	100,136
PB91-159038	100,109	Improving the Fire Performance of Building Contents.		Large-Scale Validation of Bench-Scale Fire Toxicity Tests.	
FPETOOL User's Guide.		PB91-187260	100,084	PB92-116458	100,139
PB92-108919	100,134	Building and Fire Research Laboratory Publications, 1990.		Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets.	
Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.		PB91-187807	100,122	PB92-117183	100,014
PB92-108935	101,376	Engineering Analysis of Fire Development in the Hospice of Southern Michigan, December 15, 1985.		Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.	
FIRE RESEARCH		PB91-195222	100,158	PB92-117191	100,558
Concept of the Calculus of Fire Safety.		Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.		Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.	
PB91-132134	100,093	PB91-195271	100,503	PB92-117209	100,015
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.		Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment.		Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.	
PB91-132167	101,140	PB91-203620	100,159	PB92-117365	100,559
Aspects of Smoldering Combustion.		Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.		Flammability Characterization of Foam Plastics.	
PB91-134510	100,535	PB91-203794	100,548	PB92-123033	100,142
Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).		Wind Effects on Fires.		Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.	
PB91-143297	100,094	PB91-203851	100,549	PB92-123074	101,370
Canadian Mass Fire Experiment, 1989.		Technical Reference and User's Guide for FAST/FFM Version 3.		Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System.	
PB91-143305	101,352	PB91-206664	100,086	PB92-123116	101,358
Investigation of Simulated Oil-Well Blowout Fires.		Sprinkler/Hot Layer Interaction.		FIRE RESEARCH INFORMATION SERVICES	
PB91-144337	101,356	PB91-206680	100,129	FIREDOC Users Manual, 2nd Edition.	
Using the Harvard/NIST Mark VI Fire Simulation.		Material Flammability Test Assessment for Space Station Freedom.		PB91-178830	100,547
PB91-144394	100,095	PB91-216606	101,735	FIRE RESISTANT MATERIALS	
Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.		Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.		Improving the Fire Performance of Building Contents.	
PB91-144436	100,096	PB91-216689	100,131	PB91-187260	100,084
Heat Release Rate: The Single Most Important Variable in Fire Hazard.		First Pass at Computing the Cost of Fire Safety in a Modern Society.		Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.	
PB91-146977	100,097	PB91-216796	101,730	PB92-112473	100,557
Review of Four Compartment Fires with Four Compartment Fire Models.		Interaction of an Isolated Sprinkler Spray and a Two-Layer Compartment Fire Environment.		FIRE SAFETY	
PB91-147215	100,098	PB91-216804	100,551	Concept of the Calculus of Fire Safety.	
Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.		Estimated Impact of the Center for Fire Research Program on the Costs of Fire.		PB91-132134	100,093
PB91-147835	100,101	PB91-217422	100,161	Building and Fire Research Laboratory Publications, 1990.	
Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.		Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.		PB91-187807	100,122
PB91-147843	100,102	PB91-222604	100,162	First Pass at Computing the Cost of Fire Safety in a Modern Society.	
Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.		General Routine for Analysis of Stack Effect.		PB91-216796	101,730
PB91-147892	101,386	PB91-231589	100,163	Estimated Impact of the Center for Fire Research Program on the Costs of Fire.	
Signal Detection Efficiency in Multiphoton Ionization Flame Measurements.		Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames.		PB91-217422	100,161
PB91-148056	100,540	PB91-237024	100,553	Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.	
Refinement of a Model for Fire Growth and Smoke Transport.		Laser-Induced Fluorescence of CH ₄ in a Laminar CH ₄ /Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.		PB91-222604	100,162
PB91-148510	100,104	PB91-237099	100,554	Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989.	
Application of Fire Research.		Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.		PB92-109164	100,166
PB91-149302	100,153	PB91-237412	100,555	FIRE TESTS	
Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments.		Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.		Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).	
PB91-157180	100,542	PB91-240770	100,164	PB91-143297	100,094
Fire Propagation in Concurrent Flows.		Framework for Utilizing Fire Property Tests.		Canadian Mass Fire Experiment, 1989.	
PB91-157206	100,543	PB91-240788	100,165	PB91-143305	101,352
Compartment Fire-Generated Environment and Smoke Filling.		FPETOOL User's Guide.		Fire Propagation in Concurrent Flows.	
PB91-158543	100,107	PB92-108919	100,134	PB91-157206	100,543
Algorithm for the Mass-Loss Rate of a Burning Wall.		Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.		Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers.	
PB91-158998	100,108	PB92-108927	100,887	PB91-159038	100,109
Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers.		Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.		Ceiling Jet in Fires.	
PB91-159038	100,109	PB92-108935	101,376	PB91-167197	100,114
Ceiling Jet in Fires.		Mathematical Modeling of Enclosure Fires.		Experimental Study of Top Vented Compartment Fires.	
PB91-167197	100,114	PB92-108976	100,135	PB91-167254	100,155
Experimental Study of Top Vented Compartment Fires.		Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams.		Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.	
PB91-167254	100,155	PB92-108984	100,087	PB91-167270	100,156
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.		International Fire Detection Bibliography, 1975-1990.		Users Guide for RAPID, Version 2.3.	
PB91-167270	100,156	PB92-109156	100,088	PB91-167403	100,999
Users Guide for RAPID, Version 2.3.		Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989.		Ceiling Jet-Driven Wall Flows in Compartment Fires.	
PB91-167403	100,999				

KEYWORD INDEX

- PB91-216804 100,551
General Routine for Analysis of Stack Effect.
PB91-231589 100,163
Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.
PB91-240770 100,164
Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams.
PB92-108984 100,087
Summaries of BFRL Fire Research In-House Projects and Grants, 1991.
PB92-112218 100,168
Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.
PB92-112531 100,170
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139
- FIREDOC SYSTEMS**
FIREDOC Users Manual, 2nd Edition.
PB91-178830 100,547
- FIRES**
Investigation of Simulated Oil-Well Blowout Fires.
PB91-144337 101,356
Using the Harvard/NIST Mark VI Fire Simulation.
PB91-144394 100,095
Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.
PB91-144436 100,096
Heat Release Rate: The Single Most Important Variable in Fire Hazard.
PB91-146977 100,097
Review of Four Compartment Fires with Four Compartment Fire Models.
PB91-147215 100,098
Refinement of a Model for Fire Growth and Smoke Transport.
PB91-148510 100,104
Compartment Fire-Generated Environment and Smoke Filling.
PB91-158543 100,107
Algorithm for the Mass-Loss Rate of a Burning Wall.
PB91-158998 100,108
Ceiling Jet in Fires.
PB91-167197 100,114
Experimental Study of Top Vented Compartment Fires.
PB91-167254 100,155
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156
Ceiling Jet-Driven Wall Flows in Compartment Fires.
PB91-174573 100,117
Letter to the Editor, Fire Technology, Comments on T.Z. Harmathy Viewpoint, May 1985.
PB91-174797 100,545
Surface Flame Spread.
PB91-175331 100,546
Smoke Production and Properties.
PB91-175422 100,120
Engineering Analysis of Fire Development in the Hospice of Southern Michigan, December 15, 1985.
PB91-195222 100,158
Wind Effects on Fires.
PB91-203851 100,549
Technical Reference and User's Guide for FAST/FFM Version 3.
PB91-206664 100,086
Sprinkler/Hot Layer Interaction.
PB91-206680 100,129
Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.
PB91-216689 100,131
Building and Fire Research Project Summaries, 1991.
PB91-216788 100,132
Framework for Utilizing Fire Property Tests.
PB91-240788 100,165
Mathematical Modeling of Enclosure Fires.
PB92-108976 100,135
Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.
PB92-112317 100,169
Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.
PB92-112556 100,136
Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370
- FISSION CROSS SECTIONS**
Electrofission in the Quasifree and Delta Regions.
PB91-147355 101,609
- FISSION PRODUCTS**
Method to Enhance Porosity of Micro-particles.
- PB91-187328 101,185
- FLAME PROPAGATION**
Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.
PB91-147835 100,101
Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.
PB91-147843 100,102
Fire Propagation in Concurrent Flows.
PB91-157206 100,543
Surface Flame Spread.
PB91-175331 100,546
- FLAME SPRAYING**
Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539
- FLAMES**
Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).
PB91-143297 100,094
Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.
PB91-236851 100,420
- FLAMMABILITY**
Improving the Fire Performance of Building Contents.
PB91-187260 100,084
Flammability Characterization of Foam Plastics.
PB92-123033 100,142
- FLAMMABILITY TESTING**
Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.
PB91-147835 100,101
Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.
PB91-147843 100,102
Modern Test Methods for Flammability.
PB91-167676 100,116
Material Flammability Test Assessment for Space Station Freedom.
PB91-216606 101,735
Framework for Utilizing Fire Property Tests.
PB91-240788 100,165
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.
PB92-112473 100,557
- FLEXURAL STRENGTH**
Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams.
PB92-116995 101,099
- FLIGHT TESTS**
Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732
- FLOORS**
Design Heat Loss Factors for Basement and Slab Floors.
PB91-147561 100,059
- FLORY-HUGGINS PARAMETER**
Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141
- FLORY-REHNER HYPOTHESIS**
Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141
- FLOW CONDITIONERS**
Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397
- FLOW INJECTION ANALYSIS**
Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291
- FLOW MEASUREMENT**
Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards.
PB91-134403 100,879
Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem.
PB91-134411 100,920
Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
PB91-148031 101,387
Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.
PB91-148791 100,881
- FLOW MODELS**
Multi-Zone Dispersal Analysis by Element Assembly.
PB91-187146 100,907
- FLOW REGULATORS**
Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.
- PB91-148791 100,881
- FLOW VISUALIZATION**
Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem.
PB91-134411 100,920
Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.
PB91-147892 101,386
Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization.
PB91-203000 101,393
- FLOWMETERS**
Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards.
PB91-134403 100,879
Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.
PB91-134445 100,921
SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923
- FLUE GASES**
Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session).
PB91-158741 100,904
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908
- FLUID-SOLID INTERACTIONS**
How Does Surface Roughness Affect Polymer-Surface Interactions.
PB91-189241 100,341
Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176
- FLUIDS**
Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).
DE91012660 101,384
Extension of an Improved One-Fluid Conformal Solution Theory to Real Fluid Mixtures with Large Size Differences.
PB91-147405 100,278
Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.
PB91-195263 101,390
Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392
Thermodynamic Behavior of Fluids in the Supercritical Region.
PB91-204123 101,394
Thermodynamics of Solutions Near the Solvent's Critical Point.
PB91-237297 100,232
- FLUIDS: LIQUIDS/GASES/PLASMAS**
Liquid and Solid Ion Plasmas.
AD-A227 656/6 101,441
Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards.
PB91-134403 100,879
Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.
PB91-134445 100,921
Phase Equilibria from the One-Fluid Model.
PB91-134585 101,385
Neutron Diffraction from Sheared D-Glycerol: Preliminary Studies.
PB91-134676 100,268
Extension of an Improved One-Fluid Conformal Solution Theory to Real Fluid Mixtures with Large Size Differences.
PB91-147405 100,278
Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
PB91-148031 101,387
Ergodic Convergence Properties of Supercooled Liquids and Glasses.
PB91-148171 100,289
Dispersion of the Electronic Contribution to the Third-Order Nonlinear Susceptibility of H₂.
PB91-149138 101,411
Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.
PB91-162347 101,389
Statistical Mechanical Model of Aqueous Two-Phase Systems.
PB91-174508 100,493
Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a).
PB91-175414 101,195
High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809

KEYWORD INDEX

FREE ENERGY

- Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization.
PB91-203000 101,393
- ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD. on July 15-18, 1991.
PB91-216838 100,552
- Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396
- Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.
PB92-116508 100,455
- FLUOBORATES**
Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273
- FLUORANTHENES**
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
- FLUORESCENCE**
Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media.
PB91-147868 101,407
- Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.
PB92-117365 100,559
- FLUORESCENCE SPECTROSCOPY**
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
- Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
PB91-174482 100,492
- FLUORIDES**
Design Diagrams for Heavy Metal Fluoride Glass Windows.
PB91-187419 101,419
- FLUORINATED ALIPHATIC HYDROCARBONS**
Dipole Moments of Seven Partially Halogenated Ethane Refrigerants.
PB91-195131 100,377
- FLUORINE-LIKE IONS**
Dielectronic Recombination Rate Coefficients for Ions of the Fluorine Isoelectronic Sequence.
PB91-195602 101,674
- FLUORINE ORGANIC COMPOUNDS**
Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
- FLUOROXYDROCARBONS**
Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.
PB91-237578 100,233
- FLUOROPOLYMERS**
High Purity Fluoropolymer Materials: Trace Element Content and Leaching.
PB91-162255 100,491
- FLUX PINNING**
Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O_{7-x}.
PB91-237552 101,559
- FLY ASH**
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908
- FOAM RUBBER**
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140
- FOOD ANALYSIS**
Dietary Collection Procedures.
PB91-147413 101,317
- FOOD IRRADIATION**
gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy.
PB91-150060 100,016
- Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- FOOD PROCESSING**
gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy.
PB91-150060 100,016
- Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone.
PB92-116672 100,018
- FORCE**
Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931
- FORCE MEASUREMENT**
Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590
- FORCE STANDARDS**
Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590
- FOREIGN TECHNOLOGY**
Report on 1989 Actions by International Institute of Welding.
PB91-134619 101,001
- Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273
- Convergence Properties of a Class of Rank-Two Updates.
PB91-187799 101,260
- High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).
PB91-240762 101,718
- International System of Units (SI)--Translation.
PB92-109032 101,719
- Journal of Physical and Chemical Reference Data, Volume 20, Number 6, November/December 1991.
PB92-148162 100,476
- FOREST FIRES**
Canadian Mass Fire Experiment, 1989.
PB91-143305 101,352
- FORMALDEHYDE**
Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909
- FORMIC ACID**
Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- FORTRAN PROGRAMMING LANGUAGE**
FORTRAN Temporary Program Fixes, FCVS78 Version 2.0, Level 26.
PB91-201772 100,651
- Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL).
PB92-937300 100,671
- FOSSILS**
Accelerator (14)C Dating of Late Pleistocene Megafauna.
PB91-237396 101,354
- Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California.
PB91-237404 101,355
- FOURIER SPECTROSCOPY**
Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules.
PB91-189803 101,424
- FOURIER TRANSFORMATION**
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096
- FOURTH GENERATION LANGUAGES**
Functional Benchmarks for Fourth Generation Languages.
PB91-167387 100,644
- FETOOOL COMPUTER PROGRAM**
FETOOOL User's Guide.
PB92-108919 100,134
- FRACTALS**
How Does Surface Roughness Affect Polymer-Surface Interactions.
PB91-189241 100,341
- FRACTIONATION**
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
- FRACTURE (MECHANICS)**
Strength and Microstructure of Ceramics.
AD-A243 049/4 101,056
- Stress Intensity Factors by Enriched Mixed Finite Elements.
PB91-147371 101,577
- Effects of Crystal Bonding on Brittle Fracture.
PB91-148221 101,064
- Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking.
PB91-149047 101,133
- In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068
- Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation.
PB91-149344 101,190
- Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel.**
PB91-167346 101,150
- Improved Optical Diffraction Strain Measurement System.
PB91-174433 101,581
- Use of Birefringent Coatings in Fracture Mechanics.
PB91-174599 101,582
- Interlaminar Shear Fracture of Laminated Composites.
PB91-187336 101,122
- Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373
- Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics.
PB91-189704 101,082
- Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
- Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158
- Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
- Reduction in Sintering Damage of Fiber Reinforced Composites.
PB91-195362 101,124
- Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 101,127
- Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092
- Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133
- Environmentally Enhanced Fracture of Gallium Arsenide.
PB91-237743 101,097
- Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169
- National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253
- FRACTURE PROPERTIES**
Experimental and Numerical Studies of the J-Integral for a Surface Flaw.
PB91-147256 101,576
- Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.
PB91-236505 101,164
- Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
- FRACTURE STRENGTH**
Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.
PB91-158980 101,148
- Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169
- FRACTURES (MATERIALS)**
Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574
- Experimental and Numerical Studies of the J-Integral for a Surface Flaw.
PB91-147256 101,576
- Microstructure and Fracture at the Cement Paste-Aggregate Interface.
PB91-148072 100,523
- Fracture Mechanics Model for Subthreshold Indentation Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093
- FREE ELECTRON LASERS**
Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.
AD-A207 806/1 101,398
- NIST-NRL Free-Electron Laser.
AD-A227 310/0 101,399
- FREE ENERGY**
Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508

KEYWORD INDEX

FREE RADICALS

- Chemical Determination of Free Radical-Induced Damage to DNA.
PB91-187468 101,332
- 46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.
PB91-187476 101,302
- Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338
- Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
- Biomarkers of OH Radical Damage In Vivo.
PB91-236877 101,325

FREE SURFACES (CRYSTALLOGRAPHY)

- Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.
PB91-185116 101,121

FREQUENCY CALIBRATION

- New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580

FREQUENCY MEASUREMENT

- Accurate Frequency of the 119 μ m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy.
PB91-134130 101,405

FREQUENCY RESPONSE

- Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407

FREQUENCY STABILITY

- Environmental Effects on the Medium and Long Term Frequency Stability of Quartz Oscillators.
PB91-134866 100,781
- Calculated from the Frequency Domain: An Update.
PB91-162388 100,578
- Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 100,581
- Frequency and Time Stability of GPS and GLONASS Clocks.
PB91-202937 100,582
- Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
PB92-123132 100,587

FREQUENCY STANDARDS

- Cooled Ion Frequency Standard.
AD-A227 806/7 101,591
- Cooled Ion Frequency Standard.
AD-A242 030/5 101,593
- Trapped-Ion Frequency Standards.
N91-25760/0 100,575
- Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
- Clocks, Atomic and Molecular.
PB91-200840 101,677
- Advances in Science, Emerging Technologies and Global Competition: Opportunities and Challenge.
PB91-203174 100,583
- Established Microwave Frequency Standards.
PB91-203182 100,584
- NIST Time and Frequency Services.
PB91-231605 100,585
- 303-MHz Frequency Standard Based on Trapped Be⁺ Ions.
PB92-116474 101,722

FRESNEL DIFFRACTION

- Generalization of the Cornu Spiral for Lossy Media.
PB91-203216 101,687

FRICTION

- Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180

FRICTION FACTOR

- Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
PB91-194464 101,050

FRICTION MEASUREMENT

- Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250

FUEL SPRAYS

- Laser Diagnostics for Characterization of Fuel Sprays.
PB91-149013 100,541

FUELS

- MSW Calorimetry.
PB91-133942 100,878
- Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
PB92-108927 100,887

FUGACITY

- Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.
PB92-116508 100,455

FUMARIC ACID

- Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357

FUMED SILICA

- Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
PB92-117357 101,102

FUNCTIONAL BENCHMARKS

- Functional Benchmarks for Fourth Generation Languages.
PB91-167387 100,644

FUNDAMENTAL CONSTANTS

- Adjustment of the Fundamental Physical Constants: A Report of the CODATA Task Group on Fundamental Constants, 1986.
PB91-147124 101,606
- Basic Standards and Fundamental Constants.
PB91-237594 101,715

FUNGI

- Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162

FURNITURE

- Technical Reference and User's Guide for FAST/FFM Version 3.
PB91-206664 100,086

FUSED SALTS

- Electrodeposition of Aluminum from Molten Salts.
PB91-159202 101,223

GAGING

- High Precision Gaging with Computer Vision Systems.
PB91-174623 100,979

GALLING

- Literature Review of the Galling Process.
PB91-134551 101,208
- Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147
- Method for Quantitative Measurement of Galling Damage.
PB91-159269 101,183

GALLIUM ARSENIDES

- Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 101,471
- Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.
PB91-149294 101,477
- Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 100,796
- Modelling Gallium Arsenide Transistors.
PB91-149989 100,797
- Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
- High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809
- Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.
PB91-236968 101,550
- Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556
- Environmentally Enhanced Fracture of Gallium Arsenide.
PB91-237743 101,097
- High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562

GALLIUM INDIUM ARSENIDES

- Fe Implantation in In_{0.53}Ga_{0.47}As/InP.
PB91-189969 101,516

GALLIUM ORGANIC COMPOUNDS

- Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 868/7 100,234

GAMMA COUNTERS

- Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.
PB91-162198 100,192

GAMMA DOSIMETRY

- Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723
- Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.
PB92-116961 101,364

GAMMA RAYS

- Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054
- Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326
- 2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366

GARBAGE

- MSW Calorimetry.
PB91-133942 100,878

GAS ANALYSIS MODELING SYSTEM

- Gas Analysis Modeling System.
PB91-175299 100,884

GAS CHROMATOGRAPHY

- Strategy for Chemical Analysis of Alternative Refrigerants.
PB91-148502 100,185
- Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197

GAS DETECTORS

- Chemical and Electronic Properties of Pd/SnO₂(110) Model Gas Sensors.
PB91-203075 100,393

GAS DISCHARGES

- Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'.
PB91-159236 101,623
- Causes of SiH₄ Dissociation in Silane dc discharges.
PB91-202986 100,389
- Silane Dissociation Products in Deposition Discharges.
PB91-202994 100,390

GAS FURNACES

- Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894

GAS METAL ARC WELDING

- Dynamic Arc-Power Source Response in GMA Welding.
PB91-149278 101,002

GAS METAL ORE WELDING

- Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode.
PB91-174250 101,004

GAS METERS

- Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations.
PB91-147025 100,880

GAS PIPELINES

- Gas Analysis Modeling System.
PB91-175299 100,884

GAS-SOLID INTERFACES

- Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208

GAS SUPPLY

- Gas Analysis Modeling System.
PB91-175299 100,884

GASES

- Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601
- Dipole Moments of Seven Partially Halogenated Ethane Refrigerants.
PB91-195131 100,377
- Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures.
PB92-116839 100,458
- Accurate Acoustic Measurements in Gases Under Difficult Conditions.
PB92-116847 101,382

GE SEMICONDUCTOR DETECTORS

- Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides.
PB91-194845 100,756

GEARS

- Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints.
PB91-158576 101,028

GEL PERMEATION CHROMATOGRAPHY

- Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography.
PB91-187641 100,195

GELS

- Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131

KEYWORD INDEX

GENERAL THEORETICAL CHEMISTRY & PHYSICS

GENERAL AGREEMENT ON TARIFFS AND TRADE

GATT Standards Code Activities of the National Institute of Standards and Technology 1990.
PB91-187823 100,177

GENERAL INTEREST

Kelvin Water-Drop Experiment.
N91-20219/2 100,900

Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.
PB91-132225 101,207

Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB91-132266 100,833

Gravity-Dependent Phenomena at the Scale of the Single Cell.
PB91-134767 101,297

National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957

National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
PB91-136515 100,958

Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991).
PB91-143339 101,008

Agenda for Progress in Technology Education: A Personal View.
PB91-148114 100,037

Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).
PB91-148494 100,959

Close-Coupling Calculation for the $(2)(\Sigma \text{ sub } u)(+)$ State of $(\text{H sub } 2)(-)$.
PB91-148684 101,614

Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH $(A \ 2\Sigma)$.
PB91-148726 100,291

Asymptotic Shooting Method for the Solution of Differential Equations.
PB91-148742 101,255

Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry.
PB91-148809 100,237

Modelling the Coronae and Chromospheres of RS CVn Systems by the Analysis of Ultraviolet, X-ray and Radio Observations.
PB91-148825 100,019

Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020

Mode Specific Internal and Direct Rotational Predissociation in HeHF, HeDF, and HeHCL: van der Waals Complexes in the Weak Binding Limit.
PB91-148841 100,293

Multireference-Configuration Interaction (MR-CI) Calculations on $\text{HS}(2+)$ and Experimental Observation via Electron Impact Ionization of H_2S .
PB91-148924 100,295

Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021

Spatially Resolved Flares in RS CVn Systems.
PB91-148965 100,022

$\text{H} + \text{O}_3$ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH $(X(2 \ \Pi))$ Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297

Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for $\text{Ba}(+)$ in Ar: Moment Analysis and a Direct Measure of Skewness.
PB91-149005 100,298

Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.
PB91-149021 100,023

Materials Research at the National Bureau of Standards.
PB91-149039 101,214

Thermal Noise in Mechanical Experiments.
PB91-149211 101,578

New Radio Detectors of Early-Type Pre-Main Sequence Stars.
PB91-149286 100,024

General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy.
PB91-149385 100,302

Photospheres of Hot Stars. 4. Spectral Type O4.
PB91-149849 100,025

New Yorker in Japan.
PB91-158907 101,275

Modern Test Methods for Flammability.
PB91-167676 100,116

Interim Report to the President and to the Congress on the Malcolm Baldrige National Quality Award.
PB91-167833 100,001

NIST Serial Holdings, 1991.
PB91-171330 100,960

Book Review: Polarized Electrons at Surfaces by J. Kirschner.
PB91-174532 101,493

Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027

Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey.
PB91-174680 101,359

Gyroscope-Weighing Experiment Revisited -- with a Null Result.
PB91-174722 101,630

Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
PB91-174920 100,028

Ground-Truth Observations of Stellar Surface Structure from the Lunar Surface.
PB91-175026 100,029

Some Concluding Thoughts for Cool Stars VI.
PB91-175034 100,030

Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
PB91-175042 100,031

Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite.
PB91-175166 101,736

Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology.
PB91-175257 100,333

Book Review: 'Polarized Electrons at Surfaces' by J. Kirschner.
PB91-175323 101,497

Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance.
PB91-175380 101,639

Rotational Predissociation, Vibrational Mixing, and van der Waals Intermolecular Potentials of NeDF.
PB91-175505 100,334

Of What Use Is Basic Research.
PB91-175513 101,642

Correlated Spontaneous Emission in a Zeeman Laser.
PB91-175596 101,417

NIST Research Reports, March 1991.
PB91-187559 100,007

Proposed Design Criteria for Shallow Bridge Foundations.
PB91-187849 100,534

Structural Change and Competitiveness: The U.S. Semiconductor Industry.
PB91-195693 100,173

Energy Distributions of Symbiotic Novae.
PB91-200873 100,032

Near-Threshold Vibrational Excitation of H_2 by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679

Evolution of Infrared Carbon Stars.
PB91-202861 100,033

Causes of SiH_4 Dissociation in Silane dc discharges.
PB91-202986 100,389

Silane Dissociation Products in Deposition Discharges.
PB91-202994 100,390

Lunar Laser Ranging.
PB91-203026 101,353

Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683

Measurements of Velocity-Changing Collision Kernels.
PB91-203083 101,684

Squeezed Quantum States of Relic Gravitons and Primordial Density Fluctuations.
PB91-203125 101,685

Asymptotic Expansions of the Kernel Functions for Line Formation with Continuous Absorption.
PB91-203240 101,688

Structural Dependence of HF Vibrational Red Shifts in ArnHF , $n = 1-4$, via High-Resolution Slit Jet Infrared Spectroscopy.
PB91-203562 100,401

Observation of the Cesium Clock Transition Using Laser-Cooled Atoms in a Vapor Cell.
PB91-203638 101,698

Progress on the Determination of Intermolecular Potential Energy Surfaces from High Resolution Spectroscopy.
PB91-203695 100,403

Multiple Intermolecular Bend Vibrational Excitation of a Hydrogen Bond: An Extended Infrared Study of OCOHF .
PB91-203703 100,404

Building-in Reliability: Making It Work.
PB91-203992 100,812

High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408

Production and Diagnosis of a Highly Spin-Polarized Na Beam.
PB91-204016 101,431

Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.

PB91-204024 100,409

Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702

Collisional Energy Transfer between Excited Sr Atoms.
PB91-204164 101,703

Correlated Spontaneous Emission in a Zeeman Laser.
PB91-204180 101,432

Publications of the National Institute of Standards and Technology, 1990 Catalog.
PB91-216531 100,011

NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.
PB91-231555 100,003

Book Review: Hypertext Hands-On.
PB91-237040 100,656

Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.
PB92-109016 100,954

Research. Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012

Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar.
PB92-112309 100,864

Book Review: 'The Art of Computer Systems Performance Analysis' by R. Jain.
PB92-117068 100,719

Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175

Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts.
PB92-126481 100,002

National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253

List of New Group Divisible Designs.
PB92-126705 101,281

GENERAL THEORETICAL CHEMISTRY & PHYSICS

Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246

Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A236 485/9 100,247

Critical Assessment of Optical Properties of CVD Diamond Films.
AD-A236 746/4 101,400

Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A237 128/4 100,248

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. $\text{CO}_4(-)$.
AD-A238 415/4 100,249

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. $\text{CO}(+)$, $\text{C}_2\text{O}_2(+)$, and $\text{C}_2\text{O}_2(-)$.
AD-A239 729/7 100,250

Liquid and Solid Ion Plasmas.
AD-A242 029/7 101,592

Cooled Ion Frequency Standard.
AD-A242 030/5 101,593

Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215

Chemical Vapor Deposited Diamond.
AD-A243 095/7 101,106

Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).
DE91012660 101,384

New Chemical and Stereochemical Applications of Organoniron Complexes.
PB91-184861 100,221

Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.
PB91-187187 101,228

Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles.
PB91-187450 100,498

Technical Activities 1990, Electron and Optical Physics Division.
PB91-194423 101,662

Relativistic Probability Amplitudes and State Preparation.
PB91-195032 101,667

Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407

Performance Evaluation of Hypercube Applications: Using a Global Clock and Time Dilation.

KEYWORD INDEX

- PB91-222588 100,653
High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).
PB91-240762 101,718
- GENERATING FUNCTIONS**
Certain Theorems on Bilateral Generating Functions Involving Hermite, Laguerre, and Gegenbauer Polynomials.
PB91-148759 101,256
- GEODESY**
Lunar Laser Ranging.
PB91-203026 101,353
- GEOGRAPHIC INFORMATION SYSTEMS**
Prototyping the IRDS: An Airport Application.
PB92-112580 101,740
- GEOLOGIC AGES**
Accelerator (14)C Dating of Late Pleistocene Megafauna.
PB91-237396 101,354
Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California.
PB91-237404 101,355
- GERMANIDES**
Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.
PB91-187237 101,080
- GERMANIUM**
Amorphization and Conductivity of Silicon and Germanium Induced by Indentation.
PB91-150045 101,482
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- GERMANIUM CHLORIDE RADICALS**
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- GERMANIUM COMPOUNDS**
Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
DE91002169 100,785
- GERMANIUM FLUORIDE RADICALS**
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- GERMANIUM IONS**
Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443
- GERMYL RADICALS**
Electronic Spectrum of the GeH₃ Radical.
PB91-189548 100,346
- GIBBS FREE ENERGY**
Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- GLASS**
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114
Design Diagrams for Heavy Metal Fluoride Glass Windows.
PB91-187419 101,419
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511
Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
- GLASS FIBER REINFORCED PLASTICS**
Mechanical Loss in a Glass-Epoxy Composite.
PB91-149435 101,070
- GLASS FIBERS**
Detail Specification for 62.5-mum Core Diameter/125-mum Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.
FIPS PUB 159 100,562
Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989.
PB91-175620 101,079
- GLASSY CARBON**
Reflection-Extended-X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge.
PB91-194944 100,371
- GLAZED WARE**
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
- GLOBAL POSITIONING SYSTEM**
GPS Time Transfer with Implementation of Selective Availability.
N91-257667/7 100,576
- Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 100,581
Frequency and Time Stability of GPS and GLONASS Clocks.
PB91-202937 100,582
- GLONASS SYSTEM**
Frequency and Time Stability of GPS and GLONASS Clocks.
PB91-202937 100,582
- GLUEBALLS**
Glueballs and Hadron Spectroscopy.
PB91-195123 101,668
- GLUTAMIC ACID**
Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- GLYCEROLS**
Neutron Diffraction from Sheared D-Glycerol: Preliminary Studies.
PB91-134676 100,268
- GLYCINE**
Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- GOES SATELLITES**
HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766
- GOLD 197 TARGET**
Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e, alpha) Reaction.
PB91-216812 101,705
- GOSIP (GOVERNMENT OPEN SYSTEM INTERCONNECTION PROFILE)**
Government Open Systems Interconnection Profile Users' Guide, Version 2.
PB92-119676 100,696
- GOSIP (GOVERNMENT OPEN SYSTEMS INTERCONNECTION PROFILE)**
Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991.
PB91-216671 100,712
GOSIP Conformance and Interoperation Testing and Registration.
PB92-110105 100,694
- GOVERNMENT PROCUREMENT**
GOSIP Conformance and Interoperation Testing and Registration.
PB92-110105 100,694
Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts.
PB92-126481 100,002
- GRAIN BOUNDARIES**
Calculation of Energy of Low-Angle Grain Boundaries.
PB91-134601 101,464
Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.
PB91-147348 101,059
Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388
Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239
- GRAIN SIZE**
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092
- GRAIN STRUCTURE**
Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456
- GRANTS**
Evaluation of Building Systems Inventions.
PB91-158659 100,896
- GRAPHIC KERNEL SYSTEM**
Graphical Kernel System (GKS); Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1 100,673
Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1B 100,674
- GRAPHIC METHODS**
Ceramic Wear Maps.
PB91-189498 100,561
PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
PB91-194985 100,373
- GRAPHICAL KERNEL SYSTEM**
Graphical Kernel System (GKS). Pascal Binding; Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1A 100,636
- GRAPHITE**
Structure of a Stage-3 Cs - Graphite Intercalate.
PB91-134957 100,269
- Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa₂Cu₃O_x.
PB92-117290 100,464
- GRAPHITE COMPOSITES**
Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach.
PB91-194878 101,123
- GRAPHITE EPOXY COMPOSITES**
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114
- GRAPHS (CHARTS)**
Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473
- GRATINGS**
Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses.
PB91-189332 101,422
- GRAVITATION**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702
- GRAVITATIONAL FIELDS**
Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite.
PB91-175166 101,736
- GRAVITATIONAL WAVE ANTENNAS**
Lunar Gravitational Wave Antenna Using a Laser Interferometer.
PB91-134643 101,603
Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
- GRAVITONS**
Squeezed Quantum States of Relic Gravitons and Primordial Density Fluctuations.
PB91-203125 101,685
- GRAVITY**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
- GREENS FUNCTION**
Identification of Dynamic Green's Functions in Structural Networks.
PB91-202812 101,585
Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587
- GRIDS (COORDINATES)**
Non-Linear Contour-to-Grid Digital Interpolation.
PB91-147678 101,351
- GROTRIAN DIAGRAMS**
Spectral Data and Grotrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
- GROUND VEHICLES**
Control System Architecture for Unmanned Ground Vehicles.
PB91-134726 101,379
New Approach to Vision and Control for Road Following.
PB91-157156 101,743
Video Compression for Remote Vehicle Driving.
PB91-203208 101,035
- GUN BARRELS**
Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem.
PB91-144360 101,604
- GYROSCOPES**
Gyroscope-Weighing Experiment Revisited -- with a Null Result.
PB91-174722 101,630
- HAFNIUM COMPOUNDS**
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
- HALL EFFECT**
Hall Effect.
PB91-149898 101,479
- HANDBOOKS**
National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook.
PB91-187781 100,707
Automated Information Systems Security Program Handbook.
PB91-222638 100,713
LBIR Facility User Handbook.
PB92-102185 101,435
Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.
PB92-112416 101,022

KEYWORD INDEX

HIGH PRESSURE

- Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991.
PB92-112424 101,023
- Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.
PB92-112549 100,171
- HARMONIC GENERATION**
High Harmonic Generation in Hydrogenic Ions.
PB91-203778 101,699
- HARVARD/NIST VI COMPUTER PROGRAM**
Using the Harvard/NIST Mark VI Fire Simulation.
PB91-144394 100,095
- HAZARDOUS MATERIALS**
Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packagings.
PB92-126457 100,943
- HEALTH & SAFETY**
Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.
PB91-134700 101,132
- Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 100,040
- Visco-Elastic Deformation of Dental Porcelain and Porcelain-Metal Compatibility.
PB91-158493 100,042
- Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer.
PB91-158691 100,043
- Dental Biomaterials and Engineering Frontiers for the 90's.
PB91-159210 100,044
- Visibility of Exit Signs and Directional Indicators.
PB91-161984 100,083
- Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations.
PB91-174458 100,045
- Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
PB91-187666 101,314
- Protective Coatings for Tooth Crowns.
PB91-189555 100,047
- Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048
- Effects of pH and Calcium on Hydrolysis of Na₂SiF₆ and Na₂SnF₆: A Quasi-Constant Composition Titration Study.
PB91-194746 101,315
- Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054
- Corrosion Principles in Dental Implantology.
PB91-194787 100,055
- Adsorption and Orientation of Tetracycline on Hydroxyapatite.
PB91-195149 101,319
- Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049
- Development of an Adhesive System for Bonding to Hard Tooth Tissues.
PB91-236539 100,052
- Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.
PB91-237735 100,053
- Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process.
PB92-126689 101,316
- HEARING AIDS**
Correction for Converting 2-CM(3)-Coupler Responses to Insertion Responses for Custom in-the-Ear Non-Directional Hearing Aids.
PB91-174490 100,046
- HEART VALVE PROSTHESIS**
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056
- HEAT DISTRIBUTION SYSTEMS**
Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888
- HEAT ENGINES**
Ceramic Wear Maps.
PB91-189498 100,561
- Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091
- HEAT EXCHANGERS**
Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution.
PB91-174649 100,066
- Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas.
PB91-184804 101,734
- HEAT FLOW METERS**
Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates.
PB91-206730 100,933
- HEAT FLUX**
Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).
PB91-143297 100,094
- Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538
- Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
PB91-194696 100,126
- HEAT FLUX TRANSDUCERS**
Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
PB91-194696 100,126
- HEAT LOSS**
Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888
- Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
PB91-147082 100,057
- Design Heat Loss Factors for Basement and Slab Floors.
PB91-147561 100,059
- Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068
- HEAT MEASUREMENT**
Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888
- Combustion Calorimeters.
PB91-189233 100,340
- Temperature Gradient in Differential Scanning Calorimetry.
PB91-236570 100,414
- HEAT OF COMBUSTION**
Heat Release Rate: The Single Most Important Variable in Fire Hazard.
PB91-146977 100,097
- Energy of Combustion of Triphenylphosphate.
PB91-189613 100,347
- Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.
PB91-203794 100,548
- HEAT OF FORMATION**
Energy of Combustion of Triphenylphosphate.
PB91-189613 100,347
- Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357
- HEAT OF FUSION**
Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry.
PB91-150003 100,309
- HEAT OF IMMERSION**
Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173
- HEAT PIPES**
Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu.
PB91-195016 101,666
- HEAT PUMPS**
Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors.
PB91-174243 101,194
- Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants.
PB91-174516 100,891
- Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065
- Study of Flow Boiling Heat Transfer with Refrigerant Mixtures.
PB91-189563 101,196
- HEAT RELEASE RATE**
Heat Release Rate: The Single Most Important Variable in Fire Hazard.
PB91-146977 100,097
- HEAT RESISTANT ALLOYS**
Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544
- Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155
- HEAT RESISTANT MATERIALS**
Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091
- HEAT TRANSFER**
Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.
PB91-144410 100,890
- Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data.
PB91-159152 100,901
- Letter to the Editor, Fire Technology, Comments on T.Z. Harmathy Viewpoint, May 1985.
PB91-174797 100,545
- Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas.
PB91-184804 101,734
- Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
PB91-194464 101,050
- Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.
PB92-116326 100,454
- Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200
- Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370
- HEAT TRANSFER COEFFICIENT**
Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.
PB91-187278 100,121
- HEAT TREATMENT**
Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.
PB91-189464 101,156
- HELIUM**
Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.
PB91-144410 100,890
- Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium.
PB91-149203 101,617
- Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub< -sup>->) (3)He + (4)He(+).
PB91-149245 101,618
- Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
- HELIUM COMPLEXES**
Mode Specific Internal and Direct Rotational Predissociation in HeH⁺, HeDF⁺, and HeHCL⁺: van der Waals Complexes in the Weak Binding Limit.
PB91-148841 100,293
- HELIUM NEON LASERS**
Correlated Spontaneous Emission in a Zeeman Laser.
PB91-175596 101,417
- HENRY CONSTANT**
Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors.
PB91-147363 100,277
- HENRYS LAW**
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutions.
PB91-162081 100,319
- HEPES**
Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.
PB91-189282 100,196
- HEXACARBONYLMOLYBDENUM**
Photodissociation Dynamics of Mo(CO)₆ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413
- HEXANE**
Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839
- Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.
PB91-216689 100,131
- HEXANES**
Electrical Breakdown and Streamer Statistics in n-hexane under Uniform Field Conditions.
PB91-134684 100,837
- HEXENES**
Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
PB91-148247 101,242
- HIGH MAGNETIC FIELDS**
High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).
PB91-240762 101,718
- HIGH PRESSURE**
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.
PB91-147884 100,286

KEYWORD INDEX

HIGH PRESSURE OXYGEN

Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536

HIGH STRENGTH CONCRETES

Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990.
PB91-143321 100,522

Design of High Strength Cement-Based Materials. Part 2. Microstructure.
PB91-147439 100,099

HIGH STRENGTH STEELS

Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165

Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168

HIGH-TC SUPERCONDUCTORS

Superconducting Properties of Bi2-x-yPb_xSr_yCa₂Cu₃O_z.
PB91-162321 101,076

HIGH TEMPERATURE

Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246

HIGH TEMPERATURE SUPERCONDUCTORS

YBa₂Cu₃O₇-delta/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518

HIGH TEMPERATURE SUPERCONDUCTORS

High T(sub C) Superconductors: Are They Magnetic.
N91-20208/5 101,453

Current Supply for High-T(sub c) Superconductor Testing.
PB91-133827 101,455

Transport Critical Current of Aligned Polycrystalline YBa₂Cu₃O₇-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456

High T(sub c) Superconductors and the Critical Current Measurement.
PB91-134056 101,457

Fundamental and Harmonic Susceptibilities of YBa₂Cu₃O₇-delta.
PB91-134148 101,458

Modeling Potentials and Valences in the Y1Ba₂Cu₃O₇ Superconductor.
PB91-134254 101,459

Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides.
PB91-134262 101,460

Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor.
PB91-134270 101,461

Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors.
PB91-134478 101,462

Magnetization of Anisotropic Superconducting Grains.
PB91-134569 101,463

Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465

Strontium-Induced Oxygen Defect Structure and Hole Doping in La₂-xSr_xCuO₄.
PB91-148155 101,472

Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474

Possible 'Proximity Matrix' Route to High Current Conductors.
PB91-148932 101,476

Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480

Chemical Modification of the Orthorhombic Superconductor Ba₂YCu₃O₇-delta.
PB91-159053 101,486

Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487

Models for Oxygen Ordering and Diffusion in Ba₂YCu₃O_x and Ba₂YCu₃-yMyO_x (M = Fe, Co, Al, Ga).
PB91-175232 101,496

Levitation of Superconducting Composites.
PB91-187351 101,503

Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504

Magnetic Ordering of Er in Powder and Single Crystals of ErBa₂Cu₃O₇.
PB91-187377 101,505

Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension.

PB91-189506 101,507

Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508

Sputtered Thin Film YBa₂Cu₃O_n.
PB91-189647 101,509

Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La₂-xSr_xCuO₄.
PB91-189670 101,512

Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513

Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514

Current Record in Superconductors.
PB91-194753 101,521

Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient R₂Ba₂Cu₃O₆+ x.
PB91-194894 101,524

Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526

Wigner-Seitz Local-Environment Study of the High Tc Superconductors.
PB91-195115 101,528

Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films.
PB91-195594 101,534

Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535

Switching in High-Tc Superconductor Current Transport Measurements.
PB91-203117 101,539

Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides.
PB91-203604 101,543

Atomic Fingerprint of YBa₂Cu₃O₇-x-Type High-Temperature Superconductors Observed by Field Ion Microscopy.
PB91-203612 101,544

Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545

Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547

Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba₂(CuO_{0.97}Fe_{0.03})O₇-x.
PB91-237545 101,558

Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O₇-x.
PB91-237552 101,559

Oxides and Oxide Superconductors: Elastic and Related Properties.
PB92-112333 101,563

Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors.
PB92-116565 101,564

Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566

Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-Tc Superconductors.
PB92-116730 101,567

HIGH TEMPERATURE TESTS

High Temperature Creep Testing of Ceramics.
PB91-202838 101,088

Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.
PB92-148204 100,480

HOLE MOBILITY

Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.
PB91-236968 101,550

HOLES (MECHANICS)

Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.
PB91-187187 101,228

HOLMIUM PALLADIUM STANNIDES

Crystal-Field Splittings in the Cubic Heusler Alloys HoPd₂Sn and ErPd₂Sn.
PB91-194902 101,525

HOSPITALS

Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers.
PB91-159038 100,109

HOT PLATES

Design and Fabrication of a Miniature High-Temperature Guarded-Hot-Plate Apparatus.
PB92-116797 101,098

HOT STARS

Photospheres of Hot Stars. 4. Spectral Type O4.
PB91-149849 100,025

HOUSINGS

Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.

AD-A227 836/4 100,744

HR 5110 STARS

Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020

HUMAN FACTORS ENGINEERING

Visibility of Exit Directional Indicators.
PB91-184762 101,000

HUMIDITY MEASUREMENT

Surface Acoustical Wave Spectroscopy for High Humidity Sensing.
PB91-158816 100,843

NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520

HVAC SYSTEMS

Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report.
PB91-144386 100,889

Prototype Expert System for Diagnosing Moisture Problems in Houses.
PB91-159079 100,062

BACnet Communication Protocol for Building Automation Systems.
PB91-187286 100,069

Rule-Based Diagnostic Method for HVAC Fault Detection.
PB91-194936 100,072

Measurement and Evaluation of Lighting/HVAC Interaction.
PB91-206706 100,892

HYDRATION

Computer Simulated Hydration of a Cement Model.
PB91-162149 100,112

Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model.
PB91-187179 100,529

Hydration of Carbon Dioxide: The Structure of H₂O-H₂O-CO₂ from Microwave Spectroscopy.
PB91-237172 100,428

HYDRAZINE

Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378

HYDRAZINES

Slow Electron Transfer Reactions between Alkylhydrazines.
PB91-147785 100,284

Oxidation of Organic Compounds by Active Manganese Dioxide.
PB91-174730 100,218

HYDROCARBON FUELS

Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877

HYDROCARBONS

Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
PB92-108927 100,887

HYDRODYNAMICS

Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300

HYDROGEN

Close-Coupling Calculation for the (2)(Sigma sub u)(+) State of (H sub 2)(+).
PB91-148684 101,614

Dispersion of the Electronic Contribution to the Third-Order Nonlinear Susceptibility of H₂.
PB91-149138 101,411

Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The Schx System.
PB91-158485 101,217

Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331

Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
PB91-159255 100,380

Near-Threshold Vibrational Excitation of H₂ by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679

Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames.
PB91-237024 100,553

Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.
PB92-116508 100,455

HYDROGEN BONDED COMPLEXES

Rovibrational Analysis of the nu(11) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437

HYDROGEN BONDS

H₂O₂: Spectroscopy, Structure and Dynamics.
PB91-162057 100,316

Hydrogen Bonding in Pt Ammine Complexes.

KEYWORD INDEX

INDIUM PHOSPHIDES

- PB91-189639 100,348
Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation.
PB91-203547 100,400
Multiple Intermolecular Bend Vibrational Excitation of a Hydrogen Bond: An Extended Infrared Study of OCOHF.
PB91-203703 100,404
Rovibrational Analysis of the $\nu_7(1)$ Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- HYDROGEN CYANIDE**
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140
Rovibrational Analysis of the $\nu_7(1)$ Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- HYDROGEN FLUORIDE**
Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer.
PB91-203844 100,406
Rovibrational Analysis of the $\nu_7(1)$ Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
- HYDROGEN IONS**
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263
- HYDROGEN IONS 1 MINUS**
Cross Sections and Swarm Coefficients for H^+ , H_2^+ , H_3^+ , H , H_2 , and H -in H_2 for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597
- HYDROGEN IONS 1 PLUS**
Cross Sections and Swarm Coefficients for H^+ , H_2^+ , H_3^+ , H , H_2 , and H -in H_2 for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings.
PB91-195065 100,375
- HYDROGEN IONS 2 PLUS**
Cross Sections and Swarm Coefficients for H^+ , H_2^+ , H_3^+ , H , H_2 , and H -in H_2 for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597
- HYDROGEN IONS 3 PLUS**
Cross Sections and Swarm Coefficients for H^+ , H_2^+ , H_3^+ , H , H_2 , and H -in H_2 for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597
- HYDROGEN-LIKE IONS**
High Harmonic Generation in Hydrogenic Ions.
PB91-203778 101,699
- HYDROGEN PEROXIDE**
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
PB91-187104 101,330
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.
PB91-187112 101,331
Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336
- HYDROGEN SULFIDE**
Direct Determination of Molecular Orbital Symmetry of H_2S Using Polarized X-ray Emission.
PB91-175562 100,335
- HYDROGEN SULFIDES**
Multireference-Configuration Interaction (MR-CI) Calculations on $HS(2^+)$ and Experimental Observation via Electron Impact Ionization of H_2S .
PB91-148924 100,295
- HYDROGEN TRASFER**
Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO_4^- Alkanes and Ethers.
PB91-203232 100,394
- HYDROGENIC IONS**
High Harmonic Generation in Hydrogenic Ions.
PB91-203778 101,699
- HYDROLYSIS**
Effects of pH and Calcium on Hydrolysis of Na_2SiF_6 and Na_2SnF_6 : A Quasi-Constant Composition Titration Study.
PB91-194746 101,315
- HYDROSOLS**
Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351
- HYDROTHERMAL SYSTEMS**
Thermodynamic Properties of Aqueous Solutions at High Temperatures: Needs, Methods, and Challenges.
PB91-204065 100,410
- HYDROXY COMPOUNDS**
Adsorption and Orientation of Tetracycline on Hydroxypalite.
PB91-195149 101,319
- HYDROXY RADICALS**
Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330
- HYDROXYL COMPOUNDS**
Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.
PB91-237636 100,432
- HYDROXYL RADICALS**
Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.
PB91-147447 100,216
Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.
PB91-147710 100,283
 $H + O_3$ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH ($X(2) \Pi$) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297
Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.
PB91-189365 101,304
High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408
Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325
- HYGROMETERS**
NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520
- HYPERCUBE MULTIPROCESSORS**
Performance Evaluation of Hypercube Applications: Using a Global Clock and Time Dilation.
PB91-222588 100,653
- HYPERTEXT**
Functional Meta-Structure for Hypertext Models and Systems.
PB91-236687 100,655
Book Review: Hypertext Hands-On.
PB91-237040 100,656
Linking Information to Objects: A Hypertext Prototype for Numismatists.
PB91-237057 100,657
- HYPOXANTHINES**
Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306
- ICOSAHEDRONS**
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the $Al_{73}Mn_{21}Si_6$ Quasiperiodic Structure.
PB91-174771 101,226
- IGNITION**
Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536
- IGNITION TEMPERATURE**
Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544
- ILLUMINATING**
Conference Coverage: Papers Presentations Shine.
PB91-158535 100,061
Dealing with Obvious Issues in Lighting.
PB91-237792 100,761
Light Source Area, Shading, and Glare.
PB91-237818 100,080
Role of Theory in Lighting Research and Design.
PB91-237826 100,081
- ILLUMINATING**
Effect of Veiling Relections on Vision of Colored Objects.
PB91-237800 100,079
- IMAGE ANALYSIS**
Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
PB91-187666 101,314
Analysis of Optical Flow Estimation Using Epipolar Plane Images.
PB92-112564 100,703
- IMAGE PROCESSING**
Some Algorithms for Approximating Convolutions.
PB91-175281 101,258
Application of the PIPE Image Processing Machine to Scanning Microscopy.
PB91-203190 101,034
Geometric Reasoning for Constructing 3D Scene Descriptions for Images.
PB91-237677 100,714
Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604
- IMAGE QUALITY INDICATORS**
Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018
- IMAGE RECONSTRUCTION**
Cross-Validation Procedure for Stopping the EM Algorithm and Deconvolution of Neutron Depth Profiling Spectra.
PB91-161976 101,627
Integration-Based Method for Depth Estimation.
PB92-112275 100,701
Three Dimensional Reconstruction from Optical Flow Using Temporal Integration.
PB92-112507 100,702
Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction.
PB92-116623 101,295
- IMAGES**
Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.
PB91-203653 101,546
- IMAGING TECHNIQUES**
Mossbauer Imaging.
PB91-203745 101,294
New Approach to Image Modeling and Edge Detection in the SEM.
PB91-203752 100,811
- IMMUNOASSAY**
Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291
- IMMUNOSENSORS**
Planar Waveguide Optical Immunosensors.
PB91-174565 101,284
- IMPACT ECHO TECHNIQUE**
Impact-Echo: A New Method for Inspecting Construction Materials.
PB92-116557 100,140
- IMPACT-ECHO TESTS**
Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.
PB91-175224 101,584
- IMPLANTS**
Corrosion Principles in Dental Implantology.
PB91-194787 100,055
- IN VIVO**
Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325
- INCLUSIONS**
Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.
PB91-158980 101,148
- INDENTATION**
Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
- INDEXES (DOCUMENTATION)**
Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).
PB91-148494 100,959
Building Technology Publications 1986-1989.
PB91-216820 100,160
- INDIUM ANTIMONIDES**
Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).
PB91-195750 101,537
- INDIUM INORGANIC COMPOUNDS**
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromindate Monohydrate Salt $(NH_4)_2 InBr_5 \cdot H_2O$ from 7.8 to 348 K.
PB91-149831 100,304
- INDIUM OXIDES**
Transparent Thin Film Thermocouple.
PB91-190116 100,783
- INDIUM PHOSPHIDES**
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468
Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn.
PB91-195578 101,532

KEYWORD INDEX

INDOOR AIR POLLUTION

- Ventilation System Performance Evaluation Using Tracer Gas Techniques.
PB91-147876 100,060
- Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment.
PB91-167353 100,905
- Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909
- Indoor Ventilation Requirements for Manufactured Housing.
PB91-206698 100,075

INDOOR AIR QUALITY

- Multi-Zone Dispersal Analysis by Element Assembly.
PB91-187146 100,907
- User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multizone Buildings.
PB91-206722 100,910

INERT ATMOSPHERES

- Hermetically Sealed Inert Atmosphere Cell for X-ray Powder Diffraction.
PB91-147983 101,062

INERTIA

- Letter to the Editor, Fire Technology, Comments on T.Z. Harmathy Viewpoint, May 1985.
PB91-174797 100,545

INFILTRATION

- Airtightness of Office-Building Envelopes.
PB91-175307 100,067

INFINITE DILUTION

- Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319

INFORMATION CENTERS

- NIST Serial Holdings, 1991.
PB91-171330 100,960

INFORMATION DISSEMINATION

- FIREDOC Users Manual, 2nd Edition.
PB91-178830 100,547

INFORMATION PROCESSING

- Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile.
PB91-184812 101,345

INFORMATION RESOURCE DICTIONARY SYSTEM

- Prototyping the IRDS: An Airport Application.
PB92-112580 101,740

INFORMATION RETRIEVAL

- Overview of the Product Data HyperStandard CD-ROM Prototype.
PB91-132258 101,380
- FIREDOC Users Manual, 2nd Edition.
PB91-178830 100,547
- Development of an Optical Disk System for the Automated Retrieval of EASEAR Records.
PB92-108943 100,666

INFORMATION SECURITY

- National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook.
PB91-187781 100,707

INFORMATION SERVICES

- STEP On-Line Information Service User's Guide. National PDES Testbed Report Series.
PB91-157123 100,950
- Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.
PB92-109016 100,954

INFORMATION SYSTEMS

- Guideline: American National Dictionary for Information Systems. Category: Software; Subcategory: Documentation.
FIPS PUB 11-3 100,956
- Use of the IRDS Standard in CALS (Revised).
PB91-132209 100,684
- Overview of the Product Data HyperStandard CD-ROM Prototype.
PB91-132258 101,380
- Information Systems Engineering Program.
PB91-134635 100,685
- Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service.
PB91-203968 100,207
- Linking Information to Objects: A Hypertext Prototype for Numismatists.
PB91-237057 100,657
- Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties.
PB91-237693 100,434
- Guide to Schema and Schema Extensibility.
PB92-126556 100,955

INFRARED DETECTORS

- HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766

INFRARED EQUIPMENT

- Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
PB91-147082 100,057

INFRARED MAPPING

- Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.
PB91-187187 101,228

INFRARED SOURCES

- Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
PB91-148999 100,748

INFRARED SPECTRA

- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO(+), C2O2(+), and C2O2(-).
AD-A239 729/7 100,250
- Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
PB91-203273 100,395
- Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423
- Perpendicular Bands of Cyclopropane in the 3.5μm Region.
PB91-237016 100,424
- High-Resolution Infrared Spectrum of the ν₁ Band of OC1O.
PB92-117175 100,463

INFRARED SPECTROSCOPY

- Strategy for Chemical Analysis of Alternative Refrigerants.
PB91-148502 100,185
- Infrared Spectroscopy Applied to Atmospheric Chemistry.
PB91-175539 100,906
- Spectroscopic Constants for the ν₉ Infrared Band of HNO₃.
PB91-189415 100,343
- Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules.
PB91-189803 101,424
- Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096

INFRARED THERMOGRAPHY

- Fundamentals and Applications of Infrared Thermography for Nondestructive Testing.
PB91-147132 101,009

INJECTION TESTING

- Simultaneous versus Independent Injection Testing of Nonlinear Multiport Systems.
PB91-203885 100,857

INKS

- Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182
- Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation.
PB91-194456 100,499

INNER-SHELL IONIZATION

- Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665
- Inner-Shell Ionization Cross Sections.
PB91-195479 100,203

INORGANIC MATERIALS

- Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.
PB91-148817 100,186

INORGANIC PHOSPHATES

- Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.
PB91-147041 100,272

INORGANIC POLYMERS

- Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048

INORGANIC SILICATES

- Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey.
PB91-174680 101,359

INSPECTION

- Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340

INSTABILITY

- Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235

INSTALLING

- Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.
PB91-240754 100,659

INSTITUTE FOR NUMERICAL ANALYSIS

- NBS-INA. The Institute for Numerical Analysis. UCLA 1947-1954.

PB92-112408

101,264

INSTRUCTORS

- Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349

INSTRUMENTATION & EXPERIMENTAL METHODS

- Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.
AD-A227 836/4 100,744
- High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
AD-A243 093/2 101,449
- Transmission Electron Microscopy of the CVD Diamond Film/Substrate Interface.
AD-A243 096/5 101,450
- Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films.
AD-A243 220/1 101,451
- Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
- Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.
DE91016274 101,205
- Integrity tests for high-(T_c) and conventional critical-current measurements systems.
DE91016275 101,452
- High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.
N91-21361/1 100,924
- Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.
PB91-133868 100,834
- Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem.
PB91-134411 100,920
- High-Resolution, Tunneling-Stabilized Magnetic Imaging and Recording.
PB91-134486 101,600
- Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
- Lunar Gravitational Wave Antenna Using a Laser Interferometer.
PB91-134643 101,603
- Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182
- Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations.
PB91-147025 100,880
- Stabilization Techniques for Spinning Rotor Gage Residual Drag.
PB91-147108 100,922
- Fundamentals and Applications of Infrared Thermography for Nondestructive Testing.
PB91-147132 101,009
- Low-Temperature, Electrically Calibrated SOS Bolometer for Power and Energy Measurements.
PB91-147181 100,787
- High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
- SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923
- Workloads, Observables, Benchmarks and Instrumentation.
PB91-147660 100,598
- Progress in Uniform Field Eddy Current Methods.
PB91-147751 101,039
- Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Fiber Laser-Amplifier.
PB91-148007 101,408
- Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250
- Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.
PB91-148791 100,881
- Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
- Applied Electric Fields for Downstream Processing.
PB91-149161 100,299
- Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300
- Surface Acoustical Wave Spectroscopy for High Humidity Sensing.
PB91-158816 100,843

KEYWORD INDEX

INVENTIONS

- Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
- Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
- Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode.
PB91-174250 101,004
- Improved Optical Diffraction Strain Measurement System.
PB91-174433 101,581
- Correction for Converting 2-CM(3)-Coupler Responses to Insertion Responses for Custom in-the-Ear Non-Directional Hearing Aids.
PB91-174490 100,046
- Planar Waveguide Optical Immunosensors.
PB91-174565 101,284
- Use of Birefringent Coatings in Fracture Mechanics.
PB91-174599 101,582
- Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field.
PB91-174615 100,751
- Instrumentation of X-ray Beam Lines with PIN Diode Detectors.
PB91-174888 101,633
- High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929
- Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.
PB91-175109 100,753
- Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.
PB91-175158 100,754
- Overview of Facilitated Transport Membrane Systems.
PB91-175463 100,228
- Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.
PB91-175570 100,560
- Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas.
PB91-184804 101,734
- Enhanced Transport and Liquid Membranes in Bioseparations.
PB91-189886 101,287
- Microchannel-Plate Detection Systems for Low Accelerated Voltage SEM.
PB91-189928 101,515
- Comparison of Standard Test Methods for Non-Lubricated Sliding Wear.
PB91-190017 101,187
- Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018
- Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
PB91-194464 101,050
- Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230
- Frequency Stabilization of an Erbium-Doped Fiber Laser: A Potential Wavelength Standard for Optical Communications.
PB91-203091 100,570
- Note on the Precision Cementing of Small Optical Components.
PB91-203158 101,428
- Capacitance versus Stylus Measurements of Surface Roughness.
PB91-203463 101,020
- Integrated-Optic Waveguide Glass Lasers.
PB91-203976 100,758
- High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
- Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-216739 100,813
- Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- Thin and Composite High-Flux Membranes of Perfluoro-sulfonated Ion-Exchange Polymer.
PB91-236653 100,512
- Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Malodextrin Mixtures.
PB91-237230 100,231
- Characterization of Capacitive Array for NDE Applications.
PB91-237305 100,946
- Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials.
PB91-237610 100,948
- Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.
PB92-116326 100,454
- Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170
- Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.
PB92-116771 100,768
- Design and Fabrication of a Miniature High-Temperature Guarded-Hot-Plate Apparatus.
PB92-116797 101,098
- Advanced Sensing of Materials Processing.
PB92-117423 100,949
- Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packagings.
PB92-126457 100,943
- INSULATING BOARDS**
Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
PB92-117357 101,102
- INTAGLIO**
Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation.
PB91-194456 100,499
- INTAGLIO INK**
Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182
- INTEGRATED CIRCUITS**
Current Density Dependence of Electromigration t50 Enhancement Due to Pulsed Operation.
PB91-134692 100,786
- Thermal Characterization of Integrated Circuits - A Tutorial.
PB91-147819 100,789
- Thermal Measurements of VLSI Packages: A Critical Review.
PB91-147827 100,790
- MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794
- Measurement of Capacitance on Wafers.
PB91-149120 100,795
- Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.
PB91-174581 100,803
- Characterizing VLSI Processes Using Test Structures.
PB91-175000 100,804
- Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805
- Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816
- Metrology for the Semiconductor Industry.
PB91-240739 100,817
- Three-Dimensional Simulations of High-Resolution Photoresist Processing.
PB92-116466 100,818
- Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824
- Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828
- Measurement, Use, and Interpretation of TCR.
PB92-117282 100,831
- INTEGRATED OPTICS**
Integrated-Optic Waveguide Glass Lasers.
PB91-203976 100,758
- Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods.
PB91-204131 100,759
- INTEGRATED SERVICES DIGITAL NETWORK**
ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side.
PB92-102201 100,572
- INTELLIGENT BUILDINGS**
Intelligent Building Technology in Japan.
PB91-187757 100,071
- INTERACTIVE GRAPHICS**
Graphical Kernel System (GKS). Pascal Binding. Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1A 100,636
- INTERACTIVE SYSTEMS**
Multimedia Courseware in an Open Systems Environment: A Federal Strategy.
PB91-143362 100,039
- INTERCALATION**
Structure of a Stage-3 Cs - Graphite Intercalate.
PB91-134957 100,269
- INTERFACES**
Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.
FIPS PUB 100-1 100,672
- Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468
- Applied Electric Fields for Downstream Processing.
PB91-149161 100,299
- Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.
PB91-149294 101,477
- XPS and Auger Forward Scattering in Epitaxial Films.
PB91-174698 101,495
- Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991
- Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570
- INTERFACIAL TENSION**
Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment.
N91-213477/0 101,206
- Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
- INTERFEROMETERS**
Analytic Solution for the Three-Layer Multiple Beam Interferometer.
PB91-162107 101,007
- INTERFEROMETRY**
X-ray Interferometry and gamma-ray Wavelengths.
PB91-158642 101,484
- INTERLABORATORY COMPARISONS**
Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations.
PB91-149948 101,143
- Comparison of Standard Test Methods for Non-Lubricated Sliding Wear.
PB91-190017 101,187
- Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- INTERNATIONAL COOPERATION**
International Co-operation: The Versailles Project on Advanced Materials and Standards.
PB91-159137 101,191
- VAMAS Bulletin.
PB91-159145 101,192
- International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB91-204040 101,251
- INTERNATIONAL SYSTEM OF UNITS**
International System of Units (SI)--Translation.
PB92-109032 101,719
- Guide for the Use of the International System of Units: The Modernized Metric System.
PB92-116383 100,962
- Interpretation of the SI for the United States and Metric Conversion Policy for Federal Agencies.
PB92-126572 101,729
- INTERNATIONAL TRADE**
Domestic Implementation.
PB91-159061 100,176
- GATT Standards Code Activities of the National Institute of Standards and Technology 1990.
PB91-187823 100,177
- Meeting the Challenges of a Global Market - Construction Standards, Testing and Certification.
PB91-194811 100,090
- Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175
- INTERSTELLAR MATTER**
Studies of H I and D I in the Local Interstellar Medium.
PB91-148957 100,021
- INTERSTITIALS**
Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
- INVENTIONS**
Evaluation of Building Systems Inventions.
PB91-158659 100,896

KEYWORD INDEX

- Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250. PB91-178871 100,902
- Energy Related Inventions Program. A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 251 through 523. PB91-184770 100,903
- INVESTMENTS**
- Automat 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual. PB91-167700 100,978
- IODINE ATOMS**
- General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy. PB91-149385 100,302
- Diode Laser Probing of $I^*(2P_{1/2})$ Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath. PB91-150052 100,310
- ION BOMBARDMENT**
- Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment. PB91-148064 101,471
- Chemical Effects of Ne^+ Bombardment on the $MoS_2(0001)$ Surface Studied by High-Resolution Photoelectron Spectroscopy. PB91-203471 100,399
- ION CHROMATOGRAPHY**
- Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography. PB91-236646 100,035
- ION EXCHANGE MATERIALS**
- Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes. PB91-174805 100,323
- ION EXCHANGE RESINS**
- New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder. PB91-158717 100,311
- ION IMPLANTATION**
- Fe Implantation in $In_0.53Ga_{0.47}As/InP$. PB91-189969 101,516
- Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry. PB91-236596 100,208
- Round-Robin Study of Implants in Si and SiO_2 by SIMS, RBS, and NAA. PB92-117241 100,830
- ION MICROSCOPY**
- Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides. PB91-203596 101,542
- ION-MOLECULE COLLISIONS**
- Cross Sections and Swarm Coefficients for H^+ , H_2^+ , H_3^+ , H , H_2 , and H -in H_2 for Energies from 0.1 eV to 10 keV. PB90-244690 101,597
- Collisional Electron-Detachment and Ion-Conversion Processes in SF_6 . PB91-134528 100,836
- Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N_2 and Argon Ions and Neutrals in N_2 and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV. PB92-110246 100,452
- ION MOLECULE INTERACTIONS**
- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. $CO^+(+)$, $C_2O_2^+(+)$, and $C_2O_2^+(-)$. AD-A239 729/7 100,250
- ION MOLECULE REACTIONS**
- Proton Affinity of Cyanogen and Ion-Molecule Reactions of $C_2N_2^+(+)$. PB91-189902 100,352
- ION PLASMAS**
- Liquid and Solid Ion Plasmas. AD-A242 029/7 101,592
- Observation of Correlations in Finite, Strongly Coupled Ion Plasmas. PB91-200857 101,678
- ION SCATTERING**
- Critical Compilation of Surface Structures Determined by Ion Scattering Methods. PB90-244559 100,254
- ION STORAGE**
- Progress at NIST on Absolute Frequency Standards Using Stored Ions. PB91-159285 101,625
- Quantum Optics of Single, Trapped Ions. PB91-162123 101,628
- ION TRANSPORT**
- Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'. PB91-159236 101,623
- IONIC CONDUCTIVITY**
- Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of $MSnF_4$, $M = Pb, Ba, or Sr$, at Temperatures from 300 K to 660 K. PB92-116524 100,456
- IONIC PARTITIONING**
- Applied Electric Fields for Downstream Processing. PB91-149161 100,299
- IONIZATION**
- Resonance Enhanced Multiphoton Ionization Spectroscopy of $CHCl_2$ and $CDCl_2$. PB91-174870 100,328
- Spectroscopic Data Base for Carbon and Oxygen. PB91-237750 101,716
- Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame. PB92-117365 100,559
- IONIZATION CHAMBERS**
- Absorbed-Dose Calibration of Ionization Chambers in a ^{60}Co Gamma-Ray Beam. PB91-132290 101,598
- Status of Beta-Particle Calibration Studies at NBS. PB91-175265 101,636
- IONIZATION CROSS SECTIONS**
- Inner-Shell Ionization Cross Sections. PB91-195479 100,203
- IONIZING RADIATION**
- Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals. PB91-189373 101,338
- Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome. PB91-190108 101,321
- Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation). PB92-112481 101,721
- Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone. PB92-116672 100,018
- IONS**
- Applied Electric Fields for Downstream Processing. PB91-149161 100,299
- Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation. PB91-203547 100,400
- Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions. PB92-110147 100,443
- IRDS (INFORMATION RESOURCE DICTIONARY SYSTEM)**
- Use of the IRDS Standard in CALS (Revised). PB91-132209 100,684
- IRDS SYSTEM**
- Prototyping the IRDS: An Airport Application. PB92-112580 101,740
- IRIDIUM OXIDES**
- Instability in pH Measurements of Sputtered IrO_2 Films. PB91-147538 100,281
- Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins. PB91-189852 100,351
- IRON**
- Epitaxial fcc Fe Films on Cu(100). PB91-149328 101,478
- Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide. PB91-187104 101,330
- Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates. PB91-187112 101,331
- Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions. PB91-189217 101,336
- Fe Implantation in $In_0.53Ga_{0.47}As/InP$. PB91-189969 101,516
- Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus. PB91-195404 101,162
- Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase. PB91-200824 101,306
- Magnetic Properties of Iron/Silica Gel Nanocomposites. PB91-204073 101,110
- Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100). PB91-237420 101,555
- IRON ALLOYS**
- Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems. PB91-204156 101,238
- Low Temperature Magnetization and Magnetic Excitations in Amorphous $Fe_{78}B_{13}Si_9$. PB92-117464 101,573
- IRON COMPLEXES**
- Journal of Research of the National Institute of Standards and Technology. January-February 1991. Volume 96, Number 1. PB91-184853 100,220
- New Chemical and Stereochemical Applications of Organonitron Complexes. PB91-184861 100,221
- IRON COMPOUNDS**
- Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites. PB91-159178 101,117
- Change in Magnetic State of Fe^+ Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia. PB91-237321 101,129
- Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel. PB92-117332 101,131
- IRON IONS**
- Spectral Data and Grotrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI. PB90-244583 101,595
- IRON ORGANIC COMPOUNDS**
- Journal of Research of the National Institute of Standards and Technology. January-February 1991. Volume 96, Number 1. PB91-184853 100,220
- New Chemical and Stereochemical Applications of Organonitron Complexes. PB91-184861 100,221
- IRON OXIDES**
- Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity. PB91-194951 100,372
- ISDN (INTEGRATED SERVICES DIGITAL NETWORK)**
- North American ISDN Users' Forum Agreements on Integrated Services Digital Network. PB92-102219 100,573
- Security in ISDN. PB92-116391 100,718
- ISOBUTYL RADICALS**
- Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane. PB90-244534 100,252
- ISOMERS**
- Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes. PB90-244617 100,258
- Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series. PB90-244625 100,259
- ISOTHERMAL TREATMENT**
- Isothermal Phase Behavior of Ag_3SbS_3 , $ZnGeP_2$, and ZnS . PB91-187237 101,080
- ISOTHERMS**
- Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation. PB91-187385 100,496
- ISOTOPE RATIO**
- Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum. PB92-116789 101,361
- ISOTOPE REFERENCE MATERIALS**
- Silicon Reference Materials Certified for Isotope Abundances. PB92-126713 100,213
- ISOTOPIC COMPOSITION**
- Isotopic Compositions of the Elements 1989. PB92-148220 100,482
- ISOTOPIC LABELING**
- Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes. PB91-195347 100,908
- Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d5 Acid, and 3-Quinuclidinyl-(18)O, Benzilate-d5. PB91-237370 100,223
- ITERATIVE METHODS**
- Simplified Error Bounds for Newton's Rule. PB91-159046 101,257
- J INTEGRAL**
- Experimental and Numerical Studies of the J-Integral for a Surface Flaw. PB91-147256 101,576
- Jic Data Analysis with a 'Negative Crack Growth' Correction Procedure. PB91-175216 100,930
- JAPAN**
- U.S. Assessment of the New Diamond Technology in Japan. PB91-167395 101,107
- Intelligent Building Technology in Japan.

KEYWORD INDEX

LAUNCHING

PB91-187757	100,071	PB91-149922	100,525	LASER INDUCED DESORPTION	
JET FLOW		Raster Graphics Conformance Testing.		Laser Induced Desorption of Molecules from Surfaces.	
Ceiling Jet in Fires.		PB91-167296	101,341	PB91-147066	100,235
PB91-167197	100,114	Directory of Federal Government Laboratory Accreditation/Designation Programs.		LASER INDUCED FLUORESCENCE	
Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.		PB91-167379	100,005	Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.	
PB92-117191	100,558	Application of CCRL Data in the Development of Cement Standards.		AD-A227 296/1	100,242
JET MIXING FLOW		PB91-175315	100,119	Laser-Induced Fluorescence of CH ₄ in a Laminar CH ₄ /Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.	
Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets.		PB91-206748	100,010	PB91-237099	100,554
PB92-117183	100,014	Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).		LASER MICROPROBE MASS SPECTROSCOPY	
Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.		PB91-222646	100,934	Use of Single Particle Standards for LAMMA Calibration.	
PB92-117209	100,015	Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).		PB91-147777	100,183
JOINTS (ANATOMY)		PB92-112481	101,721	LASER RADIATION	
Self-Adjustment of a Robot Joint Controller.		LABORATORY ACCREDITATION		Laser Measurements.	
PB91-158568	101,027	Laboratory Accreditation in the United States.		PB91-149195	101,412
JOSEPHSON JUNCTIONS		PB91-194415	100,172	Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy.	
Noise-Affected I-V Curves in Small Hysteretic Josephson Junctions.		Activities of the Construction Materials Reference Laboratories Related to Laboratory Accreditation.		PB91-203984	101,430
PB91-174912	100,782	PB91-203836	100,531	New Triple Correlation Technique for Measuring Ultra-short Laser Pulses.	
Sidelobe Suppression in Small Josephson Junctions.		LAMB SHIFT		PB91-237156	101,434
PB91-195446	100,784	Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium.		LASER SPECTROSCOPY	
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.		PB91-149203	101,617	Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.	
PB91-237180	101,551	LAAMELLAR STRUCTURE		PB91-237032	100,425
Voltage Calibration Systems Using Josephson Junction Arrays.		Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers.		LASERS	
PB92-116516	100,868	PB91-147231	100,484	Laser Measurements.	
JUNCTION POTENTIAL		LAMINAR FLOW		PB91-149195	101,412
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths.		Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.		LASERS & THEIR APPLICATIONS	
PB91-237859	100,438	PB91-222679	101,395	Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.	
KEROSENE		LAMINATES		AD-A207 806/1	101,398
Velocity and Droplet Size Measurements in a Fuel Spray.		Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates.		Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.	
PB91-147934	100,539	PB91-147090	101,116	AD-A227 296/1	100,242
Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.		LANDING AIDS		NIST-NRL Free-Electron Laser.	
PB91-195487	100,229	Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.		AD-A227 310/0	101,399
KILOGRAM		PB92-112226	101,739	Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.	
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.		LANGUAGE BINDING		AD-A227 868/7	100,234
PB91-237115	101,710	Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics.		Modulatable Narrow-Linewidth Semiconductor Lasers.	
KINETICS		FIPS PUB 120-1B	100,674	PB91-134106	101,404
Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.		LANTHANUM COMPLEXES		Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.	
PB91-200865	101,538	Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate.		PB91-147306	100,538
KNOCK-OUT REACTIONS		PB91-203034	100,392	Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media.	
Possible (e,e'2N) Studies at CEBAF.		LANTHANUM STRONTIUM CUPRATES		PB91-147868	101,407
PB91-147587	101,612	Strontium-Induced Oxygen Defect Structure and Hole Doping in La ₂ -xSr _x CuO ₄ .		Laser Induced Damage in Optical Materials: 1989.	
KNOWLEDGE BASES (ARTIFICIAL INTELLIGENCE)		PB91-148155	101,472	PB91-148478	101,409
Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.		Initial Stages of Degradation of Superconductor Surfaces: O ₂ , H ₂ O, CO ₂ and CO Chemisorption on La ₂ -xSr _x CuO ₄ .		Laser Diagnostics for Characterization of Fuel Sprays.	
PB91-189571	100,709	PB91-189670	101,512	PB91-149013	100,541
KREBS CYCLE		LARGE SPACE STRUCTURES		Laser Measurements.	
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.		Probe Waveforms and the Reconstruction of Structural Dynamic Green's Functions.		PB91-149195	101,412
PB91-192435	100,354	PB91-161950	101,737	Effects of Colored Pump Noise on Intensity Correlations of a Single Mode Dye Laser.	
Thermodynamics of the Krebs Cycle and Related Compounds.		LASER APPLICATIONS		PB91-189738	101,423
PB91-192468	100,357	Improved Optical Diffraction Strain Measurement System.		Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.	
KRYPTON		PB91-174433	101,581	PB91-195487	100,229
Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.		Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.		Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.	
PB91-133900	101,599	PB92-117365	100,559	PB91-202846	100,387
Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.		LASER ASSISTED COLLISIONS		Frequency Stabilization of a Tunable Erbium-Doped Fiber Laser.	
PB91-144410	100,890	Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra.		PB91-203109	101,427
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.		PB91-203307	101,690	Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra.	
PB91-187302	101,648	Cooled Ion Frequency Standard.		PB91-203307	101,690
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.		AD-A242 030/5	101,593	New Triple Correlator Design for the Measurement of Ultra-short Laser Pulses.	
PB91-187310	101,649	LASER DAMAGE		PB91-203802	101,429
Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.		Laser Induced Damage in Optical Materials: 1989.		PB91-203984	101,430
PB91-192559	100,366	PB91-148478	101,409	Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy.	
Energy Levels of Krypton, Kr I through Kr XXXVI.		LASER DRILLING		PB91-203984	101,430
PB92-148139	100,473	Acoustic Emission Monitoring of Laser Drilling.		Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.	
KRYPTON IONS		PB91-158527	101,218	PB91-236851	100,420
Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VIII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX).		LASER ENHANCED IONIZATION		Exploding Foil Photoionization X-ray Laser.	
PB91-195511	101,673	Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.		PB91-237065	101,433
Energy Levels of Krypton, Kr I through Kr XXXVI.		PB92-116755	100,210	CW Dye Lasers.	
PB92-148139	100,473	LASER FREQUENCIES		PB92-116896	101,438
LABELS		Accurate Frequency of the 119 μ m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy.		Diode Lasers and Their Application to Spectroscopy.	
Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.		PB91-134130	101,405	PB92-116904	101,439
PB92-112549	100,171	LASER HEATING		LAUNCHING	
LABORATORIES		Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.		Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.	
Pozzolan Programs of the Cement and Concrete Reference Laboratory.		PB91-144428	100,536	AD-A229 231/6	101,202

KEYWORD INDEX

- LAW (JURISPRUDENCE)**
Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.
PB92-112416 101,022
- LBIR FACILITY**
LBIR Facility User Handbook.
PB92-102185 101,435
- LEACHING**
Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans': Results of an Interlaboratory Comparison.
PB91-195321 101,161
- LEAD ACETATE**
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
- LEAD INORGANIC COMPOUNDS**
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
- LEAD TIN TELLURIDES**
High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- LEAD ZIRCONATE TITANATES**
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
PB91-187344 101,502
- LEAK DETECTORS**
Study of the Linearity of Transfer Leaks and a Helium Leak Detector.
PB91-147272 100,926
- LEAKAGE**
Airtightness of Office-Building Envelopes.
PB91-175307 100,067
- LEAVES (BOTANY)**
Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.
PB91-148817 100,186
- LENNARD-JONES POTENTIAL**
Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes.
PB91-195636 101,391
- LEVITATION MELTING**
Levitation Calorimetry.
PB91-158519 100,927
- LEVITATION**
Optical Levitation of Single Particles.
PB91-174987 101,634
- LIFE CYCLE COSTS**
DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual.
PB91-167288 100,897
Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers).
PB91-507970 100,898
Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709.
PB92-112515 100,899
- LIFT SLAB CONSTRUCTION**
Investigation of the Collapse of L'Ambiance Plaza.
PB91-204057 100,146
- LIGHT PULSES**
New Triple Correlation Technique for Measuring Ultra-short Laser Pulses.
PB91-237156 101,434
- LIGHT SCATTERING**
Determination of Fields Near a Silver Strip on a Glass Substrate.
PB91-147702 100,841
Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography.
PB91-187641 100,195
Bidirectional Scattering Distribution Function (BSDF): A Systematized Bibliography.
PB91-187674 101,421
- LIGHT SOURCES**
Light Source Area, Shading, and Glare.
PB91-237818 100,080
- LIGHT TRANSMISSION**
Algorithm and Computer Program for the Calculation of Envelope Curves.
PB91-158972 101,414
- LIGHTING SYSTEMS**
Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report.
PB91-144386 100,889
Second-Level Post-Occupancy Evaluation Analysis.
PB91-147140 100,058
Measurement and Evaluation of Lighting/HVAC Interaction.
PB91-206706 100,892
- LINE BROADENING**
Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory.
PB91-147504 101,442
- LINE SPECTRA**
Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms: A Critical Review of Selected Data for the Period 1983 through 1988.
PB91-192567 101,659
Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VIII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX).
PB91-195511 101,673
Asymptotic Expansions of the Kernel Functions for Line Formation with Continuous Absorption.
PB91-203240 101,688
- LINE WIDTH**
Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- LINEAR PROGRAMMING**
Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269
Convergence Behavior of Trajectories for Linear Programming.
PB91-204198 101,270
- LINEARITY**
Study of the Linearity of Transfer Leaks and a Helium Leak Detector.
PB91-147272 100,926
- LIPID PEROXIDATION**
8-Hydroxyguanine Content of Isolated Mitochondria Increases with Lipid Peroxidation.
PB91-189472 101,286
- LIPOSOMES**
Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291
- LIQUEFIED GASES**
Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
- LIQUID CHROMATOGRAPHY**
Trace Determination of Cr(VI) by LC/AAS with on-Line Preconcentration.
PB91-148148 100,184
Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
PB91-148858 100,187
Evaluation of Column Performance in Liquid Chromatography.
PB91-190041 100,199
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210
- LIQUID COLUMN CHROMATOGRAPHY**
Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162
- LIQUID CRYSTALS**
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444
- LIQUID FILMS**
Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210
- LIQUID HELIUM**
New Wide Range Equation of State for Helium.
PB91-162222 100,226
Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640
- LIQUID HYDROGEN**
Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.
PB92-116326 100,454
- LIQUID METALS**
Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment.
N91-21347/0 101,206
Levitation Calorimetry.
PB91-158519 100,927
High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.
PB91-194795 101,160
- LIQUID OXYGEN**
Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201
Transport Properties of Fluid Oxygen.
PB91-192484 100,359
- LIQUID PHASES**
Heat Capacities of Organic Compounds in Liquid State. 2. C1 to C18 n-Alkanes.
PB92-110204 100,448
- LIQUID SCINTILLATORS**
Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes.
PB91-175547 101,644
- LIQUID-SOLID INTERFACES**
Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235
- LIQUID-VAPOR INTERFACES**
Effect of Long Range Interfacial Forces on the Dynamics of Wetting Layers at a Liquid Vapor Interface.
PB91-189431 100,344
- LIQUIDS**
Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks.
PB91-162263 101,388
Critical Exponent for the Viscosity of Four Binary Liquids.
PB91-187195 100,337
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354
Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2.
PB91-192450 100,356
Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178
ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD. on July 15-18, 1991.
PB91-216838 100,552
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.
PB92-148105 100,470
- LITHIUM ALLOYS**
Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201
Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204
Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137
- LOADS (FORCES)**
Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165
- LOCAL AREA NETWORKS**
Synchronizing Computer Clocks Using a Local Area Network.
N91-25793/1 100,596
Conformance Verification of FDDI Stations.
PB91-148254 100,747
- LOCI**
Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.
PB91-195263 101,390
- LOGISTICS SUPPORT**
Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS).
PB91-158832 101,339
NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990.
PB91-194506 101,348
- LOGNORMAL DISTRIBUTION**
Estimators for Censored (Log)Normal Samples.
PB91-203414 101,277
- LORENTZ CURVES**
Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407
- LOW BACKGROUND INFRARED CALIBRATION FACILITY (LBIR)**
LBIR Facility User Handbook.
PB92-102185 101,435
- LOW CARBON STEELS**
Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties.
N91-20218/4 101,144
Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155
- LOW LEVEL RADIOACTIVE WASTES**
Model Validation at the Las Cruces Trench Site.
NUREG/CR-5716 101,368
- LOW TEMPERATURE**
Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163

KEYWORD INDEX

LOW TEMPERATURE SCIENCE & ENGINEERING

- Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201
- Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
- Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2.
AD-A231 830/1 101,203
- Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.
PB91-144410 100,890
- Hydrogen Slush Production with a Large Auger.
PB91-147199 100,275
- Review of Pulse Tube Refrigeration.
PB91-147942 101,046
- Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.
PB91-158980 101,148
- Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
- Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.
PB91-175372 101,151
- Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640
- Discontinuous Yielding during Tensile Tests at Low Temperatures.
PB91-189977 101,159
- Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545
- Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.
PB91-203653 101,546
- Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume.
PB91-203877 101,051
- Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165
- Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709
- Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
- Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168
- Oxides and Oxide Superconductors: Elastic and Related Properties.
PB92-112333 101,563
- Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052
- ### LOW TEMPERATURE TESTS
- Discontinuous Yielding during Tensile Tests at Low Temperatures.
PB91-189977 101,159
- Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165
- Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
- Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168
- ### LUBRICANT ADDITIVES
- Mechanisms of Additive Effectiveness.
PB91-158808 101,172
- Mechanisms of Additive Effectiveness.
PB91-174862 101,174
- Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
PB91-203810 101,179
- Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180
- ### LUBRICANTS
- Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178
- ### LUBRICATING OILS
- Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173
- Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175

LUBRICATION

- Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176
- Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions.
PB91-189480 101,177
- ### LUNAR OBSERVATORIES
- Ground-Truth Observations of Stellar Surface Structure from the Lunar Surface.
PB91-175026 100,029
- Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
- ### LUNAR RANGEFINDING
- Lunar Laser Ranging.
PB91-203026 101,353
- ### LYSINE
- Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
- ### LYSOZYME
- Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230
- ### M1-TRANSITIONS
- Electric Quadrupole and Magnetic Dipole Transition Probabilities in Potassium Isolelectronic Sequence.
PB91-187088 101,646
- ### MACHINE LEARNING
- Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709
- ### MACHINE TOOLS
- Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling.
PB91-158675 101,040
- ### MACHINING
- Material Dependency of Chip-Form Detection Using Acoustic Emission.
PB91-149450 101,216
- Parser That Converts a Boundary Representation into a Features Representation.
PB91-203356 100,988
- ### MACROMOLECULES
- Mobility Fluctuations and Electrophoretic Light Scattering from Macromolecular Solutions.
PB91-189514 100,345
- ### MAGNESITE REFRACTORIES
- Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875
- ### MAGNESIUM
- Structure of Surface Films on Magnesium and on Magnesium Alloys.
PB91-147637 101,212
- Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442
- ### MAGNESIUM ALLOY AZ61
- Structure of Surface Films on Magnesium and on Magnesium Alloys.
PB91-147637 101,212
- ### MAGNESIUM IONS
- Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370
- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459
- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313
- ### MAGNESIUM OXIDES
- Journal of Physical and Chemical Reference Data, Volume 19, Number 1, 1990.
PB90-244526 100,251
- Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.
PB90-244542 100,253
- Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058
- Structure of Surface Films on Magnesium and on Magnesium Alloys.
PB91-147637 101,212
- ### MAGNETIC DETECTION
- Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field.
PB91-174615 100,751
- ### MAGNETIC DOMAINS
- Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.

MAGNIFICATION STANDARDS

- PB91-237289 101,554
- ### MAGNETIC FIELDS
- Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium.
PB91-143347 100,722
- High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
- Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
- Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields.
PB91-162248 100,872
- Measurements of Power Frequency Magnetic Fields Away from Power Lines.
PB91-175398 100,851
- High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).
PB91-240762 101,718
- Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- ### MAGNETIC IMAGING
- New Look at the Bitter Method of Magnetic Imaging.
PB91-203919 101,701
- ### MAGNETIC MATERIALS
- Change in Magnetic State of Fe + Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.
PB91-237321 101,129
- ### MAGNETIC MEASUREMENT
- High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
- Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields.
PB91-162248 100,872
- ### MAGNETIC ORDERING
- Magnetic Ordering of Er in Powder and Single Crystals of ErBa2Cu3O7.
PB91-187377 101,505
- Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RBa2Cu3O6 + x.
PB91-194894 101,524
- ### MAGNETIC PROPERTIES
- Cryogenic Properties of Copper (Wall Chart).
PB91-148189 101,473
- Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110
- ### MAGNETIC RECORDING
- High-Resolution, Tunneling-Stabilized Magnetic Imaging and Recording.
PB91-134486 101,600
- ### MAGNETIC STARS
- Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
PB91-175042 100,031
- ### MAGNETIC SUSCEPTIBILITY
- Fundamental and Harmonic Susceptibilities of YBa2Cu3O7-delta.
PB91-134148 101,458
- ### MAGNETIC TAPES
- Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 Inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge.
PB91-187542 100,690
- 3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks.
PB92-126549 101,381
- ### MAGNETIZATION
- Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100).
PB92-117415 101,572
- Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe78B13Si9.
PB92-117464 101,573
- ### MAGNETOMETERS
- Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep.
PB91-202911 101,681
- ### MAGNETOOPTICS
- High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
- ### MAGNETORESISTANCE
- Magnetoresistance of Multifilament Al/Al-Alloy Conductors.
PB91-134759 100,772
- Anomalous Magnetoresistance in Al/Al-Alloy Composite Conductors.
PB91-174748 101,631
- ### MAGNIFICATION STANDARDS
- Submicrometer SEM Magnification Standard.
PB91-159087 100,799

KEYWORD INDEX

- MAGNONS**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- MAMMALS**
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374
- MAN MACHINE SYSTEMS**
TROJ User's Guide.
PB91-157214 101,026
- MANGANESE ADDITIONS**
Structural Study of Electrodeposited Aluminum-Manganese Alloys.
PB91-189423 101,231
- MANGANESE ALLOYS**
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236
- MANGANESE OXIDES**
Oxidation of Organic Compounds by Active Manganese Dioxide.
PB91-174730 100,218
- MANIPULATORS**
Design and Implementation of a Five-Axis Robotic Micro-manipulator for Inserting Parts into Precision Collets.
PB91-159194 101,029
Generation of Smooth Trajectories without Planning.
PB91-217414 101,036
- MANUFACTURED HOUSING**
Indoor Ventilation Requirements for Manufactured Housing.
PB91-206698 100,075
- MANUFACTURING**
Innovation in Manufacturing Technology: A View from NBS.
PB91-148130 100,976
Research Tackles Automation Issues.
PB91-162230 101,005
Control Structure for Multi-Tasking Workstations.
PB91-203737 100,989
New Concepts of Precision Dimensional Measurement for Modern Manufacturing.
PB91-240812 101,006
- MANUFACTURING ENGINEERING LABORATORY**
Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.
PB92-123041 101,053
- MAPPING**
Real-Time Algorithms and Data Structures for Underwater Mapping.
PB91-195354 101,360
- MAPS**
Non-Linear Contour-to-Grid Digital Interpolation.
PB91-147678 101,351
- MARINE ENVIRONMENTS**
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377
- MARS SAMPLE RETURN MISSIONS**
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- MARS SURFACE SAMPLES**
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- MASONRY**
Review of Research Literature on Masonry Shear Walls.
PB91-167189 100,113
Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
PB92-116342 100,138
- MASS**
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710
- MASS SPECTRA**
CID Spectra of Selected Target Molecules.
AD-A243 170/8 100,180
- MASS SPECTROMETRY**
Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage.
PB91-202960 101,307
- MASS SPECTROSCOPY**
Instrument-Independent Tandem Mass Spectrometry Database for XQO Instruments: The Dynamical Prerequisites.
PB91-147694 100,181
Strategy for Chemical Analysis of Alternative Refrigerants.
PB91-148502 100,185
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197
- RESONANCE IONIZATION SPECTROSCOPY/RESONANCE IONIZATION MASS SPECTROMETRY DATA SERVICE.**
PB91-203968 100,207
- MASS TRANSFER**
Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300
Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426
- MATERIALS**
Factual Materials Databanks - The Need for Standards.
PB91-147546 101,249
International Co-operation: The Versailles Project on Advanced Materials and Standards.
PB91-159137 101,191
VAMAS Bulletin.
PB91-159145 101,192
Advanced Materials: Opportunities and Challenges.
PB91-204032 100,009
Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995
Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126424 101,252
- MATERIALS TESTS**
Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126
International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB91-204040 101,251
Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.
PB91-240804 100,532
National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253
- MATHEMATICAL MODELS**
Refinement of a Model for Fire Growth and Smoke Transport.
PB91-148510 100,104
Modelling Gallium Arsenide Transistors.
PB91-149989 100,797
Compartment Fire-Generated Environment and Smoke Filling.
PB91-158543 100,107
Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures.
PB91-158790 100,312
Analytical Model for the Refrigeration Power of the Office Pulse Tube Refrigerator.
PB91-187534 101,048
Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.
PB91-240804 100,532
Mathematical Modeling of Enclosure Fires.
PB92-108976 100,135
- MATHEMATICAL PROGRAMMING**
Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications.
PB91-148775 101,266
State-of-the-Art of Computational Testing of Mathematical Programming Algorithms.
PB91-174896 101,268
- MATHEMATICAL & STATISTICAL METHODS**
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114
Guide to Available Mathematical Software Problem Classification System.
PB91-132175 101,282
Israel's New Synchronized Time Scale, UTC(INPL).
PB91-134593 100,577
Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem.
PB91-144360 101,604
Orthogonal Distance Regression.
PB91-147017 101,272
Mechanism for High Strain-Rate Shear Band Formation.
PB91-147033 101,575
Stress Intensity Factors by Enriched Mixed Finite Elements.
PB91-147371 101,577
Global Stability of the Chaotic State Near an Interior Crisis.
PB91-147496 101,611
- CLOSURE AND PRECISION IN LEVEL-INDEX ARITHMETIC.**
PB91-147652 100,597
Non-Linear Contour-to-Grid Digital Interpolation.
PB91-147678 101,351
Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices.
PB91-147850 101,254
Certain Theorems on Bilateral Generating Functions Involving Hermite, Laguerre, and Gegenbauer Polynomials.
PB91-148759 101,256
Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications.
PB91-148775 101,266
Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.
PB91-149310 100,732
Algorithm Design for Large-Scale Computations.
PB91-149336 100,640
Linear Calibration When the Coefficient of Variation is Constant.
PB91-149443 101,273
Engineers' Statistical Literacy is Key to U.S. Competitiveness.
PB91-158725 100,038
Design and Analysis of Experiments.
PB91-158824 101,274
Explicit Mapping of the Set of Dynamical Symmetries onto the Set of Equivalent Lagrangians for Systems with One Degree of Freedom.
PB91-158881 101,622
Calibration with Working Standards.
PB91-158931 101,276
Simplified Error Bounds for Newton's Rule.
PB91-159046 101,257
Probe Waveforms and the Reconstruction of Structural Dynamic Green's Functions.
PB91-161950 101,737
Cross-Validation Procedure for Stopping the EM Algorithm and Deconvolution of Neutron Depth Profiling Spectra.
PB91-161976 101,627
Calculated from the Frequency Domain: An Update.
PB91-162388 100,578
DECSOL and ELLPACK: Problem-Solving Environments for Partial Differential Equations.
PB91-174441 100,645
Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.
PB91-174557 101,494
State-of-the-Art of Computational Testing of Mathematical Programming Algorithms.
PB91-174896 101,268
Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites.
PB91-174946 101,120
Some Algorithms for Approximating Convolutions.
PB91-175281 101,258
Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.
PB91-178848 100,157
Algorithms for Special Tridiagonal Systems.
PB91-187245 101,259
Analytical Model for the Refrigeration Power of the Office Pulse Tube Refrigerator.
PB91-187534 101,048
Convergence Properties of a Class of Rank-Two Updates.
PB91-187799 101,260
Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269
Measurement Reliability: The Detection of Nonlinearities.
PB91-189290 100,853
Replicate Measurements in the Interpretation of Environmental Monitoring.
PB91-189761 100,919
Experimentation and Measurement.
PB91-203372 101,692
Estimators for Censored (Log)Normal Samples.
PB91-203414 101,277
Nature of Collinearity.
PB91-203497 101,261
Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods.
PB91-204131 100,759
Convergence Behavior of Trajectories for Linear Programming.
PB91-204198 101,270
Portable Vectorized Software for Bessel Function Evaluation.
PB91-216598 100,652

KEYWORD INDEX

MEDICAL SUPPLIES

- Root Projection of One-Sided Time Series.
PB91-216754 101,262
- Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395
- Methods of Analyzing Planar Optical Waveguides.
PB91-236752 100,774
- OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0).
PB91-507954 101,278
- OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0.
PB91-507962 101,279
- Phase-Field Model for Isothermal Phase Transitions in Binary Alloys.
PB92-108992 101,240
- Optimization Techniques for Permittivity and Permeability Determination.
PB92-112325 100,865
- NBS-INA. The Institute for Numerical Analysis. UCLA 1947-1954.
PB92-112408 101,264
- Merit Function for Inequality Constrained Nonlinear Programming Problems.
PB92-116318 101,271
- Three-Dimensional Simulations of High-Resolution Photoresist Processing.
PB92-116466 100,818
- Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction.
PB92-116623 101,295
- Computing Delaunay Triangulations for Comet-Shaped Polygons.
PB92-123108 101,265
- Optimization Techniques for Permittivity and Permeability Determination.
PB92-126663 100,871
- Taguchi's Orthogonal Arrays Are Classical Designs of Experiments.
PB92-126671 101,280
- MATRICES**
- Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices.
PB91-147850 101,254
- Algorithms for Special Tridiagonal Systems.
PB91-187245 101,259
- MATRIX ISOLATION**
- Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
AD-A234 043/8 100,245
- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(1-).
PB91-236836 100,419
- MATRIX MATERIALS**
- Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
- MAUV (MULTIPLE AUTONOMOUS UNDERWATER VEHICLES)**
- Real-Time Algorithms and Data Structures for Underwater Mapping.
PB91-195354 101,360
- MEAN SPHERICAL APPROXIMATION**
- Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
- MEASUREMENT**
- Ventilation System Performance Evaluation Using Tracer Gas Techniques.
PB91-147876 100,060
- Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144
- Replicate Measurements in the Interpretation of Environmental Monitoring.
PB91-189761 100,919
- MEASUREMENT SCIENCE & TECHNOLOGY CALIBRATION**
- Study of the Linearity of Transfer Leaks and a Helium Leak Detector.
PB91-147272 100,926
- NIST High-Dose Calibration Services.
PB91-203257 101,689
- Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications.
PB91-203349 100,757
- Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
PB92-109024 100,935
- Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
PB92-112481 101,721
- NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520
- NIST Calibration Services Users Guide, 1991.
PB92-126416 100,936
- Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
- MEASUREMENT SCIENCE & TECHNOLOGY: PHYSICAL STANDARDS & FUNDAMENTAL CONSTANTS**
- Use of Diamond as an Optical Material.
AD-A243 097/3 101,401
- SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors.
PB91-134338 100,780
- State-of-the-Art in Pressure Metrology.
PB91-146993 101,038
- Adjustment of the Fundamental Physical Constants: A Report of the CODATA Task Group on Fundamental Constants, 1986.
PB91-147124 101,606
- Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539
- Determination of the Neutron Mass and Implications for Fundamental Constants.
PB91-148692 101,615
- NBS Quality Assurance Support: Current and Planned Services.
PB91-149088 101,012
- Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry.
PB91-150003 100,309
- Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625
- Uncertainty and Accuracy in Physical Measurements.
PB91-167205 101,629
- New Test of Quantum Mechanics: Is Planck's Constant Unique.
PB91-174755 101,632
- Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637
- Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
PB91-187682 100,567
- Dimensional Calibration of an NBS 0.3-mum-Diameter Particle-Sizing Standard.
PB91-203430 101,696
- NVLAP FY 90 Annual Report.
PB91-206748 100,010
- NIST Time and Frequency Services.
PB91-231605 100,585
- Resonating-Orthotropic-Cube Method for Elastic Constants.
PB91-236794 101,586
- Basic Standards and Fundamental Constants.
PB91-237594 101,715
- Guide for the Use of the International System of Units: The Modernized Metric System.
PB92-116383 100,962
- Voltage Calibration Systems Using Josephson Junction Arrays.
PB92-116516 100,868
- Differences between Thermodynamic Temperature and t(IPTS-68) in the Range 230C to 660C.
PB92-116722 101,725
- Modernized Metric System (Chart).
PB92-163864 100,939
- Brief History of Measurement Systems with a Chart of the Modernized Metric System.
PB92-163872 100,940
- Metric Conversion Card.
PB92-163880 100,941
- Metric Measures Up (Ruler).
PB92-163898 100,942
- MEASUREMENT SCIENCE & TECHNOLOGY: POLICY & STATE-OF-THE-ART SURVEYS**
- Measurement Quality Assurance.
PB91-149930 101,013
- Biodegradable Plastics: An Idea Whose Time Has Come.
PB91-150086 101,243
- Levitron Calorimetry.
PB91-158519 100,927
- VAMAS Bulletin.
PB91-159145 101,192
- NIST Reactor: Summary of Activities July 1989 through June 1990.
PB91-159772 101,488
- Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392
- Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
- International System of Units (SI)--Translation.
PB92-109032 101,719
- Magnetic Measurements for High Energy Physics Applications.
PB92-112358 101,720
- Interpretation of the SI for the United States and Metric Conversion Policy for Federal Agencies.
PB92-126572 101,729
- MEASURING INSTRUMENTS**
- Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991.
PB92-112424 101,023
- MEAT**
- Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones.
PB91-194720 100,017
- Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone.
PB92-116672 100,018
- MECHANICAL DEVICES**
- Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.
PB91-222596 100,990
- Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.
PB92-112234 100,993
- MECHANICAL MEASUREMENT**
- Mechanical Loss in a Glass-Epoxy Composite.
PB91-149435 101,070
- MECHANICAL OSCILLATORS**
- Thermal Noise in Mechanical Experiments.
PB91-149211 101,578
- MECHANICAL PROPERTIES**
- Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
- Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties.
N91-20218/4 101,144
- Computerization of a Thermomechanical Processing Research System.
PB91-175208 101,583
- MECHANICAL TESTS**
- Mechanical Testing Revitalized.
PB91-159004 100,928
- Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930
- MECHANICS**
- Explicit Mapping of the Set of Dynamical Symmetries onto the Set of Equivalent Lagrangians for Systems with One Degree of Freedom.
PB91-158881 101,622
- MECHANICS: DESIGN/TESTING/MEASUREMENT**
- Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574
- Experimental and Numerical Studies of the J-Integral for a Surface Flaw.
PB91-147256 101,576
- Mechanical Loss in a Glass-Epoxy Composite.
PB91-149435 101,070
- Acoustic Emission Monitoring of Laser Drilling.
PB91-158527 101,218
- Mechanical Testing Revitalized.
PB91-159004 100,928
- Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580
- Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930
- Process Quality Enhancement for Machine Tools: Measurements and Standards.
PB91-194993 101,019
- Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates.
PB91-202945 101,237
- Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741
- Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742
- Capacitive Array Sensors for Nondestructive Evaluation.
PB91-237313 100,947
- MEDICAL SUPPLIES**
- Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049

KEYWORD INDEX

MEETINGS

- Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990. PB91-132191 101,115
- Technical Digest-Symposium on Optical Fiber Measurements, 1990. PB91-132308 101,403
- Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990. PB91-143321 100,522
- Laser Induced Damage in Optical Materials: 1989. PB91-148478 101,409
- Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada. PB91-157198 100,641
- Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990. PB91-159723 100,643
- Proceedings of Cable '89 Workshop. PB91-161943 100,773
- Narrow-Gap Semiconductors and Related Materials. PB91-162313 101,492
- Chemistry of Electronic Ceramic Materials. PB91-178822 101,500
- Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD, USA, on May 12-14, 1990. PB91-184846 100,145
- Conformity Assessment Workshop on Electromagnetic Compatibility. PB91-192989 100,579
- Conformity Assessment Workshop on Pressure Vessels. PB91-192997 101,049
- Meeting of the Standards Working Group of the Joint U.S.-U.S.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991. PB91-194498 100,178
- Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991. PB91-216671 100,712
- ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD, on July 15-18, 1991. PB91-216838 100,552
- Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990. PB91-231563 100,078
- Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD, on January 22-23, 1991. PB92-109040 100,667
- Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA, on October 19-24, 1989. PB92-109164 100,166
- Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991. PB92-112267 100,668
- Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA, on July 14-19, 1991. PB92-112465 101,024
- Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems. PB92-123124 100,606
- MELTING POINTS**
- Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry. PB91-150003 100,309
- MELTS**
- Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics. PB91-236638 100,511
- MEMBRANE TRANSPORT**
- Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes. PB91-174805 100,323
- Overview of Facilitated Transport Membrane Systems. PB91-175463 100,228
- Thin and Composite High-Flux Membranes of Perfluoro-sulfonated Ion-Exchange Polymer. PB91-236653 100,512
- MEMBRANES**
- Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides. PB91-134544 101,283
- Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes. PB91-174805 100,323
- Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes. PB91-203935 100,128
- MERCURY**
- Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry.

- PB91-150003 100,309
- MERCURY CADMIUM TELLURIDES**
- High Spatial Resolution Mapping of Semiconductor Resistivity. PB91-194829 100,809
- Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of $E_g(x,T)$. PB92-117316 101,568
- MERCURY IODIDES**
- High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals. PB92-109008 101,562
- MERCURY IONS**
- Quantum Optics of Single, Trapped Ions. PB91-162123 101,628
- MERCURY (PLANET)**
- Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite. PB91-175166 101,736
- MERIT FUNCTIONS**
- Merit Function for Inequality Constrained Nonlinear Programming Problems. PB92-116318 101,271
- MESSAGE PROCESSING**
- Electronic Data Interchange in Message Handling Systems. PB91-216622 100,571
- METABOLISM**
- Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria. PB91-162271 100,883
- METAL ALKYL COMPOUNDS**
- Simultaneous Butylin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System. PB91-195040 100,918
- METAL CARBONYLS**
- Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics. PB91-149955 100,308
- METAL HYDRIDES**
- Properties of Amorphous Zirconium Rhodium Hydride (Zr3RhHx) Prepared from Glassy and Crystalline Alloys. PB91-174466 101,225
- Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions. PB92-110147 100,443
- METAL MATRIX COMPOSITES**
- Elastic Constants of a Tungsten-Particle Copper-Matrix Composite. PB91-194852 101,234
- Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach. PB91-204878 101,123
- METAL OXIDES**
- Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K. PB92-116813 101,112
- METAL PARTICLES**
- Core Hole Screening for Intermediate Size Metal Particles. PB91-203539 101,540
- METAL PLATES**
- Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates. PB91-159111 101,222
- Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates. PB91-202945 101,237
- METAL SHEETS**
- Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series. PB92-112523 100,970
- Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements. PB92-116615 101,170
- METAL SPINNING**
- Material Dependency of Chip-Form Detection Using Acoustic Emission. PB91-149450 101,216
- METALLIC GLASSES**
- Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems. PB91-204156 101,238
- METALLOID**
- Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems. PB91-204156 101,238
- METALLURGY**
- Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties. N91-20218/4 101,144
- Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.

- PB91-132225 101,207
- Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992). PB92-126515 101,171
- METALS**
- Literature Review of the Galling Process. PB91-134551 101,208
- Materials Research at the National Bureau of Standards. PB91-149039 101,214
- Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking. PB91-149047 101,133
- Concepts of Underground Corrosion. PB91-150078 101,134
- Acoustic Emission Monitoring of Laser Drilling. PB91-158527 101,218
- Corrosion Testing in Soil. PB91-158667 101,135
- Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass. PB91-158949 101,220
- Method for Quantitative Measurement of Galling Damage. PB91-159269 101,183
- Intercomparison Study of Rockwell Hardness Test Blocks. PB91-167338 101,224
- Ignition Characteristics of Selected SSME Alloys. PB91-174474 100,544
- Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns. PB91-187187 101,228
- High Purity Chemicals and Clean Rooms for Trace Metal Analysis. PB91-195156 100,200
- Microstructural Control Through Diffusion-Induced Grain Boundary Migration. PB91-236760 101,239
- Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms. PB91-237032 100,425
- Characteristics of Aerosols Produced by the Spark Discharge. PB91-237727 100,209
- Advanced Sensing of Materials Processing. PB92-117423 100,949
- METHAN**
- Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes. PB91-216689 100,131
- METHANATION**
- Influence of Sulfur on Methanation over Tungsten(110). PB91-149369 100,300
- Summary Abstract: The Influence of Sulfur on Methanation over W(110). PB91-149377 100,301
- METHANE**
- Viscosity Surface for Mixtures of Methane and Ethane. PB91-174763 100,322
- Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density. PB91-192500 100,361
- Laser-Induced Fluorescence of CH₃ in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates. PB91-237099 100,554
- New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa. PB92-148170 100,477
- METHANOL LASERS**
- Accurate Frequency of the 119 μ m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy. PB91-134130 101,405
- METHYL CHLORIDE**
- Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes. PB91-174995 100,329
- METHYL RADICALS**
- Laser-Induced Fluorescence of CH₃ in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates. PB91-237099 100,554
- METHYLENE CHLORIDE**
- Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane. PB91-200782 100,386
- METRIC SYSTEM**
- International System of Units (SI)--Translation. PB92-109032 101,719
- Guide for the Use of the International System of Units: The Modernized Metric System.

KEYWORD INDEX

MODELS

- PB92-116383 100,962
Interpretation of the SI for the United States and Metric Conversion Policy for Federal Agencies.
PB92-126572 101,729
- Modernized Metric System (Chart).
PB92-163864 100,939
- Brief History of Measurement Systems with a Chart of the Modernized Metric System.
PB92-163872 100,940
- METRICATION**
Metric Conversion Card.
PB92-163880 100,941
- METROLOGY**
GPS Time Transfer with Implementation of Selective Availability.
N91-25766/7 100,576
- Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB91-132266 100,833
- State-of-the-Art in Pressure Metrology.
PB91-146993 101,038
- Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.
PB91-147926 101,469
- MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794
- Center for Electronics and Electrical Engineering Technical Progress Bulletin Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar.
PB91-159749 100,801
- Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar.
PB91-184754 100,852
- Computer Vision Based Station for Tool Setting and Tool Form Measurement.
PB91-202978 101,043
- Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816
- Metrology for the Semiconductor Industry.
PB91-240739 100,817
- Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar.
PB92-112309 100,864
- Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB92-116375 100,867
- NIST Calibration Services Users Guide, 1991.
PB92-126416 100,936
- Journal of Research of the National Institute of Standards and Technology, September-October 1991. Volume 96, Number 5.
PB92-126614 100,212
- Slovak Metrological Society.
PB92-126721 100,938
- METROLOGY: PHYSICAL MEASUREMENTS**
Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment.
N91-21347/0 101,206
- Environmental Effects on the Medium and Long Term Frequency Stability of Quartz Oscillators.
PB91-134866 100,781
- Extending the Range and Accuracy of Phase Noise Measurements.
PB91-134874 100,588
- Submicrometer SEM Magnification Standard.
PB91-159087 100,799
- Gravitational Radiation Observations on the Moon.
PB91-175083 101,635
- Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636
- Journal of Research of the National Institute of Standards and Technology. January-February 1991. Volume 96, Number 1.
PB91-184853 100,220
- Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229
- Journal of Research of the National Institute of Standards and Technology. March-April 1991. Volume 96, Number 2.
PB91-187617 101,420
- Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
- Journal of Research of the National Institute of Standards and Technology. May-June 1991. Volume 96, Number 3.
PB91-216705 101,704
- New Concepts of Precision Dimensional Measurement for Modern Manufacturing.
PB91-240812 101,006
- Journal of Research of the National Institute of Standards and Technology. July-August 1991. Volume 96, Number 4.
PB92-110261 100,762
- Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397
- Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828
- Journal of Research of the National Institute of Standards and Technology, September-October 1991. Volume 96, Number 5.
PB92-126614 100,212
- Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590
- Slovak Metrological Society.
PB92-126721 100,938
- MICA**
Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micas.
PB91-174813 100,324
- MICROALLOYED STEELS**
Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155
- MICROANALYSIS**
Use of Single Particle Standards for LAMMA Calibration.
PB91-147777 100,183
- Inner-Shell Ionization Cross Sections.
PB91-195479 100,203
- MICROCHANNEL ELECTRON MULTIPLIERS**
Microchannel-Plate Detection Systems for Low Accelerating Voltage SEM.
PB91-189928 101,515
- MICROCOMPUTERS**
Agency Exploits Flexibility of Software in Moving Info.
PB91-159160 100,642
- Guide to Expert System Building Tools for Microcomputers.
PB92-108893 100,715
- MICROELECTRONICS**
Cratering.
PB91-203141 100,810
- Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar.
PB92-112309 100,864
- MICROFICHE**
Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media.
FIPS PUB 54-1 100,678
- MICROFILM**
Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media.
FIPS PUB 54-1 100,678
- MICROFORM**
Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media.
FIPS PUB 54-1 100,678
- MICROLITHOGRAPHY**
Three-Dimensional Simulations of High-Resolution Photoresist Processing.
PB92-116466 100,818
- MICRO RADIOGRAPHY**
Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
PB91-187666 101,314
- MICROSCOPY**
Techniques to Observe the Fracture Zone in Mortar and Concrete.
PB91-134189 100,521
- MICROSPHERES**
Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
- Calibration of the NBS 10um Space Beads.
PB91-203422 101,695
- Dimensional Calibration of an NBS 0.3-mum-Diameter Particle-Sizing Standard.
PB91-203430 101,696
- Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.
PB92-126655 100,937
- MICROSTRIP ANTENNAS**
Microstrip Patch Antenna as a Standard Transmitting and Receiving Antenna.
PB91-162156 100,591
- MICROSTRUCTURE**
Strength and Microstructure of Ceramics.
- AD-A243 049/4 101,056
- Design of High Strength Cement-Based Materials. Part 2. Microstructure.
PB91-147439 100,099
- Microstructure and Fracture at the Cement Paste-Aggregate Interface.
PB91-148072 100,523
- Computer Simulated Hydration of a Cement Model.
PB91-162149 100,112
- Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model.
PB91-187179 100,529
- Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239
- MICROWAVE REFLECTOMETERS**
Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838
- MICROWAVE SPECTRA**
Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288
- Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex.
PB91-203448 100,398
- Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex.
PB92-116649 100,457
- MILITARY FACILITIES**
Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340
- MILITARY SPECIFICATION MIL-R-28002A**
Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.
PB91-187708 101,346
- MILITARY TRAINING**
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349
- Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350
- MILITARY VEHICLES**
Control System Architecture for Unmanned Ground Vehicles.
PB91-134726 101,379
- MILLING MACHINES**
Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine.
PB91-174938 100,980
- MINE DETECTORS**
Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.
AD-A230 438/4 100,721
- Quantifying Standard Performance of Electromagnetic-Based Mine Detectors.
PB92-116292 101,378
- MINERALIZATION**
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056
- MINING EQUIPMENT**
Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357
- MITOCHONDRIA**
8-Hydroxyguanine Content of Isolated Mitochondria Increases with Lipid Peroxidation.
PB91-189472 101,286
- MIXED BASE CRUDE**
Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173
- MIXED-SIGNAL DEVICES**
Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.
PB91-149310 100,732
- MIXTURES**
Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.
PB91-195263 101,390
- Extended Phase Rule for Nonreactive, Multiphase, Multi-component Chemical Systems.
PB91-237651 100,433
- MMIC**
MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794
- MODELS**
Review of Four Compartment Fires with Four Compartment Fire Models.

KEYWORD INDEX

- PB91-147215 100,098
Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.
PB91-149310 100,732
STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.
PB91-184788 100,966
Functional Meta-Structure for Hypertext Models and Systems.
PB91-236687 100,655
Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093
Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series.
PB92-112523 100,970
- MOISTURE CONTENT**
Prototype Expert System for Diagnosing Moisture Problems in Houses.
PB91-159079 100,062
Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB91-116334 100,137
- MOLAR VOLUME**
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319
- MOLECULAR BEAM EPITAXY**
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- MOLECULAR COLLISIONS**
Soluble Models in Surface Collision Dynamics.
PB91-147298 100,276
Problem of Detailed Balance and Model Lineshapes in Collision-Induced Rotovibrational Bands: H₂-H₂ and H₂-He.
PB91-236521 100,412
- MOLECULAR DYNAMICS**
Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
PB91-187229 100,495
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
PB91-195255 100,380
Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503
- MOLECULAR ELECTRONICS**
Permittivity Measurements on Molecular-Sized Samples.
PB91-159244 100,800
- MOLECULAR ENERGY LEVELS**
Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.
PB91-192575 100,367
- MOLECULAR GASES**
Polarization and Anisotropy of X-ray Emission from Molecules.
PB91-187401 101,651
- MOLECULAR IONS**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N₄(+).
AD-A228 082/4 100,243
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
AD-A234 043/8 100,245
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(-).
AD-A238 415/4 100,249
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO₄(+), C₂O₂(+), and C₂O₂(-).
AD-A239 729/7 100,250
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. N₂O(1+) and NNO₂(1-).
PB91-149906 100,306
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. NO(1+), NO(1-), ONNO(1+), and ONNO(1-).
PB91-149914 100,307
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
PB91-203273 100,395
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(1-).
PB91-236836 100,419
- MOLECULAR MEASURING MACHINES**
Use of Solid Modeling in the Design of M3 Components.
PB92-123066 101,044
- MOLECULAR ORBITALS**
Direct Determination of Molecular Orbital Symmetry of H₂S Using Polarized X-ray Emission.
PB91-175562 100,335
Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370
Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.
- PB92-148089 100,468
- MOLECULAR RELAXATION**
Core Hole Screening for Intermediate Size Metal Particles.
PB91-203539 101,540
- MOLECULAR ROTATION**
Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.
PB92-148097 100,469
- MOLECULAR SIEVES**
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllophosphate Molecular Sieves.
PB91-189449 101,081
- MOLECULAR SPECTRA**
Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423
- MOLECULAR SPECTROSCOPY**
Molecular Spectroscopy Division of the National Bureau of Standards.
PB91-175174 100,332
Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules.
PB91-189803 101,424
- MOLECULAR STRUCTURE**
Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy.
PB91-147454 100,279
Structures of the NH₃-HCCCCH and H₂O-HCCCCCH Complexes by Fourier-Transform Microwave Spectroscopy.
PB91-148882 100,294
Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex.
PB91-203448 100,398
Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.
PB92-110147 100,443
- MOLECULAR VIBRATION**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(-).
AD-A238 415/4 100,249
Rotovibrational Analysis of the nu₇(1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437
Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.
PB92-148097 100,469
- MOLECULAR WEIGHT**
Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography.
PB91-187641 100,195
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
- MOLECULE-MOLECULE COLLISIONS**
Cross Sections and Swarm Coefficients for H⁺, H₂⁺, H₃⁺, H, H₂, and H-in H₂ for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597
Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N₂ and Argon Ions and Neutrals in N₂ and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV.
PB92-110246 100,452
- MOLTEN SALTS**
Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A₂CO₃-AX and A₂SO₄-AX Where A = Li, Na, K and X = Cl, F, NO₃, OH.
PB91-192518 100,362
- MOLYBDENUM ALLOYS**
Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.
PB91-134700 101,132
Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235
- MOLYBDENUM DISULFIDE**
Chemical Effects of Ne⁺ Bombardment on the MoS₂(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy.
PB91-203471 100,399
- MOLYBDENUM ISOTOPES**
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116789 101,361
- MOLYBDENUM OXIDES**
Refinement of the Structure of Beta'-MoO₃.
PB91-203786 101,090
- MONITORING**
Practical Constraints in Monitoring Micronutrient Intake.
PB91-147421 101,318
- MONOCLINIC LATTICES**
Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
- PB91-148767 101,065
- MONOMERS**
Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
PB91-187229 100,495
Difunctional and Multifunctional Monomers Capable of Cyclopolymerization.
PB91-195685 100,504
- MONOMOLECULAR FILMS**
Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608
Morphology of Polymer Films and Single Molecules.
PB91-203224 100,506
- MONOPOLE ANTENNAS**
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-185124 100,726
- MONTE CARLO METHOD**
Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models.
PB91-203364 100,507
- MORPHOLOGY**
Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227
- MOSFET**
Characteristics of the Breakdown Voltage of Power MOSFETs After Total Dose Irradiation.
PB91-149062 100,793
- MOSSBAUER EFFECT**
Mossbauer Imaging.
PB91-203745 101,294
Mossbauer Study of the Effect of Oxygen Stoichiometry on the High T_c Superconductor Y₁Ba₂(CuO₉₇Fe_{0.03})₃O_{7-x}.
PB91-237545 101,558
- MOUNTINGS**
Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608
- MULTIMETERS**
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- MULTIPHOTON IONIZATION**
Signal Detection Efficiency in Multiphoton Ionization Flame Measurements.
PB91-148056 100,540
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- MULTIPROCESSORS**
Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor.
PB91-159319 100,601
- MUMPS PROGRAMMING LANGUAGE**
MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991.
PB91-507699 100,660
MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers).
PB91-507707 100,661
MUMPS Validation Suite, Version 7.6 (ANSI), 1991.
PB91-507715 100,662
MUMPS Validation Suite, Version 7.6 (TAR), 1991.
PB91-507723 100,663
- MUNICIPAL WASTES**
MSW Calorimetry.
PB91-133942 100,878
Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917
- MUNICIPALITIES**
Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System.
PB92-123116 101,358
- MUON-CATALYZED FUSION**
Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect.
PB91-147959 101,613
- MUSEUMS**
Linking Information to Objects: A Hypertext Prototype for Numismatists.
PB91-237057 100,657
- MUTAGENESIS**
Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.
PB91-190108 101,321
- NAI DETECTORS**
Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723

KEYWORD INDEX

NITROGEN

NANOCOMPOSITES

- Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites.
PB91-159178 101,117
- Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110

NANOSTRUCTURES

- Change in Magnetic State of Fe+ Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.
PB91-237321 101,129

NARROW GAP SEMICONDUCTORS

- Narrow-Gap Semiconductors and Related Materials.
PB91-162313 101,492

NASREM

- NASREM Robot Control System and Testbed.
PB91-194969 101,033

NATIONAL BUREAU OF STANDARDS

- National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957
- National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
PB91-136515 100,958
- NBS Quality Assurance Support: Current and Planned Services.
PB91-149088 101,012
- Measurement Quality Assurance.
PB91-149930 101,013
- High Purity Chemicals and Clean Rooms for Trace Metal Analysis.
PB91-195156 100,200

NATIONAL COMPUTER SYSTEMS LABORATORY

- National Computer Systems Laboratory Annual Report, 1990.
PB91-201822 100,603

NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY

- Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).
PB91-148494 100,959
- NIST Standard Reference Data Products 1991 Catalog.
PB91-167312 100,952
- Publications of the National Institute of Standards and Technology, 1990 Catalog.
PB91-216531 100,011
- NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.
PB91-231555 100,003
- Research. Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012
- NIST Calibration Services Users Guide, 1991.
PB92-126416 100,936

NATIONAL RESEARCH LABORATORY OF METROLOGY

- New Yorker in Japan.
PB91-158907 101,275

NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM

- Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
PB91-222646 100,934

NATURAL GAS

- Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards.
PB91-134403 100,879
- Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538
- Speed of Sound of Natural Gas Mixtures.
PB91-162214 100,882
- Gas Analysis Modeling System.
PB91-175299 100,884

NATURAL RUBBER

- Mechanical and Swelling Behavior of Crosslinked Natural Rubber. Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141

NAVIGATION SATELLITES

- GPS Time Transfer with Implementation of Selective Availability.
N91-25766/7 100,576

NBSR REACTOR

- NIST Reactor: Summary of Activities July 1989 through June 1990.
PB91-159772 101,488

NEBULAE

- Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
PB91-174920 100,028

NEODYMIUM 148

- Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908

NEODYMIUM BARIUM CUPRATES

- Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RbBa₂Cu₃O_{6-x}.

PB91-194894 101,524

NEODYMIUM CERIUM CUPRATES

- Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514

NEODYMIUM CUPRATES

- Crystal and Spin Structures of Nd₂CuO₄.
PB91-148023 101,470

NEODYMIUM OXIDES

- Many-Electron Effects in Lgamma_{2,3} XES Spectra from Rare Earth Elements.
PB91-195313 100,383

NEON

- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. NO(+), NO(-), ONNO(+), and ONNO(-).
AD-A230 957/3 100,244
- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. VII. CO(+), C₂O₂(+), and C₂O₂(-).
AD-A239 729/7 100,250
- Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon.
PB91-149971 101,619
- Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224
- Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. VI. CO₄(1-).
PB91-236836 100,419

NEON COMPLEXES

- Rotational Predissociation, Vibrational Mixing, and van der Waals Intermolecular Potentials of NeDF.
PB91-175505 100,334
- Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.
PB91-204042 100,409

NEON MATRICES

- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. VI. CO₄(-).
AD-A238 415/4 100,249

NET SHAPING

- Near Net Shape Forming of Ceramics.
PB91-158600 101,072

NETWORK ANALYZERS

- Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724

NETWORKS

- Effect of Crosslink Density on Physical Aging of Epoxy Networks.
PB91-189712 101,244
- Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments.
PB91-189720 101,245
- Physical Aging and the Viscoelastic Response of Network Glasses.
PB91-189829 101,246

NEUTRON

- Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene.
PB91-194688 100,500

NEUTRON ACTIVATION ANALYSIS

- Neutron Activation Analysis in Electronic Technology.
PB91-189779 100,807

NEUTRON CHOPPERS

- Transmission Properties of a Counter-Rotating Pair of Disk Choppers.
PB91-236604 101,706

NEUTRON CROSS SECTIONS

- Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field.
PB91-203398 101,693
- Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum.
PB91-203406 101,694

NEUTRON DIFFRACTION

- Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222
- Neutron Crystallography of Proteins.
PB91-175349 101,285

NEUTRON INTERFEROMETRY

- Nonlocal Phase Shifts Induced by Static Electric Fields in Neutron Interferometers When the Path-Enclosed Charge Vanishes.
PB91-150011 101,620

NEUTRON MASS

- Determination of the Neutron Mass and Implications for Fundamental Constants.
PB91-148692 101,615

NEUTRON POLARIZERS

- Fe-W Supermirrors for Polarizing Neutrons.

PB91-175521 101,643

NEUTRON SCATTERING

- Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518

NEUTRON SPECTRA

- Cross-Validation Procedure for Stopping the EM Algorithm and Deconvolution of Neutron Depth Profiling Spectra.
PB91-161976 101,627

NEUTROPHILS

- Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.
PB92-116912 101,312

NEWSPRINT

- Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181

NEWTON METHOD

- Simplified Error Bounds for Newton's Rule.
PB91-159046 101,257

NICKEL ALLOYS

- Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227
- Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188
- Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235
- Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems.
PB91-204156 101,238

NICKEL SILICIDES

- Theory of Ballistic-Electron-Emission Spectroscopy of NiSi₂/Si(111) Interfaces.
PB91-237453 101,557
- Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570

NIOBIUM BASE ALLOYS

- Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.
DE91016274 101,205

NIOBIUM OXIDES

- Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-)/2 VO and NbO.
PB91-237487 100,429

NIST

- NIST Serial Holdings, 1991.
PB91-171330 100,960
- Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.
PB92-109016 100,954
- Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.
PB92-109040 100,667

NIST CENTER FOR RADIATION RESEARCH

- Center for Radiation Research. 1990 Technical Activities.
PB91-178855 101,362

NIST (NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY)

- NIST Support of the CALS Program: 1990 Synopsis.
PB91-193821 101,347

NITRIC ACID

- Spectroscopic Constants for the nu₉ Infrared Band of HNO₃.
PB91-189415 100,343

NITRIC OXIDE

- Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. NO(1+), NO(1-), ONNO(1+), and ONNO(1-).
PB91-149914 100,307
- Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si(111).
PB91-162289 100,320
- Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
PB91-202846 100,387

NITROGEN

- Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
- Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163
- Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex.
PB91-203448 100,398
- Semiclassical Calculation of Self-Broadening in O₂, N₂, and CO Raman Spectra.
PB92-117050 100,461

KEYWORD INDEX

- Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen. PB92-148097 100,469
- NITROGEN ADDITIONS**
Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels. PB91-175372 101,151
- NITROGEN DIOXIDE**
Reference NO₂ Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission. PB91-158340 100,034
- NITROGEN IONS**
Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer. AD-A227 296/1 100,242
- NITROGEN OXIDES**
Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session). PB91-158741 100,904
- NITROMETHANE**
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane. PB91-147884 100,286
- NITROSYL CHLORIDE**
Photodissociation of Cl(I)NO in the S(l) State: A Quantum-Mechanical ab initio Study. PB91-149260 100,239
- NITROUS OXIDE**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. N₂O(1+) and NNO₂(1-). PB91-149906 100,306
- NITROXYL RADICALS**
Kinetics and Mechanisms of the Gas-Phase Reactions of the NO₃ Radical with Organic Compounds. PB92-110220 100,450
- NOISE METERS**
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals. PB92-116359 100,914
- NOISE (SOUND)**
Acoustic Technique for Evaluation of Thermal Insulation. PB91-189324 100,123
- NON-NEWTONIAN FLUIDS**
Anisotropic Structure of a Simple Liquid. PB91-148718 101,616
- NONAZEOTROPIC MIXTURES**
Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants. PB91-174516 100,891
- NONDESTRUCTIVE TESTS**
Report on 1989 Actions by International Institute of Welding. PB91-134619 101,001
Fundamentals and Applications of Infrared Thermography for Nondestructive Testing. PB91-147132 101,009
Progress in Uniform Field Eddy Current Methods. PB91-147751 101,039
Materials Research at the National Bureau of Standards. PB91-149039 101,214
Eddy Current Reflection Probe: Theory and Experiment. PB91-187120 100,944
AMRF Composites Fabrication Workstation: A Test Methodology to Measure the Quality of Thermoplastic Composite Parts. PB91-187765 101,017
Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes. PB91-203935 100,128
Automated Reverse-Bias Second-Breakdown Transistor Tester. PB91-216739 100,813
Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables. PB91-222687 101,369
Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters. PB91-236562 100,945
Characterization of Capacitive Array for NDE Applications. PB91-237305 100,946
Capacitive Array Sensors for Nondestructive Evaluation. PB91-237313 100,947
Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991). PB92-112572 100,995
Impact-Echo: A New Method for Inspecting Construction Materials. PB92-116557 100,140
Advanced Sensing of Materials Processing. PB92-117423 100,949
- NONELECTROLYTES**
Modelling Aqueous Solutions Near the Critical Point of Water. PB91-189837 100,349
- NONEQUILIBRIUM FLOW**
Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes. PB91-195636 101,391
- NONLINEAR PROGRAMMING**
Merit Function for Inequality Constrained Nonlinear Programming Problems. PB92-116318 101,271
- NONMETALLIFEROUS MINERALS**
Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey. PB91-174680 101,359
- NOVAL**
Energy Distributions of Symbiotic Novae. PB91-200873 100,032
- NUCLEAR EXPLOSION EFFECTS**
Wind Effects on Fires. PB91-203851 100,549
- NUCLEAR FUEL CLADDINGS**
Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding. PB91-158733 101,372
- NUCLEAR MEDICINE**
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity. PB91-236497 101,324
- NUCLEAR PHYSICS & RADIATION TECHNOLOGY**
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films. AD-A236 708/4 101,142
Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories. NUREG/CR-5711 101,367
Model Validation at the Las Cruces Trench Site. NUREG/CR-5716 101,368
Absorbed-Dose Calibration of Ionization Chambers in a(60)Co Gamma-Ray Beam. PB91-132290 101,598
Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results. PB91-133900 101,599
Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts. PB91-147249 101,608
Electrofission in the Quasifree and Delta Regions. PB91-147355 101,609
Possible (e, e'²N) Studies at CEBAF. PB91-147587 101,612
Real-Time Radiology Standards: Results of a Workshop. PB91-147900 101,010
Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect. PB91-147959 101,613
gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy. PB91-150060 100,016
Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions. PB91-158618 101,443
Accurate Spectroscopy in the X-ray Region. PB91-158634 101,621
X-ray Interferometry and gamma-ray Wavelengths. PB91-158642 101,484
XPS and Auger Forward Scattering in Epitaxial Films. PB91-174698 101,495
Electronic and Radiometric Characteristics of Near Infrared Photodiodes. PB91-174706 100,752
Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes. PB91-175547 101,644
Center for Radiation Research. 1990 Technical Activities. PB91-178855 101,362
Electric Quadrupole and Magnetic Dipole Transition Probabilities in Potassium Isoelectronic Sequence. PB91-187088 101,646
Method to Enhance Porosity of Micro-particles. PB91-187328 101,185
Polarization and Anisotropy of X-ray Emission from Molecules. PB91-187401 101,651
Linearity of a Silicon Photodiode at 30 MHz and Its Effect on Heterodyne Measurements. PB91-187625 100,755
Bidirectional Scattering Distribution Function (BSDF): A Systematized Bibliography. PB91-187674 101,421
Spectroscopic Constants for the nu₉ Infrared Band of HNO₃. PB91-189415 100,343
Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation. PB91-189654 101,510
- Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture. PB91-189753 101,656
Dielectronic Recombination Rate Coefficients of O(5+) and O(2+) and O(2+). PB91-190009 101,657
Stopping Power of Fast Charged Particles in Heavy Elements. PB91-194399 101,660
Model for the Non-Perturbative OCD (Quantum Chromodynamics) Vacuum. PB91-194407 101,661
Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones. PB91-194720 100,017
Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials. PB91-194738 101,520
Reflection-Extended-X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge. PB91-194944 100,371
Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu. PB91-195016 101,666
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber. PB91-195057 101,322
Gluoballs and Hadron Spectroscopy. PB91-195123 101,668
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons. PB91-195198 101,293
Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV. PB91-195206 101,669
Anomalous Lgamma_{2,3} X-ray Emission Spectrum of Xe. PB91-195289 101,670
Anomalous Th M3O1 X-ray Emission Spectrum of ThO₂. PB91-195297 100,381
Inner-Shell Ionization Cross Sections. PB91-195479 100,203
Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions. PB91-195503 101,672
Dielectronic Recombination Rate Coefficients for Ions of the Fluorine Isoelectronic Sequence. PB91-195602 101,674
Influence of Metastable States and Thermal Equilibration upon Dielectronic Recombination in Low Density to Moderate Density. PB91-195610 101,675
5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)n) Transitions in Sb III. PB91-200816 101,676
Polarizability of the Photon. PB91-203166 101,686
Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field. PB91-203398 101,693
Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n')(103m)Rh in the (252)Cf Fission Neutron Spectrum. PB91-203406 101,694
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. PB91-203968 100,207
Evidence for Surface alpha Particle Clusters in (nat)Ag(197)Au from the (e,alpha) Reaction. PB91-216812 101,705
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity. PB91-236497 101,324
Transmission Properties of a Counter-Rotating Pair of Disk Choppers. PB91-236604 101,706
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams. PB91-237008 101,326
Calibration of Ophthalmic Applicators at NIST: A Revised Approach. PB91-237388 101,327
Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII. PB91-237503 101,713
Unified Set of Atomic Transition Probabilities for Neutral Argon. PB91-237768 101,717
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra. PB91-237875 101,733
LBIR Facility User Handbook.

KEYWORD INDEX

OPTIMIZATION

- PB92-102185 101,435
Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters.
PB92-116441 101,363
Neutron Measurements of Intramolecular Vibrational Modes in C60.
PB92-116540 101,055
Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone.
PB92-116672 100,018
Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116799 101,361
Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.
PB92-116961 101,364
Dosimetry: New Approaches for New Challenges.
PB92-117100 101,365
Novel Radiation Dosimetry Systems.
PB92-117118 101,727
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366
Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445
- NUCLEAR POWER PLANTS**
Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369
Predicting the Remaining Service Life of Concrete.
PB92-126598 101,371
- NUCLEATE BOILING**
Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components.
PB91-162164 100,225
- NUCLEATION**
Emergence of Modern Nucleation Theory.
PB91-149997 101,481
Theory of Orientation Textures Due to Surface Energy Anisotropies.
PB92-117381 101,571
- NUCLEOHISTONES**
Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.
PB91-189365 101,304
- NUMERICAL ANALYSIS**
Convergence Properties of a Class of Rank-Two Updates.
PB91-187799 101,260
OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0).
PB91-507954 101,278
OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0.
PB91-507962 101,279
- NUMISMATICS**
Linking Information to Objects: A Hypertext Prototype for Numismatists.
PB91-237057 100,657
- NURSING HOMES**
Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.
PB92-112317 100,169
- NVLAP (NATIONAL VOLUNTEER LABORATORY ACCREDITATION PROGRAM)**
NVLAP FY 90 Annual Report.
PB91-206748 100,010
- NYLON**
Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
- O STARS**
Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.
PB91-149021 100,023
- OBJECT-ORIENTED PROGRAMMING**
Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada.
PB91-157198 100,641
Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990.
PB91-159723 100,643
- OCCUPATIONAL SAFETY AND HEALTH**
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- ODA (OFFICE DOCUMENT ARCHITECTURE)**
Document Architecture for Open Systems.
PB91-189522 100,961
- OFFICE BUILDINGS**
Second-Level Post-Occupancy Evaluation Analysis.
PB91-147140 100,058
Airtightness of Office-Building Envelopes.
PB91-175307 100,067
Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068
Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074
Variable Air Volume System Design Guide.
PB91-216655 100,077
- OIL WELLS**
Investigation of Simulated Oil-Well Blowout Fires.
PB91-144337 101,356
- OLIGOSACCHARIDES**
Thermodynamics of Hydrolysis of Oligosaccharides.
PB91-194803 101,288
- ON LINE SYSTEMS**
STEP On-Line Information Service User's Guide. National PDES Testbed Report Series.
PB91-157123 100,950
- OPEN SYSTEM ENVIRONMENT**
Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.
PB91-201004 100,692
- OPEN SYSTEMS INTERCONNECTIONS**
Government Open Systems Interconnection Profile (GOSIP); Category: Hardware and Software Standards; Subcategory: Computer Network Protocols.
FIPS PUB 146-1 100,675
- OPERATING SYSTEMS (COMPUTERS)**
Programming Languages and Database Language SQL. Validated Processor List Including GOSIP Conformance Testing Registers.
PB91-187716 100,649
- OPERATIONS ANALYSIS & APPLICATIONS**
Applications of Operations Research Techniques to System Design and Evaluation.
PB91-174540 101,267
- OPERATIONS RESEARCH**
Applications of Operations Research Techniques to System Design and Evaluation.
PB91-174540 101,267
- OPHTHAMIC APPLICATORS**
Calibration of Ophthalmic Applicators at NIST: A Revised Approach.
PB91-237388 101,327
- OPHTHALMOLOGY**
Calibration of Ophthalmic Applicators at NIST: A Revised Approach.
PB91-237388 101,327
- OPTICAL COMMUNICATION**
Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
PB91-187682 100,567
Frequency Stabilization of an Erbium-Doped Fiber Laser: A Potential Wavelength Standard for Optical Communications.
PB91-203091 100,570
- OPTICAL CORRELATORS**
New Triple Correlator Design for the Measurement of Ultrashort Laser Pulses.
PB91-203802 101,429
- OPTICAL DETECTORS**
Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.
PB92-116771 100,768
- OPTICAL DISKS**
Development of an Optical Disk System for the Automated Retrieval of EASEAR Records.
PB92-108943 100,666
Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media).
PB92-116409 100,605
Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems.
PB92-123124 100,606
- OPTICAL EQUIPMENT**
Note on the Precision Cementing of Small Optical Components.
PB91-203158 101,428
- OPTICAL FIBERS**
Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403
Progress in the Development of Miniature Optical Fiber Current Sensors.
PB91-134734 100,745
Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746
Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.
PB91-175109 100,753
Methods of Analyzing Planar Optical Waveguides.
PB91-236752 100,774
- OPTICAL FILMS**
Stoichiometry of Reactively Evaporated Films.
PB91-158709 101,413
- OPTICAL FLOW**
Analysis of Optical Flow Estimation Using Epipolar Plane Images.
PB92-112564 100,703
- OPTICAL LEVITATION**
Optical Levitation of Single Particles.
PB91-174987 101,634
- OPTICAL MATERIALS**
Use of Diamond as an Optical Material.
AD-A243 097/3 101,401
Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409
Design Diagrams for Heavy Metal Fluoride Glass Windows.
PB91-187419 101,419
Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle.
PB91-203042 101,426
- OPTICAL MEASUREMENT**
Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403
Light-Scattering Measurement of the RMS Slopes of Rough Surfaces.
PB92-116532 101,436
- OPTICAL MEASURING INSTRUMENTS**
Performance and Limitations of Faraday Effect Sensors.
PB91-149146 100,749
Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.
PB91-175158 100,754
- OPTICAL MICROSCOPES**
Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802
- OPTICAL PROPERTIES**
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215
Use of Diamond as an Optical Material.
AD-A243 097/3 101,401
- OPTICAL PUMPING**
Production and Diagnosis of a Highly Spin-Polarized Na Beam.
PB91-204016 101,431
- OPTICAL SCANNERS**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
- OPTICAL TIME DOMAIN REFLECTOMETERS**
Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- OPTICAL TRANSITION**
Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb.
PB91-147603 101,467
- OPTICAL WAVEGUIDES**
Detail Specifications for 62.5-um Core Diameter/125-um Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.
FIPS PUB 159 100,562
Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods.
PB91-204131 100,759
Methods of Analyzing Planar Optical Waveguides.
PB91-236752 100,774
Modified Airy Function and WKB Solutions to the Wave Equation.
PB92-126531 101,440
- OPTICS**
Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle.
PB91-203042 101,426
- OPTIMIZATION**
Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications.
PB91-148775 101,266

KEYWORD INDEX

OPTOELECTRONIC DEVICES

- Progress in the Development of Miniature Optical Fiber Current Sensors.
PB91-134734 100,745
- Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746

ORBIT CALCULATION

- Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite.
PB91-175166 101,736

ORGANIC ACIDS

- Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354
- Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357

ORGANIC COMPOUNDS

- Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354
- Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2.
PB91-192450 100,356
- Heat Capacities of Organic Compounds in Liquid State. 2. C1 to C18 n-Alkanes.
PB92-110204 100,448
- Kinetics and Mechanisms of the Gas-Phase Reactions of the NO3 Radical with Organic Compounds.
PB92-110220 100,450

ORGANIC IONS

- Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde.
PB91-147470 100,280
- Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether.
PB91-195073 100,376
- Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384

ORGANIC NITROGEN COMPOUNDS

- Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368

ORGANIC SEMICONDUCTORS

- Permittivity Measurements on Molecular-Sized Samples.
PB91-159244 100,800

ORGANIC SOLVENTS

- Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290

ORGANIZATIONS

- Standards Activities of Organizations in the United States.
PB91-177774 100,004

ORGANOMETALLIC COMPOUNDS

- Methods for the Analysis of Organometallic Compounds in Wastes.
PB91-148981 100,189

ORGANOTIN COMPOUNDS

- Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328

ORIFICE FLOW

- Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.
PB91-134445 100,921
- Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.
PB91-162347 101,389
- Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397

ORIFICE METERS

- Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.
PB91-134445 100,921
- Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations.
PB91-147025 100,880
- Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
PB91-148031 101,387
- Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.
PB91-162347 101,389
- Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397

ORTHOGONAL ARRAYS

- Taguchi's Orthogonal Arrays Are Classical Designs of Experiments.
PB92-126671 101,280

ORTHOGONAL DISTANCE REGRESSION

- Orthogonal Distance Regression.

PB91-147017 101,272

OSCILLATING FIELDS

- Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407

OSCILLOSCOPES

- Recent Developments in Digital Oscilloscopes.
PB91-175240 100,849

OSI (OPEN SYSTEM INTERCONNECTION)

- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, Change Pages September 1991. Output from the September 1991 OSI Implementors Workshop. Held in Gaithersburg, Maryland.
PB92-126408 100,697

OSI (OPEN SYSTEMS INTERCONNECTION)

- Working Implementation Agreements for Open Systems Interconnection Protocols.
PB91-144444 100,686
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990.
PB91-171967 100,689
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement).
PB91-197004 100,691
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement).
PB92-112200 100,695
- Working Implementation Agreements for Open Systems Interconnection Protocols.
PB92-126523 100,698
- Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699

OSMIUM

- Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217

OXIDATION

- Stoichiometry of Reactively Evaporated Films.
PB91-158709 101,413
- Zonal Model for Corona Discharge-Induced Oxidation of SF6 in SF6/O2/H2O Gas Mixtures.
PB91-158790 100,312
- Oxidation of Organic Compounds by Active Manganese Dioxide.
PB91-174730 100,218
- Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage.
PB91-202960 101,307
- Surface Oxidation Kinetics of Si3N4 - 4% Y2O3 Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436

OXIDATION REDUCTION REACTIONS

- Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.
PB91-147447 100,216
- Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217
- Radioytic Studies of the Redox Reactions of Ruthenium Porphyrins.
PB91-203661 100,402
- Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Acidic Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid.
PB91-236489 100,241
- Antioxidation Mechanisms of Uric Acid.
PB91-237347 100,222

OXIMES

- Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime.
PB91-148783 100,292

OXYGEN

- Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-146985 100,270
- Mechanism of Soot Formation in Acetylene-Oxygen Mixtures.
PB91-147280 100,537
- Transport Properties of Fluid Oxygen.
PB91-192484 100,359
- Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
- Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames.
PB91-237024 100,553
- Spectroscopic Data Base for Carbon and Oxygen.
PB91-237750 101,716
- Semiclassical Calculation of Self-Broadening in O2, N2, and CO Raman Spectra.

PB92-117050 100,461

- Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.
PB92-148097 100,469
- Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.
PB92-148147 100,474

OXYGEN ATOMS

- Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.
PB90-244591 100,256
- Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.
PB90-244682 100,264

OXYGEN COMPLEXES

- Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.
PB91-236737 100,417

OXYGEN IONS

- Dielectronic Recombination Rate Coefficients of O(5+) and O(2+).
PB91-190009 101,657
- Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
PB91-203273 100,395

OXYGEN-LIKE IONS

- Influence of Metastable States and Thermal Equilibration upon Dielectronic Recombination in Low Density to Moderate Density.
PB91-195610 101,675

OZONE

- Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.
PB91-236737 100,417

PACKAGING

- Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.
PB92-112549 100,171

PACKAGING MATERIALS

- Biodegradable Plastics: An Idea Whose Time Has Come.
PB91-150086 101,243

PALLADIUM

- Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr2Pd, Zr2PdD1.70, and Zr2PdD1.96.
PB91-148866 101,213
- Chemical and Electronic Properties of Pd/SnO2(110) Model Gas Sensors.
PB91-203075 100,393

PALLADIUM ALLOYS

- Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr2PdHx.
PB91-187252 101,230

PANCREATIC RIBONUCLEASE

- Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298

PANELS

- Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.
PB91-147686 101,146

PAPER INDUSTRY

- Advanced sensor development program for the pulp and paper industry. Final report.
DE91007688 101,248
- Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987-December 1989.
DE91018580 100,915

PAPERS

- Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181

PARAFFIN

- Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180

PARAMAGNETIC MATERIALS

- Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110

PARASOLID SOFTWARE SYSTEM

- Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.
PB91-194449 100,983

PARSERS

- NIST Working Form for STEP: National PDES Testbed Report Series (Revised).
PB91-132183 100,683
- Difficulties in Parsing SGML.
PB91-189456 100,650
- Parser That Converts a Boundary Representation into a Features Representation.
PB91-203356 100,988

PARTIAL DIFFERENTIAL EQUATIONS

- DEOSOL and ELLPACK: Problem-Solving Environments for Partial Differential Equations.

KEYWORD INDEX

PHOSPHORUS-LIKE IONS

- PB91-174441 100,645
- PARTIAL MOLAR ISOBARIC THERMAL EXPANSION**
Modelling Aqueous Solutions Near the Critical Point of Water.
PB91-189837 100,349
- PARTIAL MOLAR VOLUME**
Modelling Aqueous Solutions Near the Critical Point of Water.
PB91-189837 100,349
- PARTICLE BEAMS**
Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683
- PARTICLE SIZE**
Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.
PB92-126655 100,937
- PARTICLE SIZE DISTRIBUTION**
Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539
Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229
- PARTICLE STANDARDS**
NBS Submicron Particle Standards for Microcontamination Measurement.
PB91-158873 100,798
- PARTICULATE COMPOSITES**
Superconductor-Polymer Composites.
PATENT-4 954 481 101,454
Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.
PB91-194852 101,234
Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110
- PARTICULATES**
New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.
PB92-116805 100,911
- PARTITION**
Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology.
PB91-175257 100,333
- PASCAL PROGRAMMING LANGUAGE**
Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL).
PB92-937300 100,671
- PATTERN MAKING**
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
PB91-194712 100,808
- PATTERN RECOGNITION**
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733
- PAVEMENT OVERLAYS**
Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.
PB92-116300 100,533
- PAYMENT SYSTEMS**
NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.
PB91-231555 100,003
- PDES (PRODUCT DATA EXCHANGE SPECIFICATION)**
Fed-X: The NIST Express Translator. Revised, November 1990.
PB91-132126 100,681
NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised).
PB91-132159 100,682
NIST Working Form for STEP: National PDES Testbed Report Series (Revised).
PB91-132183 100,683
NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised).
PB91-144378 100,998
- PDES (PRODUCT DATA EXCHANGE SPECIFICATIONS)**
NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series.
PB91-157164 100,964
- PDES (PRODUCT DATA EXCHANGE USING STEP)**
National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series.
PB91-159756 100,951
- PEEK**
Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130
- PEEL TESTS**
Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes.
- PB91-149153 100,105
- PENILITE**
Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.
PB91-174672 100,227
- PEPTIDES**
Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
- PERCARBONATE ION**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(1-).
PB91-236836 100,419
- PERCOLATION**
Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model.
PB91-187179 100,529
- PERFLUORO COMPOUNDS**
Thin and Composite High-Flux Membranes of Perfluoro-sulfonated Ion-Exchange Polymer.
PB91-236653 100,512
- PERFORMANCE**
Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065
- PERFORMANCE EVALUATION**
Workloads, Observables, Benchmarks and Instrumentation.
PB91-147660 100,598
Robot Characterization Testing.
PB91-167361 101,030
Scoring Continuous Speech in the DARPA Speech Recognition Program: Part 2.
PB91-195396 100,593
Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052
- PERICARDIUM**
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056
- PERICLASE**
Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.
PB90-244542 100,253
- PERIODICALS**
NIST Serial Holdings, 1991.
PB91-171330 100,960
- PERMEABILITY**
Optimization Techniques for Permittivity and Permeability Determination.
PB92-112325 100,865
Optimization Techniques for Permittivity and Permeability Determination.
PB92-126663 100,871
- PERMITTIVITY**
Permittivity Measurements on Molecular-Sized Samples.
PB91-159244 100,800
Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method.
PB91-161919 100,844
Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity.
PB91-236844 100,858
Optimization Techniques for Permittivity and Permeability Determination.
PB92-112325 100,865
Optimization Techniques for Permittivity and Permeability Determination.
PB92-126663 100,871
- PERMITTIVITY MEASUREMENT**
Transmission/Reflection and Short-Circuit Line Permittivity Measurements.
PB91-171959 100,848
- PEROXY RADICALS**
Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386
- PEROXYL RADICALS**
Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261
- PERSONAL COMPUTERS**
1987: The Year of the 386.
PB91-158766 100,599
- PERSONNEL DOSIMETRY**
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- PERSONNEL MANAGEMENT**
NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.
PB91-231555 100,003
- PERYLENES**
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
- PH**
Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories.
NUREG/CR-5711 101,367
Second Dissociation Constant and pH of N-2-hydroxyethylpiperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.
PB91-189282 100,196
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths.
PB91-237859 100,438
- PH METERS**
Instability in pH Measurements of Sputtered IrO₂ Films.
PB91-147538 100,281
- PHASE**
Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology.
PB91-175257 100,333
- PHASE DIAGRAMS**
Phase Diagrams of Hexagonal Binary Ordering Alloys with Anisotropic Interactions.
PB91-147512 101,211
Graphics Program for Binary and Ternary Ceramic Phase Diagrams.
PB91-147991 101,063
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.
PB91-174771 101,226
Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A₂CO₃-AX and A₂SO₄-AX Where A = Li, Na, K and X = Cl, F, NO₃, OH.
PB91-192518 100,362
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085
Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309
- PHASE METERS**
Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869
- PHASE NOISE**
Extending the Range and Accuracy of Phase Noise Measurements.
PB91-134874 100,588
Accuracy Model for Phase Noise Measurements.
PB91-134882 100,589
- PHASE RULE**
Extended Phase Rule for Nonreactive, Multiphase, Multi-component Chemical Systems.
PB91-237651 100,433
- PHASE TRANSFORMATIONS**
Phase Transitions.
PB91-162073 100,318
Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States.
PB91-189381 100,342
Phase-Field Model for Isothermal Phase Transitions in Binary Alloys.
PB92-108992 101,240
- PHASE TRANSFORMATIONS (MATERIALS)**
Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.
PB91-187237 101,080
- PHENYLUM IONS**
Concerning the Formation and the Kinetics of Phenylum Ions.
PB91-187138 100,336
- PHONONS**
Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487
- PHOSPHORS**
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324
- PHOSPHORUS**
Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162
- PHOSPHORUS-LIKE IONS**
Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII.
PB91-237503 101,713

KEYWORD INDEX

PHOTONIZATION

Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665

PHOTOABSORPTION

Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions.
PB91-174854 101,415

PHOTOCHEMICAL REACTIONS

Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry.
PB91-148809 100,237

PHOTOCONDUCTIVITY

Persistent Photoconductivity in SIMOX Films.
PB92-117084 100,826

PHOTOCURRENTS

Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.
PB92-116771 100,768

PHOTODETECTORS

High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929

Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides.
PB91-194845 100,756

PHOTODIODES

Electronic and Radiometric Characteristics of Near Infrared Photodiodes.
PB91-174706 100,752

Temperature Dependence of High Accuracy-Photometer Heads.
PB91-187096 101,418

Journal of Research of the National Institute of Standards and Technology. March-April 1991. Volume 96, Number 2.
PB91-187617 101,420

Linearity of a Silicon Photodiode at 30 MHz and Its Effect on Heterodyne Measurements.
PB91-187625 100,755

Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications.
PB91-203349 100,757

Generalized Photodiode Self-Calibration Formula.
PB91-236901 100,760

Journal of Research of the National Institute of Standards and Technology. July-August 1991. Volume 96, Number 4.
PB92-110261 100,762

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs.
PB92-110295 100,763

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments.
PB92-110303 100,764

Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.
PB92-110311 100,765

Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.
PB92-116771 100,768

PHOTODISSOCIATION

Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma).
PB91-148726 100,291

Periodic Orbits and Diffuse Structures in the Photodissociation of Symmetric Triatomic Molecules.
PB91-149252 100,238

Photodissociation of C(I)NO in the S(I) State: A Quantum-Mechanical ab initio Study.
PB91-149260 100,239

Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
PB91-202846 100,387

Photodissociation Dynamics of Mo(CO)₆ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413

PHOTOELECTRON SPECTROSCOPY

NIST X-Ray Photoelectron Spectroscopy (XPS) Database.
PB92-123157 100,465

PHOTOEMISSION

Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-133900 101,599

Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287

PHOTOGRAPHIC FILM DOSEMETERS

Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728

PHOTOIONIZATION

Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations.

PB91-159301 101,626

Photoionization Studies of Atoms and Molecules Using Synchrotron Radiation.
PB91-194910 101,664

PHOTOLUMINESCENCE

Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531

Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533

PHOTOLYSIS

Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 868/7 100,234

PHOTOMASKING

Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.
PB91-167163 100,802

PHOTOMETERS

Temperature Dependence of High Accuracy-Photometer Heads.
PB91-187096 101,418

Temperature Monitored/Controlled Silicon Photodiodes for Standardization.
PB92-116763 100,767

PHOTOMULTIPLIER TUBES

Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.
AD-A227 836/4 100,744

PHOTON-ATOM COLLISIONS

Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.
PB90-244682 100,264

PHOTON CROSS SECTIONS

Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445

PHOTONICS

Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.
PB91-162206 100,750

PHOTONS

Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296

PHOTOOXIDATION

Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351

PHYSICAL CHEMISTRY

Journal of Physical and Chemical Reference Data, Volume 19, Number 2, 1990.
PB90-244609 100,257

Journal of Physical and Chemical Reference Data, Volume 20, Number 2, March-April 1991.
PB92-110162 100,445

Journal of Physical and Chemical Reference Data, Volume 20, Number 3, May-June 1991.
PB92-110212 100,449

Journal of Physical and Chemical Reference Data, Volume 20, Number 4, July/August 1991.
PB92-148063 100,466

Journal of Physical and Chemical Reference Data, Volume 20, Number 6, November/December 1991.
PB92-148162 100,476

PHYSICAL PROPERTIES

Critical Data in Physics and Chemistry.
PB91-203455 101,697

Journal of Physical and Chemical Reference Data, Volume 20, Number 1, 1991.
PB92-110113 100,440

PIEZOELECTRIC GAGES

Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126

PILOT PLANTS

Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 100,224

PIN DIODES

Instrumentation of X-ray Beam Lines with PIN Diode Detectors.
PB91-174888 101,633

PINNING

Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning.
PB91-149419 101,069

PIPE FLOW

Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem.
PB91-134411 100,920

Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.

PB91-162347 101,389

Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors.
PB91-174243 101,194

Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitean Collocation) Computer Code.
PB91-222679 101,395

PIPES (TUBES)

Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
PB91-148031 101,387

PLANAR WAVEGUIDES

Planar Waveguide Optical Immunosensors.
PB91-174565 101,284

PLANCKS CONSTANT

New Test of Quantum Mechanics: Is Planck's Constant Unique.
PB91-174755 101,632

PLANETARY ATMOSPHERES

Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry.
PB91-148809 100,237

PLASMA SPECTRA

Extreme-Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma.
PB91-237495 101,712

Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII.
PB91-237503 101,713

PLASMAS (PHYSICS)

Liquid and Solid Ion Plasmas.
AD-A227 656/6 101,441

PLASMIDS

Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
PB91-187070 101,329

PLASTIC PROPERTIES

Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.
PB91-174557 101,494

PLASTICITY

Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373

PLASTICS

Biodegradable Plastics: An Idea Whose Time Has Come.
PB91-150086 101,243

Morphology of Polymer Films and Single Molecules.
PB91-203224 100,506

Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247

Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.
PB91-237412 100,555

Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.
PB92-112473 100,557

Dosimetry: New Approaches for New Challenges.
PB92-117100 101,365

PLATES

Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis.
PB92-116573 101,588

PLATINUM ALLOYS

Structural Instabilities and Superconductivity in Quasi-Binary Mn₅Si₃-Type Compounds.
PB91-149427 101,215

PLATINUM BLACK

Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.
PB91-237636 100,432

PLATINUM COMPLEXES

Hydrogen Bonding in Pt Ammine Complexes.
PB91-189639 100,348

PLOTTING

VolsGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.
PB91-185108 100,647

PLUMBING

Plumbing Test Lab Accreditation.
PB91-190066 100,089

PLUTONIUM 239

Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323

PLUTONIUM 240

Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323

PMMA

Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers.
PB91-202887 100,505

KEYWORD INDEX

POSITIONING

- Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.
PB91-237412 100,555
- POLARIZERS**
Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors.
PB91-175141 101,416
Fe-W Supermirrors for Polarizing Neutrons.
PB91-175521 101,643
- POLYATOMIC GASES**
Thermal Conductivity of Nine Polyatomic Gases at Low Density.
PB91-192492 100,360
Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.
PB91-192526 100,363
- POLYATOMIC MOLECULES**
Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.
PB91-192575 100,367
- POLYBUTADIENE**
Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519
- POLYCHLOROBIPHENYL COMPOUNDS**
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377
- POLYCRYSTALS**
Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation.
PB91-149344 101,190
Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics.
PB91-189704 101,082
- POLYETHYLENE**
Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packagings.
PB92-126457 100,943
- POLYETHERS**
Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108
- POLYETHYLENE**
Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
PB91-148247 101,242
Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503
Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247
- POLYETHYLENE GLYCOLS**
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400.
PB91-237867 100,439
- POLYETHYLENE TEREPHTHALATE**
Emissivity of Aluminized Mylar.
PB91-174656 101,119
- POLYIMIDE RESINS**
Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483
- POLYISOPRENE**
Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
- POLYMER BLENDS**
Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
PB91-162099 100,489
Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HP) Blends.
PB91-162131 100,490
Statistical Mechanical Model of Aqueous Two-Phase Systems.
- PB91-174508 100,493
Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.
PB91-187153 100,494
Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene.
PB91-194688 100,500
Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-116284 100,516
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519
- POLYMER MATRIX COMPOSITES**
Superconductor-Polymer Composites.
PATENT-4 954 481 101,454
Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115
Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-116284 100,516
Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130
- POLYMERIC FILMS**
Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483
Measurement of Space Charge Fields in Polymers.
PB91-158626 100,486
Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176
Protective Coatings for Tooth Crowns.
PB91-189555 100,047
Morphology of Polymer Films and Single Molecules.
PB91-203224 100,506
Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.
PB91-203711 100,509
Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study.
PB91-203729 101,109
Thin and Composite High-Flux Membranes of Perfluorosulfonated Ion-Exchange Polymer.
PB91-236653 100,512
- POLYMERIZATION**
Difunctional and Multifunctional Monomers Capable of Cyclopolymerization.
PB91-195685 100,504
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422
Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131
- POLYMERS**
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites.
PB91-159178 101,117
Polymers: Technical Activities 1990.
PB91-159715 100,488
Proceedings of Cable '89 Workshop.
PB91-161943 100,773
Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
PB91-174482 100,492
Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.
PB91-187385 100,496
Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C₂₀H₄₂) in Torsion.
PB91-187427 100,497
Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles.
PB91-187450 100,498
How Does Surface Roughness Affect Polymer-Surface Interactions.
PB91-189241 100,341
Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers.
PB91-202887 100,505
Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models.
- PB91-203364 100,507
Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247
Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511
Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
PB92-110196 100,515
Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-116284 100,516
Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple epsilon Perturbation Theory.
PB92-116698 100,517
- POLYMORPHISM**
Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems.
PB91-204156 101,238
- POLYSTYRENE**
Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene.
PB91-194688 100,500
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
Morphology of Polymer Films and Single Molecules.
PB91-203224 100,506
Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
- POLYURETHANE FOAM**
Flammability Characterization of Foam Plastics.
PB92-123033 100,142
- POLYURETHANE RESINS**
Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140
- POLYURETHANES**
Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108
Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams.
PB92-108984 100,087
- PORCELAIN**
Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111
- POROSITY**
Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185
Small Angle Neutron Scattering Characterization of Microporous Silica.
PB91-203489 101,089
Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering.
PB92-117001 101,100
- PORPHYRINS**
Pulse Radiolysis Studies of Organic Electron Transfer Reactions.
PB91-147801 100,285
Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217
Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins.
PB91-203661 100,402
- PORTLAND CEMENTS**
Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete.
PB91-189621 100,530
- POSITIONING**
Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732

KEYWORD INDEX

POSITRON-ATOM COLLISIONS

Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon.
PB91-149971 101,619

POSITRON EMISSION TOMOGRAPHY

Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction.
PB92-116623 101,295

POSIX (PORTABLE OPERATING SYSTEM INTERFACE FOR COMPUTER ENVIRONMENTS)

Interactive Video Software Portability: Migrating a DOS Application to POSIX.
PB92-117308 100,670

POTASSIUM

NIST Standards for Sodium and Potassium.
PB91-158865 100,191

POTASSIUM CHLORIDE

Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
PB91-187658 100,339

POTASSIUM IONS

Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188

POTASSIUM PERMANGANATE

Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
PB91-187070 101,329

POTENTIAL ENERGY SURFACES

Progress on the Determination of Intermolecular Potential Energy Surfaces from High Resolution Spectroscopy.
PB91-203695 100,403

POTENTIOMETERS (INSTRUMENTS)

Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821

POTENTIOMETRIC ANALYSIS

Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188

POULTRY

Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290

POWDER METALLURGY

Particle Size Measurement of Inert Gas Atomized Powder.
PB91-187203 101,229

POWER MEASUREMENT

Device for Audio-Frequency Power Measurement.
PB91-149401 100,733

POWER SUPPLY CIRCUITS

Need for Power Quality Testing Standards.
PB92-117076 100,741

POWER SYSTEMS

Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields.
PB91-162248 100,872

POWER TRANSMISSION LINES

Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874

POZZOLANS

Pozzolan Programs of the Cement and Concrete Reference Laboratory.
PB91-149922 100,525

PRASEODYMIUM BARIUM CUPRATES

Mossbauer Study of the Effect of Oxygen Stoichiometry on the High T_c Superconductor YBa₂(CuO_{0.97}Fe_{0.03})₃O_{7-x}.
PB91-237545 101,558

PRE-MAIN SEQUENCE STARS

New Radio Detectors of Early-Type Pre-Main Sequence Stars.
PB91-149286 100,024

PRECAST CONCRETE

Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149

Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading.
PB91-236588 100,150

PRECURSORS

Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.
PB91-149096 101,066

Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067

PREDISSOCIATION

Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer.
PB91-203844 100,406

PRESSURE

Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.

PB91-147769

100,182

PRESSURE EFFECTS

Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839

PRESSURE GRADIENTS

Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
PB91-194464 101,050

PRESSURE MEASUREMENT

State-of-the-Art in Pressure Metrology.
PB91-146993 101,038

H₂O(I)-H₂O(III)-H₂O(L) Triple Point of Water as a Fixed Pressure Point.
PB91-187211 101,647

PRESSURE TRANSDUCERS

SHOOT Flowmeter and Pressure Transducers.
PB91-147488 100,923

PRESSURE VESSELS

Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373

Conformity Assessment Workshop on Pressure Vessels.
PB91-192997 101,049

PRESTRESSED CONCRETE

Computational Models Developed for the Corrosion of Prestressing Steel.
PB91-167304 100,115

PRESTRESSING STEELS

Computational Models Developed for the Corrosion of Prestressing Steel.
PB91-167304 100,115

PRICES

Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709.
PB92-112515 100,899

PRIMARY STANDARDS

Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
PB91-187658 100,339

PRINCETON ENGINE

Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604

PRISMATIC BODIES

Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle.
PB91-203042 101,426

PROBABILITY THEORY

Engineers' Statistical Literacy is Key to U.S. Competitiveness.
PB91-158725 100,038

PROBES

Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422

PROBES (ELECTROMAGNETIC)

Evaluation of Dual-Port Circularly Polarized Probes for Planar Near-Field Measurements.
PB91-162040 100,590

Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683

Theoretical Considerations for a Thermo-Optic Microwave Electric-Field-Strength Probe.
PB91-237222 100,860

PROCEDURES

Kelvin Water-Drop Experiment.
N91-20219/2 100,900

PROCESS COMPUTERS

Process Quality Enhancement for Machine Tools: Measurements and Standards.
PB91-194993 101,019

PROCESS CONTROL

Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222

Statistical Process Control Tactics for Coordinate Measuring Machines.
PB91-189225 101,042

Surface Properties and Coatings of Materials Microtailored Alloys.
PB91-189696 101,232

Process Quality Enhancement for Machine Tools: Measurements and Standards.
PB91-194993 101,019

Advanced Materials: Opportunities and Challenges.
PB91-204032 100,009

Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995

Advanced Sensing of Materials Processing.
PB92-117423 100,949

PROCESS MONITORING

Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.

PB91-222612

100,510

PROCESSING & PERFORMANCE OF MATERIALS

Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115

Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.
PB91-149096 101,066

Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067

Concepts of Underground Corrosion.
PB91-150078 101,134

Convective and Morphological Instabilities during Directional Solidification.
PB91-158550 101,219

Effects of Different CH₄-H₂ Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD.
PB91-158683 101,054

Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.
PB91-158733 101,372

Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass.
PB91-158949 101,220

Chemical Modification of the Orthorhombic Superconductor Ba₂YCu₃O_{7-delta}.
PB91-159053 101,486

Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222

Analysis and Characterization of Commercial Welding Fluxes.
PB91-162339 101,003

U.S. Assessment of the New Diamond Technology in Japan.
PB91-167395 101,107

Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544

Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes.
PB91-174805 100,323

Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175

Low Temperature Chemical Route to Precursors of Boride and Carbide Ceramic Powders.
PB91-175190 101,078

Fe Implantation in In_{0.53}Ga_{0.47}As/InP.
PB91-189969 101,516

Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526

Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085

Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236

Low-Cost Aqueous Two-Phase System for Enzyme Extraction.
PB91-237560 101,310

Theory of Orientation Textures Due to Surface Energy Anisotropies.
PB92-117381 101,571

Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211

Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
PB92-126515 101,171

PRODUCT DATA EXCHANGE

Fed-X: The NIST Express Translator. Revised, November 1990.
PB91-132126 100,681

NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised).
PB91-132159 100,682

NIST Working Form for STEP: National PDES Testbed Report Series (Revised).
PB91-132183 100,683

Overview of the Product Data HyperStandard CD-ROM Prototype.
PB91-132258 101,380

PRODUCT DATA HYPERSTANDARD CD ROM

Overview of the Product Data HyperStandard CD-ROM Prototype.
PB91-132258 101,380

PRODUCT DEVELOPMENT

Industry and Government Strategies for Product Quality.
PB91-148163 101,011

Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series.
PB91-222620 100,968

KEYWORD INDEX

PROPERTIES OF MATERIALS: STRUCTURAL/MECHANICAL

- Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series. PB92-112374 100,969
- Multi-Enterprise Concurrent Engineering through International Standards. PB92-123058 100,997
- Validation Testing Laboratory User's Guide. National PDES Testbed Report Series. PB92-123090 100,971
- PRODUCTION CONTROL**
- Manufacturing Systems Integration: Initial Architecture Document. PB92-112242 100,994
- PRODUCTION PLANNING**
- Manufacturing Systems Integration: Initial Architecture Document. PB92-112242 100,994
- PRODUCTIVITY**
- Research and Technology for Structural Engineering Productivity. PB91-204206 100,147
- PROFILOMETRY**
- Stylus Profiling at High Resolution and Low Force. PB91-162354 101,015
- PROGRAMMING LANGUAGES**
- American National Standard for C. Category: Software Standard. Subcategory: Programming Language. FIPS PUB 160 100,676
- Robot Sensor Language. PB91-174961 101,031
- PROJECT MANAGEMENT**
- NIST Support of the CALS Program: 1990 Synopsis. PB91-193821 101,347
- PROPANE**
- Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K. PB91-134494 100,267
- High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals. PB91-204008 100,408
- PROPELLANT TANKS**
- Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles. PB91-175570 100,560
- PROPELLANTS**
- Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity. PB91-174482 100,492
- Chemical Kinetic Data Base for Propellant, Combustion, 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O. PB92-148071 100,467
- PROPENES**
- Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene. PB92-110170 100,446
- PROPERTIES OF MATERIALS: ELECTRONIC/MAGNETIC/OPTICAL**
- High T_c (sub C) Superconductors: Are They Magnetic. N91-20208/5 101,453
- AC Loss Measurements of Two Multifilamentary NbTi Composite Strands. PB91-133892 100,769
- Transport Critical Current of Aligned Polycrystalline YBa₂Cu₃O₇-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction. PB91-133983 101,456
- High T_c (sub c) Superconductors and the Critical Current Measurement. PB91-134056 101,457
- Fundamental and Harmonic Susceptibilities of YBa₂Cu₃O₇-delta. PB91-134148 101,458
- Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge. PB91-134213 100,835
- Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors. PB91-134478 101,462
- Magnetization of Anisotropic Superconducting Grains. PB91-134569 101,463
- Magnetoresistance of Multifilament Al/Al-Alloy Conductors. PB91-134759 100,772
- RIR - Measurement and Use in Quantitative XRD. PB91-147397 101,466
- Hermetically Sealed Inert Atmosphere Cell for X-ray Powder Diffraction. PB91-147983 101,062
- Crystal and Spin Structures of Nd₂CuO₄. PB91-148023 101,470
- Cryogenic Properties of Copper (Wall Chart). PB91-148189 101,473
- Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range. PB91-148908 101,410
- Possible 'Proximity Matrix' Route to High Current Conductors. PB91-148932 101,476
- Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning. PB91-149419 101,069
- Hall Effect. PB91-149898 101,479
- Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature. PB91-149963 101,480
- Amorphization and Conductivity of Silicon and Germanium Induced by Indentation. PB91-150045 101,482
- Micromagnetic Calculations of 180 deg Surface Domain-Wall Magnetization Profiles with Comparison to Measurements. PB91-158501 101,483
- Measurement of Space Charge Fields in Polymers. PB91-158626 100,486
- National Bureau of Standards-American Ceramic Society Phase Diagram Data Program. PB91-158774 101,073
- Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites. PB91-159178 101,117
- Electrodeposition of Aluminum from Molten Salts. PB91-159202 101,223
- Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects. PB91-161935 101,489
- Superconducting Properties of Bi₂-x-yPb_xSnySr₂Ca₂Cu₃O_z. PB91-162321 101,076
- Anomalous Magnetoresistance in Al/Al-Alloy Composite Conductors. PB91-174748 101,631
- Noise-Affected I-V Curves in Small Hysteretic Josephson Junctions. PB91-174912 100,782
- Optical Levitation of Single Particles. PB91-174987 101,634
- Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors. PB91-175141 101,416
- Temperature Dependence of High Accuracy-Photometer Heads. PB91-187096 101,418
- Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy. PB91-187161 101,227
- Levitation of Superconducting Composites. PB91-187351 101,503
- Magnetic Ordering of Er in Powder and Single Crystals of ErBa₂Cu₃O₇. PB91-187377 101,505
- Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses. PB91-189332 101,422
- Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing. PB91-189589 101,508
- Streaking Images That Appear Only in the Plane of Diffraction in Unoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation. PB91-189662 101,511
- Anomalous Low-Frequency Butterfly Curves for Subsidary and Ferromagnetic Resonance Overlap at 3 GHz. PB91-194704 101,519
- Current Record in Superconductors. PB91-194753 101,521
- System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope. PB91-194779 101,522
- Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RBA₂Cu₃O₆ + x. PB91-194894 101,524
- Crystal-Field Splittings in the Cubic Heusler Alloys HoPd₂Sn and ErPd₂Sn. PB91-194902 101,525
- Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films. PB91-195560 101,531
- Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn. PB91-195578 101,532
- Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films. PB91-195586 101,533
- Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films. PB91-195594 101,534
- Enhanced Flux Creep in Nb-Ti Superconductors After an Increase in Temperature. PB91-202903 101,680
- Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep. PB91-202911 101,681
- Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle. PB91-203042 101,426
- Switching in High-T_c Superconductor Current Transport Measurements. PB91-203117 101,539
- Progress in Field Ion Microscopy Imaging of High-T_c Superconducting Oxides. PB91-203604 101,543
- Atomic Fingerprint of YBa₂Cu₃O₇-x-Type High-Temperature Superconductors Observed by Field Ion Microscopy. PB91-203612 101,544
- Effect of Mechanical Deformation on Nb-Ti Filament Proximity-Effect Coupling at the Edges of SSC Cables. PB91-203828 101,700
- Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates. PB91-203950 101,547
- Magnetic Properties of Iron/Silica Gel Nanocomposites. PB91-204073 101,110
- High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals. PB91-216747 101,548
- Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends. PB91-236786 100,513
- Micromagnetic Calculations of 180 deg Surface Domain Walls. PB91-237271 101,553
- Change in Magnetic State of Fe + Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia. PB91-237321 101,129
- New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects. PB91-237586 100,740
- Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride. PB91-237628 101,096
- Light-Scattering Measurement of the RMS Slopes of Rough Surfaces. PB92-116532 101,436
- Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors. PB92-116565 101,564
- Single-Target Magnetron Sputter-Deposition of High-T_c Superconducting Bi-Sr-Ca-Cu-O Thin Films. PB92-116680 101,566
- Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel. PB92-117332 101,131
- Antiferromagnetic Order of Cu in Sm₂CuO₄. PB92-117340 101,569
- Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe₇₈B₁₃Si₉. PB92-117464 101,573
- PROPERTIES OF MATERIALS: STRUCTURAL/MECHANICAL**
- Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite. AD-A231 778/2 101,113
- Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219. AD-A242 956/1 101,204
- Strength and Microstructure of Ceramics. AD-A243 049/4 101,056
- Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties. N91-20218/4 101,144
- Superconductor-Polymer Composites. PATENT-4 954 481 101,454
- Institute for Materials Science and Engineering, Ceramics: Technical Activities 1990. PB91-132233 101,057
- Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research. PB91-132282 100,925
- Modeling Potentials and Valences in the YBa₂Cu₃O₇ Superconductor. PB91-134254 101,459
- Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides. PB91-134262 101,460
- Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor. PB91-134270 101,461
- Literature Review of the Galling Process.

KEYWORD INDEX

- PB91-134551 101,208
Calculation of Energy of Low-Angle Grain Boundaries.
PB91-134601 101,464
Report on 1989 Actions by International Institute of Welding.
PB91-134619 101,001
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875
Structure of a Stage-3 Cs - Graphite Intercalate.
PB91-134957 100,269
Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates.
PB91-147090 101,116
Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465
Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers.
PB91-147231 100,484
Phase Formation in Electrodeposited and Thermally Annealed Al-Mn Alloys.
PB91-147314 101,209
Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210
Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058
Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.
PB91-147348 101,059
Application of Analytical Electron Microscopy to Glass-Bonded Aluminas.
PB91-147389 101,060
Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction.
PB91-147553 101,061
Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.
PB91-147686 101,146
Graphics Program for Binary and Ternary Ceramic Phase Diagrams.
PB91-147991 101,063
Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
PB91-148247 101,242
Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr₂Pd, Zr₂PdD_{1.70}, and Zr₂PdD_{1.96}.
PB91-148866 101,213
Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking.
PB91-149047 101,133
In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068
Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation.
PB91-149344 101,190
Structural Instabilities and Superconductivity in Quasi-Binary Mn₅Si₃-Type Compounds.
PB91-149427 101,215
Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test.
PB91-149872 101,579
Improved Analysis for Flexural Creep with Application to Sialon Ceramics.
PB91-150037 101,071
Near Net Shape Forming of Ceramics.
PB91-158600 101,072
Corrosion Testing in Soil.
PB91-158667 101,135
Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling.
PB91-158675 101,040
New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.
PB91-158717 100,311
Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173
Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys.
PB91-158964 101,221
Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487
Method for Quantitative Measurement of Galling Damage.
PB91-159269 101,183
Tensile Creep Behavior of Structural Ceramics.
PB91-159277 101,075
Polymers: Technical Activities 1990.
PB91-159715 100,488
Proceedings of Cable '89 Workshop.
PB91-161943 100,773
Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HP) Blends.
PB91-162131 100,490
Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension.
PB91-162180 101,118
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.
PB91-167171 101,149
Intercomparison Study of Rockwell Hardness Test Blocks.
PB91-167338 101,224
Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel.
PB91-167346 101,150
Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhHx) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
PB91-174482 100,492
Measuring the Corrosion of Metals in Soil.
PB91-174714 101,136
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.
PB91-174771 101,226
ACTIS: Towards a Comprehensive Tribology Data Base.
PB91-174904 101,184
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
Ion Incorporation into Octacalcium Phosphate Hydrolyzates.
PB91-175125 100,219
Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137
Models for Oxygen Ordering and Diffusion in Ba₂YCu₃O_x and Ba₂YCu_{3-y}MyO_x (M = Fe, Co, Al, Ga).
PB91-175232 101,496
Chemistry of Electronic Ceramic Materials.
PB91-178822 101,500
Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions.
PB91-184838 101,154
Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.
PB91-185116 101,121
Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.
PB91-187153 100,494
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal.
PB91-187294 101,501
Interlaminar Shear Fracture of Laminated Composites.
PB91-187336 101,122
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504
Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.
PB91-187385 100,496
Design Diagrams for Heavy Metal Fluoride Glass Windows.
PB91-187419 101,419
Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C₂₀H₄₂) in Torsion.
PB91-187427 100,497
Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155
How Does Surface Roughness Affect Polymer-Surface Interactions.
PB91-189241 100,341
Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373
Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176
Structural Study of Electrodeposited Aluminum-Manganese Alloys.
PB91-189423 101,231
Structures and Properties of New Zeolite X-Type Zincophosphate and Beryllophosphate Molecular Sieves.
PB91-189449 101,081
Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.
PB91-189464 101,156
Ceramic Wear Maps.
PB91-189498 100,561
Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La_{2-x}Sr_xCuO₄.
PB91-189670 101,512
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513
Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics.
PB91-189704 101,082
Effect of Crosslink Density on Physical Aging of Epoxy Networks.
PB91-189712 101,244
Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments.
PB91-189720 101,245
Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514
Physical Aging and the Viscoelastic Response of Network Glasses.
PB91-189829 101,246
Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157
Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158
Creep of Copper: 4 to 295 K.
PB91-189985 101,233
Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188
Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083
Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation.
PB91-194456 100,499
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084
Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.
PB91-194852 101,234
Group and Phase Sound Velocities in an Eu₁Ba₂Cu₃O₇ Superconductor and Related Perovskite Oxides.
PB91-194860 101,523
Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach.
PB91-194878 101,123
Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141
Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior.
PB91-195099 100,501
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
Wigner-Seitz Local-Environment Study of the High Tc Superconductors.
PB91-195115 101,528
Reduction in Sintering Damage of Fiber Reinforced Composites.
PB91-195362 101,124
Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178
Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163
Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235
Standardization of Advanced Ceramics.
PB91-195669 101,086
Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535

KEYWORD INDEX

PROTEIN CONFORMATION

Difunctional and Multifunctional Monomers Capable of Cyclopolymerization.
PB91-195685 100,504

Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.
PB91-200865 101,538

Comparison of Creep Rupture Behavior in Tension and Bending.
PB91-202820 101,087

High Temperature Creep Testing of Ceramics.
PB91-202838 101,088

Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388

Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers.
PB91-202887 100,505

Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125

Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126

Morphology of Polymer Films and Single Molecules.
PB91-203224 100,506

Small Angle Neutron Scattering Characterization of Microporous Silica.
PB91-203489 101,089

Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography.
PB91-203588 101,139

Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 101,127

Refinement of the Structure of Beta'-MoO₃.
PB91-203786 101,090

Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
PB91-203810 101,179

Advanced Materials: Opportunities and Challenges.
PB91-204032 100,009

Dental Composite Resins: An Update.
PB91-204149 100,051

Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems.
PB91-204156 101,238

Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091

Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247

Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180

Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239

Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092

Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093

Differential Sintering.
PB91-237123 101,128

Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094

New Layered Cuprate Structure-Type, (A_{1-x}A_x)₁₄Cu₂₄O₄₁.
PB91-237339 101,095

Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556

Mossbauer Study of the Effect of Oxygen Stoichiometry on the High T_c Superconductor Y₁Ba₂(Cu_{0.97}Fe_{0.03})₃O_{7-x}.
PB91-237545 101,558

Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O_{7-x}.
PB91-237552 101,559

Environmentally Enhanced Fracture of Gallium Arsenide.
PB91-237743 101,097

Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering.
PB91-237842 100,514

NIST*LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version.
PB92-108877 101,561

Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169

High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.

PB92-109008 101,562

Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.
PB92-112226 101,739

Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995

Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-116284 100,516

Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.
PB92-116524 100,456

Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis.
PB92-116573 101,588

Buckling and Post-Buckling Behavior of Elliptical Plates. Part 2. Results.
PB92-116581 101,589

Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple ϵ -Spin Perturbation Theory.
PB92-116698 100,517

Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-T_c Superconductors.
PB92-116730 101,567

Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams.
PB92-116995 101,099

Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering.
PB92-117001 101,100

Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes.
PB92-117035 100,460

Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
PB92-117043 101,101

XANES of Transition Metal Zinc-Blende Semiconductors.
PB92-117092 100,462

Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518

Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519

Effect of Surface Forces on Subcritical Crack Growth in Glass.
PB92-117449 101,103

Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126424 101,252

Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126507 101,104

High-Temperature Superconductivity: Abstracts of NIST Publications, 1987-1991.
PB92-126564 101,105

PROPERTIES OF MATERIALS: THERMODYNAMIC/TRANSPORT

Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602

Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483

Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536

Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273

Phase Diagrams of Hexagonal Binary Ordering Alloys with Anisotropic Interactions.
PB91-147512 101,211

Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.
PB91-147884 100,286

Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
PB91-148767 101,065

Theory of Specific Heat of Solids.
PB91-148916 101,475

Applicability of Smolouchowski's Equation with a Constant Kernel to Coalescence.
PB91-148940 100,296

Relation between the Surface Energy and the Debye Temperature for Cubic Solids.
PB91-149393 100,303

Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromindate Monohydrate Salt (NH₄)₂ InBr₅·H₂O from 7.8 to 348 K.

PB91-149831 100,304

Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF₄ from 6 to 344 K.
PB91-149864 100,305

Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals.
PB91-162024 101,193

Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
PB91-162099 100,489

Speed of Sound of Natural Gas Mixtures.
PB91-162214 100,882

New Wide Range Equation of State for Helium.
PB91-162222 100,226

Emissivity of Aluminized Mylar.
PB91-174656 101,119

Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.
PB91-174672 100,227

Critical Exponent for the Viscosity of Four Binary Liquids.
PB91-187195 100,337

Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.
PB91-187237 101,080

Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr₂PdHx.
PB91-187252 101,230

Mobility Fluctuations and Electrophoretic Light Scattering from Macromolecular Solutions.
PB91-189514 100,345

Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369

Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene.
PB91-194688 100,500

High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.
PB91-194795 101,160

Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.
PB91-195040 100,918

Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511

Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422

Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426

Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198

Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.
PB92-116748 101,199

Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
PB92-116938 101,241

Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130

PROPULSION

Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.
PB92-148204 100,480

PROSTHETIC DEVICES

Corrosion Principles in Dental Implantology.
PB91-194787 100,055

PROTECTIVE COATINGS

Protective Coatings for Tooth Crowns.
PB91-189555 100,047

Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108

NBS Research on Protective Coatings for Buildings and Structures.
PB91-203521 100,127

Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography.
PB91-203588 101,139

PROTEIN CONFORMATION

Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298

Crystal Structure of Phosphate-Free Ribonuclease.
PB91-175604 101,301

KEYWORD INDEX

- Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.
PB91-190074 101,305
- PROTEINS**
- Neutron Crystallography of Proteins.
PB91-175349 101,285
- Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308
- Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309
- PROTOCOL (COMPUTERS)**
- BACnet Communication Protocol for Building Automation Systems.
PB91-187286 100,069
- Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol.
PB91-187732 100,070
- PROTOCOLS**
- Performance of OSI Transport over ACCUNET and IBER-PAC.
PB91-134825 100,563
- Working Implementation Agreements for Open Systems Interconnection Protocols.
PB91-144444 100,686
- Application of QSI Protocols for Plant Information Networks.
PB91-147595 100,974
- Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques.
PB91-158584 100,565
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990.
PB91-171967 100,689
- Validation of an QSI Transport Class 4 Simulator.
PB91-187724 100,568
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement).
PB91-197004 100,691
- Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.
PB91-222596 100,990
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement).
PB92-112200 100,695
- Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series.
PB92-112374 100,969
- Government Open Systems Interconnection Profile Users' Guide, Version 2.
PB92-119676 100,696
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, Change Pages September 1991. Output from the September 1991 OSI Implementors Workshop. Held in Gaithersburg, Maryland.
PB92-126408 100,697
- Working Implementation Agreements for Open Systems Interconnection Protocols.
PB92-126523 100,698
- PROTON AFFINITY**
- Proton Affinity of Cyanogen and Ion-Molecule Reactions of C₂N₂(+).
PB91-189902 100,352
- Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378
- PROTONS**
- Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.
PB91-147710 100,283
- Polarizability of the Photon.
PB91-203166 101,686
- PUBLIC BUILDINGS**
- Preliminary Dynamic Analyses of the Ministry of Agriculture Building.
PB91-134668 100,143
- PUBLIC-KEY SYSTEMS**
- Public-Key Cryptography. Computer Security.
PB91-187864 100,708
- PULSE COMPRESSION**
- Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Fiber Laser-Amplifier.
PB91-148007 101,408
- PULSE TUBE REFRIGERATORS**
- Review of Pulse Tube Refrigeration.
PB91-147942 101,046
- Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- Analytical Model for the Refrigeration Power of the Qrifice Pulse Tube Refrigerator.
PB91-187534 101,048
- Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume.
PB91-203877 101,051
- PURINES**
- 46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.
PB91-187476 101,302
- PYRENES**
- Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
- PYRIDINES**
- Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378
- PYRIMIDINES**
- 46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA.
PB91-187476 101,302
- PYRITE**
- Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans': Results of an Interlaboratory Comparison.
PB91-195321 101,161
- PYROCOCCUS FURIOSUS**
- Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
- PYROLYSIS**
- Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether.
PB91-195073 100,376
- Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.
PB91-203794 100,548
- Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.
PB91-237412 100,555
- Theoretical Investigation of Piloted Ignition of Wood.
PB92-112432 100,556
- PYROMETERS**
- High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.
N91-21361/1 100,924
- PYROPHOSPHATES**
- Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals.
PB91-162024 101,193
- PZT**
- Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
PB91-187344 101,502
- QUADRATIC PROGRAMMING**
- Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269
- QUALITATIVE ANALYSIS**
- Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886
- QUALITY**
- Industry and Government Strategies for Product Quality.
PB91-148163 101,011
- Need for Power Quality Testing Standards.
PB92-117076 100,741
- QUALITY ASSURANCE**
- NBS Quality Assurance Support: Current and Planned Services.
PB91-149088 101,012
- Measurement Quality Assurance.
PB91-149930 101,013
- Laboratory Accreditation in the United States.
PB91-194415 100,172
- Process Quality Enhancement for Machine Tools: Measurements and Standards.
PB91-194993 101,019
- Role of Reference Materials in Quality Assurance.
PB91-203901 100,206
- Directory of State and Local Government Laboratory Accreditation/Designation Programs.
PB92-108968 100,174
- Questions and Answers on Quality, the ISQ 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175
- QUALITY CONTROL**
- Interim Report to the President and to the Congress on the Malcolm Baldrige National Quality Award.
PB91-167833 100,001
- Standard Reference Specimens in Quality Control of Engineering Surfaces.
PB91-216721 101,021
- QUALITY MANAGEMENT**
- Interim Report to the President and to the Congress on the Malcolm Baldrige National Quality Award.
PB91-167833 100,001
- QUANTITATIVE ANALYSIS**
- Quantitative Analysis of Impurities in SIMQX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208
- Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096
- QUANTUM CHROMODYNAMICS**
- Model for the Non-Perturbative QCD (Quantum Chromodynamics) Vacuum.
PB91-194407 101,661
- QUANTUM ELECTRODYNAMICS**
- Relativistic Probability Amplitudes and State Preparation.
PB91-195032 101,667
- QUANTUM HALL EFFECT**
- Hall Effect.
PB91-149898 101,479
- Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
- QUANTUM MECHANICS**
- New Test of Quantum Mechanics: Is Planck's Constant Unique.
PB91-174755 101,632
- Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State.
PB92-116870 101,726
- QUANTUM OPTICS**
- Quantum Optics of Single, Trapped Ions.
PB91-162123 101,628
- QUANTUM ZENO EFFECT**
- Reply to Comment on 'Quantum Zeno Effect'.
PB91-236828 101,708
- QUARTZ RESONATORS**
- Environmental Sensitivities of Quartz Crystal Oscillators.
N91-25797/2 100,778
- Environmental Effects on the Medium and Long Term Frequency Stability of Quartz Oscillators.
PB91-134866 100,781
- QUASICRYSTALS**
- Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass.
PB91-158949 101,220
- Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys.
PB91-158964 101,221
- 6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal.
PB91-187294 101,501
- Comparison of Amorphous and Quasicrystalline Films of Sputtered Al_{0.72}Mn_{0.22}Si_{0.06}.
PB91-195552 101,530
- QUENCHING (COOLING)**
- Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236
- QUINUCLIDINOL**
- Synthesis of 3-Quinuclidinol-(18)Q, Benzilic-d5 Acid, and 3-Quinuclidinyl-(18)Q, Benzilate-d5.
PB91-237370 100,223
- RACETRACK MICROTRONS**
- Of What Use Is Basic Research.
PB91-175513 101,642
- RADIATION**
- Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290
- RADIATION CHEMISTRY**
- Radiation Chemistry of Enones.
PB91-147793 100,236
- RADIATION CURING**
- Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182
- Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters.
PB92-116441 101,363
- Dosimetry: New Approaches for New Challenges.
PB92-117100 101,365
- RADIATION DAMAGE**
- Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409
- RADIATION DOSES**
- Absorbed-Dose Calibration of Ionization Chambers in a(60)Co Gamma-Ray Beam.
PB91-132290 101,598
- Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber.
PB91-195057 101,322

KEYWORD INDEX

REFERENCE MATERIALS

- NIST High-Dose Calibration Services.
PB91-203257 101,689
- Calibration of Ophthalmic Applicators at NIST: A Revised Approach.
PB91-237388 101,327
- RADIATION EFFECTS**
- Characteristics of the Breakdown Voltage of Power MOS-FETs After Total Dose Irradiation.
PB91-149062 100,793
- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons.
PB91-195198 101,293
- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV.
PB91-195206 101,669
- RADIATION ENHANCED DIFFUSION**
- Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.
PB91-175554 101,498
- RADIATION MEASURING INSTRUMENTS**
- Center for Radiation Research. 1990 Technical Activities.
PB91-178855 101,362
- RADIATION PRESSURE**
- Optical Levitation of Single Particles.
PB91-174987 101,634
- RADIATION THERAPY**
- Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054
- RADIATIVE HEAT TRANSFER**
- Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538
- RADICALS**
- Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄⁻. Alkanes and Ethers.
PB91-203232 100,394
- RADIO BROADCASTING**
- NIST Time and Frequency Services.
PB91-231605 100,585
- RADIO SOURCES (ASTRONOMY)**
- Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027
- Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
PB91-175042 100,031
- RADIOACTIVE WASTE FACILITIES**
- Model Validation at the Las Cruces Trench Site.
NUREG/CR-5716 101,368
- RADIOACTIVE WASTES**
- Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories.
NUREG/CR-5711 101,367
- RADIOACTIVITY**
- Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608
- RADIOCARBON DATING**
- Accelerator (14)C Dating of Late Pleistocene Megafauna.
PB91-237396 101,354
- Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California.
PB91-237404 101,355
- RADIOCHROMIC FILM**
- Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.
PB92-116961 101,364
- Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296
- RADIOGRAPHIC FILMS**
- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons.
PB91-195198 101,293
- RADIOGRAPHY**
- Real-Time Radiology Standards: Results of a Workshop.
PB91-147900 101,010
- RADIOLOGY**
- Real-Time Radiology Standards: Results of a Workshop.
PB91-147900 101,010
- RADIOLYSIS**
- Mechanism of Cyanide Release in the Radiolysis of Acetonitrile.
PB91-203679 100,240
- RADIOMETERS**
- Temperature Monitored/Controlled Silicon Photodiodes for Standardization.
PB92-116763 100,767
- RADIOMETRIC ANALYSIS**
- Center for Radiation Research. 1990 Technical Activities.
PB91-178855 101,362
- RADIOMETRY**
- Electronic and Radiometric Characteristics of Near Infrared Photodiodes.
PB91-174706 100,752
- RADIOSCOPY**
- Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018
- RADIOTHERAPY**
- Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054
- RADIUS OF GYRATION**
- Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485
- RADON**
- Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909
- RAILROAD CARS**
- Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel.
PB91-167346 101,150
- Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741
- Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742
- RAMAN SPECTRA**
- High-Temperature High-Pressure Raman Spectra from Liquid Water.
PB91-195735 100,385
- Semiclassical Calculation of Self-Broadening in O₂, N₂, and CO Raman Spectra.
PB92-117050 100,461
- RAPID SOLIDIFICATION PROCESS**
- Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass.
PB91-158949 101,220
- Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227
- Structural Study of Electrodeposited Aluminum-Manganese Alloys.
PB91-189423 101,231
- Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236
- RARE EARTH ELEMENTS**
- Giant Resonances in the Transition Regions of the Periodic Table.
PB91-147116 101,605
- Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908
- RARE GASES**
- Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.
PB91-192526 100,363
- RAYLEIGH SCATTERING**
- Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422
- REACTION KINETICS**
- Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane.
PB90-244534 100,252
- Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261
- Mechanism of Soot Formation in Acetylene-Oxygen Mixtures.
PB91-147280 100,537
- Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde.
PB91-147470 100,280
- Slow Electron Transfer Reactions between Alkylhydrazines.
PB91-147785 100,284
- Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.
PB91-147884 100,286
- Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime.
PB91-148783 100,292
- Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300
- Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301
- Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures.
PB91-158790 100,312
- Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330
- Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331
- Concerning the Formation and the Kinetics of Phenylum Ions.
PB91-187138 100,336
- Effects of pH and Calcium on Hydrolysis of Na₂SiF₆ and Na₂SnF₆: A Quasi-Constant Composition Titration Study.
PB91-194746 101,315
- Atomistic Diffusion Equations and Kinetic Forces.
PB91-195008 100,374
- Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
- Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386
- Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄⁻. Alkanes and Ethers.
PB91-203232 100,394
- Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407
- High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408
- Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Acidic Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid.
PB91-236489 100,241
- Antioxidation Mechanisms of Uric Acid.
PB91-237347 100,222
- Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.
PB91-237529 100,430
- Surface Oxidation Kinetics of Si₃N₄ - 4% Y₂O₃ Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436
- Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.
PB92-110170 100,446
- Kinetics and Mechanisms of the Gas-Phase Reactions of the NO₃ Radical with Organic Compounds.
PB92-110220 100,450
- Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O.
PB92-148071 100,467
- Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.
PB92-148204 100,480
- REACTIVITY**
- Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386
- REACTOR MATERIALS**
- Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373
- REACTOR SAFETY**
- Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370
- REDUCED GRAVITY**
- Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562
- REDUCTION (CHEMISTRY)**
- Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379
- REFERENCE INTENSITY RATIO**
- RIR - Measurement and Use in Quantitative XRD.
PB91-147397 101,466
- REFERENCE MATERIALS**
- Journal of Physical and Chemical Reference Data, Volume 19, Number 2, 1990.
PB90-244609 100,257
- Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes.
PB90-244617 100,258
- Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series.
PB90-244625 100,259

KEYWORD INDEX

- Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.
PB90-244633 100,260
- Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- Reference Materials: Their Role in Measurement Accuracy.
PB91-159103 101,014
- Reference NO₂ Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034
- Role of Reference Materials in Quality Assurance.
PB91-203901 100,206
- Journal of Physical and Chemical Reference Data, Volume 20, Number 1, 1991.
PB92-110113 100,440
- Spectral Data and Grotian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
- Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442
- Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.
PB92-110147 100,443
- Journal of Physical and Chemical Reference Data, Volume 20, Number 2, March-April 1991.
PB92-110162 100,445
- Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.
PB92-110170 100,446
- Thermophysical Properties of Ethane.
PB92-110188 100,447
- Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
PB92-110196 100,515
- Heat Capacities of Organic Compounds in Liquid State. 2. C₁ to C₁₈ n-Alkanes.
PB92-110204 100,448
- Journal of Physical and Chemical Reference Data, Volume 20, Number 3, May-June 1991.
PB92-110212 100,449
- Kinetics and Mechanisms of the Gas-Phase Reactions of the NO₃ Radical with Organic Compounds.
PB92-110220 100,450
- Thermodynamic Properties of the NaBr + H₂O System.
PB92-110238 100,451
- Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
- REFLECTOMETERS**
Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.
PB91-147207 101,406
- REFRACTIVE INDEX**
Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.
PB90-244708 101,402
- REFRACTORIES**
Rapporteur's Summary Materials Development for Coal Gasification.
PB91-158592 100,876
- REFRACTORY MATERIALS**
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
- Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875
- REFRIGERANTS**
Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities.
PB91-147074 101,189
- Strategy for Chemical Analysis of Alternative Refrigerants.
PB91-148502 100,185
- Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components.
PB91-162164 100,225
- Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors.
PB91-174243 101,194
- Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants.
PB91-174516 100,891
- Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065
- Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a).
PB91-175414 101,195
- Study of Flow Boiling Heat Transfer with Refrigerant Mixtures.
PB91-189563 101,196
- Dipole Moments of Seven Partially Halogenated Ethane Refrigerants.
PB91-195131 100,377
- Thermodynamic Diagrams for Refrigerant Mixtures.
PB91-236695 101,197
- Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198
- Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.
PB92-116748 101,199
- Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200
- REFRIGERATION**
Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.
PB91-187534 101,048
- REFRIGERATORS**
Review of Pulse Tube Refrigeration.
PB91-147942 101,046
- Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052
- REGENERATIVE COOLING**
Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.
PB91-144410 100,890
- REGENERATORS**
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.
PB91-147967 101,047
- Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640
- Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052
- REGISTRATION**
Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175
- REGULATIONS**
Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.
PB92-112416 101,022
- Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991.
PB92-112465 101,024
- REINFORCED CONCRETE**
Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes.
PB91-187690 101,138
- REINFORCING STEELS**
Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes.
PB91-187690 101,138
- RELAXATION**
Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior.
PB91-195099 100,501
- RELIABILITY**
Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991).
PB91-143339 101,008
- Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants.
PB92-126432 100,893
- RELIABILITY (ELECTRONICS)**
Building-in Reliability: Making It Work.
PB91-203992 100,812
- Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.
PB92-116987 100,825
- REMOTE BULLETIN BOARD SYSTEM**
Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer.
PB91-148528 100,524
- REMOTE CONTROL**
Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- REMOTE MANIPULATOR SYSTEM**
Short-Term Evolution for the Flight Telerobotic Servicer.
PB91-144352 101,731
- REPLICATING**
Replicate Measurements in the Interpretation of Environmental Monitoring.
PB91-189761 100,919
- RESEARCH**
Journal of Physical and Chemical Reference Data, Volume 19, Number 3, 1990.
PB90-244658 100,262
- NIST Research Reports, March 1991.
PB91-187559 100,007
- Journal of Physical and Chemical Reference Data, Volume 19, Number 6, November-December 1990.
PB91-192542 100,365
- Technical Activities 1990, Electron and Optical Physics Division.
PB91-194423 101,662
- Journal of Research of the National Institute of Standards and Technology. May-June 1991. Volume 96, Number 3.
PB91-216705 101,704
- RESEARCH FACILITIES**
LBIR Facility User Handbook.
PB92-102185 101,435
- Research. Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012
- RESEARCH MANAGEMENT**
Feasibility of Using Knowledge-Based Systems for Aiding Inventors.
PB91-147728 100,895
- Building Technology Publications 1986-1989.
PB91-216820 100,160
- Role of Theory in Lighting Research and Design.
PB91-237826 100,081
- RESEARCH PROGRAMS**
Research. Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012
- RESEARCH PROJECTS**
Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991).
PB91-143339 101,008
- NBS Research Program in Municipal Solid Waste Combustion.
PB91-147264 100,916
- UNIX in the Government's Automated Manufacturing Research Facility (AMRF).
PB91-147579 100,963
- Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer.
PB91-148528 100,524
- Materials Research at the National Bureau of Standards.
PB91-149039 101,214
- Polymers: Technical Activities 1990.
PB91-159715 100,488
- Center for Radiation Research. 1990 Technical Activities.
PB91-178855 101,362
- Advanced Materials: Opportunities and Challenges.
PB91-204032 100,009
- International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB92-204040 101,251
- Building and Fire Research Project Summaries, 1991.
PB91-216788 100,132
- Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126424 101,252
- Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126507 101,104
- Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
PB92-126515 101,171
- Journal of Research of the National Institute of Standards and Technology, September-October 1991. Volume 96, Number 5.
PB92-126614 100,212
- RESIDENTIAL BUILDINGS**
Prototype Expert System for Diagnosing Moisture Problems in Houses.
PB91-159079 100,062
- ZIP. The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition).
PB91-167155 100,064
- RESIDUAL STRESS**
Reduction in Sintering Damage of Fiber Reinforced Composites.
PB91-195362 101,124
- Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741
- Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094
- RESIN MATRIX COMPOSITES**
Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115
- Interlaminar Shear Fracture of Laminated Composites.

KEYWORD INDEX

SECOND BREAKDOWN

- PB91-187336 101,122
Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050
Dental Composite Resins: An Update.
PB91-204149 100,051
Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130
- RESINS**
Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182
- RESISTANCE STANDARDS**
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734
New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.
PB91-237586 100,740
- RESISTIVITY MAPPING**
High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809
- RESONANCE IONIZATION MASS SPECTROMETRY**
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service.
PB91-203968 100,207
- RESONANCE IONIZATION MASS SPECTROSCOPY**
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni.
PB91-162297 100,193
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116789 101,361
- RESONANCE IONIZATION SPECTROSCOPY**
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni.
PB91-162297 100,193
Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service.
PB91-203968 100,207
- RESONANT TUNNELING**
Resonant Tunneling with Electron-Phonon Interactions: An Exactly Solvable Model Applied to Desorption.
PB91-162065 100,317
- RETINOL**
Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
PB91-18858 100,187
- REVERBERATION CHAMBERS**
TEM/Reverberating Chamber Design/Concept Study: A Single Facility for Large System Radiated EMC Testing, 10 kHz - 40 GHz.
PB91-161992 100,845
TEM Driven Reverberating Chamber, a Single Facility for Radiated EMS/V Testing, 10 kHz - 18 GHz.
PB91-202895 100,856
- REVERSE OSMOSIS**
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230
- REVIEWS**
Literature Review of the Galling Process.
PB91-134551 101,208
Book Review: Hypertext Hands-On.
PB91-237040 100,656
- REYNOLDS NUMBER**
Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117209 100,015
- RHEOLOGICAL PROPERTIES**
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
- RHODIUM 103 TARGET**
Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum.
PB91-203406 101,694
- RHODIUM ALLOYS**
Properties of Amorphous Zirconium Rhodium Hydride (Zr3RhHx) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
- RIBONUCLEASES**
Crystal Structure of Phosphate-Free Ribonuclease.
PB91-175604 101,301
- RISK ASSESSMENT**
Concept of the Calculus of Fire Safety.
PB91-132134 100,093
- ROBOT ARMS**
Control of Flexible Robot Arm.
PB91-174979 101,032
- ROBOT DYNAMICS**
New Approach to Vision and Control for Road Following.
PB91-157156 101,743
Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037
- ROBOT SENSORS**
Robot Sensor Language.
PB91-174961 101,031
- ROBOT VISION**
Real-Time Model-Based Tracking Combining Spatial and Temporal Features.
PB91-216630 100,700
- ROBOTICS**
Short-Term Evolution for the Flight Telerobotic Servicer.
PB91-144352 101,731
Real-Time Hierarchical Planning for Multiple Mobile Robots.
PB91-158782 101,375
Design and Implementation of a Five-Axis Robotic Micromanipulator for Inserting Parts into Precision Collets.
PB91-159194 101,029
Video Compression for Remote Vehicle Driving.
PB91-203208 101,035
Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.
PB91-216648 100,130
Performance Measures of a Robotic Micropositioner.
PB92-117019 101,037
- ROBOTS**
TROJ User's Guide.
PB91-157214 101,026
Self-Adjustment of a Robot Joint Controller.
PB91-158568 101,027
Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints.
PB91-158576 101,028
Robot Characterization Testing.
PB91-167361 101,030
U.S. Manufacturing Systems: Factories Past, Present, and Future.
PB91-175091 100,981
NASREM Robot Control System and Testbed.
PB91-194969 101,033
CAD Directed Robotic Deburring.
PB91-195172 100,985
Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF.
PB91-195495 100,986
Application of the PIPE Image Processing Machine to Scanning Microscopy.
PB91-203190 101,034
- ROCKWELL HARDNESS**
Intercomparison Study of Rockwell Hardness Test Blocks.
PB91-167338 101,224
Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.
PB91-184747 101,153
- ROD BUNDLES**
Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance.
PB91-134445 100,921
Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.
PB92-116490 101,397
- ROOFING**
Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes.
PB91-149153 100,105
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations.
PB91-159731 100,110
Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes.
PB91-203935 100,128
- ROOFS**
Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340
Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.
PB91-189993 100,124
- ROOM FIRES**
Data for Room Fire Model Comparisons.
PB92-110287 100,167
- RUBBER**
Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508
Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.
PB91-206714 100,148
- RUBBER ADHESIVES**
Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.
PB91-189993 100,124
- RUBIDIUM FREQUENCY STANDARDS**
Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 100,581
- RUTHENIUM COMPOUNDS**
Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins.
PB91-203661 100,402
- RUTHENIUM OXIDES**
Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351
- RYDBERG STATES**
Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396
- SAMARIUM COMPOUNDS**
Antiferromagnetic Order of Cu in Sm2CuO4.
PB92-117340 101,569
- SAMARIUM OXIDES**
Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287
Many-Electron Effects in Lgamma2,3 XES Spectra from Rare Earth Elements.
PB91-195313 100,383
- SAMPLE PREPARATION**
New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.
PB92-116805 100,911
- SAW DEVICES**
Surface Acoustical Wave Spectroscopy for High Humidity Sensing.
PB91-158816 100,843
- SCANDIUM**
Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScHx System.
PB91-158485 101,217
- SCANNING ELECTRON MICROSCOPY**
Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.
PB91-147926 101,469
Submicrometer SEM Magnification Standard.
PB91-159087 100,799
Microchannel-Plate Detection Systems for Low Accelerating Voltage SEM.
PB91-189928 101,515
SEM Imaging and Metrology at Low Accelerating Voltages Using Backscattered Electrons.
PB91-195461 101,529
New Approach to Image Modeling and Edge Detection in the SEM.
PB91-203752 100,811
Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.
PB91-204099 101,320
- SCANNING TUNNELING MICROSCOPY**
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
PB91-194712 100,808
System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.
PB91-194779 101,522
- SCINTILLATION COUNTERS**
Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes.
PB91-175547 101,644
- SEAFOOD**
gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy.
PB91-150060 100,016
- SEAMS (JOINTS)**
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations.
PB91-159731 100,110
Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.
PB91-189993 100,124
- SECOND BREAKDOWN**
Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-216739 100,813
Automated Reverse-Bias Second-Breakdown Transistor Tester.

KEYWORD INDEX

- PB91-236513 100,814
- SECURITY**
Standards for the Physical Protection of National Resources and Facilities.
PB91-222695 100,006
- SEDIMENTS**
Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkylins in Sediment.
PB92-116755 100,210
- SELENIUM IONS**
Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443
- SELF ADAPTIVE CONTROL SYSTEMS**
Self-Adjustment of a Robot Joint Controller.
PB91-158568 101,027
- SEMICONDUCTOR DEVICES**
NBS Submicron Particle Standards for Microcontamination Measurement.
PB91-158873 100,798
Center for Electronics and Electrical Engineering Technical Progress Bulletin Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar.
PB91-159749 100,801
Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar.
PB91-184754 100,852
Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air.
PB91-194712 100,808
Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545
Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.
PB92-116987 100,825
- SEMICONDUCTOR INDUSTRY**
Structural Change and Competitiveness: The U.S. Semiconductor Industry.
PB91-195693 100,173
Metrology for the Semiconductor Industry.
PB91-240739 100,817
- SEMICONDUCTOR LASERS**
Modulatable Narrow-Linewidth Semiconductor Lasers.
PB91-134106 101,404
Diode Lasers and Their Application to Spectroscopy.
PB92-116904 101,439
- SEMICONDUCTOR SWITCHES**
Investigation of Photoconductive Picosecond Microstrip Line Switches on Self-Implanted Silicon on Sapphire (SOS).
PB91-147918 100,791
- SEMICONDUCTORS**
Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.
PB91-147926 101,469
Modeling Electron Beam Interactions in Semiconductors.
PB91-159020 101,485
Narrow-Gap Semiconductors and Related Materials.
PB91-162313 101,492
SEM Imaging and Metrology at Low Accelerating Voltages Using Backscattered Electrons.
PB91-195461 101,529
- SEMICONDUCTORS (MATERIALS)**
Effects of Crystal Bonding on Brittle Fracture.
PB91-148221 101,064
New Layered Cuprate Structure-Type, (A1-xA')14Cu24O41.
PB91-237339 101,095
- SENSORS**
Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931
- SEPARATION**
Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300
- SEPARATION PROCESSES**
Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides.
PB91-134544 101,283
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
Adsorption and Orientation of Tetracycline on Hydroxyapatite.
PB91-195149 101,319
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Maltodextrin Mixtures.
- PB91-237230 100,231
- SERVICE LIFE**
Predicting the Remaining Service Life of Concrete.
PB92-126598 101,371
- SET THEORY**
Computer Implementation of a Discrete Set Algebra.
PB91-231571 100,654
- SETTLEMENT (STRUCTURAL)**
Proposed Design Criteria for Shallow Bridge Foundations.
PB91-187849 100,534
- SGML (STANDARD GENERALIZED MARKUP LANGUAGE)**
Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile.
PB91-184812 101,345
Difficulties in Parsing SGML.
PB91-189456 100,650
- SHAPE RESONANCES**
Shape Resonances in Molecular Fields.
PB91-187435 100,338
- SHEAR PROPERTIES**
Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test.
PB91-149872 101,579
- SHIELDING**
Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054
- SHIPBOARD FIRE CONTROL**
Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.
PB92-108935 101,376
- SHIPPING CONTAINERS**
Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packagings.
PB92-126457 100,943
- SHPOL'SKII EFFECT**
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.
PB91-147157 100,274
- SIALON**
Improved Analysis for Flexural Creep with Application to Sialon Ceramics.
PB91-150037 101,071
- SIGN VISIBILITY**
Visibility of Exit Signs and Directional Indicators.
PB91-161984 100,083
- SIGNAL PROCESSING**
Root Projection of One-Sided Time Series.
PB91-216754 101,262
Deconvolution of Acoustic Emission and Other Causal Time Series.
PB91-216762 101,263
- SILANE**
Causes of SiH4 Dissociation in Silane dc discharges.
PB91-202986 100,389
Silane Dissociation Products in Deposition Discharges.
PB91-202994 100,390
- SILICA**
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077
Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185
Small Angle Neutron Scattering Characterization of Microporous Silica.
PB91-203489 101,089
Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
PB92-117357 101,102
- SILICA GEL**
Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites.
PB91-159178 101,117
Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110
Change in Magnetic State of Fe+ Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.
PB91-237321 101,129
- SILICA GLASS**
Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1: Equilibrium Fracture.
PB91-236935 101,093
Effect of Surface Forces on Subcritical Crack Growth in Glass.
PB92-117449 101,103
- SILICON**
Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers.
PB91-147520 100,788
Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 101,471
Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.
- PB91-148197 100,792
- Amorphization and Conductivity of Silicon and Germanium Induced by Indentation.
PB91-150045 101,482
- High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809
- Lattice Relaxation in Silicon Doped with 4d- and 5d-Transition Metals.
PB91-203554 101,541
- Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB92-236596 100,208
- Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- Theory of Ballistic-Electron-Emission Spectroscopy of NiSi2/Si(111) Interfaces.
PB91-237453 101,557
- Round-Robin Study of Implants in Si and SiO2 by SIMS, RBS, and NAA.
PB92-117241 100,830
- Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570
- SILICON CARBIDES**
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.
PB91-149096 101,066
Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084
Comparison of Creep Rupture Behavior in Tension and Bending.
PB91-202820 101,087
High Temperature Creep Testing of Ceramics.
PB91-202838 101,088
Creep and Reliability of Ceramic Materials at Elevated Temperatures.
PB91-204172 101,091
Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436
- SILICON COMPOUNDS**
Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
DE91002169 100,785
- SILICON DIOXIDE**
Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.
PB91-147975 100,103
Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
PB91-149187 100,190
Electron Attenuation Lengths at SiO2/Si Interfaces.
PB91-175612 101,499
Thermal Conductivity of Fumed Silica Board at Room Temperature.
PB91-190124 100,125
Ellipsometry SRM's for Use in Thin Film Measurements.
PB92-116599 100,819
Round-Robin Study of Implants in Si and SiO2 by SIMS, RBS, and NAA.
PB92-117241 100,830
- SILICON ISOTOPES**
Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
- SILICON NITRIDES**
Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180
Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096
Surface Oxidation Kinetics of Si3N4 - 4% Y2O3 Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- SILICON OXIDES**
Stoichiometry of Reactively Evaporated Films.
PB91-158709 101,413
- SILVER**
Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.
PB91-175554 101,498

KEYWORD INDEX

SOLUTIONS

- Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e, alpha) Reaction. PB91-216812 101,705
- SILVER COATINGS**
Possible 'Proximity Matrix' Route to High Current Conductors. PB91-148932 101,476
- SILVER INORGANIC COMPOUNDS**
Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS. PB91-187237 101,080
- SILVER STRIPS**
Determination of Fields Near a Silver Strip on a Glass Substrate. PB91-147702 100,841
- SIMOX**
Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX. PB92-116607 100,820
Persistent Photoconductivity in SIMOX Films. PB92-117084 100,826
Residual Defects in SIMOX: Threading Dislocations and Pipes. PB92-117233 100,829
- SIMPLE CUBIC LATTICES**
Relation between the Surface Energy and the Debye Temperature for Cubic Solids. PB91-149393 100,303
- SINGLE CRYSTALS**
Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals. PB91-148767 101,065
Neutron Crystallography of Proteins. PB91-175349 101,285
Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS. PB91-187237 101,080
Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C₂₀H₄₂) in Torsion. PB91-187427 100,497
Cathodoluminescence Measurement of Strained Alumina Single Crystals. PB91-237131 101,094
- SINGLE-PLY ROOFING MEMBRANES**
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus. PB91-157172 100,106
Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations. PB91-159731 100,110
- SINTERED MATERIALS**
Differential Sintering. PB91-237123 101,128
- SINTERING**
Reduction in Sintering Damage of Fiber Reinforced Composites. PB91-195362 101,124
- SITE SURVEYS**
Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California. PB91-237404 101,355
- SLOVAK METROLOGICAL SOCIETY**
Slovak Metrological Society. PB92-126721 100,938
- SMALL ANGLE SCATTERING**
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering. PB91-175067 100,929
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies. PB91-175075 101,077
Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene. PB91-187153 100,494
Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene. PB91-194688 100,500
Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers. PB91-202887 100,505
Small Angle Neutron Scattering Characterization of Microporous Silica. PB91-203489 101,089
- SMALL BUSINESSES**
Transferring NBS Technology to Small Manufacturers Through State and Local Centers. PB91-149351 101,025
- SMOKE**
Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport. PB91-144436 100,096
Refinement of a Model for Fire Growth and Smoke Transport. PB91-148510 100,104
Compartment Fire-Generated Environment and Smoke Filling. PB91-158543 100,107
Smoke Production and Properties. PB91-175422 100,120
Engineering Analysis of Fire Development in the Hospice of Southern Michigan, December 15, 1985. PB91-195222 100,158
- SMOKE DETECTORS**
Smoke Production and Properties. PB91-175422 100,120
International Fire Detection Bibliography, 1975-1990. PB92-109156 100,088
- SMOLUCHOWSKI EQUATION**
Applicability of Smoluchowski's Equation with a Constant Kernel to Coalescence. PB91-148940 100,296
- SOCIAL SECURITY ADMINISTRATION**
Development of an Optical Disk System for the Automated Retrieval of EASEAR Records. PB92-108943 100,666
- SODIUM**
Advanced sensor development program for the pulp and paper industry. Final report. DE91007688 101,248
NIST Standards for Sodium and Potassium. PB91-158865 100,191
Spin-Dependent Electron-Impact Excitation of Sodium. PB91-175497 101,641
Production and Diagnosis of a Highly Spin-Polarized Na Beam. PB91-204016 101,431
- SODIUM ATOMS**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms. PB91-236745 101,707
- SODIUM BROMIDES**
Thermodynamic Properties of the NaBr + H₂O System. PB92-110238 100,451
- SODIUM CHLORIDE**
Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States. PB91-189381 100,342
- SODIUM IONS**
Research at NBS in Direct Potentiometric Measurements in Blood. PB91-148874 100,188
Theoretical Model of Metal Binding Sites in Proteins. PB91-194837 100,370
- SOFTWARE**
MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991. PB91-507699 100,660
MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers). PB91-507707 100,661
MUMPS Validation Suite, Version 7.6 (ANSI), 1991. PB91-507715 100,662
MUMPS Validation Suite, Version 7.6 (TAR), 1991. PB91-507723 100,663
OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0). PB91-507954 101,278
OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0. PB91-507962 101,279
Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers). PB91-507970 100,898
- SOFTWARE ENGINEERING**
Developing Federal Software Standards: A New Direction. PB91-134536 100,637
Software Verification and Validation: An Overview. PB91-237685 100,658
Software Reengineering: A Case Study and Lessons Learned. PB92-116417 100,669
- SOFTWARE REUSE**
Software Reengineering: A Case Study and Lessons Learned. PB92-116417 100,669
- SOFTWARE TOOLS**
NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised). PB91-132159 100,682
NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series. PB91-157164 100,964
Static Analysis Tools for Software Security Certification. PB91-203380 100,710
Guide to Expert System Building Tools for Microcomputers. PB92-108893 100,715
- SOIL PROPERTIES**
Concepts of Underground Corrosion. PB91-150078 101,134
- SOILS**
Corrosion Testing in Soil. PB91-158667 101,135
Measuring the Corrosion of Metals in Soil. PB91-174714 101,136
Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra. PB91-237875 101,733
- SOLAR ENERGY**
Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data. PB91-159152 100,901
- SOLAR RADIATION**
Temperature Measurement of Glass Subjected to Solar Radiation. PB91-147611 100,100
- SOLID CRYOGENS**
Hydrogen Slush Production with a Large Auger. PB91-147199 100,275
- SOLID ELECTROLYTES**
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400. PB91-237867 100,439
- SOLID HYDROGEN**
Hydrogen Slush Production with a Large Auger. PB91-147199 100,275
- SOLID STATE PHYSICS**
Core Hole Screening for Intermediate Size Metal Particles. PB91-203539 101,540
- SOLID WASTES**
NBS Research Program in Municipal Solid Waste Combustion. PB91-147264 100,916
Monitoring the Fate of Chlorine from MSW Sampling through Combustion. PB91-174631 100,917
- SOLIDIFICATION**
Phase Selection in Non-Equilibrium Processing PB91-195651 101,236
- SOLIDIFIED GASES**
Hydrogen Slush Production with a Large Auger. PB91-147199 100,275
- SOLIDS**
Relation between the Surface Energy and the Debye Temperature for Cubic Solids. PB91-149393 100,303
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990. PB91-192435 100,354
Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2. PB91-192450 100,356
Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP. PB91-194449 100,983
Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics. PB91-203331 100,397
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide. PB92-148105 100,470
- SOLUBILITY**
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes. PB91-162081 100,319
Evaluation of Solubility Data of the System CO-H₂O from 273 K to the Critical Point of Water. PB92-110253 100,453
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends. PB92-117274 100,519
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide. PB92-148105 100,470
Solubility of Carbon Dioxide in Water at Low Pressure. PB92-148196 100,479
- SOLUTES**
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide. PB92-148105 100,470
- SOLUTIONS**
Appendix: Standard Solutions and Certified Reference Materials. PB91-174235 100,194
Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States. PB91-189381 100,342
Modelling Aqueous Solutions Near the Critical Point of Water.

KEYWORD INDEX

- PB91-189837 100,349
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
Thermodynamics of Solutions Near the Solvent's Critical Point.
PB91-237297 100,232
- SOLVATION**
Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation.
PB91-203547 100,400
- SOLVENT EXTRACTION**
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures.
PB91-159095 100,487
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Mal-dextrin Mixtures.
PB91-237230 100,231
- SOLVENTS**
Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508
- SOOT**
Mechanism of Soot Formation in Acetylene-Oxygen Mixtures.
PB91-147280 100,537
- SOUND LEVEL METERS**
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914
- SOUND TRANSDUCERS**
Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures.
PB92-116839 100,458
Probe-Corrected Spherical Near-Field Scanning Theory in Acoustics.
PB92-117456 101,383
- SOUND WAVES**
Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures.
PB92-116839 100,458
Accurate Acoustic Measurements in Gases Under Difficult Conditions.
PB92-116847 101,382
- SPACE LABORATORIES**
Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041
- SPACE STATIONS**
Material Flammability Test Assessment for Space Station Freedom.
PB91-216606 101,735
- SPACECRAFT CONSTRUCTION MATERIALS**
Material Flammability Test Assessment for Space Station Freedom.
PB91-216606 101,735
- SPACECRAFT DESIGN**
Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
- SPACECRAFT MAINTENANCE**
Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732
- SPARSE MATRIX**
Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices.
PB91-147850 101,254
- SPECIFIC HEAT**
Heat Capacities of Organic Compounds in the Liquid State I. C1 to C18 1-Alkanols.
PB90-244716 100,265
Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602
Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.
PB91-147041 100,272
Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273
Theory of Specific Heat of Solids.
PB91-148916 101,475
Relation between the Surface Energy and the Debye Temperature for Cubic Solids.
PB91-149393 100,303
Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromide Monohydrate Salt (NH₄)₂InBr₅·H₂O from 7.8 to 348 K.
PB91-149831 100,304
Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF₄ from 6 to 344 K.
- PB91-149864 100,305
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354
Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2.
PB91-192450 100,356
Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
PB92-110196 100,515
Heat Capacities of Organic Compounds in Liquid State. 2. C1 to C18 n-Alkanes.
PB92-110204 100,448
Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.
PB92-116524 100,456
- SPECIFICATIONS**
Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes.
FIPS PUB 9-1 100,679
Introduction to ACI 306.1-87: Specification for Cold Weather Concreting.
PB91-174524 100,526
Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.
PB91-201004 100,692
Guide Specification for Direct Digital Control Based Building Automation System.
PB91-216697 100,092
- SPECTRORADIOMETERS**
Roughened Quartz Surfaces and Teflon as Small-Angle Diffusers and Depolarizers between 200 and 400 nm.
PB91-195644 101,425
- SPECTROSCOPIC ANALYSIS**
Analysis and Characterization of Commercial Welding Fluxes.
PB91-162339 101,003
- SPECTROSCOPIC DATA**
Spectroscopic Data Base for Carbon and Oxygen.
PB91-237750 101,716
- SPECTROSCOPY**
Mossbauer Imaging.
PB91-203745 101,294
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510
Diode Lasers and Their Application to Spectroscopy.
PB92-116904 101,439
- SPECTRUM ANALYSIS**
Spectroscopic Constants for the nu₉ Infrared Band of HNO₃.
PB91-189415 100,343
Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping.
PB91-195180 100,202
Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate.
PB91-203034 100,392
Spectral Data and Grotrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441
Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442
- SPEECH RECOGNITION**
Phone-Mediated Word Alignment for Speech Recognition Evaluation.
PB91-189910 100,592
Scoring Continuous Speech in the DARPA Speech Recognition Program: Part 2.
PB91-195396 100,593
DARPA Air Travel Information System (ATISO) Speaker-Dependent Training Data (on CD-ROM).
PB91-505370 100,594
Road Rally Conversational Speech Corpora (on CD-ROM).
PB91-509802 100,595
- SPIN GLASS**
Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites.
PB91-159178 101,117
- SPINODAL DECOMPOSITION**
Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend.
- PB91-162099 100,489
Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HP) Blends.
PB91-162131 100,490
- SPRAYING**
Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.
PB91-240770 100,164
- SPRAYS**
Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300
Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229
Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550
ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD. on July 15-18, 1991.
PB91-216838 100,552
- SPRINKLER SYSTEMS**
Interaction of an Isolated Sprinkler Spray and a Two-Layer Compartment Fire Environment.
PB91-216804 100,551
- SPRINKLERS**
Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers.
PB91-159038 100,109
Sprinkler/Hot Layer Interaction.
PB91-206580 100,129
Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.
PB91-222604 100,162
- SPUTTERING**
Mechanical Sputtering of Structural Stainless Steels.
PB91-175448 101,152
- SQL3 DATABASE LANGUAGE**
SQL3 Support for CALS Applications.
PB91-167262 100,965
- SQUID DEVICES**
Excess Low-Frequency Flux Noise in dc Squids Incorporating Nb/Al-Oxide/Nb Josephson Junctions.
PB91-236810 100,736
- STABILITY**
Stability of Uric Acid in Ammonium Hydroxide.
PB91-189266 101,292
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211
- STAINLESS STEEL-304L**
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
- STAINLESS STEEL-316L**
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.
PB91-158980 101,148
- STAINLESS STEEL-440**
High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.
PB91-194795 101,160
- STAINLESS STEELS**
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel.
PB91-167171 101,149
Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.
PB91-236505 101,164
- STANDARD REFERENCE DATA**
Journal of Physical and Chemical Reference Data, Volume 19, Number 1, 1990.
PB90-244526 100,251
Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane.
PB90-244534 100,252
Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.
PB90-244542 100,253
Critical Compilation of Surface Structures Determined by Ion Scattering Methods.
PB90-244559 100,254
Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255
Energy Levels of Atomic Aluminum with Hyperfine Structure.
PB90-244575 101,594
Spectral Data and Grotrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.

KEYWORD INDEX

STANDARDIZATION

PB90-244583	101,595	PB91-192575	100,367	PB92-148188	100,478
Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.		Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.		Solubility of Carbon Dioxide in Water at Low Pressure.	
PB90-244591	100,256	PB91-192583	100,368	PB92-148196	100,479
Journal of Physical and Chemical Reference Data, Volume 19, Number 2, 1990.		Critical Data in Physics and Chemistry.		Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.	
PB90-244609	100,257	PB91-203455	101,697	PB92-148204	100,480
Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes.		Journal of Physical and Chemical Reference Data, Volume 20, Number 1, 1991.		Atomic Weights of the Elements 1989.	
PB90-244617	100,258	PB92-110113	100,440	PB92-148212	100,481
Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series.		Spectral Data and Grottrian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.		Isotopic Compositions of the Elements 1989.	
PB90-244625	100,259	PB92-110121	100,441	PB92-148220	100,482
Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.		Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).		STANDARD REFERENCE FIBERS	
PB90-244633	100,260	PB92-110139	100,442	Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer.	
Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.		Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.		PB91-147207	101,406
PB90-244641	100,261	PB92-110147	100,443	STANDARD REFERENCE MATERIALS	
Journal of Physical and Chemical Reference Data, Volume 19, Number 3, 1990.		Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.		SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors.	
PB90-244658	100,262	PB92-110154	100,444	PB91-134338	100,780
Energy Levels of Copper, Cu I through Cu XXIX.		Journal of Physical and Chemical Reference Data, Volume 20, Number 2, March-April 1991.		Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.	
PB90-244666	101,596	PB92-110162	100,445	PB91-147975	100,103
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.		Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.		Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.	
PB90-244674	100,263	PB92-110170	100,446	PB91-148817	100,186
Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.		Thermophysical Properties of Ethane.		Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.	
PB90-244682	100,264	PB92-110188	100,447	PB91-149237	101,377
Cross Sections and Swarm Coefficients for H ⁺ , H ₂ ⁺ , H ₃ ⁺ , H, H ₂ , and H-in H ₂ for Energies from 0.1 eV to 10 keV.		Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.		NIST Standards for Sodium and Potassium.	
PB90-244690	101,597	PB92-110196	100,515	PB91-158865	100,191
Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.		Heat Capacities of Organic Compounds in Liquid State. 2. C ₁ to C ₁₈ n-Alkanes.		Reference Materials: Their Role in Measurement Accuracy.	
PB90-244708	101,402	PB92-110204	100,448	PB91-159103	101,014
Heat Capacities of Organic Compounds in the Liquid State I. C ₁ to C ₁₈ 1-Alkanols.		Journal of Physical and Chemical Reference Data, Volume 20, Number 3, May-June 1991.		Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.	
PB90-244716	100,265	PB92-110212	100,449	PB91-162115	100,111
Transport Properties of Carbon Dioxide.		Kinetics and Mechanisms of the Gas-Phase Reactions of the NO ₃ Radical with Organic Compounds.		Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems.	
PB90-244724	100,266	PB92-110220	100,450	PB91-167163	100,802
Factual Materials Databanks - The Need for Standards.		Thermodynamic Properties of the NaBr + H ₂ O System.		Appendix: Standard Solutions and Certified Reference Materials.	
PB91-147546	101,249	PB92-110238	100,451	PB91-174235	100,194
Technical Activities 1990, Standard Reference Data Program.		Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N ₂ and Argon Ions and Neutrals in N ₂ and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV.		Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989.	
PB91-167213	100,321	PB92-110246	100,452	PB91-175620	101,079
NIST Standard Reference Data Products 1991 Catalog.		Evaluation of Solubility Data of the System CO-H ₂ O from 273 K to the Critical Point of Water.		Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.	
PB91-167312	100,952	PB92-110253	100,453	PB91-184747	101,153
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.		NIST X-Ray Photoelectron Spectroscopy (XPS) Database.		Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge.	
PB91-192435	100,354	PB92-123157	100,465	PB91-187542	100,690
Energy Levels of Sulfur, S I Through S XVI.		Journal of Physical and Chemical Reference Data, Volume 20, Number 4, July/August 1991.		Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.	
PB91-192443	100,355	PB92-148063	100,466	PB91-187633	100,932
Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2.		Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO ₂ , HNO, HNO ₂ , HCN and N ₂ O.		Calibration of the NBS 10μm Space Beads.	
PB91-192450	100,356	PB92-148071	100,467	PB91-203422	101,695
Thermodynamics of the Krebs Cycle and Related Compounds.		Ab-initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.		Dimensional Calibration of an NBS 0.3-μm-Diameter Particle-Sizing Standard.	
PB91-192468	100,357	PB92-148089	100,468	PB91-203430	101,696
Journal of Physical and Chemical Reference Data, Volume 19, Number 5, September-October 1990.		Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.		Reference Materials for Analytical Chemistry.	
PB91-192476	100,358	PB92-148097	100,469	PB91-203893	100,205
Transport Properties of Fluid Oxygen.		Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.		Role of Reference Materials in Quality Assurance.	
PB91-192484	100,359	PB92-148105	100,470	PB91-203901	100,206
Thermal Conductivity of Nine Polyatomic Gases at Low Density.		Journal of Physical and Chemical Reference Data, Volume 20, Number 5, September/October 1991.		Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).	
PB91-192492	100,360	PB92-148113	100,471	PB91-222646	100,934
Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density.		Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).		Ellipsometry SRM's for Use in Thin Film Measurements.	
PB91-192500	100,361	PB92-148121	100,472	PB92-116599	100,819
Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A ₂ CO ₃ -AX and A ₂ SO ₄ -AX Where A = Li, Na, K and X = Cl, F, NO ₃ , OH.		Energy Levels of Krypton, Kr I through Kr XXXVI.		Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.	
PB91-192518	100,362	PB92-148139	100,473	PB92-117357	101,102
Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases.		Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.		Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.	
PB91-192526	100,363	PB92-148147	100,474	PB92-126630	100,912
Unified Fundamental Equation for the Thermodynamic Properties of H ₂ O.		Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam.		Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO ₂ /Air in Compressed Gas Mixtures.	
PB91-192534	100,364	PB92-148154	100,475	PB92-126648	100,913
Journal of Physical and Chemical Reference Data, Volume 19, Number 6, November-December 1990.		Journal of Physical and Chemical Reference Data, Volume 20, Number 6, November/December 1991.		Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.	
PB91-192542	100,365	PB92-148162	100,476	PB92-126655	100,937
Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.		New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa.		STANDARD SOLUTIONS	
PB91-192559	100,366	PB92-148170	100,477	Recommended Inorganic Chemicals for Calibration.	
Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms: A Critical Review of Selected Data for the Period 1983 through 1988.		Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K.		PB91-195164	100,201
PB91-192567	101,659			STANDARDIZATION	
Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.				Overview of the Product Data HyperStandard CD-ROM Prototype.	
				PB91-132258	101,380
				Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada.	
				PB91-157198	100,641

KEYWORD INDEX

- Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990. PB91-159723 100,643
- Standards Activities of Organizations in the United States. PB91-177774 100,004
- Meeting of the Standards Working Group of the Joint U.S.-U.S.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991. PB91-194498 100,178
- Standardization of Advanced Ceramics. PB91-195669 101,086
- Validation Testing Laboratory User's Guide. National PDES Testbed Report Series. PB92-123090 100,971
- ## STANDARDS
- Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media. FIPS PUB 54-1 100,678
- Government Open Systems Interconnection Profile (GOSIP). Category: Hardware and Software Standards; Subcategory: Computer Network Protocols. FIPS PUB 146-1 100,675
- Detail Specification for 62.5-mum Core Diameter/125-mum Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers. FIPS PUB 159 100,562
- Benzene: A Further Liquid Thermal Conductivity Standard. PB90-244567 100,255
- NIST Working Form for STEP: National PDES Testbed Report Series (Revised). PB91-132183 100,683
- Use of the IRDS Standard in CALS (Revised). PB91-132209 100,684
- Eddy Current Probe Characterization Using an Impedance Plane Display Instrument. PB91-133868 100,834
- Information Systems Engineering Program. PB91-134635 100,685
- NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised). PB91-144378 100,998
- State-of-the-Art in Pressure Metrology. PB91-146993 101,038
- Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations. PB91-147025 100,880
- Dietary Collection Procedures. PB91-147413 101,317
- Factual Materials Databanks - The Need for Standards. PB91-147546 101,249
- Use of Single Particle Standards for LAMMA Calibration. PB91-147777 100,183
- Real-Time Radiology Standards: Results of a Workshop. PB91-147900 101,010
- CIM, Data and Standardization within the NBS AMRF. PB91-148122 100,975
- Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results. PB91-148817 100,186
- Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents. PB91-149337 101,377
- Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry. PB91-150003 100,309
- NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series. PB91-157164 100,964
- Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS). PB91-158832 101,339
- NIST Standards for Sodium and Potassium. PB91-158865 100,191
- NBS Submicron Particle Standards for Microcontamination Measurement. PB91-158873 100,798
- Features and Facilities of Estelle. PB91-158915 100,688
- Domestic Implementation. PB91-159061 100,176
- Submicrometer SEM Magnification Standard. PB91-159087 100,799
- International Co-operation: The Versailles Project on Advanced Materials and Standards. PB91-159137 101,191
- VAMAS Bulletin. PB91-159145 101,192
- Progress at NIST on Absolute Frequency Standards Using Stored Ions. PB91-159285 101,625
- Intercomparison of NBS Noise Calibration Services. PB91-162370 100,847
- Intercomparison Study of Rockwell Hardness Test Blocks. PB91-167338 101,224
- Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment. PB91-167353 100,905
- Appendix: Standard Solutions and Certified Reference Materials. PB91-174235 100,194
- Letter to the Editor of Standardization News. PB91-174789 100,118
- Application of CCRL Data in the Development of Cement Standards. PB91-175315 100,119
- Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989. PB91-175620 101,079
- Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC. PB91-178897 101,343
- Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks. PB91-184747 101,153
- STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules. PB91-184788 100,966
- Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 Inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge. PB91-187542 100,690
- Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions. PB91-187658 100,339
- Government Document Processing Requirements Report. PB91-187773 100,574
- GATT Standards Code Activities of the National Institute of Standards and Technology 1990. PB91-187823 100,177
- Document Architecture for Open Systems. PB91-189522 100,961
- Standardizing Standards. PB91-189795 100,953
- Comparison of Standard Test Methods for Non-Lubricated Sliding Wear. PB91-190017 101,187
- Concurrent Engineering through Product Data Standards. PB91-193367 100,982
- NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990. PB91-194506 101,348
- Meeting the Challenges of a Global Market - Construction Standards, Testing and Certification. PB91-194811 100,090
- Reference Materials for Analytical Chemistry. PB91-203893 100,205
- International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS. PB91-204040 101,251
- Data Encryption Standard: Past and Future. PB91-204107 100,711
- Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991. PB91-216671 100,712
- Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series. PB91-222620 100,968
- Standards for the Physical Protection of National Resources and Facilities. PB91-222695 100,006
- Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards. PB91-236554 100,734
- New Low-Voltage Standards in the DC to 1-MHz Frequency Range. PB91-237107 100,738
- Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power. PB91-237115 101,710
- Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array. PB91-237446 100,739
- New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects. PB91-237586 100,740
- Basic Standards and Fundamental Constants. PB91-237594 101,715
- North American ISDN Users' Forum Agreements on Integrated Services Digital Network. PB92-102219 100,573
- Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991. PB92-109040 100,667
- Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Repl. Series. PB92-112234 100,993
- Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991. PB92-112267 100,668
- Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series. PB92-112374 100,969
- Large-Scale Validation of Bench-Scale Fire Toxicity Tests. PB92-116458 100,139
- Voltage Calibration Systems Using Josephson Junction Arrays. PB92-116516 100,868
- Need for Power Quality Testing Standards. PB92-117076 100,741
- Air Gage Size Measurement of Microwave Standards. PB92-117324 100,777
- Multi-Enterprise Concurrent Engineering through International Standards. PB92-123058 100,997
- Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues. PB92-126465 100,175
- Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany. PB92-126622 101,590
- Atomic Weights of the Elements 1989. PB92-148212 100,481
- ## STANNATES
- Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K. PB92-116524 100,456
- ## STARK EFFECT
- Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms: A Critical Review of Selected Data for the Period 1983 through 1988. PB91-192567 101,659
- ## STARS
- Modelling the Coronae and Chromospheres of RS CVn Systems by the Analysis of Ultraviolet, X-ray and Radio Observations. PB91-148825 100,019
- ## STATIC TESTS
- Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures. PB92-112226 101,739
- ## STATISTICAL ANALYSIS
- Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles. PB91-187450 100,498
- OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0). PB91-507954 101,278
- OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0. PB91-507962 101,279
- ## STATISTICAL MECHANICS
- Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles. PB91-187450 100,498
- Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models. PB91-203364 100,507
- ## STATISTICS
- Engineers' Statistical Literacy is Key to U.S. Competitiveness. PB91-158725 100,038
- ## STEAM
- Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density. PB90-244708 101,402
- ## STEAM TABLES (THERMODYNAMICS)
- Steam Tables. PB91-159251 101,624
- Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam. PB92-148154 100,475
- ## STEEL-AISI-1541
- Study of the Galling of Two Steels Using Two Test Methods. PB91-148106 101,147
- ## STEEL-AISI-8620
- Study of the Galling of Two Steels Using Two Test Methods. PB91-148106 101,147

KEYWORD INDEX

SUBROUTINES

STEEL HSLA-100

Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.
PB91-189464 101,156

STEEL HSLA-80

Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.
PB91-189464 101,156

STEEL-SAE-1141

Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155

STEELS

Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.
PB91-147686 101,146

Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147

Concepts of Underground Corrosion.
PB91-150078 101,134

Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling.
PB91-158675 101,040

Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.
PB91-184747 101,153

Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.
PB91-187187 101,228

Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373

Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188

Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108

Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.
PB91-203711 100,509

Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study.
PB91-203729 101,109

Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170

STELLAR ACTIVITY

Ground-Truth Observations of Stellar Surface Structure from the Lunar Surface.
PB91-175026 100,029

STELLAR EVOLUTION

Evolution of Infrared Carbon Stars.
PB91-202861 100,033

STELLAR FLARES

Spatially Resolved Flares in RS CVn Systems.
PB91-148965 100,022

STELLAR WINDS

Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.
PB91-149021 100,023

STEP (STANDARD FOR THE EXCHANGE OF PRODUCT MODEL DATA)

NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised).
PB91-132159 100,682

NIST Working Form for STEP: National PDES Testbed Report Series (Revised).
PB91-132183 100,683

NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised).
PB91-144378 100,998

STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.
PB91-184788 100,966

Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.
PB91-194449 100,983

Configuration Management Concepts Document. National PDES Testbed Report Series.
PB91-194480 100,984

Apparel STEP Translator.
PB91-216663 100,967

Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.
PB91-222596 100,990

Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series.
PB91-222620 100,968

Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.

PB92-112234 100,993

Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series.
PB92-112374 100,969

STEREOCHEMISTRY

Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles.
PB91-187450 100,498

PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
PB91-194985 100,373

STOICHIOMETRY

Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments.
PB91-157180 100,542

STOPPING POWER

Stopping Power of Fast Charged Particles in Heavy Elements.
PB91-194399 101,660

STRAIN ENERGY METHODS

Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227

STRAIN GAGES

Mechanical Testing Revitalized.
PB91-159004 100,928

Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.
PB91-236505 101,164

STRAIN HARDENING

Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158

STRAIN MEASUREMENT

Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574

Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580

Improved Optical Diffraction Strain Measurement System.
PB91-174433 101,581

Use of Birefringent Coatings in Fracture Mechanics.
PB91-174599 101,582

STRAIN RATE

Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168

STRAIN TESTS

Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.
PB91-187385 100,496

Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373

STRATEGIC DEFENSE INITIATIVE

Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.
AD-A207 806/1 101,398

STRENGTH

Rate Constant Functions for Strength Development of Concrete.
PB91-175117 100,527

Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.
PB92-112226 101,739

STRENGTH (MECHANICAL)

Strength and Microstructure of Ceramics.
AD-A243 049/4 101,056

STRESS ANALYSIS

Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.
PB91-185116 101,121

STRESS CORROSION

Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking.
PB91-149047 101,133

Computational Models Developed for the Corrosion of Prestressing Steel.
PB91-167304 100,115

STRESS CORROSION CRACKING

Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137

STRESS INTENSITY FACTORS

Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates.
PB91-147090 101,116

Stress Intensity Factors by Enriched Mixed Finite Elements.
PB91-147371 101,577

Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580

Use of Birefringent Coatings in Fracture Mechanics.

PB91-174599 101,582

STRESS RELAXATION

Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
PB91-148247 101,242

Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.
PB91-187385 100,496

Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C20H42) in Torsion.
PB91-187427 100,497

Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163

Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511

STRESS TESTS

Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709

STRESS WAVES

Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites.
PB91-174946 101,120

Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.
PB91-175224 101,584

STRONTIUM

Collisional Energy Transfer between Excited Sr Atoms.
PB91-204164 101,703

STRONTIUM OXIDES

Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085

STRONTIUM TETRAFLUOROSTANNATES

Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF4 from 6 to 344 K.
PB91-149864 100,305

STRONTIUM TIN FLUORIDES

Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF4 from 6 to 344 K.
PB91-149864 100,305

STRUCTURAL ANALYSIS

Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD., USA, on May 12-14, 1990.
PB91-184846 100,145

Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151

Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis.
PB92-116573 101,588

STRUCTURAL ENGINEERING

Research and Technology for Structural Engineering Productivity.
PB91-204206 100,147

STRUCTURAL PROPERTIES

National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253

STRUCTURAL STEELS

Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions.
PB91-184838 101,154

NBS Research on Protective Coatings for Buildings and Structures.
PB91-203521 100,127

Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography.
PB91-203588 101,139

STRUCTURAL VIBRATION

Preliminary Dynamic Analyses of the Ministry of Agriculture Building.
PB91-134668 100,143

Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144

STUDENTS

Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350

STYRENE BUTADIENE RESINS

Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519

SUBROUTINES

VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.
PB91-185108 100,647

KEYWORD INDEX

SUBSTITUENT EFFECTS

- Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431

SUBSTITUTES

- Strategy for Chemical Analysis of Alternative Refrigerants.
PB91-148502 100,185

SUBTILISINS

- Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370

SUCCINIC ACID

- Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357

SUCCINONITRILE

- SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors.
PB91-134338 100,780

SULFATES

- Thermochemistry of Sulfoxides and Sulfones.
PB91-174821 100,325
Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄· Alkanes and Ethers.
PB91-203232 100,394

SULFITES

- Thermochemistry of Sulfoxides and Sulfones.
PB91-174821 100,325

SULFONES

- Thermochemistry of Sulfoxides and Sulfones.
PB91-174821 100,325

SULFONIC ACIDS

- Thin and Composite High-Flux Membranes of Perfluoro-sulfonated Ion-Exchange Polymer.
PB91-236653 100,512

SULFOXIDES

- Thermochemistry of Sulfoxides and Sulfones.
PB91-174821 100,325

SULFUR

- Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300
Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria.
PB91-162271 100,883
Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354
Energy Levels of Sulfur, S I Through S XVI.
PB91-192443 100,355

SULFUR DIOXIDE

- Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181
Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session).
PB91-158741 100,904
Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex.
PB92-116649 100,457
Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.
PB92-126630 100,912

SULFUR FLUORIDES

- Formation and Stability of SF₅ and S₂F₁₀.
PB91-174839 100,326
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197

SULFUR HEXAFLUORIDE

- Collisional Electron-Detachment and Ion-Conversion Processes in SF₆.
PB91-134528 100,836
Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures.
PB91-158790 100,312
Formation and Stability of SF₅ and S₂F₁₀.
PB91-174839 100,326
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.
PB91-189860 100,197

SULFUR IONS

- Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization.
PB91-203323 100,886

SULFUR-LIKE IONS

- Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions.
PB91-190033 101,658

SULFURIC ACID

- Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K.
PB92-148188 100,478

SUPERCOMPUTERS

- Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604

SUPERCONDUCTING CABLES

- Enhanced Flux Creep in Nb-Ti Superconductors After an Increase in Temperature.
PB91-202903 101,680
Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep.
PB91-202911 101,681
Effect of Mechanical Deformation on Nb-Ti Filament Proximity-Effect Coupling at the Edges of SSC Cables.
PB91-203828 101,700
Magnetic Measurements for High Energy Physics Applications.
PB92-112358 101,720

SUPERCONDUCTING COMPOSITES

- Levitation of Superconducting Composites.
PB91-187351 101,503
Magnetic Hysteresis of High-Temperature YBa₂Cu₃O_x-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507

SUPERCONDUCTING DEVICES

- High Speed Superconducting A/D Converter.
PB91-148700 100,731

SUPERCONDUCTING FILMS

- Superconductor-Polymer Composites.
PATENT-4 954 481 101,454
Possible 'Proximity Matrix' Route to High Current Conductors.
PB91-148932 101,476
Analysis of the YBa₂Cu₃O₇/SrTiO₃ Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508
Sputtered Thin Film YBa₂Cu₃O_n.
PB91-189647 101,509
YBa₂Cu₃O₇-delta/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518
Morphology of Silver on YBa₂Cu₃O₇-delta Thin Films.
PB91-195594 101,534
Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547
Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 101,566

SUPERCONDUCTING JUNCTIONS

- Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors.
PB91-134478 101,462

SUPERCONDUCTING MAGNETS

- Magnetic Measurements for High Energy Physics Applications.
PB92-112358 101,720

SUPERCONDUCTING SUPER COLLIDER

- Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.
PB91-134627 101,145
Enhanced Flux Creep in Nb-Ti Superconductors After an Increase in Temperature.
PB91-202903 101,680
Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep.
PB91-202911 101,681
Effect of Mechanical Deformation on Nb-Ti Filament Proximity-Effect Coupling at the Edges of SSC Cables.
PB91-203828 101,700
Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709

SUPERCONDUCTING SWITCHES

- Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.
PB91-202929 101,682

SUPERCONDUCTING WIRES

- AC Loss Measurements of Two Multifilamentary NbTi Composite Strands.
PB91-133892 100,769

SUPERCONDUCTIVITY

- Structural Instabilities and Superconductivity in Quasi-Binary Mn₅Si₃-Type Compounds.
PB91-149427 101,215
Oxides and Oxide Superconductors: Elastic and Related Properties.
PB92-112333 101,563
High-Temperature Superconductivity: Abstracts of NIST Publications, 1987-1991.
PB92-126564 101,105

SUPERCONDUCTORS

- Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.
PB91-237545 101,558

DE91016274 101,205

Integrity tests for high-(T_c) and conventional critical-current measurements systems.
DE91016275 101,452

Current Supply for High-T(sub c) Superconductor Testing.
PB91-133827 101,455

Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456

High T(sub c) Superconductors and the Critical Current Measurement.
PB91-134056 101,457

Fundamental and Harmonic Susceptibilities of YBa2Cu3O7-delta.
PB91-134148 101,458

Modeling Potentials and Valences in the Y1Ba2Cu3O7 Superconductor.
PB91-134254 101,459

Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides.
PB91-134262 101,460

Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor.
PB91-134270 101,461

Magnetization of Anisotropic Superconducting Grains.
PB91-134569 101,463

Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465

SrOx-Induced Oxygen Defect Structure and Hole Doping in La2-xSrxCuO4.
PB91-148155 101,472

Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474

Chemical Modification of the Orthorhombic Superconductor Ba2YCu3O7-delta.
PB91-159053 101,486

Phonon Density of States of Superconducting YBa2Cu3O7 and the Nonsuperconducting Analog YBa2Cu3O6.
PB91-159129 101,487

Models for Oxygen Ordering and Diffusion in Ba2YCu3Ox and Ba2YCu3-yMyOx (M = Fe, Co, Al, Ga).
PB91-175232 101,496

Chemistry of Electronic Ceramic Materials.
PB91-178822 101,500

Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504

Magnetic Ordering of Er in Powder and Single Crystals of ErBa2Cu3O7.
PB91-187377 101,505

Initial Stages of Degradation of Superconductor Surfaces: O2, H2O, CO2 and CO Chemisorption on La2-xSrxCuO4.
PB91-189670 101,512

Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy.
PB91-189688 101,513

Phonon Density of States and Superconductivity in Nd1.85Ce0.15CuO4.
PB91-189787 101,514

Current Record in Superconductors.
PB91-194753 101,521

Group and Phase Sound Velocities in an Eu1Ba2Cu3O7 Superconductor and Related Perovskite Oxides.
PB91-194860 101,523

Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient PBa2Cu3O6+x.
PB91-194894 101,524

Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526

Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535

Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides.
PB91-203596 101,542

Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides.
PB91-203604 101,543

Atomic Fingerprint of YBa2Cu3O7-x-Type High-Temperature Superconductors Observed by Field Ion Microscopy.
PB91-203612 101,544

Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545

Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba2(CuO.97Fe0.03)O7-x.
PB91-237545 101,558

KEYWORD INDEX

SURFACES & INTERFACES

- Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa₂Cu₃O_{7-x}. PB91-237552 101,559
- High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program). PB91-240762 101,718
- Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors. PB92-116565 101,564
- Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-Tc Superconductors. PB92-116730 101,567
- SUPERCOOLING**
- Ergodic Convergence Properties of Supercooled Liquids and Glasses. PB91-148171 100,289
- SUPERCritical FLUID CHROMATOGRAPHY**
- Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase. PB91-147769 100,182
- Introduction to Supercritical Fluid Chromatography. 1. Principles and Instrumentation. PB91-189878 100,198
- SUPERCritical FLUIDS**
- Introduction to Supercritical Fluid Chromatography. 1. Principles and Instrumentation. PB91-189878 100,198
- SUPERCritical STATE**
- Thermodynamic Behavior of Fluids in the Supercritical Region. PB91-204123 101,394
- SUPERGIANT STARS**
- Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars. PB91-149021 100,023
- SUPERLATTICES**
- Grain Boundaries in a 2-D Superlattice. PB91-202853 100,388
- SUPERMIRRORS**
- Fe-W Supermirrors for Polarizing Neutrons. PB91-175521 101,643
- SUPERNOVA REMNANTS**
- Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80. PB91-174920 100,028
- SUPEROXIDE**
- Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase. PB91-200824 101,306
- SUPERSONIC FLOW**
- Particle Size Measurement of Inert Gas Atomized Powder. PB91-187203 101,229
- SUPERSONIC INERT GAS METAL ATOMIZER**
- Particle Size Measurement of Inert Gas Atomized Powder. PB91-187203 101,229
- SURFACE ACOUSTIC WAVE DEVICES**
- Surface Acoustical Wave Spectroscopy for High Humidity Sensing. PB91-158816 100,843
- SURFACE CHEMISTRY**
- Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms. PB91-146985 100,270
- Influence of Sulfur on Methanation over Tungsten(110). PB91-149369 100,300
- Summary Abstract: The Influence of Sulfur on Methanation over W(110). PB91-149377 100,301
- Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions. PB91-189480 101,177
- Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics. PB91-203331 100,397
- Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms. PB91-237032 100,425
- Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black. PB91-237636 100,432
- Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes. PB92-117035 100,460
- SURFACE ENERGY**
- Relation between the Surface Energy and the Debye Temperature for Cubic Solids. PB91-149393 100,303
- Theory of Orientation Textures Due to Surface Energy Anisotropies. PB92-117381 101,571
- SURFACE FORCES**
- Effect of Surface Forces on Subcritical Crack Growth in Glass. PB92-117449 101,103
- SURFACE MAGNETISM**
- Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films. PB91-237289 101,554
- SURFACE PROPERTIES**
- Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase. PB91-147769 100,182
- Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple Epsilon Perturbation Theory. PB92-116698 100,517
- SURFACE REACTIONS**
- Laser Induced Desorption of Molecules from Surfaces. PB91-147066 100,235
- Soluble Models in Surface Collision Dynamics. PB91-147298 100,276
- SURFACE ROUGHNESS**
- Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera. PB91-147686 101,146
- Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling. PB91-158675 101,040
- Effect of Pipe Surface Finish on the Orifice Discharge Coefficient. PB91-162347 101,389
- How Does Surface Roughness Affect Polymer-Surface Interactions. PB91-189241 100,341
- Capacitance versus Stylus Measurements of Surface Roughness. PB91-203463 101,020
- Standard Reference Specimens in Quality Control of Engineering Surfaces. PB91-216721 101,021
- Light-Scattering Measurement of the RMS Slopes of Rough Surfaces. PB92-116532 101,436
- SURFACE SCIENCE**
- Technical Activities 1990 Surface Science Division. PB91-240820 101,560
- SURFACE STRUCTURE**
- Critical Compilation of Surface Structures Determined by Ion Scattering Methods. PB90-244559 100,254
- SURFACE TENSION**
- Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment. N91-213477/0 101,206
- SURFACES**
- Structure of Surface Films on Magnesium and on Magnesium Alloys. PB91-147637 101,212
- Book Review: Polarized Electrons at Surfaces by J. Kirschner. PB91-174532 101,493
- Book Review: 'Polarized Electrons at Surfaces' by J. Kirschner. PB91-175323 101,497
- X-ray Photoelectron Forward Scattering Studies of Surface Segregation in Epitaxial Cu-Ni-Ni(100) Sandwich Structures. PB91-189258 101,506
- Recent Developments in Applied Surface Science. PB91-189936 100,353
- SURFACES & INTERFACES**
- Influence of Filament Geometry on Hot Filament Growth of Diamond Films. AD-A231 818/6 101,448
- Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms. PB91-146985 100,270
- Laser Induced Desorption of Molecules from Surfaces. PB91-147066 100,235
- Soluble Models in Surface Collision Dynamics. PB91-147298 100,276
- Instability in pH Measurements of Sputtered IrO₂ Films. PB91-147538 100,281
- Structure of Surface Films on Magnesium and on Magnesium Alloys. PB91-147637 101,212
- Morphology and Barrier-Height Development of Bi/InP(110) Interfaces. PB91-147736 101,468
- Resonant Photoemission and PSD of Rare Earth Oxides. PB91-148015 100,287
- Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime. PB91-148783 100,292
- Epitaxial fcc Fe Films on Cu(100). PB91-149328 101,478
- Influence of Sulfur on Methanation over Tungsten(110). PB91-149369 100,300
- Summary Abstract: The Influence of Sulfur on Methanation over W(110). PB91-149377 100,301
- Stoichiometry of Reactively Evaporated Films. PB91-158709 101,413
- Mechanisms of Additive Effectiveness. PB91-158808 101,172
- Wetting Layers on Solid Substrates. PB91-158857 100,313
- Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111). PB91-161927 100,314
- Analytic Solution for the Three-Layer Multiple Beam Interferometer. PB91-162107 101,007
- Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si(111). PB91-162289 100,320
- Micromagnetics of Domain Walls at Surfaces. PB91-162305 101,491
- Stylus Profiling at High Resolution and Low Force. PB91-162354 101,015
- Mechanisms of Additive Effectiveness. PB91-174862 101,174
- Mechanical Sputtering of Structural Stainless Steels. PB91-175448 101,152
- Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel. PB91-175554 101,498
- Electron Attenuation Lengths at SiO₂/Si Interfaces. PB91-175612 101,499
- Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique. PB91-187344 101,502
- X-ray Photoelectron Forward Scattering Studies of Surface Segregation in Epitaxial Cu-Ni-Ni(100) Sandwich Structures. PB91-189258 101,506
- Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions. PB91-189480 101,177
- Sputtered Thin Film YBa₂Cu₃O_n. PB91-189647 101,509
- Surface Properties and Coatings of Materials Microtailored Alloys. PB91-189696 101,232
- Recent Developments in Applied Surface Science. PB91-189936 100,353
- Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals. PB91-190090 101,517
- Transparent Thin Film Thermocouple. PB91-190116 100,783
- Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air. PB91-194712 100,808
- Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity. PB91-194951 100,372
- Ion Bombardment Induced Diffusion: A Case Study on a Sputtered Ag/Ni Layered System. PB91-195024 101,527
- Comparison of Amorphous and Quasicrystalline Films of Sputtered Al_{0.72}Mn_{0.22}Si_{0.06}. PB91-195552 101,530
- Roughened Quartz Surfaces and Teflon as Small-Angle Diffusers and Depolarizers between 200 and 400 nm. PB91-195644 101,425
- Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Nonlinear Theory. PB91-195743 101,536
- Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110). PB91-195750 101,537
- Chemical and Electronic Properties of Pd/SnO₂(110) Model Gas Sensors. PB91-203075 100,393
- Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics. PB91-203331 100,397
- Chemical Effects of Ne⁺ Bombardment on the MoS₂(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy. PB91-203471 100,399
- Core Hole Screening for Intermediate Size Metal Particles. PB91-203539 101,540

KEYWORD INDEX

- Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides.
PB91-203596 101,542
- Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.
PB91-237032 100,425
- Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552
- Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 101,554
- Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100).
PB91-237420 101,555
- Theory of Ballistic-Electron-Emission Spectroscopy of NiSi₂/Si(111) Interfaces.
PB91-237453 101,557
- Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy.
PB91-237719 100,436
- Technical Activities 1990 Surface Science Division.
PB91-240820 101,560
- Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
PB92-116813 101,112
- Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823
- Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570
- Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100).
PB92-117415 101,572
- SURGES**
- Incompatibility between the 100/1300 Surge Test and Varistor Failure Rates.
PB91-189308 100,854
- Real, Realistic Ring Waves for Surge Testing.
PB91-189811 100,855
- Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874
- Need for Power Quality Testing Standards.
PB92-117076 100,741
- SURVEY MONITORS**
- Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
PB92-112481 101,721
- SUSPENSIONS**
- Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).
DE91012660 101,384
- SWEEP GENERATORS**
- Raster Graphics Conformance Testing.
PB91-167296 101,341
- Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.
PB91-187708 101,346
- SWELLING**
- Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141
- Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508
- SYMBIOTIC STARS**
- Energy Distributions of Symbiotic Novae.
PB91-200873 100,032
- SYNCHRONISM**
- Synchronizing Computer Clocks Using a Local Area Network.
N91-25793/1 100,596
- SYNCHROTRON RADIATION SOURCES**
- Instrumentation of X-ray Beam Lines with PIN Diode Detectors.
PB91-174888 101,633
- SYNTHESIS (CHEMISTRY)**
- Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
PB91-187229 100,495
- Synthesis of 3-Quinuclidinol-(18)O, Benzilic-d5 Acid, and 3-Quinuclidinyl-(18)O, Benzilate-d5.
PB91-237370 100,223
- SYNTHETIC ELASTOMERS**
- Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior.
PB91-195099 100,501
- Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513
- Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518
- Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519
- SYSTEMS ANALYSIS**
- Applications of Operations Research Techniques to System Design and Evaluation.
PB91-174540 101,267
- SYSTEMS DESIGN**
- Applications of Operations Research Techniques to System Design and Evaluation.
PB91-174540 101,267
- SYSTEMS ENGINEERING**
- Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing.
PB91-203299 100,987
- Guide to Expert System Building Tools for Microcomputers.
PB92-108893 100,715
- Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994
- TANKS (CONTAINERS)**
- Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201
- Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202
- TANTALUM IONS**
- Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
- TCF**
- Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
PB91-203810 101,179
- TECHNICAL INFORMATION CENTERS**
- Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).
PB91-148494 100,959
- TECHNOLOGY**
- Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies.
PB92-126697 100,013
- TECHNOLOGY ASSESSMENT**
- Innovation in Manufacturing Technology: A View from NBS.
PB91-148130 100,976
- Intelligent Building Technology in Japan.
PB91-187757 100,071
- TECHNOLOGY INCENTIVES**
- Industry and Government Strategies for Product Quality.
PB91-148163 101,011
- Trends in Technological Innovation.
PB91-195545 100,008
- Advances in Science, Emerging Technologies and Global Competition: Opportunities and Challenge.
PB91-203174 100,583
- Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies.
PB92-126697 100,013
- TECHNOLOGY INNOVATION**
- Trends in Technological Innovation.
PB91-195545 100,008
- TECHNOLOGY TRANSFER**
- Agenda for Progress in Technology Education: A Personal View.
PB91-148114 100,037
- Transferring NBS Technology to Small Manufacturers Through State and Local Centers.
PB91-149351 101,025
- TECHNOLOGY UTILIZATION**
- Research Tackles Automation Issues.
PB91-162230 101,005
- TEETH**
- Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process.
PB92-126689 101,316
- TELECOMMUNICATIONS**
- Detail Specification for 62.5-um Core Diameter/125-um Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.
FIPS PUB 159 100,562
- TELEOPERATORS**
- Short-Term Evolution for the Flight Telerobotic Servicer.
PB91-144352 101,731
- Video Compression for Remote Vehicle Driving.
PB91-203208 101,035
- TELEROBOTICS**
- Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732
- TEMPERATURE**
- Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877
- Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.
PB91-147769 100,182
- TEMPERATURE COEFFICIENT OF RESISTANCE**
- Measurement, Use, and Interpretation of TCR.
PB92-117282 100,831
- TEMPERATURE GRADIENTS**
- Temperature Gradient in Differential Scanning Calorimetry.
PB91-236570 100,414
- TEMPERATURE MEASUREMENT**
- High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.
N91-21361/1 100,924
- Temperature Measurement of Glass Subjected to Solar Radiation.
PB91-147611 100,100
- Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.
PB91-236851 100,420
- TEMPERATURE MEASURING INSTRUMENTS**
- Calibration Procedures for Infrared Imaging Systems for Building Diagnostics.
PB91-147082 100,057
- Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.
PB91-187278 100,121
- Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
PB92-109024 100,935
- TEMPERATURE SCALES**
- Differences between Thermodynamic Temperature and t(IPTS-68) in the Range 230C to 660C.
PB92-116722 101,725
- TENSILE PROPERTIES**
- Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168
- TENSILE STRENGTH**
- Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084
- TENSILE TESTS**
- Discontinuous Yielding during Tensile Tests at Low Temperatures.
PB91-189977 101,159
- TENSION TESTS**
- Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092
- Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165
- Uniaxial Tensile Tests to Measure the Bond of in situ Concrete Overlays.
PB92-116300 100,533
- TERBIUM COMPLEXES**
- Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(imidazol-1-Yl) Borate.
PB91-203034 100,392
- TERNARY SYSTEMS**
- Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
- TERRAIN MODELS**
- Non-Linear Contour-to-Grid Digital Interpolation.
PB91-147678 101,351
- TERTIARY AMINES**
- Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378
- TEST CHIPS**
- Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823
- TEST EQUIPMENT**
- Design and Fabrication of a Miniature High-Temperature Guarded-Hot-Plate Apparatus.
PB92-116797 101,098
- Accurate Acoustic Measurements in Gases Under Difficult Conditions.
PB92-116847 101,382

KEYWORD INDEX

THERMOCHEMISTRY

TEST FACILITIES

- Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer.
PB91-134239 100,724
- Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106
- Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
- Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.
PB91-162115 100,111
- Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636
- Plumbing Test Lab Accreditation.
PB91-190066 100,089
- Laboratory Accreditation in the United States.
PB91-194415 100,172
- Directory of State and Local Government Laboratory Accreditation/Designation Programs.
PB92-108968 100,174
- Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175

TEST METHODS

- Cutting the High Cost of Testing.
PB91-162362 100,846

TESTS

- Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices.
PB91-149310 100,732
- Raster Graphics Conformance Testing.
PB91-167296 101,341
- Functional Benchmarks for Fourth Generation Languages.
PB91-167387 100,644
- Application of Formal Description Techniques to the Specification of Distributed Test Systems.
PB91-175018 100,566
- MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991.
PB91-507699 100,660
- MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers).
PB91-507707 100,661
- MUMPS Validation Suite, Version 7.6 (ANSI), 1991.
PB91-507715 100,662
- MUMPS Validation Suite, Version 7.6 (TAR), 1991.
PB91-507723 100,663
- Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series.
PB92-112374 100,969
- Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media).
PB92-116409 100,605

TETRACYCLINES

- Adsorption and Orientation of Tetracycline on Hydroxyapatite.
PB91-195149 101,319

TEXT PROCESSING

- Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management.
PB91-178889 101,342

THALLIUM BARIUM CALCIUM CUPRATES

- Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing.
PB91-147165 101,465

THEOPHYLLINE

- Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291
- Planar Waveguide Optical Immunosensors.
PB91-174565 101,284

THERMAL ANALYSIS

- Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074
- Temperature Gradient in Differential Scanning Calorimetry.
PB91-236570 100,414

THERMAL CONDUCTIVITY

- Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255
- Transport Properties of Carbon Dioxide.
PB90-244724 100,266
- Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601
- Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602

- Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483
- Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.
PB91-147975 100,103
- Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations.
PB91-149948 101,143
- Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
- Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.
PB91-162115 100,111
- Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.
PB91-174672 100,227
- Thermal Conductivity of Nine Polyatomic Gases at Low Density.
PB91-192492 100,360
- Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density.
PB91-192500 100,361
- Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
- Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
- High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
- Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
PB92-116813 101,112
- Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130
- Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
PB92-117357 101,102
- THERMAL CONVERTERS**
AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations.
PB91-236893 100,737
- THERMAL DEGRADATION**
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.
PB91-147884 100,286
- Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503
- THERMAL DIFFUSIVITY**
Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602
- Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369
- High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
- THERMAL EMISSION**
Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.
PB91-187187 101,228
- THERMAL ENERGY STORAGE SYSTEMS**
Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data.
PB91-159152 100,901
- THERMAL EXPANSION**
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites.
PB91-202952 101,125
- THERMAL INSULATION**
Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.
PB91-147835 100,101
- Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.
PB91-147843 100,102
- Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.
PB91-147975 100,103
- Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations.
PB91-149948 101,143
- Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738

- Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K.
PB91-162115 100,111
- ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition).
PB91-167155 100,064
- Emissivity of Aluminized Mylar.
PB91-174656 101,119
- Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.
PB91-175570 100,560
- Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989.
PB91-175620 101,079
- Acoustic Technique for Evaluation of Thermal Insulation.
PB91-189324 100,123
- Thermal Conductivity of Fumed Silica Board at Room Temperature.
PB91-190124 100,125

THERMAL MEASUREMENTS

- Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888
- Thermal Measurements of VLSI Packages: A Critical Review.
PB91-147827 100,790
- Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences.
PB91-162016 101,738
- Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068
- Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.
PB91-187278 100,121
- Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
PB91-194696 100,126

THERMAL NEUTRONS

- Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers.
PB91-202887 100,505

THERMAL NOISE

- Thermal Noise in Mechanical Experiments.
PB91-149211 101,578
- Intercomparison of NBS Noise Calibration Services.
PB91-162370 100,847

THERMAL PLASMAS

- Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory.
PB91-147504 101,442

THERMAL PROPERTIES

- Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202

THERMAL RADIATION

- Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538
- Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
PB91-148999 100,748

THERMAL STABILITY

- Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246
- Stability of Thermistors.
PB91-134320 100,779
- Formation and Stability of SF5 and SF10.
PB91-174839 100,326

THERMAL VOLTAGE CONVERTERS

- RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.
PB91-236802 100,735

THERMISTORS

- Stability of Thermistors.
PB91-134320 100,779
- SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors.
PB91-134338 100,780

THERMOCHEMICAL PROPERTIES

- Thermochemistry of Sulfoxides and Sulfones.
PB91-174821 100,325
- Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers.
PB91-194670 101,084

THERMOCHEMISTRY

- Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.
PB92-110170 100,446

KEYWORD INDEX

THERMOCOUPLES

- Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K. PB91-162115 100,111
- Transparent Thin Film Thermocouple. PB91-190116 100,783

THERMODYNAMIC DIAGRAMS

- Thermodynamic Diagrams for Refrigerant Mixtures. PB91-236695 101,197

THERMODYNAMIC EQUILIBRIUM

- Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K. PB91-134494 100,267
- Phase Equilibria and Critical Lines in Model Water/Salt Mixtures. PB91-236778 100,418
- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data. PB92-117399 101,313

THERMODYNAMIC PROPERTIES

- Thermodynamic Functions and Properties of MgO at High Compression and High Temperature. PB90-244542 100,253
- Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes. PB90-244617 100,258
- Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series. PB90-244625 100,259
- Cryogenic Properties of Copper (Wall Chart). PB91-148189 101,473
- Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a). PB91-175414 101,195
- Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States. PB91-189381 100,342
- Modelling Aqueous Solutions Near the Critical Point of Water. PB91-189837 100,349
- Journal of Physical and Chemical Reference Data, Volume 19, Number 5, September-October 1990. PB91-192476 100,358
- Unified Fundamental Equation for the Thermodynamic Properties of H₂O. PB91-192534 100,364
- Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine. PB91-192583 100,368
- Thermodynamic Properties of Aqueous Solutions at High Temperatures; Needs, Methods, and Challenges. PB91-204065 100,410
- Thermodynamic Behavior of Fluids in the Supercritical Region. PB91-204123 101,394
- Thermodynamic Diagrams for Refrigerant Mixtures. PB91-236695 101,197
- Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region. PB91-237578 100,233
- Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties. PB91-237693 100,434
- Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank. PB92-110196 100,515
- Thermodynamic Properties of the NaBr + H₂O System. PB92-110238 100,451
- Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114. PB92-116946 101,200
- Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives. PB92-148089 100,468
- Journal of Physical and Chemical Reference Data, Volume 20, Number 5, September/October 1991. PB92-148113 100,471
- Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa. PB92-148147 100,474
- Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam. PB92-148154 100,475
- New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa. PB92-148170 100,477
- Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K. PB92-148188 100,478

THERMODYNAMICS

- Thermodynamics of Hydrolysis of Oligosaccharides. PB91-194803 101,288
- Thermodynamics of Hydrolysis of Disaccharides: Lactulose, alpha-D - Melibiose, Palatinose, D - Trehalose, D - Turanose and 3-o-beta-D-Galactopyranosyl-D-arabinose. PB91-195701 101,289
- Thermodynamics of Industrially Important Enzyme Catalyzed Reactions. PB91-237602 101,311

THERMODYNAMICS & CHEMICAL KINETICS

- MSW Calorimetry. PB91-133942 100,878
- Stability of Thermistors. PB91-134320 100,779
- Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K. PB91-134494 100,267
- Critical Exponent for Viscosity. PB91-147009 100,271
- Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K. PB91-147041 100,272
- Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities. PB91-147074 101,189
- NBS Research Program in Municipal Solid Waste Combustion. PB91-147264 100,916
- Mechanism of Soot Formation in Acetylene-Oxygen Mixtures. PB91-147280 100,537
- Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors. PB91-147363 100,277
- Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives. PB91-147447 100,216
- Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde. PB91-147470 100,280
- Instrument-Independent Tandem Mass Spectrometry Database for XQQ Instruments: The Dynamical Prerequisites. PB91-147694 100,181
- Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide. PB91-147710 100,283
- Slow Electron Transfer Reactions between Alkylhydrazines. PB91-147785 100,284
- Pulse Radiolysis Studies of Organic Electron Transfer Reactions. PB91-147801 100,285
- Strategy for Chemical Analysis of Alternative Refrigerants. PB91-148502 100,185
- Anisotropic Structure of a Simple Liquid. PB91-148718 101,616
- Zonal Model for Corona Discharge-Induced Oxidation of SF₆ in SF₆/O₂/H₂O Gas Mixtures. PB91-158790 100,312
- Redox Reactions of Osmium Porphyrins. PB91-159012 100,217
- Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data. PB91-159152 100,901
- Steam Tables. PB91-159251 101,624
- Research at NBS on Dynamic Measurements of Thermophysical Properties at High Temperature (Abstract). PB91-161968 100,315
- Phase Transitions. PB91-162073 100,318
- Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes. PB91-162081 100,319
- Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks. PB91-162263 101,388
- Technical Activities 1990, Standard Reference Data Program. PB91-167213 100,321
- Monitoring the Fate of Chlorine from MSW Sampling through Combustion. PB91-174631 100,917
- Viscosity Surface for Mixtures of Methane and Ethane. PB91-174763 100,322
- Thermochemistry of Sulfoxides and Sulfones. PB91-174821 100,325
- Formation and Stability of SF₅ and S₂F₁₀. PB91-174839 100,326
- Letter to Editor of Chemical and Engineering News. PB91-174847 100,327
- Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers. PB91-175059 100,330
- Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes. PB91-175133 100,331
- Concerning the Formation and the Kinetics of Phenylum Ions. PB91-187138 100,336
- H₂O(I)-H₂O(III)-H₂O(L) Triple Point of Water as a Fixed Pressure Point. PB91-187211 101,647
- Combustion Calorimeters. PB91-189233 100,340
- Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States. PB91-189381 100,342
- Effect of Long Range Interfacial Forces on the Dynamics of Wetting Layers at a Liquid Vapor Interface. PB91-189431 100,344
- Energy of Combustion of Triphenylphosphine. PB91-189613 100,347
- Modelling Aqueous Solutions Near the Critical Point of Water. PB91-189837 100,349
- Ergodic Measures for the Simulation of Dielectric Properties of Water. PB91-189845 100,350
- Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins. PB91-189852 100,351
- Proton Affinity of Cyanogen and Ion-Molecule Reactions of C₂N₂(+). PB91-189902 100,352
- Thermodynamics of Hydrolysis of Oligosaccharides. PB91-194803 101,288
- Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings. PB91-195065 100,375
- Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether. PB91-195073 100,376
- Proton Affinities and pK_a Values of Tetraalkylhydrazines. PB91-195214 100,378
- Rate Constants for Reduction of Substituted Methylperoxy Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine. PB91-195230 100,379
- Reactions of C₅H₃(+) and C₅H₅(+) Ions with Acetylene and Diacetylene. PB91-195370 100,384
- Thermodynamics of Hydrolysis of Disaccharides: Lactulose, alpha-D - Melibiose, Palatinose, D - Trehalose, D - Turanose and 3-o-beta-D-Galactopyranosyl-D-arabinose. PB91-195701 101,289
- Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane. PB91-200782 100,386
- Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen. PB91-203018 100,391
- Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO₄⁻ Alkanes and Ethers. PB91-203232 100,394
- Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation. PB91-203547 100,400
- Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States. PB91-203570 100,508
- Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins. PB91-203661 100,402
- Mechanism of Cyanide Release in the Radiolysis of Acetonitrile. PB91-203679 100,240
- Dissociation Energetics of Simple Diazirines by Photon and Electron Impact. PB91-203760 100,405
- Thermodynamic Properties of Aqueous Solutions at High Temperatures; Needs, Methods, and Challenges. PB91-204065 100,410
- Thermodynamic Behavior of Fluids in the Supercritical Region. PB91-204123 101,394
- Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Acidic Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid. PB91-236489 100,241
- Temperature Gradient in Differential Scanning Calorimetry.

KEYWORD INDEX

TRACE AMOUNTS

- PB91-236570 100,414
Thermodynamic Diagrams for Refrigerant Mixtures.
PB91-236695 101,197
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418
Thermodynamics of Solutions Near the Solvent's Critical Point.
PB91-237297 100,232
Antioxidation Mechanisms of Uric Acid.
PB91-237347 100,222
Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d5 Acid, and 3-Quinuclidinyl-(18)O, Benzoate-d5.
PB91-237370 100,223
Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.
PB91-237529 100,430
Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431
Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.
PB91-237578 100,233
Thermodynamics of Industrially Important Enzyme Catalyzed Reactions.
PB91-237602 101,311
Extended Phase Rule for Nonreactive, Multiphase, Multi-component Chemical Systems.
PB91-237651 100,433
Surface Oxidation Kinetics of Si3N4 - 4% Y2O3 Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435
- THERMOGRAPHY**
Fundamentals and Applications of Infrared Thermography for Nondestructive Testing.
PB91-147132 101,009
Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.
PB91-147686 101,146
- THERMOLUMINESCENT DOSIMETRY**
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296
- THERMOCHEMICAL TREATMENT**
Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties.
N91-20218/4 101,144
Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.
PB91-187856 101,155
- THERMOMECHANICAL TREATMENTS**
Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research.
PB91-132282 100,925
- THERMOMETERS**
Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
PB92-109024 100,935
- THERMOPHYSICAL PROPERTIES**
Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).
DE91012660 101,384
Research at NBS on Dynamic Measurements of Thermophysical Properties at High Temperature (Abstract).
PB91-161968 100,315
Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368
Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392
Thermodynamic Properties of Aqueous Solutions at High Temperatures, Needs, Methods, and Challenges.
PB91-204065 100,410
Thermophysical Properties of Ethane.
PB92-110188 100,447
Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198
Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.
PB92-116748 101,199
- THERMOSETTING RESINS**
Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115
- THERMOSOLUTAL CONVECTION**
Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396
- THICKNESS**
Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
PB91-149187 100,190
- THIN FILMS**
Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories.
NUREG/CR-5711 101,367
Effects of Different CH4-H2 Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD.
PB91-158683 101,054
Transparent Thin Film Thermocouple.
PB91-190116 100,783
Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565
- THORIUM OXIDES**
Anomalous Th M3O1 X-ray Emission Spectrum of ThO2.
PB91-195297 100,381
- THREE DIMENSIONAL MODELS**
Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.
PB91-174557 101,494
Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.
PB91-194449 100,983
Geometric Reasoning for Constructing 3D Scene Descriptions for Images.
PB91-237677 100,714
- THYMINE**
Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.
PB91-147447 100,216
Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
- TIME MEASUREMENT**
GPS Time Transfer with Implementation of Selective Availability.
N91-25766/7 100,576
Synchronizing Computer Clocks Using a Local Area Network.
N91-25793/1 100,596
Israel's New Synchronized Time Scale, UTC(INPL).
PB91-134593 100,577
- TIME SERIES ANALYSIS**
Root Projection of One-Sided Time Series.
PB91-216754 101,262
Deconvolution of Acoustic Emission and Other Causal Time Series.
PB91-216762 101,263
- TIME SIGNALS**
NIST Time and Frequency Services.
PB91-231605 100,585
- TIME STANDARDS**
Advances in Science, Emerging Technologies and Global Competition: Opportunities and Challenge.
PB91-203174 100,583
- TIME TRANSFER**
Precise Ephemerides for GPS Time Transfer.
PB91-236950 100,586
- TIN ALLOYS**
Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.
DE91016274 101,205
- TIN ISOTOPE**
Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.
PB92-116789 101,361
- TIN ORGANIC COMPOUNDS**
Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210
- TIN OXIDES**
Transparent Thin Film Thermocouple.
PB91-190116 100,783
Chemical and Electronic Properties of Pd/SnO2(110) Model Gas Sensors.
PB91-203075 100,393
- TISSUES (BIOLOGY)**
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374
Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323
- TITANIUM ALLOYS**
Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 101,227
Corrosion Principles in Dental Implantology.
PB91-194787 100,055
Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
PB92-116938 101,241
- TITANIUM BORIDES**
Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.
PB91-149096 101,066
Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067
- TOKEN RING NETWORKS**
Conformance Verification of FDDI Stations.
PB91-148254 100,747
- TOLERANCES (MECHANICS)**
Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms.
PB91-167221 101,016
- TOMOGRAPHY**
Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018
Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction.
PB92-116623 101,295
- TOOLS**
Computer Vision Based Station for Tool Setting and Tool Form Measurement.
PB91-202978 101,043
- TORSION TESTS**
Mechanism for High Strain-Rate Shear Band Formation.
PB91-147033 101,575
Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test.
PB91-149872 101,579
- TOUGHNESS**
Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.
PB91-236505 101,164
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166
Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167
Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169
- TOXIC SUBSTANCES**
Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328
- TOXICITY**
Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328
Base Modifications in Plasmid DNA Caused by Potassium Permanganate.
PB91-187070 101,329
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.
PB91-187104 101,330
Chemical Determination of Free Radical-Induced Damage to DNA.
PB91-187468 101,332
Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.
PB91-187492 101,333
Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone.
PB91-187518 101,334
Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells.
PB91-187526 101,335
Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.
PB91-189217 101,336
Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction.
PB91-189357 101,337
Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139
- TOXICOLOGY**
Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156
- TRACE AMOUNTS**
High Purity Chemicals and Clean Rooms for Trace Metal Analysis.
PB91-195156 100,200

KEYWORD INDEX

TRACE ANALYSIS

High Purity Chemicals and Clean Rooms for Trace Metal Analysis.
PB91-195156 100,200

TRACE ELEMENTS

Practical Constraints in Monitoring Micronutrient Intake.
PB91-147421 101,318

Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results.
PB91-148817 100,186

TRACERS

Ventilation System Performance Evaluation Using Tracer Gas Techniques.
PB91-147876 100,060

TRACKING (POSITION)

Real-Time Model-Based Tracking Combining Spatial and Temporal Features.
PB91-216630 100,700

TRAINING

Multimedia Courseware in an Open Systems Environment: A Federal Strategy.
PB91-143362 100,039

TRAINING DEVICES

Interactive Courseware is Leading the Multimedia Movement.
PB91-147744 100,036

TRAJECTORIES

Convergence Behavior of Trajectories for Linear Programming.
PB91-204198 101,270

TRAJECTORY CONTROL

Generation of Smooth Trajectories without Planning.
PB91-217414 101,036

TRANSDUCERS

Probe-Corrected Spherical Near-Field Scanning Theory in Acoustics.
PB92-117456 101,383

TRANSGRANULAR CORROSION

Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking.
PB91-149047 101,133

TRANSIENT MOLECULES

Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.
PB91-192575 100,367

TRANSISTORS

Modelling Gallium Arsenide Transistors.
PB91-149989 100,797

Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-216739 100,813

Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-236513 100,814

TRANSITION METALS

Giant Resonances in the Transition Regions of the Periodic Table.
PB91-147116 101,605

XANES of Transition Metal Zinc-Blende Semiconductors.
PB92-117092 100,462

TRANSITION PROBABILITIES

Working Group 2: Atomic Transition Probabilities.
PB91-175588 101,645

Spectroscopic Data Base for Carbon and Oxygen.
PB91-237750 101,716

Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717

TRANSITION TEMPERATURES

Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444

TRANSLATORS

Fed-X: The NIST Express Translator. Revised, November 1990.
PB91-132126 100,681

Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.
PB91-194449 100,983

TRANSMISSION LINES

Quasi-Static Analysis of a Two-Wire Transmission Line Located at an Interface.
PB91-148734 100,564

Characteristic Impedance Determination Using Propagation Constant Measurement.
PB91-236992 100,775

Air Gage Size Measurement of Microwave Standards.
PB92-117324 100,777

TRANSMITTANCE

Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range.
PB91-148908 101,410

TRANSPORT PROPERTIES

Multi-Zone Dispersal Analysis by Element Assembly.
PB91-187146 100,907

TRAPPED PARTICLES

Trapped-Ion Frequency Standards.
N91-25760/0 100,575

TRENDS

Trends in Technological Innovation.
PB91-195545 100,008

TRIALKYLITINS

Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkylitins in Sediment.
PB92-116755 100,210

TRIBOLOGY

Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147

Mechanisms of Additive Effectiveness.
PB91-158808 101,172

Method for Quantitative Measurement of Galling Damage.
PB91-159269 101,183

Mechanisms of Additive Effectiveness.
PB91-174862 101,174

ACTIS: Towards a Comprehensive Tribology Data Base.
PB91-174904 101,184

Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175

Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176

Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions.
PB91-189480 101,177

Ceramic Wear Maps.
PB91-189498 100,561

Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186

Comparison of Standard Test Methods for Non-Lubricated Sliding Wear.
PB91-190017 101,187

Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 101,188

Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178

Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy.
PB91-203810 101,179

Numeric Database for Tribology: Format and Application Issues.
PB91-203943 101,045

Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180

TRIBUTYLITINS

Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.
PB91-195040 100,918

TRICHLOROFLUOROMETHANE

Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329

TRIDIAGONAL MATRICES

Algorithms for Special Tridiagonal Systems.
PB91-187245 101,259

TRIGLYCINE SULFATES

High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562

TRIPHONYLPHOSPHATE

Energy of Combustion of Triphenylphosphate.
PB91-189613 100,347

TROI (TELEBOTIC OPERATOR INTERFACE)

TROI User's Guide.
PB91-157214 101,026

TUBE DISCHARGE FLOW CONDITIONERS

Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.
PB91-148791 100,881

TUNGSTEN

Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300

Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301

Elastic Constants of a Tungsten-Particle Copper-Matrix Composite.
PB91-194852 101,234

TUNNEL EFFECT

Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.
PB91-203653 101,546

TUNNELING STABILIZED MAGNETIC FORCE MICROSCOPY

Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.
PB91-203653 101,546

TURBULENT FLOW

Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.
PB91-147892 101,386

Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117183 100,014

Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117209 100,015

TWO-DIMENSIONAL CALCULATIONS

Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.
PB91-200865 101,538

TWO PHASE AQUEOUS EXTRACTION

Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300

TYPE 2 SUPERCONDUCTORS

Magnetization of Anisotropic Superconducting Grains.
PB91-134569 101,463

TYROSINE

Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.
PB91-189365 101,304

Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290

ULTIMATE STRENGTH

Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
PB92-116342 100,138

ULTRACOLD ATOMS

Observation of Atoms Laser-Cooled Below the Doppler Limit.
PB91-189746 101,655

Observation of Atoms Laser Cooled Below the Doppler Limit.
PB91-195453 101,671

ULTRASONIC TESTS

Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106

Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations.
PB91-159731 100,110

Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach.
PB91-194878 101,123

Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates.
PB91-202945 101,237

Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126

Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741

Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742

Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170

ULTRASONICS

Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
PB91-222612 100,510

ULTRATHIN FILMS

Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565

ULTRAVIOLET DETECTORS

Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications.
PB91-203349 100,757

ULTRAVIOLET SPECTRA

Spectrum and Energy Levels of the Xenonlike Ion Ce V.
PB91-175364 101,638

5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)n) Transitions in Sb III.
PB91-200816 101,676

Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen.
PB91-203018 100,391

KEYWORD INDEX

VAMAS PROJECT

ULTRAVIOLET SPECTROMETERS

Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179

UNCERTAINTY

Uncertainty and Accuracy in Physical Measurements.
PB91-167205 101,629

UNDERGROUND CORROSION

Measuring the Corrosion of Metals in Soil.
PB91-174714 101,136

UNDERGROUND MINING

Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357

UNDERWATER VEHICLES

Real-Time Hierarchical Planning for Multiple Mobile Robots.
PB91-158782 101,375

UNITED STATES

Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes.
FIPS PUB 9-1 100,679
Standards Activities of Organizations in the United States.
PB91-177774 100,004

UNITS OF MEASUREMENT

International System of Units (SI)--Translation.
PB92-109032 101,719
Metric Measures Up (Ruler).
PB92-163898 100,942

UNIX (OPERATING SYSTEM)

UNIX in the Government's Automated Manufacturing Research Facility (AMRF).
PB91-147579 100,963
UNIX Expert: A Prototype Knowledge-Based Software Development Workstation.
PB91-149179 100,639
How the Government Shapes UNIX Standards.
PB91-203133 100,693

UPHOLSTERY

Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams.
PB92-108984 100,087

UPWARD FLAME SPREAD

Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.
PB92-112531 100,170

URACILS

Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.
PB91-147447 100,216

URANIUM

Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185

URANIUM 233

Electroffission in the Quasifree and Delta Regions.
PB91-147355 101,609

URANIUM 238

Electroffission in the Quasifree and Delta Regions.
PB91-147355 101,609

URANIUM IONS

Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610

URBAN AREAS

Wind Effects on Fires.
PB91-203851 100,549

URIC ACID

Stability of Uric Acid in Ammonium Hydroxide.
PB91-189266 101,292
Antioxidation Mechanisms of Uric Acid.
PB91-237347 100,222

US DOE

Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250.
PB91-178871 100,902

US EMBASSY (MOSCOW)

Assessment: U.S. Office Building of Moscow.
PB91-237834 100,151

US NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY

NIST Serial Holdings, 1991.
PB91-171330 100,960

US NBS

National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957
National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
PB91-136515 100,958
Materials Research at the National Bureau of Standards.

PB91-149039 101,214
NBS Quality Assurance Support: Current and Planned Services.
PB91-149088 101,012
Measurement Quality Assurance.
PB91-149930 101,013
Polymers: Technical Activities 1990.
PB91-159715 100,488

US NIST

Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250.
PB91-178871 100,902

USER MANUALS (COMPUTER PROGRAMS)

FIREDOC Users Manual, 2nd Edition.
PB91-178830 100,547
Technical Reference and User's Guide for FAST/FFM Version 3.
PB91-206664 100,086
User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multizone Buildings.
PB91-206722 100,910

VACUUM GAGES

Stabilization Techniques for Spinning Rotor Gage Residual Drag.
PB91-147108 100,922

VACUUM STATES

Model for the Non-Perturbative OCD (Quantum Chromodynamics) Vacuum.
PB91-194407 101,661

VACUUM ULTRAVIOLET RADIATION

Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179

VALIDATION SUMMARY REPORTS

Ada Compiler Validation Summary Report. Certificate Number: 901109S1.11053, Digital Equipment Corporation VAX Ada, Version 2.2 VAX 8800 = > VAX 8800.
AD-A233 961/2 100,607
Ada Compiler Validation Summary Report: DDC International A/S, DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6, VAX 8530 (Host) to Bare Board iSBC 186/93A (Host), 901129S1.11079.
AD-A234 083/4 100,608
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11112 DDC International A/S DACS 80386 DMS/OS Ada Compiler System, Version 4.6 IBM PS/2 Model 80-311 = > IBM PS/2 Model 80-311.
AD-A234 118/8 100,609
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11050 DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 VAX 8530 = > VAX 8530.
AD-A234 323/4 100,610
Ada Compiler Validation Summary Report: Digital Equipment Corporation, VAX Ada, Version 2.2, BAX 8800 (Host) t VAX MicroVAX II Running VAXELN Version 4.1 (Target), 901109S1.11054.
AD-A234 350/7 100,611
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11051, DDC International A/S, DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 MicroVAX 3100 Greater Than or Equal to Motorola MVME133.
AD-A234 380/4 100,612
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11077 DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 VAX 8530 = > Bare Board iSBC/03A.
AD-A234 438/0 100,613
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11075 DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 ICL DRS300 = > ICL DRS300.
AD-A234 439/8 100,614
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11074 DDC International A/S DACS VAX/VMS 60 80386 PM Bare Ada Cross Compiler System, Version 4.6 VAX 8530 = > Bare Board iSBC 386/21.
AD-A234 529/6 100,615
Ada Compiler Validation Summary Report: Certificate Number: 910510S1.11161 UNISYS Corporation, UCS Ada, Version 1R1, 2200/600 (Host and Target). Revision.
AD-A239 715/6 100,616
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11179 U.S. Navy Ada/M, Version 4.0 (OPTIMIZE) VAX 11/785 = > AN/AYK-14 (Bare Board).
AD-A240 511/6 100,617
Ada Compiler Validation Summary Report: Certificate Number 910705S1.11192 InterAct Corporation InterAct Ada Mips Cross-Compiler System, Release 2.0 MicroVAX 3100 Cluster = > Lockheed Sanders STAR MVP R3000/R3010 board (Bare Machine).
AD-A240 512/4 100,618
Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11158 DDC International A/S, DACS

VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1, VAX 8530 (Host) to Tadpole Technology PLC TP860M (Bare Board) (Target).
AD-A240 610/6 100,619

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11176 U.S. Navy, Ada/M, Version 4.0 (/Optimize), VAX 11/785 (Host) to AN/UYJ-43 (Single CPU) (Bare Board) (Target).
AD-A240 611/4 100,620

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11174 U.S. Navy, Ada/M, Version 4.0 (/Optimize), VAX 8550, Running VAX/VMS Version 5.3 (Host) to AN/UYK-44 (EMR) (Bare Board) (Target).
AD-A240 612/2 100,621

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11175 U.S. Navy Ada/M, Version 4.0 (/Optimize), VAX 8550 (Host) to AN/AYK-14 (Bare Board) (Target).
AD-A240 613/0 100,622

Ada Compiler Validation Summary Report. Certificate Number: 910705S1.11191, InterACT Corporation Inter-ACT Ada 1750A Compiler System, Release 3.5, Micro-VAX 3100 Cluster = > InterACT MIL-STD-1750A Instruction Set Architecture Simulator, Release 2.3 (Bare Machine).
AD-A240 762/5 100,623

Ada Compiler Validation Summary Report. Certificate Number: 910626S1.11178 U.S. Navy Ada/M, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-44 (EMR) (Bare Board).
AD-A240 763/3 100,624

Ada Compiler Validation Summary Report: Certificate Number 910626S1.11173 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 855 = AN/UYK-43 (EMR) (Bare Board).
AD-A240 783/1 100,625

Ada Compiler Validation Summary Report: Certificate Number Number 910626S1.11172 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 8550 = AN/UYK-43 (Single CPU) (Bare Board).
AD-A240 784/9 100,626

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11159 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC-MODE) Sun-3/50 = Motorola MVME143 Board (68030/68882).
AD-A240 785/6 100,627

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11160 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE MODE) Sun-3/50 = > Motorola MVME143 Board (68030/68882).
AD-A240 849/0 100,628

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11177 U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-43 (EMR) (Bare Board).
AD-A240 850/8 100,629

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11163 U.S. Navy, AdaVAX, Version 5.0, (/NO OPTIMIZE) VAX 8350 (Host and Target).
AD-A242 268/1 100,630

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11162 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE) VAX 8600 (Host and Target).
AD-A242 269/9 100,631

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11165 U.S. Navy, AdaVAX, Version 5.0 (/NO-OPTIMIZE), VAX 11/785 (Host and Target).
AD-A242 270/7 100,632

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11164 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE), VAX11/785 (Host and Target).
AD-A242 273/1 100,633

Ada Compiler Validation Summary Report: Certificate Number 910918S1.11216, NEC Corporation, NEC Ada Compiler System for EWS-UX/V (Rel 4.0), Version Release 2.1(4.6) EWS4800/220 = EWS4800/220.
AD-A242 609/6 100,634

Ada Compiler Validation Summary Report: Certificate Number: 910125S1.11226, Digital Equipment Corporation DEC Ada, Version 1.0 DECstation 5000 Model 200 = > DECstation 5000 Model 200.
AD-A242 896/9 100,635

Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL).
PB92-937300 100,671

VALIDITY

Programming Languages and Database Language SQL. Validated Processor List Including GOSIP Conformance Testing Registers.
PB91-187716 100,649

VAMAS PROJECT

International Co-operation: The Versailles Project on Advanced Materials and Standards.
PB91-159137 101,191

VAMAS Bulletin.
PB91-159145 101,192

KEYWORD INDEX

VAMAS (VERSAILLES PROJECT ON ADVANCED MATERIALS AND STANDARDS)

International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB91-204040 101,251

VANADIUM OXIDES

Microwave Spectra and Electric Dipole Moments of $X(4S_{1/2})$ and VO and NbO .
PB91-237487 100,429

VAPOR DEPOSITION

Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A237 128/4 100,248

VAPOR DEPOSITED COATINGS

U.S. Assessment of the New Diamond Technology in Japan.
PB91-167395 101,107
Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186
Chemical and Electronic Properties of $Pd/SnO_2(110)$ Model Gas Sensors.
PB91-203075 100,393

VAPOR DEPOSITION

Chemical Vapor Deposited Diamond.
AD-A243 095/7 101,106
Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
PB92-117357 101,102

VAPORIZATION

Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246

VARISTORS

Incompatibility between the 100/1300 Surge Test and Varistor Failure Rates.
PB91-189308 100,854

VELOCITY DISTRIBUTION

Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395

VENTILATION

Ventilation System Performance Evaluation Using Tracer Gas Techniques.
PB91-147876 100,060
Airtightness of Office-Building Envelopes.
PB91-175307 100,067
Indoor Ventilation Requirements for Manufactured Housing.
PB91-206698 100,075
Variable Air Volume System Design Guide.
PB91-216655 100,077

VERY LARGE SCALE INTEGRATION

Thermal Measurements of VLSI Packages: A Critical Review.
PB91-147827 100,790
Measurement of Capacitance on Wafers.
PB91-149120 100,795
Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.
PB91-174581 100,803
Characterizing VLSI Processes Using Test Structures.
PB91-175000 100,804
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805
New Approach to Image Modeling and Edge Detection in the SEM.
PB91-203752 100,811

VIBRATION DAMPING

Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.
PB91-216648 100,130

VIBRATION INSULATORS

Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.
PB91-206714 100,148

VIBRATION TESTS

Resonating-Orthotropic-Cube Method for Elastic Constants.
PB91-236794 101,586

VIBRATIONAL SPECTRA

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. $N_4(+) , NO(-) , ONNO(+ , -) , aNd ONNO(-) ,$
AD-A228 082/4 100,243
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. $NO(+) , NO(-) , ONNO(+ , -) , aNd ONNO(-) ,$
AD-A230 957/3 100,244
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. $CO_4(-) ,$
AD-A238 415/4 100,249
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. $CO(+) , C_2O_2(+ , -) ,$ and $C_2O_2(-) ,$
AD-A239 729/7 100,250
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. $N_2O(1+) ,$ and $NNO_2(1-) ,$

PB91-149906 100,306

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. $NO(1+) , NO(1-) , ONNO(1+) ,$ and $ONNO(1-) ,$
PB91-149914 100,307

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. $CO_4(1-) ,$
PB91-236836 100,419

Rovibrational Analysis of the $\nu_7(1)$ Intermolecular Hydrogen Bond Bending Vibration in $HCN-HF$ Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 100,437

Neutron Measurements of Intramolecular Vibrational Modes in C_60 .
PB92-116540 101,055

VIBRATIONAL STATES

Picosecond IR Studies of the Vibrational Dynamics of $CO/PI(111)$.
PB91-161927 100,314
Population Lifetimes of $OH(v=1)$ and $OD(v=1)$ Vibrations in Alcohols, Silanols and Crystalline Micas.
PB91-174813 100,324
Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.
PB91-192575 100,367

VICKERS HARDNESS

Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094

VINYL COPOLYMERS

Chain Conformation of a Block Polymer in a Microphase-Separated Structure.
PB91-148890 100,485

VINYL ETHER RESINS

Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.
PB91-187153 100,494

VINYL RADICALS

Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen.
PB91-203018 100,391

VIRAL GENES

Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.
PB91-190108 101,321

VISCOELASTICITY

Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test.
PB91-149872 101,579
Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments.
PB91-189720 101,245
Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior.
PB91-195099 100,501
Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502
Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511

VISCOSITY

Transport Properties of Carbon Dioxide.
PB90-244724 100,266
Critical Exponent for Viscosity.
PB91-147009 100,271
Viscosity Surface for Mixtures of Methane and Ethane.
PB91-174763 100,322
Critical Exponent for the Viscosity of Four Binary Liquids.
PB91-187195 100,337
Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes.
PB91-195636 101,391

VISIBILITY

Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.
PB91-204099 101,320

VITAMIN A

Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
PB91-148858 100,187

VOLTAGE

New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.
PB91-237586 100,740

VOLTAGE STANDARDS

New Low-Voltage Standards in the DC to 1-MHz Frequency Range.
PB91-237107 100,738
Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.

PB91-237446 100,739

New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.
PB91-237586 100,740

Voltage Calibration Systems Using Josephson Junction Arrays.
PB92-116516 100,868

VOLTA METRY

Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.
PB92-126630 100,912
Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO_2 /Air in Compressed Gas Mixtures.
PB92-126648 100,913

VOLTMETERS

Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869

VORTEX SHEDDING

Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization.
PB91-203000 101,393

VORTICES

Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.
PB92-117191 100,558

VUILLEUMIER REFRIGERATOR

Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052

WALLS

Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).
PB91-143297 100,094
Algorithm for the Mass-Loss Rate of a Burning Wall.
PB91-158998 100,108
Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data.
PB91-159152 100,901
Review of Research Literature on Masonry Shear Walls.
PB91-167189 100,113
Ceiling Jet-Driven Wall Flows in Compartment Fires.
PB91-174573 100,117
Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.
PB91-187278 100,121
Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls.
PB91-194696 100,126
Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.
PB92-112531 100,170
Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB92-116334 100,137
Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
PB92-116342 100,138
Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370

WASPALLOY

Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536

WASTE DISPOSAL

Biodegradable Plastics: An Idea Whose Time Has Come.
PB91-150086 101,243

WATER

Kelvin Water-Drop Experiment.
N91-20219/2 100,900
Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.
PB90-244633 100,260
Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.
PB90-244708 101,402
Adsorption of Water and Oxygen on $Ag(110)$: A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-146985 100,270
Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of $OH(A(2)Sigma)$.
PB91-148726 100,291
 H_2O_2 Spectroscopy, Structure and Dynamics.
PB91-162057 100,316
 $H_2O(l)-H_2O(III)-H_2O(L)$ Triple Point of Water as a Fixed Pressure Point.
PB91-187211 101,647
Ergodic Measures for the Simulation of Dielectric Properties of Water.
PB91-189845 100,350

KEYWORD INDEX

XENON

- Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins. PB91-189852 100,351
- Unified Fundamental Equation for the Thermodynamic Properties of H₂O. PB91-192534 100,364
- High-Temperature High-Pressure Raman Spectra from Liquid Water. PB91-195735 100,385
- Microwave Spectrum and Molecular Structure of the N₂-H₂O Complex. PB91-203448 100,398
- Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays. PB91-240770 100,164
- Thermodynamic Properties of the NaBr + H₂O System. PB92-110238 100,451
- Evaluation of Solubility Data of the System CO-H₂O from 273 K to the Critical Point of Water. PB92-110253 100,453
- Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam. PB92-148154 100,475
- WATER COMPLEXES**
- Structures of the NH₃-HCCCCH and H₂O-HCCCCH Complexes by Fourier-Transform Microwave Spectroscopy. PB91-148882 100,294
- WATER HEATERS**
- Measured Performance of Residential Water Heaters Using Existing and Proposed Department of Energy Test Procedures. PB91-189274 100,085
- WATER POLLUTION**
- Simultaneous Butyltin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System. PB91-195040 100,918
- WATER SUPPLY**
- Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System. PB92-123116 101,358
- WATER VAPOR**
- Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density. PB90-244708 101,402
- WATT HOUR METERS**
- Precision Qualification of Watthour Meters. PB91-237214 100,859
- WAVE DIFFRACTION**
- Diffraction by a Half-Plane in a Lossy Medium. PB92-116888 101,437
- WAVE PROPAGATION**
- Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites. PB91-174946 101,120
- Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact. PB91-175224 101,584
- WAVEGUIDE FLANGES**
- Alignment Fixture for Millimeter Waveguide. PB91-236919 100,727
- WAVEGUIDE LASERS**
- Integrated-Optic Waveguide Glass Lasers. PB91-203976 100,758
- WAVEGUIDES**
- Accurate Acoustic Measurements in Gases Under Difficult Conditions. PB92-116847 101,382
- Air Gage Size Measurement of Microwave Standards. PB92-117324 100,777
- WAVELENGTH MEASUREMENT**
- Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy. PB91-203984 101,430
- WAVELENGTHS**
- Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII). PB92-110139 100,442
- Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII). PB92-148121 100,472
- WAVEMETERS**
- Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy. PB91-203984 101,430
- WAWAYANDAITE**
- Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey. PB91-174680 101,359
- WEAR**
- Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling. PB91-158675 101,040
- Mechanisms of Additive Effectiveness. PB91-158808 101,172
- Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions. PB91-189480 101,177
- Ceramic Wear Maps. PB91-189498 100,561
- Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide. PB91-189530 101,186
- WEAR TESTS**
- Comparison of Standard Test Methods for Non-Lubricated Sliding Wear. PB91-190017 101,187
- Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel. PB91-190025 101,188
- Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride. PB91-236711 101,180
- WEIGHT INDICATORS**
- Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991. PB92-112424 101,023
- WEIGHT MEASUREMENT**
- Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991. PB92-112416 101,022
- Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991. PB92-112465 101,024
- WEIGHT REDUCTION**
- Gyroscope-Weighing Experiment Revisited -- with a Null Result. PB91-174722 101,630
- WEIGHTS AND MEASURES**
- Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991. PB92-112416 101,022
- Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991. PB92-112465 101,024
- WELD DEFECTS**
- Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K. PB91-158980 101,148
- WELDING**
- Report on 1989 Actions by International Institute of Welding. PB91-134619 101,001
- Analysis and Characterization of Commercial Welding Fluxes. PB91-162339 101,003
- WELDMENTS**
- Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds. PB91-134627 101,145
- WETTING**
- Wetting Layers on Solid Substrates. PB91-158857 100,313
- WHEELS**
- Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23. PB91-222653 101,741
- Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22. PB91-222661 101,742
- WIND PRESSURE**
- Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991. PB92-116425 100,152
- WINDOW GLASS**
- Design Diagrams for Heavy Metal Fluoride Glass Windows. PB91-187419 101,419
- Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire. PB92-112556 100,136
- WINDOWS**
- Temperature Measurement of Glass Subjected to Solar Radiation. PB91-147611 100,100
- WIRE BONDS**
- Cratering. PB91-203141 100,810
- WOLF-RAYET STARS**
- Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars. PB91-149021 100,023
- WOOD FUELS**
- Theoretical Investigation of Piloted Ignition of Wood. PB92-112432 100,556
- WOOD PRODUCTS**
- Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate. PB92-116334 100,137
- WORKSTATIONS**
- Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF. PB91-195495 100,986
- Control Structure for Multi-Tasking Workstations. PB91-203737 100,989
- Mare Island Flexible Manufacturing Workstation. PB92-117027 100,996
- X-RAY ANALYSIS**
- High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering. PB91-175067 100,929
- Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping. PB91-195180 100,202
- XANES of Transition Metal Zinc-Blende Semiconductors. PB92-117092 100,462
- X-RAY DETECTION**
- Instrumentation of X-ray Beam Lines with PIN Diode Detectors. PB91-174888 101,633
- X RAY DIFFRACTION**
- RIR - Measurement and Use in Quantitative XRD. PB91-147397 101,466
- Hermetically Sealed Inert Atmosphere Cell for X-ray Powder Diffraction. PB91-147983 101,062
- X RAY FILM**
- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons. PB91-195198 101,293
- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV. PB91-195206 101,669
- X-RAY FLUORESCENCE ANALYSIS**
- Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra. PB91-237875 101,733
- X RAY LASERS**
- Exploding Foil Photoionization X-ray Laser. PB91-237065 101,433
- X RAY MASKS**
- Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection. PB92-117217 100,828
- X RAY PHOTOELECTRON SPECTROSCOPY**
- XPS and Auger Forward Scattering in Epitaxial Films. PB91-174698 101,495
- NIST X-ray Photoelectron Spectroscopy (XPS) Database. PB92-123157 100,465
- X RAY SPECTRA**
- Selective Excitation of X-ray Emission Spectra. PB91-147173 101,607
- Anomalous Lgamma_{2,3} X-ray Emission Spectrum of Xe. PB91-195289 101,670
- Anomalous Th M₃₀₁ X-ray Emission Spectrum of ThO₂. PB91-195297 100,381
- Many Electron Effects in Lgamma_{2,3} X-ray Emission Spectroscopy Spectrum of BaO. PB91-195305 100,382
- Many-Electron Effects in Lgamma_{2,3} XES Spectra from Rare Earth Elements. PB91-195313 100,383
- X RAY SPECTROSCOPY**
- Accurate Spectroscopy in the X-ray Region. PB91-158634 101,621
- Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping. PB91-195180 100,202
- X-RAYS**
- X-ray Interferometry and gamma-ray Wavelengths. PB91-158642 101,484
- Polarization and Anisotropy of X-ray Emission from Molecules. PB91-187401 101,651
- Some Historical Remarks Concerning These Conferences: With Emphasis on the X-ray Component. PB91-187443 101,652
- XANTHINE OXIDASE**
- Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase. PB91-200824 101,306
- XENON**
- Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.

KEYWORD INDEX

- PB91-133900 101,599
Critical Exponent for Viscosity.
PB91-147009 100,271
Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutions.
PB91-162081 100,319
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648
Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366
Anomalous Gamma2,3 X-ray Emission Spectrum of Xe.
PB91-195289 101,670
- YIELD STRENGTH**
Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100.
PB91-189464 101,156
Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163
- YTTERBIUM IONS**
Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610
- YTTERBIUM OXIDES**
Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287
- YTTRIUM**
Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects.
PB91-161935 101,489
- YTTRIUM BARIUM CUPRATES**
High T(sub C) Superconductors: Are They Magnetic.
N91-20208/5 101,453
Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456
Fundamental and Harmonic Susceptibilities of YBa2Cu3O7-delta.
PB91-134148 101,458
Madelung Potentials and Valences in the Y1Ba2Cu3O7 Superconductor.
PB91-134254 101,459
Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.
PB91-148205 101,474
Possible 'Proximity Matrix' Route to High Current Conductors.
PB91-148932 101,476
Comparison of Flux Dynamics in Two Samples of YBa2Cu3O7 with Different Pinning.
- PB91-149419 101,069
Analysis of the YBa2Cu3O7/SrTiO3 Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480
Chemical Modification of the Orthorhombic Superconductor Ba2YCu3O7-delta.
PB91-159053 101,486
Phonon Density of States of Superconducting YBa2Cu3O7 and the Nonsuperconducting Analog YBa2Cu3O6.
PB91-159129 101,487
Models for Oxygen Ordering and Diffusion in Ba2YCu3Ox and Ba2YCu3-yMyOx (M = Fe, Co, Al, Ga).
PB91-175232 101,496
Levitation of Superconducting Composites.
PB91-187351 101,503
Magnetic Hysteresis of High-Temperature YBa2Cu3Ox-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507
Sputtered Thin Film YBa2Cu3Ox.
PB91-189647 101,509
YBa2Cu3O7-delta/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518
Current Record in Superconductors.
PB91-194753 101,521
Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RBa2Cu3O6 + x.
PB91-194894 101,524
Morphology of Silver on YBa2Cu3O7-delta Thin Films.
PB91-195594 101,534
Properties of YBa2Cu3O7-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547
Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba2(CuO.97Fe0.03)3O7-x.
PB91-237545 101,558
Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa2Cu3O7-x.
PB91-237552 101,559
Oxides and Oxide Superconductors: Elastic and Related Properties.
PB92-112333 101,563
Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa2Cu3Ox.
PB92-117290 100,464
- YTTRIUM IRON GARNETS**
High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840
Anomalous Low-Frequency Butterfly Curves for Subsidary and Ferromagnetic Resonance Overlap at 3 GHz.
- PB91-194704 101,519
- ZEEMAN LASERS**
Correlated Spontaneous Emission in a Zeeman Laser.
PB91-175596 101,417
Correlated Spontaneous Emission in a Zeeman Laser.
PB91-204180 101,432
- ZENO EFFECT**
Reply to Comment on 'Quantum Zeno Effect'.
PB91-236828 101,708
- ZEOLITES**
New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.
PB91-158717 100,311
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllphosphate Molecular Sieves.
PB91-189449 101,081
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
PB91-195255 100,380
- ZINC IONS**
Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443
- ZINC PHOSPHATES**
Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllphosphate Molecular Sieves.
PB91-189449 101,081
- ZIRCALOYS**
Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.
PB91-158733 101,372
- ZIRCONIUM ALLOYS**
Structural Instabilities and Superconductivity in Quasi-Binary Mn5Si3-Type Compounds.
PB91-149427 101,215
Properties of Amorphous Zirconium Rhodium Hydride (Zr3RhHx) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr2PdHx.
PB91-187252 101,230
- ZIRCONIUM HYDRIDES**
Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr2Pd, Zr2PdD1.70, and Zr2PdD1.96.
PB91-148866 101,213
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr2PdHx.
PB91-187252 101,230
- ZIRCONIUM OXIDES**
Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
PB91-148767 101,065

TITLE INDEX

SAMPLE ENTRY

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment			Title			
PB91-167353	100,905	PC A03/MF A01	NTIS order number	Abstract number	Availability	Price Code
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter. PB92-117126	101,366	Not available	NTIS			
5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)nl) Transitions in Sb III. PB91-200816	101,676	Not available	NTIS			
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal. PB91-187294	101,501	Not available	NTIS			
8-Hydroxyguanine Content of Isolated Mitochondria Increases with Lipid Peroxidation. PB91-189472	101,286	Not available	NTIS			
46Gas Chromatography-Mass Spectrometry of Free Radical-Induced Products of Pyrimidines and Purines in DNA. PB91-187476	101,302	Not available	NTIS			
303-MHz Frequency Standard Based on Trapped Be(+) Ions. PB92-116474	101,722	Not available	NTIS			
1987: The Year of the 386. PB91-158766	100,599	Not available	NTIS			
3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks. PB92-126549	101,381	PC A04/MF A01				
Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives. PB92-148089	100,468	(Order as PB92-148063)				
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein. PB91-237362	101,309	Not available	NTIS			
Absorbed-Dose Calibration of Ionization Chambers in a(60)Co Gamma-Ray Beam. PB91-132290	101,598	PC A04/MF A01				
Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber. PB91-195057	101,322	Not available	NTIS			
Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition). PB91-148494	100,959	PC A03/MF A01				
Abstracts of Daylighting Research. PB91-206755	100,076	PC A06/MF A01				
AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations. PB91-236893	100,737	Not available	NTIS			
AC Loss Measurements of Two Multifilamentary NbTi Composite Strands. PB91-133892	100,769	Not available	NTIS			
Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California. PB91-237404	101,355	Not available	NTIS			
Accelerator (14)C Dating of Late Pleistocene Megafauna. PB91-237396	101,354	Not available	NTIS			
Accuracy Model for Phase Noise Measurements. PB91-134882	100,589	Not available	NTIS			
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study. PB91-195727	100,204	Not available	NTIS			
Accurate Acoustic Measurements in Gases Under Difficult Conditions. PB92-116847	101,382	Not available	NTIS			
Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures. PB92-126630	100,912	(Order as PB92-126614, PC A06/MF A02)				
Accurate Frequency of the 119 mu m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy. PB91-134130	101,405	Not available	NTIS			
Accurate Spectroscopy in the X-ray Region. PB91-158634	101,621	Not available	NTIS			
Acoustic Emission Monitoring of Laser Drilling. PB91-158527	101,218	Not available	NTIS			
Acoustic Technique for Evaluation of Thermal Insulation. PB91-189324	100,123	Not available	NTIS			
ACTIS: Towards a Comprehensive Tribology Data Base. PB91-174904	101,184	Not available	NTIS			
Activities of the Construction Materials Reference Laboratories Related to Laboratory Accreditation. PB91-203836	100,531	Not available	NTIS			
Ada Compiler Validation Summary Report: Certificate Number 910626S1.11172 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 8550 = AN/UYK-43 (Single CPU) (Bare Board). AD-A240 784/9	100,626	PC A05/MF A01				
Ada Compiler Validation Summary Report: Certificate Number: 901109S1.11053, Digital Equipment Corporation VAX Ada, Version 2.2 VAX 8800 = > VAX 8800. AD-A233 961/2	100,607	PC A04/MF A01				
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11050 DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 VAX 8530 = > VAX 8530. AD-A234 323/4	100,610	PC A04/MF A01				
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11051, DDC International A/S, DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 MicroVAX 3100 Greater Than or Equal to Motorola MVME133. AD-A234 380/4	100,612	PC A03/MF A01				
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11074 DDC International A/S DACS VAX/VMS 60 80386 PM Bare Ada Cross Compiler System, Version 4.6 VAX 8530 = > Bare Board iSBC 386/21. AD-A234 529/6	100,615	PC A06/MF A01				
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11075 DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 ICL DRS300 = > ICL DRS300. AD-A234 439/8	100,614	PC A04/MF A01				
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11077 DDC International A/S DACS						

TITLE INDEX

VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 VAX 8530 = > Bare Board iSBC/03A.
AD-A234 438/0 100,613 PC A06/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11112 DDC International A/S DACS 80386 DMS/OS Ada Compiler System, Version 4.6 IBM PS/2 Model 80-311 = > IBM PS/2 Model 80-311.
AD-A234 118/8 100,609 PC A06/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11158 DDC International A/S DACS VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1, VAX 8530 (Host) to Tadpole Technology PLC TP860M (Bare Board) (Target).
AD-A240 610/6 100,619 PC A03/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11159 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC-MODE) Sun-3/50 = Motorola MVME143 Board (68030/68882).
AD-A240 785/6 100,627 PC A03/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11160 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE MODE) Sun-3/50 = > Motorola MVME143 Board (68030/68882).
AD-A240 849/0 100,628 PC A03/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910510S1.11161 UNISYS Corporation, UCS Ada, Version 1R1, 2200/600 (Host and Target). Revision.
AD-A239 715/6 100,616 PC A06/MF A02

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11162 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE) VAX 8600 (Host and Target).
AD-A242 269/9 100,631 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11163 U.S. Navy, AdaVAX, Version 5.0, (/NO OPTIMIZE) VAX 8350 (Host and Target).
AD-A242 268/1 100,630 PC A08/MF A02

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11164 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE), VAX11/785 (Host and Target).
AD-A242 273/1 100,633 PC A04/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11165 U.S. Navy, AdaVAX, Version 5.0 (/NO-OPTIMIZE), VAX 11/785 (Host and Target).
AD-A242 270/7 100,632 PC A04/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11173 U.S. Navy Ada/L, Version 4.0 (/Optimize), VAX 8550, Running VAX/VMS Version 5.3 (Host) to AN/UYK-44 (EMR) (Bare Board) (Target).
AD-A240 612/2 100,621 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11175 U.S. Navy Ada/M, Version 4.0 (/Optimize), VAX 8550 (Host) to AN/AYK-14 (Bare Board) (Target).
AD-A240 613/0 100,622 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11176 U.S. Navy, Ada/L, Version 4.0 (/Optimize), VAX 11/785 (Host) to AN/UYJ-43 (Single CPU) (Bare Board) (Target).
AD-A240 611/4 100,620 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11177 U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-43 (EMR) (Bare Board).
AD-A240 850/8 100,629 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11178, U.S. Navy Ada/M, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-44 (EMR) (Bare Board).
AD-A240 763/3 100,624 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11179 U.S. Navy Ada/M, Version 4.0 (OPTIMIZE) VAX 11/785 = > AN/AYK-14 (Bare Board).
AD-A240 511/6 100,617 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910705S1.11191, InterACT Corporation InterACT Ada 1750A Compiler System, Release 3.5, MicroVAX 3100 Cluster = > InterACT MIL-STD-1750A Instruction Set Architecture Simulator, Release 2.3 (Bare Machine).
AD-A240 762/5 100,623 PC A04/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910705S1.11192 InterACT Corporation InterACT Ada Mips Cross-Compiler System, Release 2.0 MicroVAX 3100 Cluster = > Lockheed Sanders STAR MVP R3000/R3010 board (Bare Machine).
AD-A240 512/4 100,618 PC A04/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 910918S1.11216, NEC Corporation, NEC Ada

Compiler System for EWS-UX/V (Rel 4.0), Version Release 2.1 (4.6) EWS4800/220 = EWS4800/220.
AD-A242 609/6 100,634 PC A05/MF A01

Ada Compiler Validation Summary Report: Certificate Number: 911025S1.11226, Digital Equipment Corporation DEC Ada, Version 1.0 DECstation 5000 Model 200 = > DECstation 5000 Model 200.
AD-A242 896/9 100,635 PC A04/MF A01

Ada Compiler Validation Summary Report: DDC International A/S, DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6, VAX 8530 (Host) to Bare Board iSBC 186/93A (Host), 901129S1.11079.
AD-A234 083/4 100,608 PC A05/MF A01

Ada Compiler Validation Summary Report: Digital Equipment Corporation, VAX Ada, Version 2.2, BAX 8800 (Host) t VAX MicroVAX II Running VAXELN Version 4.1 (Target), 901109S1.11054.
AD-A234 350/7 100,611 PC A04/MF A01

Adjustment of the Fundamental Physical Constants: A Report of the CODATA Task Group on Fundamental Constants, 1986.
PB91-147124 101,606 Not available NTIS

Adsorption and Orientation of Tetracycline on Hydroxyapatite.
PB91-195149 101,319 Not available NTIS

Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms.
PB91-148985 100,270 Not available NTIS

Advanced Materials: Opportunities and Challenges.
PB91-204032 100,009 Not available NTIS

Advanced Sensing of Materials Processing.
PB92-117423 100,949 Not available NTIS

Advanced sensor development program for the pulp and paper industry: Final report.
DE91007688 101,248 PC A05/MF A01

Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies.
PB92-126697 100,013 (Order as PB92-126614, PC A06/MF A02)

Advances in Science, Emerging Technologies and Global Competition: Opportunities and Challenge.
PB91-203174 100,583 Not available NTIS

Agency Exploits Flexibility of Software in Moving Info.
PB91-159160 100,642 Not available NTIS

Agenda for Progress in Technology Education: A Personal View.
PB91-148114 100,037 Not available NTIS

AI: Does It Have a Place in Building Simulation.
PB91-159293 100,063 Not available NTIS

AI in Manufacturing: The NBS AMRF as an Intelligent Machine.
PB91-134718 100,973 Not available NTIS

Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909 Not available NTIS

Air Gage Size Measurement of Microwave Standards.
PB92-117324 100,777 Not available NTIS

Airtightness of Office-Building Envelopes.
PB91-175307 100,067 Not available NTIS

Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.
PB91-184796 101,374 PC A03/MF A01

Algorithm and Computer Program for the Calculation of Envelope Curves.
PB91-158972 101,414 Not available NTIS

Algorithm Design for Large-Scale Computations.
PB91-149336 100,640 Not available NTIS

Algorithm for the Mass-Loss Rate of a Burning Wall.
PB91-158998 100,108 Not available NTIS

Algorithms for Special Tridiagonal Systems.
PB91-187245 101,259 Not available NTIS

Alignment Fixture for Millimeter Waveguide.
PB91-236919 100,727 Not available NTIS

Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde.
PB91-147470 100,280 Not available NTIS

Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle.
PB91-203042 101,426 Not available NTIS

Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities.
PB91-147074 101,189 Not available NTIS

Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 219.
AD-A242 956/1 101,204 PC A07/MF A02

Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility, Volume 2.
AD-A231 830/1 101,203 PC A07/MF A01

Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility, Volume 1.
AD-A229 229/0 101,201 PC A10/MF A02

American National Standard for C. Category: Software Standard. Subcategory: Programming Language.
FIPS PUB 160 100,676 PC E15

Amorphization and Conductivity of Silicon and Germanium Induced by Indentation.
PB91-150045 101,482 Not available NTIS

AMRF Composites Fabrication Workstation: A Test Methodology to Measure the Quality of Thermoplastic Composite Parts.
PB91-187765 101,017 PC A03/MF A01

Analysis and Characterization of Commercial Welding Fluxes.
PB91-162339 101,003 Not available NTIS

Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization.
PB91-203000 101,393 Not available NTIS

Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB92-116334 100,137 PC A04/MF A01

Analysis of Optical Flow Estimation Using Epipolar Plane Images.
PB92-112564 100,703 PC A03/MF A01

Analysis of the YBa2Cu3O7/SrTiO3 Interface as a Function of Post-Deposition Annealing Temperature.
PB91-149963 101,480 Not available NTIS

Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035 Not available NTIS

Analytic Solution for the Three-Layer Multiple Beam Interferometer.
PB91-162107 101,007 Not available NTIS

Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.
PB91-187534 101,048 PC A05/MF A01

Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods.
PB91-204131 100,759 Not available NTIS

Angle-Resolved Photoemission from the Ar 2p Subshell.
PB91-194928 101,665 Not available NTIS

Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.
PB91-187302 101,648 Not available NTIS

Angular Distributions of Electrons in Resonant Auger Spectra.
PB91-187393 101,650 Not available NTIS

Anisotropic Structure of a Simple Liquid.
PB91-148718 101,616 Not available NTIS

Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369 PC A10/MF A03

Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.
AD-A207 806/1 101,398 PC A06/MF A01

Anomalous Lgamma2,3 X-ray Emission Spectrum of Xe.
PB91-195289 101,670 Not available NTIS

Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 GHz.
PB91-194704 101,519 Not available NTIS

Anomalous Magnetoresistance in Al/Al-Alloy Composite Conductors.
PB91-174748 101,631 Not available NTIS

Anomalous Th M3O1 X-ray Emission Spectrum of ThO2.
PB91-195297 100,381 Not available NTIS

Antiferromagnetic Order of Cu in Sm2CuO4.
PB92-117340 101,569 Not available NTIS

Antioxidation Mechanisms of Uric Acid.
PB91-237347 100,222 Not available NTIS

Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures.
PB92-116839 100,458 Not available NTIS

Apparatus for Measurement of Coefficient of Friction.
PB91-148049 101,250 Not available NTIS

TITLE INDEX

Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences. PB91-162016	101,738	Not available	NTIS
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators. PB91-147967	101,047	Not available	NTIS
Apparel STEP Translator. PB91-216663	100,967	PC A03/MF A01	
Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials. PB92-117357	101,102	Not available	NTIS
Appendix: Standard Solutions and Certified Reference Materials. PB91-174235	100,194	Not available	NTIS
Applicability of Smoluchowski's Equation with a Constant Kernel to Coalescence. PB91-148940	100,296	Not available	NTIS
Application of Analytical Electron Microscopy to Glass-Bonded Aluminas. PB91-147389	101,060	Not available	NTIS
Application of CCRL Data in the Development of Cement Standards. PB91-175315	100,119	Not available	NTIS
Application of Fire Research. PB91-149302	100,153	Not available	NTIS
Application of Formal Description Techniques to the Specification of Distributed Test Systems. PB91-175018	100,566	Not available	NTIS
Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure. PB91-195487	100,229	Not available	NTIS
Application of OSI Protocols for Plant Information Networks. PB91-147595	100,974	Not available	NTIS
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds. PB91-195719	100,230	Not available	NTIS
Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints. PB91-158576	101,028	Not available	NTIS
Application of the PIPE Image Processing Machine to Scanning Microscopy. PB91-203190	101,034	Not available	NTIS
Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection. PB92-117217	100,828	Not available	NTIS
Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics. PB91-149955	100,692	PC A05/MF A01	
Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0. PB91-201004	100,692	PC A05/MF A01	
Applications of Operations Research Techniques to System Design and Evaluation. PB91-174540	101,267	Not available	NTIS
Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes. PB91-216689	100,131	PC A05/MF A01	
Applied Electric Fields for Downstream Processing. PB91-149161	100,299	Not available	NTIS
Aspects of Smoldering Combustion. PB91-134510	100,535	Not available	NTIS
Assembly Code to Compute Sine and Cosine Using the Cordic Algorithm. PB91-143289	100,638	PC A03/MF A01	
Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits. PB92-116987	100,825	Not available	NTIS
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites. PB91-222612	100,510	PC A07/MF A02	
Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories. NUREG/CR-5711	101,367	PC A06/MF A02	
Assessment: U.S. Office Building of Moscow. PB91-237834	100,151	Not available	NTIS
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms. PB91-236745	101,707	Not available	NTIS
Asymptotic Expansions of the Kernel Functions for Line Formation with Continuous Absorption. PB91-203240	101,688	Not available	NTIS
Asymptotic Shooting Method for the Solution of Differential Equations. PB91-148742	101,255	Not available	NTIS
Atomic Fingerprint of YBa2Cu3O7-x-Type High-Temperature Superconductors Observed by Field Ion Microscopy. PB91-203612	101,544	Not available	NTIS
Atomic Spectroscopy in the 20th Century - A Tribute to Sitterly, Charlotte Moore, on the Occasion of Her 90th Birthday. PB92-116714	101,724	Not available	NTIS
Atomic Weights of the Elements 1989. PB92-148212	100,481	(Order as PB92-148162)	
Atomistic Diffusion Equations and Kinetic Forces. PB91-195008	100,374	Not available	NTIS
Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual. PB91-167700	100,978	PC A04/MF A01	
Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K. PB91-162115	100,111	Not available	NTIS
Automated Information Systems Security Program Handbook. PB91-222638	100,713	PC A08/MF A02	
Automated Reverse-Bias Second-Breakdown Transistor Tester. PB91-216739	100,813	(Order as PB91-216705, PC A07/MF A01)	
PB91-236513	100,814	Not available	NTIS
Automating Robot Programming in the Cleaning and Deburring Workstation of the AMRF. PB91-195495	100,986	Not available	NTIS
BACnet Communication Protocol for Building Automation Systems. PB91-187286	100,069	Not available	NTIS
Band-Gap Narrowing and III-V Heterostructure FETs. PB92-117159	100,827	Not available	NTIS
Base Modifications in Plasmid DNA Caused by Potassium Permanganate. PB91-187070	101,329	Not available	NTIS
Basic Standards and Fundamental Constants. PB91-237594	101,715	Not available	NTIS
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions. PB91-237511	101,714	Not available	NTIS
Benzene: A Further Liquid Thermal Conductivity Standard. PB90-244567	100,255	(Order as PB90-244526)	
Bibliography of Selected Computer Security Publications, January 1980-October 1989. PB91-148486	100,704	PC A09/MF A02	
Bibliography of the NIST Electromagnetic Fields Division Publications. PB91-132241	100,832	PC A06/MF A01	
PB92-116367	100,866	PC A06/MF A02	
Bidirectional Scattering Distribution Function (BSDF): A Systematized Bibliography. PB91-187674	101,421	(Order as PB91-187617, PC A06/MF A01)	
Biodegradable Plastics: An Idea Whose Time Has Come. PB91-150086	101,243	Not available	NTIS
Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization. PB91-203323	100,886	Not available	NTIS
Biomarkers of OH Radical Damage In vivo. PB91-236877	101,325	Not available	NTIS
Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria. PB91-162271	100,883	Not available	NTIS
Bleomycin-Dependent Damage to the Bases in DNA is a Minor Side Reaction. PB91-189357	101,337	Not available	NTIS
Book Review: Hypertext Hands-On. PB91-237040	100,656	Not available	NTIS
Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology. PB91-175257	100,333	Not available	NTIS
Book Review: Polarized Electrons at Surfaces by J. Kirschner. PB91-174532	101,493	Not available	NTIS
PB91-175323	101,497	Not available	NTIS
Book Review: 'The Art of Computer Systems Performance Analysis' by R. Jain. PB91-159749	100,801	PC A03/MF A01	
PB92-117068	100,719	Not available	NTIS
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions. PB91-178848	100,157	PC A03/MF A01	
Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors. PB91-134478	101,462	Not available	NTIS
Brief History of Measurement Systems with a Chart of the Modernized Metric System. PB92-163872	100,940	Not available	NTIS
Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis. PB92-116573	101,588	Not available	NTIS
Buckling and Post-Buckling Behavior of Elliptical Plates. Part 2. Results. PB92-116581	101,589	Not available	NTIS
Building and Fire Research Laboratory Publications, 1990. PB91-187807	100,122	PC A04/MF A01	
Building and Fire Research Project Summaries, 1991. PB91-216788	100,132	PC A08/MF A02	
Building-in Reliability: Making It Work. PB91-203992	100,812	Not available	NTIS
Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers). PB91-507970	100,898	CP D02	
Building Technology Publications 1986-1989. PB91-216820	100,160	PC A08/MF A02	
CAD Directed Robotic Deburring. PB91-195172	100,985	Not available	NTIS
Calculated from the Frequency Domain: An Update. PB91-162388	100,578	Not available	NTIS
Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes. PB91-175547	101,644	Not available	NTIS
Calculation of Energy of Low-Angle Grain Boundaries. PB91-134601	101,464	Not available	NTIS
Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates. PB91-206730	100,933	PC A03/MF A01	
Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer. PB91-134239	100,724	Not available	NTIS
Calibration of Ophthalmic Applicators at NIST: A Revised Approach. PB91-237388	101,327	Not available	NTIS
Calibration of the NBS 10um Space Beads. PB91-203422	101,695	Not available	NTIS
Calibration Procedures for Infrared Imaging Systems for Building Diagnostics. PB91-147082	100,057	Not available	NTIS
Calibration with Working Standards. PB91-158931	101,276	Not available	NTIS
Canadian Mass Fire Experiment, 1989. PB91-143305	101,352	PC A04/MF A01	
Capacitance versus Stylus Measurements of Surface Roughness. PB91-203463	101,020	Not available	NTIS
Capacitive Array Sensors for Nondestructive Evaluation. PB91-237313	100,947	Not available	NTIS
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase. PB91-147769	100,182	Not available	NTIS
Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings. PB91-195065	100,375	Not available	NTIS
Cathodoluminescence Measurement of Strained Alumina Single Crystals. PB91-237131	101,094	Not available	NTIS
Causes of SiH4 Dissociation in Silane dc discharges. PB91-202986	100,389	Not available	NTIS
Ceiling Jet-Driven Wall Flows in Compartment Fires. PB91-174573	100,117	Not available	NTIS
Ceiling Jet in Fires. PB91-167197	100,114	PC A04/MF A01	
Center for Electronics and Electrical Engineering Technical Progress Bulletin Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar. PB91-159749	100,801	PC A03/MF A01	

TITLE INDEX

Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar. PB91-184754 100,852 PC A03/MF A01

Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, October to December 1990, with 1991 CEEE Events Calendar. PB91-240838 100,863 PC A03/MF A01

Center for Radiation Research. 1990 Technical Activities. PB91-178855 101,362 PC A08/MF A01

Ceramic Wear Maps. PB91-189498 100,561 Not available NTIS

Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992). PB92-126507 101,104 PC A09/MF A02

Certain Theorems on Bilateral Generating Functions Involving Hermite, Laguerre, and Gegenbauer Polynomials. PB91-148759 101,256 Not available NTIS

Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres. PB92-126655 100,937 (Order as PB92-126614, PC A06/MF A02)

Chain Conformation of a Block Polymer in a Microphase-Separated Structure. PB91-148890 100,485 Not available NTIS

Change in Magnetic State of Fe + Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia. PB91-237321 101,129 Not available NTIS

Characteristic Impedance Determination Using Propagation Constant Measurement. PB91-236992 100,775 Not available NTIS

Characteristics of Aerosols Produced by the Spark Discharge. PB91-237727 100,209 Not available NTIS

Characteristics of the Breakdown Voltage of Power MOSFETs After Total Dose Irradiation. PB91-149062 100,793 Not available NTIS

Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus. PB91-195404 101,162 Not available NTIS

Characterization of Capacitive Array for NDE Applications. PB91-237305 100,946 Not available NTIS

Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns. PB91-187187 101,228 Not available NTIS

Characterization of Epoxide Coatings on Steel by Reflection-Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study. PB91-203729 101,109 Not available NTIS

Characterization of Field Concrete. PB91-178863 100,528 PC A03/MF A01

Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering. PB92-117001 101,100 Not available NTIS

Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results. PB91-148817 100,186 Not available NTIS

Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy. PB91-203810 101,179 Not available NTIS

Characterizing VLSI Processes Using Test Structures. PB91-175000 100,804 Not available NTIS

Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2. PB92-112549 100,171 PC A03/MF A01

Chemical and Electronic Properties of Pd/SnO₂(110) Model Gas Sensors. PB91-203075 100,393 Not available NTIS

Chemical Determination of Free Radical-Induced Damage to DNA. PB91-187468 101,332 Not available NTIS

Chemical Effects of Ne+ Bombardment on the MoS₂(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy. PB91-203471 100,399 Not available NTIS

Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane. PB90-244534 100,252 (Order as PB90-244526)

Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene. PB92-110170 100,446 (Order as PB92-110162)

Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O.

PB92-148071 100,467 (Order as PB92-148063)

Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2. PB92-148204 100,480 (Order as PB92-148162)

Chemical Modification of the Orthorhombic Superconductor Ba₂YCu₃O_{7-δ}. PB91-159053 101,486 Not available NTIS

Chemical Nature of In vivo DNA Base Damage in Hydrogen Peroxide-Treated Mammalian Cells. PB91-187526 101,335 Not available NTIS

Chemical Vapor Deposited Diamond. AD-A243 095/7 101,106 PC A03/MF A01

Chemistry of Electronic Ceramic Materials. PB91-178822 101,500 PC A23/MF A03

Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides. PB91-134544 101,283 Not available NTIS

Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes. PB91-187690 101,138 PC A03/MF A01

Choosing a Name for Your Computer. PB91-158899 100,600 Not available NTIS

Choosing Flow Conditioners and Their Location for Orifice Flow Measurement. PB92-116490 101,397 Not available NTIS

CID Spectra of Selected Target Molecules. AD-A243 170/8 100,180 PC A04/MF A01

CLIM, Data and Standardization within the NBS AMRF. PB91-148122 100,975 Not available NTIS

Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking. PB91-149047 101,133 Not available NTIS

Clock for the Manufacturing Systems Integration Testbed. PB92-108885 100,992 PC A03/MF A01

Clocks, Atomic and Molecular. PB91-200840 101,677 Not available NTIS

Close-Coupling Calculation for the (2)(Sigma sub u)(+) State of (H sub 2)(-). PB91-148684 101,614 Not available NTIS

Closure and Precision in Level-Index Arithmetic. PB91-147652 100,597 Not available NTIS

Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones. PB91-194720 100,017 Not available NTIS

Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System. PB91-195537 101,235 Not available NTIS

Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management. PB91-178889 101,342 PC A12/MF A02

Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC. PB91-178897 101,343 PC A21/MF A03

Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 3 of 3. CGM Registration. PB91-178905 101,344 PC A08/MF A01

Collisional Electron-Detachment and Ion-Conversion Processes in SF₆. PB91-134528 100,836 Not available NTIS

Collisional Energy Transfer between Excited Sr Atoms. PB91-204164 101,703 Not available NTIS

Combustion Calorimeters. PB91-189233 100,340 Not available NTIS

Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach. PB92-117407 100,056 Not available NTIS

Comparison of Amorphous and Quasicrystalline Films of Sputtered Al_{0.72}Mn_{0.22}Si_{0.06}. PB91-195552 101,530 Not available NTIS

Comparison of Creep Rupture Behavior in Tension and Bending. PB91-202820 101,087 Not available NTIS

Comparison of Flux Dynamics in Two Samples of YBa₂Cu₃O₇ with Different Pinning. PB91-149419 101,069 Not available NTIS

Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods. PB91-148197 100,792 Not available NTIS

Comparison of Standard Test Methods for Non-Lubricated Sliding Wear. PB91-190017 101,187 Not available NTIS

Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box. PB91-187278 100,121 Not available NTIS

Compartment Fire-Generated Environment and Smoke Filling. PB91-158543 100,107 Not available NTIS

Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices. PB91-149310 100,732 Not available NTIS

Computational Models Developed for the Corrosion of Prestressing Steel. PB91-167304 100,115 PC A03/MF A01

Computed Fields Near the Edge of a Dielectric Wedge. PB91-203505 101,446 Not available NTIS

Computer Implementation of a Discrete Set Algebra. PB91-231571 100,654 PC A03/MF A01

Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media. FIPS PUB 54-1 100,678 PC E18

Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report. PB91-144386 100,889 PC A05/MF A01

Computer Security Bulletin Board System. User's Guide. PB92-112390 100,717 PC A03/MF A01

Computer Security: Selected Articles. PB91-187740 100,706 PC A03/MF A01

Computer Simulated Hydration of a Cement Model. PB91-162149 100,112 Not available NTIS

Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks. PB91-162263 101,388 Not available NTIS

Computer Vision Based Station for Tool Setting and Tool Form Measurement. PB91-202978 101,043 Not available NTIS

Computerization of a Thermomechanical Processing Research System. PB91-175208 101,583 Not available NTIS

Computing Delaunay Triangulations for Comet-Shaped Polygons. PB92-123108 101,265 PC A03/MF A01

Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices. PB91-147850 101,254 Not available NTIS

Concept of the Calculus of Fire Safety. PB91-132134 100,093 PC A03/MF A01

Concepts of Underground Corrosion. PB91-150078 101,134 Not available NTIS

Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series. PB92-112234 100,993 PC A03/MF A01

Concerning the Formation and the Kinetics of Phenylum Ions. PB91-187138 100,336 Not available NTIS

Concurrent Engineering through Product Data Standards. PB91-193367 100,982 PC A05/MF A01

Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams. PB92-108984 100,087 PC A03/MF A01

Conference Coverage: Papers Presentations Shine. PB91-158535 100,061 Not available NTIS

Configuration Management Concepts Document. National PDES Testbed Report Series. PB91-194480 100,984 PC A03/MF A01

Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series. PB91-222620 100,968 PC A03/MF A01

Conformance Tester for X.25 DTE Implementations. PB91-189894 100,602 Not available NTIS

Conformance Verification of FDDI Stations. PB91-148254 100,747 Not available NTIS

Conformity Assessment Workshop on Electromagnetic Compatibility. PB91-192989 100,579 PC A06/MF A02

Conformity Assessment Workshop on Pressure Vessels. PB91-192997 101,049 PC A06/MF A01

TITLE INDEX

Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes. FIPS PUB 9-1	100,679	PC A02/MF A01	
Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel.	101,155	PC A03/MF A01	
Control of Flexible Robot Arm.	101,032	Not available	NTIS
Control Structure for Multi-Tasking Workstations.	100,989	Not available	NTIS
Control System Architecture for Unmanned Ground Vehicles.	101,379	Not available	NTIS
Convective and Morphological Instabilities during Directional Solidification.	101,219	Not available	NTIS
Convergence Behavior of Trajectories for Linear Programming.	101,270	Not available	NTIS
Convergence Properties of a Class of Rank-Two Updates.	101,260	PC A03/MF A01	
Cooled Ion Frequency Standard.	101,591	PC A03/MF A01	
AD-A227 806/7	101,593	PC A02/MF A01	
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.	101,330	Not available	NTIS
Core Hole Screening for Intermediate Size Metal Particles.	101,540	Not available	NTIS
Correction for Converting 2-CM(3)-Coupler Responses to Insertion Responses for Custom in-the-Ear Non-Directional Hearing Aids.	100,046	Not available	NTIS
Correlated Spontaneous Emission in a Zeeman Laser.	101,417	Not available	NTIS
PB91-204180	101,432	Not available	NTIS
Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit.	101,682	Not available	NTIS
Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.	101,372	Not available	NTIS
Corrosion Principles in Dental Implantology.	100,055	Not available	NTIS
PB91-194787	100,055	Not available	NTIS
Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo.	101,132	Not available	NTIS
PB91-134700	101,150	PC A03/MF A01	
Corrosion Testing in Soil.	101,135	Not available	NTIS
PB91-158667	101,135	Not available	NTIS
Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A2CO3-AX and A2SO4-AX Where A= Li, Na, K and X= Cl, F, NO3, OH.	100,362	Not available	NTIS
PB91-192518	101,150	PC A03/MF A01	
Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel.	101,150	PC A03/MF A01	
Cratering.	100,810	Not available	NTIS
PB91-203141	100,810	Not available	NTIS
Creep and Reliability of Ceramic Materials at Elevated Temperatures.	101,091	Not available	NTIS
PB91-204172	101,091	Not available	NTIS
Creep of Copper: 4 to 295 K.	101,233	Not available	NTIS
PB91-189985	101,233	Not available	NTIS
Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).	101,721	PC A04/MF A01	
PB92-112481	101,721	PC A04/MF A01	
Critical Assessment of Optical Properties of CVD Diamond Films.	101,400	PC A02/MF A01	
AD-A236 746/4	101,400	PC A02/MF A01	
Critical Compilation of Surface Structures Determined by Ion Scattering Methods.	100,254	(Order as PB90-244526)	
PB90-244559	100,254	(Order as PB90-244526)	
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.	101,551	Not available	NTIS
PB91-237180	101,551	Not available	NTIS
Critical Data in Physics and Chemistry.	101,697	Not available	NTIS
PB91-203455	101,697	Not available	NTIS
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.	100,444	(Order as PB92-110113)	
PB92-110154	100,444	(Order as PB92-110113)	
Critical Exponent for the Viscosity of Four Binary Liquids.			
PB91-187195	100,337	Not available	NTIS
Critical Exponent for Viscosity.	100,271	Not available	NTIS
PB91-147009	100,271	Not available	NTIS
Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K.	100,267	Not available	NTIS
PB91-134494	100,267	Not available	NTIS
Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field.	101,693	Not available	NTIS
PB91-203398	101,693	Not available	NTIS
Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.	100,263	(Order as PB90-244658)	
PB90-244674	100,263	(Order as PB90-244658)	
Cross Sections and Swarm Coefficients for H+ , H2+ , H3+ , H, H2, and H-in H2 for Energies from 0.1 eV to 10 keV.	101,597	(Order as PB90-244658)	
PB90-244690	101,597	(Order as PB90-244658)	
Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N2 and Argon Ions and Neutrals in N2 and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV.	100,452	(Order as PB92-110212)	
PB92-110246	100,452	(Order as PB92-110212)	
Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.	100,264	(Order as PB90-244658)	
PB90-244682	100,264	(Order as PB90-244658)	
Cross-Validation Procedure for Stopping the EM Algorithm and Deconvolution of Neutron Depth Profiling Spectra.	101,627	Not available	NTIS
PB91-161976	101,627	Not available	NTIS
Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.	101,709	Not available	NTIS
PB91-236976	101,709	Not available	NTIS
Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds.	101,145	Not available	NTIS
PB91-134627	101,145	Not available	NTIS
Cryogenic Properties of Copper (Wall Chart).	101,473	Not available	NTIS
PB91-148189	101,473	Not available	NTIS
Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302.	100,274	Not available	NTIS
PB91-147157	100,274	Not available	NTIS
Crystal and Spin Structures of Nd2CuO4.	101,470	Not available	NTIS
PB91-148023	101,470	Not available	NTIS
Crystal-Field Splittings in the Cubic Heusler Alloys HoPd2Sn and ErPd2Sn.	101,525	Not available	NTIS
PB91-194902	101,525	Not available	NTIS
Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites.	101,305	Not available	NTIS
PB91-190074	101,305	Not available	NTIS
Crystal Structure of Phosphate-Free Ribonuclease.	101,301	Not available	NTIS
PB91-175604	101,301	Not available	NTIS
Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems.	101,238	Not available	NTIS
PB91-204156	101,238	Not available	NTIS
Crystallizing Catabolite Gene Activator Protein with cAMP for Structural Analysis.	101,299	Not available	NTIS
PB91-148213	101,299	Not available	NTIS
Current Density Dependence of Electromigration 150 Enhancement Due to Pulsed Operation.	100,786	Not available	NTIS
PB91-134692	100,786	Not available	NTIS
Current Record in Superconductors.	101,521	Not available	NTIS
PB91-194753	101,521	Not available	NTIS
Current Supply for High-T(sub c) Superconductor Testing.	101,455	Not available	NTIS
PB91-133827	101,455	Not available	NTIS
Cutting the High Cost of Testing.	100,846	Not available	NTIS
PB91-162362	100,846	Not available	NTIS
CW Dye Lasers.	101,438	Not available	NTIS
PB92-116896	101,438	Not available	NTIS
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.	101,092	Not available	NTIS
PB91-236927	101,092	Not available	NTIS
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.	101,331	Not available	NTIS
PB91-187112	101,331	Not available	NTIS
Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.	101,312	Not available	NTIS
PB92-116912	101,312	Not available	NTIS
Damage to the DNA Bases in Mammalian Chromatin by Hydrogen Peroxide in the Presence of Ferric and Cupric Ions.	101,336	Not available	NTIS
PB91-189217	101,336	Not available	NTIS
DARPA Air Travel Information System (ATISO) Speaker-Dependent Training Data (on CD-ROM).	100,594	CD-ROM\$1200.00	
PB91-505370	100,594	CD-ROM\$1200.00	
Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.			
PB92-109016	100,954	PC A07/MF A02	
Data Encryption Standard: Past and Future.	100,711	Not available	NTIS
PB91-204107	100,711	Not available	NTIS
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.	100,557	PC A04/MF A01	
PB92-112473	100,557	PC A04/MF A01	
Data for Room Fire Model Comparisons.	100,167		
PB92-110287	100,167		
(Order as PB92-110261, PC A05/MF A01)			
Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS).	101,339	Not available	NTIS
PB91-158832	101,339	Not available	NTIS
Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research.	100,925	PC A04/MF A01	
PB91-132282	100,925	PC A04/MF A01	
Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties.	100,434	Not available	NTIS
PB91-237693	100,434	Not available	NTIS
Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.	100,078	PC A04/MF A01	
PB91-231563	100,078	PC A04/MF A01	
Dealing with Obvious Issues in Lighting.	100,761	Not available	NTIS
PB91-237792	100,761	Not available	NTIS
Deconvolution of Acoustic Emission and Other Causal Time Series.	101,263		
PB91-216762	101,263		
(Order as PB91-216705, PC A07/MF A01)			
Dental Biomaterials and Engineering Frontiers for the 90's.	100,044	Not available	NTIS
PB91-159210	100,044	Not available	NTIS
Dental Composite Resins: An Update.	100,051	Not available	NTIS
PB91-204149	100,051	Not available	NTIS
Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine.	100,053	Not available	NTIS
PB91-237735	100,053	Not available	NTIS
Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries.	100,659	PC A03/MF A01	
PB91-240754	100,659	PC A03/MF A01	
DEQSOL and ELLPACK: Problem-Solving Environments for Partial Differential Equations.	100,645	Not available	NTIS
PB91-174441	100,645	Not available	NTIS
Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.	100,130	PC A04/MF A01	
PB91-216648	100,130	PC A04/MF A01	
Design and Analysis of Experiments.	101,274	Not available	NTIS
PB91-158824	101,274	Not available	NTIS
Design and Fabrication of a Miniature High-Temperature Guarded-Hot-Plate Apparatus.	101,098	Not available	NTIS
PB92-116797	101,098	Not available	NTIS
Design and Implementation of a Five-Axis Robotic Micro-manipulator for Inserting Parts into Precision Collets.	101,029	Not available	NTIS
PB91-159194	101,029	Not available	NTIS
Design Diagrams for Heavy Metal Fluoride Glass Windows.	101,419	Not available	NTIS
PB91-187419	101,419	Not available	NTIS
Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes.	100,803	Not available	NTIS
PB91-174581	100,803	Not available	NTIS
Design Heat Loss Factors for Basement and Slab Floors.	100,059	Not available	NTIS
PB91-147561	100,059	Not available	NTIS
Design of High Strength Cement-Based Materials. Part 2. Microstructure.	100,099	Not available	NTIS
PB91-147439	100,099	Not available	NTIS
Designing Data Entity Naming Conventions.	100,646	Not available	NTIS
PB91-175455	100,646	Not available	NTIS
Detail Specification for 62.5-mum Core Diameter/125-mum Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.	100,562	PC E07	
FIPS PUB 159	100,562	PC E07	
Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography.	101,139	Not available	NTIS
PB91-203588	101,139	Not available	NTIS
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.	100,028	Not available	NTIS
PB91-174920	100,028	Not available	NTIS
Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.	100,242	PC A04/MF A01	
AD-A227 296/1	100,242	PC A04/MF A01	
Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry.	100,197	Not available	NTIS
PB91-189860	100,197	Not available	NTIS

TITLE INDEX

- Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering.
PB91-149187 100,190 Not available NTIS
- Determination of Fields Near a Silver Strip on a Glass Substrate.
PB91-147702 100,841 Not available NTIS
- Determination of Scattering Parameters with Respect to the Characteristic Impedance of Precision Coaxial Air-Line Standards.
PB91-134114 100,770 Not available NTIS
- Determination of the Neutron Mass and Implications for Fundamental Constants.
PB91-148692 101,615 Not available NTIS
- Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215 PC A03/MF A01
- Determining Adapter Efficiency by Envelope Averaging Sweep Frequency Reflection Data.
PB91-236620 100,743 Not available NTIS
- Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm.
PB91-174268 101,580 Not available NTIS
- Developing Federal Software Standards: A New Direction.
PB91-134536 100,637 Not available NTIS
- Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures.
PB92-126648 100,913
(Order as PB92-126614, PC A06/MF A02)
- Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.
PB91-147892 101,386 Not available NTIS
- Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908 Not available NTIS
- Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System.
PB92-123116 101,358 PC A05/MF A01
- Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids.
PB91-174557 101,494 Not available NTIS
- Development of an Adhesive System for Bonding to Hard Tooth Tissues.
PB91-236539 100,052 Not available NTIS
- Development of an Optical Disk System for the Automated Retrieval of EASEAR Records.
PB92-108943 100,666 PC A07/MF A02
- Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packaging.
PB92-126457 100,943 PC A05/MF A01
- Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.
PB91-222596 100,990 PC A03/MF A01
- Device for Audio-Frequency Power Measurement.
PB91-149401 100,733 Not available NTIS
- Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074 Not available NTIS
- Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.
PB90-244633 100,260 (Order as PB90-244609)
- Dielectronic Recombination Rate Coefficients for Ions of the Fluorine Isoelectronic Sequence.
PB91-195602 101,674 Not available NTIS
- Dielectronic Recombination Rate Coefficients of O(5+) and O(2+).
PB91-190009 101,657 Not available NTIS
- Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178 Not available NTIS
- Dietary Collection Procedures.
PB91-147413 101,317 Not available NTIS
- Differences between Thermodynamic Temperature and (T_PT_S-68) in the Range 230C to 600C.
PB92-116722 101,725 Not available NTIS
- Differential Sintering.
PB91-237123 101,128 Not available NTIS
- Difficulties in Parsing SGML.
PB91-189456 100,650 Not available NTIS
- Diffraction by a Half-Plane in a Lossy Medium.
PB92-116888 101,437 Not available NTIS
- Difunctional and Multifunctional Monomers Capable of Cyclopolymerization.
PB91-195685 100,504 Not available NTIS
- Digital Image Analysis Assisted Microradiography Measurement of Mineral Content of Caries Lesions in Teeth.
PB91-187666 101,314
(Order as PB91-187617, PC A06/MF A01)
- Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves.
PB91-147330 101,058 Not available NTIS
- Dimensional Calibration of an NBS 0.3-mum-Diameter Particle-Sizing Standard.
PB91-203430 101,696 Not available NTIS
- Diode Laser Probing of I⁺(2)P_{1/2} Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath.
PB91-150052 100,310 Not available NTIS
- Diode Lasers and Their Application to Spectroscopy.
PB92-116904 101,439 Not available NTIS
- Dipole Moments of Seven Partially Halogenated Ethane Refrigerants.
PB91-195131 100,377 Not available NTIS
- Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.
PB91-237032 100,425 Not available NTIS
- Direct Determination of Molecular Orbital Symmetry of H₂S Using Polarized X-ray Emission.
PB91-175562 100,335 Not available NTIS
- Direct Digital Control Based Building Automation System Design Criteria.
PB91-216614 100,091 PC A03/MF A01
- Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
PB91-222646 100,934 PC A08/MF A02
- Directory of Federal Government Laboratory Accreditation/Designation Programs.
PB91-167379 100,005 PC A06/MF A01
- Directory of State and Local Government Laboratory Accreditation/Designation Programs.
PB92-108968 100,174 PC A05/MF A01
- Discontinuous Yielding during Tensile Tests at Low Temperatures.
PB91-189977 101,159 Not available NTIS
- DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual.
PB91-167288 100,897 PC A03/MF A01
- Dispersion of the Electronic Contribution to the Third-Order Nonlinear Susceptibility of H₂.
PB91-149138 101,411 Not available NTIS
- Dissociation Energetics of Simple Diazirines by Photon and Electron Impact.
PB91-203760 100,405 Not available NTIS
- Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431 Not available NTIS
- Document Architecture for Open Systems.
PB91-189522 100,961 Not available NTIS
- Domestic Implementation.
PB91-159061 100,176 Not available NTIS
- Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture.
PB91-189753 101,656 Not available NTIS
- Dosimetry: New Approaches for New Challenges.
PB92-117100 101,365 Not available NTIS
- Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.
PB92-116706 101,723 Not available NTIS
- Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol.
PB91-187732 100,070 PC A06/MF A01
- Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz.
PB91-134916 100,838 Not available NTIS
- Dynamic Arc-Power Source Response in GMA Welding.
PB91-149278 101,002 Not available NTIS
- Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment.
N91-21347/0 101,206
(Order as N91-21331/4, PC A24/MF A03)
- Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation.
PB91-189654 101,510 Not available NTIS
- Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
PB91-195255 100,380 Not available NTIS
- Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931 Not available NTIS
- Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349 PC A99/MF A06
- Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350 PC A21/MF A04
- Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.
PB91-133868 100,834 Not available NTIS
- Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945 Not available NTIS
- Eddy Current Reflection Probe: Theory and Experiment.
PB91-187120 100,944 Not available NTIS
- Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.
PB91-185116 101,121 PC A09/MF A01
- Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Non-linear Theory.
PB91-195743 101,536 Not available NTIS
- Effect of Atomization Air on Droplet Dynamics of Spray Flames.
PB91-203869 100,550 Not available NTIS
- Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer.
PB91-158691 100,043 Not available NTIS
- Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films.
PB91-147322 101,210 Not available NTIS
- Effect of Crosslink Density on Physical Aging of Epoxy Networks.
PB91-189712 101,244 Not available NTIS
- Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396 PC A03/MF A01
- Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.
PB92-117043 101,101 Not available NTIS
- Effect of High Pressure on Prebreakdown Phenomena in n-Hexane.
PB91-135020 100,839 Not available NTIS
- Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates.
PB91-147090 101,116 Not available NTIS
- Effect of Long Range Interfacial Forces on the Dynamics of Wetting Layers at a Liquid Vapor Interface.
PB91-189431 100,344 Not available NTIS
- Effect of Mechanical Deformation on Nb-Ti Filament Proximity-Effect Coupling at the Edges of SSC Cables.
PB91-203828 101,700 Not available NTIS
- Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.
PB91-175372 101,151 Not available NTIS
- Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate.
PB91-144410 100,890 PC A03/MF A01
- Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.
PB91-148031 101,387 Not available NTIS
- Effect of Pipe Surface Finish on the Orifice Discharge Coefficient.
PB91-162347 101,389 Not available NTIS
- Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167 Not available NTIS
- Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals.
PB91-162024 101,193 Not available NTIS
- Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180 Not available NTIS
- Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers.
PB91-134940 100,875 Not available NTIS
- Effect of Surface Forces on Subcritical Crack Growth in Glass.
PB92-117449 101,103 Not available NTIS

TITLE INDEX

Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance. PB91-134445	100,921	Not available	NTIS
Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites. PB91-202952	101,125	Not available	NTIS
Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers. PB91-194670	101,084	Not available	NTIS
Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients. PB91-148791	100,881	Not available	NTIS
Effect of Veiling Reflections on Vision of Colored Objects. PB91-237800	100,079	Not available	NTIS
Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters. PB92-116441	101,363	Not available	NTIS
Effects of Colored Pump Noise on Intensity Correlations of a Single Mode Dye Laser. PB91-189738	101,423	Not available	NTIS
Effects of Crystal Bonding on Brittle Fracture. PB91-148221	101,064	Not available	NTIS
Effects of Different CH4-H2 Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD. PB91-158683	101,054	Not available	NTIS
Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets. PB92-117183	100,014	Not available	NTIS
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films. AD-A236 708/4	101,142	PC A02/MF A01	
Effects of pH and Calcium on Hydrolysis of Na2SiF6 and Na2SnF6: A Quasi-Constant Composition Titration Study. PB91-194746	101,315	Not available	NTIS
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane. PB91-147884	100,286	Not available	NTIS
Effects of Varying Austenitizing Temperature and Cooling Rate on the Ability of HSLA-80 Steel to Achieve a Yield Strength Comparable to HSLA-100. PB91-189464	101,156	Not available	NTIS
Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides. PB91-134262	101,460	Not available	NTIS
Elastic Constants of a Tungsten-Particle Copper-Matrix Composite. PB91-194852	101,234	Not available	NTIS
Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach. PB91-194878	101,123	Not available	NTIS
Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor. PB91-134270	101,461	Not available	NTIS
Electric Quadrupole and Magnetic Dipole Transition Probabilities in Potassium Isoelectronic Sequence. PB91-187088	101,646	Not available	NTIS
Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions. PB91-134684	100,837	Not available	NTIS
Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400. PB91-237867	100,439	Not available	NTIS
Electrodeposition of Aluminum from Molten Salts. PB91-159202	101,223	Not available	NTIS
Electrofission in the Quasifree and Delta Regions. PB91-147355	101,609	Not available	NTIS
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures. PB91-159095	100,487	Not available	NTIS
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Malto-dextrin Mixtures. PB91-237230	100,231	Not available	NTIS
Electron Attenuation Lengths at SiO2/Si Interfaces. PB91-175612	101,499	Not available	NTIS
Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone. PB92-116672	100,018	Not available	NTIS
Electronic and Radiometric Characteristics of Near Infrared Photodiodes. PB91-174706	100,752	Not available	NTIS
Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange. FIPS PUB 161	100,677	PC A02	
Electronic Data Interchange in Message Handling Systems. PB91-216622	100,571	PC A03/MF A01	
Electronic Spectrum of the GeH3 Radical. PB91-189548	100,346	Not available	NTIS
Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy. PB91-189688	101,513	Not available	NTIS
Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar. PB92-112309	100,864	PC A03/MF A01	
Electronics and Electrical Engineering Laboratory. 1991 Strategic Plan. Supporting Technology for U.S. Competitiveness in Electronics. PB92-123082	100,870	PC A03/MF A01	
Ellipsometry SRM's for Use in Thin Film Measurements. PB92-116599	100,819	Not available	NTIS
Emergence of Modern Nucleation Theory. PB91-149997	101,481	Not available	NTIS
Emissivity of Aluminized Mylar. PB91-174656	101,119	Not available	NTIS
Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors. PB91-236703	100,815	Not available	NTIS
Energy Distributions of Symbiotic Novae. PB91-200873	100,032	Not available	NTIS
Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions. PB91-190033	101,658	Not available	NTIS
Energy Levels of Atomic Aluminum with Hyperfine Structure. PB90-244575	101,594	(Order as PB90-244526)	
Energy Levels of Copper, Cu I through Cu XXIX. PB90-244666	101,596	(Order as PB90-244658)	
Energy Levels of Krypton, Kr I through Kr XXXVI. PB92-148139	100,473	(Order as PB92-148113)	
Energy Levels of Sulfur, S I Through S XVI. PB91-192443	100,355	Not available	NTIS
Energy of Combustion of Triphenylphosphate. PB91-189613	100,347	Not available	NTIS
Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709. PB92-112515	100,899	PC A04/MF A01	
Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250. PB91-178871	100,902	PC A09/MF A01	
Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 251 through 523. PB91-184770	100,903	PC A13/MF A02	
Engineering Analysis of Fire Development in the Hospice of Southern Michigan, December 15, 1985. PB91-195222	100,158	Not available	NTIS
Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989. PB92-112317	100,169	PC A04/MF A01	
Engineering Design Laboratory Guide. PB91-167320	100,977	PC A03/MF A01	
Engineers' Statistical Literacy is Key to U.S. Competitiveness. PB91-158725	100,038	Not available	NTIS
Enhanced Flux Creep in Nb-Ti Superconductors After an Increase in Temperature. PB91-202903	101,680	Not available	NTIS
Enhanced Transport and Liquid Membranes in Bioseparations. PB91-189886	101,287	Not available	NTIS
Environmental Effects on the Medium and Long Term Frequency Stability of Quartz Oscillators. PB91-134866	100,781	Not available	NTIS
Environmental Sensitivities of Quartz Crystal Oscillators. N91-25797/2	100,778	(Order as N91-25755/0, PC A99/MF A04)	
Environmentally Enhanced Fracture of Gallium Arsenide. PB91-237743	101,097	Not available	NTIS
Epitaxial fcc Fe Films on Cu(100).	100,		
PB91-149328	101,478	Not available	NTIS
Equilibrium and Transport Properties of Gas Mixtures at Low Density: Eleven Polyatomic Gases and Five Noble Gases. PB91-192526	100,363	Not available	NTIS
Ergodic Convergence Properties of Supercooled Liquids and Glasses. PB91-148171	100,289	Not available	NTIS
Ergodic Measures for the Simulation of Dielectric Properties of Water. PB91-189845	100,350	Not available	NTIS
Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine. PB91-174938	100,980	Not available	NTIS
Established Microwave Frequency Standards. PB91-203182	100,584	Not available	NTIS
Establishing a Computer Security Incident Response Capability (CSIRFC). PB92-123140	100,720	PC A03/MF A01	
Estimated Impact of the Center for Fire Research Program on the Costs of Fire. PB91-217422	100,161	PC A05/MF A01	
Estimation of Electromagnetic Fields in Complex Environments. PB91-203315	101,691	Not available	NTIS
Estimators for Censored (Log)Normal Samples. PB91-203414	101,277	Not available	NTIS
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures. PB91-175489	100,805	Not available	NTIS
Evaluation of Building Systems Inventions. PB91-158659	100,896	Not available	NTIS
Evaluation of Column Performance in Liquid Chromatography. PB91-190041	100,199	Not available	NTIS
Evaluation of Dual-Port Circularly Polarized Probes for Planar Near-Field Measurements. PB91-162040	100,590	Not available	NTIS
Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material. PB91-147975	100,103	Not available	NTIS
Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields. PB91-162248	100,872	Not available	NTIS
Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths. PB91-237859	100,438	Not available	NTIS
Evaluation of Solubility Data of the System CO-H2O from 273 K to the Critical Point of Water. PB92-110253	100,453	(Order as PB92-110212)	
Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete. PB91-189621	100,530	Not available	NTIS
Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls. PB91-194696	100,126	Not available	NTIS
Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants. PB92-126432	100,893	PC A07/MF A02	
Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e,alpha) Reaction. PB91-216812	101,705	PC A04/MF A01	
Evolution of Infrared Carbon Stars. PB91-202861	100,033	Not available	NTIS
Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers. PB91-202887	100,505	Not available	NTIS
Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel. PB91-167171	101,149	PC A03/MF A01	
Excess Low-Frequency Flux Noise in dc Squids Incorporating Nb/Al-Oxide/Nb Josephson Junctions. PB91-236810	100,736	Not available	NTIS
Experimental and Numerical Studies of the J-Integral for a Surface Flaw. PB91-147256	101,576	Not available	NTIS
Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations. PB91-147025	100,880	Not available	NTIS
Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms: A Critical Review of Selected Data for the Period 1983 through 1988.			

TITLE INDEX

- PB91-192567 101,659 Not available NTIS
- Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.
PB91-237412 100,555 Not available NTIS
- Experimental Study of Top Vented Compartment Fires.
PB91-167254 100,155 PC A03/MF A01
- Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.
PB91-194472 100,369 PC A04/MF A01
- Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.
PB92-116862 100,822 Not available NTIS
- Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors.
PB91-174243 101,194 Not available NTIS
- Experimentation and Measurement.
PB91-203372 101,692 Not available NTIS
- Explicit Mapping of the Set of Dynamical Symmetries onto the Set of Equivalent Lagrangians for Systems with One Degree of Freedom.
PB91-158861 101,622 Not available NTIS
- Exploding Foil Photoionization X-ray Laser.
PB91-237065 101,433 Not available NTIS
- Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.
PB91-175224 101,584 Not available NTIS
- Extended Phase Rule for Nonreactive, Multiphase, Multi-component Chemical Systems.
PB91-237651 100,433 Not available NTIS
- Extending the Range and Accuracy of Phase Noise Measurements.
PB91-134874 100,588 Not available NTIS
- Extension of an Improved One-Fluid Conformal Solution Theory to Real Fluid Mixtures with Large Size Differences.
PB91-147405 100,278 Not available NTIS
- Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
PB91-175042 100,031 Not available NTIS
- Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.
PB91-194449 100,983 PC A04/MF A01
- Extreme-Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma.
PB91-237495 101,712 Not available NTIS
- Factual Materials Databanks - The Need for Standards.
PB91-147546 101,249 Not available NTIS
- Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.
PB91-175158 100,754 Not available NTIS
- Fe Implantation in In0.53Ga0.47As/InP.
PB91-189969 101,516 Not available NTIS
- Fe-W Supermirrors for Polarizing Neutrons.
PB91-175521 101,643 Not available NTIS
- Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts.
PB92-126481 100,002 PC A03/MF A01
- Feasibility of Using Knowledge-Based Systems for Aiding Inventors.
PB91-147728 100,895 Not available NTIS
- Features and Facilities of Estelle.
PB91-158915 100,688 Not available NTIS
- Fed-X: The NIST Express Translator. Revised, November 1990.
PB91-132126 100,681 PC A03/MF A01
- Federal Information Processing Standards Publication.
FIPS SET 1991 100,680 PC\$2300.00
- Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media.
PB91-147868 101,407 Not available NTIS
- Field Study of the Performance of EPDM Roofing at Air Force Facilities.
PB91-167247 101,340 PC A05/MF A01
- Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes.
PB91-189993 100,124 Not available NTIS
- Filler Systems Based on Calcium Metaphosphates.
PB91-194654 100,048 Not available NTIS
- Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370 PC A04/MF A01
- Fire Propagation in Concurrent Flows.
PB91-157206 100,543 PC A07/MF A01
- FIREDOC Users Manual, 2nd Edition.
PB91-178830 100,547 PC A03/MF A01
- First Pass at Computing the Cost of Fire Safety in a Modern Society.
PB91-216796 101,730 PC A04/MF A01
- Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers.
PB91-159038 100,109 Not available NTIS
- Flammability Characterization of Foam Plastics.
PB92-123033 100,142 PC A07/MF A02
- Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple epsilon Perturbation Theory.
PB92-116698 100,517 Not available NTIS
- Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem.
PB91-134411 100,920 Not available NTIS
- Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity.
PB91-174482 100,492 Not available NTIS
- Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.
PB91-148080 100,288 Not available NTIS
- Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.
PB91-147835 100,101 Not available NTIS
- Formation and Stability of SF5 and S2F10.
PB91-174839 100,326 Not available NTIS
- Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.
PB92-116953 101,290 Not available NTIS
- FORTTRAN Temporary Program Fixes, FCVS78 Version 2.0, Level 26.
PB91-201772 100,651 PC A03/MF A01
- Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride.
PB91-237628 101,096 Not available NTIS
- Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel.
PB91-195248 101,108 Not available NTIS
- Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules.
PB91-189803 101,424 Not available NTIS
- Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.
PB92-116771 100,768 Not available NTIS
- FPETOOL User's Guide.
PB92-108919 100,134 PC A03/MF A01
- Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093 Not available NTIS
- Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K.
PB91-158980 101,148 Not available NTIS
- Framework for Utilizing Fire Property Tests.
PB91-240788 100,165 PC A03/MF A01
- Frequency and Time Stability of GPS and GLONASS Clocks.
PB91-202937 100,582 Not available NTIS
- Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field.
PB91-203927 100,407 Not available NTIS
- Frequency Stabilization of a Tunable Erbium-Doped Fiber Laser.
PB91-203109 101,427 Not available NTIS
- Frequency Stabilization of an Erbium-Doped Fiber Laser: A Potential Wavelength Standard for Optical Communications.
PB91-203091 100,570 Not available NTIS
- Functional Benchmarks for Fourth Generation Languages.
PB91-167387 100,644 PC A04/MF A01
- Functional Meta-Structure for Hypertext Models and Systems.
PB91-236687 100,655 Not available NTIS
- Fundamental and Harmonic Susceptibilities of YBa2Cu3O7-delta.
PB91-134148 101,458 Not available NTIS
- Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics.
PB91-189704 101,082 Not available NTIS
- Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987--December 1989.
DE91018580 100,915 PC A09/MF A02
- Fundamentals and Applications of Infrared Thermography for Nondestructive Testing.
PB91-147132 101,009 Not available NTIS
- Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes.
PB91-149153 100,105 Not available NTIS
- Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry.
PB91-150003 100,309 Not available NTIS
- gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy.
PB91-150060 100,016 Not available NTIS
- Gas Analysis Modeling System.
PB91-175299 100,884 Not available NTIS
- Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards.
PB91-134403 100,879 Not available NTIS
- GATT Standards Code Activities of the National Institute of Standards and Technology 1990.
PB91-187823 100,177 PC A04/MF A01
- General Analytic Correction for Probe-Position Errors in Spherical Near-Field Measurements.
PB92-110279 100,729
(Order as PB92-110261, PC A05/MF A01)
- General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy.
PB91-149385 100,302 Not available NTIS
- General Routine for Analysis of Stack Effect.
PB91-231589 100,163 PC A03/MF A01
- General Technique to Correct Probe Position Errors in Planar Near-Field Measurements to Arbitrary Accuracy.
PB91-237073 100,728 Not available NTIS
- Generalization of the Cornu Spiral for Lossy Media.
PB91-203216 101,687 Not available NTIS
- Generalized Photodiode Self-Calibration Formula.
PB91-236901 100,760 Not available NTIS
- Generation of Smooth Trajectories without Planning.
PB91-217414 101,036 PC A03/MF A01
- Geometric and Electronic Properties of Cs Structures on Ill-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals.
PB91-190090 101,517 Not available NTIS
- Geometric Reasoning for Constructing 3D Scene Descriptions for Images.
PB91-237677 100,714 Not available NTIS
- Giant Resonances in the Transition Regions of the Periodic Table.
PB91-147116 101,605 Not available NTIS
- Glass-Ceramic Inserts Anticipated for 'Megafilled' Composite Restorations.
PB91-174458 100,045 Not available NTIS
- Global Stability of the Chaotic State Near an Interior Crisis.
PB91-147496 101,611 Not available NTIS
- Glossary of Computer Security Terminology.
PB92-112259 100,716 PC A09/MF A02
- Glueballs and Hadron Spectroscopy.
PB91-195123 101,668 Not available NTIS
- GOSIP Conformance and Interoperation Testing and Registration.
PB92-110105 100,694 PC A05/MF A01
- Government Document Processing Requirements Report.
PB91-187773 100,574 PC A03/MF A01
- Government Open Systems Interconnection Profile (GOSIP); Category: Hardware and Software Standards; Subcategory: Computer Network Protocols.
FIPS PUB 146-1 100,675 PC A05/MF A01
- Government Open Systems Interconnection Profile Users' Guide, Version 2.
PB92-119676 100,696 PC A08/MF A02
- GPS Time Transfer with Implementation of Selective Availability.
N91-25766/7 100,576
(Order as N91-25755/0, PC A99/MF A04)
- Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388 Not available NTIS
- Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics.
FIPS PUB 120-1B 100,674 PC E12

TITLE INDEX

Graphical Kernel System (GKS), Category: Software Standard, Subcategory: Graphics.
FIPS PUB 120-1 100,673 PC E15

Graphical Kernel System (GKS), Pascal Binding, Category: Software Standard, Subcategory: Graphics.
FIPS PUB 120-1A 100,636 PC E09

Graphics Program for Binary and Ternary Ceramic Phase Diagrams.
PB91-147991 101,063 Not available NTIS

Gravitational Radiation Observations on the Moon.
PB91-175083 101,635 Not available NTIS

Gravity-Dependent Phenomena at the Scale of the Single Cell.
PB91-134767 101,297 Not available NTIS

Ground-Truth Observations of Stellar Surface Structure from the Lunar Surface.
PB91-175026 100,029 Not available NTIS

Group and Phase Sound Velocities in an EuBa₂Cu₃O₇ Superconductor and Related Perovskite Oxides.
PB91-194860 101,523 Not available NTIS

Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330 Not available NTIS

Guide for the Use of the International System of Units: The Modernized Metric System.
PB92-116383 100,962 PC A03/MF A01

Guide Specification for Direct Digital Control Based Building Automation System.
PB91-1216697 100,092 PC A04/MF A01

Guide to Available Mathematical Software Problem Classification System.
PB91-132175 101,282 PC A03/MF A01

Guide to Design, Implementation and Management of Distributed Databases.
PB91-187567 100,648 PC A04/MF A01

Guide to Expert System Building Tools for Microcomputers.
PB92-108893 100,715 PC A08/MF A02

Guide to Schema and Schema Extensibility.
PB92-126556 100,955 PC A03/MF A01

Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer.
PB91-148528 100,524 PC A03/MF A01

Guideline: American National Dictionary for Information Systems. Category: Software; Subcategory: Documentation.
FIPS PUB 11-3 100,956 PC E14

Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.
DE91016274 101,205 PC A03/MF A01

Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.
PB91-240804 100,532 PC A03/MF A01

Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699 PC A05/MF A01

Gyroscope-Weighing Experiment Revisited -- with a Null Result.
PB91-174722 101,630 Not available NTIS

H + O₃ Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients.
PB91-148973 100,297 Not available NTIS

H₂O(I)-H₂O(III)-H₂O(L) Triple Point of Water as a Fixed Pressure Point.
PB91-187211 101,647 Not available NTIS

H₂O₂: Spectroscopy, Structure and Dynamics.
PB91-162057 100,316 Not available NTIS

Hall Effect.
PB91-149898 101,479 Not available NTIS

Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep.
PB91-202911 101,681 Not available NTIS

Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor.
PB91-159319 100,601 Not available NTIS

Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2.
PB91-192450 100,356 Not available NTIS

Heat Capacities of Organic Compounds in Liquid State. 2. C₁ to C₁₈ n-Alkanes.
PB92-110204 100,448 (Order as PB92-110162)

Heat Capacities of Organic Compounds in the Liquid State I. C₁ to C₁₈ 1-Alkanols.
PB90-244716 100,265 (Order as PB90-244658)

Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
PB92-110196 100,515 (Order as PB92-110162)

Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND₄PF₆ from 5.8 K to 347 K.
PB91-147041 100,272 Not available NTIS

Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND₄BF₄ from 7 to 348 K.
PB91-147058 100,273 Not available NTIS

Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.
PB92-116813 101,112 Not available NTIS

Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).
PB91-143297 100,094 PC A04/MF A01

Heat Release Rate: The Single Most Important Variable in Fire Hazard.
PB91-146977 100,097 Not available NTIS

Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction.
PB91-194464 101,050 PC A05/MF A01

Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas.
PB91-184804 101,734 PC A05/MF A01

Heats of Immersion, Friction, and Wear of Base Oil Fractions.
PB91-158923 101,173 Not available NTIS

Hermetically Sealed Inert Atmosphere Cell for X-ray Powder Diffraction.
PB91-147983 101,062 Not available NTIS

Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.)
PB91-236984 100,423 Not available NTIS

HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766 PC A05/MF A02

High Harmonic Generation in Hydrogenic Ions.
PB91-203778 101,699 Not available NTIS

High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).
PB91-240762 101,718 PC A04/MF A01

High Precision Gaging with Computer Vision Systems.
PB91-174623 100,979 Not available NTIS

High Purity Chemicals and Clean Rooms for Trace Metal Analysis.
PB91-195156 100,200 Not available NTIS

High Purity Fluoropolymer Materials: Trace Element Content and Leaching.
PB91-162255 100,491 Not available NTIS

High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562 PC A08/MF A02

High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
AD-A243 093/2 101,449 PC A03/MF A01

High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals.
PB91-204008 100,408 Not available NTIS

High-Resolution Infrared Spectrum of the nu₁ Band of OClO.
PB92-117175 100,463 Not available NTIS

High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929 Not available NTIS

High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
(Order as PB91-216705, PC A07/MF A01)

High-Resolution, Tunneling-Stabilized Magnetic Imaging and Recording.
PB91-134486 101,600 Not available NTIS

High Spatial Resolution Mapping of Semiconductor Resistivity.
PB91-194829 100,809 Not available NTIS

High Speed Magnetic Field Sensors Based on Iron Garnets.
PB91-147223 100,840 Not available NTIS

High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.
N91-21361/1 100,924
(Order as N91-21331/4, PC A24/MF A03)

High Speed Superconducting A/D Converter.

PB91-148700 100,731 Not available NTIS

High T(sub c) Superconductors and the Critical Current Measurement.
PB91-134056 101,457 Not available NTIS

High T(sub C) Superconductors: Are They Magnetic.
N91-20208/5 101,453
(Order as N91-20207/7, PC A05/MF A01)

High Temperature Creep Testing of Ceramics.
PB91-202838 101,088 Not available NTIS

High-Temperature High-Pressure Raman Spectra from Liquid Water.
PB91-195735 100,385 Not available NTIS

High-Temperature Superconductivity: Abstracts of NIST Publications, 1987-1991.
PB92-126564 101,105 PC A05/MF A01

High-Temperature Thermal Properties of UNS S44004 Using Multivariate Analysis.
PB91-194795 101,160 Not available NTIS

High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
(Order as PB91-216705, PC A07/MF A01)

Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.
PB92-116946 101,200 Not available NTIS

How Does Surface Roughness Affect Polymer-Surface Interactions.
PB91-189241 100,341 Not available NTIS

How the Government Shapes UNIX Standards.
PB91-203133 100,693 Not available NTIS

Hydration of Carbon Dioxide: The Structure of H₂O-H₂O-CO₂ from Microwave Spectroscopy.
PB91-237172 100,428 Not available NTIS

Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns.
PB91-149229 101,300 Not available NTIS

Hydrogen Bonding in Pt Ammine Complexes.
PB91-189639 100,348 Not available NTIS

Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.
PB92-116508 100,455 Not available NTIS

Hydrogen Slush Production with a Large Auger.
PB91-147199 100,275 Not available NTIS

Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides.
PB91-194845 100,756 Not available NTIS

Hydroxyl Radical Induced Cross-Linking of Cytosine and Tyrosine in Nucleohistone.
PB91-189365 101,304 Not available NTIS

ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD, on July 15-18, 1991.
PB91-216838 100,552 PC A99/MF E08

Identification of Dynamic Green's Functions in Structural Networks.
PB91-202812 101,585 Not available NTIS

Ignition Characteristics of Selected SSME Alloys.
PB91-174474 100,544 Not available NTIS

Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen.
PB91-144428 100,536 PC A04/MF A01

Image Quality Indicator Design for Radioscopy and Tomography.
PB91-190058 101,018 Not available NTIS

Immobilization of Binding Proteins on Nonporous Supports Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308 Not available NTIS

Impact-Echo: A New Method for Inspecting Construction Materials.
PB92-116557 100,140 Not available NTIS

Improved Analysis for Flexural Creep with Application to Sialon Ceramics.
PB91-150037 101,071 Not available NTIS

Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.
PB92-148097 100,469 (Order as PB92-148063)

Improved Optical Diffraction Strain Measurement System.
PB91-174433 101,581 Not available NTIS

Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method.
PB91-161919 100,844 Not available NTIS

TITLE INDEX

- Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity.
PB91-236844 100,858 Not available NTIS
- Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.
PB91-237446 100,739 Not available NTIS
- Improving the Fire Performance of Building Contents.
PB91-187260 100,084 Not available NTIS
- Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587 Not available NTIS
- In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope.
PB91-149112 101,068 Not available NTIS
- Incompatibility between the 100/1300 Surge Test and Varistor Failure Rates.
PB91-189308 100,854 Not available NTIS
- Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers.
PB91-147231 100,484 Not available NTIS
- Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes.
PB91-174805 100,323 Not available NTIS
- Indentation Determination of Crack Growth Parameters in Gallium Arsenide.
PB91-190082 101,083 Not available NTIS
- Indoor Ventilation Requirements for Manufactured Housing.
PB91-206698 100,075 PC A03/MF A01
- Industry and Government Strategies for Product Quality.
PB91-148163 101,011 Not available NTIS
- Influence of Filament Geometry on Hot Filament Growth of Diamond Films.
AD-A231 818/6 101,448 PC A02/MF A01
- Influence of Interstitial Content on Fracture Toughness.
PB91-189944 101,157 Not available NTIS
- Influence of Memory Propagation on Phase-Resolved Stochastic Behavior of AC-Generated Partial Discharges.
PB91-237644 100,861 Not available NTIS
- Influence of Metastable States and Thermal Equilibration upon Dielectronic Recombination in Low Density to Moderate Density.
PB91-195610 101,675 Not available NTIS
- Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114 PC A03/MF A01
- Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869 Not available NTIS
- Influence of Sulfur on Methanation over Tungsten(110).
PB91-149369 100,300 Not available NTIS
- Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite.
AD-A231 778/2 101,113 PC A03/MF A01
- Information Systems Engineering Program.
PB91-134635 100,685 Not available NTIS
- Infrared Spectroscopy Applied to Atmospheric Chemistry.
PB91-175539 100,906 Not available NTIS
- Initial Stages of Degradation of Superconductor Surfaces: O₂, H₂O, CO₂ and CO Chemisorption on La₂-xSr_xCuO₄.
PB91-189670 101,512 Not available NTIS
- Inner-Shell Ionization Cross Sections.
PB91-195479 100,203 Not available NTIS
- Innovation in Manufacturing Technology: A View from NBS.
PB91-148130 100,976 Not available NTIS
- Instability in pH Measurements of Sputtered IrO₂ Films.
PB91-147538 100,281 Not available NTIS
- Institute for Materials Science and Engineering, Ceramics: Technical Activities 1990.
PB91-132233 101,057 PC A08/MF A01
- Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.
PB91-132225 101,207 PC A07/MF A01
- Instrument-Independent Tandem Mass Spectrometry Database for XQQ Instruments: The Dynamical Prerequisites.
PB91-147694 100,181 Not available NTIS
- Instrumentation of X-ray Beam Lines with PIN Diode Detectors.
PB91-174888 101,633 Not available NTIS
- Integrated Knowledge Systems for Concrete Science and Technology.
PB92-116821 100,141 Not available NTIS
- Integrated-Optic Waveguide Glass Lasers.
PB91-203976 100,758 Not available NTIS
- Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).
DE91012660 101,384 PC A03/MF A01
- Integration-Based Method for Depth Estimation.
PB92-112275 100,701 PC A03/MF A01
- Integrity Tests for High-(T sub c) and Conventional Critical-Current Measurement Systems.
PB91-148676 100,842 Not available NTIS
- Integrity tests for high-(T_c) and conventional critical-current measurements systems.
DE91016275 101,452 PC A03/MF A01
- Intelligent Building Technology in Japan.
PB91-187757 100,071 PC A04/MF A01
- Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995 PC A05/MF A01
- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV.
PB91-195206 101,669 Not available NTIS
- Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons.
PB91-195198 101,293 Not available NTIS
- Interaction of an Isolated Sprinkler Spray and a Two-Layer Compartment Fire Environment.
PB91-216804 100,551 PC A03/MF A01
- Interactive Courseware is Leading the Multimedia Movement.
PB91-147744 100,036 Not available NTIS
- Interactive Video Software Portability: Migrating a DOS Application to PQSIX.
PB92-117308 100,670 Not available NTIS
- Intercomparison of NBS Noise Calibration Services.
PB91-162370 100,847 Not available NTIS
- Intercomparison Study of Rockwell Hardness Test Blocks.
PB91-167338 101,224 PC A04/MF A01
- Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.
FIPS PUB 100-1 100,672 PC A03
- Interim Report to the President and to the Congress on the Malcolm Baldrige National Quality Award.
PB91-167833 100,001 PC A05/MF A01
- Interior-Point Method for Linear and Quadratic Programming Problems.
PB91-187815 101,269 PC A03/MF A01
- Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu.
PB91-203265 101,323 Not available NTIS
- Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166 Not available NTIS
- Interlaminar Shear Fracture of Laminated Composites.
PB91-187336 101,122 Not available NTIS
- International Co-operation: The Versailles Project on Advanced Materials and Standards.
PB91-159137 101,191 Not available NTIS
- International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS.
PB91-204040 101,251 Not available NTIS
- International Fire Detection Bibliography, 1975-1990.
PB92-109156 100,088 PC A09/MF A02
- International System of Units (SI)--Translation.
PB92-109032 101,719 PC A04/MF A01
- Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-T_c Superconductors.
PB92-116730 101,567 Not available NTIS
- Interpretation of the SI for the United States and Metric Conversion Policy for Federal Agencies.
PB92-126572 101,729 PC A03/MF A01
- Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of Eg(x,T).
PB92-117316 101,568 Not available NTIS
- Introduction to ACI 306.1-87: Specification for Cold Weather Concrete.
PB91-174524 100,526 Not available NTIS
- Introduction to Supercritical Fluid Chromatography. 1. Principles and Instrumentation.
PB91-189878 100,198 Not available NTIS
- Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531 Not available NTIS
- Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734 Not available NTIS
- Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy.
PB91-204024 100,409 Not available NTIS
- Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SQS).
PB91-147918 100,791 Not available NTIS
- Investigation of Simulated Oil-Well Blowout Fires.
PB91-144337 101,356 PC A05/MF A01
- Investigation of the Collapse of L'Ambiance Plaza.
PB91-204057 100,146 Not available NTIS
- Ion Bombardment Induced Diffusion: A Case Study on a Sputtered Ag/Ni Layered System.
PB91-195024 101,527 Not available NTIS
- Ion Incorporation into Octacalcium Phosphate Hydrolyzates.
PB91-175125 100,219 Not available NTIS
- Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.
PB91-175554 101,498 Not available NTIS
- Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation.
PB91-203547 100,400 Not available NTIS
- Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field.
PB91-174615 100,751 Not available NTIS
- Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306 Not available NTIS
- ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side.
PB92-102201 100,572 PC A05/MF A01
- Isothermal Phase Behavior of Ag₃SbS₃, ZnGeP₂, and ZnS.
PB91-187237 101,080 Not available NTIS
- Isotopic Compositions of the Elements 1989.
PB92-148220 100,482 (Order as PB92-148162)
- Israel's New Synchronized Time Scale, UTC(INPL).
PB91-134593 100,577 Not available NTIS
- Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing.
PB91-203299 100,987 Not available NTIS
- Issues in Transparent File Access.
PB91-187831 100,569 PC A05/MF A01
- Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930 Not available NTIS
- Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989.
PB92-109164 100,166 PC A16/MF A03
- Journal of Physical and Chemical Reference Data, Volume 19, Number 1, 1990.
PB90-244526 100,251 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 19, Number 2, 1990.
PB90-244609 100,257 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 19, Number 3, 1990.
PB90-244658 100,262 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990.
PB91-192435 100,354 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 19, Number 5, September-October 1990.
PB91-192476 100,358 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 19, Number 6, November-December 1990.
PB91-192542 100,365 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 20, Number 1, 1991.
PB92-110113 100,440 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 20, Number 2, March-April 1991.
PB92-110162 100,445 Not available NTIS
- Journal of Physical and Chemical Reference Data, Volume 20, Number 3, May-June 1991.

TITLE INDEX

PB92-110212 100,449 Not available NTIS

Journal of Physical and Chemical Reference Data, Volume 20, Number 4, July/August 1991.
PB92-148063 100,466 Not available NTIS

Journal of Physical and Chemical Reference Data, Volume 20, Number 5, September/October 1991.
PB92-148113 100,471 Not available NTIS

Journal of Physical and Chemical Reference Data, Volume 20, Number 6, November/December 1991.
PB92-148162 100,476 Not available NTIS

Journal of Research of the National Institute of Standards and Technology. January-February 1991. Volume 96, Number 1.
PB91-184853 100,220 PC A07/MF A01

Journal of Research of the National Institute of Standards and Technology. March-April 1991. Volume 96, Number 2.
PB91-187617 101,420 PC A06/MF A01

Journal of Research of the National Institute of Standards and Technology. May-June 1991. Volume 96, Number 3.
PB91-216705 101,704 PC A07/MF A02

Journal of Research of the National Institute of Standards and Technology. September-October 1991. Volume 96, Number 5.
PB92-126614 100,212 PC A06/MF A02

Journal of Research of the National Institute of Standards and Technology. July-August 1991. Volume 96, Number 4.
PB92-110261 100,762 PC A05/MF A02

Kelvin Water-Drop Experiment.
N91-20219/2 100,900
(Order as N91-20207/7, PC A05/MF A01)

Kinematic Couplings for Precision Fixturing. Part 2. Experimental Determination of Repeatability and Stiffness.
PB91-159186 101,041 Not available NTIS

Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570 Not available NTIS

Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products.
PB91-203794 100,548 Not available NTIS

Kinetics and Mechanisms of the Gas-Phase Reactions of the NO3 Radical with Organic Compounds.
PB92-110220 100,450 (Order as PB92-110212)

Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime.
PB91-148783 100,292 Not available NTIS

Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.
PB92-116979 100,824 Not available NTIS

Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements.
PB91-189571 100,709 Not available NTIS

Laboratory Accreditation in the United States.
PB91-194415 100,172 PC A03/MF A01

Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate.
PB91-203034 100,392 Not available NTIS

Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.
PB92-117191 100,558 Not available NTIS

Large-Scale Validation of Bench-Scale Fire Toxicity Tests.
PB92-116458 100,139 Not available NTIS

Laser Diagnostics for Characterization of Fuel Sprays.
PB91-149013 100,541 Not available NTIS

Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions.
PB91-174854 101,415 Not available NTIS

Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.
PB92-116755 100,210 Not available NTIS

Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409 PC A99/MF A04

Laser Induced Desorption of Molecules from Surfaces.
PB91-147066 100,235 Not available NTIS

Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba(+) in Ar: Moment Analysis and a Direct Measure of Skewness.
PB91-149005 100,298 Not available NTIS

Laser-Induced Fluorescence of CH in a Laminar CH4/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.
PB91-237099 100,554 Not available NTIS

Laser Measurements.

PB91-149195 101,412 Not available NTIS

Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 668/7 100,234 PC A02/MF A01

Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa2Cu3Ox.
PB92-117290 100,464 Not available NTIS

Lattice Approach to Environments Irradiated by Unknown Sources.
PB91-175356 100,850 Not available NTIS

Lattice Relaxation in Silicon Doped with 4d- and 5d-Transition Metals.
PB91-203554 101,541 Not available NTIS

LBIR Facility User Handbook.
PB92-102185 101,435 Not available NTIS

Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.
PB91-187344 101,502 Not available NTIS

Letter to Editor of Chemical and Engineering News.
PB91-174847 100,327 Not available NTIS

Letter to the Editor, Fire Technology, Comments on T.Z. Harmathy Viewpoint, May 1985.
PB91-174797 100,545 Not available NTIS

Letter to the Editor of Standardization News.
PB91-174789 100,118 Not available NTIS

Levitron Calorimetry.
PB91-158519 100,927 Not available NTIS

Levitron of Superconducting Composites.
PB91-187351 101,503 Not available NTIS

Light-Scattering Measurement of the RMS Slopes of Rough Surfaces.
PB92-116532 101,436 Not available NTIS

Light Source Area, Shading, and Glare.
PB91-237818 100,080 Not available NTIS

Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths.
PB91-187682 100,567
(Order as PB91-187617, PC A06/MF A01)

Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors.
PB91-147363 100,277 Not available NTIS

Linear Calibration When the Coefficient of Variation is Constant.
PB91-149443 101,273 Not available NTIS

Linearity of a Silicon Photodiode at 30 MHz and Its Effect on Heterodyne Measurements.
PB91-187625 100,755
(Order as PB91-187617, PC A06/MF A01)

Linking Information to Objects: A Hypertext Prototype for Numismatists.
PB91-237057 100,657 Not available NTIS

Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration.
PB91-147629 101,291 Not available NTIS

Liquid and Solid Ion Plasmas.
AD-A227 656/6 101,441 PC A02/MF A01
AD-A242 029/7 101,592 PC A02/MF A01

List of New Group Divisible Designs.
PB92-126705 101,281
(Order as PB92-126614, PC A06/MF A02)

Literature Review of the Galling Process.
PB91-134551 101,208 Not available NTIS

Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165 Not available NTIS

Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RbBa2Cu3O6 + x.
PB91-194894 101,524 Not available NTIS

Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.
PB91-206714 100,148 PC A03/MF A01

Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247 Not available NTIS

Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.
PB91-147926 101,469 Not available NTIS

Low-Background Gamma-Ray Assay Laboratory for Activation Analysis.
PB91-162198 100,192 Not available NTIS

Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties.
N91-20218/4 101,144

(Order as N91-20207/7, PC A05/MF A01)

Low-Cost Aqueous Two-Phase System for Enzyme Extraction.
PB91-237560 101,310 Not available NTIS

Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity.
PB91-150029 100,041 Not available NTIS

Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa2Cu3O7-x.
PB91-237552 101,559 Not available NTIS

Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu.
PB91-195016 101,666 Not available NTIS

Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders.
PB91-149096 101,066 Not available NTIS

Low Temperature Chemical Route to Precursors of Boride and Carbide Ceramic Powders.
PB91-175190 101,078 Not available NTIS

Low-Temperature, Electrically Calibrated SOS Bolometer for Power and Energy Measurements.
PB91-147181 100,787 Not available NTIS

Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe78B13Si9.
PB92-117464 101,573 Not available NTIS

Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications.
PB91-149104 101,067 Not available NTIS

Lunar Gravitational Wave Antenna Using a Laser Interferometer.
PB91-134643 101,603 Not available NTIS

Lunar Laser Ranging.
PB91-203026 101,353 Not available NTIS

Madelung Potentials and Valences in the Y1Ba2Cu3O7 Superconductor.
PB91-134254 101,459 Not available NTIS

Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.
PB92-116631 101,565 Not available NTIS

Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131 Not available NTIS

Magnetic Hysteresis of High-Temperature YBa2Cu3Ox-AgO Superconductors: Explanation of Magnetic Suspension.
PB91-189506 101,507 Not available NTIS

Magnetic Measurements for High Energy Physics Applications.
PB92-112358 101,720 PC A04/MF A01

Magnetic Ordering of Er in Powder and Single Crystals of ErBa2Cu3O7.
PB91-187377 101,505 Not available NTIS

Magnetic Properties of Iron/Silica Gel Nanocomposites.
PB91-204073 101,110 Not available NTIS

Magnetization of Anisotropic Superconducting Grains.
PB91-134569 101,463 Not available NTIS

Magnetoresistance of Multifilament Al/Al-Alloy Conductors.
PB91-134759 100,772 Not available NTIS

Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.
PB91-236968 101,550 Not available NTIS

Manufacturing Systems Integration Control Entity Interface Document.
PB91-240796 100,991 PC A03/MF A01

Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994 PC A04/MF A01

Many Electron Effects in Lgamma2,3 X-ray Emission Spectroscopy Spectrum of BaO.
PB91-195305 100,382 Not available NTIS

Many-Electron Effects in Lgamma2,3 XES Spectra from Rare Earth Elements.
PB91-195313 100,383 Not available NTIS

Mare Island Flexible Manufacturing Workstation.
PB92-117027 100,996 Not available NTIS

Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445 PC A04/MF A01

Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426 Not available NTIS

Material Dependency of Chip-Form Detection Using Acoustic Emission.

TITLE INDEX

PB91-149450 101,216 Not available NTIS

Material Flammability Test Assessment for Space Station Freedom.
PB91-216606 101,735 PC A05/MF A01

Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991).
PB91-143339 101,008 PC A05/MF A01

Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126424 101,252 PC A05/MF A01

Materials Research at the National Bureau of Standards.
PB91-149039 101,214 Not available NTIS

Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process.
PB92-126689 101,316
(Order as PB92-126614, PC A06/MF A02)

Mathematical Modeling of Enclosure Fires.
PB92-108976 100,135 PC A03/MF A01

Measured Performance of Residential Water Heaters Using Existing and Proposed Department of Energy Test Procedures.
PB91-189274 100,085 Not available NTIS

Measurement and Evaluation of Lighting/HVAC Interaction.
PB91-206706 100,892 PC A04/MF A01

Measurement of Capacitance on Wafers.
PB91-149120 100,795 Not available NTIS

Measurement of DNA Base Damage and DNA-Protein Cross-Links in Mammalian Chromatin.
PB91-187484 101,303 Not available NTIS

Measurement of Regenerator Performance in a Vuilleumier Refrigerator.
PB92-116482 101,052 Not available NTIS

Measurement of Space Charge Fields in Polymers.
PB91-158626 100,486 Not available NTIS

Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures.
PB91-167239 100,144 PC A03/MF A01

Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068 Not available NTIS

Measurement Quality Assurance.
PB91-149930 101,013 Not available NTIS

Measurement Reliability: The Detection of Nonlinearities.
PB91-189290 100,853 Not available NTIS

Measurement, Use, and Interpretation of TCR.
PB92-117282 100,831 Not available NTIS

Measurements of Power Frequency Magnetic Fields Away from Power Lines.
PB91-175398 100,851 Not available NTIS

Measurements of Velocity-Changing Collision Kernels.
PB91-203083 101,884 Not available NTIS

Measuring the Corrosion of Metals in Soil.
PB91-174714 101,136 Not available NTIS

Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis.
PB91-195081 101,141 Not available NTIS

Mechanical Loss in a Glass-Epoxy Composite.
PB91-149435 101,070 Not available NTIS

Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169 PC A03/MF A01

Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension.
PB91-162180 101,118 Not available NTIS

Mechanical Sputtering of Structural Stainless Steels.
PB91-175448 101,152 Not available NTIS

Mechanical Testing Revitalized.
PB91-159004 100,928 Not available NTIS

Mechanism for High Strain-Rate Shear Band Formation.
PB91-147033 101,575 Not available NTIS

Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test.
PB91-149872 101,579 Not available NTIS

Mechanism of Cyanide Release in the Radiolysis of Acetonitrile.
PB91-203679 100,240 Not available NTIS

Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.
PB91-147447 100,216 Not available NTIS

Mechanism of Soot Formation in Acetylene-Oxygen Mixtures.

PB91-147280 100,537 Not available NTIS

Mechanisms of Additive Effectiveness.
PB91-158808 101,172 Not available NTIS

PB91-174862 101,174 Not available NTIS

Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Acidic Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid.
PB91-236489 100,241 Not available NTIS

Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome.
PB91-190108 101,321 Not available NTIS

Mechano-Chemical Descriptive Model for Wear Under Mixed Lubrication Conditions.
PB91-189480 101,177 Not available NTIS

Meeting of the Standards Working Group of the Joint U.S.-U.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991.
PB91-194498 100,178 PC A11/MF A02

Meeting the Challenges of a Global Market - Construction Standards, Testing and Certification.
PB91-194811 100,090 Not available NTIS

Merit Function for Inequality Constrained Nonlinear Programming Problems.
PB92-116318 101,271 PC A03/MF A01

Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors.
PB91-194761 100,054 Not available NTIS

Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves.
PB91-147348 101,059 Not available NTIS

Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels.
PB91-189951 101,158 Not available NTIS

Metallurgy Division. Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
PB92-126515 101,171 PC A07/MF A02

Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data.
PB91-159152 100,901 Not available NTIS

Method for Measuring Heat Loss from Underground Heat Distribution Systems.
PB91-134221 100,888 Not available NTIS

Method for Quantitative Measurement of Galling Damage.
PB91-159269 101,183 Not available NTIS

Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides.
PB91-203596 101,542 Not available NTIS

Method to Enhance Porosity of Micro-particles.
PB91-187328 101,185 Not available NTIS

Methods for the Analysis of Organometallic Compounds in Wastes.
PB91-148981 100,189 Not available NTIS

Methods of Analyzing Planar Optical Waveguides.
PB91-236752 100,774 Not available NTIS

Metric Conversion Card.
PB92-163880 100,941 Not available NTIS

Metric Measures Up (Ruler).
PB92-163898 100,942 Not available NTIS

Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB91-132266 100,833 PC A04/MF A01

PB92-116375 100,867 PC A04/MF A01

Metrology for the Semiconductor Industry.
PB91-240739 100,817 PC A03/MF A01

Microchannel-Plate Detection Systems for Low Accelerating Voltage SEM.
PB91-189928 101,515 Not available NTIS

Micromachined Thermal Radiation Emitter from a Commercial CMOS Process.
PB91-148999 100,748 Not available NTIS

Micromagnetic Calculations of 180 deg Surface Domain-Wall Magnetization Profiles with Comparison to Measurements.
PB91-158501 101,483 Not available NTIS

Micromagnetic Calculations of 180 deg Surface Domain Walls.
PB91-237271 101,553 Not available NTIS

Micromagnetics of Domain Walls at Surfaces.
PB91-162305 101,491 Not available NTIS

Microstrip Patch Antenna as a Standard Transmitting and Receiving Antenna.
PB91-162156 100,591 Not available NTIS

Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133 Not available NTIS

Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239 Not available NTIS

Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.
PB92-116938 101,241 Not available NTIS

Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods.
PB91-204081 100,050 Not available NTIS

Microstructure and Fracture at the Cement Paste-Aggregate Interface.
PB91-148072 100,523 Not available NTIS

Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.
PB91-184747 101,153 PC A03/MF A01

Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518 Not available NTIS

Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816 Not available NTIS

Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-)/2 VO and NbO.
PB91-237487 100,429 Not available NTIS

Microwave Spectrum and Molecular Structure of the N2-H2O Complex.
PB91-203448 100,398 Not available NTIS

Microwave Spectrum of Ar-H2O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.
PB91-148650 100,290 Not available NTIS

MMIC Related Metrology at the National Institute of Standards and Technology.
PB91-149070 100,794 Not available NTIS

Mobility Fluctuations and Electrophoretic Light Scattering from Macromolecular Solutions.
PB91-189514 100,345 Not available NTIS

Mode Specific Internal and Direct Rotational Predissociation in HeHF, HeDF, and HeHCL: van der Waals Complexes in the Weak Binding Limit.
PB91-148841 100,293 Not available NTIS

Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.
PB92-116656 100,776 Not available NTIS

Model for the Non-Perturbative OCD (Quantum Chromodynamics) Vacuum.
PB91-194407 101,661 PC A03/MF A01

Model Validation at the Las Cruces Trench Site.
NUREG/CR-5716 101,368 PC A05/MF A01

Modeling Electron Beam Interactions in Semiconductors.
PB91-159020 101,485 Not available NTIS

Modeling the Thermodynamic Properties of Sodium Chloride in Steam Through Extended Corresponding States.
PB91-189381 100,342 Not available NTIS

Modelling Aqueous Solutions Near the Critical Point of Water.
PB91-189837 100,349 Not available NTIS

Modelling Gallium Arsenide Transistors.
PB91-149989 100,797 Not available NTIS

Modelling the Coronae and Chromospheres of RS CVn Systems by the Analysis of Ultraviolet, X-ray and Radio Observations.
PB91-148825 100,019 Not available NTIS

Models for Oxygen Ordering and Diffusion in Ba2YCu3Ox and Ba2YCu3-yMyOx (M = Fe, Co, Al, Ga).
PB91-175232 101,496 Not available NTIS

Modern Test Methods for Flammability.
PB91-167676 100,116 PC A03/MF A01

Modernized Metric System (Chart).
PB92-163864 100,939 Not available NTIS

Modification of Bases in DNA by Copper Ion-1,10-Phenanthroline Complexes.
PB91-187492 101,333 Not available NTIS

Modification of DNA Bases in Mammalian Chromatin by Radiation-Generated Free Radicals.
PB91-189373 101,338 Not available NTIS

Modified Airy Function and WKB Solutions to the Wave Equation.
PB92-126531 101,440 PC A08/MF A02

TITLE INDEX

- Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.
PB92-116664 100,821 Not available NTIS
- Modulatable Narrow-Linewidth Semiconductor Lasers.
PB91-134106 101,404 Not available NTIS
- Molecular-Beam Optothermal Spectroscopy of the 9.6 μm nu14 .
PB91-236869 100,421 Not available NTIS
- Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics.
PB91-203331 100,397 Not available NTIS
- Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503 Not available NTIS
- Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.
PB91-187229 100,495 Not available NTIS
- Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427 Not available NTIS
- Molecular Spectroscopy Division of the National Bureau of Standards.
PB91-175174 100,332 Not available NTIS
- Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems.
PB92-123124 100,606 PC A05/MF A01
- Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays.
PB91-203059 101,126 Not available NTIS
- Monitoring the Fate of Chlorine from MSW Sampling through Combustion.
PB91-174631 100,917 Not available NTIS
- Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710 Not available NTIS
- Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.
PB91-147736 101,468 Not available NTIS
- Morphology of Polymer Films and Single Molecules.
PB91-203224 100,506 Not available NTIS
- Morphology of Silver on $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Thin Films.
PB91-195594 101,534 Not available NTIS
- Mossbauer Imaging.
PB91-203745 101,294 Not available NTIS
- Mossbauer Study of the Effect of Oxygen Stoichiometry on the High T_c Superconductor $\text{YBa}_2(\text{Cu}_{0.97}\text{Fe}_{0.03})\text{O}_{7-x}$.
PB91-237545 101,558 Not available NTIS
- MSW Calorimetry.
PB91-133942 100,878 Not available NTIS
- Multi-Enterprise Concurrent Engineering through International Standards.
PB92-123058 100,997 PC A03/MF A01
- Multi-Zone Dispersal Analysis by Element Assembly.
PB91-187146 100,907 Not available NTIS
- Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.
PB91-147710 100,283 Not available NTIS
- Multimedia Courseware in an Open Systems Environment: A Federal Strategy.
PB91-143362 100,039 PC A04/MF A01
- Multiple Conformations of Amino Acid Residues in Ribonuclease A.
PB91-148098 101,298 Not available NTIS
- Multiple Intermolecular Bend Vibrational Excitation of a Hydrogen Bond: An Extended Infrared Study of QCQHF.
PB91-203703 100,404 Not available NTIS
- Multiple Variable-Angle Light Scattering Detector for Gel Permeation Chromatography.
PB91-187641 100,195
(Order as PB91-187617, PC A06/MF A01)
- Multireference-Configuration Interaction (MR-CI) Calculations on $\text{HS}(2+)$ and Experimental Observation via Electron Impact Ionization of H_2^+ .
PB91-148924 100,295 Not available NTIS
- Multistep Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.
PB91-148247 101,242 Not available NTIS
- Multistep Stress-Relaxation Study of a Single Crystal of n -Eicosane ($\text{C}_{20}\text{H}_{42}$) in Torsion.
PB91-187427 100,497 Not available NTIS
- MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers).
PB91-507707 100,661 CP D99
- MUMPS Validation Suite, Version 7.6 (ANSI), 1991.
PB91-507715 100,662 CP T99
- MUMPS Validation Suite, Version 7.6 (TAR), 1991.
PB91-507723 100,663 CP T99
- MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991.
PB91-507699 100,660 CP T99
- Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect.
PB91-147959 101,613 Not available NTIS
- N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the $\text{Al}_{73}\text{Mn}_{21}\text{Si}_6$ Quasiperiodic Structure.
PB91-174771 101,226 Not available NTIS
- Narrow-Gap Semiconductors and Related Materials.
PB91-162313 101,492 Not available NTIS
- NASREM Robot Control System and Testbed.
PB91-194969 101,033 Not available NTIS
- National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook.
PB91-187781 100,707 PC A06/MF A01
- National Bureau of Standards-American Ceramic Society Phase Diagram Data Program.
PB91-158774 101,073 Not available NTIS
- National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957 PC A99/MF A99
- National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
PB91-136515 100,958 PC A99/MF A99
- National Computer Systems Laboratory Annual Report, 1990.
PB91-201822 100,603 PC A05/MF A01
- National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253 PC A15/MF A03
- National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series.
PB91-159756 100,951 PC A02/MF A01
- Nature of Collinearity.
PB91-203497 101,261 Not available NTIS
- Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.
PB92-108935 101,376 PC A05/MF A01
- NBS-JNA. The Institute for Numerical Analysis. UCLA 1947-1954.
PB92-112408 101,264 PC A09/MF A02
- NBS Quality Assurance Support: Current and Planned Services.
PB91-149088 101,012 Not available NTIS
- NBS Research on Protective Coatings for Buildings and Structures.
PB91-203521 100,127 Not available NTIS
- NBS Research Program in Municipal Solid Waste Combustion.
PB91-147264 100,916 Not available NTIS
- NBS Submicron Particle Standards for Microcontamination Measurement.
PB91-158873 100,798 Not available NTIS
- Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium.
PB91-143347 100,722 PC A03/MF A01
- Near Net Shape Forming of Ceramics.
PB91-158600 101,072 Not available NTIS
- Near-Threshold Vibrational Excitation of H_2 by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679 Not available NTIS
- Need for Power Quality Testing Standards.
PB92-117076 100,741 Not available NTIS
- Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering.
PB91-237842 100,514 Not available NTIS
- Neutron Activation Analysis in Electronic Technology.
PB91-189779 100,807 Not available NTIS
- Neutron Crystallography of Proteins.
PB91-175349 101,285 Not available NTIS
- Neutron Diffraction from Sheared D-Glycerol: Preliminary Studies.
PB91-134676 100,268 Not available NTIS
- Neutron Measurements of Intramolecular Vibrational Modes in C_6O .
PB92-116540 101,055 Not available NTIS
- Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr_2Pd , $\text{Zr}_2\text{PdD}_{1.70}$, and $\text{Zr}_2\text{PdD}_{1.98}$.
PB91-148866 101,213 Not available NTIS
- Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black.
PB91-237636 100,432 Not available NTIS
- New Approach to Image Modeling and Edge Detection in the SEM.
PB91-203752 100,811 Not available NTIS
- New Approach to Vision and Control for Road Following.
PB91-157156 101,743 PC A03/MF A01
- New Chemical and Stereochemical Applications of Organoron Complexes.
PB91-184861 100,221
(Order as PB91-184853, PC A07/MF A01)
- New Concepts of Precision Dimensional Measurement for Modern Manufacturing.
PB91-240812 101,006 PC A04/MF A01
- New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder.
PB91-158717 100,311 Not available NTIS
- New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa.
PB92-148170 100,477 (Order as PB92-148162)
- New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580 Not available NTIS
- New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects.
PB91-237586 100,740 Not available NTIS
- New Layered Cuprate Structure-Type, $(\text{A1-xA'})_{14}\text{Cu}_{24}\text{O}_{41}$.
PB91-237339 101,095 Not available NTIS
- New Look at the Bitter Method of Magnetic Imaging.
PB91-203919 101,701 Not available NTIS
- New Low-Voltage Standards in the DC to 1-MHz Frequency Range.
PB91-237107 100,738 Not available NTIS
- New Radio Detectors of Early-Type Pre-Main Sequence Stars.
PB91-149286 100,024 Not available NTIS
- New Test of Quantum Mechanics: Is Planck's Constant Unique.
PB91-174755 101,632 Not available NTIS
- New Triple Correlation Technique for Measuring Ultrashort Laser Pulses.
PB91-237156 101,434 Not available NTIS
- New Triple Correlator Design for the Measurement of Ultrashort Laser Pulses.
PB91-203802 101,429 Not available NTIS
- New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.
PB92-116805 100,911 Not available NTIS
- New Wide Range Equation of State for Helium.
PB91-162222 100,226 Not available NTIS
- New Yorker in Japan.
PB91-158907 101,275 Not available NTIS
- Newest Approaches to Quantitative Assessment of Bioactive Organotins.
PB91-162032 101,328 Not available NTIS
- NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual.
PB91-159764 100,154 PC A04/MF A01
- NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-185124 100,726 PC A03/MF A01
- NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520 PC A04/MF A01
- NIST Calibration Services Users Guide, 1991.
PB92-126416 100,936 PC A10/MF A03
- NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series.
PB91-157164 100,964 PC A04/MF A01
- NIST High-Dose Calibration Services.
PB91-203257 101,689 Not available NTIS
- NIST*LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version.
PB92-108877 101,561 PC A03/MF A01
- NIST Measurement Services: Calibration Service for Current Transformers.

TITLE INDEX

- PB91-216770 100,873 PC A04/MF A01
- NIST-NRL Free-Electron Laser, AD-A227 310/0 101,399 PC A03/MF A01
- NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised). PB91-132159 100,682 PC A03/MF A01
- NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments. PB91-231555 100,003 PC A05/MF A01
- NIST Reactor: Summary of Activities July 1989 through June 1990. PB91-159772 101,488 PC A05/MF A01
- NIST Research Reports, March 1991. PB91-187559 100,007 PC A03/MF A01
- NIST Serial Holdings, 1991. PB91-171330 100,960 PC A12/MF A02
- NIST Standard Reference Data Products 1991 Catalog. PB91-167312 100,952 PC A04/MF A01
- NIST Standards for Sodium and Potassium. PB91-158865 100,191 Not available NTIS
- NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised). PB91-144378 100,998 PC A03/MF A01
- NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990. PB91-194506 101,348 PC A14/MF A02
- NIST Support of the CALS Program: 1990 Synopsis. PB91-193821 101,347 PC A03/MF A01
- NIST Time and Frequency Services. PB91-231605 100,585 PC A03/MF A01
- NIST Working Form for STEP: National PDES Testbed Report Series (Revised). PB91-132183 100,683 PC A03/MF A01
- NIST X-Ray Photoelectron Spectroscopy (XPS) Database. PB92-123157 100,465 PC A04/MF A01
- Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures. PB91-195529 101,163 Not available NTIS
- Noise-Affected I-V Curves in Small Hysteretic Josephson Junctions. PB91-174912 100,782 Not available NTIS
- Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes. PB91-195636 101,391 Not available NTIS
- Non-Linear Contour-to-Grid Digital Interpolation. PB91-147678 101,351 Not available NTIS
- Nonlocal Phase Shifts Induced by Static Electric Fields in Neutron Interferometers When the Path-Enclosed Charge Vanishes. PB91-150011 101,620 Not available NTIS
- Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub < -sup>->) (3)He + (4)He(+). PB91-149245 101,618 Not available NTIS
- North American ISDN Users' Forum Agreements on Integrated Services Digital Network. PB92-102219 100,573 PC A08/MF A02
- Note on the Precision Cementing of Small Optical Components. PB91-203158 101,428 Not available NTIS
- Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra. PB91-203307 101,690 Not available NTIS
- Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry. PB91-148809 100,237 Not available NTIS
- Novel Radiation Dosimetry Systems. PB92-117118 101,727 Not available NTIS
- Numeric Database for Tribology: Format and Application Issues. PB91-203943 101,045 Not available NTIS
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs. PB92-110295 100,763
(Order as PB92-110261, PC A05/MF A01)
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments. PB92-110303 100,764
(Order as PB92-110261, PC A05/MF A01)
- Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.
- PB92-110311 100,765
(Order as PB92-110261, PC A05/MF A01)
- Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites. PB91-174946 101,120 Not available NTIS
- Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics. PB91-200865 101,538 Not available NTIS
- NVLAP FY 90 Annual Report. PB91-206748 100,010 PC A03/MF A01
- Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum. PB92-116789 101,361 Not available NTIS
- Observation of Atoms Laser-Cooled Below the Doppler Limit. PB91-189746 101,655 Not available NTIS
- PB91-195453 101,671 Not available NTIS
- Observation of Correlations in Finite, Strongly Coupled Ion Plasmas. PB91-200857 101,678 Not available NTIS
- Observation of the Cesium Clock Transition Using Laser-Cooled Atoms in a Vapor Cell. PB91-203638 101,698 Not available NTIS
- Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100). PB92-117415 101,572 Not available NTIS
- Of What Use Is Basic Research. PB91-175513 101,642 Not available NTIS
- Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas. PB92-117225 101,444 Not available NTIS
- OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0). PB91-507954 101,278 CP T06
- OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0. PB91-507962 101,279 CP T06
- Opportunities for Innovation: Chemical and Biological Sensors. PB92-127315 100,214 Not available NTIS
- Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit. PB91-175109 100,753 Not available NTIS
- Optical Levitation of Single Particles. PB91-174987 101,634 Not available NTIS
- Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon. PB91-149971 101,619 Not available NTIS
- Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn. PB91-195578 101,532 Not available NTIS
- Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume. PB91-203877 101,051 Not available NTIS
- Optimization Techniques for Permittivity and Permeability Determination. PB92-112325 100,865 PC A03/MF A01
PB92-126663 100,871
(Order as PB92-126614, PC A06/MF A02)
- Optothermal-Detected Microwave-Sideband CO2-Laser Spectroscopy of Ar-NH3. PB91-236679 100,416 Not available NTIS
- Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite. PB91-175166 101,736 Not available NTIS
- Orthogonal Distance Regression. PB91-147017 101,272 Not available NTIS
- Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990. PB91-143321 100,522 PC A04/MF A01
- Overview of Facilitated Transport Membrane Systems. PB91-175463 100,228 Not available NTIS
- Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory. PB91-147504 101,442 Not available NTIS
- Overview of the Product Data HyperStandard CD-ROM Prototype. PB91-132258 101,380 PC A03/MF A01
- Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy. PB91-237719 100,436 Not available NTIS
- Oxidation of Organic Compounds by Active Manganese Dioxide. PB91-174730 100,218 Not available NTIS
- Oxides and Oxide Superconductors: Elastic and Related Properties. PB92-112333 101,563 PC A05/MF A02
- Parent Structure of the Layered High-Temperature Superconductors. PB91-195677 101,535 Not available NTIS
- Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results. PB91-133900 101,599 Not available NTIS
- Parser That Converts a Boundary Representation into a Features Representation. PB91-203356 100,988 Not available NTIS
- Partial Discharges in Low Voltage Cables. PB91-134650 100,771 Not available NTIS
- Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames. PB91-237024 100,553 Not available NTIS
- Particle Size Measurement of Inert Gas Atomized Powder. PB91-187203 101,229 Not available NTIS
- Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air. PB91-194712 100,808 Not available NTIS
- Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model. PB91-187179 100,529 Not available NTIS
- Performance and Limitations of Faraday Effect Sensors. PB91-149146 100,749 Not available NTIS
- Performance Evaluation of a New Audio-Frequency Power Bridge. PB92-117431 100,742 Not available NTIS
- Performance Evaluation of Hypercube Applications: Using a Global Clock and Time Dilation. PB91-222588 100,653 PC A03/MF A01
- Performance Measures of a Robotic Micropositioner. PB92-117019 101,037 Not available NTIS
- Performance of OSI Transport over ACCUNET and IBER-PAC. PB91-134825 100,563 Not available NTIS
- Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading. PB91-236588 100,150 Not available NTIS
- Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2. PB91-222570 100,149 PC A05/MF A01
- Periodic Orbits and Diffuse Structures in the Photodissociation of Symmetric Triatomic Molecules. PB91-149252 100,238 Not available NTIS
- Permittivity Measurements on Molecular-Sized Samples. PB91-159244 100,800 Not available NTIS
- Perpendicular Bands of Cyclopropane in the 3.5um Region. PB91-237016 100,424 Not available NTIS
- Persistent Photoconductivity in SIMOX Films. PB92-117084 100,826 Not available NTIS
- Personal Computer Codes for Analysis of Planar Near Fields. PB92-112283 100,730 PC A04/MF A01
- Phase Diagrams of Hexagonal Binary Ordering Alloys with Anisotropic Interactions. PB91-147512 101,211 Not available NTIS
- Phase Equilibria and Critical Lines in Model Water/Salt Mixtures. PB91-236778 100,418 Not available NTIS
- Phase Equilibria from the One-Fluid Model. PB91-134585 101,385 Not available NTIS
- Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing. PB91-147165 101,465 Not available NTIS
- Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide. PB91-195628 101,085 Not available NTIS
- Phase-Field Model for Isothermal Phase Transitions in Binary Alloys. PB92-108992 101,240 PC A04/MF A01
- Phase Formation in Electrodeposited and Thermally Annealed Al-Mn Alloys. PB91-147314 101,209 Not available NTIS
- Phase Selection in Non-Equilibrium Processing. PB91-195651 101,236 Not available NTIS

TITLE INDEX

- Phase Transitions.
PB91-162073 100,318 Not available NTIS
- Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.
PB91-187385 100,496 Not available NTIS
- Phone-Mediated Word Alignment for Speech Recognition Evaluation.
PB91-189910 100,592 Not available NTIS
- Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb
PB91-147603 101,467 Not available NTIS
- Phonon Density of States and Superconductivity in Nd_{1.85}Ce_{0.15}CuO₄.
PB91-189787 101,514 Not available NTIS
- Phonon Density of States of Superconducting YBa₂Cu₃O₇ and the Nonsuperconducting Analog YBa₂Cu₃O₆.
PB91-159129 101,487 Not available NTIS
- Photodissociation Dynamics of Mo(CO)₆ at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413 Not available NTIS
- Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma).
PB91-148726 100,291 Not available NTIS
- Photodissociation of C(I)NO in the S(I) State: A Quantum-Mechanical ab initio Study.
PB91-149260 100,239 Not available NTIS
- Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations.
PB91-195301 101,626 Not available NTIS
- Photoionization Studies of Atoms and Molecules Using Synchrotron Radiation.
PB91-194910 101,664 Not available NTIS
- Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533 Not available NTIS
- Photomultiplier Housing for Vacuum Operation of Side-on IP28-Type Tubes.
AD-A227 836/4 100,744 PC A01/MF A01
- Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296 Not available NTIS
- Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths.
PB91-162206 100,750 Not available NTIS
- Photospheres of Hot Stars. 4. Spectral Type O4.
PB91-149849 100,025 Not available NTIS
- Physical Aging and the Viscoelastic Response of Network Glasses.
PB91-189829 101,246 Not available NTIS
- Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.
PB91-148767 101,065 Not available NTIS
- Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111).
PB91-161927 100,314 Not available NTIS
- Planar Waveguide Optical Immunosensors.
PB91-174565 101,284 Not available NTIS
- Plastic Zone Formation Around an Arresting Crack.
PB91-189316 101,373 Not available NTIS
- PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal.
PB91-194985 100,373 Not available NTIS
- Plumbing Test Lab Accreditation.
PB91-190066 100,089 Not available NTIS
- Polarizability of the Photon.
PB91-203166 101,686 Not available NTIS
- Polarization and Anisotropy of X-ray Emission from Molecules.
PB91-187401 101,651 Not available NTIS
- Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329 Not available NTIS
- Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins.
PB91-189852 100,351 Not available NTIS
- Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115 PC A05/MF A01
- Polymers: Technical Activities 1990.
PB91-159715 100,488 PC A07/MF A01
- Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
- PB92-116284 100,516 PC A07/MF A02
- Population Lifetimes of OH (v = 1) and OD (v = 1) Vibrations in Alcohols, Silanols and Crystalline Micels.
PB91-174813 100,324 Not available NTIS
- Portable Vectorized Software for Bessel Function Evaluation.
PB91-216598 100,652 PC A03/MF A01
- Possible (e,e'2N) Studies at CEBAF.
PB91-147587 101,612 Not available NTIS
- Possible 'Proximity Matrix' Route to High Current Conductors.
PB91-148932 101,476 Not available NTIS
- Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra.
PB91-237875 101,733 Not available NTIS
- Pozzolan Programs of the Cement and Concrete Reference Laboratory.
PB91-149922 100,525 Not available NTIS
- Practical Considerations in the Design of Optical Fiber Current Sensors.
PB91-134742 100,746 Not available NTIS
- Practical Constraints in Monitoring Micronutrient Intake.
PB91-147421 101,318 Not available NTIS
- Precise Ephemerides for GPS Time Transfer.
PB91-236950 100,586 Not available NTIS
- Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium.
PB91-149203 101,617 Not available NTIS
- Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy.
PB91-203984 101,430 Not available NTIS
- Precision Qualification of Watthour Meters.
PB91-237214 100,659 Not available NTIS
- Predicting the Remaining Service Life of Concrete.
PB92-126598 101,371 PC A05/MF A01
- Prediction and Fault Detection of Building Energy Consumption Using Multi-Input, Single-Output Dynamical Model.
PB91-195388 100,073 Not available NTIS
- Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions.
PB91-184838 101,154 PC A03/MF A01
- Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.
PB92-116748 101,199 Not available NTIS
- Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'.
PB91-159236 101,623 Not available NTIS
- Preliminary Dynamic Analyses of the Ministry of Agriculture Building.
PB91-134668 100,143 Not available NTIS
- Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri.
PB91-240747 100,082 PC A04/MF A01
- Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents.
PB91-149237 101,377 Not available NTIS
- Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts.
PB91-147249 101,608 Not available NTIS
- Probe-Corrected Spherical Near-Field Scanning Theory in Acoustics.
PB92-117456 101,383 Not available NTIS
- Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus.
PB91-203067 101,683 Not available NTIS
- Probe Waveforms and the Reconstruction of Structural Dynamic Green's Functions.
PB91-161950 101,737 Not available NTIS
- Problem of Detailed Balance and Model Lineshapes in Collision-Induced Rotovibrational Bands: H₂-H₂ and H₂-He.
PB91-236521 100,412 Not available NTIS
- Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
PB92-109024 100,935 PC A03/MF A01
- Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects, UJNR. Held in Gaithersburg, MD., USA, on May 12-14, 1990.
PB91-184846 100,145 PC A14/MF A02
- Proceedings of Cable '89 Workshop.
PB91-161943 100,773 Not available NTIS
- Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991.
- PB92-112267 100,668 PC A04/MF A01
- Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990.
PB91-159723 100,643 PC A14/MF A02
- Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada.
PB91-157198 100,641 PC A07/MF A01
- Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.
PB92-109040 100,667 PC A03/MF A01
- Process Quality Enhancement for Machine Tools: Measurements and Standards.
PB91-194993 101,019 Not available NTIS
- Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.
PB91-187369 101,504 Not available NTIS
- Production and Diagnosis of a Highly Spin-Polarized Na Beam.
PB91-204016 101,431 Not available NTIS
- Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
AD-A234 043/8 100,245 PC A03/MF A01
- PB91-203273 100,395 Not available NTIS
- Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.
PB91-144436 100,096 PC A06/MF A01
- Programming Languages and Database Language SQL. Validated Processor List Including GOSIP Conformance Testing Registers.
PB91-187716 100,649 PC A04/MF A01
- Progress at NIST on Absolute Frequency Standards Using Stored Ions.
PB91-159285 101,625 Not available NTIS
- Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides.
PB91-203604 101,543 Not available NTIS
- Progress in the Development of Miniature Optical Fiber Current Sensors.
PB91-134734 100,745 Not available NTIS
- Progress in Uniform Field Eddy Current Methods.
PB91-147751 101,039 Not available NTIS
- Progress on the Determination of Intermolecular Potential Energy Surfaces from High Resolution Spectroscopy.
PB91-203695 100,403 Not available NTIS
- Properties of Amorphous Zirconium Rhodium Hydride (Zr₃RhH_x) Prepared from Glassy and Crystalline Alloys.
PB91-174466 101,225 Not available NTIS
- Properties of YBa₂Cu₃O₇-delta Thin Films Grown on Off-Axis-Cut MgO Substrates.
PB91-203950 101,547 Not available NTIS
- Proposed Design Criteria for Shallow Bridge Foundations.
PB91-187849 100,534 PC A04/MF A01
- Proposed New Electrolytic Conductivity Primary Standards for KCl Solutions.
PB91-187658 100,339
- (Order as PB91-187617, PC A06/MF A01)
- Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment.
PB91-167353 100,905 PC A03/MF A01
- Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series.
PB92-112374 100,969 PC A04/MF A01
- Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen.
PB91-194886 101,663 Not available NTIS
- Prospects for High Temperature Superconductor - Semiconductor Contacts.
PB91-203646 101,545 Not available NTIS
- Protective Coatings for Tooth Crowns.
PB91-189555 100,047 Not available NTIS
- Proton Affinities and pKa Values of Tetraalkylhydrazines.
PB91-195214 100,378 Not available NTIS
- Proton Affinity of Cyanogen and Ion-Molecule Reactions of C₂N₂(+).
PB91-189902 100,352 Not available NTIS
- Prototype Expert System for Diagnosing Moisture Problems in Houses.
PB91-159079 100,062 Not available NTIS
- Prototyping the IRDS: An Airport Application.
PB92-112580 101,740 PC A06/MF A02
- Public-Key Cryptography. Computer Security.

TITLE INDEX

PB91-187864 100,708 PC A08/MF A01

Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.
PB92-123041 101,053 PC A05/MF A01

Publications of the National Institute of Standards and Technology, 1990 Catalog.
PB91-216531 100,011 PC A20/MF A04

Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus.
PB91-157172 100,106 PC A03/MF A01

Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations.
PB91-159731 100,110 PC A03/MF A01

Pulse Radiolysis Studies of Organic Electron Transfer Reactions.
PB91-147801 100,285 Not available NTIS

Quantifying Standard Performance of Electromagnetic-Based Mine Detectors.
PB92-116292 101,378 PC A09/MF A02

Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208 Not available NTIS

Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction.
PB91-147553 101,061 Not available NTIS

Quantum Electrodynamical Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions.
PB91-189597 101,653 Not available NTIS

Quantum Optics of Single, Trapped Ions.
PB91-162123 101,628 Not available NTIS

Quasi-Static Analysis of a Two-Wire Transmission Line Located at an Interface.
PB91-148734 100,564 Not available NTIS

Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175 PC A03/MF A01

Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames.
PB91-147306 100,538 Not available NTIS

Radiation Chemistry of Enones.
PB91-147793 100,236 Not available NTIS

Radio-Continuum Observations of a Variety of Cool Stars.
PB91-174664 100,027 Not available NTIS

Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.
PB92-116961 101,364 Not available NTIS

Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins.
PB91-203661 100,402 Not available NTIS

Rapid Low-Temperature Hopping of Hydrogen in a Pure Metal: The ScHx System.
PB91-158485 101,217 Not available NTIS

Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass.
PB91-158949 101,220 Not available NTIS

Rapporteur's Summary Materials Development for Coal Gasification.
PB91-158592 100,876 Not available NTIS

Raster Graphics Conformance Testing.
PB91-167296 101,341 PC A04/MF A01

Rate Constant Functions for Strength Development of Concrete.
PB91-175117 100,527 Not available NTIS

Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO4- Alkanes and Ethers.
PB91-203232 100,394 Not available NTIS

Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261 (Order as PB90-244609)

Rate Constants for Reduction of Substituted Methylperoxyl Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine.
PB91-195230 100,379 Not available NTIS

Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans': Results of an Interlaboratory Comparison.
PB91-195321 101,161 Not available NTIS

Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384 Not available NTIS

Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386 Not available NTIS

Real, Realistic Ring Waves for Surge Testing.

PB91-189811 100,855 Not available NTIS

Real-Time Algorithms and Data Structures for Underwater Mapping.
PB91-195354 101,360 Not available NTIS

Real-Time Hierarchical Planning for Multiple Mobile Robots.
PB91-158782 101,375 Not available NTIS

Real-Time Model-Based Tracking Combining Spatial and Temporal Features.
PB91-216630 100,700 PC A03/MF A01

Real-Time Radiology Standards: Results of a Workshop.
PB91-147900 101,010 Not available NTIS

Recent Developments in Applied Surface Science.
PB91-189936 100,353 Not available NTIS

Recent Developments in Digital Oscilloscopes.
PB91-175240 100,849 Not available NTIS

Recent Progress in Coal Bioprocessing Research in the United States: Scope and Areas Needing Further Research.
PB91-195339 100,885 Not available NTIS

Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).
PB91-185090 101,732 PC A06/MF A01

Recommended Inorganic Chemicals for Calibration.
PB91-195164 100,201 Not available NTIS

Redox Reactions of Osmium Porphyrins.
PB91-159012 100,217 Not available NTIS

Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.
PB91-222604 100,162 PC A05/MF A01

Reduction in Sintering Damage of Fiber Reinforced Composites.
PB91-195362 101,124 Not available NTIS

Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140 PC A03/MF A01

Reference Materials for Analytical Chemistry.
PB91-203893 100,205 Not available NTIS

Reference Materials: Their Role in Measurement Accuracy.
PB91-159103 101,014 Not available NTIS

Reference NO2 Calibration System for Ground-Based Intercomparisons during NASA's GTE/CITE II Mission.
PB91-189340 100,034 Not available NTIS

Refinement of a Model for Fire Growth and Smoke Transport.
PB91-148510 100,104 PC A04/MF A01

Refinement of the Structure of Beta'-MoO3.
PB91-203786 101,090 Not available NTIS

Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates.
PB91-203711 100,509 Not available NTIS

Reflection-Extended-X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge.
PB91-194944 100,371 Not available NTIS

Refractive Index Gratings in Rare-Earth-Doped Alkaline Earth Glasses.
PB91-189332 101,422 Not available NTIS

Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.
PB90-244708 101,402 (Order as PB90-244658)

Refrigerant Charge Effects on Heat Pump Performance.
PB91-174607 100,065 Not available NTIS

Relation between the Surface Energy and the Debye Temperature for Cubic Solids.
PB91-149393 100,303 Not available NTIS

Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous ZrPdHx.
PB91-187252 101,230 Not available NTIS

Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.
PB92-117365 100,559 Not available NTIS

Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions.
PB91-158618 101,443 Not available NTIS

Relativistic and Correlation Effects in the 2s3p Configuration of Beryllium-Like Ions.
PB91-189605 101,654 Not available NTIS

Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions.
PB91-195503 101,672 Not available NTIS

Relativistic Probability Amplitudes and State Preparation.

PB91-195032 101,667 Not available NTIS

Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior.
PB91-195099 100,501 Not available NTIS

Replicate Measurements in the Interpretation of Environmental Monitoring.
PB91-189761 100,919 Not available NTIS

Reply to Comment on 'Quantum Zeno Effect'.
PB91-236828 101,708 Not available NTIS

Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991.
PB92-112465 101,024 PC A16/MF A03

Report on 1989 Actions by International Institute of Welding.
PB91-134619 101,001 Not available NTIS

Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants.
PB91-174516 100,891 Not available NTIS

Research and Technology for Structural Engineering Productivity.
PB91-204206 100,147 Not available NTIS

Research at NBS in Direct Potentiometric Measurements in Blood.
PB91-148874 100,188 Not available NTIS

Research at NBS on Dynamic Measurements of Thermophysical Properties at High Temperature (Abstract).
PB91-161968 100,315 Not available NTIS

Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874 PC A06/MF A02

Research, Services, Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012 PC A05/MF A01

Research Tackles Automation Issues.
PB91-162230 101,005 Not available NTIS

Residual Defects in SIMOX: Threading Dislocations and Pipes.
PB92-117233 100,829 Not available NTIS

Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741 PC A03/MF A01

Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm.
PB91-203281 100,396 Not available NTIS

Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl2 and CDCl2.
PB91-147645 100,282 Not available NTIS

PB91-174870 100,328 Not available NTIS

Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service.
PB91-203968 100,207 Not available NTIS

Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni.
PB91-162297 100,193 Not available NTIS

Resonant Photoemission and PSD of Rare Earth Oxides.
PB91-148015 100,287 Not available NTIS

Resonant Tunneling with Electron-Phonon Interactions: An Exactly Solvable Model Applied to Desorption.
PB91-162065 100,317 Not available NTIS

Resonating-Orthotropic-Cube Method for Elastic Constants.
PB91-236794 101,586 Not available NTIS

Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914 PC A07/MF A02

Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.
PB91-175570 100,560 Not available NTIS

Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers.
PB91-148858 100,187 Not available NTIS

Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202 PC A09/MF A02

Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms.
PB91-167221 101,016 PC A03/MF A01

Review of Four Compartment Fires with Four Compartment Fire Models.
PB91-147215 100,098 Not available NTIS

Review of Pulse Tube Refrigeration.
PB91-147942 101,046 Not available NTIS

TITLE INDEX

- Review of Research Literature on Masonry Shear Walls.
PB91-167189 *100,113* PC **A05/MF A01**
- Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117209 *100,015* Not available NTIS
- RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.
PB91-236802 *100,735* Not available NTIS
- RIR - Measurement and Use in Quantitative XRD.
PB91-147397 *101,466* Not available NTIS
- Road Rally Conversational Speech Corpora (on CD-ROM).
PB91-509802 *100,595* CD-ROM\$500.00
- Robot Characterization Testing.
PB91-167361 *101,030* PC **A03/MF A01**
- Robot Sensor Language.
PB91-174961 *101,031* Not available NTIS
- Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 *100,156* PC **A06/MF A01**
- Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.
PB91-187161 *101,227* Not available NTIS
- Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina.
PB91-203687 *101,127* Not available NTIS
- Role of Reference Materials in Quality Assurance.
PB91-203901 *100,206* Not available NTIS
- Role of Theory in Lighting Research and Design.
PB91-237826 *100,081* Not available NTIS
- Root Projection of One-Sided Time Series.
PB91-216754 *101,262*
(Order as PB91-216705, PC **A07/MF A01**)
- Rotational Predissociation, Vibrational Mixing, and van der Waals Intermolecular Potentials of NeDF.
PB91-175505 *100,334* Not available NTIS
- Rotational Spectrum and Structure of the Complex Ar-CH₃CN.
PB91-236661 *100,415* Not available NTIS
- Rotational-Tunneling Spectrum of the Ar-SO₂ van der Waals Complex.
PB92-116649 *100,457* Not available NTIS
- Roughened Quartz Surfaces and Teflon as Small-Angle Diffusers and Depolarizers between 200 and 400 nm.
PB91-195644 *101,425* Not available NTIS
- Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera.
PB91-147686 *101,146* Not available NTIS
- Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations.
PB91-149948 *101,143* Not available NTIS
- Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 *100,830* Not available NTIS
- Rovibrational Analysis of the nu(71) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy.
PB91-237784 *100,437* Not available NTIS
- Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 *100,581* Not available NTIS
- Rule-Based Diagnostic Method for HVAC Fault Detection.
PB91-194936 *100,072* Not available NTIS
- Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 *101,640* Not available NTIS
- Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 *101,554* Not available NTIS
- Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
DE91002169 *100,785* PC **A03/MF A01**
- Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).
PB91-195750 *101,537* Not available NTIS
- Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 *100,179* PC **A02/MF A01**
- Scattering by an Arbitrary Cylinder at a Plane Interface.
PB91-203513 *101,447* Not available NTIS
- Scoring Continuous Speech in the DARPA Speech Recognition Program: Part 2.
PB91-195396 *100,593* Not available NTIS
- Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance.
PB91-175380 *101,639* Not available NTIS
- Second Dissociation Constant and pH of N-2-hydroxyethyl-piperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to 50C.
PB91-189282 *100,196* Not available NTIS
- Second-Level Post-Occupancy Evaluation Analysis.
PB91-147140 *100,058* Not available NTIS
- Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications.
PB91-148775 *101,266* Not available NTIS
- Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.
PB91-148064 *101,471* Not available NTIS
- Security in ISDN.
PB92-116391 *100,718* PC **A05/MF A01**
- Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage.
PB91-202960 *101,307* Not available NTIS
- Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air.
PB91-149880 *100,796* Not available NTIS
- Selective Excitation of X-ray Emission Spectra.
PB91-147173 *101,607* Not available NTIS
- Self-Adjustment of a Robot Joint Controller.
PB91-158568 *101,027* Not available NTIS
- Self-Setting Calcium Phosphate Cements.
PB91-202879 *100,049* Not available NTIS
- SEM Imaging and Metrology at Low Accelerating Voltages Using Backscattered Electrons.
PB91-195461 *101,529* Not available NTIS
- Semiclassical Calculation of Self-Broadening in O₂, N₂, and CO Raman Spectra.
PB92-117050 *100,461* Not available NTIS
- Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors.
PB91-175141 *101,416* Not available NTIS
- Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 *100,511* Not available NTIS
- Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode.
PB91-174250 *101,004* Not available NTIS
- Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.
PB92-116607 *100,820* Not available NTIS
- Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 *101,326* Not available NTIS
- Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.
PB91-148668 *100,040* Not available NTIS
- Shape Resonances in Molecular Films.
PB91-187435 *100,338* Not available NTIS
- SHOOT Flowmeter and Pressure Transducers.
PB91-147488 *100,923* Not available NTIS
- Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 *100,877* PC **A03/MF A01**
- PB92-108927 *100,887* PC **A03/MF A01**
- Short-Term Evolution for the Flight Telerobotic Servicer.
PB91-144352 *101,731* PC **A04/MF A01**
- Sidelobe Suppression in Small Josephson Junctions.
PB91-195446 *100,784* Not available NTIS
- Signal Detection Efficiency in Multiphoton Ionization Flame Measurements.
PB91-148056 *100,540* Not available NTIS
- Silane Dissociation Products in Deposition Discharges.
PB91-202994 *100,390* Not available NTIS
- Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 *100,213*
(Order as PB92-126614, PC **A06/MF A02**)
- Simplified Error Bounds for Newton's Rule.
PB91-159046 *101,257* Not available NTIS
- Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution.
PB91-174649 *100,066* Not available NTIS
- Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models.
PB91-203364 *100,507* Not available NTIS
- Simultaneous Butylin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System.
PB91-195040 *100,918* Not available NTIS
- Simultaneous versus Independent Injection Testing of Non-linear Multipoint Systems.
PB91-203885 *100,857* Not available NTIS
- Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 *100,331* Not available NTIS
- Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.
PB92-116680 *101,566* Not available NTIS
- Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam.
PB92-148154 *100,475* (Order as PB92-148113)
- Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel.
PB91-190025 *101,188* Not available NTIS
- Slovak Metrological Society.
PB92-126721 *100,938*
(Order as PB92-126614, PC **A06/MF A02**)
- Slow Electron Transfer Reactions between Alkylhydrazines.
PB91-147785 *100,284* Not available NTIS
- Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 *100,513* Not available NTIS
- Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 *100,519* Not available NTIS
- Small Angle Neutron Scattering Characterization of Microporous Silica.
PB91-203489 *101,089* Not available NTIS
- Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene.
PB91-194688 *100,500* Not available NTIS
- Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.
PB91-187153 *100,494* Not available NTIS
- Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 *101,077* Not available NTIS
- Small Scale Demand Type Neon Liquefaction Plant.
PB91-162008 *100,224* Not available NTIS
- Smoke Production and Properties.
PB91-175422 *100,120* Not available NTIS
- Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.
PB91-147843 *100,102* Not available NTIS
- Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials.
PB91-194738 *101,520* Not available NTIS
- Software and Computer Integrated Manufacturing.
PB91-132142 *100,972* PC **A03/MF A01**
- Software Reengineering: A Case Study and Lessons Learned.
PB92-116417 *100,669* PC **A03/MF A01**
- Software Verification and Validation: An Overview.
PB91-237685 *100,658* Not available NTIS
- Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.
PB92-148105 *100,470* (Order as PB92-148063)
- Solubility of Carbon Dioxide in Water at Low Pressure.
PB92-148196 *100,479* (Order as PB92-148162)
- Soluble Models in Surface Collision Dynamics.
PB91-147298 *100,276* Not available NTIS
- Some Algorithms for Approximating Convolutions.
PB91-175281 *101,258* Not available NTIS
- Some Concluding Thoughts for Cool Stars VI.
PB91-175034 *100,030* Not available NTIS
- Some Historical Remarks Concerning These Conferences: With Emphasis on the X-ray Component.
PB91-187443 *101,652* Not available NTIS
- Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem.
PB91-144360 *101,604* PC **A03/MF A01**

TITLE INDEX

- Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films. AD-A243 220/1 101,451 PC A03/MF A01
- Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles. AD-A236 485/9 100,247 PC A03/MF A01
- AD-A237 128/4 100,248 PC A03/MF A01
- Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages. PB91-236505 101,164 Not available NTIS
- Spatially Resolved Flares in RS CVn Systems. PB91-148965 100,022 Not available NTIS
- Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments. PB91-157180 100,542 PC A12/MF A02
- Specifications for a Federal Information Processing Standard Data Dictionary System. PB91-158758 100,687 Not available NTIS
- Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991. PB92-112424 101,023 PC A10/MF A03
- Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII. PB91-237503 101,713 Not available NTIS
- Spectral Data and Grotian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX. PB92-110121 100,441 (Order as PB92-110113)
- Spectral Data and Grotian Diagrams for Highly Ionized Iron, Fe VIII-XXVI. PB90-244583 101,595 (Order as PB90-244526)
- Spectroscopic Constants for the nu9 Infrared Band of HNO3. PB91-189415 100,343 Not available NTIS
- Spectroscopic Data Base for Carbon and Oxygen. PB91-237750 101,716 Not available NTIS
- Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions. PB92-110147 100,443 (Order as PB92-110113)
- Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VIII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX). PB91-195511 101,673 Not available NTIS
- Spectrum and Energy Levels of the Xenonlike Ion Ce V. PB91-175364 101,638 Not available NTIS
- Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum. PB91-203406 101,694 Not available NTIS
- Speed of Sound of Natural Gas Mixtures. PB91-162214 100,882 Not available NTIS
- Spherical Near-Field Scanning: Determining the Incident Field Near a Rotatable Probe. PB91-148239 100,725 Not available NTIS
- Spherical Near-Field Scanning: Experimental and Theoretical Studies. PB91-132274 100,723 PC A07/MF A01
- Spin-Dependent Electron-Impact Excitation of Sodium. PB91-175497 101,641 Not available NTIS
- Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites. PB91-159178 101,117 Not available NTIS
- Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend. PB91-162099 100,489 Not available NTIS
- Sprinkler/Hot Layer Interaction. PB91-206680 100,129 PC A04/MF A01
- Sputtered Thin Film YBa2Cu3O_n. PB91-189647 101,509 Not available NTIS
- SOL3 Support for CALS Applications. PB91-167262 100,965 PC A03/MF A01
- Squeezed Quantum States of Relic Gravitons and Primordial Density Fluctuations. PB91-203125 101,685 Not available NTIS
- SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors. PB91-134338 100,780 Not available NTIS
- Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes. PB91-237529 100,430 Not available NTIS
- Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers. PB92-126499 100,211 PC A03/MF A01
- Stability of Thermistors. PB91-134320 100,779 Not available NTIS
- Stability of Uric Acid in Ammonium Hydroxide. PB91-189266 101,292 Not available NTIS
- Stabilization Techniques for Spinning Rotor Gage Residual Drag. PB91-147108 100,922 Not available NTIS
- Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications. PB91-203349 100,757 Not available NTIS
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, Change Pages September 1991. Output from the September 1991 OSI Implementors Workshop. Held in Gaithersburg, Maryland. PB92-126408 100,697 PC A11/MF A03
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990. PB91-171967 100,689 PC A99/MF E06
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement). PB92-112200 100,695 PC A04/MF A01
- Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement). PB91-197004 100,691 PC A11/MF A02
- Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes. PB90-244617 100,258 (Order as PB90-244609)
- Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthocoronene Series, Ovalene Series, and First Members of Some Higher Series. PB90-244625 100,259 (Order as PB90-244609)
- Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile. PB91-184812 101,345 PC A03/MF A01
- Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer. PB91-147207 101,406 Not available NTIS
- Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems. PB91-167163 100,802 PC A03/MF A01
- Standard Reference Materials: Calibration of NIST Standard Reference Material 3201 for 0.5 Inch (12.65 mm) Serial Serpentine Magnetic Tape Cartridge. PB91-187542 100,690 PC A03/MF A01
- Standard Reference Specimens in Quality Control of Engineering Surfaces. PB91-216721 101,021 (Order as PB91-216705, PC A07/MF A01)
- Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991. PB91-216671 100,712 PC A07/MF A02
- Standardization of Advanced Ceramics. PB91-195669 101,086 Not available NTIS
- Standardizing Standards. PB91-189795 100,953 Not available NTIS
- Standards Activities of Organizations in the United States. PB91-177774 100,004 PC A99/MF A04
- Standards for the Physical Protection of National Resources and Facilities. PB91-222695 100,006 PC A05/MF A01
- State-of-the-Art in Pressure Metrology. PB91-146993 101,038 Not available NTIS
- State-of-the-Art of Computational Testing of Mathematical Programming Algorithms. PB91-174896 101,268 Not available NTIS
- Static Analysis Tools for Software Security Certification. PB91-203380 100,710 Not available NTIS
- Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures. PB92-112226 101,739 PC A05/MF A01
- Statistical Mechanical Model of Aqueous Two-Phase Systems. PB91-174508 100,493 Not available NTIS
- Statistical Process Control Tactics for Coordinate Measuring Machines. PB91-189225 101,042 Not available NTIS
- Statistics of a Polymer Molecule in the Presence of Asymmetric Obstacles. PB91-187450 100,498 Not available NTIS
- Status of Beta-Particle Calibration Studies at NBS. PB91-175265 101,636 Not available NTIS
- Steam Tables. PB91-159251 101,624 Not available NTIS
- STEP On-Line Information Service User's Guide. National PDES Testbed Report Series. PB91-157123 100,950 PC A03/MF A01
- STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules. PB91-184788 100,966 PC A03/MF A01
- Stoichiometry of Reactively Evaporated Films. PB91-158709 101,413 Not available NTIS
- Stopping Power of Fast Charged Particles in Heavy Elements. PB91-194399 101,660 PC A04/MF A01
- Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel. PB91-237248 101,168 Not available NTIS
- Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping. PB91-195180 100,202 Not available NTIS
- Strategy for Chemical Analysis of Alternative Refrigerants. PB91-148502 100,185 PC A06/MF A01
- Streaking Images That Appear Only in the Plane of Diffraction in Unoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation. PB91-189662 101,511 Not available NTIS
- Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics. PB91-148205 101,474 Not available NTIS
- Strength and Microstructure of Ceramics. AD-A243 049/4 101,056 PC A08/MF A02
- Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates. PB91-175182 101,137 Not available NTIS
- Stress Intensity Factors by Enriched Mixed Finite Elements. PB91-147371 101,577 Not available NTIS
- Strontium-Induced Oxygen Detect Structure and Hole Doping in La₂-xSr_xCuO₄. PB91-148155 101,472 Not available NTIS
- Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects. PB91-161935 101,489 Not available NTIS
- Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation. PB91-237438 101,556 Not available NTIS
- Structural Change and Competitiveness: The U.S. Semiconductor Industry. PB91-195693 100,173 Not available NTIS
- Structural Dependence of HF Vibrational Red Shifts in ArnHF, n = 1-4, via High-Resolution Slit Jet Infrared Spectroscopy. PB91-203562 100,401 Not available NTIS
- Structural Instabilities and Superconductivity in Quasi-Binary Mn5Si3-Type Compounds. PB91-149427 101,215 Not available NTIS
- Structural Study of Electrodeposited Aluminum-Manganese Alloys. PB91-189423 101,231 Not available NTIS
- Structural Study of the Epitaxial Growth of tcc-Fe Films, Sandwiches, and Superlattices on Cu(100). PB91-237420 101,555 Not available NTIS
- Structure and Mechanism of Hydroxyl Radical-Induced Formation of a DNA-Protein Cross-Link Involving Thymine and Lysine in Nucleohistone. PB91-187518 101,334 Not available NTIS
- Structure of a Stage-3 Cs - Graphite Intercalate. PB91-134957 100,269 Not available NTIS
- Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy. PB91-147454 100,279 Not available NTIS
- Structure of Odd-Odd (132)Sb. PB91-237461 101,711 Not available NTIS
- Structure of Surface Films on Magnesium and on Magnesium Alloys. PB91-147637 101,212 Not available NTIS
- Structures and Properties of New Zeolite X-Type Zinco-phosphate and Beryllophosphate Molecular Sieves. PB91-189449 101,081 Not available NTIS
- Structures of the NH3-HCCCCH and H2O-HCCCCH Complexes by Fourier-Transform Microwave Spectroscopy. PB91-148882 100,294 Not available NTIS
- Studies of H I and D I in the Local Interstellar Medium.

TITLE INDEX

PB91-148957 100,021 Not available NTIS

Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor.
PB91-194977 101,526 Not available NTIS

Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results.
PB91-143313 101,181 PC A03/MF A01

Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175 Not available NTIS

Study of Flow Boiling Heat Transfer with Refrigerant Mixtures.
PB91-189563 101,196 Not available NTIS

Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574 PC A09/MF A01

Study of the GaAs-Si(100) Interface Using Laser Probing of Thermal Desorption Kinetics.
PB91-149294 101,477 Not available NTIS

Study of the Galling of Two Steels Using Two Test Methods.
PB91-148106 101,147 Not available NTIS

Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements.
PB91-195107 100,502 Not available NTIS

Study of the Linearity of Transfer Leaks and a Helium Leak Detector.
PB91-147272 100,926 Not available NTIS

Study on the Nature of Boundary Lubricating Film: Analytical Method Development.
PB91-189407 101,176 Not available NTIS

Stylus Profiling at High Resolution and Low Force.
PB91-162354 101,015 Not available NTIS

Submicrometer SEM Magnification Standard.
PB91-159087 100,799 Not available NTIS

Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Fiber Laser-Amplifier.
PB91-148007 101,408 Not available NTIS

Summaries of BFRL Fire Research In-House Projects and Grants, 1991.
PB92-112218 100,168 PC A09/MF A03

Summary Abstract: The Influence of Sulfur on Methanation over W(110).
PB91-149377 100,301 Not available NTIS

Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.
AD-A230 438/4 100,721 PC A02/MF A01

Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989.
PB91-175620 101,079 Not available NTIS

Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590

(Order as PB92-126614, PC A06/MF A02)

Superconducting Properties of Bi_{2-x}-yPb_xSr₂Ca₂Cu₃O_z.
PB91-162321 101,076 Not available NTIS

Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing.
PB91-189589 101,508 Not available NTIS

Superconductor-Polymer Composites.
PATENT-4 954 481 101,454 Not available NTIS

Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.
PB91-240770 100,164 PC A03/MF A01

Surface Acoustical Wave Spectroscopy for High Humidity Sensing.
PB91-158816 100,843 Not available NTIS

Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552 Not available NTIS

Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity.
PB91-149451 100,372 Not available NTIS

Surface Flame Spread.
PB91-175331 100,546 Not available NTIS

Surface Oxidation Kinetics of Si₃N₄ - 4% Y₂O₃ Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy.
PB91-237701 100,435 Not available NTIS

Surface Properties and Coatings of Materials Microtailored Alloys.

PB91-189696 101,232 Not available NTIS

Surface-State-Mediated Photochemistry: Laser-Induced Desorption of NO from Si (111).
PB91-162289 100,320 Not available NTIS

Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes.
PB92-117035 100,460 Not available NTIS

Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198 PC A05/MF A01

Switching in High-Tc Superconductor Current Transport Measurements.
PB91-203117 101,539 Not available NTIS

Synchronizing Computer Clocks Using a Local Area Network.
N91-25793/1 100,596

(Order as N91-25755/0, PC A99/MF A04)

Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation.
PB91-194456 100,499 PC A03/MF A01

Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation.
PB91-144345 101,182 PC A03/MF A01

Synthesis of 3-Quinuclidinol-(18)O, Benzoic-d₅ Acid, and 3-Quinuclidinyl-(18)O, Benzilate-d₅.
PB91-237370 100,223 Not available NTIS

System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope.
PB91-194779 101,522 Not available NTIS

Taguchi's Orthogonal Arrays Are Classical Designs of Experiments.
PB92-126671 101,280

(Order as PB92-126614, PC A06/MF A02)

Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392 Not available NTIS

Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357 PC A03/MF A01

Technical Activities 1990, Electron and Optical Physics Division.
PB91-194423 101,662 PC A04/MF A01

Technical Activities 1990, Standard Reference Data Program.
PB91-167213 100,321 PC A05/MF A01

Technical Activities 1990 Surface Science Division.
PB91-240820 101,560 PC A04/MF A01

Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403 PC A10/MF A02

Technical Reference and User's Guide for FAST/FFM Version 3.
PB91-206664 100,086 PC A08/MF A01

Techniques to Observe the Fracture Zone in Mortar and Concrete.
PB91-134189 100,521 Not available NTIS

TEM Driven Reverberating Chamber, a Single Facility for Radiated EMS/V Testing, 10 kHz - 18 GHz.
PB91-202895 100,856 Not available NTIS

TEM/Reverberating Chamber Design/Concept Study: A Single Facility for Large System Radiated EMC Testing, 10 kHz - 40 Ghz.
PB91-161992 100,845 Not available NTIS

Temperature Dependence of High Accuracy-Photometer Heads.
PB91-187096 101,418 Not available NTIS

Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422 Not available NTIS

Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728 Not available NTIS

Temperature Gradient in Differential Scanning Calorimetry.
PB91-236570 100,414 Not available NTIS

Temperature Measurement of Glass Subjected to Solar Radiation.
PB91-147611 100,100 Not available NTIS

Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.
PB91-236851 100,420 Not available NTIS

Temperature Monitored/Controlled Silicon Photodiodes for Standardization.
PB92-116763 100,767 Not available NTIS

Tensile Creep Behavior of Structural Ceramics.
PB91-159277 101,075 Not available NTIS

Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation.
PB91-149344 101,190 Not available NTIS

Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars.
PB91-149021 100,023 Not available NTIS

Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.
PB92-116920 100,823 Not available NTIS

Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams.
PB92-116995 101,099 Not available NTIS

Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media).
PB92-116409 100,605 PC A05/MF A01

Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637 Not available NTIS

Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado.
PB91-204115 101,702 Not available NTIS

Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State.
PB92-116870 101,726 Not available NTIS

Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series.
PB92-112523 100,970 PC A04/MF A01

Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894 PC A04/MF A01

Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.
PB91-236729 101,549 Not available NTIS

Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States.
PB91-203570 100,508 Not available NTIS

Theoretical Considerations for a Thermo-Optic Microwave Electric-Field-Strength Probe.
PB91-237222 100,860 Not available NTIS

Theoretical Investigation of Piloted Ignition of Wood.
PB92-112432 100,556 PC A11/MF A03

Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors.
PB92-116565 101,564 Not available NTIS

Theoretical Model of Metal Binding Sites in Proteins.
PB91-194837 100,370 Not available NTIS

Theory of Ballistic-Electron-Emission Spectroscopy of NiSi₂/Si(111) Interfaces.
PB91-237453 101,557 Not available NTIS

Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials.
PB91-237610 100,948 Not available NTIS

Theory of Orientation Textures Due to Surface Energy Anisotropies.
PB92-117381 101,571 Not available NTIS

Theory of Specific Heat of Solids.
PB91-148916 101,475 Not available NTIS

Thermal Characterization of Integrated Circuits - A Tutorial.
PB91-147819 100,789 Not available NTIS

Thermal Conductivity and Heat Capacity of Gaseous Argon.
PB91-134577 101,602 Not available NTIS

Thermal Conductivity of a Moderately Dense Gas.
PB91-134502 101,601 Not available NTIS

Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler.
PB91-144402 100,483 PC A05/MF A01

Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130 Not available NTIS

Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History.
PB91-174672 100,227 Not available NTIS

Thermal Conductivity of Fumed Silica Board at Room Temperature.
PB91-190124 100,125 Not available NTIS

Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density.
PB91-192500 100,361 Not available NTIS

Thermal Conductivity of Nine Polyatomic Gases at Low Density.

TITLE INDEX

- PB91-192492 100,360 Not available NTIS
- Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether.
PB91-195073 100,376 Not available NTIS
- Thermal Measurements of VLSI Packages: A Critical Review.
PB91-147827 100,790 Not available NTIS
- Thermal Noise in Mechanical Experiments.
PB91-149211 101,578 Not available NTIS
- Thermochemistry of Sulfoxides and Sulfones.
PB91-174821 100,325 Not available NTIS
- Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246 PC A03/MF A01
- Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine.
PB91-192583 100,368 Not available NTIS
- Thermodynamic Behavior of Fluids in the Supercritical Region.
PB91-204123 101,394 Not available NTIS
- Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session).
PB91-158741 100,904 Not available NTIS
- Thermodynamic Diagrams for Refrigerant Mixtures.
PB91-236695 101,797 Not available NTIS
- Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.
PB90-244542 100,253 (Order as PB90-244526)
- Thermodynamic Properties of Aqueous Solutions at High Temperatures; Needs, Methods, and Challenges.
PB91-204065 100,410 Not available NTIS
- Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.
PB92-148147 100,474 (Order as PB92-148113)
- Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K.
PB92-148188 100,478 (Order as PB92-148162)
- Thermodynamic Properties of the NaBr + H₂O System.
PB92-110238 100,451 (Order as PB92-110212)
- Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a).
PB91-175414 101,195 Not available NTIS
- Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region.
PB91-237578 100,233 Not available NTIS
- Thermodynamics of Ammonium Iodates. 2. The Molar Heat Capacity of the Ammonium Pentaborate Monohydrate Salt (NH₄)₂ InBr₅·H₂O from 7.8 to 348 K.
PB91-149831 100,304 Not available NTIS
- Thermodynamics of Hydrolysis of Disaccharides: Lactulose, alpha-D - Melibiose, Palatinose, D - Trehalose, D - Turanose and 3-O-beta-D-Galactopyranosyl-D-arabinose.
PB91-195701 101,289 Not available NTIS
- Thermodynamics of Hydrolysis of Oligosaccharides.
PB91-194803 101,288 Not available NTIS
- Thermodynamics of Industrially Important Enzyme Catalyzed Reactions.
PB91-237602 101,311 Not available NTIS
- Thermodynamics of Solutions Near the Solvent's Critical Point.
PB91-237297 100,232 Not available NTIS
- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model.
PB92-116854 100,459 Not available NTIS
- Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313 Not available NTIS
- Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF₄ from 6 to 344 K.
PB91-149864 100,305 Not available NTIS
- Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF₄, M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.
PB92-116524 100,456 Not available NTIS
- Thermodynamics of the Krebs Cycle and Related Compounds.
PB91-192468 100,357 Not available NTIS
- Thermophysical Properties of Ethane.
PB92-110188 100,447 (Order as PB92-110162)
- Thin and Composite High-Flux Membranes of Perfluorosulfonated Ion-Exchange Polymer.
PB91-236653 100,512 Not available NTIS
- Three Dimensional Reconstruction from Optical Flow Using Temporal Integration.
PB92-112507 100,702 PC A03/MF A01
- Three-Dimensional Simulations of High-Resolution Photorealist Processing.
PB92-116466 100,818 Not available NTIS
- Thwarting the Hackers.
PB91-159228 100,705 Not available NTIS
- Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide.
PB91-187708 101,346 PC A06/MF A01
- Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
PB91-202846 100,387 Not available NTIS
- Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
PB92-123132 100,587 PC A03/MF A01
- Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HPI) Blends.
PB91-162131 100,490 Not available NTIS
- Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques.
PB91-158584 100,565 Not available NTIS
- Towards Computer-Based Microstructure Models for Cement-Based Systems.
PB91-158840 101,074 Not available NTIS
- Trace Determination of Cr(VI) by LC/AAS with on-Line Pre-concentration.
PB91-148148 100,184 Not available NTIS
- Transferring NBS Technology to Small Manufacturers Through State and Local Centers.
PB91-149351 101,025 Not available NTIS
- Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys.
PB91-158964 101,221 Not available NTIS
- Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.
PB92-116326 100,454 PC A03/MF A01
- Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge.
PB91-134213 100,835 Not available NTIS
- Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+).
PB91-147462 101,610 Not available NTIS
- Translate LRL and LRM Calibrations.
PB91-237776 100,862 Not available NTIS
- Transmission Electron Microscopy of the CVD Diamond Film/Substrate Interface.
AD-A243 096/5 101,450 PC A03/MF A01
- Transmission Properties of a Counter-Rotating Pair of Disk Choppers.
PB91-236604 101,706 Not available NTIS
- Transmission/Reflection and Short-Circuit Line Permittivity Measurements.
PB91-171959 100,848 PC A08/MF A01
- Transparent Thin Film Thermocouple.
PB91-190116 100,783 Not available NTIS
- Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction.
PB91-133983 101,456 Not available NTIS
- Transport Properties of Carbon Dioxide.
PB90-244724 100,266 (Order as PB90-244658)
- Transport Properties of Fluid Oxygen.
PB91-192484 100,359 Not available NTIS
- Trapped-Ion Frequency Standards.
N91-25760/0 100,575
(Order as N91-25755/0, PC A99/MF A04)
- Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742 PC A04/MF A01
- Trends in Technological Innovation.
PB91-195545 100,008 Not available NTIS
- Tribological Characteristics of Synthesized Diamond Films on Silicon Carbide.
PB91-189530 101,186 Not available NTIS
- TROI User's Guide.
PB91-157214 101,026 PC A03/MF A01
- Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors.
PB91-203653 101,546 Not available NTIS
- Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.
PB92-112531 100,170 PC A05/MF A01
- U.S. Assessment of the New Diamond Technology in Japan.
PB91-167395 101,107 PC A05/MF A01
- U.S. Manufacturing Systems: Factories Past, Present, and Future.
PB91-175091 100,981 Not available NTIS
- Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.
PB92-116342 100,138 PC A03/MF A01
- Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.
PB92-116615 101,170 Not available NTIS
- Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates.
PB91-202945 101,237 Not available NTIS
- Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen.
PB91-203018 100,391 Not available NTIS
- Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110.
PB91-148833 100,020 Not available NTIS
- Uncertainty and Accuracy in Physical Measurements.
PB91-167205 101,629 PC A03/MF A01
- Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.
PB92-116300 100,533 PC A03/MF A01
- Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes.
PB91-162081 100,319 Not available NTIS
- Unified Fundamental Equation for the Thermodynamic Properties of H₂O.
PB91-192534 100,364 Not available NTIS
- Unified Set of Atomic Transition Probabilities for Neutral Argon.
PB91-237768 101,717 Not available NTIS
- Uniform Junction Temperature AlGaAs/GaAs Power Heterojunction Bipolar Transistors on Silicon Substrates.
PB91-189399 100,806 Not available NTIS
- Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.
PB92-112416 101,022 PC A08/MF A02
- UNIX Expert: A Prototype Knowledge-Based Software Development Workstation.
PB91-149179 100,639 Not available NTIS
- UNIX in the Government's Automated Manufacturing Research Facility (AMRF).
PB91-147579 100,963 Not available NTIS
- Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395 PC A03/MF A01
- Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.
PB91-187310 101,649 Not available NTIS
- Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.
PB90-244591 100,256 (Order as PB90-244526)
- Use of Birefringent Coatings in Fracture Mechanics.
PB91-174599 101,582 Not available NTIS
- Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.
PB91-195263 101,390 Not available NTIS
- Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction.
PB92-116623 101,295 Not available NTIS
- Use of Diamond as an Optical Material.
AD-A243 097/3 101,401 PC A03/MF A01
- Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range.
PB91-148908 101,410 Not available NTIS
- Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates.
PB91-159111 101,222 Not available NTIS
- Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes.
PB91-203935 100,128 Not available NTIS

TITLE INDEX

Use of Single Particle Standards for LAMMA Calibration.
PB91-147777 100,183 Not available NTIS

Use of Solid Modeling in the Design of M3 Components.
PB92-123066 101,044 PC A03/MF A01

Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography. The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324 Not available NTIS

Use of the Electrostatic Classification Method to Size 0.1 micrometer SRM Particles: A Feasibility Study.
PB91-187633 100,932
(Order as PB91-187617, PC A06/MF A01)

Use of the IRDS Standard in CALS (Revised).
PB91-132209 100,684 PC A03/MF A01

User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multi-zone Buildings.
PB91-206722 100,910 PC A07/MF A01

Users Guide for RAPID, Version 2.3.
PB91-167403 100,999 PC A06/MF A01

Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.
PB92-112556 100,136 PC A03/MF A01

Uses of Spin-Polarised Electrons in Fundamental Electron-Atom Collision Processes and the Analysis of Magnetic Microstructures.
PB91-162172 101,490 Not available NTIS

Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling.
PB91-158675 101,040 Not available NTIS

Using the Harvard/NIST Mark VI Fire Simulation.
PB91-144394 100,095 PC A03/MF A01

Validated Processor List (Cobol, Fortran, ADA, Pascal, SQL). July 1991.
PB91-937301 100,664 Not available NTIS

Validated Processor List (Cobol, Fortran, ADA, Pascal, SQL). October 1991.
PB91-937302 100,665 Not available NTIS

Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SQL).
PB92-937300 100,671 Standing Order

Validation of an OSI Transport Class 4 Simulator.
PB91-187724 100,568 PC A03/MF A01

Validation Testing Laboratory User's Guide. National PDES Testbed Report Series.
PB92-123090 100,971 PC A06/MF A02

VAMAS Bulletin.
PB91-159145 101,192 Not available NTIS

Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.
PB91-236737 100,417 Not available NTIS

Variable Air Volume System Design Guide.
PB91-216655 100,077 PC A03/MF A01

Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes.
PB91-237669 101,111 Not available NTIS

Velocity and Droplet Size Measurements in a Fuel Spray.
PB91-147934 100,539 Not available NTIS

Ventilation System Performance Evaluation Using Tracer Gas Techniques.

PB91-147876 100,060 Not available NTIS

Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers.
PB91-147520 100,788 Not available NTIS

Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1.
PB91-192575 100,367 Not available NTIS

Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer.
PB91-203844 100,406 Not available NTIS

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N4(+).
AD-A228 082/4 100,243 PC A02/MF A01

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. NO(+), NO(-), ONNO(+), and ONNO(-).
AD-A230 957/3 100,244 PC A03/MF A01

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. NO(1+), NO(1-), ONNO(1+), and ONNO(1-).
PB91-149914 100,307 Not available NTIS

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. N2O(1+) and NNO2(1-).
PB91-149906 100,306 Not available NTIS

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO4(-).
AD-A238 415/4 100,249 Not available NTIS

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO4(1-).
PB91-236836 100,419 Not available NTIS

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO(+), C2O2(+), and C2O2(-).
AD-A239 729/7 100,250 Not available NTIS

Video Compression for Remote Vehicle Driving.
PB91-203208 101,035 Not available NTIS

Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604 PC A04/MF A01

Visco-Elastic Deformation of Dental Porcelain and Porcelain-Metal Compatibility.
PB91-158493 100,042 Not available NTIS

Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments.
PB91-189720 101,245 Not available NTIS

Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa.
PB91-192559 100,366 Not available NTIS

Viscosity Surface for Mixtures of Methane and Ethane.
PB91-174763 100,322 Not available NTIS

Visibility of Chrysotile Asbestos in the Scanning Electron Microscope.
PB91-204099 101,320 Not available NTIS

Visibility of Exit Directional Indicators.
PB91-184762 101,000 PC A03/MF A01

Visibility of Exit Signs and Directional Indicators.
PB91-161984 100,083 Not available NTIS

Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components.
PB91-162164 100,225 Not available NTIS

VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.
PB91-185108 100,647 PC A04/MF A01

Voltage Calibration Systems Using Josephson Junction Arrays.
PB92-116516 100,868 Not available NTIS

Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment.
PB91-203620 100,159 Not available NTIS

Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).
PB92-148121 100,472 (Order as PB92-148113)

Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442 (Order as PB92-110113)

Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey.
PB91-174680 101,359 Not available NTIS

Wetting Layers on Solid Substrates.
PB91-158857 100,313 Not available NTIS

Wigner-Seitz Local-Environment Study of the High Tc Superconductors.
PB91-195115 101,528 Not available NTIS

Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.
PB92-116425 100,152 PC A99/MF A06

Wind Effects on Fires.
PB91-203851 100,549 Not available NTIS

Working Group 1: Atomic Spectra and Wavelength Standards.
PB91-158956 100,026 Not available NTIS

Working Group 2: Atomic Transition Probabilities.
PB91-175588 101,645 Not available NTIS

Working Implementation Agreements for Open Systems Interconnection Protocols.
PB91-144444 100,686 PC A99/MF A04
PB92-126523 100,698 PC A17/MF A04

Workloads, Observables, Benchmarks and Instrumentation.
PB91-147660 100,598 Not available NTIS

X-ray Interferometry and gamma-ray Wavelengths.
PB91-158642 101,484 Not available NTIS

X-ray Photoelectron Forward Scattering Studies of Surface Segregation in Epitaxial Cu-Ni-Ni(100) Sandwich Structures.
PB91-189258 101,506 Not available NTIS

XANES of Transition Metal Zinc-Blende Semiconductors.
PB92-117092 100,462 Not available NTIS

XPS and Auger Forward Scattering in Epitaxial Films.
PB91-174698 101,495 Not available NTIS

YBa2Cu3O7-delta/Insulator Multi-Layers for Crossover Fabrication.
PB91-194662 101,518 Not available NTIS

ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition).
PB91-167155 100,064 PC A03/MF A01

Zonal Model for Corona Discharge-Induced Oxidation of SF6 in SF6/O2/H2O Gas Mixtures.
PB91-158790 100,312 Not available NTIS

NTIS ORDER/REPORT NUMBER INDEX

SAMPLE ENTRY

NISTIR-4523

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment

PB91-167353 100,905 PC A03/MF A01

Report or series number

Title

NTIS order number Abstract number Availability Price Code

PB91-167353

Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment

PB91-167353 100,905 PC A03/MF A01

Report or series number

Title

NTIS order number Abstract number Availability Price code

AD-A207 806/1

Annual Report to the Strategic Defense Initiative Organization on the Free-Electron Laser Driven by the NIST CW Microtron.

AD-A207 806/1 101,398 PC A06/MF A01

AD-A227 296/1

Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.

AD-A227 296/1 100,242 PC A04/MF A01

AD-A227 310/0

NIST-NRL Free-Electron Laser.

AD-A227 310/0 101,399 PC A03/MF A01

AD-A227 656/6

Liquid and Solid Ion Plasmas.

AD-A227 656/6 101,441 PC A02/MF A01

AD-A227 806/7

Cooled Ion Frequency Standard.

AD-A227 806/7 101,591 PC A03/MF A01

AD-A227 836/4

Photomultiplier Housing for Vacuum Operation of Side-on 1P28-Type Tubes.

AD-A227 836/4 100,744 PC A01/MF A01

AD-A227 868/7

Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.

AD-A227 868/7 100,234 PC A02/MF A01

AD-A227 869/5

Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.

AD-A227 869/5 100,179 PC A02/MF A01

AD-A228 082/4

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N_4^{+} .

AD-A228 082/4 100,243 PC A02/MF A01

AD-A229 229/0

Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.

AD-A229 229/0 101,201 PC A10/MF A02

AD-A229 231/6

Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.

AD-A229 231/6 101,202 PC A09/MF A02

AD-A230 438/4

Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.

AD-A230 438/4 100,721 PC A02/MF A01

AD-A230 957/3

Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. NO^{+} , NO^{-} , ONNO^{+} , aNd ONNO^{-} .

AD-A230 957/3 100,244 PC A03/MF A01

AD-A231 778/2

Influence of Water on the Mechanical Properties of a Glass-Epoxy Matrix Composite.

AD-A231 778/2 101,113 PC A03/MF A01

AD-A231 818/6

Influence of Filament Geometry on Hot Filament Growth of Diamond Films.

AD-A231 818/6 101,448 PC A02/MF A01

AD-A231 830/1

Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2.

AD-A231 830/1 101,203 PC A07/MF A01

AD-A233 961/2

Ada Compiler Validation Summary Report. Certificate Number: 901109S1.11053, Digital Equipment Corporation VAX Ada, Version 2.2 VAX 8800 = > VAX 8800.

AD-A233 961/2 100,607 PC A04/MF A01

AD-A234 043/8

Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.

AD-A234 043/8 100,245 PC A03/MF A01

AD-A234 083/4

Ada Compiler Validation Summary Report: DDC International A/S, DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6, VAX 8530 (Host) to Bare Board iSBC 186/93A (Host), 901129S1.11079.

AD-A234 083/4 100,608 PC A05/MF A01

AD-A234 118/8

Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11112 DDC International A/S DACS

NTIS ORDER/REPORT NUMBER INDEX

- 80386 DMS/OS Ada Compiler System, Version 4.6 IBM PS/2 Model 80-311 = > IBM PS/2 Model 80-311.
AD-A234 118/8 100,609 PC A06/MF A01
- AD-A234 323/4**
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11050 DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 VAX 8530 = > VAX 8530.
AD-A234 323/4 100,610 PC A04/MF A01
- AD-A234 350/7**
Ada Compiler Validation Summary Report: Digital Equipment Corporation, VAX Ada, Version 2.2, BAX 8800 (Host) t VAX MicroVAX II Running VAXELN Version 4.1 (Target), 901109S1.11054.
AD-A234 350/7 100,611 PC A04/MF A01
- AD-A234 380/4**
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11051, DDC International A/S, DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 MicroVAX 3100 Greater Than or Equal to Motorola MVME133.
AD-A234 380/4 100,612 PC A03/MF A01
- AD-A234 438/0**
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11077 DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 VAX 8530 = > Bare Board ISBC/03A.
AD-A234 438/0 100,613 PC A06/MF A01
- AD-A234 439/8**
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11075 DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 ICL DRS300 = > ICL DRS300.
AD-A234 439/8 100,614 PC A04/MF A01
- AD-A234 529/6**
Ada Compiler Validation Summary Report: Certificate Number: 901129S1.11074 DDC International A/S DACS VAX/VMS 60 80386 PM Bare Ada Cross Compiler System, Version 4.6 VAX 8530 = > Bare Board ISBC 386/21.
AD-A234 529/6 100,615 PC A06/MF A01
- AD-A235 490/0**
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246 PC A03/MF A01
- AD-A236 485/9**
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A236 485/9 100,247 PC A03/MF A01
- AD-A236 708/4**
Effects of Multiple Filament Geometry in the Hot Filament Deposition of Diamond Films.
AD-A236 708/4 101,142 PC A02/MF A01
- AD-A236 746/4**
Critical Assessment of Optical Properties of CVD Diamond Films.
AD-A236 746/4 101,400 PC A02/MF A01
- AD-A237 128/4**
Spatially and Spectrally Resolved Cathodoluminescence of Hot-Filament Chemical-Vapor-Deposited Diamond Particles.
AD-A237 128/4 100,248 PC A03/MF A01
- AD-A238 415/4**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(-).
AD-A238 415/4 100,249 Not available NTIS
- AD-A239 509/3**
Influence of Moisture and Pressure on the Mechanical Properties of a Glass-Epoxy Matrix Composite and a Graphite-Epoxy Matrix Composite.
AD-A239 509/3 101,114 PC A03/MF A01
- AD-A239 715/6**
Ada Compiler Validation Summary Report: Certificate Number: 910510S1.11161 UNISYS Corporation, UCS Ada, Version 1R1, 2200/600 (Host and Target). Revision.
AD-A239 715/6 100,616 PC A06/MF A02
- AD-A239 729/7**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO₂(+), C2O₂(+), and C2O₂(-).
AD-A239 729/7 100,250 Not available NTIS
- AD-A240 511/6**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11179 U.S. Navy Ada/M, Version 4.0 (OPTIMIZE) VAX 11/785 = > AN/UYK-14 (Bare Board).
AD-A240 511/6 100,617 PC A05/MF A01
- AD-A240 512/4**
Ada Compiler Validation Summary Report: Certificate Number: 910705S1.11192 InterAct Corporation InterAct Ada Mips Cross-Compiler System, Release 2.0 MicroVAX 3100 Cluster = > Lockheed Sanders STAR MVP R3000/R3010 board (Bare Machine).
AD-A240 512/4 100,618 PC A04/MF A01
- AD-A240 610/6**
Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11158 DDC International A/S, DACS VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1, VAX 8530 (Host) to Tadpole Technology PLC TP860M (Bare Board) (Target).
AD-A240 610/6 100,619 PC A03/MF A01
- AD-A240 611/4**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11176 U.S. Navy, Ada/L, Version 4.0 (/Optimize), VAX 11/785 (Host) to AN/UYJ-43 (Single CPU) (Bare Board) (Target).
AD-A240 611/4 100,620 PC A05/MF A01
- AD-A240 612/2**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11174 U.S. Navy, Ada/M, Version 4.0 (/Optimize), VAX 8550, Running VAX/VMS Version 5.3 (Host) to AN/UYK-44 (EMR) (Bare Board) (Target).
AD-A240 612/2 100,621 PC A05/MF A01
- AD-A240 613/0**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11175 U.S. Navy Ada/M, Version 4.0 (/Optimize), VAX 8550 (Host) to AN/AYK-14 (Bare Board) (Target).
AD-A240 613/0 100,622 PC A05/MF A01
- AD-A240 762/5**
Ada Compiler Validation Summary Report: Certificate Number: 910705S1.11191, InterACT Corporation InterACT Ada 1750A Compiler System, Release 3.5, MicroVAX 3100 Cluster = > InterACT MIL-STD-1750A Instruction Set Architecture Simulator, Release 2.3 (Bare Machine).
AD-A240 762/5 100,623 PC A04/MF A01
- AD-A240 763/3**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11178, U.S. Navy Ada/M, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-44 (EMR) (Bare Board).
AD-A240 763/3 100,624 PC A05/MF A01
- AD-A240 783/1**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11173 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 855 = AN/UYK-43 (EMR) (Bare Board).
AD-A240 783/1 100,625 PC A05/MF A01
- AD-A240 784/9**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11172 U.S. Navy Ada/L, Version 4.0 (/Optimize) VAX 8550 = AN/UYK-43 (Single CPU) (Bare Board).
AD-A240 784/9 100,626 PC A05/MF A01
- AD-A240 785/6**
Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11159 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC-MODE) Sun-3/50 = Motorola MVME143 Board (68030/68882).
AD-A240 785/6 100,627 PC A03/MF A01
- AD-A240 849/0**
Ada Compiler Validation Summary Report: Certificate Number: 910502S1.11160 DDC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE MODE) Sun-3/50 = Motorola MVME143 Board (68030/68882).
AD-A240 849/0 100,628 PC A03/MF A01
- AD-A240 850/8**
Ada Compiler Validation Summary Report: Certificate Number: 910626S1.11177 U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) VAX 11/785 = > AN/UYK-43 (EMR) (Bare Board).
AD-A240 850/8 100,629 PC A05/MF A01
- AD-A242 029/7**
Liquid and Solid Ion Plasmas.
AD-A242 029/7 101,592 PC A02/MF A01
- AD-A242 030/5**
Cooled Ion Frequency Standard.
AD-A242 030/5 101,593 PC A02/MF A01
- AD-A242 268/1**
Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11163 U.S. Navy, AdaVAX, Version 5.0, (/NO OPTIMIZE) VAX 8350 (Host and Target).
AD-A242 268/1 100,630 PC A08/MF A02
- AD-A242 269/9**
Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11162 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE) VAX 8600 (Host and Target).
AD-A242 269/9 100,631 PC A05/MF A01
- AD-A242 270/7**
Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11165 U.S. Navy, AdaVAX, Version 5.0 (/NO-OPTIMIZE), VAX 11/785 (Host and Target).
AD-A242 270/7 100,632 PC A04/MF A01
- AD-A242 273/1**
Ada Compiler Validation Summary Report: Certificate Number: 910517S1.11164 U.S. Navy, AdaVAX, Version 5.0, (/OPTIMIZE), VAX11/785 (Host and Target).
AD-A242 273/1 100,633 PC A04/MF A01
- AD-A242 609/6**
Ada Compiler Validation Summary Report: Certificate Number: 910918S1.11216, NEC Corporation, NEC Ada Compiler System for EWS-UX/V (Rel 4.0), Version Release 2.1(4.6) EWS4800/220 = EWS4800/220.
AD-A242 609/6 100,634 PC A05/MF A01
- AD-A242 816/7**
Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877 PC A03/MF A01
- AD-A242 896/9**
Ada Compiler Validation Summary Report: Certificate Number: 911025S1.11226, Digital Equipment Corporation DEC Ada, Version 1.0 DECstation 5000 Model 200 = > DECstation 5000 Model 200.
AD-A242 896/9 100,635 PC A04/MF A01
- AD-A242 956/1**
Aluminum Alloys for ALS Cryogenic Tanks: Comparative Measurements of Cryogenic Mechanical Properties of Al-Li Alloys and Alloy 2219.
AD-A242 956/1 101,204 PC A07/MF A02
- AD-A243 049/4**
Strength and Microstructure of Ceramics.
AD-A243 049/4 101,056 PC A08/MF A02
- AD-A243 093/2**
High Resolution Electron Microscopy of Diamond Film Growth Defects and their Interactions.
AD-A243 093/2 101,449 PC A03/MF A01
- AD-A243 094/0**
Determination of the Optical Constants of Thin Chemical-Vapor-Deposited Diamond Windows from 0.5 to 6.5 eV.
AD-A243 094/0 100,215 PC A03/MF A01
- AD-A243 095/7**
Chemical Vapor Deposited Diamond.
AD-A243 095/7 101,106 PC A03/MF A01
- AD-A243 096/5**
Transmission Electron Microscopy of the CVD Diamond Film/Substrate Interface.
AD-A243 096/5 101,450 PC A03/MF A01
- AD-A243 097/3**
Use of Diamond as an Optical Material.
AD-A243 097/3 101,401 PC A03/MF A01
- AD-A243 170/8**
CID Spectra of Selected Target Molecules.
AD-A243 170/8 100,180 PC A04/MF A01
- AD-A243 220/1**
Spatially and Spectrally Resolved Cathodoluminescence Measurements of CVD-Grown Diamond Particles and Films.
AD-A243 220/1 101,451 PC A03/MF A01
- AFESC/ESL-TR-88-71**
CID Spectra of Selected Target Molecules.
AD-A243 170/8 100,180 PC A04/MF A01
- AFESC/ESL-TR-90-43**
Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels.
AD-A242 816/7 100,877 PC A03/MF A01
- AFOSR-TR-91-0447**
Thermodynamic and Kinetic Stability of Refractory Materials at Ultra-High Temperatures.
AD-A235 490/0 100,246 PC A03/MF A01
- AFOSR-TR-91-0892**
Strength and Microstructure of Ceramics.
AD-A243 049/4 101,056 PC A08/MF A02
- AL-TR-90-063-VOL-1**
Aluminum Alloys for Cryogenic Tanks: Oxygen Compatibility. Volume 1.
AD-A229 229/0 101,201 PC A10/MF A02
- AL-TR-90-064**
Review of Cryogenic Mechanical and Thermal Properties of Al-Li Alloys and Alloy 2219.
AD-A229 231/6 101,202 PC A09/MF A02
- AL-TR-90-063-VOL-2**
Aluminum Alloys for ALS Cryogenic Tanks: Oxygen Compatibility. Volume 2.
AD-A231 830/1 101,203 PC A07/MF A01
- ARO-25664.2-CH**
Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon.
AD-A234 043/8 100,245 PC A03/MF A01
- ARO-25664.4-CH**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. III. N₄(+).
AD-A228 082/4 100,243 PC A02/MF A01
- ARO-25664.7-CH**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. IV. NO₄(+), NO₄(-), ONNO₄(+), and ONNO₄(-).
AD-A230 957/3 100,244 PC A03/MF A01
- ARO-25664.9-CH**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(-).
AD-A238 415/4 100,249 Not available NTIS
- ARO-25664.10-CH**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 7. CO₂(+), C2O₂(+), and C2O₂(-).
AD-A239 729/7 100,250 Not available NTIS
- ARO-25911.1-CH**
Laser Photolysis of Trimethylgallium at 193 nm: Quantum Yields for Methyl Radical and Ethane Production.
AD-A227 868/7 100,234 PC A02/MF A01
- ARO-25911.2-CH**
Scattered Light and Other Corrections in Absorption Coefficient Measurements in the Vacuum Ultraviolet: A Systems Approach.
AD-A227 869/5 100,179 PC A02/MF A01
- ARO-25911.3-CH**
Photomultiplier Housing for Vacuum Operation of Side-on IP28-Tube Tubes.
AD-A227 836/4 100,744 PC A01/MF A01
- AVF-NIST90DEC505-1-1.11**
Ada Compiler Validation Summary Report: Certificate Number: 901109S1.11053, Digital Equipment Corporation VAX Ada, Version 2.2 VAX 8800 = > VAX 8800.

NTIS ORDER/REPORT NUMBER INDEX

NIST/SP-500-183 3

AD-A233 961/2	100,607	PC A04/MF A01	FIPS PUB 161	100,677	PC A02	NIST/GCR-91/600	Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System.	101,358	PC A05/MF A01
CONF-890701-30			FIPS SET 1991			PB92-112432			
Integrity tests for high-(Tc) and conventional critical-current measurements systems.			Federal Information Processing Standards Publication.			PB92-112432			
DE91016275	101,452	PC A03/MF A01	FIPS SET 1991	100,680	PC\$2300.00	PB92-112556			
CONF-890701-31			N91-20208/5						
Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.			High T(sub C) Superconductors: Are They Magnetic.	101,453					
DE91016274	101,205	PC A03/MF A01	N91-20208/5	(Order as N91-20207/7, PC A05/MF A01)					
DE91002169			N91-20218/4						
Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.			Low Carbon Steel: Metallurgical Structure vs. Mechanical Properties.	101,144					
DE91002169	100,785	PC A03/MF A01	N91-20218/4	(Order as N91-20207/7, PC A05/MF A01)					
DE91007688			N91-20219/2						
Advanced sensor development program for the pulp and paper industry. Final report.			Kelvin Water-Drop Experiment.	100,900					
DE91007688	101,248	PC A05/MF A01	N91-20219/2	(Order as N91-20207/7, PC A05/MF A01)					
DE91012660			N91-21347/0						
Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).			Dynamic Technique for Measuring Surface Tension at High Temperatures in Microgravity Environment.	101,206					
DE91012660	101,384	PC A03/MF A01	N91-21347/0	(Order as N91-21331/4, PC A24/MF A03)					
DE91016274			N91-21361/1						
Guideline for Nb(sub 3)Sn critical current measurements using fiberglass-epoxy composite sample mandrels.			High-Speed Spatial (Linear) Scanning Pyrometer: A Tool for Diagnostics, Temperature Mapping, and Property Determinations at High Temperatures.	100,924					
DE91016275	101,205	PC A03/MF A01	N91-21361/1	(Order as N91-21331/4, PC A24/MF A03)					
DE91016275			N91-25760/0						
Integrity tests for high-(Tc) and conventional critical-current measurements systems.			Trapped-Ion Frequency Standards.	100,575					
DE91016275	101,452	PC A03/MF A01	N91-25760/0	(Order as N91-25755/0, PC A99/MF A04)					
DE91018580			N91-25766/7						
Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987-December 1989.			GPS Time Transfer with Implementation of Selective Availability.	100,576					
DE91018580	100,915	PC A09/MF A02	N91-25766/7	(Order as N91-25755/0, PC A99/MF A04)					
DOE/CE/40637-T9			N91-25793/1						
Fundamental studies of black liquor combustion. Report No. 4, Phases, 2, 3, and 4: Final report, December 1987-December 1989.			Synchronizing Computer Clocks Using a Local Area Network.	100,596					
DE91018580	100,915	PC A09/MF A02	N91-25793/1	(Order as N91-25755/0, PC A99/MF A04)					
DOE/CE/40748-T1			N91-25797/2						
Advanced sensor development program for the pulp and paper industry. Final report.			Environmental Sensitivities of Quartz Crystal Oscillators.	100,778					
DE91007688	101,248	PC A05/MF A01	N91-25797/2	(Order as N91-25755/0, PC A99/MF A04)					
DOE/ER/13992-T1			NASA-CR-187115						
Integrated theoretical and experimental study of the thermophysical properties of fluid mixtures. Progress report (February 1990-February 1991).			Material Flammability Test Assessment for Space Station Freedom.	101,735	PC A05/MF A01				
DE91012660	101,384	PC A03/MF A01	PB91-216606						
FIPS PUB 9-1			NIST/DF/VD-91/003						
Congressional Districts of the United States. Category: Federal General Data Standard, Representations and Codes.			DARPA Air Travel Information System (ATISO) Speaker-Dependent Training Data (on CD-ROM).	100,594	CD-ROM\$1200.00				
FIPS PUB 9-1	100,679	PC A02/MF A01	PB91-505370						
FIPS PUB 11-3			NIST/DF/VD-91/015						
Guideline: American National Dictionary for Information Systems. Category: Software; Subcategory: Documentation.			Road Rally Conversational Speech Corpora (on CD-ROM).	100,595	CD-ROM\$500.00				
FIPS PUB 11-3	100,956	PC E14	PB91-509802						
FIPS PUB 54-1			NIST/GCR-90/581						
Computer Output Microform (COM) Formats and Reduction Ratios, 16MM and 105MM. Category: Hardware Standard; Subcategory: Media.			Investigation of Simulated Oil-Well Blowout Fires.	101,356	PC A05/MF A01				
FIPS PUB 54-1	100,678	PC E18	PB91-144337						
FIPS PUB 100-1			NIST/GCR-90/582						
Interface between Data Terminal Equipment (DTE) and Data Circuit-Terminating Equipment (DCE) for Operation with Packet-Switched Data Networks (PSDN), or between Two DTEs, by Dedicated Circuit. Category: Hardware Standard. Subcategory: Data Transmission.			Ceiling Jet in Fires.	100,114	PC A04/MF A01				
FIPS PUB 100-1	100,672	PC A03	PB91-167197						
FIPS PUB 120-1			NIST/GCR-90/584						
Graphical Kernel System (GKS). Category: Software Standard; Subcategory: Graphics.			Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990).	100,094	PC A04/MF A01				
FIPS PUB 120-1	100,673	PC E15	PB91-143297						
FIPS PUB 120-1A			NIST/GCR-90/585						
Graphical Kernel System (GKS). Pascal Binding; Category: Software Standard; Subcategory: Graphics.			Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments.	100,542	PC A12/MF A02				
FIPS PUB 120-1A	100,636	PC E09	PB91-157180						
FIPS PUB 120-1B			NIST/GCR-90/586						
Graphical Kernel System (GKS). Ada Binding; Category: Software Standard; Subcategory: Graphics.			Fire Propagation in Concurrent Flows.	100,543	PC A07/MF A01				
FIPS PUB 120-1B	100,674	PC E12	PB91-157206						
FIPS PUB 146-1			NIST/GCR-91/589						
Government Open Systems Interconnection Profile (GOSIP). Category: Hardware and Software Standards; Subcategory: Computer Network Protocols.			Technical Reference and User's Guide for FAST/FFM Version 3.	100,086	PC A08/MF A01				
FIPS PUB 146-1	100,675	PC A05/MF A01	PB91-206664						
FIPS PUB 159			NIST/GCR-91/590						
Detail Specification for 62.5-mum Core Diameter/125-mum Cladding Diameter Class Ia Multimode, Graded-Index Optical Waveguide Fibers.			Sprinkler/Hot Layer Interaction.	100,129	PC A04/MF A01				
FIPS PUB 159	100,562	PC E07	PB91-206680						
FIPS PUB 160			NIST/GCR-91/591						
American National Standard for C. Category: Software Standard. Subcategory: Programming Language.			Estimated Impact of the Center for Fire Research Program on the Costs of Fire.	100,161	PC A05/MF A01				
FIPS PUB 160	100,676	PC E15	PB91-217422						
FIPS PUB 161			NIST/GCR-91/592						
Electronic Data Interchange (EDI). Category: Software Standard. Subcategory: Electronic Data Interchange.			First Pass at Computing the Cost of Fire Safety in a Modern Society.	101,730	PC A04/MF A01				
			PB91-216796						
			NIST/GCR-91/593-1						
			Opportunities for Innovation: Chemical and Biological Sensors.	100,214	Not available NTIS				
			PB92-127315						

NTIS ORDER/REPORT NUMBER INDEX

NIST/SP-500/183SUPPL1

Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement).
PB91-197004 100,691 PC A11/MF A02

NIST/SP-500/184

Functional Benchmarks for Fourth Generation Languages.
PB91-167387 100,644 PC A04/MF A01

NIST/SP-500/185

Guide to Design, Implementation and Management of Distributed Databases.
PB91-187567 100,648 PC A04/MF A01

NIST/SP-500/186

Issues in Transparent File Access.
PB91-187831 100,569 PC A05/MF A01

NIST/SP-500/187

Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.
PB91-201004 100,692 PC A05/MF A01

NIST/SP-500/188

Guide to Expert System Building Tools for Microcomputers.
PB92-108893 100,715 PC A08/MF A02

NIST/SP-500/189

Security in ISDN.
PB92-116391 100,718 PC A05/MF A01

NIST/SP-500/190

Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD. on January 22-23, 1991.
PB92-109040 100,667 PC A03/MF A01

NIST/SP-500/191

Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media).
PB92-116409 100,605 PC A05/MF A01

NIST/SP-500/192

Government Open Systems Interconnection Profile Users' Guide, Version 2.
PB92-119676 100,696 PC A08/MF A02

NIST/SP-500/193

Software Reengineering: A Case Study and Lessons Learned.
PB92-116417 100,669 PC A03/MF A01

NIST/SP-500/194

ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side.
PB92-102201 100,572 PC A05/MF A01

NIST/SP-500/195

North American ISDN Users' Forum Agreements on Integrated Services Digital Network.
PB92-102219 100,573 PC A08/MF A02

NIST/SP-500/196

Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699 PC A05/MF A01

NIST/SP-500/197

Guide to Schema and Schema Extensibility.
PB92-126556 100,955 PC A03/MF A01

NIST/SP-500/198

Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems.
PB92-123124 100,606 PC A05/MF A01

NIST/SP-500/199

3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks.
PB92-126549 101,381 PC A04/MF A01

NIST/SP-730

NBS-INA. The Institute for Numerical Analysis. UCLA 1947-1954.
PB92-112408 101,264 PC A09/MF A02

NIST/SP-777

NIST Serial Holdings, 1991.
PB91-171330 100,960 PC A12/MF A02

NIST/SP-782

NIST Standard Reference Data Products 1991 Catalog.
PB91-167312 100,952 PC A04/MF A01

NIST/SP-790-VOL-1

National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts.
PB91-136507 100,957 PC A99/MF A99

NIST/SP-790-VOL-2

National Bureau of Standards Publications 1977-1987. Volume 2. Indexes.
PB91-136515 100,958 PC A99/MF A99

NIST/SP-792

Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403 PC A10/MF A02

NIST/SP-798

Users Guide for RAPID, Version 2.3.
PB91-167403 100,999 PC A06/MF A01

NIST/SP-800/1

Bibliography of Selected Computer Security Publications,

January 1980-October 1989.

PB91-148486 100,704 PC A09/MF A02

NIST/SP-800/2

Public-Key Cryptography. Computer Security.
PB91-187864 100,708 PC A08/MF A01

NIST/SP-800/3

Establishing a Computer Security Incident Response Capability (CSIRC).
PB92-123140 100,720 PC A03/MF A01

NIST/SP-801

Laser Induced Damage in Optical Materials: 1989.
PB91-148478 101,409 PC A99/MF A04

NIST/SP-802

Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.
PB91-185116 101,121 PC A09/MF A01

NIST/SP-803

Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).
PB91-148494 100,959 PC A03/MF A01

NIST/SP-804

Chemistry of Electronic Ceramic Materials.
PB91-178822 101,500 PC A23/MF A03

NIST/SP-805

Uncertainty and Accuracy in Physical Measurements.
PB91-167205 101,629 PC A03/MF A01

NIST/SP-806

Standards Activities of Organizations in the United States.
PB91-177774 100,004 PC A99/MF A04

NIST/SP-807

U.S. Assessment of the New Diamond Technology in Japan.
PB91-167395 101,107 PC A05/MF A01

NIST/SP-808

Directory of Federal Government Laboratory Accreditation/Designation Programs.
PB91-167379 100,005 PC A06/MF A01

NIST/SP-809

NIST Research Reports, March 1991.
PB91-167559 100,007 PC A03/MF A01

NIST/SP-810

Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
PB91-222646 100,934 PC A08/MF A02

NIST/SP-811

Guide for the Use of the International System of Units: The Modernized Metric System.
PB92-116383 100,962 PC A03/MF A01

NIST/SP-812

Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
PB92-112481 101,721 PC A04/MF A01

NIST/SP-813

ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD. on July 15-18, 1991.
PB91-216838 100,552 PC A99/MF E08

NIST/SP-814

Interpretation of the SI for the United States and Metric Conversion Policy for Federal Agencies.
PB92-126572 101,729 PC A03/MF A01

NIST/SP-815

Directory of State and Local Government Laboratory Accreditation/Designation Programs.
PB92-108968 100,174 PC A05/MF A01

NIST/SP-816

Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991.
PB92-112465 101,024 PC A16/MF A03

NIST/SP-817

Research. Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012 PC A05/MF A01

NIST/SP-818

Data Bases Available in the Research Information Center of the National Institute of Standards and Technology.
PB92-109016 100,954 PC A07/MF A02

NIST/SP-819

Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers.
PB92-109024 100,935 PC A03/MF A01

NIST/SP-820

Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.
PB92-116425 100,152 PC A99/MF A06

NIST/SP-822

National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253 PC A15/MF A03

NIST/SP-826

High-Temperature Superconductivity: Abstracts of NIST

Publications, 1987-1991.

PB92-126564 101,105 PC A05/MF A01

NIST/SW/DK-91/007A

Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual.
PB91-167700 100,978 PC A04/MF A01

NIST/SW/DK-91/009A

Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual.
PB91-167700 100,978 PC A04/MF A01

NIST/SW/DK-91/012

MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers).
PB91-507707 100,661 CP D99

NIST/SW/DK-91/013

Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers).
PB91-507970 100,898 CP D02

NIST/SW/MT-91/011

MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991.
PB91-507699 100,660 CP T99

OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0).
PB91-507954 101,278 CP T06

NIST/SW/MT-91/012

OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0.
PB91-507962 101,279 CP T06

NIST/SW/MT-91/013

MUMPS Validation Suite, Version 7.6 (ANSI), 1991.
PB91-507715 100,662 CP T99

NIST/SW/MT-91/014

MUMPS Validation Suite, Version 7.6 (TAR), 1991.
PB91-507723 100,663 CP T99

NIST/TN-1282

Refinement of a Model for Fire Growth and Smoke Transport.
PB91-148510 100,104 PC A04/MF A01

NIST/TN-1283

Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport.
PB91-144436 100,096 PC A06/MF A01

NIST/TN-1284

Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity.
PB91-167270 100,156 PC A06/MF A01

NIST/TN-1285

NIST Reactor: Summary of Activities July 1989 through June 1990.
PB91-159772 101,488 PC A05/MF A01

NIST/TN-1286

Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.
PB92-116359 100,914 PC A07/MF A02

NIST/TN-1287

High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB92-109008 101,562 PC A08/MF A02

NIST/TN-1288

Video Processing with the Princeton Engine at NIST.
PB92-108950 100,604 PC A04/MF A01

NIST/TN-1289

NIST X-Ray Photoelectron Spectroscopy (XPS) Database.
PB92-123157 100,465 PC A04/MF A01

NIST/TN-1290

NIST*LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version.
PB92-108877 101,561 PC A03/MF A01

NIST/TN-1340

Strategy for Chemical Analysis of Alternative Refrigerants.
PB91-148502 100,185 PC A06/MF A01

NIST/TN-1341

Transmission/Reflection and Short-Circuit Line Permittivity Measurements.
PB91-171959 100,848 PC A08/MF A01

NIST/TN-1343

Analytical Model for the Refrigeration Power of the Orifice Pulse Tube Refrigerator.
PB91-187534 101,048 PC A05/MF A01

NIST/TN-1347

NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.
PB91-185124 100,726 PC A03/MF A01

NTIS ORDER/REPORT NUMBER INDEX

NISTIR-4473

NISTIR-85/3273-6 Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709. PB92-112515 100,899 PC A04/MF A01	PB91-194472 100,369 PC A04/MF A01	PB91-132225 101,207 PC A07/MF A01
NISTIR-88/3801-1 ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition). PB91-167155 100,064 PC A03/MF A01	NISTIR-3963 Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code. PB91-222679 101,395 PC A03/MF A01	NISTIR-4407 NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series. PB91-157164 100,964 PC A04/MF A01
NISTIR-88-3884 Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures. PB92-112226 101,739 PC A05/MF A01	NISTIR-3964 Continuous-Cooling Transformation Characteristics and High-Temperature Flow Behavior of a Microalloyed SAE 1141 Steel. PB91-187856 101,155 PC A03/MF A01	NISTIR-4424 Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus. PB91-157172 100,106 PC A03/MF A01
NISTIR-89/3916-REV Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain. PB92-123132 100,587 PC A03/MF A01	NISTIR-3965 Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction. PB91-194464 101,050 PC A05/MF A01	NISTIR-4425 Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations. PB91-159731 100,110 PC A03/MF A01
NISTIR-89-4169-REV Use of the IRDS Standard in CALS (Revised). PB91-132209 100,684 PC A03/MF A01	NISTIR-3967 Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22. PB91-222651 101,742 PC A04/MF A01	NISTIR-4429 Measurement and Evaluation of Lighting/HVAC Interaction. PB91-206706 100,892 PC A04/MF A01
NISTIR-90/3936 Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate. PB91-144410 100,890 PC A03/MF A01	NISTIR-3968 Residual Stress Detection in Railroad Wheels: An Ultrasonic System: Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23. PB91-222653 101,741 PC A03/MF A01	NISTIR-4436 Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries. PB91-240754 100,659 PC A03/MF A01
NISTIR-90/4238 VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0. PB91-185108 100,647 PC A04/MF A01	NISTIR-3969 Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants. PB92-112366 101,198 PC A05/MF A01	NISTIR-4439 FPETOOOL User's Guide. PB92-108919 100,134 PC A03/MF A01
NISTIR-90/4248 Proposed Design Criteria for Shallow Bridge Foundations. PB91-187849 100,534 PC A04/MF A01	NISTIR-3970 Personal Computer Codes for Analysis of Planar Near Fields. PB92-112283 100,730 PC A04/MF A01	NISTIR-4441 Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam. PB91-132167 101,140 PC A03/MF A01
NISTIR-90/4255 Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual. PB92-112457 101,350 PC A21/MF A04	NISTIR-3972 Metrology for Electromagnetic Technology: A Bibliography of NIST Publications. PB92-116375 100,867 PC A04/MF A01	NISTIR-4444 Canadian Mass Fire Experiment, 1989. PB91-143305 101,352 PC A04/MF A01
NISTIR-90/4256 Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual. PB92-112440 101,349 PC A99/MF A06	NISTIR-3973 Bibliography of the NIST Electromagnetic Fields Division Publications. PB92-116367 100,866 PC A06/MF A02	NISTIR-4448 Working Implementation Agreements for Open Systems Interconnection Protocols. PB91-144444 100,686 PC A99/MF A04
NISTIR-90-4294 Mathematical Modeling of Enclosure Fires. PB92-108976 100,135 PC A03/MF A01	NISTIR-3975 Magnetic Measurements for High Energy Physics Applications. PB92-112358 101,720 PC A04/MF A01	NISTIR-4449 Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989. PB92-109164 100,166 PC A16/MF A03
NISTIR-90/4395 Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991). PB91-143339 101,008 PC A05/MF A01	NISTIR-3980 Oxides and Oxide Superconductors: Elastic and Related Properties. PB92-112333 101,563 PC A05/MF A02	NISTIR-4455 Computational Models Developed for the Corrosion of Prestressing Steel. PB91-167304 100,115 PC A03/MF A01
NISTIR-3945 Bibliography of the NIST Electromagnetic Fields Division Publications. PB91-132241 100,832 PC A06/MF A01	NISTIR-3982 Quantifying Standard Performance of Electromagnetic-Based Mine Detectors. PB92-116292 101,378 PC A09/MF A02	NISTIR-4456 Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results. PB91-143313 101,181 PC A03/MF A01
NISTIR-3946 Metrology for Electromagnetic Technology: A Bibliography of NIST Publications. PB91-132266 100,833 PC A04/MF A01	NISTIR-4315 Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management. PB91-178889 101,342 PC A12/MF A02	NISTIR-4459 Concept of the Calculus of Fire Safety. PB91-132134 100,093 PC A03/MF A01
NISTIR-3947 Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen. PB91-144428 100,536 PC A04/MF A01	NISTIR-4316 Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC. PB91-178897 101,343 PC A21/MF A03	NISTIR-4461 Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990. PB91-132191 101,115 PC A05/MF A01
NISTIR-3948 Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler. PB91-144402 100,483 PC A05/MF A01	NISTIR-4317 Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 3 of 3. CGM Registration. PB91-178905 101,344 PC A08/MF A01	NISTIR-4463 Short-Term Evolution for the Flight Telerobotic Servicer. PB91-144352 101,731 PC A04/MF A01
NISTIR-3950 Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research. PB91-132282 100,925 PC A04/MF A01	NISTIR-4326 Modern Test Methods for Flammability. PB91-167676 100,116 PC A03/MF A01	NISTIR-4464 Using the Harvard/NIST Mark VI Fire Simulation. PB91-144394 100,095 PC A03/MF A01
NISTIR-3951 Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989. PB92-116326 100,454 PC A03/MF A01	NISTIR-4335/REV NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised). PB91-132159 100,682 PC A03/MF A01	NISTIR-4465 Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990. PB91-143321 100,522 PC A04/MF A01
NISTIR-3952 Study of Static and Dynamic Fracture Using Strain Measurements. PB91-132217 101,574 PC A09/MF A01	NISTIR-4351/REV NIST Working Form for STEP: National PDES Testbed Report Series (Revised). PB91-132183 100,683 PC A03/MF A01	NISTIR-4468 Software and Computer Integrated Manufacturing. PB91-132142 100,972 PC A03/MF A01
NISTIR-3954 Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium. PB91-143347 100,722 PC A03/MF A01	NISTIR-4353/REV NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised). PB91-144378 100,998 PC A03/MF A01	NISTIR-4469 Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels. PB92-108927 100,887 PC A03/MF A01
NISTIR-3955 Spherical Near-Field Scanning: Experimental and Theoretical Studies. PB91-132274 100,723 PC A07/MF A01	NISTIR-4371-REV Fed-X: The NIST Express Translator. Revised, November 1990. PB91-132126 100,681 PC A03/MF A01	NISTIR-4470 Overview of the Product Data HyperStandard CD-ROM Prototype. PB91-132258 101,380 PC A03/MF A01
NISTIR-3959 Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas. PB91-184804 101,734 PC A05/MF A01	NISTIR-4394 Institute for Materials Science and Engineering, Ceramics: Technical Activities 1990. PB91-132233 101,057 PC A08/MF A01	NISTIR-4471 TROJ User's Guide. PB91-157214 101,026 PC A03/MF A01
NISTIR-3960 Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks. PB91-184747 101,153 PC A03/MF A01	NISTIR-4396 Polymers: Technical Activities 1990. PB91-159715 100,488 PC A07/MF A01	NISTIR-4472 Computer Program for Simulation of HVAC/Lighting Interactions. Initial Report. PB91-144386 100,889 PC A05/MF A01
NISTIR-3961 Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon.	NISTIR-4397 Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.	NISTIR-4473 Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer. PB91-148528 100,524 PC A03/MF A01

NTIS ORDER/REPORT NUMBER INDEX

NISTIR-4474 Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation. PB91-144345 101,182 PC A03/MF A01	NISTIR-4508 National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series. PB91-159756 100,951 PC A02/MF A01	NISTIR-4548 Conformity Assessment Workshop on Pressure Vessels. PB91-192997 101,049 PC A06/MF A01
NISTIR-4475 Guide to Available Mathematical Software Problem Classification System. PB91-132175 101,282 PC A03/MF A01	NISTIR-4509 Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms. PB91-167221 101,016 PC A03/MF A01	NISTIR-4543 Automan 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual. PB91-167700 100,978 PC A04/MF A01
NISTIR-4476 New Approach to Vision and Control for Road Following. PB91-157156 101,743 PC A03/MF A01	NISTIR-4510 Robot Characterization Testing. PB91-167361 101,030 PC A03/MF A01	NISTIR-4545 Computer Security: Selected Articles. PB91-187740 100,706 PC A03/MF A01
NISTIR-4478 Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS). PB91-185090 101,732 PC A06/MF A01	NISTIR-4511 Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures. PB91-167239 100,144 PC A03/MF A01	NISTIR-4546 Intelligent Building Technology in Japan. PB91-187757 100,071 PC A04/MF A01
NISTIR-4480 Assembly Code to Compute Sine and Cosine Using the Cordic Algorithm. PB91-143289 100,638 PC A03/MF A01	NISTIR-4512 Review of Research Literature on Masonry Shear Walls. PB91-167189 100,113 PC A05/MF A01	NISTIR-4547 Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile. PB91-184812 101,345 PC A03/MF A01
NISTIR-4481 NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual. PB91-159764 100,154 PC A04/MF A01	NISTIR-4513 DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual. PB91-167288 100,897 PC A03/MF A01	NISTIR-4549 Chloride Ion Diffusion in Low Water-to-Solid Cement Pastes. PB91-187690 101,138 PC A03/MF A01
NISTIR-4482 Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem. PB91-144360 101,604 PC A03/MF A01	NISTIR-4514 Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites. PB91-222612 100,510 PC A07/MF A02	NISTIR-4550 Stopping Power of Fast Charged Particles in Heavy Elements. PB91-194399 101,660 PC A04/MF A01
NISTIR-4484 Multimedia Courseware in an Open Systems Environment: A Federal Strategy. PB91-143362 100,039 PC A04/MF A01	NISTIR-4515 Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects. UNR. Held in Gaithersburg, MD., USA, on May 12-14, 1990. PB91-184846 100,145 PC A14/MF A02	NISTIR-4552 AMRF Composites Fabrication Workstation: A Test Methodology to Measure the Quality of Thermoplastic Composite Parts. PB91-187765 101,017 PC A03/MF A01
NISTIR-4485 Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables. PB91-222687 101,369 PC A10/MF A03	NISTIR-4516 Characterization of Field Concrete. PB91-178863 100,528 PC A03/MF A01	NISTIR-4553 Technical Activities 1990, Electron and Optical Physics Division. PB91-194423 101,662 PC A04/MF A01
NISTIR-4488 Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada. PB91-157198 100,641 PC A07/MF A01	NISTIR-4518 National Aeronautics and Space Administration's (NASA) Automated Information Security Handbook. PB91-187781 100,707 PC A06/MF A01	NISTIR-4554 Convergence Properties of a Class of Rank-Two Updates. PB91-187799 101,260 PC A03/MF A01
NISTIR-4491 STEP On-Line Information Service User's Guide. National PDES Testbed Report Series. PB91-157123 100,950 PC A03/MF A01	NISTIR-4519 Engineering Design Laboratory Guide. PB91-167320 100,977 PC A03/MF A01	NISTIR-4555 Model for the Non-Perturbative OCD (Quantum Chromodynamics) Vacuum. PB91-194407 101,661 PC A03/MF A01
NISTIR-4492 National Computer Systems Laboratory Annual Report, 1990. PB91-201822 100,603 PC A05/MF A01	NISTIR-4523 Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment. PB91-167353 100,905 PC A03/MF A01	NISTIR-4556 Interior-Point Method for Linear and Quadratic Programming Problems. PB91-187815 101,269 PC A03/MF A01
NISTIR-4494 SOL3 Support for CALS Applications. PB91-167262 100,965 PC A03/MF A01	NISTIR-4524 Raster Graphics Conformance Testing. PB91-167296 101,341 PC A04/MF A01	NISTIR-4557 Programming Languages and Database Language SOL. Validated Processor List Including GOSIP Conformance Testing Registers. PB91-187716 100,649 PC A04/MF A01
NISTIR-4495 Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e,alpha) Reaction. PB91-216812 101,705 PC A04/MF A01	NISTIR-4525 FIREDOC Users Manual, 2nd Edition. PB91-178830 100,547 PC A03/MF A01	NISTIR-4559 GATT Standards Code Activities of the National Institute of Standards and Technology 1990. PB91-187823 100,177 PC A04/MF A01
NISTIR-4496 Center for Electronics and Electrical Engineering Technical Progress Bulletin Covering Center Programs, July to September 1990, with 1991 CEE Events Calendar. PB91-159749 100,801 PC A03/MF A01	NISTIR-4528 STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules. PB91-184788 100,966 PC A03/MF A01	NISTIR-4560 Government Document Processing Requirements Report. PB91-187773 100,574 PC A03/MF A01
NISTIR-4497 Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions. PB91-184838 101,154 PC A03/MF A01	NISTIR-4529 Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol. PB91-184796 101,374 PC A03/MF A01	NISTIR-4562 Building and Fire Research Laboratory Publications, 1990. PB91-187807 100,122 PC A04/MF A01
NISTIR-4499 Experimental Study of Top Vented Compartment Fires. PB91-167254 100,155 PC A03/MF A01	NISTIR-4530 Validation of an OSI Transport Class 4 Simulator. PB91-187724 100,568 PC A03/MF A01	NISTIR-4563 Draft Abstract Test Suite for Determining Conformance to the BACnet Protocol. PB91-187732 100,070 PC A06/MF A01
NISTIR-4501 Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel. PB91-167346 101,150 PC A03/MF A01	NISTIR-4531 Intercomparison Study of Rockwell Hardness Test Blocks. PB91-167338 101,224 PC A04/MF A01	NISTIR-4564 Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation. PB91-194456 100,499 PC A03/MF A01
NISTIR-4502 Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel. PB91-167171 101,149 PC A03/MF A01	NISTIR-4532 Visibility of Exit Directional Indicators. PB91-184762 101,000 PC A03/MF A01	NISTIR-4567 Tiled Raster Graphics and MIL-R-28002A: A Tutorial and Implementation Guide. PB91-187708 101,346 PC A06/MF A01
NISTIR-4503 Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990. PB91-159723 100,643 PC A14/MF A02	NISTIR-4533 Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250. PB91-178871 100,902 PC A09/MF A01	NISTIR-4569 Analysis of Optical Flow Estimation Using Epipolar Plane Images. PB92-112564 100,703 PC A03/MF A01
NISTIR-4504 Field Study of the Performance of EPDM Roofing at Air Force Facilities. PB91-167247 101,340 PC A05/MF A01	NISTIR-4534 Energy Related Inventions Program. A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 251 through 523. PB91-184770 100,903 PC A13/MF A02	NISTIR-4570 Three Dimensional Reconstruction from Optical Flow Using Temporal Integration. PB92-112507 100,702 PC A03/MF A01
NISTIR-4505 Technical Activities 1990, Standard Reference Data Program. PB91-167213 100,321 PC A05/MF A01	NISTIR-4537 Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, July to September 1990, with 1991 CEE Events Calendar. PB91-184754 100,852 PC A03/MF A01	NISTIR-4571 Optimization Techniques for Permittivity and Permeability Determination. PB92-112325 100,865 PC A03/MF A01
NISTIR-4506 Center for Radiation Research. 1990 Technical Activities. PB91-178855 101,362 PC A08/MF A01	NISTIR-4538 Configuration Management Concepts Document. National PDES Testbed Report Series. PB91-194480 100,984 PC A03/MF A01	NISTIR-4572 Meeting of the Standards Working Group of the Joint U.S.-U.S.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991. PB91-194498 100,178 PC A11/MF A02
NISTIR-4507 Working Implementation Agreements for Open Systems Interconnection Protocols.	NISTIR-4539 Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates. PB91-206730 100,933 PC A03/MF A01	NISTIR-4573 Concurrent Engineering through Product Data Standards. PB91-193367 100,982 PC A05/MF A01
	NISTIR-4540 Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.	NISTIR-4574 Indoor Ventilation Requirements for Manufactured Housing.

NTIS ORDER/REPORT NUMBER INDEX

NISTIR-4686

PB91-206698	100,075	PC A03/MF A01	PB91-206714	100,148	PC A03/MF A01	PB92-112473	100,557	PC A04/MF A01
NISTIR-4576			NISTIR-4614			NISTIR-4650		
Laboratory Accreditation in the United States.			Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991.			Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory.		
PB91-194415	100,172	PC A03/MF A01	PB91-216671	100,712	PC A07/MF A02	PB91-240804	100,532	PC A03/MF A01
NISTIR-4577			NISTIR-4615			NISTIR-4652		
Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP.			Portable Vectorized Software for Bessel Function Evaluation.			Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams.		
PB91-194449	100,983	PC A04/MF A01	PB91-216598	100,652	PC A03/MF A01	PB92-108984	100,087	PC A03/MF A01
NISTIR-4578			NISTIR-4616			NISTIR-4653		
Abstracts of Daylighting Research.			Building Technology Publications 1986-1989.			Metrology for the Semiconductor Industry.		
PB91-206755	100,076	PC A06/MF A01	PB91-216820	100,160	PC A08/MF A02	PB91-240739	100,817	PC A03/MF A01
NISTIR-4579			NISTIR-4618			NISTIR-4654		
NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990.			Standards for the Physical Protection of National Resources and Facilities.			Development of an Optical Disk System for the Automated Retrieval of EASEAR Records.		
PB91-194506	101,348	PC A14/MF A02	PB91-222695	100,006	PC A05/MF A01	PB92-108943	100,666	PC A07/MF A02
NISTIR-4582			NISTIR-4619			NISTIR-4656		
Building and Fire Research Project Summaries, 1991.			Framework for Utilizing Fire Property Tests.			Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991.		
PB91-216788	100,132	PC A08/MF A02	PB91-240788	100,165	PC A03/MF A01	PB92-112267	100,668	PC A04/MF A01
NISTIR-4585			NISTIR-4620			NISTIR-4659		
User Manual NBSAvis CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multi-zone Buildings.			Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment.			Glossary of Computer Security Terminology.		
PB91-206722	100,910	PC A07/MF A01	PB92-108935	101,376	PC A05/MF A01	PB92-112259	100,716	PC A09/MF A02
NISTIR-4587			NISTIR-4622			NISTIR-4660		
Interaction of an Isolated Sprinkler Spray and a Two-Layer Compartment Fire Environment.			Generation of Smooth Trajectories without Planning.			Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.		
PB91-216804	100,551	PC A03/MF A01	PB91-217414	101,036	PC A03/MF A01	PB92-108901	101,169	PC A03/MF A01
NISTIR-4588			NISTIR-4623			NISTIR-4661		
General Routine for Analysis of Stack Effect.			Validated Processor List (Cobol, Fortran, ADA, Pascal, SQL). July 1991.			International Fire Detection Bibliography, 1975-1990.		
PB91-231589	100,163	PC A03/MF A01	PB91-937301	100,664	Not available NTIS	PB92-109156	100,088	PC A09/MF A02
NISTIR-4589			NISTIR-4625			NISTIR-4662		
Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.			Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays.			Phase-Field Model for Isothermal Phase Transitions in Binary Alloys.		
PB91-222570	100,149	PC A05/MF A01	PB91-240770	100,164	PC A03/MF A01	PB92-108992	101,240	PC A04/MF A01
NISTIR-4590			NISTIR-4626			NISTIR-4664		
Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.			Manufacturing Systems Integration Control Entity Interface Document.			Flammability Characterization of Foam Plastics.		
PB91-216689	100,131	PC A05/MF A01	PB91-240796	100,991	PC A03/MF A01	PB92-123033	100,142	PC A07/MF A02
NISTIR-4591			NISTIR-4628			NISTIR-4665		
Material Flammability Test Assessment for Space Station Freedom.			Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.			Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.		
PB91-216606	101,735	PC A05/MF A01	PB91-222596	100,990	PC A03/MF A01	PB92-112317	100,169	PC A04/MF A01
NISTIR-4593			NISTIR-4629			NISTIR-4666		
High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program).			Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series.			Clock for the Manufacturing Systems Integration Testbed.		
PB91-240762	101,718	PC A04/MF A01	PB91-222620	100,968	PC A03/MF A01	PB92-108885	100,992	PC A03/MF A01
NISTIR-4594			NISTIR-4630			NISTIR-4667		
GOSIP Conformance and Interoperation Testing and Registration.			Performance Evaluation of Hypercube Applications: Using a Global Clock and Time Dilation.			Computer Security Bulletin Board System. User's Guide.		
PB92-110105	100,694	PC A05/MF A01	PB91-222588	100,653	PC A03/MF A01	PB92-112390	100,717	PC A03/MF A01
NISTIR-4595			NISTIR-4631			NISTIR-4669		
Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project.			Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.			Integration-Based Method for Depth Estimation.		
PB91-216648	100,130	PC A04/MF A01	PB91-222604	100,162	PC A05/MF A01	PB92-112275	100,701	PC A03/MF A01
NISTIR-4596			NISTIR-4633			NISTIR-4674		
Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.			Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.			Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.		
PB91-231597	101,357	PC A03/MF A01	PB92-116342	100,138	PC A03/MF A01	PB92-116334	100,137	PC A04/MF A01
NISTIR-4599			NISTIR-4634			NISTIR-4675		
NVLAP FY 90 Annual Report.			Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri.			Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEL Events Calendar.		
PB91-206748	100,010	PC A03/MF A01	PB91-240747	100,082	PC A04/MF A01	PB92-112309	100,864	PC A03/MF A01
NISTIR-4604			NISTIR-4636			NISTIR-4677		
Direct Digital Control Based Building Automation System Design Criteria.			Automated Information Systems Security Program Handbook.			NIST Calibration Services for Humidity Measurement.		
PB91-216614	100,091	PC A03/MF A01	PB91-222638	100,713	PC A08/MF A02	PB92-112499	100,520	PC A04/MF A01
NISTIR-4605			NISTIR-4637			NISTIR-4679		
Variable Air Volume System Design Guide.			Computer Implementation of a Discrete Set Algebra.			Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.		
PB91-216655	100,077	PC A03/MF A01	PB91-231571	100,654	PC A03/MF A01	PB92-112291	101,396	PC A03/MF A01
NISTIR-4606			NISTIR-4639			NISTIR-4680		
Guide Specification for Direct Digital Control Based Building Automation System.			Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.			Mass Energy-Transfer and Mass Energy-Absorption Coefficients, including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.		
PB91-216697	100,092	PC A04/MF A01	PB91-231563	100,078	PC A04/MF A01	PB92-126473	101,445	PC A04/MF A01
NISTIR-4608			NISTIR-4640			NISTIR-4682		
Electronic Data Interchange in Message Handling Systems.			NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.			Manufacturing Systems Integration: Initial Architecture Document.		
PB91-216622	100,571	PC A03/MF A01	PB91-231555	100,003	PC A05/MF A01	PB92-112242	100,994	PC A04/MF A01
NISTIR-4609			NISTIR-4643			NISTIR-4683		
NIST Support of the CALS Program: 1990 Synopsis.			Technical Activities 1990 Surface Science Division.			Validation Testing Laboratory User's Guide. National PDES Testbed Report Series.		
PB91-193821	101,347	PC A03/MF A01	PB91-240820	101,560	PC A04/MF A01	PB92-123090	100,971	PC A06/MF A02
NISTIR-4610			NISTIR-4644			NISTIR-4684		
Real-Time Model-Based Tracking Combining Spatial and Temporal Features.			New Concepts of Precision Dimensional Measurement for Modern Manufacturing.			Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series.		
PB91-216630	100,700	PC A03/MF A01	PB91-240812	101,006	PC A04/MF A01	PB92-112374	100,969	PC A04/MF A01
NISTIR-4611			NISTIR-4645			NISTIR-4685		
Conformity Assessment Workshop on Electromagnetic Compatibility.			Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, October to December 1990, with 1991 CEE Events Calendar.			Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept. Series.		
PB91-192989	100,579	PC A06/MF A02	PB91-240838	100,863	PC A03/MF A01	PB92-112234	100,993	PC A03/MF A01
NISTIR-4612			NISTIR-4648			NISTIR-4686		
Apparel STEP Translator.			Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.			Summaries of BFRL Fire Research In-House Projects and Grants, 1991.		
PB91-216663	100,967	PC A03/MF A01	PB92-116300	100,533	PC A03/MF A01	PB92-112218	100,168	PC A09/MF A03
NISTIR-4613			NISTIR-4649					
Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review.			Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants, Report of Test FR 3983.					

NTIS ORDER/REPORT NUMBER INDEX

NISTIR-4687

HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766 PC A05/MF A02

NISTIR-4688

Prototyping the IRDS: An Airport Application.
PB92-112580 101,740 PC A06/MF A02

NISTIR-4690

Validated Processor List (Cobol, Fortran, ADA, Pascal, SOL). October 1991.
PB91-937302 100,665 Not available NTIS

NISTIR-4691

Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874 PC A06/MF A02

NISTIR-4693

Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995 PC A05/MF A01

NISTIR-4694

Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126507 101,104 PC A09/MF A02

NISTIR-4695

Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126424 101,252 PC A05/MF A01

NISTIR-4696

Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-116284 100,516 PC A07/MF A02

NISTIR-4697

Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
PB92-126515 101,171 PC A07/MF A02

NISTIR-4699

Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series.
PB92-112523 100,970 PC A04/MF A01

NISTIR-4702

Merit Function for Inequality Constrained Nonlinear Programming Problems.
PB92-116318 101,271 PC A03/MF A01

NISTIR-4705

Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370 PC A04/MF A01

NISTIR-4706

Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts.
PB92-126481 100,002 PC A03/MF A01

NISTIR-4708

Multi-Enterprise Concurrent Engineering through International Standards.
PB92-123058 100,997 PC A03/MF A01

NISTIR-4710

Use of Solid Modeling in the Design of M3 Components.
PB92-123066 101,044 PC A03/MF A01

NISTIR-4712

Predicting the Remaining Service Life of Concrete.
PB92-126598 101,371 PC A05/MF A01

NISTIR-4713

Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.
PB92-123041 101,053 PC A05/MF A01

NISTIR-4714

Electronics and Electrical Engineering Laboratory. 1991 Strategic Plan. Supporting Technology for U.S. Competitiveness in Electronics.
PB92-123082 100,870 PC A03/MF A01

NISTIR-4716

Computing Delaunay Triangulations for Comet-Shaped Polygons.
PB92-123108 101,265 PC A03/MF A01

NISTIR-4717

Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894 PC A04/MF A01

NISTIR-4721

Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175 PC A03/MF A01

NISTIR-4723

Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants.
PB92-126432 100,893 PC A07/MF A02

NISTIR-4725

Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211 PC A03/MF A01

NISTIR-4729

Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packagings.
PB92-126457 100,943 PC A05/MF A01

NUREG/CR-5711

Assessment of Uncertainties in Measurement of pH in Hostile Environments Characteristic of Nuclear Repositories.
NUREG/CR-5711 101,367 PC A06/MF A02

NUREG/CR-5716

Model Validation at the Las Cruces Trench Site.
NUREG/CR-5716 101,368 PC A05/MF A01

PAT-APPL-7-292 601

Superconductor-Polymer Composites.
PATENT-4 954 481 101,454 Not available NTIS

PATENT-4 954 481

Superconductor-Polymer Composites.
PATENT-4 954 481 101,454 Not available NTIS

PB90-244526

Journal of Physical and Chemical Reference Data, Volume 19, Number 1, 1990.
PB90-244526 100,251 Not available NTIS

PB90-244534

Chemical Kinetic Data Base for Combustion Chemistry Part 4. Isobutane.
PB90-244534 100,252 (Order as PB90-244526)

PB90-244542

Thermodynamic Functions and Properties of MgO at High Compression and High Temperature.
PB90-244542 100,253 (Order as PB90-244526)

PB90-244559

Critical Compilation of Surface Structures Determined by Ion Scattering Methods.
PB90-244559 100,254 (Order as PB90-244526)

PB90-244567

Benzene: A Further Liquid Thermal Conductivity Standard.
PB90-244567 100,255 (Order as PB90-244526)

PB90-244575

Energy Levels of Atomic Aluminum with Hyperfine Structure.
PB90-244575 101,594 (Order as PB90-244526)

PB90-244583

Spectral Data and Grotrian Diagrams for Highly Ionized Iron, Fe VIII-XXVI.
PB90-244583 101,595 (Order as PB90-244526)

PB90-244591

Updated Excitation and Ionization Cross Sections for Electron Impact on Atomic Oxygen.
PB90-244591 100,256 (Order as PB90-244526)

PB90-244609

Journal of Physical and Chemical Reference Data, Volume 19, Number 2, 1990.
PB90-244609 100,257 Not available NTIS

PB90-244617

Standard Chemical Thermodynamic Properties of Isomer Groups of Monochloroalkanes.
PB90-244617 100,258 (Order as PB90-244609)

PB90-244625

Standard Chemical Thermodynamic Properties of Polycyclic Aromatic Hydrocarbons and Their Isomer Groups. III. Naphthoacene Series, Ovalene Series, and First Members of Some Higher Series.
PB90-244625 100,259 (Order as PB90-244609)

PB90-244633

Dielectric Constant of Water and Debye-Hueckel Limiting Law Slopes.
PB90-244633 100,260 (Order as PB90-244609)

PB90-244641

Rate Constants for Reactions of Peroxyl Radicals in Fluid Solutions.
PB90-244641 100,261 (Order as PB90-244609)

PB90-244658

Journal of Physical and Chemical Reference Data, Volume 19, Number 3, 1990.
PB90-244658 100,262 Not available NTIS

PB90-244666

Energy Levels of Copper, Cu I through Cu XXIX.
PB90-244666 101,596 (Order as PB90-244658)

PB90-244674

Cross Sections and Related Data for Electron Collisions with Hydrogen Molecules and Molecular Ions.
PB90-244674 100,263 (Order as PB90-244658)

PB90-244682

Cross Sections for Collisions of Electrons and Photons with Atomic Oxygen.
PB90-244682 100,264 (Order as PB90-244658)

PB90-244690

Cross Sections and Swarm Coefficients for H⁺, H₂⁺, H₃⁺, H, H₂, and H-in H₂ for Energies from 0.1 eV to 10 keV.
PB90-244690 101,597 (Order as PB90-244658)

PB90-244708

Refractive Index of Water and Steam as Function of Wavelength, Temperature and Density.
PB90-244708 101,402 (Order as PB90-244658)

PB90-244716

Heat Capacities of Organic Compounds in the Liquid State I. C1 to C18 1-Alkanols.
PB90-244716 100,265 (Order as PB90-244658)

PB90-244724

Transport Properties of Carbon Dioxide.

PB90-244724 100,266 (Order as PB90-244658)

PB91-132126

Fed-X: The NIST Express Translator. Revised, November 1990.
PB91-132126 100,681 PC A03/MF A01

PB91-132134

Concept of the Calculus of Fire Safety.
PB91-132134 100,093 PC A03/MF A01

PB91-132142

Software and Computer Integrated Manufacturing.
PB91-132142 100,972 PC A03/MF A01

PB91-132159

NIST PDES Toolkit: Technical Fundamentals. National PDES Testbed Report Series (Revised).
PB91-132159 100,682 PC A03/MF A01

PB91-132167

Reduction of Hydrogen Cyanide Concentrations and Acute Inhalation Toxicity from Flexible Polyurethane Foam Combustion Products by the Addition of Copper Compounds. Part 3. The Effect of Copper Additives on the Flammability Characteristics of Flexible Polyurethane Foam.
PB91-132167 101,140 PC A03/MF A01

PB91-132175

Guide to Available Mathematical Software Problem Classification System.
PB91-132175 101,282 PC A03/MF A01

PB91-132183

NIST Working Form for STEP: National PDES Testbed Report Series (Revised).
PB91-132183 100,683 PC A03/MF A01

PB91-132191

Polymer Composite Processing. Industry Workshop (2nd). Held at Gaithersburg, Maryland on May 18, 1990.
PB91-132191 101,115 PC A05/MF A01

PB91-132209

Use of the IRDS Standard in CALS (Revised).
PB91-132209 100,684 PC A03/MF A01

PB91-132217

Study of Static and Dynamic Fracture Using Strain Measurements.
PB91-132217 101,574 PC A09/MF A01

PB91-132225

Institute for Materials Science and Engineering: Metallurgy Division, Technical Activities 1990.
PB91-132225 101,207 PC A07/MF A01

PB91-132233

Institute for Materials Science and Engineering, Ceramics: Technical Activities 1990.
PB91-132233 101,057 PC A08/MF A01

PB91-132241

Bibliography of the NIST Electromagnetic Fields Division Publications.
PB91-132241 100,832 PC A06/MF A01

PB91-132258

Overview of the Product Data HyperStandard CD-ROM Prototype.
PB91-132258 101,380 PC A03/MF A01

PB91-132266

Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.
PB91-132266 100,833 PC A04/MF A01

PB91-132274

Spherical Near-Field Scanning: Experimental and Theoretical Studies.
PB91-132274 100,723 PC A07/MF A01

PB91-132282

Data-Reduction and Analysis Procedures Used in NIST's Thermomechanical Processing Research.
PB91-132282 100,925 PC A04/MF A01

PB91-132290

Absorbed-Dose Calibration of Ionization Chambers in a(60)Co Gamma-Ray Beam.
PB91-132290 101,598 PC A04/MF A01

PB91-132308

Technical Digest-Symposium on Optical Fiber Measurements, 1990.
PB91-132308 101,403 PC A10/MF A02

PB91-132327

Current Supply for High-T(sub c) Superconductor Testing.
PB91-132327 101,455 Not available NTIS

PB91-132368

Eddy Current Probe Characterization Using an Impedance Plane Display Instrument.
PB91-132368 100,834 Not available NTIS

PB91-132382

AC Loss Measurements of Two Multifilamentary NbTi Composite Strands.
PB91-132382 100,769 Not available NTIS

PB91-132390

Parity-Unfavored Transitions in Resonant Photoemission from Ar, Kr, and Xe: Experimental and Theoretical Results.
PB91-132390 101,599 Not available NTIS

PB91-132392

MSW Calorimetry.
PB91-132392 100,878 Not available NTIS

NTIS ORDER/REPORT NUMBER INDEX

PB91-144410

PB91-133983 Transport Critical Current of Aligned Polycrystalline Y1Ba2Cu3O7-delta and Evidence for a Nonweak-Linked Component of Intergranular Current Conduction. PB91-133983 101,456 Not available NTIS	PB91-134536 100,637 Not available NTIS PB91-134544 Chitin-Chitosan Membranes: Separations of Amino Acids and Polypeptides. PB91-134544 101,283 Not available NTIS	PB91-134874 100,588 Not available NTIS PB91-134882 Accuracy Model for Phase Noise Measurements. PB91-134882 100,589 Not available NTIS
PB91-134056 High T(sub c) Superconductors and the Critical Current Measurement. PB91-134056 101,457 Not available NTIS	PB91-134551 Literature Review of the Galling Process. PB91-134551 101,208 Not available NTIS	PB91-134916 Dual Six-Port Reflectometer Systems Using Waveguide in the Frequency Range 18-50 GHz. PB91-134916 100,838 Not available NTIS
PB91-134106 Modulatable Narrow-Linewidth Semiconductor Lasers. PB91-134106 101,404 Not available NTIS	PB91-134569 Magnetization of Anisotropic Superconducting Grains. PB91-134569 101,463 Not available NTIS	PB91-134940 Effect of Slag Penetration on the Performance of Magnesia Chrome Refractories in Slagging Gasifiers. PB91-134940 100,875 Not available NTIS
PB91-134114 Determination of Scattering Parameters with Respect to the Characteristic Impedance of Precision Coaxial Air-Line Standards. PB91-134114 100,770 Not available NTIS	PB91-134577 Thermal Conductivity and Heat Capacity of Gaseous Argon. PB91-134577 101,602 Not available NTIS	PB91-134957 Structure of a Stage-3 Cs - Graphite Intercalate. PB91-134957 100,269 Not available NTIS
PB91-134130 Accurate Frequency of the 119 mu m Methanol Laser from Tunable Far-Infrared Absorption Spectroscopy. PB91-134130 101,405 Not available NTIS	PB91-134585 Phase Equilibria from the One-Fluid Model. PB91-134585 101,385 Not available NTIS	PB91-135020 Effect of High Pressure on Prebreakdown Phenomena in n-Hexane. PB91-135020 100,839 Not available NTIS
PB91-134148 Fundamental and Harmonic Susceptibilities of YBa2Cu3O7-delta. PB91-134148 101,458 Not available NTIS	PB91-134593 Israel's New Synchronized Time Scale, UTC(INPL). PB91-134593 100,577 Not available NTIS	PB91-136507 National Bureau of Standards Publications 1977-1987. Volume 1. Citations, Key Words, and Abstracts. PB91-136507 100,957 PC A99/MF A99
PB91-134189 Techniques to Observe the Fracture Zone in Mortar and Concrete. PB91-134189 100,521 Not available NTIS	PB91-134601 Calculation of Energy of Low-Angle Grain Boundaries. PB91-134601 101,464 Not available NTIS	PB91-136515 National Bureau of Standards Publications 1977-1987. Volume 2. Indexes. PB91-136515 100,958 PC A99/MF A99
PB91-134213 Transition from Trichel-Pulse Corona to Dielectric Barrier Discharge. PB91-134213 100,835 Not available NTIS	PB91-134619 Report on 1989 Actions by International Institute of Welding. PB91-134619 101,001 Not available NTIS	PB91-136577 Assembly Code to Compute Sine and Cosine Using the CORDIC Algorithm. PB91-136577 100,638 PC A03/MF A01
PB91-134221 Method for Measuring Heat Loss from Underground Heat Distribution Systems. PB91-134221 100,888 Not available NTIS	PB91-134627 Cryogenic Material Properties of Stainless Steel Tube-to-Flange Welds. PB91-134627 101,145 Not available NTIS	PB91-136597 Heat Flux, Mass Loss Rate and Upward Flame Spread for Burning Vertical Walls (1990). PB91-136597 100,094 PC A04/MF A01
PB91-134239 Calibration of Antenna Factor at a Ground Screen Field Site Using an Automatic Network Analyzer. PB91-134239 100,724 Not available NTIS	PB91-134635 Information Systems Engineering Program. PB91-134635 100,685 Not available NTIS	PB91-136607 Canadian Mass Fire Experiment, 1989. PB91-136607 101,352 PC A04/MF A01
PB91-134254 Madelung Potentials and Valences in the Y1Ba2Cu3O7 Superconductor. PB91-134254 101,459 Not available NTIS	PB91-134643 Lunar Gravitational Wave Antenna Using a Laser Interferometer. PB91-134643 101,603 Not available NTIS	PB91-136617 Studies on the Degradation Products of Paper with and without Pollutants in a Closed Environment. 1. Preliminary Results. PB91-136617 101,181 PC A03/MF A01
PB91-134262 Elastic Constants, Debye Temperatures, and Electron-Phonon Parameters of Superconducting Cuprates and Related Oxides. PB91-134262 101,460 Not available NTIS	PB91-134650 Partial Discharges in Low Voltage Cables. PB91-134650 100,771 Not available NTIS	PB91-136627 Outline of a National Plan on High-Performance Concrete: Report on the NIST/ACI Workshop. Held in Gaithersburg, MD on May 16-18, 1990. PB91-136627 100,522 PC A04/MF A01
PB91-134270 Elastic Constants of Polycrystalline Bi-Pb-Sr-Ca-Cu-O Superconductor. PB91-134270 101,461 Not available NTIS	PB91-134668 Preliminary Dynamic Analyses of the Ministry of Agriculture Building. PB91-134668 100,143 Not available NTIS	PB91-136637 Materials Reliability. Technical Activities, 1990. (NAS-NRC Assessment Panel, January 31-February 1, 1991). PB91-136637 101,008 PC A05/MF A01
PB91-134320 Stability of Thermistors. PB91-134320 100,779 Not available NTIS	PB91-134676 Neutron Diffraction from Sheared D-Glycerol: Preliminary Studies. PB91-134676 100,268 Not available NTIS	PB91-136647 Near-Field and Far-Field Excitation of a Long Conductor in a Lossy Medium. PB91-136647 100,722 PC A03/MF A01
PB91-134338 SRM 1970 - Succinonitrile Triple-Point Standard - And Its Use in Calibration of Thermistors. PB91-134338 100,780 Not available NTIS	PB91-134684 Electrical Breakdown and Streamer Statistics in N-hexane under Uniform Field Conditions. PB91-134684 100,837 Not available NTIS	PB91-136657 Multimedia Courseware in an Open Systems Environment: A Federal Strategy. PB91-136657 100,039 PC A04/MF A01
PB91-134403 Gas Flow Measurement: Calibration Facilities and Fluid Metering Traceability at the National Bureau of Standards. PB91-134403 100,879 Not available NTIS	PB91-134692 Current Density Dependence of Electromigration I50 Enhancement Due to Pulsed Operation. PB91-134692 100,786 Not available NTIS	PB91-136667 Investigation of Simulated Oil-Well Blowout Fires. PB91-136667 101,356 PC A05/MF A01
PB91-134411 Flowmeter Installation Effects: A New Approach to an Old but Prevalent Problem. PB91-134411 100,920 Not available NTIS	PB91-134700 Corrosion, Repassivation and Corrosion Fatigue Behavior of the Surgical Implant Alloy, Co-Cr-Mo. PB91-134700 101,132 Not available NTIS	PB91-136677 Synthesis of Prototype Resins for Use as BEP Intaglio Ink Vehicles Curing by Electron Beam Radiation. PB91-136677 101,182 PC A03/MF A01
PB91-134445 Effect of the Location of an In-Line Tube Bundle on Orifice Flowmeter Performance. PB91-134445 100,921 Not available NTIS	PB91-134718 AI in Manufacturing: The NBS AMRF as an Intelligent Machine. PB91-134718 100,973 Not available NTIS	PB91-144352 Short-Term Evolution for the Flight Telerobotic Servicer. PB91-144352 101,731 PC A04/MF A01
PB91-134478 Break Junction Tunneling Spectroscopy of Single-Crystal Bismuth-Based High-Temperature Superconductors. PB91-134478 101,462 Not available NTIS	PB91-134726 Control System Architecture for Unmanned Ground Vehicles. PB91-134726 101,379 Not available NTIS	PB91-144360 Space Marching Difference Schemes in the Nonlinear Inverse Heat Conduction Problem. PB91-144360 101,604 PC A03/MF A01
PB91-134486 High-Resolution, Tunneling-Stabilized Magnetic Imaging and Recording. PB91-134486 101,600 Not available NTIS	PB91-134734 Progress in the Development of Miniature Optical Fiber Current Sensors. PB91-134734 100,745 Not available NTIS	PB91-144378 NIST STEP Working Form Programmer's Reference. National PDES Testbed Report Series (Revised). PB91-144378 100,998 PC A03/MF A01
PB91-134494 Critical Locus, (Vapor + Liquid) Equilibria, and Coexisting Densities of (Carbon Dioxide + Propane) at Temperatures from 311 K to 361 K. PB91-134494 100,267 Not available NTIS	PB91-134742 Practical Considerations in the Design of Optical Fiber Current Sensors. PB91-134742 100,746 Not available NTIS	PB91-144386 Computer Program for Simulation of HVAC/Lighting Interactions: Initial Report. PB91-144386 100,889 PC A05/MF A01
PB91-134502 Thermal Conductivity of a Moderately Dense Gas. PB91-134502 101,601 Not available NTIS	PB91-134759 Magnetoresistance of Multifilament Al/Al-Alloy Conductors. PB91-134759 100,772 Not available NTIS	PB91-144394 Using the Harvard/NIST Mark VI Fire Simulation. PB91-144394 100,095 PC A03/MF A01
PB91-134510 Aspects of Smoldering Combustion. PB91-134510 100,535 Not available NTIS	PB91-134767 Gravity-Dependent Phenomena at the Scale of the Single Cell. PB91-134767 101,297 Not available NTIS	PB91-144402 Thermal Conductivity of a Polyimide Film between 4.2 and 300 K, with and without Alumina Particles as Filler. PB91-144402 100,483 PC A05/MF A01
PB91-134528 Collisional Electron-Detachment and Ion-Conversion Processes in SF6. PB91-134528 100,836 Not available NTIS	PB91-134825 Performance of OSI Transport over ACCUNET and IBER-PAC. PB91-134825 100,563 Not available NTIS	PB91-144410 Effect of Noble Gas Mixtures on the Performance of Regenerative-Type Cryocoolers Analytical Estimate. PB91-144410 100,890 PC A03/MF A01
PB91-134536 Developing Federal Software Standards: A New Direction.	PB91-134866 Environmental Effects on the Medium and Long Term Frequency Stability of Quartz Oscillators. PB91-134866 100,781 Not available NTIS	
	PB91-134874 Extending the Range and Accuracy of Phase Noise Measurements.	

NTIS ORDER/REPORT NUMBER INDEX

PB91-144428 Ignition Characteristics of the Nickel-Based Alloy UNS N07001 in Pressurized Oxygen. PB91-144428 100,536 PC A04/MF A01	PB91-147181 100,787 Not available NTIS	PB91-147447 100,216 Not available NTIS
PB91-144436 Programmer's Reference Manual for CFAST, the Unified Model of Fire Growth and Smoke Transport. PB91-144436 100,096 PC A06/MF A01	PB91-147199 Hydrogen Slush Production with a Large Auger. PB91-147199 100,275 Not available NTIS	PB91-147454 Structure of Carbon Dioxide Dimer from Near Infrared Spectroscopy. PB91-147454 100,279 Not available NTIS
PB91-144444 Working Implementation Agreements for Open Systems Interconnection Protocols. PB91-144444 100,686 PC A99/MF A04	PB91-147207 Standard Reference Fibers for Calibration of the Optical Time Domain Reflectometer. PB91-147207 101,406 Not available NTIS	PB91-147462 Transitions and Energy Levels for Cu-Like Yb(41+), Ta(44+), and U(63+). PB91-147462 101,610 Not available NTIS
PB91-146977 Heat Release Rate: The Single Most Important Variable in Fire Hazard. PB91-146977 100,097 Not available NTIS	PB91-147215 Review of Four Compartment Fires with Four Compartment Fire Models. PB91-147215 100,098 Not available NTIS	PB91-147470 Alkyl Transfer Reactions between Protonated Alcohols and Ethers. The Gas-Phase Alkylation of Formaldehyde. PB91-147470 100,280 Not available NTIS
PB91-146985 Adsorption of Water and Oxygen on Ag(110): A Study of the Interactions among Water Molecules, Hydroxyl Groups, and Oxygen Atoms. PB91-146985 100,270 Not available NTIS	PB91-147223 High Speed Magnetic Field Sensors Based on Iron Garnets. PB91-147223 100,840 Not available NTIS	PB91-147488 SHOOT Flowmeter and Pressure Transducers. PB91-147488 100,923 Not available NTIS
PB91-146993 State-of-the-Art in Pressure Metrology. PB91-146993 101,038 Not available NTIS	PB91-147231 Incorporation of Molecular Orientation into Systems of Lamellar Morphology. 1. Effects of Packing Entropy on the Lamellar Thickness of Block Copolymers. PB91-147231 100,484 Not available NTIS	PB91-147496 Global Stability of the Chaotic State Near an Interior Crisis. PB91-147496 101,611 Not available NTIS
PB91-147009 Critical Exponent for Viscosity. PB91-147009 100,271 Not available NTIS	PB91-147249 Preparation and Properties of Monomolecular Films for Use as Radioactive Source Mounts. PB91-147249 101,608 Not available NTIS	PB91-147504 Overview of the Ion Dynamic Effect in Line Broadening, and a Generalization of the Unified Theory. PB91-147504 101,442 Not available NTIS
PB91-147017 Orthogonal Distance Regression. PB91-147017 101,272 Not available NTIS	PB91-147256 Experimental and Numerical Studies of the J-Integral for a Surface Flaw. PB91-147256 101,576 Not available NTIS	PB91-147512 Phase Diagrams of Hexagonal Binary Ordering Alloys with Anisotropic Interactions. PB91-147512 101,211 Not available NTIS
PB91-147025 Experimental Evaluation of Selected Orifice Flowmeter Upstream Installations. PB91-147025 100,880 Not available NTIS	PB91-147264 NBS Research Program in Municipal Solid Waste Combustion. PB91-147264 100,916 Not available NTIS	PB91-147520 Verification of the Relation between Two-Probe and Four-Probe Resistances as Measured on Silicon Wafers. PB91-147520 100,788 Not available NTIS
PB91-147033 Mechanism for High Strain-Rate Shear Band Formation. PB91-147033 101,575 Not available NTIS	PB91-147272 Study of the Linearity of Transfer Leaks and a Helium Leak Detector. PB91-147272 100,926 Not available NTIS	PB91-147538 Instability in pH Measurements of Sputtered IrO2 Films. PB91-147538 100,281 Not available NTIS
PB91-147041 Heat Capacity and Thermodynamic Properties of Deuterated Ammonium Hexafluorophosphate ND4PF6 from 5.8 K to 347 K. PB91-147041 100,272 Not available NTIS	PB91-147280 Mechanism of Soot Formation in Acetylene-Oxygen Mixtures. PB91-147280 100,537 Not available NTIS	PB91-147546 Factual Materials Databanks - The Need for Standards. PB91-147546 101,249 Not available NTIS
PB91-147058 Heat Capacity of Deuterated Ammonium Tetrafluoroborate ND4BF4 from 7 to 348 K. PB91-147058 100,273 Not available NTIS	PB91-147298 Soluble Models in Surface Collision Dynamics. PB91-147298 100,276 Not available NTIS	PB91-147553 Quantitative Determination of Amorphous Content in Ceramic Materials Using X-ray Powder Diffraction. PB91-147553 101,061 Not available NTIS
PB91-147066 Laser Induced Desorption of Molecules from Surfaces. PB91-147066 100,235 Not available NTIS	PB91-147306 Radiant Heat Fluxes from 100-200 MW Natural Gas/Air Diffusion Flames. PB91-147306 100,538 Not available NTIS	PB91-147561 Design Heat Loss Factors for Basement and Slab Floors. PB91-147561 100,059 Not available NTIS
PB91-147074 Alternative Refrigerants R123a, R134, R141b, R142b, and R152a: Critical Temperature, Refractive Index, Surface Tension, and Estimates of Liquid, Vapor, and Critical Densities. PB91-147074 101,189 Not available NTIS	PB91-147314 Phase Formation in Electrodeposited and Thermally Annealed Al-Mn Alloys. PB91-147314 101,209 Not available NTIS	PB91-147579 UNIX in the Government's Automated Manufacturing Research Facility (AMRF). PB91-147579 100,963 Not available NTIS
PB91-147082 Calibration Procedures for Infrared Imaging Systems for Building Diagnostics. PB91-147082 100,057 Not available NTIS	PB91-147322 Effect of Coherency Strain on Alloy Formation: Migration of Liquid Films. PB91-147322 101,210 Not available NTIS	PB91-147587 Possible (e,e'2N) Studies at CEBAF. PB91-147587 101,612 Not available NTIS
PB91-147090 Effect of Logarithmic Singularity on the Free Edge Stress Intensity Factor of Composite Laminates. PB91-147090 101,116 Not available NTIS	PB91-147330 Dihedral Angles in Magnesia and Alumina: Distributions from Surface Thermal Grooves. PB91-147330 101,058 Not available NTIS	PB91-147595 Application of OSI Protocols for Plant Information Networks. PB91-147595 100,974 Not available NTIS
PB91-147108 Stabilization Techniques for Spinning Rotor Gage Residual Drag. PB91-147108 100,922 Not available NTIS	PB91-147348 Metal Reference Line Technique for Obtaining Dihedral Angles from Surface Thermal Grooves. PB91-147348 101,059 Not available NTIS	PB91-147603 Phonon-Assisted Magneto-Donor Optical Transitions in n-InSb. PB91-147603 101,467 Not available NTIS
PB91-147116 Giant Resonances in the Transition Regions of the Periodic Table. PB91-147116 101,605 Not available NTIS	PB91-147355 Electrodiffusion in the Quasifree and Delta Regions. PB91-147355 101,609 Not available NTIS	PB91-147611 Temperature Measurement of Glass Subjected to Solar Radiation. PB91-147611 100,100 Not available NTIS
PB91-147124 Adjustment of the Fundamental Physical Constants: A Report of the CODATA Task Group on Fundamental Constants, 1986. PB91-147124 101,606 Not available NTIS	PB91-147363 Limiting versus Apparent Critical Behavior of Henry's Constants and K Factors. PB91-147363 100,277 Not available NTIS	PB91-147629 Liposome Flow Injection Immunoassay: Implications for Sensitivity, Dynamic Range, and Antibody Regeneration. PB91-147629 101,291 Not available NTIS
PB91-147132 Fundamentals and Applications of Infrared Thermography for Nondestructive Testing. PB91-147132 101,009 Not available NTIS	PB91-147371 Stress Intensity Factors by Enriched Mixed Finite Elements. PB91-147371 101,577 Not available NTIS	PB91-147637 Structure of Surface Films on Magnesium and on Magnesium Alloys. PB91-147637 101,212 Not available NTIS
PB91-147140 Second-Level Post-Occupancy Evaluation Analysis. PB91-147140 100,058 Not available NTIS	PB91-147389 Application of Analytical Electron Microscopy to Glass-Bonded Aluminas. PB91-147389 101,060 Not available NTIS	PB91-147645 Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl2 and CCl2. PB91-147645 100,282 Not available NTIS
PB91-147157 Cryogenic-Temperature Fluorescence Spectra of Polynuclear Aromatic Hydrocarbons of Molecular Weight 302. PB91-147157 100,274 Not available NTIS	PB91-147397 RIR - Measurement and Use in Quantitative XRD. PB91-147397 101,466 Not available NTIS	PB91-147652 Closure and Precision in Level-Index Arithmetic. PB91-147652 100,597 Not available NTIS
PB91-147165 Phase Equilibria in the System Ti-Ca-Ba-Cu-O. 1. Stability of the 2122 Phase under Conditions of Oxygen Annealing. PB91-147165 101,465 Not available NTIS	PB91-147405 Extension of an Improved One-Fluid Conformal Solution Theory to Real Fluid Mixtures with Large Size Differences. PB91-147405 100,278 Not available NTIS	PB91-147660 Workloads, Observables, Benchmarks and Instrumentation. PB91-147660 100,598 Not available NTIS
PB91-147173 Selective Excitation of X-ray Emission Spectra. PB91-147173 101,607 Not available NTIS	PB91-147413 Dietary Collection Procedures. PB91-147413 101,317 Not available NTIS	PB91-147678 Non-Linear Contour-to-Grid Digital Interpolation. PB91-147678 101,351 Not available NTIS
PB91-147181 Low-Temperature, Electrically Calibrated SOS Bolometer for Power and Energy Measurements.	PB91-147421 Practical Constraints in Monitoring Micronutrient Intake. PB91-147421 101,318 Not available NTIS	PB91-147686 Roughness Measures of Blasted Steel Surfaces Remotely Imaged with a Thermographic Camera. PB91-147686 101,146 Not available NTIS
	PB91-147439 Design of High Strength Cement-Based Materials. Part 2. Microstructure. PB91-147439 100,099 Not available NTIS	PB91-147694 Instrument-Independent Tandem Mass Spectrometry Database for XOO Instruments. The Dynamical Prerequisites. PB91-147694 100,181 Not available NTIS
	PB91-147447 Mechanism of OH Radical Reactions with Thymine and Uracil Derivatives.	PB91-147702 Determination of Fields Near a Silver Strip on a Glass Substrate.

NTIS ORDER/REPORT NUMBER INDEX

PB91-148791

PB91-147702	100,841	Not available NTIS	PB91-147967	101,047	Not available NTIS	PB91-148221		
PB91-147710			PB91-147975			Effects of Crystal Bonding on Brittle Fracture.		
Multicomponent Cluster Ions. 2. Comparative Stabilities of Cationic and Anionic Hydrogen Bonded Networks: Mixed Clusters of Water and Hydrogen Cyanide.			Evaluation of Fumed-Silica Insulation for a Thermal Conductivity Standard Reference Material.			PB91-148221	101,064	Not available NTIS
PB91-147710	100,283	Not available NTIS	PB91-147975	100,103	Not available NTIS	PB91-148239		
PB91-147728			PB91-147983			Spherical Near-Field Scanning: Determining the Incident Field Near a Rotatable Probe.		
Feasibility of Using Knowledge-Based Systems for Aiding Inventors.			Hermetically Sealed Inert Atmosphere Cell for X-ray Powder Diffraction.			PB91-148239	100,725	Not available NTIS
PB91-147728	100,895	Not available NTIS	PB91-147983	101,062	Not available NTIS	PB91-148247		
PB91-147736			PB91-147991			Multi-step Stress-Relaxation Behavior in Uniaxial Extension of an Ethylene-Hexene Copolymer.		
Morphology and Barrier-Height Development of Bi/InP(110) Interfaces.			Graphics Program for Binary and Ternary Ceramic Phase Diagrams.			PB91-148247	101,242	Not available NTIS
PB91-147736	101,468	Not available NTIS	PB91-147991	101,063	Not available NTIS	PB91-148254		
PB91-147744			PB91-148007			Conformance Verification of FDDI Stations.		
Interactive Courseware is Leading the Multimedia Movement.			Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Fiber Laser-Amplifier.			PB91-148254	100,747	Not available NTIS
PB91-147744	100,036	Not available NTIS	PB91-148007	101,408	Not available NTIS	PB91-148478		
PB91-147751			PB91-148015			Laser Induced Damage in Optical Materials: 1989.		
Progress in Uniform Field Eddy Current Methods.			Resonant Photoemission and PSD of Rare Earth Oxides.			PB91-148478	101,409	PC A99/MF A04
PB91-147751	101,039	Not available NTIS	PB91-148015	100,287	Not available NTIS	PB91-148486		
PB91-147769			PB91-148023			Bibliography of Selected Computer Security Publications, January 1980-October 1989.		
Capillary Supercritical Fluid Chromatography of Explosives: Investigations on the Interactions between the Analytes, the Mobile Phase and the Stationary Phase.			Crystal and Spin Structures of Nd ₂ CuO ₄ .			PB91-148486	100,704	PC A09/MF A02
PB91-147769	100,182	Not available NTIS	PB91-148023	101,470	Not available NTIS	PB91-148494		
PB91-147777			PB91-148031			Abstract and Index Collection in the Research Information Center of the National Institute of Standards and Technology (Fourth Edition).		
Use of Single Particle Standards for LAMMA Calibration.			Effect of Pipe Surface Finish on Gas Flow Measurement with an Orifice Meter.			PB91-148494	100,959	PC A03/MF A01
PB91-147777	100,183	Not available NTIS	PB91-148031	101,387	Not available NTIS	PB91-148502		
PB91-147785			PB91-148049			Strategy for Chemical Analysis of Alternative Refrigerants.		
Slow Electron Transfer Reactions between Alkylhydrazines.			Apparatus for Measurement of Coefficient of Friction.			PB91-148502	100,185	PC A06/MF A01
PB91-147785	100,284	Not available NTIS	PB91-148049	101,250	Not available NTIS	PB91-148510		
PB91-147793			PB91-148056			Refinement of a Model for Fire Growth and Smoke Transport.		
Radiation Chemistry of Enones.			Signal Detection Efficiency in Multiphoton Ionization Flame Measurements.			PB91-148510	100,104	PC A04/MF A01
PB91-147793	100,236	Not available NTIS	PB91-148056	100,540	Not available NTIS	PB91-148528		
PB91-147801			PB91-148064			Guide to the Use of the Cement and Concrete Research Remote Bulletin Board System (RBBS) Computer.		
Pulse Radiolysis Studies of Organic Electron Transfer Reactions.			Secondary Ion Yield Changes in Silicon and Gallium Arsenide Due to Topography Changes during Oxygen or Cesium Ion Bombardment.			PB91-148528	100,524	PC A03/MF A01
PB91-147801	100,285	Not available NTIS	PB91-148064	101,471	Not available NTIS	PB91-148650		
PB91-147819			PB91-148072			Microwave Spectrum of Ar-H ₂ O: Dipole Moment, Isotopic Studies, and (17)O Quadrupole Coupling Constants.		
Thermal Characterization of Integrated Circuits - A Tutorial.			Microstructure and Fracture at the Cement Paste-Aggregate Interface.			PB91-148650	100,290	Not available NTIS
PB91-147819	100,789	Not available NTIS	PB91-148072	100,523	Not available NTIS	PB91-148668		
PB91-147827			PB91-148080			Setting Reactions and Compressive Strengths of Calcium Phosphate Cements.		
Thermal Measurements of VLSI Packages: A Critical Review.			Fluoromethanol: Synthesis, Microwave Spectrum, and Dipole Moment.			PB91-148668	100,040	Not available NTIS
PB91-147827	100,790	Not available NTIS	PB91-148080	100,288	Not available NTIS	PB91-148676		
PB91-147835			PB91-148098			Integrity Tests for High-(T sub c) and Conventional Critical-Current Measurement Systems.		
Forced Smolder Propagation and the Transition to Flaming in Cellulosic Insulation.			Multiple Conformations of Amino Acid Residues in Ribonuclease A.			PB91-148676	100,842	Not available NTIS
PB91-147835	100,101	Not available NTIS	PB91-148098	101,298	Not available NTIS	PB91-148684		
PB91-147843			PB91-148106			Close-Coupling Calculation for the (2)(Sigma sub u)(+) State of (H sub 2)(-).		
Smoldering Combustion Propagation Through a Permeable Horizontal Fuel Layer.			Study of the Galling of Two Steels Using Two Test Methods.			PB91-148684	101,614	Not available NTIS
PB91-147843	100,102	Not available NTIS	PB91-148106	101,147	Not available NTIS	PB91-148692		
PB91-147850			PB91-148114			Determination of the Neutron Mass and Implications for Fundamental Constants.		
Computing the Eigenvalues and Eigenvectors of Symmetric Arrowhead Matrices.			Agenda for Progress in Technology Education: A Personal View.			PB91-148692	101,615	Not available NTIS
PB91-147850	101,254	Not available NTIS	PB91-148114	100,037	Not available NTIS	PB91-148700		
PB91-147868			PB91-148122			High Speed Superconducting A/D Converter.		
Fiber-Optic Fluorescence Array to Study Free Convection in Porous Media.			CIM, Data and Standardization within the NBS AMRF.			PB91-148700	100,731	Not available NTIS
PB91-147868	101,407	Not available NTIS	PB91-148122	100,975	Not available NTIS	PB91-148718		
PB91-147876			PB91-148130			Anisotropic Structure of a Simple Liquid.		
Ventilation System Performance Evaluation Using Tracer Gas Techniques.			Innovation in Manufacturing Technology: A View from NBS.			PB91-148718	101,616	Not available NTIS
PB91-147876	100,060	Not available NTIS	PB91-148130	100,976	Not available NTIS	PB91-148726		
PB91-147884			PB91-148148			Photodissociation Dynamics of Water in the Second Absorption Band: Vibrational Excitation of OH (A (2)Sigma).		
Effects of Pressure on the Thermal Decomposition Kinetics and Chemical Reactivity of Nitromethane.			Trace Determination of Cr(VI) by LC/AAS with on-Line Pre-concentration.			PB91-148726	100,291	Not available NTIS
PB91-147884	100,286	Not available NTIS	PB91-148148	100,184	Not available NTIS	PB91-148734		
PB91-147892			PB91-148155			Quasi-Static Analysis of a Two-Wire Transmission Line Located at an Interface.		
Development of a Line Camera for Real-Time Measurements of Concentration in Turbulent Flow Fields.			Strontium-Induced Oxygen Defect Structure and Hole Doping in La _{2-x} Sr _x CuO ₄ .			PB91-148734	100,564	Not available NTIS
PB91-147892	101,386	Not available NTIS	PB91-148155	101,472	Not available NTIS	PB91-148742		
PB91-147900			PB91-148163			Asymptotic Shooting Method for the Solution of Differential Equations.		
Real-Time Radiology Standards: Results of a Workshop.			Industry and Government Strategies for Product Quality.			PB91-148742	101,255	Not available NTIS
PB91-147900	101,010	Not available NTIS	PB91-148163	101,011	Not available NTIS	PB91-148759		
PB91-147918			PB91-148171			Certain Theorems on Bilateral Generating Functions Involving Hermite, Laguerre, and Gegenbauer Polynomials.		
Investigation of Photoconductive Picosecond Microstripline Switches on Self-Implanted Silicon on Sapphire (SOS).			Ergodic Convergence Properties of Supercooled Liquids and Glasses.			PB91-148759	101,256	Not available NTIS
PB91-147918	100,791	Not available NTIS	PB91-148171	100,289	Not available NTIS	PB91-148767		
PB91-147926			PB91-148189			Physical and Thermo-Mechanical Properties of Monoclinic Single Crystals.		
Low Accelerating Voltage SEM Imaging and Metrology Using Backscattered Electrons.			Cryogenic Properties of Copper (Wall Chart).			PB91-148767	101,065	Not available NTIS
PB91-147926	101,469	Not available NTIS	PB91-148189	101,473	Not available NTIS	PB91-148775		
PB91-147934			PB91-148197			Second Order Sensitivity Analysis in Factorable Programming: Theory and Applications.		
Velocity and Droplet Size Measurements in a Fuel Spray.			Comparison of High-Resistivity Measurements of Silicon by AC Impedance, DC Resistance, van der Pauw, and Four-Probe Methods.			PB91-148775	101,266	Not available NTIS
PB91-147934	100,539	Not available NTIS	PB91-148197	100,792	Not available NTIS	PB91-148783		
PB91-147942			PB91-148205			Kinetics of Copper Extraction Using (anti)-2-Hydroxy-5-Nonylbenzophenone Oxime.		
Review of Pulse Tube Refrigeration.			Strength and Fracture Behavior of Ba-Y-Cu-O Superconducting Ceramics.			PB91-148783	100,292	Not available NTIS
PB91-147942	101,046	Not available NTIS	PB91-148205	101,474	Not available NTIS	PB91-148791		
PB91-147959			PB91-148213			Effect of Tube Bundle Flow Conditioners on Orifice Meter Discharge Coefficients.		
Muon Sticking in Catalysed d-t Fusion: Nuclear Resonance Effect.			Crystallizing Catabolite Gene Activator Protein with cAMP for Structural Analysis.			PB91-148791	100,881	Not available NTIS
PB91-147959	101,613	Not available NTIS	PB91-148213	101,299	Not available NTIS			
PB91-147967								
Apparatus for the Measurement of Regenerator Performance in Pulse Tube Refrigerators.								

NTIS ORDER/REPORT NUMBER INDEX

PB91-148809 Novel Laser Gain and Time-Resolved FTIR Studies of Photochemistry. PB91-148809	100,237	Not available NTIS	PB91-149039	101,214	Not available NTIS	PB91-149294	101,477	Not available NTIS
PB91-148817 Characterization of the Mineral Fraction in Botanical Reference Materials and Its Influence on Homogeneity and Analytical Results. PB91-148817	100,186	Not available NTIS	PB91-149047 Cleavage Step Formation and Resistance to Transgranular Stress Corrosion Cracking. PB91-149047	101,133	Not available NTIS	PB91-149302 Application of Fire Research. PB91-149302	100,153	Not available NTIS
PB91-148825 Modelling the Coronae and Chromospheres of RS CVn Systems by the Analysis of Ultraviolet, X-ray and Radio Observations. PB91-148825	100,019	Not available NTIS	PB91-149062 Characteristics of the Breakdown Voltage of Power MOS-FETs After Total Dose Irradiation. PB91-149062	100,793	Not available NTIS	PB91-149310 Comprehensive Approach for Modeling and Testing Analog and Mixed-Signal Devices. PB91-149310	100,732	Not available NTIS
PB91-148833 Ultraviolet, Optical, Infrared, and Microwave Observations of HR 5110. PB91-148833	100,020	Not available NTIS	PB91-149070 MMIC Related Metrology at the National Institute of Standards and Technology. PB91-149070	100,794	Not available NTIS	PB91-149328 Epitaxial fcc Fe Films on Cu(100). PB91-149328	101,478	Not available NTIS
PB91-148841 Mode Specific Internal and Direct Rotational Predissociation in HeHF, HeDF, and HeHCL: van der Waals Complexes in the Weak Binding Limit. PB91-148841	100,293	Not available NTIS	PB91-149088 NBS Quality Assurance Support: Current and Planned Services. PB91-149088	101,012	Not available NTIS	PB91-149336 Algorithm Design for Large-Scale Computations. PB91-149336	100,640	Not available NTIS
PB91-148858 Reverse-Phase HPLC Separation and Electrochemical Detection of Retinol and Its Isomers. PB91-148858	100,187	Not available NTIS	PB91-149096 Low Temperature Chemical Process for Precursors to Boride and Carbide Ceramics Powders. PB91-149096	101,066	Not available NTIS	PB91-149344 Tensile-Fracture Resistance Mechanisms in Brittle Polycrystals: An Ultrasonics and In-situ Microscopy Investigation. PB91-149344	101,190	Not available NTIS
PB91-148866 Neutron Powder Diffraction and Inelastic Scattering Study of the Structures of Zr2Pd, Zr2PdD1.70, and Zr2PdD1.96. PB91-148866	101,213	Not available NTIS	PB91-149104 Low Temperature Synthesis of Ceramic Powders for Structural and Electronic Applications. PB91-149104	101,067	Not available NTIS	PB91-149351 Transferring NBS Technology to Small Manufacturers Through State and Local Centers. PB91-149351	101,025	Not available NTIS
PB91-148874 Research at NBS in Direct Potentiometric Measurements in Blood. PB91-148874	100,188	Not available NTIS	PB91-149112 In situ Measurements of Bridged Crack Interfaces in the Scanning Electron Microscope. PB91-149112	101,068	Not available NTIS	PB91-149369 Influence of Sulfur on Methanation over Tungsten(110). PB91-149369	100,300	Not available NTIS
PB91-148882 Structures of the NH3-HCCCCCH and H2O-HCCCCCH Complexes by Fourier-Transform Microwave Spectroscopy. PB91-148882	100,294	Not available NTIS	PB91-149120 Measurement of Capacitance on Wafers. PB91-149120	100,795	Not available NTIS	PB91-149377 Summary Abstract: The Influence of Sulfur on Methanation over W(110). PB91-149377	100,301	Not available NTIS
PB91-148890 Chain Conformation of a Block Polymer in a Microphase-Separated Structure. PB91-148890	100,485	Not available NTIS	PB91-149138 Dispersion of the Electronic Contribution to the Third-Order Nonlinear Susceptibility of H2. PB91-149138	101,411	Not available NTIS	PB91-149385 General Method for Doppler Determination of Cylindrically Symmetric Velocity Distributions: An Application of Fourier Transform Doppler Spectroscopy. PB91-149385	100,302	Not available NTIS
PB91-148908 Use of Heterodyne Detection to Measure Optical Transmittance over a Wide Range. PB91-148908	101,410	Not available NTIS	PB91-149146 Performance and Limitations of Faraday Effect Sensors. PB91-149146	100,749	Not available NTIS	PB91-149393 Relation between the Surface Energy and the Debye Temperature for Cubic Solids. PB91-149393	100,303	Not available NTIS
PB91-148916 Theory of Specific Heat of Solids. PB91-148916	101,475	Not available NTIS	PB91-149153 Further Investigation of the Effect of Application Parameters on Adhesive-Bonded Seams of Single-Ply Roof Membranes. PB91-149153	100,105	Not available NTIS	PB91-149401 Device for Audio-Frequency Power Measurement. PB91-149401	100,733	Not available NTIS
PB91-148924 Multireference-Configuration Interaction (MR-CI) Calculations on HS(2+) and Experimental Observation via Electron Impact Ionization of H2S. PB91-148924	100,295	Not available NTIS	PB91-149161 Applied Electric Fields for Downstream Processing. PB91-149161	100,299	Not available NTIS	PB91-149419 Comparison of Flux Dynamics in Two Samples of YBa2Cu3O7 with Different Pinning. PB91-149419	101,069	Not available NTIS
PB91-148932 Possible 'Proximity Matrix' Route to High Current Conductors. PB91-148932	101,476	Not available NTIS	PB91-149179 UNIX Expert: A Prototype Knowledge-Based Software Development Workstation. PB91-149179	100,639	Not available NTIS	PB91-149427 Structural Instabilities and Superconductivity in Quasi-Binary Mn5Si3-Type Compounds. PB91-149427	101,215	Not available NTIS
PB91-148940 Applicability of Smoluchowski's Equation with a Constant Kernel to Coalescence. PB91-148940	100,296	Not available NTIS	PB91-149187 Determination of Bonded Phase Thickness in Liquid Chromatography by Small Angle Neutron Scattering. PB91-149187	100,190	Not available NTIS	PB91-149435 Mechanical Loss in a Glass-Epoxy Composite. PB91-149435	101,070	Not available NTIS
PB91-148957 Studies of H I and D I in the Local Interstellar Medium. PB91-148957	100,021	Not available NTIS	PB91-149195 Laser Measurements. PB91-149195	101,412	Not available NTIS	PB91-149443 Linear Calibration When the Coefficient of Variation is Constant. PB91-149443	101,273	Not available NTIS
PB91-148965 Spatially Resolved Flares in RS CVn Systems. PB91-148965	100,022	Not available NTIS	PB91-149203 Precise Experimental Test of Calculated Two-Electron Lamb Shifts in Helium. PB91-149203	101,617	Not available NTIS	PB91-149450 Material Dependency of Chip-Form Detection Using Acoustic Emission. PB91-149450	101,216	Not available NTIS
PB91-148973 H + O3 Fourier-Transform Infrared Emission and Laser Absorption Studies of OH (X(2) Pi) Radical: An Experimental Dipole Moment Function and State-to-State Einstein A Coefficients. PB91-148973	100,297	Not available NTIS	PB91-149211 Thermal Noise in Mechanical Experiments. PB91-149211	101,578	Not available NTIS	PB91-149458 Thermodynamics of Ammonium Indates. 2. The Molar Heat Capacity of the Ammonium Pentabromide Monohydrate Salt (NH4)2 InBr5.H2O from 7.8 to 348 K. PB91-149458	100,304	Not available NTIS
PB91-148981 Methods for the Analysis of Organometallic Compounds in Wastes. PB91-148981	100,189	Not available NTIS	PB91-149229 Hydrodynamics and Mass Transfer in Two-Phase Aqueous Extraction Using Spray Columns. PB91-149229	101,300	Not available NTIS	PB91-149494 Photospheres of Hot Stars. 4. Spectral Type O4. PB91-149494	100,025	Not available NTIS
PB91-148999 Micromachined Thermal Radiation Emitter from a Commercial CMOS Process. PB91-148999	100,748	Not available NTIS	PB91-149237 Preparation and Analysis of a Marine Sediment Reference Material for the Determination of Trace Organic Constituents. PB91-149237	101,377	Not available NTIS	PB91-149496 Thermodynamics of the Divalent Metal Fluorides. 3. Heat Capacity of the Fast Ion Conductor Sr SnF4 from 6 to 344 K. PB91-149496	100,305	Not available NTIS
PB91-149005 Laser-Induced Fluorescence Measurements of Drift-Velocity Distributions for Ba(+) in Ar: Moment Analysis and a Direct Measure of Skewness. PB91-149005	100,298	Not available NTIS	PB91-149245 Nonresonant Charge Transfer in the Threshold Region for (3)He(+) + (4)He(sub <sup>->) (3)He + (4)He(+) + . PB91-149245	101,618	Not available NTIS	PB91-149497 Mechanism for Shear Band Formation in the High Strain-Rate Torsion Test. PB91-149497	101,579	Not available NTIS
PB91-149013 Laser Diagnostics for Characterization of Fuel Sprays. PB91-149013	100,541	Not available NTIS	PB91-149252 Periodic Orbits and Diffuse Structures in the Photodissociation of Symmetric Triatomic Molecules. PB91-149252	100,238	Not available NTIS	PB91-149580 Selective-Area Epitaxial Growth of Gallium Arsenide on Silicon Substrates Patterned Using a Scanning Tunneling Microscope Operating in Air. PB91-149580	100,796	Not available NTIS
PB91-149021 Terminal Velocities for a Large Sample of O Stars, B Supergiants, and Wolf-Rayet Stars. PB91-149021	100,023	Not available NTIS	PB91-149260 Photodissociation of C(I)NO in the Si(I) State: A Quantum-Mechanical ab initio Study. PB91-149260	100,239	Not available NTIS	PB91-149598 Hall Effect. PB91-149598	101,479	Not available NTIS
PB91-149039 Materials Research at the National Bureau of Standards.			PB91-149278 Dynamic Arc-Power Source Response in GMA Welding. PB91-149278	101,002	Not available NTIS	PB91-149606 Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 5. N2O(1+) and NNO2(1-). PB91-149606	100,306	Not available NTIS
			PB91-149286 New Radio Detectors of Early-Type Pre-Main Sequence Stars. PB91-149286	100,024	Not available NTIS	PB91-149914 Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 4. NO(1+), NO(1-), ONNO(1+), and ONNO(1-). PB91-149914	100,307	Not available NTIS

NTIS ORDER/REPORT NUMBER INDEX

PB91-158998

PB91-149922 Pozzolan Programs of the Cement and Concrete Reference Laboratory. PB91-149922	100,525	Not available	NTIS
PB91-149930 Measurement Quality Assurance. PB91-149930	101,013	Not available	NTIS
PB91-149948 Round Robin on Apparent Thermal Conductivity of Several Loose-Fill Insulations. PB91-149948	101,143	Not available	NTIS
PB91-149955 Application of Ultrafast Broadband Infrared Spectroscopy to Measurement of Metal-Carbonyl Dynamics. PB91-149955	100,308	Not available	NTIS
PB91-149963 Analysis of the YBa2Cu3O7/SrTiO3 Interface as a Function of Post-Deposition Annealing Temperature. PB91-149963	101,480	Not available	NTIS
PB91-149971 Optical Potential Approach to Electron and Positron Scattering from Noble Gases. 2. Neon. PB91-149971	101,619	Not available	NTIS
PB91-149989 Modelling Gallium Arsenide Transistors. PB91-149989	100,797	Not available	NTIS
PB91-149997 Emergence of Modern Nucleation Theory. PB91-149997	101,481	Not available	NTIS
PB91-150003 Fusion of Mercury. A New Certified Standard for Differential Scanning Calorimetry. PB91-150003	100,309	Not available	NTIS
PB91-150011 Nonlocal Phase Shifts Induced by Static Electric Fields in Neutron Interferometers When the Path-Enclosed Charge Vanishes. PB91-150011	101,620	Not available	NTIS
PB91-150029 Low-Cost Low-Volume Carrier (Minilab) for Biotechnology and Fluids Experiments in Low Gravity. PB91-150029	100,041	Not available	NTIS
PB91-150037 Improved Analysis for Flexural Creep with Application to Sialon Ceramics. PB91-150037	101,071	Not available	NTIS
PB91-150045 Amorphization and Conductivity of Silicon and Germanium Induced by Indentation. PB91-150045	101,482	Not available	NTIS
PB91-150052 Diode Laser Probing of I ⁺ (2P)1/2 Doppler Profiles: Time Evolution of a Fast, Anisotropic Velocity Distribution in a Thermal Bath. PB91-150052	100,310	Not available	NTIS
PB91-150060 gamma-Irradiated Seafoods: Identification and Dosimetry by Electron Paramagnetic Resonance Spectroscopy. PB91-150060	100,016	Not available	NTIS
PB91-150078 Concepts of Underground Corrosion. PB91-150078	101,134	Not available	NTIS
PB91-150086 Biodegradable Plastics: An Idea Whose Time Has Come. PB91-150086	101,243	Not available	NTIS
PB91-157123 STEP On-Line Information Service User's Guide. National PDES Testbed Report Series. PB91-157123	100,950	PC A03/MF A01	
PB91-157156 New Approach to Vision and Control for Road Following. PB91-157156	101,743	PC A03/MF A01	
PB91-157164 NIST Express Working Form Programmer's Reference (Revised November 1990). National PDES Testbed Report Series. PB91-157164	100,964	PC A04/MF A01	
PB91-157172 Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Laboratory Evaluation of a Prototype Test Apparatus. PB91-157172	100,106	PC A03/MF A01	
PB91-157180 Species Produced in Fires Burning in Two-Layered and Homogeneous Vitiated Environments. PB91-157180	100,542	PC A12/MF A02	
PB91-157198 Proceedings of the Object-Oriented Database Task Group Workshop, Tuesday, October 23, 1990, Chateau Laurier Hotel, Ottawa, Canada. PB91-157198	100,641	PC A07/MF A01	
PB91-157206 Fire Propagation in Concurrent Flows. PB91-157206	100,543	PC A07/MF A01	
PB91-157214 TROJ User's Guide.			
PB91-157214 Micromagnetic Calculations of 180 deg Surface Domain-Wall Magnetization Profiles with Comparison to Measurements. PB91-158501	101,483	Not available	NTIS
PB91-158519 Levitron Calorimetry. PB91-158519	100,927	Not available	NTIS
PB91-158527 Acoustic Emission Monitoring of Laser Drilling. PB91-158527	101,218	Not available	NTIS
PB91-158535 Conference Coverage: Papers Presentations Shine. PB91-158535	100,061	Not available	NTIS
PB91-158543 Compartment Fire-Generated Environment and Smoke Filling. PB91-158543	100,107	Not available	NTIS
PB91-158550 Convective and Morphological Instabilities during Directional Solidification. PB91-158550	101,219	Not available	NTIS
PB91-158568 Self-Adjustment of a Robot Joint Controller. PB91-158568	101,027	Not available	NTIS
PB91-158576 Application of the Joint Excitation Gear Adjustment Technique to Low Frequencies and Heavy Robot Joints. PB91-158576	101,028	Not available	NTIS
PB91-158584 Toward Modular Semantic Application Layer Protocols (MS-ALPs): Communication between Heterogeneous Information Systems Using Artificial Intelligence (AI) Programming Techniques. PB91-158584	100,565	Not available	NTIS
PB91-158592 Rapporteur's Summary Materials Development for Coal Gasification. PB91-158592	100,876	Not available	NTIS
PB91-158600 Near Net Shape Forming of Ceramics. PB91-158600	101,072	Not available	NTIS
PB91-158618 Relative Populations of Excited Levels within the Ground Configuration of Si-Like Cu, Zn, Ge, and Se Ions. PB91-158618	101,443	Not available	NTIS
PB91-158626 Measurement of Space Charge Fields in Polymers. PB91-158626	100,486	Not available	NTIS
PB91-158634 Accurate Spectroscopy in the X-ray Region. PB91-158634	101,621	Not available	NTIS
PB91-158642 X-ray Interferometry and gamma-ray Wavelengths. PB91-158642	101,484	Not available	NTIS
PB91-158659 Evaluation of Building Systems Inventions. PB91-158659	100,896	Not available	NTIS
PB91-158667 Corrosion Testing in Soil. PB91-158667	101,135	Not available	NTIS
PB91-158675 Using Surface Roughness as a Wear Criterion in High-Speed Steel End-Milling. PB91-158675	101,040	Not available	NTIS
PB91-158683 Effects of Different CH4-H2 Gas Compositions on the Morphology and Growth of Diamond Grown by Hot Filament CVD. PB91-158683	101,054	Not available	NTIS
PB91-158691 Effect of Catalyst Structure on the Synthesis of a Dental Restorative Monomer. PB91-158691	100,043	Not available	NTIS
PB91-158709 Stoichiometry of Reactively Evaporated Films. PB91-158709	101,413	Not available	NTIS
PB91-158717 New Different Forms of Ammonium Loaded and Partly Deammoniated Zeolite Rho Studied by Neutron Powder. PB91-158717	100,311	Not available	NTIS
PB91-158725 Engineers' Statistical Literacy is Key to U.S. Competitiveness. PB91-158725	100,038	Not available	NTIS
PB91-158733 Corrosion Behavior of Zirconium Alloy Nuclear Fuel Cladding.			
PB91-158733 Thermodynamic Data for Modeling of Flue Gas Cleanup Systems (Abstract for Poster Session). PB91-158741	100,904	Not available	NTIS
PB91-158758 Specifications for a Federal Information Processing Standard Data Dictionary System. PB91-158758	100,687	Not available	NTIS
PB91-158766 1987: The Year of the 386. PB91-158766	100,599	Not available	NTIS
PB91-158774 National Bureau of Standards-American Ceramic Society Phase Diagram Data Program. PB91-158774	101,073	Not available	NTIS
PB91-158782 Real-Time Hierarchical Planning for Multiple Mobile Robots. PB91-158782	101,375	Not available	NTIS
PB91-158790 Zonal Model for Corona Discharge-Induced Oxidation of SF6 in SF6/O2/H2O Gas Mixtures. PB91-158790	100,312	Not available	NTIS
PB91-158808 Mechanisms of Additive Effectiveness. PB91-158808	101,172	Not available	NTIS
PB91-158816 Surface Acoustical Wave Spectroscopy for High Humidity Sensing. PB91-158816	100,843	Not available	NTIS
PB91-158824 Design and Analysis of Experiments. PB91-158824	101,274	Not available	NTIS
PB91-158832 Data Management Standards in Computer-Aided Acquisition and Logistic Support (CALS). PB91-158832	101,339	Not available	NTIS
PB91-158840 Towards Computer-Based Microstructure Models for Cement-Based Systems. PB91-158840	101,074	Not available	NTIS
PB91-158857 Wetting Layers on Solid Substrates. PB91-158857	100,313	Not available	NTIS
PB91-158865 NIST Standards for Sodium and Potassium. PB91-158865	100,191	Not available	NTIS
PB91-158873 NBS Submicron Particle Standards for Microcontamination Measurement. PB91-158873	100,798	Not available	NTIS
PB91-158881 Explicit Mapping of the Set of Dynamical Symmetries onto the Set of Equivalent Lagrangians for Systems with One Degree of Freedom. PB91-158881	101,622	Not available	NTIS
PB91-158899 Choosing a Name for Your Computer. PB91-158899	100,600	Not available	NTIS
PB91-158907 New Yorker in Japan. PB91-158907	101,275	Not available	NTIS
PB91-158915 Features and Facilities of Estelle. PB91-158915	100,688	Not available	NTIS
PB91-158923 Heats of Immersion, Friction, and Wear of Base Oil Fractions. PB91-158923	101,173	Not available	NTIS
PB91-158931 Calibration with Working Standards. PB91-158931	101,276	Not available	NTIS
PB91-158949 Rapid Solidification Alloys: Crystals, Quasicrystals, and Metallic Glass. PB91-158949	101,220	Not available	NTIS
PB91-158956 Working Group 1: Atomic Spectra and Wavelength Standards. PB91-158956	100,026	Not available	NTIS
PB91-158964 Transformation of the Icosahedral Phase in Rapidly Quenched Al-rich Al-Mn Alloys. PB91-158964	101,221	Not available	NTIS
PB91-158972 Algorithm and Computer Program for the Calculation of Envelope Curves. PB91-158972	101,414	Not available	NTIS
PB91-158980 Fracture Toughness of 316L Stainless Steel Welds with Varying Inclusion Contents at 4 K. PB91-158980	101,148	Not available	NTIS
PB91-158998 Algorithm for the Mass-Loss Rate of a Burning Wall. PB91-158998	100,108	Not available	NTIS

NTIS ORDER/REPORT NUMBER INDEX

PB91-159004 Mechanical Testing Revitalized. PB91-159004 100,928 Not available NTIS	PB91-159277 101,075 Not available NTIS	PB91-162032 101,328 Not available NTIS
PB91-159012 Redox Reactions of Osmium Porphyrins. PB91-159012 100,217 Not available NTIS	PB91-159285 Progress at NIST on Absolute Frequency Standards Using Stored Ions. PB91-159285 101,625 Not available NTIS	PB91-162040 Evaluation of Dual-Port Circularly Polarized Probes for Planar Near-Field Measurements. PB91-162040 100,590 Not available NTIS
PB91-159020 Modeling Electron Beam Interactions in Semiconductors. PB91-159020 101,485 Not available NTIS	PB91-159293 AI: Does It Have a Place in Building Simulation. PB91-159293 100,063 Not available NTIS	PB91-162057 H2O2: Spectroscopy, Structure and Dynamics. PB91-162057 100,316 Not available NTIS
PB91-159038 Five Small Flaming Fire Tests in a Simulated Hospital Patient Room Protected by Automatic Fire Sprinklers. PB91-159038 100,109 Not available NTIS	PB91-159301 Photoionization and Collisional Ionization of Excited Atoms Using Synchrotron and Laser Radiations. PB91-159301 101,626 Not available NTIS	PB91-162065 Resonant Tunneling with Electron-Phonon Interactions: An Exactly Solvable Model Applied to Desorption. PB91-162065 100,317 Not available NTIS
PB91-159046 Simplified Error Bounds for Newton's Rule. PB91-159046 101,257 Not available NTIS	PB91-159319 Hardware Instrumentation Approach for Performance Measurement of a Shared-Memory Multiprocessor. PB91-159319 100,601 Not available NTIS	PB91-162073 Phase Transitions. PB91-162073 100,318 Not available NTIS
PB91-159053 Chemical Modification of the Orthorhombic Superconductor Ba2YCu3O7-delta. PB91-159053 101,486 Not available NTIS	PB91-159715 Polymers: Technical Activities 1990. PB91-159715 100,488 PC A07/MF A01	PB91-162081 Unified Description of Infinite-Dilution Thermodynamic Properties for Aqueous Solutes. PB91-162081 100,319 Not available NTIS
PB91-159061 Domestic Implementation. PB91-159061 100,176 Not available NTIS	PB91-159723 Proceedings of the Object-Oriented Database Task Group Workshop. Held in Atlantic City, New Jersey on May 22, 1990. PB91-159723 100,643 PC A14/MF A02	PB91-162099 Spinodal Decomposition in a Hydrogen-Bonded Polymer Blend. PB91-162099 100,489 Not available NTIS
PB91-159079 Prototype Expert System for Diagnosing Moisture Problems in Houses. PB91-159079 100,062 Not available NTIS	PB91-159731 Pulse-Echo Ultrasonic Evaluation of the Integrity of Seams of Single-Ply Roofing Membranes: Results of Field Investigations and Recommendations. PB91-159731 100,110 PC A03/MF A01	PB91-162107 Analytic Solution for the Three-Layer Multiple Beam Interferometer. PB91-162107 101,007 Not available NTIS
PB91-159087 Submicrometer SEM Magnification Standard. PB91-159087 100,799 Not available NTIS	PB91-159749 Center for Electronics and Electrical Engineering Technical Progress Bulletin Covering Center Programs, July to September 1990, with 1991 CEE Events Calendar. PB91-159749 100,801 PC A03/MF A01	PB91-162115 Automated High-Temperature Guarded-Hot-Plate Apparatus for Measuring Apparent Thermal Conductivity of Insulations between 300 and 750 K. PB91-162115 100,111 Not available NTIS
PB91-159095 Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 1. Separation Rates of Polyethylene Glycol-Dextran Mixtures. PB91-159095 100,487 Not available NTIS	PB91-159756 National PDES Testbed Mail Server User's Guide. National PDES Testbed Report Series. PB91-159756 100,951 PC A02/MF A01	PB91-162123 Quantum Optics of Single, Trapped Ions. PB91-162123 101,628 Not available NTIS
PB91-159103 Reference Materials: Their Role in Measurement Accuracy. PB91-159103 101,014 Not available NTIS	PB91-159764 NIST 'Building Life-Cycle Cost' (BLCC) Program (Version 3.0). User's Guide and Reference Manual. PB91-159764 100,154 PC A04/MF A01	PB91-162131 Time-Resolved Small-Angle Neutron Scattering in Intermediate- and Late-Stage Spinodal Decomposition of (DPB/HPI) Blends. PB91-162131 100,490 Not available NTIS
PB91-159111 Use of Neutron Pole Figures to Calibrate Ultrasonic Techniques for On-Line Texture Control of Aluminum Plates. PB91-159111 101,222 Not available NTIS	PB91-159772 NIST Reactor: Summary of Activities July 1989 through June 1990. PB91-159772 101,488 PC A05/MF A01	PB91-162149 Computer Simulated Hydration of a Cement Model. PB91-162149 100,112 Not available NTIS
PB91-159129 Phonon Density of States of Superconducting YBa2Cu3O7 and the Nonsuperconducting Analog YBa2Cu3O6. PB91-159129 101,487 Not available NTIS	PB91-161919 Improved Technique for Determining Complex Permittivity with the Transmission/Reflection Method. PB91-161919 100,844 Not available NTIS	PB91-162156 Microstrip Patch Antenna as a Standard Transmitting and Receiving Antenna. PB91-162156 100,591 Not available NTIS
PB91-159137 International Co-operation: The Versailles Project on Advanced Materials and Standards. PB91-159137 101,191 Not available NTIS	PB91-161927 Picosecond IR Studies of the Vibrational Dynamics of CO/Pt(111). PB91-161927 100,314 Not available NTIS	PB91-162164 Visualization of Nucleate Flow Boiling for an R22/R114 Mixture and Its Components. PB91-162164 100,225 Not available NTIS
PB91-159145 VAMAS Bulletin. PB91-159145 101,192 Not available NTIS	PB91-161935 Structural and Magnetic Properties of Er Thin Films and Er/Y Superlattices: Magnetoelastic Effects. PB91-161935 101,489 Not available NTIS	PB91-162172 Uses of Spin-Polarised Electrons in Fundamental Electron-Atom Collision Processes and the Analysis of Magnetic Microstructures. PB91-162172 101,490 Not available NTIS
PB91-159152 Method for Characterizing the Thermal Performance of a Solar Storage Wall from Measured Data. PB91-159152 100,901 Not available NTIS	PB91-161943 Proceedings of Cable '89 Workshop. PB91-161943 100,773 Not available NTIS	PB91-162180 Mechanical Properties of Alumina-Peek Unidirectional Composite: Compression, Shear, and Tension. PB91-162180 101,118 Not available NTIS
PB91-159160 Agency Exploits Flexibility of Software in Moving Info. PB91-159160 100,642 Not available NTIS	PB91-161950 Probe Waveforms and the Reconstruction of Structural Dynamic Green's Functions. PB91-161950 101,737 Not available NTIS	PB91-162198 Low-Background Gamma-Ray Assay Laboratory for Activation Analysis. PB91-162198 100,192 Not available NTIS
PB91-159178 Spin Glass Magnetic Behavior of Iron/Silica Gel Nanocomposites. PB91-159178 101,117 Not available NTIS	PB91-161968 Research at NBS on Dynamic Measurements of Thermophysical Properties at High Temperature (Abstract). PB91-161968 100,315 Not available NTIS	PB91-162206 Photonic Probes for the Measurement of Electromagnetic Fields Over Broad Bandwidths. PB91-162206 100,750 Not available NTIS
PB91-159186 Kinematic Couplings for Precision Fixturing. Part 2. Experimental Determination of Repeatability and Stiffness. PB91-159186 101,041 Not available NTIS	PB91-161976 Cross-Validation Procedure for Stopping the EM Algorithm and Deconvolution of Neutron Depth Profiling Spectra. PB91-161976 101,627 Not available NTIS	PB91-162214 Speed of Sound of Natural Gas Mixtures. PB91-162214 100,882 Not available NTIS
PB91-159194 Design and Implementation of a Five-Axis Robotic Micro-manipulator for Inserting Parts into Precision Collets. PB91-159194 101,029 Not available NTIS	PB91-161984 Visibility of Exit Signs and Directional Indicators. PB91-161984 100,083 Not available NTIS	PB91-162222 New Wide Range Equation of State for Helium. PB91-162222 100,226 Not available NTIS
PB91-159202 Electrodeposition of Aluminum from Molten Salts. PB91-159202 101,223 Not available NTIS	PB91-161992 TEM/Reverberating Chamber Design/Concept Study: A Single Facility for Large System Radiated EMC Testing, 10 kHz - 40 GHz. PB91-161992 100,845 Not available NTIS	PB91-162230 Research Tackles Automation Issues. PB91-162230 101,005 Not available NTIS
PB91-159210 Dental Biomaterials and Engineering Frontiers for the 90's. PB91-159210 100,044 Not available NTIS	PB91-162008 Small Scale Demand Type Neon Liquefaction Plant. PB91-162008 100,224 Not available NTIS	PB91-162248 Evaluation of Instrumentation Used to Measure AC Power System Magnetic Fields. PB91-162248 100,872 Not available NTIS
PB91-159228 Thwarting the Hackers. PB91-159228 100,705 Not available NTIS	PB91-162016 Apparatus for Measurement of Thermal Conductivity of Insulation Systems Subjected to Extreme Temperature Differences. PB91-162016 101,738 Not available NTIS	PB91-162255 High Purity Fluoropolymer Materials: Trace Element Content and Leaching. PB91-162255 100,491 Not available NTIS
PB91-159236 Preface to Book Entitled 'Nonequilibrium Effects in Ion and Electron Transport'. PB91-159236 101,623 Not available NTIS	PB91-162024 Effect of Pyrophosphate Concentrations on Calcium Phosphate Growth on Well-Crystallized Octacalcium Phosphate and Hydroxyapatite Seed Crystals. PB91-162024 101,193 Not available NTIS	PB91-162263 Computer Simulation of Fluid-Fluid Phase Coexistence in Mixtures of Nonadditive Soft Disks. PB91-162263 101,388 Not available NTIS
PB91-159244 Permittivity Measurements on Molecular-Sized Samples. PB91-159244 100,800 Not available NTIS	PB91-162032 Newest Approaches to Quantitative Assessment of Bioactive Organotins.	PB91-162271 Bioprocessing of Fossil Fuels Using Hyperthermophilic Archaeobacteria. PB91-162271 100,883 Not available NTIS
PB91-159251 Steam Tables. PB91-159251 101,624 Not available NTIS		
PB91-159269 Method for Quantitative Measurement of Galling Damage. PB91-159269 101,183 Not available NTIS		
PB91-159277 Tensile Creep Behavior of Structural Ceramics.		

NTIS ORDER/REPORT NUMBER INDEX

PB91-174722

PB91-162289 Surface-State-Mediated Photochemistry. Laser-Induced Desorption of NO from Si (111). PB91-162289 100,320 Not available NTIS	PB91-167296 Computational Models Developed for the Corrosion of Prestressing Steel. PB91-167304 101,341 PC A04/MF A01	PB91-174474 Fluorescence Monitoring of Polymer Processing: Mixing and Zero Shear Viscosity. PB91-174482 100,544 Not available NTIS
PB91-162297 Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. II. Data Sheets for Al, Ca, Cs, Cr, Co, Cu, Kr, Mg, Hg, and Ni. PB91-162297 100,193 Not available NTIS	PB91-167304 NIST Standard Reference Data Products 1991 Catalog. PB91-167312 100,952 PC A04/MF A01	PB91-174482 Correction for Converting 2-CM(3)-Coupler Responses to Insertion Responses for Custom in-the-Ear Non-Directional Hearing Aids. PB91-174490 100,492 Not available NTIS
PB91-162305 Micromagnetics of Domain Walls at Surfaces. PB91-162305 101,491 Not available NTIS	PB91-167312 Engineering Design Laboratory Guide. PB91-167320 100,977 PC A03/MF A01	PB91-174490 Statistical Mechanical Model of Aqueous Two-Phase Systems. PB91-174508 100,493 Not available NTIS
PB91-162313 Narrow-Gap Semiconductors and Related Materials. PB91-162313 101,492 Not available NTIS	PB91-167320 Intercomparison Study of Rockwell Hardness Test Blocks. PB91-167338 101,224 PC A04/MF A01	PB91-174508 Research and Development of Heat Pumps Using Nonazeotropic Mixture Refrigerants. PB91-174516 100,891 Not available NTIS
PB91-162321 Superconducting Properties of Bi ₂ -x-yPb _x Sr ₂ Ca ₂ Cu ₃ O _z . PB91-162321 101,076 Not available NTIS	PB91-167338 Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel. PB91-167346 101,150 PC A03/MF A01	PB91-174516 Introduction to ACI 306.1-87: Specification for Cold Weather Concrete. PB91-174524 100,526 Not available NTIS
PB91-162339 Analysis and Characterization of Commercial Welding Fluxes. PB91-162339 101,003 Not available NTIS	PB91-167346 Proposed Standard Practice for Assessing the Performance of Gas-Phase Air Cleaning Equipment. PB91-167353 100,905 PC A03/MF A01	PB91-174524 Book Review: Polarized Electrons at Surfaces by J. Kirschner. PB91-174532 101,493 Not available NTIS
PB91-162347 Effect of Pipe Surface Finish on the Orifice Discharge Coefficient. PB91-162347 101,389 Not available NTIS	PB91-167353 Robot Characterization Testing. PB91-167361 101,030 PC A03/MF A01	PB91-174532 Applications of Operations Research Techniques to System Design and Evaluation. PB91-174540 101,267 Not available NTIS
PB91-162354 Stylus Profiling at High Resolution and Low Force. PB91-162354 101,015 Not available NTIS	PB91-167361 Directory of Federal Government Laboratory Accreditation/Designation Programs. PB91-167379 100,005 PC A06/MF A01	PB91-174540 Development of a Three-Dimensional Finite Element Program for Large Strain Elastic-Plastic Solids. PB91-174557 101,494 Not available NTIS
PB91-162362 Cutting the High Cost of Testing. PB91-162362 100,846 Not available NTIS	PB91-167379 Functional Benchmarks for Fourth Generation Languages. PB91-167387 100,644 PC A04/MF A01	PB91-174557 Planar Waveguide Optical Immunosensors. PB91-174565 101,284 Not available NTIS
PB91-162370 Intercomparison of NBS Noise Calibration Services. PB91-162370 100,847 Not available NTIS	PB91-167387 U.S. Assessment of the New Diamond Technology in Japan. PB91-167395 101,107 PC A05/MF A01	PB91-174565 Ceiling Jet-Driven Wall Flows in Compartment Fires. PB91-174573 100,117 Not available NTIS
PB91-162388 Calculated from the Frequency Domain: An Update. PB91-162388 100,578 Not available NTIS	PB91-167395 Users Guide for RAPID, Version 2.3. PB91-167403 100,999 PC A06/MF A01	PB91-174573 Design, Fabrication, and Testing of an Interconnect Test Structure for Evaluating VLSI Processes. PB91-174581 100,803 Not available NTIS
PB91-167155 ZIP: The ZIP-Code Insulation Program, Version 2.0. Economic Insulation Levels for New and Existing Houses by Three-Digit Zip Code. Users' Guide and Reference Manual (Revised Edition). PB91-167155 100,064 PC A03/MF A01	PB91-167403 Modern Test Methods for Flammability. PB91-167676 100,116 PC A03/MF A01	PB91-174581 Use of Birefringent Coatings in Fracture Mechanics. PB91-174599 101,582 Not available NTIS
PB91-167163 Standard Reference Materials: Bright-Chromium Linewidth Standard, SRM 476, for Calibration of Optical Microscope Linewidth Measuring Systems. PB91-167163 100,802 PC A03/MF A01	PB91-167676 Automat 2.0: Decision Support Software for Automated Manufacturing Investments. User Manual. PB91-167700 100,978 PC A04/MF A01	PB91-174599 Refrigerant Charge Effects on Heat Pump Performance. PB91-174607 100,065 Not available NTIS
PB91-167171 Examination of the Excessive Retained Austenite on the Surface of a Section of 17-7 Precipitation Hardening Stainless Steel. PB91-167171 101,149 PC A03/MF A01	PB91-167700 Interim Report to the President and to the Congress on the Malcolm Baldrige National Quality Award. PB91-167833 100,001 PC A05/MF A01	PB91-174607 Iron-Garnet Magnetic Field Sensors with 100 pT/per square root Hz Noise-Equivalent Field. PB91-174615 100,751 Not available NTIS
PB91-167189 Review of Research Literature on Masonry Shear Walls. PB91-167189 100,113 PC A05/MF A01	PB91-167833 NIST Serial Holdings, 1991. PB91-171330 100,960 PC A12/MF A02	PB91-174615 High Precision Gaging with Computer Vision Systems. PB91-174623 100,979 Not available NTIS
PB91-167197 Ceiling Jet in Fires. PB91-167197 100,114 PC A04/MF A01	PB91-171330 Transmission/Reflection and Short-Circuit Line Permittivity Measurements. PB91-171959 100,848 PC A08/MF A01	PB91-174623 Monitoring the Fate of Chlorine from MSW Sampling through Combustion. PB91-174631 100,917 Not available NTIS
PB91-167205 Uncertainty and Accuracy in Physical Measurements. PB91-167205 101,629 PC A03/MF A01	PB91-171959 Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, December 1990. PB91-171967 100,689 PC A99/MF E06	PB91-174631 Simulation of an Evaporator with Nonuniform One-Dimensional Air Distribution. PB91-174649 100,066 Not available NTIS
PB91-167213 Technical Activities 1990, Standard Reference Data Program. PB91-167213 100,321 PC A05/MF A01	PB91-171967 Appendix: Standard Solutions and Certified Reference Materials. PB91-174235 100,194 Not available NTIS	PB91-174649 Radio-Continuum Observations of a Variety of Cool Stars. PB91-174656 100,027 Not available NTIS
PB91-167221 Review of Current Geometric Tolerancing Theories and Inspection Data Analysis Algorithms. PB91-167221 101,016 PC A03/MF A01	PB91-174235 Experimentation, Analysis, and Correlation of Refrigerant-22 Flow Through Short Tube Restrictors. PB91-174243 101,194 Not available NTIS	PB91-174656 Thermal Conductivity of Evacuated Perlite at Low Temperatures as a Function of Load and Load History. PB91-174672 100,227 Not available NTIS
PB91-167239 Measurement of Structural Response Characteristics of Full-Scale Buildings: Selection of Structures. PB91-167239 100,144 PC A03/MF A01	PB91-174243 Sensing of GMAW Droplet Transfer Modes Using an ER 100S-1 Electrode. PB91-174250 101,004 Not available NTIS	PB91-174672 Wawayandaite, a New Calcium Manganese Beryllium Boron Silicate from Franklin, New Jersey. PB91-174680 101,359 Not available NTIS
PB91-167247 Field Study of the Performance of EPDM Roofing at Air Force Facilities. PB91-167247 101,340 PC A05/MF A01	PB91-174250 Determining the Dynamic Stress Intensity Factor with Strain Gages Using a Crack Tip Locating Algorithm. PB91-174268 101,580 Not available NTIS	PB91-174680 XPS and Auger Forward Scattering in Epitaxial Films. PB91-174698 101,495 Not available NTIS
PB91-167254 Experimental Study of Top Vented Compartment Fires. PB91-167254 100,155 PC A03/MF A01	PB91-174268 Improved Optical Diffraction Strain Measurement System. PB91-174433 101,581 Not available NTIS	PB91-174698 Electronic and Radiometric Characteristics of Near Infrared Photodiodes. PB91-174706 100,752 Not available NTIS
PB91-167262 SOL3 Support for CALS Applications. PB91-167262 100,965 PC A03/MF A01	PB91-174433 Properties of Amorphous Zirconium Rhodium Hydride (Zr ₃ RhH _x) Prepared from Glassy and Crystalline Alloys. PB91-174466 101,225 Not available NTIS	PB91-174706 Measuring the Corrosion of Metals in Soil. PB91-174714 101,136 Not available NTIS
PB91-167270 Role of Bench-Scale Test Data in Assessing Real-Scale Fire Toxicity. PB91-167270 100,156 PC A06/MF A01	PB91-174466 Ignition Characteristics of Selected SSME Alloys. PB91-174474 101,630 Not available NTIS	PB91-174714 Gyroscope-Weighing Experiment Revisited -- with a Null Result. PB91-174722 101,630 Not available NTIS
PB91-167288 DISCOUNT-A Program for Discounting Computations in Life-Cycle Cost Analyses. User's Guide and Reference Manual. PB91-167288 100,897 PC A03/MF A01		
PB91-167296 Raster Graphics Conformance Testing.		

NTIS ORDER/REPORT NUMBER INDEX

- PB91-174730**
Oxidation of Organic Compounds by Active Manganese Dioxide.
PB91-174730 100,218 Not available NTIS
- PB91-174748**
Anomalous Magnetoresistance in Al/Al-Alloy Composite Conductors.
PB91-174748 101,631 Not available NTIS
- PB91-174755**
New Test of Quantum Mechanics: Is Planck's Constant Unique.
PB91-174755 101,632 Not available NTIS
- PB91-174763**
Viscosity Surface for Mixtures of Methane and Ethane.
PB91-174763 100,322 Not available NTIS
- PB91-174771**
N-Dimensional Crystallographic Description of the Icosahedral Phases; the Example of the Al₇₃Mn₂₁Si₆ Quasiperiodic Structure.
PB91-174771 101,226 Not available NTIS
- PB91-174789**
Letter to the Editor of Standardization News.
PB91-174789 100,118 Not available NTIS
- PB91-174797**
Letter to the Editor, Fire Technology, Comments on T.Z. Harmathy Viewpoint, May 1985.
PB91-174797 100,545 Not available NTIS
- PB91-174805**
Increased Facilitated Transport Related to Microstructural Changes in Heat-Treated Ion-Exchange Membranes.
PB91-174805 100,323 Not available NTIS
- PB91-174813**
Population Lifetimes of OH ($v=1$) and OD ($v=1$) Vibrations in Alcohols, Silanols and Crystalline Micels.
PB91-174813 100,324 Not available NTIS
- PB91-174821**
Thermochemistry of Sulfoxides and Sulfones.
PB91-174821 100,325 Not available NTIS
- PB91-174839**
Formation and Stability of SF₅ and S₂F₁₀.
PB91-174839 100,326 Not available NTIS
- PB91-174847**
Letter to Editor of Chemical and Engineering News.
PB91-174847 100,327 Not available NTIS
- PB91-174854**
Laser-Driven Ionization and Photoabsorption Spectroscopy of Atomic Ions.
PB91-174854 101,415 Not available NTIS
- PB91-174862**
Mechanisms of Additive Effectiveness.
PB91-174862 101,174 Not available NTIS
- PB91-174870**
Resonance Enhanced Multiphoton Ionization Spectroscopy of CHCl₂ and CDCl₂.
PB91-174870 100,328 Not available NTIS
- PB91-174888**
Instrumentation of X-ray Beam Lines with PIN Diode Detectors.
PB91-174888 101,633 Not available NTIS
- PB91-174896**
State-of-the-Art of Computational Testing of Mathematical Programming Algorithms.
PB91-174896 101,268 Not available NTIS
- PB91-174904**
ACTIS: Towards a Comprehensive Tribology Data Base.
PB91-174904 101,184 Not available NTIS
- PB91-174912**
Noise-Affected I-V Curves in Small Hysteretic Josephson Junctions.
PB91-174912 100,782 Not available NTIS
- PB91-174920**
Detection of an Expanding H I Shell in the Old Supernova Remnant CTB 80.
PB91-174920 100,028 Not available NTIS
- PB91-174938**
Error Prevention and Detection in Data Preparation for a Numerically Controlled Milling Machine.
PB91-174938 100,980 Not available NTIS
- PB91-174946**
Numerical Simulation and Visualization Models of Stress Wave Propagation Graphite/Epoxy Composites.
PB91-174946 101,120 Not available NTIS
- PB91-174953**
Study of Additive Response in a Series of Refined Base Oils Typical of Current Commercial Practice.
PB91-174953 101,175 Not available NTIS
- PB91-174961**
Robot Sensor Language.
PB91-174961 101,031 Not available NTIS
- PB91-174979**
Control of Flexible Robot Arm.
PB91-174979 101,032 Not available NTIS
- PB91-174987**
Optical Levitation of Single Particles.
PB91-174987 101,634 Not available NTIS
- PB91-174995**
Polarized X-ray Emission Studies of Methyl Chloride and the Chlorofluoromethanes.
PB91-174995 100,329 Not available NTIS
- PB91-175000**
Characterizing VLSI Processes Using Test Structures.
PB91-175000 100,804 Not available NTIS
- PB91-175018**
Application of Formal Description Techniques to the Specification of Distributed Test Systems.
PB91-175018 100,566 Not available NTIS
- PB91-175026**
Ground-Truth Observations of Stellar Surface Structure from the Lunar Surface.
PB91-175026 100,029 Not available NTIS
- PB91-175034**
Some Concluding Thoughts for Cool Stars VI.
PB91-175034 100,030 Not available NTIS
- PB91-175042**
Extension of the Class of Magnetic B Star Nonthermal Radio Sources.
PB91-175042 100,031 Not available NTIS
- PB91-175059**
Group Reactivities in the Gas Phase Reactions of Hydroxyl Radicals with Ethers.
PB91-175059 100,330 Not available NTIS
- PB91-175067**
High-Resolution Small-Angle X-ray Scattering Camera for Anomalous Scattering.
PB91-175067 100,929 Not available NTIS
- PB91-175075**
Small-Angle-Scattering Determination of the Microstructure of Porous Silica Precursor Bodies.
PB91-175075 101,077 Not available NTIS
- PB91-175083**
Gravitational Radiation Observations on the Moon.
PB91-175083 101,635 Not available NTIS
- PB91-175091**
U.S. Manufacturing Systems: Factories Past, Present, and Future.
PB91-175091 100,981 Not available NTIS
- PB91-175109**
Optical Fiber Current Sensors with Temperature Stabilities Near the Material Limit.
PB91-175109 100,753 Not available NTIS
- PB91-175117**
Rate Constant Functions for Strength Development of Concrete.
PB91-175117 100,527 Not available NTIS
- PB91-175125**
Ion Incorporation into Octacalcium Phosphate Hydrolyzates.
PB91-175125 100,219 Not available NTIS
- PB91-175133**
Single Pulse Shock Tube Study of the Reactions of Hydrogen Atoms with Aromatics. 4. Chlorotoluenes.
PB91-175133 100,331 Not available NTIS
- PB91-175141**
Semiconductor Claddings on Glass Waveguides for Polarizers and Detectors.
PB91-175141 101,416 Not available NTIS
- PB91-175158**
Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler.
PB91-175158 100,754 Not available NTIS
- PB91-175166**
Orbit Determination and Gravitational Field Accuracy for a Mercury Transponder Satellite.
PB91-175166 101,736 Not available NTIS
- PB91-175174**
Molecular Spectroscopy Division of the National Bureau of Standards.
PB91-175174 100,332 Not available NTIS
- PB91-175182**
Stress Corrosion Cracking of Al-Li Alloys: The Role of Grain Boundary Precipitates.
PB91-175182 101,137 Not available NTIS
- PB91-175190**
Low Temperature Chemical Route to Precursors of Boride and Carbide Ceramic Powders.
PB91-175190 101,078 Not available NTIS
- PB91-175208**
Computerization of a Thermomechanical Processing Research System.
PB91-175208 101,583 Not available NTIS
- PB91-175216**
Jlc Data Analysis with a 'Negative Crack Growth' Correction Procedure.
PB91-175216 100,930 Not available NTIS
- PB91-175224**
Extended Abstract: A Finite Element Study of the Stress and Displacement Fields Produced by Point Impact.
PB91-175224 101,584 Not available NTIS
- PB91-175232**
Models for Oxygen Ordering and Diffusion in Ba₂YCu₃O_x and Ba₂YCu₃-yMyO_x (M = Fe, Co, Al, Ga).
PB91-175232 101,496 Not available NTIS
- PB91-175240**
Recent Developments in Digital Oscilloscopes.
PB91-175240 100,849 Not available NTIS
- PB91-175257**
Book Review: Partitioning in Aqueous Two-Phase Systems: Theory, Methods, Uses, and Applications to Biotechnology.
PB91-175257 100,333 Not available NTIS
- PB91-175265**
Status of Beta-Particle Calibration Studies at NBS.
PB91-175265 101,636 Not available NTIS
- PB91-175273**
Test of Newton's Inverse Square Law of Gravity Using the 300 m Tower at Erie, Colorado: Newton Vindicated on the Plains of Colorado.
PB91-175273 101,637 Not available NTIS
- PB91-175281**
Some Algorithms for Approximating Convolutions.
PB91-175281 101,258 Not available NTIS
- PB91-175299**
Gas Analysis Modeling System.
PB91-175299 100,884 Not available NTIS
- PB91-175307**
Airtightness of Office-Building Envelopes.
PB91-175307 100,067 Not available NTIS
- PB91-175315**
Application of CCRL Data in the Development of Cement Standards.
PB91-175315 100,119 Not available NTIS
- PB91-175323**
Book Review: 'Polarized Electrons at Surfaces' by J. Kirschner.
PB91-175323 101,497 Not available NTIS
- PB91-175331**
Surface Flame Spread.
PB91-175331 100,546 Not available NTIS
- PB91-175349**
Neutron Crystallography of Proteins.
PB91-175349 101,285 Not available NTIS
- PB91-175356**
Lattice Approach to Environments Irradiated by Unknown Sources.
PB91-175356 100,850 Not available NTIS
- PB91-175364**
Spectrum and Energy Levels of the Xenonlike Ion Ce V.
PB91-175364 101,638 Not available NTIS
- PB91-175372**
Effect of Nitrogen and Carbon on FCC-HCP Stability in Austenitic Steels.
PB91-175372 101,151 Not available NTIS
- PB91-175380**
Search for a Composition Dependent Force Using a Liquid-Supported Torsion Balance.
PB91-175380 101,639 Not available NTIS
- PB91-175398**
Measurements of Power Frequency Magnetic Fields Away from Power Lines.
PB91-175398 100,851 Not available NTIS
- PB91-175406**
Eccentric Load Sensitivity of Force Sensors.
PB91-175406 100,931 Not available NTIS
- PB91-175414**
Thermodynamic Properties of Two Alternative Refrigerants: 1,1-dichloro-2,2,2-trifluoroethane (R123) and 1,1,1,2-tetrafluoroethane (R134a).
PB91-175414 101,195 Not available NTIS
- PB91-175422**
Smoke Production and Properties.
PB91-175422 100,120 Not available NTIS
- PB91-175430**
Saran Carbon Cryogenic Regenerator for Liquid Helium.
PB91-175430 101,640 Not available NTIS
- PB91-175448**
Mechanical Sputtering of Structural Stainless Steels.
PB91-175448 101,152 Not available NTIS
- PB91-175455**
Designing Data Entry Naming Conventions.
PB91-175455 100,646 Not available NTIS
- PB91-175463**
Overview of Facilitated Transport Membrane Systems.
PB91-175463 100,228 Not available NTIS
- PB91-175471**
Measurement of Thermal Characteristics of Office Buildings.
PB91-175471 100,068 Not available NTIS
- PB91-175489**
Evaluation and Improvement of E-Beam Exposure Routines by Use of Microelectronic Test Structures.
PB91-175489 100,805 Not available NTIS
- PB91-175497**
Spin-Dependent Electron-Impact Excitation of Sodium.
PB91-175497 101,641 Not available NTIS
- PB91-175505**
Rotational Predissociation, Vibrational Mixing, and van der Waals Intermolecular Potentials of NeDF.
PB91-175505 100,334 Not available NTIS
- PB91-175513**
Of What Use Is Basic Research.

NTIS ORDER/REPORT NUMBER INDEX

PB91-187427

PB91-175513	101,642	Not available	NTIS
PB91-175521			
Fe-W Supermirrors for Polarizing Neutrons.			
PB91-175521	101,643	Not available	NTIS
PB91-175539			
Infrared Spectroscopy Applied to Atmospheric Chemistry.			
PB91-175539	100,906	Not available	NTIS
PB91-175547			
Calculation of Beta-Particle Counting Efficiency for Liquid Scintillation Systems with Three Phototubes.			
PB91-175547	101,644	Not available	NTIS
PB91-175554			
Ion-Induced Radiation-Enhanced Diffusion of Silver in Nickel.			
PB91-175554	101,498	Not available	NTIS
PB91-175562			
Direct Determination of Molecular Orbital Symmetry of H2S Using Polarized X-ray Emission.			
PB91-175562	100,335	Not available	NTIS
PB91-175570			
Reusable Cryogenic Foam Insulation for Advanced Aerospace Vehicles.			
PB91-175570	100,560	Not available	NTIS
PB91-175588			
Working Group 2: Atomic Transition Probabilities.			
PB91-175588	101,645	Not available	NTIS
PB91-175596			
Correlated Spontaneous Emission in a Zeeman Laser.			
PB91-175596	101,417	Not available	NTIS
PB91-175604			
Crystal Structure of Phosphate-Free Ribonuclease.			
PB91-175604	101,301	Not available	NTIS
PB91-175612			
Electron Attenuation Lengths at SiO2/Si Interfaces.			
PB91-175612	101,499	Not available	NTIS
PB91-175620			
Summary of Low-Density Glass-Fiber Reference Materials at NIST: 1980-1989.			
PB91-175620	101,079	Not available	NTIS
PB91-176032			
Superconductor-Polymer Composites.			
PATENT-4 954 481	101,454	Not available	NTIS
PB91-177774			
Standards Activities of Organizations in the United States.			
PB91-177774	100,004	PC A99/MF A04	
PB91-178822			
Chemistry of Electronic Ceramic Materials.			
PB91-178822	101,500	PC A23/MF A03	
PB91-178830			
FIREDOC Users Manual, 2nd Edition.			
PB91-178830	100,547	PC A03/MF A01	
PB91-178848			
Boussinesq Algorithm for Enclosed Buoyant Convection in Two Dimensions.			
PB91-178848	100,157	PC A03/MF A01	
PB91-178855			
Center for Radiation Research. 1990 Technical Activities.			
PB91-178855	101,362	PC A08/MF A01	
PB91-178863			
Characterization of Field Concrete.			
PB91-178863	100,528	PC A03/MF A01	
PB91-178871			
Energy Related Inventions Program: A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 1 through 250.			
PB91-178871	100,902	PC A09/MF A01	
PB91-178889			
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program. Fiscal Year 1988. Volume 1 of 3. Text, Security and Data Management.			
PB91-178889	101,342	PC A12/MF A02	
PB91-178897			
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 2 of 3. Graphics, CGM MIL-SPEC.			
PB91-178897	101,343	PC A21/MF A03	
PB91-178905			
Collection of Technical Studies Completed for the Computer-Aided Acquisition and Logistic Support (CALS) Program, Fiscal Year 1988. Volume 3 of 3. CGM Registration.			
PB91-178905	101,344	PC A08/MF A01	
PB91-184747			
Microstructure, Composition, and Hardness of Rockwell C Hardness Blocks.			
PB91-184747	101,153	PC A03/MF A01	
PB91-184754			
Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, July to September 1990, with 1991 CEEE Events Calendar.			
PB91-184754	100,852	PC A03/MF A01	
PB91-184762			
Visibility of Exit Directional Indicators.			
PB91-184762	101,000	PC A03/MF A01	
PB91-184770			
Energy Related Inventions Program. A Joint Program of the Department of Energy and the National Institute of Standards and Technology. Status Report for Recommendations 251 through 523.			
PB91-184770	100,903	PC A13/MF A02	
PB91-184788			
STEP: Standard for the Exchange of Product Model Data Resource Integration: Semantic and Syntactic Rules.			
PB91-184788	100,966	PC A03/MF A01	
PB91-184796			
Alaska Marine Mammal Tissue Archival Project: Revised Collection Protocol.			
PB91-184796	101,374	PC A03/MF A01	
PB91-184804			
Heat Transfer in a Compact Heat Exchanger Containing Rectangular Channels and Using Helium Gas.			
PB91-184804	101,734	PC A05/MF A01	
PB91-184812			
Standard Generalized Markup Language Encoding of the Office Document Architecture Document Application Profile.			
PB91-184812	101,345	PC A03/MF A01	
PB91-184838			
Prediction of Elevated Temperature Deformation of Structural Steel under Anisothermal Conditions.			
PB91-184838	101,154	PC A03/MF A01	
PB91-184846			
Proceedings of a Workshop on Evaluation, Repair, and Retrofit of Structures. U.S.-Japan Panel on Wind and Seismic Effects. UJNR. Held in Gaithersburg, MD., USA, on May 12-14, 1990.			
PB91-184846	100,145	PC A14/MF A02	
PB91-184853			
Journal of Research of the National Institute of Standards and Technology. January-February 1991. Volume 96, Number 1.			
PB91-184853	100,220	PC A07/MF A01	
PB91-184861			
New Chemical and Stereochemical Applications of Organon Complexes.			
PB91-184861	100,221	(Order as PB91-184853, PC A07/MF A01)	
PB91-185090			
Recommended Fine Positioning Test for the Development Test Flight (DTF-1) of the NASA Flight Telerobotic Servicer (FTS).			
PB91-185090	101,732	PC A06/MF A01	
PB91-185108			
VolksGrapher: a FORTRAN Plotting Package User's Guide, Version 3.0.			
PB91-185108	100,647	PC A04/MF A01	
PB91-185116			
Effect of a Free Surface on Stress Distribution in a Bimaterial Composite.			
PB91-185116	101,121	PC A09/MF A01	
PB91-185124			
NIST Calibration Procedure for Vertically Polarized Monopole Antennas 30 kHz to 300 MHz.			
PB91-185124	100,726	PC A03/MF A01	
PB91-187070			
Base Modifications in Plasmid DNA Caused by Potassium Permanganate.			
PB91-187070	101,329	Not available	NTIS
PB91-187088			
Electric Quadrupole and Magnetic Dipole Transition Probabilities in Potassium Isoelectronic Sequence.			
PB91-187088	101,646	Not available	NTIS
PB91-187096			
Temperature Dependence of High Accuracy-Photometer Heads.			
PB91-187096	101,418	Not available	NTIS
PB91-187104			
Copper-Ion-Dependent Damage to the Bases in DNA in the Presence of Hydrogen Peroxide.			
PB91-187104	101,330	Not available	NTIS
PB91-187112			
Damage to the Bases in DNA Induced by Hydrogen Peroxide and Ferric Ion Chelates.			
PB91-187112	101,331	Not available	NTIS
PB91-187120			
Eddy Current Reflection Probe: Theory and Experiment.			
PB91-187120	100,944	Not available	NTIS
PB91-187138			
Concerning the Formation and the Kinetics of Phenylum Ions.			
PB91-187138	100,336	Not available	NTIS
PB91-187146			
Multi-Zone Dispersal Analysis by Element Assembly.			
PB91-187146	100,907	Not available	NTIS
PB91-187153			
Small-Angle Neutron Scattering Studies of Compatible Blends of Linear Poly(Vinyl Methyl Ether) and Cross-Linked Deuterated Polystyrene.			
PB91-187153	100,494	Not available	NTIS
PB91-187161			
Role of Elastic Energy in the Morphological Development of a Ni-Ti-Al Alloy.			
PB91-187161	101,227	Not available	NTIS
PB91-187179			
Percolation of Phases in a Three-Dimensional Cement Paste Microstructural Model.			
PB91-187179	100,529	Not available	NTIS
PB91-187187			
Characterization of Cylindrical Holes in Metallic Substrates via Their Infrared Emission Patterns.			
PB91-187187	101,228	Not available	NTIS
PB91-187195			
Critical Exponent for the Viscosity of Four Binary Liquids.			
PB91-187195	100,337	Not available	NTIS
PB91-187203			
Particle Size Measurement of Inert Gas Atomized Powder.			
PB91-187203	101,229	Not available	NTIS
PB91-187211			
H2O(I)-H2O(III)-H2O(L) Triple Point of Water as a Fixed Pressure Point.			
PB91-187211	101,647	Not available	NTIS
PB91-187229			
Molecular Dynamics Study of the Depolymerization Reaction in Simple Polymers.			
PB91-187229	100,495	Not available	NTIS
PB91-187237			
Isothermal Phase Behavior of Ag3SbS3, ZnGeP2, and ZnS.			
PB91-187237	101,080	Not available	NTIS
PB91-187245			
Algorithms for Special Tridiagonal Systems.			
PB91-187245	101,259	Not available	NTIS
PB91-187252			
Relationship of Hydrogen Site Occupancy to Diffusion Behavior in Crystalline and Amorphous Zr2PdHx.			
PB91-187252	101,230	Not available	NTIS
PB91-187260			
Improving the Fire Performance of Building Contents.			
PB91-187260	100,084	Not available	NTIS
PB91-187278			
Comparison of Two Test Methods for Determining Transfer Function Coefficients for a Wall Using a Calibrated Hot Box.			
PB91-187278	100,121	Not available	NTIS
PB91-187286			
BACnet Communication Protocol for Building Automation Systems.			
PB91-187286	100,069	Not available	NTIS
PB91-187294			
6-D Structural Model for the Icosahedral (Al, Si)-Mn Quasicrystal.			
PB91-187294	101,501	Not available	NTIS
PB91-187302			
Angular Distribution of Ejected Electrons in Resonant Auger Processes of Ar, Kr, and Xe.			
PB91-187302	101,648	Not available	NTIS
PB91-187310			
Unusual Degree of Angular Anisotropy in the Resonant Auger Spectrum of Kr.			
PB91-187310	101,649	Not available	NTIS
PB91-187328			
Method to Enhance Porosity of Micro-particles.			
PB91-187328	101,185	Not available	NTIS
PB91-187336			
Interlaminar Shear Fracture of Laminated Composites.			
PB91-187336	101,122	Not available	NTIS
PB91-187344			
Lead Zirconate-Titanate Thin Films Prepared by the Laser Ablation Technique.			
PB91-187344	101,502	Not available	NTIS
PB91-187351			
Levitation of Superconducting Composites.			
PB91-187351	101,503	Not available	NTIS
PB91-187369			
Processing Bi-Pb-Sr-Ca-Cu-O Superconductors from Amorphous State.			
PB91-187369	101,504	Not available	NTIS
PB91-187377			
Magnetic Ordering of Er in Powder and Single Crystals of ErBa2Cu3O7.			
PB91-187377	101,505	Not available	NTIS
PB91-187385			
Phenomenological Theory of the Influence of Strain History on the Rate of Isothermal Stress Relaxation.			
PB91-187385	100,496	Not available	NTIS
PB91-187393			
Angular Distributions of Electrons in Resonant Auger Spectra.			
PB91-187393	101,650	Not available	NTIS
PB91-187401			
Polarization and Anisotropy of X-ray Emission from Molecules.			
PB91-187401	101,651	Not available	NTIS
PB91-187419			
Design Diagrams for Heavy Metal Fluoride Glass Windows.			
PB91-187419	101,419	Not available	NTIS
PB91-187427			
Multistep Stress-Relaxation Study of a Single Crystal of n-Eicosane (C20H42) in Torsion.			

NTIS ORDER/REPORT NUMBER INDEX

PB91-187427	100,497	Not available NTIS	PB91-187708	101,346	PC A06/MF A01	PB91-189308	100,854	Not available NTIS
PB91-187435			PB91-187716			PB91-189316		
Shape Resonances in Molecular Fields.			Programming Languages and Database Language SOL.			Plastic Zone Formation Around an Arresting Crack.		
PB91-187435	100,338	Not available NTIS	Validated Processor List Including GOSIP Conformance			PB91-189316	101,373	Not available NTIS
PB91-187443			Testing Registers.			PB91-189324		
Some Historical Remarks Concerning These Conferences:			PB91-187716	100,649	PC A04/MF A01	Acoustic Technique for Evaluation of Thermal Insulation.		
With Emphasis on the X-ray Component.			PB91-187724			PB91-189324	100,123	Not available NTIS
PB91-187443	101,652	Not available NTIS	Validation of an OSI Transport Class 4 Simulator.			PB91-189332		
PB91-187450			PB91-187724	100,568	PC A03/MF A01	Refractive Index Gratings in Rare-Earth-Doped Alkaline		
Statistics of a Polymer Molecule in the Presence of Asym-			PB91-187732			Earth Glasses.		
metric Obstacles.			Draft Abstract Test Suite for Determining Conformance to			PB91-189332	101,422	Not available NTIS
PB91-187450	100,498	Not available NTIS	the BACnet Protocol.			PB91-189340		
PB91-187468			PB91-187732	100,070	PC A06/MF A01	Reference NO2 Calibration System for Ground-Based Inter-		
Chemical Determination of Free Radical-Induced Damage to			PB91-187740			comparisons during NASA's GTE/CITE II Mission.		
DNA.			Computer Security: Selected Articles.			PB91-189340	100,034	Not available NTIS
PB91-187468	101,332	Not available NTIS	PB91-187740	100,706	PC A03/MF A01	PB91-189357		
PB91-187476			PB91-187757			Bleomycin-Dependent Damage to the Bases in DNA is a		
46Gas Chromatography-Mass Spectrometry of Free Radical-			Intelligent Building Technology in Japan.			Minor Side Reaction.		
Induced Products of Pyrimidines and Purines in DNA.			PB91-187757	100,071	PC A04/MF A01	PB91-189357	101,337	Not available NTIS
PB91-187476	101,302	Not available NTIS	PB91-187765			PB91-189365		
PB91-187484			AMRF Composites Fabrication Workstation: A Test Meth-			Hydroxyl Radical Induced Cross-Linking of Cytosine and Ty-		
Measurement of DNA Base Damage and DNA-Protein			odology to Measure the Quality of Thermoplastic Composite			rosine in Nucleohistone.		
Cross-Links in Mammalian Chromatin.			Parts.			PB91-189365	101,304	Not available NTIS
PB91-187484	101,303	Not available NTIS	PB91-187765	101,017	PC A03/MF A01	PB91-189373		
PB91-187492			PB91-187773			Modification of DNA Bases in Mammalian Chromatin by Ra-		
Modification of Bases in DNA by Copper Ion-1,10-Phen-			Government Document Processing Requirements Report.			diation-Generated Free Radicals.		
anthroline Complexes.			PB91-187773	100,574	PC A03/MF A01	PB91-189373	101,338	Not available NTIS
PB91-187492	101,333	Not available NTIS	PB91-187781			PB91-189381		
PB91-187518			National Aeronautics and Space Administration's (NASA)			Modeling the Thermodynamic Properties of Sodium Chlo-		
Structure and Mechanism of Hydroxyl Radical-Induced For-			Automated Information Security Handbook.			ride in Steam Through Extended Corresponding States.		
mation of a DNA-Protein Cross-Link Involving Thymine and			PB91-187781	100,707	PC A06/MF A01	PB91-189381	100,342	Not available NTIS
Lysine in Nucleohistone.			PB91-187799			PB91-189399		
PB91-187518	101,334	Not available NTIS	Convergence Properties of a Class of Rank-Two Updates.			Uniform Junction Temperature AlGaAs/GaAs Power Hetero-		
PB91-187526			PB91-187799	101,260	PC A03/MF A01	junction Bipolar Transistors on Silicon Substrates.		
Chemical Nature of In vivo DNA Base Damage in Hydrogen			PB91-187807			PB91-189399	100,806	Not available NTIS
Peroxide-Treated Mammalian Cells.			Building and Fire Research Laboratory Publications, 1990.			PB91-189407		
PB91-187526	101,335	Not available NTIS	PB91-187807	100,122	PC A04/MF A01	Study on the Nature of Boundary Lubricating Film: Analyti-		
PB91-187534			PB91-187815			cal Method Development.		
Analytical Model for the Refrigeration Power of the Orifice			Interior-Point Method for Linear and Quadratic Programming			PB91-189407	101,176	Not available NTIS
Pulse Tube Refrigerator.			Problems.			PB91-189415		
PB91-187534	101,048	PC A05/MF A01	PB91-187815	101,269	PC A03/MF A01	Spectroscopic Constants for the nu9 Infrared Band of		
PB91-187542			PB91-187823			HNO3.		
Standard Reference Materials: Calibration of NIST Standard			GATT Standards Code Activities of the National Institute of			PB91-189415	100,343	Not available NTIS
Reference Material 3201 for 0.5 Inch (12.65 mm) Serial			Standards and Technology 1990.			PB91-189423		
Serpentine Magnetic Tape Cartridge.			PB91-187823	100,177	PC A04/MF A01	Structural Study of Electrodeposited Aluminum-Manganese		
PB91-187542	100,690	PC A03/MF A01	PB91-187831			Alloys.		
PB91-187559			Issues in Transparent File Access.			PB91-189423	101,231	Not available NTIS
NIST Research Reports, March 1991.			PB91-187831	100,569	PC A05/MF A01	PB91-189431		
PB91-187559	100,007	PC A03/MF A01	PB91-187849			Effect of Long Range Interfacial Forces on the Dynamics of		
PB91-187567			Proposed Design Criteria for Shallow Bridge Foundations.			Wetting Layers at a Liquid Vapor Interface.		
Guide to Design, Implementation and Management of Dis-			PB91-187849	100,534	PC A04/MF A01	PB91-189431	100,344	Not available NTIS
tributed Databases.			PB91-187856			PB91-189449		
PB91-187567	100,648	PC A04/MF A01	Continuous-Cooling Transformation Characteristics and			Structures and Properties of New Zeolite X-Type Zinco-		
PB91-187617			High-Temperature Flow Behavior of a Microalloyed SAE			phosphate and Beryllophosphate Molecular Sieves.		
Journal of Research of the National Institute of Standards			1141 Steel.			PB91-189449	101,081	Not available NTIS
and Technology, March-April 1991, Volume 96, Number 2.			PB91-187856	101,155	PC A03/MF A01	PB91-189456		
PB91-187617	101,420	PC A06/MF A01	PB91-187864			Difficulties in Parsing SGML.		
PB91-187625			Public-Key Cryptography. Computer Security.			PB91-189456	100,650	Not available NTIS
Linearity of a Silicon Photodiode at 30 MHz and Its Effect			PB91-187864	100,708	PC A08/MF A01	PB91-189464		
on Heterodyne Measurements.			PB91-189217			Effects of Varying Austenitizing Temperature and Cooling		
PB91-187625	100,755	(Order as PB91-187617, PC A06/MF A01)	Damage to the DNA Bases in Mammalian Chromatin by Hy-			Rate on the Ability of HSLA-80 Steel to Achieve a Yield		
PB91-187633			drogen Peroxide in the Presence of Ferric and Cupric Ions.			Strength Comparable to HSLA-100.		
Use of the Electrostatic Classification Method to Size 0.1			PB91-189217	101,336	Not available NTIS	PB91-189464	101,156	Not available NTIS
micrometer SRM Particles: A Feasibility Study.			PB91-189225			PB91-189472		
PB91-187633	100,932	(Order as PB91-187617, PC A06/MF A01)	Statistical Process Control Tactics for Coordinate Measur-			8-Hydroxyguanine Content of Isolated Mitochondria In-		
PB91-187641			ing Machines.			creases with Lipid Peroxidation.		
Multiple Variable-Angle Light Scattering Detector for Gel			PB91-189225	101,042	Not available NTIS	PB91-189472	101,286	Not available NTIS
Permeation Chromatography.			PB91-189233			PB91-189480		
PB91-187641	100,195	(Order as PB91-187617, PC A06/MF A01)	Combustion Calorimeters.			Mechano-Chemical Descriptive Model for Wear Under		
PB91-187658			PB91-189233	100,340	Not available NTIS	Mixed Lubrication Conditions.		
Proposed New Electrolytic Conductivity Primary Standards			PB91-189241			PB91-189480	101,177	Not available NTIS
for KCl Solutions.			How Does Surface Roughness Affect Polymer-Surface			PB91-189498		
PB91-187658	100,339	(Order as PB91-187617, PC A06/MF A01)	Interactions.			Ceramic Wear Maps.		
PB91-187666			PB91-189241	100,341	Not available NTIS	PB91-189498	100,561	Not available NTIS
Digital Image Analysis Assisted Microradiography Measure-			PB91-189258			PB91-189506		
ment of Mineral Content of Caries Lesions in Teeth.			X-ray Photoelectron Forward Scattering Studies of Surface			Magnetic Hysteresis of High-Temperature YBa2Cu3Ox-AgO		
PB91-187666	101,314	(Order as PB91-187617, PC A06/MF A01)	Segregation in Epitaxial Cu-Ni-Ni(100) Sandwich Structures.			Superconductors: Explanation of Magnetic Suspension.		
PB91-187674			PB91-189258	101,506	Not available NTIS	PB91-189506	101,507	Not available NTIS
Bidirectional Scattering Distribution Function (BSDF): A			PB91-189266			PB91-189514		
Systematized Bibliography.			Stability of Uric Acid in Ammonium Hydroxide.			Mobility Fluctuations and Electrophoretic Light Scattering		
PB91-187674	101,421	(Order as PB91-187617, PC A06/MF A01)	PB91-189266	101,292	Not available NTIS	from Macromolecular Solutions.		
PB91-187682			PB91-189274			PB91-189514	100,345	Not available NTIS
Limited International Intercomparison of Responsivity			Measured Performance of Residential Water Heaters Using			PB91-189522		
Scales at Fiber Optic Wavelengths.			Existing and Proposed Department of Energy Test Proce-			Document Architecture for Open Systems.		
PB91-187682	100,567	(Order as PB91-187617, PC A06/MF A01)	dures.			PB91-189522	100,961	Not available NTIS
PB91-187690			PB91-189274	100,085	Not available NTIS	PB91-189530		
Chloride Ion Diffusion in Low Water-to-Solid Cement			PB91-189282			Tribological Characteristics of Synthesized Diamond Films		
Pastes.			Second Dissociation Constant and pH of N-2-hydroxyethyl-			on Silicon Carbide.		
PB91-187690	101,138	PC A03/MF A01	piperazine-N'-2-ethanesulfonic Acid (HEPES) from 0 to			PB91-189530	101,186	Not available NTIS
PB91-187708			50C.			PB91-189548		
Tiled Raster Graphics and MIL-R-28002A: A Tutorial and			PB91-189282	100,196	Not available NTIS	Electronic Spectrum of the GeH3 Radical.		
Implementation Guide.			PB91-189290			PB91-189548	100,346	Not available NTIS
			Measurement Reliability: The Detection of Nonlinearities.			PB91-189555		
			PB91-189290	100,853	Not available NTIS	Protective Coatings for Tooth Crowns.		
			PB91-189308			PB91-189555	100,047	Not available NTIS
			Incompatibility between the 100/1300 Surge Test and Var-					
			istor Failure Rates.					

NTIS ORDER/REPORT NUMBER INDEX

PB91-192583

PB91-189563 Study of Flow Boiling Heat Transfer with Refrigerant Mixtures. PB91-189563 101,196 Not available NTIS	PB91-189803 101,424 Not available NTIS PB91-189811 Real, Realistic Ring Waves for Surge Testing. PB91-189811 100,855 Not available NTIS	PB91-190066 100,089 Not available NTIS
PB91-189571 Knowledge Verification of Machine-Learning Procedures Based on Test Structure Measurements. PB91-189571 100,709 Not available NTIS	PB91-189829 Physical Aging and the Viscoelastic Response of Network Glasses. PB91-189829 101,246 Not available NTIS	PB91-190074 Crystal Structure of a cAMP-Independent Form of Catabolite Gene Activator Protein with Adenosine Substituted in One of 2 cAMP-Binding Sites PB91-190074 101,305 Not available NTIS
PB91-189589 Superconducting Thin Films of Bi-Sr-Ca-Cu-O Obtained by Laser Ablation Processing PB91-189589 101,508 Not available NTIS	PB91-189837 Modelling Aqueous Solutions Near the Critical Point of Water. PB91-189837 100,349 Not available NTIS	PB91-190082 Indentation Determination of Crack Growth Parameters in Gallium Arsenide. PB91-190082 101,083 Not available NTIS
PB91-189597 Quantum Electrodynamics Contributions to Spin Orbit Splitting in the Ground State of Aluminum-Like Ions. PB91-189597 101,653 Not available NTIS	PB91-189845 Ergodic Measures for the Simulation of Dielectric Properties of Water. PB91-189845 100,350 Not available NTIS	PB91-190090 Geometric and Electronic Properties of Cs Structures on III-V (110) Surfaces: From 1D and 2D Insulators to 3D Metals. PB91-190090 101,517 Not available NTIS
PB91-189605 Relativistic and Correlation Effects in the 2s3p Configuration of Beryllium-Like Ions. PB91-189605 101,654 Not available NTIS	PB91-189852 Polyelectrolyte Stabilized Metal Oxide Hydrosols as Catalysts for the Photooxidation of Water by Zinc Porphyrins. PB91-189852 100,351 Not available NTIS	PB91-190108 Mechanistic Studies of Ionizing Radiation and Oxidative Mutagenesis: Genetic Effects of a Single 8-Hydroxyguanine (7-Hydro-8-oxoguanine) Residue Inserted at a Unique Site in a Viral Genome. PB91-190108 101,321 Not available NTIS
PB91-189613 Energy of Combustion of Triphenylphosphate. PB91-189613 100,347 Not available NTIS	PB91-189860 Detection of Trace Disulfur Decafluoride in Sulfur Hexafluoride by Gas Chromatography/Mass Spectrometry. PB91-189860 100,197 Not available NTIS	PB91-190116 Transparent Thin Film Thermocouple. PB91-190116 100,783 Not available NTIS
PB91-189621 Evaluation of Test Methods for Measuring the Bond Strength of Portland Cement-Based Repair Materials to Concrete. PB91-189621 100,530 Not available NTIS	PB91-189878 Introduction to Supercritical Fluid Chromatography. 1. Principles and Instrumentation. PB91-189878 100,198 Not available NTIS	PB91-190124 Thermal Conductivity of Fumed Silica Board at Room Temperature. PB91-190124 100,125 Not available NTIS
PB91-189639 Hydrogen Bonding in Pt Ammine Complexes. PB91-189639 100,348 Not available NTIS	PB91-189886 Enhanced Transport and Liquid Membranes in Bioseparations. PB91-189886 101,287 Not available NTIS	PB91-190124 Journal of Physical and Chemical Reference Data, Volume 19, Number 4, July-August 1990. PB91-190124 100,354 Not available NTIS
PB91-189647 Sputtered Thin Film YBa2Cu3O _n . PB91-189647 101,509 Not available NTIS	PB91-189894 Conformance Tester for X.25 DTE Implementations. PB91-189894 100,602 Not available NTIS	PB91-190124 Energy Levels of Sulfur, S I Through S XVI. PB91-190124 100,355 Not available NTIS
PB91-189654 Dynamical Diffraction Imaging (Topography) with X-ray Synchrotron Radiation. PB91-189654 101,510 Not available NTIS	PB91-189902 Proton Affinity of Cyanogen and Ion-Molecule Reactions of C2N2(+) . PB91-189902 100,352 Not available NTIS	PB91-190124 Heat Capacities and Entropies of Organic Compounds in the Condensed Phase. Volume 2. PB91-190124 100,356 Not available NTIS
PB91-189662 Streaking Images That Appear Only in the Plane of Diffraction in Unoped GaAs Single Crystals: Diffraction Imaging (Topography) by Monochromatic Synchrotron Radiation. PB91-189662 101,511 Not available NTIS	PB91-189910 Phone-Mediated Word Alignment for Speech Recognition Evaluation. PB91-189910 100,592 Not available NTIS	PB91-190124 Thermodynamics of the Krebs Cycle and Related Compounds. PB91-190124 100,357 Not available NTIS
PB91-189670 Initial Stages of Degradation of Superconductor Surfaces: O ₂ , H ₂ O, CO ₂ and CO Chemisorption on La _{2-x} Sr _x CuO ₄ . PB91-189670 101,512 Not available NTIS	PB91-189928 Microchannel-Plate Detection Systems for Low Accelerating Voltage SEM. PB91-189928 101,515 Not available NTIS	PB91-190124 Journal of Physical and Chemical Reference Data, Volume 19, Number 5, September-October 1990. PB91-190124 100,358 Not available NTIS
PB91-189688 Electronic Structure of High-Tc Superconductors Studied Using Photoelectron Spectroscopy. PB91-189688 101,513 Not available NTIS	PB91-189936 Recent Developments in Applied Surface Science. PB91-189936 100,353 Not available NTIS	PB91-190124 Transport Properties of Fluid Oxygen. PB91-190124 100,359 Not available NTIS
PB91-189696 Surface Properties and Coatings of Materials Microtailored Alloys. PB91-189696 101,232 Not available NTIS	PB91-189944 Influence of Interstitial Content on Fracture Toughness. PB91-189944 101,157 Not available NTIS	PB91-190124 Thermal Conductivity of Nine Polyatomic Gases at Low Density. PB91-190124 100,360 Not available NTIS
PB91-189704 Fundamental Condition for Existence of Microcrack Clouds in Monophase Ceramics. PB91-189704 101,082 Not available NTIS	PB91-189951 Metallographic Study of the Crack-Tip Region from Fracture Mechanics Specimens of Austenitic and Ferritic Steels. PB91-189951 101,158 Not available NTIS	PB91-190124 Thermal Conductivity of Methane and Tetrafluoromethane in the Limit of Zero Density. PB91-190124 100,361 Not available NTIS
PB91-189712 Effect of Crosslink Density on Physical Aging of Epoxy Networks. PB91-189712 101,244 Not available NTIS	PB91-189969 Fe Implantation in In _{0.53} Ga _{0.47} As/InP. PB91-189969 101,516 Not available NTIS	PB91-190124 Coupled Phase Diagram-Thermodynamic Analysis of the 24 Binary Systems, A ₂ CO ₃ -AX and A ₂ SO ₄ -AX Where A = Li, Na, K and X = Cl, F, NO ₃ , OH. PB91-190124 100,362 Not available NTIS
PB91-189720 Viscoelastic Response of Epoxy Glasses Subjected to Different Thermal Treatments. PB91-189720 101,245 Not available NTIS	PB91-189977 Discontinuous Yielding during Tensile Tests at Low Temperatures. PB91-189977 101,159 Not available NTIS	PB91-190124 Equilibrium and Transport Properties of Gas Mixtures at Low Density. Eleven Polyatomic Gases and Five Noble Gases. PB91-190124 100,363 Not available NTIS
PB91-189738 Effects of Colored Pump Noise on Intensity Correlations of a Single Mode Dye Laser. PB91-189738 101,423 Not available NTIS	PB91-189985 Creep of Copper: 4 to 295 K. PB91-189985 101,233 Not available NTIS	PB91-190124 Unified Fundamental Equation for the Thermodynamic Properties of H ₂ O. PB91-190124 100,364 Not available NTIS
PB91-189746 Observation of Atoms Laser-Cooled Below the Doppler Limit. PB91-189746 101,655 Not available NTIS	PB91-189993 Field Testing of Adhesive-Bonded Seams of Rubber Roofing Membranes. PB91-189993 100,124 Not available NTIS	PB91-190124 Journal of Physical and Chemical Reference Data, Volume 19, Number 6, November-December 1990. PB91-190124 100,365 Not available NTIS
PB91-189753 Doppler Shift Attenuation Lifetime Measurements in (54)Cr Following Thermal Neutron Capture. PB91-189753 101,656 Not available NTIS	PB91-190009 Dielectronic Recombination Rate Coefficients of O(5+) and O(2+) . PB91-190009 101,657 Not available NTIS	PB91-190124 Viscosity and Thermal Conductivity of Pure Monatomic Gases from Their Normal Boiling Point Up to 5000 K in the Limit of Zero Density and at 0.101325 MPa. PB91-190124 100,366 Not available NTIS
PB91-189761 Replicate Measurements in the Interpretation of Environmental Monitoring. PB91-189761 100,919 Not available NTIS	PB91-190017 Comparison of Standard Test Methods for Non-Lubricated Sliding Wear. PB91-190017 101,187 Not available NTIS	PB91-190124 Experimental Stark Widths and Shifts for Spectral Lines of Neutral and Ionized Atoms: A Critical Review of Selected Data for the Period 1983 through 1988. PB91-190124 101,659 Not available NTIS
PB91-189779 Neutron Activation Analysis in Electronic Technology. PB91-189779 100,807 Not available NTIS	PB91-190025 Sliding Wear Studies of Nickel-Copper Composition-Modulated Coatings on Steel. PB91-190025 101,188 Not available NTIS	PB91-190124 Vibrational and Electronic Energy Levels of Polyatomic Transient Molecules. Supplement 1. PB91-190124 100,367 Not available NTIS
PB91-189787 Phonon Density of States and Superconductivity in Nd _{1.85} Ce _{0.15} CuO ₄ . PB91-189787 101,514 Not available NTIS	PB91-190033 Energy Levels and Transition Probabilities in the Ground State Configuration of Sulfur-Like Ions. PB91-190033 101,658 Not available NTIS	PB91-190124 Thermodynamic and Thermophysical Properties of Organic Nitrogen Compounds. Part 1. Methanamine, Ethanamine, 1- and 2-Propanamine, Benzenamine, 2-, 3-, and 4-Methylbenzenamine. PB91-190124 100,368 Not available NTIS
PB91-189795 Standardizing Standards. PB91-189795 100,953 Not available NTIS	PB91-190041 Evaluation of Column Performance in Liquid Chromatography. PB91-190041 100,199 Not available NTIS	
PB91-189803 Fourier Transform Infrared Spectroscopy at the NIST: High Temperature Molecules and Atmospheric Molecules.	PB91-190058 Image Quality Indicator Design for Radioscopy and Tomography. PB91-190058 101,018 Not available NTIS	
	PB91-190066 Plumbing Test Lab Accreditation.	

NTIS ORDER/REPORT NUMBER INDEX

PB91-192989 Conformity Assessment Workshop on Electromagnetic Compatibility. PB91-192989 100,579 PC A06/MF A02	PB91-194746 101,315 Not available NTIS	PB91-195008 100,374 Not available NTIS
PB91-192997 Conformity Assessment Workshop on Pressure Vessels. PB91-192997 101,049 PC A06/MF A01	PB91-194753 Current Record in Superconductors. PB91-194753 101,521 Not available NTIS	PB91-195016 Low-Pressure Symmetric Discharge Heat Pipe and DROGS of Eu. PB91-195016 101,666 Not available NTIS
PB91-193367 Concurrent Engineering through Product Data Standards. PB91-193367 100,982 PC A05/MF A01	PB91-194761 Metal-Polysiloxane Shields for Radiation Therapy of Maxillo-Facial Tumors. PB91-194761 100,054 Not available NTIS	PB91-195024 Ion Bombardment Induced Diffusion: A Case Study on a Sputtered Ag/Ni Layered System. PB91-195024 101,527 Not available NTIS
PB91-193821 NIST Support of the CALS Program: 1990 Synopsis. PB91-193821 101,347 PC A03/MF A01	PB91-194779 System for the Study of Magnetic Materials and Magnetic Imaging with the Scanning Tunneling Microscope. PB91-194779 101,522 Not available NTIS	PB91-195032 Relativistic Probability Amplitudes and State Preparation. PB91-195032 101,667 Not available NTIS
PB91-194399 Stopping Power of Fast Charged Particles in Heavy Elements. PB91-194399 101,660 PC A04/MF A01	PB91-194787 Corrosion Principles in Dental Implantology. PB91-194787 100,055 Not available NTIS	PB91-195040 Simultaneous Butylin Determinations in the Microlayer, Water Column and Sediment of a Northern Chesapeake Bay Marina and Receiving System. PB91-195040 100,918 Not available NTIS
PB91-194407 Model for the Non-Perturbative QCD (Quantum Chromodynamics) Vacuum. PB91-194407 101,661 PC A03/MF A01	PB91-194795 High-Temperature Thermal Properties of UNS S44004 Using Multivariant Analysis. PB91-194795 101,160 Not available NTIS	PB91-195057 Absorbed Dose to Water: Comparison of Several Methods Using a Liquid Ionization Chamber. PB91-195057 101,322 Not available NTIS
PB91-194415 Laboratory Accreditation in the United States. PB91-194415 100,172 PC A03/MF A01	PB91-194803 Thermodynamics of Hydrolysis of Oligosaccharides. PB91-194803 101,288 Not available NTIS	PB91-195065 Carbon Acidities of Aromatic Compounds. 2. Ionic Probes of Aromaticity in Annelated Rings. PB91-195065 100,375 Not available NTIS
PB91-194423 Technical Activities 1990, Electron and Optical Physics Division. PB91-194423 101,662 PC A04/MF A01	PB91-194811 Meeting the Challenges of a Global Market - Construction Standards, Testing and Certification. PB91-194811 100,090 Not available NTIS	PB91-195073 Thermal Decomposition of Ions. 3. Protonated Ethanol and Diethyl Ether. PB91-195073 100,376 Not available NTIS
PB91-194449 Extracting STEP Geometry and Topology from a Solid Modeler: Parasolid-to-STEP. PB91-194449 100,983 PC A04/MF A01	PB91-194829 High Spatial Resolution Mapping of Semiconductor Resistivity. PB91-194829 100,809 Not available NTIS	PB91-195081 Mechanical and Swelling Behavior of Crosslinked Natural Rubber: Consequences of the Flory-Rehner Hypothesis. PB91-195081 101,141 Not available NTIS
PB91-194456 Synthesis of Non-Ionic Water-Dispersible Resins for Use in Intaglio Inks Curing by Electron Beam Radiation. PB91-194456 100,499 PC A03/MF A01	PB91-194837 Theoretical Model of Metal Binding Sites in Proteins. PB91-194837 100,370 Not available NTIS	PB91-195099 Relaxation of Crosslinked Networks: Theoretical Models and Apparent Power Law Behavior. PB91-195099 100,501 Not available NTIS
PB91-194464 Heat Transfer and Pressure Drop in a Compact Pin-Fin Heat Exchanger with Pin Orientation at 18 deg to the Flow Direction. PB91-194464 101,050 PC A05/MF A01	PB91-194845 Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides. PB91-194845 100,756 Not available NTIS	PB91-195107 Study of the Linear Viscoelastic Properties of Cyclic Polystyrenes Using Creep and Recovery Measurements. PB91-195107 100,502 Not available NTIS
PB91-194472 Experimental Thermal Conductivity, Thermal Diffusivity, and Specific Heat Values for Mixtures of Nitrogen, Oxygen, and Argon. PB91-194472 100,369 PC A04/MF A01	PB91-194852 Elastic Constants of a Tungsten-Particle Copper-Matrix Composite. PB91-194852 101,234 Not available NTIS	PB91-195115 Wigner-Seitz Local-Environment Study of the High Tc Superconductors. PB91-195115 101,528 Not available NTIS
PB91-194480 Configuration Management Concepts Document. National PDES Tested Report Series. PB91-194480 100,984 PC A03/MF A01	PB91-194878 Elastic Constants of Fiber-Reinforced Composites: A Fresh Measurement Approach. PB91-194878 101,123 Not available NTIS	PB91-195123 Glueballs and Hadron Spectroscopy. PB91-195123 101,668 Not available NTIS
PB91-194498 Meeting of the Standards Working Group of the Joint U.S.-U.S.S.R. Commercial Commission (1st). Held in Moscow on March 11-13, 1991. PB91-194498 100,178 PC A11/MF A02	PB91-194886 Prospects for Electromagnetic Manipulation and Trapping of Antihydrogen. PB91-194886 101,663 Not available NTIS	PB91-195131 Dipole Moments of Seven Partially Halogenated Ethane Refrigerants. PB91-195131 100,377 Not available NTIS
PB91-194506 NIST Support for the Computer-Aided Acquisition and Logistic Support (CALS) Program in the Area of Graphics Standards, Calendar Year 1990. PB91-194506 101,348 PC A14/MF A02	PB91-194894 Long-Range Antiferromagnetic Order of the Cu in Oxygen Deficient RbBa2Cu3O6+x. PB91-194894 101,524 Not available NTIS	PB91-195149 Adsorption and Orientation of Tetracycline on Hydroxyapatite. PB91-195149 101,319 Not available NTIS
PB91-194654 Filler Systems Based on Calcium Metaphosphates. PB91-194654 100,048 Not available NTIS	PB91-194902 Crystal-Field Splittings in the Cubic Heusler Alloys HoPd2Sn and ErPd2Sn. PB91-194902 101,525 Not available NTIS	PB91-195156 High Purity Chemicals and Clean Rooms for Trace Metal Analysis. PB91-195156 100,200 Not available NTIS
PB91-194662 YBa2Cu3O7-delta/Insulator Multi-Layers for Crossover Fabrication. PB91-194662 101,518 Not available NTIS	PB91-194910 Photoionization Studies of Atoms and Molecules Using Synchrotron Radiation. PB91-194910 101,664 Not available NTIS	PB91-195164 Recommended Inorganic Chemicals for Calibration. PB91-195164 100,201 Not available NTIS
PB91-194670 Effect of Thermochemical Treatments on the Strength and Microstructure of SiC Fibers. PB91-194670 101,084 Not available NTIS	PB91-194928 Angle-Resolved Photoemission from the Ar 2p Subshell. PB91-194928 101,665 Not available NTIS	PB91-195172 CAD Directed Robotic Deburring. PB91-195172 100,985 Not available NTIS
PB91-194688 Small-Angle Neutron Scattering of Blends of Cross-Linked and Linear Polystyrene. PB91-194688 100,500 Not available NTIS	PB91-194936 Rule-Based Diagnostic Method for HVAC Fault Detection. PB91-194936 100,072 Not available NTIS	PB91-195180 Strategies for Background Subtraction in Electron Probe Microanalysis X-ray Compositional Mapping. PB91-195180 100,202 Not available NTIS
PB91-194696 Evaluation of the Heat Flux Transducer Technique for Measuring the Thermal Performance of Walls. PB91-194696 100,126 Not available NTIS	PB91-194944 Reflection-Extended-X-ray-Absorption-Fine-Structure Spectroscopy at the Carbon K-Edge. PB91-194944 100,371 Not available NTIS	PB91-195198 Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films for 400-kV Bremsstrahlung Photons. PB91-195198 101,293 Not available NTIS
PB91-194704 Anomalous Low-Frequency Butterfly Curves for Subsidiary and Ferromagnetic Resonance Overlap at 3 GHz. PB91-194704 101,519 Not available NTIS	PB91-194951 Surface-Extended X-ray-Absorption Fine-Structure Experiments at Atmospheric Pressure by Means of a Photocathode Proportional Counter with Monolayer Sensitivity. PB91-194951 100,372 Not available NTIS	PB91-195206 Intensifying Effect of Metallic Screens on the Sensitivity of X-ray Films at 662 keV. PB91-195206 101,669 Not available NTIS
PB91-194712 Pattern Generation on Semiconductor Surfaces by a Scanning Tunneling Microscope Operating in Air. PB91-194712 100,808 Not available NTIS	PB91-194969 NASREM Robot Control System and Testbed. PB91-194969 101,033 Not available NTIS	PB91-195214 Proton Affinities and pKa Values of Tetraalkylhydrazines. PB91-195214 100,378 Not available NTIS
PB91-194720 Co-Trial on ESR Identification and Estimates of gamma-Ray and Electron Absorbed Doses Given to Meat and Bones. PB91-194720 100,017 Not available NTIS	PB91-194977 Studies of Magnetic Flux Penetration in a Chemically Synthesized Bi(Pb)SrCaCuO Superconductor. PB91-194977 101,526 Not available NTIS	PB91-195222 Engineering Analysis of Fire Development in the Hospice of Southern Michigan, December 15, 1985. PB91-195222 100,158 Not available NTIS
PB91-194738 Soft X-ray Absorption and Emission Spectra and the Electronic Structure of Some Exotic Materials. PB91-194738 101,520 Not available NTIS	PB91-194985 PLOTMD: An Interactive Program to Modify Molecular Plots on a Graphics Terminal. PB91-194985 100,373 Not available NTIS	PB91-195230 Rate Constants for Reduction of Substituted Methylperoxy Radicals by Ascorbate Ions and N,N,N',N'-Tetramethyl-Para-Phenylenediamine. PB91-195230 100,379 Not available NTIS
PB91-194746 Effects of pH and Calcium on Hydrolysis of Na2SiF6 and Na2SnF6: A Quasi-Constant Composition Titration Study.	PB91-194993 Process Quality Enhancement for Machine Tools: Measurements and Standards. PB91-194993 101,019 Not available NTIS	PB91-195248 Fourier Transform Infrared Spectroscopic Studies of the Degradation of One-Component Polyether Polyurethane Protective Coatings on Steel. PB91-195248 101,108 Not available NTIS

- PB91-195255**
Dynamics of Molecular Hydrogen Adsorbed in CoNa-A Zeolite.
PB91-195255 100,380 Not available NTIS
- PB91-195263**
Use of Computer Algebra to Locate Critical Loci in Fluid Mixtures.
PB91-195263 101,390 Not available NTIS
- PB91-195271**
Molecular Dynamics of Initial Events in the Thermal Degradation of Polymers.
PB91-195271 100,503 Not available NTIS
- PB91-195289**
Anomalous Lgamma2,3 X-ray Emission Spectrum of Xe.
PB91-195289 101,670 Not available NTIS
- PB91-195297**
Anomalous Th M3O1 X-ray Emission Spectrum of ThO2.
PB91-195297 100,381 Not available NTIS
- PB91-195305**
Many Electron Effects in Lgamma2,3 X-ray Emission Spectroscopy Spectrum of BaO.
PB91-195305 100,382 Not available NTIS
- PB91-195313**
Many-Electron Effects in Lgamma2,3 XES Spectra from Rare Earth Elements.
PB91-195313 100,383 Not available NTIS
- PB91-195321**
Rate of Pyrite Bioleaching by 'Thiobacillus ferrooxidans': Results of an Interlaboratory Comparison.
PB91-195321 101,161 Not available NTIS
- PB91-195339**
Recent Progress in Coal Bioprocessing Research in the United States: Scope and Areas Needing Further Research.
PB91-195339 100,885 Not available NTIS
- PB91-195347**
Development of a New Tracer Technology Using Enriched Rare-Earth Isotopes.
PB91-195347 100,908 Not available NTIS
- PB91-195354**
Real-Time Algorithms and Data Structures for Underwater Mapping.
PB91-195354 101,360 Not available NTIS
- PB91-195362**
Reduction in Sintering Damage of Fiber Reinforced Composites.
PB91-195362 101,124 Not available NTIS
- PB91-195370**
Reactions of C5H3(+) and C5H5(+) Ions with Acetylene and Diacetylene.
PB91-195370 100,384 Not available NTIS
- PB91-195388**
Prediction and Fault Detection of Building Energy Consumption Using Multi-Input, Single-Output Dynamical Model.
PB91-195388 100,073 Not available NTIS
- PB91-195396**
Scoring Continuous Speech in the DARPA Speech Recognition Program: Part 2.
PB91-195396 100,593 Not available NTIS
- PB91-195404**
Characterization by High Performance Liquid Chromatography (HPLC) of the Solubilization of Phosphorus in Iron Ore by a Fungus.
PB91-195404 101,162 Not available NTIS
- PB91-195412**
Diesel Deposit Forming Tendencies - Microanalysis Methods.
PB91-195412 101,178 Not available NTIS
- PB91-195420**
Air Exchange and Pollutant Concentration Measurements in Two Office Buildings.
PB91-195420 100,909 Not available NTIS
- PB91-195438**
Diagnostic Techniques for Evaluating Office Building Envelopes.
PB91-195438 100,074 Not available NTIS
- PB91-195446**
Sidelobe Suppression in Small Josephson Junctions.
PB91-195446 100,784 Not available NTIS
- PB91-195453**
Observation of Atoms Laser Cooled Below the Doppler Limit.
PB91-195453 101,671 Not available NTIS
- PB91-195461**
SEM Imaging and Metrology at Low Accelerating Voltages Using Backscattered Electrons.
PB91-195461 101,529 Not available NTIS
- PB91-195479**
Inner-Shell Ionization Cross Sections.
PB91-195479 100,203 Not available NTIS
- PB91-195487**
Application of Laser Diagnostic Techniques for the Examination of Liquid Fuel Spray Structure.
PB91-195487 100,229 Not available NTIS
- PB91-195495**
Automating Robot Programming in the Cleaning and Debur-ing Workstation of the AMRF.
PB91-195495 100,986 Not available NTIS
- PB91-195503**
Relativistic Distorted-Wave Cross Sections for Electron-Impact Excitations of Berylliumlike Ions.
PB91-195503 101,672 Not available NTIS
- PB91-195511**
Spectrum and Energy Levels of Seven-Times-Ionized Krypton (Kr VIII) and Resonance Lines of Eight-Times-Ionized Krypton (Kr IX).
PB91-195511 101,673 Not available NTIS
- PB91-195529**
Nitrogen Strengthening of Austenitic Stainless Steels at Low Temperatures.
PB91-195529 101,163 Not available NTIS
- PB91-195537**
Coherency Strain Induced Instability of Solid-Liquid Interfaces in the Mo-Ni System.
PB91-195537 101,235 Not available NTIS
- PB91-195545**
Trends in Technological Innovation.
PB91-195545 100,008 Not available NTIS
- PB91-195552**
Comparison of Amorphous and Quasicrystalline Films of Sputtered Al0.72Mn0.22Si0.06.
PB91-195552 101,530 Not available NTIS
- PB91-195560**
Inverse Correlation between the Intensity of Luminescence Excited by Electrons and by Visible Light in Chemical-Vapor-Deposited Diamond Films.
PB91-195560 101,531 Not available NTIS
- PB91-195578**
Optically Detected Magnetic Resonance Study of Antisite-to-Acceptor and Related Recombination Processes in as-Grown InP-Zn.
PB91-195578 101,532 Not available NTIS
- PB91-195586**
Photoluminescence Excitation by Band-Gap Optical Absorption in Chemical Vapor Deposition Diamond Films.
PB91-195586 101,533 Not available NTIS
- PB91-195594**
Morphology of Silver on YBa2Cu3O7-delta Thin Films.
PB91-195594 101,534 Not available NTIS
- PB91-195602**
Dielectronic Recombination Rate Coefficients for Ions of the Fluorine Isoelectronic Sequence.
PB91-195602 101,674 Not available NTIS
- PB91-195610**
Influence of Metastable States and Thermal Equilibration upon Dielectronic Recombination in Low Density to Moderate Density.
PB91-195610 101,675 Not available NTIS
- PB91-195628**
Phase Equilibria of the System Strontium Oxide-Calcium Oxide-Cupric Oxide.
PB91-195628 101,085 Not available NTIS
- PB91-195636**
Non-Equilibrium Molecular Dynamics Simulations of Structured Molecules. Part 1. Isomeric Effects on the Viscosity of Butanes.
PB91-195636 101,391 Not available NTIS
- PB91-195644**
Roughened Quartz Surfaces and Teflon as Small-Angle Diffrusers and Depolarizers between 200 and 400 nm.
PB91-195644 101,425 Not available NTIS
- PB91-195651**
Phase Selection in Non-Equilibrium Processing.
PB91-195651 101,236 Not available NTIS
- PB91-195669**
Standardization of Advanced Ceramics.
PB91-195669 101,086 Not available NTIS
- PB91-195677**
Parent Structure of the Layered High-Temperature Superconductors.
PB91-195677 101,535 Not available NTIS
- PB91-195685**
Difunctional and Multifunctional Monomers Capable of Cyclopolymerization.
PB91-195685 100,504 Not available NTIS
- PB91-195693**
Structural Change and Competitiveness: The U.S. Semiconductor Industry.
PB91-195693 100,173 Not available NTIS
- PB91-195701**
Thermodynamics of Hydrolysis of Disaccharides: Lactulose, alpha-D - Melibiose, Palatinose, D - Trehalose, D - Turanose and 3-o-beta-D-Galactopyranosyl-D-arabinose.
PB91-195701 101,289 Not available NTIS
- PB91-195719**
Application of Osmotic Dewatering to the Controlled Crystallization of Biological Macromolecules and Organic Compounds.
PB91-195719 100,230 Not available NTIS
- PB91-195727**
Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study.
PB91-195727 100,204 Not available NTIS
- PB91-195735**
High-Temperature High-Pressure Raman Spectra from Liquid Water.
PB91-195735 100,385 Not available NTIS
- PB91-195743**
Effect of an Electric Field on the Morphological Stability of the Crystal-Melt Interface of a Binary Alloy. 3. Weakly Non-linear Theory.
PB91-195743 101,536 Not available NTIS
- PB91-195750**
Scanning Tunneling Microscopy Study of Clean and Cs-Covered InSb(110).
PB91-195750 101,537 Not available NTIS
- PB91-197004**
Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, March 1991. Change Pages (Supplement).
PB91-197004 100,691 PC A11/MF A02
- PB91-200782**
Reactivities of Chlorine Atoms and Peroxyl Radicals Formed in the Radiolysis of Dichloromethane.
PB91-200782 100,386 Not available NTIS
- PB91-200790**
New Inexpensive Frequency Calibration Service from NIST.
PB91-200790 100,580 Not available NTIS
- PB91-200808**
Rubidium Frequency Standard and a GPS Receiver: A Remotely Steered Clock System with Good Short-Term and Long-Term Stability.
PB91-200808 100,581 Not available NTIS
- PB91-200816**
5s(2)5p(2) - (5s(2)5p5d + 5s5p(3) + 5s(2)5p6s + 5s(2)5p7s) Transitions in Sb II and 5s(2)5p - (5s5p(2) + 5s(2)nI) Transitions in Sb III.
PB91-200816 101,676 Not available NTIS
- PB91-200824**
Iron Ion-Dependent Modification of Bases in DNA by the Superoxide Radical-Generating System Hypoxanthine/Xanthine Oxidase.
PB91-200824 101,306 Not available NTIS
- PB91-200832**
Taking the Measure of Fluid Properties Data Bases.
PB91-200832 101,392 Not available NTIS
- PB91-200840**
Clocks, Atomic and Molecular.
PB91-200840 101,677 Not available NTIS
- PB91-200857**
Observation of Correlations in Finite, Strongly Coupled Ion Plasmas.
PB91-200857 101,678 Not available NTIS
- PB91-200865**
Numerical Study of Two-Dimensional Crystal Growth Forms in the Presence of Anisotropic Growth Kinetics.
PB91-200865 101,538 Not available NTIS
- PB91-200873**
Energy Distributions of Symbiotic Novae.
PB91-200873 100,032 Not available NTIS
- PB91-200881**
Near-Threshold Vibrational Excitation of H2 by Electron Impact: Resolution of Discrepancies between Experiment and Theory.
PB91-200881 101,679 Not available NTIS
- PB91-201004**
Application Portability Profile (APP): The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.
PB91-201004 100,692 PC A05/MF A01
- PB91-201772**
FORTRAN Temporary Program Fixes, FCV578 Version 2.0, Level 26.
PB91-201772 100,651 PC A03/MF A01
- PB91-201822**
National Computer Systems Laboratory Annual Report, 1990.
PB91-201822 100,603 PC A05/MF A01
- PB91-202812**
Identification of Dynamic Green's Functions in Structural Networks.
PB91-202812 101,585 Not available NTIS
- PB91-202820**
Comparison of Creep Rupture Behavior in Tension and Bending.
PB91-202820 101,087 Not available NTIS
- PB91-202838**
High Temperature Creep Testing of Ceramics.
PB91-202838 101,088 Not available NTIS
- PB91-202846**
Time- and State-Resolved Measurements of Nitric Oxide Dimer Infrared Photodissociation.
PB91-202846 100,387 Not available NTIS
- PB91-202853**
Grain Boundaries in a 2-D Superlattice.
PB91-202853 100,388 Not available NTIS
- PB91-202861**
Evolution of Infrared Carbon Stars.
PB91-202861 100,033 Not available NTIS
- PB91-202879**
Self-Setting Calcium Phosphate Cements.
PB91-202879 100,049 Not available NTIS

NTIS ORDER/REPORT NUMBER INDEX

PB91-202887 Examination of Mechanisms Responsible for Incoherent Scattering of Subthermal Neutrons by Polymers. PB91-202887 100,505 Not available NTIS	PB91-203125 101,685 Not available NTIS	PB91-203398 Cross-Section Measurements in the Intermediate-Energy Standard Neutron Field. PB91-203398 101,693 Not available NTIS
PB91-202895 TEM Driven Reverberating Chamber, a Single Facility for Radiated EMS/V Testing, 10 kHz - 18 GHz. PB91-202895 100,856 Not available NTIS	PB91-203133 How the Government Shapes UNIX Standards. PB91-203133 100,693 Not available NTIS	PB91-203406 Spectrum-Averaged Cross-Section Measurement of (103)Rh(n,n)(103m)Rh in the (252)Cf Fission Neutron Spectrum. PB91-203406 101,694 Not available NTIS
PB91-202903 Enhanced Flux Creep in Nb-Ti Superconductors After an Increase in Temperature. PB91-202903 101,680 Not available NTIS	PB91-203141 Cratering. PB91-203141 100,810 Not available NTIS	PB91-203414 Estimators for Censored (Log)Normal Samples. PB91-203414 101,277 Not available NTIS
PB91-202911 Hall Probe Magnetometer for SSC Magnet Cables: Effect of Transport Current on Magnetization and Flux Creep. PB91-202911 101,681 Not available NTIS	PB91-203158 Note on the Precision Cementing of Small Optical Components. PB91-203158 101,428 Not available NTIS	PB91-203422 Calibration of the NBS 10um Space Beads. PB91-203422 101,695 Not available NTIS
PB91-202929 Correlation of Flux States Generated by Optical Switching of a Superconducting Circuit. PB91-202929 101,682 Not available NTIS	PB91-203166 Polarizability of the Photon. PB91-203166 101,686 Not available NTIS	PB91-203430 Dimensional Calibration of an NBS 0.3-mum-Diameter Particle-Sizing Standard. PB91-203430 101,696 Not available NTIS
PB91-202937 Frequency and Time Stability of GPS and GLONASS Clocks. PB91-202937 100,582 Not available NTIS	PB91-203174 Advances in Science, Emerging Technologies and Global Competition: Opportunities and Challenge. PB91-203174 100,583 Not available NTIS	PB91-203448 Microwave Spectrum and Molecular Structure of the N2-H2O Complex. PB91-203448 100,398 Not available NTIS
PB91-202945 Ultrasonic Texture and Stress Measurements in Anisotropic Polycrystalline Aggregates. PB91-202945 101,237 Not available NTIS	PB91-203182 Established Microwave Frequency Standards. PB91-203182 100,584 Not available NTIS	PB91-203455 Critical Data in Physics and Chemistry. PB91-203455 101,697 Not available NTIS
PB91-202952 Effect of Thermal Expansion Mismatch on Fiber Pull-Out in Glass Matrix Composites. PB91-202952 101,125 Not available NTIS	PB91-203190 Application of the PIPE Image Processing Machine to Scanning Microscopy. PB91-203190 101,034 Not available NTIS	PB91-203463 Capacitance versus Stylus Measurements of Surface Roughness. PB91-203463 101,020 Not available NTIS
PB91-202960 Selected-Ion Mass Spectrometry: Assays of Oxidative DNA Damage. PB91-202960 101,307 Not available NTIS	PB91-203208 Video Compression for Remote Vehicle Driving. PB91-203208 101,035 Not available NTIS	PB91-203471 Chemical Effects of Ne+ Bombardment on the MoS2(0001) Surface Studied by High-Resolution Photoelectron Spectroscopy. PB91-203471 100,399 Not available NTIS
PB91-202978 Computer Vision Based Station for Tool Setting and Tool Form Measurement. PB91-202978 101,043 Not available NTIS	PB91-203216 Generalization of the Cornu Spiral for Lossy Media. PB91-203216 101,687 Not available NTIS	PB91-203489 Small Angle Neutron Scattering Characterization of Microporous Silica. PB91-203489 101,089 Not available NTIS
PB91-202986 Causes of SiH4 Dissociation in Silane dc discharges. PB91-202986 101,389 Not available NTIS	PB91-203224 Morphology of Polymer Films and Single Molecules. PB91-203224 100,506 Not available NTIS	PB91-203497 Nature of Collinearity. PB91-203497 101,261 Not available NTIS
PB91-202994 Silane Dissociation Products in Deposition Discharges. PB91-202994 100,390 Not available NTIS	PB91-203232 Rate Constants for Hydrogen Abstraction Reactions of the Sulfate Radical, SO4- Alkanes and Ethers. PB91-203232 100,394 Not available NTIS	PB91-203505 Computed Fields Near the Edge of a Dielectric Wedge. PB91-203505 101,446 Not available NTIS
PB91-203000 Analysis of Laminar Vortex Shedding Behind a Circular Cylinder by Computer-Aided Flow Visualization. PB91-203000 101,393 Not available NTIS	PB91-203240 Asymptotic Expansions of the Kernel Functions for Line Formation with Continuous Absorption. PB91-203240 101,688 Not available NTIS	PB91-203513 Scattering by an Arbitrary Cylinder at a Plane Interface. PB91-203513 101,447 Not available NTIS
PB91-203018 Ultraviolet Absorption of the Vinyl Radical and Reaction with Oxygen. PB91-203018 100,391 Not available NTIS	PB91-203257 NIST High-Dose Calibration Services. PB91-203257 101,689 Not available NTIS	PB91-203521 NBS Research on Protective Coatings for Buildings and Structures. PB91-203521 100,127 Not available NTIS
PB91-203026 Lunar Laser Ranging. PB91-203026 101,353 Not available NTIS	PB91-203265 Interlaboratory Comparison of Actinides in Human Tissue (239)Pu + (240)Pu. PB91-203265 101,323 Not available NTIS	PB91-203539 Core Hole Screening for Intermediate Size Metal Particles. PB91-203539 101,540 Not available NTIS
PB91-203034 Lanthanide Coordination Chemistry: Spectroscopic Properties of Terbium and Europium Poly(Pyrazol-1-Yl) Borate and Poly(Imidazol-1-Yl) Borate. PB91-203034 100,392 Not available NTIS	PB91-203273 Production and Spectroscopy of Small Polyatomic Molecular Ions Isolated in Solid Neon. PB91-203273 100,395 Not available NTIS	PB91-203547 Ionic Hydrogen Bonds. Part 1. Thermochemistry, Structural Implications, and Role in Ion Solvation. PB91-203547 100,400 Not available NTIS
PB91-203042 Alternate Representation of Prism Refraction for Light Incident at the Brewster Angle. PB91-203042 101,426 Not available NTIS	PB91-203281 Resonance Enhanced Multiphoton Ionization Spectra of the GeF and GeCl Radicals from 400-500 nm. PB91-203281 100,396 Not available NTIS	PB91-203554 Lattice Relaxation in Silicon Doped with 4d- and 5d-Transition Metals. PB91-203554 101,541 Not available NTIS
PB91-203059 Monitoring of Anisotropic Material Elastic Properties Using Ultrasonic Receiving Rays. PB91-203059 101,126 Not available NTIS	PB91-203299 Issues in the Design and Implementation of a System Architecture for Computer Integrated Manufacturing. PB91-203299 100,987 Not available NTIS	PB91-203562 Structural Dependence of HF Vibrational Red Shifts in ArnHF, n = 1-4, via High-Resolution Slit Jet Infrared Spectroscopy. PB91-203562 100,401 Not available NTIS
PB91-203067 Probe for Real-Time Images of Particle Beams and Their Analyses in a Merged-Beams Apparatus. PB91-203067 101,683 Not available NTIS	PB91-203307 Notes and Comments on Roundtable Discussion on Laser-Assisted Collisions and Collision-Induced Spectra. PB91-203307 101,690 Not available NTIS	PB91-203570 Tests of the Flory-Rehner Hypothesis: Comparison of the Elastic Free Energy Function for Crosslinked Rubber in the Dry and Swollen States. PB91-203570 100,508 Not available NTIS
PB91-203075 Chemical and Electronic Properties of Pd/SnO2(110) Model Gas Sensors. PB91-203075 100,393 Not available NTIS	PB91-203315 Estimation of Electromagnetic Fields in Complex Environments. PB91-203315 101,691 Not available NTIS	PB91-203588 Detection and Quantitative Characterization of Blistering and Corrosion of Coatings on Steel Using Infrared Thermography. PB91-203588 101,139 Not available NTIS
PB91-203083 Measurements of Velocity-Changing Collision Kernels. PB91-203083 101,684 Not available NTIS	PB91-203323 Biological Sulfur Oxidation and Reduction for Coal Sulfur Speciation and Desulfurization. PB91-203323 100,886 Not available NTIS	PB91-203596 Method of FIM-FEEM Specimen Preparation of Superconducting and Other Oxides. PB91-203596 101,542 Not available NTIS
PB91-203091 Frequency Stabilization of an Erbium-Doped Fiber Laser: A Potential Wavelength Standard for Optical Communications. PB91-203091 100,570 Not available NTIS	PB91-203331 Molecular Desorption from Solid Surfaces: Laser Diagnostics and Chemical Dynamics. PB91-203331 100,397 Not available NTIS	PB91-203604 Progress in Field Ion Microscopy Imaging of High-Tc Superconducting Oxides. PB91-203604 101,543 Not available NTIS
PB91-203109 Frequency Stabilization of a Tunable Erbium-Doped Fiber Laser. PB91-203109 101,427 Not available NTIS	PB91-203349 Stable, High Quantum Efficiency Silicon Photodiodes for Vacuum-UV Applications. PB91-203349 100,757 Not available NTIS	PB91-203612 Atomic Fingerprint of YBa2Cu3O7-x-Type High-Temperature Superconductors Observed by Field Ion Microscopy. PB91-203612 101,544 Not available NTIS
PB91-203117 Switching in High-Tc Superconductor Current Transport Measurements. PB91-203117 101,539 Not available NTIS	PB91-203356 Parser That Converts a Boundary Representation into a Features Representation. PB91-203356 100,988 Not available NTIS	PB91-203620 Water Spray Suppression of Fully-Developed Wood Crib Fires in a Compartment. PB91-203620 100,159 Not available NTIS
PB91-203125 Squeezed Quantum States of Relic Gravitons and Primordial Density Fluctuations.	PB91-203364 Simulation Studies of Excluded Volume Effects on Polymer Chain Dynamics in Several Nonlattice Models. PB91-203364 100,507 Not available NTIS	
	PB91-203372 Experimentation and Measurement. PB91-203372 101,692 Not available NTIS	
	PB91-203380 Static Analysis Tools for Software Security Certification. PB91-203380 100,710 Not available NTIS	

NTIS ORDER/REPORT NUMBER INDEX

PB91-216671

PB91-203638 Observation of the Cesium Clock Transition Using Laser-Cooled Atoms in a Vapor Cell. PB91-203638 101,698 Not available NTIS	PB91-203885 Simultaneous versus Independent Injection Testing of Non-linear Multiphot Systems. PB91-203885 100,857 Not available NTIS	PB91-204149 Dental Composite Resins: An Update. PB91-204149 100,051 Not available NTIS
PB91-203646 Prospects for High Temperature Superconductor - Semiconductor Contacts. PB91-203646 101,545 Not available NTIS	PB91-203893 Reference Materials for Analytical Chemistry. PB91-203893 100,205 Not available NTIS	PB91-204156 Crystalline and Glassy Phases of Transition-Metal - Metalloid Systems. PB91-204156 101,238 Not available NTIS
PB91-203653 Tunneling Stabilized Magnetic Force Microscopy: Prospects for Low Temperature Applications to Superconductors. PB91-203653 101,546 Not available NTIS	PB91-203901 Role of Reference Materials in Quality Assurance. PB91-203901 100,206 Not available NTIS	PB91-204164 Collisional Energy Transfer between Excited Sr Atoms. PB91-204164 101,703 Not available NTIS
PB91-203661 Radiolytic Studies of the Redox Reactions of Ruthenium Porphyrins. PB91-203661 100,402 Not available NTIS	PB91-203919 New Look at the Bitter Method of Magnetic Imaging. PB91-203919 101,701 Not available NTIS	PB91-204172 Creep and Reliability of Ceramic Materials at Elevated Temperatures. PB91-204172 101,091 Not available NTIS
PB91-203679 Mechanism of Cyanide Release in the Radiolysis of Acetonitrile. PB91-203679 100,240 Not available NTIS	PB91-203927 Frequency Dependence of Catalyzed Reactions in a Weak Oscillating Field. PB91-203927 100,407 Not available NTIS	PB91-204180 Correlated Spontaneous Emission in a Zeeman Laser. PB91-204180 101,432 Not available NTIS
PB91-203687 Role of Glassy Interfaces in High Temperature Crack Growth in SiC Fiber Reinforced Alumina. PB91-203687 101,127 Not available NTIS	PB91-203935 Use of Nondestructive Methods for Inspection of Single-Ply Roofing Membranes. PB91-203935 100,128 Not available NTIS	PB91-204198 Convergence Behavior of Trajectories for Linear Programming. PB91-204198 101,270 Not available NTIS
PB91-203695 Progress on the Determination of Intermolecular Potential Energy Surfaces from High Resolution Spectroscopy. PB91-203695 100,403 Not available NTIS	PB91-203943 Numeric Database for Tribology: Format and Application Issues. PB91-203943 101,045 Not available NTIS	PB91-204206 Research and Technology for Structural Engineering Productivity. PB91-204206 100,147 Not available NTIS
PB91-203703 Multiple Intermolecular Bend Vibrational Excitation of a Hydrogen Bond: An Extended Infrared Study of OCOHF. PB91-203703 100,404 Not available NTIS	PB91-203950 Properties of YBa2Cu3O7-delta Thin Films Grown on Off-Axis-Cut MgO Substrates. PB91-203950 101,547 Not available NTIS	PB91-206664 Technical Reference and User's Guide for FAST/FFM Version 3. PB91-206664 100,086 PC A08/MF A01
PB91-203711 Reflection/Absorption FTIR Spectral Characteristics of Thin and Thick Crosslinked Epoxy Films on Steel Substrates. PB91-203711 100,509 Not available NTIS	PB91-203968 Resonance Ionization Spectroscopy/Resonance Ionization Mass Spectrometry Data Service. PB91-203968 100,207 Not available NTIS	PB91-206680 Sprinkler/Hot Layer Interaction. PB91-206680 100,129 PC A04/MF A01
PB91-203729 Characterization of Epoxide Coatings on Steel by Reflection/Absorption Fourier Transform Infrared Spectroscopy: Quantitative Study. PB91-203729 101,109 Not available NTIS	PB91-203976 Integrated-Optic Waveguide Glass Lasers. PB91-203976 100,758 Not available NTIS	PB91-206698 Indoor Ventilation Requirements for Manufactured Housing. PB91-206698 100,075 PC A03/MF A01
PB91-203737 Control Structure for Multi-Tasking Workstations. PB91-203737 100,989 Not available NTIS	PB91-203984 Precise Laser Wavelength Measurements: What Can We Learn from Classical Spectroscopy. PB91-203984 101,430 Not available NTIS	PB91-206706 Measurement and Evaluation of Lighting/HVAC Interaction. PB91-206706 100,892 PC A04/MF A01
PB91-203745 Mossbauer Imaging. PB91-203745 101,294 Not available NTIS	PB91-203992 Building-in Reliability: Making It Work. PB91-203992 100,812 Not available NTIS	PB91-206714 Long Term Performance of Rubber in Seismic and Non-Seismic Bearings: A Literature Review. PB91-206714 100,148 PC A03/MF A01
PB91-203752 New Approach to Image Modeling and Edge Detection in the SEM. PB91-203752 100,811 Not available NTIS	PB91-204008 High-Resolution Infrared Flash Kinetic Spectroscopy of OH Radicals. PB91-204008 100,408 Not available NTIS	PB91-206722 User Manual NBSAVIS CONTAM88. A User Interface for Air Movement and Contaminant Dispersal Analysis in Multi-zone Buildings. PB91-206722 100,910 PC A07/MF A01
PB91-203760 Dissociation Energetics of Simple Diazirines by Photon and Electron Impact. PB91-203760 100,405 Not available NTIS	PB91-204016 Production and Diagnosis of a Highly Spin-Polarized Na Beam. PB91-204016 101,431 Not available NTIS	PB91-206730 Calibration at 24C of a Heat-Flow-Meter Apparatus Having 610 mm Square Plates. PB91-206730 100,933 PC A03/MF A01
PB91-203778 High Harmonic Generation in Hydrogenic Ions. PB91-203778 101,699 Not available NTIS	PB91-204024 Investigation of Internal Rotor Dynamics of NeDCI and ArDCI via Infrared Absorption Spectroscopy. PB91-204024 100,409 Not available NTIS	PB91-206748 NVLAP FY 90 Annual Report. PB91-206748 100,010 PC A03/MF A01
PB91-203786 Refinement of the Structure of Beta'-MoO3. PB91-203786 101,090 Not available NTIS	PB91-204032 Advanced Materials: Opportunities and Challenges. PB91-204032 100,009 Not available NTIS	PB91-206755 Abstracts of Daylighting Research. PB91-206755 100,076 PC A06/MF A01
PB91-203794 Kinetic Properties of the Components of Douglas-Fir and the Heat of Combustion of Their Volatile Pyrolysis Products. PB91-203794 100,548 Not available NTIS	PB91-204040 International Collaboration in Prestandards Research on Advanced Materials within the Context of VAMAS. PB91-204040 101,251 Not available NTIS	PB91-216531 Publications of the National Institute of Standards and Technology, 1990 Catalog. PB91-216531 100,011 PC A20/MF A04
PB91-203802 New Triple Correlator Design for the Measurement of Ultra-short Laser Pulses. PB91-203802 101,429 Not available NTIS	PB91-204057 Investigation of the Collapse of L'Ambiance Plaza. PB91-204057 100,146 Not available NTIS	PB91-216598 Portable Vectorized Software for Bessel Function Evaluation. PB91-216598 100,652 PC A03/MF A01
PB91-203810 Characterization of Tricresylphosphate Lubricating Films by Micro-Fourier Transform Infrared Spectroscopy. PB91-203810 101,179 Not available NTIS	PB91-204065 Thermodynamic Properties of Aqueous Solutions at High Temperatures; Needs, Methods, and Challenges. PB91-204065 100,410 Not available NTIS	PB91-216606 Material Flammability Test Assessment for Space Station Freedom. PB91-216606 101,735 PC A05/MF A01
PB91-203828 Effect of Mechanical Deformation on Nb-Ti Filament Proximity-Effect Coupling at the Edges of SSC Cables. PB91-203828 101,700 Not available NTIS	PB91-204073 Magnetic Properties of Iron/Silica Gel Nanocomposites. PB91-204073 101,110 Not available NTIS	PB91-216614 Direct Digital Control Based Building Automation System Design Criteria. PB91-216614 100,091 PC A03/MF A01
PB91-203836 Activities of the Construction Materials Reference Laboratories Related to Laboratory Accreditation. PB91-203836 100,531 Not available NTIS	PB91-204081 Microstructure and Elastic Properties of Dental Resin and Resin-Based Glass-Reinforced Composites: XRD, SEM and Ultrasonic Methods. PB91-204081 100,050 Not available NTIS	PB91-216622 Electronic Data Interchange in Message Handling Systems. PB91-216622 100,571 PC A03/MF A01
PB91-203844 Vibrational, Rotational, and Tunneling Dependence of Vibrational Predissociation in the HF Dimer. PB91-203844 100,406 Not available NTIS	PB91-204099 Visibility of Chrysotile Asbestos in the Scanning Electron Microscope. PB91-204099 101,320 Not available NTIS	PB91-216630 Real-Time Model-Based Tracking Combining Spatial and Temporal Features. PB91-216630 100,700 PC A03/MF A01
PB91-203851 Wind Effects on Fires. PB91-203851 100,549 Not available NTIS	PB91-204107 Data Encryption Standard: Past and Future. PB91-204107 100,711 Not available NTIS	PB91-216648 Description of a Vibration Compensation System for the Small Scale Model Robot Crane Project. PB91-216648 100,130 PC A04/MF A01
PB91-203869 Effect of Atomization Air on Droplet Dynamics of Spray Flames. PB91-203869 100,550 Not available NTIS	PB91-204115 Test of the Inverse-Square Law of Gravitation Using the 300-m Tower at Erie, Colorado. PB91-204115 101,702 Not available NTIS	PB91-216655 Variable Air Volume System Design Guide. PB91-216655 100,077 PC A03/MF A01
PB91-203877 Optimization of a Pulse Tube Refrigerator for a Fixed Compressor Swept Volume. PB91-203877 101,051 Not available NTIS	PB91-204123 Thermodynamic Behavior of Fluids in the Supercritical Region. PB91-204123 101,394 Not available NTIS	PB91-216663 Apparel STEP Translator. PB91-216663 100,967 PC A03/MF A01
	PB91-204131 Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods. PB91-204131 100,759 Not available NTIS	PB91-216671 Standard Security Label for GOSIP: An Invitational Workshop. Held on April 9-10, 1991. PB91-216671 100,712 PC A07/MF A02

NTIS ORDER/REPORT NUMBER INDEX

- PB91-216689**
Applications of the Generalized Global Equivalence Ratio Model (GGERM) for Predicting the Generation Rate and Distribution of Products of Combustion in Two-Layer Fire Environments: Methane and Hexanes.
PB91-216689 100,131 PC A05/MF A01
- PB91-216697**
Guide Specification for Direct Digital Control Based Building Automation System.
PB91-216697 100,092 PC A04/MF A01
- PB91-216705**
Journal of Research of the National Institute of Standards and Technology. May-June 1991. Volume 96, Number 3.
PB91-216705 101,704 PC A07/MF A02
- PB91-216713**
High-Temperature Transient Hot-wire Thermal Conductivity Apparatus for Fluids.
PB91-216713 100,411
(Order as PB91-216705, PC A07/MF A01)
- PB91-216721**
Standard Reference Specimens in Quality Control of Engineering Surfaces.
PB91-216721 101,021
(Order as PB91-216705, PC A07/MF A01)
- PB91-216739**
Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-216739 100,813
(Order as PB91-216705, PC A07/MF A01)
- PB91-216747**
High Resolution Synchrotron X-Radiation Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals.
PB91-216747 101,548
(Order as PB91-216705, PC A07/MF A01)
- PB91-216754**
Root Projection of One-Sided Time Series.
PB91-216754 101,262
(Order as PB91-216705, PC A07/MF A01)
- PB91-216762**
Deconvolution of Acoustic Emission and Other Causal Time Series.
PB91-216762 101,263
(Order as PB91-216705, PC A07/MF A01)
- PB91-216770**
NIST Measurement Services: Calibration Service for Current Transformers.
PB91-216770 100,873 PC A04/MF A01
- PB91-216788**
Building and Fire Research Project Summaries, 1991.
PB91-216788 100,132 PC A08/MF A02
- PB91-216796**
First Pass at Computing the Cost of Fire Safety in a Modern Society.
PB91-216796 101,730 PC A04/MF A01
- PB91-216804**
Interaction of an Isolated Sprinkler Spray and a Two-Layer Compartment Fire Environment.
PB91-216804 100,551 PC A03/MF A01
- PB91-216812**
Evidence for Surface alpha Particle Clusters in (nat)AG(197)Au from the (e, alpha) Reaction.
PB91-216812 101,705 PC A04/MF A01
- PB91-216820**
Building Technology Publications 1986-1989.
PB91-216820 100,160 PC A08/MF A02
- PB91-216838**
ICLASS-91 Proceedings of the International Conference on Liquid Atomization and Spray Systems (5th). Held in Gaithersburg, MD, on July 15-18, 1991.
PB91-216838 100,552 PC A99/MF E08
- PB91-217414**
Generation of Smooth Trajectories without Planning.
PB91-217414 101,036 PC A03/MF A01
- PB91-217422**
Estimated Impact of the Center for Fire Research Program on the Costs of Fire.
PB91-217422 100,161 PC A05/MF A01
- PB91-222570**
Performance of 1/3-Scale Model Precast Concrete Beam-Column Connections Subjected to Cyclic Inelastic Loads. Report No. 2.
PB91-222570 100,149 PC A05/MF A01
- PB91-222588**
Performance Evaluation of Hypercube Applications: Using a Global Clock and Time Dilation.
PB91-222588 100,653 PC A03/MF A01
- PB91-222596**
Development Plan: Application Protocols for Mechanical Parts Production. National PDES Testbed Report Series.
PB91-222596 100,990 PC A03/MF A01
- PB91-222604**
Reduction in Fire Hazard in Corridors and Areas Adjoining Corridors Provided by Sprinklers.
PB91-222604 100,162 PC A05/MF A01
- PB91-222612**
Assessment of the State-of-the-Art for Process Monitoring Sensors for Polymer Composites.
- PB91-222612** 100,510 PC A07/MF A02
- PB91-222620**
Configuration Management of the STEP Documents: Procedures and System Requirements. National PDES Testbed Report Series.
PB91-222620 100,968 PC A03/MF A01
- PB91-222638**
Automated Information Systems Security Program Handbook.
PB91-222638 100,713 PC A08/MF A02
- PB91-222646**
Directory of Accredited Laboratories, 1991. National Voluntary Laboratory Accreditation Program (NVLAP).
PB91-222646 100,934 PC A08/MF A02
- PB91-222653**
Residual Stress Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 23.
PB91-222653 101,741 PC A03/MF A01
- PB91-222661**
Tread Crack Detection in Railroad Wheels: An Ultrasonic System Using EMATs (Electromagnetic-Acoustic Transducers). Report No. 22.
PB91-222661 101,742 PC A04/MF A01
- PB91-222679**
Unsteady Laminar Flow in a Circular Tube: A Test of the HERCOL (Hermitian Collocation) Computer Code.
PB91-222679 101,395 PC A03/MF A01
- PB91-222687**
Annotated Bibliography: Diagnostic Methods and Measurement Approaches to Detect Incipient Defects Due to Aging of Cables.
PB91-222687 101,369 PC A10/MF A03
- PB91-222695**
Standards for the Physical Protection of National Resources and Facilities.
PB91-222695 100,006 PC A05/MF A01
- PB91-231555**
NIST Personnel Management Demonstration Project: Design, Implementation and Accomplishments.
PB91-231555 100,003 PC A05/MF A01
- PB91-231563**
Daylight Research Requirements. Workshop Proceedings. Held in Baltimore, Maryland on August 1-2, 1990.
PB91-231563 100,078 PC A04/MF A01
- PB91-231571**
Computer Implementation of a Discrete Set Algebra.
PB91-231571 100,654 PC A03/MF A01
- PB91-231589**
General Routine for Analysis of Stack Effect.
PB91-231589 100,163 PC A03/MF A01
- PB91-231597**
Task Decomposition and Algorithm Development for Real-Time Motion Control of a Continuous Mining Machine.
PB91-231597 101,357 PC A03/MF A01
- PB91-231605**
NIST Time and Frequency Services.
PB91-231605 100,585 PC A03/MF A01
- PB91-236489**
Mechanisms of the Reduction Reactions of Cr(VI) in the Radiolysis of Aqueous Potassium and Silver Dichromate Solutions in the Presence or Absence of Acetic Acid.
PB91-236489 100,241 Not available NTIS
- PB91-236497**
Use of Storage Phosphor Imaging Plates in Portal Imaging and High-Energy Radiography: The Intensifying Effect of Metallic Screens on the Sensitivity.
PB91-236497 101,324 Not available NTIS
- PB91-236505**
Spatially Overdetermined Analysis for Propagation Toughness Using Strain Gages.
PB91-236505 101,164 Not available NTIS
- PB91-236513**
Automated Reverse-Bias Second-Breakdown Transistor Tester.
PB91-236513 100,814 Not available NTIS
- PB91-236521**
Problem of Detailed Balance and Model Lineshapes in Collision-Induced Rotovibrational Bands: H2-H2 and H2-He.
PB91-236521 100,412 Not available NTIS
- PB91-236539**
Development of an Adhesive System for Bonding to Hard Tooth Tissues.
PB91-236539 100,052 Not available NTIS
- PB91-236547**
Photodissociation Dynamics of Mo(CO)6 at 266 nm and 355 nm: CO Photofragment Kinetic-Energy and Internal-State Distributions.
PB91-236547 100,413 Not available NTIS
- PB91-236554**
Investigating the Use of Multimeters to Measure Quantized Hall Resistance Standards.
PB91-236554 100,734 Not available NTIS
- PB91-236562**
Eddy Current Probe Sensitivity as a Function of Coil Construction Parameters.
PB91-236562 100,945 Not available NTIS
- PB91-236570**
Temperature Gradient in Differential Scanning Calorimetry.
PB91-236570 100,414 Not available NTIS
- PB91-236588**
Performance of Precast Concrete Beam-to-Column Connections Subject to Cyclic Loading.
PB91-236588 100,150 Not available NTIS
- PB91-236596**
Quantitative Analysis of Impurities in SIMOX Samples Using Secondary Ion Mass Spectrometry.
PB91-236596 100,208 Not available NTIS
- PB91-236604**
Transmission Properties of a Counter-Rotating Pair of Disk Choppers.
PB91-236604 101,706 Not available NTIS
- PB91-236612**
Long Time Creep and Lifetime Behavior in Uniaxial Extension of a Linear Low Density Polyethylene.
PB91-236612 101,247 Not available NTIS
- PB91-236620**
Determining Adapter Efficiency by Envelope Averaging Swept Frequency Reflection Data.
PB91-236620 100,743 Not available NTIS
- PB91-236638**
Semiempirical Theory of Relaxation: Concentrated Polymer Solution Dynamics.
PB91-236638 100,511 Not available NTIS
- PB91-236646**
Analysis of Wet Deposition (Acid Rain): Determination of the Major Anionic Constituents by Ion Chromatography.
PB91-236646 100,035 Not available NTIS
- PB91-236653**
Thin and Composite High-Flux Membranes of Perfluorosulfonated Ion-Exchange Polymer.
PB91-236653 100,512 Not available NTIS
- PB91-236661**
Rotational Spectrum and Structure of the Complex Ar-CH3CN.
PB91-236661 100,415 Not available NTIS
- PB91-236679**
Optothermal-Detected Microwave-Sideband CO2-Laser Spectroscopy of Ar-NH3.
PB91-236679 100,416 Not available NTIS
- PB91-236687**
Functional Meta-Structure for Hypertext Models and Systems.
PB91-236687 100,655 Not available NTIS
- PB91-236695**
Thermodynamic Diagrams for Refrigerant Mixtures.
PB91-236695 101,197 Not available NTIS
- PB91-236703**
Emitter Ballasting Resistor Design for, and Current Handling Capability of AlGaAs/GaAs Power Heterojunction Bipolar Transistors.
PB91-236703 100,815 Not available NTIS
- PB91-236711**
Effect of Selected Chemical Compounds on the Lubrication of Silicon Nitride.
PB91-236711 101,180 Not available NTIS
- PB91-236729**
Testing the Accuracy of Calculated Equilibrium Carrier Concentrations in the Presence of Surface Fields.
PB91-236729 101,549 Not available NTIS
- PB91-236737**
Van der Waals Complexes in 1,3-Dipolar Cycloaddition Reactions: Ozone-Ethylene.
PB91-236737 100,417 Not available NTIS
- PB91-236745**
Associative Ionization of Ultra-Cold Laser Trapped Sodium Atoms.
PB91-236745 101,707 Not available NTIS
- PB91-236752**
Methods of Analyzing Planar Optical Waveguides.
PB91-236752 100,774 Not available NTIS
- PB91-236760**
Microstructural Control Through Diffusion-Induced Grain Boundary Migration.
PB91-236760 101,239 Not available NTIS
- PB91-236778**
Phase Equilibria and Critical Lines in Model Water/Salt Mixtures.
PB91-236778 100,418 Not available NTIS
- PB91-236786**
Small-Angle Neutron Scattering and Light Scattering Studies on the Miscibility of Protonated Polyisoprene/Deuterated Polybutadiene Blends.
PB91-236786 100,513 Not available NTIS
- PB91-236794**
Resonating-Orthotropic-Cube Method for Elastic Constants.
PB91-236794 101,586 Not available NTIS
- PB91-236802**
RF-DC Differences of Thermal Voltage Converters Arising from Input Connectors.
PB91-236802 100,735 Not available NTIS

NTIS ORDER/REPORT NUMBER INDEX

PB91-237545

- PB91-236810**
Excess Low-Frequency Flux Noise in dc Squids Incorporating Nb/Al-Oxide/Nb Josephson Junctions.
PB91-236810 100,736 Not available NTIS
- PB91-236828**
Reply to Comment on 'Quantum Zeno Effect'.
PB91-236828 101,708 Not available NTIS
- PB91-236836**
Vibrational Spectra of Molecular Ions Isolated in Solid Neon. 6. CO₄(1-).
PB91-236836 100,419 Not available NTIS
- PB91-236844**
Improved Technique for Measuring Permittivity of Thin Dielectrics with a Cylindrical Resonant Cavity.
PB91-236844 100,858 Not available NTIS
- PB91-236851**
Temperature Measurements in Flames Using Thermally Assisted Laser-Induced Fluorescence of Ga.
PB91-236851 100,420 Not available NTIS
- PB91-236869**
Molecular-Beam Optothermal Spectroscopy of the 9.6 μ m nu14.
PB91-236869 100,421 Not available NTIS
- PB91-236877**
Biomarkers of OH Radical Damage In vivo.
PB91-236877 101,325 Not available NTIS
- PB91-236885**
Temperature Dependence of Probe Diffusion in Bulk Polymer Matrices.
PB91-236885 100,422 Not available NTIS
- PB91-236893**
AC-DC Difference Relationships for Current Shunt and Thermal Converter Combinations.
PB91-236893 100,737 Not available NTIS
- PB91-236901**
Generalized Photodiode Self-Calibration Formula.
PB91-236901 100,760 Not available NTIS
- PB91-236919**
Alignment Fixture for Millimeter Waveguide.
PB91-236919 100,727 Not available NTIS
- PB91-236927**
Cyclic Fatigue from Frictional Degradation at Bridging Grains in Alumina.
PB91-236927 101,092 Not available NTIS
- PB91-236935**
Fracture Mechanics Model for Subthreshold Identification Flaws. Part 1. Equilibrium Fracture.
PB91-236935 101,093 Not available NTIS
- PB91-236943**
Load-Controlled Tensile Tests of Austenitic Steels at 4 K.
PB91-236943 101,165 Not available NTIS
- PB91-236950**
Precise Ephemerides for GPS Time Transfer.
PB91-236950 100,586 Not available NTIS
- PB91-236968**
Majority and Minority Electron and Hole Mobilities in Heavily Doped GaAs.
PB91-236968 101,550 Not available NTIS
- PB91-236976**
Cryogenic Fatigue of High-Strength Aluminum Alloys and Correlations with Tensile Properties.
PB91-236976 101,709 Not available NTIS
- PB91-236984**
Heterodyne Frequency Measurements of CO and OCS Beyond 2100 cm⁻¹.
PB91-236984 100,423 Not available NTIS
- PB91-236992**
Characteristic Impedance Determination Using Propagation Constant Measurement.
PB91-236992 100,775 Not available NTIS
- PB91-237008**
Sensitometry of the Response of a New Radiochromic Film Dosimeter to Gamma Radiation and Electron Beams.
PB91-237008 101,326 Not available NTIS
- PB91-237016**
Perpendicular Bands of Cyclopropane in the 3.5 μ m Region.
PB91-237016 100,424 Not available NTIS
- PB91-237024**
Partial Equilibrium in Laminar Hydrocarbon Diffusion Flames.
PB91-237024 100,553 Not available NTIS
- PB91-237032**
Direct Detection of Atom Vaporization by Laser Resonance Ionization as a Probe of Gas-Surface Chemisorption Mechanisms.
PB91-237032 100,425 Not available NTIS
- PB91-237040**
Book Review: Hypertext Hands-On.
PB91-237040 100,656 Not available NTIS
- PB91-237057**
Linking Information to Objects: A Hypertext Prototype for Numismatists.
PB91-237057 100,657 Not available NTIS
- PB91-237065**
Exploding Foil Photoionization X-ray Laser.
PB91-237065 101,433 Not available NTIS
- PB91-237073**
General Technique to Correct Probe Position Errors in Planar Near-Field Measurements to Arbitrary Accuracy.
PB91-237073 100,728 Not available NTIS
- PB91-237081**
Interlaboratory Tension and Fracture Toughness Test Results for CSUS-JN1 (Fe-25Cr-15Ni-0.3N) Austenitic Stainless Steel at 4 K.
PB91-237081 101,166 Not available NTIS
- PB91-237099**
Laser-Induced Fluorescence of CH₃ in a Laminar CH₄/Air Diffusion Flame: Implications for Diagnostic Measurements and Analysis of Chemical Rates.
PB91-237099 100,554 Not available NTIS
- PB91-237107**
New Low-Voltage Standards in the DC to 1-MHz Frequency Range.
PB91-237107 100,738 Not available NTIS
- PB91-237115**
Monitoring the Mass Standard via the Comparison of Mechanical to Electrical Power.
PB91-237115 101,710 Not available NTIS
- PB91-237123**
Differential Sintering.
PB91-237123 101,128 Not available NTIS
- PB91-237131**
Cathodoluminescence Measurement of Strained Alumina Single Crystals.
PB91-237131 101,094 Not available NTIS
- PB91-237149**
Mass Transfer Coefficients in Two-Phase Aqueous Extraction.
PB91-237149 100,426 Not available NTIS
- PB91-237156**
New Triple Correlation Technique for Measuring Ultrashort Laser Pulses.
PB91-237156 101,434 Not available NTIS
- PB91-237164**
Molecular-Orbital Studies via Satellite-Free X-ray Fluorescence: Cl K Absorption and K-Valence-Level Emission Spectra of Chlorofluoromethanes.
PB91-237164 100,427 Not available NTIS
- PB91-237172**
Hydration of Carbon Dioxide: The Structure of H₂O-H₂O-CO₂ from Microwave Spectroscopy.
PB91-237172 100,428 Not available NTIS
- PB91-237180**
Critical-Current Diffraction Patterns of Grain-Boundary Josephson Weak Links.
PB91-237180 101,551 Not available NTIS
- PB91-237198**
Immobilization of Binding Proteins on Nonporous Supports: Comparison of Protein Loading, Activity, and Stability.
PB91-237198 101,308 Not available NTIS
- PB91-237206**
Effect of Processing on 4-K Mechanical Properties of a Microalloyed Austenitic Stainless Steel.
PB91-237206 101,167 Not available NTIS
- PB91-237214**
Precision Qualification of Watthour Meters.
PB91-237214 100,859 Not available NTIS
- PB91-237222**
Theoretical Considerations for a Thermo-Optic Microwave Electric-Field-Strength Probe.
PB91-237222 100,860 Not available NTIS
- PB91-237230**
Electrokinetic Demixing of Two-Phase Aqueous Polymer Systems. 2. Separation Rates of Polyethylene Glycol-Maltodextrin Mixtures.
PB91-237230 100,231 Not available NTIS
- PB91-237248**
Strain Rate Effect on Tensile Properties at 4 K of a VAMAS Round-Robin Austenitic Steel.
PB91-237248 101,168 Not available NTIS
- PB91-237255**
Microwave Monolithic Integrated Circuit-Related Metrology at the National Institute of Standards and Technology.
PB91-237255 100,816 Not available NTIS
- PB91-237263**
Surface Extended-X-ray-Absorption Fine Structure and Scanning Tunneling Microscopy of Si(001)2x1-Sb.
PB91-237263 101,552 Not available NTIS
- PB91-237271**
Micromagnetic Calculations of 180 deg Surface Domain Walls.
PB91-237271 101,553 Not available NTIS
- PB91-237289**
Scanning Electron Microscopy with Polarization Analysis (SEMPA)-Studies of Domains, Domain Walls and Magnetic Singularities at Surfaces and in Thin Films.
PB91-237289 101,554 Not available NTIS
- PB91-237297**
Thermodynamics of Solutions Near the Solvent's Critical Point.
PB91-237297 100,232 Not available NTIS
- PB91-237305**
Characterization of Capacitive Array for NDE Applications.
PB91-237305 100,946 Not available NTIS
- PB91-237313**
Capacitive Array Sensors for Nondestructive Evaluation.
PB91-237313 100,947 Not available NTIS
- PB91-237321**
Change in Magnetic State of Fe+ Silica Gel Nanocomposites Due to Low Temperature Treatment in Ammonia.
PB91-237321 101,129 Not available NTIS
- PB91-237339**
New Layered Cuprate Structure-Type, (A1-xA'x)14Cu24O41.
PB91-237339 101,095 Not available NTIS
- PB91-237347**
Antioxidation Mechanisms of Uric Acid.
PB91-237347 100,222 Not available NTIS
- PB91-237354**
Impulse Response Functions for Elastic Structures with Rigid Body Degrees of Freedom.
PB91-237354 101,587 Not available NTIS
- PB91-237362**
Ab Initio Phase Determination for X-ray Diffraction Data from Crystals of a Native Protein.
PB91-237362 101,309 Not available NTIS
- PB91-237370**
Synthesis of 3-Ouinuclidinol-(18)O, Benzoic-d5 Acid, and 3-Ouinuclidinyl-(18)O, Benzilate-d5.
PB91-237370 100,223 Not available NTIS
- PB91-237388**
Calibration of Ophthalmic Applicators at NIST: A Revised Approach.
PB91-237388 101,327 Not available NTIS
- PB91-237396**
Accelerator (14)C Dating of Late Pleistocene Megafauna.
PB91-237396 101,354 Not available NTIS
- PB91-237404**
Accelerator Radiocarbon Dates on Charcoal, Shell, and Human Bone from the Del Mar Site, California.
PB91-237404 101,355 Not available NTIS
- PB91-237412**
Experimental Study of the Pyrolysis Rate of a Poly(methyl methacrylate) (PMMA) Wall Panel in a Reduced-Scale Enclosure.
PB91-237412 100,555 Not available NTIS
- PB91-237420**
Structural Study of the Epitaxial Growth of fcc-Fe Films, Sandwiches, and Superlattices on Cu(100).
PB91-237420 101,555 Not available NTIS
- PB91-237438**
Structural Anomalies in Undoped Gallium Arsenide Observed in High Resolution Diffraction Imaging with Monochromatic Synchrotron Radiation.
PB91-237438 101,556 Not available NTIS
- PB91-237446**
Improvements for Automating Voltage Calibrations Using a 10-V Josephson Array.
PB91-237446 100,739 Not available NTIS
- PB91-237453**
Theory of Ballistic-Electron-Emission Spectroscopy of NiSi₂/Si(111) Interfaces.
PB91-237453 101,557 Not available NTIS
- PB91-237461**
Structure of Odd-Odd (132)Sb.
PB91-237461 101,711 Not available NTIS
- PB91-237479**
Microstructural Aspects of the Fracture of Hardened Cement Paste.
PB91-237479 100,133 Not available NTIS
- PB91-237487**
Microwave Spectra and Electric Dipole Moments of X(4)Sigma(1-)-1/2 VO and NbO.
PB91-237487 100,429 Not available NTIS
- PB91-237495**
Extreme-Ultraviolet Spectra of Pd, Ag, Cd, and Sn Ions Observed in a 1.3-keV Tokamak Plasma.
PB91-237495 101,712 Not available NTIS
- PB91-237503**
Spectra of the P I Isoelectronic Sequence from Co XIII to Mo XXVIII.
PB91-237503 101,713 Not available NTIS
- PB91-237511**
Beam-Foil Study of Two-Electron Transitions in Cu-Like Ions.
PB91-237511 101,714 Not available NTIS
- PB91-237529**
Stabilities of Substituted Benzyl Radicals: Dissociation Rates of Aminoethylbenzenes, Hydroxyethylbenzenes, and Cyanoethylbenzenes.
PB91-237529 100,430 Not available NTIS
- PB91-237537**
Dissociation of Substituted Anisoles: Substituent Effects on Bond Strengths.
PB91-237537 100,431 Not available NTIS
- PB91-237545**
Mossbauer Study of the Effect of Oxygen Stoichiometry on the High Tc Superconductor Y1Ba2CuO₉7Fe0.033O7-x.
PB91-237545 101,558 Not available NTIS

NTIS ORDER/REPORT NUMBER INDEX

PB91-237552 Low-Field Flux Pinning in Twinned and Detwinned Single Crystals of YBa ₂ Cu ₃ O _{7-x} . PB91-237552 101,559 Not available NTIS	PB91-237792 100,761 Not available NTIS	PB91-507962 101,279 CP T06
PB91-237560 Low-Cost Aqueous Two-Phase System for Enzyme Extraction. PB91-237560 101,310 Not available NTIS	PB91-237800 Effect of Veiling Reflections on Vision of Colored Objects. PB91-237800 100,079 Not available NTIS	PB91-507970 Building Life Cycle Cost Computer Program, Version 3.2 (for Microcomputers). PB91-507970 100,898 CP D02
PB91-237578 Thermodynamic Properties of 1,1,1,2-Tetrafluoroethane (R134a) in the Critical Region. PB91-237578 100,233 Not available NTIS	PB91-237818 Light Source Area, Shading, and Glare. PB91-237818 100,080 Not available NTIS	PB91-509802 Road Rally Conversational Speech Corpora (on CD-ROM). PB91-509802 100,595 CD-ROM\$500.00
PB91-237586 New International Electrical Reference Standards Based on the Josephson and Quantum Hall Effects. PB91-237586 100,740 Not available NTIS	PB91-237826 Role of Theory in Lighting Research and Design. PB91-237826 100,081 Not available NTIS	PB91-937301 Validated Processor List (Cobol, Fortran, ADA, Pascal, SOL). July 1991. PB91-937301 100,664 Not available NTIS
PB91-237594 Basic Standards and Fundamental Constants. PB91-237594 101,715 Not available NTIS	PB91-237834 Assessment: U.S. Office Building of Moscow. PB91-237834 100,151 Not available NTIS	PB91-937302 Validated Processor List (Cobol, Fortran, ADA, Pascal, SOL). October 1991. PB91-937302 100,665 Not available NTIS
PB91-237602 Thermodynamics of Industrially Important Enzyme Catalyzed Reactions. PB91-237602 101,311 Not available NTIS	PB91-237842 Network Structure in Epoxies. 6. The Growth Process Investigated by Neutron Scattering. PB91-237842 100,514 Not available NTIS	PB92-102185 LBIR Facility User Handbook. PB92-102185 101,435 Not available NTIS
PB91-237610 Theory of Capacitive Probe Method for Noncontact Characterization of Dielectric Properties of Materials. PB91-237610 100,948 Not available NTIS	PB91-237859 Evaluation of Liquid Junction Potentials and Determination of pH Values of Strong Acids at Moderate Ionic Strengths. PB91-237859 100,438 Not available NTIS	PB92-102201 ISDN Conformance Testing: Layer 1. Physical Layer. Part 1. Basic Rate S/T Interface, User Side. PB92-102201 100,572 PC A05/MF A01
PB91-237628 Fourier Transform Infrared Analysis of Ceramic Powders: Quantitative Determination of Alpha, Beta, and Amorphous Phases of Silicon Nitride. PB91-237628 101,096 Not available NTIS	PB91-237867 Electrochemical Behavior of Ferrocene in Polyethylene Oxide-400. PB91-237867 100,439 Not available NTIS	PB92-102219 North American ISDN Users' Forum Agreements on Integrated Services Digital Network. PB92-102219 100,573 PC A08/MF A02
PB91-237636 Neutron Spectroscopic Evidence for Adsorbed Hydroxyl Species on Platinum Black. PB91-237636 100,432 Not available NTIS	PB91-237875 Possible Use of Pattern Recognition for the Analysis of Mars-Rover X-ray-Fluorescence Spectra. PB91-237875 101,733 Not available NTIS	PB92-102877 NIST LATTICE: A Program to Analyze Lattice Relationships. Spring 1991 Version. PB92-102877 101,561 PC A03/MF A01
PB91-237644 Influence of Memory Propagation on Phase-Resolved Stochastic Behavior of AC-Generated Partial Discharges. PB91-237644 100,861 Not available NTIS	PB91-240739 Metrology for the Semiconductor Industry. PB91-240739 100,817 PC A03/MF A01	PB92-108855 Clock for the Manufacturing Systems Integration Testbed. PB92-108855 100,992 PC A03/MF A01
PB91-237651 Extended Phase Rule for Nonreactive, Multiphase, Multi-component Chemical Systems. PB91-237651 100,433 Not available NTIS	PB91-240747 Preliminary Results of the Environmental Evaluation of the Federal Records Center in Overland Missouri. PB91-240747 100,082 PC A04/MF A01	PB92-108893 Guide to Expert System Building Tools for Microcomputers. PB92-108893 100,715 PC A08/MF A02
PB91-237669 Variations in the Practice of Ceramic Technology in Different Cultures: A Comparison of Korean and Chinese Celadon Glazes. PB91-237669 101,111 Not available NTIS	PB91-240754 Depot: A Framework for Sharing Software Installation Across Organizational and Unix Platform Boundaries. PB91-240754 100,659 PC A03/MF A01	PB92-108901 Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions. PB92-108901 101,169 PC A03/MF A01
PB91-237677 Geometric Reasoning for Constructing 3D Scene Descriptions for Images. PB91-237677 100,714 Not available NTIS	PB91-240762 High Magnetic Field Facilities in Japan Related to Superconductivity Research (Japan Technology Program). PB91-240762 101,718 PC A04/MF A01	PB92-108919 FFETOOL User's Guide. PB92-108919 100,134 PC A03/MF A01
PB91-237685 Software Verification and Validation: An Overview. PB91-237685 100,658 Not available NTIS	PB91-240770 Suppression of Post-Flashover Compartment Fires Using Manually Applied Water Sprays. PB91-240770 100,164 PC A03/MF A01	PB92-108927 Short-Duration Autoignition Temperature Measurements for Hydrocarbon Fuels. PB92-108927 100,887 PC A03/MF A01
PB91-237693 Database and Retrieval System for the NBS Tables of Chemical Thermodynamic Properties. PB91-237693 100,434 Not available NTIS	PB91-240788 Framework for Utilizing Fire Property Tests. PB91-240788 100,165 PC A03/MF A01	PB92-108935 Navy Safety Center Data on the Effects of Fire Protection Systems on Electrical Equipment. PB92-108935 101,376 PC A05/MF A01
PB91-237701 Surface Oxidation Kinetics of Si ₃ N ₄ - 4% Y ₂ O ₃ Powders Studied by Bremsstrahlung-Excited Auger Spectroscopy. PB91-237701 100,435 Not available NTIS	PB91-240796 Manufacturing Systems Integration Control Entity Interface Document. PB91-240796 100,991 PC A03/MF A01	PB92-108943 Development of an Optical Disk System for the Automated Retrieval of EASEAR Records. PB92-108943 100,666 PC A07/MF A02
PB91-237719 Oxidation Kinetics of Silicon Carbide Whiskers Studied by X-ray Photoelectron Spectroscopy. PB91-237719 100,436 Not available NTIS	PB91-240804 Guidelines for the Development of Computer Based Models in a Cementitious Materials Modeling Laboratory. PB91-240804 100,532 PC A03/MF A01	PB92-108950 Video Processing with the Princeton Engine at NIST. PB92-108950 100,604 PC A04/MF A01
PB91-237727 Characteristics of Aerosols Produced by the Spark Discharge. PB91-237727 100,209 Not available NTIS	PB91-240812 New Concepts of Precision Dimensional Measurement for Modern Manufacturing. PB91-240812 101,006 PC A04/MF A01	PB92-108968 Directory of State and Local Government Laboratory Accreditation/Designation Programs. PB92-108968 100,174 PC A05/MF A01
PB91-237735 Dentin-Bonding Molar Efficiency Using N-Phenylglycine, N-Phenyl-beta-Alanine, or N-Methyl-N-Phenylglycine. PB91-237735 100,053 Not available NTIS	PB91-240838 Center for Electronics and Electrical Engineering Technical Publication Announcements Covering Center Programs, October to December 1990, with 1991 CEE Events Calendar. PB91-240838 100,863 PC A03/MF A01	PB92-108976 Mathematical Modeling of Enclosure Fires. PB92-108976 100,135 PC A03/MF A01
PB91-237743 Environmentally Enhanced Fracture of Gallium Arsenide. PB91-237743 101,097 Not available NTIS	PB91-505370 DARPA Air Travel Information System (ATISO) Speaker-Dependent Training Data (on CD-ROM). PB91-505370 100,594 CD-ROM\$1200.00	PB92-108984 Cone Calorimeter Rate of Heat Release Measurements for Upholstered Composites of Polyurethane Foams. PB92-108984 100,087 PC A03/MF A01
PB91-237750 Spectroscopic Data Base for Carbon and Oxygen. PB91-237750 101,716 Not available NTIS	PB91-507699 MUMPS Validation Suite, Version 7.6 (Vax/VMS Backup), 1991. PB91-507699 100,660 CP T99	PB92-108992 Phase-Field Model for Isothermal Phase Transitions in Binary Alloys. PB92-108992 101,240 PC A04/MF A01
PB91-237768 Unified Set of Atomic Transition Probabilities for Neutral Argon. PB91-237768 101,717 Not available NTIS	PB91-507707 MUMPS Validation Suite, Version 7.6, 1991 (for Microcomputers). PB91-507707 100,661 CP D99	PB92-109008 High Resolution Diffraction Imaging of Crystals Grown in Microgravity and Closely Related Terrestrial Crystals. PB92-109008 101,562 PC A08/MF A02
PB91-237776 Translate LRL and LRM Calibrations. PB91-237776 100,862 Not available NTIS	PB91-507715 MUMPS Validation Suite, Version 7.6 (ANSI), 1991. PB91-507715 100,662 CP T99	PB92-109016 Data Bases Available in the Research Information Center of the National Institute of Standards and Technology. PB92-109016 100,954 PC A07/MF A02
PB91-237784 Rovibrational Analysis of the nu ₇ (1) Intermolecular Hydrogen Bond Bending Vibration in HCN-HF Using Far Infrared Fourier Transform Spectroscopy. PB91-237784 100,437 Not available NTIS	PB91-507723 MUMPS Validation Suite, Version 7.6 (TAR), 1991. PB91-507723 100,663 CP T99	PB92-109024 Procedure for the Effective Recalibration of Liquid-in-Glass Thermometers. PB92-109024 100,935 PC A03/MF A01
PB91-237792 Dealing with Obvious Issues in Lighting.	PB91-507954 OMNITAB 80 (ASCII): An Interactive System for Statistical and Numerical Data Analysis (Version 7.0). PB91-507954 101,278 CP T06	PB92-109032 International System of Units (SI)--Translation. PB92-109032 101,719 PC A04/MF A01
	PB91-507962 OMNITAB 80 (UNIX): An Interactive System for Statistical and Numerical Data Analysis. Version 7.0.	PB92-109040 Proceedings of the Workshop on High Integrity Software. Held in Gaithersburg, MD, on January 22-23, 1991. PB92-109040 100,667 PC A03/MF A01

NTIS ORDER/REPORT NUMBER INDEX

PB92-116342

- PB92-109156**
International Fire Detection Bibliography, 1975-1990.
PB92-109156 100,088 PC A09/MF A02
- PB92-109164**
Joint Panel Meeting of the UJNR Panel on Fire Research and Safety (11th). Held in Berkeley, CA. on October 19-24, 1989.
PB92-109164 100,166 PC A16/MF A03
- PB92-109172**
Research. Services. Facilities. (National Institute of Standards and Technology).
PB92-109172 100,012 PC A05/MF A01
- PB92-110105**
GOSIP Conformance and Interoperation Testing and Registration.
PB92-110105 100,694 PC A05/MF A01
- PB92-110113**
Journal of Physical and Chemical Reference Data, Volume 20, Number 1, 1991.
PB92-110113 100,440 Not available NTIS
- PB92-110121**
Spectral Data and Grotian Diagrams for Highly Ionized Copper, Cu X-Cu XXIX.
PB92-110121 100,441 (Order as PB92-110113)
- PB92-110139**
Wavelengths and Energy Level Classifications of Magnesium Spectra for All Stages of Ionization (Mg I through Mg XII).
PB92-110139 100,442 (Order as PB92-110113)
- PB92-110147**
Spectroscopy and Structure of the Alkali Hydride Diatomic Molecules and Their Ions.
PB92-110147 100,443 (Order as PB92-110113)
- PB92-110154**
Critical Evaluation of Liquid Crystal Transition Temperatures I: 4,4'-Alkyl/alkoxyphenylbenzoates.
PB92-110154 100,444 (Order as PB92-110113)
- PB92-110162**
Journal of Physical and Chemical Reference Data, Volume 20, Number 2, March-April 1991.
PB92-110162 100,445 Not available NTIS
- PB92-110170**
Chemical Kinetic Data Base for Combustion Chemistry. Part 5. Propene.
PB92-110170 100,446 (Order as PB92-110162)
- PB92-110188**
Thermophysical Properties of Ethane.
PB92-110188 100,447 (Order as PB92-110162)
- PB92-110196**
Heat Capacity and Other Thermodynamic Properties of Linear Macromolecules. 10. Update of the ATHAS 1980 Data Bank.
PB92-110196 100,515 (Order as PB92-110162)
- PB92-110204**
Heat Capacities of Organic Compounds in Liquid State. 2. C1 to C18 n-Alkanes.
PB92-110204 100,448 (Order as PB92-110162)
- PB92-110212**
Journal of Physical and Chemical Reference Data, Volume 20, Number 3, May-June 1991.
PB92-110212 100,449 Not available NTIS
- PB92-110220**
Kinetics and Mechanisms of the Gas-Phase Reactions of the NO3 Radical with Organic Compounds.
PB92-110220 100,450 (Order as PB92-110212)
- PB92-110238**
Thermodynamic Properties of the NaBr + H2O System.
PB92-110238 100,451 (Order as PB92-110212)
- PB92-110246**
Cross Sections and Swarm Coefficients for Nitrogen Ions and Neutrals in N2 and Argon Ions and Neutrals in N2 and Argon Ions and Neutrals in Ar for Energies from 0.1 eV to 10 keV.
PB92-110246 100,452 (Order as PB92-110212)
- PB92-110253**
Evaluation of Solubility Data of the System CO-H2O from 273 K to the Critical Point of Water.
PB92-110253 100,453 (Order as PB92-110212)
- PB92-110261**
Journal of Research of the National Institute of Standards and Technology. July-August 1991. Volume 96, Number 4.
PB92-110261 100,762 PC A05/MF A02
- PB92-110279**
General Analytic Correction for Probe-Position Errors in Spherical Near-Field Measurements.
PB92-110279 100,729 (Order as PB92-110261, PC A05/MF A01)
- PB92-110287**
Data for Room Fire Model Comparisons.
PB92-110287 100,167 (Order as PB92-110261, PC A05/MF A01)
- PB92-110295**
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 1. Simulation Programs.
PB92-110295 100,763 (Order as PB92-110261, PC A05/MF A01)
- PB92-110303**
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 2. Interpreting Oxide-bias Experiments.
- PB92-110303** 100,764 (Order as PB92-110261, PC A05/MF A01)
- PB92-110311**
Numerical Modeling of Silicon Photodiodes for High-Accuracy Applications. Part 3. Interpolating and Extrapolating Internal Quantum-Efficiency Calibrations.
PB92-110311 100,765 (Order as PB92-110261, PC A05/MF A01)
- PB92-112200**
Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, June 1991 Change Pages (Supplement).
PB92-112200 100,695 PC A04/MF A01
- PB92-112218**
Summaries of BFRL Fire Research In-House Projects and Grants, 1991.
PB92-112218 100,168 PC A09/MF A03
- PB92-112226**
Static and Dynamic Strength Tests on Electrical Conductor Cables Specified for Airport Landing Structures.
PB92-112226 101,739 PC A05/MF A01
- PB92-112234**
Conceptual Architecture for a Mechanical Parts Production System Based on STEP. National PDES Testbed Rept Series.
PB92-112234 100,993 PC A03/MF A01
- PB92-112242**
Manufacturing Systems Integration: Initial Architecture Document.
PB92-112242 100,994 PC A04/MF A01
- PB92-112259**
Glossary of Computer Security Terminology.
PB92-112259 100,716 PC A09/MF A02
- PB92-112267**
Proceedings of the Forum on Standards for High Integrity Software (DOD, Government, Industry). Held in Gaithersburg, Maryland on June 28, 1991.
PB92-112267 100,668 PC A04/MF A01
- PB92-112275**
Integration-Based Method for Depth Estimation.
PB92-112275 100,701 PC A03/MF A01
- PB92-112283**
Personal Computer Codes for Analysis of Planar Near Fields.
PB92-112283 100,730 PC A04/MF A01
- PB92-112291**
Effect of Gravity Modulation on Thermosolutal Convection in an Infinite Layer of Fluid.
PB92-112291 101,396 PC A03/MF A01
- PB92-112309**
Electronics and Electrical Engineering Laboratory Technical Publication Announcements Covering Laboratory Programs, January to March 1991, with 1991 EEEL Events Calendar.
PB92-112309 100,864 PC A03/MF A01
- PB92-112317**
Engineering Analysis of the Fire Development in the Hillhaven Nursing Home Fire, October 5, 1989.
PB92-112317 100,169 PC A04/MF A01
- PB92-112325**
Optimization Techniques for Permittivity and Permeability Determination.
PB92-112325 100,865 PC A03/MF A01
- PB92-112333**
Oxides and Oxide Superconductors: Elastic and Related Properties.
PB92-112333 101,563 PC A05/MF A02
- PB92-112341**
Research for Electric Energy Systems: An Annual Report.
PB92-112341 100,874 PC A06/MF A02
- PB92-112358**
Magnetic Measurements for High Energy Physics Applications.
PB92-112358 101,720 PC A04/MF A01
- PB92-112366**
Survey of Current Worldwide Research on the Thermophysical Properties of Alternative Refrigerants.
PB92-112366 101,198 PC A05/MF A01
- PB92-112374**
Proposed Testing Methodology for STEP Application Protocol Validation. National PDES Testbed Report Series.
PB92-112374 100,969 PC A04/MF A01
- PB92-112382**
HgCdTe Detector Reliability Study for the GOES Program.
PB92-112382 100,766 PC A05/MF A02
- PB92-112390**
Computer Security Bulletin Board System. User's Guide.
PB92-112390 100,717 PC A03/MF A01
- PB92-112408**
NBS-INA. The Institute for Numerical Analysis. UCLA 1947-1954.
PB92-112408 101,264 PC A09/MF A02
- PB92-112416**
Uniforms Laws and Regulations as Adopted by the National Conference on Weights and Measures (76th), 1991.
PB92-112416 101,022 PC A08/MF A02
- PB92-112424**
Specifications, Tolerances, and Other Technical Requirements for Weighing and Measuring Devices as Adopted by the 76th National Conference on Weights and Measures, 1991.
PB92-112424 101,023 PC A10/MF A03
- PB92-112432**
Theoretical Investigation of Piloted Ignition of Wood.
PB92-112432 100,556 PC A11/MF A03
- PB92-112440**
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Instructor's Manual.
PB92-112440 101,349 PC A99/MF A06
- PB92-112457**
Economic Analysis for Military Construction (MILCON) Design. Concepts, Techniques, and Applications for the Analyst. Student's Manual.
PB92-112457 101,350 PC A21/MF A04
- PB92-112465**
Report of the National Conference on Weights and Measures (76th). Held in Philadelphia, PA. on July 14-19, 1991.
PB92-112465 101,024 PC A16/MF A03
- PB92-112473**
Data for Fire Hazard Assessment of Selected Non-Halogenated and Halogenated Fire Retardants; Report of Test FR 3983.
PB92-112473 100,557 PC A04/MF A01
- PB92-112481**
Criteria for the Operation of Federally-Owned Secondary Calibration Laboratories (Ionizing Radiation).
PB92-112481 101,721 PC A04/MF A01
- PB92-112499**
NIST Calibration Services for Humidity Measurement.
PB92-112499 100,520 PC A04/MF A01
- PB92-112507**
Three Dimensional Reconstruction from Optical Flow Using Temporal Integration.
PB92-112507 100,702 PC A03/MF A01
- PB92-112515**
Energy Prices and Discount Factors for Life-Cycle Cost Analysis 1992. Annual Supplement to NIST Handbook 135 and NBS Special Publication 709.
PB92-112515 100,899 PC A04/MF A01
- PB92-112523**
Test Plan for Validating a Context Driven Integrated Model (CDIM) for Sheet Metal Die Design. National PDES Testbed Report Series.
PB92-112523 100,970 PC A04/MF A01
- PB92-112531**
Turbulent Upward Flame Spread for Burning Vertical Walls Made of Finite Thickness.
PB92-112531 100,170 PC A05/MF A01
- PB92-112549**
Checking the Net Contents of Packaged Goods. Third Edition, Supplement 2.
PB92-112549 100,171 PC A03/MF A01
- PB92-112556**
Users' Guide to BREAK1, the Berkeley Algorithm for Breaking Window Glass in a Compartment Fire.
PB92-112556 100,136 PC A03/MF A01
- PB92-112564**
Analysis of Optical Flow Estimation Using Epipolar Plane Images.
PB92-112564 100,703 PC A03/MF A01
- PB92-112572**
Intelligent Processing of Materials, Technical Activities 1991. (NAS-NRC Assessment Panel, November 14-15, 1991).
PB92-112572 100,995 PC A05/MF A01
- PB92-112580**
Prototyping the IRDS: An Airport Application.
PB92-112580 101,740 PC A06/MF A02
- PB92-112684**
Polymers: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-112684 100,516 PC A07/MF A02
- PB92-112692**
Quantifying Standard Performance of Electromagnetic-Based Mine Detectors.
PB92-112692 101,378 PC A09/MF A02
- PB92-116300**
Uniaxial Tensile Tests to Measure the Bond of In situ Concrete Overlays.
PB92-116300 100,533 PC A03/MF A01
- PB92-116318**
Merit Function for Inequality Constrained Nonlinear Programming Problems.
PB92-116318 101,271 PC A03/MF A01
- PB92-116326**
Transient Hydrogen Heat Transfer. Final Report for April 1986-April 1989.
PB92-116326 100,454 PC A03/MF A01
- PB92-116334**
Analysis of Moisture Accumulation in a Wood Frame Wall Subjected to Winter Climate.
PB92-116334 100,137 PC A04/MF A01
- PB92-116342**
Ultimate Strength of Masonry Shear Walls: Predictions versus Test Results.

NTIS ORDER/REPORT NUMBER INDEX

PB92-116342	100,138	PC A03/MF A01	PB92-116599	100,819	Not available NTIS	PB92-116821	100,141	Not available NTIS
PB92-116359			PB92-116607			PB92-116839		
Response of Personal Noise Dosimeters to Continuous and Impulse-Like Signals.			Sensitivity of Ellipsometric Modeling to the 'Islands' of Silicon Precipitates at the Bottom of the Buried Oxide Layer in Annealed SIMOX.			Apparatus for Acoustic Measurements of Gases with Applications for High Temperatures.		
PB92-116359	100,914	PC A07/MF A02	PB92-116607	100,820	Not available NTIS	PB92-116839	100,458	Not available NTIS
PB92-116367			PB92-116615			PB92-116847		
Bibliography of the NIST Electromagnetic Fields Division Publications.			Ultrasonic Measurement of Sheet Steel Texture and Formability: Comparison with Neutron Diffraction and Mechanical Measurements.			Accurate Acoustic Measurements in Gases Under Difficult Conditions.		
PB92-116367	100,866	PC A06/MF A02	PB92-116615	101,170	Not available NTIS	PB92-116847	101,382	Not available NTIS
PB92-116375			PB92-116623			PB92-116854		
Metrology for Electromagnetic Technology: A Bibliography of NIST Publications.			Use of Cross-Validation as a Stopping Rule in Emission Tomography Image Reconstruction.			Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 1. Equilibrium Model.		
PB92-116375	100,867	PC A04/MF A01	PB92-116623	101,295	Not available NTIS	PB92-116854	100,459	Not available NTIS
PB92-116383			PB92-116631			PB92-116862		
Guide for the Use of the International System of Units: The Modernized Metric System.			Magnetic Anisotropies in Ultrathin fcc Fe(001) Films Grown on Cu(001) Substrates.			Experimentally Verified IGBT Model Implemented in the Saber Circuit Simulator.		
PB92-116383	100,962	PC A03/MF A01	PB92-116631	101,565	Not available NTIS	PB92-116862	100,822	Not available NTIS
PB92-116391			PB92-116649			PB92-116870		
Security in ISDN.			Rotational-Tunneling Spectrum of the Ar-SO ₂ van der Waals Complex.			Test of the Linearity of Quantum Mechanics by rf Spectroscopy of the (9)Be(+) Ground State.		
PB92-116391	100,718	PC A05/MF A01	PB92-116649	100,457	Not available NTIS	PB92-116870	101,726	Not available NTIS
PB92-116409			PB92-116656			PB92-116888		
Test Methods for Optical Disk Media Characteristics (for 356 mm Ruggedized Magneto-optic Media).			Mode-Stirred Chamber for Measuring Shielding Effectiveness of Cables and Connectors: Assessing MIL-STD-1344A Method 3008.			Diffraction by a Half-Plane in a Lossy Medium.		
PB92-116409	100,605	PC A05/MF A01	PB92-116656	100,776	Not available NTIS	PB92-116888	101,437	Not available NTIS
PB92-116417			PB92-116664			PB92-116896		
Software Reengineering: A Case Study and Lessons Learned.			Modified Sliding Wire Potentiometer Test Structure for Mapping Nanometer-Level Distances.			CW Dye Lasers.		
PB92-116417	100,669	PC A03/MF A01	PB92-116664	100,821	Not available NTIS	PB92-116896	101,438	Not available NTIS
PB92-116425			PB92-116672			PB92-116904		
Wind and Seismic Effects. Proceedings of the Joint Meeting of the U.S.-Japan Cooperative Program in Natural Resources Panel on Wind and Seismic Effects (23rd). Held in Tsukuba, Japan, on May 14-17, 1991.			Electron Spin Resonance for Monitoring Radiation-Processed Meats Containing Bone.			Diode Lasers and Their Application to Spectroscopy.		
PB92-116425	100,152	PC A99/MF A06	PB92-116672	100,018	Not available NTIS	PB92-116904	101,439	Not available NTIS
PB92-116441			PB92-116680			PB92-116912		
Effects of Absorbed Dose Rate, Irradiation Temperature and Post-Irradiation Temperature on the Gamma Ray Response of Red Perspex Dosimeters.			Single-Target Magnetron Sputter-Deposition of High-Tc Superconducting Bi-Sr-Ca-Cu-O Thin Films.			Damage to the Bases in DNA Induced by Stimulated Human Neutrophils.		
PB92-116441	101,363	Not available NTIS	PB92-116680	101,566	Not available NTIS	PB92-116912	101,312	Not available NTIS
PB92-116458			PB92-116698			PB92-116920		
Large-Scale Validation of Bench-Scale Fire Toxicity Tests.			Flexible Polymer with Excluded Volume at an Interacting Penetrable Surface of Variable Dimension: A Multiple epsilon-Induction Perturbation Theory.			Test Chip for the Evaluation of Surface-Diffusion Phenomena in Sputtered Aluminum Planarization Processes.		
PB92-116458	100,139	Not available NTIS	PB92-116698	100,517	Not available NTIS	PB92-116920	100,823	Not available NTIS
PB92-116466			PB92-116706			PB92-116938		
Three-Dimensional Simulations of High-Resolution Photorealist Processing.			Dosimetry of a Nearly Monoenergetic 6- to 7-MeV Photon Source by NaI(Tl) Scintillation Spectrometry.			Microstructural Studies of Ti-Al Alloys in the Vicinity of the 'Eutectoid' Reaction.		
PB92-116466	100,818	Not available NTIS	PB92-116706	101,723	Not available NTIS	PB92-116938	101,241	Not available NTIS
PB92-116474			PB92-116714			PB92-116946		
303-MHz Frequency Standard Based on Trapped Be(+) Ions.			Atomic Spectroscopy in the 20th Century - A Tribute to Sitterly, Charlotte Moore, on the Occasion of Her 90th Birthday.			Horizontal Flow Boiling Heat Transfer Experiments with a Mixture of R22/R114.		
PB92-116474	101,722	Not available NTIS	PB92-116714	101,724	Not available NTIS	PB92-116946	101,200	Not available NTIS
PB92-116482			PB92-116722			PB92-116953		
Measurement of Regenerator Performance in a Vuilleumier Refrigerator.			Differences between Thermodynamic Temperature and T(PTS-68) in the Range 230C to 660C.			Formation of ortho-Tyrosine by Radiation and Organic Solvents in Chicken Tissue.		
PB92-116482	101,052	Not available NTIS	PB92-116722	101,725	Not available NTIS	PB92-116953	101,290	Not available NTIS
PB92-116490			PB92-116730			PB92-116961		
Choosing Flow Conditioners and Their Location for Orifice Flow Measurement.			Interpretation of Field Ion Microscopy (FIM) Images of Asymmetrical Specimens of 1,2,3-Type High-Tc Superconductors.			Radiochromic Film Dosimeter for Gamma Radiation in the Absorbed-Dose Range 0.1 - 10 kGy.		
PB92-116490	101,397	Not available NTIS	PB92-116730	101,567	Not available NTIS	PB92-116961	101,364	Not available NTIS
PB92-116508			PB92-116748			PB92-116979		
Hydrogen Component Fugacity Coefficients in Binary Mixtures with Ethane: Pressure Dependence.			Predictive Extended Corresponding States Model for Pure and Mixed Refrigerants.			Knowledge Extraction Techniques for Expert System Assisted Wafer Screening.		
PB92-116508	100,455	Not available NTIS	PB92-116748	101,199	Not available NTIS	PB92-116979	100,824	Not available NTIS
PB92-116516			PB92-116755			PB92-116987		
Voltage Calibration Systems Using Josephson Junction Arrays.			Laser Enhanced Ionization as a Selective Detector for Liquid Chromatographic Determination of Alkyltins in Sediment.			Assessment of Reliability Concerns for Wide-Temperature Operation of Semiconductor Devices and Circuits.		
PB92-116516	100,868	Not available NTIS	PB92-116755	100,210	Not available NTIS	PB92-116987	100,825	Not available NTIS
PB92-116524			PB92-116763			PB92-116995		
Thermodynamics of the Divalent-Metal Fluorides. 4. Heat Capacity of MSnF ₄ , M = Pb, Ba, or Sr, at Temperatures from 300 K to 660 K.			Temperature Monitored/Controlled Silicon Photodiodes for Standardization.			Test Method for Tensile Creep of Structural Ceramics Using Flexure Beams.		
PB92-116524	100,456	Not available NTIS	PB92-116763	100,767	Not available NTIS	PB92-116995	101,099	Not available NTIS
PB92-116532			PB92-116771			PB92-117001		
Light-Scattering Measurement of the RMS Slopes of Rough Surfaces.			Fourteen-Decade Photocurrent Measurements with Large-Area Silicon Photodiodes at Room Temperature.			Characterization of the Densification of Alumina by Multiple Small-Angle Neutron Scattering.		
PB92-116532	101,436	Not available NTIS	PB92-116771	100,768	Not available NTIS	PB92-117001	101,100	Not available NTIS
PB92-116540			PB92-116789			PB92-117019		
Neutron Measurements of Intramolecular Vibrational Modes in C ₆₀ .			Observation of Anomalous Isotope Ratios in SIRIS Measurements of Molybdenum.			Performance Measures of a Robotic Micropositioner.		
PB92-116540	101,055	Not available NTIS	PB92-116789	101,361	Not available NTIS	PB92-117019	101,037	Not available NTIS
PB92-116557			PB92-116797			PB92-117027		
Impact-Echo: A New Method for Inspecting Construction Materials.			Design and Fabrication of a Miniature High-Temperature Guarded-Hot-Plate Apparatus.			Mare Island Flexible Manufacturing Workstation.		
PB92-116557	100,140	Not available NTIS	PB92-116797	101,098	Not available NTIS	PB92-117027	100,996	Not available NTIS
PB92-116565			PB92-116805			PB92-117035		
Theoretical Model for the Tunneling-Gap Anisotropy Observed in Layered Copper-Oxide High-Temperature Superconductors.			New Way to Mount Particulate Material for Laser Microprobe Mass Analysis.			Surface X-ray Absorption Spectroscopy, EXAFS and NEXAFS, for the In situ and Ex situ Study of Electrodes.		
PB92-116565	101,564	Not available NTIS	PB92-116805	100,911	Not available NTIS	PB92-117035	100,460	Not available NTIS
PB92-116573			PB92-116813			PB92-117043		
Buckling and Post-Buckling Behavior of Elliptical Plates: Part 1. Analysis.			Heat Conductivity of Oxide Coatings by Photothermal Radiometry between 293 and 1173 K.			Effect of Green Density and the Role of Magnesium Oxide Additive on the Densification of Alumina Measured by Small-Angle Neutron Scattering.		
PB92-116573	101,588	Not available NTIS	PB92-116813	101,112	Not available NTIS	PB92-117043	101,101	Not available NTIS
PB92-116581			PB92-116821			PB92-117050		
Buckling and Post-Buckling Behavior of Elliptical Plates. Part 2. Results.			Integrated Knowledge Systems for Concrete Science and Technology.			Semicalculation of Self-Broadening in O ₂ , N ₂ , and CO Raman Spectra.		
PB92-116581	101,589	Not available NTIS				PB92-117050	100,461	Not available NTIS
PB92-116599						PB92-117068		
Ellipsometry SRM's for Use in Thin Film Measurements.						Book Review: 'The Art of Computer Systems Performance Analysis' by R. Jain.		
						PB92-117068	100,719	Not available NTIS

- PB92-117076**
Need for Power Quality Testing Standards.
PB92-117076 100,741 Not available NTIS
- PB92-117084**
Persistent Photoconductivity in SIMOX Films.
PB92-117084 100,826 Not available NTIS
- PB92-117092**
XANES of Transition Metal Zinc-Blende Semiconductors.
PB92-117092 100,462 Not available NTIS
- PB92-117100**
Dosimetry: New Approaches for New Challenges.
PB92-117100 101,365 Not available NTIS
- PB92-117118**
Novel Radiation Dosimetry Systems.
PB92-117118 101,727 Not available NTIS
- PB92-117126**
2-Deoxy-D-Ribose Aqueous Solution as a Gamma-Ray Dosimeter.
PB92-117126 101,366 Not available NTIS
- PB92-117134**
Temperature Dependence of Radiochromic Film Dosimeters.
PB92-117134 101,728 Not available NTIS
- PB92-117142**
Photon Energy Dependence of the Sensitivity of Radiochromic Film and Comparison with Silver Halide Film and LiF TLDs Used for Brachytherapy Dosimetry.
PB92-117142 101,296 Not available NTIS
- PB92-117159**
Band-Gap Narrowing and III-V Heterostructure FETs.
PB92-117159 100,827 Not available NTIS
- PB92-117167**
Influence of Nonsinusoidal Waveforms on Voltmeters, Ammeters, and Phase Meters.
PB92-117167 100,869 Not available NTIS
- PB92-117175**
High-Resolution Infrared Spectrum of the nu₁ Band of OCIO.
PB92-117175 100,463 Not available NTIS
- PB92-117183**
Effects of Global Density Ratio on the Centerline Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117183 100,014 Not available NTIS
- PB92-117191**
Large-Scale Turbulent Structures and the Stabilization of Lifted Turbulent Jet Diffusion Flames.
PB92-117191 100,558 Not available NTIS
- PB92-117209**
Reynolds Number Effects on the Mixing Behavior of Axisymmetric Turbulent Jets.
PB92-117209 100,015 Not available NTIS
- PB92-117217**
Application of Transmission Electron Detection to X-ray Mask Calibrations and Inspection.
PB92-117217 100,828 Not available NTIS
- PB92-117225**
Off-Axis Measurements of Ion Kinetic Energies in RF Plasmas.
PB92-117225 101,444 Not available NTIS
- PB92-117233**
Residual Defects in SIMOX: Threading Dislocations and Pipes.
PB92-117233 100,829 Not available NTIS
- PB92-117241**
Round-Robin Study of Implants in Si and SiO₂ by SIMS, RBS, and NAA.
PB92-117241 100,830 Not available NTIS
- PB92-117258**
Thermal Conductivity of Alumina Fiber/Epoxy and Alumina Fiber/PEEK from 4.2 to 310 K.
PB92-117258 101,130 Not available NTIS
- PB92-117266**
Microstructure Effects on the Lower Critical Solution Temperature Phase Behavior of Deuterated Polybutadiene and Protonated Polyisoprene Blends Studied by Small-Angle Neutron Scattering.
PB92-117266 100,518 Not available NTIS
- PB92-117274**
Small-Angle Neutron Scattering and Light Scattering Study on the Miscibility of Poly(styrene-ran-butadiene)/Polybutadiene Blends.
PB92-117274 100,519 Not available NTIS
- PB92-117282**
Measurement, Use, and Interpretation of TCR.
PB92-117282 100,831 Not available NTIS
- PB92-117290**
Laser Vaporization Mass Spectrometry of Refractory Materials: Graphite and YBa₂Cu₃O_x.
PB92-117290 100,464 Not available NTIS
- PB92-117308**
Interactive Video Software Portability: Migrating a DOS Application to POSIX.
PB92-117308 100,670 Not available NTIS
- PB92-117316**
Intrinsic Carrier Concentrations in Long Wavelength HgCdTe Based on the New, Nonlinear Temperature Dependence of Eg(x,T).
- PB92-117316** 101,568 Not available NTIS
- PB92-117324**
Air Gage Size Measurement of Microwave Standards.
PB92-117324 100,777 Not available NTIS
- PB92-117332**
Magnetic Behavior of Nanocomposites Prepared in a Vitreous Alumina Gel.
PB92-117332 101,131 Not available NTIS
- PB92-117340**
Antiferromagnetic Order of Cu in Sm₂CuO₄.
PB92-117340 101,569 Not available NTIS
- PB92-117357**
Apparent Thermal Conductivity of Fumed-Silica Standard Reference Materials.
PB92-117357 101,102 Not available NTIS
- PB92-117365**
Relative H-Atom and O-Atom Concentration Measurement in a Laminar, Methane/Air Diffusion Flame.
PB92-117365 100,559 Not available NTIS
- PB92-117373**
Kinematic Theory of Ballistic Electron Emission Spectroscopy of Silicon-Silicide Interfaces.
PB92-117373 101,570 Not available NTIS
- PB92-117381**
Theory of Orientation Textures Due to Surface Energy Anisotropies.
PB92-117381 101,571 Not available NTIS
- PB92-117399**
Thermodynamics of the Disproportionation of Adenosine 5'-diphosphate to Adenosine 5'-triphosphate and Adenosine 5'-monophosphate. 2. Experimental Data.
PB92-117399 101,313 Not available NTIS
- PB92-117407**
Comparative Study of Bovine Pericardium Mineralization: A Basic and Practical Approach.
PB92-117407 100,056 Not available NTIS
- PB92-117415**
Observation of Two Different Oscillation Periods in the Exchange Coupling of Fe/Cr/Fe(100).
PB92-117415 101,572 Not available NTIS
- PB92-117423**
Advanced Sensing of Materials Processing.
PB92-117423 100,949 Not available NTIS
- PB92-117431**
Performance Evaluation of a New Audio-Frequency Power Bridge.
PB92-117431 100,742 Not available NTIS
- PB92-117449**
Effect of Surface Forces on Subcritical Crack Growth in Glass.
PB92-117449 101,103 Not available NTIS
- PB92-117456**
Probe-Corrected Spherical Near-Field Scanning Theory in Acoustics.
PB92-117456 101,383 Not available NTIS
- PB92-117464**
Low Temperature Magnetization and Magnetic Excitations in Amorphous Fe₇₈B₁₃Si₉.
PB92-117464 101,573 Not available NTIS
- PB92-119676**
Government Open Systems Interconnection Profile Users' Guide, Version 2.
PB92-119676 100,696 PC A08/MF A02
- PB92-123033**
Flammability Characterization of Foam Plastics.
PB92-123033 100,142 PC A07/MF A02
- PB92-123041**
Publications of the Manufacturing Engineering Laboratory Covering the Period January 1989-September 1991.
PB92-123041 101,053 PC A05/MF A01
- PB92-123058**
Multi-Enterprise Concurrent Engineering through International Standards.
PB92-123058 100,997 PC A03/MF A01
- PB92-123066**
Use of Solid Modeling in the Design of M3 Components.
PB92-123066 101,044 PC A03/MF A01
- PB92-123074**
Fire-Plume-Generated Ceiling Jet Characteristics and Convective Heat Transfer to Ceiling and Wall Surfaces in a Two-Layer Zone-Type Fire Environment: Uniform Temperature Ceiling and Walls.
PB92-123074 101,370 PC A04/MF A01
- PB92-123082**
Electronics and Electrical Engineering Laboratory. 1991 Strategic Plan. Supporting Technology for U.S. Competitiveness in Electronics.
PB92-123082 100,870 PC A03/MF A01
- PB92-123090**
Validation Testing Laboratory User's Guide. National PDES Testbed Report Series.
PB92-123090 100,971 PC A06/MF A02
- PB92-123108**
Computing Delaunay Triangulations for Comet-Shaped Polygons.
PB92-123108 101,265 PC A03/MF A01
- PB92-123116**
Development of a Technique to Assess the Adequacy of the Municipal Water Supply for a Residential Sprinkler System.
- PB92-123116** 101,358 PC A05/MF A01
- PB92-123124**
Monitoring and Reporting Techniques for Error Rate and Error Distribution in Optical Disk Systems.
PB92-123124 100,606 PC A05/MF A01
- PB92-123132**
Time Domain Frequency Stability Calculated from the Frequency Domain Description: Use of the SIGINT Software Package to Calculate Time Domain Frequency Stability from the Frequency Domain.
PB92-123132 100,587 PC A03/MF A01
- PB92-123140**
Establishing a Computer Security Incident Response Capability (CSIRC).
PB92-123140 100,720 PC A03/MF A01
- PB92-123157**
NIST X-Ray Photoelectron Spectroscopy (XPS) Database.
PB92-123157 100,465 PC A04/MF A01
- PB92-126408**
Stable Implementation Agreements for Open Systems Interconnection Protocols. Version 4, Edition 1, Change Pages September 1991. Output from the September 1991 OSI Implementors Workshop. Held in Gaithersburg, Maryland.
PB92-126408 100,697 PC A11/MF A03
- PB92-126416**
NIST Calibration Services Users Guide, 1991.
PB92-126416 100,936 PC A10/MF A03
- PB92-126424**
Materials Reliability. Technical Activities, 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126424 101,252 PC A05/MF A01
- PB92-126432**
Evaporator Performance Investigation for Residential Air-Conditioning Application Using Mixed Refrigerants.
PB92-126432 100,893 PC A07/MF A02
- PB92-126440**
Testing and Rating of an Atmospheric, Gas-Fired Furnace Equipped with a Burner Air Inlet Damper.
PB92-126440 100,894 PC A04/MF A01
- PB92-126457**
Development of Test Methods to Determine the Compatibility of Liquid Hazardous Materials with Polyethylene Packaging.
PB92-126457 100,943 PC A05/MF A01
- PB92-126465**
Questions and Answers on Quality, the ISO 9000 Standard Series, Quality System Registration, and Related Issues.
PB92-126465 100,175 PC A03/MF A01
- PB92-126473**
Mass Energy-Transfer and Mass Energy-Absorption Coefficients, Including In-Flight Positron Annihilation for Photon Energies 1 keV to 100 MeV.
PB92-126473 101,445 PC A04/MF A01
- PB92-126481**
Feasibility of Using a Multiple Award Schedule for Specifying Paints in Government Painting Contracts.
PB92-126481 100,002 PC A03/MF A01
- PB92-126499**
Stability of Aqueous Inorganic Lead Solutions in Polycarbonate Containers.
PB92-126499 100,211 PC A03/MF A01
- PB92-126507**
Ceramics: Technical Activities 1991. (NAS-NRC Assessment Panel, February 13-14, 1992).
PB92-126507 101,104 PC A09/MF A02
- PB92-126515**
Metallurgy Division, Technical Activities 1991. (NAS-NRC Assessment Panel February 13-14, 1992).
PB92-126515 101,171 PC A07/MF A02
- PB92-126523**
Working Implementation Agreements for Open Systems Interconnection Protocols.
PB92-126523 100,698 PC A17/MF A04
- PB92-126531**
Modified Airy Function and WKB Solutions to the Wave Equation.
PB92-126531 101,440 PC A08/MF A02
- PB92-126549**
3480 Type Tape Cartridge: Potential Data Storage Risks, and Care and Handling Procedures to Minimize Risks.
PB92-126549 101,381 PC A04/MF A01
- PB92-126556**
Guide to Schema and Schema Extensibility.
PB92-126556 100,955 PC A03/MF A01
- PB92-126564**
High-Temperature Superconductivity: Abstracts of NIST Publications, 1987-1991.
PB92-126564 101,105 PC A05/MF A01
- PB92-126572**
Interpretation of the SI for the United States and Metric Conversion Policy for Federal Agencies.
PB92-126572 101,729 PC A03/MF A01
- PB92-126580**
Guidelines for the Evaluation of File Transfer, Access and Management Implementations.
PB92-126580 100,699 PC A05/MF A01

NTIS ORDER/REPORT NUMBER INDEX

- PB92-126598**
Predicting the Remaining Service Life of Concrete.
PB92-126598 101,371 PC A05/MF A01
- PB92-126606**
National Educators Workshop: Update '90. Standard Experiments in Engineering Materials Science and Technology.
PB92-126606 101,253 PC A15/MF A03
- PB92-126614**
Journal of Research of the National Institute of Standards and Technology, September-October 1991. Volume 96, Number 5.
PB92-126614 100,212 PC A06/MF A02
- PB92-126622**
Summary of the Intercomparison of the Force Standard Machines of the National Institute of Standards and Technology, USA, and the Physikalisch-Technische Bundesanstalt, Germany.
PB92-126622 101,590
(Order as PB92-126614, PC A06/MF A02)
- PB92-126630**
Accurate and Precise Coulometric Determination of Sulfur Dioxide in Compressed Gas Mixtures.
PB92-126630 100,912
(Order as PB92-126614, PC A06/MF A02)
- PB92-126648**
Development of a Coulometric Method for Assessing the Concentration of Ambient Levels of CO₂/Air in Compressed Gas Mixtures.
PB92-126648 100,913
(Order as PB92-126614, PC A06/MF A02)
- PB92-126655**
Certification of NIST SRM 1961: 30 micrometers Diameter Polystyrene Spheres.
PB92-126655 100,937
(Order as PB92-126614, PC A06/MF A02)
- PB92-126663**
Optimization Techniques for Permittivity and Permeability Determination.
PB92-126663 100,871
(Order as PB92-126614, PC A06/MF A02)
- PB92-126671**
Taguchi's Orthogonal Arrays Are Classical Designs of Experiments.
PB92-126671 101,280
(Order as PB92-126614, PC A06/MF A02)
- PB92-126689**
Mathematical Model for Dental Caries: A Coupled Dissolution-Diffusion Process.
PB92-126689 101,316
(Order as PB92-126614, PC A06/MF A02)
- PB92-126697**
Advanced Technology Program: A New Role for NIST in Accelerating the Development of Commercially Important Technologies.
PB92-126697 100,013
(Order as PB92-126614, PC A06/MF A02)
- PB92-126705**
List of New Group Divisible Designs.
PB92-126705 101,281
(Order as PB92-126614, PC A06/MF A02)
- PB92-126713**
Silicon Reference Materials Certified for Isotope Abundances.
PB92-126713 100,213
(Order as PB92-126614, PC A06/MF A02)
- PB92-126721**
Slovak Metrological Society.
PB92-126721 100,938
(Order as PB92-126614, PC A06/MF A02)
- PB92-127315**
Opportunities for Innovation: Chemical and Biological Sensors.
PB92-127315 100,214 Not available NTIS
- PB92-148063**
Journal of Physical and Chemical Reference Data, Volume 20, Number 4, July/August 1991.
PB92-148063 100,466 Not available NTIS
- PB92-148071**
Chemical Kinetic Data Base for Propellant, Combustion. 1. Reactions Involving NO, NO₂, HNO, HNO₂, HCN and N₂O.
PB92-148071 100,467 (Order as PB92-148063)
- PB92-148089**
Ab-Initio Calculations and Ideal Gas Thermodynamic Functions of Cyclopentadiene and Cyclopentadiene Derivatives.
PB92-148089 100,468 (Order as PB92-148063)
- PB92-148097**
Improved Fits for the Vibrational and Rotational Constants of Many States of Nitrogen and Oxygen.
PB92-148097 100,469 (Order as PB92-148063)
- PB92-148105**
Solubilities of Solids and Liquids of Low Volatility in Supercritical Carbon Dioxide.
PB92-148105 100,470 (Order as PB92-148063)
- PB92-148113**
Journal of Physical and Chemical Reference Data, Volume 20, Number 5, September/October 1991.
PB92-148113 100,471 Not available NTIS
- PB92-148121**
Wavelengths and Energy Level Classifications for the Spectra of Aluminum (Al I through Al XIII).
PB92-148121 100,472 (Order as PB92-148113)
- PB92-148139**
Energy Levels of Krypton, Kr I through Kr XXXVI.
PB92-148139 100,473 (Order as PB92-148113)
- PB92-148147**
Thermodynamic Properties of Oxygen from the Triple Point to 300 K with Pressures to 80 MPa.
PB92-148147 100,474 (Order as PB92-148113)
- PB92-148154**
Sixteen Thousand Evaluated Experimental Thermodynamic Property Data for Water and Steam.
PB92-148154 100,475 (Order as PB92-148113)
- PB92-148162**
Journal of Physical and Chemical Reference Data, Volume 20, Number 6, November/December 1991.
PB92-148162 100,476 Not available NTIS
- PB92-148170**
New Equation of State and Tables of Thermodynamic Properties for Methane Covering the Range from the Melting Line to 625 K at Pressures up to 1000 MPa.
PB92-148170 100,477 (Order as PB92-148162)
- PB92-148188**
Thermodynamic Properties of the Aqueous Sulfuric Acid System to 350 K.
PB92-148188 100,478 (Order as PB92-148162)
- PB92-148196**
Solubility of Carbon Dioxide in Water at Low Pressure.
PB92-148196 100,479 (Order as PB92-148162)
- PB92-148204**
Chemical Kinetic Data Sheets for High-Temperature Reactions. Part 2.
PB92-148204 100,480 (Order as PB92-148162)
- PB92-148212**
Atomic Weights of the Elements 1989.
PB92-148212 100,481 (Order as PB92-148162)
- PB92-148220**
Isotopic Compositions of the Elements 1989.
PB92-148220 100,482 (Order as PB92-148162)
- PB92-163864**
Modernized Metric System (Chart).
PB92-163864 100,939 Not available NTIS
- PB92-163872**
Brief History of Measurement Systems with a Chart of the Modernized Metric System.
PB92-163872 100,940 Not available NTIS
- PB92-163880**
Metric Conversion Card.
PB92-163880 100,941 Not available NTIS
- PB92-163898**
Metric Measures Up (Ruler).
PB92-163898 100,942 Not available NTIS
- PB92-937300**
Validated Products List (Cobol, Fortran, ADA, Pascal, MUMPS, SOL).
PB92-937300 100,671 Standing Order
- REPT-21**
Crack Arrest Fracture Toughness Measurements of Normalized and Inclusion Shape Controlled AAR TC128 Grade B Steel, and Micro-Alloyed, Control-Rolled, and Inclusion Shape Controlled A 8XX Grade B Steel.
PB91-167346 101,150 PC A03/MF A01
- REPT-24**
Mechanical Properties and Fracture Toughness of AAR TC128 Grade B Steel in the Normalized, and Normalized and Stress Relieved Conditions.
PB92-108901 101,169 PC A03/MF A01
- SERI/TP-214-4409**
Scanning tunneling microscopy studies of the surfaces of a-Si:H and a-SiGe:H films. Annual report, 1 December 1989-31 January 1991.
DE91002169 100,785 PC A03/MF A01
- SR-723-29-89**
Summary of Experiments with the Separated Aperture Technique of Dielectric Anomaly Detection.
AD-A230 438/4 100,721 PC A02/MF A01
- TR-1**
Influence of Filament Geometry on Hot Filament Growth of Diamond Films.
AD-A231 818/6 101,448 PC A02/MF A01
- WRDC-TR-90-2081**
Detection of Excited States by Laser-Induced Fluorescence and Analysis of Energy Transfer.
AD-A227 296/1 100,242 PC A04/MF A01

APPENDIX A

List of Depository Libraries in the United States

ALABAMA

Auburn

Auburn University Ralph Brown Draughon Library (1873)

Birmingham

Birmingham Public Library (1895)
Birmingham-Southern College Library (1932)
Jefferson State Community College James B. Allen Library (1970)
Samford University Library Harwell G. Davis Library (1884)

Enterprise

Enterprise State Junior College Learning Resources Center (1967)

Fayette

Brewer State Junior College Learning Resources Center Library
(1979)

Florence

University of North Alabama Collier Library (1932)

Gadsden

Gadsden Public Library (1963)

Huntsville

University of Alabama in Huntsville Library (1964)

Jacksonville

Jacksonville State University Houston Cole Library (1929)

Mobile

Mobile Public Library (1963)
Spring Hill College Thomas Byrne Memorial Library (1937)
University of South Alabama Library (1968)

Montgomery

Alabama Public Library Service (1984)
Alabama Supreme Court and State Law Library (1884)
Auburn University at Montgomery Library (1971) REGIONAL
Air University Library Maxwell Air Force Base (1963)

Normal

Alabama Agricultural and Mechanical University J. F. Drake
Memorial Learning Resources Center (1963)

Troy

Troy State University Library (1963)

Tuscaloosa

University of Alabama Amelia Gayle Gorgas Library (1860) REGIONAL
University of Alabama School of Law Library (1967)

Tuskegee

Tuskegee University Hollis Burke Frissell Library (1907)

ALASKA

Anchorage

Anchorage Law Library (1973)
Anchorage Municipal Libraries Z. J. Loussac Public Library (1978)
University of Alaska at Anchorage Library (1961)
U.S. Alaska Resources Library (1981)
U.S. District Court Law Library (1983)

Fairbanks

University of Alaska Elmer E. Rasmuson Library (1922)

Juneau

Alaska State Library (1900)
University of Alaska-Juneau Library (1981)

Ketchikan

Ketchikan College Library (1970)

AMERICAN SAMOA

Pago Pago

American Samoa Community College Learning Resources Center
(1985)

ARIZONA

Coolidge

Central Arizona College Instructional Materials Center (1973)

Flagstaff

Northern Arizona University Cline Library (1937)

Glendale

Glendale Public Library (1986)

Holbrook

Northland Pioneer College Learning Resources Center (1985)

Mesa

Mesa Public Library (1983)

Phoenix

Department of Library Archives, and Public Records (unknown)
REGIONAL
Grand Canyon University Fleming Library (1978)
Phoenix Public Library (1917)
U.S. Court of Appeals 9th Circuit Library (1984)

Prescott

Yavapai College Library (1976)

Tempe

Arizona State University College of Law Library (1977)
Arizona State University Hayden Library (1944)

Tucson

Tucson Public Library (1970)
University of Arizona Library (1907) REGIONAL

Yuma

Yuma County Library (1963)

ARKANSAS

Arkadelphia

Ouachita Baptist University Riley Hickingbotham Library (1963)

Batesville

Arkansas College Library (1963)

Clarksville

University of the Ozarks Dobson Memorial Library (1925)

Conway

Hendrix College Olin C. Bailey Library (1903)

Fayetteville

University of Arkansas Mullins Library (1907)
University of Arkansas School of Law Library Robert A. Leflar (1978)

Little Rock

Arkansas State Library (1978) REGIONAL
Arkansas Supreme Court Library (1962)
Central Arkansas Library System Main Library (1953)
University of Arkansas at Little Rock Library Ottenheimer Library (1973)
University of Arkansas at Little Rock Pulaski County Law Library (1979)

Magnolia

Southern Arkansas University Magale Library (1956)

Monticello

University of Arkansas at Monticello Library (1956)

Pine Bluff

University of Arkansas at Pine Bluff Watson Memorial Library (1976)

Russellville

Arkansas Technical University Tomlinson Library (1925)

Searcy

Harding University Brackett Library (1963)

State University

Arkansas State University Dean B. Ellis Library (1913)

Walnut Ridge

Southern Baptist College Felix Goodson Library (1967)

CALIFORNIA

Anahelm

Anaheim Public Library (1963)

Arcadia

Arcadia Public Library (1975)

Arcata

Humboldt State University Library (1963)

Bakersfield

California State University Bakersfield Library (1974)
Kern County, Beale Memorial Library (1943)

Berkeley

University of California General Library (1907)
University of California Boalt Law Library (1963)

Carson

California State University Dominguez Hills Library (1973)
Carson Regional Library (1973)

Chico

California State University, Chico Merriam Library (1962)

Claremont

Government Publications and Microforms Department Honnold Library,
Claremont College (1913)

Compton

Compton Public Library (1972)

Culver City

Culver City Public Library (1966)

Davis

University of California Shields Library (1953)
University of California at Davis Law Library (1972)

Downey

Downey City Library (1963)

Fresno

California State University, Fresno, Henry Madden Library (1962)
Government Documents Department Library (1920)

Fullerton

California State University at Fullerton Library (1963)

Garden Grove

Orange County Public Library (1963)

Gardena

County of Los Angeles Public Library (1966)

Hayward

California State University, Hayward Library (1963)

Huntington Park

Huntington Park Library (1970)

Inglewood

Inglewood Public Library (1963)

Irvine

University of California at Irvine Main Library (1963)

La Jolla

University of California at San Diego Central University Library (1963)

Lakewood

Angelo Iacoboni Public Library (1970)

Lancaster

Lancaster Library (1967)

La Verne

University of La Verne College of Law Library (1979)

Long Beach

California State University at Long Beach Library (1962)
Long Beach Public Library (1933)

Los Angeles

California State University, Los Angeles University Library (1956)
Los Angeles County Law Library (1963)
Los Angeles Public Library (1891)
Loyola Marymount University Charles Von der Ahe Library (1933)
Loyola Law School William M. Rains Law Library (1979)
Occidental College Library (1941)
Southwestern University School of Law Library (1975)
University of California, University Research Library (1932)
University of California, Los Angeles Law Library (1958)
University of Southern California Doheny Memorial Library (1933)
University of Southern California Law Library (1978)
U.S. Court of Appeals Ninth Circuit Library (1981)
Whittier College School of Law Library (1978)

Mallibu

Pepperdine University Payson Library (1963)

Menlo Park

U.S. Geological Survey Library (1962)

Montebello

Montebello Regional Library (1966)

Monterey

U.S. Naval Postgraduate School Dudley Knox Library (1963)

Monterey Park

Bruggemeyer Memorial Library (1964)

Northridge

California State University at Northridge Oviatt Library (1958)

Norwalk

Norwalk Regional Library (1973)

Oakland

Mills College Library (1966)
Oakland Public Library (1923)

Ontario

Ontario City Library (1974)

Palm Springs

Palm Springs Public Library (1980)

Pasadena

California Institute of Technology Millikan Memorial Library (1933)
Pasadena Public Library (1963)

Pleasant Hill

Contra Costa County Library (1964)

Redding

Shasta County Library (1956)

Redlands

University of Redlands Armacost Library (1933)

Redwood City

Redwood City Public Library (1966)

Reseda

West Valley Regional Branch Library (1966)

Richmond

Richmond Public Library (1943)

Riverside

Riverside City and County Public Library (1947)
University of California at Riverside Library (1963)

Sacramento

California State Library (1895) REGIONAL
California State University Sacramento Library (1963)
Sacramento County Law Library (1963)
Sacramento Public Library (1880)
University of the Pacific McGeorge School of Law Library (1978)

San Bernardino

Don A. Turner County Law Library (1984)
San Bernardino County Library (1964)

San Diego

National University Law Library (1989)
San Diego County Law Library (1973)
San Diego County Library (1973)
San Diego Public Library (1895)
San Diego State University Library (1962)
University of San Diego Legal Research Center (1967)

San Francisco

Golden Gate University School of Law Library (1979)

University of California Hastings College of Law Library (1972)
San Francisco Public Library (1889)
San Francisco State University J. Paul Leonard Library (1955)
Supreme Court of California Library (1979)
U.S. Court of Appeals Ninth Circuit Library (1971)
University of San Francisco Richard A. Gleeson Library (1963)

San Jose

San Jose State University Clark Library (1962)

San Leandro

San Leandro Community Library Center (1961)

San Luis Obispo

California Polytechnic State University Robert E. Kennedy Library (1969)

San Mateo

College of San Mateo Library (1987)

San Rafael

Marin County Free Library (1975)

Santa Ana

Orange County Law Library (1975)
Santa Ana Public Library (1959)

Santa Barbara

University of California at Santa Barbara Library (1960)

Santa Clara

Santa Clara University Orradre Library (1963)

Santa Cruz

University of California at Santa Cruz McHenry Library (1963)

Santa Rosa

Sonoma County Library (1896)

Stanford

Stanford University Libraries (1895)
Stanford University Robert Crown Law Library (1978)

Stockton

Public Library of Stockton and San Joaquin County (1884)

Thousand Oaks

California Lutheran University Pearson Library (1964)

Torrance

Torrance Public Library (1969)

Turlock

California State University, Stanislaus Library (1964)

Vallejo

Solano County Library John F. Kennedy Library (1982)

Valencia

Valencia Regional Library (1972)

Ventura

Ventura County Library Services Agency (1975)

Visalla

Tulare County Free Library (1967)

Walnut

Mount San Antonio College Library (1966)

West Covina

West Covina Regional Library (1966)

Whittier

Whittier College Wardman Library (1963)

COLORADO

Alamosa

Adams State College Library (1963)

Aurora

Aurora Public Library (1984)

Boulder

University of Colorado at Boulder Norlin Library (1879) REGIONAL
University of Colorado School of Law Library (1988)

Colorado Springs

Colorado College Tutt Library (1880)
University of Colorado at Colorado Springs Library (1974)
U.S. Air Force Academy Library (1956)

Denver

Auraria Library (1978)
Colorado Supreme Court Library (1978)
Denver Public Library (1884) REGIONAL
Department of the Interior Library (1962)
Regis College Dayton Memorial Library (1915)
U.S. Courts Library (1973)

University of Denver Penrose Library (1909)
University of Denver College of Law Westminster Law Library (1978)

Fort Collins

Colorado State University Libraries (1907)

Golden

Colorado School of Mines Arthur Lakes Library (1939)

Grand Junction

Mesa State College Tomlinson Library (1978)
Mesa County Public Library (1975)

Greeley

University of Northern Colorado James A. Michener Library (1966)

Gunnison

Western State College Leslie J. Savage Library (1932)

La Junta

Otero Junior College Wheeler Library (1963)

Lakewood

Jefferson County Public Library Lakewood Library (1968)

Pueblo

Pueblo Library District (1893)
University of Southern Colorado Library (1965)

CONNECTICUT

Bridgeport

Bridgeport Public Library (1884)
University of Bridgeport School of Law Library Wahlstrom Library (1979)

Danbury

Western Connecticut State University Ruth A. Haas Library (1967)

Danielson

Quinebaug Valley Community College Audrey P. Beck Library (1968)

Enfield

Enfield Central Library (1967)

Hartford

Connecticut State Library (unknown) REGIONAL
Hartford Public Library (1945)

Trinity College Library (1895)
University of Connecticut School of Law Library (1978)

Middletown

Wesleyan University Olin Library (1906)

Mystic

Mystic Seaport Museum, Inc., G. W. Blunt White Library (1964)

New Britain

Central Connecticut State University Elihu Burritt Library (1973)

New Haven

Southern Connecticut State University Hilton C. Buley Library (1968)
Yale Law Library (1981)
Yale University Seeley G. Mudd Library (1859)

New London

Connecticut College C. E. Shain Library (1926)
U.S. Coast Guard Academy Library (1939)

Stamford

Ferguson Library (1973)

Storrs

University of Connecticut Homer Babbidge Library (1907)

Waterbury

Post College Traurig Library and Learning Resources Center (1977)
Silas Bronson Public Library (1869)

West Haven

University of New Haven Marvin K. Peterson Library (1971)

DELAWARE

Dover

State Law Library in Kent County (unknown)

Georgetown

Delaware Technical and Community College Southern Campus Library (1968)

Newark

University of Delaware Library (1907)

Wilmington

Widener University School of Law Library (1976)

DISTRICT OF COLUMBIA

Washington

Administrative Conference of the United States Library (1972)
Advisory Commission on Intergovernmental Relations Library (1977)
American University Washington College of Law Library (1983)
Catholic University of America Robert J. White Law Library (1979)
Comptroller of the Currency Library (1986)
Pentagon Library (1969)
Department of Commerce Library (1955)
Department of Education (1988)
Department of Health and Human Services Library and Information Center (1954)
Department of Housing and Urban Development Library (1969)
Department of the Interior Natural Resources Library (1895)
Department of Justice Main Library (1895)
Department of Labor Library (1976)
Department of the Navy Library (1895)
Department of State Library (1895)
Department of State Law Library (1966)
Department of Transportation Main Library (1982)
Department of Transportation, U.S. Coast Guard Law Library (1982)
Department of Veteran's Affairs Library (1967)
Department of the Treasury Library (1895)
District of Columbia Court of Appeals Library (1981)
District of Columbia Public Library (1943)
Equal Employment Opportunity Commission Library (1984)
Executive Office of the President, Library & Information Service Division (1965)
Federal Deposit Insurance Corporation Library (1972)
Federal Election Commission Law Library (1975)
Federal Energy Regulatory Commission Library (1983)
Federal Mine Safety & Health Review Commission Library (1979)
Federal Reserve System Board of Governors Research Library (1978)
Federal Reserve System Law Library (1976)
General Accounting Office Office of Library Services (1974)
General Services Administration Library (1975)
Georgetown University Library (1969)
Georgetown University Law Center Edward Bennett Williams Library (1978)
George Washington University Melvin Gelman Library (1983)
George Washington University National Law Center Jacob Burns Law Library (1978)
Library of Congress Congressional Research Service (1978)
Library of Congress Serial and Government Publications (1977)
Merit Systems Protection Board Library (1979)
National Defense University Library (1895)
Pension Benefit Guaranty Corporation Legal Dept. Library (1984)
U.S. Court of Appeals Judges' Library (1975)
U.S. Court of Appeals for the Federal Circuit Library (1986)
U.S. Information Agency Library (1984)
U.S. Office of Personnel Management Library (1963)
U.S. Postal Service Library (1895)
U.S. Senate Library (1979)
U.S. Supreme Court Library (1978)
University of the District of Columbia Library Learning Resources Division (1970)
Veterans' Administration Central Office Library (1967)

FLORIDA

Boca Raton

Florida Atlantic University S. E. Wimberly Library (1963)

Casselberry

Seminole County Public Library (1989)

Coral Gables

University of Miami Otto G. Richter Library (1939)

Daytona Beach

Volusia County Library Center (1963)

De Land

Stetson University duPont-Ball Library (1887)

Fort Lauderdale

Broward County Main Library (1967)

Nova University Law Library (1967)

Fort Pierce

Indian River Community College Library (1975)

Gainesville

University of Florida College of Law Library (1978)

University of Florida Libraries (1907) REGIONAL

Jacksonville

Haydon Burns Public Library (1914)

Jacksonville University Swisher Library (1962)

University of North Florida Thomas G. Carpenter Library (1972)

Key West

Florida Keys Community College Key West Campus Library (1989)

Lakeland

Lakeland Public Library (1928)

Leesburg

Lake-Sumter Community College Library (1963)

Melbourne

Florida Institute of Technology Library (1963)

Miami

Florida International University Library Tamiami Trail (1970)

Miami-Dade Public Library (1952)

North Miami

Florida International University Bay Vista Campus Library (1977)

Opa Locka

St. Thomas University Library (1977)

Orlando

University of Central Florida Library (1966)

Palatka

Saint Johns River Community College Library (1963)

Panama City

Bay County Public Library (1983)

Pensacola

University of West Florida John C. Pace Library (1966)

Port Charlotte

Charlotte-Glades Library System (1973)

Saint Petersburg

Saint Petersburg Public Library (1965)

Stetson University College of Law Charles A. Dana Law Library (1975)

Sarasota

Selby Public Library (1970)

Tallahassee

Florida Agricultural and Mechanical University Coleman Memorial Library (1936)

Florida State University Law Library (1978)

Florida State University Stroz Library (1941)

Florida Supreme Court Library (1974)

State Library of Florida (1929)

Tampa

Tampa-Hillsborough County Public Library (1965)

University of South Florida Library (1962)

University of Tampa Merl Kelce Library (1953)

Winter Park

Rollins College Olin Library (1909)

GEORGIA

Albany

Dougherty County Public Library (1964)

Americus

Georgia Southwestern College James Earl Carter Library (1966)

Athens

University of Georgia Libraries (1907) REGIONAL

University of Georgia School of Law Library (1979)

Atlanta

Atlanta-Fulton Public Library (1880)
Atlanta University Center Robert W. Woodruff Library (1962)
Emory University Law School Library (1968)
Emory University Woodruff Library (1928)
Georgia Institute of Technology Price Gilbert Memorial Library (1963)
Georgia State Law Library (unknown)
Georgia State University William Russell Pullen Library (1970)
Georgia State University College of Law Library (1983)
U.S. Court of Appeals 11th Circuit Library (1980)

Augusta

Augusta College Reese Library (1962)
Medical College of Georgia Library (1986)

Brunswick

Brunswick-Glynn County Regional Library (1965)

Carrollton

West Georgia College Irvine Sullivan Ingram Library (1962)

Columbus

Columbus College Simon Schwob Memorial Library (1975)

Dahlonega

North Georgia College Stewart Library (1939)

Dalton

Dalton College Library (1978)

Macon

Mercer University Stetson Main Library (1964)
Mercer University Walter F. George School of Law Library (1978)

Marletta

Kennesaw State College Horace W. Sturgis Library (1968)

Milledgeville

Georgia College Ina Dillard Russell Library (1950)

Rome

Berry College Memorial Library (1970)

Savannah

Chatham-Effingham Liberty Regional Library (1857)

Statesboro

Georgia Southern University Zach S. Henderson Library (1939)

Valdosta

Valdosta State College Library (1956)

GUAM

Agana

Nieves M. Flores Memorial Library (1962)

Mangllao

University of Guam Robert F. Kennedy Memorial Library (1978)

HAWAII

Hilo

University of Hawaii at Hilo Edwin H. Mookini Library (1962)

Honolulu

Hawaii Medical Library Incorporated (1968)
Hawaii State Library (1929)
Municipal Reference & Records Center (1965)
Supreme Court Law Library (1973)
University of Hawaii Hamilton Library (1907) REGIONAL
University of Hawaii William S. Richardson School of Law Library (1978)

Lale

Joseph F. Smith Library Brigham Young University Hawaii Campus (1964)

Lihue

Lihue Public Library (1967)

Pearl City

Leeward Community College Library (1967)

Walluku

Maui Public Library (1962)

IDAHO

Boise

Boise Public Library and Information Center (1929)
Boise State University Library (1966)
Idaho State Law Library (unknown)
Idaho State Library (unknown)

Caldwell

College of Idaho Terteling Library (1930)

Crawfordsville

Wabash College Lily Library

Moscow

University of Idaho College of Law Library (1978)
University of Idaho Library (1907) REGIONAL

Nampa

Northwest Nazarene College John E. Riley Library (1984)

Pocatello

Idaho State University Eli Oboler Library (1908)

Rexburg

Davis O. McKay Library (1946)

Twin Falls

College of Southern Idaho Library (1970)

ILLINOIS

Bloomington

Illinois Wesleyan University, Sheean Library (1964)

Carbondale

Southern Illinois University at Carbondale Morris Library (1932)
Southern Illinois University School of Law Library (1978)

Carlinville

Blackburn College Lumpkin Library (1954)

Cartersville

Shawnee Library System (1971)

Champaign

University of Illinois Law Library (1965)

Charleston

Eastern Illinois University Booth Library (1962)

Chicago

Chicago Public Library (1876)
Chicago State University Paul and Emily Douglas Library (1954)
DePaul University Law Library (1979)
Field Museum of Natural History Library (1963)
Illinois Institute of Technology Chicago-Kent College of Law Library (1978)
Illinois Institute of Technology Paul V. Galvin Library (1982)
John Marshall Law School Library (1981)
Loyola University of Chicago E. M. Cudahy Memorial Library (1966)
Loyola University School of Law Library (1979)
Northeastern Illinois University Ronald Williams Library (1961)
Northwestern University School of Law Library (1978)
University of Chicago Law Library (1964)
University of Chicago Library (1897)

University of Illinois at Chicago Library (1957)
William J. Campbell Library of the U.S. Courts (1979)

Decatur

Decatur Public Library (1954)

De Kalb

Northern Illinois University Founders' Memorial Library (1960)
Northern Illinois University College of Law Library (1978)

Des Plaines

Government Information Center and The Northwest Municipal Conference Oakton Community College Library (1976)

Edwardsville

Southern Illinois University at Edwardsville Lovejoy Memorial Library (1959)

Elsah

Principia College Marshall Brooks Library (1957)

Evanston

Northwestern University Library (1876)

Freeport

Freeport Public Library (1905)

Galesburg

Galesburg Public Library (1896)

Jacksonville

MacMurray College Henry Pfeiffer Library (1929)

Kankakee

Olivet Nazarene University Bonner Library and Learning Center (1946)

Lake Forest

Lake Forest College Donnelley Library (1962)

Lebanon

McKendree College Holman Library (1968)

Lisle

Illinois Benedictine College Theodore F. Lownik Library (1911)

Macomb

Western Illinois University Government Publications & Legal Reference Library (1962)

Moline

Black Hawk College Learning Resources Center (1970)

Monmouth

Monmouth College Hewes Library (1860)

Mount Carmel

Wabash Valley College Bauer Media Center (1975)

Mount Prospect

Mount Prospect Public Library (1977)

Normal

Illinois State University Milner Library (1877)

Oak Park

Oak Park Public Library (1963)

Oglesby

Illinois Valley Community College Jacobs Memorial Library (1976)

Palos Hills

Moraine Valley Community College Learning Resources Center (1972)

Peoria

Cullom-Davis Library (1963)
Peoria Public Library (1883)

River Forest

Rosary College Rebecca Crown Library (1966)

Rockford

Rockford Public Library (1895)

Romeoville

Lewis University Library (1952)

South Holland

South Suburban College Learning Resources Center

Springfield

Illinois State Library (unknown) REGIONAL

Streamwood

Poplar Creek Public Library (1980)

University Park

Governors' State University Library (1974)

Urbana

University of Illinois Documents Library (1907)

Wheaton

Wheaton College Buswell Memorial Library (1964)

Woodstock

Woodstock Public Library (1963)

INDIANA

Anderson

Anderson College Charles E. Wilson Library (1959)
Anderson Public Library (1983)

Bloomington

Indiana University Library (1881)
Indiana University Law Library (1978)

Crawfordsville

Wabash College Lilly Library (1906)

Evansville

Evansville and Vanderburgh County Public Library (1928)
University of Southern Indiana Library Services (1969)

Fort Wayne

Allen County Public Library (1896)
Indiana University-Purdue University at Fort Wayne (1965)

Franklin

Franklin College Library (1976)

Gary

Gary Public Library (1943)
Indiana University Northwest Library (1966)

Greencastle

De Pauw University Roy O. West Library (1879)

Hammond

Hammond Public Library (1964)

Hanover

Hanover College Duggan Library (1892)

Huntington

Huntington College Richlyn Library (1964)

Indianapolis

Butler University Irwin Library (1965)
Indianapolis-Marion County Public Library (1906)
Indiana State Library (unknown) REGIONAL
Indiana Supreme Court Law Library (1975)
Indiana University School of Law Library (1967)
Indiana University-Purdue University Library (1979)

Kokomo

Indiana University at Kokomo Learning Resource Center (1969)

Muncie

Ball State University Alexander M. Bracken Library (1959)
Muncie Public Library (1906)

New Albany

Indiana University Southeast Library (1965)

Notre Dame

Notre Dame Law School Kresge Law Library (1985)
University of Notre Dame Hesburgh Library (1883)

Rensselaer

Saint Joseph's College Library (1964)

Richmond

Earlham College Lilly Library (1964)
Morrison-Reeves Library (1906)

South Bend

Indiana University at South Bend Franklin D. Schurz Library (1965)

Terre Haute

Indiana State University Cunningham Memorial Library (1906)

Valparaiso

Valparaiso University Moellering Memorial Library (1930)
Valparaiso University Law Library (1978)

West Lafayette

Purdue University Libraries (1907)

IOWA

Ames

Iowa State University Parks Library (1907)

Cedar Falls

University of Northern Iowa Donald O. Rod Library (1946)

Cedar Rapids

Cedar Rapids Public Library (1986)

Council Bluffs

Free Public Library (1885)
Iowa Western Community College Herbert Hoover Library (1972)

Davenport

Davenport Public Library (1973)

Des Moines

Drake University Cowles Library (1966)
Drake University Law Library (1972)
Public Library of Des Moines (1888)
State Library of Iowa (unknown)

Dubuque

Carnegie-Stout Public Library (unknown)
Loras College Wahlert Memorial Library (1967)

Fayette

Upper Iowa University Henderson-Wilder Library (1974)

Grinnell

Grinnell College Burling Library (1874)

Iowa City

University of Iowa College of Law Library (1968)
University of Iowa Libraries (1884) REGIONAL

Lamoni

Graceland College Frederick Madison Smith Library (1927)

Mason City

North Iowa Area Community College Library (1976)

Mount Vernon

Cornell College Russell D. Cole Library (1896)

Orange City

Northwestern College Ramaker Library (1970)

Sioux City

Sioux City Public Library (1894)

KANSAS

Atchison

Benedictine College Library (1965)

Baldwin City

Baker University Collins Library (1908)

Colby

Colby Community College H. F. Davis Memorial Library (1968)

Emporia

Emporia State University William Allen White Library (1909)

Hays

Fort Hays State University Forsyth Library (1926)

Hutchinson

Hutchinson Public Library (1963)

Lawrence

University of Kansas Law Library (1971)
University of Kansas Map Library (1869) REGIONAL

Manhattan

Kansas State University Farrell Library (1907)

Pittsburg

Pittsburg State University Leonard H. Axe Library (1952)

Salina

Kansas Wesleyan University Memorial Library (1930)

Shawnee Mission

Johnson County Library (1979)

Topeka

Kansas State Historical Society Library (1877)
Kansas State Library (unknown)
Kansas Supreme Court Law Library (1975)
Washburn University of Topeka Law Library (1971)

Wichita

Wichita State University Ablah Library (1901)

KENTUCKY

Ashland

Ashland Community College Library (1946)

Barbourville

Union College Abigail E. Weeks Memorial Library (1958)

Bowling Green

Western Kentucky University Helm-Cravens Library (1934)

Columbia

Lindsey Wilson College Katie Murrell Library (1987)

Crestview Hills

Thomas More College Library (1970)

Danville

Centre College Grace Doherty Library (1884)

Frankfort

Kentucky Department of Libraries and Archives (1967)
Kentucky State Law Library (unknown)
Kentucky State University Blazer Library (1972)

Hazard

Hazard Community College Library (1988)

Highland Heights

Northern Kentucky University W. Frank Steely Library (1973)

Lexington

University of Kentucky Law Library (1968)
University of Kentucky Libraries (1907) REGIONAL

Louisville

Louisville Free Public Library (1904)
University of Louisville Ekstrom Library (1925)
University of Louisville Law Library (1975)

Morehead

Morehead State University Camden-Carroll Library (1955)

Murray

Murray State University Waterfield Library (1924)

Owensboro

Kentucky-Wesleyan College Library Learning Center (1966)

Richmond

Eastern Kentucky University John Grant Crabbe Library (1966)

Williamsburg

Cumberland College Norma Perkins Hagan (1988)

LOUISIANA

Baton Rouge

Louisiana State Library (1976)
Louisiana State University Middleton Library (1907) REGIONAL
Louisiana State University Paul M. Hebert Law Center Library (1929)
Southern University John B. Cade Library (1952)
Southern University Law School Library (1979)

Eunice

Louisiana State University at Eunice LeDoux Library (1969)

Hammond

Southeastern Louisiana University Sims Memorial Library (1966)

Lafayette

University of Southwestern Louisiana Dupre Library (1938)

Lake Charles

McNeese State University Lether E. Frazar Memorial Library (1941)

Monroe

Northeast Louisiana University Sandel Library (1963)

Natchitoches

Northwestern State University Watson Memorial Library (1887)

New Orleans

Law Library of Louisiana (unknown)
Loyola University Government Documents Library (1942)
Loyola University Law Library (1978)
New Orleans Public Library (1883)
Our Lady of Holy Cross College Library (1968)
Southern University in New Orleans Leonard S. Washington Memorial Library (1962)
Tulane University Law Library (1976)
Tulane University Howard-Tilton Memorial Library (1942)
U.S. Court of Appeals 5th Circuit Library (1973)
University of New Orleans Earl K. Long Library (1963)

Pineville

Louisiana College Richard W. Norton Memorial Library (1969)

Ruston

Louisiana Technical University Prescott Memorial Library (1896)
REGIONAL

Shreveport

Louisiana State University at Shreveport Library (1967)
Shreve Memorial Library (1923)

Thibodaux

Nicholls State University Ellender Memorial Library (1962)

MAINE

Augusta

Maine Law and Legislative Reference Library (1973)
Maine State Library (unknown)

Bangor

Bangor Public Library (1884)

Brunswick

Bowdoin College Library (1884)

Castine

Maine Maritime Academy Nutting Memorial Library (1969)

Lewiston

Bates College George and Helen Ladd Library (1883)

Orono

University of Maine Raymond H. Fogler Library (1907) REGIONAL

Portland

Portland Public Library (1884)
University of Maine School of Law Garbrecht Law Library (1964)

Presque Isle

University of Maine at Presque Isle Library/Learning Resources Center (1979)

Sanford

Louis B. Goodall Memorial Library (1984)

Waterville

Colby College Miller Library (1884)

MARYLAND

Annapolis

Maryland State Law Library (unknown)
U.S. Naval Academy Nimitz Library (1895)

Baltimore

Enoch Pratt Free Library (1887)
Johns Hopkins University Milton S. Eisenhower Library (1882)
Morgan State University Soper Library (1940)
University of Baltimore Langsdale Library (1973)
University of Baltimore Law Library (1980)
University of Maryland School of Law Marshall Law Library (1969)
U.S. Court of Appeals 4th Circuit Library (1982)

Bel Air

Harford Community College Library (1967)

Beltsville

Department of Agriculture National Agricultural Library (1895)

Bethesda

Department of Health and Human Services National Library of Medicine (1978)
Uniformed Services University of Health Sciences Learning Resource Center (1983)

Catonsville

University of Maryland, Baltimore County Albin O. Kuhn Library & Gallery (1971)

Chestertown

Washington College Clifton M. Miller Library (1891)

College Park

University of Maryland Hornbake Library (1925) REGIONAL

Cumberland

Allegany Community College Library (1974)

Frostburg

Frostburg State University Library (1967)

Patuxent River

Patuxent River Central Library (1968)

Rockville

Montgomery County Department of Public Libraries (1951)

Salisbury

Salisbury State College Blackwell Library (1965)

Towson

Goucher College Julia Rogers Library (1966)
Towson State University Cook Library (1979)

Westminster

Western Maryland College Hoover Library (1886)

MASSACHUSETTS

Amherst

Amherst College Library (1884)
University of Massachusetts University Library (1907)

Boston

Boston Athenaeum Library (unknown)
Boston Public Library (1859) REGIONAL
Boston University School of Law (1979)
Northeastern University Snell Library (1962)
State Library of Massachusetts (unknown)
Suffolk University Law Library (1979)
Supreme Judicial Court Social Law Library (1979)
U.S. Court of Appeals First Circuit Library (1978)

Brookline

Public Library of Brookline (1925)

Cambridge

Harvard College Library (1860)
Harvard Law School Library (1981)
Massachusetts Institute of Technology Library (1946)

Chestnut Hill

Boston College Thomas P. O'Neill Jr., Library (1963)

Chicopee

College of Our Lady of the Elms Alumnae Library (1969)

Lowell

University of Lowell O'Leary Library (1952)

Medford

Tufts University Wessel Library (1899)

Milton

Curry College Levin Library (1972)

New Bedford

New Bedford Free Public Library (1858)

Newton Centre

Boston College Law School Library (1979)

North Dartmouth

Southeastern Massachusetts University Library (1965)

North Easton

Stonehill College Cushing-Martin Library (1962)

Springfield

Springfield City Library (1966)
Western New England College School of Law Library (1978)

Waltham

Brandeis University Library (1965)
Waltham Public Library (1982)

Wellesley

Wellesley College Margaret Clapp Library (1943)

Wenham

Gordon College Jenks Learning Resource Center (1963)

Williamstown

Williams College Sawyer Library (unknown)

Worcester

American Antiquarian Society Library (1814)
University of Massachusetts Medical Center Library (1972)
Worcester Public Library (1859)

MICHIGAN

Albion

Albion College Stockwell-Mudd Library (1966)

Allendale

Grand Valley State College Zumberge Library (1963)

Alma

Alma College Library (1963)

Ann Arbor

University of Michigan Harlan Hatcher Graduate Library (1884)
University of Michigan Law Library (1978)

Benton Harbor

Benton Harbor Public Library (1907)

Bloomfield Hills

Cranbrook Institute of Science Library (1940)

Dearborn

Henry Ford Centennial Library (1969)
Henry Ford Community College Library (1957)

Detroit

Detroit College of Law Library (1979)
Detroit Public Library (1868) REGIONAL
Marygrove College Library (1965)
Mercy College of Detroit Library (1965)
University of Detroit Library (1884)
University of Detroit School of Law Library (1978)
Wayne State University Purdy/Kresge Library (1937)
Wayne State University Arthur Neef Law Library (1971)

Dowaglac

Southwestern Michigan College Matthews Library (1971)

East Lansing

Michigan State University Government Documents Library (1907)

Farmington Hills

Oakland Community College Martin L. King Learning Resources Center (1968)

Flint

Flint Public Library (1967)
University of Michigan-Flint Library (1977)

Grand Rapids

Calvin College & Seminary Library (1967)
Grand Rapids Public Library (1876)

Houghton

Michigan Technological University J. Robert Van Pelt Library (1876)

Jackson

Jackson District Library (1965)

Kalamazoo

Kalamazoo Public Library (1907)
Western Michigan University Dwight B. Waldo Library (1963)

Lansing

Library of Michigan (unknown) REGIONAL
Thomas M. Cooley Law School Library (1978)

Livonia

Livonia Public Library (1987)
Schoolcraft College Library (1962)

Madison Heights

Madison Heights Public Library (1982)

Marquette

Northern Michigan University Lydia M. Olson Library (1963)

Monroe

Monroe County Library System (1974)

Mount Clemens

Macomb County Library (1968)

Mount Pleasant

Central Michigan University Charles V. Park Library (1958)

Muskegon

Hackley Public Library (1894)

Petoskey

North Central Michigan College Library (1962)

Port Huron

Saint Clair County Library (1876)

Rochester

Oakland University Kresge Library (1964)

Royal Oak

Royal Oak Public Library (1984)

Saginaw

Hoyt Public Library (1890)

Sault Ste. Marie

Lake Superior State University Kenneth Shouldice Library (1982)

Traverse City

Northwestern Michigan College Mark and Helen Osterlin Library (1964)

University Center

Delta College Library (1963)

Warren

Warren Public Library Arthur J. Miller Branch (1973)

Ypsilanti

Eastern Michigan University Library (1965)

MICRONESIA

East Caroline Islands

Community College of Micronesia Library (1982)

MINNESOTA

Bemidji

Bemidji State University A.C. Clark Library (1963)

Blaine

Anoka County Library (1971)

Collegeville

Saint John's University Alcuin Library (1954)

Cottage Grove

Washington County Library-Park Grove Branch (1983)

Duluth

Duluth Public Library (1909)
University of Minnesota Duluth Library (1984)

Eagan

Dakota County Library—Westcott Branch (1983)

Edina

Southdale-Hennepin Area Library (1971)

Mankato

Mankato State University Memorial Library (1962)

Marshall

Southwest State University Library (1986)

Minneapolis

Minneapolis Public Library (1893)
University of Minnesota Law School Library (1978)
University of Minnesota Wilson Library (1907) REGIONAL

Moorhead

Moorhead State University Livingston Lord Library (1956)

Morris

University of Minnesota, Morris, Rodney A. Briggs Library (1963)

Northfield

Carleton College Library (1930)
Saint Olaf College Rolvaag Memorial Library (1930)

Saint Cloud

Saint Cloud State University, Learning Resources Center (1962)

Saint Paul

Hamline University School of Law Library (1978)
Minnesota Historical Society Library (1867)
Minnesota State Law Library (unknown)
Saint Paul Public Library (1914)
University of Minnesota Saint Paul Campus Library (1974)
William Mitchell College of Law Library (1979)

Saint Peter

Gustavus Adolphus College Fake Bernadette Memorial Library (1941)

Winona

Winona State University Maxwell Library (1969)

MISSISSIPPI

Cleveland

Delta State University W. B. Roberts Library (1975)

Columbus

Mississippi University for Women John Clayton Fant Memorial Library (1929)

Hattiesburg

University of Southern Mississippi Joseph A. Cook Memorial Library (1935)

Jackson

Jackson State University Henry Thomas Sampson Library (1968)
Millsaps College Millsaps-Wilson Library (1963)
Mississippi College School of Law Library (1977)
Mississippi Library Commission (1947)
Mississippi State Law Library (unknown)

Lorman

Alcorn State University J. D. Boyd Library (1970)

Mississippi State

Mississippi State University Mitchell Memorial Library (1907)

University

University of Mississippi J. D. Williams Library (1883) REGIONAL
University of Mississippi James O. Eastland Law Library (1967)

MISSOURI

Cape Girardeau

Southeast Missouri State University Kent Library (1916)

Columbia

University of Missouri at Columbia Ellis Library (1862) REGIONAL
University of Missouri-Columbia Law Library (1978)

Fulton

Westminster College Reeves Library (1875)

Hillsboro

Jefferson College Library (1984)

Jefferson City

Lincoln University Inman E. Page Library (1944)
Missouri State Library (1963)
Missouri Supreme Court Library (unknown)

Joplin

Missouri Southern State College George A. Spiva Library (1966)

Kansas City

Kansas City Missouri Public Library (1881)
Rockhurst College Greenlease Library (1917)
University of Missouri at Kansas City General Library (1938)
University of Missouri Kansas City Leon E. Bloch Law Library (1978)

Kirksville

Northeast Missouri State University Pickler Memorial Library (1966)

Liberty

William Jewell College Charles F. Curry Library (1900)

Maryville

Northwest Missouri State University B. D. Owens Library (1982)

Rolla

University of Missouri-Rolla Curtis Laws Wilson Library (1907)

Saint Charles

Kisker Road Branch Library
Lindenwood College Margaret Leggat Butler Library (1973)

Saint Joseph

River Bluffs Regional Public Library (1891)

Saint Louis

Maryville College Library (1976)
Saint Louis County Library (1970)
Saint Louis Public Library (1866)
Saint Louis University Law Library (1967)
Saint Louis University Pius XII Memorial Library (1866)
U.S. Court of Appeals Eighth Circuit Library (1972)
University of Missouri at Saint Louis Thomas Jefferson Library (1966)
Washington University John M. Olin Library (1906)
Washington University Law Library (1978)

Springfield

Drury College, Walker Library (1874)
Southwest Missouri State University Duane G. Meyer Library (1963)

Warrensburg

Central Missouri State University Ward Edwards Library (1914)

MONTANA

Billings

Eastern Montana College Library (1958)

Bozeman

Montana State University Libraries (1907)

Butte

Montana College of Mineral Science and Technology Library (1901)

Havre

Northern Montana College Vande Bogart Library (1980)

Helena

Carroll College Corrette Library (1974)

Montana State Library (1966)

State Law Library of Montana (1977)

Missoula

University of Montana Maurene & Mike Mansfield Library (1909)
REGIONAL

NEBRASKA

Blair

C. A. Dana College Dana-LIFE Library (1924)

Crete

Doane College Perkins Library (1944)

Fremont

Midland Lutheran College Luther Library (1924)

Kearney

Kearney State College Calvin T. Ryan Library (1962)

Lincoln

Nebraska Library Commission (1972)

Nebraska State Library (unknown)

University of Nebraska-Lincoln College of Law Library (1981)

University of Nebraska-Lincoln D. L. Love Memorial Library (1907)
REGIONAL

Omaha

Creighton University Reinert/Alumni Library (1964)

Creighton University School of Law Library (1979)

Omaha Public Library W. Dale Clark Library (1880)

University of Nebraska at Omaha University Library (1939)

Scottsbluff

Scottsbluff Public Library (1925)

Wayne

Wayne State College U.S. Conn Library (1970)

NEVADA

Carson City

Nevada State Library and Archives (unknown)

Nevada Supreme Court Library (1973)

Las Vegas

Clark County Law Library (1988)

Las Vegas-Clark County Library (1974)

University of Nevada at Las Vegas James Dickinson Library (1959)

Reno

National Judicial College Law Library (1979)

Nevada Historical Society Library (1974)

University of Nevada-Reno Library (1907) REGIONAL

Washoe County Library (1980)

NEW HAMPSHIRE

Concord

Franklin Pierce Law Center Library (1973)

New Hampshire State Library (unknown)

Durham

University of New Hampshire Library (1907)

Hanover

Dartmouth College Library (1884)

Henniker

New England College Danforth Library (1966)

Manchester

Manchester City Library (1884)

New Hampshire College H. A. B. Shapiro Memorial Library (1976)

Saint Anselm College Geisel Library (1963)

Nashua

Nashua Public Library (1971)

NEW JERSEY

Bayonne

Bayonne Free Public Library (1909)

Bloomfield

Bloomfield Public Library (1965)

Bridgeton

Cumberland County Library (1966)

Camden

Rutgers University Camden Library (1966)
Rutgers University School of Law Library (1979)

Convent Station

College of Saint Elizabeth Mahoney Library (1938)

East Brunswick

East Brunswick Public Library (1977)

East Orange

East Orange Public Library (1966)

Elizabeth

Free Public Library of Elizabeth (1895)

Glassboro

Glassboro State College Savitz Library (1963)

Hackensack

Johnson Free Public Library (1966)

Irvington

Irvington Public Library (1966)

Jersey City

Jersey City Public Library (1879)
Jersey City State College Forrest A. Irwin Library (1963)

Lawrenceville

Rider College Franklin F. Moore Library (1975)

Madison

Drew University Library (1939)

Mahwah

Ramapo College Library (1971)

Mount Holly

Burlington County Library (1966)

New Brunswick

Rutgers University Alexander Library (1907)

Newark

Newark Public Library (1906) REGIONAL
Rutgers University John Cotton Dana Library (1966)
Rutgers University Law Library (1979)
Seton Hall University Law Library (1979)

Newton

Sussex County Library (1986)

Passaic

Passaic Public Library (1964)

Phillipsburg

Phillipsburg Free Public Library (1976)

Plainfield

Plainfield Public Library (1971)

Pomona

Stockton State College Library (1972)

Princeton

Princeton University Firestone Library (1884)

Randolph

County College of Morris Sherman H. Masten Learning Resource Center (1975)

Rutherford

Fairleigh Dickinson University Messler Library (1953)

Shrewsbury

Monmouth County Library (1968)

South Orange

Seton Hall University Library (1947)

Teaneck

Fairleigh Dickinson University Weiner Library (1963)

Toms River

Ocean County College Learning Resources Center (1966)

Trenton

New Jersey State Library (unknown)
Trenton Free Public Library (1902)

Union

Kean College of New Jersey Nancy Thompson Library (1971)

Upper Montclair

Montclair State College Harry A. Sprague Library (1967)

Wayne

Wayne Public Library (1972)

West Long Branch

Monmouth College Guggenheim Memorial Library (1963)

Woodbridge

Woodbridge Public Library (1965)

NEW MEXICO

Albuquerque

University of New Mexico Medical Center Library (1973)
University of New Mexico School of Law Library (1973)
University of New Mexico General Library (1896) REGIONAL

Hobbs

New Mexico Junior College Pannell Library (1969)

Las Cruces

New Mexico State University Library (1907)

Las Vegas

New Mexico Highlands University Donnelly Library (1913)

Portales

Eastern New Mexico University Golden Library (1962)

Santa Fe

New Mexico State Library (1960) REGIONAL
New Mexico Supreme Court Law Library (unknown)

Silver City

Western New Mexico University Miller Library (1972)

Socorro

New Mexico Institute of Mining & Technology Martin Speare Memorial Library (1984)

NEW YORK

Albany

Albany Law School Schaffer Law Library (1979)
New York State Library (unknown) REGIONAL
State University of New York at Albany University Library (1964)

Auburn

Seymour Library (1972)

Bellport

East Islip Public Library (1973)

Binghamton

State University of New York at Binghamton Glenn G. Bartle Library (1962)

Brockport

State University of New York at Brockport Drake Memorial Library (1967)

Bronx

Fordham University Library (1937)
Lehman College Library (1967)
New York Public Library (1973)
State University of New York Maritime College Stephen B. Luce Library (1947)

Bronxville

Sarah Lawrence College Esther Raushenbush Library (1969)

Brooklyn

Brooklyn College Library (1936)
Brooklyn Law School Library (1974)
Brooklyn Public Library Business Library (1984)
Brooklyn Public Library (1908)
Pratt Institute Library (1891)
State University of New York Health Center at Brooklyn Library (1958)

Buffalo

Buffalo and Erie County Public Library (1895)
State University of New York at Buffalo Charles B. Sears Law Library (1978)
State University of New York at Buffalo Lockwood Memorial Library (1963)

Canton

Saint Lawrence University Owen D. Young Library (1920)

Corning

Corning Community College Arthur A. Houghton Jr. Library (1963)

Cortland

State University of New York at Cortland Memorial Library (1964)

Delhi

State University College of Technology Resnick Library (1970)

Elmira

Elmira College Gannett Tripp Learning Center (1956)

Farmingdale

State University of New York at Farmingdale Greenley Library (1917)

Flushing

CUNY Law School at Queens College CUNY Law Library (1983)
Queens College Benjamin S. Rosenthal Library (1939)

Garden City

Adelphi University Swirbul Library (1966)

Geneseo

State University of New York at Geneseo Milne Library (1967)

Greenvale

Long Island University B. Davis Schwartz Memorial Library (1964)

Hamilton

Colgate University, Everett Needham Case Library (1902)

Hempstead

Hofstra University Library (1964)
Hofstra University School of Law Library (1979)

Huntington

Touro College Jacob D. Fuchsberg Law Center Library (1985)

Ithaca

Cornell University Library (1907)
Cornell Law Library (1978)
Cornell University Albert R. Mann Library (1943)

Jamalca

Queens Borough Public Library (1926)
Saint John's University Library (1956)
Saint John's University School of Law Library (1978)

Kings Point

U.S. Merchant Marine Academy Schuyler Otis Bland Library (1962)

Long Island City

Fiorello H. LaGuardia Community College Library (1981)

Middletown

Thrall Library (1986)

Mount Vernon

Mount Vernon Public Library (1962)

New Paltz

State University College at New Paltz Sojourner Truth Library (1965)

New York City

City College of City University of New York Cohen Library (1884)
College of Insurance Library (1965)
Columbia University Libraries (1882)
Columbia University School of Law Library (1981)
Cooper Union for the Advancement of Science and Arts Library (1930)
Fordham Law School Library (1987)
Medical Library Center of New York (1976)
New York Law Institute Library (1909)
New York Law School Library (1979)
New York Public Library Astor Branch (1907)
New York Public Library Lenox Branch (1884)
New York University Law Library (1974)
New York University Elmer Holmes Bobst Library (1967)
U.S. Court of Appeals Second Circuit Library (1976)
Yeshiva University Chutick Law Library Cardozo School of Law (1979)
Yeshiva University Pollack Library (1979)

Newburgh

Newburgh Free Library (1909)

Niagara Falls

Niagara Falls Public Library (1976)

Oakdale

Dowling College Library (1965)

Oneonta

State University College at Oneonta James M. Milne Library (1966)

Oswego

State University of New York at Oswego Penfield Library (1966)

Plattsburgh

State University College at Plattsburgh Benjamin F. Feinberg Library (1967)

Potsdam

Clarkson University Harriet Call Burnap Memorial Library (1938)
State University College of New York at Potsdam Frederick W. Crumb
Memorial Library (1964)

Poughkeepsle

Vassar College Library (1943)

Purchase

State University of New York at Purchase Library (1969)

Rochester

Rochester Public Library (1963)
University of Rochester Rush Rhees Library (1880)

Saint Bonaventure

Saint Bonaventure University Friedsam Memorial Library (1938)

Saratoga Springs

Skidmore College Library (1964)

Schenectady

Union College Schaffer Library (1901)

Southampton

Long Island University Southampton Campus Library (1973)

Sparkill

St. Thomas Aquinas College Loughheed Library (1984)

Staten Island

Wagner College Hormmann Library (1953)

Stony Brook

State University of New York at Stony Brook Main Library (1963)

Syracuse

Onondaga County Public Library (1978)
Syracuse University Library (1878)
Syracuse University College of Law H. Douglas Barclay Law Library
(1978)

Troy

Troy Public Library (1869)

Unlondale

Nassau Library System (1965)

Utica

Utica Public Library (1885)
SUNY Institute of Technology Library (1977)

West Point

U.S. Military Academy Library (unknown)

White Plains

Pace University Law Library (1978)

Yonkers

Yonkers Public Library Getty Square Branch (1910)

Yorktown Helghts

Mercy College Library (1976)

NORTH CAROLINA

Asheville

University of North Carolina at Asheville D. Hiden Ramsey Library
(1965)

Bolling Springs

Gardner-Webb College Dover Memorial Library (1974)

Boone

Appalachian State University Carol Grotnes Belk Library (1963)

Bules Creek

Campbell University Carrie Rich Memorial Library (1965)

Chapel Hill

University of North Carolina at Chapel Hill Davis Library (1884)
REGIONAL
University of North Carolina at Chapel Hill Law Library (1978)

Charlotte

Public Library of Charlotte and Mecklenburg County (1964)
Queens College Everett Library (1927)
University of North Carolina at Charlotte Atkins Library (1964)

Cullowhee

Western Carolina University Hunter Library (1953)

Davidson

Davidson College Library (1893)

Durham

Duke University School of Law Library (1978)
Duke University William R. Perkins Library (1890)
North Carolina Central University Law School Library (1979)
North Carolina Central University James E. Shepard Memorial Library (1973)

Elon College

Elon College Iris Holt McEwen Library (1971)

Fayetteville

Fayetteville State University Charles W. Chesnutt Library (1971)

Greensboro

North Carolina Agricultural and Technical State University F. D. Bluford Library (1937)
University of North Carolina at Greensboro Walter Clinton Jackson Library (1963)

Greenville

East Carolina University J. Y. Joyner Library (1951)

Laurinburg

Saint Andrews Presbyterian College DeTamble Library (1969)

Lexington

Davidson County Public Library (1971)

Mount Olive

Mount Olive College Moye Library (1971)

Pembroke

Pembroke State University Mary H. Livermore Library (1956)

Raleigh

Department of Cultural Resources Division of State Library (unknown)
North Carolina State University D. H. Hill Library (1923)
North Carolina Supreme Court Library (1972)

Rocky Mount

North Carolina Wesleyan College Library (1969)

Sallsbury

Catawba College Library (1925)

Wilmington

University of North Carolina at Wilmington William M. Randall Library (1965)

Wilson

Barton College Hackney Library (1930)

Winston-Salem

Forsyth County Public Library (1954)
Wake Forest University School of Law Library (1902)

NORTH DAKOTA

Bismarck

North Dakota State Library (1971)
North Dakota Supreme Court Law Library (unknown)
State Historical Society of North Dakota State Archives & Historical Research Library (1907)
Veterans' Memorial Public Library (1967)

Dickinson

Dickinson State University Stoxen Library (1968)

Fargo

Fargo Public Library (1964)
North Dakota State University Library (1907) REGIONAL

Grand Forks

University of North Dakota Chester Fritz Library (1890)

Minot

Minot State University Memorial Library (1925)

Valley City

Valley City State University Allen Memorial Library (1913)

NORTHERN MARIANA ISLANDS

Salpan

Northern Marianas College Olympio T. Borja Memorial Library (1988)

OHIO

Ada

Ohio Northern University J. P. Taggart Law Library (1965)

Akron

Akron-Summit County Public Library (1952)
University of Akron Bierce Library (1963)
University of Akron School of Law Library (1978)

Alliance

Mount Union College Library (1888)

Ashland

Ashland University Library (1938)

Athens

Ohio University Alden Library (1886)

Batavia

University of Cincinnati Clermont College Library (1973)

Bluffton

Bluffton College Musselman Library (1951)

Bowling Green

Bowling Green State University Jerome Library (1933)

Canton

Malone College Everett L. Cattel Library (1970)

Chardon

Chardon Public Library (1971)

Cincinnati

Public Library of Cincinnati and Hamilton County (1884)
University of Cincinnati Langsam Library (1929)
University of Cincinnati College of Law Marx Law Library (1978)
U.S. Court of Appeals 6th Circuit Library (1986)

Cleveland

Case Western Reserve University Freiburger Library (1913)
Case Western Reserve University School of Law Library (1979)
Cleveland Public Library (1886)
Cleveland State University Cleveland-Marshall College of Law,
Joseph W. Bartunek III Law Library (1978)
Cleveland State University Library (1966)
Municipal Reference Library (1970)

Cleveland Heights

Cleveland Heights-University Heights Public Library (1970)

Columbus

Capital University Law School Library (1980)
Capital University Library (1968)
Columbus Metropolitan Library (1885)
Ohio State University College of Law Library (1984)
Ohio State University Libraries (1907)
Ohio Supreme Court Law Library (1973)
State Library of Ohio (unknown) REGIONAL

Dayton

Dayton and Montgomery County Public Library (1909)
University of Dayton Roesch Library (1969)
Wright State University Library (1965)

Delaware

Ohio Wesleyan University L. A. Beeghly Library (1845)

Elyria

Elyria Public Library (1966)

Findlay

Findlay University of Shafer Library (1969)

Gambler

Kenyon College Library (1873)

Granville

Denison University Libraries William H. Doane Library (1884)

Hiram

Hiram College Teachout-Price Memorial Library (1874)

Kent

Kent State University Libraries (1962)

Marietta

Marietta College Dawes Memorial Library (1884)

Marion

Marion Public Library (1979)

Middletown

Miami University Middletown Gardner-Harvey Library (1970)

New Concord

Muskingum College Library (1966)

Oberlin

Oberlin College Library (1858)

Oxford

Miami University Libraries King Library (1909)

Portsmouth

Shawnee State University Library (1987)

Rio Grande

University of Rio Grande Jeanette Albiez Davis Library (1966)

Springfield

Clark County Public Library (1884)

Steubenville

Franciscan University of Steubenville John Paul II Library (1971)
Public Library of Steubenville and Jefferson County (1950)

Tiffin

Heidelberg College Beechly Library (1964)

Toledo

Toledo-Lucas County Public Library (1884)
University of Toledo College of Law Library (1981)
University of Toledo Library (1963)

University Heights

John Carroll University Grasselli Library (1963)

Westerville

Otterbein College Courtright Memorial Library (1967)

Wilmington

Wilmington College S. Arthur Watson Library (1986)

Wooster

College of Wooster Andrews Library (1966)

Worthington

Worthington Public Library (1984)

Youngstown

Public Library of Youngstown and Mahoning County (1923)
Youngstown State University William F. Maag Library (1971)

OKLAHOMA

Ada

East Central Oklahoma State University Linscheid Library (1914)

Alva

Northwestern Oklahoma State University J. W. Martin Library (1907)

Bethany

Southern Nazarene University R. T. Williams Learning Resources Center (1971)

Durant

Southeastern Oklahoma State University Henry G. Bennett Memorial Library (1929)

Edmond

Central State University Library (1934)

Enid

Public Library of Enid and Garfield County (1908)

Langston

Langston University G. Lamar Harrison Library (1941)

Lawton

Lawton Public Library (1987)

Norman

University of Oklahoma Libraries Bizzell Memorial Library (1893)
University of Oklahoma Law Library (1978)

Oklahoma City

Metropolitan Library System Main Library (1974)
Oklahoma City University Dulaney Browne Library (1963)
Oklahoma Department of Libraries (1893) REGIONAL

Shawnee

Oklahoma Baptist University Library (1933)

Stillwater

Oklahoma State University Edmon Low Library (1907) REGIONAL

Tahlequah

Northeastern Oklahoma State University John Vaughan Library (1923)

Tulsa

Tulsa City-County Library System (1963)
University of Tulsa College of Law Library (1979)
University of Tulsa McFarlin Library (1929)

Weatherford

Southwestern Oklahoma State University Al Harris Library (1958)

OREGON

Ashland

Southern Oregon State College Library (1953)

Bend

Central Oregon Community College Library/Media Service (1985)

Corvallis

Oregon State University Library (1907)

Eugene

University of Oregon Law Library (1979)
University of Oregon Library (1883)

Forest Grove

Pacific University Harvey W. Scott Memorial Library (1897)

Klamath Falls

Oregon Institute of Technology Library (1982)

La Grande

Eastern Oregon State College Walter M. Pierce Library (1954)

McMinnville

Linfield College Northup Library (1965)

Monmouth

Western Oregon State College Library (1967)

Pendleton

Blue Mountain Community College Library (1983)

Portland

Lewis and Clark College Aubrey R. Watzek Library (1967)
Multnomah County Portland (1884)
Northwestern School of Law Lewis and Clark College Paul L. Boley
Law Library (1979)
Portland State University Millar Library (1963) REGIONAL
Reed College Library (1912)
U.S. Department of Energy Bonneville Power Administration Library
(1962)

Salem

Oregon State Library (unknown)
Oregon Supreme Court Law Library (1974)
Willamette University College of Law Library (1979)
Willamette University Main Library (1969)

PANAMA

Balboa Heights

Panama Canal Commission Technical Resources Center

PENNSYLVANIA

Allentown

Muhlenberg College Trexler Library (1939)

Altoona

Altoona Area Public Library (1969)

Bethel Park

Bethel Park Public Library (1980)

Bethlehem

Lehigh University Libraries Linderman Library (1876)

Blue Bell

Montgomery County Community College Learning Resources Center
(1975)

Bradford

University of Pittsburgh at Bradford T. Edwards & Tullah Hanley Library
(1979)

Broomall

Marple Public Library (1988)

California

California University of Pennsylvania Louis L. Manderino Library (1986)

Carlisle

Dickinson College Boyd Lee Spahr Library (1947)
Dickinson School of Law Sheeley-Lee Law Library (1978)

Cheyney

Cheyney University Leslie Pinckney Hill Library (1967)

Collegeville

Ursinus College Myrin Library (1963)

Coraopolis

Robert Morris College Library (1978)

Doylestown

Bucks County Free Library (1970)

East Stroudsburg

East Stroudsburg University Kemp Library (1966)

Erle

Erle County Library System (1897)

Greenville

Thiel College Langenheim Memorial Library (1963)

Harrisburg

State Library of Pennsylvania (unknown) REGIONAL
Widener University Harrisburg Campus School of Law Library

Haverford

Haverford College Magill Library (1897)

Hazleton

Hazleton Area Public Library (1964)

Indiana

Indiana University of Pennsylvania Stapleton Library (1962)

Johnstown

Cambria County Library System Glosser Memorial Library Building
(1965)

Lancaster

Bucknell University Ellen Clarke Bertrand Library
Franklin and Marshall College Shadek-Fackenthal Library (1895)

Lewisburg

Bucknell University Ellen Clarke Bertrand Library (1963)

Mansfield

Mansfield University Library (1968)

Meadville

Allegheny College Lawrence Lee Pelletier Library (1907)

Millersville

Millersville University Helen A. Ganser Library (1966)

Monessen

Monessen Public Library (1969)

New Castle

New Castle Public Library (1963)

Newton

Bucks County Community College Library (1968)

Norristown

Montgomery County-Norristown Public Library (1969)

Philadelphia

Drexel University W. W. Hagerty Library (1963)
Free Library of Philadelphia (1897)

Saint Joseph's University Drexel Library (1974)
Temple University Paley Library (1947)
Temple University Law Library (1979)
U.S. Court of Appeals Third Circuit Library (1973)
University of Pennsylvania Biddle Law Library (1974)
University of Pennsylvania Library (1886)

Pittsburgh

Allegheny County Law Library (1977)
Carnegie Library of Pittsburgh Allegheny Regional Branch (1924)
Carnegie Library of Pittsburgh (1895)
Duquesne University Law Library (1978)
La Roche College John J. Wright Library (1974)
U.S. Bureau of Mines Library (1962)
University of Pittsburgh Hillman Library (1910)
University of Pittsburgh Barco Law Library (1979)

Pottsville

Pottsville Free Public Library (1967)

Reading

Reading Public Library (1901)

Scranton

Scranton Public Library (1895)

Shippensburg

Shippensburg University Ezra Lehman Memorial Library (1973)

Slippery Rock

Bailey Library (1965)

Swarthmore

Swarthmore College McCabe Library (1923)

University Park

Pennsylvania State University Libraries Pattee Library (1907)

Villanova

Villanova University Law School Pulling Law Library (1964)

Warren

Warren Library Association Warren Public Library (1885)

Waynesburg

Waynesburg College Library (1964)

West Chester

West Chester University Francis Harvey Green Library (1967)

Wilkes-Barre

King's College D. Leonard Corgan Library (1949)

Williamsport

Lycoming College Library (1970)

York

York College of Pennsylvania Schmidt Library (1963)

Youngwood

Westmoreland County Community College Learning Resources Center (1972)

PUERTO RICO

Mayaguez

University of Puerto Rico Mayaguez Campus Library (1928)

Ponce

Catholic University of Puerto Rico Encarnacion Valdes Library (1966)
Catholic University of Puerto Rico School of Law Library (1978)

Rio Piedras

University of Puerto Rico J. M. Lazaro Library (1928)

RHODE ISLAND

Barrington

Barrington Public Library (1986)

Kingston

University of Rhode Island Library (1907)

Newport

U.S. Naval War College Library (1963)

Providence

Brown University John D. Rockefeller Jr. Library (unknown)
Providence College Phillips Memorial Library (1969)
Providence Public Library (1884)
Rhode Island College James P. Adams Library (1965)
Rhode Island State Law Library (1979)
Rhode Island State Library (1895)

Warwick

Warwick Public Library (1966)

Westerly

Westerly Public Library (1909)

Woonsocket

Woonsocket Harris Public Library (1977)

SOUTH CAROLINA

Aiken

University of South Carolina-Aiken Gregg-Graniteville Library (1989)

Charleston

Baptist College at Charleston L. Mendel Rivers Library (1967)
The Citadel Military College Daniel Library (1962)
College of Charleston Robert Scott Small Library (1869)

Clemson

Clemson University Cooper Library (1893)

Columbia

Benedict College Library Payton Learning Resources Center (1969)
South Carolina State Library (1895)
University of South Carolina Coleman Karesh Law Library (1983)
University of South Carolina Thomas Cooper Library (1884)

Conway

University of South Carolina Coastal Carolina College Kimbel Library (1974)

Due West

Erskine College McCain Library (1968)

Florence

Florence County Library (1967)
Francis Marion College James A. Rogers Library (1970)

Greenville

Furman University Library (1962)
Greenville County Library (1966)

Greenwood

Lander College Jackson Library (1967)

Lancaster

University of South Carolina-Lancaster Medford Library

Orangeburg

South Carolina State College Miller F. Whittaker Library (1953)

Rock Hill

Winthrop College Dacus Library (1896)

Spartanburg

Spartanburg County Public Library (1967)

SOUTH DAKOTA

Aberdeen

Northern State College Beulah Williams Library (1963)

Brookings

South Dakota State University H. M. Briggs Library (1889)

Pierre

South Dakota State Library (1973)

South Dakota Supreme Court Library (1978)

Rapid City

Rapid City Public Library (1963)

South Dakota School of Mines and Technology Devereaux Library (1963)

Sioux Falls

Augustana College Mikkelsen Library (1969)

Sioux Falls Public Library (1903)

Spearfish

Black Hills State University Library E. Y. Berry (1942)

Vermillion

University of South Dakota I. D. Weeks Library (1889)

TENNESSEE

Bristol

King College E. W. King Library (1970)

Chattanooga

Chattanooga-Hamilton County Bicentennial Library (1908)

U.S. Tennessee Valley Authority Technical Library (1976)

Clarksville

Austin Peay State University Felix G. Woodward Library (1945)

Cleveland

Cleveland State Community College Library (1973)

Columbia

Columbia State Community College John W. Finney Memorial Library (1973)

Cookeville

Tennessee Technological University Library (1969)

Jackson

Lambuth College Luther L. Gobbel Library (1967)

Jefferson City

Carson-Newman College Stephens-Burnett Library (1964)

Johnson City

East Tennessee State University Sherrod Library (1942)

Knoxville

Knoxville County Public Library System Lawson McGhee Library (1973)

University of Tennessee at Knoxville John C. Hodges Library (1907)

University of Tennessee Law Library (1971)

Martin

University of Tennessee at Martin Paul Meek Library (1957)

Memphis

Memphis-Shelby County Public Library and Information Center (1896)

Memphis State University Cecil C. Humphreys School of Law Library (1979)

Memphis State University Libraries (1966)

Murfreesboro

Middle Tennessee State University Todd Library (1912)

Nashville

Fisk University Library (1965)

Public Library of Nashville and Davidson County (1884)

Tennessee State Library and Archives (unknown)

Tennessee State University Brown-Daniel Library (1972)

Vanderbilt University Alyne Queener Massey Law Library (1976)

Vanderbilt University Library (1884)

Sewanee

University of the South Jessie Ball duPont Library (1873)

TEXAS

Abilene

Abilene Christian University Margaret and Herman Brown Library (1978)

Hardin-Simmons University Rupert and Pauline Richardson Library (1940)

Arlington

Arlington Public Library (1970)

University of Texas at Arlington Library (1963)

Austin

Texas State Law Library (1972)
Texas State Library (unknown) REGIONAL
University of Texas at Austin Perry-Castaneda Library (1884)
University of Texas at Austin Edie and Lew Wasserman Public Affairs
Library (1966)
University of Texas at Austin Tarlton Law Library (1965)

Baytown

Lee College Library (1970)

Beaumont

Lamar University Mary and John Gray Library (1957)

Brownwood

Howard Payne University Walker Memorial Library (1964)

Canyon

West Texas State University Comette Library (1928)

College Station

Texas Agricultural and Mechanical University Sterling G. Evans Library
(1907)

Commerce

East Texas State University James Gilliam Gee Library (1937)

Corpus Christi

Corpus Christi State University Library (1976)

Corsicana

Navarro College Learning Resource Center (1965)

Dallas

Dallas Baptist University Vance Memorial Library (1967)
Dallas Public Library (1900)
Southern Methodist University Fondren Library (1925)
University of Texas Southwestern Medical Center Library (1975)

Denton

North Texas State University Library (1948)

Edinburg

University of Texas-Pan American Library (1959)

El Paso

El Paso Public Library (1906)
University of Texas at El Paso Library (1966)

Fort Worth

Fort Worth Public Library (1905)
Texas Christian University Mary Couts Burnett Library (1916)

Galveston

Rosenberg Library (1909)

Garland

Nicholson Memorial Library System (1990)

Houston

Houston Public Library (1884)
North Harris County College (1974)
Rice University Fondren Library (1967)
South Texas College of Law Library (1981)
Texas Southern University Thurgood Marshall School of Law Library
(1982)
University of Houston-Clear Lake Alfred R. Neumann Library (1980)
University of Houston M. D. Anderson Library (1957)
University of Houston School of Law Library (1979)

Huntsville

Sam Houston State University Newton Gresham Library (1949)

Irving

Irving Public Library System (1974)

Kingsville

Texas Arts and Industries University Jemigan Library (1944)

Laredo

Laredo Junior College Harold R. Yeary Library (1970)

Longview

Longview Public Library (1961)

Lubbock

Texas Technical University Library (1935) REGIONAL
Texas Technical University School of Law Library (1978)

Nacogdoches

Stephen F. Austin State University Steen Library (1965)

Richardson

University of Texas at Dallas McDermott Library (1972)

San Angelo

Angelo State University Port Henderson Library (1964)

San Antonio

Palo Alto College Learning Resources Center
Saint Mary's University Academic Library (1964)
Saint Mary's University Sarita Kenedy East Law Library (1982)
San Antonio College Library (1972)
San Antonio Public Library (1899)
Trinity University Elizabeth Coates Maddux Library (1964)
University of Texas at San Antonio Library (1973)

San Marcos

Southwest Texas State University Library (1955)

Seguin

Texas Lutheran College Blumberg Memorial Library (1970)

Sherman

Austin College Abell Library (1963)

Texarkana

Texarkana College Palmer Memorial Library (1963)

Victoria

Victoria College/University of Houston Victoria Library (1973)

Waco

Baylor University Caston Law Library (1982)
Baylor University Moody Memorial Library (1905)

Wichita Falls

Midwestern State University Moffett Library (1963)

UTAH

Cedar City

Southern Utah State College Library (1964)

Ephraim

Snow College Lucy A. Phillips Library (1963)

Logan

Utah State University Merrill Library and Learning Resources Center
(1907) REGIONAL

Ogden

Weber State College Stewart Library (1962)

Provo

Brigham Young University Harold B. Lee Library (1908)
Brigham Young University Law Library (1972)

Salt Lake City

University of Utah Eccles Health Sciences Library (1970)
University of Utah Law Library (1966)
University of Utah Marriott Library (1893)
Utah State Library (unknown)
Utah State Supreme Court Law Library (1975)

VERMONT

Burlington

University of Vermont Bailey/Howe Library (1907)

Castleton

Castleton State College Calvin Coolidge Library (1969)

Johnson

Johnson State College John Dewey Library (1955)

Lyndonville

Lyndon State College Samuel Reed Hall Library (1969)

Middlebury

Middlebury College Egbert Starr Library (1884)

Montpelier

Vermont Department of Libraries (1845)

Northfield

Norwich University Chaplin Library (1908)

South Royalton

Vermont Law School Library (1978)

VIRGIN ISLANDS

Saint Croix

Florence Williams Public Library (1968)

Saint Thomas

University of the Virgin Islands Ralph M. Paiewonsky Library (1973)

VIRGINIA

Alexandria

Dept. of the Navy Office of Judge Advocate General Law Library (1963)

Arlington

George Mason University School of Law Library (1981)
U.S. Patent & Trademark Office Scientific and Technical Information
Center (1986)

Blacksburg

Virginia Polytechnic Institute and State University Carol M. Newman Library (1907)

Bridgewater

Bridgewater College Alexander Mack Memorial Library (1902)

Charlottesville

University of Virginia Alderman Library (1910) REGIONAL
University of Virginia Arthur J. Morris Law Library (1964)

Chesapeake

Chesapeake Public Library (1970)

Danville

Danville Community College Learning Resources Center (1969)

Emory

Emory and Henry College Kelly Library (1884)

Fairfax

George Mason University Fenwick Library (1960)

Fredericksburg

Mary Washington College Library (1940)

Hampden-Sydney

Hampden-Sydney College Eggleston Library (1891)

Hampton

Hampton University Huntington Memorial Library (1977)

Harrisonburg

James Madison University Carrier Library (1973)

Lexington

Virginia Military Institute Preston Library (1874)
Washington and Lee University University Library (1910)
Washington and Lee University Wilbur C. Hall Law Library (1978)

Martinsville

Patrick Henry Community College Learning Resource Center (1971)

Norfolk

Norfolk Public Library (1895)
Old Dominion University Library (1963)
U.S. Armed Forces Staff College Library (1963)

Petersburg

Virginia State University Johnston Memorial Library (1907)

Quantico

Federal Bureau of Investigation Academy Library (1970)
Marine Corps Education Center MCCDC James Carson Breckinridge Library (1967)

Reston

Department of the Interior Geological Survey Library (1963)

Richmond

U.S. Court of Appeals Fourth Circuit Library (1973)
University of Richmond Boatwright Memorial Library (1900)
University of Richmond Law School Library (1982)
Virginia Commonwealth University Library Services (1971)
Virginia State Law Library (1973)
Virginia State Library & Archives (unknown)

Roanoke

Hollins College Fisburn Library (1967)

Salem

Roanoke College Library (1886)

Williamsburg

College of William and Mary Marshall-Wythe Law Library (1978)
College of William and Mary Swem Library (1936)

Wise

Clinch Valley College John Cook Wyllie Library (1971)

WASHINGTON

Bellevue

Bellevue Public Library (1990)

Bellingham

Western Washington University Mable Zoe Wilson Library (1963)

Cheney

Eastern Washington University JFK Library (1966)

Des Moines

Highline Community College Library (1983)

Ellensburg

Central Washington University Library (1962)

Everett

Everett Public Library (1914)

Olympia

Evergreen State College Daniel J. Evans Library (1972)
Washington State Law Library (1979)
Washington State Library (unknown) REGIONAL

Port Angeles

North Olympic Library System (1965)

Pullman

Washington State University Holland Library (unknown)

Seattle

Seattle Public Library (1908)
University of Washington Suzzallo Library (1890)
University of Washington Marian Gould Gallagher Law Library (1969)
U.S. Court of Appeals 9th Circuit Library (1981)

Spokane

Gonzaga University School of Law Library (1979)
Spokane Public Library (1910)

Tacoma

Tacoma Public Library (1894)
University of Puget Sound Collins Memorial Library (1938)
University of Puget Sound School of Law Library (1978)

Vancouver

Fort Vancouver Regional Library (1962)

Walla Walla

Whitman College Penrose Memorial Library (1890)

WEST VIRGINIA

Athens

Concord College J. Frank Marsh Library (1924)

Bluefield

Bluefield State College Hardway Library (1972)

Charleston

Kanawha County Public Library (1952)
West Virginia Library Commission (1975)
West Virginia Supreme Court Law Library (1977)

Elkins

Davis and Elkins College Library (1913)

Fairmont

Fairmont State College Library (1884)

Huntington

Marshall University James E. Morrow Library (1925)

Institute

West Virginia State College Drain-Jordon Library (1907)

Montgomery

West Virginia Institute of Technology Vining Library (1985)

Morgantown

West Virginia University Library (1907) REGIONAL

Salem

Salem-Tolkyo University Benedum Library (1921)

Shepherdstown

Shepherd College Scarborough Library (1971)

Weirton

Mary H. Weir Public Library (1963)

WISCONSIN

Appleton

Lawrence University Seeley G. Mudd Library (1869)

Beloit

Beloit College Col. Robert H. Morse Library (1888)

Eau Claire

University of Wisconsin-Eau Claire William D. McIntyre Library (1951)

Fond du Lac

Fond du Lac Public Library (1966)

Green Bay

University of Wisconsin-Green Bay Library Learning Center (1968)

La Crosse

La Crosse Public Library (1883)
University of Wisconsin-La Crosse Murphy Library (1965)

Madison

Madison Public Library (1965)
State Historical Society of Wisconsin Library (1870) REGIONAL
University of Wisconsin-Madison Memorial Library (1939)
University of Wisconsin-Madison Law Library (1981)
Wisconsin State Law Library (unknown)

Milwaukee

Alverno College Library/Media Center (1971)
Marquette University Law Library (1987)
Medical College of Wisconsin, Inc. Todd Wehr Library (1980)
Milwaukee County Law and Reference Library (1934)
Milwaukee Public Library (1861) REGIONAL
Mount Mary College Haggerty Library (1964)
University of Wisconsin-Milwaukee Golda Meir Library (1960)

Oshkosh

University of Wisconsin-Oshkosh Forrest R. Polk Library (1956)

Platteville

University of Wisconsin-Platteville Karmann Library (1964)

Racine

Racine Public Library (1898)

Ripon

Ripon College Library (1982)

River Falls

University of Wisconsin-River Falls Chalmer Davee Library (1962)

Sheboygan

Mead Public Library (1983)

Stevens Point

University of Wisconsin-Stevens Point Library (1951)

Superior

Superior Public Library (1908)
University of Wisconsin-Superior Jim Dan Hill Library (1935)

Waukesha

Waukesha Public Library (1966)

Wausau

Marathon County Public Library (1971)

Whitewater

University of Wisconsin-Whitewater Library and Learning Resources
(1963)

Cheyenne

Wyoming State Law Library (1977)
Wyoming State Library (unknown) REGIONAL

Gillette

Campbell County Public Library (1980)

Laramie

University of Wyoming, Coe Library (1907)
University of Wyoming Law Library (1978)

Powell

Northwest Community College John Taggart Hinckley Library (1967)

Riverton

Central Wyoming College Learning Resources Center (1969)

Rock Springs

Western Wyoming Community College Library (1969)

Sheridan

Sheridan College Griffith Memorial Library (1963)

WYOMING

Casper

Natrona County Public Library (1929)

APPENDIX B

List of District Offices of the U.S. Department of Commerce

Alabama

Birmingham—2015 2nd Avenue North, 3rd Floor, Berry Building, 35203, Area Code 205 Tel 731-1331, FAX 205-731-0076

ALASKA

Anchorage—4201 Tudor Center Drive, Suite 319, World Trade Center, Tel. 907-271-6237, FAX 907-271-6242

ARIZONA

Phoenix—Federal Building & U.S. Courthouse, 230 N. 1st Avenue, Room 3412, 85025, Area Code 602 Tel 261-3285, FAX 602-379-4324

ARKANSAS

Little Rock—Suite 811, 320 W. Capitol Avenue, 72201, Area Code 501 Tel 378-5794, FAX 501-324-7380

CALIFORNIA

Los Angeles—Room 9200, 11000 Wilshire Blvd., 90024, Area Code 310 Tel 575-7105, FAX 575-7220

•**San Diego**—6363 Greenwich Drive, Suite 230, 92122, Area Code 619 Tel 557-5395, FAX 619-557-6176

•**San Francisco**—Federal Building, Box 6013, 450 Golden Gate Avenue, 94102, Area Code 415 Tel 705-2300, FAX 415-705-2299

•**Santa Ana**—116 W. 4th Street, Suite #1, 92701, Area Code 714 Tel 836-2461, FAX 714-836-2332

COLORADO

Denver—1625 Broadway, Suite 68D, 80202, Area Code 303 Tel 844-3246, FAX 303-844-5651

CONNECTICUT

Hartford—Room 610-B, Federal Office Building, 450 Main Street, 06103, Area Code 203 Tel 240-3530, FAX 203-240-3470

FLORIDA

•**Clearwater**—128 North Osceola Avenue, 34615, Area Code 813 Tel 461-0011, FAX 813-449-2889

Miami—Suite 224, Federal Building, 51 S.W. First Avenue, 33130, Area Code 305 Tel 536-5267, FAX 305-536-4765

•**Orlando**—Room 346, University of Central Florida, 32802, Area Code 407 Tel 648-1608

-
- Denotes regional office with management and administrative oversight responsibilities (no direct business counseling)
 - Denotes trade specialist at post or duty station

•**Tallahassee**—Collins Building, Room 401, 107 W. Gaines Street, 32304, Area Code 904 Tel 488-6469, FAX 904-487-1407

GEORGIA

Atlanta—Suite 310, 4380 Chamblee-Dunwoody Road, 30341, Area Code 404 Tel 452-9102, FAX 404-452-9105

Savannah—120 Barnard Street, A-107, 31401, Area Code 912 Tel 652-4204, FAX 912-652-4241

HAWAII

Honolulu—4106 Federal Building, P.O. Box 50026, 300 Ala Moana Blvd., 96850, Area Code 808 Tel 541-1782, FAX 808-541-3435

IDAHO

Boise (Denver, Colorado District)—700 W. State Street, 83720, Area Code 208 Tel 334-3857, FAX 208-334-2787

ILLINOIS

Chicago—1406 Mid Continental Plaza Building, 55 E. Monroe Street, 60603, Area Code 312 Tel 353-4450, FTS 8 353-4450

•**Palatine**—W. R. Harper College, Algonquin & Rodelle Road, 60067, Area Code 312 Tel 397-3000, x2532

•**Rockford**—515 N. Court Street, P.O. Box 1747, 61110-0247, Area Code 815 Tel 987-8123, FTS 8 363-4347

•**Wheaton**—Illinois Institute & Technology, 201 E. Loop Road, 60187, Area Code 312 Tel 353-4332, FAX 312-353-4336

INDIANA

Indianapolis—One N. Capitol, Suite 520, 46204, Area Code 317 Tel 269-6214, FAX 317-226-6139

IOWA

Des Moines—817 Federal Building, 210 Walnut Street, 50309, Area Code 515 Tel 284-4222, FAX 515-284-4021

KANSAS

•**Wichita** (Kansas City, Missouri District)—151 North Volusia, 67214-4695, Area Code 316 Tel 269-6160, FAX 316-683-7326

KENTUCKY

Louisville—Room 6368, 601 W. Broadway, 40202, Area Code 502 Tel 582-5066, FAX 502-582-6573

LOUISIANA

New Orleans—432 World Trade Center, No. 2 Canal Street, 70130, Area Code 504 Tel 589-6546, FAX 207-626-9156

MAINE

•Augusta (Boston, District Office)-77 Sewell Street, 04330, Area Code 207 Tel 622-8249, FAX 207-626-9156

MARYLAND

Baltimore-415 U.S. Customhouse, 40 South Gay Streets, 21202, Area Code 301 Tel 962-3560, FAX 410-962-7813

•Galthersburg-c/o National Institute of Standards & Technology, Bldg. A11, 20899 Area Code 301 Tel 975-3904, FAX 301-948-4360

MASSACHUSETTS

Boston-World Trade Center, Suite 307, Commonwealth Pier Area, 02210, Area Code 617 Tel 565-8563, FAX 617-565-8530

MICHIGAN

Detroit-1140 McNamara Building, 477 Michigan Avenue, 48226, Area Code 313 Tel 226-3650, FAX 313-226-3657

•Grand Rapids-300 Monroe N.W., Room 409, 49503, Area Code 616 Tel 456-2411, FAX 616-456-2695

MINNESOTA

Minneapolis-108 Federal Building, 110 S. 4th St., 55401, Area Code 612 Tel 349-1638, FAX 612-349-1650

MISSISSIPPI

Jackson-328 Jackson Mall Office Center, 300 Woodrow Wilson Blvd., 39213, Area Code 601 Tel 965-4388, FAX 601-965-5386

MISSOURI

Kansas City-Room 635, 601 E. 12th Street, 64106, Area Code 816 Tel 426-3141, FAX 816-426-3140

•St. Louis-7911 Forsyth Blvd., Suite 610, 63105, Area Code 314 Tel 425-3302-4, FAX 314-425-3381

NEBRASKA

Omaha-11133 O Street, 68137, Area Code 402 Tel 221-3664, FAX 402-221-3668

NEVADA

Reno-1755 E. Plumb Lane, Room 152, 89502, Area Code 702 Tel 784-5203, FAX 702-784-5343

NEW JERSEY

Trenton-3131 Princeton Pike Building, Suite 100, 08648, Area Code 609 Tel 989-2100, FAX 609-989-2395

NEW MEXICO

Albuquerque-625 Silver S.W. Suite 320, 87102, Area Code 505 Tel 706-2070,, FAX 505-766-1057

NEW YORK

Buffalo-1312 Federal Building, 111 W. Huron Street, 14202, Area Code 716 Tel 846-4191, FAX 716-846-5290

New York-Federal Office Building, 26 Federal Plaza, Foley Square, 10278, Area Code 212 Tel 264-0634, FAX 264-1350

•Rochester-111 E. Avenue, Suite 220, 14604, Area Code 716 Tel 263-6480, FAX 716-325-6505

NORTH CAROLINA

Greensboro-400 W. Market Street, P.O. Box 1950, 27402, Area Code 919 Tel 333-5345, FAX 919-333-5158

OHIO

Cincinnati-9504 Federal Building, 550 Main Street, 45202, Area Code 513 Tel 684-2944, FAX 513-684-3200

Cleveland-Room 600, 668 Euclid Avenue, 44114, Area Code 216 Tel 522-4750, FAX 216-522-2235

OKLAHOMA

Oklahoma City-5 Broadway Executive Park, Suite 200, 6601 Broadway Extension, 73116, Area Code 405 Tel 231-5302, FAX 405-841-5245

•Tulsa-440 S. Houston Street, 74127, Area Code 918 Tel 581-7650, FAX 918-581-2844

OREGON

Portland-Suite 242 One World Trade Center, 97204, Area Code 503 Tel 326-3001, FAX 503-326-6351

PENNSYLVANIA

Philadelphia-475 Allendale Road, King of Prussia, 19106, Area Code 215 Tel 951-7954, FAX 215-951-7959

Pittsburgh-2002 Federal Building, 1000 Liberty Avenue, 15222, Area Code 412 Tel 644-2850, FAX 412-644-4875

PUERTO RICO

San Juan (Hato Rey)-Room G-55, Federal Building, Chardon Avenue, 00918, Area Code 809 Tel 786-5555, Ext. 555, FAX 809-786-5692

RHODE ISLAND

•Providence (Hartford District Office)-7 Jackson Walkway, 02903, Area Code 401 Tel 528-5104, FAX 401-528-5067

SOUTH CAROLINA

•Charleston-Room 128, 9 Library Street, 29424, Area Code 803 Tel 727-4361

Columbia-Strom Thurmond Federal Building, Suite 172, 1835 Assembly Street, 29201, Area Code 803 Tel 765-5345, FAX 803-253-3614

TENNESSEE

Knoxville-301 E. Church Avenue, 37915, Area Code 615 Tel 549-9265

•Memphis-22 N. Front Street, Suite 200, 38103, Area Code 901 Tel 544-4137, FAX 901 575-3510

Nashville-Suite 1114, Parkway Towers, 404 James Robertson Parkway, 37219-1505, Area Code 615 Tel 736-5161, FAX 615-736-2454

TEXAS

Austin—P.O. Box 12728, Suite 1200, 816 Congress Avenue, 78701,
Area Code 512 Tel 482-5939, FAX 512-320-9674

Dallas—Room 7A5, 1100 Commerce Street, 75242, Area Code 214 Tel
767-0542, FAX 214-767-8240

Houston—2625 Federal Courthouse Building, 615 Rusk Street, 77002,
Area Code 713 Tel 229-2578, FAX 713-229-2203

UTAH

Salt Lake City—324 S. State Street, Suite 105, 84111, Area Code 801
Tel 524-5116, FAX 801-524-5880

VIRGINIA

Richmond—8010 Federal Building, 400 North 8th Street, 23240, Area
Code 804 Tel 771-2246, FAX 804-771-2390

WASHINGTON

Seattle—3131 Elliott Avenue, Suite 290, 98121, Area Code 206 Tel
553-5616, FAX 206-563-7253

WEST VIRGINIA

Charleston—405 Capitol Street, 26301, Area Code 304 Tel 347-5123,
FAX 304-347-5408

WISCONSIN

Milwaukee—605 Federal Building, 517 E. Wisconsin Avenue, 53202,
Area Code 414 Tel 297-3473, FAX 414-292-3470



NIST-114A
(REV. 3-90)

U.S. DEPARTMENT OF COMMERCE
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY

BIBLIOGRAPHIC DATA SHEET

1. PUBLICATION OR REPORT NUMBER

NIST/SP-305/23

2. PERFORMING ORGANIZATION REPORT NUMBER

3. PUBLICATION DATE

June 1992

4. TITLE AND SUBTITLE

Publications of the National Institute of Standards and Technology, 1991 Catalog

5. AUTHOR(S)

Ernestine T. Gladden, Editor

6. PERFORMING ORGANIZATION (IF JOINT OR OTHER THAN NIST, SEE INSTRUCTIONS)

U.S. DEPARTMENT OF COMMERCE
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY (TS)
GAITHERSBURG, MD 20899

7. CONTRACT/GRANT NUMBER

8. TYPE OF REPORT AND PERIOD COVERED

January-December 1991

9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (STREET, CITY, STATE, ZIP)

Same as item 6.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (A 200-WORD OR LESS FACTUAL SUMMARY OF MOST SIGNIFICANT INFORMATION. IF DOCUMENT INCLUDES A SIGNIFICANT BIBLIOGRAPHY OR LITERATURE SURVEY, MENTION IT HERE.)

The 23rd Supplement to Special Publication 305 contains full bibliographic citations including keywords and abstracts for National Institute of Standards and Technology (NIST) 1991 papers published and entered into the National Technical Information Service (NTIS) collection. (Also included are NBS/NIST papers published prior to 1991, but not reported in previous supplements of this annual catalog.) Four indexes are included to allow the user to identify NBS/NIST papers by personal author, keywords, title, or NTIS/order report number.

12. KEY WORDS (6 TO 12 ENTRIES; ALPHABETICAL ORDER; CAPITALIZE ONLY PROPER NAMES; AND SEPARATE KEY WORDS BY SEMICOLONS)

abstract, NBS/NIST publications; catalog, NBS/NIST publications; NBS/NIST publications; publications, NBS/NIST

13. AVAILABILITY

☒ X

UNLIMITED

☐

FOR OFFICIAL DISTRIBUTION. DO NOT RELEASE TO NATIONAL TECHNICAL INFORMATION SERVICE (NTIS).

☐

ORDER FROM SUPERINTENDENT OF DOCUMENTS, U.S. GOVERNMENT PRINTING OFFICE,
WASHINGTON, DC 20402.

☒ X

ORDER FROM NATIONAL TECHNICAL INFORMATION SERVICE (NTIS), SPRINGFIELD, VA 22161.

14. NUMBER OF PRINTED PAGES

443

15. PRICE



**ANNOUNCEMENT OF NEW PUBLICATIONS OF THE
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY**

Superintendent of Documents
Government Printing Office
Washington, DC 20402

Dear Sir:

Please add my name to the announcement list of new publications as issued by the National Institute of Standards and Technology.

Name _____

Company _____

Address _____

City _____ State _____ Zip Code _____

(Notification key N519)



***6870**

P



50

Please Type or Print (Form is aligned for typewriter use.)

Total for Publications

1. *Journal of the American Medical Association*, 1997; 278: 1039-1044.

Total for Subscriptions

Total Cost of Order

(Please type or print)

(Additional address/attention line)

(Street address)

(City, State, ZIP Code)

(Daytime phone including area code)

(Purchase Order No.)

YES NO

☐ Check Payable to the Superintendent of Documents☐ GPO Deposit Account - ☐ VISA or MasterCard Account[illegible]

(Credit card expiration date)

***Thank you for
your order!***

(Authorizing Signature)

Mail To: New Orders, Superintendent of Documents
P.O. Box 371954, Pittsburgh, PA 15250-7954



NTIS ORDER FORM



TELEPHONE ORDERS

Call (703) 487-4650

TELEX 89-9405 Telecopier (703) 321-8547 Subscriptions: (703) 487-4630

(See reverse side for RUSH and EXPRESS ordering options)

- HANDLING FEE:** A handling fee is required for each order except for Express, Rush, Subscription, QuikORDER, or Pickup orders.
- SHIPPING:**
 - U.S.:** Printed reports and microfiche copies are shipped First Class Mail or equivalent.
 - FOREIGN:** Regular service: Printed reports and microfiche copies are shipped surface mail.
Air Mail service to Canada and Mexico: add \$3 per printed report; 75¢ per microfiche copy.
Air Mail service to all other addresses: add \$6 per printed report; 75¢ per microfiche copy.
- SUBSCRIPTIONS** and standing orders are sent surface mail; contact NTIS for air mail rates.

1 Address Information

PURCHASER: _____ **DATE:** _____

Last Name _____ First Initial _____

Title _____

Company/Organization _____

Address _____

City/State/ZIP _____

Attention _____

Telephone number _____

DTIC Users Code: _____ **Contract No.** _____
Last six digits

SHIP TO (Enter ONLY if different from purchaser):

Last Name _____ First Initial _____

Title _____

Company/Organization _____

Address _____

City/State/ZIP _____

Attention _____

Telephone number _____

2 Method of Payment

☐ Charge my NTIS Deposit Account _____ ☐ Check/Money order enclosed for \$ _____

Charge my ☐ Amer. Express ☐ VISA ☐ MasterCard ☐ Please bill **ADD \$7.50 per order** (See below for restrictions)†

Account No. _____ Exp. _____

Purchase Order No. _____

Signature: _____

(Required to validate all orders)

3 Order Selection (For computer products, see reverse)

Enter NTIS order number(s) (Ordering by title only will delay your order)	Customer†† Routing (up to 8 digits)	QUANTITY		UNIT PRICE	Foreign Air Mail	TOTAL PRICE
		Printed Copy	Micro- fiche			
1.						
2.						
3.						
4.						
5.						
6.						
7.						

☐ **OVER** - Order continued on reverse

† Billing Service: This service is restricted to customers in the United States, Canada, and Mexico for an additional \$7.50 per order. A late payment charge will be applied to all billings more than 30 days overdue.

†† Customer Routing Code: NTIS can label each item for routing within your organization. If you want this service, put your routing code in this box.

SUBTOTAL From Other Side

Regular Service Handling Fee per order
(\$3 U.S., Canada, and Mexico; \$4 others)

Billing Fee if required (\$7.50)

GRAND TOTAL

UNIT 10: THE ENVIRONMENT

1. THE ENVIRONMENT

The environment is the natural world around us.

It includes the air, water, land, and living things.

We need to protect the environment.

There are many ways to do this.

1

2

3

4

5

6

7

8

9

10

3 Order Selection (Cont.)

Enter the NTIS order number(s) (Ordering by title only will delay your order)	Customer Routing	QUANTITY		UNIT PRICE	Foreign Air Mail	TOTAL PRICE
		Printed Copy	Micro- fiche			
8.						
9.						
10.						
11.						
12.						
13.						
14.						
15.						
16.						
17.						
18.						
19.						
					Subtotal	

**ENTER this amount on the
other side of this form.**



4 Computer Products

If you have questions about a particular computer product, please call our Federal Computer Products Center at (703) 487-4763.

Enter the NTIS order number(s) (Ordering by title only will delay your order)	Customer Routing	TAPE DENSITY (9 track)		TOTAL PRICE
		1600 bpi	6250 bpi	
20.				
21.				
22.				
23.				
				Subtotal

All magnetic tapes are sent air mail or equivalent service to both U.S. and foreign addresses.

**ENTER this amount on the
other side of this form.**



SPECIAL RUSH and EXPRESS ORDERING OPTIONS

Telephone: (800) 336-4700
in Virginia call
(703) 487-4700

RUSH SERVICE—Add \$10 per item: Orders are processed within 24 hours and sent First Class or equivalent. Available to U.S. addresses.

EXPRESS SERVICE—Add \$20 per item: Orders are processed within 24 hours AND delivered by overnight courier. Available to U.S. addresses only.



NIST Technical Publications

Periodical

Journal of Research of the National Institute of Standards and Technology—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

Applied Mathematics Series—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bi-monthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW., Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program as a supplement to the activities of the private sector standardizing organizations.

Consumer Information Series—Practical information, based on NIST research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

Order the **above** NIST publications from: Superintendent of Documents, Government Printing Office, Washington, DC 20402.

Order the **following** NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NIST Interagency Reports (NISTIR)—A special series of interim or final reports on work performed by NIST for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.

ADMINISTRATION & MANAGEMENT

AERONAUTICS & AERODYNAMICS

AGRICULTURE & FOOD

ASTRONOMY & ASTROPHYSICS

ATMOSPHERIC SCIENCES

BEHAVIOR & SOCIETY

BIOMEDICAL TECHNOLOGY & HUMAN FACTORS ENGINEERING

BUILDING INDUSTRY TECHNOLOGY

BUSINESS & ECONOMICS

CHEMISTRY

CIVIL ENGINEERING

COMBUSTION, ENGINES & PROPELLANTS

COMMUNICATION

COMPUTERS, CONTROL & INFORMATION THEORY

DETECTION & COUNTERMEASURES

ELECTROTECHNOLOGY

ENERGY

ENVIRONMENTAL POLLUTION & CONTROL

HEALTH CARE

INDUSTRIAL & MECHANICAL ENGINEERING

LIBRARY & INFORMATION SCIENCES

MANUFACTURING TECHNOLOGY

MATERIALS SCIENCES

MATHEMATICAL SCIENCES

MEDICINE & BIOLOGY

MILITARY SCIENCES

MISSILE TECHNOLOGY

NATURAL RESOURCES & EARTH SCIENCES

NAVIGATION, GUIDANCE & CONTROL

NUCLEAR SCIENCE & TECHNOLOGY

OCEAN TECHNOLOGY & ENGINEERING

ORDNANCE

PHOTOGRAPHY & RECORDING DEVICES

PHYSICS

PROBLEM-SOLVING INFORMATION FOR STATE & LOCAL GOVERNMENTS

SPACE TECHNOLOGY

TRANSPORTATION

URBAN & REGIONAL TECHNOLOGY & DEVELOPMENT

