Publications of the DEPARTNENT OF COMMERCE BUREAU OF STANDARDS Letter Circular LC 144

WASHINGTON, D.C.

(Revised to March 15, 1928)

PUBLICATIONS RELATING TO LIME

Physical Properties of Lime, by A. V. Bleininger, Trans. Nat'l Lime Mfgrs. Assoc., 1909, page 98, (4). Lime: Its Properties and Uses, Bureau of Standards Circular No. 30, (2), 5c. Work of the Lime Section of the U. S. Geological Survey, by A. V. Bleininger, Trans. Nat'l Lime Mfgrs. Assoc., 1910, p. 39, (4). Spreading and Setting Properties of Lime Mortar, by H.E. Ashley, Trans. Nat'l Lime Mfgrs. Assoc., 1910, p. 43, (4). Investigations of Lime, by W. E. Emley, Trans. Nat'l Lime Mfgrs. Assoc., 1910, p. 48, (4). Kiln Design, by W. E. Enley, Trans. Nat'l Lime Mfgrs. Assoc.,1910, p. 90, (4). Burning Temperature of Limestone, by A. V. Bleininger and W. E. Emley, Trans. Nat'l Lime Mfgrs. Assoc., 1911, p. 68, and Proceed. Amer. Ceramic Soc., 1911, p.618, (4). Tests of Lime, by W. E. Emley, Trans. Nat'l Lime Mfgrs. Assoc., 1911, p. 192, (4). Lime, by W. E. Emley, Proceed. Sand-Lime Brick Assoc., 1911, p. 11, (4).Heat Efficiency of Lime Kilns, by W. E. Emley, Trans. Nat'l Lime Mfgrs. Assoc., 1912, p. 95, (4). Testing Commercial Limes, by S. E. Young, Trans. Nat'l Line Mfgrs. Assoc., 1912, p. 252, (4). Quality of Limestone and Lime, by W. E.Emley, Mining and Scien. Press, Dec. 26, 1912, p. 410, (4). Quality of Lime: Lime Burning, by W. E. Emley, Mineral Resources of the United States, U. S. Geological Survey, 1911, pt. 2, p. 714, (4). Source, Manufacture and Use of Lime, by E. F. Burchard and W. E. Emley, Mineral Resources of the United States, U. S. Geological Survey, 1913, pt. 2, p. 1509, (4). Tests of Commercial Limes, by W. E. Emley, Trans. Nat'l Lime Mfgrs. Assoc., 1913, p. 77, (4). Use of Hydrated Lime in Portland Cement, by W. E. Emley and H. P. Greenwald, Trans. Nat'l Lime Mfgrs. Assoc., 1913, p. 245, (4). Preparation of Chart to Show the Decomposition of Limestone, by W. E. Emley and H. P. Greenwald, Trans. Nat'l. Lime Mfgrs. Assoc., 1913, p. 248, (4).

.

• •

.

.

. . .

Letter Circular 144 (Revised to March 15, 1928)

Crushing Strength of Lime Mortar, by W. E. Emley and S. E. Young, Traps. Nat'l Lime Mfars. Assoc., 1913, p. 254, (4). Method of Indicating the Rate of Set of Line Montar, by W. E.Emley, Irans. Amer Cor. Soc., 1914, p. 117 (4) Effect of Consistency and Amount of Sard on the Properties of Lime Mortars, by W. E. Emley, Trans. Amer. Cer. Soc., 1914, p. 151, (4). Burning of Lime During Hydration, by W. E. Emley, Trans. Nat'l.Lime Mfgrs. Assoc., 1914, p. 254, (4). Method of Testing for the Fopping of Lime, by W. E. Emley, Trans. Nat'l Lime Mfgrs. Assoc., 1914, p. 256, (4). Strength of Lime Mortar, by W. E. Emley and S. E. Young, Proceed. Amer. Soc. for Testing Mats., 1914, p. 338, (4). Eng. News, July 16, 1914, p. 157, (4), Eng. Record, July 18, 1914, p. 76, (4). Use of Lime in Portland Cement Mortar, by W. E. Emley, Trans. Nat'l Lime Mfgrs. Assoc., 1914, p. 258, (4). Kind of Package as Affecting the Rate of Carbonation of Hydrated Lime, by W. E. Emley, Trans. Nat'l. Lime Mfgrs. Assoc., 1914, p. 262, (4). Method of Measuring the Rate of Carbonation of Lime Mortar, by W.E. Emley, Trans. Nat'l. Lime Mfgrs. Assoc., 1914, p. 263, (4). Measurement of the Plasticity of Hydrated Lime, by the Compressive Method, by W. E. Emley, Trans. Nat'l. Lime Mfgrs. Assoc., 1915, p. 246, (4). Uses of Lime; Mortar, by W. E. Emley, Scien. Amer. Sup. Nov. 20, 1915, p. 332, (4). Practical Method for Comparing the Working Qualities of Hydrated Limes, by W. E. Emley, Trans. Nat'l. Lime Mfgrs. Assoc., 1916, p. 175, (4). Comparative Values of Different Kinds of Fuels for Lime Burning, by W. E. Emley, Trans. Nat'l. Lime Mfgrs. Assoc., 1916, p. 282, (4).Durability of Stucco and Plaster Construction, by R. J. Wig, J.C. Pearson, and W. E. Emley, B. of S. Technologic Paper No. 70, (2), 15¢. Properties of Cement-Lime-Sand Mortars, by W. E. Emley, Proc. Amer. Soc. for Testing Materials, 1917, p. 261, (4). Effect of Hydrated Lime on the Compressive Strength of Concrete, by W. E. Emley and S. K. Kaczorowski, Bull. No. 2, Nat'l. Lime Mfgrs. Assoc., 1917 (4). What is the Most Efficient Type of Lime Kiln, by W. E. Emley, Rock Products, Oct. 24, 1917, p. 23, (4). Tests of Clays and Limes by the Bureau of Standards Plasticimeter, by F. A. Kirkpatrick and W. B. Orange, Jour. Amer. Cer. Soc., 1918, p. 170, (4). Heat and Temperature Required to Decompose Limestone, by W. E. Emley, April 10, 1918, p. 33, (4). Producer Gas for Burning Lime, by W. E. Emley, Rock Products, Aug. 28, 1918, p. 23, (4). Compressive Strength of Cement-Lime Mortars, by F. A. Kirkpatrick and W. B. Orange, Jour. Amer. Cer. Soc., 1919, p. 44, (4). Measurement of Plasticity of Mortars and Plasters, by W. E. Emley, B. of S. Tech. Paper No. 169, (2), 10¢.

•

.

.

Letter Circular 144 (Revised to March 15, 1928)

Recommended Specifications for Quicklime and Hydrated Lime for Use in the Cooking of Rags for the Manufacture of Paper, B. of S. Cir. No. 96, (2), 5¢. Use of Lime in Construction, by W. E. Emley, Rock Products, July 3, 1920, p. 65, (4). Popping of Lime Plaster, by W. E. Emley and C. H. Bacon, Jour. Amer. Cer. Soc., 1920, p. 877, (4). Lime: Definitions and Specifications, B. of S. Circular No. 106, (2), 5¢. Recommended Specification for Limestone, Quicklime and Hydrated Lime for Use in the Manufacture of Glass, B. of S. Circular No. 118, (2), 5¢. Manufacture of Lime, by W. E. Emley, Proc. Sand-Lime Brick Assoc., 1922, p. 52, (4). Intelligent Scientific Control Essential to the Lime Industry, by W. E. Emley, Chem. and Met. Eng., Aug. 30, 1922, (4); Concrete, Oct. 1922, (4). Effect of Hydrated Lime on the Strength and Flow of Concrete, by W. E. Emley, Proc. Amer. Soc. for Testing Materials, 1922, pt. I, p. 284, (4); Rock Products, Nov. 18, 1922, (4), Proc. Nat'l. Lime Assoc., 1922, p. 57, (4). Penel Tests of Lime Plaster, by W. E. Emley and E. E. Berger, Jour. Amer. Cer. Soc., Vol. 6, pp. 1007-1010, (1923), (4). Recommended Specification for Quicklime for Use in Causticizing, B. of S. Cir. No. 143, (2), 5¢. Recommended Specification for Limestone and Quicklime for Use in the Manufacture of Sulphite Pulp, 3. of S. Cir. No. 144, (2), 5¢. Tests of Lime Block, by W. E. Emley, Proc. Nat'l. Lime Assoc., 1923, p. 96 (4). Process for Improving the Quality of Masons' Hydrated Lime, by F.C. Welch, U. S. Pat. No. 1,410,087, (4). Recommended Specifications for Quicklime and Hydrated Lime for Use in the Manufacture of Sand-Lime Brick, B. of S. Circular No. 150, (2) 5¢. Recommended Specifications for Quicklime and Hydrated Lime for Use in the Manufacture of Silica Brick, B. of S. Circular No. 153, (2), 5¢. Recommended Specification for Ceramic Whiting, B. of S. Circular No. 152, (2), 5¢. Wall Plaster: Its Ingredients, Preparation and Properties, B. of S. Circular No. 151, (2), 15¢. Consistency of Lime Pastes: and Mortars, by W. E. Emley, Proc. Amer. Soc. for Testing Materials, Part II, p. 440, 1923, (4). Sand-Lime Brick, by W. E. Emley, Proc. Building Officials Conference, 1923, (4). Recommended Specifications for Quicklime and Hydrated Lime for Use in the Absorption of Carbon Dioxide, B. of S. Circular 189, (2), 5c. Cement-Lime Mortars, by H. V. Johnson, B. of S. Technologic Paper No. 308, (2), 15¢.

.

·

•

Letter Circular 144 (Revised to March 15, 1928)

Plastering Sands, by H. V. Johnson, Rock Products, March, 1925, (4) Recommended Specifications for Quicklime and Hydrated Lime for Use in Water Purification, 3. of S. Circular No. 231, (2), 5¢. Recommended Specifications for Linestone, Quickline, Lime Powder and Hydrated Lime for Use in the Manufacture of Sugar, B. of S. Circular No. 207, (2), 56. Recommended Specification for Quicklime and Hydrated Lime for Use in the Manufacture of Calcium Arsenate, B. of S. Circular No. 203, (2), 5¢. U. S. Government Master Specification for Hydrated Lime for Structural Purposes, B. of S. Circular No. 204, (2), 5¢. U. S. Government Master Specification for Quicklime for Structural Purposes, Bureau of Standards Circular No. 201, (2), 5¢. Hydrating Lime for Bleach Manufacture, by D. F. Richardson, W. E. Emley and J. M. Porter, Chemical and Netallurgical Engineering, Vol. 32, No. 18, December, 1925, p. 936, (1), (4). Rules and Regulations for the Enforcement of the Lime-Barrel Act, Bureau of Standards Circular No. 64, (2), 5¢. Recent Work of the Lime, Gypsum and Sand-Lime Brick Section of the Bureau of Standards, Rock Products, October 31, 1925, p. 60,(4). The Effect of Certain Materials in the Finish Coat of Plaster, by J. M. Porter, Proceedings, American Society for Testing Materials, vol. I, 1926, (4). Some Properties of Gypsum-Lime Mixes, by L. E. Smith, Rock Products, Nov. 27, 1926, p. 39, (4). Work of the Bureau of Standards on Lime, Gypsum and Sand-Lime Brick, Rock Products, Jan. 8, 1927, pages 59 and 60, (4). The Analysis of Lime by a Thermochemical Method, by D. F.Richardson, Journal of Industrial and Engineering Chemistry, May, 1927, (1).Properties of Hydrated Lime Studied, Pit and Quarry, Aug. 31, 1927, p. 59, (4). Composition of Commercial Chemical Limes, by J. S. Rogers, Ind. & En₈. Chemistry, vol. 19, No. 10, Oct., 1927, p. 1157, (4). Also Rock Products, Vol. 31, No. 3, p. 60, (4). Adhesion of Plaster and Stucco to Hollow Building Tile, by J. A. Murray and H. D. Foster, American Architect, Dec. 20, 1927, p. 839, (4). Also Contract Record, Vol. 42, No. 4, p. 80, (4), and Brick and Cley Record, Vol. 72, No. 1, p. 34, (4). Manufacture of Lime, Bureau of Standards Circular No. 337, 45¢ (2). (1) Aveilable for distribution upon request by Bureau of Standards. (2) For sale by Superintendent of Documents, Government Printing Office, Weshington, D.C.

- (3) Supply exhausted. May be consulted in certain libraries listed in July 1, 1925, Supplement to Bureau of Standards Circular No. 24.
- (4) May be obtained from office of society or association by which published or publishers of journal in which article appeared.

da.