

MDH:PB  
III-8

DEPARTMENT OF COMMERCE  
BUREAU OF STANDARDS  
Washington

Letter  
Circular  
LC 271

October 28, 1929

PUBLICATIONS RELATING TO FRICTION AND LUBRICATION

Bureau of Standards publications are designated by the symbols S (Scientific Papers), T (Technologic Papers), C (Circulars), M (Miscellaneous), LC (Letter Circulars), and RP (Research Papers, superseding S and T beginning in July, 1928). Publications marked with a star are out of print, but may be consulted at the leading libraries. Bureau publications not starred may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D. C., at the prices stated (stamps not accepted), except Letter Circulars, which can be obtained free of charge from the Bureau of Standards, Washington, D. C., as long as available.

Articles by members of the Bureau Staff appearing in outside publications are also listed. These can generally be consulted in the larger technical libraries or obtained by addressing the publishers. Photostat copies may be purchased from the Engineering Societies Library, 29 West 39th Street, New York, N. Y.

The following abbreviations have been used in connection with outside publications: A.S.M.E. = American Society of Mechanical Engineers (29 West 39th Street, New York, N. Y.);



12271

APM = Applied Mechanics Division and MSP = Machine Shop Practice Division of that Society; A.S.T.M. = American Society for Testing Materials (1315 Spruce St., Philadelphia, Pa.); A.P.I. = American Petroleum Institute (250 Park Ave., New York, N. Y.); S.A.E. = Society of Automotive Engineers (29 West 39th St., New York, N. Y.).

Consecutive reference numbers have been assigned to facilitate the use of the author and subject indices which will be found at the end of this Letter Circular.

CHRONOLOGICAL LIST

| <u>Ref. No.</u> | <u>Author</u> | <u>Title and Reference</u>  |
|-----------------|---------------|---|
| <u>1910</u>     |               |   |
| 1               | Waters, C.E.  | Action of sunlight and air upon some lubricating oils. S 153.*                                  |
| 2               | " "           | Behavior of high boiling mineral oils on heating in air. S 160, 5c.                             |
| 3               | Hersey, M.D.  | Resistance, inductance and capacity of eccentric cylinders. Elect. World, vol. 56, pp. 434-436. |
| <u>1911</u>     |               |   |
| 4               | Waters, C.E.  | Effect of added fatty and other oils upon carbonization of mineral lubricating oils. T 4.*      |



| <u>Ref. No.</u> | <u>Author</u> | <u>Title and Reference</u>  |
|-----------------|---------------|---|
| 5               | Waters, C.E.  | Evaporation test for mineral lubricating and transformer oils. T 13.*         |
| 6               | -----         | <u>Testing of materials; lubricating oils and greases</u> , pp. 68-72. C 45.* |

1914

|   |                            |   |
|---|----------------------------|---|
| 7 | Smith, W.H. & Tuttle, J.B. | Iodine number of linseed and petroleum oils. T 27.*   |
| 8 | Hersey, M.D.               | Laws of lubrication of horizontal journal bearings (experimental). Jour. Wash. Acad. Sci., vol. 4, pp. 542-552. |

1915

|    |                |   |
|----|----------------|---|
| 9  | Hersey, M.D.   | On the laws of lubrication of journal bearings (mathematical). Trans. A.S.M.E., vol. 27, pp. 167-202.                         |
| 10 | Herschel, W.H. | Discussion of paper by M. D. Hersey, "On the laws of lubrication of journal bearings." Trans. A.S.M.E., vol. 27, pp. 199-200. |

1916

|    |                |  |
|----|----------------|--|
| 11 | Herschel, W.H. | The lubricating value of oils. Oil, Paint, and Drug Reporter, Apr. 17, p. 36 R.      |
| 12 | " "            | Design of a water brake. Power, July 25, p. 133; Eng. News, Aug. 24, p. 278.         |
| 13 | Buckingham, E. | Notes on the theory of efflux viscosimeters, Jour. Wash. Acad. Sci., vol. 6, p. 154. |



| <u>Ref. No.</u> | <u>Author</u>               | <u>Title and Reference</u>   |
|-----------------|-----------------------------|--|
| 14              | Herschel, W.H.              | Discussion of paper by E. Buckingham, "Notes on the theory of efflux viscosimeters." Jour. Wash. Acad. Sci., vol. 6, p. 155.   |
| 15              | Hersey, M.D.                | Theory of the torsion and rolling ball viscosimeters, and their use in determining the effect of pressure on viscosity. Jour. Wash. Acad. Sci., vol. 6, pp. 525-530. |
| 16              | Waters, C.E.                | Data on oxidation of automobile cylinder oils. T 73.*  |
| 17              | Bingham, E.C.               | An investigation of laws of plastic flow. S 278, 10c.  |
| 18              | Bearce, H.W. & Peffer, E.L. | Density and thermal expansion of American petroleum oils. T 77.*   |
| 19              | -----                       | U. S. Standard Baume hydrometer scales. C 59.*   |
| 20              | Walker, P.H.                | Some technical methods of testing miscellaneous supplies; <u>lubricating oils</u> , pp. 57-59. M 15, 15c.  |
| 21              | Herschel, W.H.              | Quantitative test for resistance of lubricating oils to emulsification. Proc. A.S.T.M., vol. 16, pt. 2, pp. 248-272.   |
| 22              | " "                         | Testing of lubricating oils. Oildom, vol. 6, Dec., p. 590.   |

1917

|    |                |   |
|----|----------------|---|
| 23 | Herschel, W.H. | The testing and standardization of lubricating oils. Oil, Paint, and Drug Reporter, vol. 91, Feb. 9, p. 14. |
|----|----------------|---|

Table of Contents

Page

Introduction 1

Chapter I 10

Chapter II 25

Chapter III 40

Chapter IV 55

Chapter V 70

Chapter VI 85

Chapter VII 100

Chapter VIII 115

Index

Index 130



| <u>Ref.</u><br><u>No.</u> | <u>Author</u>                    | <u>Title and Reference</u>   |
|---------------------------|----------------------------------|--|
| 24                        | Herschel, W.H.                   | Resistance of an oil to emulsification. T 86, 10c.   |
| 25                        | Bingham, E.C. &<br>Jackson, R.F. | Standard substances for the calibration of viscometers. S 298.*  |
| 26                        | Herschel, W.H.                   | Determination of absolute viscosity by short tube viscosimeters. T 100.*   |
| 27                        | " "                              | Determination of absolute viscosity by the Saybolt Universal and Engler viscosimeters. Proc. A.S.T.M., vol. 17, pt. 2, pp. 551-570.          |
| <u>1918</u>               |                                  |  |
| 28                        | Herschel, W.H.                   | The Standard Saybolt Universal viscosimeter. Proc. A.S.T.M., vol. 18, pt. 2, pp. 363-372.  |
| 29                        | " "                              | Discussion of paper by E. C. Bingham, "The variable pressure method for the measurement of viscosity." Proc. A.S.T.M., vol. 18, pp. 384-386. |
| <u>1919</u>               |                                  |  |
| 30                        | Herschel, W.H.                   | Standardization of the Saybolt Universal viscosimeter. T 112, 10c.   |
| 31                        | " "                              | Viscosity of gasoline. T 125.*   |
| 32                        | " "                              | A viscosimeter for gasoline. Proc. A.S.T.M., vol. 19, pt. 2, pp. 676-686.  |
| 33                        | Washburn, F.M.                   | Constant temperature still head for light oil fractionation. T 140, 5c.  |



| <u>Ref. No.</u> | <u>Author</u>                            | <u>Title and Reference</u>   |
|-----------------|--|--|
| <u>1920</u>     |  |  |
| 34              | Herschel, W.H.                           | Saybolt viscosity of blends. T 164.*   |
| 35              | Walker, P.H.                             | Slushing oils. T 176, 5c.  |
| 36              | Waters, C.E.                             | Sulfur in petroleum oils. T 177.*  |
| 37              | " "                                      | Carbonization of lubricating oils.<br>C 99, 10c.   |
| 38              | Herschel, W.H.                           | The MacMichael viscosimeter. Jour.<br>Ind. Eng. Chem., vol. 12, pp. 282-<br>286                          |
| 39              | " "                                      | The Saybolt viscosity of oil blends.<br>Chem. & Met. Eng., vol. 22, pp.<br>1109-1112.                    |
| 40              | " "                                      | Discussion of Report of Sub-Committee<br>on Emulsification. Proc. A.S.T.M.,<br>vol. 20, pp. 424-426.     |
| 41              | Wood, K. D.                              | A variable speed fan dynamometer.<br>Nat. Adv. Com. for Aeronautics,<br>Wash., D. C., Tech. Note No. 26. |
| <u>1921</u>     |  |  |
| 42              | Whittemore,<br>H.L., &<br>Petrenko, S.N. | Friction and carrying capacity of ball<br>and roller bearings. T 201, 10c.                               |
| 43              | Bingham, E.C.                            | Cutting fluids. T 204, 15c.  |
| 44              | Waters, C.E.                             | The catalytic oxidation of petroleum<br>oils. Jour. Ind. Eng. Chem., vol.<br>13, pp. 901-903.            |
| 45              | James, W.S.                              | Elements of automobile fuel economy.<br>Jour. S.A.E., vol. 8, pp. 543-562.                               |



| <u>Ref. No.</u> | <u>Author</u>                  | <u>Title and Reference</u>  |
|-----------------|--------------------------------|---|
| 46              | Herschel, W.H.<br>& Dean, E.W. | Use of MacMichael viscosimeter in testing petroleum products. Bur. Mines Report of Investigations, Serial No. 2201. |
| 47              | Buckingham, E.                 | Plastic flow through capillary tubes. Proc. A.S.T.M., vol. 21, pp. 1154-1161.                                       |
| 48              | Herschel, W.H.                 | The flow through short tubes. Trans. Am. Soc. Civil Engs., vol. 84, pp. 527-550.                                    |
| 49              | " "                            | Report of Sub-Committee V on viscosity. Proc. A.S.T.M., vol. 21, p. 362.  |

1922

|    |                                    |  |
|----|------------------------------------|--|
| 50 | Herschel, W.H.                     | Viscosity and friction. Jour. S.A.E., vol. 10, pp. 31-41, 369-372; Trans. S.A.E., vol. 17, pt. 1, pp. 282-290.   |
| 51 | " "                                | The Redwood viscometer. T 210, 10c.  |
| 52 | Wormely, P.L.<br>& Holt, W.L.      | Power losses in automobile tires. T 213, 5c.   |
| 53 | Herschel, W.H.<br>& Anderson, A.H. | Reclamation of used petroleum lubricating oils. T 223, 5c.   |
| 54 | Von Ammon, S.                      | Developing a method for testing brake linings. Jour. S.A.E., vol. 10, pp. 153-162.   |
| 55 | Herschel, W.H.                     | The change in viscosity of oils with the temperature. Jour. Ind. Eng. Chem., vol. 14, pp. 715-723.   |
| 56 | " "                                | The drainage error in the Bingham viscometer. Comparison of viscosities by the Scott viscometer and plummet method of Basseches. Jour. Opt. Soc. Am. Rev. Sci. Instruments, vol. 6, pp. 875-898. |



| <u>Ref. No.</u> | <u>Author</u>                | <u>Title and Reference</u>   |
|-----------------|------------------------------|--|
| 57              | Herschel, W.H.               | Fuel oil viscosimeters. Chem. Met. Eng., vol. 26, pp. 1175-1177.   |
| 58              | Waters, C.E.                 | Sulfur compounds and oxidation of petroleum oils. Jour. Ind. Eng. Chem., vol. 14, pp. 725-727.   |
| 59              | Hersey, M.D.                 | Note on a general method for determining properties of matter. Jour. Wash. Acad. Sci., vol. 12, pp. 167-172. (Viscosity measurement, pp. 168-169). |
| 60              | Herschel, W.H.<br>(Chairman) | Report of Sub-Committee V on viscosity. Proc. A.S.T.M., vol. 22, pp. 423-424.  |
| 61              | Bingham, E.C.                | Fluidity and plasticity. (With bibliography). New York: McGraw-Hill.   |

1923

|    |                |  |
|----|----------------|--|
| 62 | Herschel, W.H. | Testing oiliness by friction-testing machines. Chem. Met. Eng., vol. 28, pp. 302-303.                        |
| 63 | " "            | Friction testing of lubricating oils. Chem. Met. Eng., vol. 28, pp. 594-598.                                 |
| 64 | " "            | Testing lubricating oils for quality. Proc. Eng. Soc. West. Penn., vol. 38, pp. 503-514 (with bibliography). |
| 65 | Von Ammon, S.  | An investigation of heavy duty truck drive axles. Jour. S.A.E., vol. 12, pp. 517-534.                        |
| 66 | James, W.S.    | Decelerometer for testing automobile brakes. Jour. S.A.E., vol. 13, pp. 499-501.                             |





| <u>Ref. No.</u> | <u>Author</u>                | <u>Title and Reference</u>   |
|-----------------|------------------------------|--|
| 67              | Herschel, W.H.               | The improved MacMichael viscosimeter. Jour. Opt. Soc. Am. Rev. Sci. Instruments, vol. 7, pt. I, pp. 325-352.             |
| 68              | " "                          | Bath temperatures of viscosimeters of the Saybolt type. Ind. Eng. Chem., vol. 15, pp. 945-946.                           |
| 69              | Hersey, M.D.                 | Problems of lubrication research. Jour. Am. Soc. Naval Eng., vol. 35, pp. 648-674.                                       |
| 70              | " "                          | Viscosity of lubricants at high pressure and temperature. Rep. Internat. Air Congress, London, pp. 549-551.              |
| 71              | " "                          | Discussion of paper by H.A.S. Howarth "A graphical study of journal lubrication," Trans. A.S.M.E., vol. 45, pp. 439-440. |
| 72              | Herschel, W.H.<br>(Chairman) | Report of Sub-Committee XIII on organic acidity and saponification. Proc. A.S.T.M., vol. 22, pt. 1, pp. 376-377.         |
| 73              | James, W.S.                  | Service tests of lubricants in internal combustion engines. Bull. A.P.I., vol. 4, Dec. 31, 1922, pp. 132-141.            |

1924

|    |                |  |
|----|----------------|--|
| 74 | Chase, H.      | Bureau of Standards improves brake lining test apparatus. Automotive Industries, vol. 50, pp. 136-137. |
| 75 | -----          | National standard petroleum oil tables. (Supersedes C 57). C 154, 30c.                                 |
| 76 | Eisinger, J.O. | Factors affecting the rate of crankcase oil dilution. Jour. S.A.E., vol. 15, pp. 69-74.                |



| <u>Ref. No.</u> | <u>Author</u>                   | <u>Title and Reference</u>  |
|-----------------|---------------------------------|---|
| 77              | Hersey, M.D.                    | A study of the oxygen oil explosion hazard, Jour. Am. Soc. Naval Eng., vol. 36, pp. 231-243.  |
| 78              | Dickinson, H.C.                 | Heat and power research in petroleum. Oil and Gas Jour., vol. 23, Aug. 7, pp. 41, 110.  |
| 79              | Sligh, T.S., Jr.                | A practical test by oxidation to determine the stability of mineral oil. Power, vol. 60, p. 551.  |
| 80              | " "                             | An oxidation method for measuring the stability of mineral oils. Proc. A.S.T.M., vol. 24, pt. 2, pp. 964-974.   |
| 81              | " "                             | Measurement of crankcase dilution. Vacuum distillation transition method. Bull. A.P.I., vol. 5, pp. 122-126.  |
| 82              | Herschel, W.H.<br>(Chairman)    | Report of Sub-Committee V on viscosity. Proc. A.S.T.M., vol. 24, pt. 1, pp. 522-523.  |
| 83              | " "                             | Report of Sub-Committee XIII on organic acidity and saponification. Proc. A.S.T.M., vol. 24, pp. 543-544. (See also vol. 28, p. 436).                           |
| 84              | Herschel, W.H. &<br>Bulkley, R. | Consistency of rubber-benzene solutions. Ind. Eng. Chem., vol. 16, p. 927.  |
| 85              | -----                           | Report of Committee on Viscosity Standards (Cooperative investigation, A.P.I. and U. S. Bur. Standards). Am. Petrol. Inst., 250 Park Ave., New York City.       |
| 86              | Hersey, M.D. &<br>Wetzel, H.E.  | Mine car friction as influenced by wheel diameter and other variables. (U. S. Bur. Mines cooperative investigation). Bull. 13, Carnegie Inst., Tech., Pgh., Pa. |



| <u>Ref. No.</u> | <u>Author</u>                | <u>Title and Reference</u>   |
|-----------------|------------------------------|--|
| 87              | Hersey, M.D.                 | Discussion of paper by L. N. Linsley, "An investigation of the critical bearing pressures causing rupture in lubricating oil films." Trans. A.S.M.E., vol. 46, p. 879. |
| <u>1925</u>     |                              |  |
| 88              | Sligh, T.S., Jr.             | Vacuum distillation transition method. Oil and Gas Jour., vol. 23, Jan. 8, pp. 126-128.  |
| 89              | " "                          | Contamination of crankcase oils in service. Oil and Gas Jour., vol. 23, May 14, pp. 151-162.   |
| 90              | " "                          | Crankcase dilution measurement. Oil and Gas Jour., vol. 23, May 21, p. 127.  |
| 91              | " "                          | Oxidation important in lubrication. Oil and Gas Jour., vol. 24, June 4, pp. 125-135.   |
| 92              | " "                          | Measuring the percentage of crankcase dilution. Jour. S.A.E., vol. 16, pp. 355-360; LC 200.  |
| 93              | -----                        | Note on flask failures in the oxidation test. LC 175.  |
| 94              | -----                        | Abridged volume correction table for petroleum oils. (Supplement to B. S. Circular C 154). 5c.   |
| 95              | Marvin, C.F., Jr.            | A machine for comparing the lubricating properties of oils at high pressures. Jour. S.A.E., vol. 17, pp. 287-289.  |
| 96              | Herschel, W.H. & Bulkley, R. | The Ostwald viscometer as a consistometer. J. Phys. Chem., vol. 29, pp. 1217-1223.   |



| <u>Ref. No.</u> | <u>Author</u>  | <u>Title and Reference</u>   |
|-----------------|--|--|
| 97              | Griffin, H.K.  | Density of a lubricating oil at temperatures from -40° to +20°C. Ind. Eng. Chem., vol. 17, pp. 1157-1160.  |
| 98              | -----  | Motor lubricating oils. LC 170.  |
| 99              | -----  | Research associates at the Bureau of Standards. C 296, 10c.  |
| 100             | Hersey, M.D.,<br>Golden, P.L.,<br>Shore, H., &<br>Downes, M.S. | Mine car friction with six types of trucks. (U. S. Bureau of Mines cooperative investigation). Bull. 20, Carnegie Institute of Technology, Pgh., Pa.         |
| <u>1926</u>     |  |  |
| 101             | Dickinson, H.C.  | Government purchase of lubricants on a quality basis. Bull. A.P.I., vol. 7, pp. 136-142.   |
| 102             | Herschel, W.H.   | Chapter on <u>consistency</u> in Jerome Alexander's compilation, "Colloid Chemistry," vol. 1, pp. 727-737, New York: Chemical Catalog Co.                    |
| 103             | Kanolt, C.W.   | Nonflammable liquids for cryostats (V. <u>Measurement of viscosity</u> , pp. 627-631). B. S. Sci. Papers, vol. 20, pp. 619-633; S 520, 10c.                  |
| 104             | McKee, S.A.  | The effect of the addition of kerosene on the oiliness of lubricating oils. Jour. S.A.E., vol. 19, pp. 356-360; Trans. S.A.E., vol. 21, pt. II, pp. 248-261. |
| 105             | Sparrow, S.W. &<br>Eisinger, J.O.                              | Lubrication data from Cooperative Fuel Research. Ind. Eng. Chem., vol. 18, pp. 482-485.  |
| 106             | Hersey, M.D.   | Lubricants. Proc. Railway Club of Pgh., vol. 25, pp. 174-183.  |





| <u>Ref. No.</u> | <u>Author</u>                | <u>Title and Reference</u>   |
|-----------------|------------------------------|--|
| 107             | Herschel, W.H.               | Viscosity and temperature changes. Oil and Gas Jour., vol. 25, Dec. 2, pp. 146, 150, 176, 178, 182, 184.   |
| 108             | Herschel, W.H. & Bulkley, R. | Measurement of consistency as applied to rubber-benzene solutions. Proc. A.S.T.M., vol. 26, pt. 2, pp. 621-633. (Published in full as "Konsistenzmessungen von Gummi-Benzol-lösungen," Kolloid Zeit., vol. 39, pp. 291-300). |
| 109             | Herschel, W.H.               | Technical efflux viscometers; interpolation and interconversion of readings. International Critical Tables, vol. 1, pp. 32-33. New York: McGraw-Hill.  |
| 110             | -----                        | General policy of the Bureau of Standards with regard to testing. LC 209.  |
| <u>1927</u>     |                              |  |
| 111             | -----                        | Directory of commercial testing and college research laboratories. M 90, 15c.  |
| 112             | Herschel, W.H. & Bulkley, R. | Calibration of the buret consistometer. Ind. Eng. Chem., vol. 19, pp. 134-139.   |
| 113             | McKee, S.A.                  | Performance characteristics of journal bearings when an abrasive is in the lubricant. Jour. S.A.E., vol. 20, Sect. 1, pp. 3-6; Trans. S.A.E., vol. 22, pt. I, pp. 73-77.   |
| 114             | Allen, H.H.                  | Frictional properties of brake linings. Jour. S.A.E., vol. 20, pp. 77-82.  |



| <u>Ref. No.</u> | <u>Author</u>  | <u>Title and Reference</u>  |
|-----------------|--|---|
| 115             | Sparrow, S.W. & Thorne, M.A.   | Friction of aviation engines. Report No. 262, Nat. Adv. Com. for Aeronautics, Washington, D. C.   |
| 116             | Herschel, W.H.   | Conditions of flow into the vertical capillary tube of the Saybolt thermoviscosimeter. Ind. Eng. Chem., vol. 19, pp. 837-840.                             |
| 117             | " "  | Discussion of paper by C. Terzaghi, "The methods and possibilities of road-soil investigations." Proc. 6th An. Meet. Highway Research Board, pp. 413-416. |
| 118             | Shepherd, M. & Ledig, P.G.   | Rubber stopcock lubricants. Ind. Eng. Chem., vol. 19, pp. 1059-1061.  |
| 119             | McKee, S.A.  | The effect of running in on journal bearing performance. Mech. Eng., vol. 49, pp. 1335-1340; vol. 50, pp. 528-533.  |
| 120             | French, H.J.,<br>Rosenberg, L.J.,<br>Harbaugh,<br>W.LeC.,<br>Cross, H.C. | Wear and mechanical properties of rail-road bearing bronzes at different temperatures. Bur. Stds. Jour. Research, vol. 1, pp. 343-421; RP 13, 35c.        |
| 121             | French, H.J.   | Wear testing of metals. Proc. A.S.T.M., vol. 27, pt. 2, pp. 212-234.  |
| 122             | Herschel, W.H.<br>(Chairman)   | Report of Sub-Committee I on petroleum. Proc. A.S.T.M., vol. 27, pt. 1, pp. 448-449.  |

1928

|     |                            |   |
|-----|----------------------------|---|
| 123 | Hersey, M.D.<br>(Chairman) | Progress in lubrication research (with bibliography). Report of A.S.M.E. Special Research Committee on Lubrication. Trans. A.S.M.E. APM-50-4; Mech. Eng., vol. 50, pp. 682-683. |
|-----|----------------------------|---|



| <u>Ref. No.</u> | <u>Author</u>             | <u>Title and Reference</u>  |
|-----------------|---------------------------|---|
| 124             | Hersey, M.D. & Shore, H.  | Viscosity of lubricants under pressure. Mech. Eng., vol. 50, pp. 221-232.   |
| 125             | Hersey, M.D.              | Work of the Bureau of Standards on friction and lubrication. U. S. Daily, June 14, p. 11; Mech. Eng., vol. 50, p. 594.  |
| 126             | French, H.J.              | Wear and mechanical tests of some railroad bearing bronzes. Proc. A.S.T.M., vol. 28, pt. 2, pp. 298-325, 348-355.   |
| 127             | Du Bois, R.N.             | Lubrication of aircraft engines. (Discussion of paper by Wilkin, Oak and Barnard, "Motor oil characteristics and performance at low temperatures." Jour. S.A.E., vol. 23, pp. 381-382). |
| 128             | Herschel, W.H.            | Discussion of paper by Wilson, R.E., and Barnard, D.P., 4th, "The Significance of various tests applied to motor oils." Proc. A.S.T.M., vol. 28, pp. 687-688.                           |
| 129             | Herschel, W.H. (Chairman) | Report of Sub-Committee I on petrolatum. Proc. A.S.T.M., vol. 28, pt. 1, pp. 442-444.   |

1929

|     |                           |  |
|-----|---------------------------|--|
| 130 | McKee, S.A. & McKee, T.R. | Friction of journal bearings as influenced by clearance and length. Trans. A.S.M.E. APM-51-15, pp. 161-171; Mech. Eng., vol. 51, p. 593.   |
| 131 | Hersey, M.D. (Chairman)   | Cooling and lubrication of cutting tools (with bibliography). Prog. Rep. No. 1 of Sub-Comm. on Cutting Fluids, A.S.M.E. Spec. Res. Com. on Cutting of Metals. Trans. A.S.M.E. MSP-51-8, pp. 47-58. |



| <u>Ref. No.</u> | <u>Author</u>                | <u>Title and Reference</u>   |
|-----------------|------------------------------|--|
| 132             | Keulegan, G.H.               | Damping liquids for aircraft instruments. Nat. Adv. Com. for Aeronautics, Wash., D. C., Report No. 299.  |
| 133             | French, H.J. & Staples, E.M. | Bearing bronzes with and without zinc. Bur. Stds. Jour. Research, vol. 2, pp. 1017-1038; RP 68, 15c.   |
| 134             | Hersey, M.D.                 | Fundamental action of lubricants. Am. Machinist, vol. 70, June 13 and 20, pp. 919, 975.  |
| 135             | " "                          | Viscosity of Diesel engine fuel oil under pressure. Nat. Adv. Com. for Aeronautics, Wash., D. C., Tech. Note No. 315.  |
| 136             | -----                        | Fundamental research on lubrication. Bur. Standards Technical News Bull. No. 148, August, pp. 73-76; Jour. Franklin Inst., vol. 208, Sept., pp. 422-426.   |
| 137             | Hersey, M.D.                 | Effect of small changes in temperature on the properties of bodies. Bur. Stds. Jour. Research, (In press).   |
| 138             | " "                          | Some lubrication developments. Trans. A.S.M.E. MSP vol. 51, No. 3.   |
| 139             | McKee, S.A.                  | Progress on efficiency tests of electric street car trucks. Proc. Am. Elect. Ry. Eng. Assoc. (In press).   |
| 140             | " "                          | Present practice in the use of cutting fluids. Prog. Rep. No. 2 of Sub-Com. on Cutting Fluids, A.S.M.E. Sp. Res. Com. on Cutting of Metals. Preprint for presentation at Annual Meeting, 29 W. 39th St., New York, N. Y. |
| 141             | Herschel, W.H.               | Multiple bulb consistometer. Jour. of Rheology, vol. 1, Oct., pp. 68-75.   |





Author Index

The numbers following the names of the authors are the same as the reference numbers in the first column of the preceding chronological list.

A

Allen, H.H. 114  
Anderson, A.H. 53

B

Bearce, H.W. 18  
Bingham, E.C. 17, 25, 43, 61  
Buckingham, E. 13, 47  
Bulkley, R. 84, 96, 108,  
112

C

Chase, H. 74  
Cross, H.C. 120

D

Dean, E.W. 46  
Dickinson, H.C. 78, 101  
Downes, M.S. 100  
Du Bois, R.N. 127

E

Eisinger, J.O. 76, 105

F

French, H.J. 120, 121, 126,  
133

G

Golden, P.L. 100  
Griffin, H.K. 97

H

Harbaugh, W. LeC. 120  
Herschel, W.H. 10, 11, 12,  
14, 21, 22, 23, 24, 26, 27,  
28, 29, 30, 31, 32, 34, 38,  
39, 40, 46, 48, 49, 50, 51,  
53, 55, 56, 57, 60, 62, 63,  
64, 67, 68, 72, 82, 83, 84,  
96, 102, 107, 108, 109, 112,  
116, 117, 122, 128, 129, 141  
Hersey, M.D. 3, 8, 9, 15, 59,  
69, 70, 71, 77, 86, 87, 100,  
106, 123, 124, 125, 131,  
134, 135, 137, 138



H

Holt, W.L. 52

J

Jackson, R.F. 25

James, W.S. 45, 66, 73

K

Kanolt, C.W. 103

Keulegan, G.H. 132

L

Ledig, P.G. 118

M

Marvin, C.F., Jr. 95

McKee, S.A. 104, 113, 119,  
130, 139, 140

McKee, T.R. 130

P

Peffer, E.L. 18

Petrenko, S.N. 42

R

Rosenberg, L.J. 120

S

Shepherd, M. 118

Shore, H. 100, 124

Sligh, T.S., Jr. 79, 80,  
81, 88, 89, 90, 91, 92

Smith, W.H. 7

Sparrow, S.W. 105, 115

Staples, E.M. 133

T

Thorne, M.A. 115

Tuttle, J.B. 7

V

Von Ammon, S. 54, 65

W

Walker, P.H. 20, 35

Washburn, F.M. 33

Waters, C.E. 1, 2, 4, 5,  
16, 36, 37, 44, 58

Wetzel, H.E. 86

Whittemore, H.L. 42

Wood, K.D. 41

Wormely, P.L. 52



Subject Index

- Automotive friction losses: 45 - 52 - 115
- Automotive lubrication: 73 - 89 - 98 - 105 - 127
- Ball and roller bearings: 42 - 86 - 100
- Bearing alloys: See "Wear" and "Oiliness."
- Bibliographies: 42 - 61 - 64 - 86 - 100 - 102 - 123 - 131 -  
136 - 138
- Brakes and brake linings: 54 - 66 - 74 - 114
- Carbonization and evaporation of oils: 4 - 5 - 37
- Committee Reports: 40 - 49 - 60 - 72 - 82 - 83 - 85 - 122 -  
123 - 129 - 131
- Consistency: See "Plasticity."
- Consistometers: 61 - 84 - 96 - 102 - 108 - 112 - 141
- Cutting fluids: 43 - 95 - 131 - 140
- Density (including thermal expansion): 18 - 19 - 75 - 94 -  
97
- Dilution: 76 - 81 - 90 - 92 - 105
- Dimensional analysis of lubrication: 8 - 9 - 69 - 104 -  
106 - 113 - 119 - 130
- Dynamometers: 12 - 41 - 139
- Effect of pressure on viscosity: 15 - 69 - 70 - 123 - 124 -  
134 - 135
- Effect of temperature on viscosity: 55 - 107 - 134
- Emulsification of oils: 21 - 24 - 40
- Friction (general): 50 - 63 - 86 - 100 - 125 - 136
- Gear testing: 65 - 125 - 139
- Journal bearings: 3 - 8 - 9 - 10 - 71 - 87 - 104 - 113 -  
119 - 130 - 134 - 137



- Low temperature tests: 97 - 103 - 127 - 132
- Lubricants (general): 11 - 106 - 118 - 122 - 129 - 134
- Lubrication (general): 50 - 69 - 78 - 105 - 134 - 138
- Mathematical theory: 3 - 8 - 9 - 10 - 15 - 59 - 71 - 138
- Miscellaneous: 33 - 35 - 132 - 137
- Oiliness: 10 - 50 - 62 - 69 - 95 - 104 - 123 - 124 - 128 -  
134
- Oxidation of oils: 1 - 2 - 7 - 16 - 44 - 58 - 77 - 79 - 80 -  
91 - 93
- Plasticity: 17 - 47 - 61 - 84 - 96 - 102 - 108 - 112 -  
117 - 122 - 129 - 141
- Rerefining (reclamation) of used oils: 53
- Research (general): 69 - 78 - 99 - 105 - 106 - 123 - 125 -  
134 - 136 - 138
- Rolling friction: 52 - 86 - 100
- Specific gravity: See "Density."
- Standardization of viscometers: 25 - 28 - 30 - 85 - 109 -
- Sulphur in oils: 36 - 58
- Testing of lubricants: 6 - 20 - 22 - 23 - 63 - 64 - 72 -  
73 - 83 - 88 - 101 - 110 - 111 - 128
- Viscometers (general): 13 - 14 - 15 - 26 - 27 - 28 - 29 -  
30 - 32 - 38 - 46 - 48 - 51 - 56 - 57 - 67 - 68 - 96 -  
109 - 116
- Viscosity (general): 26 - 27 - 31 - 34 - 39 - 49 - 50 - 59 -  
60 - 82 - 103 - 132
- Wear: 120 - 121 - 126 - 133
- ZN/P: See "Dimensional Analysis."







