FWS: JHMc V-2

DEPARTMENT OF COMMERCE BUREAU OF STANDARDS WASHINGTON, D. C.

Letter Circular LC 341

August 1, 1932. Tablington Tead of lotunidar

DRAINPEPE CLEANERS OR SOLVENTS

This letter circular has been prepared as a result of the numerous requests received by the Bureau of Standards for general information regarding various drainpipe cleaners or solvents.

For the removal of grease, as in kitchen sink drains, a water solution of concentrated lye (sodium hydroxide or caustic soda) is in general use. Potassium hydroxide, commonly known as caustic potash, would probably be more satisfactory from a cleansing standpoint, since the potash soap that is formed from the grease is a soft soap that is readily dissolved and washed away. This material, however, is more difficult to obtain. While soda soap is not as soluble as potash soap it is, nevertheless, soluble in water and can be removed in time by flushing with hot water. This latter preparation is also less expensive. There are drainpipe cleaners on the market consisting of a mixture of caustic soda (lye) and a small amount of aluminum turnings or chips.

It is probable that most, if not all, drainpipe cleaners will attack some of the metals or parts used in household plumbing especially galvanized coatings, aluminum, glazed earthenware, porcelain, and enameled iron. However, if such products are used with care, followed by copious flushing with water, it is believed that the life of the plumbing will not be materially shortened. Care should also be taken to avoid spilling these cleaners on floor coverings, or the clothing. If this occurs the surfaces should be treated at once with a mixture of vinegar and water followed by a thorough rinsing with water. It is our understanding that the labels on drainpipe solvents contain precautionary statements under such captions as "Caution" and "Poison".

In the presence of water, caustic soda and aluminum react vigorously resulting in the formation of hydrogen gas.

William Control of the

The profession of the second s State of the state

6-201 ·

Construction of the first standard of the standar

It may be that this stirring or agitating effect of the gas combined with the heat generated by such reaction, facilitate the removal of waste matter lodged in drainpipes. It would seem, therefore, that such mixtures should be carefully guarded, since any water splashed into an open can of the material or any moisture absorbed by it from the atmosphere will cause the reaction before mentioned, to an extent depending upon the amounts of water, caustic soda and aluminum. Should a can that has become wetted or that has stood open and absorbed moisture be subsequently closed tightly, sufficient pressure might be developed in some cases to cause the can to "blow up". If this should occur it might result in damage to household goods and injury to persons close by. However, we have not been informed of a case of damage or injury from the use of such products.

The Bureau of Standards has not investigated the various drainpipe cleaners or solvents that may be on the market. We are, therefore, not in a position to furnish formulas, or data based on experimental work as to the efficiency of such products or their 'action on plumbing fixtures, piping, etc.

Information regarding the possible application of the Federal Caustic Poison Act to the sale of drain cleaners may be obtained by addressing the Food and Drug Administration, U. S. Department of Agriculture, Washington, D. C.

The second secon to the second of the second o



