HGB: OS

Publications of the DEPARTMENT OF COMMERCE BUREAU OF STANDARDS WASHINGTON Letter
Circular
LC 59 Revised

(November 15, 1923)

PAINTS, VARNISH, ETC.

(The publications not starred may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D. C., at the prices stated. Those marked with a star are out of print, but may be consulted at leading libraries.)

Technologic Papers

Number		Title	Price
T	9	The desnity and thermal expansion of linseed oil and turpentine (1912)	10%
:# I	37	Iodine number of linseed and petroleum oils (1914)	10¢
1	65	Determination of oil and resin in varnish (1916)	101
1	66	Detection of resin in drier (1916)	5⊄
*1	71	Effect of certain pigments on linseed oil (1916)	5⊄
3	76	Determination of volatile thinner in oil varnish (1916)	52
I	176	Slushing oils (1920)	5 2
1	232	Shellac (1923)	5⊄
		Circulars	
Number		Title	Price
C	69	Paint and varnish	15⊄
C	70	Materials for the household	25⊄
C	82	Specification for linseed oilRaw, refined, and boiled	5⊄
C	84	Specification for basic carbonate white lead, dry and paste	5 <i>t</i>

e de la companya de l

in the second se

And the second s

Number	Title	Price
C 85	Specification for basic sulphate white lead, dry and paste .	52
C 86	Specification for turpentine	5⊄
C 87	Specification for zinc oxide, dry and paste	5¢
C 88	Specification for leaded zinc, dry and paste	52
C 89	Specification for white paint and tinted paints made on a white base, semipaste and ready mixed	5⊄
C 90	Specification for red lead, dry and paste	5⊄
C 91	Specification for ocher, dry and paste	5⊄
C 93	Specification for iron-oxide and iron-hydroxide paints	5⊄
C 94	Specification for black paint, semipaste and ready mixed	5⊄
C 97	Specification for green paint, semipaste and ready mixed	5⊄
C 98	Specification for volatile mineral spirits for thinning paints	5⊄
C 102	Specification for composite vehicle for thinning semipaste paints when the use of straight linseed oil is not justified	5¢
C 103	Specification for spar varnish	5⊄
C 104	Specification for asphalt varnish	5⊄
C 105	Specification for liquid paint drier	5⊄
C 111	Specification for flat interior lithopone paint, white and light tints	5 ₺
C 117	Specification for interior varnish	5⊄
C 146	Specification for water resisting red enamel	5⊄
C 147	Specification for gloss interior lithopone paint, white and light tints	5⊄
	Miscellaneous Publications	
Number	Title	Price
M 15	Some technical methods of testing miscellaneous supplies, including paints and paint materials, inks, lubricating oils, soaps, etc	151

- v 2 v v v

.

.3

\$.

1 × 1 = 2 × 2



