

(June 28, 1927)

PAINTS, VARNISH, ETC.

(The publications not starred may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D.C., at the prices stated (stamps not accepted). Those marked with a star are out of print, but may be consulted at leading libraries.)

Technologic Papers

Number	Title	Price
T 9	The density and thermal expansion of linseed oil and turpentine (1912)	10¢
*T 37	Iodine number of linseed and petroleum oils (1914)	10¢
T 65	Determination of oil and resin in varnish (1916) .	10¢
T 66	Detection of resin in drier (1913)	5¢
*T 71	Effect of certain pigments on linseed oil (1916) .	5¢
T 76	Determination of volatile thinner in oil varnish (1916)	5¢
T 176	Slushing oils (1920)	5¢
T 232	Shellac (1923)	5¢
T 254	Emissive tests of paints for decreasing or increasing heat radiation from surfaces	5¢
T 274	Use of United States Government specification paints and paint materials	10¢
T 306	A photometric method for measuring the hiding power of paints	10¢

Circulars

Number	Title	Price
C 69	Paint and varnish	15¢
C 70	Materials for the household	25¢
C 82	Specification for oil, linseed, raw	5¢
C 84	Specification for basic carbonate white lead, dry and paste	5¢
C 85	Specification for basic sulphate white lead, dry and paste	5¢
C 86	Specification for turpentine (gum spirits of, and steam-distilled wood turpentine)	5¢
C 87	Specification for zinc oxide, dry and paste	5¢
C 88	Specification for leaded zinc, dry and paste	5¢
C 89	Specification for white paint and tinted paints made on a white base, semipaste and ready-mixed	5¢
C 90	Specification for red lead, dry and paste	5¢
C 91	Specification for ocher, dry and paste	5¢
C 93	Specification for iron-oxide and iron-hydroxide paint	5¢
C 94	Specification for black paint, semipaste and ready-mixed	5¢
C 97	Specification for green paint, semipaste and ready-mixed	5¢
C 98	Specification for volatile mineral spirits for thinning paints	5¢
C 102	Specification for composite vehicle for thinning semipaste paints when the use of straight lin- seed oil is not justified	5¢

Circulars continued

Number	Title	Price
C 103	Specification for spar varnish	5¢
C 104	Specification for asphalt varnish	5¢
C 105	Specification for liquid paint drier	5¢
C 111	Specification for interior lithopone paint, white and light tints	5¢
C 117	Specification for interior varnish	5¢
C 146	Specification for water-resisting red enamel	5¢
C 147	Specification for gloss interior lithopone paint, white and light tints	5¢
C 163	Specification for titanium pigment, dry and paste	5¢
C 165	Specification for olive drab paint	5¢
C 200	Specification for heavy rust-preventive compound	5¢
C 214	Specification for medium and light rust-preventive compounds	5¢
C 215	Specification for outside white titanium-zinc paint, semipaste and ready-mixed	5¢
C 216	Specification for putty	5¢
C 302	Specification for shellac, flake orange	5¢
C 303	Specification for shellac varnish	5¢
C 330	Specification for oil, linseed, boiled	5¢
C 331	Specification for chrome yellow (lemon, medium and orange; dry, paste in oil, and paste in japan)	5¢

Miscellaneous Publications

Number	Title	Price
M 15	Some technical methods of testing miscellaneous supplies, including paints and paint materials, inks, lubricating oils, soaps, etc.	15¢

