



JWMCB:rk1
10.1

U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
WASHINGTON 25, D. C.
(April 14, 1950)

Letter
Circular
LC 983
(Supersedes
LC 909)

MASONRY, MASONRY UNITS, AND MORTAR

Publications by Members of the Staff of the National Bureau of Standards, together with a list of Federal Specifications.

CONTENTS

Page

Part I	-Scientific Papers (S)	2
Part II	-Technologic Papers (T)	3
Part III	-Research Papers (RP)	4
Part IV	-Circulars (C)	8
Part V	-Letter Circulars (LC)	8
Part VI	-Building Materials and Structures (BMS)	9
Part VII	-Miscellaneous Publications (M)	12
Part VIII	-Simplified Practice Recommendations (R)	12
Part IX	-Federal Specifications (FS)	12
Part X	-Outside Publications	14

GENERAL INFORMATION

Some of the publications in this list have appeared in the regular series of publications of the Bureau and others in various scientific and technical journals. Unless specifically stated, papers are not obtainable from the National Bureau of Standards.

Where the price is stated, the publication may be purchased from the Superintendent of Documents by remitting either coupons obtainable from him in sets of 20 for \$1.00 and good until used, or check or money order made payable to the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Letter Circulars are obtainable, without charge, from the Bureau.

Publications marked "OP" are out of print, but, in general, may be consulted at technical libraries.

For papers in other scientific or technical journals, the name of the journal or of the organization publishing the article is given in abbreviated form with the volume number (underscored), page, and year of publication, in the order named.

Serial letters are used to designate the several series of Bureau publications:

- S = "Scientific Paper." S1 to S329 are "Reprints" from the "Bulletin of the Bureau of Standards." S330 to S572 were published as "Scientific Papers of the Bureau of Standards." This series was superseded by the "Bureau of Standards Journal of Research" in 1928.
- T = "Technologic Paper." T1 to T370. This series was superseded by the "Bureau of Standards Journal of Research" in 1928.
- RP = "Research Paper." These are reprints of articles appearing in the "Bureau of Standards Journal of Research" and the "Journal of Research of the National Bureau of Standards," the latter being the title of this periodical since July 1934 (volume 13, number 1).
- C = "Circular."
- LC = "Letter Circular."
- BMS = "Building Materials and Structures" publication.
- M = "Miscellaneous Publications."
- R = "Simplified Practice Recommendation."
- FS = "Federal Specifications."

A complete list of publications of the National Bureau of Standards, designated as Circular 460, may be procured from the Superintendent of Documents, Government Printing Office, Washington 25, D. C., for 75 cents. Announcement of the release of new Bureau publications is made each month in the Technical News Bulletin, obtainable by subscription from the Superintendent of Documents, for \$1.00 a year in the United States, Canada, Cuba, Mexico, Newfoundland, and Republic of Panama; in other countries for \$1.35 a year.

PART I - SCIENTIFIC PAPERS

	<u>Series</u>	<u>Price</u>
Transmission and absorption of sound by some building materials. E. A. Eckhardt and V. L. Chrisler. Sci. Pap. BS <u>21</u> , 37 (1926-27).	S526	OP
Transmission of sound through building materials. V. L. Chrisler. Sci. Pap. BS <u>22</u> , 227 (1927-28).	S552	OP

PART II - TECHNOLOGIC PAPERS

	<u>Series</u>	<u>Price</u>
The effect of overfiring upon the structure of clays. A. V. Bleininger and E. T. Montgomery. Tech. Pap. BS <u>3</u> , (1913)	T22	OP
Durability of stucco and plaster construction. R. J. Wig, J. C. Pearson and W. E. Emley. Tech. Pap. BS <u>7</u> , (1916-17).	T70	OP
Manufacture and properties of sand-lime brick. W. E. Emley. Tech. Pap. BS <u>9</u> , (1916-17)	T85	OP
Compressive strength of large brick piers. J. C. Bragg. Tech. Pap. BS <u>11</u> , (1918-19).	T111	OP
Tests of hollow building tiles. B. D. Hathcock and E. Skillman. Tech. Pap. BS <u>11</u> , (1919).	T120	OP
Physical and chemical tests of the commercial marbles of the United States. D. W. Kessler. Tech. Pap. BS <u>12</u> , (1919).	T123	OP
Heat insulating properties of building materials. W. A. Hull. Tech. Pap. BS <u>12</u> , (1919).	T130	OP
Measurement of plasticity of mortars and plasters. W. E. Emley. Tech. Pap. BS <u>13</u> , (1919).	T169	OP
Fire tests of building columns. S. H. Ingberg, H. K. Griffin, W. C. Robinson, and R. E. Wilson. Tech. Pap. BS <u>15</u> , (1921).	T184	75¢
Tests of a hollow tile and concrete floor slab reinforced in two directions. W. A. Slater, A. Hagener, and G. P. Anthos. Tech. Pap. BS <u>16</u> , 727 (1921-22).	T220	25¢
Loading tests of a hollow tile and reinforced concrete floor of Arlington Building, Washington, D. C. L. J. Larson and S. N. Petrenko. Tech. Pap. BS <u>17</u> , 405 (1922-24).	T236	OP
Some compressive tests of hollow tile walls. H. L. Whittemore and B. D. Hathcock. Tech. Pap. BS <u>17</u> , 513 (1922-24).	T238	OP
Exposure tests on colorless waterproofing materials. D. W. Kessler. Tech. Pap. BS <u>18</u> , 1 (1924-25).	T248	OP
Equalizer apparatus for transverse tests of bricks. H. L. Whittemore. Tech. Pap. BS <u>18</u> , 107 (1924-25).	T251	OP
Fire resistance of concrete columns. W. A. Hull and S. H. Ingberg. Tech. Pap. B.S. <u>18</u> , (1924-25).	T272	25¢

PART II - TECHNOLOGIC PAPERS (Continued)

	<u>Series</u>	<u>Price</u>
Compressive strength of sand-lime brick walls. H. L. Whittemore and A. H. Stang. Tech. Pap. BS <u>19</u> , 57 (1924-25).	T276	OP
Tests of hollow tile and concrete slabs reinforced in one direction. D. E. Parsons and A. H. Stang. Tech. Pap. BS <u>19</u> , 465 (1924-25).	T291	OP
Permeability of stone. D. W. Kessler, Tech. Pap. BS <u>20</u> , 155 (1925-26).	T305	10¢
Durability of cement drain tile and concrete in alkali soils; fourth progress report (1923). G. M. Williams and I. Furlong. Tech. Pap. BS <u>20</u> , 191 (1925-26).	T307	OP
Cement-lime mortars (with bibliography). H. V. Johnson. Tech. Pap. BS <u>20</u> , 241 (1925-26).	T308	OP
Compressive and transverse strength of hollow-tile walls. A. H. Stang, D. E. Parsons, and H. M. Foster. Tech. Pap. BS <u>20</u> , 317 (1925-26).	T311	15¢
A portable apparatus for transverse tests of brick. A. H. Stang. Tech. Pap. BS <u>21</u> , 347 (1925-26).	T341	OP
Physical properties of the principal commercial lime- stones used for building construction in the United States. D. W. Kessler and W. H. Sligh. Tech. Pap. BS <u>21</u> , 497 (1926-27).	T349	OP
A study of problems relating to the maintenance of interior marble. D. W. Kessler, Tech. Pap. BS <u>21</u> , 591 (1926-27).	T350	OP
Strength of interlocking-rib tile walls. A. H. Stang, D. E. Parsons, and A. B. McDaniel. Tech. Pap. BS <u>22</u> , 389 (1927-28).	T366	OP
Cause and prevention of kiln and dry-house scum and of efflorescence on face-brick walls. L. A. Palmer. Tech. Pap. BS <u>22</u> , 579 (1927-28).	T370	OP

PART III - RESEARCH PAPERS

	<u>Series</u>	<u>Price</u>
Studies of machines for extruding clay columns. Augers, spacers and dies for brick machines. Paul C. Grunwell. BS J. Research <u>1</u> , 1023 (1928).	RP36	OP
Fire resistance of hollow load-bearing wall tile. S. H. Ingberg and H. D. Foster. BS J. Research <u>2</u> , 1 (1929).	RP37	OP
Transmission of sound through wall and floor struc- tures. V. L. Chrisler and W. F. Snyder. BS J. Research <u>2</u> , 541 (1929).	RP48	OP

PART III - RESEARCH PAPERS (Continued)

	<u>Series</u>	<u>Price</u>
The compressive and transverse strength of brick. J. W. McBurney. BS J. Research <u>2</u> , 821 (1929).	RP59	OP
Some absorption properties of clay bricks. L. A. Palmer. BS J. Research <u>3</u> , 105 (1929).	RP88	OP
Compressive strength of clay brick walls. A. H. Stang, D. E. Parsons, and J. W. McBurney. BS J. Research <u>3</u> , 507 (1929).	RP108	OP
Tests of composite beams and slabs of hollow tile and concrete. D. E. Parsons and A. H. Stang. BS J. Research <u>4</u> , 815 (1930).	RP181	15¢
Methods of measuring strains between glazes and ceramic bodies. H. G. Schurecht and G. R. Pole. BS J. Research <u>5</u> , 97 (1930).	RP189	OP
Moisture expansion of glazes and other ceramic finishes. H. G. Schurecht and G. R. Pole. BS J. Research <u>6</u> , 457 (1931).	RP288	OP
Durability and strength of bond between mortar and brick. L. A. Palmer and J. V. Hall, Jr., BS J. Research <u>6</u> , 473 (1931).	RP290	OP
Heat transfer through building walls. M. S. VanDuzen and J. L. Finck. BS J. Research <u>6</u> , 493 (1931).	RP291	OP
Factors affecting the strength of masonry of hollow units. D. E. Parsons. BS J. Research <u>6</u> , 857(1931).	RP310	OP
Volume changes in brick masonry materials. L. A. Palmer. BS J. Research <u>6</u> , 1003 (1931).	RP321	OP
The physical properties of cast stone. J. Tucker, Jr., G. W. Walker, and J. A. Swenson. BS J. Research <u>7</u> , 1067 (1931).	RP389	5¢
Tests of integral and surface waterproofings for concrete. C. H. Jumper. BS J. Research <u>7</u> , 1147 (1931).	RP394	OP
Physical properties and weathering characteristics of slate. D. W. Kessler and W. H. Sligh. BS J. Research <u>9</u> , 377 (1932).	RP477	OP
Shear tests of reinforced brick masonry beams. D. E. Parsons, A. H. Stang, and J. W. McBurney. BS J. Research <u>9</u> , 749 (1932).	RP504	OP
Compressive strength of steel columns incased in brick walls. A. L. Harris, A. H. Stang, and J. W. McBurney. BS J. Research <u>10</u> , 123 (1933).	RP520	5¢

PART III - RESEARCH PAPERS (Continued)

	<u>Series</u>	<u>Price</u>
Fire tests of columns protected with gypsum. N. D. Mitchell. BS J. Research <u>10</u> , 737 (1933).	RP563	5¢
Wear resistance of natural stone floorings. D. W. Kessler. BS J. Research <u>11</u> , 635 (1933).	RP612	10¢
Wear of dies for extruding plastic clay. R. T. Stull. BS J. Research <u>12</u> , 501 (1934).	RP675	5¢
A study of the properties of mortars and bricks and their relation to bond. L. A. Palmer and D. A. Parsons. BS J. Research <u>12</u> , 609 (1934).	RP683	OP
Investigation of commercial masonry cements. J. S. Rogers and R. L. Blaine. J. Research NBS <u>13</u> , 811 (1934).	RP746	OP
Experiments on exterior waterproofing materials for masonry. D. W. Kessler. J. Research NBS <u>14</u> , 317 (1935).	RP771	OP
Performance of a hollow-ware extrusion machine with different combinations of augers, spacers, and dies. P. V. Johnson and R. T. Stull. J. Research NBS <u>14</u> , 711 (1935).	RP798	5¢
Action of "hypo" solution on stone tanks. D. W. Kessler. J. Research NBS <u>16</u> , 161 (1936).	RP864	OP
Differences in limes as reflected in certain properties of masonry mortars. Lansing S. Wells, Dana L. Bishop, and David Watstein. J. Research NBS <u>17</u> , 895 (1936).	RP952	5¢
Compressive strength of structural tile masonry. D. E. Parsons and David Watstein. J. Research NBS <u>18</u> , 215 (1937).	RP972	10¢
Accelerated weathering tests of mineral-surfaced asphalt shingles. H. R. Snoke and B. E. Gallup. J. Research NBS <u>19</u> , 669 (1937).	RP1002	10¢
The wick test for efflorescence of building brick. J. W. McBurney and D. E. Parsons. J. Research NBS <u>19</u> , No. 1, 105 (July 1937). Also Proc. A. S. T. M. 37, Pt. II, 332 (1937).	RP1015	5¢
Hydration of magnesia in dolomitic hydrated limes and putties. L. S. Wells and K. Taylor. J. Research NBS <u>19</u> , 215 (1937).	RP1022	OP
Strength, water absorption and resistance to freezing and thawing of sand-lime brick. J. W. McBurney and A. R. Eberle. J. Research NBS <u>20</u> , 67 (1938).	RP1065	5¢

PART III - RESEARCH PAPERS (Continued)

	<u>Series</u>	<u>Price</u>
Relation between moisture content and flow-point pressure of plastic clay. R. T. Stull and P. V. Johnson. J. Research NBS <u>22</u> , 329 (1939).	RP1186	OP
Properties of air-setting refractory-bonding mortars of the wet type. R. A. Heindl and W. L. Pendergast. J. Research NBS <u>23</u> , 7 (1939).	RP1219	OP
Particle size and plasticity of lime. D. L. Bishop. J. Research NBS <u>23</u> , 285 (1939).	RP1232	OP
Length changes and endothermic and exothermic effects during heating of flint and aluminous clays. R. A. Heindl and L. E. Mong. J. Research NBS <u>23</u> , (1939).	RP1243	OP
A portable apparatus for determining the relative wear resistance of concrete floors. L. Schuman and J. Tucker, Jr., J. Research NBS <u>23</u> , (1939).	RP1252	10¢
Application of vibrators for measuring mortar consistency and fabricating mortar cubes. R. L. Blaine and J. Tucker, Jr., J. Research NBS <u>24</u> , (1940).	RP1273	10¢
Physical, mineralogical and durability studies on the building and monumental granites of the U. S. D. W. Kessler, H. Insley, and W. H. Sligh. J. Research NBS <u>25</u> , 161 (1940).	RP1320	15¢
Some properties of the pore structure in bricks and their relation to frost action. R. T. Stull and P. V. Johnson. J. Research NBS <u>25</u> , (1940).	RP1349	10¢
Thermal expansion of clay building brick. C. W. Ross. J. Research NBS <u>27</u> , (1941).	RP1414	10¢
Some properties of the dry air-setting type of refractory bonding mortar. R. A. Heindl and W. L. Pendergast. J. Research NBS <u>28</u> . (1942).	RP1461	15¢
Some properties of heat-setting refractory mortars. R. A. Heindl and W. L. Pendergast. J. Research NBS <u>30</u> . (1943).	RP1534	5¢
Function of carbon dioxide in producing efflorescence on plaster and cement products. D. L. Bishop. J. Research NBS <u>30</u> . (1943).	RP1538	5¢
Ten-year tests of commercial masonry cements. R. L. Blaine. J. Research NBS <u>31</u> . (1943).	RP1548	5¢
Thermal expansion of concrete aggregate materials. W. H. Johnson and W. H. Parsons. J. Research NBS <u>32</u> . (1944).	RP1578	10¢

PART III - RESEARCH PAPERS (Continued)

	<u>Series</u>	<u>Price</u>
Expansive characteristics of hydrated limes and the development of an autoclave test for soundness. L. S. Wells, W. F. Clarke and Ernest M. Levin. J. Research NBS <u>41</u> , 179. (1948).	RP1917	15¢

PART IV - CIRCULARS

Sand-lime brick: Definitions and specifications. Cir. BS, C109. (1921).	C109	OP
Recommended specifications for quicklime and hydrated lime for use in the manufacture of sand-lime brick. Cir. BS, C150. (1923).	C150	OP
Recommended specification for quicklime and hydrated lime for the manufacture of silica brick. (1923).	C153	OP
Properties and manufacture of concrete building units.	C304	OP
Thermal insulation of buildings	C376	5¢
Low cost glazes for structural clay products	C436	10¢
Testing by National Bureau of Standards policy, general information, fee schedule	C483	25¢
Care and Repair of the House (1950)	C489	50¢

PART V - LETTER CIRCULARS

Cement: Publications by members of the staff of the National Bureau of Standards	LC851	Single Copy Free
Enamels: Publications by members of the staff of the National Bureau of Standards together with a list of Federal Specifications	LC873	"
Acoustics: Publications by members of the staff of the National Bureau of Standards	LC923	"
Sand-lime brick and other autoclaved building products: Publications by members of the staff of the National Bureau of Standards	LC944	"
Concrete and reinforced concrete: Publications by members of the staff of the National Bureau of Standards, together with a list of Federal Specifications	LC947	"
List of published materials relating to home building and maintenance	LC951	"
List of simplified practice recommendations, revised to July 1, 1949	LC958	"

PART V - LETTER CIRCULARS (Continued)

	<u>Series</u>	<u>Price</u>
List of building materials and structures reports	LC960	Single Copy Free
Fire resistance and fire prevention: Publications by members of the staff of the National Bureau of Standards	LC970	"
Publications relating to building practice, home building, building material specifications, home maintenance	LC972	"
List of published material relating to building regulations	LC973	"
Standards and specifications for building and construction materials, fixtures, supplies, and equipment	LC977	"

PART VI - BUILDING MATERIALS AND STRUCTURES

Structural properties of six masonry wall constructions. H. L. Whittemore, A. H. Stang, and D. E. Parsons (1938).	BMS5	15¢
Survey of roofing materials in the Southeastern States. H. R. Snoke and L. J. Waldron (1938).	BMS6	15¢
Structural properties of a "Tilecrete" floor construction sponsored by Tilecrete Floors, Inc., H. L. Whittemore, A. H. Stang, and C. C. Fishburn (1939).	BMS16	10¢
Sound insulation of wall and floor constructions with supplements. B. L. Chrisler (1939).	BMS17	35¢
Structural properties of a concrete-block cavity wall construction sponsored by the National Concrete Masonry Association. H. L. Whittemore, A. H. Stang, and D. E. Parsons (1939).	BMS21	10¢
Structural properties of "Dun-Ti-Stone" wall construction sponsored by the W. E. Dunn Manufacturing Company. H. L. Whittemore, A. H. Stang, and D. E. Parsons (1939).	BMS22	10¢
Structural properties of a brick cavity-wall construction sponsored by the Brick Manufacturers Association of New York, Inc. H. L. Whittemore, A. H. Stang, and D. E. Parsons. (1939).	BMS23	10¢
Structural properties of a reinforced brick construction and a brick-tile cavity-wall construction sponsored by the Structural Clay Products Institute, H. L. Whittemore, A. H. Stang, and C. C. Fishburn (1939).	BMS24	15¢

PART VI - BUILDING MATERIALS AND STRUCTURES (Continued)

	<u>Series</u>	<u>Price</u>
Structural properties of two brick-concrete-block wall constructions and a concrete-block wall construction sponsored by the National Concrete Masonry Association. H. L. Whittemore, A. H. Stang, and D. E. Parsons. (1939).	BMS32	15¢
Plastic calking materials. J. J. Tregoning, K. A. Milliken, A. Hockman, W. H. Sligh, and D. W. Kessler. (1940).	BMS33	15¢
Structural properties of two "Dunstone" wall constructions sponsored by the W. E. Dunn Manufacturing Co., H. L. Whittemore, A. H. Stang, and D. E. Parsons. (1940).	BMS38	10¢
Structural properties of a wall construction of "Pfeifer Units" sponsored by the Wisconsin Units Company. H. L. Whittemore, A. H. Stang, and D. E. Parsons. (1940).	BMS39	10¢
Effect of heating and cooling on the permeability of masonry walls. C. C. Fishburn and P. H. Petersen. (1940).	BMS41	OP
Structural properties of a masonry wall construction of "Munlock Dry Wall Brick." H. L. Whittemore, A. H. Stang, and D. E. Parsons. (1940).	BMS53	10¢
Effect of wetting and drying on the permeability of masonry walls. C. C. Fishburn. (1940).	BMS55	10¢
Strength, absorption, and resistance to laboratory freezing and thawing of building bricks produced in the United States. J. W. McBurney and J. C. Richmond. (1940).	BMS60	15¢
Structural properties of two non-reinforced monolithic concrete wall constructions. H. L. Whittemore, A. H. Stang, and D. E. Parsons. (1940).	BMS61	10¢
Structural properties of a precast joist concrete floor construction sponsored by the Portland Cement Association. H. A. Whittemore, A. H. Stang, and D. E. Parsons. (1940).	BMS62	10¢
Moisture condensation in building walls. H. W. Worley. (1940).	BMS63	15¢
Fire tests of wood-and-metal-framed partitions, S. H. Ingberg and Nolan D. Mitchell. (1941).	BMS71	20¢
Effect of outdoor exposure on the water permeability of masonry walls. C. C. Fishburn, D. E. Parsons, and P. H. Petersen. (1941).	BMS76	15¢

PART VI. - BUILDING MATERIALS AND STRUCTURES (Continued)

	<u>Series</u>	<u>Price</u>
Structural heat-transfer, and water permeability properties of five earth-wall constructions. H. L. Whittemore, A. H. Stang, E. Hubbell, and R. S. Dill. (1942).	BMS78	25¢
Water permeability of walls built of masonry units. C. C. Fishburn. (1942).	BMS82	25¢
Structural, heat-transfer and water-permeability properties of "Speed-Brik" wall construction. M. H. Peck, V. B. Phelan, R. S. Dill, and P. H. Petersen. (1942).	BMS86	15¢
A method of developing specifications for building construction. (Report of Sub-committee on specifications, Central Housing Committee on Research, Design, and Construction.) (1942).	BMS87	15¢
Fire-resistance classifications of building constructions. (Report of Subcommittee on Fire-resistance Classifications of the Central Housing Committee on Research, Design, and Construction. (1942).	BMS92	30¢
Water permeability and weathering resistance of stucco-faced, gunite-faced, and "Knap Concrete-Unit" walls. C. C. Fishburn. (1942).	BMS94	15¢
Tests of cement-water paints and other waterproofings for unit-masonry walls. C. C. Fishburn and D. E. Parsons. (1943).	BMS95	25¢
Properties of a porous concrete of cement and uniform-sized gravel. P. H. Petersen. (1943).	BMS96	10¢
Physical properties of terrazzo aggregates. D. W. Kessler, A. Hockman, and R. E. Anderson. (1943).	BMS98	15¢
Relative slipperiness of floor and deck surfaces. P. A. Sigler. (1943).	BMS100	10¢
Strength and resistance of corrosion of ties for cavity walls. C. C. Fishburn. (1943).	BMS101	10¢
Measurement of heat losses from slab floors. R. S. Dill, W. C. Robinson, and H. E. Robinson. (1945).	BMS103	15¢
Paint manual with particular reference to Federal Specifications. P. H. Walker and E. F. Hickson. (1945).	BMS105	\$1.00
Strength of houses; application of engineering principles to structural design. H. L. Whittemore, J. B. Cotter, A. H. Stang, and V. B. Phelan. (1948).	BMS109	\$1.50

PART VI - BUILDING MATERIALS AND STRUCTURES (Continued)

	<u>Series</u>	<u>Price</u>
Properties of some lightweight-aggregate concretes with and without an air-entraining admixture. P. H. Petersen. (1948).	BMS112	10¢
Fire resistance of structural clay tile partitions. H. D. Foster, E. R. Pinkston, and S. H. Ingberg. (1948).	BMS113	15¢
Fire resistance of walls of lightweight-aggregate concrete masonry units. H. D. Foster, E. R. Pinkston, and S. H. Ingberg. (1950).	BMS117	

PART VII - MISCELLANEOUS PUBLICATIONS

American standard building code requirements for masonry. (1944).	M174	15¢
American standard building code requirements for minimum design loads in buildings and other structures. (1945)	M179	10¢

PART VIII - SIMPLIFIED PRACTICE RECOMMENDATIONS

Vitrified paving brick	R1-40	5¢
Metal lath. (Expanded and sheet).	R3-44	5¢
Brick, common; rough and smooth face	R7	*
Hollow building tile	R12	*
Structural slate (for plumbing and sanitary purposes)	R13-28	*
Roofing slate	R14-28	*
Blackboard slate	R15-35	5¢
Concrete-building units	R32-38	OP
Sand-lime brick	R38-37	5¢
Steel reinforcing spirals	R53-32	5¢
Clay tiles for floors and walls	R61-44	10¢
Clay sewer pipe and fittings	R211-45	10¢

*Available in mimeograph form only, free of charge.

PART IX - FEDERAL SPECIFICATIONS

The specifications listed below are issued by the Federal Specifications Board, Bureau of Federal Supply, Treasury Department, Washington 25, D. C. Copies may be secured from the Superintendent of Documents, Government Printing Office, Washington 25, D. C., at the prices indicated.

PART IX - FEDERAL SPECIFICATIONS

HH-M-611	Mortar: air-setting, refractory, bonding (wet and dry types)	5¢
HH-R-191	Refractories; fire-clay, plastic	5¢
QQ-B-71	Bars; reinforcement, (for) concrete	5¢
QQ-B-101	Bases, metal; (for) plaster and stucco construction	5¢
SS-B-656	Brick; building (common); clay	5¢
SS-B-663	Brick; concrete	5¢
SS-B-671	Brick; paving	5¢
SS-B-681	Brick; sand-lime	5¢
SS-B-691	Brick; sewer, clay	5¢
SS-C-158	Cements, hydraulic; general specifications (methods for sampling, inspection and testing)	15¢
SS-C-161	Cement; Keene's	5¢
SS-C-181	Cement; masonry	5¢
SS-C-192	Cements; portland	5¢
SS-C-621	Concrete-Units; masonry, hollow	5¢
SS-L-351	Lime; hydrated (for) structural purposes	5¢
SS-L-361	Lime; hydraulic, hydrated	5¢
SS-P-351	Pipe; asbestos-cement	5¢
SS-P-361	Pipe; clay, sewer	5¢
SS-P-371	Pipe, concrete; non-pressure, non-reinforced and reinforced	5¢
SS-P-402	Plaster; gypsum	5¢
SS-P-431	Plaster-Board; gypsum	5¢
SS-Q-351	Quicklime; (for) structural purposes	5¢
SS-S-276	Sheathing-board; gypsum	5¢
SS-S-283	Sheets: flat, asbestos-cement	5¢
SS-S-284	Sheets (corrugated) and Shapes; cement-asbestos	5¢

PART IX - FEDERAL SPECIFICATIONS

	<u>Price</u>
SS-S-291 Shingles; roofing, cement-asbestos	5¢
SS-S-346 Siding; cement-asbestos	5¢
SS-S-451 Slate; roofing	5¢
SS-T-310 Tile, Drain; clay	5¢
SS-T-316 Tile; partition, gypsum	5¢
SS-T-321 Tile; structural, clay, floor	5¢
SS-T-341 Tile; structural, clay load-bearing, wall	5¢
SS-T-351 Tile; structural, clay, non-load-bearing	5¢
SS-W-51 Wallboard, gypsum	5¢
TT-C-598 Compound, calking; plastic (for masonry and other structures)	5¢

PART X - OUTSIDE PUBLICATIONS

The articles listed below are not for distribution or sale by the Government, but may be consulted at most large libraries or in some cases may be purchased directly from the publishers. A list of publishers' addresses, with key to abbreviations, follows the list of papers.

- The relation between the porosity and crushing strength of clay products.
A. V. Bleininger. Trans. Am. Ceram. Soc. 12, 564 (1910).
- Tests of lime, W. E. Emley. Trans. National Lime Manufacturers Association, 192 (1911).
- Tests for sewer pipe. R. J. Wig. Proc. ASTM 11, 854 (1911).
- The relation between the crushing strength and porosity of clay products.
G. H. Brown, Trans. Am. Ceram. Soc. 14, 292 (1912).
- Results of testing sand-lime brick. W. E. Emley, Proc. Sand-Lime Brick Association, now known as Autoclave Building Products Association, 41 (1912).
- Tests of commercial limes. W. E. Emley, Proc. National Lime Manufacturers Assn., 77 (1913).
- Use of hydrated lime in portland cement. W. E. Emley and H. P. Greenwald Proc. Nat'l Lime Mfgs. Assn., 245 (1913).
- Crushing strength of lime mortar. W. E. Emley and S. E. Young. Proc. Nat'l Lime Mfgs. Assn., 254 (1913).
- Analytical study of brick specifications. W. E. Emley, Proc. Sand-Lime Brick Assn., 41 (1913).

PART X - OUTSIDE PUBLICATIONS (Continued)

- Use of the strain gage in the testing of materials. W. A. Slater and H. F. Moore. Proc. ASTM, 13, 1019 (1913).
- Calcium silicate. W. E. Emley, A. A. Klein, and E. M. Sanborn. Proc. Sand-Lime Brick Assn. 35 (1914).
- Method of indicating the rate of set of lime mortar. W. E. Emley, Trans. Am. Ceram. Soc., 16, 117 (1914).
- Effect of consistency and amount of sand on the properties of lime mortars. W. E. Emley. Trans. Am. Ceram. Soc., 16, 151 (1914).
- Strength of lime mortar. W. E. Emley and S. E. Young. Proc. ASTM 14, Part II, 338 (1914).
- Use of lime in portland cement mortar. W. E. Emley. Trans. Nat'l Lime Mfgs. Assn., 258 (1914).
- Some comparative corrosion tests of plastered metal lath. J. C. Pearson. Proc. ACI, 10, 445 (1914).
- Note on the silicate bond in sand-lime brick. W. E. Emley, A. A. Klein, and E. M. Sanborn. Trans. Am. Ceramic Soc., 17, 471 (1915).
- Practical method for comparing the working qualities of hydrated lime. W. E. Emley. Trans. Nat'l Lime Mfgs. Assn., 175 (1916).
- Effect of hydrated lime on the compressive strength of concrete. W. E. Emley and S. K. Kaczorowski. Bul. 2, Nat'l Lime Mfgs. Assn. (1917).
- Properties of cement-lime-sand mortars. W. E. Emley. Proc. ASTM, 17, Part II, 261 (1917).
- Effect of various factors on the properties of sand-lime brick. W. E. Emley and S. Freed. Proc. Sand-Lime Brick Assn., 65 (1917).
- Tests of stucco. J. C. Pearson. Proc. ACI, 14, 109 (1918).
- Effect of various factors on the properties of sand-lime brick. F. A. Kirkpatrick and F. W. Lapham. Proc. Sand-Lime Brick Assn. 8 (1918).
- Evidence of the durability of sand-lime brick. F. A. Kirkpatrick and J. W. Palmer. Proc. Sand-Lime Brick Assn., 43 (1918).
- Tests of clays and limes by the Bureau of Standards plasticimeter F. A. Kirkpatrick and W. B. Orange. J. Am. Ceram. Soc., 1, 170 (1918).
- Compressive strength of cement-lime mortars. F. A. Kirkpatrick and W. B. Orange. J. Am. Ceramic Soc., 2, 44 (1919).
- Effect of size of sand upon strength and absorption of sand-lime brick. F. A. Kirkpatrick and F. W. Lapham. Proc. Sand-Lime Brick Assn., 11 (1919).

PART X - OUTSIDE PUBLICATIONS (Continued)

- Tentative report on design of reinforced gypsum beams. W. A. Slater, Proc. ASTM, 19, Part I, 348 (1919).
- New developments in surface treated concrete and stucco. J. C. Pearson and J. J. Earley. Proc. ACI, 16, 70 (1920).
- Effect of the duration of hardening on the properties of sand-lime brick. W. E. Emley and W. M. Cleare. Proc. Sand-Lime Brick Assn., 17, (1920).
- How brick piers fail. W. E. Emley and W. M. Cleare. Proc. Sand-lime Brick Assn., 57 (1920).
- Durability of sand-lime brick. W. M. Cleare. Proc. Sand-Lime Brick Assn., 37 (1920).
- Possibilities of terra cotta castings. R. F. Geller. J. Am. Ceram. Soc., 4, 883 (1921).
- Shrinkage of cement mortars and its importance in stucco construction. J. C. Pearson. Proc. ACI, 17, 133 (1921).
- Preliminary report of exposure tests on colorless waterproofing materials. D. W. Kessler. J. Am. Inst. Architects.
- Effect of hydrated lime on the strength and flow of concrete. W. E. Emley. Proc. ASTM 22, Part I (1922), 284. Rock Products, 25, 32 (November 18, 1922). Proc. Nat'l Lime Assn. 57 (1922).
- Effectiveness of different methods of making absorption determinations as applied to hollow building tile. H. D. Foster. J. Am. Ceram. Soc., 5, 788 (1922).
- Effect of grading of sand upon absorption and transverse strength of sand-lime brick. W. E. Emley and H. V. Johnson. Proc. Sand-Lime Brick Assn., 34 (1921); Rock Products, (Maclean-Hunter Publishing Corporation) 25 No. 2, 51 (1922).
- Effect of grog additions on fire resistance of hollow tile. H. D. Foster. J. Am. Ceram. Soc., 6, 748 (1923).
- Tests of lime block. W. E. Emley. Proc. Nat'l. Lime Assn. 73 (1923).
- Process for improving the quality of masons' hydrated lime U. S. Patent No. 1,410,087.
- Consistency of lime pastes and mortars. W. E. Emley. Proc. ASTM 23, Part II, 440 (1923).
- Capping for compression specimens. H. D. Foster, J. Am. Ceram. Soc., 6, 623 (1923).
- Sulphur impregnated sandstone. D. W. Kessler. Stone, 44, (1923).
- Sand-lime brick. W. E. Emley. Proc. Building Officials Conference 122(1923).

PART X - OUTSIDE PUBLICATIONS (Continued)

- Factors affecting brick masonry strength. S.H. Ingberg. Proc. ASTM, 24, Part II, 909 (1924).
- Stucco investigations of the Bureau of Standards. J. C. Pearson. Proc. of Building Officials Conference 10, 143 (1924).
- Strength absorption and freezing resistance of hollow building tile. H. D. Foster. J. Am. Ceram. Soc., 7, 189 (1924).
- Properties of gypsum tile. J. M. Porter. Proc. ASTM, 24, Part II, 901 (1924).
- Effect of grading of sand upon the properties of sand-lime brick. H. V. Johnson. Proc. Sand-Lime Brick Assn., 28, (1924). Rock Products, 27 No. 6, 31 (1924).
- Effect of pressure and steaming on the compressive strength of cement-lime mortars. H. V. Johnson, Proc. Sand-Lime Brick Assn. 52 (1924).
- The fire resistance of gypsum partitions. S. H. Ingberg. Proc. ASTM, 25, Part II, 299 (1925).
- Determining the weather resistance of stone. D. W. Kessler. Stone, 46, 351 (1925).
- Comments on the permeability of stone. D. W. Kessler. Stone, 46, July 1925.
- A study of practical problems for the marble industry. D. W. Kessler. Stone, 46, August 1925.
- The adhesion of gypsum plaster to various backings. J. P. C. Peter. Am. Architect, 128; September 9, 1925.
- The adhesion of gypsum plaster to concrete. Cement, Mill and Quarry, 32, (Oct. 20, 1925).
- Resistance of marble to various salt solutions. D. W. Kessler. Through the Ages, 3, (1926).
- Cleaning materials for marble. D. W. Kessler. Through the Ages, 3, Part I, March 1926; 3 Part II, April 1926; 4, Part III, June 1926; Part IV, August 1926.
- Steam cleaning a stone building. H. H. Dutton. Am. Architect June 20, 1926.
- Discussion of specification requirements for common brick. C. O. Christiansen. Am. Architect, 130, 23, (1926).
- Removal of stains from marble. D. W. Kessler. Through the Ages, 4, September 1926; Arch. and Bldg., October 1926.
- Some physical properties of sand-lime brick. H.V. Johnson. Proc. Sand-Lime Brick Assn., 61 (1926).

PART X - OUTSIDE PUBLICATIONS (Continued)

- Lime mortar bricks versus sand-lime bricks. H. V. Johnson, Proc. Sand-Lime Brick Assn., 53 (1926).
- The Bureau of Standards and its work on sand-lime brick. Proc. Sand-Lime Brick Assn. (1927).
- Bases for specification and building code requirements for building bricks. S. H. Ingberg. Proc. 23rd Annual Meeting of Sand-Lime Brick Association, 78 (1927).
- Removal of stains from marble. D. W. Kessler. Through the Ages, 4, January 1927.
- Development of steam cleaning process. H. H. Dutton, Stone, 48, 225, April 1927, and 288, May 1927.
- Effect of workmanship on the strength of brick masonry. J. W. McBurney. Am. Architect, 132, 613, (1927).
- The strength of solid and of hollow walls of brick. A. H. Stang. Ceram. Age, 198 December 1927.
- Adhesion of plaster and stucco to hollow building tile. J. A. Murray and H. D. Foster. Am. Architect, 132, 839, (1927).
- Effect of strength of brick on compressive strength of brick masonry. J. W. McBurney. Proc. ASTM, 28, Part II, 605 (1928).
- The development of an apparatus for wear tests on flooring materials. D. W. Kessler. Proc. ASTM, 28, Part II, 855 (1928).
- Wet Walls and efflorescence. L. A. Palmer, Am. Face Brick Assn. (See Structural Clay Products Institute) (1928).
- Bond between concrete and hollow tile. J. C. Oleinik. Eng. and Contr., 67, 19 (1928).
- Strength of brick in tension. J. W. McBurney. J. Am. Ceram. Soc. II, 114 (1928).
- New Construction data on brick walls. A. H. Stang. Am. Contractor, July 30, 1928.
- Limes, structural cements and plasters. P. H. Bates and J. M. Porter. Survey of American Chemistry, Third Annual. (Chemical Catalog Company) (1928).
- The water absorption and penetrability of brick. J. W. McBurney. Proc. ASTM 29, Part II, 711 (1929).
- Absorption and strength of commercial sand-lime brick. H. F. McMurdie. Proc. Sand-Lime Brick Assn., 12 (1930); Rock Products 32, No. 24, 67 (1929).
- Tests of elastic caulking compounds. H. H. Dutton. Proc. ASTM 29, Part II, 954 (1929).

PART X - OUTSIDE PUBLICATIONS (Continued)

- The physical properties of commercial cast stone. J. Tucker, Jr., and G. W. Walker, Proc. ACI, 25, 501 (1929).
- The compressive and transverse strength of brick. J. W. McBurney. J. Am. Ceram. Soc. 12, 217 (1929); also BS J. Research 2, 821 (1929). RP59.
- Some results of freezing and thawing tests made with clay brick. L. A. Palmer and J. V. Hall. Proc. ASTM 30, Part II, 767 (1930).
- The resistance of stone to frost action. D. W. Kessler. Proc. New Inter. Assn. Testing Materials, Group B, 37 (1930).
- Tests for weathering characteristics. D. W. Kessler. Rock Products 33, (1930).
- The relation of Brinell hardness and transverse strength to the compressive strength of building brick. J. W. McBurney. J. Am. Ceram. Soc., 9, 823. (1930).
- Specifications for hollow masonry units. D. E. Parsons. Proc. ASTM, 31, Part II, 595 (1931).
- The weathering of structural clay products: A review. J. W. McBurney. Proc. ASTM, 31, Part II, 745 (1931).
- Weathering test procedures for stone. D. W. Kessler. Proc. ASTM, 31, Part II, 799 (1931).
- Bibliography on weathering of natural stone. D. W. Kessler. Proc. ASTM, 31, Part II, 804 (1931).
- Bibliography on the weathering of structural clay products. D. E. Parsons. Proc. ASTM, 31, Part II, 825 (1931).
- Weathering of stone. D. W. Kessler. Am. Architect, 28, February 1931.
- Water penetration through brick-mortar assemblages. L. A. Palmer. J. Clay Products Inst. 1, 19, September 1931.
- The use of clay products in sound insulation. V. L. Chrisler. J. Clay Products Inst. 1, 31, September 1931.
- Volume changes in brick masonry materials. L. A. Palmer. J. Am. Ceram. Soc., 14, 541, (1931); also BS J. Research 6, 1003 (1931) RP321.
- The physical properties of cast stone. J. Tucker, Jr., G. W. Walker, and J. A. Swenson. Proc. ACI, 28, 243 (1931); also BS J. Research 7, 1067 (1931) RP389.
- Results of freezing and thawing tests of sand-lime brick. H. F. McMurdie. Rock Products, 34, No. 12, 53 (1931).

- The transmission of water through brick masonry. L. A. Palmer. Architectural Forum 56, 103, (1932).
- The color range of common brick, J. W. McBurney, J. Clay Products Inst., 1, 31, June 1932.
- The rate of stiffening of mortars on a porous base. L. A. Palmer and D. A. Parsons. Rock Products, 35, 18 (1932).
- Discussion of "Development in reinforced brick masonry." J. W. McBurney, Proc. Am. Soc. Civil Engrs. (American Society of Civil Engineers), 59, 1344, (1933).
- The strength, water absorption and weather resistance of building bricks produced in the United States, J. W. McBurney and C. E. Lovewell. Proc. ASTM, 33, Part II, 636 (1933).
- Permeability tests of 8 inch Wallethes. L. A. Palmer and D. A. Parsons. Proc. ASTM 34, Part II, 419 (1934).
- Size and weight of building brick produced in the United States. J. W. McBurney, Industrial Standardization, American Standards Association, 10, (1935).
- Comparison of natural weathering with laboratory tests of clay brick. D.E. Parsons. Proc. ASTM 35, Part I, Appendix II, 252 (1935).
- The relation of freezing and thawing resistance to physical properties of clay and shale building brick. J. W. McBurney, Proc. ASTM, 35, Part I, Appendix I, 247 (1935).
- A test procedure for plastic caulking materials. D. W. Kessler, Proc. ASTM 35, Part II, 581 (1935).
- Water absorption of building brick. J. W. McBurney. Proc. ASTM 36, Part I, 260 (1936).
- Transverse and compressive strength of bricks. J. W. McBurney. Proc. International Assn. Testing Materials, London Congress, 388 (April 19-24, 1937).
- Locating the causes of rain penetration of brick walls. D. E. Parsons. Building Economy and Modern Builder (See Structural Clay Products Institute) 12, 5 (1937).
- The wick test for efflorescence of building brick. J. W. McBurney and D. E. Parsons. Proc. ASTM, 37, Part II, 332 (1937). Also J. Research NBS 19, No. 1, 105, (1937). RF1015.
- Brick laying to avoid leaks. D. E. Parsons. Am. Builder, 59, 76 (1937).
- A further study of the water penetrability of clay and shale building brick. J. W. McBurney and A. R. Eberle. J. Am. Ceram. Soc., 17, No. 5, 210 (1938).
- The freezing and thawing test for building brick. J. W. McBurney and A.R. Eberle. Proc. ASTM 38, Part II, 470 (1938).

PART X - OUTSIDE PUBLICATIONS (Continued)

- Comparison of standard tests on building brick by two laboratories. W. J. Krefeld and J. W. McBurney. Bul. ASTM No. 96, 7, (1939).
- Plastic caulking materials. D. W. Kessler. Review of Society of Residential Appraisers, 5, No. 2, (1939).
- Watertightness and transverse strength of masonry walls. D. E. Parsons. (Reprint of address delivered at Annual Meeting of Structural Clay Products Institute, October 5, 1939).
- An apparatus for determining Young's modulus of building materials by the dynamic method. F. B. Hornibrook. Bul. ASTM December 1939.
- Exterior paint investigation for masonry wall structures. Clara Sentel. National Paint Bulletin 4, No. 5, 10 (May 1940).
- Relation of water absorption and strength of brick to abrasive resistance. J. W. McBurney, R. H. Brink, and A. R. Eberle. Proc. ASTM, 40, (1940).
- Effect of water content and mixing time on properties of air-setting refractory mortars containing sodium silicate. R. A. Heindl and W. L. Pendergast. Bul. Am. Ceram. Soc. 19, 430 (November 1940).
- Outdoor exposure test of paints for masonry walls. Clara Sentel. Circular No. 609, Natl. Paint, Varnish and Lacquer Assn. (January 1941).
- Statistical theory of the effect of dimension and of method of loading upon the modulus of rupture of beams. John Tucker, Jr., Proc. ASTM 41, 1 (1941).
- Effect of freezing and thawing temperature in freezing-and-thawing tests of brick. J. C. Richmond and J. W. McBurney. Proc. ASTM, 41, 62 (1941).
- Saturation coefficient values for brick by the absorption-boiling and the absorption-porosity methods. R. T. Stull and P. V. Johnson. Bul. ASTM No. 109, 17, (March 1941).
- Relation between air and water permeabilities of building brick. R. T. Stull and P. V. Johnson. J. Am. Ceram. Soc. 20, 443, (Dec. 1941).
- Relations between results of laboratory freezing and thawing and several physical properties of certain soft-mud bricks. J. W. McBurney. Proc. ASTM, 42, 837 (1942).
- An improved gas-expansion volumometer. J. C. Richmond, J. B. Petersen and W. H. Herschel. J. Am. Ceram. Soc., 26, 127 (1943).
- Discussion of "Measurement of bond between bricks and mortar." J. W. McBurney. Proc. ASTM 43, 867, (1943).
- Applying membrane waterproofing to plain concrete wall footings. J. DiStasio and C. C. Fishburn. J. ASTM, 15, 323 (Feb. 1944).

PART X - OUTSIDE PUBLICATIONS (Continued)

- The effect of certain variations in consistency and curing conditions on the compressive strengths of cement-lime mortars. G. J. Fink. Proc. ASTM 44, 780 (1944).
- Factors affecting the thermal expansion of concrete aggregate materials. W. H. Parsons and W. H. Johnson. J. ACI, 15, 457 (1944).
- Properties of highly hydrated dolomitic masonry limes and certain of their cement-lime mortars. G. J. Fink and E. Trattner. Proc. ASTM 45, 723 (1945).
- Permeability of brick-mortar assemblages. J. W. McBurney, M. A. Copeland and R. C. Brink. Proc. ASTM 46, 1333 (1946).
- Properties of Masonry Mortars of Several Compositions. David Watstein and N. A. Seese, Jr., Bul. ASTM, 147, 77 (Aug. 1947).
- Prevention of Dampness in Basements. C. C. Fishburn. J. ACI 19 (6) 421, February 1948.
- Discussion of "Factors in the resistance of brick masonry walls to moisture penetration" C. C. Fishburn and J. W. McBurney, Proc. ASTM, 48, 1046-47 (1948).
- Terrazzo as affected by cleaning materials. J. ACI, 20, No. 1, Sept. 1948.
- Stone wall exposure test, D. W. Kessler and Ross E. Anderson, Stone 70, No. 4, April 1949.
- A new durability test for marble. D. W. Kessler, ASTM Bul. No. 159, July 1949.

ADDRESSES

- American Architect, Hearst Magazine, Inc., 572 Madison Ave., New York, New York. (no longer published)
- American Builder, 105 West Adams Street, Chicago 3, Illinois.
- Am. Ceram. Soc.--American Ceramic Society, 2525 N. High St., Columbus 2, Ohio.
- ACI--American Concrete Institute, 18263 W. McNichols Rd., Detroit 19, Mich.
- American Contractor, (no longer published).
- American Face Brick Association--Structural Clay Products Institute, 1520 - 18th St., N. W., Washington 6, D. C.
- American Institute of Architects, 1741 New York Ave., N. W., Washington 6, D.C.
- ASTM--American Society for Testing Materials, 1916 Race Street, Philadelphia 3, Pennsylvania.
- American Society of Civil Engineers, 33 W. 39th St., New York 18, N. Y.
- American Standards Association, 70 E. 45th St., New York 17, N. Y.
- Architectural Forum, 350 Fifth Ave., New York 1, N. Y.
- Arch. and Bldg.--Architecture and Building, Wm. T. Comstock Co., 28 Warren St., New York, N. Y. (no longer published).
- Autoclave Building Products Association, Mr. Carl Miller, Secy-Treas., c/o Pacific Brick Company, Pacific, Mo.
- Building Economy and Modern Builder--Structural Clay Products Institute, 1520 - 18th St., N. W., Washington 6, D. C.
- Building Officials Conference of America, Inc., Pres., Mr. Albert Baum, 426 City Hall Bldg., St. Louis, Missouri.
- Cement, Mill and Quarry, Complete Service Publishing Co, now Pit and Quarry, 538 S. Clark St., Chicago 5, Illinois.
- Ceramic Age, The Ceramic Publishing Co., 421 Parker St., Newark 4, N. J.
- Chemical Catalog Company, now Reinhold Publishing Co., 330 W. 42nd St., New York 18, New York.
- Civil Engineer--American Society of Civil Engineers, 33 W. 39th Street, New York 18, New York.
- Clay Products Institute--Structural Clay Products Institute, 1520 - 18th St., N. W., Washington 6, D. C.
- Engineering and Contracting, Gillette Publishing Co., 401 W. Madison St., Chicago, Ill. (no longer published).

ADDRESSES

Industrial Standardization, American Standards Association, 70 E. 45th Street, New York 17, New York.

National Lime Manufacturers' Association, 927 - 15th St., N. W., Washington, 5, D. C.

National Paint Bulletin, Franconia, Alexandria, Virginia. (no longer published).

National Paint, Varnish and Lacquer Association, 1500 Rhode Island Ave., N. W., Washington 5, D. C.

New International Association for Testing Materials, Leonhard-strasse 27, Zurich, Switzerland.

Review of Society of Residential Appraisers, 333 N. Michigan Ave., Chicago, Illinois.

Rock Products, Tradespress Publishing Corp., 309 W. Jackson Boulevard, Chicago, Illinois.

Sand Lime Brick Association, now known as Autoclave Building Products Association, Mr. Carl Miller, Secy-Treas., c/o Pacific Brick Company, Pacific, Missouri.

Stone,-Stone Publishing Company, Inc., 191 Main Street, Ossining, New York.

Through the Ages, National Association of Marble Dealers, Cleveland, Ohio. (no longer published).

RESERVED FOR
AUG 02, 2017