

Corrections to be noted in Volume 64 of the JOURNAL OF RESEARCH of the National Bureau of Standards—D. Radio Propagation

Page	Column	Line	Now reads in part	Should read
29	2.....	1.....	$-\frac{1}{2}w,$	$-\frac{1}{2}\frac{1}{w}$
63	2.....	eq. (6.7)	$C_{\alpha, k, m} = \frac{(-1)}{\alpha k! (m+k-1)! 2^{k-\alpha}} \frac{(m+\alpha-1)!}{\alpha! (k-\alpha)! (m+\alpha-1)!},$	$C_{\alpha, k, m} = \frac{(-1)^{\alpha}}{k! (m+k-1)! 2^{k-\alpha}} \frac{(m+\alpha-1)!}{\alpha! (k-\alpha)! (m+\alpha-1)!},$
66	eq. (3)	$\exp [-ik \cdot (\vec{r}_1 - \vec{r}_2)]$	$\exp [-ik \cdot (\vec{r}_1 - \vec{r}_2)]$
84	1.....	2.....	implies negative.....	implies positive
114	{1..... 2.....	eq. (16)..... 3.....	$\Delta f_m = \dots$ $f = f_{m-1} \dots$	$\Delta z_m = \dots$ $f_n = f_{m-1}$
117	1.....	17 & 18 from bottom.....	$V_{lm} \dots$	$[V_{lm}] \dots$
119	2.....	10 from bottom.....	observed frequency range..... frequencies in the unobserved.....	unobserved frequency range frequencies in the observed
120	1.....	7.....	where ϕ_m, Φ_{m-1} are.....	where ϕ_m, ϕ_{m-1} are
122	1.....	14.....	$M_{nk} M_{nl} \Delta z_k \Delta l \dots$	$M_{nk} M_{nl} \Delta z_k \Delta l$
123	2.....	eq. (70)	$i \left(\frac{d}{c} \right)^2 \int_0^1 \dots$	$i \left(\frac{d}{c} \right)^2 \int_0^1 \dots$
142	5.....	$e_z = \frac{1}{2\pi} \int_0^1 \dots$	$e_z = \frac{1}{2\pi} \int_0^1 \dots$
155	eq. (2.5).....	$e^{-ikS_n\rho} \dots$	$e^{-kS_n\rho}$
159	Fig. 3, legend.	S plane. Branch point; x, poles.....	S plane; Branch point; x, poles
167	15.....	$c = cn = \dots$	$c = c_n =$
170	Fig. 5, legend.	The legend is incorrect and should read: Spherical coordinate system for horizontal electric dipole between interfaces.	
175	eq. (7.3).....	>>.....	<<
183	Fig. 8, legend.	The legend is incorrect and should read: Spherical coordinate system for vertical electric dipole between concentric spherical interfaces.	
271	5.....	$\omega_L = \mu_0 H_m / m, \dots$	$\omega_L = \mu_0 C H_m / m,$
289	2.....	eq. (2)	$\frac{\partial^2 E_z(r)}{\partial r^2} + \dots$	$\frac{\partial^2 E_z(r)}{\partial r^2} + \dots$
298	1.....	4.....	of ρ	of α .
325	eq. (30)	Footnote to accompany this equation as follows: The symbol $\delta\xi$ occurring in eq. (30) and succeeding equations is used to denote the distance, along the straight line ov, of the point of integration from the point of stationary phase. The coordinate ξ is measured along ov with the origin at 0.	
358	2.....	Fig. 3, List of symbols.	$A^* = wh \dots$ $A = \text{Effective area} \cong A \text{ when } d < w \text{ and } h$	$A^* = Wh$ $A = \text{Effective area} \cong A \text{ when } d < W \text{ and } h$
389	Eq. (6).....	$P_v(-\cos \theta) \dots$	$P_v(-\cos \theta)$
411	1.....	Fig. 3.....	The GMT scale should be LMT+10 hours.	
436	1.....	4.....	$\eta = E_v/E_n = \dots$	$\eta = E_v/E_h =$
459	1.....	{20..... 13.....	$a_{y'} = \dots$ $i_{y'} = \dots$	$\bar{i}_{y'} = \dots$ $i_p = \dots$
460	2.....	22.....	$(\cos \psi) = \delta_m \dots$	$(\cos \psi) = \dot{\delta}_m$
462	2.....	11.....	cycles per second.....	cycles per second
468	{13..... 14.....	Insert brace at the end of the formula before the comma. Delete parenthesis in the formula.	
469	eq. (10)	$r f_l(r) \sim A_l \frac{\int_{t_l}^r m_l(s) ds}{\{m_l(r)\}^{1/2}}$	$r f_l(r) \sim A_l \frac{\int_{t_l}^r m_l(s) ds}{\{m_l(r)\}^{1/2}}$

Corrections to be noted in Volume 64 of the JOURNAL OF RESEARCH of the National Bureau of Standards—D. Radio Propagation

Page	Column	Line	Now reads in part	Should read
473		3 from bottom.	side of (6) for $r=a$,	side of (26) for $r=a$,
474		eq. (37).	$\left[e^{-ir/3} \frac{H_{2/3}^{(1)}(u)}{H_{1/3}^{(0)}(u)} \right]^2$	$\left[e^{-i\pi/3} \frac{H_{2/3}^{(1)}(u)}{H_{1/3}^{(0)}(u)} \right]^2$
476		15.	$\tau = r'd\theta/dr'$	$\tau = r'd\theta'/dr'$
479		eq. 62.	$3u_1(a)$	$3u_1(a)$
539		18.	Delete boldface overscore over italic d .	
548		eq. 72.	$\left \frac{Z_E}{Z_0} \right $	$\left \frac{Z_E}{Z_0} \right $
552		7.	$0.58 < d\lambda_0$	$0.58 < d/\lambda_0$
565		{ eq. (13). eq. (14).	$h_\rho^{(0)}$ $h_z^{(0)}$	$h_\rho(t)$ $h_z(t)$
567		16.	$e\phi$	e_ϕ
592	{ 2.	{ 5. 9.	from the value at the beginning of this interval.	Delete
		apparatus.	measuring method.	
594	1.	35.	hormonic.	harmonic
595	2.	2 from bottom.	junction.	function
598			Additional comments have been prepared to accompany this paper and appear in the Journal of Research, Section D. Radio Propagation, January–February 1961 issue.	
603	1.	4.	At least 3 m were.	At least 3 meters were
616		Fig. 3.	Lettering left of figure should read: Median Basic Transmission Loss L_{bm} , db.	
643	2.	30.	concepts.	concepts
646	2.		New heading to be inserted as F. Publications. An example of path combinations in whistler echoes reported at the XIIth Assembly, has been published (Morgan et al., 1959), and an example of direct correspondence of whistlers and lightning flashes by aural and visual observation, also reported at the XIIth Assembly, has been published (Morgan, 1958b). A correlation of whistler dispersion with sunspot number was discovered by G. McK. Alcock of New Zealand in data taken simultaneously with him and this result has been published (Alcock and Morgan, 1958). In addition to these papers dealing with restrictive topics, four comprehensive papers have been published (Morgan, 1958a; Helliwell and Morgan, 1959; Morgan, 1959; Johnson, 1960).	
647	1.	4.	3 yr.	3 years
651	{ 1.	{ 2. 3. 1. 5 & 6.	may be above. just about. statistica.	may be just above statistical
			Approved for publication as an NBS Monograph (1960B).	
652	{ 2.		Insert the following reference between lines 19 and 20 from bottom: Helliwell, R. A., M. G. Morgan, Atmospheric whistlers, Proc. IRE 47, 200–208 (1959).	NBS Monograph 23 (1960b).
662	1.	9 from bottom.	four sources, Omega, Neb.,	four sources, Orion, Neb., Omega, Neb.,
673	1.	1.	of television.	or television

*Corrections to be noted in Volume 64 of the JOURNAL OF RESEARCH of the
National Bureau of Standards—D. Radio Propagation*

Page	Column	Line	Now reads in part	Should read
687	1.....	{14..... 15..... 16..... 17..... 18.....	theory; (2)..... formulations, (3)..... techniques, (4)..... matrices, (5)..... and (6).....	theory: (1) formulations, (2) techniques, (3) matrices, (4) and (5)
688	2.....	5 from bot- tom.....	for examples,.....	for example,
690	1.....	{31..... last..... 6.....	{are <u>a</u> ,..... with <u>a</u> ,..... [1957]..... Weinberg [1958].....	are <i>a</i> , with <i>a</i> , [1959]. Weinberg [1958b]
691	2.....	{11 & 12 from bottom.....	(See letter).....	(Complete letter in files of author not quoted but will be included in a subsequent paper.)
692	2.....	4 & 5 from bottom.....	which attempted to make... $\sum_{m=0}^{n-1}$ $T_d = \frac{1}{m}$	made $\sum_{m=0}^{n-1}$ $T_d = \frac{1}{m}$
695	1.....	15.....		
707	Abstract....	1.....	fieldr of.....	fields of
709	1.....	11 from bottom.....	(caustics), nd has.....	(caustics), and has
	{2.....	{24..... 44..... 9 from bottom.....	S7 (1959)..... S231 (1959).....	S7 (1959b). S231 (1959a).
713	2.....		theory, IRE Trans. AP-7, S28 (1959).	theory, Rept. 2591-3-T, AFCRC-TN-58-350, AD 160790, The University of Michigan Radiation Lab- oratory (1958).
731	Abstract....	19.....	annual.....	annular
735	2.....	16 from bottom.....	loves below.....	lobes below
739	1.....	37.....	sloe arrays.....	slot arrays
740	1.....	32.....	effects an.....	affects an
745	1.....	9 from bottom.....	Robert,	Roberts,
	{2.....	{4..... 9.....	Wait [1957; 1958]..... [Kay and Zucker, 1959]....	Wait [1957] [see Cottony and others, 1959]
747	2.....	8 & 9 from bottom.....	Marcuvitz [IRE Trans., 1959] and Barone [IRE Trans., 1959]	Marcuvitz and Barone [see Cottony and others, 1959]
748	{1..... 2.....	18..... 1.....	millimeter waveline..... cut-and-dry.....	millimeter-wave line cut-and-try
750	1.....	3.....	AP-7 (1959).....	AP-7, S244 (1959).
753	1.....	11.....	invention seems.....	devices seem
754	{1..... 2.....	4..... 32.....	Heffner, H., Stanford Univ.. GF P-N junction.....	Delete germanium p-n junction
755	1.....	8 from bottom.....	kMc/s.....	KW