CS95-41 Pipe; lead

U. S. DEPARTMENT OF COMMERCE JESSE H. JONES, Secretary

NATIONAL BUREAU OF STANDARDS LYMAN J. BRIGGS, Director

tional Bureau of Standards

AUG 29 1941

LEAD PIPE Reference book not to be

taken fra

1PS1

COMMERCIAL STANDARD CS95-41

Effective Date, June 25, 1941



A RECORDED VOLUNTARY STANDARD OF THE TRADE

UNITED STATES GOVERNMENT PRINTING OFFICE WASHINGTON : 1941

U. S. Department of Commerce

NATIONAL BUREAU OF STANDARDS

PROMULGATION

of

COMMERCIAL STANDARD CS95-41

for

LEAD PIPE

On September 26, 1940, the Lead Industries Association proposed the establishment of a Commercial Standard for lead pipe, and submitted a specification which the Association has used as a basis for its seal of approval. This specification was submitted to a number of leading distributor and user organizations for comment and was later adjusted to suit the composite recommendations of those concerned. In the absence of need for a general conference, the recommended standard was circulated on April 23, 1941, to manufacturers, distributors, and users for written approval. The trade has since accepted and approved for promulgation by the United States Department of Commerce, through the National Bureau of Standards, the standard as shown herein.

The standard is effective from June 25, 1941.

Promulgation recommended.

I. J. Fairchild, Chief, Division of Trade Standards.

Promulgated.

Lyman J. Briggs, Director, National Bureau of Standards.

Promulgation approved.

Jesse H. Jones, Secretary of Commerce.

11

LEAD PIPE

COMMERCIAL STANDARD CS95-41

PURPOSE

1. The purpose of this commercial standard is to provide a nationally recognized specification for lead pipe for plumbing and water distribution, which shall serve to promote a better understanding between buyer and seller, and to provide a basis for labeling as advance assurance of acceptable composition, construction, and workmanship.

SCOPE

2. This standard covers chemical composition, inside and outside diameters, weight classification, weight per foot, defects, certification and labeling of one grade of lead pipe. Maximum working pressures are included in table 1 to assist in the selection of the proper classification of lead pipe for various purposes.

REOUIREMENTS

3. Composition.-The lead pipe shall contain not less than 99.7 percent of lead. The zinc content shall not exceed 0.002 percent.

4. Dimensional tolerances.—The wall thickness shall vary not more than 0.008 inch under, or 0.012-inch over, the specified wall thickness taken at any point on the circumference of the pipe. Wall thicknesses and minimum outside circumferences are given in table 1. Minimum outside circumference shall be measured to the nearest ¹/₁₆-inch with a steel tape.

| Size | Classification | | | | Minimum | | |
|---|--|--------------------------------------|---|---|---|---|---|
| Nominal inside di- ameter (inches) | East 1 | West ² | Maximum working pres- sure | Outside diameter | outside circumfer- ence | Wall thick- ness | Nominal weight per foot |
| 3 <u>8</u> | {D С В А. А. А. А.А. А.А. | XL L M S XS XS XXS | <i>b/in.</i> ² Wastedo do 50 75 100 | Inches 0.549 .577 .631 .725 .811 .888 | $\begin{matrix} Inches \\ 19/16 \\ 111/16 \\ 113/16 \\ 21/8 \\ 23/8 \\ 25/8 \\ 25/8 \end{matrix}$ | Inches 0.087 .101 .128 .175 .218 .256 | Pounds 0. 62 . 75 1. 00 1. 50 2. 00 2. 50 |
| ¥2 | D C B A AA AAA | XL L M S XS XS | Wastedo do -50 75 100 | $ \begin{array}{r} .666 \\ .712 \\ .756 \\ .798 \\ .876 \\ 1.012 \\ $ | 115/16 23/16 23/4 23/5 25/8 33/16 | .083 .106 .128 .149 .188 .256 | .75 1.00 1.25 1.50 2.00 3.00 |

TABLE 1.-Lead pipe sizes

Symbols used generally for lead pipe sold in cities east of the Illinois-Indiana line.
Symbols used generally for lead pipe sold in cities west of the Illinois-Indiana line.

403367-41

Commercial Standard CS95-41

| Size | Classif | ication | | Outside diameter | Minimum outside circumfer- ence | Wall thick- ness | Nominal weight per foot |
|---|--|---|----------------------------------|--|---|---|--|
| Nominal inside di- ameter (inches) | East | West | Maximum working pres- sure | | | | |
| 5/8 | (D C B A | XL L M | <i>lb/in.</i> Wastedodo 50 | Inches 0.803 .881 .953 1.019 | Inches 23 25 25 8 27 8 27 8 3 1/16 | Inches 0.089 .128 .164 .197 | Pounds 1.00 1.50 2.00 2.50 |
| | | XS XXS | 75 | $1.082 \\ 1.137$ | 3¼ 37⁄16 | . 228 . 256 | 3.00 3.50 |
| n de la constant 94 - _e nterner Nation de la constant de la constant | D D B A A A.A A.A | XL L M S XS XS XS | Wastedo do 50 75 100 | $\begin{array}{r} .940 \\ 1.006 \\ 1.068 \\ 1.156 \\ 1.212 \\ 1.336 \end{array}$ | 213/16 3 33/16 31/2 311/16 41/16 | .095 .128 .159 .203 .231 .293 | $\begin{array}{c} 1.25\\ 1.75\\ 2.25\\ 3.00\\ 3.50\\ 4.75\end{array}$ |
| 1 | D C A A A A A A | XL L M S XS XXS | Wastedo do 50 75 100 | $1.232 \\ 1.284 \\ 1.356 \\ 1.428 \\ 1.492 \\ 1.596$ | 334 378 418 45/16 49/16 47/6 | .116 .142 .178 .214 .246 298 | $\begin{array}{c} 2.\ 00\\ 2.\ 50\\ 3.\ 25\\ 4.\ 00\\ 4.\ 75\\ 6.\ 00\end{array}$ |
| 134 | D C B A AA AAA | XL L M S XS XS XS XS | Wastedo do 50 75 100 | $1.486 \\ 1.528 \\ 1.592 \\ 1.670 \\ 1.765 \\ 1.889$ | $\begin{array}{c} 412\\ 411/6\\ 478\\ 518\\ 538\\ 51^3/6\\ 51^3/6\end{array}$ | . 118 . 139 . 171 . 210 . 258 . 320 | 2.50 3.00 3.75 4.75 6.00 7.75 |
| 1½ · . | D C B A AA AAA | XL L M S XS XS XXS | Wastedo do 50 75 100 | $1.776 \\ 1.830 \\ 1.882 \\ 1.984 \\ 2.076 \\ 2.272$ | 57/16 55% 534 63/16 63% 7 | . 138 . 165 . 191 . 242 . 288 . 386 | $\begin{array}{c} 3.\ 50\\ 4.\ 25\\ 5.\ 00\\ 6.\ 50\\ 8.\ 00\\ 11.\ 25\end{array}$ |
| 134 | D C B A AAA AAA | XL L M S X8 XX8 | Wastedo do 50 75 100 | 2. 024 2. 086 2. 146 2. 193 2. 404 2. 624 | 63/16 67/16 65/8 63/4 77/16 81/8 | . 137 . 168 . 198 . 222 . 327 . 437 | $\begin{array}{r} 4.00\\ 5.00\\ 6.00\\ 6.75\\ 10.50\\ 14.75\end{array}$ |
| 2 | D C B A A.A. A.A. | XL L M S XS XS XS | Wastedo do 50 75 100 | $\begin{array}{c} 2.\ 284\\ 2.\ 354\\ 2.\ 410\\ 2.\ 503\\ 2.\ 751\\ 3.\ 008 \end{array}$ | 71/16 71/4 77/16 73/4 81/2 95/16 | $\begin{array}{r} .142 \\ .177 \\ .205 \\ .252 \\ .376 \\ .504 \end{array}$ | 4.75 6.00 7.00 8.75 13.75 19.50 |
| 2½ 3 4 5 6 | Classified by nominal weight per foot, or by wall thickness. | | (| $\begin{array}{c} 2.\ 75\\ 3.\ 00\\ 3.\ 25\\ 3.\ 50\\ 4.\ 25\\ 4.\ 50\\ 5.\ 25\\ 5.\ 50\\ 6.\ 25\\ 6.\ 50\\ \end{array}$ | 832 9516 10346 1036 13346 14 1638 1738 1932 2034 | $\begin{array}{c} .\ 125\\ .\ 250\\ .\ 125\\ .\ 250\\ .\ 125\\ .\ 250\\ .\ 125\\ .\ 250\\ .\ 125\\ .\ 250\\ .\ 125\\ .\ 250\end{array}$ | $\begin{array}{c} 5.\ 00\\ 10.\ 62\\ 6.\ 00\\ 12.\ 50\\ 7.\ 88\\ 16.\ 38\\ 9.\ 88\\ 20.\ 25\\ 11.\ 81\\ 24.\ 12\\ \end{array}$ |

TABLE 1.-Lead pipe sizes-Continued

5. Lengths.—Pipe 2 inches in diameter and larger is furnished in 10-foot lengths. Pipe smaller than 2 inches is furnished in coils. Coils not exceeding 200 pounds are recommended for convenience in handling, but longer coils may be specified.

6. Defects.—Reasonable diligence shall be used in manufacturing operations to eliminate all defects ¹ in lead pipe, such as laminations, cold joints, pits, pressure joints, obstructions, and inclusions.

CERTIFICATION AND LABELING

7. The manufacturer's name, registered trade-mark, or identification mark registered with the Lead Industries Association shall be stamped at least once every 24 inches along all pipe. The symbol for wall thickness and the inside diameter shall be stamped at least once on every coil of lead pipe, except sizes $2\frac{1}{2}$ inches and larger, which shall have the nominal weight per foot and inside diameter stamped on each length.

8. It is recommended that the following form of certification be used on labels, tags, invoices, etc.:

The ______ Company certifies that this lead pipe conforms to all the requirements of Commercial Standard CS95-41 as issued by the National Bureau of Standards of the U. S. Department of Commerce.

9. The Lead Industries Association, 420 Lexington Ave., New York, N. Y., has a plan whereby it authorizes manufacturers to use the Association's seal of approval on lead pipe conforming to the Association's standard, which is currently identical in substance with this commercial standard, the seal being mandatory for conformance with the Association's standard. The seal is illustrated in figure 1.



FIGURE 1.-Seal of approval of the Lead Industries Association.

EFFECTIVE DATE

The standard is effective from June 25, 1941.

STANDING COMMITTEE

The following individuals comprise the membership of the standing committee, which is to review, prior to circulation for acceptance, revisions proposed to keep the standard abreast of progress. Each organization nominated its own representatives. Comment concerning the standard and suggestions for revision may be addressed to any member of the committee, or to the Division of Trade Standards, National Bureau of Standards, which acts as secretary for the committee.

¹ Cold joints and pressure joints are joints made in the extrusion press by pressure, with or without the aid of heat. Inclusions are substances such as air, gas, dross, oxide, metallic or nonmetallic impurities enclosed in the lead

Chairman:

ALFRED P. KNAPP, American Smelting & Refining Co., 120 Broadway, New York, N. Y.

Producers:

CHARLES A. GEATTY, National Lead Co., 111 Broadway, New York, N. Y.

WILLIAM F. MURDOCK, Eagle-Picher Sales Co., 435 Reading Road, Cincinnati, Ohio.

OSCAR E. PLANTEROTH, Marks Lissberger & Son, Inc., 23-01 Borden Ave., Long Island City, N. Y.

Distributors:

American Institute of Wholesale Plumbing & Heating Supply Associations, 43 E. State St., Battle Creek, Mich. Invited to name representative. Central Supply Association, 228 N. LaSalle St., Chicago, Ill. Invited to name

Central Supply Association, 228 N. LaSalle St., Chicago, Ill. Invited to name representative.

Montgomery Ward & Co., Chicago, Ill. Invited to name representative. Users:

R. S. JONES, Federal Housing Administration, Washington, D. C.

J. W. NICHOLSON, City Purchasing Agent, Milwaukee, Wis. Representing National Association of Purchasing Agents.

National Association of Master Plumbers, 917 15th St. NW., Washington, D. C. Invited to name representative.

HISTORY OF PROJECT

On September 26, 1940, the Lead Industries Association requested the establishment of a Commercial Standard for lead pipe and submitted as a basis for such a standard, a specification developed by the Association and used by it in authorizing the use of the Association's seal of approval on lead pipe manufactured in conformance with the specification.

Because the specification was well known to a large part of the trade, no public hearing for adjustment was believed necessary, but copies of the specification were submitted to approximately 300 interested producers, distributor, and user organizations for comment on December 4, 1940. Following suitable adjustment and unqualified endorsement by a number of those organizations, and in the absence of objection, the recommended Commercial Standard was submitted to the entire trade for written acceptance on April 23, 1941.

On June 10, 1941, the National Bureau of Standards announced that acceptances representing a satisfactory volume of business had been received, and that the standard would become effective from June 25, 1941.

CS95-41

ACCEPTANCE OF COMMERCIAL STANDARD

If acceptance has not previously been filed, this sheet properly filled in, signed, and returned will provide for the recording of your organization as an acceptor of this commercial standard.

Date

Division of Trade Standards, National Bureau of Standards, Washington, D. C.

Gentlemen:

Having considered the statements on the reverse side of this sheet, we accept the Commercial Standard CS95-41 as our standard of practice in the

Production¹ Distribution¹ Use¹

of lead pipe.

We will assist in securing its general recognition and use, and will cooperate with the standing committee to effect revisions of the standard when necessary.

Signature of individual officer

(in ink)

(Kindly typewrite or print the following lines)

Name and title of above officer Organization (Fill in exactly as it should be listed) Street address City and State

¹ Please designate which group you represent by drawing lines through the other two. Please file separate acceptances for all subsidiary companies and affiliates which should be listed separately as acceptors. In the case of related interests, trade papers, colleges, etc., desiring to record their general approval, the words "in principle" should be added after the signature.

5

Cut on this line)

TO THE ACCEPTOR

The following statements answer the usual questions arising in connection with the acceptance and its significance:

1. Enforcement.—Commercial standards are commodity specifications voluntarily established by mutual consent of those concerned. They present a common basis of understanding between the producer, distributor, and consumer and should not be confused with any plan of governmental regulation or control. The United States Department of Commerce has no regulatory power in the enforcement of their provisions, but since they represent the will of the interested groups as a whole, their provisions through usage soon become established as trade customs, and are made effective through incorporation into sales contracts by means of labels, invoices and the like.

2. The acceptor's responsibility.—The purpose of commercial standards is to establish for specific commodities, nationally recognized grades or consumer criteria and the benefits therefrom will be measurable in direct proportion to their general recognition and actual use. Instances will occur when it may be necessary to deviate from the standard and the signing of an acceptance does not preclude such departures; however, such signature indicates an intention to follow the commercial standard where practicable, in the production, distribution, or consumption of the article in question.

3. The Department's responsibility.—The major function performed by the Department of Commerce in the voluntary establishment of commercial standards on a Nation-wide basis is fourfold: first, to act as an unbiased coordinator to bring all interested parties together for the mutually satisfactory adjustment of trade standards; second, to supply such assistance and advice as past experience with similar programs may suggest; third, to canvass and record the extent of acceptance and adherence to the standard on the part of producers, distributors, and users; and fourth, after acceptance, to publish and promulgate the standard for the information and guidance of buyers and sellers of the commodity.

4. Announcement and promulgation.—When the standard has been endorsed by a satisfactory majority of production or consumption in the absence of active, valid opposition, the success of the project is announced. If, however, in the opinion of the standing committee or the Department of Commerce, the support of any standard is inadequate, the right is reserved to withhold promulgation and publication.

6

ACCEPTORS

The organizations and individuals listed below have accepted this specification as their standard of practice in the production, distribution, and use of lead pipe. Such endorsement does not signify that they may not find it necessary to deviate from the standard, nor that producers so listed guarantee all of their products in this field to conform with the requirements of this standard. Therefore, specific evidence of quality certification should be obtained where required.

ASSOCIATIONS

- Engineers, American Association of Chicago, Ill.
- Denver Master Plumbers Association, ver, Colo. Lead Industries Association, New York, N. Y. Committee on Standardization, Den-
- Virginia Associated Plumbing & Heating Contractors, Inc., Richmond, Va.

FIRMS

- Adams, Franklin O., Tampa., Fla. Alpha Metal & Rolling Mills, Inc., Brooklyn, N. Y. Altfillisch, Charles, Decorah, Iowa.
- American Radiator & Standard Sanitary
- Corporation, Minneapolis, Minn. American Smelting & Refining Federated Metals Division, York, N. Y. American Smelting & Refining Lead Products Department, York N. Y. Co., New
- Co., New York, N. Y.
- Anderson Fertilizing Co., Inc., Anderson, S. C.
- Annand, J. D., Portland, Oreg. Appleby Bros. & Whittaker Co., Harris-
- burg, Pa. Baker Lead Manufacturing Co., Wor-Baker Lead Manuacturing Co., wor-cester, Mass. Balch & Lippert, Madison, Wis. Beacham & LeGrand, Greenville, S. C. Beardsley, Wallace P., Auburn, N. Y. Beeson, Carroll O., Crawfordsville, Ind. Bickford, Robert Turner, Elmira, N. Y. Blako, Edgar Ovat, Evancton U

- Blake, Edgar Ovet, Evanston, Ill.
- Blithe, Wesley Lesher, Philadelphia, Pa.
- Bogner, Harry, Milwaukee, Wis. Bond Supply Co., Kalamazoo, Mich. Bowman Supply & Manufacturing Co.,
- Inc., Pittsburgh, Pa. Bradley Supply Co., Chicago, Ill. Brainerd, Harry B., New York, N. Y. (In principle.)
- Braman, Dow & Co., Boston, Mass. Braseth & Houkum, Fargo, N. Dak.

Brazer, Clarence W., New York, N. Y. Brown, Floyd W., Minneapolis, Minn. Brown, Louis A., Jr., Charlottesville, Va. Brust & Brust, Milwaukee, Wis. Bucky, Fred W., Jr., Jacksonville, Fla. Buechner & Orth, St. Paul, Minn. (In

- principle.)
- Buffalo Testing Laboratories, Inc., Buffalo, N. Y. (In principle.)
- Cambridge Smelting Co., Cambridge, Mass.

- Camlet, J. Thomas, Passaic, N. J. Candela, R., New York, N. Y. Canfield Supply Co., Kingston, N. Y. Cannon & Mullen, Salt Lake City, Utah. Capitol Supply Co., Lincoln, Nebr. Carroll, John, Ventnor, N. J. Central Plumbing Supply Co., The, Bridgeport Comp Bridgeport, Conn. Central Vermont Public Service Cor-
- poration, Rutland, Vt. Chesebrough Manufacturing Co., Con-
- solidated, New York, N. Y. Chiaverini, Francis, Providence, R. I.
- (In principle.)
- Cities Service Oil Co., (Del.), Bartlesville, Okla.
- Cleveland Lead Co., The, Cleveland, Ohio.
- Colt, E., New York, N. Y. Cole Supply Co., Geo. H., Troy, N. Y. Colorado, Public Service Co. of, Elec-
- tric Operations, Denver, Colo. Columbia Pipe & Supply Co., Chicago,
- III. Community Public Service Co., Ft.
- Worth, Tex. nrad & Cummings, Binghamton, Conrad N. Y.
- Conrow, H. S., Wichita, Kans. Conwell & Co., E. L., Philadelphia, Pa. (In principle.)
- Coolidge, Shepley, Bulfinch & Abbott, Boston, Mass. Corlett, Will G., Oakland, Calif. Cotton States Fertilizer Co., Macon,
- Ga.
- County Seat Plumbing Supply Co., Inc., White Plains, N. Y.

- Cram & Ferguson, Boston, Mass.
- Crowell & Lancaster, Bangor, Maine.
- Crown Metal Co., Milwaukee, Wis. Dalziel Plumbing Supplies, San Fran-
- cisco, Calif. Danser Manufacturing & Supply Co.,
- The, Weston, W. Va., and Clarksburg, W. Va. De Jarnette, Charles Wagner, Des
- Moines, Iowa.
- Delehanty, Andrew L., Albany, N. Y. (In principle.) Detroit, City of, Public Lightning Com-
- mission, Detroit, Mich. Division Lead Co., Chicago, Ill. Dodge, Stephen W., New York, N. Y.

- Dominquez Chemical Co., Compton, Calif.
- Drake, Inc., George H., Buffalo, N. Y. Dubuque Supply Co., The R. A.,
- St. Louis, Mo. Duffy & Co., Edward W., Detroit, Mich.
- Eagle-Picher Sales Co., The, Cincinnati, Ohio. Eastern Plumbing Supply Co., Inc.,
- The, Hartford, Conn. Egyptian Supply Co., Inc., Christopher,
- ΪĨ.
- Eichenlaub, Geo. E., Erie, Pa. Eldridge, Charles William, Oswego, Eldridge, Ν. Y
- Ellis & Sons, Inc., Sol, Chicago, Ill. Englewood Plumbing Supply Co., Inc.,
- Englewood, N. J. Englewood, N. J. English, Harold T., Hutchinson, Kans. Espedahl, K. S., Columbia, S. C. Evans Metal Co., Atlanta, Ga.
- Fall River Steam & Gas Pipe Co.,
- Fall River, Mass. Flannagan, Eric G., Henderson, N. C. Flemm Lead Co., Inc., The, Long Island City, N. Y. Florida, University of, Gainesville, 1a. Foltz & Son, Herbert, Indianapolis, Ind.

- Freeport Plumbing & Heating Engineers
- Freeport, N. Y. Galloup Pipe & Supply Co., Battle
- Creek, Mich. Gardiner Metal Co., Chicago, Ill. General Plumbing Supply Corporation, Coney Island, N. Y.
- Glaser Lead Co., Inc., Brooklyn, N. Y.
- Grinnell Co., Inc., Providence, R. I. Groeniger, Wm. C., Columbus, Ohio. Gulf Oil Corporation, Pittsburgh, Pa.

- Hahn, Stanley W., Silver Spring, Md.
- Hannaford, Frederick T., Gainesville, Fla.
- Hannaford & Sons, Samuel, Cincinnati, Ohio.
- Haralson & Mott, Ft. Smith, Ark.
- Harley & Ellington, Detroit, Mich. (In principle.) Harper & West, Boston, Mass.
- Hasness, Carlisle D., Harrisburg, Pa. Haxby & Bissell, Minneapolis, Minn.

- Helfensteller, Hirsch & Watson, St. Louis, Mo.
- Herron Co., The James H., Cleveland, Ohio. (In principle.)
- Hess Co., Charles, New York, N. Y. Hoefler, Arthur Albert, N. Plainfield, N. J.
- Holsman & Holsman, Chicago, Ill.
- Home Plumbing & Heating Co., Twin Falls, Idaho.
- Hoppe, M. F., Washington, D. C. (In principle.)
- Hughes Heating & Plumbing Co., Minneapolis, Minn.
- Hughes Supply Co., The, Mansfield, Ohio.
- Hunting Co., The, Rochester, N. Y., and Auburn, N. Y.
- Ideal Supply Co., Somerville, Mass.
- Illinois, University of, Department of Architecture, Urbana-Champaign, Ill. (In principle.)
- Jahns Supply Co., Ft. Worth, Tex. Joannes, Francis Y., New York, N. Y. Texarkana, Plumbing Co., Johnson Ark.
- Johnson, Wallwork & Dukehart, Port-
- land, Oreg. Jokel-Coy-Thal, Toledo, Ohio. Kaelber, Wm. G., & L. A. Waasdorp, Rochester, N. Y.
- Kahn, Bros., Brooklyn, N. Y. Kalispell Mercantile Co., Kalispell, Mont.
- Kansas City Smelting Co., Kansas City, Mo.
- Keich & O'Brien, Warren, Ohio. Knapp Supply Co.. The, Muncie, Ind. Kohler Co., Kohler, Wis. (In principle.)
- Kohn, Robert D., & Chas. Butler, Architects Associated, New York, N. Y.
- Koller Bors. Co., The, Cleveland, Ohio. Kyle, Herbert S., Charleston, W. Va. Laboratories, Inc., Seattle, Laucks
- Wash.
- Lawrence, Holford & Allyn, Portland, Oreg.
- Lebanon Plumbing Supply Co., Inc., Lebanon, Pa.
- Levy, Will, St. Louis, Mo.
- Lissberger & Son, Inc., Marks, Long Island City, N. Y. Main Supply Co., The, Cincinnati,
- Ohio.
- Maine, University of, DeEartment of Chemistry & Chemical Engineering, Orono, Maine. (In principle.) Malone Plumbing Supply Co., S. S.
- Pittsburgh, Pa.
- Mann & Co., Hutchinson, Kans. (In principle.) Martin & Son, A. Oscar, Doylestown,
- Pa.
- Massena & duPont, Wilmington, Del.

- Mauran, Russell, Crowell & Mullgardt, | Rockford Plumbing Supply Co., Rock-St. Louis, Mo.
- Messer Co., James A., Washington, D. C.
- Meyer, Gerber Plumbing & Heating Supply Co., Chicago, Ill.
- Mid-West Supply Co., Chicago, Ill. Miller & Yeager, Terre Haute, Ind.
- Milwaukee Water Works, Milwaukee, Wis.
- Milwaukee Lead Works, Milwaukee, Wis.
- Mineola Plumbing Supply Co., Inc., Mineola, N. Y.
- Mission Pipe & Supply Co., San Diego, Calif.
- Mitchell, Charles J., Providence, R. I. Molther, F. R., Ancon, Canal Zone. Montgomery Ward & Co., Chicago, Ill.

- Muhlenberg Bros., Reading, Pa. Mundie, Jensen, Bourke & Havens, Chicago, Ill.
- Murdock Manufacturing & Supply Co., The, Cincinnati, Ohio. Murphy, Inc., J. L., 'New York, N. Y. Murray, Earl O., Birmingham, Ala. National Lead Co., New York, N. Y. Nelson Co., N. O., St. Louis, Mo.

- Neptune Supply Corporation, Atlantic
- City, N. J. New Jersey Engineering & Supply Co., Passaic, N. J.
- New Mexico State College of A-M. A. State College, N. Mex. (In principle.)
- Nichols, Edward J., Madison, Nebr. North American Smelting Co., Inc., Philadelphia, Pa.
- North Side Plumbing & Heating, Indianpolis, Ind.
- Northern Indiana Supply Co., Inc., Kokomo, Ind. Northwest Lead Co., Seattle, Wash.

- O'Rourke Plumbing & Heating Co., W. R., Walla-Walla-Wash. Pancoast, Russell T., Miami Beach, Fla.

- Penn Reading Supply Co., Reading, Pa. Penninman & Browne, Baltimore, Md. Pepper, Geo. W., Jr., Philadelphia, Pa. Philadelphia Electric Co., Philadelphia, Pa.
- Pitkin, Inc., Lucius, New York, N. Y. (In principle.)
- Plumbing Wholesale Co., Jackson, Miss. Proudfoot Rawson-Brooks & Borg, Des Moines, Iowa.
- Public Service Electric & Gas Co.,
- Newark, N. J. Raffel's Plumbing & Heating Supply House, Chicago, Ill. Rayl Co., Detroit, Mich. Reese & Co., Reading, Pa.

- Ritchie & Associates, James H., Boston, Mass.
- Rochester Lead Works, Inc., Rochester, N. Y.

- ford, Ill.
- Rom Co., The Robert, Milwaukee, Wis. Ross-Willoughby Co., The, Columbus, Ohio.
- Sales & Co., Murray W., Detroit, Mich. Schoeppe, Edward, Philadelphia, Pa. Schulzke, William H., Moline, Ill. Sears, Roebuck & Co., Chicago, Ill.

- Seashore Supply Co., Atlantic City, N. J.
- Sidells, Arthur F., & Ellis M. Keppel, Warren, Ohio.
- Sleeper, Harold R., New York, N. Y.
- Smith, Emery & Co., San Francisco, Calif.
- Smolka Co., Inc., New York, N. Y. Southern California Edison Co., Ltd., Los Angeles, Calif.
- Southern California Telephone Co., Los Angeles, Calif.
- Specification Record, Chicago, Ill. Standard Plumbing Supply Co., Inc., Minneapolis, Minn.
- State Plumbing Supply Co., Philadelphia, Pa.
- Staten Island Edison Corporation, St.
- George, Staten Island Supply Co., Inc., West New Brighton, S. I., N. Y. Staub, John F., Houston, Tex. Stauffer Chemical Co., Los Angeles,
- Calif.
- Steinmann, Robert, Cincinnati, Ohio. Summers Hardware & Supply Co.,
- Johnson City, Tenn. Sun Oil Co., Philadelphia, Pa., and Marcus Hook, Pa.
- Tallman Co., University City, Mo.
- Taylor, Ellery K., Haddonfield, N. J. Taylor & Wheeler, Fresno, Calif.
- Copperhill, Tennessee Copper Co., Tenn.
- Thorne, Henry Calder, Ithaca, N. Y. Thornley Supply Co., The, Pawtucket,
- R. I. Toye Supply Co., E. W., Winona, Minn. Twining Laboratories, The, Fresno, Calif.
- Van Denberg Supply Co., Rockford, Ill. Varian Denderg Supply Co., Kockford, H. Victory White Metal Co., The, Cleve-land, Ohio. Vogel, Willis A., Toledo, Ohio. Vogel & Sons Co., P. A., Louisville, Ky. Wanner Bros., Baltimore, Md. Warren Balderston C., Trenton, N. J. Warren Plumbers Supply Co. Inc.

- Warren Plumbers Supply Co., Inc.,
- Jersey City, N. J. Weber & Co., Inc., C. L., Philadelphia, Pa.
- Weil-McLain Co., Chicago, Ill. Welch, Carroll E., Huntington, N. Y. Wensley Metal Products Co., Denver, Colo.
- Westchester Square Plumbing Supply Co., Inc., New York, N. Y. Whitaker, Courtney L., Dravosburg,
- Pa.

- Wischmeyer, William F., St. Louis, Mo. Zimmerman, A. C., Pasadena, Calif. Wisconsin Electric Power Co., Milwau+
- kee, Wis. Wood & Son, E. J., Clarksburg, W. Va. Woolcock Plumbing & Heating Co., Niagara Falls, N. Y.
- Worthington Co., The Geo., Cleveland, Ohio.
- Wright & Wright, Detroit, Mich. (In principle.) Yelton-Weaver Supply Co., Springfield,
- III.
- Young Gasoline & Refining Co., The, Lexington, Ky. (In principle.)

U. S. GOVERNMENT

- Agriculture, Department of, Washing-ton, D. C.
- Federal Loan Agency, Federal Housing Administration, Washington, D. C. Guam, Government of, Guam.
- Treasury Department, Washington, D. C.
- Veterans Administration, Washington, D. C.

War Department, Washington, D. C.

COMMERCIAL STANDARDS

| CS N | o. Item | CS N | o. Item |
|--------|--|------------------|---|
| 0-40. | Commercial standards and their value to business (third edition). | 52-35. | Mohair pile fabrics (100-percent mohair plain velvct, 100-percent mohair plain frieze, and |
| 1-32. | Clinical thermometers (second edition). | 20 92 | 50-percent mohair plain frieze). |
| 2-30. | Stoddard solvent (third edition) | 54-35 | Mattresses for hospitals |
| 4-29. | Staple porcelain (all-clay) plumbing fixtures. | 55-35. | Mattresses for institutions. |
| 5-40. | Pipe nipples; brass, copper, steel, and wrought | 56-41. | Oak flooring (second edition). |
| | iron. | 57-40. | Book cloths, buckrams, and impregnated |
| 6-31. | Wrought-iron pipe nipples (second edition). | | fabrics for bookbinding purposes except |
| 7-29. | Superseded by CS5 40. Standard weight malleable iron or steel | 58-36. | Woven elastic fabrics for use in overalls (over- |
| 8-41 | Gage blanks (third edition) | 50-41 | Woven textile fabrics_testing and reporting |
| 9-33. | Builders' template hardware (second edition). | 00 | (third edition). |
| 10-29. | Brass pipe nipples. Superseded by CS5-40. | 60-36. | Hardwood dimension lumber. |
| 11-41. | Moisture regains of cotton yarns (second edi- | 61-37. | Wood-slat venetian blinds. |
| 10.40 | tion). Fuel aile (fifth adition) | 62-38. | Colors for kitchen accessories. |
| 13-39 | Dress natterns (second edition) | 64-37 | Walnut veneers |
| 14-39. | Boys' button-on waists, shirts, junior and polo | 65-38. | Wool and part-wool fabrics. |
| | shirts (made from woven fabrics) (second edition). | 66-38. | Marking of articles made wholly or in part of platinum. |
| 15-29. | Men's pajamas. | 67-38. | Marking articles made of karat gold. |
| 16-29. | Wallpaper. | 68-38. | Liquid hypochlorite disinfectant, deodorant, |
| 17-42. | Diamond core drill fittings (third edition). | 60.20 | and germicide. |
| 10-32 | Foundry patterns of wood (second edition) | 70-41 | Phenolic disinfectant (emulsifying type) |
| 20-36. | Staple vitreous china plumbing fixtures (sec- | 10 | (second edition) (published with CS71-41). |
| 21-39 | ond edition). | 71-41. | Phenolic disinfectant (soluble type) (second edition) (published with CS70-41) |
| | cocks, and stoppers (fourth edition). | 72-38. | Household insecticide (liquid spray type). |
| 22-40. | Builders' hardware (nontemplate) (second | 73-38. | Old growth Douglas fir standard stock doors. |
| | edition). | 74-39. | Solid hardwood wall paneling. |
| 23-30. | Feldspar. | 75-39. | Automatic mechanical drait oil burners |
| 24-30. | Special screw threads | 76-39. | Hardwood interior trim and molding. |
| 26-30. | Aromatic red cedar closet lining. | 77-40. | Sanitary cast-iron enameled ware. |
| 27-36. | Mirrors (second edition). | 78-40. | Ground-and-polished lenses for sun glasses |
| 28-32. | Cotton fabric tents, tarpaulins, and covers. | FO 40 | (second edition) (published with CS79-40). |
| 29-31. | Staple seats for water-closet bowls. | 79-40. | Blown, drawn, and dropped lenses for sun |
| 31-38 | Wood shingles (fourth edition) | | CS78-40). |
| 32-31. | Cotton cloth for rubber and pyroxylin coating. | 80-41. | Electric direction signal systems other than |
| 33-32. | Knit underwear (exclusive of rayon). | | semaphore type for commercial and other |
| 34-31. | Bag, case, and strap leather. | | vehicles subject to special motor vehicle |
| 35-31. | Plywood (hardwood and eastern red cedar). | 81-41 | Adverse-weether lamos for vehicles (after |
| 30-33. | Steel hone plates and screws | 01-41. | market) |
| 38-32. | Hospital rubber sheeting. | 82-41. | Inner-controlled spotlamps for vehicles (after |
| 39-37. | Wool and part wool blankets (second edition). | | market). |
| | (Withdrawn as commercial standard, July 14, 1941.) | 83-41. | Clearance, marker, and identification lamps for vehicles (after market). |
| 40-32. | Surgeons' rubber gloves. | 84-41. | Electric tail lamps for vehicles (after market). |
| 41-32. | Surgeons' latex gloves. | 85-41. | Electric license-plate lamps for vehicles (after |
| 42-35. | Fiber insulating board (second coltion). | | market). |
| 44-32 | Apple wraps. | 86-41. | Electric stop lamps for vehicles (after market). |
| 45-40. | Douglas fir plywood (domestic grades) (fourth | 87-41. | Red electric warning lanterns. |
| | edition). | 88-41. | Liquid-burning flares. |
| 46-40. | Hosiery lengths and sizes (third edition). | 89-40. | Hardwood stair treads and risers. |
| 47-34. | articles other than wetch accord | 90 | (Reserved for power snovels and cranes). |
| 48-40 | Domestic burners for Pennsylvania anthra- | 91-41. | Factory-fitted Douglas fr entrance doors. |
| -0 10. | cite (underfeed type) (second edition). | 92-41. | ber cypress and redwood tank stock luni- |
| 49-34. | Chip board, laminated chip board, and mis- cellaneous boards for bookbinding nurposes | 93-41. | Portable electric drills (exclusive of high |
| 50-34. | Binders board for bookbinding and other | | trequency). |
| | purposes. | 94-41. | Calking lead. |
| 51-35. | Marking articles made of silver in combina- tion with gold. | 95-41. 96-41. | Lead pipe. Lead traps and bends. |

NOTICE.—Those interested in commercial standards with a view toward accepting them as a basis of everyday practice may secure copies of the above standards, while the supply lasts, by addressing the Division of Trade Standards, National Bureau of Standards, Washington, D. C.

