NBSIR 74-389

ELECTROMAGNETIC NOISE IN MCELROY MINE

M. Kanda J. W. Adams W. D. Bensema

Electromagnetics Division Institute for Basic Standards National Bureau of Standards Boulder, Colorado 80302

June 1974

Prepared for U. S. Bureau of Mines United States Department of the Interior Pittsburgh, Pennsylvania 15222 Working Fund Agreement HO 133005



NBSIR 74-389

ELECTROMAGNETIC NOISE IN MCELROY MINE

M. Kanda J. W. Adams W. D. Bensema

Electromagnetics Division Institute for Basic Standards National Bureau of Standards Boulder, Colorado 80302

The views and conclusions contained in this document should not be interpreted as necessarily representing the official policies or recommendations of the Interior Department's Bureau of Mines of the U. S. Government.

June 1974

Prepared for U. S. Bureau of Mines United States Department of the Interior Pittsburgh, Pennsylvania 15222 Working Fund Agreement HO 133005



U.S. DEPARTMENT OF COMMERCE, Frederick B. Dent, Secretary

NATIONAL BUREAU OF STANDARDS Richard W Roberts Director

FOREWORD

This report was prepared by the National Bureau of Standards, Boulder, Colorado, under USBM Contract No. HO 133005. The contract was initiated under the Coal Mine Health and Safety Research Program. It was administered under the technical direction of the Pittsburgh Mining and Safety Research Center with Mr. Howard Parkinson and Mr. Harry Dobroski acting as the technical project officers.

This report is a summary of the work completed as part of this contract during the period January 1973 to June 1974. This report was submitted by the authors in October 1974.

CONTENTS

				Page
1.	INT RO	DUCTION	1	- 1
	1.1	Backgro	oun d	- 2
	1.2	Mine De	escription	- 3
2.	MEASU	J RE ME NT	INSTRUMENTATION	- 5
3.	SPECT	RUM MEA	ASUREMENT RESULTS	- 10
	3.1	Introdu	action	- 10
	3.2	Antenna	a Sites	- 10
	3.3	Electro	omagnetic Noise Spectrum Results	- 10
		3.3.1	Interpretation	- 10
		3.3.2	Uncertainties	- 11
		3.3.3	Section Measurements	- 11
		3.3.4	Haulageway Measurements	- 14
		3.3.5	Arc Welder Measurement	- 15
		3.3.6	Surface Measurements	- 16
	3.4	Miscel1	laneous Measurements	- 17
		3.4.1	Measurement of Voltage Between Roof Bolts	- 17
		3.4.2	Shuttle-Car Current Spectrum	- 17
	3.5		omparison of Magnetic-Field Noise in ent Mines	- 18
		3.5.1	Summary of 1 kHz to 3 kHz Data	- 18
		3.5.2	Summary of 3 kHz to 180 kHz Data	- 19

CONTENTS (continued)

				Page
4.	AMPL	ITUDE P	ROBABILITY DISTRIBUTION MEASUREMENTS	67
	4.1	Introd	uction and Uncertainties	67
	4.2	Result	s	68
		4.2.1	Introduction	68
		4.2.2	Measurement Results	69
		4.2.3	RMS and Average Values	70
		4.2.4	Summary Curves	71
5.	CONC	LUSIONS		151
6.	RECO	MMENDAT	IONS	153
7.	ACKN	OWLEDGM	ENTS	153
8.	REFE	RENCES-		154
9.	APPE	NDTX		155

LIST OF FIGURES

Ρ	а	g	е
÷.	~	\sim	\sim

Figure	2-1.	Block diagram of portable instrumentation	7
Figure	2-2.	System for field recording data to obtain amplitude probability distributions	8
Figure	2-3.	Block diagram of laboratory recording sys- tem modified for field use	9
Figure	3-1.	Map of portion of McElroy Coal Mine where first day measurements were made (April 10, 1973)	20
Figure	3-2.	Map of portion of McElroy Coal Mine where second day measurements were made (April 12, 1973)	21
Figure	3-3.	Spectrum at location C in power entry. Spectral resolution is 78.1 Hz	22
Figure	3-4.	Expanded spectrum at location C in power entry. Spectral resolution is 3.91 Hz	23
Figure	3-5.	Spectrum at location D near operating miner. Spectral resolution is 78.1 Hz	24
Figure	3-6.	Spectrum at location E in crosscut. Spectral resolution is 78.1 Hz	25
Figure	3-7.	Expanded spectrum at location E in cross- cut. Spectral resolution is 3.91 Hz	26
Figure	3-8.	Spectrum at location F in middle of angle cut. Spectral resolution is 78.1 Hz	27
Figure	3-9.	Spectrum at location B with no equipment operating. Spectral resolution is 78.1 Hz-	28
Figure	3-10.	Expanded spectrum at location B with no equipment operating. Spectral resolution is 3.91 Hz	29
Figure	3-11.	Spectrum at location B near operating miner and loader. Spectral resolution is 78.1 Hz	30

Figure	3-12.	Expanded spectrum at location B near opera- ting miner and loader. Spectral resolution is 3.91 Hz	31
Figure	3-13.	Spectrum at location F in return entry. Spectral resolution is 78.1 Hz	32
Figure	3-14.	Expanded spectrum at location G in return entry. Spectral resolution is 3.91 Hz	33
Figure	3-15.	Spectrum at location A near operating machinery. Spectral resolution is 156 Hz	34
Figure	3-16.	Spectrum at location A near operating machinery. Spectral resolution is 19.5 Hz-	35
Figure	3-17.	Spectrum at location A near operating machinery. Spectral resolution is 156 Hz	36
Figure	3-18.	Spectrum at location A near operating machinery. Spectral resolution is 156 Hz	37
Figure	3-19.	Spectrum at location A near operating machinery. Spectral resolution is 19.5 Hz-	38
Figure	3-20.	Spectrum at location A near operating machinery. Spectral resolution is 156 Hz	39
Figure	3-21.	Spectrum at location A near operating machinery. Spectral resolution is 156 Hz	40
Figure	3-22.	Spectrum at location A near operating machinery. Spectral resolution is 19.5 Hz-	41
Figure	3-23.	Spectrum at location A of an impulse. Spectral resolution is 156 Hz	42
Figure	3-24.	Spectrum in haulageway near bottom of elevator shaft. Spectral resolution is 78.1 Hz	43
Figure	3-25.	Expanded spectrum in haulageway near bottom of elevator shaft. Spectral resolution is 3.91 Hz	44

Figure	3-26.	Spectrum at location B near train passing by. Spectral resolution is 78.1 Hz	45
Figure	3-27.	Expanded spectrum at location B near train passing by. Spectral resolution is 3.91 Hz	46
Figure	3-28.	Expanded spectrum at location B near empty train going by. Spectral resolution is 3.91 Hz	47
Figure	3-29.	Spectrum at location C at head piece with conveyor and car-pull operating. Spectral resolution is 78.1 Hz	48
Figure	3-30.	Expanded spectrum at location C at head piece with conveyor and car-pull operating. Spectral resolution is 3.91 Hz	49
Figure	3-31.	Spectrum at location A of haulageway. Spectral resolution is 156 Hz	50
Figure	3-32.	Expanded spectrum at location A of haulage- way. Spectral resolution is 19.5 Hz	51
Figure	3-33.	Spectrum at location A which was the highest measured on April 12, 1973. Spectral reso- lution is 78.1 Hz	52
Figure	3-34.	Spectrum of operating arc welder 15 meters away. Spectral resolution is 78.1 Hz	53
Figure	3-35.	Spectrum of noise near powerline on surface above McElroy Mine. Spectral resolution is 78.1 Hz	54
Figure	3-36.	Expanded spectrum of noise near powerline on surface above McElroy Mine. Spectral resolution is 3.91 Hz	55
Figure	3-37.	Spectrum of noise at surface above McElroy Mine. Spectral resolution is 156 Hz	56
Figure	3-38.	Spectrum of noise at surface above McElroy Mine. Spectral resolution is 156 Hz	57

Figure	3-39.	Expanded spectrum of noise at surface above McElroy Mine. Spectral resolution is 19.5 Hz	58
Figure	3-40.	Voltage spectrum from roof bolts separated 21.7 meters. Spectral resolution is 78.1 Hz	59
Figure	3-41.	Expanded voltage spectrum from roof bolts separated 21.7 meters. Spectral resolu- tion is 3.91 Hz	60
Figure	3-42.	Expanded voltage spectrum from roof bolts separated 11.2 meters. Spectral resolution is 3.91 Hz	61
Figure	3-43.	Expanded spectrum of noise from current- carrying conductor. Spectral resolution is 3.91 Hz	62
Figure	3-44.	Logarithmic average magnetic field strength in McElroy Coal Mine in the frequency range 1080 Hz to 2880 Hz, produced usually by power line harmonics 3 through 8 of 360 Hz. Antenna sensitive axis orientation is vertical (up-down)	63
Figure	3-45.	Comparison of magnetic field strengths of Grace and Robena Mines as a function of distance from noise source	64
Figure	3-46.	Comparison of E-M noise levels near opera- ting machinery from four mines. Vertical magnetic-field components are shown. Broken sections of the curves represent system noise	65
Figure	3-47.	Comparison of E-M noise levels along haulageways in four mines. Vertical magnetic-field components are shown. Broken sections of the curves represent measurement-system noise levels	66
Figure	4-1.	APD, 10 kHz, vertical component, location B on figure 3-1	73

Figure	4 - 2.	APD, 30 kHz, vertical component, location B on figure 3-1	74
Figure	4-3.	APD, 70 kHz, vertical component, location B on figure 3-1	75
Figure	4-4.	APD, 130 kHz, vertical component, location B on figure 3-1	76
Figure	4-5.	APD, 160 kHz, vertical component, location B on figure 3-1	77
Figure	4-6.	APD, 250 kHz, vertical component, location B on figure 3-1	78
Figure	4-7.	APD, 500 kHz, vertical component, location B on figure 3-1	79
Figure	4-8.	APD, 1 MHz, vertical component, location B on figure 3-1	80
Figure	4-9.	APD, 2 MHz, vertical component, location B on figure 3-1	81
Figure	4-10.	APD, 6 MHz, vertical component, location B on figure 3-1	82
Figure	4-11.	APD, 14 MHz, vertical component, location B on figure 3-1	83
Figure	4-12.	APD, 10 kHz, horizontal component, (NE-SW), location B on figure 3-1	84
Figure	4-13.	APD, 30 kHz, horizontal component, (NE-SW), location B on figure 3-1	85
Figure	4-14.	APD, 70 kHz, horizontal component, (NE-SW), location B on figure 3-1	86
Figure	4-15.	APD, 130 kHz, horizontal component, (NE-SW), location B on figure 3-1	87
Figure	4-16.	APD 160 kHz, horizontal component, (NE-SW), location B on figure 3-1	88
Figure	4-17.	APD, 250 kHz, horizontal component, (NE-SW), location B on figure 3-1	89

Figure	4-18.	APD, 500 kHz, horizontal component (NE-SW), location B on figure 3-1	90
Figure	4-19.	APD, 1 MHz, horizontal component, (NE-SW), location B on figure 3-1	91
Figure	4-20.	APD, 2 MHz, horizontal component, (NE-SW), location B on figure 3-1	92
Figure	4-21.	APD, 6 MHz, horizontal component, (NE-SW), location B on figure 3-1	93
Figure	4-22.	APD, 14 MHz, horizontal component, (NE-SW), location B on figure 3-1	94
Figure	4-23.	APD, 32 MHz, horizontal component, (NE-SW), location B on figure 3-1	95
Figure	4-24.	APD, 10 kHz, vertical component, quiet time, location B on figure 3-1	96
Figure	4-25.	APD, 30 kHz, vertical component, quiet time, location B on figure 3-1	97
Figure	4-26.	APD, 70 kHz, vertical component, quiet time, location B on figure 3-1	98
Figure	4-27.	APD, 130 kHz, vertical component, quiet time, location B on figure 3-1	99
Figure	4 - 28.	APD, 10 kHz, vertical component, location A on figure 3-1	100
Figure	4-29.	APD, 30 kHz, vertical component, location A on figure 3-1	101
Figure	4-30.	APD, 70 kHz, vertical component, location A on figure 3-1	102
Figure	4-31.	APD, 130 kHz, vertical component, location A on figure 3-1	103
Figure	4-32.	APD, 160 kHz, vertical component, location A on figure 3-1	104

		<u>I</u>	Page
Figure	4-33.	APD, 250 kHz, vertical component, location A on figure 3-1	105
Figure	4-34.	APD, 500 kHz, vertical component, location A on figure 3-1	106
Figure	4-35.	APD, 1 MHz, vertical component, location A on figure 3-1	107
Figure	4-36.	APD, 2 MHz, vertical component, location A on figure 3-1	108
Figure	4-37.	APD, 10 kHz, horizontal component (N-S), location A on figure 3-1	109
Figure	4-38.	APD, 30 kHz, horizontal component (N-S), location A on figure 3-1	110
Figure	4-39.	APD, 70 kHz, horizontal component (N-S), location A on figure 3-1	111
Figure	4-40.	APD, 130 kHz, horizontal component (N-S), location A on figure 3-1	112
Figure	4-41.	APD, 160 kHz, horizontal component (N-S), location A on figure 3-1	113
Figure	4-42.	APD, 500 kHz, horizontal component (N-S), location A on figure 3-1	114
Figure	4-43.	APD, 1 MHz, horizontal component (N-S), location A on figure 3-1	115
Figure	4-44.	APD, 10 kHz, vertical component, quiet time, location A on figure 3-1	116
Figure	4-45.	APD, 30 kHz, vertical component, quiet time, location A on figure 3-1	117
Figure	4-46.	APD, 70 kHz, vertical component, quiet time, location A on figure 3-1	118
Figure	4-47.	APD, 130 kHz, vertical component, quiet time. location A on figure 3-1	119

Figure	4 - 48.	APD, 1 MHz, vertical component, quiet time, location A on figure 3-1	120
Figure	4-49.	APD, 10 kHz, vertical component, location B on figure 3-2	121
Figure	4-50.	APD, 30 kHz, vertical component, location B on figure 3-2	122
Figure	4-51.	APD, 70 kHz, vertical component, location B on figure 3-2	123
Figure	4-52.	APD, 130 kHz, vertical component, location B on figure 3-2	124
Figure	4-53.	APD, 160 kHz, vertical component, location B on figure 3-2	125
Figure	4-54.	APD, 500 kHz, vertical component, location B on figure 3-2	126
Figure	4-55.	APD, 1 MHz, vertical component, location B on figure 3-2	127
Figure	4-56.	APD, 2 MHz, vertical component, location B on figure 3-2	128
Figure	4-57.	APD, 6 MHz, vertical component, location B on figure 3-2	129
Figure	4-58.	APD, 14 MHz, vertical component, location B on figure 3-2	130
Figure	4-59.	APD, 10 kHz, vertical component, location A on figure 3-2	131
Figure	4-60.	APD, 30 kHz, vertical component, location A on figure 3-2	132
Figure	4-61.	APD, 70 kHz, vertical component, location A on figure 3-2	133
Figure	4-62.	APD, 130 kHz, vertical component, location A on figure 3-2	134

Figure	4-63.	APD, 160 kHz, vertical component, location A on figure 3-2	135
Figure	4-64.	APD, 250 kHz, vertical component, location A on figure 3-2	136
Figure	4-65.	APD, 500 kHz, vertical component, location A on figure 3-2	137
Figure	4-66.	APD, 1 MHz, vertical component, location A on figure 3-2	138
Figure	4-67.	APD, 2 MHz, vertical component, location A on figure 3-2	139
Figure	4-68.	APD, 6 MHz, vertical component, location A on figure 3-2	140
Figure	4-69.	APD, 10 kHz, roof bolt measurements	141
Figure	4-70.	APD, 150 kHz, roof bolt measurements	142
Figure	4-71.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, vertical component, location B on figure 3-1	143
Figure	4-72.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, horizontal component, (NE-SW), location B on figure 3-1	144
Figure	4-73.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, vertical component, quiet time, location B on figure 3-1	145
Figure	4-74.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, vertical component, location A on figure 3-1	146

Page

Figure	4 - 75.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, horizontal component, location A on figure 3-1	147
Figure	4-76.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, vertical component, quiet time, location A on figure 3-1	148
Figure	4-77.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, vertical component, location B on figure 3-2	149
Figure	4 - 78.	Field strength excursions between 0.001 and 99% of the time as a function of frequency, vertical component, location A on figure 3-2	150

,

ELECTROMAGNETIC NOISE IN MCELROY MINE

Two different techniques were used to make measurements of the absolute value of electromagnetic noise in and above an operating coal mine, McElroy Mine, located near Moundsville, West Virginia. The electromagnetic environment created by 300 volt dc and 480 volt ac machinery was measured. In one technique noise was measured over the entire electromagnetic spectrum of interest for brief time periods. The noise was recorded using broadband analog magnetic tape. The noise data was later transformed to give spectral plots. In the other technique, noise amplitudes were recorded at several discrete frequencies for a sufficient length of time to provide amplitude probability distributions.

The specific, measured results are given in a number of spectral plots and amplitude probability distribution plots.

Key words: Amplitude probability distribution; coal mine noise; digital data; electromagnetic communications; electromagnetic interference; electromagnetic noise; Fast Fourier Transform; Gaussian distribution; impulsive noise; magnetic field strength; measurement instrumentation; spectral density; time-dependent spectral density.

1. INTRODUCTION

This report gives data concerning electromagnetic noise in a coal mine that used dc shuttle-car and rail-haulage power; the remainder of the section machinery and belt haulage used ac power. In this section, background information and a brief mine description are covered. In Section 2, measurement instrumentation is discussed. In Section 3, spectral plots of data are presented. In Section 4, amplitude probability distributions (APD) of magnetic-field noise are given. The last two sections cover conclusions and recommendations. Only representative samples of the total data measured are given in this report, and only a limited set of datapresentation formats have been used. Additional data, or data presentation in other formats may be obtained from the authors with the specific permission of the Bureau of Mines. A more complete description of the measurement systems used is given in previous publications [1,4].

1.1 Background

The need for reliable communication systems in mines is a long-standing problem. For emergency use, when all power in a mine is off, the residual electromagnetic noise is no problem. However, if a communication system were designed only for emergency use, it would have two serious drawbacks. First, it would not be ready for immediate use in an emergency; second, it would not be of any value during normal operations. Therefore, the Bureau of Mines decided to design a communication system that could be used for both emergency and normal operational conditions.

During operation, the electrical machinery used in mines creates a wide range of many types of intense electromagnetic interference (EMI). This EMI is a major limiting factor in the design of a communication system.

The work reported here gives the results of comprehensive measurements of this EMI in critical communication locations where miners extract coal, as well as along haulageways.

There are several EMI parameters that can be measured: magnetic field strength, H; electric field strength, E; conducted current, I; and voltage, V, between two conductors. One parameter was emphasized, magnetic field strength. There are several reasons. First, electric field sensors are very

insensitive at lower frequencies, and hence probably will not be useful in any practical mine communication system. Second, at any air-earth interface, only the magnetic field is essentially undisturbed, while the electric field is severely reduced. Third, any currents will induce magnetic fields, and hence measurement of the magnetic field will directly sense currents. Fourth, power line voltages are propagated as transmission line phenomena, are directly related to transmission line currents, and hence to magnetic fields induced. Thus, measuring magnetic field strength gives a representative composite picture of noise from currents and voltages from most sources, as well as measuring the magnetic fields induced by arcing equipment.

Although magnetic field strength measurements are emphasized, this parameter is difficult to measure meaningfully. The IEEE definition [2] of magnetic field strength, H (magnitude of the magnetic field vector), is used in this report. Since there are a multitude of different sources that generate all known types of noise, the resultant magnetic field strength noise vector is a function of frequency, time, orientation, and location. Small variations in these parameters can cause several orders of magnitude difference in measured field strength.

1.2 Mine Description

The results and data presented in this report are based on measurements made on April 10 and 12, 1973, in the McElroy Coal Mine, near Moundsville, West Virginia. The mine belongs to the Consolidation Coal Company. Room-and-pillar mining techniques are used. The measurements were made primarily in section 1-left, 1-north. The overburden in this area is 200 to 275 meters.

Mining is accomplished using a continuous miner, headloader, shuttle-cars (buggies), conveyor belt, and electrictrolley haulage. The electric trolley and the shuttle-cars were powered by 300 volts dc. All other equipments, including fans and rock dusting machines, were ac powered. The continuous miner had a telescoping feature to allow roof bolting simultaneous with mining. No one had to work under roofing that had not been bolted.

2. MEASUREMENT INSTRUMENTATION

Two measurement techniques were used. In the first technique used, a large portion of the spectrum is covered as a "snapshot" at one relatively short period of time. In threedimensional form, several such "snapshots" can show how drastically a signal varies, not only with frequency, but also with time. In the second technique, variations over a 20minute time interval are measured at a single frequency. Usually, a set of twelve different frequencies was used. Both techniques were used to measure two orthogonal components of magnetic field strength. This was done either by using two systems simultaneously or by varying the orientation of one system; both techniques were used in as many different locations as possible.

With the exception of the roof bolt APD plots, all measured noise is reported in absolute quantities (instead of relative) to allow others to make effective use of the data. For the magnetic field strength measurements, the NBS field calibration site was used with each complete measurement system to assure correct calibration [3].

A complication to making these measurements is the mine environment, which is generally humid, dusty, poorly lighted, and potentially explosive. Battery-operated, dust-protected, permissible gear was used for most of our portable measuring equipment.

There are two types of noise recorded in the spectral plots, and hence two different magnetic-field-strength parameters are required, H and H_d. Results are given as the rms value of one component of magnetic field strength, H, versus frequency for discrete frequencies, or as one component of magnetic-fieldstrength spectrum density level [2], H_d, versus frequency for broadband noise in the spectral plots. In the amplitude probability distributions, results are given as the rms value

of one component of the instantaneous magnetic field strength versus percent of time this value is exceeded. The APD gives the distribution of the actual instantaneous value only as far as the measurement-system detector bandwidth will allow the detector to follow the time variations of the actual magnetic field. (In this context, noise envelope is sometimes used.) Thus, the results are applicable for a communication receiver whose bandwidth is similar to the measurement-system detector bandwidth.

Three measurement systems were used to make measurements underground. The three systems are described in the block diagrams shown in figures 2-1, 2-2, and 2-3. Figures are located at the end of each section in this report. For a detailed description of these systems, see previous publications [1,4]. The systems used in McElroy are the same as those used in Grace.

In the first system, data is measured for spectral plots and is fully mine permissible and portable. In the second system, data is measured for statistical descriptions of time variations, most commonly amplitude probability distribution; it is also permissible. The third system is not permissible but is portable (with considerable effort); it records data for both spectral plots and statistical presentations.




Figure 2-1 Block diagram of portable instrumentation. FM tracks are used to record from 100 Hz to 100 kHz; direct tracks are used from 3 kHz to 320 kHz. Systems 2 and 3 are identical to system 1. When the direct tracks are used, the 100-kHz low pass filters are eliminated, and the amplifier bandwidth is increased from 100 kHz to 300 kHz. The microphone is used for occasional vocal comments by the operator.




Figure 2-2 System for field recording data to obtain amplitude probability distributions.




Figure 2-3 Block diagram of laboratory recording system modified for field use.

3. SPECTRUM MEASUREMENT RESULTS

3.1 Introduction

In this section of the report, spectrum plots are presented and discussed. Most of these plots present magnetic field strength up to 100 kHz. Measurements were made at many different locations and results can be used to characterize electromagnetic noise levels generated by most fixed and mobile equipment used in this mine.

3.2 Antenna Sites

Figure 3-1 is a map of section 1-left 1-north as it was on April 10, 1973 when the first day of measurements were made. In the mining operation, four entries are driven forward and are identified on figure 3-1, from right to left: power entry, rail entry (trolley tracks), belt entry, and return air entry. Noise spectrum measurements were taken in 7 locations the first day and are designated by letters A through G on figure 3-1. Results are reported from measurements taken at five locations on the second day, four of which are designated by letters A through D on figure 3-2.

3.3 Electromagnetic Noise Spectrum Results

3.3.1 Interpretation

When reading values from the spectra in this report, the following points should be kept in mind:

1. Field strength values above the upper roll-off frequency and below the lower roll-off frequency are not calibrated and are therefore not shown on most spectra.

2. The correct units for the spectral peaks are microamperes per meter (μ A/m), as these are cw signals.

3. The broadband noise between spectral peaks is as seen by a receiver having the same bandwidth as the Fast Fourier Transform (FFT) spectral resolution bandwidth used to compute the spectrum. The correct units for the background noise between peaks are microamperes per meter per square root x hertz $[(\mu A/m)/\sqrt{x} Hz]$, where x is the spectral resolution of the FFT (x equals 78.1 Hz for the 1-to-100-kHz graphs).

An easy way to obtain the spectral density per (one) root hertz for broadband noise is to subtract the required number of dB, remembering that the units have now changed to $(\mu A/m)/\sqrt{Hz}$. For spectra with a resolution bandwidth of 78.1 Hz, subtract 10 \log_{10} (78.1) or 18.93 dB.

The Appendix gives the code key used in determining the meaning of the numbers in the header block at the top of each spectrum. The resolution bandwidth is also given on the ordinate of the plots.

3.3.2 Uncertainties

The spectra to 100 kHz, to 3 kHz, and to 20 kHz have uncertainties of \pm 1 dB over the following portions of the spectra. The 100 kHz spectra are valid either from 1 to 100 kHz or 10 kHz to 100 kHz as stated or shown. The 3 kHz spectra have a \pm 1 dB uncertainty from 100 Hz to 3 kHz. The 20 kHz spectra have an uncertainty of \pm 1 dB from 750 Hz to 20 kHz.

The spectra shown to 180 kHz have an uncertainty of \pm 2 dB from 3 kHz to 180 kHz.

3.3.3 Section Measurements

Figure 3-3, upper curve, shows the magnetic field noise spectrum from 1 kHz to 100 kHz received at the antenna location identified as C (in figure 3-1). Location C is the section

power center and contains the step-down transformer and rectifier. C is one of the noisier locations in the mine (a small band of frequencies around 10 kHz measured at location B on the second day was 8 dB higher). This steady background noise is made up primarily of harmonics of 360 Hz, produced when three-phase, 60 Hz power is full-wave rectified. Figure 3-4 shows the expanded spectrum measured at location C. This spectrum is one of the strongest measured in the mine. Oddly, while multiples of 360 Hz (6th harmonic of 60 Hz) predominate elsewhere in the mine, in this case, harmonics 60 Hz on either side of multiples of 360 Hz predominate.

Figure 3-5 shows the noise spectrum measured two meters from the continuous miner (location D on figure 3-1). This location was also a relatively noisy location in the mine in the frequency range from 20 kHz to 60 kHz. With the headloader operating, and the miner not operating, the noise spectrum is similar to figure 3-5. With both the miner and head-loader not operating, the noise above 10 kHz drops 6 to 10 dB.

Figures 3-6 and 3-7 show noise spectra measured at location E. A measurement made 30 minutes later showed a 10 dB increase from 8 to 12 kHz and a 3 to 5 dB decrease from 25 to 60 kHz. Figure 3-8 shows the noise spectrum measured at location F. This spectrum was taken when most equipment in the mine was not working. The noise spectrum has about the same shape as shown in the previous location, but at location F, the noise is 5 to 14 dB less from 5 to 60 kHz. This figure also shows the signal from the 100 kHz mine phone.

Figures 3-9 and 3-10 show the noise measured at location B on the first day, with no equipment running. Figures 3-11 and 3-12 show the noise measured at the same location later when all the mining equipment was working and about 15 meters distant. The latter two figures show a noise increase of 8 to 30 dB, depending on frequency, when the face machinery 15 meters distant was working.

The quietest location measured in McElroy mine was in the return air entry, during shift change. This area is designated by letter G on figure 3-1, and is located 55 meters from the power center. Figures 3-13 and 3-14 show one of the strongest of the three orthogonal components measured at location G. The antenna sensitive axis was horizontal and parallel with the return-air-entry. The spectrum taken with the antenna sensitive axis horizontal and perpendicular to the return-air-entry shows the harmonics to be within 6 to 10 dB of those shown in figure 3-14. The spectrum of the vertical noise shows about 13 dB higher noise levels at the low end and about 22 dB lower at the high end of the spectrum than the horizontal, parallel spectrum shown in figure 3-14. The crossover occurs near 500 Hz. Measurements made in the same location 2 days later (letter D, figure 3-2) during shift change, and also after the mine had closed for a strike, show that the noise was within a few dB of that shown on figure 3-13. This return-air-entry location is unusual in that the noise received with the antenna axis horizontal was stronger than for the antenna axis vertical.

The noise measured at the section power center with the mine running (noisy location), with the antenna axis vertical, is 40 to 60 dB stronger over the 1 to 100 kHz frequency range than the noise measured in the return-air-entry (quiet location), between shifts, with the antenna axis vertical.

Measurements were taken with the third measurement system in a crosscut shown as location A on figure 3-2 in the immediate (one to three meters) vicinity of a continuous miner and supporting shuttle buggies. Figures 3-15 through 3-22 show spectra of noise generated by this machinery. Figure 3-23 shows field levels generated by an impulse in this same location.

3.3.4 Haulageway Measurements

On April 12, 1973, the second day in the mine, measurements were made at three locations along the mine haulageway.

Figures 3-24 and 3-25 show the vertical-antenna-axis noise spectrum measured at the point in the haulageway where men board man-trips for transportation to the working sections. No trains were in the vicinity when the measurement was made. This point is near the bottom of an elevator shaft and is several kilometers from the locations measured in section 1-left, 1-north. Between 5 and 60 kHz the noise received with the antenna sensitive axis vertical was stronger by 10 to 20 dB than the noise received for horizontal antenna axis orientation. Here, as in most other locations, the noise is primarily powerline-related multiples of 360 Hz. The spectrum shape was slightly different. For example, the relative minimum was at 25 kHz instead of 22 kHz. Below 2 kHz, the noise received on the antenna with the sensitive axis horizontal was 8 to 15 dB stronger than the noise shown on figure 3-25. At this location, the 100 kHz unmodulated carrier signal strength from a mine phone on a portal-bus 210 meters away was measured as 47 dB µA/m.

A second haulageway location where noise was measured was on the main-line haulage near section 1-left, 1-north. This location is lettered B on figure 3-2. Figures 3-26 and 3-27 show the noise recorded during the passing of a rapidly moving train that was drawing power. The noise at this location was found to vary more than in other locations. Other spectra taken here showed 10 to 20 dB lower noise than figure 3-26 for trains moving slowly, or for the absence of trains. As an illustration, figure 3-28 shows the spectrum from 100 Hz to 3 kHz for a train of empty cars

moving slowly. From this it can be seen that a transient has briefly raised the background level of the previous spectrum, figure 3-27. While at location B, second day, a 100 kHz trolley phone signal from a remote location was measured as 27 dB relative to $1 \mu A/m$.

The third location along a haulageway where noise was measured is lettered C on figure 3-2. This location is on the opposite side of the recirculating "run-around" from location B. The left side of the run-around is kept supplied with empty coal cars. An automatic car-pull located at C moves the empty cars forward as the coal coming off the conveyor belt "headpiece" fills the cars. Full cars are then periodically removed from the right hand side of the runaround. Figures 3-29 and 3-30 show the noise measured at location C. At this time, the conveyor belt and the car pull were running.

Data from measurements taken at the end of a rail haulage, location A in figure 3-1, are shown in figures 3-31 and 3-32. These data were taken with the third measurement system.

3.3.5 Arc Welder Measurement

On the second day in the mine, the face had advanced as shown in figure 3-2. Figure 3-33 shows the noise measured in location A in figure 3-2 (the arc welder was not operating). Later, a helium-gas-shielded arc welder began operation. The welder used ac input voltage, and delivered 250 amperes at 30 volts to the welding rod. Figure 3-34 shows the spectrum measured with the welder drawing full current. The antenna was about 15 meters away. The spectrum with the welder operating is lower than with the welder off by as much as 16 dB at some frequencies. A quiet crackling, sounding like grease frying, was heard on the audio monitor. This indicates

that this particular welder produced no strong spectral components. It did produce some impulses, but they were generally of a smaller amplitude than those associated with switching transients from section mining equipment.

3.3.6 Surface Measurements

Noise measurements were made on the surface of the ground, above the mine, at 5:25 p.m. on April 11, 1973. The location was a rural hilltop over 1 left, 1 north. The antenna site was 12 meters from a rural, single-phase distribution power line. The site was about one kilometer from a large, high tension line. Figures 3-35 and 3-36 show the spectrum measured on the surface with the antenna sensitive axis pointing N-S and parallel to the local power line. This figure shows many man-made transmitted signals, as well as what appears to be some atmospheric noise in the region below 30 kHz. The energy shown around 100 kHz is broadcast by a Loran-C navigation system. Note the signal from the National Bureau of Standards WWVB, frequency-and-time radio station transmission at 60 kHz. This transmitter is located near Fort Collins, Colorado. Surface noise measurements were made in all 3 orthogonal directions; however, only one direction (N-S) is shown. The other orthogonal directions showed lower signal strengths from man-made carriers and more momentary broadband sferics.

Other spectral plots taken with the third measurement system are shown in figures 3-37, 3-38, and 3-39.

3.4 Miscellaneous Measurements

3.4.1 Measurement of Voltage Between Roof Bolts

Two roof-support bolt measurements were performed at location F on the first day. The voltage was measured using non-shielded copper wire clipped to the bolts. For the first measurement, the separation between bolts was 21.7 meters. Figures 3-40 and 3-41 show the spectrum measured. For the second measurement, the separation between bolts was reduced to 11.2 meters. Figure 3-42 shows the spectrum measured. No receiver system noise curve is available for these spectra. With the exception of the sixth harmonic of 60 Hz, the shorter distance between roof bolts shows higher power line noise than the longer separation. The second spectrum (shorter separation) shows an impulse that has been picked up. It is not possible to say that the voltage measured between bolts was induced by any single mechanism. It may be any combination of electric and magnetic fields acting on the copper wires connected to the bolts, as well as by any potential produced by current flow between the bolts.

3.4.2 Shuttle-Car Current Spectrum

While no calibrated current measurements were made in McElroy mine, one measurement was made with the loop antenna placed directly adjacent to the shuttle-car power cable. This adjacent placement caused the loop to strongly couple to the current in the cable. Figure 3-43 shows the resulting spectrum. Note the strong 360 Hz fundamental and harmonics of this dc-driven machine. This spectrum gives the characteristic signature of dc-powered machinery supplied by three-phase, full-wave rectifiers. This figure shows the highest field strength values measured; this is due to the loop being unusually and artificially close to the current carrying cable.

3.5 <u>Intercomparison of Magnetic-Field</u> Noise in Different Mines

3.5.1 Summary of 1 kHz to 3 kHz Data

Figure 3-44 is a summary of magnetic field strength at power-line harmonic frequencies observed within McElroy. Plotted are the logarithmic averages (arithmetic average dB value) of the six highest powerline harmonics. The logarithmic average masks the highest single value. Average fields at nine locations in the mine and one on the surface are plotted as a function of distance from the nearest current-carrying cable or wire. The six frequencies chosen are between 1020 Hz and 2940 Hz and are either the third through eighth harmonic of 360 Hz, or the highest adjacent powerline harmonic.

Figure 3-45 is a summary of magnetic field strength over the same frequency region as measured in the Robena Coal Mine (all 600 V dc) and the Grace Iron Mine (diesel-powered haulage).

A comparison of the magnetic noise from 1 kHz to 3 kHz in the three mines shows:

1. McElroy is quieter than Robena.

a. The highest logarithmic average of section noise measured one meter from a cable in McElroy is 51 dB relative to 1 μ A/m (power center). The noise in Robena at an "air split" on a haulageway is 16 dB higher and at a car pull during operation is 21 dB higher than this 51 dB value.

b. The quietest location in McElroy is 26 dB quieter than the quietest location in Robena.

2. McElroy is noisier than Grace.

Most of the McElroy measurements in the section
 were noisier than the noisiest Grace measurement
 (the diesel-powered Load-Haul-Dump (LHD) vehicle)
 by as much as 10 dB.

b. The quietest location in McElroy is 12 dB noisier than the quietest location in Grace.

The magnetic noise from 1 kHz to 3 kHz in the three mines compared to the noise measured on the surface above McElroy shows:

- All measurements in Robena were higher by 15 to 78 dB.
- Most measurements in McElroy were higher by 14 to 33 dB.
- 3. The LHD measurement in Grace was higher by 22 dB.

3.5.2 Summary of 3 kHz to 180 kHz Data

Figures 3-46 and 3-47 are given to show how fieldstrength levels at McElroy compare with levels in some other mines (i.e., Grace, Robena, and Itmann Mines). Figure 3-46 shows levels near operating equipment while figure 3-47 shows levels in haulageways. The curves are shown to 200 kHz, but the ± 2 dB uncertainty is valid only from 3 to 180 kHz. The Robena curves are shown to 100 kHz.




Figure 3-1 Map of McElroy Coal Mine, section 1-left, 1-north for April 10, 1973, the first day of measurements.









Figure 3-2 Map of McElroy Coal Mine, section 1-left, 1-north for April 12, 1973, the second day of measurements.






















Spectrum of magnetic field strength obtained on a loop antenna 1 kHz to 100 kHz, McElroy Mine, location B, no equipment operating, antenna sensitive axis vertical, 1:00 p.m., April 10, 1973. Spectral resolution is 78.1 Hz.











































12, and Spectrum of impulse, location A, fig. 3-2, McElroy Mine, April 1973, 12:08 p.m. The spectrum is calibrated from 3 to 180 kHz the spectral resolution is 156 Hz.




















Spectrum of magnetic field strength obtained on a loop antenna 1 kHz and car-pull operating, antenna sensitive axis vertical, 1:40 p.m., April 12, 1973. Spectral resolution is 78.1 Hz. to 100 kHz, McElroy Mine, location C, at head piece with conveyor Figure 3-29







Spectrum of haulageway, magnetic-field noise at location A on fig. 3-1, in McElroy Mine, April 10, 1973, 12:15 p.m. The spectrum is calibrated from 3 to 180 kHz and the spectral resolution is 156 Hz.











Spectrum of magnetic field strength obtained on a loop antenna 1 kHz to 100 kHz, McElroy Mine, location A, highest measured noise on this day, antenna sensitive axis vertical, 3:15 p.m., April 12, 1973. Spectral resolution is 78.1 Hz.








































Mines as a function of distance from noise source.

-74 -2919



-74 -2918

RMS MAGNETIC FIELD STRENGTH, H, dB RELATIVE TO ONE MICROAMPERE PER METER, FOR DISCRETE FREQUENCIES; OR



RMS MAGNETIC FIELD STRENGTH, H, d8 RELATIVE TO ONE MICROAMPERE PER METER, FOR DISCRETE FREQUENCIES; OR ONE MICROAMPERE-PER-METER PER VISGHZ, FOR BROAD BAND NOISE ONE MICROAMPERE-PER-METER PER VISGHZ, FOR BROAD BAND NOISE

66

8-74 - 2917

4. AMPLITUDE PROBABILITY DISTRIBUTION MEASUREMENTS

4.1 Introduction and Uncertainties

Statistical representations are required since the variations of field strength are, in general, random. The amplitude probability distribution (APD) of the received noise envelope is one of the most useful statistical descriptions of the noise process for the design and evaluation of a telecommunications system operating in a noisy environment [5,6,7].

By plotting the cumulative APD on Rayleigh graph paper, one can show clearly the fraction of time that the noise envelope exceeds various levels. Rayleigh graph paper is chosen with scales such that a Rayleigh distribution (i.e., envelope distribution of Gaussian noise) plots as a straight line with slope of -1/2. Noise with rapid large changes in amplitude (e.g., impulsive noise) then has a much steeper slope, typically -4 or -5, depending on the impulsiveness of the noise and the receiver bandwidth.

With the exception of the roof-support bolt measurements, all APD measurements are reported in absolute quantities.

The estimated limits of error for the APD noise measurements are ± 5 dB. Several sources of error that are critical to the overall accuracy of our measurements are listed below:

 Use of a discrete, digital level counter (levels are 6 dB apart) contributes ± 1-dB quantization error limit. One-decibel step attenuators are used to achieve the ± one decibel.

2. The system, i.e., recording, data transcribing, and data processing, has a calibration uncertainty of ± 0.5 dB [3].

3. The estimated uncertainty involved in using the portable and the laboratory tape recorders for record and playback is ± 0.5 dB due to harmonic distortion, flutter, dropout, cross-talk, etc.

4. The gain instability during measurements, gain changes between measurements and calibration, and the non-linearity of electromagnetic interference and field strength (EIFS) meters and mixers, all combined, contribute ± 0.5 dB uncertainty.

5. The gain instability and non-linearity of the digital level counter, the tuned frequency converter, the amplifier, and attenuators, all combined, contribute ± 0.5 dB uncertainty.

6. Connector losses and BNC cable losses, particularly at higher frequencies above 100 kHz, contribute ± 2.0 dB uncertainty.

Some additional uncertainty beyond the stated measurement system uncertainty is caused by the in-mine environment. Care was taken to provide at least one meter separation from metallic objects wherever possible. However, coal, rock, or earth was sometimes immediately adjacent to a loop antenna. In all observed cases, this had no effect at frequencies up to 1 MHz. Above 1 MHz, earth and other reflections did in some cases cause ± 1 dB variations, even with a shielded, balanced loop antenna. An estimate is that an additional ± 5 dB uncertainty might be advisable. However, due to the complexity of the shielded loop in the mine environment, this uncertainty cannot be rigorously bounded without substantial additional analysis.

4.2 Results

4.2.1 Introduction

APD measurements were made on April 10 and 12, 1973, during operation in the McElroy Coal Mine located near Moundsville, West Virginia. Descriptions of McElroy Mine are given in section 1.2. APD measurements were made at four locations. The first set of APD measurements of about eleven different frequencies was made on April 10, 1973, at

location B in figure 3-1. The second set of APD measurement of about eight different frequencies was made on April 10, 1973, at location A in figure 3-1. In these two sets of APD measurements, both the vertical and horizontal components of magnetic field were measured.

The third set of APD measurements of about nine frequencies was made on April 12, 1973, at location B in figure 3-2. The fourth set of APD measurements of about nine frequencies was made on April 12, 1973, at location A in figure 3-2. In these two sets of APD measurements, only the vertical components of magnetic field were measured.

In addition to these four sets of measurements, APD measurements were made during a quiet time at locations A and B in figure 3-1. APD measurements between roof-support bolts were performed on April 10, 1973, at location B in figure 3-1.

4.2.2 Measurement Results

Figures 4-1 through 4-11 show the APD's of vertical components of magnetic field noise and figures 4-12 through 4-23 show the APD's of horizontal components (NE-SW) of magnetic field noise measured at location B of figure 3-1 on April 10, 1973. APD's measured at quiet time at location B of figure 3-1 are shown in figures 4-24 through 4-27. Here only the vertical component of magnetic noise was measured at four frequencies ranging from 10 kHz to 150 kHz. Above 250 kHz, the magnetic noise measured in the mine was below the system noise (i.e., 60 dB or more below one microampere per meter) since EIFS meter readings with and without an antenna were the same.

Figures 4-28 through 4-36 show APD's of the vertical component of magnetic field noise and figures 4-37 through 4-43 show APD's of the horizontal component of magnetic field noise measured at location A in figure 3-1 on April 10,

1973. APD measurements made at a quiet time at location A in figure 3-1 are also shown in figures 4-44 through 4-48. Again, only the vertical component of magnetic noise was measured at five frequencies ranging from 10 kHz to 160 kHz. Above 250 kHz, the magnetic noise measured in the mine was below the system noise (i.e.,60 dB or more below one microampere per meter) since EIFS meter readings with and without an antenna were the same.

Figures 4-49 through 4-58 show the APD's of magnetic field noise measured at location B in figure 3-2. Figures 4-59 through 4-68 show the APD's of magnetic field noise measured at location A in figure 3-2 on April 12, 1973. Only the vertical component of the magnetic field was measured at ten frequencies ranging from 10 kHz to 32 kHz.

Figures 4-69 through 4-70 show results of the roofsupport bolt measurements made at location B in figure 3-1 on April 10, 1973. The separation between the two roofsupport bolts was 3 meters. The APD's were measured using non-shielded copper wire clipped to the roof-support bolts. It is not easy to analyze what was measured using non-shielded copper wire. It was a combination of electric field through a dipole with a lossy surrounding medium (i.e., coal), of magnetic field through a lossy loop antenna, and of voltage induced by current flowing through the medium between the roof bolts. Therefore, relative voltage is the parameter given. The rms.value is arbitrarily assigned the value 0 dB.

4.2.3 RMS and Average Values

The APD's are integrated to give rms and average values of the field strength, according to the equations

$$H_{avg} = - \int_{0}^{\infty} H dp(H)$$

and

$$H_{\rm rms} = \left(-\int_{0}^{\infty} H^2 dp(H) \right)^{\frac{1}{2}},$$

where H represents the magnetic field strength of the noise, and p is the probability that the measured field strength exceeds the value H. These quantities are also dependent upon the measurement bandwidth, the length of the data run, and possibly other parameters. Finite series are actually used for the numerical integration. The rms and average values so arrived at are identified on each graph and are time averages (23 minutes) of these time-dependent parameters. If the tapes are played into ordinary rms-reading meters, the meter readings will vary 10 to 20 dB over fractions of a second depending on the averaging time constants of the meter. The rms value is directly relatable to noise power.

4.2.4 Summary Curves

Excursions of field strength between 0.001 and 99 percent, as well as rms and average values, are shown in figures 4-71 through 4-78. The predetection bandwidth for these APD measurements either is 1 kHz or is normalized to 1 kHz. Figures 4-1 through 4-11 (vertical, near the power distribution center) are summarized on figure 4-71; figures 4-12 through 4-23 horizontal, near the power distribution center) are summarized on figure 4-72; figures 4-24 through 4-27 (vertical, quiet time, near the power distribution center) are summarized on figure 4-73. Figures 4-28 through 4-36 (vertical, near end of rail haulage) are summarized on figure 4-74; figures 4-37 through 4-43 (horizontal, near end of rail haulage) are summarized on figure 4-75; figures 4-44 through 4-48 (vertical, quiet time near end of rail haulage) are summarized on figure 4-76. Figures 4-49 through 4-58 (near intersection of main haulage and conveyor belt) are summarized in figure 4-77.

Figures 4-59 through 4-68 (near operating continuous miner) are summarized on figure 4-78. Magnetic field strength generally decreases monotonically with increasing frequency at 20 dB per decade. Some long-term fluctuations in values occur because of different operating conditions during different times of the day. Although 20 minutes was determined to be a sufficient time to give validity to the statistics in a mine-section environment where the work cycle is two to four minutes, 20 minutes may not be sufficient in other locations where longer cycles may exist. Perhaps this should be considered further.




Figure 4-1 APD, 10 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 11:40 a.m., McElroy Mine.




Figure 4-2 APD, 30 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 1:10 p.m., McElroy Mine.




Figure 4-3 APD, 70 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 2:20 p.m., McElroy Mine.

Lineor by $-\frac{1}{2}\log_{10}(-\ln p)$




Figure 4-4 APD, 130 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 3:25 p.m., McElroy Mine.




Figure 4-5 APD, 160 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 5:30 p.m., McElroy Mine.




Figure 4-6 APD 250 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 6:35 p.m., McElroy Mine.




Figure 4-7 APD, 500 kHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 11:40 a.m., McElroy Mine.




Figure 4-8 APD, 1 MHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 1:10 p.m., McElroy Mine.




Figure 4-9 APD, 2 MHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 2:20 p.m., McElroy Mine.

.




Figure 4-10 APD, 6 MHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 3:25 p.m., McElroy Mine.




Figure 4-|| APD, 14 MHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 5:30 p.m., McElroy Mine.




Figure 4-12 APD, 10 kHz, horizontal component (NE-SW), 1.0 kHz predetection bandwidth, April 10, 1973, 12:20 p.m., McElroy Mine.




Figure 4-13 APD, 30 kHz, horizontal component, (NE-SW), 1.0 kHz predetection bandwidth, April 10, 1973, 1:50 p.m., McElroy Mine.




Figure 4-14 APD, 70 kHz, horizontal component (NE-SW), 1.0 kHz predetection bandwidth, April 10, 1973, 2:50 p.m., McElroy Mine.




Figure 4-15 APD, 130 kHz, horizontal component (NE-SW), 1.0 kHz predetection bandwidth, April 10, 1973, 5:00 p.m., McElroy Mine.





Figure 4-16 APD, 160 kHz, horizontal component(NE-SW), 1.0 kHz predetection bandwidth, April 10, 1973, 6:00 p.m., McElroy Mine.



Percent of Time Ordinate is Exceeded

Figure 4-17 APD, 250 kHz, horizontal component (NE-SW), 1.0 kHz, predetection bandwidth, April 10, 1973, 7:00 p.m., McElroy Mine.




Figure 4-18 APD, 500 kHz, horizontal component (NE-SW), 1.2 kHz predetection bandwidth, April 10, 1973, 12:20 p.m., McElroy Mine.




Figure 4-19 APD, 1 MHz, horizontal component (NE-SW), 1.2 kHz predetection bandwidth, April 10, 1973, 1:50 p.m., McElroy Mine.




Figure 4-20 APD, 2 MHz, horizontal component (NE-SW), 1.2 kHz predetection bandwidth, April 10, 1973, 2:50 p.m., McElroy Mine.




Figure 4-21 APD, 6 MHz, horizontal component (NE-SW), 1.2 kHz predetection bandwidth, April 10, 1973, 5:00 p.m., McElroy Mine.




Figure 4-22 APD, 14 MHz, horizontal component (NE-SW), 1.2 kHz predetection bandwidth, April 10, 1973, 6:00 p.m., McElroy Mine.




Figure 4-23 APD, 32 MHz, horizontal component (NE-SW), 1.2 kHz predetection bandwidth, April 10, 1973, 7:00 p.m., McElroy Mine.




Figure 4-24 APD, 10 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 4:00 p.m., quiet time measurements, McElroy Mine.




Figure 4-25 APD, 30 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 4:10 p.m., quiet time measurements, McElroy Mine.




Figure 4-26 APD, 70 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, quiet time measurements, McElroy Mine.




Figure 4-27 APD, 130 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 4:30 p.m., quiet time measurement, McElroy Mine.





Figure 4-28 APD, 10 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 1:00 p.m., McElroy Mine.

60 50 Magnetic Field Strength, H(dB relative to 1 microampere per meter RMS) 40 30 Generated Mine Noise 20 10 0 RMS AVG --10 Noise System -20 -30 -40 .1.51 20 30 40 50 60 98 99 85 95 10. 100. 1000. 5 10 70 80 90 Percent of Time Ordinate is Exceeded

Linear by $-\frac{1}{2}\log_{10}(-\ln p)$

Figure 4-29 APD, 30 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 2:30 p.m., McElroy Mine.



Linear by $-\frac{1}{2}\log_{10}(-\ln p)$

Figure 4-30 APD, 70 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 5:15 p.m., McElroy Mine.




Figure 4-31 APD, 130 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 7:30 p.m., McElroy Mine.




Figure 4-32 APD, 160 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 6:45 p.m., McElroy Mine.




Figure 4-33 APD, 250 kHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 7:30 p.m., McElroy Mine.




Figure 4-34 APD, 500 kHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 1:00 p.m., McElroy Mine.




Figure 4-35 APD, 1 MHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 2:30 p.m., McElroy Mine.




Figure 4-36 APD, 2 MHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 5:15 p.m., McElroy Mine.




Figure 4-37 APD, 10 kHz, horizontal component (N-S), 1.0 kHz predetection bandwidth, April 10, 1973, 1:30 p.m., McElroy Mine.




Figure 4-38 APD, 30 kHz, horizontal component (N-S), 1.0 kHz predetection bandwidth, April 10, 1973, 2:00 p.m., McElroy Mine.





Figure 4-39 APD, 70 kHz, horizontal component (N-S), 1.0 kHz predetection bandwidth, April 10, 1973, 6:00 p.m., McElroy Mine.



Percent of Time Ordinate is Exceeded

Figure 4-40 APD, 130 kHz, horizontal component (N-S), 1.0 kHz predetection bandwidth, April 10, 1973, 6:45 p.m., McElroy Mine.




Figure 4-4! APD, 160 kHz, horizontal component (N-S), 1.0 kHz, predetection bandwidth, April 10, 1973, 6:00 p.m., McElroy Mine.




Figure 4-42 APD, 500 kHz, horizontal component(N-S), 1.2 kHz predetection bandwidth, April 10, 1973, 1:30 p.m., McElroy Mine.




Figure 4-43 APD, 1 MHz, horizontal component (N-S), 1.2 kHz predetection bandwidth, April 10, 1973, 2:00 p.m., McElroy Mine.




Figure 4-44 APD, 10 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 4:00 p.m., quiet time measurements, McElroy Mine.




Figure 4-45 APD, 30 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 4:05 p.m., quiet time measurements, McElroy Mine.




Figure 4-46 APD, 70 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 4:15 p.m., quiet time measurements, McElroy Mine.

Linear by $-\frac{1}{2}\log_{10}(-\ln p)$




Figure 4-47 APD, 130 kHz, vertical component, 1.0 kHz predetection bandwidth, April 10, 1973, 4:20 p.m., quiet time measurements, McElroy Mine.




Figure 4-48 APD, 1 MHz, vertical component, 1.2 kHz predetection bandwidth, April 10, 1973, 4:05 p.m., quiet time measurements, McElroy Mine.




Figure 4-49 APD, 10 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 11:50 a.m., McElroy Mine.




Figure 4-50 APD, 30 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 12:25 p.m., McElroy Mine.




Figure 4-51 APD, 70 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 12:50 p.m., McElroy Mine.




Figure 4-52 APD, 130 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 1:30 p.m., McElroy Mine.





Figure 4-53 APD, 160 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 2:10 p.m., McElroy Mine.



0

Percent of Time Ordinate is Exceeded

Figure 4-54 APD, 500 kHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 11:50 a.m., McElroy Mine.




Figure 4-55 APD, 1 MHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 12:25 p.m., McElroy Mine.






Figure 4-56 APD, 2 MHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 12:50 p.m., McElroy Mine.



Percent of Time Ordinate is Exceeded

Figure 4-57 APD, 6 MHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 1:30 p.m., McElroy Mine.






Figure 4-58 APD, 14 MHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 2:10 p.m., McElroy Mine.

Linear by $-\frac{1}{2}\log_{10}(-\ln p)$




Figure 4-59 APD, 10 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 11:30 a.m., McElroy Mine.




Figure 4-60 APD, 30 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 12:15 p.m., McElroy Mine.




Figure 4-61 APD, 70 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 1:00 p.m., McElroy Mine.




Figure 4-62 APD, 130 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 1:30 p.m., McElroy Mine.




Figure 4-63 APD, 160 kHz, vertical component, 1.0 kHz predetection bandwidth, April 12, 1973, 2:15 p.m., McElroy Mine.





Figure 4-64 APD, 250 kHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 11:30 p.m., McElroy Mine.



Percent of Time Ordinate is Exceeded

Figure 4-65 APD, 500 kHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 12:15 p.m., McElroy Mine.

Lineor by $-\frac{1}{2}\log_{10}(-\ln p)$ 40 30 Magnetic Field Strength, H(dB relative to 1 microampere per meter RMS) 20 10 Generated Mine Noise 0 RMS -10 - 20 AVG -30 -40 -50 -60 10. 100. 1000. .1 .5 1 20 30 40 50 60 70 80 85 90 95 98 99 5 10 Percent of Time Ordinate is Exceeded

Figure 4-66 APD, 1 MHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 1:00 p.m., McElroy Mine.




Figure 4-67 APD, 2 MHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 1:30 p.m., McElroy Mine.









Figure 4-68 APD, 6 MHz, vertical component, 1.2 kHz predetection bandwidth, April 12, 1973, 2:15 p.m., McElroy Mine.














Magnetic Field Strength, H




ments, McElroy Mine.


Magnetic Field Strength , H Breigive to I micrographer Bi










H, Arendic Field Strength, H









5. CONCLUSIONS

The range of magnetic-field noise levels in McElroy is 130 dB, from 90 dB above 1 μ V/m at 60 Hz to 40 dB below $1 \mu V/m$ at 180 kHz. This compares with the 125 dB range in Robena, except that the Robena levels were higher, from +105 dB to -20 dB with respect to 1 μ A/m. Grace Mine had a range of 158 dB, from +122 dB to -36 dB. In the lower portion of the spectrum, below 3 kHz, McElroy was approximately 20 dB quieter than Robena in most cases. However, from 3 kHz to 100 kHz the magnetic-field noise levels in Robena and McElroy were both relatively high, 10 to 80 dB above 1 µA/m, near operating equipment, compared to levels in Grace and Itmann mines of -10 to 50 dB above 1 μ A/m. From 100 kHz to 200 kHz, McElroy and Itmann had the highest levels, -20 to +15 dB above 1 µA/m. Data from Robena is not available in this frequency range, but levels may well be comparable to those in McElroy and Itmann.

Along haulageways, McElroy was the quietest (by a small margin) of the mines visited. From 30 kHz to 180 kHz, this level was equal to or less than -30 dB above 1 μ A/m.

Surface measurements over the underground working section show a number of man-made, cw carriers. If these carriers are omitted, the background, broadband noise is -30 to -40 dB with respect to 1 μ A/m. The carriers come up to 0 dB with respect to 1 μ A/m. Below 20 kHz, powerline harmonics were the dominant source of noise. The range covers -20 to +60 dB above 1 μ A/m.

APD measurements were taken during quiet times as well as during normal operation. The measurements show quiettime levels at some frequencies at least 60 dB below 1 μ A/m, but at most frequencies below 1 MHz, the peak and rms levels did not change significantly from quiet to operating condition. Levels near operating equipment were 30 dB above 1 μ A/m

at 30 kHz, and near haulageways, were 10 dB above 1 μ A/m at 30 kHz. The range of these measurements is consistent with the wide range of levels that have been measured in some other mines.

6. RECOMMENDATIONS

Particularly in mines similar to McElroy, but also in most other coal mines as well, the wide ranges of magneticfield noise levels due to spatial variations should be used to maximum advantage. For example, keep receivers away from noise sources whenever possible. This applies to frequencies below 200 kHz, where interference levels near machinery are extremely severe. Shorter-range, higher-frequency systems could be designed for use near machinery.

Surface noise measurements at McElroy show the need for only one design criterion: avoid powerline harmonics. There are other criteria which show up at other mines, but for low-frequency, through-the-earth communication systems, avoiding use of powerline harmonic frequencies is of primary concern.

7. ACKNOWLEDGMENTS

Those making significant contributions to this program are as follows: laboratory development and field use of measurement equipment, Ed Neisen, Doug Schulze, and Tom Bremer; data processing, Anne Rumfelt, Nancy Tomoeda, Winston Scott, Frank Cowley, and David Stearns. Those making valuable but less time-consuming contributions are Gerry Reeve, Bob Matheson, Don Spaulding, John Chukoski, Lorne Matheson, Dave Lewis, and Sharon Foote.

Winston Scott provided much assistance in proofreading, while Sharon Foote and Janet Becker typed tirelessly through many versions. Jocelyn Spencer and Barbara Bolton provided drafting assistance.

Finally, none of this would have been possible without the excellent cooperation of John Burr of Lee Engineering Company and of Dick Rouse, John Stock, Randy Fizer, and others of Consolidation Coal Company.

- [1] Bensema, W.D., Kanda, M., Adams, J.W., Electromagnetic Noise in Robena No. 4 Coal Mine, NBS Tech. Note 654, April 1974.
- [2] The Institute of Electrical and Electronic Engineers, Inc., IEEE Dictionary of Electrical and Electronic Terms, Std. 100, 1972.
- [3] Taggart, H.E. and Workman, J.L., Calibration Principles and Procedures for Field Strength Meters (30 Hz to 1 GHz), NBS Tech. Note 370, March 1969.
- [4] Adams, J.W., Bensema, W.D., Kanda, M., Electromagnetic Noise in Grace Hardrock Mine, NBSIR 74-388, June 1974.
- [5] Crichlow, W.Q., et al., Amplitude-probability distributions for atmospheric radio noise, NBS Monograph 23 (1960b).
- [6] Thompson, W.I., III, Bibliography of ground vehicle communications and control. AKWIC index, Report No. DOT-TSC-UMTA-71-3, July 1971.
- [7] Spaulding, A.D. and Disney R.T., Man-Made Radio Noise: Part 1: Estimates for Business, Residential, and Rural Areas, Office of Telecommunications OT Report 74-38, June 1974.

9. APPENDIX

Decoding of Spectrum Captions

Spectrum captions are generally organized into the fol-
lowing format:
First line: MP NDT NZS NDA NPO RC DF date, time, frame, serial,
where
MP = Two's power of length of Fourier transform, example, 2^{MP} where MP = 12
NDT = Detrending option, example, 0 (dc removed)
NZS = Restart spectral average after output, example, 0
(restarted)
NDA = Data segment advance increment, example, 2048
NPO = Number of spectra averaged between output calls,
example, 20
RC = Integration time in seconds per spectra, example, 0.168
DF = Resolution bandwidth, spectral estimate spacing in
hertz, example, 62.5
Date = Date of computer processing, example, $03/21/73$
Time = Time of computer processing, example, 15:06:34
Frame= Frame set number, example, 10
Serial = Film frame serial number, example, 42.
Second line: DTA DA(1) DA(2) DA(3) NSA NRP NPP, where
DTA = Detrending filter parameter α , example, 0.00195
DA(1) = Detrending filter average, K=1, example, 59.4
DA(2) = Detrending filter average, K=2, example, 0
DA(3) = Detrending filter average, K=3, example, 0
NSA = Number of periodograms averaged, example, 20
NRP = Number of data points processed since spectrum
initialization, example, 43008
NPP = Number of data points processed since data initial-
ization, example, 43008.

```
Third line: RUN, SESSION, DAY, MONTH, YEAR Gain corr., rec. =
            tot. constr. =, where
Run and Session = the title of the portrayed frame identifying
                  the digitizing session and run number.
                  example, 21 83
Month, Day, Year = date data were recorded in the mine,
                   example, 8 25 73
Gain corr. rec. = receiver gain correction, example, -6
tot. const.
                = constant gain correction of entire system,
                  example, -46.4
Fourth line: C =, RG =, DG =, FG =, AG =, where
C = correction curve used with data, example, 25
RG = receiver gain and accompanying correction in dB added to
     the data, example, 200 (-6 dB)
DG = digitizer gain, example, 0
FG = filter gain in dB, often rounded to nearest single digit,
     example, 0
AG = absolute gain correction added to data, example, 52
Fifth line: Top of Scale, Standard Error, Spectral Peak, where
                = largest scale marking for computer drawn
Top of Scale
                  graph, example, 1.000+004 (1.0 \times 10^4)
Standard Error = standard error of curve, example, 0.3162
Spectral Peak = largest spectral peak observed, example,
                  4.108+003. (4.108 \times 10^3)
```

	1. PUBLICATION OR REPORT NO.	2. Gov't Accession	3. Recipient'	s Accession No.
BIBLIOGRAPHIC DATA SHEET	NBSIR 74-389	No.		
4. TITLE AND SUBTITLE			5. Publication	n Date
			June	1974
Electromagnetic Noise in McElroy Mine		6. Performing	Organization Code	
• AUTHOR(S)			8. Performing	Organ. Report No
Motohisa Kanda, John W. Adams, and William D. Bensema 9. PERFORMING ORGANIZATION NAME AND ADDRESS				
				ask/Work Unit No.
NATIONAL BUREAU OF STANDARDS, Boulder Labs DEPARTMENT OF COMMERCE Washington, D.C. 20234			276841 11. Contract/	2 Grant No.
12. Sponsoring Organization Name and Complete Address (Street, City, State, ZIP)			13. Type of R Covered	eport & Period
Bureau of Mines				
4800 Forbes Avenue Pittsburgh, Pa. 15	-		14. Sponsorin	g Agency Code
SUPPLEMENTARY NOTES			1	
	magnetic spectrum of intere	est for prier tim		IT 10 TO-
give spectral plot crete frequencies distributions.	band analog magnetic tape a s. The other technique rec for a sufficient amount of	nd the noise dat ords noise ampli time to provide	tudes at s amplitude	transformed everal dis- probability
give spectral plot crete frequencies distributions.	s. The other technique rec for a sufficient amount of asured results are given in	nd the noise dat ords noise ampli time to provide	tudes at s amplitude	transformed everal dis- probability
give spectral plot crete frequencies distributions. The specific, me probability distri	s. The other technique rec for a sufficient amount of asured results are given in	nd the noise dat ords noise ampli- time to provide a number of spe ny the first letter of the distribution; coa gnetic interferen- stion; impulsive density; time-de [19. SECURIT	tudes at s amplitude ctral plot ctral plot al mine noi nce; electr noise; mag ependent sp	transformed everal dis- probability s and amplit anless a proper se; digital comagnetic gnetic field
give spectral plot crete frequencies distributions. The specific, me probability distri	entries; alphabetical order; capitalize or ons) Amplitude probability of communications; electromag Gransform; Gaussian distribut instrumentation; spectral X Unlimited	and the noise dat cords noise ampli- time to provide a number of spe a number of spe distribution; coa gnetic interferer ition; impulsive density; time-de	tudes at s amplitude ctral plot ctral plot al mine noi nce; electr noise; mag ependent sp	transformed everal dis- probability s and amplit s and amplit unless a proper se; digital comagnetic gnetic field pectral dens:
give spectral plot crete frequencies distributions. The specific, me probability distri	entries; alphabetical order; capitalize or cons) Amplitude probability of communications; electromag fransform; Gaussian distribut	nd the noise dat ords noise ampli- time to provide a number of spe ny the first letter of the distribution; coa gnetic interferen- stion; impulsive density; time-de [19. SECURIT	tudes at s amplitude ctral plot ctral plot al mine noi nce; electr noise; mag ependent sp TY CLASS EPORT)	transformed everal dis- probability s and amplit anless a proper se; digital comagnetic gnetic field pectral dens

Order From National Technical Information Service (NTIS) Springfield, Virginia 22151

Į

UNCLASSIFIED

