

NBSIR 77-1293

**ANALYSIS OF HOUSING DATA
COLLECTED IN A LEAD-BASED
PAINT SURVEY IN PITTSBURGH,
PENNSYLVANIA -- PART II**

Douglas R. Shier

and

William G. Hall

Applied Mathematics Division
Institute for Basic Standards
National Bureau of Standards
Washington, D.C. 20234

June 1977

Final

Prepared for:
Housing Technology Programs
Center for Building Technology
Institute of Applied Technology, NBS

Sponsored by:
Office of Policy Development and Research
Department of Housing and Urban Development
Washington, D.C. 20410



U.S. DEPARTMENT OF COMMERCE, Juanita M. Kreps, *Secretary*

Dr. Sidney Harman, *Under Secretary*

Jordan J. Baruch, *Assistant Secretary for Science and Technology*

NATIONAL BUREAU OF STANDARDS, Ernest Ambler, *Acting Director*

TABLE OF CONTENTS

	<u>Page</u>
Abstract	1
1. Introduction	2
2. Description of the Tables	4
2.1 Set A Tables (Housing Data).....	4
2.2 Set B Tables (Housing Data).....	8
2.3 Set C Tables (Housing/Blood Data).....	11
3. References	13
Appendix A: Set A Tables	14
Appendix B: Set B Tables	87
Appendix C: Set C Tables	136
Appendix D: Data Collection Form for Housing Inspection	185



ANALYSIS OF HOUSING DATA COLLECTED IN A LEAD-BASED
PAINT SURVEY IN PITTSBURGH, PENNSYLVANIA

Part II

Abstract

This report represents Part II of a two-part document describing a lead-based paint survey conducted in Pittsburgh, Pennsylvania. Part I of this document (NBSIR 77-1250) presented details of the design, methodology and findings of this survey. The current report (Part II) presents and describes a series of tables summarizing the Pittsburgh survey data base, which includes measured lead levels of various surfaces in dwelling units and blood lead levels of children resident in those units. Most of the data analyses conducted in Part I derive from these tables. Thus, the tabulations given in this report provide not only the basis for those analyses but also a potential source for additional data analyses.

Key Works: Blood lead; children; data analysis; housing; lead paint; lead poisoning; surveys.

1. INTRODUCTION

During 1974 and 1975, the National Bureau of Standards (NBS), under sponsorship of the Department of Housing and Urban Development (HUD), conducted, in cooperation with the Allegheny County Health Department, a large-scale survey of housing in Pittsburgh, Pennsylvania. This survey collected various data on the extent, magnitude and distribution of lead-bearing paint surfaces within the dwelling units of the sampled area. Also, blood samples and socioeconomic information were collected from children under seven years of age resident in those units. In contrast to previous surveys, the Pittsburgh lead-based paint survey was a large-scale, statistically designed effort aimed at characterizing the lead levels in dwelling units comprising an entire city, and not simply a high-risk area. Additional details concerning the design, methodology and findings of the survey are provided in [1]*, which constitutes Part I of this two-part document. A statistical study of the children's blood lead levels, together with details of the chemical analysis techniques employed, can be found in a previous NBS report [2].

The current report (Part II) presents and describes a series of tables that summarize the Pittsburgh survey data. In fact, the data analyses given in [1] are for the most part derived from these tables. In addition, the tables provide a potential source for further data analyses, based on other combinations of housing characteristics (described in Section 2) which may not have been explicitly treated in Part I.

The entire set of tabulations actually produced, using the Pitts-

*Figures in brackets indicate references listed in Section 3.

burgh data base, are far too voluminous for inclusion in this report. Accordingly, a representative subset of those tables is provided here, and this set should suffice for the purposes of most analyses. Listings of additional tables (which follow the same formats as those described here) can be provided by NBS, upon request, to interested researchers.

In Section 2, the classifications used in structuring the tables are defined and the data elements forming each table are discussed. The tables themselves (arranged into three sets of tables) are displayed in the Appendices. These tables provide supporting data tabulations on which the analyses and conclusions of Part I have been based.

2. DESCRIPTION OF THE TABLES

The various tables provided in this report have been classified into three distinct sets: those designated as "Set A," "Set B," and "Set C." The tables in Sets A and B summarize the interior lead level measurements obtained in the survey according to the values of certain housing-related variables. (The data collection form on which these and other measurements were recorded is shown in Appendix D.) The tables in Set C relate the interior lead level measurements in dwelling units to the blood lead levels found in children residing in those units, also grouped according to various housing variables. The contents and use of each set of tables will be discussed in this section.

2.1 Set A Tables (Housing Data)

Tables from this set are those from which most of the cumulative distributions of Part I have been derived. Each table of this set shows (by age of unit, occupancy class, room type, surface type and surface condition) the fractions of the dwelling units, rooms, and surfaces in which the highest lead level reading equals or exceeds certain specified levels. Since each table involves a number of variables and stratifications for such variables, this information will be described first. Subsequently, the interpretation and use of these tables will be discussed in some detail.

Tables have been calculated for every combination of values assumed by the variables listed below. Only a certain subset of these calculated tables are, however, presented in the Set A Tables. An asterisk in the list below denotes those values of the variables for which a corresponding

table has been included in Appendix A.

I. Age of Dwelling Unit

- *Pre 1940
- *1940-1959
- *1960-1975
- *ALL

II. Occupancy Class

- SINGLE FAMILY - OWNER OCCUPIED - FHA MORTGAGE
- SINGLE FAMILY - OWNER OCCUPIED
- SINGLE FAMILY - RENTER OCCUPIED
- *SINGLE FAMILY - ALL
- MULTIFAMILY - 2 to 4 UNITS/BUILDING
- MULTIFAMILY - 5 or MORE UNITS/BUILDING
- *MULTIFAMILY - (2 or MORE UNITS/BUILDING)
- PUBLIC HOUSING - 2 to 4 UNITS/BUILDING
- PUBLIC HOUSING - 5 or MORE UNITS/BUILDING
- *PUBLIC HOUSING - ALL
- *ALL

III. Room Type

- *DRY (all rooms except kitchens and bathrooms)
- *WET (kitchens and bathrooms)
- *ALL

IV. Surface Type (interior)

- *WALLS
- *WINDOWS
- *DOORS

V. Surface Condition

This designation does not appear in the data base for each surface, but rather is recorded by surface type (walls, trim) for each room. Note that inspectors were instructed to assign these condition codes on the basis of the worst condition present in the room.

*PEELING - denotes a surface on which the paint film itself is peeling, flaking, blistering or powdering.

*BAD - denotes a surface which has a bad substrate regardless of the condition of the surface; this category includes all

imperfections except hairline cracks, nail holes, etc.

*EITHER - denotes a surface which is either PEELING or BAD or both.

*BOTH - denotes a surface that is both PEELING and BAD.

*ALL - denotes all surfaces, regardless of condition.

VI. Specified Lead Levels

*0.0 mg/cm²
*0.5 mg/cm²
*1.0 mg/cm²
1.5 mg/cm²
*2.0 mg/cm²
2.5 mg/cm²
3.0 mg/cm²
4.0 mg/cm²
*5.0 mg/cm²
*7.5 mg/cm²
10.0 mg/cm²

The tables in Set A provide (for defined values of the variables listed in I-V) the number and fraction of dwellings, rooms or surfaces for which the highest lead level equals or exceeds the specified lead level. Since it is possible to obtain negative lead level readings, such negative readings have been retained for the calculation of statistical quantities, such as the mean, median and standard deviation. However, any derived statistic which assumes a negative value has been set equal to zero for the purposes of the tables in this report. As a result, any table with specified lead level 0.0 mg/cm² actually provides a count of the number of dwellings, rooms, or surfaces according to the categories listed in I-V.

Each table of Set A contains as a heading a room type, a specified lead level, and an occupancy class. The three groups of columns refer to the three surface types, while the four groups of rows (ten lines each)

refer to the age group of the dwelling unit. For each age group, the first line gives counts for the number of dwelling units in which at least one of the lead level readings equals or exceeds the specified lead level; these counts on the first line are further categorized by surface condition within surface type. The second line gives the fraction of the dwelling units in which at least one of the lead level readings equals or exceeds the specified level, also categorized by surface type and surface condition.

Lines 3-6 contain, for each column, one half the width of a confidence interval* (about the fraction in line 2) with confidence levels 99%, 95%, 90%, and 80%, respectively. For example, the third table of Set A shows that a 99% confidence interval, for the true fraction of all pre 1940 single-family dwelling units with at least one dry room wall reading equal to or exceeding 1.0 mg/cm^2 , is $.636 \pm .028$ (i.e., it extends from .608 to .664). In repeated sampling, the true fraction should lie in a 99% confidence interval (calculated in this way) 99 times out of 100. Likewise, a 95% confidence interval for the true fraction is given by $.636 \pm .021$, while an 80% confidence interval for the fraction is given by $.636 \pm .014$.

Lines 7 and 8 give the number and fraction of rooms (by surface type and condition) with at least one lead level reading equal to or exceeding

*The calculation of these confidence intervals follows the procedure described in Appendix B of [3]. Despite the fact that the underlying statistical distribution of individual lead level readings is highly non-normal [1], the sample sizes given in these tables are usually large enough (e.g., in excess of 50 observations) for the Central Limit Theorem [4] to hold. Since the confidence interval calculations rely on the application of this theorem, the indicated confidence intervals will be valid so long as the sample size is sufficiently large.

the specified lead level. Since only a single lead level reading was taken for doors and windows within a room, the quantities appearing on these two lines for doors and windows also represent the number and fraction of lead level readings satisfying the stated conditions.

Lines 9 and 10 give the number and fraction of surfaces (by surface type and condition) with at least one lead level reading equal to or exceeding the specified lead level. For doors and windows, it is assumed that all doors within a room have the same lead level as the measured door, and that all windows have the same lead levels as the measured window. In addition, the condition code for walls in a room is (conservatively) assumed to characterize all walls within the room, while the trim condition code is assumed to characterize all windows and doors within the room.

2.2 Set B Tables (Housing Data)

In contrast to the tables of Set A (which summarize the lead level readings by dwelling, room and surface), the tables of Set B contain information aggregated on a room basis. In addition, these tables illustrate variations in lead levels (a) within rooms, and (b) among rooms of the same type. The Set B tables (found in Appendix B) use variables having stratifications similar to those described in relation to Set A. The categorizing variables, and their associated values, are described below. As in Set A, the cases appearing in tables of this report are indicated by an asterisk. The remaining cases have been calculated but do not appear here.

I. Age of Dwelling Unit

- *Pre 1940
- *1940-1959
- *1960-1975
- *ALL

II. Occupancy Class

- *SINGLE FAMILY
- MULTIFAMILY
- *ALL

III. Room Type

- *DRY
- *WET
- ALL

IV. Surface Type (interior)

- *WALLS
- *TRIM (doors, windows, baseboards, cabinets, fireplaces)
- *ALL

V. Surface Condition

- *GOOD (surface tight and substrate good)
- *BAD (surface peeling and/or substrate bad)
- *ALL

VI. Specified Lead Intervals

- * 0.0 - 0.49 mg/cm²
- *0.50 - 0.99 mg/cm²
- *1.00 - 1.49 mg/cm²
- *1.50 - 1.99 mg/cm²
- *2.00 - 2.49 mg/cm²
- *2.50 - 2.99 mg/cm²
- *3.00 - 3.99 mg/cm²
- *4.00 - 4.99 mg/cm²
- *5.00 - 7.49 mg/cm²
- *7.50 - 9.99 mg/cm²
- *>10.0 mg/cm²
- *ALL

Each table is identified by a lead level interval, an occupancy class, and a room type. The statistics given in the body of the table refer to those rooms in which the mean wall lead level lies in the

specified lead level interval. In each table, the four groups of columns represent the four dwelling unit age categories, while the four groups of rows represent certain collections of surface types.

In the group of ten lines with the heading WALLS, the first line contains a count of the number of rooms (by age category and surface condition) with mean wall lead level in the specified interval. The second line converts this number into a percent of all rooms corresponding to that room type, occupancy class, age category, and room (wall) condition.

Lines 3-4 contain, respectively, the mean of the room means for the wall lead levels and the standard deviation of these room means. In a similar way, lines 5-6 represent the mean and standard deviation of the within-room standard deviations for wall lead levels. The last four lines represent, respectively, the mean and standard deviation of the room medians, and the mean and standard deviation of the highest wall lead level in the room.

The TRIM and ALL groups of rows contain the same quantities as those given in lines 3-10 above for the WALLS group, except that these statistics are now based on the lead levels of the trim (TRIM), or on the walls plus ceilings plus trim (ALL). Again, these quantities have been calculated for all rooms in which the mean wall lead level lies within the specified lead interval.

The final group of lines (T-W) contains statistics similar to those on lines 3-4 and 7-10 in the WALLS group, except that the calculations are now based on differences between trim and wall surfaces. More specifically, the two lines headed by MEAN give the mean and standard

deviation of the mean trim minus the mean wall reading for each room. Similarly, the lines for MEDIAN are based on median trim minus median wall, while those for HIGH are based on high trim minus high wall. As before, such quantities are calculated for all rooms in which the mean wall lead level lies within the specified lead interval.

2.3 Set C Tables (Housing/Blood Data)

The tables of this set are quite similar to the Set B tables, except that the children's blood lead levels have been used to control the calculations of room-based statistics for lead levels. Thus all calculations for these tables are performed using those dwelling units containing children for whom blood lead levels had been determined. Apart from the blood lead level intervals described below, the remaining variables and their values remain the same as those listed in I-V, Set B.

VI. Specified Blood Lead Intervals

- * 0 - 4 $\mu\text{g}/100\text{ ml}$
- * 5 - 9 $\mu\text{g}/100\text{ ml}$
- *10 - 14 $\mu\text{g}/100\text{ ml}$
- *15 - 19 $\mu\text{g}/100\text{ ml}$
- *20 - 24 $\mu\text{g}/100\text{ ml}$
- *25 - 29 $\mu\text{g}/100\text{ ml}$
- *30 - 34 $\mu\text{g}/100\text{ ml}$
- *35 - 39 $\mu\text{g}/100\text{ ml}$
- *40 - 44 $\mu\text{g}/100\text{ ml}$
- *45 - 49 $\mu\text{g}/100\text{ ml}$
- * \geq 50 $\mu\text{g}/100\text{ ml}$
- *ALL

Each table is identified by a blood lead interval, occupancy class and room type; also given are the number and percent of children associated with that occupancy class with blood lead levels in the specified interval. The four groups of columns represent the four dwelling unit

age categories. The line denoted by CHILDREN gives for each age category the number and percent of children within that occupancy class having blood lead levels in the specified interval. As in the tables from Set B, the four groups of rows represent certain collections of surface types. Apart from the differences noted above and the fact that a line does not appear for PERCENT (of rooms), the elements of this table correspond exactly to those defined in Set B.

3. REFERENCES

- [1] Shier, D. and Hall, W., "Analysis of Housing Data Collected in a Lead-Based Paint Survey in Pittsburgh Pennsylvania: Part I," NBSIR 77-1250, National Bureau of Standards, May 1977.
- [2] Urban, W., "Statistical Analysis of Blood Lead Levels of Children Surveyed in Pittsburgh, Pennsylvania: Analytical Methodology and Summary Results," NBSIR 76-1024, National Bureau of Standards, April 1976.
- [3] Hall, W., and Slovic, L.T., "Survey Manual for Estimating the Incidence of Lead Paint in Housing," Technical Note 921, National Bureau of Standards, September 1976.
- [4] Feller, W., An Introduction to Probability Theory and Its Applications, Vol. I, John Wiley and Sons, New York, 1968.

APPENDIX A

Set "A" Tables

Table of Contents

<u>Occupancy Class</u>	<u>Room Type</u>	<u>Pages</u>
SINGLE-FAMILY	DRY	15-20
	WET	21-26
	ALL	27-32
MULTIFAMILY	DRY	33-38
	WET	39-44
	ALL	45-50
PUBLIC	DRY	51-56
	WET	57-62
	ALL	63-68
ALL	DRY	69-74
	WET	75-80
	ALL	81-86

HIGHEST LEAD READING FOR DRY ROOMS IS 0.0†OR MORE * * OCCUPANCY CLASS IS SINGLE-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****											
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL								
PRE 40 DWELLINGS	268	499	540	217	1922	258	373	452	176	1827	229	357	427	157	1861
FRACTION	.139	.260	.281	.113	1.000	.141	.204	.247	.096	1.000	.123	.192	.229	.084	1.000
99	.020	.025	.026	.018	.000	.021	.024	.026	.018	.000	.019	.023	.025	.016	.000
95	.015	.019	.020	.014	.000	.016	.018	.020	.013	.000	.015	.018	.019	.013	.000
90	.013	.016	.017	.012	.000	.013	.015	.016	.011	.000	.012	.015	.016	.011	.000
80	.010	.013	.013	.009	.000	.010	.012	.013	.009	.000	.010	.012	.012	.008	.000
ROOMS	402	1047	1117	332	8142	393	690	826	257	5946	337	665	781	221	5444
FRACTION	.049	.129	.137	.041	1.000	.066	.116	.139	.043	1.000	.062	.122	.143	.041	1.000
SURFACES	1446	3766	4029	1183	29749	733	1232	1487	478	10736	576	1161	1340	397	9081
FRACTION	.049	.127	.135	.040	1.000	.068	.115	.139	.045	1.000	.063	.128	.148	.044	1.000
40-59 DWELLINGS	10	23	23	10	361	11	17	20	8	232	10	17	20	7	356
FRACTION	.028	.064	.064	.028	1.000	.047	.073	.086	.034	1.000	.028	.048	.056	.020	1.000
99	.022	.033	.033	.022	.000	.036	.044	.047	.031	.000	.022	.029	.031	.019	.000
95	.017	.025	.025	.017	.000	.027	.033	.036	.023	.000	.017	.022	.024	.014	.000
90	.014	.021	.021	.014	.000	.023	.028	.030	.020	.000	.014	.019	.020	.012	.000
80	.011	.016	.016	.011	.000	.018	.022	.024	.015	.000	.011	.014	.016	.009	.000
ROOMS	20	39	39	20	1671	18	28	33	13	789	17	29	33	13	1200
FRACTION	.012	.023	.023	.012	1.000	.023	.035	.042	.016	1.000	.014	.024	.027	.011	1.000
SURFACES	70	137	137	70	6170	29	49	55	23	1336	32	55	64	23	2117
FRACTION	.011	.022	.022	.011	1.000	.022	.037	.041	.017	1.000	.015	.026	.030	.011	1.000
60-75 DWELLINGS	2	3	4	1	92	2	4	4	2	50	3	6	6	3	90
FRACTION	.022	.033	.043	.011	1.000	.040	.080	.080	.040	1.000	.033	.067	.067	.033	1.000
99	.039	.047	.054	.028	.000	.071	.098	.098	.071	.000	.048	.067	.067	.048	.000
95	.030	.036	.042	.021	.000	.054	.075	.075	.054	.000	.037	.051	.051	.037	.000
90	.025	.030	.035	.018	.000	.046	.063	.063	.046	.000	.031	.043	.043	.031	.000
80	.019	.024	.027	.014	.000	.036	.049	.049	.036	.000	.024	.034	.034	.024	.000
ROOMS	2	6	7	1	407	3	7	7	3	147	4	11	11	4	271
FRACTION	.005	.015	.017	.002	1.000	.020	.048	.048	.020	1.000	.015	.041	.041	.015	1.000
SURFACES	8	24	28	4	1518	6	11	11	6	210	4	14	14	4	451
FRACTION	.005	.016	.018	.003	1.000	.029	.052	.052	.029	1.000	.009	.031	.031	.009	1.000
ALL DWELLINGS	281	527	569	229	2387	273	396	478	188	2119	244	382	455	169	2319
FRACTION	.118	.221	.238	.096	1.000	.129	.187	.226	.089	1.000	.105	.165	.196	.073	1.000
99	.017	.022	.022	.015	.000	.018	.022	.023	.016	.000	.016	.020	.021	.014	.000
95	.013	.016	.017	.012	.000	.014	.016	.018	.012	.000	.012	.015	.016	.010	.000
90	.011	.014	.014	.010	.000	.012	.014	.015	.010	.000	.010	.013	.013	.009	.000
80	.008	.011	.011	.008	.000	.009	.011	.012	.008	.000	.008	.010	.010	.007	.000
ROOMS	425	1099	1170	354	10274	420	731	872	279	6919	363	710	830	243	6950
FRACTION	.041	.107	.114	.034	1.000	.061	.106	.126	.040	1.000	.052	.102	.119	.035	1.000
SURFACES	1527	3953	4220	1260	37630	777	1301	1562	516	12350	620	1238	1426	432	11710
FRACTION	.041	.105	.112	.033	1.000	.063	.105	.126	.042	1.000	.053	.106	.122	.037	1.000

HIGHEST LEAD READING FOR DRY ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL								
PRE 40 DWELLINGS		216	399	439	170	1748	225	327	398	152	1643	204	327	391	138	1681
FRACTION		.112	.208	.228	.088	.909	.123	.179	.218	.083	.899	.110	.176	.210	.074	.903
99		.018	.024	.024	.016	.017	.020	.023	.025	.016	.018	.018	.022	.024	.015	.017
95		.014	.018	.019	.013	.013	.015	.017	.019	.013	.014	.014	.017	.018	.012	.013
90		.012	.015	.016	.011	.011	.013	.015	.016	.011	.011	.012	.014	.015	.010	.011
80		.009	.012	.012	.008	.008	.010	.011	.012	.008	.009	.009	.011	.012	.008	.009
ROOMS		295	698	755	238	5125	331	578	692	217	4236	286	576	675	187	4085
FRACTION		.036	.086	.093	.029	.629	.056	.097	.116	.036	.712	.053	.106	.124	.034	.750
SURFACES		657	1450	1594	513	10266	616	1024	1245	395	7675	484	1008	1158	334	6849
FRACTION		.022	.049	.054	.017	.345	.057	.095	.116	.037	.715	.053	.111	.128	.037	.754
40-59 DWELLINGS		7	12	12	7	314	9	14	17	6	153	7	15	16	6	306
FRACTION		.019	.033	.033	.019	.870	.039	.060	.073	.026	.659	.020	.042	.045	.017	.860
99		.019	.024	.024	.019	.045	.032	.040	.044	.027	.080	.019	.027	.028	.017	.047
95		.014	.018	.018	.014	.035	.025	.031	.033	.020	.061	.014	.021	.021	.013	.036
90		.012	.015	.015	.012	.029	.021	.026	.028	.017	.051	.012	.017	.018	.011	.030
80		.009	.012	.012	.009	.023	.016	.020	.022	.013	.040	.009	.014	.014	.009	.024
ROOMS		14	20	20	14	929	12	21	24	9	340	9	22	23	8	740
FRACTION		.008	.012	.012	.008	.556	.015	.027	.030	.011	.431	.007	.018	.019	.007	.617
SURFACES		30	40	40	30	1753	22	41	45	18	592	16	43	45	14	1296
FRACTION		.005	.006	.006	.005	.284	.016	.031	.034	.013	.443	.008	.020	.021	.007	.612
60-75 DWELLINGS		1	1	2	0	70	0	1	1	0	30	1	4	4	1	80
FRACTION		.011	.011	.022	.000	.761	.000	.020	.020	.000	.600	.011	.044	.044	.011	.889
99		.028	.028	.039	.000	.114	.000	.051	.051	.000	.178	.028	.056	.056	.028	.085
95		.021	.021	.030	.000	.087	.000	.039	.039	.000	.136	.022	.043	.043	.022	.065
90		.018	.018	.025	.000	.073	.000	.033	.033	.000	.114	.018	.036	.036	.018	.054
80		.014	.014	.019	.000	.057	.000	.025	.025	.000	.089	.014	.028	.028	.014	.042
ROOMS		1	3	4	0	203	0	2	2	0	62	1	8	8	1	193
FRACTION		.002	.007	.010	.000	.499	.000	.014	.014	.000	.422	.004	.030	.030	.004	.712
SURFACES		3	3	6	0	380	0	3	3	0	88	1	11	11	1	335
FRACTION		.002	.002	.004	.000	.250	.000	.014	.014	.000	.419	.002	.024	.024	.002	.743
ALL DWELLINGS		225	414	455	178	2143	236	344	418	160	1835	214	348	413	147	2076
FRACTION		.094	.173	.191	.075	.898	.111	.162	.197	.076	.866	.092	.150	.178	.063	.895
99		.015	.020	.020	.014	.016	.017	.020	.022	.015	.019	.015	.019	.020	.013	.016
95		.012	.015	.016	.010	.012	.013	.016	.017	.011	.014	.012	.014	.015	.010	.012
90		.010	.013	.013	.009	.010	.011	.013	.014	.009	.012	.010	.012	.013	.008	.010
80		.008	.010	.010	.007	.008	.009	.010	.011	.007	.009	.008	.009	.010	.006	.008
ROOMS		311	725	783	253	6289	349	607	724	232	4663	301	611	711	201	5043
FRACTION		.030	.071	.076	.025	.612	.050	.088	.105	.034	.674	.043	.088	.102	.029	.726
SURFACES		691	1501	1648	544	12467	647	1077	1302	422	8400	509	1070	1222	357	8523
FRACTION		.018	.040	.044	.014	.331	.052	.087	.105	.034	.680	.043	.091	.104	.030	.728

HIGHEST LEAD READING FOR DRY ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****							
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL							
PRE 40 DWELLINGS	148	255	288	111	1222	196	300	359	135	1417	178	287	342	121	1445
FRACTION	.077	.133	.150	.058	.636	.107	.164	.196	.074	.776	.096	.154	.184	.065	.776
99	.015	.020	.021	.014	.028	.018	.022	.024	.016	.025	.017	.021	.023	.015	.025
95	.012	.015	.016	.010	.021	.014	.017	.018	.012	.019	.013	.016	.017	.011	.019
90	.010	.013	.013	.009	.018	.012	.014	.015	.010	.016	.011	.014	.015	.009	.016
80	.008	.010	.010	.007	.014	.009	.011	.012	.008	.012	.009	.011	.011	.007	.012
ROOMS	187	394	435	146	2614	278	492	583	187	3243	254	488	576	166	3081
FRACTION	.023	.048	.053	.018	.321	.047	.083	.098	.031	.545	.047	.090	.106	.030	.566
SURFACES	392	813	909	296	4932	520	873	1049	344	5894	433	872	1005	300	5191
FRACTION	.013	.027	.031	.010	.166	.048	.081	.098	.032	.549	.048	.096	.111	.033	.572
40-59 DWELLINGS	5	7	7	5	192	6	12	13	5	93	7	13	14	6	226
FRACTION	.014	.019	.019	.014	.532	.026	.052	.056	.022	.401	.020	.037	.039	.017	.635
99	.016	.019	.019	.016	.067	.027	.037	.039	.024	.082	.019	.025	.026	.017	.065
95	.012	.014	.014	.012	.051	.020	.028	.030	.019	.063	.014	.019	.020	.013	.050
90	.010	.012	.012	.010	.043	.017	.024	.025	.016	.053	.012	.016	.017	.011	.042
80	.008	.009	.009	.008	.034	.013	.019	.019	.012	.041	.009	.013	.013	.009	.033
ROOMS	9	11	11	9	368	8	18	19	7	178	7	18	19	6	404
FRACTION	.005	.007	.007	.005	.220	.010	.023	.024	.009	.226	.006	.015	.016	.005	.337
SURFACES	18	21	21	18	638	15	35	36	14	309	11	34	36	9	702
FRACTION	.003	.003	.003	.003	.103	.011	.026	.027	.010	.231	.005	.016	.017	.004	.332
60-75 DWELLINGS	1	0	1	0	38	0	1	1	0	19	1	2	2	1	58
FRACTION	.011	.000	.011	.000	.413	.000	.020	.020	.000	.380	.011	.022	.022	.011	.644
99	.028	.000	.028	.000	.131	.000	.051	.051	.000	.176	.028	.040	.040	.028	.129
95	.021	.000	.021	.000	.100	.000	.039	.039	.000	.135	.022	.030	.030	.022	.099
90	.018	.000	.018	.000	.084	.000	.033	.033	.000	.113	.018	.026	.026	.018	.083
80	.014	.000	.014	.000	.066	.000	.025	.025	.000	.088	.014	.020	.020	.014	.065
ROOMS	1	0	1	0	70	0	2	2	0	33	1	5	5	1	121
FRACTION	.002	.000	.002	.000	.172	.000	.014	.014	.000	.224	.004	.018	.018	.004	.446
SURFACES	2	0	2	0	118	0	3	3	0	48	1	5	5	1	208
FRACTION	.001	.000	.001	.000	.078	.000	.014	.014	.000	.229	.002	.011	.011	.002	.461
ALL DWELLINGS	154	264	298	116	1459	204	315	375	142	1535	188	304	360	130	1738
FRACTION	.065	.111	.125	.049	.611	.096	.149	.177	.067	.724	.081	.131	.155	.056	.749
99	.013	.016	.017	.011	.025	.016	.020	.021	.014	.025	.014	.018	.019	.012	.023
95	.010	.012	.013	.009	.019	.012	.015	.016	.011	.019	.011	.014	.015	.009	.017
90	.008	.010	.011	.007	.016	.010	.013	.014	.009	.016	.009	.011	.012	.008	.015
80	.006	.008	.009	.006	.013	.008	.010	.011	.007	.012	.007	.009	.010	.006	.011
ROOMS	197	408	450	155	3069	290	516	608	198	3470	267	516	605	178	3623
FRACTION	.019	.040	.044	.015	.299	.042	.075	.088	.029	.502	.038	.074	.087	.026	.521
SURFACES	412	839	937	314	5718	539	915	1092	362	6278	453	919	1054	318	6127
FRACTION	.011	.022	.025	.008	.152	.044	.074	.088	.029	.508	.039	.078	.090	.027	.523

HIGHEST LEAD READING FOR DRY ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****									
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL								
PRE 40 DWELLINGS	77	141	156	62	605	154	239	288	105	1067	145	243	283	104	1068
FRACTION	.040	.073	.081	.032	.315	.094	.131	.158	.057	.584	.078	.131	.152	.056	.574
99	.011	.015	.016	.010	.027	.017	.020	.022	.014	.029	.016	.020	.021	.014	.029
95	.009	.012	.012	.008	.021	.013	.015	.017	.011	.022	.012	.015	.016	.010	.022
90	.007	.010	.010	.007	.017	.011	.013	.014	.009	.019	.010	.013	.014	.009	.019
80	.006	.008	.008	.005	.013	.008	.010	.011	.007	.015	.008	.010	.011	.007	.015
ROOMS	95	205	223	77	1037	220	383	458	145	2297	200	392	454	138	2117
FRACTION	.012	.025	.027	.009	.127	.037	.064	.077	.024	.386	.037	.072	.083	.025	.389
SURFACES	205	481	515	171	2328	415	679	826	268	4203	347	702	797	252	3646
FRACTION	.007	.016	.017	.006	.078	.039	.063	.077	.025	.391	.038	.077	.088	.028	.401
40-59 DWELLINGS	4	6	6	4	45	3	9	9	3	41	4	8	8	4	57
FRACTION	.011	.017	.017	.011	.125	.013	.039	.039	.013	.177	.011	.022	.022	.011	.160
99	.014	.017	.017	.014	.044	.019	.032	.032	.019	.064	.014	.020	.020	.014	.050
95	.011	.013	.013	.011	.034	.015	.025	.025	.015	.049	.011	.015	.015	.011	.038
90	.009	.011	.011	.009	.028	.012	.021	.021	.012	.041	.009	.013	.013	.009	.032
80	.007	.009	.009	.007	.022	.009	.016	.016	.009	.032	.007	.010	.010	.007	.025
ROOMS	7	9	9	7	79	4	12	12	4	77	4	11	11	4	77
FRACTION	.004	.005	.005	.004	.047	.005	.015	.015	.005	.098	.003	.009	.009	.003	.064
SURFACES	12	14	14	12	171	8	24	24	8	141	7	23	23	7	131
FRACTION	.002	.002	.002	.002	.028	.006	.018	.018	.006	.106	.003	.011	.011	.003	.062
60-75 DWELLINGS	0	0	0	0	4	0	1	1	0	6	1	1	1	1	14
FRACTION	.000	.000	.000	.000	.043	.000	.020	.020	.000	.120	.011	.011	.011	.011	.156
99	.000	.000	.000	.000	.054	.000	.051	.051	.000	.118	.028	.028	.028	.028	.098
95	.000	.000	.000	.000	.042	.000	.039	.039	.000	.090	.022	.022	.022	.022	.075
90	.000	.000	.000	.000	.035	.000	.033	.033	.000	.076	.018	.018	.018	.018	.063
80	.000	.000	.000	.000	.027	.000	.025	.025	.000	.059	.014	.014	.014	.014	.049
ROOMS	0	0	0	0	6	0	2	2	0	11	1	2	2	1	18
FRACTION	.000	.000	.000	.000	.015	.000	.014	.014	.000	.075	.004	.007	.007	.004	.066
SURFACES	0	0	0	0	15	0	3	3	0	16	1	2	2	1	22
FRACTION	.000	.000	.000	.000	.010	.000	.014	.014	.000	.076	.002	.004	.004	.002	.049
ALL DWELLINGS	81	149	164	66	660	159	251	300	110	1120	152	254	294	111	1145
FRACTION	.034	.062	.069	.028	.276	.075	.118	.142	.052	.529	.066	.110	.127	.048	.494
99	.009	.013	.013	.009	.023	.015	.018	.019	.012	.028	.013	.016	.018	.011	.026
95	.007	.010	.010	.007	.018	.011	.014	.015	.009	.021	.010	.013	.013	.009	.020
90	.006	.008	.008	.005	.015	.009	.011	.012	.008	.018	.008	.011	.011	.007	.017
80	.005	.006	.007	.004	.012	.007	.009	.010	.006	.014	.007	.008	.009	.006	.013
ROOMS	102	217	235	84	1134	228	401	476	153	2399	209	409	471	147	2223
FRACTION	.010	.021	.023	.008	.110	.033	.058	.069	.022	.347	.030	.059	.068	.021	.320
SURFACES	217	500	534	183	2534	427	710	857	280	4384	362	734	829	267	3816
FRACTION	.006	.013	.014	.005	.067	.035	.057	.069	.023	.355	.031	.063	.071	.023	.326

HIGHEST LEAD READING FOR DRY ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

	***** WALLS *****			***** WINDOWS *****			***** DOORS *****			***** PEELING *****					
	BAD	EITHER	BOTH	ALL	BAD	EITHER	BOTH	ALL	BAD	EITHER	BOTH	ALL			
PRE 40 DWELLINGS	44	94	98	40	361	105	174	205	74	757	98	185	209	73	770
FRACTION	.023	.049	.051	.021	.188	.057	.095	.112	.041	.414	.053	.099	.112	.039	.414
99	.009	.013	.013	.008	.023	.014	.017	.019	.012	.029	.013	.018	.019	.011	.029
95	.007	.010	.010	.006	.017	.011	.013	.014	.009	.022	.010	.013	.014	.009	.022
90	.006	.008	.008	.005	.015	.009	.011	.012	.008	.019	.008	.011	.012	.007	.019
80	.004	.006	.006	.004	.011	.007	.009	.009	.006	.015	.007	.009	.009	.006	.015
ROOMS	54	130	134	50	599	140	252	296	96	1387	139	280	317	102	1404
FRACTION	.007	.016	.016	.006	.074	.024	.042	.050	.016	.233	.026	.051	.058	.019	.258
SURFACES	107	291	300	98	1360	260	453	540	173	2544	241	502	560	183	2439
FRACTION	.004	.010	.010	.003	.046	.024	.042	.050	.016	.237	.027	.055	.062	.020	.269
40-59 DWELLINGS	3	4	4	3	22	2	4	4	2	23	2	6	6	2	26
FRACTION	.008	.011	.011	.008	.061	.009	.017	.017	.009	.099	.006	.017	.017	.006	.073
99	.012	.014	.014	.012	.032	.016	.022	.022	.016	.050	.010	.017	.017	.010	.035
95	.009	.011	.011	.009	.025	.012	.017	.017	.012	.038	.008	.013	.013	.008	.027
90	.008	.009	.009	.008	.021	.010	.014	.014	.010	.032	.006	.011	.011	.006	.023
80	.006	.007	.007	.006	.016	.008	.011	.011	.008	.025	.005	.009	.009	.005	.018
ROOMS	4	5	5	4	34	2	6	6	2	34	2	7	7	2	37
FRACTION	.002	.003	.003	.002	.020	.003	.008	.008	.003	.043	.002	.006	.006	.002	.031
SURFACES	7	8	8	7	82	3	11	11	3	63	4	15	15	4	66
FRACTION	.001	.001	.001	.001	.013	.002	.008	.008	.002	.047	.002	.007	.007	.002	.031
60-75 DWELLINGS	0	0	0	0	1	0	0	0	0	4	0	0	0	0	3
FRACTION	.000	.000	.000	.000	.011	.000	.000	.000	.000	.080	.000	.000	.000	.000	.033
99	.000	.000	.000	.000	.028	.000	.000	.000	.000	.098	.000	.000	.000	.000	.048
95	.000	.000	.000	.000	.021	.000	.000	.000	.000	.075	.000	.000	.000	.000	.037
90	.000	.000	.000	.000	.018	.000	.000	.000	.000	.063	.000	.000	.000	.000	.031
80	.000	.000	.000	.000	.014	.000	.000	.000	.000	.049	.000	.000	.000	.000	.024
ROOMS	0	0	0	0	2	0	0	0	0	4	0	0	0	0	4
FRACTION	.000	.000	.000	.000	.005	.000	.000	.000	.000	.027	.000	.000	.000	.000	.015
SURFACES	0	0	0	0	2	0	0	0	0	7	0	0	0	0	5
FRACTION	.000	.000	.000	.000	.001	.000	.000	.000	.000	.033	.000	.000	.000	.000	.011
ALL DWELLINGS	47	99	103	43	388	108	179	210	77	788	100	191	215	75	803
FRACTION	.020	.041	.043	.018	.163	.051	.084	.099	.036	.372	.043	.082	.093	.032	.346
99	.007	.010	.011	.007	.019	.012	.015	.016	.010	.027	.011	.014	.015	.009	.025
95	.006	.008	.008	.005	.015	.009	.012	.013	.008	.020	.008	.011	.012	.007	.019
90	.005	.007	.007	.004	.012	.008	.010	.011	.007	.017	.007	.009	.010	.006	.016
80	.004	.005	.005	.003	.010	.006	.008	.008	.005	.013	.005	.007	.008	.005	.013
ROOMS	58	136	140	54	639	143	259	303	99	1431	141	287	324	104	1450
FRACTION	.006	.013	.014	.005	.062	.021	.037	.044	.014	.207	.020	.041	.047	.015	.209
SURFACES	114	300	309	105	1449	264	465	552	177	2627	245	517	575	187	2515
FRACTION	.003	.008	.008	.003	.039	.021	.038	.045	.014	.213	.021	.044	.049	.016	.215

HIGHEST LEAD READING FOR DRY ROOMS IS 7.5 OR MORE * * OCCUPANCY CLASS IS SINGLE-ALL

	***** WALLS *****			***** WINDOWS *****			***** PEELING BAD EITHER *****			***** DOORS *****			***** PEELING BAD EITHER *****		
	BOTH	ALL		BOTH	ALL		BOTH	ALL	BOTH	ALL		BOTH	ALL		
PRE 40 DWELLINGS	31	70	73	28	266	64	104	124	44	525	73	125	146	51	537
FRACTION	.016	.036	.038	.015	.138	.035	.057	.068	.024	.287	.039	.067	.078	.027	.289
99	.007	.011	.011	.007	.020	.011	.014	.015	.009	.027	.011	.015	.016	.010	.027
95	.006	.008	.008	.005	.015	.008	.011	.011	.007	.021	.009	.011	.012	.007	.020
90	.005	.007	.007	.004	.013	.007	.009	.010	.006	.017	.007	.009	.010	.006	.017
80	.004	.005	.006	.003	.010	.005	.007	.007	.005	.013	.006	.007	.008	.005	.013
ROOMS	34	92	95	31	416	84	142	171	55	854	94	183	211	66	878
FRACTION	.004	.011	.012	.004	.051	.014	.024	.029	.009	.144	.017	.034	.039	.012	.161
SURFACES	67	197	204	60	950	155	263	320	98	1577	164	327	369	122	1498
FRACTION	.002	.007	.007	.002	.032	.014	.024	.030	.009	.147	.018	.036	.041	.013	.165
40-59 DWELLINGS	3	3	3	3	14	1	3	3	1	12	1	3	3	1	20
FRACTION	.008	.008	.008	.008	.039	.004	.013	.013	.004	.052	.003	.008	.008	.003	.056
99	.012	.012	.012	.012	.026	.011	.019	.019	.011	.037	.007	.012	.012	.007	.031
95	.009	.009	.009	.009	.020	.008	.015	.015	.008	.028	.005	.009	.009	.005	.024
90	.008	.008	.008	.008	.017	.007	.012	.012	.007	.024	.005	.008	.008	.005	.020
80	.006	.006	.006	.006	.013	.006	.009	.009	.006	.019	.004	.006	.006	.004	.016
ROOMS	3	3	3	3	23	1	3	3	1	18	1	3	3	1	25
FRACTION	.002	.002	.002	.002	.014	.001	.004	.004	.001	.023	.001	.002	.002	.001	.021
SURFACES	6	6	6	6	53	2	6	6	2	32	3	9	9	3	45
FRACTION	.001	.001	.001	.001	.009	.001	.004	.004	.001	.024	.001	.004	.004	.001	.021
60-75 DWELLINGS	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.020	.000	.000	.000	.000	.011
99	.000	.000	.000	.000	.000	.000	.000	.000	.000	.051	.000	.000	.000	.000	.028
95	.000	.000	.000	.000	.000	.000	.000	.000	.000	.039	.000	.000	.000	.000	.022
90	.000	.000	.000	.000	.000	.000	.000	.000	.000	.033	.000	.000	.000	.000	.018
80	.000	.000	.000	.000	.000	.000	.000	.000	.000	.025	.000	.000	.000	.000	.014
ROOMS	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.007	.000	.000	.000	.000	.004
SURFACES	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.005	.000	.000	.000	.000	.002
ALL DWELLINGS	34	73	76	31	282	65	107	127	45	540	74	128	149	52	562
FRACTION	.014	.031	.032	.013	.118	.031	.050	.060	.021	.255	.032	.055	.064	.022	.242
99	.006	.009	.009	.006	.017	.010	.012	.013	.008	.024	.009	.012	.013	.008	.023
95	.005	.007	.007	.004	.013	.007	.009	.010	.006	.018	.007	.009	.010	.006	.017
90	.004	.006	.006	.004	.011	.006	.008	.008	.005	.015	.006	.008	.008	.005	.014
80	.003	.004	.005	.003	.008	.005	.006	.007	.004	.012	.005	.006	.006	.004	.011
ROOMS	37	95	98	34	441	85	145	174	56	877	95	186	214	67	908
FRACTION	.004	.009	.010	.003	.043	.012	.021	.025	.008	.127	.014	.027	.031	.010	.131
SURFACES	73	203	210	66	1006	157	269	326	100	1620	167	336	378	125	1548
FRACTION	.002	.005	.006	.002	.027	.013	.022	.026	.008	.131	.014	.029	.032	.011	.132

HIGHEST LEAD READING FOR WET ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

	***** WALLS *****		***** BOTH ALL		***** PEELING BAD EITHER		***** WINDOWS BAD EITHER		***** BOTH ALL		***** PEELING BAD EITHER		***** DOORS *****		***** BOTH ALL	
	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL
PRE 40 DWELLINGS	106	307	314	98	1896	119	267	297	89	1655	119	280	312	87	1834	
FRACTION	.056	.162	.166	.052	1.000	.072	.161	.179	.054	1.000	.065	.153	.170	.047	1.000	
99	.013	.022	.022	.013	.000	.016	.023	.024	.014	.000	.015	.021	.022	.013	.000	
95	.010	.016	.017	.010	.000	.012	.018	.018	.011	.000	.011	.016	.017	.010	.000	
90	.009	.014	.014	.008	.000	.010	.015	.015	.009	.000	.009	.014	.014	.008	.000	
80	.007	.011	.011	.006	.000	.008	.012	.012	.007	.000	.007	.011	.011	.006	.000	
ROOMS	128	406	415	119	3555	136	340	377	99	2665	134	368	406	96	3163	
FRACTION	.036	.114	.117	.033	1.000	.051	.128	.141	.037	1.000	.042	.116	.128	.030	1.000	
SURFACES	488	1566	1602	452	13543	190	490	539	141	3666	191	546	594	143	4237	
FRACTION	.035	.116	.118	.033	1.000	.052	.134	.147	.038	1.000	.045	.129	.140	.034	1.000	
40-59 DWELLINGS	8	12	14	6	354	7	11	12	6	201	7	12	13	6	345	
FRACTION	.023	.034	.040	.017	1.000	.035	.055	.060	.030	1.000	.020	.035	.038	.017	1.000	
99	.020	.025	.026	.018	.000	.033	.041	.043	.031	.000	.019	.025	.026	.018	.000	
95	.015	.019	.020	.013	.000	.025	.031	.033	.024	.000	.015	.019	.020	.014	.000	
90	.013	.016	.017	.011	.000	.021	.026	.027	.020	.000	.012	.016	.017	.012	.000	
80	.010	.012	.013	.009	.000	.017	.021	.021	.015	.000	.010	.013	.013	.009	.000	
ROOMS	11	16	18	9	707	9	13	15	7	334	9	14	16	7	648	
FRACTION	.016	.023	.025	.013	1.000	.027	.039	.045	.021	1.000	.014	.022	.025	.011	1.000	
SURFACES	42	60	68	34	2665	12	19	21	10	425	12	21	23	10	819	
FRACTION	.016	.023	.026	.013	1.000	.028	.045	.049	.024	1.000	.015	.026	.028	.012	1.000	
60-75 DWELLINGS	0	2	2	0	92	1	2	2	1	45	1	4	4	1	89	
FRACTION	.000	.022	.022	.000	1.000	.022	.044	.044	.022	1.000	.011	.045	.045	.011	1.000	
99	.000	.039	.039	.000	.000	.056	.079	.079	.056	.000	.029	.056	.056	.029	.000	
95	.000	.030	.030	.000	.000	.043	.060	.060	.043	.000	.022	.043	.043	.022	.000	
90	.000	.025	.025	.000	.000	.036	.051	.051	.036	.000	.018	.036	.036	.018	.000	
80	.000	.019	.019	.000	.000	.028	.039	.039	.028	.000	.014	.028	.028	.014	.000	
ROOMS	0	4	4	0	189	1	3	3	1	74	1	5	5	1	162	
FRACTION	.000	.021	.021	.000	1.000	.014	.041	.041	.014	1.000	.006	.031	.031	.006	1.000	
SURFACES	0	16	16	0	714	1	4	4	1	89	1	8	8	1	198	
FRACTION	.000	.022	.022	.000	1.000	.011	.045	.045	.011	1.000	.005	.040	.040	.005	1.000	
ALL DWELLINGS	116	323	332	106	2354	129	283	314	98	1910	129	300	333	96	2279	
FRACTION	.049	.137	.141	.045	1.000	.068	.148	.164	.051	1.000	.057	.132	.146	.042	1.000	
99	.011	.018	.018	.011	.000	.015	.021	.022	.013	.000	.012	.018	.019	.011	.000	
95	.009	.014	.014	.008	.000	.011	.016	.016	.010	.000	.009	.014	.014	.008	.000	
90	.007	.012	.012	.007	.000	.009	.013	.014	.008	.000	.008	.012	.012	.007	.000	
80	.006	.009	.009	.005	.000	.007	.010	.011	.006	.000	.006	.009	.009	.005	.000	
ROOMS	141	428	439	130	4471	148	359	398	109	3086	146	392	432	106	3990	
FRACTION	.032	.096	.098	.029	1.000	.048	.116	.129	.035	1.000	.037	.098	.108	.027	1.000	
SURFACES	538	1650	1694	494	16999	205	516	567	154	4197	207	583	633	157	5277	
FRACTION	.032	.097	.100	.029	1.000	.049	.123	.135	.037	1.000	.039	.110	.120	.030	1.000	

HIGHEST LEAD READING FOR WET ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

	***** WALLS *****		***** WINDOWS *****		***** DOORS *****										
	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER									
	BOTH	ALL	BOTH	ALL	BOTH	ALL									
PRE 40 DWELLINGS	94	273	280	87	1735	109	232	262	79	1401	109	252	282	79	1636
FRACTION	.050	.144	.148	.046	.915	.066	.140	.158	.048	.847	.059	.137	.154	.043	.892
95	.013	.020	.021	.012	.016	.016	.022	.023	.013	.023	.014	.020	.021	.012	.018
99	.010	.016	.016	.009	.012	.012	.017	.017	.010	.017	.011	.016	.016	.009	.014
90	.008	.013	.013	.008	.010	.010	.014	.015	.009	.014	.009	.013	.014	.008	.012
80	.006	.010	.010	.006	.008	.008	.011	.011	.007	.011	.007	.010	.011	.006	.009
ROOMS	114	348	356	106	2803	122	292	326	88	2042	122	318	354	86	2527
FRACTION	.032	.098	.100	.030	.788	.046	.110	.122	.033	.766	.039	.101	.112	.027	.799
SURFACES	318	983	1009	292	7120	171	426	471	126	2837	176	477	523	130	3429
FRACTION	.023	.073	.075	.022	.526	.047	.116	.128	.034	.774	.042	.113	.123	.031	.809
40-59 DWELLINGS	8	9	11	6	299	6	8	9	5	111	6	10	11	5	267
FRACTION	.023	.025	.031	.017	.845	.030	.040	.045	.025	.552	.017	.029	.032	.014	.774
99	.020	.021	.024	.018	.049	.031	.035	.037	.028	.090	.018	.023	.024	.016	.058
95	.015	.016	.018	.013	.038	.024	.027	.029	.022	.069	.014	.018	.018	.013	.044
90	.013	.014	.015	.011	.032	.020	.023	.024	.018	.058	.012	.015	.016	.011	.037
80	.010	.011	.012	.009	.025	.015	.018	.019	.014	.045	.009	.012	.012	.008	.029
ROOMS	11	13	15	9	472	8	10	12	6	144	7	12	13	6	427
FRACTION	.016	.018	.021	.013	.668	.024	.030	.036	.018	.431	.011	.019	.020	.009	.659
SURFACES	33	42	46	29	1036	11	15	17	9	190	10	18	19	9	539
FRACTION	.012	.016	.017	.011	.389	.026	.035	.040	.021	.447	.012	.022	.023	.011	.658
60-75 DWELLINGS	0	1	1	0	71	0	1	1	0	20	1	3	3	1	75
FRACTION	.000	.011	.011	.000	.772	.000	.022	.022	.000	.444	.011	.034	.034	.011	.843
99	.000	.028	.028	.000	.112	.000	.056	.056	.000	.190	.029	.049	.049	.029	.099
95	.000	.021	.021	.000	.086	.000	.043	.043	.000	.145	.022	.037	.037	.022	.076
90	.000	.018	.018	.000	.072	.000	.036	.036	.000	.122	.018	.031	.031	.018	.063
80	.000	.014	.014	.000	.056	.000	.028	.028	.000	.095	.014	.024	.024	.014	.049
ROOMS	0	2	2	0	109	0	2	2	0	31	1	4	4	1	117
FRACTION	.000	.011	.011	.000	.577	.000	.027	.027	.000	.419	.006	.025	.025	.006	.722
SURFACES	0	8	8	0	236	0	3	3	0	40	1	7	7	1	140
FRACTION	.000	.011	.011	.000	.331	.000	.034	.034	.000	.449	.005	.035	.035	.005	.707
ALL DWELLINGS	104	285	294	95	2113	117	243	274	86	1537	117	268	299	86	1986
FRACTION	.044	.121	.125	.040	.898	.061	.127	.143	.045	.805	.051	.118	.131	.038	.871
99	.011	.017	.017	.010	.016	.014	.019	.020	.012	.023	.012	.017	.018	.010	.018
95	.008	.013	.013	.008	.012	.011	.015	.016	.009	.018	.009	.013	.014	.008	.014
90	.007	.011	.011	.007	.010	.009	.012	.013	.008	.015	.008	.011	.012	.007	.011
80	.005	.009	.009	.005	.008	.007	.010	.010	.006	.012	.006	.009	.009	.005	.009
ROOMS	127	365	375	117	3397	132	306	342	96	2224	131	338	375	94	3083
FRACTION	.028	.082	.084	.026	.760	.043	.099	.111	.031	.721	.033	.085	.094	.024	.773
SURFACES	359	1041	1071	329	8428	184	446	493	137	3077	189	509	556	142	4125
FRACTION	.021	.061	.063	.019	.496	.044	.106	.117	.033	.733	.036	.096	.105	.027	.782

HIGHEST LEAD READING FOR WET ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

	***** WALLS *****		***** WINDOWS *****		***** PEELING BAD EITHER BOTH ALL *****		***** DOORS *****		***** PEELING BAD EITHER BOTH ALL *****	
	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER
PRE 40 DWELLINGS	74	225	232	67	1369	100	210	235	75	1193
FRACTION	.039	.119	.122	.035	.722	.060	.127	.142	.045	.721
99	.011	.019	.019	.011	.026	.015	.021	.022	.013	.028
95	.009	.014	.015	.008	.020	.011	.016	.017	.010	.021
90	.007	.012	.012	.007	.017	.010	.013	.014	.008	.018
80	.006	.009	.010	.005	.013	.007	.010	.011	.007	.014
ROOMS	85	272	280	77	1979	112	256	285	83	1633
FRACTION	.024	.077	.079	.022	.557	.042	.096	.107	.031	.613
SURFACES	224	727	749	202	4889	158	370	409	119	2258
FRACTION	.017	.054	.055	.015	.361	.043	.101	.112	.032	.616
40-59 DWELLINGS	6	8	9	5	199	5	7	8	4	74
FRACTION	.017	.023	.025	.014	.562	.025	.035	.040	.020	.368
99	.018	.020	.021	.016	.067	.028	.033	.035	.025	.087
95	.013	.015	.016	.012	.052	.022	.025	.027	.019	.067
90	.011	.013	.014	.010	.043	.018	.021	.023	.016	.056
80	.009	.010	.011	.008	.034	.014	.017	.018	.013	.044
ROOMS	9	12	13	8	266	6	9	10	5	90
FRACTION	.013	.017	.018	.011	.376	.018	.027	.030	.015	.269
SURFACES	23	32	34	21	588	9	14	15	8	118
FRACTION	.009	.012	.013	.008	.221	.021	.033	.035	.019	.278
60-75 DWELLINGS	0	1	1	0	41	0	1	1	0	14
FRACTION	.000	.011	.011	.000	.446	.000	.022	.022	.000	.311
99	.000	.028	.028	.000	.133	.000	.056	.056	.000	.177
95	.000	.021	.021	.000	.101	.000	.043	.043	.000	.135
90	.000	.018	.018	.000	.085	.000	.036	.036	.000	.114
80	.000	.014	.014	.000	.066	.000	.028	.028	.000	.088
ROOMS	0	2	2	0	52	0	2	2	0	19
FRACTION	.000	.011	.011	.000	.275	.000	.027	.027	.000	.257
SURFACES	0	8	8	0	95	0	3	3	0	21
FRACTION	.000	.011	.011	.000	.133	.000	.034	.034	.000	.236
ALL DWELLINGS	82	236	244	74	1615	107	220	246	81	1286
FRACTION	.035	.100	.104	.031	.686	.056	.115	.129	.042	.673
99	.010	.016	.016	.009	.024	.013	.019	.019	.012	.027
95	.007	.012	.012	.007	.019	.010	.014	.015	.009	.021
90	.006	.010	.010	.006	.016	.009	.012	.013	.008	.018
80	.005	.008	.008	.005	.012	.007	.009	.010	.006	.014
ROOMS	96	288	297	87	2305	120	269	299	90	1749
FRACTION	.021	.064	.066	.019	.516	.039	.087	.097	.029	.567
SURFACES	252	772	796	228	5594	169	389	429	129	2407
FRACTION	.015	.045	.047	.013	.329	.040	.093	.102	.031	.574

HIGHEST LEAD READING FOR WET ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

	***** WALLS *****		***** WINDOWS *****		***** PEELING BAD EITHER BOTH ALL *****		***** DOORS *****		***** PEELING BAD EITHER BOTH ALL *****						
	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL			
PRE 40 DWELLINGS	53	163	169	47	984	72	166	187	51	918	88	192	218	62	1033
FRACTION	.028	.086	.089	.025	.519	.044	.100	.113	.031	.555	.048	.105	.119	.034	.563
99	.010	.016	.017	.009	.029	.013	.019	.020	.011	.031	.013	.018	.019	.011	.029
95	.007	.013	.013	.007	.022	.010	.014	.015	.008	.024	.010	.014	.015	.008	.023
90	.006	.011	.011	.006	.019	.008	.012	.013	.007	.020	.008	.012	.012	.007	.019
80	.005	.008	.008	.005	.015	.006	.009	.010	.005	.016	.006	.009	.010	.005	.015
ROOMS	59	185	192	52	1284	81	195	218	58	1183	97	226	255	68	1385
FRACTION	.017	.052	.054	.015	.361	.030	.073	.082	.022	.444	.031	.071	.081	.021	.438
SURFACES	166	511	530	147	3269	109	282	311	80	1632	142	341	377	106	1946
FRACTION	.012	.038	.039	.011	.241	.030	.077	.085	.022	.445	.034	.080	.089	.025	.459
40-59 DWELLINGS	5	8	8	5	114	3	5	5	3	35	3	6	6	3	71
FRACTION	.014	.023	.023	.014	.322	.015	.025	.025	.015	.174	.009	.017	.017	.009	.206
99	.016	.020	.020	.016	.063	.022	.028	.028	.022	.068	.013	.018	.018	.013	.056
95	.012	.015	.015	.012	.049	.017	.022	.022	.017	.052	.010	.014	.014	.010	.043
90	.010	.013	.013	.010	.041	.014	.018	.018	.014	.044	.008	.012	.012	.008	.036
80	.008	.010	.010	.008	.032	.011	.014	.014	.011	.034	.006	.009	.009	.006	.028
ROOMS	7	11	11	7	129	3	6	6	3	43	4	7	7	4	87
FRACTION	.010	.016	.016	.010	.182	.009	.018	.018	.009	.129	.006	.011	.011	.006	.134
SURFACES	19	29	29	19	326	4	9	9	4	56	6	12	12	6	121
FRACTION	.007	.011	.011	.007	.122	.009	.021	.021	.009	.132	.007	.015	.015	.007	.148
60-75 DWELLINGS	0	1	1	0	15	0	1	1	0	8	1	2	2	1	14
FRACTION	.000	.011	.011	.000	.163	.000	.022	.022	.000	.178	.011	.022	.022	.011	.157
99	.000	.028	.028	.000	.099	.000	.056	.056	.000	.146	.029	.040	.040	.029	.099
95	.000	.021	.021	.000	.075	.000	.043	.043	.000	.112	.022	.031	.031	.022	.076
90	.000	.018	.018	.000	.063	.000	.036	.036	.000	.094	.018	.026	.026	.018	.063
80	.000	.014	.014	.000	.049	.000	.028	.028	.000	.073	.014	.020	.020	.014	.049
ROOMS	0	2	2	0	16	0	2	2	0	12	1	2	2	1	19
FRACTION	.000	.011	.011	.000	.085	.000	.027	.027	.000	.162	.006	.012	.012	.006	.117
SURFACES	0	7	7	0	38	0	3	3	0	14	1	3	3	1	24
FRACTION	.000	.010	.010	.000	.053	.000	.034	.034	.000	.157	.005	.015	.015	.005	.121
ALL DWELLINGS	59	173	179	53	1117	76	173	194	55	965	93	202	228	67	1121
FRACTION	.025	.073	.076	.023	.475	.040	.091	.102	.029	.505	.041	.089	.100	.029	.492
99	.008	.014	.014	.008	.026	.011	.017	.018	.010	.029	.011	.015	.016	.009	.027
95	.006	.010	.011	.006	.020	.009	.013	.013	.007	.022	.008	.012	.012	.007	.020
90	.005	.009	.009	.005	.017	.007	.011	.011	.006	.019	.007	.010	.010	.006	.017
80	.004	.007	.007	.004	.013	.006	.008	.009	.005	.015	.005	.008	.008	.004	.013
ROOMS	67	199	206	60	1435	85	204	227	62	1243	103	237	266	74	1495
FRACTION	.015	.045	.046	.013	.321	.028	.066	.074	.020	.403	.026	.059	.067	.019	.375
SURFACES	189	551	570	170	3652	114	295	324	85	1710	151	359	395	115	2096
FRACTION	.011	.032	.034	.010	.215	.027	.070	.077	.020	.407	.029	.068	.075	.022	.397

HIGHEST LEAD READING FOR WET ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****			***** WINDOWS *****			***** PEELING BAD EITHER *****			***** DOORS *****			***** PEELING BAD EITHER *****			***** ALL *****		
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL		
PRE 40	DWELLINGS	44	114	118	40	604	46	111	122	35	575	60	139	158	41	710			
	FRACTION	.023	.060	.062	.021	.319	.028	.067	.074	.021	.347	.033	.076	.086	.022	.387			
	99	.009	.014	.014	.008	.027	.010	.016	.016	.009	.030	.011	.016	.017	.009	.029			
	95	.007	.011	.011	.006	.021	.008	.012	.013	.007	.023	.008	.012	.013	.007	.022			
	90	.006	.009	.009	.005	.017	.007	.010	.010	.006	.019	.007	.010	.011	.006	.019			
	80	.004	.007	.007	.004	.014	.005	.008	.008	.005	.015	.005	.008	.008	.004	.014			
	ROOMS	45	130	134	41	731	51	126	138	39	674	66	156	177	45	893			
	FRACTION	.013	.037	.038	.012	.206	.019	.047	.052	.015	.253	.021	.049	.056	.014	.282			
	SURFACES	114	347	355	106	1768	66	181	195	52	922	97	238	264	71	1264			
	FRACTION	.008	.026	.026	.008	.131	.018	.049	.053	.014	.252	.023	.056	.062	.017	.298			
40-59	DWELLINGS	4	5	5	4	57	3	5	5	3	23	3	5	5	3	41			
	FRACTION	.011	.014	.014	.011	.161	.015	.025	.025	.015	.114	.009	.014	.014	.009	.119			
	99	.014	.016	.016	.014	.050	.022	.028	.028	.022	.057	.013	.016	.016	.013	.044			
	95	.011	.012	.012	.010	.038	.017	.022	.022	.017	.044	.010	.013	.013	.010	.034			
	90	.009	.010	.010	.009	.032	.014	.018	.018	.014	.037	.008	.011	.011	.008	.029			
	80	.007	.008	.008	.007	.025	.011	.014	.014	.011	.029	.006	.008	.008	.006	.022			
	ROOMS	6	8	8	6	66	3	6	6	3	27	3	5	5	3	46			
	FRACTION	.008	.011	.011	.008	.093	.009	.018	.018	.009	.081	.005	.008	.008	.005	.071			
	SURFACES	16	24	24	16	181	4	9	9	4	38	4	9	9	4	71			
	FRACTION	.006	.009	.009	.006	.068	.009	.021	.021	.009	.089	.005	.011	.011	.005	.087			
60-75	DWELLINGS	0	1	1	0	5	0	1	1	0	4	0	0	0	0	4			
	FRACTION	.000	.011	.011	.000	.054	.000	.022	.022	.000	.089	.000	.000	.000	.000	.045			
	99	.000	.028	.028	.000	.060	.000	.056	.056	.000	.109	.000	.000	.000	.000	.056			
	95	.000	.021	.021	.000	.046	.000	.043	.043	.000	.083	.000	.000	.000	.000	.043			
	90	.000	.018	.018	.000	.039	.000	.036	.036	.000	.070	.000	.000	.000	.000	.036			
	80	.000	.014	.014	.000	.030	.000	.028	.028	.000	.054	.000	.000	.000	.000	.028			
	ROOMS	0	1	1	0	5	0	1	1	0	5	0	0	0	0	6			
	FRACTION	.000	.005	.005	.000	.026	.000	.014	.014	.000	.068	.000	.000	.000	.000	.037			
	SURFACES	0	2	2	0	8	0	2	2	0	6	0	0	0	0	8			
	FRACTION	.000	.003	.003	.000	.011	.000	.022	.022	.000	.067	.000	.000	.000	.000	.040			
ALL	DWELLINGS	49	121	125	45	670	49	117	128	38	603	64	145	164	45	757			
	FRACTION	.021	.051	.053	.019	.285	.026	.061	.067	.020	.316	.028	.064	.072	.020	.332			
	99	.007	.012	.012	.007	.024	.009	.014	.015	.008	.027	.009	.013	.014	.007	.025			
	95	.006	.009	.009	.005	.018	.007	.011	.011	.006	.021	.007	.010	.011	.006	.019			
	90	.005	.007	.008	.005	.015	.006	.009	.009	.005	.017	.006	.008	.009	.005	.016			
	80	.004	.006	.006	.004	.012	.005	.007	.007	.004	.014	.004	.006	.007	.004	.013			
	ROOMS	52	140	144	48	808	54	133	145	42	707	70	162	183	49	948			
	FRACTION	.012	.031	.032	.011	.181	.017	.043	.047	.014	.229	.018	.041	.046	.012	.238			
	SURFACES	134	377	385	126	1975	70	192	206	56	967	103	249	275	77	1347			
	FRACTION	.008	.022	.023	.007	.116	.017	.046	.049	.013	.230	.020	.047	.052	.015	.255			

HIGHEST LEAD READING FOR WET ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****		***** WINDOWS *****		***** PEELING *****		***** DOORS *****		***** PEELING *****						
		BAD EITHER	ALL	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH					
PRE 40 DWELLINGS		33	88	90	31	436	36	82	90	28	369	41	93	106	28	471
FRACTION		.017	.046	.047	.016	.230	.022	.050	.054	.017	.223	.022	.051	.058	.015	.257
99		.008	.012	.012	.007	.025	.009	.014	.014	.008	.026	.009	.013	.014	.007	.026
95		.006	.009	.009	.006	.019	.007	.010	.011	.006	.020	.007	.010	.011	.006	.020
90		.005	.008	.008	.005	.016	.006	.009	.009	.005	.017	.006	.008	.009	.005	.017
80		.004	.006	.006	.004	.012	.005	.007	.007	.004	.013	.004	.007	.007	.004	.013
ROOMS		34	100	102	32	520	40	91	100	31	421	45	102	116	31	568
FRACTION		.010	.028	.029	.009	.146	.015	.034	.038	.012	.158	.014	.032	.037	.010	.180
SURFACES		78	249	253	74	1240	53	133	143	43	569	65	148	165	48	811
FRACTION		.006	.018	.019	.005	.092	.014	.036	.039	.012	.155	.015	.035	.039	.011	.191
40-59 DWELLINGS		2	3	3	2	39	1	2	2	1	14	3	3	3	3	27
FRACTION		.006	.008	.008	.006	.110	.005	.010	.010	.005	.070	.009	.009	.009	.009	.078
99		.010	.012	.012	.010	.042	.013	.018	.018	.013	.046	.013	.013	.013	.013	.037
95		.008	.010	.010	.008	.033	.010	.014	.014	.010	.035	.010	.010	.010	.010	.028
90		.007	.008	.008	.007	.027	.008	.012	.012	.008	.029	.008	.008	.008	.008	.024
80		.005	.006	.006	.005	.021	.006	.009	.009	.006	.023	.006	.006	.006	.006	.018
ROOMS		3	5	5	3	47	1	3	3	1	16	3	3	3	3	31
FRACTION		.004	.007	.007	.004	.066	.003	.009	.009	.003	.048	.005	.005	.005	.005	.048
SURFACES		8	16	16	8	135	1	4	4	1	21	4	4	4	4	45
FRACTION		.003	.006	.006	.003	.051	.002	.009	.009	.002	.049	.005	.005	.005	.005	.055
60-75 DWELLINGS		0	0	0	0	3	0	0	0	0	1	0	0	0	0	1
FRACTION		.000	.000	.000	.000	.033	.000	.000	.000	.000	.022	.000	.000	.000	.000	.011
99		.000	.000	.000	.000	.047	.000	.000	.000	.000	.056	.000	.000	.000	.000	.029
95		.000	.000	.000	.000	.036	.000	.000	.000	.000	.043	.000	.000	.000	.000	.022
90		.000	.000	.000	.000	.030	.000	.000	.000	.000	.036	.000	.000	.000	.000	.018
80		.000	.000	.000	.000	.024	.000	.000	.000	.000	.028	.000	.000	.000	.000	.014
ROOMS		0	0	0	0	3	0	0	0	0	1	0	0	0	0	1
FRACTION		.000	.000	.000	.000	.016	.000	.000	.000	.000	.014	.000	.000	.000	.000	.006
SURFACES		0	0	0	0	4	0	0	0	0	1	0	0	0	0	1
FRACTION		.000	.000	.000	.000	.006	.000	.000	.000	.000	.011	.000	.000	.000	.000	.005
ALL DWELLINGS		36	92	94	34	482	37	84	92	29	385	44	96	109	31	500
FRACTION		.015	.039	.040	.014	.205	.019	.044	.048	.015	.202	.019	.042	.048	.014	.219
99		.006	.010	.010	.006	.021	.008	.012	.012	.007	.023	.007	.011	.011	.006	.022
95		.005	.008	.008	.005	.016	.006	.009	.010	.005	.018	.006	.008	.009	.005	.017
90		.004	.007	.007	.004	.014	.005	.008	.008	.005	.015	.005	.007	.007	.004	.014
80		.003	.005	.005	.003	.011	.004	.006	.006	.004	.012	.004	.005	.006	.003	.011
ROOMS		38	106	108	36	576	41	94	103	32	439	48	105	119	34	602
FRACTION		.008	.024	.024	.008	.129	.013	.030	.033	.010	.142	.012	.026	.030	.009	.151
SURFACES		90	269	273	86	1392	54	137	147	44	592	69	152	169	52	859
FRACTION		.005	.016	.016	.005	.082	.013	.033	.035	.010	.141	.013	.029	.032	.010	.163

HIGHEST LEAD READING FOR ALL ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****									
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL								
PRE 40 DWELLINGS	315	568	612	260	1924	303	446	530	214	1862	277	432	510	196	1910
FRACTION	.164	.295	.318	.135	1.000	.163	.240	.285	.115	1.000	.145	.226	.267	.103	1.000
99	.021	.026	.027	.020	.000	.022	.025	.027	.019	.000	.020	.024	.026	.018	.000
95	.016	.020	.021	.015	.000	.017	.019	.020	.014	.000	.016	.019	.020	.014	.000
90	.014	.017	.017	.013	.000	.014	.016	.017	.012	.000	.013	.016	.017	.011	.000
80	.011	.013	.013	.010	.000	.011	.013	.013	.009	.000	.010	.012	.013	.009	.000
ROOMS	530	1453	1532	451	11697	529	1030	1203	356	8611	471	1033	1187	317	8607
FRACTION	.045	.124	.131	.039	1.000	.061	.120	.140	.041	1.000	.055	.120	.138	.037	1.000
SURFACES	1934	5332	5631	1635	43292	923	1722	2026	619	14402	767	1707	1934	540	13318
FRACTION	.045	.123	.130	.038	1.000	.064	.120	.141	.043	1.000	.058	.128	.145	.041	1.000
40-59 DWELLINGS	15	27	29	13	361	14	19	22	11	237	13	20	23	10	357
FRACTION	.042	.075	.080	.036	1.000	.059	.080	.093	.046	1.000	.036	.056	.064	.028	1.000
99	.027	.035	.037	.025	.000	.039	.045	.048	.035	.000	.025	.031	.033	.022	.000
95	.021	.027	.028	.019	.000	.030	.035	.037	.027	.000	.019	.024	.025	.017	.000
90	.017	.023	.023	.016	.000	.025	.029	.031	.022	.000	.016	.020	.021	.014	.000
80	.013	.018	.018	.013	.000	.020	.023	.024	.017	.000	.013	.016	.017	.011	.000
ROOMS	31	55	57	29	2378	27	41	48	20	1123	26	43	49	20	1848
FRACTION	.013	.023	.024	.012	1.000	.024	.037	.043	.018	1.000	.014	.023	.027	.011	1.000
SURFACES	112	197	205	104	8835	41	68	76	33	1761	44	76	87	33	2936
FRACTION	.013	.022	.023	.012	1.000	.023	.039	.043	.019	1.000	.015	.026	.030	.011	1.000
60-75 DWELLINGS	2	3	4	1	92	3	4	4	3	52	4	6	6	4	90
FRACTION	.022	.033	.043	.011	1.000	.058	.077	.077	.058	1.000	.044	.067	.067	.044	1.000
99	.039	.047	.054	.028	.000	.083	.095	.095	.083	.000	.056	.067	.067	.056	.000
95	.030	.036	.042	.021	.000	.063	.072	.072	.063	.000	.043	.051	.051	.043	.000
90	.025	.030	.035	.018	.000	.053	.061	.061	.053	.000	.036	.043	.043	.036	.000
80	.019	.024	.027	.014	.000	.041	.047	.047	.041	.000	.028	.034	.034	.028	.000
ROOMS	2	10	11	1	596	4	10	10	4	221	5	16	16	5	433
FRACTION	.003	.017	.018	.002	1.000	.018	.045	.045	.018	1.000	.012	.037	.037	.012	1.000
SURFACES	8	40	44	4	2232	7	15	15	7	299	5	22	22	5	649
FRACTION	.004	.018	.020	.002	1.000	.023	.050	.050	.023	1.000	.008	.034	.034	.008	1.000
ALL DWELLINGS	334	600	647	276	2389	322	472	559	230	2161	296	462	543	212	2369
FRACTION	.140	.251	.271	.116	1.000	.149	.218	.259	.106	1.000	.125	.195	.229	.089	1.000
99	.018	.022	.023	.017	.000	.019	.023	.024	.017	.000	.017	.021	.022	.015	.000
95	.014	.017	.018	.013	.000	.015	.017	.018	.013	.000	.013	.016	.017	.011	.000
90	.012	.014	.015	.011	.000	.012	.014	.015	.011	.000	.011	.013	.014	.010	.000
80	.009	.011	.012	.008	.000	.010	.011	.012	.008	.000	.009	.010	.011	.007	.000
ROOMS	566	1527	1609	484	14745	568	1090	1270	388	10005	509	1102	1262	349	10940
FRACTION	.038	.104	.109	.033	1.000	.057	.109	.127	.039	1.000	.047	.101	.115	.032	1.000
SURFACES	2065	5603	5914	1754	54629	982	1817	2129	670	16547	827	1821	2059	589	16987
FRACTION	.038	.103	.108	.032	1.000	.059	.110	.129	.040	1.000	.049	.107	.121	.035	1.000

HIGHEST LEAD READING FOR ALL ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

	***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****								
	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER							
PRE 40 DWELLINGS	265	488	532	215	1880	266	396	471	187	1760	250	401	474	174	1842
FRACTION	.138	.254	.277	.112	.977	.143	.213	.253	.100	.945	.131	.210	.248	.091	.964
99	.020	.025	.026	.018	.009	.021	.024	.026	.018	.013	.020	.024	.025	.017	.011
95	.015	.019	.020	.014	.007	.016	.018	.020	.014	.010	.015	.018	.019	.013	.008
90	.013	.016	.017	.012	.006	.013	.015	.016	.011	.009	.013	.015	.016	.011	.007
80	.010	.013	.013	.009	.004	.010	.012	.013	.009	.007	.010	.012	.013	.008	.005
ROOMS	409	1046	1111	344	7928	453	870	1018	305	6278	408	894	1029	273	6612
FRACTION	.035	.089	.095	.029	.678	.053	.101	.118	.035	.729	.047	.104	.120	.032	.768
SURFACES	975	2433	2603	805	17386	787	1450	1716	521	10512	660	1485	1681	464	10278
FRACTION	.023	.056	.060	.019	.402	.055	.101	.119	.036	.730	.050	.112	.126	.035	.772
40-59 DWELLINGS	12	16	18	10	347	11	15	18	8	171	9	17	18	8	329
FRACTION	.033	.044	.050	.028	.961	.046	.063	.076	.034	.722	.025	.048	.050	.022	.922
99	.024	.028	.029	.022	.026	.035	.040	.044	.030	.074	.021	.029	.030	.020	.036
95	.018	.021	.022	.017	.020	.027	.031	.034	.023	.057	.016	.022	.023	.015	.028
90	.015	.018	.019	.014	.017	.022	.026	.028	.019	.048	.016	.018	.019	.013	.023
80	.012	.014	.015	.011	.013	.017	.020	.022	.015	.037	.011	.014	.015	.010	.018
ROOMS	25	33	35	23	1401	20	31	36	15	484	16	34	36	14	1167
FRACTION	.011	.014	.015	.010	.589	.018	.028	.032	.013	.431	.009	.018	.019	.008	.631
SURFACES	63	82	86	59	2789	33	56	62	27	782	26	61	64	23	1835
FRACTION	.007	.009	.010	.007	.316	.019	.032	.035	.015	.444	.009	.021	.022	.008	.625
60-75 DWELLINGS	1	1	2	0	80	0	1	1	0	34	2	4	4	2	86
FRACTION	.011	.011	.022	.000	.870	.000	.019	.019	.000	.654	.022	.044	.044	.022	.956
99	.028	.028	.039	.000	.090	.000	.049	.049	.000	.169	.040	.056	.056	.040	.056
95	.021	.021	.030	.000	.069	.000	.037	.037	.000	.129	.030	.043	.043	.030	.043
90	.018	.018	.025	.000	.058	.000	.031	.031	.000	.108	.026	.036	.036	.026	.036
80	.014	.014	.019	.000	.045	.000	.024	.024	.000	.085	.020	.028	.028	.020	.028
ROOMS	1	5	6	0	312	0	4	4	0	93	2	12	12	2	310
FRACTION	.002	.008	.010	.000	.523	.000	.018	.018	.000	.421	.005	.028	.028	.005	.716
SURFACES	3	11	14	0	616	0	6	6	0	128	2	18	18	2	475
FRACTION	.001	.005	.006	.000	.276	.000	.020	.020	.000	.428	.003	.028	.028	.003	.732
ALL DWELLINGS	280	507	554	227	2318	279	414	492	197	1974	263	426	500	186	2268
FRACTION	.117	.212	.232	.095	.970	.129	.192	.228	.091	.913	.111	.180	.211	.079	.957
99	.017	.021	.022	.015	.009	.018	.021	.023	.016	.015	.016	.020	.021	.014	.011
95	.013	.016	.017	.012	.007	.014	.016	.018	.012	.012	.013	.015	.016	.011	.008
90	.011	.014	.014	.010	.006	.012	.014	.015	.010	.010	.011	.013	.014	.009	.007
80	.008	.011	.011	.008	.004	.009	.011	.011	.008	.008	.008	.010	.011	.007	.005
RCOMS	438	1090	1158	370	9686	481	913	1066	328	6887	432	949	1086	295	8126
FRACTION	.030	.074	.079	.025	.657	.048	.091	.107	.033	.688	.039	.087	.099	.027	.743
SURFACES	1050	2542	2719	873	20895	831	1523	1795	559	11477	698	1579	1778	499	12648
FRACTION	.019	.047	.050	.016	.382	.050	.092	.108	.034	.694	.041	.093	.105	.029	.745

HIGHEST LEAD READING FOR ALL ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL						
PRE 40 DWELLINGS		195	376	415	152	1643	238	369	433	170	1590	224	358	424	155	1706
FRACTION		.101	.195	.216	.079	.854	.128	.198	.233	.091	.854	.117	.187	.222	.081	.893
99		.017	.023	.024	.016	.020	.020	.023	.025	.017	.021	.019	.023	.024	.016	.018
95		.013	.018	.018	.012	.016	.015	.018	.019	.013	.016	.014	.017	.018	.012	.014
90		.011	.015	.015	.010	.013	.013	.015	.016	.011	.013	.012	.015	.016	.010	.012
80		.009	.011	.012	.008	.010	.010	.012	.012	.008	.010	.009	.011	.012	.008	.009
ROOMS		272	666	715	223	4593	390	748	868	270	4876	367	765	887	245	5096
FRACTION		.023	.057	.061	.019	.393	.045	.087	.101	.031	.566	.043	.089	.103	.028	.592
SURFACES		616	1540	1658	498	9821	678	1243	1458	463	8152	599	1287	1464	422	7965
FRACTION		.014	.036	.038	.012	.227	.047	.086	.101	.032	.566	.045	.097	.110	.032	.598
40-59 DWELLINGS		9	11	12	8	265	8	13	15	6	118	8	14	15	7	271
FRACTION		.025	.030	.033	.022	.734	.034	.055	.063	.025	.498	.022	.039	.042	.020	.759
99		.021	.023	.024	.020	.059	.030	.038	.040	.026	.083	.020	.026	.027	.019	.058
95		.016	.018	.018	.015	.045	.023	.029	.031	.020	.064	.015	.020	.021	.014	.044
90		.013	.015	.015	.013	.038	.019	.024	.026	.017	.053	.013	.017	.017	.012	.037
80		.010	.012	.012	.010	.030	.015	.019	.020	.013	.042	.010	.013	.014	.009	.029
ROOMS		18	23	24	17	634	14	27	29	12	268	13	29	31	11	666
FRACTION		.008	.010	.010	.007	.267	.012	.024	.026	.011	.239	.007	.016	.017	.006	.360
SURFACES		41	53	55	39	1226	24	49	51	22	427	19	50	53	16	1038
FRACTION		.005	.006	.006	.004	.139	.014	.028	.029	.012	.242	.006	.017	.018	.005	.354
60-75 DWELLINGS		1	1	2	0	52	0	1	1	0	23	2	3	3	2	67
FRACTION		.011	.011	.022	.000	.565	.000	.019	.019	.000	.442	.022	.033	.033	.022	.744
99		.028	.028	.039	.000	.132	.000	.049	.049	.000	.176	.040	.048	.048	.040	.118
95		.021	.021	.030	.000	.101	.000	.037	.037	.000	.135	.030	.037	.037	.030	.090
90		.018	.018	.025	.000	.085	.000	.031	.031	.000	.113	.026	.031	.031	.026	.076
80		.014	.014	.019	.000	.066	.000	.024	.024	.000	.088	.020	.024	.024	.020	.059
RCOMS		1	2	3	0	122	0	4	4	0	52	2	9	9	2	202
FRACTION		.002	.003	.005	.000	.205	.000	.018	.018	.000	.235	.005	.021	.021	.005	.467
SURFACES		2	8	10	0	213	0	6	6	0	69	2	12	12	2	306
FRACTION		.001	.004	.004	.000	.095	.000	.020	.020	.000	.231	.003	.018	.018	.003	.471
ALL DWELLINGS		207	390	431	162	1968	248	385	451	178	1738	236	378	445	166	2054
FRACTION		.087	.163	.180	.068	.824	.115	.178	.209	.082	.804	.100	.160	.188	.070	.867
99		.015	.019	.020	.013	.020	.017	.021	.022	.015	.022	.016	.019	.020	.013	.018
95		.011	.015	.015	.010	.015	.013	.016	.017	.011	.017	.012	.015	.016	.010	.014
90		.009	.012	.013	.008	.013	.011	.013	.014	.010	.014	.010	.012	.013	.009	.011
80		.007	.010	.010	.007	.010	.009	.010	.011	.008	.011	.008	.010	.010	.007	.009
ROOMS		293	696	747	242	5374	410	785	907	288	5219	388	810	934	264	5989
FRACTION		.020	.047	.051	.016	.364	.041	.078	.091	.029	.522	.035	.074	.085	.024	.547
SURFACES		664	1611	1733	542	11312	708	1304	1521	491	8685	630	1360	1540	450	9345
FRACTION		.012	.029	.032	.010	.207	.043	.079	.092	.030	.525	.037	.080	.091	.026	.550

HIGHEST LEAD READING FOR ALL ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****			***** WINDOWS *****			***** PEELING BAD EITHER BOTH ALL *****			***** DOORS *****			***** PEELING BAD EITHER BOTH ALL *****		
		PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL
PRE 40 DWELLINGS		120	251	271	100	1194	186	300	357	127	1319	189	314	365	136	1346
FRACTION		.062	.130	.141	.052	.621	.100	.161	.192	.068	.708	.099	.164	.191	.071	.705
99		.014	.020	.020	.013	.028	.018	.022	.023	.015	.027	.017	.022	.023	.015	.027
95		.011	.015	.015	.010	.022	.014	.017	.018	.011	.020	.013	.016	.017	.011	.020
90		.009	.013	.013	.008	.018	.011	.014	.015	.010	.017	.011	.014	.015	.010	.017
80		.007	.010	.010	.006	.014	.009	.011	.012	.007	.013	.009	.011	.011	.007	.013
ROOMS		154	390	415	129	2321	301	578	676	203	3480	297	618	709	206	3502
FRACTION		.013	.033	.035	.011	.198	.035	.067	.079	.024	.404	.035	.072	.082	.024	.407
SURFACES		371	992	1045	318	5597	524	961	1137	348	5835	489	1043	1174	358	5592
FRACTION		.009	.023	.024	.007	.129	.036	.067	.079	.024	.405	.037	.078	.088	.027	.420
40-59 DWELLINGS		7	10	10	7	133	4	9	9	4	57	4	8	8	4	96
FRACTION		.019	.028	.028	.019	.368	.017	.038	.038	.017	.241	.011	.022	.022	.011	.269
99		.019	.022	.022	.019	.065	.021	.032	.032	.021	.071	.014	.020	.020	.014	.060
95		.014	.017	.017	.014	.050	.016	.024	.024	.016	.054	.011	.015	.015	.011	.046
90		.012	.014	.014	.012	.042	.014	.020	.020	.014	.046	.009	.013	.013	.009	.038
80		.009	.011	.011	.009	.032	.011	.016	.016	.011	.036	.007	.010	.010	.007	.030
ROOMS		14	20	20	14	208	7	18	18	7	120	8	18	18	8	164
FRACTION		.006	.008	.008	.006	.087	.006	.016	.016	.006	.107	.004	.010	.010	.004	.089
SURFACES		31	43	43	31	497	12	33	33	12	197	13	35	35	13	252
FRACTION		.004	.005	.005	.004	.056	.007	.019	.019	.007	.112	.004	.012	.012	.004	.086
60-75 DWELLINGS		0	1	1	0	19	0	1	1	0	10	2	2	2	2	21
FRACTION		.000	.011	.011	.000	.207	.000	.019	.019	.000	.192	.022	.022	.022	.022	.233
99		.000	.028	.028	.000	.108	.000	.049	.049	.000	.140	.040	.040	.040	.040	.114
95		.000	.021	.021	.000	.083	.000	.037	.037	.000	.107	.030	.030	.030	.030	.087
90		.000	.018	.018	.000	.069	.000	.031	.031	.000	.090	.026	.026	.026	.026	.073
80		.000	.014	.014	.000	.054	.000	.024	.024	.000	.070	.020	.020	.020	.020	.057
ROOMS		0	2	2	0	22	0	4	4	0	23	2	4	4	2	37
FRACTION		.000	.003	.003	.000	.037	.000	.018	.018	.000	.104	.005	.009	.009	.005	.085
SURFACES		0	7	7	0	53	0	6	6	0	30	2	5	5	2	46
FRACTION		.000	.003	.003	.000	.024	.000	.020	.020	.000	.100	.003	.008	.008	.003	.071
ALL DWELLINGS		128	264	284	108	1353	192	312	369	133	1393	197	327	378	144	1469
FRACTION		.054	.111	.119	.045	.566	.089	.144	.171	.062	.645	.083	.138	.160	.061	.620
99		.012	.016	.017	.011	.026	.016	.019	.021	.013	.026	.014	.018	.019	.012	.025
95		.009	.012	.013	.008	.020	.012	.015	.016	.010	.020	.011	.014	.015	.010	.019
90		.007	.010	.011	.007	.017	.010	.012	.013	.008	.017	.009	.012	.012	.008	.016
80		.006	.008	.008	.005	.013	.008	.010	.010	.007	.013	.007	.009	.010	.006	.013
ROOMS		169	416	441	144	2569	313	605	703	215	3642	312	646	737	221	3718
FRACTION		.011	.028	.030	.010	.174	.031	.060	.070	.021	.364	.029	.059	.067	.020	.340
SURFACES		406	1051	1104	353	6186	541	1005	1181	365	6094	513	1093	1224	382	5912
FRACTION		.007	.019	.020	.006	.113	.033	.061	.071	.022	.368	.030	.064	.072	.022	.348

HIGHEST LEAD READING FOR ALL ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****			***** PEELING *****					
		BAD	EITHER	ALL	BAD	EITHER	ALL	BAD	EITHER	ALL	BAD	EITHER	ALL			
PRE 40 DWELLINGS		80	180	187	73	785	128	220	254	93	969	133	246	282	96	1012
FRACTION		.042	.094	.097	.038	.408	.069	.118	.136	.050	.520	.070	.129	.148	.050	.530
99		.012	.017	.017	.011	.028	.015	.019	.020	.013	.029	.015	.019	.021	.013	.029
95		.009	.013	.013	.008	.022	.011	.015	.015	.010	.023	.011	.015	.016	.010	.022
90		.007	.011	.011	.007	.018	.010	.012	.013	.008	.019	.010	.013	.013	.008	.019
80		.006	.008	.009	.006	.014	.007	.010	.010	.006	.015	.007	.010	.010	.006	.015
ROOMS		99	260	268	91	1330	191	378	434	135	2061	205	436	494	147	2297
FRACTION		.008	.022	.023	.008	.114	.022	.044	.050	.016	.239	.024	.051	.057	.017	.267
SURFACES		221	638	655	204	3128	326	634	735	225	3466	338	740	824	254	3703
FRACTION		.005	.015	.015	.005	.072	.023	.044	.051	.016	.241	.025	.056	.062	.019	.278
40-59 DWELLINGS		5	6	6	5	69	3	6	6	3	38	4	7	7	4	51
FRACTION		.014	.017	.017	.014	.191	.013	.025	.025	.013	.160	.011	.020	.020	.011	.143
99		.016	.017	.017	.016	.053	.019	.026	.026	.019	.061	.014	.019	.019	.014	.047
95		.012	.013	.013	.012	.040	.014	.020	.020	.014	.047	.011	.014	.014	.011	.036
90		.010	.011	.011	.010	.034	.012	.017	.017	.012	.039	.009	.012	.012	.009	.030
80		.008	.009	.009	.008	.026	.009	.013	.013	.009	.030	.007	.009	.009	.007	.024
ROOMS		10	13	13	10	100	5	12	12	5	61	5	12	12	5	83
FRACTION		.004	.005	.005	.004	.042	.004	.011	.011	.004	.054	.003	.006	.006	.003	.045
SURFACES		23	32	32	23	263	7	20	20	7	101	8	24	24	8	137
FRACTION		.003	.004	.004	.003	.030	.004	.011	.011	.004	.057	.003	.008	.008	.003	.047
60-75 DWELLINGS		0	1	1	0	6	0	1	1	0	7	0	0	0	0	5
FRACTION		.000	.011	.011	.000	.065	.000	.019	.019	.000	.135	.000	.000	.000	.000	.056
99		.000	.028	.028	.000	.066	.000	.049	.049	.000	.121	.000	.000	.000	.000	.062
95		.000	.021	.021	.000	.050	.000	.037	.037	.000	.093	.000	.000	.000	.000	.047
90		.000	.018	.018	.000	.042	.000	.031	.031	.000	.078	.000	.000	.000	.000	.040
80		.000	.014	.014	.000	.033	.000	.024	.024	.000	.061	.000	.000	.000	.000	.031
ROOMS		0	1	1	0	7	0	1	1	0	9	0	0	0	0	10
FRACTION		.000	.002	.002	.000	.012	.000	.005	.005	.000	.041	.000	.000	.000	.000	.023
SURFACES		0	2	2	0	10	0	2	2	0	13	0	0	0	0	13
FRACTION		.000	.001	.001	.000	.004	.000	.007	.007	.000	.043	.000	.000	.000	.000	.020
ALL DWELLINGS		86	189	196	79	867	132	228	262	97	1019	138	254	290	101	1073
FRACTION		.036	.079	.082	.033	.363	.061	.106	.121	.045	.472	.058	.107	.122	.043	.453
99		.010	.014	.014	.009	.025	.013	.017	.018	.011	.027	.012	.016	.017	.011	.026
95		.007	.011	.011	.007	.019	.010	.013	.014	.009	.021	.009	.012	.013	.008	.020
90		.006	.009	.009	.006	.016	.008	.011	.011	.007	.018	.008	.010	.010	.007	.017
80		.005	.007	.007	.005	.012	.007	.008	.009	.006	.014	.006	.008	.009	.005	.013
ROOMS		110	276	284	102	1447	197	392	448	141	2138	211	449	507	153	2398
FRACTION		.007	.019	.019	.007	.098	.020	.039	.045	.014	.214	.019	.041	.046	.014	.219
SURFACES		248	677	694	231	3424	334	657	758	233	3594	348	766	850	264	3862
FRACTION		.005	.012	.013	.004	.063	.020	.040	.046	.014	.217	.020	.045	.050	.016	.227

HIGHEST LEAD READING FOR ALL ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS SINGLE-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****			***** PEELING *****			
		BAD	EITHER	ALL	BAD	EITHER	ALL	BAD	EITHER	ALL	BAD	EITHER	ALL	
PRE 40	DWELLINGS	60	142	147	87	146	171	62	689	95	171	199	66	735
	FRACTION	.031	.074	.076	.047	.078	.092	.033	.370	.050	.090	.104	.035	.385
	99	.010	.015	.015	.012	.016	.017	.011	.028	.013	.017	.018	.011	.028
	55	.008	.012	.012	.007	.012	.013	.008	.022	.010	.013	.014	.008	.022
	90	.006	.010	.010	.008	.010	.011	.007	.018	.008	.011	.011	.007	.018
	80	.005	.008	.008	.006	.008	.009	.005	.014	.006	.008	.009	.005	.014
ROOMS	FRACTION	68	192	197	124	233	271	86	1275	139	285	327	97	1446
	FRACTION	.006	.016	.017	.014	.027	.031	.010	.148	.016	.033	.038	.011	.168
SURFACES	FRACTION	145	446	457	208	396	463	141	2146	229	475	534	170	2309
	FRACTION	.003	.010	.011	.014	.027	.032	.010	.149	.017	.036	.040	.013	.173
40-59	DWELLINGS	4	5	5	1	4	4	1	24	3	5	5	3	37
	FRACTION	.011	.014	.014	.004	.017	.017	.004	.101	.008	.014	.014	.008	.104
	99	.014	.016	.016	.011	.021	.021	.011	.050	.012	.016	.016	.012	.041
	95	.011	.012	.012	.008	.016	.016	.008	.038	.009	.012	.012	.009	.032
	90	.009	.010	.010	.007	.014	.014	.007	.032	.008	.010	.010	.008	.026
	80	.007	.008	.008	.005	.011	.011	.005	.025	.006	.008	.008	.006	.021
ROOMS	FRACTION	6	8	8	2	6	6	2	34	4	6	6	4	56
	FRACTION	.003	.003	.003	.002	.005	.005	.002	.030	.002	.003	.003	.002	.030
SURFACES	FRACTION	14	22	22	3	10	10	3	53	7	13	13	7	90
	FRACTION	.002	.002	.002	.002	.006	.006	.002	.030	.002	.004	.004	.002	.031
60-75	DWELLINGS	0	0	0	0	0	0	0	2	0	0	0	0	1
	FRACTION	.000	.000	.000	.000	.000	.000	.000	.038	.000	.000	.000	.000	.011
	99	.000	.000	.000	.000	.000	.000	.000	.068	.000	.000	.000	.000	.028
	95	.000	.000	.000	.000	.000	.000	.000	.052	.000	.000	.000	.000	.022
	90	.000	.000	.000	.000	.000	.000	.000	.044	.000	.000	.000	.000	.018
	80	.000	.000	.000	.000	.000	.000	.000	.034	.000	.000	.000	.000	.014
ROOMS	FRACTION	0	0	0	0	0	0	0	2	0	0	0	0	2
	FRACTION	.000	.000	.000	.000	.000	.000	.000	.009	.000	.000	.000	.000	.005
SURFACES	FRACTION	0	0	0	0	0	0	0	2	0	0	0	0	2
	FRACTION	.000	.000	.000	.000	.000	.000	.000	.007	.000	.000	.000	.000	.003
ALL	DWELLINGS	65	148	153	88	150	175	63	718	98	176	204	69	777
	FRACTION	.027	.062	.064	.041	.069	.081	.029	.332	.041	.074	.086	.029	.328
	99	.008	.013	.013	.011	.014	.015	.009	.026	.010	.014	.015	.009	.024
	95	.006	.010	.010	.008	.011	.011	.007	.020	.008	.010	.011	.007	.019
	90	.005	.008	.008	.007	.009	.010	.006	.017	.007	.009	.009	.006	.016
	80	.004	.006	.006	.005	.007	.007	.005	.013	.005	.007	.007	.004	.012
ROOMS	FRACTION	75	201	206	126	239	277	88	1316	143	291	333	101	1510
	FRACTION	.005	.014	.014	.013	.024	.028	.009	.132	.013	.027	.030	.009	.138
SURFACES	FRACTION	163	472	483	211	406	473	144	2212	236	488	547	177	2407
	FRACTION	.003	.009	.009	.013	.025	.029	.009	.134	.014	.029	.032	.010	.142

HIGHEST LEAD READING FOR DRY ROOMS IS 0.0 OR MORE * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

	***** WALLS *****		***** WINDOWS *****		***** PEELING BAD EITHER *****		***** DOORS *****		***** PEELING BAD EITHER *****		***** ALL *****				
	BOTH	ALL	BOTH	ALL	BOTH	ALL	BOTH	ALL	BOTH	ALL	BOTH	ALL			
PRE 40 DWELLINGS	82	162	171	73	588	79	130	155	53	544	70	133	153	50	570
FRACTION	.139	.276	.291	.124	1.000	.145	.239	.285	.097	1.000	.123	.233	.268	.088	1.000
99	.037	.047	.048	.035	.000	.039	.047	.050	.033	.000	.035	.045	.047	.030	.000
95	.028	.036	.037	.027	.000	.030	.036	.038	.025	.000	.027	.035	.036	.023	.000
90	.023	.030	.031	.022	.000	.025	.030	.032	.021	.000	.023	.029	.030	.019	.000
80	.018	.024	.024	.017	.000	.019	.023	.025	.016	.000	.018	.023	.024	.015	.000
ROOMS	108	294	308	94	1829	122	223	267	78	1319	107	226	260	73	1396
FRACTION	.059	.161	.168	.051	1.000	.092	.169	.202	.059	1.000	.077	.162	.186	.052	1.000
SURFACES	401	1085	1138	348	6790	210	384	464	130	2248	181	401	451	131	2381
FRACTION	.059	.160	.168	.051	1.000	.093	.171	.206	.058	1.000	.076	.168	.189	.055	1.000
40-59 DWELLINGS	5	18	20	3	205	15	16	23	8	131	17	18	25	10	198
FRACTION	.024	.088	.098	.015	1.000	.115	.122	.176	.061	1.000	.086	.091	.126	.051	1.000
99	.028	.051	.053	.021	.000	.071	.073	.085	.054	.000	.051	.052	.060	.040	.000
95	.021	.039	.041	.016	.000	.055	.056	.065	.041	.000	.039	.040	.046	.030	.000
90	.018	.032	.034	.014	.000	.046	.047	.055	.034	.000	.033	.034	.039	.026	.000
80	.014	.025	.027	.011	.000	.036	.037	.043	.027	.000	.025	.026	.030	.020	.000
ROOMS	5	23	25	3	549	22	22	35	9	252	25	25	38	12	422
FRACTION	.009	.042	.046	.005	1.000	.087	.087	.139	.036	1.000	.059	.059	.090	.028	1.000
SURFACES	18	88	95	11	2006	25	28	43	10	320	30	30	43	17	582
FRACTION	.009	.044	.047	.005	1.000	.078	.087	.134	.031	1.000	.052	.052	.074	.029	1.000
60-75 DWELLINGS	0	0	0	0	106	3	3	4	2	56	3	3	4	2	100
FRACTION	.000	.000	.000	.000	1.000	.054	.054	.071	.036	1.000	.030	.030	.040	.020	1.000
99	.000	.000	.000	.000	.000	.077	.077	.088	.064	.000	.044	.044	.050	.036	.000
95	.000	.000	.000	.000	.000	.059	.059	.067	.049	.000	.033	.033	.038	.027	.000
90	.000	.000	.000	.000	.000	.049	.049	.057	.041	.000	.028	.028	.032	.023	.000
80	.000	.000	.000	.000	.000	.039	.039	.044	.032	.000	.022	.022	.025	.018	.000
ROOMS	0	0	0	0	304	3	3	4	2	113	3	3	4	2	225
FRACTION	.000	.000	.000	.000	1.000	.027	.027	.035	.018	1.000	.013	.013	.018	.009	1.000
SURFACES	0	0	0	0	1122	3	3	4	2	126	3	3	4	2	357
FRACTION	.000	.000	.000	.000	1.000	.024	.024	.032	.016	1.000	.008	.008	.011	.006	1.000
ALL DWELLINGS	89	182	193	78	905	98	151	184	64	737	91	156	184	63	874
FRACTION	.098	.201	.213	.086	1.000	.133	.205	.250	.087	1.000	.104	.178	.211	.072	1.000
99	.025	.034	.035	.024	.000	.032	.038	.041	.027	.000	.026	.033	.035	.022	.000
95	.019	.026	.027	.018	.000	.024	.029	.031	.020	.000	.020	.025	.027	.017	.000
90	.016	.022	.022	.015	.000	.021	.024	.026	.017	.000	.017	.021	.023	.014	.000
80	.013	.017	.017	.012	.000	.016	.019	.020	.013	.000	.013	.017	.018	.011	.000
ROOMS	116	322	338	100	2702	149	252	310	91	1699	136	257	305	88	2057
FRACTION	.043	.119	.125	.037	1.000	.088	.148	.182	.054	1.000	.066	.125	.148	.043	1.000
SURFACES	431	1193	1253	371	9995	241	422	518	145	2715	216	439	503	152	3343
FRACTION	.043	.119	.125	.037	1.000	.089	.155	.191	.053	1.000	.065	.131	.150	.045	1.000

HIGHEST LEAD READING FOR DRY ROOMS IS 0.5 OR MORE * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****							
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL							
PRE 40 DWELLINGS	65	128	136	57	514	75	117	141	50	459	65	117	136	46	504
FRACTION	.111	.218	.231	.097	.874	.138	.215	.259	.092	.844	.114	.205	.239	.081	.884
99	.033	.044	.044	.031	.035	.038	.045	.048	.032	.040	.034	.043	.046	.029	.034
95	.025	.033	.034	.024	.027	.029	.034	.037	.024	.030	.026	.033	.035	.022	.026
90	.021	.028	.029	.020	.022	.024	.029	.031	.020	.026	.022	.028	.029	.019	.022
80	.017	.022	.022	.016	.017	.019	.023	.024	.016	.020	.017	.022	.023	.015	.017
ROOMS	84	205	217	72	1216	109	186	225	70	924	91	194	222	63	1039
FRACTION	.046	.112	.119	.039	.665	.083	.141	.171	.053	.701	.065	.139	.159	.045	.744
SURFACES	192	425	452	165	2440	187	324	396	115	1587	154	345	386	113	1775
FRACTION	.028	.063	.067	.024	.359	.083	.144	.176	.051	.706	.065	.145	.162	.047	.745
40-59 DWELLINGS	2	9	10	1	158	12	10	17	5	81	16	15	22	9	164
FRACTION	.010	.044	.049	.005	.771	.092	.076	.130	.038	.618	.081	.076	.111	.045	.828
99	.018	.037	.039	.012	.075	.065	.059	.075	.043	.109	.050	.048	.057	.038	.069
95	.013	.028	.029	.010	.057	.049	.045	.058	.033	.083	.038	.037	.044	.029	.052
90	.011	.024	.025	.008	.048	.041	.038	.048	.028	.070	.032	.031	.037	.024	.044
80	.009	.018	.019	.006	.038	.032	.030	.038	.021	.054	.025	.024	.029	.019	.034
ROOMS	2	9	10	1	322	15	12	21	6	129	21	18	30	9	285
FRACTION	.004	.016	.018	.002	.587	.060	.048	.083	.024	.512	.050	.043	.071	.021	.675
SURFACES	2	13	14	1	638	18	13	24	7	161	25	22	34	13	394
FRACTION	.001	.006	.007	.000	.318	.056	.041	.075	.022	.503	.043	.038	.058	.022	.677
60-75 DWELLINGS	0	0	0	0	77	1	2	2	1	25	1	1	2	0	73
FRACTION	.000	.000	.000	.000	.726	.018	.036	.036	.018	.446	.010	.010	.020	.000	.730
99	.000	.000	.000	.000	.111	.045	.064	.064	.045	.170	.025	.025	.036	.000	.114
95	.000	.000	.000	.000	.085	.035	.049	.049	.035	.130	.019	.019	.027	.000	.087
90	.000	.000	.000	.000	.071	.029	.041	.041	.029	.109	.016	.016	.023	.000	.073
80	.000	.000	.000	.000	.055	.023	.032	.032	.023	.085	.013	.013	.018	.000	.057
ROOMS	0	0	0	0	143	1	2	2	1	35	1	1	2	0	133
FRACTION	.000	.000	.000	.000	.470	.009	.018	.018	.009	.310	.004	.004	.009	.000	.591
SURFACES	0	0	0	0	238	1	2	2	1	37	1	1	2	0	210
FRACTION	.000	.000	.000	.000	.212	.008	.016	.016	.008	.294	.003	.003	.006	.000	.588
ALL DWELLINGS	68	139	148	59	755	89	130	161	57	570	83	134	161	56	745
FRACTION	.075	.154	.164	.065	.834	.121	.176	.218	.077	.773	.095	.153	.184	.064	.852
99	.022	.031	.031	.021	.032	.031	.036	.039	.025	.039	.025	.031	.033	.021	.031
95	.017	.023	.024	.016	.024	.023	.027	.030	.019	.030	.019	.024	.026	.016	.023
90	.014	.020	.020	.013	.020	.020	.023	.025	.016	.025	.016	.020	.021	.014	.020
80	.011	.015	.016	.010	.016	.015	.018	.019	.013	.020	.013	.016	.017	.011	.015
ROOMS	87	217	230	74	1695	127	203	251	79	1098	114	215	256	73	1465
FRACTION	.032	.080	.085	.027	.627	.075	.119	.148	.046	.646	.055	.105	.124	.035	.712
SURFACES	195	442	470	167	3339	209	344	427	126	1800	182	372	426	128	2389
FRACTION	.020	.044	.047	.017	.334	.077	.127	.157	.046	.663	.054	.111	.127	.038	.715

HIGHEST LEAD READING FOR DRY ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****									
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL								
PRE 40 DWELLINGS	44	83	88	39	359	64	100	119	44	387	57	103	119	41	415
FRACTION	.075	.141	.150	.066	.611	.118	.184	.219	.081	.711	.100	.181	.209	.072	.728
99	.028	.037	.038	.026	.051	.035	.042	.045	.030	.050	.032	.041	.044	.028	.048
95	.021	.028	.029	.020	.039	.027	.033	.035	.023	.038	.025	.032	.033	.021	.036
90	.018	.024	.024	.017	.033	.023	.027	.029	.019	.032	.021	.026	.028	.018	.031
80	.014	.018	.019	.013	.026	.018	.021	.023	.015	.025	.016	.021	.022	.014	.024
ROOMS	52	112	117	47	649	87	159	187	59	734	81	162	187	56	791
FRACTION	.028	.061	.064	.026	.355	.066	.121	.142	.045	.556	.058	.116	.134	.040	.567
SURFACES	120	245	257	108	1238	148	280	330	98	1272	134	284	322	96	1364
FRACTION	.018	.036	.038	.016	.182	.066	.125	.147	.044	.566	.056	.119	.135	.040	.573
40-59 DWELLINGS	1	3	3	1	87	7	6	9	4	47	9	9	14	4	116
FRACTION	.005	.015	.015	.005	.424	.053	.046	.069	.031	.359	.045	.045	.071	.020	.586
99	.012	.021	.021	.012	.088	.050	.047	.057	.039	.107	.038	.038	.047	.026	.090
95	.010	.016	.016	.010	.068	.039	.036	.043	.029	.082	.029	.029	.036	.020	.069
90	.008	.014	.014	.008	.057	.032	.030	.036	.025	.069	.024	.024	.030	.016	.058
80	.006	.011	.011	.006	.044	.025	.023	.028	.019	.054	.019	.019	.023	.013	.045
ROOMS	1	3	3	1	153	7	6	9	4	66	11	12	19	4	175
FRACTION	.002	.005	.005	.002	.279	.028	.024	.036	.016	.262	.026	.028	.045	.009	.415
SURFACES	1	4	4	1	265	9	7	11	5	85	15	16	23	8	239
FRACTION	.000	.002	.002	.000	.132	.028	.022	.034	.016	.266	.026	.027	.040	.014	.411
60-75 DWELLINGS	0	0	0	0	30	1	1	1	1	10	1	0	1	0	40
FRACTION	.000	.000	.000	.000	.283	.018	.018	.018	.018	.179	.010	.000	.010	.000	.400
99	.000	.000	.000	.000	.112	.045	.045	.045	.045	.131	.025	.000	.025	.000	.125
95	.000	.000	.000	.000	.086	.035	.035	.035	.035	.100	.019	.000	.019	.000	.096
90	.000	.000	.000	.000	.072	.029	.029	.029	.029	.084	.016	.000	.016	.000	.080
80	.000	.000	.000	.000	.056	.023	.023	.023	.023	.066	.013	.000	.013	.000	.063
ROOMS	0	0	0	0	41	1	1	1	1	14	1	0	1	0	66
FRACTION	.000	.000	.000	.000	.135	.009	.009	.009	.009	.124	.004	.000	.004	.000	.293
SURFACES	0	0	0	0	56	1	1	1	1	15	1	0	1	0	96
FRACTION	.000	.000	.000	.000	.050	.008	.008	.008	.008	.119	.003	.000	.003	.000	.269
ALL DWELLINGS	45	88	93	40	480	73	108	130	50	446	68	113	135	46	574
FRACTION	.050	.097	.103	.044	.530	.099	.147	.176	.068	.605	.078	.129	.154	.053	.657
99	.018	.025	.026	.017	.042	.028	.033	.036	.024	.046	.023	.029	.031	.019	.041
95	.014	.019	.020	.013	.032	.022	.025	.027	.018	.035	.018	.022	.024	.015	.031
90	.012	.016	.017	.011	.027	.018	.021	.023	.015	.030	.015	.019	.020	.012	.026
80	.009	.013	.013	.009	.021	.014	.017	.018	.012	.023	.012	.014	.016	.010	.021
ROOMS	53	117	122	48	850	97	169	200	66	819	94	176	209	61	1037
FRACTION	.020	.043	.045	.018	.315	.057	.099	.118	.039	.482	.046	.086	.102	.030	.504
SURFACES	121	251	263	109	1567	161	293	347	107	1381	152	304	350	106	1706
FRACTION	.012	.025	.026	.011	.157	.059	.108	.128	.039	.509	.045	.091	.105	.032	.510

HIGHEST LEAD READING FOR DRY ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

		***** WALLS *****		***** WINDOWS *****		***** PEELING BAD EITHER *****		***** DOORS *****		***** PEELING BAD EITHER *****		***** ALL *****				
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL			
PRE 40	DWELLINGS	23	41	43	21	166	56	83	101	37	301	48	81	95	34	290
	FRACTION	.039	.070	.073	.036	.282	.103	.153	.186	.068	.553	.084	.142	.167	.060	.509
	99	.020	.027	.027	.020	.047	.033	.039	.043	.028	.055	.030	.037	.040	.025	.054
	95	.016	.021	.021	.015	.036	.026	.030	.033	.021	.042	.023	.029	.031	.019	.041
	90	.013	.017	.018	.013	.030	.021	.025	.027	.018	.035	.019	.024	.026	.016	.034
	80	.010	.013	.014	.010	.024	.017	.020	.021	.014	.027	.015	.019	.020	.013	.027
ROOMS	FRACTION	.015	.030	.031	.014	.147	.055	.096	.114	.036	.400	.049	.090	.105	.034	.391
SURFACES	FRACTION	.67	.139	.143	.63	.598	.121	.227	.273	.75	.928	.116	.228	.257	.87	.964
	FRACTION	.010	.020	.021	.009	.088	.054	.101	.121	.033	.413	.049	.096	.108	.037	.405
40-59	DWELLINGS	0	1	1	0	20	2	2	3	1	20	6	6	10	2	46
	FRACTION	.000	.005	.005	.000	.098	.015	.015	.023	.008	.153	.030	.030	.051	.010	.232
	99	.000	.012	.012	.000	.053	.027	.027	.033	.019	.081	.031	.031	.040	.018	.077
	95	.000	.010	.010	.000	.041	.021	.021	.026	.015	.062	.024	.024	.030	.014	.059
	90	.000	.008	.008	.000	.034	.018	.018	.021	.013	.052	.020	.020	.026	.012	.049
	80	.000	.006	.006	.000	.027	.014	.014	.017	.010	.040	.016	.016	.020	.009	.038
ROOMS	FRACTION	.000	.002	.002	.000	.064	.008	.008	.012	.004	.099	.014	.017	.026	.005	.126
SURFACES	FRACTION	.000	.000	.000	.000	.038	.012	.009	.016	.006	.116	.014	.015	.022	.007	.110
60-75	DWELLINGS	0	0	0	0	3	0	0	0	0	2	0	0	0	0	9
	FRACTION	.000	.000	.000	.000	.028	.000	.000	.000	.000	.036	.000	.000	.000	.000	.090
	99	.000	.000	.000	.000	.041	.000	.000	.000	.000	.064	.000	.000	.000	.000	.073
	95	.000	.000	.000	.000	.032	.000	.000	.000	.000	.049	.000	.000	.000	.000	.056
	90	.000	.000	.000	.000	.026	.000	.000	.000	.000	.041	.000	.000	.000	.000	.047
	80	.000	.000	.000	.000	.021	.000	.000	.000	.000	.032	.000	.000	.000	.000	.037
ROOMS	FRACTION	.000	.000	.000	.000	.026	.000	.000	.000	.000	.018	.000	.000	.000	.000	.044
SURFACES	FRACTION	.000	.000	.000	.000	.015	.000	.000	.000	.000	.016	.000	.000	.000	.000	.039
ALL	DWELLINGS	23	42	44	21	190	59	86	105	39	324	55	88	106	37	347
	FRACTION	.025	.046	.049	.023	.210	.080	.117	.142	.053	.440	.063	.101	.121	.042	.397
	99	.013	.018	.018	.013	.035	.026	.030	.033	.021	.047	.021	.026	.028	.017	.042
	95	.010	.014	.014	.010	.026	.020	.023	.025	.016	.036	.016	.020	.022	.013	.032
	90	.009	.011	.012	.008	.022	.016	.019	.021	.014	.030	.013	.017	.018	.011	.027
	80	.007	.009	.009	.006	.017	.013	.015	.016	.011	.023	.010	.013	.014	.009	.021
ROOMS	FRACTION	.28	.56	.58	.26	.312	.76	.131	.157	.50	.557	.75	.134	.158	.51	.612
	FRACTION	.010	.021	.021	.010	.115	.045	.077	.092	.029	.328	.036	.065	.077	.025	.298
SURFACES	FRACTION	.67	.140	.144	.63	.694	.128	.235	.283	.80	.972	.126	.239	.272	.93	1046
	FRACTION	.007	.014	.014	.006	.069	.047	.087	.104	.029	.358	.038	.071	.081	.028	.313

HIGHEST LEAD READING FOR DRY ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****									
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL								
PRE 40 DWELLINGS	15	29	30	14	98	42	64	77	28	217	37	64	76	25	215
FRACTION	.026	.049	.051	.024	.167	.077	.118	.142	.051	.399	.065	.112	.133	.044	.377
99	.017	.023	.023	.016	.039	.029	.035	.038	.024	.054	.026	.034	.036	.022	.052
95	.013	.017	.018	.012	.030	.022	.027	.029	.019	.041	.020	.026	.028	.017	.040
90	.011	.015	.015	.010	.025	.019	.023	.025	.016	.034	.017	.022	.023	.014	.033
80	.008	.011	.012	.008	.020	.015	.018	.019	.012	.027	.013	.017	.018	.011	.026
ROOMS	17	37	38	16	144	54	88	106	36	343	54	95	111	38	399
FRACTION	.009	.020	.021	.009	.079	.041	.067	.080	.027	.260	.039	.068	.080	.027	.286
SURFACES	39	89	90	38	308	91	154	188	57	588	96	171	196	71	733
FRACTION	.006	.013	.013	.006	.045	.040	.069	.084	.025	.262	.040	.072	.082	.030	.308
40-59 DWELLINGS	0	1	1	0	7	1	2	2	1	7	1	1	1	1	9
FRACTION	.000	.005	.005	.000	.034	.008	.015	.015	.008	.053	.005	.005	.005	.005	.045
99	.000	.012	.012	.000	.032	.019	.027	.027	.019	.050	.013	.013	.013	.013	.038
95	.000	.010	.010	.000	.025	.015	.021	.021	.015	.039	.010	.010	.010	.010	.029
90	.000	.008	.008	.000	.021	.013	.018	.018	.013	.032	.008	.008	.008	.008	.024
80	.000	.006	.006	.000	.016	.010	.014	.014	.010	.025	.006	.006	.006	.006	.019
ROOMS	0	1	1	0	15	1	2	2	1	10	1	1	1	1	10
FRACTION	.000	.002	.002	.000	.027	.004	.008	.008	.004	.040	.002	.002	.002	.002	.024
SURFACES	0	1	1	0	27	2	3	3	2	16	3	3	3	3	15
FRACTION	.000	.000	.000	.000	.013	.006	.009	.009	.006	.050	.005	.005	.005	.005	.026
60-75 DWELLINGS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
99	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
95	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
90	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
80	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
ROOMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
SURFACES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
ALL DWELLINGS	15	30	31	14	106	44	67	80	30	225	39	66	78	27	226
FRACTION	.017	.033	.034	.015	.117	.060	.091	.109	.041	.305	.045	.076	.089	.031	.259
99	.011	.015	.015	.010	.027	.022	.027	.029	.019	.043	.018	.023	.025	.015	.038
95	.008	.012	.012	.008	.021	.017	.021	.022	.014	.033	.014	.017	.019	.011	.029
90	.007	.010	.010	.007	.018	.014	.017	.019	.012	.028	.011	.015	.016	.010	.024
80	.005	.008	.008	.005	.014	.011	.014	.015	.009	.022	.009	.011	.012	.007	.019
ROOMS	17	38	39	16	160	56	91	109	38	354	56	97	113	40	412
FRACTION	.006	.014	.014	.006	.059	.033	.054	.064	.022	.208	.027	.047	.055	.019	.200
SURFACES	39	90	91	38	336	95	159	193	61	606	101	176	201	76	752
FRACTION	.004	.009	.009	.004	.034	.035	.059	.071	.022	.223	.030	.053	.060	.023	.225

HIGHEST LEAD READING FOR DRY ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

		***** WALLS *****				***** WINDOWS *****				***** DOORS *****						
		PEELING BAD EITHER BOTH ALL				PEELING BAD EITHER BOTH ALL				PEELING BAD EITHER BOTH ALL						
PRE 40 DWELLINGS		10	19	19	10	69	31	49	57	23	153	33	45	56	22	155
FRACTION		.017	.032	.032	.017	.117	.057	.090	.105	.042	.281	.058	.079	.098	.039	.272
99		.014	.019	.019	.014	.034	.025	.031	.034	.022	.049	.025	.029	.032	.021	.048
95		.010	.014	.014	.010	.026	.019	.024	.026	.017	.038	.019	.022	.024	.016	.036
90		.009	.012	.012	.009	.022	.016	.020	.022	.014	.032	.016	.019	.020	.013	.031
80		.007	.009	.009	.007	.017	.013	.016	.017	.011	.025	.013	.014	.016	.010	.024
ROOMS		11	24	24	11	96	37	64	75	26	225	43	63	76	30	257
FRACTION		.006	.013	.013	.006	.052	.028	.049	.057	.020	.171	.031	.045	.054	.021	.184
SURFACES		26	62	62	26	205	62	110	134	38	383	81	118	139	60	467
FRACTION		.004	.009	.009	.004	.030	.028	.049	.060	.017	.170	.034	.050	.058	.025	.196
40-59 DWELLINGS		0	1	1	0	5	1	1	1	1	5	1	1	1	1	5
FRACTION		.000	.005	.005	.000	.024	.008	.008	.008	.008	.038	.005	.005	.005	.005	.025
99		.000	.012	.012	.000	.028	.019	.019	.019	.043	.043	.013	.013	.013	.013	.029
95		.000	.010	.010	.000	.021	.015	.015	.015	.033	.033	.010	.010	.010	.010	.022
90		.000	.008	.008	.000	.018	.013	.013	.013	.028	.028	.008	.008	.008	.008	.018
80		.000	.006	.006	.000	.014	.010	.010	.010	.021	.021	.006	.006	.006	.006	.014
ROOMS		0	1	1	0	6	1	1	1	1	7	1	1	1	1	5
FRACTION		.000	.002	.002	.000	.011	.004	.004	.004	.004	.028	.002	.002	.002	.002	.012
SURFACES		0	1	1	0	9	2	2	2	2	11	3	3	3	3	8
FRACTION		.000	.000	.000	.000	.004	.006	.006	.006	.006	.034	.005	.005	.005	.005	.014
60-75 DWELLINGS		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
99		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
95		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
90		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
80		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
ROOMS		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
SURFACES		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
ALL DWELLINGS		10	20	20	10	74	32	50	58	24	158	34	46	57	23	160
FRACTION		.011	.022	.022	.011	.082	.043	.068	.079	.033	.214	.039	.053	.065	.026	.183
99		.009	.012	.012	.009	.023	.019	.024	.025	.017	.039	.017	.019	.021	.014	.033
95		.007	.010	.010	.007	.018	.015	.018	.019	.013	.030	.013	.015	.016	.011	.026
90		.006	.008	.008	.006	.015	.012	.015	.016	.011	.025	.011	.012	.014	.009	.021
80		.004	.006	.006	.004	.012	.010	.012	.013	.008	.019	.008	.010	.011	.007	.017
ROOMS		11	25	25	11	102	38	65	76	27	232	44	64	77	31	262
FRACTION		.004	.009	.009	.004	.038	.022	.038	.045	.016	.137	.021	.031	.037	.015	.127
SURFACES		26	63	63	26	214	64	112	136	40	394	84	121	142	63	475
FRACTION		.003	.006	.006	.003	.021	.024	.041	.050	.015	.145	.025	.036	.042	.019	.142

HIGHEST LEAD READING FOR WET ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

	***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****								
	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER							
PRE 40 DWELLINGS	58	123	129	52	578	64	106	120	50	490	59	102	115	46	554
FRACTION	.100	.213	.223	.090	1.000	.131	.216	.245	.102	1.000	.106	.184	.208	.083	1.000
99	.032	.044	.044	.030	.000	.039	.048	.050	.035	.000	.034	.042	.044	.030	.000
95	.024	.033	.034	.023	.000	.030	.036	.038	.027	.000	.026	.032	.034	.023	.000
90	.021	.028	.028	.020	.000	.025	.031	.032	.022	.000	.022	.027	.028	.019	.000
80	.016	.022	.022	.015	.000	.019	.024	.025	.018	.000	.017	.021	.022	.015	.000
ROOMS	72	168	174	66	1088	72	144	159	57	775	70	151	165	56	890
FRACTION	.066	.154	.160	.061	1.000	.093	.186	.205	.074	1.000	.079	.170	.185	.063	1.000
SURFACES	274	637	661	250	4150	103	198	220	81	992	90	204	221	73	1135
FRACTION	.066	.153	.159	.060	1.000	.104	.200	.222	.082	1.000	.079	.180	.195	.064	1.000
40-59 DWELLINGS	4	15	17	2	203	8	9	13	4	104	7	11	14	4	199
FRACTION	.020	.074	.084	.010	1.000	.077	.087	.125	.038	1.000	.035	.055	.070	.020	1.000
99	.025	.047	.050	.018	.000	.067	.071	.083	.048	.000	.033	.041	.046	.025	.000
95	.019	.036	.038	.014	.000	.051	.054	.064	.037	.000	.026	.032	.035	.019	.000
90	.016	.030	.032	.011	.000	.043	.045	.053	.031	.000	.021	.027	.030	.016	.000
80	.012	.023	.025	.009	.000	.033	.035	.042	.024	.000	.017	.021	.023	.013	.000
ROOMS	4	19	21	2	394	10	12	17	5	151	9	17	21	5	296
FRACTION	.010	.048	.053	.005	1.000	.066	.079	.113	.033	1.000	.030	.057	.071	.017	1.000
SURFACES	14	69	76	7	1465	10	13	18	5	159	9	17	21	5	316
FRACTION	.010	.047	.052	.005	1.000	.063	.082	.113	.031	1.000	.028	.054	.066	.016	1.000
60-75 DWELLINGS	0	1	1	0	107	0	1	1	0	29	0	2	2	0	99
FRACTION	.000	.009	.009	.000	1.000	.000	.034	.034	.000	1.000	.000	.020	.020	.000	1.000
99	.000	.024	.024	.000	.000	.000	.087	.087	.000	.000	.000	.036	.036	.000	.000
95	.000	.018	.018	.000	.000	.000	.066	.066	.000	.000	.000	.028	.028	.000	.000
90	.000	.015	.015	.000	.000	.000	.056	.056	.000	.000	.000	.023	.023	.000	.000
80	.000	.012	.012	.000	.000	.000	.043	.043	.000	.000	.000	.018	.018	.000	.000
ROOMS	0	1	1	0	210	0	1	1	0	40	0	2	2	0	144
FRACTION	.000	.005	.005	.000	1.000	.000	.025	.025	.000	1.000	.000	.014	.014	.000	1.000
SURFACES	0	3	3	0	781	0	1	1	0	42	0	2	2	0	162
FRACTION	.000	.004	.004	.000	1.000	.000	.024	.024	.000	1.000	.000	.012	.012	.000	1.000
ALL DWELLINGS	63	141	149	55	894	73	117	135	55	628	67	116	132	51	857
FRACTION	.070	.158	.167	.062	1.000	.116	.186	.215	.088	1.000	.078	.135	.154	.060	1.000
99	.022	.031	.032	.021	.000	.033	.040	.042	.029	.000	.023	.030	.031	.021	.000
95	.017	.024	.024	.016	.000	.025	.030	.032	.022	.000	.018	.023	.024	.016	.000
90	.014	.020	.020	.013	.000	.021	.026	.027	.019	.000	.015	.019	.020	.013	.000
80	.011	.016	.016	.010	.000	.016	.020	.021	.014	.000	.012	.015	.016	.010	.000
ROOMS	77	191	199	69	1704	83	158	178	63	976	80	171	189	62	1338
FRACTION	.045	.112	.117	.040	1.000	.085	.162	.182	.065	1.000	.060	.128	.141	.046	1.000
SURFACES	292	721	752	261	6444	114	213	240	87	1204	100	224	245	79	1623
FRACTION	.045	.112	.117	.041	1.000	.095	.177	.199	.072	1.000	.062	.138	.151	.049	1.000

HIGHEST LEAD READING FOR WET ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

		***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****		***** ALL *****						
		BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH					
PRE 40	DWELLINGS	51	110	115	46	516	58	94	107	45	415	53	95	107	41	473
	FRACTION	.088	.190	.199	.080	.893	.118	.192	.218	.092	.847	.096	.171	.193	.074	.854
	99	.030	.042	.042	.029	.033	.037	.046	.048	.033	.042	.032	.041	.043	.028	.038
	95	.023	.032	.033	.022	.025	.029	.035	.037	.026	.032	.024	.031	.033	.022	.029
	90	.019	.027	.027	.018	.021	.024	.029	.031	.021	.027	.021	.026	.028	.018	.025
	80	.015	.021	.021	.014	.016	.019	.023	.024	.017	.021	.016	.020	.021	.014	.019
	ROOMS	63	147	152	58	856	65	119	133	51	597	62	134	147	49	703
	FRACTION	.058	.135	.140	.053	.787	.084	.154	.172	.066	.770	.070	.151	.165	.055	.790
	SURFACES	172	395	410	157	2205	93	165	186	72	765	81	184	200	65	914
	FRACTION	.041	.095	.099	.038	.531	.094	.166	.188	.073	.771	.071	.162	.176	.057	.805
40-59	DWELLINGS	3	12	14	1	164	6	5	8	3	58	6	9	12	3	149
	FRACTION	.015	.059	.069	.005	.808	.058	.048	.077	.029	.558	.030	.045	.060	.015	.749
	99	.022	.042	.046	.013	.071	.059	.054	.067	.042	.125	.031	.038	.043	.022	.079
	95	.017	.032	.035	.010	.054	.045	.041	.051	.032	.095	.024	.029	.033	.017	.060
	90	.014	.027	.029	.008	.045	.038	.035	.043	.027	.080	.020	.024	.028	.014	.051
	80	.011	.021	.023	.006	.035	.029	.027	.033	.021	.062	.016	.019	.022	.011	.039
	ROOMS	3	14	16	1	264	6	5	8	3	76	6	11	14	3	201
	FRACTION	.008	.036	.041	.003	.670	.040	.033	.053	.020	.503	.020	.037	.047	.010	.679
	SURFACES	7	25	29	3	524	6	5	8	3	78	6	11	14	3	218
	FRACTION	.005	.017	.020	.002	.358	.038	.031	.050	.019	.491	.019	.035	.044	.009	.690
6C-75	DWELLINGS	0	1	1	0	70	0	1	1	0	16	0	2	2	0	62
	FRACTION	.000	.009	.009	.000	.654	.000	.034	.034	.000	.552	.000	.020	.020	.000	.626
	99	.000	.024	.024	.000	.118	.000	.087	.087	.000	.237	.000	.036	.036	.000	.124
	95	.000	.018	.018	.000	.090	.000	.066	.066	.000	.181	.000	.028	.028	.000	.095
	90	.000	.015	.015	.000	.075	.000	.056	.056	.000	.152	.000	.023	.023	.000	.080
	80	.000	.012	.012	.000	.059	.000	.043	.043	.000	.118	.000	.018	.018	.000	.062
	ROOMS	0	1	1	0	106	0	1	1	0	17	0	2	2	0	81
	FRACTION	.000	.005	.005	.000	.505	.000	.025	.025	.000	.425	.000	.014	.014	.000	.563
	SURFACES	0	1	1	0	181	0	1	1	0	18	0	2	2	0	90
	FRACTION	.000	.001	.001	.000	.232	.000	.024	.024	.000	.429	.000	.012	.012	.000	.556
ALL	DWELLINGS	54	123	130	47	754	64	100	116	48	491	60	107	122	45	689
	FRACTION	.060	.138	.145	.053	.843	.102	.159	.185	.076	.782	.070	.125	.142	.053	.804
	99	.020	.029	.030	.019	.031	.031	.037	.040	.027	.042	.022	.029	.030	.019	.035
	95	.016	.023	.023	.015	.024	.024	.029	.030	.021	.032	.017	.022	.023	.015	.022
	90	.013	.019	.019	.012	.020	.020	.024	.025	.017	.027	.014	.019	.020	.012	.022
	80	.010	.015	.015	.010	.016	.015	.019	.020	.014	.021	.011	.014	.015	.010	.017
	ROOMS	66	162	169	59	1234	71	125	142	54	692	69	148	164	53	992
	FRACTION	.039	.095	.099	.035	.724	.073	.128	.145	.055	.709	.052	.111	.123	.040	.741
	SURFACES	179	421	440	160	2927	99	171	195	75	864	88	198	217	69	1231
	FRACTION	.028	.065	.068	.025	.454	.082	.142	.162	.062	.718	.054	.122	.134	.043	.758

HIGHEST LEAD READING FOR WET ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****											
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL								
PRE 40 DWELLINGS	44	89	93	40	418	50	80	91	39	357	48	83	94	37	396
FRACTION	.076	.154	.161	.069	.723	.102	.163	.186	.080	.729	.087	.150	.170	.067	.715
99	.028	.038	.039	.027	.048	.035	.043	.045	.031	.051	.031	.039	.041	.027	.049
95	.022	.029	.030	.021	.036	.027	.033	.034	.024	.039	.023	.030	.031	.021	.038
90	.018	.025	.025	.017	.031	.022	.027	.029	.020	.033	.020	.025	.026	.017	.032
80	.014	.019	.020	.014	.024	.018	.021	.022	.016	.026	.015	.019	.020	.014	.025
ROOMS	52	114	118	48	612	55	100	112	43	482	54	112	124	42	565
FRACTION	.048	.105	.108	.044	.563	.071	.129	.145	.055	.622	.061	.126	.139	.047	.635
SURFACES	130	292	302	120	1549	80	142	159	63	627	71	157	172	56	746
FRACTION	.031	.070	.073	.029	.373	.081	.143	.160	.064	.632	.063	.138	.152	.049	.657
40-59 DWELLINGS	2	4	5	1	98	3	4	5	2	34	3	6	7	2	90
FRACTION	.010	.020	.025	.005	.483	.029	.038	.048	.019	.327	.015	.030	.035	.010	.452
99	.018	.025	.028	.013	.090	.042	.048	.054	.035	.118	.022	.031	.033	.018	.090
95	.014	.019	.021	.010	.069	.032	.037	.041	.026	.090	.017	.024	.026	.014	.069
90	.011	.016	.018	.008	.058	.027	.031	.035	.022	.076	.014	.020	.021	.012	.058
80	.009	.012	.014	.006	.045	.021	.024	.027	.017	.059	.011	.016	.017	.009	.045
ROOMS	2	4	5	1	139	3	4	5	2	42	3	8	9	2	112
FRACTION	.005	.010	.013	.003	.353	.020	.026	.033	.013	.278	.010	.027	.030	.007	.378
SURFACES	2	6	7	1	256	3	4	5	2	42	3	8	9	2	124
FRACTION	.001	.004	.005	.001	.175	.019	.025	.031	.013	.264	.009	.025	.028	.006	.392
60-75 DWELLINGS	0	0	0	0	32	0	1	1	0	8	0	0	0	0	42
FRACTION	.000	.000	.000	.000	.299	.000	.034	.034	.000	.276	.000	.000	.000	.000	.424
99	.000	.000	.000	.000	.113	.000	.087	.087	.000	.213	.000	.000	.000	.000	.127
95	.000	.000	.000	.000	.087	.000	.066	.066	.000	.163	.000	.000	.000	.000	.097
90	.000	.000	.000	.000	.073	.000	.056	.056	.000	.137	.000	.000	.000	.000	.082
80	.000	.000	.000	.000	.057	.000	.043	.043	.000	.106	.000	.000	.000	.000	.064
ROOMS	0	0	0	0	39	0	1	1	0	9	0	0	0	0	49
FRACTION	.000	.000	.000	.000	.186	.000	.025	.025	.000	.225	.000	.000	.000	.000	.340
SURFACES	0	0	0	0	56	0	1	1	0	9	0	0	0	0	57
FRACTION	.000	.000	.000	.000	.072	.000	.024	.024	.000	.214	.000	.000	.000	.000	.352
ALL DWELLINGS	46	93	98	41	550	53	85	97	41	400	52	90	102	40	531
FRACTION	.051	.104	.110	.046	.615	.084	.135	.154	.065	.637	.061	.105	.119	.047	.620
99	.019	.026	.027	.018	.042	.028	.035	.037	.025	.049	.021	.027	.028	.018	.042
95	.014	.020	.020	.014	.032	.022	.027	.028	.019	.038	.016	.020	.022	.014	.032
90	.012	.017	.017	.011	.027	.018	.022	.024	.016	.032	.013	.017	.018	.012	.027
80	.009	.013	.013	.009	.021	.014	.017	.018	.013	.025	.010	.013	.014	.009	.021
ROOMS	54	118	123	49	792	58	105	118	45	534	58	121	134	45	731
FRACTION	.032	.069	.072	.029	.465	.059	.108	.121	.046	.547	.043	.090	.100	.034	.546
SURFACES	132	298	309	121	1864	83	147	165	65	680	75	166	182	59	934
FRACTION	.020	.046	.048	.019	.289	.069	.122	.137	.054	.565	.046	.102	.112	.036	.575

HIGHEST LEAD READING FOR WET ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

	***** WALLS *****	***** WINDOWS *****	***** DOORS *****	***** ALL *****	***** PEELING BAD EITHER *****	***** BOTH *****	***** ALL *****	***** PEELING BAD EITHER *****	***** BOTH *****	***** ALL *****
PRE 40 DWELLINGS	31 66 68 29 303	39 67 75 31 278	36 68 74 30 301	36 68 74 30 301	0.054 .114 .118 .050 .524	0.080 .137 .153 .063 .567	0.065 .123 .134 .054 .543	0.054 .114 .118 .050 .524	0.080 .137 .153 .063 .567	0.065 .123 .134 .054 .543
FRACTION	.024 .034 .034 .023 .053	.031 .040 .042 .028 .057	.027 .036 .037 .025 .054	.027 .036 .037 .025 .054	.018 .026 .018 .041	.034 .040 .042 .028 .057	.021 .027 .028 .019 .041	.018 .026 .018 .041	.034 .040 .042 .028 .057	.021 .027 .028 .019 .041
95	.015 .022 .022 .015 .034	.020 .026 .027 .018 .037	.017 .023 .024 .016 .035	.017 .023 .024 .016 .035	.012 .017 .017 .012 .027	.016 .020 .021 .014 .029	.013 .018 .018 .012 .027	.012 .017 .017 .012 .027	.016 .020 .021 .014 .029	.013 .018 .018 .012 .027
80	39 84 86 37 410	44 80 89 35 355	40 88 95 33 404	40 88 95 33 404	.036 .077 .079 .034 .377	.057 .103 .115 .045 .458	.045 .099 .107 .037 .454	.036 .077 .079 .034 .377	.057 .103 .115 .045 .458	.045 .099 .107 .037 .454
FRACTION	.96 210 218 88 1087	.62 113 127 48 462	.54 124 134 44 551	.54 124 134 44 551	.023 .051 .053 .021 .262	.063 .114 .128 .048 .466	.048 .109 .118 .039 .485	.023 .051 .053 .021 .262	.063 .114 .128 .048 .466	.048 .109 .118 .039 .485
SURFACES	0 2 2 0 33	2 3 3 2 15	2 4 4 2 26	2 4 4 2 26	.000 .010 .010 .000 .163	.019 .029 .029 .019 .144	.010 .020 .020 .010 .131	.000 .010 .010 .000 .163	.019 .029 .029 .019 .144	.010 .020 .020 .010 .131
FRACTION	.000 .018 .018 .000 .066	.035 .042 .042 .035 .088	.018 .025 .025 .018 .061	.018 .025 .025 .018 .061	.000 .014 .014 .000 .051	.026 .032 .032 .026 .068	.014 .019 .019 .014 .047	.000 .014 .014 .000 .051	.026 .032 .032 .026 .068	.014 .019 .019 .014 .047
95	.000 .011 .011 .000 .043	.022 .027 .027 .022 .057	.012 .016 .016 .012 .039	.012 .016 .016 .012 .039	.000 .009 .009 .000 .033	.017 .021 .021 .017 .044	.009 .013 .013 .009 .031	.000 .009 .009 .000 .033	.017 .021 .021 .017 .044	.009 .013 .013 .009 .031
80	0 2 2 0 41	2 3 3 2 18	2 6 6 2 34	2 6 6 2 34	.000 .005 .005 .000 .104	.013 .020 .020 .013 .119	.007 .020 .020 .007 .115	.000 .005 .005 .000 .104	.013 .020 .020 .013 .119	.007 .020 .020 .007 .115
FRACTION	0 3 3 0 95	2 3 3 2 18	2 6 6 2 38	2 6 6 2 38	.000 .002 .002 .000 .065	.013 .019 .019 .013 .113	.006 .019 .019 .006 .120	.000 .002 .002 .000 .065	.013 .019 .019 .013 .113	.006 .019 .019 .006 .120
SURFACES	0 0 0 0 7	0 1 1 0 3	0 0 0 0 6	0 0 0 0 6	.000 .000 .000 .000 .065	.000 .034 .034 .000 .103	.000 .000 .000 .000 .061	.000 .000 .000 .000 .065	.000 .034 .034 .000 .103	.000 .000 .000 .000 .061
FRACTION	.000 .000 .000 .000 .047	.000 .066 .066 .000 .111	.000 .000 .000 .000 .047	.000 .000 .000 .000 .047	.000 .000 .000 .000 .039	.000 .056 .056 .000 .093	.000 .000 .000 .000 .039	.000 .000 .000 .000 .039	.000 .056 .056 .000 .093	.000 .000 .000 .000 .039
95	.000 .000 .000 .000 .031	.000 .043 .043 .000 .073	.000 .000 .000 .000 .031	.000 .000 .000 .000 .031	0 0 0 0 8	0 1 1 0 3	0 0 0 0 8	0 0 0 0 8	0 1 1 0 3	0 0 0 0 8
80	0 0 0 0 038	0 0 0 0 075	0 0 0 0 056	0 0 0 0 056	.000 .000 .000 .000 .022	.000 .024 .024 .000 .071	.000 .000 .000 .000 .022	.000 .000 .000 .000 .022	.000 .024 .024 .000 .071	.000 .000 .000 .000 .022
FRACTION	0 0 0 0 17	0 1 1 0 3	0 0 0 0 11	0 0 0 0 11	0 0 0 0 022	0 0 0 0 071	0 0 0 0 068	0 0 0 0 022	0 0 0 0 071	0 0 0 0 068
SURFACES	31 68 70 29 344	41 71 79 33 296	39 73 79 33 334	39 73 79 33 334	.035 .076 .078 .032 .385	.065 .113 .126 .053 .471	.046 .085 .092 .039 .390	.035 .076 .078 .032 .385	.065 .113 .126 .053 .471	.046 .085 .092 .039 .390
FRACTION	.016 .023 .023 .015 .042	.025 .032 .034 .023 .051	.018 .024 .025 .017 .043	.018 .024 .025 .017 .043	.012 .017 .018 .012 .032	.019 .025 .026 .017 .039	.014 .019 .019 .013 .033	.012 .017 .018 .012 .032	.019 .025 .026 .017 .039	.014 .019 .019 .013 .033
95	.010 .015 .015 .010 .027	.016 .021 .022 .015 .033	.012 .016 .016 .012 .027	.012 .016 .016 .012 .027	.008 .011 .011 .008 .021	.013 .016 .017 .011 .025	.009 .012 .012 .008 .021	.008 .011 .011 .008 .021	.013 .016 .017 .011 .025	.009 .012 .012 .008 .021
80	39 86 88 37 460	46 84 93 37 376	43 95 102 36 448	43 95 102 36 448	.023 .050 .052 .022 .270	.047 .086 .095 .038 .385	.032 .071 .076 .027 .335	.023 .050 .052 .022 .270	.047 .086 .095 .038 .385	.032 .071 .076 .027 .335
FRACTION	96 213 221 88 1200	64 117 131 50 483	57 131 141 47 603	57 131 141 47 603	.015 .033 .034 .014 .186	.053 .097 .109 .042 .401	.035 .081 .087 .029 .372	.015 .033 .034 .014 .186	.053 .097 .109 .042 .401	.035 .081 .087 .029 .372
SURFACES	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
FRACTION										

HIGHEST LEAD READING FOR WET ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

	***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL			
PRE 40 DWELLINGS	23	50	52	21	199	23	43	47	19	185	24	45	50	19	215
FRACTION	.040	.087	.090	.036	.344	.047	.088	.096	.039	.378	.043	.081	.090	.034	.388
99	.021	.030	.030	.020	.051	.024	.033	.034	.022	.056	.022	.030	.031	.020	.053
95	.016	.023	.023	.015	.039	.019	.025	.026	.017	.043	.017	.023	.024	.015	.041
90	.013	.019	.020	.013	.032	.016	.021	.022	.014	.036	.014	.019	.020	.013	.034
80	.010	.015	.015	.010	.025	.012	.016	.017	.011	.028	.011	.015	.016	.010	.026
ROOMS	27	60	62	25	246	25	47	52	20	224	25	54	60	19	274
FRACTION	.025	.055	.057	.023	.226	.032	.061	.067	.026	.289	.028	.061	.067	.021	.308
SURFACES	65	148	156	57	651	33	67	74	26	289	32	76	84	24	379
FRACTION	.016	.036	.038	.014	.157	.033	.068	.075	.026	.291	.028	.067	.074	.021	.334
40-59 DWELLINGS	0	1	1	0	19	2	2	2	2	7	2	3	3	2	10
FRACTION	.000	.005	.005	.000	.094	.019	.019	.019	.019	.067	.010	.015	.015	.010	.050
99	.000	.013	.013	.000	.052	.035	.035	.035	.035	.053	.018	.022	.022	.018	.040
95	.000	.010	.010	.000	.040	.026	.026	.026	.026	.048	.014	.017	.017	.014	.030
90	.000	.008	.008	.000	.034	.022	.022	.022	.022	.040	.012	.014	.014	.012	.025
80	.000	.006	.006	.000	.026	.017	.017	.017	.017	.031	.009	.011	.011	.009	.020
ROOMS	0	1	1	0	23	2	2	2	2	8	2	3	3	2	14
FRACTION	.000	.003	.003	.000	.058	.013	.013	.013	.013	.053	.007	.010	.010	.007	.047
SURFACES	0	2	2	0	57	2	2	2	2	8	2	3	3	2	17
FRACTION	.000	.001	.001	.000	.039	.013	.013	.013	.013	.050	.006	.009	.009	.006	.054
60-75 DWELLINGS	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.034	.034	.000	.069	.000	.000	.000	.000	.000
99	.000	.000	.000	.000	.000	.000	.087	.087	.000	.121	.000	.000	.000	.000	.000
95	.000	.000	.000	.000	.000	.000	.066	.066	.000	.092	.000	.000	.000	.000	.000
90	.000	.000	.000	.000	.000	.000	.056	.056	.000	.077	.000	.000	.000	.000	.000
80	.000	.000	.000	.000	.000	.000	.043	.043	.000	.060	.000	.000	.000	.000	.000
ROOMS	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.025	.025	.000	.050	.000	.000	.000	.000	.000
SURFACES	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.024	.024	.000	.048	.000	.000	.000	.000	.000
ALL DWELLINGS	23	51	53	21	219	25	46	50	21	194	27	49	54	22	226
FRACTION	.026	.057	.059	.023	.245	.040	.073	.080	.033	.309	.032	.057	.063	.026	.264
99	.014	.020	.020	.013	.037	.020	.027	.028	.018	.047	.015	.020	.021	.014	.038
95	.010	.015	.015	.010	.028	.015	.020	.021	.014	.036	.012	.015	.016	.011	.029
90	.009	.013	.013	.008	.024	.013	.017	.018	.012	.030	.010	.013	.014	.009	.025
80	.007	.010	.010	.006	.018	.010	.013	.014	.009	.024	.008	.010	.011	.007	.019
ROOMS	27	61	63	25	270	27	50	55	22	234	28	58	64	22	290
FRACTION	.016	.036	.037	.015	.158	.028	.051	.056	.023	.240	.021	.043	.048	.016	.217
SURFACES	65	150	158	57	709	35	70	77	28	299	35	80	88	27	399
FRACTION	.010	.023	.025	.009	.110	.029	.058	.064	.023	.248	.022	.049	.054	.017	.246

HIGHEST LEAD READING FOR WET ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

		***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****		***** ALL *****						
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL			
PRE 40 DWELLINGS		17	37	39	15	163	14	29	32	11	132	16	32	36	12	157
FRACTION		.029	.064	.067	.026	.282	.029	.059	.065	.022	.269	.029	.058	.065	.022	.283
99		.018	.026	.027	.017	.048	.019	.027	.029	.017	.051	.018	.025	.027	.016	.049
95		.014	.020	.020	.013	.037	.015	.021	.022	.013	.039	.014	.019	.021	.012	.037
90		.012	.017	.017	.011	.031	.012	.018	.018	.011	.033	.012	.016	.017	.010	.031
80		.009	.013	.013	.008	.024	.010	.014	.014	.009	.026	.009	.013	.013	.008	.024
ROOMS		19	45	47	17	196	15	31	34	12	153	16	36	40	12	179
FRACTION		.017	.041	.043	.016	.180	.019	.040	.044	.015	.197	.018	.040	.045	.013	.201
SURFACES		41	109	114	36	496	20	44	48	16	198	23	52	58	17	251
FRACTION		.010	.026	.027	.009	.120	.020	.044	.048	.016	.200	.020	.046	.051	.015	.221
40-59 DWELLINGS		0	0	0	0	13	2	2	2	2	6	1	1	1	1	5
FRACTION		.000	.000	.000	.000	.064	.019	.019	.019	.019	.058	.005	.005	.005	.005	.025
99		.000	.000	.000	.000	.044	.035	.035	.035	.035	.059	.013	.013	.013	.013	.028
95		.000	.000	.000	.000	.034	.026	.026	.026	.026	.045	.010	.010	.010	.010	.022
90		.000	.000	.000	.000	.028	.022	.022	.022	.022	.038	.008	.008	.008	.008	.018
80		.000	.000	.000	.000	.022	.017	.017	.017	.017	.029	.006	.006	.006	.006	.014
ROOMS		0	0	0	0	16	2	2	2	2	7	1	1	1	1	7
FRACTION		.000	.000	.000	.000	.041	.013	.013	.013	.013	.046	.003	.003	.003	.003	.024
SURFACES		0	0	0	0	32	2	2	2	2	7	1	1	1	1	9
FRACTION		.000	.000	.000	.000	.022	.013	.013	.013	.013	.044	.003	.003	.003	.003	.028
60-75 DWELLINGS		0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.034	.000	.000	.000	.000	.000
99		.000	.000	.000	.000	.000	.000	.000	.000	.000	.087	.000	.000	.000	.000	.000
95		.000	.000	.000	.000	.000	.000	.000	.000	.000	.066	.000	.000	.000	.000	.000
90		.000	.000	.000	.000	.000	.000	.000	.000	.000	.056	.000	.000	.000	.000	.000
80		.000	.000	.000	.000	.000	.000	.000	.000	.000	.043	.000	.000	.000	.000	.000
ROOMS		0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.025	.000	.000	.000	.000	.000
SURFACES		0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.024	.000	.000	.000	.000	.000
ALL DWELLINGS		17	37	39	15	177	16	31	34	13	139	17	33	37	13	162
FRACTION		.019	.041	.044	.017	.198	.025	.049	.054	.021	.221	.020	.039	.043	.015	.189
99		.012	.017	.017	.011	.034	.016	.022	.023	.015	.042	.012	.017	.018	.011	.034
95		.009	.013	.013	.008	.026	.012	.017	.018	.011	.032	.009	.013	.014	.008	.026
90		.007	.011	.011	.007	.022	.010	.014	.015	.009	.027	.008	.011	.011	.007	.022
80		.006	.009	.009	.005	.017	.008	.011	.012	.007	.021	.006	.008	.009	.005	.017
ROOMS		19	45	47	17	213	17	33	36	14	161	17	37	41	13	186
FRACTION		.011	.026	.028	.010	.125	.017	.034	.037	.014	.165	.013	.028	.031	.010	.139
SURFACES		41	109	114	36	529	22	46	50	18	206	24	53	59	18	260
FRACTION		.006	.017	.018	.006	.082	.018	.038	.042	.015	.171	.015	.033	.036	.011	.160

HIGHEST LEAD READING FOR ALL ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****	
PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BOTH
PRE 40 DWELLINGS	108 187 196	100 154 179	73 560	92 150 173	69 582		
FRACTION	.184 .318 .333	.179 .275 .320	.130 1.000	.158 .258 .297	.119 1.000		
99	.041 .049 .050	.041 .048 .050	.036 .000	.039 .046 .048	.034 .000		
95	.031 .038 .038	.030 .000	.028 .000	.030 .035 .037	.026 .000		
90	.026 .032 .032	.025 .000	.023 .000	.025 .030 .031	.022 .000		
80	.020 .025 .025	.020 .000	.018 .000	.019 .023 .024	.017 .000		
ROOMS	180 462 482	194 367 426	135 2094	177 377 425	129 2286		
FRACTION	.062 .158 .165	.093 .175 .203	.064 1.000	.077 .165 .186	.056 1.000		
SURFACES	675 1722 1799	313 582 684	211 3240	271 605 672	204 3516		
FRACTION	.062 .157 .164	.097 .180 .211	.065 1.000	.077 .172 .191	.058 1.000		
40-59 DWELLINGS	8 26 28	17 18 26	9 137	20 22 30	12 203		
FRACTION	.039 .127 .137	.124 .131 .190	.066 1.000	.099 .108 .148	.059 1.000		
99	.035 .059 .061	.028 .000	.054 .000	.054 .056 .064	.042 .000		
95	.026 .046 .047	.021 .000	.041 .000	.041 .043 .049	.032 .000		
90	.022 .038 .039	.018 .000	.035 .000	.034 .036 .041	.027 .000		
80	.017 .030 .031	.014 .000	.027 .000	.027 .028 .032	.021 .000		
ROOMS	9 42 46	32 34 52	14 403	34 42 59	17 718		
FRACTION	.010 .045 .049	.079 .084 .129	.035 1.000	.047 .058 .082	.024 1.000		
SURFACES	32 157 171	35 41 61	15 479	39 47 64	22 898		
FRACTION	.009 .045 .049	.073 .086 .127	.031 1.000	.043 .052 .071	.024 1.000		
60-75 DWELLINGS	0 1 1	3 4 5	2 59	3 5 6	2 106		
FRACTION	.000 .009 .009	.051 .068 .085	.034 1.000	.028 .047 .057	.019 1.000		
99	.000 .024 .024	.073 .084 .093	.060 .000	.041 .053 .057	.034 .000		
95	.000 .018 .018	.056 .064 .071	.046 .000	.032 .040 .044	.026 .000		
90	.000 .015 .015	.047 .054 .060	.039 .000	.026 .034 .037	.022 .000		
80	.000 .012 .012	.037 .042 .046	.030 .000	.021 .026 .029	.017 .000		
ROOMS	0 1 1	3 4 5	2 153	3 5 6	2 369		
FRACTION	.000 .002 .002	.020 .026 .033	.013 1.000	.008 .014 .016	.005 1.000		
SURFACES	0 3 3	3 4 5	2 168	3 5 6	2 519		
FRACTION	.000 .002 .002	.018 .024 .030	.012 1.000	.006 .010 .012	.004 1.000		
ALL DWELLINGS	118 216 227	121 178 212	85 762	116 179 211	84 897		
FRACTION	.130 .238 .251	.159 .234 .278	.112 1.000	.129 .200 .235	.094 1.000		
99	.029 .036 .037	.034 .039 .041	.029 .000	.029 .034 .036	.025 .000		
95	.022 .028 .028	.028 .028 .032	.022 .000	.022 .026 .028	.019 .000		
90	.018 .023 .024	.022 .025 .027	.019 .000	.018 .022 .023	.016 .000		
80	.014 .018 .018	.017 .020 .021	.015 .000	.014 .017 .018	.012 .000		
ROOMS	193 513 537	232 410 488	154 2675	216 428 494	150 3395		
FRACTION	.044 .116 .122	.087 .153 .182	.058 1.000	.064 .126 .146	.044 1.000		
SURFACES	723 1914 2005	355 635 758	232 3919	316 663 748	231 4966		
FRACTION	.044 .116 .122	.091 .162 .193	.059 1.000	.064 .134 .151	.047 1.000		

HIGHEST LEAD READING FOR ALL ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

	***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****								
	BAD	EITHER	BAD	EITHER	BAD	EITHER	BAD	EITHER							
	BOTH	ALL	BOTH	ALL	BOTH	ALL	BOTH	ALL							
PRE 40 DWELLINGS	95	169	177	86	571	94	144	168	68	510	86	140	162	64	549
FRACTION	.162	.287	.301	.146	.971	.168	.257	.300	.121	.911	.148	.241	.278	.110	.943
99	.039	.048	.048	.037	.018	.040	.047	.050	.035	.031	.038	.045	.048	.033	.025
95	.030	.037	.037	.029	.014	.031	.036	.038	.027	.024	.029	.035	.036	.025	.019
90	.025	.031	.031	.024	.011	.026	.030	.032	.023	.020	.024	.029	.031	.021	.016
80	.019	.024	.024	.019	.009	.020	.024	.025	.018	.015	.019	.023	.024	.017	.012
ROOMS	147	352	369	130	2072	174	305	358	121	1521	153	328	369	112	1742
FRACTION	.050	.121	.126	.045	.710	.083	.146	.171	.058	.726	.067	.143	.161	.049	.762
SURFACES	364	820	862	322	4645	280	489	582	187	2352	235	529	586	178	2689
FRACTION	.033	.075	.079	.029	.425	.086	.151	.180	.058	.726	.067	.150	.167	.051	.765
40-59 DWELLINGS	4	18	19	2	183	14	11	19	6	92	19	19	27	11	183
FRACTION	.020	.088	.093	.010	.893	.102	.080	.139	.044	.672	.094	.094	.133	.054	.901
99	.025	.051	.052	.018	.055	.066	.059	.076	.045	.103	.052	.052	.061	.041	.054
95	.019	.039	.040	.013	.042	.051	.045	.058	.034	.079	.040	.040	.047	.031	.041
90	.016	.032	.033	.011	.036	.043	.038	.049	.029	.066	.034	.034	.039	.026	.034
80	.012	.025	.026	.009	.028	.033	.030	.038	.022	.051	.026	.026	.030	.020	.027
ROOMS	5	23	26	2	586	21	17	29	9	205	27	29	44	12	486
FRACTION	.005	.024	.028	.002	.621	.052	.042	.072	.022	.509	.038	.040	.061	.017	.677
SURFACES	9	38	43	4	1162	24	18	32	10	239	31	33	48	16	612
FRACTION	.003	.011	.012	.001	.335	.050	.038	.067	.021	.499	.035	.037	.053	.018	.682
60-75 DWELLINGS	0	1	1	0	90	1	3	3	1	32	1	3	4	0	84
FRACTION	.000	.009	.009	.000	.841	.017	.051	.051	.017	.542	.009	.028	.038	.000	.792
99	.000	.024	.024	.000	.090	.043	.073	.073	.043	.166	.024	.041	.047	.000	.101
95	.000	.018	.018	.000	.069	.033	.056	.056	.033	.127	.018	.032	.036	.000	.077
90	.000	.015	.015	.000	.058	.028	.047	.047	.028	.107	.015	.026	.030	.000	.065
80	.000	.012	.012	.000	.045	.022	.037	.037	.022	.083	.012	.021	.024	.000	.050
ROOMS	0	1	1	0	249	1	3	3	1	52	1	3	4	0	214
FRACTION	.000	.002	.002	.000	.484	.007	.020	.020	.007	.340	.003	.008	.011	.000	.580
SURFACES	0	1	1	0	419	1	3	3	1	55	1	3	4	0	300
FRACTION	.000	.001	.001	.000	.220	.006	.018	.018	.006	.327	.002	.006	.008	.000	.578
ALL DWELLINGS	100	190	199	89	850	110	159	191	76	639	107	163	194	76	822
FRACTION	.110	.210	.220	.098	.938	.144	.209	.251	.100	.839	.119	.182	.216	.085	.916
99	.027	.035	.035	.025	.020	.033	.038	.040	.028	.034	.028	.033	.035	.024	.024
95	.020	.026	.027	.019	.016	.025	.029	.031	.021	.026	.021	.025	.027	.018	.018
90	.017	.022	.023	.016	.013	.021	.024	.026	.018	.022	.018	.021	.023	.015	.015
80	.013	.017	.018	.013	.010	.016	.019	.020	.014	.017	.014	.016	.018	.012	.012
ROOMS	153	379	399	133	2929	198	328	393	133	1790	183	363	420	126	2457
FRACTION	.035	.086	.091	.030	.665	.074	.123	.147	.050	.669	.054	.107	.124	.037	.724
SURFACES	374	863	910	327	6266	308	515	622	201	2664	270	570	643	197	3620
FRACTION	.023	.052	.055	.020	.381	.079	.131	.159	.051	.680	.054	.115	.129	.040	.729

HIGHEST LEAD READING FOR ALL ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

	***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL						
PRE 40 DWELLINGS	76	136	141	70	501	81	127	146	60	456	78	127	146	59	493
FRACTION	.129	.231	.240	.119	.852	.145	.227	.261	.107	.814	.134	.218	.251	.101	.847
99	.035	.044	.045	.034	.037	.038	.045	.047	.033	.042	.036	.044	.046	.032	.038
95	.027	.034	.034	.026	.029	.029	.035	.036	.026	.032	.028	.034	.035	.024	.029
90	.023	.029	.029	.022	.024	.024	.029	.030	.021	.027	.023	.028	.030	.021	.025
80	.018	.022	.023	.017	.019	.019	.023	.024	.017	.021	.018	.022	.023	.016	.019
ROOMS	104	226	235	95	1261	142	259	299	102	1216	135	274	311	98	1356
FRACTION	.036	.077	.081	.033	.432	.068	.124	.143	.049	.581	.059	.120	.136	.043	.593
SURFACES	250	537	559	228	2787	228	422	489	161	1899	205	441	494	152	2110
FRACTION	.023	.049	.051	.021	.255	.070	.130	.151	.050	.586	.058	.125	.141	.043	.600
40-59 DWELLINGS	3	7	8	2	127	9	8	12	5	58	10	11	16	5	141
FRACTION	.015	.034	.039	.010	.620	.066	.058	.088	.036	.423	.049	.054	.079	.025	.695
99	.021	.032	.035	.018	.087	.054	.051	.062	.041	.108	.039	.041	.048	.028	.083
95	.016	.025	.026	.013	.066	.041	.039	.047	.031	.083	.030	.031	.037	.021	.063
90	.014	.021	.022	.011	.056	.035	.033	.040	.026	.069	.025	.026	.031	.018	.053
80	.011	.016	.017	.009	.043	.027	.026	.031	.021	.054	.019	.020	.024	.014	.041
ROOMS	3	7	8	2	292	10	10	14	6	108	14	20	28	6	287
FRACTION	.003	.007	.008	.002	.310	.025	.025	.035	.015	.268	.019	.028	.039	.008	.400
SURFACES	3	10	11	2	521	12	11	16	7	127	18	24	32	10	363
FRACTION	.001	.003	.003	.001	.150	.025	.023	.033	.015	.265	.020	.027	.036	.011	.404
60-75 DWELLINGS	0	0	0	0	43	1	2	2	1	13	1	0	1	0	53
FRACTION	.000	.000	.000	.000	.402	.017	.034	.034	.017	.220	.009	.000	.009	.000	.500
99	.000	.000	.000	.000	.121	.043	.060	.060	.043	.138	.024	.000	.024	.000	.124
95	.000	.000	.000	.000	.093	.033	.046	.046	.033	.106	.018	.000	.018	.000	.095
90	.000	.000	.000	.000	.078	.028	.039	.039	.028	.089	.015	.000	.015	.000	.080
80	.000	.000	.000	.000	.061	.022	.030	.030	.022	.069	.012	.000	.012	.000	.062
ROOMS	0	0	0	0	80	1	2	2	1	23	1	0	1	0	115
FRACTION	.000	.000	.000	.000	.156	.007	.013	.013	.007	.150	.003	.000	.003	.000	.312
SURFACES	0	0	0	0	112	1	2	2	1	24	1	0	1	0	153
FRACTION	.000	.000	.000	.000	.059	.006	.012	.012	.006	.143	.002	.000	.002	.000	.295
ALL DWELLINGS	79	145	151	72	676	92	138	161	67	529	90	139	164	65	692
FRACTION	.087	.160	.167	.079	.746	.121	.181	.211	.088	.694	.100	.155	.183	.072	.771
99	.024	.031	.032	.023	.037	.030	.036	.038	.026	.043	.026	.031	.033	.022	.036
95	.018	.024	.024	.018	.028	.023	.027	.029	.020	.033	.020	.024	.025	.017	.027
90	.015	.020	.020	.015	.024	.019	.023	.024	.017	.027	.016	.020	.021	.014	.023
80	.012	.016	.016	.011	.018	.015	.018	.019	.013	.021	.013	.015	.016	.011	.018
ROOMS	107	235	245	97	1642	155	274	318	111	1353	152	297	343	106	1768
FRACTION	.024	.053	.056	.022	.373	.058	.102	.119	.041	.506	.045	.087	.101	.031	.521
SURFACES	253	549	572	230	3431	244	440	512	172	2061	227	470	532	165	2640
FRACTION	.015	.033	.035	.014	.209	.062	.112	.131	.044	.526	.046	.095	.107	.033	.532

HIGHEST LEAD READING FOR ALL ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

	***** WALLS *****	***** WINDOWS *****	***** DOORS *****	***** ALL *****	***** PEELING *****	***** BAD *****	***** EITHER *****	***** BOTH *****	***** ALL *****	***** BOTH *****	***** EITHER *****	***** BOTH *****	***** ALL *****		
PRE 40 DWELLINGS	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING	PEELING		
FRACTION	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER	BAD EITHER		
99	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH	BOTH		
95	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL		
90	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL		
80	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL	ALL		
PRE 40 DWELLINGS	49	91	95	45	356	72	106	126	50	380	67	104	120	51	376
FRACTION	.083	.155	.162	.077	.605	.129	.189	.225	.089	.679	.115	.179	.206	.088	.646
99	.029	.038	.039	.028	.052	.036	.042	.045	.031	.050	.034	.041	.043	.030	.051
95	.022	.029	.030	.021	.039	.028	.032	.035	.024	.039	.026	.031	.033	.023	.039
90	.019	.024	.025	.018	.033	.023	.027	.029	.020	.032	.022	.026	.028	.019	.033
80	.015	.019	.019	.014	.026	.018	.021	.023	.015	.025	.017	.020	.021	.015	.025
RCOMS	67	139	143	63	678	116	206	240	82	882	108	214	241	81	950
FRACTION	.023	.048	.049	.022	.232	.055	.098	.115	.039	.421	.047	.094	.105	.035	.416
SURFACES	163	349	361	151	1685	183	340	400	123	1390	170	352	391	131	1515
FRACTION	.015	.032	.033	.014	.154	.056	.105	.123	.038	.429	.048	.100	.111	.037	.431
40-59 DWELLINGS	0	3	3	0	43	3	3	4	2	26	7	8	12	3	58
FRACTION	.000	.015	.015	.000	.210	.022	.022	.029	.015	.190	.034	.039	.059	.015	.286
99	.000	.021	.021	.000	.073	.032	.032	.037	.026	.086	.033	.035	.042	.022	.081
95	.000	.016	.016	.000	.056	.025	.025	.028	.020	.066	.025	.027	.032	.017	.062
90	.000	.014	.014	.000	.047	.021	.021	.024	.017	.055	.021	.022	.027	.014	.052
80	.000	.011	.011	.000	.036	.016	.016	.018	.013	.043	.016	.017	.021	.011	.041
RCOMS	0	3	3	0	76	4	5	6	3	43	8	13	17	4	87
FRACTION	.000	.003	.003	.000	.081	.010	.012	.015	.007	.107	.011	.018	.024	.006	.121
SURFACES	0	4	4	0	172	6	6	8	4	55	10	15	19	6	102
FRACTION	.000	.001	.001	.000	.050	.013	.013	.017	.008	.115	.011	.017	.021	.007	.114
60-75 DWELLINGS	0	0	0	0	8	0	1	1	0	4	0	0	0	0	11
FRACTION	.000	.000	.000	.000	.075	.000	.017	.017	.000	.068	.000	.000	.000	.000	.104
99	.000	.000	.000	.000	.065	.000	.043	.043	.000	.084	.000	.000	.000	.000	.076
95	.000	.000	.000	.000	.050	.000	.033	.033	.000	.064	.000	.000	.000	.000	.058
90	.000	.000	.000	.000	.042	.000	.028	.028	.000	.054	.000	.000	.000	.000	.049
80	.000	.000	.000	.000	.033	.000	.022	.022	.000	.042	.000	.000	.000	.000	.038
ROOMS	0	0	0	0	16	0	1	1	0	5	0	0	0	0	18
FRACTION	.000	.000	.000	.000	.031	.000	.007	.007	.000	.033	.000	.000	.000	.000	.049
SURFACES	0	0	0	0	34	0	1	1	0	5	0	0	0	0	25
FRACTION	.000	.000	.000	.000	.018	.000	.006	.006	.000	.030	.000	.000	.000	.000	.048
ALL	49	94	98	45	408	76	111	132	53	411	75	113	133	55	447
FRACTION	.054	.104	.108	.050	.450	.100	.146	.173	.070	.539	.084	.126	.148	.061	.498
99	.019	.026	.026	.018	.042	.028	.033	.035	.024	.046	.024	.028	.030	.020	.043
95	.015	.020	.020	.014	.032	.021	.025	.027	.018	.035	.018	.022	.023	.016	.033
90	.012	.017	.017	.012	.027	.018	.021	.022	.015	.030	.015	.018	.019	.013	.027
80	.010	.013	.013	.009	.021	.014	.016	.018	.012	.023	.012	.014	.015	.010	.021
ROOMS	67	142	146	63	772	122	215	250	87	933	118	229	260	87	1060
FRACTION	.015	.032	.033	.014	.175	.046	.080	.093	.033	.349	.035	.067	.077	.025	.312
SURFACES	163	353	365	151	1894	192	352	414	130	1455	183	370	413	140	1649
FRACTION	.010	.021	.022	.009	.115	.049	.090	.106	.033	.371	.037	.075	.083	.028	.332

HIGHEST LEAD READING FOR ALL ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

		***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****								
		PEELING BAD EITHER BOTH		PEELING BAD EITHER BOTH		PEELING BAD EITHER BOTH		PEELING BAD EITHER BOTH								
PRE 40 DWELLINGS		35	66	69	32	241	58	83	98	42	292	53	83	97	39	293
FRACTION		.060	.112	.117	.054	.410	.104	.148	.175	.075	.521	.091	.143	.167	.067	.503
99		.025	.033	.034	.024	.052	.033	.038	.041	.028	.054	.031	.037	.040	.027	.053
95		.019	.025	.026	.018	.040	.025	.029	.029	.022	.041	.023	.028	.030	.020	.041
90		.016	.021	.022	.015	.033	.021	.025	.026	.018	.035	.020	.024	.025	.017	.034
80		.012	.017	.017	.012	.026	.016	.019	.021	.014	.027	.015	.019	.020	.013	.027
ROOMS		44	97	100	41	390	79	135	158	56	567	79	149	171	57	673
FRACTION		.015	.033	.034	.014	.134	.038	.064	.075	.027	.271	.035	.065	.075	.025	.294
SURFACES		104	237	246	95	959	124	221	262	83	877	128	247	280	95	1112
FRACTION		.010	.022	.022	.009	.088	.038	.068	.081	.026	.271	.036	.070	.080	.027	.316
40-59 DWELLINGS		0	2	2	0	20	2	3	3	2	10	2	3	3	2	15
FRACTION		.000	.010	.010	.000	.098	.015	.022	.022	.015	.073	.010	.015	.015	.010	.074
99		.000	.018	.018	.000	.053	.026	.032	.032	.026	.057	.018	.022	.022	.018	.047
95		.000	.013	.013	.000	.041	.020	.025	.025	.020	.044	.014	.017	.017	.014	.036
90		.000	.011	.011	.000	.034	.017	.021	.021	.017	.037	.011	.014	.014	.011	.030
80		.000	.009	.009	.000	.027	.013	.016	.016	.013	.028	.009	.011	.011	.009	.023
ROOMS		0	2	2	0	38	3	4	4	3	18	3	4	4	3	24
FRACTION		.000	.002	.002	.000	.040	.007	.010	.010	.007	.045	.004	.006	.006	.004	.033
SURFACES		0	3	3	0	84	4	5	5	4	24	5	6	6	5	32
FRACTION		.000	.001	.001	.000	.024	.008	.010	.010	.008	.050	.006	.007	.007	.006	.036
60-75 DWELLINGS		0	0	0	0	0	0	1	1	0	2	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.017	.017	.000	.034	.000	.000	.000	.000	.000
99		.000	.000	.000	.000	.000	.000	.043	.043	.000	.060	.000	.000	.000	.000	.000
95		.000	.000	.000	.000	.000	.000	.033	.033	.000	.046	.000	.000	.000	.000	.000
90		.000	.000	.000	.000	.000	.000	.028	.028	.000	.039	.000	.000	.000	.000	.000
80		.000	.000	.000	.000	.000	.000	.022	.022	.000	.030	.000	.000	.000	.000	.000
ROOMS		0	0	0	0	0	0	1	1	0	2	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.007	.007	.000	.013	.000	.000	.000	.000	.000
SURFACES		0	0	0	0	0	0	1	1	0	2	0	0	0	0	0
FRACTION		.000	.000	.000	.000	.000	.000	.006	.006	.000	.012	.000	.000	.000	.000	.000
ALL DWELLINGS		35	68	71	32	262	61	88	103	45	305	56	87	101	42	310
FRACTION		.039	.075	.078	.035	.289	.080	.115	.135	.059	.400	.062	.097	.113	.047	.346
99		.016	.022	.023	.016	.038	.025	.030	.032	.022	.045	.021	.025	.027	.018	.041
95		.013	.017	.017	.012	.029	.019	.023	.024	.017	.035	.016	.019	.021	.014	.031
90		.010	.014	.015	.010	.025	.016	.019	.020	.014	.029	.013	.016	.017	.012	.026
80		.008	.011	.011	.008	.019	.013	.015	.016	.011	.023	.010	.013	.013	.009	.020
ROOMS		44	99	102	41	430	83	141	164	60	588	84	155	177	62	702
FRACTION		.010	.022	.023	.009	.098	.031	.053	.061	.022	.220	.025	.046	.052	.018	.207
SURFACES		104	240	249	95	1045	130	229	270	89	905	136	256	289	103	1151
FRACTION		.006	.015	.015	.006	.064	.033	.058	.069	.023	.231	.027	.052	.058	.021	.232

HIGHEST LEAD READING FOR ALL ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS MULTIFAMILY-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****			***** PEELING *****				
		BAD EITHER BOTH ALL			BAD EITHER BOTH ALL			9AD EITHER BOTH ALL			PEELING 9AD EITHER BOTH ALL				
PRE 40 DWELLINGS	24	46	48	22	194	41	65	75	30	221	43	63	76	30	229
FRACTION	.041	.078	.082	.037	.330	.073	.116	.134	.054	.395	.074	.108	.131	.052	.393
99	.021	.028	.029	.020	.050	.028	.035	.037	.024	.053	.028	.033	.036	.023	.052
95	.016	.022	.022	.015	.038	.022	.026	.028	.019	.040	.021	.025	.027	.018	.040
90	.013	.018	.019	.013	.032	.018	.022	.024	.016	.034	.018	.021	.023	.015	.033
80	.010	.014	.014	.010	.025	.014	.017	.018	.012	.026	.014	.016	.018	.012	.026
ROOMS	30	69	71	28	292	52	95	109	38	378	59	99	116	42	436
FRACTION	.010	.024	.024	.010	.100	.025	.045	.052	.018	.181	.026	.043	.051	.018	.191
SURFACES	67	171	176	62	701	82	154	182	54	581	104	170	197	77	718
FRACTION	.006	.016	.016	.006	.064	.025	.048	.056	.017	.179	.030	.048	.056	.022	.204
40-59 DWELLINGS	0	1	1	0	16	2	2	2	2	8	1	1	1	1	7
FRACTION	.000	.005	.005	.000	.078	.015	.015	.015	.015	.058	.005	.005	.005	.005	.034
99	.000	.012	.012	.000	.048	.026	.026	.026	.026	.051	.013	.013	.013	.013	.033
95	.000	.010	.010	.000	.037	.020	.020	.020	.020	.039	.010	.010	.010	.010	.025
90	.000	.008	.008	.000	.031	.017	.017	.017	.017	.033	.008	.008	.008	.008	.021
80	.000	.006	.006	.000	.024	.013	.013	.013	.013	.026	.006	.006	.006	.006	.016
ROOMS	0	1	1	0	22	3	3	3	3	14	2	2	2	2	12
FRACTION	.000	.001	.001	.000	.023	.007	.007	.007	.007	.035	.003	.003	.003	.003	.017
SURFACES	0	1	1	0	41	4	4	4	4	18	4	4	4	4	17
FRACTION	.000	.000	.000	.000	.012	.008	.008	.008	.008	.038	.004	.004	.004	.004	.019
60-75 DWELLINGS	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.017	.000	.000	.000	.000	.000
99	.000	.000	.000	.000	.000	.000	.000	.000	.000	.043	.000	.000	.000	.000	.000
95	.000	.000	.000	.000	.000	.000	.000	.000	.000	.033	.000	.000	.000	.000	.000
90	.000	.000	.000	.000	.000	.000	.000	.000	.000	.028	.000	.000	.000	.000	.000
80	.000	.000	.000	.000	.000	.000	.000	.000	.000	.022	.000	.000	.000	.000	.000
ROOMS	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.007	.000	.000	.000	.000	.000
SURFACES	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
FRACTION	.000	.000	.000	.000	.000	.000	.000	.000	.000	.006	.000	.000	.000	.000	.000
ALL DWELLINGS	24	47	49	22	211	43	67	77	32	230	44	64	77	31	236
FRACTION	.026	.052	.054	.024	.233	.056	.088	.101	.042	.302	.049	.071	.086	.035	.263
99	.014	.019	.019	.013	.036	.021	.026	.028	.019	.043	.018	.022	.024	.016	.038
95	.010	.014	.015	.010	.027	.016	.020	.021	.014	.033	.014	.017	.018	.012	.029
90	.009	.012	.012	.008	.023	.014	.017	.018	.012	.027	.012	.014	.015	.010	.024
80	.007	.009	.010	.007	.018	.011	.013	.014	.009	.021	.009	.011	.012	.008	.019
ROOMS	30	70	72	28	315	55	98	112	41	393	61	101	118	44	448
FRACTION	.007	.016	.016	.006	.071	.021	.037	.042	.015	.147	.018	.030	.035	.013	.132
SURFACES	67	172	177	62	743	86	158	186	58	600	108	174	201	81	735
FRACTION	.004	.010	.011	.004	.045	.022	.040	.047	.015	.153	.022	.035	.040	.016	.148

HIGHEST LEAD READING FOR DRY ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

	***** WALLS *****			***** WINDOWS *****			***** DOORS *****					
	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	
PRE 40 DWELLINGS	4	18	18	11	16	21	6	68	11	17	23	5
FRACTION	.053	.237	.237	.039	1.000	.088	1.000	.000	.145	.224	.303	.066
99	.065	.124	.124	.057	.000	.142	.087	.000	.102	.121	.134	.072
95	.050	.095	.095	.043	.000	.109	.067	.000	.078	.093	.102	.055
90	.042	.079	.079	.036	.000	.084	.091	.056	.066	.078	.086	.046
80	.033	.062	.062	.028	.000	.071	.044	.000	.051	.061	.067	.036
ROOMS	6	32	33	5	266	40	6	183	19	27	41	5
FRACTION	.023	.120	.124	.019	1.000	.219	.033	1.000	.089	.127	.192	.023
SURFACES	24	118	122	20	989	61	9	239	25	43	60	8
FRACTION	.024	.119	.123	.020	1.000	.255	.038	1.000	.087	.149	.208	.028
40-59 DWELLINGS	5	16	17	4	118	22	10	88	18	19	25	12
FRACTION	.042	.136	.144	.034	1.000	.182	.114	1.000	.154	.162	.214	.103
99	.047	.080	.082	.042	.000	.117	.086	.000	.084	.086	.096	.071
95	.036	.061	.062	.032	.000	.080	.066	.000	.064	.066	.073	.054
90	.030	.051	.052	.027	.000	.067	.075	.000	.054	.055	.061	.045
80	.023	.040	.041	.021	.000	.052	.059	.000	.042	.043	.048	.035
ROMS	7	25	26	6	346	37	12	171	30	30	43	17
FRACTION	.020	.072	.075	.017	1.000	.216	.070	1.000	.109	.109	.157	.062
SURFACES	22	89	92	19	1247	43	13	221	38	40	53	25
FRACTION	.018	.071	.074	.015	1.000	.195	.059	1.000	.111	.117	.155	.073
60-75 DWELLINGS	1	3	3	1	63	7	3	43	5	6	7	4
FRACTION	.016	.048	.048	.016	1.000	.163	.070	1.000	.086	.103	.121	.069
99	.040	.068	.068	.040	.000	.113	.099	.000	.094	.102	.109	.085
95	.031	.052	.052	.031	.000	.110	.076	.000	.072	.078	.083	.065
90	.026	.044	.044	.026	.000	.073	.064	.000	.060	.065	.070	.054
80	.020	.034	.034	.020	.000	.057	.050	.000	.047	.051	.054	.042
ROOMS	1	6	6	1	193	10	4	92	6	10	11	5
FRACTION	.005	.031	.031	.005	1.000	.109	.043	1.000	.042	.069	.076	.035
SURFACES	4	24	24	4	712	14	7	110	6	10	11	5
FRACTION	.006	.034	.034	.006	1.000	.127	.064	1.000	.031	.052	.058	.026
ALL DWELLINGS	11	38	39	9	260	51	19	202	34	43	56	21
FRACTION	.042	.146	.150	.035	1.000	.252	.094	1.000	.134	.169	.220	.083
99	.031	.054	.055	.028	.000	.076	.051	.000	.053	.058	.064	.043
95	.024	.041	.042	.021	.000	.048	.039	.000	.040	.045	.049	.033
90	.020	.035	.035	.018	.000	.041	.049	.000	.034	.037	.041	.027
80	.015	.027	.027	.014	.000	.032	.038	.000	.026	.029	.032	.021
ROOMS	15	65	67	13	813	88	22	453	55	68	96	27
FRACTION	.018	.080	.082	.016	1.000	.194	.049	1.000	.086	.107	.150	.042
SURFACES	54	239	246	47	2980	120	29	578	69	94	125	38
FRACTION	.018	.080	.083	.016	1.000	.208	.050	1.000	.083	.113	.150	.046

HIGHEST LEAD READING FOR DRY ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****			***** WINDOWS *****			***** PEELING BAD EITHER BOTH ALL *****			***** DOORS *****			***** PEELING BAD EITHER BOTH ALL *****			
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL
PRE 40	DWELLINGS	4	13	13	3	67	10	12	16	6	53	9	15	20	4	67	
	FRACTION	.053	.171	.171	.039	.882	.147	.176	.235	.088	.779	.118	.197	.263	.053	.882	
	99	.065	.110	.110	.057	.094	.109	.118	.131	.087	.128	.094	.116	.128	.065	.094	
	95	.050	.084	.084	.043	.072	.084	.090	.100	.067	.098	.072	.089	.098	.050	.072	
	90	.042	.070	.070	.036	.060	.070	.075	.084	.056	.082	.060	.074	.082	.042	.060	
	80	.033	.055	.055	.028	.047	.055	.059	.065	.044	.064	.047	.058	.064	.033	.047	
	ROOMS	6	22	23	5	172	17	21	32	6	111	15	23	34	4	146	
	FRACTION	.023	.083	.086	.019	.647	.093	.115	.175	.033	.607	.070	.108	.160	.019	.685	
	SURFACES	17	51	53	15	330	27	33	51	9	153	19	35	48	6	202	
	FRACTION	.017	.052	.054	.015	.334	.113	.138	.213	.038	.640	.066	.122	.167	.021	.701	
.40-59	DWELLINGS	2	5	6	1	98	12	10	16	6	62	17	17	23	11	103	
	FRACTION	.017	.042	.051	.008	.831	.136	.114	.182	.068	.705	.145	.145	.197	.094	.880	
	99	.030	.047	.051	.021	.087	.093	.086	.104	.068	.123	.082	.082	.093	.068	.076	
	95	.023	.036	.039	.016	.067	.071	.066	.080	.052	.094	.063	.063	.071	.052	.058	
	90	.019	.030	.033	.014	.056	.060	.055	.067	.044	.079	.053	.053	.060	.044	.049	
	80	.015	.023	.026	.011	.044	.046	.043	.052	.034	.062	.041	.041	.046	.034	.038	
	ROOMS	2	5	6	1	217	15	13	21	7	102	24	24	35	13	205	
	FRACTION	.006	.014	.017	.003	.627	.088	.076	.123	.041	.596	.088	.088	.128	.047	.748	
	SURFACES	4	9	10	3	458	17	16	25	8	134	31	33	44	20	261	
	FRACTION	.003	.007	.008	.002	.367	.077	.072	.113	.036	.606	.091	.097	.129	.059	.765	
60-75	DWELLINGS	0	1	1	0	42	1	3	3	1	23	2	3	4	1	45	
	FRACTION	.000	.016	.016	.000	.667	.023	.070	.070	.023	.535	.034	.052	.069	.017	.776	
	99	.000	.040	.040	.000	.151	.059	.099	.099	.059	.194	.061	.074	.085	.044	.139	
	95	.000	.031	.031	.000	.116	.045	.076	.076	.045	.148	.047	.057	.065	.033	.107	
	90	.000	.026	.026	.000	.097	.038	.064	.064	.038	.125	.039	.048	.054	.028	.089	
	80	.000	.020	.020	.000	.076	.029	.050	.050	.029	.097	.030	.037	.042	.022	.070	
	ROOMS	0	3	3	0	69	1	4	4	1	36	2	6	7	1	86	
	FRACTION	.000	.016	.016	.000	.358	.011	.043	.043	.011	.391	.014	.042	.049	.007	.597	
	SURFACES	0	3	3	0	111	1	5	5	1	42	2	6	7	1	110	
	FRACTION	.000	.004	.004	.000	.156	.009	.045	.045	.009	.382	.010	.031	.037	.005	.576	
ALL	DWELLINGS	7	20	21	5	210	23	25	35	13	140	28	35	47	16	217	
	FRACTION	.027	.077	.081	.019	.808	.114	.124	.173	.064	.693	.110	.138	.185	.063	.854	
	99	.025	.041	.042	.021	.060	.056	.058	.066	.043	.081	.049	.054	.060	.038	.055	
	95	.019	.031	.032	.016	.046	.043	.044	.051	.033	.062	.037	.041	.046	.029	.042	
	90	.016	.026	.027	.014	.039	.036	.037	.043	.028	.052	.031	.034	.039	.024	.035	
	80	.012	.020	.021	.011	.030	.028	.029	.033	.022	.040	.024	.027	.030	.019	.027	
	ROOMS	9	32	34	7	465	33	38	57	14	253	41	53	76	18	441	
	FRACTION	.011	.039	.042	.009	.572	.073	.084	.126	.031	.558	.064	.083	.119	.028	.691	
	SURFACES	22	65	68	19	908	45	54	81	18	333	52	74	99	27	577	
	FRACTION	.007	.022	.023	.006	.305	.078	.093	.140	.031	.576	.063	.089	.119	.032	.694	

HIGHEST LEAD READING FOR DRY ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****					
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL
PRE 40 DWELLINGS													
FRACTION													
99		.053	.118	.118	.039	.566	.053	.118	.118	.039	.566	.053	.118
95		.065	.094	.094	.057	.144	.099	.114	.121	.087	.152	.084	.119
90		.050	.072	.072	.043	.110	.076	.087	.093	.067	.116	.064	.081
80		.042	.060	.060	.036	.093	.064	.073	.078	.056	.097	.054	.068
		.033	.047	.047	.028	.072	.050	.057	.061	.044	.076	.042	.053
ROOMS													
FRACTION													
99		.023	.060	.064	.019	.301	.077	.098	.142	.033	.410	.061	.075
SURFACES													
FRACTION													
99		.15	.35	.36	.14	.155	.23	.28	.42	.9	.105	.17	.25
95		.015	.035	.036	.014	.157	.096	.117	.176	.038	.439	.059	.087
90													
80													
40-59 DWELLINGS													
FRACTION													
99		.008	.025	.025	.008	.517	.068	.057	.080	.045	.420	.085	.094
95		.021	.037	.037	.021	.116	.068	.063	.073	.056	.133	.065	.068
90		.016	.028	.028	.016	.089	.052	.048	.056	.043	.102	.050	.052
80		.014	.023	.023	.014	.075	.044	.040	.047	.036	.086	.042	.044
		.011	.018	.018	.011	.058	.034	.031	.037	.028	.067	.033	.034
ROOMS													
FRACTION													
99		.003	.009	.009	.003	.335	.035	.035	.047	.023	.298	.044	.058
SURFACES													
FRACTION													
99		.002	.005	.005	.002	.176	.032	.041	.050	.023	.339	.047	.065
95													
90													
80													
60-75 DWELLINGS													
FRACTION													
99		.000	.000	.000	.000	.175	.023	.047	.047	.023	.279	.034	.034
95		.000	.000	.000	.000	.122	.059	.082	.082	.059	.175	.061	.061
90		.000	.000	.000	.000	.093	.045	.063	.063	.045	.134	.047	.047
80		.000	.000	.000	.000	.078	.038	.053	.053	.038	.112	.039	.039
		.000	.000	.000	.000	.061	.029	.041	.041	.029	.087	.030	.030
ROOMS													
FRACTION													
99		.000	.000	.000	.000	.083	.011	.033	.033	.011	.217	.014	.035
SURFACES													
FRACTION													
99		.000	.000	.000	.000	.031	.009	.036	.036	.009	.218	.010	.026
95													
90													
80													
ALL DWELLINGS													
FRACTION													
99		.019	.050	.050	.015	.446	.074	.089	.109	.054	.441	.075	.098
95		.021	.033	.033	.019	.076	.046	.050	.055	.040	.087	.041	.046
90		.016	.026	.026	.014	.058	.035	.038	.042	.030	.067	.031	.035
80		.014	.021	.021	.012	.049	.030	.032	.035	.026	.056	.026	.030
		.011	.017	.017	.009	.038	.023	.025	.027	.020	.044	.020	.023
ROOMS													
FRACTION													
99		.009	.025	.026	.007	.262	.046	.060	.082	.024	.322	.042	.058
SURFACES													
FRACTION													
99		.18	.42	.43	.17	.397	.31	.41	.57	.15	.204	.35	.52
95		.006	.014	.014	.006	.133	.054	.071	.099	.026	.353	.042	.063
90													
80													

HIGHEST LEAD READING FOR DRY ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****		***** ALL *****	
		BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH
PRE 40 DWELLINGS		2	5	5	7	5	3	7	11	7	3
FRACTION		.026	.066	.066	.026	.211	.211	.074	.074	.074	.250
99		.047	.072	.072	.047	.119	.119	.080	.080	.094	.133
95		.036	.055	.055	.036	.091	.091	.062	.062	.072	.102
90		.030	.046	.046	.030	.076	.076	.052	.052	.060	.086
80		.023	.036	.036	.023	.059	.059	.040	.040	.047	.067
ROOMS		4	10	10	4	31	31	9	9	15	34
FRACTION		.015	.038	.038	.015	.117	.117	.049	.049	.082	.186
SURFACES		12	27	27	12	81	81	17	18	29	55
FRACTION		.012	.027	.027	.012	.082	.082	.071	.075	.121	.230
40-59 DWELLINGS		0	1	1	0	20	20	1	2	2	11
FRACTION		.000	.008	.008	.000	.169	.169	.011	.023	.023	.125
99		.000	.021	.021	.000	.087	.087	.029	.040	.040	.089
95		.000	.016	.016	.000	.067	.067	.022	.031	.031	.068
90		.000	.014	.014	.000	.056	.056	.018	.026	.026	.057
80		.000	.011	.011	.000	.044	.044	.014	.020	.020	.045
ROOMS		0	1	1	0	40	40	1	3	3	17
FRACTION		.000	.003	.003	.000	.116	.116	.006	.018	.018	.099
SURFACES		0	1	1	0	95	95	2	6	6	30
FRACTION		.000	.001	.001	.000	.076	.076	.009	.027	.027	.136
60-75 DWELLINGS		0	0	0	0	0	0	0	1	1	4
FRACTION		.000	.000	.000	.000	.000	.000	.000	.023	.023	.093
99		.000	.000	.000	.000	.000	.000	.000	.059	.059	.113
95		.000	.000	.000	.000	.000	.000	.000	.045	.045	.086
90		.000	.000	.000	.000	.000	.000	.000	.038	.038	.073
80		.000	.000	.000	.000	.000	.000	.000	.029	.029	.057
ROOMS		0	0	0	0	0	0	0	2	2	5
FRACTION		.000	.000	.000	.000	.000	.000	.000	.022	.022	.054
SURFACES		0	0	0	0	0	0	0	3	3	7
FRACTION		.000	.000	.000	.000	.000	.000	.000	.027	.027	.064
ALL DWELLINGS		2	6	6	2	36	36	6	8	10	4
FRACTION		.008	.023	.023	.008	.138	.138	.030	.040	.050	.158
99		.013	.023	.023	.013	.053	.053	.030	.034	.038	.064
95		.010	.018	.018	.010	.041	.041	.023	.026	.029	.049
90		.009	.015	.015	.009	.034	.034	.019	.022	.024	.041
80		.007	.012	.012	.007	.026	.026	.015	.017	.019	.032
ROOMS		4	11	11	4	71	71	10	14	20	4
FRACTION		.005	.014	.014	.005	.087	.087	.022	.031	.044	.124
SURFACES		12	28	28	12	176	176	19	27	38	8
FRACTION		.004	.009	.009	.004	.059	.059	.033	.047	.066	.014

HIGHEST LEAD READING FOR DRY ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****		***** BAD EITHER *****		***** BOTH *****		***** ALL *****			
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL
PRE 40 DWELLINGS															
FRACTION	2	3	2	11	4	5	7	2	10	5	6	8	3	12	
99	.026	.039	.026	.145	.059	.074	.103	.029	.147	.066	.079	.105	.039	.158	
95	.047	.057	.047	.102	.073	.080	.094	.052	.109	.072	.079	.089	.057	.106	
90	.036	.043	.036	.078	.055	.062	.072	.040	.084	.055	.060	.068	.043	.081	
80	.030	.036	.030	.066	.047	.052	.060	.033	.070	.046	.050	.057	.036	.068	
	.023	.028	.023	.051	.036	.040	.047	.026	.055	.036	.039	.045	.028	.053	
ROOMS															
FRACTION	3	6	3	19	6	8	12	2	19	6	8	11	3	20	
99	.011	.023	.023	.071	.033	.044	.066	.011	.104	.028	.038	.052	.014	.094	
SURFACES															
FRACTION	7	15	7	34	10	15	22	3	33	9	13	17	5	37	
99	.007	.015	.007	.034	.042	.063	.092	.013	.138	.031	.045	.059	.017	.128	
40-59 DWELLINGS															
FRACTION	0	1	0	7	1	2	2	1	7	1	2	2	1	7	
99	.000	.008	.000	.059	.011	.023	.023	.011	.080	.009	.017	.017	.009	.060	
95	.000	.021	.000	.055	.029	.040	.040	.029	.073	.021	.030	.030	.021	.055	
90	.000	.016	.000	.042	.022	.031	.031	.022	.056	.016	.023	.023	.016	.042	
80	.000	.014	.000	.035	.018	.026	.026	.018	.047	.014	.019	.019	.014	.036	
	.000	.011	.000	.027	.014	.020	.020	.014	.037	.011	.015	.015	.011	.028	
ROOMS															
FRACTION	0	1	0	16	1	3	3	1	12	1	3	3	1	12	
99	.000	.003	.000	.046	.006	.018	.018	.006	.070	.004	.011	.011	.004	.044	
SURFACES															
FRACTION	0	1	0	30	2	6	6	2	23	3	7	7	3	23	
99	.000	.001	.000	.024	.009	.027	.027	.009	.104	.009	.021	.021	.009	.067	
60-75 DWELLINGS															
FRACTION	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
99	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
95	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
90	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
80	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
ROOMS															
FRACTION	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
99	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
SURFACES															
FRACTION	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
99	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	
ALL DWELLINGS															
FRACTION	2	4	2	18	5	7	9	3	17	6	8	10	4	20	
99	.008	.015	.008	.069	.025	.035	.045	.015	.084	.024	.031	.039	.016	.079	
95	.013	.019	.013	.039	.027	.032	.036	.021	.049	.024	.027	.030	.019	.042	
90	.010	.014	.010	.030	.021	.025	.028	.016	.037	.018	.021	.023	.015	.032	
80	.009	.012	.009	.025	.017	.021	.023	.014	.031	.015	.017	.019	.012	.027	
	.007	.009	.007	.019	.014	.016	.018	.011	.024	.012	.014	.015	.010	.021	
ROOMS															
FRACTION	3	7	3	35	7	11	15	3	31	7	11	14	4	33	
99	.004	.009	.004	.043	.015	.024	.033	.007	.068	.011	.017	.022	.006	.052	
SURFACES															
FRACTION	7	16	7	64	12	21	28	5	56	12	20	24	8	61	
99	.002	.005	.002	.021	.021	.036	.048	.009	.097	.014	.024	.029	.010	.073	

HIGHEST LEAD READING FOR DRY ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****		***** ALL *****		***** BOTH *****		***** ALL *****		***** BOTH *****		***** ALL *****		***** BOTH *****		***** ALL *****	
		PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER
PRE 40 DWELLINGS		1	1	1	1	8	3	4	5	2	2	7	4	5	7	2	7	4	5	7	2	7	10
FRACTION		.013	.013	.013	.013	.105	.044	.059	.074	.029	.103	.053	.066	.092	.026	.132	.065	.072	.084	.047	.098	.050	.075
99		.033	.033	.033	.033	.089	.063	.073	.080	.052	.094	.050	.055	.064	.036	.075	.042	.046	.054	.030	.063	.033	.049
95		.025	.025	.025	.025	.068	.048	.055	.062	.040	.072	.042	.046	.054	.030	.063	.033	.036	.042	.023	.049	.033	.049
90		.021	.021	.021	.021	.057	.041	.047	.052	.033	.060	.042	.046	.054	.030	.063	.033	.036	.042	.023	.049	.033	.049
80		.017	.017	.017	.017	.045	.032	.036	.040	.026	.047	.032	.036	.042	.023	.049	.033	.036	.042	.023	.049	.033	.049
ROOMS		2	3	3	2	10	4	6	8	2	11	5	6	9	2	14	.023	.028	.042	.009	.066	.023	.028
FRACTION		.008	.011	.011	.008	.038	.022	.033	.044	.011	.060	.023	.028	.042	.009	.066	.023	.028	.042	.009	.066	.023	.028
SURFACES		6	10	10	6	17	6	12	15	3	19	7	9	13	3	23	.024	.031	.045	.010	.080	.024	.031
FRACTION		.006	.010	.010	.006	.017	.025	.050	.063	.013	.079	.024	.031	.045	.010	.080	.024	.031	.045	.010	.080	.024	.031
40-59 DWELLINGS		0	1	1	0	5	1	2	2	1	7	1	1	1	1	5	.009	.009	.009	.009	.043	.009	.009
FRACTION		.000	.008	.008	.000	.042	.011	.023	.023	.011	.080	.009	.009	.009	.009	.043	.009	.009	.009	.009	.043	.009	.009
99		.000	.021	.021	.000	.047	.029	.040	.040	.029	.073	.021	.021	.021	.021	.047	.021	.021	.021	.021	.047	.021	.021
95		.000	.016	.016	.000	.036	.022	.031	.031	.022	.056	.016	.016	.016	.016	.036	.016	.016	.016	.016	.036	.016	.016
90		.000	.014	.014	.000	.030	.018	.026	.026	.018	.047	.014	.014	.014	.014	.030	.014	.014	.014	.014	.030	.014	.014
80		.000	.011	.011	.000	.023	.014	.020	.020	.014	.037	.011	.011	.011	.011	.024	.011	.011	.011	.011	.024	.011	.011
ROOMS		0	1	1	0	6	1	2	2	1	10	1	1	1	1	7	.004	.004	.004	.004	.026	.004	.004
FRACTION		.000	.003	.003	.000	.017	.006	.012	.012	.006	.058	.004	.004	.004	.004	.026	.004	.004	.004	.004	.026	.004	.004
SURFACES		0	1	1	0	9	2	4	4	2	18	3	3	3	3	12	.009	.009	.009	.009	.035	.009	.009
FRACTION		.000	.001	.001	.000	.007	.009	.018	.018	.009	.081	.009	.009	.009	.009	.035	.009	.009	.009	.009	.035	.009	.009
60-75 DWELLINGS		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	.000	.000	.000	.000	.000	.000	.000
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
99		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
95		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
90		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
80		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
ROOMS		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	.000	.000	.000	.000	.000	.000	.000
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
SURFACES		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	.000	.000	.000	.000	.000	.000	.000
FRACTION		.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
ALL DWELLINGS		1	2	2	1	13	4	6	7	3	14	5	6	8	3	15	.020	.024	.031	.012	.059	.020	.024
FRACTION		.004	.008	.008	.004	.050	.020	.030	.035	.015	.069	.020	.024	.031	.012	.059	.020	.024	.031	.012	.059	.020	.024
99		.009	.013	.013	.009	.033	.024	.030	.032	.021	.045	.022	.024	.027	.017	.037	.022	.024	.027	.017	.037	.022	.024
95		.007	.010	.010	.007	.026	.019	.023	.025	.016	.034	.017	.018	.021	.013	.028	.017	.018	.021	.013	.028	.017	.018
90		.006	.009	.009	.006	.021	.016	.019	.021	.014	.029	.014	.015	.017	.011	.023	.014	.015	.017	.011	.023	.014	.015
80		.005	.007	.007	.005	.017	.012	.015	.016	.011	.022	.011	.012	.014	.008	.018	.011	.012	.014	.008	.018	.011	.012
ROOMS		2	4	4	2	16	5	8	10	3	21	6	7	10	3	21	.009	.011	.016	.005	.033	.009	.011
FRACTION		.002	.005	.005	.002	.020	.011	.018	.022	.007	.046	.009	.011	.016	.005	.033	.009	.011	.016	.005	.033	.009	.011
SURFACES		6	11	11	6	26	8	16	19	5	37	10	12	16	6	35	.014	.028	.033	.009	.064	.014	.028
FRACTION		.002	.004	.004	.002	.009	.014	.028	.033	.009	.064	.014	.028	.033	.009	.064	.014	.028	.033	.009	.064	.014	.028

HIGHEST LEAD READING FOR WET ROOMS IS 0.0 OR MORE * * OCCUPANCY CLASS IS PUBLIC-ALL

	***** WALLS *****			***** WINDOWS *****			***** DOORS *****		
	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL
PRE 40 DWELLINGS	4	15	15	6	10	13	6	12	15
FRACTION	.053	.197	.053	.095	.159	.206	.081	.162	.203
99	.065	.116	.065	.094	.117	.130	.081	.109	.119
95	.050	.089	.050	.072	.090	.099	.062	.083	.091
90	.042	.074	.042	.060	.075	.083	.052	.070	.076
80	.033	.058	.033	.047	.059	.065	.040	.054	.059
ROOMS	5	18	18	7	13	17	7	18	22
FRACTION	.034	.124	.124	.067	.125	.163	.061	.158	.193
SURFACES	20	71	71	12	18	24	8	22	27
FRACTION	.036	.127	.127	.103	.154	.205	.063	.175	.214
40-59 DWELLINGS	4	10	12	9	9	13	8	11	14
FRACTION	.034	.085	.103	.130	.130	.188	.069	.095	.121
99	.042	.065	.071	.103	.103	.120	.059	.069	.076
95	.032	.050	.054	.079	.079	.092	.045	.053	.058
90	.027	.042	.045	.066	.066	.077	.038	.044	.049
80	.021	.033	.035	.052	.052	.060	.030	.034	.038
ROOMS	4	12	14	12	11	17	11	15	20
FRACTION	.018	.053	.062	.120	.110	.170	.060	.082	.109
SURFACES	16	42	50	12	13	19	11	16	21
FRACTION	.019	.049	.058	.109	.118	.173	.055	.080	.105
60-75 DWELLINGS	0	3	3	1	2	2	1	3	3
FRACTION	.000	.047	.047	.030	.061	.061	.016	.049	.049
99	.000	.067	.067	.076	.106	.106	.041	.070	.070
95	.000	.051	.051	.058	.081	.081	.032	.054	.054
90	.000	.043	.043	.049	.068	.068	.027	.045	.045
80	.000	.034	.034	.038	.053	.053	.021	.035	.035
ROOMS	0	5	5	1	3	3	1	4	4
FRACTION	.000	.041	.041	.020	.061	.061	.011	.043	.043
SURFACES	0	19	19	1	4	4	1	5	5
FRACTION	.000	.041	.041	.018	.070	.070	.009	.045	.045
ALL DWELLINGS	9	29	31	16	21	28	15	26	32
FRACTION	.035	.112	.119	.095	.125	.167	.059	.102	.126
99	.028	.048	.050	.057	.064	.072	.037	.047	.052
95	.021	.037	.038	.043	.049	.055	.028	.036	.039
90	.018	.031	.032	.036	.041	.046	.023	.030	.033
80	.014	.024	.025	.028	.032	.036	.018	.024	.026
ROOMS	10	37	39	20	27	37	19	37	46
FRACTION	.020	.074	.078	.077	.104	.143	.048	.093	.116
SURFACES	40	140	148	25	35	47	20	43	53
FRACTION	.021	.073	.077	.086	.121	.162	.045	.097	.120

HIGHEST LEAD READING FOR WET ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****				***** WINDOWS *****				***** DOORS *****				
		PEELING BAD EITHER		BOTH		PEELING BAD EITHER		BOTH		PEELING BAD EITHER		BOTH		
		3	13	13	3	4	8	10	10	2	2	5	10	13
PRE 40 DWELLINGS		.039	.171	.171	.039	.063	.127	.159	.159	.032	.032	.068	.135	.176
FRACTION														
99		.057	.110	.110	.057	.078	.107	.117	.117	.056	.056	.074	.101	.112
95		.043	.084	.084	.043	.060	.082	.090	.090	.043	.043	.057	.077	.086
90		.036	.070	.070	.036	.050	.069	.075	.075	.036	.036	.048	.065	.072
80		.028	.055	.055	.028	.039	.053	.059	.059	.028	.028	.037	.050	.056
ROOMS														
FRACTION		4	16	16	4	5	9	12	12	2	2	6	15	19
		.028	.110	.110	.028	.048	.087	.115	.115	.019	.019	.053	.132	.167
SURFACES		12	50	50	12	10	14	19	19	5	5	7	19	24
FRACTION		.021	.089	.089	.021	.085	.120	.162	.162	.043	.043	.056	.151	.190
40-59 DWELLINGS		4	8	10	2	6	5	8	8	3	3	7	10	13
FRACTION		.034	.068	.085	.017	.087	.072	.116	.116	.043	.043	.060	.086	.112
99		.042	.059	.065	.030	.086	.079	.098	.098	.062	.062	.056	.066	.074
95		.032	.045	.050	.023	.066	.061	.075	.075	.048	.048	.043	.050	.057
90		.027	.038	.042	.019	.055	.051	.063	.063	.040	.040	.036	.042	.047
80		.021	.029	.033	.015	.043	.040	.049	.049	.031	.031	.028	.033	.037
ROOMS		4	9	11	2	7	5	9	9	3	3	7	11	14
FRACTION		.018	.040	.048	.009	.070	.050	.090	.090	.030	.030	.038	.060	.076
SURFACES		7	14	17	4	7	6	10	10	3	3	7	12	15
FRACTION		.008	.016	.020	.005	.064	.055	.091	.091	.027	.027	.035	.060	.075
60-75 DWELLINGS		0	2	2	0	0	1	1	1	0	0	1	2	2
FRACTION		.000	.031	.031	.000	.000	.030	.030	.030	.000	.000	.016	.033	.033
99		.000	.055	.055	.000	.000	.076	.076	.076	.000	.000	.041	.058	.058
95		.000	.042	.042	.000	.000	.058	.058	.058	.000	.000	.032	.044	.044
90		.000	.036	.036	.000	.000	.049	.049	.049	.000	.000	.027	.037	.037
80		.000	.028	.028	.000	.000	.038	.038	.038	.000	.000	.021	.029	.029
ROOMS		0	3	3	0	0	2	2	2	0	0	1	3	3
FRACTION		.000	.024	.024	.000	.000	.041	.041	.041	.000	.000	.011	.032	.032
SURFACES		0	9	9	0	0	3	3	3	0	0	1	4	4
FRACTION		.000	.019	.019	.000	.000	.053	.053	.053	.000	.000	.009	.036	.036
ALL DWELLINGS		7	23	25	5	10	14	19	19	5	5	13	22	28
FRACTION		.027	.088	.096	.019	.060	.083	.113	.113	.030	.030	.051	.087	.110
99		.025	.044	.045	.021	.046	.053	.061	.061	.033	.033	.034	.044	.049
95		.019	.033	.035	.016	.035	.041	.047	.047	.025	.025	.026	.033	.037
90		.016	.028	.029	.014	.029	.034	.039	.039	.021	.021	.022	.028	.031
80		.012	.022	.023	.011	.023	.027	.031	.031	.016	.016	.017	.022	.024
ROOMS		8	28	30	6	12	16	23	23	5	5	14	29	36
FRACTION		.016	.056	.060	.012	.046	.062	.089	.089	.019	.019	.035	.073	.091
SURFACES		19	73	76	16	17	23	32	32	8	8	15	35	43
FRACTION		.010	.038	.040	.008	.059	.079	.110	.110	.028	.028	.034	.079	.097

HIGHEST LEAD READING FOR WET ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

***** WALLS *****			***** WINDOWS *****			***** DOORS *****						
PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	
PRE 40 DWELLINGS												
FRACTION	3	11	11	3	46	4	7	9	4	7	9	35
99	.039	.145	.039	.063	.111	.143	.032	.032	.054	.095	.122	.473
95	.057	.102	.057	.078	.101	.112	.056	.160	.067	.086	.097	.147
90	.043	.078	.043	.060	.077	.086	.043	.123	.051	.066	.074	.113
80	.036	.066	.036	.050	.065	.072	.036	.103	.043	.055	.062	.095
	.028	.051	.028	.039	.050	.056	.028	.080	.033	.043	.048	.074
ROOMS												
FRACTION	4	14	14	4	63	8	11	2	5	9	12	44
	.028	.097	.097	.048	.077	.106	.019	.385	.044	.079	.105	.386
SURFACES												
FRACTION	11	42	42	11	138	13	18	5	6	13	17	52
	.020	.075	.075	.085	.111	.154	.043	.410	.048	.103	.135	.413
40-59 DWELLINGS												
FRACTION	2	3	4	1	71	4	5	2	5	7	9	61
99	.017	.026	.034	.009	.607	.058	.072	.435	.043	.060	.078	.526
95	.030	.037	.042	.021	.114	.072	.079	.152	.048	.056	.063	.117
90	.023	.028	.032	.016	.087	.055	.061	.116	.036	.043	.048	.090
80	.019	.024	.027	.014	.073	.040	.051	.097	.031	.036	.040	.075
	.015	.018	.021	.011	.053	.031	.036	.076	.024	.028	.031	.059
ROOMS												
FRACTION	2	3	4	1	103	4	5	2	5	8	10	80
	.009	.013	.018	.004	.454	.040	.050	.360	.027	.043	.054	.435
SURFACES												
FRACTION	2	4	5	1	206	5	6	2	5	9	11	90
	.002	.005	.006	.001	.239	.045	.055	.355	.025	.045	.055	.450
60-75 DWELLINGS												
FRACTION	0	1	1	0	13	1	1	0	1	2	2	32
99	.000	.016	.016	.000	.203	.030	.030	.303	.016	.033	.033	.525
95	.000	.039	.039	.000	.128	.076	.076	.204	.041	.058	.058	.163
90	.000	.030	.030	.000	.098	.058	.058	.156	.032	.044	.044	.124
80	.000	.025	.025	.000	.082	.049	.049	.131	.027	.037	.037	.104
	.000	.020	.020	.000	.064	.038	.038	.102	.021	.029	.029	.081
ROOMS												
FRACTION	0	2	2	0	16	2	2	0	1	3	3	42
	.000	.016	.016	.000	.130	.041	.041	.265	.011	.032	.032	.452
SURFACES												
FRACTION	0	8	8	0	31	3	3	0	1	4	4	52
	.000	.017	.017	.000	.066	.053	.053	.263	.009	.036	.036	.473
ALL DWELLINGS												
FRACTION	5	15	16	4	131	12	15	4	10	16	20	130
99	.019	.058	.062	.015	.504	.042	.071	.429	.039	.063	.079	.512
95	.021	.036	.037	.019	.077	.039	.050	.096	.030	.038	.042	.078
90	.016	.027	.028	.014	.059	.030	.038	.073	.023	.029	.032	.059
80	.014	.023	.024	.012	.049	.025	.032	.061	.019	.024	.027	.050
	.011	.018	.018	.009	.038	.019	.025	.048	.015	.019	.021	.039
ROOMS												
FRACTION	6	19	20	5	183	14	18	4	11	20	25	169
	.012	.038	.040	.010	.365	.031	.054	.344	.028	.051	.063	.427
SURFACES												
FRACTION	13	54	55	12	376	21	27	7	12	26	32	198
	.007	.028	.029	.006	.196	.045	.072	.352	.027	.059	.072	.448

HIGHEST LEAD READING FOR WET ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****		***** WINDOWS *****		***** PEELING *****		***** DOORS *****		***** PEELING *****	
		BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH
PRE 40 DWELLINGS		2	9	3	4	7	0	14	4	5	7
FRACTION		.026	.118	.048	.063	.111	.000	.222	.054	.068	.095
99		.047	.094	.068	.078	.101	.000	.133	.067	.074	.086
95		.036	.072	.052	.060	.077	.000	.102	.051	.057	.066
90		.030	.060	.044	.050	.065	.000	.086	.043	.048	.055
80		.023	.047	.034	.039	.050	.000	.067	.033	.037	.043
ROOMS		3	11	3	5	8	0	18	5	6	9
FRACTION		.021	.076	.029	.048	.077	.000	.173	.044	.053	.079
SURFACES		7	26	5	7	12	0	22	6	8	12
FRACTION		.012	.046	.043	.060	.103	.000	.188	.048	.063	.095
40-59 DWELLINGS		0	1	2	3	3	2	12	2	4	4
FRACTION		.000	.009	.029	.043	.043	.029	.174	.017	.034	.034
99		.000	.021	.051	.062	.062	.051	.116	.031	.043	.043
95		.000	.016	.039	.048	.048	.039	.089	.023	.033	.033
90		.000	.014	.030	.040	.040	.030	.074	.020	.027	.027
80		.000	.011	.026	.031	.031	.026	.058	.015	.021	.021
ROOMS		0	1	2	3	3	2	14	2	5	5
FRACTION		.000	.004	.020	.030	.030	.020	.140	.011	.027	.027
SURFACES		0	2	2	4	4	2	16	2	6	6
FRACTION		.000	.002	.018	.036	.036	.018	.145	.010	.030	.030
60-75 DWELLINGS		0	1	0	1	1	0	4	1	2	2
FRACTION		.000	.016	.000	.030	.030	.000	.121	.016	.033	.033
99		.000	.039	.000	.076	.076	.000	.145	.041	.058	.058
95		.000	.030	.000	.058	.058	.000	.111	.032	.044	.044
90		.000	.025	.000	.049	.049	.000	.093	.027	.037	.037
80		.000	.020	.000	.038	.038	.000	.073	.021	.029	.029
ROOMS		0	2	0	2	2	0	5	1	2	2
FRACTION		.000	.016	.000	.041	.041	.000	.102	.011	.022	.022
SURFACES		0	7	0	3	3	0	7	1	3	3
FRACTION		.000	.015	.000	.053	.053	.000	.123	.009	.027	.027
ALL DWELLINGS		2	11	5	8	11	2	30	7	11	13
FRACTION		.008	.042	.030	.048	.065	.012	.179	.028	.043	.051
99		.013	.031	.033	.041	.048	.021	.074	.025	.032	.034
95		.010	.024	.025	.032	.037	.016	.057	.019	.024	.026
90		.009	.020	.021	.026	.031	.013	.048	.016	.020	.022
80		.007	.015	.016	.021	.024	.010	.037	.013	.016	.017
ROOMS		3	14	5	10	13	2	37	8	13	16
FRACTION		.006	.028	.019	.039	.050	.008	.143	.020	.033	.040
SURFACES		7	35	7	14	19	2	45	9	17	21
FRACTION		.004	.018	.024	.048	.066	.007	.155	.020	.038	.048

HIGHEST LEAD READING FOR WET ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

***** WALLS ***** WINDOWS ***** DOORS *****
 PEELING BAD EITHER BOTH ALL PEELING BAD EITHER BOTH ALL PEELING BAD EITHER BOTH ALL

PRE 40 DWELLINGS	2	7	7	2	14	2	2	4	0	7	1	3	3	1	8
FRACTION	.026	.092	.092	.026	.184	.032	.032	.063	.000	.111	.014	.041	.041	.014	.108
99	.047	.084	.084	.047	.113	.056	.056	.078	.000	.101	.034	.058	.058	.034	.092
95	.036	.064	.064	.036	.086	.043	.043	.060	.000	.077	.026	.045	.045	.026	.070
90	.030	.054	.054	.030	.072	.036	.036	.050	.000	.065	.022	.037	.037	.022	.059
80	.023	.042	.042	.023	.056	.028	.028	.039	.000	.050	.017	.029	.029	.017	.046
ROOMS	2	7	7	2	16	2	2	4	0	8	2	3	3	4	11
FRACTION	.014	.048	.048	.014	.110	.019	.019	.038	.000	.077	.018	.026	.026	.035	.096
SURFACES	2	13	13	2	34	3	3	6	0	10	2	4	4	5	13
FRACTION	.004	.023	.023	.004	.061	.026	.026	.051	.000	.085	.016	.032	.032	.040	.103
40-59 DWELLINGS	0	1	1	0	13	2	3	3	2	8	2	3	3	3	8
FRACTION	.000	.009	.009	.000	.111	.029	.043	.043	.029	.116	.017	.026	.026	.017	.069
99	.000	.021	.021	.000	.073	.051	.062	.062	.051	.098	.031	.037	.037	.031	.059
95	.000	.016	.016	.000	.056	.039	.048	.048	.039	.075	.023	.028	.028	.023	.045
90	.000	.014	.014	.000	.047	.033	.040	.040	.033	.063	.020	.024	.024	.020	.038
80	.000	.011	.011	.000	.037	.026	.031	.031	.026	.049	.015	.019	.019	.015	.030
ROOMS	0	1	1	0	16	2	3	3	2	9	2	3	3	3	12
FRACTION	.000	.004	.004	.000	.070	.020	.030	.030	.020	.090	.011	.016	.016	.011	.065
SURFACES	0	2	2	0	41	2	4	4	2	11	2	4	4	4	15
FRACTION	.000	.002	.002	.000	.048	.018	.036	.036	.018	.100	.010	.020	.020	.010	.075
60-75 DWELLINGS	0	1	1	0	2	0	1	1	0	1	0	0	0	0	0
FRACTION	.000	.016	.016	.000	.031	.000	.030	.030	.000	.030	.000	.000	.000	.000	.000
99	.000	.039	.039	.000	.055	.000	.076	.076	.000	.076	.000	.000	.000	.000	.000
95	.000	.030	.030	.000	.042	.000	.058	.058	.000	.058	.000	.000	.000	.000	.000
90	.000	.025	.025	.000	.036	.000	.049	.049	.000	.049	.000	.000	.000	.000	.000
80	.000	.020	.020	.000	.028	.000	.038	.038	.000	.038	.000	.000	.000	.000	.000
ROOMS	0	1	1	0	2	0	1	1	0	1	0	0	0	0	0
FRACTION	.000	.008	.008	.000	.016	.000	.020	.020	.000	.020	.000	.000	.000	.000	.000
SURFACES	0	2	2	0	4	0	2	2	0	2	0	0	0	0	0
FRACTION	.000	.004	.004	.000	.009	.000	.035	.035	.000	.035	.000	.000	.000	.000	.000
ALL DWELLINGS	2	9	9	2	29	4	6	8	2	16	3	6	6	3	16
FRACTION	.008	.035	.035	.008	.112	.024	.036	.048	.012	.095	.012	.024	.024	.012	.063
99	.013	.028	.028	.013	.048	.029	.036	.041	.021	.057	.017	.024	.024	.017	.038
95	.010	.021	.021	.010	.037	.023	.027	.032	.016	.043	.013	.018	.018	.013	.029
90	.009	.018	.018	.009	.031	.019	.023	.026	.013	.036	.011	.015	.015	.011	.024
80	.007	.014	.014	.007	.024	.015	.018	.021	.010	.028	.008	.012	.012	.008	.019
ROOMS	2	9	9	2	34	4	6	8	2	18	4	6	6	7	23
FRACTION	.004	.018	.018	.004	.068	.015	.023	.031	.008	.069	.010	.015	.018	.008	.058
SURFACES	2	17	17	2	79	5	9	12	2	23	4	8	8	9	28
FRACTION	.001	.009	.009	.001	.041	.017	.031	.041	.007	.079	.009	.018	.020	.007	.063

HIGHEST LEAD READING FOR WET ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****		***** WINDOWS *****		***** PEELING BAD EITHER *****		***** DOORS *****		***** PEELING BAD EITHER *****		***** ALL *****	
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL
PRE 40 DWELLINGS													
FRACTION		1	4	1	9	2	2	4	0	6	1	2	7
99		.013	.053	.013	.118	.032	.032	.063	.000	.095	.014	.027	.095
95		.033	.065	.033	.094	.056	.056	.078	.000	.094	.034	.048	.086
90		.025	.050	.025	.072	.043	.043	.060	.000	.060	.026	.037	.066
80		.021	.042	.021	.047	.036	.036	.050	.000	.047	.022	.031	.055
		.017	.033	.017	.047	.028	.028	.039	.000	.047	.017	.024	.043
ROOMS													
FRACTION		1	4	1	10	2	2	4	0	7	1	2	8
		.007	.028	.007	.069	.019	.019	.038	.000	.067	.009	.018	.070
SURFACES													
FRACTION		1	7	1	20	3	3	6	0	9	1	2	9
		.002	.012	.002	.036	.026	.026	.051	.000	.077	.008	.016	.071
40-59 DWELLINGS													
FRACTION		0	0	0	7	2	2	2	2	7	1	1	5
99		.000	.000	.000	.060	.029	.029	.029	.029	.101	.009	.009	.043
95		.000	.000	.000	.055	.051	.051	.051	.051	.092	.022	.022	.048
90		.000	.000	.000	.042	.039	.039	.039	.039	.071	.017	.017	.036
80		.000	.000	.000	.036	.033	.033	.033	.033	.059	.014	.014	.031
		.000	.000	.000	.028	.026	.026	.026	.026	.046	.011	.011	.024
ROOMS													
FRACTION		0	0	0	9	2	2	2	2	8	1	1	8
		.000	.000	.000	.040	.020	.020	.020	.020	.080	.005	.005	.043
SURFACES													
FRACTION		0	0	0	22	2	2	2	2	9	1	1	10
		.000	.000	.000	.026	.018	.018	.018	.018	.082	.005	.005	.050
60-75 DWELLINGS													
FRACTION		0	0	0	1	0	0	0	0	0	0	0	0
99		.000	.000	.000	.016	.000	.000	.000	.000	.000	.000	.000	.000
95		.000	.000	.000	.039	.000	.000	.000	.000	.000	.000	.000	.000
90		.000	.000	.000	.030	.000	.000	.000	.000	.000	.000	.000	.000
80		.000	.000	.000	.025	.000	.000	.000	.000	.000	.000	.000	.000
		.000	.000	.000	.020	.000	.000	.000	.000	.000	.000	.000	.000
ROOMS													
FRACTION		0	0	0	1	0	0	0	0	0	0	0	0
		.000	.000	.000	.008	.000	.000	.000	.000	.000	.000	.000	.000
SURFACES													
FRACTION		0	0	0	2	0	0	0	0	0	0	0	0
		.000	.000	.000	.004	.000	.000	.000	.000	.000	.000	.000	.000
ALL DWELLINGS													
FRACTION		1	4	1	17	4	4	6	2	13	2	3	12
99		.004	.015	.004	.065	.024	.024	.036	.012	.077	.008	.012	.047
95		.009	.019	.009	.038	.029	.029	.036	.021	.052	.014	.017	.033
90		.007	.014	.007	.029	.023	.023	.027	.016	.040	.010	.013	.025
80		.006	.012	.006	.024	.019	.019	.023	.013	.033	.009	.011	.021
		.005	.009	.005	.019	.015	.015	.018	.010	.026	.007	.008	.016
ROOMS													
FRACTION		1	4	1	20	4	4	6	2	15	2	3	16
		.002	.008	.002	.040	.015	.015	.023	.008	.058	.005	.008	.040
SURFACES													
FRACTION		1	7	1	44	5	5	8	2	18	2	3	19
		.001	.004	.001	.023	.017	.017	.028	.007	.062	.005	.007	.043

HIGHEST LEAD READING FOR ALL ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****			***** ALL *****					
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL					
PRE 40 DWELLINGS		6	24	24	5	76	13	18	24	7	70	13	18	25	6	76
FRACTION		.079	.316	.316	.066	1.000	.186	.257	.343	.100	1.000	.171	.237	.329	.079	1.000
99		.079	.135	.135	.072	.000	.118	.133	.144	.091	.000	.110	.124	.137	.079	.000
95		.060	.104	.104	.055	.000	.090	.102	.110	.070	.000	.084	.095	.105	.060	.000
90		.050	.087	.087	.046	.000	.076	.085	.093	.059	.000	.070	.079	.088	.050	.000
80		.039	.068	.068	.036	.000	.059	.066	.072	.046	.000	.055	.062	.068	.039	.000
ROOMS		11	50	51	10	411	27	39	57	9	287	26	45	63	8	327
FRACTION		.027	.122	.124	.024	1.000	.094	.136	.199	.031	1.000	.080	.138	.193	.024	1.000
SURFACES		44	189	193	40	1550	44	56	85	15	356	33	65	87	11	414
FRACTION		.028	.122	.125	.026	1.000	.124	.157	.239	.042	1.000	.080	.157	.210	.027	1.000
40-59 DWELLINGS		8	20	22	6	118	18	18	24	12	92	21	22	28	15	117
FRACTION		.068	.169	.186	.051	1.000	.196	.196	.261	.130	1.000	.179	.188	.239	.128	1.000
99		.058	.087	.091	.051	.000	.105	.105	.116	.089	.000	.090	.091	.100	.078	.000
95		.045	.067	.069	.039	.000	.080	.080	.089	.068	.000	.069	.070	.076	.060	.000
90		.038	.056	.058	.033	.000	.067	.067	.074	.057	.000	.057	.059	.064	.050	.000
80		.029	.044	.045	.026	.000	.052	.052	.058	.044	.000	.045	.046	.050	.039	.000
ROOMS		11	37	40	8	573	37	35	54	18	271	41	45	63	23	458
FRACTION		.019	.065	.070	.014	1.000	.137	.129	.199	.066	1.000	.090	.098	.138	.050	1.000
SURFACES		38	131	142	27	2109	39	42	62	19	331	49	56	74	31	541
FRACTION		.018	.062	.067	.013	1.000	.118	.127	.187	.057	1.000	.091	.104	.137	.057	1.000
60-75 DWELLINGS		1	4	4	1	64	5	6	7	4	45	6	6	7	5	63
FRACTION		.016	.063	.063	.016	1.000	.111	.133	.156	.089	1.000	.095	.095	.111	.079	1.000
99		.039	.077	.077	.039	.000	.119	.129	.138	.108	.000	.094	.094	.101	.087	.000
95		.030	.059	.059	.030	.000	.091	.099	.105	.083	.000	.072	.072	.077	.066	.000
90		.025	.049	.049	.025	.000	.077	.083	.088	.069	.000	.060	.060	.065	.056	.000
80		.020	.038	.038	.020	.000	.060	.065	.069	.054	.000	.047	.047	.050	.043	.000
ROOMS		1	11	11	1	316	6	12	13	5	141	7	14	15	6	237
FRACTION		.003	.035	.035	.003	1.000	.043	.085	.092	.035	1.000	.030	.059	.063	.025	1.000
SURFACES		4	43	43	4	1180	9	17	18	8	167	7	15	16	6	301
FRACTION		.003	.036	.036	.003	1.000	.054	.102	.108	.048	1.000	.023	.050	.053	.020	1.000
ALL DWELLINGS		16	49	51	13	261	36	43	56	23	210	40	47	61	26	259
FRACTION		.061	.188	.195	.050	1.000	.171	.205	.267	.110	1.000	.154	.181	.236	.100	1.000
99		.037	.060	.061	.033	.000	.065	.069	.076	.054	.000	.056	.059	.065	.046	.000
95		.028	.046	.046	.025	.000	.050	.053	.058	.041	.000	.042	.045	.050	.035	.000
90		.024	.038	.039	.021	.000	.042	.045	.049	.034	.000	.036	.038	.042	.030	.000
80		.018	.030	.030	.017	.000	.032	.035	.038	.027	.000	.028	.030	.033	.023	.000
ROOMS		25	102	106	21	1314	70	87	125	32	712	74	105	142	37	1034
FRACTION		.019	.078	.081	.016	1.000	.098	.122	.176	.045	1.000	.072	.102	.137	.036	1.000
SURFACES		94	379	394	79	4895	92	117	167	42	868	89	137	178	48	1273
FRACTION		.019	.077	.080	.016	1.000	.106	.135	.192	.048	1.000	.070	.108	.140	.038	1.000

HIGHEST LEAD READING FOR ALL ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****	
		PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER
		BOTH	ALL	BOTH	ALL	BOTH	ALL	BOTH	ALL
PRE 40 DWELLINGS	5	21	21	13	18	10	16	22	22
FRACTION									
99	.066	.276	.053	.157	.186	.086	.257	.086	.829
95	.072	.130	.065	.111	.118	.085	.133	.085	.114
90	.055	.100	.050	.085	.090	.065	.102	.065	.088
80	.046	.084	.042	.071	.076	.055	.085	.055	.073
	.036	.065	.033	.055	.059	.043	.066	.043	.057
ROOMS	10	38	9	22	30	44	8	180	6
FRACTION									
288	.024	.092	.022	.077	.105	.153	.028	.627	.682
SURFACES	29	101	27	37	47	70	14	233	8
FRACTION									
696	.019	.065	.017	.104	.132	.197	.039	.654	.696
'40-59 DWELLINGS	5	11	3	13	11	17	7	69	14
FRACTION									
110	.042	.093	.025	.141	.120	.185	.076	.750	.940
99	.047	.068	.037	.092	.086	.103	.070	.114	.055
95	.036	.052	.028	.070	.066	.078	.054	.088	.042
90	.030	.043	.023	.059	.055	.066	.045	.073	.036
80	.023	.034	.018	.046	.043	.051	.035	.057	.028
ROOMS	6	14	3	22	18	30	10	163	17
FRACTION									
337	.010	.024	.030	.081	.066	.111	.037	.601	.736
SURFACES	11	23	7	24	22	35	11	199	24
FRACTION									
407	.005	.011	.003	.073	.066	.106	.033	.601	.752
60-75 DWELLINGS	0	2	0	1	3	3	1	29	2
FRACTION									
52	.000	.031	.000	.022	.067	.067	.022	.644	.825
99	.000	.055	.000	.056	.095	.095	.056	.182	.122
95	.000	.042	.000	.043	.073	.073	.043	.139	.093
90	.000	.036	.000	.036	.061	.061	.036	.117	.078
80	.000	.028	.000	.028	.047	.047	.028	.091	.061
ROOMS	0	6	0	1	6	6	1	60	2
FRACTION									
149	.000	.019	.000	.007	.043	.043	.007	.426	.629
SURFACES	0	12	0	1	8	8	1	72	2
FRACTION									
611	.000	.010	.000	.006	.048	.048	.006	.431	.611
ALL DWELLINGS	11	35	8	25	27	38	14	158	20
FRACTION									
237	.042	.134	.031	.119	.129	.181	.067	.752	.915
99	.031	.052	.026	.056	.058	.066	.043	.074	.043
95	.024	.040	.020	.034	.044	.051	.033	.047	.033
90	.020	.033	.017	.036	.037	.042	.028	.048	.027
80	.015	.026	.013	.028	.029	.033	.021	.037	.021
ROOMS	17	60	13	45	54	80	19	407	25
FRACTION									
717	.013	.046	.010	.063	.076	.112	.027	.572	.693
SURFACES	41	138	144	62	77	113	26	508	34
FRACTION									
888	.008	.028	.029	.071	.089	.130	.030	.585	.698

	***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING BAD EITHER *****		***** BOTH *****		***** ALL *****				
	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER			
PRE 40 DWELLINGS	5	17	17	4	54	9	12	15	6	46	9	13	18	4	53
FRACTION	.066	.224	.224	.053	.711	.129	.171	.214	.086	.657	.118	.171	.237	.053	.697
99	.072	.121	.121	.065	.132	.102	.114	.125	.085	.144	.094	.110	.124	.065	.134
95	.055	.093	.093	.050	.101	.078	.088	.095	.065	.110	.072	.084	.095	.050	.102
90	.046	.078	.078	.042	.085	.065	.073	.080	.055	.093	.060	.070	.079	.042	.086
80	.036	.061	.061	.033	.066	.051	.057	.062	.043	.072	.047	.055	.062	.033	.067
ROOMS	10	30	31	9	143	19	26	37	8	115	18	25	38	5	132
FRACTION	.024	.073	.075	.022	.348	.066	.091	.129	.028	.401	.055	.076	.116	.015	.404
SURFACES	26	77	78	25	293	33	41	60	14	153	23	38	54	7	177
FRACTION	.017	.050	.050	.016	.189	.093	.115	.169	.039	.430	.056	.092	.130	.017	.428
40-59 DWELLINGS	3	6	7	2	84	8	7	10	5	47	12	13	17	8	92
FRACTION	.025	.051	.059	.017	.712	.087	.076	.109	.054	.511	.103	.111	.145	.068	.786
99	.037	.051	.055	.030	.105	.074	.070	.082	.060	.132	.071	.073	.082	.059	.096
95	.028	.039	.042	.023	.081	.057	.054	.063	.046	.101	.054	.056	.063	.045	.073
90	.023	.033	.035	.019	.068	.048	.045	.053	.038	.085	.045	.047	.053	.038	.061
80	.018	.026	.027	.015	.053	.037	.035	.041	.030	.066	.035	.037	.041	.029	.048
ROOMS	3	6	7	2	219	9	10	13	6	87	17	24	32	9	215
FRACTION	.005	.010	.012	.003	.382	.033	.037	.048	.022	.321	.037	.052	.070	.020	.469
SURFACES	5	10	11	4	425	10	14	17	7	114	21	31	39	13	265
FRACTION	.002	.005	.005	.002	.202	.030	.042	.051	.021	.344	.039	.057	.072	.024	.490
60-75 DWELLINGS	0	1	1	0	21	1	2	2	1	15	3	2	3	2	38
FRACTION	.000	.016	.016	.000	.328	.022	.044	.044	.022	.333	.048	.032	.048	.032	.603
99	.000	.039	.039	.000	.149	.056	.078	.078	.056	.179	.068	.056	.068	.056	.157
95	.000	.030	.030	.000	.114	.043	.060	.060	.043	.137	.052	.043	.052	.043	.120
90	.000	.025	.025	.000	.096	.036	.050	.050	.036	.115	.044	.036	.044	.036	.101
80	.000	.020	.020	.000	.075	.028	.039	.039	.028	.090	.034	.028	.034	.028	.078
ROOMS	0	2	2	0	32	1	5	5	1	33	3	8	9	2	94
FRACTION	.000	.006	.006	.000	.101	.007	.035	.035	.007	.234	.013	.034	.038	.008	.397
SURFACES	0	8	8	0	53	1	7	7	1	39	3	9	10	2	112
FRACTION	.000	.007	.007	.000	.045	.006	.042	.042	.006	.234	.010	.030	.033	.007	.372
ALL DWELLINGS	8	25	26	6	161	18	21	27	12	108	24	28	38	14	186
FRACTION	.031	.096	.100	.023	.617	.086	.100	.129	.057	.514	.093	.108	.147	.054	.718
99	.026	.045	.046	.023	.074	.048	.052	.058	.040	.086	.045	.048	.054	.035	.069
95	.020	.034	.035	.018	.057	.037	.039	.044	.031	.066	.034	.036	.042	.027	.053
90	.017	.029	.029	.015	.048	.031	.033	.037	.026	.055	.029	.031	.035	.022	.044
80	.013	.023	.023	.011	.037	.024	.026	.029	.020	.043	.022	.024	.027	.017	.035
ROOMS	13	39	41	11	396	29	41	55	15	235	38	57	79	16	445
FRACTION	.010	.030	.031	.008	.301	.041	.058	.077	.021	.330	.037	.055	.076	.015	.430
SURFACES	31	96	98	29	773	44	62	84	22	306	47	78	103	22	559
FRACTION	.006	.020	.020	.006	.158	.051	.071	.097	.025	.353	.037	.061	.081	.017	.439

HIGHEST LEAD READING FOR ALL ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****				***** WINDOWS *****				***** DOORS *****							
		PEELING BAD EITHER		BOTH		ALL		PEELING BAD EITHER		BOTH		ALL					
		2	11	21	7	11	24	7	6	10	3	21	9	8	13	4	24
PRE 40 DWELLINGS		.026	.145	.145	.026	.316	.100	.086	.143	.043	.300	.118	.105	.171	.053	.316	
FRACTION		.047	.102	.102	.047	.135	.091	.085	.106	.062	.139	.094	.089	.110	.065	.135	
99		.036	.078	.078	.036	.104	.070	.065	.081	.047	.107	.072	.068	.084	.050	.104	
95		.030	.066	.066	.030	.087	.059	.055	.068	.039	.089	.060	.057	.070	.042	.087	
90		.023	.051	.051	.023	.068	.046	.043	.053	.031	.070	.047	.045	.055	.033	.068	
80																	
ROOMS		7	21	21	7	57	12	14	23	3	52	15	15	25	5	59	
FRACTION		.017	.051	.051	.017	.139	.042	.049	.080	.010	.181	.046	.046	.076	.015	.180	
SURFACES		19	53	53	19	150	22	25	41	6	77	19	23	35	7	86	
FRACTION		.012	.034	.034	.012	.097	.062	.070	.115	.017	.216	.046	.056	.085	.017	.208	
40-59 DWELLINGS		0	2	2	0	34	2	3	3	2	18	6	7	10	3	44	
FRACTION		.000	.017	.017	.000	.288	.022	.033	.033	.022	.196	.051	.060	.085	.026	.376	
99		.000	.030	.030	.000	.105	.039	.047	.047	.039	.105	.051	.055	.065	.037	.113	
95		.000	.023	.023	.000	.081	.029	.036	.036	.029	.080	.039	.042	.050	.028	.086	
90		.000	.019	.019	.000	.068	.025	.030	.030	.025	.067	.033	.036	.042	.024	.073	
80		.000	.015	.015	.000	.053	.019	.023	.023	.019	.052	.026	.028	.033	.018	.057	
ROOMS		0	2	2	0	74	3	6	6	3	31	7	13	16	4	69	
FRACTION		.000	.003	.003	.000	.129	.011	.022	.022	.011	.114	.015	.028	.035	.009	.151	
SURFACES		0	3	3	0	181	4	10	10	4	46	9	18	21	6	86	
FRACTION		.000	.001	.001	.000	.086	.012	.030	.030	.012	.139	.017	.033	.039	.011	.159	
60-75 DWELLINGS		0	1	1	0	4	0	1	1	0	5	2	2	2	2	13	
FRACTION		.000	.016	.016	.000	.063	.000	.022	.022	.000	.111	.032	.032	.032	.032	.206	
99		.000	.039	.039	.000	.077	.000	.056	.056	.000	.119	.056	.056	.056	.056	.130	
95		.000	.030	.030	.000	.059	.000	.043	.043	.000	.091	.043	.043	.043	.043	.099	
90		.000	.025	.025	.000	.049	.000	.036	.036	.000	.077	.036	.036	.036	.036	.083	
80		.000	.020	.020	.000	.038	.000	.028	.028	.000	.060	.028	.028	.028	.028	.065	
ROOMS		0	2	2	0	5	0	4	4	0	10	2	4	4	2	25	
FRACTION		.000	.006	.006	.000	.016	.000	.028	.028	.000	.071	.008	.017	.017	.008	.105	
SURFACES		0	7	7	0	13	0	6	6	0	14	2	5	5	2	32	
FRACTION		.000	.006	.006	.000	.011	.000	.036	.036	.000	.084	.007	.017	.017	.007	.106	
ALL DWELLINGS		2	14	14	2	62	9	10	14	5	44	17	17	25	9	81	
FRACTION		.008	.054	.054	.008	.238	.043	.048	.067	.024	.210	.066	.066	.097	.035	.313	
99		.013	.034	.034	.013	.065	.035	.037	.043	.026	.070	.038	.038	.045	.028	.071	
95		.010	.026	.026	.010	.050	.027	.028	.033	.020	.054	.029	.029	.035	.022	.054	
90		.009	.022	.022	.009	.042	.022	.023	.028	.017	.045	.024	.024	.029	.018	.046	
80		.007	.017	.017	.007	.033	.017	.018	.021	.013	.035	.019	.019	.023	.014	.036	
ROOMS		7	25	25	7	136	15	24	33	6	93	24	32	45	11	153	
FRACTION		.005	.019	.019	.005	.104	.021	.034	.046	.008	.131	.023	.031	.044	.011	.148	
SURFACES		19	63	63	19	344	26	41	57	10	137	30	46	61	15	204	
FRACTION		.004	.013	.013	.004	.070	.030	.047	.066	.012	.158	.024	.036	.048	.012	.160	

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****			***** PEELING BAD EITHER *****			***** BOTH *****			***** ALL *****					
		PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL	
PRE	40 DWELLINGS	2	8	8	2	16	5	5	8	2	11	5	7	9	3	15						
	FRACTION	.026	.105	.105	.026	.211	.071	.071	.114	.029	.157	.066	.092	.118	.039	.197						
	99	.047	.089	.089	.047	.119	.078	.078	.097	.051	.111	.072	.084	.094	.057	.116						
	95	.036	.068	.068	.036	.091	.060	.060	.074	.039	.085	.055	.064	.072	.043	.089						
	90	.030	.057	.057	.030	.076	.050	.050	.062	.032	.071	.046	.054	.060	.036	.074						
	80	.023	.045	.045	.023	.059	.039	.039	.048	.025	.055	.036	.042	.047	.028	.058						
	ROOMS	5	13	13	5	35	8	10	16	2	27	8	11	15	4	31						
	FRACTION	.012	.032	.032	.012	.085	.028	.035	.056	.007	.094	.024	.034	.046	.012	.095						
	SURFACES	9	28	28	9	68	13	18	28	3	43	11	17	22	6	50						
	FRACTION	.006	.018	.018	.006	.044	.037	.051	.079	.008	.121	.027	.041	.053	.014	.121						
40-59	DWELLINGS	0	2	2	0	15	2	3	3	2	10	2	3	3	2	10						
	FRACTION	.000	.017	.017	.000	.127	.022	.033	.033	.022	.109	.017	.026	.026	.017	.085						
	99	.000	.030	.030	.000	.077	.039	.047	.047	.039	.082	.030	.037	.037	.030	.065						
	95	.000	.023	.023	.000	.059	.029	.036	.036	.029	.063	.023	.028	.028	.023	.050						
	90	.000	.019	.019	.000	.050	.025	.030	.030	.025	.053	.019	.024	.024	.019	.042						
	80	.000	.015	.015	.000	.039	.019	.023	.023	.019	.041	.015	.018	.018	.015	.033						
	ROOMS	0	2	2	0	32	3	6	6	3	21	3	6	6	3	24						
	FRACTION	.000	.003	.003	.000	.056	.011	.022	.022	.011	.077	.007	.013	.013	.007	.052						
	SURFACES	0	3	3	0	71	4	10	10	4	34	5	11	11	5	38						
	FRACTION	.000	.001	.001	.000	.034	.012	.030	.030	.012	.103	.009	.020	.020	.009	.070						
60-75	DWELLINGS	0	1	1	0	2	0	1	1	0	1	0	0	0	0	1						
	FRACTION	.000	.016	.016	.000	.031	.000	.022	.022	.000	.022	.000	.000	.000	.000	.016						
	99	.000	.039	.039	.000	.055	.000	.056	.056	.000	.056	.000	.000	.000	.000	.040						
	95	.000	.030	.030	.000	.042	.000	.043	.043	.000	.043	.000	.000	.000	.000	.031						
	90	.000	.025	.025	.000	.036	.000	.036	.036	.000	.036	.000	.000	.000	.000	.026						
	80	.000	.020	.020	.000	.028	.000	.028	.028	.000	.028	.000	.000	.000	.000	.020						
	ROOMS	0	1	1	0	2	0	1	1	0	1	0	0	0	0	1						
	FRACTION	.000	.003	.003	.000	.006	.000	.007	.007	.000	.007	.000	.000	.000	.000	.004						
	SURFACES	0	2	2	0	4	0	2	2	0	2	0	0	0	0	1						
	FRACTION	.000	.002	.002	.000	.003	.000	.012	.012	.000	.012	.000	.000	.000	.000	.003						
ALL	DWELLINGS	2	11	11	2	33	7	9	12	4	22	7	10	12	5	26						
	FRACTION	.008	.042	.042	.008	.126	.033	.043	.057	.019	.105	.027	.039	.046	.019	.100						
	99	.013	.031	.031	.013	.051	.031	.035	.040	.023	.053	.025	.030	.032	.021	.046						
	95	.010	.024	.024	.010	.039	.024	.027	.031	.018	.040	.019	.023	.025	.016	.035						
	90	.009	.020	.020	.009	.033	.020	.022	.026	.015	.034	.016	.019	.021	.014	.030						
	80	.007	.015	.015	.007	.025	.015	.017	.020	.012	.026	.012	.015	.016	.011	.023						
	ROOMS	5	16	16	5	69	11	17	23	5	49	11	17	21	7	56						
	FRACTION	.004	.012	.012	.004	.053	.015	.024	.032	.007	.069	.011	.016	.020	.007	.054						
	SURFACES	9	33	33	9	143	17	30	40	7	79	16	28	33	11	89						
	FRACTION	.002	.007	.007	.002	.029	.020	.035	.046	.008	.091	.013	.022	.026	.009	.070						

HIGHEST LEAD READING FOR ALL ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS PUBLIC-ALL

		***** WALLS *****			***** WINDOWS *****			***** CORNERS *****			***** PEELING BAD EITHER *****			***** BOTH *****			***** ALL *****				
		PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL
PRE 40 DWELLINGS		2	5	5	2	13	5	4	7	2	10	5	6	9	2	14					
FRACTION		.026	.066	.066	.026	.171	.071	.057	.100	.029	.143	.056	.079	.118	.026	.184					
99		.047	.072	.072	.047	.110	.078	.071	.091	.051	.106	.072	.079	.094	.047	.113					
95		.036	.055	.055	.036	.084	.060	.054	.070	.039	.081	.055	.060	.072	.036	.086					
90		.030	.046	.046	.030	.070	.050	.045	.059	.032	.068	.046	.050	.060	.030	.072					
80		.023	.036	.036	.023	.055	.039	.035	.046	.025	.053	.036	.039	.047	.023	.056					
ROOMS		3	7	7	3	20	6	8	12	2	18	6	7	11	2	22					
FRACTION		.007	.017	.017	.007	.049	.021	.028	.042	.007	.063	.018	.021	.034	.006	.067					
SURFACES		7	17	17	7	37	9	15	21	3	28	8	10	15	3	32					
FRACTION		.005	.011	.011	.005	.024	.025	.042	.059	.008	.079	.019	.024	.036	.007	.077					
40-59 DWELLINGS		0	1	1	0	10	2	3	3	2	10	1	1	1	1	6					
FRACTION		.000	.008	.008	.000	.085	.022	.033	.033	.022	.109	.009	.009	.009	.009	.051					
99		.000	.021	.021	.000	.065	.039	.047	.047	.039	.082	.021	.021	.021	.021	.051					
95		.000	.016	.016	.000	.050	.029	.036	.036	.029	.063	.016	.016	.016	.016	.039					
90		.000	.014	.014	.000	.042	.025	.030	.030	.025	.053	.014	.014	.014	.014	.033					
80		.000	.011	.011	.000	.032	.019	.023	.023	.019	.041	.011	.011	.011	.011	.026					
ROOMS		0	1	1	0	15	3	4	4	3	18	2	2	2	2	15					
FRACTION		.000	.002	.002	.000	.026	.011	.015	.015	.011	.066	.004	.004	.004	.004	.033					
SURFACES		0	1	1	0	31	4	6	6	4	27	4	4	4	4	22					
FRACTION		.000	.000	.000	.000	.015	.012	.018	.018	.012	.082	.007	.007	.007	.007	.041					
60-75 DWELLINGS		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0					
FRACTION		.000	.000	.000	.000	.016	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000					
99		.000	.000	.000	.000	.039	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000					
95		.000	.000	.000	.000	.030	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000					
90		.000	.000	.000	.000	.025	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000					
80		.000	.000	.000	.000	.020	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000					
ROOMS		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0					
FRACTION		.000	.000	.000	.000	.003	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000					
SURFACES		0	0	0	0	2	0	0	0	0	0	0	0	0	0	0					
FRACTION		.000	.000	.000	.000	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000					
ALL DWELLINGS		2	6	6	2	24	7	7	10	4	20	6	7	10	3	20					
FRACTION		.008	.023	.023	.008	.092	.033	.033	.048	.019	.095	.023	.027	.039	.012	.077					
99		.013	.023	.023	.013	.044	.031	.031	.037	.023	.050	.023	.025	.030	.016	.041					
95		.010	.018	.018	.010	.034	.024	.024	.028	.018	.039	.018	.019	.023	.013	.031					
90		.009	.015	.015	.009	.028	.020	.020	.023	.015	.032	.015	.016	.019	.011	.026					
80		.007	.011	.011	.007	.022	.015	.015	.018	.012	.025	.012	.012	.015	.008	.021					
ROOMS		3	8	8	3	36	9	12	16	5	36	8	9	13	4	37					
FRACTION		.002	.006	.006	.002	.027	.013	.017	.022	.007	.051	.008	.009	.013	.004	.036					
SURFACES		7	18	18	7	70	13	21	27	7	55	12	14	19	7	54					
FRACTION		.001	.004	.004	.001	.014	.015	.024	.031	.008	.063	.009	.011	.015	.005	.042					

HIGHEST LEAD READING FOR DRY ROOMS IS 0.0 OR MORE * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****							
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL							
PRE 40 DWELLINGS	352	665	716	291	2523	339	506	610	231	2383	301	493	583	209	2443
FRACTION	.140	.264	.284	.115	1.000	.142	.212	.256	.097	1.000	.123	.202	.239	.086	1.000
99	.018	.022	.023	.016	.000	.018	.021	.023	.015	.000	.017	.021	.022	.014	.000
95	.013	.017	.018	.012	.000	.014	.016	.017	.012	.000	.013	.016	.017	.011	.000
90	.011	.014	.015	.010	.000	.012	.014	.015	.010	.000	.011	.013	.014	.009	.000
80	.009	.011	.011	.008	.000	.009	.011	.011	.008	.000	.008	.010	.011	.007	.000
ROOMS	513	1346	1432	427	10015	521	921	1105	337	7295	450	899	1053	296	6873
FRACTION	.051	.134	.143	.043	1.000	.071	.126	.151	.046	1.000	.065	.131	.153	.043	1.000
SURFACES	1857	4871	5193	1535	36709	952	1631	1973	610	13035	764	1572	1805	531	11515
FRACTION	.051	.133	.141	.042	1.000	.073	.125	.151	.047	1.000	.066	.137	.157	.046	1.000
40-59 DWELLINGS	15	41	43	13	570	26	33	43	16	365	27	35	45	17	558
FRACTION	.026	.072	.075	.023	1.000	.071	.090	.118	.044	1.000	.048	.063	.081	.030	1.000
99	.017	.028	.028	.016	.000	.034	.038	.043	.027	.000	.023	.026	.029	.019	.000
95	.013	.021	.022	.012	.000	.026	.029	.033	.021	.000	.018	.020	.022	.014	.000
90	.011	.018	.018	.010	.000	.022	.025	.028	.018	.000	.015	.017	.019	.012	.000
80	.009	.014	.014	.008	.000	.017	.019	.022	.014	.000	.012	.013	.015	.009	.000
ROOMS	25	62	64	23	2232	40	50	68	22	1045	42	54	71	25	1631
FRACTION	.011	.028	.029	.010	1.000	.038	.048	.065	.021	1.000	.026	.033	.044	.015	1.000
SURFACES	88	225	232	81	8219	54	77	98	33	1662	62	85	107	40	2716
FRACTION	.011	.027	.028	.010	1.000	.032	.046	.059	.020	1.000	.023	.031	.039	.015	1.000
60-75 DWELLINGS	2	3	4	1	199	5	7	8	4	106	6	9	10	5	191
FRACTION	.010	.015	.020	.005	1.000	.047	.066	.075	.038	1.000	.031	.047	.052	.026	1.000
99	.018	.022	.025	.013	.000	.053	.062	.066	.047	.000	.032	.039	.041	.029	.000
95	.014	.017	.019	.010	.000	.040	.047	.050	.036	.000	.025	.030	.031	.023	.000
90	.012	.014	.016	.008	.000	.034	.040	.042	.030	.000	.021	.025	.026	.019	.000
80	.009	.011	.013	.006	.000	.026	.031	.033	.024	.000	.016	.020	.021	.015	.000
ROOMS	2	6	7	1	714	6	10	11	5	260	7	14	15	6	499
FRACTION	.003	.008	.010	.001	1.000	.023	.038	.042	.019	1.000	.014	.028	.030	.012	1.000
SURFACES	8	24	28	4	2652	9	14	15	8	336	7	17	18	6	812
FRACTION	.003	.009	.011	.002	1.000	.027	.042	.045	.024	1.000	.009	.021	.022	.007	1.000
ALL DWELLINGS	373	715	769	309	3321	373	550	665	254	2878	337	543	644	234	3220
FRACTION	.112	.215	.232	.093	1.000	.130	.191	.231	.088	1.000	.105	.169	.200	.073	1.000
99	.014	.018	.019	.013	.000	.016	.019	.020	.013	.000	.014	.017	.018	.012	.000
95	.011	.014	.014	.010	.000	.012	.014	.015	.010	.000	.011	.013	.014	.009	.000
90	.009	.012	.012	.008	.000	.010	.012	.013	.009	.000	.009	.011	.012	.007	.000
80	.007	.009	.009	.006	.000	.008	.009	.010	.007	.000	.007	.008	.009	.006	.000
ROOMS	545	1429	1518	456	13073	575	991	1194	372	8671	505	978	1150	333	9076
FRACTION	.042	.109	.116	.035	1.000	.066	.114	.138	.043	1.000	.056	.108	.127	.037	1.000
SURFACES	1972	5176	5509	1639	47987	1027	1738	2102	663	15153	843	1692	1948	587	15169
FRACTION	.041	.108	.115	.034	1.000	.068	.115	.139	.044	1.000	.056	.112	.128	.039	1.000

HIGHEST LEAD READING FOR DRY ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL			
PRE 40 DWELLINGS		193	341	379	151	1590	261	402	480	180	1812	237	393	464	164	1870
FRACTION		.076	.135	.150	.060	.630	.110	.169	.201	.076	.760	.097	.161	.190	.067	.765
99		.013	.017	.018	.012	.025	.016	.020	.021	.014	.022	.015	.019	.020	.013	.022
95		.010	.013	.014	.009	.019	.012	.015	.016	.011	.017	.012	.015	.015	.010	.017
90		.009	.011	.012	.008	.016	.010	.013	.013	.009	.014	.010	.012	.013	.008	.014
80		.007	.009	.009	.006	.012	.008	.010	.010	.007	.011	.008	.009	.010	.006	.011
ROOMS		240	509	555	194	3281	370	655	778	247	3998	341	658	775	224	3900
FRACTION		.024	.051	.055	.019	.328	.051	.090	.107	.034	.548	.050	.096	.113	.033	.567
SURFACES		514	1065	1173	406	6211	676	1162	1395	443	7200	574	1166	1341	399	6600
FRACTION		.014	.029	.032	.011	.169	.052	.089	.107	.034	.552	.050	.101	.116	.035	.573
40-59 DWELLINGS		6	10	10	6	281	13	18	22	9	141	16	22	28	10	344
FRACTION		.011	.018	.018	.011	.493	.036	.049	.060	.025	.386	.029	.039	.050	.018	.616
99		.011	.014	.014	.011	.053	.025	.029	.032	.021	.065	.018	.021	.024	.014	.052
95		.008	.011	.011	.008	.041	.019	.022	.024	.016	.050	.014	.016	.018	.011	.040
90		.007	.009	.009	.007	.034	.016	.019	.020	.013	.042	.012	.013	.015	.009	.034
80		.005	.007	.007	.005	.027	.012	.014	.016	.010	.033	.009	.010	.012	.007	.026
ROOMS		10	14	14	10	524	15	24	28	11	246	18	30	38	10	583
FRACTION		.004	.006	.006	.004	.235	.014	.023	.027	.011	.235	.011	.018	.023	.006	.357
SURFACES		19	25	25	19	910	24	42	47	19	397	26	50	59	17	949
FRACTION		.002	.003	.003	.002	.111	.014	.025	.028	.011	.239	.010	.018	.022	.006	.349
60-75 DWELLINGS		1	0	1	0	69	1	2	2	1	29	2	2	3	1	98
FRACTION		.005	.000	.005	.000	.347	.009	.019	.019	.009	.274	.010	.010	.016	.005	.513
99		.013	.000	.013	.000	.086	.024	.034	.034	.024	.111	.019	.019	.023	.013	.092
95		.010	.000	.010	.000	.066	.018	.026	.026	.018	.085	.014	.014	.018	.010	.071
90		.008	.000	.008	.000	.055	.015	.022	.022	.015	.071	.012	.012	.015	.009	.059
80		.006	.000	.006	.000	.043	.012	.017	.017	.012	.055	.009	.009	.011	.007	.046
RCCMS		1	0	1	0	113	1	3	3	1	47	2	5	6	1	187
FRACTION		.001	.000	.001	.000	.158	.004	.012	.012	.004	.181	.004	.010	.012	.002	.375
SURFACES		2	0	2	0	176	1	4	4	1	63	2	5	6	1	304
FRACTION		.001	.000	.001	.000	.066	.003	.012	.012	.003	.188	.002	.006	.007	.001	.374
ALL DWELLINGS		201	356	395	158	1959	278	425	507	193	1994	258	422	500	178	2331
FRACTION		.061	.107	.119	.048	.590	.097	.148	.176	.067	.693	.080	.131	.155	.055	.724
99		.011	.014	.014	.009	.022	.014	.017	.018	.012	.022	.012	.015	.016	.010	.020
95		.008	.010	.011	.007	.017	.011	.013	.014	.009	.017	.009	.012	.012	.008	.015
90		.007	.009	.009	.006	.014	.009	.011	.012	.008	.014	.008	.010	.010	.007	.013
80		.005	.007	.007	.005	.011	.007	.008	.008	.006	.011	.006	.008	.008	.005	.010
ROOMS		252	530	577	205	3958	392	689	816	265	4317	367	702	828	241	4705
FRACTION		.019	.041	.044	.016	.303	.045	.079	.094	.031	.498	.040	.077	.091	.027	.518
SURFACES		537	1103	1213	427	7361	708	1217	1455	470	7705	612	1236	1421	427	7904
FRACTION		.011	.023	.025	.009	.153	.047	.080	.096	.031	.508	.040	.081	.094	.028	.521

HIGHEST LEAD READING FOR DRY ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****											
PEELING 8AD EITHER	BOTH	ALL	PEELING 8AD EITHER	BOTH	ALL										
PRE 40 DWELLINGS	100	183	200	83	776	211	324	391	143	1375	195	327	381	140	1368
FRACTION	.040	.073	.079	.033	.308	.089	.136	.164	.060	.577	.080	.134	.156	.057	.560
99	.010	.013	.014	.009	.023	.015	.018	.019	.012	.026	.014	.018	.019	.012	.026
95	.008	.010	.010	.007	.018	.011	.014	.015	.009	.020	.011	.013	.014	.009	.020
90	.006	.008	.009	.006	.015	.010	.011	.012	.008	.017	.009	.011	.012	.008	.016
80	.005	.007	.007	.005	.012	.007	.009	.010	.006	.013	.007	.009	.009	.006	.013
ROOMS	123	261	281	103	1313	296	512	615	193	2842	273	524	609	188	2686
FRACTION	.012	.026	.028	.010	.131	.041	.070	.084	.026	.390	.040	.076	.089	.027	.391
SURFACES	272	624	662	234	2951	542	913	1111	344	5159	469	938	1065	342	4649
FRACTION	.007	.017	.018	.006	.080	.042	.070	.085	.026	.396	.041	.081	.092	.030	.404
40-59 DWELLINGS	4	7	7	4	65	5	11	12	4	62	10	14	18	6	104
FRACTION	.007	.012	.012	.007	.114	.014	.030	.033	.011	.170	.018	.025	.032	.011	.186
99	.009	.012	.012	.009	.034	.016	.023	.024	.014	.050	.014	.017	.019	.011	.042
95	.007	.009	.009	.007	.026	.012	.017	.018	.011	.038	.011	.013	.015	.009	.032
90	.006	.008	.008	.006	.022	.010	.015	.015	.009	.032	.009	.011	.012	.007	.027
80	.004	.006	.006	.004	.017	.008	.011	.012	.007	.025	.007	.008	.010	.006	.021
ROOMS	7	10	10	7	114	6	14	15	5	103	10	18	22	6	131
FRACTION	.003	.004	.004	.003	.051	.006	.013	.014	.005	.059	.006	.011	.013	.004	.080
SURFACES	12	15	15	12	248	12	27	29	10	180	15	32	36	11	197
FRACTION	.001	.002	.002	.001	.030	.007	.016	.017	.006	.108	.006	.012	.013	.004	.073
60-75 DWELLINGS	0	0	0	0	7	0	1	1	0	8	1	1	1	1	23
FRACTION	.000	.000	.000	.000	.035	.000	.009	.009	.000	.075	.005	.005	.005	.005	.120
99	.000	.000	.000	.000	.033	.000	.024	.024	.000	.066	.013	.013	.013	.013	.060
95	.000	.000	.000	.000	.025	.000	.018	.018	.000	.050	.010	.010	.010	.010	.046
90	.000	.000	.000	.000	.021	.000	.015	.015	.000	.042	.009	.009	.009	.009	.039
80	.000	.000	.000	.000	.017	.000	.012	.012	.000	.033	.007	.007	.007	.007	.030
ROOMS	0	0	0	0	14	0	2	2	0	13	1	2	2	1	28
FRACTION	.000	.000	.000	.000	.020	.000	.008	.008	.000	.050	.002	.004	.004	.002	.056
SURFACES	0	0	0	0	32	0	3	3	0	18	1	2	2	1	36
FRACTION	.000	.000	.000	.000	.012	.000	.009	.009	.000	.054	.001	.002	.002	.001	.044
ALL DWELLINGS	105	193	210	88	858	219	339	407	150	1454	209	346	404	150	1506
FRACTION	.032	.058	.063	.026	.258	.076	.118	.141	.052	.505	.065	.107	.125	.047	.468
99	.008	.010	.011	.007	.019	.013	.015	.017	.011	.024	.011	.014	.015	.009	.022
95	.006	.008	.008	.005	.015	.010	.012	.013	.008	.018	.008	.011	.011	.007	.017
90	.005	.007	.007	.005	.012	.008	.010	.011	.007	.015	.007	.009	.010	.006	.014
80	.004	.005	.005	.004	.010	.006	.008	.008	.005	.012	.006	.007	.007	.005	.011
ROOMS	131	275	295	111	1458	308	535	639	204	2977	289	550	639	200	2865
FRACTION	.010	.021	.023	.008	.112	.036	.062	.074	.024	.343	.032	.061	.070	.022	.316
SURFACES	286	646	684	248	3258	561	952	1152	361	5389	494	982	1113	363	4910
FRACTION	.006	.013	.014	.005	.068	.037	.063	.076	.024	.356	.033	.065	.073	.024	.324

HIGHEST LEAD READING FOR DRY ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL			
PRE 40	DWELLINGS	59	123	128	54	462	148	238	283	102	979	137	252	298	100	993
	FRACTION	.023	.049	.051	.021	.183	.062	.100	.119	.043	.411	.056	.103	.118	.041	.406
	99	.008	.011	.011	.007	.020	.013	.016	.016	.011	.026	.012	.016	.017	.010	.025
	95	.006	.008	.009	.006	.015	.010	.012	.013	.008	.020	.009	.012	.011	.008	.019
	90	.005	.007	.007	.005	.013	.008	.010	.011	.007	.017	.008	.010	.011	.007	.016
	80	.004	.005	.006	.004	.010	.006	.008	.008	.005	.013	.006	.008	.008	.005	.013
ROOMS	FRACTION	.007	.017	.017	.007	.075	.027	.047	.055	.018	.239	.029	.055	.063	.021	.264
SURFACES	FRACTION	.004	.010	.011	.004	.046	.027	.047	.056	.018	.242	.030	.059	.066	.022	.278
40-59	DWELLINGS	3	5	5	3	29	3	6	6	3	30	3	7	7	3	35
	FRACTION	.005	.009	.009	.005	.051	.008	.016	.016	.008	.082	.005	.013	.013	.005	.063
	99	.008	.010	.010	.008	.023	.012	.017	.017	.012	.037	.008	.012	.012	.008	.026
	95	.006	.008	.008	.006	.018	.009	.013	.013	.009	.028	.006	.009	.009	.006	.020
	90	.005	.006	.006	.005	.015	.008	.011	.011	.008	.024	.005	.008	.008	.005	.017
	80	.004	.005	.005	.004	.012	.006	.008	.008	.006	.018	.004	.006	.006	.004	.013
ROOMS	FRACTION	.002	.003	.003	.002	.022	.003	.008	.008	.003	.042	.002	.005	.005	.002	.029
SURFACES	FRACTION	.001	.001	.001	.001	.013	.003	.008	.008	.003	.048	.003	.007	.007	.003	.030
60-75	DWELLINGS	0	0	0	0	1	0	0	0	0	4	0	0	0	0	3
	FRACTION	.000	.000	.000	.000	.005	.000	.000	.000	.000	.038	.000	.000	.000	.000	.016
	99	.000	.000	.000	.000	.013	.000	.000	.000	.000	.047	.000	.000	.000	.000	.023
	95	.000	.000	.000	.000	.010	.000	.000	.000	.000	.036	.000	.000	.000	.000	.018
	90	.000	.000	.000	.000	.008	.000	.000	.000	.000	.030	.000	.000	.000	.000	.015
	80	.000	.000	.000	.000	.006	.000	.000	.000	.000	.024	.000	.000	.000	.000	.011
ROOMS	FRACTION	.000	.000	.000	.000	.003	.000	.000	.000	.000	.015	.000	.000	.000	.000	.008
SURFACES	FRACTION	.000	.000	.000	.000	.001	.000	.000	.000	.000	.021	.000	.000	.000	.000	.006
ALL	DWELLINGS	62	129	134	57	498	153	246	291	107	1019	141	260	296	104	1038
	FRACTION	.019	.039	.040	.017	.150	.053	.085	.101	.037	.354	.044	.081	.092	.032	.322
	99	.006	.009	.009	.006	.016	.011	.013	.014	.009	.023	.009	.012	.013	.008	.021
	95	.005	.007	.007	.004	.012	.008	.010	.011	.007	.017	.007	.009	.010	.006	.016
	90	.004	.005	.006	.004	.010	.007	.009	.009	.006	.015	.006	.008	.008	.005	.013
	80	.003	.004	.004	.003	.008	.005	.007	.007	.004	.011	.005	.006	.006	.004	.010
ROOMS	FRACTION	.006	.013	.014	.005	.062	.023	.040	.048	.016	.207	.022	.043	.049	.016	.207
SURFACES	FRACTION	.003	.008	.008	.003	.037	.024	.041	.049	.016	.215	.023	.046	.052	.018	.217

HIGHEST LEAD READING FOR DRY ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS ALL

***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING BAD EITHER *****		***** ALL *****		
PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	
PRE 40 DWELLINGS	41 89 92 38 337	96 153 182 67 682	108 173 205 75 697	0.16 .035 .036 .015 .134	.040 .064 .076 .028 .286	.044 .071 .084 .031 .285	.011 .013 .014 .009 .024	.008 .010 .011 .007 .018	.007 .008 .009 .006 .015	.005 .006 .007 .004 .012
FRACTION	99	95	90	80	45 116 119 42 514	122 206 247 81 1086	139 249 290 98 1142	.004 .012 .012 .004 .051	.017 .028 .034 .011 .149	.020 .036 .042 .014 .166
ROOMS	93 259 266 86 1162	219 373 456 136 1970	248 450 513 185 1982	.005 .007 .007 .005 .013	.005 .011 .011 .005 .047	.004 .007 .007 .004 .045	.006 .009 .009 .006 .022	.005 .007 .007 .005 .017	.004 .006 .006 .004 .014	.003 .005 .005 .003 .011
FRACTION	99	95	90	80	3 4 4 3 29	2 4 4 2 25	2 4 4 2 30	.003 .005 .006 .004 .011	.005 .007 .007 .005 .014	.003 .005 .005 .003 .011
40-59 DWELLINGS	3 4 4 3 19	2 4 4 2 17	2 4 4 2 25	.001 .002 .002 .001 .013	.002 .004 .004 .002 .024	.001 .002 .002 .001 .018	.006 .009 .009 .006 .022	.005 .007 .007 .005 .017	.004 .006 .006 .004 .014	.003 .005 .005 .003 .011
FRACTION	99	95	90	80	6 7 7 6 62	4 8 8 4 43	6 12 12 6 53	.006 .007 .007 .006 .015	.005 .007 .007 .005 .014	.004 .006 .006 .004 .014
ROOMS	6 7 7 6 62	4 8 8 4 43	6 12 12 6 53	.001 .001 .001 .001 .008	.002 .005 .005 .002 .026	.002 .004 .004 .002 .020	.006 .009 .009 .006 .022	.005 .007 .007 .005 .017	.004 .006 .006 .004 .014	.003 .005 .005 .003 .011
FRACTION	99	95	90	80	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000
60-75 DWELLINGS	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000
FRACTION	99	95	90	80	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000
ROOMS	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000
FRACTION	99	95	90	80	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000	.000 .000 .000 .000 .000
ALL DWELLINGS	44 93 96 41 359	98 157 186 69 703	110 177 209 77 728	.013 .028 .029 .012 .108	.034 .055 .065 .024 .244	.034 .055 .065 .024 .244	.008 .010 .011 .007 .019	.006 .008 .008 .005 .014	.005 .007 .007 .004 .012	.004 .005 .005 .003 .009
FRACTION	99	95	90	80	48 120 123 45 546	124 210 251 83 1117	141 253 294 100 1178	.005 .007 .007 .005 .014	.007 .008 .008 .005 .014	.007 .008 .008 .005 .014
ROOMS	48 120 123 45 546	124 210 251 83 1117	141 253 294 100 1178	.004 .009 .009 .003 .042	.014 .024 .029 .010 .129	.016 .028 .032 .011 .130	.008 .010 .011 .007 .019	.006 .008 .008 .005 .014	.005 .007 .007 .004 .012	.004 .005 .005 .003 .009
FRACTION	99	95	90	80	99 266 273 92 1228	223 381 464 140 2025	254 462 525 191 2042	.002 .006 .006 .002 .026	.015 .025 .031 .009 .134	.017 .030 .035 .013 .135
SURFACES	99 266 273 92 1228	223 381 464 140 2025	254 462 525 191 2042	.002 .006 .006 .002 .026	.015 .025 .031 .009 .134	.017 .030 .035 .013 .135	.002 .006 .006 .002 .026	.015 .025 .031 .009 .134	.017 .030 .035 .013 .135	

HIGHEST LEAD READING FOR WET ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****			
		PEELING	BAD	EITHER	BOTH	ALL	PEELING	BAD	EITHER	BOTH	ALL
PRE 40 DWELLINGS		164	433	446	150	2487	183	374	418	139	2156
FRACTION		.066	.174	.179	.060	1.000	.085	.173	.194	.064	1.000
99		.013	.019	.020	.012	.000	.015	.021	.022	.013	.000
95		.010	.015	.015	.009	.000	.012	.016	.017	.010	.000
90		.008	.012	.013	.008	.000	.010	.013	.014	.009	.000
80		.006	.010	.010	.006	.000	.008	.010	.011	.007	.000
ROOMS		200	579	594	185	4668	208	486	538	156	3459
FRACTION		.043	.124	.127	.040	1.000	.060	.141	.156	.045	1.000
SURFACES		762	2222	2282	702	17784	293	690	761	222	4681
FRACTION		.043	.125	.128	.039	1.000	.063	.147	.163	.047	1.000
40-59 DWELLINGS		12	27	31	8	561	15	20	25	10	307
FRACTION		.021	.048	.055	.014	1.000	.049	.065	.081	.033	1.000
99		.016	.023	.025	.013	.000	.031	.036	.040	.026	.000
95		.012	.018	.019	.010	.000	.024	.028	.031	.020	.000
90		.010	.015	.016	.008	.000	.020	.023	.026	.017	.000
80		.008	.012	.012	.006	.000	.016	.018	.020	.013	.000
ROOMS		15	35	39	11	1109	19	25	32	12	487
FRACTION		.014	.032	.035	.010	1.000	.039	.051	.066	.025	1.000
SURFACES		56	129	144	41	4160	22	32	39	15	586
FRACTION		.013	.031	.035	.010	1.000	.038	.055	.067	.026	1.000
60-75 DWELLINGS		0	3	3	0	200	1	3	3	1	74
FRACTION		.000	.015	.015	.000	1.000	.014	.041	.041	.014	1.000
99		.000	.022	.022	.000	.000	.034	.059	.059	.034	.000
95		.000	.017	.017	.000	.000	.026	.045	.045	.026	.000
90		.000	.014	.014	.000	.000	.022	.038	.038	.022	.000
80		.000	.011	.011	.000	.000	.017	.029	.029	.017	.000
ROOMS		0	5	5	0	401	1	4	4	1	114
FRACTION		.000	.012	.012	.000	1.000	.009	.035	.035	.009	1.000
SURFACES		0	19	19	0	1502	1	5	5	1	131
FRACTION		.000	.013	.013	.000	1.000	.008	.038	.038	.008	1.000
ALL DWELLINGS		180	469	486	162	3277	202	401	450	153	2557
FRACTION		.055	.143	.148	.049	1.000	.079	.157	.176	.060	1.000
99		.010	.016	.016	.010	.000	.014	.018	.019	.012	.000
95		.008	.012	.012	.007	.000	.010	.014	.015	.009	.000
90		.007	.010	.010	.006	.000	.009	.012	.012	.008	.000
80		.005	.008	.008	.005	.000	.007	.009	.010	.006	.000
ROOMS		219	626	645	200	6231	231	519	578	172	4094
FRACTION		.035	.100	.104	.032	1.000	.056	.127	.141	.042	1.000
SURFACES		834	2398	2473	759	23650	319	731	809	241	5443
FRACTION		.035	.101	.105	.032	1.000	.059	.134	.149	.044	1.000

HIGHEST LEAD READING FOR WET ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL								
PRE 40 DWELLINGS		145	385	397	133	2263	167	327	370	124	1826	162	347	389	120	2120
FRACTION		.058	.155	.160	.053	.910	.077	.152	.172	.058	.847	.067	.145	.162	.050	.883
99		.012	.018	.019	.012	.015	.015	.020	.021	.013	.020	.013	.018	.019	.011	.017
95		.009	.014	.014	.009	.011	.011	.015	.016	.010	.015	.010	.014	.015	.009	.013
90		.008	.012	.012	.007	.009	.009	.013	.013	.008	.013	.008	.012	.012	.007	.011
80		.006	.009	.009	.006	.007	.007	.010	.010	.006	.010	.007	.009	.010	.006	.008
ROOMS		177	499	512	164	3679	187	413	461	139	2653	184	452	501	135	3247
FRACTION		.038	.107	.110	.035	.788	.054	.119	.133	.040	.767	.045	.111	.123	.033	.796
SURFACES		490	1383	1424	449	9366	264	593	659	198	3618	257	661	723	195	4367
FRACTION		.028	.078	.080	.025	.527	.056	.127	.141	.042	.773	.048	.122	.134	.036	.808
40-59 DWELLINGS		11	21	25	7	467	12	13	17	8	171	12	19	23	8	420
FRACTION		.020	.037	.045	.012	.832	.039	.042	.055	.026	.557	.022	.035	.042	.015	.766
99		.015	.020	.022	.012	.040	.028	.029	.033	.023	.072	.016	.020	.022	.013	.046
95		.011	.016	.017	.009	.031	.022	.022	.026	.018	.055	.012	.015	.017	.010	.035
90		.010	.013	.014	.008	.026	.018	.019	.021	.015	.047	.010	.013	.014	.008	.030
80		.007	.010	.011	.006	.020	.014	.015	.017	.012	.036	.008	.010	.011	.007	.023
ROOMS		14	27	31	10	742	14	15	20	9	222	13	23	27	9	634
FRACTION		.013	.024	.028	.009	.669	.029	.031	.041	.018	.456	.014	.024	.028	.009	.667
SURFACES		40	67	75	32	1573	17	20	25	12	270	16	29	33	12	765
FRACTION		.010	.016	.018	.008	.378	.029	.034	.043	.020	.461	.014	.025	.029	.010	.669
60-75 DWELLINGS		0	2	2	0	142	0	2	2	0	36	1	5	5	1	138
FRACTION		.000	.010	.010	.000	.710	.000	.027	.027	.000	.486	.005	.026	.026	.005	.730
99		.000	.018	.018	.000	.082	.000	.048	.048	.000	.149	.013	.030	.030	.013	.082
95		.000	.014	.014	.000	.063	.000	.037	.037	.000	.114	.010	.023	.023	.010	.063
90		.000	.012	.012	.000	.052	.000	.031	.031	.000	.095	.009	.019	.019	.009	.053
80		.000	.009	.009	.000	.041	.000	.024	.024	.000	.074	.007	.015	.015	.007	.041
ROOMS		0	3	3	0	216	0	3	3	0	48	1	6	6	1	199
FRACTION		.000	.007	.007	.000	.539	.000	.026	.026	.000	.421	.003	.020	.020	.003	.648
SURFACES		0	9	9	0	419	0	4	4	0	58	1	9	9	1	231
FRACTION		.000	.006	.006	.000	.279	.000	.031	.031	.000	.443	.003	.025	.025	.003	.640
ALL DWELLINGS		159	411	427	143	2895	181	344	391	134	2045	177	377	423	131	2701
FRACTION		.049	.125	.130	.044	.883	.071	.135	.153	.052	.800	.056	.119	.134	.041	.854
99		.010	.015	.015	.009	.014	.013	.017	.018	.011	.020	.010	.015	.015	.009	.016
95		.007	.011	.011	.007	.011	.010	.013	.014	.009	.015	.008	.011	.012	.007	.012
90		.006	.009	.010	.006	.009	.008	.011	.012	.007	.013	.007	.009	.010	.006	.010
80		.005	.007	.007	.005	.007	.006	.009	.009	.006	.010	.005	.007	.008	.005	.008
ROOMS		194	532	549	177	4673	203	433	486	150	2940	200	488	541	147	4112
FRACTION		.031	.085	.088	.028	.750	.050	.106	.119	.037	.718	.037	.091	.101	.027	.765
SURFACES		542	1471	1520	493	11452	283	619	690	212	3971	277	710	776	211	5407
FRACTION		.023	.062	.064	.021	.484	.052	.114	.127	.039	.730	.040	.102	.111	.030	.777

HIGHEST LEAD READING FOR WET ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****							
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL							
PRE 40 DWELLINGS	118	316	327	107	1797	150	291	327	114	1559	150	314	354	110	1823
FRACTION	.047	.127	.131	.043	.723	.070	.135	.152	.053	.723	.062	.131	.147	.046	.759
99	.011	.017	.017	.010	.023	.014	.019	.020	.012	.025	.013	.018	.018	.011	.022
95	.008	.013	.013	.008	.018	.011	.014	.015	.009	.019	.010	.013	.014	.008	.017
90	.007	.011	.011	.007	.015	.009	.012	.013	.008	.016	.008	.011	.012	.007	.014
80	.005	.009	.009	.005	.011	.007	.009	.010	.006	.012	.006	.009	.009	.005	.011
ROOMS	137	388	400	125	2604	167	358	399	126	2127	167	389	435	121	2592
FRACTION	.029	.083	.086	.027	.558	.048	.103	.115	.036	.615	.041	.095	.107	.030	.636
SURFACES	354	1021	1053	322	6464	238	514	570	182	2898	237	572	631	178	3537
FRACTION	.020	.057	.059	.018	.363	.051	.110	.122	.039	.619	.044	.106	.117	.033	.655
40-59 DWELLINGS	8	12	14	6	300	8	11	13	6	108	8	15	17	6	281
FRACTION	.014	.021	.025	.011	.535	.026	.036	.042	.020	.352	.015	.027	.031	.011	.513
99	.013	.016	.017	.011	.054	.023	.027	.029	.020	.070	.013	.018	.019	.011	.054
95	.010	.012	.013	.008	.041	.018	.021	.022	.015	.053	.010	.014	.014	.009	.042
90	.008	.010	.011	.007	.034	.015	.017	.019	.013	.045	.008	.011	.012	.007	.035
80	.006	.008	.008	.006	.027	.012	.014	.015	.010	.035	.007	.009	.009	.006	.027
ROOMS	11	16	18	9	408	9	13	15	7	132	9	19	21	7	376
FRACTION	.010	.014	.016	.008	.368	.018	.027	.031	.014	.271	.009	.020	.022	.007	.395
SURFACES	25	38	41	22	849	12	18	20	10	160	11	24	26	9	462
FRACTION	.006	.009	.010	.005	.204	.020	.031	.034	.017	.273	.010	.021	.023	.008	.404
60-75 DWELLINGS	0	1	1	0	74	0	2	2	0	22	1	3	3	1	96
FRACTION	.000	.005	.005	.000	.370	.000	.027	.027	.000	.297	.005	.016	.016	.005	.508
99	.000	.013	.013	.000	.087	.000	.048	.048	.000	.136	.013	.023	.023	.013	.093
95	.000	.010	.010	.000	.067	.000	.037	.037	.000	.104	.010	.018	.018	.010	.071
90	.000	.008	.008	.000	.056	.000	.031	.031	.000	.087	.009	.015	.015	.009	.060
80	.000	.006	.006	.000	.043	.000	.024	.024	.000	.068	.007	.012	.012	.007	.046
ROOMS	0	2	2	0	92	0	3	3	0	28	1	4	4	1	130
FRACTION	.000	.005	.005	.000	.229	.000	.026	.026	.000	.246	.003	.013	.013	.003	.423
SURFACES	0	8	8	0	152	0	4	4	0	30	1	7	7	1	155
FRACTION	.000	.005	.005	.000	.101	.000	.031	.031	.000	.229	.003	.019	.019	.003	.429
ALL DWELLINGS	129	332	345	116	2189	160	306	344	122	1699	161	337	379	119	2216
FRACTION	.039	.101	.105	.035	.668	.063	.120	.135	.048	.664	.051	.107	.120	.038	.700
99	.009	.013	.014	.008	.021	.012	.016	.017	.011	.024	.010	.014	.015	.009	.021
95	.007	.010	.010	.005	.016	.009	.013	.013	.008	.018	.008	.011	.011	.007	.016
90	.006	.009	.009	.005	.013	.008	.011	.011	.007	.015	.006	.009	.009	.006	.013
80	.004	.007	.007	.004	.010	.006	.008	.009	.005	.012	.005	.007	.007	.004	.010
ROOMS	151	409	423	137	3127	178	376	419	135	2302	179	417	465	131	3118
FRACTION	.024	.066	.068	.022	.502	.043	.092	.102	.033	.562	.033	.078	.086	.024	.580
SURFACES	388	1076	1111	353	7522	252	538	596	194	3111	252	610	671	191	4180
FRACTION	.016	.045	.047	.015	.318	.046	.099	.109	.036	.572	.036	.088	.096	.027	.600

HIGHEST LEAD READING FOR WET ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL			PEELING BAD EITHER BOTH ALL								
PRE 40 DWELLINGS		84	229	237	76	1293	111	234	263	82	1203	124	260	292	92	1340
FRACTION		.034	.092	.095	.031	.520	.051	.109	.122	.038	.558	.052	.108	.122	.038	.558
99		.009	.015	.015	.009	.026	.012	.017	.018	.011	.027	.012	.016	.017	.010	.026
95		.007	.011	.011	.007	.020	.009	.013	.014	.008	.021	.009	.012	.013	.008	.020
90		.006	.009	.010	.006	.016	.008	.011	.012	.007	.018	.007	.010	.011	.006	.017
80		.005	.007	.008	.004	.013	.006	.009	.009	.005	.014	.006	.008	.009	.005	.013
ROOMS		98	269	278	89	1701	125	276	308	93	1546	137	314	350	101	1797
FRACTION		.021	.058	.060	.019	.364	.036	.080	.089	.027	.447	.034	.077	.086	.025	.441
SURFACES		262	721	748	235	4371	171	396	439	128	2103	196	465	511	150	2509
FRACTION		.015	.041	.042	.013	.246	.037	.085	.094	.027	.449	.036	.086	.095	.028	.464
40-59 DWELLINGS		5	10	10	5	149	5	8	8	5	50	5	10	10	5	97
FRACTION		.009	.018	.018	.009	.266	.016	.026	.026	.016	.163	.009	.018	.018	.009	.177
99		.010	.014	.014	.010	.047	.018	.023	.023	.018	.054	.010	.015	.015	.010	.042
95		.008	.011	.011	.008	.036	.014	.018	.018	.014	.041	.008	.011	.011	.008	.032
90		.006	.009	.009	.006	.030	.012	.015	.015	.012	.035	.007	.009	.009	.007	.027
80		.005	.007	.007	.005	.024	.009	.012	.012	.009	.027	.005	.007	.007	.005	.021
ROOMS		7	13	13	7	172	5	9	9	5	61	6	13	13	6	121
FRACTION		.006	.012	.012	.006	.155	.010	.018	.018	.010	.125	.006	.014	.014	.006	.127
SURFACES		19	32	32	19	423	6	12	12	6	74	8	18	18	8	159
FRACTION		.005	.008	.008	.005	.102	.010	.020	.020	.010	.126	.007	.016	.016	.007	.139
60-75 DWELLINGS		0	1	1	0	22	0	2	2	0	11	1	2	2	1	20
FRACTION		.000	.005	.005	.000	.110	.000	.027	.027	.000	.149	.005	.011	.011	.005	.106
99		.000	.013	.013	.000	.056	.000	.048	.048	.000	.106	.013	.019	.019	.013	.057
95		.000	.010	.010	.000	.043	.000	.037	.037	.000	.081	.010	.015	.015	.010	.044
90		.000	.008	.008	.000	.036	.000	.031	.031	.000	.068	.009	.012	.012	.009	.037
80		.000	.006	.006	.000	.028	.000	.024	.024	.000	.053	.007	.009	.009	.007	.029
ROOMS		0	2	2	0	24	0	3	3	0	15	1	2	2	1	27
FRACTION		.000	.005	.005	.000	.060	.000	.026	.026	.000	.132	.003	.007	.007	.003	.088
SURFACES		0	7	7	0	55	0	4	4	0	17	1	3	3	1	35
FRACTION		.000	.005	.005	.000	.037	.000	.031	.031	.000	.130	.003	.008	.008	.003	.097
ALL DWELLINGS		91	242	250	83	1475	117	245	274	88	1270	132	277	309	100	1464
FRACTION		.028	.074	.076	.025	.450	.046	.096	.107	.034	.497	.042	.088	.098	.032	.463
99		.007	.012	.012	.007	.022	.011	.015	.016	.009	.025	.009	.013	.013	.008	.023
95		.006	.009	.009	.005	.017	.008	.011	.012	.007	.019	.007	.010	.010	.006	.017
90		.005	.007	.008	.004	.014	.007	.010	.010	.006	.016	.006	.008	.009	.005	.014
80		.004	.006	.006	.003	.011	.005	.007	.008	.005	.013	.005	.006	.007	.004	.011
ROOMS		107	286	295	98	1912	131	289	321	99	1629	146	334	370	110	1954
FRACTION		.017	.046	.047	.016	.307	.032	.071	.078	.024	.398	.027	.062	.069	.020	.363
SURFACES		288	767	794	261	4891	178	413	456	135	2204	208	493	539	162	2716
FRACTION		.012	.032	.034	.011	.207	.033	.076	.084	.025	.405	.030	.071	.077	.023	.390

HIGHEST LEAD READING FOR WET ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL	PEELING	BAD EITHER	BOTH	ALL			
PRE 40	DWELLINGS	67	164	170	61	807	69	154	169	54	765	84	184	208	60	928
	FRACTION	.027	.066	.068	.025	.324	.032	.071	.078	.025	.355	.035	.077	.087	.025	.387
	99	.008	.013	.013	.008	.024	.010	.014	.015	.009	.026	.010	.014	.015	.008	.025
	95	.006	.010	.010	.006	.018	.007	.011	.011	.007	.020	.007	.011	.011	.006	.019
	90	.005	.008	.008	.005	.015	.006	.009	.009	.006	.017	.006	.009	.009	.005	.016
	80	.004	.006	.006	.004	.012	.005	.007	.007	.004	.013	.005	.007	.007	.004	.013
ROOMS	FRACTION	.72	.190	.196	.66	.982	.76	.173	.190	.59	.903	.91	.210	.237	.64	1171
	99	.015	.041	.042	.014	.210	.022	.050	.055	.017	.261	.022	.052	.058	.016	.287
SURFACES	FRACTION	.179	.495	.511	.163	.2429	.99	.248	.269	.78	1217	.129	.314	.348	.95	1651
	99	.010	.028	.029	.009	.137	.021	.053	.057	.017	.260	.024	.058	.064	.018	.306
40-59	DWELLINGS	4	6	6	4	77	5	7	7	5	30	5	8	8	5	51
	FRACTION	.007	.011	.011	.007	.137	.016	.023	.023	.016	.098	.009	.015	.015	.009	.093
	99	.009	.011	.011	.009	.037	.018	.022	.022	.018	.043	.010	.013	.013	.010	.032
	95	.007	.008	.008	.007	.028	.014	.017	.017	.014	.033	.008	.010	.010	.008	.024
	90	.006	.007	.007	.006	.024	.012	.014	.014	.012	.028	.007	.008	.008	.007	.020
	80	.005	.006	.006	.005	.018	.009	.011	.011	.009	.022	.005	.007	.007	.005	.016
ROOMS	FRACTION	.6	.9	.9	.6	.90	.5	.8	.8	.5	.35	.005	.008	.008	.005	.063
	99	.005	.008	.008	.005	.081	.010	.016	.016	.010	.072	.005	.008	.008	.005	.063
SURFACES	FRACTION	.16	.26	.26	.16	.239	.6	.11	.11	.6	.46	.6	.12	.12	.6	.88
	99	.004	.006	.006	.004	.057	.010	.019	.019	.010	.078	.005	.010	.010	.005	.077
60-75	DWELLINGS	0	1	1	0	5	0	2	2	0	6	0	0	0	0	4
	FRACTION	.000	.005	.005	.000	.025	.000	.027	.027	.000	.081	.000	.000	.000	.000	.021
	99	.000	.013	.013	.000	.028	.000	.048	.048	.000	.081	.000	.000	.000	.000	.027
	95	.000	.010	.010	.000	.022	.000	.037	.037	.000	.062	.000	.000	.000	.000	.020
	90	.000	.008	.008	.000	.018	.000	.031	.031	.000	.052	.000	.000	.000	.000	.017
	80	.000	.006	.006	.000	.014	.000	.024	.024	.000	.041	.000	.000	.000	.000	.013
ROOMS	FRACTION	.0	.1	.1	.0	.5	.0	.2	.2	.0	.7	.0	.0	.0	.0	.6
	99	.000	.002	.002	.000	.012	.000	.018	.018	.000	.061	.000	.000	.000	.000	.020
SURFACES	FRACTION	.0	.2	.2	.0	.8	.0	.3	.3	.0	.8	.0	.0	.0	.0	.8
	99	.000	.001	.001	.000	.005	.000	.023	.023	.000	.061	.000	.000	.000	.000	.022
ALL	DWELLINGS	72	172	178	66	897	74	163	178	59	804	91	195	219	67	988
	FRACTION	.022	.052	.054	.020	.274	.029	.064	.070	.023	.314	.029	.062	.069	.021	.312
	99	.007	.010	.010	.006	.020	.008	.012	.013	.008	.023	.008	.011	.011	.007	.021
	95	.005	.008	.008	.005	.015	.006	.009	.010	.006	.018	.006	.008	.009	.005	.016
	90	.004	.006	.006	.004	.013	.005	.008	.008	.005	.015	.005	.007	.007	.004	.013
	80	.003	.005	.005	.003	.010	.004	.006	.006	.004	.012	.004	.005	.006	.003	.010
ROOMS	FRACTION	.79	.201	.207	.73	1087	.81	.183	.200	.64	.948	.98	.221	.248	.71	1244
	99	.013	.032	.033	.012	.174	.020	.045	.049	.016	.232	.018	.041	.046	.013	.231
SURFACES	FRACTION	.199	.527	.543	.183	2703	.105	.262	.283	.84	1274	.138	.331	.365	.104	1758
	99	.008	.022	.023	.008	.114	.019	.048	.052	.015	.234	.020	.048	.052	.015	.252

HIGHEST LEAD READING FOR WET ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****				***** WINDOWS *****				***** DOORS *****							
		PEELING BAD EITHER		BOTH ALL		PEELING BAD EITHER		BOTH ALL		PEELING BAD EITHER		BOTH ALL					
PRE 40 DWELLINGS		50	125	129	46	602	50	111	122	134	43	576	57	125	142	40	630
FRACTION		.020	.050	.052	.018	.242	.023	.051	.057	.018	.233	.024	.052	.059	.017	.262	
99		.007	.011	.011	.007	.022	.008	.012	.013	.007	.023	.008	.012	.012	.007	.023	
95		.005	.009	.009	.005	.017	.006	.009	.010	.006	.018	.006	.009	.009	.005	.018	
90		.005	.007	.007	.004	.014	.005	.008	.008	.005	.015	.005	.007	.008	.004	.015	
80		.004	.006	.006	.003	.011	.004	.006	.006	.004	.012	.004	.006	.006	.003	.011	
ROOMS		53	145	149	49	720	55	122	134	134	43	576	61	138	156	43	750
FRACTION		.011	.031	.032	.010	.154	.016	.035	.039	.012	.167	.015	.034	.038	.011	.184	
SURFACES		119	358	367	110	1741	73	177	191	59	770	88	200	223	65	1068	
FRACTION		.007	.020	.021	.006	.098	.016	.038	.041	.013	.164	.016	.037	.041	.012	.198	
40-59 DWELLINGS		2	3	3	2	53	3	4	4	3	20	4	4	4	4	32	
FRACTION		.004	.005	.005	.004	.094	.010	.013	.013	.010	.065	.007	.007	.007	.007	.058	
99		.006	.008	.008	.006	.031	.014	.017	.017	.014	.036	.009	.009	.009	.009	.026	
95		.005	.006	.006	.005	.024	.011	.013	.013	.011	.028	.007	.007	.007	.007	.020	
90		.004	.005	.005	.004	.020	.009	.011	.011	.009	.023	.006	.006	.006	.006	.016	
80		.003	.004	.004	.003	.016	.007	.008	.008	.007	.018	.005	.005	.005	.005	.013	
ROOMS		3	5	5	3	64	3	5	5	3	23	4	4	4	4	38	
FRACTION		.003	.005	.005	.003	.058	.006	.010	.010	.006	.047	.004	.004	.004	.004	.040	
SURFACES		8	16	16	8	168	3	6	6	3	28	5	5	5	5	54	
FRACTION		.002	.004	.004	.002	.040	.005	.010	.010	.005	.048	.004	.004	.004	.004	.047	
60-75 DWELLINGS		0	0	0	0	3	0	0	0	0	2	0	0	0	0	1	
FRACTION		.000	.000	.000	.000	.015	.000	.000	.000	.000	.027	.000	.000	.000	.000	.005	
99		.000	.000	.000	.000	.022	.000	.000	.000	.000	.048	.000	.000	.000	.000	.013	
95		.000	.000	.000	.000	.017	.000	.000	.000	.000	.037	.000	.000	.000	.000	.010	
90		.000	.000	.000	.000	.014	.000	.000	.000	.000	.031	.000	.000	.000	.000	.009	
80		.000	.000	.000	.000	.011	.000	.000	.000	.000	.024	.000	.000	.000	.000	.007	
RCOMS		0	0	0	0	3	0	0	0	0	2	0	0	0	0	1	
FRACTION		.000	.000	.000	.000	.007	.000	.000	.000	.000	.018	.000	.000	.000	.000	.003	
SURFACES		0	0	0	0	4	0	0	0	0	2	0	0	0	0	1	
FRACTION		.000	.000	.000	.000	.003	.000	.000	.000	.000	.015	.000	.000	.000	.000	.003	
ALL DWELLINGS		53	129	133	49	666	53	115	126	42	527	61	130	147	44	665	
FRACTION		.016	.039	.041	.015	.203	.021	.045	.049	.016	.206	.019	.041	.046	.014	.210	
99		.006	.009	.009	.005	.018	.007	.010	.011	.006	.020	.006	.009	.010	.005	.018	
95		.004	.007	.007	.004	.014	.005	.008	.008	.005	.016	.005	.007	.007	.004	.014	
90		.004	.006	.006	.003	.011	.005	.007	.007	.004	.013	.004	.006	.006	.003	.012	
80		.003	.004	.004	.003	.009	.004	.005	.005	.003	.010	.003	.004	.004	.003	.009	
ROOMS		57	151	155	53	797	58	127	139	46	603	65	143	161	47	792	
FRACTION		.009	.024	.025	.009	.128	.014	.031	.034	.011	.147	.012	.027	.030	.009	.147	
SURFACES		131	378	387	122	1934	76	183	197	62	802	93	207	230	70	1127	
FRACTION		.006	.016	.016	.005	.082	.014	.034	.036	.011	.147	.013	.030	.033	.010	.162	

HIGHEST LEAD READING FOR ALL ROOMS IS 0.0 OR MORE * * * OCCUPANCY CLASS IS ALL

	***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL						
PRE 40 DWELLINGS	425	759	813	359	2525	405	603	712	289	2435	371	585	686	267	2505
FRACTION	.168	.301	.322	.142	1.000	.166	.248	.292	.119	1.000	.148	.234	.274	.107	1.000
99	.019	.023	.024	.018	.000	.019	.022	.024	.017	.000	.018	.022	.023	.016	.000
95	.015	.018	.018	.014	.000	.015	.017	.018	.013	.000	.014	.016	.017	.012	.000
90	.012	.015	.015	.011	.000	.012	.014	.015	.011	.000	.012	.014	.015	.010	.000
80	.009	.012	.012	.009	.000	.010	.011	.012	.008	.000	.009	.011	.011	.008	.000
ROOMS	713	1925	2026	612	14683	729	1407	1643	493	10754	654	1420	1626	448	10950
FRACTION	.049	.131	.138	.042	1.000	.068	.131	.153	.046	1.000	.060	.130	.148	.041	1.000
SURFACES	2619	7093	7475	2237	54493	1245	2321	2734	832	17716	1045	2324	2622	747	16919
FRACTION	.048	.130	.137	.041	1.000	.070	.131	.154	.047	1.000	.062	.137	.155	.044	1.000
40-59 DWELLINGS	23	53	57	18	570	31	37	48	20	376	33	42	53	22	564
FRACTION	.040	.093	.100	.032	1.000	.082	.098	.128	.053	1.000	.059	.074	.094	.039	1.000
99	.021	.031	.032	.019	.000	.036	.039	.044	.030	.000	.025	.028	.031	.021	.000
95	.016	.024	.024	.014	.000	.028	.030	.034	.023	.000	.019	.022	.024	.016	.000
90	.013	.020	.021	.012	.000	.023	.025	.028	.019	.000	.016	.018	.020	.013	.000
80	.010	.015	.016	.009	.000	.018	.020	.022	.015	.000	.013	.014	.016	.010	.000
ROOMS	40	97	103	34	3341	59	75	100	34	1532	60	85	108	37	2582
FRACTION	.012	.029	.031	.010	1.000	.039	.049	.065	.022	1.000	.023	.033	.042	.014	1.000
SURFACES	144	354	376	122	12379	76	109	137	48	2248	83	123	151	55	3860
FRACTION	.012	.029	.030	.010	1.000	.034	.048	.061	.021	1.000	.022	.032	.039	.014	1.000
60-75 DWELLINGS	2	4	5	1	200	6	8	9	5	111	7	11	12	6	197
FRACTION	.010	.020	.025	.005	1.000	.054	.072	.081	.045	1.000	.036	.056	.061	.030	1.000
99	.018	.025	.028	.013	.000	.055	.063	.066	.050	.000	.034	.042	.043	.031	.000
95	.014	.019	.022	.010	.000	.042	.048	.051	.039	.000	.026	.032	.033	.024	.000
90	.012	.016	.018	.008	.000	.035	.040	.043	.032	.000	.022	.027	.028	.020	.000
80	.009	.013	.014	.006	.000	.027	.031	.033	.025	.000	.017	.021	.022	.016	.000
ROOMS	2	11	12	1	1115	7	14	15	6	374	8	21	22	7	806
FRACTION	.002	.010	.011	.001	1.000	.019	.037	.040	.016	1.000	.010	.026	.027	.009	1.000
SURFACES	8	43	47	4	4154	10	19	20	9	467	8	27	28	7	1173
FRACTION	.002	.010	.011	.001	1.000	.021	.041	.043	.019	1.000	.007	.023	.024	.006	1.000
ALL DWELLINGS	455	823	882	383	3324	445	653	774	317	2946	414	646	759	298	3294
FRACTION	.137	.248	.265	.115	1.000	.151	.222	.263	.108	1.000	.126	.196	.230	.090	1.000
99	.015	.019	.019	.014	.000	.017	.019	.021	.015	.000	.015	.018	.019	.013	.000
95	.012	.015	.015	.011	.000	.013	.015	.016	.011	.000	.011	.013	.014	.010	.000
90	.010	.012	.013	.009	.000	.011	.013	.013	.009	.000	.009	.011	.012	.008	.000
80	.008	.010	.010	.007	.000	.008	.010	.010	.007	.000	.007	.009	.009	.006	.000
ROOMS	764	2055	2163	656	19304	806	1510	1772	544	12765	731	1545	1775	501	14452
FRACTION	.040	.106	.112	.034	1.000	.063	.118	.139	.043	1.000	.051	.107	.123	.035	1.000
SURFACES	2806	7574	7982	2398	71637	1346	2469	2911	904	20596	1150	2504	2831	823	22132
FRACTION	.039	.106	.111	.033	1.000	.065	.120	.141	.044	1.000	.052	.113	.128	.037	1.000

HIGHEST LEAD READING FOR ALL ROOMS IS 0.5 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** PEELING *****	
		BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH	BAD EITHER	BOTH
PRE 40 DWELLINGS		361	713	542	641	544	639	338	544
FRACTION		.143	.282	.223	.263	.217	.255	.135	.217
99		.018	.022	.021	.023	.021	.022	.017	.021
95		.014	.017	.016	.017	.016	.017	.013	.016
90		.011	.014	.014	.015	.012	.014	.011	.013
80		.009	.011	.009	.011	.009	.011	.009	.011
ROOMS		557	1488	1183	1388	1230	1410	567	1230
FRACTION		.038	.096	.110	.129	.112	.129	.052	.112
SURFACES		1343	3480	1953	2319	2024	2281	902	2024
FRACTION		.025	.064	.110	.131	.120	.135	.053	.120
40-59 DWELLINGS		16	37	26	37	36	45	28	36
FRACTION		.028	.065	.069	.098	.064	.080	.050	.064
99		.018	.025	.033	.039	.026	.029	.023	.026
95		.013	.019	.026	.030	.025	.022	.018	.020
90		.011	.016	.021	.025	.017	.019	.015	.017
80		.009	.013	.017	.020	.016	.015	.012	.013
ROOMS		30	61	48	65	63	80	43	63
FRACTION		.009	.017	.031	.042	.024	.031	.017	.024
SURFACES		72	129	74	94	94	112	57	94
FRACTION		.006	.010	.033	.042	.024	.029	.015	.024
60-75 DWELLINGS		1	2	4	4	7	8	3	7
FRACTION		.005	.010	.036	.036	.036	.041	.015	.036
99		.013	.018	.045	.045	.023	.036	.022	.034
95		.010	.014	.035	.035	.018	.026	.017	.026
90		.008	.012	.029	.029	.015	.023	.014	.022
80		.006	.009	.023	.023	.011	.018	.011	.017
ROOMS		1	6	7	7	15	16	3	15
FRACTION		.001	.005	.019	.019	.019	.020	.004	.019
SURFACES		3	12	9	9	21	22	3	21
FRACTION		.001	.003	.019	.019	.018	.019	.003	.018
ALL DWELLINGS		382	758	575	685	594	699	372	594
FRACTION		.115	.228	.195	.233	.113	.120	.113	.180
99		.014	.018	.019	.020	.014	.018	.014	.017
95		.011	.014	.014	.015	.011	.014	.011	.013
90		.009	.012	.012	.013	.009	.012	.009	.011
80		.007	.009	.009	.010	.007	.009	.007	.009
ROOMS		594	1568	1249	1471	1325	1523	621	1325
FRACTION		.031	.077	.098	.115	.092	.105	.043	.092
SURFACES		1434	3430	2052	2438	2167	2443	975	2167
FRACTION		.020	.048	.100	.118	.098	.110	.044	.098

HIGHEST LEAD READING FOR ALL ROOMS IS 1.0 OR MORE * * * OCCUPANCY CLASS IS ALL

	***** PEELING BAD EITHER	***** WALLS ***** BOTH	***** ALL	***** PEELING BAD EITHER	***** BOTH	***** ALL	***** PEELING BAD EITHER	***** BOTH	***** ALL	***** PEELING BAD EITHER	***** BOTH	***** ALL			
PRE 40 DWELLINGS	272	515	559	223	2155	320	498	581	231	2056	304	488	573	216	2211
FRACTION	.108	.204	.221	.088	.853	.131	.205	.239	.095	.844	.121	.195	.229	.086	.883
99	.016	.020	.021	.014	.018	.017	.021	.022	.015	.019	.017	.020	.021	.014	.016
95	.012	.016	.016	.011	.014	.013	.016	.017	.012	.014	.013	.015	.016	.011	.013
90	.010	.013	.014	.009	.012	.011	.013	.014	.010	.012	.011	.013	.014	.009	.011
80	.008	.010	.011	.007	.009	.009	.010	.011	.008	.009	.008	.010	.011	.007	.008
ROOMS	377	897	955	319	5885	537	1013	1177	373	6125	508	1047	1210	345	6492
FRACTION	.026	.061	.065	.022	.401	.050	.094	.109	.035	.570	.046	.096	.111	.032	.593
SURFACES	868	2086	2226	728	12675	914	1676	1965	625	10098	811	1738	1972	577	10137
FRACTION	.016	.038	.041	.013	.233	.052	.095	.111	.035	.570	.048	.103	.117	.034	.599
40-59 DWELLINGS	12	18	20	10	396	17	21	27	11	177	18	25	31	12	415
FRACTION	.021	.032	.035	.018	.695	.045	.056	.072	.029	.471	.032	.044	.055	.021	.736
99	.015	.019	.020	.014	.049	.027	.030	.034	.022	.066	.019	.022	.024	.015	.047
95	.012	.014	.015	.011	.038	.021	.023	.026	.017	.050	.014	.017	.019	.012	.036
90	.010	.012	.013	.009	.032	.018	.019	.022	.014	.042	.012	.014	.016	.010	.030
80	.008	.009	.010	.007	.025	.014	.015	.017	.011	.033	.009	.011	.012	.008	.024
ROOMS	21	30	32	19	932	24	37	43	18	378	27	49	59	17	959
FRACTION	.006	.009	.010	.006	.279	.016	.024	.028	.012	.247	.010	.019	.023	.007	.371
SURFACES	44	63	66	41	1759	36	60	67	29	557	37	74	85	26	1411
FRACTION	.004	.005	.005	.003	.142	.016	.027	.030	.013	.248	.010	.019	.022	.007	.366
60-75 DWELLINGS	1	1	2	0	96	1	3	3	1	36	3	3	4	2	120
FRACTION	.005	.005	.010	.000	.480	.009	.027	.027	.009	.324	.015	.015	.020	.010	.609
99	.013	.013	.018	.000	.090	.023	.039	.039	.023	.114	.022	.022	.026	.018	.089
95	.010	.010	.014	.000	.069	.018	.030	.030	.018	.087	.017	.017	.020	.014	.068
90	.008	.008	.012	.000	.058	.015	.025	.025	.015	.073	.014	.014	.016	.012	.057
80	.006	.006	.009	.000	.045	.011	.020	.020	.011	.057	.011	.011	.013	.009	.044
ROOMS	1	2	3	0	205	1	6	6	1	75	3	9	10	2	317
FRACTION	.001	.002	.003	.000	.184	.003	.016	.016	.003	.201	.004	.011	.012	.002	.393
SURFACES	2	8	10	0	328	1	8	8	1	93	3	12	13	2	459
FRACTION	.000	.002	.002	.000	.079	.002	.017	.017	.002	.199	.003	.010	.011	.002	.391
ALL DWELLINGS	288	539	586	236	2670	341	525	614	246	2283	328	522	614	233	2769
FRACTION	.087	.162	.176	.071	.803	.116	.178	.208	.084	.775	.100	.158	.186	.071	.841
99	.012	.016	.017	.011	.018	.015	.018	.019	.013	.020	.013	.016	.017	.011	.016
95	.009	.012	.013	.009	.013	.011	.014	.015	.010	.015	.010	.012	.013	.009	.012
90	.008	.010	.011	.007	.011	.010	.012	.012	.008	.013	.009	.010	.011	.007	.010
80	.006	.008	.008	.006	.009	.008	.009	.010	.006	.010	.007	.008	.009	.006	.008
ROOMS	403	939	1000	342	7085	570	1065	1235	400	6619	546	1119	1293	372	7823
FRACTION	.021	.049	.052	.018	.367	.045	.083	.097	.031	.519	.038	.077	.089	.026	.541
SURFACES	925	2179	2324	780	14883	960	1755	2051	664	10816	864	1846	2092	618	12084
FRACTION	.013	.030	.032	.011	.208	.047	.085	.100	.032	.525	.039	.083	.095	.028	.546

HIGHEST LEAD READING FOR ALL ROOMS IS 2.0 OR MORE * * * OCCUPANCY CLASS IS ALL

		***** WALLS *****			***** WINDOWS *****			***** DOORS *****								
		PEELING	BAD	EITHER	80TH	ALL	PEELING	BAD	EITHER	80TH	ALL					
PRE 40	DWELLINGS	169	343	367	145	1559	259	408	485	178	1707	258	421	488	189	1732
	FRACTION	.067	.136	.145	.057	.617	.106	.168	.199	.073	.701	.103	.168	.195	.075	.691
	99	.013	.017	.018	.012	.025	.016	.019	.021	.013	.024	.015	.019	.020	.013	.024
	95	.010	.013	.014	.009	.019	.012	.015	.016	.010	.018	.012	.015	.015	.010	.018
	90	.008	.011	.011	.008	.016	.010	.012	.013	.009	.015	.010	.012	.013	.009	.015
	80	.006	.009	.009	.006	.012	.008	.010	.010	.007	.012	.008	.010	.010	.007	.012
ROOMS	FRACTION	.221	.530	.559	.192	.3014	.421	.788	.923	.286	.4388	.410	.838	.959	.289	.4483
	99	.015	.036	.038	.013	.205	.039	.073	.086	.027	.408	.037	.077	.088	.026	.409
SURFACES	FRACTION	.534	.1345	.1410	.469	.7322	.713	.1309	.1550	.472	.7262	.665	.1403	.1576	.492	.7158
	99	.010	.025	.026	.009	.134	.040	.074	.087	.027	.410	.039	.083	.093	.029	.423
40-59	DWELLINGS	7	13	13	7	178	7	12	13	6	84	11	16	20	7	155
	FRACTION	.012	.023	.023	.012	.312	.019	.032	.035	.016	.223	.020	.028	.035	.012	.275
	99	.012	.016	.016	.012	.049	.018	.023	.024	.016	.055	.015	.018	.020	.012	.048
	95	.009	.012	.012	.009	.038	.014	.018	.018	.013	.042	.011	.014	.015	.009	.037
	90	.008	.010	.010	.008	.032	.011	.015	.015	.011	.035	.010	.011	.013	.008	.031
	80	.006	.008	.008	.006	.025	.009	.012	.012	.008	.027	.007	.009	.010	.006	.024
ROOMS	FRACTION	.14	.23	.23	.14	.286	.11	.23	.24	.10	.164	.16	.31	.35	.12	.252
	99	.004	.007	.007	.004	.086	.007	.015	.016	.007	.107	.006	.012	.014	.005	.098
SURFACES	FRACTION	.31	.47	.47	.31	.671	.18	.39	.41	.16	.254	.23	.50	.54	.19	.356
	99	.003	.004	.004	.003	.054	.008	.017	.018	.007	.113	.006	.013	.014	.005	.092
60-75	DWELLINGS	0	1	1	0	27	0	2	2	0	14	2	2	2	2	32
	FRACTION	.000	.005	.005	.000	.135	.000	.018	.018	.000	.126	.010	.010	.010	.010	.162
	99	.000	.013	.013	.000	.062	.000	.032	.032	.000	.081	.018	.018	.018	.018	.067
	95	.000	.010	.010	.000	.047	.000	.025	.025	.000	.062	.014	.014	.014	.014	.051
	90	.000	.008	.008	.000	.040	.000	.021	.021	.000	.052	.012	.012	.012	.012	.043
	80	.000	.006	.006	.000	.031	.000	.016	.016	.000	.040	.009	.009	.009	.009	.033
ROOMS	FRACTION	.0	.2	.2	.0	.38	.0	.5	.5	.0	.28	.2	.4	.4	.2	.55
	99	.000	.002	.002	.000	.034	.000	.013	.013	.000	.075	.002	.005	.005	.002	.068
SURFACES	FRACTION	.0	.7	.7	.0	.87	.0	.7	.7	.0	.35	.2	.5	.5	.2	.71
	99	.000	.002	.002	.000	.021	.000	.015	.015	.000	.075	.002	.004	.004	.002	.061
ALL	DWELLINGS	178	360	384	154	1778	269	425	503	187	1817	274	445	516	201	1931
	FRACTION	.054	.108	.116	.046	.535	.091	.144	.171	.063	.617	.083	.135	.157	.061	.586
	99	.010	.014	.014	.009	.022	.014	.016	.018	.011	.023	.012	.015	.016	.011	.022
	95	.008	.010	.011	.007	.017	.010	.013	.014	.009	.017	.009	.012	.012	.008	.017
	90	.006	.009	.009	.006	.014	.009	.011	.011	.007	.015	.008	.010	.010	.007	.014
	80	.005	.007	.007	.005	.011	.007	.008	.009	.006	.011	.006	.008	.008	.005	.011
ROOMS	FRACTION	.238	.561	.590	.209	.3370	.439	.824	.960	.303	.4606	.435	.884	1009	.310	4819
	99	.012	.029	.031	.011	.175	.034	.065	.075	.024	.361	.030	.061	.070	.021	.333
SURFACES	FRACTION	.574	1413	1478	509	8149	739	1365	1608	496	7593	702	1475	1652	525	7626
	99	.008	.020	.021	.007	.114	.036	.066	.078	.024	.369	.032	.067	.075	.024	.345

HIGHEST LEAD READING FOR ALL ROOMS IS 5.0 OR MORE * * * OCCUPANCY CLASS IS ALL

	***** WALLS *****			***** WINDOWS *****			***** DOORS *****						
	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL	PEELING	BAD EITHER	ALL				
PRE 40 DWELLINGS	115	246	256	187	303	353	135	1267	188	332	382	137	1315
FRACTION	.046	.097	.101	.077	.124	.145	.055	.520	.075	.133	.152	.055	.525
99	.011	.015	.015	.014	.017	.018	.012	.026	.013	.017	.018	.012	.025
95	.008	.012	.012	.011	.013	.014	.009	.020	.010	.013	.014	.009	.019
90	.007	.010	.010	.009	.011	.012	.008	.017	.009	.011	.012	.007	.016
80	.005	.008	.008	.007	.009	.009	.006	.013	.007	.009	.009	.006	.013
ROOMS	143	357	368	272	513	594	191	2645	288	589	671	206	2987
FRACTION	.010	.024	.025	.025	.048	.055	.018	.246	.026	.054	.061	.019	.273
SURFACES	325	875	901	453	855	1000	308	4366	471	993	1112	352	4847
FRACTION	.006	.016	.017	.026	.048	.056	.017	.246	.028	.059	.066	.021	.286
40-59 DWELLINGS	5	8	8	5	9	9	5	48	6	10	10	6	66
FRACTION	.009	.014	.014	.013	.024	.024	.013	.128	.011	.018	.018	.011	.117
99	.010	.013	.013	.015	.020	.020	.015	.044	.011	.014	.014	.011	.034
95	.008	.010	.010	.012	.015	.015	.012	.034	.008	.011	.011	.008	.026
90	.006	.008	.008	.010	.013	.013	.010	.028	.007	.009	.009	.007	.022
80	.005	.006	.006	.008	.010	.010	.008	.022	.005	.007	.007	.005	.017
ROOMS	10	15	15	8	16	16	8	79	8	16	16	8	107
FRACTION	.003	.004	.004	.005	.010	.010	.005	.052	.003	.006	.006	.003	.041
SURFACES	23	35	35	11	25	25	11	125	13	30	30	13	169
FRACTION	.002	.003	.003	.005	.011	.011	.005	.056	.003	.008	.008	.003	.044
60-75 DWELLINGS	0	1	1	0	2	2	0	9	0	0	0	0	5
FRACTION	.000	.005	.005	.000	.018	.018	.000	.081	.000	.000	.000	.000	.025
99	.000	.013	.013	.000	.032	.032	.000	.066	.000	.000	.000	.000	.029
95	.000	.010	.010	.000	.025	.025	.000	.051	.000	.000	.000	.000	.022
90	.000	.008	.008	.000	.021	.021	.000	.043	.000	.000	.000	.000	.018
80	.000	.006	.006	.000	.016	.016	.000	.033	.000	.000	.000	.000	.014
ROOMS	0	1	1	0	2	2	0	11	0	0	0	0	10
FRACTION	.000	.001	.001	.000	.005	.005	.000	.029	.000	.000	.000	.000	.012
SURFACES	0	2	2	0	3	3	0	15	0	0	0	0	13
FRACTION	.000	.000	.000	.000	.006	.006	.000	.032	.000	.000	.000	.000	.011
ALL DWELLINGS	121	257	267	194	316	366	142	1333	196	345	395	145	1395
FRACTION	.036	.077	.080	.066	.107	.124	.048	.452	.060	.105	.120	.044	.423
99	.008	.012	.012	.012	.015	.015	.010	.023	.010	.014	.014	.009	.022
95	.006	.009	.009	.007	.011	.012	.008	.018	.008	.010	.011	.007	.017
90	.005	.008	.008	.007	.009	.010	.006	.015	.007	.009	.009	.006	.014
80	.004	.006	.006	.006	.007	.008	.005	.012	.005	.007	.007	.005	.011
ROOMS	154	375	386	282	533	614	201	2746	299	609	691	217	3120
FRACTION	.008	.019	.020	.022	.042	.048	.016	.215	.021	.042	.048	.015	.216
SURFACES	352	917	943	467	886	1031	322	4525	489	1030	1149	370	5051
FRACTION	.005	.013	.013	.023	.043	.050	.016	.220	.022	.047	.052	.017	.228

HIGHEST LEAD READING FOR ALL ROOMS IS 7.5 OR MORE * * * OCCUPANCY CLASS IS ALL

	***** WALLS *****		***** WINDOWS *****		***** DOORS *****		***** ALL *****								
	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER	PEELING	BAD EITHER							
PRE 40 DWELLINGS	84	188	195	77	786	129	211	247	92	914	140	237	278	98	970
FRACTION	.033	.074	.077	.030	.311	.053	.087	.101	.038	.375	.056	.095	.111	.039	.387
99	.009	.013	.014	.009	.023	.012	.015	.016	.010	.025	.012	.015	.016	.010	.025
95	.007	.010	.010	.007	.018	.009	.011	.012	.008	.019	.009	.011	.012	.008	.019
90	.006	.009	.009	.006	.015	.007	.009	.010	.006	.016	.008	.010	.010	.006	.016
80	.005	.007	.007	.004	.012	.006	.007	.008	.005	.013	.006	.007	.008	.005	.012
RCCMS	98	261	268	91	1234	177	328	381	124	1662	200	387	446	141	1892
FRACTION	.007	.018	.018	.006	.084	.016	.031	.035	.012	.155	.018	.035	.041	.013	.173
SURFACES	212	617	633	196	2903	292	550	647	195	2740	336	650	736	250	3050
FRACTION	.004	.011	.012	.004	.053	.016	.031	.037	.011	.155	.020	.038	.044	.015	.180
40-59 DWELLINGS	4	6	6	4	64	3	6	6	3	32	4	6	6	4	44
FRACTION	.007	.011	.011	.007	.112	.008	.016	.016	.008	.085	.007	.011	.011	.007	.078
99	.009	.011	.011	.009	.034	.012	.016	.016	.012	.037	.009	.011	.011	.009	.029
95	.007	.008	.008	.007	.026	.009	.013	.013	.009	.028	.007	.008	.008	.007	.022
90	.006	.007	.007	.006	.022	.008	.011	.011	.008	.024	.006	.007	.007	.006	.018
80	.004	.005	.005	.004	.017	.006	.008	.008	.006	.018	.004	.005	.005	.004	.014
ROOMS	6	9	9	6	93	5	9	9	5	48	6	8	8	6	68
FRACTION	.002	.003	.003	.002	.028	.003	.006	.006	.003	.031	.002	.003	.003	.002	.026
86 SURFACES	14	23	23	14	230	7	14	14	7	71	11	17	17	11	107
FRACTION	.001	.002	.002	.001	.019	.003	.006	.006	.003	.032	.003	.004	.004	.003	.028
60-75 DWELLINGS	0	0	0	0	3	0	0	0	0	3	0	0	0	0	1
FRACTION	.000	.000	.000	.000	.015	.000	.000	.000	.000	.027	.000	.000	.000	.000	.005
99	.000	.000	.000	.000	.022	.000	.000	.000	.000	.039	.000	.000	.000	.000	.013
95	.000	.000	.000	.000	.017	.000	.000	.000	.000	.030	.000	.000	.000	.000	.010
90	.000	.000	.000	.000	.014	.000	.000	.000	.000	.025	.000	.000	.000	.000	.008
80	.000	.000	.000	.000	.011	.000	.000	.000	.000	.020	.000	.000	.000	.000	.006
ROOMS	0	0	0	0	3	0	0	0	0	3	0	0	0	0	2
FRACTION	.000	.000	.000	.000	.003	.000	.000	.000	.000	.008	.000	.000	.000	.000	.002
SURFACES	0	0	0	0	4	0	0	0	0	3	0	0	0	0	2
FRACTION	.000	.000	.000	.000	.001	.000	.000	.000	.000	.006	.000	.000	.000	.000	.002
ALL DWELLINGS	89	195	202	82	862	132	217	253	95	954	144	244	285	102	1021
FRACTION	.027	.059	.061	.025	.259	.045	.074	.086	.032	.324	.044	.074	.087	.031	.310
99	.007	.010	.011	.007	.019	.010	.012	.013	.008	.022	.009	.012	.012	.008	.021
95	.005	.008	.008	.005	.015	.007	.009	.010	.006	.017	.007	.009	.010	.006	.016
90	.005	.007	.007	.004	.012	.006	.008	.008	.005	.014	.006	.007	.008	.005	.013
80	.004	.005	.005	.003	.010	.005	.006	.007	.004	.011	.005	.006	.006	.004	.010
ROOMS	105	271	278	98	1343	182	337	390	129	1720	206	396	455	147	1970
FRACTION	.005	.014	.014	.005	.070	.014	.026	.031	.010	.135	.014	.027	.031	.010	.136
SURFACES	230	644	660	214	3162	299	564	661	202	2827	347	669	755	261	3169
FRACTION	.003	.009	.009	.003	.044	.015	.027	.032	.010	.137	.016	.030	.034	.012	.143

APPENDIX B

Set "B" Tables

Table of Contents

<u>Occupancy Class</u>	<u>Room Type</u>	<u>Pages</u>
SINGLE-FAMILY	DRY	88-99
	WET	100-111
ALL	DRY	112-123
	WET	124-135

MEAN LEAD INTERVAL 0.00-0.49+ * * SINGLE-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	5040	720	5760	1296	27	1323	331	6	337	6733	763	7496
	PER CENT	72.19	65.04	71.21	79.56	69.23	79.32	83.17	85.71	83.21	73.96	65.33	72.98
	MEAN	.00	.00	.00*	.00	.00	.00*	.00	.00	.00*	.00	.00	.00*
	SIGMA	.40	.35	.40	.39	.41	.39	.41	.39	.41	.40	.35	.40
	MEAN	.45	.48	.45	.43	.44	.43	.42	.45	.42	.44	.45	.44
	SIGMA	.26	.29	.27	.25	.27	.25	.23	.27	.23	.26	.29	.26
	MEDIAN	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	MEAN	.42	.38	.42	.41	.45	.41	.43	.25	.43	.42	.38	.42
	MEAN	.46	.50	.47	.42	.32	.42	.39	.48	.39	.45	.50	.45
	SIGMA	.39	.42	.40	.37	.29	.37	.35	.31	.35	.39	.42	.39

TRIM

	MEAN	2.74	4.65	2.97	.77	1.81	.79	.73	.85	.74	2.27	4.4R	2.50
	SIGMA	3.59	4.05	3.71	1.33	2.39	1.37	1.18	1.06	1.17	3.31	4.01	3.45
	MEAN	1.58	2.21	1.66	.53	1.12	.54	.41	.40	.41	1.33	2.13	1.41
	SIGMA	2.52	2.54	2.53	.88	.99	.89	.54	.54	.54	2.28	2.49	2.32
	MEAN	2.50	4.34	2.72	.76	1.89	.78	.74	.86	.75	2.09	4.14	2.30
	SIGMA	3.22	3.64	3.32	1.28	2.54	1.33	1.16	1.06	1.16	2.98	3.49	3.10
	MEAN	4.26	6.72	4.56	1.24	2.83	1.27	1.08	1.18	1.09	3.54	6.46	3.84
	SIGMA	5.55	5.70	5.62	1.83	3.06	1.88	1.30	1.09	1.29	5.08	5.65	5.22

ALL

	MEAN	1.09	1.95	1.11	.19	.75	.20	.12	.43	.12	.87	1.88	.90
	SIGMA	1.87	2.80	1.58	.62	1.80	.58	.51	.45	.51	1.70	2.76	1.47
	MEAN	1.78	2.03	2.04	.71	.88	.74	.64	.66	.65	1.52	1.96	1.74
	SIGMA	2.19	2.42	2.28	.77	.90	.79	.57	.65	.56	2.00	2.37	2.11
	MEAN	.59	1.47	.49	.08	.71	.07	.05	.35	.05	.43	1.34	.35
	SIGMA	2.06	3.12	1.91	.48	1.83	.41	.56	.34	.56	1.53	2.67	1.27
	MEAN	3.94	4.71	4.44	1.23	1.81	1.28	1.01	1.12	1.03	3.28	4.53	3.71
	SIGMA	5.37	5.51	5.54	1.74	2.62	1.79	1.21	1.06	1.21	4.89	5.41	5.11

T-W

	MEAN	2.83	4.55	3.05	.88	1.83	.90	.83	1.55	.85	2.36	4.42	2.58
	SIGMA	3.58	4.19	3.71	1.39	2.09	1.41	1.19	1.28	1.19	3.30	4.14	3.46
	MEAN	2.60	4.20	2.81	.87	1.79	.89	.84	1.50	.85	2.19	4.05	2.79
	SIGMA	3.24	3.61	3.33	1.35	2.26	1.38	1.18	1.45	1.18	3.00	3.47	3.10
	MEAN	3.83	5.85	4.09	.83	2.35	.86	.67	1.22	.68	3.11	5.67	3.38
	SIGMA	5.57	5.63	5.62	1.86	3.00	1.91	1.33	1.13	1.33	5.10	5.57	5.21

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

† Reading given in mg/cm²

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	1015	155	1170	219	5	224	45	1	46	1294	163	1457
	PER CENT	14.54	14.00	14.46	13.44	12.82	13.43	11.31	14.29	11.36	14.21	13.96	14.18
	MEAN	.69	.69	.69*	.68	.85	.68*	.68	.77	.68*	.68	.69	.68*
	SIGMA	.14	.14	.14	.14	.11	.14	.13	.00	.13	.14	.14	.14
	MEAN	.48	.51	.49	.42	1.07	.43	.38	.61	.43	.47	.55	.48
	SIGMA	.35	.32	.34	.25	1.11	.30	.18	.00	.19	.33	.41	.34
	MEDIAN	.66	.67	.66	.67	.77	.67	.68	.85	.69	.66	.67	.66
	SIGMA	.21	.23	.21	.18	.43	.19	.18	.00	.18	.20	.25	.21
	MEAN	1.22	1.24	1.22	1.13	2.16	1.15	1.08	1.40	1.09	1.20	1.30	1.21
	SIGMA	.49	.41	.48	.35	1.70	.44	.28	.00	.28	.46	.58	.48

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
TRIM	MEAN	2.99	4.22	3.14	1.09	2.37	1.14	.87	.00	.87	2.61	4.09	2.77
	SIGMA	3.62	3.47	3.63	1.64	1.46	1.65	.46	.00	.46	3.40	3.40	3.43
	MEAN	1.53	2.44	1.64	.53	.55	.53	.41	.00	.41	1.33	2.31	1.44
	SIGMA	2.33	3.12	2.46	.90	.67	.89	.44	.00	.44	2.16	3.05	2.29
	MEAN	2.72	4.02	2.88	1.06	2.40	1.11	.87	.00	.87	2.38	3.83	2.54
	SIGMA	3.18	3.54	3.26	1.48	1.48	1.49	.46	.00	.46	2.96	3.20	3.02
	MEAN	4.40	6.45	4.65	1.55	2.87	1.60	1.17	.00	1.17	3.83	6.20	4.09
	SIGMA	5.21	5.99	5.35	2.13	1.91	2.13	.57	.00	.57	4.88	5.87	5.05

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
ALL	MEAN	1.63	2.16	1.61	.81	1.65	.82	.74	.77	.73	1.46	2.12	1.45
	SIGMA	1.78	2.46	1.45	.55	.97	.57	.18	.00	.17	1.64	2.40	1.36
	MEAN	1.64	1.85	1.84	.64	.98	.66	.45	.61	.46	1.43	1.80	1.61
	SIGMA	2.06	2.39	2.15	.80	.96	.81	.19	.00	.18	1.92	2.34	2.01
	MEAN	1.22	1.82	1.08	.75	1.81	.77	.73	.85	.73	1.07	1.78	.98
	SIGMA	2.10	2.57	1.74	.59	1.40	.64	.18	.00	.18	1.53	2.36	1.17
	MEAN	4.25	4.61	4.64	1.72	2.75	1.77	1.33	1.40	1.34	3.72	4.50	4.07
	SIGMA	4.93	5.39	5.15	1.92	1.80	1.93	.42	.00	.42	4.59	5.26	4.83

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
T-W	MEAN	2.27	3.65	2.45	.42	1.60	.45	.18	.42	.18	1.89	3.55	2.08
	SIGMA	3.60	3.60	3.63	1.63	1.52	1.63	.49	.00	.48	3.37	3.54	3.43
	MEAN	2.01	3.54	2.21	.40	1.68	.44	.18	.35	.19	1.68	3.37	1.87
	SIGMA	3.14	3.74	3.27	1.47	1.94	1.50	.52	.00	.51	2.92	3.44	3.03
	MEAN	3.17	5.06	3.42	.43	.86	.44	.06	-.20	.06	2.62	4.84	2.87
	SIGMA	5.24	5.73	5.34	2.13	1.26	2.11	.62	.00	.61	4.89	5.66	5.03

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 1.00-1.49 * * * SINGLE-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	297	47	344	65	2	67	17	0	17	384	50	434
	PER CENT	4.25	4.25	4.25	3.99	5.13	4.02	4.27	.00	4.20	4.22	4.28	4.23
	MEAN	1.18	1.26	1.19*	1.19	1.17	1.19*	1.16	.00	1.16*	1.18	1.26	1.19*
	SIGMA	.14	.15	.14	.15	.14	.15	.16	.00	.16	.14	.15	.15
	MEAN	.74	.75	.75	.55	1.18	.57	.36	.00	.36	.70	.76	.71
	SIGMA	.66	.63	.65	.42	.25	.43	.28	.00	.28	.62	.62	.62
	MEAN	1.10	1.17	1.11	1.16	1.05	1.15	1.19	.00	1.19	1.11	1.17	1.11
	SIGMA	.31	.29	.31	.22	.35	.22	.19	.00	.19	.29	.29	.29
	MEAN	2.04	2.17	2.06	1.81	2.65	1.84	1.49	.00	1.49	1.99	2.18	2.01
	SIGMA	.99	.99	.99	.64	.21	.65	.23	.00	.23	.93	.96	.94

TRIM	MEAN	3.49	3.63	3.51	1.43	2.90	1.51	1.96	.00	1.96	3.07	3.55	3.14
	SIGMA	3.97	3.25	3.86	1.36	1.50	1.39	1.61	.00	1.61	3.66	3.15	3.59
	MEAN	1.70	2.04	1.76	.68	1.93	.74	.55	.00	.55	1.46	2.02	1.54
	SIGMA	2.95	3.03	2.96	.92	2.40	1.04	.92	.00	.92	2.67	2.95	2.72
	MEAN	3.12	3.45	3.17	1.39	2.12	1.43	1.96	.00	1.96	2.81	3.33	2.88
	SIGMA	3.33	3.19	3.31	1.36	.73	1.34	1.64	.00	1.64	3.19	3.10	3.18
	MEAN	5.03	5.60	5.11	2.01	5.13	2.16	2.39	.00	2.39	4.38	5.53	4.54
	SIGMA	6.16	5.71	6.09	2.00	4.18	2.21	2.22	.00	2.22	5.65	5.56	5.64

		ALL		
	MEAN	2.15	2.28	2.06
	SIGMA	2.20	1.99	1.57
	MEAN	1.86	1.83	2.00
	SIGMA	2.39	2.17	2.31
	MEAN	1.77	1.84	1.67
	SIGMA	2.21	1.67	2.04
	MEAN	4.97	4.68	5.29
	SIGMA	5.66	5.01	5.75

		T-W		
	MEAN	2.11	3.62	2.32
	SIGMA	3.69	4.63	3.86
	MEAN	1.87	3.32	2.07
	SIGMA	3.18	4.00	3.34
	MEAN	2.79	4.61	3.04
	SIGMA	5.86	6.71	6.01

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	90	29	119	6	1	7	1	0	1	100	30	130	100	30	130	
	PER CENT	1.29	2.62	1.47	.37	2.56	.42	.25	.00	.25	1.10	2.57	1.27	1.10	2.57	1.27	
	MEAN	1.72	1.71	1.72*	1.63	1.85	1.66*	1.67	.00	1.67*	1.71	1.71	1.71*	1.71	1.71	1.71*	
	SIGMA	.16	.16	.16	.16	.00	.16	.00	.00	.00	.16	.16	.16	.16	.16	.16	
	MEAN	1.40	1.61	1.46	.47	2.07	.70	1.22	.00	1.22	1.34	1.63	1.40	1.34	1.63	1.40	
	SIGMA	1.04	1.50	1.16	.16	.00	.62	.00	.00	.00	1.02	1.48	1.14	1.02	1.48	1.14	
	MEDIAN	1.45	1.25	1.41	1.62	1.75	1.64	1.90	.00	1.90	1.46	1.27	1.42	1.46	1.27	1.42	
	SIGMA	.59	.77	.64	.28	.00	.26	.00	.00	.00	.57	.76	.62	.57	.76	.62	
	MEAN	3.37	3.88	3.50	2.15	4.30	2.46	2.90	.00	2.90	3.28	3.89	3.42	3.28	3.89	3.42	
	SIGMA	1.51	2.44	1.78	.26	.00	.85	.00	.00	.00	1.47	2.40	1.74	1.47	2.40	1.74	
TRIM	MEAN	2.99	4.11	3.24	1.76	1.93	1.78	5.00	.00	5.00	2.95	4.02	3.18	2.95	4.02	3.18	
	SIGMA	2.72	4.00	3.06	1.90	.00	1.74	.00	.00	.00	2.70	3.93	3.02	2.70	3.93	3.02	
	MEAN	1.48	2.38	1.68	.28	2.05	.53	2.97	.00	2.97	1.41	2.36	1.61	1.41	2.36	1.61	
	SIGMA	2.53	3.10	2.68	.33	.00	.74	.00	.00	.00	2.43	3.04	2.59	2.43	3.04	2.59	
	MEAN	2.99	3.72	3.15	1.78	1.40	1.73	5.00	.00	5.00	2.96	4.07	3.20	2.96	4.07	3.20	
	SIGMA	2.80	3.63	3.00	1.87	.00	1.72	.00	.00	.00	2.78	4.84	3.32	2.78	4.84	3.32	
	MEAN	4.26	6.17	4.68	1.95	4.20	2.27	7.10	.00	7.10	4.14	6.08	4.55	4.14	6.08	4.55	
	SIGMA	4.21	6.11	4.73	1.79	.00	1.84	.00	.00	.00	4.11	5.99	4.61	4.11	5.99	4.61	
ALL	MEAN	2.26	2.71	2.23	1.60	1.89	1.64	2.78	.00	2.78	2.23	2.69	2.20	2.23	2.69	2.20	
	SIGMA	1.43	2.31	1.11	.55	.00	.52	.00	.00	.00	1.40	2.29	1.09	1.40	2.29	1.09	
	MEAN	1.81	2.25	2.10	.86	1.89	1.00	2.37	.00	2.37	1.76	2.24	2.03	1.76	2.24	2.03	
	SIGMA	1.50	2.38	1.67	.51	.00	.61	.00	.00	.00	1.47	2.35	1.64	1.47	2.35	1.64	
	MEAN	1.93	2.43	1.78	1.60	1.40	1.57	2.50	.00	2.50	1.91	2.40	1.77	1.91	2.40	1.77	
	SIGMA	1.46	2.57	1.10	.43	.00	.40	.00	.00	.00	1.41	2.54	1.07	1.41	2.54	1.07	
	MEAN	4.84	5.70	5.50	2.73	4.30	2.96	7.10	.00	7.10	4.74	5.66	5.36	4.74	5.66	5.36	
	SIGMA	3.47	4.79	4.02	1.22	.00	1.26	.00	.00	.00	3.40	4.74	3.93	3.40	4.74	3.93	
T-W	MEAN	1.32	2.19	1.52	.12	.08	.12	3.32	.00	3.32	1.29	2.11	1.47	1.29	2.11	1.47	
	SIGMA	2.81	3.82	3.07	1.90	.00	1.73	.00	.00	.00	2.78	3.77	3.02	2.78	3.77	3.02	
	MEAN	1.62	2.39	1.79	.17	-.35	.09	3.10	.00	3.10	1.57	2.71	1.82	1.57	2.71	1.82	
	SIGMA	2.91	3.70	3.11	1.86	.00	1.71	.00	.00	.00	2.88	5.03	3.47	2.88	5.03	3.47	
	MEAN	.95	1.44	1.06	-.20	-.10	-.19	4.20	.00	4.20	.92	1.38	1.02	.92	1.38	1.02	
	SIGMA	4.79	5.83	5.02	1.82	.00	1.66	.00	.00	.00	4.63	5.71	4.86	4.63	5.71	4.86	

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 2.00-2.49 * * * SINGLE-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	63	21	84	8	0	8	0	0	0	72	21	93				
	PER CENT	.90	1.90	1.04	.49	.00	.48	.00	.00	.00	.79	1.80	.91				
	MEAN	2.19	2.23	2.20*	2.18	.00	2.18*	.00	.00	.00*	2.19	2.23	2.20*				
	SIGMA	.13	.15	.14	.15	.00	.15	.00	.00	.00	.13	.15	.14				
	MEAN	1.91	1.79	1.88	1.94	.00	1.94	.00	.00	.00	1.89	1.79	1.87				
	SIGMA	1.44	1.25	1.39	1.39	.00	1.39	.00	.00	.00	1.43	1.25	1.38				
	MEDIAN	1.70	2.07	1.79	1.71	.00	1.71	.00	.00	.00	1.70	2.07	1.79				
	SIGMA	.81	.85	.83	.98	.00	.98	.00	.00	.00	.82	.85	.84				
	MEAN	4.47	4.27	4.42	4.74	.00	4.74	.00	.00	.00	4.47	4.27	4.43				
	SIGMA	2.01	1.99	2.00	2.36	.00	2.36	.00	.00	.00	2.04	1.99	2.02				

TRIM

	MEAN	4.13	3.60	4.03	1.40	1.45	1.41	.00	.00	.00	3.89	3.46	3.81			
	SIGMA	3.98	2.59	3.76	1.56	.00	1.42	.00	.00	.00	3.91	2.55	3.69			
	MEAN	1.56	1.95	1.63	.14	.07	.13	.00	.00	.00	1.44	1.82	1.51			
	SIGMA	1.99	1.93	1.97	.19	.00	.18	.00	.00	.00	1.94	1.92	1.93			
	MEAN	3.86	3.59	3.71	1.40	1.45	1.41	.00	.00	.00	3.73	3.45	3.59			
	SIGMA	3.78	2.71	3.29	1.56	.00	1.42	.00	.00	.00	3.97	2.67	3.49			
	MEAN	5.63	5.69	5.64	1.50	1.50	1.50	.00	.00	.00	5.27	5.41	5.29			
	SIGMA	5.15	4.78	5.05	1.68	.00	1.53	.00	.00	.00	5.07	4.73	4.99			

ALL

	MEAN	3.14	2.61	2.88	1.98	1.45	1.95	.00	.00	.00	3.01	2.56	2.79			
	SIGMA	2.42	1.00	1.48	.49	.00	.49	.00	.00	.00	2.31	1.01	1.44			
	MEAN	2.33	2.08	2.52	1.87	.07	1.84	.00	.00	.00	2.26	1.99	2.44			
	SIGMA	1.80	1.44	1.82	1.20	.00	1.22	.00	.00	.00	1.75	1.47	1.78			
	MEAN	2.81	2.40	2.47	1.53	1.45	1.50	.00	.00	.00	2.67	2.36	2.39			
	SIGMA	2.46	1.10	1.39	.87	.00	.87	.00	.00	.00	2.35	1.09	1.37			
	MEAN	6.41	5.66	6.55	4.74	1.50	4.74	.00	.00	.00	6.19	5.48	6.35			
	SIGMA	4.36	3.78	4.26	2.36	.00	2.36	.00	.00	.00	4.21	3.79	4.15			

T-W

	MEAN	1.70	2.21	1.83	1.78	.00	-1.78	.00	.00	.00	1.43	2.21	1.62			
	SIGMA	3.66	4.08	3.75	1.38	.00	1.38	.00	.00	.00	3.57	4.08	3.68			
	MEAN	1.88	1.99	1.91	-.51	.00	-.51	.00	.00	.00	1.71	1.99	1.78			
	SIGMA	3.79	3.22	3.63	2.00	.00	2.00	.00	.00	.00	4.02	3.22	3.83			
	MEAN	.98	1.82	1.20	-2.73	.00	-2.73	.00	.00	.00	.58	1.82	.87			
	SIGMA	4.32	5.12	4.52	1.56	.00	1.56	.00	.00	.00	4.27	5.12	4.48			

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 2.50-2.99 * * * SINGLE-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	51	15	66	6	0	6	2	0	2	60	17	77
	PER CENT	.73	1.36	.82	.37	.00	.36	.50	.00	.49	.66	1.45	.75
	MEAN	2.74	2.69	2.73*	2.74	.00	2.74*	2.74	.00	2.74*	2.74	2.70	2.73*
	SIGMA	.14	.14	.14	.12	.00	.12	.19	.00	.19	.13	.14	.14
	SIGMA	2.15	1.85	2.08	.83	.00	.83	.21	.00	.21	1.94	1.90	1.93
TRIM	SIGMA	1.75	1.22	1.64	.34	.00	.34	.29	.00	.29	1.70	1.16	1.59
	MEDIAN	2.20	2.47	2.26	2.72	.00	2.72	2.72	.00	2.72	2.27	2.50	2.32
	SIGMA	.91	.68	.86	.34	.00	.34	.18	.00	.18	.86	.64	.82
	MEAN	5.35	4.90	5.25	3.58	.00	3.58	3.00	.00	3.00	5.08	4.92	5.05
	SIGMA	2.55	1.76	2.39	.41	.00	.41	.57	.00	.57	2.44	1.65	2.28
ALL	MEAN	4.19	3.70	4.08	1.27	.00	1.27	.30	.00	.30	3.69	3.59	3.67
	SIGMA	4.70	2.97	4.36	.74	.00	.74	.00	.00	.00	4.47	2.90	4.17
	SIGMA	1.83	1.48	1.75	.22	.00	.22	.14	.00	.14	1.57	1.49	1.55
	MEDIAN	3.55	3.41	3.51	1.27	.00	1.27	.30	.00	.30	2.77	1.14	2.51
	SIGMA	3.64	2.91	3.47	.74	.00	.74	.00	.00	.00	3.25	3.39	3.28
T-W	MEAN	5.97	5.15	5.78	1.43	.00	1.43	.40	.00	.40	5.21	5.01	5.17
	SIGMA	6.74	3.58	6.15	.56	.00	.56	.00	.00	.00	6.43	3.49	5.91
	MEAN	3.24	3.17	3.24	2.29	.00	2.29	2.31	.00	2.31	3.08	3.13	3.10
	SIGMA	2.00	1.36	1.81	.32	.00	.32	.41	.00	.41	1.89	1.30	1.70
	SIGMA	2.93	2.04	2.89	1.06	.00	1.06	.68	.00	.68	2.63	2.04	2.65
T-W	MEAN	2.43	1.22	2.22	.42	.00	.42	.97	.00	.97	2.36	1.16	2.15
	SIGMA	2.91	2.64	2.82	2.25	.00	2.25	2.60	.00	2.60	2.54	2.62	2.51
	MEDIAN	3.33	1.35	2.98	.24	.00	.24	.00	.00	.00	1.83	1.29	1.52
	SIGMA	7.56	5.85	7.63	3.58	.00	3.58	3.00	.00	3.00	6.92	5.79	7.09
	SIGMA	5.62	2.66	5.20	.41	.00	.41	.57	.00	.57	5.40	2.54	5.00
T-W	MEAN	1.53	.78	1.36	-1.47	.00	-1.47	-2.57	.00	-2.57	1.06	.55	.94
	SIGMA	4.68	3.22	4.38	.78	.00	.78	.00	.00	.00	4.49	3.07	4.20
	MEAN	1.35	.97	1.27	-1.44	.00	-1.44	-2.55	.00	-2.55	1.01	.81	.97
	SIGMA	3.53	3.38	3.47	.77	.00	.77	.00	.00	.00	3.69	3.43	3.61
	SIGMA	.64	.22	.55	-2.15	.00	-2.15	-3.00	.00	-3.00	.19	-.16	.11
T-W	MEAN	7.07	4.82	6.60	.83	.00	.83	.00	.00	.00	6.64	4.63	6.22
	SIGMA												

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 3.00-3.99 * * * SINGLE-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	69	19	88	6	1	7	0	0	0	78	20	98
	PER CENT	.99	1.72	1.09	.37	2.56	.42	.00	.00	.00	.86	1.71	.95
	MEAN	3.46	3.47	3.46*	3.45	3.72	3.49*	.00	.00	.00*	3.46	3.49	3.46*
	SIGMA	.30	.20	.28	.29	.00	.28	.00	.00	.00	.30	.20	.28
	MEAN	2.77	2.64	2.75	2.01	7.26	2.76	.00	.00	.00	2.77	2.87	2.79
	SIGMA	2.15	2.22	2.15	1.19	.00	2.26	.00	.00	.00	2.08	2.40	2.13
	MEAN	3.05	2.98	3.03	3.38	.20	2.93	.00	.00	.00	3.02	2.84	2.99
	SIGMA	1.23	1.24	1.23	.72	.00	1.37	.00	.00	.00	1.21	1.36	1.24
	MEAN	6.52	6.86	6.60	5.73	14.60	7.00	.00	.00	.00	6.56	7.25	6.70
	SIGMA	3.05	3.50	3.14	1.35	.00	3.57	.00	.00	.00	2.97	3.82	3.16

TRIM	MEAN	4.35	4.60	4.40	1.04	2.33	1.26	.00	.00	.00	4.25	4.46	4.28
	SIGMA	4.25	4.63	4.29	1.22	.00	1.21	.00	.00	.00	4.51	4.23	4.23
	MEAN	2.23	2.39	2.26	.67	3.78	1.19	.00	.00	.00	2.20	2.48	2.24
	SIGMA	2.85	3.19	2.89	.61	.00	1.38	.00	.00	.00	2.83	3.10	2.86
	MEAN	4.03	4.68	4.14	1.19	.30	1.04	.00	.00	.00	3.90	4.41	3.99
	SIGMA	3.97	4.74	4.09	1.59	.00	1.47	.00	.00	.00	3.92	4.70	4.04
	MEAN	6.37	6.83	6.45	1.50	6.70	2.37	.00	.00	.00	6.24	6.82	6.34
	SIGMA	5.55	7.18	5.83	1.50	.00	2.51	.00	.00	.00	5.53	6.94	5.76

ALL	MEAN	3.89	3.76	3.77	2.74	3.13	2.79	.00	.00	.00	3.83	3.73	3.72
	SIGMA	2.12	1.53	1.50	.64	.00	.60	.00	.00	.00	2.04	1.50	1.47
	MEAN	3.49	3.20	3.38	2.10	5.63	2.60	.00	.00	.00	3.44	3.32	3.37
	SIGMA	2.00	2.79	2.10	.55	.00	1.42	.00	.00	.00	1.97	2.77	2.06
	MEAN	3.68	2.97	3.43	2.72	.30	2.37	.00	.00	.00	3.55	3.50	3.46
	SIGMA	2.74	1.41	2.11	1.07	.00	1.34	.00	.00	.00	2.52	2.72	2.17
	MEAN	8.55	8.71	8.59	5.73	14.60	7.00	.00	.00	.00	8.44	9.00	8.55
	SIGMA	4.39	6.07	4.78	1.35	.00	3.57	.00	.00	.00	4.31	6.05	4.69

T-W	MEAN	.71	1.76	.94	-2.37	-1.39	-2.21	.00	.00	.00	.62	1.60	.82
	SIGMA	4.01	5.15	4.27	1.24	.00	1.18	.00	.00	.00	3.97	5.06	4.20
	MEAN	.75	2.35	1.10	-2.19	.10	-1.81	.00	.00	.00	.68	2.23	1.00
	SIGMA	4.03	5.79	4.48	1.30	.00	1.49	.00	.00	.00	4.02	5.65	4.41
	MEAN	-.35	.72	-.12	-4.34	-7.90	-4.93	.00	.00	.00	-.53	.27	-.37
	SIGMA	5.61	6.64	5.82	1.95	.00	2.27	.00	.00	.00	5.44	6.75	5.70

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	51	13	64	2	1	3	2	0	2	55	14	69				
	PER CENT	.73	1.17	.79	.12	2.56	.18	.50	.00	.49	.60	1.20	.67				
	MEAN	4.42	4.54	4.44*	4.20	4.07	4.16*	4.79	.00	4.79*	4.43	4.50	4.44*				
	SIGMA	.27	.27	.28	.24	.00	.18	.08	.00	.08	.28	.29	.28				
	MEAN	2.52	3.42	2.70	2.12	3.44	2.56	1.18	.00	1.18	2.45	3.42	2.65				
	SIGMA	2.24	3.03	2.42	1.86	.00	1.52	.12	.00	.12	2.18	2.91	2.36				
	MEDIAN	4.18	3.93	4.13	5.05	6.00	5.37	4.37	.00	4.37	4.22	4.08	4.19				
	SIGMA	1.02	1.56	1.14	1.63	.00	1.27	.25	.00	.25	1.02	1.59	1.15				
	MEAN	7.16	8.52	7.44	5.70	6.10	5.83	6.30	.00	6.30	7.08	8.35	7.34				
	SIGMA	2.75	4.55	3.20	1.13	.00	.83	.42	.00	.42	2.67	4.41	3.10				

		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
TRIM	MEAN	4.23	4.59	4.29	.64	8.90	3.39	1.15	.00	1.15	3.98	4.95	4.16			
	SIGMA	3.71	3.91	3.72	.58	.00	4.79	.35	.00	.35	3.68	3.93	3.71			
	MEAN	2.34	2.73	2.41	1.19	.00	.79	.21	.00	.21	2.22	2.50	2.27			
	SIGMA	2.62	2.95	2.66	1.58	.00	1.31	.30	.00	.30	2.57	2.92	2.62			
	MEAN	4.29	4.07	4.25	.00	8.90	2.95	1.15	.00	1.15	4.07	4.47	4.15			
	SIGMA	3.74	3.88	3.73	1.52	.00	5.26	.35	.00	.35	3.87	3.96	3.86			
	MEAN	6.10	7.14	6.29	2.00	8.90	4.30	1.30	.00	1.30	5.77	7.28	6.04			
	SIGMA	4.91	5.78	5.04	1.27	.00	4.08	.57	.00	.57	4.87	5.53	4.98			

		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
ALL	MEAN	4.42	4.23	4.40	2.57	5.27	3.47	3.73	.00	3.73	4.33	4.28	4.34			
	SIGMA	1.61	2.19	1.39	.38	.00	1.58	.47	.00	.47	1.59	2.15	1.39			
	MEAN	3.00	3.32	3.34	2.60	3.70	2.97	2.04	.00	2.04	2.96	3.34	3.29			
	SIGMA	1.89	3.08	1.83	1.22	.00	1.08	.06	.00	.06	1.84	2.99	1.79			
	MEAN	4.38	3.50	4.19	2.47	6.05	3.67	4.10	.00	4.10	4.17	3.63	4.04			
	SIGMA	2.39	2.28	2.27	1.17	.00	2.22	.14	.00	.14	1.91	2.29	1.81			
	MEAN	8.39	8.45	9.19	5.70	8.90	6.77	6.30	.00	6.30	8.23	8.47	9.00			
	SIGMA	3.77	5.73	4.03	1.13	.00	2.01	.42	.00	.42	3.69	5.57	3.95			

		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
T-W	MEAN	-.49	1.25	-.15	-3.56	4.83	-.76	-3.64	.00	-3.64	-.72	1.52	-.28			
	SIGMA	3.78	3.43	3.75	.81	.00	4.88	.44	.00	.44	3.72	3.43	3.75			
	MEAN	-.26	1.73	.14	-5.07	2.90	-2.42	-3.22	.00	-3.22	-.48	1.82	-.03			
	SIGMA	3.92	3.66	3.92	3.15	.00	5.11	.60	.00	.60	4.08	3.52	4.06			
	MEAN	-1.22	-.91	-1.16	-3.70	2.80	-1.53	-5.00	.00	-5.00	-1.45	-.62	-1.29			
	SIGMA	5.95	6.90	6.09	.14	.00	3.75	.99	.00	.99	5.78	6.68	5.92			

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 5.00-7.49 * * * SINGLE-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	119	35	154	9	0	9	0	0	0	129	35	164
	PER CENT	1.70	3.16	1.90	.55	.00	.54	.00	.00	.00	1.42	3.00	1.60
	MEAN	6.05	6.06	6.05*	6.42	.00	6.42*	.00	.00	.00*	6.08	6.06	6.07*
	SIGMA	.72	.70	.72	.80	.00	.80	.00	.00	.00	.73	.70	.72
	SIGMA	4.04	2.45	3.68	1.18	.00	1.18	.00	.00	.00	3.85	2.45	3.55
	SIGMA	3.58	2.42	3.41	.72	.00	.72	.00	.00	.00	3.52	2.42	3.36
	MEDIAN	5.75	6.02	5.81	6.42	.00	6.42	.00	.00	.00	5.83	6.02	5.87
	SIGMA	2.32	1.24	2.13	1.11	.00	1.11	.00	.00	.00	2.30	1.24	2.12
	MEAN	10.35	8.55	9.94	7.77	.00	7.77	.00	.00	.00	10.19	8.55	9.84
	SIGMA	4.86	3.11	4.58	.96	.00	.96	.00	.00	.00	4.72	3.11	4.47
TRIM	MEAN	4.22	6.48	4.68	3.73	.00	3.73	.00	.00	4.18	6.48	4.63	
	SIGMA	4.13	5.07	4.41	4.65	.00	4.65	.00	.00	4.15	5.07	4.42	
	MEAN	2.16	2.85	2.30	.80	.00	.80	.00	.00	2.07	2.85	2.22	
	SIGMA	2.71	2.81	2.73	.93	.00	.93	.00	.00	2.65	2.81	2.69	
	MEAN	3.87	6.16	4.34	3.41	.00	3.41	.00	.00	3.89	5.97	4.29	
	SIGMA	3.59	4.61	3.91	4.41	.00	4.41	.00	.00	3.87	4.32	4.03	
	MEAN	6.21	9.01	6.78	4.45	.00	4.45	.00	.00	6.10	9.01	6.66	
	SIGMA	5.82	6.66	6.08	4.98	.00	4.98	.00	.00	5.77	6.66	6.04	
	MEAN	5.27	6.10	5.55	5.58	.00	5.58	.00	.00	5.30	6.10	5.56	
	SIGMA	1.95	2.14	1.83	1.96	.00	1.96	.00	.00	1.94	2.14	1.83	
T-W	MEAN	4.14	3.20	4.25	2.44	.00	2.44	.00	.00	4.04	3.20	4.16	
	SIGMA	2.74	2.56	2.53	1.12	.00	1.12	.00	.00	2.68	2.56	2.50	
	MEAN	5.19	5.99	5.46	6.17	.00	6.17	.00	.00	5.11	5.78	5.33	
	SIGMA	3.45	2.31	3.21	1.91	.00	1.91	.00	.00	2.75	1.92	2.52	
	MEAN	10.76	10.15	11.28	8.53	.00	8.53	.00	.00	10.63	10.15	11.14	
	SIGMA	5.67	5.22	5.36	2.74	.00	2.74	.00	.00	5.53	5.22	5.27	
	MEAN	-1.62	-.51	-1.35	-2.56	.00	-2.56	.00	.00	-1.68	-.51	-1.42	
	SIGMA	4.20	5.09	4.44	4.24	.00	4.24	.00	.00	4.19	5.09	4.42	
	MEAN	-1.72	-.76	-1.49	-2.77	.00	-2.77	.00	.00	-1.77	-.92	-1.58	
	SIGMA	4.63	4.88	4.69	3.98	.00	3.98	.00	.00	4.74	4.62	4.71	
MEAN	-3.82	-.83	-3.11	-3.25	.00	-3.25	.00	.00	-3.78	-.83	-3.12		
SIGMA	6.89	6.96	7.00	4.70	.00	4.70	.00	.00	6.75	6.96	6.89		

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

WALLS	COUNT PER CENT	*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
MEAN	8.79	8.47	8.72*	8.82	8.66	8.74*	8.74*	8.74*	8.74*	8.79	8.49	8.73*	
SIGMA	4.29	4.70	4.38	5.62	7.54	6.58	6.58	6.58	6.58	4.33	5.00	4.48	
MEDIAN	3.99	4.37	4.05	9.11	3.28	2.19	2.19	2.19	2.19	3.93	4.29	4.00	
HIGH	13.02	13.26	13.07	13.50	16.45	14.97	14.97	14.97	14.97	13.04	13.60	13.16	
	4.81	5.62	4.96	1.84	7.28	4.66	4.66	4.66	4.66	4.74	5.66	4.93	

TRIM	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
MEAN	5.02	5.49	5.11	3.53	5.27	3.97	3.97	3.97	3.97	3.97	3.97	3.97	3.97	3.97
SIGMA	5.11	3.11	4.78	1.53	0.00	1.52	1.52	1.52	1.52	1.52	1.52	1.52	1.52	1.52
MEAN	3.03	2.20	2.87	2.50	3.24	2.69	2.69	2.69	2.69	2.69	2.69	2.69	2.69	2.69
SIGMA	4.14	2.00	3.82	2.48	0.00	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06
MEAN	4.65	5.67	4.85	3.37	3.60	3.42	3.42	3.42	3.42	3.42	3.42	3.42	3.42	3.42
SIGMA	4.73	3.56	4.52	1.20	0.00	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
MEAN	7.88	7.26	7.76	6.47	9.00	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10
SIGMA	8.39	3.87	7.70	4.70	0.00	4.04	4.04	4.04	4.04	4.04	4.04	4.04	4.04	4.04

ALL	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
MEAN	7.37	7.52	7.37	6.37	8.10	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
SIGMA	2.35	1.60	1.85	1.15	1.90	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
MEAN	5.51	4.68	5.22	5.28	7.11	5.70	5.70	5.70	5.70	5.70	5.70	5.70	5.70	5.70
SIGMA	3.45	3.49	3.01	0.34	3.88	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35
MEAN	7.52	6.87	7.53	6.50	8.57	7.19	7.19	7.19	7.19	7.19	7.19	7.19	7.19	7.19
SIGMA	3.53	3.19	3.28	2.40	0.60	2.24	2.24	2.24	2.24	2.24	2.24	2.24	2.24	2.24
MEAN	14.08	13.33	13.91	12.83	16.45	14.97	14.97	14.97	14.97	14.97	14.97	14.97	14.97	14.97
SIGMA	6.38	5.43	5.84	1.74	7.28	4.66	4.66	4.66	4.66	4.66	4.66	4.66	4.66	4.66

T-W	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
MEAN	-3.73	-3.04	-3.59	-6.12	-3.43	-4.78	-4.78	-4.78	-4.78	-4.78	-4.78	-4.78	-4.78	-4.78
SIGMA	5.07	4.29	4.90	0.71	1.16	1.74	1.74	1.74	1.74	1.74	1.74	1.74	1.74	1.74
MEAN	-4.25	-2.94	-3.98	-7.02	-4.95	-5.99	-5.99	-5.99	-5.99	-5.99	-5.99	-5.99	-5.99	-5.99
SIGMA	5.34	6.15	5.50	0.46	1.98	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68	1.68
MEAN	-5.26	-5.66	-5.34	-9.55	-6.20	-7.87	-7.87	-7.87	-7.87	-7.87	-7.87	-7.87	-7.87	-7.87
SIGMA	7.66	6.05	7.32	4.31	5.52	4.48	4.48	4.48	4.48	4.48	4.48	4.48	4.48	4.48

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 10.00 AND UP * * SINGLE-FAMILY UNITS * * * DRY ROOMS

	*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****				
	GOOD	BAD	ALL	COUNT	GOOD	BAD	ALL	PER CENT	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	124	36	160	10	0	10	0	0	0	0	0	134	36	170			
PER CENT	1.78	3.25	1.98	.61	.00	.60	.00	1.47	.00	.00	.00	1.47	3.08	1.65			
MEAN	16.71	15.03	16.33*	13.47	.00	13.47*	.00	16.47	.00	.00*	.00	16.47	15.03	16.16*			
SIGMA	6.34	4.97	6.08	2.47	.00	2.47	.00	6.19	.00	.00	.00	6.19	4.97	5.97			
SIGMA	4.07	4.38	4.14	2.89	.00	2.89	.00	3.98	.00	.00	.00	3.98	4.38	4.07			
SIGMA	4.19	3.68	4.07	1.76	.00	1.76	.00	4.07	.00	.00	.00	4.07	3.68	3.98			
MEDIAN	13.20	12.08	12.95	11.27	.00	11.27	.00	13.69	.00	.00	.00	13.69	13.99	13.75			
SIGMA	4.76	3.15	4.46	1.69	.00	1.69	.00	4.28	.00	.00	.00	4.28	5.73	4.60			
MEAN	20.68	19.07	20.32	16.38	.00	16.38	.00	20.36	.00	.00	.00	20.36	19.07	20.09			
SIGMA	7.35	6.88	7.26	2.11	.00	2.11	.00	7.18	.00	.00	.00	7.18	6.88	7.12			

TRIM

MEAN	5.35	8.65	5.79	6.05	.00	6.05	.00	5.39	.00	.00	.00	5.39	8.65	5.81			
SIGMA	4.74	6.00	5.03	4.67	.00	4.67	.00	4.72	.00	.00	.00	4.72	6.00	5.00			
SIGMA	2.27	3.61	2.45	3.89	.00	3.89	.00	2.37	.00	.00	.00	2.37	3.61	2.53			
SIGMA	2.68	4.37	2.98	5.19	.00	5.19	.00	2.90	.00	.00	.00	2.90	4.37	3.14			
MEDIAN	4.99	7.66	5.35	5.33	.00	5.33	.00	4.95	.00	.00	.00	4.95	7.05	5.22			
SIGMA	4.45	4.88	4.58	4.96	.00	4.96	.00	4.22	.00	.00	.00	4.22	3.88	4.24			
MEAN	7.47	11.77	8.05	9.81	.00	9.81	.00	7.61	.00	.00	.00	7.61	11.77	8.14			
SIGMA	6.30	8.30	6.73	7.96	.00	7.96	.00	6.40	.00	.00	.00	6.40	8.30	6.79			

ALL

MEAN	11.34	13.00	12.12	11.03	.00	11.03	.00	11.32	.00	.00	.00	11.32	13.00	12.05			
SIGMA	5.48	4.86	4.65	2.69	.00	2.69	.00	5.34	.00	.00	.00	5.34	4.86	4.56			
SIGMA	6.87	5.12	7.54	5.86	.00	5.86	.00	6.80	.00	.00	.00	6.80	5.12	7.44			
SIGMA	3.95	3.92	3.38	1.89	.00	1.89	.00	3.85	.00	.00	.00	3.85	3.92	3.33			
MEDIAN	8.90	10.55	9.48	11.01	.00	11.01	.00	9.76	.00	.00	.00	9.76	11.60	10.31			
SIGMA	3.62	3.43	3.01	2.55	.00	2.55	.00	4.98	.00	.00	.00	4.98	4.17	4.42			
MEAN	18.98	18.49	20.65	17.35	.00	17.35	.00	18.87	.00	.00	.00	18.87	18.49	20.46			
SIGMA	8.58	7.85	7.22	2.68	.00	2.68	.00	8.33	.00	.00	.00	8.33	7.85	7.08			

T-W

MEAN	-11.04	-8.51	-10.51	-7.15	.00	-7.15	.00	-10.78	.00	.00	.00	-10.78	-8.51	-10.32			
SIGMA	7.27	6.50	7.16	5.39	.00	5.39	.00	7.20	.00	.00	.00	7.20	6.50	7.11			
SIGMA	-7.98	-6.23	-7.61	-6.08	.00	-6.08	.00	-8.55	.00	.00	.00	-8.55	-6.23	-8.54			
SIGMA	6.39	6.13	6.36	6.40	.00	6.40	.00	5.53	.00	.00	.00	5.53	6.39	5.69			
MEAN	-12.75	-10.38	-12.25	-6.33	.00	-6.33	.00	-12.31	.00	.00	.00	-12.31	-10.38	-11.92			
SIGMA	8.60	8.11	8.53	7.72	.00	7.72	.00	8.67	.00	.00	.00	8.67	8.11	8.57			

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	6982	1107	8089	1629	39	1668	398	7	405	9104	1168	10272
	PER CENT	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	MEAN	.70	1.16	.76	.23	.74	.25	.08	.02	.07	.59	1.13	.65
	SIGMA	2.68	3.16	2.75	1.34	2.14	1.36	.64	.48	.63	2.43	3.11	2.52
	MEAN	.70	.89	.73	.47	1.21	.49	.41	.56	.42	.65	.90	.68
	SIGMA	1.25	1.50	1.28	.44	2.03	.55	.24	.25	.24	1.12	1.51	1.17
	MEDIAN	.60	1.02	.66	.22	.70	.23	.08	.09	.08	.52	1.06	.58
	SIGMA	2.27	2.70	2.34	1.22	2.27	1.26	.64	.40	.64	2.12	3.04	2.25
	HIGH	1.50	2.15	1.59	.79	2.12	.82	.57	.61	.57	1.33	2.14	1.42
	SIGMA	3.55	4.32	3.67	1.60	4.42	1.73	.65	.45	.64	3.21	4.29	3.36

TRIM	MEAN	2.95	4.64	3.17	.90	2.26	.94	.82	.85	.82	2.51	4.49	2.73
	SIGMA	3.71	4.04	3.80	1.53	2.34	1.57	1.18	1.06	1.18	3.46	4.00	3.58
	MEAN	1.62	2.28	1.71	.56	1.17	.58	.43	.40	.42	1.39	2.20	1.48
	SIGMA	2.55	2.71	2.58	1.00	1.20	1.01	.57	.54	.56	2.34	2.65	2.39
	MEAN	2.70	4.35	2.91	.88	2.15	.91	.83	.86	.83	2.31	4.16	2.51
	SIGMA	3.32	3.72	3.41	1.46	2.39	1.50	1.17	1.06	1.17	3.12	3.55	3.21
	MEAN	4.50	6.75	4.79	1.40	3.41	1.45	1.17	1.18	1.17	3.82	6.53	4.12
	SIGMA	5.60	5.85	5.68	2.12	3.11	2.18	1.35	1.09	1.35	5.20	5.78	5.34

ALL	MEAN	1.64	2.57	1.70	.46	1.35	.48	.28	.45	.28	1.38	2.49	1.44
	SIGMA	2.60	3.37	2.44	1.21	2.17	1.22	.66	.45	.66	2.40	3.31	2.29
	MEAN	1.97	2.18	2.22	.77	1.29	.80	.63	.66	.64	1.70	2.13	1.92
	SIGMA	2.39	2.54	2.45	.92	1.69	.95	.57	.62	.56	2.21	2.50	2.30
	MEAN	1.15	2.07	1.09	.36	1.29	.37	.22	.39	.22	.94	1.99	.90
	SIGMA	2.64	3.38	2.55	1.19	2.25	1.20	.70	.36	.69	2.27	3.19	2.15
	MEAN	4.66	5.47	5.18	1.56	2.95	1.63	1.16	1.14	1.18	3.96	5.32	4.43
	SIGMA	5.90	6.06	6.07	2.33	4.10	2.43	1.32	1.02	1.31	5.46	5.97	5.69

T-W	MEAN	2.25	3.48	2.42	.68	1.44	.70	.73	1.36	.74	1.91	3.39	2.08
	SIGMA	4.24	4.95	4.37	1.69	2.29	1.71	1.23	1.24	1.24	3.87	4.86	4.03
	MEAN	2.09	3.30	2.26	.68	1.32	.69	.73	1.31	.74	1.78	3.12	1.93
	SIGMA	3.76	4.42	3.88	1.65	2.55	1.68	1.22	1.38	1.22	3.47	4.47	3.62
	MEAN	3.02	4.39	3.21	.62	1.29	.64	.57	.98	.58	2.49	4.24	2.69
	SIGMA	6.22	6.75	6.32	2.19	3.66	2.24	1.42	1.16	1.42	5.66	6.65	5.81

MEAN LEAD INTERVAL 0.00-0.49 * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	A..	GOOD	BAD	ALL	GOOD	RAD	ALL	
WALLS	COUNT	1543	145	1688	457	5	462	136	2	138	2164	155	2320				
	PER CENT	49.14	34.94	47.48	66.33	27.78	65.35	73.51	50.00	73.02	53.30	35.14	51.51				
	MEAN	.00	.02	.00*	.00	.00	.00*	.00	.00	.00*	.00	.00	.00*				
	SIGMA	.37	.40	.38	.36	.39	.36	.42	.41	.41	.38	.41	.38				
	MEAN	.45	.46	.45	.43	.40	.43	.40	.40	.40	.44	.45	.44				
	SIGMA	.27	.23	.27	.23	.03	.23	.24	.20	.24	.26	.23	.26				
	MEDIAN	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00				
	SIGMA	.40	.42	.40	.39	.42	.39	.43	.49	.43	.40	.42	.40				
	MEAN	.52	.58	.53	.47	.32	.47	.40	.40	.40	.50	.55	.51				
	SIGMA	.43	.39	.42	.38	.36	.38	.36	.36	.36	.41	.39	.41				

TRIM

MEAN	2.58	4.06	2.73	.96	.87	.96	.66	.62	.66	.66	2.10	3.86	2.24
SIGMA	3.59	4.00	3.66	1.87	.41	1.85	.85	.21	.84	.84	3.27	3.93	3.36
MEAN	1.42	2.63	1.54	.60	.56	.60	.43	1.15	.44	.44	1.18	2.52	1.29
SIGMA	2.23	2.98	2.35	1.39	.26	1.38	.51	.50	.52	.52	2.04	2.92	2.15
MEAN	2.33	3.51	2.45	.94	.97	.94	.62	.62	.62	.62	1.92	3.40	2.04
SIGMA	3.19	3.52	3.24	1.76	.46	1.75	.88	.21	.87	.87	2.90	3.63	3.00
MEAN	3.86	6.49	4.13	1.48	1.27	1.48	1.05	1.43	1.06	1.06	3.16	6.17	3.40
SIGMA	4.91	5.99	5.09	2.59	.42	2.57	.97	.55	.96	.96	4.48	5.90	4.68

ALL

MEAN	.94	1.99	1.00	.29	.40	.29	.14	.27	.13	.13	.75	1.86	.79
SIGMA	1.53	2.86	1.43	.76	.69	.76	.47	.53	.47	.47	1.39	2.78	1.32
MEAN	1.67	2.18	1.84	.82	.52	.82	.63	.88	.63	.63	1.42	2.07	1.56
SIGMA	2.02	2.47	2.12	1.08	.22	1.07	.39	.65	.38	.38	1.84	2.41	1.94
MEAN	.50	1.42	.49	.15	.42	.14	.05	.23	.04	.04	.34	1.35	.33
SIGMA	1.86	2.75	1.86	.92	.78	.92	.41	.57	.41	.41	1.22	2.78	1.15
MEAN	3.67	5.14	4.07	1.52	.91	1.53	1.06	1.07	1.07	1.07	3.03	4.84	3.36
SIGMA	4.77	5.81	5.01	2.50	.65	2.50	.90	.85	.90	.90	4.34	5.68	4.59

T-W

MEAN	2.63	3.85	2.74	1.00	.80	1.00	.77	.94	.77	.77	2.16	3.67	2.27
SIGMA	3.60	4.00	3.65	1.86	.39	1.85	.81	.30	.81	.81	3.28	3.92	3.35
MEAN	2.38	3.35	2.47	1.00	.87	1.00	.73	1.00	.74	.74	1.99	3.20	2.07
SIGMA	3.19	3.60	3.23	1.77	.42	1.76	.83	.28	.82	.82	2.93	3.48	2.98
MEAN	3.42	5.46	3.60	1.01	.46	1.01	.66	.90	.67	.67	2.73	5.17	2.89
SIGMA	4.96	5.96	5.08	2.59	.39	2.58	1.00	.00	.99	.99	4.53	5.85	4.67

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 0.50-0.99 * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	451	62	513	99	1	100	33	0	33	589	64	653				
	PER CENT	14.36	14.94	14.43	14.37	5.56	14.14	17.84	.00	17.46	14.51	14.41	14.50				
	MEAN	.69	.69	.69*	.66	.83	.66*	.70	.00	.70*	.69	.70	.69*				
	SIGMA	.14	.13	.14	.14	.00	.14	.12	.00	.12	.14	.13	.14				
	MEAN	.61	.56	.60	.52	.40	.52	.47	.00	.47	.59	.55	.58				
	SIGMA	.44	.38	.43	.33	.00	.33	.34	.00	.34	.42	.37	.41				
	MEDIAN	.66	.64	.66	.67	.60	.67	.71	.00	.71	.66	.64	.66				
	SIGMA	.25	.23	.25	.21	.00	.21	.23	.00	.23	.24	.22	.24				
	MEAN	1.39	1.35	1.39	1.22	1.30	1.22	1.20	.00	1.20	1.35	1.35	1.35				
	SIGMA	.66	.54	.64	.45	.00	.45	.46	.00	.46	.62	.53	.61				
TRIM	MEAN	2.86	4.09	3.01	.86	.00	.86	1.59	.00	1.59	2.43	4.04	2.59				
	SIGMA	3.50	3.79	3.56	1.03	.00	1.03	2.72	.00	2.72	3.25	3.79	3.34				
	MEAN	1.66	2.64	1.78	.38	.00	.38	.46	.00	.46	1.36	2.62	1.49				
	SIGMA	2.53	3.06	2.62	.48	.00	.48	.92	.00	.92	2.29	3.04	2.40				
	MEAN	2.69	3.93	2.85	.83	.00	.83	1.40	.00	1.40	2.22	3.95	2.39				
	SIGMA	3.44	3.47	3.46	1.04	.00	1.04	1.76	.00	1.76	2.75	3.63	2.89				
	MEAN	4.29	6.27	4.54	1.22	.00	1.22	1.96	.00	1.96	3.61	6.19	3.86				
	SIGMA	5.11	5.72	5.22	1.12	.00	1.12	3.36	.00	3.36	4.72	5.71	4.88				
	MEAN	1.54	2.24	1.54	.73	.83	.73	1.02	.00	1.02	1.37	2.20	1.38				
	SIGMA	1.62	2.91	1.32	.35	.00	.34	1.14	.00	1.14	1.49	2.88	1.25				
ALL	MEAN	1.73	2.00	1.87	.64	.40	.64	.85	.00	.85	1.49	1.96	1.62				
	SIGMA	1.99	2.01	2.04	.49	.00	.44	1.45	.00	1.45	1.84	2.00	1.91				
	MEAN	1.08	1.67	.99	.68	.60	.67	1.08	.00	1.08	1.01	1.70	.94				
	SIGMA	1.63	2.52	1.32	.27	.00	.25	1.85	.00	1.85	1.43	2.70	1.12				
	MEAN	4.37	5.25	4.71	1.60	1.30	1.60	2.19	.00	2.19	3.77	5.15	4.07				
	SIGMA	4.83	5.43	5.01	.94	.00	.94	3.25	.00	3.25	4.46	5.40	4.67				
	MEAN	2.16	3.50	2.32	.19	.87	.19	.90	.00	.90	1.73	3.40	1.90				
	SIGMA	3.53	3.49	3.55	1.03	.00	1.02	2.74	.00	2.74	3.28	3.48	3.33				
	MEAN	2.03	3.39	2.19	.15	1.10	.16	.69	.00	.69	1.55	3.30	1.73				
	SIGMA	3.46	3.36	3.47	1.05	.00	1.05	1.75	.00	1.75	2.80	3.35	2.90				
T-W	MEAN	2.89	5.10	3.16	-.03	2.40	-.01	.76	.00	.76	2.24	4.97	2.52				
	SIGMA	5.13	5.61	5.24	1.12	.00	1.15	3.42	.00	3.42	4.73	5.57	4.88				
	HIGH																

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 1.00-1.49 * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	221	34	255	4	6	0	6	38
	PER CENT	7.04	8.19	7.17	22.22	5.22	.00	3.17	8.56
	MEAN	1.22	1.18	1.22*	1.22	1.23*	.00	1.16*	1.18
	SIGMA	.14	.13	.14	.16	.15	.00	.14	.13
	MEAN	.88	.87	.88	1.29	.91	.00	.58	.91
	SIGMA	.71	.82	.73	.58	.69	.00	.32	.80
	MEAN	1.08	1.00	1.07	.89	1.11	.00	1.09	.99
	SIGMA	.40	.34	.39	.26	.35	.00	.39	.33
	MEAN	2.29	2.29	2.29	2.85	2.32	.00	2.27	2.35
	SIGMA	1.07	1.25	1.09	.88	1.03	.00	1.05	1.22

TRIM

MEAN	3.16	4.82	3.37	1.50	1.90	1.52	.00	1.35	4.64
SIGMA	3.76	5.12	3.99	2.13	.42	2.07	.00	1.49	5.01
MEAN	1.32	1.67	1.37	.62	1.58	.67	.00	.44	1.22
SIGMA	1.92	1.99	1.93	1.44	.97	1.42	.00	.61	1.94
MEAN	2.91	4.32	3.10	1.47	2.05	1.50	.00	1.42	4.18
SIGMA	3.03	3.40	3.11	1.98	.21	1.93	.00	1.59	3.34
MEAN	4.33	6.20	4.57	1.98	3.05	2.04	.00	1.75	6.01
SIGMA	4.82	5.77	4.98	2.69	1.06	2.63	.00	1.89	5.65

ALL

MEAN	1.98	2.54	2.02	1.27	1.35	1.28	.00	1.27	2.45
SIGMA	1.50	2.48	1.51	.58	.23	.56	.00	.62	2.40
MEAN	1.73	1.92	1.92	1.03	1.29	1.07	.00	.80	1.87
SIGMA	1.84	2.41	1.98	1.03	.60	.99	.00	.64	2.32
MEAN	1.76	2.53	1.79	1.12	.91	1.11	.00	1.09	2.07
SIGMA	2.39	4.20	2.74	.46	.28	.45	.00	.22	2.39
MEAN	4.69	5.21	5.06	2.86	2.90	2.91	.00	2.38	5.02
SIGMA	4.39	5.05	4.62	2.51	.94	2.40	.00	1.61	4.89

T-W

MEAN	1.96	3.35	2.16	.27	.32	.28	.00	.19	3.11
SIGMA	3.80	4.90	3.99	2.12	.65	2.03	.00	1.53	4.77
MEAN	1.87	3.04	2.03	.36	.87	.40	.00	.21	2.86
SIGMA	3.11	3.15	3.14	1.96	.35	1.89	.00	1.70	3.07
MEAN	2.10	3.42	2.28	-.30	-.80	-.34	.00	.05	3.08
SIGMA	4.97	5.53	5.06	2.89	1.56	2.80	.00	2.01	5.44

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 1.50-1.99 * * * SINGLE-FAMILY UNITS * * * WET ROOMS

	*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****	
	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD
WALLS	144	15	159	25	0	25	2	15
COUNT	4.59	3.61	4.47	3.63	.00	3.54	1.08	3.38
PER CENT	1.74	1.74	1.74*	1.73	.00	1.73*	1.66	1.74
MEAN	.15	.12	.14	.14	.00	.14	.02	.12
SIGMA	1.33	1.46	1.34	.90	.00	.90	.97	1.46
MEAN	.97	1.03	.97	.91	.00	.91	.66	1.03
SIGMA	1.55	1.42	1.54	1.58	.00	1.58	1.77	1.42
MEDIAN	.53	.58	.54	.54	.00	.54	.04	.58
SIGMA	3.33	3.57	3.35	2.80	.00	2.80	2.60	3.57
HIGH	1.48	1.60	1.48	1.24	.00	1.24	.71	1.60
MEAN	3.22	5.26	3.48	.98	.97	.98	2.19	5.06
SIGMA	3.23	3.51	3.32	.90	.00	.88	2.46	3.55
MEAN	1.82	3.09	1.98	.54	.75	.55	1.00	2.97
SIGMA	3.13	2.75	3.10	1.18	.00	1.15	1.12	2.93
MEAN	3.17	4.76	3.37	.99	1.40	1.00	1.67	4.60
MEDIAN	3.40	2.63	3.35	.90	.00	.89	1.73	3.14
SIGMA	4.78	7.85	5.17	1.38	1.40	1.38	3.30	7.54
HIGH	5.39	4.82	5.41	1.67	.00	1.64	3.82	4.90
MEAN	2.31	3.86	2.41	1.50	.97	1.49	1.95	3.74
SIGMA	1.41	3.37	1.30	.34	.00	.34	.96	3.35
MEAN	2.12	2.60	2.26	1.02	.75	1.03	1.32	2.53
SIGMA	2.19	2.28	1.98	.83	.00	.83	.81	2.07
MEAN	1.72	3.24	1.88	1.34	1.40	1.32	2.07	2.26
SIGMA	.97	2.53	1.45	.43	.00	.41	1.17	3.17
MEAN	5.64	6.96	6.13	2.96	1.40	2.96	4.05	6.75
HIGH	4.82	4.71	4.92	1.63	.00	1.63	2.76	4.74
MEAN	1.65	2.54	1.74	-.75	.00	-.75	.53	2.54
SIGMA	3.35	2.95	3.31	.94	.00	.94	2.48	2.95
MEAN	1.81	2.11	1.84	-.58	.00	-.58	-.10	2.11
SIGMA	3.51	2.48	3.42	1.25	.00	1.25	1.70	2.48
MEAN	1.59	4.05	1.82	-1.42	.00	-1.42	.70	4.05
HIGH	5.18	6.96	5.40	1.65	.00	1.65	3.11	6.96

TRIM

MEAN	3.22	5.26	3.48	.98	.97	.98	2.19	5.06
SIGMA	3.23	3.51	3.32	.90	.00	.88	2.46	3.55
MEAN	1.82	3.09	1.98	.54	.75	.55	1.00	2.97
SIGMA	3.13	2.75	3.10	1.18	.00	1.15	1.12	2.93
MEAN	3.17	4.76	3.37	.99	1.40	1.00	1.67	4.60
MEDIAN	3.40	2.63	3.35	.90	.00	.89	1.73	3.14
SIGMA	4.78	7.85	5.17	1.38	1.40	1.38	3.30	7.54
HIGH	5.39	4.82	5.41	1.67	.00	1.64	3.82	4.90

ALL

MEAN	2.31	3.86	2.41	1.50	.97	1.49	1.95	3.74
SIGMA	1.41	3.37	1.30	.34	.00	.34	.96	3.35
MEAN	2.12	2.60	2.26	1.02	.75	1.03	1.32	2.53
SIGMA	2.19	2.28	1.98	.83	.00	.83	.81	2.07
MEAN	1.72	3.24	1.88	1.34	1.40	1.32	2.07	2.26
SIGMA	.97	2.53	1.45	.43	.00	.41	1.17	3.17
MEAN	5.64	6.96	6.13	2.96	1.40	2.96	4.05	6.75
HIGH	4.82	4.71	4.92	1.63	.00	1.63	2.76	4.74

T-W

MEAN	1.65	2.54	1.74	-.75	.00	-.75	.53	2.54
SIGMA	3.35	2.95	3.31	.94	.00	.94	2.48	2.95
MEAN	1.81	2.11	1.84	-.58	.00	-.58	-.10	2.11
SIGMA	3.51	2.48	3.42	1.25	.00	1.25	1.70	2.48
MEAN	1.59	4.05	1.82	-1.42	.00	-1.42	.70	4.05
HIGH	5.18	6.96	5.40	1.65	.00	1.65	3.11	6.96

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 2.00-2.49 * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	95	14	109	10	0	10	2	0	2	107	15	122
	PER CENT	3.03	3.37	3.07	1.41	.00	1.41	1.08	.00	1.06	2.64	3.38	2.71
	MEAN	2.24	2.19	2.23*	2.26	.00	2.26*	2.41	.00	2.41*	2.24	2.19	2.24*
	SIGMA	.15	.16	.15	.12	.00	.12	.02	.00	.02	.15	.16	.15
	MEAN	1.48	.92	1.41	1.83	.00	1.83	.46	.00	.46	1.49	.90	1.42
	SIGMA	1.05	.50	1.01	1.29	.00	1.29	.28	.00	.28	1.08	.48	1.04
	MEAN	2.11	2.12	2.11	1.93	.00	1.93	2.42	.00	2.42	2.10	2.13	2.10
	SIGMA	.61	.31	.58	.76	.00	.76	.04	.00	.04	.62	.30	.59
	MEAN	3.89	3.31	3.82	4.45	.00	4.45	2.95	.00	2.95	3.93	3.29	3.85
	SIGMA	1.47	.72	1.41	1.73	.00	1.73	.35	.00	.35	1.49	.69	1.43
TRIM	MEAN	3.20	3.57	3.26	3.04	.00	3.04	2.32	.00	2.32	3.17	3.83	3.27
	SIGMA	3.46	2.28	3.30	3.12	.00	3.12	2.72	.00	2.72	3.39	2.46	3.27
	MEAN	2.15	2.51	2.20	2.21	.00	2.21	2.23	.00	2.23	2.15	2.78	2.25
	SIGMA	2.31	1.91	2.25	2.12	.00	2.12	.75	.00	.75	2.26	2.18	2.25
	MEAN	2.96	3.22	3.00	2.91	.00	2.91	2.32	.00	2.32	2.94	3.49	3.03
	SIGMA	3.18	2.41	3.07	3.04	.00	3.04	2.72	.00	2.72	3.14	2.62	3.06
	MEAN	5.07	6.10	5.23	5.18	.00	5.18	3.90	.00	3.90	5.05	6.51	5.27
	SIGMA	4.93	3.72	4.76	5.00	.00	5.00	3.25	.00	3.25	4.88	4.00	4.77
ALL	MEAN	2.55	3.03	2.64	2.71	.00	2.71	2.38	.00	2.38	2.57	3.08	2.65
	SIGMA	1.28	1.89	1.23	1.19	.00	1.19	.90	.00	.90	1.26	1.87	1.22
	MEAN	2.19	1.95	2.23	2.51	.00	2.51	1.48	.00	1.48	2.21	2.06	2.26
	SIGMA	1.64	1.64	1.61	1.29	.00	1.29	.13	.00	.13	1.60	1.69	1.58
	MEAN	2.27	2.73	2.31	2.18	.00	2.18	2.20	.00	2.20	2.16	2.73	2.21
	SIGMA	1.86	1.85	1.79	1.46	.00	1.46	.28	.00	.28	1.30	1.80	1.26
	MEAN	5.93	5.53	6.25	6.82	.00	6.82	4.70	.00	4.70	5.99	5.87	6.33
	SIGMA	4.18	3.41	4.07	3.50	.00	3.50	2.12	.00	2.12	4.09	3.72	4.02
T-W	MEAN	1.14	.28	1.03	.78	.00	.78	-.09	.00	-.09	1.08	.66	1.03
	SIGMA	3.47	1.80	3.31	3.07	.00	3.07	2.74	.00	2.74	3.41	2.27	3.28
	MEAN	1.02	.02	.89	1.08	.00	1.08	-.10	.00	-.10	1.00	.42	.93
	SIGMA	3.33	1.90	3.20	2.89	.00	2.89	2.76	.00	2.76	3.27	2.38	3.17
	MEAN	1.46	1.01	1.40	.62	.00	.62	.95	.00	.95	1.38	1.64	1.41
	SIGMA	4.96	3.41	4.78	5.24	.00	5.24	3.61	.00	3.61	4.93	4.08	4.82

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	95	13	108	7	0	7	3	1	4	105	14	119				
	PER CENT	3.03	3.13	3.04	1.02	.00	.99	1.62	25.00	2.12	2.59	3.15	2.64				
	MEAN	2.72	2.72	2.72*	2.73	.00	2.73*	2.78	2.72	2.77*	2.73	2.72	2.72*				
	SIGMA	.14	.16	.14	.16	.00	.16	.17	.00	.14	.14	.16	.14				
	SIGMA	1.81	2.08	1.85	1.74	.00	1.74	3.18	.57	2.53	1.85	1.97	1.86				
	SIGMA	1.57	1.19	1.53	2.31	.00	2.31	1.79	.00	1.96	1.63	1.21	1.58				
	MEDIAN	2.43	2.31	2.42	2.34	.00	2.34	2.20	2.90	2.37	2.42	2.35	2.41				
	SIGMA	.97	.82	.95	.93	.00	.93	.95	.00	.85	.96	.81	.94				
	MEAN	4.87	5.37	4.93	4.97	.00	4.97	6.80	3.20	5.90	4.94	5.21	4.97				
	SIGMA	2.27	1.94	2.24	3.40	.00	3.40	2.89	.00	2.97	2.37	1.95	2.32				

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
TRIM	MEAN	4.39	4.57	4.42	1.35	.00	1.35	1.83	2.97	2.12	4.09	4.49	4.16				
	SIGMA	4.93	2.88	4.62	1.37	.00	1.37	1.04	.00	1.02	4.76	2.82	4.48				
	MEAN	2.06	2.60	2.15	1.39	.00	1.39	1.54	1.01	1.40	1.99	2.52	2.08				
	SIGMA	2.49	2.46	2.48	2.59	.00	2.59	.83	.00	.72	2.46	2.42	2.45				
	MEAN	4.06	4.49	4.14	.86	.00	.86	2.00	3.10	2.27	3.63	4.28	3.75				
	SIGMA	4.39	3.33	4.20	1.04	.00	1.04	.95	.00	.95	3.85	2.91	3.70				
	MEAN	6.14	6.93	6.29	2.83	.00	2.83	3.17	3.90	3.35	5.81	6.78	5.9A				
	SIGMA	6.31	4.57	6.02	4.21	.00	4.21	2.06	.00	1.72	6.15	4.50	5.89				

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
ALL	MEAN	3.47	3.92	3.38	2.36	.00	2.36	2.43	2.83	2.53	3.37	3.87	3.29				
	SIGMA	2.35	2.48	1.76	.40	.00	.40	.43	.00	.40	2.26	2.44	1.70				
	MEAN	2.79	2.53	2.89	2.03	.00	2.03	2.61	.72	2.14	2.74	2.45	2.82				
	SIGMA	2.26	2.01	2.12	1.95	.00	1.95	1.18	.00	1.35	2.22	2.00	2.09				
	MEAN	3.41	3.72	3.05	1.84	.00	1.84	1.93	3.00	2.20	2.80	3.57	2.73				
	SIGMA	4.01	2.97	3.11	1.12	.00	1.12	.81	.00	.85	1.92	2.55	1.67				
	MEAN	7.48	7.30	7.89	5.06	.00	5.06	6.80	3.90	6.07	7.31	7.16	7.66				
	SIGMA	5.15	3.98	5.06	3.35	.00	3.35	2.89	.00	2.77	5.02	3.95	4.95				

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
T-W	MEAN	1.46	3.35	1.70	-1.38	.00	-1.38	-.95	.24	-.65	1.20	3.12	1.43				
	SIGMA	4.67	4.35	4.65	1.40	.00	1.40	.98	.00	1.00	4.52	4.26	4.52				
	MEAN	1.35	4.22	1.71	-1.47	.00	-1.47	-.20	.20	-1.10	1.14	2.61	1.32				
	SIGMA	3.88	6.01	4.27	1.11	.00	1.11	1.71	.00	1.41	3.91	2.84	3.82				
	MEAN	1.03	3.98	1.39	-2.14	.00	-2.14	-3.63	.70	-2.55	.67	3.75	1.04				
	SIGMA	6.16	7.95	6.44	2.06	.00	2.06	1.19	.00	2.38	5.98	7.69	6.25				

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 3.00-3.99 * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	139	22	161	8	2	10	1	0	1	150	24	174				
	PER CENT	4.43	5.30	4.53	1.16	11.11	1.41	.54	.00	.53	3.69	5.41	3.86				
	MEAN	3.45	3.41	3.44*	3.29	3.51	3.33*	3.57*	.00	3.57*	3.45	3.42	3.44*				
	SIGMA	.29	.31	.29	.30	.51	.33	.00	.00	.00	.29	.32	.29				
	MEAN	2.27	2.76	2.33	2.30	3.64	2.57	.44	.00	.44	2.27	2.83	2.34				
	SIGMA	1.73	2.21	1.80	2.35	.21	2.15	.00	.00	.00	1.76	2.13	1.82				
	MEDIAN	3.08	2.62	3.02	2.64	3.55	2.82	3.60	.00	3.60	3.07	2.70	3.02				
	SIGMA	.99	1.35	1.05	1.31	.42	1.22	.00	.00	.00	1.00	1.32	1.05				
	HIGH	6.17	7.02	6.28	6.36	6.85	6.46	4.00	.00	4.00	6.18	7.00	6.29				
	SIGMA	2.48	3.64	2.67	3.45	.64	3.06	.00	.00	.00	2.53	3.48	2.69				
TRIM	MEAN	4.32	6.43	4.71	2.37	.00	2.37	1.40	.00	1.40	4.12	6.43	4.51				
	SIGMA	3.89	4.68	4.12	2.57	.00	2.57	.00	.00	.00	3.84	4.68	4.08				
	MEAN	2.74	3.34	2.85	1.47	.00	1.47	.00	.00	.00	2.60	3.34	2.72				
	SIGMA	3.85	2.76	3.68	2.64	.00	2.64	.00	.00	.00	3.77	2.76	3.62				
	MEAN	4.01	5.84	4.34	2.13	.00	2.13	1.40	.00	1.40	3.89	5.91	4.23				
	SIGMA	3.65	3.97	3.77	2.47	.00	2.47	.00	.00	.00	3.94	4.14	4.04				
	HIGH	6.61	9.35	7.11	3.63	.00	3.63	1.40	.00	1.40	6.30	9.35	6.81				
	SIGMA	6.27	6.58	6.40	4.26	.00	4.26	.00	.00	.00	6.19	6.58	6.34				
ALL	MEAN	3.72	5.31	3.94	3.48	3.51	3.14	3.14	.00	3.14	3.69	5.22	3.88				
	SIGMA	1.44	3.73	1.61	1.56	.51	.94	.00	.00	.00	1.43	3.65	1.58				
	MEAN	3.05	3.67	3.27	2.95	3.64	2.76	1.05	.00	1.05	3.04	3.67	3.22				
	SIGMA	2.16	2.51	2.20	2.43	.21	1.79	.00	.00	.00	2.16	2.44	2.17				
	MEAN	3.32	4.49	3.47	3.12	3.55	2.84	3.30	.00	3.30	3.21	4.43	3.29				
	SIGMA	2.06	3.30	2.19	1.77	.42	1.43	.00	.00	.00	1.69	3.36	1.71				
	HIGH	8.31	9.72	9.02	7.18	6.85	7.18	4.00	.00	4.00	8.19	9.57	8.87				
	SIGMA	5.22	5.80	5.45	3.46	.64	3.46	.00	.00	.00	5.10	5.68	5.34				
T-W	MEAN	1.28	1.11	1.26	-2.06	2.74	-1.00	-2.17	.00	-2.17	1.03	1.24	1.06				
	SIGMA	4.22	3.71	4.15	1.46	.30	2.47	.00	.00	.00	4.20	3.58	4.11				
	MEAN	1.29	1.50	1.32	-1.46	2.30	-0.63	-2.20	.00	-2.20	1.16	1.57	1.22				
	SIGMA	4.04	3.75	3.99	1.67	.78	2.22	.00	.00	.00	4.31	3.59	4.21				
	HIGH	1.03	-0.57	.81	-4.60	3.25	-2.86	-2.60	.00	-2.60	.63	-0.25	.50				
	SIGMA	7.05	5.41	6.85	4.57	3.04	5.37	.00	.00	.00	7.04	5.32	6.82				

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	86	14	100	6	0	6	1	1	2	94	15	109
	PER CENT	2.74	3.37	2.81	.87	.00	.85	.54	25.00	1.06	2.32	3.38	2.42
	MEAN	4.45	4.56	4.47*	4.34	.00	4.34**	4.92	4.95	4.94*	4.45	4.59	4.47*
	SIGMA	.27	.36	.29	.23	.00	.23	.00	.00	.02	.27	.36	.29
	SIGMA	2.90	3.32	2.96	1.54	.00	1.54	5.49	.83	3.16	2.84	3.16	2.89
	SIGMA	2.41	1.71	2.33	1.48	.00	1.48	.00	.00	3.29	2.37	1.77	2.30
	MEDIAN	4.12	4.32	4.15	4.46	.00	4.46	4.75	4.85	4.80	4.15	4.36	4.18
	SIGMA	1.52	1.17	1.47	.37	.00	.37	.00	.00	.07	1.46	1.14	1.42
	MEAN	7.84	8.31	7.91	5.77	.00	5.77	10.30	6.00	8.15	7.74	8.15	7.80
	SIGMA	3.46	2.50	3.34	1.26	.00	1.26	.00	.00	3.04	3.37	2.48	3.26
TRIM	MEAN	4.49	6.37	4.68	5.66	.00	5.66	2.83	4.60	3.72	4.55	6.21	4.72
	SIGMA	3.64	5.67	3.90	6.51	.00	6.51	.00	.00	1.25	3.81	5.40	4.00
	MEAN	2.72	2.45	2.69	1.36	.00	1.36	2.53	1.00	1.77	2.67	2.32	2.63
	SIGMA	2.86	3.90	2.96	2.32	.00	2.32	.00	.00	1.08	2.83	3.72	2.92
	MEAN	4.29	5.58	4.42	5.10	.00	5.10	3.30	4.60	3.95	4.32	5.49	4.44
	SIGMA	3.47	4.25	3.55	5.83	.00	5.83	.00	.00	.92	3.63	4.04	3.67
	MEAN	6.90	8.27	7.04	6.72	.00	6.72	5.10	5.60	5.35	6.93	8.03	7.04
	SIGMA	5.58	7.41	5.76	8.02	.00	8.02	.00	.00	.35	5.68	7.08	5.81
ALL	MEAN	4.49	5.18	4.55	5.00	.00	5.00	4.03	4.80	4.41	4.52	5.15	4.57
	SIGMA	1.68	2.34	1.56	2.37	.00	2.37	.00	.00	.55	1.71	2.28	1.58
	MEAN	3.54	3.54	3.59	3.18	.00	3.18	4.29	.85	2.57	3.54	3.39	3.56
	SIGMA	2.01	2.42	1.95	2.06	.00	2.06	.00	.00	2.44	1.98	2.43	1.94
	MEAN	3.97	4.90	4.06	6.62	.00	6.62	3.30	4.60	3.95	4.04	4.76	4.07
	SIGMA	2.31	2.47	2.27	4.54	.00	4.54	.00	.00	.92	2.29	2.22	2.12
	MEAN	9.68	9.77	10.04	9.05	.00	9.05	10.30	6.00	8.15	9.68	9.56	9.98
	SIGMA	4.54	5.07	4.61	6.04	.00	6.04	.00	.00	3.04	4.57	4.99	4.63
T-W	MEAN	.03	1.29	.21	1.32	.00	1.32	-2.09	-.35	-1.22	.10	1.18	.25
	SIGMA	3.74	5.09	3.95	6.43	.00	6.43	.00	.00	1.23	3.90	4.92	4.05
	MEAN	.14	.81	.23	.64	.00	.64	-1.45	-.25	-.85	.12	.89	.23
	SIGMA	4.07	4.18	4.08	5.73	.00	5.73	.00	.00	.85	4.12	4.21	4.12
	MEAN	-1.08	.72	-.82	.95	.00	.95	-5.20	-.40	-2.80	-.94	.65	-.72
	SIGMA	6.33	7.89	6.56	7.08	.00	7.08	.00	.00	3.39	6.32	7.61	6.50

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 5.00-7.49 * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	133	37	170	10	1	11	1	0	1	146	38	184				
	PER CENT	4.24	8.92	4.78	1.45	5.56	1.56	.54	.00	.53	3.60	8.56	4.09				
	MEAN	6.19	6.13	6.17*	6.28	6.90	6.33*	5.35*	5.35	.00	6.19	6.15	6.18*				
	SIGMA	.70	.59	.68	.76	.00	.75	.00	.00	.00	.71	.60	.69				
	SIGMA	4.06	3.29	3.89	4.25	.30	3.89	3.88	3.88	.00	4.10	3.21	3.92				
	SIGMA	3.10	2.19	2.94	3.57	.00	3.59	.00	.00	.00	3.15	2.22	3.00				
	MEDIAN	6.03	6.32	6.09	7.14	6.90	7.12	5.55	5.55	.00	6.33	6.33	6.33				
	SIGMA	2.19	1.82	2.11	3.36	.00	3.19	.00	.00	.00	2.59	1.80	2.44				
	MEAN	10.56	9.29	10.28	11.13	7.20	10.77	9.60	9.60	.00	10.66	9.24	10.36				
	SIGMA	4.27	2.52	3.99	4.72	.00	4.64	.00	.00	.00	4.36	2.51	4.08				
TRIM	MEAN	4.88	7.10	5.37	1.31	6.45	1.78	5.00	.00	5.00	4.65	7.08	5.16				
	SIGMA	4.76	4.60	4.80	2.39	.00	2.75	.00	.00	.00	4.72	4.54	4.77				
	MEAN	2.11	3.30	2.37	1.63	1.63	1.63	7.28	.00	7.28	2.09	3.25	2.33				
	SIGMA	2.46	3.20	2.68	2.04	.00	1.93	.00	.00	.00	2.45	3.17	2.65				
	MEAN	4.36	6.49	4.83	1.23	6.45	1.71	.90	.00	.90	4.13	6.49	4.62				
	SIGMA	3.80	3.76	3.88	2.57	.00	2.90	.00	.00	.00	3.79	3.71	3.89				
	MEAN	6.79	9.99	7.50	2.75	7.60	3.19	13.40	.00	13.40	6.56	9.93	7.27				
	SIGMA	6.02	5.57	6.06	4.37	.00	4.39	.00	.00	.00	6.01	5.51	6.05				
	MEAN	5.60	6.60	5.81	4.67	6.72	4.86	5.20	5.20	.00	5.20	5.56	6.60	5.77			
	SIGMA	2.02	2.59	1.91	1.03	.00	1.15	.00	.00	.00	1.99	2.56	1.89	1.89			
ALL	MEAN	4.24	3.84	4.23	4.76	.88	4.41	5.02	.00	5.02	4.30	3.77	4.27				
	SIGMA	2.38	2.25	2.21	1.98	.00	2.21	.00	.00	.00	2.38	2.26	2.22				
	MEAN	5.27	6.38	5.51	3.94	6.90	4.21	3.90	.00	3.90	5.22	6.30	5.40				
	SIGMA	3.28	2.99	3.23	2.52	.00	2.55	.00	.00	.00	3.24	2.78	3.09				
	MEAN	11.35	11.19	11.70	11.13	7.60	10.81	13.40	13.40	.00	11.43	11.12	11.72				
	SIGMA	5.06	4.22	4.75	4.72	.00	4.61	.00	.00	.00	5.06	4.20	4.76				
	MEAN	-1.01	-.09	-.81	-4.96	-.45	-4.55	-.35	-.35	.00	-1.26	-.10	-1.03				
	SIGMA	4.87	4.42	4.78	2.18	.00	2.47	.00	.00	.00	4.81	4.36	4.74				
	MEAN	-1.47	-.57	-1.28	-5.91	-.45	-5.41	-4.65	-4.65	.00	-2.01	-.57	-1.72				
	SIGMA	4.49	4.15	4.42	3.63	.00	3.82	.00	.00	.00	4.60	4.09	4.53				
MEAN	-3.30	-.99	-2.80	-8.38	.40	-7.58	3.80	3.80	.00	-3.67	-.95	-3.12					
SIGMA	6.80	5.38	6.57	4.50	.00	5.02	.00	.00	.00	6.92	5.31	6.70					

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	80	17	97	11	1	12	0	0	0	94	18	112
	PER CENT	2.55	4.10	2.73	1.60	5.56	1.70	.00	.00	.00	2.32	4.05	2.49
	MEAN	8.66	8.35	8.60*	8.59	8.50	8.58*	.00	.00	.00*	8.64	8.35	8.60*
	SIGMA	.76	.52	.73	.60	.00	.57	.00	.00	.00	.73	.51	.71
	MEAN	4.67	3.23	4.42	3.75	6.48	3.98	.00	.00	.00	4.60	3.41	4.41
	SIGMA	3.72	2.76	3.60	3.69	.00	3.61	.00	.00	.00	3.68	2.79	3.57
	MEDIAN	8.67	8.65	8.66	8.78	10.05	8.89	.00	.00	.00	9.10	9.02	9.09
	SIGMA	2.65	1.14	2.44	2.30	.00	2.22	.00	.00	.00	3.02	1.64	2.84
	HIGH	13.30	11.33	12.96	12.16	17.00	12.57	.00	.00	.00	13.19	11.64	12.94
	SIGMA	4.34	2.28	4.11	3.57	.00	3.68	.00	.00	.00	4.20	2.58	4.01
TRIM	MEAN	6.04	5.49	5.95	2.93	6.60	3.54	.00	.00	.00	5.65	5.44	5.62
	SIGMA	5.21	2.81	4.91	5.03	2.83	4.85	.00	.00	.00	5.24	2.66	4.89
	MEAN	2.99	1.94	2.83	.68	2.40	.97	.00	.00	.00	2.72	2.09	2.61
	SIGMA	3.44	1.77	3.25	1.03	.48	1.15	.00	.00	.00	3.33	1.78	3.12
	MEAN	5.57	5.64	5.58	2.35	6.95	3.12	.00	.00	.00	5.11	5.59	5.19
	SIGMA	4.19	2.90	4.01	3.50	1.91	3.68	.00	.00	.00	4.08	2.71	3.88
	MEAN	8.52	7.07	8.29	3.71	8.75	4.55	.00	.00	.00	7.93	7.12	7.79
	SIGMA	6.81	3.43	6.41	6.12	2.90	5.93	.00	.00	.00	6.87	3.26	6.40
	MEAN	7.56	7.17	7.53	7.06	6.57	7.06	.00	.00	.00	7.49	6.84	7.45
	SIGMA	2.16	1.66	1.98	1.80	2.79	1.76	.00	.00	.00	2.12	1.88	1.95
T-W	MEAN	5.05	3.51	4.94	4.92	3.74	5.03	.00	.00	.00	5.04	3.48	4.96
	SIGMA	2.81	2.33	2.66	2.40	1.41	2.09	.00	.00	.00	2.73	2.26	2.57
	MEAN	7.45	7.40	7.47	6.55	6.95	6.57	.00	.00	.00	7.29	7.26	7.26
	SIGMA	4.18	2.10	3.95	3.45	1.91	3.30	.00	.00	.00	3.59	2.54	3.36
	MEAN	14.43	10.95	14.28	13.07	11.85	13.40	.00	.00	.00	14.27	10.61	14.18
	SIGMA	5.46	2.89	5.07	4.06	7.28	4.03	.00	.00	.00	5.24	3.44	4.90
	MEAN	-2.68	-2.53	-2.65	-5.51	.10	-5.04	.00	.00	.00	-3.09	-2.38	-2.98
	SIGMA	5.44	2.77	5.07	5.14	.00	5.16	.00	.00	.00	5.39	2.76	5.06
	MEAN	-3.22	-2.41	-3.08	-6.14	-1.75	-5.77	.00	.00	.00	-4.13	-2.67	-3.90
	SIGMA	5.13	2.96	4.81	4.46	.00	4.44	.00	.00	.00	5.36	3.23	5.09
MEAN	-4.79	-4.09	-4.66	-8.18	-6.20	-8.02	.00	.00	.00	-5.33	-4.21	-5.15	
SIGMA	8.70	4.23	8.08	7.75	.00	7.41	.00	.00	.00	8.54	4.14	8.00	

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 10.00 AND UP * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	153	42	195	20	4	24	0	0	0	175	47	222				
	PER CENT	4.87	10.12	5.49	2.90	22.22	3.39	.00	.00	.00	4.31	10.59	4.93				
	MEAN	15.78	15.30	15.68*	14.06	12.12	13.74*	.00	.00	.00*	15.54	15.02	15.43*				
	SIGMA	5.32	4.94	5.24	3.11	1.78	2.99	.00	.00	.00	5.13	4.77	5.05				
	MEAN	4.71	4.88	4.75	2.53	4.21	2.81	.00	.00	.00	4.50	4.75	4.55				
	SIGMA	4.51	4.90	4.59	2.02	2.83	2.20	.00	.00	.00	4.39	4.71	4.45				
	MEDIAN	12.32	13.10	12.48	10.78	11.46	10.89	.00	.00	.00	13.02	12.91	12.99				
	SIGMA	3.29	3.75	3.40	1.56	1.37	1.53	.00	.00	.00	3.47	3.46	3.46				
	HIGH	20.17	19.95	20.12	16.38	16.82	16.46	.00	.00	.00	19.76	19.59	19.72				
	SIGMA	7.08	7.65	7.19	3.33	3.24	3.25	.00	.00	.00	6.90	7.34	6.98				
TRIM	MEAN	7.33	9.34	7.72	3.89	7.46	4.64	.00	.00	.00	6.92	9.02	7.33				
	SIGMA	6.12	6.82	6.29	5.43	6.72	5.76	.00	.00	.00	6.10	6.70	6.26				
	MEAN	3.54	5.04	3.83	1.05	3.91	1.65	.00	.00	.00	3.28	4.84	3.58				
	SIGMA	4.15	3.91	4.14	2.27	4.58	3.01	.00	.00	.00	4.04	3.93	4.06				
	MEAN	6.44	7.69	6.68	3.20	9.67	4.55	.00	.00	.00	5.88	7.32	6.16				
	SIGMA	5.38	5.47	5.41	3.96	10.56	6.23	.00	.00	.00	5.07	4.92	5.06				
	MEAN	10.40	13.95	11.08	4.69	10.94	6.00	.00	.00	.00	9.75	13.43	10.47				
	SIGMA	8.30	9.29	8.59	6.14	10.44	7.43	.00	.00	.00	8.23	9.30	8.55				
ALL	MEAN	12.28	13.38	12.56	11.21	8.59	10.98	.00	.00	.00	12.12	12.95	12.34				
	SIGMA	5.08	5.76	4.24	2.49	5.38	2.70	.00	.00	.00	4.88	5.80	4.12				
	MEAN	6.59	6.07	7.30	5.88	4.62	6.00	.00	.00	.00	6.53	5.95	7.15				
	SIGMA	3.99	4.15	3.58	2.72	3.05	2.44	.00	.00	.00	3.87	4.04	3.48				
	MEAN	9.70	10.54	9.75	10.01	7.45	9.90	.00	.00	.00	10.08	10.43	10.09				
	SIGMA	3.93	4.20	3.34	1.62	4.47	1.73	.00	.00	.00	3.85	4.12	3.17				
	MEAN	19.72	19.91	21.23	16.39	15.38	16.83	.00	.00	.00	19.40	19.48	20.73				
	SIGMA	7.99	8.22	7.28	3.33	9.79	3.91	.00	.00	.00	7.73	8.30	7.14				
T-W	MEAN	-7.90	-8.33	-7.99	-10.35	-2.89	-9.11	.00	.00	.00	-8.18	-7.89	-8.12				
	SIGMA	8.06	6.80	7.78	6.58	6.25	6.99	.00	.00	.00	7.87	6.79	7.64				
	MEAN	-5.51	-6.94	-5.82	-7.72	.54	-6.34	.00	.00	.00	-6.83	-6.92	-6.85				
	SIGMA	5.66	6.35	5.83	3.86	11.49	6.28	.00	.00	.00	6.26	5.66	6.12				
	MEAN	-8.99	-9.48	-9.10	-11.88	-3.35	-10.46	.00	.00	.00	-9.39	-8.95	-9.30				
	SIGMA	10.37	10.65	10.40	6.93	8.21	7.68	.00	.00	.00	10.06	10.42	10.12				

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL ALL LEVELS * * * SINGLE-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	3140	415	3555	689	18	707	185	4	189	4060	444	4504
	PER CENT	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	MEAN	1.94	3.20	2.08	.97	4.21	1.05	.25	1.77	.28	1.69	3.21	1.84
	SIGMA	3.90	4.92	4.05	2.76	5.03	2.88	.88	2.55	.95	3.66	4.92	3.83
	MEAN	1.23	1.64	1.28	.72	2.14	.75	.52	.45	.52	1.12	1.63	1.17
	SIGMA	2.00	2.43	2.06	1.13	2.30	1.19	.65	.31	.65	1.87	2.40	1.93
	MEDIAN	1.69	2.91	1.83	.85	4.05	.93	.25	1.76	.28	1.54	2.94	1.68
	SIGMA	3.25	4.37	3.43	2.38	4.93	2.52	.88	2.57	.95	3.28	4.38	3.43
	MEAN	3.29	4.96	3.49	1.78	6.64	1.90	.86	2.30	.89	2.93	4.98	3.13
	SIGMA	5.37	6.63	5.56	3.51	7.04	3.71	1.43	2.89	1.47	5.05	6.62	5.26

TRIM	MEAN	3.32	5.12	3.55	1.18	3.94	1.25	.96	1.88	.98	2.84	5.01	3.07
	SIGMA	4.08	4.60	4.19	2.23	4.65	2.36	1.53	1.83	1.54	3.85	4.57	3.99
	MEAN	1.78	2.86	1.92	.65	1.96	.68	.53	1.09	.55	1.52	2.81	1.66
	SIGMA	2.65	3.02	2.73	1.41	2.72	1.46	.86	.36	.85	2.47	3.00	2.56
	MEAN	3.04	4.58	3.24	1.12	4.71	1.21	.88	1.91	.91	2.58	4.51	2.79
	SIGMA	3.65	3.88	3.72	1.98	6.59	2.27	1.21	1.85	1.24	3.35	3.86	3.46
	MEAN	4.89	7.67	5.24	1.75	5.58	1.84	1.44	2.76	1.48	4.18	7.50	4.54
	SIGMA	5.66	6.42	5.83	2.97	6.87	3.17	2.08	1.95	2.08	5.33	6.40	5.55

ALL	MEAN	2.49	4.20	2.61	1.07	3.22	1.13	.47	1.45	.50	2.15	4.10	2.28
	SIGMA	3.38	4.67	3.35	2.26	4.10	2.36	.96	1.98	1.02	3.21	4.62	3.21
	MEAN	2.32	2.85	2.52	1.16	1.99	1.20	.77	.85	.77	2.05	2.78	2.23
	SIGMA	2.55	2.82	2.60	1.63	2.17	1.65	.87	.50	.86	2.42	2.78	2.49
	MEAN	1.97	3.52	2.03	.90	2.98	.95	.40	1.42	.43	1.68	3.45	1.74
	SIGMA	3.31	4.15	3.31	2.22	3.66	2.31	1.09	1.96	1.14	2.95	4.06	2.94
	MEAN	5.93	7.86	6.47	2.65	5.78	2.77	1.60	2.37	1.64	5.18	7.68	5.67
	SIGMA	6.46	7.14	6.69	4.03	7.27	4.24	2.18	2.21	2.19	6.17	7.12	6.43

T-W	MEAN	1.44	1.47	1.45	.19	-.04	.18	.69	.44	.68	1.18	1.39	1.20
	SIGMA	4.76	5.67	4.87	3.12	3.27	3.12	1.48	.65	1.46	4.44	5.56	4.57
	MEAN	1.38	1.37	1.38	.25	.74	.26	.61	.49	.61	1.07	1.22	1.09
	SIGMA	4.11	5.10	4.24	2.72	5.07	2.80	1.23	.64	1.21	3.98	4.90	4.08
	MEAN	1.69	2.00	1.72	-.08	-.61	-.09	.55	.52	.55	1.31	1.88	1.37
	SIGMA	6.54	7.98	6.73	4.01	4.50	4.02	1.94	.62	1.92	6.09	7.81	6.29

MEAN LEAD INTERVAL 0.00-0.49 * * * ALL-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1973*****		*****ALL AGES*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	6117	922	1691	50	1741	5	599	8494
	PER CENT	71.67	64.98	78.11	78.12	78.11	85.71	84.96	73.55
	MEAN	.00	.00*	.00	.00	.00*	.00	.00	.00
	SIGMA	.40	.35	.39	.42	.39	.39	.40	.40*
	MEAN	.45	.48	.42	.44	.42	.55	.42	.45
	SIGMA	.26	.29	.25	.24	.25	.27	.24	.26
	MEDIAN	.00	.00	.00	.00	.00	.00	.00	.00
	MEAN	.41	.38	.41	.46	.41	.25	.42	.41
	MEAN	.47	.50	.42	.33	.42	.49	.30	.49
	SIGMA	.40	.42	.37	.31	.36	.31	.36	.42
TRIM	MEAN	2.77	4.55	.80	1.63	.83	.84	.63	2.24
	SIGMA	3.61	4.08	1.38	2.36	1.44	.95	.97	3.29
	MEAN	1.62	2.16	.52	1.00	.54	.39	.36	1.32
	SIGMA	2.57	2.51	.98	1.25	.90	.43	.50	2.70
	MEAN	2.55	4.27	.70	1.63	.82	.85	.64	2.07
	SIGMA	3.31	3.72	1.36	2.34	1.41	.06	.06	2.99
	MEAN	4.33	6.57	1.26	2.50	1.30	1.17	.95	3.51
	SIGMA	5.65	5.67	1.87	3.11	1.94	.99	1.06	5.12
ALL	MEAN	1.11	1.96	.20	.72	.21	.50	.08	.86
	SIGMA	1.89	2.90	.66	1.80	.61	.45	.44	1.70
	MEAN	1.80	2.00	.72	.80	.74	.60	.61	1.51
	SIGMA	2.22	2.40	.79	.92	.81	.61	.46	2.00
	MEAN	.57	1.43	.10	.61	.08	.44	.02	.43
	SIGMA	1.80	2.89	.62	1.71	.49	.40	.49	1.54
	MEAN	3.99	4.64	1.23	1.76	1.29	1.12	.93	3.24
	SIGMA	5.46	5.47	1.76	2.69	1.85	.95	.98	4.91
T-W	MEAN	2.86	4.52	.90	1.87	.93	1.55	.75	2.33
	SIGMA	3.61	4.14	1.44	2.27	1.48	1.29	1.00	3.29
	MEAN	2.65	4.22	.89	1.95	.92	1.50	.74	2.16
	SIGMA	3.33	3.67	1.39	2.70	1.46	1.45	1.00	2.99
	MEAN	3.89	5.86	.84	2.38	.89	1.22	.55	3.07
	SIGMA	5.66	5.70	1.89	3.30	1.96	1.13	1.10	5.12
	MEAN	1.45	2.83	.45	.61	.45	.61	.45	1.45
	SIGMA	2.11	2.34	.46	.61	.46	.61	.46	2.11
	MEAN	1.29	1.72	.49	.61	.49	.61	.49	1.29
	SIGMA	3.67	4.41	1.22	1.85	1.22	1.12	.93	3.67
	MEAN	5.17	5.17	.99	.95	.99	.95	.98	5.17
	SIGMA	2.55	4.35	.76	1.55	.76	1.55	.75	2.55
	MEAN	3.44	4.09	1.01	1.29	1.01	1.29	1.00	3.44
	SIGMA	2.36	2.36	.75	.74	.75	.74	.74	2.36
	MEAN	3.11	3.53	1.00	1.45	1.00	1.45	1.00	3.11
	SIGMA	3.34	5.64	.56	1.22	.56	1.22	.55	3.34
	MEAN	5.24	5.63	1.10	1.13	1.10	1.13	1.10	5.24
	SIGMA	2.47	4.31	.54	.84	.54	.84	.63	2.47
	MEAN	3.44	4.04	.97	.95	.97	.95	.97	3.44
	SIGMA	1.40	2.05	.36	.39	.36	.39	.36	1.40
	MEAN	2.33	2.45	.50	.43	.50	.43	.50	2.33
	SIGMA	2.29	3.99	.64	.85	.64	.85	.64	2.29
	MEAN	3.10	3.55	.95	.06	.95	.06	.06	3.10
	SIGMA	3.80	6.22	.96	1.17	.96	1.17	.95	3.80
	MEAN	5.24	5.61	1.05	.99	1.05	.99	1.06	5.24
	SIGMA	.89	1.46	.09	.50	.09	.50	.08	.89
	MEAN	1.45	2.83	.45	.45	.45	.45	.44	1.45
	SIGMA	2.11	2.34	.46	.61	.46	.61	.46	2.11
	MEAN	1.29	1.72	.49	.61	.49	.61	.49	1.29
	SIGMA	3.67	4.41	1.22	1.85	1.22	1.12	.93	3.67
	MEAN	5.17	5.17	.99	.95	.99	.95	.98	5.17
	SIGMA	2.55	4.35	.76	1.55	.76	1.55	.75	2.55
	MEAN	3.44	4.09	1.01	1.29	1.01	1.29	1.00	3.44
	SIGMA	2.36	2.36	.75	.74	.75	.74	.74	2.36
	MEAN	3.11	3.53	1.00	1.45	1.00	1.45	1.00	3.11
	SIGMA	3.34	5.64	.56	1.22	.56	1.22	.55	3.34
	MEAN	5.24	5.63	1.10	1.13	1.10	1.13	1.10	5.24
	SIGMA	2.47	4.31	.54	.84	.54	.84	.63	2.47
	MEAN	3.44	4.04	.97	.95	.97	.95	.97	3.44
	SIGMA	1.40	2.05	.36	.39	.36	.39	.36	1.40
	MEAN	2.33	2.45	.50	.43	.50	.43	.50	2.33
	SIGMA	2.29	3.99	.64	.85	.64	.85	.64	2.29
	MEAN	3.10	3.55	.95	.06	.95	.06	.06	3.10
	SIGMA	3.80	6.22	.96	1.17	.96	1.17	.95	3.80
	MEAN	5.24	5.61	1.05	.99	1.05	.99	1.06	5.24
	SIGMA	.89	1.46	.09	.50	.09	.50	.08	.89
	MEAN	1.45	2.83	.45	.45	.45	.45	.44	1.45
	SIGMA	2.11	2.34	.46	.61	.46	.61	.46	2.11
	MEAN	1.29	1.72	.49	.61	.49	.61	.49	1.29
	SIGMA	3.67	4.41	1.22	1.85	1.22	1.12	.93	3.67
	MEAN	5.17	5.17	.99	.95	.99	.95	.98	5.17
	SIGMA	2.55	4.35	.76	1.55	.76	1.55	.75	2.55
	MEAN	3.44	4.09	1.01	1.29	1.01	1.29	1.00	3.44
	SIGMA	2.36	2.36	.75	.74	.75	.74	.74	2.36
	MEAN	3.11	3.53	1.00	1.45	1.00	1.45	1.00	3.11
	SIGMA	3.34	5.64	.56	1.22	.56	1.22	.55	3.34
	MEAN	5.24	5.63	1.10	1.13	1.10	1.13	1.10	5.24

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

WALLS	COUNT	PER CENT	*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****					
			GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD	ALL	ALL		
MEAN	1248	14.62	14.38	14.59	14.55	9.37	14.40	10.64	14.29	10.67	10.67	1655	214	1869
SIGMA	.68	.68	.68*	.68*	.69	.81	.69*	.64	.77	.65*	.65*	.68	.69	.68*
MEAN	.14	.14	.14	.14	.14	.15	.14	.12	.00	.12	.12	.14	.14	.14
SIGMA	.50	.53	.53	.50	.44	.98	.45	.38	.61	.38	.38	.48	.56	.49
MEAN	.35	.34	.34	.34	.24	1.02	.38	.17	.00	.17	.17	.32	.40	.33
SIGMA	.66	.66	.66	.66	.68	.72	.68	.64	.85	.64	.64	.66	.65	.66
MEAN	.21	.23	.23	.21	.19	.40	.20	.17	.00	.17	.17	.21	.25	.21
SIGMA	1.23	1.27	1.27	1.24	1.16	2.02	1.17	1.06	1.40	1.06	1.06	1.21	1.31	1.22
HIGH	.49	.49	.49	.49	.34	1.56	.41	.25	.00	.25	.25	.46	.60	.48
MEAN	2.99	4.48	4.48	3.19	1.11	1.84	1.15	.77	.40	.77	.77	2.55	4.21	2.75
SIGMA	3.63	4.10	4.10	3.73	1.47	1.17	1.47	.48	.00	.48	.48	3.36	3.99	3.48
MEAN	1.58	2.32	2.32	1.68	.47	.65	.48	.40	.66	.41	.41	1.33	2.15	1.42
SIGMA	2.46	2.87	2.87	2.53	.79	.63	.79	.43	.00	.43	.43	2.24	2.78	2.32
MEAN	2.72	4.09	4.09	2.91	1.08	1.92	1.13	.77	.50	.76	.76	2.34	3.80	2.51
SIGMA	3.22	3.64	3.64	3.31	1.35	1.16	1.35	.48	.00	.47	.47	2.96	3.35	3.04
MEAN	4.46	6.60	6.60	4.75	1.51	2.36	1.56	1.09	1.00	1.09	1.09	3.79	6.16	4.07
SIGMA	5.42	6.01	6.01	5.55	1.87	1.43	1.86	.58	.00	.58	.58	5.00	5.86	5.17
MEAN	1.64	2.21	2.21	1.63	.81	1.46	.83	.69	.59	.68	.68	1.45	2.15	1.45
SIGMA	1.82	2.50	2.50	1.49	.48	.82	.50	.19	.27	.18	.18	1.65	2.42	1.37
MEAN	1.66	1.93	1.93	1.88	.63	.90	.65	.45	.63	.46	.46	1.41	1.85	1.61
SIGMA	2.11	2.45	2.45	2.21	.70	.76	.71	.19	.03	.18	.18	1.93	2.38	2.04
MEAN	1.20	1.88	1.88	1.08	.75	1.57	.77	.67	.67	.67	.67	1.08	1.83	.99
SIGMA	1.85	2.56	2.56	1.52	.51	1.08	.55	.19	.25	.19	.19	1.54	2.44	1.25
MEAN	4.27	4.76	4.76	4.74	1.69	2.33	1.74	1.28	1.20	1.28	1.28	3.66	4.57	4.07
SIGMA	5.12	5.46	5.46	5.35	1.67	1.39	1.69	.40	.28	.40	.40	4.68	5.30	4.95
MEAN	2.26	4.03	4.03	2.51	.43	1.60	.46	.11	.42	.12	.12	1.82	3.91	2.07
SIGMA	3.59	4.23	4.23	3.73	1.45	1.36	1.46	.49	.00	.49	.49	3.30	4.17	3.48
MEAN	2.00	3.74	3.74	2.25	.42	1.68	.45	.12	.35	.12	.12	1.62	3.57	1.85
SIGMA	3.15	3.88	3.88	3.32	1.35	1.73	1.36	.52	.00	.51	.51	2.89	3.66	3.06
MEAN	3.20	5.41	5.41	3.51	.37	.87	.38	.01	-.20	.01	.01	2.53	5.19	2.84
SIGMA	5.41	5.95	5.95	5.54	1.87	1.13	1.86	.63	.00	.63	.63	4.97	5.89	5.15

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 1.00-1.49 * * * ALL-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	381	62	443	84	2	86	22	0	22	492	65	557
	PER CENT	4.46	4.37	4.45	3.88	3.12	3.86	3.12	.00	3.09	4.27	4.31	4.28
	MEAN	1.18	1.27	1.19*	1.20	1.17	1.20*	1.17	.00	1.17*	1.18	1.27	1.19*
	SIGMA	.14	.15	.15	.15	.14	.15	.15	.00	.15	.14	.15	.15
	MEAN	.77	.76	.77	.57	1.18	.58	.47	.00	.47	.73	.77	.73
	SIGMA	.69	.65	.69	.42	.25	.43	.43	.00	.43	.65	.64	.65
	MEAN	1.07	1.18	1.09	1.16	1.05	1.16	1.20	.00	1.20	1.09	1.18	1.10
	SIGMA	.33	.31	.33	.22	.35	.22	.20	.00	.20	.31	.30	.31
	MEAN	2.09	2.17	2.10	1.83	2.65	1.85	1.61	.00	1.61	2.03	2.18	2.05
	SIGMA	1.05	1.03	1.05	.63	.21	.64	.40	.00	.40	.98	1.01	.98

TRIM

MEAN	3.70	3.88	3.73	1.40	2.90	1.46	1.70	.00	1.70	3.22	3.81	3.30
SIGMA	4.07	3.50	3.98	1.25	1.50	1.28	1.49	.00	1.49	3.76	3.42	3.72
MEAN	1.88	2.05	1.91	.64	1.93	.69	.42	.00	.42	1.59	2.03	1.65
SIGMA	3.03	2.86	3.00	.84	2.40	.94	.83	.00	.83	2.76	2.80	2.77
MEAN	3.32	3.53	3.35	1.37	2.12	1.40	1.70	.00	1.70	2.93	3.43	3.00
SIGMA	3.47	3.14	3.42	1.25	.73	1.24	1.51	.00	1.51	3.26	3.07	3.24
MEAN	5.41	5.92	5.49	1.93	5.13	2.06	2.03	.00	2.03	4.65	5.84	4.81
SIGMA	6.30	5.89	6.23	1.80	4.18	1.99	2.05	.00	2.05	5.81	5.78	5.81

ALL

MEAN	2.21	2.44	2.15	1.29	2.25	1.30	1.36	.00	1.36	2.02	2.42	1.98
SIGMA	2.15	2.36	1.61	.44	1.43	.45	.55	.00	.55	1.95	2.32	1.49
MEAN	1.99	1.87	2.14	.76	1.90	.79	.75	.00	.75	1.73	1.86	1.87
SIGMA	2.44	2.16	2.37	.64	1.92	.67	.74	.00	.74	2.24	2.13	2.21
MEAN	1.75	1.94	1.63	1.17	1.77	1.18	1.22	.00	1.22	1.60	1.92	1.50
SIGMA	2.08	1.80	1.74	.27	.50	.27	.32	.00	.32	1.77	1.75	1.35
MEAN	5.32	4.95	5.65	2.37	4.55	2.48	2.41	.00	2.41	4.69	4.91	5.01
SIGMA	5.83	5.27	5.91	1.54	3.61	1.73	1.81	.00	1.81	5.34	5.17	5.48

T-W

MEAN	2.37	3.60	2.54	.24	1.49	.28	.53	.00	.53	1.93	3.47	2.11
SIGMA	3.89	4.32	3.97	1.31	.65	1.31	1.53	.00	1.53	3.60	4.25	3.71
MEAN	2.10	3.29	2.27	.22	1.52	.26	.50	.00	.50	1.71	3.29	1.90
SIGMA	3.37	3.78	3.45	1.29	.74	1.29	1.54	.00	1.54	3.12	4.02	3.28
MEAN	3.20	4.53	3.38	.20	1.15	.22	.40	.00	.40	2.54	4.36	2.76
SIGMA	6.14	6.14	6.15	2.07	.78	2.05	2.13	.00	2.13	5.64	6.03	5.72

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 1.50-1.99 * * * ALL-FAMILY UNITS * * * DRY ROOMS

WALLS	COUNT	PER CENT	*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****						
			GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL				
MEAN	112	1.31	2.40	1.47	12	1.56	1	13	4	0	0	4	131	35	166
SIGMA	1.73	1.71	1.72*	1.62	1.62	1.85	1.63*	1.69	1.69	1.69	1.69	1.69	1.71	2.32	1.27
MEAN	.16	.16	.16	.13	.13	.00	.14	.11	.11	.11	.11	.11	.16	.16	.16
SIGMA	1.44	1.68	1.50	.58	.58	2.07	.70	1.31	1.31	1.31	1.31	1.31	1.35	1.69	1.42
MEAN	1.08	1.51	1.19	.35	.35	.00	.53	.14	.14	.14	.14	.14	1.04	1.49	1.15
SIGMA	1.47	1.23	1.41	1.58	1.58	1.75	1.59	2.14	2.14	2.14	2.14	2.14	1.49	1.24	1.44
MEAN	.60	.79	.65	.24	.24	.00	.24	.21	.21	.21	.21	.21	.57	.78	.63
SIGMA	3.42	3.96	3.55	2.25	2.25	4.30	2.41	2.65	2.65	2.65	2.65	2.65	3.28	3.97	3.42
HIGH	1.58	2.46	1.83	.43	.43	.00	.70	.19	.19	.19	.19	.19	1.52	2.42	1.76

TRIM	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
1.55	1.61	.33	.38	1.58	1.58	1.82	1.50	1.93	.00	1.53	.63	1.56	1.50	2.04	1.60	1.60
2.93	1.89	.99	1.71	2.93	1.89	3.63	3.06	1.89	.00	1.58	.49	1.56	1.50	2.04	1.60	1.60
3.25	3.03	1.56	2.61	3.12	2.90	4.64	4.75	5.27	4.83	3.30	4.13	4.97	4.83	8.49	9.27	6.16
5.27	4.83	3.30	4.13	4.97	4.83	8.49	9.27	6.16	3.67	2.09	3.20	3.60	3.28	5.79	6.39	6.39

ALL	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
1.57	.41	.83	.43	1.58	.36	2.61	.91	1.89	.00	1.45	2.47	1.97	1.54	6.48	5.64	5.64
1.99	.53	1.52	.57	2.17	.52	3.70	2.27	1.59	.40	1.89	.91	1.57	1.54	2.74	.99	.99
3.30	3.25	2.93	3.38	2.88	3.08	7.25	7.60	1.99	.53	1.89	.91	1.57	1.54	2.74	.99	.99
2.36	1.79	1.90	1.57	1.96	1.55	5.12	3.98	1.99	.53	1.89	.91	1.57	1.54	2.74	.99	.99

T-W	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
1.60	.02	1.59	1.56	1.56	1.56	1.56	1.56	1.89	.00	1.52	1.51	1.51	1.51	1.51	1.51	1.51
1.62	3.18	1.73	3.07	2.88	3.08	7.25	7.60	1.29	.08	1.52	1.51	1.51	1.51	1.51	1.51	1.51
3.30	4.60	3.57	5.01	2.84	6.09	6.09	6.09	1.89	.00	1.52	1.51	1.51	1.51	1.51	1.51	1.51
1.62	3.18	1.73	3.07	2.88	3.08	7.25	7.60	1.29	.08	1.52	1.51	1.51	1.51	1.51	1.51	1.51

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 2.00-2.49 * * * ALL-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	84	24	12	0	0	0	97	24
PER CENT	MEAN	.98	1.69	.55	.00	.00	.00	.84	1.59
	SIGMA	2.19	2.22	2.19*	.00	.00	.00*	2.19	2.22
	SIGMA	.13	.16	.14	.00	.00	.00	.13	.16
	SIGMA	1.91	1.70	1.56	.00	.00	.00	1.85	1.70
	SIGMA	1.45	1.20	1.33	.00	.00	.00	1.44	1.20
MEDIAN	MEAN	1.71	2.04	1.95	.00	.00	.00	1.74	2.04
	SIGMA	.84	.81	.88	.00	.00	.00	.84	.81
HIGH	MEAN	4.46	4.18	4.11	.00	.00	.00	4.40	4.18
	SIGMA	2.03	1.89	2.12	.00	.00	.00	2.04	1.89
TRIM	MEAN	3.78	4.01	1.68	1.45	.00	.00	3.59	3.89
	SIGMA	3.88	3.02	1.65	.00	.00	.00	3.78	3.00
	SIGMA	1.67	2.16	.22	.07	.00	.00	1.54	2.05
	SIGMA	2.10	2.03	.32	.00	.00	.00	2.05	2.03
	SIGMA	3.57	4.15	1.72	1.45	.00	.00	3.47	4.01
	SIGMA	3.70	3.36	1.63	.00	.00	.00	3.81	3.32
HIGH	MEAN	5.37	6.16	1.84	1.50	.00	.00	5.05	5.92
	SIGMA	5.02	4.64	1.69	.00	.00	.00	4.91	4.63
ALL	MEAN	2.97	2.75	2.04	1.45	.00	.00	2.86	2.71
	SIGMA	2.22	1.16	.46	.00	.00	.00	2.11	1.16
	SIGMA	2.36	2.32	1.59	.07	.00	.00	2.26	2.24
	SIGMA	1.71	1.55	1.12	.00	.00	.00	1.67	1.58
	SIGMA	2.67	2.52	1.80	1.45	.00	.00	2.56	2.45
	SIGMA	2.26	1.46	.83	.00	.00	.00	2.15	1.32
HIGH	MEAN	6.34	6.04	4.23	1.50	.00	.00	6.06	5.88
	SIGMA	4.14	3.86	2.07	.00	.00	.00	4.01	3.88
T-W	MEAN	1.35	2.56	-.56	.00	.00	.00	1.15	2.56
	SIGMA	3.57	4.11	1.50	.00	.00	.00	3.45	4.11
	SIGMA	1.59	2.55	-.33	.00	.00	.00	1.46	2.55
	SIGMA	3.72	3.54	1.87	.00	.00	.00	3.86	3.54
	SIGMA	.75	2.30	-2.11	.00	.00	.00	.45	2.30
HIGH	MEAN	4.36	5.25	1.96	.00	.00	.00	4.26	5.25
	SIGMA								

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	66	22	88	8	0	8	3	0	3	78	24	102				
	PER CENT	.77	1.55	.88	.37	.00	.36	.43	.00	.42	.68	1.59	.78				
	MEAN	2.74	2.73	2.74*	2.75	.00	2.75*	2.72*	.00	2.72*	2.74	2.73	2.74*				
	SIGMA	.13	.14	.13	.15	.00	.15	.14	.00	.14	.13	.14	.14				
	MEAN	2.23	2.10	2.20	.92	.00	.92	.14	.00	.14	2.00	2.11	2.03				
	SIGMA	1.74	1.39	1.65	.54	.00	.54	.24	.00	.24	1.70	1.33	1.62				
	MEDIAN	2.19	2.32	2.22	2.74	.00	2.74	2.72	.00	2.72	2.27	2.35	2.29				
	SIGMA	.93	.74	.88	.32	.00	.32	.13	.00	.13	.88	.71	.84				
	MEAN	5.47	5.37	5.44	3.69	.00	3.69	2.90	.00	2.90	5.17	5.35	5.21				
	SIGMA	2.53	2.09	2.41	.75	.00	.75	.44	.00	.44	2.44	2.00	2.34				
TRIM	MEAN	3.85	4.92	4.12	1.47	.00	1.47	1.50	.00	1.50	3.44	4.79	3.75				
	SIGMA	4.34	3.42	4.13	1.14	.00	1.14	1.70	.00	1.70	4.09	3.39	3.97				
	MEAN	1.65	1.87	1.70	.17	.00	.17	.07	.00	.07	1.40	1.86	1.50				
	SIGMA	2.67	1.71	2.45	.33	.00	.33	.10	.00	.10	2.51	1.67	2.34				
	MEAN	3.41	4.55	3.70	1.47	.00	1.47	1.50	.00	1.50	3.07	4.79	3.47				
	SIGMA	3.67	3.23	3.58	1.14	.00	1.14	1.70	.00	1.70	3.46	4.05	3.66				
	MEAN	5.45	6.84	5.80	1.59	.00	1.59	1.55	.00	1.55	4.79	6.67	5.22				
	SIGMA	6.16	4.67	5.82	1.04	.00	1.04	1.63	.00	1.63	5.83	4.62	5.61				
ALL	MEAN	3.12	3.71	3.26	2.39	.00	2.39	2.44	.00	2.44	2.99	3.65	3.14				
	SIGMA	1.81	2.06	1.70	.35	.00	.35	.37	.00	.37	1.70	2.00	1.61				
	MEAN	2.83	2.49	2.90	1.14	.00	1.14	.46	.00	.46	2.54	2.46	2.66				
	SIGMA	2.21	1.55	2.05	.53	.00	.53	.79	.00	.79	2.16	1.50	2.01				
	MEAN	2.69	3.22	2.75	2.32	.00	2.32	2.63	.00	2.63	2.49	3.38	2.57				
	SIGMA	2.84	1.96	2.53	.28	.00	.28	.06	.00	.06	1.69	2.87	1.50				
	MEAN	7.25	7.03	7.65	3.80	.00	3.80	2.90	.00	2.90	6.67	6.90	7.12				
	SIGMA	5.10	3.67	4.83	.67	.00	.67	.44	.00	.44	4.90	3.57	4.69				
T-W	MEAN	1.32	1.60	1.39	-1.28	.00	-1.28	-1.29	.00	-1.29	.90	1.37	1.01				
	SIGMA	4.42	3.26	4.14	1.24	.00	1.24	1.82	.00	1.82	4.21	3.20	3.98				
	MEAN	1.38	1.85	1.50	-1.27	.00	-1.27	-1.27	.00	-1.27	1.05	1.65	1.19				
	SIGMA	3.63	3.60	3.60	1.25	.00	1.25	1.80	.00	1.80	3.74	3.63	3.71				
	MEAN	.16	.90	.35	-2.10	.00	-2.10	-1.50	.00	-1.50	-.20	.57	-.01				
	SIGMA	6.81	4.37	6.26	1.68	.00	1.68	2.12	.00	2.12	6.35	4.31	5.91				

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 3.00-3.99 * * * ALL-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	93	23	9	1	10	0	106	24
	PER CENT								
	MEAN	1.09	1.62	.42	1.56	.45	.00	.92	1.59
	SIGMA	3.46	3.44	3.41	3.72	3.44*	.00*	3.46	3.46*
	MEAN	.30	.21	.28	.00	.28	.00	.30	.22
	SIGMA	2.56	2.42	2.53	2.26	2.88	.00	2.61	2.62
	MEAN	2.08	2.12	2.07	.00	2.09	.00	2.02	2.29
	SIGMA	3.17	3.03	3.14	.20	2.91	.00	3.13	2.91
	MEDIAN	1.16	1.14	1.15	1.12	1.42	.00	1.16	1.26
	SIGMA	6.18	6.50	6.25	14.60	7.05	.00	6.30	6.84
	HIGH	2.81	3.31	2.91	.00	3.45	.00	2.80	3.63
	SIGMA								
TRIM	MEAN	3.97	4.58	4.07	1.17	1.24	.00	3.83	4.29
	SIGMA	4.09	4.76	4.20	1.03	.99	.00	4.03	4.61
	MEAN	2.10	2.92	2.24	.75	1.01	.00	2.04	2.82
	SIGMA	2.84	4.25	3.12	.52	1.16	.00	2.80	4.08
	MEAN	3.73	4.67	3.89	1.23	1.06	.00	3.58	4.27
	SIGMA	3.90	4.84	4.07	1.31	1.19	.00	3.84	4.76
	MEAN	5.82	7.12	6.05	1.74	2.18	.00	5.64	6.79
	SIGMA	5.50	7.80	5.94	1.30	2.06	.00	5.45	7.53
ALL	MEAN	3.77	3.64	3.65	2.78	2.72	.00	3.70	3.51
	SIGMA	2.02	1.68	1.52	.59	.51	.00	1.93	1.71
	MEAN	3.30	3.10	3.26	2.28	2.61	.00	3.27	3.08
	SIGMA	1.92	2.81	2.04	.83	1.32	.00	1.88	2.81
	MEAN	3.55	3.34	3.38	2.63	.47	.00	3.44	3.26
	SIGMA	2.32	1.90	1.85	1.21	1.20	.00	2.29	2.50
	HIGH	8.05	8.44	8.26	6.21	7.05	.00	8.00	8.38
	SIGMA	4.26	6.54	4.80	2.35	3.45	.00	4.16	6.58
T-W	MEAN	.24	2.12	.62	-2.28	-2.18	.00	.11	1.97
	SIGMA	3.87	5.05	4.18	1.03	1.01	.00	3.81	4.99
	MEAN	.30	2.59	.76	-2.04	-1.80	.00	.18	2.48
	SIGMA	3.97	5.55	4.40	1.44	1.52	.00	3.92	5.45
	HIGH	-.68	1.84	-.18	-4.72	-7.90	.00	-1.02	1.41
	SIGMA	5.38	7.30	5.86	2.57	2.63	.00	5.31	7.41

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS,	COUNT	69	17	86	6	1	7	2	0	2	78	18	96
	PER CENT	.81	1.20	.86	.28	1.56	.31	.28	.00	.28	.68	1.19	.74
	MEAN	4.45	4.47	4.46*	4.48	4.07	4.42*	4.79	.00	4.79*	4.47	4.44	4.46*
	SIGMA	.29	.27	.29	.30	.00	.32	.08	.00	.08	.29	.28	.29
	MEAN	3.00	3.10	3.02	1.43	3.44	1.72	1.18	.00	1.18	2.84	3.12	2.89
	SIGMA	2.56	2.72	2.58	1.21	.00	1.34	1.12	.00	1.12	2.64	2.64	2.50
	MEAN	4.05	4.11	4.06	4.72	6.00	4.91	4.37	.00	4.37	4.11	4.22	4.13
	SIGMA	1.20	1.42	1.24	.82	.00	.89	.25	.00	.25	1.16	1.45	1.22
	HIGH	7.74	7.94	7.78	5.75	6.10	5.80	6.30	.00	6.30	7.56	7.83	7.61
	SIGMA	3.33	4.09	3.47	1.03	.00	.95	.42	.00	.42	3.20	3.99	3.34

		*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****					
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
TRIM	MEAN	4.52	5.11	4.63	.67	8.90	2.04	1.15	.00	1.15	4.18	5.35	4.39
	SIGMA	4.00	3.99	3.98	.36	.00	3.38	.35	.00	.35	3.93	3.97	3.94
	MEAN	2.51	2.23	2.46	.52	.00	.43	.21	.00	.21	2.37	2.09	2.32
	SIGMA	3.14	2.66	3.04	1.00	.00	.92	.30	.00	.30	3.06	2.63	2.98
	MEAN	4.33	4.74	4.41	.40	8.90	1.82	1.15	.00	1.15	3.94	4.93	4.12
	SIGMA	3.90	4.04	3.90	.88	.00	3.56	.35	.00	.35	3.84	3.94	3.85
	MEAN	6.77	7.20	6.85	1.24	8.90	2.52	1.30	.00	1.30	6.32	7.31	6.50
	SIGMA	6.12	5.40	5.97	.97	.00	3.25	.57	.00	.57	6.05	5.23	5.90

		*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****					
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
ALL	MEAN	4.53	4.39	4.54	3.37	5.27	3.64	3.73	.00	3.73	4.43	4.43	4.46
	SIGMA	1.63	2.13	1.48	.78	.00	1.01	.47	.00	.47	1.58	2.09	1.45
	MEAN	3.47	3.25	3.66	2.10	3.70	2.33	2.04	.00	2.04	3.35	3.27	3.53
	SIGMA	2.20	2.78	2.05	.96	.00	1.06	.06	.00	.06	2.13	2.72	2.01
	MEAN	4.39	3.78	4.28	3.39	6.05	3.77	4.10	.00	4.10	4.25	3.88	4.18
	SIGMA	2.44	2.26	2.32	1.03	.00	1.38	.14	.00	.14	2.25	2.26	2.15
	MEAN	9.27	8.48	9.77	5.75	8.90	6.20	6.30	.00	6.30	8.99	8.50	9.46
	SIGMA	4.94	5.28	4.85	1.03	.00	1.52	.42	.00	.42	4.80	5.15	4.73

		*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****					
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
T-W	MEAN	-.15	1.51	.18	-3.80	4.83	-2.36	-3.64	.00	-3.64	-.48	1.71	-.07
	SIGMA	4.05	3.57	4.00	.58	.00	3.56	.44	.00	.44	3.97	3.55	3.97
	MEAN	.02	1.77	.36	-4.43	2.90	-3.21	-3.22	.00	-3.22	-.41	1.77	.00
	SIGMA	4.10	3.76	4.07	1.72	.00	3.37	.60	.00	.60	4.07	3.57	4.05
	MEAN	-1.09	-.34	-.95	-4.58	2.80	-3.35	-5.00	.00	-5.00	-1.37	-1.16	-1.14
	SIGMA	7.27	6.39	7.07	1.30	.00	3.23	.99	.00	.99	6.97	6.24	6.82

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 5.00-7.49 * * * ALL-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	142	42	184	15	1	16	0	0	0	159	43	202
	PER CENT	1.66	2.96	1.85	.69	1.56	.72	.00	.00	.00	1.38	2.85	1.55
	MEAN	6.04	6.02	6.03*	6.14	5.60	6.11*	.00	.00	.00*	6.06	6.01	6.05*
	SIGMA	.73	.68	.71	.81	.00	.80	.00	.00	.00	.74	.67	.72
	SIGMA	3.87	2.74	3.61	1.26	8.32	1.71	.00	.00	.00	3.62	2.87	3.46
	SIGMA	3.53	2.64	3.37	.65	.00	1.87	.00	.00	.00	3.44	2.74	3.31
	MEAN	5.77	6.07	5.84	6.11	1.20	5.80	.00	.00	.00	5.81	5.95	5.84
	SIGMA	2.28	1.23	2.09	1.02	.00	1.57	.00	.00	.00	2.18	1.42	2.04
	MEAN	10.15	8.62	9.80	7.54	15.20	8.02	.00	.00	.00	9.91	8.77	9.67
	SIGMA	4.72	3.00	4.43	1.01	.00	2.15	.00	.00	.00	4.54	3.17	4.30

TRIM

	MEAN	4.15	6.63	4.69	2.56	.00	2.56	.00	.00	.00	4.06	6.63	4.58
	SIGMA	4.30	4.92	4.54	3.89	.00	3.89	.00	.00	.00	4.31	4.92	4.54
	MEAN	2.00	2.70	2.15	.52	.00	.52	.00	.00	.00	1.87	2.70	2.03
	SIGMA	2.63	2.58	2.63	.80	.00	.80	.00	.00	.00	2.55	2.58	2.57
	MEAN	3.84	6.24	4.36	2.37	.00	2.37	.00	.00	.00	3.77	6.09	4.24
	SIGMA	3.93	4.50	4.16	3.67	.00	3.67	.00	.00	.00	4.00	4.27	4.15
	MEAN	5.99	9.06	6.66	3.03	.00	3.03	.00	.00	.00	5.77	9.06	6.43
	SIGMA	5.90	6.31	6.11	4.26	.00	4.26	.00	.00	.00	5.84	6.31	6.06

ALL

	MEAN	5.25	6.05	5.55	5.18	5.60	5.20	.00	.00	.00	5.27	6.04	5.55
	SIGMA	2.01	2.19	1.88	1.69	.00	1.64	.00	.00	.00	1.99	2.17	1.87
	MEAN	4.04	3.28	4.22	2.52	8.32	2.88	.00	.00	.00	3.91	3.38	4.11
	SIGMA	2.71	2.54	2.51	.87	.00	1.68	.00	.00	.00	2.62	2.61	2.47
	MEAN	5.08	5.90	5.40	5.72	1.20	5.44	.00	.00	.00	5.12	5.63	5.35
	SIGMA	3.01	2.37	2.82	1.60	.00	1.92	.00	.00	.00	2.73	2.13	2.53
	MEAN	10.54	10.06	11.14	8.00	15.20	8.45	.00	.00	.00	10.35	10.16	10.94
	SIGMA	5.60	5.02	5.25	2.27	.00	2.84	.00	.00	.00	5.41	5.02	5.13

T-W

	MEAN	-1.65	-.27	-1.32	-3.51	.00	-3.51	.00	.00	.00	-1.77	-.27	-1.44
	SIGMA	4.31	5.07	4.52	3.49	.00	3.49	.00	.00	.00	4.29	5.07	4.50
	MEAN	-1.74	-.61	-1.48	-3.60	.00	-3.60	.00	.00	.00	-1.86	-.75	-1.62
	SIGMA	4.70	4.76	4.73	3.26	.00	3.26	.00	.00	.00	4.68	4.54	4.66
	MEAN	-3.77	-.74	-3.06	-4.47	.00	-4.47	.00	.00	.00	-3.78	-.74	-3.12
	SIGMA	6.87	6.72	6.94	3.98	.00	3.98	.00	.00	.00	6.67	6.72	6.78

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	73	21	94	2	2	4	0	0	0	76	23	99
	PER CENT	.86	1.48	.94	.09	3.12	.18	.00	.00	.00	.66	1.53	.76
	MEAN	8.73	8.43	8.66*	8.82	8.66	8.74*	.00	.00	.00*	8.73	8.45	8.66*
	SIGMA	.72	.68	.72	.00	1.11	.65	.00	.00	.00	.71	.70	.71
	MEAN	4.58	4.52	4.57	5.62	7.54	6.58	.00	.00	.00	4.63	4.78	4.67
	SIGMA	4.07	4.27	4.09	.11	3.28	2.19	.00	.00	.00	4.00	4.22	4.03
	MEDIAN	9.10	8.51	8.97	10.32	10.75	10.54	.00	.00	.00	9.11	8.71	9.01
	SIGMA	2.82	2.33	2.72	1.10	1.13	.94	.00	.00	.00	2.75	2.32	2.65
	MEAN	13.40	12.89	13.29	13.50	16.45	14.97	.00	.00	.00	13.40	13.20	13.35
	SIGMA	5.11	5.23	5.11	1.84	7.28	4.66	.00	.00	.00	5.01	5.33	5.06
TRIM	MEAN	5.13	5.82	5.26	3.53	5.27	3.97	.00	.00	.00	5.06	5.72	5.20
	SIGMA	4.88	3.10	4.59	1.53	.00	1.52	.00	.00	.00	4.80	2.95	4.48
	MEAN	3.17	2.24	2.99	2.50	3.24	2.69	.00	.00	.00	3.14	2.46	3.01
	SIGMA	4.01	2.08	3.73	2.48	.00	2.06	.00	.00	.00	3.95	2.09	3.65
	MEAN	4.74	5.96	4.97	3.37	3.60	3.42	.00	.00	.00	4.56	5.85	4.97
	SIGMA	4.51	3.48	4.34	1.20	.00	.99	.00	.00	.00	4.56	3.50	4.37
	MEAN	8.11	7.68	8.03	6.47	9.00	7.10	.00	.00	.00	8.05	7.78	7.99
	SIGMA	8.01	3.83	7.38	4.70	.00	4.04	.00	.00	.00	7.89	3.63	7.22
ALL	MEAN	7.36	7.62	7.40	6.37	8.10	7.00	.00	.00	.00	7.34	7.54	7.37
	SIGMA	2.22	1.47	1.77	1.15	1.90	.50	.00	.00	.00	2.18	1.57	1.73
	MEAN	5.50	4.52	5.22	5.28	7.11	5.70	.00	.00	.00	5.51	4.75	5.25
	SIGMA	3.41	3.49	3.01	.34	3.88	1.35	.00	.00	.00	3.33	3.44	2.95
	MEAN	7.51	7.05	7.53	6.50	10.27	7.19	.00	.00	.00	7.52	7.23	7.45
	SIGMA	3.20	2.83	2.97	2.40	1.80	2.24	.00	.00	.00	3.03	2.92	2.73
	MEAN	14.39	12.91	14.14	12.83	16.45	14.97	.00	.00	.00	14.31	13.00	14.16
	SIGMA	6.40	4.98	5.86	1.74	7.28	4.66	.00	.00	.00	6.25	5.08	5.77
T-W	MEAN	-3.57	-2.71	-3.40	-6.12	-3.43	-4.78	.00	.00	.00	-3.65	-2.79	-3.46
	SIGMA	4.86	4.15	4.71	.71	1.16	1.74	.00	.00	.00	4.77	3.94	4.60
	MEAN	-4.35	-2.71	-4.02	-7.57	-6.65	-7.11	.00	.00	.00	-4.35	-3.00	-4.07
	SIGMA	5.44	5.82	5.52	.32	.42	.62	.00	.00	.00	5.45	5.71	5.51
	MEAN	-5.34	-5.54	-5.38	-9.55	-6.20	-7.87	.00	.00	.00	-5.44	-5.61	-5.48
	SIGMA	7.74	5.81	7.36	4.31	5.52	4.48	.00	.00	.00	7.62	5.64	7.22

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 10.00 AND UP * * * ALL-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	150	48	198	11	0	11	0	0	0	162	49	211
	PER CENT	1.76	3.38	1.99	.51	.00	.49	.00	.00	.00	1.41	3.25	1.62
	MEAN	16.35	15.89	16.24*	13.17	.00	13.17*	.00	.00	.00*	16.10	15.87	16.05*
	SIGMA	6.04	4.97	5.79	2.55	.00	2.55	.00	.00	.00	5.92	4.92	5.69
	MEAN	4.07	4.30	4.13	2.93	.00	2.93	.00	.00	.00	3.98	4.25	4.04
	SIGMA	4.23	3.98	4.17	1.67	.00	1.67	.00	.00	.00	4.11	3.96	4.07
	MEDIAN	13.79	12.75	13.54	11.55	.00	11.55	.00	.00	.00	13.44	13.75	13.51
	SIGMA	4.70	3.23	4.41	1.63	.00	1.63	.00	.00	.00	4.04	5.06	4.29
	HIGH	20.22	19.92	20.15	16.02	.00	16.02	.00	.00	.00	19.89	19.84	19.88
	SIGMA	7.16	7.04	7.11	2.33	.00	2.33	.00	.00	.00	7.02	6.99	6.99

TRIM

MEAN	5.51	7.54	5.86	5.57	.00	5.57	.00	.00	.00	.00	5.50	7.47	5.83
SIGMA	5.07	5.44	5.18	4.66	.00	4.66	.00	.00	.00	.00	5.02	5.37	5.12
MEAN	2.57	3.71	2.77	3.51	.00	3.51	.00	.00	.00	.00	2.63	3.67	2.80
SIGMA	2.97	3.84	3.16	5.04	.00	5.04	.00	.00	.00	.00	3.11	3.79	3.24
MEAN	5.04	6.43	5.28	4.92	.00	4.92	.00	.00	.00	.00	4.82	6.46	5.09
SIGMA	4.89	4.02	4.77	4.85	.00	4.85	.00	.00	.00	.00	4.15	4.00	4.16
MEAN	7.89	10.83	8.40	8.96	.00	8.96	.00	.00	.00	.00	7.95	10.71	8.41
SIGMA	6.76	7.47	6.95	7.97	.00	7.97	.00	.00	.00	.00	6.79	7.39	6.95

ALL

MEAN	11.38	12.67	12.07	10.67	.00	10.67	.00	.00	.00	.00	11.31	12.63	11.97
SIGMA	5.45	5.15	4.50	2.80	.00	2.80	.00	.00	.00	.00	5.32	5.11	4.43
MEAN	6.76	5.31	7.54	5.81	.00	5.81	.00	.00	.00	.00	6.69	5.31	7.43
SIGMA	3.88	4.12	3.36	1.81	.00	1.81	.00	.00	.00	.00	3.78	4.09	3.31
MEAN	8.99	10.30	9.31	10.80	.00	10.80	.00	.00	.00	.00	9.77	10.89	10.25
SIGMA	3.82	3.77	2.48	2.70	.00	2.70	.00	.00	.00	.00	4.76	4.23	4.14
MEAN	18.83	18.38	20.54	16.90	.00	16.90	.00	.00	.00	.00	18.68	18.34	20.29
SIGMA	8.29	8.46	7.12	2.95	.00	2.95	.00	.00	.00	.00	8.07	8.39	7.01

T-W

MEAN	-10.78	-8.94	-10.35	-7.32	.00	-7.32	.00	.00	.00	.00	-10.54	-8.95	-10.18
SIGMA	7.08	7.18	7.13	5.11	.00	5.11	.00	.00	.00	.00	6.99	7.10	7.03
MEAN	-8.81	-6.39	-8.24	-6.47	.00	-6.47	.00	.00	.00	.00	-8.55	-7.92	-8.41
SIGMA	6.11	6.40	6.24	6.16	.00	6.16	.00	.00	.00	.00	5.37	5.86	5.48
MEAN	-12.20	-10.22	-11.74	-6.81	.00	-6.81	.00	.00	.00	.00	-11.82	-10.20	-11.45
SIGMA	8.46	8.73	8.54	7.43	.00	7.43	.00	.00	.00	.00	8.47	8.63	8.51

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL ALL LEVELS * * * ALL-FAMILY UNITS * * * DRY ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	8535	1419	9954	64	2229	7	712	1507
	PER CENT	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	MEAN	.70	1.19	.77	.47	.26	.04	.57	1.15
	SIGMA	2.61	3.32	2.73	1.86	1.29	.58	2.33	3.27
	MEAN	.71	.89	.74	1.03	.49	.55	.65	.90
	SIGMA	1.25	1.51	1.30	1.87	.54	.25	1.11	1.52
	MEAN	.62	1.04	.68	.42	.24	.04	.51	1.04
	MEDIAN	2.32	2.81	2.40	2.10	1.23	.60	2.05	3.01
	HIGH	1.51	2.17	1.60	1.67	.83	.54	1.32	2.15
	SIGMA	3.49	4.43	3.65	3.94	1.65	.59	3.11	4.40
TRIM	MEAN	2.99	4.68	3.23	1.85	.96	.70	2.48	4.46
	SIGMA	3.74	4.16	3.84	2.24	1.55	.99	3.45	4.11
	MEAN	1.67	2.26	1.76	1.00	.55	.37	1.39	2.16
	SIGMA	2.62	2.69	2.64	1.25	.97	.51	2.38	2.63
	MEAN	2.75	4.36	2.97	1.78	.94	.70	2.29	4.12
	SIGMA	3.42	3.76	3.50	2.19	1.51	.98	3.11	3.63
	MEAN	4.58	6.79	4.89	2.76	1.45	1.02	3.80	6.46
	SIGMA	5.73	5.93	5.81	3.00	2.11	1.11	5.26	5.85
ALL	MEAN	1.66	2.63	1.73	1.12	.49	.22	1.36	2.52
	SIGMA	2.60	3.48	2.45	2.00	1.16	.58	2.38	3.41
	MEAN	2.00	2.20	2.26	1.09	.80	.61	1.69	2.12
	SIGMA	2.41	2.59	2.48	1.54	.94	.47	2.20	2.54
	MEAN	1.13	2.09	1.07	1.02	.38	.17	.94	2.01
	SIGMA	2.45	3.29	2.29	2.07	1.15	.39	2.24	3.23
	MEAN	4.72	5.53	5.29	2.49	1.63	1.05	3.92	5.31
	SIGMA	5.97	6.17	6.16	3.67	2.36	1.08	5.47	6.06
T-W	MEAN	2.28	3.56	2.47	1.62	.71	.66	1.89	3.45
	SIGMA	4.24	5.05	4.39	2.35	1.72	1.04	3.83	4.96
	MEAN	2.11	3.40	2.30	1.57	.70	.66	1.76	3.21
	SIGMA	3.86	4.47	3.98	2.91	1.71	1.03	3.44	4.45
	MEAN	3.09	4.53	3.30	1.70	.63	.47	2.48	4.36
	SIGMA	6.30	6.81	6.40	3.65	2.25	1.18	5.67	6.71

MEAN LEAD INTERVAL 0.00-0.49 * * * ALL-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	1996	213	2209	715	21	736	313	3	316	3095	245	3740
	PER CENT	48.98	35.86	47.31	66.82	57.85	66.37	79.04	50.00	79.90	54.79	37.46	52.08
	MEAN	.00	.04	.00*	.00	.00	.00*	.00	.00	.00*	.00	.02	.00*
	SIGMA	.37	.37	.37	.35	.33	.35	.39	.30	.39	.37	.37	.37
	MEAN	.45	.48	.46	.41	.43	.41	.41	.41	.41	.44	.47	.45
	SIGMA	.28	.25	.28	.24	.16	.24	.23	.36	.23	.26	.24	.26
	MEDIAN	.00	.03	.00	.00	.00	.00	.00	.00	.00	.00	.01	.00
	SIGMA	.39	.40	.39	.37	.39	.37	.41	.41	.41	.39	.40	.39
	MEAN	.52	.60	.53	.48	.48	.48	.41	.27	.41	.50	.57	.50
	SIGMA	.44	.40	.44	.39	.38	.39	.35	.45	.35	.42	.40	.42

TRIM

MEAN	MEAN	2.53	3.84	2.68	.87	1.39	.88	.60	.62	.60	1.04	7.58	2.08
SIGMA	SIGMA	3.49	3.90	3.56	1.65	2.15	1.67	.83	.21	.82	3.08	3.78	3.18
MEAN	MEAN	1.43	2.51	1.56	.52	1.26	.55	.34	1.15	.35	1.10	2.37	1.22
SIGMA	SIGMA	2.24	3.01	2.37	1.18	2.48	1.24	.54	.50	.55	1.96	2.95	2.10
MEAN	MEAN	2.32	3.41	2.44	.86	1.34	.87	.59	.62	.59	1.79	3.17	1.91
SIGMA	SIGMA	3.17	3.65	3.25	1.59	2.14	1.61	.84	.21	.84	2.81	3.43	2.89
MEAN	MEAN	3.82	6.13	4.08	1.34	2.34	1.36	.92	1.43	.93	2.93	5.73	3.17
SIGMA	SIGMA	4.83	5.93	5.03	2.24	3.80	2.31	.94	.55	.94	4.27	5.79	4.49

ALL

MEAN	MEAN	.94	1.89	.98	.25	.46	.26	.12	.23	.11	.69	1.72	.72
SIGMA	SIGMA	1.56	2.84	1.41	.67	.89	.68	.45	.45	.43	1.35	2.71	1.26
MEAN	MEAN	1.63	2.03	1.82	.75	.87	.77	.50	.87	.60	1.32	1.91	1.46
SIGMA	SIGMA	1.98	2.43	2.08	.92	1.39	.95	.37	.56	.37	1.73	2.34	1.84
MEAN	MEAN	.46	1.35	.41	.12	.25	.12	.05	.24	.04	.33	1.23	.30
SIGMA	SIGMA	1.48	2.64	1.29	.60	.54	.59	.42	.49	.39	1.22	2.55	1.09
MEAN	MEAN	3.58	4.77	4.02	1.36	1.75	1.40	.95	1.02	.96	2.78	4.42	3.11
SIGMA	SIGMA	4.67	5.67	4.94	2.14	3.27	2.21	.87	.74	.87	4.10	5.42	4.78

T-W

MEAN	MEAN	2.57	3.79	2.69	.91	1.31	.92	.69	1.42	.69	1.99	3.51	2.11
SIGMA	SIGMA	3.50	3.85	3.56	1.66	2.08	1.68	.80	.87	.80	3.10	3.72	3.17
MEAN	MEAN	2.36	3.41	2.46	.91	1.24	.92	.68	1.40	.69	1.85	3.13	1.95
SIGMA	SIGMA	3.17	3.69	3.24	1.61	2.03	1.63	.81	.72	.82	2.82	3.40	2.88
MEAN	MEAN	3.35	5.39	3.55	.86	1.74	.88	.53	1.17	.54	2.48	4.95	2.67
SIGMA	SIGMA	4.87	5.82	5.01	2.26	3.75	2.32	.95	.46	.94	4.31	5.66	4.47

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	594	85	679	173	4	177	60	0	60	840	93	933				
	PER CENT	14.58	14.31	14.54	16.17	10.26	15.96	15.15	.00	14.96	14.87	14.22	14.80				
	MEAN	.69	.70	.69*	.68	.65	.68*	.67	.00	.67*	.69	.70	.69*				
	SIGMA	.14	.13	.14	.14	.13	.14	.13	.00	.13	.14	.13	.14				
	MEAN	.62	.57	.61	.50	.49	.61	.48	.00	.48	.58	.59	.58				
	SIGMA	.44	.39	.43	.29	.12	.28	.29	.00	.29	.41	.44	.41				
	MEDIAN	.65	.64	.65	.68	.57	.68	.67	.00	.67	.66	.66	.66				
	MEAN	.26	.21	.25	.22	.12	.21	.22	.00	.22	.24	.24	.23				
	HIGH	1.40	1.38	1.40	1.21	1.00	1.20	1.18	.00	1.18	1.34	1.42	1.35				
	SIGMA	.66	.55	.64	.40	.22	.40	.40	.00	.40	.60	.64	.60				
TRIM	MEAN	2.87	4.09	3.03	.95	2.75	1.03	1.21	3.67	1.25	2.37	3.87	2.53				
	SIGMA	3.45	3.76	3.51	1.08	3.66	1.31	2.25	.00	2.25	3.14	3.68	3.24				
	MEAN	1.68	2.40	1.77	.48	.90	.50	.33	3.01	.38	1.34	2.21	1.44				
	SIGMA	2.53	2.86	2.59	.92	1.18	.94	.77	.00	.85	2.28	2.73	2.34				
	MEAN	2.72	3.91	2.87	.90	2.74	.97	1.09	4.00	1.14	2.19	3.77	2.37				
	SIGMA	3.37	3.47	3.40	1.01	3.65	1.26	1.50	.00	1.54	2.76	3.53	2.90				
	MEAN	4.29	6.08	4.52	1.42	3.46	1.50	1.48	6.50	1.57	3.52	5.70	3.76				
	SIGMA	5.01	5.40	5.10	1.82	4.48	2.01	2.77	.00	2.84	4.58	5.27	4.71				
	MEAN	1.54	2.23	1.54	.78	1.97	.81	.84	3.67	.86	1.33	2.18	1.35				
	SIGMA	1.58	2.73	1.28	.41	3.17	.53	.87	.00	.88	1.41	2.68	1.19				
ALL	MEAN	1.72	1.95	1.87	.68	.90	.71	.69	3.01	.72	1.44	1.85	1.57				
	SIGMA	1.95	2.00	2.00	.64	1.08	.73	1.09	.00	1.11	1.77	1.93	1.84				
	MEAN	1.05	1.71	.96	.70	1.71	.72	.85	4.00	.86	.97	1.73	.91				
	SIGMA	1.33	2.43	.99	.26	3.19	.37	1.22	.00	1.22	1.30	2.54	1.00				
	MEAN	4.36	5.15	4.69	1.75	3.20	1.84	1.75	6.50	1.83	3.63	4.91	3.94				
	SIGMA	4.74	5.12	4.88	1.62	4.21	1.83	2.46	.00	2.53	4.30	4.97	4.49				
	MEAN	2.16	3.57	2.33	.31	1.81	.35	.58	.00	.58	1.67	3.39	1.84				
	SIGMA	3.47	3.56	3.51	1.27	2.46	1.31	2.27	.00	2.27	3.16	3.49	3.23				
	MEAN	2.04	3.47	2.22	.25	1.89	.29	.46	.00	.46	1.53	3.33	1.71				
	SIGMA	3.37	3.44	3.41	1.22	2.43	1.27	1.54	.00	1.54	2.79	3.38	2.91				
T-W	MEAN	2.86	4.96	3.13	.23	2.57	.29	.39	.00	.39	2.15	4.67	2.41				
	SIGMA	5.03	5.36	5.11	1.96	3.45	2.02	2.87	.00	2.87	4.57	5.25	4.71				

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 1.00-1.49 * * * ALL-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****			*****1940-1959*****			*****1960-1975*****			*****ALL AGES*****		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	286	44	330	55	5	60	9	0	9	352	49	401
	PER CENT	7.02	7.41	7.07	5.14	12.82	5.41	2.27	.00	2.24	6.23	7.49	6.36
	MEAN	1.22	1.20	1.22*	1.22	1.21	1.22*	1.14	.00	1.14*	1.22	1.20	1.21*
	SIGMA	.14	.14	.14	.14	.15	.14	.12	.00	.12	.14	.14	.14
	MEAN	.89	.88	.89	.80	1.24	.83	.93	.00	.93	.87	.92	.88
	SIGMA	.72	.81	.73	.70	.52	.70	.62	.00	.62	.71	.79	.72
	MEDIAN	1.07	1.02	1.06	1.14	.90	1.12	1.01	.00	1.01	1.08	1.01	1.07
	SIGMA	.39	.35	.39	.33	.23	.33	.42	.00	.42	.38	.34	.38
	HIGH	2.29	2.32	2.30	2.16	2.80	2.21	2.24	.00	2.24	2.27	2.37	2.29
	SIGMA	1.09	1.24	1.11	1.04	.77	1.03	.94	.00	.94	1.08	1.21	1.09

TRIM

MEAN	3.22	4.87	3.44	1.31	1.00	1.29	1.35	.80	1.27	2.88	4.53	3.08
SIGMA	3.68	5.32	3.96	1.75	1.59	1.73	1.49	.00	1.38	3.48	5.21	3.76
MEAN	1.48	1.90	1.54	.55	1.24	.59	.44	.00	.38	1.32	1.81	1.38
SIGMA	2.18	2.68	2.25	1.18	.90	1.18	.61	.00	.58	2.07	2.58	2.14
MEAN	3.05	4.21	3.20	1.27	1.13	1.26	1.42	.80	1.33	2.65	3.94	2.81
SIGMA	3.45	3.62	3.49	1.64	1.59	1.63	1.59	.00	1.47	2.84	3.59	2.96
MEAN	4.54	6.48	4.80	1.75	2.03	1.77	1.75	.80	1.61	4.05	6.07	4.29
SIGMA	5.06	6.37	5.28	2.23	1.91	2.20	1.89	.00	1.76	4.78	6.25	5.01

ALL

MEAN	2.02	2.80	2.05	1.21	.96	1.22	1.21	.80	1.21	1.88	2.61	1.91
SIGMA	1.57	3.35	1.55	.49	.88	.49	.50	.00	.50	1.47	3.23	1.45
MEAN	1.80	1.91	1.99	.91	1.13	.95	1.07	.00	1.05	1.65	1.82	1.81
SIGMA	1.93	2.67	2.08	.92	.55	.87	.69	.00	.65	1.82	2.55	1.96
MEAN	1.63	2.33	1.59	1.09	.65	1.08	.93	.80	.96	1.52	2.17	1.49
SIGMA	1.75	2.80	1.64	.43	.70	.44	.34	.00	.28	1.50	2.71	1.45
MEAN	4.84	5.26	5.26	2.59	2.37	2.67	2.70	.80	2.70	4.45	4.94	4.82
SIGMA	4.61	5.51	4.92	2.14	1.38	2.07	1.41	.00	1.41	4.35	5.32	4.64

T-W

MEAN	2.07	3.14	2.22	.07	.09	.07	.13	.00	.13	1.71	2.89	1.86
SIGMA	3.85	4.54	3.96	1.75	.70	1.70	1.41	.00	1.41	3.63	4.43	3.76
MEAN	2.03	2.84	2.14	.12	.55	.15	.26	.00	.26	1.61	2.62	1.73
SIGMA	3.52	3.28	3.49	1.63	.70	1.58	1.56	.00	1.56	2.94	3.12	2.98
MEAN	2.32	3.60	2.49	-4.43	-1.10	-4.47	-4.40	.00	-4.40	1.83	3.20	2.00
SIGMA	5.35	5.36	5.36	2.49	1.41	2.43	2.19	.00	2.19	5.05	5.31	5.10

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	179	24	203	29	0	29	3	0	3	215	24	239	3.81	3.67	3.79	
	PER CENT	4.39	4.04	4.35	2.71	.00	2.61	.76	.00	.75	3.81	3.67	3.79	1.74	1.73	1.74*	
	MEAN	1.74	1.73	1.74*	1.73	.00	1.73*	1.76	.00	1.76*	1.74	1.73	1.74*	.15	.13	.14	
	SIGMA	.15	.13	.14	.14	.00	.14	.18	.00	.18	.15	.13	.14	1.26	1.28	1.27	
	MEAN	1.33	1.28	1.33	.89	.00	.89	.89	.00	.89	1.07	1.28	1.27	.98	.97	.98	
	SIGMA	1.00	.97	.99	.86	.00	.86	.50	.00	.50	1.56	1.47	1.55	3.24	3.28	3.24	
	MEDIAN	1.55	1.47	1.54	1.61	.00	1.61	2.08	.00	2.08	4.54	4.88	4.90	5.22	4.86	5.22	
	SIGMA	.55	.51	.55	.51	.00	.51	.53	.00	.53	1.73	3.04	3.24	3.24	3.04	3.24	
	MEAN	3.34	3.28	3.33	2.77	.00	2.77	2.63	.00	2.63	4.54	6.88	4.90	5.22	4.86	5.22	
	SIGMA	1.55	1.42	1.53	1.16	.00	1.16	.50	.00	.50	3.82	4.86	5.22	3.82	4.86	5.22	
TRIM	MEAN	3.38	4.67	3.60	1.02	1.08	1.03	2.19	.00	2.19	3.04	4.47	3.26	3.25	3.36	3.31	
	SIGMA	3.39	3.36	3.41	.87	.16	.84	2.46	.00	2.46	3.25	3.36	3.31	1.76	2.82	1.92	
	MEAN	1.99	2.93	2.15	.51	.73	.53	1.00	.00	1.00	2.96	2.76	2.95	2.96	2.76	2.95	
	SIGMA	3.14	2.79	3.10	1.11	.03	1.07	1.12	.00	1.12	2.94	4.16	3.13	2.94	4.16	3.13	
	MEAN	3.28	4.23	3.44	1.03	1.30	1.05	1.67	.00	1.67	3.24	3.04	3.24	3.24	3.04	3.24	
	SIGMA	3.46	2.78	3.37	.87	.14	.84	1.73	.00	1.73	4.54	6.88	4.90	4.54	6.88	4.90	
	MEAN	5.07	7.18	5.44	1.40	1.55	1.41	3.30	.00	3.30	5.22	4.86	5.22	5.22	4.86	5.22	
	SIGMA	5.46	4.82	5.40	1.58	.21	1.52	3.82	.00	3.82	5.22	4.86	5.22	5.22	4.86	5.22	
	MEAN	2.34	3.50	2.45	1.52	1.08	1.50	1.95	.00	1.95	2.22	3.39	2.32	2.22	3.39	2.32	
	SIGMA	1.41	2.91	1.30	.32	.16	.32	.68	.00	.68	1.34	2.89	1.26	1.34	2.89	1.26	
ALL	MEAN	2.21	2.58	2.35	.98	.73	.99	1.30	.00	1.30	2.03	2.50	2.15	2.03	2.50	2.15	
	SIGMA	2.17	2.50	1.96	.79	.03	.78	.57	.00	.57	2.06	2.47	1.89	2.06	2.47	1.89	
	MEAN	1.77	2.92	1.88	1.38	1.30	1.36	2.28	.00	2.28	1.70	2.84	1.80	1.70	2.84	1.80	
	SIGMA	1.20	2.31	1.39	.41	.14	.40	.90	.00	.90	1.03	2.28	1.22	1.03	2.28	1.22	
	MEAN	5.82	6.57	6.35	2.91	1.55	2.91	3.60	.00	3.60	5.38	6.34	5.86	5.38	6.34	5.86	
	SIGMA	4.79	4.63	4.88	1.52	.21	1.52	2.10	.00	2.10	4.56	4.64	4.70	4.56	4.64	4.70	
	MEAN	1.76	2.58	1.86	-.70	.00	-.70	.53	.00	.53	1.41	2.58	1.53	1.41	2.58	1.53	
	SIGMA	3.44	3.05	3.40	.89	.00	.89	2.48	.00	2.48	3.31	3.05	3.30	3.31	3.05	3.30	
	MEAN	1.86	2.26	1.91	-.56	.00	-.56	-1.10	.00	-1.10	1.50	2.40	1.59	1.50	2.40	1.59	
	SIGMA	3.51	2.66	3.42	1.17	.00	1.17	1.70	.00	1.70	3.33	3.05	3.31	3.33	3.05	3.31	
T-W	MEAN	1.86	3.94	2.10	-1.36	.00	-1.36	.70	.00	.70	1.39	3.94	1.64	1.39	3.94	1.64	
	SIGMA	5.36	6.18	5.49	1.56	.00	1.56	3.11	.00	3.11	5.09	6.18	5.25	5.09	6.18	5.25	

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 2.00-2.49 * * * ALL-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	123	19	142	11	0	11	2	0	2	137	20	157				
	PER CENT	3.02	3.20	3.04	1.03	.00	.99	.51	.00	.50	2.42	3.06	2.49				
	MEAN	2.25	2.19	2.24*	2.27*	.00	2.27*	2.41	.00	2.41*	2.25	2.19	2.24*				
	SIGMA	.15	.17	.15	.12	.00	.12	.02	.00	.02	.15	.17	.15				
	SIGMA	1.42	1.37	1.87	1.87	.00	1.87	.46	.00	.46	1.43	1.01	1.38				
	SIGMA	1.01	.73	.98	1.23	.00	1.23	.28	.00	.28	1.03	.71	1.00				
	MEDIAN	2.16	2.05	2.14	2.00	.00	2.00	2.42	.00	2.42	2.15	2.06	2.14				
	SIGMA	.60	.48	.59	.75	.00	.75	.04	.00	.04	.61	.47	.59				
	MEAN	3.80	3.45	3.76	4.47	.00	4.47	2.95	.00	2.95	3.83	3.43	3.78				
	SIGMA	1.38	1.08	1.34	1.64	.00	1.64	.35	.00	.35	1.40	1.06	1.36				

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
TRIM	MEAN	3.37	4.54	3.55	3.04	8.23	3.56	2.32	.00	2.32	3.33	4.86	3.56				
	SIGMA	3.53	3.73	3.57	3.12	.00	3.37	2.72	.00	2.72	3.48	3.71	3.55				
	MEAN	2.07	2.19	2.21	2.29	2.97	2.29	2.23	.00	2.23	2.08	3.10	2.23				
	SIGMA	2.33	2.11	2.31	2.12	.00	2.01	.75	.00	.75	2.20	2.22	2.30				
	MEAN	3.28	4.10	3.40	2.91	7.50	3.37	2.32	.00	2.32	3.15	4.52	3.35				
	SIGMA	3.58	3.29	3.54	3.04	.00	3.22	2.72	.00	2.72	3.25	3.53	3.32				
	MEAN	5.16	7.19	5.46	5.18	11.50	5.81	3.90	.00	3.90	5.14	7.65	5.51				
	SIGMA	4.96	4.72	4.96	5.00	.00	5.12	3.25	.00	3.25	4.91	4.76	4.96				

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
ALL	MEAN	2.62	3.54	2.75	2.68	8.23	2.91	2.38	.00	2.38	2.62	3.72	2.76				
	SIGMA	1.34	3.15	1.36	1.13	.00	1.31	.90	.00	.90	1.31	3.16	1.34				
	MEAN	2.20	2.08	2.32	2.49	2.97	2.64	1.48	.00	1.48	2.20	2.20	2.33				
	SIGMA	1.66	1.72	1.72	1.23	.00	1.30	.13	.00	.13	1.62	1.72	1.69				
	MEAN	2.22	2.93	2.37	2.23	7.50	2.41	2.20	.00	2.20	2.18	3.08	2.28				
	SIGMA	1.44	2.51	1.99	1.40	.00	1.58	.28	.00	.28	1.21	2.56	1.34				
	MEAN	6.00	6.26	6.46	6.63	11.50	7.25	4.70	.00	4.70	6.01	6.68	6.51				
	SIGMA	4.23	4.37	4.26	3.39	.00	3.61	2.12	.00	2.12	4.14	4.51	4.22				

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
T-W	MEAN	1.41	.67	1.31	1.28	.00	1.28	-.09	.00	-.09	1.37	.93	1.32				
	SIGMA	3.74	2.39	3.59	3.30	.00	3.30	2.74	.00	2.74	3.68	2.61	3.55				
	MEAN	1.36	.62	1.26	1.45	.00	1.45	-.10	.00	-.10	1.25	1.00	1.22				
	SIGMA	3.71	2.92	3.61	2.97	.00	2.97	2.76	.00	2.76	3.39	3.44	3.39				
	MEAN	1.74	1.37	1.69	1.24	.00	1.24	.95	.00	.95	1.69	1.82	1.71				
	SIGMA	5.21	3.58	5.01	5.31	.00	5.31	3.61	.00	3.61	5.17	4.02	5.03				

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

WALLS	COUNT	*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****					
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
PER CENT		113	18	131	9	0	9	5	1	6	128	20	148
MEAN		2.77	3.03	2.81	.84	.00	.81	1.26	20.00	1.50	2.27	3.06	2.35
SIGMA		2.74	2.74	2.72*	2.72	.00	2.72*	2.75	2.72	2.75*	2.72	2.75	2.72*
MEAN		.14	.15	.14	.14	.00	.14	.13	.00	.11	.14	.15	.14
SIGMA		1.75	2.16	1.81	2.04	.00	2.04	2.16	.57	1.89	1.78	2.07	1.82
MEAN		1.49	1.28	1.47	2.44	.00	2.44	1.94	.00	1.85	1.57	1.27	1.53
SIGMA		2.48	2.41	2.47	2.13	.00	2.13	2.48	2.90	2.55	2.45	2.45	2.45
MEDIAN		.91	.88	.91	1.07	.00	1.07	.79	.00	.72	.92	.85	.90
HIGH		4.77	5.32	4.85	5.48	.00	5.48	5.36	3.20	5.00	4.84	5.21	4.89
SIGMA		2.16	2.01	2.14	3.68	.00	3.68	2.86	.00	2.71	2.29	1.96	2.25

TRIM	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
4.88	2.72	4.58	1.35	.00	1.35	.00	1.35	.98	.00	1.09	4.70	2.67	4.44	
2.14	2.47	2.20	1.16	.00	1.16	.00	1.16	.99	1.01	.99	1.99	2.41	2.05	
2.67	2.32	2.60	2.29	.00	2.29	.00	2.29	.95	.00	.85	2.59	2.28	2.54	
4.15	4.39	4.19	.85	.00	.85	.00	.85	1.51	3.10	1.77	3.64	4.21	3.73	
4.28	3.13	4.10	1.08	.00	1.08	.00	1.08	1.00	.00	1.10	3.82	2.74	3.67	
6.29	6.67	6.36	2.43	.00	2.43	.00	2.43	2.26	3.90	2.53	5.75	6.55	5.88	
6.29	4.31	5.99	3.76	.00	3.76	.00	3.76	1.93	.00	1.85	6.12	4.25	5.86	

ALL	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
2.30	2.28	1.76	.42	.00	.42	.00	.42	.38	.00	.40	2.20	2.21	1.70	
2.79	2.43	2.89	2.16	.00	2.16	.00	2.16	2.01	.72	1.80	2.69	2.35	2.78	
2.26	1.88	2.10	1.99	.00	1.99	.00	1.99	1.21	.00	1.20	2.21	1.84	2.06	
3.15	3.58	2.84	1.69	.00	1.69	.00	1.69	2.09	3.00	2.24	2.79	3.44	2.70	
2.92	2.71	1.85	1.17	.00	1.17	.00	1.17	.67	.00	.70	1.84	2.30	1.57	
7.57	6.99	7.88	5.54	.00	5.54	.00	5.54	5.36	3.90	5.12	7.28	6.83	7.59	
5.19	3.77	5.06	3.64	.00	3.64	.00	3.64	2.86	.00	2.63	5.05	3.69	4.92	

T-W	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
4.71	3.83	4.60	1.39	.00	1.39	.00	1.39	.92	.00	1.05	4.55	3.80	4.46	
1.40	3.58	1.71	-1.28	.00	-1.28	.00	-1.28	-0.97	.20	-0.77	1.11	2.23	1.26	
3.91	5.27	4.18	1.03	.00	1.03	.00	1.03	1.66	.00	1.56	3.90	2.71	3.77	
1.31	2.97	1.55	-3.04	.00	-3.04	.00	-3.04	-3.10	.70	-2.47	.78	2.51	1.02	
6.21	7.03	6.33	3.52	.00	3.52	.00	3.52	1.25	.00	1.91	6.07	6.84	6.19	

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 3.00-3.99 * * * ALL-FAMILY UNITS * * * WET ROOMS

WALLS	COUNT	PER CENT	MEAN	SIGMA	*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****			
					GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD	ALL	ALL
	168		4.12		31	199	10	12	1	0	1	183	33	216
MEAN	3.46		3.47		3.46*	3.46*	3.27	1.08	.25	.00	.25	3.24	5.05	3.43
SIGMA	.29		.31		.29	.29	.29	3.31*	3.57*	.00	3.57*	3.45	3.47	3.46*
MEAN	2.24		2.85		2.34	2.55	2.55	2.73	.44	.00	.44	2.28	2.90	2.37
SIGMA	1.77		2.07		1.83	2.45	2.45	2.25	.00	.00	.00	1.81	2.01	1.85
MEDIAN	3.06		2.80		3.02	2.45	2.45	2.64	3.60	.00	3.60	3.03	2.85	3.00
SIGMA	.99		1.40		1.06	1.45	1.45	1.39	.00	.00	.00	1.01	1.37	1.07
MEAN	6.18		7.06		6.31	6.77	6.77	6.78	4.00	.00	4.00	6.24	7.05	6.36
SIGMA	2.59		3.39		2.74	3.61	3.61	3.27	.00	.00	.00	2.55	3.28	2.77
TRIM														
MEAN	4.48		5.98		4.76	3.12	3.12	3.12	1.40	.00	1.40	4.33	5.98	4.62
SIGMA	4.27		4.67		4.38	3.85	3.85	3.85	.00	.00	.00	4.26	4.67	4.37
MEAN	2.74		3.01		2.79	2.15	2.15	2.15	.00	.00	.00	2.63	3.01	2.70
SIGMA	3.86		2.78		3.67	3.58	3.58	3.58	.00	.00	.00	3.80	2.78	3.64
MEAN	4.15		5.42		4.39	2.93	2.93	2.93	1.40	.00	1.40	4.09	5.48	4.33
SIGMA	4.01		3.97		4.02	3.84	3.84	3.84	.00	.00	.00	4.30	4.11	4.29
MEAN	6.78		8.64		7.13	4.83	4.83	4.83	1.40	.00	1.40	6.53	8.64	6.90
SIGMA	6.66		6.58		6.67	6.23	6.23	6.23	.00	.00	.00	6.61	6.58	6.64
ALL														
MEAN	3.87		4.94		3.98	3.62	3.62	3.34	3.14	.00	3.14	3.84	4.88	3.93
SIGMA	1.93		3.43		1.71	1.69	1.69	1.31	.00	.00	.00	1.89	3.37	1.68
MEAN	3.19		3.62		3.35	3.41	3.41	3.25	1.05	.00	1.05	3.20	3.62	3.34
SIGMA	2.38		2.39		2.31	2.47	2.47	2.01	.00	.00	.00	2.36	2.34	2.27
MEAN	3.34		4.17		3.46	2.97	2.97	2.74	3.30	.00	3.30	3.36	4.14	3.34
SIGMA	1.97		3.11		2.05	1.82	1.82	1.54	.00	.00	.00	2.49	3.16	1.89
MEAN	8.56		9.48		9.14	8.62	8.62	8.62	4.00	.00	4.00	8.54	9.37	9.07
SIGMA	5.53		5.57		5.64	4.85	4.85	4.85	.00	.00	.00	5.43	5.48	5.54
T-W														
MEAN	1.23		1.69		1.30	-.87	2.74	-.22	-2.17	.00	-2.17	1.05	1.76	1.16
SIGMA	4.38		4.60		4.41	3.87	.30	3.76	.00	.00	.00	4.39	4.46	4.39
MEAN	1.31		1.69		1.37	-.08	2.30	.35	-2.20	.00	-2.20	1.17	2.22	1.33
SIGMA	4.33		4.11		4.29	3.73	.78	3.48	.00	.00	.00	4.31	5.59	4.53
MEAN	.89		.29		.80	-3.18	3.25	-2.01	-2.60	.00	-2.60	.53	.47	.52
SIGMA	7.12		6.24		6.98	8.12	3.04	7.77	.00	.00	.00	7.21	6.11	7.03

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 4.00-4.99 * * * ALL-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGFS*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	109	23	132	1	12	1	3	
	PER CENT	2.67	3.87	1.03	2.56	1.08	20.00	.75	
	MEAN	4.46	4.53	4.47*	4.51	4.51*	4.95	4.79*	
	SIGMA	.28	.35	.30	.00	.30	.00	.25	
	MEAN	2.82	3.66	2.96	4.35	2.27	2.89	2.21	
	SIGMA	2.38	2.14	2.35	.00	2.67	3.67	.00	
	MEDIAN	4.12	4.13	4.12	6.60	4.28	4.65	4.72	
	SIGMA	1.47	1.50	1.47	1.32	1.45	.14	.15	
	MEAN	7.75	8.90	7.95	7.40	7.02	7.55	7.03	
	SIGMA	3.42	3.39	3.43	.00	3.91	3.89	.00	
TRIM	MEAN	4.66	5.71	4.81	.00	3.22	3.42	3.81	
	SIGMA	3.83	4.53	3.93	.00	5.08	.82	.90	
	MEAN	2.77	2.22	2.69	.00	.86	4.10	3.07	
	SIGMA	2.94	3.15	2.96	.00	1.66	2.22	2.38	
	MEAN	4.48	5.37	4.60	.00	2.95	2.35	3.10	
	SIGMA	3.55	3.48	3.54	.00	4.54	1.34	1.61	
	MEAN	7.06	7.46	7.11	.00	3.88	7.80	7.07	
	SIGMA	5.69	5.90	5.70	.00	6.17	3.82	2.98	
	MEAN	4.65	4.83	4.64	4.00	4.20	4.16	4.37	
	SIGMA	1.77	2.02	1.54	.00	1.83	.18	.39	
ALL	MEAN	3.51	3.44	3.59	4.35	3.34	3.79	2.81	
	SIGMA	2.06	2.49	2.00	.00	1.98	.71	1.77	
	MEAN	4.27	4.61	4.23	6.60	4.53	3.90	4.13	
	SIGMA	2.45	2.27	2.27	.00	2.46	.85	.72	
	MEAN	9.64	9.26	9.98	7.40	8.66	10.40	8.93	
	SIGMA	4.56	4.88	4.62	.00	5.44	.14	2.54	
	MEAN	.07	1.60	.34	-1.11	-3.20	-1.30	-3.25	
	SIGMA	3.90	4.25	3.99	5.35	.00	1.13	.00	
	MEAN	.19	1.73	.47	-.97	-5.30	-2.30	-2.25	
	SIGMA	4.09	4.29	4.15	4.65	.00	1.20	.00	
T-W	MEAN	-.96	-.10	-.81	-2.86	-6.10	.25	-.40	
	SIGMA	6.36	6.47	6.36	7.58	.00	7.71	.00	
	MEAN	-1.04	-.35	-.35	6.44	.00	5.46	.00	
	SIGMA	4.08	4.35	4.35	4.08	.00	4.46	.00	
	MEAN	4.08	4.35	4.35	4.08	.00	4.46	.00	
	SIGMA	4.08	4.35	4.35	4.08	.00	4.46	.00	
	MEAN	4.08	4.35	4.35	4.08	.00	4.46	.00	
	SIGMA	4.08	4.35	4.35	4.08	.00	4.46	.00	
	MEAN	4.08	4.35	4.35	4.08	.00	4.46	.00	
	SIGMA	4.08	4.35	4.35	4.08	.00	4.46	.00	

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 5.00-7.49 * * * ALL-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	174	47	221	1	19	0	1	48
	PER CENT								
	MEAN	4.27	7.91	4.73	1.68	1.71	.00	.25	7.34
	SIGMA	6.20	6.03	6.17*	6.20	6.24*	.00	5.35*	6.05
	MEAN	.73	.65	.71	.69	.69	.00	.00	.65
	SIGMA	3.99	3.51	3.89	3.49	3.32	.00	3.88	3.44
	MEAN	3.04	2.42	2.92	3.43	3.41	.00	.00	2.44
	SIGMA	6.36	5.98	6.28	6.59	6.60	.00	5.55	6.00
	MEAN	2.46	2.02	2.37	2.56	2.49	.00	.00	2.00
	SIGMA	10.52	9.60	10.33	9.99	9.84	.00	9.60	9.55
	MEAN	4.19	2.94	3.97	4.02	3.96	.00	.00	4.20
	SIGMA								2.93
	ALL								
	GOOD				5.00			5.00	
	BAD				.00			.00	
	ALL								
	GOOD								
	BAD								
	ALL								
	GOOD								
	BAD								
	ALL								
	GOOD								
	BAD								
	ALL								

TRIM

MEAN	4.86	6.33	5.18	1.44	6.45	1.71	.00	5.00	6.34	4.96
SIGMA	4.68	4.43	4.66	2.00	.00	2.27	.00	.00	4.62	4.62
MEAN	2.17	2.92	2.34	1.20	1.63	1.23	.00	7.28	2.89	2.26
SIGMA	2.55	2.97	2.66	1.79	.00	1.74	.00	.00	2.51	2.95
MEAN	4.45	5.81	4.75	1.49	6.45	1.77	.00	.90	4.10	5.82
SIGMA	4.05	3.74	4.02	2.32	.00	2.54	.00	.00	3.70	3.75
MEAN	6.86	8.97	7.32	2.44	7.60	2.72	.00	13.40	6.53	8.94
SIGMA	6.18	5.45	6.08	3.55	.00	3.65	.00	.00	6.12	5.40

132

ALL

MEAN	5.63	6.11	5.77	4.76	6.72	4.86	.00	5.20	6.12	5.73
SIGMA	2.00	2.57	1.87	.81	.00	.91	.00	.00	1.95	2.55
MEAN	4.24	3.63	4.26	3.95	.88	3.79	.00	5.02	4.23	3.58
SIGMA	2.35	2.30	2.15	1.93	.00	2.00	.00	.00	2.32	2.31
MEAN	5.22	5.79	5.37	4.53	6.90	4.66	.00	3.90	5.31	5.74
SIGMA	2.75	3.03	2.76	2.00	.00	2.02	.00	.00	3.11	2.87
MEAN	11.42	10.56	11.79	9.99	7.60	9.86	.00	13.40	11.38	10.52
SIGMA	5.12	4.42	4.77	4.02	.00	3.95	.00	.00	5.04	4.74

T-W

MEAN	-1.11	-.52	-.99	-4.81	-.45	-4.57	.00	-.35	-1.39	-.51
SIGMA	4.79	4.14	4.66	1.85	.00	2.07	.00	.00	4.72	4.10
MEAN	-1.73	-.76	-1.53	-5.18	-.45	-4.92	.00	-4.65	-2.11	-.75
SIGMA	4.81	4.06	4.67	3.07	.00	3.18	.00	.00	4.45	4.01
MEAN	-3.34	-1.84	-3.02	-7.72	.40	-7.27	.00	3.80	-3.70	-1.79
SIGMA	7.25	5.46	6.93	3.60	.00	3.99	.00	.00	7.21	5.41

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 7.50-9.99 * * * ALL-FAMILY UNITS * * * WET ROOMS

WALLS	COUNT	PER CENT	*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****		
			GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD	ALL
MEAN	109	2.67	4.38	2.89	1.21	2.56	0	0	126	27	153
SIGMA	8.60	8.45	8.57*	8.57*	8.48	8.48*	.00	.00	8.58	8.46	8.56*
MEAN	.78	.61	.75	.75	.61	.59	.00	.00	.75	.60	.73
SIGMA	4.54	3.25	4.29	4.29	4.48	4.62	.00	.00	4.58	3.37	4.37
MEAN	3.66	2.63	3.51	3.51	3.83	3.72	.00	.00	3.63	2.66	3.50
SIGMA	9.05	9.01	9.04	9.04	9.29	9.35	.00	.00	9.14	9.05	9.12
MEAN	2.51	1.80	2.39	2.39	2.76	2.66	.00	.00	2.87	1.78	2.70
SIGMA	13.10	11.67	12.83	12.83	12.72	13.02	.00	.00	13.08	11.87	12.87
MEAN	4.32	2.58	4.08	4.08	3.55	3.60	.00	.00	4.18	2.73	3.98
SIGMA											
TRIM											
MEAN	6.01	6.29	6.06	6.06	2.71	6.60	3.27	.00	5.66	6.08	5.74
SIGMA	4.94	2.50	4.60	4.60	4.60	2.83	4.52	.00	4.98	2.45	4.61
MEAN	2.99	2.25	2.86	2.86	.92	2.40	1.14	.00	2.77	2.42	2.70
SIGMA	3.25	1.77	3.04	3.04	1.41	.48	1.41	.00	3.17	1.82	2.96
MEAN	5.51	6.50	5.69	5.69	2.23	6.95	2.91	.00	5.11	6.27	5.33
SIGMA	4.10	2.64	3.89	3.89	3.20	1.91	3.45	.00	4.02	2.55	3.80
MEAN	8.54	8.20	8.48	8.48	3.62	8.75	4.35	.00	8.01	8.08	8.02
SIGMA	6.45	3.11	5.98	5.98	5.63	2.90	5.57	.00	6.52	3.00	6.00
ALL											
MEAN	7.48	7.63	7.54	7.54	6.94	6.57	6.96	.00	7.43	7.28	7.46
SIGMA	2.13	1.50	1.83	1.83	1.67	2.79	1.65	.00	2.08	1.79	1.81
MEAN	4.88	3.20	4.78	4.78	5.35	3.74	5.41	.00	4.94	3.27	4.85
SIGMA	2.68	2.18	2.54	2.54	2.47	1.41	2.20	.00	2.63	2.15	2.48
MEAN	7.30	7.86	7.43	7.43	6.07	6.95	6.12	.00	7.26	7.50	7.31
SIGMA	3.09	2.06	2.77	2.77	3.06	1.91	2.95	.00	3.46	2.22	3.12
MEAN	14.09	11.27	14.08	14.08	13.48	11.85	13.74	.00	14.02	10.93	14.04
SIGMA	5.34	2.85	4.84	4.84	3.87	7.28	3.83	.00	5.13	3.24	4.69
T-W											
MEAN	-2.49	-2.58	-2.51	-2.51	-5.62	.10	-5.21	.00	-2.89	-2.48	-2.82
SIGMA	5.16	2.78	4.79	4.79	4.72	.00	4.79	.00	5.13	2.78	4.79
MEAN	-3.49	-2.78	-3.35	-3.35	-6.80	-1.75	-6.44	.00	-4.02	-2.74	-3.79
SIGMA	4.87	3.65	4.66	4.66	4.83	.00	4.84	.00	5.09	3.59	4.88
MEAN	-4.46	-3.90	-4.35	-4.35	-8.86	-6.20	-8.67	.00	-5.04	-3.98	-4.85
SIGMA	8.36	3.86	7.69	7.69	7.41	.00	7.16	.00	8.27	3.81	7.67

* INDICATES SURFACES (BY AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL 10.00 AND UP * * * ALL-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	224	64	288	26	4	30	0	0	0	253	70	323				
	PER CENT	5.50	10.77	6.17	2.43	10.26	2.71	.00	.00	.00	4.48	10.70	5.12				
	MEAN	15.68	15.88	15.73*	14.78	12.12	14.43*	.00	.00	.00*	15.54	15.64	15.56*				
	SIGMA	5.15	6.23	5.39	4.75	1.78	4.54	.00	.00	.00	5.10	6.03	5.30				
	MEAN	5.01	4.80	4.97	3.88	4.21	3.92	.00	.00	.00	4.90	4.67	4.85				
	SIGMA	4.61	4.58	4.60	3.91	2.83	3.74	.00	.00	.00	4.56	4.45	4.53				
	MEDIAN	12.76	13.64	12.96	12.05	11.46	11.97	.00	.00	.00	12.94	13.25	13.01				
	SIGMA	3.49	3.76	3.57	2.67	1.37	2.52	.00	.00	.00	3.59	3.69	3.61				
	MEAN	20.39	20.45	20.40	18.16	16.82	17.98	.00	.00	.00	20.14	20.11	20.13				
	SIGMA	6.91	7.65	7.07	6.70	3.24	6.33	.00	.00	.00	6.95	7.43	7.04				

TRIM

	MEAN	7.24	8.11	7.42	5.10	7.46	5.49	.00	.00	.00	6.99	7.98	7.19			
	SIGMA	5.92	6.19	5.98	8.25	6.72	7.96	.00	.00	.00	6.18	6.11	6.17			
	MEAN	3.64	4.22	3.76	1.04	3.91	1.52	.00	.00	.00	3.38	4.14	3.54			
	SIGMA	4.32	3.94	4.24	2.09	4.58	2.77	.00	.00	.00	4.19	3.91	4.14			
	MEAN	6.44	7.02	6.56	3.59	9.67	4.60	.00	.00	.00	5.88	6.68	6.05			
	SIGMA	5.35	5.23	5.32	4.95	10.56	6.40	.00	.00	.00	5.03	4.65	4.95			
	MEAN	10.42	12.16	10.78	5.98	10.94	6.81	.00	.00	.00	9.94	11.91	10.35			
	SIGMA	8.27	9.01	8.45	9.12	10.44	9.35	.00	.00	.00	8.40	8.95	8.55			

ALL

	MEAN	12.23	12.76	12.47	12.13	8.59	11.82	.00	.00	.00	12.17	12.49	12.36			
	SIGMA	4.75	5.98	4.20	4.97	5.38	4.83	.00	.00	.00	4.76	5.94	4.25			
	MEAN	6.79	5.96	7.45	6.54	4.62	6.55	.00	.00	.00	6.76	5.88	7.35			
	SIGMA	3.96	4.42	3.58	2.94	3.05	2.70	.00	.00	.00	3.86	4.30	3.50			
	MEAN	9.46	10.10	9.39	9.95	7.09	9.80	.00	.00	.00	10.04	10.17	10.07			
	SIGMA	3.31	4.07	2.42	1.37	4.16	1.49	.00	.00	.00	3.60	4.08	3.02			
	MEAN	20.08	19.33	21.35	18.17	15.38	18.28	.00	.00	.00	19.89	19.04	21.00			
	SIGMA	7.83	8.81	7.21	6.70	9.79	6.55	.00	.00	.00	7.76	8.77	7.21			

T-W

	MEAN	-8.18	-8.84	-8.33	-9.86	-2.89	-8.93	.00	.00	.00	-8.34	-8.53	-8.38			
	SIGMA	7.62	7.63	7.62	6.75	6.25	7.01	.00	.00	.00	7.50	7.54	7.50			
	MEAN	-6.16	-7.25	-6.41	-8.58	.54	-7.36	.00	.00	.00	-6.92	-7.14	-6.97			
	SIGMA	5.99	6.37	6.08	4.31	11.49	6.29	.00	.00	.00	6.13	5.69	6.03			
	MEAN	-9.58	-9.95	-9.66	-12.38	-3.35	-11.18	.00	.00	.00	-9.89	-9.55	-9.82			
	SIGMA	10.26	9.62	10.11	6.46	8.21	7.26	.00	.00	.00	9.95	9.48	9.83			

* INDICATES SURFACES (8Y AGE) UPON WHICH THE LEAD LEVEL INTERVAL IS BASED.

MEAN LEAD INTERVAL ALL LEVELS * * * ALL-FAMILY UNITS * * * WET ROOMS

		*****PRE 1940*****		*****1940-1959*****		*****1960-1975*****		*****ALL AGES*****	
		GOOD	BAD	GOOD	BAD	GOOD	BAD	GOOD	BAD
WALLS	COUNT	4075	594	4669	39	1109	5	401	654
	PER CENT	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	MEAN	2.02	3.34	2.19	.88	2.15	.93	.19	1.66
	SIGMA	4.04	5.33	4.25	2.71	3.95	2.77	.79	3.70
	MEAN	1.26	1.70	1.32	.72	1.31	.74	.48	1.10
	SIGMA	2.08	2.44	2.13	1.29	1.84	.31	.49	1.90
	MEDIAN	1.81	3.02	1.97	.80	2.13	.85	.18	1.51
	MEAN	3.51	4.60	3.69	2.39	3.91	2.47	.80	3.29
	MEAN	3.40	5.18	3.62	1.69	3.61	1.76	.74	2.87
	SIGMA	5.58	6.95	5.80	3.62	5.62	3.72	1.13	5.13
	MEAN	3.35	4.89	3.57	1.12	2.86	1.19	.78	2.74
	SIGMA	4.06	4.43	4.15	2.28	3.86	2.38	1.26	3.79
	MEAN	1.83	2.70	1.95	.59	1.60	.63	.42	1.49
	SIGMA	2.71	3.00	2.77	1.28	2.49	1.36	.79	2.46
	MEAN	3.10	4.44	3.29	1.05	3.13	1.13	.74	2.51
	SIGMA	3.72	3.89	3.78	1.89	4.95	2.12	1.06	3.33
	MEAN	4.95	7.30	5.28	1.64	4.18	1.74	1.18	4.05
	SIGMA	5.70	6.27	5.83	2.95	5.66	3.13	1.72	5.30
	MEAN	2.55	4.06	2.68	.98	2.10	1.02	.36	2.09
	SIGMA	3.46	4.61	3.45	2.29	3.35	2.35	.82	3.23
	MEAN	2.35	2.74	2.57	1.08	1.52	1.12	.68	1.99
	SIGMA	2.59	2.88	2.65	1.57	1.88	1.60	.67	2.41
	MEAN	1.96	3.37	2.00	.79	1.84	.82	.29	1.64
	SIGMA	3.07	3.95	3.01	1.92	3.03	1.99	.86	2.95
	MEAN	6.01	7.58	6.59	2.46	4.11	2.58	1.32	5.00
	SIGMA	6.58	7.15	6.82	4.02	5.85	4.19	1.75	6.18
	MEAN	1.35	1.34	1.35	.21	.67	.23	.61	1.08
	SIGMA	4.81	5.89	4.96	2.85	2.91	2.85	1.20	4.35
	MEAN	1.29	1.32	1.29	.92	.23	.25	.57	.99
	SIGMA	4.30	5.30	4.45	2.63	3.88	2.69	1.08	3.92
	MEAN	1.59	1.80	1.61	-.09	.62	-.07	.44	1.18
	SIGMA	6.68	7.89	6.85	3.81	4.52	3.84	1.57	6.04
	MEAN	3.35	4.69	3.79	1.24	1.72	1.98	.78	2.74
	SIGMA	4.43	4.37	4.37	4.0	4.21	.94	.42	3.79
	MEAN	2.46	2.95	2.78	1.03	2.05	1.79	1.06	2.46
	SIGMA	3.76	3.76	3.76	1.14	3.01	3.01	1.18	4.05
	MEAN	4.05	6.20	5.30	1.69	2.33	2.33	1.72	5.30
	SIGMA	5.30	6.20	5.30	1.69	2.33	2.33	1.72	5.30
	MEAN	2.09	3.87	3.47	.34	1.47	1.47	.36	2.09
	SIGMA	3.23	4.52	3.23	.79	1.83	1.83	.82	3.23
	MEAN	1.99	2.63	1.99	.67	.99	.68	.68	1.99
	SIGMA	2.81	2.81	2.81	.67	.90	.90	.67	2.81
	MEAN	3.25	3.25	3.25	.28	1.51	1.51	.29	1.64
	SIGMA	3.93	3.93	3.93	.83	1.85	1.85	.86	2.95
	MEAN	5.01	7.25	5.00	1.29	2.48	2.48	1.32	5.00
	SIGMA	6.47	7.06	6.18	1.71	2.40	2.40	1.75	6.18
	MEAN	1.08	1.28	1.08	.60	.83	.83	.61	1.08
	SIGMA	4.52	5.70	4.35	1.20	1.04	1.04	1.20	4.35
	MEAN	1.25	1.25	.99	.57	.83	.57	.57	.99
	SIGMA	5.07	5.07	3.92	1.09	.95	1.08	1.08	3.92
	MEAN	1.70	1.70	1.18	.44	.76	.44	.44	1.18
	SIGMA	6.23	7.64	6.04	1.58	.75	1.57	1.57	6.04

APPENDIX C
Set "C" Tables

Table of Contents

<u>Occupancy Class</u>	<u>Room Type</u>	<u>Pages</u>
SINGLE-FAMILY	DRY	137-148
	WET	149-160
ALL	DRY	161-172
	WET	173-184

CHILDREN-COUNT AND PERCENT		1	.22	0	.00	0	.00	0	.00	0	.00	1	.22	0	.00	0	.00	0	.00	1	.22	0	.00	0	.00	1	.22	
WALLS	COUNT	7	0	7	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0	7	0	0	0	0	0	7	0	0
	MEAN	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	SIGMA	.83	.00	.83	.00	.00	.00	.00	.00	.00	.00	.83	.00	.00	.00	.00	.00	.00	.00	.83	.00	.00	.00	.00	.83	.00	.00	.83
	SIGMA	.44	.00	.44	.00	.00	.00	.00	.00	.00	.00	.44	.00	.00	.00	.00	.00	.00	.00	.44	.00	.00	.00	.00	.44	.00	.00	.44
	SIGMA	.26	.00	.26	.00	.00	.00	.00	.00	.00	.00	.26	.00	.00	.00	.00	.00	.00	.00	.26	.00	.00	.00	.00	.26	.00	.00	.26
	SIGMA	.88	.00	.88	.00	.00	.00	.00	.00	.00	.00	.88	.00	.00	.00	.00	.00	.00	.00	.88	.00	.00	.00	.00	.88	.00	.00	.88
	SIGMA	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	SIGMA	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
TRIM	MEAN	.00	1.90	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	SIGMA	.11	.00	.75	.00	.00	.00	.00	.00	.00	.00	.11	.00	.00	.00	.00	.00	.00	.00	.11	.00	.00	.00	.00	.11	.00	.00	.75
	SIGMA	.37	.00	.31	.00	.00	.00	.00	.00	.00	.00	.37	.00	.00	.00	.00	.00	.00	.00	.37	.00	.00	.00	.00	.37	.00	.00	.31
	SIGMA	.14	.00	.19	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.00	.00	.00	.14	.00	.00	.00	.00	.14	.00	.00	.19
	SIGMA	.00	1.90	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.20
	SIGMA	.13	.00	.75	.00	.00	.00	.00	.00	.00	.00	.13	.00	.00	.00	.00	.00	.00	.00	.13	.00	.00	.00	.00	.13	.00	.00	.75
	SIGMA	.22	1.90	.46	.00	.00	.00	.00	.00	.00	.00	.22	1.90	.46	.00	.00	.00	.00	.00	.22	1.90	.46	.00	.00	.22	1.90	.46	
	SIGMA	.04	.00	.64	.00	.00	.00	.00	.00	.00	.00	.04	.00	.64	.00	.00	.00	.00	.00	.04	.00	.00	.00	.00	.04	.00	.00	.64
ALL	MEAN	.00	1.90	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	SIGMA	.49	.00	.43	.00	.00	.00	.00	.00	.00	.00	.49	.00	.43	.00	.00	.00	.00	.00	.49	.00	.00	.00	.00	.49	.00	.00	.43
	SIGMA	.50	.00	.60	.00	.00	.00	.00	.00	.00	.00	.50	.00	.60	.00	.00	.00	.00	.00	.50	.00	.00	.00	.00	.50	.00	.00	.60
	SIGMA	.23	.00	.34	.00	.00	.00	.00	.00	.00	.00	.23	.00	.34	.00	.00	.00	.00	.00	.23	.00	.00	.00	.00	.23	.00	.00	.34
	SIGMA	.00	1.90	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.90	.00	.00	.00	.00	.00	.00	.00	1.90	.00	.00	.00	.00	1.90	.00	.00
	SIGMA	.41	.00	.36	.00	.00	.00	.00	.00	.00	.00	.41	.00	.36	.00	.00	.00	.00	.00	.41	.00	.00	.00	.00	.41	.00	.00	.36
	SIGMA	.19	1.90	.46	.00	.00	.00	.00	.00	.00	.19	1.90	.46	.00	.00	.00	.00	.00	.00	.19	1.90	.46	.00	.00	.19	1.90	.46	
	SIGMA	.09	.00	.64	.00	.00	.00	.00	.00	.00	.09	.00	.64	.00	.00	.00	.00	.00	.09	.00	.00	.00	.00	.09	.00	.00	.64	
T-W	MEAN	.87	.00	.87	.00	.00	.00	.00	.00	.00	.00	.87	.00	.87	.00	.00	.00	.00	.87	.00	.00	.00	.00	.87	.00	.00	.87	
	SIGMA	.81	.00	.81	.00	.00	.00	.00	.00	.00	.00	.81	.00	.81	.00	.00	.00	.00	.81	.00	.00	.00	.00	.81	.00	.00	.81	
	SIGMA	.89	.00	.89	.00	.00	.00	.00	.00	.00	.00	.89	.00	.89	.00	.00	.00	.00	.89	.00	.00	.00	.00	.89	.00	.00	.89	
	SIGMA	.87	.00	.87	.00	.00	.00	.00	.00	.00	.00	.87	.00	.87	.00	.00	.00	.00	.87	.00	.00	.00	.00	.87	.00	.00	.87	
	SIGMA	.46	.00	.46	.00	.00	.00	.00	.00	.00	.00	.46	.00	.46	.00	.00	.00	.00	.46	.00	.00	.00	.00	.46	.00	.00	.46	
	SIGMA	.64	.00	.64	.00	.00	.00	.00	.00	.00	.00	.64	.00	.64	.00	.00	.00	.00	.64	.00	.00	.00	.00	.64	.00	.00	.64	

† Levels given in µg/100 ml

BLOOD LEAD INTERVAL IS 5-9 * * * 3 CHILDREN * * * .7 PERCENT OF TOTAL SINGLE-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		2	.44	0	.00	1	.22	3	.66	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	8	1	9	0	0	0	9	1	18
	MEAN	.42	.37	.42	.00	.00	.00	.29	.37	.35
	SIGMA	1.11	.00	1.03	.00	.00	.00	.28	.00	.74
	MEAN	.62	.22	.58	.00	.00	.00	.46	.22	.52
	SIGMA	.41	.00	.41	.00	.00	.00	.21	.00	.32
	MEAN	.36	.30	.36	.00	.00	.00	.31	.30	.33
	SIGMA	1.07	.00	1.00	.00	.00	.00	.35	.00	.73
	MEAN	1.16	.70	1.11	.00	.00	.00	.73	.70	.92
	SIGMA	1.53	.00	1.44	.00	.00	.00	.27	.00	1.02
TRIM	MEAN	1.37	3.40	2.04	.00	.00	.00	.80	3.40	1.50
	SIGMA	1.63	1.34	1.77	.00	.00	.00	.50	1.34	1.48
	MEAN	1.04	2.81	1.63	.00	.00	.00	.35	2.81	1.07
	SIGMA	1.88	1.12	1.82	.00	.00	.00	.29	1.12	1.49
	MEAN	1.30	2.90	1.83	.00	.00	.00	.81	2.90	1.38
	SIGMA	1.59	.87	1.55	.00	.00	.00	.54	.87	1.30
	MEAN	2.32	6.40	3.68	.00	.00	.00	1.07	6.40	2.54
	SIGMA	2.67	2.69	3.23	.00	.00	.00	.55	2.69	2.73
ALL	MEAN	.66	2.90	1.09	.00	.00	.00	.46	2.90	.78
	SIGMA	1.02	1.78	1.05	.00	.00	.00	.21	1.78	.80
	MEAN	1.00	2.61	1.56	.00	.00	.00	.54	2.61	1.05
	SIGMA	.86	1.21	1.08	.00	.00	.00	.21	1.21	.92
	MEAN	.47	2.37	.63	.00	.00	.00	.51	2.37	.57
	SIGMA	.84	1.60	.76	.00	.00	.00	.25	1.60	.56
	MEAN	2.32	6.40	3.98	.00	.00	.00	1.11	6.40	2.54
	SIGMA	2.52	2.69	3.17	.00	.00	.00	.42	2.69	2.64
T-W	MEAN	1.50	2.59	1.62	.00	.00	.00	.60	2.59	1.18
	SIGMA	2.00	.00	1.91	.00	.00	.00	.58	.00	1.53
	MEAN	1.41	2.00	1.48	.00	.00	.00	.59	2.00	1.09
	SIGMA	1.80	.00	1.70	.00	.00	.00	.63	.00	1.38
	MEAN	2.24	5.20	2.57	.00	.00	.00	.39	5.20	1.61
	SIGMA	3.77	.00	3.66	.00	.00	.00	.75	.00	2.94

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		24	5.26	6	1.32	3	.66	34	7.46	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	113	9	27	0	27	0	15	9	15	159	9	15	159	9	168
	MEAN	.28	.15	.00	.00	.00	.00	.10	.18	.10	.18	.15	.10	.18	.15	.18
	SIGMA	1.36	.29	.67	.00	.67	.00	.29	.29	.29	1.23	.29	.29	1.23	.29	1.20
	MEAN	.47	.53	.38	.00	.38	.00	.41	.47	.41	.53	.47	.41	.53	.47	.47
	SIGMA	.38	.32	.19	.00	.19	.00	.18	.18	.18	.32	.40	.18	.32	.40	.40
MEDIAN	MEAN	.26	.10	.00	.00	.00	.00	.06	.16	.06	.16	.10	.06	.16	.10	.15
	SIGMA	1.12	.23	.66	.00	.66	.00	.29	.29	.29	1.03	.23	.29	1.03	.23	1.00
	MEAN	.82	.74	.19	.00	.19	.00	.59	.74	.59	.76	.74	.59	.76	.74	.76
HIGH	SIGMA	1.69	.47	.31	.00	.31	.00	.49	.47	.49	1.59	.47	.49	1.59	.47	1.55
	MEAN	2.57	3.69	.45	.79	.52	.48	.41	.48	.43	2.24	2.59	.43	2.24	2.59	2.29
	SIGMA	3.37	3.26	.69	.33	.64	.16	.37	.16	.32	3.22	2.97	.32	3.22	2.97	3.18
TRIM	MEAN	1.62	1.86	.80	.73	.78	.07	.50	.07	.51	1.44	1.36	.07	1.44	1.36	1.42
	SIGMA	2.32	1.63	.61	.32	.56	.07	.55	.07	.51	2.11	1.47	.07	2.11	1.47	2.03
	MEAN	3.24	2.45	.52	.74	.48	.16	.41	.16	.42	2.08	2.30	.16	2.08	2.30	2.10
MEDIAN	MEAN	3.29	3.28	.69	.38	.64	.16	.38	.16	.33	3.09	2.88	.16	3.09	2.88	3.02
	SIGMA	4.07	5.64	1.20	1.44	1.25	.53	.78	.53	.72	3.56	3.99	.53	3.56	3.99	3.62
	MEAN	4.88	3.90	.61	.31	.57	.21	.57	.21	.50	4.55	3.81	.21	4.55	3.81	4.44
ALL	MEAN	1.22	2.35	.00	.79	.00	.48	.15	.48	.19	.95	1.83	.19	.95	1.83	.99
	SIGMA	2.10	2.81	.42	.33	.32	.16	.28	.16	.24	1.91	2.45	.16	1.91	2.45	1.65
	MEAN	1.62	1.71	.77	.73	.86	.07	.44	.07	.46	1.41	1.33	.07	1.41	1.33	1.59
SIGMA	MEAN	1.82	1.74	.37	.32	.32	.07	.20	.07	.18	1.65	1.56	.07	1.65	1.56	1.74
	SIGMA	.63	1.64	.00	.74	.00	.48	.12	.48	.14	.47	1.34	.14	.47	1.34	.52
	MEAN	1.69	2.61	.49	.38	.43	.16	.31	.16	.29	1.45	2.21	.16	1.45	2.21	1.47
HIGH	SIGMA	3.86	4.56	.99	1.44	1.23	.53	.70	.53	.79	3.20	3.49	.53	3.20	3.49	3.58
	MEAN	4.75	4.00	.67	.31	.55	.21	.60	.21	.53	4.33	3.69	.21	4.33	3.69	4.38
	SIGMA	2.26	4.44	.97	.00	.97	.00	.33	.00	.33	1.98	4.44	.00	1.98	4.44	2.12
T-W	MEAN	3.13	4.56	.91	.00	.91	.00	.38	.00	.38	2.86	4.56	.00	2.86	4.56	3.02
	SIGMA	2.05	3.99	1.00	.00	1.00	.00	.37	.00	.37	1.83	3.99	.00	1.83	3.99	1.95
	MEAN	3.11	3.77	.93	.00	.93	.00	.35	.00	.35	2.80	3.77	.00	2.80	3.77	2.89
T-HIGH	MEAN	3.24	5.67	1.08	.00	1.08	.00	.08	.00	.08	2.68	5.67	.00	2.68	5.67	2.85
	SIGMA	4.78	5.58	.72	.00	.72	.00	.51	.00	.51	4.29	5.58	.00	4.29	5.58	4.40
	MEAN	2.43	3.29	.97	.00	.97	.00	.33	.00	.33	1.98	4.44	.00	1.98	4.44	2.12

BLOOD LEAD INTERVAL IS 15-19 * * * 100 CHILDREN * * * 21.9 PERCENT OF TOTAL SINGLE-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		71	15.57	19	4.17	9	1.97	100	21.93
WALLS	COUNT	269	63	100	1	53	3	429	67
	MEAN	.94	1.23	.18	1.27	.10	.42	.66	1.19
	SIGMA	2.62	3.51	.76	.00	.37	.30	2.15	3.41
	MEAN	.89	.89	.51	1.36	.42	.36	.74	.87
	SIGMA	1.99	1.15	.49	.00	.21	.22	1.61	1.12
TRIM	MEDIAN	1.04	.95	.13	1.30	.14	.52	.72	1.02
	SIGMA	3.17	2.52	.68	.00	.39	.29	2.59	2.85
	MEAN	1.89	2.21	.85	2.80	.53	.73	1.48	2.16
	SIGMA	4.31	4.71	1.23	.00	.38	.58	3.52	4.57
	MEAN	2.85	3.94	1.31	.00	.77	.51	2.30	3.63
ALL	SIGMA	3.86	3.98	1.63	.00	.66	.17	3.34	3.92
	MEAN	1.63	1.56	.86	.00	.39	.86	1.34	1.49
	SIGMA	2.57	1.94	1.15	.00	.54	.77	2.22	1.88
	MEAN	2.99	3.17	1.61	.00	.67	.17	2.67	3.08
	SIGMA	4.32	5.36	2.05	.00	1.07	1.11	3.50	4.98
T-W	MEAN	5.64	4.69	2.26	.00	.66	.63	4.87	4.64
	SIGMA	1.58	2.15	.60	1.27	.26	.48	1.22	1.98
	MEAN	2.32	2.90	.89	.00	.35	.20	1.99	2.79
	SIGMA	1.85	1.91	1.01	1.36	.55	.71	1.53	1.79
	MEAN	2.54	2.12	.82	.00	.33	.68	2.15	2.05
T-W	MEDIAN	1.30	1.55	.35	1.30	.24	.51	.84	1.42
	SIGMA	3.11	2.84	.67	.00	.41	.20	1.78	2.49
	MEAN	4.49	4.70	2.20	2.80	1.00	1.00	3.61	4.33
	SIGMA	6.23	5.32	2.26	.00	.63	.61	5.32	5.16
	MEAN	1.88	2.85	1.16	1.03	.65	.42	1.62	2.78
T-W	SIGMA	4.36	4.78	1.50	.00	.75	.00	3.62	4.72
	MEAN	1.51	2.71	1.20	1.00	.62	.35	1.37	2.53
	SIGMA	3.82	3.68	1.47	.00	.75	.00	3.22	3.93
	MEAN	2.38	3.23	1.20	.60	.57	-.20	1.95	3.14
	SIGMA	6.84	5.60	2.33	.00	.83	.00	5.66	5.53

BLOOD LEAD INTERVAL IS 20-24 * * * 87 CHILDREN * * * 19.1 PERCENT OF TOTAL SINGLE-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

WALLS	COUNT	80			17.54			5			1.10			2			.44			87			19.08		
		MEAN	SIGMA	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
MEAN	300	.71	1.74	404	23	0	23	0	23	13	0	13	0	13	336	104	440								
SIGMA	2.34	4.16	2.94	.09	.00	.09	.00	.00	.09	.00	.00	.00	.00	.09	1.74	1.74	.90								
MEAN	.81	1.19	.91	.37	.00	.37	.00	.00	.37	.44	.00	.44	.00	.37	4.16	4.16	2.84								
SIGMA	1.63	1.97	1.73	.14	.00	.14	.00	.00	.14	.17	.00	.17	.00	.14	1.19	1.19	.87								
MEAN	.71	1.35	.87	.10	.00	.10	.00	.00	.10	.10	.00	.10	.00	.10	1.97	1.97	1.66								
SIGMA	2.53	3.08	2.69	.39	.00	.39	.00	.00	.39	.41	.00	.41	.00	.39	1.40	1.40	.81								
MEAN	1.60	3.17	2.01	.50	.00	.50	.00	.00	.50	.42	.00	.42	.00	.50	3.28	3.28	2.65								
SIGMA	3.58	6.14	4.43	.48	.00	.48	.00	.00	.48	.47	.00	.47	.00	.48	3.17	3.17	1.88								
MEAN	2.88	5.03	3.44	.57	.00	.57	.00	.00	.57	.36	.00	.36	.00	.57	6.14	6.14	4.26								
SIGMA	3.10	4.78	3.73	.41	.00	.41	.00	.00	.41	.42	.00	.42	.00	.41	5.03	5.03	3.24								
MEAN	1.56	2.18	1.72	.57	.00	.57	.00	.00	.57	.57	.00	.57	.00	.57	4.78	4.78	3.68								
SIGMA	1.99	2.69	2.21	.35	.00	.35	.00	.00	.35	.68	.00	.68	.00	.35	2.18	2.18	1.64								
MEAN	2.83	4.46	3.26	.58	.00	.58	.00	.00	.58	.36	.00	.36	.00	.58	2.69	2.69	2.15								
SIGMA	3.21	3.54	3.37	.43	.00	.43	.00	.00	.43	.42	.00	.42	.00	.43	4.46	4.46	3.07								
MEAN	4.26	6.89	4.95	1.06	.00	1.06	.00	.00	1.06	.78	.00	.78	.00	1.06	3.54	3.54	3.35								
SIGMA	4.23	6.01	4.89	.53	.00	.53	.00	.00	.53	.61	.00	.61	.00	.53	6.89	6.89	4.67								
MEAN	1.61	2.65	1.88	.25	.00	.25	.00	.00	.25	.00	.00	.00	.00	.25	6.01	6.01	4.83								
SIGMA	2.26	3.31	2.40	.37	.00	.37	.00	.00	.37	.35	.00	.35	.00	.37	2.65	2.65	1.74								
MEAN	1.78	2.64	2.34	.54	.00	.54	.00	.00	.54	.58	.00	.58	.00	.54	3.31	3.31	2.35								
SIGMA	2.03	2.89	2.42	.19	.00	.19	.00	.00	.19	.20	.00	.20	.00	.19	2.64	2.64	2.19								
MEAN	1.24	1.85	1.19	.22	.00	.22	.00	.00	.22	.20	.00	.20	.00	.22	2.89	2.89	2.37								
SIGMA	2.56	3.62	2.70	.39	.00	.39	.00	.00	.39	.41	.00	.41	.00	.39	2.04	2.04	1.12								
MEAN	4.20	6.33	5.45	1.03	.00	1.03	.00	.00	1.03	.78	.00	.78	.00	1.03	3.47	3.47	2.40								
SIGMA	4.77	6.89	5.74	.60	.00	.60	.00	.00	.60	.58	.00	.58	.00	.60	6.33	6.33	5.09								
MEAN	1.94	3.93	2.47	.48	.00	.48	.00	.00	.48	.51	.00	.51	.00	.48	6.89	6.89	5.64								
SIGMA	3.49	6.26	4.48	.50	.00	.50	.00	.00	.50	.56	.00	.56	.00	.50	3.93	3.93	2.32								
MEAN	1.91	3.70	2.39	.47	.00	.47	.00	.00	.47	.49	.00	.49	.00	.47	6.26	6.26	4.35								
SIGMA	3.73	4.86	4.13	.46	.00	.46	.00	.00	.46	.46	.00	.46	.00	.46	3.63	3.63	2.25								
MEAN	2.32	4.63	2.94	.57	.00	.57	.00	.00	.57	.37	.00	.37	.00	.57	4.86	4.86	4.03								
SIGMA	5.06	8.01	6.06	.63	.00	.63	.00	.00	.63	.64	.00	.64	.00	.63	8.01	8.01	2.76								

TRIM

ALL

T-W

BLOOD LEAD INTERVAL IS 25-29 * * * 56 CHILDREN * * * 12.3 PERCENT OF TOTAL SINGLE-FAMILY UNITS DRY ROOMS

		*****PRE 1940*****				*****1940-1959*****				*****1960-1975*****				*****ALL AGES*****			
CHILDREN-COUNT AND PERCENT		46		10.09		8		1.75		1		.22		56		12.28	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	CCUNT	154	61	215	33	8	41	7	0	7	204	76	280				
	MEAN	.47	.80	.56	.00	.00	.00	.00	.00	.00	.37	.59	.43				
	SIGMA	1.83	2.10	1.91	.40	.71	.46	.50	.00	.50	1.62	1.94	1.71				
	SIGMA	.63	.81	.68	.45	.45	.45	.45	.00	.45	.60	.78	.60				
	SIGMA	.70	1.20	.87	.29	.21	.28	.19	.00	.19	.64	1.11	.80				
	MEAN	.39	.75	.49	.00	.00	.00	.00	.00	.00	.32	.52	.37				
	SIGMA	1.65	2.07	1.78	.41	.78	.49	.44	.00	.44	1.62	1.92	1.71				
	MEAN	1.25	1.66	1.37	.56	.05	.46	.14	.00	.14	1.11	1.46	1.21				
	SIGMA	2.24	2.78	2.40	.59	.09	.57	.16	.00	.16	2.00	2.58	2.17				
TRIM	MEAN	3.82	4.33	3.97	.62	.29	.55	.42	.00	.42	3.16	3.83	3.34				
	SIGMA	4.02	4.08	4.03	.63	.29	.59	.41	.00	.41	3.76	3.94	3.81				
	SIGMA	2.17	1.68	2.03	.35	.82	.45	.42	.00	.42	1.76	1.54	1.70				
	SIGMA	2.73	1.76	2.49	.34	.23	.37	.66	.00	.66	2.52	1.64	2.31				
	MEAN	3.57	4.17	3.71	.62	.26	.54	.42	.00	.42	2.99	3.70	3.15				
	SIGMA	3.98	3.55	3.76	.65	.35	.61	.41	.00	.41	3.73	3.47	3.58				
	MEAN	5.89	5.82	5.87	.92	1.07	.95	.73	.00	.73	4.81	5.20	4.91				
	SIGMA	5.69	4.69	5.41	.59	.19	.54	.49	.00	.49	5.36	4.54	5.15				
ALL	MEAN	1.81	2.30	1.89	.16	.00	.10	.00	.00	.00	1.50	1.97	1.54				
	SIGMA	2.40	2.89	2.01	.33	.51	.35	.32	.00	.32	2.22	2.77	1.91				
	SIGMA	2.19	1.93	2.63	.59	.71	.66	.64	.00	.64	1.89	1.79	2.24				
	SIGMA	2.34	2.02	2.32	.34	.23	.28	.17	.00	.17	2.19	1.90	2.21				
	MEAN	1.16	2.30	1.12	.04	.00	.00	.00	.00	.00	.98	1.92	.86				
	SIGMA	2.49	3.27	2.32	.35	.53	.36	.39	.00	.39	2.33	2.95	1.90				
	MEAN	5.15	4.70	6.06	1.01	.86	1.07	.69	.00	.69	4.33	4.22	5.06				
	SIGMA	5.53	4.65	5.37	.67	.48	.58	.46	.00	.46	5.15	4.45	5.12				
T-W	MEAN	3.48	3.41	3.46	.72	.77	.73	.87	.00	.87	2.91	3.10	2.96				
	SIGMA	4.34	4.60	4.41	.79	.33	.72	.32	.00	.32	4.02	4.21	4.06				
	MEAN	3.33	3.14	3.28	.75	.76	.76	.81	.00	.81	2.77	2.99	2.83				
	SIGMA	4.12	4.06	4.09	.84	.24	.76	.31	.00	.31	3.83	3.92	3.85				
	MEAN	4.74	4.03	4.54	.52	.70	.56	.63	.00	.63	3.82	3.54	3.75				
	SIGMA	6.02	5.90	5.98	.74	.47	.69	.54	.00	.54	5.58	5.41	5.53				

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		20	4.39	1	.22	0	.00	21	4.61
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD
WALLS	COUNT	73	24	97	1	5	6	0	29
	MEAN	.88	.68	.83	.92	2.40	2.16	.77	.97
	SIGMA	2.05	2.04	2.04	.00	3.96	3.59	.87	.90
	MEAN	.52	.93	.62	.46	2.41	2.08	2.00	2.47
	SIGMA	.39	1.52	.84	.00	4.17	3.82	.51	1.19
MEDIAN	MEAN	.81	.58	.75	.90	2.08	1.88	.38	.96
	SIGMA	1.88	2.07	1.92	.00	3.41	3.09	2.00	2.77
	HIGH	1.49	1.63	1.52	1.50	5.32	4.68	1.46	2.27
TRIM	MEAN	2.24	3.17	2.49	.00	9.13	8.31	2.19	4.71
	MEAN	2.36	3.62	2.76	4.90	2.66	3.40	2.36	3.51
	SIGMA	2.62	3.72	3.05	.42	.61	1.26	.00	.00
	MEAN	1.17	1.96	1.42	5.66	1.37	2.80	1.28	1.89
	SIGMA	1.90	2.19	2.02	1.00	.41	2.28	.00	2.07
ALL	MEAN	2.36	3.37	2.69	4.60	2.71	3.34	2.36	3.49
	SIGMA	2.68	2.95	2.79	.00	.52	1.06	2.63	2.95
	MEAN	3.34	5.47	4.02	10.30	3.92	6.05	3.44	5.29
	SIGMA	3.72	5.63	4.50	1.70	.42	3.39	.00	.00
	HIGH							3.81	5.31
T-W	MEAN	1.37	2.13	1.59	3.57	2.93	2.77	1.42	2.25
	SIGMA	1.82	2.52	1.88	2.31	3.32	2.28	.00	.00
	MEAN	1.51	2.35	1.93	3.93	2.64	2.93	1.84	2.62
	SIGMA	1.53	2.43	1.88	3.08	3.55	2.58	1.56	2.40
	MEAN	1.06	1.33	1.01	3.37	2.61	1.80	1.63	2.57
T-W	SIGMA	1.93	2.25	1.78	2.14	2.92	1.63	1.94	2.65
	MEAN	3.54	5.44	4.51	7.37	6.33	7.73	3.60	5.57
	SIGMA	3.75	5.74	4.62	5.22	7.60	7.11	3.80	5.94
	MEAN	1.42	3.40	1.90	2.03	1.09	1.25	1.37	2.98
	SIGMA	3.34	4.08	3.62	.00	3.19	2.88	.00	.00
T-W	MEAN	1.47	3.26	1.91	2.25	1.30	1.46	1.39	3.03
	SIGMA	3.27	3.16	3.32	.00	2.91	2.63	3.26	4.15
	MEAN	1.92	4.14	2.46	2.60	1.12	1.37	1.86	3.60
	SIGMA	4.61	6.40	5.16	.00	6.80	6.11	4.50	6.45
	HIGH								

BLOOD LEAD INTERVAL IS 35-39 * * * 10 CHILDREN * * * 2.2 PERCENT OF TOTAL SINGLE-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		7	1.54	3	.66	0	.00	10	2.19	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	28	12	40	11	4	15	0	39	16
	MEAN	1.59	.23	1.18	.41	.00	.14	.00	1.26	.03
	SIGMA	2.30	.65	2.04	.51	.77	.65	.00	2.03	.69
	SIGMA	.70	.65	.68	.53	.45	.51	.00	.65	.60
	SIGMA	.54	.43	.51	.22	.23	.22	.00	.48	.39
	MEAN	1.52	.17	1.11	.42	.00	.13	.00	1.21	.00
	SIGMA	2.23	.60	1.98	.57	.84	.71	.00	1.97	.66
	MEAN	2.37	.96	1.94	.98	.05	.73	.00	1.98	.73
	SIGMA	2.61	1.04	2.33	.55	.10	.63	.00	2.31	.98

TRIM

MEAN	2.74	3.03	2.81	.83	.29	.61	.00	.00	2.37	2.19	2.31
SIGMA	2.36	2.47	2.35	.52	.32	.51	.00	.00	2.25	2.41	2.28
SIGMA	1.48	1.66	1.53	.40	.82	.57	.00	.00	1.27	1.40	1.31
MEAN	1.40	2.24	1.62	.40	.25	.40	.00	.00	1.33	1.87	1.49
MEAN	2.85	3.02	2.89	.85	.26	.61	.00	.00	2.46	2.17	2.38
SIGMA	2.45	2.47	2.42	.54	.38	.55	.00	.00	2.34	2.42	2.34
MEAN	3.99	4.31	4.07	1.17	1.07	1.13	.00	.00	3.44	3.32	3.40
SIGMA	3.29	3.33	3.25	.71	.21	.54	.00	.00	3.16	3.14	3.12

ALL

MEAN	2.13	1.22	1.77	.44	.00	.30	.00	.00	1.68	.85	1.37
SIGMA	1.80	1.87	1.42	.49	.54	.53	.00	.00	1.73	1.73	1.40
MEAN	1.76	1.56	1.95	.53	.71	.64	.00	.00	1.43	1.33	1.59
SIGMA	1.28	1.89	1.30	.26	.25	.18	.00	.00	1.23	1.66	1.26
MEAN	2.05	.99	1.38	.45	.00	.30	.00	.00	1.62	.69	1.09
SIGMA	2.15	1.76	1.68	.49	.56	.55	.00	.00	1.98	1.60	1.53
MEAN	4.41	2.99	4.59	1.06	.86	1.13	.00	.00	3.52	2.43	3.65
SIGMA	3.14	3.28	3.09	.70	.51	.56	.00	.00	3.09	2.96	3.06

T-W

MEAN	.67	3.09	1.53	.52	.77	.62	.00	.00	.64	2.51	1.32
SIGMA	4.13	2.30	3.74	.59	.36	.50	.00	.00	3.66	2.23	3.31
MEAN	.76	3.41	1.70	.60	.76	.66	.00	.00	.73	2.75	1.46
SIGMA	4.11	2.34	3.77	.76	.26	.59	.00	.00	3.64	2.33	3.34
MEAN	1.18	3.37	1.96	.38	.70	.51	.00	.00	1.01	2.71	1.63
SIGMA	5.43	2.86	4.76	.73	.51	.64	.00	.00	4.81	2.74	4.22

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		2	.44	0	.00	0	.00	0	.00	2	.44		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	7	3	10	0	0	0	0	0	0	7	3	10
	MEAN	.00	1.66	.03	.00	.00	.00	.00	.00	.00	.00	1.66	.03
	SIGMA	.83	3.12	1.88	.00	.00	.00	.00	.00	.00	.83	3.12	1.88
	SIGMA	.44	2.39	1.02	.00	.00	.00	.00	.00	.00	.44	2.39	1.02
	SIGMA	.26	2.90	1.67	.00	.00	.00	.00	.00	.00	.26	2.90	1.67
	MEAN	.00	1.70	.03	.00	.00	.00	.00	.00	.00	.00	1.70	.03
	SIGMA	.88	3.08	1.89	.00	.00	.00	.00	.00	.00	.88	3.08	1.89
	MEAN	.00	3.47	1.04	.00	.00	.00	.00	.00	.00	.00	3.47	1.04
	SIGMA	.00	5.07	2.92	.00	.00	.00	.00	.00	.00	.00	5.07	2.92
TRIM	MEAN	.90	7.12	2.15	.00	.00	.00	.00	.00	.00	.90	7.12	2.15
	SIGMA	2.80	7.39	4.36	.00	.00	.00	.00	.00	.00	2.80	7.39	4.36
	MEAN	1.16	.67	1.06	.00	.00	.00	.00	.00	.00	1.16	.67	1.06
	SIGMA	2.40	.95	2.15	.00	.00	.00	.00	.00	.00	2.40	.95	2.15
	MEAN	1.19	6.77	2.31	.00	.00	.00	.00	.00	.00	1.19	6.77	2.31
	SIGMA	3.60	6.89	4.57	.00	.00	.00	.00	.00	.00	3.60	6.89	4.57
	MEAN	2.19	7.60	3.27	.00	.00	.00	.00	.00	.00	2.19	7.60	3.27
	SIGMA	5.66	8.06	6.11	.00	.00	.00	.00	.00	.00	5.66	8.06	6.11
ALL	MEAN	.53	2.74	.89	.00	.00	.00	.00	.00	.00	.53	2.74	.89
	SIGMA	2.74	2.48	2.01	.00	.00	.00	.00	.00	.00	2.74	2.48	2.01
	MEAN	1.18	3.16	2.21	.00	.00	.00	.00	.00	.00	1.18	3.16	2.21
	SIGMA	2.23	3.38	2.63	.00	.00	.00	.00	.00	.00	2.23	3.38	2.63
	MEAN	.83	3.25	.52	.00	.00	.00	.00	.00	.00	.83	3.25	.52
	SIGMA	3.48	2.92	2.00	.00	.00	.00	.00	.00	.00	3.48	2.92	2.00
	MEAN	1.94	6.15	4.20	.00	.00	.00	.00	.00	.00	1.94	6.15	4.20
	SIGMA	5.35	6.21	6.27	.00	.00	.00	.00	.00	.00	5.35	6.21	6.27
T-W	MEAN	.87	5.03	2.12	.00	.00	.00	.00	.00	.00	.87	5.03	2.12
	SIGMA	.81	9.23	4.84	.00	.00	.00	.00	.00	.00	.81	9.23	4.84
	MEAN	.89	5.52	2.27	.00	.00	.00	.00	.00	.00	.89	5.52	2.27
	SIGMA	.87	9.43	5.03	.00	.00	.00	.00	.00	.00	.87	9.43	5.03
	MEAN	.46	6.37	2.23	.00	.00	.00	.00	.00	.00	.46	6.37	2.23
	SIGMA	.64	13.70	7.08	.00	.00	.00	.00	.00	.00	.64	13.70	7.08

BLOOD LEAD INTERVAL IS 45-49 * * * 4 CHILDREN * * * .9 PERCENT OF TOTAL SINGLE-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT 3 .66 1 .22 0 .00 4 .88

WALLS	COUNT	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
MEAN	34	.34	.00	.14	.10	2.37	1.61	.00	.00	.00	.26	.54	.45
SIGMA	34	.62	.57	.41	.04	1.95	1.91	.00	.00	.00	.29	1.34	1.34
MEAN	71	.71	.29	.41	.29	3.36	2.33	.00	.00	.00	.57	1.15	.99
SIGMA	43	.43	.14	.31	.09	2.83	2.71	.00	.00	.00	.40	1.99	1.68
MEAN	37	.37	.00	.00	.12	1.97	1.36	.00	.00	.00	.29	.45	.40
SIGMA	45	.45	.60	.58	.04	2.80	2.37	.00	.00	.00	.37	1.74	1.46
MEAN	1.10	1.10	.32	.54	.40	6.37	4.38	.00	.00	.00	.87	2.05	1.69
SIGMA	.78	.29	.58	.58	.14	5.96	5.55	.00	.00	.00	.71	4.04	3.41

TRIM

MEAN	.42	6.98	5.97	1.16	4.39	2.77	.00	.00	.00	.86	6.42	4.96
SIGMA	.26	3.98	4.39	1.01	3.91	3.11	.00	.00	.00	.83	3.97	4.23
MEAN	.13	1.91	1.64	1.24	1.95	1.60	.00	.00	.00	.80	1.92	1.62
SIGMA	.18	2.15	2.08	1.79	1.89	1.69	.00	.00	.00	1.41	2.03	1.91
MEAN	.40	6.31	5.40	.57	3.53	2.05	.00	.00	.00	.50	5.72	4.34
SIGMA	.28	3.37	3.79	.32	4.68	3.38	.00	.00	.00	.28	3.67	3.92
MEAN	.55	8.99	7.69	2.57	6.60	4.58	.00	.00	.00	1.76	8.48	6.71
SIGMA	.07	5.84	6.20	3.06	2.35	3.29	.00	.00	.00	2.43	5.30	5.55

ALL

MEAN	.41	2.80	2.26	.95	2.53	1.95	.00	.00	.00	.64	2.73	2.17
SIGMA	.23	1.54	1.72	1.17	2.28	1.96	.00	.00	.00	.75	1.68	1.75
MEAN	.70	4.18	3.38	1.34	2.97	2.38	.00	.00	.00	.98	3.86	3.08
SIGMA	.42	2.38	2.63	1.70	2.16	2.03	.00	.00	.00	1.08	2.32	2.46
MEAN	.42	.09	.15	.43	1.92	1.41	.00	.00	.00	.43	.58	.52
SIGMA	.40	.61	.58	.25	2.82	2.32	.00	.00	.00	.32	1.63	1.41
MEAN	1.20	8.99	7.26	2.57	7.07	5.92	.00	.00	.00	1.79	8.48	6.85
SIGMA	.64	5.84	6.17	3.06	6.08	5.28	.00	.00	.00	1.97	5.75	5.81

T-W

MEAN	.33	7.78	6.06	.48	1.50	1.16	.00	.00	.00	.39	5.98	4.51
SIGMA	.32	3.90	4.70	.27	2.73	2.19	.00	.00	.00	.28	4.57	4.64
MEAN	.13	7.08	5.48	.37	.85	.69	.00	.00	.00	.23	5.30	3.97
SIGMA	.50	3.12	4.08	.39	1.44	1.15	.00	.00	.00	.43	3.97	4.09
MEAN	.13	9.30	7.18	.40	.10	.20	.00	.00	.00	.24	6.67	4.98
SIGMA	.64	5.80	6.44	.00	5.82	4.51	.00	.00	.00	.48	7.05	6.67

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

WALLS	COUNT	CHILDREN-COUNT AND PERCENT			1			.22			0			.00			0			.00			1			.22		
		MEAN	SIGMA	HIGH	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
	MEAN	10.08			3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3				
	SIGMA	3.26																				10.08	.00	10.08				
	HIGH	17.93																				3.26	.00	3.26				
	MEAN	12.87																				9.19	.00	9.19				
	SIGMA	4.26																				4.94	.00	4.94				
	HIGH	17.93																				12.87	.00	12.87				
	MEAN	8.30																				4.26	.00	4.26				
	SIGMA	3.50																				17.93	.00	17.93				
	HIGH	17.93																				8.30	.00	8.30				

TRIM	MEAN	SIGMA	MEDIAN	HIGH	ALL			0			.00			0			.00			1			.22		
					GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
	MEAN	3.50			3.50	.00	3.50	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	3.50	.00	3.50	
	SIGMA	2.06																				2.06	.00	2.06	
	HIGH	17.93																				1.55	.00	1.55	
	MEAN	12.87																				1.40	.00	1.40	
	SIGMA	4.26																				3.88	.00	3.88	
	HIGH	17.93																				1.93	.00	1.93	
	MEAN	8.30																				4.77	.00	4.77	
	SIGMA	3.50																				1.11	.00	1.11	

ALL	MEAN	SIGMA	MEDIAN	HIGH	ALL			0			.00			0			.00			1			.22		
					GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
	MEAN	7.06			7.06	.00	7.06	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	7.06	.00	7.06	
	SIGMA	2.06																				.97	.00	.97	
	HIGH	17.93																				7.77	.00	7.77	
	MEAN	12.87																				3.71	.00	3.71	
	SIGMA	4.26																				7.35	.00	7.35	
	HIGH	17.93																				3.14	.00	3.14	
	MEAN	8.30																				17.93	.00	17.93	
	SIGMA	3.50																				8.30	.00	8.30	

T-W	MEAN	SIGMA	MEDIAN	HIGH	ALL			0			.00			0			.00			1			.22		
					GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
	MEAN	-6.59			-6.59	.00	-6.59	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	-6.59	.00	-6.59	
	SIGMA	5.26																				5.26	.00	5.26	
	HIGH	17.93																				-8.98	.00	-8.98	
	MEAN	12.87																				5.75	.00	5.75	
	SIGMA	4.26																				-13.17	.00	-13.17	
	HIGH	17.93																				8.81	.00	8.81	
	MEAN	8.30																				-13.17	.00	-13.17	
	SIGMA	3.50																				8.81	.00	8.81	

BLOOD LEAD INTERVAL IS ALL * * * 319 CHILDREN * * * 70.0 PERCENT OF TOTAL SINGLE-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT 257 56.36 43 9.43 16 3.51 319 69.96

	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	966	287	1253	197	22	219	97	3	100	1284	319	1603
MEAN	.73	1.15	.83	.07	.71	.14	.06	.42	.07	.58	1.09	.68
SIGMA	2.28	3.25	2.54	.66	2.40	.99	.38	.30	.38	2.02	3.15	2.30
MEAN	.76	.96	.80	.46	1.47	.56	.42	.35	.42	.69	.99	.75
SIGMA	1.53	1.52	1.53	.39	2.44	.89	.20	.22	.20	1.34	1.58	1.40
MEAN	.74	.93	.78	.05	.54	.10	.08	.52	.09	.59	.92	.66
SIGMA	2.53	2.51	2.52	.61	2.28	.92	.39	.29	.39	2.26	2.67	2.35
MEAN	1.57	2.24	1.72	.68	2.52	.86	.52	.73	.52	1.36	2.22	1.53
SIGMA	3.46	4.66	3.78	.97	5.40	1.99	.40	.58	.41	3.07	4.65	3.46

	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
TRIM	2.90	4.43	3.28	1.03	1.30	1.06	.64	.50	.63	2.50	4.09	2.86
MEAN	3.47	4.23	3.74	1.37	1.90	1.44	.59	.16	.56	3.24	4.14	3.53
SIGMA	1.64	1.86	1.69	.78	1.03	.81	.42	.62	.45	1.43	1.76	1.51
MEAN	2.31	2.21	2.29	1.07	.74	1.03	.54	.73	.57	2.13	2.12	2.13
SIGMA	2.75	4.04	3.07	1.01	1.18	1.03	.64	.50	.62	2.39	3.73	2.69
MEAN	3.25	3.39	3.31	1.34	1.91	1.41	.60	.16	.56	3.06	3.40	3.17
SIGMA	4.38	6.11	4.82	1.71	2.32	1.78	.97	.94	.96	3.79	5.67	4.21
MEAN	4.96	5.27	5.09	2.02	2.09	2.03	.62	.59	.62	4.62	5.16	4.81
SIGMA												

	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
ALL	1.57	2.36	1.75	.42	.97	.46	.19	.48	.21	1.32	2.19	1.48
MEAN	2.26	2.94	2.24	.86	2.06	.95	.36	.19	.34	2.08	2.86	2.10
SIGMA	1.82	2.25	2.25	.87	1.40	.94	.54	.56	.57	1.60	2.14	1.97
MEAN	2.19	2.44	2.35	.83	1.89	.89	.28	.65	.26	2.01	2.38	2.19
SIGMA	1.18	1.77	1.14	.26	.84	.27	.17	.50	.18	.93	1.70	.92
MEAN	2.60	3.12	2.61	.73	1.91	.77	.41	.18	.40	2.04	2.89	1.98
SIGMA	4.33	5.39	5.26	1.72	2.88	1.92	.91	.89	.98	3.72	5.06	4.53
MEAN	5.29	5.77	5.64	1.98	4.53	2.46	.60	.57	.57	4.87	5.66	5.30
SIGMA												

	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
T-W	2.08	3.66	2.45	.96	.99	.96	.60	.42	.60	1.84	3.45	2.17
MEAN	3.90	5.26	4.31	1.22	1.77	1.29	.65	.00	.65	3.52	5.08	3.95
SIGMA	1.92	3.46	2.28	.99	.91	.98	.58	.35	.58	1.71	3.26	2.03
MEAN	3.79	4.24	3.95	1.21	1.41	1.23	.64	.00	.64	3.44	4.29	3.69
SIGMA	2.69	4.32	3.07	.96	.68	.93	.46	-.20	.45	2.30	4.02	2.65
MEAN	5.81	6.75	6.08	1.77	3.72	2.07	.75	.00	.75	5.22	6.57	5.57
SIGMA												

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

WALLS	COUNT	1			.22			0			.00			1			.22			
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
MEAN	3.33	.00	3.33	2	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	3.39	.00	3.39	3.33	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	.93	.00	.93	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	.32	.00	.32	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	3.35	.00	3.35	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	3.46	.00	3.46	3.35	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	4.25	.00	4.25	3.46	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	3.04	.00	3.04	4.25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	3.52	.00	3.52	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	4.78	.00	4.78	3.52	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	5.03	.00	5.03	4.78	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	6.68	.00	6.68	5.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	3.55	.00	3.55	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	4.74	.00	4.74	3.55	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	7.10	.00	7.10	4.74	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	9.48	.00	9.48	7.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	3.13	.00	3.13	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	.27	.00	.27	3.13	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	4.52	.00	4.52	.27	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	2.00	.00	2.00	4.52	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	1.80	.00	1.80	2.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	1.27	.00	1.27	1.80	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	10.10	.00	10.10	1.27	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	5.23	.00	5.23	10.10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	.18	.00	.18	5.23	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	8.18	.00	8.18	.18	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	.20	.00	.20	8.18	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	8.20	.00	8.20	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	2.85	.00	2.85	8.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	12.52	.00	12.52	2.85	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	.18	.00	.18	12.52	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	8.18	.00	8.18	.18	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	.20	.00	.20	8.18	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	8.20	.00	8.20	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	2.85	.00	2.85	8.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	12.52	.00	12.52	2.85	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00

ALL

T-W

BLOOD LEAD INTERVAL IS 5-9 * * * 3 CHILDREN * * * .7 PERCENT OF TOTAL SINGLE-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		2	.44	0	.00	1	.22	3	.66	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	3	1	4	0	0	0	2	1	6
	MEAN	1.12	1.20	1.14	.00	.00	.00	.00	.61	1.20
	SIGMA	1.79	.00	1.46	.00	.00	.30	.30	1.44	.00
	MEAN	1.62	.58	1.36	.00	.00	.30	.30	1.09	.58
	SIGMA	1.28	.00	1.17	.00	.00	.17	.17	1.16	.00
	MEAN	.68	1.10	.79	.00	.00	.00	.32	1.10	.45
	SIGMA	1.56	.00	1.29	.00	.00	.40	.40	1.22	.00
	MEAN	3.37	2.00	3.02	.00	.00	.30	.30	2.14	2.00
	SIGMA	3.51	.00	2.94	.00	.00	.42	.42	3.00	.00

TRIM		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	1.85	3.47	2.25	.00	.00	.45	.78	1.44	3.47	1.65
	SIGMA	1.64	.00	1.56	.00	.00	.78	.00	.79	.00	1.57
	MEAN	.73	.70	.72	.00	.00	.88	.00	.25	.70	.78
	SIGMA	.23	.00	.19	.00	.00	.36	.00	1.25	.00	.23
	MEAN	1.85	3.40	2.24	.00	.00	.35	.00	1.49	3.40	1.61
	SIGMA	1.64	.00	1.55	.00	.00	.92	.00	1.90	.00	1.60
	MEAN	2.37	4.20	2.82	.00	.00	1.20	.00	1.37	4.20	2.28
	SIGMA	1.60	.00	1.60	.00	.00	.85	.00	1.37	.00	1.54

ALL		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	1.36	2.17	1.56	.00	.00	.07	.85	2.17	1.07	1.07
	SIGMA	1.42	.00	1.23	.00	.00	.39	1.24	.00	1.23	1.23
	MEAN	1.64	1.34	1.57	.00	.00	.60	1.23	1.34	1.25	1.25
	SIGMA	.95	.00	.79	.00	.00	.25	.89	.00	.80	.80
	MEAN	1.12	2.00	1.34	.00	.00	.00	.62	2.00	.85	.85
	SIGMA	1.23	.00	1.10	.00	.00	.36	1.12	.00	1.15	1.15
	MEAN	3.93	4.20	4.00	.00	.00	1.20	2.84	4.20	3.07	3.07
	SIGMA	3.10	.00	2.54	.00	.00	.85	2.69	.00	2.47	2.47

T-W		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.73	2.27	1.12	.00	.00	.59	.67	2.27	.94	.94
	SIGMA	2.14	.00	1.91	.00	.00	.55	1.54	.00	1.52	1.52
	MEAN	1.17	2.30	1.45	.00	.00	.57	.93	2.30	1.16	1.16
	SIGMA	2.19	.00	1.88	.00	.00	.67	1.62	.00	1.55	1.55
	MEAN	-1.00	2.20	-2.20	.00	.00	.90	-2.24	2.20	.17	.17
	SIGMA	3.20	.00	3.07	.00	.00	.42	2.50	.00	2.45	2.45

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

#WALLS	COUNT	CHILDREN-COUNT AND PERCENT			6			1.32			3			.66			34			7.45		
		MEAN	SIGMA	HIGH	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
	42	1.07	1.68	1.59	1.05	1.76	2.19	3.07	5.26	5	47	12	0	0	7	0	62	5	67	62	5	67
MEAN		1.41	2.37	1.62	1.41	2.54	2.61	3.50		4.26	1.41	.00	.00	.00	.30	.00	.79	4.26	5	.79	4.26	5
SIGMA		1.04	1.13	1.05	1.05	1.76	2.19	3.07		4.91	1.13	.72	.00	.53	.97	.00	1.58	4.91	1.02	1.58	4.91	1.02
MEDIAN		1.88	1.62	1.76	1.76	2.54	2.61	3.50		1.88	1.62	.50	.00	.50	.27	.00	1.44	1.88	1.48	1.44	1.88	1.48
HIGH		5.49	4.42	5.49	5.49	6.18	6.18	7.45		5.49	4.42	.68	.00	.68	.98	.00	2.03	5.49	2.55	2.03	5.49	2.55
		6.18	5.15	6.18	6.18	7.45	7.45	8.80		6.18	5.15	.59	.00	.59	.89	.00	1.85	6.18	2.18	1.85	6.18	2.18
		7.45	3.89	7.45	7.45	8.80	8.80	10.12		7.45	3.89	1.12	.00	1.12	1.08	.00	2.86	7.45	3.24	2.86	7.45	3.24

TRIM

MEAN	2.20	5.41	2.67	.99	.00	.99	.60	.55	.59	4.80	2.15
SIGMA	2.40	2.76	2.68	1.37	.00	1.37	.48	.00	.43	3.08	2.48
MEDIAN	1.17	3.25	1.47	.95	.00	.95	.40	1.20	.53	2.99	1.27
HIGH	1.55	3.08	1.95	1.26	.00	1.26	.74	.00	.74	2.94	1.77
	2.09	5.54	2.59	1.13	.00	1.13	.60	.55	.59	4.91	2.11
	2.44	2.70	2.74	1.50	.00	1.50	.48	.00	.43	3.06	2.52
	3.34	7.89	4.01	1.86	.00	1.86	.90	1.40	.98	7.07	3.29
	3.53	3.88	3.89	2.47	.00	2.47	.59	.00	.57	4.26	3.64

ALL

MEAN	1.57	4.68	1.99	.33	.00	.33	.33	.55	.34	4.16	1.55
SIGMA	1.76	2.88	2.17	.51	.00	.51	.67	.00	.67	3.04	2.00
MEDIAN	1.59	3.95	1.89	1.11	.00	1.11	.75	1.20	.76	3.61	1.68
HIGH	1.51	3.85	2.28	.35	.00	.35	.78	.00	.78	3.93	2.14
	3.93	8.47	4.70	2.11	.00	2.11	1.20	1.40	1.24	7.59	3.96
	3.79	4.28	4.16	2.49	.00	2.49	.91	.00	.91	4.68	3.94

T-W

MEAN	1.08	2.00	1.18	1.16	.00	1.16	.22	.00	.22	2.00	1.01
SIGMA	2.49	6.15	2.99	1.87	.00	1.87	1.20	.00	1.20	6.15	2.73
MEDIAN	.98	2.01	1.09	1.37	.00	1.37	.21	.00	.21	2.01	.92
HIGH	2.78	5.99	3.18	1.98	.00	1.98	1.19	.00	1.19	5.99	3.15
	1.21	2.32	1.33	1.27	.00	1.27	.05	.00	.05	2.32	1.03
	3.86	5.36	3.99	2.81	.00	2.81	.96	.00	.96	5.36	3.83

BLOOD LEAD INTERVAL IS 15-19 * * * 100 CHILDREN * * * 21.9 PERCENT OF TOTAL SINGLE-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		71	15.57	19	4.17	9	1.97	100	21.93	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	113	21	134	4	38	19	169	25	194
	MEAN	2.17	1.40	2.05	1.06	.42	.07	1.60	1.34	1.57
	SIGMA	4.13	2.75	3.95	.64	.69	.42	3.55	2.52	3.43
	MEAN	1.38	.66	1.27	1.54	.86	.42	1.21	.80	1.16
	SIGMA	2.13	.43	1.98	.76	.61	.27	1.90	.58	1.79
	MEAN	1.83	1.38	1.76	.35	.26	.06	1.34	1.21	1.32
	SIGMA	3.38	2.70	3.28	.30	.53	.41	2.92	2.50	2.86
	MEAN	3.77	2.19	3.52	2.85	1.44	.61	3.00	2.30	2.91
	SIGMA	5.85	2.98	5.52	1.19	1.30	.62	5.12	2.78	4.88
TRIM	MEAN	3.53	4.41	3.70	.00	1.29	.51	2.67	4.03	2.87
	SIGMA	4.61	3.23	4.38	.00	1.70	.64	3.99	3.25	3.92
	MEAN	2.13	2.61	2.22	.00	.94	.50	1.66	2.49	1.78
	SIGMA	3.03	2.83	2.99	.00	1.89	.51	2.69	2.70	2.70
	MEAN	3.53	4.26	3.67	.00	1.29	.49	2.26	3.90	2.51
	SIGMA	5.49	3.33	5.15	.00	1.69	.67	2.59	3.33	2.76
	MEAN	5.38	6.73	5.64	.00	2.07	.96	4.10	6.22	4.42
	SIGMA	6.82	4.91	6.50	.00	2.78	.63	5.93	4.89	5.83
ALL	MEAN	2.64	2.96	2.69	1.06	.76	.19	1.97	2.57	2.07
	SIGMA	3.44	2.70	3.31	.69	.85	.37	3.00	2.56	2.95
	MEAN	2.73	2.33	2.80	1.12	1.26	.58	2.17	2.17	2.31
	SIGMA	3.02	2.02	2.90	1.14	1.08	.24	2.67	1.85	2.61
	MEAN	1.99	2.41	1.96	.61	.55	.13	1.59	2.05	1.60
	SIGMA	3.26	2.88	3.17	.30	.70	.40	2.88	2.71	2.86
	MEAN	6.79	6.29	7.07	2.45	2.65	1.08	5.28	5.54	5.66
	SIGMA	7.67	5.04	7.34	2.73	2.71	.61	6.81	4.80	6.66
T-W	MEAN	1.43	2.71	1.63	.02	.85	.48	1.15	2.28	1.29
	SIGMA	5.62	3.91	5.40	.84	1.64	.60	4.72	3.72	4.61
	MEAN	1.75	2.73	1.91	.72	1.00	.48	.98	2.41	1.17
	SIGMA	6.29	3.94	5.97	.45	1.57	.61	3.50	3.68	3.54
	MEAN	1.77	3.80	2.09	.84	.57	.48	1.27	2.91	1.48
	SIGMA	8.30	5.45	7.93	1.65	2.95	.88	7.08	5.42	6.90

BLOOD LEAD INTERVAL IS 20-24 * * * 87 CHILDREN * * * 19.1 PERCENT OF TOTAL SINGLE-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		80	17.54	5	1.10	2	.44	87	19.08	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	128	24	152	10	0	10	5	24	5
	MEAN	1.88	2.77	2.02	.28	.00	.28	.24	1.71	.24
	SIGMA	3.79	3.90	3.81	.41	.00	.41	1.27	3.62	1.27
	MEAN	1.47	1.05	1.41	.35	.00	.35	.58	1.36	.58
	SIGMA	2.24	1.12	2.11	.20	.00	.20	.26	2.15	.26
	MEAN	1.55	2.78	1.75	.22	.00	.22	.21	1.44	.21
	SIGMA	3.07	3.89	3.23	.47	.00	.47	1.31	3.04	1.31
	MEAN	3.56	3.83	3.60	.65	.00	.65	.88	3.26	.88
	SIGMA	5.84	4.44	5.63	.33	.00	.33	1.32	5.60	1.32
TRIM	MEAN	2.75	5.46	3.46	.10	.00	.10	.57	2.49	.57
	SIGMA	3.15	3.58	3.47	.17	.00	.17	.42	3.08	.42
	MEAN	1.74	2.64	1.97	.46	.00	.46	.88	1.61	.88
	SIGMA	2.38	2.01	2.32	.62	.00	.62	.72	2.29	.72
	MEAN	2.42	5.18	3.14	.13	.00	.13	.57	5.18	.57
	SIGMA	2.58	3.31	3.03	.18	.00	.18	.42	2.59	.42
	MEAN	4.30	7.68	5.18	.44	.00	.44	1.20	3.91	1.20
	SIGMA	4.65	4.06	4.73	.52	.00	.52	.33	4.54	.33
ALL	MEAN	2.30	4.50	2.61	.19	.00	.19	.28	2.10	.28
	SIGMA	3.34	3.62	3.13	.20	.00	.20	.87	3.23	.87
	MEAN	2.26	2.44	2.57	.52	.00	.52	.89	2.10	.89
	SIGMA	2.39	1.90	2.33	.19	.00	.19	.33	2.32	.33
	MEAN	1.61	4.34	2.02	.22	.00	.22	.25	1.54	.25
	SIGMA	2.32	3.85	3.26	.25	.00	.25	1.01	2.39	1.01
	MEAN	5.72	7.10	6.56	.87	.00	.87	1.40	5.26	1.40
	SIGMA	6.12	4.37	5.90	.36	.00	.36	1.04	5.98	1.04
T-W	MEAN	1.15	2.77	1.41	-.18	.00	-.18	.25	1.03	.25
	SIGMA	4.23	3.08	4.10	.54	.00	.54	1.52	4.04	1.52
	MEAN	1.24	1.97	1.35	-.09	.00	-.09	.29	1.09	.29
	SIGMA	3.85	2.32	3.65	.58	.00	.58	1.56	3.73	1.56
	MEAN	1.14	3.22	1.47	-.21	.00	-.21	.25	1.02	.25
	SIGMA	6.56	3.76	6.23	.77	.00	.77	1.26	6.24	1.26

BLOOD LEAD INTERVAL IS 25-29 * * * 56 CHILDREN * * * 12.3 PERCENT OF TOTAL SINGLE-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		46	10.09	8	1.75	1	.22	56	12.28	ALL
WALLS	COUNT	61	21	13	3	2	0	81	25	ALL
	MEAN	2.13	1.78	.14	.00	.00	.00	1.75	2.07	106
	SIGMA	4.73	2.11	.45	.17	.90	.00	4.25	3.33	1.83
	MEAN	1.30	1.29	.42	.37	.49	.00	1.17	1.20	1.17
	SIGMA	2.41	1.13	.19	.03	.08	.00	2.21	1.08	1.99
	MEAN	1.78	1.61	.10	.00	.00	.00	1.51	1.78	1.57
	SIGMA	3.64	2.14	.41	.21	1.03	.00	3.40	2.82	3.27
	MEAN	3.51	3.39	.68	.33	.05	.00	2.99	3.52	3.11
	SIGMA	6.54	3.20	.60	.23	.07	.00	5.90	4.02	5.50
TRIM	MEAN	4.00	5.34	1.60	.63	.35	.00	3.53	4.74	3.91
	SIGMA	4.38	4.53	2.94	.15	.07	.00	4.43	4.37	4.42
	MEAN	2.04	2.59	1.38	.42	.92	.00	1.80	2.40	1.99
	SIGMA	2.99	2.78	2.07	.00	.30	.00	2.76	2.66	2.73
	MEAN	3.35	4.58	1.65	.70	.35	.00	2.96	4.15	3.33
	SIGMA	3.26	3.48	3.06	.23	.07	.00	3.31	3.41	3.37
	MEAN	5.97	7.86	2.98	.95	1.00	.00	5.28	7.00	5.81
	SIGMA	6.43	6.23	4.90	.17	.28	.00	6.26	6.07	6.22
ALL	MEAN	2.72	4.15	.73	.32	.00	.00	2.35	3.85	2.51
	SIGMA	3.60	4.21	1.25	.20	.44	.00	3.36	4.18	3.16
	MEAN	2.33	2.40	1.20	.50	.76	.00	2.17	2.32	2.66
	SIGMA	2.90	2.21	1.72	.11	.07	.00	2.77	2.22	2.75
	MEAN	2.28	3.23	.34	.28	.00	.00	1.78	3.07	1.79
	SIGMA	3.81	3.21	.63	.25	.60	.00	2.79	3.28	2.74
	MEAN	6.20	7.50	2.90	.88	1.00	.00	5.62	6.91	6.79
	SIGMA	7.10	5.80	4.47	.22	.28	.00	6.78	5.88	6.88
T-W	MEAN	2.43	2.44	1.32	1.05	.99	.00	2.19	1.79	2.10
	SIGMA	6.23	3.67	2.81	.20	.09	.00	5.81	4.13	5.44
	MEAN	1.90	2.44	1.40	1.20	1.07	.00	1.70	1.99	1.77
	SIGMA	4.71	3.75	2.99	.17	.11	.00	4.46	3.75	4.28
	MEAN	3.33	2.74	2.10	.83	.95	.00	2.96	2.03	2.74
	SIGMA	7.81	6.01	4.52	.12	.35	.00	7.25	6.00	6.96

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		20	4.39	1	.22	0	.00	21	4.61
WALLS	COUNT	28	9	0	2	0	0	30	11
	MEAN	.99	1.12	.00	5.02	.00	.00	.94	1.83
SIGMA	SIGMA	1.76	2.15	.00	2.65	.00	.00	1.72	2.63
	MEAN	1.00	.57	.00	1.89	.00	.00	.97	.81
MEDIAN	SIGMA	1.44	.56	.00	2.26	.00	.00	1.39	1.02
	MEAN	.71	1.17	.00	5.07	.00	.00	.67	1.88
HIGH	SIGMA	1.34	2.04	.00	2.58	.00	.00	1.31	2.55
	MEAN	2.21	1.72	.00	6.80	.00	.00	2.12	2.65
TRIM	SIGMA	3.29	2.91	.00	.57	.00	.00	3.20	3.32
	MEAN	3.08	4.32	6.10	6.45	.00	.00	2.99	4.49
SIGMA	SIGMA	3.09	3.02	.00	.25	.00	.00	3.06	2.94
	MEAN	1.41	2.70	8.06	1.63	.00	.00	1.59	2.61
MEDIAN	SIGMA	1.91	1.62	.00	4.55	.00	.00	2.20	1.57
	MEAN	2.94	4.25	6.10	6.45	.00	.00	2.87	4.78
HIGH	SIGMA	3.26	3.49	.00	.25	.00	.00	3.22	4.14
	MEAN	4.38	6.82	11.80	7.60	.00	.00	4.39	6.88
ALL	SIGMA	4.34	3.89	.00	2.97	.00	.00	4.44	3.72
	MEAN	1.71	2.89	6.10	4.93	.00	.00	1.75	3.17
SIGMA	SIGMA	1.77	2.80	.00	2.52	.00	.00	1.89	2.77
	MEAN	1.82	2.31	8.06	2.82	.00	.00	1.93	2.29
MEDIAN	SIGMA	1.70	1.68	.00	2.74	.00	.00	1.98	1.63
	MEAN	1.08	2.44	6.10	5.07	.00	.00	1.17	3.07
HIGH	SIGMA	1.30	2.98	.00	2.58	.00	.00	1.54	3.80
	MEAN	4.62	5.97	11.80	7.00	.00	.00	4.63	6.11
T-W	SIGMA	4.53	4.23	.00	.85	.00	.00	4.57	3.94
	MEAN	2.47	2.27	.00	1.25	.00	.00	2.31	2.08
MEDIAN	SIGMA	3.19	2.38	.00	2.40	.00	.00	3.14	2.30
	MEAN	2.64	2.08	.00	1.20	.00	.00	2.63	1.92
HIGH	SIGMA	3.27	2.76	.00	2.33	.00	.00	3.59	2.60
	MEAN	2.92	3.32	.00	2.90	.00	.00	2.72	3.25
SIGMA	SIGMA	4.94	3.93	.00	3.54	.00	.00	4.84	3.69
	MEAN	2.47	2.27	.00	1.25	.00	.00	2.31	2.08
MEDIAN	SIGMA	3.19	2.38	.00	2.40	.00	.00	3.14	2.30
	MEAN	2.64	2.08	.00	1.20	.00	.00	2.63	1.92
HIGH	SIGMA	3.27	2.76	.00	2.33	.00	.00	3.59	2.60
	MEAN	2.92	3.32	.00	2.90	.00	.00	2.72	3.25
SIGMA	SIGMA	4.94	3.93	.00	3.54	.00	.00	4.84	3.69
	MEAN	2.47	2.27	.00	1.25	.00	.00	2.31	2.08
MEDIAN	SIGMA	3.19	2.38	.00	2.40	.00	.00	3.14	2.30
	MEAN	2.64	2.08	.00	1.20	.00	.00	2.63	1.92
HIGH	SIGMA	3.27	2.76	.00	2.33	.00	.00	3.59	2.60
	MEAN	2.92	3.32	.00	2.90	.00	.00	2.72	3.25
SIGMA	SIGMA	4.94	3.93	.00	3.54	.00	.00	4.84	3.69
	MEAN	2.47	2.27	.00	1.25	.00	.00	2.31	2.08

BLOOD LEAD INTERVAL IS 35-39 * * * 10 CHILDREN * * * 2.2 PERCENT OF TOTAL SINGLE-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		7	1.54	3	.66	0	.00	10	2.19	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	8	2	10	3	1	4	0	11	3
	MEAN	4.75	.56	3.91	.11	.00	.04	.00	3.49	.32
	SIGMA	6.84	.02	6.29	.59	.00	.50	.00	6.13	.42
	SIGMA	2.02	.48	1.72	.38	.35	.38	.00	1.58	.44
TRIM	MEDIAN	2.20	.04	2.05	.08	.00	.07	.00	1.99	.08
	MEAN	4.64	.60	3.83	.20	.00	.10	.00	3.45	.33
	SIGMA	6.54	.07	6.02	.60	.00	.53	.00	5.88	.46
	SIGMA	7.07	1.10	5.88	.50	.20	.42	.00	5.28	.80
ALL	HIGH	9.07	.00	8.39	.50	.00	.43	.00	8.19	.52
	MEAN	5.28	7.68	6.00	.44	.77	.52	.00	3.63	5.95
	SIGMA	4.18	7.99	5.22	.41	.00	.37	.00	4.14	7.39
	SIGMA	1.76	1.96	1.82	.83	.42	.73	.00	1.48	1.57
T-W	MEDIAN	1.70	2.28	1.76	.79	.00	.68	.00	1.50	2.01
	MEAN	5.26	5.38	5.29	.33	.90	.47	.00	3.78	4.26
	SIGMA	4.23	4.02	3.94	.58	.00	.55	.00	4.20	3.98
	SIGMA	6.73	9.07	7.43	1.37	1.10	1.30	.00	5.12	7.07
ALL	HIGH	4.83	6.81	5.21	1.27	.00	1.04	.00	4.76	6.84
	MEAN	4.68	5.41	4.48	.29	.30	.29	.00	3.59	4.39
	SIGMA	5.16	7.71	4.79	.27	.00	.22	.00	4.83	7.05
	SIGMA	2.72	1.65	3.47	.71	.62	.69	.00	2.22	1.44
T-W	MEDIAN	2.54	2.00	2.68	.52	.00	.43	.00	2.36	1.79
	MEAN	4.24	3.54	3.62	.15	.25	.17	.00	2.80	2.88
	SIGMA	5.18	4.40	5.04	.49	.00	.41	.00	3.79	4.09
	SIGMA	8.31	7.07	9.71	1.53	1.10	1.42	.00	6.62	5.88
ALL	HIGH	8.32	6.84	7.83	1.00	.00	.85	.00	7.74	6.50
	MEAN	1.72	3.55	2.09	.34	.93	.49	.00	1.34	2.68
	SIGMA	8.32	.89	7.38	.86	.00	.76	.00	7.00	1.64
	SIGMA	1.01	3.30	1.46	.13	1.10	.38	.00	.75	2.57
T-W	MEDIAN	6.43	.64	5.76	1.14	.00	1.05	.00	5.42	1.35
	MEAN	.85	4.35	1.55	.87	.90	.88	.00	.85	3.20
	SIGMA	9.61	1.34	8.62	1.52	.00	1.24	.00	8.07	2.21
	SIGMA									

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		2				.44				0				.00				0				.00				2				.44			
		GOOD		BAD		ALL		GOODD		BAD		ALL		GOODD		BAD		ALL		GOODD		BAD		ALL		GOODD		BAD		ALL			
WALLS	COUNT	2		2		4		0		0		0		0		0		0		0		0		0		2		2		4			
	MEAN	3.33		1.25		2.29		.00		.00		.00		.00		.00		.00		.00		.00		.00		3.33		1.25		2.29			
	SIGMA	3.39		.78		2.34		.00		.00		.00		.00		.00		.00		.00		.00		.00		3.39		.78		2.34			
TRIM	SIGMA	.93		1.29		1.11		.00		.00		.00		.00		.00		.00		.00		.00		.00		.93		1.29		1.11			
	MEDIAN	.32		1.19		.74		.00		.00		.00		.00		.00		.00		.00		.00		.00		.32		1.19		.74			
	HIGH	3.46		.07		2.02		.00		.00		.00		.00		.00		.00		.00		.00		.00		3.46		.07		2.02			
ALL	MEAN	4.25		3.15		3.70		.00		.00		.00		.00		.00		.00		.00		.00		.00		4.25		3.15		3.70			
	SIGMA	3.04		2.62		2.40		.00		.00		.00		.00		.00		.00		.00		.00		.00		3.04		2.62		2.40			
	HIGH	6.76		4.85		5.15		.00		.00		.00		.00		.00		.00		.00		.00		.00		6.76		4.85		5.15			
T-W	MEAN	4.98		1.76		2.84		.00		.00		.00		.00		.00		.00		.00		.00		.00		4.98		1.76		2.84			
	SIGMA	3.22		1.50		.42		.00		.00		.00		.00		.00		.00		.00		.00		.00		3.22		1.50		.42			
	HIGH	9.63		4.35		9.07		.00		.00		.00		.00		.00		.00		.00		.00		.00		9.63		4.35		9.07			
T-W	MEAN	3.79		4.31		3.29		.00		.00		.00		.00		.00		.00		.00		.00		.00		3.79		4.31		3.29			
	SIGMA	8.18		3.50		5.99		.00		.00		.00		.00		.00		.00		.00		.00		.00		8.18		3.50		5.99			
	HIGH	12.52		4.90		7.60		.00		.00		.00		.00		.00		.00		.00		.00		.00		12.52		4.90		7.60			

BLOOD LEAD INTERVAL IS 45-49 * * * 4 CHILDREN * * * .9 PERCENT OF TOTAL SINGLE-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		3			1			.22			0			.00			4			.68		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	0	6	6	2	1	3	0	0	0	0	0	0	2	7	9	2	7	9	2	7	9
	MEAN	.00	3.96	3.96	2.00	1.32	1.77	.00	.00	.00	.00	.00	.00	2.00	3.58	3.23	2.00	3.58	3.23	2.00	3.58	3.23
	SIGMA	.00	8.06	8.06	.21	.00	.42	.00	.00	.00	.00	.00	.00	.21	7.42	6.47	.21	7.42	6.47	.21	7.42	6.47
	MEAN	.00	.88	.88	1.84	1.65	1.78	.00	.00	.00	.00	.00	.00	1.84	.99	1.18	.00	.99	1.18	.00	.99	1.18
	SIGMA	.00	.84	.84	.06	.00	.12	.00	.00	.00	.00	.00	.00	.06	.82	.80	.00	.82	.80	.00	.82	.80
	MEAN	.00	3.12	3.12	2.10	1.00	1.73	.00	.00	.00	.00	.00	.00	2.10	2.82	2.66	.00	2.82	2.66	.00	2.82	2.66
	SIGMA	.00	6.03	6.03	.42	.00	.70	.00	.00	.00	.00	.00	.00	.42	5.56	4.83	.00	5.56	4.83	.00	5.56	4.83
	MEAN	.00	4.93	4.93	3.80	3.60	3.73	.00	.00	.00	.00	.00	.00	3.80	4.74	4.53	.00	4.74	4.53	.00	4.74	4.53
	SIGMA	.00	8.16	8.16	.28	.00	.23	.00	.00	.00	.00	.00	.00	.28	7.47	6.48	.00	7.47	6.48	.00	7.47	6.48
	MEAN	.00	7.76	7.76	2.38	2.20	2.32	.00	.00	.00	.00	.00	.00	2.38	6.97	5.95	.00	6.97	5.95	.00	6.97	5.95
SIGMA	.00	4.40	4.40	3.13	.00	.22	.00	.00	.00	.00	.00	.00	3.13	4.53	4.55	.00	4.53	4.55	.00	4.53	4.55	
MEAN	.00	7.07	7.07	2.46	2.26	2.39	.00	.00	.00	.00	.00	.00	2.46	6.38	5.51	.00	6.38	5.51	.00	6.38	5.51	
SIGMA	.00	3.49	3.49	2.78	.00	.97	.00	.00	.00	.00	.00	.00	2.78	3.67	3.75	.00	3.67	3.75	.00	3.67	3.75	
MEAN	.00	7.22	7.22	2.30	2.20	2.27	.00	.00	.00	.00	.00	.00	2.30	6.51	5.57	.00	6.51	5.57	.00	6.51	5.57	
SIGMA	.00	5.17	5.17	2.69	.00	.90	.00	.00	.00	.00	.00	.00	2.69	5.09	4.87	.00	5.09	4.87	.00	5.09	4.87	
MEAN	.00	13.77	13.77	4.95	3.80	4.57	.00	.00	.00	.00	.00	.00	4.95	12.34	10.70	.00	12.34	10.70	.00	12.34	10.70	
SIGMA	.00	6.28	6.28	6.29	.00	.50	.00	.00	.00	.00	.00	.00	6.29	6.86	7.13	.00	6.86	7.13	.00	6.86	7.13	
ALL	MEAN	.00	5.45	5.45	2.25	1.62	2.04	.00	.00	.00	.00	.00	2.25	4.90	4.31	.00	4.90	4.31	.00	4.90	4.31	
	SIGMA	.00	6.26	6.26	1.59	.00	1.18	.00	.00	.00	.00	.00	1.59	5.90	5.27	.00	5.90	5.27	.00	5.90	5.27	
	MEAN	.00	4.96	4.96	2.50	1.69	2.23	.00	.00	.00	.00	.00	2.50	4.49	4.05	.00	4.49	4.05	.00	4.49	4.05	
	SIGMA	.00	2.28	2.28	1.29	.00	1.02	.00	.00	.00	.00	.00	1.29	2.42	2.32	.00	2.42	2.32	.00	2.42	2.32	
	MEAN	.00	2.62	2.62	1.40	1.00	1.27	.00	.00	.00	.00	.00	1.40	2.39	2.17	.00	2.39	2.17	.00	2.39	2.17	
	SIGMA	.00	3.78	3.78	1.41	.00	1.03	.00	.00	.00	.00	.00	1.41	3.50	3.11	.00	3.50	3.11	.00	3.50	3.11	
	MEAN	.00	14.25	14.25	6.50	3.80	5.60	.00	.00	.00	.00	.00	6.50	12.76	11.37	.00	12.76	11.37	.00	12.76	11.37	
	SIGMA	.00	6.80	6.80	4.10	.00	.29	.00	.00	.00	.00	.00	4.10	7.36	7.09	.00	7.36	7.09	.00	7.36	7.09	
	MEAN	.00	3.81	3.81	.38	.88	.55	.00	.00	.00	.00	.00	.38	3.39	2.72	.00	3.39	2.72	.00	3.39	2.72	
	SIGMA	.00	6.42	6.42	2.92	.00	2.09	.00	.00	.00	.00	.00	2.92	5.97	5.43	.00	5.97	5.43	.00	5.97	5.43	
MEAN	.00	4.10	4.10	.20	1.20	.53	.00	.00	.00	.00	.00	.20	3.69	2.91	.00	3.69	2.91	.00	3.69	2.91		
SIGMA	.00	5.39	5.39	2.26	.00	1.70	.00	.00	.00	.00	.00	2.26	5.04	4.69	.00	5.04	4.69	.00	5.04	4.69		
MEAN	.00	8.83	8.83	1.15	.20	.83	.00	.00	.00	.00	.00	1.15	7.60	6.17	.00	7.60	6.17	.00	7.60	6.17		
SIGMA	.00	8.38	8.38	6.01	.00	.29	.00	.00	.00	.00	.00	6.01	8.31	8.03	.00	8.31	8.03	.00	8.31	8.03		

T-W

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		1	.22	0	.00	0	.00	0	.00	1	.22	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	GOOD	BAD	ALL
WALLS	COUNT	2	0	2	0	0	0	0	0	2	0	2
	MEAN	6.30	.00	6.30	.00	.00	.00	.00	.00	6.30	.00	6.30
	SIGMA	2.79	.00	2.79	.00	.00	.00	.00	.00	2.79	.00	2.79
MEDIAN	SIGMA	8.14	.00	8.14	.00	.00	.00	.00	.00	8.14	.00	8.14
	MEAN	.47	.00	.47	.00	.00	.00	.00	.00	.47	.00	.47
	SIGMA	6.15	.00	6.15	.00	.00	.00	.00	.00	6.15	.00	6.15
HIGH	MEAN	8.13	.00	8.13	.00	.00	.00	.00	.00	8.13	.00	8.13
	SIGMA	15.30	.00	15.30	.00	.00	.00	.00	.00	15.30	.00	15.30
	MEAN	2.40	.00	2.40	.00	.00	.00	.00	.00	2.40	.00	2.40

TRIM		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
MEAN	MEAN	2.20	.09	2.20	.09	2.20	.09	2.20	.09	2.20	.09
	SIGMA	2.48	.52	2.48	.52	2.48	.52	2.48	.52	2.48	.52
MEDIAN	MEAN	3.20	.14	3.20	.14	3.20	.14	3.20	.14	3.20	.14
	SIGMA	4.00	.85	4.00	.85	4.00	.85	4.00	.85	4.00	.85

ALL		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
MEAN	MEAN	4.33	1.33	4.33	1.33	4.33	1.33	4.33	1.33	4.33	1.33
	SIGMA	6.21	.02	6.21	.02	6.21	.02	6.21	.02	6.21	.02
MEDIAN	MEAN	2.37	.02	2.37	.02	2.37	.02	2.37	.02	2.37	.02
	SIGMA	2.09	.14	2.09	.14	2.09	.14	2.09	.14	2.09	.14
HIGH	MEAN	15.30	2.40	15.30	2.40	15.30	2.40	15.30	2.40	15.30	2.40
	SIGMA	4.33	1.33	4.33	1.33	4.33	1.33	4.33	1.33	4.33	1.33

T-W		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
MEAN	MEAN	-4.10	2.69	-4.10	2.69	-4.10	2.69	-4.10	2.69	-4.10	2.69
	SIGMA	-2.95	8.27	-2.95	8.27	-2.95	8.27	-2.95	8.27	-2.95	8.27
MEDIAN	MEAN	8.27	-11.30	8.27	-11.30	8.27	-11.30	8.27	-11.30	8.27	-11.30
	SIGMA	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25

BLOOD LEAD INTERVAL IS ALL * * * 319 CHILDREN * * * 70.0 PERCENT OF TOTAL SINGLE-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		257	56.36	43	9.43	16	3.51	319	69.96
WALLS	COUNT	389	91	74	11	35	0	509	103
	MEAN	1.95	2.12	.25	1.37	.09	.00	1.58	2.16
SIGMA	SIGMA	3.87	3.55	.65	2.11	.71	.00	3.50	3.63
	MEAN	1.38	1.99	.63	1.18	.47	.00	1.24	1.02
MEDIAN	SIGMA	2.15	1.00	.51	1.06	.26	.00	1.08	1.00
	MEAN	1.65	2.03	.19	1.08	.07	.00	1.36	2.02
HIGH	SIGMA	3.22	3.33	.63	2.17	.72	.00	2.98	3.34
	MEAN	3.51	3.25	1.01	2.71	.65	.00	2.98	3.31
TRIM	SIGMA	5.69	4.05	1.11	2.54	.82	.00	5.18	4.08
	MEAN	3.20	5.25	1.20	1.71	.52	.70	2.69	4.93
SIGMA	SIGMA	3.81	3.80	1.89	2.17	.54	.17	3.59	3.80
	MEAN	1.84	2.85	1.07	.86	.59	1.41	1.61	2.72
MEDIAN	SIGMA	2.63	2.62	1.87	.77	.60	.24	2.45	2.56
	MEAN	2.98	4.88	1.22	1.76	.53	.70	2.37	4.63
HIGH	SIGMA	3.87	3.41	1.92	2.14	.57	.17	2.77	3.48
	MEAN	4.85	7.76	2.14	2.33	1.00	1.70	4.12	7.29
ALL	SIGMA	5.59	5.02	3.24	2.55	.56	.35	5.24	5.05
	MEAN	2.43	3.98	.71	1.36	.20	.70	2.03	3.74
SIGMA	SIGMA	3.25	3.76	1.07	1.84	.52	.17	3.00	3.71
	MEAN	2.34	2.53	1.16	1.18	.67	1.41	2.08	2.43
MEDIAN	SIGMA	2.59	2.08	1.42	.94	.28	.24	2.43	2.04
	MEAN	1.82	3.39	.50	1.09	.14	.70	1.54	3.22
HIGH	SIGMA	2.90	3.46	.91	1.94	.59	.17	2.57	3.49
	MEAN	5.98	7.23	2.46	2.67	1.15	1.70	5.16	6.79
T-W	SIGMA	6.56	5.16	3.13	2.33	.71	.35	6.16	5.16
	MEAN	1.49	2.73	.86	.68	.44	.00	1.29	2.39
MEDIAN	SIGMA	4.93	3.71	1.87	1.04	.83	.00	4.48	3.75
	MEAN	1.53	2.53	.94	1.02	.45	.00	1.18	2.32
HIGH	SIGMA	4.78	3.54	1.93	.82	.84	.00	3.74	3.45
	MEAN	1.73	3.63	1.00	.21	.90	.00	1.45	3.14
SIGMA	SIGMA	7.12	5.21	3.09	2.29	.89	.00	6.48	5.21
	MEAN	1.48	1.73	.86	.83	.44	.00	1.29	2.39

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		1	.22	0	.00	0	.22	0	.22	1	.44
WALLS	COUNT	7	0	0	0	0	0	4	0	4	0
	MEAN	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	SIGMA	.83	.00	.83	.00	.00	.00	.14	.00	.14	.00
MEDIAN	SIGMA	.44	.00	.44	.00	.00	.00	.67	.00	.67	.00
	MEAN	.26	.00	.26	.00	.00	.00	.31	.00	.31	.00
	SIGMA	.00	.00	.00	.00	.00	.00	.03	.00	.03	.00
HIGH	MEAN	.88	.00	.88	.00	.00	.00	.16	.00	.16	.00
	MEAN	.00	.00	.00	.00	.00	.00	.60	.00	.60	.00
	SIGMA	.00	.00	.00	.00	.00	.00	.37	.00	.37	.00
TRIM	MEAN	.00	1.90	.20	.00	.00	.00	.32	.00	.32	1.90
	SIGMA	.11	.00	.75	.00	.00	.00	.54	.00	.54	.00
	MEAN	.37	.00	.31	.00	.00	.00	.53	.00	.53	.00
	SIGMA	.14	.00	.19	.00	.00	.00	.70	.00	.70	.00
	MEAN	.00	1.90	.20	.00	.00	.00	.32	.00	.32	1.90
	SIGMA	.13	.00	.75	.00	.00	.00	.54	.00	.54	.00
ALL	MEAN	.22	1.90	.46	.00	.00	.00	.77	.00	.77	1.90
	SIGMA	.04	.00	.64	.00	.00	.00	.93	.00	.93	.00
	MEAN	.00	1.90	.00	.00	.00	.00	.07	.00	.07	1.90
	SIGMA	.49	.00	.43	.00	.00	.00	.19	.00	.19	.00
	MEAN	.50	.00	.60	.00	.00	.00	.61	.00	.61	.00
	SIGMA	.23	.00	.34	.00	.00	.00	.40	.00	.40	.00
T-W	MEAN	.00	1.90	.00	.00	.00	.00	.07	.00	.07	1.90
	SIGMA	.41	.00	.36	.00	.00	.00	.26	.00	.26	.00
	MEAN	.19	1.90	.46	.00	.00	.00	.86	.00	.86	1.90
	SIGMA	.09	.00	.64	.00	.00	.00	.73	.00	.73	.00
	MEAN	.87	.00	.87	.00	.00	.00	.43	.00	.43	.00
	SIGMA	.81	.00	.81	.00	.00	.00	.64	.00	.64	.00
T-W	MEAN	.89	.00	.89	.00	.00	.00	.43	.00	.43	.00
	SIGMA	.87	.00	.87	.00	.00	.00	.58	.00	.58	.00
	MEAN	.46	.00	.46	.00	.00	.00	.40	.00	.40	.00
	SIGMA	.64	.00	.64	.00	.00	.00	1.23	.00	1.23	.00
	MEAN	.74	.00	.74	.00	.00	.00	.74	.00	.74	.00
	SIGMA	.76	.00	.76	.00	.00	.00	.76	.00	.76	.00
T-W	MEAN	.75	.00	.75	.00	.00	.00	.75	.00	.75	.00
	SIGMA	.87	.00	.87	.00	.00	.00	.79	.00	.79	.00
	MEAN	.46	.00	.46	.00	.00	.00	.44	.00	.44	.00
	SIGMA	.64	.00	.64	.00	.00	.00	1.23	.00	1.23	.00
	MEAN	.78	.00	.78	.00	.00	.00	.78	.00	.78	.00
	SIGMA	.78	.00	.78	.00	.00	.00	.78	.00	.78	.00

BLOOD LEAD INTERVAL IS 5-9 * * * 3 CHILDREN * * * .7 PERCENT OF TOTAL ALL-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT 2 .44 0 .00 1 .22 3 .66

WALLS	COUNT	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	8	.42	1.11	.37	1.03	.42	1.03	.42	1.03	.29	.28	.29	.28
		.42	.62	.22	.58	.22	.58	.22	.58	.46	.54	.46	.52
		.41	.41	.00	.41	.00	.41	.00	.41	.21	.32	.21	.32
		.36	.36	.30	.36	.30	.36	.30	.36	.31	.33	.31	.33
		1.07	1.16	.00	1.11	.00	1.11	.00	1.11	.35	.75	.35	.73
		1.16	1.53	.70	1.44	.70	1.44	.70	1.44	.73	.94	.73	.92
		1.53		.00		.00		.00		.27	1.05	.27	1.02

TRIM	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	1.37	1.63	1.34	1.63	2.04	1.77	2.04	1.77	.80	.50	.80	.50
	1.63	1.04	2.81	1.82	1.63	1.82	1.63	1.82	.00	.35	.00	.35
	1.88	1.88	1.12	1.83	1.82	1.83	1.82	1.83	.00	.29	.00	.29
	1.30	1.59	2.90	1.87	1.83	1.87	1.83	1.87	.81	.81	.81	.81
	1.59	2.32	6.40	3.68	1.55	3.68	1.55	3.68	.54	.54	.54	.54
	2.32	2.67	2.69	3.23	3.68	3.23	3.68	3.23	1.07	1.07	1.07	1.07
	2.67				3.23		3.23		.55	.55	.55	.55

ALL	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	.66	1.02	2.90	1.78	1.09	1.05	1.09	1.05	.46	.21	.46	.21
	1.02	1.00	2.61	1.56	1.05	1.56	1.05	1.56	.00	.54	.00	.54
	.86	.47	2.37	.63	1.08	.63	1.08	.63	.00	.21	.00	.21
	.84	.84	1.60	.76	.63	.76	.63	.76	.51	.51	.51	.51
	2.32	2.52	6.40	3.98	3.98	3.98	3.98	3.98	.25	.25	.25	.25
	2.52		2.69	3.17	3.17	3.17	3.17	3.17	1.11	1.11	1.11	1.11
									.42	.42	.42	.42

T-W	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	1.50	2.00	2.59	1.91	1.62	1.91	1.62	1.91	.60	.58	.60	.58
	2.00	1.41	.00	1.48	.00	1.48	.00	1.48	.00	.59	.00	.59
	1.80	1.80	.00	1.70	.00	1.70	.00	1.70	.63	.63	.63	.63
	2.24	3.77	5.20	2.57	2.57	2.57	2.57	2.57	.39	.39	.39	.39
	3.77		.00	3.66	.00	3.66	.00	3.66	.75	.75	.75	.75

*****PRE 1940***** *****1940-1959***** *****1960-1975***** ALL AGES*****

CHILDREN-COUNT AND PERCENT		24		6.80		6		1.75		3		1.54		34		10.31	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	138	14	152	31	0	31	29	0	29	203	14	217				
	MEAN	.24	.16	.23	.00	.00	.00	.04	.00	.04	.16	.16	.16				
	SIGMA	1.25	.38	1.20	.64	.00	.64	.40	.00	.40	1.15	.38	1.12				
	MEAN	.46	.50	.47	.42	.00	.42	.39	.00	.39	.49	.50	.49				
	SIGMA	.40	.27	.38	.25	.00	.25	.17	.00	.17	.51	.27	.50				
	MEAN	.22	.11	.21	.00	.00	.00	.01	.00	.01	.13	.11	.13				
	SIGMA	1.04	.35	1.00	.65	.00	.65	.38	.00	.38	.97	.35	.94				
	MEAN	.78	.71	.78	.21	.00	.21	.54	.00	.54	.76	.71	.76				
	SIGMA	1.59	.48	1.52	.32	.00	.32	.49	.00	.49	1.58	.48	1.54				
TRIM	MEAN	2.38	3.11	2.47	.46	.79	.52	.50	.46	.50	2.01	2.29	2.05				
	SIGMA	3.17	3.07	3.16	.66	.33	.62	.39	.14	.36	2.98	2.75	2.95				
	MEAN	1.47	1.47	1.47	.75	.73	.75	.46	.22	.42	1.27	1.14	1.25				
	SIGMA	2.15	1.61	2.09	.61	.32	.56	.49	.30	.47	1.93	1.40	1.86				
	MEAN	2.21	2.76	2.27	.52	.74	.56	.45	.49	.46	1.88	2.05	1.89				
	SIGMA	3.10	3.01	3.05	.66	.38	.62	.37	.13	.34	2.87	2.65	2.80				
	MEAN	3.73	4.66	3.84	1.15	1.44	1.21	.91	.65	.87	3.17	3.47	3.21				
	SIGMA	4.54	3.91	4.47	.60	.31	.57	.68	.29	.63	4.18	3.60	4.10				
ALL	MEAN	1.14	1.78	1.11	.00	.79	.00	.14	.46	.16	.87	1.49	.87				
	SIGMA	1.97	2.49	1.63	.40	.33	.32	.36	.14	.34	1.78	2.20	1.51				
	MEAN	1.51	1.28	1.71	.76	.73	.83	.47	.22	.49	1.30	1.08	1.46				
	SIGMA	1.70	1.58	1.79	.36	.32	.33	.24	.30	.23	1.53	1.41	1.62				
	MEAN	.61	1.28	.59	.00	.74	.00	.10	.49	.10	.45	1.12	.44				
	SIGMA	1.63	2.24	1.56	.47	.38	.42	.40	.13	.39	1.38	1.95	1.32				
	MEAN	3.58	3.42	3.93	.93	1.44	1.14	.83	.65	.88	2.93	2.82	3.22				
	SIGMA	4.40	3.75	4.44	.65	.31	.58	.65	.29	.61	3.99	3.38	4.05				
T-W	MEAN	2.07	3.81	2.23	.96	.00	.96	.43	.00	.43	1.74	3.81	1.88				
	SIGMA	2.96	3.89	3.09	.88	.00	.88	.50	.00	.50	2.70	3.89	2.83				
	MEAN	1.90	3.54	2.05	1.00	.00	1.00	.42	.00	.42	1.63	3.54	1.76				
	SIGMA	2.94	3.26	3.00	.91	.00	.91	.42	.00	.42	2.64	3.26	2.72				
	MEAN	2.89	4.64	3.06	1.01	.00	1.01	.27	.00	.27	2.27	4.64	2.43				
	SIGMA	4.50	4.81	4.55	.75	.00	.75	.74	.00	.74	4.08	4.81	4.16				

BLOOD LEAD INTERVAL IS 15-19 * * * 136 CHILDREN * * * 29.8 PERCENT OF TOTAL ALL-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		71	20.39	19	5.04	9	3.29	100	29.82	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	350	69	419	110	1	111	76	3	79
	MEAN	.84	1.18	.90	.15	1.27	.16	.05	.42	.06
	SIGMA	2.51	3.36	2.66	.74	.00	.74	.40	.30	.40
	MEAN	.83	.85	.83	.50	1.36	.51	.43	.36	.43
	SIGMA	1.79	1.10	1.70	.47	.00	.48	.24	.22	.24
	MEAN	.91	.92	.91	.10	1.30	.11	.07	.52	.08
	SIGMA	2.90	2.41	2.82	.66	.00	.67	.43	.29	.43
	HIGH	1.72	2.12	1.79	.81	2.80	.83	.51	.73	.52
	SIGMA	3.97	4.51	4.06	1.19	.00	1.19	.40	.58	.41

TRIM		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	2.94	3.78	3.12	1.26	.00	1.26	.67	.51	.65	2.32
	SIGMA	3.76	3.85	3.79	1.59	.00	1.59	.60	.17	.57	3.29
	MEAN	1.66	1.51	1.63	.87	.00	.87	.48	.86	.52	1.36
	SIGMA	2.45	1.93	2.35	1.15	.00	1.15	.67	.77	.68	2.13
	MEAN	2.71	3.43	2.87	1.21	.00	1.21	.67	.51	.65	2.15
	SIGMA	3.06	3.15	3.09	1.56	.00	1.56	.61	.17	.58	2.73
	HIGH	4.45	5.12	4.59	2.02	.00	2.02	1.05	1.11	1.05	3.54
	SIGMA	5.49	4.58	5.31	2.27	.00	2.27	.69	.63	.68	4.79

ALL		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	1.60	2.17	1.73	.55	1.27	.55	.22	.48	.23	1.23
	SIGMA	2.36	2.87	2.40	.87	.00	.86	.34	.20	.32	2.05
	MEAN	1.85	1.78	1.13	1.00	1.36	1.00	.60	.71	.63	1.53
	SIGMA	2.39	2.07	2.42	.81	.00	.81	.34	.68	.32	2.05
	MEAN	1.11	1.58	1.10	.31	1.30	.31	.19	.51	.20	.81
	SIGMA	2.21	2.41	2.27	.65	.00	.64	.41	.20	.40	1.80
	HIGH	4.50	4.46	5.08	2.14	2.80	2.14	1.04	1.00	1.11	3.63
	SIGMA	5.95	5.08	5.99	2.26	.00	2.26	.63	.61	.60	5.15

T-W		MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	2.03	3.05	2.20	1.14	1.03	1.14	.63	.42	.62	1.68
	SIGMA	4.15	4.62	4.24	1.46	.00	1.45	.72	.00	.71	3.50
	MEAN	1.73	2.94	1.94	1.16	1.00	1.16	.61	.35	.60	1.48
	SIGMA	3.71	3.63	3.72	1.42	.00	1.41	.73	.00	.73	3.16
	MEAN	2.61	3.51	2.76	1.20	.60	1.19	.56	-.20	.55	2.07
	SIGMA	6.40	5.45	6.25	2.32	.00	2.31	.85	.00	.85	5.40

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		80	22-59	5	2	.88	87	26.75		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	378	120	498	45	4	49	23	124	570
	MEAN	.60	2.35	1.02	.06	.00	.03	.00	.50	.89
	SIGMA	2.11	5.33	3.28	.41	.53	.42	.52	1.97	5.26
	SIGMA	.76	1.14	.85	.40	.38	.40	.43	.70	1.12
MEDIAN	SIGMA	1.47	1.86	1.58	.24	.08	.23	.18	1.36	1.84
	MEAN	.59	1.81	.88	.00	.00	.04	.00	.50	.77
	SIGMA	2.29	3.98	2.83	.43	.60	.44	.51	2.12	3.94
	HIGH	1.43	3.71	1.98	.50	.20	.48	.40	1.29	3.60
TRIM	SIGMA	3.23	6.80	4.46	.43	.34	.43	.49	3.00	6.72
	MEAN	2.84	4.59	3.33	.59	1.06	.65	.48	2.52	4.41
	SIGMA	3.03	4.76	3.68	.66	.37	.65	.37	2.93	4.71
	SIGMA	1.52	2.13	1.69	.47	1.10	.55	.72	1.38	2.08
MEDIAN	SIGMA	1.90	2.83	2.22	.37	.93	.52	.74	1.81	2.77
	MEAN	2.81	4.07	3.16	.62	1.01	.67	.45	2.50	3.90
	SIGMA	3.13	3.77	3.37	.66	.39	.64	.37	3.05	3.71
	HIGH	4.18	6.44	4.81	1.01	1.98	1.15	1.03	3.74	6.21
ALL	SIGMA	4.14	6.21	4.90	.66	.92	.77	.73	4.00	6.14
	MEAN	1.47	2.88	1.86	.27	.49	.25	.03	1.29	2.77
	SIGMA	2.12	4.02	2.58	.52	.71	.37	.00	2.02	3.96
	SIGMA	1.69	2.47	2.28	.52	.73	.61	.65	1.53	2.38
T-W	SIGMA	1.93	2.84	2.37	.25	.47	.31	.28	1.83	2.80
	MEAN	1.05	2.05	1.17	.27	.36	.21	.00	.92	2.05
	SIGMA	2.24	3.40	2.42	.52	.77	.40	.45	2.06	3.57
	HIGH	3.95	6.25	5.32	.97	1.57	1.15	1.00	3.53	6.02
T-W	SIGMA	4.55	7.15	5.76	.65	1.10	.73	.69	4.35	7.06
	MEAN	2.04	3.08	2.30	.56	1.53	.65	.65	1.83	3.03
	SIGMA	3.44	6.73	4.50	.55	1.43	.70	.58	3.23	6.62
	SIGMA	1.98	3.12	2.26	.57	1.56	.66	.64	1.79	3.05
T-W	SIGMA	3.57	5.06	4.02	.56	1.47	.72	.55	3.39	4.91
	MEAN	2.47	3.85	2.82	.57	1.80	.69	.63	2.20	3.78
	SIGMA	4.95	8.21	5.95	.69	1.55	.86	.83	4.63	8.08
	HIGH	4.95	8.21	5.95	.69	1.55	.86	.83	4.63	8.08

BLOOD LEAD INTERVAL IS 25-29 * * * 88 CHILDREN * * * 19.3 PERCENT OF TOTAL ALL-FAMILY UNITS DRY ROOMS

*****PRE 1940*****
 *****1960-1975*****
 *****ALL AGES*****

CHILDREN-COUNT AND PERCENT 46 15.35 8 2.41 1 .66 56 19.30

WALLS	COUNT	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
MEAN	225	1.20	3.81	97	2.70	322	1.65	11	.00	39	.01	50	19	0	19	294	116	410
SIGMA	3.81	6.20	.68	6.20	4.70	4.70	.91	.61	.43	.37	.43	.43	.59	.00	.59	3.41	5.89	4.30
MEAN	.88	3.24	1.95	3.24	1.95	1.95	.26	.21	.26	.28	.26	.26	.20	.00	.20	.87	2.98	1.77
SIGMA	1.02	1.89	3.53	3.88	3.53	3.53	.66	.66	.45	.39	.66	.45	.61	.00	.61	3.07	3.75	3.29
MEAN	2.03	4.20	2.69	4.20	2.69	2.69	.12	.12	.45	.55	.12	.45	.06	.00	.06	1.72	3.74	2.30
SIGMA	4.52	8.82	6.20	8.82	6.20	6.20	.18	.18	.52	.55	.18	.52	.12	.00	.12	4.07	8.25	5.64

TRIM

MEAN	3.59	4.98	4.06	4.98	4.06	4.06	.63	.50	.79	.67	.50	.63	.51	.00	.51	2.96	4.52	3.45
SIGMA	4.07	4.21	4.16	4.21	4.16	4.16	.92	.92	.84	.76	.92	.84	.36	.00	.36	3.78	4.12	3.95
MEAN	2.83	2.85	2.83	2.85	2.83	2.83	.77	.77	.76	.72	.77	.76	.88	.00	.88	2.58	2.71	2.63
SIGMA	3.47	4.54	3.81	4.54	3.81	3.81	.48	.48	.59	.62	.48	.59	.51	.00	.51	2.79	4.14	3.20
MEAN	4.16	3.53	3.92	3.53	3.92	3.92	.93	.93	.72	.65	.93	.72	.36	.00	.36	3.64	3.48	3.58
SIGMA	5.50	7.19	6.08	7.19	6.08	6.08	1.11	1.48	1.19	1.11	1.48	1.19	1.11	.00	1.11	4.54	6.59	5.18
MEAN	5.93	6.05	6.01	6.05	6.01	6.01	1.23	1.23	1.29	1.31	1.23	1.29	.84	.00	.84	5.50	5.87	5.69
SIGMA	6.37	8.29	7.44	8.29	7.44	7.44	1.22	1.22	1.25	1.28	1.22	1.25	.83	.00	.83	5.93	7.96	7.05

ALL

MEAN	2.24	3.31	2.56	3.31	2.56	2.56	.15	.00	.39	.20	.00	.15	.00	.00	.00	1.84	2.99	2.12
SIGMA	3.52	4.09	3.32	4.09	3.32	3.32	.49	.49	.74	.38	.49	.74	.30	.00	.30	3.25	3.99	3.14
MEAN	2.21	2.84	3.13	2.84	3.13	3.13	.86	.86	.47	.64	.86	.47	.78	.00	.78	1.94	2.66	2.69
SIGMA	2.46	3.47	3.09	3.47	3.09	3.09	.44	.44	.40	.49	.44	.40	.32	.00	.32	2.31	3.30	2.92
MEAN	1.66	2.82	1.65	2.82	1.65	1.65	.00	.00	.00	.06	.00	.00	.00	.00	.00	1.39	2.47	1.35
SIGMA	3.50	3.66	3.06	3.66	3.06	3.06	.49	.49	.35	.34	.49	.35	.45	.00	.45	3.36	3.38	2.85
MEAN	5.53	7.07	7.32	7.07	7.32	7.32	1.29	1.29	1.30	1.18	1.29	1.30	1.07	.00	1.07	4.71	6.50	6.19
SIGMA	6.37	8.29	7.44	8.29	7.44	7.44	1.22	1.22	1.25	1.28	1.22	1.25	.83	.00	.83	5.93	7.96	7.05

T-W

MEAN	2.37	2.48	2.40	2.48	2.40	2.40	.78	.92	.87	.74	.92	.78	1.05	.00	1.05	2.06	2.26	2.11
SIGMA	5.77	7.54	6.35	7.54	6.35	6.35	.87	.87	.89	.87	.87	.89	.37	.00	.37	5.15	7.02	5.74
MEAN	2.39	2.84	2.53	2.84	2.53	2.53	.89	.89	.75	.71	.89	.75	1.05	.00	1.05	1.98	2.61	2.16
SIGMA	5.38	5.35	5.37	5.38	5.37	5.37	.84	.84	.82	.83	.84	.82	.39	.00	.39	4.70	4.99	4.79
MEAN	3.43	3.23	3.37	3.43	3.37	3.37	1.13	1.13	.80	.70	1.13	.80	1.07	.00	1.07	2.86	2.88	2.86
SIGMA	7.74	10.22	8.55	10.22	8.55	8.55	1.36	1.36	1.34	1.34	1.36	1.34	.86	.00	.86	6.93	9.46	7.72

*****PRE 1940*****

*****1940-1959*****

*****1960-1975*****

*****ALL AGES*****

CHILDREN-COUNT AND PERCENT		20		1		.66		0		.00		21		7.68		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	101	33	134	9	5	14	0	0	0	113	38	151			
	MEAN	.63	2.96	1.20	.27	2.40	1.03	.00	.00	.00	.60	2.88	1.17			
	SIGMA	1.81	6.95	3.88	.54	3.96	2.47	.00	.00	.00	1.72	6.60	3.73			
TRIM	MEAN	.54	.99	.65	.55	2.41	1.21	.00	.00	.00	.53	1.18	.70			
	SIGMA	.38	1.38	.78	.22	4.17	2.50	.00	.00	.00	.37	1.94	1.05			
	MEDIAN	.58	2.07	.95	.27	2.76	1.16	.00	.00	.00	.58	2.16	.98			
ALL	MEAN	1.66	4.92	2.88	.49	4.93	3.03	.00	.00	.00	1.71	4.86	2.91			
	SIGMA	1.25	3.94	1.91	.83	5.32	2.44	.00	.00	.00	1.21	4.12	1.94			
	HIGH	1.96	7.43	4.19	.68	9.13	5.56	.00	.00	.00	1.87	7.55	4.27			
TRIM	MEAN	2.95	3.82	3.21	2.52	2.66	2.57	.00	.00	.00	2.86	3.71	3.11			
	SIGMA	3.32	3.93	3.52	1.82	.61	1.45	.00	.00	.00	3.21	3.76	3.39			
	HIGH	1.84	1.96	1.87	1.67	1.37	1.56	.00	.00	.00	1.79	1.91	1.83			
ALL	MEAN	3.39	2.19	3.08	2.76	.41	2.15	.00	.00	.00	3.30	2.09	2.99			
	SIGMA	3.06	3.73	3.26	2.44	2.71	2.54	.00	.00	.00	2.95	3.79	3.20			
	HIGH	4.10	3.64	3.97	1.68	.52	1.34	.00	.00	.00	3.94	3.90	3.93			
T-W	MEAN	4.88	5.68	5.11	4.10	3.92	4.04	.00	.00	.00	4.72	5.51	4.95			
	SIGMA	6.98	5.83	6.65	4.36	.42	3.39	.00	.00	.00	6.74	5.56	6.41			
	HIGH	1.48	3.03	1.94	1.29	2.93	1.44	.00	.00	.00	1.44	3.01	1.87			
T-W	MEAN	1.93	4.82	2.94	1.84	3.32	1.88	.00	.00	.00	1.90	4.64	2.83			
	SIGMA	1.94	2.36	2.36	1.63	2.64	1.69	.00	.00	.00	1.87	2.39	2.26			
	HIGH	2.42	2.56	2.57	2.04	3.55	1.97	.00	.00	.00	2.37	2.65	2.51			
T-W	MEAN	.99	1.87	1.13	1.18	3.17	.98	.00	.00	.00	.99	2.10	1.13			
	SIGMA	1.84	3.20	2.21	1.74	4.24	1.30	.00	.00	.00	1.80	3.55	2.27			
	HIGH	4.67	6.10	5.71	3.02	6.33	4.11	.00	.00	.00	4.44	6.12	5.47			
T-W	MEAN	6.58	7.25	7.07	3.73	7.60	5.53	.00	.00	.00	6.32	7.22	6.89			
	SIGMA	2.07	1.63	1.96	1.40	1.09	1.26	.00	.00	.00	1.98	1.55	1.87			
	HIGH	3.87	6.44	4.61	1.22	3.19	2.20	.00	.00	.00	3.73	6.07	4.43			
T-W	MEAN	2.19	2.50	2.27	1.40	.62	1.05	.00	.00	.00	2.07	2.43	2.16			
	SIGMA	4.50	3.97	4.36	1.22	4.36	2.92	.00	.00	.00	4.37	4.50	4.39			
	HIGH	3.35	2.55	3.15	1.10	1.12	1.11	.00	.00	.00	3.14	2.36	2.94			
T-W	MEAN	7.31	7.26	7.28	1.46	6.80	4.42	.00	.00	.00	7.04	7.12	7.04			
	SIGMA															
	HIGH															

BLOOD LEAD INTERVAL IS 35-39 * * * 16 CHILDREN * * * 3.5 PERCENT OF TOTAL ALL-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		7	2.85	3	.66	0	.00	10	3.51	
		GODD	BAD	ALL	GODD	BAD	ALL	GODD	BAD	ALL
WALLS	COUNT	45	16	61	11	4	15	0	20	76
	MEAN	2.37	2.59	2.43	.41	.00	.14	.00	1.98	1.98
	SIGMA	4.69	6.53	5.18	.51	.77	.65	.00	4.28	4.73
	MEAN	.81	.86	.82	.53	.45	.51	.00	.75	.76
	SIGMA	.95	.76	.90	.22	.23	.22	.00	.87	.82
	MEAN	2.15	1.85	2.07	.42	.00	.13	.00	1.81	1.69
	SIGMA	4.15	4.47	4.20	.57	.84	.71	.00	3.78	3.85
	MEAN	3.33	3.56	3.39	.98	.05	.73	.00	2.87	2.87
	SIGMA	5.51	7.37	5.99	.55	.10	.63	.00	5.02	5.47
TRIM	MEAN	3.22	2.79	3.09	.83	.29	.61	.00	2.88	2.70
	SIGMA	3.37	2.92	3.22	.52	.32	.51	.00	3.24	3.09
	MEAN	2.59	1.54	2.27	.40	.82	.57	.00	2.28	2.00
	SIGMA	3.63	2.09	3.26	.40	.25	.40	.00	3.45	3.05
	MEAN	3.43	2.63	3.19	.85	.26	.61	.00	3.07	2.78
	SIGMA	4.25	2.61	3.82	.54	.38	.55	.00	4.04	3.63
	MEAN	5.97	4.16	5.42	1.17	1.07	1.13	.00	5.30	4.74
	SIGMA	7.87	4.41	7.01	.71	.21	.54	.00	7.48	6.62
ALL	MEAN	2.93	2.40	2.61	.44	.00	.30	.00	2.45	2.15
	SIGMA	3.85	3.88	3.25	.49	.54	.53	.00	3.59	3.06
	MEAN	2.55	2.00	2.94	.53	.71	.64	.00	2.16	2.49
	SIGMA	2.63	2.97	2.96	.26	.25	.18	.00	2.50	2.81
	MEAN	2.46	1.97	1.91	.45	.00	.30	.00	2.16	1.66
	SIGMA	3.75	3.17	2.91	.49	.56	.55	.00	3.73	2.98
	MEAN	6.87	4.59	7.00	1.06	.86	1.13	.00	5.74	5.84
	SIGMA	7.79	6.56	7.74	.70	.51	.56	.00	7.36	7.32
T-W	MEAN	.29	.58	.37	.52	.77	.62	.00	.32	.41
	SIGMA	6.78	6.93	6.76	.59	.36	.50	.00	6.28	6.20
	MEAN	.69	1.36	.89	.60	.76	.66	.00	.68	.86
	SIGMA	6.95	5.22	6.44	.76	.26	.59	.00	6.44	5.90
	MEAN	2.01	.86	1.66	.38	.70	.51	.00	1.79	1.48
	SIGMA	10.94	7.64	10.00	.73	.51	.64	.00	10.15	9.17

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		2	.44	0	.00	0	.00	0	.00	2	.44		
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	7	3	10	0	0	0	0	0	0	7	3	10
	MEAN	.00	1.66	.03	.00	.00	.00	.00	.00	.00	.00	1.66	.03
	SIGMA	.83	3.12	1.88	.00	.00	.00	.00	.00	.00	.83	3.12	1.88
	MEAN	.44	2.39	1.02	.00	.00	.00	.00	.00	.00	.44	2.39	1.02
	SIGMA	.26	2.90	1.67	.00	.00	.00	.00	.00	.00	.26	2.90	1.67
MEDIAN	MEAN	.00	1.70	.03	.00	.00	.00	.00	.00	.00	.00	1.70	.03
	SIGMA	.88	3.08	1.89	.00	.00	.00	.00	.00	.00	.88	3.08	1.89
	HIGH	.00	3.47	1.04	.00	.00	.00	.00	.00	.00	.00	3.47	1.04
TRIM	MEAN	.00	5.07	2.92	.00	.00	.00	.00	.00	.00	.00	5.07	2.92
	MEAN	.90	7.12	2.15	.00	.00	.00	.00	.00	.00	.90	7.12	2.15
	SIGMA	2.80	7.39	4.36	.00	.00	.00	.00	.00	.00	2.80	7.39	4.36
MEDIAN	MEAN	1.16	.67	1.06	.00	.00	.00	.00	.00	.00	1.16	.67	1.06
	SIGMA	2.40	.95	2.15	.00	.00	.00	.00	.00	.00	2.40	.95	2.15
	MEAN	1.56	6.77	2.61	.00	.00	.00	.00	.00	.00	1.56	6.77	2.61
HIGH	SIGMA	4.66	6.89	5.20	.00	.00	.00	.00	.00	.00	4.66	6.89	5.20
	MEAN	2.19	7.60	3.27	.00	.00	.00	.00	.00	.00	2.19	7.60	3.27
	SIGMA	5.66	8.06	6.11	.00	.00	.00	.00	.00	.00	5.66	8.06	6.11
ALL	MEAN	.53	2.74	.89	.00	.00	.00	.00	.00	.00	.53	2.74	.89
	SIGMA	2.74	2.48	2.01	.00	.00	.00	.00	.00	.00	2.74	2.48	2.01
	MEAN	1.18	3.16	2.21	.00	.00	.00	.00	.00	.00	1.18	3.16	2.21
	SIGMA	2.23	3.38	2.63	.00	.00	.00	.00	.00	.00	2.23	3.38	2.63
	MEAN	1.17	3.25	.52	.00	.00	.00	.00	.00	.00	1.17	3.07	.45
HIGH	SIGMA	4.48	2.92	2.00	.00	.00	.00	.00	.00	.00	4.48	2.71	1.79
	MEAN	1.94	6.15	4.20	.00	.00	.00	.00	.00	.00	1.94	6.15	4.20
	SIGMA	5.35	6.21	6.27	.00	.00	.00	.00	.00	.00	5.35	6.21	6.27
T-W	MEAN	.87	5.03	2.12	.00	.00	.00	.00	.00	.00	.87	5.03	2.12
	SIGMA	.81	9.23	4.84	.00	.00	.00	.00	.00	.00	.81	9.23	4.84
	MEAN	.89	6.52	2.57	.00	.00	.00	.00	.00	.00	.89	6.52	2.57
	SIGMA	.87	10.31	5.62	.00	.00	.00	.00	.00	.00	.87	10.31	5.62
	MEAN	.46	6.37	2.23	.00	.00	.00	.00	.00	.00	.46	6.37	2.23
HIGH	SIGMA	.64	13.70	7.08	.00	.00	.00	.00	.00	.00	.64	13.70	7.08

BLOOD LEAD INTERVAL IS 45-49 * * * 4 CHILDREN * * * .09 PERCENT OF TOTAL ALL-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT 3 .66 1 .22 0 .00 4 .88

WALLS	COUNT	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.34	.00	.10	.00	.2	.10	2.37	1.61	0	.00	0	.00	5	.26
	SIGMA	.34	.62	.29	.41	.04	.71	1.95	1.91	.00	.00	.00	.00	.29	.54
	MEAN	.43	.14	.09	.31	.29	.71	3.36	2.33	.00	.00	.00	.00	.40	1.60
	SIGMA	.37	.00	.12	.00	.09	.29	2.83	2.71	.00	.00	.00	.00	.40	1.16
	MEAN	.45	.60	.04	.58	.12	.97	2.80	1.36	.00	.00	.00	.00	.29	1.68
	SIGMA	1.10	.32	.40	.54	.04	.20	6.37	4.38	.00	.00	.00	.00	.37	1.46
	HIGH	.78	.29	.14	.58	.40	.32	5.96	5.55	.00	.00	.00	.00	.71	2.05
	MEAN	.42	6.98	1.16	5.97	1.01	4.39	2.77	.00	.00	.00	.00	.86	6.42	4.96
	SIGMA	.26	3.98	1.01	4.39	1.01	3.91	3.11	.00	.00	.00	.00	.83	3.97	4.23
	MEAN	.13	1.91	1.24	1.64	1.24	1.95	1.60	.00	.00	.00	.00	1.41	1.92	1.62
	SIGMA	.18	2.15	1.79	2.08	1.79	1.89	1.69	.00	.00	.00	.00	.50	2.03	1.91
	MEAN	.40	6.31	.57	5.40	.57	3.53	2.05	.00	.00	.00	.00	.28	5.72	4.34
	SIGMA	.28	3.37	.32	3.79	.32	4.68	3.38	.00	.00	.00	.00	.28	3.67	3.92
	MEAN	.55	8.99	2.57	7.69	2.57	6.60	4.58	.00	.00	.00	.00	1.76	8.48	6.71
	SIGMA	.07	5.84	3.06	6.20	3.06	2.35	3.29	.00	.00	.00	.00	2.43	5.30	5.55

TRIM

ALL	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.41	2.80	1.17	2.28	1.17	2.53	1.95	.00	.00	.00	.00	.64	2.73
	SIGMA	.23	1.54	1.72	3.38	1.72	2.28	1.96	.00	.00	.00	.00	.75	1.75
	MEAN	.70	4.18	1.34	2.97	1.34	2.97	2.38	.00	.00	.00	.00	.98	3.08
	SIGMA	.42	2.38	1.70	2.63	1.70	2.16	2.03	.00	.00	.00	.00	1.08	2.32
	MEAN	.42	.09	.43	.15	.43	1.92	1.41	.00	.00	.00	.00	.43	.58
	SIGMA	.40	.61	.25	.58	.25	2.82	2.32	.00	.00	.00	.00	.32	1.63
	MEAN	1.20	8.99	2.57	7.26	2.57	7.07	5.92	.00	.00	.00	.00	1.79	8.48
	SIGMA	.64	5.84	3.06	6.17	3.06	6.08	5.28	.00	.00	.00	.00	1.97	5.75

ALL

T-W	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.33	7.78	.48	1.50	.48	1.50	1.16	.00	.00	.00	.00	.39	5.98
	SIGMA	.32	3.90	.27	2.73	.27	2.73	2.19	.00	.00	.00	.00	.28	4.57
	MEAN	.13	7.08	.37	.85	.37	.85	.69	.00	.00	.00	.00	.23	5.30
	SIGMA	.50	3.12	.39	1.44	.39	1.44	1.15	.00	.00	.00	.00	.43	3.97
	MEAN	.13	9.30	.40	.10	.40	.10	.20	.00	.00	.00	.00	.24	6.67
	SIGMA	.64	5.80	.00	5.82	.00	5.82	4.51	.00	.00	.00	.00	.48	7.05

T-W

ALL	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.41	2.80	1.17	2.28	1.17	2.53	1.95	.00	.00	.00	.00	.64	2.73
	SIGMA	.23	1.54	1.72	3.38	1.72	2.28	1.96	.00	.00	.00	.00	.75	1.75
	MEAN	.70	4.18	1.34	2.97	1.34	2.97	2.38	.00	.00	.00	.00	.98	3.08
	SIGMA	.42	2.38	1.70	2.63	1.70	2.16	2.03	.00	.00	.00	.00	1.08	2.32
	MEAN	.42	.09	.43	.15	.43	1.92	1.41	.00	.00	.00	.00	.43	.58
	SIGMA	.40	.61	.25	.58	.25	2.82	2.32	.00	.00	.00	.00	.32	1.63
	MEAN	1.20	8.99	2.57	7.26	2.57	7.07	5.92	.00	.00	.00	.00	1.79	8.48
	SIGMA	.64	5.84	3.06	6.17	3.06	6.08	5.28	.00	.00	.00	.00	1.97	5.75

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		1		.02		0		.00		0		.00		1		.22	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	3	0	3	0	0	0	0	0	0	3	0	0	3	0	3	
	MEAN	10.08	.00	10.08	.00	.00	.00	.00	.00	.00	10.08	.00	.00	10.08	.00	10.08	
	SIGMA	3.26	.00	3.26	.00	.00	.00	.00	.00	.00	3.26	.00	.00	3.26	.00	3.26	
	MEAN	9.19	.00	9.19	.00	.00	.00	.00	.00	.00	9.19	.00	.00	9.19	.00	9.19	
	SIGMA	4.94	.00	4.94	.00	.00	.00	.00	.00	.00	4.94	.00	.00	4.94	.00	4.94	
MEDIAN	MEAN	12.87	.00	12.87	.00	.00	.00	.00	.00	.00	12.87	.00	.00	12.87	.00	12.87	
	SIGMA	4.26	.00	4.26	.00	.00	.00	.00	.00	.00	4.26	.00	.00	4.26	.00	4.26	
	MEAN	17.93	.00	17.93	.00	.00	.00	.00	.00	.00	17.93	.00	.00	17.93	.00	17.93	
HIGH	MEAN	8.30	.00	8.30	.00	.00	.00	.00	.00	.00	8.30	.00	.00	8.30	.00	8.30	
	SIGMA																
TRIM	MEAN	3.50	.00	3.50	.00	.00	.00	.00	.00	.00	3.50	.00	.00	3.50	.00	3.50	
	SIGMA	2.06	.00	2.06	.00	.00	.00	.00	.00	.00	2.06	.00	.00	2.06	.00	2.06	
	MEAN	1.55	.00	1.55	.00	.00	.00	.00	.00	.00	1.55	.00	.00	1.55	.00	1.55	
	SIGMA	1.40	.00	1.40	.00	.00	.00	.00	.00	.00	1.40	.00	.00	1.40	.00	1.40	
	MEAN	3.88	.00	3.88	.00	.00	.00	.00	.00	.00	3.88	.00	.00	3.88	.00	3.88	
HIGH	SIGMA	1.93	.00	1.93	.00	.00	.00	.00	.00	.00	1.93	.00	.00	1.93	.00	1.93	
	MEAN	4.77	.00	4.77	.00	.00	.00	.00	.00	.00	4.77	.00	.00	4.77	.00	4.77	
	SIGMA	1.11	.00	1.11	.00	.00	.00	.00	.00	.00	1.11	.00	.00	1.11	.00	1.11	
ALL	MEAN	7.06	.00	7.06	.00	.00	.00	.00	.00	.00	7.06	.00	.00	7.06	.00	7.06	
	SIGMA	.97	.00	.97	.00	.00	.00	.00	.00	.00	.97	.00	.00	.97	.00	.97	
	MEAN	7.77	.00	7.77	.00	.00	.00	.00	.00	.00	7.77	.00	.00	7.77	.00	7.77	
	SIGMA	3.71	.00	3.71	.00	.00	.00	.00	.00	.00	3.71	.00	.00	3.71	.00	3.71	
	MEAN	6.23	.00	6.23	.00	.00	.00	.00	.00	.00	6.23	.00	.00	6.23	.00	6.23	
HIGH	SIGMA	2.14	.00	2.14	.00	.00	.00	.00	.00	.00	2.14	.00	.00	2.14	.00	2.14	
	MEAN	17.93	.00	17.93	.00	.00	.00	.00	.00	.00	17.93	.00	.00	17.93	.00	17.93	
	SIGMA	8.30	.00	8.30	.00	.00	.00	.00	.00	.00	8.30	.00	.00	8.30	.00	8.30	
T-W	MEAN	-6.59	.00	-6.59	.00	.00	.00	.00	.00	.00	-6.59	.00	.00	-6.59	.00	-6.59	
	SIGMA	5.26	.00	5.26	.00	.00	.00	.00	.00	.00	5.26	.00	.00	5.26	.00	5.26	
	MEAN	-8.98	.00	-8.98	.00	.00	.00	.00	.00	.00	-8.98	.00	.00	-8.98	.00	-8.98	
	SIGMA	5.75	.00	5.75	.00	.00	.00	.00	.00	.00	5.75	.00	.00	5.75	.00	5.75	
	MEAN	-13.17	.00	-13.17	.00	.00	.00	.00	.00	.00	-13.17	.00	.00	-13.17	.00	-13.17	
	SIGMA	8.81	.00	8.81	.00	.00	.00	.00	.00	.00	8.81	.00	.00	8.81	.00	8.81	

BLOOD LEAD INTERVAL IS ALL * * * 456 CHILDREN * * * 100.0 PERCENT OF TOTAL ALL-FAMILY UNITS DRY ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		257		76.75		43		13.60		16		6.80		319		100.00	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
WALLS	COUNT	1266	363	1629	247	29	276	160	3	163	1700	403	2103				
	MEAN	.80	2.12	1.10	.06	.47	.10	.00	.42	.00	.63	1.99	.89				
	SIGMA	2.69	5.33	3.50	.62	2.13	.91	.44	.30	.44	2.38	5.15	3.15				
	MEAN	.73	1.10	.81	.46	1.23	.54	.43	.36	.43	.67	1.10	.75				
	SIGMA	1.40	2.12	1.59	.37	2.16	.81	.22	.22	.22	1.24	2.09	1.45				
	MEAN	.78	1.57	.96	.03	.46	.08	.00	.52	.00	.61	1.49	.78				
	SIGMA	2.71	3.69	2.97	.58	2.52	.98	.45	.29	.45	2.41	3.67	2.72				
	MEAN	1.62	3.34	2.00	.64	1.97	.78	.46	.73	.47	1.39	3.21	1.74				
	SIGMA	3.70	6.93	4.67	.89	4.78	1.79	.43	.58	.43	3.28	6.75	4.23				

TRIM

MEAN	2.93	4.38	3.31	.98	1.24	1.01	.58	.59	.48	.58	2.47	4.05	2.84
SIGMA	3.49	4.25	3.76	1.31	1.68	1.36	.49	.51	.15	.49	3.24	4.15	3.54
MEAN	1.69	1.98	1.77	.74	1.10	.79	.56	.56	.63	.56	1.46	1.88	1.56
SIGMA	2.47	2.52	2.49	1.04	.83	1.02	.68	.68	.66	.68	2.25	2.42	2.30
MEAN	2.84	3.97	3.13	.95	1.14	.98	.57	.58	.50	.57	2.38	3.69	2.68
SIGMA	3.45	3.53	3.49	1.26	1.69	1.32	.50	.52	.14	.50	3.15	3.50	3.26
MEAN	4.50	6.19	4.95	1.64	2.28	1.73	1.02	1.03	.95	1.02	3.81	5.76	4.27
SIGMA	5.34	5.69	5.48	1.97	1.90	1.97	.69	.70	.54	.69	4.91	5.55	5.13

ALL

MEAN	1.65	2.78	1.92	.39	.83	.42	.15	.14	.47	.15	1.36	2.59	1.59
SIGMA	2.58	3.79	2.71	.82	1.81	.88	.35	.36	.18	.35	2.36	3.68	2.51
MEAN	1.86	2.37	2.39	.83	1.27	.91	.62	.60	.57	.62	1.62	2.25	2.06
SIGMA	2.24	2.84	2.58	.78	1.65	.84	.30	.32	.60	.30	2.04	2.75	2.39
MEAN	1.18	2.07	1.20	.25	.76	.24	.09	.09	.50	.09	.96	1.96	1.00
SIGMA	2.55	3.21	2.47	.69	2.09	.71	.43	.44	.17	.43	2.31	3.19	2.27
MEAN	4.50	5.93	5.62	1.62	2.62	1.83	1.04	1.00	.91	1.04	3.81	5.56	4.77
SIGMA	5.68	6.98	6.36	1.91	3.96	2.30	.64	.66	.53	.64	5.20	6.78	5.93

T-W

MEAN	2.00	2.85	2.20	.93	1.10	.95	.64	.65	.42	.64	1.74	2.69	1.93
SIGMA	4.26	6.49	4.87	1.16	1.70	1.23	.64	.64	.00	.64	3.81	6.24	4.41
MEAN	1.91	3.03	2.16	.94	.92	.94	.63	.63	.35	.63	1.65	2.85	1.89
SIGMA	4.16	4.79	4.34	1.14	1.87	1.24	.63	.63	.00	.63	3.70	4.69	3.94
MEAN	2.72	3.58	2.91	.94	1.00	.95	.57	.57	-.20	.57	2.27	3.33	2.48
SIGMA	6.36	8.16	6.82	1.75	3.38	2.00	.85	.85	.00	.85	5.68	7.87	6.19

*****1960-1975*****

*****1940-1959*****

*****1940-1959*****

*****1960-1975*****

*****ALL AGES*****

CHILDREN-COUNT AND PERCENT 1 0 .22 0 .00 0 0 .22 1 .44

WALLS	COUNT	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	2	3.33	.00	3.33	.00	0	.00	0	.00	0	.00	2	.00	2	.00	4	.00	4	.00
		3.39	.00	3.39	.00	0	.00	0	.00	0	.00	21	.00	21	.00	1.60	.00	1.60	.00
SIGMA		.93	.00	.93	.00	0	.00	0	.00	0	.00	.51	.00	.51	.00	2.80	.00	2.80	.00
		.32	.00	.32	.00	0	.00	0	.00	0	.00	.27	.00	.27	.00	.72	.00	.72	.00
MEDIAN		3.35	.00	3.35	.00	0	.00	0	.00	0	.00	.27	.00	.27	.00	.34	.00	.34	.00
		3.46	.00	3.46	.00	0	.00	0	.00	0	.00	.29	.00	.29	.00	1.58	.00	1.58	.00
HIGH		4.25	.00	4.25	.00	0	.00	0	.00	0	.00	.55	.00	.55	.00	2.86	.00	2.86	.00
		3.04	.00	3.04	.00	0	.00	0	.00	0	.00	.49	.00	.49	.00	2.40	.00	2.40	.00
		3.52	.00	3.52	.00	0	.00	0	.00	0	.00	.50	.00	.50	.00	2.78	.00	2.78	.00
TRIM		4.78	.00	4.78	.00	0	.00	0	.00	0	.00	.57	.00	.57	.00	2.01	.00	2.01	.00
		5.03	.00	5.03	.00	0	.00	0	.00	0	.00	.78	.00	.78	.00	3.28	.00	3.28	.00
SIGMA		6.68	.00	6.68	.00	0	.00	0	.00	0	.00	1.10	.00	1.10	.00	2.90	.00	2.90	.00
		3.55	.00	3.55	.00	0	.00	0	.00	0	.00	.50	.00	.50	.00	4.62	.00	4.62	.00
MEDIAN		4.74	.00	4.74	.00	0	.00	0	.00	0	.00	.57	.00	.57	.00	2.02	.00	2.02	.00
		7.10	.00	7.10	.00	0	.00	0	.00	0	.00	1.05	.00	1.05	.00	3.27	.00	3.27	.00
HIGH		9.48	.00	9.48	.00	0	.00	0	.00	0	.00	1.34	.00	1.34	.00	4.07	.00	4.07	.00
		3.13	.00	3.13	.00	0	.00	0	.00	0	.00	.06	.00	.06	.00	6.54	.00	6.54	.00
ALL		.27	.00	.27	.00	0	.00	0	.00	0	.00	.29	.00	.29	.00	1.59	.00	1.59	.00
SIGMA		4.52	.00	4.52	.00	0	.00	0	.00	0	.00	.66	.00	.66	.00	1.78	.00	1.78	.00
		2.00	.00	2.00	.00	0	.00	0	.00	0	.00	.50	.00	.50	.00	2.52	.00	2.52	.00
MEDIAN		1.80	.00	1.80	.00	0	.00	0	.00	0	.00	.18	.00	.18	.00	.84	.00	.84	.00
		1.27	.00	1.27	.00	0	.00	0	.00	0	.00	.18	.00	.18	.00	1.33	.00	1.33	.00
HIGH		10.10	.00	10.10	.00	0	.00	0	.00	0	.00	1.10	.00	1.10	.00	5.60	.00	5.60	.00
		5.23	.00	5.23	.00	0	.00	0	.00	0	.00	1.27	.00	1.27	.00	6.06	.00	6.06	.00
T-W		.18	.00	.18	.00	0	.00	0	.00	0	.00	.62	.00	.62	.00	.40	.00	.40	.00
MEAN		8.18	.00	8.18	.00	0	.00	0	.00	0	.00	.46	.00	.46	.00	4.74	.00	4.74	.00
SIGMA		.20	.00	.20	.00	0	.00	0	.00	0	.00	.70	.00	.70	.00	.45	.00	.45	.00
MEDIAN		8.20	.00	8.20	.00	0	.00	0	.00	0	.00	.49	.00	.49	.00	4.75	.00	4.75	.00
		2.85	.00	2.85	.00	0	.00	0	.00	0	.00	.50	.00	.50	.00	1.67	.00	1.67	.00
HIGH		12.52	.00	12.52	.00	0	.00	0	.00	0	.00	.85	.00	.85	.00	7.37	.00	7.37	.00

BLOOD LEAD INTERVAL IS 5-9 * * * 3 CHILDREN * * * .7 PERCENT OF TOTAL ALL-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT	.44				.00				.22				.66			
	2	3	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS																
COUNT				4	0	0	0	0	0	2	0	0	2	0	1	6
MEAN	1.12	1.20	1.20	1.14	.00	.00	.00	.00	.00	.00	.00	.00	.00	.61	1.20	.71
SIGMA	1.79	.00	.58	1.46	.00	.00	.00	.00	.00	.30	.00	.30	.30	1.44	.00	1.31
MEAN	1.62	.00	.58	1.36	.00	.00	.00	.00	.00	.30	.00	.30	.30	1.09	.58	1.01
SIGMA	1.28	.00	.00	1.17	.00	.00	.00	.00	.00	.17	.00	.17	.17	1.16	.00	1.06
MEDIAN	.68	1.10	.00	.79	.00	.00	.00	.00	.00	.00	.00	.00	.00	.32	1.10	.45
SIGMA	1.56	.00	.00	1.29	.00	.00	.00	.00	.00	.40	.00	.40	.40	1.22	.00	1.13
MEAN	3.37	2.00	2.00	3.02	.00	.00	.00	.00	.00	.30	.00	.30	.30	2.14	2.00	2.12
SIGMA	3.51	.00	.00	2.94	.00	.00	.00	.00	.00	.42	.00	.42	.42	3.00	.00	2.69

TRIM	.44				.00				.22				.66			
	2	3	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
MEAN	1.85	3.47	2.25	.00	.00	.00	.00	.45	.00	.45	.00	.45	.45	1.29	3.47	1.65
SIGMA	1.64	.00	1.56	.00	.00	.00	.00	.78	.00	.78	.00	.78	.78	1.44	.00	1.57
MEAN	.73	.70	.72	.00	.00	.00	.00	.88	.00	.88	.00	.88	.88	.79	.70	.78
SIGMA	.23	.00	.19	.00	.00	.00	.00	.36	.00	.36	.00	.36	.36	.25	.00	.23
MEAN	1.85	3.40	2.24	.00	.00	.00	.00	.35	.00	.35	.00	.35	.35	1.25	3.40	1.61
SIGMA	1.64	.00	1.55	.00	.00	.00	.00	.92	.00	.92	.00	.92	.92	1.49	.00	1.60
MEAN	2.37	4.20	2.82	.00	.00	.00	.00	1.20	.00	1.20	.00	1.20	1.20	1.90	4.20	2.28
SIGMA	1.60	.00	1.60	.00	.00	.00	.00	.85	.00	.85	.00	.85	.85	1.37	.00	1.54

ALL	.44				.00				.22				.66			
	2	3	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
MEAN	1.36	2.17	1.56	.00	.00	.00	.00	.07	.00	.07	.00	.07	.07	.85	2.17	1.07
SIGMA	1.42	.00	1.23	.00	.00	.00	.00	.39	.00	.39	.00	.39	.39	1.24	.00	1.23
MEAN	1.64	1.34	1.57	.00	.00	.00	.00	.60	.00	.60	.00	.60	.60	1.23	1.34	1.25
SIGMA	.95	.00	.79	.00	.00	.00	.00	.25	.00	.25	.00	.25	.25	.89	.00	.80
MEAN	1.12	2.00	1.34	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.62	2.00	.85
SIGMA	1.23	.00	1.10	.00	.00	.00	.00	.36	.00	.36	.00	.36	.36	1.12	.00	1.15
MEAN	3.93	4.20	4.00	.00	.00	.00	.00	1.20	.00	1.20	.00	1.20	1.20	2.84	4.20	3.07
SIGMA	3.10	.00	2.54	.00	.00	.00	.00	.85	.00	.85	.00	.85	.85	2.69	.00	2.47

T-W	.44				.00				.22				.66			
	2	3	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
MEAN	.73	2.27	1.12	.00	.00	.00	.00	.59	.00	.59	.00	.59	.59	.67	2.27	.94
SIGMA	2.14	.00	1.91	.00	.00	.00	.00	.55	.00	.55	.00	.55	.55	1.54	.00	1.52
MEAN	1.17	2.30	1.45	.00	.00	.00	.00	.57	.00	.57	.00	.57	.57	.93	2.30	1.16
SIGMA	2.19	.00	1.88	.00	.00	.00	.00	.67	.00	.67	.00	.67	.67	1.62	.00	1.55
MEAN	-1.00	2.20	-.20	.00	.00	.00	.00	.90	.00	.90	.00	.90	.90	-.24	2.20	.17
SIGMA	3.20	.00	3.07	.00	.00	.00	.00	.42	.00	.42	.00	.42	.42	2.50	.00	2.45

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		24	6.80	6	1.75	3	1.54	34	10.31
WALLS	COUNT	53	5	16	0	15	0	90	5
	MEAN	1.14	4.26	1.41	.00	.10	.00	.82	4.26
	SIGMA	1.68	4.91	2.25	.00	.73	.00	1.56	4.91
	MEAN	1.12	1.94	1.19	.00	.51	.00	1.01	1.94
	SIGMA	1.66	1.88	1.68	.00	.45	.00	1.46	1.88
	MEAN	1.20	4.42	1.47	.00	.22	.00	.81	4.42
	SIGMA	2.11	5.49	2.65	.00	.74	.00	1.81	5.49
	MEAN	2.36	6.18	2.69	.00	.68	.00	1.97	6.18
	SIGMA	3.31	5.15	3.61	.00	.98	.00	3.04	5.15
	ALL								
TRIM	MEAN	2.45	4.88	2.77	.00	.78	.55	2.06	4.40
	SIGMA	2.66	2.97	2.80	.00	1.28	.61	2.65	3.13
	MEAN	1.45	2.88	1.64	.00	.74	1.20	1.17	2.70
	SIGMA	1.89	3.03	2.10	.00	1.15	.56	1.70	2.89
	MEAN	2.35	4.99	2.70	.00	.89	.64	2.03	4.49
	SIGMA	2.75	2.95	2.90	.00	1.41	.59	2.70	3.13
	MEAN	3.77	7.07	4.21	.00	1.51	.88	3.11	6.44
	SIGMA	4.00	4.26	4.15	.00	2.22	.55	3.77	4.41
	ALL								
	ALL	MEAN	1.71	4.24	2.03	.00	.22	.55	1.30
SIGMA		1.97	2.95	2.25	.00	.52	.55	1.80	3.02
MEAN		1.73	3.50	1.96	.00	.95	.69	1.54	3.24
SIGMA		1.75	2.66	1.83	.00	1.03	.27	1.62	2.60
MEAN		1.45	4.36	1.79	.00	.00	.21	1.01	3.97
SIGMA		2.07	3.79	2.51	.00	.35	.59	1.84	3.83
MEAN		4.26	7.59	4.85	.00	1.71	1.01	3.57	6.90
SIGMA		4.26	4.68	4.46	.00	2.26	.70	3.99	4.84
ALL									
T-W		MEAN	1.27	2.00	1.33	.00	.97	.00	1.17
	SIGMA	2.48	6.15	2.88	.00	1.66	.00	2.49	6.15
	MEAN	1.12	2.01	1.20	.00	1.13	.53	1.16	2.01
	SIGMA	3.11	5.99	3.38	.00	1.77	1.04	2.92	5.99
	MEAN	1.45	2.32	1.52	.00	.99	.27	1.10	2.32
	SIGMA	4.02	5.36	4.10	.00	2.46	.79	3.91	5.36

BLOOD LEAD INTERVAL IS 15-19 * * * 136 CHILDREN * * * 29.8 PERCENT OF TOTAL ALL-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		71	20.39	19	5.04	9	3.29	100	29.82	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	152	24	176	42	4	46	31	0	31
	MEAN	2.14	3.33	2.30	.42	1.06	.47	.17	.00	.17
	SIGMA	4.09	8.20	4.84	1.17	.69	1.15	.60	.00	.60
	MEAN	1.45	.83	1.37	.97	1.54	1.02	.45	.00	.45
	SIGMA	2.34	.62	2.20	1.57	.76	1.52	.27	.00	.27
MEDIAN	MEAN	1.90	2.71	2.01	.34	.35	.34	.14	.00	.14
	SIGMA	3.51	5.42	3.82	1.16	.30	1.11	.67	.00	.67
	HIGH	3.78	4.27	3.85	1.46	2.85	1.58	.70	.00	.70
TRIM	COUNT	6.14	8.51	6.49	2.30	1.50	2.26	.78	.00	.78
	MEAN	3.69	4.32	3.82	1.30	.00	1.30	.84	1.48	.92
	SIGMA	4.73	3.26	4.46	1.67	.00	1.67	.97	1.47	1.04
	MEAN	1.99	2.65	2.13	.98	.00	.98	.52	1.87	.89
	SIGMA	2.89	3.49	3.03	1.81	.00	1.81	.76	.79	.89
MEDIAN	MEAN	3.65	3.96	3.71	1.34	.00	1.34	.82	1.56	.92
	SIGMA	5.29	3.23	4.92	1.76	.00	1.76	.99	1.63	1.09
	HIGH	5.40	7.01	5.74	2.12	.00	2.12	1.28	2.97	1.50
ALL	COUNT	6.59	6.58	6.60	2.69	.00	2.69	1.16	2.37	1.44
	MEAN	2.65	3.63	2.85	.77	1.06	.77	.35	1.48	.42
	SIGMA	3.58	4.36	3.82	1.06	.69	1.06	.51	1.47	.57
	MEAN	2.63	2.52	2.78	1.16	1.54	1.28	.76	1.87	.86
	SIGMA	2.93	3.31	3.07	1.27	.76	1.22	.46	.79	.53
MEDIAN	MEAN	1.98	2.85	2.06	.63	.35	.58	.18	1.56	.20
	SIGMA	2.64	3.12	2.70	1.09	.30	1.09	.50	1.63	.51
	HIGH	6.59	6.88	7.08	2.53	2.85	2.70	1.47	2.97	1.76
T-W	COUNT	7.63	7.28	7.74	3.07	1.50	3.06	1.08	2.37	1.36
	MEAN	1.55	1.19	1.50	.88	.02	.80	.76	.00	.76
	SIGMA	5.13	7.52	5.50	1.65	.84	1.60	1.17	.00	1.17
	MEAN	1.72	1.46	1.69	.99	.72	.97	.79	.00	.79
	SIGMA	5.69	6.34	5.77	1.55	.45	1.48	1.24	.00	1.24
HIGH	MEAN	1.65	3.08	1.85	.67	-1.77	.45	.82	.00	.82
	SIGMA	7.70	5.57	7.45	3.05	1.65	3.02	1.67	.00	1.67

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		80	22.59	5	2.85	2	.88	87	26.75	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	165	30	195	1	26	9	199	31	230
	MEAN	1.67	3.46	1.95	.00	.21	.09	1.42	3.33	1.68
	SIGMA	3.43	4.26	3.62	.00	.71	.95	3.19	4.25	3.41
	MEAN	1.36	1.41	1.37	.49	.64	.51	1.23	1.38	1.25
	SIGMA	2.06	2.19	2.08	.00	1.05	.22	1.93	2.16	1.96
	MEDIAN	1.46	3.42	1.76	.00	.11	.04	1.21	3.29	1.49
	MEAN	2.96	4.14	3.24	.00	.48	.99	2.69	4.14	3.00
	SIGMA	3.21	5.04	3.49	.10	1.01	.69	2.83	4.88	3.10
	F-IGH	5.36	6.22	5.52	.00	2.11	.98	5.01	6.18	5.22
TRIM	MEAN	2.98	5.08	3.56	.00	.42	.62	2.51	5.08	3.12
	SIGMA	3.44	3.40	3.55	.00	.61	.70	3.26	3.40	3.47
	MEAN	1.73	2.77	2.02	.00	.51	.57	1.51	2.77	1.80
	SIGMA	2.41	2.18	2.39	.00	.59	.66	2.24	2.18	2.29
	MEAN	2.67	4.67	3.22	.41	.41	.66	2.27	4.67	2.84
	SIGMA	2.94	3.27	3.16	.00	.59	.71	2.84	3.27	3.11
	F-IGH	4.48	7.48	5.30	.00	.87	1.07	3.82	7.48	4.68
	SIGMA	4.78	4.07	4.78	.00	.86	.59	4.54	4.07	4.69
ALL	MEAN	2.18	4.43	2.56	.00	.26	.19	1.86	4.35	2.22
	SIGMA	3.10	3.50	3.02	.00	.46	.67	2.93	3.53	2.91
	MEAN	2.16	2.53	2.54	.77	.49	.74	1.93	2.50	2.27
	SIGMA	2.33	2.20	2.31	.00	.86	.35	2.21	2.19	2.24
	MEAN	1.67	4.15	2.00	.00	.17	.09	1.42	4.16	1.72
	SIGMA	2.38	3.57	2.73	.00	.35	.81	2.26	3.80	2.63
	F-IGH	5.44	7.26	6.52	.10	1.48	1.18	4.78	7.15	5.77
	SIGMA	5.93	5.01	5.92	.00	2.11	.89	5.67	5.05	5.80
T-W	MEAN	1.53	1.97	1.60	1.22	.21	.54	1.32	1.94	1.40
	SIGMA	4.17	3.49	4.06	.00	1.03	1.28	3.86	3.44	3.80
	MEAN	1.47	1.22	1.43	1.10	.30	.64	1.30	1.29	1.30
	SIGMA	3.86	2.83	3.71	.00	.75	1.32	3.51	2.89	3.43
	MEAN	1.65	2.22	1.74	1.80	-.14	.39	1.36	2.21	1.48
	SIGMA	6.32	5.13	6.14	.00	2.41	.99	5.87	5.04	5.76

BLOOD LEAD INTERVAL IS 25-29 * * * 88 CHILDREN * * * 19.3 PERCENT OF TOTAL ALL-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT 46 15.35 8 2.41 1 .66 56 19.30

WALLS	CCOUNT	MEAN	SIGMA	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
	MEAN	2.37	3.14	95	31	126	17	5	22	6	0	6	124	44	168
	SIGMA	5.19	6.60	5.19	9.45	6.60	1.67	.23	1.49	.00	.00	.00	2.03	4.53	2.68
	MEAN	1.27	2.20	1.50	2.20	1.50	1.02	.35	.87	.49	.00	.49	1.26	1.81	1.40
	SIGMA	2.31	3.38	2.63	3.38	2.63	2.42	.11	2.13	.07	.00	.07	1.79	2.92	2.49
	MEAN	2.03	4.51	2.64	4.51	2.64	.50	.00	.37	.00	.00	.00	3.96	5.96	4.60
	SIGMA	4.20	6.93	5.10	6.93	5.10	1.68	.33	1.49	.70	.00	.70	3.29	6.44	4.11
	MEAN	3.67	7.78	4.68	7.78	4.68	1.51	.32	1.24	.22	.00	.22	6.21	9.58	7.34
	SIGMA	6.71	10.58	7.99	10.58	7.99	3.32	.27	2.94	.22	.00	.22			

TRIM

MEAN	3.57	4.86	4.01	1.66	1.01	1.48	1.66	.60	2.33	.58	.00	.58	3.16	4.34	3.56
SIGMA	3.90	4.33	4.08	2.74	.60	2.33	1.00	.00	1.00	1.00	.00	1.00	3.89	3.94	3.93
MEAN	1.99	2.29	2.09	1.38	1.01	1.27	1.38	.97	1.71	.49	.00	.49	1.74	2.14	1.88
SIGMA	2.83	2.42	2.69	1.95	.97	1.71	1.95	.97	1.71	.49	.00	.49	2.61	2.26	2.50
MEAN	3.20	4.29	3.57	1.82	1.05	1.60	1.82	.58	1.60	.58	.00	.58	2.84	3.95	3.22
SIGMA	3.16	3.60	3.34	3.01	.58	2.56	3.01	.58	2.56	1.00	.00	1.00	3.13	3.30	3.22
MEAN	5.41	7.08	5.97	2.94	1.73	2.60	2.94	1.73	2.60	.93	.00	.93	4.77	6.32	5.30
SIGMA	5.86	5.86	5.89	4.52	1.26	3.88	4.52	1.26	3.88	.82	.00	.82	5.64	5.38	5.59

ALL

MEAN	2.68	5.01	3.34	.92	.41	.81	.92	.41	.81	.00	.00	.00	2.37	4.32	2.89
SIGMA	3.79	5.34	4.30	1.58	.24	1.43	1.58	.24	1.43	.38	.00	.38	3.53	5.04	4.04
MEAN	2.34	3.54	3.24	1.34	.76	1.32	1.34	.76	1.32	.73	.00	.73	2.19	3.19	2.90
SIGMA	2.94	4.15	3.56	1.90	.48	1.70	1.90	.48	1.70	.31	.00	.31	2.80	3.74	3.30
MEAN	2.02	3.61	2.33	.65	.25	.53	.65	.25	.53	.00	.00	.00	1.88	3.32	2.16
SIGMA	2.93	3.70	3.22	1.52	.28	1.36	1.52	.28	1.36	.58	.00	.58	3.16	3.84	3.44
MEAN	6.04	9.47	8.09	3.20	1.57	3.06	3.20	1.57	3.06	.97	.00	.97	5.50	8.23	7.14
SIGMA	7.10	8.80	8.16	4.83	1.23	4.37	4.83	1.23	4.37	.77	.00	.77	6.74	8.21	7.70

T-W

MEAN	1.42	-0.96	.82	.96	1.33	1.05	.96	1.33	1.05	1.07	.00	1.07	1.33	-0.52	.83
SIGMA	6.29	10.63	7.65	2.70	.52	2.35	2.70	.52	2.35	.89	.00	.89	5.81	9.23	6.92
MEAN	1.22	-1.10	.89	1.15	1.38	1.20	1.15	1.38	1.20	1.21	.00	1.21	1.11	.62	.98
SIGMA	5.11	7.89	5.93	2.74	.48	2.39	2.74	.48	2.39	.88	.00	.88	4.74	6.70	5.32
MEAN	2.15	-1.42	1.24	1.21	1.70	1.32	1.21	1.70	1.32	.72	.00	.72	1.87	-0.86	1.13
SIGMA	7.82	11.79	9.08	4.74	1.32	4.15	4.74	1.32	4.15	.67	.00	.67	7.25	10.16	8.20

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

WALLS	COUNT	CHILDREN-COUNT AND PERCENT			20			1			.66			0			.00			7.68		
		MEAN	SIGMA	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL			
MEAN	47	1.13	2.56	11	58	4	2	6	0	0	0	0	0	0	0	53	13	66				
SIGMA	1.13	2.56	1.40	2.73	2.73	.67	5.02	2.12	.00	.00	.00	.00	.00	.00	.00	1.06	2.94	1.43				
MEAN	2.41	3.74	.81	.91	.91	.84	1.89	1.05	.00	.00	.00	.00	.00	.00	.00	2.29	3.62	2.68				
SIGMA	.93	.81	1.16	.75	1.09	.41	2.26	1.24	.00	.00	.00	.00	.00	.00	.00	.89	.98	.91				
MEAN	.94	2.60	1.25	1.25	1.25	.70	5.07	2.16	.00	.00	.00	.00	.00	.00	.00	1.10	1.08	1.08				
SIGMA	2.22	3.66	2.60	2.60	2.60	.90	2.58	2.63	.00	.00	.00	.00	.00	.00	.00	2.11	3.54	1.30				
MEAN	2.24	3.47	2.47	2.47	2.47	1.27	6.80	3.12	.00	.00	.00	.00	.00	.00	.00	2.11	3.98	2.48				
SIGMA	3.34	4.68	3.62	3.62	3.62	1.26	.57	3.02	.00	.00	.00	.00	.00	.00	.00	3.18	4.46	3.51				

TRIM	MEAN	SIGMA	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
SIGMA	2.98	2.82	2.98	2.56	.00	3.01	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	1.71	3.11	2.05	1.68	1.63	1.67	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	1.89	1.74	1.94	3.57	.00	3.19	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	3.18	4.62	3.52	1.67	6.45	2.47	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	3.18	3.21	3.22	2.56	.00	3.01	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	4.67	7.34	5.32	2.94	7.60	3.72	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	3.99	3.57	4.03	4.99	.00	4.85	.00	.00	.00	.00	.00	.00	.00	.00	.00

ALL	MEAN	SIGMA	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
SIGMA	1.86	3.12	2.22	2.53	2.52	2.67	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	2.14	2.58	2.35	2.12	2.18	1.36	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	1.74	1.80	1.67	3.33	1.85	1.68	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	1.28	3.35	1.62	1.67	5.07	2.07	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	1.87	3.46	2.35	2.56	2.58	2.67	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	5.18	6.80	6.05	3.52	7.00	4.20	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	4.29	4.23	4.29	4.74	.85	4.55	.00	.00	.00	.00	.00	.00	.00	.00	.00

T-W	MEAN	SIGMA	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
SIGMA	3.91	2.77	3.71	.85	2.40	1.44	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	2.49	1.32	2.27	-.14	1.20	.31	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	4.01	2.99	3.84	.92	2.33	1.44	.00	.00	.00	.00	.00	.00	.00	.00	.00
MEAN	2.95	2.40	2.84	-.55	2.90	.60	.00	.00	.00	.00	.00	.00	.00	.00	.00
SIGMA	5.18	4.07	4.96	1.04	3.54	2.51	.00	.00	.00	.00	.00	.00	.00	.00	.00

BLOOD LEAD INTERVAL IS 35-39 * * * 16 CHILDREN * * * 3.5 PERCENT OF TOTAL ALL-FAMILY UNITS WET ROOMS

*****PRE 1940***** * * * * * *****1940-1959***** * * * * * *****1960-1975***** * * * * * *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		7	2.85	3	.66	0	.00	10	3.51	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	17	4	21	3	1	4	0	5	25
	MEAN	3.36	11.29	4.87	.11	.00	.04	.00	2.87	9.00
	SIGMA	5.62	14.64	8.22	.59	.00	.50	.00	5.29	13.68
MEDIAN	MEAN	1.39	3.52	1.80	.38	.00	.38	.00	1.24	2.89
	SIGMA	1.67	5.62	2.77	.08	.00	.07	.00	1.57	5.07
	MEAN	3.28	9.09	4.39	.20	.00	.10	.00	2.82	6.41
HIGH	SIGMA	5.43	10.20	6.68	.60	.00	.53	.00	5.11	9.20
	MEAN	4.92	14.50	6.74	.50	.20	.42	.00	4.25	11.64
	SIGMA	7.22	15.88	9.72	.50	.00	.43	.00	6.82	15.17
TRIM	MEAN	3.66	6.08	4.55	.44	.77	.52	.00	3.02	5.42
	SIGMA	3.79	5.70	4.59	.41	.00	.37	.00	3.62	5.60
	MEAN	1.60	2.87	2.07	.83	.42	.73	.00	1.44	2.56
MEDIAN	SIGMA	1.89	2.26	2.07	.79	.00	.68	.00	1.73	2.26
	MEAN	3.64	4.14	3.82	.33	.90	.47	.00	2.98	3.73
	SIGMA	3.83	4.06	3.81	.58	.00	.55	.00	3.66	3.93
HIGH	MEAN	4.97	8.99	6.45	1.37	1.10	1.30	.00	4.25	8.00
	SIGMA	4.50	5.44	5.12	1.27	.00	1.04	.00	4.29	5.75
	MEAN	3.15	7.50	4.41	.29	.30	.29	.00	2.74	6.70
SIGMA	SIGMA	4.36	7.04	5.30	.27	.00	.22	.00	4.15	7.01
	MEAN	2.23	5.25	3.88	.71	.62	.69	.00	2.01	4.73
	SIGMA	2.23	5.37	3.83	.52	.00	.43	.00	2.13	5.25
MEDIAN	MEAN	2.87	4.58	3.35	.15	.25	.17	.00	2.25	4.33
	SIGMA	4.40	4.50	4.60	.49	.00	.41	.00	3.51	4.82
	MEAN	6.11	13.16	9.90	1.53	1.10	1.42	.00	5.45	11.82
HIGH	SIGMA	6.98	10.52	8.88	1.00	.00	.85	.00	6.65	10.63
	MEAN	.78	-6.50	-.75	.34	.93	.49	.00	.70	-5.01
	SIGMA	7.03	16.68	9.70	.86	.00	.76	.00	6.39	14.82
MEDIAN	MEAN	-.02	-4.59	-.98	.13	1.10	.38	.00	.01	-2.63
	SIGMA	5.67	11.30	7.07	1.14	.00	1.05	.00	5.16	10.19
	MEAN	1.13	-8.15	-.82	.87	.90	.88	.00	1.09	-6.34
HIGH	SIGMA	8.70	16.79	11.00	1.52	.00	1.24	.00	7.91	15.09
	MEAN									
	SIGMA									

*****PRE 1940*****
 *****1940-1959*****
 *****1960-1975*****
 *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		2		.44		0		.00		0		.00		2		.44	
WALLS	COUNT	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL	
MEAN	3.33	2	1.25	4	0	0	0	0	0	0	0	0	0	2	1.25	4	
SIGMA	3.39		.78	2.29			2.29						2.29			2.29	
MEAN	.93		1.29	1.11			1.11						1.11			1.11	
SIGMA	.32		1.19	.74			.74						.74			.74	
MEDIAN	3.35		.70	2.02			2.02						2.02			2.02	
SIGMA	3.46		.07	2.52			2.52						2.52			2.52	
HIGH	4.25		3.15	3.70			3.70						3.70			3.70	
SIGMA	3.04		2.62	2.40			2.40						2.40			2.40	
TRIM																	
MEAN	5.24		4.85	5.15			5.15						5.15			5.15	
SIGMA	4.52		.00	3.69			3.69						3.69			3.69	
MEAN	3.35		3.61	3.42			3.42						3.42			3.42	
SIGMA	5.55		.00	4.53			4.53						4.53			4.53	
MEAN	5.27		4.85	5.16			5.16						5.16			5.16	
SIGMA	4.48		.00	3.66			3.66						3.66			3.66	
HIGH	7.63		7.40	7.57			7.57						7.57			7.57	
SIGMA	6.76		.00	5.52			5.52						5.52			5.52	
ALL																	
MEAN	4.98		1.76	2.84			2.84						2.84			2.84	
SIGMA	3.22		1.50	.42			.42						.42			.42	
MEAN	3.01		1.62	3.86			3.86						3.86			3.86	
SIGMA	2.97		1.66	1.42			1.42						1.42			1.42	
MEDIAN	4.10		1.10	1.46			1.46						1.46			1.46	
SIGMA	4.08		.64	.90			.90						.90			.90	
HIGH	9.63		4.35	9.07			9.07						9.07			9.07	
SIGMA	3.79		4.31	3.29			3.29						3.29			3.29	
T-W																	
MEAN	.18		5.52	2.85			2.85						2.85			2.85	
SIGMA	8.18		3.50	5.99			5.99						5.99			5.99	
MEAN	.20		6.07	3.14			3.14						3.14			3.14	
SIGMA	8.20		2.79	6.04			6.04						6.04			6.04	
MEAN	2.85		4.90	3.87			3.87						3.87			3.87	
SIGMA	12.52		3.54	7.60			7.60						7.60			7.60	

BLOOD LEAD INTERVAL IS 45-49 * * * 4 CHILDREN * * * .9 PERCENT OF TOTAL ALL-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT 3 .66 1 .22 0 .00 4 .88

WALLS	COUNT	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.00	3.96	3.96	6	2.00	1.32	1.77	3	0	0	2	2.00	3.58	3.23
	SIGMA	.00	8.06	8.06	.21	.00	.42	.42	.00	.00	.00	.21	7.42	6.47	6.47
	MEAN	.00	.88	.88	1.84	1.65	1.78	1.78	.00	.00	.00	1.84	.99	1.18	1.18
	SIGMA	.00	.84	.84	.06	.00	.12	.12	.00	.00	.00	.06	.82	.80	.80
	MEAN	.00	3.12	3.12	2.10	1.00	1.73	1.73	.00	.00	.00	2.10	2.82	2.66	2.66
	SIGMA	.00	6.03	6.03	.42	.00	.70	.70	.00	.00	.00	.42	5.56	4.83	4.83
	MEAN	.00	4.93	4.93	3.80	3.60	3.73	3.73	.00	.00	.00	3.80	4.74	4.53	4.53
	SIGMA	.00	8.16	8.16	.28	.00	.23	.23	.00	.00	.00	.28	7.47	6.48	6.48

TRIM	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.00	7.76	7.76	2.38	2.20	2.32	2.32	.00	.00	.00	2.38	6.97	5.95	5.95	
	SIGMA	.00	4.40	4.40	3.13	.00	2.22	2.22	.00	.00	.00	3.13	4.53	4.55	4.55	
	MEAN	.00	7.07	7.07	2.46	2.26	2.39	2.39	.00	.00	.00	2.46	6.38	5.51	5.51	
	SIGMA	.00	3.49	3.49	2.78	.00	1.97	1.97	.00	.00	.00	2.78	3.67	3.75	3.75	
	MEAN	.00	7.22	7.22	2.20	2.20	2.27	2.27	.00	.00	.00	2.30	6.51	5.57	5.57	
	SIGMA	.00	5.17	5.17	2.69	.00	1.90	1.90	.00	.00	.00	2.69	5.09	4.87	4.87	
	MEAN	.00	13.77	13.77	4.95	3.80	4.57	4.57	.00	.00	.00	4.95	12.34	10.70	10.70	
	SIGMA	.00	6.28	6.28	6.29	.00	4.50	4.50	.00	.00	.00	6.29	6.86	7.13	7.13	

ALL	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.00	5.45	5.45	2.25	1.62	2.04	2.04	.00	.00	.00	2.25	4.90	4.31	4.31	
	SIGMA	.00	6.26	6.26	1.59	.00	1.18	1.18	.00	.00	.00	1.59	5.90	5.27	5.27	
	MEAN	.00	4.96	4.96	2.50	1.69	2.23	2.23	.00	.00	.00	2.50	4.49	4.05	4.05	
	SIGMA	.00	2.28	2.28	1.29	.00	1.02	1.02	.00	.00	.00	1.29	2.42	2.32	2.32	
	MEAN	.00	2.62	2.62	1.40	1.00	1.27	1.27	.00	.00	.00	1.40	2.39	2.17	2.17	
	SIGMA	.00	3.78	3.78	1.41	.00	1.03	1.03	.00	.00	.00	1.41	3.50	3.11	3.11	
	MEAN	.00	14.25	14.25	6.50	3.80	5.60	5.60	.00	.00	.00	6.50	12.76	11.37	11.37	
	SIGMA	.00	6.80	6.80	4.10	.00	3.29	3.29	.00	.00	.00	4.10	7.36	7.09	7.09	

T-W	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA	MEAN	SIGMA
	MEAN	.00	3.81	3.81	.38	.88	.55	.55	.00	.00	.00	.38	3.39	2.72	2.72	
	SIGMA	.00	6.42	6.42	2.92	.00	2.09	2.09	.00	.00	.00	2.92	5.97	5.43	5.43	
	MEAN	.00	4.10	4.10	.20	1.20	.53	.53	.00	.00	.00	.20	3.69	2.91	2.91	
	SIGMA	.00	5.39	5.39	2.26	.00	1.70	1.70	.00	.00	.00	2.26	5.04	4.69	4.69	
	MEAN	.00	8.83	8.83	1.15	.20	.83	.83	.00	.00	.00	1.15	7.60	6.17	6.17	
	SIGMA	.00	8.38	8.38	6.01	.00	4.29	4.29	.00	.00	.00	6.01	8.31	8.03	8.03	

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		1	.22	0	.00	0	.00	0	.00	1	.22		
		GOOD	BAD	ALL	GOODD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	2	0	2	0	0	0	0	0	0	2	0	2
	MEAN	6.30	.00	6.30	.00	.00	.00	.00	.00	.00	6.30	.00	6.30
	SIGMA	2.79	.00	2.79	.00	.00	.00	.00	.00	.00	2.79	.00	2.79
	MEAN	8.14	.00	8.14	.00	.00	.00	.00	.00	.00	8.14	.00	8.14
	SIGMA	.47	.00	.47	.00	.00	.00	.00	.00	.00	.47	.00	.47
	MEAN	6.15	.00	6.15	.00	.00	.00	.00	.00	.00	6.20	.00	5.20
	SIGMA	8.13	.00	8.13	.00	.00	.00	.00	.00	.00	6.79	.00	6.79
	MEAN	15.30	.00	15.30	.00	.00	.00	.00	.00	.00	15.30	.00	15.30
	SIGMA	2.40	.00	2.40	.00	.00	.00	.00	.00	.00	2.40	.00	2.40
TRIM	MEAN	2.20	.00	2.20	.00	.00	.00	.00	.00	.00	2.20	.00	2.20
	SIGMA	.09	.00	.09	.00	.00	.00	.00	.00	.00	.09	.00	.09
	MEAN	2.48	.00	2.48	.00	.00	.00	.00	.00	.00	2.48	.00	2.48
	SIGMA	.52	.00	.52	.00	.00	.00	.00	.00	.00	.52	.00	.52
	MEAN	3.20	.00	3.20	.00	.00	.00	.00	.00	.00	3.20	.00	3.20
	SIGMA	.14	.00	.14	.00	.00	.00	.00	.00	.00	.14	.00	.14
	MEAN	4.00	.00	4.00	.00	.00	.00	.00	.00	.00	4.00	.00	4.00
	SIGMA	.85	.00	.85	.00	.00	.00	.00	.00	.00	.85	.00	.85
ALL	MEAN	4.33	.00	4.33	.00	.00	.00	.00	.00	.00	4.33	.00	4.33
	SIGMA	1.33	.00	1.33	.00	.00	.00	.00	.00	.00	1.33	.00	1.33
	MEAN	6.21	.00	6.21	.00	.00	.00	.00	.00	.00	6.21	.00	6.21
	SIGMA	.02	.00	.02	.00	.00	.00	.00	.00	.00	.02	.00	.02
	MEAN	3.72	.00	3.72	.00	.00	.00	.00	.00	.00	4.20	.00	4.20
	SIGMA	4.00	.00	4.00	.00	.00	.00	.00	.00	.00	4.67	.00	4.67
	MEAN	15.30	.00	15.30	.00	.00	.00	.00	.00	.00	15.30	.00	15.30
	SIGMA	2.40	.00	2.40	.00	.00	.00	.00	.00	.00	2.40	.00	2.40
T-W	MEAN	-4.10	.00	-4.10	.00	.00	.00	.00	.00	.00	-4.10	.00	-4.10
	SIGMA	2.69	.00	2.69	.00	.00	.00	.00	.00	.00	2.69	.00	2.69
	MEAN	-2.95	.00	-2.95	.00	.00	.00	.00	.00	.00	-2.00	.00	-2.00
	SIGMA	8.27	.00	8.27	.00	.00	.00	.00	.00	.00	6.93	.00	6.93
	MEAN	-11.30	.00	-11.30	.00	.00	.00	.00	.00	.00	-11.30	.00	-11.30
	SIGMA	3.25	.00	3.25	.00	.00	.00	.00	.00	.00	3.25	.00	3.25

BLOOD LEAD INTERVAL IS ALL * * * 456 CHILDREN * * * 100.0 PERCENT OF TOTAL ALL-FAMILY UNITS WET ROOMS

*****PRE 1940***** *****1940-1959***** *****1960-1975***** *****ALL AGES*****

CHILDREN-COUNT AND PERCENT		257	76.75	43	13.60	16	6.80	319	100.00	
		GOOD	BAD	ALL	GOOD	BAD	ALL	GOOD	BAD	ALL
WALLS	COUNT	538	114	652	14	123	0	734	136	870
	MEAN	1.91	4.18	2.30	1.04	.42	.00	1.53	3.83	1.89
	SIGMA	3.89	7.47	4.79	1.97	1.25	.00	3.47	7.10	4.32
	MEAN	1.33	1.51	1.36	1.01	.85	.00	1.22	1.44	1.25
	SIGMA	2.11	2.42	2.17	.99	1.42	.24	1.98	2.25	2.02
	MEDIAN	1.70	3.65	2.04	.82	.34	.00	1.35	3.17	1.64
	SIGMA	3.38	5.62	3.93	1.99	1.22	.71	3.02	5.19	3.51
	MEAN	3.39	5.79	3.81	2.18	1.35	.00	2.89	5.38	3.28
	SIGMA	5.64	8.50	6.29	2.47	2.29	.75	5.10	8.04	5.73

TRIM

MEAN	3.27	4.94	3.71	1.09	1.72	1.13	1.29	2.72	4.66	3.15
SIGMA	3.83	3.86	3.86	1.71	1.88	1.72	.85	3.58	3.61	3.68
MEAN	1.83	2.80	2.09	.94	1.15	.96	.49	1.55	2.68	1.80
SIGMA	2.56	2.72	2.64	1.65	.92	1.60	.75	2.35	2.63	2.46
MEAN	3.09	4.50	3.46	1.13	1.76	1.18	.71	2.49	4.30	2.89
SIGMA	3.83	3.41	3.77	1.81	1.86	1.82	.85	2.97	3.38	3.16
MEAN	4.87	7.51	5.56	1.92	2.54	1.96	1.12	4.07	7.08	4.74
SIGMA	5.42	5.32	5.51	2.87	2.27	2.83	.94	5.03	5.22	5.23

ALL

MEAN	2.38	4.46	2.80	.66	1.15	.68	1.29	1.96	4.11	2.33
SIGMA	3.25	4.43	3.54	1.14	1.72	1.18	.53	2.96	4.32	3.28
MEAN	2.31	3.00	2.75	1.13	1.16	1.15	.73	2.03	2.85	2.40
SIGMA	2.54	3.22	2.81	1.41	.87	1.24	.38	2.37	3.07	2.61
MEAN	1.82	3.62	2.07	.50	.87	.49	.09	1.53	3.45	1.76
SIGMA	2.59	3.54	2.85	1.11	1.81	1.14	.57	2.63	3.69	2.88
MEAN	5.81	8.13	6.99	2.37	2.59	2.48	1.26	4.97	7.55	5.97
SIGMA	6.46	7.02	6.88	3.23	2.20	3.18	.94	6.00	6.83	6.49

T-W

MEAN	1.50	.83	1.38	.67	.88	.70	.00	1.31	.78	1.22
SIGMA	4.83	7.75	5.46	1.71	1.01	1.64	.00	4.34	7.23	4.92
MEAN	1.48	1.00	1.40	.78	1.11	.82	.00	1.23	1.17	1.22
SIGMA	4.70	6.01	4.96	1.68	.78	1.60	.00	3.75	5.52	4.08
MEAN	1.76	1.47	1.71	.56	.72	.58	.00	1.42	1.28	1.40
SIGMA	6.85	8.52	7.17	3.10	2.29	3.01	.00	6.20	7.94	6.50

APPENDIX D

Data Collection Form for Housing Inspections

SURVEY OF LEAD-BASED PAINT HAZARD IN DWELLING UNITS

SECTION I - IDENTIFICATION		ADDRESS																													
SERIAL NUMBER	CODE	TRACT	BLOCK	ZIP CODE	STREET NAME AND NUMBER					DATE																					
1 - 6	7 - 8	9 - 14	15 - 17	18 - 22	23	24 - 99						MONTH	DAY																		
	0 1																														
SECTION II - INTERIOR		WALLS AND CEILING										TRIM										OTHER									
CODE	CONO	READING			COND			WINDOW			DOOR			BASE-BOARD			FLOOR			RAOIA-TOR			CABINET			FIRE PLACE					
		WALL 1	WALL 2	WALL 3	WALL 4	WALL 4	CEILING	NUMBER	READING	COND	NUMBER	READING	COND	NUMBER	READING	COND	NUMBER	READING	COND	NUMBER	READING	COND	NUMBER	READING	COND	NUMBER	READING	COND			
7 - 8	9 - 11	12 - 14	15 - 17	18 - 20	21 - 23	24 - 26	27 - 29	30 - 32	33 - 35	36 - 38	39 - 41	42 - 44	45 - 47	48 - 50	51 - 53	54 - 56															
	0 4																														
	0 5																														
	0 6																														
	0 7																														
	0 8																														
	0 9																														
	1 0																														
	1 1																														
	1 2																														
	1 3																														
	1 4																														
	1 5																														
	1 6																														
	1 7																														
SECTION III - EXTERIOR		WALL			PORCH			DOOR			WINDOW			RAILING			FENCE			GARAGE			EXCLUDED ROOMS								
CODE	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND	RDG	COND				
7 - 8	9 - 11	12 - 14	15 - 17	18 - 20	21 - 23	24 - 26	27 - 29	30 - 32	33 - 35	36 - 38	39 - 41	42 - 44	45 - 47	48 - 50	51 - 53	54 - 56	57 - 59														
	1 8																														
	1 9																														

X. Children Resident (CHILD)
 Number of resident children age 6 and under

XI. Material and Condition (COND)
 (a) Base: Material
 P - Plaster
 V - Vinyl
 G - Gypsum board
 B - Masonry
 T - Tile
 W - Wood
 M - Metal
 O - Other
 (b) Base: Condition
 1. Good
 2. Fair
 3. Poor
 (c) Surface: Q - Peeling paint
 K - Tight paint
 N - Not painted,
 good
 X - Not painted,
 bad

I. Visitation (V)
 Completed
 1. Not dwelling unit
 2. Refusal
 3. No such address
 4. Vacant
 5. Under construction
 6. Demolished

II. Type of Construction (Type)
 1. Frame
 2. Masonry
 3. Concrete

III. Outside Surface of Building (XS)
 1. Wood siding
 2. Wood shingle
 3. Asbestos shingle
 4. Asphalt siding
 5. Brick or stone
 6. Stucco or cement block
 7. Aluminum siding

IV. Occupancy (OC)
 1. One-family detached
 2. One-family attached
 3. 2 to 4 families
 4. 5 to 9 families
 5. 10 to 19 families
 6. 20 to 49 families
 7. 50 or more families

V. Year Built (YEAR)
 1. 1939 or earlier
 2. 1940 to 1959
 3. 1960 to present

VI. Owner - Renter (OWNER)
 O - Owner
 R - Renter

VII. Mortgage (MORT)
 F - FHA
 V - VA
 C - Conventional
 N - None
 R - Renter

VIII. Public Housing (PUBLIC)
 P - Public
 N - Non-Public

IX. Subsidized (SUB)
 S - Subsidized
 N - Not Subsidized

U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET		1. PUBLICATION OR REPORT NO. NBSIR 77-1293	2. Gov't Accession No.	3. Recipient's Accession No.
4. TITLE AND SUBTITLE NBSIR 77-1293 ANALYSIS OF HOUSING DATA COLLECTED IN A LEAD-BASED PAINT SURVEY IN PITTSBURGH, PENNSYLVANIA -- PART II			5. Publication Date September 1977	6. Performing Organization Code
7. AUTHOR(S) Douglas R. Shier and William G. Hall			8. Performing Organ. Report No.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234			10. Project/Task/Work Unit No.	
			11. Contract/Grant No.	
12. Sponsoring Organization Name and Complete Address (Street, City, State, ZIP) Office of Policy Development and Research Department of Housing and Urban Development Washington, D.C. 20410			13. Type of Report & Period Covered Final	
			14. Sponsoring Agency Code	
15. SUPPLEMENTARY NOTES				
16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.) <p>This report represents Part II of a two-part document describing a lead-based paint survey conducted in Pittsburgh, Pennsylvania. Part I of this document (NBSIR 77-1250) presented details of the design, methodology and findings of this survey. The current report (Part II) presents and describes a series of tables summarizing the Pittsburgh survey data base, which includes measured lead levels of various surfaces in dwelling units and blood lead levels of children resident in those units. Most of the data analyses conducted in Part I derive from these tables. Thus, the tabulations given in this report provide not only the basis for those analyses but also a potential source for additional data analyses.</p>				
17. KEY WORDS (six to twelve entries; alphabetical order; capitalize only the first letter of the first key word unless a proper name; separated by semicolons) Key Works: Blood lead; children; data analysis; housing; lead paint; lead poisoning; surveys.				
18. AVAILABILITY <input checked="" type="checkbox"/> Unlimited <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS <input type="checkbox"/> Order From Sup. of Doc., U.S. Government Printing Office Washington, D.C. 20402, SD Cat. No. C13 <input checked="" type="checkbox"/> Order From National Technical Information Service (NTIS) Springfield, Virginia 22151		19. SECURITY CLASS (THIS REPORT) UNCLASSIFIED		21. NO. OF PAGES 189
		20. SECURITY CLASS (THIS PAGE) UNCLASSIFIED		22. Price \$7.50

