

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

exp 11



Index of Device Evaluations

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.

Third Edition
May 8, 1991

U.S. Department of Commerce
National Institute of Standards and Technology



National Type Evaluation Program

NIST
PUBLICATIONS

REFERENCE



QC
100
.U56
#4603
1991

NATIONAL INSTITUTE OF STANDARDS &
TECHNOLOGY
Research Information Center
Gaithersburg, MD 20899



The National Institute of Standards and Technology has a statutory responsibility for "cooperation with the States in securing uniformity of weights and measures laws and methods of inspection." In partial fulfillment of this responsibility, the Institute is pleased to publish this document for the National Conference on Weights and Measures (NCWM).

**National
Type
Evaluation
Program**

Index of Device Evaluations

456
#4603
1991

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.



**Third Edition
May 8, 1991**

**U.S. Department of Commerce
Robert A. Mosbacher, Secretary
National Institute of Standards and Technology
John W. Lyons, Director**



Introduction To Edition 3 to
NCWM Publication No. 5
May 8, 1991

These listings are for all devices for which Certificates of Conformance have been issued from January 1, 1986 through May 8, 1991.

Several suffix codes have been used in conjunction with the Certificate of Conformance number. These codes are explained below.

- A Identifies an addendum to a Certificate of Conformance. A number following the letter designates the number of addenda that have been issued for the Certificate. The use of the number suffix is relatively recent so not all addenda have numbers following the letter "A".
- P Identifies a provisional Certificate of Conformance. Provisional Certificates of Conformance may have been issued for load cells for which a laboratory evaluation of the test laboratory has not been made or for several other possible reasons. Large capacity scales that use load cells with a provisional Certificate of Conformance also receive provisional Certificates of Conformance.
- PA Identifies an addendum issued to Provisional Certificates of Conformance.
- PN Identifies Pre-NTEP Certificates that have been issued under the NTEP policy of accepting results of type evaluation by individual State jurisdictions before the establishment of NTEP.

CONTENTS

LIST OF COMPANIES	v
LIST OF DEVICE TYPES	ix
DEVICE LISTING BY COMPANY	A 1
DEVICE LISTING BY DEVICE TYPE	B 1
DEVICE LISTING BY CERTIFICATE NUMBER	C 1

National Type Evaluation Program



Index of Device Evaluations

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.

Third Edition
May 8, 1991

U.S. Department of Commerce
National Institute of Standards and Technology



The National Institute of Standards and Technology has a statutory responsibility for "cooperation with the States in securing uniformity of weights and measures laws and methods of inspection." In partial fulfillment of this responsibility, the Institute is pleased to publish this document for the National Conference on Weights and Measures (NCWM).

National Type Evaluation Program

Index of Device Evaluations

NCWM PUBLICATION 5

This Publication replaces all previous editions and supplements. It includes all NTEP evaluated devices to this date.



U.S. Department of Commerce
Robert A. Mosbacher, Secretary
National Institute of Standards and Technology
John W. Lyons, Director

Third Edition
May 8, 1991

NIST

List of Companies

A&D Engineering, Inc.
Absco Scale Co.
Accurate Metering Systems, Inc.
Advance Scale Company
Advanced Retail Systems Corporation
Advanced Systems Interfacing, Inc.
Airway Scale and Mfg Co., Inc.
Alcoa Recycling Machinery Services
Alkon Corporation
Ameacon, Inc.
Analogic Corporation
Antonson/Meto, Inc.
Applied Forces Corporation
Applied Technology
Artech Industries, Inc.
Astec Industries
AutoGas Systems, Inc.
Avery Weighing Technology
Baader North America Corp.
Bennett Pump Company
Berkel Incorporated
Better Built Scale Products
Bizerba United States, Inc.
BLH Electronics, Inc.
Brooks Instrument Division
Cambridge Engineering, Inc.
CANMAX Retail Systems, Inc.
Cardinal/Detecto Scale Mfgr. Co.
CAS Corporation

CASIO, INC.
CAT Scale Company
Celtron
Centrodyne Corporation of America
Certified Scale Co.
Check Robot
CMI Weighing Equipment
CompuWeigh
Condec Consolidated Controls
Consolidated Controls, Eaton Corporation
Control Logic Corporation
Daniel Industries, Inc.
Diamond Control Systems
Digi Matex, Inc.
Digi Postal Corporation
Doran Scales, Inc.
Douglas Homs Corporation
Dover Corporation
Duratron Corporation
Durline Scales and Mfg., Inc.
Eaton Corporation
Edlund Company
Edlund Company, Inc.
Electronic Scales International
Electroscale Corporation (See Ref.)
Emark Corporation
Engineered Systems, Inc. (ESI)
Epelsa International, Inc.
ESCO Manufacturing, Inc.
Esselte Meto

Exact Equipment Corporation
 Fairbanks Scales
 Fargo Electronic Services Inc.
 Ferranti Autofil
 Flex-Weigh Corporation
 Flintab, Inc.
 Friden Alcatel
 GasBoy (See Winslow under The A.H. Emory Co.)
 GDT, Inc.
 Gedge Systems
 General Electrodynamics Corporation
 General Electronic Systems, Inc.
 Gilbarco, Inc.
 Global Scale Imports, Inc.
 Graco, Inc.
 Graham Electronics, Inc.
 Griffin Tech. Inc.
 GSE, Inc.
 Gull Inc.
 Hardin Industries
 Hardy Instruments, Inc.
 Hasstech, Inc.
 Hecon Corporation
 Henry Troemner, Inc.
 Hobart Corporation
 Holtgreven Scale & Electronics Corporation
 Hottinger Baldwin Measurements, Inc
 Howe Richardson Division
 Hugin Sweda, Inc.
 Husky Corporation
 IBM Corporation
 ICL, Inc.
 Industrial Data Systems, Inc.
 Int. Weighing Systems, Inc
 Intercomp Corporation
 Interface, Inc.
 International Mailing Systems, Inc.
 InterSystems, Inc.
 Ishida Scales Mfg. Co., Ltd.

Ivex Corporation
 J & S Scale Company
 J & S Scale Company, Inc.
 John Chatillon & Sons, Inc.
 Jonel Engineering
 K-Scalc, Inc.
 K-Tron
 Koltek, Inc.
 Koppens Automatic USA Ltd.
 Kraus Industries
 Kubota Corporation
 Lake Goodwin Scale Company, Inc.
 Liqua-Tech Corporation
 Liquid Controls Corporation
 Loadometer Corporation
 Lodec, Inc.
 M&R Brand Scale
 M-R Brand Scale Manufacturing, Inc.
 Mantle Industries inc.
 Marel Equipment Inc.
 Marsh Scale, Inc.
 Masstron Scale, Inc. (See Toledo)
 McNeilus Truck & Mfg. Inc.
 Measurement Systems International
 Metro Equipment Corporation
 Metrometer, Inc.
 Mettler Instrument Corporation
 Micro General
 Micro Motion, Inc.
 Micro Systems, Inc.
 Mid-America Scale Company
 MOBBA
 Mobile Computing
 Morrison Weighing Systems, Inc.
 National Semiconductor
 NCI Weigh-Tronix Inc.
 NCR Corporation
 Neptune Water Meter Company
 New Brunswick International, Inc.

Ohaus Corporation
 Ohio Valley Scale & Equipment Corp
 Oklahoma Industries (see Unibridge)
 Omron Systems of America
 P.O.M. Incorporated
 Pacific Scale Co., Inc.
 PAR Microsystems
 PAT Equipment Corporation
 Pel-State Electronics
 Pelouze Scale Company
 Pennsylvania Scale Company
 Perkins Scale Corporation
 Phelps Industries, Inc.
 Pitney Bowes
 POS Data Products, Inc.
 Powell All-Steel Scales, Inc.
 PSI/Command Data
 Pulsar Technology Systems, Inc.
 Quality Business Machines
 Revere Corp (See Revere Transducers, Inc.)
 Revere Transducers, Inc.
 Rice Lake Weighing Systems
 RSB Engineers/Planners, Inc.
 Rudda Meter Inc.
 Rusty's Weigh Scales & Service, Inc.
 Santa Rosa Scale Company
 Sanyo Business Systems Corp.
 Sartorius Corporation
 Scatime S.A.
 Scale Data Systems
 Scales Unlimited
 Schlumberger Technologies, Inc.
 Schmidt Electronic Laboratories
 Scientech, Inc.
 Sea Shell Technologies
 Seca Corporation
 Seedburo Equipment Company
 Seltec Corporation
 Sensortronics

 Shekel Electronic Scales
 Smith Meter Inc.
 Sooner Scale, Inc.
 Southwest Pump Company
 Southwestern Scale Co., Inc.
 SP Systems, Incorporated
 Spectra Physics
 Sterling Scale Company, Inc.
 Stock Equipment Company
 Stores Automated Systems, Inc.
 Stress-Tek, Incorporated
 Sun Electric Corporation
 Sun Scale Inc.
 Superior Load Cell
 Syn-Tech Systems, Inc.
 Syracuse Scale Co, Inc.
 Systems Associates, Incorporated
 Tanita Corporation
 TEC America, Inc.
 Tedea Inc.
 Tektra International
 Tele-Weight, Inc.
 Thayer Scale
 The A. H. Emery Company
 The Merrick Corporation
 The Scale Store
 Thurman Scale Company
 Tokheim Corporation
 Toledo Scale Corporation
 Totalcomp, Inc.
 Towa Corp. of America
 Transducers, (See Revere Transducers, Inc.)
 Tri-Coastal Industries
 Triangle Microsystems, Inc.
 Triner Scale & Manufacturing
 Tru-Test Distributors Ltd.
 Tulsa Power Products, Inc.
 Tutthill Corporation
 Tyrel Corporation

UHL Scale Service, Inc.
Unibridge Scale Systems
Universel Epsco, Inc.
Veeder-Root
Vertex Industries, Inc.
Viking Taximeter Company
W. R. Grace & Co.
Washington Trade Associates
Wayne Division
Webster Scale, Inc.
Weigh-Tronix, Inc.
Weight Check
Weldotron Corporation
Weldtec Scales
West Michigan Scales
Western Scale Company Limited
William M. Wilson's Sons, Inc.
Winslow Scale Company
Wisconsin Electrical Mfgr. Co., Inc

List of Device Types

Belt Conveyor Scale
Bench and Counter Scale
Bulkweighing System
Cash Register
Computing Scale
Crane Scale
Data Processing Systems
Dry Measure
Floor Scales
Grain Test Scale
Hanging Scale
Hopper Scale
Indicating Elements
Jewelers' Balance
Livestock Scale
Load Cell
LPG Liquid Meter
Mass Flow Meter
Monorail Scale
Parking Meter
POS Scale
Prepackaging Scale
Prescription Balance
Printer
Railroad Track Scale
Retail Motor Fuel Dispenser
Retail Motor Fuel Register
Retail Motor Fuel System
Service Station Consoles/ECR
Taximeter
Vehicle Scale
Vehicle Tank & LPG Meter
Weighbeam
Weight Classifier
Wheel Load Weigher
Wholesale Meter

LISTING BY COMPANY

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>A&D Engineering, Inc.</u>									
87-041	09/29/87	A&D Engineering, Inc.		Bench and Counter Scale	FV-60KA1	III	60 x .02 kg	15.4" x 20.8"	Superseded by 87-041A
			FV-30KA2, FV-60KA2, FV-150KA1						
87-041A	04/19/89	A&D Engineering, Inc.		Bench and Counter Scale	FV-60KA1	III	60 x .02 kg		Digital Bench Scale
			FV-30KA2, FV-60KA2, FV-150KA1						
88-023	03/24/88	A&D Engineering, Inc.		Indicating Elements	AD 4321A & B	III/III L	10,000		Digital Electronic
88-023.A1	03/07/91	A&D Engineering, Inc.		Indicating Elements	AD 4321A & AD 4321B	III/III L	10,000		Digital Electronic
			AD 4321 SS; AD 4321 MS						Digital Indicating Element
88-031	03/10/88	A&D Engineering, Inc.		Indicating Elements	AD4316	III/III L	10,000		Digital Indicator
88-095	06/08/88	A&D Engineering, Inc.		Indicating Elements	AD 4323	III/III L	10,000		Digital Electronic
89-037	05/02/89	A&D Engineering, Inc.		Indicating Elements	AD-4322A	III/III L	10,000		Digital Electronic
90-061	04/18/90	A&D Engineering, Inc.		Floor Scales	FW-150KA1	III	300 x .1 lb	15.4" x 20.8"	Digital Electronic
90-061.A1	01/24/91	A&D Engineering, Inc.		Bench and Counter Scale	FW Series		300lbs		Superseded by 90-061.A2
90-061.A2	02/12/91	A&D Engineering, Inc.		Bench and Counter Scale	FW SERIES	III	see below	15.4"x20.8" (KA1)	Digital Electronic
			Platform: 12.8" x 16.5"(KA2), capacities - 12, 60, 120, 200 & 300 lbs.						
90-064	08/21/90	A&D Engineering, Inc.		Bench and Counter Scale	FV-60KA1	III	120 x .05 lb	15.4" x 20.8"	Digital Electronic
			FV-30KA2, FV-60KA2, FV-150KA1. Other capacities: 60 x .02 kg, 1920 x 1 oz						
90-096	08/21/90	A&D Engineering, Inc.		Bench and Counter Scale	FV-60KAS1	III	60 x .02 kg	15.4" x 20.8"	Digital Electronic
			FV-60KAS2 60 x 0.2kg, 150 x 0.5 lb, 2400 x 1 oz, 12.8" x 16.5"						

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Absco Scale Co.</u>									
91-003P		Absco Scale Co.		Vehicle Scale	5752				
<u>Accurate Metering Systems, Inc.</u>									
85-065A	06/03/88	Accurate Metering Systems, Inc.		Vehicle Tank & LPG Meter	Diesel RZ 2A		99999.9 gal		Electromechanical Vehicle Tank
<u>Advance Scale Company</u>									
87-115	12/29/87	Advance Scale Company		Printer	Auto-Scale 4000				Inbound/outbound vehicle scale
<u>Advanced Systems Interfacing, Inc.</u>									
89-010	04/05/89	Advanced Systems Interfacing, Inc.		Printer	Microway II/TKII				Computer Interface System
90-150	10/27/90	Advanced Systems Interfacing, Inc.		Bulkweighing System	Bulk II	III	10,000		Digital Electronic
<u>Airway Scale and Mfg Co., Inc.</u>									
88-247P	09/22/88	Airway Scale and Mfg Co., Inc.		Vehicle Scale	AW 60T 1070-PE AW 45T 1035-PE, AW 50T 1040-PE, AW 55T 1050-PE, AW 60T 1060-PE, AW 60T 1065-PE, AW 60T 1080-PE, AW 60T 1090-PE, AW 60T 1095-PE, AW 60T 1100-PE, AW 60T 1105-PE. Capacities (lb): 90,000 - 120,000	III L	6,000	120,000 x 20 lb 10' x 70'	Load Cell Weighing Element
89-041P	02/23/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900	III L	20K to 100K		WITHDRAWN
90-140		Airway Scale and Mfg Co., Inc.		Bench and Counter Scale	XX XL YY	III			Digital Electronic
90-141	11/02/90	Airway Scale and Mfg Co., Inc.		Load Cell	Model: AW600B-2.4K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.	III	5000	2500 to 20,000lb	Shear Beam, Tension
90-142	11/02/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900B Models: AW900B-20K, AW900B-25K, AW900B-30K, AW900B-40K, AW900B-50K, AW900B-60K, AW900B-60KL, AW900B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.	III L	10,000	20,000-100,000lb	Double-Ended Shear Beam

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Alcoa Recycling Machinery Services</u>										
91-047	04/18/91	Alcoa Recycling Machinery Services	Hopper Scale	Dimensions: 3 ft x 3 ft	WH27	III	3,000	300 x 0.1 lb		Digital Electronic
<u>Alkon Corporation</u>										
86-033	12/04/86	Alkon Corporation		Indicating Elements	LCH-1	III/III L	1,000			
<u>Ameacon, Inc.</u>										
89-039	01/30/90	Ameacon, Inc.		Indicating Elements	PROCESS MATE 96	III L	10,000			
<u>Analogic Corporation</u>										
87-073	12/30/87	Analogic Corporation		Indicating Elements	ANS315	III/III L	10,000			Digital Indicating Element
87-074	12/30/87	Analogic Corporation		Indicating Elements	ANS316	III/III L	10,000			Digital Indicating Element
87-075	12/30/87	Analogic Corporation		Indicating Elements	ANS322	III/III L	10,000			Digital Indicating Element
88-175	11/01/88	Analogic Corporation		Indicating Elements	ITG 3030	III/III L	10,000			Digital Electronic
<u>Antonson/Meto, Inc.</u>										
87-067	10/14/87	Antonson/Meto, Inc.		Computing Scale	823	III	3,000	30 x 0.01 lb	12" x 14.5"	Digital Computing Scale
<u>Applied Forces Corporation</u>										
88-097	06/08/88	Applied Forces Corporation		Indicating Elements	F3, F4, F5, and F6	III/III L	10,000			Digital Indicator
88-097A1	09/11/90	Applied Forces Corporation		Indicating Elements	F3, F4, F5, F6	III/III L	10,000			Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
Applied Technology										
89-100	10/12/89	Applied Technology		Retail Motor Fuel System	1200P, 1200W					
Artech Industries, Inc.										
87-057	05/24/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 to 10000 lb		Superseded by 87-057A3
87-057A2	05/02/89	Artech Industries, Inc.		Load Cell	20210	III	4,500 S	25 - 10,000 lb		Superseded by 87-057A3
87-057A3	05/11/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5k, 10k S	25 - 40,000 lb		Type "S" - Load Cell
				Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000, 25,000, 30,000, 35,000, 40,000						
87-057P	09/29/87	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
				Capacities (lb): 50, 100, 250, 500, 1000, 2500, 3000, 5000, 10000						
87-057PA	01/27/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA3	02/12/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5K, 10K S	25 to 20,000 lb		Superseded by 87-057A3
87-058	05/24/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 to 10000 lb		Superseded by 87-058A2
87-058.A3	03/07/91	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000	1,000 to 10k lb		Shear Beam
				The specific models of load cells covered by this certificate are identified by the capacity of each load cell.						
87-058A2	05/02/89	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000 M	1k - 10k lb		Shear Beam
				Specific models of load cells are identified by the capacity. See Certificate. Optional model families: 30210 and 30310-xx-C/B						
87-058P	09/29/87	Artech Industries, Inc.		Load Cell	30310	III	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-058PA	01/27/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 - 10000 lb		Superseded by 87-058A2

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-094	05/24/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000	5k - 50k lb		Double Ended Shear Beam
87-094.A1	03/07/91	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000	5,000 to 50k lb		Double Ended Shear Beam
				The specific models of load cells covered by this certificate are identified by the capacity of each load represented.						
87-094P	01/27/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5000	5000 to 50000 lb		Superseded by 87-094
				Capacities (lb) 5,000: 10,000: 20,000: 50,000						
90-032	04/25/90	Artech Industries, Inc.		Load Cell	SS30310 SERIES	III/III L	5k, 10k M	1,000 - 10,000 lb		SHEAR BEAM LOAD CELL
				Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacity 1,000 to 10,000 lb. Other models: SS30210 and SS30310-xx-C/B						
90-032P	02/12/90	Artech Industries, Inc.		Load Cell	SS30310 Series	III/III L	5K, 10K M	1,000 to 10,000lb		Superseded by 90-032
90-083	05/15/90	Artech Industries, Inc.		Load Cell	80210 Series	III L	10,000	20,000 - 200,000		Double Ended Shear Beam
				80310 - The difference between the Models 80210 and 80310 is in the manner of contact of the load cell to the mounting assembly. The 80210 has a semicircular indentation in the middle of the bottom of the cell where the cell rests on a semicircular rod. The point of contact is the semicircular areas. The bottom of the 80310 is flat and the semicircular is turned upside down so the flat area is in contact with the load cell. The semicircular rod makes contact with a flat plate in its mounting assembly						

Astec Industries

87-037P	09/14/87	Astec Industries		Hopper Scale	SEB	III L	3,750	75x0.02 ton		Portable Hopper Scale
89-128	10/24/89	Astec Industries		Hopper Scale	WB		1,000	20,000 lb		Superseded by 89-128A1
89-128A1	04/18/90	Astec Industries		Hopper Scale	WB, WB-A, AC, DA	III L	6,000	1,000 - 20,000 lb		Digital Electronic

AutoGas Systems, Inc.

88-256	01/25/89	AutoGas Systems, Inc.		Retail Motor Fuel System	AT 2002 X					Card Reader/Station Controller
				AC 2004 E, AC 2003 M						

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Avery Weighing Technology</u>										
87-071	12/30/87	Avery Weighing Technology		Bench and Counter Scale	3359	III	3,000	60 x .02 lb	350mm x 350mm	Digital Bench Scale
			Optional capacity: 30 x 0.01 lb							
87-071A	09/22/88	Avery Weighing Technology		Bench and Counter Scale	3359	III	2,000	100 x 0.05 lb	350 mm x 350 mm	Digital Electronic
			Optional capacities: 30 x 0.01 lb, 60 x 0.02 lb							
88-001	03/01/88	Avery Weighing Technology		Computing Scale	A600	III	1,500	15 x .01 lb	13.75" x 8.75"	superseded by 88-001A1
88-001A1		Avery Weighing Technology		Computing Scale	A600	III	3000	15 & 30 x 0.01 lb	13.75" x 8.75"	Digital Electronic Computing
88-056	05/26/88	Avery Weighing Technology		Prepackaging Scale	B700	III	3,000	30 x 0.01 lb	12" x 15.25"	Digital Prepackaging Scale
88-170	09/22/88	Avery Weighing Technology		Computing Scale	A100E	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-179	09/22/88	Avery Weighing Technology	8638, 8636	Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5 " x 11.5 "	Digital Electronic
88-180	09/23/88	Avery Weighing Technology	1791A, 1791C, 1791E	Computing Scale	1791	III	3,000	30 x 0.01 lb	344 mm x 280 mm	Digital Electronic
88-255	11/01/88	Avery Weighing Technology		Computing Scale	A100	III	3,000	30 lb	13.5" x 11"	Digital Electronic
<u>Baader North America Corp.</u>										
86-007	05/28/86	Baader North America Corp.		Bench and Counter Scale	1020.30.73	III	3000	300 kg (600 lb)	24" x 19 1/2"	
			10XX.10, 10XX.20, 10XX.30, 10XX.40							
86-008	05/28/86	Baader North America Corp.		Indicating Elements	8600 Series		3000	8610.20.03: 8610.20.06: 8610.20.07: 8610.20.08: 8615.25.00: 8615.25.05		
			8605.15.00: 8605.15.05: 8610.20.00: 8610.20.01: 8610.20.03: 8610.20.06: 8610.20.07: 8610.20.08: 8615.25.00: 8615.25.05							
87-026	08/25/87	Baader North America Corp.		Floor Scales	3020.10.02	III	3,000	300 kg	36"x36"	Elec. Load Cell Weighing Elem.

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Bennett Pump Company</u>									
87-020	05/22/87	Bennett Pump Company		Service Station Consoles/ECR	M 430				Superseded by 87-020A2
87-020A	04/19/89	Bennett Pump Company	A 430-1	Service Station Consoles/ECR	Access 430				Superseded by 87-020A2
87-020A2	08/21/89	Bennett Pump Company	MI 320, MI 350	Service Station Consoles/ECR	ECR-430 ECR A 430-1				Cash Register/Controller
87-062	10/27/87	Bennett Pump Company		Retail Motor Fuel Dispenser	6000 Series		99.999 gal.		Digital RFD
88-083	05/26/88	Bennett Pump Company		Service Station Consoles/ECR	100		24 dispensers		Electronic Service Station POS
88-303	04/19/89	Bennett Pump Company	A 410-1, A 410-2	Service Station Consoles/ECR	A 410-1 and A 410-2				superseded by 88-303A1
88-303A1	08/21/89	Bennett Pump Company	A 410-1, A 410-2, MI 320, MI 350	Service Station Consoles/ECR	A 410-X*		999.99 vol		Digital Electronic
89-063	10/02/89	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series		999.999 total gal		Superseded by 89-063A1
89-063A1	01/31/91	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series		999.999 total vol	\$9,999.99 total \$	Electronic Computing
89-072	10/02/89	Bennett Pump Company		Service Station Consoles/ECR	OMNI-OT		up to 24 dispens.		
90-034PN	03/13/90	Bennett Pump Company		Retail Motor Fuel Dispenser	3700 Series				Analog Volume Only
90-035PN	03/13/90	Bennett Pump Company		Retail Motor Fuel Dispenser	4000 Series				Analog Computing

7600 & 7800 High Cap Series, Includes: 9000 Series, Conventional 7000 Series - Low hose & High hose.

3722, 3724, 3725, 3725D, 3727, 3782, 3788, 3788D, 3789, 3789D, 3792

4012, 4013, 4022, 4024, 4025, 4027

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description	
90-036PN	03/13/90	Bennett Pump Company	814M, 816M, 818M	Service Station Consoles/ECR	81 Series				Digital	
90-162	01/31/91	Bennett Pump Company		Service Station Consoles/ECR	M405-8E & M405-16E		999.99 total vol	9,999.999 total \$	RMFD Console	
				For use with electronic RMFD's, M405-*e interfaces with up to 8 noses, M405-16E interfaces with up to 16 hoses.						
<u>Berkel Incorporated</u>										
87-009	04/13/87	Berkel Incorporated		Computing Scale	522	III	30 x 0.01 lb	27x37 cm	Digital Computing Scale	
88-171	08/30/88	Berkel Incorporated		Computing Scale	688LS	III	30 x 0.01 lb	13.5" x 11"	Digital Electronic	
88-179.A1	03/07/91	Berkel Incorporated		Computing Scale	1770	III	30 x 0.01 lb	9.5" x 11.5"	Digital Computing	
88-181	08/30/88	Berkel Incorporated	680 CW MKII	Bench and Counter Scale	680 MKII	III	30 x 0.01 lb	384 mm x 280 mm	Digital Electronic	
90-095	08/21/90	Berkel Incorporated	RS-300: 300 x 0.1 lb	Bench and Counter Scale	RS-150	III	150 x 0.05 lb	13.9" x 19.7"	Digital Electronic	
90-154	01/03/91	Berkel Incorporated	624LS Capacity 30 x 0.01lb - Same as the Model 623LS except the operator's display is alphanumeric.	Computing Scale	623LS	III	30 x 0.01 lb	400 x 252 mm	Digital Electronic	
<u>Better Built Scale Products</u>										
90-066	04/18/90	Better Built Scale Products		Indicating Elements	UMC 555 AAAA	III/III L			Digital Electronic	
				Optional Models: UMC 555 ---, Enclosure: A = Standard, Mildsteel Painted, B = Nema Enclosure. Input Power: A = 117 VAC, 60Hz, B = 227 VAC, 50Hz. Load Cell Term: A = Standard 6-wire Connector, B = RFI-Shielded 6-Wire Connector: A = Standard, B = Non-Standard.						
<u>Bizerba United States, Inc.</u>										
86-023	09/29/86	Bizerba United States, Inc.		Computing Scale	Pro 7000	III	30 x 0.01 lb	15" x 10.25"		

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-028	10/14/86	Bizerba United States, Inc.	Pro 7400. Other capacity: 15-30 lb x 0.01 lb	Computing Scale	Pro 7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
86-028A	11/05/87	Bizerba United States, Inc.	Other capacity 15-30 lb x 0.01 lb: 30 lb x 0.01 lb	Computing Scale	PRO7400, PRO7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
89-009	08/02/89	Bizerba United States, Inc.		Computing Scale	PRO 6000	III	3,000	30 X 0.01 lb	15" x 10.5 "	superseded by 89-009A1
89-009A1	10/12/89	Bizerba United States, Inc.	PRO 6400 hanging scale	Computing Scale	PRO 6000	III	3000	30 x 0.01 lb	15" x 10.5"	
90-053	06/14/90	Bizerba United States, Inc.	This series consists of the Models PRO9100, PRO9400, PRO9700, PRO9600 & PRO9800.	Computing Scale	PRO9000 Series	III	3,000	30 x 0.01 lb	10.4" x 15"	Digital Electronic
<u>BLH Electronics, Inc.</u>										
87-060	06/28/88	BLH Electronics, Inc.	Capacities: 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	4,500 M	20k-200k lb		
87-060P	03/10/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III	3000 S	20000 - 200000 lb		WITHDRAWN
87-060PA	01/27/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	10000 M	20000 - 200000 lb		superseded by 87-060
87-061	06/28/88	BLH Electronics, Inc.	Capacities (lb): 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450 - 45000 lb		Shear Beam Load Cell
87-061P	09/29/87	BLH Electronics, Inc.	Capacities: 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450-4500 lb		Superseded by 87-061
87-082	12/18/87	BLH Electronics, Inc.	Indicating Elements	Indicating Elements	LCI	III/III L	10,000			Digital Indicating Element

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Brooks Instrument Division</u>									
89-101	09/13/90	Brooks Instrument Division		Wholesale Meter	0500B1BXX1				Digital Electronic
			Generic name: PetroCount II						
89-116	10/24/89	Brooks Instrument Division		Wholesale Meter	0501A1BXX				
90-117	09/11/90	Brooks Instrument Division		Wholesale Meter	PetroCount 44				Digital Electronic
			004X-XXXXXXXXXX and 004X-XXXX						
90-118	11/02/90	Brooks Instrument Division		Wholesale Meter	Turbo				3-Inch & 4-inch
			Generic Name: Parity Series						
<u>CANMAX Retail Systems, Inc.</u>									
87-025	01/25/89	CANMAX Retail Systems, Inc.		Service Station Consoles/ECR FULL SERVE					Cash Register Service
			Class 2157, Model 0104; Class 2157, Model 0109						
91-050		CANMAX Retail Systems, Inc.		POS Scale	C-Serve				
<u>Cardinal/Detecto Scale Mfgr. Co.</u>									
86-035	12/17/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000		Digital Electronic
86-035A	03/25/88	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000		Digital Electronic
			738 BA (Batch Aid)						
86-035A2	04/18/90	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	738	III/III L	10,000		Digital Electronic
86-036	12/19/86	Cardinal/Detecto Scale Mfgr. Co.		Indicating Elements	10K	III/III L	10000		Indicating Element
87-027	07/16/87	Cardinal/Detecto Scale Mfgr. Co.		Bench and Counter Scale	6600 Series	III	5,000	100x0.02 lb	Digital Bench Scale
			6600-2, 6600-5, 6600-10, 6600-50, 6600-100					8.25" x 14.5"	

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-028	07/13/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	AP-20	III	19.99x0.01	6.75" x 5.25"	supersedes by 87-028A1
87-028A1	01/06/90	Cardinal/Detecto Scale Mfr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	19.99 X 9.91 lb	6.75" x 5.25"	Digital Bench Scale
87-033	07/16/87	Cardinal/Detecto Scale Mfr. Co.	6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	100 x 0.02lb	8.25" x 14.5"	Digital Bench Scale
87-034	07/16/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	AP-20	III	19.99 x 0.01 lb	6.75" x 5.25"	Superseded by 87-034A1
87-034A1	01/06/90	Cardinal/Detecto Scale Mfr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	19.99 x 9.91 lb	6.75" x 5.25"	Digital Bench Scale
87-059P	11/25/87	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SB-5000S	III	2.5k - 20k lb		Shear Beam
			SB-2500S, SB-5000S, SB-10 000S, SB-20 000S						
87-059PA	01/22/88	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SB-5000S	III L	2.5 - 20k lb		Shear Beam Load Cell
			SB-2500S, SB-5000S, SB-10 000S, SB-20 000S						
87-083P	04/07/88	Cardinal/Detecto Scale Mfr. Co.		Load Cell	50K-HDD	III L	50,000 lb		Column Compression Load Cell
88-010PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	BSR and BSRL	III	5-150 TON	VARIOUS	Dormant Industrial Scale
			56BSR, 58BSR, 59BSR, 5SBSR, 108BSR, 109BSR, 10SBSR, 15SBSR, 20SBSR, 30SBSR						
88-011PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Hopper Scale	FS Series	III/III L	5000 - 300000 LB		Floor Tank & Hopper Mech. lev.
			FS-1F, -2F, -2.5F, -3F, -4, -5, -6, -7, -8, -9, -10, -11						
88-012PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	SR and SRL Series	III/III L	10-150 TONS	18'x 9'-100'x 10'	Mech. Lever Weighing Element
			1018 SR: 1522 SR: 2024 SR: 3034 SR: 30343 SR: 40403 SR: 5045 SR: 5050 SR: 5060 SR: 5070 SR: 501207 SR: 6045 SR: 6050 SR: 6060 SR: 6070 SR: 7550 SR: 7560 SR: 75705 SR: 8060 SR: 8070 SR: 10060 SR: 100100 SR: 15070 SR. Capacity range 10-150 tons						
88-013PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	ASR and ASRL	III/III L	30 Tons	12' x 10'	Mechanical axle load scales
			206-ASR: 208-ASR: 2010-ASR: 308-ASR: 3010-ASR: 3012-ASR						

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description		
88-014PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales OLP-505F, -505, -404F, -404		OLP Series	III	4,000	60" x 60"	Overhead Mech. Plat. Scale		
88-015PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Railroad Track Scale 6050-RSA, 6060-, 6070-, 6650-, 6660-, 6670-, 6680-, 6690-, 6700-, 6710-, 6720-, 6730-, 6740-, 6750-, 6760-, 6770-, 6780-, 6790-, 6800-, 6810-, 6820-, 6830-, 6840-, 6850-, 6860-, 6870-, 6880-, 6890-, 6900-, 6910-, 6920-, 6930-, 6940-, 6950-, 6960-, 6970-, 6980-, 6990-, 7000-, 7010-, 7020-, 7030-, 7040-, 7050-, 7060-, 7070-, 7080-, 7090-, 7100-, 7110-, 7120-, 7130-, 7140-, 7150-, 7160-, 7170-, 7180-, 7190-, 7200-, 7210-, 7220-, 7230-, 7240-, 7250-, 7260-, 7270-, 7280-, 7290-, 7300-, 7310-, 7320-, 7330-, 7340-, 7350-, 7360-, 7370-, 7380-, 7390-, 7400-, 7410-, 7420-, 7430-, 7440-, 7450-, 7460-, 7470-, 7480-, 7490-, 7500-, 7510-, 7520-, 7530-, 7540-, 7550-, 7560-, 7570-, 7580-, 7590-, 7600-, 7610-, 7620-, 7630-, 7640-, 7650-, 7660-, 7670-, 7680-, 7690-, 7700-, 7710-, 7720-, 7730-, 7740-, 7750-, 7760-, 7770-, 7780-, 7790-, 7800-, 7810-, 7820-, 7830-, 7840-, 7850-, 7860-, 7870-, 7880-, 7890-, 7900-, 7910-, 7920-, 7930-, 7940-, 7950-, 7960-, 7970-, 7980-, 7990-, 8000-, 8010-, 8020-, 8030-, 8040-, 8050-, 8060-, 8070-, 8080-, 8090-, 8100-, 8110-, 8120-, 8130-, 8140-, 8150-, 8160-, 8170-, 8180-, 8190-, 8200-, 8210-, 8220-, 8230-, 8240-, 8250-, 8260-, 8270-, 8280-, 8290-, 8300-, 8310-, 8320-, 8330-, 8340-, 8350-, 8360-, 8370-, 8380-, 8390-, 8400-, 8410-, 8420-, 8430-, 8440-, 8450-, 8460-, 8470-, 8480-, 8490-, 8500-, 8510-, 8520-, 8530-, 8540-, 8550-, 8560-, 8570-, 8580-, 8590-, 8600-, 8610-, 8620-, 8630-, 8640-, 8650-, 8660-, 8670-, 8680-, 8690-, 8700-, 8710-, 8720-, 8730-, 8740-, 8750-, 8760-, 8770-, 8780-, 8790-, 8800-, 8810-, 8820-, 8830-, 8840-, 8850-, 8860-, 8870-, 8880-, 8890-, 8900-, 8910-, 8920-, 8930-, 8940-, 8950-, 8960-, 8970-, 8980-, 8990-, 9000-, 9010-, 9020-, 9030-, 9040-, 9050-, 9060-, 9070-, 9080-, 9090-, 9100-, 9110-, 9120-, 9130-, 9140-, 9150-, 9160-, 9170-, 9180-, 9190-, 9200-, 9210-, 9220-, 9230-, 9240-, 9250-, 9260-, 9270-, 9280-, 9290-, 9300-, 9310-, 9320-, 9330-, 9340-, 9350-, 9360-, 9370-, 9380-, 9390-, 9400-, 9410-, 9420-, 9430-, 9440-, 9450-, 9460-, 9470-, 9480-, 9490-, 9500-, 9510-, 9520-, 9530-, 9540-, 9550-, 9560-, 9570-, 9580-, 9590-, 9600-, 9610-, 9620-, 9630-, 9640-, 9650-, 9660-, 9670-, 9680-, 9690-, 9700-, 9710-, 9720-, 9730-, 9740-, 9750-, 9760-, 9770-, 9780-, 9790-, 9800-, 9810-, 9820-, 9830-, 9840-, 9850-, 9860-, 9870-, 9880-, 9890-, 9900-, 9910-, 9920-, 9930-, 9940-, 9950-, 9960-, 9970-, 9980-, 9990-, 10000-								
88-016PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Hopper Scale SH-1, -2, -3, -3.5, -4, -5, -6, -7, -8. Capacity range 1,000 to 100,000 lbs		SH Series	III/III L	1,000 - 100,000lb		Suspension Hopper Lever Sys.		
88-017PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Livestock Scale 31, LS51208, LS51408, LS51608, LS1016, LS1018, LS1022, 1030 S, 1530 S, 2026 S		LS Series	III/III L	1.5 - 20 ton	8 x 3 - 26 x 14'	Mechanical Weighing Element		
88-028	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Computing Scale PC-10, -10 kg, -11, -11 kg, -20, -20 kg, -21, -21 kg, -30 kg, -31, -31 kg		PC-30	III	30 x 0.01 lb	13" x 8"	Digital Computing Scale		
88-028A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Computing Scale		PC-30A	III	30 x 0.01 lbs	13" x 8"	Digital Electronic		
88-061PN	10/11/88	Cardinal/Detecto Scale Mfr. Co.	Vehicle Scale Modified Model Numbers XYYY-PRC-H and XYYY-SRC-I		PRC and SRC Series	III L	60' to 180'x 10'		Digital Electronic		
88-106	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales 854F-50P, -50K, -50PK, -100P, -100PK		854F-100P	III	1,000 lb	19" x 28"	Mechanical Lever Floor Scale		
88-106A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Bench and Counter Scale 500 - 1000 lb; 200 - 500 kg		854P	III	see below	19" x 28"	Full Mechanical		
88-107	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales 854F-50P, -50K, -50PK, -100P, -100PK		854F-100P	III	1,000 lb	19" x 28"	Mechanical Lever Floor Scale		
88-108	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales 954F-100P, -50K, -100PK		954F-100P	III	2,000lb	28" x 28"	Mechanical Lever Floor Scale		
88-108A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Floor Scales Levertronic: 8950F, 5950F - Full Mechanical: 954F-100P, 954F-500K, 954F-100PK		954F	III	2000 lb	28"x28"	Mechanical portable floor scal		

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-109	06/09/88	Cardinal/Detecto Scale Mfr. Co.	954F-100P, -50K, -100PK	Floor Scales	954F-100P	III	2,000 lb	28" x 28"	Mechanical Lever Floor Scale
88-110	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Hanging Scale	40 S	III	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-111	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Hanging Scale	40 S	III	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-112	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	6900-4 and 6900-80 6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	III	4 x 0.001 lb	8" Diameter	Digital Bench Scale
88-113	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	6900-4 and 6900-80 6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	III	4lb - 80lb	8" Diameter	Digital Bench Scale
88-130P		Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XTD and ETD Series	III	6,500 LB		Dormant Floor Scale
88-130PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XTD and ETD Series XTD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	III	6500 lb		Dormant Mechanical
88-131PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XD Series XD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	III	6500 lb		Dormant Mechanical
88-132PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	SCD and SCDF Series SCD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672, -10884, -12096	III	12,500 lb		Dormant Mechanical
88-133PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.		Indicating Elements	3000 Series	III			Mechanical Dial Indicator
88-134PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	2200 Series 2200 DB, 2200 AB, 2201 DD, 2201 AD, 2202 DE, 2202 AE, 2202 DEDX, 2202 AEDX, 2203 DF, 2203 AF, 2203 ADFDX, 2203 AFDX, 2205 DJ	III	50 - 125 lb	18" x 20"	Mechanical Dial Bench Scale
88-135PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	PR and PRL Series 2020PR, 2030PR, 2530PR, 3030PR, 3540PR, 3550PR, 2020-40PR, 2020-50PR, 2525-50PR, 3030-50PR, 3535-50PR, 2525-60PR, 3030-60PR, 3535-60PR, 2525-65PR, 3030-65PR, 3535-65PR, 2525-80PR, 3030-80PR, 3535-80PR, 2525-100PR, 3030-100PR, 3535-100PR	III L			Portable Mech. Vehicle Scale

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-136PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.	Vehicle Scale 2020 PSR, 3020 PSR, 3030 PSR, 4035 PSR, 5035 PSR, 2020-40PSR, 2020-50PSR, 2525-50PSR, 3030-50PSR, 3535-50PSR, 3030-60PSR, 3535-60PSR, 2525-65PSR, 3030-65PSR, 3535-65PSR, 2525-80PSR, 3030-80PSR, 3535-80PSR, 2525-100PSR, 3030-100PSR, 3535-100PSR	Vehicle Scale	PSR and PSRL Series 2020 PSR, 3020 PSR, 3030 PSR, 4035 PSR, 5035 PSR, 2020-40PSR, 2020-50PSR, 2525-50PSR, 3030-50PSR, 3535-50PSR, 3030-60PSR, 3535-60PSR, 2525-65PSR, 3030-65PSR, 3535-65PSR, 2525-80PSR, 3030-80PSR, 3535-80PSR, 2525-100PSR, 3030-100PSR, 3535-100PSR	III L	20-100 ton	70' x 10'	Portable Mech. Vehicle Scale
88-137PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.	Weighbeam Beam Numbers: 182, 170, 170A, 15, 180, 180A, 16, 120, 130, 130A, 140, 150, 160, 161, 162, 163, 3TM, 182M, 13M, 170M-5, 170M-2, 180M-5, 180M-2, 120M-5, 130M-5, 135M, 140M	Weighbeam	SEE CERTIFICATE	III			Mechanical Type Registering
88-138PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.	Weighbeam Beam numbers: 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310	Weighbeam	SEE CERTIFICATE	III			Direct Reading Full Capacity
88-139P	07/05/88	Cardinal/Detecto Scale Mfr. Co.	Weighbeam	Weighbeam		III			Compound Full Capacity
88-139PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.	Weighbeam Beam numbers: 3, 12, 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 110, 115, 125, 2M, 3M, 12M, 100M, 110M, 50M, 60M, 65M, 70M	Weighbeam	SEE CERTIFICATE	III			Compound Full Capacity
88-166P	08/30/88	Cardinal/Detecto Scale Mfr. Co.	Load Cell Capacities (lb): 250, 500, 1000	Load Cell	Z	III/III L	250 - 1000 lb 5K, 10K S		Tension
88-173PN	07/05/88	Cardinal/Detecto Scale Mfr. Co.	Weighbeam	Weighbeam		III			Mechanical Type Registering
88-224	03/27/90	Cardinal/Detecto Scale Mfr. Co.	Vehicle Scale	Vehicle Scale	PRC-1 Series	III L	20,000 lb 10,000	70' x 10'	Electronic Load Cell
88-224P	10/11/88	Cardinal/Detecto Scale Mfr. Co.	Vehicle Scale Range of capacities from 100,000 to 270,000 lb.	Vehicle Scale	PRC-1 Series	III L	200,000 lb 10,000	70' x 10'	Superseded by 88-224
88-248	10/11/88	Cardinal/Detecto Scale Mfr. Co.	Bench and Counter Scale AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3999 x 1 g 3,999	6.75" x 5.25"	superseded by 88-248A1
88-248A1	01/06/90	Cardinal/Detecto Scale Mfr. Co.	Bench and Counter Scale AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3999 X 1 g 3999	6.75" x 5.25"	
88-249	10/11/88	Cardinal/Detecto Scale Mfr. Co.	Bench and Counter Scale AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3999 x 1 g 3,999	6.75" x 5.25"	Superseded by 88-249A1

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-249A1	01/06/90	Cardinal/Detecto Scale Mfr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4k	III	3999 X 1g	6.75 X 5.25 "	Digital Electronic
89-276	01/20/89	Cardinal/Detecto Scale Mfr. Co.		Printer	740 and 750				Electronic Dot Matrix
89-005	01/06/90	Cardinal/Detecto Scale Mfr. Co.		Bulkweighing System	738CBW	III/III L	10,000		
89-030		Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	102 SERIES	III	100 x 0.05 lb	14" x 14"	Load Cell Electronic
89-030A1	03/27/90	Cardinal/Detecto Scale Mfr. Co.	102, 105, 1010, 1020, 1440, 1450, 14100	Bench and Counter Scale	102W	III	2 lbs to 100 lbs		Load Cell Electronic
89-031	01/10/90	Cardinal/Detecto Scale Mfr. Co.		Indicating Elements	6000 & 6800	III	5000		
89-032	01/10/90	Cardinal/Detecto Scale Mfr. Co.	1100 DB, 1102 DE, 1102 EDX, 1105 DG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK	Bench and Counter Scale	1100 SERIES	III	50 - 300 lb	13-3/4" x 18-1/2"	Mechanical Dial
89-032A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Models: Leventronic- 5110, 7011. Dial- 1100 DB, 1102 DE, 1102 EDX, 1105 EG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK & 1105 DGK.	Bench and Counter Scale	1100 Series	III	50 to 300 lbs	13-3/4" x 18-1/2"	Mechanical Dial
89-042	12/20/89	Cardinal/Detecto Scale Mfr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	50K & 100K lb		COLUMN COMPRESSION
89-042-A1	04/18/91	Cardinal/Detecto Scale Mfr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	50k - 100k lb		Column Compression
89-042P	08/17/89	Cardinal/Detecto Scale Mfr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	50k & 100k lb		superseded by 89-042
89-071	11/02/90	Cardinal/Detecto Scale Mfr. Co.	50K-SCD, 100K-SCD, 50K-SCD-C & 100K-SCD-C.	Load Cell	SCD & SCD-C	III L	50k & 100k lb		Column, Digital Output
89-071 Amended	03/07/91	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SCD & SCD-C	III L	50k to 100k lb		Column, Digital Output

The specific load cells in this family covered by this certificate are identified by the model number which includes the load cell capacity as a prefix to the SCD or SCD-C identification. The only difference b/t the SCD & the SCD-C load cells is that the SCD-C has a connector rather than the cable being attached directly to the load cell. Models: 50K-SCD, 100K-SCD, 50K-SCD-C & 100-SCD-C.

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-071P	07/05/89	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	SCD and SCD-C 50K-SCD, 100K-SCD, 50K-SCD-C, 100K-SCD-C	III L	10,000 M	50,000-100,000 lb		COLUMN, DIGITAL OUTPUT	
89-097	08/21/89	Cardinal/Detecto Scale Mfgr. Co.	POS Scale	ECR-30	III	3000	30 x .01 lb	14" x 12"		
89-102	08/21/89	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	6900 6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80, 6900-100, 6901-100	III	5000	4 lb - 100 lb			
90-008	02/14/90	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	PCS 200 M PCS 200 MR, PCS 200 M, PCS 200, PCS-RCM, PCS-AS-150	III	3200	99lb 15.5 x 0.5oz	18" x 18"		
90-045	06/14/90	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	LP Series Models: 3025-LP, 3030-LP, 6035-LP, 6040-LP, 6050-LP, 6060-LP & 6070-LP.	III L	6000	30 & 60 Ton	25'-70" x 10'	Mechanical Lever System	
90-065	04/18/90	Cardinal/Detecto Scale Mfgr. Co.	Bench and Counter Scale	EF Series EF-100: 100 lb x .05 lb, 18 x 18 / EF-218: 200 lb x .1 lb, 18 x 18 / EF-224: 200 lb x .1 lb, 24 x 24 / EF-524: 500 lb x .2 lb, 24 x 24 & EF-528: 500 lb x .2 lb, 28 x 28.	III	2500	100 - 1,000 lbs		Load Cell Electronic	
90-069	05/11/90	Cardinal/Detecto Scale Mfgr. Co.	Floor Scales	FH-XXYY-II FH 522-II, FH 533-II, FH 544-II, FH 553-II, FH 554-II, FH 555-II, FH 563-II, FH 564-II, FH 565-II, FJ 1063-II, FJ 1064-II, FH 1065-II, FH 1066-II, FH 1075-II, FH 1086-II, FH 1097-II & FH 10106-II.	III	5,000	5,000 - 10,000 lb	2 x 2 - 10 x 6 FH 1044-II, FH 1053-II, FH 1054-II, FH 1055-II,	Low Profile-Load Electronic	
90-110	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	6800/Z100 & 600/Z100 Optional Models: 6000/TLC100 & 6800/TLC100 n_max:4,000	III	5,000			Steelyard Rod Adaptor	
90-111	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Load Cell	738/TLC100-738/Z100 Type Z & TLC load cell capacity: 100 lbs.		5,000			Steelyard Rod Adaptor	
91-041PN		Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	RSC Series						
CAS Corporation										
90-125	09/17/90	CAS Corporation	Bench and Counter Scale	3D 6D & 15D	III	3,000	6 lb	13.5" x 8.5"		Load Cell Electronic

LISTING BY COMPANY

CC No. Date Company Name Other Models Device Type Model Accuracy Class Capacity Platform size Device Description

90-126 09/17/90 CAS Corporation Computing Scale 15 M 3,000 30 x .01 lb 17.25" x 10.75" Load Cell Electronic

CASIO, INC.

90-166 03/07/91 CASIO, INC. Cash Register SA 2000 & SA 2100
SA-2040KY, SA-2141KY, SA-2060D, SA-2013RJ, SA-2014FJ, SA-2070S & SA-2010SP OR SA-2012 SP. Stand Alone

CAT Scale Company

90-123 11/02/90 CAT Scale Company Printer 320 Dot Matrix

Celtron

91-034P Celtron Load Cell SQB
91-043P Celtron Indicating Elements SQB
91-044P Celtron Load Cell STC

Centrodyne Corporation of America

86-029 11/12/86 Centrodyne Corporation of America Taximeter 630 \$999.99

Certified Scale Co.

89-127.A1 04/18/91 Certified Scale Co. Bench and Counter Scale 2010 5,000 1,000 - 5,000 lb 24 x 24 - 60 x 60 Low Profile-Load Cell Electr.
90-055 04/25/90 Certified Scale Co. Floor Scales 2010 5,000 5,000 lb 48" x 60" Load Cell Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
--------	------	--------------	--------------	-------------	-------	----------------	---	----------	---------------	--------------------

CMI Weighing Equipment

88-024P	09/09/88	CMI Weighing Equipment	Vehicle Scale	Vehicle Scale	2PS11010 2FT11010, 2PS3510 2FT3510, 2PS4010 2FT4010, 2PS4610 2FT4610, 2PS6010 2FT6010, 2PS7010 2FT7010, 2PS8010 2FT8010, 2PS9010 2FT9010, 2PS9310 2FT9310, 2PS10010 2FT10010, 2PS11610 2FT11610, 2PS12010 2FT12010, 2PS13010 2FT13010, 2PS14010 2FT14010; Capacity range 60 to 100 tons	III L	10,000	200,000 x 20 lb	100' x 10'	Vehicle Scale Weighing Element
---------	----------	------------------------	---------------	---------------	---	-------	--------	-----------------	------------	--------------------------------

88-169	09/09/88	CMI Weighing Equipment	Vehicle Scale	Vehicle Scale	2C-XXXX Series 2C-4010, -4610, -6010, -7010, -8010, -9010. Capacities (tons): 60 and 100	III L	10,000	100 ton	60' x 10'	Weighing Element
--------	----------	------------------------	---------------	---------------	---	-------	--------	---------	-----------	------------------

90-024	02/14/90	CMI Weighing Equipment	Indicating Elements	Indicating Elements	UMC 2000, UMC 2002, UMC 2004, UMC 2006, UMC 2008	III/III L	10,000			Digital Electronic
--------	----------	------------------------	---------------------	---------------------	--	-----------	--------	--	--	--------------------

90-025	02/14/90	CMI Weighing Equipment	Indicating Elements	Indicating Elements	UMC UMC 555AAAA	III/III L	10,000			Digital Electronic
--------	----------	------------------------	---------------------	---------------------	-----------------	-----------	--------	--	--	--------------------

90-026	02/14/90	CMI Weighing Equipment	Indicating Elements	Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
--------	----------	------------------------	---------------------	---------------------	---------------	-----------	--------	--	--	--------------------

90-119	09/11/90	CMI Weighing Equipment	Hopper Scale	Hopper Scale	SE/SW 653B	III L	6,000	60 x .01 tons		Load Cell Electronic
--------	----------	------------------------	--------------	--------------	------------	-------	-------	---------------	--	----------------------

CompuWeigh

88-185	02/15/89	CompuWeigh	Bulkweighing System	Bulkweighing System	Compudraft Ser 2000	III				Digital Electronic
--------	----------	------------	---------------------	---------------------	---------------------	-----	--	--	--	--------------------

90-093	08/21/90	CompuWeigh	Indicating Elements	Indicating Elements	Compudraft 2000 Compudraft Series 2000 console consisting of a self contained 19 inch compact case incorporating a 9-inch CRT, a flip-down alpha keyboard, and a single board Computer with Platform Scale Software.	III/III L				Electronic
--------	----------	------------	---------------------	---------------------	---	-----------	--	--	--	------------

Condec Consolidated Controls

88-066	04/20/88	Condec Consolidated Controls	Indicating Elements	Indicating Elements	UMC 2000 XX-XX UMC 2000-66, -2002-66, -2004-66, -2000 XX-XX, -2002 XX-XX, -2004 XX-XX, -2006 XX-XX, -2008 XX-XX, -2010 XX-XX, -2012 XX-XX	III/III L	10,000			Digital Indicating Element
--------	----------	------------------------------	---------------------	---------------------	--	-----------	--------	--	--	----------------------------

88-070	06/28/88	Condec Consolidated Controls	Indicating Elements	Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
--------	----------	------------------------------	---------------------	---------------------	---------------	-----------	--------	--	--	--------------------

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-111	04/25/90	Doran Scales, Inc.	DSP1005, DSP1015, DSP1030	Bench and Counter Scale	DSP1000 Series	III	3,000	5 to 30 lb	8" x 10"	Load Cell Electronic
89-112	04/25/90	Doran Scales, Inc.	DSP2015, -2030, -2060, -2100, -2150, -2200, -3060, -3100, -3150, -3200, -3300	Bench and Counter Scale	DSP2000 & DSP3000	III	2,000	15 to 300 lb	12"x16", 18"x18"	Load Cell Electronic
89-113	04/25/90	Doran Scales, Inc.	DSP5060/1824, -5100/1824, -5150/1824, -5200/1824, -5300/1824, -5300/1824, -5500/1824, -51000/1824, -5060/2424, -5100/2424, -5150/2424, -5200/2424, -5300/2424, -5500/2424, -51000/2424	Bench and Counter Scale	DSP5000 Series	III	2,000	60 to 1,000 lb	18"x24", 24"x24"	Load Cell Electronic
90-074P	05/11/90	Doran Scales, Inc.	7005-P: 5 lb, 2500, 0.002 lb, 10" x 10" / 7015-P: 15 lb, 3000, 0.005 lb, 10" x 10" / 7030-P: 30 lb, 3000, 0.01 lb, 10" x 10" / 7060-P: 60 lb, 3000, 0.02 lb, 12" x 12" & 7100-P: 100 lb, 2000, 0.05 lb, 12" x 12"	Bench and Counter Scale	7000-P Series	III	3000	5 to 100 lb	10" x 10"	Load Cell Electronic
<u>Dover Corporation</u>										
90-116	11/02/90	Dover Corporation	OPW 111-V 22, OPW 111-V 24, OPW 111-V 47 & OPW 111-V 49.	Retail Motor Fuel System	111-V Series					Vapor Recovery Nozzle-balance
<u>Duratron Corporation</u>										
89-059P	07/05/89	Duratron Corporation	800 030, -031, -032, -033, -034, -038, -039, -040, -041, -042, -043, -044, -045, -046, -047, -048, -049, -050	Load Cell	800 000A	III L	10,000 M	1,000 TO 5,000 LB		Double ended shear beam
89-060P	02/23/90	Duratron Corporation		Load Cell	800 000B	III L	10,000 M	VARIABLE WITH MODEL		WITHDRAWN
89-061P	02/23/90	Duratron Corporation		Load Cell	801 000A	III L	10,000 M	20K TO 100K		WITHDRAWN
89-062P	07/05/89	Duratron Corporation	801 024, -025, -026, -011, -027, -012, -028, -029, -030	Load Cell	801 000B	III L	10,000 M	15000-125000 LB		Double ended shear beam
<u>Durline Scales and Mfg., Inc.</u>										
88-063P	06/28/88	Durline Scales and Mfg., Inc.	EFTX-35603, -40603, -651004, -701004, -801004, -901004	Vehicle Scale	EFT Series	III L	6,000	200,000 x 20 lb	65" x 10'	Load Cell Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-088	10/06/89	Durline Scales and Mfg., Inc.		Livestock Scale	LS 40403	III L	10,000	50,000 lb	40' x 14'	
			MT-40403, LS-3420, LS-2620, LS-3020							
<u>Eaton Corporation</u>										
88-225.A1	01/03/91	Eaton Corporation		Indicating Elements	UMC555-XXXX Series	III/III L	10,000			Digital Electronic
<u>Edlund Company, Inc.</u>										
91-032	04/18/91	Edlund Company, Inc.		Bench and Counter Scale	E2000	III	3200	320 x 0.1 oz	9" x 9"	Digital Electronic
<u>Electronic Scales International</u>										
87-022	05/20/87	Electronic Scales International		Computing Scale	JK900 Series	III	3,000	30 x 0.01 lb		Digital Computing Scale
			JK901aa, JK903aa, JK951aa, JK953aa							
88-102	07/25/88	Electronic Scales International		Computing Scale	JK700	III	3,000	30x .01 lb	10 " x 16 "	Digital Electronic
			JK701aa, -702aa, -703aa, -704aa, -705aa, -706aa							
<u>Emark Corporation</u>										
89-022	05/02/89	Emark Corporation		Wholesale Meter	455 Series			99,999 Gallons		Digital Electronic
90-012	02/14/90	Emark Corporation		Wholesale Meter	0455-XXXX-001					
			Generic name: HARDiMeter Phase 2							
<u>Engineered Systems, Inc. (ESI)</u>										
87-012	06/16/87	Engineered Systems, Inc. (ESI)		Wholesale Meter	330 XX					Wholesale Terminal Controller
			271 XX							
<u>Epelsa International, Inc.</u>										
89-109P	08/21/90	Epelsa International, Inc.		Load Cell	MC	III	3,000	75 to 681 kg		Bending Beam
			Capacities (kg): 75, 100, 150, 200, 250, 300, 500, 681							

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-114P		Epelsa International, Inc.		Load Cell	SC	III	3,000 S	500 to 3,000 kg		
			Capacities (kg): 500, 750, 1000, 1500, 3000							
89-162P	01/06/90	Epelsa International, Inc.		Load Cell	ATC	III	3,000 S	5 to 32 kg		
			ATC 5, ATC 8, ATC 13, ATC 17, ATC 32							
89-163P	01/06/90	Epelsa International, Inc.		Load Cell	BP	III	3,000 S	5 to 30 kg		Bending Beam
			BP 5, BP 7, BP 10, BP 15, BP 17, BP 20, BP 30							
90-048	04/25/90	Epelsa International, Inc.		Indicating Elements	LC-110 & LC-210	III, III L	3,000			Digital Electronic
			Other manufacturer: FIRST-Weigh Model DI11 and Model DI21							
90-105P		Epelsa International, Inc.		Load Cell	TSF & LC18					
90-150P	09/11/90	Epelsa International, Inc.		Load Cell	TSF & LC18*	III	3000	100 to 1000 lb		S-Type
			see certificate for other models.							
90-155	01/24/91	Epelsa International, Inc.		Bench and Counter Scale	SP12 Series	III	3000	300 lb		Load Cell Electronic
			SP12-1813, SP12-2413 & SP12-3013							
91-042P	04/18/91	Epelsa International, Inc.		Load Cell	LC Series	III	M-Cells 3000	1,000 - 10,000 lb		Single Ended Shear Beam
			LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.							
91-052P		Epelsa International, Inc.		Load Cell	LC					
<u>ESCO Manufacturing, Inc.</u>										
89-069	08/01/89	ESCO Manufacturing, Inc.		Service Station Consoles/ECR	TLC-10XX			799.999 gal		Electronic
<u>Esselte Meto</u>										
86-016A	04/27/88	Esselte Meto		POS Scale	CR 511	III	3,000	30 x 0.01 lb	13.2" x 9.5"	superseded by 86-016A

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-016A2	02/09/90	Esselte Meto		POS Scale	CR511; CR512 Model CR511-20, capacity 20 x 0.01 lb; Model CR512-30, capacity 30 x 0.01 lb	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Digital Electronic
86-017	09/17/86	Esselte Meto		Computing Scale	CC494	III	1500	7.5 x .005 lb	7.5" x 11.5"	
88-035	03/23/88	Esselte Meto		Computing Scale	BLP 804	III	3,000	30 x 0.01 lb	255 mm x 355 mm	Digital Electronic
88-062	04/27/88	Esselte Meto		Computing Scale	CB493	III	1,500	15 x 0.01 lb	8" x 12.5"	Digital Computing Scale
88-064	04/27/88	Esselte Meto		Computing Scale	CP 501	III	3,000	30 x 0.01 lb	13.75" x 9.5"	Digital Computing Scale
88-065	04/20/88	Esselte Meto		Computing Scale	CS 491-1	III	3,000	30 x 0.01 lb	13.75" x 9.5"	Digital Computing Scale
90-039	04/25/90	Esselte Meto		Computing Scale	CS 512	III	3,000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
90-040	04/25/90	Esselte Meto		Computing Scale	ES 1010	III	2,000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic
<u>Exact Equipment Corporation</u>										
88-183	09/22/88	Exact Equipment Corporation	960S, 960T, 960L	Prepackaging Scale	960	III	3,000	30 x 0.01 lb	16" x 10"	Digital Computing
88-184	09/22/88	Exact Equipment Corporation		Prepackaging Scale	920	III	5000	50 x 0.01 lb	270 mm x 400 mm	Superseded by 88-184A
88-184A	05/01/89	Exact Equipment Corporation		Prepackaging Scale	951	III	5,000	50 x 0.01 lb	270 mm x 400 mm	Digital Electronic
89-107	01/10/90	Exact Equipment Corporation	921-30, 921-50, 921R-30, 921R-50	Computing Scale	921, 921R	III	3,000	30 x 0.01 lb	30 x 0.01 lb	

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
Fairbanks Scales										
86-009	06/04/86	Fairbanks Scales		Bench and Counter Scale	H70-4710-1 H70-4710-1, H70-4710-2, H70-4714-1, H70-4714-5, H70-4718-1	III	6000	12 x .002 lb	10" x 10"	
86-010	06/04/86	Fairbanks Scales		Floor Scales	1124D	III	2000	1000 x 0.5 lb		
86-011	06/04/86	Fairbanks Scales		Indicating Elements	90-100	III	2000			
86-012	06/19/86	Fairbanks Scales		Indicating Elements	90-164	III/III L	10000			
86-013	06/19/86	Fairbanks Scales		Indicating Elements	H90-167-1	III/III L	10000			
87-021	05/21/87	Fairbanks Scales	H90-3042, H90-3042B	Indicating Elements	H90-3043	III/III L	6,000			Digital Indicating Element
88-071	08/30/88	Fairbanks Scales		Floor Scales	23-2500A, H23-2502A, H23-2502A, H23-2503A, H23-2503A	III	5,000	5000-10000lb		Load Cell Electronic
88-072	08/30/88	Fairbanks Scales		Floor Scales	23-2554A	III	2,500	2500 x 1 lb	4' x 5'	Load Cell Electronic
88-072A1	09/24/90	Fairbanks Scales	23-2554A; 23-2554B; 23-2554C	Floor Scales	23-2554	III	5,000	1,000 to 5,000		Load Cell Electronic
88-073	08/30/88	Fairbanks Scales		Indicating Elements	90-161A	III/III L	10,000			Digital Electronic
88-074	09/12/88	Fairbanks Scales	H70-4000-2, -4050-2, -4100A, -4100B	Bench and Counter Scale	H70-4XXX	III	5,000	40 - 200 lb		Bench Scale weighing element
88-075	09/22/88	Fairbanks Scales	70-4170, capacity 600 x 0.2 lb, 1000 x 0.5 lb	Bench and Counter Scale	70-4070	III	2,000	200 x 0.1 lb	17" x 22"	Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-076	01/26/89	Fairbanks Scales	90-167-XX	Indicating Elements	90-164-XX	III/III L	10,000		Digital Electronic
88-077	10/21/88	Fairbanks Scales		Floor Scales	1125D	III	1000 x 0.2lb	23.5" x 17.75 "	Lever system, load cell
88-078	01/25/89	Fairbanks Scales		Indicating Elements	90-110	III/III L	5,000		Digital Electronic
88-079	01/26/89	Fairbanks Scales		Indicating Elements	90-3045	III/III L	10,000		Digital Electronic
88-152	05/01/89	Fairbanks Scales		Vehicle Scale	12-87XX Series 12-8724-S, -8724-C, -8726-S, -8726-C, -8727-S, -8727-C, -8728-S, -8728-C, -8729-S, -8729-C	III L	10000		120k & 200 k lb
88-153PN	06/17/88	Fairbanks Scales		Livestock Scale	11-3300 Series	III L	10 tons	8' - 9' x 15'	Mechanical Livestock Scale
88-154PN	06/17/88	Fairbanks Scales		Vehicle Scale	11-3000 Series 11-3116, -3141, -3153A, -3157, -3158, -3381, -3342, -3344, -3446, -3484, -3352, -3354, -3356, -3394, -3482, -3485	III L	15 - 80 tons	22'x 9'- 80'x 10'	Mechanical Lever Vehicle Scale
88-155PN	06/17/88	Fairbanks Scales		Weighbeam	50-5361	III L	100,000 lb		Type Registering Weighbeam
88-156PN	06/17/88	Fairbanks Scales		Floor Scales	41-3132 Series 41-3132, -3132-A02, -3132-A03, -3132-A21	III	1,000lb	18" x 27"	Portable Mech Floor Scale
88-157PN	06/17/88	Fairbanks Scales		Livestock Scale	11-6100 Series	III L	5 - 20 ton	14' x 8'	Mechanical Levertronic
88-158PN	06/17/88	Fairbanks Scales		Vehicle Scale	11-4300 Series 11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, -4309	III L	30-75 ton	10' x 10'	Mechanical Levertronic
88-159PN	06/17/88	Fairbanks Scales		Floor Scales	14-2000 Series 14-2000, -2001, -2003, -2004, -2005	III	8,000lb		Weighing Element

The following model designations carry a prefix of 11- or 14-. The 11- models are mechanical scales. The 14- models are levertronic (lever system with load cell) scales (e.g. 11-6186A is mechanical and 14-6186A is levertronic). Models: 6186A, 6187A, 6188A, 6189A, 6190W, 6190, 6192A, 6197A, 6198, 6199.

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-160PN	10/12/88	Fairbanks Scales		Vehicle Scale	13-8200 Series 13-8241, -8246, -8251, -8261, -8266, -8271, -8276, -8281	III L		60 to 80 ton		Portable Mech/Levertronic
88-167PN	10/12/88	Fairbanks Scales		Vehicle Scale	11-7100 Series 11-7181, 11-7182, 11-7183	III L		20 - 30 tons	12' x 10'	Mechanical Lever System
88-168PN	10/12/88	Fairbanks Scales		Livestock Scale	V Series V18-1015-220, V22-1015-220, V35-10353325, V20-1015-220	III L				Mechanical Lever System
88-266	10/21/88	Fairbanks Scales		Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
88-266.A1	03/07/91	Fairbanks Scales		Floor Scales	1124 PB9000; PB9000-1 & 1124-1	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
88-297P	01/25/89	Fairbanks Scales		Vehicle Scale	14-8271*	III L	8,000	160,000 x 20 lbs	70' x 10'	Weighing Element
				The following model designations carry a prefix of 13- or 14-. The 13- models are mechanical scales, and the 14- models are levertronic (lever system with load cell) scales, e.g. 13-8241 (mechanical) or 14-8241 (levertronic). Models: 8241, 8246, 8251, 8261, 8266, 8276, 8281, 8286, 8291, 8296, 8301						
88-308	01/26/89	Fairbanks Scales		Indicating Elements	H90-1701; H90-1702	III/III L	10,000			Digital Element
89-015	10/12/89	Fairbanks Scales		Floor Scales	21-2101 21-2102, 21-2104	III	5,000	2,500 x 0.5 lb	3' x 3'	Loadcell Electronic
89-093	10/12/89	Fairbanks Scales		Floor Scales	H23-2512	III	2000	1000 lb	30" x 30"	
89-136	01/31/90	Fairbanks Scales		Floor Scales	23-2557 23-2558	III	5,000	10,000 lb	5' x 7'	
89-151	11/22/89	Fairbanks Scales		Load Cell	90814-XX Capacities (lb): 10,000, 20,000, 25,000, 30,000, 40,000, 50,000, 60,000, 75,000, 100,000	III L	10,000 M	10 k - 100 k lb		Double Ended Shear Beam
90-042	04/25/90	Fairbanks Scales		Indicating Elements	90-166	III, III L	10,000			Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-043	03/07/91	Fairbanks Scales		Indicating Elements	90-515 & 90-516	III/IIII	10,000			Digital Electronic
90-057	11/02/90	Fairbanks Scales	EL9000	Floor Scales	1126D	III	5000	1000 x 0.2 lb	23.5 x 17.75"	Lever System, Load Cell
90-084	09/13/90	Fairbanks Scales		Indicating Elements	H90-3051	III/IIII	10,000			Digital Electronic
90-094	06/14/90	Fairbanks Scales		Indicating Elements	70-1414	III	2000	100 x .05 lb	14" x 14"	Load Cell Electronic
90-094, AI	04/18/91	Fairbanks Scales		Load Cell	70-1414	III	2000	100 x 0.05 lb	14 x 14 inch	Load Cell Electronic
90-127		Fairbanks Scales		Bench and Counter Scale	70-490X-XXX FAM					
90-128		Fairbanks Scales		Indicating Elements	H90-5100					Digital Electronic
91-055		Fairbanks Scales		Vehicle Scale	14-4304 S					
91-056		Fairbanks Scales		Vehicle Scale	13-8460-3					
91-061		Fairbanks Scales		Floor Scales	23-6230B					
91-065		Fairbanks Scales		Indicating Elements	Datamaster	III				Digital Electronic
<u>Fargo Electronic Services Inc.</u>										
88-233	09/22/88	Fargo Electronic Services Inc.		Printer	SP 2000					Dot Matrix
89-157	01/06/90	Fargo Electronic Services Inc.	KB-102, ACS-105	Printer	KB-105					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-157.A1	01/24/91	Fargo Electronic Services Inc.	Printer		KB-105 Optional Models: KB-102, ACS-105 & ACS-107				Accessory Keyboard
<u>Flex-Weigh Corporation</u>									
87-003	04/07/87	Flex-Weigh Corporation	Indicating Elements		DWM-IV	III/III L	10,000		Superseded by 87-003A
87-003A	05/21/87	Flex-Weigh Corporation	Indicating Elements		DWM IV	III/III L	10,000		Digital Indicating Element
88-100	06/28/88	Flex-Weigh Corporation	Floor Scales		FLB FLB2424-5K, -2424-1K, -3030-5K, -3030-1K, -3030-1.5K, -3030-2K, -3636-2K, -3636-1K, -3846-5K, -3846-2K, -3846-1K, -4848-5K, -4848-10K, -4848-1K, -4860-2K, -4860-5K, -4860-10K, -4872-1K, -4872-2K, -4872-5K, -4872-10K, -6060-1K, -6060-2K, -6060-5K, -6060-10K, -6072-5K, -6072-10K	III	5,000	500 - 10k lb	Flexure Lever, Load Cell
89-108P	10/02/89	Flex-Weigh Corporation	Load Cell		S	III	3000 S		superseded by 89-108PA1
89-108PA1	01/12/90	Flex-Weigh Corporation	Load Cell		S	III	5,000 S		
89-158P	12/20/89	Flex-Weigh Corporation	Load Cell		SSB and SSBT	III	5,000 M		
90-184P	02/12/91	Flex-Weigh Corporation	Load Cell		C SERIES	III	5000		Single-Ended Bending Beam
<u>Flintab, Inc.</u>									
90-086P	09/11/90	Flintab, Inc.	Load Cell		SB4 Series	III	Single 3,000		Stainless Steel Bending Beam
		SB4-20kN - 20, 1.0, 0							
		SB4-50kN - 50, 2.5, 0							

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Friden Alcatel</u>										
90-124	09/26/90	Friden Alcatel		Weight Classifier	8510	III	1600	10 lb x 0.1 oz	9.5" x 7.5"	Digital Electronic Computing
			Model 8510-5: 5 lb x 0.1 oz							
<u>Gedge Systems</u>										
90-033	04/30/90	Gedge Systems		Indicating Elements	GS1650B	III/III L	10,000			Digital Electronic
<u>General Electrodynamics Corporation</u>										
88-004P	04/07/88	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	III	400	20k x 50 lb	18" x 14"	Superseded by 88-004P 5/15/90
88-004P Amend	05/11/90	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	III	400	20,000 x 50 lb	18" x 14"	Digital Electronic
88-057P	04/18/91	General Electrodynamics Corporation		Wheel Load Weigher	MD 700	III	1,200	60k x 50 lb	2'-7" x 30"	Portable Digitl Axle-Load Weigh
90-089P	05/31/90	General Electrodynamics Corporation		Wheel Load Weigher	LP400E	III	400	20,000 x 50lb	14.5" x 22"	Digital Electronic
<u>General Electronic Systems, Inc.</u>										
88-087	06/13/88	General Electronic Systems, Inc.		Indicating Elements	4535	III	10,000			Digital Checkweigh Indicating
88-088	06/13/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Digital Indicating Element
88-088P	05/26/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000			Superseded by 88-088
88-254	05/02/89	General Electronic Systems, Inc.	Freedom I	Indicating Elements	Freedom II	III/III L	10,000			Digital Electronic
88-288P	02/10/89	General Electronic Systems, Inc.	Floor Scales Platform Sizes (W" x L"): 36 x 36, 48 x 48, 48 x 60, 48 x 72, 60 x 60, 60 x 72, 60 x 84	Floor Scales	Pro-Weigh 84-A	III	5,000	1,000 -20,000 lb	36x36 to 60x84"	Load Cell Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-025	05/02/89	General Electronic Systems, Inc.		Indicating Elements	ECONO	III	5,000		superseded by 89-025A
89-025A	10/24/89	General Electronic Systems, Inc.		Indicating Elements	ECONO-WEIGH	III/III L	5,000		
89-025A2	02/06/91	General Electronic Systems, Inc.	540SS	Indicating Elements	ECONO-WEIGH	III/III L	5,000		Digital Electronic
89-043	08/17/89	General Electronic Systems, Inc.	4412, 4414, 4418, 4424	Bench and Counter Scale	4400 & 4500 Series	III	3k-6k	10 lb to 600 lb	12"x12" - 24"x24"
90-167	01/03/91	General Electronic Systems, Inc.	402-12, 402-14, 402-18 & 402-24	Bench and Counter Scale	UBS 402 Series	III	3000 or 5000	20 to 500	Digital Electronic
<u>Gilbarco, Inc.</u>									
86-018	09/02/86	Gilbarco, Inc.		Service Station Consoles/ECR	PA0188XXXX (T-12 C)				Digital Electronic
86-018A	03/11/87	Gilbarco, Inc.		Service Station Consoles/ECR	PA0203XXXX (T-12 G)				Digital Electronic
86-019	09/02/86	Gilbarco, Inc.		Cash Register	PA0180 0000 100				Cash Register/Console
86-019A	12/16/87	Gilbarco, Inc.		Service Station Consoles/ECR	PA0180XXXXXXX				Cash register/console
86-024	09/25/86	Gilbarco, Inc.		Retail Motor Fuel System	Modular Electronics				
87-002	02/04/87	Gilbarco, Inc.		Service Station Consoles/ECR	T-15 PA0189, PA0190				Digital Controller
87-002.A1	07/06/90	Gilbarco, Inc.		Cash Register	TCR-15 Systems				Digital Electronic

includes: T-15 Console PA0189; C-15 Controller Model PA0190 & C-2 Controller Model PA0211

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-077	10/26/87	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-2 and MPD-3		99.999 gal		superseded by 87-077A2
87-077A2	02/12/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AE, AK, AL, AP, AU		99.999 total gal		
<p>The Gilbarco model designation consists of a variety of entries based upon the dispenser configuration. The device is identified by the model designation AXXXXX where the XXXXX represents various device parameters. These devices are known by the generic names of MPD-2, MPD-3, and the MPD-ProBlender. Other capacities of series: \$999.99 Total Price, \$9.999 Unit Price</p>									
87-099	04/07/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	ABXXXX		99.999 gal		Electromechanical Dispenser
88-002	04/07/88	Gilbarco, Inc.	AC4992AS1, AC6093, AC4093	Retail Motor Fuel Dispenser	AC4992S1		60 gal/min		superseded by 88-226A2
88-003	03/01/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3
88-003A	05/03/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3
88-003A2	02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3
88-003A3	06/16/89	Gilbarco, Inc.	PAO24NC10	Service Station Consoles/ECR	PAO24TC10		40 gal/min		
88-022	04/20/88	Gilbarco, Inc.	AC4982AS1, AC6083, AC4093	Retail Motor Fuel Dispenser	AC4982S1		99.999 gal		superseded by 88-226A2
88-022A	05/03/88	Gilbarco, Inc.	AC4982ASI, AC6083, AC4093	Retail Motor Fuel Dispenser	AC4982S1		99.999 gal		superseded by 88-226A2
88-128	06/28/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-1		99.999 gal		SUPERSEDED BY 89-019A1
88-129	07/25/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Salesmaker-4 & 2		99.999 gal		Digital Electromechanical
88-162	07/17/88	Gilbarco, Inc.		Printer	PAO 16300				Dot Matrix Tape Printer

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-226	10/04/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series		99.999 vol units		Superseded by 88-226.A3
88-226.A3	11/02/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC X X X X X X X Generic Name: Highline 111 Series and Salesmaker Series, includes "High", "Super High" and "Ultra High" Gallonage meters of LC M-5 meter. Electronic Calibration Option available for Ultra High Gallonage dispenser with LC M-5 meter. Standard Flow rate: 13/2 gpm, High, 30/4, Super 40/8, Ultra, 60/12 gpm	& 88-002 Supercedes: -226A2;-022;-022A	88-226;-226A;		Digital Computing RMFD
88-226A	02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series		99.999 vol units		Superseded by 88-226.A3
88-226A2	03/13/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC X X X X X X X				Superseded by 88-226.A3
89-019	04/04/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD - 1		999.99 total pr.		Superseded by 89-019A1
89-019A1	03/13/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-1		999.99 TOTAL PRIC		Digital Electromechanical
89-065	10/12/89	Gilbarco, Inc.		Cash Register	Q11891-XX, Q11640-XX				Electronic
89-066	07/05/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	CRIND				Card Reader (in Dispenser)
89-067		Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-3/PRO BLENDER				
89-068	10/12/89	Gilbarco, Inc.		Service Station Consoles/ECR	TS-1000		999.999		Superseded by 89-068A1
89-068A1	02/12/90	Gilbarco, Inc.		Service Station Consoles/ECR	PA024000000000				Electronic
89-070	08/02/89	Gilbarco, Inc.		Service Station Consoles/ECR	PA0250XXXXXXX		799.999 gal		
90-115	08/23/90	Gilbarco, Inc.		Retail Motor Fuel Register	Advantage Series		see below		Electronic Computing
90-115.A1	11/02/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Advantage Series		2 x 13 gpm		Elec.Comp.Ret.Motor Fuel Disp.

Model designations identified by four code positions; See Certificate for possible codes.

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Global Scale Imports, Inc.</u>										
90-098	08/21/90	Global Scale Imports, Inc.		Prepackaging Scale	Automator 650A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-099	08/21/90	Global Scale Imports, Inc.		Computing Scale	Concentrator 220A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-100	08/21/90	Global Scale Imports, Inc.		Computing Scale	Ishida LIBRA 300	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
<u>Graco, Inc.</u>										
90-164		Graco, Inc.		Wholesale Meter	(P/N) 222-560	III				
<u>Griffin Tech. Inc.</u>										
87-005	03/24/87	Griffin Tech. Inc.		Service Station Consoles/ECR	HDT-4400					Electronic Cash Register
<u>GSE, Inc.</u>										
88-188	10/28/88	GSE, Inc.		Indicating Elements	620	III	2,500			Digital Electronic
88-189	01/25/89	GSE, Inc.		Bench and Counter Scale	622	III	5,000	10 to 100 lb		Digital Electronic
88-190	12/20/88	GSE, Inc.	4430, 4432, 4434, 4442, 4444, 4446, 4450, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500	20 lb to 1,000 lb	12-18" to 24-24"	Digital Electronic
88-241	01/25/89	GSE, Inc.		Indicating Elements	622R	III	2,500			Digital Electronic
88-241A1	09/11/90	GSE, Inc.	n-max: 5000 class III; 10,000 class III	Indicating Elements	622R	III/IIIL	see below			Digital Electronic
91-066		GSE, Inc.		Indicating Elements	550		10,000			Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Gull Inc.</u>									
88-043	04/07/88	Gull Inc.		Vehicle Tank & LPG Meter TTC					Computer System for LPG
				Truck Transaction Computer - Model 903 001 XXXX, Electronic Pulser - Model 903 003 XXXX, Calibration Module - Model 903 008 XXXX, Remote Indicator - Model 903 009 XXXX					
<u>Hardin Industries</u>									
87-007P	04/30/87	Hardin Industries		Vehicle Scale	7080E10	III L	7,000	140k x 20 lb	Vehicle Scale Weighing Element
			Optional lengths 40' - 120'					80'x 10'	
<u>Hardy Instruments, Inc.</u>									
90-058	04/25/90	Hardy Instruments, Inc.		Indicating Elements	H2101 WC	III, III L	6,000, 9,000		Digital Electronic
90-075	04/25/90	Hardy Instruments, Inc.	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III, III L	10,000		Digital Electronic
<u>Hasstech, Inc.</u>									
90-070	04/18/90	Hasstech, Inc.		Retail Motor Fuel Dispenser	HP-2, HP-22				Nozzle
<u>Hecon Corporation</u>									
88-090P	06/28/88	Hecon Corporation		Vehicle Scale	7060	III L			
88-092	09/09/88	Hecon Corporation		Printer	A0 516 Series				Ticket Printer
88-093	09/09/88	Hecon Corporation		Printer	A0 543				Ticket Printer
88-094P	09/09/88	Hecon Corporation	AO 522 XXX, A6 522 XXX, AO 523 XXX, A6 523 XXX	Printer	AO AND A6 Series				Electronic Modular

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Henry Troemner, Inc.</u>										
90-056	04/25/90	Henry Troemner, Inc.		Prescription Balance	800A	III	6,000	60 x 0.01 g	2.875 Inch round	Torsion Band/Equal Arm
<u>Hobart Corporation</u>										
88-051	04/27/88	Hobart Corporation		Computing Scale	1841	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-052	04/27/88	Hobart Corporation		Prepackaging Scale	1865	III	3,000	30 x 0.01 lb		Digital Prepackaging Scale
88-053	04/27/88	Hobart Corporation	1871	Computing Scale	1870	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-069	09/24/90	Hobart Corporation	5018 RSD, 5018V; 5018V2	POS Scale	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale
88-293	01/26/89	Hobart Corporation	SP80	Computing Scale	SP1500	III	3,000	30 x 0.01 lb		Superseded by 88-293A1
88-293A1	03/13/90	Hobart Corporation	SP80, SP2 1500 System	Computing Scale	SP1500	III	3000	30 X 0.01 lb		
89-091A1	09/17/90	Hobart Corporation		Cash Register	GT 6000					Digital Electronic
89-091A2	01/24/91	Hobart Corporation		Cash Register	GT6000					Digital Electronic
89-126	10/24/89	Hobart Corporation	HOB 15-1, HOB 15-2, HOB 15-3, HOB 15-4, HOB 15-5	Bench and Counter Scale	HOB 15-X	III	800	50 - 100 lb	13.5" x 19"	Mechanical Lever Spring Dial
<u>Holtgreven Scale & Electronics Corporation</u>										
89-077	07/05/89	Holtgreven Scale & Electronics Corporation	Vehicle Scale	Scale capacities from 100,000 lb to 200,000 lb. Platform sizes from 300' x 300' to 900' x 900' with a platform width of 10'	FT 2	III L	10,000	200,000 lb	60' x 10'	Electronic Load Cell

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Hottinger Baldwin Measurements, Inc</u>									
87-055	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	BLC	III	3,000 S,M 500 to 5000 lb		Bending Beam BLC-YYYYX500 thru BLC-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 500: 1,250; 2,000: 2,500; 5,000
87-055P	09/29/87	Hottinger Baldwin Measurements, Inc	Capacity range 500 - 5,000 lb	Load Cell	BLC	III	3,000 S,M		Superseded by 87-055
87-087	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	BBS	III	3,000 S 50 to 2500 lb		Bending Beam BBS-YYYYX500 thru BBS-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500
87-087P	03/10/88	Hottinger Baldwin Measurements, Inc		Load Cell	BBS	III	3000 S 50 lb to 2500 lb		Superseded by 87-087
87-088	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	UIT	III	3,000 S 50 to 3000 lb		Bending Beam UIT-YYYYX500 thru UIT-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000
87-088P	03/10/88	Hottinger Baldwin Measurements, Inc		Load Cell	UIT	III	3000 S 50 to 3000 lb		superseded by 87-088
87-089P	02/10/89	Hottinger Baldwin Measurements, Inc		Load Cell	USB	III	3,000 S 200 - 5k lb		Superseded by 87-089P.A1
87-089P.A1	09/26/90	Hottinger Baldwin Measurements, Inc	The specific models of load cells covered by this certificate are USB-YYYYX500 through USB-YYYYX699 where YYY is the load cell capacity and XX is the cable length. cable length.	Load Cell	USB	III	3000 200 to 10,000 lb		Universal , Tension
87-096	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	PLC & PLX Series	III	3,000 S 2 to 200 lb		PLC-YYYYX500 thru PLC-YYYYX699 and PLX-YYYYX500 thru PLX-YYYYX699, where YYY is the load cell capacity and XX is the cable length. PLC-2XX, -5XX, -10XX, -20XX, -30XX, -50XX, -70XX, -100XX, -200XX: PLX-5XX, -10XX
87-096PA	04/29/88	Hottinger Baldwin Measurements, Inc		Load Cell	PLC & PLX Series	III	3000 S 2 to 200 lb		superseded by 87-096 PLX-YYYYX500 thru PLX-YYYYX699, where YYY is the load cell capacity and XX is the cable length. Models: PLC-2XX, PLC-5XX, PLC-10XX, PLC-20XX, PLC-30XX, PLC-50XX, PLC-70XX, PLC-100XX, PLC-200XX, PLX-5XX, PLX-10XX. PLC capacity range 2 to 200 lb; PLX capacity range 5 to 10 lb

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-033	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III	see below	1,000 to 200,000		Shear Beam	
		capacity: multiple cells: 3,000 or 5,000 depending on capacity								
88-033P	07/08/88	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III	3,000 M	1k - 200K lb		Shear Beam Load Cell	
		SB2-YYYYX500 through SB2-YYYYX699 and SB3-YYYYX500 through SB3-YYYYX699 where YYY is the load cell capacity and XX is the cable length.								
88-278P	01/25/89	Hottinger Baldwin Measurements, Inc	Load Cell	BLC*	III	3K S,5K M	500 to 5,000 lb		Bending Beam	
		BLC-YYYYX500 thru BLC-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 500, 1250, 2000, 2500, 5000								
88-278P.A1	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	BLC & TLC	III	see below	500 to 5000 lb		Bending Beam	
		Capacity: single cell, 3000 - multiple cell, 5000. The specific load cells covered by this certificate are: BLC-YYYYX500 through BLC-YYYYX699 for cells with 1.5m V/V output, BLC-YYYYX700 through BLC-YYYYX790 for cells with 2.0 mV/V output, TLC-YYYYX700 through TLC-YYYYX790 for cells with 2.0 mV/V output, BLC-YYYYX800 through BLC-YYYYX990 for cells with 3.0 m V/V output where YYY is the load cell capacity and XX is the cable length.								
88-278P.A2	11/02/90	Hottinger Baldwin Measurements, Inc	Load Cell	BLC & TLC	III	see below	500 to 5,000 lb		Bending Beam	
		n-max: single cell 3,000, multiple cell 5,000. The specific load cells covered by this certificate are: BLC-YYYYX500 through BLC-YYYYX699 for cells with 1.5 mV/V output, BLC-YYYYX700 through BLC-YYYYX790 for cells with 2.0 mV/V output, TLC-YYYYX700 through TLC-YYYYX790 for cells with 2.0 mV/V output: BLC-YYYYX800 through BLC-YYYYX990 for cells with 3.0 mV/V output where YYY is the load cell capacity & XX is the cable length.								
89-096P	01/10/90	Hottinger Baldwin Measurements, Inc	Load Cell	TRT Series	III L	10,000 S	50,000-100,000 lb			
		TRT-50K, TRT-75K, TRT-100K								
90-015P	04/25/90	Hottinger Baldwin Measurements, Inc	Load Cell	U1T	III L	10,000 S	50 - 3,000 lb		UNIVERSAL TENSION / COMPRESSION	
		Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000								
90-016P	04/25/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III L	10,000 S	200 - 5,000 lb		UNIVERSAL, TENSION / COMPRESSION	
		Capacities (lb): 200, 1000, 2000, 5000								
90-016P.A1	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III L	10,000	200 to 10,000 lb		Universal, Tension or Comp.	
		The specific model of load cells covered by this certificate are USB-YYYYX500 through USB-YYYYX699 where YYY is the load cell capacity and XX is the cable length.								
90-092	09/18/90	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	III L	10,000	10k to 200 lb		Shear Beam	
		The specific load cell covered by this certificate are: SB2-YYYYX500 through SB2-YYYYX699 and SB3-YYYYX500 through SB3-YYYYX699 where YYY is the load cell capacity and XX is the cable length.								

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-138P	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	Load Cell	USB	III	200 to 5000 lb		Universal, Tension
									The specific models of load cells covered by this certificate are USB-YYYYX500 through USB-YYYYX699 where YYY is the load cell capacity and XX is the cable length.
91-030P	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	Load Cell	HLC & THC SERIES	III	1,000 to 10k lb		Bending Beam
									n-max: single cell: 3,000 - multiple cells: 6,000. The specific load cells covered by this certificate are HLC-YYYYX400 through HLC-YYYYX690 & THC-YYYYX400 through THC-YYYYX690, where YYY is the load cell capacity & XX is the cable length. The numbers do not have any effect on compliance with NIST Handbook 44. Models: HLC-1K, HLC-2.5K, HLC-4K, HLC-5K & HLC-10K.
91-031P	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	Load Cell	RSC SERIES	III/III L	50 to 5,000 lb		Universal Beam ("S" Cell)
									n-max: single cell, class III: 3,000 - single cell, class III L: 10,000. The specific load cells covered by this certificate are RSC-YYYYX400 through RSC-YYYYX690 where YYY is the load cell capacity & XX is the cable length. The numbers 400 through 690 represent customer variations that do not have any effect on compliance with NIST Handbook 44.
91-036	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	Load Cell	JRT SERIES	III L	20k to 200k lb		Compression Torsion Ring
									The specific load cells covered by this certificate are JRT-YYYYX500 through JRT-YYYYX600, where YYY is the load cell capacity & XX is the cable length. The numbers 500 through 600 represent customer variations that do not have any effect on compliance with NIST Handbook 44. Models: JRT-20K, JRT-50K, JRT-100K & JRT-200K.

Howe Richardson Division

88-044	03/29/88	Howe Richardson Division	Indicating Elements	Indicating Elements	9000	III	10,000		Digital Indicating Element
88-178	08/30/88	Howe Richardson Division	Vehicle Scale	Vehicle Scale	3460-70-100	III L	200,000 lb	70' x 10'	Load Cell: Electronic
									3450-35-60, 3460-35-60, 3450-45-60, 3460-45-60, 3450-45-100, 3460-45-100, 3450-50-60, 3460-50-60, 3450-50-100, 3460-50-100, 3450-60-100, 3460-60-100, 3450-70-60, 3460-70-60, 3450-70-100, 3460-70-100, 3450-75-60, 3460-75-60, 3450-75-100, 3460-75-100, 3450-80-60, 3460-80-60, 3450-80-100, 3460-80-100, 3450-100-60, 3460-100-60, 3450-100-100, 3460-100-100, 120,000 and 200,000
89-087	10/24/89	Howe Richardson Division	Indicating Elements	Indicating Elements	HR-50	III/III L	10,000		Digital Electronic
									HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK
89-087A1	08/21/90	Howe Richardson Division	Indicating Elements	Indicating Elements	HR-50	III/III L	10,000		Digital Electronic
									HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK (D means desk top, K means keyboard, W means washdown version, S means stainless steel when used as the second letter, B means panel mount, S as first letter means; small.

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Hugin Sweda, Inc.</u>									
88-004	04/18/86	Hugin Sweda, Inc.	Model 2835	Cash Register	2845				
88-163	07/25/88	Hugin Sweda, Inc.	5430	Cash Register	5420				Electronic Stand Alone
88-164	07/25/88	Hugin Sweda, Inc.		Cash Register	6700				Electronic Stand Alone or CPU
The 6700 cash register consists of: Model 6731 printer, Model 6710 keyboard, Model 6711 paging keyboard with programmable "paging" keys									
<u>Husky Corporation</u>									
90-027	02/16/90	Husky Corporation		Retail Motor Fuel Dispenser					V (Coaxial)
<u>IBM Corporation</u>									
86-002	05/21/90	IBM Corporation		POS Scale	4683 Series				Digital Electronic
88-118	06/02/88	IBM Corporation		POS Scale	4680 Series				POS System/Controller
4683-001 POS terminal (Primary), 4683-002 POS terminal (Satellite)									
89-139	01/10/90	IBM Corporation		POS Scale	4687-2	III	3000	17" x 11"	30 x 0.01 lb
89-148	01/10/90	IBM Corporation		POS Scale	4687-2	III			Digital Electronic
<u>ICL, Inc.</u>									
89-026	01/30/90	ICL, Inc.	M6545, M6546, M6000 Printer Module, M6000 Keyboard Display	Cash Register	6000 SERIES		2999		29.99 lb
89-081A	01/10/90	ICL, Inc.		POS Scale	310	III	2999	11" x 15"	29.99 x 0.01 lb

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-056PA1	05/15/90	Interface, Inc.		Load Cell	SSM-S	III/III L	6000 - 10000		LOAD CELL
The specific models of load cells covered by this certificate are SSM-XXX-YYYYS where XXX is a two or three character alphanumeric code used to designate variations such as cable type or length, YYYY is the capacity of the load cell in pounds, and S is the unique character identifying this series from the previous certificate (CC No. 88-056P). Capacities from 100 to 1000 lbs.									
88-038P	04/07/88	Interface, Inc.	Capacities (lb): 50, 100, 250	Load Cell	SSB	III	50 - 250 lb		Shear Beam Load Cell
88-040P	04/07/88	Interface, Inc.	MB-XXX-10A, -25A, -50A, -75A, -100A	Load Cell	MB Series	III	10 - 100 lb		Shear Beam Load Cell
<u>International Mailing Systems, Inc.</u>									
90-019	03/13/90	International Mailing Systems, Inc.		Computing Scale	3000N	III	100 lb X 0.5 oz	13 X 10.5 in	Computing Postal Scale
MPS 100N, MPS 100RN									
90-019.A1	02/06/91	International Mailing Systems, Inc.		Computing Scale	3000N	III	100 lb x 0.5 oz	13 x 10.5 "	Digital Electronic
<u>InterSystems, Inc.</u>									
88-294	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV-A	III			
90-021	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV	III			
<u>Ishida Scales Mfg. Co., Ltd.</u>									
87-070	12/29/87	Ishida Scales Mfg. Co., Ltd.	NOVA-300L	Computing Scale	NOVA-150L	III	15 x .005 lb	285mm x 223mm	Digital Computing Scale
88-021	03/07/88	Ishida Scales Mfg. Co., Ltd.	MT-150, MT-60	Floor Scales	MT-300	III	300 x 0.1 lb	550 mm x 400 mm	
88-021A	01/25/89	Ishida Scales Mfg. Co., Ltd.	MT-150 Capacity 150 x 0.05 lbs. MT-60 Capacity 60 x 0.02 lbs	Bench and Counter Scale	MT-300	III	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-251	10/13/88	Ishida Scales Mfg. Co., Ltd.	MT-30S, MT-15S	Bench and Counter Scale	MT-60S	III	3,000	60 x 0.02 lb	329 mm x 309 mm	Digital Electronic
89-003	03/01/89	Ishida Scales Mfg. Co., Ltd.		Indicating Elements	MTC 10 & MTC 20	III	3,000			Digital Electronic
89-143	04/25/90	Ishida Scales Mfg. Co., Ltd.		Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Checkweighing Scale
90-031	03/13/90	Ishida Scales Mfg. Co., Ltd.	Optional capacity: 2.5 kg x 0.001 kg	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	
91-053		Ishida Scales Mfg. Co., Ltd.		Computing Scale	AC-200					
91-054		Ishida Scales Mfg. Co., Ltd.		Computing Scale	Libra II					
91-059		Ishida Scales Mfg. Co., Ltd.		Floor Scales	MS70XX					
91-060		Ishida Scales Mfg. Co., Ltd.		Indicating Elements	WL600					
Ivex Corporation										
89-012	07/05/89	Ivex Corporation		Dry Measure	3871			1 dry quart		Plastic Berry Basket
J & S Scale Company										
88-237	09/26/90	J & S Scale Company		Vehicle Scale	MP Series	III L	4,000	60,000 lb	25' x 10'	Vehicle Scale
					MP121030C200: 60,000 lb, MP121230C200: 60,000 lb, MP201030C200: 60,000, MP201230C200: 60,000, MP241030C200: 60,000, MP241230C200: 60,000, MP301030C200: 60,000, MP301230C200: 60,000, MP301040C300: 80,000, MP301240C300: 80,000, MP340140C300: 80,000, MP341240C300: 80,000, MP401040C300: 80,000, MP401240C300: 80,000					
88-238	09/26/90	J & S Scale Company		Vehicle Scale	MP SERIES	III L	8000	120,000 x 20 lb	70' x 10'	Pipe Lever Sys. w/1 load cell
					CLC: 60,000 lb 4 sections; see certificate for other models.					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
91-004	02/06/91	J & S Scale Company		Vehicle Scale	LP Series	III L	6,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
					Capacity Range: 30,000 to 150,000 lb. Platform Size Range: 18' x 10' to 100' x 12'. CLC Range: 25,000 lb to 65,000 lb. Concrete or Steel deck, 2 to 4 sections. See CC for details.					
91-006	02/06/91	J & S Scale Company		Vehicle Scale	FT Series	III L	2,000	See CC	See CC	Load Cell Elec.Vehicle Scl WE
					Range of Capacities: 10,000 lb to 24,000 lb. Range of Platform Sizes: 8' x 8' to 22' x 10'. Range of CLC's: 4,000 lb to 9,000 lb, 2 sections. See CC for specific model information.					
<u>John Chatillon & Sons, Inc.</u>										
86-030	12/04/86	John Chatillon & Sons, Inc.		Hanging Scale	Type 027	III	640	20 lb x 1/2 oz	Scoop	Superseded by 86-030A
					0723TG, 0723TAS, 0720T					
86-030A	06/02/88	John Chatillon & Sons, Inc.		Hanging Scale	027/A	III	640	20lb x 1/2oz	Pan ETC	Mechanical Hanging Dial Scale
87-092	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0024/A	III	960	30lb x 1/2 oz	Pan	Mechanical Hanging Scale
88-032	03/01/88	John Chatillon & Sons, Inc.	7280 XHTR	Hanging Scale	7280XHT	III	600	150 x 1/4 lb		Dial hanging scale
88-060	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0028/A	III	960	30lb x 1/2oz	Pan	Mechanical Dial
					Optional Capacities: 60 lb x 1 oz, 30 lb x 1/2 oz, 15 kg x 0.02 kg. Other Distributor: Hobart Corporation, Models: PR30-1, -30-2, -30-3					
88-096	11/03/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	13/A	III		130lb x 4oz	13.5" x 19"	Mechanical Lever-Spring Dial
88-096A1	10/24/89	John Chatillon & Sons, Inc.	Type 15	Bench and Counter Scale	13/A	III	520	520 x 1 lb	13.5" x 19"	Mechanical Lever Spring Dial
88-150	03/13/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III	See Below	135 lb - 35 kg	12" x 17"	Superseded by 88-150 5/4/90
					PBB 135, PBB 52, PBB 52kg, PBB 26kg					
88-150	05/04/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III		26 kg - 135 lb	12" x 17"	Mechanical Lever System
					PBB 135 135 lb, PBB 52 52 lb, PBB 52KG 52kg, PBB 26KG 26, kg					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-150PN	06/28/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III		135lb - 52kg	12" x 17"	Superseded by 88-150
88-151PN	06/28/88	John Chatillon & Sons, Inc.	HB-1000-BM, Capacity 500 kg x 0.2 kg	Floor Scales	HB-1000-BA	III	2,000	1k x 0.5 lb	18" x 27"	Portable Mechanical Lever Sys.
88-186	08/30/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	DPA300	III	3,000	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
			DPA150, capacity 150 x 0.05 lb. DPA600, capacity 600 x 0.2 lb							
89-028	06/16/89	John Chatillon & Sons, Inc.		Hanging Scale	DHA 30	III	3000	30 x 0.01 lb		Digital Electronic
			DHA 15K, capacity 15 x 0.005 kg							
90-018	02/16/90	John Chatillon & Sons, Inc.		Hanging Scale	DHB 300	III	3000	300 x 0.1 lb		Digital Electronic
			DHB 150K, DHB 100, DHB 50K							
90-078	05/15/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PDT-100	III	520	130 lb x 4 oz	12 x 17 inch	Mechanical Spring Dial
			PDT-50: 65 lb x 2 oz, PDT-200: 260 lb x 8 oz, PDT-25K: 25 x .05 kg, PDT-50K: 50 x .1 kg & PDT-100K: 100 x .2 kg.							
90-104	09/17/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB300-1	III	4816	301 lb x 1 oz	21.75" x 16.25"	Mechanical Lever System
<u>Jonel Engineering</u>										
90-072	06/14/90	Jonel Engineering		Indicating Elements	JL-DSD-253B	III/IIIL	1,000			Digital Electronic
<u>K-Scale, Inc.</u>										
89-004	02/10/89	K-Scale, Inc.		Computing Scale	9010	III	3,000	30 x 0.01 lbs		Digital Electronic
			9010 N, 9010 P, 9020, 9020 N, 9020 N-1 thru 4, 9020 P, 9020 P-1 thru 4, 9030, 9030 U-1 thru 4, 9030 U-10							
<u>K-Tron</u>										
88-029	04/07/88	K-Tron		Computing Scale	9010	III	3,000	30 x 0.01 lb		Digital Computing Scale
			9010, 9010 N, 9010 P, 9020, 9020 N, 9020 P, 9030, 9030 U							

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
Koltek, Inc.										
88-059	02/16/90	Koltek, Inc.		Vehicle Tank & LPG Meter	K10-A332X			9999.9 gallons		Milk Metering System for Milk
Kubota Corporation										
86-042	01/08/87	Kubota Corporation		Computing Scale	FP-900	III	3000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A1	02/12/90	Kubota Corporation	Other capacity: 30 x 0.01 lb	Computing Scale	FP-900 SERIES	III	5,000	50 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A2	01/24/91	Kubota Corporation	capacities: 30 x 0.01 lb & 50 x 0.01 lb. Model designations: Model FP-900, Model FP-910, Model FP-950 & Model FP-960.	Computing Scale	FP-900 Series	III	5,000	see below	400 x 252 mm	Digital Electronic
87-008	04/14/87	Kubota Corporation		Computing Scale	LA 230	III	3,000	30 x 0.01 lb	27x37cm	Digital Computing Scale
87-081	11/25/87	Kubota Corporation		Computing Scale	LA-ONE	III	3,000	30 x 0.01 lb	14.6" x 10.8"	Digital Computing Scale
87-081A1		Kubota Corporation	LA-ONE, capacity 30 x .01 lb n:3000	Computing Scale	LA-150	III	5000	50 x .01 lb	14.6" x 10.8"	Digital Electronic
88-019	06/28/88	Kubota Corporation		Bench and Counter Scale	KA-10-HB	III	3,500	150 x 0.05lb	13.9" x 19.7"	Digital Electronic
88-054	03/24/88	Kubota Corporation		Computing Scale	LA-320	III	3,000	15 x 0.01 lb	294 mm x 205 mm	Digital Electronic
88-054A1	06/14/90	Kubota Corporation	Model LA-315	Computing Scale	LA-320	III	3000	20 x .01 lb	294 x 205 mm	Digital Electronic
88-055	03/24/88	Kubota Corporation		Computing Scale	LA-250	III	5,000	50 x .01 lb	270 mm x 370mm	Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Liqua-Tech Corporation</u>									
89-141	02/14/90	Liqua-Tech Corporation		Vehicle Tank & LPG Meter	LPM-100		3.5 - 18 gal/min		
<u>Liquid Controls Corporation</u>									
86-022	10/27/86	Liquid Controls Corporation		Vehicle Tank & LPG Meter	EC 2000 - Electrocount				
86-022.A1	01/03/91	Liquid Controls Corporation		Cash Register	EC2000				Electronic Registering Meter
The EC2000 systems consists of an E2600 series remote electronic counter assembly and an E2520-2 Supervisory Console.									
86-025	10/15/86	Liquid Controls Corporation		LPG Liquid Meter	MA-2-CX-10		9999.9 X 0.1 gal		
87-023	05/21/87	Liquid Controls Corporation		Vehicle Tank & LPG Meter	5120				Temperature Volume Compensater
90-168PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-4-CY-10	III			
90-169PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-5-GX-10				
90-170PN		Liquid Controls Corporation		Wholesale Meter	MA-5-GX-12				
90-172		Liquid Controls Corporation		Retail Motor Fuel Dispenser	MA-5-1 & MA-5-2				
90-173PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-10				
90-174PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-11				
90-175PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-12				
90-176		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-1, M-7-2 & M-7-3				

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-177PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-27				
90-178PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-15-X				
90-179PN		Liquid Controls Corporation		Wholesale Meter	M-25-2				
90-180PN		Liquid Controls Corporation		Wholesale Meter	M-30-X				
90-181PN		Liquid Controls Corporation		Wholesale Meter	M-60-X				
90-182PN		Liquid Controls Corporation		Wholesale Meter	M-120-X				
90-183PN		Liquid Controls Corporation		Wholesale Meter	MS-7-1, MS-7-2				
91-048PN	04/18/91	Liquid Controls Corporation		Wholesale Meter	M-25 Series				
Flow Rates: 15 to 300 gpm									
<u>Loadometer Corporation</u>									
87-076P	10/29/87	Loadometer Corporation		Wheel Load Weigher	Haenni WL101	III	20k x 50 lb	20' x 14"	Analog Wheel-load Weigher
<u>M&R Brand Scale</u>									
90-051	04/25/90	M&R Brand Scale		Vehicle Scale	100 Series	III L	120,000 x 20 lb	70' x 12'	Lever System
		1005010-50, 1006010-60, 1007010-60, 1008010-60, 1009012-50, 1005012-50, 1006012-60, 1007012-60, 1008012-60, 1009014-30, 1003414-30, 1004014-50, 1005014-50, 1006014-60, 1007014-60, 1008014-60, 1009014-60							
<u>Marsh Scale, Inc.</u>									
88-253	02/10/89	Marsh Scale, Inc.		Livestock Scale	MCS and SMCS Series*	III L			Mechanical Lever System
		MCS-14, MCS-20, SMCS-18, MCS-25. Capacities (lb): 10,000 and 20,000							

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>McNeilus Truck & Mfg. Inc.</u>									
90-153	03/07/91	McNeilus Truck & Mfg. Inc.		Hopper Scale	RL20000-5K	III L	40k to 10k lb		Weighing Element Electronic
			Load cell type: Rice Lake Weighing Systems RL2000-5K or RL20000-20K or certified equivalent.						
<u>Measurement Systems International</u>									
86-021	09/09/86	Measurement Systems International		Hanging Scale	3260	III	250 x 0.1 lb		
88-098	07/17/88	Measurement Systems International		Crane Scale	MSI-4260-01	III L	50,000 x 10 lb		Superseded by 88-098A
88-098A	04/19/89	Measurement Systems International		Crane Scale	MSI-4260-01	III L	50,000 x 10 lbs		Digital Crane Scale
			Range of capacities: 5k to 70k lb						
89-027	04/04/89	Measurement Systems International		Crane Scale	MSI-6260	III L	5,000 x 1 lb		Digital Electronic
			Capacities (lb): 10,000, 20,000, 30,000, 50,000, 70,000						
89-090		Measurement Systems International		Hanging Scale	4260	III	2000 lb		Load Cell Electronic
90-129P	03/07/91	Measurement Systems International		Wheel Load Weigher	MSI-5300	III	20,000 x 50 lb	11" x 10.25"	Digital Electronic
<u>Metro Equipment Corporation</u>									
87-097	01/11/88	Metro Equipment Corporation		Bench and Counter Scale	BD-125PK-XXX	III	125 lb x 4oz	13 1/2" x 20 1/2"	Mechanical Dial Bench Scale
			BD-25M-XXX, BD-50D-XXX, BD-50M-XXX, BD-125PK-XXX, BD-100M-XXX, BD-250-XXX						
88-206	09/29/88	Metro Equipment Corporation		Indicating Elements	SEP-12K	III/III L			Digital Electronic
88-207	09/29/88	Metro Equipment Corporation		Indicating Elements	POLO-12K	III/III L			Digital Electronic
88-240	09/22/88	Metro Equipment Corporation		Indicating Elements	SX-10K	III/III L			Digital Electronic
			SX 1014 IB, SX 1014 OB						

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-044	05/25/89	Metro Equipment Corporation	Hanging Scale A-251 (SS Round Pan), A-264 (SS Large Round Pan)	HDS-920	640	III	20 lb x 1/2 oz	Model A-250	Mechanical Dial	
<u>Metrometer, Inc.</u>										
87-010	04/20/87	Metrometer, Inc.		Taximeter	21R					Single or Multi-rate Taximeter
87-011	04/20/87	Metrometer, Inc.		Taximeter	22NP					Single or Multi-rate Taximeter
88-176	08/30/88	Metrometer, Inc.		Taximeter	CCM21R					Dig. Elec. Credit Card Meter
<u>Mettler Instrument Corporation</u>										
87-001	03/13/87	Mettler Instrument Corporation		Jewelers' Balance	PM Series/49	II	40,000	4000 x 0.01g	6.5" dia	Digital
87-001A	03/01/89	Mettler Instrument Corporation		Jewelers' Balance	PM/49 & CM/49 Series I and II n, class I - 120,000; n, class II - 20,000; PM2000C/49 (Class I); PM1200/49 (Class I); PM6100/49 (Class I); CM200/49 (Class II); PM400C/49 (Class II); PM15/49 (Class II)			110g to 16,006 g		Digital Electronic
87-004	04/06/87	Mettler Instrument Corporation		Jewelers' Balance	PJ Series/49	II	41,000	4100 x 0.1 g	6.5" dia	Grain Test Scale
87-004A	05/24/88	Mettler Instrument Corporation		Jewelers' Balance	PJXXXXG Series	II	41,000	4100 x 0.1 g	6.5" dia.	Digital Electronic
87-004A2	03/29/89	Mettler Instrument Corporation		Jewelers' Balance	PJ Series	II	41,000	610g to 15,000		Digital Electronic
88-202	10/04/88	Mettler Instrument Corporation		Grain Test Scale	PM 2200-1/49	II	21,000	0 - 200 x 0.01 g	13cm diameter	Digital Electronic
88-289	02/10/89	Mettler Instrument Corporation		Bench and Counter Scale	Mettler Multirange	II/III L	15000			superseded by 88-289A

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-289A	03/01/89	Mettler Instrument Corporation	Mettler Multirange Class III Scales: KA15, KB60, KC120, KC240. Class II Scales: KA15, KB60, KC120	Bench and Counter Scale	II/III	15,000	see certificate	Digital Electronic	
88-296	03/01/89	Mettler Instrument Corporation	SM3000/49, SM6000/49, SM1220/49, SM1520/49, SM15000/49, SM15/49	Bench and Counter Scale	II	15,000	322 x 232 mm	Digital Electronic	
91-026		Mettler Instrument Corporation	Jewelers' Balance		AE 1000C/49				
<u>Micro General</u>									
90-165	01/24/91	Micro General		Bench and Counter Scale	10XX III	3168	99 lb. x .5oz.	Digital Electronic	
<u>Micro Motion, Inc.</u>									
87-040	09/15/87	Micro Motion, Inc.	D25, D40, D100, D150, D300, D600	Mass Flow Meter	FlowScale			Superseded by 87-040.A1	
87-040.A1	01/03/91	Micro Motion, Inc.		Mass Flow Meter	D Series Sensor			Digital Electronic	
Mass Flow Transmitter Models: FSXXXXXX (FlowScale), RFT9712XXXX (Remote Flow Transmitter). Sensor Model Numbers: DX025XXXXX, DX040XXXXX, DX065XXXXX, DX100XXXXX, DX150XXXXX, DX300XXXXX & DX600XXXXX.									
<u>Micros Systems, Inc.</u>									
90-121	11/02/90	Micros Systems, Inc.		Cash Register	Type 2000			Digital Electronic	
<u>Mid-America Scale Company</u>									
89-165	02/16/90	Mid-America Scale Company	H-1, H-2, H-2, H-3, H-4	Hopper Scale	H-1, H-2, H-3	2,250	7,000 lb	Hopper	
<u>MOBBA</u>									
88-058	04/07/88	MOBBA	LX, LS, LP1000, LD1000, LGB1000	Computing Scale	LD1000	3,000	30 x 0.01 lb	15.5" x 10.5"	Digital Computing Scale

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Mobile Computing</u>										
91-058		Mobile Computing		Retail Motor Fuel Register	5400-2					
<u>Morrison Weighing Systems, Inc.</u>										
89-058	05/25/89	Morrison Weighing Systems, Inc.		Indicating Elements	T-3500M	III/III L	6,000			Digital Electronic
90-157	01/24/91	Morrison Weighing Systems, Inc.		Indicating Elements	DC100	III	10,000			Digital Electronic
Other model: MP201 /for use in batching systems										
<u>National Semiconductor</u>										
87-123	05/03/88	National Semiconductor		Cash Register	300	III	3,000	30 x 0.01 lb	14.2" x 12.7"	Digital Cash Register
88-067	05/03/88	National Semiconductor		Cash Register	545		3,000	30 x 0.01 lb		Digital Cash Register
<u>NCI Weigh-Tronix Inc.</u>										
87-064	09/29/87	NCI Weigh-Tronix Inc.	3451	Computing Scale	3450	III	3000	30 x 0.01 lb	12" x 14"	
87-064A	09/22/88	NCI Weigh-Tronix Inc.		Computing Scale	3450	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-121A	09/22/88	NCI Weigh-Tronix Inc.		Weight Classifier	4000-1	III	3500	30 x 0.01 lb	12" x 14"	
88-272	11/14/88	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5000	15 lb - 100 lb	8"x8", 12"x16.5"	Superseded by 88-272A
88-272A	04/19/89	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5,000	15 lb to 100 lb	8"x8", 12"x16.5"	Load Cell, Electronic
88-311	01/25/89	NCI Weigh-Tronix Inc.	3800 R (remote indicator)	Bench and Counter Scale	3875	III	2240	5-70 lb x .5 oz	13-1/2" x 12"	Postal Weight Classifier

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>NCR Corporation</u>										
87-014	06/12/87	NCR Corporation		POS Scale	7824	III	3,000	30 x 0.01 lb	13" x 12"	Scanner/Scale
87-024	02/10/89	NCR Corporation	Class 2157, Model 0104: Class 2157, Model 0109	Cash Register	2157					Digital Electronic
87-032	07/10/87	NCR Corporation		Service Station Consoles/ECR	2522					Service Station Console
88-005	03/10/88	NCR Corporation		Cash Register	2061-54XX					Stand Alone ECR
88-006	03/10/88	NCR Corporation		Cash Register	2157-30XX					Digital Cash Register
88-007	06/01/88	NCR Corporation		POS Scale	7050 Series					Digital Electronic System
88-244	11/01/88	NCR Corporation	7050-XXXX, 7051-XXXX, 7070-XXXX, 7053-XXXX	Computing Scale	4522	III	3,000	30 x 0.01lbs	12" x 14"	Digital Electronic
88-245	11/01/88	NCR Corporation	4522-K010	Computing Scale	4526-0102	III	3,000	30 x 0.01 lbs	12" x 12"	Digital Electronic
88-257	02/10/89	NCR Corporation	4526-K001, 4524	Service Station Consoles/ECR	2126-1400					Electronic
88-261	02/10/89	NCR Corporation		POS Scale	2127					Pt. of sale products
88-280	02/10/89	NCR Corporation		Cash Register	2760 FSS					Digital Electronic
89-007	07/05/89	NCR Corporation		Cash Register	2123-XXXX					Electric Stand Alone
89-092	10/12/89	NCR Corporation		Service Station Consoles/ECR	2113-3XXX					Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-011	01/30/90	NCR Corporation		Weight Classifier	4000-XX1X	III	30 x 0.01 lb	12" x 14"	Digital Electronic
<u>New Brunswick International, Inc.</u>									
86-014	06/25/86	New Brunswick International, Inc.		Bench and Counter Scale	DS-410		300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
			Optional capacities: 150 x .05 lb, 600 x .2 lb						
86-014A	11/01/88	New Brunswick International, Inc.		Bench and Counter Scale	DS-410	III	300 x 0.1 lb		Digital Electronic
			Optional capacities: 150 x 0.05 lb, 600 x 0.2 lb						
86-026	10/15/86	New Brunswick International, Inc.		Computing Scale	DS 430	III	30 x 0.01 lb	11" x 12.5"	Digital Electronic
87-006	03/19/87	New Brunswick International, Inc.		Computing Scale	SM-15	III	30 x 0.01 lb	10.5" x 14.5"	Digital Computing Scale
87-065	09/29/87	New Brunswick International, Inc.		Computing Scale	SM-60	III	30 x 0.01 lb	11" x 15.5"	Digital Computing Scale
			SM-60A						
87-113	01/11/88	New Brunswick International, Inc.		Bench and Counter Scale	DS-260	III	300 x 0.1 lb	700 x 600 mm	Digital Bench Scale
			DS-260, DS-261						
87-114	01/11/88	New Brunswick International, Inc.		Computing Scale	DS-380	III	30 x 0.01 lb	8" x 12.25"	Digital Computing Scale
87-118	02/17/88	New Brunswick International, Inc.		Prepackaging Scale	DPS 6000	III	30 x .01 lb	341 mm x 284 mm	Digital Prepackaging Scale
88-174	08/31/88	New Brunswick International, Inc.		Prepackaging Scale	DPS-2600/AW-2600	III	30 x 0.01 lb	13.25" x 11.25"	Superseded by 88-174A1
88-174A1	03/27/90	New Brunswick International, Inc.		Prepackaging Scale	DPS-2600/AW-2600	III	30 x 0.01 lb	13-1/4" x 11-1/4"	Digital Electronic
			IL-2600						
91-049		New Brunswick International, Inc.		Hanging Scale	LCB-1000H				

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Ohaus Corporation</u>										
88-081	05/03/88	Ohaus Corporation	I 20W	Indicating Elements	I 10	III	10,000			superseded by 88-081A1
88-081A1	02/14/90	Ohaus Corporation	I 20W	Indicating Elements	I 10	III\ IIIIL	10,000			
88-203	09/13/88	Ohaus Corporation	LB30, LB60, LB100, LB150.	Bench and Counter Scale	LB100	III	5,000	100 x 0.02 lb	14" x 17"	Load Cell Electronic
88-204	09/22/88	Ohaus Corporation	WB10, WB25.	Bench and Counter Scale	WB50	III	5,000	50 x 0.01 lb	12" x 12"	Load Cell Electronic
88-205	09/13/88	Ohaus Corporation	WBS 10 and WBS 25.	Bench and Counter Scale	WBS50	III	2,500	50 x 0.02 lb	12" x 12"	Load Cell Electronic
88-227	09/22/88	Ohaus Corporation	GJ-4400-L, GT-4000-L, GJ-4000-L	Jewelers' Balance	GT 4400-L	II	40,000	0 - 400 x 0.01 g	6.5" Diameter	Digital Electronic
88-228	09/13/88	Ohaus Corporation	PL30, PL60, PL100, PL150	Bench and Counter Scale	PL Series	III	5,000	30 to 150 lb	18" x 18"	Load Cell Electronic
88-229	09/13/88	Ohaus Corporation		Indicating Elements	PBI	III	5,000			Digital Electronic
89-084	08/17/89	Ohaus Corporation		Jewelers' Balance	CT-600L	III	6000	600 x .1 g	4 in. diameter	Digital Electronic
90-185	01/24/91	Ohaus Corporation	Model I150-P with mild steel case	Indicating Elements	I150-S	III/IIIIL	10,000			Digital Electronic
<u>Ohio Valley Scale & Equipment Corp</u>										
88-182	08/30/88	Ohio Valley Scale & Equipment Corp		Floor Scales	PLP-3026-1.2	III	2,400	1200 x 0.5lb	30" x 38.6"	Portable Electro-mechanical

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Omron Systems of America</u>									
87-050	09/29/87	Omron Systems of America	RS 8510	Cash Register	RS 8500				Stand Alone Cash Register
88-105	05/24/88	Omron Systems of America		Cash Register	RS 5510				Superseded by 88-105A
88-105A	09/22/88	Omron Systems of America	RS 5515	Cash Register	RS 5510 & RS 5541				Stand Alone
88-250	09/22/88	Omron Systems of America	RS 81-00, RS 81-30	Cash Register	RS 81-31				Stand Alone
88-267	10/28/88	Omron Systems of America	RS 4041	Cash Register	RS 4030				Stand Alone
89-018	04/19/89	Omron Systems of America		Cash Register	RS5510				superseded by 89-018A1 4/18/90
89-018A1	08/21/89	Omron Systems of America		Cash Register	RS5510, 5550, 5560F				Superseded by 89-018A1 4/18/90
89-018A1	04/18/90	Omron Systems of America		Cash Register	RS5510, 5550, 5560F				
89-152	04/25/90	Omron Systems of America		Cash Register	RS3510				Stand Alone
89-153	04/25/90	Omron Systems of America		Cash Register	RS4043				Stand Alone
89-154	04/25/90	Omron Systems of America		Cash Register	RS5550				Stand Alone
90-044		Omron Systems of America		Cash Register	RS5500 Series				ECR

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>P.O.M. Incorporated</u>									
88-274P	01/26/89	P.O.M. Incorporated		Parking Meter	"E" (ECON-O-METER)		2 hrs x 6 min		Parking Meter
<u>Pacific Scale Co., Inc.</u>									
88-103	05/24/88	Pacific Scale Co., Inc.	TNL 3636-2K, Capacity 2,000 x .5 lbs	Floor Scales	TNL 4848-2K	III	2000 x 0.5 lb	48" x 48"	Full Electronic
91-002	01/24/91	Pacific Scale Co., Inc.	2, 5 or 10 capacity in thousands pounds, 36 to 48, platform length in inches for 2,000 lb weighing element, 36 to 84 platform width in inches.	Floor Scales	TNL SERIES		see below	see below	Load Cell Electronic
<u>PAR Microsystems</u>									
89-122	11/08/89	PAR Microsystems		Cash Register	NTA & NXA Series				Digital Electronic
<u>PAT Equipment Corporation</u>									
87-078P	12/18/87	PAT Equipment Corporation	Model SAW10A-2, Model SAW10C	Wheel Load Weigher	SAW 10A	IIII	20k x 50 lb	28.75" x 20"	Digital Wheel-Load Weigher
<u>Pelouze Scale Company</u>									
87-072	03/10/88	Pelouze Scale Company		Bench and Counter Scale	PS75LR	III	75 x 0.1 lb	18'x 13"	Superseded by 87-072A2
87-072.A2 Amend	09/11/90	Pelouze Scale Company	PS75LR; 75 x 0.1 lb or 34 x 0.05 kg PS75LRX; 75 x 0.1 lb or 34 x 0.05 kg	Bench and Counter Scale	PS75L	III	See other models	18" x 13"	Shipping Scale
87-072A	09/11/90	Pelouze Scale Company	PS75LR, 75 x 0.1 lb; PS75LRX, 75 x 0.1 lb; PS75LR1, 75 x 0.05 lb; PS75L, 75 x 0.1 lb; PS75L1, 75 x 0.05 lb	Bench and Counter Scale	PS75L Series	III	75 x 0.1 lb	18'x 13"	Superseded by 87-072A2

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-072A2	04/25/90	Pelouze Scale Company		Bench and Counter Scale	PS75LRX	III	75 x 0.05 lb	18" x 13"	Shipping Scale
89-057	08/17/89	Pelouze Scale Company		Bench and Counter Scale	PS-6LJ	III	6 x 0.005 lb	6.75 x 9.5 in	
89-119	01/06/90	Pelouze Scale Company		Bench and Counter Scale	PS6LR1	III	6 X 0.005 lb	7 7/8 X 5 1/8 "	Digital Electronic
<u>Pennsylvania Scale Company</u>									
88-114	06/08/88	Pennsylvania Scale Company		Indicating Elements	5600	III/III L	5,000		Digital Indicating Element
88-115	06/17/88	Pennsylvania Scale Company		Printer	PS400				Dot Matrix Ticket Printer
88-116	06/17/88	Pennsylvania Scale Company		Printer	PS400-T				Dot Matrix Ticket Printer
88-117	06/17/88	Pennsylvania Scale Company		Printer	P100				Dot Matrix Tape Printer
90-097	08/21/90	Pennsylvania Scale Company	24X24-1K, 24X24-2K, 24X24-5K, 30X30-1K, 30X30-2K, 30X30-5K, 36X36-1K, 36X36-2K, 36X36-5K, 36X36-10K, 48X48-1K, 48X48-2K, 48X48-5K, 48X48-10K, 48X60-5K, 48X60-10K, 48X72-5K, 48X72-10K, 48X84-5K, 48X84-10K, 60X60-5K, 60X60-10K, 60X72-5K, 60X72-10K, 60X84-10K	Floor Scales	6600 Series	III	1,000 - 10,000	12 x 24 - 60 x 84	Load Cell Electronic
90-161		Pennsylvania Scale Company		Indicating Elements	6400				
<u>Perkins Scale Corporation</u>									
88-090	06/28/88	Perkins Scale Corporation		Vehicle Scale	7060	III L	120,000 x 20 lb	70" x 10'	Mechanical Lever System
<u>Pitney Bowes</u>									
89-047	10/02/89	Pitney Bowes		Weight Classifier	A238	III	70 lb	12.5" x 14"	

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-048	10/02/89	Pitney Bowes	A523, capacity 3 lb x 0.05 oz	Weight Classifier	5820	III	1600	5 lb x 0.05 oz	8 7/8" x 8"	
89-049	01/10/90	Pitney Bowes		Bench and Counter Scale	A 510	III	3200	10 lb x 0.1 oz	8 7/8" x 8"	
89-050	08/21/90	Pitney Bowes	A570, A530	Bench and Counter Scale	A610	III	3168	0-2 x 0.1 lb + +	14 3/8 x 9 1/4	Postal Weight Classifier
89-050 Amended	10/02/90	Pitney Bowes		Weight Classifier	A 610	III		0-2 lb x 0.1 oz	14 3/8" x 9 1/4"	Digital Electronic Computing
			Other capacities: n-320 , 0-99 lb x 0.5 oz, n- 3168							
89-120	01/06/90	Pitney Bowes		Weight Classifier	A 605	III	1600	5 lb X 0.1 oz	8 7/8 X 5 5/8 "	Digital Electronic Computing
89-121	01/06/90	Pitney Bowes		Bench and Counter Scale	A 603	III	960	3 lb x 0.1 oz	8 7/8" x 5 5/8"	
90-087	02/12/91	Pitney Bowes		Weight Classifier	A 500	III	160	16 x 0.1 oz	9.25" x 5"	Digital Electronic
90-088	06/14/90	Pitney Bowes		Floor Scales	A219	III	1200	600 x 0.5 lb	30" x 30"	Load Cell Electronic
90-136		Pitney Bowes		Weight Classifier	A120-TA					Digital Electronic
90-146		Pitney Bowes		Weight Classifier	A217	III				Digital Electronic
<u>POS Data Products, Inc.</u>										
91-015		POS Data Products, Inc.		POS Scale	3030	III	3,000	30 x 0.01 lb	14.25" x 10.5"	
<u>Powell All-Steel Scales, Inc.</u>										
88-213PN		Powell All-Steel Scales, Inc.		Vehicle Scale	P Series					Mechanical Pit Type
See Certificate for models, capacities and platforms										

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-214PN		Powell All-Steel Scales, Inc.		Vehicle Scale	A and PA Series 28PA10, 38PA10, 210PA10, 310PA10, 18PA10, 28PA10, 210PA10, 310PA10, 28A10, 210A10, 38A10, 310A10	III L			Portable & Stationary Mechanic
88-215PN		Powell All-Steel Scales, Inc.	See Certificate for models, capacities and platforms	Vehicle Scale	C Series	III L			Mechanical Portable Contractor
88-216PN		Powell All-Steel Scales, Inc.		Vehicle Scale	PV Series 1535C12, 1535C14, 1540C12, 1540C14, 1570C12, 1570C14, 1580C14	III L			Portable Mechanical
88-217PN		Powell All-Steel Scales, Inc.		Floor Scales	IWS Series 5651WS, 6751WS, 68101WS, 68101WS, 68201WS, 610201WS, 610301WS	III			Mech. Industrial Warehouse
88-218PN		Powell All-Steel Scales, Inc.		Vehicle Scale	RRS Series 1560RR10, 1570RR10, 2070RR10, 2084RR10, 2090RR10	III L			Mechanical Lever System
88-219PN		Powell All-Steel Scales, Inc.		Vehicle Scale	660EL10-C	III L	120,000 x 20 lb	60' x 10'	Load Cell - Low Profile
89-134P		Powell All-Steel Scales, Inc.		Vehicle Scale	EP and ET Series	III L	120,000 lb	60' x 10'	supersedes 84-85 dated 4/21/86
<u>PSI/Command Data</u>									
91-016	03/07/91	PSI/Command Data		Indicating Elements	Scale Readout	III/III L	1000		Digital Electronic
<u>Pulsar Technology Systems, Inc.</u>									
90-077	09/11/90	Pulsar Technology Systems, Inc.		Taximeter					Mileage Odometer
90-133	08/31/90	Pulsar Technology Systems, Inc.		Taximeter					Digital Eletronic Taximeter

See "Other Model"
 Flag Drop: \$0.01 - \$999.99, Fare Incr.: \$0.01 - \$999.99, Extras : \$0.02 - \$9.99, Earlier version of 2010 is larger—See CC, Shall be installed using Arthur Allen 4 pulse per revolution pulse transducer (NOT 2 pulse per revolution). See CC for important notes on proper sealing.

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
Revere Transducers, Inc.									
86-037	12/16/87	Revere Transducers, Inc.		Load Cell	5123	III	1k - 10k lb 3k S, 5k M		Single ended shear beam.
			Other capacities: 1k, 2.5k, 4k, 5k, 10k						
86-037P	01/26/87	Revere Transducers, Inc.		Load Cell	B5123	III	1k - 10k lb 3k S, 5k M		Superseded by 86-037
			Capacities (lb): 1k, 2.5k, 4k, 5k, 10k						
86-038	03/28/91	Revere Transducers, Inc.		Load Cell	5223-B10	III L	50K, 65K, 100K 10,000		Double Ended Shear Beam
			The specific models of load cells covered by this Certificate are 5223-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for individual load cells comply with Handbook 44.						
86-038P	01/26/87	Revere Transducers, Inc.		Load Cell	B5223	III L	50k, 65k, 100k lb 10000 M		Superseded by 86-038PA12/10/87
86-038PA	12/10/87	Revere Transducers, Inc.		Load Cell	5223	III L	50k, 65k, 100k lb 10000 M		Double Ended Shear Beam
86-039	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	30K to 250K lb 10,000		Double Ended Shear Beam
			The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.						
86-039P	01/26/87	Revere Transducers, Inc.		Load Cell	5103	III L	50k-150k lb 10,000 M		Superseded by 86-039PA 7/25/88
86-039P	07/25/88	Revere Transducers, Inc.		Load Cell	5103	III L	10k to 100k lb 10000 M		Double Ended Shear Beam
			The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXX is the capacity code, and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. Range of capacities (lb) from to 100 K.						
86-040P	12/10/87	Revere Transducers, Inc.		Load Cell	692B	III L	25k, 50, 100k lb 10000 M		Multi-column Compression
86-040P	01/26/87	Revere Transducers, Inc.		Load Cell	C692B	III L	25k, 50k, 100k lb 10000 M		Superseded by 86-040P 12/10/87

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-041	03/01/89	Revere Transducers, Inc.		Load Cell	SSB SSB-5t-C3, -1t-C3, -2t-C3, -2.5t-C3, -5t-C3, SSB-1-III/3, -2-III/3, -5-III/3, -10-III/3	III	3,000 S	500 to 5,000 kg	1k to 10k lb	Single Ended Shear Beam
86-041.A1	03/28/91	Revere Transducers, Inc.		Load Cell	SSB	III & III L	3,000	500k - 5000 kg		Single Ended Shear Beam
					Capacity: 1,000 to 10,000 lb. The specific models of load cells covered by this certificate are SSB-X-Y-Z where X, Y, & Z, as applicable are model numbering codes denoting capacity, classification, electrical connection. Other Models: SSB-5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, kSSB-5-III/3 and SSB-10-III/3.					
86-041P	01/02/86	Revere Transducers, Inc.		Load Cell	SSB	III	3000 S	500 - 5,000 kg	1k to 10k lb	Superseded by 86-041
					SSB-5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, SSB-5-III/3, SSB-10-III/3					
87-051	04/05/89	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k/10k S	100-10,000 lb		superseded by 87-051 12/20/89
					Class III, Model code 9363-A3-YYYY: Class III L, Model code 9363-B10-XXX-YYYY.					
87-051	12/20/89	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k0/10k S	100 - 10,000 lb		Tension S-Cell, Stainless Steel
87-051.A1	03/28/91	Revere Transducers, Inc.		Load Cell	9363-A3 & 9363-B10	III & III L	see below	100 - 10,000 lb		Tension S-Cell
					Capacity: Single Cell, Class III: 3,000 & Single Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 9363-A3-XXX-YYYY: for Class III L, models 9363-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.					
87-051PA	07/25/88	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k/10k S	3000 - 10000 lb		Superseded by 87-051
					Class III, Models 9363-A3-XXX-YYYY: Class III L, Models 9363-B10-XXX-YYYY. Capacities (lb): 3,000; 5,000; 10,000					
87-063	04/05/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3k, 10k S	100-10,000 lb		superseded by 87-063 12/20/89
					For Class III, Models 363-A3-XXX-YYYY: For Class III L, Models 363-B10-XXX-YYYY, where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities: 100, 200, 300, 500, 750, 1.5k, 2k, 3k, 5k, 10k					
87-063	12/20/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3K, 10K S	100 - 10,000 lb		Tension S-Cell
87-063.A1	03/28/91	Revere Transducers, Inc.		Load Cell	363-A3 & 363-B10	III & III L	see below	100 - 10,000 lb		Tension S-Cell
					Capacity: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 363-A3-XXX-YYYY: for Class III L, models 363-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-063PA	07/25/88	Revere Transducers, Inc.		Load Cell	363	III/III L	3k, 10k S	3000 - 10000 lb		Superseded by 87-063
										For Class III, Models 363-A3-XXX-YYYY: for Class III L, Models 363-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities (lb): 3 k, 5 k, 10 k
87-085	03/10/88	Revere Transducers, Inc.		Load Cell	SHB	III	3,000 S	20 - 1000 kg		Bending Beam and Shear Beam
										Capacities (kg): 20, 50, 100, 200, 500, 1000
87-085.A1	03/28/91	Revere Transducers, Inc.		Load Cell	SHB	III & III L	S-Cell: 3000	20 - 1,000 kg		Bending Beam & Shear Beam
										The specific models of load cells covered by this certificate are SHB-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
87-086	03/10/88	Revere Transducers, Inc.		Load Cell	LCU	III	3,000 S	10 - 100 kg	30 - 250 lb	Bending Beam Load Cell
										Capacities: (kg) 10, 20, 30, 50, 100: (lb) 30, 50, 75, 125, 250
87-086.A1	03/28/91	Revere Transducers, Inc.		Load Cell	LCU	III & III L	S-Cell: 3000	10-100kg/10-250lb		Bending KBeam
										The specific models of load cells covered by this certificate are LCU-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
88-041	03/29/89	Revere Transducers, Inc.		Load Cell	STS	III	3,000 S	50 to 2,500 lb		S-Type, Tension
										Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500
88-041	04/29/88	Revere Transducers, Inc.		Load Cell	STS	III	3000 S	50 to 2500 lb		Superseded by 88-041 3/29/89
88-041.A1	03/28/91	Revere Transducers, Inc.		Load Cell	STS	III & III L	see below	50 - 2500 pds.		S-Type Tension
										The specific models of load cells covered by this certificate are STS-X-Y-Z where X, Y & Z, as applicable are model numbering codes denoting capacity, classification, and electrical connection.
88-042	03/01/89	Revere Transducers, Inc.		Load Cell	STS	III L	10,000 S	50 to 2,500 lb		S-Type, Tension
										STS-XX-A-III L-10S where the XX is the capacity of the load cell in thousands of pounds. Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500
88-042.A1	03/28/91	Revere Transducers, Inc.		Load Cell	STS	III L	S-Cell 10000	50 to 2500 pds		S-Type, Tension
										The specific models of load cells covered by this certificate are STS-X-Y-Z where S, Y and Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
88-082	05/25/89	Revere Transducers, Inc.		Load Cell	CSP	III/III L	3k, 10k S	25k to 200k lb	10k to 100k kg	Multi-Column Compression
										Capacities (kg): 10,000, 25,000, 40,000, 60,000, 100,000

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-082.A1	03/28/91	Revere Transducers, Inc.		Load Cell	CSP	III & III L see below	see below		Multi-Column Compression
									Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. Capacity: 10k - 100k kg & 25k - 200 k kg. The specific models of load cells covered by this certificate are CSP-X-Y-Z where X, Y & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
88-082P	09/09/88	Revere Transducers, Inc.		Load Cell	CSP	III/III L	25K to 200K lb		superseded by 88-082
88-089	05/25/89	Revere Transducers, Inc.		Load Cell	BSP	III/III L	100 to 5,000 lb		S-Type, Tension/Compression
									Capacities (lb): 100, 250, 500, 1000, 2500, 5000
88-089.A1	03/28/91	Revere Transducers, Inc.		Load Cell	BSP	III & III L see below	100 - 5,000 lb		Universal, Bending & Shear
									Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are BSP-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
88-089P	09/29/88	Revere Transducers, Inc.		Load Cell	BSP	III/III L	100 to 5,000 lb		superseded by 88-089
88-126	05/25/89	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	50,000 lb		Single Column Tension
88-126.A1	03/28/91	Revere Transducers, Inc.		Load Cell	LCT-50	III & III L see below	50,000 lb		Single Column Tension
									Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are LCT-50-X-Y-Z where X, Y, & Z as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
88-126P	07/25/88	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	50,000 lb		superseded by 88-126
89-024	01/06/90	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS,5kM,10kM		
									Class III: 5723-A5-1K-, 5723-A5-2.5K-, 5723-A5-4K-, 5723-A5-5K-, 5723-A5-10K-, Class III L: 5723-B10-1K-, 5723-B10-2.5K-, 5723-B10-4K-, 5723-B10-5K-, 5723-B10-10K-
89-024.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5723-A5 & 5723-B10	III & III L see below	1,000 - 10,000 lb		Single-ended Shear Beam
									Capacity: S-Cell, Class III: 3,000, M-Cells, Class III: 5,000, M-Cells, Class III L: 10,000. The specific models of load cells covered by this certificate for Class III, Models 5723-A5-XXX-YYYY; for Class III L, models 5723-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.
89-024P	04/04/89	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS,5kM,10kM		superseded by 89-024

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-039P.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	10,000	5K to 20K		Double Ended Shear Beam
<p>The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is the capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private level variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.</p>										
90-152P	11/02/90	Revere Transducers, Inc.		Load Cell	5423 B	III L	10,000	10,000-65,000 lb		Double-Ended Shear Beam
<p>The Model designation for the load cells is 5423-B10-XXK-YYYY where XXK represents the cell capacity in thousands of pounds (e.g., 10K) & YYYY represents variations that are not metrologically significant.</p>										
90-152P.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5423-B10	III L	10,000	10,000 - 65,000lb		Double-Ended Shear Beam
<p>5423-B10-10K-YYYY, 5423-B10-20K-YYYY, 5423-B10-30K-YYYY, 5423-B10-50K-YYYY & 5423-B10-65K-YYYY. The model designation for the load cells is 5423-B10-XXK-YYYY where XXK represents the cell capacity in thousands of pounds (e.g., 10K) and YYYY represents variations that are not metrologically significant.</p>										
91-001	01/24/91	Revere Transducers, Inc.		Load Cell	792-B5	III L	4500	50k to 200k lb		Single Column compression can.
Rice Lake Weighing Systems										
88-292	01/25/89	Rice Lake Weighing Systems		Bench and Counter Scale	4400 Series	III	2,500			Digital Electronic
<p>4430, 4432, 4442, 4446, 4452, 4454</p>										
88-304	05/25/89	Rice Lake Weighing Systems		Load Cell	RL20000	III	4500 S	50 to 100000 lb		Superseded by 88-304A1
<p>Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000</p>										
88-304A1	04/26/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	5k, 10k S	25 to 20,000 lb		Type "S"
<p>Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000</p>										
88-304PA1	02/12/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	5K, 10K S	25 to 20,000 lb		Type "S" load cell
<p>Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000</p>										
88-305	05/25/89	Rice Lake Weighing Systems		Load Cell	RL30002, 30000, 30001	III/III L	5000 M	1000 to 10000 lb		
<p>Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000</p>										
88-306	05/25/89	Rice Lake Weighing Systems		Load Cell	RL700000*-XX	III/III L	5000 M	5000 - 50000 lb		
<p>Capacities (lb): 5,000, 10,000, 20,000, 50,000</p>										

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-306.A1	04/18/91	Rice Lake Weighing Systems		Load Cell	RL70000-XX	III & IIIL	5,000 - 50,000 lb M-Cell 5000		Double Ended Shear Beam
89-020	07/05/89	Rice Lake Weighing Systems		Indicating Elements	UMC 2000 XX-XX	III/III L	10,000		Digital Electronic
89-023	08/02/89	Rice Lake Weighing Systems	UMC 2000, -2002, -2004, -2006, -2008, -2010, -2012	Indicating Elements	IQ 600 HB	III/III L	10,000		supersedes previous issues
89-117	10/24/89	Rice Lake Weighing Systems	IQ 700 HB	Indicating Elements	UMC 555XXXX	III/III L	10,000		
89-118	01/10/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000		
89-118 Ammended	03/13/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000		Digital Electronic
89-156	01/14/90	Rice Lake Weighing Systems	KB-102, ACS-105	Printer	KB-105				Printing Element
90-003	06/14/90	Rice Lake Weighing Systems		Monorail Scale	MS200	III	1500	750 x 0.5 lb	Load Cell Electronic
90-022		Rice Lake Weighing Systems		Indicating Elements	Optional Models: MS202HB-3/8 (for 3/8" rail), MS202HB-1/2 (for 1/2" rail).				
90-158	04/18/91	Rice Lake Weighing Systems		Load Cell	WS 900				
90-159	01/03/91	Rice Lake Weighing Systems		Load Cell	RL20000A-XXX	III & IIIL	see below	25 - 50,000 lb	S-Beam Tension
91-038		Rice Lake Weighing Systems		Indicating Elements	Capacity: S-Cell, Class III: 5000 - S-Cells, Class III L: 10,000. The specific load cells covered by this certificate are identified by the cell capacities. The XXX of the model designation represents the load cell capacity.				
91-039		Rice Lake Weighing Systems		Indicating Elements	RL30000A-XXX	III	3k S - 5k M	1,000 to 10,000	Shear Beam, Compression
					RL30001A-XXX (Counter bored load hole), RL30002A-XXX (Through load hole).				
					IQ700HE				
					IQ700SS				

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-040		Rice Lake Weighing Systems		Indicating Elements	UMC555				
91-045P		Rice Lake Weighing Systems		Load Cell	RL35023				
91-046P		Rice Lake Weighing Systems		Load Cell	RL20001				
91-064		Rice Lake Weighing Systems		Indicating Elements	Uniweigh				
<u>RSB Engineers/Planners, Inc.</u>									
88-290.A1	11/02/90	RSB Engineers/Planners, Inc.		Vehicle Scale	SP 1000 Series	III L	200,000 lb		Load Cell Electronic
					SP 1011, SP 1012, SP 1013, SP 1014, SP 1015, SP 1016, SP 1017, SP 1003, SP 1004, SP 1005, SP 1006, SP 1007 & SP 1008.				
<u>Rudda Meter Inc.</u>									
88-177	02/15/89	Rudda Meter Inc.		Taximeter	RM 1500		\$999.99		Digital Electronic
<u>Santa Rosa Scale Company</u>									
90-063	04/18/90	Santa Rosa Scale Company		Floor Scales	SR-XXX	III	2,000 - 20,000 lb	24"x30" - 60"x84"	Flexure Lever, Load Cell
					SR3, -4A, -5, -50, -6, -6A, -7, -7A, -7B, -8, -8A, -8B, -9, -9A, -9B, -10, -10A, -10B, -11, -11A, -12, -12A				
<u>Sanyo Business Systems Corp.</u>									
86-020	11/04/86	Sanyo Business Systems Corp.		Cash Register	580				
					580-6B, 580-12B, 580-14B				
90-102	11/02/90	Sanyo Business Systems Corp.		Cash Register	ECR-635				Stand Alone
90-102.A1	01/03/91	Sanyo Business Systems Corp.		Cash Register	ECR-635 & ECR-645				Stand Alone
90-120	09/17/90	Sanyo Business Systems Corp.		Cash Register	ECR 690				Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
Sartorius Corporation										
88-119	09/09/88	Sartorius Corporation		Jewelers' Balance	L Series L420S-*U2, L220S-*U2, L2200S-*U2, L310-*U2, L310-XU2, L610-*U2, L610-XU2	II	42,400	424 g	5" dia.	Grain Test Scale
88-120	09/09/88	Sartorius Corporation		Jewelers' Balance	U and X Series U6100-*U2, U6-*U2, U6-XU2, X1493-*U2, X1493-XU2, X1493-*U2.1, X1493-XU2.1	II	6,100	6,100 g	5" dia.	Digital Electronic
88-121	09/09/88	Sartorius Corporation		Jewelers' Balance	E and I Series E4800S-*U2, I4800S-*U2, I1000S-*U2, E12000S-*U2, E12S-*U2, I12000-*U2, I12S-*U2, I6800-*U2, I6-*U2	II	48,400	4840 g	235 mm x 190 mm	Grain Test Scale
88-122	09/09/88	Sartorius Corporation		Jewelers' Balance	P Series P500-*U2, P5-*U2	II	5,050	505 g	110 mm Diameter	Grain Test Scale
88-123	09/09/88	Sartorius Corporation		Jewelers' Balance	H and G Series H51-*U2, H120-*U2, H310-*U2, G150D-*U2	II	31,000	31 g	63 mm Diameter	Grain Test Scale
88-124	09/09/88	Sartorius Corporation		Bench and Counter Scale	I Series I24-*U2, I16000-*U2	II	24,200	24.2 kg	11.75" x 9.25"	Digital Electronic
88-125	09/09/88	Sartorius Corporation		Bench and Counter Scale	F Series Class II scales: F61S-*U2**B, F61S-XU2**B, F150S-*U2, F150S-XU2, F300S-*U2, F300S-XU2. Class III scales: F61S-*U3**B, F61S-XU3**B	II/III	15,150	61 kg	23.5" x 31.5"	Digital Electronic
88-187	11/01/88	Sartorius Corporation		Jewelers' Balance	X1493-X	II	6,100	6,100 x 0.1g	5.9" x 4.6"	Explosion Proof Electronic
Scalme S.A.										
90-023P	03/14/90	Scalme S.A.		Load Cell	AE Series	III	3,000 S	10 to 100 kg		Single-point beam load cell
91-051P	04/18/91	Scalme S.A.		Load Cell	AG Series AG 5, AG 10, AG 15, AG 20, AG 30, AG 50, AG 75 & AG 100.	III	S-Cell: 5000	5 kg - 100 kg		Single Point Flexion Beam

LISTING BY COMPANY

CC No. Date Company Name Other Models Device Type Model Accuracy Class n Capacity Platform size Device Description

90-149 10/18/90 Schlumberger Technologies, Inc. Retail Motor Fuel Dispenser
 EPS RC I X X X XX \$9,999 UP \$999.99 Total \$ 999 99 Vol Units
 Model designations and suffixes: EPS = Basic Model Number, RC = Remote Calutron (submersible), I = Intermediate size, Blank = Standard
 Construction OR L = dispenser longer than 7 feet, 1, 2, or 8 = # hoses - 1 or 4 = # Products DS = Hoses on both side
 s or SS = Hoses on one side.

90-149 11/02/90 Schlumberger Technologies, Inc. Retail Motor Fuel Dispenser
 EPS RC I X X X XX SEE BELOW Electronic Computing

Schmidt Electronic Laboratories

86-003 06/13/86 Schmidt Electronic Laboratories Taximeter G2S 99999 \$999.99

Scientech, Inc.

88-027 03/24/88 Scientech, Inc. Jewelers' Balance 5550 50,000 50 x 0.01 g 4.5 " Diameter Digital Electronic

Seca Corporation

91-022 03/07/91 Seca Corporation Bench and Counter Scale 920C 880 440 x .5 lbs 12" x 12" Digital Electronic

Seltec Corporation

87-039 09/25/87 Seltec Corporation Indicating Elements AD500 10,000 Superseded by 87-039A

87-039A 10/28/88 Seltec Corporation Indicating Elements AD 500 10,000 Digital Electronic

Sensortronics

86-043 09/30/88 Sensortronics Load Cell 60001A 5K,10K S 750-7500 lb Type S Load Cell

86-043P 12/10/87 Sensortronics Load Cell 60001A 5K/10K S 250 -2500 lb Superseded by 86-043

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-043PA	05/25/89	Sensortronics		Load Cell	60001A	III/III L	5000 S	250 to 20,000 lb		Superseded by 86-043
			Capacities (lb): 250: 500: 10,000: 15,000: 20,000							
86-044	05/24/88	Sensortronics		Load Cell	65023A	III	5000 M	1000 to 10000 lb		Shear Beam Compression
86-044A1	05/25/89	Sensortronics		Load Cell	65023A	III	3000 S	1000k - 10000k lb		Shear Beam, Compression
86-044P	12/10/87	Sensortronics		Load Cell	65023A	III	5,000 S	1k - 10k lb		Superseded by 88-044
86-045	05/24/88	Sensortronics		Load Cell	65040A	III L	10,000 M	25k-125k lb		Double Ended Shear Beam
86-045P	12/10/87	Sensortronics		Load Cell	65040A	III L	10,000 M	25k - 125k		Superseded by 86-045
86-046	02/10/89	Sensortronics		Load Cell	65058A	III L	10,000 M	20,000-125,000 lb		Double End Shear Beam
			Capacities (lb): 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 90,000: 100,000: 125,000							
86-046P	12/10/87	Sensortronics		Load Cell	65058A	III	10,000 M	20k - 125k		Superseded by 86-046
86-046PA	07/25/88	Sensortronics		Load Cell	65058A	III L	10,000 M	20k-125k lb		Superseded by 86-046
87-052P	12/10/87	Sensortronics		Load Cell	60048A	III	5,000 S	100 - 1k lb		Bending Beam
			Capacities (lb): 100, 200, 400, 500, 1000							
87-053	01/26/89	Sensortronics		Load Cell	65061A	III L	10,000 M	10k - 100k		Double Ended Shear Beam
			Capacities (lb): 10,000: 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 100,000							
87-053P	12/10/87	Sensortronics		Load Cell	65061A	III L	10000 M	10K to 100K lb		Superseded by 87-053
87-054P	12/10/87	Sensortronics		Load Cell	65016A	III L	10,000 M	2.5k - 25k		Shear Beam Center Loaded Cell
			Capacities: 2500, 5000, 10000, 15000, 25000							

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-298P	01/26/89	Sensortronics		Load Cell	65023S	III	1000 to 10000 lb		Superseded by 88-298PA1
			Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000				5000 M		
88-298PA1	06/16/89	Sensortronics		Load Cell	65023S	III	1,000 - 10,000 lb		Shear Beam Compression
			Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000				3K S, 5K M		
91-011		Sensortronics		Load Cell	60001A-XX-1166				
91-011P		Sensortronics		Load Cell	60001A-XX-1166				
<u>Shekel Electronic Scales</u>									
89-133 A2	01/03/91	Shekel Electronic Scales		POS Scale	SC 150	III	30 x 0.01 lb	14.25" X 10.5"	Digital Electronic
			SC-150P; SC-15G						
89-133P	01/30/90	Shekel Electronic Scales		POS Scale	SC 150	III	30 x 0.01 lb	14.25" x 10.5"	Superseded by 89-133PA1
			Advance Retail Systems Inc. Model HT-1000						
89-133PA1	04/25/90	Shekel Electronic Scales		POS Scale	SC 150	III	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
			SC-150-P, POSISCALE 3030, Advance Retail Systems Inc. Model HT-1000						
<u>Smith Meter Inc.</u>									
89-013PN	05/01/89	Smith Meter Inc.		Indicating Elements	AL-1-XU, AL-2-XU				Digital Electronic Wh. sl Meter
89-055	08/17/89	Smith Meter Inc.		Wholesale Meter	ALII-XUO-STD-STD-034		99,999 gallons		
89-055.A1		Smith Meter Inc.		Wholesale Meter	Accuload II				Meter Register
			Accuload II -WBG: Accuload II-SEQ						
89-055A1	10/02/89	Smith Meter Inc.		Wholesale Meter	ALII-XU-O-STD-034		99,999 gal		
89-098	10/12/89	Smith Meter Inc.		Wholesale Meter	ML-X-XX-XXX-STD				

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Sooner Scale, Inc.</u>									
90-050PN	04/25/90	Sooner Scale, Inc.		Livestock Scale	PLS 18 x 7	III L	10,000 lb	18'x7',2 sections	Portable Electric
90-050PN	06/14/90	Amend Sooner Scale, Inc.	CLC; 6,750 lb	Livestock Scale	PLS 18 x 7	IIIL	10,000 lb	18" x 7";2 sect.	Portable Electronic
<u>Southwest Pump Company</u>									
88-085	04/29/88	Southwest Pump Company		Service Station Consoles/ECR					Digital Service Station Con.
				ECS Series					
				ECS-1-800, -1A-800, -1-1200, -1A-1200, -1-1600, -1A-1600, -1-2000, -1A-2000, -1-2400, -1A-2400					
88-086	05/04/88	Southwest Pump Company		Retail Motor Fuel Dispenser	2XX0-X-X-X series				Superseded by 88-086A
88-086A	02/10/89	Southwest Pump Company		Retail Motor Fuel Dispenser	2XX0-X-X-X Series		999.999 gal		Digital Electronic
				2020-X-X-X, 2040-X-X-X					
89-125PN	01/30/90	Southwest Pump Company		Retail Motor Fuel Dispenser	640 Series				
				640-S, 640-T-S, 640-MT-S					
89-161PN	01/30/90	Southwest Pump Company		Retail Motor Fuel Dispenser	660 Series				
				660, 660-S, 661, 661-S, 661-REM, 661-T-REM, 662, 662-S, 662-REM, 662-S-REM					
90-013	02/14/90	Southwest Pump Company		Service Station Consoles/ECR	M268 REG., M268 BASE				
<u>Southwestern Scale Co., Inc.</u>									
88-265P	10/28/88	Southwestern Scale Co., Inc.		Vehicle Scale	LPC and LPS Series	III L	30 tons	70' x 10'	Digital Electronic
				The model designation consists of the platform length and the scale capacity in tons followed by the series designation. Example: 3530-LPS where the scale is 35 feet long with a 30 ton capacity. Optional capacities: 60,000 lb, 100,000 lb, and 150,000 lb. Optional platform sizes: 35' x 10', 60' x 10', and 80' x 10'					
88-273	08/21/90	Southwestern Scale Co., Inc.		Vehicle Scale	6070-PV	III L	120k x 20 lb	70" x 10"	Portable Mechanical
				concentrated load capacity: 45,000 lb					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-273P	03/01/89	Southwestern Scale Co., Inc.		Vehicle Scale	6070-PV	III L		120,000x 20 lb	70 x 10'	Portable Electromechanical
<u>SP Systems, Incorporated</u>										
88-290	05/01/89	SP Systems, Incorporated		Vehicle Scale	SP 1000 Series SP 1011, -1012, -1013, -1014, -1015, -1016, -1017, -1003, -1004, -1005, -1006, -1007, -1008	III L	10000	200,000 lb		
<u>Spectra Physics</u>										
89-138	01/10/90	Spectra Physics		POS Scale	760SLS	III	3000	30 x 0.01 lb	17" x 11"	
89-147	01/10/90	Spectra Physics		POS Scale	760SLS-RD	III				
<u>Sterling Scale Company, Inc.</u>										
86-027	11/12/86	Sterling Scale Company, Inc.		Indicating Elements	6000 Plus	III L	10000			Digital indicating element
88-260	02/10/89	Sterling Scale Company, Inc.		Indicating Elements	DW650	III/III L	5K, 10K			Digital Indicator
90-038	04/25/90	Sterling Scale Company, Inc.		Indicating Elements	DW750	III, III L	10,000			
<u>Stores Automated Systems, Inc.</u>										
90-009	11/08/90	Stores Automated Systems, Inc.		Cash Register	SuperStar					ECR interfaced with scales
The SASI SuperStar cash register consists of: Model PR 1028 printer, Model KB 1028 keyboard, Model MN 1028 display.										
90-009	07/02/90	Stores Automated Systems, Inc.		Cash Register	SuperStar					CPU
90-009, Amended	11/06/90	Stores Automated Systems, Inc.		Cash Register	SuperStar					ECR interfaced with scales
Certificate supersedes 90-009.										

LISTING BY COMPANY

CC. No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Stress-Tek, Incorporated</u>										
88-264	01/26/89	Stress-Tek, Incorporated		Hanging Scale	ST-300	III	1,500	300 lb		Digital Electronic
<u>Sun Electric Corporation</u>										
89-159	05/04/90	Sun Electric Corporation		Cash Register	SM-960					Digital Electronic
89-159	Amended 06/04/90	Sun Electric Corporation		Cash Register	SM-960					Digital Electronic
89-160	12/20/89	Sun Electric Corporation		Service Station Consoles/ECR	SR, SP, SS					Digital Electronic
					SR-896-1, SP-894, SS-895-1, SS-895, SS-890, SS-960					
89-160	05/04/90	Sun Electric Corporation		Service Station Consoles/ECR	SR-896-1					Digital Electronic
89-160	Amended 05/04/90	Sun Electric Corporation		Service Station Consoles/ECR	see below					Digital Electronic
					System consists of these models: SR-896-1 Island Card Reader (ICR), SP-894 Island Receipt Printer (IRP), SS-895-1 Dual Stand (Island Pedestal), SS-895 Single Stand (Island Pedestal), SM-890 Electronic Cash Register & SM-960, Electric Cash Register (ECR)					
<u>Sun Scale Inc.</u>										
90-171P	01/04/91	Sun Scale Inc.		Load Cell	SHS Series	III	5000	1000 to 10,000 lb		Single-Ended Bending Beam
<u>Superior Load Cell</u>										
88-018P	03/14/88	Superior Load Cell		Load Cell	AW900	III L	5000 M	20K to 100K lb		Superseded by 88-018PA
88-018P2	09/26/88	Superior Load Cell		Load Cell	AW900	III L	5,000 M	20 k to 100 k lb		Superseded by 88-018PA
					AW 900 and DSB-20 Series					
88-018PA	04/07/88	Superior Load Cell		Load Cell	AW900	III L	10,000 M	20k- 100k lb		Superseded by 89-006P
					The two model series are DSB-20 and AW900. The model designation will have a suffix reflecting the capacity of the load cell.					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-034P	04/07/88	Superior Load Cell		Load Cell	LSB- and AW600-XXK Capacity (lb): 2,500, 5,000, 10,000, 15,000, 20,000	III L	5000 M	2500 to 20000 lb		Superseded by 88-034PA2
88-034PA2	02/23/90	Superior Load Cell		Load Cell	LSB & AW600 Series	III L	10,000 M	2.5 k -20 k lb		WITHDRAWN
88-068P	05/26/88	Superior Load Cell		Load Cell	AW200 & SSB AW200, AW200A, SSB-1k, SSB-2.5k, SSB-5k	III L	10,000 M	1k - 5k lb		Superseded by 88-068PA2
88-068PA2	08/02/89	Superior Load Cell		Load Cell	AW200 & SSB AW200-1K, AW200-2.5K, AW200-5K, AW200A-1K, AW200A-2.5K, AW200A-4K, AW200A-5K, AW201A-1K, AW201A-2K, AW201A-2.5K, AW201A-4K, AW201A-5K, AW202-1K, AW202-2.5K, AW202-4K, AW202-5K	III L	10,000 M	1k - 5k lb		Single Ended Shear Beam
88-295P	01/25/89	Superior Load Cell		Load Cell	AW 1700 Capacities (lb): 150, 200, 300, 500, 750, 1000, 1200	III	5,000 S	150 to 1,200 lb		Shear Beam
88-313P	05/25/89	Superior Load Cell		Load Cell	AW400 AW400-15K, -20K, -30K, -40K, -50K, -60K, -75K, -100K, -125K	III L	10000 M	15K to 125K lb		WITHDRAWN
89-006P	02/23/90	Superior Load Cell		Load Cell	AW900	III L	10,000 M	20k to 100k lbs		WITHDRAWN
89-052P	08/17/89	Superior Load Cell		Load Cell	AW300 AW300-250, -500, -750, -1K, -1.5K	III	3000 S	250 to 1500 lb		
89-142P	04/25/90	Superior Load Cell		Load Cell	AW200 FAMILY AW-200-1K, -200A-1K, -201A-1K, -202-1K, -203-1K, -200-2K, -201A-2K, -202-2K, -203-2K, -200A-2.5K, -201A-2.5K, -202-2.5K, -203-2.5K, -200A-4K, -201A-4K, -202-4K, -203-4K, -200A-5K, -201A-5K, -202-5K, -203-5K	III	4,000 M	1,000 - 5,000 lb		SHEAR BEAM
89-142P.A1	03/07/91	Superior Load Cell		Load Cell	AW-200 AW-200-1K, AW-200A-1K, AW-201A-1K, AW-202-1K, AW-203-1K, AW-200-2K, AW-201A-2K, AW-202-2K, AW-203-2K, AW-200A-2.5K, AW-201A-2.5K, AW-202-2.5K, AW-203-2.5K, AW-200-4K, AW-201A-4K, AW-202-4K, AW-203-4K, AW-200A-5K, AW-201A-5K, AW-202-5K, AW-203-5K	III	MC: 4,000	1,000 to 5,000 lb		Shear Beam
90-052	03/27/90	Superior Load Cell		Load Cell	AW600B Series AW600B-2.5K, -5K, -10K, -15K, -20K. Capacities (lb): 2,500, 5,000, 10,000, 15,000, 20,000	III	5,000 M	2,500 - 20,000 lb		Shear Beam, Tension

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-052.A1	03/07/91	Superior Load Cell		Load Cell	AW600B Series	III	2500 to 20k lb		Shear Beam, Tension
							MC: 5,000		The model designation for the series is AW600B-XXK where XXK is the load cell capacity in thousands (K) pounds. Models: AW600B-2.5K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.
90-090	06/12/90	Superior Load Cell		Load Cell	AW900B	III L	20k to 100k		Double-Ended Shear Beam
							10,000		AW900B-20K, AW900B-25K, AW-900B-30K, AW900B-40K, AW900B-50K, AW901B-50K, AW901B-65K, AW900B-60KL, AW901B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.
<u>Syracuse Scale Co., Inc.</u>									
90-101	09/17/90	Syracuse Scale Co, Inc.		Vehicle Scale	ALVS-6080	III L	160k x 20 lb	60" x 10" 3 sect.	Load Cell Electronic
			CLC: 80,000 lb						
90-139	09/26/90	Syracuse Scale Co, Inc.		Load Cell	ALC850	III L	20k to 100k		Double-Ended Shear Beam
							MC 10,000		These load cells are marketed under the brand name "Atlas." The specific models covered by this certificate are: ALC850-20K, ALC850-25K, ALC850-30K, ALC850-40K, ALC850-50K, ALC901B-50K, ALC850-60K, ALC901B-50K, ALC850-60KL, ALC901B-65K, ALC850-75L, ALC850-75KL & ALC850-100K.
<u>Systems Associates, Incorporated</u>									
88-084	06/08/88	Systems Associates, Incorporated		Railroad Track Scale	NP Series	III L	200,000 x 100 lb		Digital Railroad Scale
			NP1260, -2000, -2600				4,000		
88-301	01/25/89	Systems Associates, Incorporated		Indicating Elements	525	III/III L	10,000		Digital Electronic
<u>Tanita Corporation</u>									
91-023	03/07/91	Tanita Corporation		Bench and Counter Scale	BWB-620A	III	400 x 0.1 lbs	12.625" x 13.50"	Digital Electronic
<u>TEC America, Inc.</u>									
87-030	07/14/87	TEC America, Inc.		Cash Register	MA-1190	N/A			Electronic Cash Register
87-043	09/14/87	TEC America, Inc.		Computing Scale	SL-39-30L-N	III	30 x 0.01 lb		Digital Computing Scale
			SL-39-15L-N				3,000		

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-044	09/14/87	TEC America, Inc.		Computing Scale	SL-37-15L-N	III	1,500	15 x 0.01 lb		Digital Computing Scale
87-045	09/14/87	TEC America, Inc.		Cash Register	MA-290					Electronic Cash Register
87-046	09/14/87	TEC America, Inc.		Computing Scale	SL 59-30L	III	3000	30 x 0.01 lb	240 mm x 350 mm	
87-047	09/14/87	TEC America, Inc.		Prepackaging Scale	SL 31-50R	III	5,000	50 x 0.01 lb	27x40 cm	Digital Prepackaging Scale
87-048	09/14/87	TEC America, Inc.		Computing Scale	SL 43-100	III	4,999	99.98x0.02lb	15-5/8" x 12"	Digital Weighing Element
87-049	09/14/87	TEC America, Inc.		Computing Scale	SL-66-30-L	III	3,000	30 x 0.01 lb	9.5" x 13.75"	Digital Computing Scale
87-049	Amended 11/05/90	TEC America, Inc.		Computing Scale	SL-60-30-L	III	3,000	30 x 0.01 lbs	9.5" x 13.75"	Digital Electronic
87-122	02/17/88	TEC America, Inc.		Computing Scale	SL-57-30L-n	III	3,000	30 x 0.01 lb	240 mm x 350 mm	Digital Computing Scale
88-269	03/01/89	TEC America, Inc.		Cash Register	MA 1900					Digital Electronic
88-270	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-39-50-N	III	5,000	50 x .01 lb.	350 mm x 240 mm	Digital electronic
88-271	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-37-08L	III	1,500	7.5 x .005 lb.	300 mm x 230 mm	Digital Electronic
89-021	05/01/89	TEC America, Inc.	SL-47-30-L-N	POS Scale	SL-47-50-L-N	III	5,000	50 x 0.01 lb.	13-1/2" x 12"	Digital Electronic
89-099	08/21/89	TEC America, Inc.		Cash Register	FDS-50					
90-062	04/18/90	TEC America, Inc.		Computing Scale	SL 5900-3(x)-C(X)-US	III	3,000	30 x 0.01 lbs	240 mm x 350 mm	Digital Electronic
90-062.A1	04/18/91	TEC America, Inc.		Computing Scale	SL 5900-3(X)-C(Y)-US	III	3,000	30 x 0.01 lb	240mm x 350 mm	Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-025		TEC America, Inc.		Cash Register	MA-1600				
Tedea Inc.									
89-053	09/24/90	Tedea Inc.		Load Cell	3410	III	1000 lb - 10k lb		Shear Beam
The load cells in this family are identified by the capacities of the cells. Single cell, Class III: 3,000 - Multiple cells, Class III: 5,000.									
89-053.A1	03/07/91	Tedea Inc.		Load Cell	3140	III	1,000 to 10k lb		Shear Beam
n-max: single cell, class III: 3,000; multiple cells, class III: 5,000.									
89-053P	05/25/89	Tedea Inc.		Load Cell	3410	III & III L	1000 - 4000 lbs		3k S III, 5k M III, 10k S&M III L
Capacities (lb): 1,000, 1,500, 2,500, 4,000									
89-053P.A2	09/24/90	Tedea Inc.		Load Cell	3140	III L	1000 lb - 10k lb		Shear Beam
The load cells in this family are identified by the capacities of the cells. Multiple Cells, Class III L: 10,000.									
89-053PA1	05/15/90	Tedea Inc.		Load Cell	3410	III & III L	1,000 - 10,000 lb		Shear Beam
Single Cell, Class III: 3,000 - Multiple Cells, Class III: 5,000 - Class III L: 10,000.									
89-054	09/24/90	Tedea Inc.		Load Cell	1250	III	100 kg - 1,000 kg		Single Point
The load cells in this family are identified by the capacities of the cells.									
89-054P	05/25/89	Tedea Inc.		Load Cell	1250	III L	50 kg - 1,000 kg		Single Point
Capacities (kg): 100, 150, 200, 250, 300, 500, 635, 1,001									
89-074	09/24/90	Tedea Inc.		Load Cell	1010	III	5 to 50 kg		Three Beam, Single Point
The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.									
89-074P	07/05/89	Tedea Inc.		Load Cell	1010	III	5 to 50 kg		Three Beam, Single Point
Capacities (kg): 5, 7, 10, 11.36, 15, 20, 30, 50									
89-075	09/24/90	Tedea Inc.		Load Cell	1040	III	5 to 100 kg		Three Beam, Single Point
The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.									

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description	
89-075P	07/05/89	Tedea Inc.	Capacities (kg): 5, 7, 10, 15, 20, 30, 50, 75, 100	Load Cell	1040	III	5 to 100 kg		Three Beam, Single Point	
<u>Tektra International</u>										
89-035	05/02/89	Tektra International		Computing Scale	AS-3001P	III	30 x .01 lb	11-1/4" x 13-1/4"	Digital Electronic	
<u>Tele-Weight, Inc.</u>										
88-172	08/30/88	Tele-Weight, Inc.		Indicating Elements	F-4V	III/III L	10,000		Livestock Scale Indicator	
88-172 A1	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	II/III L	10,000		Livestock Scale Indicator	
<u>The A. H. Emery Company</u>										
88-143PN	06/17/88	The A. H. Emery Company	22-2020, -2520, -2525, -3025, -3030, -4030, -4035, -5035	Vehicle Scale	Econoweigh 22 Series	III L	20 - 50 tons	20' - 35' x 10'	Mechanical Vehicle Scale	
88-144PN	07/17/88	The A. H. Emery Company	24-5050, -5060, -6050, -6060, -6070, -8060, -8070	Vehicle Scale	Econoweigh 24 Series	III L	50-80 ton	50' - 70' x 10'	Mechanical Vehicle Scale	
88-145PN	07/17/88	The A. H. Emery Company	34-4040, -5040, -5050, -5060, -6050, -6060, -6070, -8060, -8070, -10060, -10070	Vehicle Scale	Portaweigh 34 Series	III L	40-100 ton	40' - 70' x 10'	Portable Mech. Vehicle Scale	
88-146PN	07/17/88	The A. H. Emery Company	12-208, -2010, -308, -3010, -3012, -2524, -2534, -3024, -3034, -5034	Vehicle Scale	Roadweigh 12 Series	III L	20 - 50 tons	8' - 34' x 10'	Mechanical Vehicle Scale	
88-147PN	07/17/88	The A. H. Emery Company	14-5045, -5050, -5060, -5070, -6050, -6060, -6070, -8060, -8070, -10060, -10070	Vehicle Scale	Roadweigh 14 Series	III L	50-100 ton	45' - 70' x 10'	Mechanical Vehicle Scale	
88-148PN	07/17/88	The A. H. Emery Company	32-208, -2010, -308, -3010, -3012, -2520, -3020, -3025, -3030, -4025, -4030, -4035, -6035	Vehicle Scale	Portaweigh 32 Series	III L	20-60 tons	8' - 35' x 10'	Portable Mechanical V.S.	
88-239P	01/25/89	The A. H. Emery Company		Load Cell	136	III L	75,000		Hydraulic	

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>The Scale Store</u>									
91-037	04/01/91	The Scale Store		Indicating Elements	MXP-9900	III-III L	10,000		Digital Electronic
<u>Thurman Scale Company</u>									
87-080P	11/30/87	Thurman Scale Company	8510, 8520, 8530, 8540	Vehicle Scale	8530	III L	120k x 20 lb	70' x 10'	Load Cell Electronic
88-036	04/08/88	Thurman Scale Company		Vehicle Scale	8130 SAM	III L	200k x 20 lb	70' x 10'	Mechanical Pipe Lever
88-037	03/01/89	Thurman Scale Company		Vehicle Scale	8120	III L	200k x 20 lb	60' x 10'	Mechanical Pipe-Lever System
88-140PN	07/25/88	Thurman Scale Company		Indicating Elements	320 and 325	III			Dial Indicator
88-141PN	07/25/88	Thurman Scale Company		Hopper Scale	TTS Series	III			Mecahnical Lever System
88-142PN	07/25/88	Thurman Scale Company		Hopper Scale	TBS Series	III			Hopper and Tank Scales
88-258P	02/10/89	Thurman Scale Company		Floor Scales	3500	III	5,000 lb	3' x 3' - 5' x 7'	Electronic Load Cell
89-016P		Thurman Scale Company		Vehicle Scale	8560	III L	200,000 x 20 lb	70'x10' (4)sectio	
89-089		Thurman Scale Company		Floor Scales	3500	III	1000 lb	3' x 3'	Load Cell Electronic
90-109P		Thurman Scale Company		Vehicle Scale	8550				Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-007	02/12/91	Thurman Scale Company		Indicating Elements	430	III/IIIL	10,000		Digital Electronic
91-008	01/12/91	Thurman Scale Company		Indicating Elements	455	III/IIIL	10,000		Digital Electronic
91-009	02/12/91	Thurman Scale Company		Indicating Elements	465		10,000		Digital Electronic
91-010	02/12/91	Thurman Scale Company		Indicating Elements	620				Digital Electronic
91-017	02/12/91	Thurman Scale Company		Indicating Elements	405	III	5,000		Digital Electronic
91-027	03/07/91	Thurman Scale Company		Printer	600				Dot Matrix
91-028PN		Thurman Scale Company		Floor Scales	M/N 3100 Series				
<u>Tokheim Corporation</u>									
86-032	10/12/89	Tokheim Corporation		Service Station Consoles/ECR	184, MEMS IV				Superseded by 86-032A1
				Option: Model 190 printer					
86-032A1	10/24/89	Tokheim Corporation		Service Station Consoles/ECR	184 Series (MEMS IV)		999.99 vol units		Digital Electronic
				184-X = - Standard Cash Console: 184M-X = - Master Console (when a satellite is used): 184S-X = Satellite Console (when a master is used) where X is the number of fueling sites					
87-018A	01/11/89	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series		999.999 gal		Digital Electronic
87-079	11/05/87	Tokheim Corporation	191	Service Station Consoles/ECR	185 Series (MEMS V)				supersedes by 87-079A1
87-079A1	10/24/89	Tokheim Corporation		Service Station Consoles/ECR	185 Series (MEMS V)				Digital Electronic
				185-X, 185M-X, 185S-X					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-277	01/11/89	Tokheim Corporation	382, 385, 387	Service Station Consoles	ECR ROC Series				superseded by 88-277A1
88-277A1	02/09/90	Tokheim Corporation	390, 385, 387, 389	Service Station Consoles	ECR ROC Series				
89-017	04/04/89	Tokheim Corporation		Retail Motor Fuel Dispenser	785-HV (high volume)	60 gpm	mx. 60; mn. 12 gpm		Diesel Dispenser
89-033	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2020				Digital Electronic
89-034	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2010				Digital Electronic
89-115	04/25/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262 Series Unistar				Superseded by 89-115A1
89-115A1	04/18/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-X, 262A-X				Digital Electronic
90-014		Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series				
90-020	02/09/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-HV (High Volume)		60 gpm		Electronic Computing
90-144	11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	200 & 330 Series	999.999gal	\$999.99 Money	9999.9 liters	Digital Comp. RMFD
					Models: 220B, 222B, 330B, 33B. Suffixes: E-External fixed hose connection. V-External two hose connection for vapor recovery. VC-Coaxial hose fitting for vapor recovery. L-Lighted valance. U-Unlighted valance. SA-Stand Alone. K-Customer select cash credit. P-Customer select preset.				
90-145PN	11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	1100 & 1200 Series	\$3,999 up	\$99.99 Max\$	999.9 gal	Mech. Comp. RMFD
					Models: 1148T, 1150T, 1248, 1250. Suffixes: T, GP, SP, 1, 2, RCFC, AFC-1, PEH, SCS, HS, TPZ, PR, A, S, G, M, GM, VR, KC-4, KC-8, KC-16, WNC, TW, APC, APC-1, RHO, ESI, IBM, PR-SS, OC,				
90-151	04/18/91	Tokheim Corporation		Wholesale Meter	682-15-AF-L-X				Positive Displacement Meter
					Other name: Vehicle or Stationary-Mount. Other Model: 682-15-SS-L-X.				

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Toledo Scale Corporation</u>										
86-001	01/31/86	Toledo Scale Corporation		Floor Scales	4181-1001			1000 x 0.5 lb		
87-016	05/12/87	Toledo Scale Corporation		Indicating Elements	8146	III/III L	10,000			Digital Indicating Element
87-017	05/12/87	Toledo Scale Corporation		Computing Scale	8425	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-068	08/17/89	Toledo Scale Corporation		Computing Scale	8422	III	5000	50 x 0.01 lb	9.5" x 14.5"	
87-069	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	50 x 0.01 lb	12.5" x 14"	Digital Electronic
87-084	10/02/89	Toledo Scale Corporation		Load Cell	725	III	6,000 M	500 - 2k lb		Bending Beam Load Cell
87-084P	07/17/88	Toledo Scale Corporation		Load Cell	725 family	III	6000 M	500 to 2000 lb		Superseded by 87-084
87-098	10/02/89	Toledo Scale Corporation		Load Cell	742	III	6,000 M	1k - 20k lb		
87-098P	07/17/88	Toledo Scale Corporation		Load Cell	742	III	6000 M	1000 to 20000 lb		superseded by 87-098
87-100	08/17/89	Toledo Scale Corporation		Computing Scale	8421	III	5000	50 x 0.01 lb	10.75" x 14.6"	
87-101	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	8423	III	5000	50 x 0.01 lb		Bench Scale
87-102	04/12/88	Toledo Scale Corporation		Computing Scale	8430	III	600	6 x 0.01 lb	9" x 7"	Digital Computing Scale
87-103	03/25/88	Toledo Scale Corporation		Computing Scale	8431	III	3,000	30 x 0.01 lb	9.25" x 14.25"	Digital Computing Scale

Specific load cells are identified by the load cell capacities. Capacities (lb): 500, 1000, 2000

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-103A	06/14/90	Toledo Scale Corporation		Computing Scale	8431	III	3000	30 x 0.01 lb	9.24" x 14.25"	Digital Electronic
87-104	08/21/90	Toledo Scale Corporation		Indicating Elements	8140	III/III L	10,000			Digital Indicating Element
87-105	07/25/88	Toledo Scale Corporation		Indicating Elements	M8141	III/III L	10,000			Digital Electronic
87-106	04/07/88	Toledo Scale Corporation		Indicating Elements	8142	III/III L	10,000			Digital Indicating Element
87-107	10/02/89	Toledo Scale Corporation		Indicating Elements	M 5000	III	10000	2000 x 0.02 lb		Digital Indicating
87-108	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	2095	III	10000	400 x 0.5 lb	20" x 20"	
87-109	06/16/89	Toledo Scale Corporation		Floor Scales	2185	III	8,000	1,600 X 0.2 lb	24 X 30 in	Load Cell Weighing Element
87-110	08/17/89	Toledo Scale Corporation		Floor Scales	2136	III	2000	1000 x 0.5 lb	19" x 28"	
87-111	08/17/89	Toledo Scale Corporation		Floor Scales	2036	III	2500	250 x 0.1 lb	19" x 20"	
87-112	08/17/89	Toledo Scale Corporation		Floor Scales	4182	III	2000	1000 x 0.5 lb		
87-116P	08/17/89	Toledo Scale Corporation		Vehicle Scale	7551	III/III L	6000	120000 x 20 lb	70"x10' 2 section	
87-124	08/17/89	Toledo Scale Corporation		Service Station Consoles/ECR	262	III				
88-008	10/02/89	Toledo Scale Corporation		Load Cell	743	III/III L	5K, 10K M	1k to 45k lb		
Specific load cells are identified by the load cell capacity. Capacities: 1k, 3k, 5k, 10k, 20k, 45k										
88-008P	07/17/88	Toledo Scale Corporation		Load Cell	743	III/III L	5k, 10k M	1k to 45k lb		superseded by 88-008
88-009P	11/14/88	Toledo Scale Corporation		Load Cell	752	III L	6000 M	50k to 100k lb		superseded by 88-009PA1

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-009PA1	10/02/89	Toledo Scale Corporation	Capacities (lb): 50k, 100k	Load Cell	752	III L	10,000 M	50k-100k lb		
88-045P	06/02/88	Toledo Scale Corporation	Range of capacities from 60,000 to 200,000 lb.	Vehicle Scale	Truckmate MV 1051	III L	10,000	200,000 x 20 lb	100' x 10'	Electronic Weighing Element
88-047P	07/17/88	Toledo Scale Corporation	Other platform sizes: 12' x 10' to 70' x 10' to 55 tons	Vehicle Scale	7530	III L	10,000	200 k x 20 lb	70' x 10'	Electronic Weighing Element
88-048P	07/17/88	Toledo Scale Corporation	Range of capacities from 60,000 to 162,000 lb. capacity: 35 tons, 45 tons	Vehicle Scale	7540	III L	6,000	120,000 x 20 lb	70' x 10'	Electronic V.S. Weigh Element
88-049P	07/17/88	Toledo Scale Corporation	Optional capacity: 10,000 lb.	Floor Scales	2255	III	5,000	20,000 lb	5' x 7'	Electronic Floor Scale
88-050P	07/17/88	Toledo Scale Corporation		Floor Scales	2295	III	5,000	20,000 lb	5' x 6'	Electronic Floor Scale
88-091	11/02/90	Toledo Scale Corporation		Load Cell	760	III L	10,000	22.5 to 45,000 kg		Column Compression
88-091P	06/02/88	Toledo Scale Corporation	Capacities (kg): 22,500, 45,000	Load Cell	760	III L	10,000 M	22.5 and 45 kg		Column Compression Load Cell
88-173	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	100 x 0.02 lb	12.5" X 14"	Digital Electronic
88-191	10/28/88	Toledo Scale Corporation		Printer	350					Electronic Programmable Label
88-192	09/22/88	Toledo Scale Corporation		Printer	8804					Dot Matrix
88-193	10/28/88	Toledo Scale Corporation		Printer	8840-1					Dot Matrix
88-194	09/22/88	Toledo Scale Corporation		Printer	8860					Thermal Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-195	10/28/88	Toledo Scale Corporation		Printer	314T					Electronic Label Printer
88-196	09/22/88	Toledo Scale Corporation		Printer	8855					Dot Matrix Tape
88-197	09/22/88	Toledo Scale Corporation		Printer	MP 750					Electronic Dot Matrix Ticket
88-243P	01/25/89	Toledo Scale Corporation		Vehicle Scale	7560	III L	10,000	60, 100 Tons		Load Cell Electronic
<p>The model designation is identified by 7560 XX YYYY where the XX represents "CD" for concrete deck or "SD" for steel deck and the YYYY represents the platform length and width. Range of platform lengths 35' to 115'.</p>										
88-259	01/25/89	Toledo Scale Corporation		Indicating Elements	8530	III/III L	10K			Electronic
88-302	01/25/89	Toledo Scale Corporation		Printer	8842					Dot Matrix
89-001	03/27/90	Toledo Scale Corporation		Bulkweighing System	9150	III	10,000			Digital Electronic
89-008	07/05/89	Toledo Scale Corporation		Printer	963					9-Wire Dot Matrix Document
89-029	05/25/89	Toledo Scale Corporation		Prepackaging Scale	8305	III	5,000	50 X 0.01 lb		Weighing Element
89-046	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	6113	II	15000	75 x 0.005 lb	13.75" x 12.25"	
89-076P	08/17/89	Toledo Scale Corporation		Floor Scales	MG4425	III	5000	2500 x 0.5 lb	48" x 48"	
89-078	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	1985	III	6,000	60 X 0.01 lb	14 X 14 in	Electronic Weighing Element
<p>Optional capacities: 30 x 0.0005 lb, 60 x 0.01 lb, 120 x 0.02 lb</p>										
89-079	08/17/89	Toledo Scale Corporation		Printer	315					
89-080	08/17/89	Toledo Scale Corporation		Printer	8806					

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-081	10/12/89	Toledo Scale Corporation		POS Scale	310-DATACHECKER	III	2999	29.99 X 0.01 lb	11" X 15"	Digital Electronic
89-082	01/06/90	Toledo Scale Corporation		Indicating Elements	8520	III	10,000	100 X 0.01 lb		Digital Indicator
89-083	01/06/90	Toledo Scale Corporation		Indicating Elements	8520A	II/III/3L	60,000	30 X 0.0005 kg		Digital Electronic
89-094		Toledo Scale Corporation		Floor Scales	6213	II/III	15,000	150 x .01 kg	23 3/4" x 17 1/2"	Load Cell Electronic
89-095	04/25/90	Toledo Scale Corporation	Capacities (lb): 300 and 600	Floor Scales	6313	II/III	15,000	300 x .02 kg	31-1 1/2" x 23-1 1/2"	Load Cell Electronic
89-103		Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		48"x48" - 60"x84"	Load Cell Electronic
89-104A1	11/02/90	Toledo Scale Corporation		Floor Scales	2155	III	6,000	1000 to 5000 lb	3' x 3' to 5' x 5'	Electronic
89-104P	04/25/90	Toledo Scale Corporation	2155 0131, -0132, -0141, -0142, -0145, -0152, -0155	Floor Scales	2155 Series	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
89-137	01/10/90	Toledo Scale Corporation		POS Scale	8215	III	3000	30 x 0.01 lb	17" x 11"	
89-145	03/27/90	Toledo Scale Corporation		Indicating Elements	8510	III/III L	10,000			Digital Electronic
89-145A1 Amend	03/07/91	Toledo Scale Corporation	n-max: 10,000(III/III L); 100,000 (II).	Indicating Elements	8510	see below	see below			Digital Electronic
89-146	01/10/90	Toledo Scale Corporation		Indicating Elements	263	III				
90-001P	02/16/90	Toledo Scale Corporation	One 12'6" weighing element, Two independent 12'6" weighing elements, One 37'6" weighing element	Railroad Track Scale	7260	III L	6,800	340,000 x 50 lb	25'x4'11" each(2)	
90-002P	01/06/90	Toledo Scale Corporation		Floor Scales	2885	III	2,000	1000 X 0.5 lb	3' X 2.5'	Weighing Element

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-010	04/25/90	Toledo Scale Corporation	1938, 2038, 2138	Weight Classifier	XX38 Series	III	5,000	25 - 1,000 lb		Load Cell Electronic
90-037	04/25/90	Toledo Scale Corporation		Computing Scale	8427	III	3,000	30 x 0.01 lb	15-1/2" x 9-3/4"	Digital Electronic
90-046	06/14/90	Toledo Scale Corporation	CLC=60,000lb	Vehicle Scale	7541	III L	10,000	200,000 lb	40x10" to 100x10"	Load Cell Electronic
90-047	08/21/90	Toledo Scale Corporation		Bench and Counter Scale	2097	III	5000	25 to 1000 lb		Load Cell Electronic
90-073	08/21/90	Toledo Scale Corporation		Printer	307					Thermal Electronic
90-076	08/22/90	Toledo Scale Corporation		Printer	325					Thermal Electronic
90-085	08/21/90	Toledo Scale Corporation	Models: 1196; 2096; 2196	Bench and Counter Scale	XX96 Series	III	5000	25-1000lb		Load Cell Electronic
90-147		Toledo Scale Corporation		Floor Scales	2157	III				Digital Electronic
<u>Totalcomp, Inc.</u>										
89-130		Totalcomp, Inc.		Load Cell	Nikkei NS	III	4,500 S	25 to 10,000 lb		Type "S" Load Cell
								Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000		
89-130PA1	02/12/90	Totalcomp, Inc.		Load Cell	Nikkei NS	III/III L	5K, 10K S	25 to 20,000 lb		Type "S" load cell
								Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000		
89-131		Totalcomp, Inc.		Load Cell	Nikkei NSB and NSBT	III/III L	5,000 M	1,000 - 10,000 lb		Shear Beam
								Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000		
89-132		Totalcomp, Inc.		Load Cell	Nikkei NDE	III/III L	5,000 M	5,000 - 50,000 lb		Double Ended Shear Beam
								Capacities (lb): 5,000, 10,000, 20,000, 50,000		

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
--------	------	--------------	--------------	-------------	-------	----------------	----------	---------------	--------------------

Transducers, (See Revere Transducers, Inc.)

See Ref. Transducers, (See Revere Transducers, Inc.) NO DEVICE TYPE

Tri-Coastal Industries

90-131	09/24/90	Tri-Coastal Industries		Hanging Scale	OKD-6	III	2,500	see below	Digital Electronic
--------	----------	------------------------	--	---------------	-------	-----	-------	-----------	--------------------

Capacities: 1,2500 x .5 lb, 2,500 x 1 lb, 5,000 x 2 lbs.

Triangle Microsystems, Inc.

90-163	03/07/91	Triangle Microsystems, Inc.		Service Station Consoles	ECR MPC-8 & MPC-16			see below	Digital Electronic
--------	----------	-----------------------------	--	--------------------------	--------------------	--	--	-----------	--------------------

Capacities: \$9,999.99 (total money), 999.999 (total gallons).

Triner Scale & Manufacturing

89-144	01/30/90	Triner Scale & Manufacturing		Indicating Elements	600 E	III	1,000		
--------	----------	------------------------------	--	---------------------	-------	-----	-------	--	--

Tru-Test Distributors Ltd.

90-103	09/11/90	Tru-Test Distributors Ltd.		Indicating Elements	AG 500-1	III/IIIL	3,000		Digital Electronic
--------	----------	----------------------------	--	---------------------	----------	----------	-------	--	--------------------

Tuthill Corporation

88-161	07/25/88	Tuthill Corporation		Service Station Consoles	ECR 500 Series		9999.99 gal		Service Station Controller
--------	----------	---------------------	--	--------------------------	----------------	--	-------------	--	----------------------------

520 or 527-SP, 521 or 528-SP, 540 or 547-SP, 541 or 548-SP, 580 or 587-SP, 581 or 588-SP

Tyrel Corporation

89-086	08/21/90	Tyrel Corporation		Indicating Elements	TC-10	III/IIIL	10,000		Digital Electronic
--------	----------	-------------------	--	---------------------	-------	----------	--------	--	--------------------

TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK

89-086	03/28/90	Tyrel Corporation		Indicating Elements	TC-10	III/IIIL	10,000		Digital Electronic
--------	----------	-------------------	--	---------------------	-------	----------	--------	--	--------------------

TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-086 A1	01/03/91	Tyrel Corporation	TC-10A	Indicating Elements	TC-10	III/IIIL	10,000		Digital Electronic
91-033	04/18/91	Tyrel Corporation		Printer	TCP-10				Digital Electronic
91-063		Tyrel Corporation		Indicating Elements	Uniweigh				
<u>UHL Scale Service, Inc.</u>									
89-164	04/25/90	UHL Scale Service, Inc.		Vehicle Scale	3512, 2412, 2410	III L	6,000	24'x10'-35'x12'	Load Cell Electronic
91-029		UHL Scale Service, Inc.		Vehicle Scale	70 Series				
<u>UnibrIDGE Scale Systems</u>									
87-013P	06/17/87	UnibrIDGE Scale Systems		Vehicle Scale	UBSR 1301040	III L	10,000	130' x 10' 5 sect	Electronic Load Cell
88-030P	04/07/88	UnibrIDGE Scale Systems		Vehicle Scale	UBSRH701040	III L	10,000	70' x 10'	Electronic Weighing Element
					UBXXH(R)YY40(CC) where XX may be PC, S, or C and where YY denotes length of scale and (R) and (CC) are options.				
88-242P	03/29/89	UnibrIDGE Scale Systems		Vehicle Scale	UBUSR701045	III L	8,000	70' x 10'	Pipe Lever
88-246	02/15/89	UnibrIDGE Scale Systems		Floor Scales	UNBELSR0605	III	5,000	6' x 5'4"	Electronic load cell
88-246.A1	02/12/91	UnibrIDGE Scale Systems		Floor Scales	UBE SERIES	III	5000	14' x 10"	Electronic, Load Cell
89-073P	07/05/89	UnibrIDGE Scale Systems		Load Cell	UBDL8900	III L	8,000 M	50,000-100,000lb	Double-Ended Shear Beam
					Capacities (lb): 50,000, 65,000, 100,000				

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Veeder-Root</u>									
90-143PN	10/09/90	Veeder-Root		Retail Motor Fuel Register	2003				RMFD Mechanical Computer
				Pre-NTEP CC based on OWM ROT 498 and 523 (issued to 2002E) and info from manufacturer. 2003 identical to 2002E except left money wheel goes from 0 - 14 instead of 0-9.					
<u>Vertex Industries, Inc.</u>									
86-015	06/25/86	Vertex Industries, Inc.		Grain Test Scale	DWM2-1SE	II	120 x .01 g	4.4" x 3.2" scoop	
87-019	05/21/87	Vertex Industries, Inc.		Prescription Balance	DRX-3	III	60 x 0.01g	3" dia.	Mechanical Analog Balance
<u>W. R. Grace & Co.</u>									
86-034	01/08/87	W. R. Grace & Co.		Dry Measure	536		1 dry quart		Berry Basket
87-091	03/10/88	W. R. Grace & Co.		Dry Measure	24P		1 dry pint		Polystyrene Foam Berry Basket
<u>Wayne Division</u>									
86-031	01/08/87	Wayne Division		Retail Motor Fuel Dispenser	141U-KP 141U/K, 142U/K, 143U/K, 141-1U/K, 142-1U/K, 143-1U/K		999.9 x 0.1 gal		
87-035	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/375-1L/19		999.999 gal		supersedes by 87-035A
87-035A	06/16/89	Wayne Division		Retail Motor Fuel Dispenser	DS1/585-1L/19EG Model DS1/375-1L/19G (CC No. 87-035). For use in retail service stations.		999.999 Gallons		
87-036	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/387-1L/19		999.999 gal		Digital retail dispenser
87-036A	06/16/89	Wayne Division		Retail Motor Fuel Dispenser	DS1/387-1L/19EG DS1/387/1L/19G (CC No. 87-036). For use in retail service stations.		999.999 Gallons		Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-262	01/26/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L Series		99.999 vol units		Superseded by 88-262A1
88-262.A1	Amend 04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-L SERIES		see below		Electronic Computing
88-262A1	05/01/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L-Series		999.999 vol units		Digital Electronic Multi-Pro
88-263	11/01/88	Wayne Division		Service Station Consoles/ECR	WP/CT				Superseded by 88-263A1
88-263A1	03/13/90	Wayne Division		Service Station Consoles/ECR	WP/CT				Generic Names Wayne "Plus2 & 3
89-011	10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DD1/590-23/G		999.999 total vol		
89-036	08/17/89	Wayne Division		Retail Motor Fuel Dispenser	PLX-39-IL SERIES		99.999 vol units		
89-036 amended	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L SERIES		999.999 Gallons		Electronic Computing Multi-Pro
89-076	10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DL1/395-1L/19G		999.999 Total Vol		
89-149	01/10/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/35 Series				
89-149 Amended	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX/35X Series				High Capacity Digital Comput
89-150PN	01/12/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/360,DLX/370 Sers		999.999 total vol		
90-004	02/16/90	Wayne Division	V590DX	Retail Motor Fuel Dispenser	V590D Series		999.999 TOTAL VOL		Digital Electronic Computing
90-005	02/16/90	Wayne Division	V387DX	Retail Motor Fuel Dispenser	V38XD Series		999.999 Total Gal		Digital Electronic Computing

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-005.A1	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V38XD Series	V38XD Series	999,999 Total Vol		Digital Electronic Computing
90-006	02/16/90	Wayne Division	V490DX	Retail Motor Fuel Dispenser	V490D Series		999,999 total vol		Dig. Electronic Multi-Product
90-007	02/16/90	Wayne Division	V390DX	Retail Motor Fuel Dispenser	V39XD Series		99,999 Total Vol		Dig Electronic Multi-Product
90-007.A1	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V39XXX Series		see below		Digital Electronic Multi-Pro.
90-130	11/02/90	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series		\$999.99 Total Vol		Digital Electronic Multi-Pro.
91-034	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V395D Series				Digital Electronic Computing
91-035	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V58XXX Series				Digital Electronic Computing
<p>Capacities: \$999.99 Total Price, 999,999 Total Volume & \$9,999 Total Unit Price.</p> <p>Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.</p> <p>Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.</p>									
Webster Scale, Inc.									
88-300P	01/11/90	Webster Scale, Inc.		Vehicle Scale	MT, MTD Series MT 30402-12, MT 34403-12, MT 40403-10, MTD 40403-12, MTD 60404-10, MT 60404-10, MT 70404-10, MT 70405-10, MT 80405-10, MT 80405-12, MTD 80405-10, MT 100407-10, MT 100406-12, MTD 100406-10, MT 120407-10, MT 120407-12, MT 140408-10, MT 140408-12	III L 7,500	80,000-200,000 lb	30x12' to 140x12'	
88-312	05/15/90	Webster Scale, Inc.		Livestock Scale	LR Series LR 20402-20, 22402-20, 24402-20, 26402-20, 28402-20, 30402-20, 32402-16, 34402-17, 34402-18, 34402-20, 28403-20, 30403-20, 34403-16, 34403-17, 34403-18, 34403-20, CLC=34,000 lb.	III L 10,000	50,000 lb	400 - 680 cu. ft.	Electromechanical
Weigh-Tronix, Inc.									
87-031	07/14/87	Weigh-Tronix, Inc.		Indicating Elements	5788	III/III L		10,000	Digital Indicating Element

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-038	09/01/87	Weigh-Tronix, Inc.	3401	Computing Scale	3400	III	3,000	30 x 0.01 lb	12"x12"	Digital Computing Scale
87-038A	09/22/88	Weigh-Tronix, Inc.	Model 3400-X, Model 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lb	12" x 12"	Digital Electronic
87-042	09/14/87	Weigh-Tronix, Inc.	5790R, 5790S	Indicating Elements	5790	III/III L	5,000			Digital Indicating Element
87-066	09/29/87	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K, 10K			Digital Indicating Element
87-066A	05/25/89	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K, 10K			Digital Indicating Element
87-090	08/30/88	Weigh-Tronix, Inc.	WBP-0.50K, -1.25K, -2.50K, -5.00K, -1000, -2000. Capacities: 500 - 2000 lb	Load Cell	WBP & WBR	III	5,000 M	500-5,000 lb		Shear Beam
87-090.A2	09/24/90	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL	III	5000	500 - 50,000 lb		Shear Beam
87-090.A3	03/07/91	Weigh-Tronix, Inc.	The only difference b/t the WBP, WBR, & WBL is in the end mounts. These differences are not considered to be metrologically significant. Models: WBP-.500K, WBP-1.25, WBP-2.50K, WBP-5.00K, WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K, WBR-1000, WBR-2000, WBL-500K, WBL-1.25K, WBL-2.50K & WBL-5.00K.	Load Cell	WBP, WBR, WBL	III	5,000	500 to 50,000 lb		Bending Beam
87-090A	07/25/88	Weigh-Tronix, Inc.	WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K: Capacities (lb): 10,000; 20,000; 25,000; 50,000	Load Cell	WBP	III	5000 M	10000 to 50000 lb		Bending Beam
87-090P	12/29/87	Weigh-Tronix, Inc.	WBP-0.50K, WBP-1.25K, WBP-2.50K, WBP-5.00K: Capacities (lb): 500, 1250, 2500, 5000	Load Cell	WBP	III	5000 M	500 to 5000 lb		Superseded by 87-090A
87-090PA	04/20/88	Weigh-Tronix, Inc.	WBR-1000, WBR-2000: Capacities (lb): 1000, 2000	Load Cell	WBR	III	5000 M	500 to 5000 lb		Superseded by 87-090A
87-093	12/30/87	Weigh-Tronix, Inc.	2520-1	Bench and Counter Scale	3835	III	5,000	250 x .05 lb	20" x 20"	superseded by 87-093A1

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-093A1	02/16/90	Weigh-Tronix, Inc.		Floor Scales	3835	III	5,000	250 x 0.05 lb	20" x 20"	
87-095	07/25/88	Weigh-Tronix, Inc.	WBP-, 125K, WBP-, 250K: Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		
87-095P	01/11/88	Weigh-Tronix, Inc.	WBP-XXXX where XXXX is the code for the capacity of the load cell. Capacities (lb): 125, 250	Load Cell	WBP	III	5000 M	125 and 250 lb		Superseded by 87-095
87-119	05/25/89	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		
87-119P	02/17/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-75.0 K: Capacities (lb): 37,500; 75,000	Load Cell	WBT	III L	10000 M	37500 to 75000 lb		superseded by 87-119
87-119PA	07/25/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		superseded by 87-119
87-120	07/25/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500	Load Cell	WBC	III L	6,000 S	250 to 2500 lb		
87-120P	02/17/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500: Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III L	10000 S	250 to 2500 lb		Superseded by 87-120
87-121	03/01/88	Weigh-Tronix, Inc.		POS Scale	4000-1	III	3,500	30 x 0.01 lb	12" x 14"	Superseded by 87-121A3
87-121A2	10/28/88	Weigh-Tronix, Inc.	Weight Classifier Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 19.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.05 kg: 50 x 0.02 lb or 25 x 0.01 kg. Optional model 4010-1.	Weight Classifier	4000-1	III	5,000	100 x 0.1lb	12" x 14"	superseded by 87-121A3
87-121A3	01/30/90	Weigh-Tronix, Inc.	Weight Classifier Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 99.95 lb x 0.05 lb: 100 x 0.05 lb or 50 x 0.02 kg: 50 x 0.02 lb or 25 x 0.01 kg. Models 4000-1 and 4100 are identical and models 4110 a 4010-1 are identical	Weight Classifier	4000-1, 4100	III	5,000	100 x 0.1 lb	12" x 14"	
88-020	03/01/88	Weigh-Tronix, Inc.	Indicating Elements	Indicating Elements	560	III/III L	10,000			Digital Indicating Element

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-025	03/01/88	Weigh-Tronix, Inc.		Computing Scale	1150; 1151; 3420	III				JPC Labeling System
88-026	03/01/88	Weigh-Tronix, Inc.	3401 (remote display)	Computing Scale	3420	III	3,000	30 x 0.01 lb	12" x 12"	Digital Electronic
88-039	09/26/88	Weigh-Tronix, Inc.	Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III	3,000 S	250 to 2500 lb		Bending Beam
88-039P	04/07/88	Weigh-Tronix, Inc.	Capacities (lb): 250, 500, 1000, 2500	Load Cell	WBC	III L	5,000 S	250 - 25k lb		Superseded by 88-039
88-046	08/30/88	Weigh-Tronix, Inc.	WBM-37.5K, WBM-50.0K, WBM-75.0K Capacities (lb): 37,500 - 75,000	Load Cell	WBM	III L	6,000 M	37,500 -50,000 lb		Bending Beam
88-080P	05/03/88	Weigh-Tronix, Inc.	FMTS 4010-60T, -7010-60T, -8010-60T, -4012-60T, -6012-60T, -7012-60T	Vehicle Scale	FMTS 6010-60T	III L	6,000	120,000 lb	60' x 10'	Load Cell Electronic
88-104	05/25/88	Weigh-Tronix, Inc.	BS 1414, BS 1818, BS 2424	Bench and Counter Scale	BS 2020	III	5,000	100 x .02 lb	20" x 20"	Elect. Bench Scale Weigh Ele.
88-104A1	01/25/89	Weigh-Tronix, Inc.	BS 2424	Bench and Counter Scale	BS 2020	III	5,000	See models field	See models field	Electronic Weighing Element
88-221	09/11/90	Weigh-Tronix, Inc.	Model Designation: DS XXXX-YY & DSFS-XXXX-YY where XXXX is platform size and YY is capacity in thousands of pounds. DS Series: capacity 500 to 20,000lb, platform: 24 x 24 to 144 x 108. DSFS Series: capacity 500 to 20,000lb, platform 24 x 24 to 84 x 60	Vehicle Scale	DS & DSFS	III	5,000	500 TO 20,000 lb	see below	
88-222		Weigh-Tronix, Inc.		Floor Scales	LP Series	III				Digital Electronic Low Profile
88-222PN	10/11/88	Weigh-Tronix, Inc.	LP 3636-02, -4848-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -7272-10, -7272-20, -8460-10, -8460-20, -9672-20, -9672-30, -10884-40, -10884-20, LPF 3636-02, -4848-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20. LPFS 3636-02, -4848-05, -6060-10, -6060-20, -7248-05, -7248-10, -8460-10, -8460-20	Floor Scales	LP Series	III				Digital Electronic Low Profile

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-223PN	10/11/88	Weigh-Tronix, Inc.		Monorail Scale	MRS Series	III	2,000		Digital Electronic
			MRS-24-01, -24-02, -48-01, -48-02						
88-230	09/12/88	Weigh-Tronix, Inc.		Bench and Counter Scale	DS 2424A-005	III	5,000	2' x 2'	Electronic Load Cell
			DS 3030A-01, capacity 1000 lbs						
88-232	10/28/88	Weigh-Tronix, Inc.		Floor Scales	STE and SLE	III	5000		
			-4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6072-10, -6084-10, -6084-20, -6084-30						
88-232A	04/19/89	Weigh-Tronix, Inc.		Floor Scales	STE and SLE	III	5,000	48"x48", -60"x84"	Electronic Load Cell
			-4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30						
88-235	09/12/88	Weigh-Tronix, Inc.		Indicating Elements	WI-120	III/III L	10000		
88-235A	04/04/89	Weigh-Tronix, Inc.		Indicating Elements	WI-120	III/III L	10,000		Digital Electronic
			WP-230, WP 231						
88-236	09/22/88	Weigh-Tronix, Inc.		Indicating Elements	575	III/III L	5,000		Digital Electronic
			575R, 575S						
88-252	10/28/88	Weigh-Tronix, Inc.		Bench and Counter Scale	3825	III	5,000	12" x 14"	Digital Electronic
			Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg						
88-268	10/28/88	Weigh-Tronix, Inc.		Bench and Counter Scale	3815	III	5,000	12" x 14"	Digital Electronic
			Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg						
88-291	01/25/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III	3k-5k	24x24 - 96x120 in	superseded by 88-291A1
88-291A1	10/02/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III	500 to 20,000 lb	24x24 - 96x120 in	
			The model designation consists of the series name (i.e. DFE or FLE) followed by the platform size and the scale capacity in thousands of pounds. Example: DFE-2424-5, where the platform size is 24" x 24" and the scale capacity is 500 lb. Range of capacities 500 lb to 20,000 lb						
88-299	05/25/89	Weigh-Tronix, Inc.		Load Cell	CK-100 Series	III L	250 to 2500 lb		Conversion Kit
			WBC-250, WBC-500, WBC-1000, WBC-2500. Capacities (lb): 250, 500, 1000, 2500						

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-307	01/25/89	Weigh-Tronix, Inc.	Vehicle Scale	Vehicle Scale	FMTS 7010-100T FMTS 4010-70T, -6010-100T, -8010-100T, -10010-100T, -4012-70T, -4710-70T, -6012-100T, -7012-100T, -8012-100T	III L	10,000	200,000 lb	70 x 10 ft	Load cell Electronic
88-309	01/25/89	Weigh-Tronix, Inc.	Bench and Counter Scale	Bench and Counter Scale	2200-1	III	5,000	25 x .005 lbs	12" x 13"	Digital Electronic
88-310	01/25/89	Weigh-Tronix, Inc.	Printer	Printer	WP-240					Dot matrix
89-002	02/10/89	Weigh-Tronix, Inc.	Vehicle Scale	Vehicle Scale	MTS 6010-60T MTS 3010-30T, MTS 7010-60T, MTS 7012-60T. Capacities (lb): 60,000 and 120,000	III L	6,000	120,000 x 20 lbs	60 x 10 ft	Load Cell; Electronic
89-105	10/02/89	Weigh-Tronix, Inc.	Floor Scales	Floor Scales	SC-100	III	1000	500 x 0.5 lb	27 x 28.5 in	Digital Electronic Platform SC
89-106	10/06/89	Weigh-Tronix, Inc.	Hanging Scale	Hanging Scale	HSDC 200	III	1995	195 x .1 lb		
89-123	12/20/89	Weigh-Tronix, Inc.	Computing Scale	Computing Scale	3400 3401 (remote display), 3400-X, 3400 PLU	III	3,000	30 x 0.01 lbs	12" x 14"	Digital Electronic
89-124	12/20/89	Weigh-Tronix, Inc.	Computing Scale	Computing Scale	3450	III	3,000	30 x .01 lb	12" x 14"	Digital Electronic
90-029	02/14/90	Weigh-Tronix, Inc.	Hanging Scale	Hanging Scale	PCSR 3400 3401 (remote display)	III	5000	2000 x 1 lb		Digital Electronic
90-030	02/14/90	Weigh-Tronix, Inc.	Indicating Elements	Indicating Elements	WI-171	III	5000			
90-079	03/07/91	Weigh-Tronix, Inc.	Vehicle Scale	Vehicle Scale	FTMSC-XXXX-XXXseries FTMSC-XXXX-XXXseries	III L	10,000	7k to 140k lb	10-47 x YY ft	Digital Electronic
90-082	09/11/90	Weigh-Tronix, Inc.	Vehicle Scale	Vehicle Scale	MCTM-7310-100T3 Other Capacities: The scale consists of three individual weighing devices, each with a separate indicator. The system is equipped with a fourth indicator that totalizes the weights from the three scales. CLC: 70,000 lb	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-107	08/21/90	Weigh-Tronix, Inc.		Floor Scales	SC-2227-300 SC-2227-500, SC-2229-300, SC-2229-500, SC-2730-300 & SC-2730-500.	III	3,000	300 lbs (150kg)	22" X 27"	Digital Electronic
90-108	09/24/90	Weigh-Tronix, Inc.		Vehicle Scale	FCTSXXX-YYY The specific designations covered by FCTSXXX-YYY meaning XXXX is the platform dimensions in feet range from 40 to 100 ft. and YYY represents the capacity in tons which range from 70T to 100T.		10,000	140,000-200,000lb		Low Profile - Load Cell Elect.
90-112	11/02/90	Weigh-Tronix, Inc.		Indicating Elements	3270M	III/IIIL	10,000			Digital Electronic
90-113	11/02/90	Weigh-Tronix, Inc.		Indicating Elements	WI-160	III/IIIL	10,000			Digital Electronic
90-114	11/02/90	Weigh-Tronix, Inc.		Bench and Counter Scale	3270S	III	3000	6 x 0.0002 lb	9" x 9"	Load Cell Electronic
90-132	09/24/90	Weigh-Tronix, Inc.		Bench and Counter Scale	DSLXXX-YY platform: 30 x 30 to 96 x 72.	III	5,000	2,000 - 10,000	see below	Low Profile-Load Cell Elect.
90-134	10/02/90	Weigh-Tronix, Inc.		Indicating Elements	Motion Stabilizer Description: The "Digital Motion Stabilizer" package is a digital filter software package for electronic digital indicators.	III/IIIL				Digital Filter Package
90-135	03/07/91	Weigh-Tronix, Inc.		Weight Classifier	A120-TA n-max: 320 (0-2 lb); 2240 (2-70 lb). capacities: 0-2 lb x 0.1 oz / 2-70 lb x 0.5 oz.	III	see below	see below	12" x 13"	Digital Electronic Computing
90-137	10/02/90	Weigh-Tronix, inc.		Hanging Scale	HS-100	III	1950	195 x .1 lb		Load Cell Electronic
91-024		Weigh-Tronix, inc.		Indicating Elements	WI-190M					
91-062		Weigh-Tronix, inc.		Indicating Elements	WI-114					

Weldotron Corporation

91-018	01/31/91	Weldotron Corporation		Prepackaging Scale	9000 Series Includes Models 9602, 9603, 9605, 9609, 9610, 9612. CC based on CC 88-174.A1 issued to NBI, Inc. & information provided by mfg. Corresponding models for all but 9612/9612 included based on mfg. information. CC based on CC 88-174.A1 issued to NBI, Inc. & info provided by mfg. information.	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Prepackaging Scale
--------	----------	-----------------------	--	--------------------	---	-----	-------	--------------	-------------------	--------------------

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Weldtec Scales</u>									
89-135PN		Weldtec Scales		Vehicle Scale	50-60T	III L	120,000 lb	50' x 10'	
<u>Western Scale Company Limited</u>									
87-029	07/14/87	Western Scale Company Limited		Indicating Elements	DF 2000	III/III L	5,000		Digital Indicating Element
87-117	03/10/88	Western Scale Company Limited		Indicating Elements	DF-1000	III/III L	10,000		Digital Indicating Element
<u>William M. Wilson's Sons, Inc.</u>									
86-005	05/06/86	William M. Wilson's Sons, Inc.		Service Station Consoles/ECR	2000S-CFN-SC				
86-006	05/06/86	William M. Wilson's Sons, Inc.		Indicating Elements	2001, 2002				
88-279	01/25/89	William M. Wilson's Sons, Inc.	8852, 8853	Retail Motor Fuel Dispenser	Gasboy 8800 Series		999.999 total vol		superseded by 88-279A1
88-279A1	05/25/89	William M. Wilson's Sons, Inc.	8852, 8853	Retail Motor Fuel Dispenser	GASBOY 8800		999.999		
88-281	01/25/89	William M. Wilson's Sons, Inc.	8052, 8053, 8652, 8653, 8752, 8753	Retail Motor Fuel Dispenser	Gasboy 8000 Series		999.9 total vol		superseded by 88-281A1
88-281A1	05/25/89	William M. Wilson's Sons, Inc.	8052, 8053, 8652, 8653, 8752, 8753	Retail Motor Fuel Dispenser	Gasboy 8000		999.9		
88-282	01/25/89	William M. Wilson's Sons, Inc.	53 RDX, 2150 RDX, 8553 RDX, 8553 RDX TW	Retail Motor Fuel Dispenser	Gasboy Submersible		999.9 total vol		Mechanical; Volume Only
88-283	01/25/89	William M. Wilson's Sons, Inc.	52, 5200, 53, 5300, 8552TW, 8553, 8553TW	Retail Motor Fuel Dispenser	Gasboy Self-Con Vol		999.9 total vol		Mechanical; Volume Only

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-284	01/25/89	William M. Wilson's Sons, Inc.	150, 85150, 1500 RDX (Dispenser Only)	Retail Motor Fuel Dispenser	Gasboy Sup-Sd Vol		999.9 total vol		Volume Only
88-285	01/25/89	William M. Wilson's Sons, Inc.	System Model 2000S: Card readers are CTR-4, CTR-8, CTR-12 and CTR-16 which interface with logic control unit models CTC-4, CTC-8, CTC-12, and CTC-16.	Retail Motor Fuel System	System 2000S				Magnetic or Optical Reader
89-056	05/25/89	William M. Wilson's Sons, Inc.	9152, 9153	Retail Motor Fuel Dispenser	9100		999.9		Mechanical: Volume Only
89-064	07/05/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	425		5 GAL DELIVERY		Gallon Stroke Pump
91-019	01/31/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	9100 Series				RMFD Volume Only
91-020	02/06/91	William M. Wilson's Sons, Inc.	Models: 8852-, 8853-, 8840-Suffix, See CC for suffixes. Standard, Super, & Highspeed, Model 8840 for use with diesel only.	Service Station Consoles/ECR	8800 Series		\$999.99 total \$		Elec. Comp. RMFD
91-021	02/04/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	8000 Series				Mechanical Computing RMFD
91-057		William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	2000 Series				
<u>Winslow Scale Company</u>									
88-149PN	07/17/88	Winslow Scale Company	TR 10, TRA-50	Weighbeam	TR Series	III/III L	51k & 120k lb		Type Registering Weighbeam
89-014P	04/04/89	Winslow Scale Company		Vehicle Scale	94-8070	III L	160,000 lb	70' x 10'	Digital Weighing Element
89-085P		Winslow Scale Company		Vehicle Scale	84-8070	III L			

LISTING BY COMPANY

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Wisconsin Electrical Mfg. Co., Inc</u>									
88-099	06/28/88	Wisconsin Electrical Mfg. Co., Inc	HMB-3000	Indicating Elements	HML-3000	III L	10,000		Digital Electronic

LISTING BY DEVICE TYPE

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-095	08/21/90	Berkel Incorporated	RS-300: 300 x 0.1 lb	Bench and Counter Scale	RS-150	III	3,500	150 x 0.05 lb	13.9" x 19.7"	Digital Electronic
87-028A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 X 9.91 lb	6.75 x 5.25 "	Digital Bench Scale
87-034A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 x 9.91 lb	6.75" x 5.25"	Digital Bench Scale
88-106A1	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	500 - 1000 lb; 200 - 500 kg	Bench and Counter Scale	854P	III	2,000	see below	19" x 28"	Full Mechanical
88-248	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	superseded by 88-248A1
88-248A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3999	3999 X 1 g	6.75" x 5.25"	
88-249A1	01/06/90	Cardinal/Detecto Scale Mfgr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4k	III	3999	3999 X 1g	6.75 X 5.25 "	Digital Electronic
89-030		Cardinal/Detecto Scale Mfgr. Co.		Bench and Counter Scale	102 SERIES	III	4,000	100 x 0.05 lb	14" x 14"	Load Cell Electronic
89-030A1	03/27/90	Cardinal/Detecto Scale Mfgr. Co.	102, 105, 1010, 1020, 1440, 1450, 14100	Bench and Counter Scale	102W	III	4,000	2 lbs to 100 lbs		Load Cell Electronic
89-032	01/10/90	Cardinal/Detecto Scale Mfgr. Co.	1100 DB, 1102 DE, 1102 EDX, 1105 DG, 1105 DK, 1105 DKG, 1102 EDK, 1106 DKK	Bench and Counter Scale	1100 SERIES	III	1000	50 - 300 lb	13-3/4" x 18-1/2"	Mechanical Dial
89-032A1	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Models: Levertronic- 5110, 7011. Dial- 1100 DB, 1102 DE, 1102 EDX, 1105 EG, 1106 DK, 1105 DKG, 1100 DBK, 1102 EDK, 1106 DKK & 1105 DGK.	Bench and Counter Scale	1100 Series	III	1000	50 to 300 lbs	13-3/4" x 18-1/2"	Mechanical Dial
89-102	08/21/89	Cardinal/Detecto Scale Mfgr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80, 6900-100, 6901-100	Bench and Counter Scale	6900	III	5000	4 lb - 100 lb		

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-008	02/14/90	Cardinal/Detecto Scale Mfr. Co.	PCS 200 MR, PCS 200 M, PCS 200, PCS-RCM, PCS-AS-150	Bench and Counter Scale	PCS 200 M	III	3200	99lb 15.5 x 0.5oz	18" x 18"	Load Cell Electronic
90-065	04/18/90	Cardinal/Detecto Scale Mfr. Co.	EF-100: 100 lb x .05 lb, 18 x 18 / EF-218: 200 lb x .1 lb, 18 x 18 / EF-224: 200 lb x .1 lb, 24 x 24 / EF-524: 500 lb x .2 lb, 24 x 24 & EF-528: 500 lb x .2 lb, 28 x 28.	Bench and Counter Scale	EF Series	III	2500	100 - 1,000 lbs		Load Cell Electronic
87-033	07/16/87	Cardinal/Detecto Scale Mfr. Co.	6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	5,000	100 x 0.02lb	8.25" x 14.5"	Digital Bench Scale
87-034	07/16/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99 x 0.01 lb	6.75" x 5.25"	Superseded by 87-034A1
88-112	06/09/88	Cardinal/Detecto Scale Mfr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4 x 0.001 lb	8" Diameter	Digital Bench Scale
88-249	10/11/88	Cardinal/Detecto Scale Mfr. Co.	AP-6, AP-8, AP-10	Bench and Counter Scale	AP-4K	III	3,999	3999 x 1 g	6.75" x 5.25"	Superseded by 88-249A1
87-027	07/16/87	Cardinal/Detecto Scale Mfr. Co.	6600-2, 6600-5, 6600-10, 6600-50, 6600-100	Bench and Counter Scale	6600 Series	III	5,000	100x0.02 lb	8.25" x 14.5"	Digital Bench Scale
87-028	07/13/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99x0.01	6.75" x 5.25"	supersedes by 87-028A1
88-113	06/09/88	Cardinal/Detecto Scale Mfr. Co.	6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4lb - 80lb	8" Diameter	Digital Bench Scale
88-134PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.	2200 DB, 2200 AB, 2201 DD, 2201 AD, 2202 DE, 2202 AE, 2202 DEDX, 2202 AEDX, 2203 DF, 2203 AF, 2203 ADFDX, 2203 AFDX, 2205 DJ	Bench and Counter Scale	2200 Series	III		50 - 125 lb	18" x 20"	Mechanical Dial Bench Scale
90-125	09/17/90	CAS Corporation	6D & 15D	Bench and Counter Scale	3D	III	3,000	6 lb	13.5" x 8.5"	Load Cell Electronic
89-127.A1	04/18/91	Certified Scale Co.		Bench and Counter Scale	2010	III	5,000	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-091	08/07/90	Digi Matex, Inc.		Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
			Optional Capacities: 150 x 0.05 lb, 600 x 0.2 lb. Optional Platform Sizes: 15.5" x 15.5", 27" x 22".							
90-156		Digi Postal Corporation		Bench and Counter Scale	DP70S	III				Digital Electronic
89-111	04/25/90	Doran Scales, Inc.		Bench and Counter Scale	DSP1000 Series	III	3,000	5 to 30 lb	8" x 10"	Load Cell Electronic
			DSP1005, DSP1015, DSP1030							
89-112	04/25/90	Doran Scales, Inc.		Bench and Counter Scale	DSP2000 & DSP3000	III	2,000	15 to 300 lb	12"x16", 18"x18"	Load Cell Electronic
			DSP2015, -2030, -2060, -2100, -2150, -2200, -3060, -3100, -3150, -3200, -3300							
89-113	04/25/90	Doran Scales, Inc.		Bench and Counter Scale	DSP5000 Series	III	2,000	60 to 1,000 lb	18"x24", 24"x24"	Load Cell Electronic
			DSP5060/1824, -5100/1824, -5150/1824, -5200/1824, -5300/1824, -5500/1824, -51000/1824, -5060/2424, -5100/2424, -5150/2424, -5200/2424, -5300/2424, -5500/2424, -51000/2424							
90-074P	05/11/90	Doran Scales, Inc.		Bench and Counter Scale	7000-P Series	III	3000	5 to 100 lb	10" x 10"	Load Cell Electronic
			7005-P: 5 lb, 2500, 0.002 lb, 10" x 10" / 7015-P: 15 lb, 3000, 0.005 lb, 10" x 10" / 7030-P: 30 lb, 3000, 0.01 lb, 10" x 10" / 7060-P: 60 lb, 3000, 0.02 lb, 12" x 12" & 7100-P: 100 lb, 2000, 0.05 lb, 12" x 12".							
91-032	04/18/91	Edlund Company, Inc.		Bench and Counter Scale	E2000	III	3200	320 x 0.1 oz	9" x 9"	Digital Electronic
90-155	01/24/91	Epelsa International, Inc.		Bench and Counter Scale	SP12 Series	III	3000	300 lb		Load Cell Electronic
			SP12-1813, SP12-2413 & SP12-3013							
86-009	06/04/86	Fairbanks Scales		Bench and Counter Scale	H70-4710-1	III	6000	12 x .002 lb	10" x 10"	
			H70-4710-1, H70-4710-2, H70-4714-1, H70-4714-5, H70-4718-1							
88-074	09/12/88	Fairbanks Scales		Bench and Counter Scale	H70-4XXX	III	5,000	40 - 200 lb		Bench Scale weighing element
			H70-4000-2, -4050-2, -4100A, -4100B							
88-075	09/22/88	Fairbanks Scales		Bench and Counter Scale	70-4070	III	2,000	200 x 0.1 lb	17" x 22"	Digital Electronic
			70-4170, capacity 600 x 0.2 lb, 1000 x 0.5 lb							
90-127		Fairbanks Scales		Bench and Counter Scale	70-490X-XXX FAM					

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-043	08/17/89	General Electronic Systems, Inc.	4412, 4414, 4418, 4424	Bench and Counter Scale	4400 & 4500 Series	III	3k-6k	10 lb to 600 lb	12"x12" - 24"x24"	Digital Electronic
90-167	01/03/91	General Electronic Systems, Inc.	402-12, 402-14, 402-18 & 402-24	Bench and Counter Scale	UBS 402 Series	III	3000 or 5000	20 to 500		Digital Electronic
88-189	01/25/89	GSE, Inc.		Bench and Counter Scale	622	III	5,000	10 to 100 lb		Digital Electronic
88-190	12/20/88	GSE, Inc.	4430, 4432, 4434, 4442, 4444, 4446, 4450, 4452, 4454	Bench and Counter Scale	4400 Series	III	2,500	20 lb to 1,000 lb	12-18" to 24-24"	Digital Electronic
89-126	10/24/89	Hobart Corporation	HOB 15-1, HOB 15-2, HOB 15-3, HOB 15-4, HOB 15-5	Bench and Counter Scale	HOB 15-X	III	800	50 - 100 lb	13.5" x 19"	Mechanical Lever Spring Dial
88-021A	01/25/89	Ishida Scales Mfg. Co., Ltd.	MT-150 Capacity 150 x 0.05 lbs. MT-60 Capacity 60 x 0.02 lbs	Bench and Counter Scale	MT-300	III	3,000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic
88-251	10/13/88	Ishida Scales Mfg. Co., Ltd.	MT-30S, MT-15S	Bench and Counter Scale	MT-60S	III	3,000	60 x 0.02 lb	329 mm x 309 mm	Digital Electronic
89-143	04/25/90	Ishida Scales Mfg. Co., Ltd.		Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Checkweighing Scale
90-031	03/13/90	Ishida Scales Mfg. Co., Ltd.	Optional capacity: 2.5 kg x 0.001 kg	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Checkweighing Scale
88-096	11/03/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	13/A	III		130lb x 4oz	13.5" x 19"	Mechanical Lever-Spring Dial
88-096A1	10/24/89	John Chatillon & Sons, Inc.	Type 15	Bench and Counter Scale	13/A	III	520	520 x 1 lb	13.5" x 19"	Mechanical Lever Spring Dial
88-150	03/13/90	John Chatillon & Sons, Inc.	PBB 135, PBB 52, PBB 52kg, PBB 26kg	Bench and Counter Scale	PBB Series	III	See Below	135 lb - 35 kg	12" x 17"	Superseded by 88-150 5/4/90

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-150	05/04/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series PBB 135 135 lb, PBB 52 52 lb, PBB 52KG 52kg, PBB 26KG 26 kg	III	26 kg - 135 lb	12" x 17"	Mechanical Lever System
88-150PN	06/28/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III	135lb - 52kg	12" x 17"	Superseded by 88-150
88-186	08/30/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	DPA300 DPA150, capacity 150 x 0.05 lb. DPA600, capacity 600 x 0.2 lb	III	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
90-078	05/15/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PDT-100 PDT-50: 65 lb x 2 oz, PDT-200: 260 lb x 8 oz, PDT-25K: 25 x .05 kg, PDT-50K: 50 x .1 kg & PDT-100K: 100 x .2 kg.	III	130 lb x 4 oz	12 x 17 Inch	Mechanical Spring Dial
90-104	09/17/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB300-1	III	301 lb x 1 oz	21.75" x 16.25"	Mechanical Lever System
88-019	06/28/88	Kubota Corporation		Bench and Counter Scale	KA-10-HB	III	150 x 0.05lb	13.9" x 19.7"	Digital Electronic
87-097	01/11/88	Metro Equipment Corporation		Bench and Counter Scale	BD-125PK-XXX BD-25M-XXX, BD-50D-XXX, BD-50M-XXX, BD-125PK-XXX, BD-100M-XXX, BD-250-XXX	III	125 lb x 4oz	13 1/2" x 20 1/2"	Mechanical Dial Bench Scale
88-289	02/10/89	Mettler Instrument Corporation		Bench and Counter Scale	Mettler Multirange	II/III L	see certificate		superseded by 88-289A
88-289A	03/01/89	Mettler Instrument Corporation		Bench and Counter Scale	Mettler Multirange Class III Scales: KA15, KB60, KC120, KC240. Class II Scales: KA15, KB60, KC120	II/III	see certificate		Digital Electronic
88-296	03/01/89	Mettler Instrument Corporation		Bench and Counter Scale	SM/49 Series SM3000/49, SM6000/49, SM1220/49, SM12/49, SM1520/49, SM15000/49, SM15/49	II	2K to 15k g	322 x 232 mm	Digital Electronic
90-165	01/24/91	Micro General		Bench and Counter Scale	10XX Other Models: 1084, 1064, 1052, 1085, 1065 & 1053.	III	99 lb. x .5oz.		Digital Electronic
88-272	11/14/88	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	15 lb - 100 lb	8"x8", 12"x16.5"	Superseded by 88-272A
88-272A	04/19/89	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	15 lb to 100 lb	8"x8", 12"x16.5"	Load Cell, Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-311	01/25/89	NCI Weigh-Tronix Inc.	3800 R (remote indicator)	Bench and Counter Scale	3875	III	2240	5-70 lb x .5 oz	13-1/2" x 12"	Postal Weight Classifier
86-014	06/25/86	New Brunswick International, Inc.	Optional capacities: 150 x .05 lb, 600 x .2 lb	Bench and Counter Scale	DS-410		3000	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
86-014A	11/01/88	New Brunswick International, Inc.	Optional capacities: 150 x 0.05 lb, 600 x 0.2 lb	Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
87-113	01/11/88	New Brunswick International, Inc.	DS-260, DS-261	Bench and Counter Scale	DS-260	III	3,000	300 x 0.1 lb	700 x 600 mm	Digital Bench Scale
88-203	09/13/88	Ohaus Corporation	LB30, LB60, LB100, LB150. Capacities (lb): 30 - 150	Bench and Counter Scale	LB100	III	5,000	100 x 0.02 lb	14" x 17"	Load Cell Electronic
88-204	09/22/88	Ohaus Corporation	WB10, WB25. Capacities (lb): 10 and 25	Bench and Counter Scale	WB50	III	5,000	50 x 0.01 lb	12" x 12"	Load Cell Electronic
88-205	09/13/88	Ohaus Corporation	WBS 10 and WBS 25. Capacities (lb): 10 and 25	Bench and Counter Scale	WBS50	III	2,500	50 x 0.02 lb	12" x 12"	Load Cell Electronic
88-228	09/13/88	Ohaus Corporation	PL30, PL60, PL100, PL150	Bench and Counter Scale	PL Series	III	5,000	30 to 150 lb	18" x 18"	Load Cell Electronic
87-072	03/10/88	Pelouze Scale Company		Bench and Counter Scale	PS75LR	III	750	75 x 0.1 lb	18" x 13"	Superseded by 87-072A2
87-072.A2 Amend	09/11/90	Pelouze Scale Company	PS75LR: 75 x 0.1 lb or 34 x 0.05 kg PS75LRX: 75 x 0.1 lb or 34 x 0.05 kg	Bench and Counter Scale	PS75L	III	1,500	See other models	18" x 13"	Shipping Scale
87-072A	09/11/90	Pelouze Scale Company	PS75LR, 75 x 0.1 lb: PS75LRF, 75 x 0.1 lb: PS75LR1, 75 x 0.05 lb: PS75L, 75 x 0.1 lb: PS75L1, 75 x 0.05 lb	Bench and Counter Scale	PS75L Series	III	1500	75 x 0.1 lb	18" x 13"	Superseded by 87-072A2

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-072A2	04/25/90	Pelouze Scale Company		Bench and Counter Scale	PS75LRX	III	1500	75 x 0.05 lb	18" x 13"	Shipping Scale
89-057	08/17/89	Pelouze Scale Company		Bench and Counter Scale	PS-6LI	III	1200	6 x 0.005 lb	6.75 x 9.5 in	
89-119	01/06/90	Pelouze Scale Company		Bench and Counter Scale	PS6LR1	III	1200	6 X 0.005 lb	7 7/8 X 5 1/8 "	Digital Electronic
89-049	01/10/90	Pitney Bowes		Bench and Counter Scale	A 510	III	3200	10 lb x 0.1 oz	8 7/8" x 8"	
89-050	08/21/90	Pitney Bowes	A570, A530	Bench and Counter Scale	A610	III	3168	0-2 x 0.1 lb + +	14 3/8 x 9 1/4	Postal Weight Classifier
89-121	01/06/90	Pitney Bowes		Bench and Counter Scale	A 603	III	960	3 lb x 0.1 oz	8 7/8" x 5 5/8"	
88-292	01/25/89	Rice Lake Weighing Systems		Bench and Counter Scale	4400 Series	III	2,500			Digital Electronic
			4430, 4432, 4442, 4446, 4452, 4454							
88-124	09/09/88	Sartorius Corporation		Bench and Counter Scale	I Series	II	24,200	24.2 kg	11.75" x 9.25"	Digital Electronic
			124-*U2, I16000-*U2							
88-125	09/09/88	Sartorius Corporation		Bench and Counter Scale	F Series	II/III	15,150	61 kg	23.5" x 31.5"	Digital Electronic
			Class II scales: F61S-*U2**B, F150S-*U2, F150S-XU2, F300S-*U2, F300S-XU2. Class III scales: F61S-*U3**B, F61S-XU3**B							
91-022	03/07/91	Seca Corporation		Bench and Counter Scale	920C	III	880	440 x .5 lbs	12" x 12"	Digital Electronic
91-023	03/07/91	Tanita Corporation		Bench and Counter Scale	BWB-620A	III	4,400	400 x 0.1 lbs	12.625" x 13.50"	Digital Electronic
88-270	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-39-50-N	III	5,000	50 x .01 lb.	350 mm x 240 mm	Digital electronic
88-271	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-37-08L	III	1,500	7.5 x .005 lb.	300 mm x 230 mm	Digital Electronic
87-069	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	50 x 0.01 lb	12.5" x 14"	Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-046	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	6113	II	15000	75 x 0.005 lb	13.75" x 12.25"	
90-047	08/21/90	Toledo Scale Corporation	1997 & 2197; e min: 0.005 lb; capacity 15 to 600 kg.	Bench and Counter Scale	2097	III	5000	25 to 1000 lb		Load Cell Electronic
90-085	08/21/90	Toledo Scale Corporation	Models: 1196; 2096; 2196	Bench and Counter Scale	XX96 Series	III	5000	25-1000lb		Load Cell Electronic
87-101	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	8423	III	5000	50 x 0.01 lb		Bench Scale
87-108	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	2095	III	10000	400 x 0.5 lb	20" x 20"	
88-173	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	5,000	100 x 0.02 lb	12.5" X 14"	Digital Electronic
89-078	08/17/89	Toledo Scale Corporation	Optional capacities: 30 x 0.0005 lb, 60 x 0.01 lb, 120 x 0.02 lb	Bench and Counter Scale	1985	III	6,000	60 X 0.01 lb	14 X 14 in	Electronic Weighing Element
88-104A1	01/25/89	Weigh-Tronix, Inc.	BS 2424	Bench and Counter Scale	BS 2020	III	5,000	See models field	See models field	Electronic Weighing Element
88-309	01/25/89	Weigh-Tronix, Inc.	Capacities (lb): 10, 50, 100	Bench and Counter Scale	2200-1	III	5,000	25 x .005 lbs	12" x 13"	Digital Electronic
90-114	11/02/90	Weigh-Tronix, Inc.		Bench and Counter Scale	3270S	III	3000	6 x 0.0002 lb	9" x 9"	Load Cell Electronic
90-132	09/24/90	Weigh-Tronix, Inc.	platform: 30 x 30 to 96 x 72.	Bench and Counter Scale	DSLXXXX-YY	III	5,000	2,000 - 10,000	see below	Low Profile-Load Cell Elect.
87-093	12/30/87	Weigh-Tronix, Inc.	2520-1	Bench and Counter Scale	3835	III	5,000	250 x .05 lb	20" x 20"	superseded by 87-093A1
88-104	05/25/88	Weigh-Tronix, Inc.	BS 1414, BS 1818, BS 2424	Bench and Counter Scale	BS 2020	III	5,000	100 x .02 lb	20 "x 20 "	Elect. Bench Scale Weigh Ele.

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-230	09/12/88	Weigh-Tronix, Inc.	DS 3030A-01, capacity 1000 lbs	Bench and Counter Scale	DS 2424A-005	III	5,000	500 lbs	2' x 2'	Electronic Load Cell
88-252	10/28/88	Weigh-Tronix, Inc.	Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	Bench and Counter Scale	3825	III	5,000	100 x.02 lbs	12" x 14"	Digital Electronic
88-268	10/28/88	Weigh-Tronix, Inc.	Remote indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg	Bench and Counter Scale	3815	III	5,000		12" x 14"	Digital Electronic
<u>Bulkweighing System</u>										
90-150	10/27/90	Advanced Systems Interfacing, Inc.		Bulkweighing System	Bulk II	III	10,000			Digital Electronic
89-005	01/06/90	Cardinal/Detecto Scale Mfr. Co.		Bulkweighing System	738CBW	III/III L	10,000			Digital Electronic
88-185	02/15/89	CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III				Digital Electronic
88-294	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV-A	III	10,000			Digital Electronic
90-021	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV	III	10,000			Digital Electronic
89-001	03/27/90	Toledo Scale Corporation		Bulkweighing System	9150	III	10,000			Digital Electronic
<u>Cash Register</u>										
90-166	03/07/91	CASIO, INC.		Cash Register	SA 2000 & SA 2100 SA-2040KY, SA-2141KY, SA-2060D, SA-2013RJ, SA-2014RJ, SA-2070S & SA-2010SP OR SA-2012 SP.					Stand Alone
86-019	09/02/86	Gilbarco, Inc.	Marketing name is TCR-G Series	Cash Register	PAO180 0000 100					Cash Register/Console
87-002.A1	07/06/90	Gilbarco, Inc.	includes: T-15 Console PAO189; C-15 Controller Model PAO190 & C-2 Controller Model PAO211	Cash Register	TCR-15 Systems					Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-065	10/12/89	Gilbarco, Inc.		Cash Register	Q11891-XX, Q11640-XX				Electronic
89-091A1	09/17/90	Hobart Corporation		Cash Register	GT 6000				Digital Electronic
89-091A2	01/24/91	Hobart Corporation		Cash Register	GT6000				Digital Electronic
86-004	04/18/86	Hugin Sweda, Inc.	Model 2835	Cash Register	2845				
88-163	07/25/88	Hugin Sweda, Inc.	5430	Cash Register	5420				Electronic Stand Alone
88-164	07/25/88	Hugin Sweda, Inc.		Cash Register	6700				Electronic Stand Alone or CPU
				The 6700 cash register consists of: Model 6731 printer, Model 6710 keyboard, Model 6711 paging keyboard with programmable "paging" keys					
89-026	01/30/90	ICL, Inc.		Cash Register	6000 SERIES		29.99 lb		
				M6545, M6546, M6000 Printer Module, M6000 Keyboard Display					
86-022.A1	01/03/91	Liquid Controls Corporation		Cash Register	EC2000				Electronic Registering Meter
				The EC2000 systems consists of an E2600 series remote electronic counter assembly and an E2520-2 Supervisory Console.					
90-121	11/02/90	Micros Systems, Inc.		Cash Register	Type 2000				Digital Electronic
87-123	05/03/88	National Semiconductor		Cash Register	300	III	30 x 0.01 lb	14.2" x 12.7"	Digital Cash Register
88-067	05/03/88	National Semiconductor		Cash Register	545		30 x 0.01 lb		Digital Cash Register
87-024	02/10/89	NCR Corporation		Cash Register	2157				Digital Electronic
				Class 2157, Model 0104: Class 2157, Model 0109					
88-005	03/10/88	NCR Corporation		Cash Register	2061-54XX				Stand Alone ECR

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-006	03/10/88	NCR Corporation		Cash Register	2157-30XX				Digital Cash Register
88-280	02/10/89	NCR Corporation		Cash Register	2760 FSS				Digital Electronic
89-007	07/05/89	NCR Corporation		Cash Register	2123-XXXX				Electric Stand Alone
87-050	09/29/87	Omron Systems of America	RS 8510	Cash Register	RS 8500				Stand Alone Cash Register
88-105	05/24/88	Omron Systems of America		Cash Register	RS 5510				Superseded by 88-105A
88-105A	09/22/88	Omron Systems of America	RS 5515	Cash Register	RS 5510 & RS 5541				Stand Alone
88-250	09/22/88	Omron Systems of America	RS 81-00, RS 81-30	Cash Register	RS 81-31				Stand Alone
88-267	10/28/88	Omron Systems of America	RS 4041	Cash Register	RS 4030				Stand Alone
89-018	04/19/89	Omron Systems of America		Cash Register	RS5510				superseded by 89-018A1 4/18/90
89-018A1	08/21/89	Omron Systems of America		Cash Register	RS5510, 5550, 5560F				Superseded by 89-018A1 4/18/90
89-018A1	04/18/90	Omron Systems of America		Cash Register	RS5510, 5550, 5560F				
89-152	04/25/90	Omron Systems of America		Cash Register	RS3510				Stand Alone
89-153	04/25/90	Omron Systems of America		Cash Register	RS4043				Stand Alone
89-154	04/25/90	Omron Systems of America		Cash Register	RS5550				Stand Alone

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-044		Omron Systems of America		Cash Register	RS5500 Series				ECR
89-122	11/08/89	PAR Microsystems	NTA 510, NXA 590-XX, NCX 591-XX, NXA XXX	Cash Register	NTA & NXA Series				Digital Electronic
86-020	11/04/86	Sanyo Business Systems Corp.	580-6B, 580-12B, 580-14B	Cash Register	580				Stand Alone
90-102	11/02/90	Sanyo Business Systems Corp.		Cash Register	ECR-635				Stand Alone
90-102.A1	01/03/91	Sanyo Business Systems Corp.		Cash Register	ECR-635 & ECR-645				Stand Alone
90-120	09/17/90	Sanyo Business Systems Corp.		Cash Register	ECR 690				Digital Electronic
90-009	11/08/90	Stores Automated Systems, Inc.	The SASI SuperStar cash register consists of: Model PR 1028 printer, Model KB 1028 keyboard, Model MN 1028 display.	Cash Register	SuperStar				ECR interfaced with scales
90-009	07/02/90	Stores Automated Systems, Inc.		Cash Register	SuperStar				CPU
90-009, Amended	11/06/90	Stores Automated Systems, Inc.	Certificate supersedes 90-009.	Cash Register	SuperStar				ECR interfaced with scales
89-159	05/04/90	Sun Electric Corporation		Cash Register	SM-960				Digital Electronic
89-159 Amended	06/04/90	Sun Electric Corporation		Cash Register	SM-960				Digital Electronic
87-030	07/14/87	TEC America, Inc.		Cash Register	MA-1190				Electronic Cash Register
87-045	09/14/87	TEC America, Inc.		Cash Register	MA-290				Electronic Cash Register
88-269	03/01/89	TEC America, Inc.		Cash Register	MA 1900				Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-099	08/21/89	TEC America, Inc.		Cash Register	FDS-50					
91-025		TEC America, Inc.		Cash Register	MA-1600					
Computing Scale										
87-067	10/14/87	Antonson/Meto, Inc.		Computing Scale	823	III	3,000	30 x 0.01 lb	12" x 14.5"	Digital Computing Scale
88-001	03/01/88	Avery Weighing Technology		Computing Scale	A600	III	1,500	15 x .01 lb	13.75" x 8.75"	superseded by 88-001A1
88-001A1		Avery Weighing Technology		Computing Scale	A600	III	3000	15 & 30 x 0.01 lb	13.75" x 8.75"	Digital Electronic Computing
88-170	09/22/88	Avery Weighing Technology		Computing Scale	A100E	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-179	09/22/88	Avery Weighing Technology	8638, 8636	Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5 " x 11.5 "	Digital Electronic
88-180	09/23/88	Avery Weighing Technology	1791A, 1791C, 1791E	Computing Scale	1791	III	3,000	30 x 0.01 lb	344 mm x 280 mm	Digital Electronic
88-255	11/01/88	Avery Weighing Technology		Computing Scale	A100	III	3,000	30 lb	13.5" x 11"	Digital Electronic
87-009	04/13/87	Berkel Incorporated		Computing Scale	522	III	3,000	30 x 0.01 lb	27x37 cm	Digital Computing Scale
88-171	08/30/88	Berkel Incorporated		Computing Scale	688LS	III	3,000	30 x 0.01 lb	13.5 " x 11 "	Digital Electronic
88-179A1	03/07/91	Berkel Incorporated		Computing Scale	1770	III	3,000	30 x 0.01 lb	9.5" x 11.5"	Digital Computing
90-154	01/03/91	Berkel Incorporated	624LS Capacity 30 x 0.01lb - Same as the Model 623LS except the operator's display is alphanumeric.	Computing Scale	623LS	III	3,000	30 x 0.01 lb	400 x 252 mm	Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-023	09/29/86	Bizerba United States, Inc.		Computing Scale	Pro 7000	III	3000	30 x 0.01 lb	15" x 10.25"	
86-028	10/14/86	Bizerba United States, Inc.	Pro 7400. Other capacity: 15-30 lb x 0.01 lb	Computing Scale	Pro 7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
86-028A	11/05/87	Bizerba United States, Inc.	Other capacity 15-30 lb x 0.01 lb: 30 lb x 0.01 lb	Computing Scale	PRO7400, PRO7500	III	3000	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
89-009	08/02/89	Bizerba United States, Inc.		Computing Scale	PRO 6000	III	3,000	30 X 0.01 lb	15" x 10.5"	superseded by 89-009A1
89-009A1	10/12/89	Bizerba United States, Inc.	PRO 6400 hanging scale	Computing Scale	PRO 6000	III	3000	30 x 0.01 lb	15" x 10.5"	
90-053	06/14/90	Bizerba United States, Inc.	This series consists of the Models PRO9100, PRO9400, PRO9700, PRO9600 & PRO9800.	Computing Scale	PRO9000 Series	III	3,000	30 x 0.01 lb	10.4" x 15"	Digital Electronic
88-028A1	08/21/90	Cardinal/Detecto Scale Mfgr. Co.		Computing Scale	PC-30A	III	3,000	30 x 0.01 lbs	13" x 8"	Digital Electronic
88-028	03/01/88	Cardinal/Detecto Scale Mfgr. Co.	PC-10, -10 kg, -11, -11 kg, -20, -20 kg, -21, -21 kg, -30 kg, -31, -31 kg	Computing Scale	PC-30	III	3,000	30 x 0.01 lb	13" x 8"	Digital Computing Scale
90-126	09/17/90	CAS Corporation		Computing Scale	15 M	III	3,000	30 x .01 lb	17.25" x 10.75"	Load Cell Electronic
87-022	05/20/87	Electronic Scales International	JK901aa, JK903aa, JK951aa, JK953aa	Computing Scale	JK900 Series	III	3,000	30 x 0.01 lb	17.25" x 10.75"	Digital Computing Scale
88-102	07/25/88	Electronic Scales International	JK701aa, -702aa, -703aa, -704aa, -705aa, -706aa	Computing Scale	JK700	III	3,000	30x .01 lb	10" x 16"	Digital Electronic
86-017	09/17/86	Esselte Meto		Computing Scale	CC494	III	1500	7.5 x .005 lb	7.5" x 11.5"	
88-035	03/23/88	Esselte Meto		Computing Scale	BLP 804	III	3,000	30 x 0.01 lb	255 mm x 355 mm	Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Accuracy n	Capacity	Platform size	Device Description
88-062	04/27/88	Esselte Meto		Computing Scale	CB493	III	1,500	15 x 0.01 lb	8 " x 12.5 "	Digital Computing Scale
88-064	04/27/88	Esselte Meto		Computing Scale	CP 501	III	3,000	30 x 0.01 lb	13.75" x 9.5"	Digital Computing Scale
88-065	04/20/88	Esselte Meto		Computing Scale	CS 491-1	III	3,000	30 x 0.01 lb	13.75 " x 9.5 "	Digital Computing Scale
90-039	04/25/90	Esselte Meto		Computing Scale	CS 512	III	3,000	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
90-040	04/25/90	Esselte Meto		Computing Scale	ES 1010	III	2,000	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic
89-107	01/10/90	Exact Equipment Corporation		Computing Scale	921, 921R	III	3,000	30 x 0.01 lb	30 x 0.01 lb	
90-099	08/21/90	Global Scale Imports, Inc.		Computing Scale	Concentrator 220A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-100	08/21/90	Global Scale Imports, Inc.		Computing Scale	Ishida LIBRA 300	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
88-051	04/27/88	Hobart Corporation		Computing Scale	1841	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-053	04/27/88	Hobart Corporation	1871	Computing Scale	1870	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-293	01/26/89	Hobart Corporation	SP80	Computing Scale	SP1500	III	3,000	30 x 0.01 lb		Superseded by 88-293A1
88-293A1	03/13/90	Hobart Corporation	SP80, SP2 1500 System	Computing Scale	SP1500	III	3000	30 X 0.01 lb		
90-019	03/13/90	International Mailing Systems, Inc.		Computing Scale	3000N	III	3200	100 lb X 0.5 oz	13 X 10.5 in	Computing Postal Scale
90-019.A1	02/06/91	International Mailing Systems, Inc.	MPS 100N, MPS 100RN	Computing Scale	3000N	III	3200	100 lb x 0.5 oz	13 x 10.5 "	Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-070	12/29/87	Ishida Scales Mfg. Co., Ltd.	NOVA-300L	Computing Scale	NOVA-150L	III	3,000	15 x .005 lb	285mm x 223mm	Digital Computing Scale
91-053		Ishida Scales Mfg. Co., Ltd.		Computing Scale	AC-200					
91-054		Ishida Scales Mfg. Co., Ltd.		Computing Scale	Libra II					
89-004	02/10/89	K-Scale, Inc.	9010 N, 9010 P, 9020, 9020 N, 9020 N-1 thru 4, 9020 P, 9020 P-1 thru 4, 9030, 9030 U-1 thru 4, 9030 U-10	Computing Scale	9010	III	3,000	30 x 0.01 lbs		Digital Electronic
88-029	04/07/88	K-Tron	9010, 9010 N, 9010 P, 9020, 9020 N, 9020 P, 9030, 9030 U	Computing Scale	9010	III	3,000	30 x 0.01 lb		Digital Computing Scale
86-042	01/08/87	Kubota Corporation		Computing Scale	FP-900	III	3000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A1	02/12/90	Kubota Corporation	Other capacity: 30 x 0.01 lb	Computing Scale	FP-900 SERIES	III	5,000	50 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A2	01/24/91	Kubota Corporation	capacities: 30 x 0.01 lb & 50 x 0.01 lb. Model designations: Model FP-900, Model FP-910, Model FP-950 & Model FP-960.	Computing Scale	FP-900 Series	III	5,000	see below	400 x 252 mm	Digital Electronic
87-008	04/14/87	Kubota Corporation		Computing Scale	LA 230	III	3,000	30 x 0.01 lb	27x37cm	Digital Computing Scale
87-081	11/25/87	Kubota Corporation		Computing Scale	LA-ONE	III	3,000	30 x 0.01 lb	14.6" x 10.8"	Digital Computing Scale
87-081A1		Kubota Corporation	LA-ONE; capacity 30 x .01 lb n:3000	Computing Scale	LA-150	III	5000	50 x .01 lb	14.6" x 10.8"	Digital Electronic
88-054	03/24/88	Kubota Corporation		Computing Scale	LA-320	III	3,000	15 x 0.01 lb	294 mm x 205 mm	Digital Electronic
88-054A1	06/14/90	Kubota Corporation	Model LA-315	Computing Scale	LA-320	III	3000	20 x .01 lb	294 x 205 mm	Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-055	03/24/88	Kubota Corporation		Computing Scale	LA-250	III	5,000	50 x .01 lb	270 mm x 370mm	Digital Electronic
88-058	04/07/88	MOBBA	LX, LS, LP1000, LD1000, LCB1000	Computing Scale	LD1000	III	3,000	30 x 0.01 lb	15.5" x 10.5"	Digital Computing Scale
87-064	09/29/87	NCI Weigh-Tronix Inc.	3451	Computing Scale	3450	III	3000	30 x 0.01 lb	12" x 14"	
87-064A	09/22/88	NCI Weigh-Tronix Inc.		Computing Scale	3450	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-244	11/01/88	NCR Corporation	4522-K010	Computing Scale	4522	III	3,000	30 x 0.01lbs	12" x 14"	Digital Electronic
88-245	11/01/88	NCR Corporation	4526-K001, 4524	Computing Scale	4526-0102	III	3,000	30 x 0.01 lbs	12" x 12"	Digital Electronic
86-026	10/15/86	New Brunswick International, Inc.		Computing Scale	DS 430	III	3,000	30 x 0.01 lb	11" x 12.5"	
87-006	03/19/87	New Brunswick International, Inc.		Computing Scale	SM-15	III	3,000	30 x 0.01 lb	10.5" x 14.5"	Digital Computing Scale
87-065	09/29/87	New Brunswick International, Inc.	SM-60A	Computing Scale	SM-60	III	3,000	30 x 0.01 lb	11" x 15.5"	Digital Computing Scale
87-114	01/11/88	New Brunswick International, Inc.		Computing Scale	DS-380	III	3,000	30 x 0.01 lb	8" x 12.25"	Digital Computing Scale
87-043	09/14/87	TEC America, Inc.	SL-39-15L-N	Computing Scale	SL-39-30L-N	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-044	09/14/87	TEC America, Inc.		Computing Scale	SL-37-15L-N	III	1,500	15 x 0.01 lb		Digital Computing Scale
87-048	09/14/87	TEC America, Inc.		Computing Scale	SL 43-100	III	4,999	99.98x0.02lb	15-5/8" x 12"	Digital Weighing Element

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-049	09/14/87	TEC America, Inc.		Computing Scale	SL-66-30-L	III	3,000	30 x 0.01 lb	9.5" x 13.75"	Digital Computing Scale
87-049 Amended	11/05/90	TEC America, Inc.		Computing Scale	SL-60-30-L	III	3,000	30 x 0.01 lbs	9.5" x 13.75"	Digital Electronic
87-122	02/17/88	TEC America, Inc.		Computing Scale	SL-57-30L-n	III	3,000	30 x 0.01 lb	240 mm x 350 mm	Digital Computing Scale
90-062	04/18/90	TEC America, Inc.		Computing Scale	SL 5900-3(x)-C(X)-US	III	3,000	30 x 0.01 lbs	240 mm x 350 mm	Digital Electronic
90-062.A1	04/18/91	TEC America, Inc.		Computing Scale	SL 5900-3(X)-C(Y)-US	III	3,000	30 x 0.01 lb	240mm x 350 mm	Digital Electronic
87-046	09/14/87	TEC America, Inc.		Computing Scale	SL 59-30L	III	3000	30 x 0.01 lb	240 mm x 350 mm	Digital Electronic
89-035	05/02/89	Tektra International		Computing Scale	AS-3001P	III	3,000	30 x .01 lb	11-1/4" x 13-1/4"	Digital Electronic
87-103A	06/14/90	Toledo Scale Corporation		Computing Scale	8431	III	3000	30 x 0.01 lb	9.24" x 14.25"	Digital Electronic
90-037	04/25/90	Toledo Scale Corporation		Computing Scale	8427	III	3,000	30 x 0.01 lb	15-1/2" x 9-3/4"	Digital Electronic
87-017	05/12/87	Toledo Scale Corporation		Computing Scale	8425	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-068	08/17/89	Toledo Scale Corporation		Computing Scale	8422	III	5000	50 x 0.01 lb	9.5" x 14.5"	
87-100	08/17/89	Toledo Scale Corporation		Computing Scale	8421	III	5000	50 x 0.01 lb	10.75" x 14.6"	
87-102	04/12/88	Toledo Scale Corporation		Computing Scale	8430	III	600	6 x 0.01 lb	9" x 7"	Digital Computing Scale
87-103	03/25/88	Toledo Scale Corporation		Computing Scale	8431	III	3,000	30 x 0.01 lb	9.25" x 14.25"	Digital Computing Scale
89-123	12/20/89	Weigh-Tronix, Inc.	3401 (remote display), 3400-X, 3400 PLU	Computing Scale	3400	III	3,000	30 x 0.01 lbs	12" x 14"	Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-124	12/20/89	Weigh-Tronix, Inc.	Other capacities (lb): 15, 50, 100	Computing Scale	3450	III	30 x .01 lb	12" x 14"	Digital Electronic
87-038	09/01/87	Weigh-Tronix, Inc.	3401	Computing Scale	3400	III	30 x 0.01 lb	12"x12"	Digital Computing Scale
89-025	03/01/88	Weigh-Tronix, Inc.		Computing Scale	1150; 1151; 3420	III			UPC Labeling System
88-026	03/01/88	Weigh-Tronix, Inc.	3401 (remote display)	Computing Scale	3420	III	30 x 0.01 lb	12 " x 12 "	Digital Electronic
87-038A	09/22/88	Weigh-Tronix, Inc.	Model 3400-X, Model 3400 PLU	Computing Scale	3400	III	30 x 0.01 lb	12 " x 12 "	Digital Electronic
<u>Crane Scale</u>									
88-098	07/17/88	Measurement Systems International		Crane Scale	MSI-4260-01	III L	50,000 x 10 lb		Superseded by 88-098A
88-098A	04/19/89	Measurement Systems International	Range of capacities: 5k to 70k lb	Crane Scale	MSI-4260-01	III L	50,000 x 10 lbs		Digital Crane Scale
89-027	04/04/89	Measurement Systems International	Capacities (lb): 10,000, 20,000, 30,000, 50,000, 70,000	Crane Scale	MSI-6260	III L	5,000 x 1 lb		Digital Electronic
<u>Data Processing Systems</u>									
89-040	05/03/89	Industrial Data Systems, inc.		Data Processing Systems	DT 210				Electronic/Programmable
<u>Dry Measure</u>									
89-012	07/05/89	Ivex Corporation		Dry Measure	3871		1 dry quart		Plastic Berry Basket
86-034	01/08/87	W. R. Grace & Co.		Dry Measure	536		1 dry quart		Berry Basket

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-091	03/10/88	W. R. Grace & Co.		Dry Measure	24P		1 dry pint		Polystyrene Foam Berry Basket
Floor Scales									
90-061	04/18/90	A&D Engineering, Inc.		Floor Scales	FW-150KA1	III	300 x .1 lb	15.4" x 20.8"	Digital Electronic
87-026	08/25/87	Baader North America Corp.		Floor Scales	3020.10.02	III	300 kg	36"x36"	Elec. Load Cell Weighing Elem.
90-069	05/11/90	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	FH-XXYY-II FH 522-II, FH 533-II, FH 544-II, FH 553-II, FH 554-II, FH 555-II, FH 563-II, FH 564-II, FH 565-II, FH 566-II, FH 575-II, FH 1044-II, FH 1053-II, FH 1054-II, FH 1055-II, FH 1063-II, FJ 1064-II, FH 1065-II, FH 1066-II, FH 1075-II, FH 1086-II, FH 1088-II, FH 1097-II & FH 10106-II.	III	5,000 - 10,000 lb	2 x 2 - 10 x 6	Low Profile-Load Electronic
88-010PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	BSR and BSR 56BSR, 58BSR, 59BSR, 108BSR, 109BSR, 109BSR, 109BSR, 15SBSR, 20SBSR, 30SBSR	III	5-150 TON	VARIOUS	Dormant Industrial Scale
88-014PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	OLP Series	III	4,000	60" x 60"	Overhead Mech. Plat. Scale
88-106	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	854F-100P	III	1,000 lb	19" x 28"	Mechanical Lever Floor Scale
88-108	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	854F-50P, -50K, -50PK, -100P, -100PK	III	2,000lb	28" x 28"	Mechanical Lever Floor Scale
88-108A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	954F Levertronic: 8950F, 5950F - Full Mechanical: 954F-100P, 954F-500K, 954F-100PK	III	2000 lb	28"x28"	Mechanical portable floor scal
88-130P		Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XTD and ETD Series	III	6,500 LB		Dormant Floor Scale
88-130PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XTD and ETD Series XTD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	III	6500 lb		Dormant Mechanical

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-131PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales		XD Series XD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	III	6500 lb		Dormant Mechanical
88-132PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales		SCD and SCDF Series SCD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672, -10884, -12096	III	12,500 lb		Dormant Mechanical
88-107	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales		854F-100P 854F-50P, -50K, -50PK, -100P, -100PK	III	1,000 lb	19 " x 28 "	Mechanical Lever Floor Scale
88-109	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales		954F-100P 954F-100P, -50K, -100PK	III	2,000 lb	28 " x 28 "	Mechanical Lever Floor Scale
90-055	04/25/90	Certified Scale Co.	Floor Scales		2010	III	5,000 lb	48" x 60"	Load Cell Electronic
86-010	06/04/86	Fairbanks Scales	Floor Scales		1124D	III	1000 x 0.5 lb		
88-071	08/30/88	Fairbanks Scales	Floor Scales		23-25XXA Series 23-2500A, H23-2502A, H23-2502A, H23-2503A, H23-2503A	III	5000-10000lb		Load Cell Electronic
88-072	08/30/88	Fairbanks Scales	Floor Scales		23-2554A	III	2500 x 1 lb	4' x 5'	Load Cell Electronic
88-072A1	09/24/90	Fairbanks Scales	Floor Scales		23-2554	III	1,000 to 5,000		Load Cell Electronic
88-077	10/21/88	Fairbanks Scales	Floor Scales		1125D	III	1000 x 0.2lb	23.5" x 17.75 "	Lever system, load cell
88-156PN	06/17/88	Fairbanks Scales	Floor Scales		41-3132 Series 41-3132, -3132-A02, -3132-A03, -3132-A21	III	1,000lb	18" x 27"	Portable Mech Floor Scale
88-159PN	06/17/88	Fairbanks Scales	Floor Scales		14-2000 Series 14-2000, -2001, -2003, -2004, -2005	III	8,000lb		Weighing Element
88-266	10/21/88	Fairbanks Scales	Floor Scales		1124	III	1000 x 0.5 lb	23.5" x 17.75"	Mechanical

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-266.A1	03/07/91	Fairbanks Scales	PB9000; PB9000-1 & 1124-1	Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
89-015	10/12/89	Fairbanks Scales	21-2102, 21-2104	Floor Scales	21-2101	III	5,000	2,500 x 0.5 lb	3' x 3'	Loadcell Electronic
89-093	10/12/89	Fairbanks Scales	H23-2512, 23-2512	Floor Scales	H23-2512	III	2000	1000 lb	30" x 30"	
89-136	01/31/90	Fairbanks Scales	23-2558	Floor Scales	23-2557	III	5,000	10,000 lb	5' x 7'	
90-057	11/02/90	Fairbanks Scales	EL9000	Floor Scales	1126D	III	5000	1000 x 0.2 lb	23.5 x 17.75"	Lever System, Load Cell
91-061		Fairbanks Scales		Floor Scales	23-6230B					
88-100	06/28/88	Flex-Weigh Corporation	FLB FLB2424-5K, -2424-1K, -3030-5K, -3030-1.5K, -3030-2K, -3636-1K, -3636-2K, -3636-5K, -3846-1K, -3846-2K, -3846-5K, -3846-10K, -4848-1K, -4848-2K, -4848-5K, -4848-10K, -4860-1K, -4860-2K, -4860-5K, -4860-10K, -4872-1K, -4872-2K, -4872-5K, -4872-10K, -6060-1K, -6060-2K, -6060-5K, -6060-10K, -6072-5K, -6072-10K	Floor Scales	FLB	III	5,000	500 - 10k lb		Flexure Lever, Load Cell
88-288P	02/10/89	General Electronic Systems, Inc.	Platform Sizes (W" x L"): 36 x 36, 48 x 48, 48 x 60, 48 x 72, 60 x 60, 60 x 72, 60 x 84	Floor Scales	Pro-Weigh 84-A	III	5,000	1,000 -20,000 lb	36x36 to 60x84"	Load Cell Electronic
88-021	03/07/88	Ishida Scales Mfg. Co., Ltd.	MT-150, MT-60	Floor Scales	MT-300	III	3000	300 x 0.1 lb	550 mm x 400 mm	
91-059		Ishida Scales Mfg. Co., Ltd.		Floor Scales	MS70XX					
88-151PN	06/28/88	John Chatillon & Sons, Inc.	HB-1000-BM, Capacity 500 kg x 0.2 kg	Floor Scales	HB-1000-BA	III	2,000	1k x 0.5 lb	18" x 27"	Portable Mechanical Lever Sys.
88-182	08/30/88	Ohio Valley Scale & Equipment Corp		Floor Scales	PLP-3026-1.2	III	2,400	1200 x 0.5lb	30" x 38.6"	Portable Electro-mechanical

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-103	05/24/88	Pacific Scale Co., Inc.		Floor Scales	TNL 4848-2K	III	2000 x 0.5 lb	48" x 48"	Full Electronic
			TNL 3636-2K, Capacity 2,000 x .5 lbs						
91-002	01/24/91	Pacific Scale Co., Inc.		Floor Scales	TNL SERIES		see below	see below	Load Cell Electronic
			2, 5 or 10 capacity in thousands pounds, 36 to 48, platform length in inches for 2,000 lb weighing element, 36 to 84 platform width in inches.						
90-097	08/21/90	Pennsylvania Scale Company		Floor Scales	6600 Series	III	1,000 - 10,000	12 x 24 - 60 x 84	Load Cell Electronic
			24X24-1K, 24X24-2K, 24X24-5K, 30X30-1K, 30X30-2K, 30X30-5K, 36X36-1K, 36X36-2K, 36X36-5K, 36X36-10K, 48X48-1K, 48X48-2K, 48X48-5K, 48X48-10K, 48X60-5K, 48X60-10K, 48X72-5K, 48X72-10K, 48X84-5K, 48X84-10K, 60X60-5K, 60X60-10K, 60X72-5K, 60X72-10K, 60X84-10K						
90-088	06/14/90	Pitney Bowes		Floor Scales	A219	III	600 x 0.5 lb	30" x 30"	Load Cell Electronic
88-217PN		Powell All-Steel Scales, Inc.		Floor Scales	IWS Series	III			Mech. Industrial Warehouse
			5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, 610301WS						
90-063	04/18/90	Santa Rosa Scale Company		Floor Scales	SR-XXX	III	2,000 - 20,000 lb	24"x30" - 60"x84"	Flexure Lever, Load Cell
			SR3, -4A, -5, -50, -6, -6A, -7, -7A, -7B, -8, -8A, -8B, -9, -9A, -9B, -10, -10A, -10B, -11, -11A, -12, -12A						
88-258P	02/10/89	Thurman Scale Company		Floor Scales	3500	III	5,000 lb	3' x 3' - 5' x 7'	Electronic Load Cell
			Capacities (lb): 1000, 2500, 5000						
89-089		Thurman Scale Company		Floor Scales	3500	III	1000 lb	3' x 3'	Load Cell Electronic
91-028PN		Thurman Scale Company		Floor Scales	M/N 3100 Series				
86-001	01/31/86	Toledo Scale Corporation		Floor Scales	4181-1001		1000 x 0.5 lb		
89-076P	08/17/89	Toledo Scale Corporation		Floor Scales	MG4425	III	2500 x 0.5 lb	48" x 48"	
89-094		Toledo Scale Corporation		Floor Scales	6213	II/III	150 x .01 kg	23 3/4" x 17 1/2"	Load Cell Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-095	04/25/90	Toledo Scale Corporation	Floor Scales Capacities (lb): 300 and 600	Floor Scales	6313	II/III	300 x .02 kg	31-1/2" x 23-1/2"	Load Cell Electronic
89-103		Toledo Scale Corporation	Floor Scales	Floor Scales	MG4500	III		48"x48" - 60"x84"	Load Cell Electronic
89-104.A1	11/02/90	Toledo Scale Corporation	Floor Scales	Floor Scales	2155	III	1000 to 5000 lb	3' x 3' to 5' x 5'	Electronic
89-104P	04/25/90	Toledo Scale Corporation	Floor Scales	Floor Scales	2155 Series 2155 0131, -0132, -0141, -0142, -0145, -0152, -0155	III	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
90-002P	01/06/90	Toledo Scale Corporation	Floor Scales	Floor Scales	2885	III	1000 X 0.5 lb	3' X 2.5'	Weighing Element
90-147		Toledo Scale Corporation	Floor Scales	Floor Scales	2157	III			Digital Electronic
87-109	06/16/89	Toledo Scale Corporation	Floor Scales	Floor Scales	2185	III	1,600 X 0.2 lb	24 X 30 in	Load Cell Weighing Element
87-110	08/17/89	Toledo Scale Corporation	Floor Scales	Floor Scales	2136	III	1000 x 0.5 lb	19" x 28"	
87-111	08/17/89	Toledo Scale Corporation	Floor Scales	Floor Scales	2036	III	250 x 0.1 lb	19" x 20"	
87-112	08/17/89	Toledo Scale Corporation	Floor Scales	Floor Scales	4182	III	1000 x 0.5 lb		
88-049P	07/17/88	Toledo Scale Corporation	Floor Scales	Floor Scales	2255	III	20,000 lb	5' x 7'	Electronic Floor Scale
88-050P	07/17/88	Toledo Scale Corporation	Floor Scales	Floor Scales	2295	III	20,000 lb	5' x 6'	Electronic Floor Scale
88-246	02/15/89	Unibrige Scale Systems	Floor Scales	Floor Scales	UNBELSR0605	III	5,000 x 1 lb	6' x 5'4"	Electronic load cell
88-246.A1	02/12/91	Unibrige Scale Systems	Floor Scales	Floor Scales	UBE SERIES	III	25,000 x 5 lb	14' x 10"	Electronic, Load Cell

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-093A1	02/16/90	Weigh-Tronix, Inc.		Floor Scales	3835	III	5,000	250 x 0.05 lb	20" x 20"	
88-222		Weigh-Tronix, Inc.		Floor Scales	LP Series	III				Digital Electronic Low Profile
88-232	10/28/88	Weigh-Tronix, Inc.		Floor Scales	STE and SLE -4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6084-10, -6084-20, -6084-30	III	5000			
88-291	01/25/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III	3k-5k	500 to 20000 lb	24x24 - 96x120 in	superseded by 88-291A1
88-291A1	10/02/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III		500 to 20,000 lb	24x24 - 96x120 in	
					The model designation consists of the series name (i.e. DFE or FLE) followed by the platform size and the scale capacity in thousands of pounds. Example: DFE-2424-5, where the platform size is 24" x 24" and the scale capacity is 500 lb. Range of capacities 500 lb to 20,000 lb					
89-105	10/02/89	Weigh-Tronix, Inc.		Floor Scales	SC-100	III	1000	500 x 0.5 lb	27 x 28.5 in	Digital Electronic Platform SC
90-107	08/21/90	Weigh-Tronix, Inc.		Floor Scales	SC-2227-300 SC-2227-500, SC-2229-300, SC-2229-500, SC-2730-300 & SC-2730-500.	III	3,000	300 lbs (150kg)	22" X 27"	Digital Electronic
88-222PN	10/11/88	Weigh-Tronix, Inc.		Floor Scales	LP Series LP 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -7272-10, -7272-20, -8460-10, -8460-20, -9660-10, -9660-20, -9672-30, -10884-20, -10884-40, -108144-20. LPF 3636-02, -4848-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20. LPFS 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-20, -8460-10, -8460-20	III			Digital Electronic Low Profile	
88-232A	04/19/89	Weigh-Tronix, Inc.		Floor Scales	STE and SLE -4848-5, -4848-10, -4860-5, -4860-10, -4872-5, -4872-10, -6060-5, -6060-10, -6060-20, -6072-10, -6084-10, -6084-20, -6084-30	III	5,000	5k to 30k lb	48"x48" - 60"x84"	Electronic Load Cell
Grain Test Scale										
88-202	10/04/88	Mettler Instrument Corporation		Grain Test Scale	PM 2200-1/49	II	21,000	0 - 200 x 0.01 g	13cm diameter	Digital Electronic
86-015	06/25/86	Vertex Industries, Inc.		Grain Test Scale	DWM2-1SE	II	12000	120 x .01 g	4.4" x 3.2" scoop	

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
<u>Hanging Scale</u>										
88-110	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
88-111	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale
86-030	12/04/86	John Chatillon & Sons, Inc.	0723TG, 0723TAS, 0720T	Hanging Scale	Type 027	III	640	20 lb x 1/2 oz	Scoop	Superseded by 86-030A
86-030A	06/02/88	John Chatillon & Sons, Inc.		Hanging Scale	027/A	III	640	20lb x 1/2oz	Pan ETC	Mechanical Hanging Dial Scale
87-092	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0024/A	III	960	30lb x 1/2 oz	Pan	Mechanical Hanging Scale
88-032	03/01/88	John Chatillon & Sons, Inc.	7280 XHTR	Hanging Scale	7280XHT	III	600	150 x 1/4 lb		Dial hanging scale
88-060	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0028/A	III	960	30lb x 1/2oz	Pan	Mechanical Dial
								Optional Capacities: 60 lb x 1 oz, 30 lb x 1/2 oz, 15 kg x 0.02 kg. Other Distributor: Hobart Corporation, Models: PR30-1, -30-2, -30-3		
89-028	06/16/89	John Chatillon & Sons, Inc.		Hanging Scale	DHA 30	III	3000	30 x 0.01 lb		Digital Electronic
								DHA 15K, capacity 15 x 0.005 kg		
90-018	02/16/90	John Chatillon & Sons, Inc.		Hanging Scale	DHB 300	III	3000	300 x 0.1 lb		Digital Electronic
								DHB 150K, DHB 100, DHB 50K		
86-021	09/09/86	Measurement Systems International		Hanging Scale	3260	III	2500	250 x 0.1 lb		
89-090		Measurement Systems International		Hanging Scale	4260	III	2000	2000 lb		Load Cell Electronic
89-044	05/25/89	Metro Equipment Corporation		Hanging Scale	HDS-820	III	640	20 lb x 1/2 oz	Model A-250	Mechanical Dial
								A-251 (SS Round Pan), A-264 (SS Large Round Pan)		

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-049		New Brunswick International, Inc.		Hanging Scale	LCB-1000H				
88-264	01/26/89	Stress-Tek, Incorporated		Hanging Scale	ST-300	III	300 lb		Digital Electronic
90-131	09/24/90	Tri-Coastal Industries		Hanging Scale	OKD-6	III	see below		Digital Electronic
			Capacities: 1,250 x .5 lb, 2,500 x 1 lb, 5,000 x 2 lbs.						
89-106	10/06/89	Weigh-Tronix, Inc.		Hanging Scale	HSDC 200	III	195 x .1 lb		
90-029	02/14/90	Weigh-Tronix, Inc.		Hanging Scale	PCSR 3400	III	2000 x 1 lb		Digital Electronic
			3401 (remote display)						
90-137	10/02/90	Weigh-Tronix, Inc.		Hanging Scale	HS-100	III	195 x .1 lb		Load Cell Electronic
Hopper Scale									
91-047	04/18/91	Alcoa Recycling Machinery Services		Hopper Scale	WH27	III	300 x 0.1 lb		Digital Electronic
			Dimensions: 3 ft x 3 ft						
87-037P	09/14/87	Astec Industries		Hopper Scale	SEB	III L	75x0.02 ton		Portable Hopper Scale
89-128	10/24/89	Astec Industries		Hopper Scale	WB		20,000 lb		Supersceded by 89-128A1
89-128A1	04/18/90	Astec Industries		Hopper Scale	WB, WB-A, AC, DA	III L	1,000 - 20,000 lb		Digital Electronic
88-011PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.		Hopper Scale	FS Series	III/III L	5000 - 300000 LB		Floor Tank & Hopper Mech. lev.
			FS-1F, -2F, -2.5F, -3F, -4, -5, -6, -7, -8, -9, -10, -11						
88-016PN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.		Hopper Scale	SH Series	III/III L	1,000 - 100,000lb		Suspension Hopper Lever Sys.
			SH-1, -2, -3, -3.5, -4, -5, -6, -7, -8. Capacity range 1,000 to 100,000 lbs						
90-119	09/11/90	CMI Weighing Equipment		Hopper Scale	SE/SW 653B	III L	60 x .01 tons		Load Cell Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-153	03/07/91	McNeilus Truck & Mfg. Inc.		Hopper Scale	RL20000-5K	III L	2,000	40k to 10k lb		Weighing Element Electronic
			Load cell type: Rice Lake Weighing Systems RL2000-5K or RL20000-20K or certified equivalent.							
89-165	02/16/90	Mid-America Scale Company		Hopper Scale	H-1, H-2, H-3	III L	2,250	7,000 lb	Hopper	
			H-1, H-2, H-3, H-4							
88-141PN	07/25/88	Thurman Scale Company		Hopper Scale	TTS Series	III				Mecahnical Lever System
			TTS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14. Capacity range 1,000 to 100,000 lb							
88-142PN	07/25/88	Thurman Scale Company		Hopper Scale	TBS Series	III				Hopper and Tank Scales
			TBS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13							
Indicating Elements										
88-023	03/24/88	A&D Engineering, Inc.		Indicating Elements	AD 4321A & B	III/III L	10,000			Digital Electronic
88-023.A1	03/07/91	A&D Engineering, Inc.		Indicating Elements	AD 4321A & AD 4321B	III/III L	10,000			Digital Electronic
			AD 4321 SS; AD 4321 MS							
88-031	03/10/88	A&D Engineering, Inc.		Indicating Elements	AD4316	III/III L	10,000			Digital Indicating Element
88-095	06/08/88	A&D Engineering, Inc.		Indicating Elements	AD 4323	III/III L	10,000			Digital Indicator
89-037	05/02/89	A&D Engineering, Inc.		Indicating Elements	AD-4322A	III/III L	10,000			Digital Electronic
86-033	12/04/86	Alkon Corporation		Indicating Elements	LCI-1	III/III L	1,000			
89-039	01/30/90	Ameacon, Inc.		Indicating Elements	PROCESS MATE 96	III L	10,000			
87-073	12/30/87	Analogic Corporation		Indicating Elements	AN5315	III/III L	10,000			Digital Indicating Element
87-074	12/30/87	Analogic Corporation		Indicating Elements	AN5316	III/III L	10,000			Digital Indicating Element

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-075	12/30/87	Analogic Corporation		Indicating Elements	AN5322	III/III L	10,000		Digital Indicating Element
88-175	11/01/88	Analogic Corporation		Indicating Elements	ITG 3030	III/III L	10,000		Digital Electronic
88-097	06/08/88	Applied Forces Corporation		Indicating Elements	F3, F4, F5, and F6	III/III L	10,000		Digital Indicator
88-097A1	09/11/90	Applied Forces Corporation		Indicating Elements	F3, F4, F5, F6	III/III L	10,000		Digital Electronic
86-008	05/28/86	Baader North America Corp.		Indicating Elements	8600 Series		3000		
			8605.15.00: 8605.15.05: 8610.20.00: 8610.20.01: 8610.20.03: 8610.20.06: 8610.20.07: 8610.20.08: 8615.25.00: 8615.25.05						
90-066	04/18/90	Better Built Scale Products		Indicating Elements	UMC 555 AAAA	III/III L	10,000		Digital Electronic
			Optional Models: UMC 555 --- Enclosure: A = Standard, Mild Steel Painted, B = Nama Enclosure. Input Power: A = 117 VAC, 60Hz, B = 227 VAC, 50Hz. Load Cell Term: A = Standard 6-wire Connector, B = RFI-Shielded 6-Wire Connector: A = Standard, B = Non-Standard.						
87-082	12/18/87	BLH Electronics, Inc.		Indicating Elements	LCI	III/III L	10,000		Digital Indicating Element
86-035A2	04/18/90	Cardinal/Detecto Scale Mfg. Co.		Indicating Elements	738	III/III L	10,000		Digital Electronic
89-031	01/10/90	Cardinal/Detecto Scale Mfg. Co.		Indicating Elements	6000 & 6800	III	5000		
86-035	12/17/86	Cardinal/Detecto Scale Mfg. Co.		Indicating Elements	738	III/III L	10,000		Digital Electronic
86-035A	03/25/88	Cardinal/Detecto Scale Mfg. Co.	738 BA (Batch Aid)	Indicating Elements	738	III/III L	10,000		Digital Electronic
88-133PN	06/17/88	Cardinal/Detecto Scale Mfg. Co.		Indicating Elements	3000 Series	III	1,200		Mechanical Dial Indicator
			3200, 3250, 3300, 3025, 3050, 3075, 3500						
86-036	12/19/86	Cardinal/Detecto Scale Mfg. Co.		Indicating Elements	10K	III/III L	10000		Indicating Element
91-043P		Celtron		Indicating Elements	SQB				

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-024	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC 2000 XX-XX UMC 2000, UMC 2002, UMC 2004, UMC 2006, UMC 2008	III/III L	10,000			Digital Electronic
90-025	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC UMC 555AAAA	III/III L	10,000			Digital Electronic
90-026	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
90-093	08/21/90	CompuWeigh		Indicating Elements	Compudraft 2000	III/III L				Electronic
				Compudraft Series 2000 console consisting of a self contained 19 inch compact case incorporating a 9-inch CRT, a flip-down alpha keyboard, and a single board Computer with Platform Scale Software.						
88-066	04/20/88	Condec Consolidated Controls		Indicating Elements	UMC 2000 XX-XX UMC 2000-66, -2002-66, -2004-66, -2006 XX-XX, -2008 XX-XX, -2010 XX-XX, -2012 XX-XX	III/III L	10,000			Digital Indicating Element
88-070	06/28/88	Condec Consolidated Controls		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
88-225	01/25/89	Condec Consolidated Controls		Indicating Elements	UMC 555AAAA	III/III L	10,000			Digital Electronic
91-005		Diamond Control Systems		Indicating Elements						
90-049	06/14/90	Digi Postal Corporation		Indicating Elements	DP101-U Optional Model: DP-102M (computer interface)		1999			Digital Electronic
89-051	10/12/89	Doran Scales, Inc.		Indicating Elements	ML 8000	III	3000			Digital Electronic
88-225-A1	01/03/91	Eaton Corporation		Indicating Elements	UMC555-XXXX Series	III/III L	10,000			Digital Electronic
90-048	04/25/90	Epelsa International, Inc.		Indicating Elements	LC-110 & LC-210 Other manufacturer: FIRST-Weigh Model DI11 and Model DI21	III, III L	3,000			Digital Electronic
86-011	06/04/86	Fairbanks Scales		Indicating Elements	90-100	III	2000			
86-012	06/19/86	Fairbanks Scales		Indicating Elements	90-164	III/III L	10000			

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-013	06/19/86	Fairbanks Scales		Indicating Elements	H90-167-1	III/III L	10,000			
87-021	05/21/87	Fairbanks Scales	H90-3042, H90-3042B	Indicating Elements	H90-3043	III/III L	6,000			Digital Indicating Element
88-073	08/30/88	Fairbanks Scales		Indicating Elements	90-161A	III/III L	10,000			Digital Electronic
88-076	01/26/89	Fairbanks Scales	90-167-XX	Indicating Elements	90-164-XX	III/III L	10,000			Digital Electronic
88-078	01/25/89	Fairbanks Scales		Indicating Elements	90-110	III/III L	5,000			Digital Electronic
88-079	01/26/89	Fairbanks Scales		Indicating Elements	90-3045	III/III L	10,000			Digital Electronic
88-308	01/26/89	Fairbanks Scales		Indicating Elements	H90-1701; H90-1702	III/III L	10,000			Digital Element
90-042	04/25/90	Fairbanks Scales		Indicating Elements	90-166	III, III L	10,000			Digital Electronic
90-043	03/07/91	Fairbanks Scales		Indicating Elements	90-515 & 90-516	III/III L	10,000			Digital Electronic
90-084	09/13/90	Fairbanks Scales		Indicating Elements	H90-3051	III/III L	10,000			Digital Electronic
90-094	06/14/90	Fairbanks Scales		Indicating Elements	70-1414	III	2000	100 x .05 lb	14" x 14"	Load Cell Electronic
90-128		Fairbanks Scales		Indicating Elements	H90-5100					Digital Electronic
91-065		Fairbanks Scales		Indicating Elements	Datamaster	III				Digital Electronic
87-003	04/07/87	Flex-Weigh Corporation		Indicating Elements	DWM-IV	III/III L	10,000			Superseded by 87-003A

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-003A	05/21/87	Flex-Weigh Corporation		indicating Elements	DWM IV	III/III L	10,000			Digital Indicating Element
90-033	04/30/90	Gedge Systems		indicating Elements	GS1650B	III/III L	10,000			Digital Electronic
88-087	06/13/88	General Electronic Systems, Inc.		indicating Elements	4535	III	10,000			Digital Checkweigh Indicating
88-088	06/13/88	General Electronic Systems, Inc.		indicating Elements	531	III/III L	10,000			Digital Indicating Element
88-088P	05/26/88	General Electronic Systems, Inc.		indicating Elements	531	III/III L	10,000			Superseded by 88-088
88-254	05/02/89	General Electronic Systems, Inc.	Freedom I	indicating Elements	Freedom II	III/III L	10,000			Digital Electronic
89-025	05/02/89	General Electronic Systems, Inc.		indicating Elements	ECONO	III	5,000			superseded by 89-025A
89-025A	10/24/89	General Electronic Systems, Inc.		indicating Elements	ECONO-WEIGH	III/III L	5,000			
89-025A2	02/06/91	General Electronic Systems, Inc.	540SS	indicating Elements	ECONO-WEIGH	III/III L	5,000			Digital Electronic
88-188	10/28/88	GSE, Inc.		indicating Elements	620	III	2,500			Digital Electronic
88-241	01/25/89	GSE, Inc.		indicating Elements	622R	III	2,500			Digital Electronic
88-241A1	09/11/90	GSE, Inc.	n-max: 5000 class III; 10,000 class III L	indicating Elements	622R	III/III L	see below			Digital Electronic
91-066		GSE, Inc.		indicating Elements	550		10,000			Digital Electronic
90-058	04/25/90	Hardy Instruments, Inc.		indicating Elements	H2101 WC	III, III L	6,000, 9,000			Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-075	04/25/90	Hardy Instruments, Inc.	HI 2151 WC-(XX)	Indicating Elements	HI 2150 WC-(XX)	III, III L	10,000		Digital Electronic
88-044	03/29/88	Howe Richardson Division		Indicating Elements	9000	III	10,000		Digital Indicating Element
89-087	10/24/89	Howe Richardson Division	HR-50 D, HR-50 DK, HR-50 WK, HR-50 W, HR-50 WS, HR-50 WSK, HR-50 B, HR-50 BK	Indicating Elements	HR-50	III/III L	10,000		
89-087A1	08/21/90	Howe Richardson Division		Indicating Elements	HR-50	III/III L	10,000		Digital Electronic
			HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 WSK, HR-50 B, HR-50 BK (D means desk top, K means keyboard, W means washdown version, S means stainless steel when used as the second letter, B means panel mount, S as first letter means; small.						
88-231	11/01/88	Int. Weighing Systems, Inc	NCD 1400 FT	Indicating Elements	NCD 1400	III/III L	10,000		Digital Electronic
90-160		Intercomp Corporation	AM1660, AM2660	Indicating Elements	AM4660				Digital Electronic
89-003	03/01/89	Ishida Scales Mfg. Co., Ltd.		Indicating Elements	MTC 10 & MTC 20	III	3,000		Digital Electronic
91-060		Ishida Scales Mfg. Co., Ltd.		Indicating Elements	WL600				
90-072	06/14/90	Jonel Engineering		Indicating Elements	JL-DSD-253B	III/III L	1,000		Digital Electronic
88-206	09/29/88	Metro Equipment Corporation		Indicating Elements	SEP-12K	III/III L	10,000		Digital Electronic
88-207	09/29/88	Metro Equipment Corporation		Indicating Elements	POLO-12K	III/III L	10,000		Digital Electronic
88-240	09/22/88	Metro Equipment Corporation	SX 1014 IB, SX 1014 OB	Indicating Elements	SX-10K	III/III L	10,000		Digital Electronic
89-058	05/25/89	Morrison Weighing Systems, Inc.		Indicating Elements	T-3500M	III/III L	6,000		Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-157	01/24/91	Morrison Weighing Systems, Inc.		Indicating Elements	DC100	III	10,000			Digital Electronic
			Other model: MP201/for use in batching systems							
88-081	05/03/88	Ohaus Corporation	I 20W	Indicating Elements	I 10	III	10,000			superseded by 88-081A1
88-081A1	02/14/90	Ohaus Corporation	I 20W	Indicating Elements	I 10	III\ IIII	10,000			
88-229	09/13/88	Ohaus Corporation		Indicating Elements	PBI	III	5,000			Digital Electronic
90-185	01/24/91	Ohaus Corporation	Model I150-P with mild steel case	Indicating Elements	I150-S	III/IIII	10,000			Digital Electronic
88-114	06/08/88	Pennsylvania Scale Company		Indicating Elements	5600	III/III L	5,000			Digital Indicating Element
90-161		Pennsylvania Scale Company		Indicating Elements	6400					
91-016	03/07/91	PSI/Command Data		Indicating Elements	Scale Readout	III/III L	1000			Digital Electronic
89-020	07/05/89	Rice Lake Weighing Systems		Indicating Elements	UMC 2000 XX-XX	III/III L	10,000			Digital Electronic
			UMC 2000, -2002, -2004, -2006, -2008, -2010, -2012							
89-023	08/02/89	Rice Lake Weighing Systems	IQ 700 HB	Indicating Elements	IQ 600 HB	III/III L	10,000			supersedes previous issues
89-117	10/24/89	Rice Lake Weighing Systems		Indicating Elements	UMC 555XXXX	III/III L	10,000			
89-118	01/10/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			
89-118 Ammended	03/13/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-022		Rice Lake Weighing Systems		Indicating Elements	WS 900				
91-038		Rice Lake Weighing Systems		Indicating Elements	IQ700HE				
91-039		Rice Lake Weighing Systems		Indicating Elements	IQ700SS				
91-040		Rice Lake Weighing Systems		Indicating Elements	UMC555				
91-064		Rice Lake Weighing Systems		Indicating Elements	Uniweigh				
87-039	09/25/87	Seltec Corporation		Indicating Elements	AD500	III L	10,000		Superseded by 87-039A
87-039A	10/28/88	Seltec Corporation	BL 500, AB 500, CB 500	Indicating Elements	AD 500	III L	10,000		Digital Electronic
89-013PN	05/01/89	Smith Meter Inc.		Indicating Elements	AL-1-XU, AL-2-XU				Digital Electronic Wh.sI Meter
86-027	11/12/86	Sterling Scale Company, Inc.		Indicating Elements	6000 Plus	III L	10000		
88-260	02/10/89	Sterling Scale Company, Inc.		Indicating Elements	DW650	III/III L	5K, 10K		Digital indicating element
90-038	04/25/90	Sterling Scale Company, Inc.		Indicating Elements	DW750	III, III L	10,000		Digital Indicator
88-301	01/25/89	Systems Associates, Incorporated		Indicating Elements	525	III/III L	10,000		Digital Electronic
88-172	08/30/88	Tele-Weight, Inc.		Indicating Elements	F-4V	III/III L	10,000		Livestock Scale Indicator
88-172 A1	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	II/III L	10,000		Livestock Scale Indicator
91-037	04/01/91	The Scale Store		Indicating Elements	MXP-9900	III-III L	10,000		Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-140PN	07/25/88	Thurman Scale Company		Indicating Elements	320 and 325	III	1,200			Dial Indicator
91-007	02/12/91	Thurman Scale Company		Indicating Elements	430	III/III L	10,000			Digital Electronic
91-008	01/12/91	Thurman Scale Company		Indicating Elements	455	III/III L	10,000			Digital Electronic
91-009	02/12/91	Thurman Scale Company		Indicating Elements	465		10,000			Digital Electronic
91-010	02/12/91	Thurman Scale Company		Indicating Elements	620					Digital Electronic
91-017	02/12/91	Thurman Scale Company		Indicating Elements	405	III	5,000			Digital Electronic
88-259	01/25/89	Toledo Scale Corporation		Indicating Elements	8530	III/III L	10K			Electronic
89-082	01/06/90	Toledo Scale Corporation		Indicating Elements	8520	III	10,000	100 X 0.01 lb		Digital Indicator
89-083	01/06/90	Toledo Scale Corporation		Indicating Elements	8520A	II/III/3L	60,000	30 X 0.0005 kg		Digital Electronic
89-145	03/27/90	Toledo Scale Corporation		Indicating Elements	8510	III/III L	10,000			Digital Electronic
89-145A1 Amend	03/07/91	Toledo Scale Corporation		Indicating Elements	8510	see below	see below			Digital Electronic
			n-max: 10,000(III/III L); 100,000 (II).							
89-146	01/10/90	Toledo Scale Corporation		Indicating Elements	263	III				
87-016	05/12/87	Toledo Scale Corporation		Indicating Elements	8146	III/III L	10,000			Digital Indicating Element
87-104	08/21/90	Toledo Scale Corporation		Indicating Elements	8140	III/III L	10,000			Digital Indicating Element
87-105	07/25/88	Toledo Scale Corporation		Indicating Elements	M8141	III/III L	10,000			Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-106	04/07/88	Toledo Scale Corporation		Indicating Elements	8142	III/III L	10,000		Digital Indicating Element
87-107	10/02/89	Toledo Scale Corporation		Indicating Elements	M 5000	III	2000 x 0.02 lb		Digital Indicating
89-144	01/30/90	Triner Scale & Manufacturing		Indicating Elements	600 E	III	1,000		
90-103	09/11/90	Tru-Test Distributors Ltd.		Indicating Elements	AG 500-1	III/IIIL	3,000		Digital Electronic
89-086	08/21/90	Tyrel Corporation		Indicating Elements	TC-10	III/III L	10,000		Digital Electronic
89-086	03/28/90	Tyrel Corporation		Indicating Elements	TC-10 S, TC-10 W, TC-10 WK, TC-10 DK, TC-10 B, TC-10 BK	III/III L	10,000		Digital Electronic
89-086 A1	01/03/91	Tyrel Corporation		Indicating Elements	TC-10	III/III L	10,000		Digital Electronic
91-063		Tyrel Corporation		Indicating Elements	TC-10A	III/III L	10,000		Digital Electronic
87-066A	05/25/89	Weigh-Tronix, Inc.		Indicating Elements	Uniweigh				
88-235	09/12/88	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K, 10K		
90-030	02/14/90	Weigh-Tronix, Inc.		Indicating Elements	WI-120	III/III L	10000		
90-112	11/02/90	Weigh-Tronix, Inc.		Indicating Elements	WI-171	III	5000		Digital Electronic
90-113	11/02/90	Weigh-Tronix, Inc.		Indicating Elements	3270M	III/IIIL	10,000		Digital Electronic
90-134	10/02/90	Weigh-Tronix, Inc.		Indicating Elements	WI-160	III/IIIL	10,000		Digital Electronic
				Indicating Elements	Motion Stabilizer	III/IIIL			Digital Filter Package

Description: The "Digital Motion Stabilizer" package is a digital filter software package for electronic digital indicators.

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-001A	03/01/89	Mettler Instrument Corporation	Jewelers' Balance	Jewelers' Balance	PM/49 & CM/49 Series I and II n, class I - 120,000; n, class II - 20,000; PM2000C/49 (Class I); PM1200/49 (Class I); PM6100/49 (Class I); CM200/49 (Class II); PM400C/49 (Class II); PM15/49 (Class II)	I and II	41,000	110g to 16,006 g		Digital Electronic
87-004	04/06/87	Mettler Instrument Corporation	Jewelers' Balance	Jewelers' Balance	PJ Series/49 PJ300/49, PJ3000/49, PJ400/49, PJ4000/49, PJ6000/49, PJ360/49, PJ3600/49	II	41,000	4100 x 0.1 g	6.5" dia	Grain Test Scale
87-004A	05/24/88	Mettler Instrument Corporation	Jewelers' Balance	Jewelers' Balance	PJXXXG Series PJ600G, PJ4000G, PJ6000G, PJ3600G	II	41,000	4100 x 0.1 g	6.5" dia.	Digital Electronic
87-004A2	03/29/89	Mettler Instrument Corporation	Jewelers' Balance	Jewelers' Balance	PJ Series PJ600/49; PJ6/49; PJ12/49; PJ1220/49; PJ15/49	II	41,000	610g to 15,000		Digital Electronic
91-026		Mettler Instrument Corporation	Jewelers' Balance	Jewelers' Balance	AE 1000C/49					
88-227	09/22/88	Ohaus Corporation	Jewelers' Balance	Jewelers' Balance	GT 4400-L GJ-4400-L, GT-4000-L, GJ-4000-L	II	40,000	0 - 400 x 0.01 g	6.5" Diameter	Digital Electronic
89-084	08/17/89	Ohaus Corporation	Jewelers' Balance	Jewelers' Balance	CT-600L	III	6000	600 x .1 g	4 in. diameter	
88-119	09/09/88	Sartorius Corporation	Jewelers' Balance	Jewelers' Balance	L Series L420S-*U2, L220S-*U2, L220S-XU2, L2200S-*U2, L310-*U2, L310-XU2, L610-*U2, L610-XU2	II	42,400	424 g	5" dia.	Grain Test Scale
88-120	09/09/88	Sartorius Corporation	Jewelers' Balance	Jewelers' Balance	U and X Series U6100-*U2, U6100-XU2, U6-*U2, U6-XU2, X1493-*U2, X1493-XU2, X1493-*U2.1, X1493-XU2.1	II	6,100	6,100 g	5" dia.	Digital Electronic
88-121	09/09/88	Sartorius Corporation	Jewelers' Balance	Jewelers' Balance	E and I Series E4800S-*U2, I4800S-*U2, I1000S-*U2, E12000S-*U2, E12S-*U2, I12000-*U2, I12S-*U2, I6800-*U2, I6-*U2	II	48,400	4840 g	235 mm x 190 mm	Grain Test Scale
88-122	09/09/88	Sartorius Corporation	Jewelers' Balance	Jewelers' Balance	P Series P500-*U2, P5-*U2	II	5,050	505 g	110 mm Diameter	Grain Test Scale
88-123	09/09/88	Sartorius Corporation	Jewelers' Balance	Jewelers' Balance	H and G Series H51-*U2, H120-*U2, H310-*U2, G150D-*U2	II	31,000	31 g	63 mm Diameter	Grain Test Scale

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-187	11/01/88	Sartorius Corporation		Jewelers' Balance	X1493-X	II	6,100	5.9" x 4.6"	Explosion Proof Electronic
88-027	03/24/88	Scientech, Inc.		Jewelers' Balance	5550	II	50 x 0.01 g	4.5" Diameter	Digital Electronic
<u>Livestock Scale</u>									
88-017PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Livestock Scale	LS Series LS1018, LS1022, 1030 S, 1530 S, 2026 S	III/III L	1.5 - 20 ton	8 x 3 - 26 x 14'	Mechanical Weighing Element
89-088	10/06/89	Durline Scales and Mfg., Inc.		Livestock Scale	LS 40403	III L	50,000 lb	40' x 14'	
88-153PN	06/17/88	Fairbanks Scales	MT-40403, LS-3420, LS-2620, LS-3020	Livestock Scale	11-3300 Series	III L	10 tons	8' - 9' x 15'	Mechanical Livestock Scale
88-157PN	06/17/88	Fairbanks Scales		Livestock Scale	11-6100 Series	III L	5 - 20 ton	14' x 8'	Mechanical Levertronic
The following model designations carry a prefix of 11- or 14-. The 11- models are mechanical scales. The 14- models are levertronic (lever system with load cell) scales (e.g. 11-6186A is mechanical and 14-6186A is levertronic). Models: 6186A, 6187A,; 6188A, 6189A, 6190W, 6190, 6192A, 6197A, 6198, 6199.									
88-168PN	10/12/88	Fairbanks Scales		Livestock Scale	V Series V18-1015-220, V22-1015-220, V35-10353325, V20-1015-220	III L			Mechanical Lever System
88-253	02/10/89	Marsh Scale, Inc.		Livestock Scale	MCS-14, MCS-20, SMCS-18, MCS-25. Capacities (lb): 10,000 and 20,000	III L			Mechanical Lever System
90-050PN	04/25/90	Sooner Scale, Inc.		Livestock Scale	PLS 18 x 7	III L	10,000 lb	18'x7';2 sections	Portable Electric
90-050PN Amend	06/14/90	Sooner Scale, Inc.	CLC; 6,750 lb	Livestock Scale	PLS 18 x 7	III L	10,000 lb	18" x 7";2 sect.	Portable Electronic
88-312	05/15/90	Webster Scale, Inc.		Livestock Scale	LR Series LR 20402-20, 22402-20, 24402-20, 26402-20, 28402-20, 30402-16, 32402-16, 34402-17, 34402-18, 34402-20, 28403-20, 30403-20, 34403-16, 34403-17, 34403-18, 34403-20, CLC= 34,000 lb.	III L	50,000 lb	400 - 680 cu. ft.	Electromechanical

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
Load Cell										
89-041P	02/23/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900	III L	10,000 M	20K to 100K		WITHDRAWN
90-141	11/02/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW600B Series AW600B-10K, AW600B-15K & AW600B-20K.	III	5000	2500 to 20,000lb		Shear Beam, Tension
90-142	11/02/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900B Models: AW900B-20K, AW900B-25K, AW900B-30K, AW900B-40K, AW900B-50K, AW900B-60K, AW900B-60KL, AW900B-75K, AW900B-75KL & AW900B-100K.	IIIL	10,000	20,000-100,000lb		Double-Ended Shear Beam
87-057	05/24/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 to 10000 lb		Superseded by 87-057A3
87-057A2	05/02/89	Artech Industries, Inc.		Load Cell	20210	III	4,500 S	25 - 10,000 lb		Superseded by 87-057A3
87-057A3	05/11/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5k, 10k S	25 - 40,000 lb		Type "S" - Load Cell
87-057P	09/29/87	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA	01/27/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA3	02/12/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5K, 10K S	25 to 20,000 lb		Superseded by 87-057A3
87-058	05/24/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 to 10000 lb		Superseded by 87-058A2
87-058.A3	03/07/91	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000	1,000 to 10k lb		Shear Beam
87-058A2	05/02/89	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000 M	1k - 10k lb		Shear Beam

The specific models of load cells covered by this certificate are identified by the capacity of each load cell.

Specific models of load cells are identified by the capacity. See Certificate. Optional model families: 30210 and 30310-xx-C/B

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-058P	09/29/87	Artech Industries, Inc.		Load Cell	30310	III	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-058PA	01/27/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-094	05/24/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000 M	5k - 50k lb		Double Ended Shear Beam
87-094.A1	03/07/91	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000	5,000 to 50k lb		Double Ended Shear Beam
The specific models of load cells covered by this certificate are identified by the capacity of each load represented.										
87-094P	01/27/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5000 M	5000 to 50000 lb		Superseded by 87-094
Capacities (lb) 5,000: 10,000: 20,000: 50,000										
90-032	04/25/90	Artech Industries, Inc.		Load Cell	SS30310 SERIES	III/III L	5k, 10k M	1,000 - 10,000 lb		SHEAR BEAM LOAD CELL
Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacity 1,000 to 10,000 lb. Other models: SS30210 and SS30310-xx-C/B										
90-032P	02/12/90	Artech Industries, Inc.		Load Cell	SS30310 Series	III/III L	5K, 10K M	1,000 to 10,000lb		Superseded by 90-032
90-083	05/15/90	Artech Industries, Inc.		Load Cell	80210 Series	III L	10,000	20,000 - 200,000		Double Ended Shear Beam
80310 - The difference between the Models 80210 and 80310 is in the manner of contact of the load cell to the mounting assembly. The 80210 has a semicircular indentation in the middle of the bottom of the cell where the cell rests on a semicircular rod. The point of contact is the semicircular areas. The bottom of the 80310 is flat and the semicircular is turned upside down so the flat area is in contact with the load cell. The semicircular rod makes contact with a flat plate in its mounting assembly										
87-060	06/28/88	BLH Electronics, Inc.		Load Cell	C2P1	III L	4,500 M	20k-200k lb		
Capacities: 20k, 50k, 100k, 200k										
87-060P	03/10/88	BLH Electronics, Inc.		Load Cell	C2P1	III	3000 S	20000 - 200000 lb		WITHDRAWN
Capacities (lb): 20k, 50k, 100k, 200k										
87-060PA	01/27/88	BLH Electronics, Inc.		Load Cell	C2P1	III L	10000 M	20000 - 200000 lb		superseded by 87-060
Capacities (lb): 20k, 50k, 100k, 200k										
87-061	06/28/88	BLH Electronics, Inc.		Load Cell	KIS-3	III	3,000 S	450 - 45000 lb		Shear Beam Load Cell
Capacities (lb): 450, 1125, 2250, 4500										

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-061P	09/29/87	BLH Electronics, Inc.	Load Cell	Load Cell	KIS-3	III	3,000 S	450-4500 lb		Superseded by 87-061
			Capacities: 450, 1125, 2250, 4500							
89-042	12/20/89	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50k & 100k lb		COLUMN COMPRESSION
89-042P	08/17/89	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50k & 100k lb		superseded by 89-042
89-071	11/02/90	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	SCD & SCD-C 50K-SCD, 100K-SCD, 50K-SCD-C & 100K-SCD-C.	III L	10,000	50k & 100k lb		Column, Digital Output
89-071 Amended	03/07/91	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	SCD & SCD-C	III L	MC: 10,000	50k to 100k lb		Column, Digital Output
			The specific load cells in this family covered by this certificate are identified by the model number which includes the load cell capacity as a prefix to the SCD or SCD-C identification. The only difference b/t the SCD & the SCD-C load cells is that the SCD-C has a connector rather than the cable being attached directly to the load cell. Models: 50K-SCD, 100K-SCD, 50K-SCD-C & 100-SCD-C.							
89-071P	07/05/89	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	SCD and SCD-C 50K-SCD, 100K-SCD, 50K-SCD-C, 100K-SCD-C	III L	10,000 M	50,000-100,000 lb		COLUMN, DIGITAL OUTPUT
90-110	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	6800/Z100 & 600/Z100 Optional Models: 6000/TLC100 & 6800/TLC100 n_max:4,000	III	5,000			Steelyard Rod Adaptor
90-111	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	738/TLC100-738/Z100 Type Z & TLC load cell capacity: 100 lbs.		5,000			Steelyard Rod Adaptor
87-059P	11/25/87	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	SB-5000S SB-2500S, SB-5000S, SB-10 000S, SB-20 000S	III	5,000 M	2.5k - 20k lb		Shear Beam
87-059PA	01/22/88	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	SB-5000S SB-2500S, SB-5000S, SB-10 000S, SB-20 000S	III L	10,000 S	2.5 - 20k lb		Shear Beam Load Cell
87-083P	04/07/88	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	50K-HDD	III L	10,000 M	50,000 lb		Column Compression Load Cell
88-166P	08/30/88	Cardinal/Detecto Scale Mfr. Co.	Load Cell	Load Cell	Z Capacities (lb): 250, 500, 1000	III/III L	5K, 10K S	250 - 1000 lb		Tension

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-042.A1	04/18/91	Cardinal/Detecto Scale Mfr. Co.		Load Cell	50K-SCA, 100K-SCA	III L	M-Cell 10000	50k - 100k lb		Column Compression
91-034P		Celtron		Load Cell	SQB					
91-044P		Celtron		Load Cell	STC					
89-059P	07/05/89	Duratron Corporation	800 030, -031, -032, -033, -034, -038, -039, -040, -041, -042, -043, -044, -045, -046, -047, -048, -049, -050	Load Cell	800 000A	III L	10,000 M	1,000 TO 5,000 LB		Double ended shear beam
89-060P	02/23/90	Duratron Corporation		Load Cell	800 000B	III L	10,000 M	VARIES WITH MODEL		WITHDRAWN
89-061P	02/23/90	Duratron Corporation		Load Cell	801 000A	III L	10,000 M	20K TO 100K		WITHDRAWN
89-062P	07/05/89	Duratron Corporation	801 024, -025, -026, -011, -027, -012, -028, -029, -030	Load Cell	801 000B	III L	10,000 M	15000-125000 LB		Double ended shear beam
89-109P	08/21/90	Epelsa International, Inc.	Capacities (kg): 75, 100, 150, 200, 250, 300, 500, 681	Load Cell	MC	III	3,000	75 to 681 kg		Bending Beam
89-114P		Epelsa International, Inc.	Capacities (kg): 500, 750, 1000, 1500, 3000	Load Cell	SC	III	3,000 S	500 to 3,000 kg		
89-162P	01/06/90	Epelsa International, Inc.	ATC 5, ATC 8, ATC 13, ATC 17, ATC 32	Load Cell	ATC	III	3,000 S	5 to 32 kg		
89-163P	01/06/90	Epelsa International, Inc.	BP 5, BP 7, BP 10, BP 15, BP 17, BP 20, BP 30	Load Cell	BP	III	3,000 S	5 to 30 kg		Bending Beam
90-105P		Epelsa International, Inc.		Load Cell	TSF & LC18					
90-150P	09/11/90	Epelsa International, Inc.	see certificate for other models.	Load Cell	TSF & LC18*	III	3000	100 to 1000 lb		S-Type

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
91-042P	04/18/91	Epelsa International, Inc.		Load Cell	LC Series LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.	III	M-Cells 3000	1,000 - 10,000 lb		Single Ended Shear Beam
91-052P		Epelsa International, Inc.		Load Cell	LC					
89-151	11/22/89	Fairbanks Scales		Load Cell	90814-XX Capacities (lb): 10,000, 20,000, 25,000, 30,000, 40,000, 50,000, 60,000, 75,000, 100,000	III L	10,000 M	10 k - 100 k lb		Double Ended Shear Beam
90-094.AJ	04/18/91	Fairbanks Scales		Load Cell	70-1414	III	2000	100 x 0.05 lb	14 x 14 inch	Load Cell Electronic
89-108P	10/02/89	Flex-Weigh Corporation		Load Cell	S	III	3000 S	500 to 3000 lb		superseded by 89-108PA1
89-108PA1	01/12/90	Flex-Weigh Corporation		Load Cell	S Capacities (lb): 500, 750, 1000, 1500, 2000, 3000	III	5,000 S	500 to 3,000 lb		
89-158P	12/20/89	Flex-Weigh Corporation		Load Cell	SSB and SSBT Capacities (lb): 1000, 2000, 2500, 4000	III	5,000 M	1,000 to 4,000 lb		
90-184P	02/12/91	Flex-Weigh Corporation		Load Cell	C SERIES	III	5000	150 to 500 lb		Single-Ended Bending Beam
90-086P	09/11/90	Flintab, Inc.		Load Cell	SB4 Series SB4-5kN - 5, 0, 0.25, 0 SB4-10kN - 10, 0.50, 0	III	Single 3,000	5 kN - 50 kN		Stainless Steel Bending Beam
87-055	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	BLC BLC-YYYYX500 thru BLC-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 500: 1,250; 2,000: 2,500; 5,000	III	3,000 S,M	500 to 5000 lb		Bending Beam
87-055P	09/29/87	Hottinger Baldwin Measurements, Inc		Load Cell	BLC Capacity range 500 - 5,000 lb	III	3,000 S,M			Superseded by 87-055
87-087	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	BBS BBS-YYYYX500 thru BBS-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500	III	3,000 S	50 to 2500 lb		Bending Beam

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-087P	03/10/88	Hottinger Baldwin Measurements, Inc	Load Cell	BBS	3000 S	III		50 lb to 2500 lb		Superseded by 87-087
				BBS-YYYYX500 thru BBS-YYYYXX699 where YYY is the load cell capacity and XX is the cable length; Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500						
87-088	08/17/89	Hottinger Baldwin Measurements, Inc	Load Cell	UIT	3,000 S	III		50 to 3000 lb		Bending Beam
				UIT-YYYYX500 thru UIT-YYYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000						
87-088P	03/10/88	Hottinger Baldwin Measurements, Inc	Load Cell	UIT	3000 S	III		50 to 3000 lb		superseded by 87-088
				UIT-YYYYX500 thru UIT-YYYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 50, 100, 200, 300, 500, 1000, 2000, 3000						
87-089P	02/10/89	Hottinger Baldwin Measurements, Inc	Load Cell	USB	3,000 S	III		200 - 5k lb		Superseded by 87-089P.A1
				USB-YYYYX500 thru USB-YYYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities 200: 500: 1,000: 2,000: 5,000: 10,000						
87-089P.A1	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	3000	III		200 to 10,000 lb		Universal , Tension
				The specific models of load cells covered by this certificate are USB-YYYYX500 through USB-YYYYXX699 where YYY is the load cell capacity & XX is the cable length.						
87-096	08/17/89	Hottinger Baldwin Measurements, Inc	Load Cell	PLC & PLX Series	3,000 S	III		2 to 200 lb		
				PLC-YYYYX500 thru PLC-YYYYXX699 and PLX-YYYYX500 thru PLX-YYYYXX699, where YYY is the load cell capacity and XX is the cable length. PLC-2XX, -5XX, -10XX, -20XX, -30XX, -50XX, -70XX, -100XX, -200XX: PLX-5XX, -10XX						
87-096PA	04/29/88	Hottinger Baldwin Measurements, Inc	Load Cell	PLC & PLX Series	3000 S	III		2 to 200 lb		superseded by 87-096
				PLX-YYYYX500 thru PLX-YYYYXX699, where YYY is the load cell capacity and XX is the cable length. Models: PLC-2XX, PLC-5XX, PLC-10XX, PLC-20XX, PLC-30XX, PLC-50XX, PLC-70XX, PLC-100XX, PLC-200XX, PLX-5XX, PLX-10XX. PLC cap acity range 2 to 200 lb; PLX capacity range 5 to 10 lb						
88-033	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	see below	III		1,000 to 200,000		Shear Beam
				capacity: multiple cells: 3,000 or 5,000 depending on capacity						
88-033P	07/08/88	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3	3,000 M	III		1k - 200K lb		Shear Beam Load Cell
				SB2-YYYYX500 through SB2-YYYYXX699 and SB3-YYYYX500 through SB3-YYYYXX699 where YYY is the load cell capacity and XX is the cable length.						
88-278P	01/25/89	Hottinger Baldwin Measurements, Inc	Load Cell	BLC*	3K S,5K M	III		500 to 5,000 lb		Bending Beam
				BLC-YYYYX500 thru BLC-YYYYXX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 500, 1250, 2000, 2500, 5000						

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-278P.A1	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	BLC & TLC Capacity: single cell, 3000 - multiple cell, 5000. The specific load cells covered by this certificate are: BLC-YYYYX500 through BLC-YYYYX699 for cells with 1.5m V/V output, BLC-YYYYX700 through BLC-YYYYX790 for cells with 2.0 mV/V output, TLC-YYYYX700 through TLC-YYYYX790 for cells with 2.0 mV/V output, BLC-YYYYX800 through BLC-YYYYX990 for cells with 3.0 m V/V output where YYY is the load cell capacity and XX is the cable length.	III see below	500 to 5000 lb		Bending Beam	
88-278P.A2	11/02/90	Hottinger Baldwin Measurements, Inc	Load Cell	BLC & TLC n-max: single cell 3,000, multiple cell 5,000. The specific load cells covered by this certificate are: BLC-YYYYX500 through BLC-YYYYX699 for cells with 1.5 mV/V output, BLC-YYYYX700 through BLC-YYYYX790 for cells with 2.0 mV/V output, TLC-YYYYX700 through TLC-YYYYX790 for cells with 2.0 mV/V output, BLC-YYYYX800 through BLC-YYYYX990 for cells with 3.0 mV/V output where YYY is the load cell capacity & XX is the cable length.	III see below	500 to 5,000 lb		Bending Beam	
89-096P	01/10/90	Hottinger Baldwin Measurements, Inc	Load Cell	TRT Series	III L	10,000 S	50,000-100,000 lb		
90-015P	04/25/90	Hottinger Baldwin Measurements, Inc	Load Cell	U1T	III L	10,000 S	50 - 3,000 lb	UNIVERSAL TENSION / COMPRESSION	
90-016P	04/25/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB	III L	10,000 S	200 - 5,000 lb	UNIVERSAL, TENSION / COMPRESSION	
90-016P.A1	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB The specific model of load cells covered by this certificate are USB-YYYYX500 through USB-YYYYX699 where YYY is the load cell capacity and XX is the cable length.	III L	10,000	200 to 10,000 lb	Universal, Tension or Comp.	
90-092	09/18/90	Hottinger Baldwin Measurements, Inc	Load Cell	SB2 & SB3 The specific load cell covered by this certificate are: SB2-YYYYX500 through SB2-YYYYX699 and SB3-YYYYX500 through SB3-YYYYX699 where YYY is the load cell capacity and XX is the cable length.	III L	10,000	10k to 200 lb	Shear Beam	
90-138P	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell	USB The specific models of load cells covered by this certificate are USB-YYYYX500 through USB-YYYYX699 where YYY is the load cell capacity and XX is the cable length.	III	5000	200 to 5000 lb	Universal, Tension	
91-030P	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	HLC & THC SERIES n-max: single cell: 3,000 - multiple cells: 6,000. The specific load cells covered by this certificate are HLC-YYYYX400 through HLC-YYYYX690 & THC-YYYYX400 through THC-YYYYX690, where YYY is the load cell capacity & XX is the cable length. The numbers do not have any effect on compliance with NIST Handbook 44. Models: HLC-1K, HLC-2.5K, HLC-4K, HLC-5K & HLC-10K.	III see below	1,000 to 10k lb		Bending Beam	

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-031P	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	RSC SERIES n-max: single cell, class III: 3,000 - single cell, class III L: 10,000. The specific load cells covered by this certificate are RSC-YYYYX400 through RSC-YYYYX6790 where YYY is the load cell capacity & XX is the cable length. The numbers 400 through 690 represent customer variations that do not have any effect on compliance with NIST Handbook 44.	III/III L see below	50 to 5,000 lb		Universal Beam ("S" Cell)	
91-036	03/07/91	Hottinger Baldwin Measurements, Inc	Load Cell	JRT SERIES The specific load cells covered by this certificate are JRT-YYYYX500 through JRT-YYYYX600, where YYY is the load cell capacity & XX is the cable length. The numbers 500 through 600 represent customer variations that do not have any effect on compliance with NIST Handbook 44. Models: JRT-20K, JRT-50K, JRT-100K & JRT-200K.	III L MC: 10,000	20k to 200k lb		Compression Torsion Ring	
87-056P	11/25/87	Interface, Inc.	Load Cell	SSM	III/III L	6K, 10K S		Superseded by 87-056P Ammended	
87-056P	03/14/88	Interface, Inc.	Load Cell	SSM Series SSM-xxx-100A, SSM-xxx-100C, SSM-xxx-100E, SSM-xxx-100G, SSM-xxx-100J, SSM-xxx-100M, SSM-xxx-100R, SSM-xxx-1000A, SSM-xxx-1000E, SSM-xxx-1000G, SSM-xxx-1000J, SSM-xxx-1000M, SSM-xxx-1000R, SSM-xxx-10000A, SSM-xxx-10000E, SSM-xxx-10000G, SSM-xxx-10000J, SSM-xxx-10000R	III/III L	6K, 10K S		Load Cell	
87-056PA1	05/15/90	Interface, Inc.	Load Cell	SSM-S The specific models of load cells covered by this certificate are SSM-XXX-YYYYS where XXX is a two or three character alphanumeric code used to designate variations such as cable type or length, YYY is the capacity of the load cell in pounds, and S is the unique character identifying this series from the previous certificate (CC No. 88-056P). Capacities from 100 to 1000 lbs.	III/III L	6k, 10k S	6000 - 10000		LOAD CELL
88-038P	04/07/88	Interface, Inc.	Load Cell	SSB	III	3,000 S	50 - 250 lb		Shear Beam Load Cell
88-040P	04/07/88	Interface, Inc.	Load Cell	MB Series	III	3,000 S	10 - 100 lb		Shear Beam Load Cell
86-037	12/16/87	Revere Transducers, Inc.	Load Cell	5123	III	3k S, 5k M	1k - 10k lb		Single ended shear beam.
86-037P	01/26/87	Revere Transducers, Inc.	Load Cell	B5123	III	3k S, 5k M	1k - 10k lb		Superseded by 86-037

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
86-038	03/28/91	Revere Transducers, Inc.		Load Cell	5223-B10	III L	50K, 65K, 100K		Double Ended Shear Beam
									The specific models of load cells covered by this Certificate are 5223-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for individual load cells comply with Handbook 44.
86-038P	01/26/87	Revere Transducers, Inc.		Load Cell	B5223	III L	50k, 65k, 100k lb		Superseded by 86-038PA12/10/87
86-038PA	12/10/87	Revere Transducers, Inc.		Load Cell	5223	III L	50k, 65k, 100k lb		Double Ended Shear Beam
86-039	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	30K to 250K lb		Double Ended Shear Beam
									The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.
86-039P	01/26/87	Revere Transducers, Inc.		Load Cell	5103	III L	50k-150k lb		Superseded by 86-039PA 7/25/88
86-039P	07/25/88	Revere Transducers, inc.		Load Cell	5103	III L	10k to 100k lb		Double Ended Shear Beam
									The specific models of load cells covered by this Certificate are 5103-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. Range of capacities (lb) from to 100 K.
86-040P	12/10/87	Revere Transducers, Inc.		Load Cell	692B	III L	25k, 50, 100k lb		Multi-column Compression
86-040P	01/26/87	Revere Transducers, inc.		Load Cell	C692B	III L	25k, 50k, 100k lb		Superseded by 86-040P 12/10/87
86-041	03/01/89	Revere Transducers, Inc.		Load Cell	SSB	III	500 to 5,000 kg	1k to 10k lb	Single Ended Shear Beam
									SSB-5t-C3, -1t-C3, -2t-C3, -2.5t-C3, -5t-C3, -2-III/3, -5-III/3, -10-III/3
86-041.A1	03/28/91	Revere Transducers, inc.		Load Cell	SSB	III & III L	500k - 5000 kg		Single Ended Shear Beam
									Capacity- 1,000 to 10,000 lb. The specific models of load cells covered by this certificate are SSB-X-Y-Z where X, Y, & Z, as applicable are model numbering codes denoting capacity, classification, electrical connection. Other Models: SSB-5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, SSB-5-III/3 and SSB-10-III/3.

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-041P	01/02/86	Revere Transducers, Inc.	Load Cell	SSB	SSB	III	3000 S	500 - 5,000 kg	1k to 10k lb	Superseded by 86-041
					SSB-5t-C3, SSB-11t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, SSB-5-III/3, SSB-10-III/3					
87-051	04/05/89	Revere Transducers, Inc.	Load Cell	9363	9363	III/III L	3k/10k S	100-10,000 lb		superseded by 87-051 12/20/89
					Class III, Model code 9363-A3-YYYY: Class III L, Model code 9363-B10-XXX-YYYY.					
87-051	12/20/89	Revere Transducers, Inc.	Load Cell	9363	9363	III/III L	3k/10k S	100 - 10,000 lb		Tension S-Cell, Stainless Steel
87-051.A1	03/28/91	Revere Transducers, Inc.	Load Cell	9363-A3 & 9363-B10	9363-A3 & 9363-B10	III & III L	see below	100 - 10,000 lb		Tension S-Cell
					Capacity: Single Cell, Class III: 3,000 & Single Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 9363-A3-XXX-YYYY; for Class III L, models 9363-B10-XXX-YYYY where XXX is the capacity code and YYYYY is a designator for the electrical cable length, wiring color code, and private label variations.					
87-051PA	07/25/88	Revere Transducers, Inc.	Load Cell	9363	9363	III/III L	3k/10k S	3000 - 10000 lb		Superseded by 87-051
					Class III, Models 9363-A3-XXX-YYYY: Class III L, Models 9363-B10-XXX-YYYY. Capacities (lb): 3,000; 5,000; 10,000					
87-063	04/05/89	Revere Transducers, Inc.	Load Cell	363	363	III/III L	3k, 10k S	100-10,000 lb		superseded by 87-063 12/20/89
					For Class III, Models 363-A3-XXX-YYYY: For Class III L, Models 363-B10-XXX-YYYY, where XXX is the capacity code, and YYYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities: 100, 200, 300, 500, 750, 1.5k, 2k, 3k, 5k, 10k					
87-063	12/20/89	Revere Transducers, Inc.	Load Cell	363	363	III/III L	3K, 10K S	100 - 10,000 lb		Tension S-Cell
87-063.A1	03/28/91	Revere Transducers, Inc.	Load Cell	363-A3 & 363-B10	363-A3 & 363-B10	III & III L	see below	100 - 10,000 lb		Tension S-Cell
					Capacity: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 363-A3-XXX-YYYY; for Class III L, models 363-B10-XXX-YYYY where XXX is the capacity code and YYYYY is a designator for the electrical cable length, wiring color code, and private label variations.					
87-063PA	07/25/88	Revere Transducers, Inc.	Load Cell	363	363	III/III L	3k, 10k S	3000 - 10000 lb		Superseded by 87-063
					For Class III, Models 363-A3-XXX-YYYY: for Class III L, Models 363-B10-XXX-YYYY where XXX is the capacity code, and YYYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities (lb): 3 k, 5 k, 10 k					
87-085	03/10/88	Revere Transducers, Inc.	Load Cell	SHB	SHB	III	3,000 S	20 - 1000 kg		Bending Beam and Shear Beam
					Capacities (kg): 20, 50, 100, 200, 500, 1000					

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-085.A1	03/28/91	Revere Transducers, Inc.		Load Cell	SHB The specific models of load cells covered by this certificate are SHB-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	III & III L S-Cell: 3000	20 - 1,000 kg		Bending Beam & Shear Beam
87-086	03/10/88	Revere Transducers, Inc.		Load Cell	LCU Capacities: (kg) 10, 20, 30, 50, 100: (lb) 30, 50, 75, 125, 250	III 3,000 S	10 - 100 kg 30 - 250 lb		Bending Beam Load Cell
87-086.A1	03/28/91	Revere Transducers, Inc.		Load Cell	LCU The specific models of load cells covered by this certificate are LCU-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	III & III L S-Cell: 3000	10-100kg/10-250lb		Bending KBeam
88-041	03/29/89	Revere Transducers, Inc.		Load Cell	STS Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500	III 3,000 S	50 to 2,500 lb		S-Type, Tension
88-041	04/29/88	Revere Transducers, Inc.		Load Cell	STS	III 3000 S	50 to 2500 lb		Superseded by 88-041 3/29/89
88-041.A1	03/28/91	Revere Transducers, Inc.		Load Cell	STS The specific models of load cells covered by this certificate are STS-X-Y-Z where X, Y & Z, as applicable are model numbering codes denoting capacity, classification, and electrical connection.	III & III L see below	50 - 2500 pds.		S-Type Tension
88-042	03/01/89	Revere Transducers, Inc.		Load Cell	STS STS-XX-A-III L-10S where the XX is the capacity of the load cell in thousands of pounds. Capacities (lb): 50, 100, 250, 500, 750, 1000, 2500	III L 10,000 S	50 to 2,500 lb		S-Type, Tension
88-042.A1	03/28/91	Revere Transducers, Inc.		Load Cell	STS The specific models of load cells covered by this certificate are STS-X-Y-Z where S, Y and Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	III L S-Cell 10000	50 to 2500 pds		S-Type, Tension
88-082	05/25/89	Revere Transducers, Inc.		Load Cell	CSP Capacities (kg): 10,000, 25,000, 40,000, 60,000, 100,000	III/III L 3k, 10k S	25k to 200k lb 10k to 100k kg		Multi-Column Compression
88-082.A1	03/28/91	Revere Transducers, Inc.		Load Cell	CSP Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. Capacity: 10k - 100k kg & 25k - 200 k kg. The specific models of load cells covered by this certificate are CSP-X-Y-Z where X, Y & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.	III & III L see below	see below		Multi-Column Compression
88-082P	09/09/88	Revere Transducers, Inc.		Load Cell	CSP	III/III L 3k, 10k S	25K to 200K lb		superseded by 88-082

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-089	05/25/89	Revere Transducers, Inc.		Load Cell	BSP	III/III L	3k, 10k S	100 to 5,000 lb		S-Type, Tension/Compression
			Capacities (lb): 100, 250, 500, 1000, 2500, 5000							
88-089.A1	03/28/91	Revere Transducers, Inc.		Load Cell	BSP	III & III L	see below	100 - 5,000 lb		Universal, Bending & Shear
			Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are BSP-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.							
88-089P	09/29/88	Revere Transducers, Inc.		Load Cell	BSP	III/III L	3k, 10k S	100 to 5,000 lb		superseded by 88-089
88-126	05/25/89	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k, 10k S	50,000 lb		Single Column Tension
88-126.A1	03/28/91	Revere Transducers, Inc.		Load Cell	LCT-50	III & III L	see below	50,000 lb		Single Column Tension
			Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are LCT-50-X-Y-Z where X, Y, & Z as applicable, are model numbering codes denoting capacity, classification, and electrical connection.							
88-126P	07/25/88	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k, 10k S	50,000 lb		superseded by 88-126
89-024	01/06/90	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS, 5kM, 10kM			
			Class III: 5723-A5-1K, 5723-A5-2.5K, 5723-A5-4K, 5723-A5-5K, 5723-A5-10K. Class III L: 5723-B10-1K, 5723-B10-2.5K, 5723-B10-4K, 5723-B10-5K, 5723-B10-10K.							
89-024.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5723-A5 & 5723-B10	III & III L	see below	1,000 - 10,000 lb		Single-ended Shear Beam
			Capacity: S-Cell, Class III: 3,000, M-Cells, Class III L: 10,000. The specific models of load cells covered by this certificate are 5103-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.							
89-024P	04/04/89	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS, 5kM, 10kM			superseded by 89-024
89-039P.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	10,000	5K to 20K		Double Ended Shear Beam
			The specific models of load cells covered by this Certificate are 5103-B10-XXX-YYYY where XXX is the capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variation.							
			s. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.							

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-152P	11/02/90	Revere Transducers, Inc.		Load Cell	5423 B	III L	10,000	10,000-65,000 lb	Double-Ended Shear Beam
		The Model designation for th load cells is 5423-B10-XXK-YYYY where XXX represents the celol capacity in thousands of pounds (e.g., 10K) & YYYY represents variations that are not metrologically significant.							
90-152P.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5423-B10	III L	10,000	10,000 - 65,000lb	Double-Ended Shear Beam
		5423-B10-10K-YYYY, 5423-B10-20K-YYYY, 5423-B10-30K-YYYY, 5423-B10-50K-YYYY & 5423-B10-65K-YYYY. The model designation for the load cells is 5423-B10-XXK-YYYY where XXX represents the cell capacity in thousands of pounds (e.g, 10K) and YYYY represents va riations that are not metrologically significant.							
91-001	01/24/91	Revere Transducers, Inc.		Load Cell	792-B5	III L	4500	50k to 200k lb	Single Column compression can.
88-304	05/25/89	Rice Lake Weighing Systems		Load Cell	RL20000	III	4500 S	50 to 10000 lb	Supersceded by 88-304A1
		Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000							
88-304A1	04/26/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	5k, 10k S	25 to 20,000 lb	Type "S"
		Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000							
88-304PA1	02/12/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	5K, 10K S	25 to 20,000 lb	Type "S" load cell
		Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000							
88-305	05/25/89	Rice Lake Weighing Systems		Load Cell	RL30002, 30000,30001	III/III L	5000 M	1000 to 10000 lb	
		Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000							
88-306	05/25/89	Rice Lake Weighing Systems		Load Cell	RL700000*-XX	III/III L	5000 M	5000 - 50000 lb	
		Capacities (lb): 5,000, 10,000, 20,000, 50,000							
88-306.A1	04/18/91	Rice Lake Weighing Systems		Load Cell	RL700000-XX	III & III L	M-Cell 5000	5,000 - 50,000 lb	Double Ended Shear Beam
90-158	04/18/91	Rice Lake Weighing Systems		Load Cell	RL20000A-XXX	III & III L	see below	25 - 50,000 lb	S-Beam Tension
		Capacity: S-Cell, Class III: 5000 - S-Cells, Class III L: 10,000. The specific load cells covered by this certificate are identified by the cell capacities. The XXX of the model designation represents the load cell capacity.							
90-159	01/03/91	Rice Lake Weighing Systems		Load Cell	RL30000A-XXX	III	3k S - 5k M	1,000 to 10,000	Shear Beam, Compression
		RL30000A-XXX (Thread load hole), RL30001A-XXX (Counterr bored load hole), RL30002A-XXX (Through load hole).							

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
91-045P		Rice Lake Weighing Systems		Load Cell	RL35023					
91-046P		Rice Lake Weighing Systems		Load Cell	RL20001					
90-023P	03/14/90	Scaime S.A.		Load Cell	AE Series	III	3,000 S	10 to 100 kg		Single-point beam load cell
91-051P	04/18/91	Scaime S.A.	AG 5, AG 10, AG 15, AG 20, AG 30, AG 50, AG 75 & AG 100.	Load Cell	AG Series	III	S-Cell: 5000	5 kg - 100 kg		Single Point Flexion Beam
86-043	09/30/88	Sensortronics		Load Cell	60001A	III/IIIL	5K, 10K S	750-7500 lb		Type S Load Cell
86-043P	12/10/87	Sensortronics		Load Cell	60001A	III/IIIL	5K/10K S	250 -2500 lb		Superseded by 86-043
86-043PA	05/25/89	Sensortronics	Capacities (lb): 250: 500: 10,000: 15,000: 20,000	Load Cell	60001A	III/IIIL	5000 S	250 to 20,000 lb		Superseded by 86-043
86-044	05/24/88	Sensortronics		Load Cell	65023A	III	5000 M	1000 to 10000 lb		Shear Beam Compression
86-044A1	05/25/89	Sensortronics		Load Cell	65023A	III	3000 S	1000k - 10000k lb		Shear Beam, Compression
86-044P	12/10/87	Sensortronics		Load Cell	65023A	III	5,000 S	1k - 10k lb		Superseded by 88-044
86-045	05/24/88	Sensortronics		Load Cell	65040A	III L	10,000 M	25k-125k lb		Double Ended Shear Beam
86-045P	12/10/87	Sensortronics		Load Cell	65040A	IIIL	10,000 M	25k - 125k		Superseded by 86-045
86-046	02/10/89	Sensortronics	Capacities (lb): 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 90,000: 100,000: 125,000	Load Cell	65058A	III L	10,000 M	20,000-125,000 lb		Double End Shear Beam
86-046P	12/10/87	Sensortronics		Load Cell	65058A	III	10,000 M	20k - 125k		Superseded by 86-046

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-046PA	07/25/88	Sensortronics		Load Cell	65058A	III L	10,000 M	20k-125k lb		Superseded by 86-046
87-052P	12/10/87	Sensortronics	Capacities (lb): 100, 200, 400, 500, 1000	Load Cell	60048A	III	5,000 S	100 - 1k lb		Bending Beam
87-053	01/26/89	Sensortronics	Capacities (lb): 10,000: 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 100,000	Load Cell	65061A	III L	10,000 M	10k - 100k		Double Ended Shear Beam
87-053P	12/10/87	Sensortronics		Load Cell	65061A	III L	10000 M	10K to 100K lb		Superseded by 87-053
87-054P	12/10/87	Sensortronics	Capacities: 2500, 5000, 10000, 15000, 25000	Load Cell	65016A	III L	10,000 M	2.5k - 25k		Shear Beam Center Loaded Cell
88-298P	01/26/89	Sensortronics	Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000	Load Cell	65023S	III	5000 M	1000 to 10000 lb		Superseded by 88-298PA1
88-298PA1	06/16/89	Sensortronics	Capacities (lb): 1,000, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 10,000	Load Cell	65023S	III	3K S, 5K M	1,000 - 10,000 lb		Shear Beam Compression
91-011		Sensortronics		Load Cell	60001A-XX-1166					
91-011P		Sensortronics		Load Cell	60001A-XX-1166					
90-171P	01/04/91	Sun Scale Inc.		Load Cell	SHS Series	III	5000	1000 to 10,000 lb		Single-Ended Bending Beam
88-018P	03/14/88	Superior Load Cell		Load Cell	AW900	III L	5000 M	20K to 100K lb		Superseded by 88-018PA
88-018P2	09/26/88	Superior Load Cell	AW 900 and DSB-20 Series	Load Cell	AW900	III L	5,000 M	20 k to 100 k lb		Superseded by 88-018PA
88-018PA	04/07/88	Superior Load Cell		Load Cell	AW900	III L	10,000 M	20k- 100k lb		Superseded by 89-006P

The two model series are DSB-20 and AW900. The model designation will have a suffix reflecting the capacity of the load cell.

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-034P	04/07/88	Superior Load Cell		Load Cell	LSB- and AW600-XXK Capacity (lb): 2,500, 5,000, 10,000, 15,000, 20,000	III L	5000	2500 to 20000 lb		Superseded by 88-034PA2
88-034PA2	02/23/90	Superior Load Cell		Load Cell	LSB & AW600 Series	III L	10,000	2.5 k -20 k lb		WITHDRAWN
88-068P	05/26/88	Superior Load Cell		Load Cell	AW200 & SSB AW200, AW200A, SSB-1k, SSB-2.5k, SSB-5k	III L	10,000	1k - 5k lb		Superseded by 88-068PA2
88-068PA2	08/02/89	Superior Load Cell		Load Cell	AW200 & SSB AW200-1K, AW200-2.5K, AW200-5K, AW200A-1K, AW200A-2K, AW200A-2.5K, AW200A-4K, AW200A-5K, AW201A-1K, AW201A-2K, AW201A-2.5K, AW201A-4K, AW201A-5K, AW202-1K, AW202-2K, AW202-2.5K, AW202-4K, AW202-5K	III L	10,000	1k - 5k lb	Single Ended Shear Beam	
88-295P	01/25/89	Superior Load Cell		Load Cell	AW 1700 Capacities (lb): 150, 200, 300, 500, 750, 1000, 1200	III	5,000	150 to 1,200 lb		Shear Beam
88-313P	05/25/89	Superior Load Cell		Load Cell	AW400 AW400-15K, -20K, -30K, -40K, -50K, -60K, -75K, -100K, -125K	III L	10000	15K to 125K lb		WITHDRAWN
89-006P	02/23/90	Superior Load Cell		Load Cell	AW900	III L	10,000	20k to 100k lbs		WITHDRAWN
89-052P	08/17/89	Superior Load Cell		Load Cell	AW300 AW300-250, -500, -750, -1K, -1.5K	III	3000	250 to 1500 lb		
89-142P	04/25/90	Superior Load Cell		Load Cell	AW200 FAMILY AW-200-1K, -200A-1K, -201A-1K, -202-1K, -203-1K, -200-2K, -200A-2K, -201A-2K, -202-2K, -203-2K, -200-2.5K, -200A-2.5K, -201A-2.5K, -202-2.5K, -203-2.5K, -200-4K, -200A-4K, -201A-4K, -202-4K, -203-4K, -200-5K, -200A-5K, -201A-5K, -202-5K, -203-5K	III	4,000	1,000 - 5,000 lb	SHEAR BEAM	
89-142P-A1	03/07/91	Superior Load Cell		Load Cell	AW-200 AW-200-1K, AW-200A-1K, AW-201A-1K, AW-202-1K, AW-203-1K, AW-200-2K, AW-200A-2K, AW-201A-2K, AW-202-2K, AW-203-2K, AW-200A-2.5K, AW-201A-2.5K, AW-202-2.5K, AW-203-2.5K, AW-200-4K, AW-200A-4K, AW-201A-4K, AW-202-4K, AW-203-4K, AW-200-5K, AW-200A-5K, AW-201A-5K, AW-202-5K & AW-203-5K	III	MC: 4,000	1,000 to 5,000 lb	Shear Beam	
90-052	03/27/90	Superior Load Cell		Load Cell	AW600B Series AW600B-2.5K, -5K, -10K, -15K, -20K. Capacities (lb): 2,500, 5,000, 10,000, 15,000, 20,000	III	5,000	2,500 - 20,000 lb		Shear Beam, Tension

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-052.A1	03/07/91	Superior Load Cell		Load Cell	AW600B Series The model designation for the series is AW600B-XXK where XXK is the load cell capacity in thousands (K) pounds. Models: AW600B-10K, AW600B-15K & AW600B-20K.	III	2500 to 20k lb MC: 5,000		Shear Beam, Tension AW600B-2.5K, AW600B-5K,
90-090	06/12/90	Superior Load Cell		Load Cell	AW900B AW900B-20K, AW900B-25K, AW-900B-30K, AW900B-40K, AW900B-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW901B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.	III L	20k to 100k 10,000		Double-Ended Shear Beam
90-139	09/26/90	Syracuse Scale Co, Inc.		Load Cell	ALC850 These load cells are marketed under the brand name "Atlas." The specific models covered by this certificate are: ALC850-20K, ALC850-30K, ALC850-40K, ALC850-50K, ALC901B-50K, ALC850-60K, ALC901B-50K, ALC850-60KL, ALC901B-65K, ALC850-75L, ALC850-75KL & ALC850-100K.	III L	20k to 100k MC: 10,000		Double-Ended Shear Beam
89-053	09/24/90	Tedea Inc.		Load Cell	3410 The load cells in this family are identified by the capacities of the cells. Single cell, Class III: 3,000 - Multiple cells, Class III: 5,000.	III	1000 lb - 10k lb see below		Shear Beam
89-053.A1	03/07/91	Tedea Inc.		Load Cell	3140 n-max: single cell, class III: 3,000; multiple cells, class III: 5,000.	III	1,000 to 10k lb see below		Shear Beam
89-053P	05/25/89	Tedea Inc.		Load Cell	3410 Capacities (lb): 1,000, 1,500, 2,500, 4,000	III & III L	1000 - 4000 lbs 3k,5k,10k		3k S III,5k M III,10k S&M III L
89-053P.A2	09/24/90	Tedea Inc.		Load Cell	3140 The load cells in this family are identified by the capacities of the cells. Multiple Cells, Class III L: 10,000.	III L	1000 lb - 10k lb see below		Shear Beam
89-053PA1	05/15/90	Tedea Inc.		Load Cell	3410 Single Cell, Class III: 3,000 - Multiple Cells, Class III: 5,000 - Class III L: 10,000.	III & III L	1,000 - 10,000 lb 3,000		Shear Beam
89-054	09/24/90	Tedea Inc.		Load Cell	1250 The load cells in this family are identified by the capacities of the cells.	III	100 kg - 1,000 kg 3,000		Single Point
89-054P	05/25/89	Tedea Inc.		Load Cell	1250 Capacities (kg): 100, 150, 200, 250, 300, 500, 635, 1,001	III L	50 kg - 1,000 kg 3,000 S		Single Point
89-074	09/24/90	Tedea Inc.		Load Cell	1010 The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.	III	5 to 50 kg 3,000		Three Beam, Single Point

LISTING BY DEVICE TYPE

CC No. Date Company Name Other Models Device Type Model Accuracy Class Capacity Platform size Device Description

89-074P	07/05/89	Tedea Inc.		Load Cell	1010	III	3,000 S	5 to 50 kg		Three Beam, Single Point
			Capacities (kg): 5, 7, 10, 11, 36, 15, 20, 30, 50							
89-075	09/24/90	Tedea Inc.		Load Cell	1040	III	3,000	5 to 100 kg		Three Beam, Single Point
			The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.							
89-075P	07/05/89	Tedea Inc.		Load Cell	1040	III	3,000 S	5 to 100 kg		Three Beam, Single Point
			Capacities (kg): 5, 7, 10, 15, 20, 30, 50, 75, 100							
88-239P	01/25/89	The A. H. Emery Company		Load Cell	136	III L	10,000 M	75,000		Hydraulic
87-084P	07/17/88	Toledo Scale Corporation		Load Cell	725 family	III	6000 M	500 to 2000 lb		Superseded by 87-084
			Capacities (lb): 500, 1000, 2000							
87-098P	07/17/88	Toledo Scale Corporation		Load Cell	742	III	6000 M	1000 to 20000 lb		superseded by 87-098
			Capacities (lb)- 1,000: 2,500: 5,000: 10,000: 20,000							
88-008P	07/17/88	Toledo Scale Corporation		Load Cell	743	III/III L	5k,10k M	1k to 45k lb		superseded by 88-008
88-009P	11/14/88	Toledo Scale Corporation		Load Cell	752	III L	6000 M	50k to 100k lb		superseded by 88-009PA1
88-091	11/02/90	Toledo Scale Corporation		Load Cell	760	III L	10,000	22.5 to 45,000 kg		Column Compression
87-084	10/02/89	Toledo Scale Corporation		Load Cell	725	III	6,000 M	500 - 2k lb		Bending Beam Load Cell
			Specific load cells are identified by the load cell capacities. Capacities (lb): 500, 1000, 2000							
87-098	10/02/89	Toledo Scale Corporation		Load Cell	742	III	6,000 M	1k - 20k lb		
			Capacities: 1000, 2500, 5000, 10000, 20000							
88-008	10/02/89	Toledo Scale Corporation		Load Cell	743	III/III L	5K,10K M	1k to 45k lb		
			Specific load cells are identified by the load cell capacity. Capacities: 1k, 3k, 5k, 10k, 20k, 45k							

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-009PA1	10/02/89	Toledo Scale Corporation	Load Cell Capacities (lb): 50k, 100k	Load Cell	752	III L	50k-100k lb	10,000 M	
88-091P	06/02/88	Toledo Scale Corporation	Load Cell Capacities (kg): 22,500, 45,000	Load Cell	760	III L	22.5 and 45 kg	10,000 M	Column Compression Load Cell
89-130		Totalcomp, Inc.	Load Cell Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000	Load Cell	Nikkei NS	III	25 to 10,000 lb	4,500 S	Type "S" Load Cell
89-130PA1	02/12/90	Totalcomp, Inc.	Load Cell Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000	Load Cell	Nikkei NS	III/III L	25 to 20,000 lb	5K, 10K S	Type "S" load cell
89-131		Totalcomp, Inc.	Load Cell Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000	Load Cell	Nikkei NSB and NSBT	III/III L	1,000 - 10,000 lb	5,000 M	Shear Beam
89-132		Totalcomp, Inc.	Load Cell Capacities (lb): 5,000, 10,000, 20,000, 50,000	Load Cell	Nikkei NDE	III/III L	5,000 - 50,000 lb	5,000 M	Double Ended Shear Beam
89-073P	07/05/89	Unibrigde Scale Systems	Load Cell Capacities (lb): 50,000, 65,000, 100,000	Load Cell	UBDL8900	III L	50,000-100,000lb	8,000 M	Double-Ended Shear Beam
87-090.A2	09/24/90	Weigh-Tronix, Inc.	Load Cell	Load Cell	WBP, WBR, WBL	III	500 - 50,000 lb	5000	Shear Beam
87-090.A3	03/07/91	Weigh-Tronix, Inc.	Load Cell The only difference b/t the WBP, WBR, & WBL is in the end mounts. These differences are not considered to be metrologically significant. Models: WBP-500K, WBP-1.25, WBP-2.50K, WBP-5.00K, WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K, WBR-1000, WBR-2000, WBL-500K, WBL-1.25K, WBL-2.50K & WBL-5.00K.	Load Cell	WBP, WBR, WBL	III	500 to 50,000 lb	5,000	Bending Beam
87-090A	07/25/88	Weigh-Tronix, Inc.	Load Cell WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K: Capacities (lb): 10,000: 20,000: 25,000: 50,000	Load Cell	WBP	III	10000 to 50000 lb	5000 M	Bending Beam
87-090P	12/29/87	Weigh-Tronix, Inc.	Load Cell WBP-0.50K, WBP-1.25K, WBP-2.50K, WBP-5.00K: Capacities (lb): 500, 1250, 2500, 5000	Load Cell	WBP	III	500 to 5000 lb	5000 M	Superseded by 87-090A

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-090PA	04/20/88	Weigh-Tronix, Inc.		Load Cell	WBR WBR-1000, WBR-2000: Capacities (lb): 1000, 2000	III	5000 M	500 to 5000 lb		Superseded by 87-090A
87-095	07/25/88	Weigh-Tronix, Inc.		Load Cell	WBP WBP-.125K, WBP-.250K: Capacities (lb): 125, 250	III	5000 M	125 and 250 lb		
87-095P	01/11/88	Weigh-Tronix, Inc.		Load Cell	WBP WBP-XXXX where XXXX is the code for the capacity of the load cell. Capacities (lb): 125, 250	III	5000 M	125 and 250 lb		Superseded by 87-095
87-119P	02/17/88	Weigh-Tronix, Inc.		Load Cell	WBT WBT-37.5 K, WBT-75.0 K: Capacities (lb): 37,500; 75,000	III L	10000 M	37500 to 75000 lb		superseded by 87-119
87-120P	02/17/88	Weigh-Tronix, Inc.		Load Cell	WBC WBC-250, WBC-500, WBC-1000, WBC-2500: Capacities (lb): 250, 500, 1000, 2500	III L	10000 S	250 to 2500 lb		Superseded by 87-120
88-299	05/25/89	Weigh-Tronix, Inc.		Load Cell	CK-100 Series WBC-250, WBC-500, WBC-1000, WBC-2500. Capacities (lb): 250, 500, 1000, 2500	III L	6000	250 to 2500 lb		Conversion Kit
87-090	08/30/88	Weigh-Tronix, Inc.		Load Cell	WBP & WBR WBP-0.50K, -1.25K, -2.50K, -5.00K, -1000, -2000. Capacities: 500 - 2000 lb	III	5,000 M	500-5,000 lb		
87-119	05/25/89	Weigh-Tronix, Inc.		Load Cell	WBT WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	III L	10,000 M	37500 to 75000 lb		
87-119PA	07/25/88	Weigh-Tronix, Inc.		Load Cell	WBT WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	III L	10,000 M	37500 to 75000 lb		superseded by 87-119
87-120	07/25/88	Weigh-Tronix, Inc.		Load Cell	WBC WBC-250, WBC-500, WBC-1000, WBC-2500	III L	6,000 S	250 to 2500 lb		
88-039	09/26/88	Weigh-Tronix, Inc.		Load Cell	WBC Capacities (lb): 250, 500, 1000, 2500	III	3,000 S	250 to 2500 lb		Bending Beam
88-039P	04/07/88	Weigh-Tronix, Inc.		Load Cell	WBC Capacities (lb): 250, 500, 1000, 2500	III L	5,000 S	250 - 25k lb		Superseded by 88-039

LISTING BY DEVICE TYPE

CC No. Date Company Name Other Models Device Type Model Accuracy Class Capacity Platform size Device Description

NO DEVICE TYPE

See Ref. Transducers, (See Revere Transducers, Inc.) NO DEVICE TYPE

Parking Meter

88-274P 01/26/89 P.O.M. Incorporated Parking Meter "E" (ECON-O-METER) 2 hrs x 6 min Parking Meter

POS Scale

91-050		CANMAX Retail Systems, Inc.		POS Scale	C-Serve					
89-097	08/21/89	Cardinal/Detecto Scale Mfr. Co.		POS Scale	ECR-30	III	3000	30 x .01 lb	14" x 12"	
86-016A	04/27/88	Esselte Meto		POS Scale	CR 511	III	3,000	30 x 0.01 lb	13.2" x 9.5"	superseded by 86-016A
86-016A2	02/09/90	Esselte Meto		POS Scale	CR511; CR512	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Digital Electronic
					Model CR511-20, capacity 20 x 0.01 lb; Model CR512-30, capacity 30 x 0.01 lb					
88-069	09/24/90	Hobart Corporation		POS Scale	5018	III	3,000	30 x 0.01 lb		Digital Point-of-Sale Scale
					5018 RSD, 5018V; 5018V2					
86-002	05/21/90	IBM Corporation		POS Scale	4683 Series					Digital Electronic
88-118	06/02/88	IBM Corporation		POS Scale	4680 Series					POS System/Controller
					4683-001 POS terminal (Primary), 4683-002 POS terminal (Satellite)					
89-139	01/10/90	IBM Corporation		POS Scale	4687-2	III	3000	30 x 0.01 lb	17" x 11"	
89-148	01/10/90	IBM Corporation		POS Scale	4687-2	III				Digital Electronic
89-081A	01/10/90	ICL, Inc.		POS Scale	310	III	2999	29.99 x 0.01 lb	11" x 15"	

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-155	04/25/90	ICL, Inc.		POS Scale	310RD	III				Digital Electronic
87-014	06/12/87	NCR Corporation		POS Scale	7824	III	3,000	30 x 0.01 lb	13" x 12"	Scanner/Scale
88-007	06/01/88	NCR Corporation	7050-XXXX, 7051-XXXX, 7070-XXXX, 7053-XXXX	POS Scale	7050 Series					Digital Electronic System
88-261	02/10/89	NCR Corporation		POS Scale	2127					Pt. of sale products
91-015		POS Data Products, Inc.		POS Scale	3030	III	3,000	30 x 0.01 lb	14.25" x 10.5"	
89-133 A2	01/03/91	Shekel Electronic Scales		POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" X 10.5"	Digital Electronic
89-133P	01/30/90	Shekel Electronic Scales	SC-150P; SC-15G	POS Scale	SC 150	III	3000	30 x 0.01 lb	14.25" x 10.5"	Superseded by 89-133PA1
89-133PA1	04/25/90	Shekel Electronic Scales		POS Scale	SC 150	III	3,000	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
89-138	01/10/90	Spectra Physics		POS Scale	760SLS	III	3000	30 x 0.01 lb	17" x 11"	
89-147	01/10/90	Spectra Physics		POS Scale	760SLS-RD	III				
89-021	05/01/89	TEC America, Inc.	SL-47-30-L-N	POS Scale	SL-47-50-L-N	III	5,000	50 x 0.01 lb.	13-1/2" x 12"	Digital Electronic
89-081	10/12/89	Toledo Scale Corporation		POS Scale	310-DATACHECKER	III	2999	29.99 X 0.01 lb	11" X 15"	Digital Electronic
89-137	01/10/90	Toledo Scale Corporation		POS Scale	8215	III	3000	30 x 0.01 lb	17" x 11"	
87-121	03/01/88	Weight-Tronix, Inc.		POS Scale	4000-1	III	3,500	30 x 0.01 lb	12" x 14"	Superseded by 87-121A3

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
Prepackaging Scale										
88-056	05/26/88	Avery Weighing Technology		Prepackaging Scale	B700	III	3,000	30 x 0.01 lb	12" x 15.25"	Digital Prepackaging Scale
88-183	09/22/88	Exact Equipment Corporation	960S, 960T, 960L	Prepackaging Scale	960	III	3,000	30 x 0.01 lb	16" x 10"	Digital Computing
88-184	09/22/88	Exact Equipment Corporation		Prepackaging Scale	920	III	5000	50 x 0.01 lb	270 mm x 400 mm	Superseded by 88-184A
88-184A	05/01/89	Exact Equipment Corporation		Prepackaging Scale	951	III	5,000	50 x 0.01 lb	270 mm x 400 mm	Digital Electronic
90-098	08/21/90	Global Scale Imports, Inc.		Prepackaging Scale	Automator 650A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
88-052	04/27/88	Hobart Corporation		Prepackaging Scale	1865	III	3,000	30 x 0.01 lb		Digital Prepackaging Scale
87-118	02/17/88	New Brunswick International, Inc.		Prepackaging Scale	DPS 6000	III	3,000	30 x .01 lb	341 mm x 284 mm	Digital Prepackaging Scale
88-174	08/31/88	New Brunswick International, Inc.		Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13.25" x 11.25"	Superseded by 88-174A1
88-174A1	03/27/90	New Brunswick International, Inc.	IL-2600	Prepackaging Scale	DPS-2600/AW-2600	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Digital Electronic
87-047	09/14/87	TEC America, Inc.		Prepackaging Scale	SL 31-50R	III	5,000	50 x 0.01 lb	27x40 cm	Digital Prepackaging Scale
89-029	05/25/89	Toledo Scale Corporation		Prepackaging Scale	8305	III	5,000	50 X 0.01 lb		Weighing Element
91-018	01/31/91	Weldotron Corporation		Prepackaging Scale	9000 Series	III	3,000	30 x 0.01 lb	13-1/4" x 11-1/4"	Prepackaging Scale

Includes Models 9602, 9603, 9605, 9609, 9610, 9612. CC based on CC 88-174-A1 issued to NBI, Inc. & information provided by mfg. Corresponding models for all but 9612/9612 included based on mfg. information.
 CC based on CC 88-174.A1 issued to NBI, Inc. & info provided by mfg. information.

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
<u>Prescription Balance</u>									
90-056	04/25/90	Henry Troemner, Inc.		Prescription Balance	800A	III	60 x 0.01 g	2.875 inch round	Torsion Band/Equal Arm
87-019	05/21/87	Vertex Industries, Inc.		Prescription Balance	DRX-3	III	60 x 0.01g	3" dia.	Mechanical Analog Balance
<u>Printer</u>									
87-115	12/29/87	Advance Scale Company		Printer	Auto-Scale 4000				Inbound/outbound vehicle scale
89-010	04/05/89	Advanced Systems Interfacing, Inc.		Printer	Microway II/TKII				Computer Interface System
88-276	01/20/89	Cardinal/Detecto Scale Mfgr. Co.		Printer	740 and 750				Electronic Dot Matrix
90-123	11/02/90	CAT Scale Company		Printer	320				Dot Matrix
88-234	09/13/88	Control Logic Corporation		Printer	CLC 1100 & CLC 1200				Dot Matrix
88-233	09/22/88	Fargo Electronic Services Inc.		Printer	SP 2000				Dot Matrix
89-157	01/06/90	Fargo Electronic Services Inc.	KB-102, ACS-105	Printer	KB-105				Dot Matrix
89-157.A1	01/24/91	Fargo Electronic Services Inc.	Optional Models: KB-102, ACS-105 & ACS-107	Printer	KB-105				Accessory Keyboard
88-162	07/17/88	Gilbarco, Inc.		Printer	PAO 16300				Dot Matrix Tape Printer
88-092	09/09/88	Hecon Corporation		Printer	A0 516 Series				Ticket Printer
88-093	09/09/88	Hecon Corporation		Printer	A0 543				Ticket Printer

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-094P	09/09/88	Hecon Corporation		Printer	AO AND A6 Series				Electronic Modular
			AO 522 XXX, A6 522 XXX, AO 523 XXX, A6 523 XXX						
89-129	10/24/89	Industrial Data Systems, Inc.	160 (tape printer)	Printer	152				
90-059	04/25/90	Industrial Data Systems, Inc.		Printer	Matrix 500				Electronic Dot-Matrix
88-115	06/17/88	Pennsylvania Scale Company		Printer	PS400				Dot Matrix Ticket Printer
88-116	06/17/88	Pennsylvania Scale Company		Printer	PS400-T				Dot Matrix Ticket Printer
88-117	06/17/88	Pennsylvania Scale Company		Printer	P100				Dot Matrix Tape Printer
89-156	01/14/90	Rice Lake Weighing Systems	KB-102, ACS-105	Printer	KB-105				Printing Element
87-015	06/16/87	Scale Data Systems		Printer	4000				Inbound/outbound vehicle scale
91-027	03/07/91	Thurman Scale Company		Printer	600				Dot Matrix
88-302	01/25/89	Toledo Scale Corporation		Printer	8842				Dot Matrix
89-008	07/05/89	Toledo Scale Corporation		Printer	963				9-Wire Dot Matrix Document
89-079	08/17/89	Toledo Scale Corporation		Printer	315				
89-080	08/17/89	Toledo Scale Corporation		Printer	8806				
90-073	08/21/90	Toledo Scale Corporation		Printer	307				Thermal Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-076	08/22/90	Toledo Scale Corporation		Printer	325				Thermal Electronic
88-197	09/22/88	Toledo Scale Corporation		Printer	MP 750				Electronic Dot Matrix Ticket
88-191	10/28/88	Toledo Scale Corporation		Printer	350				Electronic Programmable Label
88-192	09/22/88	Toledo Scale Corporation		Printer	8804				Dot Matrix
88-193	10/28/88	Toledo Scale Corporation		Printer	8840-1				Dot Matrix
88-194	09/22/88	Toledo Scale Corporation		Printer	8860				Thermal Electronic
88-195	10/28/88	Toledo Scale Corporation		Printer	314T				Electronic Label Printer
88-196	09/22/88	Toledo Scale Corporation		Printer	8855				Dot Matrix Tape
91-033	04/18/91	Tyrel Corporation		Printer	TCP-10				Digital Electronic
88-310	01/25/89	Weigh-Tronix, Inc.		Printer	WP-240				Dot matrix
<u>Railroad Track Scale</u>									
88-015FN	03/01/88	Cardinal/Detecto Scale Mfgr. Co.		Railroad Track Scale	RS, RSL, FSA & RSAL	III/III L	150-300 TONS	60'x 10'-72'x 10'	Railway Track Vehicle Scale
					6050-FSA, 6060-, 6070-, 6650-, 6660-, 7250-, 6080-, 6670-, 7260-, 7270-, 6680-, 7280-				
88-084	06/08/88	Systems Associates, Incorporated		Railroad Track Scale	NP Series	III L	200,000 x 100 lb		Digital Railroad Scale
					NP1260, -2000, -2600				
90-001P	02/16/90	Toledo Scale Corporation		Railroad Track Scale	7260	III L	340,000 x 50 lb	25'x4'11" each(2)	
					One 12'6" weighing element, Two independent 12'6" weighing elements, One 25' weighing element, Two 25' weighing elements, One 37'6" weighing element				

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
Retail Motor Fuel Dispenser									
87-062	10/27/87	Bennett Pump Company		Retail Motor Fuel Dispenser	6000 Series		99.999 gal.		Digital RFD
			6012, 6013, 6022, 6025, 6024, 6027						
89-063	10/02/89	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series		999.999 total gal		Superseded by 89-063A1
89-063A1	01/31/91	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series		999.999 total vol		Electronic Computing
			7600 & 7800 High Cap Series, Includes: 9000 Series, Conventional 7000 Series - Low hose & High hose.				\$9.999/vol		\$9,999.99 total \$
90-034PN	03/13/90	Bennett Pump Company		Retail Motor Fuel Dispenser	3700 Series				Analog Volume Only
			3722, 3724, 3725, 3725D, 3727, 3782, 3788, 3788D, 3789, 3789D, 3792						
90-035PN	03/13/90	Bennett Pump Company		Retail Motor Fuel Dispenser	4000 Series				Analog Computing
			4012, 4013, 4022, 4024, 4025, 4027						
87-077	10/26/87	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-2 and MPD-3		99.999 gal		superseded by 87-077A2
87-077A2	02/12/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AE, AK, AL, AP, AU		99.999 total gal		
			The Gilbarco model designation consists of a variety of entries based upon the dispenser configuration. The device is identified by the model designation AXXXXX where the XXXXXX represents various device parameters. These devices are known by the generic names of MPD-2, MPD-3, and the MPD-ProBlender. Other capacities of series: \$999.99 Total Price, \$9.999 Unit Price						
87-099	04/07/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	ABXXXX		99.999 gal		Electromechanical Dispenser
88-002	04/07/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC4992S1		60 gal/min		superseded by 88-226A2
			AC4992AS1, AC6093, AC4093						
88-003	03/01/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3
88-003A	05/03/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3
88-003A2	02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-017	04/04/89	Tokheim Corporation		Retail Motor Fuel Dispenser	785-HV (high volume)	60 gpm	mx. 60; mn. 12 gpm		Diesel Dispenser
89-115	04/25/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262 Series Unistar				Superseded by 89-115A1
89-115A1	04/18/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-X, 262A-X				Digital Electronic
90-014		Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series				
90-020	02/09/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-HV (High Volume)		60 gpm		Electronic Computing
90-144	11/02/90	Tokheim Corporation	Models: 220B, 222B, 330B, 33B. Suffixes: E-External fixed hose connection. V-External two hose connection for vapor recovery. L-Lighted valance. U-Unlighted valance. SA-Stand Alone. K-Customer select preset. P-Customer select preset.	Retail Motor Fuel Dispenser	200 & 330 Series	999.999gal \$9.999/unit	\$999.99 Money	9999.9 liters	Digital Comp. RMFD
90-145PN	11/02/90	Tokheim Corporation	Models: 1148T, 1150T, 1248, 1250. Suffixes: T, GP, SP, 1, 2, RCFC, AFC-1, PEH, SCS, HS, TPZ, PR, A, S, G, M, GM, VR, KC-4, KC-8, KC-16, WNC, TW, APC, APC-1, RHO, ESI, IBM, PR-SS, OC,	Retail Motor Fuel Dispenser	1100 & 1200 Series	\$3.999 up \$99.99 Max\$	999.9 gal	999.9 liters	Mech. Comp. RMFD
86-031	01/08/87	Wayne Division	141U/K, 142U/K, 143U/K, 141-1U/K, 142-1U/K, 143-1U/K	Retail Motor Fuel Dispenser	141U-KP		999.9 x 0.1 gal		
87-035	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/375-1L/19		999.999 gal		supersedes by 87-035A
87-035A	06/16/89	Wayne Division	Model DS1/375-1L/19G (CC No. 87-035). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/585-1L/19EG		999.999 Gallons		
87-036	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/387-1L/19		999.999 gal		Digital retail dispenser
87-036A	06/16/89	Wayne Division	DS1/387/1L/19G (CC No. 87-036). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/387-1L/19EG		999.999 Gallons		Digital Electronic
88-262	01/26/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L Series		99.999 vol units		Superseded by 88-262A1

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-007-A1	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V39XXX Series		see below		Digital Electronic Multi-Pro.
				Capacities: \$999.99 Total Price, 999.999 Total Volume & \$9.999 Total Unit Price.					
90-130	11/02/90	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series		\$999.99 Total Vol		Digital Electronic Multi-Pro.
91-034	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V395D Series				Digital Electronic Computing
				Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.					
91-035	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V58XXX Series				Digital Electronic Computing
				Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.					
88-279	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy 8800 Series		999.999 total vl		superseded by 88-279A1
			8852, 8853						
88-279A1	05/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	GASBOY 8800		999.999		
			8852, 8853						
88-281	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy 8000 Series		999.9 total vl		superseded by 88-281A1
			8052, 8053, 8652, 8653, 8752, 8753						
88-281A1	05/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy 8000		999.9		
			8052, 8053, 8652, 8653, 8752, 8753						
88-282	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy Submersible		999.9 total vol		Mechanical; Volume Only
			53 RDX, 2150 RDX, 8553 RDX, 8553 RDX TW						
88-283	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy Self-Con Vol		999.9 total vol		Mechanical; Volume Only
			52, 5200, 53, 5300, 8552, 8552TW, 8553, 8553TW						
88-284	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy Sup-Sd Vol		999.9 total vol		Volume Only
			150, 85150, 1500 RDX (Dispenser Only)						
89-056	05/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	9100		999.9		Mechanical; Volume Only
			9152, 9153						

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-064	07/05/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	425		5 GAL DELIVERY		Gallon Stroke Pump
91-019	01/31/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	9100 Series				RMFD Volume Only
			For use in applications in which a volume only dispenser is considered suitable. The 9140 Super Speed model is to be used for diesel fuel only.						
91-021	02/04/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	8000 Series				Mechanical Computing RMFD
			VeederRoot Registers: VR-10: \$999.99, 999.9 vol, \$9,999/vol. 2002E: \$99.99, 999.9, \$3,999/vol. VR-10 register must be used for applications in which total sales will exceed \$99.99, Models: 8052-, 8053-, 8652-, 8653-, 8740, 8752-, 8753-Suffix. See C for suffixes.						
91-057		William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	2000 Series				
<u>Retail Motor Fuel Register</u>									
90-115	08/23/90	Gilbarco, Inc.		Retail Motor Fuel Register	Advantage Series		see below		Electronic Computing
			\$999.00 total price, 999,000 volume units & \$9,999 unit price.						
91-058		Mobile Computing		Retail Motor Fuel Register	5400-2				
89-033	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2020				Digital Electronic
89-034	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2010				Digital Electronic
90-143PN	10/09/90	Veeder-Root		Retail Motor Fuel Register	2003				RMFD Mechanical Computer
			Pre-NTEP CC based on OWM ROT 498 and 523 (issued to 2002E) and info from manufacturer. 2003 identical to 2002E except left money wheel goes from 0 - 14 instead of 0-9.						
<u>Retail Motor Fuel System</u>									
89-100	10/12/89	Applied Technology		Retail Motor Fuel System	1200P, 1200W				
88-256	01/25/89	AutoGas Systems, Inc.		Retail Motor Fuel System	AT 2002 X				Card Reader/Station Controller
			AC 2004 E, AC 2003 M						

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-116	11/02/90	Dover Corporation		Retail Motor Fuel System	111-V Series OPW 111-V 22, OPW 111-V 24, OPW 111-V 47 & OPW 111-V 49.				Vapor Recovery Nozzle-balance
86-024	09/25/86	Gilbarco, Inc.		Retail Motor Fuel System	Modular Electronics				
88-285	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel System	System 2000S				Magnetic or Optical Reader
				System Model 2000S: Card readers are CTR-4, CTR-8, CTR-12 and CTR-16 which interface with logic control unit models CTC-4, CTC-8, CTC-12, and CTC-16.					
<u>Service Station Consoles/ECR</u>									
87-020	05/22/87	Bennett Pump Company		Service Station Consoles/ECR	M 430				Superseded by 87-020A2
87-020A	04/19/89	Bennett Pump Company	A 430-1	Service Station Consoles/ECR	Access 430				Superseded by 87-020A2
87-020A2	06/21/89	Bennett Pump Company	MI 320, MI 350	Service Station Consoles/ECR	ECR-430 ECR A 430-1				
88-083	05/26/88	Bennett Pump Company		Service Station Consoles/ECR	100		24 dispensers		Cash Register/Controller
88-303	04/19/89	Bennett Pump Company	A 410-1, A 410-2	Service Station Consoles/ECR	A 410-1 and A 410-2				Electronic Service Station POS
88-303A1	06/21/89	Bennett Pump Company	A 410-1, A 410-2, MI 320, MI 350	Service Station Consoles/ECR	A 410-X*		999.99 vol		superseded by 88-303A1
89-072	10/02/89	Bennett Pump Company		Service Station Consoles/ECR	OMNI-OT		up to 24 dispens.		Digital Electronic
90-036PN	03/13/90	Bennett Pump Company	814M, 816M, 818M	Service Station Consoles/ECR	81 Series				Digital
90-162	01/31/91	Bennett Pump Company		Service Station Consoles/ECR	M405-8E & M405-16E		999.99 total vol	9,999.999 total \$	RMFD Console
				For use with electronic RMFD's, M405-*e interfaces with up to 8 hoses, M405-16E interfaces with up to 16 hoses.					

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-025	01/25/89	CANMAX Retail Systems, Inc.		Service Station Consoles/ECR	FULL SERVE Class 2157, Model 0104: Class 2157, Model 0109				Cash Register Service
89-069	08/01/89	ESCO Manufacturing, Inc.		Service Station Consoles/ECR	TLC-10XX		799.999 gal		Electronic
86-018	09/02/86	Gilbarco, Inc.		Service Station Consoles/ECR	PA0188XXXX (T-12 C) Optional model PA0203XXXX				Digital Electronic
86-018A	03/11/87	Gilbarco, Inc.		Service Station Consoles/ECR	PA0203XXXX (T-12 G)				Digital Electronic
86-019A	12/16/87	Gilbarco, Inc.		Service Station Consoles/ECR	PA0180XXXXXXXX				Cash register/console
87-002	02/04/87	Gilbarco, Inc.		Service Station Consoles/ECR	T-15 PA0189, PA0190				Digital Controller
88-003A3	06/16/89	Gilbarco, Inc.	PA024NC10	Service Station Consoles/ECR	PA024TC10		40 gal/min		
89-068	10/12/89	Gilbarco, Inc.		Service Station Consoles/ECR	TS-1000		999.999		Superseded by 89-068A1
89-068A1	02/12/90	Gilbarco, Inc.		Service Station Consoles/ECR	PA024000000000				Electronic
89-070	08/02/89	Gilbarco, Inc.		Service Station Consoles/ECR	PA0250XXXXXXXX		799.999 gal		
87-005	03/24/87	Griffin Tech. Inc.		Service Station Consoles/ECR	HDT-4400				Electronic Cash Register
87-032	07/10/87	NCR Corporation		Service Station Consoles/ECR	2522				Service Station Console
88-257	02/10/89	NCR Corporation		Service Station Consoles/ECR	2126-1400				Electronic
89-092	10/12/89	NCR Corporation		Service Station Consoles/ECR	2113-3XXX				Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-067	04/18/90	Schlumberger Technologies, Inc.		Service Station Consoles/ECR	MMX 3000				Point-of-Sale Terminal
88-085	04/29/88	Southwest Pump Company		Service Station Consoles/ECR	ECS Series				Digital Service Station Con.
90-013	02/14/90	Southwest Pump Company		Service Station Consoles/ECR	M268 REG., M268 BASE				
89-160	12/20/89	Sun Electric Corporation		Service Station Consoles/ECR	SR, SP, SS				
89-160	05/04/90	Sun Electric Corporation		Service Station Consoles/ECR	SR-896-1				Digital Electronic
89-160 Amended	05/04/90	Sun Electric Corporation		Service Station Consoles/ECR	see below				Digital Electronic
86-032	10/12/89	Tokheim Corporation		Service Station Consoles/ECR	184, MEMS IV				Superseded by 86-032A1
86-032A1	10/24/89	Tokheim Corporation		Service Station Consoles/ECR	184 Series (MEMS IV)		999.99 vol units		Digital Electronic
87-079	11/05/87	Tokheim Corporation		Service Station Consoles/ECR	185 Series (MEMS V)				superseded by 87-079A1
87-079A1	10/24/89	Tokheim Corporation		Service Station Consoles/ECR	185 Series (MEMS V)				Digital Electronic
88-277	01/11/89	Tokheim Corporation		Service Station Consoles/ECR	ROC Series				superseded by 88-277A1
88-277A1	02/09/90	Tokheim Corporation		Service Station Consoles/ECR	ROC Series				

System consists of these models: SR-896-1 Island Card Reader (ICR), SP-894 Island Receipt Printer (IRP), SS-895-1 Dual Stand (Island Pedestal), SS-895 Single-Stand (Island Pedestal), SM-890 Electronic Cash Register & SM-960. Electric Cash Register (ECR)

Option: Model 190 printer

184-X = - Standard Cash Console: 184M-X = - Master Console (when a satellite is used): 184S-X = Satellite Console (when a master is used) where X is the number of fueling sites

185-X, 185M-X, 185S-X

382, 385, 387

390, 385, 387, 389

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-124	08/17/89	Toledo Scale Corporation		Service Station Consoles/ECR	262	III			
90-163	03/07/91	Triangle Microsystems, Inc.	Capacities: \$9,999.99 (total money), 999.999 (total gallons).	Service Station Consoles/ECR MPC-8 & MPC-16			see below		Digital Electronic
88-161	07/25/88	Tuthill Corporation		Service Station Consoles/ECR 500 Series			9999.99 gal		Service Station Controller
88-263	11/01/88	Wayne Division		Service Station Consoles/ECR WP/CT					Superseded by 88-263A1
88-263A1	03/13/90	Wayne Division		Service Station Consoles/ECR WP/CT					Generic Names Wayne "Plus2 & 3
86-005	05/06/86	William M. Wilson's Sons, Inc.		Service Station Consoles/ECR 2000S-CFN-SC					
91-020	02/06/91	William M. Wilson's Sons, Inc.	Models: 8852-, 8853-, 8840-Suffix, See CC for suffixes. Standard, Super, & Highspeed, Model 8840 for use with diesel only.	Service Station Consoles/ECR 8800 Series			\$999.99 total \$ \$999.99 total \$		Elec. Comp. RMFD
<u>Taximeter</u>									
86-029	11/12/86	Centrodyne Corporation of America		Taximeter	630		\$999.99		
87-010	04/20/87	Metrometer, Inc.		Taximeter	21R				Single or Multi-rate Taximeter
87-011	04/20/87	Metrometer, Inc.		Taximeter	22NP				Single or Multi-rate Taximeter
88-176	08/30/88	Metrometer, Inc.		Taximeter	CCM21R				Dig. Elec. Credit Card Meter
90-077	09/11/90	Pulsar Technology Systems, Inc.		Taximeter	100				Mileage Odometer

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-135PN	06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PR and PRL Series 2020PR, 2030PR, 2530PR, 3030PR, 3540PR, 3550PR, 2020-40PR, 2020-50PR, 2525-50PR, 3030-50PR, 3535-50PR, 2525-60PR, 3030-60PR, 3535-60PR, 2525-65PR, 3030-65PR, 3535-65PR, 2525-80PR, 3030-80PR, 3535-80PR, 2525-100PR, 3030-100PR, 3535-100PR	III L			Portable Mech. Vehicle Scale	
88-136PN	06/17/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PSR and PSRL Series 2020 PSR, 3025 PSR, 3030 PSR, 4035 PSR, 5035 PSR, 2020-40PSR, 2020-50PSR, 2525-50PSR, 3030-50PSR, 3535-50PSR, 2525-60PSR, 3030-60PSR, 3535-60PSR, 2525-65PSR, 3030-65PSR, 3535-65PSR, 2525-80PSR, 3030-80PSR, 3535-80PSR, 2525-100PSR, 3030-100PSR, 3535-100PSR	III L	20-100 ton	Portable Mech. Vehicle Scale		
88-224P	10/11/88	Cardinal/Detecto Scale Mfgr. Co.	Vehicle Scale	PRC-I Series Range of capacities from 100,000 to 270,000 lb. Range of platform area from 350' x 350' to 1050' x 1050' (10 to 12 foot widths). CLC 72,000 to 80,000 lb	III L	200,000 lb	70' x 10'	Superseded by 88-224	
88-024P	09/09/88	CMI Weighing Equipment	Vehicle Scale	2PS11010 2FT11010, 2PS3510 2FT3510, 2PS4010 2FT4010, 2PS4610 2FT4610, 2PS6010 2FT6010, 2PS7010 2FT7010, 2PS8010 2FT8010, 2PS9010 2FT9010, 2PS9310 2FT9310, 2PS10010 2FT10010, 2PS11610 2FT11610, 2PS12010 2FT12010, 2PS13010 2FT13010, 2PS14010 2FT14010; Capacity range 60 to 100 tons	III L	200,000 x 20 lb	100' x 10'	Vehicle Scale Weighing Element	
88-169	09/09/88	CMI Weighing Equipment	Vehicle Scale	2C-XXXX Series 2C-4010, -4610, -6010, -7010, -8010, -9010. Capacities (tons): 60 and 100	III L	10,000	60' x 10'	Weighing Element	
88-063P	06/28/88	Durline Scales and Mfg., Inc.	Vehicle Scale	EFT Series EFTX-35603, -40603, -651004, -701004, -801004, -901004	III L	6,000	65' x 10'	Load Cell Electronic	
88-152	05/01/89	Fairbanks Scales	Vehicle Scale	12-87XX Series 12-8724-S, -8724-C, -8726-S, -8726-C, -8727-S, -8727-C, -8728-S, -8728-C, -8729-S, -8729-C	III L	120k & 200 k lb			
88-154PN	06/17/88	Fairbanks Scales	Vehicle Scale	11-3000 Series 11-3116, -3141, -3153A, -3157, -3158, -3381, -3342, -3344, -3446, -3484, -3352, -3354, -3356, -3394, -3482, -3485	III L	15 - 80 tons	22' x 9' - 80' x 10'	Mechanical Lever Vehicle Scale	
88-158PN	06/17/88	Fairbanks Scales	Vehicle Scale	11-4300 Series 11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, -4309	III L	30-75 ton	10' x 10'	Mechanical Levertronic	
88-160PN	10/12/88	Fairbanks Scales	Vehicle Scale	13-8200 Series 13-8241, -8246, -8251, -8261, -8266, -8271, -8276, -8281	III L	60 to 80 ton		Portable Mech/Levertronic	

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-004	02/06/91	J & S Scale Company		Vehicle Scale	LP Series Capacity Range: 30,000 to 150,000 lb. Platform Size Range: 18' x 10' to 100' x 12'. CLC Range: 25,000 lb to 65,000 lb. Concrete or Steel deck, 2 to 4 sections. See CC for details.	III L 6,000	See CC	See CC	Load Cell Elec.Vehicle ScI WE
91-006	02/06/91	J & S Scale Company		Vehicle Scale	FT Series Range of Capacities: 10,000 lb to 24,000 lb. Range of Platform Sizes: 8' x 8' to 22' x 10'. Range of CLC's: 4,000 lb to 9,000 lb, 2 sections. See CC for specific model information.	III L 2,000	See CC	See CC	Load Cell Elec.Vehicle ScI WE
90-051	04/25/90	M&R Brand Scale		Vehicle Scale	100 Series 1005010-50, 1006010-60, 1007010-60, 1008010-60, 1005012-50, 1006012-50, 1007012-50, 1008012-50, 1003014-30, 1004014-50, 1005014-50, 1006014-60, 1007014-60, 1008014-60	III L 6,000	120,000 x 20 lb	70' x 12'	Lever System
88-090	06/28/88	Perkins Scale Corporation		Vehicle Scale	7060	III L 6,000	120,000 x 20 lb	70' x 10'	Mechanical Lever System
88-213PN		Powell All-Steel Scales, Inc.		Vehicle Scale	P Series See Certificate for models, capacities and platforms	III L			Mechanical Pit Type
88-214PN		Powell All-Steel Scales, Inc.		Vehicle Scale	A and PA Series 28PA10, 38PA10, 210PA10, 310PA10, 18PA10, 28PA10, 210PA10, 210PA10, 28A10, 210A10, 28A10, 310PA10, 38A10, 310A10	III L			Portable & Stationary Mechanic
88-215PN		Powell All-Steel Scales, Inc.		Vehicle Scale	C Series See Certificate for models, capacities and platforms	III L			Mechanical Portable Contractor
88-216PN		Powell All-Steel Scales, Inc.		Vehicle Scale	PV Series 1535C12, 1535C14, 1540C12, 1540C14, 1570C12, 1570C14, 1580C14	III L			Portable Mechanical
88-218PN		Powell All-Steel Scales, Inc.		Vehicle Scale	RRS Series 1560RR10, 1570RR10, 2070RR10, 2084RR10, 2090RR10	III L			Mechanical Lever System
88-219PN		Powell All-Steel Scales, Inc.		Vehicle Scale	660EL10-C	III L 6000	120,000 x 20 lb	60' x 10'	Load Cell - Low Profile
89-134P		Powell All-Steel Scales, Inc.		Vehicle Scale	EP and ET Series	III L 6,000	120,000 lb	60' x 10'	supersedes 84-85 dated 4/21/86
89-290.A1	11/02/90	RSB Engineers/Planners, Inc.		Vehicle Scale	SP 1000 Series SP 1011, SP 1012, SP 1013, SP 1014, SP 1015, SP 1016, SP 1017, SP 1003, SP 1004, SP 1005, SP 1006, SP 1007 & SP 1008.	III L 10,000	200,000 lb		Load Cell Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-013		Scales Unlimited		Vehicle Scale	AGES Series				Digital Electronic
91-014		Scales Unlimited		Vehicle Scale	AGES 3TL				
88-265P	10/28/88	Southwestern Scale Co., Inc.		Vehicle Scale	LPC and LPS Series The model designation consists of the platform length and the scale capacity in tons followed by the series designation. Example: 3530-LPS where the scale is 35 feet long with a 30 ton capacity. Optional capacities: 60,000 lb, 100,000 lb, and 150,000 lb. Optional platform sizes: 35' x 10', 60' x 10', and 80' x 10'	III L	30 tons	70' x 10'	Digital Electronic
88-273	08/21/90	Southwestern Scale Co., Inc.	concentrated load capacity: 45,000 lb	Vehicle Scale	6070-PV	III L	120k x 20 lb	70" x 10"	Portable Mechanical
88-273P	03/01/89	Southwestern Scale Co., Inc.		Vehicle Scale	6070-PV	III L	120,000x, 20 lb	70 x 10'	Portable Electromechanical
88-290	05/01/89	SP Systems, Incorporated		Vehicle Scale	SP 1000 Series	III L	200,000 lb		
90-101	09/17/90	Syracuse Scale Co, Inc.	CLC: 80,000 lb	Vehicle Scale	ALVS-6080	IIIL	160k x 20 lb	60" x 10" 3 sect.	Load Cell Electronic
88-143PN	06/17/88	The A. H. Emery Company	22-2020, -2520, -2525, -3025, -3030, -4030, -4035, -5035	Vehicle Scale	Econoweigh 22 Series	III L	20 - 50 tons	20'-35' x 10'	Mechanical Vehicle Scale
88-144PN	07/17/88	The A. H. Emery Company	24-5050, -5060, -6050, -6060, -6070, -8060, -8070	Vehicle Scale	Econoweigh 24 Series	III L	50-80 ton	50'-70' x 10'	Mechanical Vehicle Scale
88-145PN	07/17/88	The A. H. Emery Company	34-4040, -5040, -5050, -5060, -6050, -6060, -6070, -8060, -8070, -10060, -10070	Vehicle Scale	Portaweigh 34 Series	III L	40-100 ton	40'-70' x 10'	Portable Mech. Vehicle Scale
88-146PN	07/17/88	The A. H. Emery Company	12-208, -2010, -308, -3010, -3012, -2524, -2534, -3024, -3034, -5034	Vehicle Scale	Roadweigh 12 Series	III L	20 - 50 tons	8'-34' x 10'	Mechanical Vehicle Scale
88-147PN	07/17/88	The A. H. Emery Company	14-5045, -5050, -5060, -5070, -6050, -6060, -6070, -8060, -8070, -10060, -10070	Vehicle Scale	Roadweigh 14 Series	III L	50-100 ton	45'-70' x 10'	Mechanical Vehicle Scale

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-148PN	07/17/88	The A. H. Emery Company		Vehicle Scale	Portaweigh 32 Series 32-208, -2010, -308, -3010, -3012, -2520, -3020, -3025, -3030, -4025, -4030, -4035, -5035, -6035	III L	20-60 tons	8'-35' x 10'	Portable Mechanical V.S.
87-080P	11/30/87	Thurman Scale Company	8510, 8520, 8530, 8540	Vehicle Scale	8530	III L	120k x 20 lb	70' x 10'	Load Cell Electronic
88-036	04/08/88	Thurman Scale Company		Vehicle Scale	8130 SAM Optional Capacities: 120,000 x 20 lb - Gross (35 ton sec.), 200,000 x 20 lb - Gross (45 & 60 ton sec.), 80' x 10', 100' x 10'. Optional Model: 8140 Steel pitless with side rails.	III L	200k x 20 lb	70'x 10'	Mechanical Pipe Lever
88-037	03/01/89	Thurman Scale Company		Vehicle Scale	8120 Optional Model: 8110 (concrete deck). Optional Capacities: 100,000 x 20 lb, 45 ton sections: 120,000 x 20 lb, 45 and 60 ton sections. Optional Sizes: 30' x 10', 35' x 10', 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 50' x 12', 60' x 12', 70' x 12'	III L	200k x 20 lb	60' x 10'	Mechanical Pipe-Lever System
89-016P		Thurman Scale Company		Vehicle Scale	8560	III L	200,000 x 20 lb	70'x10' (4)sectio	
90-109P		Thurman Scale Company		Vehicle Scale	8550				Digital Electronic
87-116P	08/17/89	Toledo Scale Corporation		Vehicle Scale	7551	III/III L	120000 x 20 lb	70'x10' 2 section	
88-243P	01/25/89	Toledo Scale Corporation		Vehicle Scale	7560 The model designation is identified by 7560 XX YYYY where the XX represents "CD" for concrete deck or "SD" for steel deck and the YYYY represents the platform length and width. Range of platform lengths 35' to 115'	III L	60, 100 Tons		Load Cell Electronic
90-046	06/14/90	Toledo Scale Corporation	CLC=60,000lb	Vehicle Scale	7541	III L	200,000 lb	40x10" to 100x10"	Load Cell Electronic
88-045P	06/02/88	Toledo Scale Corporation		Vehicle Scale	Truckmate MV 1051 Range of capacities from 60,000 to 200,000 lb. Range of platform sizes from 15' x 10' to 150' x 10'	III L	200,000 x 20 lb	100' x 10'	Electronic Weighing Element
88-047P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7530 Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 lb to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons	III L	200 k x 20 lb	70' x 10'	Electronic Weighing Element

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-048P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7540	III L	6,000	120,000 x 20 lb	70' x 10'	Electronic V.S. Weigh Element
										Range of capacities from 60,000 to 162,000 lb. Range of platform sizes from 35' x 10' to 70' x 10'. Maximum distance between sections 23'4". Other section capacity: 35 tons, 45 tons
89-164	04/25/90	UHL Scale Service, Inc.		Vehicle Scale	3512, 2412, 2410	III L	6,000	30,000 lb	24'x10'-35'x12'	Load Cell Electronic
91-029		UHL Scale Service, Inc.		Vehicle Scale	70 Series					
87-013P	06/17/87	Unibrigde Scale Systems		Vehicle Scale	UBSR 1301040	III L	10,000	200,000 x 20 lb	130' x 10' 5 sect	Electronic Load Cell
88-242P	03/29/89	Unibrigde Scale Systems		Vehicle Scale	UBUSR701045	III L	8,000	160,000 x 20 lb	70' x 10'	Pipe Lever
88-030P	04/07/88	Unibrigde Scale Systems		Vehicle Scale	UBSRH701040	III L	10,000	200k x 20 lb	70' x 10'	Electronic Weighing Element
										UBXXH(R)YY40(CC) where XX may be PC, S, or C and where YY denotes length of scale and (R) and (CC) are options.
88-300P	01/11/90	Webster Scale, Inc.		Vehicle Scale	MT, MTD Series MT 30402-12, MT 34403-12, MT 40403-10, MT 40403-12, MTD 40403-10, MT 60404-10, MT 60404-12, MTD 60404-10, MT 70405-10, MT 70405-12, MT 80405-10, MT 80405-12, MTD 80405-10, MT 100407-10, MT 100406-12, MTD 100406-10, MT 120407-10, MT 120407-12, MT 140408-10, MT 140408-12	III L	7,500	80,000-200,000 lb	30x12' to 140x12'	
88-221	09/11/90	Weigh-Tronix, Inc.		Vehicle Scale	DS & DSFS	III	5,000	500 TO 20,000 lb	see below	
										Model Designation: DS XXXX-YY & DSFS-XXXX-YY where XXXX is platform size and YY is capacity in thousands of pounds. DS Series: capacity 500 to 20,000lb, platform: 24 x 24 to 144 x 108. DSFS Series: capacity 500 to 20,000lb, platform 24 x 24 to 84 x 60
88-307	01/25/89	Weigh-Tronix, Inc.		Vehicle Scale	FMTS 7010-100T	III L	10,000	200,000 lb	70 x 10 ft	Load cell Electronic
										FMTS 4010-70T, -6010-100T, -8010-100T, -4012-70T, -4710-70T, -4712-70T, -6012-100T, -7012-100T, -8012-100T
89-002	02/10/89	Weigh-Tronix, Inc.		Vehicle Scale	MTS 6010-60T	III L	6,000	120,000 x 20 lbs	60 x 10 ft	Load Cell; Electronic
										MTS 3010-30T, MTS 7010-60T, MTS 7012-60T. Capacities (lb): 60,000 and 120,000
90-079	03/07/91	Weigh-Tronix, Inc.		Vehicle Scale	FTMSC-XXXX-XXXseries	III L	10,000	7k to 140k lb	10-47 x YY ft	Digital Electronic
										CLC: 70,000lb; Load Cell: Weigh-Tronix Model WBT 50.0K.

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description	
90-082	09/11/90	Weigh-Tronix, Inc.		Vehicle Scale	MCTM-7310-100T3	III L	10,000	200,000 x 20 lb	73' x 10'	Digital Electronic	
			Other Capacities: The scale consists of three individual weighing devices, each with a separate indicator. The system is equipped with a fourth indicator that totalizes the weights from the three scales. CLC: 70,000 lb								
90-108	09/24/90	Weigh-Tronix, Inc.		Vehicle Scale	FCTSXXX-YYY		10,000	140,000-200,000lb		Low Profile - Load Cell Elect.	
			The specific designations covered by FCTSXXX-YYY meaning XXXX is the platform dimensions in feet range from 40 to 100 ft. and YYY represents the capacity in tons which range from 70T to 100T.								
88-080P	05/03/88	Weigh-Tronix, Inc.		Vehicle Scale	FMTS 6010-60T	III L	6,000	120,000 lb	60' x 10'	Load Cell Electronic	
			FMTS 4010-60T, -7010-60T, -8010-60T, -4012-60T, -6012-60T, -7012-60T								
89-135PN		Weldtec Scales		Vehicle Scale	50-60T	III L	6,000	120,000 lb	50' x 10'		
89-014P	04/04/89	Winslow Scale Company		Vehicle Scale	94-8070	IIIL	8,000	160,000 lb	70' x 10'	Digital Weighing Element	
89-085P		Winslow Scale Company		Vehicle Scale	84-8070	III L					
<u>Vehicle Tank & LPG Meter</u>											
85-065A	06/03/88	Accurate Metering Systems, Inc.		Vehicle Tank & LPG Meter	Diessel RZ 2A			99999.9 gal		Electromechanical Vehicle Tank	
88-043	04/07/88	Gull Inc.		Vehicle Tank & LPG Meter	TTC					Computer System for LPG	
			Truck Transaction Computer - Model 1903 001 XXXX, Electronic Pulser - Model 903 003 XXXX, Calibration Module - Model 903 008 XXXX, Remote Indicator - Model 903 009 XXXX								
88-059	02/16/90	Koltek, Inc.		Vehicle Tank & LPG Meter	K10-A332X			9999.9 gallons		Milk Metering System for Milk	
89-141	02/14/90	Liqua-Tech Corporation		Vehicle Tank & LPG Meter	LPM-100			3.5 - 18 gal/min			
86-022	10/27/86	Liquid Controls Corporation		Vehicle Tank & LPG Meter	EC 2000 -Electrocount						
87-023	05/21/87	Liquid Controls Corporation		Vehicle Tank & LPG Meter	5120					Temperature Volume Compensater	

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-168PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-4-CY-10	III			
90-169PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-5-GX-10				
90-173PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-10				
90-174PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-11				
90-175PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-12				
90-176		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-1, M-7-2 & M-7-3				
90-177PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-27				
90-178PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-15-X				
90-041	04/25/90	Schlumberger Technologies, Inc.		Vehicle Tank & LPG Meter	Type 4				Analog Indicating
<u>Weighbeam</u>									
88-137PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam	SEE CERTIFICATE	III			Mechanical Type Registering
					Beam Numbers: 182, 170, 170A, 15, 180, 180A, 16, 120, 130, 130A, 140, 150, 160, 161, 162, 163, 31M, 182M, 13M, 170M-5, 170M-2, 180M-5, 120M-5, 130M-5, 135M, 140M				
88-138PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam	SEE CERTIFICATE	III			Direct Reading Full Capacity
					Beam numbers: 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310				
88-139P	07/05/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam		III			Compound Full Capacity
88-139PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam	SEE CERTIFICATE	III			Compound Full Capacity
					Beam numbers: 3, 12, 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 110, 115, 125, 2M, 3M, 12M, 100M, 110M, 50M, 60M, 65M, 70M				

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-173PN	07/05/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam		III			Mechanical Type Registering
88-155PN	06/17/88	Fairbanks Scales		Weighbeam	50-5361	III L	100,000 lb		Type Registering Weighbeam
88-149PN	07/17/88	Winslow Scale Company	TR 10, TRA-50	Weighbeam	TR Series	III/III L	51k & 120k lb		Type Registering Weighbeam
<u>Weight Classifier</u>									
90-124	09/26/90	Friden Alcatel		Weight Classifier	8510	III	10 lb x 0.1 oz	9.5" x 7.5"	Digital Electronic Computing
87-121A	09/22/88	NCI Weigh-Tronix Inc.		Weight Classifier	4000-1	III	30 x 0.01 lb	12" x 14"	
90-011	01/30/90	NCR Corporation		Weight Classifier	4000-XX1X	III	30 x 0.01 lb	12" x 14"	Digital Electronic
89-047	10/02/89	Pitney Bowes		Weight Classifier	A238	III	70 lb	12.5" x 14"	
89-048	10/02/89	Pitney Bowes	A523, capacity 3 lb x 0.05 oz	Weight Classifier	5820	III	5 lb x 0.05 oz	8 7/8" x 8"	
89-050 Amended	10/02/90	Pitney Bowes	Other capacities: n-320, 0-99 lb x 0.5 oz, n-3168	Weight Classifier	A 610	III	0-2 lb x 0.1 oz	14 3/8" x 9 1/4"	Digital Electronic Computing
89-120	01/06/90	Pitney Bowes		Weight Classifier	A 605	III	5 lb X 0.1 oz	8 7/8 X 5 5/8 "	Digital Electronic Computing
90-087	02/12/91	Pitney Bowes		Weight Classifier	A 500	III	16 x 0.1 oz	9.25" x 5"	Digital Electronic
90-136		Pitney Bowes		Weight Classifier	A120-TA				Digital Electronic
90-146		Pitney Bowes		Weight Classifier	A217	III			Digital Electronic

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-010	04/25/90	Toledo Scale Corporation	1938, 2038, 2138	Weight Classifier	XX38 Series	III	25 - 1,000 lb		Load Cell Electronic
87-121A3	01/30/90	Weigh-Tronix, Inc.	Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 99.95 lb x 0.05 lb, 100 x 0.05 lb or 50 x 0.02 kg; 50 x 0.02 lb or 25 x 0.01 kg. Models 4000-1 and 4100 are identical and models 4110 and 4010-1 are identical	Weight Classifier	4000-1, 4100	III	100 x 0.1 lb	12" x 14"	
90-135	03/07/91	Weigh-Tronix, Inc.	n-max: 320 (0-2 lb); 2240 (2-70 lb). capacities: 0-2 lb x 0.1 oz / 2-70 lb x 0.5 oz.	Weight Classifier	A120-TA	III	see below	12" x 13"	Digital Electronic Computing
87-121A2	10/28/88	Weigh-Tronix, Inc.	Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 19.95 lb x 0.05 lb, 100 x 0.05 lb or 50 x 0.05 kg; 50 x 0.02 lb or 25 x 0.01 kg. Optional model 4010-1.	Weight Classifier	4000-1	III	100 x 0.1 lb	12" x 14"	superseded by 87-121A3
Wheel Load Weigher									
88-004P	04/07/88	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	IIII	20k x 50 lb	18" x 14"	Superseded by 88-004P 5/15/90
88-004P Amend	05/11/90	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	IIII	20,000 x 50 lb	18" x 14"	Digital Electronic
88-057P	04/18/91	General Electrodynamics Corporation		Wheel Load Weigher	MD 700	IIII	60k x 50 lb	2'-7" x 30"	Portable Digitl Axle-Load Weigh
90-089P	05/31/90	General Electrodynamics Corporation		Wheel Load Weigher	LP400E	IIII	20,000 x 50lb	14.5" x 22"	Digital Electronic
90-106P	09/24/90	Intercomp Corporation		Wheel Load Weigher	PT300	IIII	20,000 x 50lb	12" x 12"	Digital Electronic
87-076P	10/29/87	Loadometer Corporation		Wheel Load Weigher	Haenni WL101	IIII	20k x 50 lb	20' x 14"	Analog Wheel-load Weigher
90-129P	03/07/91	Measurement Systems International		Wheel Load Weigher	MSI-5300	IIII	20,000 x 50 lb	11" x 10.25"	Digital Electronic
87-078P	12/18/87	PAT Equipment Corporation	Model SAW10A-2, Model SAW10C	Wheel Load Weigher	SAW 10A	IIII	20k x 50 lb	28.75" x 20"	Digital Wheel-Load Weigher

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
Wholesale Meter									
89-101	09/13/90	Brooks Instrument Division		Wholesale Meter	0500B1BXX1				Digital Electronic
			Generic name: PetroCount II						
89-116	10/24/89	Brooks Instrument Division		Wholesale Meter	0501A1BXXB				Digital Electronic
90-117	09/11/90	Brooks Instrument Division		Wholesale Meter	PetroCount 44				3-inch & 4-inch
			004X:XXXXXXXX and 004X:XXXX						
90-118	11/02/90	Brooks Instrument Division		Wholesale Meter	Turbo				Turbine Meter
			Generic Name: Parity Series						
90-028	04/25/90	Daniel Industries, Inc.		Wholesale Meter	LR 3601-1A				Digital Electronic
			Maximum flow rates: 1000 GPM for gasoline, 800 GPM for diesel						
90-122		Daniel Industries, Inc.		Wholesale Meter	3401-3P				Digital Electronic
89-022	05/02/89	Emark Corporation		Wholesale Meter	455 Series		99,999 Gallons		Digital Electronic
90-012	02/14/90	Emark Corporation		Wholesale Meter	0455-XXXX-001				
			Generic name: HARDiMeter Phase 2						
87-012	06/16/87	Engineered Systems, Inc. (ES)		Wholesale Meter	330 XX				Wholesale Terminal Controller
			271 XX						
90-164		Graco, Inc.		Wholesale Meter	(P/N) 222-560				
90-170PN		Liquid Controls Corporation		Wholesale Meter	MA-5-GX-12				
90-179PN		Liquid Controls Corporation		Wholesale Meter	M-25-2				

LISTING BY DEVICE TYPE

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-180PN		Liquid Controls Corporation		Wholesale Meter	M-30-X				
90-181PN		Liquid Controls Corporation		Wholesale Meter	M-60-X				
90-182PN		Liquid Controls Corporation		Wholesale Meter	M-120-X				
90-183PN		Liquid Controls Corporation		Wholesale Meter	MS-7-1, MS-7-2				
91-048PN	04/18/91	Liquid Controls Corporation		Wholesale Meter	M-25 Series				
			Flow Rates: 15 to 300 gpm						
89-055	08/17/89	Smith Meter Inc.		Wholesale Meter	ALII-XU0-STD-STD-034		99,999 gallons		Meter Register
89-055-A1		Smith Meter Inc.		Wholesale Meter	Accuload II				
			Accuload II -WBG: Accuload II-SEQ						
89-055A1	10/02/89	Smith Meter Inc.		Wholesale Meter	ALII-XU-O-STD-034		99,999 gal		
89-098	10/12/89	Smith Meter Inc.		Wholesale Meter	ML-X-XX-XXX-STD				
90-151	04/18/91	Tokheim Corporation		Wholesale Meter	682-15-AF-L-X				Positive Displacement Meter
			Other name: Vehicle or Stationary-Mount. Other Model: 682-15-SS-L-X.						

. LISTING BY CERTIFICATE NUMBER

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
85-065A	06/03/88	Accurate Metering Systems, Inc.		Vehicle Tank & LPG Meter	Diesell RZ 2A			99999.9 gal		Electromechanical Vehicle Tank
86-001	01/31/86	Toledo Scale Corporation		Floor Scales	4181-1001			1000 x 0.5 lb		
86-002	05/21/90	IBM Corporation		POS Scale	4683 Series					Digital Electronic
86-003	06/13/86	Schmidt Electronic Laboratories		Taximeter	G2S		99999	\$999.99		
86-004	04/18/86	Hugin Sweda, Inc.	Model 2835	Cash Register	2845					
86-005	05/06/86	William M. Wilson's Sons, Inc.		Service Station Consoles/ECR	2000S-CFN-SC					
86-006	05/06/86	William M. Wilson's Sons, Inc.		Indicating Elements	2001, 2002					
86-007	05/28/86	Baader North America Corp.	10XX.10, 10XX.20, 10XX.30, 10XX.40	Bench and Counter Scale	1020.30.73	III	3000	300 kg (600 lb)	24" x 19 1/2"	
86-008	05/28/86	Baader North America Corp.		Indicating Elements	8600 Series		3000			
			8605.15.00: 8605.15.05: 8610.20.00: 8610.20.01: 8610.20.03: 8610.20.06: 8610.20.07: 8610.20.08: 8615.25.00: 8615.25.05							
86-009	06/04/86	Fairbanks Scales		Bench and Counter Scale	H70-4710-1 H70-4714-1, H70-4714-5, H70-4718-1	III	6000	12 x .002 lb	10" x 10"	
86-010	06/04/86	Fairbanks Scales		Floor Scales	1124D	III	2000	1000 x 0.5 lb		
86-011	06/04/86	Fairbanks Scales		Indicating Elements	90-100	III	2000			
86-012	06/19/86	Fairbanks Scales		Indicating Elements	90-164	III/III L	10000			
86-013	06/19/86	Fairbanks Scales		Indicating Elements	H90-167-1	III/III L	10000			

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-014	06/25/86	New Brunswick International, Inc.		Bench and Counter Scale	DS-410		3000	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
			Optional capacities: 150 x .05 lb, 600 x .2 lb							
86-014A	11/01/88	New Brunswick International, Inc.		Bench and Counter Scale	DS-410	III	3,000	300 x 0.1 lb		Digital Electronic
			Optional capacities: 150 x 0.05 lb, 600 x 0.2 lb							
86-015	06/25/86	Vertex Industries, Inc.		Grain Test Scale	DWM2-1SE	II	12000	120 x .01 g	4.4" x 3.2" scoop	
86-016A	04/27/88	Esselte Meto		POS Scale	CR 511	III	3,000	30 x 0.01 lb	13.2" x 9.5"	superseded by 86-016A
86-016A2	02/09/90	Esselte Meto		POS Scale	CR511; CR512	III	3,000	30 x 0.01 lb	13.2" x 9.5"	Digital Electronic
			Model CR511-20, capacity 20 x 0.01 lb; Model CR512-30, capacity 30 x 0.01 lb							
86-017	09/17/86	Esselte Meto		Computing Scale	CC494	III	1500	7.5 x .005 lb	7.5" x 11.5"	
86-018	09/02/86	Gilbarco, Inc.		Service Station Consoles/ECR	PA0188XXXX (T-12 C)					Digital Electronic
			Optional model PA0203XXXX							
86-018A	03/11/87	Gilbarco, Inc.		Service Station Consoles/ECR	PA0203XXXX (T-12 G)					Digital Electronic
86-019	09/02/86	Gilbarco, Inc.		Cash Register	PA0180 0000 100					Cash Register/Console
			Marketing name is TCR-G Series							
86-019A	12/16/87	Gilbarco, Inc.		Service Station Consoles/ECR	PA0180XXXXXXX					Cash register/console
86-020	11/04/86	Sanyo Business Systems Corp.		Cash Register	580					
			580-6B, 580-12B, 580-14B							
86-021	09/09/86	Measurement Systems International		Hanging Scale	3260	III	2500	250 x 0.1 lb		
86-022	10/27/86	Liquid Controls Corporation		Vehicle Tank & LPG Meter	EC 2000 -Lectrocount					

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
86-022-A1	01/03/91	Liquid Controls Corporation		Cash Register	EC2000				Electronic Registering Meter
The EC2000 systems consists of an E2600 series remote electronic counter assembly and an E2520-2 Supervisory Console.									
86-023	09/29/86	Bizerba United States, Inc.		Computing Scale	Pro 7000	III	30 x 0.01 lb	15" x 10.25"	
86-024	09/25/86	Gilbarco, Inc.		Retail Motor Fuel System	Modular Electronics				
86-025	10/15/86	Liquid Controls Corporation		LPG Liquid Meter	MA-2-CX-10		9999.9 X 0.1 gal		
86-026	10/15/86	New Brunswick International, Inc.		Computing Scale	DS 430	III	30 x 0.01 lb	11" x 12.5"	
86-027	11/12/86	Sterling Scale Company, Inc.		Indicating Elements	6000 Plus	III L	10000		
86-028	10/14/86	Bizerba United States, Inc.		Computing Scale	Pro 7500	III	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
86-028A	11/05/87	Bizerba United States, Inc.		Computing Scale	PRO7400, PRO7500	III	0-15 x 0.005 lb	15" x 10.5"	Digital Electronic
Other capacity 15-30 lb x 0.01 lb: 30 lb x 0.01 lb									
86-029	11/12/86	Centrodynne Corporation of America		Taximeter	630		\$999.99		
86-030	12/04/86	John Chatillon & Sons, Inc.		Hanging Scale	Type 027	III	20 lb x 1/2 oz	Scoop	Superseded by 86-030A
0723TG, 0723TAS, 0720T									
86-030A	06/02/88	John Chatillon & Sons, Inc.		Hanging Scale	027/A	III	20lb x 1/2oz	Pan ETC	Mechanical Hanging Dial Scale
86-031	01/08/87	Wayne Division		Retail Motor Fuel Dispenser	141U-KP		999.9 x 0.1 gal		
141U/K, 142U/K, 143U/K, 141-1U/K, 142-1U/K, 143-1U/K									
86-032	10/12/89	Tokheim Corporation		Service Station Consoles/ECR	184, MEMS IV				Superseded by 86-032A1
Option: Model 190 printer									

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
86-032A1	10/24/89	Tokheim Corporation		Service Station Consoles	184 Series (MEMS IV) 184M-X = Master Console (when a satellite is used): 184S-X = Satellite Console (when a master is used) where X is the number of fueling sites		999.99 vol units		Digital Electronic
86-033	12/04/86	Alkon Corporation		Indicating Elements	LCl-1	III/III L	1,000		
86-034	01/08/87	W. R. Grace & Co.		Dry Measure	536		1 dry quart		Berry Basket
86-035	12/17/86	Cardinal/Detecto Scale Mfr. Co.		Indicating Elements	738	III/III L	10,000		Digital Electronic
86-035A	03/25/88	Cardinal/Detecto Scale Mfr. Co.	738 BA (Batch Aid)	Indicating Elements	738	III/III L	10,000		Digital Electronic
86-035A2	04/18/90	Cardinal/Detecto Scale Mfr. Co.		Indicating Elements	738	III/III L	10,000		Digital Electronic
86-036	12/19/86	Cardinal/Detecto Scale Mfr. Co.		Indicating Elements	10K	III/III L	10000		Indicating Element
86-037	12/16/87	Revere Transducers, Inc.		Load Cell	5123	III	1k - 10k lb 3k S, 5k M		Single ended shear beam.
86-037P	01/26/87	Revere Transducers, Inc.		Load Cell	B5123	III	1k - 10k lb 3k S, 5k M		Superseded by 86-037
86-038	03/28/91	Revere Transducers, Inc.		Load Cell	5223-B10	III L	50K, 65K, 100K 10,000		Double Ended Shear Beam
<p>The specific models of load cells covered by this Certificate are 5223-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for individual load cells comply with Handbook 44.</p>									
86-038P	01/26/87	Revere Transducers, Inc.		Load Cell	B5223	III L	50k, 65k, 100k lb 10000 M		Superseded by 86-038PA12/10/87
86-038PA	12/10/87	Revere Transducers, Inc.		Load Cell	5223	III L	50k, 65k, 100k lb 10000 M		Double Ended Shear Beam

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-039	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	10,000	30K to 250K lb		Double Ended Shear Beam
										The specific models of load cells covered by this Certificate are 5103-B10-XXK-YYYY where XXK is capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.
86-039P	01/26/87	Revere Transducers, Inc.		Load Cell	5103	III L	10,000 M	50k-150k lb		Superseded by 86-039PA 7/25/88
86-039P	07/25/88	Revere Transducers, Inc.		Load Cell	5103	III L	10000 M	10k to 100k lb		Double Ended Shear Beam
										The specific models of load cells covered by this Certificate are 5103-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for the electrical cable length, wiring color code, and private label variations. Range of capacities (lb) from to 100 K.
86-040P	12/10/87	Revere Transducers, Inc.		Load Cell	692B	III L	10000 M	25k, 50, 100k lb		Multi-column Compression
86-040P	01/26/87	Revere Transducers, Inc.		Load Cell	C692B	III L	10000 M	25k, 50k, 100k lb		Superseded by 86-040P 12/10/87
86-041	03/01/89	Revere Transducers, Inc.		Load Cell	SSB	III	3,000 S	500 to 5,000 kg	1k to 10k lb	Single Ended Shear Beam
										SSB-5t-C3, -1t-C3, -2t-C3, -2.5t-C3, -5t-C3: SSB-1-III/3, -2-III/3, -5-III/3, -10-III/3
86-041.A1	03/28/91	Revere Transducers, Inc.		Load Cell	SSB	III & III L	3,000	500k - 5000 kg		Single Ended Shear Beam
										Capacity- 1,000 to 10,000 lb. The specific models of load cells covered by this certificate are SSB-X-Y-Z where X, Y, & Z, as applicable are model numbering codes denoting capacity, classification, electrical connection. Other Models: SSB-5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, kSSB-5-III/3 and SSB-10-III/3.
86-041P	01/02/86	Revere Transducers, Inc.		Load Cell	SSB	III	3000 S	500 - 5,000 kg	1k to 10k lb	Superseded by 86-041
										SSB-5t-C3, SSB-1t-C3, SSB-2t-C3, SSB-2.5t-C3, SSB-5t-C3, SSB-1-III/3, SSB-2-III/3, SSB-5-III/3, SSB-10-III/3
86-042	01/08/87	Kubota Corporation		Computing Scale	FP-900	III	3000	30 x 0.01 lb	400 x 252 mm	Digital Electronic
86-042A1	02/12/90	Kubota Corporation		Computing Scale	FP-900 SERIES	III	5,000	50 x 0.01 lb	400 x 252 mm	Digital Electronic
										Other capacity: 30 x 0.01 lb
86-042A2	01/24/91	Kubota Corporation		Computing Scale	FP-900 Series	III	5,000	see below	400 x 252 mm	Digital Electronic
										capacities: 30 x 0.01 lb & 50 x 0.01 lb. Model designations: Model FP-900, Model FP-910, Model FP-950 & Model FP-960.

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
86-043	09/30/88	Sensortronics		Load Cell	60001A	III/III L	5K,10K S	750-7500 lb		Type S Load Cell
86-043P	12/10/87	Sensortronics		Load Cell	60001A	III/III L	5K/10K S	250 -2500 lb		Superseded by 86-043
86-043PA	05/25/89	Sensortronics	Capacities (lb): 250: 500: 10,000: 15,000: 20,000	Load Cell	60001A	III/III L	5000 S	250 to 20,000 lb		Superseded by 86-043
86-044	05/24/88	Sensortronics		Load Cell	65023A	III	5000 M	1000 to 10000 lb		Shear Beam Compression
86-044A1	05/25/89	Sensortronics		Load Cell	65023A	III	3000 S	1000k - 10000k lb		Shear Beam, Compression
86-044P	12/10/87	Sensortronics		Load Cell	65023A	III	5,000 S	1k - 10k lb		Superseded by 88-044
86-045	05/24/88	Sensortronics		Load Cell	65040A	III L	10,000 M	25k-125k lb		Double Ended Shear Beam
86-045P	12/10/87	Sensortronics		Load Cell	65040A	III L	10,000 M	25k - 125k		Superseded by 86-045
86-046	02/10/89	Sensortronics	Capacities (lb): 20,000: 25,000: 30,000: 40,000: 50,000: 60,000: 75,000: 90,000: 100,000: 125,000	Load Cell	65058A	III L	10,000 M	20,000-125,000 lb		Double End Shear Beam
86-046P	12/10/87	Sensortronics		Load Cell	65058A	III	10,000 M	20k - 125k		Superseded by 86-046
86-046PA	07/25/88	Sensortronics		Load Cell	65058A	III L	10,000 M	20k-125k lb		Superseded by 86-046
87-001	03/13/87	Mettler Instrument Corporation		Jewelers' Balance	PM Series/49	II	40,000	4000 x 0.01g	6.5" dia	Digital
87-001A	03/01/89	Mettler Instrument Corporation	n, class I - 120,000: n, class II - 20,000: PM2000C/49 (Class I): PM1200/49 (Class II): PM15/49 (Class I)	Jewelers' Balance	PM/49 & CM/49 Series I and II	I and II		110g to 16,006 g		Digital Electronic
87-002	02/04/87	Gilbarco, Inc.		Service Station Consoles/ECR	T-15 PA0189, PA0190					Digital Controller

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-002.A1	07/06/90	Gilbarco, Inc.		Cash Register	TCR-15 Systems includes: T-15 Console PA0189; C-15 Controller Model PA0190 & C-2 Controller Model PA0211					Digital Electronic
87-003	04/07/87	Flex-Weigh Corporation		Indicating Elements	DWM-IV	III/III L	10,000			Superseded by 87-003A
87-003A	05/21/87	Flex-Weigh Corporation		Indicating Elements	DWM IV	III/III L	10,000			Digital Indicating Element
87-004	04/06/87	Mettler Instrument Corporation		Jewelers' Balance	PJ Series/49 PJ300/49, PJ3000/49, PJ400/49, PJ4000/49, PJ6000/49, PJ3600/49	II	41,000	4100 x 0.1 g	6.5" dia	Grain Test Scale
87-004A	05/24/88	Mettler Instrument Corporation		Jewelers' Balance	PJXXXXG Series PJ600G, PJ4000G, PJ6000G, PJ3600G	II	41,000	4100 x 0.1 g	6.5" dia.	Digital Electronic
87-004A2	03/29/89	Mettler Instrument Corporation		Jewelers' Balance	PJ Series PJ600/49; PJ6/49; PJ12/49; PJ1220/49; PJ15/49	II	41,000	610g to 15,000		Digital Electronic
87-005	03/24/87	Griffin Tech. Inc.		Service Station Consoles/ECR	RDT-4400					Electronic Cash Register
87-006	03/19/87	New Brunswick International, Inc.		Computing Scale	SM-15	III	3,000	30 x 0.01 lb	10.5" x 14.5"	Digital Computing Scale
87-007P	04/30/87	Hardin Industries	Optional lengths 40' - 120'	Vehicle Scale	7080E10	III L	7,000	140k x 20 lb	80'x 10'	Vehicle Scale Weighing Element
87-008	04/14/87	Kubota Corporation		Computing Scale	LA 230	III	3,000	30 x 0.01 lb	27x37cm	Digital Computing Scale
87-009	04/13/87	Berkel Incorporated		Computing Scale	522	III	3,000	30 x 0.01 lb	27x37 cm	Digital Computing Scale
87-010	04/20/87	Metrometer, Inc.		Taximeter	21R					Single or Multi-rate Taximeter
87-011	04/20/87	Metrometer, Inc.		Taximeter	22NP					Single or Multi-rate Taximeter

LISTING BY CERTIFICATE NUMBER

Page C 8

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-012	06/16/87	Engineered Systems, Inc. (ESI)	271 XX	Wholesale Meter	330 XX				Wholesale Terminal Controller
87-013P	06/17/87	Unibridge Scale Systems		Vehicle Scale	UBSR 1301040	III L	200,000 x 20 lb	130' x 10' 5 sect	Electronic Load Cell
87-014	06/12/87	NCR Corporation		POS Scale	7824	III	30 x 0.01 lb	13"x 12"	Scanner/Scale
87-015	06/16/87	Scale Data Systems		Printer	4000				Inbound/outbound vehicle scale
87-016	05/12/87	Toledo Scale Corporation		Indicating Elements	8146	III/III L	10,000		Digital Indicating Element
87-017	05/12/87	Toledo Scale Corporation		Computing Scale	8425	III	30 x 0.01 lb		Digital Computing Scale
87-018A	01/11/89	Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series		999,999 gal		Digital Electronic
87-019	05/21/87	Vertex Industries, Inc.		Prescription Balance	DRX-3	III	60 x 0.01g	3" dia.	Mechanical Analog Balance
87-020	05/22/87	Bennett Pump Company		Service Station Consoles/ECR	M 430				Superseded by 87-020A2
87-020A	04/19/89	Bennett Pump Company	A 430-1	Service Station Consoles/ECR	Access 430				Superseded by 87-020A2
87-020A2	08/21/89	Bennett Pump Company	MI 320, MI 350	Service Station Consoles/ECR	ECR-430 ECR A 430-1				Cash Register/Controller
87-021	05/21/87	Fairbanks Scales	H90-3042, H90-3042B	Indicating Elements	H90-3043	III/III L	6,000		Digital Indicating Element
87-022	05/20/87	Electronic Scales International	JK901aa, JK903aa, JK951aa, JK953aa	Computing Scale	JK900 Series	III	30 x 0.01 lb		Digital Computing Scale
87-023	05/21/87	Liquid Controls Corporation		Vehicle Tank & LPG Meter	5120				Temperature Volume Compensater

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-024	02/10/89	NCR Corporation		Cash Register	2157 Class 2157, Model 0104; Class 2157, Model 0109					Digital Electronic
87-025	01/25/89	CANMAX Retail Systems, Inc.		Service Station Consoles/ECR FULL SERVE	Class 2157, Model 0104; Class 2157, Model 0109					Cash Register Service
87-026	08/25/87	Baader North America Corp.		Floor Scales	3020.10.02	III	3,000	300 kg	36"x36"	Elec. Load Cell Weighing Elem.
87-027	07/16/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	6600 Series 6600-2, 6600-5, 6600-10, 6600-50, 6600-100	III	5,000	100x0.02 lb	8.25" x 14.5"	Digital Bench Scale
87-028	07/13/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99x0.01	6.75" x 5.25"	supersedes by 87-028A1
87-028A1	01/06/90	Cardinal/Detecto Scale Mfr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 X 9.91 lb	6.75 x 5.25 "	Digital Bench Scale
87-029	07/14/87	Western Scale Company Limited		Indicating Elements	DF 2000	III/III L	5,000			Digital Indicating Element
87-030	07/14/87	TEC America, Inc.		Cash Register	MA-1190	N/A				Electronic Cash Register
87-031	07/14/87	Weigh-Tronix, Inc.		Indicating Elements	5788	III/III L	10,000			Digital Indicating Element
87-032	07/10/87	NCR Corporation		Service Station Consoles/ECR	2522					Service Station Console
87-033	07/16/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	6600 Series 6600-2, 6600-5, 6600-10, 6600-50, 6600-100	III	5,000	100 x 0.02lb	8.25" x 14.5"	Digital Bench Scale
87-034	07/16/87	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	AP-20	III	1,999	19.99 x 0.01 lb	6.75" x 5.25"	Superseded by 87-034A1
87-034A1	01/06/90	Cardinal/Detecto Scale Mfr. Co.	AP-M1, AP-M2	Bench and Counter Scale	AP-20	III	1999	19.99 x 9.91 lb	6.75" x 5.25"	Digital Bench Scale

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-035	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/375-1L/19		999.999 gal		supersedes by 87-035A
87-035A	06/16/89	Wayne Division	Model DS1/375-1L/19G (CC No. 87-035).	Retail Motor Fuel Dispenser	DS1/585-1L/19EG		999.999 Gallons		
87-036	09/01/87	Wayne Division		Retail Motor Fuel Dispenser	DS1/387-1L/19		999.999 gal		Digital retail dispenser
87-036A	06/16/89	Wayne Division	DS1/387/1L/19G (CC No. 87-036). For use in retail service stations.	Retail Motor Fuel Dispenser	DS1/387-1L/19EG		999.999 Gallons		Digital Electronic
87-037P	09/14/87	Astec Industries		Hopper Scale	SEB	III L	75x0.02 ton		Portable Hopper Scale
87-038	09/01/87	Weigh-Tronix, Inc.	3401	Computing Scale	3400	III	30 x 0.01 lb	12"x12"	Digital Computing Scale
87-038A	09/22/88	Weigh-Tronix, Inc.	Model 3400-X, Model 3400 PLU	Computing Scale	3400	III	30 x 0.01 lb	12 " x 12 "	Digital Electronic
87-039	09/25/87	Seltec Corporation		Indicating Elements	AD500	III L	10,000		Superseded by 87-039A
87-039A	10/28/88	Seltec Corporation	BL 500, AB 500, CB 500	Indicating Elements	AD 500	III L	10,000		Digital Electronic
87-040	09/15/87	Micro Motion, Inc.	D25, D40, D100, D150, D300, D600	Mass Flow Meter	FlowScale				Superseded by 87-040.A1
87-040.A1	01/03/91	Micro Motion, Inc.	Mass Flow Transmitter Models: FSXXXXX (FlowScale), RFT9712XXXX (Remote Flow Transmitter). Sensor Model Numbers: DX025XXXXX, DX040XXXXX, DX065XXXXX, DX100XXXXX, DX150XXXXX, DX300XXXXX & DX600XXXXX.	Mass Flow Meter	D Series Sensor				Digital Electronic
87-041	09/29/87	A&D Engineering, Inc.	FV-30KA2, FV-60KA2, FV-150KA1	Bench and Counter Scale	FV-60KA1	III	60 x .02 kg	15.4" x 20.8"	Superseded by 87-041A

LISTING BY CERTIFICATE NUMBER

Page C 11

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-041A	04/19/89	A&D Engineering, Inc.		Bench and Counter Scale	FV-60KA1	III	3,100	60 x .02 kg		Digital Bench Scale
			FV-30KA2, FV-60KA2, FV-150KA1							
87-042	09/14/87	Weigh-Tronix, Inc.	5790R, 5790S	Indicating Elements	5790	III/III L	5,000			Digital Indicating Element
87-043	09/14/87	TEC America, Inc.	SL-39-15L-N	Computing Scale	SL-39-30L-N	III	3,000	30 x 0.01 lb		Digital Computing Scale
87-044	09/14/87	TEC America, Inc.		Computing Scale	SL-37-15L-N	III	1,500	15 x 0.01 lb		Digital Computing Scale
87-045	09/14/87	TEC America, Inc.		Cash Register	MA-290					Electronic Cash Register
87-046	09/14/87	TEC America, Inc.		Computing Scale	SL 59-30L	III	3000	30 x 0.01 lb	240 mm x 350 mm	
87-047	09/14/87	TEC America, Inc.		Prepackaging Scale	SL 31-50R	III	5,000	50 x 0.01 lb	27x40 cm	Digital Prepackaging Scale
87-048	09/14/87	TEC America, Inc.		Computing Scale	SL 43-100	III	4,999	99.98x0.02lb	15-5/8" x 12"	Digital Weighing Element
87-049	09/14/87	TEC America, Inc.		Computing Scale	SL-66-30-L	III	3,000	30 x 0.01 lb	9.5" x 13.75"	Digital Computing Scale
87-049 Amended	11/05/90	TEC America, Inc.		Computing Scale	SL-60-30-L	III	3,000	30 x 0.01 lbs	9.5" x 13.75"	Digital Electronic
87-050	09/29/87	Omron Systems of America	RS 8510	Cash Register	RS 8500					Stand Alone Cash Register
87-051	04/05/89	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k/10k S	100-10,000 lb		superseded by 87-051 12/20/89
			Class III, Model code 9363-A3-YYYY: Class III, Model code 9363-B10-XXX-YYYY.							
87-051	12/20/89	Revere Transducers, Inc.		Load Cell	9363	III/III L	3k0/10k S	100 - 10,000 lb		Tension S-Cell, Stainless Steel

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-051A1	03/28/91	Revere Transducers, Inc.		Load Cell	9363-A3 & 9363-B10 Capacity: Single Cell, Class III: 3,000 & Single Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 9363-A3-XXX-YYYY; for Class III L, models 9363-B10-XXX-YYYY where XXX is the capacity code and nd YYYY is a designator for the electrical cable length, wiring color code, and private label variations.	III & III L see below	100 - 10,000 lb		Tension S-Cell
87-051PA	07/25/88	Revere Transducers, Inc.		Load Cell	9363 Class III, Models 9363-A3-XXX-YYYY; Class III L, Models 9363-B10-XXX-YYYY. Capacities (lb): 3,000; 5,000; 10,000	III/III L 3k/10k S	3000 - 10000 lb		Superseded by 87-051
87-052P	12/10/87	Sensortronics		Load Cell	60048A Capacities (lb): 100, 200, 400, 500, 1000	III	100 - 1k lb		Bending Beam
87-053	01/26/89	Sensortronics		Load Cell	65061A Capacities (lb): 10,000; 20,000; 25,000; 30,000; 40,000; 50,000; 60,000; 75,000; 100,000	III L	10k - 100k		Double Ended Shear Beam
87-053P	12/10/87	Sensortronics		Load Cell	65061A	III L	10K to 100K lb		Superseded by 87-053
87-054P	12/10/87	Sensortronics		Load Cell	65016A Capacities: 2500, 5000, 10000, 15000, 25000	III L	2.5k - 25k		Shear Beam Center Loaded Cell
87-055	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	BLC BLC-YYYYX500 thru BLC-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 500: 1,250; 2,000; 2,500; 5,000	III	500 to 5000 lb		Bending Beam
87-055P	09/29/87	Hottinger Baldwin Measurements, Inc		Load Cell	BLC Capacity range 500 - 5,000 lb	III	3,000 S,M		Superseded by 87-055
87-056P	11/25/87	Interface, Inc.		Load Cell	SSM	III/III L	6K, 10K S		Superseded by 87-056P Armended
87-056P	03/14/88	Interface, Inc.		Load Cell	SSM Series SSM-xxx-100A, SSM-xxx-100C, SSM-xxx-100E, SSM-xxx-100G, SSM-xxx-100J, SSM-xxx-100M, SSM-xxx-100R, SSM-xxx-250A, SSM-xxx-250C, SSM-xxx-250E, SSM-xxx-250G, SSM-xxx-250J, SSM-xxx-250M, SSM-xxx-250R, SSM-xxx-500A, SSM-xxx-500C, SSM-xxx-500E, SSM-xxx-500G, SSM-xxx-500J, SSM-xxx-500M, SSM-xxx-500R, SSM-xxx-1000A, SSM-xxx-1000C, SSM-xxx-1000E, SSM-xxx-1000G, SSM-xxx-1000J, SSM-xxx-1000M, SSM-xxx-1000R	III/III L 6K, 10K S			Load Cell

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-056PA1	05/15/90	Interface, Inc.		Load Cell	S5M-S	III/III L	6k, 10k S	6000 - 10000		LOAD CELL
<p>The specific models of load cells covered by this certificate are S5M-XX-YYYYS where XX is a two or three character alphanumeric code used to designate variations such as cable type or length, YYYY is the capacity of the load cell in pounds, and S is the unique character identifying this series from the previous certificate (CC No. 88-056P). Capacities from 100 to 1000 lbs.</p>										
87-057	05/24/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 to 10000 lb		Superseded by 87-057A3
87-057A2	05/02/89	Artech Industries, Inc.		Load Cell	20210	III	4,500 S	25 - 10,000 lb		Superseded by 87-057A3
87-057A3	05/11/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5k, 10k S	25 - 40,000 lb		Type "S" - Load Cell
<p>Capacities (lb): 25, 50, 75, 100, 150, 200, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000, 25,000, 30,000, 35,000, 40,000</p>										
87-057P	09/29/87	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
<p>Capacities (lb): 50, 100, 250, 500, 1000, 2500, 3000, 5000, 10000</p>										
87-057PA	01/27/88	Artech Industries, Inc.		Load Cell	20210	III	4500 S	25 - 10000 lb		Superseded by 87-057A3
87-057PA3	02/12/90	Artech Industries, Inc.		Load Cell	20210	III, III L	5K, 10K S	25 to 20,000 lb		Superseded by 87-057A3
87-058	05/24/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 to 10000 lb		Superseded by 87-058A2
87-058A3	03/07/91	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000	1,000 to 10k lb		Shear Beam
<p>The specific models of load cells covered by this certificate are identified by the capacity of each load cell.</p>										
87-058A2	05/02/89	Artech Industries, Inc.		Load Cell	30310	III/III L	5,000 M	1k - 10k lb		Shear Beam
<p>Specific models of load cells are identified by the capacity. See Certificate. Optional model families: 30210 and 30310-xx-C/B</p>										
87-058P	09/29/87	Artech Industries, Inc.		Load Cell	30310	III	5000 M	1000 - 10000 lb		Superseded by 87-058A2
87-058PA	01/27/88	Artech Industries, Inc.		Load Cell	30310	III/III L	5000 M	1000 - 10000 lb		Superseded by 87-058A2

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-059P	11/25/87	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SB-5000S SB-2500S, SB-5000S, SB-10 000S, SB-20 000S	III	5,000 M	2.5k - 20k lb		Shear Beam
87-059PA	01/22/88	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SB-5000S SB-2500S, SB-5000S, SB-10 000S, SB-20 000S	III L	10,000 S	2.5 - 20k lb		Shear Beam Load Cell
87-060	06/28/88	BLH Electronics, Inc.	Capacities: 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	4,500 M	20k-200k lb		
87-060P	03/10/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III	3000 S	20000 - 200000 lb		WITHDRAWN
87-060PA	01/27/88	BLH Electronics, Inc.	Capacities (lb): 20k, 50k, 100k, 200k	Load Cell	C2P1	III L	10000 M	20000 - 200000 lb		superseded by 87-060
87-061	06/28/88	BLH Electronics, Inc.	Capacities (lb): 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450 - 45000 lb		Shear Beam Load Cell
87-061P	09/29/87	BLH Electronics, Inc.	Capacities: 450, 1125, 2250, 4500	Load Cell	KIS-3	III	3,000 S	450-4500 lb		Superseded by 87-061
87-062	10/27/87	Bennett Pump Company	6012, 6013, 6022, 6025, 6024, 6027	Retail Motor Fuel Dispenser	6000 Series			99.999 gal.		Digital RFD
87-063	04/05/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3k, 10k S	100-10,000 lb		superseded by 87-063 12/20/89
87-063	12/20/89	Revere Transducers, Inc.		Load Cell	363	III/III L	3K, 10K S	100 - 10,000 lb		Tension S-Cell
87-063.A1	03/28/91	Revere Transducers, Inc.		Load Cell	363-A3 & 363-B10	III & III L	see below	100 - 10,000 lb		Tension S-Cell

For Class III, Models 363-A3-XXX-YYYY: For Class III L, Models 363-B10-XXX-YYYY, where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities: 100, 200, 300, 500, 750, 1.5k, 2k, 3k, 5k, 10k

Capacity: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this Certificate for Class III, Models 363-A3-XXX-YYYY: for Class III L, models 363-B10-XXX-YYYY where XXX is the capacity code and YYYY is a designator for the electrical cable length, wiring color code, and private label variations.

LISTING BY CERTIFICATE NUMBER

Page C 15

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-063PA	07/25/88	Revere Transducers, Inc.		Load Cell	363	III/III L 3k, 10k S	3000 - 10000 lb		Superseded by 87-063
									For Class III, Models 363-A3-XXX-YYYY; for Class III L, Models 363-B10-XXX-YYYY where XXX is the capacity code, and YYYY is a designator for electrical cable length, wiring color code, and private label variations. Capacities (lb): 3 k, 5 k, 10 k
87-064	09/29/87	NCI Weigh-Tronix Inc.	3451	Computing Scale	3450	III	30 x 0.01 lb	12" x 14"	
87-064A	09/22/88	NCI Weigh-Tronix Inc.		Computing Scale	3450	III	30 x 0.01 lb		Digital Computing Scale
87-065	09/29/87	New Brunswick International, Inc.	SM-60A	Computing Scale	SM-60	III	30 x 0.01 lb	11" x 15.5"	Digital Computing Scale
87-066	09/29/87	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K, 10K		Digital Indicating Element
87-066A	05/25/89	Weigh-Tronix, Inc.		Indicating Elements	WI 110	III/III L	6K, 10K		
87-067	10/14/87	Antonson/Meto, Inc.		Computing Scale	823	III	30 x 0.01 lb	12" x 14.5"	Digital Computing Scale
87-068	08/17/89	Toledo Scale Corporation		Computing Scale	8422	III	50 x 0.01 lb	9.5" x 14.5"	
87-069	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	50 x 0.01 lb	12.5" x 14"	Digital Electronic
87-070	12/29/87	Ishida Scales Mfg. Co., Ltd.	NOVA-300L	Computing Scale	NOVA-150L	III	15 x .005 lb	285mm x 223mm	Digital Computing Scale
87-071	12/30/87	Avery Weighing Technology		Bench and Counter Scale	3359	III	60 x .02 lb	350mm x 350mm	Digital Bench Scale
				Optional capacity: 30 x 0.01 lb					
87-071A	09/22/88	Avery Weighing Technology		Bench and Counter Scale	3359	III	100 x 0.05 lb	350 mm x 350 mm	Digital Electronic
				Optional capacities: 30 x 0.01 lb, 60 x 0.02 lb					
87-072	03/10/88	Pelouze Scale Company		Bench and Counter Scale	PS75LR	III	75 x 0.1 lb	18" x 13"	Superseded by 87-072A2

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-072A2	Amend 09/11/90	Pelouze Scale Company		Bench and Counter Scale	PS75L	III	1,500	18" x 13"	Shipping Scale
			PS75LR; 75 x 0.1 lb or 34 x 0.05 kg PS75LRX; 75 x 0.1 lb or 34 x 0.05 kg				See other models		
87-072A	09/11/90	Pelouze Scale Company		Bench and Counter Scale	PS75L Series PS75LR, 75 x 0.1 lb; PS75LRX, 75 x 0.05 lb; PS75LRI, 75 x 0.1 lb; PS75L1, 75 x 0.05 lb	III	1500	18" x 13"	Superseded by 87-072A2
87-072A2	04/25/90	Pelouze Scale Company		Bench and Counter Scale	PS75LRX	III	1500	18" x 13"	Shipping Scale
87-073	12/30/87	Analogic Corporation		Indicating Elements	AN5315	III/III L	10,000		Digital Indicating Element
87-074	12/30/87	Analogic Corporation		Indicating Elements	AN5316	III/III L	10,000		Digital Indicating Element
87-075	12/30/87	Analogic Corporation		Indicating Elements	AN5322	III/III L	10,000		Digital Indicating Element
87-076P	10/29/87	Loadometer Corporation		Wheel Load Weigher	Haenni WL101	III	400	20' x 14"	Analog Wheel-load Weigher
87-077	10/26/87	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-2 and MPD-3		99,999 gal		superseded by 87-077A2
87-077A2	02/12/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AE, AK, AL, AP, AU		99,999 total gal		
			The Gilbarco model designation consists of a variety of entries based upon the dispenser configuration. The device is identified by the model designation AXXXXX where the XXXXX represents various device parameters. These devices are known by the generic names of MPD-2, MPD-3, and the MPD-ProBlender. Other capacities of series: \$999.99 Total Price, \$9,999 Unit Price						
87-078P	12/18/87	PAT Equipment Corporation		Wheel Load Weigher	SAW 10A	III	400	28.75" x 20"	Digital Wheel-Load Weigher
			Model SAW10A-2, Model SAW10C						
87-079	11/05/87	Tokheim Corporation	191	Service Station Consoles/ECR	185 Series (MEMS V)				supersedes by 87-079A1
87-079A1	10/24/89	Tokheim Corporation		Service Station Consoles/ECR	185 Series (MEMS V)				Digital Electronic
			185-X, 185M-X, 185S-X						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-080P	11/30/87	Thurman Scale Company		Vehicle Scale	8530	III L	6,000	120k x 20 lb	70' x 10'	Load Cell Electronic
			8510, 8520, 8530, 8540							
87-081	11/25/87	Kubota Corporation		Computing Scale	LA-ONE	III	3,000	30 x 0.01 lb	14.6" x 10.8"	Digital Computing Scale
87-081A1		Kubota Corporation		Computing Scale	LA-150	III	5000	50 x .01 lb	14.6" x 10.8"	Digital Electronic
			LA-ONE, capacity 30 x .01 lb n:3000							
87-082	12/18/87	BLH Electronics, Inc.		Indicating Elements	LCI	III/III L	10,000			Digital Indicating Element
87-083P	04/07/88	Cardinal/Detecto Scale Mfr. Co.		Load Cell	50K-HDD	III L	10,000 M	50,000 lb		Column Compression Load Cell
87-084	10/02/89	Toledo Scale Corporation		Load Cell	725	III	6,000 M	500 - 2k lb		Bending Beam Load Cell
				Specific load cells are identified by the load cell capacities. Capacities (lb): 500, 1000, 2000						
87-084P	07/17/88	Toledo Scale Corporation		Load Cell	725 family	III	6000 M	500 to 2000 lb		Superseded by 87-084
				Capacities (lb): 500, 1000, 2000						
87-085	03/10/88	Revere Transducers, Inc.		Load Cell	SHB	III	3,000 S	20 - 1000 kg		Bending Beam and Shear Beam
				Capacities (kg): 20, 50, 100, 200, 500, 1000						
87-085-A1	03/28/91	Revere Transducers, Inc.		Load Cell	SHB	III & III L	S-Cell: 3000	20 - 1,000 kg		Bending Beam & Shear Beam
				The specific models of load cells covered by this certificate are SHB-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.						
87-086	03/10/88	Revere Transducers, Inc.		Load Cell	LCU	III	3,000 S	10 - 100 kg	30 - 250 lb	Bending Beam Load Cell
				Capacities: (kg) 10, 20, 30, 50, 100: (lb) 30, 50, 75, 125, 250						
87-086-A1	03/28/91	Revere Transducers, Inc.		Load Cell	LCU	III & III L	S-Cell: 3000	10-100kg/10-250lb		Bending KBBeam
				The specific models of load cells covered by this certificate are LCU-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.						
87-087	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	BBS	III	3,000 S	50 to 2500 lb		Bending Beam
				BBS-YYYY500 thru BBS-YYYY699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-087P	03/10/88	Hottinger Baldwin Measurements, Inc		Load Cell	BBS BBS-YYYYX500 thru BBS-YYYYX699 where YYY is the load cell capacity and XX is the cable length; Capacities (lb): 50, 100, 200, 250, 500, 1000, 2500	III	3000 S	50 lb to 2500 lb		Superseded by 87-087
87-088	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	UIT UIT-YYYYX500 thru UIT-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000	III	3,000 S	50 to 3000 lb		Bending Beam
87-088P	03/10/88	Hottinger Baldwin Measurements, Inc		Load Cell	UIT UIT-YYYYX500 thru UIT-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities (lb) 50, 100, 200, 300, 500, 1000, 2000, 3000	III	3000 S	50 to 3000 lb		superseded by 87-088
87-089P	02/10/89	Hottinger Baldwin Measurements, Inc		Load Cell	USB USB-YYYYX500 thru USB-YYYYX699 where YYY is the load cell capacity and XX is the cable length. Capacities 200: 500: 1,000: 2,000: 5,000: 10,000	III	3,000 S	200 - 5k lb		Superseded by 87-089P.A1
87-089P.A1	09/26/90	Hottinger Baldwin Measurements, Inc		Load Cell	USB The specific models of load cells covered by this certificate are USB-YYYYX500 through USB-YYYYX699 where YYY is the load cell capacity & XX is the cable length.	III	3000	200 to 10,000 lb		Universal , Tension
87-090	08/30/88	Weigh-Tronix, Inc.		Load Cell	WBP & WBR WBP-0.50K, -1.25K, -2.50K, -5.00K, -1000, -2000. Capacities: 500 - 2000 lb	III	5,000 M	500-5,000 lb		
87-090.A2	09/24/90	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL	III	5000	500 - 50,000 lb		Shear Beam
87-090.A3	03/07/91	Weigh-Tronix, Inc.		Load Cell	WBP, WBR, WBL The only difference b/t the WBP, WBR, & WBL is in the end mounts. These differences are not considered to be metrologically significant. Models: WBP-500K, WBP-1.25, WBP-2.50K, WBP-5.00K, WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K, WBR-1000, WBR-2000, WBL-500K, WBL-1.25K, WBL-2.50K & WBL-5.00K.	III	5,000	500 to 50,000 lb		Bending Beam
87-090A	07/25/88	Weigh-Tronix, Inc.		Load Cell	WBP WBP-10.0K, WBP-20.0K, WBP-25.0K, WBP-50.0K: Capacities (lb): 10,000: 20,000: 25,000: 50,000	III	5000 M	10000 to 50000 lb		Bending Beam
87-090P	12/29/87	Weigh-Tronix, Inc.		Load Cell	WBP WBP-0.50K, WBP-1.25K, WBP-2.50K, WBP-5.00K: Capacities (lb): 500, 1250, 2500, 5000	III	5000 M	500 to 5000 lb		Supersed by 87-090A
87-090PA	04/20/88	Weigh-Tronix, Inc.		Load Cell	WBR WBR-1000, WBR-2000: Capacities (lb): 1000, 2000	III	5000 M	500 to 5000 lb		Superseded by 87-090A

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-091	03/10/88	W. R. Grace & Co.		Dry Measure	24P			1 dry pint		Polystyrene Foam Berry Basket
87-092	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0024/A	III	960	30lb x 1/2 oz	Pan	Mechanical Hanging Scale
87-093	12/30/87	Weigh-Tronix, Inc.	2520-1	Bench and Counter Scale	3835	III	5,000	250 x .05 lb	20" x 20"	superseded by 87-093A1
87-093A1	02/16/90	Weigh-Tronix, Inc.		Floor Scales	3835	III	5,000	250 x 0.05 lb	20" x 20"	
87-094	05/24/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000 M	5k - 50k lb		Double Ended Shear Beam
87-094.A1	03/07/91	Artech Industries, Inc.		Load Cell	70210	III/III L	5,000	5,000 to 50k lb		Double Ended Shear Beam
87-094P	01/27/88	Artech Industries, Inc.		Load Cell	70210	III/III L	5000 M	5000 to 50000 lb		Superseded by 87-094
87-095	07/25/88	Weigh-Tronix, Inc.		Load Cell	WBP	III	5000 M	125 and 250 lb		
87-095P	01/11/88	Weigh-Tronix, Inc.		Load Cell	WBP	III	5000 M	125 and 250 lb		Superseded by 87-095
87-096	08/17/89	Hottinger Baldwin Measurements, Inc		Load Cell	PLC & PLX Series PLC-YYXX500 thru PLC-YYXX699 and PLX-YYXX500 thru PLX-YYXX699, where YYY is the load cell capacity and XX is the cable length. PLC-2XX, -5XX, -10XX, -20XX, -30XX, -50XX, -70XX, -100XX, -200XX, PLX-5XX, -10XX	III	3,000 S	2 to 200 lb		
87-096PA	04/29/88	Hottinger Baldwin Measurements, Inc		Load Cell	PLC & PLX Series PLX-YYXX500 thru PLX-YYXX699, where YYY is the load cell capacity and XX is the cable length. Models: PLC-2XX, PLC-5XX, PLC-10XX, PLC-30XX, PLC-50XX, PLC-70XX, PLC-100XX, PLC-200XX, PLC-5XX, PLX-10XX. PLC capacity range 2 to 200 lb; PLX capacity range 5 to 10 lb	III	3000 S	2 to 200 lb		superseded by 87-096
87-097	01/11/88	Metro Equipment Corporation		Bench and Counter Scale	BD-125PK-XXX BD-25M-XXX, BD-50D-XXX, BD-50M-XXX, BD-100M-XXX, BD-250-XXX	III	560	125 lb x 4oz	13 1/2" x 20 1/2"	Mechanical Dial Bench Scale

The specific models of load cells covered by this certificate are identified by the capacity of each load represented.

Capacities (lb) 5,000; 10,000; 20,000; 50,000

WBP-.125K, WBP-.250K: Capacities (lb): 125, 250

WBP-XXXX where XXXX is the code for the capacity of the load cell. Capacities (lb): 125, 250

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-098	10/02/89	Toledo Scale Corporation		Load Cell	742	III	6,000 M	1k - 20k lb		
			Capacities: 1000, 2500, 5000, 10000, 20000							
87-098P	07/17/88	Toledo Scale Corporation		Load Cell	742	III	6000 M	1000 to 20000 lb		superseded by 87-098
			Capacities (lb)- 1,000; 2,500; 5,000; 10,000; 20,000							
87-099	04/07/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	ABXXXX			99.999 gal		Electromechanical Dispenser
87-100	08/17/89	Toledo Scale Corporation		Computing Scale	8421	III	5000	50 x 0.01 lb	10.75" x 14.6"	
87-101	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	8423	III	5000	50 x 0.01 lb		Bench Scale
87-102	04/12/88	Toledo Scale Corporation		Computing Scale	8430	III	600	6 x 0.01 lb	9" x 7"	Digital Computing Scale
87-103	03/25/88	Toledo Scale Corporation		Computing Scale	8431	III	3,000	30 x 0.01 lb	9.25" x 14.25"	Digital Computing Scale
87-103A	06/14/90	Toledo Scale Corporation		Computing Scale	8431	III	3000	30 x 0.01 lb	9.24" x 14.25"	Digital Electronic
87-104	08/21/90	Toledo Scale Corporation		Indicating Elements	8140	III/III L	10,000			Digital Indicating Element
87-105	07/25/88	Toledo Scale Corporation		Indicating Elements	M8141	III/III L	10,000			Digital Electronic
87-106	04/07/88	Toledo Scale Corporation		Indicating Elements	8142	III/III L	10,000			Digital Indicating Element
87-107	10/02/89	Toledo Scale Corporation		Indicating Elements	M 5000	III	10000	2000 x 0.02 lb		Digital Indicating
87-108	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	2095	III	10000	400 x 0.5 lb	20" x 20"	
87-109	06/16/89	Toledo Scale Corporation		Floor Scales	2185	III	8,000	1,600 X 0.2 lb	24 X 30 in	Load Cell Weighing Element

LISTING BY CERTIFICATE NUMBER

Page C 21

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
87-110	08/17/89	Toledo Scale Corporation		Floor Scales	2136	III	2000	1000 x 0.5 lb	19" x 28"	
87-111	08/17/89	Toledo Scale Corporation		Floor Scales	2036	III	2500	250 x 0.1 lb	19" x 20"	
87-112	08/17/89	Toledo Scale Corporation		Floor Scales	4182	III	2000	1000 x 0.5 lb		
87-113	01/11/88	New Brunswick International, Inc.	DS-260, DS-261	Bench and Counter Scale	DS-260	III	3,000	300 x 0.1 lb	700 x 600 mm	Digital Bench Scale
87-114	01/11/88	New Brunswick International, Inc.		Computing Scale	DS-380	III	3,000	30 x 0.01 lb	8" x 12.25"	Digital Computing Scale
87-115	12/29/87	Advance Scale Company		Printer	Auto-Scale 4000					Inbound/outbound vehicle scale
87-116P	08/17/89	Toledo Scale Corporation		Vehicle Scale	7551	III/III L	6000	120000 x 20 lb	70"x10' 2 section	
87-117	03/10/88	Western Scale Company Limited		Indicating Elements	DF-1000	III/III L	10,000			Digital Indicating Element
87-118	02/17/88	New Brunswick International, Inc.		Prepackaging Scale	DPS 6000	III	3,000	30 x .01 lb	341 mm x 284 mm	Digital Prepackaging Scale
87-119	05/25/89	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		
87-119P	02/17/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-75.0 K: Capacities (lb): 37,500; 75,000	Load Cell	WBT	III L	10000 M	37500 to 75000 lb		superseded by 87-119
87-119PA	07/25/88	Weigh-Tronix, Inc.	WBT-37.5 K, WBT-50.0 K, WBT-75.0 K	Load Cell	WBT	III L	10,000 M	37500 to 75000 lb		superseded by 87-119
87-120	07/25/88	Weigh-Tronix, Inc.	WBC-250, WBC-500, WBC-1000, WBC-2500	Load Cell	WBC	III L	6,000 S	250 to 2500 lb		

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
87-120P	02/17/88	Weigh-Tronix, Inc.		Load Cell	WBC	III L	250 to 2500 lb		Superseded by 87-120
			WBC-250, WBC-500, WBC-1000, WBC-2500: Capacities (lb): 250, 500, 1000, 2500						
87-121	03/01/88	Weigh-Tronix, Inc.		POS Scale	4000-1	III	30 x 0.01 lb	12" x 14"	Superseded by 87-121A3
87-121A	09/22/88	NCI Weigh-Tronix Inc.		Weight Classifier	4000-1	III	30 x 0.01 lb	12" x 14"	
87-121A2	10/28/88	Weigh-Tronix, Inc.		Weight Classifier	4000-1	III	100 x 0.1lb	12" x 14"	superseded by 87-121A3
			Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 19.95 lb x 0.05 lb; 100 x 0.05 lb or 50 x 0.05 kg; 50 x 0.02 lb or 25 x 0.01 kg. Optional model 4010-1.						
87-121A3	01/30/90	Weigh-Tronix, Inc.		Weight Classifier	4000-1, 4100	III	100 x 0.1 lb	12" x 14"	
			Optional capacity as a weight classifier: 50 x 0.05 kg, e = 0.01 kg. Optional capacities as a normal weighing scale: 99.95 lb x 0.05 lb; 100 x 0.05 lb or 50 x 0.02 kg; 50 x 0.02 lb or 25 x 0.01 kg. Models 4000-1 and 4100 are identical and models 4110 a 4010-1 are identical						
87-122	02/17/88	TEC America, Inc.		Computing Scale	SL-57-301-n	III	30 x 0.01 lb	240 mm x 350 mm	Digital Computing Scale
87-123	05/03/88	National Semiconductor		Cash Register	300	III	30 x 0.01 lb	14.2" x 12.7"	Digital Cash Register
87-124	08/17/89	Toledo Scale Corporation		Service Station Consoles/ECR	262	III			
88-001	03/01/88	Avery Weighing Technology		Computing Scale	A600	III	15 x .01 lb	13.75" x 8.75"	superseded by 88-001A1
88-001A1		Avery Weighing Technology		Computing Scale	A600	III	15 & 30 x 0.01 lb	13.75" x 8.75"	Digital Electronic Computing
88-002	04/07/88	Gilbarco, Inc.	AC4992AS1, AC6093, AC4093	Retail Motor Fuel Dispenser	AC4992S1		60 gal/min		superseded by 88-226A2
88-003	03/01/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3
88-003A	05/03/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description	
88-003A2	02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	PAO24TC10, PAO24NC10				superseded by 88-003A3	
88-003A3	06/16/89	Gilbarco, Inc.	PAO24NC10	Service Station Consoles/ECR	PAO24TC10		40 gal/min			
88-004P	04/07/88	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	III	20k x 50 lb	18" x 14"	Superseded by 88-004P 5/15/90	
88-004P Amend	05/11/90	General Electrodynamics Corporation		Wheel Load Weigher	MD 500E	III	20,000 x 50 lb	18" x 14"	Digital Electronic	
88-005	03/10/88	NCR Corporation		Cash Register	2061-54XX				Stand Alone ECR	
88-006	03/10/88	NCR Corporation		Cash Register	2157-30XX				Digital Cash Register	
88-007	06/01/88	NCR Corporation		POS Scale	7050 Series				Digital Electronic System	
88-008	10/02/89	Toledo Scale Corporation		Load Cell	743	III/III L	1k to 45k lb			
				Specific load cells are identified by the load cell capacity. Capacities: 1k, 3k, 5k, 10k, 20k, 45k						
88-008P	07/17/88	Toledo Scale Corporation		Load Cell	743	III/III L	1k to 45k lb		superseded by 88-008	
88-009P	11/14/88	Toledo Scale Corporation		Load Cell	752	III L	50k to 100k lb		superseded by 88-009PA1	
88-009PA1	10/02/89	Toledo Scale Corporation		Load Cell	752	III L	50k-100k lb			
				Capacities (lb): 50k, 100k						
88-010PN	03/01/88	Cardinal/Detecto Scale Mfg. Co.		Floor Scales	BSR and BSRL	III	5-150 TON	VARIOUS	Dormant Industrial Scale	
				56BSR, 58BSR, 59BSR, 5SBSR, 108BSR, 109BSR, 10SBSR, 15SBSR, 20SBSR, 30SBSR						
88-011PN	03/01/88	Cardinal/Detecto Scale Mfg. Co.		Hopper Scale	FS Series	III/III L	5000 - 300000 LB		Floor Tank & Hopper Mech. lev.	
				FS-1F, -2F, -2.5F, -3F, -4, -5, -6, -7, -8, -9, -10, -11						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-012PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Vehicle Scale 1018 SR: 1522 SR: 2024 SR: 3024 SR: 3034 SR: 30343 SR: 40403 SR: 5045 SR: 5050 SR: 5070 SR: 5060 SR: 5070 SR: 501207 SR: 6045 SR: 6050 SR: 6060 SR: 6070 SR: 7550 SR: 7560 SR: 75705 SR: 8060 SR: 8070 SR: 10060 SR: 100100 SR: 15070 SR. Capacity range 10-150 tons	Vehicle Scale	SR and SRL Series	III/III L	10-150 TONS	18'x 9'-100'x 10'	Mech. Lever Weighing Element
88-013PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Vehicle Scale 206-ASR: 208-ASR: 2010-ASR: 308-ASR: 3010-ASR: 3012-ASR	Vehicle Scale	ASR and ASRL	III/III L	30 Tons	12' x 10'	Mechanical axle load scales
88-014PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales OLP-505F, -505, -404F, -404	Floor Scales	OLP Series	III	4,000	60" x 60"	Overhead Mech. Plat. Scale
88-015PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Railroad Track Scale 6050-RSA, 6060-, 6070-, 6650-, 6660-, 7250-, 6080-, 6670-, 7260-, 7270-, 6680-, 7280-	Railroad Track Scale	RS, FSL, RSA & RSAL	III/III L	150-300 TONS	60'x 10'-72'x 10'	Railway Track Vehicle Scale
88-016PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Hopper Scale SH-1, -2, -3, -3.5, -4, -5, -6, -7, -8. Capacity range 1,000 to 100,000 lbs	Hopper Scale	SH Series	III/III L	1,000 - 100,000lb		Suspension Hopper Lever Sys.
88-017PN	03/01/88	Cardinal/Detecto Scale Mfr. Co.	Livestock Scale 31, LS51208, LS51408, LS51608, LS1016, LS1018, LS1022, 1030 S, 1530 S, 2026 S	Livestock Scale	LS Series	III/III L	1.5 - 20 ton	8 x 3 - 26 x 14'	Mechanical Weighing Element
88-018P	03/14/88	Superior Load Cell	Load Cell AW900	Load Cell	AW900	III L	20K to 100K lb		Superseded by 88-018PA
88-018P2	09/26/88	Superior Load Cell	Load Cell AW 900 and DSB-20 Series	Load Cell	AW900	III L	20 k to 100 k lb		Superseded by 88-018PA
88-018PA	04/07/88	Superior Load Cell	Load Cell The two model series are DSB-20 and AW900. The model designation will have a suffix reflecting the capacity of the load cell.	Load Cell	AW900	III L	20k- 100k lb		Superseded by 89-006P
88-019	06/28/88	Kubota Corporation	Bench and Counter Scale KA-10-HB	Bench and Counter Scale	KA-10-HB	III	150 x 0.05lb	13.9" x 19.7"	Digital Electronic
88-020	03/01/88	Weigh-Tronix, Inc.	Indicating Elements 560	Indicating Elements	560	III/III L	10,000		Digital Indicating Element
88-021	03/07/88	Ishida Scales Mfg. Co., Ltd.	Floor Scales MT-150, MT-60	Floor Scales	MT-300	III	300 x 0.1 lb	550 mm x 400 mm	

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-021A	01/25/89	Ishida Scales Mfg. Co., Ltd.		Bench and Counter Scale	MT-300 MT-150 Capacity 150 x 0.05 lbs. MT-60 Capacity 60 x 0.02 lbs	III	3,000	300 x 0.1 lb	550 mm x 400 mm	Digital Electronic
88-022	04/20/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC4982S1			99.999 gal		superseded by 88-226A2
88-022A	05/03/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC4982S1			99.999 gal		superseded by 88-226A2
88-023	03/24/88	A&D Engineering, Inc.		Indicating Elements	AD 4321A & B	III/III L	10,000			Digital Electronic
88-023.A1	03/07/91	A&D Engineering, Inc.		Indicating Elements	AD 4321A & AD 4321B	III/III L	10,000			Digital Electronic
88-024P	09/09/88	CMI Weighing Equipment		Vehicle Scale	2PS11010 2FT11010, 2PS33510, 2PS4010 2FT3510, 2PS4610 2FT4610, 2PS6010 2FT6010, 2PS8010 2FT8010, 2PS9010 2FT9010, 2PS9310 2FT9310, 2PS10010 2FT10010, 2PS11610 2FT11610, 2PS12010 2FT12010, 2PS13010 2FT13010, 2PS14010 2FT14010, Capacity range 60 to 100 tons	III L	10,000	200,000 x 20 lb	100' x 10'	Vehicle Scale Weighing Element
88-025	03/01/88	Weigh-Tronix, Inc.		Computing Scale	1150; 1151; 3420	III				UPC Labeling System
88-026	03/01/88	Weigh-Tronix, Inc.		Computing Scale	3420	III	3,000	30 x 0.01 lb	12" x 12"	Digital Electronic
88-027	03/24/88	Scientech, Inc.		Jewelers' Balance	5550	II	50,000	50 x 0.01 g	4.5" Diameter	Digital Electronic
88-028	03/01/88	Cardinal/Detecto Scale Mfr. Co.		Computing Scale	PC-30	III	3,000	30 x 0.01 lb	13" x 8"	Digital Computing Scale
88-028A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.		Computing Scale	PC-30A	III	3,000	30 x 0.01 lbs	13" x 8"	Digital Electronic
88-029	04/07/88	K-Tron		Computing Scale	9010 9010, 9010 N, 9010 P, 9020, 9020 N, 9020 P, 9030, 9030 U	III	3,000	30 x 0.01 lb		Digital Computing Scale

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-030P	04/07/88	Unibrige Scale Systems		Vehicle Scale	UBSRH701040	III L	200k x 20 lb	70' x 10'	Electronic Weighing Element
					UBXXH(R)YY40(CC) where XX may be PC, S, or C and where YY denotes length of scale and (R) and (CC) are options.				
88-031	03/10/88	A&D Engineering, inc.		Indicating Elements	AD4316	III/III L			Digital Indicating Element
88-032	03/01/88	John Chatillon & Sons, Inc.	7280 XHTR	Hanging Scale	7280XHT	III	150 x 1/4 lb		Dial hanging scale
88-033	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	SB2 & SB3	III	1,000 to 200,000		Shear Beam
					capacity: multiple cells: 3,000 or 5,000 depending on capacity		see below		
88-033P	07/08/88	Hottinger Baldwin Measurements, Inc		Load Cell	SB2 & SB3	III	1k - 200K lb		Shear Beam Load Cell
					SB2-YYYYX500 through SB2-YYYYX699 and SB3-YYYYX500 through SB3-YYYYX699 where YYY is the load cell capacity and XX is the cable length.				
88-034P	04/07/88	Superior Load Cell		Load Cell	LSB- and AW600-XXK	III L	2500 to 20000 lb		Superseded by 88-034PA2
					Capacity (lb): 2,500, 5,000, 10,000, 15,000, 20,000				
88-034PA2	02/23/90	Superior Load Cell		Load Cell	LSB & AW600 Series	III L	2.5 k -20 k lb		WITHDRAWN
88-035	03/23/88	Essette Meto		Computing Scale	BLP 804	III	30 x 0.01 lb	255 mm x 355 mm	Digital Electronic
88-036	04/08/88	Thurman Scale Company		Vehicle Scale	8130 SAM	III L	200k x 20 lb	70'x 10'	Mechanical Pipe Lever
					Optional Capacities: 120,000 x 20 lb - Gross (35 ton sec.), 200,000 x 20 lb - Gross (45 & 60 ton sec.). Optional Sizes: 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 100' x 10'. Optional Model: 8140 Steel pitless with side rails.				
88-037	03/01/89	Thurman Scale Company		Vehicle Scale	8120	III L	200k x 20 lb	60' x 10'	Mechanical Pipe-Lever System
					Optional Model: 8110 (concrete deck). Optional Capacities: 100,000 x 20 lb, 45 ton sections: 120,000 x 20 lb, 35 and 60 ton sections: 200,000 x 20 lb, 45 and 60 ton sections. Optional Sizes: 30' x 10', 35' x 10', 40' x 10', 50' x 10', 60' x 10', 70' x 10', 80' x 10', 50' x 12', 60' x 12', 70' x 12'				
88-038P	04/07/88	Interface, inc.		Load Cell	SSB	III	50 - 250 lb		Shear Beam Load Cell
					Capacities (lb): 50, 100, 250		3,000 S		
88-039	09/26/88	Weigh-Tronix, Inc.		Load Cell	WBC	III	250 to 2500 lb		Bending Beam
					Capacities (lb): 250, 500, 1000, 2500		3,000 S		

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-039P	04/07/88	Weigh-Tronix, Inc.		Load Cell	WBC	III L	5,000 S	250 - 25k lb		Superseded by 88-039
88-040P	04/07/88	Interface, Inc.		Load Cell	MB Series	III	3,000 S	10 - 100 lb		Shear Beam Load Cell
88-041	03/29/89	Revere Transducers, Inc.		Load Cell	STS	III	3,000 S	50 to 2,500 lb		S-Type, Tension
88-041	04/29/88	Revere Transducers, Inc.		Load Cell	STS	III	3000 S	50 to 2500 lb		Superseded by 88-041 3/29/89
88-041.A1	03/28/91	Revere Transducers, Inc.		Load Cell	STS	III & III L	see below	50 - 2500 pds.		S-Type Tension
										The specific models of load cells covered by this certificate are STS-X-Y-Z where X, Y & Z, as applicable are model numbering codes denoting capacity, classification, and electrical connection.
88-042	03/01/89	Revere Transducers, Inc.		Load Cell	STS	III L	10,000 S	50 to 2,500 lb		S-Type, Tension
88-042.A1	03/28/91	Revere Transducers, Inc.		Load Cell	STS	III L	S-Cell 10000	50 to 2500 pds		S-Type, Tension
										The specific models of load cells covered by this certificate are STS-X-Y-Z where S, Y and Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
88-043	04/07/88	Gull Inc.		Vehicle Tank & LPG Meter	TTC					Computer System for LPG
										Truck Transaction Computer - Model 1903 001 XXXX, Electronic Pulser - Model 903 003 XXXX, Calibration Module - Model 903 008 XXXX, Remote Indicator - Model 903 009 XXXX
88-044	03/29/88	Howe Richardson Division		Indicating Elements	9000	III	10,000			Digital Indicating Element
88-045P	06/02/88	Toledo Scale Corporation		Vehicle Scale	Truckmate MV 1051	III L	10,000	200,000 x 20 lb	100' x 10'	Electronic Weighing Element
										Range of capacities from 60,000 to 200,000 lb. Range of platform sizes from 15' x 10' to 150' x 10'
88-046	08/30/88	Weigh-Tronix, Inc.		Load Cell	WBM	III L	6,000 M	37,500 -50,000 lb		Bending Beam
										WBM-37.5K, WBM-50.0K, WBM-75.0K Capacities (lb): 37,500 - 75,000

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-047P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7530	III L	10,000	200 k x 20 lb	70' x 10'	Electronic Weighing Element
										Other platform sizes: 12' x 10' to 70' x 10'. Other capacities: 60,000 lb to 200,000 lb. Other model: Model 7520 (steel deck). Other section capacity: 30 tons to 55 tons
88-048P	07/17/88	Toledo Scale Corporation		Vehicle Scale	7540	III L	6,000	120,000 x 20 lb	70' x 10'	Electronic V.S. Weigh Element
										Range of capacities from 60,000 to 162,000 lb. Range of platform sizes from 35' x 10' to 70' x 10'. Maximum distance between sections 23'4". Other section capacity: 35 tons, 45 tons
88-049P	07/17/88	Toledo Scale Corporation		Floor Scales	2255	III	5,000	20,000 lb	5' x 7'	Electronic Floor Scale
										Optional capacity: 10,000 lb. Optional platforms: 4' x 4', 5' x 5'
88-050P	07/17/88	Toledo Scale Corporation		Floor Scales	2295	III	5,000	20,000 lb	5' x 6'	Electronic Floor Scale
88-051	04/27/88	Hobart Corporation		Computing Scale	1841	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-052	04/27/88	Hobart Corporation		Prepackaging Scale	1865	III	3,000	30 x 0.01 lb		Digital Prepackaging Scale
88-053	04/27/88	Hobart Corporation	1871	Computing Scale	1870	III	3,000	30 x 0.01 lb		Digital Computing Scale
88-054	03/24/88	Kubota Corporation		Computing Scale	LA-320	III	3,000	15 x 0.01 lb	294 mm x 205 mm	Digital Electronic
88-054A1	06/14/90	Kubota Corporation	Model LA-315	Computing Scale	LA-320	III	3000	20 x .01 lb	294 x 205 mm	Digital Electronic
88-055	03/24/88	Kubota Corporation		Computing Scale	LA-250	III	5,000	50 x .01 lb	270 mm x 370mm	Digital Electronic
88-056	05/26/88	Avery Weighing Technology		Prepackaging Scale	B700	III	3,000	30 x 0.01 lb	12" x 15.25"	Digital Prepackaging Scale
88-057P	04/18/91	General Electrodynamics Corporation		Wheel Load Weigher	MD 700	IIII	1,200	60k x 50 lb	2'-7" x 30"	Portable Digtl Axle-Load Weigh
88-058	04/07/88	MOBBA		Computing Scale	LD1000	III	3,000	30 x 0.01 lb	15.5" x 10.5"	Digital Computing Scale
										LX, LS, LP1000, LD1000, LCB1000

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-059	02/16/90	Koltek, Inc.		Vehicle Tank & LPG Meter	K10-A332X		9999.9 gallons		Milk Metering System for Milk
88-060	05/03/88	John Chatillon & Sons, Inc.		Hanging Scale	0028/A	III	30lb x 1/2oz	Pan	Mechanical Dial
			Optional Capacities: 60 lb x 1 oz, 30 lb x 1/2 oz, 15 kg x 0.02 kg. Other Distributor: Hobart Corporation, Models: PR30-1, -30-2, -30-3						
88-061PN	10/11/88	Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	PRC and SRC Series	III L	60 'to 180'x 10'		Digital Electronic
			Modified Model Numbers XYYY-PRC-H and XYYY-SRC-I						
88-062	04/27/88	Esselte Meto		Computing Scale	CB493	III	15 x 0.01 lb	8 " x 12.5 "	Digital Computing Scale
88-063P	06/28/88	Durline Scales and Mfg., Inc.		Vehicle Scale	EFT Series	III L	200,000 x 20 lb	65'x 10'	Load Cell Electronic
			EFTX-35603, -40603, -651004, -701004, -801004, -901004						
88-064	04/27/88	Esselte Meto		Computing Scale	CP 501	III	30 x 0.01 lb	13.75" x 9.5"	Digital Computing Scale
88-065	04/20/88	Esselte Meto		Computing Scale	CS 491-1	III	30 x 0.01 lb	13.75 " x 9.5 "	Digital Computing Scale
88-066	04/20/88	Condec Consolidated Controls		Indicating Elements	UMC 2000 XX-XX	III/III L	10,000		Digital Indicating Element
			UMC 2000-66, -2002-66, -2004-66, -2000 XX-XX, -2002 XX-XX, -2004 XX-XX, -2006 XX-XX, -2008 XX-XX, -2010 XX-XX, -2012 XX-XX						
88-067	05/03/88	National Semiconductor		Cash Register	545		30 x 0.01 lb		Digital Cash Register
88-068P	05/26/88	Superior Load Cell		Load Cell	AW200 & SSB	III L	1k - 5k lb		Superseded by 88-068PA2
			AW200, AW200A, SSB-1k, SSB-2.5k, SSB-5k						
88-068PA2	08/02/89	Superior Load Cell		Load Cell	AW200 & SSB	III L	1k - 5k lb		Single Ended Shear Beam
			AW200-1K, AW200-2.5K, AW200-5K, AW200A-1K, AW200A-2K, AW200A-2.5K, AW200A-4K, AW200A-5K, AW201A-1K, AW201A-2K, AW201A-2.5K, AW201A-4K, AW201A-5K, AW202-1K, AW202-2K, AW202-2.5K, AW202-4K, AW202-5K						
88-069	09/24/90	Hobart Corporation		POS Scale	5018	III	30 x 0.01 lb		Digital Point-of-Sale Scale
			5018 RSD, 5018V, 5018V2						
88-070	06/28/88	Condec Consolidated Controls		Indicating Elements	UMC 600 AA-AA	III/III L	10,000		Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-071	08/30/88	Fairbanks Scales		Floor Scales	23-25XXA Series 23-2500A, H23-2500A, 23-2502A, H23-2503A, H23-2503A	III	5,000	5000-10000lb	Load Cell Electronic
88-072	08/30/88	Fairbanks Scales		Floor Scales	23-2554A	III	2,500	2500 x 1 lb 4' x 5'	Load Cell Electronic
88-072A1	09/24/90	Fairbanks Scales		Floor Scales	23-2554 23-2554A; 23-2554B; 23-2554C	III	5,000	1,000 to 5,000	Load Cell Electronic
88-073	08/30/88	Fairbanks Scales		Indicating Elements	90-161A	III/III L	10,000		Digital Electronic
88-074	09/12/88	Fairbanks Scales		Bench and Counter Scale	H70-4XXX H70-4000-2, -4050-2, -4100A, -4100B	III	5,000	40 - 200 lb	Bench Scale weighing element
88-075	09/22/88	Fairbanks Scales		Bench and Counter Scale	70-4070 70-4170, capacity 600 x 0.2 lb, 1000 x 0.5 lb	III	2,000	200 x 0.1 lb 17" x 22"	Digital Electronic
88-076	01/26/89	Fairbanks Scales		Indicating Elements	90-164-XX 90-167-XX	III/III L	10,000		Digital Electronic
88-077	10/21/88	Fairbanks Scales		Floor Scales	1125D	III	5,000	1000 x 0.2lb 23.5" x 17.75"	Lever system, load cell
88-078	01/25/89	Fairbanks Scales		Indicating Elements	90-110	III/III L	5,000		Digital Electronic
88-079	01/26/89	Fairbanks Scales		Indicating Elements	90-3045	III/III L	10,000		Digital Electronic
88-080P	05/03/88	Weigh-Tronix, Inc.		Vehicle Scale	FMTS 6010-60T FMTS 4010-60T, -7010-60T, -8010-60T, -4012-60T, -6012-60T, -7012-60T	III L	6,000	120,000 lb 60' x 10'	Load Cell Electronic
88-081	05/03/88	Ohaus Corporation	I 20W	Indicating Elements	I 10	III	10,000		superseded by 88-081A1
88-081A1	02/14/90	Ohaus Corporation	I 20W	Indicating Elements	I 10	III/III L	10,000		

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-082	05/25/89	Revere Transducers, Inc.		Load Cell	CSP	III/III L	25k to 200k lb 3k, 10k S	10k to 100k kg	Multi-Column Compression
88-082.A1	03/28/91	Revere Transducers, Inc.		Load Cell	CSP	III & III L	see below		Multi-Column Compression
									Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. Capacity: 10k - 100k kg & 25k - 200 k kg. The specific models of load cells covered by this certificate are CSP-X-Y-Z where X, Y & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.
88-082P	09/09/88	Revere Transducers, Inc.		Load Cell	CSP	III/III L	25K to 200K lb 3k, 10k S		superseded by 88-082
88-083	05/26/88	Bennett Pump Company		Service Station Consoles	ECR 100		24 dispensers		Electronic Service Station POS
88-084	06/08/88	Systems Associates, Incorporated	NP1260, -2000, -2600	Railroad Track Scale	NP Series	III L	200,000 x 100 lb 4,000		Digital Railroad Scale
88-085	04/29/88	Southwest Pump Company		Service Station Consoles	ECR ECS Series				Digital Service Station Con.
									ECS-1-800, -1A-800, -1-1200, -1A-1200, -1-1600, -1A-1600, -1-2000, -1A-2000, -1-2400, -1A-2400
88-086	05/04/88	Southwest Pump Company		Retail Motor Fuel Dispenser	2XX0-X-X-X series				Superseded by 88-086A
88-086A	02/10/89	Southwest Pump Company		Retail Motor Fuel Dispenser	2XX0-X-X-X Series		999.999 gal		Digital Electronic
									2020-X-X-X, 2040-X-X-X
88-087	06/13/88	General Electronic Systems, Inc.		Indicating Elements	4535	III	10,000		Digital Checkweigh Indicating
88-088	06/13/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000		Digital Indicating Element
88-088P	05/26/88	General Electronic Systems, Inc.		Indicating Elements	531	III/III L	10,000		Superseded by 88-088
88-089	05/25/89	Revere Transducers, Inc.		Load Cell	BSP	III/III L	100 to 5,000 lb 3k, 10k S		S-Type, Tension/Compression
									Capacities (lb): 100, 250, 500, 1000, 2500, 5000

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-089A1	03/28/91	Revere Transducers, Inc.		Load Cell	BSP	III & III L see below	100 - 5,000 lb		Universal, Bending & Shear
		Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are BSP-X-Y-Z where X, Y, & Z, as applicable, are model numbering codes denoting capacity, classification, and electrical connection.							
88-089P	09/29/88	Revere Transducers, Inc.		Load Cell	BSP	III/III L	100 to 5,000 lb		superseded by 88-089
88-090	06/28/88	Perkins Scale Corporation		Vehicle Scale	7060	III L	120,000 x 20 lb	70'x 10'	Mechanical Lever System
88-090P	06/28/88	Hecon Corporation		Vehicle Scale	7060	III L			
88-091	11/02/90	Toledo Scale Corporation		Load Cell	760	III L	22,5 to 45,000 kg		Column Compression
88-091P	06/02/88	Toledo Scale Corporation	Capacities (kg): 22,500, 45,000	Load Cell	760	III L	22.5 and 45 kg		Column Compression Load Cell
88-092	09/09/88	Hecon Corporation		Printer	A0 516 Series				Ticket Printer
88-093	09/09/88	Hecon Corporation		Printer	A0 543				Ticket Printer
88-094P	09/09/88	Hecon Corporation		Printer	AO AND A6 Series				Electronic Modular
			AO 522 XXX, A6 522 XXX, AO 523 XXX, A6 523 XXX						
88-095	06/08/88	A&D Engineering, Inc.		Indicating Elements	AD 4323	III/III L	10,000		Digital Indicator
88-096	11/03/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	13/A	III	130lb x 4oz	13.5 " x 19 "	Mechanical Lever-Spring Dial
88-096A1	10/24/89	John Chatillon & Sons, Inc.	Type 15	Bench and Counter Scale	13/A	III	520 x 1 lb	13.5" x 19"	Mechanical Lever Spring Dial
88-097	06/08/88	Applied Forces Corporation		Indicating Elements	F3, F4, F5, and F6	III/III L	10,000		Digital Indicator

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-097A1	09/11/90	Applied Forces Corporation		Indicating Elements	F3, F4, F5, F6	III/III L	10,000		Digital Electronic
88-098	07/17/88	Measurement Systems International		Crane Scale	MSI-4260-01	III L	50,000 x 10 lb		Superseded by 88-098A
88-098A	04/19/89	Measurement Systems International	Range of capacities: 5k to 70k lb	Crane Scale	MSI-4260-01	III L	50,000 x 10 lbs		Digital Crane Scale
88-099	06/28/88	Wisconsin Electrical Mfr. Co., Inc	HMB-3000	Indicating Elements	HML-3000	III L	10,000		Digital Electronic
88-100	06/28/88	Flex-Weigh Corporation		Floor Scales	FLB FLB2424-5K, -2424-1K, -3030-5K, -3030-1.5K, -3030-2K, -3636-2K, -3636-1K, -3846-2K, -3846-5K, -3846-1K, -4848-5K, -4848-1K, -4860-2K, -4860-1K, -4860-10K, -4860-10K, -4872-1K, -4872-2K, -4872-5K, -4872-10K, -6060-1K, -6060-2K, -6060-5K, -6060-10K, -6072-5K, -6072-10K	III	5,000	500 - 10k lb	Flexure Lever, Load Cell
88-102	07/25/88	Electronic Scales International		Computing Scale	JK700 JK701aa, -702aa, -703aa, -704aa, -705aa, -706aa	III	3,000	10 " x 16 "	Digital Electronic
88-103	05/24/88	Pacific Scale Co., Inc.		Floor Scales	TNL 4848-2K TNL 3636-2K, Capacity 2,000 x .5 lbs	III	4,000	48 " x 48 "	Full Electronic
88-104	05/25/88	Weigh-Tronix, Inc.		Bench and Counter Scale	BS 2020 BS 1414, BS 1818, BS 2424	III	5,000	20 " x 20 "	Elect. Bench Scale Weigh Ele.
88-104A1	01/25/89	Weigh-Tronix, Inc.		Bench and Counter Scale	BS 2020 BS 2424	III	5,000	See models field	Electronic Weighing Element
88-105	05/24/88	Omron Systems of America		Cash Register	RS 5510				Superseded by 88-105A
88-105A	09/22/88	Omron Systems of America	RS 5515	Cash Register	RS 5510 & RS 5541				Stand Alone
88-106	06/09/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	854F-100P 854F-50P, -50K, -50PK, -100P, -100PK	III	2,000	19 " x 28 "	Mechanical Lever Floor Scale

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-106A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Bench and Counter Scale	854P	III	2,000	see below	19" x 28"	Full Mechanical	
		500 - 1000 lb; 200 - 500 kg								
88-107	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales	854F-100P	III	2,000	1,000 lb	19" x 28"	Mechanical Lever Floor Scale	
		854F-50P, -50K, -50PK, -100P, -100PK								
88-108	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales	954F-100P	III	4,000	2,000lb	28" x 28"	Mechanical Lever Floor Scale	
		954F-100P, -50K, -100PK								
88-108A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.	Floor Scales	954F	III	4,000	2000 lb	28"x28"	Mechanical portable floor scal	
		Leventronic: 8950F, 5950F - Full Mechanical: 954F-100P, 954F-500K, 954F-100PK								
88-109	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Floor Scales	954F-100P	III	4,000	2,000 lb	28" x 28"	Mechanical Lever Floor Scale	
		954F-100P, -50K, -100PK								
88-110	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale	
88-111	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Hanging Scale	40 S	III	512	32 lb x 1 oz	Com. Pan	Mechanical Dial Hanging Scale	
88-112	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4 x 0.001 lb	8" Diameter	Digital Bench Scale	
		6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80								
88-113	06/09/88	Cardinal/Detecto Scale Mfr. Co.	Bench and Counter Scale	6900-4 and 6900-80	III	4,000	4lb - 80lb	8" Diameter	Digital Bench Scale	
		6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80								
88-114	06/08/88	Pennsylvania Scale Company	Indicating Elements	5600	III/III L	5,000			Digital Indicating Element	
88-115	06/17/88	Pennsylvania Scale Company	Printer	PS400					Dot Matrix Ticket Printer	
88-116	06/17/88	Pennsylvania Scale Company	Printer	PS400-T					Dot Matrix Ticket Printer	
88-117	06/17/88	Pennsylvania Scale Company	Printer	P100					Dot Matrix Tape Printer	

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity n	Platform size	Device Description
88-118	06/02/88	IBM Corporation		POS Scale	4680 Series 4683-001 POS terminal (Primary), 4683-002 POS terminal (Satellite)				POS System/Controller
88-119	09/09/88	Sartorius Corporation		Jewelers' Balance	L Series L420S-*U2, L220S-*U2, L2200S-*U2, L310-*U2, L310-XU2, L610-*U2, L610-XU2	II	42,400	5" dia.	Grain Test Scale
88-120	09/09/88	Sartorius Corporation		Jewelers' Balance	U and X Series U6100-*U2, U6100-XU2, U6-*U2, U6-XU2, X1493-*U2, X1493-XU2, X1493-*U2.1, X1493-XU2.1	II	6,100 g	5" dia.	Digital Electronic
88-121	09/09/88	Sartorius Corporation		Jewelers' Balance	E and I Series E4800S-*U2, I4800S-*U2, I1000S-*U2, E12000S-*U2, E12S-*U2, I12000-*U2, I6800-*U2, I6-*U2	II	48,400	235 mm x 190 mm	Grain Test Scale
88-122	09/09/88	Sartorius Corporation		Jewelers' Balance	P Series P500-*U2, P5-*U2	II	5,050	110 mm Diameter	Grain Test Scale
88-123	09/09/88	Sartorius Corporation		Jewelers' Balance	H and G Series H51-*U2, H120-*U2, H310-*U2, G150D-*U2	II	31,000	63 mm Diameter	Grain Test Scale
88-124	09/09/88	Sartorius Corporation		Bench and Counter Scale	I Series I24-*U2, I16000-*U2	II	24,200	11.75 " x 9.25 "	Digital Electronic
88-125	09/09/88	Sartorius Corporation		Bench and Counter Scale	F Series Class II scales: F61S-*U2**B, F61S-XU2**B, F150S-*U2, F150S-XU2, F300S-*U2, F300S-XU2. Class III scales: F61S-*U3**B, F61S-XU3**B	II/III	15,150	23.5 " x 31.5 "	Digital Electronic
88-126	05/25/89	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k, 10k S		Single Column Tension
88-126.A1	03/28/91	Revere Transducers, Inc.		Load Cell	LCT-50	III & III L	see below		Single Column Tension
88-126P	07/25/88	Revere Transducers, Inc.		Load Cell	LCT-50	III/III L	3k, 10k S		superseded by 88-126
88-128	06/28/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-1		99.999 gal		SUPERSEDED BY 89-019A1

Max: S-Cell, Class III: 3,000 & S-Cell, Class III L: 10,000. The specific models of load cells covered by this certificate are LCT-50-X-Y-Z where X, Y, & Z as applicable, are model numbering codes denoting capacity, classification, and electrical connection.

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-129	07/25/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Salesmaker-4 & 2		99.999 gal		Digital Electromechanical
88-130P		Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XTD and ETD Series	III	6,500 LB		Dormant Floor Scale
88-130PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XTD and ETD Series XTD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	III	6500 lb		Dormant Mechanical
88-131PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	XD Series XD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672	III	6500 lb		Dormant Mechanical
88-132PN	08/31/88	Cardinal/Detecto Scale Mfr. Co.		Floor Scales	SCD and SCDF Series SCD-4638, -4848, -6048, -6060, -7248, -7260, -7654, -8460, -9672, -10884, -12096	III	12,500 lb		Dormant Mechanical
88-133PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.		Indicating Elements	3000 Series	III			Mechanical Dial Indicator
88-134PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	2200 Series 2200 DB, 2200 AB, 2201 DD, 2201 AD, 2202 DE, 2202 AE, 2202 AEDX, 2203 DF, 2203 AF, 2203 AFDX, 2203 AFDX, 2205 DJ	III	50 - 125 lb	18" x 20"	Mechanical Dial Bench Scale
88-135PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	PR and PRL Series 2020PR, 2030PR, 2530PR, 3030PR, 3540PR, 3550PR, 2020-40PR, 2020-40PSR, 2525-50PR, 3030-50PR, 3535-50PR, 2525-60PR, 3030-60PR, 3535-60PR, 2525-65PR, 3030-65PR, 3535-65PSR, 2525-80PR, 3030-80PR, 3535-80PR, 2525-100PR, 3030-100PR, 3535-100PR	III L		Portable Mech. Vehicle Scale	
88-136PN	06/17/88	Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	PSR and PSRL Series 2020 PSR, 3020 PSR, 3030 PSR, 4035 PSR, 5035 PSR, 2020-40PSR, 2020-50PSR, 2525-50PSR, 3030-50PSR, 3535-50PSR, 2525-60PSR, 3030-60PSR, 3535-60PSR, 2525-65PSR, 3030-65PSR, 3535-65PSR, 2525-80PSR, 3030-80PSR, 3535-80PSR, 2525-100PSR, 3030-100PSR, 3535-100PSR	III L	20-100 ton	Portable Mech. Vehicle Scale	
88-137PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam	SEE CERTIFICATE Beam Numbers: 162, 170, 170A, 15, 180, 180A, 16, 120, 130, 130A, 140, 150, 160, 161, 162, 163, 3TM, 182M, 13M, 170M-5, 170M-2, 180M-5, 180M-2, 120M-5, 130M-5, 135M, 140M	III			Mechanical Type Registering
88-138PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam	SEE CERTIFICATE Beam numbers: 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310	III			Direct Reading Full Capacity

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-139P	07/05/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam		III			Compound Full Capacity
88-139PN	07/25/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam	SEE CERTIFICATE	III			Compound Full Capacity
			Beam numbers: 3, 12, 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 110, 115, 125, 2M, 3M, 12M, 100M, 110M, 50M, 60M, 65M, 70M						
88-140PN	07/25/88	Thurman Scale Company		Indicating Elements	320 and 325	III	1,200		Dial Indicator
88-141PN	07/25/88	Thurman Scale Company		Hopper Scale	TTS Series	III			Mecahnical Lever System
			TTS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14.				Capacity range 1,000 to 100,000 lb		
88-142PN	07/25/88	Thurman Scale Company		Hopper Scale	TBS Series	III			Hopper and Tank Scales
			TBS-2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13						
88-143PN	06/17/88	The A. H. Emery Company		Vehicle Scale	Econoweigh 22 Series	III L		20 - 50 tons	Mechanical Vehicle Scale
			22-2020, -2520, -2525, -3025, -3030, -4030, -4035, -5035					20'-35' x 10'	
88-144PN	07/17/88	The A. H. Emery Company		Vehicle Scale	Econoweigh 24 Series	III L		50-80 ton	Mechanical Vehicle Scale
			24-5050, -5060, -6050, -6060, -6070, -8060, -8070					50'-70' x 10'	
88-145PN	07/17/88	The A. H. Emery Company		Vehicle Scale	Portaweigh 34 Series	III L		40-100 ton	Portable Mech. Vehicle Scale
			34-4040, -5040, -5050, -5060, -6050, -6060, -6070, -8060, -8070, -10060, -10070					40'-70' x 10'	
88-146PN	07/17/88	The A. H. Emery Company		Vehicle Scale	Roadweigh 12 Series	III L		20 - 50 tons	Mechanical Vehicle Scale
			12-208, -2010, -308, -3010, -3012, -2524, -2534, -3024, -3034, -5034					8'-34' x 10'	
88-147PN	07/17/88	The A. H. Emery Company		Vehicle Scale	Roadweigh 14 Series	III L		50-100 ton	Mechanical Vehicle Scale
			14-5045, -5050, -5060, -5070, -6050, -6060, -6070, -8060, -8070, -10060, -10070					45'-70' x 10'	
88-148PN	07/17/88	The A. H. Emery Company		Vehicle Scale	Portaweigh 32 Series	III L		20-60 tons	Portable Mechanical V.S.
			32-208, -2010, -308, -3010, -3012, -2520, -3020, -3025, -3030, -4025, -4030, -4035, -5035, -6035					8'-35' x 10'	
88-149PN	07/17/88	Winslow Scale Company		Weighbeam	TR Series	III/III L		51k & 120k lb	Type Registering Weighbeam
			TR 10, TRA-50						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-150	03/13/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III	See Below	135 lb - 35 kg	12" x 17"	Superseded by 88-150 5/4/90
			PBB 135, PBB 52, PBB 52kg, PBB 26kg							
88-150	05/04/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III		26 kg - 135 lb	12" x 17"	Mechanical Lever System
			PBB 135 135 lb, PBB 52 lb, PBB 52KG 52kg, PBB 26KG 26, kg							
88-150PN	06/28/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB Series	III		135lb - 52kg	12" x 17"	Superseded by 88-150
88-151PN	06/28/88	John Chatillon & Sons, Inc.		Floor Scales	HB-1000-BA	III	2,000	1k x 0.5 lb	18" x 27"	Portable Mechanical Lever Sys.
			HB-1000-BM, Capacity 500 kg x 0.2 kg							
88-152	05/01/89	Fairbanks Scales		Vehicle Scale	12-87XX Series	III L	10000	120k & 200 k lb		
			12-8724-S, -8724-C, -8726-S, -8726-C, -8727-S, -8727-C, -8728-S, -8728-C, -8729-S, -8729-C							
88-153PN	06/17/88	Fairbanks Scales		Livestock Scale	11-3300 Series	III L		10 tons	8' - 9' x 15'	Mechanical Livestock Scale
88-154PN	06/17/88	Fairbanks Scales		Vehicle Scale	11-3000 Series	III L		15 - 80 tons	22' x 9' - 80' x 10'	Mechanical Lever Vehicle Scale
			11-3116, -3141, -3153A, -3157, -3158, -3381, -3342, -3344, -3446, -3484, -3352, -3354, -3356, -3394, -3482, -3485							
88-155PN	06/17/88	Fairbanks Scales		Weighbeam	50-5361	III L	10,000	100,000 lb		Type Registering Weighbeam
88-156PN	06/17/88	Fairbanks Scales		Floor Scales	41-3132 Series	III	2000	1,000lb	18" x 27"	Portable Mech Floor Scale
			41-3132, -3132-A02, -3132-A03, -3132-A21							
88-157PN	06/17/88	Fairbanks Scales		Livestock Scale	11-6100 Series	III L		5 - 20 ton	14' x 8'	Mechanical Levertronic
			The following model designations carry a prefix of 11- or 14-. The 11- models are mechanical scales. The 14- models are levertronic (lever system with load cell) scales (e.g. 11-6186A is mechanical and 14-6186A is levertronic). Models: 6186A, 6187A, 6188A, 6189A, 6190W, 6190, 6192A, 6197A, 6198, 6199.							
88-158PN	06/17/88	Fairbanks Scales		Vehicle Scale	11-4300 Series	III L		30-75 ton	10' x 10'	Mechanical Levertronic
			11-4300, -4301, -4302, -4303, -4311, -4306, -4304, -4307, -4308, -4305, -4309							
88-159PN	06/17/88	Fairbanks Scales		Floor Scales	14-2000 Series	III	8,000	8,000lb		Weighing Element
			14-2000, -2001, -2003, -2004, -2005							

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-160PN	10/12/88	Fairbanks Scales		Vehicle Scale	13-8200 Series 13-8241, -8246, -8251, -8261, -8266, -8271, -8276, -8281	III L	60 to 80 ton		Portable Mech/Leventronic
88-161	07/25/88	Tuthill Corporation		Service Station Consoles/ECR	500 Series 520 or 527-SP, 521 or 528-SP, 540 or 547-SP, 541 or 548-SP, 580 or 587-SP, 581 or 588-SP		9999.99 gal		Service Station Controller
88-162	07/17/88	Gilbarco, Inc.		Printer	PAO 16300				Dot Matrix Tape Printer
88-163	07/25/88	Hugin Sweda, Inc.	5430	Cash Register	5420				Electronic Stand Alone
88-164	07/25/88	Hugin Sweda, Inc.		Cash Register	6700				Electronic Stand Alone or CPU
88-166P	08/30/88	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	Z	III/III L	250 - 1000 lb 5K, 10K S		Tension
88-167PN	10/12/88	Fairbanks Scales	11-7181, 11-7182, 11-7183	Vehicle Scale	11-7100 Series	III L	20 - 30 tons	12'x 10'	Mechanical Lever System
88-168PN	10/12/88	Fairbanks Scales	V18-1015-220, V22-1015-220, V35-10353925, V20-1015-220	Livestock Scale	V Series	III L			Mechanical Lever System
88-169	09/09/88	CMI Weighing Equipment	2C-4010, -4610, -6010, -7010, -8010, -9010. Capacities (tons): 60 and 100	Vehicle Scale	2C-XXXX Series	III L	100 ton	60' x 10'	Weighing Element
88-170	09/22/88	Avery Weighing Technology		Computing Scale	A100E	III	30 x 0.01 lb	13.5" x 11"	Digital Electronic
88-171	08/30/88	Berkel Incorporated		Computing Scale	688LS	III	30 x 0.01 lb	13.5" x 11"	Digital Electronic
88-172	08/30/88	Tele-Weight, Inc.		Indicating Elements	F-4V	III/III L	10,000		Livestock Scale Indicator
88-172 A1	11/02/90	Tele-Weight, Inc.		Indicating Elements	TW-1	II/III L	10,000		Livestock Scale Indicator

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-173	04/19/89	Toledo Scale Corporation		Bench and Counter Scale	8213	III	100 x 0.02 lb	12.5" X 14"	Digital Electronic
88-173PN	07/05/88	Cardinal/Detecto Scale Mfr. Co.		Weighbeam		III			Mechanical Type Registering
88-174	08/31/88	New Brunswick International, Inc.		Prepackaging Scale	DPS-2600/AW-2600	III	30 x 0.01 lb	13.25" x 11.25"	Superseded by 88-174A1
88-174A1	03/27/90	New Brunswick International, Inc.	IL-2600	Prepackaging Scale	DPS-2600/AW-2600	III	30 x 0.01 lb	13-1/4" x 11-1/4"	Digital Electronic
88-175	11/01/88	Analogic Corporation		Indicating Elements	ITG 3030	III/III L	10,000		Digital Electronic
88-176	08/30/88	Metrometer, Inc.		Taximeter	CCM21R				Dig. Elec. Credit Card Meter
88-177	02/15/89	Rudda Meter Inc.		Taximeter	RM 1500		\$999.99		Digital Electronic
88-178	08/30/88	Howe Richardson Division		Vehicle Scale	3460-70-100	III L	200,000 lb	70' x 10'	Load Cell: Electronic
					3450-35-60, 3460-35-60, 3450-45-60, 3460-45-60, 3450-50-60, 3460-50-60, 3450-60-100, 3460-60-100, 3450-70-60, 3460-70-60, 3450-75-60, 3460-75-60, 3450-75-100, 3460-75-100, 3450-80-60, 3460-80-60, 3450-80-100, 3460-80-100, 3450-100-60, 3460-100-60, 3450-100-100, 3460-100-100, 120,000 and 200,000				
88-179	09/22/88	Avery Weighing Technology	8638, 8636	Computing Scale	1770	III	30 x 0.01 lb	9.5" x 11.5"	Digital Electronic
88-179.A1	03/07/91	Berkel Incorporated		Computing Scale	1770	III	30 x 0.01 lb	9.5" x 11.5"	Digital Computing
88-180	09/23/88	Avery Weighing Technology	1791A, 1791C, 1791E	Computing Scale	1791	III	30 x 0.01 lb	344 mm x 280 mm	Digital Electronic
88-181	08/30/88	Berkel Incorporated	680 CW MKII	Bench and Counter Scale	680 MKII	III	30 x 0.01 lb	384 mm x 280 mm	Digital Electronic
88-182	08/30/88	Ohio Valley Scale & Equipment Corp		Floor Scales	PLP-3026-1.2	III	1200 x 0.5lb	30" x 38.6"	Portable Electro-mechanical*

LISTING BY CERTIFICATE NUMBER

Page C 41

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-183	09/22/88	Exact Equipment Corporation	960S, 960T, 960L	Prepackaging Scale	960	III	30 x 0.01 lb	16" x 10"	Digital Computing
88-184	09/22/88	Exact Equipment Corporation		Prepackaging Scale	920	III	50 x 0.01 lb	270 mm x 400 mm	Superseded by 88-184A
88-184A	05/01/89	Exact Equipment Corporation		Prepackaging Scale	951	III	50 x 0.01 lb	270 mm x 400 mm	Digital Electronic
88-185	02/15/89	CompuWeigh		Bulkweighing System	Compudraft Ser 2000	III			Digital Electronic
88-186	08/30/88	John Chatillon & Sons, Inc.		Bench and Counter Scale	DPA300	III	300 x 0.1 lb	15.5" x 15.5"	Digital Electronic
88-187	11/01/88	Sartorius Corporation		Jewelers' Balance	X1493-X	II	6,100 x 0.1g	5.9" x 4.6"	Explosion Proof Electronic
88-188	10/28/88	GSE, Inc.		Indicating Elements	620	III			Digital Electronic
88-189	01/25/89	GSE, Inc.		Bench and Counter Scale	622	III	10 to 100 lb		Digital Electronic
88-190	12/20/88	GSE, Inc.	4430, 4432, 4434, 4442, 4444, 4446, 4448, 4450, 4452, 4454	Bench and Counter Scale	4400 Series	III	20 lb to 1,000 lb	12-18" to 24-24"	Digital Electronic
88-191	10/28/88	Toledo Scale Corporation		Printer	350				Electronic Programmable Label
88-192	09/22/88	Toledo Scale Corporation		Printer	8804				Dot Matrix
88-193	10/28/88	Toledo Scale Corporation		Printer	8840-1				Dot Matrix
88-194	09/22/88	Toledo Scale Corporation		Printer	8860				Thermal Electronic
88-195	10/28/88	Toledo Scale Corporation		Printer	314T				Electronic Label Printer

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-196	09/22/88	Toledo Scale Corporation		Printer	8855					Dot Matrix Tape
88-197	09/22/88	Toledo Scale Corporation		Printer	MP 750					Electronic Dot Matrix Ticket
88-202	10/04/88	Mettler Instrument Corporation		Grain Test Scale	PM 2200-1/49	II	21,000	0 - 200 x 0.01 g	13cm diameter	Digital Electronic
88-203	09/13/88	Ohaus Corporation	LB30, LB60, LB100, LB150.	Bench and Counter Scale	LB100 Capacities (lb): 30 - 150	III	5,000	100 x 0.02 lb	14" x 17"	Load Cell Electronic
88-204	09/22/88	Ohaus Corporation	WB10, WB25.	Bench and Counter Scale	WB50 Capacities (lb): 10 and 25	III	5,000	50 x 0.01 lb	12" x 12"	Load Cell Electronic
88-205	09/13/88	Ohaus Corporation	WBS 10 and WBS 25.	Bench and Counter Scale	WBS50 Capacities (lb): 10 and 25	III	2,500	50 x 0.02 lb	12" x 12"	Load Cell Electronic
88-206	09/29/88	Metro Equipment Corporation		Indicating Elements	SEP-12K	III/III L	10,000			Digital Electronic
88-207	09/29/88	Metro Equipment Corporation		Indicating Elements	POLO-12K	III/III L	10,000			Digital Electronic
88-213PN		Powell All-Steel Scales, Inc.	See Certificate for models, capacities and platforms	Vehicle Scale	P Series	III L				Mechanical Pit Type
88-214PN		Powell All-Steel Scales, Inc.	28PA10, 38PA10, 210PA10, 310PA10, 18PA10, 28PA10, 210PA10, 38PA10, 310PA10, 28A10, 210A10, 38A10, 310A10	Vehicle Scale	A and PA Series	III L				Portable & Stationary Mechanic
88-215PN		Powell All-Steel Scales, Inc.	See Certificate for models, capacities and platforms	Vehicle Scale	C Series	III L				Mechanical Portable Contractor
88-216PN		Powell All-Steel Scales, Inc.	1535C12, 1535C14, 1540C12, 1540C14, 1570C12, 1570C14, 1580C14	Vehicle Scale	PV Series	III L				Portable Mechanical
88-217PN		Powell All-Steel Scales, Inc.	5651WS, 6751WS, 6851WS, 68101WS, 68201WS, 610201WS, 610301WS	Floor Scales	IWS Series	III				Mech. Industrial Warehouse

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-218PN		Powell All-Steel Scales, Inc.		Vehicle Scale	RRS Series 1560RR10, 1570RR10, 2070RR10, 2084RR10, 2090RR10	III L				Mechanical Lever System
88-219PN		Powell All-Steel Scales, Inc.		Vehicle Scale	660EL10-C	III L	6000	120,000 x 20 lb	60' x 10'	Load Cell - Low Profile
88-221	09/11/90	Weigh-Tronix, Inc.		Vehicle Scale	DS & DSFS Model Designation: DS XXXX-YY & DSFS-XXX-YY where XXXX is platform size and YY is capacity in thousands of pounds. DS Series: capacity 500 to 20,000lb, platform: 24 x 24 to 144 x 108. DSFS Series: capacity 500 to 20,000lb, platform 24 x 24 to 84 x 60	III	5,000	500 TO 20,000 lb	see below	
88-222		Weigh-Tronix, Inc.		Floor Scales	LP Series	III				Digital Electronic Low Profile
88-222PN	10/11/88	Weigh-Tronix, Inc.		Floor Scales	LP Series LP 3636-02, -4848-05, -6060-05, -6060-10, -7248-05, -7248-10, -7260-10, -7260-20, -7272-10, -7272-20, -8460-10, -8460-20, -9660-10, -9672-20, -9672-30, -10884-20, -10884-40, -108144-20. LPF 3636-02, -4848-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -8460-10, -8460-20. LPFS 3636-02, -4848-05, -6060-05, -6060-10, -6060-20, -7248-05, -7248-10, -7260-10, -7260-20, -8460-10, -8460-20	III			Digital Electronic Low Profile	
88-223PN	10/11/88	Weigh-Tronix, Inc.		Monorail Scale	MRS Series MRS-24-01, -24-02, -48-01, -48-02	III	2,000			Digital Electronic
88-224	03/27/90	Cardinal/Detecto Scale Mfgr. Co.		Vehicle Scale	PRC-I Series	III L	10,000	20,000 lb	70' x 10'	Electronic Load Cell
88-224P	10/11/88	Cardinal/Detecto Scale Mfgr. Co.		Vehicle Scale	PRC-I Series Range of capacities from 100,000 to 270,000 lb. Range of platform area from 350' x 350' to 1050' x 1050' (10 to 12 foot widths). CLC 72,000 to 80,000 lb	III L	10,000	200,000 lb	70' x 10'	Superseded by 88-224
88-225	01/25/89	Condec Consolidated Controls		Indicating Elements	UMC 555AAAA	III/III L	10,000			Digital Electronic
88-225.A1	01/03/91	Eaton Corporation		Indicating Elements	UMC555-XXXX Series	III/III L	10,000			Digital Electronic
88-226	10/04/88	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series			99.999 vol units		Superseded by 88-226.A3
88-226.A3	11/02/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC X X X X X XX Generic Name: Highline 111 Series and Salesmaker Series, Includes "High", "Super High" and "Ultra High" Gallonage Models, Uses Gilbarco "B" or "C" meters of LC M-5 meter. Electronic Calibration Option available for Ultra High Gallonage dispenser with LC M-5 meter. Standard Flow rate: 13/2 gpm, High, 30/4, Super 40/8, Ultra, 60/12 gpm	& 88-002	Supersedes: -226A2; -022; -022A			Digital Computing RMFD

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-226A	02/10/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	Highline 111 Series		99,999 vol units		Superseded by 88-226.A3
88-226A2	03/13/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	AC X X X X X X X				Superseded by 88-226.A3
88-227	09/22/88	Ohaus Corporation	GJ-4400-L, GT-4000-L, GJ-4000-L	Jewelers' Balance	GT 4400-L	II	0 - 400 x 0.01 g	6.5" Diameter	Digital Electronic
88-228	09/13/88	Ohaus Corporation	PL30, PL60, PL100, PL150	Bench and Counter Scale	PL Series	III	30 to 150 lb	18" x 18"	Load Cell Electronic
88-229	09/13/88	Ohaus Corporation		Indicating Elements	PBI	III	5,000		Digital Electronic
88-230	09/12/88	Weigh-Tronix, Inc.	DS 3030A-01, capacity 1000 lbs	Bench and Counter Scale	DS 2424A-005	III	500 lbs	2' x 2'	Electronic Load Cell
88-231	11/01/88	Int. Weighing Systems, Inc	NCD 1400 FT	Indicating Elements	NCD 1400	III/III L	10,000		Digital Electronic
88-232	10/28/88	Weigh-Tronix, Inc.		Floor Scales	STE and SLE -4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6072-10, -6084-10, -6084-20, -6084-30	III	5000		
88-232A	04/19/89	Weigh-Tronix, Inc.		Floor Scales	STE and SLE -4848-5, -4848-10, -4860-5, -4872-10, -6060-5, -6060-10, -6072-10, -6084-10, -6084-20, -6084-30	III	5,000	48"x48" - 60"x84"	Electronic Load Cell
88-233	09/22/88	Fargo Electronic Services Inc.		Printer	SP 2000				Dot Matrix
88-234	09/13/88	Control Logic Corporation		Printer	CLC 1100 & CLC 1200				Dot Matrix
88-235	09/12/88	Weigh-Tronix, Inc.		Indicating Elements	WI-120	III/III L	10000		
88-235A	04/04/89	Weigh-Tronix, Inc.	WP-230, WP 231	Indicating Elements	WI-120	III/III L	10,000		Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-236	09/22/88	Weigh-Tronix, Inc.	575R, 575S	Indicating Elements	575	III/III L	5,000		Digital Electronic
88-237	09/26/90	J & S Scale Company	MP Series MP121030C200: 60,000 lb, MP121230C200: 60,000, MP201030C200: 60,000, MP201230C200: 60,000, MP241030C200: 60,000, MP241230C200: 60,000, MP301030C200: 60,000, MP301230C200: 60,000, MP30140C300: 80,000, MP301240C300: 80,000, MP340140C300: 80,000, MP341240C300: 80,000, MP401040C300: 80,000, MP401240C300: 80,000	Vehicle Scale	MP Series	III L	60,000 lb	25' x 10'	Vehicle Scale
88-238	09/26/90	J & S Scale Company	CLC: 60,000 lb 4 sections; see certificate for other models.	Vehicle Scale	MP SERIES	III L	120,000 x 20 lb	70' x 10'	Pipe Lever Sys. w/1 load cell
88-239P	01/25/89	The A. H. Emery Company		Load Cell	136	III L	75,000		Hydraulic
88-240	09/22/88	Metro Equipment Corporation	SX 1014 IB, SX 1014 OB	Indicating Elements	SX-10K	III/III L	10,000		Digital Electronic
88-241	01/25/89	GSE, Inc.		Indicating Elements	622R	III	2,500		Digital Electronic
88-241A1	09/11/90	GSE, Inc.	n-max: 5000 class III; 10,000 class III L	Indicating Elements	622R	III/III L	see below		Digital Electronic
88-242P	03/29/89	Unibrige Scale Systems		Vehicle Scale	UBUSR701045	III L	160,000 x 20 lb	70' x 10'	Pipe Lever
88-243P	01/25/89	Toledo Scale Corporation		Vehicle Scale	7560	III L	60, 100 Tons		Load Cell Electronic
88-244	11/01/88	NCR Corporation	4522-K010	Computing Scale	4522	III	30 x 0.01lbs	12" x 14"	Digital Electronic
88-245	11/01/88	NCR Corporation	4526-K001, 4524	Computing Scale	4526-0102	III	30 x 0.01 lbs	12" x 12"	Digital Electronic
88-246	02/15/89	Unibrige Scale Systems		Floor Scales	UNBELSR0605	III	5,000 x 1 lb	6' x 5'4"	Electronic load cell

The model designation is identified by 7560 XX YYYY where the XX represents "CD" for concrete deck or "SD" for steel deck and the YYYY represents the platform length and width. Range of platform lengths 35' to 115'

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-256	01/25/89	AutoGas Systems, Inc.	AC 2004 E, AC 2003 M	Retail Motor Fuel System	AT 2002 X					Card Reader/Station Controller
88-257	02/10/89	NCR Corporation		Service Station Consoles/ECR	2126-1400					Electronic
88-258P	02/10/89	Thurman Scale Company	Capacities (lb): 1000, 2500, 5000	Floor Scales	3500	III	2500	5,000 lb	3' x 3' - 5' x 7'	Electronic Load Cell
88-259	01/25/89	Toledo Scale Corporation		Indicating Elements	8530	III/III L	10K			Electronic
88-260	02/10/89	Sterling Scale Company, Inc.		Indicating Elements	DW650	III/III L	5K, 10K			Digital indicating element
88-261	02/10/89	NCR Corporation		POS Scale	2127					Pt. of sale products
88-262	01/26/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L Series			99,999 vol units		Superseded by 88-262A1
88-262.A1 Amend	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-L SERIES			see below		Electronic Computing
				Capacity: \$999.99 Total Price; 999.999 Volume Units; \$9.999 Unit Price.						
88-262A1	05/01/89	Wayne Division		Retail Motor Fuel Dispenser	DDX-490-1L-Series			999,999 vol units		Digital Electronic Multi-Pro
88-263	11/01/88	Wayne Division		Service Station Consoles/ECR	WP/CT					Superseded by 88-263A1
88-263A1	03/13/90	Wayne Division		Service Station Consoles/ECR	WP/CT					Generic Names Wayne "Plus2 & 3
88-264	01/26/89	Stress-Tek, Incorporated		Hanging Scale	ST-300	III	1,500	300 lb		Digital Electronic
88-265P	10/28/88	Southwestern Scale Co., Inc.		Vehicle Scale	LPC and LPS Series	III L	60000	30 tons	70' x 10'	Digital Electronic
				The model designation consists of the platform length and the scale capacity in tons followed by the series designation. Example: 3530-LPS where the scale is 35 feet long with a 30 ton capacity. Optional capacities: 60,000 lb, 100,000 lb, and 150,000 lb. Optional platform sizes: 35' x 10', 60' x 10', and 80' x 10'.						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-266	10/21/88	Fairbanks Scales		Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
88-266.A1	03/07/91	Fairbanks Scales	PB9000; PB9000-1 & 1124-1	Floor Scales	1124	III	2,000	1000 x 0.5 lb	23.5" x 17.75"	Mechanical
88-267	10/28/88	Omron Systems of America	RS 4041	Cash Register	RS 4030					Stand Alone
88-268	10/28/88	Weigh-Tronix, Inc.		Bench and Counter Scale	3815	III	5,000		12" x 14"	Digital Electronic
			Remote Indicator: Model 3800R. Optional capacities: 10 - 50 lbs, 160 - 1600 oz, 5 - 50 kg							
88-269	03/01/89	TEC America, Inc.		Cash Register	MA 1900					Digital Electronic
88-270	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-39-50-N	III	5,000	50 x .01 lb.	350 mm x 240 mm	Digital electronic
88-271	03/01/89	TEC America, Inc.		Bench and Counter Scale	SL-37-08L	III	1,500	7.5 x .005 lb.	300 mm x 230 mm	Digital Electronic
88-272	11/14/88	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5000	15 lb - 100 lb	8"x8", 12"x16.5"	Superseded by 88-272A
88-272A	04/19/89	NCI Weigh-Tronix Inc.		Bench and Counter Scale	3222	III	5,000	15 lb to 100 lb	8"x8", 12"x16.5"	Load Cell, Electronic
88-273	08/21/90	Southwestern Scale Co., Inc.	concentrated load capacity: 45,000 lb	Vehicle Scale	6070-PV	III L		120k x 20 lb	70" x 10"	Portable Mechanical
88-273P	03/01/89	Southwestern Scale Co., Inc.		Vehicle Scale	6070-PV	III L		120,000x 20 lb	70 x 10'	Portable Electromechanical
88-274P	01/26/89	P.O.M. Incorporated		Parking Meter	"E" (ECON-O-METER)			2 hrs x 6 min		Parking Meter
88-276	01/20/89	Cardinal/Detecto Scale Mfg. Co.		Printer	740 and 750					Electronic Dot Matrix
88-277	01/11/89	Tokheim Corporation	382, 385, 387	Service Station Consoles/ECR ROC Series						superseded by 88-277A1

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-277A1	02/09/90	Tokheim Corporation	Service Station Consoles/ECCR 390, 385, 387, 389		ROC Series				
88-278P	01/25/89	Hottinger Baldwin Measurements, Inc	Load Cell		BLC*	III 3K S,5K M	500 to 5,000 lb		Bending Beam
									Capacities (lb): 500, 1250, 2000, 2500, 5000
88-278P.A1	09/26/90	Hottinger Baldwin Measurements, Inc	Load Cell		BLC & TLC	III see below	500 to 5000 lb		Bending Beam
									Capacity: single cell, 3000 - multiple cell, 5000. The specific load cells covered by this certificate are: BLC-YYYYX500 through BLC-YYYYX699 for cells with 1.5m V/V output, BLC-YYYYX700 through BLC-YYYYX790 for cells with 2.0 mV/V output, TLC-YYYYX700 through TLC-YYYYX790 for cells with 2.0 mV/V output, BLC-YYYYX800 through BLC-YYYYX990 for cells with 3.0 m V/V output where YYY is the load cell capacity and XX is the cable length.
88-278P.A2	11/02/90	Hottinger Baldwin Measurements, Inc	Load Cell		BLC & TLC	III see below	500 to 5,000 lb		Bending Beam
									n-max: single cell 3,000, multiple cell 5,000. The specific load cells covered by this certificate are: BLC-YYYYX500 through BLC-YYYYX699 for cells with 1.5 mV/V output, BLC-YYYYX700 through BLC-YYYYX790 for cells with 2.0 mV/V output, TLC-YYYYX700 through TLC-YYYYX790 for cells with 2.0 mV/V output, BLC-YYYYX800 through BLC-YYYYX990 for cells with 3.0 mV/V output where YYY is the load cell capacity & XX is the cable length.
88-279	01/25/89	William M. Wilson's Sons, Inc.	8852, 8853	Retail Motor Fuel Dispenser	Gasboy 8800 Series		999.999 total vl		superseded by 88-279A1
88-279A1	05/25/89	William M. Wilson's Sons, Inc.	8852, 8853	Retail Motor Fuel Dispenser	GASBOY 8800		999.999		
88-280	02/10/89	NCR Corporation		Cash Register	2760 FSS				Digital Electronic
88-281	01/25/89	William M. Wilson's Sons, Inc.	8052, 8053, 8652, 8653, 8752, 8753	Retail Motor Fuel Dispenser	Gasboy 8000 Series		999.9 total vl		superseded by 88-281A1
88-281A1	05/25/89	William M. Wilson's Sons, Inc.	8052, 8053, 8652, 8653, 8752, 8753	Retail Motor Fuel Dispenser	Gasboy 8000		999.9		
88-282	01/25/89	William M. Wilson's Sons, Inc.	53 RDX, 2150 RDX, 8553 RDX, 8553 RDX TW	Retail Motor Fuel Dispenser	Gasboy Submersible		999.9 total vol		Mechanical; Volume Only

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-283	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy Self-Con Vol 52, 5200, 53, 5300, 8552, 8552TW, 8553, 8553TW			999.9 total vol		Mechanical; Volume Only
88-284	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	Gasboy Sup-Sd Vol 150, 85150, 1500 RDX (Dispenser Only)			999.9 total vol		Volume Only
88-285	01/25/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel System	System 2000S System Model 2000S: Card readers are CTR-4, CTR-8, CTR-12 and CTR-16 which interface with logic control unit models CTC-4, CTC-8, CTC-12, and CTC-16.					Magnetic or Optical Reader
88-288P	02/10/89	General Electronic Systems, Inc.		Floor Scales	Pro-Weigh 84-A Platform Sizes (W" x L"): 36 x 36, 48 x 48, 48 x 60, 48 x 72, 60 x 60, 60 x 72, 60 x 84	III	5,000	1,000 -20,000 lb	36x36 to 60x84"	Load Cell Electronic
88-289	02/10/89	Mettler Instrument Corporation		Bench and Counter Scale	Mettler Multirange	II/III L	15000			superseded by 88-289A
88-289A	03/01/89	Mettler Instrument Corporation		Bench and Counter Scale	Mettler Multirange Class III Scales: KA15, KB60, KC120, KC240. Class II Scales: KA15, KB60, KC120	II/III	15,000	see certificate	see certificate	Digital Electronic
88-290	05/01/89	SP Systems, Incorporated		Vehicle Scale	SP 1000 Series SP 1011, -1012, -1013, -1014, -1015, -1016, -1017, -1003, -1004, -1005, -1006, -1007, -1008	III L	10000	200,000 lb		
88-290.A1	11/02/90	RSB Engineers/Planners, Inc.		Vehicle Scale	SP 1000 Series SP 1011, SP 1012, SP 1013, SP 1014, SP 1015, SP 1016, SP 1017, SP 1003, SP 1004, SP 1005, SP 1006, SP 1007 & SP 1008.	III L	10,000	200,000 lb		
88-291	01/25/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series	III	3k-5k	500 to 20000 lb	24x24 - 96x120 in	superseded by 88-291A1
88-291A1	10/02/89	Weigh-Tronix, Inc.		Floor Scales	DFE and FLE Series The model designation consists of the series name (i.e. DFE or FLE) followed by the platform size and the scale capacity in thousands of pounds. Example: DFE-2424-5, where the platform size is 24" x 24" and the scale capacity is 500 lb. Range of capacities 500 lb to 20,000 lb	III		500 to 20,000 lb	24x24 - 96x120 in	
88-292	01/25/89	Rice Lake Weighing Systems		Bench and Counter Scale	4400 Series 4430, 4432, 4442, 4446, 4452, 4454	III	2,500			Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-293	01/26/89	Hobart Corporation	SP80	Computing Scale	SP1500	III	30 x 0.01 lb		Superseded by 88-293A1
88-293A1	03/13/90	Hobart Corporation	SP80, SP2 1500 System	Computing Scale	SP1500	III	30 X 0.01 lb		
88-294	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV-A	III	10,000		
88-295P	01/25/89	Superior Load Cell		Load Cell	AW 1700	III	150 to 1,200 lb		Shear Beam
88-296	03/01/89	Mettler Instrument Corporation		Bench and Counter Scale	SM/49 Series	II	2K to 15k g	322 x 232 mm	Digital Electronic
88-297P	01/25/89	Fairbanks Scales		Vehicle Scale	14-8271*	III L	160,000 x 20 lbs	70' x 10'	Weighing Element
88-298P	01/26/89	Sensortronics		Load Cell	65023S	III	1000 to 10000 lb		Superseded by 88-298PA1
88-298PA1	06/16/89	Sensortronics		Load Cell	65023S	III	1,000 - 10,000 lb		Shear Beam Compression
88-299	05/25/89	Weigh-Tronix, Inc.		Load Cell	CK-100 Series	III L	250 to 2500 lb		Conversion Kit
88-300P	01/11/90	Webster Scale, Inc.		Vehicle Scale	MT, MTD Series	III L	80,000-200,000 lb	30x12' to 140x12'	
88-301	01/25/89	Systems Associates, Incorporated		Indicating Elements	525	III/III L	10,000		Digital Electronic

The following model designations carry a prefix of 13- or 14-. The 13- models are mechanical scales, and the 14- models are levertronic (lever system with load cell) scales, e.g. 13-8241 (mechanical) or 14-8241 (levertronic). Models: 8241, 8246, 8251, 8261, 8266, 8276, 8281, 8286, 8291, 8296, 8301

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
88-302	01/25/89	Toledo Scale Corporation		Printer	8842				Dot Matrix
88-303	04/19/89	Bennett Pump Company	A 410-1, A 410-2	Service Station Consoles/ECR	A 410-1 and A 410-2				superseded by 88-303A1
88-303A1	08/21/89	Bennett Pump Company	A 410-1, A 410-2, MI 320, MI 350	Service Station Consoles/ECR	A 410-X*		999.99 vol		Digital Electronic
88-304	05/25/89	Rice Lake Weighing Systems		Load Cell	RL20000	III	50 to 10000 lb		Superseded by 88-304A1
			Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000						
88-304A1	04/26/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	25 to 20,000 lb		Type "S"
			Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000						
88-304PA1	02/12/90	Rice Lake Weighing Systems		Load Cell	RL20000	III/III L	25 to 20,000 lb		Type "S" load cell
			Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000						
88-305	05/25/89	Rice Lake Weighing Systems		Load Cell	RL30002, 30000, 30001	III/III L	1000 to 10000 lb		
			Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000						
88-306	05/25/89	Rice Lake Weighing Systems		Load Cell	RL700000*-XX	III/III L	5000 - 50000 lb		
			Capacities (lb): 5,000, 10,000, 20,000, 50,000						
88-306.A1	04/18/91	Rice Lake Weighing Systems		Load Cell	RL700000-XX	III & III L	5,000 - 50,000 lb		Double Ended Shear Beam
88-307	01/25/89	Weigh-Tronix, Inc.		Vehicle Scale	FMTS 7010-100T	III L	200,000 lb	70 x 10 ft	Load cell Electronic
			FMTS 4010-70T, -6010-100T, -8010-100T, -10010-100T, -4012-70T, -4710-70T, -4712-70T, -6012-100T, -7012-100T, -8012-100T						
88-308	01/26/89	Fairbanks Scales		Indicating Elements	H90-1701; H90-1702	III/III L	10,000		Digital Element
88-309	01/25/89	Weigh-Tronix, Inc.		Bench and Counter Scale	2200-1	III	25 x .005 lbs	12" x 13"	Digital Electronic
			Capacities (lb): 10, 50, 100						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
88-310	01/25/89	Weight-Tronix, Inc.		Printer	WP-240					Dot matrix
88-311	01/25/89	NCI Weight-Tronix Inc.	3800 R (remote indicator)	Bench and Counter Scale	3875	III	2240	5-70 lb x .5 oz	13-1/2" x 12"	Postal Weight Classifier
88-312	05/15/90	Webster Scale, Inc.		Livestock Scale	LR Series	III L	10,000	50,000 lb	400 - 680 cu. ft.	Electromechanical
			LR 20402-20, 22402-20, 24402-20, 26402-20, 28402-16, 30402-20, 32402-17, 34402-18, 34402-20, 34403-16, 34403-17, 34403-18, 34403-20, CLC=34,000 lb.							
88-313P	05/25/89	Superior Load Cell		Load Cell	AW400	III L	10000 M	15K to 125K lb		
			AW400-15K, -20K, -30K, -40K, -50K, -60K, -75K, -100K, -125K							
89-001	03/27/90	Toledo Scale Corporation		Bulkweighing System	9150	III	10,000			Digital Electronic
89-002	02/10/89	Weight-Tronix, Inc.		Vehicle Scale	MTS 6010-60T	III L	6,000	120,000 x 20 lbs	60 x 10 ft	Load Cell; Electronic
			MTS 3010-30T, MTS 7010-60T, MTS 7012-60T. Capacities (lb): 60,000 and 120,000							
89-003	03/01/89	Ishida Scales Mfg. Co., Ltd.		Indicating Elements	MTC 10 & MTC 20	III	3,000			Digital Electronic
89-004	02/10/89	K-Scale, Inc.		Computing Scale	9010	III	3,000	30 x 0.01 lbs		Digital Electronic
			9010 N, 9010 P, 9020, 9020 N, 9020 N-1 thru 4, 9020 P, 9020 P-1 thru 4, 9030, 9030 U-1 thru 4, 9030 U-10							
89-005	01/06/90	Cardinal/Detecto Scale Mfr. Co.		Bulkweighing System	738CBW	III/III L	10,000			
89-006P	02/23/90	Superior Load Cell		Load Cell	AW900	III L	10,000 M	20k to 100k lbs		WITHDRAWN
89-007	07/05/89	NCR Corporation		Cash Register	2123-XXXX					Electric Stand Alone
89-008	07/05/89	Toledo Scale Corporation		Printer	963					9-Wire Dot Matrix Document
89-009	08/02/89	Bizerba United States, Inc.		Computing Scale	PRO 6000	III	3,000	30 X 0.01 lb	15" x 10.5"	superseded by 89-009A1

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-009A1	10/12/89	Bizerba United States, Inc.	PRO 6400 hanging scale	Computing Scale	PRO 6000	III	30 x 0.01 lb	15" x 10.5"	
89-010	04/05/89	Advanced Systems Interfacing, Inc.		Printer	Microway II/TKII				Computer Interface System
89-011	10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DD1/590-23/G		999.999 total vol		
89-012	07/05/89	Ivex Corporation		Dry Measure	3871		1 dry quart		Plastic Berry Basket
89-013PN	05/01/89	Smith Meter Inc.		Indicating Elements	AL-1-XU, AL-2-XU				Digital Electronic Wh. sl Meter
89-014P	04/04/89	Winstow Scale Company		Vehicle Scale	94-8070	IIIL	160,000 lb	70' x 10'	Digital Weighing Element
89-015	10/12/89	Fairbanks Scales	21-2102, 21-2104	Floor Scales	21-2101	III	2,500 x 0.5 lb	3' x 3'	Loadcell Electronic
89-016P		Thurman Scale Company	Capacities (lb): 120,000 and 200,000	Vehicle Scale	8560	III L	200,000 x 20 lb	70'x10' (4)sectio	
89-017	04/04/89	Tokheim Corporation		Retail Motor Fuel Dispenser	785-HV (high volume)		mx. 60; mn. 12 gpm		Diesel Dispenser
89-018	04/19/89	Omron Systems of America		Cash Register	RS5510				superseded by 89-018A1 4/18/90
89-018A1	08/21/89	Omron Systems of America		Cash Register	RS5510, 5550, 5560F				Superseded by 89-018A1 4/18/90
89-018A1	04/18/90	Omron Systems of America		Cash Register	RS5510, 5550, 5560F				
89-019	04/04/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD - 1		999.99 total pr.		Superseded by 89-019A1
89-019A1	03/13/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-1		999.99 TOTAL PRIC		Digital Electromechanical

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-020	07/05/89	Rice Lake Weighing Systems		Indicating Elements	UMC 2000 XX:XX UMC 2000, -2002, -2004, -2006, -2008, -2010, -2012	III/III L	10,000			Digital Electronic
89-021	05/01/89	TEC America, Inc.	SL-47-30-L-N	POS Scale	SL-47-50-L-N	III	5,000	50 x 0.01 lb.	13-1/2" x 12"	Digital Electronic
89-022	05/02/89	Emark Corporation		Wholesale Meter	455 Series			99,999 Gallons		Digital Electronic
89-023	08/02/89	Rice Lake Weighing Systems		Indicating Elements	IQ 600 HB IQ 700 HB	III/III L	10,000			supersedes previous issues
89-024	01/06/90	Revere Transducers, Inc.		Load Cell	5723 Class III: 5723-A5-1K-, 5723-A5-2.5K-, 5723-A5-5K-, 5723-A5-10K-, 5723-B10-1K-, 5723-B10-2.5K-, 5723-B10-4K-, 5723-B10-5K-, 5723-B10-10K-	III/III L	3kS,5kM,10kM			Single-ended Shear Beam
89-024.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5723-A5 & 5723-B10	III & III L	see below	1,000 - 10,000 lb		superseded by 89-024
89-024P	04/04/89	Revere Transducers, Inc.		Load Cell	5723	III/III L	3kS,5kM,10kM			superseded by 89-025A
89-025	05/02/89	General Electronic Systems, Inc.		Indicating Elements	ECONO	III	5,000			
89-025A	10/24/89	General Electronic Systems, Inc.		Indicating Elements	ECONO-WEIGH	III/III L	5,000			
89-025A2	02/06/91	General Electronic Systems, Inc.		Indicating Elements	ECONO-WEIGH 540SS	III/III L	5,000			Digital Electronic
89-026	01/30/90	ICL, Inc.		Cash Register	6000 SERIES M6545, M6546, M6000 Printer Module, M6000 Keyboard Display		2999	29.99 lb		
89-027	04/04/89	Measurement Systems International		Crane Scale	MSI-6260 Capacities (lb): 10,000, 20,000, 30,000, 50,000, 70,000	III L	5,000	5,000 x 1 lb		Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-028	06/16/89	John Chatillon & Sons, Inc.		Hanging Scale	DHA 30	III	3000	30 x 0.01 lb		Digital Electronic
			DHA 15K, capacity 15 x 0.005 kg							
89-029	05/25/89	Toledo Scale Corporation		Prepackaging Scale	8305	III	5,000	50 X 0.01 lb		Weighing Element
89-030		Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	102 SERIES	III	4,000	100 x 0.05 lb	14" x 14"	Load Cell Electronic
89-030A1	03/27/90	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	102W	III	4,000	2 lbs to 100 lbs		Load Cell Electronic
			102, 105, 1010, 1020, 1440, 1450, 14100							
89-031	01/10/90	Cardinal/Detecto Scale Mfr. Co.		Indicating Elements	6000 & 6800	III	5000			
89-032	01/10/90	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	1100 SERIES	III	1000	50 - 300 lb	13-3/4" x 18-1/2"	Mechanical Dial
			1100 DB, 1102 DE, 1102 EDX, 1105 DG, 1106 DK, 1105 DGK, 1102 DBK, 1102 EDK, 1106 DKK							
89-032A1	08/21/90	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	1100 Series	III	1000	50 to 300 lbs	13-3/4" x 18-1/2"	Mechanical Dial
			Models: Leventronic- 5110, 7011. Dial- 1100 DB, 1102 DE, 1102 EDX, 1105 EG, 1106 DK, 1105 DGK, 1100 DBK, 1102 EDK, 1106 DKK & 1105 DGK.							
89-033	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2020					Digital Electronic
89-034	05/01/89	Tokheim Corporation		Retail Motor Fuel Register	2010					Digital Electronic
89-035	05/02/89	Tektra International		Computing Scale	AS-3001P	III	3,000	30 x .01 lb	11-1/4" x 13-1/4"	Digital Electronic
89-036	08/17/89	Wayne Division		Retail Motor Fuel Dispenser	PLX-39-IL SERIES			99.999 vol units		
89-036 amended	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L SERIES			999.999 Gallons		Electronic Computing Multi-Pro
89-037	05/02/89	A&D Engineering, Inc.		Indicating Elements	AD-4322A	III/III L	10,000			Digital Electronic
89-039	01/30/90	Ameacon, Inc.		Indicating Elements	PROCESS MATE 96	III L	10,000			Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-039P.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5103-B10	III L	10,000	5K to 20K		Double Ended Shear Beam
		The specific models of load cells covered by this Certificate are 5103-B10-XXX-YYYY where XXX is the capacity code in thousands of pounds (e.g., 10K) and YYYY is a designator for the electrical cable length, wiring color code, and private level variation s. The number following the "B" may be less than 10 since it corresponds to the maximum number of divisions for which individual load cells comply with Handbook 44.								
89-040	05/03/89	Industrial Data Systems, Inc.		Data Processing Systems	DT 210					Electronic/Programmable
89-041P	02/23/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900	III L	10,000 M	20K to 100K		WITHDRAWN
89-042	12/20/89	Cardinal/Detecto Scale Mfg. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50K & 100K lb		COLUMN COMPRESSION
89-042.A1	04/18/91	Cardinal/Detecto Scale Mfg. Co.		Load Cell	50K-SCA, 100K-SCA	III L	M-Cell 10000	50k - 100k lb		Column Compression
89-042P	08/17/89	Cardinal/Detecto Scale Mfg. Co.		Load Cell	50K-SCA, 100K-SCA	III L	10,000 M	50k & 100k lb		superseded by 89-042
89-043	08/17/89	General Electronic Systems, Inc.	4412, 4414, 4418, 4424	Bench and Counter Scale	4400 & 4500 Series	III	3k-6k	10 lb to 600 lb	12"x12" - 24"x24"	
89-044	05/25/89	Metro Equipment Corporation		Hanging Scale	HDS-820	III	640	20 lb x 1/2 oz	Model A-250	Mechanical Dial
		A-251 (SS Round Pan), A-264 (SS Large Round Pan)								
89-046	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	6113	II	15000	75 x 0.005 lb	13.75" x 12.25"	
89-047	10/02/89	Pitney Bowes		Weight Classifier	A238	III		70 lb	12.5" x 14"	
89-048	10/02/89	Pitney Bowes	A523, capacity 3 lb x 0.05 oz	Weight Classifier	5820	III	1600	5 lb x 0.05 oz	8 7/8" x 8"	
89-049	01/10/90	Pitney Bowes		Bench and Counter Scale	A 510	III	3200	10 lb x 0.1 oz	8 7/8" x 8"	
89-050	08/21/90	Pitney Bowes	A570, A530	Bench and Counter Scale	A610	III	3168	0-2 x 0.1 lb + +	14 3/8 x 9 1/4	Postal Weight Classifier

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-050	Amended 10/02/90	Pitney Bowes		Weight Classifier	A 610	III	0-2 lb x 0.1 oz	14 3/8" x 9 1/4"	Digital Electronic Computing
				Other capacities: n-320, 0-99 lb x 0.5 oz, n-3168					
89-051	10/12/89	Doran Scales, Inc.		Indicating Elements	ML 8000	III	3000		Digital Electronic
89-052P	08/17/89	Superior Load Cell		Load Cell	AW300	III	3000 S	250 to 1500 lb	
				AW300-250, -500, -750, -1K, -1.5K					
89-053	09/24/90	Tedea Inc.		Load Cell	3410	III	see below	1000 lb - 10k lb	Shear Beam
				The load cells in this family are identified by the capacities of the cells. Single cell, Class III: 3,000 - Multiple cells, Class III: 5,000.					
89-053.A1	03/07/91	Tedea Inc.		Load Cell	3140	III	see below	1,000 to 10k lb	Shear Beam
				n-max: single cell, class III: 3,000; multiple cells, class III: 5,000.					
89-053P	05/25/89	Tedea Inc.		Load Cell	3410	III & III L	3k,5k,10k	1000 - 4000 lbs	3k S III,5k M III,10k S&M III L
				Capacities (lb): 1,000, 1,500, 2,500, 4,000					
89-053P.A2	09/24/90	Tedea Inc.		Load Cell	3140	III L	see below	1000 lb - 10k lb	Shear Beam
				The load cells in this family are identified by the capacities of the cells. Multiple Cells, Class III L: 10,000.					
89-053PA1	05/15/90	Tedea Inc.		Load Cell	3410	III & III L	3,000	1,000 - 10,000 lb	Shear Beam
				Single Cell, Class III: 3,000 - Multiple Cells, Class III: 5,000 - Class III L: 10,000.					
89-054	09/24/90	Tedea Inc.		Load Cell	1250	III	3,000	100 kg - 1,000 kg	Single Point
				The load cells in this family are identified by the capacities of the cells.					
89-054P	05/25/89	Tedea Inc.		Load Cell	1250	III L	3,000 S	50 kg - 1,000 kg	Single Point
				Capacities (kg): 100, 150, 200, 250, 300, 500, 635, 1,001					
89-055	08/17/89	Smith Meter Inc.		Wholesale Meter	ALI-XU0-STD-STD-034			99,999 gallons	Meter Register
89-055.A1		Smith Meter Inc.		Wholesale Meter	Accuload II				Meter Register
				Accuload II -WBG: Accuload II-SEQ					

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-055A1	10/02/89	Smith Meter Inc.		Wholesale Meter	ALII-XU-O-STD-034		99,999 gal		
89-056	05/25/89	William M. Wilson's Sons, Inc.	9152, 9153	Retail Motor Fuel Dispenser	9100		999.9		Mechanical: Volume Only
89-057	08/17/89	Pelouze Scale Company		Bench and Counter Scale	PS-6LI	III	6 x 0.005 lb	6.75 x 9.5 in	
89-058	05/25/89	Morrison Weighing Systems, Inc.		Indicating Elements	T-3500M	III/III L	6,000		Digital Electronic
89-059P	07/05/89	Duratron Corporation		Load Cell	800 000A	III L	1,000 TO 5,000 LB		Double ended shear beam
			800 030, -031, -032, -033, -034, -038, -039, -040, -041, -042, -043, -044, -045, -046, -047, -048, -049, -050						
89-060P	02/23/90	Duratron Corporation		Load Cell	800 000B	III L	VARIABLES WITH MODEL		WITHDRAWN
89-061P	02/23/90	Duratron Corporation		Load Cell	801 000A	III L	20K TO 100K		WITHDRAWN
89-062P	07/05/89	Duratron Corporation		Load Cell	801 000B	III L	15000-125000 LB		Double ended shear beam
			801 024, -025, -026, -011, -027, -012, -028, -029, -030						
89-063	10/02/89	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series		999.999 total gal		Superseded by 89-063A1
89-063A1	01/31/91	Bennett Pump Company		Retail Motor Fuel Dispenser	7000 & 9000 Series		999.999 total vol		Electronic Computing
			7600 & 7800 High Cap Series, Includes: 9000 Series, Conventional 7000 Series - Low hose & High hose.				\$9,999/vol		
89-064	07/05/89	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	425		5 GAL DELIVERY		Gallon Stroke Pump
89-065	10/12/89	Gilbarco, Inc.		Cash Register	Q11891-XX, Q11640-XX				Electronic
89-066	07/05/89	Gilbarco, Inc.		Retail Motor Fuel Dispenser	CRIND				Card Reader (in Dispenser)
89-067		Gilbarco, Inc.		Retail Motor Fuel Dispenser	MPD-3/PRO BLENDER				

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-068	10/12/89	Gilbarco, Inc.		Service Station Consoles	ECR TS-1000			999.999		Superseded by 89-068A1
89-068A1	02/12/90	Gilbarco, Inc.		Service Station Consoles	ECR PA024000000000					Electronic
89-069	08/01/89	ESCO Manufacturing, Inc.		Service Station Consoles	ECR TLC-10XX			799.999 gal		Electronic
89-070	08/02/89	Gilbarco, Inc.		Service Station Consoles	ECR PA0250XXXXXXX			799.999 gal		
89-071	11/02/90	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SCD & SCD-C 50K-SCD, 100K-SCD, 50K-SCD-C & 100K-SCD-C.	III L	10,000	50k & 100k lb		Column, Digital Output
89-071 Amended	03/07/91	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SCD & SCD-C	III L	MC: 10,000	50k to 100k lb		Column, Digital Output
					The specific load cells in this family covered by this certificate are identified by the model number which includes the load cell capacity as a prefix to the SCD or SCD-C identification. The only difference b/t the SCD & the SCD-C load cells is that the SCD-C has a connector rather than the cable being attached directly to the load cell. Models: 50K-SCD, 100K-SCD, 50K-SCD-C & 100-SCD-C.					
89-071P	07/05/89	Cardinal/Detecto Scale Mfr. Co.		Load Cell	SCD and SCD-C 50K-SCD, 100K-SCD, 50K-SCD-C, 100K-SCD-C	III L	10,000 M	50,000-100,000 lb		COLUMN, DIGITAL OUTPUT
89-072	10/02/89	Bennett Pump Company		Service Station Consoles	ECR OMNI-OT			up to 24 dispens.		
89-073P	07/05/89	Unibridge Scale Systems		Load Cell	UBDL8900	III L	8,000 M	50,000-100,000lb		Double-Ended Shear Beam
					Capacities (lb): 50,000, 65,000, 100,000					
89-074	09/24/90	Tedea Inc.		Load Cell	1010	III	3,000	5 to 50 kg		Three Beam, Single Point
					The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.					
89-074P	07/05/89	Tedea Inc.		Load Cell	1010	III	3,000 S	5 to 50 kg		Three Beam, Single Point
					Capacities (kg): 5, 7, 10, 11.36, 15, 20, 30, 50					
89-075	09/24/90	Tedea Inc.		Load Cell	1040	III	3,000	5 to 100 kg		Three Beam, Single Point
					The specific load cells in this family covered by this certificate are identified by the model designation & the load cell capacity.					

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-075P	07/05/89	Tedea Inc.		Load Cell	1040	III	3,000	5 to 100 kg		Three Beam, Single Point
			Capacities (kg): 5, 7, 10, 15, 20, 30, 50, 75, 100							
89-076	10/24/89	Wayne Division		Retail Motor Fuel Dispenser	DL1/395-1L/19G			999.999 Total Vol		
89-076P	08/17/89	Toledo Scale Corporation		Floor Scales	MG4425	III	5000	2500 x 0.5 lb	48" x 48"	
89-077	07/05/89	Holtgreven Scale & Electronics Corporation		Vehicle Scale	FT 2	III L	10,000	200,000 lb	60' x 10'	Electronic Load Cell
			Scale capacities from 100,000 lb to 200,000 lb. Platform sizes from 300' x 300' to 900' x 900' with a platform width of 10'							
89-078	08/17/89	Toledo Scale Corporation		Bench and Counter Scale	1985	III	6,000	60 X 0.01 lb	14 X 14 in	Electronic Weighing Element
			Optional capacities: 30 x 0.0005 lb, 60 x 0.01 lb, 120 x 0.02 lb							
89-079	08/17/89	Toledo Scale Corporation		Printer	315					
89-080	08/17/89	Toledo Scale Corporation		Printer	8806					
89-081	10/12/89	Toledo Scale Corporation		POS Scale	310-DATACHECKER	III	2999	29.99 X 0.01 lb	11" X 15"	Digital Electronic
89-081A	01/10/90	ICL, Inc.		POS Scale	310	III	2999	29.99 x 0.01 lb	11" x 15"	
89-082	01/06/90	Toledo Scale Corporation		Indicating Elements	8520	III	10,000	100 X 0.01 lb		Digital Indicator
89-083	01/06/90	Toledo Scale Corporation		Indicating Elements	8520A	II/III/3L	60,000	30 X 0.0005 kg		Digital Electronic
89-084	08/17/89	Ohaus Corporation		Jewelers' Balance	CT-600L	III	6000	600 x .1 g	4 in. diameter	
89-085P		Winslow Scale Company		Vehicle Scale	84-8070	III L				
89-086	08/21/90	Tyrel Corporation		Indicating Elements	TC-10	III/III L	10,000			Digital Electronic
			TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 S, TC-10 WS, TC-10 WSK, TC-10 B, TC-10 BK							

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-086	03/28/90	Tyrel Corporation		Indicating Elements	TC-10 TC-10 D, TC-10 DK, TC-10 W, TC-10 WK, TC-10 WS, TC-10 WS, TC-10 B, TC-10 BK	III/III L	10,000			Digital Electronic
89-086 A1	01/03/91	Tyrel Corporation	TC-10A	Indicating Elements	TC-10	III/III L	10,000			Digital Electronic
89-087	10/24/89	Howe Richardson Division		Indicating Elements	HR-50 HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 B, HR-50 BK	III/III L	10,000			Digital Electronic
89-087A1	08/21/90	Howe Richardson Division		Indicating Elements	HR-50 HR-50 D, HR-50 DK, HR-50 W, HR-50 WK, HR-50 S, HR-50 WS, HR-50 B, HR-50 BK (D means desk top, K means keyboard, W means washdown version, S means stainless steel when used as the second letter, B means panel mount, S as first letter means; small.)	III/III L	10,000			Digital Electronic
89-088	10/06/89	Durline Scales and Mfg., Inc.		Livestock Scale	LS 40403 MT-40403, LS-3420, LS-2620, LS-3020	III L	10,000	50,000 lb	40' x 14'	
89-089		Thurman Scale Company		Floor Scales	3500	III	5000	1000 lb	3' x 3'	Load Cell Electronic
89-090		Measurement Systems International		Hanging Scale	4260	III	2000	2000 lb		Load Cell Electronic
89-091A1	09/17/90	Hobart Corporation		Cash Register	GT 6000					Digital Electronic
89-091A2	01/24/91	Hobart Corporation		Cash Register	GT6000					Digital Electronic
89-092	10/12/89	NCR Corporation		Service Station Consoles/ECR	2113-3XXX					Digital Electronic
89-093	10/12/89	Fairbanks Scales	H23-2512, 23-2512	Floor Scales	H23-2512	III	2000	1000 lb	30' x 30"	
89-094		Toledo Scale Corporation		Floor Scales	6213	II/III	15,000	150 x .01 kg	23 3/4" x 17 1/2"	Load Cell Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-095	04/25/90	Toledo Scale Corporation		Floor Scales	6313	II/III	15,000	300 x .02 kg	31-1/2" x 23-1/2"	Load Cell Electronic
			Capacities (lb): 300 and 600							
89-096P	01/10/90	Hottinger Baldwin Measurements, Inc		Load Cell	TRT Series	III L	10,000 S	50,000-100,000 lb		
			TRT-50K, TRT-75K, TRT-100K							
89-097	08/21/89	Cardinal/Detecto Scale Mfr. Co.		POS Scale	ECR-30	III	3000	30 x .01 lb	14" x 12"	
89-098	10/12/89	Smith Meter Inc.		Wholesale Meter	ML-X-XX-XXX-STD					
89-099	08/21/89	TEC America, Inc.		Cash Register	FDS-50					
89-100	10/12/89	Applied Technology		Retail Motor Fuel System	1200P, 1200W					
89-101	09/13/90	Brooks Instrument Division		Wholesale Meter	0500B1BXX1					Digital Electronic
			Generic name: PetroCount II							
89-102	08/21/89	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	6900	III	5000	4 lb - 100 lb		
			6900-4, 6901-4, 6900-8, 6901-8, 6900-40, 6901-40, 6900-80, 6901-80, 6900-100, 6901-100							
89-103		Toledo Scale Corporation		Floor Scales	MG4500	III	5,000		48"x48" - 60"x84"	Load Cell Electronic
89-104.A1	11/02/90	Toledo Scale Corporation		Floor Scales	2155	III	6,000	1000 to 5000 lb	3' x 3' to 5' x 5'	Electronic
89-104P	04/25/90	Toledo Scale Corporation		Floor Scales	2155 Series	III	6,000	1,000 to 5,000 lb	3' x 3' - 5' x 5'	Electronic
			2155 0131, -0132, -0141, -0142, -0145, -0152, -0155							
89-105	10/02/89	Weigh-Tronix, Inc.		Floor Scales	SC-100	III	1000	500 x 0.5 lb	27 x 28.5 in	Digital Electronic Platform SC
89-106	10/06/89	Weigh-Tronix, Inc.		Hanging Scale	HSDC 200	III	1995	195 x .1 lb		

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-107	01/10/90	Exact Equipment Corporation		Computing Scale	921, 921R	III	3,000	30 x 0.01 lb	30 x 0.01 lb	
			921-30, 921-50, 921R-30, 921R-50							
89-108P	10/02/89	Flex-Weigh Corporation		Load Cell	S	III	3000 S	500 to 3000 lb		superseded by 89-108PA1
89-108PA1	01/12/90	Flex-Weigh Corporation		Load Cell	S	III	5,000 S	500 to 3,000 lb		
			Capacities (lb): 500, 750, 1000, 1500, 2000, 3000							
89-109P	08/21/90	Epelsa International, Inc.		Load Cell	MC	III	3,000	75 to 681 kg		Bending Beam
			Capacities (kg): 75, 100, 150, 200, 250, 300, 500, 681							
89-111	04/25/90	Doran Scales, Inc.		Bench and Counter Scale	DSP1000 Series	III	3,000	5 to 30 lb	8" x 10"	Load Cell Electronic
			DSP1005, DSP1015, DSP1030							
89-112	04/25/90	Doran Scales, Inc.		Bench and Counter Scale	DSP2000 & DSP3000	III	2,000	15 to 300 lb	12"x16", 18"x18"	Load Cell Electronic
			DSP2015, -2030, -2060, -2100, -2150, -2200, -3060, -3100, -3150, -3200, -3300							
89-113	04/25/90	Doran Scales, Inc.		Bench and Counter Scale	DSP5000 Series	III	2,000	60 to 1,000 lb	18"x24", 24"x24"	Load Cell Electronic
			DSP5060/1824, -5100/1824, -5150/1824, -5200/1824, -5300/1824, -5500/1824, -5100/2424, -5150/2424, -5200/2424, -5300/2424, -5500/2424, -51000/2424							
89-114P		Epelsa International, Inc.		Load Cell	SC	III	3,000 S	500 to 3,000 kg		
			Capacities (kg): 500, 750, 1000, 1500, 3000							
89-115	04/25/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262 Series Unistar					Superseded by 89-115A1
89-115A1	04/18/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-X, 262A-X					
89-116	10/24/89	Brooks Instrument Division		Wholesale Meter	0501A1BXXB					Digital Electronic
89-117	10/24/89	Rice Lake Weighing Systems		Indicating Elements	UMC 555XXX	III/III L	10,000			
89-118	01/10/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000			

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-118	Amended 03/13/90	Rice Lake Weighing Systems		Indicating Elements	EL 1233HE	III/III L	10,000		Digital Electronic
89-119	01/06/90	Pelouze Scale Company		Bench and Counter Scale	PS6LR1	III	6 X 0.005 lb	7 7/8 X 5 1/8 "	Digital Electronic
89-120	01/06/90	Pitney Bowes		Weight Classifier	A 605	III	5 lb X 0.1 oz	8 7/8 X 5 5/8 "	Digital Electronic Computing
89-121	01/06/90	Pitney Bowes		Bench and Counter Scale	A 603	III	3 lb x 0.1 oz	8 7/8" x 5 5/8"	
89-122	11/08/89	PAR Microsystems		Cash Register	NTA & NXA Series				Digital Electronic
			NTA 510, NXA 590-XX, NCX 591-XX, NXA XXX						
89-123	12/20/89	Weigh-Tronix, Inc.		Computing Scale	3400	III	30 x 0.01 lbs	12" x 14"	Digital Electronic
			3401 (remote display), 3400-X, 3400 PLU						
89-124	12/20/89	Weigh-Tronix, Inc.		Computing Scale	3450	III	30 x .01 lb	12" x 14"	Digital Electronic
			Other capacities (lb): 15, 50, 100						
89-125PN	01/30/90	Southwest Pump Company		Retail Motor Fuel Dispenser	640 Series				
			640-S, 640-T-S, 640-MT-S						
89-126	10/24/89	Hobart Corporation		Bench and Counter Scale	HOB 15-X	III	50 - 100 lb	13.5" x 19"	Mechanical Lever Spring Dial
			HOB 15-1, HOB 15-2, HOB 15-3, HOB 15-4, HOB 15-5						
89-127.A1	04/18/91	Certified Scale Co.		Bench and Counter Scale	2010	III	1,000 - 5,000 lb	24 x 24 - 60 x 60	Low Profile-Load Cell Electr.
89-128	10/24/89	Astec Industries		Hopper Scale	WB		20,000 lb		Superseded by 89-128A1
89-128A1	04/18/90	Astec Industries		Hopper Scale	WB, WB-A, AC, DA	III L	1,000 - 20,000 lb		Digital Electronic
89-129	10/24/89	Industrial Data Systems, Inc.		Printer	152				
			160 (tape printer)						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-130		Totalcomp, Inc.		Load Cell	Nikkei NS Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000	III	25 to 10,000 lb		Type "S" Load Cell
89-130PA1	02/12/90	Totalcomp, Inc.		Load Cell	Nikkei NS Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacities (lb): 25, 50, 75, 100, 150, 200, 250, 300, 500, 600, 750, 1,000, 1,250, 1,500, 2,000, 2,500, 3,000, 4,000, 5,000, 7,500, 10,000, 15,000, 20,000	III/III L	25 to 20,000 lb		Type "S" load cell
89-131		Totalcomp, Inc.		Load Cell	Nikkei NSB and NSBT Capacities (lb): 1,000, 2,000, 2,500, 4,000, 5,000, 10,000	III/III L	1,000 - 10,000 lb		Shear Beam
89-132		Totalcomp, Inc.		Load Cell	Nikkei NDE Capacities (lb): 5,000, 10,000, 20,000, 50,000	III/III L	5,000 - 50,000 lb		Double Ended Shear Beam
89-133 A2	01/03/91	Shekel Electronic Scales	SC-150P; SC-15G	POS Scale	SC 150	III	30 x 0.01 lb	14.25" X 10.5"	Digital Electronic
89-133P	01/30/90	Shekel Electronic Scales	Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	30 x 0.01 lb	14.25" x 10.5"	Superseded by 89-133PA1
89-133PA1	04/25/90	Shekel Electronic Scales	SC-150-P, POSISCALE 3030, Advance Retail Systems Inc. Model HT-1000	POS Scale	SC 150	III	30 x 0.01 lb	14.25" x 10.5"	Digital Electronic
89-134P		Powell All-Steel Scales, Inc.		Vehicle Scale	EP and ET Series	III L	120,000 lb	60' x 10'	supersedes 84-85 dated 4/21/86
89-135PN		Weldtec Scales		Vehicle Scale	50-60T	III L	120,000 lb	50' x 10'	
89-136	01/31/90	Fairbanks Scales	23-2558	Floor Scales	23-2557	III	10,000 lb	5' x 7'	
89-137	01/10/90	Toledo Scale Corporation		POS Scale	8215	III	30 x 0.01 lb	17" x 11"	
89-138	01/10/90	Spectra Physics		POS Scale	760SLS	III	30 x 0.01 lb	17" x 11"	

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
89-139	01/10/90	IBM Corporation		POS Scale	4687-2	III	3000	30 x 0.01 lb	17" x 11"	
89-140	08/21/90	Schlumberger Technologies, Inc.		LPG Liquid Meter	Red Seal Type 4D Com Meter Size: 3/4 inch, 1 1/2 inch, 1-1/4 inch, 1 1/2 to 14 gpm, 3-1/2 to 18, 5 to 30, 12 to 60, 20 to 100. Application: For use in measurement of LPG. For use with compatible Indicator with NTEP CC. NOTE: Upgrade to full CC based on CA test on 1" and no comments on pre-NTEP CC.			See notes below		Mechanical
89-140PN		Schlumberger Technologies, Inc.		LPG Liquid Meter	4D					
89-141	02/14/90	Liqua-Tech Corporation		Vehicle Tank & LPG Meter	LPM-100			3.5 - 18 gal/min		
89-142P	04/25/90	Superior Load Cell		Load Cell	AW200 FAMILY AW-200-1K, -200A-1K, -201A-1K, -202-1K, -203-1K, -200A-2K, -201A-2K, -202-2K, -203-2K, -200A-2.5K, -201A-2.5K, -202-2.5K, -203-2.5K, -200A-4K, -201A-4K, -202-4K, -203-4K, -200A-5K, -201A-5K, -202-5K, -203-5K	III	4,000 M	1,000 - 5,000 lb		SHEAR BEAM
89-142PA1	03/07/91	Superior Load Cell		Load Cell	AW-200	III	MC: 4,000	1,000 to 5,000 lb		Shear Beam
89-143	04/25/90	Ishida Scales Mfg. Co., Ltd.		Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	Checkweighing Scale
89-144	01/30/90	Triner Scale & Manufacturing		Indicating Elements	600 E	III	1,000			
89-145	03/27/90	Toledo Scale Corporation		Indicating Elements	8510	III/III L	10,000			Digital Electronic
89-145A1 Amend	03/07/91	Toledo Scale Corporation		Indicating Elements	8510	see below	see below			Digital Electronic
			n-max: 10,000(III/III L); 100,000 (II).							
89-146	01/10/90	Toledo Scale Corporation		Indicating Elements	263	III				
89-147	01/10/90	Spectra Physics		POS Scale	760SLS-RD	III				

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-148	01/10/90	IBM Corporation		POS Scale	4687-2	III			Digital Electronic
89-149	01/10/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/35 Series				
89-149 Amended	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	DLX/35X Series				High Capacity Digital Comput
89-150PN	01/12/90	Wayne Division		Retail Motor Fuel Dispenser	DLX/360,DLX/370 Sers		999,999 total vol		
89-151	11/22/89	Fairbanks Scales		Load Cell	90814-XX	III L	10,000 M		Double Ended Shear Beam
			Capacities (lb): 10,000, 20,000, 25,000, 30,000, 40,000, 50,000, 60,000, 75,000, 100,000						
89-152	04/25/90	Omron Systems of America		Cash Register	RS3510				Stand Alone
89-153	04/25/90	Omron Systems of America		Cash Register	RS4043				Stand Alone
89-154	04/25/90	Omron Systems of America		Cash Register	RS5550				Stand Alone
89-155	04/25/90	ICL, Inc.		POS Scale	310FD	III			Digital Electronic
89-156	01/14/90	Rice Lake Weighing Systems		Printer	KB-105				Printing Element
			KB-102, ACS-105						
89-157	01/06/90	Fargo Electronic Services Inc.		Printer	KB-105				Accessory Keyboard
			KB-102, ACS-105						
89-157.A1	01/24/91	Fargo Electronic Services Inc.		Printer	KB-105				
			Optional Models: KB-102, ACS-105 & ACS-107						
89-158P	12/20/89	Flex-Weigh Corporation		Load Cell	SSB and SSBT	III	1,000 to 4,000 lb		
			Capacities (lb): 1000, 2000, 2500, 4000				5,000 M		
89-159	05/04/90	Sun Electric Corporation		Cash Register	SM-960				Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
89-159	Amended 06/04/90	Sun Electric Corporation		Cash Register	SM-960				Digital Electronic
89-160	12/20/89	Sun Electric Corporation		Service Station Consoles/ECR	SR, SP, SS SR-896-1, SP-894, SS-895-1, SS-895, SS-890, SS-960				Digital Electronic
89-160	05/04/90	Sun Electric Corporation		Service Station Consoles/ECR	SR-896-1 SR-894 Island Receipt Printer (IRP), SS895-1 Dual Stand SS-895 Single Stand, SM-890 Electronic Cash Register, SM-960 Electric Cash Register (ECR).				Digital Electronic
89-160	Amended 05/04/90	Sun Electric Corporation		Service Station Consoles/ECR	see below System consists of these models: SR-896-1 Island Card Reader (ICR), SP-894 Island Receipt Printer (IRP), SS-895-1 Dual Stand (Island Pedestal), SS-895 Single Stand (Island Pedestal), SM-890 Electronic Cash Register & SM-960. Electric Cash Register (ECR)				Digital Electronic
89-161PN	01/30/90	Southwest Pump Company		Retail Motor Fuel Dispenser	660 Series 660, 660-S, 661, 661-S, 661-REM, 661-T-REM, 662, 662-S, 662-REM, 662-S-REM		5 to 32 kg		
89-162P	01/06/90	Epelsa International, Inc.		Load Cell	ATC ATC 5, ATC 8, ATC 13, ATC 17, ATC 32	III	3,000 S		
89-163P	01/06/90	Epelsa International, Inc.		Load Cell	BP BP 5, BP 7, BP 10, BP 15, BP 17, BP 20, BP 30	III	3,000 S		Bending Beam
89-164	04/25/90	UHL Scale Service, Inc.		Vehicle Scale	3512, 2412, 2410	III L	6,000	24'x10'-35'x12'	Load Cell Electronic
89-165	02/16/90	Mid-America Scale Company		Hopper Scale	H-1, H-2, H-3, H-4	III L	2,250	Hopper	
90-001P	02/16/90	Toledo Scale Corporation		Railroad Track Scale	7260 One 12'6" weighing element, Two independent 12'6" weighing elements, One 25' weighing element, One 12'6" and one 25' weighing element, Two 25' weighing elements, One 37'6" weighing element	III L	6,800	340,000 x 50 lb 25'x4'11" each(2)	
90-002P	01/06/90	Toledo Scale Corporation		Floor Scales	2885	III	2,000	1000 X 0.5 lb	Weighing Element
90-003	06/14/90	Rice Lake Weighing Systems		Monorail Scale	MS200 Optional Models: MS202HB-3/8 (for 3/8" rail), MS202HB-1/2 (for 1/2" rail).	III	1500	750 x 0.5 lb	Load Cell Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-004	02/16/90	Wayne Division	V590DX	Retail Motor Fuel Dispenser	V590D Series		999.999 TOTAL VOL		Digital Electronic Computing
90-005	02/16/90	Wayne Division	V387DX	Retail Motor Fuel Dispenser	V38XD Series		999.999 Total Gal		Digital Electronic Computing
90-005.A1	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V38XD Series		999.999 Total Vol	V38XD Series	Digital Electronic Computing
90-006	02/16/90	Wayne Division	V490DX	Retail Motor Fuel Dispenser	V490D Series		999.999 total vol		Dig. Electronic Multi-Product
90-007	02/16/90	Wayne Division	V390DX	Retail Motor Fuel Dispenser	V39XD Series		99.999 Total Vol		Dig Electronic Multi-Product
90-007.A1	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V39XXX Series		see below		Digital Electronic Multi-Pro.
90-008	02/14/90	Cardinal/Detecto Scale Mfr. Co.		Bench and Counter Scale	PCS 200 M	III	99lb 15.5 x 0.5oz	18" x 18"	
					PCS 200 MR, PCS 200 M, PCS 200, PCS-RCM, PCS-AS-150				
90-009	11/08/90	Stores Automated Systems, Inc.		Cash Register	SuperStar				ECR interfaced with scales
				The SASI SuperStar cash register consists of: Model PR 1028 printer, Model KB 1028 keyboard, Model MN 1028 display.					
90-009	07/02/90	Stores Automated Systems, Inc.		Cash Register	SuperStar				CPU
90-009, Amended	11/06/90	Stores Automated Systems, Inc.		Cash Register	SuperStar				ECR interfaced with scales
				Certificate supersedes 90-009.					
90-010	04/25/90	Toledo Scale Corporation		Weight Classifier	XX38 Series	III	25 - 1,000 lb		Load Cell Electronic
			1938, 2038, 2138				5,000		
90-011	01/30/90	NCR Corporation		Weight Classifier	4000-XX1X	III	30 x 0.01 lb	12" x 14"	Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description	
90-012	02/14/90	Emark Corporation	Generic name: HARDIMeter Phase 2	Wholesale Meter	0455-XXXX-001					
90-013	02/14/90	Southwest Pump Company		Service Station Consoles/ECR	M268 REG., M268 BASE					
90-014		Tokheim Corporation		Retail Motor Fuel Dispenser	TCS Series					
90-015P	04/25/90	Hottinger Baldwin Measurements, Inc	Capacities (lb): 50, 100, 200, 300, 500, 1000, 2000, 3000	Load Cell	U1T	III L	10,000 S		UNIVERSAL TENSION / COMPRESSION	
90-016P	04/25/90	Hottinger Baldwin Measurements, Inc	Capacities (lb): 200, 1000, 2000, 5000	Load Cell	USB	III L	10,000 S		UNIVERSAL, TENSION / COMPRESSION	
90-016P.A1	09/26/90	Hottinger Baldwin Measurements, Inc		Load Cell	USB	III L	10,000		Universal, Tension or Comp.	
			The specific model of load cells covered by this certificate are USB-YYYYXX500 through USB-YYYYXX699 where YYY is the load cell capacity and XX is the cable length.							
90-017	10/09/90	Schlumberger Technologies, Inc.		LPG Liquid Meter	831 & 833				Analog Indicating	
90-018	02/16/90	John Chatillon & Sons, Inc.		Hanging Scale	DHB 300	III	3000		Digital Electronic	
			DHB 150K, DHB 100, DHB 50K							
90-019	03/13/90	International Mailing Systems, Inc.		Computing Scale	3000N	III	3200	13 X 10.5 in	Computing Postal Scale	
			MPS 100N, MPS 100RN							
90-019.A1	02/06/91	International Mailing Systems, Inc.		Computing Scale	3000N	III	3200		Digital Electronic	
90-020	02/09/90	Tokheim Corporation		Retail Motor Fuel Dispenser	262-HV (High Volume)				Electronic Computing	
90-021	02/14/90	InterSystems, Inc.		Bulkweighing System	Masterweigh IV	III	10,000			
90-022		Rice Lake Weighing Systems		Indicating Elements	WS 900					

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-023P	03/14/90	Scame S.A.		Load Cell	AE Series	III	3,000 S	10 to 100 kg		Single-point beam load cell
90-024	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC 2000 XX-XX UMC 2000, UMC 2002, UMC 2004, UMC 2006, UMC 2008	III/III L	10,000			Digital Electronic
90-025	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC UMC 555AAAA	III/III L	10,000			Digital Electronic
90-026	02/14/90	CMI Weighing Equipment		Indicating Elements	UMC 600 AA-AA	III/III L	10,000			Digital Electronic
90-027	02/16/90	Husky Corporation		Retail Motor Fuel Dispenser	V (Coaxial)					
90-028	04/25/90	Daniel Industries, Inc.		Wholesale Meter	LR 3601-1A Maximum flow rates: 1000 GPM for gasoline, 800 GPM for diesel					Turbine Meter
90-029	02/14/90	Weigh-Tronix, Inc.	3401 (remote display)	Hanging Scale	PCSR 3400	III	5000	2000 x 1 lb		Digital Electronic
90-030	02/14/90	Weigh-Tronix, Inc.		Indicating Elements	WI-171	III	5000			
90-031	03/13/90	Ishida Scales Mfg. Co., Ltd.	Optional capacity: 2.5 kg x 0.001 kg	Bench and Counter Scale	MG-2500	III	2,500	5 kg x .002 kg	200 x 250 mm	
90-032	04/25/90	Artech Industries, Inc.		Load Cell	SS30310 SERIES Class III, single cell, n = 5,000. Class III L, single cell, n = 10,000. Capacity 1,000 to 10,000 lb. Other models: SS30210 and SS30310-xx-C/B	III/III L	5k, 10k M	1,000 - 10,000 lb		SHEAR BEAM LOAD CELL
90-032P	02/12/90	Artech Industries, Inc.		Load Cell	SS30310 Series	III/III L	5K, 10K M	1,000 to 10,000lb		Superseded by 90-032
90-033	04/30/90	Gedge Systems		Indicating Elements	GS1650B	III/III L	10,000			Digital Electronic
90-034PN	03/13/90	Bennett Pump Company		Retail Motor Fuel Dispenser	3700 Series 3722, 3724, 3725, 3725D, 3727, 3782, 3788, 3788D, 3789, 3789D, 3792					Analog Volume Only

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-035PN	03/13/90	Bennett Pump Company		Retail Motor Fuel Dispenser	4000 Series				Analog Computing
			4012, 4013, 4022, 4024, 4025, 4027						
90-036PN	03/13/90	Bennett Pump Company		Service Station Consoles/ECR	81 Series				Digital
			814M, 816M, 818M						
90-037	04/25/90	Toledo Scale Corporation		Computing Scale	8427	III	30 x 0.01 lb	15-1/2" x 9-3/4"	Digital Electronic
90-038	04/25/90	Sterling Scale Company, Inc.		Indicating Elements	DW750	III, III L	10,000		Digital Indicator
90-039	04/25/90	Esselte Meto		Computing Scale	CS 512	III	30 x 0.01 lb	14.25" x 9.75"	Digital Electronic
90-040	04/25/90	Esselte Meto		Computing Scale	ES 1010	III	10 x 0.005 lb	11.75" x 8.5"	Digital Electronic
90-041	04/25/90	Schlumberger Technologies, Inc.		Vehicle Tank & LPG Meter	Type 4				Analog Indicating
90-042	04/25/90	Fairbanks Scales		Indicating Elements	90-166	III, III L	10,000		Digital Electronic
90-043	03/07/91	Fairbanks Scales		Indicating Elements	90-515 & 90-516	III/III L	10,000		Digital Electronic
90-044		Omron Systems of America		Cash Register	RS5500 Series				ECR
90-045	06/14/90	Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	LP Series	III L	6000	25'-70" x 10'	Mechanical Lever System
			Models: 3025-LP, 3030-LP, 6035-LP, 6040-LP, 6050-LP, 6060-LP & 6070-LP.						
90-046	06/14/90	Toledo Scale Corporation		Vehicle Scale	7541	III L	200,000 lb	40x10" to 100x10"	Load Cell Electronic
			CLC=60,000lb						
90-047	08/21/90	Toledo Scale Corporation		Bench and Counter Scale	2097	III	25 to 1000 lb		Load Cell Electronic
			1997 & 2197; e min: 0.005 lb; capacity 15 to 600 kg.						

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-048	04/25/90	Epelsa International, Inc.		Indicating Elements	LC-110 & LC-210 Other manufacturer: FIRST-Weigh Model DI11 and Model DI21	III, III L	3,000			Digital Electronic
90-049	06/14/90	Digi Postal Corporation		Indicating Elements	DP101-U Optional Model: DP-102M (computer interface)		1999			Digital Electronic
90-050PN	04/25/90	Sooner Scale, Inc.		Livestock Scale	PLS 18 x 7	III L	2,000	10,000 lb	18'x7', 2 sections	Portable Electric
90-050PN Amend	06/14/90	Sooner Scale, Inc.		Livestock Scale	PLS 18 x 7	IIIL	2,000	10,000 lb	18" x 7"; 2 sect.	Portable Electronic
90-051	04/25/90	M&R Brand Scale		Vehicle Scale	100 Series 1005010-50, 1006010-60, 1007010-60, 1008010-60, 1004012-50, 1005012-50, 1006012-60, 1007012-60, 1008012-60, 1003014-30, 1004014-50, 1005014-50, 1006014-60, 1007014-60, 1008014-60	III L	6,000	120,000 x 20 lb	70' x 12'	Lever System
90-052	03/27/90	Superior Load Cell		Load Cell	AW600B Series AW600B-2.5K, -5K, -10K, -15K, -20K. Capacities (lb): 2,500, 5,000, 10,000, 15,000, 20,000	III	5,000 M	2,500 - 20,000 lb		Shear Beam, Tension
90-052.A1	03/07/91	Superior Load Cell		Load Cell	AW600B Series The model designation for the series is AW600B-XXK where XXK is the load cell capacity in thousands (K) pounds. Models: AW600B-2.5K, AW600B-5K, AW600B-10K, AW600B-15K & AW600B-20K.	III	MC: 5,000	2500 to 20k lb		Shear Beam, Tension
90-053	06/14/90	Bizerba United States, Inc.		Computing Scale	PRO9000 Series This series consists of the Models PRO9100, PRO9400, PRO9700, PRO9600 & PRO9800.	III	3,000	30 x 0.01 lb	10.4" x 15"	Digital Electronic
90-055	04/25/90	Certified Scale Co.		Floor Scales	2010	III	5,000	5,000 lb	48" x 60"	Load Cell Electronic
90-056	04/25/90	Henry Troemner, Inc.		Prescription Balance	800A	III	6,000	60 x 0.01 g	2.875 inch round	Torsion Band/Equal Arm
90-057	11/02/90	Fairbanks Scales	EL9000	Floor Scales	1126D	III	5000	1000 x 0.2 lb	23.5 x 17.75"	Lever System, Load Cell
90-058	04/25/90	Hardy Instruments, Inc.		Indicating Elements	H2101 WC	III, III L	6,000, 9,000			Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-059	04/25/90	Industrial Data Systems, Inc.		Printer	Matrix 500				Electronic Dot-Matrix
90-060	04/18/90	Daniel Industries, Inc.		Mass Flow Meter	1450-15-SP		Max 60 GPM		Rotary Meter
90-061	04/18/90	A&D Engineering, Inc.		Floor Scales	FW-150KA1	III	300 x .1 lb	15.4" x 20.8"	Digital Electronic
90-061.A1	01/24/91	A&D Engineering, Inc.		Bench and Counter Scale	FW Series		300lbs		Superseded by 90-061.A2
90-061.A2	02/12/91	A&D Engineering, Inc.		Bench and Counter Scale	FW SERIES	III	see below	15.4"x20.8" (KA1)	Digital Electronic
					Platform: 12.8" x 16.5"(KA2), capacities - 12, 60, 120, 200 & 300 lbs.				
90-062	04/18/90	TEC America, Inc.		Computing Scale	SL 5900-3(X)-C(X)-US	III	30 x 0.01 lbs	240 mm x 350 mm	Digital Electronic
90-062.A1	04/18/91	TEC America, Inc.		Computing Scale	SL 5900-3(X)-C(Y)-US	III	30 x 0.01 lb	240mm x 350 mm	Digital Electronic
90-063	04/18/90	Santa Rosa Scale Company		Floor Scales	SR-XXX	III	2,000 - 20,000 lb	24"x30" - 60"x84"	Flexure Lever, Load Cell
					SR3, -4A, -5, -50, -6, -6A, -7, -7A, -7B, -8, -8A, -8B, -9, -9A, -9B, -10, -10A, -10B, -11, -11A, -12, -12A				
90-064	08/21/90	A&D Engineering, Inc.		Bench and Counter Scale	FV-60KA1	III	120 x .05 lb	15.4" x 20.8"	Digital Electronic
					FV-30KA2, FV-60KA2, FV-150KA1. Other capacities: 60 x .02 kg, 1920 x 1 oz				
90-065	04/18/90	Cardinal/Detecto Scale Mfg. Co.		Bench and Counter Scale	EF Series	III	100 - 1,000 lbs		Load Cell Electronic
					EF-100: 100 lb x .05 lb, 18 x 18 / EF-218: 200 lb x .1 lb, 18 x 18 / EF-224: 200 lb x .1 lb, 24 x 24 / EF-524: 500 lb x .2 lb, 24 x 24 & EF-528: 500 lb x .2 lb, 28 x 28.				
90-066	04/18/90	Better Built Scale Products		Indicating Elements	UMC 555 AAAA	III/III L	10,000		Digital Electronic
					Optional Models: UMC 555 ---, Enclosure: A=Standard, Mildsteel Painted, B=Nema Enclosure. Input Power: A= 117 VAC, 60Hz, B= 227 VAC, 50Hz. Load Cell Term: A=Standard 6-wire Connector, B=RFI-Shielded 6-Wire Connector: A=Standard, B=Non-Standard.				
90-067	04/18/90	Schlumberger Technologies, Inc.		Service Station Consoles/ECR	MMX 3000				Point-of-Sale Terminal

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-069	05/11/90	Cardinal/Detecto Scale Mfrgr. Co.	Floor Scales FH 522-II, FH 533-II, FH 544-II, FH 553-II, FH 554-II, FH 555-II, FH 563-II, FH 564-II, FH 565-II, FH 1063-II, FJ 1064-II, FH 1065-II, FH 1066-II, FH 1075-II, FH 1086-II, FH 1097-II & FH 10106-II.		FH-XXYY-II	III	5,000 - 10,000 lb	2 x 2 - 10 x 6	Low Profile-Load Electronic FH 1053-II, FH 1054-II, FH 1055-II,
90-070	04/18/90	Hasstech, Inc.	Retail Motor Fuel Dispenser		HP-2, HP-22				Nozzle
90-072	06/14/90	Jonel Engineering	Indicating Elements		JL-DSD-253B	III/IIIL	1,000		Digital Electronic
90-073	08/21/90	Toledo Scale Corporation	Printer		307				Thermal Electronic
90-074P	05/11/90	Doran Scales, Inc.	Bench and Counter Scale		7000-P Series 7005-P: 5 lb, 2500, 0.002 lb, 10" x 10" / 7015-P: 15 lb, 3000, 0.005 lb, 10" x 10" / 7030-P: 30 lb, 3000, 0.01 lb, 10" x 10" / 7060-P: 60 lb, 3000, 0.02 lb, 12" x 12" & 7100-P: 100 lb, 2000, 0.05 lb, 12" x 12".	III	5 to 100 lb	10" x 10"	Load Cell Electronic
90-075	04/25/90	Hardy Instruments, Inc.	Indicating Elements		HI 2150 WC-(XX) HI 2151 WC-(XX)	III, III L	10,000		Digital Electronic
90-076	08/22/90	Toledo Scale Corporation	Printer		325				Thermal Electronic
90-077	09/11/90	Pulsar Technology Systems, Inc.	Taximeter		100				Mileage Odometer
90-078	05/15/90	John Chatillon & Sons, Inc.	Bench and Counter Scale		PDT-100 PDT-50: 65 lb x 2 oz, PDT-200: 260 lb x 8 oz, PDT-25K: 25 x .05 kg, PDT-50K: 50 x .1 kg & PDT-100K: 100 x 2 kg.	III	130 lb x 4 oz	12 x 17 inch	Mechanical Spring Dial
90-079	03/07/91	Weight-Tronix, Inc.	Vehicle Scale		FTMSC-XXXX-XXXseries CLC: 70,000lb; Load Cell: Weight-Tronix Model WBT 50.0K.	III L	7k to 140k lb	10-47 x YY ft	Digital Electronic
90-082	09/11/90	Weight-Tronix, Inc.	Vehicle Scale		MCTM-7310-100T3 Other Capacities: The scale consists of three individual weighing devices, each with a separate indicator. The system is equipped with a fourth indicator that totalizes the weights from the three scales. CLC: 70,000 lb	III L	200,000 x 20 lb	73' x 10'	Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-083	05/15/90	Artech Industries, Inc.		Load Cell	80210 Series 80310 - The difference between the Models 80210 and 80310 is in the manner of contact of the load cell to the mounting assembly. The 80210 has a semicircular indentation in the middle of the bottom of the cell where the cell rests on a semicircular rod. The bottom of the 80310 is flat and the semicircular is turned upside down so the flat area is in contact with the point of contact is the semicircular areas. The bottom of the 80310 is flat and the semicircular is turned upside down so the flat area is in contact with the load cell. The semicircular rod makes contact with a flat plate in its mounting assembly	III L 10,000	20,000 - 200,000		Double Ended Shear Beam
90-084	09/13/90	Fairbanks Scales		Indicating Elements	H90-3051	III/IIIL 10,000			Digital Electronic
90-085	08/21/90	Toledo Scale Corporation		Bench and Counter Scale	XX96 Series	III 5000	25-1000lb		Load Cell Electronic
90-086P	09/11/90	Flintab, Inc.		Load Cell	SB4 Series	III Single 3,000	5 kN - 50 kN		Stainless Steel Bending Beam
					Models: 1196; 2096; 2196				
					SB4-5kN - 5, 0.25, 0				
					SB4-10kN - 10, 0.50, 0				
90-087	02/12/91	Pitney Bowes		Weight Classifier	A 500	III 160	16 x 0.1 oz	9.25" x 5"	Digital Electronic
90-088	06/14/90	Pitney Bowes		Floor Scales	A219	III 1200	600 x 0.5 lb	30" x 30"	Load Cell Electronic
90-089P	05/31/90	General Electrodynamics Corporation		Wheel Load Weigher	LP400E	IIIL 400	20,000 x 50lb	14.5" x 22"	Digital Electronic
90-090	06/12/90	Superior Load Cell		Load Cell	AW900B AW900B-20K, AW900B-25K, AW-900B-30K, AW900B-40K, AW900B-50K, AW901B-50K, AW901B-60K, AW900B-60KL, AW901B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.	III L 10,000	20k to 100k		Double-Ended Shear Beam
90-091	08/07/90	Digi Matex, Inc.		Bench and Counter Scale	DS-410	III 3,000	300 x 0.1 lb		Digital Electronic
					Optional Capacities: 150 x 0.05 lb, 600 x 0.2 lb. Optional Platform Sizes: 15.5" x 15.5", 27" x 22".				
90-092	09/18/90	Hottinger Baldwin Measurements, Inc		Load Cell	SB2 & SB3	III L 10,000	10k to 200 lb		Shear Beam
					The specific load cell covered by this certificate are: SB2-YYYYX500 through SB2-YYYYX699 and SB3-YYYYX500 through SB3-YYYYX699 where YYY is the load cell capacity and XX is the cable length.				

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	n	Capacity	Platform size	Device Description
90-093	08/21/90	CompuWeigh		Indicating Elements	CompuDraft 2000	III/III L				Electronic
				CompuDraft Series 2000 console consisting of a self contained 19 inch compact case incorporating a 9-inch CRT, a flip-down alpha keyboard, and a single board Computer with Platform Scale Software.						
90-094	06/14/90	Fairbanks Scales		Indicating Elements	70-1414	III	2000	100 x .05 lb	14" x 14"	Load Cell Electronic
90-094.A1	04/18/91	Fairbanks Scales		Load Cell	70-1414	III	2000	100 x 0.05 lb	14 x 14 inch	Load Cell Electronic
90-095	08/21/90	Berkel Incorporated	RS-300: 300 x 0.1 lb	Bench and Counter Scale	RS-150	III	3,500	150 x 0.05 lb	13.9" x 19.7"	Digital Electronic
90-096	08/21/90	A&D Engineering, Inc.		Bench and Counter Scale	FV-60KAS1	III	3,000	60 x .02 kg	15.4" x 20.8"	Digital Electronic
				FV-60KAS2 60 x 0.2kg, 150 x 0.5 lb, 2400 x 1 oz, 12.8" x 16.5"						
90-097	08/21/90	Pennsylvania Scale Company		Floor Scales	6600 Series	III	5,000	1,000 - 10,000	12 x 24 - 60 x 84	Load Cell Electronic
					24X24-1K, 24X24-2K, 24X24-5K, 30X30-1K, 30X30-2K, 30X30-5K, 36X36-1K, 36X36-2K, 36X36-5K, 36X36-10K, 48X48-1K, 48X48-2K, 48X48-5K, 48X48-10K, 48X60-5K, 48X60-10K, 48X72-5K, 48X72-10K, 48X84-5K, 48X84-10K, 60X60-5K, 60X60-10K, 60X72-5K, 60X72-10K, 60X84-10K					
90-098	08/21/90	Global Scale Imports, Inc.		Prepackaging Scale	Automator 650A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-099	08/21/90	Global Scale Imports, Inc.		Computing Scale	Concentrator 220A	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-100	08/21/90	Global Scale Imports, Inc.		Computing Scale	Ishida LIBRA 300	III	3000	30 x 0.01 lb	10" x 16"	Digital Electronic
90-101	09/17/90	Syracuse Scale Co, Inc.	CLC: 80,000 lb	Vehicle Scale	ALVS-6080	III L	8,000	160k x 20 lb	60" x 10" 3 sect.	Load Cell Electronic
90-102	11/02/90	Sanyo Business Systems Corp.		Cash Register	ECR-635					Stand Alone
90-102.A1	01/03/91	Sanyo Business Systems Corp.		Cash Register	ECR-635 & ECR-645					Stand Alone
90-103	09/11/90	Tru-Test Distributors Ltd.		Indicating Elements	AG 500-1	III/III L	3,000			Digital Electronic

LISTING BY CERTIFICATE NUMBER

Device Description

Platform size

Capacity

Accuracy Class

Model

Device Type

Other Models

Company Name

Date

CC No.

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-104	09/17/90	John Chatillon & Sons, Inc.		Bench and Counter Scale	PBB300-1	III	301 lb x 1 oz	21.75" x 16.25"	Mechanical Lever System
90-105P		Epelsa International, Inc.		Load Cell	TSF & LC18				
90-106P	09/24/90	Intercomp Corporation		Wheel Load Weigher	PT300	IIII	20,000 x 50lb	12" x 12"	Digital Electronic
90-107	08/21/90	Weigh-Tronix, Inc.	SC-2227-500, SC-2229-300, SC-2229-500, SC-2730-300 & SC-2730-500.	Floor Scales	SC-2227-300	III	300 lbs (150kg)	22" X 27"	Digital Electronic
90-108	09/24/90	Weigh-Tronix, Inc.		Vehicle Scale	FCTSXXXX:YYY The specific designations covered by FCTSXXXX:YYY meaning XXXX is the platform dimensions in feet range from 40 to 100 ft. and YYY represents the capacity in tons which range from 70T to 100T.		140,000-200,000lb		Low Profile - Load Cell Elect.
90-109P		Thurman Scale Company		Vehicle Scale	8550				Digital Electronic
90-110	08/21/90	Cardinal/Detecto Scale Mfgr. Co.		Load Cell	6800/Z100 & 600/Z100	III	5,000		Steelyard Rod Adaptor
90-111	08/21/90	Cardinal/Detecto Scale Mfgr. Co.	Optional Models: 6000/TLC100 & 6800/TLC100 n_max:4,000	Load Cell	738/TLC100-738/Z100		5,000		Steelyard Rod Adaptor
90-112	11/02/90	Weigh-Tronix, Inc.	Type Z & TLC load cell capacity: 100 lbs.	Indicating Elements	3270M	III/IIIL	10,000		Digital Electronic
90-113	11/02/90	Weigh-Tronix, Inc.		Indicating Elements	WI-160	III/IIIL	10,000		Digital Electronic
90-114	11/02/90	Weigh-Tronix, Inc.		Bench and Counter Scale	3270S	III	6 x 0.0002 lb	9" x 9"	Load Cell Electronic
90-115	08/23/90	Gilbarco, Inc.		Retail Motor Fuel Register			see below		Electronic Computing
90-115.A1	11/02/90	Gilbarco, Inc.		Retail Motor Fuel Dispenser			2 x 13 gpm		Elec.Comp.Ret.Motor Fuel Disp.

Advantage Series \$999.00 total price, 999,000 volume units & \$9,999 unit price.

Advantage Series Model designations identified by four code positions; See Certificate for possible codes.

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-116	11/02/90	Dover Corporation		Retail Motor Fuel System	111-V Series OPW 111-V 22, OPW 111-V 24, OPW 111-V 47 & OPW 111-V 49.				Vapor Recovery Nozzle-balance
90-117	09/11/90	Brooks Instrument Division		Wholesale Meter	PetroCount 44				Digital Electronic
90-118	11/02/90	Brooks Instrument Division	004X:XXXXXXXX and 004X:XXXX	Wholesale Meter	Turbo				3-inch & 4-inch
90-119	09/11/90	CMI Weighing Equipment		Hopper Scale	SE/SW 653B	III L	6,000		Load Cell Electronic
90-120	09/17/90	Sanyo Business Systems Corp.		Cash Register	ECR 690				Digital Electronic
90-121	11/02/90	Micros Systems, Inc.		Cash Register	Type 2000				Digital Electronic
90-122		Daniel Industries, Inc.		Wholesale Meter	3401-3P				Digital Electronic
90-123	11/02/90	CAT Scale Company		Printer	320				Dot Matrix
90-124	09/26/90	Friden Alcatel		Weight Classifier	8510	III	1600	9.5" x 7.5"	Digital Electronic Computing
90-125	09/17/90	CAS Corporation	6D & 15D	Bench and Counter Scale	3D	III	3,000	13.5" x 8.5"	Load Cell Electronic
90-126	09/17/90	CAS Corporation		Computing Scale	15 M	III	3,000	17.25" x 10.75"	Load Cell Electronic
90-127		Fairbanks Scales		Bench and Counter Scale	70-490X-XXX FAM				
90-128		Fairbanks Scales		Indicating Elements	H90-5100				Digital Electronic
90-129P	03/07/91	Measurement Systems International		Wheel Load Weigher	MSI-5300	III	400	11" x 10.25"	Digital Electronic

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-130	11/02/90	Wayne Division		Retail Motor Fuel Dispenser	DLX-390-1L Series		\$999.99 Total Vol		Digital Electronic Multi-Pro.
90-131	09/24/90	Tri-Coastal Industries		Hanging Scale	OKD-6	III	2,500	see below	Digital Electronic
90-132	09/24/90	Weigh-Tronix, Inc.		Bench and Counter Scale	DSLXXX-YY	III	2,000 - 10,000	see below	Low Profile-Load Cell Elect.
90-133	08/31/90	Pulsar Technology Systems, Inc.		Taximeter	2010		See "Other Model"		Digital Electronic Taximeter
90-134	10/02/90	Weigh-Tronix, Inc.		Indicating Elements	Motion Stabilizer	III/III			Digital Filter Package
90-135	03/07/91	Weigh-Tronix, Inc.		Weight Classifier	A120-TA	III	see below	12" x 13"	Digital Electronic Computing
90-136		Pitney Bowes		Weight Classifier	A120-TA				Digital Electronic
90-137	10/02/90	Weigh-Tronix, Inc.		Hanging Scale	HS-100	III	195 x .1 lb		Load Cell Electronic
90-138P	09/26/90	Hottinger Baldwin Measurements, Inc.		Load Cell	USB	III	200 to 5000 lb		Universal, Tension
90-139	09/26/90	Syracuse Scale Co, Inc.		Load Cell	ALC850	III L	20k to 100k		Double-Ended Shear Beam
90-140		Airway Scale and Mfg Co., Inc.		Bench and Counter Scale	XX XL YY	III			Digital Electronic

Capacities: 1,2500 x .5 lb, 2,500 x 1 lb, 5,000 x 2 lbs.
platform: 30 x 30 to 96 x 72.

Flag Drop: \$0.01 - \$999.99, Fare Incr.: \$0.01 - \$999.99, Extras: \$0.02 - \$99.99, Earlier version of 2010 is larger—See CC, Shall be installed using Arthur Allen 4 pulse per revolution pulse transducer (NOT 2 pulse per revolution). See CC for important notes on proper sealing.

Description: The "Digital Motion Stabilizer" package is a digital filter software package for electronic digital indicators.

n-max: 320 (0-2 lb); 2240 (2-70 lb). capacities: 0-2 lb x 0.1 oz / 2-70 lb x 0.5 oz.

The specific models of load cells covered by this certificate are USB-YYYYXX500 through USB-YYYYXX699 where YYY is the load cell capacity and XX is the cable length.

These load cells are marketed under the brand name "Atlas". The specific models covered by this certificate are: ALC850-20K, ALC850-25K, ALC850-30K, ALC850-40K, ALC850-50K, ALC850-60K, ALC850-65K, ALC850-75L, ALC850-75KL & ALC850-100K.

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-141	11/02/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW600B Series AW600B-10K, AW600B-15K & AW600B-20K.	III	2500 to 20,000lb		Shear Beam, Tension
90-142	11/02/90	Airway Scale and Mfg Co., Inc.		Load Cell	AW900B Models: AW900B-20K, AW900B-25K, AW900B-30K, AW900B-40K, AW900B-50K, AW901B-50K, AW900B-60K, AW900B-60KL, AW900B-65K, AW900B-75K, AW900B-75KL & AW900B-100K.	IIII	20,000-100,000lb		Double-Ended Shear Beam
90-143PN	10/09/90	Veeder-Root		Retail Motor Fuel Register	2003				RMFD Mechanical Computer
90-144	11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	200 & 330 Series Models: 220B, 222B, 330B, 33B. Suffixes: E-External fixed hose connection, V-External two hose connection for vapor recovery. L-Lighted valance, U-Unlighted valance. SA-Stand Alone. K-Customer select preset.	999.999gal \$9.999/unit	\$999.99 Money	9999.9 liters	Digital Comp. RMFD
90-145PN	11/02/90	Tokheim Corporation		Retail Motor Fuel Dispenser	1100 & 1200 Series Models: 1148T, 1150T, 1248, 1250. Suffixes: T, GP, SP, 1, 2, RCFC, AFC-1, PEH, SCS, HS, TPZ, PR, A, S, G, M, GM, VR, KC-4, KC-8, KC-16, WNC, TW, APC, APC-1, RHO, ESI, IBM, PR-SS, OC,	\$3,999 up \$99.99 Max\$	999.9 gal	999.9 liters	Mech. Comp. RMFD
90-146		Pitney Bowes		Weight Classifier	A217	III			Digital Electronic
90-147		Toledo Scale Corporation		Floor Scales	2157	III			Digital Electronic
90-148	10/18/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RCT X X X XX EPS = Basic Model Number, R = Remote submersible pump, CT = Calcutrim, Blank = Standard Construction or V = Vapor Recovery, DS = Hoses on both sides or SS = Hoses on one side, 1 - 4 = Number of Products; 2,3,4 or 6 = Number of Hoses.	\$9,999 U.P.	\$999.99 Total \$	999.99 Vol Units	Dig. Comp. RMFD
90-148	11/02/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RCT X X X XX Generic Name: Calcutrim, Capacities: \$999.99 total money, 999.99 volume units, \$9.999 unit price		SEE BELOW		Digital Computing
90-149	10/18/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RC I X X X XX Model designations and suffixes: EPS = Basic Model Number, RC = Remote Calcutrim (submersible), I = Intermediate size, Blank = Standard Construction OR L = dispenser longer than 7 feet, 1, 2, or 8 = # hoses - 1 or 4 = # Products DS = Hoses on both side s or SS = Hoses on one side.	\$9,999 UP	\$999.99 Total \$	999.99 Vol Units	Elec. Comp. RMFD

LISTING BY CERTIFICATE NUMBER

Device Description

Platform size

Capacity

Accuracy Class

Model

Device Type

Company Name

Other Models

CC No. Date

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-149	11/02/90	Schlumberger Technologies, Inc.		Retail Motor Fuel Dispenser	EPS RC1XX XX	SEE BELOW			Electronic Computing
		Generic Name: Calutron, Capacities: \$999.99 total money, 999.99 volume units, \$9.999 unit price.							
90-150	10/27/90	Advanced Systems Interfacing, Inc.		Bulkweighing System	Bulk II	III	10,000		Digital Electronic
90-150P	09/11/90	Epelsa International, Inc.		Load Cell	TSF & LC18*	III	3000	100 to 1000 lb	S-Type
		see certificate for other models.							
90-151	04/18/91	Tokheim Corporation		Wholesale Meter	682-15-AF-L-X				Positive Displacement Meter
		Other name: Vehicle or Stationary-Mount. Other Model: 682-15-SS-L-X.							
90-152P	11/02/90	Revere Transducers, Inc.		Load Cell	5423 B	III L	10,000	10,000-65,000 lb	Double-Ended Shear Beam
		The Model designation for the load cells is 5423-B10-XXK-YYYY where XXK represents the cell capacity in thousands of pounds (e.g., 10K) & YYYY represents variations that are not metrologically significant.							
90-152P.A1	03/28/91	Revere Transducers, Inc.		Load Cell	5423-B10	III L	10,000	10,000 - 65,000lb	Double-Ended Shear Beam
		5423-B10-10K-YYYY, 5423-B10-20K-YYYY, 5423-B10-30K-YYYY, 5423-B10-50K-YYYY & 5423-B10-65K-YYYY. The model designation for the load cells is 5423-B10-XXK-YYYY where XXK represents the cell capacity in thousands of pounds (e.g., 10K) and YYYY represents variations that are not metrologically significant.							
90-153	03/07/91	McNeilus Truck & Mfg. Inc.		Hopper Scale	RL20000-5K	III L	2,000	40k to 10k lb	Weighing Element Electronic
		Load cell type: Rice Lake Weighing Systems RL2000-5K or RL20000-20K or certified equivalent.							
90-154	01/03/91	Berkel Incorporated		Computing Scale	623LS	III	3,000	30 x 0.01 lb	Digital Electronic
		624LS Capacity 30 x 0.01lb - Same as the Model 623LS except the operator's display is alphanumeric.							
90-155	01/24/91	Epelsa International, Inc.		Bench and Counter Scale	SP12 Series	III	3000	300 lb	Load Cell Electronic
		SP12-1813, SP12-2413 & SP12-3013							
90-156		Digi Postal Corporation		Bench and Counter Scale	DP70S	III			Digital Electronic
90-157	01/24/91	Morrison Weighing Systems, Inc.		Indicating Elements	DC100	III	10,000		Digital Electronic
		Other model: MP201/for use in batching systems							

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-158	04/18/91	Rice Lake Weighing Systems	Load Cell	RL20000A-XXX Capacity: S-Cell, Class III: 5000 - S-Cells, Class III L: 10,000. The specific load cells covered by this certificate are identified by the cell capacities. The XXX of the model designation represents the load cell capacity.	RL20000A-XXX see below	III & III L	25 - 50,000 lb		S-Beam Tension
90-159	01/03/91	Rice Lake Weighing Systems	Load Cell	RL30000A-XXX (Thread load hole), RL30001A-XXX (Counterr bored load hole), RL30002A-XXX (Through load hole).	RL30000A-XXX 3k S - 5k M	III	1,000 to 10,000		Shear Beam, Compression
90-160		Intercomp Corporation	Indicating Elements	AM1660, AM2660	AM4660				Digital Electronic
90-161		Pennsylvania Scale Company	Indicating Elements	6400					
90-162	01/31/91	Bennett Pump Company	Service Station Consoles/ECR	M405-8E & M405-16E For use with electronic RMFD's, M405-*e interfaces with up to 8 hoses, M405-16E interfaces with up to 16 hoses.			999.99 total vol	9,999.999 total \$	RMFD Console
90-163	03/07/91	Triangle Microsystems, Inc.	Service Station Consoles/ECR	MPC-8 & MPC-16 Capacities: \$9,999.99 (total money), 999.999 (total gallons).			see below		Digital Electronic
90-164		Graco, Inc.	Wholesale Meter	(P/N) 222-560		III			
90-165	01/24/91	Micro General	Bench and Counter Scale	10XX Other Models: 1084, 1064, 1052, 1085, 1065 & 1053.		III	99 lb. x .5oz.		Digital Electronic
90-166	03/07/91	CASIO, INC.	Cash Register	SA 2000 & SA 2100 SA-2040KY, SA-2141KY, SA-2060D, SA-2060J, SA-2013RJ, SA-2014RJ, SA-2070S & SA-2010SP OR SA-2012 SP.					Stand Alone
90-167	01/03/91	General Electronic Systems, Inc.	Bench and Counter Scale	UBS 402 Series 402-12, 402-14, 402-18 & 402-24		III	20 to 500 3000 or 5000		Digital Electronic
90-168PN		Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-4-CY-10		III			
90-169PN		Liquid Controls Corporation	Vehicle Tank & LPG Meter	MA-5-GX-10					

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-170PN		Liquid Controls Corporation		Wholesale Meter	MA-5-GX-12				
90-171P	01/04/91	Sun Scale Inc.		Load Cell	SHS Series	III	5000	1000 to 10,000 lb	Single-Ended Bending Beam
90-172		Liquid Controls Corporation		Retail Motor Fuel Dispenser	MA-5-1 & MA-5-2				
90-173PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-10				
90-174PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-11				
90-175PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	MA-7-X-12				
90-176		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-1, M-7-2 & M-7-3				
90-177PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-7-27				
90-178PN		Liquid Controls Corporation		Vehicle Tank & LPG Meter	M-15-X				
90-179PN		Liquid Controls Corporation		Wholesale Meter	M-25-2				
90-180PN		Liquid Controls Corporation		Wholesale Meter	M-30-X				
90-181PN		Liquid Controls Corporation		Wholesale Meter	M-60-X				
90-182PN		Liquid Controls Corporation		Wholesale Meter	M-120-X				
90-183PN		Liquid Controls Corporation		Wholesale Meter	MS-7-1, MS-7-2				
90-184P	02/12/91	Flex-Weigh Corporation		Load Cell	C SERIES	III	5000	150 to 500 lb	Single-Ended Bending Beam

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
90-185	01/24/91	Ohaus Corporation		Indicating Elements	I150-S	III/IIIL	10,000		Digital Electronic
			Model I150-P with mild steel case						
91-001	01/24/91	Revere Transducers, Inc.		Load Cell	792-B5	III L	4500	50k to 200k lb	Single Column compression can.
91-002	01/24/91	Pacific Scale Co., Inc.		Floor Scales	TNL SERIES		5,000	see below	Load Cell Electronic
			2, 5 or 10 capacity in thousands pounds, 36 to 48, platform length in inches for 2,000 lb weighing element, 36 to 84 platform width in inches.						
91-003P		Absco Scale Co.		Vehicle Scale	5752				
91-004	02/06/91	J & S Scale Company		Vehicle Scale	LP Series	III L	6,000	See CC	Load Cell Elec.Vehicle Scl WE
			Capacity Range: 30,000 to 150,000 lb. Platform Size Range: 18' x 10' to 100' x 12'. CLC Range: 25,000 lb to 65,000 lb. Concrete or Steel deck, 2 to 4 sections. See CC for details.						
91-005		Diamond Control Systems		Indicating Elements					
91-006	02/06/91	J & S Scale Company		Vehicle Scale	FT Series	III L	2,000	See CC	Load Cell Elec.Vehicle Scl WE
			Range of Capacities: 10,000 lb to 24,000 lb. Range of Platform Sizes: 8' x 8' to 22' x 10'. Range of CLC's: 4,000 lb to 9,000 lb, 2 sections. See CC for specific model information.						
91-007	02/12/91	Thurman Scale Company		Indicating Elements	430	III/IIIL	10,000		Digital Electronic
91-008	01/12/91	Thurman Scale Company		Indicating Elements	455	III/IIIL	10,000		Digital Electronic
91-009	02/12/91	Thurman Scale Company		Indicating Elements	465		10,000		Digital Electronic
91-010	02/12/91	Thurman Scale Company		Indicating Elements	620				Digital Electronic
91-011		Sensortronics		Load Cell	60001A-XX-1166				
91-011P		Sensortronics		Load Cell	60001A-XX-1166				
91-013		Scales Unlimited		Vehicle Scale	AGES Series				Digital Electronic

LISTING BY CERTIFICATE NUMBER

Device Description

Platform size

Capacity

Accuracy Class

Model

Device Type

Company Name

CC No. Date

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-014		Scales Unlimited		Vehicle Scale	AGES 3TL				
91-015		POS Data Products, Inc.		POS Scale	3030	III	30 x 0.01 lb	14.25" x 10.5"	
91-016	03/07/91	PSI/Command Data		Indicating Elements	Scale Readout	III/III L	1000		Digital Electronic
91-017	02/12/91	Thurman Scale Company		Indicating Elements	405	III	5,000		Digital Electronic
91-018	01/31/91	Weldotron Corporation		Prepackaging Scale	9000 Series	III	30 x 0.01 lb	13-1/4" x 11-1/4"	Prepackaging Scale
					Includes Models 9602, 9603, 9605, 9609, 9610, 9612. CC based on CC 88-174.A1 issued to NBI, Inc. & information provided by mfg. Corresponding models for all but 9612/9612 included based on mfg. information. CC based on CC 88-174.A1 issued to NBI, Inc. & info provided by mfg. information.				
91-019	01/31/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	9100 Series				RMFD Volume Only
					For use in applications in which a volume only dispenser is considered suitable. The 9140 Super Speed model is to be used for diesel fuel only.				
91-020	02/06/91	William M. Wilson's Sons, Inc.		Service Station Consoles/ECR	8800 Series				Elec. Comp. RMFD
					Models: 8852-, 8853-, 8840-Suffix, See CC for suffixes. Standard, Super, & Highspeed, Model 8840 for use with diesel only. \$999.99 total \$ 999.999/vol				
91-021	02/04/91	William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	8000 Series				Mechanical Computing RMFD
					VeederRoot Registers: VR-10; \$999.99, 999.9 vol, \$9,999/vol. 2002E: \$99.99, 999.9, \$3,999/vol. VR-10 register must be used for applications in which total sales will exceed \$99.99, Models: 8052-, 8053-, 8652-, 8653-, 8740, 8752-, 8753-Suffix. See C for suffixes.				
91-022	03/07/91	Seca Corporation		Bench and Counter Scale	920C	III	880	12" x 12"	Digital Electronic
91-023	03/07/91	Tanita Corporation		Bench and Counter Scale	BWB-620A	III	4,400	400 x 0.1 lbs	Digital Electronic
91-024		Weigh-Tronix, Inc.		Indicating Elements	WI-190M				
91-025		TEC America, Inc.		Cash Register	MA-1600				
91-026		Mettler Instrument Corporation		Jewelers' Balance	AE 1000C/49				

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-027	03/07/91	Thurman Scale Company		Printer	600				Dot Matrix
91-028PN		Thurman Scale Company		Floor Scales	M/N 3100 Series				
91-029		UHL Scale Service, Inc.		Vehicle Scale	70 Series				
91-030P	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	HLC & THC SERIES n-max: single cell: 3,000 - multiple cells: 6,000. The specific load cells covered by this certificate are HLC-YYYYX400 through HLC-YYYYX690 & THC-YYYYX400 through THC-YYYYX690, where YYY is the load cell capacity & XX is the cable length. The numbers do not have any effect on compliance with NIST Handbook 44. Models: HLC-1K, HLC-2.5K, HLC-4K, HLC-5K & HLC-10K.	III	1,000 to 10k lb		Bending Beam
91-031P	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	RSC SERIES n-max: single cell, class III: 3,000 - single cell, class III L: 10,000. The specific load cells covered by this certificate are RSC-YYYYX400 through RSC-YYYYX690 where YYY is the load cell capacity & XX is the cable length. The numbers 400 through 690 represent customer variations that do not have any effect on compliance with NIST Handbook 44.	III/III L	50 to 5,000 lb		Universal Beam ("S" Cell)
91-032	04/18/91	Edlund Company, Inc.		Bench and Counter Scale	E2000	III	320 x 0.1 oz	9" x 9"	Digital Electronic
91-033	04/18/91	Tyrel Corporation		Printer	TCP-10				Digital Electronic
91-034	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V395D Series Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.				Digital Electronic Computing
91-034P		Celtron		Load Cell	SOB				
91-035	04/18/91	Wayne Division		Retail Motor Fuel Dispenser	V58XX Series Minimum Flow Rate: 0.3 gpm, Maximum Flow Rate: 19.5 gpm.				Digital Electronic Computing
91-036	03/07/91	Hottinger Baldwin Measurements, Inc		Load Cell	JRT SERIES The specific load cells covered by this certificate are JRT-YYYYX500 through JRT-YYYYX600, where YYY is the load cell capacity & XX is the cable length. The numbers 500 through 600 represent customer variations that do not have any effect on compliance with NIST Handbook 44. Models: JRT-20K, JRT-50K, JRT-100K & JRT-200K.	III L	20k to 200k lb		Compression Torsion Ring
91-037	04/01/91	The Scale Store		Indicating Elements	MXP-9900	III-III L	10,000		Digital Electronic

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-038		Rice Lake Weighing Systems		Indicating Elements	IQ700HE				
91-039		Rice Lake Weighing Systems		Indicating Elements	IQ700SS				
91-040		Rice Lake Weighing Systems		Indicating Elements	UMC555				
91-041PN		Cardinal/Detecto Scale Mfr. Co.		Vehicle Scale	RSC Series				
91-042P	04/18/91	Epelsa International, Inc.		Load Cell	LC Series	III	1,000 - 10,000 lb		Single Ended Shear Beam
			LC 1000, LC 2500, LC 2600, LC 4000, LC 5000, LC 5000 & LC 10000.				M-Cells 3000		
91-043P		Celtron		Indicating Elements	SQB				
91-044P		Celtron		Load Cell	STC				
91-045P		Rice Lake Weighing Systems		Load Cell	RL35023				
91-046P		Rice Lake Weighing Systems		Load Cell	RL20001				
91-047	04/18/91	Alcoa Recycling Machinery Services		Hopper Scale	WH27	III	300 x 0.1 lb		Digital Electronic
			Dimensions: 3 ft x 3 ft				3,000		
91-048PN	04/18/91	Liquid Controls Corporation		Wholesale Meter	M-25 Series				
			Flow Rates: 15 to 300 gpm						
91-049		New Brunswick International, Inc.		Hanging Scale	LCB-1000H				
91-050		CANMAX Retail Systems, Inc.		POS Scale	C-Serve				
91-051P	04/18/91	Scalme S.A.		Load Cell	AG Series	III	5 kg - 100 kg		Single Point Flexion Beam
			AG 5, AG 10, AG 15, AG 20, AG 30, AG 50, AG 75 & AG 100.				S-Cell: 5000		

LISTING BY CERTIFICATE NUMBER

CC No.	Date	Company Name	Other Models	Device Type	Model	Accuracy Class	Capacity	Platform size	Device Description
91-052P		Epelsa International, Inc.		Load Cell	LC				
91-053		Ishida Scales Mfg. Co., Ltd.		Computing Scale	AC-200				
91-054		Ishida Scales Mfg. Co., Ltd.		Computing Scale	Libra II				
91-055		Fairbanks Scales		Vehicle Scale	14-4304 S				
91-056		Fairbanks Scales		Vehicle Scale	13-8460-3				
91-057		William M. Wilson's Sons, Inc.		Retail Motor Fuel Dispenser	2000 Series				
91-058		Mobile Computing		Retail Motor Fuel Register	5400-2				
91-059		Ishida Scales Mfg. Co., Ltd.		Floor Scales	MS70XX				
91-060		Ishida Scales Mfg. Co., Ltd.		Indicating Elements	WL600				
91-061		Fairbanks Scales		Floor Scales	23-6230B				
91-062		Weigh-Tronix, Inc.		Indicating Elements	W1-114				
91-063		Tyrel Corporation		Indicating Elements	Uniweigh				
91-064		Rice Lake Weighing Systems		Indicating Elements	Uniweigh				
91-065		Fairbanks Scales		Indicating Elements	Datamaster	III			Digital Electronic
91-066		GSE, Inc.		Indicating Elements	550		10,000		Digital Electronic

NIST-114A (REV. 3-89)	U.S. DEPARTMENT OF COMMERCE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY BIBLIOGRAPHIC DATA SHEET	1. PUBLICATION OR REPORT NUMBER NISTIR4603
		2. PERFORMING ORGANIZATION REPORT NUMBER
		3. PUBLICATION DATE May, 1991
4. TITLE AND SUBTITLE NCWM Publication 5 National Type Evaluation Program Index of Device Evaluation, Third Edition		
5. AUTHOR(S) Karl Newell		
6. PERFORMING ORGANIZATION (IF JOINT OR OTHER THAN NIST, SEE INSTRUCTIONS) U.S. DEPARTMENT OF COMMERCE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY GAITHERSBURG, MD 20899	7. CONTRACT/GRANT NUMBER	
		8. TYPE OF REPORT AND PERIOD COVERED
9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (STREET, CITY, STATE, ZIP)		
10. SUPPLEMENTARY NOTES <input type="checkbox"/> DOCUMENT DESCRIBES A COMPUTER PROGRAM; SF-185, FIPS SOFTWARE SUMMARY, IS ATTACHED.		
11. ABSTRACT (A 200-WORD OR LESS FACTUAL SUMMARY OF MOST SIGNIFICANT INFORMATION. IF DOCUMENT INCLUDES A SIGNIFICANT BIBLIOGRAPHY OR LITERATURE SURVEY, MENTION IT HERE.) This publication contains the listing of all devices that have been evaluated under the National Type Evaluation Program (NTEP) from January 1, 1968 to May 8, 1991. It replaces all previous editions and supplements.		
12. KEY WORDS (6 TO 12 ENTRIES; ALPHABETICAL ORDER; CAPITALIZE ONLY PROPER NAMES; AND SEPARATE KEY WORDS BY SEMICOLONS) National Type Evaluation Program		
13. AVAILABILITY <input type="checkbox"/> UNLIMITED <input checked="" type="checkbox"/> FOR OFFICIAL DISTRIBUTION. DO NOT RELEASE TO NATIONAL TECHNICAL INFORMATION SERVICE (NTIS). <input type="checkbox"/> ORDER FROM SUPERINTENDENT OF DOCUMENTS, U.S. GOVERNMENT PRINTING OFFICE, WASHINGTON, DC 20402. <input type="checkbox"/> ORDER FROM NATIONAL TECHNICAL INFORMATION SERVICE (NTIS), SPRINGFIELD, VA 22161.	14. NUMBER OF PRINTED PAGES	
		15. PRICE

ELECTRONIC FORM



