

## **VALIDATED PRODUCTS LIST**

**1994 No. 4**

**Programming Languages**  
**Database Language SQL**  
**Graphics**  
**GOSIP**  
**POSIX**  
**Computer Security**

**Judy B. Kailey**  
**Peggy N. Himes**  
**Editors**

U.S. DEPARTMENT OF COMMERCE  
Technology Administration  
National Institute of Standards  
and Technology  
Computer Systems Laboratory  
Software Standards Validation Group  
Gaithersburg, MD 20899

October 1994

QC  
100  
.U56  
NO.5510  
1994

**NIST**



**NISTIR 5510**

(Supersedes NISTIR 5475)

## **VALIDATED PRODUCTS LIST**

**1994 No. 4**

**Programming Languages  
Database Language SQL  
Graphics  
GOSIP  
POSIX  
Computer Security**

**Judy B. Kailey  
Peggy N. Himes  
Editors**

U.S. DEPARTMENT OF COMMERCE  
Technology Administration  
National Institute of Standards  
and Technology  
Computer Systems Laboratory  
Software Standards Validation Group  
Gaithersburg, MD 20899

October 1994

**NIST**



## **FOREWORD**

The Validated Products List is a collection of registers describing implementations of Federal Information Processing Standards (FIPS) that have been validated for conformance to FIPS. The Validated Products List also contains information about the organizations, test methods and procedures that support the validation programs for the FIPS identified in this document.

The Validated Products List is updated quarterly.



## TABLE OF CONTENTS

1. INTRODUCTION . . . . .	1-1
1.1 Purpose . . . . .	1-1
1.2 Document Organization . . . . .	1-2
1.2.1 Programming Languages . . . . .	1-2
1.2.2 Database Language SQL . . . . .	1-2
1.2.3 Graphics . . . . .	1-2
1.2.4 GOSIP . . . . .	1-2
1.2.5 POSIX . . . . .	1-2
1.2.6 Computer Security . . . . .	1-2
1.2.7 FIPS Conformance Testing Products . . . . .	1-2
2. PROGRAMMING LANGUAGES . . . . .	2-1
2.1 FIPS Programming Language Standards . . . . .	2-1
2.2 Organization of Programming Language Processor Entries . . . . .	2-1
2.3 Validation of Processors . . . . .	2-2
2.3.1 Validation Requirements . . . . .	2-2
2.3.2 Placement in the List . . . . .	2-3
2.3.3 Removal from the List . . . . .	2-3
2.3.4 Validation Procedures . . . . .	2-3
2.4 Certificate of Validation . . . . .	2-3
2.5 Language Processor Validation Suites . . . . .	2-4
2.6 Testing Laboratories and Supporting Organizations . . . . .	2-5
2.7 Language Processors with Certificates - No Nonconformities . . . . .	2-7
2.7.1 COBOL Processors . . . . .	2-7
2.7.2 Fortran Processors . . . . .	2-11
2.7.3 Ada Processors . . . . .	2-17
2.7.4 Pascal Processors . . . . .	2-58
2.7.5 C Processors . . . . .	2-60
2.7.6 Mumps Processors . . . . .	2-64
2.8 Language Processors with Registered Reports Only . . . . .	2-65
3. DATABASE LANGUAGE (SQL) . . . . .	3-1
3.1 FIPS Database Language Standards . . . . .	3-1
3.2 Organization of Database Language Processor Entries . . . . .	3-1
3.3 Validation Requirements . . . . .	3-2
3.4 Certificate of Validation . . . . .	3-2
3.5 Registered Report . . . . .	3-2
3.6 Validation Procedures . . . . .	3-2
3.7 SQL Validation System . . . . .	3-2
3.8 SQL Processors . . . . .	3-3
4. GRAPHICS CONFORMANCE TESTING . . . . .	4-1
4.1 FIPS GKS Standard . . . . .	4-1
4.1.1 Organization of GKS Entries . . . . .	4-1
4.2 FIPS PHIGS Standard . . . . .	4-2
4.2.1 Organization of PHIGS Entries . . . . .	4-2
4.3 FIPS CGM Standard . . . . .	4-3
4.3.1 CGM Test Labs and Test Suite . . . . .	4-3
4.3.2 Certificate of Validation . . . . .	4-3

4.4	4.3.3 Validated Metafiles .....	4-3
	Raster Graphics Standards .....	4-4
	4.4.1 Certificate of Validation .....	4-4
	4.4.2 Information Pack .....	4-4
4.5	GKS Implementations .....	4-5
4.6	Computer Graphics Metafiles .....	4-6
4.7	PHIGS Applications .....	4-7
5.	U.S. GOSIP Testing Program Register Database System (GRD) .....	5-1
5.1	Description .....	5-1
5.2	U.S. GOSIP Register Database (GRD) .....	5-1
5.3	How To Access The GOSIP Register Database (GRD) .....	5-1
5.4	GOSIP Registers .....	5-3
	5.4.1 Register of Conformance Testing Laboratories .....	5-3
	5.4.2 Register of Approved US GOSIP MOT Validation Laboratories .....	5-4
	5.4.3 GOSIP Register Database: Conformance Tested Products .....	5-5
	5.4.4 Register of GOSIP Interoperability Test Suites .....	5-73
	5.4.5 Register of GOSIP Interoperability Test and Registration Services .....	5-73
	5.4.6 Register of GOSIP Means of Testing .....	5-73
	5.4.7 Protocol Implementation Conformance Statements Register .....	5-86
	5.4.8 Abstract Test Suites Conformance Register .....	5-91
6.	NIST POSIX CONFORMANCE TESTING .....	6-1
6.1	FIPS POSIX Standard .....	6-1
6.2	POSIX Test Procedures .....	6-1
6.3	POSIX Test Suite .....	6-1
6.4	Validation Requirements .....	6-1
6.5	Testing Laboratories for NIST POSIX (FIPS 151-1) .....	6-2
6.6	Validated Products for NIST POSIX (FIPS 151-1) .....	6-3
6.7	Testing Laboratories and Validated Products for NIST POSIX (FIPS 151-2) .....	6-14
7.	COMPUTER SECURITY .....	7-1
7.1	Cryptographic Standards .....	7-1
7.2	Data Encryption Validation Tests .....	7-1
7.3	Message Authentication Code (MAC) Validation System .....	7-1
7.4	Key Management Validation System (KMVS) .....	7-1
7.5	General .....	7-2
	7.5.1 Request for Validation. ....	7-2
	7.5.2 Information about Validated Products. ....	7-2
	7.5.3 Validation Documentation. ....	7-2
7.6	DES Validated Devices .....	7-3
7.7	FIPS 113, Computer Data Authentication: Message Authentication Code (MAC) Implementations .....	7-11
7.8	FIPS 171, Key Management Validation Using ANSI X9.17 .....	7-14
	APPENDIX A FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES .....	A-1

## 1. INTRODUCTION

### 1.1 Purpose

The testing of Information Technology (IT) Products to determine the degree to which they conform to specific Federal Information Processing Standards (FIPS) may be required by Government agencies as specified by the FIPS, Federal Information Resources Management Regulation (FIRMR) Parts 201-20.303, 201-20.304, and 201-39.1002, and the associated Federal ADP and Telecommunications Standards Index. Products having a current validation certificate or test report may be offered or delivered by vendors in response to requirements as set forth in solicitations by Federal agencies. The Validated Products List (VPL) contains conformance testing information for the following IT Standards:

Programming Languages COBOL, Fortran, Ada, Pascal, C, and MUMPS  
Database Language SQL  
Graphics  
GOSIP  
POSIX  
Computer Security

This List is updated and published quarterly. The information contained herein is supplied by the contributors listed in Section 2.6 and Appendix A, and is current as of the tenth of the month preceding the publication date. Copies of the VPL may be obtained from:

National Technical Information Service  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22151.

Subscriptions: (703) 487-4630  
Individual Copies: (703) 487-4650

Ordering Number: PB93-937303/AS

The entries in the printed VPL (except those for GOSIP, POSIX and Ada) are contained in WordPerfect Version 5.1 files and may be accessed on the Internet using the following instructions:

Type: **ftp speckle.ncsl.nist.gov** (internet address is 129.6.59.2)  
Login as user **ftp**  
Type your e-mail address preceded by a dash (-) as the password  
Type: **cd vpl**  
Type: **binary**  
Type: **get** and the name of the file you want; e.g. **language**

These entries are also available as DOS text files, through the World Wide Web using MOSAIC using one of the following instructions:

- a. Open the file called "<http://speckle.ncsl.nist.gov/~kailey/intro.vpl>"
- b. Open the file called "<ftp://speckle.ncsl.nist.gov/vpl/html/intro.vpl>"

Questions or comments concerning the VPL should be directed to:

National Institute of Standards and Technology (NIST)  
Computer Systems Laboratory  
Software Standards Validation Group  
Building 225, Room A266  
Gaithersburg, MD 20899  
Telephone (301) 975-3274

## **1.2 Document Organization**

### **1.2.1 Programming Languages**

Section 2 identifies those COBOL, Fortran, Pascal, C, Ada, and MUMPS programming language processors that have a current validation certificate or registered test report referencing the applicable FIPS as of the date of this publication.

### **1.2.2 Database Language SQL**

Section 3 identifies those SQL language processors that have a validation certificate or a registered test report for FIPS PUB 127-1 and FIPS PUB 127-2 as of the date of this publication.

### **1.2.3 Graphics**

Section 4 lists the implementations or files for which a validation certificate is currently in place. These entries include:

Graphical Kernel System (GKS) implementations (FIPS PUB 120-1),  
Programmer's Hierarchical Interactive Graphics Systems (PHIGS) (FIPS PUB 153),  
Computer Graphics Metafiles (CGMs) (FIPS PUB 128),  
Raster Graphics data files (FIPS PUB 150).

### **1.2.4 GOSIP**

Section 5 contains information regarding FIPS PUB 146-1, GOSIP, conformance testing registers.

### **1.2.5 POSIX**

Section 6 identifies POSIX products that have a current validation certificate for FIPS PUB 151-1 and FIPS PUB 151-2.

### **1.2.6 Computer Security**

Section 7 contains information regarding validated products for FIPS PUB 46-1, Data Encryption Standard (DES), FIPS PUB 113, Computer Data Authentication (Implements Message Authentication Code, ANSI X9.9), and FIPS PUB 171, Key Management Using ANSI X9.17.

### **1.2.7 FIPS Conformance Testing Products**

Appendix A lists FIPS conformance testing products and services available to the public. Information for these products and services may be obtained by contacting the appropriate person listed.

## **2. PROGRAMMING LANGUAGES**

### **2.1 FIPS Programming Language Standards**

As specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Standards Index, Federal agencies when acquiring language processors, are responsible for assuring that processors are in accordance with the following FIPS for programming languages:

- a. COBOL processors must satisfy the provisions of FIPS PUB 21-3, COBOL, and must be identified as implementing all of the language elements of at least one of the subsets of FIPS COBOL as specified in FIPS PUB 21-3.
- b. BASIC processors must satisfy the provisions of FIPS PUB 68-2, BASIC.
- c. Fortran processors must satisfy the provision of FIPS PUB 69-1, Fortran, and must be identified as implementing all of the language elements of the subset or full levels of FIPS Fortran as specified in FIPS PUB 69-1.
- d. Pascal processors must satisfy the provisions of FIPS PUB 109, Pascal.
- e. Ada processors must satisfy the provisions of FIPS PUB 119, Ada.
- f. MUMPS processors must satisfy the provisions of FIPS PUB 125-1, MUMPS.
- g. C processors must satisfy the provisions of FIPS PUB 160, C.
- h. VHDL processors must satisfy the provisions of FIPS PUB 172, VHDL.

Copies of the above publications are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Conformance testing programs are currently available for all above FIPS except for the programming language BASIC and VHDL. A test suite for BASIC is being developed.

### **2.2 Organization of Programming Language Processor Entries**

The entries in the VPL for programming language processors are presented as follows:

- The VENDOR ID column contains the name of the Vendor of the processor.
- The PROCESSOR ID column contains the Processor identification and the Validation Summary Report (VSR) or certificate number. This number refers to the VSR that was produced as a result of the testing. The VSR describes the testing environment and details any processor nonconformity that was detected as a result of the testing. Information for obtaining a VSR is listed in section 2.6.
- Derived processors in the VENDOR & COMPILER column are Ada processors that have been derived from the processor/hardware/operating system environment used during the testing. In order for derived processors to be listed here, they must be properly registered with the Department of Defense, Ada Joint Program Office (AJPO) by the vendor of the processor.

- The **HARDWARE & OPERATING SYSTEM** column presents the hardware and operating system environment (including pertinent supporting system software) used during the validation. In the case of Ada processors, those environments for derived processors will appear in this column.
- The **EXPIRY DATE** column lists the expiration date of the Certificate of Validation or Registered Validation Summary Report. A processor may be included in the List after the certificate has expired if the validation is in process. Notification must be received by NIST at least 30 days prior to publication of the List in order for such a processor to be included. In this case the expiration date will be followed by "(pending)".
- For COBOL processors, the **SUBSET** column cites the applicable Federal Subset. For Fortran processors, the **LEVEL** column specifies the applicable Federal level. For Pascal processors, the ISO 7185 Pascal Standard Level (ISO 7185 Level 0 is equivalent to FIPS 109). This designation is presented in the **PROCESSOR ID** column.
- The entries in the **OTHER ENVIRONMENTS** column are registered hardware and operating system environments for the processor tested. The vendor of the processor has certified that the identified processor, when operating under the environments included in this column, produces the same test results as those obtained from the hardware and operating system environment used during the validation. Test results and other information from these environments may be required as evidence for entries to be included in this column.

Also listed are the programming language processors that have been tested and during the testing were found to have one or more nonconformities.

## **2.3 Validation of Processors**

### **2.3.1 Validation Requirements**

In accordance with the requirements referenced in Section 1.1, language processors offered to the Government for purchase, lease, or use in connection with ADP services shall be validated for conformance to FIPS for programming languages. To confirm that the specifications of the designated FIPS have been met:

- a. the processor shall be tested with the Compiler Validation System (CVS) approved by NIST,
- b. the processor validations shall be conducted in accordance with NIST validation procedures,
- c. a Validation Summary Report (VSR) shall be produced summarizing the test results of the CVS on the designated processor for that FIPS,
- d. all nonconformities noted in the VSR shall be corrected within twelve months,
- e. a Certificate of Validation shall be issued if validation results warrant. In order for a processor to receive a Certificate of Validation the processor must successfully pass all applicable tests of the CVS without exception.

The Federal ADP and Telecommunications Standards Index supplies standard terminology which may allow for delayed validation. When delayed validation is allowed, the offeror may meet this

requirement by showing evidence of having submitted the processor for validation. Proof of submission is in the form of a letter from NIST scheduling the validation.

Programming language processors offered to the Federal Government must comply with the applicable Government requirements. Failure to comply with these requirements shall be deemed sufficient cause to declare a bidder non-responsive or to declare a vendor in default for failure to deliver required software.

### **2.3.2 Placement in the List**

For a processor to be placed in the List it must:

- a. have been officially tested within the past twelve calendar months, and
- b. have no errors remaining that were identified during a previous test.

### **2.3.3 Removal from the List**

A processor is removed from the List when:

- a. the processor is not officially tested within twelve calendar months, or
- b. testing indicates that the processor still contains errors identified during a previous validation.

### **2.3.4 Validation Procedures**

Validation procedures are published in the following documents:

Compiler Validation Procedures, dated January 15, 1993

Ada Compiler Validation Procedures and Guidelines, Version 3.1, August, 1992

Pascal Validation Policy and Procedures, Version 5.6, September 1, 1994

MUMPS Validation Procedures, Version 1.0, dated August 13, 1992

## **2.4 Certificate of Validation**

A Certificate of Validation is issued for those programming language processors that have been tested and are considered to be in compliance with the FIPS as specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Index.

The requirement for retesting may be waived and the certificate of validation extended at the option of NIST if:

- a. no errors were identified during the previous testing of the processor,
- b. the vendor certifies, in writing, to NIST that no changes have been made to either the processor or the supporting system software, and
- c. no new version of the validation system has been officially released during the interim period.

## 2.5 Language Processor Validation Suites

Following are the validation suites and ordering information for testing programming language processors for conformance to FIPS.

- a. Copies of the COBOL, Fortran, MUMPS, and Ada Compiler Validation Suites may be purchased from:

National Technical Information Service (NTIS)  
5285 Port Royal Road  
Springfield, VA 22161  
Telephone (703) 487-4650 (Voice)  
(703) 321-8547 (FAX)

COMPILER VALIDATION SYSTEM [MEDIUM/FORMAT]	VERSION	NTIS ACCESSION NUMBER
COBOL 85 (CCVS85)	4.2	PB93-504918
Fortran (FCVS78)	2.1	PB94-500691
Ada [Tape/Backup]	1.11	ADA212551
Ada [Tape/Tar]	1.11	ADA212437
Ada [Tape ANSI Standard]	1.11	ADA212548
Ada [Disk (MS/DOS)]	1.11	ADA212549
MUMPS [Tape/Backup]	7.61	PB91-507699
MUMPS [Tape/ANSI]	7.61	PB91-507715
MUMPS [Tape/Tar]	7.61	PB91-507723
MUMPS [Disk (MS-DOS)]	7.61	PB91-507707

- b. The current version of the Pascal Validation System (PVS) is Version 5.6 and is available from:

British Standards Institution (BSI)  
Software Engineering Department  
BSI Quality Assurance  
P. O. Box 375  
Milton Keynes  
MK14 6LL  
ENGLAND  
Telephone (011) +44-908-220908 (Voice)  
(011) +44-908-220671 (FAX)

- c. The current version of the ANSI C Validation Suite (ACVS™) is Version 4.1 and is available from:

Perennial, Inc.  
4699 Old Ironsides Drive  
Suite 210  
Santa Clara, CA 95054  
Telephone (408) 748-2900 (Voice)

## 2.6 Testing Laboratories and Supporting Organizations

The organizations listed below have performed validations, supplied information, or are sources for Validation Summary Reports (VSR) for programming languages. These organizations may be contacted for validation information and for copies of VSR(s). COBOL and Fortran VSR(s) may be obtained from NIST. Pascal VSR(s) whose VSR numbers begin with "NIST" or end in "US" may also be obtained from NIST. Pascal VSR(s) whose VSR numbers end in "UK" are available from BSI. Ada VSR(s) may be obtained from the Ada Information Clearinghouse, the National Technical Information Service, or from the Ada Validation Facility (AVF) that produced the VSR. To obtain a copy of a VSR from an AVF, locate the upper case letter in the certificate number (e.g., 870608W1...). That letter corresponds to the letter in the CODE column to the left of the organizations listed below.

<u>CODE</u>	<u>ORGANIZATION</u>	<u>CONTACTS</u>	<u>LANGUAGE</u>
S	National Institute of Standards and Technology Software Standards Validation Group Building 225, Room A266 Gaithersburg, MD 20899 (301) 975-3274 Telex: 197674 NBS UT FAX: (301) 948-6213	L. Arnold Johnson Judy Kailey  Carmelo Montanez William Dashiell	All COBOL, Fortran BASIC Pascal, C Ada, MUMPS, SQL, VHDL
N	National Computing Centre Limited (NCC) Oxford House, Oxford Road Manchester M1 7ED United Kingdom (011) +44 (61) 228 6333 +44 (61) 236 9877 (FAX) Telex 668962	Jane Pink Jon Leigh David Bamber	COBOL Fortran Ada C
	German National Research Center for Computer Science (GMD) Department Scientific Visualization Supercomputer Center (HLRZ) P. O. 1316, Schloss Birlinghoven D-W-5205 Sankt Augustin 1 Germany (011) +49-2241-14-2706 (voice) (011) +49-2241-14-2618 (FAX) kirsch @gmdzi.gmd.de	Berthold Kirsch	Fortran
	Instituto Italiano del marchio di Qualita (IMQ) Servicio SCQ Via Quintiliano, 43 20138 Milano Italy +39-2-5073266 +39-2-5073271 (Fax) Telex: 310 393 IMQI	Angelo Belloni	COBOL Fortran

JMI Institute  
21-25, Kinuta 1-Chome  
Setagaya-Ku, Tokyo  
157 Japan  
+81 3 3416 9600

Y. Fukui

COBOL  
Fortran

British Standards Institution  
Quality Assurance (BSIQA)  
P.O. Box 375  
Milton Keynes  
MK14 6LL  
United Kingdom  
(011) +44 908-22-09-08  
(011) +44-908-22-06-71 (Fax)  
Telex: 827682 BSIQAS G

John Souter

Pascal

W Ada Validation Facility  
Language Control Facility  
ASD/SCEL  
Wright-Patterson AFB, OH 45433-6503  
(513) 255-4472

Dale Lange

Ada

B Association Francais de Normalisation  
(AFNOR)  
or  
A Direction Certification  
Tour Europe, Cedex 7  
BP-92049 Paris la Défense  
FRANCE  
(011) 33-142915960  
(011) 33-142915656 (Fax)  
Telex: AFNOR 611 974 F

M. Alphonse Philippe Ada

I IABG-AVF  
Industrieanlagen-Betriebsgesellschaft  
Dept. ITE  
Einsteinstrasse 20  
D-8012 Ottobrunn  
Federal Republic of Germany  
+49-89-6088-2477  
e-mail: tonndorf@ajpo.sei.cmu.edu

Michael Tonndorf Ada

Ada Information Clearinghouse  
3D139  
1211 S. Fern, C-107  
The Pentagon  
Washington, D.C. 20301-3081  
(703) 685-1477

Ada VSR(s)

National Technical Information Service  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22161  
(703) 487-4650

Ada VSR(s)

## 2.7 LANGUAGE PROCESSORS WITH CERTIFICATES NO NONCONFORMITIES

COBOL -  
Certificates

### 2.7.1 COBOL PROCESSORS

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
Computer Associates	CA-Realia II Workbench Version 1.1.20 NIST-94/1701; Intermediate; 6/1/95	IBM PS/2 Model 95; Windows NT Version 3.1	IBM PS/2 Model 60, 70, 80, 90; Windows NT Version 3.1
	CA-Realia II Workbench Version 1.1.20 NIST-94/1702; Intermediate; 6/1/95	IBM PS/2 Model 95; Windows Version 3.1	IBM PS/2 Model 60, 70, 80, 90; Windows Version 3.1
	CA-Realia II Workbench Version 1.1.20 NIST-94/1703; Intermediate; 6/1/95	IBM PS/2 Model 95; OS/2 Version 2.1	IBM PS/2 Model 60, 70, 80, 90; OS/2 Version 2.1
	CA-Realia II Workbench Version 1.1.20 NIST-94/1704; Intermediate; 6/1/95	IBM PS/2 Model 95; DOS Version 6.20	IBM PS/2 Model 60, 70, 80, 90; DOS Version 6.20
	CA-Realia COBOL Version 4.2 NIST-94/1705; Intermediate; 6/1/95	IBM PS/2 Model 95; DOS Version 6.20	IBM PS/2 Model 60, 70, 80, 90; DOS Version 6.20
	CA-Realia COBOL Version 4.2 NIST-94/1706; Intermediate; 6/1/95	IBM PS/2 Model 90; OS/2 Version 2.1	IBM PS/2 Model 60, 70, 80, 95; OS/2 Version 2.1
	VAX COBOL Version 5.2; NIST-94/1401; High; 4/1/95	VAX 4000 Model 60; OpenVMS VAX, Version 5.5	VAX 4000 models 200, 300; VAX 6000 models 200, 300, 400, 500; VAX's 8200, 8250, 8300, 8350, 85xx, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840; VAX 9000 models 210, 400; VAXft 3000 model 310, VAX 11/730, VAX 11/750, VAX 11/785; MicroVAX II, 2000, 3100, 3200, 3500, 3520, 3540; VAXstation II, 2000, 3100, 3200, 3500, 3520, 3540; VAXserver 3600, 3602, 3800, 3900, 4000 models 200, 300; 6000, 210/220, 6000 310/320; 6000 410/420; 6000 510/520; OpenVMS VAX Version 5.5
Digital Equipment Corporation	DEC COBOL for OpenVMS AXP Version 2.0; NIST-94/1402; High; 4/1/95	DEC/3000 Model 500; OpenVMS AXP, Version 6.1	DEC 10000, 7000, 4000, 3000, 2000, 1000; OpenVMS for AXP, Version 6.1
	DEC COBOL for OSF/1 AXP Version 1.1; NIST-94/1403; Intermediate; 4/1/95	DEC/3000 Model 500; OSF/1 AXP, Version 2.0	DEC 10000, 7000, 4000, 3000, 2000, 1000; OSF/1 for AXP, Version 2.0

## COBOL PROCESSORS, *Continued*

COB  
Cert

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	Micro Focus COBOL V3.1 for UNIX (Digital DECstation); NIST-94/1945; High; 8/1/95	Digital DECstation 5000/240 Ultrix Version 4.3A	
	Micro Focus COBOL V3.1 for UNIX (Digital Alpha AXP running OSF/1); NIST-94/1946; High; 8/1/95	Digital DEC 3000 AXP OSF/1 Version 2.0	
	Micro Focus COBOL V3.2 for UNIX (Intel 80386 running SCO UNIX); NIST-94/1947; High; 8/1/95	UNIQ 486 EISA SCO UNIX Version 3.2 v 4.2	
	Micro Focus COBOL V3.s.43 for NT (Intel 80386 running NT); NIST-94/1948; High; 8/1/95	Dell 466/T MS Windows NT Version 3.1	
	Micro Focus COBOL V3.2 for DOS, Windows and OS2 IBM PC); NIST-94/1949; High; 8/1/95	Digital DECP/C 433dx MTE MS DOS Version 6.2	
	Micro Focus COBOL V3.s.47 for NT (Digital Alpha AXP running NT); NIST-94/194A; High; 8/1/95	Digital Alpha AXP 150 MS Windows NT Version 3.1	
	COBOL Version 2.1 for DEC OSF/1 Systems NIST-94/2001; High; 9/1/95	DEC 3000 AXP Model 500 DEC OSF/1 Version 2.0	DEC 2000 Models 300 AXP, 500; 2100; 3000 Models 300, 300L, 300X, 300XL, 400, 400S, 500, 500S, 500X, 600, 600S, 800, 800S, 900; 4000 Models 610, 710; 7000 Models 610, 700; 10000 Model 610; DEC OSF/1 Version 2.0
Hewlett-Packard Company	COBOL/HP-UX Version B.08.00; NIST-94/1631; High; 5/1/95	HP9000 Series 720; HP-UX Version 9.0	HP9000 Series 635, 645, 705, 710, 712, 715, 720, 725, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200, 870/300, 870/400, 877, 887, 890, 890/1, 890/2, 890/3, 890/4, 897, EXX, FXX, GXX, HXX, IXX, T500; HP-UX Version 9.0
	COBOL/iX Version A.04.11; NIST-94/1632; High; 5/1/95	HP3000 Series 967; MPE/iX Version B.30.45	HP3000 Series 917, 920, 922, 925, 927, 932, 935, 937, 947, 948, 949, 950, 955, 957, 958, 960, 967, 977, 980/100/200/300/400, 987, 987/200RX/SX, 987/200Plus, 990, 991/CX/DX, 992, 992/100/200/300/400, 995/CX/DX/ 100/200/300/400/500/600/700/800, 918LX/RX, 928LX/RX, 968LX/RX, 978LX/RX; MPE/iX Version B.30.45

# COBOL PROCESSORS, *Continued*

COBOL -  
Certificates

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	Nihongo COBOL/HPUX (SJIS) Version A.08.02; NIST-94/1633; High; 5/1/95	HP9000 Series 720; HP-UX Version 9.0	HP9000 Series 635, 645, 705, 710, 712, 715, 720, 725, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200/300/400, 877, 887, 890, 890/1, 890/2/3/4, 897, EXX, FXX, GXX, HXX, IXX, T500; HP-UX Version 9.0
	Nihongo COBOL/HPUX (EUC) Version A.08.01; NIST-94/1634; High; 5/1/95	HP9000 Series 720; HP-UX Version 9.0	HP9000 Series 635, 645, 705, 710, 712, 715, 720, 725, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200/300/400, 877, 887, 890, 890/1/2/3/4, 897, EXX, FXX, GXX, HXX, IXX, T500; HP-UX Version 9.0
IBM Canada, Ltd.	COBOL/400 Version 2 Release 2; NIST-92/2071; Intermediate; 9/1/94 (pending)	AS/400; OS/400 Version 2 Release 2	
IBM Corporation	IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1; NIST-94/1082; High; 12/1/94	IBM 3090; VM/ESA Version ESA Release 1.0	IBM 390, 3000, 4381-T92, 9000; VM/ESA Version ESA Release 1.0
	IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1; NIST-94/1081; High; 12/1/94	IBM 3090; MVS/ESA Version 4 Release 3	IBM 390, 3000, 4381-T92, 9000; MVS/ESA Version 4 Release 3
	IBM SAA AD/CYCLE COBOL/370 Version 1 Release 1; NIST-94/1923; High; 6/1/95	IBM 3090; MVS/ESA Version 5 Release 1 VM/ESA Version 1 Release 2.2	IBM 390, 3000, 4381-T92, 9000; MVS/ESA Version 4 Release 3 VM/ESA Version ESA Release 1.0
	VS COBOL II Version 1 Release 4; NIST-94/1921; Intermediate; 6/1/95	IBM 3090; VM/ESA Version 1 Release 2.2 MVS/ESA Version 5 Release 1 VSE/ESA Version 1 Release 3	IBM 370, 390, 3000, 4300, 9000; VM/SP6 MVS/XA Version 2 Release 2.3 MVS/370 Version 1 Release 3.6 VSE/ESA Version 1 Release 3
Liant Software Corporation	LPI-COBOL Version 070011 (7.0.11); NIST-94/1241; High; 8/1/95	AT&T Global Information Solutions, Model 3000; UNIX Version V Release 4	
Micro Focus	Micro Focus COBOL V3.2 for DOS, Windows and OS/2; NIST-94/1941; High; 8/1/95	Compaq Deskpro; IBM OS/2 Version 2.1 IBM PS/2 Model 80; Microsoft DOS Ver 6.2	IBM PS/2 Model 85; IBM OS/2 Version 2.1 Dell 433 MX MS DOS Version 6.2

## COBOL PROCESSORS, *Continued*

COBOL  
Certifica

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	Micro Focus COBOL V3.2 for UNIX (IBM RS/6000); NIST-94/1942; High; 8/1/95	IBM RISC System/6000, 58H AIX Version 3.2.5	
	Micro Focus COBOL V3.2 for UNIX (Intel 80386 running SCO UNIX); NIST-94/1943; High; 8/1/95	UNIQ 486 EISA SCO UNIX 3.2 v 4.2	
	Micro Focus COBOL V3.2 for UNIX (Sun SPARC running Solaris 2); NIST-94/1944; High; 8/1/95	Sun Sparcstation 10 Solaris 2.3	
Sequent Computer Systems Corp.	Micro Focus COBOL V3.0; NIST-93/2001; High; 2/1/95	S2000/250; DYNIX/ptx Version 2.0 Release 1.0	S/2000/450, S/750; DYNIX/ptx Version 2.0 Release 1.0
Siemens Nixdorf Informations- systems AG	COBOL-IN Version 3.1; NIST/NCC-94/985; High 8/23/95	WX200; SINIX Version 5.41	
	COBOL-MI Version 3.1; NIST/NCC-94/986; High 8/23/95	RM600; SINIX Version 5.41	
	COBOL85 Version 2.1B NIST/NCC-94/987; High 8/23/95	7.500; BS2000/OSD Version 1.0	
Silicon Graphics, Inc.	Micro Focus COBOL V3.1 for UNIX (SGI Indigo and Challenge); NIST-94/1940; High; 8/1/95	SGI IRIX INDY IRIX Version 5.1.1.2	
Tandem Computers, Inc.	COBOL85 Version D20.02; NIST-94/1761; High; 6/1/95	NonStop Cyclone; Guardian Version D20	VLX; CLX 700, CLX 800; HIMALAYA K110, K120, K1000, K10000; Guardian Version D20

## 2.7.2 FORTRAN PROCESSORS

Fortran -  
Certificates

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
Concurrent Computer Corporation	Fortran VII O Version R06 Release 01; NIST-94/1721; Full; 9/1/95	3280MPS; OS/32 Version R09 Release 02	32xx, Model 3200, Micro 3200, 3280E; OS/32 Version R09 Release 02
	Fortran VII Z Version R06 Release 01; NIST-94/1722; Full; 9/1/95	3280MPS; OS/32 Version R09 Release 02	32xx, Model 3200, Micro 3200, 3280E; OS/32 Version R09 Release 02
	SP-2450 (Fortran 77) Version 2.1; NIST-94/1723; Full; 9/1/95	7000 Model 7200; RTU Version 6.1	Model 71xx, 72xx, 74xx, 75xx; RTU Version 6.1
	SP-2450 (Fortran 77) Version 2.3; NIST-94/1724; Full; 9/1/95	MAXION Multiprocessor System Model 9502; RTU Version 6.2	MAXION Multiprocessor System Model 9100, 9200 RTU Version 6.2
Convex Computer Corporation	Convex Fortran Version 9.0; NIST-94/1501; Full; 6/1/95	Convex C Series Model C4620; ConvexOS Version 11.0	Convex C46XX, C38XX, C34XX, C32XX; ConvexOS Version 11.0
	Convex Fortran Version 9.0; NIST-94/1502; Full; 6/1/95	Convex Exemplar Series Model SPP1000/XA; SPP-UX Version 9.03	Convex SPP1000/XA, SPP1000/CD SPP-UX, Version 9.03
Cray Computer Corporation	f77 Version 1.0; NIST-93/2201; Full; 3/1/95	CRAY-3; CSOS Version 1.0	
	f77 Version 1.0; NIST-93/2202; Full 3/1/95	Cray 3; CSOS Version 1.0	

## FORTRAN PROCESSORS, *Continued*

Fort  
Certif

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
Digital Equipment Corporation	DEC Fortran for OpenVMS VAX, Version 6.1; NIST-93/2143; Full; 12/1/94	VAX 6000-420; OpenVMS VAX Version 6.0	VAX 4000 Models 100, 100A, 105A, 200, 300, 400, 500, 500A, 600, 600A, 700A; VAX 6000 Models 200, 300, 400, 500, 600; VAX 7000 Model 600; VAX 8200, 8250, 8300, 8350, 8500, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 8842; VAX 9000 Models 110, 210, 300, 400, 420, 430, 440; VAX 10000 Model 600; VAXft Models 110, 310, 410, 610, 612; VAX 11/730, 11/750, 11/780, 11/785; MicroVAX II, 2000, 3100 10/10E, 20/20E, 30, 40, 80, 90; MicroVAX 3300, 3400, 3500, 3600, 3800, 3900; VAXstation II, 2000; 3100 Models 30, 38, 40, 48, 76; 3200, 3500, 3250, 3540; VAXstation 4000 Models 60, 90, VLC; VAXserver 3100 Models 10/10E, 20/20E; 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 4000 Models 200, 300, 500; VAXserver 6000 Models 210, 220, 310, 320, 410, 420, 510, 520, 610, 620, 630; VAXserver 9000 Models 110, 310, 320, 330, 340; OpenVMS VAX Version 6.0, 5.5, 5.4
	DEC Fortan for OpenVMS AXP, Version 6.1; NIST-93/2141; Full; 12/1/94	DEC 3000-500; OpenVMS AXP Version 1.5	DEC 2000 300, DEC3000 300, 300L, 500X, 400 AXP Workstation, 400 AXP Server, 500 AXP Workstation, 500 AXP Server; 600, 600 Server 800, 800 Server, DEC 4000 600 AXP, 710; DEC 7000 600 AXP; DEC 10000 600 AXP; OpenVMS AXP Version 1.5
	DEC Fortan for RISC/ULTRIX Version 3.2; NIST-93/2142; Full; 12/1/94	DECstation 5000, Mod 200; RISC/ULTRIX Version 4.3	DECstation 2100, 3100, 3100s; Personal DECstation 5000 20/25 MX, HX, TX, PXG+, PXG Turbo+; DECstation 5000 120/125/133 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; 200 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo+; 240 MX, HX, TX, PXG, PXG Turbo+; DECsystem 3100; 5000 25, 200, 240; 5100; 5400; 5500; 5810; 5820; 5830; 5840; 5900; ULTRIX/RISC Version 4.3
	DEC Fortan for DEC/ OSF/1 AXP Version 3.4; NIST-94/1404; Full; 4/1/95	DEC 4000 Model 610; DEC OSF/1 AXP Version 2.0	DEC/10000; 7000; 4000; 3000; 2000 DEC OSF/1 Alpha Version 2.0
	DEC Fortan 90 for DEC OSF/1 AXP Version 1.0; NIST-94/2002; Full; 9/1/95	DEC 4000 Model 600 AXP; DEC OSF/1 AXP Version 2.0	DEC 2000 AXP, DEC 2100 AXP, DEC 3000 AXP, DEC 4000 AXP, DEC 7000 AXP, DEC 10000 AXP; DEC OSF/1 AXP Version 2.0
	DEC Fortan for Windows NT AXP Version 1.0; NIST-94/2003; Full; 9/1/95	DECpc AXP/150; Windows NT AXP Version 3.5	DECpc 2000 Model 300, DECpc 2000 Model 500, DECpc AXP 150, DECpc AXP Universal Platform, DEC 2100 Servers Models A500MP and A600MP; Windows NT AXP Version 3.5
Encore Computer Corporation	Fortan 77+ Version 5.2.0; NIST-93/1441; Full; 12/1/94	Concept 32/97; MPX-32 Version 3.5u02A	Concept 32/67, 32/20xx, Encore RSX; MPX-32 Version 3.5u02A

## FORTRAN PROCESSORS, *Continued*

Fortran -  
Certificates

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	Parallel Fortran+ Version 1.2.0; NIST-93/1442; Full; 12/1/94	Encore 91; UMAX V Version 3.0.7	Infinity 90; UMAX V Version 3.0.7
	Parallel Fortran+ Version 1.2.0; NIST-93/1443; Full; 12/1/94	Encore 93; UMAX V Version 3.1.2	
Fujitsu America, Inc.	OSIV/MSP Fortran77 EX Version 11 Level 10; NIST-91/1383; Full; 2/1/95	Fujitsu VP100E; OSIV/F4 MSP Edition 20	Fujitsu M780; M760; OSIV/F4 MSP Edition 20
	OSIV/MSP Fortran77 EX Version 11 Level 10; NIST-91/1384; Full; 2/1/95	Amdahl 5990; IBM MVS/SP Version 3 Release 1.3	IBM 3090/200E; IBM MVS/SP Version 2 Release 2.3
	UXP/M Fortran77 EX/VP Version 11 Level 10; NIST-91/1601; Full; 2/1/95	Fujitsu VP2400/10; UXP/M Version 10 Level 10	Fujitsu VP2000 Series; UXP/M Version 10 Level 10
	UXP/M Fortran77 EX/VP Version 11 Level 10; NIST-91/1602; Full; 2/1/95	Fujitsu VP2400/10; UXP/M Version 10 Level 10	Fujitsu VP2000 Series; Fujitsu M Series; UXP/M Version 10 Level 10
Hewlett-Packard Company	HP 9000 S700 Fortran 77 Version A.09.00 Rel 9.0; NIST-93/1121; Full; 1/1/95	HP9000 Model 720; HP-UX Version 9.0	HP9000, mod 705, 710, 730, 750; HP-UX Version 9.0
	HP 9000 S300/S400 Fortran 77 Version A.09.00 Rel 9.0; NIST-93/1122; Full; 1/1/95	HP9000 Model 433T; HP-UX Version 9.0	HP9000, mod 400, 425, 332, 345, 350, 360, 370, 375, 380, 385; HP-UX Version 9.0
	HP 9000 S800 Fortran 77 Version A.09.00 Rel 9.0; NIST-93/1123; Full; 1/1/95	HP9000 Model 835; HP-UX Version 9.0	HP9000, mod 807, 817, 825, 827, 834, 835, 837, 840, 845, 847, 850, 857, 860, 867, 870; HP-UX Version 9.0
	HP 3000 S900 Fortran 77 Version A.04.31 Rel 9.0; NIST-93/1124; Full; 1/1/95	HP3000 Model 947LX; MPE/iX Version 4.0	HP3000, mod 917, 922, 925, 927, 930, 932, 935, 937, 950, 955, 957, 960, 967, 980, 990; MPE/iX Version 4.0

## FORTRAN PROCESSORS, *Continued*

Fortran  
Certific

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
IBM Canada, Ltd.	IBM AIX XL Fortran Compiler/6000 Version 3 Release 1; NIST-93/1921; Full; 1/1/95	IBM RISC System /6000 POWERstation /POWERserver 550; AIX for RISC System /6000 Version 3 Release 2.5	RISC System/6000 Powerstation /Powerserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 58H, 590, 730, RISC System/6000 Powerserver 25S, 930, 950, 970, 990; AIX for RISC System/6000 Version 3 Release 2.5
IBM Corporation	VS Fortran Version 2 Release 6; NIST-94/1922; Full; 6/1/95	IBM S/390 ES9000 9021 Model 720 MVS/ESA SP Version 4 Release 3	S/390, ES/9000, S/370, 30XX, 43XX, 93XX MVS/SP Version 1, Release 3 MVS/SP Version 2, Release 2 MVS/SP Version 3, Release 1
Intel SSD	f77 Native Compiler Version R4.5; NIST-93/1781; Full; 11/1/94	XP/S; OSF/1 AD Release R1.1	
Intergraph Corporation	Clipper Advanced Optimizing Fortran, Version 1.57; NIST-94/1101; Full; 12/1/94	Clipper Model 2730; CLIX, Version 7.1	Clipper C300 and C400; CLIX, Version 7.1
	Clipper Advanced Optimizing Fortran, Version 2.0; NIST-94/1104; Full; 12/1/94	Clipper Model 2730; CLIX, Version 7.1	Clipper C300 and C400; CLIX, Version 7.1
Liant Software Corporation	Fortran/400 Version 2 Release 2; NIST-94/1242; Full; 8/1/95	IBM AS/400 Model B4500; IBM OS/400 Version 2 Release 2	
	Fortran/400 Version 2 Release 3; NIST-94/1243; Full; 8/1/95	IBM AS/400 Model B4500; IBM OS/400 Version 2 Release 3	
Microsoft Corporation	Fortran PowerStation Version 1.0, Release a; NIST-94/1421; Full; 6/1/95	Dell PC 486D/50 CPU Microsoft Windows for Workgroups Version 3.1.1 under MS DOS Version 6.20	
Modular Computer Systems, Inc.	GLS Fortran 77 Version C.0; NIST-94/1561; Full; 4/1/95	REAL/STAR 9088R-4; REAL/IX Version E.0	REAL/STAR Models 9088 R-2, 9088 R-1, 9087, 9097-R1, 9097-R2; REAL/IX Version E.0
	Fortran 77/16 Version B.5; NIST-94/1562; Full; 4/1/95	CLASSIC 9250; MAX IV Version L.0	CLASSIC 9230; MAX IV Version L.0

## FORTRAN PROCESSORS, *Continued*

Fortran -  
Certificates

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	Fortran 77/32 Version B.5; NIST-94/1563; Full; 4/1/95	CLASSIC 9250; MAX 32 Version D.3	CLASSIC 9230; MAX 32 Version D.3
Salford Software Ltd.	FTN77/486 Version 2.73; NIST/NCC-94/983; Full; 6/30/95	Western Systems 486 DX2 (WS486 DX2-66); MS-DOS Version 6.2	
	FTN77 Version 1.0; NIST/NCC-94/984; Full; 6/30/95	Western Systems 486 DX2 (WS486 DX2-66); MS-Windows/NT Version 3.1	
Sequent Computer Systems, Inc.	ptx/Fortran Version 2.1p NIST-93/2002; Full; 2/1/95	S2000/250; DYNIX/ptx Version 2 Release 1.0	S2000/450, S2000/750; DYNIX/ptx Version 2 Release 1.0
Siemens Nixdorf Informations- systeme AG	Fortran77 V1.3; NIST/NCC-93/978; Full; 11/1/94	PCE-5S; SINIX-Z V5.41	MX300, MX500, WX200; SINIX-L Version 5.41
	Fortran77 V1.3; NIST/NCC-93/979; Full; 11/1/94	RM400; SINIX-N V5.41	RM600, RNM600; SINIX-P Version 5.41
	FOR1 V2.2; NIST/NCC-93/980; Full; 11/1/94	7.592I; BS2000/OSD V1.0A (BS2000 V11.0A)	
	FORTRAN90 V1.0; NIST/NCC-93/981; Full; 11/1/94	7.592I; BS2000/OSD V1.0A (BS2000 V11.0A)	
Silicon Graphics Computer Systems Inc.	Fortran 77 Version SC4-FTN-3.19; NIST-94/1441; Full; 10/1/95	40/CRIM Model IP17; IRIX Version 5.3	
	MIPS PRO Fortran 77 Version SC4-FTN-6.0; NIST-94/1442; Full; 10/1/95	Challenge Model IP21; IRIX Version 6.0	
Sunsoft, a Sun Microsystems, Inc. Business	SPARCompiler Fortran Version 3.0; NIST-93/2181; Full; 2/1/95	SPARCstation LX SPARCserver 1000; Solaris Version 2.3	
	SPARCCompiler Fortran MP (SPARCworks iMPact 1.0); NIST-93/2182; Full; 2/1/95	SPARCstation 10 SPARCserver 1000 SPARCcenter 2000; Solaris Version 2.3	

## FORTRAN PROCESSORS, *Continued*

Fortr  
Certific

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	SPARCompiler Fortran Version 3.0.1; NIST-94/1741; Full; 9/1/95	SPARCstation 5; SunOS Version 4.1.3 SPARCstation 20 Solaris Version 2.4	Voyager, SPARCstation 10, SPARCserver 1000, SPARCcenter 2000; Solaris Version 2.4 SPARCstation 10, SPARCserver 1000, SPARCcenter 2000; SunOS Version 4.1.3
	SPARCompiler Fortran MP (SPARCworks iMPact 2.0) NIST-94/1742; Full; 9/1/95	SPARCstation 20; Solaris Version 2.4	SPARCstation 10, SPARCserver 1000, SPARCcenter 2000; Solaris Version 2.4
	ProCompiler Fortran Version 2.0.1; NIST-94/1743; Full; 9/1/95	Gateway 2000 486/33E; UnixWare Version 1.1	
Tandem Computers, Inc.	Fortran Version D20; NIST-94/1762; Full; 6/1/95	NonStop Cyclone; Guardian Version D20	VLX; CLX 700; CLX 800; HIMALAYA K110, K120, K1000, K10000 Guardian Version D20

## 2.7.3 Ada PROCESSORS

The following pages list Ada compilers that have been validated by the Ada Joint Program Office (AJPO). Compilers are listed in order of vendor. The list is updated monthly, and presently includes 336 base compilers and 401 compilers derived from base implementations. For the most current information on validated Ada compilers, please contact the Ada Information Clearinghouse at (703) 685-1477.

(Key: \* = Validated through Registration, base system above)

(Key: (#YYMMDDFX.XXNNN): YYMMDD is the date on-site testing was completed:

F is the Ada Validation Facility;

X.XX is the ACVC Version;

NNN is a unique sequence number that is assigned by the AVO)

For example, the certificate number #901120W1.11087 means the compiler completed on-site testing November 20, 1990, at Wright-Patterson AFB under ACVC 1.11.

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration AETECH XAda Ver. 6.1 (BASE #901129W1.11086)	Any computer system comprising: cpu: Intel 80386 or 80486; fpu: optional; memory: 8 MByte RAM; disk: 160 MByte hard drive (under SCO Unix 3.2, Solaris X86, ESIX System V, Release 4.0, & Interactive Unix System V, Release 3.2)	Same as Host	AETECH, Inc. IntegrAda 5.1.0 POSIX (#901129W1.11086)	Unisys PW/2 386 (under SCO Unix 3.2)	Same as Host
*Validated by Registration AETECH XAda Version 6.1 (BASE #901129W1.11086)	Any computer system comprising: cpu: Intel 80386 or 80486; fpu: optional; memory: 8 MByte RAM; disk: 160 MByte hard drive (under Univel UnixWare Version 1.0.3a)	Same as Host	*Validated by Registration AETECH, Inc. IntegrAda Posix 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: intel 80386& 80486; fpu: optional, memory: 4 MByte RAM, disk: 60 MByte hard drive (under SCO Unix 3.2)	Same as Host
AETECH, Inc. IntegrAda 386 5.1.0 (#901120W1.11087)	Northgate 386/25 (under Phar Lap/DOS 3.3)	Northgate 386/25 (under MS DOS 3.3)	*Validated by Registration AETECH, Inc. AETECH POSIX Compiler, Version 5.1.0 (BASE #901129W1.11086)	Any Computer System Comprising: cpu: intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 60 MByte hard drive (under ESIX System V, Release 4.0)	Same as Host
*Validated by Registration AETECH, Inc. IntegrAda for Windows Ver 1.2 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under Phar Lap/DOS 3.3)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under MS DOS 3.3)	Aitech Defense Systems, Inc. AI-ADA/88K Version 2.4 (#900930W1.11030)	VAXstation 3100 Cluster (under VMS 5.3)	Tadpole TP880V (88100-based VME board) (bare machine)
*Validated by Registration AETECH, Inc. IntegrAda 386 Ver 6.2 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0, with Windows 3.1)	Same as Host	*Validated by Registration Aitech Defense Systems, Inc. AI-ADA/88K, Version 2.4 (BASE #900930W1.11030)	All DEC MicroVAX, VAXstation, VAXserver, VAX-11, VAX 8xxx & VAX 6xxx series (under VMS versions 5.0, 5.1, 5.2 & 5.3, as supported)	Tadpole TP880V (88100-based VME board) & Motorola MVME181 (88100-based VME board) (bare machines)
*Validated by Registration AETECH, Inc. IntegrAda 386 Ver 6.2 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80386 & 80486; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0)	Same as Host	Aitech Defense Systems, Inc. AI-ADA/96K, Version 3.0 (#911012W1.11224)	VAXstation 3100 Cluster (under VMS 5.3)	DSP96002ADS board (bare machine)
*Validated by Registration AETECH, Inc. IntegrAda DOS Ver 6.1 (BASE #901120W1.11087)	Any Computer System Comprising: cpu: Intel 80x86 series; fpu: optional; memory: 640 KByte RAM; disk: 40 MByte hard drive (under MS DOS 3.3, 5.0, & 6.0)	Same as Host	Aitech Defense Systems, Inc. AI-ADA/96K, Version 3.0 (#911012W1.11225)	Sun-4/330 (under SunOS 4.1.1)	DSP96002ADS board (bare machine)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Aitech Defense Systems, Inc. AI-ADA/96K, Version 3.0 (#911012W1.11225)	Sun-4/330 (under SunOS 4.1.1)	DSP96002 ADS board (bare machine)	Alsys AlsyCOMP_004 Version 5.5.1 (BASE #901022A1.11044)	HP Apollo 9000 Series 400 (under Domain/OS SR10.4)	Any Host
Alenia Aeritalia & Selenia S.p.A DACS VAX/VMS ia 80x86 PM MARA Ada Cross Compiler, Version 4.6 (#920509S1.11259)	MicroVAX 4000/200 (under VMS Version 5.4)	Alenia MARA (80286-based) (under Alenia Operating System, Version 8.6 System)	Alsys AlsyCOMP_050, Version 5.3 (#901022A1.11045)	Bull DPX/2 320 (under B.O.S. 02.00.05)	Same as Host
*Validated by Registration Alenia Aeritalia & Selenia S.p.A DACS 80x86PM, Version 4.60 (BASE #920509S1.11259)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.4)	Alenia MARA 80386-& 80486-based computers (under Alenia Operating System 8.6)	Alsys AlsyCOMP_050, Version 5.3 (BASE #901022A1.11045)	Bull DPX 2/210, /220, /320, /340 & /360 (under BOS 02.00.05 & 2.00.10)	Any Host
Alliant Computer Systems Corporation Alliant FX/Ada-2800 Compiler, Version 1.0 (#901218W1.11105)	Alliant FX/2800 (under Concentrix Release 2.0)	Same as Host	Alsys AlsyCOMP_002, Version 5.3 (#901022A1.11046)	HP 9000s350 (under HP-UX 6.5)	Same as Host
Alliant Computer Systems Corporation Alliant FX/Ada Compiler, Version 2.3 (#901218W1.11106)	Alliant FX/80 (under Concentrix Release 5.7)	Same as Host	Alsys AlsyCOMP_002, Version 5.3 (BASE #901022A1.11046)	HP 9000 Series 300, all models (under HP-UX 6.5 & 7.0)	Any Host
Alsys AlsyCOMP_053, Version 1.82 (#900509I1.11009)	VAX 8530 (under VMS, Version 5.1)	Same as Host	Alsys AlsyCOMP_002, Version 5.5.1 (BASE #901022A1.11046)	HP 9000 Series 300 & 400 (all models) (under HP-UX 8.0)	Any Host
Alsys AlsyCOMP_042, Version 5.3 (#900627N1.11013)	IBM 9370 Model 90 (under AIX/370 Version 1.2)	Same as Host	Alsys AlsyCOMP_005, Version 5.3 (BASE #901022A1.11047)	Sun 3/50, /60, /75, /80, /160, /260, /280, /470 & /480 (under SunOS 3.2, 3.5, 4.0 & 4.1)	Any Host
Alsys AlsyCOMP_026, Version 1.82 (#900814II.11040)	Sun-3/60 (under SunOS, Version 4.0.3)	Same as Host	Alsys AlsyCOMP_005 Version 5.5.1 (BASE #901022A1.11047)	Sun Microsystems Sun-3 computer family (under SunOS 4.1.1)	Any Host
Alsys AlsyCOMP_025, Version 1.83 (#900814II.11041)	MIPS M/120-5 (under RISC/os, Version 4.0)	Same as Host	Alsys AlsyCOMP_035, Version 5.3 (#901022A1.11048)	CETIA Unigraph 6000 (under Unigraph/X 3.1)	Same as Host
Alsys AlsyCOMP_046, Version 5.3 (#901022A1.11043)	Sony NEWS NWS-1850 (under NEWS-OS 3.3)	Same as Host	Alsys AlsyCOMP_035, Version 5.3 (#901022A1.11048)	CETIA Unigraph 6000 (under Unigraph/X 3.1)	Same as Host
*Validated by Registration Alsys AlsyCOMP_046, Version 5.3 (BASE #901022A1.11043)	Sony NEWS series 1250, 15xx, 17xx, 18xx & 19xx (under NEWS-OS versions 3.3 & 3.4)	Any Host	Alsys AlsyCOMP_035, Version 5.3 (BASE #901022A1.11048)	Unigraph 1000/325, 2000/50, 2000/250, 2000/325, 3000/325-333, 6000/325-333, 7000/325, 8000/325 & 9000 (under Unigraph/X 3.1 & 3.1.1)	Any Host
Alsys AlsyCOMP_004, Version 5.3 (#901022A1.11044)	Apollo DN4000 (under Domain/OS SR10.2)	Same as Host	Alsys AlsyCOMP_035 Version 5.5.1 (BASE #901022A1.11048)	CETIA Unigraph models 1000/325; 2000/50, /250, /325; 3000/325-333; 6000/325-333; 7000/325/325/8000/325 & 9000 (under Unigraph/X 3.2c.1)	Any Host
*Validated by Registration Alsys AlsyCOMP_004, Version 5.3 (BASE #901022A1.11044)	Apollo DN3000, DN3500, DN4000 & DN4500 (under Domain/OS SR10.2 & SR10.3)	Any Host	Alsys AlsyCOMP_016 Version 5.1 (#901102W1.11055)	Compaq Deskpro 386 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host
*Validated by Registration					

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_016 Version 5.1.1 (BASE #901102W1.11055)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under MS/DOS 5.0 & Phar Lap 4.0)	Any Host	Alsys AlsyCOMP_037, Version 5.2 (#901114N1.11065)	INMOS T800 transputer on a B405 TRAM (bare) with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.3)	INMOS T800 transputer on a B405 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link
*Validated by Registration Alsys AlsyCOMP_085, V5.1.3 (BASE #901102W1.11055)	Any computer that executes the Intel 80386, 80486, or Pentium instruction set (under MS-DOS 6.20 & Phar Lap TNT 6.1, with MS-Windows 3.1)	Same as Host	*Validated by Registration Alsys AlsyCOMP_037, V5.3 (BASE #901114N1.11065)	INMOS T800 transputer on a B403 TRAM (bare) with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.3)	INMOS T800 transputer on a B403 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link;
Alsys AlsyCOMP_016 Version 5.1 (#901102W1.11056)	CompuAdd 320 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host			INMOS T800 transputer on a B403 TRAM (bare) using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver 1.3 for file-server support via an INMOS B008 board link
*Validated by Registration Alsys AlsyCOMP_016, Version 5.1 (BASE #901102W1.11056)	HP Vectra RS/20, RS/20C, RS/25 & RS/25C; AST Premium 386; and Unisys 386 & Desktop III (under MS-DOS 3.30, Phar Lap 2.0)	Any Host	*Validated by Registration Alsys Alsycomp_037 Version 5.4.2 (BASE #901114N1.11065)	INMOS T800 transputer on a B405 TRAM board (bare), with an INMOS B008 Communications link implemented in an IBM PC/AT (under MS-DOS 3.1 and INMOS Iserver V1.42h)	INMOS T800 transputer on a B405 TRAM (bare), using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver V1.42h for file-server support via an INMOS B008 board link and INMOS T425 transputer on a B403 TRAM (bare), using an IBM PC/AT under MS-DOS 3.1 running INMOS Iserver V1.42h for file-server support via an INMOS B008 board link
*Validated by Registration Alsys AlsyCOMP_016 Version 5.1 (BASE #901102W1.11056)	Any Computer System Comprising: cpu: Intel 80386; fpu: optional; memory: 5 MByte RAM; disk: 10 MByte (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host	Alsys AlsyCOMP_012, Version 5.3 (#901116A1.11066)	HP 9000s350 (under HP-UX 6.5)	Motorola MVME101 (68000) (bare machine, using ARTK Version 5.3)
Alsys AlsyCOMP_003 Version 5.1 (#901102W1.11058)	ALR Power Vesa 486 (under MS-DOS 3.30, Phar Lap 2.0)	Same as Host	*Validated by Registration Alsys AlsyCOMP_012, Version 5.3 (#901116A1.11066)	HP 9000 Series 300, Models 340, 345, 360, 370 & 375 (under HP-UX 6.5 & 7.0)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881) & MVME147-1 (68030/68882) (bare machines, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11058)	Unisys Desktop III (under MS-DOS 3.30)	Same as Host	*Validated by Registration Alsys AlsyCOMP_012, Version 5.3 (BASE #901116A1.11066)	HP 9000 Series 300 (all models) (under HP-UX 6.5 & 7.0)	Motorola M68332EV5 Evaluation System Customers (CPU32) (bare machine, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_003 Version 5.1 (BASE #901102W1.11058)	Any Computer System that executes the Intel 80286, 80386, or 80486 instruction set (under MS/DOS 5.0)	Any Host	*Validated by Registration Alsys AlsyCOMP_012 Version 5.5.1 (BASE #901116A1.11066)	HP 9000 Series 400 (all models) (under HP-UX 8.0)	Motorola MVME 131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpus) (bare machines, using VRTEX2); Motorola MVME101, MVME121, MVME 131, MVME133, MVME133XT, MVME135, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpus) (bare machines, using ARTK Version 5.5.1)
Alsys AlsyCOMP_003 Version 5.1 (#901102W1.11059)	Zenith Z-248 Model 50 (under MS-DOS 3.30)	Same as Host	#901116A1.11066)		
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11059)	ICS SB286SC/12 (under MS-DOS 3.30)	Same as Host	*Validated by Registration Alsys AlsyCOMP_048 Version 5.5.1 (BASE #901116A1.11066)	Sun SPARCstation & SPARCserver computer families; SPARCenter 2000 (under SunOS 4.1.2); Solbourne Series 5/100, /530, /600, /670, /800, SE/900; & S4000 (under OS/MP 4.1A.1)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EV5, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpus) (bare machines, using ARTK Version 5.5.1)
*Validated by Registration Alsys AlsyCOMP_003, Version 5.1 (BASE #901102W1.11059)	HP Vectra ES/12; and IBM PC/AT (all models) (under MS-DOS 3.30)	Any Host	#901116A1.11066)		

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_063 Version 5.5.1 (BASE #*901116A1.11066)	HP 9000 Series 700 (all models) (under HP-UX 9.0)	Motorola MVME101, MVME121, M68332EVs, MVME131, MVME133, MVME133XT, MVME135, MVME147, & MVME167 (68000-, 68010-, 68020, 68030, & 68040-based single-board computers) (bare machines, using ARTK 5.5.1)	Alsys AlsyCOMP_017, Version 5.2 (#*901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare) using the Host running INMOS Iserver 1.3 for file-server support via a CAPLIN QT0 board link
*Validated by Registration Alsys AlsyCOMP_048, V5.5.2 (BASE #*901116A1.11066)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers; and SPARCcenter 2000 (under SunOS 4.1.2)	Motorola MVME10, MVME121, MVME131, MVME133, MVME133XT, MVME135, MVME147, MVME167, & MEN A4 (68332)(bare machines, using ARTK 5.5.2)	Alsys AlsyCOMP_017, V5.3 (BASE #*901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare) using the Host running INMOS Iserver 1.3 for file-server support via a CAPLIN QT0 board link; INMOS T800 transputer on a B405 TRAM (bare) using the Host running INMOS Iserver 1.3 for file-server support via a CAPLIN QT0 board link
*Validated by Registration Alsys AlsyCOMP_063, V5.5.2 (BASE #*901116A1.11066)	Hewlett-Packard HP 9000 Series 700 (under HP-UX 9.0)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, MVME147, MVME167, & MEN A4 (68332)(bare machines, using ARTK 5.5.2)	*Validated by Registration Alsys Alsycomp_017 Version 5.4.3 (BASE #*901118N1.11064)	MicroVAX II (under VMS V5.3)	INMOS T425 transputer on a B403 TRAM (bare), using the Host running INMOS Iserver V1.42i for file-server support via a CAPLIN QT0 board link and INMOS T800 transputer on a B405 TRAM (bare), using the Host running INMOS Iserver V1.42i for file-server support via a CAPLIN QT0 board link
*Validated by Registration Alsys AlsyCOMP_79, V5.5.2 (BASE #*901116A1.11066)	IBM RS/6000 models M20, 220/225/22W, 230/235/23W, 34H, 355, 360, 365, 370, 375/37T, 55L, 570, 580, 58H, 590, 97B, 98B, & 990; CETIA models SBW 225, 2225, 2230, 334H, 3355, 3360, 3365, 3370, 3375, 5580, 558H, 5590, & 9990 (under ALX Version 3.2)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, MVME147, MVME167, & MEN A4 (68332)(bare machines, using ARTK 5.5.2)	*Validated by Registration Alsys VAX/VMS to INMOS T800 Ada BSMART cross compiler, V5.4.8 (BASE #*901118N1.11064)	VAXstation 4000 Model 60 (under VMS 5.5.2)	INMOS T800 transputer implemented on a B417 TRAM (bare), using the Host running INMOS Iserver 1.5 for file-server support via an INMOS B300 TClink
Alsys AlsyCOMP_036, Version 5.3 (#*901116A1.11067)	Apollo DN 4000 (under Domain/OS SR10.2)	Motorola MVME147-1 (68030/68882)(bare machine, using ARTK Version 5.3)	Alsys AlsyCOMP_018 Version 5.2 (#*901120A1.11070)	MicroVAX 3100 (under VMS 5.3)	Same as Host
*Validated by Registration Alsys AlsyCOMP_036, Version 5.3 (BASE #*901116A1.11067)	Apollo DN 3000, 3500, 4000 & 4500 (under Domain/OS SR10.2 & SR10.3)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881)& MVME147-1 (68030/68882)(bare machines, using ARTK 5.3)	*Validated by Registration Alsys AlsyCOMP_018, Version 5.2 (BASE #*901120A1.11070)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS 5.2 & 5.4)	Any Host
*Validated by Registration Alsys AlsyCOMP_036 Version 5.5.1 (BASE #*901116A1.11067)	HP 9000 Series 400 (all models) (under Domain/OS SR 10.4)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVs, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpus) (bare machines, using ARTK Version 5.5.1)	Alsys AlsyCOMP_006, Version 5.3 (#*901125N1.11071)	IBM 9370 Model 90 (under VM/IS CMS release 5.1)	Same as Host
Alsys AlsyCOMP_015, Version 5.3 (#*901116A1.11068)	Sun 3/260 (under SunOS 3.2)	Motorola MVME121 (68010) (bare machine, using ARTK Version 5.3)	Alsys AlsyCOMP_023, Version 5.3 (#*901125N1.11072)	IBM 370 3084Q (under MVS/XA release 3.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_015, Version 5.3 (BASE #*901116A1.11068)	Sun 3/50, /60, /75, /80, /160, /260, /280, /470 & /480 (under SunOS 3.2, 3.5, 4.0 & 4.1)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881)& MVME147-1 (68030/68882)(bare machines, using ARTK Version 5.3)	Alsys AlsyCOMP_011, Version 5.3 (#*901127A1.11069)	VAX 6210 (under VMS 5.2)	Motorola MVME135-1 (68020/68881)(bare machine, using ARTK Version 5.3)
*Validated by Registration Alsys AlsyCOMP_015 Version 5.5.1 (BASE #*901116A1.11068)	Sun Microsystems Sun-3 computer family (under SunOS 4.1.1)	Motorola MVME131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpus) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVs, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpus) (bare machines, using ARTK Version 5.5.1)	*Validated by Registration Alsys AlsyCOMP_011, Version 5.3 (BASE #*901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS 5.2, 5.3 & 5.4)	Motorola MVME101 (68000), MVME121 (68010), MVME135-1 (68020/68881)& MVME147-1 (68030/68882)(bare machines, using ARTK Version 5.3)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_011 Version 5.3.1 (BASE #901127A1.11060)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 series of computers (under VMS 5.2, 5.3, & 5.4, as supported)	Motorola MVME101 (68000), MVME121 (68010), MVME133XT & MVME135-1 (68020), & MVME147-1 (68030) (bare machines, using ARTK 5.3.1)	*Validated by Registration Alsys AlsyCOMP_034 Version 5.1.2 (BASE #901221W1.11103)	Zenith Data Systems Z-Station 433 DEh (under SCO Unix 3.2.4 running SecureWareCMW + Version 2.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_028 Version 5.3 (BASE #901127A1.11069)	Campaq Deskpro 386/20 (under DOS 3.31 & 5.0)	Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135-1, MVME147-1, M68332EVS (68000, 68010, 68020, & 68030 cpus) (bare machine, using ARTK Version 5.3)	*Validated by Registration Alsys AlsyCOMP_034 Version 5.5 (BASE #901221W1.11103)	Any computer system that executes the Intel 80386 or i486 instruction set (under SCO Open Desktop 2.0 with SCO Unix version 3.2.4, Interactive Unix 3.2.2, or AT&T Unix System V Release 4.0)	Any Host (same OS as Host)
*Validated by Registration Alsys AlsyCOMP_011 Version 5.5.1 (BASE #901127A1.11069)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 computer series (under VMS 5.4)	Motorola MVME131, MVME133, MVME133XT, MVME135, & MVME147 (68020 & 68030 cpus) (bare machines, using VRTX32); Motorola MVME101, MVME121, MVME131, MVME133, MVME133XT, MVME135, M68332EVS, MVME147, & MVME167 (68000, 68010, 68020, 68030, & 68040 cpus) (bare machines, using ARTK Version 5.5.1)	*Validated by Registration Alsys AlsyCOMP_034 Version 5.1.2 (BASE #901221W1.11103)	SAIC LCU V2 (under SCO Open Desktop 2.0 (SCO Unix 3.2.4))	Same as Host
*Validated by Registration Alsys TeleGen2 Ada Host Development System for SPARCsystems, Version 2a (BASE #901128W1.11090)	Sun-4/690 (under SunOS release 5.3)	Same as Host	*Validated by Registration Alsys AlsyCOMP_034 Version 5.1 (BASE #90129W1.11113)	IBM PS/2 Model 80 (under LynxOS Version 2.0 + Threads Release 11)	Same as Host
Alsys AlsyCOMP_034, Version 5.1 (#901221W1.11103)	Multitech 1100 (under SCO Unix 3.2)	Same as Host	*Validated by Registration Alsys AlsyCOMP_070 Version 5.5.3 (BASE #90129W1.11113)	Any computer system that executes the Intel 80386 or i486 instruction set (under LynxOS, Version 2.1)	Same as Host
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1 (#901221W1.11103)	Everex AGI 3000D, Campaq Deskpro 386 & SAI Technologies Army Lightweight Computer Unit (LCU V2) (under Interactive Unix 3.2)	Each Host, self-targetted	*Validated by Registration Alsys AlsyComp_034 Version 5.5.6 (BASE #90129W1.11113)	IBM PS/2 Model 80 series (under LynxOS v2.2)	Same as Host
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Prime MBX (under Prime Unix V.4)	Same as Host	*Validated by Registration Alsys AlsyCOMP_056, Version 1.82 (#910131II.11127)	Sun 3/60 (under SunOS, Version 4.0.3)	KWS EB68020 (under OS-9/68020, Version 2.3)
*Validated by Registration Alsys AlsyCOMP_034, Version 5.1 (BASE #901221W1.11103)	Any Computer System comprising: cpu: Intel 80386 or 80486; fpu: optional (under a Unix 3.2-based OS)	Each Host, self-targetted	Alsys AlsyCOMP_055, Version 1.82 (#910201II.11128)	VAX 8530 (under VMS, Version 5.3-1)	KWS EB68020 (under OS-9/68020, Version 2.3)
*Validated by Registration Alsys AlsyCOMP_034 Version 5.1 (#901221W1.11103)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under SCO Open Desktop 1.1 & SCO Unix 3.2, SCO Open Desktop 2.0 & SCO Unix 3.2.4, Interactive Unix 3.2.2, and AT&T Unix System V Release 4.0)	Any Host	Alsys AlsyCOMP_029, Version 5.3 (#910323W1.11131)	CompuAdd 325 (under DOS 3.31)	Intel iSBC 386/116 (bare machine, using ARTK 5.3)
*Validated by Registration Alsys AlsyCOMP_034 Version 5.1 (#901221W1.11103)			Alsys AlsyCOMP_029, Version 5.3.1 (#910323W1.11131)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under MS-DOS version 5.0 & Phar Lap version 4.0)	Any 80486 single board computer (bare machine, using ARTK 5.3)
			Alsys AlsyCOMP_030, Version 5.3 (#910323W1.11132)	MicroVAX II (under VMS 5.2)	Intel iSBC 386/31 (bare machine, using ARTK 5.3)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsyCOMP_030, Version 5.3.1 (BASE #910323W1.11132)	MicroVAX II (under VMS 5.2)	Any 80386 single board computer (bare machine, using ARTK 5.3)	*Validated by Registration Alsys AlsyCOMP_057, Version 1.83-01 (BASE #910625I1.11193)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0 & 4.2)	Any Host
*Validated by Registration Alsys AlsyCOMP_029 Version 5.3.1 (BASE #910323W1.11132)	Any Computer System that executes the Intel 80386 or 80486 instruction set (under MS-DOS 5.0 or higher version, and Pharlap v4.0)	Any Intel486 DX2 single board computer (bare machine, using ARTK 5.3)	*Validated by Registration Alsys TeleGen2 Ada Host Development System for MacII Systems, Version 4.1 (BASE #910721I1.11194)	Macintosh IIx & IIfx (under A/UX 3.0 Secure)	Same as Host
*Validated by Registration Alsys AlsyCOMP_030 Version 5.3.1 (BASE #910323W1.11132)	MicroVAX II (under VMS 5.2)	Any Intel486 DX2 single board computer (bare machine, using ARTK 5.3)	Alsys AlsyCOMP_024, Version 5.3 (#910809W1.11195)	IBM RISC System 6000, model 520 (under AIX v3.1)	Same as Host
*Validated by Registration Alsys AlsyCOMP_052 Version 5.3.1 (BASE #910323W1.11132)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.1)	Any Intel486 DX2 single board computer (bare machine, using ARTK 5.3)	*Validated by Registration Alsys AlsyCOMP_024 V5.4 (BASE #910809W1.11195)	IBM RISC System 6000 (all models) (under AIX 3.2)	Any Host
Alsys AlsyCOMP_033, Version 5.3 (#910323W1.11133)	Sun 3/140 (under SunOS 4.1)	Intel iSBC 386/12 (bare machine, using ARTK 5.3)	Alsys AlsyCOMP_058, Version 5.3 (#910809W1.11196)	Unisys B39 (under BTOS II, v3.2.0)	Same as Host
*Validated by Registration Alsys AlsyCOMP_052, Version 5.3.1 (BASE #910323W1.11133)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Intel iSBC 386/31, iSBC 386/1xx, iSBC 486/1xx (bare machines, using ARTK 5.3)	Alsys AlsyCOMP_040, Version 5.3 (#910809W1.11197)	HP Vectra RS/25C (under DOS 3.30)	Unisys B39 (under BTOS II, v3.2.0)
*Validated by Registration Alsys AlsyComp_084 Version 5.5.1 (BASE #910323W1.11133)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under Solaris 2.1)	Intel iSBC 386/31, iSBC 386/1xx, & iSBC 486/1xx (bare machines, using ARTK 5.3)	Alsys AlsyCOMP_062, Version 5.35 (#911107W1.11227)	HP 9000 Series 700 Model 720 (under HP-UX, Version A.BB.05 (release 8.05))	Same as Host
Alsys AlsyCOMP_049, Version 1.83 (#910407I1.11144)	VAX 8530 (under VMS Version 5.3-1)	Integrated Device Technology IDT7RS301 System (R3000/R3010)(bare machine)	Alsys AlsyCOMP_062 Version 5.35 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version A.BB.05 (release 8.05)); HP 9000 Series 800, all models (under HP-UX, Version A.BB.00 (release B.00))	HP 9000 Series 700, all models (under HP-UX, Version A.BB.05 (release B.05))
*Validated by Registration Alsys AlsyCOMP_049, Version 1.83-01 (BASE #910407I1.11144)	VAX 8530 (under VMS 5.3-1)	Lockheed Sanders STAR MVP (R3000/R3010)(bare machine)	Alsys AlsyCOMP_062 Version 5.5.1 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 700, all models (under HP-UX, Version 9.01)
*Validated by Registration Alsys AlsyCOMP_049, Version 1.84 (BASE #910407I1.11144)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 series of computers (under VMS 5.3 & 5.4)	Lockheed Sanders STAR MVP board (R3000/R3010)(bare machine)	Alsys AlsyCOMP_076, Version 5.5.2 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.1)	HP 9000/742RT VME board (under HP-RT, Version 1.1)
Alsys AlsyCOMP_057, Version 1.83 (#910625I1.11193)	DECstation 3100 (under ULTRIX Version 4.0)	Same as Host	Alsys AlsyCOMP_062 Version 5.5.2 (BASE #911107W1.11227)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 700, all models (under HP-UX, Version 9.01)
*Validated by Registration Alsys AlsyCOMP_072 Version 5.5.2 (BASE #911119A1.11231)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under Solaris 2.3)	Any Host	Alsys AlsyCOMP_062, Version 5.35 (#911107W1.11228)	HP 9000 Series 800 Model 835 (under HP-UX, Version A.BB.00 (release 8.00))	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Alsys AlsysCOMP_062 Version 5.35 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version A.BB.05 (release 8.05)); HP 9000 Series 800, all models (under HP-UX, Version A.BB.00 (release 8.00))	HP 9000 Series 800, all models (under HP-UX, Version A.BB.00 (release 8.00))	*Validated by Registration Alsys AlsysCOMP_061, Version 1.84-01 (BASE #920429I1.11251)	DEC DECstation & DECsystem computer families (under ULTRIX 4.2)	Lockheed Sanders STAR MVP board (R3000/R3010), Integrated Device Technology IDT7RS385 board (R3081E) (bare machines)
*Validated by Registration Alsys AlsysCOMP_062 Version 5.35 (BASE #911107W1.11228)	HP 9000 Series 800 Models 807, 817, 847, & 867 (under HP-UX B-Level Security Operating System, Version A.08.08)	Any Host	Alsys AlsysCOMP_069, Version 1.83 (#920730I1.11262)	Control Data 4336 (under TC/IX 1.0.2)	Same as Host
*Validated by Registration Alsys AlsysCOMP_062 Version 5.5.1 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 800, all models (under HP-UX, Version 9.0)	*Validated by Registration Alsys AlsysCOMP_069, Version 1.83 (BASE #920730I1.11262)	Control Data 4000 series of computers (under TC/IX 1.0.2 & 1.1)	Any Host
*Validated by Registration Alsys AlsysCOMP_062 Version 5.5.2 (BASE #911107W1.11228)	HP 9000 Series 700, all models (under HP-UX, Version 9.01); HP 9000 Series 800, all models (under HP-UX, Version 9.0)	HP 9000 Series 800, all models (under HP-UX, Version 9.0)	*Validated by Registration Alsys AlsysCOMP_069, Version 1.83 (BASE #920730I1.11262)	Control Data 4000 series of computers (under TC/IX 1.2)	Any Host
Alsys AlsysCOMP_072 Version 5.37 (#911119A1.11231)	Sun SPARCstation 2 (under SunOS 4.1.1)	Same as Host	Alsys TeleGen2Ada Cross Development System for SUN-4 to eMIPS, Version 2a (BASE #921029I1.11295)	Sun-4/690 (under SunOS 5.3)	Algorithmics p-4000i(R4000) (bare machine)
*Validated by Registration Alsys AlsysCOMP_047, Version 5.37 (BASE #911119A1.11231)	Sun SPARCstation ELC, IPC & IPX; SPARCserver 330, 370, 390, 470, 490, 630MP, 670MP & 690MP (under SunOS 4.1.1)	Any Host	Alsys AlsysCOMP_062 Version 5.35 (#921118N1.11298)	HP 9000 Series 800 Model 827 (under HP-UX Version 8.02)	Same as Host
*Validated by Registration Alsys AlsysCOMP_047, Version 5.37 (BASE #911119A1.11231)	Solbourne Series 5/500, /530, /600, /670, /800 & SE/900; and S4000 (under OS/MP 4.1)	Any Host	Alsys AlsysCOMP_073, Version 5.3 (#921126N1.11300)	IBM ES/9000 Model 610 (under AIX/ESA Version 2)	Same as Host
*Validated by Registration Alsys AlsysCOMP_047 Version 5.5.1 (BASE #911119A1.11231)	SPARCstation ELC, IPC, & IPX; SPARCserver 330, 370, 390, 490, 690MP, 670MP, & 690MP (under SunOS 4.1.1)	Any Host	Alsys AlsysCOMP_019 Version 5.3.1 (#921210W1.11302)	CompuAdd 433 (under MS-DOS 5.0 running Phar Lap 4.0)	Intel iSBC 186/100(bare machine)
*Validated by Registration Alsys AlsysCOMP_047 Version 5.5.1 (BASE #911119A1.11231)	Solbourne Series 5/500, /530, /600, /670, /800, & SE/900; & S4000 (under OS/MP 4.1)	Any Host	Alsys AlsysCOMP_065, Version 5.3 (BASE #921210W1.11302)	Sun Microsystems Sun-4, SPARCserver, and SPARCstation computer families (under SunOS 4.1)	Any Intel 8086, 80186, or 80286 single-board computer (bare machine, running ARTK 5.3)
*Validated by Registration Alsys AlsysCOMP_047 Version 5.5.1 (BASE #911119A1.11231)	Solbourne Series 5/500, /530, /600, /670, /800, & SE/900; & S4000 (under OS/MP 4.1)	Any Host	Alsys AlsysCOMP_019 Version 5.3.1 (BASE #921210W1.11302)	CompuAdd 433 (under MS-DOS 5.0 running Phar Lap 4.0)	Any 80C186EB- & 80C188EB-based single-board computers (bare machines)
*Validated by Registration Alsys AlsysCOMP_047 Version 5.5.1 (BASE #911119A1.11231)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer series (all models) (under Solaris 2.1)	Any Host	Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11305)	HP 9000 Series 800 Model 807 (under HP-UX BLS Version A.08.08)	Same as Host
Alsys AlsysCOMP_061, Version 1.83 (#920429I1.11251)	DECstation 3100 (under ULTRIX Version 4.2)	Lockheed Sanders STAR MVP board (R3000/R3010)(bare machine)	Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11306)	HP 9000 Series 800 Model 817 (under HP-UX BLS Version A.08.08)	Same as Host
*Validated by Registration Alsys AlsysCOMP_061, Version 1.84 (BASE #920429I1.11251)	DEC DECstation & DECsystem computer families (under ULTRIX 4.2)	Lockheed Sanders STAR MVP board (R3000/R3010)(bare machine)			

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11307)	HP 9000 Series 800 Model 847 (under HP-UX BLS Version A.08.08)	Same as Host	Alsys / German MoD NATO SWG on APSE Compiler for VAX/VMS, Version VC1.82-02 (#911118I1.11236)	VAX 8350 (under VMS Version 5.4-1, with CAIS Version 5.5E)	VAX 8350 (under VMS Version 5.4-1)
Alsys Alsys Ada Software Development Environment for HP 9000 Series 600, 700 & 800, Version 5.35 (#930115S1.11308)	HP 9000 Series 800 Model 867 (under HP-UX BLS Version A.08.08)	Same as Host	Alsys / German MoD NATO SWG on APSE Compiler for VAX/VMS to MC68020, Version VCM1.82-02 (#920306I1.11248)	VAX 8350 (under VMS Version 5.4-1, with CAIS Version 5.5E)	Motorola MVME133XT (MC68020 (bare machine))
Alsys Alsys Ada Software Development Environment for HP 9000 Series 700/800, Version 5.35 (#930115S1.11309)	Zenith Data Systems Z-Station 433 DEh (under SCO Unix 3.2 running SecureWareCMW + Version 2.2 w/MaxSx)	Same as Host	Alsys / German MoD NATO SWG on APSE Compiler for Sun3/SunOS to MC68020, Version S3CM1.82 (#920728I1.11261)	Sun-3/60 (under SunOS Version 4.0.3, with CAIS Version 5.5E)	Motorola MVME133XT (MC68020 (bare machine))
Alsys AlsyCOMP_068, Version 1.83 (#930125I1.11310)	Control Data 4680 (under EP/IX 1.4.3)	Same as Host	ATLAS ELEKTRONIK GmbH Ada Compiler VVME 1.82 (#910324I1.11136)	VAX 6000-410 (under VMS Version 5.2)	ATLAS ELEKTRONIK GmbH MPR 2300 (under MOS 2300, Version 2.1)
Alsys AlsyCOMP_032, 5.5 (#931208W1.11333)	CompuAdd 433 (under IBM OS/2, Version 2.1 + Threads)	Same as Host	Concurrent Computer Corporation C3Ada, Version 0.5 (#900427I1.11008)	Concurrent Computer Corporation 8400 (MIPS R3000/3010) (under RTU Version 5.1)	Same as Host
Alsys AlsyCOMP_083, 5.5 (#931208W1.11334)	CompuAdd 466 (under Windows NT, Version 3.1 + Threads)	Same as Host	*Validated by Registration Concurrent Computer Corporation C3Ada, Version 0.5 (BASE #900427I1.11008)	Concurrent Computer Corporation 8500 (MIPS R3000/R3010) (under RTU Version 5.1)	Same as Host
Alsys AlsyCOMP_17, Version 5.4.10 (#940826N1.11375)	VAXstation 4000 Model 60 (under VMS 5.5-2)	INMOS T9000 transputer Gamma D02 on an INMOS VME TestBoard (bare machine)	*Validated by Registration Concurrent Computer Corporation C3Ada, Version 0.5 (BASE #900427I1.11008)	Concurrent Computer Corporation 8500 (MIPS R3000/R3010) (under RTU Version 5.1)	Same as Host
*Validated by Registration Alsys (formerly TeleSoft) TeleGen2 Ada Cross Development System for Sun-4 to 68k, Version 4.1a5 (or V1A_S) (BASE #921218I1.11304)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers (under SunOS 4.1)	DY 4 Systems SVME-122 (bare machine, using TeleAda-Exec)	*Validated by Registration Concurrent Computer Corporation C3 Ada Versions 2.0bV4 & 2.0bV4c (BASE #901130W1.1110)	Concurrent Computer Corporation Series 7000 (MC68040) (under RTU Version 6.1A)	Any Host
*Validated by Registration Alsys (formerly TeleSoft) TeleGen2 Ada Cross Development System for Sun-4 to 68k, Version 4.1a5 (or V1A_S) (BASE #921218I1.11304)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers (under SunOS 4.1)	DY 4 Systems SVME-122 (bare machine, using TeleAda-Exec)	*Validated by Registration Concurrent Computer Corporation C3 Ada Version 1.1v (#901130W1.11107)	Concurrent Computer Corporation 6650 with Super Lightning Floating Point (under RTU Version 5.0C)	Same as Host
Alsys / German MoD NATO SWG on APSE Compiler for Sun3/SunOS, Version S3CM1.82-02 (#911016I1.11233)	Sun-3/60 (under SunOS Version 4.0.3, with CAIS Version 5.5D)	Sun-3/60 (under SunOS Version 4.0.3)	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1 (BASE #901130W1.11107)	Concurrent Computer Corporation Series 6000 with Super Lightning Floating Point, and Series 5000 with Lightning Floating Point (all models) (under RTU Version 5.0A, 5.0B & 5.0C)	Any Host
Alsys / German MoD NATO SWG on APSE Compiler for Sun3/SunOS, Version S3CM1.82-02 (#911016I1.11233)	Sun-3/60 (under SunOS Version 4.0.3, with CAIS Version 5.5D)	Sun-3/60 (under SunOS Version 4.0.3)	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1 (BASE #901130W1.11107)	Concurrent Computer Corporation Series 6000 (MC68030, with Super Lightning Floating Point) & Series 5000 (MC68020, with Lightning Floating Point) (under RTU Versions 5.0A, 5.0B, 5.0C & 6.0)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Concurrent Computer Corporation C3 Ada Version R03-00V (#901130W1.11108)	Concurrent Computer Corporation 3280MPS (under OS/32 Version R08-03.2)	Same as Host	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1 (BASE) (#901130W1.11108)	*Validated by Registration Concurrent Computer Corporation Series 6000 (MC68030/MC68882& Series 5000 (MC68020/MC68881) (under RTU Versions 5.0A, 5.0B, 5.0C & 6.0) #901130W1.11110)	Concurrent Computer Corporation Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version R03-00V (BASE) (#901130W1.11108)	Concurrent Computer Corporation Series 3200: 3200 MPS, 3203, 3205, 3210, 3220, 3230, 3250, 3230XP, 3250XP, 3230MPS, 3260MPS, Micro4, and Micro5 (under OS/32 Versions R08-03, R08-03.1 & R08-03.2)	Any Host	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.2 & 2.0b (BASE) (#901130W1.11110)	*Validated by Registration Concurrent Computer Corporation Series 7000 (MC68040) (under RTU Version 6.1)	Concurrent Computer Corporation Any Host
*Validated by Registration Concurrent Computer Corporation C3Ada Version R03-00 (BASE) (#901130W1.11108)	Concurrent Computer Corporation System Bus Processor family of computers (under Trusted OS/32 and MTM Version R08-03.35, and OS/32 Versions R08-03.2, R09-01.10S/32, & R09-02)	Any Host	*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0b (BASE) (#901130W1.11110)	*Validated by Registration Concurrent Computer Corporation Series 7000 (MC68040) (under RTU Version 6.1)	Concurrent Computer Corporation Any Host
Concurrent Computer Corporation C3 Ada Version 1.0v (#901130W1.11109)	Concurrent Computer Corporation 8400 (MIPS R3000/3010) (under RTU Version 5.1)	Same as Host	Control Data Systems, Inc. NOS/VE Ada, Version 1.4 (#93121751.11336)	CYBER 180-930-31 (under NOS/VE, Level 826)	Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.0v (BASE) (#901130W1.11109)	Concurrent Computer Corporation Series 8000 (all models) (under RTU Versions 5.1, 5.1A & 5.1B)	Any Host	CONVEX Computer Corporation CONVEX Ada, Version 2.0 (BASE) (#900910W1.11027)	CONVEX C220 (under ConvexOS 8.1)	CONVEX Computer Corporation Same as Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.0 (BASE) (#901130W1.11109)	Concurrent Computer Corporation Series 8000 (MIPS R3000/3010) (under RTU Versions 5.1A, 5.1B & 6.0)	Same as Host	*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.0 (BASE) (#900910W1.11027)	CONVEX C120, C201, C202, C210, C220, C230, C240, C210i, C220i & C230i (under ConvexOS, Versions 8.1 and 9.0)	CONVEX Computer Corporation Any Host
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0p (BASE) (#901130W1.11109)	Concurrent Computer Corporation Series 8000 (R3000/3010), all models (under RTU Versions 5.1A, 5.1B & 6.0)	Same as Host	*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.0 (BASE) (#900910W1.11027)	CONVEX C120, C201, C202, C210, C210i, C220, C220i, C230, C230i, C240, C3210, C3220, C3230, C3240, C3410, C3420, C3430, C3440, C3450, C3460, C3470, C3480, C3810, C3820, C3830, C3840, C3850, C3860, C3870, C3880 (under ConvexOS versions 8.1, 9.0, 9.1 & 10.0)	CONVEX Computer Corporation Each Host, self-targeted
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 2.0b (BASE) (#901130W1.11109)	Concurrent Computer Corporation Series 8000 (MIPS R3000/3010) (under RTU Version 6.0)	Any Host	*Validated by Registration CONVEX Computer Corporation CONVEX Ada, Version 2.1 (BASE) (#900910W1.11027)	CONVEX C120, C201, C202, C210, C210i, C220, C220i, C230, C230i, C240, C3210, C3220, C3230, C3240, C3410, C3420, C3430, C3440, C3450, C3460, C3470, C3480, C3810, C3820, C3830, C3840, C3850, C3860, C3870, C3880 (under ConvexOS versions 8.1, 9.0, 9.1 & 10.0)	CONVEX Computer Corporation Same as Host
Concurrent Computer Corporation C3 Ada Version 1.1v (#901130W1.11110)	Concurrent Computer Corporation 6650 with MC68882 Floating Point (under RTU Version 5.0C)	Same as Host	*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE) (#901112W1.11116)	CRAY X-MP/EA & X-MP (all models) (under UNICOS Releases 6.1 & 7.0)	CRAY X-MP/EA & X-MP (all models) (under UNICOS Releases 6.1 & 7.0)
*Validated by Registration Concurrent Computer Corporation C3 Ada, Version 1.1v (BASE) (#901130W1.11110)	Concurrent Computer Corporation Series 6000 with an MC68882 fpu, and Series 5000 with an MC68881 fpu (all models) (under RTU Versions 5.0A, 5.0B & 5.0C)	Any Host	*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE) (#901112W1.11117)	CRAY Y-MP & Y-MP EL (all models) (under UNICOS Releases 6.1 & 7.0)	CRAY Y-MP & Y-MP EL (all models) (under UNICOS Releases 6.1 & 7.0)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Cray Research Inc. Cray Ada Compiler Release 3.1 (BASE #911006W1.11223)	CRAY CRAY-2/4-128 (all models) (under UNICOS Releases 6.1 & 7.0)	Any Host	*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #911006W1.11223)	CRAY-2/4-128 (all models) (under UNICOS Release 6.1)	Each Host, self-targeted
Cray Research, Inc. Cray Ada Compiler Release 2.0 (#901112W1.11116)	Cray X-MP/EA (under UNICOS Release 5.0)	Same as Host	DDC International A/S DACS VAX/VMS Native Ada Compiler System, Version 4.6 (#901129S1.11050)	VAX 8530 (under VMS Version 5.3)	Same as Host
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #901112W1.11116)	CRAY X-MP & X-MP/EA, all models (under UNICOS Releases 5.1, 6.0 & 6.1)	Each Host, self-targeted	DDC International A/S DACS VAX/VMS to 68020 Bare Cross Compiler System, Version 4.6 (#901129S1.11051)	MicroVAX 3100 (under VMS Version 5.3)	Motorola MVME133 board (68020/68881)(bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #901112W1.11116)	X-MP/EA (all models) (under UNICOS Release 6.1)	Same as Host	DDC International A/S DACS VAX/VMS to 80386PM Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11074)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 386/21 (bare machine)
Cray Research, Inc. Cray Ada Compiler Release 2.0 (#901112W1.11117)	Cray Y-MP (under UNICOS Release 5.0)	Same as Host	DDC International A/S DACS 80386 UNIX V Ada Compiler System, Version 4.6 (#901129S1.11075)	ICL DRS300 (under DRS/NX, Version 3.2 (UNIX System V/386 release 3.2))	Same as Host
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #901112W1.11117)	CRAY Y-MP, all models (under UNICOS Releases 5.1, 6.0 & 6.1)	Each Host, self-targeted	DDC International A/S DACS Sun3/SunOS Native Ada Compiler System, Version 4.6 (#901129S1.11076)	Sun-3/60 (under SunOS, Version 4.0_Export)	Same as Host
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #901112W1.11117)	CRAY Y-MP EL (under UNICOS Releases 6.0 & 6.1)	Same as Host	DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (#901129S1.11077)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.0 (BASE #901112W1.11117)	CRAY Y-MP & Y-MP EL (all models) (under UNICOS Releases 6.1)	Each Host, self-targeted	*Validated by Registration DDC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler 3.1 (BASE #901112W1.11117)	CRAY C-90 (in Y-MP mode) (under UNICOS 7C.0)	Same as Host	*Validated by Registration DDC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)
Cray Research, Inc. Cray Ada Compiler Release 2.0 (#911006W1.11223)	CRAY-2/4-128 (under UNICOS Release 6.1)	Same as Host	*Validated by Registration DDC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 86/35 (bare machine)
*Validated by Registration Cray Research, Inc. Cray Ada Compiler Release 2.0 (BASE #911006W1.11223)	CRAY-2 (all models) (under UNICOS Release 6.1)	Each Host, self-targeted	*Validated by Registration DDC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE #901129S1.11077)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 86/35 (bare machine)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration DEC International A/S DACS VAX/VMS to 80286 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE) #901129S1.11077	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel i8C 286/12 (bare machine)	*Validated by Registration DEC International A/S DACS VAX/VMS to 80286PM Bare Ada Cross Compiler System, Version 4.6 (BASE) #901129S1.11079	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel i8C 286/12 in Protected Mode (bare machine)
*Validated by Registration DEC International A/S DACS VAX/VMS to 80286 PM Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (BASE) #901129S1.11077	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 286/12 in Protected Mode (bare machine)	DEC International A/S DACS 80386 DMS/OS Ada Compiler System, Version 4.6 (#901129S1.11112)	IBM PS/2 Model 80-311 (under LynxOS 386/PS2, Version 2.0A)	Same as Host
DEC International A/S DACS VAX/VMS to 80386 Bare Ada Cross Compiler System with Rate Monotonic Scheduling, Version 4.6 (#901129S1.11078)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 386/21 (bare machine)	DEC International A/S DACS VAX/VMS to 80860 Bare Ada Cross Compiler System, Version 4.6.1 (#910502S1.11158)	VAX 8530 (under VMS Version 5.3)	Tadpole Technology plc TP860M(bare machine)
DEC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11079)	VAX 8530 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)	DEC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (BASIC_MODE) (#910502S1.11159)	Sun-3/50 (under SunOS Release 4.0_Export)	Motorola MVME143 board (68030/68882)(bare machine)
*Validated by Registration DEC International A/S DACS VAX/VMS to 80186 Bare Ada Cross Compiler System, Version 4.6 (#901129S1.11079)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 186/03 (bare machine)	DEC International A/S DACS Sun-3/SunOS to 68030 Bare Ada Cross Compiler System, Version 4.6.4, MRI IEEE 695 (SECURE_MODE) (#910502S1.11160)	Sun-3/50 (under SunOS Release 4.0_Export)	Motorola MVME143 board (68030/68882)(bare machine)
*Validated by Registration DEC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System, Version 4.6 (BASE) #901129S1.11079	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 86/35 (bare machine)	*Validated by Registration DDC-I, Inc. DACS VAX/VMS to 80486 PM Bare Ada Cross Compiler System, Version 4.6 (BASE) #901129S1.11074	VAX 8530 (under VMS Version 5.3)	Intel iSBC 486/125 (bare machine)
*Validated by Registration DEC International A/S DACS VAX/VMS to 8086 Bare Ada Cross Compiler System, Version 4.6 (BASE) #901129S1.11079	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 286/12 (bare machine)	DDC-I, Inc. DACS MIPS RISC/os to MIPS R3000 Bare Ada Cross Compiler System, Release 2.1-16 (#920805S1.11263)	MIPS M/120-5 (under RISC/os Version 4.50)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)
*Validated by Registration DEC International A/S DACS VAX/VMS to 80286 Bare Ada Cross Compiler System, Version 4.6 (BASE) #901129S1.11079	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers, including Raytheon Military VAX computer model 860 (under VMS Version 5.3)	Intel iSBC 3100 (under ULTRIX Version 4.0)	DECstation 3100 (under ULTRIX Version 4.0)	Integrated Device Technology IDT7RS301 R3000/R3010Board (bare machine)	
		DACS Sun SPARC/SunOS Native Ada Compiler System, Version 4.6.1 (#920805S1.11265)	SPARCstation 2 (under SunOS, Version 4.1.1)	Same as Host	

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
DDC-Inter, Inc. InterACT Ada 1750A Compiler System, Release 3.5 (#91070551.11191)	MicroVAX 3100 Cluster (under VMS 5.2)	InterACT MIL-STD-1750A Instruction Set Architecture Simulator Release 2.3 (bare machine simulation)	DDC-I, Inc. DACS Sun SPARC/SunOS to 680x0 Bare Ada Cross Compiler System	Sun SPARCstation IPX (under SunOS, Release 4.1.1)	Lynwood i435TU (68030) (bare machine)
DDC-Inter, Inc. InterACT Ada MIPS Cross-Compiler System, Release 2.0 (#91070551.11192)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)	DDC-I, Inc. DACS Sun SPARC/SunOS to 680x0 Bare Ada Cross Compiler System (SECURE_MODE), Version 4.6.9 (#94032551.11346)	Sun SPARCstation IPX (under SunOS, Release 4.1.1)	Lynwood i435TU (68030) (bare machine)
*Validated by Registration DDC-Inter, Inc. InterACT Ada MIPS Cross-Compiler System, Release 2.1 (BASE) (#91070551.11192)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)	DDC-I, Inc. DACS Sun SPARC/Solaris to 80386 PM Bare Ada Cross Compiler System, Version 4.6.9 (#94032551.11347)	Sun SPARCclassic (under Solaris, Release 2.1)	Intel iSBC 386/116 (bare machine)
DDC-I, Inc. DACS Sun SPARC/SunOS to 80386 PM bare Ada Cross Compiler System, Version 4.6.4 (#93111951.11331)	Sun SPARCstation 1+ (under SunOS, Release 4.1.1)	Intel iSBC 386/116 (bare machine)	DDC-I, Inc. DACS Sun SPARC/Solaris to 80386 PM Bare Ada Cross Compiler System, Version 4.6.4 (#94032551.11348)	Sun SPARCclassic (under Solaris, Release 2.1)	Intel iSBC 386/116 (bare machine)
DDC-INTER, Inc. DACS MIPS R3000 bare Ada Cross Compiler System, Version 4.7.1 (#93111951.11332)	Sun SPARCstation IPX (under SunOS, Release 4.1.3)	DACS Sun SPARC/SunOS to MIPS R3000 Bare Instruction Set Architecture Simulator, Version 4.7.1, executing on the Host (bare machine simulation)	DDC-I, Inc. DACS Sun SPARC/Solaris to 80386 PM Bare Ada Compiler System w/ Rate Monotonic Scheduling, 4.6.4 (#94032551.11349)	Sun SPARCstation IPX (under SunOS, Release 4.1.2)	Intel Xpress Desktop (product # XBASE6E4F-B, with Pentium cpu), operating as a bare machine (bare machine)
DDC-I, Inc. DACS Sun SPARC/SunOS to 80186 Bare Ada Cross Compiler System, Version 4.6.4 (#94032551.11341)	Sun SPARCstation IPX (under SunOS, Release 4.1.2)	Intel iSBC 186/100 (bare machine)	DDC-I, Inc. DACS Sun SPARC/SunOS to Pentium PM Bare Ada Cross Compiler System, Version 4.6.4 (#94032551.11350)	Sun SPARCstation IPX (under SunOS, Release 4.1.2)	Intel Xpress Desktop (product # XBASE6E4F-B, with Pentium cpu), operating as a bare machine (bare machine)
DDC-I, Inc. DACS Sun SPARC/SunOS to 80186 Bare Ada Cross Compiler System w/ Rate Monotonic Scheduling, 4.6.4 (#94032551.11342)	Sun SPARCstation IPX (under SunOS, Release 4.1.2)	Intel iSBC 186/100 (bare machine)	DDC-I, Inc. DACS Sun SPARC/SunOS to Pentium PM Bare Ada Cross Compiler System w/Rate Monotonic Scheduling, 4.6.4 (#94032551.11351)	Sun SPARCstation IPX (under SunOS, Release 4.1.2)	Intel Xpress Desktop (product # XBASE6E4F-B, with Pentium cpu), operating as a bare machine (bare machine)
DDC-I, Inc. DACS Sun SPARC/Solaris to 80186 Bare Ada Cross Compiler System, Version 4.6.4 (#94032551.11343)	Sun SPARCclassic (under Solaris, Release 2.1)	Intel iSBC 186/100 (bare machine)	DDC-I, Inc. DACS Sun SPARC/Solaris to Pentium PM Bare machine) Ada Cross Compiler System, Version 4.6.4 (#94032551.11352)	Sun SPARCclassic (under Solaris, Release 2.1)	Intel Xpress Desktop (product # XBASE6E4F-B, with Pentium cpu), operating as a bare machine (bare machine)
DDC-I, Inc. DACS Sun SPARC/Solaris to 80186 Bare Ada Cross Compiler System w/ Rate Monotonic Scheduling, 4.6.4 (#94032551.11344)	Sun SPARCclassic (under Solaris, Release 2.1)	Intel iSBC 186/100 (bare machine)	DDC-I, Inc. DACS Sun SPARC/Solaris to Pentium PM Bare Ada Cross Compiler Sys. w/Rate Monotonic Scheduling, 4.6.4 (#94032551.11353)	Sun SPARCclassic (under Solaris, Release 2.1)	Intel Xpress Desktop (product # XBASE6E4F-B, with Pentium cpu), operating as a bare machine (bare machine)
DDC-I, Inc. DACS Sun SPARC/SunOS to 680x0 Bare Ada Cross Compiler System, Version 4.6.9 (#94032551.11345)	Sun SPARCstation IPX (under SunOS, Release 4.1.1)	Motorola MVME143 (68030/68882) (bare machine)	DDC-I, Inc. DACS Sun SPARC/Solaris Native Ada Compiler System, Version 4.6.2 (#94032551.11354)	Sun SPARCclassic (under Solaris, Release 2.1)	Same as Host

## Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
DDC-Inter, Inc. 1750A Compiler System, Release 3.5 (#91070551.11191)	MicroVAX 3100 Cluster (under VMS 5.2)	InterACT MIL-STD-1750A Instruction Set Architecture Simulator Release 2.3 (bare machine simulation)	*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.2 (BASE #90110951.11191)	DEC VAX-11, VAXserver, VAXstation, VAXI, VAX Ada Version 2.2 (BASE #90110951.11191)	VAX 4000 Models 200 & 300; VAX 6000 Series 200, 300 & 400; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3800, 3900; VAXserver 4000-300; VAXserver 6000 Models 210, 220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 860; Norden MilVAX Computer Model MilVAX II, IVAX 620 & 630; VAX RTA; KA620-BA & KA800-M; nVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3600, 3800, 4000 Model 300, 8550, 8700; nVAX 6000 Models 200, 300 & 400 Series and nVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.2, using VAXELN Ada Version 2.2)
DDC-Inter, Inc. InterACT Ada MIPS Cross-Compiler System, Release 2.0 (#91070551.11192)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)	*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.1 (BASE #91070551.11192)	DEC VAX-11, VAXserver, VAXstation, VAXI, VAX Ada Version 2.1 (BASE #91070551.11192)	VAX 4000 Models 200 & 300; VAX 6000 Series 200, 300 & 400; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3800, 3900; VAXserver 4000-300; VAXserver 6000 Models 210, 220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 860; Norden MilVAX Computer Model MilVAX II, IVAX 620 & 630; VAX RTA; KA620-BA & KA800-M; nVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3600, 3800, 4000 Model 300, 8550, 8700; nVAX 6000 Models 200, 300 & 400 Series and nVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.2, using VAXELN Ada Version 2.2)
*Validated by Registration DDC-Inter, Inc. InterACT Ada MIPS Cross-Compiler System, Release 2.1 (BASE #91070551.11192)	MicroVAX 3100 Cluster (under VMS 5.2)	Lockheed Sanders STAR MVP R3000/R3010Board (bare machine)	*Validated by Registration DECS Ltd. VME Ada Compiler VA3.25 (BASE #921008N1.11293)	DEC VAX-11, VAXserver, VAXstation, VAXI, VAX Ada Version 2.1 (BASE #921008N1.11293)	VAX 4000 Models 200 & 300; VAX 6000 Series 200, 300 & 400; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800, 8810, 8820, 8830, 8840, 8842, 8974 & 8978; VAX-11/730, /750, /780, /785; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation II, 2000, 3100 series, 3200, 3500, 3520, 3540 & 8000; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 6000-310, 6000-410 & 6000-420; Ratheon Military VAX Computer Model MilVAX II (under VMS Version 5.4)
*Validated by Registration DESC Ltd. VME Ada Compiler VA3.25 (BASE #921008N1.11293)	ICL Series 39 Level 80 (under VME with VMEB Environment Option Version SV293)	Same as Host	*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.2 (BASE #921008N1.11293)	VAX 6000 Model 200, 300 & 400 Series; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 6000 Models 210-220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 860; Norden Systems: Mil Vax II, IVAX 620 & 630; VAX RTA; KA620-BA, nVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3600, 3800, 8550, 8700, nVAX 6000 Model 200, 300 & 400 Series & nVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.1 using VAXELN Ada Version 2.2)	
Digital Equipment Corporation VAX Ada, Version 2.2 (#90110951.11053)	VAX 8800 (under VMS Version 5.4)	Same as Host	Digital Equipment Corporation VAX Ada Version 2.2 (BASE #90110951.11053)	VAX 6000 Model 200, 300 & 400 Series; VAX 8200, 8250, 8500, 8530, 8550, 8700, 8800 & 8810; VAX-11/730 & /750; MicroVAX II, 2000, 3100, 3300, 3400, 3500, 3600, 3800 & 3900; VAXstation 2000, 3100, 3150, 3200, 3500 & II/GPX; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900; VAXserver 6000 Models 210-220, 310, 320, 410 & 420; Ratheon Military VAX Computer Models 810 & 860; Norden Systems: Mil Vax II, IVAX 620 & 630; VAX RTA; KA620-BA, nVAX 300, 1000, 3200, 3300, 3305, 3400, 3500, 3600, 3800, 8550, 8700, nVAX 6000 Model 200, 300 & 400 Series & nVAXstation 3100 Models 30 & 38 (under VAXELN Version 4.1 using VAXELN Ada Version 2.2)	
*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.3 (BASE #90110951.11053)	All VAX, MicroVAX, VAXstation, VAXserver series of computers (as supported) (under VMS Versions 5.4 & 5.5)	Any Host	*Validated by Registration Digital Equipment Corporation VAX Ada Version 2.3 (BASE #90110951.11053)	All VAX, MicroVAX, VAXstation, VAXserver series of computers (as supported) (under VMS Versions 5.4 & 5.5)	VAX 4000, 6000, & 9000 series of computers; MicroVAX II, 2000, & 3000 series of computers; VAXstation II, 2000, 3000, & 4000 series of computers; VAXserver 3000, 4000, & 6000 series of computers; IVAX 620 & 630; KA620-BA, KA800-M, KAV30 VME SBC; nVAX 300, 1000, 3000, 4000, 6000, & 9000 series of computers; nVAXstation 3100 series of computers; (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)
Digital Equipment Corporation VAX Ada, Version 2.2 (#90110951.11054)	VAX 8800 (under VMS Version 5.4)	MicroVAX II (under VAXELN Version 4.1, using VAXELN Ada Version 2.2)	Digital Equipment Corporation DEC Ada, Version 1.0 (#91102551.11226)	DECstation 5000 Model 200 (under ULTRIX 4.2)	Same as Host
*Validated by Registration Digital Equipment Corporation DEC Ada, Version 1.0 (#91102551.11226)	DECstation 2100, 3100, 3100s, 5000 Models 120/125, 120/125CX, 120/125PXG, 120/125PXG/TURBO, 200, 200CX, 200PX, 200PXG, 200PXG/TURBO; and DECsystem 3100, 5000 Model 200, 5100, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX Versions 4.0, 4.1 & 4.2)	Any Host			

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Digital Equipment Corporation DEC Ada, Version 1.0 (BASE #91102551.11226)	DEC DECstation 2100, 3100, & 5000, and DECsystem 5000, 5100, 5400, 5500, 5800, & 5900 series of computers (under ULTRIX Versions 4.0, 4.1, 4.2, & 4.2A)	Any Host	Digital Equipment Corporation DEC Ada for DEC OSF/1 AXP Systems, Version 3.1 (#93102951.11330)	DEC 3000 Model 400 (under DEC OSF/1, Version 1.3)	Same as Host
*Validated by Registration Digital Equipment Corporation DEC Ada, Version 1.1 (BASE #91102551.11226)	DECstation 2100, 3100, & 5000; and DECsystem 3100, 5000, 5100, 5400, 5500, 5810, 5820, 5840, & 5900 series of computers (under Ultrix Version 4.2)	Any Host	Digital Equipment Corporation DEC Ada for DEC OSF/1 AXP Systems, Version 3.1 (#93102951.11330)	DEC 2000 Server, 3000 Workstation and Server models, 4000, 7000, & 10000 series of AXP computers (under DEC OSF/1 Version 1.3)	Any Host
Digital Equipment Corporation DEC Ada for OpenVMS AXP Systems, Version 3.0-5 (#93031951.11315)	DEC 3000 Model 400 (under OpenVMS AXP Operating System, Version 1.0)	Same as Host	Dowty Maritime Limited TeleGen2 Ada Cross Development System, Version 3.2 for VAX/VMS to 386 (BASE #93102951.11330)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAX11; and VAX 4000, 6000, 7000, 8000, 9000, & 10000 series of computers (under VMS 5.5-2)	All members of the Intel iSBC 386 & iSBC 486 model series (bare machines, using TeleAda-EXEC 3.2)
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS AXP Systems, Version 3.0-5 (BASE #93031951.11315)	DEC 3000 Workstation and Server models, 4000, 7000, & 10000 series of AXP computers (under OpenVMS Version 1.0)	Any Host	E-Systems/ECI Division Tolerant Ada Development System, Version 6.0 (#91032511.11139)	E-Systems/ECI Division Tolerant Ada Development System, Version 6.0 (#91032511.11139)	Tolerant Eternity (under TX, 5.4.0)
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS AXP Systems, Version 3.0A-7 (BASE #93031951.11315)	DEC 2000 Server, 3000 Workstation and Server models, 4000, 7000, & 10000 series of AXP computers (as supported) (under OpenVMS AXP Operation System Version 1.5)	Any Host	EDS Defence Limited XD Ada MC68020 Version 1.3-10 (BASE #901003W1.11039)	MicroVAX 3100 (under VMS 6.0)	Motorola MVME133XT board (68020/68882)
Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (#93031951.11316)	VAXstation 4000 Model 60 (under VMS Version 5.5)	Same as Host	EDS Defence Limited XD Ada CPU32 Version 1.3-13 (BASE #901007N1.11042)	MicroVAX 3100 (under VMS 6.0)	Motorola M68340EVSEvaluation System (MC68340)CPU32, with 128K additional RAM & MC68881 fpu (bare machine)
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (BASE #93031951.11316)	VAX11, VAX 4000, 6000, 8000, 9000, & 10000; MicroVAX II, 2000, & 3000; VAXstation II, 2000, 3000, 4000; VAXserver 3000, 4000, & 6000 series of computers (as supported) (under VMS Version 5.4 & 5.5)	Any Host	EDS Defence Limited XD Ada MC68000 V1.3-12 (BASE #901007N1.11042)	MicroVAX 3100 (under VMS 6.0)	Motorola MC68000 on an MVME117-3FP MPU VME module using an MC68881 fpu (bare machine)
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-9 (BASE #93031951.11316)	VAX11, VAX 4000, 6000, 8000, 9000, & 10000; MicroVAX II, 2000, & 3000; VAXstation II, 2000, 3000, 4000; VAXserver 3000, 4000, & 6000; and VAX-11 series of computers (as supported) (under OpenVMS VAX Operating System Version 5.5)	Any Host	EDS Defence Limited XD Ada MC68040 V1.3-37 (BASE #910314N1.11134)	MicroVAX 3100 (under VMS 6.0)	Motorola MVME167 MPU VMEmodule (68040) (bare machine)
Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (#93031951.11317)	VAXstation 4000 Model 60 (under VMS Version 5.5)	VAXstation 3100 Model 48 (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)	EDS Defence Ltd. XD Ada MC68020/EFA Version 1.3-28 (BASE #901007N1.11042)	MicroVAX 3100 (under VMS 6.0)	Motorola MVME135-1 board (68020/68881)(bare machine)
*Validated by Registration Digital Equipment Corporation DEC Ada for OpenVMS VAX Systems, Version 3.0-7 (BASE #93031951.11317)	VAX11, VAX 4000, 6000, 8000, 9000, & 10000; MicroVAX II, 2000, 3000; KA620-8A, KAV30 VME 58C KA800-M; nVAX 300, 1000, 3000, 4000, 6000, 9000, & nVAXstation 3100; IVAX 620 & 630; VAXstation II, 2000, 3000, & 4000; VAXserver 3000, 4000, & 6000 series of computers (as supported) (under VMS Version 5.4 & 5.5)	VAX 4000, 6000, & 9000; MicroVAX II, 2000, 3000; KA620-8A, KAV30 VME 58C KA800-M; nVAX 300, 1000, 3000, 4000, 6000, 9000, & nVAXstation 3100; IVAX 620 & 630; VAXstation II, 2000, 3000, & 4000; VAXserver 3000, 4000, & 6000 series of computers (as supported) (under VAXELN Version 4.4, using VAXELN Ada Version 2.2)	EDS Defense Limited XD Ada MC68000/EFA V1.3-27 (BASE #910314N1.11134)	MicroVAX 3100 (under VMS 6.0)	Motorola MC68000 on an MVME117-3FP MPU VME module using an MC68881 fpu (bare machine)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
EDS-Scicon Defence Limited X! Ada MC68040/ARTX Version 1.2 (#921112N1.1112971)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicraVAX II machines) (under VMS 5.5)	Motorola MVME167 (68040) (bare machine)	*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11114)	Encore Infinity R/T series, all models (under UMAX 3.0X)	Any Host
Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (#910130W1.11114)	Encore 91 Series Model 91-0340 (under UMAX 3.0)	Same as Host	#910130W1.11114)	Encore 91 Series Model 91-0340 (under UMAX 3.0)	Encore 91 Series Model 91-0430 (under uMPX 1.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0)	Any Host	*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 1.0 (#910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0)	Encore 91 Series, all models (under microMPX 1.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.0 (BASE #910130W1.11114)	Encore 91, 93, & 94 Series, all models (under UMAX 3.0)	Any Host	*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0)	Encore 91 Series, all models (under microMPX 1.0 & microARTE 1.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore Infinity 90 Series, all models (under UMAX 3.0X)	Any Host	*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0X)	Any Host machine (under MicroARTE 1.2.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0X)	Any Host	*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11115)	Encore 93 Series, all models (under UMAX 3.1X)	Any Host machine (under MicroARTE 1.2.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.2.0 (BASE #910130W1.11114)	Encore 93 Series, all models (under UMAX 3.1X)	Any Host	*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11115)	Encore 91 Series, all models (under UMAX 3.0X)	Any Host machine (under ARTE Target Runtime 2.0.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11114)	Encore Infinity 90 Series, all models (under UNMAX 3.0X)	Any Host	*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11115)	Encore Infinity R/T series, all models (under UMAX 3.0X)	Any Host machine (under ARTE 2.0.0)
*Validated by Registration Encore Computer Corporation Parallel Ada Development System, Revision 2.3.0 (BASE #910130W1.11114)	Encore 91 Series, all models (under UMAX 3.0X)	Any Host	*Validated by Registration Green Hills Software, Inc. Green Hills Optimizing Ada Compiler, 1.8.7 (BASE #940223W1.11338)	SPARCstation 10 (under SunOS, Release 4.1.3)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Green Hills Software, Inc. Green Hills Optimizing Ada Compiler, 1.8.7 (BASE) (#940223W1.11138)	SPARCstation 10 (under SunOS, Release 4.1.3)	Force CPU-40 (68040)(bare machine using VxWorks, 5.1)	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, Version 5.1 (BASE) (#900918W1.11028)	Harris NH-4400 (under CX/UX 5.2, CX/RT 5.2 & CX/SX 5.2)	Same as Host
Green Valley Software C_Ada, Version 1.1 (#930927S1.11328)	ZENY 386 (under UNIX System V/386, Release 3.2)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1.1 (BASE) (#900918W1.11028)	Harris NH-4400 & NH-4800 (under CX/UX 5.3, CX/RT 5.3 & CX/SX 5.3)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11180)	MIPS M/120 RISComputer (under UMIPS 4.51)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE) (#900918W1.11028)	NH-4400 & NH-4800 (under CX/UX 6.1, CX/RT 6.1, & CX/SX 6.1)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11182)	IBM RISC System 6000/520 (under AIX Version 3)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE) (#900918W1.11028)	NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2, CX/RT 6.2, & CX/SX 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11184)	HP 9000 Series 400 Model 400T (under HP-UX 7.03)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE) (#900918W1.11028)	NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2, CX/RT 6.2, & CX/SX 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11186)	Concurrent Computer Corporation M6000 Model 6450 (under RTU 5.0C)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada version 5.2 (BASE) (#900918W1.11028)	Harris NH-4400, -4800, & -5800 (under CX/UX 6.2, CX/RT 6.2, & CX/SX 6.2)	Harris NH-4400, NH-4800, & NH-5800 (Harris Ada runtime System & ARMS Runtime System)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11187)	Concurrent Computer Corporation M8000 Model 8500 (under RTU 5.1A)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada version 5.2 (BASE) (#900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2 & CX/RT 6.2)	Harris NH-4400, NH-4800, & NH-5800 (Harris Ada runtime System & ARMS Runtime System)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11188)	Data General AViON 400 Model 402 (under DG/UX 4.31)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, version 6.2 (BASE) (#900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2 & CX/RT 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
GSE Gesellschaft fur Software-Engineering mbH Meridian Ada, Version 4.1 (#910711W1.11190)	HP 9000 Series 700 Model 720 (under HP-UX 8.01)	Same as Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, version 6.2 (BASE) (#900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 6.2 & CX/RT 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
*Validated by Registration Harris Corporation, Harris Ada Compiler, version 6.2 (BASE) (#900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 6.1, CX/RT 6.1, CX/SX 6.1, & CX/SX 6.2)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, version 7.1 (BASE) (#900918W1.11028)	Harris NH-4400, NH-4800, & NH-5800 (under CX/UX 7.1 & CX/RT 7.1)	Any Host (using either Harris Ada Run-time System or ARMS Run-time System)
Harris Corporation, Computer Systems Division Harris Ada 5.1 (#900918W1.11028)	Harris NH-4400 (under CX/UX 5.1)	Same as Host	Harris Corporation, Computer Systems Division Harris Ada 5.1 (#900918W1.11029)	Harris NH-3800 (under CX/UX 5.1)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1 (BASE) (#900918W1.11028)	Harris NH-4400 (under CX/UX 5.1, CX/RT 5.1, OR CX/SX 5.1)	Any Host	*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1 (BASE) (#900918W1.11029)	Harris NH-1200, NH-3400 & NH-3800 (under CX/UX 5.1, CX/RT 5.1, OR CX/SX 5.1)	Any Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler, Version 5.1 (BASE #900918W1.11029)	NH-1200, NH-3400 & NH-3800 (under CX/UX 5.2, CX/RT 5.2 & CX/SX 5.2)	Same as Host	*Validated by Registration IBM Canada, Ltd. AIX Ada/6000 Release 2.2 (BASE #901127W1.11085)	RISC System/6000 models 7013-320,-520,-530,-540,-550,-730, & -930 (under AIX 3.1 & 3.2) #901127W1.11085)	Any Host, running same AIX version as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada 5.1.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400 & NH-3800 (under CX/UX 5.3, CX/RT 5.3 & CX/SX 5.3)	Any Host	IBM Canada, Ltd. AIX Ada/6000 Internal Development Version (#920121W1.11234)	RISC System/6000 model 7012-320 (under AIX 3.2)	Same as Host
*Validated by Registration Harris Corporation, Computer Systems Division Harris Ada Compiler 5.1.1 (BASE #900918W1.11029)	Harris NH-1200, NH-3400, & NH-3800 (under CX/UX 6.1, CX/RT 6.1, & CX/SX 6.1)	Any Host	*Validated by Registration IBM Canada, Ltd. AIX Ada/6000 Release 3.0 (BASE #920121W1.11234)	RISC System/6000, all models (under AIX 3.2)	Any Host
Hewlett-Packard Co./Apollo Systems Division Domain Ada V6.0m (#910411W1.11137)	DN4500 (under Domain/OS SR10.3)	Same as Host	IBM Canada, Ltd. XL Ada/6000 Internal Development Version (#921119W1.11299)	RISC System/6000, model 7013-520 (under AIX 3.2)	Same as Host
Hewlett-Packard Co./Apollo Systems Division Domain Ada V6.0p (#910411W1.11138)	DN10000 (under Domain/OS SR10.3.p)	Same as Host	*Validated by Registration IBM Canada, Ltd. IBM 937x, 43xx, 308x, 3090, & ES/9000 processors (under OCS Legacy Ada/370 MVS Version 2.0 (BASE #910612W1.11169)	IBM 937x, 43xx, 308x, 3090, & ES/9000 processors (under MVS/ESA 3.1.0, 4.1.0, & 4.3.0; & MVS/SP XA 2.2)	Same as Host
Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (#901022W1.11049)	HP 9000 Series 300 Model 370 (under HP-UX, Version A.07.00)	Same as Host	Intel Corporation iPSC/860 Ada Release 6.1.0(E) Unix System V/860, Version 4 (Release 4 Version 3, 312425-0001 (#920513W1.11255))	Intel i860 Station (under Unix System V/860, Version 4)	Intel iPSC/860 (under Ada-NX, Release 3.3.1)
*Validated by Registration Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (BASE #901022W1.11049)	HP 9000 Series 300 & 400, all models (under HP-UX, Version A.B7.03)	Any Host	*Validated by Registration Intermetrics Intermetrics MVS Ada Compiler, Version 8.1 (BASE #910622W1.11170)	Amdahl 5890/180E (under MVS/XA Release 2.2)	Same as Host
*Validated by Registration Hewlett-Packard Company HP 9000 Series 300 Ada Compiler, Version 5.35 (BASE #901022W1.11049)	HP 9000 Series 300 & 400, all Models (under HP-UX, Vers. A.B7.00 (release 7.0), A.B7.03 (release 7.3), A.B7.05 (release 7.5) & A.B8.00 (release 8.0), as supported)	Any Host from the same Series, under the same OS version	Intermetrics Inc. RISCAE TRW RH32-targeted Ada Compiler, 1.0 (#930901W1.11321)	VAXstation 4000 (under VMS 5.5)	RISCAE TRW RH32 Simulator (bare machine simulation, executing on the Host)
IBM Canada, Ltd. AIX Ada/6000 Release 2, Preliminary Version (#901127W1.11085)	RISC System/6000 model 7013-530 (under AIX 3.1)	Same as Host	Intermetrics Inc. RISCAE Honeywell RH32-targeted Ada Compiler, 1.0 (#930901W1.11322)	VAXstation 4000 (under VMS 5.5)	RISCAE Honeywell RH32 Simulator (bare machine simulation, executing on the Host)
*Validated by Registration IBM Canada, Ltd. AIX Ada/6000 Release 2.0 (BASE #901127W1.11085)	RISC System/6000 models 7013-320,-520,-530,-540,-550,-730 & -930 (under AIX 3.1)	Any Host	Intermetrics, Inc. UTS Ada Compiler, Version 302.03 (#910425W1.11141)	IBM 3083 (under UTS 580 Release 1.2.3)	Same as Host
			Intermetrics, Inc. Intermetrics MVS Ada Compiler, Version 7.0 (#910622W1.11170)	Amdahl 5890/180E (under MVS/XA Release 2.2)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
International Business Machines Corporation IBM Ada/370, Version 1.1.0 (#901128W1.11091)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host	International Business Machines Corporation IBM Ada/370, Version 1.2.0 (unoptimized) (#910612W1.11168)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/ESA Release 1.0 ESA Feature)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/SP HPO 6.0)	IBM 937x, 43xx, 308x, 3090& ES/9000 processors (under VM/SP HPO 6.0)
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3084 (under VM/ESA Release 1.0 370 Feature)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/XA 2.1)	IBM 937x, 43xx, 308x, 3090& ES/9000 processors (under VM/XA 2.1)
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/XA Release 2.1)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3084 (under VM/ESA 1.1.0 (370 Feature))	IBM 937x, 43xx, 308x, 3090& ES/9000 processors (under VM/ESA 1.1.0 (370 Feature))
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11091)	IBM 3090 (under VM/SP Release 6.0 HPO 60)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/ESA 1.1.0 (ESA Feature))	IBM 937x, 43xx, 308x, 3090& ES/9000 processors (under VM/ESA 1.1.0 (ESA Feature))
International Business Machines Corporation IBM Ada/370, Version 1.1.0 (#901128W1.11092)	IBM 4381 (under MVS/XA Release 3.8)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3090 (under VM/ESA 1.1.1)	IBM 937x, 43xx, 308x, 3090& ES/9000 processors (under MVS/XA 1.1.1)
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.1.0 (BASE #901128W1.11092)	IBM 3090 (under MVS/ESA Release 4.1)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11168)	IBM 3084 (under VM/ESA 1.1.0(370Feature)); IBM 3090 (under VM/ESA 1.1.0(ESAFeature), VM/ESA 1.1.1, VM/XA 2.1, & VM/SP Compiler, Version 1.4.0 (BASE #910612W1.11168)	IBM 937x, 43xx, 308x 8090,& ES/9000 processors (under same OS as Host)
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (optimized) (#910612W1.11166)	IBM 3083 (under VM/SP HPO Release 5.0)	Same as Host	International Business Machines Corporation IBM Ada/370, Version 1.2.0 (unoptimized) (#910612W1.11169)	IBM 4381 (under MVS/ESA Release 3.1)	Same as Host
International Business Machines Corporation IBM Ada/370, Version 1.2.0 (optimized) (#910612W1.11167)	IBM 4381 (under MVS/ESA Release 3.1)	Same as Host	*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 & 1.3.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/SP XA 2.2)	IBM 937x, 43xx, 308x, 3090& ES/9000 processors (under MVS/SP XA 2.2)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA Release 4.1.0)	IBM 937x, 43xx, 308x, 3090 & ES/9000 processors (MVS/ESA Release 4.1.0)	Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11146)	Sun 3/50 (under SunOS V4.0)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.2.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA Release 4.2.0)	IBM 937x, 43xx, 308x, 3090 & ES/9000 processors (MVS/ESA Release 4.2.0)	Irvine Compiler Corporation ICC Ada for Sun3, Version 7.4 (BASE #910510W1.11146)	Sun Microsystems Sun-3 computer family (under SunOS 4.0 & 4.1)	Any Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.3.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA 4.1.0 & 4.2.0)	IBM 937x, 43xx, 308x, 3090, & ES/9000 computers (under same OS as Host)	Irvine Compiler Corporation ICC Ada for HP 9000 Series 300/400, Version 7.4 (BASE #910510W1.11147)	HP 9000 Model 400 (under HP-UX Release 7.03)	Same as Host
*Validated by Registration International Business Machines Corporation IBM Ada/370, Version 1.3.0 (BASE #910612W1.11169)	IBM 4381 (under MVS/ESA 3.1.0)	IBM 937x, 43xx, 308x, 3090, & ES/9000 computers (under same OS as Host)	Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11148)	VAXstation 3100 Model M38 (under VMS 5.3-1)	Intel i80960MC (bare machine)
*Validated by Registration International Business Machines Corporation IBM Ada/370 MVS Compiler, Version 1.4.0 (BASE #910612W1.11169)	IBM 3090 (under MVS/ESA 3.1.0, 4.1.0, & 4.2.0, & MVS/SP XA 2.2)	IBM 937x, 43xx, 308x 8090, & ES/9000 processors (under same OS as Host)	Irvine Compiler Corporation ICC Ada for i960MC, Version 7.4 (BASE #910510W1.11148)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, VAX 9000, & VAX 10000 series of computers (under VMS 5.4)	Intel i960MC with or without ICE960 on an Intel EXV80960MC board; any single-board computer that uses the i960 chip; Intel i960 simulator (executing on the Host) (bare machine)
International Computers Limited VME Ada Compiler VA3.00 (#911003N1.11222)	ICL Series 39 Level 80 (under VME with VMEB Environment Option Version SV291)	Same as Host	Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i960 simulator, executing on the Host (bare machines)
International Computers Limited VME Ada Compiler VA3.10 (#921008N1.11293)	ICL Series 39 Level 80 (under VME with VMEB Environment Option Version SV292)	Same as Host	Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	HP 9000 Series 700, all models (under HP-UX Version 8.0, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i960 simulator, executing on the Host (bare machines)
Irvine Compiler Corporation ICC Ada v7.0.0 (#910510W1.11145)	HP 9000 Model 720 (under HP-UX Release 8.01)	Same as Host	Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	HP 9000 Series 700 & 800, all Models (under HP-UX Version A.B8.05 (release 8.05))	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i960 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 700/800, Version 7.4 (BASE #910510W1.11145)	HP 9000 Series 700 & 800, all Models (under HP-UX Version A.B8.05 (release 8.05))	Any Host	Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	Sun Microsystems Sun-3 computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i960 simulator, executing on the Host (bare machines)
*Validated by Registration Irvine Compiler Corporation ICC Ada for HP 9000 Series 700/800 7.4 (BASE #910510W1.11145)	HP 9000 Series 700 & 800, all models (under HP-UX Versions 8.0 & 9.0, all releases; and HP-UX BLS Version 8.0, all releases)	Same as Host	Irvine Compiler Corporation ICC Ada for i960MC 7.4 (BASE #910510W1.11148)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MC, with/without ICE 960, on an EXV80960MC board; any single-board computer using the i960 chip; and Intel i960 simulator, executing on the Host (bare machines)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960XA, Version 7.5 (BASE #910510W1.11148)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAX11; and VAX 4000, 6000, 7000, 8000, 9000, & 10000 series of computers (under VMS 5.4)	Intel i960XA with or without ICE 960 on an Intel EXV80960XA board; any single-board computer that uses the i960XA chip; Intel i960XA simulator (executing on the Host) (bare machine)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11033)	DECstation 3100 (under Ultrix, Version 3.0)	Same as Host
Irvine Compiler Corporation ICC Ada v7.4.0 (#92052011.11260)	VAXstation 3100 Model M38 (under VMS Version 5.3-1)	Intel i960MX in Hughes DMV running in tagged mode (bare machine, using CHKSYS kernel version 104)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11033)	DECstation 2100, 3100 & 5000 (under Ultrix 3.0)	Any Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MX and i960MM, Version 7.4 (BASE #92052011.11260)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, VAX 9000, & VAX 10000 Series of computers (under VMS 5.4)	Intel i960MM & i960MX on a TRONIX PI960MX-JXV JIAWG Execution Vehicle board; any single-board computer that uses the i960MM/MX superscalar chip; Intel i960 simulator (executing on the Host) (bare machine)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11034)	IBM PS/2 Model 60 (with Floating-Point Co-Processor) (under IBM PC-DOS 3.30)	Same as Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #92052011.11260)	HP 9000 Series 300 & 400, all models (under HP-UX Version 8.0, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-JXV JIAWG Execution Vehicle board; any single-board computer using the i960MM/MX superscalar chip; and Intel i960 simulator, executing on the Host (bare machines)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11034)	Any Computer System comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set, fpu: Intel 80287, 80387, or equivalent, as appropriate, memory: 640 KByte RAM minimum, disk: 20 MByte hard drive, OS: IBM PC-DOS 3.30	Any Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #92052011.11260)	HP 9000 Series 700, all models (under HP-UX Version 8.0, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-JXV JIAWG Execution Vehicle board; any single-board computer using the i960MM/MX superscalar chip; and Intel i960 simulator, executing on the Host (bare machines)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11034)	Any Computer System Comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; Memory: 640 or greater KByte RAM; Disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #92052011.11260)	Sun Microsystems Sun-3 computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-JXV JIAWG Execution Vehicle board; any single-board computer using the i960MM/MX superscalar chip; and Intel i960 simulator, executing on the Host (bare machines)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #900909W1.11034)	Any Computer System Comprising: cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 640 KByte RAM; disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
*Validated by Registration Irvine Compiler Corporation ICC Ada for i960MM and i960MX Version 7.4 (BASE #92052011.11260)	Sun Microsystems Sun-4, SPARCstation, & SPARCSERVER computers, all models (under SunOS version 4.1.2 & Solaris version 1.0.1, all releases)	Intel i960MM & i960MX, with/without ICE 960, on a TRONIX PI960MX-JXV JIAWG Execution Vehicle board; any single-board computer using the i960MM/MX superscalar chip and Intel i960 simulator, executing on the Host (bare machines)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11035)	IBM PS/2 Model 30 (with Floating-Point Co-Processor) (under IBM PC-DOS 3.30)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11031)	Sun-3/260 (under SunOS, Version 4.1)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11035)	Any Computer System comprising: cpu: any that executes the Intel 8086 instruction set, fpu: Intel 8087 or equivalent, as appropriate, memory: 640 KByte RAM minimum, disk: 20 MByte hard drive, OS: IBM PC-DOS 3.30	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11032)	Sun-4/110 (under SunOS, Version 4.1)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (#900909W1.11035)	Any Computer System Comprising: Cpu: any that executes the Intel 8086 instruction set; Fpu: Intel 8087 or equivalent, as appropriate; Memory: 640 or greater KByte RAM; Disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11032)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS Versions 4.1 & 4.1.1)	Any Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (#900909W1.11035)	Any Computer System Comprising: Cpu: any that executes the Intel 8086 instruction set; Fpu: Intel 8087 or equivalent, as appropriate; Memory: 640 or greater KByte RAM; Disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host

## Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #900909W1.11035)	Any Computer System Comprising: Cpu: any that executes the Intel 8086 instruction set; Fpu: Intel 8087 or equivalent, as appropriate; memory: 640 KByte RAM; disk: 20 MByte hard drive (under IBM PC-DOS 3.30)	Any Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11037)	Any Computer System Comprising: Cpu: any that executes the Intel 80386 or 80486 instruction set; Fpu: Intel 80387 or equivalent, for 80386 cpu; Memory: 2 or greater MByte RAM; Disk: 40 MByte hard drive (under SCO Unix 3.2 or INTERACTIVE UNIX System V/386 Release 3.2)	Any Host with the same OS
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11036)	ITT XTRA/286 (with Floating-Point Co-Processor) (under MS-DOS 3.20/OS286)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11038)	Apple Macintosh II (under System 6.0.3)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11036)	Any Computer System comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 1.5 MByte RAM minimum, disk: 20 MByte hard drive, OS: MS-DOS 3.20/OS286	Any Host	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11038)	Apple Macintosh SE 30 (under System 6.0.3)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (BASE #900909W1.11036)	Any Computer System Comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; Memory: 1.5 or greater MByte RAM; Disk: 20 MByte hard drive (under MS-DOS 3.30/OS286)	Any Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11061)	Stardent Titan P3 (under Stardent/Unix 3.0)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #900909W1.11036)	Any Computer System Comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 1.5 MByte RAM; disk: 20 MByte hard drive (under MS-DOS 3.20/OS286)	Any Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11062)	MicroVAX 3100 (under Ultrix 3.1)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11037)	80 Data 386/25 (under 386/ix 1.0.6)	Same as Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#901108W1.11063)	MicroVAX II (under VMS 5.2)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #900909W1.11036)	Any Computer System Comprising: Cpu: any that executes the Intel 80286, 80386, or 80486 instruction set; Fpu: Intel 80287, 80387, or equivalent, as appropriate; memory: 1.5 MByte RAM; disk: 20 MByte hard drive (under MS-DOS 3.20/OS286)	Any Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1.1 (#911002W1.11218)	IBM PS/2 Model 80 (with Floating Point Co-Processor) (under IBM PC-DOS 3.30/OS386)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#900909W1.11037)	Any Computer System comprising: Cpu: any that executes the Intel 80386 or 80486 instruction set, Fpu: optional Intel 80387 or equivalent, for 80386 cpu, memory: 2 MByte RAM minimum, disk: 40 MByte hard drive, OS: SCO Unix 3.2 or Interactive 386/ix 1.0.6	Any Host machine running the same OS	*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.4 (BASE #911002W1.11218)	Any Computer System Comprising: Any Host Cpu: any that executes the Intel 80386 or 80486 instruction set; Fpu: Intel 80387 or equivalent, as appropriate; memory: 1.5 MByte RAM; disk: 20 MByte hard drive (under IBM PC-DOS 3.30/OS386)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11037)	Sequent Symmetry 2000/40, /200, /400 & /700 (under DYNIX/ptx V1.2.0)	Any Host	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11220)	NeXTstation (under System Release 2.0)	Same as Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #900909W1.11037)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11220)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Mercury MC860 VM (under MC/OS, Version 2.0)
					Mercury MC860VB & MC860VM (under MC/OS, Version 2.0)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #911002W1.11220)	SGI PowerSeries 4D/310S (under IRIX Sys V 3.3.2)	Mercury MC860VS (under MC/OS, Version 2.VS)	MIPS Computer Systems MIPS Ada 3.0 (#900619W1.11011)	MIPS M/2000 (under RISC/os 4.50)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911002W1.11221)	Sun-4/110 (under SunOS, Version 4.1)	Mercury MC860 VM (under MC/OS, Version 2.0)	Multiprocessor Toolsmith Inc. CASEworks/RT Ada v1.1 for Sun SPARCstation (BASE #930722W1.11318)	Sun Microsystems SPARCstation series (under SunOS 4.11, 4.1.2, & 4.1.3)	Any Host
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (BASE #911002W1.11221)	Sun Microsystems Sun-4/110, /150, /260 & /280; SPARCserver 330, 370, 390, 470 & 490; and SPARCstation 2, IPC & IPX (under SunOS Versions 4.1 & 4.1.1) and SPARCengine 1E (under SunOS Version 4.1e)	Mercury MC860VB & MC860VM (under MC/OS, Version 2.0) and Mercury MC860VS (under MC/OS, Version 2.VS)	*Validated by Registration Multiprocessor Toolsmith Inc. CASEworks/RT Ada v1.1 for Sun SPARCstation (BASE #930722W1.11319)	Sun Microsystems SPARCstation series (under SunOS 4.11, 4.1.2, & 4.1.3)	Any MC68020-, MC68030-, & MC68040-based single-board computer (bare machines, using Unison 3.1)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1 (#911216W1.11232)	Sequoia Series 400 (under Topix, Version 6.5)	Same as Host	Multiprocessor Toolsmiths Inc. CASEworks/RT Ada for the Sun SPARCstation, 1.1 (#930722W1.11318)	Sun SPARCstation 10 (under SunOS 4.1.3)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11266)	Intergraph Interpro 2400 (under CLIX System 5, Release 3.1)	Same as Host	Multiprocessor Toolsmiths Inc. CASEworks/RT Ada MC680x0, Version 1.1 (#930722W1.11319)	Sun SPARCstation 10 (under SunOS 4.1.3)	Motorola MVME147 (bare machine)
*Validated by Registration Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (BASE #920915W1.11266)	InterGraph InterPro Series C300- & C400-based models (under CLIX, System 5 Release 3.1)	Any Host	Multiprocessor Toolsmiths Inc. CASEworks/RT Ada i860, Version 1.1 (#930722W1.11320)	Sun SPARCstation 2 (under SunOS 4.1.1)	CSPI Supercard II (Intel 80860) with VSB daughterboard (bare machine)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11267)	Essence 836 (under DOS 5.0, running Microsoft Windows 3.0)	Same as Host	*Validated by Registration Multiprocessor Toolsmiths Inc. CASEworks/RT Ada v1.1 for i860 (BASE #930722W1.11320)	Sun Microsystems SPARCstation series (under SunOS 4.11, 4.1.2, & 4.1.3)	CSPI Supercard 2 with VSB daughterboard, CSPI Supercard 3 with VSB daughterboard, CSPI Supercard 3XL with VSB daughterboard, & CSPI Supercard 4 with VSB daughterboard (bare machines, using Unison/pSOS+ 3.1)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11268)	BBN TC2000 (under nX 3.0.1)	Same as Host			
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#920915W1.11269)	BBN TC2000 (under nX 3.0.1)	BBN TC2000 (under pSOS+/88k)	NEC Corporation NEC Ada Compiler System for EWS-UX/V (Release 4.0) Version Release 2.1(4.6) (#910918S1.11216)	NEC EWS4800/220 (under EWS-UX/V (Release 4.0) R2.1)	Same as Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#921202W1.11301)	HP 9000/827 (under HP-UX 8.02)	Same as Host	*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V (Release 4.0), Version Release 2.1(4.6) (#910918S1.11216)	UP4800 Series models 520, 605, 620, 625, 630, & 635 (under UP-UX/V R4.1) EWS4800 Superstation RISC Series (all EWS-RISC models, only) (under EWS-UX/V(R4.0) R6.2 & EWS-UX/V(R4.2) R7.1, as supported)	Any Host
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#930401W1.11313)	Motorola VME 167-68040 (under OS/9 68K, v2.4)	Same as Host	NEC Corporation NEC Ada Compiler System for EWS-UX/Via V70/RX-UX832, Version 1.0 (#910918S1.11217)	NEC EWS4800/60 (under EWS-UX/V R8.1)	NEC MV4000 (under RX-UX832 V1.6)
Meridian Software Systems, Inc. Meridian Ada, Version 4.1.3 (#930401W1.11314)	Essence 486 (under MS-DOS 5.0)	ADSP-21020 (bare machine)	NEC Corporation NEC Ada Compiler System for EWS-UX/Via V70/RX-UX832, Version 1.0 (#910918S1.11217)	NEC EWS4800/60 (under EWS-UX/V R8.1)	NEC MV4000 (under RX-UX832 V1.6)
MIPS Computer Systems MIPS ASAPP 3.0 (#900619W1.11010)	MIPS M/2000 (under RISC/os 4.50)	R3200-6 CPU board (bare machine)			

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V (Rel 4.0) to V70/RX-UX832, Version 1.0 (BASE #910918S1.11217)	All RISC (MIPS R3000- & R4000-based) models of the EWS4800 series (under EWS-UX/V (4.0) R2.1)	NEC MV4000 (under RX-UX832 V1.6)	*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.0 UNIX (BASE #901129W1.11089)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 60 MByte hard drive (under SCO Unix 3.2)	Same as Host
*Validated by Registration NEC Corporation NEC Ada Compiler System for EWS-UX/V(Rel 4.0) to V70/RX-UX832 version R4.1(V4.6.4) (BASE #910918S1.11217)	EWS4800 Superstation RISC Series (under EWS-UX/V(R4.0) R6.2)	NEC MV4000 (under RX-UX832 V1.63)	*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 UNIX (BASE #901129W1.11089)	Any Computer System Comprising: cpu: any that executes the Intel 80386 instruction set; fpu: optional; memory: 4 MByte RAM; disk: 40 MByte hard drive (under SCO Unix 3.2)	Any Host
North China Institute of Computing Technology C_Ada, Version 1.0 (#910902N1.11198)	MicroVAX II (under ULTRIX 3.0)	Same as Host	Rational M68020/OS-2000 Cross-Development Facility, Version 7 (#901116W1.11081)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Phillips PG2100(OS-2000 Release 2.0)
Proprietary Software Systems, Inc. PSS VAX/ZR34325 Compiler Version XB-01.000 (#920423II.11250)	VAX 8350 (under VMS Version 5.4)	PSS Zoran ZR34325 Digital Signal Processor AdaRAID Version XK-01.000 (bare machine simulation, executing on the Host)	Rational M68020/Unix Cross-Development Facility, Version 7 (#901116W1.11082)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	HP 9000 Model 370MH (under HP-UX Version 7.0)
R.R. Software, Inc. Janus/Ada 2.2.0 Phar Lap/DOS (#901120W1.11088)	IBM PS/2 Model 80 (under Phar Lap/DOS 3.3)	IBM PS/2 Model 80 (under MS DOS 3.3)	Rational M68020/Bare Cross-Development Facility, Version 7 (#901116W1.11083)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Motorola MVME135 (68020) (bare machine)
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.0 Phar Lap/DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under Phar Lap/DOS 3.3)	Any Computer System Comprising: cpu: Intel 80386, fpu: optional, memory: 4 MByte RAM, disk: 40 MByte hard drive (under MS DOS 3.3)	Rational Rational Environment, D_12_24_0 (#901116W1.11084)	R1000 Series 300 (under Rational Environment Version D_12_24_0)	Same as Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.1 DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes Intel 8086/8088 instructions; fpu: optional; memory: 640 KByte RAM; disk: 20 MByte hard drive (under MS DOS 3.3)	Same as Host	*Validated by Registration Rational Software Corporation Meridian Ada, v4.1.4 (BASE #900909W1.11038)	Apple Macintosh II Family of computers (under System 7.1)	Any Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.1 DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes Intel 8086/8088 instructions; fpu: optional; memory: 640 KByte RAM; disk: 20 MByte hard drive (under MS DOS 3.3)	Any Host	*Validated by Registration Rational Software Corporation VADS 386/486, VAda-110-3737, Version 6.2 (BASE #910517W1.11157)	Any Computer that executes the Intel 80486 instruction set (under Interactive UNIX System V/386 Release 3.2)	Same as Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes the Intel 8086/8088 instruction set; fpu: optional; memory: 640 KByte RAM; disk: 20 MByte hard drive (under MS-DOS 3.3)	Any Host	Rational Software Corporation Apex 1.4.1 (#940608W1.11356)	SPARCstation 10/51 (under SunOS 4.1.3)	Same as Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 386 to DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes the Intel 80386 instruction set; fpu: optional; memory: 2 MByte RAM; disk: 40 MByte hard drive (under Phar Lap / MS-DOS 3.3)	Any Host (under MS-DOS 3.3)	Rational Software Corporation Apex 1.4.1 (#940608W1.11357)	SPARCstation 10/51 (under Solaris 2.3)	Same as Host
*Validated by Registration R.R. Software, Inc. Janus/Ada 2.2.2 386 to DOS (BASE #901120W1.11088)	Any Computer System Comprising: cpu: any that executes the Intel 80386 instruction set; fpu: optional; memory: 2 MByte RAM; disk: 40 MByte hard drive (under Phar Lap / MS-DOS 3.3)	Any Host (under MS-DOS 3.3)	Rational Software Corporation Apex 1.4.1 (#940608W1.11358)	RS/6000 model 350 (under AIX 3.2.5)	Same as Host
R.R. Software, Inc. Janus/Ada 2.2.0 Unix (#901129W1.11089)	Northgate 386/25 (under SCO Unix 3.2)	Same as Host	Rational Software Corporation VADSself for DEC Alpha AXP OSF/1, Product #2100-01439, Version 6.2 (#940630W1.11359)	DEC 4000 Model 610 AXP (under OSF/1, V2.0)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Rational Software Corporation VADSself for DEC Alpha AXP OSF/1, Product #2100-01439, Version 6.2 (#940630W1.11360)	DEC 3000 Model 500 AXP (under OSF/1, V1.3)	Same as Host	Rational Software Corporation VADS System V/88 Release 4, VAda-110-8484, Product #2100-01464, Version 6.2 (#940630W1.11372)	DG AVIRON G70592-A(88110)	Same As Host
Rational Software Corporation Silicon Graphics VADS, Vada-2100-00732, Version 6.2 (#940630W1.11361)	Silicon Graphics Challenge (4IP19 @ 100MHz) (under IRIX 5.2)	Same as Host	Rational Software Corporation VADS AT&T 3B2/600GR UNIX System V Release 4, Product #2100-01449, Version 6.2	AT&T 3B2/600GR UNIX System V, Release 4.0	AT&T 3B2/600GR (under System V, Release 4.0)
Rational Software Corporation VADScross IBM RISC System/6000 AIX 3.2.3 => MIPS R4000, Version 6.2 (#940630W1.11362)	Silicon Graphics Challenge (4IP19 @ 100MHz) (under IRIX 5.2)	SGI Indigo XS4000 (MIPS R4000), operating as a bare machine (bare machine)	Rockwell International DDC-Based Ada/CAPS Compiler, Version 6.0 (#910306W1.11129)	VAX 8650 (under VMS, Version 5.3-1)	CAPS/AAMP1 (bare machine)
Rational Software Corporation VADS PowerPC => PowerPC, Product #2100-01445, Version 6.2 (#940630W1.11363)	IBM RS/6000 Model 250 (under AIX 3.2.5)	Motorola MVME1601 (PowerPC 601) (bare machine)	*Validated by Registration Rockwell International DDC-Based Ada/CAPS Compiler, Version 6.1 (BASE #910306W1.11129)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.3-1 & 5.4)	CAPS/AAMP1 (bare machine)
Rational Software Corporation VADS IBM RS/6000 => PowerPC, Product #2100-01445, Version 6.2 (#940630W1.11365)	IBM RS/6000 Model 530 (under AIX 3.2.5)	Motorola MVME1601 (PowerPC 601) (bare machine)	Rockwell International DDC-Based Ada/CAPS Compiler, Version 6.1 (BASE #910306W1.11129)	VAXstation 3100 Model 30 (under VMS 5.4)	CAPS/AAMP2 (bare machine)
Rational Software Corporation DADScross Sun4 => MIPS R3000, Product #2100-01446, Version 6.2 (#940630W1.11366)	Sun SPARCstation 10 (under SunOS 4.1.3)	Heurikon HKMIPS/V3500 (MIPS R3000) (bare machine)	*Validated by Registration Rockwell International DDC-Based Ada/CAPS Compiler, Version 6.0 (#910306W1.11130)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.3-1 & 5.4)	CAPS/AAMP2 (bare machine)
Rational Software Corporation VADScross Sun4 Solaris 2.3 => MIPS R4000, Version 6.2 (#940630W1.11367)	Sun SPARCstation 10/512 (under Solaris 2.3)	SGI Indigo XS4000 (MIPS R4000) (operating as a bare machine)	Rockwell International DDC-Based Ada/CAPS Compiler, Version 6.1 (BASE #910306W1.11130)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.3-1 & 5.4)	CAPS/AAMP2 (bare machine)
Rational Software Corporation DADScross Sun4 => Paragon, Product #2100-01452, Version 6.2 (#940630W1.11368)	Sun SPARCstation 10 (under SunOS 4.1.3)	Intel Paragon (under OSF/1 Release 1.1.4)	*Validated by Registration Rockwell International DDC-Based Ada/CAPS Compiler System, Version 6.3 (BASE #910306W1.11130)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, VAX 9000, & VAX 10000 series of computers (under VMS 5.5-2)	CAPS/AAMP2 & CAPS/AAMP3 (bare machines)
Rational Software Corporation VADS Sun4 => PowerPC, Product #2100-01444, Version 6.2 (#940630W1.11369)	Sun SPARCcenter 2000 (under Solaris 2.3)	Motorola MVME1601 (PowerPC 601) (bare machine)	SD-Scicon UK Ltd XD Ada MC68020, Version 1.2 (#901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS Version 5.3)	Motorola MVME133XT board (MC68020) (bare machine)
Rational Software Corporation VADS Sun4 => PowerPC Simulator, Product #2100-01455, Version 6.2 (#940630W1.11370)	Sun SPARCstation 2 (under SunOS 4.1.2)	VADS PowerPC Instruction Set Simulator, executing on the Host (bare machine simulation)	*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020, Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.3)	Motorola MVME135-1 board (MC68020) and Motorola MVME1475-1 board (MC68030) (bare machines)
Rational Software Corporation VADS System V/88 Release 4, VAda-110-8383, Product #2100-00736, Version 6.2 (#940630W1.11371)	Motorola Series 900 Model 911 (M88110) (under UNIX System V Release 4)	Same As Host	*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME133XT board (MC68020) (bare machine)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020 MVME135 & MVME147, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME135-1 (MC68020) & MVME147S-1 (MC68030) boards (bare machines)	Siemens Nixdorf Informations- systeme AG SIEMENS NIXDORF BS2000 Ada Compiler V2.1 (#90111911.11111)	SIEMENS NIXDORF 7.590G (under BS2000V9.5)	Same as Host
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68020/EFA, Version 1.2A (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME135-1 board (MC68020)(bare machine)	*Validated by Registration Siemens Nixdorf Informations- systeme AG SIEMENS NIXDORF BS2000 Ada Compiler V2.1 (BASE #90111911.11111)	SIEMENS NIXDORF 7.530, 7.536, 7.541, 7.550, 7.551, 7.560, 7.561, 7.570, 7.571, 7.580 & 7.590; 7.500-C30, .C40, -H60, -H90 & -H120 (under BS2000V9.5 & V10.0)	Same as Host
*Validated by Registration SD-Scicon UK Ltd XD Ada CPU32 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.4)	Motorola M68340EVS Evaluation System CPU32 (bare machine)	Siemens Nixdorf Informations- systeme AG Ada (SINIX) V4.1 (#910711W1.11181)	Siemens Nixdorf WX200 (SINIX-ODT) (under SINIX-ODT V1.0)	Same as Host
*Validated by Registration SD-Scicon UK Ltd XD Ada CPU32/MC68332 Version 1.2 (BASE #901007N1.11042)	VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.4)	Motorola M68332EVS Evaluation System CPU32 (bare machine)	*Validated by Registration Siemens Nixdorf Informations- systeme AG Ada (SINIX) V4.1 (BASE #910711W1.11181)	Siemens Nixdorf WX200 (SINIX-ODT) (under SINIX-ODT V1.5)	Same as Host
SD-Scicon UK Ltd XD Ada MIL-STD-1750A, Version 1.2 (#901214N1.11080)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.3)	Fairchild F9450 on a SBC-50 board (MIL-STD-1750A)(bare machine)	Siemens Nixdorf Informations- systeme AG Ada (SINIX) V4.1 (#92032511.11249)	Siemens Nixdorf MX300i (under SINIX Version V5.41)	Same as Host
SD-Scicon UK Ltd XD Ada MC68000, Version 1.2 (#910314N1.11134)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MC68000 on an MVME117-3FP board (bare machine)	*Validated by Registration Siemens Nixdorf Informations- systeme AG Ada (SINIX) V4.1 (BASE #92032511.11249)	Siemens Nixdorf WX200 & MX500i (under SINIX Version 5.41)	Each Host, self targeted
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68000/EFA, Version 1.2 (BASE #910314N1.11134)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MC68000 on an MVME117-3FP board (bare machine)	*Validated by Registration Siemens Nixdorf Informations- systeme AG Ada (SINIX) V4.1 (BASE #92032511.11249)	Siemens Nixdorf PC (under SINIX Version V5.41)	Same as Host
SD-Scicon UK Ltd XD Ada MC68020/ARTX, Version T1.2 (#910911N1.11199)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME147S-1 (MC68030) (bare machine)	Siemens Nixdorf Informations- systeme AG Ada (SINIX) V4.1 (#92092211.11276)	Siemens Nixdorf RM600 (under SINIX Version V5.41)	Same as Host
SD-Scicon UK Ltd XD Ada MC68040, Version 1.2 (#911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2) & MicroVAX II machines) (under VMS 5.4)	Motorola MVME165 (MC68040) (bare machine)	*Validated by Registration Siemens Nixdorf Informations- systeme AG Ada (SINIX) V4.1 (BASE #92092211.11276)	Siemens Nixdorf RM400 (under SINIX Version V5.41)	Same as Host
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68040/FORCE CPU-40, Version 1.2 (BASE #911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	FORCE CPU-40 (MC68040) (bare machine)	Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11014)	Iris-4D/380 (under IRIX Release 4D-3.3)	Same as Host
*Validated by Registration SD-Scicon UK Ltd XD Ada MC68040, Version 1.2 (BASE #911128N1.11230)	Local Area VAX Cluster (comprising VAXserver 3600, MicroVAX 2000 (2), & MicroVAX II machines) (under VMS 5.5)	Motorola MVME167 (68040) (bare machine)	Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11015)	Iris-4D/220S (under IRIX Release 4D-3.3)	Same as Host
			Silicon Graphics Computer Systems 4D ADA 3.0 (#900703W1.11016)	Iris-4D/25 (under IRIX Release 4D-3.3)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Silicon Graphics, Inc. VADS SGI-Irix, SC4-ADA-4.0, Version 6.1 (#910920W1.11203)	SGI Indigo (under Irix V4.0)	Same as Host	*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.1-4-4-21, Versions 1.0 & 1.1 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1.3)	Any Host
*Validated by Registration Silicon Graphics, Inc. VADS SGI-Irix, SC4-ADA-4.0, Version 6.1 (BASE #910920W1.11203)	IRIS Indigo, Personal IRIS 4D, IRIS 4D series of computers (under Irix V4.0)	Any Host	*Validated by Registration Sun Microsystems, Inc. Sun Microsystems SPARCompiler Ada 2.1 (BASE #921004W1.11289)	Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0, 2.1, 2.2, & 2.3)	Any Host
Silicon Graphics, Inc. VADS SGI-Irix, SC4-ADA-4.0, Version 6.1 (#910920W1.11204)	SGI 4D/440 (under Irix V3.3)	Same as Host	*Validated by Registration Sun Microsystems, Inc. Sun Microsystems SPARCworks iMPact Ada 1.0 (BASE #921004W1.11290)	Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0, 2.1, 2.2, & 2.3)	Any Host
SKY Computers, Inc. Meridian Ada, Version 4.1 (#910711W1.11183)	SGI Personal Iris W-4D25 (under Irix System V 3.3)	SKYbolt 8116-V (under SKYbolt kernel version 2.33)	Tartan, Inc. Tartan Ada VMS/C30, Version 4.0 (#901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board (bare machine)
SKY Computers, Inc. Meridian Ada, Version 4.1 (#910711W1.11189)	SPARCstation 1 (under SunOS release 4.1)	SKYstation 8117-P (under SKYstation kernel version 2.33)	Tartan, Inc. Tartan Ada VMS/C30, Version 4.1 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board (bare machine)
SKY Computers, Inc. SKYvec ADA Release 3.6 (#940803W1.11374)	SGI Personal Iris W-4D25 (under Irix System V 3.3)	Same as Host	*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30, Version 4.1 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 Application Board (bare machine)
Software Leverage, Inc. Parallel-Leverage d Ada, 6.1.0.2 (#940411W1.11355)	Sequent Symmetry S27 (under DYNIX/pbx, 1.2)	Same as Host	*Validated by Registration Tartan, Inc. Tartan Ada VMS/C30/IPS, Version 4.1.2 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.2)	Texas Instruments TMS320C30 (bare machine)
*Validated by Registration Software Leverage, Inc. Parallel-Leverage d Ada, 6.1.0.2 (BASE #940411W1.11355)	Unisys U6000/7x & U6000/8x series, and Unisys Commercial Secure U6000/7x & U6000/8x series, all models (under DYNIX/pbx 1.2)	Any Host	*Validated by Registration Tartan, Inc. Tartan Ada VMS/C3X Version 4.3 (BASE #901210I1.11121)	VAXstation 3100 (under VMS 5.5)	Texas Instruments TMS320C30 Application Board, & Atlanta Signal Processors Elf TMS320C31 board (bare machines)
Stratus Computer, Inc. Stratus Ada, Version 6.1 (#921015W1.11294)	Stratus XA/R20 (under FTX, 2.0.1)	Same as Host	Tartan, Inc. Tartan Ada Sun/960MC, Version 4.0 (#901210I1.11122)	Sun 3/60 (under SunOS Version 4.0.3)	Intel ICE960/25 on an Intel EXV80960MC board (bare machine)
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.0-4-4-21, Version 1.0 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families; SPARCserver 600MP Series; & 4600MP-64 (under SunOS Version 4.2 releases 4.1 & 4.1.2, as supported)	Any Host	Tartan, Inc. Tartan Ada Sun/Sun, Version 4.0 (#901211I1.11118)	Sun 3/60 (under SunOS Version 4.0.3)	Same as Host
*Validated by Registration Sun Microsystems Sun Microsystems Sun Ada, SunOS, ADE-1.1-4-4-21, Version 1.1 (BASE #900510W1.11006)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families; SPARCserver 600MP Series; & 4600MP-64 (under SunOS Version 4.2 release 4.1.2)	Any Host	*Validated by Registration Tartan, Inc. Tartan Ada Sun/Sun, Version 4.1 (BASE #901211I1.11118)	Sun 3/60 (under SunOS Version 4.0.3)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Tartan, Inc. Tartan Ada Sun/Sun, Version 4.2 (BASE #90121111.11118)	Sun 3/60 (under SunOS Version 4.0.3)	Same as Host	*Validated by Registration Tartan, Inc. Tartan Ada VMS/1750A, Version 4.1 (BASE #90121311.11119)	VAXstation 3200 (under VMS 5.2)	Texas Instruments STL VHSIC 1750A (bare machine)
Tartan, Inc. Tartan Ada VMS/960MC, Version 4.0 (#90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel ICE960/25 on an Intel EXV80960MC board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/1750A, Version 4.3 (BASE #90121311.11119)	VAXstation 3100 (under VMS 5.5)	Texas Instruments STL VHSIC 1750A, & Fairchild F9450 on an SBC-50 (MIL-STD-1750A) (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.1 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80960MC board, & Intel ICE960/25 on an Intel EXV80960MC board (bare machines)	Tartan, Inc. Tartan Ada VMS/680X0, Version 4.1 (#91061311.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020) (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.2.1 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel ICE960/25 on an Intel EXV80960MC board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/680X0, Version 4.1.1 (BASE #91061311.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020), MVME143 (MC68030), & MVME165 (MC68040) (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.2.1 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80960MC board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/680X0/IPS, Version 4.1.2 (BASE #91061311.11171)	VAXstation 3100 (under VMS 5.2)	Motorola MVME134 (MC68020) (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC, Version 4.2.2 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.2)	Intel EXV80960MC board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada VMS/68XXX Version 4.3 (BASE #91061311.11171)	VAXstation 3100 (under VMS 5.5)	Motorola MVME134 (68020), MVME143 (68030), MVME165 (68040), MC68332 (CPU32), & MC68340 (CPU32) (bare machines)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC/SVMT, Version 4.3 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.5)	Cyclone CVME962 board, & Intel EXV80960MC board (bare machines)	Tartan, Inc. Tartan Ada SPARC C30, Version 4.2 (#92031311.11244)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C30 Application Board (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada VMS/960MC/PMRT, Version 4.3 (BASE #90121211.11120)	VAXstation 3100 (under VMS 5.5)	Cyclone CVME962 board, Intel EXV80960MC board, & PI-960MX-JXV board (bare machines)	Tartan, Inc. Tartan Ada SPARC C3X, Version 4.3 (BASE #92031311.11244)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C30 Application Board, & Atlanta Signal Processors Elf TMS320C31 board (bare machines)
Tartan, Inc. Tartan Ada Sun/C30 Version 4.0 (#90121211.11123)	Sun 3/50 (under SunOS Version 4.0.3)	Texas Instruments TMS320C30 Application Board (bare machine)	Tartan, Inc. Tartan Ada SPARC 1750a, Version 4.2 (#92031311.11245)	SPARCstation ELC (under SunOS version 4.1.1)	Fairchild F9450 on an SBC-50 board (MIL-STD-1750A) (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada Sun/C30, Version 4.1.1 (BASE #90121211.11123)	Sun 3/50 (under SunOS Version 4.0.3)	Texas Instruments TMS320C30 Application Board (bare machine)	*Validated by Registration Tartan, Inc. Tartan Ada SPARC 1750a Version 4.3 (BASE #92031311.11245)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments STL VHSIC 1750A, & Fairchild F9450 on an SBC-50 (MIL-STD-1750A) (bare machines)
Tartan, Inc. Tartan Ada VMS/1750A, Version 4.0 (#90121311.11119)	VAXstation 3200 (under VMS 5.2)	Texas Instruments STL VHSIC 1750A (bare machine)	Tartan, Inc. Tartan Ada SPARC 680X0, Version 4.2 (#92031311.11246)	SPARCstation ELC (under SunOS version 4.1.1)	Fairchild F9450 on an SBC-50 board (bare machine)
					Motorola MVME134 (MC68020) (bare machine)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/68XXX Version 4.3 (BASE #920313II.11246)	SPARCstation ELC (under SunOS version 4.1.1)	Motorola MVME134 (68020), MVME143 (68030), MVME165 (68040), MC68332 (CPU32), & MC68340 (CPU32) (bare machines)	TeleSoft TeleGen2 Ada Host Development System, Version 4.1, for SPARCSystems (#901128W1.11090)	Sun-4/280 (under Sun UNIX 4.2, Release 4.1)	Same as Host
Tartan, Inc. Tartan Ada SPARC 960mc, Version 4.2 (#920313II.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Intel EXV80960MC board (bare machine)	*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.2, release 4.1)	Any Host
*Validated by Registration Tartan, Inc. Tartan Ada SPARC 960mc, Version 4.2.2 (BASE #920313II.11247)	SPARCstation ELC (under SunOS Version 4.1.1)	Intel EXV80960MC board (bare machine)	*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Solbourne Series 5 & 5E; and S4000 (under OS/MP 4.1)	Any Host
*Validated by Registration Tartan, Inc. Tartan Ada RS6000/960mc, Version 4.2.2 (BASE #920313II.11247)	IBM RISC System/6000 Model 320H (under AIX Version 3.2)	Intel EXV80960MC board (bare machine)	*Validated by Registration TeleSoft TeleGen2 Ada Host Development System for SPARCSystems, Version 4.1 (BASE #901128W1.11090)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.1)	Any Host
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/960MC/SVMT, Version 4.3 (BASE #920313II.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Cyclone CVME962 board, & Intel EXV80960MC board (bare machines)	TeleSoft TeleGen2 Ada Cross Development System, Version 4.1, for VAX/VMS to 68K (#910121II.11124)	MicroVAX 3800 (under VAX/VMS Version 5.2)	Motorola MVME133A-20 (MC68020) (bare machine)
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/960MC/PMRT, Version 4.3 (BASE #920313II.11247)	SPARCstation ELC (under SunOS version 4.1.1)	Cyclone CVME962 board, Intel EXV80960MC board, & PI-960MX-JXV board (bare machines)	*Validated by Registration TeleSoft TeleGen2 Ada Cross Development System, Version 4.1, for VAX/VMS to 68K (#910121II.11124)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4, as supported)	Motorola board series MVME133*, MVME135*, MVME136 (MC68020); MVME141* & MVME147* (MC68030); and Force CPU-30, CPU-31, CPU-32 & CPU-37 (bare machines)
Tartan, Inc. Tartan Ada VMS/C40 v4.2.1 (#921030II.11296)	VAXstation 4000 Model 60 (under VMS 5.5)	Texas Instruments TMS320C40 Parallel Processing Development System (bare machine)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4, as supported)	Motorola board series MVME147* (MC68030) (bare machines, using TeleAda-Exec)	
*Validated by Registration Tartan, Inc. Tartan Ada SPARC/C40, Version 4.3 (BASE #921030II.11296)	SPARCstation ELC (under SunOS version 4.1.1)	Texas Instruments TMS320C40 Parallel Development System (bare machine)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4, as supported)	Motorola board series MVME147* (MC68030) (bare machines, using TeleAda-Exec)	
*Validated by Registration Tartan, Inc. Tartan Ada VMS/C40, Version 4.3 (BASE #921030II.11296)	VAXstation 3100 (under VMS 5.5)	Texas Instruments TMS320C40 Parallel Development System (bare machine)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4)	Motorola MVME165* & MVME167* (68040) board families (bare machines)	
Tartan, Inc. TartanWorks Ada VxWorks 68xxx Version 4.3.1 (#940221II.11340)	SPARCstation ELC (under SunOS 4.3.1)	Motorola MVME167 (68040) (bare machine, using 5.1)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (as supported) (under VMS Versions 5.0, 5.1, 5.2, 5.3 & 5.4)	Integrated Device Technology IDT7RS301 System (R3000/R3010) (bare machine)	
TeleSoft TeleGen2 Sun-3 Ada Development System, Version 4.01 (#900525II.11012)	Sun-3/280 (under Sun UNIX 4.2, Release 4.0.3)	Same as Host	TeleSoft TeleGen2 Ada Cross Development System, Version 4.1, for VAX/VMS to MIPS (#910123II.11125)	MicroVAX 3800 (under VAX/VMS Version 5.2)	Motorola MVME135-1 (MC68020) (bare machine)
			TeleSoft TeleGen2 Ada Cross Development System, Version 4.1, for SUN-3 to 68K (#910125II.11126)	Sun-3/480 (under Sun UNIX, Release 4.1)	

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
TeleSoft TeleGen2Ada Cross Development System, Version 3.1 for VAX/VMS to 386 (#910325II.11139)	VAX 6210 (under VMS 5.3)	Intel iSBC 386-120 (80386/387)(bare machine, using TeleAda-EXEC 1.0)	Texas Instruments MIPS-Ada, Version 3.0 (#901030W1.11052)	MIPS M/2000 (under RISC/os 4.02)	TI DP32 R3000 Processor (bare machine, using TI DP32 RTE Version 1.0)
*Validated by Registration TeleSoft TeleGen2Ada Cross Development System, Version 3.1 (BASE #910325II.11139)	VAX 4000-300 (under VMS 5.4-3)	Intel iSBC 486/133SEboard (bare machine, using TeleAda-EXEC 1.0)	Texas Instruments TI Ada, Version 1.0 (#910403W1.11135)	MicroVAX 3400 (under VMS 5.3-1)	TI DP32 R3000 Processor (bare machine, using TI Executive and Runtime Services (EARS) Version 1.0)
TeleSoft TeleGen2Ada Cross Development System, Version 3.1 for SPARC to 68K (#910325II.11140)	Sun-4/60 (under SunOS 4.1)	Motorola MVME147 (68030) (bare machine, using TeleAda-EXEC 1.0)	*Validated by Registration TLD Systems, Inc. TLD Comanche VAX/MIL-STD-1750A Ada Compiler System, Version 3.4.C (BASE #931012W1.11329)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.5)	TLDmps MIL-STD-1750A Multiple Processor Simulator, executing on the Host (bare machine simulation, using TLDrtx Real Time Executive, 3.4.C)
*Validated by Registration TeleSoft TeleGen2Ada Cross Development System for SPARC to 68K, Version 4.1 (BASE #910325II.11140)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Motorola MVME133*, MVME135*, MVME136* (68020); MVME141* & MVME147* (68030); and MVME165* & MVME167* (68040) board families (bare machines, optionally using TeleAda_Exec 2.0)	*Validated by Registration TLD Systems, Inc. TLD Comanche VAX/1960 Ada Compiler System, Version 4.1.1 (BASE #940305W1.11335)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.5)	Various hardware & software implementations of the Intel i960 hardware architecture, including: TLDmps i960 Multiple Processor Simulator (executing on a host), Tronic JIAWG i960 MX/XA Execution Vehicle, Intel EXV 960MX Execution Vehicle, and Westinghouse Data Processing System (containing multiple i960 MX/XA boards) (bare machines or bare machine simulation, using TLDrtx Real Time Executive, Version 4.1.1)
TeleSoft TeleGen2Ada Host Development System, Version 4.1, for MacII Systems (#910721II.11194)	Apple Macintosh IIfx (under A/UX 2.0)	Same as Host	TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 OA Ada Compiler System, Version 2.9.0 (#920319W1.11237)	Sun-4/75 (under SunOS, Version 4.1.1)	Rockwell International RI-1750AB Brassboard Development System (bare machine, using TLDrtx Real Time Executive, Version 1.0.0)
*Validated by Registration TeleSoft TeleGen2Ada Host Development System for MacII Systems, Version 4.1 (BASE #910721II.11194)	Apple Macintosh II family, & SE/30 (under A/UX Release 2.0)	Any Host	TLD Systems, Ltd. TLD MV/MV Ada Compiler System, Version 2.9.0 (#920319W1.11238)	Data General MV/32 20000-2 (under AOS/VS II, Version 2.03)	Same as Host
TeleSoft TeleGen2Ada Development System for VAX to 1750A, Version 3.25 (#911028II.11229)	MicroVAX 3800 (under VMS Version 5.4)	MIL-STD-1750AECSPO ITS RAID Simulator, Version 6.0 (bare machine simulation, executing on the Host)	TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 OA Ada Compiler System, Version 2.9.0 (#920319W1.11239)	Sun-4/75 (under SunOS, Version 4.1.1)	Honeywell Program Development Unit (PDU) with Honeywell Generic VHSC Spaceborne Computer (GVSC) MIL-STD-1750A(bare machine, using TLDrtx Real Time Executive, Version 1.0.0)
TeleSoft TeleGen2Ada Compilation System for VAX to 80960, Version 4.1 (#911213II.11235)	MicroVAX 3800 (under VMS Version 5.4)	Intel EXV 960 MC-MIL (i960 XA) (bare machine, using Hughes O.S. Ada RTS interface)	TLD Systems, Ltd. TLD Sun-4/MIL-STD-175 OA Ada Compiler System, Version 2.9.0 (#920319W1.11240)	Sun-4/75 (under SunOS, Version 4.1.1)	TLD MIL-STD-1750AMultiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)
TeleSoft TeleGen2Ada Cross Development System Version 4.1.1 for SUN-4 to eMIPS (#921029II.11295)	Sun-4/690 (under SunOS Release 4.1.2)	Integrated Device Technology IDT7RS301System (R3000/R3010)(bare machine)	TLD Systems, Ltd. TLD RISC6000/MIL-STD-1750AAda Compiler System, Version 2.9.0 (#920319W1.11240)	IBM RISC System 6000, Model 530 (under AIX, Version 3.1)	TLDmps MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0,
TeleSoft TeleGen2Ada Cross Development System for Sun-4 to i960, Version 4.1.1 (#921218II.11303)	Sun-4/690 (under SunOS Release 4.1.2)	CVME962 System (i960XA board with MC Processor) (bare machine)	*Validated by Registration TLD Systems, Ltd. TLD RISC6000/MIL-STD-1750AAda Compiler System, Version 2.9.0 (#920319W1.11241)	IBM RISC System 6000 series (under AIX, Version 3.1)	and executing on the Host) IBM User Console with IBM Generic VHSC Spaceborne Computer (bare machine, using TLDrtx Real Time Execution, Version 1.0.0)
TeleSoft TeleGen2Ada Cross Development System for Sun-4 to e68k, Version 4.1c (#921218II.11304)	Sun-4/690 (under SunOS Release 4.1.2)	Motorola MVME147S-1 (68030/68882)(bare machine)	(BASE #920319W1.11241)		

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
TLD Systems, Ltd. TLD VAX/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (#920319W1.11242)	MicroVAX 3500 (under VMS, Version 5.1)	TLD MIL-STD-1750AMultiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)	U.S. NAVY AdaVAX, Version 5.0 (/NO_OPTIMIZE) (#910517S1.11165)	VAX-11/785 (under VMS Version 5.3)	Same as Host
*Validated by Registration TLD Systems, Ltd. TLD VAX/MIL-STD-1750A Ada Compiler System, Version 2.9.0 (BASE #920319W1.11242)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 4000, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.4)	IBM User Console with IBM Generic VHSCIC Spaceborne Computer (bare machine, using TLDrtx Real Time Execution, Version 1.0.0)	U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11172)	VAX 8550 (under VMS Version 5.3)	AN/UYK-43 (single cpu) (bare machine)
TLD Systems, Ltd. TLD HP 9000/MIL-STD-1750 Ada Compiler System, Version 2.9.0 (#920319W1.11243)	HP 9000/350 (under HP-UX, Version 7.0)	TLDmps MIL-STD-1750A Multiple Processor Simulator (bare machine simulation, using TLDrtx Real Time Executive, Version 1.0.0, and executing on the Host)	U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11174)	VAX 8550 (under VMS Version 5.3)	AN/UYK-44 (EMR) (bare machine)
TLD Systems, Ltd. TLD Comanche VAX/MIL-STD-1750A Ada Compiler System, Version 3.4.C (#931012W1.11329)	VAXstation 4000 Model 60 (under VMS 5.5)	TLD MIL-STD-1750AMultiple Processor Simulator (TLDmps), executing on the Host (bare machine simulation, using TLD Real Time Executive (TLDrtx), 3.4.C)	U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11175)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-43 (single cpu) (bare machine)
TLD Systems, Ltd. TLD Comanche VAX/1960 Ada Compiler System, Version 4.1.1 (#940305W1.11335)	DEC Local Area Network VAX Cluster (comprising 2 MicroVAX 3100 Model 90 machines) (under VMS 5.5)	Tronix JIAWG Execution Vehicle (j960MX) (bare machine using TLD Real Time Executive (TLDrtx), (Domain Configuration), Version 4.1.1)	U.S. NAVY Ada/L, Version 4.0 (/OPTIMIZE) (#910626S1.11177)	VAX-11/785 (under VMS Version 5.3)	AN/UYK-43 (EMR) (bare machine)
U.S. Air Force AFCAS 1750A Ada Compiler, Version 1.0 (#910425W1.11142)	VAXstation 3100 (under VMS Version 5.3)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)	U.S. NAVY Ada/M, Version 4.0 (/OPTIMIZE) (#910626S1.11178)	VAX-11/785 (under VMS Version 5.3)	AN/AYK-14 (bare machine)
*Validated by Registration U.S. Air Force AFCAS 1750A Ada Compiler, Version 1.1 (BASE #910425W1.11142)	DEC VAXstation 3100 (under VMS Version 5.4)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)	U.S. NAVY AdaVAX, Version 5.5 (/OPTIMIZE) (#920918S1.11270)	VAXstation 4000 (under VMS Version 5.5)	Same as Host
U.S. Air Force AFCAS 1750A/XMEM Ada Compiler, Version 1.0 (#910425W1.11143)	VAXstation 3100 (under VMS Version 5.3)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)	U.S. NAVY AdaVAX, Version 5.5 (/NO_OPTIMIZE) (#920918S1.11271)	VAXstation 4000 (under VMS Version 5.5)	Same as Host
*Validated by Registration U.S. Air Force AFCAS 1750A/XMEM Ada Compiler, Version 1.1 (BASE #910425W1.11143)	DEC VAXstation 3100 (under VMS Version 5.4)	Air Force RAID MIL-STD-1750A simulator (bare machine simulation, executing on the Host)	U.S. NAVY Ada/M, Version 4.5 (/OPTIMIZE) (#920918S1.11272)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	Enhanced Processor (EP) AN/UYK-44 (bare machine)
U.S. NAVY AdaVAX, Version 5.0 (/OPTIMIZE) (#910517S1.11162)	VAX 8600 (under VMS Version 5.3)	Same as Host	U.S. NAVY Ada/M, Version 4.5 (/NO_OPTIMIZE) (#920918S1.11273)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	VHSIC Processor Module (VPM) AN/AYK-14 (bare machine)
U.S. NAVY AdaVAX, Version 5.0 (/NO_OPTIMIZE) (#910517S1.11163)	VAX 8600 (under VMS Version 5.3)	Same as Host	U.S. NAVY Ada/M, Version 4.5 (/NO_OPTIMIZE) (#920918S1.11274)	VAX Cluster (comprising VAX 8550, 8600, & 8650 machines) (under VMS Version 5.3)	VHSIC Processor Module (VPM) AN/AYK-14 (bare machine)
U.S. NAVY AdaVAX, Version 5.0 (/OPTIMIZE) (#910517S1.11164)	VAX-11/785 (under VMS Version 5.3)	Same as Host	UNISYS Corporation UCS Ada, Version 1R1 (#910510S1.11161)	UNISYS 2200/600 (under OS1100, Version 43R2)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration UNISYS Corporation UCS Ada, Version 1R1 (BASE #910510S1.11161)	UNISYS 1100/90, 2200/100, /200, /400, /600, & /900 (under OS 1100, Versions 43R2 & 43R3, as supported)	Any Host	Verdix Corporation VADS Sun3 SunOS, VAda-110-1313, Version 6.0 (#900510W1.11003)	Sun 3/280 (under SunOS 4.0)	Same as Host
Verdix Corporation VAda-110-6161, Version 6.0.2 (#900228W1.11001)	DECstation 3100 (under ULTRIX 3.1)	Same as Host	*Validated by Registration Verdix Corporation VADS Sun-3 Sun OS, VAda-110-1313, Version 6.0 (BASE #900510W1.11003)	Sun-3/50, /60, /80, /150, /160, /260, /280, /470 & /480 (under SunOS 4.0 & 4.1)	Any Host machine (under same OS version)
*Validated by Registration Verdix Corporation VAda-110-6161, Version 6.0.2 (BASE #900228W1.11001)	DECstation 2100, 5000; DECsystem 5400, 5810, 5820, 5830, 5840 (under ULTRIX 3.1)	Any Host	Verdix Corporation VADS IBM PS/2 AIX => Intel 80386, VAda-110-35315, Version 6.0 (#900510W1.11004)	IBM PS/2 Model 80 (under AIX 1.1)	Intel iSBC 386/12 (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.0, VAda-110-6161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.0)	Any Host	Verdix Corporation VADS IBM PS/2 AIX => 68K, VAda-110-35125, Version 6.0 (#900510W1.11005)	IBM PS/2 Model 80 (under AIX 1.1)	Motorola MVME133A-20 (MC68020) (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.1, VAda-110-6161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.1)	Any Host	Verdix Corporation VADS Sun-4 SunOS, VAda-110-4040, Version 6.0 (#900510W1.11006)	Sun 4/280 (under SunOS 4.0)	Same as Host
*Validated by Registration Verdix Corporation VADS DEC-RISC, Ultrix 4.2, VAda-110-6161, Version 6.0 (BASE #900228W1.11001)	DECstation 2100, 3100, 5000 & 5200; DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under Ultrix 4.2)	Any Host	*Validated by Registration Verdix Corporation VADS Sun-4/65, /110, /150 & /260; SPARCserver 310, 330, 370, 390, 470 & 490; SPARCSation SLC, 1, 1+, 2, 310, 330 & 370; and SPARCEngine 1 VME (under SunOS 4.1)	Sun-4/20, /65, /110, /150 & /260; SPARCserver 310, 330, 370, 390, 470 & 490; SPARCSation SLC, 1, 1+, 2, 310, 330 & 370; and SPARCEngine 1 VME (under SunOS 4.1)	Any Host
*Validated by Registration Verdix Corporation VADS DEC-RISC, VAda-110-6161, Versions 6.0, 6.1, & 6.2 (BASE #900228W1.11001)	Digital Equipment Corp. DECstation & DECsystem series of MIPS-based computers (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Any Host	Verdix Corporation VADS Sun3 SunOS => 68K, VAda-110-13125, Version 6.0 (#900510W1.11007)	Sun 3/280 (under SunOS 4.0) (bare machine)	Motorola MVME147 (MC68030)
Verdix Corporation VAda-110-0202, Version 6.0 (#900228W1.11002)	VAXsystem 3100 (under ULTRIX 3.1)	Same as Host	Verdix Corporation VADS Sun3 SunOS, VAda-110-13125, Version 6.0 (#900510W1.11007)	Sun 3/280 (under SunOS 4.0) (bare machine)	Motorola MVME147 (MC68030)
*Validated by Registration Verdix Corporation VAda-110-0202, Version 6.0 (BASE #900228W1.11002)	DEC VAX-11, MicroVAX, VAXserver, VAXstation, VAX 6000, VAX 8000 & VAX 9000 series (under ULTRIX 4.0)	Any Host	*Validated by Registration Verdix Corporation VADS Sun3 SunOS => 68K, VAda-110-13125, Version 6.0 (BASE #900510W1.11007)	Sun-3/50, /60, /80, /150, /160, /260, /280, /470 & /480 (under SunOS 4.0 & 4.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU20 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134, MVME135 & MVME136 (MC68020), MVME-110, MVME-165 & MVME-167; Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VAda-110-0202, Version 6.0 (BASE #900228W1.11002)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under ULTRIX 4.2)	Any Host	Verdix Corporation VADS IBM RISC System/6000, AIX 3.1, VAda-110-7171, Version 6.0 (#900726W1.11017)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000,AIX 3.1, VAda-110-7171, Version 6.0 (BASE #900726W1.11017)	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Any Host	*Validated by Registration Verdix Corporation VADS VAX/VMS => 68K, VMS 5.2, VAda-110-03125, Version 6.0 (BASE #900726W1.11021)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.2)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME6822; Liber8or SBC; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7124, MZ7124, MZ7130, MZB120 & MZB130; Sun Microsystems 3E Book Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134, MVME135 & MVME136 (MC68020), MVME165, MVME167; Tadpole TP32V & TP33 (bare machines)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000,AIX 3.1, VAda-110-7171, Version 6.0 (BASE #900726W1.11017)	IBM RISC System/6000 Models 220, 320, 320H, 340, 350, 520, 520H, 530H, 540, 550, 560, 730, 930, & 950 (under AIX 3.2)	Any Host			
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000,VAda-110-7171, Versions 6.0, 6.1, & 6.2 (BASE #900726W1.11017)	IBM RISC System/6000 series of computers (under AIX 3.1 & 3.2)	Any Host	Verdix Corporation VADS VAX/VMS => Intel 386, VMS 5.2, VAda-110-03315, Version 6.0 (#900726W1.11022)	MicroVAX 3100 (under VAX/VMS V5.2)	Intel iSBC 386/32 (bare machine)
Verdix Corporation VADS HP 9000/350(under HP-UX 7.0, VAda-110-1515, Version 6.0 (#900726W1.11018)	HP 9000/350(under HP-UX 7.0)	Same as Host	Verdix Corporation VADS VAX/VMS => Intel 386, VMS 5.3, VAda-110-03315, Version 6.0 (BASE #900726W1.11022)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Intel iSBC 386/32 (bare machine)
*Validated by Registration Verdix Corporation VADS HP 9000/300, HP-UX 7.0, VAda-110-1515, Version 6.0 (BASE #900726W1.11018)	HP 9000 Series 300 Models 310, 320, 330, 340, 350, 360 & 370 (under HP-UX 7.0)	Any Host	Verdix Corporation VADS VAX/ULTRIX => 68k, Ultrix 3.1, VAda-110-02125, Version 6.0 (#900726W1.11023)	MicroVAX 3100 (under Ultrix 3.1)	Tektronix MV System, MV 68020 Support System, using TekD8 Version 5.0.2 emulation software (bare machine simulation)
Verdix Corporation VADS Prime EXL/320, UNIX System V/386 3.2, VAda-110-3232, Version 6.0 (#900726W1.11019)	Prime EXL/320 (under UNIX System V/386 3.2)	Same as Host	Verdix Corporation VADS VAX/ULTRIX => 68K, ULTRIX 3.1, VAda-110-02125, Version 6.0 (BASE #900726W1.11023)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under Ultrix 3.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME6822; Liber8or SBC; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7124, MZ7124, MZ7130, MZB120 & MZB130; Sun Microsystems 3E Book Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134 & MVME135 (MC68020); Tadpole TP32V & TP33 (bare machines); Tektronix MV System MV 68020 Support System using TekD8 Version 5.0.2 emulation software (bare machine simulation)
Verdix Corporation VADS VAX/VMS 5.2, VAda-110-0303, Version 6.0 (#900726W1.11020)	MicroVAX 3100 (under VAX/VMS V5.2)	Same as Host	Verdix Corporation VADS VAX/VMS 5.3, VAda-110-0303, Version 6.0 (BASE #900726W1.11020)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME6822; Liber8or SBC; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7124, MZ7124, MZ7130, MZB120 & MZB130; Sun Microsystems 3E Book Set; Motorola MVME147 Series & MVME141 (MC68030), MVME133 Series, MVME134 & MVME135 (MC68020); Tadpole TP32V & TP33 (bare machines); Tektronix MV System MV 68020 Support System using TekD8 Version 5.0.2 emulation software (bare machine simulation)
*Validated by Registration Verdix Corporation VADS VAX/VMS 5.2, VAda-110-0303, Version 6.0 & 6.2 (BASE #900726W1.11020)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.0, 5.2, & 5.3)	Any Host	*Validated by Registration Verdix Corporation VADS VAX/VMS => 68K, ULTRIX 3.1, VAda-110-02125, Version 6.0 (BASE #900726W1.11023)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under Ultrix 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V30 Series, & HK68/V3E Series Matrix MS-CPU220, MS-CPU320, MS-CPU330; Mizar MZ7122, MZ7124, MZ7124, MZ7130, MZB120, & MZB130; Motorola MVME133 Series, MVME135 & MVME147 Series; Radionics CPU-2A; S8E VCOM-24; Tadpole TP32V; and Tektronix MV System, MV 68020 Support System using TekD8 Version 5.0.2 emulation software (bare machine simulation) (bare machines)
Verdix Corporation VADS VAX/VMS => 68k, VMS 5.2, VAda-110-03125, Version 6.0 (#900726W1.11021)	MicroVAX 3100 (under VAX/VMS V5.2)	Motorola MVME147 (MC68030) (bare machine)			

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS DEC-RISK => 68K, Ultrix 3.1, VAda-110-61125, Version 6.0 (#900726W1.11024)	DECstation 3100 (under Ultrix 3.1)	Motorola MVME147 (MC68030) (bare machine)	*Validated by Registration Verdix Corporation VADS IBM RISC System/6000 => 68K, Ultrix 4.0, VAda-110-61125, Version 6.0 (BASE #900726W1.11024)	IBM RISC System/6000 series of computers (under AIX 3.1 & 3.2) VADS IBM RISC System/6000 => 68K, VAda-110-71125, Versions 6.0, 6.1, & 6.2 (BASE #900726W1.11025)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series HK68/V30 Series, & HK68/V3E Series Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134, MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VADS DEC-RISK => 68K, Ultrix 3.1, VAda-110-61125, Versions 6.0, 6.1, 6.2 (BASE #900726W1.11024)	DECstation 2100, 3100, 5000 & 5200; and DECsystem 3100, 5000, 5100, 5200, 5400, 5500, 5810, 5820, 5830 & 5840 (under ULTRIX 4.0)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator S8C; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134, MVME135 (MC68020); Tadpole TP32V & TP33M (bare machines)	Verdix Corporation VADS IBM RISC System/6000 => 386, AIX 3.1, VAda-110-71315, Version 6.0 (BASE #900726W1.11026)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Intel iSBC 386/116 (bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISK => 68K, Ultrix 3.1, VAda-110-61125, Versions 6.0, 6.1, 6.2 (BASE #900726W1.11024)	Digital Equipment Corp. DECstation & DECsystem series of MIPS-based computers (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MD-CPU320, & MD-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; SBE VCOM-24; and Tadpole TP32V (bare machines)	Verdix Corporation VADS IBM RISC System/6000 => 386, AIX 3.1, VAda-110-71315, Version 6.0 (BASE #900726W1.11026)	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Intel iSBC 386/116 (bare machine)
Verdix Corporation VADS IBM RISC System/6000 => 68K, AIX 3.1, VAda-110-71125, Version 6.0 (#900726W1.11025)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Motorola MVME147 (MC68030) (bare machine)	Verdix Corporation VADS IBM RISC System/6000 => 386, AIX 3.1, VAda-110-71315, Version 6.0 (BASE #900726W1.11026)	IBM RISC System/6000 Models 220, 320, 320H, 340, 350, 520, 520H, 530H, 540, 550, 560, 730, 930, & 950 (under AIX 3.1, VAda-110-71315, Version 6.0 (BASE #900726W1.11026)	Intel iSBC 486/125 (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RISC System/6000 => 68K, AIX 3.1, VAda-110-71125, Version 6.0 (BASE #900726W1.11025)	IBM RISC System/6000 Models 320, 520, 540, 730 & 930 (under AIX 3.1)	Cyclone CVME 44, CVME 46 & CVME48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37 & Golden Triangle Firepower; Heurikon HK68/V30 Series, V2E Series & V2F Series; Integrated Solutions VME68K20, VME68K30, VME68225 & Liberator S8C; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME133 Series, MVME134, MVME135 & MVME147 Series; and Tadpole TP32V & TP33M (bare machines)	Verdix Corporation VADS VAX/VMS 5.2 => Intel 80386/WEITEK 3167, VAda-110-03315, Version 6.0 (#901129W1.11094)	MicroVAX 3100 (under VMS Version 5.2)	Intel iSBC 386/116 using a WEITEK 3167 fpu (bare machine)
*Validated by Registration Verdix Corporation VADS VAX/VMS => 68K, VAda-110-03125, Versions 6.0 & 6.2 (BASE #900726W1.11025)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, VAX 9000 Series of computers (under VMS 5.0, 5.2, & 5.3)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; S8E VCOM-24; and Tadpole TP32V (bare machine)	Verdix Corporation VADS VAX/VMS 5.3 => Intel 80386/WEITEK3167, VAda-110-03315, Version 6.0 (BASE #901129W1.11094)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Intel iSBC 386/116 using a WEITEK 3167 fpu (bare machine)
*Validated by Registration Verdix Corporation VADS VAX/VMS => 68K, VAda-110-03125, Versions 6.0 & 6.2 (BASE #900726W1.11025)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, VAX 9000 Series of computers (under VMS 5.0, 5.2, & 5.3)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; S8E VCOM-24; and Tadpole TP32V (bare machine)	Verdix Corporation VADS UNIX System V/386, Rel. 4, VAda-110-3232, Version 6.0 (#901129W1.11095)	Intel 302 System (under UNIX System V/386, Release 4)	Same as Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS UNIX System V/486, Rel. 4, VAda-110-3232, Version 6.0 (BASE #901129W1.11095)	NCR 3000, 3320, 3335, 3345, 3445, 3447, 3450, & 3550 (under NCR UNIX System V, V/486, Rel. 4.0); AST Premium 486/33 (under UNIX System V/486, Release 4.0)	Any Host	Verdix Corporation VADS Sun-4 => Sun-3, Sun OS 4.0, VAda-110-4013, Version 6.0 (#901129W1.11098)	Sun-4/260 (under SunOS 4.0)	Sun-3/260 (under SunOS 4.0)
*Validated by Registration Verdix Corporation VADS UNIX System V/486, Rel. 4, VAda-110-3232, Version 6.0 (BASE #901129W1.11095)	NCR 3000, 3320, 3335, 3345, 3445, 3447, 3450, & 3550 (under NCR UNIX System V, V/486, Rel. 4.0); AST Premium 486/33 (under UNIX System V/486, Release 4.0)	Any Host	*Validated by Registration Verdix Corporation VADS Sun-4 => Sun-3, Sun OS 4.0, VAda-110-4013, Version 6.0 (#901129W1.11098)	Sun-4/20, /65, /110, /150, /260 & /280; SPARCserver 330, 370, 390, 470 & 490; SPARCstation SLC, I, I +, 2, 330 & 370; and SPARCEngine 1 VME (under SunOS 4.1)	Sun-3/50, /60, /80, /150, /160, /260, /280, /470 & /480 (under SunOS 4.1)
*Validated by Registration Verdix Corporation VADS UNIX System V/386/486, Versions 6.0, 6.1, & 6.2 (BASE #901129W1.11095)	Any computer that executes the Intel 80386 or 80486 instruction set (under NCR UNIX System V Release 4.0, UNIX System V/486 Release 4.0, 486 Sunsoft Interactive UNIX Release 4.0, 486 Interactive UNIX Release 3.0) (R3.2)	Same as Host	Verdix Corporation VADS AT&T 3B2/600G UNIX System V, Release 3.2.2, VAda-110-5151, Version 6.0 (#901129W1.11099)	AT&T 3B2/600G (under UNIX System V, Release 3.2.2)	Same as Host
Verdix Corporation VADS Sequent Balance DYNIX V3.0, VAda-110-2323, Version 6.0 (#901129W1.11096)	Sequent Balance 8000 (under DYNIX Version 3.0)	Same as Host	Verdix Corporation VADS HP-9000/300 => 68K, HP-UX 7.0, VAda-110-15125, Version 6.0 (#901129W1.11100)	HP 9000 Model 350 (under HP-UX 7.0)	Motorola MVME133A (68020) (bare machine)
Verdix Corporation VADS Sun4 => 68K, Sun OS 4.0, VAda-110-40125, Version 6.0 (#901129W1.11097)	Sun-4/260 (under SunOS 4.0) (bare machine)	Motorola MVME147 (68030)	*Validated by Registration Verdix Corporation VADS HP-9000/300 => 68K, HP-UX 7.0, VAda-110-15125, Version 6.0 (#901129W1.11100)	HP 9000 Series 300 Models 310, 320, 330, 340, 350, 360 & 370 (under HP-UX 7.0)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 33, & Golden Triangle Firepower; Heurikon HK68/V30 Series, VME68K20, VME68K30, VME68225 & Liberator SBC; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7124, MZ7130, MZ8120 & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134, MVME135, MVME136 (MC68020), MVME147 Series & MVME141 (MC68030), MVME-165, MVME-167 (MC68040); Tadpole TP32V & TP33M (bare machines)
*Validated by Registration Verdix Corporation VADS Sun4 => 68K, Sun OS 4.1, VAda-110-40125, Version 6.0 (BASE #901129W1.11097)	Sun-4/20, /65, /110 & /150; SPARCserver 330, 370, 390, 470 & 490; SPARCstation SLC, I, I +, 2, 330 & 370; and SPARCEngine 1 VME (under SunOS 4.1)	Cyclone CVME 44, CVME 46 & CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 33, & Golden Triangle Firepower; Heurikon HK68/V2E Series, VME68K20, 68K30, 68225, & Liberator SBC; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7124, MZ7130, MZ8120, & MZ8130; Sun Microsystems 3E Board Set; Motorola MVME147 Series (MC68030), MVME133 Series, MVME134, MVME135, MVME136 (MC68020), MVME147 Series & MVME141 (MC68030), MVME-165, MVME-167 (MC68040); Tadpole TP32V & TP33M (bare machines)	*Validated by Registration Verdix Corporation VADS HP-9000/300 => 68K, HP-UX 7.0, VAda-110-15125, Version 6.0 (#901129W1.11100)	Hewlett-Packard HP 9000 Series 300 (under HP-UX 7.0 & 8.0)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2F Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZ8120, & MZ8130; MVME133 Series, MVME134, MVME135, & MVME147 Series; Radstone CPU-2A; S8E VCOM-24; Tadpole TP32V
*Validated by Registration Verdix Corporation VADS Sun4 => 68K, Sun OS 4.1, VAda-110-40125, Version 6.0 (BASE #901129W1.11097)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCEngine computer families (under SunOS 4.1)	Cyclone CVME 44, 46, & 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 33, & Golden Triangle Firepower; Heurikon HK68/V2E Series, VME68K20, 68K30, 68225, & Liberator SBC; Matrix MS-CPU220, MS-CPU320; Mizar MZ7120, MZ7122, MZ7124, MZ7130, MZ8120, MZ8130, & CPU330; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Sun Microsystems 3E board set; and Tadpole Technology TP32V & TP33M (bare machines)	Verdix Corporation VADS 8CS/88K, AViiON DGUX 4.3, VAda-110-8080, Version 6.1 (#901129W1.11101)	Data General AviiON Model 5120 (under DG/UX 4.3)	Same as Host
			*Validated by Registration Verdix Corporation VADS 8CS/88K, AViiON DGUX 4.3, VAda-110-8080, Version 6.1 (#901129W1.11101)	DG AviiON Models 4000, 4000GHI, 4020, 4100, 4120, 5010, 5200, 5220, 5240, 5300, 5310, 5400, 5402, 5410, 5412, 6200 & 6220 (under DG/UX 4.3)	Any Host

## Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS BCS/88K, AVion DGUX 5.4, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	Data General AViiON Models 4000, 4000GHI, 4020, 4100, 4120, 5010, 5200, 5220, 5240, 5300, 5310, 5400, 5402, 5410, 5412, 6200 & 6220; MODCOMP Real Star Family (under DG/UX 5.4)	Any Host	Verdix Corporation VADS DEC-RISC => MIPS R3000, VAda-110-61620, Version 6.1 (#910517W1.11150)	DECstation 5000-200 (under ULTRIX V4.0)	Lockheed Sanders STAR MVP (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS BCS/88K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	MODCOMP Real Star Family (under REAL/DX C.0.2)	Any Host	*Validated by Registration Verdix Corporation VADS DEC-RISC => MIPS R3000, VAda-110-61620, Version 6.1 (BASE #910517W1.11150)	DEC DECstation & DECsystem computer families (under ULTRIX 4.0)	Lockheed Sanders STAR MVP (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS BCS/88K, VAda-110-8080, Version 6.1 (BASE #901129W1.11101)	Motorola 8000 Delta Series (MC88000), all models (under Unix System V/88, R32V3)	Any Host	*Validated by Registration Verdix Corporation VADS DEC-RISC => MIPS R3000, VAda-110-61620, Version 6.1 & 6.2 (BASE #910517W1.11150)	DECstation & DECsystem (MIPS-based) computer families (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050; Pocket Rocket; any MIPS R2000-based & R3000-based computers; Omnipbyte VR3000; and Pulsar 3000 (bare machines)
*Validated by Registration Verdix Corporation VADS BCS/B8K, AVion DGUX 4.3, VAda-110-8080, Versions 6.1 & 6.2 (BASE #901129W1.11101)	Data General AViiON computer series (under DG/UX 4.3 & 5.4)	Any Host	Verdix Corporation VADS VMS => MIPS R3000, VAda-110-03620, Version 6.1 (#910517W1.11151)	MicroVAX 3600 (under VMS V5.2)	Integrated Device Technology IDT7RS302 (bare machine)
Verdix Corporation VADS Sun4 => SPARC, Sun OS 4.1, VAda-110-40440, Version 6.0 (#901129W1.11102)	Sun-4/490 (under SunOS 4.1)	SPARCengine 1E (bare machine)	Verdix Corporation VADS VMS => MIPS R3000, VAda-110-03620, Version 6.1 (BASE #910517W1.11151)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000 & VAX 9000 Series of computers (under VMS 5.3)	Integrated Device Technology IDT7RS302 (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 => SPARC, Sun OS 4.1, VAda-110-40440, Version 6.0 (BASE #901129W1.11102)	Sun-4/20, /65, /110, /150 & /260; SPARCserver 330, 370, 390, 470 & 490; and SPARCstation SLC, 1, 1+, 2, 330 & 370 (under SunOS 4.1)	SPARCengine 1E (bare machine)	*Validated by Registration Verdix Corporation VADS VAX/VMS => MIPS R3000, VAda-110-03620, Versions 6.1 & 6.2 (BASE #910517W1.11151)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.0, 5.2, & 5.3)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050; Pocket Rocket; any MIPS R2000-based & R3000-based computers; Omnipbyte VR3000; and Pulsar 3000 (bare machines)
*Validated by Registration Verdix Corporation VADS Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	SPARCengine 1E & Ironics IV-SPARC-33A. (bare machines)	Verdix Corporation VADS Sun-4 SunOS => 68k, VAda-110-40140, Version 6.0 (#910517W1.11152)	Sun 4/280 (under SunOS Release 4.0)	Motorola MVME165 (68040) (bare machine)
Verdix Corporation VADS Sun-3 SunOS => 68k, VAda-110-13140, Version 6.0 (#910517W1.11149)	Sun 3/260 (under SunOS Release 4.0)	Motorola MVME165 (68040) (bare machine)	Verdix Corporation VADS Sun-4 SunOS => 68k, VAda-110-40140, Version 6.0 (BASE #910517W1.11152)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	Motorola MVME165 (68040) (bare machine)
*Validated by Registration Verdix Corporation VADS Sun-3 SunOS => 68k, VAda-110-13140, Version 6.0 (BASE #910517W1.11149)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Motorola MVME 165 (MC68040) (bare machine)	*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => 68040, VAda-110-40140, Versions 6.0 & 6.2 (BASE #910517W1.11152)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	DY 4 Systems SVME-144; Force CPU-40 Series/Eagle; Motorola MVME165, MVME167, MVME167A; PEP Modular Computer VM40; and Tadpole TP41V

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS DEC-RISC => 88k, VAda-110-61680, Version 6.1 (#910517W1.11155)	DECstation 2100 (under ULTRIX V4.0)	Motorola MVME181 (bare machine)	*Validated by Registration Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0, 6.1 & (BASE #910517W1.11155)	Any computer that executes the Intel 80386 or 80486 instruction set (under SCO UNIX Release 3.2 running SecureWareCMW +/386 v2)	Same as Host
*Validated by Registration Verdix Corporation VADS DEC-RISC => 88k, VAda-110-61680, Version 6.1 (BASE #910517W1.11153)	DEC DECstation & DECsyste computer families (under ULTRIX 4.0)	Motorola MVME181 (88000) (bare machine)	Verdix Corporation VADS Sun-4 SunOS => AMD 29K, 6.0 VAda-110-40525, Version 6.0 (#910517W1.11156)	Sun 4/280 (under SunOS 4.0.3)	Ironics IV9001 board (AMD 29000)(bare machine)
*Validated by Registration Verdix Corporation VADS DEC-RISC => 88k, VAda-110-61680, Versions 6.1 & 6.2 (BASE #910517W1.11153)	DECstation & DECsyste computer families (under ULTRIX 3.1, 4.0, 4.1, 4.2, & 4.3)	Hughes Realtime Embedded Ada Processor (REAP) (bare machine)	*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => AMD 29K, VAda-110-40525, Version 6.0 (#910517W1.11156)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Ironics IV9001 board (AMD 29000)(bare machine)
Verdix Corporation VADSworks Sun4 => 68k, 4.1.1) VAda-115-40800, Version 2.0 (#910517W1.11154)	Sun 4/20 (under SunOS VADSworks Sun4 => 68k, 4.1.1)	Motorola MVME147SA (bare machine, using vxWorks 5.0)	Verdix Corporation VADS IBM RISC System/6000 => 68K, VAda-110-71125, Versions 6.0, 6.1, & 6.2 (BASE #910517W1.11156)	Sun Microsystems Sun-4, SPARCstation & SPARCserver of computers (under SunOS 4.0, 4.1, & 4.2)	Ironics IV9001 board (AMD 29000)(bare machine)
*Validated by Registration Verdix Corporation VADSworks Sun4 => 68k, VAda-115-40800, Version 2.0 (BASE #910517W1.11154)	Sun Microsystems Sun-4, SPARCserver & SPARCstation computer families (under SunOS 4.1)	Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 33, CPU 37, & Golden Triangle Firepower; General Micro Systems GMSV17 & GMSV37; Heurikon HK68/V20, /V2E, /V2F, /V2FA, /V30, /V30E, /V3E, & /V3F; Ironics IV-3201a, 3204a, 3220, 3230; Matrix MS-CPU320; Mizar MZ7122 & MZ7124; Motorola MVME133 Series, MVME135, MVME135A, MVME141, MVME143, & MVME147; Radstone PME 68-25 & 68-31; S8E VLAN-e & VPU30; Sun Microsystems 3E; and Tadpole Technology TP32V-4MB (bare machines, using vxWorks 5.0)	*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => AMD 29K, VAda-110-40525, Versions 6.0, 6.1, & 6.2 (BASE #910517W1.11156)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers (under SunOS 4.0, 4.1, & 4.2)	Ironics IV9001 board (AMD 29000)(bare machine)
Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0 (#910517W1.11155)	Zenith Z-486/25E (under SCO UNIX i386 release 3.2)	Same as Host	Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.1 (#910517W1.11157)	Intel 402 (under SCO UNIX 3.2v2.e)	Same as Host
*Validated by Registration Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Version 6.0 (BASE #910517W1.11155)	Zenith Z-486/33E (under SCO UNIX i386 release 3.2)	Same as Host	*Validated by Registration Verdix Corporation VADS 386/486 System V, Rel. 3.2, VAda-110-3232, Version 6.1 (BASE #910517W1.11157)	Any Computer System Comprising: cpu: any that executes the Intel 80386/i486 instruction set (under Any operating system compatible with Unix System V Release 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADS 386/486 System V, Rel. 3.2, VAda-110-3232, Version 6.0 (BASE #910517W1.11155)	Any Computer System Comprising: cpu: any that executes the Intel 80386/i486 instruction set (under Any operating system compatible with Unix System V Release 3.2)	Same as Host	*Validated by Registration Verdix Corporation VADS UNIX System V/486, SCO UNIX 3.2, VAda-110-3232, Versions 6.1, & 6.2 (BASE #910517W1.11157)	Any computer that executes the Intel 80386 or 80486 instruction set (under 486 SCO ODT v1.1.1 & v2 R3.1, NCR UNIX System V Release 4.0, and UNIX System V/486 Release 4.0)	Same as Host
*Validated by Registration Verdix Corporation VADS HP 9000/300, VAda-110-1515, Version 6.0 (BASE #910517W1.11157)	Hewlett-Packard HP 9000 Series 300 (under HP-UX 7.0)	Any Host			

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS HP 9000/300, VAda-110-1515, Version 6.0 (BASE) (#910517W1.11157)	Hewlett-Packard HP 9000 Series 300 (under HP-UX 7.0)	Any Host	*Validated by Registration Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (BASE) (#910920W1.11205)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	LSI LR33000 Pocket Rocket Evaluation board (R3000) (bare machine)
*Validated by Registration Verdix Corporation VADS 386/486, VAda-110-3232, Version 6.2 (BASE) (#910517W1.11157)	Any computer that executes the Intel 80486 instruction set (under SCO UNIX 3.2v4.2)	Same as Host	*Validated by Registration Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 & 6.2 (BASE) (#910920W1.11205)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver series of computers (under SunOS 4.0, 4.1, & 4.2)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050Pocket Rocket; any MIPS R2000-based & R3000-based computer; Omnipbyte VR3000; and Pulsar 3000 (bare machines)
Verdix Corporation VADS MIPS, VAda-110-6262, Version 6.1 (#910920W1.11200)	MIPS RC3230 (under RISC/os 4.52)	Same as Host	Verdix Corporation VADS Sun-4 SunOS => MC68000/10, VAda-110-40128, Version 6.0 (#910920W1.11206)	Sun-4/280 (under SunOS Release 4.0.3)	Motorola MVME101 (68000) with MVME222-1 memory board (bare machine)
*Validated by Registration Verdix Corporation VADS VAda-110-6262, Version 6.1 (BASE) (#910920W1.11200)	MIPS RC3xxx & RC4xxx series of computers (under RISC/OS 4.5)	Any Host	*Validated by Registration Verdix Corporation VADS Sun-4 => MC68000/10, VAda-110-40128, Version 6.0 (BASE) (#910920W1.11206)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola MVME101 (68000) with MVME222-1 memory board (bare machine)
Verdix Corporation VADS VAX/VMS => 68040, VAda-110-03140, Version 6.0 (#910920W1.11201)	MicroVAX 3100 (under VMS 5.3)	Motorola MVME165 (68040) (bare machine)	*Validated by Registration Verdix Corporation VADS Sun-4 => MC68000/10, SunOS 4.1, VAda-110-40128, Version 6.0 (BASE) (#910920W1.11206)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.1)	Motorola 68302, Philips-Signetics 68070, & Toshiba 68301 (bare machines)
*Validated by Registration Verdix Corporation VADS VAX/VMS => 68040, VAda-110-03140, Series of computers (under VMS 5.3) (BASE) (#910920W1.11201)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 68040, VAda-110-03140, Series of computers (under VMS 5.3)	Motorola MVME165 (68040) (bare machine)	*Validated by Registration Verdix Corporation VADS Sun-4 => MC68000/10, SunOS 4.1, VAda-110-40128, Version 6.0 (BASE) (#910920W1.11206)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Motorola MVME101, Motorola 68302, Philips-Signetics 68070, & Toshiba 68301 single-board computers (bare machines)
Verdix Corporation VADS IBM RS/6000 => MIPS R3000, VAda-110-71620, Version 6.1 (#910920W1.11202)	IBM RISC System/6000 Model 530 (under AIX 3.1)	IDT 7RS302 (R3000) (bare machine)	*Validated by Registration Verdix Corporation VADS Sun-4 => MC68000/10, SunOS, VAda-110-40128, Versions 6.0, 6.1, & 6.2 (BASE) (#910920W1.11206)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Motorola MVME101, Motorola 68302, Philips-Signetics 68070, & Toshiba 68301 single-board computers (bare machines)
*Validated by Registration Verdix Corporation VADS IBM RS/6000 AIX 3.1, VAda-110-71620, Version 6.1 (BASE) (#910920W1.11202)	IBM RISC System/6000 Models 320, 520, 540, 730, & 930 (under AIX 3.1)	IDT 7RS302 (R3000) (bare machine)	Verdix Corporation VADS Sun-4 SunOS => CPU32, VAda-110-40150, Version 6.0 (#910920W1.11207)	Sun-4/280 (under SunOS Release 4.0.3)	Motorola CPU32 - M68332EVS Evaluation System (68332) (bare machine)
*Validated by Registration Verdix Corporation VADS IBM RS/6000 => MIPS R3000, VAda-110-71620, Versions 6.1 & 6.2 (BASE) (#910920W1.11202)	IBM RISC/System 6000 Series of computers (under AIX 3.1 & 3.2)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050Pocket Rocket; any MIPS R2000-based & R3000-based computers; Omnipbyte VR3000; and Pulsar 3000 (bare machines)	*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => CPU32, VAda-110-40150, SunOS 4.1) Version 6.0 (BASE) (#910920W1.11207)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola CPU32 - M68332EVS Evaluation System (68332) (bare machine)
Verdix Corporation VADS Sun-4 => MIPS R3000, VAda-110-40620, Version 6.1 (#910920W1.11205)	SPARCserver 490 (under SunOS Release 4.1)	LSI LR33000 Pocket Rocket Evaluation board (R3000) (bare machine)	*Validated by Registration Verdix Corporation VADS Sun-4 SunOS => CPU32, VAda-110-40150, families (under SunOS 4.1) Version 6.0 (BASE) (#910920W1.11207)	Sun Microsystems Sun-4, SPARCserver, SPARCstation, & SPARCengine computer families (under SunOS 4.1)	Motorola CPU32-68331, -68333, & -68340 Evaluation Systems (bare machines)

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
*Validated by Registration Verdix Corporation VADS Sun-4 => CPU32, SPARCstation, & SPARCserver SunOS, VAda-110-40150, computer families (under Versions 6.0 & 6.2 (BASE #910920W1.11207)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver SunOS, VAda-110-40150, computer families (under Versions 6.0 & 6.2 (BASE #910920W1.11207)	Motorola CPU32-68331, -68332, -68333, & -68340 Evaluation Systems (bare machines)	Verdix Corporation VADS IBM RISC System/6000 AIX => 6B020/30ARTX, VAda-110-71120, Version 6.0 (#910920W1.11212)	IBM RISC System/6000 Model 530 (under AIX 3.1)	Motorola MVME147 (6B030) (bare machine)
*Validated by Registration Verdix Corporation VADS IBM PS/2, AIX 1.1, VAda-110-3535, Version 6.1 (#910920W1.11208)	IBM PS/2 Model 80 (under AIX 1.1)	Same as Host	*Validated by Registration Verdix Corporation VADS IBM RISC System /6000 AIX => 6B020/30ARTX, VAda-110-71120, Version 6.0 (#910920W1.11212)	IBM RISC System/6000 Models 320, 520, 540, 730, & 930 (under AIX 3.1)	Motorola MVME147 (6B030) (bare machine)
*Validated by Registration Verdix Corporation VADS MIPS => MIPS 4.52) R3000, VAda-110-62620, Version 6.1 (#910920W1.11209)	MIPS RC3230 (under RISC/os 4.52) R3000, VAda-110-62620, Version 6.1 (#910920W1.11209)	Lockheed Sanders STAR MVP (R3000) (bare machine)	Verdix Corporation VADS SYSTEM V/860 RELEASE 4, VAda-110-9090, Version 6.1 (#910920W1.11213)	Okiidata 1860 Workstation (under UNIX SYSTEM V/B60 RELEASE 4 v1.0)	Same as Host
*Validated by Registration Verdix Corporation VADS MIPS => MIPS 4.5) R3000, VAda-110-62620, Versions 6.1 & 6.2 (BASE #910920W1.11209)	MIPS RC3230 (under RISC/OS 4.5) R3000, VAda-110-62620, Versions 6.1 & 6.2 (BASE #910920W1.11209)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050; Pocket Rocket; any MIPS R2000-based R3000-based computers Omnitron VR3000; and Pulsar 3000 (bare machines)	Verdix Corporation VADS VMS => AMD 29K, VAda-110-03525, VAda-110-03525, Version 6.04 (#910920W1.11214)	MicroVAX 3600 (under VMS 5.2)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
*Validated by Registration Verdix Corporation VADS Sun-3 SunOS => 6B020/30ARTX, VAda-110-13120, Version 6.0 (#910920W1.11210)	Sun-3/2B0 (under SunOS Release 4.0)	Motorola MVME147 (6B030) (bare machine)	*Validated by Registration Verdix Corporation VADS VAX VMS => AMD 29K, VAda-110-13525, Version 6.04 (BASE #910920W1.11214)	DEC VAX-11, VAXserver, VAXstation, MicroVAX, VAX 6000, VAX 8000, & VAX 9000 Series of computers (under VMS 5.3)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
*Validated by Registration Verdix Corporation VADS Sun-3 SunOS => 6B020/30ARTX, VAda-110-13120, Version 6.0 (BASE #910920W1.11210)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Cyclone CVME 44, 46, & 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37, & Golden Triangle Firepower; Heurikon HK68/V2E Series, /V2F Series, & /V30 Series; Integrated Solutions VME68K20, 68K30, 6B225, & Liberator SBC; Matrix MS-CPU220 & MS-CPU320; Mizar MZ7122, MZ7124, MZ7130, MZB120, & MZB130; Motorola MVME133 Series, MVME134, MVME135, MVME136, MVME141, & MVME147 Series; Sun Microsystems 3E board set; and Tadpole Technology TP32V & TP32M (bare machines)	Verdix Corporation VADS Sun-3 SunOS => AMD 29K, VAda-110-13525, Version 6.04 (#910920W1.11215)	Sun-3/180 (under SunOS 4.1.1)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
Verdix Corporation VADS Sun4 SunOS => 6B020/30ARTX, VAda-110-40120, Version 6.0 (#910920W1.11211)	SPARCstation 2 (under SunOS Release 4.1.1)	Motorola MVME147 (6B030) (bare machine)	Verdix Corporation VADS Sun-3 SunOS => AMD 29K, VAda-110-13525, Version 6.04 (BASE #910920W1.11215)	Sun Microsystems Sun-3 computer family (under SunOS 4.1)	Ironics IV9001 board (AMD 29000) (Am29000 bare VME machine)
*Validated by Registration Verdix Corporation VADS Sun4 SunOS => 6B020/30ARTX, VAda-110-40120, Version 6.0 (BASE #910920W1.11211)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1)	Motorola MVME147 (6B030) (bare machine)	Verdix Corporation VADS AT&T 3B2/600GR(under UNIX System V, Release 4.0, VAda-110-6363, Version 6.1 (#920513W1.11252)	AT&T 3B2/600GR(under UNIX System V, Release 4.0, VAda-110-6363, Version 6.1 (#920513W1.11252)	Same as Host
*Validated by Registration Verdix Corporation VADS Sun4 SunOS => 6B020/30ARTX, VAda-110-40120, Version 6.0 & 6.2 (BASE #910920W1.11211)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZB120, MZB130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Rodstone CPU-2A; SBE VCOM-24; and Tadpole TP32V(bare machines)	Verdix Corporation VADS IBM RISC System/6000 => IBM RISC System/6000, VAda-110-71710, Version 6.2 (#920513W1.11253)	IBM RISC System/6000 Model 530 (under AIX 3.2)	IBM RISC System/6000 Model 320 (bare machine)
*Validated by Registration Verdix Corporation VADS Sun4 SunOS => 6B020/30ARTX, VAda-110-40120, Version 6.0 & 6.2 (BASE #910920W1.11211)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Cyclone CVME 48; Force CPU 21, CPU 29, CPU 30, CPU 31, CPU 32, CPU 37; Heurikon HK68/V2Fb Series, HK68/V30 Series, & HK68/V3E Series; Matrix MS-CPU220, MS-CPU320, & MS-CPU330; Mizar MZ7122, MZ7124, MZ7130, MZB120, MZB130; Motorola MVME133 Series, MVME134, MVME135, & MVME147 Series; Rodstone CPU-2A; SBE VCOM-24; and Tadpole TP32V(bare machines)	*Validated by Registration Verdix Corporation VADS IBM RISC System/6000 series of computers (under AIX 3.1 & 3.2) Version 6.2 (BASE #920513W1.11253)	IBM RISC System/6000 series of computers (under AIX 3.1 & 3.2) Version 6.2 (BASE #920513W1.11253)	Any Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS BCS => 88K, VAda-110-80680, Version 6.1 (#920513W1.11254)	Motorola 88000 Delta (under R32V3 920117)	Motorola MVME187 (88000) (bare machine)	Verdix Corporation VADS IBM RISC System/6000, VAda-110-7171, Version 6.2 (#921004W1.11278)	IBM RISC System/6000 model 220 (under AIX 3.2)	Same as Host
Verdix Corporation VADSworks Sun4 => 68K, VAda-115-40800, Version 2.0 (#920513W1.11256)	Sun-4/20 (under SunOS, 4.1.1)	Motorola MVME167A (68040) (bare machine, using VxWorks 5.0)	*Validated by Registration Verdix Corporation VADS IBM RISC System/6000 VAda-110-7171, Version 6.2 (#921004W1.11278)	IBM RISC System/6000 models 230 & 570 (under AIX 3.2 & AIX BI/CMW)	Same as Host
*Validated by Registration Verdix Corporation VADSworks Sun4 => 68K, SPARCstation, & SPARCserver computer family (under SunOS 4.0, 4.1, & 4.2) Versions 2.0 & 3.0 (BASE #920513W1.11256)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer family (under SunOS 4.0, 4.1, & 4.2)	DY 4 Systems SVME-144; Force CPU-40 Series; Motorola MVME162, MVME165, MVME167, & MVME167A; PEP Modular Computer VM40; Radstone CPU-40; and Tadpole TP41V (bare machine, using vxWorks 5.0)	Verdix Corporation VADS IBM RISC System/6000, VAda-110-7171, Version 6.2 (#921004W1.11278)	IBM RISC System/6000 model 530H (under AIX 3.2)	Same as Host
Verdix Corporation VADSworks Sun4 => SPARC, VAda-115-40850, Version 2.0 (#920513W1.11257)	Sun-4/20 (under SunOS, 4.1.1)	Sun SPARCengine 1e (bare machine, using VxWorks v5.0)	Verdix Corporation VADS System V/386/486, System V, Release 3.2 VAda-110-3232, Version 6.1 (#921004W1.11279)	ASL 486/33 (under UNIX System V, Release 3.2)	Same as Host
*Validated by Registration Verdix Corporation VADSworks Sun4 => SPARC, VAda-115-40850, Version 2.0 (#BASE #920513W1.11257)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	Sun SPARCengine 1e (bare machine, using vxWorks 5.0)	Verdix Corporation VADS System V/386/486, System V, Release 4.0 VAda-110-3232, Version 6.1 (#921004W1.11281)	AST Premium 486 (under UNIX System V, Release 4.0)	Same as Host
Verdix Corporation VADS Sun SPARC => 386, VAda-110-40315, Version 6.2 (#920513W1.11258)	Sun-4/260 (under SunOS, Version 4.1.2)	Intel iSBC 386/20p (bare machine)	Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#921004W1.11282)	NCR model 3450 (under NCR UNIX SVR4 MP-RAS Release 2)	Same as Host
*Validated by Registration Verdix Corporation VADS Sun SPARC => 386/486, VAda-110-40315, Version 6.2 under SunOS4.x (BASE #920513W1.11258)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.1 & 4.2)	Any single-board computer that executes the Intel 80386 or i486 instruction set (bare machine)	Verdix Corporation VADS System V/386/486, VAda-110-3232, Version 6.1 (#921004W1.11283)	NCR model 3550 (under NCR UNIX SVR4 MP-RAS Release 2)	Same as Host
*Validated by Registration Verdix Corporation VADS Sun SPARC => 386, VAda-110-40315, Version 6.2 (BASE #920513W1.11258)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under SunOS 4.0, 4.1, & 4.2)	Intel iSBC 486/133 & 486/166 (bare machines)	Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11284)	RDI Brieelite IPX Laptop (under Solaris 2.1)	Same as Host
Verdix Corporation VADSworks DEC-RISC => MIPS R3000, VAda-115-61640, Version 2.0 (#921004W1.11277)	DECstation 5000/200 (under Ultrix V4.1)	Lockheed Sanders STAR MVP board (bare machine, using vxWorks 5.0)	Verdix Corporation VADS Sun-4 Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11285)	SPARCstation LX 4/30 (under Solaris 2.1)	Same as Host
*Validated by Registration Verdix Corporation VADSworks DEC-RISC => MIPS R3000, VAda-115-61640, Version 2.0 (BASE #921004W1.11277)	DECstation & DECsystem (MIPS-based) computer families (under ULTRIX 4.1, 4.2, & 4.3)	Heurikon HKMIPS/V3500; LSI Logic LR33000/LR33050; Rocket; any MIPS R2000-based & R3000-based computers; Omniplex VR3000; and Pulsar 3000 (bare machines, using VxWorks 5.0 & 5.1)	*Validated by Registration Verdix Corporation SPARCworks Professional Ada, Version 2.0 (BASE #921004W1.11285)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under Solaris 2.1 & 2.2)	Any Host

## Ada PROCESSORS, Continued

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11286)	SPARCstation 10 model 30 (under Solaris 2.1)	Same as Host	*Validated by Registration Verdix Corporation VADS HP 9000 Series 700/800, VAda-110-7575, Version 6.2 (BASE)	HP 9000 Series 700 & 800, all models (under HP-UX Versions 8.0 & 9.0, all releases as appropriate)	Same as Host
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11287)	SPARCstation 10 model 41 (under Solaris 2.1)	Same as Host	#930226W1.11311)	Verdix Corporation VADSworks Sun-4 => MIPS R3000 VAda-115-40640, Version 2.0	Sun-4/20 (under SunOS Release 4.1.1) Heurikon HKMIPS/3500(R3000) board (bare machine, using vxWorks 5.0)
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11288)	SPARCstation 10 model 42 (under Solaris 2.1)	Same as Host	*Validated by Registration Verdix Corporation VADSworks Sun-4 => MIPS R3000 VAda-115-40640, Version 2.0 (BASE)	Sun Microsystems Sun-4, SPARCstation, & SPARCserver computer families (under SunOS 4.0, 4.1, & 4.2)	Heurikon HKMIPS/V3500;(bare machine, using vxWorks 5.0)
Verdix Corporation VADS Sun SPARC Solaris 2.1, VAda-110-4040, Version 6.2 (#921004W1.11289)	Sun SPARCserver 690 (under Solaris 2.1)	Same as Host	#930226W1.11312)	Verdix Corporation VADS Sun4 => MIPS R3000, VAda-110-42620, Version 6.2 (BASE)	Sun SPARCstation 2 (under Solaris 2.2) Lockheed Sanders STAR MVP (R3000)(bare machine)
*Validated by Registration Verdix Corporation Sun Microsystems SPARCompiler Ada 2.1 (BASE #921004W1.11289)	Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0, 2.1, 2.2, & 2.3)	Any Host	#930901W1.11323)	Verdix Corporation VADS Sun4 => MIPS R4000, VAda-110-40630, Version 6.2	Sun SPARCstation 2 (under SunOS 4.1.2) Silicon Graphics Indigo XS4000 used as a MIPS R4000
Verdix Corporation VADS MP Sun SPARC Solaris 2.1, VAda-110-4141, Version 6.2 (#921004W1.11290)	Sun SPARCserver 690 (under Solaris 2.1)	Same as Host	#930901W1.11324)	Verdix Corporation VADS Sun4 => Paragon, VAda-110-40782, Version 6.2	Sun SPARCstation 2 (under SunOS 4.1.3) Intel PARAGON Supercomputer (under OSF/1 Release 1.0.3 Server 1.1 PT10.7.6(T10.4))
*Validated by Registration Verdix Corporation Sun Microsystems SPARCworks iMPact Ada 1.0 (BASE #921004W1.11290)	Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0, 2.1, 2.2, & 2.3)	Any Host	#930901W1.11326)	Verdix Corporation VADS SYSTEM V/88 RELEASE, VAda-110-8080, Version 6.2	Motorola Delta 8640 (under UNIX System V/88 Release 4.0) Same as Host
*Validated by Registration Verdix Corporation VADS MP Sun SPARC, Solaris 2.0, VAda-110-4141, Version 6.2 (BASE #921004W1.11290)	Sun Microsystems Sun-4, SPARCserver, & SPARCstation computer families (under Solaris 2.0 & 2.1)	Any Host	#930901W1.11327)	Verdix Corporation VADS System V/88 Release 4, VAda-110-8080, Version 6.2	Data General AViiON Model 530 (under DG/UX Release 5.4.2) Same as Host
Verdix Corporation VADS Silicon Graphics Self, VAda-110-6464, Version 6.2 (#921004W1.11291)	Silicon Graphics IRIS 4D/440 (under IRIX 4.0.1)	Same as Host	Verdix Corporation VADS Windows NT/486, VAda-110-36315, Version 6.2	Compudyne 486 (under Windows NT 3.1)	Same as Host
Verdix Corporation VADS MP Silicon Graphics, VAda-110-6565, Version 6.2 (#921004W1.11292)	Silicon Graphics IRIS 4D/440 (under IRIX 4.0.1)	Same as Host	#940110W1.11337)	Wang Laboratories, Inc.	Wang VS 8480 (under Wang VSOS 7.30.02) Same as Host
Verdix Corporation VADSself HP 9000 series 700 VAda-110-7575, Version 6.2 (#930226W1.11311)	HP 9000/720 (under HP-UX 8.0.7)	Same as Host	*Validated by Registration Wang Laboratories, Inc.	Wang VS Models: 100 & 300; 5430, 5440, 5450 & 5460; 7010, 7110, 7120, 7150 & 7310; 8220, Wang VS Ada Version 5.00.00 8230, 8260, 8430, 8460, 8470 & 8480; and 10050, 10075 & 10100 (under all VS OS versions 7.21.xx & 7.30.xx)	Same as Host

## Ada PROCESSORS, *Continued*

VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)	VENDOR, COMPILER & CERTIFICATE #	HOST MACHINE & (OS)	TARGET MACHINE & (OS)
York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (*901127N1.11073)	Intergraph InterPro 3050 Workstation (under CLIX R3.1)	Same as Host			
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	Intergraph Mobile GIS/C2 (under CLIX Release 3.1)	Same as Host			
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterPro 125, 225, 340, 360, 2020, 3070, 6040, 6240, 6080 & 6280 (under CLIX Release 3.1)	Any Host			
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterView 220 & 3050 (under CLIX Release 3.1)	Any Host			
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterAct 220, 2020, 3050, 6040, 6080, 6240 & 6280 (under CLIX Release 3.1)	Any Host			
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	InterServe 200, 300, 2000, 3000, 4200, 5200, 6000, 6105 & 6505 (under CLIX Release 3.1)	Any Host			
*Validated by Registration York Software Engineering Limited York Ada Compiler Environment (ACE) Release 5 (BASE #901127N1.11073)	Intergraph Series 2400 & 6400--all models that use the C400 chip (under CLIX Release 3.1)	Any Host			

## 2.7.4 PASCAL PROCESSORS

Pas  
Cent

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
Digital Equipment Corporation	DEC Pascal Version 5.1 for OpenVMS VAX Systems NIST-94/2006; Level 0/1; 9/1/95	VAX 6000-540; OpenVMS VAX Version 6.0	VAXfit Models 110, 310, 410, 610, 612; 4000 Models 100, 200, 300, 400, 500, 600; 6000 Models 200, 300, 400, 500, 600; 7000 Model 600; 8200, 8250, 8300, 8350, 8500, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840; 9000 Models 110, 210, 300 series, 400 series; 10000 Models 600 series; VAX-11/730, /750, /780, /785; MicroVAX II; 2000; 3100 Models 10/10E, 20/20E, 30, 40, 80, 90; 3300, 3400, 3500; 3600; 3800; 3900; VAXstation II; 2000, 3100 Models 30, 38, 40, 48, 76; 3200, 3500, 3520, 3540, 4000 Models 60, 90, VLC; VAXserver 3100, 3300, 3400, 3500, 3600, 3602, 3800, 3900, 4000 Models 200, 300, 500; 6000 Models 210, 220, 310, 320, 410, 420, 510, 520, 610, 620, 630; OpenVMS VAX, Version 6.0
	DEC Pascal Version 5.1 for DEC OSF/1 AXP Systems; NIST-94/2004; Level 0/1; 9/1/95	DEC 3000 Model 400; DEC OSF/1 AXP Version 2.0 Revision 240	DEC 2000 model 300S AXP; 3000 model 300 AXP, 300 AXP, 400 AXP, 400S AXP, 500 AXP, 500S AXP, 600 AXP, 600S AXP, 800 AXP, 800S AXP; 4000 models 600 AXP series, 710 AXP; 7000 model 600 AXP series; 10000 models 600 AXP series; DEC OSF/1 AXP Version 2.0 Revision 240
	DEC Pascal Version 5.2 for OpenVMS AXP Systems; NIST-94/2005; Level 0/1; 9/1/95	DEC 3000 Model 500; OpenVMS AXP Version 6.1	DEC 2000 models 300S, 500; Digital 2100 A500/600MP; APXpme 64; DEC 3000 models 300, 300L, 300LX, 300X, 400, 400S, 500, 500S, 500X, 600, 600S, 800, 800S; 4000 models 600 AXP series, 700 series, 7000 model 600 AXP Series; DEC 10000 model 600 AXP series; OpenVMS AXP Version 6.1
IBM Canada Ltd.	IBM AIX XL Pascal Compiler/6000 Version 1 Release 1; NIST-94/1521; Level 0/1; 4/1/95	IBM RISC System /6000 POWERstation /POWERserver 560; IBM AIX for RISC System/6000, Version 3 Release 2	IBMRISCSystem/6000 POWERstation/POWERserver Models 25T, 25W, 58H, 220, 250, 320H, 34H, 340, 350, 360, 370, 520H, 530, 540, 550, 560, 560F, 590, 730; AIX for RISC System/6000 Version 3 Release 2
	IBM AIX XL Pascal Compiler/6000 Version 2 Release 1; NIST-94/1522; Level 0/1; 4/1/95	IBM RISC System /6000 POWERstation /POWERserver 560; IBM AIX for RISC System/6000, Version 3 Release 2	IBMRISCSystem/6000 POWERstation/POWERserver Models 25T, 25W, 58H, 220, 250, 320H, 34H, 340, 350, 360, 370, 520H, 530, 540, 550, 560, 560F, 590, 730; AIX for RISC System/6000 Version 3 Release 2
Intergraph Corporation	Pascal-Clipper Version 1.8.4B; NIST-94/1102; Level 0/1; 12/1/94	Clipper Model 2730; CLIX Version 7.1.3	IBM RISC System/6000 POWERserver Models 25S, 990, 930, 950, 970; AIX for RISC System/6000 Version 3 Release 2
			Clipper C300 and C400; CLIX Version 7.1.3

## PASCAL PROCESSORS, *Continued*

Pascal -  
Certificates

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
Sunsoft, a Sun Microsystems, Inc. Business	SPARCompiler Pascal Version 3.0.2; NIST-93/2183; Level 0/1; 2/1/95	SPARCstation 10; Solaris Version 2.3	

## 2.7.5 C PROCESSORS

Certif

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
Digital Equipment Corporation	DEC OSF/1 for AXP C Version 2.0; NIST-93/2144; 12/1/94	DEC 3000 Model 400; DEC OSF/1 for AXP Version 2.0	DEC 3000 400, 500; DEC 4000 610; DEC 7000 610; DEC 10000 610; DEC OSF/1 for AXP Version 2.0
	DEC C for RISC/ULTRIX Version 1.2a Release 1; NIST-93/2145; 12/1/94	DECstation 5000/200; ULTRIX Version 4.4	DECstation 2100, 3100; Personal DECstation 5000 mods 20/25 MX, HX, TX, PXG+, PXG Turbo+; DECstation 5000 mods 120/125/133 MX, CX, HX, PX, TX, PXG, PXG+, PXG Turbo, PXG Turbo+; Models 200 MX CX HX, PX, TX, PXG PXG+ PXG Turbo, PXG Turbo+; Models 240 MX, HX, TX, PXG+, PXG Turbo+; DECsystem 3100; 5000 Models 25, 200, 240; 5100; 5400; 5500; 5810; 5820; 5830; 5840; 5900; ULTRIX Version 4.4
	DEC OSF/1 C Compiler Version 3.0; NIST-94/2007; 9/1/95	DEC 3000 Model 400 AXP; DEC OSF/1 Version 3.0	DEC 2000 models 300 AXP, 500 AXP; 2100 Server A500MP, A600MP; 3000 models 300 AXP, 300L, 300X, 300LX, 400 AXP, 400S, 500 AXP, 500S, 600 AXP, 600S, 800 AXP, 800S; 4000 models 610 AXP, 710; 7000 model 610 AXP; 10000 model 610 AXP; DEC OSF/1 Version 3.0
	DEC C for OpenVMS VAX Version 4.0; NIST-94/2009; 9/1/95	VAX 4000 Model 90; OpenVMS VAX Version 6.1	Q-bus Based Systems: MicroVAX II, VAXstation II/GPX[1], VAXstation II/QVSS[2] 1. Graphics Processing Accelerator (GPX) 2. Q-bus Video Sub System (QVSS); VAXserver 3200, 3300, 3400, 3500, 3600, 3800, 3900; 4000, Models 200, 300, 400, 500, 600; VAXstation 3200 3500, 3520, 3540; MicroVAX 3200, 3300, 3400, 3500, 3600, 3800, 3900, VAX 4000, Models 100, 200, 300, 500, 600; 50, 100A, 500A, 600A, 700A; NMI Bus Based Systems: VAX 8530, 8550, 8700, 8800, 8810, 8820, 8830, 8840; VAXserver 8530, 8550; 8700; 8800, 8810, 8820, 8830, 8840; XMI Bus Based Systems: VAX 6000 Series, Models 210, 220, 230, 240; 310, 320, 330, 340, 360; 410, 420, 430, 440, 450, 460; 510, 520, 530, 540, 550, 560; 610, 620, 630, 640; 7000 Models 610, 620, 630, 640, 650, 660; 10000 Models 610, 620, 630, 640, 650, 660; VAXserver 6000, Models 210, 220, 310, 320, 410, 420, 510, 520; 8530, 8550; 8700; 8800, 8810, 8820, 8830, 8840; VAX 8530, 8550, 8700, 8800, 8810, 8820, 8830, 8840; VAXBI Bus Based Systems: VAX 8200, 8250, 8300, 8350, VAXserver 8200, 8250; 8300, 8350; SBI Bus Based Systems: VAX 11/780, 11/785; 8600, 8650, VAXserver 8600, 8650; CMI Bus Based Systems: VAX 11/750; Special System Specific Internal Bus: VAX 11/730; MicroVAX 2000, VAXstation 2000, 2000/GPX, 2000/MFB[3]; 3. Monochrome Frame Buffer (MFB) VAXft 3000, Models 110, 310, 410, 610, 612; MicroVAX 3100, Models 10, 10E, 20, 20E, 30, 40, 80, 90; VAXserver 3100, Models 10, 10E, 20, 20E; VAXstation 3100, Models 30, 38, 40, 48, 76; 3100/GPX, Models 38, 48, 76; 3100/SPX[4], Models 38, 48, 76; 4. 2D Scanline Processor Accelerator Graphics System (SPX); VAXstation 4000, Models 60, 90; 4000-VLC; VAX 9000, Models 110, 110VP[5], 210, 210VP, 310, 310VP; 5. Vector Processor (VP); VAX 9000, Models 320, 320VP, 330, 330VP, 340, 340VP; 410, 410VP, 420, 420VP, 430, 430VP; 440, 440VP OpenVMS VAX, Version 6.1

## C PROCESSORS, *Continued*

C -  
Certificates

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	DEC C for OSF/1 AXP Version 4.0; NIST-94/2008; 9/1/95	DEC 3000 Model 400; DEC OSF/1 Version 3.0	Alpha AXP; DEC 2000 models 300 AXP, 500 AXP; 2100 Server A500MP, A600MP; 3000 models 300 AXP, 300L, 300X, 300LX, 400 AXP, 400S, 500 AXP, 500X, 600 AXP, 600S, 800 AXP, 800S; 4000 models 610 AXP, 710; 7000 model 610 AXP; 10000 model 610 AXP; DEC OSF/1 Version 3.0
	DEC C for OpenVMS AXP Version 4.0; NIST-94/1405; 4/1/95	DECstation 3000 Model 400; OpenVMS AXP Version 6.1	DEC 2000 Model 300S AXP; 3000 Models 300 AXP, 300L AXP, 300X AXP, 300LX AXP, 400 AXP, 400S AXP, 600 AXP, 600S AXP, 800 AXP, 800S AXP; Digital 2100 A600/600 MP; DEC 4000 Models 600 AXP, 700 AXP; DEC 7000 Models 600 AXP; 10000 Model 600 AXP; OpenVMS AXP, Version 6.1
Encore Computer Corporation	C Version 1.3.0; NIST-93/2261; 11/1/94	Encore 91; UMAX V, Version 3.0.9	ENCORE INFINITY 90, R/T; UMAX V, Version 3.0.9 ENCORE 93; UMAX V, Version 3.1.3
Hewlett-Packard Company	HP C/HP-UX Version A.09.60 Release HP-UX 9.0; NIST-94/1221; 1/1/95	HP9000 Model 720; HP-UX Version 9.0	HP9000 Models 8xx, 7xx, 6xx, FxO, GxO, HxO, IxO; HP-UX Version 9.0
	HP C/iX Version A.05.02 Release MPE/iX 5.0; NIST-94/1222; 1/1/95	HP3000 Model 967; MPE/iX Version 5.0	HP3000 Model 9xx; MPE/iX Version 5.0
	HP C/HP-UX Version B.08.36 Release HP-UX B.09.00; NIST-94/1223; 1/1/95	HP9000 Model 42S; HP-UX Version B.09.00	HP9000 Models 3xx, 4xx; HP-UX Version B.09.00
IBM Canada Ltd.	IBM C Set ++ for AIX Version 3 Release 1; NIST-94/2025; 9/1/95	IBM RISC System/6000; IBM AIX Version 4 Release 1	
	IBM C for AIX Version 3 Release 1; NIST-94/2026; 9/1/95	IBM RISC System/6000; IBM AIX Version 4 Release 1	
	IBM ILE C/400 Version 2 Release 3; NIST-93/1963; 10/1/94 (pending)	AS/400 Model 9406/E90; OS/400 Version 2 Release 3	9402 System Models D02, E02, C04, D04, E04, C06, D06, E06, F02, F04, F06; 9404 System Models B10, C10, D10, E10, B20, C20, D20, E20, C25, D25, E25, F10, F20, F25; 9406 System Models B30, B35, B40, B45, B50, B60, B70, D35, E35, D45, E45, D50, E50, D60, E60, F80, F90, F95, D70, E70, D80, E80, E90, E95, F35, F45, F50, F60, F70; OS/400 Version 2 Release 3
	IBM C/370 Compiler Version 2 Release 1; NIST-94/2021; 9/1/95	ES/9000; MVS/ESA SP Version 4 Release 3	3090, 308x, 43xx, 937x; MVS/ESA SP Version 4 Release 3

## C PROCESSORS, *Continued*

Certif

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
	IBM SAA AD/Cycle C/370 Compiler Version 1 Release 2; NIST-94/2022; 9/1/95	ES/9000; MVS/ESA SP Version 4 Release 3	3090, 308x, 43xx, 937x; MVS/ESA SP Version 4 Release 3
	IBM SAA AD/Cycle C/370 Compiler Version 1 Release 2; NIST-94/2023; 9/1/95	ES/9000; MVS/ESA SP Version 4 Release 3	3090, 308x, 43xx, 937x; MVS/ESA SP Version 4 Release 3
	IBM SAA AD/Cycle C/370 Compiler Version 1 Release 2; NIST-94/2024; 9/1/95	ES/9000; VM/ESA Version 1 Release 2.1	3090, 308x, 43xx, 937x; VM/ESA Version 1 Release 2.1
Intel SSD	CC Compiler Version R4.5; NIST-93/1782; 11/1/94	XP/5; OSF/1AD Release R1.1	
Intergraph Corporation	Clipper Advanced Optimizing C Version 1.57; NIST-94/1103; 12/1/94	Clipper Model 2730; CLIX Version 7.1	Clipper C3000 and C4000; CLIX Version 7.1
	Clipper Advanced Optimizing C Version 2.0; NIST-94/1105; 12/1/94	Clipper Model 2730; CLIX Version 7.1	Clipper C300 and C400; CLIX Version 7.1
Microsoft Corporation	Microsoft C/C++ Optimizing Compiler Version 9.00; NIST-94/2141; 10/1/95	MIPS/NEX Model Image RISCStation; Microsoft Windows NT Version 3.5	Unisys X-Series Deskside/LX; Compaq Deskpro XE560; IBM Valuepoint 6384-199; Microsoft Windows NT Version 3.5
	Microsoft C/C++ Optimizing Compiler Version 9.00; NIST-94/2142; 10/1/95	Unisys X-Series Deskside/LX, model x-series Deskside/LX Microsoft Windows NT Version 3.5	Unisys X-Series Deskside/LX; Compaq Deskpro XE560; IBM Valuepoint 6384-199; Microsoft Windows NT Version 3.5
	Microsoft C/C++ Optimizing Compiler Version 9.00; NIST-94/2143; 10/1/95	Compaq Model Deskpro XE560; Microsoft Windows NT Version 3.5	Unisys X-Series Deskside/LX; Compaq Deskpro XE560; IBM Valuepoint 6384-199; Microsoft Windows NT Version 3.5
	Microsoft C/C++ Optimizing Compiler Version 9.00; NIST-94/2144; 10/1/95	IBM Valuepoint 6384-199 Microsoft Windows NT Version 3.5	Unisys X-Series Deskside/LX; Compaq Deskpro XE560; IBM Valuepoint 6384-199; Microsoft Windows NT Version 3.5
NCR Corporation	NCR C Development Toolkit Release 2; NIST-94/1121; 1/1/95	NCR System 3000 Model 3550; NCR UNIX SVR4 MP-RAS Release 2 Version SVR4	NCR System 3000 Models 3335, 3340, 3345, 3350, 3360, 3410, 3430, 3445, 3447, 3450, 3455, 3470, 3475, 3520, 3525, 3555, 3570, 3575, 3600; NCR UNIX SVR4 MP-RAS Rel. 2

**C PROCESSORS, *Continued***

SUPPLIER	PROCESSOR ID; VSR#; SUBSET; EXPIRY DATE	HARDWARE; OPERATING SYSTEM	OTHER ENVIRONMENTS
Pyramid Technology Corp.	DC/OSx ANSI C, Version 3.11 Release c07x; NIST-94/1541; 5/1/95	MIServer-ES; DC/OSx Version 1.1 Release c07x	MIServer-S; DC/OSx Version 1.1 Release c07x
	DC/OSx ANSI C, Version 3.11 Release d07x; NIST-94/1542; 5/1/95	MIServer-NILE; DC/OSx Version 1.1 Release d07x	
SCO Canada, Inc.	SCO XPG4 Development System Supplement Version 1.0; NIST-94/1661; 4/1/95	DELL 486 Model 450DE/2 DGX; SCO UNIX Version 3.2 Release 4.2	
Sequent Computer Systems, Inc.	ptx/C Version 2 Release 1.0; NIST-93/2003; 2/1/95	S2000/250; DYNIX/ptx Version 2 Release 1.0	S2000/450, S2000/750; DYNIX/ptx Version 2 Release 1.0
Silicon Graphics Computer Systems, Inc.	C Version SC4-ANSIC-3.19; NIST-94/1443; 10/1/95	4D/CRIM model IP17; IRIX Version 5.3	
Sunsoft, A Sun Microsystems, Inc. Business	MIPS PRO C Version SC4-ANSIC-6.0; NIST-94/1444; 10/1/95	Challenge model IP21; IRIX Version 6.0	
	SPARCompiler C Version 3.0; NIST-93/2184; 2/1/95	SPARCstation 10 SPARCserver 1000; Solaris Version 2.3	
	SPARCompiler C Version 3.0.1; NIST-94/1744; 9/1/95	SPARCstation 5 SPARCstation 20; Solaris Version 2.4	Voyager, SPARCstation 10, SPARCserver 1000, SPARCcenter 2000; Solaris Version 2.4
Tandem Computers Incorporated	ProCompiler C Version 2.0.1; NIST-94/1745; 9/1/95	Gateway 2000 486/33E; UnixWare Version 1.1	
	C Version D20 Release D20; NIST-93/2041; 10/1/94 (pending)	NonStop VLX; NonStop Kernel Version D20 Release D20	
	UCS C (UC) Version 4R1 Release SB5R1; NIST-93/2221; 11/1/94	2200 Model 900; 1100 OS EXEC Version 44R1 Release SB5R1	1100/90, 2200/400, 2200/600; 1100 OS EXEC/44R1

## **2.7.6 MUMPS PROCESSORS**

No entries at this time.

## **2.8 LANGUAGE PROCESSORS WITH REGISTERED REPORTS ONLY**

No entries at this time.



### **3. DATABASE LANGUAGE (SQL)**

#### **3.1 FIPS Database Language Standards**

As specified by the FIPS, FIRMR and the associated Federal ADP and Telecommunications Standards Index, Federal agencies, when acquiring SQL processors, are responsible for assuring that processors are in accordance with the applicable FIPS PUB 127, Database Language SQL. On December 3, 1993, FIPS PUB 127-2 superseded FIPS PUB 127-1.

#### **3.2 Organization of Database Language Processor Entries**

Each entry in the VPL is a very limited extract from the Validation Summary Report (VSR) available from the Software Standards Validation Group at NIST. See 3.4 and 3.5 below.

Products validated for conformance to FIPS PUB 127-2 are listed first, followed by products validated for FIPS PUB 127-1. Products that demonstrated one or more nonconformities, as assessed by the SQL Validation System, are listed separately at the end. (These products are considered "provisionally" validated, pending correction of nonconformities.) The entries in the VPL for database language processors are presented as follows:

- The VENDOR ID column contains the name of the Vendor of the processor.
- The PROCESSOR ID column contains the name of the processor, its version number, the VSR number, and the Expiry date of the Validation Certificate or the Registered VSR. The term "Pre-release" means that the vendor has designated the SQL processor as "not commercially available" at the time of validation. The product is listed to assist users in planning for future procurements. The term "Vendor-Tested Port" means the Vendor has complied with CSL procedures for self-testing a ported version of a registered SQL processor. NIST has reviewed Vendor test results and determined them to be equivalent to those in the referenced BASE VSR.
- The INTERFACES & COMPILERS column contains the names of associated interactive SQL or programming language interfaces, and identification of the programming language compilers that interface with the SQL processor. A listing in the COMPILERS column is not an indication that the compiler has been validated for the applicable programming language standard. See the preceding "Programming Languages" Section for a list of validated compilers.
- The HARDWARE & OPERATING SYSTEM column presents the hardware and operating system environment used during the validation.
- The entries in the OTHER HW/SW ENVIRONMENTS column include other hardware and operating system environments in which the processor operates, and the programming language compilers that interface with the SQL processor. The listings of the compilers and operating systems may contain a range of versions that are supported. Rebadged or renamed software are also listed here. This column is restricted to binary-compatible hardware environments.
- The NONCONFORMITIES column lists the number and type of nonconformities for each programming language interface tested. "Schema" nonconformities are deficiencies in support for standard schema definition language constructs. "FIPS Flagger" in this column indicates that the mandatory FIPS Flagger requirement of FIPS 127 was not implemented. Refer to the VSR for details. The number of nonconformities is only one limited measure of the quality of an SQL interface. It is more important to analyze the nature of each individual nonconformity and its impact on meeting user requirements.

### **3.3 Validation Requirements**

Refer to Database Language SQL Validation Procedures. The requirements for validation of database language processors are the same as those for programming language processors, listed in section 2.3.1, with several exceptions. Expired VSRs are deleted from the VPL to motivate vendors to test new releases of their SQL processors and to demonstrate conformance to more comprehensive versions of the SQL Test Suite. Information about expired VSRs or vendor self-testing with the SQL Test Suite may be available from the vendor.

### **3.4 Certificate of Validation**

A Certificate of Validation is issued for those SQL processors that have been tested and are considered to be in compliance with FIPS as specified by the FIPS, by the FIRMR, and the associated Federal ADP and Telecommunications Standards Index.

### **3.5 Registered Report**

A Validation Summary Report (VSR) that indicates that the SQL processors did not meet the criteria for a Certificate of Validation may be registered by the Computer Systems Laboratory. A VSR is considered registered by CSL when it contains a signed notice that the VSR will be listed in the CSL Validated Products List (VPL).

### **3.6 Validation Procedures**

SQL processors are tested in accordance with the procedures described in the NIST Database Language SQL Validation Procedures. To request a copy of the validation procedures and/or to request the validation of an SQL processor, contact:

National Institute of Standards and Technology  
Computer Systems Laboratory  
Software Standards Validation Group  
Building 225, Room A266  
Gaithersburg, Maryland 20899 (U.S.A.)  
Telephone (301) 975-2490 (Voice)  
(301) 975-3274 (Voice)  
(301) 948-6213 (FAX)  
e-mail: dashiell@speckle.ncsl.nist.gov (INTERNET)

### **3.7 SQL Validation System**

To request a copy of the SQL Validation System and/or to submit questions regarding the SQL Validation System, contact:

National Institute of Standards and Technology  
Computer Systems Laboratory  
Database Languages Group  
Building 225, Room A266  
Gaithersburg, Maryland 20899 (U.S.A.)  
Telephone (301) 975-3258 (Voice)  
(301) 975-3263 (Voice)  
(301) 948-6213 (FAX)  
e-mail: sullivan@ecf.ncsl.nist.gov (INTERNET)

## 3.8 SQL PROCESSORS

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
--------	---	---------------------------	--------------------------

### FIPS 127-2 - ZERO NONCONFORMITIES

[Entry FIPS 127-2 exceeds requirements for FIPS 127-1 with Integrity Enhancement Option]

Digital Equipment Corporation	DEC Rdb for OpenVMS VAX Version 6.0; NIST-94/7111; 03/31/95;	Embedded Ada Module Ada VAX Ada Version 2.3 Embedded C Module C VAXstation 3500; OpenVMS VAX, V. 5.4-3	VAX 4000 Models 100, 200, 300, 400, 500, 600; VAX 6000 Models 200, 300, 400, 500, 600; VAX 7000 Model 600; VAX 8200, 8250, 8300, 8350, 8500, 8530, 8550, 8598, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840; VAX 9000 Models 110, 210, 300, 400; VAX 10000 Model 600; VAXft 3000 Models 110, 310, 410, 610, 612; VAX-11/730, VAX-11/750, VAX-11/780, VAX-11/785; MicroVAX's II, 2000, 3100 Models 10/10E, 20/20E, 30, 40, 80, 90; MicroVAX's 3200, 3300, 3400, 3500, 3600, 3800, 3900; VAXstation's II, 2000, 3100 Models 30, 38, 40, 48, 76; VAXstation's 3200, 3500, 3520, 3540, 4000 Models 60, 90, VLC; VAXservers 3100, 3200, 3300, 3400, 3500, 3600, 3800, 3900, 4000 Models 200, 300, 400, 500, 600, 700; VAXserver 6000 Models 200, 300, 400, 500, 600 Series; VAXservers 8200, 8250, 8300, 8350, 8530, 8550, 8600, 8650, 8700, 8800, 8810, 8830, 8840 OpenVMS VAX, Vers. 5.4, 5.5, 6.0
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults	VAX COBOL Version 5.1 Embedded FORTRAN Module FORTRAN VAX FORTRAN Version 5.8 Embedded PASCAL Module PASCAL VAX Pascal Version 4.4 Interactive SQL (FIPS Default)	VAX Ada V2.0 - 2.3 VAX C V3.0 - 3.2 VAX COBOL V4.2-4.4 VAX COBOL V5.0-5.1 VAX Fortran V5.0 - 5.9 VAX Pascal V4.0 - 4.4
	DEC Rdb for OpenVMS AXP Version 6.0; NIST-94/7112; 03/31/95;	Embedded Ada Module Ada DEC Ada for OpenVMS AXP, Version 3.0 Embedded C Module C DEC C for OpenVMS AXP, Version 1.3	DEC 2000 Model 300, DEC 3000 Models 300, 400 AXP Workstation, DEC 3000 Model 400 AXP Server, DEC 3000 Model 500 AXP Workstation, DEC 3000 Model 500 AXP Server, DEC 4000 Model 610 AXP System, DEC 7000 Model 610 AXP System, DEC 10000 Model 610 AXP System OpenVMS AXP Ver. 1.5
	DEC 2000 Model 300; OpenVMS AXP, V. 1.5	Embedded COBOL Module COBOL DEC COBOL for OpenVMS AXP, Version 1.1 Embedded FORTRAN Module FORTRAN DEC FORTRAN for OpenVMS AXP, V.6.1 Embedded PASCAL Module PASCAL DEC Pascal for OpenVMS AXP, Version 5.1 Interactive SQL (FIPS Default)	DEC Ada for OpenVMS AXP V.3.0 DEC C for OpenVMS AXP V. 1.3-1.4 DEC COBOL for OpenVMS AXP V. 1.1-2.0 DEC Fortran for OpenVMS AXP V.6.1-6.2 DEC Pascal for OpenVMS AXP V.5.0-5.1

## SQL PROCESSORS, *Continued*

SC  
Certif

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
Informix Software, Inc.	INFORMIX-OnLine Version AN6.00 Pre-release: NIST-94/7041; 1/1/95;  Sun SPARCstation 10; SunOS V.4.1.3_DBE1.3	Embedded C INFORMIX-ESQL/C Version AN 6.00 Native C for SunOS 4.1.3 Embedded COBOL INFORMIX-ESQL/ COBOL Version AN 6.00 Micro Focus COBOL V3.0.54-Be	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000 SunOs V. 4.1.3_DBE1.3
	<b>Features Tested:</b> Entry FIPS 127-2 FIPS Sizing Defaults		Interactive SQL (FIPS Default) INFORMIX DB-Access Version AN 6.00
	INFORMIX-OnLine Version NC6.00 Pre-release: Vendor-Tested Port BASE VSR NIST-94/7041; 1/1/95;  Hewlett Packard 9000/715; HP-UX A.09.01	Embedded C INFORMIX-ESQL/C Version NC6.00 HP Version A.08.71	HP 9000 Series 635, 645 705, 710, 715/33, 715/50, 720, 725/50, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/200, 870/300, 870/400, 877, 887, 890/1, 890/2, 890/3, 890/4, 897, F10, F20, F30, G30, G40, G50, H20, H30, H40, H50, I30, I40, I50 HP 9000 HP-UX
	<b>Features Tested:</b> Entry FIPS 127-2 FIPS Sizing Defaults		
	INFORMIX-OnLine Version NC6.00 Pre-release: Vendor-Tested Port BASE VSR NIST-94/7041; 1/1/95;  IBM RS6000 POWER-server 360; AIX 3.2	Embedded C INFORMIX-ESQL/C Version NC6.00 HP Version A.08.71	RISC System/6000 POWERstation/ POWERserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 570, 580, 58H, 590, 730, RISC System/6000 POWERserver 25S, 930, 950, 970, 990
	<b>Features Tested:</b> Entry FIPS 127-2 FIPS Sizing Defaults		
Ingres, An ASK Company	OpenINGRES SQL, Release 1.0, OpenINGRES Intelligent Database; NIST-94/7121; 5/31/95;  SUN SparcStation10; SunOS Version 4.1.3	Embedded Ada SUN Ada, Version 1.0 Embedded C SUN C Version 2.0.1 Embedded FORTRAN SUN Fortran Version 2.0.1	ESQL/Ada, Rel. 1.0 ESQL/C Rel. 1.0 ESQL/FORTRAN Rel. 1.0
	<b>Features Tested:</b> Entry FIPS 127-2 FIPS Sizing Defaults		

## SQL PROCESSORS, *Continued*

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	OpenINGRES SQL, Release 1.0, OpenINGRES Intelligent Database; NIST-94/7122; 5/1/95;	Embedded Ada VAX Ada, V. 3.0.7 Embedded C VAC C, V. 3.2-044 Embedded FORTRAN VAX Fortran, V. 6.0-1	ESQL/Ada, Rel 1.0 ESQL/C, Rel. 1.0 ESQL/FORTRAN, Rel. 1.0
	DEC VAXstation 3100, Model 38; VAX/VMS Version 5.5		
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		
	OpenINGRES SQL, Release 1.0, OpenINGRES Intelligent Database; NIST-94/7123; 5/31/95;	Embedded Ada Verdix Ada, V. 6.1 Embedded C IBM XL C Compiler V. 1.2 Embedded FORTRAN IBM XL FORTRAN Compiler V.2.3	ESQL/Ada Rel. 1.0 ESQL/C Rel. 1.0 ESQL/FORTRAN Rel. 1.0
	IBM RISC System 6000, Model 530; IBM AIX for RISC System 6000 Version 3.2		
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		
Oracle Corporation	ORACLE7, Release 7.1 (Beta) Pre-release; NIST-93/7521; 11/1/94;	Embedded C Pro*C, Version 1.6 Native C, bundled with SunOS Version 4.1.3	
	SUN SPARCstation 10; SunOS Version 4.1.3		
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		
	ORACLE7, Release 7.1 (Beta) Pre-release; NIST-93/7522; 11/1/94;	Embedded C Pro*C, V. 2.0 Native C, bundled with SunOS Version 4.1.3	
	SUN SPARCstation 10; SunOS Version 4.1.3		
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		

## SQL PROCESSORS, *Continued*

SO  
Certif.

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	ORACLE7, Release 7.1 (Beta) Pre-release; NIST-93/7523; 11/1/94;  SUN SPARCstation 10; SunOS Version 4.1.3	Embedded Ada Pro*Ada, V. 1.6 Verdix Ada Development System (VADS) SUN Ada, V. 1.1	
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		
	ORACLE7, Release 7.1; NIST-94/7141; 6/30/95;  SUN SPARCstation 10; SunOS V. 5.3	Embedded C Pro*C, V. 1.6 SPARCompiler C Rel. 3.0	
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		
	ORACLE7, Release 7.1; NIST-94/7142; 6/30/95;  Sequent 2000/700; DYNIX/ptx V. 2.1	Embedded C Pro*C, V. 1.6, 2.0 DYNIX/ptx Native C	
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		
	ORACLE7, Release 7.1; NIST-94/7143; 6/30/95;  SUN SPARCstation 10; SunOS Version 4.1.3	Module C SQL*Module for C Version 1.0 SunOS V. 4.1.3 SPARCompiler C Rel. 3.0	
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		
Sybase, Inc.	Sybase System 10 Pre-release 10.0.1; NIST-94/7061; 1/1/95;  Client: Sun 4/690 SunOS Version 4.1.2 Server: Sun 4/690 SunOS Version 4.1.2	Schema Processor Interactive SQL (isql) Release 10.0.1 Embedded C Sybase System 10 Embedded SQL/C pre-release 10.0.1 gcc version 2.3.1	
	Features Tested: Entry FIPS 127-2 FIPS Sizing Defaults		

## SQL PROCESSORS, *Continued*

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	Sybase System 10 GA Release 10.0.1; NIST-94/7131; 4/30/95;	Schema Processor Interactive SQL (isql) Release 10.0.1 Embedded C Sybase System 10	
	Client: Sun 4/25 SunOS V. 4.1.3 Server: Sun 4/25 SunOS V. 4.1.3	Embedded SQL/C GA 10.0.1 gcc version 2.3.1	
	<b>Features Tested:</b> Entry FIPS 127-2 FIPS Sizing Defaults		

### FIPS 127-1 - ZERO CONCONFORMITIES

Cincom Systems, Inc.	SUPRA Server, Version 3.2 Pre-release; NIST-93/7481; 12/1/94;	Embedded SQL C SUPRA C Precompiler V. 3.2 Pre-release C bundled with SunOS Release 4.1.1	
	SUN SPARCstation 2; SunOS Release 4.1.1	Embedded SQL COBOL SUPRA COBOL Precompiler V. 3.2 Pre-release SUN COBOL V. 1.0 Interactive SQL SUPRA I/SQL V. 3.2 Pre-release	
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement FIPS Sizing Defaults FIPS Flagger		
	SUPRA Server, Version 3.2 Pre-release; NIST-93/7482; 12/1/94;	Embedded SQL Ada SUPRA Ada Precompiler, V. 3.2 Pre-release SUN Ada V. 1.1	
	SUN SPARCstation 2; SunOS Release 4.1.1		
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement FIPS Sizing Defaults FIPS Flagger		
Digital Equipment Corporation	VAX Rdb/VMS Version 4.1; NIST-92/7351; 10/01/95;	Embedded Ada Module Ada VAX Ada V. 2.2 Embedded C Module C VAX C V. 3.2 Embedded COBOL Module COBOL VAX COBOL V. 4.4	VAX, MicroVAX, and VAXstation VMS V. 5.0-5.4-3
	VAXstation 3500 and VAX 8800; VAX/VMS V. 5.4-3		VAX Ada V2.0-2.2 VAX C V3.0-3.2 VAX COBOL V4.2-4.4 VAX Fortran V5.0-5.7 VAX Pascal V3.9-4.2
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded FORTRAN Module FORTRAN VAX FORTRAN V. 5.7 Embedded PASCAL Module PASCAL VAX Pascal V. 4.2 Interactive SQL (FIPS Default)	

## SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	<p>VAX Rdb/VMS Version 4.1; NIST-92/7352; 10/01/95;</p> <p>VAXstation 4000 Cluster; VAX/VMS V. 5.5-2</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Embedded Ada Module Ada VAX Ada V. 2.1 Embedded C Module C VAX C V. 3.2 Embedded COBOL Module COBOL VAX COBOL V. 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN V. 5.7 Embedded PASCAL Module PASCAL VAX Pascal V. 4.2 Interactive SQL (FIPS Default)</p>	<p>VAX, MicroVAX, and VAXstation VMS V. 5.0-5.5-2</p> <p>VAX Ada V2.0-2.1 VAX C V3.0-3.2 VAX COBOL V4.2-4.4 VAX Fortran V5.0-5.7 VAX Pascal V3.9-4.2</p>
	<p>VAX Rdb/VMS Version 4.2; NIST-92/7353; 10/01/95;</p> <p>VAXstation 3500 and VAX 8800; VAX/VMS V. 5.4-3</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Embedded Ada Module Ada VAX Ada V. 2.2 Embedded C Module C VAX C V. 3.2 Embedded COBOL Module COBOL VAX COBOL V. 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN V. 5.7 Embedded PASCAL Module PASCAL VAX Pascal V. 4.2 Interactive SQL (FIPS Default)</p>	<p>VAX, MicroVAX, and VAXstation VMS V. 5.0-5.4-3</p> <p>VAX Ada V2.0-2.2 VAX C V3.0-3.2 VAX COBOL V4.2-4.4 VAX Fortran V5.0-5.7 VAX Pascal V3.9-4.2</p>
	<p>VAX Rdb/VMS Version 4.2; NIST-92/7354; 10/01/95;</p> <p>VAXstation 4000 Cluster; VAX/VMS V. 5.5-2</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Embedded Ada Module Ada VAX Ada V. 2.1 Embedded C Module C VAX C V. 3.2 Embedded COBOL Module COBOL VAX COBOL V. 4.4 Embedded FORTRAN Module FORTRAN VAX FORTRAN V. 5.7 Embedded PASCAL Module PASCAL VAX Pascal V. 4.2 Interactive SQL (FIPS Default)</p>	<p>VAX, MicroVAX, and VAXstation VMS V. 5.0-5.5-2</p> <p>VAX Ada V2.0-2.1 VAX C V3.0-3.2 VAX COBOL V4.2-4.4 VAX Fortran V5.0-5.7 VAX Pascal V3.9-4.2</p>

## SQL PROCESSORS, *Continued*

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
IBM Corporation	<p>Database 2 (DB2) Version 3; NIST-93/7441; 8/1/94;</p> <p>IBM ES90009021-720; MVS/ESA SP Version 4 Release 1</p> <p><b>Features Tested:</b> Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger</p>	<p>Embedded C IBM C/370 V.2 Rel.1</p> <p>Embedded COBOL IBM SAA AD/CYCLE COBOL/370 V.1 Rel.1</p> <p>Embedded Fortran IBM VS FORTRAN V.2 Rel.5</p>	
Informix Software Inc.	<p>INFORMIX-OnLine/ Secure Version 5.00; NIST-93/7301; 12/1/95;</p> <p>RDI BriteLite IPX Laptop; Solaris 2.1</p> <p><b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Module Ada INFORMIX-ADA/ SAME V.5.00 SunAda V. 2.0 Embedded C</p> <p>INFORMIX-ESQL/C V. 5.00 Sun ANSI C V. 2.0.1 Interactive SQL (FIPS Default)</p> <p>INFORMIX DB-Access Version 5.00</p>	<p>Sun4c sparc Solaris 2.1</p>
	<p>INFORMIX-OnLine/ Secure Version 5.00; NIST-93/7302; 12/1/95;</p> <p>Sun SPARCstation 10, Model 30; Solaris 2.1</p> <p><b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda V. 2.0 Embedded C</p> <p>INFORMIX-ESQL/C V. 5.00 Sun ANSI C V.2.0.1 Interactive SQL (FIPS Default)</p> <p>INFORMIX DB-Access V. 5.00</p>	<p>Sun4m sparc Solaris 2.1</p>
	<p>INFORMIX-OnLine/Secure Version 5.00; NIST-93/7303; 12/1/95;</p> <p>Sun SPARCstation 10, Model 41; Solaris 2.1</p> <p><b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda V. 2.0 Embedded C</p> <p>INFORMIX-ESQL/C Version 5.00 Sun ANSI C V. 2.0.1 Interactive SQL (FIPS Default)</p> <p>INFORMIX DB-Access Version 5.00</p>	<p>Sun4m sparc Solaris 2.1</p>

## SQL PROCESSORS, *Continued*

SQL  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine/Secure Version 5.00; NIST-93/7304; 12/1/95;  Sun SPARCstation 10, Model 42; Solaris 2.1  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda V. 2.0 Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C V.2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00; NIST-93/7305; 12/1/95;  Sun SPARCstation 4/30; Solaris 2.1  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 SunAda V. 2.0  Embedded C INFORMIX-ESQL/C Version 5.00 Sun ANSI C V. 2.0.1 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Sun4m sparc Solaris 2.1
	INFORMIX-OnLine/Secure Version 5.00; NIST-93/7306; 12/1/95;  Alpha Systems Lab PC Model ASL 486/33; Sun Interactive Unix, V. 3.0.1, Rel. 3.2  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 Verdix VADS System V/386/486 V. 6.1 Embedded C INFORMIX-ESQL/C Version 5.00 Interactive ANSI C Version 3.0 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	Intel 486 Sun Interactive Unix, V. 3.0.1, Rel. 3.2
	INFORMIX-OnLine/Secure Version 5.00; NIST-93/7307; 12/1/95;  Hewlett-Packard 9000 Series 800 Model 867; HP BLS A.08.08  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Module Ada INFORMIX-ADA/SAME Version 5.00 AIsys Ada for HP9000 Series 800, V. A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 HP C V. A.08.17 Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	HP9000 Series 800, Series 700 HP BLS A.08.08-09

## SQL PROCESSORS, *Continued*

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine/Secure Version 5.00; NIST-93/7308; 12/1/95;	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, V. A.05.35	HP9000 Series 800, Series 700 HP BLS A.08.08-09
	Hewlett-Packard 9000 Series 800 Model 827; HP BLS A.08.08	Embedded C INFORMIX-ESQL/C V. 5.00 HP C V. A.08.17	
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.00	
	INFORMIX-OnLine/Secure Version 5.00; NIST-93/7309; 12/1/95;	Module Ada INFORMIX-ADA/SAME Version 5.00 Alsys Ada for HP9000 Series 800, V. A.05.35	HP9000 Series 800, Series 700 HP BLS A.08.08-09
	Hewlett-Packard 9000 Series 800 Model 807; HP BLS A.08.08	Embedded C INFORMIX-ESQL/C V.5.00 HP C V. A.08.17	
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Interactive SQL (FIPS Default) INFORMIX DB-Access V.5.00	
	INFORMIX-OnLine Version 5.02; NIST-94/7042; 1/1/95;	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.02 Sun Ada V. 1.10	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000
	Sun SPARCstation 10; SunOS Version 4.1.3_DBE1.3	Embedded C INFORMIX-ESQL/C V.5.02 Native C for SunOS 4.1.3	SunOS V. 4.1.3 SunOS V. 4.1.3_DBE1.3
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Interactive SQL (FIPS Default) INFORMIX DB-Access Version 5.02	
	INFORMIX-OnLine/Secure-C2 Version 5.00; NIST-94/7048; 1/1/95;	Embedded C INFORMIX-ESQL/C Version 5.00 SPARCompiler C Version 2.0.1	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000
	INFORMIX-OnLine/Secure-C2 Version DR6.00; NIST-94/7047 1/1/95;	Interactive SQL (FIPS Default) INFORMIX DB-Access	Solaris V. 2.3
	Sun SPARCstation 10 Model 20; Solaris V. 2.3		

## SQL PROCESSORS, *Continued*

SQL  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	INFORMIX-OnLine/Secure-C2 Version 5.00; NIST-94/7051; 1/1/95;	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.00 DEC Ada V. 3.1-5	DEC/1000, DEC/2000, DEC/3000, DEC/3000 Models 400 500, DEC 4000, DEC 4000 Models 610, DEC 7000, DEC 7000 Model 610,
	INFORMIX-OnLine/Secure-C2 Version DR6.00; NIST-94/7057; 1/1/95;	Embedded C INFORMIX-ESQL/C Version 5.00 DEC OSF/1 AXP Compiler Driver V.3.11	DEC/10000, DEC/1000 Model 610 OSF/1 V. T2.0
	INFORMIX-OnLine/Secure-B1 Version 5.00; NIST-94/7055; 1/1/95;	Interactive SQL (FIPS Default) INFORMIX DB-Access	
	INFORMIX-OnLine/Secure-B1 Version DR6.00; NIST-94/7059; 1/1/95;		
	DEC 3000; OSF/1 Version T2.0		
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	INFORMIX-OnLine Version 5.01; NIST-94/7052; 1/1/95;	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.01 DEC Ada V. 3.1-5	DEC/1000, DEC/2000, DEC/3000, DEC/3000 Models 400 500, DEC 4000, DEC 4000 Model 610, DEC 7000,
	DEC 3000; OSF/1 V. T2.0	Embedded C INFORMIX-ESQL/C Version 5.01	DEC 7000 Model 610, DEC/10000, DEC/1000 Model 610 OSF/1 Version T2.0
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	DEC OSF/1 AXP Compiler Driver V. 3.11 Interactive SQL (FIPS Default) INFORMIX DB-Access	

## SQL PROCESSORS, *Continued*

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	INFORMIX-OnLine/ Secure-C2 V. 5.00; NIST-94/7081; 1/1/95;	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.00 HP/AIsys Ada/700 Version A.05.35 Embedded C INFORMIX-ESQL/C Version 5.00 Hewlett Packard C Version A.08.71 Interactive SQL (FIPS Default) INFORMIX DB-Access	HP9000 Series 635, 645, 705, 710, 715/ 33, 715/50, 720, 725/50, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 855, 857, 860, 865, 867, 870, 870/ 200, 870/300, 870/400, 877, 887, 890/1, 890/2, 890/3, 890/4, 897, F10, F20, F30, G30, G40, G50, H20, H30, H40, H50, I30, I40, I50 HP-UX V. A.08.09
	INFORMIX-OnLine/ Secure-B1 V. DR6.00; NIST-94/7089; 1/1/95;	Hewlett Packard 9000/720; HP-UX V. A.08.09	
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	INFORMIX-OnLine/ Secure-C2 V. 5.00; NIST-94/7091; 1/1/95;	Embedded Ada Module Ada INFORMIX-Ada/SAME Version 5.00 Verdix VADS IBM RISC System/6000	RISC System/6000 Powerstation/ Powerserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 570, 580, 58H, 590, 730, RISC
	INFORMIX-OnLine/ Secure-C2 V. DR6.00; NIST-94/7098; 1/1/95;	AIX 3.2 V. 6.1 Embedded C INFORMIX-ESQL/C Version 5.00 IBM AIX XL C Compiler/6000 Version 1.02 Interactive SQL (FIPS Default)	System/6000 Power- server 25S, 930, 950, 970, 990 AIX Version 3.2 AIXCMW Version 3.2
	INFORMIX-OnLine/ Secure-B1 V. 5.00; NIST-94/7095; 1/1/95;	INFORMIX DB-Access	
	INFORMIX-OnLine/ Secure-B1 V. DR6.00; NIST-94/7099; 1/1/95;		
	IBM POWERstation 320; AIXCMW Version 3.2		
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		

## SQL PROCESSORS, *Continued*

SQL  
Certificat

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
Ingres, The ASK Group	ASK INGRES SQL, Rel. 6.5 Pre-release; NIST-93/7501; 10/1/94;  SUN SparcStation2; SunOS V. 4.1.3	Embedded Ada Verdix Ada, Version 6.0.3 Embedded C SUN C V. 1.0  Embedded FORTRAN SUN Fortran V. 1.4	ESQL/Verdix Ada, Rel. 6.5 ESQL/C Rel. 6.5 ESQL/FORTRAN Rel.6.5
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	ASK INGRES SQL, Rel. 6.5 Pre-release; NIST-93/7502; 10/1/94;  VAX 6000-410; VAX/VMS V. 5.5	Embedded Ada VAX Ada, V. 2.0-18 Embedded C VAX C, V. 3.1-051 Embedded FORTRAN VAX FORTRAN, Version 4.5-219	ESQL/Ada, Rel 6.5 ESQL/C, Rel. 6.5 ESQL/FORTRAN, Rel.6.5
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	ASK INGRES SQL, Rel. 6.5 Pre-release; NIST-93/7503; 10/1/94;  IBM RISC System 6000, Model 530; IBM AIX for RISC System 6000 V. 3.2.3	Embedded C IBM XL C Compiler Version 1.2 Embedded FORTRAN IBM XL FORTRAN Compiler V. 2.2	ESQL/C Rel. 6.5 ESQL/FORTRAN Rel. 6.5
	<b>Features Tested:</b> Level 2 ANSI Enhancement Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
Oracle Corporation	ORACLE7, Release 7.0; NIST-93/7101; 11/1/95;  IBM RISC System 6000 Model 530H; IBM AIX for RISC System/6000, V.3 Rel.2	Embedded Ada Pro*Ada, V.1.5 VADS IBM RISC System/6000, AIX 3.2, VAda 110- 7171, Version 6 Embedded C Pro*C, V. 1.5 IBM XL C Compiler/ 6000, Version 1.2	IBM RISC System 6000 Models 220, 320, 320H, 340, 350, 520, 520H, 540, 550, 560, 730, 930, 950, 970 AIX for RISC System/ 6000, V. 3 Rel. 2
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		

## SQL PROCESSORS, *Continued*

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	ORACLE7, Release 7.0; NIST-93/7102; 11/1/95;	Embedded C Pro*C, V. 1.5 NCR C Development Toolkit, Rel 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600
	NCR 3450; NCR System V Rel. 4 MP-RAS, Rel. 2		NCR System V Rel. 4 MP-RAS, Rel. 2
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	ORACLE7, Release 7.0; NIST-93/7103; 11/1/95;	Embedded C Pro*C, Ver. 1.5 NCR C Development Toolkit, Rel. 2	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600
	NCR 3550; NCR System V Rel. 4 MP-RAS, Rel. 2		NCR System V Rel. 4 MP-RAS, Rel. 2
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	ORACLE7, Release 7.0; NIST-93/7104; 11/1/95;	Embedded Ada Pro*Ada, Ver. 1.5 Verdix Corp. VADS UNIX System V/386, Rel. 4, Version 6.1	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600
	NCR 3450; NCR System V Rel. 4 MP-RAS, Rel. 2		NCR System V Rel. 4 MP-RAS, Rel. 2
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	ORACLE7, Release 7.0; NIST-93/7105; 11/1/95;	Embedded Ada Pro*Ada, V. 1.5 Verdix Corp. VADS UNIX System V/386, Rel. 4, V. 6.1	NCR Series 3000, to include 3335, 3345, 3447, 3550, 3600
	NCR 3550; NCR System V Rel. 4 MP-RAS, Rel. 2		NCR System V Rel. 4 MP-RAS, Rel. 2
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		

## SQL PROCESSORS, *Continued*

SQL  
Certific

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	Trusted ORACLE7, Release 7.0, NIST-93/7106, 11/1/95,  Hewlett-Packard 9000/807, HP-UX BLS, V. 8.08	Embedded Ada Pro*Ada, V. 1.5 Alsys Ada HP-B2425, Version A.05.35  Embedded C Pro*C, Ver. 1.5 HP C HP 92453-01, Version A.08.17	HP 9000/7xx HP-UX BLS Rel. 8.09 HP 9000/8xx HP-UX BLS Rel. 8.08
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	Trusted ORACLE7, Release 7.0; NIST-93/7107; 11/1/95,  Hewlett-Packard 9000/817; HP-UX BLS, V. 8.08	Embedded Ada Pro*Ada, V. 1.5 Alsys Ada HP-B2425, V. A.05.35  Embedded C Pro*C, V. 1.5 HP C HP 92453-01, V. A.08.17	HP 9000/7xx HP-UX BLS Rel. 8.09 HP 9000/8xx HP-UX BLS Rel. 8.08
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	Trusted ORACLE7, Release 7.0, NIST-93/7108, 11/1/95,  Hewlett-Packard 9000/847; HP-UX BLS, V. 8.08	Embedded Ada Pro*Ada, V. 1.5 Alsys Ada HP-B2425, Version A.05.35  Embedded C Pro*C, Version 1.5 HP C HP 92453-01, Version A.08.17	HP 9000/7xx HP-UX BLS Rel. 8.09 HP 9000/8xxx HP-UX BLS Rel. 8.08
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	Trusted ORACLE7, Release 7.0; NIST-93/7109, 11/1/95,  Hewlett-Packard 9000/867; HP-UX BLS, Version 8.08	Embedded Ada Pro*Ada, V. 1.5 Alsys Ada HP-B2425, Version A.05.35  Embedded C Pro*C, V. 1.5 HP C HP 92453-01, Version A.08.17	HP 9000/7xx HP-UX BLS Rel. 8.09 HP 9000/8xx HP-UX BLS Rel. 8.08
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		

## SQL PROCESSORS, Continued

SQL  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	Trusted ORACLE7, Release 7.0; NIST-93/710A; 11/1/95;	Embedded Ada Pro*Ada, V. 1.5 AlsyComp_034, Version 5.1	
	Zenith Data Systems Z-Station 433 DEh; SecureWare CMW+; Version 2.2	Embedded C Pro*C, V. 1.5 SecureWare CMW+ Version 2.2	Native C
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
	Oracle7, Release 7.0; NIST-94/7021; 1/1/95;	Embedded C Pro*C, Version 1.5 DEC OSF/1 AXP Compiler Driver 3.11	DEC 2000, DEC 4000, DEC 6000, DEC 7000 DEC OSF/1 (T2.0-2)
	DEC 3000; DEC OSF/1 (T2.0-2)	Embedded COBOL Pro*COBOL, V. 1.5 Micro Focus COBOL	
	Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	V3.1 for DEC OSF/1 AXP Embedded FORTRAN Pro*Fortran, V. 1.5 DEC Fortran V. T3.4	
Praxis International Inc.	Model 204 Advantage/SOL, Version 1 Release 1; NIST-94/7001; 1/1/95;	IBM 3221-170 MVS/ESA Rel. 4.2.2	
	Embedded COBOL; COBOL II V. 1.3.2		
	Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger		
	Model 204 Advantage/ SQL, V. 1 Rel. 1; NIST-94/7002; 1/1/95;	IBM 4381-T92 VM/XA Release 2.1	
	Embedded COBOL; COBOL II V. 1.3.2		
	Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger		

## SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
Progress Software Corporation	Progress ESQL Version 7 SDK; NIST-93/7421; 11/1/94;  SUN SPARCstation ELC; SunOS Version 4.1.2  Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C Native C, bundled with SunOS V. 4.1.2	
	Progress ESQL Version 7 SDK; NIST-93/7422; 11/1/94;  BBC 486; SCO UNIX System V/386 V. 3.2  Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C Microsoft C for UNIX Version 6	
	Progress ESQL Version 7 SDK; NIST-93/7423; 11/1/94;  BBC 486; MS-DOS V. 5.0  Features Tested: Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger	Embedded C Microsoft C/C++ Version 7	
Sybase Inc.	Sybase System 10/ Beta Version Pre-release; NIST-93/7061; 9/1/94;  HP 9000/I 40; HP-UX 9.0  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Version 10 Embedded C System 10 Beta Version cc bundled with HP-UX 9.0 Operating System	HP 9000/H 30 HP-UX 9.0

## SQL PROCESSORS, *Continued*

SQL -  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	Sybase System 10 Version 10.0; NIST-93/7062; 10/1/94;  Client: NCR 3550 NCR OS V. 2.00.02 Server: NCR 3550 NCR OS V. 2.00.02  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Version 10.0 Embedded C  Sybase ESQL/C System 10 V. 10.0 Metaware High C Release 2.3 Embedded COBOL Sybase ESQL/COBOL System 10 V. 10.0 Microfocus COBOL V. 3.0 Other Software Sybase SQL Server System 10 V. 10.0	NCR 3000 Series NCR SVR 4 2.x
	Sybase System 10 Version 10.0; NIST-93/7063; 10/1/94;  Client: Sun 4/65 Sun Solaris V. 2.2 Server: Sun 4/65 Sun Solaris V. 2.2  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Version 10.0 Embedded C  Sybase ESQL/C System 10 V. 10.0 Sparc Compiler C Version 2.0 Embedded COBOL Sybase ESQL/COBOL System 10 V. 10.0 Microfocus COBOL Compiler 3.1 Other Software Sybase SQL Server System 10 V. 10.0	all Sun4, Sparc-station 10, Sparc-server 600 series Sun Solaris 2.2
	Sybase System 10 Version 10.0; NIST-93/7064; 10/1/94;  Client: IBM RS/6000 Model 520 IBM AIX Version 3.2 Server: IBM RS/6000 Model 520 IBM AIX V. 3.2  Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Schema Processor Sybase Interactive SQL (isql) System 10 Ver 10.0 Embedded C  Sybase ESQL/C System 10 V. 10.0 IBM AIX XLC V. 1.2 Embedded COBOL Sybase ESQL/COBOL System 10 V. 10.0 Microfocus COBOL Compiler 3.1 Other Software Sybase SQL Server System 10 V. 10.0	IBM RS6000 IBM AIX Versions 3.2 & 3.2.4

## SQL PROCESSORS, *Continued*

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	<p>Sybase System 10 Version 10.0; NIST-93/7065; 10/1/94;</p> <p>Client: HP 9000/827 HP-UX A.09.00 Server: HP 9000/827 HP-UX A.09.00</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Schema Processor Sybase Interactive SQL (isql) System 10 V. 10.0 Embedded C Sybase ESQL/C System 10 V. 10.0 HP Native C, HP C A.09.30 Embedded COBOL Sybase ESQL/COBOL System 10 V. 10.0 HP COBOL V. 3.0 Other Software Sybase SQL Server System 10 V. 10.0</p>	<p>HP 700 Series, HP 800 Series HP-UX A.09.00</p>
	<p>Sybase System 10 Version 10.0; NIST-93/7066; 10/1/94;</p> <p>Client: Sun Sparcserver 690 SunOS 4.1.3 Server: Sun Sparcserver 690 SunOS 4.1.3</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Schema Processor Sybase Interactive SQL (isql) System 10 V. 10.0 Embedded C Sybase ESQL/C System 10 V. 10.0 GCC V. 2.3.1 Embedded COBOL Sybase ESQL/COBOL System 10 V. 10.0 Microfocus COBOL Compiler V. 3.0 Other Software Sybase SQL Server System 10 V. 10.0</p>	<p>all Sun4, Sparc- station 10, Sparc- server 600 series SunOS 4.1.3</p>
	<p>Sybase System 10 Version 10.0; NIST-93/7067; 10/1/94;</p> <p>Client: DEC VAX 6000-450 Vax/VMS 5.4-1 A Server: DEC VAX 6000-450 Vax/VMS 5.4-1 A</p> <p>Features Tested: Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger</p>	<p>Schema Processor Sybase Interactive SQL (isql) System 10 V. 10.0 Embedded C Sybase ESQL/C System 10 V. 10.0 Vax C V. 3.1 Embedded COBOL Sybase ESQL/COBOL System 10 V. 10.0 Vax COBOL V. 5.1 Other Software Sybase SQL Server System 10 V. 10.0</p>	<p>all DEC Vax running OS level Vax/VMS 5.4</p>

## SQL PROCESSORS, *Continued*

SQL  
Certificates

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	Sybase System 10 Version 10.0; NIST-93/7068; 10/1/94;  Client: DEC 3000 Model 500 OSF/1 Version 1.2 Server: DEC 3000 Model 500 OSF/1 Version 1.2	Schema Processor Sybase Interactive SQL (isql) System 10 V. 10.0 Embedded C Sybase ESQL/C System 10 V. 10.0 DEC OSF/AXP C 3.11 Other Software Sybase SQL Server System 10 V. 10.0	all DEC AXP running OS level below Dec OSF/1 V. 1.2
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
Unisys Corporation	RDMS 2200, Release Level 6R2 (SB5R2), Pre-release; NIST-93/7461; 12/1/94;  2200/444 System: OS 2200 V. SB5R2 (EXEC 44R2) [OS 1100 is renamed OS 2200]	Embedded C UCS C (UC) V. SB5R2 3.11 Embedded COBOL UCS COBOL (UCOB) Version SB5R2 Module Fortran UCS Fortran (UFTN) Version SB5R2	1100/90, 2200/ 500, 2200/600, 2200/900 OS 2200 V. SB5R2 (EXEC 44R2)
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
White Cross Systems Ltd.	WHITE CROSS 9000 Release 1.0.0; NIST-93/7251; 12/31/94;  Client: Custom-built 80486-based PC MICROSOFT MS-DOS Version 5.00 Server: WHITE CROSS 9000 Model WCS/9010	Embedded C WHITE CROSS 9000 Client Utilities Rel. 1.0.0 MICROSOFT C/C++ Optimizing Compiler Version 7.00 Communications FTP PC/TCP V. 2.05 (over Ethernet)	
	<b>Features Tested:</b> Level 2 ANSI SQL FIPS Sizing Defaults		

## SQL PROCESSORS, *Continued*

SQL  
Certific

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS
	<p>WHITE CROSS 9000            Release 1.0.0;            NIST-93/7252;            12/31/94;</p> <p>Client: NeXTstation            NeXTSTEP Release 3.0            Server: WHITE CROSS            9000 Model WCS/9010</p> <p><b>Features Tested:</b>            Level 2 ANSI SQL            FIPS Sizing Defaults</p>	<p>Embedded C            WHITE CROSS 9000            Client Utilities            Release 1.0.0            NeXTSTEP Objective            C Release 3.0            Communications            TCP/IP software            bundled with OS            (over Ethernet)</p>	
	<p>WHITE CROSS 9000            Release 1.0.0;            NIST-93/7253;            12/31/94;</p> <p>Client: Custom-            built 80486-based PC            SCO UNIX SYSTEM            V/386 Development            System Release 3.2            Server: WHITE CROSS            9000            Model WCS/9010</p> <p><b>Features Tested:</b>            Level 2 ANSI SQL            FIPS Sizing Defaults</p>	<p>Embedded C            WHITE CROSS 9000            Client Utilities            Release 1.0.0            C Optimizing            Compiler V. 5.10            Communications            TCP/IP software            bundled with OS            (over Ethernet)</p>	
	<p>WHITE CROSS 9000            Release 1.0.0;            NIST-93/7254;            12/31/94;</p> <p>Client: SPARCstation IPX            SunOS Release 4.1.2            Server: WHITE CROSS            9000 Model WCS/9010</p> <p><b>Features Tested:</b>            Level 2 ANSI SQL            FIPS Sizing Defaults</p>	<p>Embedded C            WHITE CROSS 9000            Client Utilities            Release 1.0.0            SPARCompiler            C V. 2.0.1            Communications            TCP/IP software            bundled with OS            (over Ethernet)</p>	

## SQL PROCESSORS, *Continued*

SQL -  
Registered Reports

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS; NONCONFORMITIES
--------	---	---------------------------	--

### FIPS 127-2 - ONE OR MORE NONCONFORMITIES

[Entry FIPS 127-2 exceeds requirements for FIPS 127-1 with Integrity Enhancement Option]

No entries for this quarter.

### FIPS 127-1 - ONE OR MORE NONCONFORMITIES

Informix Software, Inc.	<b>INFORMIX-OnLine</b> Version 5.02; NIST-94/7043; 1/1/95;  Sun SPARCstation 10; SunOS Version 4.1.3_DBE1.3  <b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger	Embedded COBOL INFORMIX-ESQL/ COBOL V. 5.02 Micro Focus COBOL for UNIX 3.0.54-Be  Embedded Fortran INFORMIX-ESQL/ FORTRAN V.5.02 SPARCompiler  Fortran V. 2.0.1	SPARCstation 2, 10, 10 model 30 41 42, SPARCserver 690, 690MP, 1000, 2000, SPARCcenter 2000  SunOS V. 4.1.3 SunOs Version 4.1.3_DBE1.3;  4 COBOL 1 Fortran
	<b>INFORMIX-OnLine/</b> Secure-C2 V. 5.00; NIST-94/7082; 1/1/95;	Embedded COBOL INFORMIX-ESQL/ COBOL V. 5.00 ACUCOBOL-85 Version 2.1.2	HP9000 Series 635, 645, 705, 710, 715/33, 715/50, 720, 725/50, 730, 735, 750, 755, 807, 815, 817, 822, 825, 827, 832, 834, 835, 837, 842, 845, 847, 850, 852, 867, 870, 870/ 200, 870/300, 855, 857, 860, 865, 870/400, 877, 887, 890/1, 890/2, 890/3, 890/4, 897, F10, F20, F30, G30, G40, G50, H20, H30, H40, H50, I30, I40, I50, HP-UX V. A.08.09;
	<b>INFORMIX-OnLine/</b> Secure-B1 V. 5.00; NIST-94/7086; 1/1/95;	Embedded Fortran INFORMIX-ESQL/ FORTRAN V.5.00 HP Fortran/9000s 700 V. A.08.07	
	<b>INFORMIX-OnLine/</b> Secure-B1 V.DR6.00; NIST-94/7088; 1/1/95;		

## SQL PROCESSORS, *Continued*

Registered

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS; NONCONFORMITIES
	INFORMIX-OnLine/ Secure-C2 V. 5.00; NIST-94/7092; 1/1/95;	Embedded COBOL INFORMIX-ESQL/ COBOL V. 5.00 MicroFocus COBOL for UNIX, Version 3.1.31	RISC System/6000 Powerstation/ Powerserver 220, 250, 25T, 25W, 320H, 340, 350, 520H, 530, 530E, 540, 550, 560, 560F, 570, 580, 58H, 590, 730, RISC System/6000 Powerserver 25S, 930, 950, 970, 990 AIX Version 3.2 AIXCMW V. 3.2;
	INFORMIX-OnLine/ Secure-C2 V. DR6.00 NIST-94/7097; 1/1/95;	Embedded Fortran INFORMIX-ESQL/ FORTRAN V. 5.00 IBM AIX XL	
	INFORMIX-OnLine/ Secure-B1 V. 5.00; NIST-94/7096; 1/1/95;	Fortran Compiler/ 6000 V. 2.03.0	
	INFORMIX-OnLine/ Secure-B1 V. DR6.00; NIST-94/7090; 1/1/95;		4 COBOL 1 Fortran
	IBM POWERstation 320; AIXCMW Version 3.2		
	<b>Features Tested:</b> Level 2 ANSI SQL Integrity Enhancement Option FIPS Sizing Defaults FIPS Flagger		
Software AG	ADABAS SQL Server Version 1.1; NIST-93/7201; 12/31/94;	Embedded C ADABAS V. 1.2 HP C V. A.08.17	10 C
	HP 9000/817; HP/UX A.08.02		
	<b>Features Tested:</b> Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger		
	ADABAS SQL Server Version 1.1; NIST-93/7202; 12/31/94;	Embedded COBOL ADABAS V. 1.2 HP Micro Focus COBOL/2, V. 1.1 Rev. 002	10 COBOL
	HP 9000/817; HP/UX A.08.02		
	<b>Features Tested:</b> Level 2 ANSI SQL FIPS Sizing Defaults FIPS Flagger		

## SQL PROCESSORS, *Continued*

SQL -  
Registered Reports

VENDOR	PROCESSOR ID; VSR#; SUBSET; & EXPIRY DATE; HARDWARE; OPERATING SYS.	INTERFACES & COMPILERS	OTHER HW/SW ENVIRONMENTS; NONCONFORMITIES
	ADABAS SQL Server Version 1.1; NIST-93/7203; 12/31/94;  Hitachi HDS/EX90; MVS/ESA V. 4.2.2	Embedded COBOL ADABAS V. 5.3 COBOL II, V.3.2	10 COBOL

**Features Tested:**  
Level 2 ANSI SQL  
FIPS Sizing Defaults  
FIPS Flagger



## 4. GRAPHICS CONFORMANCE TESTING

### 4.1 FIPS GKS Standard

The Graphical Kernel System (GKS) is a two-dimensional graphics tool box which provides for the display and manipulation of pictures and graphical input from the operator. The purpose of GKS is to promote portability of graphics applications for use on a variety of graphics workstations. It provides a functional interface between an application program and a configuration of graphical devices. The interface is at such a level of abstraction that hardware peculiarities are shielded from the application program.

FIPS PUB 120-1, GKS, is the first Federal Information Processing Standard Publication (FIPS PUB) registered for computer graphics systems. In accordance with FIPS PUB 120-1, two-dimensional graphics toolbox packages acquired for Federal use after November 3, 1986 should implement FIPS GKS. Conformance testing of GKS implementations protects Federal investment by ensuring adherence to the graphics standard. FIPS PUB 120-1 requires that GKS implementations offered to Federal agencies be tested using the NIST Test Suite to ensure that a particular implementation meets the specifications of the FIPS. The GKS Validation Test Suite (Fortran) is available from:

Ms. Susan Sherrick  
National Institute of Standards and Technology  
Building 225, Room A266  
Gaithersburg, MD 20899  
(301) 975-3268

#### 4.1.1 Organization of GKS Entries

The entries in the VPL for GKS implementations are presented as follows:

- The VENDOR ID column contains the name of the Vendor of the implementation.
- The GKS NAME column contains the name of the implementation, its version number, the VSR number, and the Expiry date of the certificate of validation.
- The HARDWARE & OP. SYSTEM column presents the hardware and operating system environment used during the validation.
- The GRAPHICS DEVICES column includes the graphics devices that were validated.
- The GKS LEVEL column indicates the level of GKS that was validated.
- The entries in the OTHER HW/OS column include other hardware and operating system environments in which the processor operates.
- The NONCONFORMITIES column indicates whether or not the GKS implementation conforms to the applicable FIPS in one or more cases as evidenced by the validation. The VSR should be reviewed for details of the nonconformities.

## 4.2 FIPS PHIGS Standard

PHIGS stands for Programmer's Hierarchical Interactive Graphics System. PHIGS is a system for interactive 3-dimensional (3D) graphics applications that provides programmers with a set of features enabling them to manipulate and display complex 3D objects. It is called hierarchical because the complex objects can be built up from simpler objects. PHIGS also provides a rich set of facilities for real-time interaction with the user. While it borrows many concepts from the Graphical Kernel System (GKS) standard, it also introduces many new features, such as a "graphics data base" (the centralized structure store), and support for modeling and viewing.

In accordance with FIPS PUB 153, (PHIGS), 3D graphics packages acquired for Federal use should implement FIPS PHIGS. Conformance testing of PHIGS implementations protects Federal investment by ensuring adherence to the graphics standard. FIPS PUB 153 requires that PHIGS implementations offered to Federal agencies be tested using the NIST PVT (PHIGS Validation Tests) test suite. The test suite ensures that a particular implementation meets the specifications set forth in the FIPS. The PHIGS PVT test suite is available from:

Project Leader, PHIGS Validation Tests  
National Institute of Standards and Technology  
Computer Systems Laboratory  
Bldg. 225, Room A-266  
Gaithersburg, MD 20899  
phone: (301) 975-3265  
e-mail: phigs@speckle.ncsl.nist.gov

### 4.2.1 Organization of PHIGS Entries

The entries in the VPL for PHIGS implementations are as follows:

- The VENDOR column contains the name of the vendor of the implementation.
- The PHIGS name column contains the name of the implementation, its version number, the Validation Summary Report (VSR) number, and the expiry date of the certification of validation.
- The HARDWARE & OP.SYSTEM column presents the hardware and operating system environment used during the validation.
- The GRAPHICS DEVICES column includes the graphics devices that were validated.
- The REGISTERED ENVIRONMENTS HW/OS column includes registered hardware and operating systems for the implementation tested. The vendor of the implementation has certified that the identified processor, when operating under the environments included in this column, produces the same test results exhibited during the validation. Test results and other information from these environments may be required as evidence for entries to be included in this column.
- The NONCONFORMITIES column indicates whether or not the PHIGS implementation conforms to the FIPS in one or more cases as evidenced by the validation. The VSR should be reviewed for more details of the nonconformities.

## **4.3 FIPS CGM Standards**

The FIPS 128-1, Computer Graphics Metafile (CGM) is a data interchange standard for the storage and retrieval of picture information in a device independent manner. The purpose of the CGM is to facilitate the transfer of graphical information among different computer systems, devices and/or applications.

The FIPS 128-1 requires the use of a CGM application profile. In particular, the Military Specification MIL-D-28003A, commonly known as the CALS CGM profile, is required for Federal government applications when the representation of graphical information in digital form is to be used in technical illustrations and publications, or when the use of a general-purpose, graphical interchange mechanism is required.

NIST offers two CGM Test Services: metafile testing and generator testing. The purpose of the Test Services is to determine the degree to which the metafile or CGM generator conforms to the FIPS 128-1 and the CALS profile. Presently, the Test Service addresses only CGM Version 1.

### **4.3.1 CGM Test Labs and Test Suite**

CGM Validation Testing is available from the National Institute of Standards and Technology through its Computer Systems Laboratory (NIST/CSL).

National Institute of Standards and Technology  
CGM Test Service  
Building 225, Room A266  
Gaithersburg, MD 20899  
(301) 975-3265

The CGM Validation Test Software is based on CTS/Metacheck, version 2.10 and is available for purchase from

CGM Technology Software  
1527 Route 12, Box 648  
Gales Ferry, CT 06335  
(203) 464-2623

### **4.3.2 Certificate of Validation**

For metafile testings, a certificate of validation is issued for those CGM files that have been tested and are in compliance with the FIPS 128-1 and MIL-D-28003A. Conformance of a metafile does NOT necessarily imply conformance of the CGM generator, CGM interpreter, or other CGMs created on the same hardware and software platform.

For generator testing, a certificate of validation is issued for a CGM generator that has been tested and is in compliance with the FIPS 128-1 and MIL-D-28003A.

### **4.3.3 Validated Metafiles**

The metafiles presented in Section 4.6 have been tested for conformity with FIPS PUB 128 or MIL-D-28003. Each entry in the VPL is a very limited extract from the Validation Summary Report (VSR) available from NIST/CSL.

## **4.4 Raster Graphics Standards**

FIPS PUB 150 adopts EIA-538 which defines the facsimile coding schemes and their control functions for Group 4 facsimile apparatus, i.e., ITU-T (formerly CCITT) Recommendation T.6. It defines a standard compression algorithm (T.6 - Group 4) suitable for the storage, retrieval, and interchange of raster graphics images.

Military Specification MIL-R-28002 specifies the structure and encoding of raster data files to be delivered to the government. It specifies the use of the standard compression algorithm defined in FIPS PUB 150. It also specifies the use of standard file headers which are defined in MIL-STD-1840. MIL-STD-1840 standardizes the format and structure of digital technical data files for the purpose of interchange between organizations or systems.

### **4.4.1 Certificate of Validation**

The Raster Graphics Validation Test Service tests an implementation's capability of both receiving and generating raster graphics data conforming to the specifications in FIPS PUB 150 and MIL-R-28002.

A certificate of validation is issued for an implementation that passes the validation test and conforms to FIPS PUB 150 and MIL-R-28002.

### **4.4.2 Information Pack**

Upon request, a Raster Graphics Validation Test Information Pack is available from:

National Institute of Standards and Technology (NIST)  
Computer Systems Laboratory  
Raster Graphics Validation Test Service  
Technology Building, Room A266  
Gaithersburg, MD 20899  
Telephone (301) 975-3265

## 4.5 GKS IMPLEMENTATIONS

GKS -

VENDOR	GKS NAME; EXPIRY DATE; VSR #; LEVEL	HARDWARE; OPERATING SYSTEM	GRAPHICS DEVICES; REGISTERED ENVIRONMENTS
Advanced Technology Center	<b>GRAFPAK-GKS Release 4.0;</b> 12/1/94; NIST/NCC-92/967; Level 2c	NCR 3450; Unix System V Release 4	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer);
	<b>GRAFPAK-GKS Release 4.0;</b> 12/1/94; NIST/NCC-92/968; Level 2c	NCR 3550; Unix System V Release 4	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer);
	<b>GRAFPAK-GKS Release 4.0;</b> 12/1/94; NIST/NCC-92/969; Level 2c	IBM RS6000 Model 220; AIX 3.2	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer);
	<b>GRAFPAK-GKS Release 4.0;</b> 12/1/94; NIST/NCC-92/970; Level 2c	IBM RS6000 Model 530H; AIX 3.2	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer);
	<b>GRAFPAK-GKS Release 4.0;</b> 12/1/94; NIST/NCC-92/971; Level 2c	HP-9000/817; HP-UX 8.08	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer);
	<b>GRAFPAK-GKS Release 4.0;</b> 12/1/94; NIST/NCC-92/972; Level 2c	HP-9000/827; HP-UX 8.02	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer);
	<b>GRAFPAK-GKS Release 4.0;</b> 12/1/94; NIST/NCC-92/974; Level 2c	Sun Sparcstation 1; Solaris 2.1	X Window System V11 PostScript Portrait Oriented Workstation (using QMS PS 810 Laser Printer);

## 4.6 COMPUTER GRAPHICS METAFILES

CLIENT	VSR # & DATE; # CGM Submitted/Conforming	CGM/SIZE/DATE; GENERATOR	PLATFORM (As reported by Vendor)
Interleaf, Inc El Segundo, CA	NIST-M-92/003-001 9/2/92; 1/1	asg.cgm 8880 8/31/92; Interleaf Inc MDL/G	Interleaf 5 v5.3, HP9000/700, HP UX v8.07
IBM Corporation Federal Sector Division Oswego, NY	NIST-M-92/005-002 10/28/92; 5/5	gcm_i220.cgm 5280 10/27/92; GRAFPAK-CGM 1.1.2	IBM RS6000 Model 220, AIX 3.2
		gcm_i530.cgm 5280 10/27/92; GRAFPAK-CGM 1.1.2	IBM RS6000 Model 530, AIX 3.2
		gcm_n345.cgm 5280 10/27/92; GRAFPAK-CGM 1.1.2	NCR 3450, NCR UNIX SVR4
		gcm_n355.cgm 5280 10/27/92; GRAFPAK-CGM 1.1.2	NCR 3550, NCR UNIX SVR4
		gks_i530.cgm 23680 10/27/92; GRAFPAK-GKS 4.0	IBM RS6000 Model 530, AIX 3.2
ESRI Boulder CO	NIST-M-93/006-003 1/26/93; 5/5	sun.cgm 181680 1/19/93; ARC/INFO	SUN SparcStation, Sun OS 4.1.3
		ibm.cgm 181680 1/19/93; ARC/INFO	IBM RS6000, AIX 3.2
		dg.cgm 181680 1/19/93; ARC/INFO	Data General AviiON, DG/UX 5.4.1
		dec.cgm 181680 1/19/93; ARC/INFO	DecStation 5000, ULTRIX 4.2a
		sgi.cgm 181680 1/19/93; ARC/INFO	Silicon Graphics Indigo, IRIX 4.0.2
EDS Herndon, VA	NIST-M-93/007-004 1/29/93; 3/3	demo5.cgm 13280 1/28/93; GRAFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1
		demo7.cgm 5360 1/28/93; GRAFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1
		demo8.cgm 3840 1/28/93; GRAFPAK-GKS 4.0	SPARCStation 10 Model 30, Solaris 2.1

## **4.7 PHIGS APPLICATIONS**

No entries at this time.



## **5. U.S. GOSIP TESTING PROGRAM REGISTER DATABASE SYSTEM (GRD)**

### **5.1 Description**

The United States Government Open Systems Interconnection Profile (GOSIP) Testing Program was defined to assist Federal Agencies in assuring conformance to the GOSIP Standard. Testing for conformance to the Open Systems Interconnection (OSI) standards and for interoperability with other OSI implementations is available.

NISTIR 4594, "GOSIP Conformance and Interoperation Testing and Registration" establishes the framework for the establishment of registers for Test Suites, Test Systems (Means of Testing), Conformance Testing Laboratories, and Interoperability Testing Services.

### **5.2 U.S. GOSIP Register Database (GRD)**

The U.S. GOSIP Register Database (GRD) is an online database facility developed by NIST. It provides up-to-date reference information for the following list of registers:

1. U.S. GOSIP Abstract Test Suites (ATS).
2. Assessed Means of Testing (MOT).
3. NVLAP Accredited Test Laboratories.
4. Conformance Tested GOSIP Products.
5. Interoperability Test Suites (ITS) for OSI Products.
6. Reference Entities for Means of Testing Assessment(s).
7. Interworking GOSIP Products.
8. Interoperability Test and Registration Services.

### **5.3 How To Access the GOSIP Register Database (GRD)**

The GOSIP register files available for downloading are now located a different host. These files are available via anonymous ftp over the internet from:

Host Name: huachuca-jitcosi  
IP Address: 138.27.7.2

Files are available in both ASCII (.ask) and WordPerfect 5.1 (.w51) formats. Just login with "anonymous" and use your internet address for the password. For .w51 files, binary transfer is required.

For any questions, problems or comments dealing with the GRD or the U.S. GOSIP Testing Program please contact:

Ken Thomas  
Joint Interoperability Test Center - TCBB  
Fort Huachuca, AZ 85613-7020  
(602) 538-5170  
e-mail: C3A-TCB@huachuca-EMH2.army.mil

## 5.4 GOSIP REGISTERS

### 5.4.1 REGISTER OF CONFORMANCE TESTING LABORATORIES

**Lab Code:** 0354

Lab: Control Data Corporation, OSI Accredited Test Center  
4201 North Lexington Avenue  
Arden Hills, MN 55126-6198  
Contact: Ronald D Swan  
Tel: (612) 482-6257 Fax: (612) 482-3616

Registration Type: FULL Registered Until: 01-JUL-95

Scope of Registration:

X.400-1984 MHS: P2/P1/RTS/(Session), CCITT X.400-1988 MHS:  
P2/P1/RTSE/ACSE/Presentation(Session), TP4, TP2/TP0, CLNP,  
X.25:PLP/HDLC LAP-B

**Lab Code:** 0357

Lab: National Computing Centre Limited  
Oxford Road  
Manchester M17ED  
United Kingdom

Contact: A. E. J. Pink  
Tel: +44 61 228 6333 Fax: +44 61 236 4715

Registration Type: FULL Registered Until: 01-JUL-95

Scope of Registration:

FTAM/ACSE/Presentation(Session), X.400-1984 MHS:  
P2/P1/RTS/  
(Session), CCITT X.400-1988 MHS: P2/P1/RTSE/ACSE/  
Presentation(Session), ITU-T X.500-1988 DS: DS/DAP,  
Session, TP4, TP2/TP0, CLNP, X.25: PLP/HDLC LAP-B

**Lab Code:** 0364

Lab: CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

Contact: Kevin P Murray  
Tel: (703) 821-1858 Fax: (703) 821-9859

Registration Type: FULL Registered Until: 01-JUL-95

Scope of Registration:

FTAM/ACSE/Presentation/(Session), X.400-1984 MHS:  
P2/P1/RTS/  
(Session), TP4, TP2/TP0, CLNP, X.25: PLP/HDLC LAP-B

**Lab Code:** 0365

Lab: Hewlett-Packard Company, OSI Conformance Test Center  
19420 Homestead Road, MS 43UJ  
Cupertino, CA 95014-9810

Contact: Murali Subbarao

Tel: (408) 447-2822 Fax: (408) 447-2697  
Email: murali@hpinddf.cup.hp.com

Registration Type: FULL Registered Until: 01-JUL-95

Scope of Registration:

FTAM/ACSE/Presentation(Session), X.400-1984 MHS: P2/P1/  
RTS(Session), Session, TP4, TP2/TP0, CLNP

**Lab Code:** 0367

Lab: UNISYS - Open Systems Interconnection Laboratory  
P.O. Box 203, 2450 Swedesford Road  
Paoli, PA 19301

Contact: Carsten Gardan

Tel: (215) 993-6157 Fax: (215) 993-7425

Registration Type: FULL Registered Until: 01-JUL-95

Scope of Registration:

FTAM/ACSE/Presentation(Session), X.400-1984 MHS:  
P2/P1/RTS/  
(Session), TP4, TP2/TP0, CLNP, ES-IS, X.25:PLP/HDLC LAP-B

**Lab Code:** 0370

Lab: Conformance Expert Center for OSI Bull - CECOB  
1 Rue de Provence, BP 208  
38432 Echirolles France

Contact: Attila Tuncer

Tel: +33 1 76 3976 02 Fax: +33 1 76 3977 02  
Email: a.tuncer@frec.bull.fr

Registration Type: FULL Registered Until: 01-OCT-94

Scope of Registration: X.25:PLP/HDLC LAP-B

**Lab Code:** 0371

Lab: Alcatel TITN Test Center  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

Contact: Sanjay P Lokare

Tel: (510) 484-5674 Fax: (510) 484-4078

Registration Type: FULL Registered Until: 01-OCT-94

Scope of Registration:

FTAM/ACSE/Presentation, X.400-1984 MHS: P2/P1/RTS  
(Session),  
Session, TP4, TP2/TP0, CLNP, X.25: PLP/HDLC LAB-B

## GOSIP REGISTERS, *Continued*

**Lab Code: 0385**

Lab: Dept of Defense, Joint Interoperability Test Center  
ATTN: TCDBA, Building 57305  
Fort Huachuca, AZ 85613-7020  
Contact: Kenneth Thomas  
Tel: (602) 538-5170 Fax: (602) 538-4375  
Email: ThomasK@cc.ims.disa.mil

Registration Type: FULL Registered Until: 01-APR-95

**Scope of Registration:**

FTAM/ACSE/Presentation(Session) X.400-1984 MHS:  
P2/P1/RTS/  
(Session), TP4, TP2/TP0, CLNP, X.25:PLP/HDLC LAP-B

**Lab Code: 0392**

Lab: IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome Italy

Contact: Alberto Sinibaldi

Tel: 39 6 5966-2281 Fax: 39 6 5966-2467  
Email: Sinibaldi@romeppc.vnet.ibm.com

Registration Type: FULL Registered Until: 01-OCT-94

**Scope of Registration:**

FTAM/ACSE/Presentation(Session), X.400-1984 MHS:  
P2/P1/RTS/  
(Session), Session, TP4, TP2/TP0, CLNP, CCITT X.25:  
PLP/HDLC  
LAP-B, X.25 LAP-B

**Lab Code: 0394**

Lab: Telecommunications Laboratories Test Center  
P.O. Box 71  
Chung-Li, 320 Taiwan

Contact: Ching-Sung Lu

Tel: +886 3 424-4377 Fax: +886 3 490-4464

Registration Type: FULL Registered Until: 01-OCT-94

**Scope of Registration:**

X.400-1984 MHS: P2/P1/RTS/(Session),  
FTAM/ACSE/Presentation  
(Session), Session, TP4, TP2/TP0, CLNP

### 5.4.2 REGISTER OF APPROVED US GOSIP MOT VALIDATION LABORATORIES

**Lab Code: 0385**

Lab: Dept of Defense, Joint Interoperability Test Center  
ATTN: TCDBA, Building 57305  
Fort Huachuca, AZ 85613-7020

Contact: Kenneth Thomas

Tel: (602) 538-5170 Fax: (602) 538-4375  
Email: ThomasK@cc.ims.disa.mil

Type of Lab: MOT Calib

Register Type: Full

Expires: 01-MAR-96

Scope: FTAM/ACSE/Presentation (Session), Session, TP4, TP2,  
TP0, CLNP, 8802-2/8802-3, X.25, PLP/HDLC, LAP-B,  
MHS

Comments:

**Lab Code: N/A 77.90/01**

Lab: ACERLI  
5 Voie Verte  
92260 Fontenay-aux-Ros France

Contact: J-P Baconnet  
Tel: +33 1 46 38 35 08  
Fax: +33 1 4638 8205

Type of Lab: MOT Calib

Register Type: Full

Expires: 01-MAR-96

Scope: FTAM, MMS, 8804-4

Comments:

## GOSIP REGISTERS, *Continued*

### 5.4.3 GOSIP REGISTER DATABASE: CONFORMANCE TESTED PRODUCTS

<p><b>Product Code/Type:</b> P-001 WAN Product ID: 173</p> <p>Supplier: 000092 ALCATEL Data Networks, Inc. 12502 Sunrise Valley Drive Reston, VA 22096</p> <p>Contact: K. Trumble Tel: (703) 689-6287</p> <p>GOSIP Product: TP8000 Network Release 6 Version/Release: Release 6 Release Date: 08-JUN-93 Additional Info: Registration: FULL, GOSIP Version 2 /registered Date: 19-JUL-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: H/W: TP8000 O/S: Network Release 6</p> <p>Claimed Compatibility Hardware/Software Platforms: Connectivity: 0090 RS-232C</p> <p>Underlying Stack: None Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p>ATS Used: ATS:2-2 AND ATS:2-1</p> <p>Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 175</p> <p>Supplier: 000092 ALCATEL Data Networks, Inc. 12502 Sunrise Valley Drive Reston, VA 22096</p> <p>Contact: K. Trumble Tel: (703) 689-6287</p> <p>GOSIP Product: TP4900/TCP/CF Network Release 6 Version/Release: Release 6 Release Date: 08-JUN-93 Additional Info: Registration: FULL, GOSIP Version 2/registered Date: 19-JUL-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: 0157 H/W: TP4900/TCP/CF O/S: Network Release 6</p> <p>Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0089 V.35 Underlying Stack: None Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p>ATS Used: ATS:2-2 AND ATS:2-1</p> <p>Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>
<p><b>Product Code/Type:</b> P-001 WAN Product ID: 174</p> <p>Supplier: 000092 ALCATEL Data Networks, Inc. 12502 Sunrise Valley Drive Reston, VA 22096</p> <p>Contact: K. Trumble Tel: (703) 689-6287</p> <p>GOSIP Product: TP4900/LPM Network Release 6 Version/Release: Release 6 Release Date: 08-JUN-93 Additional Info: Registration: FULL, GOSIP Version 2 /registered Date: 19-JUL-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: H/W: TP4900/LPM O/S: Network Release 6</p> <p>Claimed Compatibility Hardware/Software Platforms: Connectivity: V.35</p> <p>Underlying Stack: None Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p>ATS Used: ATS:2-2 AND ATS:2-1</p> <p>Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 1</p> <p>Supplier: 000013 AT &amp; T Computer Systems 307 Middletown - Lincroft Road Lincroft, NJ 07738</p> <p>Contact: Reginald Lewis Tel: (908) 898-6005 Fax: (908) 898-3717</p> <p>GOSIP Product: A.T. &amp; T. X.25 Network Interface Product Version/Release: Release 2.0 Release Date: 01-JAN-91 Additional Info: Registration: PROV, Grndfthrd, V1-&gt;V2/registered Date: 09-APR-91 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: 0001 Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0001 RS-232C, V.35, X.21bis</p> <p>Underlying Stack: None Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p>ATS Used: ATS:1-1 and ATS:1-2</p> <p>Conformance Lab: 0363 Corporation for Open Systems International Test Center 8260 Willow Oaks Corp Drive, Suite 700 Fairfax, VA 22031 USA</p>

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN Product ID: 91  
**Supplier:** 000053

Bull Information Systems Incorporated  
 13430 North Black Canyon Highway  
 Phoenix, AZ 85029

**Contact:** Bill George  
 Tel: (602) 862-6008  
 Fax: (602) 862-6105

**GOSIP Product:** DPX/2 B.O.S. (Stack B)

**Version/Release:** Ver B.O.S. 2

**Release Date:** 01-OCT-92

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0084

DPX/2 200 with MTB board, O/S B.O.S. 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0005

RS-232C

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:1-1 and ATS:1-2

**Conformance Lab:** 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

**Product Code/Type:** P-001 WAN Product ID: 92

**Supplier:** 000053

Bull Information Systems Incorporated  
 13430 North Black Canyon Highway  
 Phoenix, AZ 85029

**Contact:** Bill George  
 Tel: (602) 862-6008  
 Fax: (602) 862-6105

**GOSIP Product:** DPX/2 B.O.S. (Stack B)

**Version/Release:** Ver B.O.S. 2

**Release Date:** 01-OCT-92

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0085

DPX/2 200 with ECP Board, O/S B.O.S. 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0005

RS-232C

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:1-1 and ATS:1-2

**Conformance Lab:** 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

**Product Code/Type:** P-001 WAN Product ID: 93

**Supplier:** 000053

Bull Information Systems Incorporated  
 13430 North Black Canyon Highway  
 Phoenix, AZ 85029

**Contact:** Bill George

Tel: (602) 862-6008

Fax: (602) 862-6105

**GOSIP Product:** DATANET DCP 7500

**Version/Release:** DNS Ver 4 U1

**Release Date:** 01-JAN-92

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0086

DCP 7500 O/S DNS Ver 4 Update 1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0005

RS-232C

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:1-1 and ATS:1-2

**Conformance Lab:** 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

**Product Code/Type:** P-001 WAN Product ID: 176

**Supplier:** 000094

Cisco Systems

1525 O'Brien Drive, P.O. Box 3075

Menlo Park, CA 94026-1435

**Contact:** William Miskovetz

Tel: (415) 688-4682

Fax: (415) 688-4575

**GOSIP Product:** AGS+3 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 13-JUL-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2/registered

**Date:** 02-AUG-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0158

H/W: AGS+3

O/S: gs3-k 9.1(30)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0089

V.35

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-2 AND ATS:2-1

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN **Product ID:** 177

**Supplier:** 000094  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 688-4682  
 Fax: (415) 688-4575

**GOSIP Product:** AGS+/4 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 13-JUL-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2/registered  
**Date:** 02-AUG-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0164

**H/W:** AGS+/4  
**O/S:** gs3-k 9.1(30)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0089  
 V.35

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-2 AND ATS:2-1

**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN **Product ID:** 178

**Supplier:** 000094  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 688-4682  
 Fax: (415) 688-4575

**GOSIP Product:** CGS/3 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 13-JUL-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2 /registered  
**Date:** 02-AUG-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0159

**H/W:** CGS/3  
**O/S:** gs3-k 9.1(30)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0089  
 V.35

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-2 AND ATS:2-1

**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN **Product ID:** 179

**Supplier:** 000094  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 688-4682  
 Fax: (415) 688-4575

**GOSIP Product:** CGS/4 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 13-JUL-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2/registered  
**Date:** 02-AUG-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0160

**H/W:** CGS/4  
**O/S:** gs3-k 9.1(30)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0089  
 V.35

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-2 AND ATS:2-1

**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN **Product ID:** 180

**Supplier:** 000094  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 688-4682  
 Fax: (415) 688-4575

**GOSIP Product:** IGS/R X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 13-JUL-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2/registered  
**Date:** 02-AUG-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0161

**H/W:** IGS/R  
**O/S:** igs-kr 9.1(30)

**Claimed Compatibility Hardware/Software Platforms:**

**Connectivity:** 0089

V.35

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-2 AND ATS:2-1

**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN    **Product ID:** 181

**Supplier:** 000094  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 688-4682  
 Fax: (415) 688-4575

**GOSIP Product:** MGS/3 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 13-JUL-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2/registered  
**Date:** 02-AUG-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0162

**H/W:** MGS/3

**O/S:** gs3-k 9.1(30)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0090

RS-232C

**Underlying Stack:** None    **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-2 AND ATS:2-1

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 182

**Supplier:** 000094  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 688-4682  
 Fax: (415) 688-4575

**GOSIP Product:** MGS/4 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 13-JUL-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2/registered

**Date:** 02-AUG-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0163

**H/W:** MGS/4

**O/S:** gs3-k 9.1(30)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0090

RS-232C

**Underlying Stack:** None.    **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-2 AND ATS:2-1

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 221

**Supplier:** 000122  
 Cisco Systems  
 1525 O'Brien Drive P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 688-4682  
 Fax: (415) 688-4575

**GOSIP Product:** CISCO 4000 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 14-MAR-94

**Additional Info:** None

**Registration:** FULL, GOSIP Version 2/registered

**Date:** 24-FEB-94

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0188

CISCO 4000

CISCO O/S 9.21C

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0089

V.35

**Underlying Stack:** None    **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-1 & ATS:2-2

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 234

**Supplier:** 000129  
 Cisco Systems  
 1525 O'Brien Drive P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** William Miskovetz  
 Tel: (415) 326-1941

Fax:

**GOSIP Product:** CISCO 7000 X.25 Version 2.0

**Version/Release:** Version 2.0

**Release Date:** 17-JAN-94

**Additional Info:** Tested hardware platform is CISCO 7000. Vendor claims hardware compatibility as listed.

**Registration:** FULL, GOSIP Version 2/registered

**Date:** 10-MAR-94

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0197

H/W: CISCO 7000 & 7010

O/S: CISCO 9.21

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0089 V.35

**Underlying Stack:** N/A    **Underlying Product:** N/A

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-1 & ATS:2-2

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 236  <b>Supplier:</b> 000129            Cisco Systems            1525 O'Brien Drive P.O. Box 3075            Menlo Park, CA 94026-1435  <b>Contact:</b> William Miskovetz  <b>Tel:</b> (415) 326-1941  <b>Fax:</b></p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 31  <b>Supplier:</b> 000029            Control Data Corporation            4201 North Lexington Avenue            Arden Hills, MN 55126-6198  <b>Contact:</b> Ronald Swan  <b>Tel:</b> (612) 482-6527  <b>Fax:</b> (612) 465-4996  <b>GOSIP Product:</b> CDCNET  <b>Version/Release:</b> Ver 1.6.1 L780A  <b>Release Date:</b> 01-MAR-92  <b>Additional Info:</b></p>
<p><b>GOSIP Product:</b> CISCO 3104 X.25 Version 2.0  <b>Version/Release:</b> Version 2.0  <b>Release Date:</b> 17-JAN-94  <b>Additional Info:</b> Tested hardware platform is CISCO 3104. Vendor claims hardware compatibility as listed.</p>	<p><b>Registration:</b> FULL, GOSIP Version 2/registered  <b>Date:</b> 16-MAR-94  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p>
<p><b>Tested Hardware/Operating System Platforms:</b> 0198            H/W: CISCO 3101, 3102, &amp; 3104    O/S: CISCO 9.21  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0089 V.35  <b>Underlying Stack:</b> N/A    <b>Underlying Product:</b> N/A  <b>Protocols and Profiles:</b> 0001</p>	<p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 30-JAN-92  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p>
<p><b>Tested Hardware/Operating System Platforms:</b> 0198            H/W: CISCO 3101, 3102, &amp; 3104    O/S: CISCO 9.21  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0089 V.35  <b>Underlying Stack:</b> N/A    <b>Underlying Product:</b> N/A  <b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  <b>ATS Used:</b> ATS:2-1 &amp; ATS:2-2  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603</p>	<p><b>Tested Hardware/Operating System Platforms:</b> 0046            CDCNET Device Interface</p>
<p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0024 RS-232C, X.21  <b>Underlying Stack:</b> None    <b>Underlying Product:</b></p>	<p><b>Protocols and Profiles:</b> 0001</p>
<p><b>ATs Used:</b> ATS:1-1 and ATS:1-2  <b>Conformance Lab:</b> 0354</p>	<p>X.25 PLP/X.25 LAP-B</p>
<p><b>Control Data Corporation,</b>  <b>OSI Accredited Test Center</b></p>	<p>X.25 PLP [ISO 8208:1990] {CCITT 1984}</p>
<p><b>4201 North Lexington Avenue</b></p>	<p>X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p>
<p><b>Arden Hills, MN 55126-6198</b></p>	<p><b>ATs Used:</b> ATS:1-1 and ATS:1-2</p>
<p><b>Conformance Lab:</b> 0354</p>	<p><b>Control Data Corporation,</b>  <b>OSI Accredited Test Center</b></p>
<p><b>4201 North Lexington Avenue</b></p>	<p><b>Arden Hills, MN 55126-6198</b></p>
<p><b>Protocol Code/Type:</b> P-001 WAN    <b>Product ID:</b> 254  <b>Supplier:</b> 000129</p>	<p><b>Protocol Code/Type:</b> P-001 WAN    <b>Product ID:</b> 40</p>
<p>Cisco Systems            1525 O'Brien Drive P.O. Box 3075            Menlo Park, CA 94026-1435</p>	<p><b>Supplier:</b> 000036            Data General Corporation            4400 Computer Drive, MS/D216            Westboro, MA 01580</p>
<p><b>Contact:</b> William Miskovetz  <b>Tel:</b> (415) 326-1941</p>	<p><b>Contact:</b> Charles Stakus</p>
<p><b>GOSIP Product:</b> CISCO 2501 X.25 Version 2.0  <b>Version/Release:</b> Version 2.0  <b>Release Date:</b> 14-MAR-94  <b>Additional Info:</b></p>	<p><b>Tel:</b> (508) 870-6392</p>
<p><b>Registration:</b> FULL, GOSIP Version 2/registered  <b>Date:</b> 27-JUN-94  <b>Reason for Removal:</b></p>	<p><b>Fax:</b> (508) 898-4694</p>
<p><b>Basis:</b> BASE  <b>Base Products:</b> N/A</p>	<p><b>GOSIP Product:</b> X.25 for AViiON Systems</p>
<p><b>Tested Hardware/Operating System Platforms:</b> 0214            H/W: CISCO 2501            O/S: CISCO O/S 9.21</p>	<p><b>Version/Release:</b> Rel 2.20</p>
<p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0226            CISCO 2502, CISCO 2503, and CISCO 2504</p>	<p><b>Release Date:</b> 01-FEB-92</p>
<p><b>Connectivity:</b> 0089 V.35</p>	<p><b>Additional Info:</b></p>
<p><b>Underlying Stack:</b> None    <b>Underlying Product:</b> N/A</p>	<p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered</p>
<p><b>Protocols and Profiles:</b> 0001</p>	<p><b>Date:</b> 18-FEB-92</p>
<p>X.25 PLP/X.25 LAP-B</p>	<p><b>Reason for Removal:</b></p>
<p>X.25 PLP [ISO 8208:1990] {CCITT 1984}</p>	<p><b>Basis:</b> BASE</p>
<p>X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p>	<p><b>Base Products:</b> n/a</p>
<p><b>ATS Used:</b> ATS:2-1 and ATS:2-2</p>	<p><b>Tested Hardware/Operating System Platforms:</b> 0053</p>
<p><b>Conformance Lab:</b> 0364</p>	<p>AViiON 5000/6000 Series</p>
<p><b>CDA, Incorporated</b></p>	<p>DG/UX System for AViiON Systems Rev. 5.4.1</p>
<p>8301 Greensboro Drive, #350</p>	<p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p>
<p><b>McLean, VA 22102-3603</b></p>	<p><b>Connectivity:</b> 0005 RS-232C</p>
<p><b>Protocol Code/Type:</b> P-001 WAN    <b>Product ID:</b> 254</p>	<p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p>
<p><b>Supplier:</b> 000129</p>	<p><b>Protocols and Profiles:</b> 0001</p>
<p>Cisco Systems            1525 O'Brien Drive P.O. Box 3075            Menlo Park, CA 94026-1435</p>	<p>X.25 PLP/X.25 LAP-B</p>
<p><b>Contact:</b> William Miskovetz  <b>Tel:</b> (415) 326-1941</p>	<p>X.25 PLP [ISO 8208:1990] {CCITT 1984}</p>
<p><b>GOSIP Product:</b> CISCO 2501 X.25 Version 2.0  <b>Version/Release:</b> Version 2.0  <b>Release Date:</b> 14-MAR-94  <b>Additional Info:</b></p>	<p>X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p>
<p><b>Registration:</b> FULL, GOSIP Version 2/registered  <b>Date:</b> 27-JUN-94  <b>Reason for Removal:</b></p>	<p><b>ATs Used:</b> ATS:1-1 and ATS:1-2</p>
<p><b>Basis:</b> BASE  <b>Base Products:</b> N/A</p>	<p><b>Conformance Lab:</b> 0363</p>
<p><b>Tested Hardware/Operating System Platforms:</b> 0226            CISCO 2502, CISCO 2503, and CISCO 2504</p>	<p><b>Control Data Corporation,</b>  <b>OSI Accredited Test Center</b></p>
<p><b>Connectivity:</b> 0089 V.35</p>	<p><b>4201 North Lexington Avenue</b></p>
<p><b>Underlying Stack:</b> None    <b>Underlying Product:</b> N/A</p>	<p><b>Arden Hills, MN 55126-6198</b></p>
<p><b>Protocol Code/Type:</b> P-001 WAN    <b>Product ID:</b> 40</p>	<p><b>Protocol Code/Type:</b> P-001 WAN    <b>Product ID:</b> 40</p>
<p><b>Supplier:</b> 000036</p>	<p><b>Supplier:</b> 000036</p>
<p>Data General Corporation</p>	<p>Data General Corporation</p>
<p>4400 Computer Drive, MS/D216</p>	<p>4400 Computer Drive, MS/D216</p>
<p>Westboro, MA 01580</p>	<p>Westboro, MA 01580</p>
<p><b>Contact:</b> Charles Stakus</p>	<p><b>Contact:</b> Charles Stakus</p>
<p><b>Tel:</b> (508) 870-6392</p>	<p><b>Tel:</b> (508) 870-6392</p>
<p><b>Fax:</b> (508) 898-4694</p>	<p><b>Fax:</b> (508) 898-4694</p>
<p><b>GOSIP Product:</b> X.25 for AViiON Systems</p>	<p><b>GOSIP Product:</b> X.25 for AViiON Systems</p>
<p><b>Version/Release:</b> Rel 2.20</p>	<p><b>Version/Release:</b> Rel 2.20</p>
<p><b>Release Date:</b> 01-FEB-92</p>	<p><b>Release Date:</b> 01-FEB-92</p>
<p><b>Additional Info:</b></p>	<p><b>Additional Info:</b></p>
<p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered</p>	<p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered</p>
<p><b>Date:</b> 18-FEB-92</p>	<p><b>Date:</b> 18-FEB-92</p>
<p><b>Reason for Removal:</b></p>	<p><b>Reason for Removal:</b></p>
<p><b>Basis:</b> BASE</p>	<p><b>Basis:</b> BASE</p>
<p><b>Base Products:</b> n/a</p>	<p><b>Base Products:</b> n/a</p>
<p><b>Tested Hardware/Operating System Platforms:</b> 0053</p>	<p><b>Tested Hardware/Operating System Platforms:</b> 0053</p>
<p>AViiON 5000/6000 Series</p>	<p>AViiON 5000/6000 Series</p>
<p>DG/UX System for AViiON Systems Rev. 5.4.1</p>	<p>DG/UX System for AViiON Systems Rev. 5.4.1</p>
<p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p>	<p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p>
<p><b>Connectivity:</b> 0005 RS-232C</p>	<p><b>Connectivity:</b> 0005 RS-232C</p>
<p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p>	<p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p>
<p><b>Protocols and Profiles:</b> 0001</p>	<p><b>Protocols and Profiles:</b> 0001</p>
<p>X.25 PLP/X.25 LAP-B</p>	<p>X.25 PLP/X.25 LAP-B</p>
<p>X.25 PLP [ISO 8208:1990] {CCITT 1984}</p>	<p>X.25 PLP [ISO 8208:1990] {CCITT 1984}</p>
<p>X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p>	<p>X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p>
<p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p>	<p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p>
<p><b>Conformance Lab:</b> 0363</p>	<p><b>Conformance Lab:</b> 0363</p>
<p><b>Corporation for Open Systems</b></p>	<p><b>Corporation for Open Systems</b></p>
<p>International Test Center</p>	<p>International Test Center</p>
<p>8260 Willow Oaks Corp Drive, Suite 700</p>	<p>8260 Willow Oaks Corp Drive, Suite 700</p>
<p><b>Fairfax, VA 22031</b></p>	<p><b>Fairfax, VA 22031</b></p>

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN    **Product ID:** 204

**Supplier:** 000107

Data General Corporation  
4400 Computer Drive  
Westboro, MA 01580

**Contact:** Peter Conway  
Tel: (508) 898-5000  
Fax: (508) 898-4212

**GOSIP Product:** X.25 for AViiON Systems

**Version/Release:** Version 2.40

**Release Date:** 01-OCT-93

**Additional Info:** Vendor claims support of 1988 X.25.

**Registration:** FULL, GOSIP Version 2/registered

**Date:** 29-NOV-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0240

**H/W:** AV8500

**O/S:** DG/UX System for AViiON Computers, Revision 5.4R2.10

**Claimed Compatibility Hardware/Software Platforms:** 0241

**H/W:** AViiON AV500, AV4000, AV5000, AV6000, AV7000,  
AV8000, AV8500, AV9000

**Connectivity:** 0090    RS-232C

**Underlying Stack:** None    **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS 2-2 and ATS 2-1

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 242

**Supplier:** 000107

Data General Corporation  
4400 Computer Drive  
Westboro, MA 01580

**Contact:** Peter Conway

Tel: (508) 898-5000 Fax: (508) 898-4212

**GOSIP Product:** X.25 for AViiON Systems

**Version/Release:** Version 3.00    **Release Date:** 01-APR-94

**Additional Info:** Tested HW platform is AViiON AV8500. Vendor  
claims HW compatibility as listed and support of 1988 CCITT  
X.25.

**Registration:** FULL, GOSIP Version 2/registered

**Date:** 11-APR-94    **Reason for Removal:**

**Basis:** BASE    **Base Products:** 242

**Tested Hardware/Operating System Platforms:** 0200

**H/W:** AViiON AV500, AVV4000, AV5000, AV6000, AV7000,  
AV8000, AV8500, & AV9000

**O/S:** DG/UX System for AViiON Computers, Revision 5.4R3.00

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0005    RS-232C

**Underlying Stack:** None    **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-1 & ATS:2-2

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 100

**Supplier:** 000005

Digital Equipment Corp  
550 King Street  
Littleton, MA 01460-1289

**Contact:** Richard Duhamel

Tel: (508) 486-5021

Fax: (508) 486-7417

Email: duhamel@woof.enet.dec.com

**GOSIP Product:** VAX Packetnet System Interface for  
DECnet-VAX (TM)

**Version/Release:** Ver 5.4 Extensions

**Release Date:** 01-SEP-91

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 26-JAN-93    **Reason for Removal:**

**Basis:** BASE    **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0112

MicroVAX 3800 with DSV11-SA Card VMS Ver 5.4

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0022    X.25 LAP-B/X.21bis

**Underlying Stack:** VAX Wide Area Network Device Drivers for  
DECnet-VAX(TM) Ver 5.4 Extensions

**Underlying Product:**

**Protocols and Profiles:** 0040

X.25 PLP [ISO 8208:1990] {CCITT 1984}

**ATS Used:** ATS:1-1 and ATS:1-2

**Conformance Lab:** 0362

Digital Equipment Corporation, OSI Conformance  
Interoperability Test Center  
550 King Street, MS LKG2A/R5  
Littleton, MA 01460-1289

**Product Code/Type:** P-001 WAN    **Product ID:** 140

**Supplier:** 000005

Digital Equipment Corp  
550 King Street  
Littleton, MA 01460-1289

**Contact:** Richard Duhamel

Tel: (508) 486-5021 Fax: (508) 486-7417

Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DEC X.25 for ULTRIX

**Version/Release:** Ver 1.0    **Release Date:** 01-MAR-93

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 19-MAR-93    **Reason for Removal:**

**Basis:** BASE    **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0131

MicroVAX/VAXstation 3000 Series

DEC ULTRIX Ver 4.2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0022

X.25 LAP-B/X.21bis

**Underlying Stack:** DEC Wide Area Device Drivers for ULTRIX Ver  
2.0 01-MAR-92

**Underlying Product:**

**Protocols and Profiles:** 0040

X.25 PLP [ISO 8208:1990] {CCITT 1984}

**ATS Used:** ATS:1-1 and ATS:1-2

**Conformance Lab:** 0362

Digital Equipment Corporation, OSI Conformance  
Interoperability Test Center  
550 King Street, MS LKG2A/R5  
Littleton, MA 01460-1289

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 147  <b>Supplier:</b> 000005            Digital Equipment Corp            550 King Street            Littleton, MA 01460-1289  <b>Contact:</b> Richard Duhamel            Tel: (508) 486-5021 Fax: (508) 486-7417            Email: duhamel@woof.enet.dec.com</p> <p><b>GOSIP Product:</b> VAX Wide Area Networks Device Driver for DECnet-VAX (TM) (Data Link Layer)  <b>Version/Release:</b> Ver 5.4 Extensions</p> <p><b>Release Date:</b> 01-SEP-91  <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 26-JAN-93</p> <p><b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0112            MicroVAX 3800 with DSV11-SA Card            VMS Ver 5.4</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0070            X.21bis</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0070            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0362            Digital Equipment Corporation, OSI Conformance            Interoperability Test Center            550 King Street, MS LKG2A/R5            Littleton, MA 01460-1289</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 270  <b>Supplier:</b> 000005            Digital Equipment Corp            550 King Street            Littleton, MA 01460-1289  <b>Contact:</b> Richard Duhamel            Tel: (508) 486-5021 Fax: (508) 486-7417            Email: duhamel@woof.enet.dec.com</p> <p><b>GOSIP Product:</b> X.25 V1.0A for DEC OSF/1 Systems  <b>Version/Release:</b> Version 1.0A    <b>Release Date:</b> 14-MAR-94  <b>Additional Info:</b> Minimum memory configuration is 32 MB, and minimum disk space requirement is 44 MB.</p> <p><b>Registration:</b> FULL, GOSIP Version 2/registered  <b>Date:</b> 22-AUG-94    <b>Reason for Removal:</b> N/A  <b>Basis:</b> BASE    <b>Base Products:</b> N/A</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0221            DEC 3000 Model 500 AXP Workstation            DEC OSF/1 Operating System, Version 2.0</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0251  <b>H/W:</b> DEC 3000 Models 300, 300X, 300LX, 400, 500X, 600 &amp; 800 AXP Workstations  <b>O/S:</b> DEC 3000 Models 400, 500, 600 &amp; 800 AXP Servers</p> <p><b>Connectivity:</b> 0128    <b>RS232</b>  <b>Underlying Stack:</b> N/A    <b>Underlying Product:</b> N/A</p> <p><b>Protocols and Profiles:</b> 0001    <b>X.25 PLP/X.25 LAP-B</b>            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:2-1 &amp; ATS:2-2</p> <p><b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester, M17ED United Kingdom</p>
<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 161  <b>Supplier:</b> 000005            Digital Equipment Corp            550 King Street            Littleton, MA 01460-1289  <b>Contact:</b> Richard Duhamel            Tel: (508) 486-5021 Fax: (508) 486-7417            Email: duhamel@woof.enet.dec.com</p> <p><b>GOSIP Product:</b> DEC Wide Area Device Drivers for ULTRIX (Data Link Layer)</p> <p><b>Version/Release:</b> Ver 2.0  <b>Release Date:</b> 01-MAR-92  <b>Additional Info:</b> None</p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 19-MAR-93</p> <p><b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0131            MicroVAX/VAXstation 3000 Series            DEC ULTRIX Ver 4.2</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0070            X.21bis</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0070            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0362            Digital Equipment Corporation, OSI Conformance            Interoperability Test Center            550 King Street, MS LKG2A/R5            Littleton, MA 01460-1289</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 272  <b>Supplier:</b> 000005            Digital Equipment Corp            550 King Street            Littleton, MA 01460-1289  <b>Contact:</b> Richard Duhamel            Tel: (508) 486-5021 Fax: (508) 486-7417            Email: duhamel@woof.enet.dec.com</p> <p><b>GOSIP Product:</b> X.25 V1.0 for OpenVMS AXP Systems  <b>Version/Release:</b> Version 1.0    <b>Release Date:</b> 18-MAY-94  <b>Additional Info:</b> Minimum memory configuration is 32 MB, and minimum disk space requirement is 407 MB.</p> <p><b>Registration:</b> FULL, GOSIP Version 2/registered  <b>Date:</b> 22-AUG-94    <b>Reason for Removal:</b> N/A  <b>Basis:</b> BASE    <b>Base Products:</b> N/A</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0249            DEC 3000 Model 500 AXP Workstation  <b>O/S:</b> OpenVMS AXP V6.1</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0250  <b>H/W:</b> DEC 2000 Models 300 &amp; 500 AXP Workstations  <b>O/S:</b> DEC 2100 Server A500MP  <b>H/W:</b> DEC 3000 Models 300, 300L, 300X, 300LX, 400, 500, 500X, 600 &amp; 800 AXP Workstations  <b>O/S:</b> DEC 3000 Models 400, 500, 600 &amp; 800 AXP Servers</p> <p><b>Connectivity:</b> 0128    <b>RS232</b>  <b>Underlying Stack:</b> N/A    <b>Underlying Product:</b> N/A</p> <p><b>Protocols and Profiles:</b> 0001    <b>X.25 PLP/X.25 LAP-B</b>            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:2-1 &amp; ATS:2-2</p> <p><b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom</p>

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-001 WAN Product ID: 172</p> <p><b>Supplier:</b> 000091 Digital Equipment Corporation Imperial Way Reading, Berks RG20TE United Kingdom</p> <p><b>Contact:</b> Ken Chamberlain <b>Tel:</b></p> <p><b>GOSIP Product:</b> DEC Network Integration Server Software (DECNIS) <b>Version/Release:</b> Ver 2.1 <b>Release Date:</b> 30-APR-93 <b>Additional Info:</b></p> <p><b>Registration:</b> FULL, GOSIP Version 2/registered <b>Date:</b> 29-JUL-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0154 H/W: DECNIS 500, DECNIS 600 O/S: DECNIS V2.1 with embedded OS</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0089 <b>V.35</b></p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:2-1 AND ATS:2-2</p> <p><b>Conformance Lab:</b> 0362 Digital Equipment Corporation, OSI Conformance Interoperability Test Center 550 King Street, MS LKG2A/R5 Littleton, MA 01460-1289</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 267</p> <p><b>Supplier:</b> 000109 Eicon Technology Corporation 2196 - 32nd Avenue (Lachine) Montreal, Quebec H8T 3H7 Canada</p> <p><b>Contact:</b> Guy Cote <b>Tel:</b> (514) 631-2592 <b>Fax:</b> (514) 631-3092 <b>Email:</b> cote@Eicon.com</p> <p><b>GOSIP Product:</b> WAN Services for Windows NT #315-962 <b>Version/Release:</b> Release V3 <b>Release Date:</b> 01-JAN-94 <b>Additional Info:</b> Vendor claims software operates across entire line of interface cards.</p> <p><b>Registration:</b> FULL, GOSIP Version 2/registered <b>Date:</b> 01-AUG-94 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> N/A</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0236 H/W: EiconCard HSI/PC 1MB #310-052 Synchronous Communications Card O/S: Embedded in Product on Communications Card</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0237 Intel 286 and up, 100% compatible IBM-PCs with ISA, EISA bus, and PS/2 with micro-channel bus</p> <p><b>Connectivity:</b> 0123 <b>V.24</b></p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b> N/A</p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:2-1 and ATS:2-2</p> <p><b>Conformance Lab:</b> 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>
<p><b>Product Code/Type:</b> P-001 WAN Product ID: 208</p> <p><b>Supplier:</b> 000109 Eicon Technology Corporation 2196 - 32nd Avenue (Lachine) Montreal, Quebec H8T 3H7 Canada</p> <p><b>Contact:</b> Guy Cote <b>Tel:</b> (514) 631-2592 <b>Fax:</b> (514) 631-3092 <b>Email:</b> cote@Eicon.com</p> <p><b>GOSIP Product:</b> OSI LAN Gateway #315-379-1 plus GOSIP Upgrade Diskette <b>Version/Release:</b> Release V3R1 <b>Release Date:</b> 24-SEP-93 <b>Additional Info:</b> Product tested using V.24 to RS-232C adaptor box (not sold with product). Vendor claims software operates across entire line of interface cards.</p> <p><b>Registration:</b> FULL, GOSIP Version 2/registered <b>Date:</b> 17-DEC-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0178 H/W: Eicon HSI/PC 1MB #310-052 Synchronous Comm Card/Dell 486 PC O/S: Embedded in product on Comm Card, DOS 5.0 running on PC</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0103 <b>None</b></p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:2-2 and ATS:2-1</p> <p><b>Conformance Lab:</b> 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 47</p> <p><b>Supplier:</b> 000040 Encore Computing Corporation 6901 West Sunrise Boulevard Ft. Lauderdale, FL 33313-4499</p> <p><b>Contact:</b> Augie Gonzales <b>Tel:</b> (305) 587-2900 <b>Fax:</b> (305) 797-5807</p> <p><b>GOSIP Product:</b> Encore Infinity 90 Series GPIO I with EnComm X.25 and PAD <b>Version/Release:</b> Rev 3.0 <b>Release Date:</b> 01-JUL-92 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 24-JUN-92 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0059 ENCORE Infinity 90 Series GPIO with VME Serial Synchronous Controller (VSSC) Model 8523-443 UMAX 3.0.7</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0005 <b>RS-232C</b></p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>

## GOSIP REGISTERS, *Continued*

---

**Product Code/Type:** P-001 WAN Product ID: 222  
**Supplier:** 000123  
 HEWLETT-PACKARD Company  
 5 Avenue Raymond Chanas-Eybens  
 38053 Grenoble Cedex 09 France  
**Contact:** Jean-François Coudeyre  
 Tel: +33.76.62.56.58  
**GOSIP Product:** X.25 Link for HP 9000 Series 800 (3696OA)  
**Version/Release:** X.25 F/W Rev. 8.27  
**Release Date:** 01-NOV-93  
**Additional Info:** Vendor claims that this product is capable of operating on all Classes of HP 9000 Series 800  
**Registration:** FULL, GOSIP Version 2/registered  
**Date:** 23-FEB-94  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0189  
 H/W: HP9000 Series 800  
 O/S: HP/UX 9.04  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0090  
 RS-232C  
**Underlying Stack:** None      **Underlying Product:**  
  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:2-1 & ATS:2-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 17  
**Supplier:** 000025  
 Harris Adacom Corporation  
 16001 Dallas Parkway  
 Dallas, TX 75248  
**Contact:** Gregory Pynn  
 Tel: (214) 386-2000 Fax: (214) 386-2524  
**GOSIP Product:** Challenger ES/174-20  
**Version/Release:** Rel 2.1  
**Release Date:** 07-OCT-91  
**Additional Info:**  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 17-OCT-91  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0030  
 Challenger ES/174-20 Rel 2.1  
 DTE/DCE Environment  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0005  
 RS-232C  
**Underlying Stack:** None      **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 18  
**Supplier:** 000025  
 Harris Adacom Corporation  
 16001 Dallas Parkway  
 Dallas, TX 75248  
**Contact:** Gregory Pynn  
 Tel: (214) 386-2000  
 Fax: (214) 386-2524  
**GOSIP Product:** Challenger ES/174-10  
**Version/Release:** Rel 2.1  
**Release Date:** 07-OCT-91  
**Additional Info:**  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 30-OCT-91  
**Reason for Removal:**  
**Basis:** DERIVED  
**Base Products:**  
**Tested Hardware/Operating System Platforms:** 0031  
 Challenger ES/174-10 Ver 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0005  
 RS-232C  
**Underlying Stack:** None      **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603  
 USA

**Product Code/Type:** P-001 WAN Product ID: 19  
**Supplier:** 000025  
 Harris Adacom Corporation  
 16001 Dallas Parkway  
 Dallas, TX 75248  
**Contact:** Gregory Pynn  
 Tel: (214) 386-2000  
 Fax: (214) 386-2524  
**GOSIP Product:** Challenger ES/174-60  
**Version/Release:** Rel 2.1  
**Release Date:** 07-OCT-91  
**Additional Info:**  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 30-OCT-91  
**Reason for Removal:**  
**Basis:** DERIVED  
**Base Products:**  
**Tested Hardware/Operating System Platforms:** 0032  
 Challenger ES/174-60 Ver 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0005  
 RS-232C  
**Underlying Stack:** None      **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN Product ID: 2  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360 Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
 Version/Release: Ver 3 Rel 4  
 Release Date: 28-JUN-91  
 Additional Info:  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0003  
 Communications Controllers IBM 3745  
 MVS/SP  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Ver 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002  
 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

**Product Code/Type:** P-001 WAN Product ID: 5  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360  
 Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
 Version/Release: Ver 3 Rel 4 Release Date: 28-JUN-91  
 Additional Info:  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0002  
 Communications Controllers IBM 3745 MVS/XA  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Ver 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

**Product Code/Type:** P-001 WAN Product ID: 6  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360 Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
 Version/Release: Ver 3 Rel 4 Release Date: 28-JUN-91  
**Additional Info:**  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0006  
 Communications Controllers IBM 3745  
 VM/XA  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002  
 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

**Product Code/Type:** P-001 WAN Product ID: 7  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360 Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
 Version/Release: Ver 3 Rel 4  
 Release Date: 28-JUN-91  
 Additional Info:  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0005  
 Communications Controllers IBM 3745  
 MVS/SP  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002  
 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN    **Product ID:** 8  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360    Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
**Version/Release:** Ver 3 Rel 4  
**Release Date:** 28-JUN-91  
**Additional Info:** None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91    **Reason for Removal:**  
**Basis:** DERIVED    **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0009  
 Communications Controllers IBM 3720 MVS/ESA  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002  
 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None    **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

**Product Code/Type:** P-001 WAN    **Product ID:** 9  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360  
 Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
**Version/Release:** Ver 3 Rel 4  
**Release Date:** 28-JUN-91  
**Additional Info:**  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91    **Reason for Removal:**  
**Basis:** DERIVED    **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0004  
 Communications Controllers IBM 3745 MVS/ESA  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002  
 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None    **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

**Product Code/Type:** P-001 WAN    **Product ID:** 10  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360    Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
**Version/Release:** Ver 3 Rel 4    **Release Date:** 28-JUN-91  
**Additional Info:** None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91    **Reason for Removal:**  
**Basis:** DERIVED    **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0011  
 Communications Controllers IBM 3720 VM/XA  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002  
 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None    **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

**Product Code/Type:** P-001 WAN    **Product ID:** 11  
**Supplier:** 000014  
 IBM Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709-2195  
**Contact:** John Streck  
 Tel: (919) 254-4360  
 Fax: (919) 254-5410  
**GOSIP Product:** IBM X.25 NCP Packet Switching Interface  
**Version/Release:** Ver 3 Rel 4    **Release Date:** 28-JUN-91  
**Additional Info:** None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 10-JUL-91    **Reason for Removal:**  
**Basis:** DERIVED    **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0007  
 Communications Controllers IBM 3720 MVS/XA  
 Network Control Program (NCP) V5R4  
 System Support Program (SSP) V3R6  
 Virtual Telecommunications Access Method (VTAM) Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0002  
 V.24 or RS-232C, V.35, X.21bis  
**Underlying Stack:** None    **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 12</p> <p><b>Supplier:</b> 000014 IBM Corporation P.O. Box 12195 Research Triangle Park, NC 27709-2195</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM X.25 NCP Packet Switching Interface <b>Version/Release:</b> Ver 3 Rel 4 <b>Release Date:</b> 28-JUN-91 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 10-JUL-91    <b>Reason for Removal:</b> <b>Basis:</b> DERIVED    <b>Base Products:</b></p> <p><b>Tested Hardware/Operating System Platforms:</b> 0008 Communications Controllers IBM 3720 MVS/SP Network Control Program (NCP) V5R4 System Support Program (SSP) V3R6 Virtual Telecommunications Access Method (VTAM) Version 3</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0002 V.24 or RS-232C, V.35, X.21bis</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 15</p> <p><b>Supplier:</b> 000014 IBM Corporation P.O. Box 12195 Research Triangle Park, NC 27709-2195</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AS/400 X.25 Communication Support Program <b>Version/Release:</b> Ver 2 Rel 1 <b>Release Date:</b> 24-MAY-91 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 25-SEP-91 <b>Reason for Removal:</b> <b>Basis:</b> DERIVED <b>Base Products:</b></p> <p><b>Tested Hardware/Operating System Platforms:</b> 0028 Processor IBM 9402, 9404 OS/400 Ver 2 Rel 1</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0002 V.24 or RS-232C, V.35, X.21bis</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195 USA</p>
<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 14</p> <p><b>Supplier:</b> 000014 IBM Corporation P.O. Box 12195 Research Triangle Park, NC 27709-2195</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM X.25 NCP Packet Switching Interface <b>Version/Release:</b> Ver 3 Rel 4 <b>Release Date:</b> 28-JUN-91 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 10-JUL-91    <b>Reason for Removal:</b> <b>Basis:</b> DERIVED    <b>Base Products:</b></p> <p><b>Tested Hardware/Operating System Platforms:</b> 0010 Communications Controllers IBM 3720 VM/SP Network Control Program (NCP) V5R4 System Support Program (SSP) V3R6 Virtual Telecommunications Access Method (VTAM) Version 3</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0002 V.24 or RS-232C, V.35, X.21bis</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 16</p> <p><b>Supplier:</b> 000014 IBM Corporation P.O. Box 12195 Research Triangle Park, NC 27709-2195</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AS/400 X.25 Communication Support Program <b>Version/Release:</b> Ver 2 Rel 1 <b>Release Date:</b> 24-MAY-91 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 25-SEP-91 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0027 Processor IBM 9406 OS/400 Ver 2 Rel 1</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0002 V.24 or RS-232C, V.35, X.21bis</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>

## GOSIP REGISTERS, *Continued*

---

<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 45</p> <p><b>Supplier:</b> 000014 IBM Corporation P.O. Box 12195 Research Triangle Park, NC 27709-2195</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM 6611 Network Processor Model 140 Version/Release: Ver 1.0 Release Date: 26-JUN-92 Additional Info: Registration: PROV, Grndfthrd, V1-&gt;V2/registered Date: 25-MAR-92 Reason for Removal: Basis: DERIVED Base Products: Tested Hardware/Operating System Platforms: 0055 IBM 6611 Network Processor Based on IBM AIX Ver 3.2 for RISC Sys/6000 IBM Multiprotocol Network Program Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0002 V.24 or RS-232C, V.35, X.21bis Underlying Stack: None    Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984} ATS Used: ATS:1-1 and ATS:1-2 Conformance Lab: 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 39</p> <p><b>Supplier:</b> 000037 International Business Machines Corporation 11400 Burnet Road Austin, TX 78758-3493</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AIX for RISC System/6000, X.25 WAN Support, IBM 7011, All Models Version/Release: Ver 3.2 Release Date: 28-FEB-92 Additional Info: Registration: PROV, Grndfthrd, V1-&gt;V2/registered Date: 25-MAR-92    Reason for Removal: Basis: BASE    Base Products: n/a Tested Hardware/Operating System Platforms: 0054 RISC System/6000 Products Operating System IBM AIX Version 3.2 For RISC System/6000 Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0002 V.24 or RS-232C, V.35, X.21bis Underlying Stack: None    Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984} ATS Used: ATS:1-1 and ATS:1-2 Conformance Lab: 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>
<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 46</p> <p><b>Supplier:</b> 000014 IBM Corporation P.O. Box 12195 Research Triangle Park, NC 27709-2195</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM 6611 Network Processor Model 170 Version/Release: Ver 1.0    Release Date: 26-JUN-92 Additional Info: Registration: PROV, Grndfthrd, V1-&gt;V2/registered Date: 25-MAR-92 Reason for Removal: Basis: DERIVED Base Products: Tested Hardware/Operating System Platforms: 0055 IBM 6611 Network Processor Based on IBM AIX Ver 3.2 for RISC Sys/6000 IBM Multiprotocol Network Program Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0002 V.24 or RS-232C, V.35, X.21bis Underlying Stack: None    Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984} ATS Used: ATS:1-1 and ATS:1-2 Conformance Lab: 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 41</p> <p><b>Supplier:</b> 000037 International Business Machines Corporation 11400 Burnet Road Austin, TX 78758-3493</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AIX for RISC System/6000, X.25 WAN Spt. for IBM 7012, All Models Version/Release: Ver 3.2 Release Date: 28-FEB-92 Additional Info: Registration: PROV, Grndfthrd, V1-&gt;V2/registered Date: 25-MAR-92 Reason for Removal: Basis: BASE Base Products: n/a Tested Hardware/Operating System Platforms: 0054 RISC System/6000 Products Operating System IBM AIX Version 3.2 For RISC System/6000 Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0002 V.24 or RS-232C, V.35, X.21bis Underlying Stack: None    Underlying Product: Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984} ATS Used: ATS:1-1 and ATS:1-2 Conformance Lab: 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-001 WAN Product ID: 42  <b>Supplier:</b> 000037            International Business Machines Corporation            11400 Burnet Road            Austin, TX 78758-3493</p> <p><b>Contact:</b> John Streck            Tel: (919) 254-4360 Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AIX for RISC System/6000, X.25 WAN Support, for IBM 7013, All Models</p> <p><b>Version/Release:</b> Ver 3.2 <b>Release Date:</b> 28-FEB-92</p> <p><b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 25-MAR-92  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0054  <b>RISC System/6000 Products</b>            Operating System IBM AIX Version 3.2 For RISC System/6000</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0002            V.24 or RS-232C, V.35, X.21bis</p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361            IBM Corporation - Networking Systems Protocol Center            200 Silicon Drive, P.O. Box 12195            Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 44  <b>Supplier:</b> 000037            International Business Machines Corporation            11400 Burnet Road            Austin, TX 78758-3493</p> <p><b>Contact:</b> John Streck            Tel: (919) 254-4360 Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AIX for RISC System/6000, X.25 WAN Spt, for IBM 7016, All Models</p> <p><b>Version/Release:</b> Ver 3.2 <b>Release Date:</b> 28-FEB-92</p> <p><b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 25-MAR-92  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0054  <b>RISC System/6000 Products</b>            Operating System IBM AIX Version 3.2 For RISC System/6000</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0002            V.24 or RS-232C, V.35, X.21bis</p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361            IBM Corporation - Networking Systems Protocol Center            200 Silicon Drive, P.O. Box 12195            Research Triangle Park, NC 27709-2195</p>
<p><b>Product Code/Type:</b> P-001 WAN Product ID: 43  <b>Supplier:</b> 000037            International Business Machines Corporation            11400 Burnet Road            Austin, TX 78758-3493</p> <p><b>Contact:</b> John Streck            Tel: (919) 254-4360 Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AIX FOR RISC SYSTEM/6000, X.25 WAN SPT, FOR IBM 7015, All Models</p> <p><b>Version/Release:</b> Ver 3.2 <b>Release Date:</b> 28-FEB-92</p> <p><b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 25-MAR-92  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0054  <b>RISC System/6000 Products</b>            Operating System IBM AIX Version 3.2 For RISC System/6000</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0002            V.24 or RS-232C, V.35, X.21bis</p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361            IBM Corporation - Networking Systems Protocol Center            200 Silicon Drive, P.O. Box 12195            Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 102  <b>Supplier:</b> 000054            International Business Machines Corporation            3605 Highway 52 North            Rochester, MN 55901-7829</p> <p><b>Contact:</b> John Streck            Tel: (919) 254-4360            Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AS/400 X.25</p> <p><b>Version/Release:</b> Ver 2 Rel 2  <b>Release Date:</b> 25-SEP-92</p> <p><b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 13-NOV-92  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0089            AS/400 Model IBM 9404            OS/400 Ver 2 Rel 2</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0044            RS-232C, V.35</p> <p><b>Underlying Stack:</b> None <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361            IBM Corporation - Networking Systems Protocol Center            200 Silicon Drive, P.O. Box 12195            Research Triangle Park, NC 27709-2195</p>

## GOSIP REGISTERS, *Continued*

---

<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 103</p> <p><b>Supplier:</b> 000054 International Business Machines Corporation 3605 Highway 52 North Rochester, MN 55901-7829</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AS/400 X.25 Communication Support <b>Version/Release:</b> Ver 2 Rel 2    <b>Release Date:</b> 26-JUN-92 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 13-NOV-92    <b>Reason for Removal:</b> <b>Basis:</b> DERIVED    <b>Base Products:</b></p> <p><b>Tested Hardware/Operating System Platforms:</b> 0090 AS/400 Model IBM 9402, 9406 OS/400 Ver 2 Rel 2</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0044 RS-232C, V.35</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 125</p> <p><b>Supplier:</b> 000054 International Business Machines Corporation 3605 Highway 52 North Rochester, MN 55901-7829</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360    Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> IBM AS/400 X.25 Communications Support <b>Version/Release:</b> Ver 2, Rel 1.1    <b>Release Date:</b> 26-JUN-92 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 13-NOV-92 <b>Reason for Removal:</b> <b>Basis:</b> DERIVED <b>Base Products:</b></p> <p><b>Tested Hardware/Operating System Platforms:</b> 0110 IBM AS/400 Models 9402, 9404, 9406 OS/400 Ver 2 Rel 1.1</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0044 RS-232C, V.35</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>
<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 104</p> <p><b>Supplier:</b> 000054 International Business Machines Corporation 3605 Highway 52 North Rochester, MN 55901-7829</p> <p><b>Contact:</b> John Streck Tel: (919) 254-4360 Fax: (919) 254-5410</p> <p><b>GOSIP Product:</b> X.25 Network Control Program Packet Switching Interface <b>Version/Release:</b> Ver 3 Rel 5 <b>Release Date:</b> 25-SEP-92 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered <b>Date:</b> 13-NOV-92 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0088 IBM 3745 Communication Controller Network Control Program Ver 6</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0044 RS-232C, V.35</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0001 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {CCITT 1984} X.25 LAP-B [ISO 7776:1986] {CCITT 1984}</p> <p><b>ATS Used:</b> ATS:1-1 and ATS:1-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 162</p> <p><b>Supplier:</b> 000078 International Business Machines Corporation P.O. Box 12195 Research Triangle Park, NC 27709</p> <p><b>Contact:</b> Miriam Green Tel: (919) 254-6323</p> <p><b>GOSIP Product:</b> X.25 Network Control Program Packet Switching Interface <b>Version/Release:</b> Version 3 Release 6    <b>Release Date:</b> 30-APR-93 <b>Additional Info:</b></p> <p><b>Registration:</b> FULL, GOSIP Version 2/registered <b>Date:</b> 28-MAY-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0146 IBM 3745 Network Control Program Ver 6 Rel 2</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0087 V.24 or RS-232C (X.21bis), V.35 X.21 switched and non-switched ISDN via X.21 (IBM 7820 Terminal Adaptor)</p> <p><b>Underlying Stack:</b> None    <b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0074 X.25 PLP/X.25 LAP-B X.25 PLP [ISO 8208:1990] {ISO 8208} X.25 LAP-B [ISO 7776:1986] {ISO 7776}</p> <p><b>ATS Used:</b> ATS:2-1 and ATS:2-2</p> <p><b>Conformance Lab:</b> 0361 IBM Corporation - Networking Systems Protocol Center 200 Silicon Drive, P.O. Box 12195 Research Triangle Park, NC 27709-2195</p>

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 183  <b>Supplier:</b> 000095            International Business Machines Corporation            3605 Highway 52 North            Rochester, MN 55901-7829  <b>Contact:</b> Glenn Van Benschoten            Tel: (507)253-5723  <b>GOSIP Product:</b> AS/400 X.25 Communication Support  <b>Version/Release:</b> Version 2 Release 3  <b>Release Date:</b> 05-NOV-93  <b>Additional Info:</b>  <b>Registration:</b> FULL, GOSIP Version 2/registered  <b>Date:</b> 03-AUG-93  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a  <b>Tested Hardware/Operating System Platforms:</b> 0167            H/W: IBM 9402, 9404, 9406            O/S: OS/400 Version 2 Release 3  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0044            RS-232C, V.35  <b>Underlying Stack:</b> None    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0074            X.25 PLP/(X.25 LAP-B)            X.25 PLP [ISO 8208:1990] {ISO 8208}            X.25 LAP-B [ISO 7776:1986] {ISO 7776}  <b>ATS Used:</b> ATS:2-2 and ATS:2-1  <b>Conformance Lab:</b> 0361            IBM Corporation - Networking Systems Protocol Center            200 Silicon Drive, P.O. Box 12195            Research Triangle Park, NC 27709-2195         </p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 20  <b>Supplier:</b> 000026            MEMOREX TELEX Corporation - Federal Systems            205 Van Buren Street, Suite #180            Herndon, VA 22070  <b>Contact:</b> Kevin Good            Tel: (703) 318-5600            Fax: (703) 318-7575  <b>GOSIP Product:</b> 1174-60R  <b>Version/Release:</b> Ver B1.3  <b>Release Date:</b> 17-OCT-91  <b>Additional Info:</b>  <b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 30-OCT-91  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a  <b>Tested Hardware/Operating System Platforms:</b> 0033            1174-60R Ver B1.3  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0005            RS-232C  <b>Underlying Stack:</b> None    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  <b>ATS Used:</b> ATS:1-1 and ATS:1-2  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603         </p>
<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 227  <b>Supplier:</b> 000124            International Business Machines Corporation            South Miami Boulevard P.O. Box 12195            Research Triangle Park, NC 27709  <b>Contact:</b> Miriam Green            Tel: (919) 254-6323  <b>GOSIP Product:</b> X.25 Network Control Program Packet Switching Interface  <b>Version/Release:</b> Version 3 Release 7  <b>Release Date:</b> 31-MAR-94  <b>Additional Info:</b> None  <b>Registration:</b> FULL, GOSIP Version 2/registered  <b>Date:</b> 23-FEB-94  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a  <b>Tested Hardware/Operating System Platforms:</b> 0193            H/W: IBM 3745            O/S: Network Control Program Version 7 Release 1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0044            RS-232C, V.35  <b>Underlying Stack:</b> None    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  <b>ATS Used:</b> ATS:2-1A &amp; ATS:2-2A  <b>Conformance Lab:</b> 0361            IBM Corporation - Networking Systems Protocol Center            200 Silicon Drive, P.O. Box 12195            Research Triangle Park, NC 27709-2195         </p>	<p><b>Product Code/Type:</b> P-001 WAN    <b>Product ID:</b> 21  <b>Supplier:</b> 000026            MEMOREX TELEX Corporation - Federal Systems            205 Van Buren Street, Suite #180            Herndon, VA 22070  <b>Contact:</b> Kevin Good            Tel: (703) 318-5600            Fax: (703) 318-7575  <b>GOSIP Product:</b> 1174-90R  <b>Version/Release:</b> Ver B1.3  <b>Release Date:</b> 17-OCT-91  <b>Additional Info:</b>  <b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered  <b>Date:</b> 30-OCT-91  <b>Reason for Removal:</b>  <b>Basis:</b> DERIVED  <b>Base Products:</b>  <b>Tested Hardware/Operating System Platforms:</b> 0035            1174-90R Ver B1.3  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0005            RS-232C  <b>Underlying Stack:</b> None    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0001            X.25 PLP/X.25 LAP-B            X.25 PLP [ISO 8208:1990] {CCITT 1984}            X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  <b>ATS Used:</b> ATS:1-1 and ATS:1-2  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603         </p>

## GOSIP REGISTERS, *Continued*

---

**Product Code/Type:** P-001 WAN Product ID: 22

Supplier: 000026

MEMOREX TELEX Corporation - Federal Systems  
205 Van Buren Street, Suite #180  
Herndon, VA 22070

Contact: Kevin Good

Tel: (703) 318-5600

Fax: (703) 318-7575

GOSIP Product: 1174-10R

Version/Release: Ver B1.3

Release Date: 17-OCT-91

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 30-OCT-91

Reason for Removal:

Basis: DERIVED

Base Products:

Tested Hardware/Operating System Platforms: 0034

1174-10R Ver B1.3

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0005

RS-232C

Underlying Stack: None Underlying Product:

Protocols and Profiles: 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 27

Supplier: 000028

McData Corporation  
310 Interlocken Parkway  
Broomfield, CO 80021-3464

Contact: Steve Cartwright

Tel: (303) 460-9200

GOSIP Product: LinkMaster 7100 Model 20R

Version/Release: Rel 3.0

Release Date: 11-NOV-91

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 17-DEC-91

Reason for Removal:

Basis: BASE

Base Products: n/a

Tested Hardware/Operating System Platforms: 0040

LinkMaster 7100 Model 20R

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0006

RS-232C, V.35, X.21

Underlying Stack: None Underlying Product:

Protocols and Profiles: 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 28

Supplier: 000028

McData Corporation  
310 Interlocken Parkway  
Broomfield, CO 80021-3464

Contact: Steve Cartwright

Tel: (303) 460-9200

GOSIP Product: LinkMaster 7100 Model 90

Version/Release: Rel 3.0

Release Date: 11-NOV-91

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 29-JAN-92

Reason for Removal:

Basis: DERIVED

Base Products:

Tested Hardware/Operating System Platforms: 0043

LinkMaster 7100 Model 90

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0044 RS-232C, V.35

Underlying Stack: None Underlying Product:

Protocols and Profiles: 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 29

Supplier: 000028

McData Corporation  
310 Interlocken Parkway  
Broomfield, CO 80021-3464

Contact: Steve Cartwright

Tel: (303) 460-9200

GOSIP Product: LinkMaster 7100 Model 10

Version/Release: Rel 3.0

Release Date: 11-NOV-91

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 29-JAN-92

Reason for Removal:

Basis: DERIVED

Base Products:

Tested Hardware/Operating System Platforms: 0044

LinkMaster 7100 Model 10

Claimed Compatibility Hardware/Software Platforms:

0001

Connectivity: 0006

RS-232C, V.35, X.21

Underlying Stack: None Underlying Product:

Protocols and Profiles: 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:1-1 and ATS:1-2

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN Product ID: 30

**Supplier:** 000028  
 McData Corporation  
 310 Interlocken Parkway  
 Broomfield, CO 80021-3464

**Contact:** Steve Cartwright  
 Tel: (303) 460-9200

**GOSIP Product:** LinkMaster 7100 Model 60

**Version/Release:** Rel 3.0

**Release Date:** 11-NOV-91

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 29-JAN-92

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

**Tested Hardware/Operating System Platforms:** 0045

LinkMaster 7100 Model 60

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0044

RS-232C, V.35

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:1-1 and ATS:1-2

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 62

**Supplier:** 000043  
 NCR  
 9900 Old Grove Road  
 San Diego, CA 92131

**Contact:** Wendy Morrison  
 Tel: (619) 693-5665  
 Fax: (619) 693-5705

**GOSIP Product:** NCR System 3000, X.25 Network Services

**Version/Release:** Release 1.04

**Release Date:** 01-AUG-92

**Additional Info:** Packet Layer Protocol Only.

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 09-SEP-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0063

H/W: NCR System 3000 consisting of the following hardware  
 models: 3320, 3340, 3345, 3447, 3450, 3550 and 3600

O/S: NCR UNIX SVR4, (MP-RAS), Rel 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0098

X.25 LAP-B/RS-232C

**Underlying Stack:** NCR MUOE HDLC, Rel 1.04 **Underlying Product:**

**Protocols and Profiles:** 0076

X.25 PLP [ISO 8208:1990] {ISO 8208}

**ATS Used:** ATS:1-2

**Conformance Lab:** 0363

Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

**Product Code/Type:** P-001 WAN Product ID: 189

**Supplier:** 000043  
 NCR  
 9900 Old Grove Road  
 San Diego, CA 92131

**Contact:** Wendy Morrison  
 Tel: (619) 693-5665 Fax: (619) 693-5705

**GOSIP Product:** NCR MUOE HDLC

**Version/Release:** Release 1.04

**Release Date:** 01-AUG-92

**Additional Info:** Requires NCR System 3000, X.25 Network Services product for full X.25 capability.

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 09-SEP-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0063

H/W: NCR System 3000 consisting of the following hardware  
 models: 3320, 3340, 3345, 3447, 3450, 3550 and 3600

O/S: NCR UNIX SVR4, (MP-RAS), Rel 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0090

RS-232C

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0006

X.25 LAP-B [ISO 7776:1986] {ISO 7776}

**ATS Used:** ATS:1-1

**Conformance Lab:** 0363

Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

**Product Code/Type:** P-001 WAN Product ID: 216

**Supplier:** 000112  
 NCR  
 2700 Snelling Avenue North  
 Roseville, MN 55113-1784

**Contact:** David Loomis  
 Tel: 612-638-7663

**GOSIP Product:** X.25

**Version/Release:** Version 2 Release 2

**Release Date:** 01-DEC-93

**Additional Info:**

**Registration:** FULL, GOSIP Version 2/registered

**Date:** 20-JAN-94

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0183

H/W: 5600 Communications Processor Family (5630, 5645,  
 5655, 5665, 5675)  
 O/S: COS2/56, CB1 R2E

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0044

RS-232C, V.35

**Underlying Stack:** None **Underlying Product:**

**Protocols and Profiles:** 0001

X.25 PLP/X.25 LAP-B

X.25 PLP [ISO 8208:1990] {CCITT 1984}

X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

**ATS Used:** ATS:2-1 and ATS:2-2

**Conformance Lab:** 0363

Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

## GOSIP REGISTERS, Continued

**Product Code/Type:** P-001 WAN Product ID: 64  
**Supplier:** 000049  
 NETRIX Corporation  
 13595 Dulles Technology Drive  
 Herndon, VA 22071  
**Contact:** Ted Ritter  
 Tel: (703) 742-6000 Fax: (703) 742-4048  
**GOSIP Product:** NETRIX #1-ISS GOSIP X.25, GOSIP X.25  
 INTERFACE MODULE  
 Version/Release: Ver 1.0 Rel 1 Release Date: 01-SEP-92  
**Additional Info:**  
 Registration: PROV, Grndfthrd, V1->V2/registered  
 Date: 06-OCT-92  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0072  
 Netrix #1-ISS Series 1.0, Netrix Operating System Rel 2.7  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0005  
 RS-232C  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 143  
**Supplier:** 000049  
 NETRIX Corporation  
 13595 Dulles Technology Drive  
 Herndon, VA 22071  
**Contact:** Ted Ritter  
 Tel: (703) 742-6000  
 Fax: (703) 742-4048  
**GOSIP Product:** NETRIX #1-ISS GOSIP X.25, GOSIP X.25  
 INTERFACE MODULE  
 Version/Release: Ver 1.0 Rel 1  
 Release Date: 01-SEP-92  
**Additional Info:**  
 Registration: PROV, Grndfthrd, V1->V2/registered  
 Date: 31-MAR-93  
**Reason for Removal:**  
**Basis:** DERIVED  
**Base Products:**  
**Tested Hardware/Operating System Platforms:** 0134  
 Netrix #1-ISS Series 1000  
 Netrix OS Rel 1.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0005  
 RS-232C  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 164  
**Supplier:** 000049  
 NETRIX Corporation  
 13595 Dulles Technology Drive  
 Herndon, VA 22071  
**Contact:** Ted Ritter  
 Tel: (703) 742-6000 Fax: (703) 742-4048  
**GOSIP Product:** Netrix S100 GOSIP X.25 Interface Module 1.0  
 Version/Release: Version 1.0  
 Release Date: 01-JUN-93  
**Additional Info:**  
 Registration: FULL, GOSIP Version 2/registered  
 Date: 24-JUN-93  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0147  
 H/W: Netrix Series 100 O/S: S100 O/S Rel 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0090  
 RS-232C  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:2-2 and ATS:2-1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 165  
**Supplier:** 000049  
 NETRIX Corporation  
 13595 Dulles Technology Drive  
 Herndon, VA 22071  
**Contact:** Ted Ritter  
 Tel: (703) 742-6000  
 Fax: (703) 742-4048  
**GOSIP Product:** Netrix BRX GOSIP X.25 Interface Module 1.0  
 Version/Release: Version 1.0  
 Release Date: 01-JUN-93  
**Additional Info:**  
 Registration: FULL, GOSIP Version 2/registered  
 Date: 24-JUN-93  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0148  
 H/W: BRX Branch Router/Concentrator  
 O/S: BRX O/S Rel 3.3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0089  
 V.35  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:2-2 and ATS:2-1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN    **Product ID:** 168  
**Supplier:** 000086  
 Northern Telecom ATTN: NORTEL Federal Systems  
 2010 Corporate Ridge, Suite 800  
 McLean, VA 22102  
**Contact:** Torre Albritton  
 Tel: (703) 712-8764    Fax: (703) 712-8982  
**GOSIP Product:** Magellan DPN-100  
 Version/Release: G30S002  
 Release Date: 01-JAN-93  
 Additional Info:  
 Registration: FULL, GOSIP Version 2/registered  
 Date: 08-JUL-93    Reason for Removal:  
 Basis: BASE    Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0152  
 H/W: Magellan DPN-100  
 O/S: Magellan DPN-100 G30  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0090  
 RS-232C  
 Underlying Stack: None    Underlying Product:  
**Protocols and Profiles:** 0074  
 X.25 PLP/X.25 LAP-B)  
 X.25 PLP [ISO 8208:1990] {ISO 8208}  
 X.25 LAP-B [ISO 7776:1986] {ISO 7776}  
**ATS Used:** ATS:2-2 and ATS:2-1  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

**Product Code/Type:** P-001 WAN    **Product ID:** 65  
**Supplier:** 000050  
 SUN MicroSystems, Inc. International Centre for  
**Network**  
 Computing  
 32 Rue du Vieux Chene  
 F-38240 Meylan France  
**Contact:** Tom Hull  
 Tel: +33 76 41 42 18  
 Fax: +33 76 41 42 41  
**GOSIP Product:** SUNNet X.25  
 Version/Release: Ver 7.0.1 Rel 1  
 Release Date: 01-OCT-92  
 Additional Info:  
 Registration: PROV, Grndfthrd, V1->V2/registered  
 Date: 07-OCT-92  
 Reason for Removal:  
 Basis: BASE  
 Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0073  
 Sun 4/75  
 SunNET O/S 4.1.2 (Solaris 1.0.1)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0005  
 RS-232C  
 Underlying Stack: None    Underlying Product:  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:1-1 and ATS:1-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 152  
**Supplier:** 000050  
 SUN MicroSystems, Inc. International Centre for  
**Network**  
 Computing  
 32 Rue du Vieux Chene F-38240 Meylan France  
**Contact:** Tom Hull  
 Tel: +33 76 41 42 18    Fax: +33 76 41 42 41  
**GOSIP Product:** SUNLink X.25 8.0 Rev B  
 Version/Release: 8.0 Rev B  
 Release Date: 01-JUN-93  
 Additional Info:  
 Registration: FULL, GOSIP Version 2/registered  
 Date: 06-MAY-93    Reason for Removal:  
 Basis: BASE    Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0093  
 H/W: SPARCstation 10 Model 41  
 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0005  
 RS-232C  
 Underlying Stack: None    Underlying Product:  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:2-1 and ATS:2-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 151  
**Supplier:** 000074  
 Sync Research, Incorporated  
 7 Studebaker  
 Irvine, CA 92718  
**Contact:** Sal Mungo  
 Tel: (714) 588-2070    Fax: (714) 588-2080  
**GOSIP Product:** Network Access Concentrator (NAC) 4000  
 Version/Release: Ver 8.150  
 Release Date: 31-MAY-93  
 Additional Info:  
 Registration: FULL, GOSIP Version 2/registered  
 Date: 29-APR-93  
 Reason for Removal:  
 Basis: BASE  
 Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0141  
 Network Access Concentrator (NAC) 4000  
 Proprietary  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0080  
 V.24, RS-232C, V.35  
 Underlying Stack: None    Underlying Product:  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:2-1 and ATS:2-2  
**Conformance Lab:** 0361  
 IBM Corporation - Networking Systems Protocol Center  
 200 Silicon Drive, P.O. Box 12195  
 Research Triangle Park, NC 27709-2195

## GOSIP REGISTERS, *Continued*

---

<p><b>Product Code/Type:</b> P-001 WAN Product ID: 153  <b>Supplier:</b> 000074  Sync Research, Incorporated  7 Studebaker  Irvine, CA 92718  <b>Contact:</b> Sal Mungo  Tel: (714) 588-2070  Fax: (714) 588-2080</p> <p>GOSIP Product: SNA Network Access Converter (SNAC) 6000  Version/Release: Ver 10.010  Release Date: 30-SEP-93  Additional Info:</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 69  <b>Supplier:</b> 000047  UNISYS Corporation  8008 Westbrook Drive  McLean, VA 22102  <b>Contact:</b> Keith Fretz  Tel: (703) 556-5665  Fax: (703) 556-5172</p> <p>GOSIP Product: X.25 PSCS  Version/Release: 51RA &amp; PCRs UP TO 1929 INCLUSIVE  Release Date: 01-OCT-92  Additional Info:</p>
<p>Registration: FULL, GOSIP Version 2/registered  Date: 06-MAY-93  Reason for Removal:  Basis: DERIVED  Base Products:  Tested Hardware/Operating System Platforms: 0142  Network Access Concentrator (NAC) 4000 SNAC 6000  Proprietary  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0080  V.24, RS-232C, V.35  Underlying Stack: None Underlying Product:  Protocols and Profiles: 0001  X.25 PLP/X.25 LAP-B  X.25 PLP [ISO 8208:1990] {CCITT 1984}  X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  ATS Used: ATS:2-1 and ATS:2-2  Conformance Lab: 0361  IBM Corporation - Networking Systems Protocol Center  200 Silicon Drive, P.O. Box 12195  Research Triangle Park, NC 27709-2195</p>	<p>Registration: PROV, Grndfthrd, V1-&gt;V2/registered  Date: 19-OCT-92  Reason for Removal:  Basis: BASE  Base Products: n/a  Tested Hardware/Operating System Platforms: 0077  DCP-15, DCP/OS 5R2A, TELCON 9R1A  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0044  RS-232C, V.35  Underlying Stack: None Underlying Product:  Protocols and Profiles: 0001  X.25 PLP/X.25 LAP-B  X.25 PLP [ISO 8208:1990] {CCITT 1984}  X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  ATS Used: ATS:1-1 and ATS:1-2  Conformance Lab: 0367  UNISYS - Open Systems Interconnection Laboratory  P.O. Box 203, 2450 Swedesford Road  Paoli, PA 19301</p>
<p><b>Product Code/Type:</b> P-001 WAN Product ID: 185  <b>Supplier:</b> 000096  Telematics International  1201 Cypress Creek Road  Fort Lauderdale, FL 33309  <b>Contact:</b> Terry Rihel  Tel: (818) 880-4900 Fax: (818) 880-4726</p> <p>GOSIP Product: ACP50 X25 Version 10.04  Version/Release: Version 10.04  Release Date: 30-JUL-93  Additional Info:</p> <p>Registration: FULL, GOSIP Version 2/registered  Date: 05-AUG-93  Reason for Removal:  Basis: BASE  Base Products: n/a  Tested Hardware/Operating System Platforms: 0165  H/W: ACP50  O/S: N/A  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0090  RS-232C  Underlying Stack: None Underlying Product:  Protocols and Profiles: 0001  X.25 PLP/X.25 LAP-B  X.25 PLP [ISO 8208:1990] {CCITT 1984}  X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  ATS Used: ATS:2-1 and ATS:2-2  Conformance Lab: 0364  CDA, Incorporated  8301 Greensboro Drive, #350  McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-001 WAN Product ID: 131  <b>Supplier:</b> 000060  UNISYS Corporation  8008 West Park Drive  McLean, VA 22102  <b>Contact:</b> Dale Pluta  Tel: (703) 556-5682  Fax: (703) 556-5172</p> <p>GOSIP Product: CP2000 X.25 Protocol  Version/Release: Ver 30.00.192  Release Date: 30-SEP-92  Additional Info:</p> <p>Registration: PROV, Grndfthrd, V1-&gt;V2/registered  Date: 01-FEB-93  Reason for Removal:  Basis: BASE  Base Products: n/a  Tested Hardware/Operating System Platforms: 0119  CP2000 with LMH Card, O/S CP2000 Operating Software Ver 3.0  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0005  RS-232C  Underlying Stack: None Underlying Product:  Protocols and Profiles: 0001  X.25 PLP/X.25 LAP-B  X.25 PLP [ISO 8208:1990] {CCITT 1984}  X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  ATS Used: ATS:1-1 and ATS:1-2  Conformance Lab: 0367  UNISYS - Open Systems Interconnection Laboratory  P.O. Box 203, 2450 Swedesford Road  Paoli, PA 19301</p>

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN    **Product ID:** 226  
**Supplier:** 000060  
UNISYS Corporation  
8008 West Park Drive  
McLean, VA 22102  
**Contact:** Dale Pluta  
Tel: (703) 556-5682    Fax: (703) 556-5172  
**GOSIP Product:** USU6100-X25  
Version/Release: Version 5.0.3  
Release Date: 01-DEC-93  
Additional Info: None  
Registration: FULL, GOSIP Version 2/registered  
Date: 24-FEB-94    Reason for Removal:  
Basis: BASE    Base Products: n/a  
Tested Hardware/Operating System Platforms: 0192  
H/W: U6000/100  
O/S: UnixWare Application Server, Version 1.0  
Claimed Compatibility Hardware/Software Platforms: 0001  
Connectivity: 0090  
RS-232C  
Underlying Stack: None    Underlying Product:  
Protocols and Profiles: 0001  
X.25 PLP/X.25 LAP-B  
X.25 PLP [ISO 8208:1990] {CCITT 1984}  
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
ATS Used: ATS:2-1 & ATS:2-2  
Conformance Lab: 0367  
UNISYS - Open Systems Interconnection Laboratory  
P.O. Box 203, 2450 Swedesford Road  
Paoli, PA 19301

**Product Code/Type:** P-001 WAN    **Product ID:** 200  
**Supplier:** 000104  
Wellfleet Communications, Inc.  
8 Federal Street  
Billerica, MA 01821  
**Contact:** Kathy Huber  
Tel: (508) 663-6676    Fax: (508) 670-5747  
Email: khuber@wellfleet.com  
**GOSIP Product:** Link Node (LN) S/W Version 5.81  
Version/Release: Version 5.81  
Release Date: 24-SEP-93  
Additional Info: The LN System is a stand-alone self contained router.  
Registration: FULL, GOSIP Version 2/registered  
Date: 13-OCT-93  
Reason for Removal:  
Basis: BASE  
Base Products: n/a  
Tested Hardware/Operating System Platforms: 0174  
H/W: Link Node (LN) w/ ACE 20 Processor & Dual Sync Dual Ethernet(DSDE) I/O Card  
O/S: Embedded in GOSIP product  
Claimed Compatibility Hardware/Software Platforms: 0001  
Connectivity: 0089  
V.35  
Underlying Stack: None    Underlying Product:  
Protocols and Profiles: 0001  
X.25 PLP/X.25 LAP-B  
X.25 PLP [ISO 8208:1990] {CCITT 1984}  
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
ATS Used: ATS:2-2 and ATS:2-1  
Conformance Lab: 0364  
CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 201  
**Supplier:** 000104  
Wellfleet Communications, Inc.  
8 Federal Street  
Billerica, MA 01821  
**Contact:** Kathy Huber  
Tel: (508) 663-6676    Fax: (508) 670-5747  
Email: khuber@wellfleet.com  
**GOSIP Product:** Access Feeder Node (AFN) S/W Version 5.81  
Version/Release: Version 5.81    Release Date: 24-SEP-93  
Additional Info: The AFN System is a stand alone self-contained router.  
Registration: FULL, GOSIP Version 2/registered  
Date: 13-OCT-93    Reason for Removal:  
Basis: BASE    Base Products: n/a  
Tested Hardware/Operating System Platforms: 0175  
H/W: Access Feeder Node (AFN)  
O/S: Embedded in Product  
Claimed Compatibility Hardware/Software Platforms: 0001  
Connectivity: 0089    V.35  
Underlying Stack: None    Underlying Product:  
Protocols and Profiles: 0001  
X.25 PLP/X.25 LAP-B  
X.25 PLP [ISO 8208:1990] {CCITT 1984}  
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
ATS Used: ATS:2-2 and ATS:2-1  
Conformance Lab: 0364  
CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN    **Product ID:** 244  
**Supplier:** 000104  
Wellfleet Communications, Inc.  
8 Federal Street  
Billerica, MA 01821  
**Contact:** Kathy Huber  
Tel: (508) 663-6676    Fax: (508) 670-5747  
Email: khuber@wellfleet.com  
**GOSIP Product:** Backbone Concentrator Node (BCN) S/W Version 7.70  
Version/Release: Version 7.70  
Release Date: 24-MAR-94  
Additional Info: Vendor claims CCITT 1988 support.  
Registration: FULL, GOSIP Version 2/registered  
Date: 03-MAY-94  
Reason for Removal:  
Basis: BASE  
Base Products: n/a  
Tested Hardware/Operating System Platforms: 0202  
Backbone Concentrator Node (BCN)-DSDE I/O Cards.  
Claimed Compatibility Hardware/Software Platforms: 0203  
Dual Port Ethernet Link Module (DE) I/O Card  
Quad Port Ethernet Link Module (QENET) I/O Card  
Quad Port Synchronous Link Module (QSYNC) I/O Card  
Connectivity: 0089  
V.35  
Underlying Stack: None    Underlying Product: n/a  
Protocols and Profiles: 0001  
X.25 PLP/X.25 LAP-B  
X.25 PLP [ISO 8208:1990] {CCITT 1984}  
X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
ATS Used: ATS:2-1 & ATS:2-2  
Conformance Lab: 0364  
CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

---

**Product Code/Type:** P-001 WAN Product ID: 245  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Link Node (LN) S/W Version 7.70  
 Version/Release: Version 7.70 Release Date: 24-MAR-94  
 Additional Info: Claimed HW are I/O Cards which are interchangeable with the DSDE I/O Card. Multiple I/O Cards may be used within the same node.

Registration: FULL, GOSIP Version 2/registered  
 Date: 17-MAY-94 Reason for Removal:  
 Basis: DERIVED Base Products: 244

Tested Hardware/Operating System Platforms: 0207  
 H/W: Link Node (LN) DSDE I/O Card  
 O/S: Embedded in Product

Claimed Compatibility Hardware/Software Platforms: 0208  
 H/W: Quad Port Synchronous Link Module (QSYNC) I/O Card  
 O/S: Embedded in product

Connectivity: 0089 V.35  
 Underlying Stack: None Underlying Product: 244  
 Protocols and Profiles: 0001 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 & ATS:2-2

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 246  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Backbone Link Node (BLN) S/W Version 7.70  
 Version/Release: Version 7.70 Release Date: 24-MAR-94  
 Additional Info: Claimed HW are I/O Cards which are interchangeable with the DSDE I/O Card. Multiple I/O Cards may be used within the same node.

Registration: FULL, GOSIP Version 2/registered  
 Date: 17-MAY-94 Reason for Removal:  
 Basis: DERIVED Base Products: 244

Tested Hardware/Operating System Platforms: 0209  
 H/W: Backbone Link Node (BLN) DSDE I/O Card  
 O/S: Embedded in product

Claimed Compatibility Hardware/Software Platforms: 0208  
 H/W: Quad Port Synchronous Link Module (QSYNC) I/O Card  
 O/S: Embedded in product

Connectivity: 0089 V.35  
 Underlying Stack: None Underlying Product: 244  
 Protocols and Profiles: 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 & ATS:2-2

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 247  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Concentrator Node (CN) S/W Version 7.70  
 Version/Release: Version 7.70 Release Date: 24-MAR-94  
 Additional Info: Vendor claims CCITT 1988 support.

Registration: FULL, GOSIP Version 2/registered  
 Date: 03-MAY-94 Reason for Removal:  
 Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0204  
 Concentrator Node (CN)-DSDE I/O Cards

Claimed Compatibility Hardware/Software Platforms: 0205  
 Dual Port Ethernet Link Module (DE) I/O Card  
 Quad Port Ethernet Link Module (QENET) I/O Card  
 Quad Port Synchronous Link Module (QSYNC) I/O Card

Connectivity: 0089 V.35  
 Underlying Stack: None Underlying Product: n/a  
 Protocols and Profiles: 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 & ATS:2-2

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-001 WAN Product ID: 248  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Feeder Node (FN) S/W Version 7.70  
 Version/Release: Version 7.70 Release Date: 24-MAR-94  
 Additional Info: Claimed HW are I/O Cards which are interchangeable with the DSDE I/O Card. Multiple I/O Cards may be used within the same node.

Registration: FULL, GOSIP Version 2/registered  
 Date: 17-MAY-94 Reason for Removal:  
 Basis: DERIVED Base Products: 244

Tested Hardware/Operating System Platforms: 0210  
 H/W: Feeder Node (FN) DSDE I/O Card  
 O/S: Embedded in product

Claimed Compatibility Hardware/Software Platforms: 0208  
 H/W: Quad Port Synchronous Link Module (QSYNC) I/O Card  
 O/S: Embedded in product

Connectivity: 0089 V.35  
 Underlying Stack: None Underlying Product: 244  
 Protocols and Profiles: 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}

ATS Used: ATS:2-1 & ATS:2-2

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-001 WAN Product ID: 275  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com  
**GOSIP Product:** Access Feeder Node (AFN) S/W Version 7.70  
**Version/Release:** Version 7.70 **Release Date:** 24-MAR-94  
**Additional Info:** None  
**Registration:** FULL, GOSIP Version 2/registered  
**Date:** 22-AUG-94 **Reason for Removal:** N/A  
**Basis:** BASE **Base Products:** N/A  
**Tested Hardware/Operating System Platforms:** 0175  
 H/W: Access Feeder Node (AFN)  
 O/S: Embedded in Product  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0089  
 V.35  
**Underlying Stack:** N/A **Underlying Product:** N/A  
**Protocols and Profiles:** 0001  
 X.25 PLP/X.25 LAP-B  
 X.25 PLP [ISO 8208:1990] {CCITT 1984}  
 X.25 LAP-B [ISO 7776:1986] {CCITT 1984}  
**ATS Used:** ATS:2-1 & ATS:2-2  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-002 LAN Product ID: 37  
**Supplier:** 000034  
 3Com Corporation  
 5600 Bayfront Plaza, PO Box 58145  
 Santa Clara, CA 95052-8145  
**Contact:** Howard Chan  
 Tel: (408) 764-5827  
**GOSIP Product:** Etherlink 16, 3C507  
**Version/Release:** Rev A  
**Release Date:** 01-AUG-90  
**Additional Info:**  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 14-FEB-92  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0050  
 PC AT 80386, MS DOS 3.3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0027  
 PLS{802.3}/10Base5  
**Underlying Stack:** Information not available **Underlying Product:**  
**Protocols and Profiles:** 0007  
 MAC [ISO 8802-3:1989]  
**ATS Used:** ATS:1-3  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

**Product Code/Type:** P-002 LAN Product ID: 3  
**Supplier:** 000015  
 Bull Information Systems Incorporated  
 Technology Park  
 Billerica, MA 01821-4199  
**Contact:** Kenneth Finkenauer  
 Tel: (508) 294-2909  
**GOSIP Product:** Local Area Controller Subsystem (LACS)  
**Version/Release:** Release Date:  
**Additional Info:**  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 01-APR-91  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0012  
 DPS6000/HVS6 Release 2  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0003  
 Not noted.  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0002  
 LLC1{802.2}/MAC & PLS{802.3}  
 LLC1 [ISO 8802-2:1989]  
 MAC [ISO 8802-3:1989]  
 PLS [ISO 8802-3:1989]  
**ATS Used:** ATS:1-3 and ATS:1-6  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

**Product Code/Type:** P-002 LAN Product ID: 79  
**Supplier:** 000003  
 Control Data Corporation  
 4201 North Lexington Avenue  
 Arden Hills, MN 55126-6198  
**Contact:** Ronald Swan  
 Tel: (612) 482-6257 **Fax:** (612) 482-3616  
**GOSIP Product:** CDCNET Ethernet Serial Channel Interface  
**Version/Release:** LLC/MAC 1.7.1, PLS 1.6.1  
**Release Date:** 01-OCT-92  
**Additional Info:**  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 15-OCT-92  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0081  
 Device Interface Model #GH120B, Equipment #DY0227-B,  
 Product #2608-6 (Stand-alone Machine) O/S None  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0003  
 Not noted.  
**Underlying Stack:** None **Underlying Product:**  
**Protocols and Profiles:** 0002  
 LLC1{802.2}/MAC & PLS{802.3}  
 LLC1 [ISO 8802-2:1989]  
 MAC [ISO 8802-3:1989]  
 PLS [ISO 8802-3:1989]  
**ATS Used:** ATS:1-3 and ATS:1-6  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-003 ES-IS Product ID: 167</p> <p><b>Supplier:</b> 000088 3Com Corporation 5400 Bayfront Plaza Santa Clara, CA 95052-8145</p> <p><b>Contact:</b> Mike Ratzlaff Tel: (408) 764-6000 Fax: (408) 764-5002</p> <p><b>GOSIP Product:</b> NETBuilder II Extended WAN 3C6242A-GOSIP <b>Version/Release:</b> Version 6.1.5 <b>Release Date:</b> 04-JUN-93 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, GOSIP Version 2/registered <b>Date:</b> 23-JUN-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0151 NETBuilder II (4 or 8 port chassis) with 2 Ethernet Modules SW/NB II-WX, V6.1.5</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0093 Port1: LLC1{802.2}/MAC{802.3}/10Base2 Port2: LLC1{802.2}/MAC{802.3}/10Base5</p> <p><b>Underlying Stack:</b> NETBuilder II Ethernet Module (Embedded in Product)</p> <p><b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0071 CLNP{IS} [ISO 8473:1988] &amp; ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}</p> <p><b>ATS Used:</b> ATS:2-7.1</p> <p><b>Conformance Lab:</b> 0371 Alcatel TITN Test Center 7011 Koll Center Parkway, Suite 200 Pleasanton, CA 94566-3101</p>	<p><b>Product Code/Type:</b> P-003 ES-IS Product ID: 192</p> <p><b>Supplier:</b> 000023 Cabletron Systems, Inc. 35 Industrial Way, P.O. Box 5005 Rochester, NH 03867-5005</p> <p><b>Contact:</b> Ronald Fotino Tel: (603) 337-1769 Fax: (603) 337-1697</p> <p><b>GOSIP Product:</b> CRM-L <b>Version/Release:</b> Version 9.1 (3.5) <b>Release Date:</b> 01-MAR-93 <b>Additional Info:</b> The product is a stand-alone system with the O/S and I/O functions embedded in the product.</p> <p><b>Registration:</b> PROV, GOSIP Version 2/registered <b>Date:</b> 24-SEP-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0171 H/W: CRM-L O/S: CRM-L Version 9.1 (3.5) H/W: Cisco IGS Router O/S: CRM-L Version 9.1 (3.5)</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0086 Port 1: LLC1{802.2}/MAC{802.3}/10Base5 Port 2: LLC1{802.2}/MAC{802.3}/10Base5</p> <p><b>Underlying Stack:</b> Embedded in Product <b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0071 CLNP{IS} [ISO 8473:1988] &amp; ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}</p> <p><b>ATS Used:</b> ATS:2-7.1</p> <p><b>Conformance Lab:</b> 0371 Alcatel TITN Test Center 7011 Koll Center Parkway, Suite 200 Pleasanton, CA 94566-3101</p>
<p><b>Product Code/Type:</b> P-003 ES-IS Product ID: 206</p> <p><b>Supplier:</b> 000088 3Com Corporation 5400 Bayfront Plaza Santa Clara, CA 95052-8145</p> <p><b>Contact:</b> Mike Ratzlaff Tel: (408) 764-6000 Fax: (408) 764-5002</p> <p><b>GOSIP Product:</b> NETBuilder II Extended WAN 3C6242A-GOSIP <b>Version/Release:</b> Version 6.2 <b>Release Date:</b> 07-SEP-93 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, GOSIP Version 2/registered <b>Date:</b> 15-DEC-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0177 HW:NETBuilder II with 2 Ethernet Modules OS:SW/NB II-XW Version 6.2</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0102 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT Port 2: LLC1{802.2}/MAC{802.3}/10BaseT</p> <p><b>Underlying Stack:</b> Embedded in product using the NETBuilder II Ethernet Module</p> <p><b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0071 CLNP{IS} [ISO 8473:1988] &amp; ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}</p> <p><b>ATS Used:</b> ATS:2-7.1</p> <p><b>Conformance Lab:</b> 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-003 ES-IS Product ID: 105</p> <p><b>Supplier:</b> 000100 Cisco Systems 1525 O'Brien Drive, P.O. Box 3075 Menlo Park, CA 94026-1435</p> <p><b>Contact:</b> Alex Tweedley Tel: (415) 688-8114 Fax: (415) 688-4575</p> <p><b>GOSIP Product:</b> MGS/3 X.25 Version 2.0 <b>Version/Release:</b> Version 2.0 <b>Release Date:</b> 13-JUL-93 <b>Additional Info:</b></p> <p><b>Registration:</b> PROV, GOSIP Version 2/registered <b>Date:</b> 15-OCT-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0162 H/W: MGS/3 O/S: gs3-k 9.1(30)</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0099 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT Port 2: X.25 PLP/X.25 LAP-B/RS-232C</p> <p><b>Underlying Stack:</b> WAN: MGS/3 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)</p> <p><b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0071 CLNP{IS} [ISO 8473:1988] &amp; ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}</p> <p><b>ATS Used:</b> ATS:2-7.1</p> <p><b>Conformance Lab:</b> 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-003 ES-IS Product ID: 127  
**Supplier:** 000100  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 688-8114 Fax: (415) 688-4575  
**GOSIP Product:** CGS/3 X.25 Version 2.0  
**Version/Release:** Version 2.0 **Release Date:** 13-JUL-93  
**Additional Info:**  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 15-OCT-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0159  
 H/W: CGS/3 O/S: gs3-k 9.1(30)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35  
**Underlying Stack:** WAN: CGS/3 X.25 Version 2.0. LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 ES-IS Product ID: 190  
**Supplier:** 000100  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 688-8114 Fax: (415) 688-4575  
**GOSIP Product:** MGS/4 X.25 Version 2.0  
**Version/Release:** Version 2.0  
**Release Date:** 13-JUL-93  
**Additional Info:** The MGS/4 runs link and packet X.25 plus CLNP on the same board/CPU with the OS.  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 17-SEP-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0163  
 H/W: MGS/4  
 O/S: gs3-k 9.1(30)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0099  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/RS-232C  
**Underlying Stack:** WAN: MGS/4 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 ES-IS Product ID: 196  
**Supplier:** 000100  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 688-8114 Fax: (415) 688-4575  
**GOSIP Product:** AGS+/4 X.25 Version 2.0  
**Version/Release:** Version 2.0 **Release Date:** 13-JUL-93  
**Additional Info:**  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 15-OCT-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0164  
 H/W: AGS+/4  
 O/S: gs3-k 9.1(30)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35  
**Underlying Stack:** WAN: AGS+/4 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 ES-IS Product ID: 197  
**Supplier:** 000100  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 688-8114 Fax: (415) 688-4575  
**GOSIP Product:** AGS+/3 X.25 Version 2.0  
**Version/Release:** Version 2.0  
**Release Date:** 13-JUL-93  
**Additional Info:**  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 15-OCT-93  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0158  
 H/W: AGS+/3  
 O/S: gs3-k 9.1(30)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35  
**Underlying Stack:** WAN: AGS+/3 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

---

**Product Code/Type:** P-003 ES-IS Product ID: 198  
**Supplier:** 000100  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 688-8114 Fax: (415) 688-4575  
**GOSIP Product:** CGS/4 X.25 Version 2.0  
 Version/Release: Version 2.0 Release Date: 13-JUL-93  
**Additional Info:**  
 Registration: PROV, GOSIP Version 2/registered  
 Date: 15-OCT-93 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0160  
 H/W: CGS/4 O/S: gs3-k 9.1(30)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35  
**Underlying Stack:** WAN: CGS/4 X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 ES-IS Product ID: 199  
**Supplier:** 000100  
 Cisco Systems  
 1525 O'Brien Drive, P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 688-8114  
 Fax: (415) 688-4575  
**GOSIP Product:** IGS/R X.25 Version 2.0  
 Version/Release: Version 2.0  
 Release Date: 13-JUL-93  
**Additional Info:**  
 Registration: PROV, GOSIP Version 2/registered  
 Date: 15-OCT-93  
 Reason for Removal:  
 Basis: BASE  
 Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0161  
 H/W: IGS/R  
 O/S: igs-kr 9.1(30)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35  
**Underlying Stack:** WAN: IGS/R X.25 Version 2.0 LAN: gs3-k 9.1(30)(LLC) and Lance AMD(MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 Intermediate Systems Product ID: 228  
**Supplier:** 000125  
 Cisco Systems  
 1525 O'Brien Drive P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 326-1941 Fax: (415) 688-4575  
**GOSIP Product:** CISCO 4000 X.25 Version 2.0  
 Version/Release: Version 2.0 Release Date: 14-MAR-94  
**Additional Info:** The CISCO 4000 is a stand-alone product. The CISCO 4000 contains all software and hardware required for operation.  
 Registration: PROV, GOSIP Version 2/registered  
 Date: 24-FEB-94 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0194  
 H/W: CISCO 4000 O/S: CISCO O/S 9.21  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35  
**Underlying Stack:** WAN: CISCO 4000 X.25 Version 2.0; LAN: CISCO O/S 9.21(LLC) and Lance AMD(MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 Intermediate Systems Product ID: 235  
**Supplier:** 000130  
 Cisco Systems  
 1525 O'Brien Drive P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 326-1941 Fax: (415) 688-4575  
 Email: agt@cisco.com  
**GOSIP Product:** CISCO 3104 X.25 Version 2.0  
 Version/Release: Version 2.0 Release Date: 17-JAN-94  
**Additional Info:** Tested hardware platform is CISCO 3104. The CISCO 3104 is a stand-alone product containing all SW and HW required for operation. Compatible HW as listed.  
 Registration: PROV, GOSIP Version 2/registered  
 Date: 16-MAR-94 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0198  
 H/W: CISCO 3101, 3102, & 3104 O/S: CISCO 9.21  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0113  
 X.25 PLP/X.25 LAP-B/V.35  
**Underlying Stack:** WAN: CISCO 3104 X.25 Version 2.0; LAN: CISCO O/S 9.21 (LLC) and Lance AMD (MAC)  
**Underlying Product:**  
**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}  
**ATS Used:** ATS:2-7.1  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-003 Intermediate Systems Product ID: 237  
**Supplier:** 000130  
 Cisco Systems  
 1525 O'Brien Drive P.O. Box 3075  
 Menlo Park, CA 94026-1435  
**Contact:** Alex Tweedley  
 Tel: (415) 326-1941 Fax: (415) 688-4575  
 Email: agt@cisco.com

**GOSIP Product:** CISCO 7000 X.25 Version 2.0  
**Version/Release:** Version 2.0 **Release Date:** 17-JAN-94  
**Additional Info:** Tested hardware platform is CISCO 7000. The CISCO 7000 is a stand-alone product containing all SW and HW required for operation. Compatible HW as listed.

**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 10-MAR-94 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0197  
 H/W: CISCO 7000 & 7010 O/S: CISCO 9.21  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0113  
 X.25 PLP/X.25 LAP-B/V.35

**Underlying Stack:** WAN: CISCO 7000 X.25 Version 2.0; LAN: CISCO O/S 9.21 (LLC) and SSEQ 8003 (MAC)

**Underlying Product:**

**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}

**ATS Used:** ATS:2-7.1

**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 Intermediate Systems Product ID: 255  
**Supplier:** 000130

Cisco Systems  
 1525 O'Brien Drive P.O. Box 3075  
 Menlo Park, CA 94026-1435

**Contact:** Alex Tweedley  
 Tel: (415) 326-1941 Fax: (415) 688-4575  
 Email: agt@cisco.com

**GOSIP Product:** CISCO 2501 X.25 Version 2.0  
**Version/Release:** Version 2.0 **Release Date:** 14-MAR-94  
**Additional Info:** The CISCO 2501 is a stand-alone product containing all SW and HW required for operation.

**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 25-MAY-94 **Reason for Removal:**  
**Basis:** BASE **Base Products:** N/A

**Tested Hardware/Operating System Platforms:** 0214  
 H/W: CISCO 2501 O/S: CISCO O/S 9.21

**Claimed Compatibility Hardware/Software Platforms:** 0215  
 H/W: CISCO 2503

**Connectivity:** 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35

**Underlying Stack:** WAN: CISCO 2501 X.25 Version 2.0; LAN: CISCO O/S 9.21 (LLC) and Lance AMD(MAC)

**Underlying Product:** 254

**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}

**ATS Used:** ATS:2-7.1

**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 ES-IS Product ID: 148

**Supplier:** 000066  
 Cisco Systems, Incorporated  
 1525 O'Brien Drive  
 Menlo Park, CA 94025

**Contact:** Susan Scheer  
 Tel: (415) 688-8131 Fax: (415) 688-7666

**GOSIP Product:** Cisco Systems Router

**Version/Release:** Ver 9 Rel 1

**Release Date:** 01-NOV-92

**Additional Info:**

**Registration:** PROV, GOSIP Version 2/registered

**Date:** 20-APR-93 **Reason for Removal:**

**Basis:** BASE **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0029

MGS, CGS, AGS+, IGS, cisco3000, cisco4000, cisco7000  
 Cisco Systems Router (Stand-alone System)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0086

Port 1: LLC1{802.2}/MAC{802.3}/10Base5

Port 2: LLC1{802.2}/MAC{802.3}/10Base5

**Underlying Stack:** Embedded in Cisco Router Product Using CSC-2E2T Interface Hardware

**Underlying Product:**

**Protocols and Profiles:** 0071

CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}

**ATS Used:** ATS:2-7.1

**Conformance Lab:** 0371  
 Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101

**Product Code/Type:** P-003 ES-IS Product ID: 218

**Supplier:** 000102  
 Data General Corporation  
 4400 Computer Drive  
 Westboro, MA 01580

**Contact:** Peter Conway

Tel: (508) 898-7176 Fax: (508) 898-4212

**GOSIP Product:** OSI/Platform for AViiON Systems

**Version/Release:** Version 3.30 **Release Date:** 01-OCT-93  
**Additional Info:** Model AV8500 tested. Vendor claims support for other H/W models listed.

**Registration:** PROV, GOSIP Version 2/registered

**Date:** 04-FEB-94 **Reason for Removal:**

**Basis:** BASE **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0240

H/W: AV8500 O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10

**Claimed Compatibility Hardware/Software Platforms:** 0241  
 H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000

**Connectivity:** 0105

Port 1: LLC1{802.2}/MAC{802.3}/10BaseT

Port 2: LLC1{802.2}/MAC{802.3}/10BaseT

**Underlying Stack:** LLC and MAC contained in DG/UX 5.4R2.10, embedded in product.

**Underlying Product:**

**Protocols and Profiles:** 0033

CLNP{IS} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:2-7.1

**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-003 ES-IS Product ID: 184

**Supplier:** 000091  
 Digital Equipment Corporation  
 Imperial Way  
 Reading, Berks RG20TE United Kingdom

**Contact:** Ken Chamberlain

**GOSIP Product:** DEC Network Integration Server Software (DECNIS)  
 Version/Release: Version 2.1 Release Date: 30-APR-93

**Registration:** PROV, GOSIP Version 2/registered  
 Date: 05-AUG-93 Reason for Removal:  
 Basis: BASE Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0166  
 H/W: DECNIS 500, DECNIS 600  
 O/S: DECNIS V.21 with embedded OS

**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0097

Port 1: LLC1{802.2}/MAC{802.3}/10Base5

Port 2: X.25 PLP/X.25 LAP-B/V.35

**Underlying Stack:** LAN: DEC Network Integration Server S/W,  
 DNSAE-AA, BNEA4D-02, and H4005. WAN: DEC  
 Network Integration Server S/W and DNSAB-AA

**Underlying Product:**

**Protocols and Profiles:** 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}

**ATS Used:** ATS:2-7.1

**Conformance Lab:** 0362

Digital Equipment Corporation, OSI Conformance  
 Interoperability Test Center  
 550 King Street, MS LKG2A/R5  
 Littleton, MA 01460-1289

**Product Code/Type:** P-003 ES-IS Product ID: 210

**Supplier:** 000110  
 Proteon, Inc.  
 9 Technology Drive  
 Westborough, MA 01581-1799

**Contact:** Bob Reason  
 Tel: (508) 898-2800 Fax: (508) 366-8901

**GOSIP Product:** CNX500 OSI-ISO CLNP/ESIS/ISIS  
 Version/Release: Version 13.0C  
 Release Date: 01-NOV-93

**Additional Info:** Currently, IS-IS is not within the scope of the  
 GOSIP program; therefore, the IS-IS portion of this  
 product cannot claim GOSIP compliance.

**Registration:** PROV, GOSIP Version 2/registered  
 Date: 28-DEC-93 Reason for Removal:  
 Basis: BASE Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0180  
 H/W: CNX500, CNX400, CNX600, DNX300  
 O/S: Embedded in product

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0102

Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: LLC1{802.2}/MAC{802.3}/10BaseT

**Underlying Stack:** Embedded in product. Underlying Product:  
**Protocols and Profiles:** 0071

CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]  
 {Dynamic Routing Claimed}

**ATS Used:** ATS:2-7.1

**Conformance Lab:** 0364

CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 ES-IS Product ID: 70

**Supplier:** 000047  
 UNISYS Corporation  
 8008 Westbrook Drive  
 McLean, VA 22102

**Contact:** Keith Fretz

Tel: (703) 556-5665 Fax: (703) 556-5172

**GOSIP Product:** DCP OSITS  
 Version/Release: 2R1A + 192-194,197,199,202,203,205,207  
 Release Date: 08-APR-92 Additional Info:

**Registration:** PROV, GOSIP Version 1/registered  
 Date: 16-OCT-92 Reason for Removal:  
 Basis: BASE Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0078  
 DCP-15 through DCP-55 Front End Processors  
 DCP/OS Ver 5R2A and TELCON Ver 9R1A

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0040

Port 1: LLC1{802.2}/MAC{802.3}  
 Port 2: X.25 PLP/X.25 LAP-B

**Underlying Stack:** LAN Platform 2R2A, DCP 802.3 Lan Line Module,  
 Feature #F5137-00. WAN: PSCS (Ver 51RA & PCRs), DCP-15.

**Underlying Product:**

**Protocols and Profiles:** 0033  
 CLNP{IS} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7.1

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory  
 P.O. Box 203, 2450 Swedesford Road  
 Paoli, PA 19301

**Product Code/Type:** P-003 ES-IS Product ID: 186

**Supplier:** 000097  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821

**Contact:** Dan Mulvey  
 Tel: (703) 739-6710 Fax: (703) 739-1394

**GOSIP Product:** Wellfleet Communications Router

Version/Release: Version 5.81 Release Date: 24-SEP-93

**Registration:** PROV, GOSIP Version 2/registered  
 Date: 24-AUG-93 Reason for Removal:  
 Basis: BASE Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0168

H/W: Concentrator Node (CN) w/ACE020 proc; OS: Embedded in  
 product

Concentrator Node (CN) w/ACE030 proc; OS: Embedded in product

Link Node (LN) w/ ACE020 processor; OS: Embedded in product

Link Node (LN) w/ ACE030 processor; OS: Embedded in product

Feeder Node (FN) w/ ACE020 processor; OS: Embedded in product

Feeder Node (FN) w/ ACE030 processor; OS: Embedded in product

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0086

Port 1: LLC1{802.2}/MAC{802.3}/10Base5  
 Port 2: LLC1{802.2}/MAC{802.3}/10Base5

**Underlying Stack:** SW: Embedded in Product; I/O Modules: DE  
 (Dual Port Ethernet), DSDE (Dual Ethernet/Dual  
 Port Sync), and/or QENET (Quad Port Ethernet)

**Underlying Product:**

**Protocols and Profiles:** 0071

CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988]

{Dynamic Routing Claimed}

**ATS Used:** ATS:2-7.1

**Conformance Lab:** 0371

Alcatel TITN Test Center

7011 Koll Center Parkway, Suite 200

Pleasanton, CA 94566-3101

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-003 ES-IS Product ID: 202  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Access Feeder Node (AFN) S/W Version 5.81  
 Version/Release: Version 5.81 Release Date: 24-SEP-93  
 Additional Info: The AFN is a sealed-standalone router with the CLNP, OS, and underlying stack contained within the product.

Registration: PROV, GOSIP Version 2/registered  
 Date: 04-NOV-93 Reason for Removal:  
 Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0175  
 H/W: Access Feeder Node (AFN) O/S: Embedded in Product  
 Claimed Compatibility Hardware/Software Platforms: 0001  
 Connectivity: 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: WAN: Embedded in Product (Access Feeder Node (AFN) S/W Version 5.81) LAN=> S/W: Embedded in Product; I/O Module: Lance AMD(MAC)

Underlying Product:  
 Protocols and Profiles: 0071 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

---

**Product Code/Type:** P-003 ES-IS Product ID: 203  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Link Node (LN) S/W Version 5.81  
 Version/Release: Version 5.81 Release Date: 24-SEP-93  
 Additional Info: The LN is a standalone router with the CLNP, OS, and underlying stack contained within the product.

Registration: PROV, GOSIP Version 2/registered  
 Date: 04-NOV-93 Reason for Removal:  
 Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0176  
 H/W: Link Node (LN) w/ ACE 20 Processor  
 O/S: Embedded in Registered Product

Claimed Compatibility Hardware/Software Platforms: 0001  
 Connectivity: 0101  
 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN=> SW: Embedded in Product; I/O Module: DSDE (Dual Sync Dual Ethernet) WAN=> Embedded in the Product (Link Node (LN) S/W Version 5.81)

Underlying Product:  
 Protocols and Profiles: 0071  
 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-003 Intermediate Systems Product ID: 249  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Backbone Concentrator Node (BCN) S/W Ver 7.70  
 Version/Release: Version 7.70 Release Date: 24-MAR-94  
 Additional Info: Claimed HW are I/O Cards which are interchangeable with the DSDE I/O Card. Multiple I/O Cards may be used within the same node.

Registration: PROV, GOSIP Version 2/registered  
 Date: 17-MAY-94 Reason for Removal:  
 Basis: BASE Base Products: N/A

Tested Hardware/Operating System Platforms: 0211 H/W: Backbone Concentrator Node (BCN) - DSDE I/O O/S: Embedded in product  
 Claimed Compatibility Hardware/Software Platforms: 0212  
 H/W: Dual Port Ethernet Link Module (DE) I/O Card; Quad Port Ethernet Link Module (QENET) I/O Card; Quad Port Synchronous Link Module (QSYNC) I/O Card O/S: Embedded in product

Connectivity: 0101 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: Embedded in prod; WAN: Embedded in prod  
 Underlying Product: 244  
 Protocols and Profiles: 0071 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

---

**Product Code/Type:** P-003 Intermediate Systems Product ID: 250  
**Supplier:** 000104  
 Wellfleet Communications, Inc.  
 8 Federal Street  
 Billerica, MA 01821  
**Contact:** Kathy Huber  
 Tel: (508) 663-6676 Fax: (508) 670-5747  
 Email: khuber@wellfleet.com

GOSIP Product: Backbone Link Node (BLN) S/W Version 7.70  
 Version/Release: Version 7.70 Release Date: 24-MAR-94  
 Additional Info: Claimed HW are I/O Cards interchangeable with the DSDE I/O Card. Multiple Cards may be used within the same node.

Registration: PROV, GOSIP Version2/registered  
 Date: 17-MAY-94 Reason for Removal:  
 Basis: DERIVED Base Products: 249

Tested Hardware/Operating System Platforms: 0209  
 H/W: Backbone Link Node (BLN) DSDE I/O Card  
 O/S: Embedded in product

Claimed Compatibility Hardware/Software Platforms: 0212  
 H/W: Dual Port Ethernet Link Module (DE) I/O Card; Quad Port Ethernet Link Module (QENET) I/O Card; Quad Port Synchronous Link Module (QSYNC) I/O Card O/S: Embedded in product

Connectivity: 0101 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
 Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: Embedded in prod; WAN: Embedded in prod  
 Underlying Product: 246  
 Protocols and Profiles: 0071 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-003 Intermediate Systems Product ID: 251

**Supplier:** 000104

Wellfleet Communications, Inc.  
8 Federal Street  
Billerica, MA 01821  
Contact: Kathy Huber  
Tel: (508) 663-6676 Fax: (508) 670-5747  
Email: khuber@wellfleet.com

GOSIP Product: Feeder Node (FN) S/W Version 7.70

Version/Release: Version 7.70 Release Date: 24-MAR-94

Additional Info: Claimed HW are I/O Cards which are interchangeable with the DSDE I/O Card. Multiple I/O Cards may be used within the same node.

Registration: PROV, GOSIP Version 2/registered

Date: 17-MAY-94 Reason for Removal:

Basis: DERIVED Base Products: 249

Tested Hardware/Operating System Platforms: 0210

H/W: Feeder Node (FN) DSDE I/O Card O/S: Embedded in product

Claimed Compatibility Hardware/Software Platforms: 0212

H/W: Dual Port Ethernet Link Module (DE) I/O Card; Quad Port Ethernet Link Module (QENET) I/O Card; Quad Port Synchronous Link Module (QSYNC) I/O Card O/S: Embedded in product

Connectivity: 0101 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: Embedded in prod; WAN: Embedded in prod

Underlying Product: 248

Protocols and Profiles: 0071 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364

CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

**Product Code/Type:** P-003 Intermediate Systems Product ID: 252

**Supplier:** 000104

Wellfleet Communications, Inc.  
8 Federal Street  
Billerica, MA 01821  
Contact: Kathy Huber

Tel: (508) 663-6676 Fax: (508) 670-5747  
Email: khuber@wellfleet.com

GOSIP Product: Link Node (LN) S/W Version 7.70

Version/Release: Version 7.70 Release Date: 24-MAR-94

Additional Info: Claimed HW are I/O Cards which are interchangeable with the DSDE I/O Card. Multiple I/O Cards may be used within the same node.

Registration: PROV, GOSIP Version 2/registered

Date: 17-MAY-94 Reason for Removal:

Basis: DERIVED Base Products: 249

Tested Hardware/Operating System Platforms: 0207

H/W: Link Node (LN) DSDE I/O Card O/S: Embedded in Product

Claimed Compatibility Hardware/Software Platforms: 0212

H/W: Dual Port Ethernet Link Module (DE) I/O Card; Quad Port Ethernet Link Module (QENET) I/O Card; Quad Port Synchronous Link Module (QSYNC) I/O Card O/S: Embedded in product

Connectivity: 0101 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: Embedded in prod; WAN: Embedded in prod

Underlying Product: 245

Protocols and Profiles: 0071 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364

CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

**Product Code/Type:** P-003 Intermediate Systems Product ID: 253

**Supplier:** 000104

Wellfleet Communications, Inc.  
8 Federal Street  
Billerica, MA 01821  
Contact: Kathy Huber

Tel: (508) 663-6676 Fax: (508) 670-5747  
Email: khuber@wellfleet.com

GOSIP Product: Concentrator Node (CN) S/W Version 7.70

Version/Release: Version 7.70

Release Date: 24-MAR-94

Additional Info: Claimed HW are I/O Cards which are interchangeable with the DSDE I/O Card. Multiple I/O Cards may be used within the same node.

Registration: PROV, GOSIP Version 2/registered

Date: 17-MAY-94 Reason for Removal:

Basis: BASE Base Products: N/A

Tested Hardware/Operating System Platforms: 0213

H/W: Concentrator Node (CN) DSDE I/O Card  
O/S: Embedded in product

Claimed Compatibility Hardware/Software Platforms: 0212

H/W: Dual Port Ethernet Link Module (DE) I/O Card; Quad Port Ethernet Link Module (QENET) I/O Card; Quad Port Synchronous Link Module (QSYNC) I/O Card O/S: Embedded in product

Connectivity: 0101 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: Embedded in prod; WAN: Embedded in prod

Underlying Product: 247

Protocols and Profiles: 0071 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364

CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

**Product Code/Type:** P-003 Intermediate Systems Product ID: 276

**Supplier:** 000104

Wellfleet Communications, Inc.  
8 Federal Street  
Billerica, MA 01821  
Contact: Kathy Huber

Tel: (508) 663-6676 Fax: (508) 670-5747  
Email: khuber@wellfleet.com

GOSIP Product: Access Feeder Node (AFN) S/W Version 7.70

Version/Release: Version 7.70 Release Date: 24-MAR-94

Additional Info: None

Registration: FULL, GOSIP Version 2/registered

Date: 22-AUG-94 Reason for Removal: N/A

Basis: BASE Base Products: N/A

Tested Hardware/Operating System Platforms: 0175

H/W: Access Feeder Node (AFN) O/S: Embedded in Product

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0101 Port 1: LLC1{802.2}/MAC{802.3}/10BaseT  
Port 2: X.25 PLP/X.25 LAP-B/V.35

Underlying Stack: LAN: Embedded in Prod; WAN: Embedded in Prod

Underlying Product: 275

Protocols and Profiles: 0071 CLNP{IS} [ISO 8473:1988] & ES-IS{IS} [ISO 9542:1988] {Dynamic Routing Claimed}

ATS Used: ATS:2-7.1

Conformance Lab: 0364

CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 219

**Supplier:** 000015

Bull Information Systems Incorporated  
Technology Park  
Billerica, MA 01821-4199

**Contact:** Kenneth Finkenauer

Tel: (508) 294-2909 Fax:

**GOSIP Product:** GCOS6/HVS

Version/Release: Release 2.0 Update 3

Release Date: 23-MAR-92

Additional Info:

Registration: PROV, GOSIP Version 1/registered

Date: 04-FEB-94 Reason for Removal:

Basis: BASE Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0184

H/W: DPS6000 w/LACS Controller

O/S: HVS6 Release 2 Update 3

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0106

LLC1{802.2}/MAC{802.3}/LACS Controller

**Underlying Stack:** IOS 8802.2/8802.3 on Bull HN LACS Controller  
for HVS6 Systems

**Underlying Product:**

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-9 and ATS:1-7

Conformance Lab: 0355

Bull HN Conformance Test Center  
13430 N Black Canyon Hwy, P.O. Box 8000  
Phoenix, AZ 85029

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 230

**Supplier:** 000127

Bull Information Systems, Inc.  
13430 North Black Canyon  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001

Fax: (602) 862-4026

**GOSIP Product:** DPX/20 AIX 3 Stack B

Version/Release: Version 1.0

Release Date: 01-OCT-93

Additional Info: None

Registration: PROV, GOSIP Version 2/registered

Date: 08-MAR-94 Reason for Removal:

Basis: BASE Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0195

H/W: DPX/20 Models 100, 400, 600, & 800

O/S: AIX Version 3

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0107

LLC1{802.2}/MAC{802.3}/10Base5

**Underlying Stack:** DPX/20 AIX 802.3 Underlying Product:

Protocols and Profiles: 0004

TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtgng Claimed}

ATS Used: ATS:2-9.1 and ATS:2-7

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB  
1 Rue de Provence, BP 208  
38432 Echirolles France

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 94

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001

Fax: (602) 862-6051

**GOSIP Product:** DPX/2 B.O.S. (Stack B)

Version/Release: Ver 2

Release Date: 01-OCT-91

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 13-NOV-92

Reason for Removal:

Basis: BASE

Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0087

DPX/2 200, O/S B.O.S. 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer

**Underlying Product:**

Protocols and Profiles: 0010

Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB  
1 Rue de Provence, BP 208  
38432 Echirolles France

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 95

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001

Fax: (602) 862-6051

**GOSIP Product:** Datanet (DCP 7500)

Version/Release: DNS Ver 4 Update 1

Release Date: 01-JAN-92

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 13-NOV-92

Reason for Removal:

Basis: BASE

Base Products: n/a

**Tested Hardware/Operating System Platforms:** 0086

DCP 7500

O/S DNS Ver 4 Update 1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** DATANET DCP 7500 X.25 Packet Layer

DATANET DCP 7500 X.25 Frame Layer

**Underlying Product:**

Protocols and Profiles: 0010

Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB  
1 Rue de Provence, BP 208  
38432 Echirolles France

## GOSIP REGISTERS, *Continued*

---

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 96

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001 Fax: (602) 862-6051

**GOSIP Product:** DPX/2 B.O.S. (Stack B)

**Version/Release:** Ver 2 **Release Date:** 01-OCT-91

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

Tested Hardware/Operating System Platforms: 0087

DPX/2 200, O/S B.O.S. 2

Claimed Compatibility Hardware/Software Platforms: 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer

Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB  
1 Rue de Provence, BP 208  
38432 Echirolles France

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 97

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001

Fax: (602) 862-6051

**GOSIP Product:** DPX/2 B.O.S. (Stack B)

**Version/Release:** Ver/Rel 2

**Release Date:** 01-OCT-91

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

Tested Hardware/Operating System Platforms: 0087

DPX/2 200, O/S B.O.S. 2

Claimed Compatibility Hardware/Software Platforms: 0001

**Connectivity:** 0010

LLC1{802.2}/MAC{802.3}

Underlying Stack: DPX/2, BOS 2, ISO 8802-2/3 (LAN)

Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB  
1 Rue de Provence, BP 208  
38432 Echirolles France

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 98

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001 Fax: (602) 862-6051

**GOSIP Product:** DATANET DCP 7500

**Version/Release:** DNS Ver 4 Update 1

**Release Date:** 01-JAN-92

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

Tested Hardware/Operating System Platforms: 0086

DCP 7500

O/S DNS Ver 4 Update 1

Claimed Compatibility Hardware/Software Platforms: 0001

**Connectivity:** 0010

LLC1{802.2}/MAC{802.3}

Underlying Stack: Datanet DCP 7500 ISO 8802-2/3 (LAN)

Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 99

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001 Fax: (602) 862-6051

**GOSIP Product:** DATANET DCP 7500

**Version/Release:** DNS Ver 4 Update 1

**Release Date:** 01-JAN-92

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

Tested Hardware/Operating System Platforms: 0086

DCP 7500

O/S DNS Ver 4 Update 1

Claimed Compatibility Hardware/Software Platforms: 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: Datanet DCP 7500 X.25 Packet Layer; Datanet

DCP 7500 X.25 Frame Layer

Underlying Product:

Protocols and Profiles: 0011

Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 101

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001 Fax: (602) 862-6051

**GOSIP Product:** DPX/2 B.O.S (Stack B)

**Version/Release:** 2

**Release Date:** 01-OCT-92

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

Tested Hardware/Operating System Platforms: 0087

DPX/2 200, O/S B.O.S. 2

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046 X.25 PLP/HDLC LAP-B

Underlying Stack: DPX/2 X.25 Packet Layer; DPX/2 X.25 Frame Layer

Underlying Product:

**Protocols and Profiles:** 0011

Transport Class 4-CONS [ISO 8073:1988]

**ATS Used:** ATS:1-9

**Conformance Lab:** 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 169

**Supplier:** 000001

Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

**Contact:** Oscar Hefner

Tel: (602) 862-6001

Fax: (602) 862-6051

**GOSIP Product:** DATANET DCP 7500

**Version/Release:** DNS Ver 4 Update 1

**Release Date:** 01-JAN-92

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-NOV-92

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

Tested Hardware/Operating System Platforms: 0086

DCP 7500

O/S DNS Ver 4 Update 1

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: Datanet DCP 7500 X.25 Packet Layer; Datanet

DCP 7500 X.25 Frame Layer.

Underlying Product:

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 AND ATS:1-9

**Conformance Lab:** 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 38

**Supplier:** 000035

Control Data Corporation  
4201 North Lexington Avenue  
Arden Hills, MN 55126-6198

**Contact:** J. Carey

Tel: (612) 482-2567 Fax: (612) 482-2791

**GOSIP Product:** Control Data EP/IX Access & Directory

**Version/Release:** Ver 1.4.2

**Release Date:** 27-NOV-91

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 25-FEB-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

Tested Hardware/Operating System Platforms: 0052

Control Data 4000

Control Data EP/IX Version 1.4.2

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0027 PLS{802.3}/10Base5

Underlying Stack: Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 and ATS:1-9

**Conformance Lab:** 0354

Control Data Corporation, OSI Accredited Test Center

4201 North Lexington Avenue

Arden Hills, MN 55126-6198

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 88

**Supplier:** 000003

Control Data Corporation  
4201 North Lexington Avenue  
Arden Hills, MN 55126-6198

**Contact:** Ronald Swan

Tel: (612) 482-6257

Fax: (612) 482-3616

**GOSIP Product:** CDCNET

**Version/Release:** Ver 1.6.1 / B720

**Release Date:** 01-MAR-92

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 09-NOV-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

Tested Hardware/Operating System Platforms: 0083

CDCNET Device Interface DY-227-B, O/S NONE

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: CDCNET, Ver 1.6.1, X.25

Underlying Product:

Protocols and Profiles: 0010

Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

**Conformance Lab:** 0354

Control Data Corporation, OSI Accredited Test Center

4201 North Lexington Avenue

Arden Hills, MN 55126-6198

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 170

Supplier: 000003

Control Data Corporation  
4201 North Lexington Avenue  
Arden Hills, MN 55126-6198

Contact: Ronald Swan

Tel: (612) 482-6257 Fax: (612) 482-3616

GOSIP Product: CDCNET

Version/Release: 1.7.1/BCU #803AA Release Date: 01-MAR-92

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 09-FEB-93 Reason for Removal:

Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0153

CYBER 930 Host and Mainframe Device Interface (MDI),  
Mainframe Device Interface (TDI), or Integrated Communications  
Adapter (ICA) CYBER O/S, NOS/Ver 1.7.7, ICA is stand-alone  
(Self Contained)

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0010 LLC1{802.2}/MAC{802.3}

Underlying Stack: CDCNET Ethernet Serial Channel Interface

Product 46 (P-2 LAN) (Registered October 15, 1992)

Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS: 1-7 AND ATS:1-9

Conformance Lab: 0354

Control Data Corporation, OSI Accredited Test Center  
4201 North Lexington Avenue  
Arden Hills, MN 55126-6198

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 233

Supplier: 000128

Cray Communications A/S  
Smedeholm 12-14  
Herlev DK 2730 Denmark

Contact: Sven Olav Lund

Tel: 45 44 53 01 00 Fax: 45 44 53 14 15

GOSIP Product: Cray OSI/TP4 Protocol Stack

Version/Release: Version 6.21 Release Date: 12-MAR-93

Additional Info: Tested hardware platform for this submission is the CS-7000. Vendor claims other hardware compatibility as listed in this registration.

Registration: PROV, GOSIP Version 2/registered

Date: 08-MAR-94 Reason for Removal:

Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0196

H/W: CS-6101,CS-6264,CS-6364,CS-6600,CS-7000,CS-1400

H/W: TM-0101,TM-0201,TM-0601,TM-0602

O/S: Cray Kernel V6.10 (xcmts610.ncc)

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0112 LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: Cray Kernel V6.10 (xcmts610.ncc)

Underlying Product:

Protocols and Profiles: 0004

TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rngg Claimed}

ATS Used: ATS:2-9.2 and ATS:2-7

Conformance Lab: 0357

National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 76

Supplier: 000036

Data General Corporation  
4400 Computer Drive, MS/D216  
Westboro, MA 01580

Contact: Charles Stakus

Tel: (508) 870-6392 Fax: (508) 898-4694

GOSIP Product: OSI/Platform for AViiON Systems

Version/Release: Ver 3.0

Release Date: 01-JUN-92

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 23-OCT-92

Reason for Removal:

Basis: BASE

Base Products: n/a

Tested Hardware/Operating System Platforms: 0053

AViiON 5000/6000 Series

DG/UX System for AViiON Systems Rev. 5.4.1

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0010

LLC1{802.2}/MAC{802.3}

Underlying Stack: Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: 0371

Alcatel TITN Test Center

7011 Koll Center Parkway, Suite 200

Pleasanton, CA 94566-3101

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 77

Supplier: 000036

Data General Corporation  
4400 Computer Drive, MS/D216  
Westboro, MA 01580

Contact: Charles Stakus

Tel: (508) 870-6392

Fax: (508) 898-4694

GOSIP Product: OSI/Platform for AViiON Systems

Version/Release: Ver 3.0

Release Date: 01-JUN-92

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 23-OCT-92

Reason for Removal:

Basis: BASE

Base Products: n/a

Tested Hardware/Operating System Platforms: 0053

AViiON 5000/6000 Series

DG/UX System for AViiON Systems Rev. 5.4.1

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: Underlying Product:

Protocols and Profiles: 0010

Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: 0371

Alcatel TITN Test Center

7011 Koll Center Parkway, Suite 200

Pleasanton, CA 94566-3101

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 89

Supplier: 000036

Data General Corporation  
4400 Computer Drive, MS/D216  
Westboro, MA 01580

Contact: Charles Stakus

Tel: (508) 870-6392 Fax: (508) 898-4694

GOSIP Product: OSI/Platform for AViiON Systems

Version/Release: Ver 3.0

Release Date: 01-JUN-92

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 13-NOV-92 Reason for Removal:

Basis: DERIVED Base Products:

Tested Hardware/Operating System Platforms: 0053

AViiON 5000/6000 Series

DG/UX System for AViiON Systems Rev. 5.4.1

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: X.25 for AViiON Systems, Ver. 2.20

Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 AND ATS:1-9

Conformance Lab: 0391

Data General Corporation, OSI Conformance Test Center

4400 Computer Drive, MS/D216

Westborough, MA 01580

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 193

Supplier: 000102

Data General Corporation  
4400 Computer Drive  
Westboro, MA 01580

Contact: Peter Conway

Tel: (508) 898-7176 Fax: (508) 898-4212

GOSIP Product: OSI/Platform for AViiON Systems

Version/Release: Version 3.30 Release Date: 01-OCT-93

Additional Info: Product tested on Model AV8500 platform. Vendor claims support for other H/W platforms as listed.

Registration: PROV, GOSIP Version 2/registered

Date: 30-SEP-93 Reason for Removal:

Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0240

H/W: AV8500

O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10

Claimed Compatibility Hardware/Software Platforms: 0241

H/W: AViiON AV500, AV4000, AV500, AV6000, AV7000, AV8000, AV8500, AV9000

Connectivity: 0095 LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: LAN: LLC and MAC contained in DG/UX 5.4R2.10, embedded in product.

Underlying Product:

Protocols and Profiles: 0004

TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtng Claimed}

ATS Used: ATS:2-7 and ATS:2-9.2

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 207

Supplier: 000102

Data General Corporation  
4400 Computer Drive  
Westboro, MA 01580

Contact: Peter Conway

Tel: (508) 898-7176 Fax: (508) 898-4212

GOSIP Product: OSI/Platform for AViiON Systems

Version/Release: Version 3.30

Release Date: 01-OCT-93

Additional Info: Product tested over AViiON AV8500

Registration: PROV, GOSIP Version 2/registered

Date: 20-DEC-93 Reason for Removal:

Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0240

H/W: AV8500

O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10

Claimed Compatibility Hardware/Software Platforms: 0241

H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000,

AV8000, AV8500, AV9000

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: X.25 for AViiON Systems, Ver. 2.40, 01-OCT-93, GOSIP Ver. 2, Product ID 204

Underlying Product:

Protocols and Profiles: 0010

Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:2-8

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 211

Supplier: 000102

Data General Corporation  
4400 Computer Drive  
Westboro, MA 01580

Contact: Peter Conway

Tel: (508) 898-7176 Fax: (508) 898-4212

GOSIP Product: OSI/Platform for AViiON Systems

Version/Release: Version 3.30 Release Date: 01-OCT-93

Additional Info: Model AV8500 tested. Vendor claims support for other H/W models listed.

Registration: PROV, GOSIP Version 2/registered

Date: 13-JAN-94 Reason for Removal:

Basis: DERIVED Base Products:

Tested Hardware/Operating System Platforms: 0240

H/W: AV8500

O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10

Claimed Compatibility Hardware/Software Platforms: 0241

H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000

Connectivity: 0063 X.25 PLP/X.25 LAP-B/RS-232C

Underlying Stack: X.25 for AViiON Systems, Version 2.40, 01-OCT-93, GOSIP Version 2, Product ID: 204

Underlying Product:

Protocols and Profiles: 0004

TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtng Claimed}

ATS Used: ATS:2-7 and ATS:2-9.2

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 128

**Supplier:** 000005  
 Digital Equipment Corp  
 550 King Street  
 Littleton, MA 01460-1289

**Contact:** Richard Duhamel  
 Tel: (508) 486-5021 Fax: (508) 486-7417  
 Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DECnet-VAX (TM) Ver 5.4 EXTENSIONS

**Version/Release:** Ver 5.4  
**Release Date:** 01-SEP-91  
**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 26-JAN-93 **Reason for Removal:**

**Basis:** BASE **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0113

MicroVAX 3800 VMS Ver 5.4

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046 X.25 PLP/HDLC LAP-B

**Underlying Stack:** VAX Packet System Interface for DECnet(TM)  
 5.4 Extensions, September 1991

**Underlying Product:**

**Protocols and Profiles:** 0010  
 Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

**Conformance Lab:** 0362

Digital Equipment Corporation, OSI Conformance  
 Interoperability Test Center  
 550 King Street, MS LKG2A/R5  
 Littleton, MA 01460-1289

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 129

**Supplier:** 000005  
 Digital Equipment Corp  
 550 King Street  
 Littleton, MA 01460-1289

**Contact:** Richard Duhamel  
 Tel: (508) 486-5021 Fax: (508) 486-7417  
 Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DECnet/OSI for OpenVMS VAX V5.5/VOTS, v3.0A

**Version/Release:** Ver 3.0A **Release Date:** 11-SEP-92  
**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 13-JAN-93 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:**

**Tested Hardware/Operating System Platforms:** 0115

MicroVAX - II, 2000, 3100, 3300/3400, 3500, 3600, 3800, 3900;  
 VAXstation - II, 2000, 3100, 3200, 3500, 3520, 3540, 4000;  
 VAXserver - 3100, 3300/3400, 3500, 3600, 3602, 3800, 3900, 6000;  
 VAX - 11/730, 11/750, 11/780, 11/785, 4000, 6000, 8200, 8250, 8300,  
 8350, 85xx, 8600, 8650, 8700, 8800, 8810, 8820, 8830, 8840, 9000;  
 VAXft - M110/310, M410/610/612, WITH O/S OpenVMS V5.5

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0010 LLC1{802.2}/MAC{802.3}

**Underlying Stack:** Digital DESQA CSMA/CD LAN Controller; DEC  
 (MAU) 44005; DEC (AUI) BNE4D-02; DEC  
 (LLC) OpenVMS for VAX, Ver 5.5-2

**Underlying Product:**

**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 AND ATS:1-9

**Conformance Lab:** 0362  
 Digital Equipment Corporation, OSI Conformance  
 Interoperability Test Center  
 550 King Street, MS LKG2A/R5  
 Littleton, MA 01460-1289

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 144

**Supplier:** 000005  
 Digital Equipment Corp  
 550 King Street  
 Littleton, MA 01460-1289

**Contact:** Richard Duhamel  
 Tel: (508) 486-5021 Fax: (508) 486-7417  
 Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DECnet/OSI for ULTRIX

**Version/Release:** Ver 5.1-EC00193 **Release Date:** 02-JAN-93  
**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 31-MAR-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0135

1- DECstations 2100, 3100s, 5000/20, 5000/25, 5000/125, 5000/200,  
 and 500/240 w Integrated Ethernet Controller  
 ULTRIX Worksystem Software, Ver 4.2A  
 2- DECSystems 5000/200, 5000/240, 5100, 5400, 5500, 5810, 5820,  
 5830, 5840, 5900 with Integrated Ethernet Controller  
 ULTRIX Ver 4.2A

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0010 LLC1{802.2}/MAC{802.3}

**Underlying Stack:** DECNet/OSI for ULTRIX Ver 5.1-EC00193

Layered product for ULTRIX; Chipset integrated with the CPU

**Underlying Product:**

**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 and ATS:1-9

**Conformance Lab:** 0362  
 Digital Equipment Corporation, OSI Conformance  
 Interoperability Test Center  
 550 King Street, MS LKG2A/R5  
 Littleton, MA 01460-1289

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 268

**Supplier:** 000005  
 Digital Equipment Corp  
 550 King Street  
 Littleton, MA 01460-1289

**Contact:** Richard Duhamel  
 Tel: (508) 486-5021 Fax: (508) 486-7417  
 Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DECnet/OSI for DEC OSF/1 AXP

**Version/Release:** Version 2.0 **Release Date:** 14-MAR-94  
**Additional Info:** Minimum memory configuration is 32 MB, and  
 minimum space requirement is 680 MB.

**Registration:** PROV, GOSIP Version 2/registered

**Date:** 22-AUG-94 **Reason for Removal:** N/A  
**Basis:** BASE **Base Products:** N/A

**Tested Hardware/Operating System Platforms:** 0221

DEC 3000 Model 500 AXP Workstation  
 DEC OSF/1 Operating System, Version 2.0

**Claimed Compatibility Hardware/Software Platforms:** 0251

H/W: DEC 3000 Models 300, 300X, 300LX, 400, 500X, 600 &  
 800 AXP Workstations

O/S: DEC 3000 Models 400, 500, 600 & 800 AXP Servers

**Connectivity:** 0127 X.25 PLP/X.25 LAP-B/RS232

**Underlying Stack:** X.25 V1.0A for DEC OSF/1 Systems

**Underlying Product:** 270

**Protocols and Profiles:** 0010 Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:2-8

**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

## GOSIP REGISTERS, Continued

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 271  
**Supplier:** 000005

Digital Equipment Corp  
 550 King Street  
 Littleton, MA 01460-1289  
**Contact:** Richard Duhamel  
 Tel: (508) 486-5021 Fax: (508) 486-7417  
 Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DECnet/OSI V5.7 for OpenVMS AXP

**Version/Release:** Version 5.7

**Release Date:** 18-MAY-94

**Additional Info:** Minimum memory configuration is 32 MB, and minimum disk space requirement is 407 MB.

**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 22-AUG-94 **Reason for Removal:** N/A

**Basis:** BASE **Base Products:** N/A

**Tested Hardware/Operating System Platforms:** 0249

H/W: DEC 3000 Model 500 AXP Workstation

O/S: OpenVMS AXP V6.1

**Claimed Compatibility Hardware/Software Platforms:** 0250

H/W: DEC 2000 Models 300 & 500 AXP Workstations

O/S: DEC 2100 Server A500MP

H/W: DEC 3000 Models 300,300L,300X,300LX,400,500,500X, 600&800 AXP Workstations

O/S: DEC 3000 Models 400, 500, 600 & 800 AXP Servers

**Connectivity:** 0127 X.25 PLP/X.25 LAP-B/RS232

**Underlying Stack:** X.25 V1.0 for Open VMS AXP Systems

**Underlying Product:** 272

**Protocols and Profiles:** 0010 Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:2-8

**Conformance Lab:** 0357

National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 54

**Supplier:** 000045

Digital Equipment Corporation  
 Digital Park  
 Reading RG2 OTE United Kingdom

**Contact:** Bill Daley

**GOSIP Product:** DECnet-VAX (TM) Extensions V5.4A/VOTS V3.0A

**Version/Release:** 5.4A

**Release Date:** 01-APR-92

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 16-AUG-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0066

Digital VAX Computer with VMS C5.4A+ Operating System

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0010 LLC1{802.2}/MAC{802.3}

**Underlying Stack:** Underlying Product:

**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 and ATS:1-9

**Conformance Lab:** 0362

Digital Equipment Corporation, OSI Conformance  
 Interoperability Test Center  
 550 King Street, MS LKG2A/R5  
 Littleton, MA 01460-1289

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 240

**Supplier:** 000106

Digital Equipment Corporation, OSI Conformance  
 Interoperability Test Center  
 550 King Street, MS LKG2A/R5  
 Littleton, MA 01460-1289

**Contact:** Richard Duhamel

Tel: (508) 486-5021 Fax: (508) 486-5514

Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DECnet/OSI for Open VMS VAX

**Version/Release:** Version 5.7 **Release Date:** 21-JAN-94

**Additional Info:** None

**Registration:** PROV, GOSIP Version 2/registered

**Date:** 09-JUN-94 **Reason for Removal:**

**Basis:** BASE **Base Products:** N/A

**Tested Hardware/Operating System Platforms:** 0223

H/W: VAXserver 3600 O/S: OpenVMS VAX Operating System V 6.0

**Claimed Compatibility Hardware/Software Platforms:** 0224

Processors Not Supported: MicroVAX I, VAXstation I,  
 VAX-11/725, VAX-II/782, and VAXstation 8000; All other VAX  
 supported

**Connectivity:** 0119 LLC1{802.2}/MAC{802.3}/10Base2

**Underlying Stack:** Embedded in Product **Underlying Product:** N/A

**Protocols and Profiles:** 0004 TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]; CLNP{ES}  
 [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtgng Claimed}

**ATS Used:** ATS:2-7 & ATS:2-9.2

**Conformance Lab:** 0357

National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 243

**Supplier:** 000106

Digital Equipment Corporation, OSI Conformance  
 Interoperability Test Center  
 550 King Street, MS LKG2A/R5  
 Littleton, MA 01460-1289

**Contact:** Richard Duhamel

Tel: (508) 486-5021 Fax: (508) 486-5514

Email: duhamel@woof.enet.dec.com

**GOSIP Product:** DECnet/OSI Version 2.0 for DEC OSF/1 AXP

**Version/Release:** Version 2.0 **Release Date:** 14-MAR-94

**Additional Info:**

**Registration:** PROV, GOSIP Version 2/registered

**Date:** 09-JUN-94 **Reason for Removal:**

**Basis:** BASE **Base Products:**

**Tested Hardware/Operating System Platforms:** 0221

DEC 3000 Model 500 AXP Workstation

DEC OSF/1 Operating System, Version 2.0

**Claimed Compatibility Hardware/Software Platforms:** 0222

DEC 3000 Series Workstations and Servers; DEC 2000 Model 300  
 AXP Workstation; DEC 4000 Model 610 AXP System; DEC 7000  
 Model 610 AXP System; DEC 10000 Model 610 AXP System

**Connectivity:** 0095 LLC1{802.2}/MAC{802.3}/10BaseT

**Underlying Stack:** Embedded in Product **Underlying Product:** N/A

**Protocols and Profiles:** 0004 TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn

Rtgng Claimed}

**ATS Used:** ATS:2-7 & ATS:2-9.2

**Conformance Lab:** 0357

National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 55

**Supplier:** 000040

Encore Computing Corporation  
6901 West Sunrise Boulevard  
Ft. Lauderdale, FL 33313-4499

**Contact:** Augie Gonzales

Tel: (305) 587-2900    Fax: (305) 797-5807

**GOSIP Product:** Encore EnComm ISO Transport Services  
Version/Release: Ver 3.0.0    Release Date: 01-AUG-92

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date:                      Reason for Removal:

Basis:                     BASE    Base Products: n/a

Tested Hardware/Operating System Platforms: 0067

H/W: Encore Infinity 90 Series GPIO I    O/S: UMAX Ver. 3.0.7

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: EnComm VME Ethernet Drvr 2.1 over Encore  
VME Ethernet Cntrllr (VSSC) #8513-047  
SynOptics Enterprise/Dpt Hub Configuration

Underlying Product:

Protocols and Profiles: 0046

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 56

**Supplier:** 000040

Encore Computing Corporation  
6901 West Sunrise Boulevard  
Ft. Lauderdale, FL 33313-4499

**Contact:** Augie Gonzales

Tel: (305) 587-2900    Fax: (305) 797-5807

**GOSIP Product:** EnComm ISO Transport Services

Version/Release: Ver 3.0.0

Release Date: 01-AUG-92

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 31-AUG-92

Reason for Removal:

Basis:                     BASE

Base Products: n/a

Tested Hardware/Operating System Platforms: 0067

H/W: Encore Infinity 90 Series GPIO I

O/S: UMAX Ver. 3.0.7

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0094

CLNP{ES}/LLC1{802.2}/MAC{802.3}

CLNP{ES}/X.25 PLP/X.25 LAP-B

Underlying Stack: Encore/SynOptics LattisNet Mdl 3030

CLNP{ES}/LAN; Encore/SynOptics Departmental

Hub CLNP{ES}/LAN; EnComm ISO

CLNP{ES}/EnComm X.25 and PAD Revision 3.0

Underlying Product:

Protocols and Profiles: 0075

Transport Class 4-CLNS [ISO 8073:1988 / Add2:1989]

ATS Used: ATS:1-9

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 57

**Supplier:** 000040

Encore Computing Corporation  
6901 West Sunrise Boulevard  
Ft. Lauderdale, FL 33313-4499

**Contact:** Augie Gonzales

Tel: (305) 587-2900    Fax: (305) 797-5807

**GOSIP Product:** EnComm ISO Transport Services

Version/Release: Ver 3.0.0    Release Date: 01-JUL-92

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 31-AUG-92    Reason for Removal:

Basis:                     BASE    Base Products: n/a

Tested Hardware/Operating System Platforms: 0067

H/W: Encore Infinity 90 Series GPIO I

O/S: UMAX Ver. 3.0.7

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: Encore EnComm X.25 and PAD Rev 3.0.0,  
15-JUN-92

Underlying Product:

Protocols and Profiles: 0010

Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 58

**Supplier:** 000040

Encore Computing Corporation  
6901 West Sunrise Boulevard  
Ft. Lauderdale, FL 33313-4499

**Contact:** Augie Gonzales

Tel: (305) 587-2900    Fax: (305) 797-5807

**GOSIP Product:** Encore EnComm ISO Transport Services

SynOptics LattisNet Mdl 3030 Concentrator

Version/Release: V3.0.0    Release Date: 01-AUG-92

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 27-OCT-92

Reason for Removal:

Basis:                     BASE

Base Products: n/a

Tested Hardware/Operating System Platforms: 0067

H/W: Encore Infinity 90 Series GPIO I

O/S: UMAX Ver. 3.0.7

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0095

LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: EnComm VME Ethernet Drvr 2.1 over Encore

VME Ethernet Cntrllr (VSSC) #8523-444

SynOptics LattisNet Model 3030 Concentrator,

3313 Ethernet MMM, and 3308 Host

Underlying Product:

Protocols and Profiles: 0046

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7

Conformance Lab: 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 78

Supplier: 000040

Encore Computing Corporation  
6901 West Sunrise Boulevard  
Ft. Lauderdale, FL 33313-4499

Contact: Augie Gonzales

Tel: (305) 587-2900 Fax: (305) 797-5807

GOSIP Product: Encore EnComm ISO Transport Services over  
SynOptics Enterprise/Dpt Hub Configur.

Version/Release: Ver 3.0.0 Release Date: 01-AUG-92

Additional Info: Components of SynOptics Enterprise/Department  
Hub Configuration listed in underlying stack.

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 27-OCT-92 Reason for Removal:

Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0067

H/W: Encore Infinity 90 Series GPIO I  
O/S: UMAX Ver. 3.0.7

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0095 LLC1{802.2}/MAC{802.3}/10BaseT

Underlying Stack: EnComm VME Ethnt Drvr 2.1, Encore VME Ethnt  
Cntrl 8513-047, Hub (3000N, 3313A-04, 3314A-04, 504A, 3595A-01,  
3308A, 2813-04, 3304-ST, 3301, 3323S, 3383-02, 508A)

Underlying Product:

Protocols and Profiles: 0046

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7

Conformance Lab: 0364

CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 4

Supplier: 000018

Hewlett-Packard Company  
19420 Homestead Road  
Cupertino, CA 95014-9810

Contact: Murali Subbarao

Tel: (408) 447-2822 Fax: (408) 447-3660

GOSIP Product: HP OSI Transport Services/9000, P/N 32070A

Version/Release: Ver C.02.00

Release Date: 10-JUN-91

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 28-MAY-91

Reason for Removal:

Basis: BASE

Base Products: n/a

Tested Hardware/Operating System Platforms: 0013

HP 9000 Series 800/HP-UX Operating System, Version 8.0

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0010

LLC1{802.2}/MAC{802.3}

Underlying Stack: Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: 0365

Hewlett-Packard Company, OSI Conformance Test Center  
19420 Homestead Road, MS 43UJ  
Cupertino, CA 95014-9810

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 212

Supplier: 000018

Hewlett-Packard Company  
19420 Homestead Road  
Cupertino, CA 95014-9810

Contact: Murali Subbarao

Tel: (408) 447-2822 Fax: (408) 447-3660

GOSIP Product: HP OSI Transport Services/9000 (OTS/9000) Ser 800

Version/Release: V C.04.00 (PHNE\_2954) Release Date: 17-AUG-93

Additional Info: OTS/9000 is available on all machines in the HP9000  
Series 800 family. OTS runs on top of 10Base2, 10BaseT or  
10Base5 and utilizes the same driver for each.

Registration: PROV, GOSIP Version 2/registered

Date: 10-JAN-94 Reason for Removal:

Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0181

H/W: HP9000 Series 800 O/S: HP-UX Version A.09.00

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0104 LLC1{802.2}/MAC{802.3}/10Base2  
LLC1{802.2}/MAC{802.3}/10BaseT  
LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: LAN/9000 LinkHP J2146A for HP9000 Series  
8x7,890 & LAN/9000 LinkHP 36967A for HP9000 Series 8x2,  
and other series 800. Can be bundled on Series 8x7, and 890.

Underlying Product:

Protocols and Profiles: 0004 TP4-CLNS/CLNP{ES} & ES-IS{ES}  
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]; CLNP{ES}  
[ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rngg Claimed}

ATS Used: ATS:2-9.2 and ATS:2-7

Conformance Lab: 0357

National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 213

Supplier: 000018

Hewlett-Packard Company  
19420 Homestead Road  
Cupertino, CA 95014-9810

Contact: Murali Subbarao

Tel: (408) 447-2822 Fax: (408) 447-3660

GOSIP Product: HP OSI Transport Services/9000 (OTS/9000) Ser 700

Version/Release: Version C.04.00 (PHNE\_2955)

Release Date: 17-AUG-93

Additional Info: OTS/9000 is available on all machines in the HP  
9000 Series 700 family. OTS runs on top of 10Base2, 10BaseT, or  
10Base5 and utilizes the same driver for each.

Registration: PROV, GOSIP Version 2/registered

Date: 10-JAN-94 Reason for Removal:

Basis: DERIVED Base Products:

Tested Hardware/Operating System Platforms: 0182

H/W: HP 9000 Series 700 O/S: HP-UX Version A.09.00

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0104 LLC1{802.2}/MAC{802.3}/10Base2  
LLC1{802.2}/MAC{802.3}/10BaseT  
LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: LAN/9000 Link HP 25567A for HP 9000 Series  
700. Tested on HP 9000 Series 827S.

Underlying Product:

Protocols and Profiles: 0004 TP4-CLNS/CLNP{ES} & ES-IS{ES}  
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]; CLNP{ES}  
[ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rngg Claimed}

ATS Used: ATS:2-9.2 and ATS:2-7

Conformance Lab: 0357

National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 23

**Supplier:** 000085

IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome Italy  
**Contact:** Alberto Sinibaldi  
Tel: 39 6 5966-2281  
Fax: 39 6 5966-2467  
Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 01-NOV-91

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0036

**H/W:** IBM System 390

**O/S:** IBM MVS/ESA Ver 3 Rel 1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Provided by IBM NCP Packet Switching Interface.

**Underlying Product:**

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 24

**Supplier:** 000085

IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome Italy  
**Contact:** Alberto Sinibaldi  
Tel: 39 6 5966-2281  
Fax: 39 6 5966-2467  
Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 01-NOV-91

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

**Tested Hardware/Operating System Platforms:** 0037

**H/W:** IBM System 390

**O/S:** IBM VM/ESA Ver 1 Rel 1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Provided By IBM NCP Packet Switching Interface.

**Underlying Product:**

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 25

**Supplier:** 000085

IBM Rome Networking Systems Laboratory

Via Paolo Di Dono 44

00143 Rome Italy

**Contact:** Alberto Sinibaldi

Tel: 39 6 5966-2281

Fax: 39 6 5966-2467

Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 01-NOV-91

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

**Tested Hardware/Operating System Platforms:** 0038

**H/W:** IBM Systems 370/390

**O/S:** IBM VM/SP Rel 5

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Provided by IBM NCP Packet Switching Interface.

**Underlying Product:**

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 26

**Supplier:** 000085

IBM Rome Networking Systems Laboratory

Via Paolo Di Dono 44

00143 Rome Italy

**Contact:** Alberto Sinibaldi

Tel: 39 6 5966-2281

Fax: 39 6 5966-2467

Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 01-NOV-91

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0173

**H/W:** IBM Systems 370/390

**O/S:** IBM MVS/XA Ver 2 Rel 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Provided by IBM NCP Packet Switching Interface.

**Underlying Product:**

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 33

**Supplier:** 000085

IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome Italy

**Contact:** Alberto Sinibaldi

Tel: 39 6 5966-2281

Fax: 39 6 5966-2467

Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:** None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 12-FEB-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0036

**H/W:** IBM System 390

**O/S:** IBM MVS/ESA Ver 3 Rel 1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Provided by IBM NCP Packet Switching Interface.

**Underlying Product:**

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-9 and ATS:1-7

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 34

**Supplier:** 000085

IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome Italy

**Contact:** Alberto Sinibaldi

Tel: 39 6 5966-2281

Fax: 39 6 5966-2467

Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 12-FEB-92

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

**Tested Hardware/Operating System Platforms:** 0049

**H/W:** IBM Systems 370/390

**O/S:** IBM MVS/XA Ver 2 Rel 2, VM/SP Rel 5, VM/ESA Ver

1 Rel

1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Provided by IBM NCP Packet Switching Interface.

**Underlying Product:**

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-9 and ATS:1-7

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 35

**Supplier:** 000085

IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome Italy

**Contact:** Alberto Sinibaldi

Tel: 39 6 5966-2281

Fax: 39 6 5966-2467

Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 12-FEB-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0036

**H/W:** IBM System 390

**O/S:** IBM MVS/ESA Ver 3 Rel 1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Software: IBM OSI/Comm Subsystem V.1 R1.1 in IBM/S/390[802.2]; Interconnect Controller Program

V1.0 on IBM Interconnect Controller Program

(802.3). Hardware: IB

**Underlying Product:**

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 and ATS:1-9

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 36

**Supplier:** 000085

IBM Rome Networking Systems Laboratory

Via Paolo Di Dono 44

00143 Rome Italy

**Contact:** Alberto Sinibaldi

Tel: 39 6 5966-2281

Fax: 39 6 5966-2467

Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** OSI/Communications Subsystem

**Version/Release:** Ver 1 Rel 1.1

**Release Date:** 01-DEC-90

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 12-FEB-92

**Reason for Removal:**

**Basis:** DERIVED

**Base Products:**

**Tested Hardware/Operating System Platforms:** 0049

**H/W:** IBM Systems 370/390

**O/S:** IBM MVS/XA Ver 2 Rel 2, VM/SP Rel 5, VM/ESA Ver

1 Rel

1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** Provided by IBM NCP Packet Switching Interface.

**Underlying Product:**

**Protocols and Profiles:** 0011

Transport Class 4-CONS [ISO 8073:1988]

**ATS Used:** ATS:1-9 and ATS:1-9

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-004 TRANSPORT and CLNP Product ID: 112  <b>Supplier:</b> 000085            IBM Rome Networking Systems Laboratory            Via Paolo Di Dono 44            00143 Rome Italy  <b>Contact:</b> Alberto Sinibaldi            Tel: 39 6 5966-2281 Fax: 39 6 5966-2467            Email: Sinibald@romeppc.vnet.ibm.com</p> <p><b>GOSIP Product:</b> OSI Communications Subsystem/400            Version/Release: Ver 2 Rel 1.1 Release Date: 01-MAR-92            Additional Info:            Registration: PROV, Grndfthrd, V1-&gt;V2/registered            Date: 18-DEC-92 Reason for Removal:            Basis: BASE Base Products: n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0098            AS/400 9404            OS/400 Ver 2 Rel 1.1</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0046            X.25 PLP/HDLC LAP-B</p> <p><b>Underlying Stack:</b> IBM AS/400 X.25 Communications Support Program, Ver 2, Release 1.1</p> <p><b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0010            Transport Class 0 [ISO 8073:1988]</p> <p><b>ATS Used:</b> ATS:1-8</p> <p><b>Conformance Lab:</b> 0392            IBM Rome Networking Systems Laboratory            Via Paolo Di Dono 44            00143 Rome            Italy</p> <p><b>Product Code/Type:</b> P-004 TRANSPORT and CLNP Product ID: 116  <b>Supplier:</b> 000085            IBM Rome Networking Systems Laboratory            Via Paolo Di Dono 44            00143 Rome Italy  <b>Contact:</b> Alberto Sinibaldi            Tel: 39 6 5966-2281            Fax: 39 6 5966-2467            Email: Sinibald@romeppc.vnet.ibm.com</p> <p><b>GOSIP Product:</b> OSI/Communications Subsystem            Version/Release: Ver 1 Rel 1.1            Release Date: 01-DEC-90            Additional Info: None</p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered            Date: 04-JAN-93            Reason for Removal:            Basis: BASE            Base Products: n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0101            IBM Enterprise System/390 All Models (S/390, 43xx, 30xx),            IBM MVS/ESA, MVS/XA, IBM VM/SP, VM/ESA</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0010            LLC1{802.2}/MAC{802.3}</p> <p><b>Underlying Stack:</b> Provided by IBM NCP Packet Switching Interface.</p> <p><b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0003            TP4-CLNS/CLNP{ES}            Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]            CLNP{ES} [ISO 8473:1988] {Static Routing}</p> <p><b>ATS Used:</b> ATS:1-7 AND ATS:1-9</p>	<p><b>Product Code/Type:</b> P-004 TRANSPORT and CLNP Product ID: 117  <b>Supplier:</b> 000085            IBM Rome Networking Systems Laboratory            Via Paolo Di Dono 44            00143 Rome Italy  <b>Contact:</b> Alberto Sinibaldi            Tel: 39 6 5966-2281            Fax: 39 6 5966-2467            Email: Sinibald@romeppc.vnet.ibm.com</p> <p><b>GOSIP Product:</b> IBM AIX OSI Messaging and Filing/6000            Version/Release: Ver 1, Level 180            Release Date: 01-DEC-90            Additional Info:            Registration: PROV, Grndfthrd, V1-&gt;V2/registered            Date: 04-JAN-93            Reason for Removal:            Basis: BASE            Base Products: n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0102            IBM RISC System/6000 All Models (7011, 7012, 7013, 7015, 6016, OS AIX/6000)</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0010            LLC1{802.2}/MAC{802.3}</p> <p><b>Underlying Stack:</b> Software: IBM AIX/6000 Ver 3.1.5; Hardware: Ethernet Adapter 7013-2890</p> <p><b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0003            TP4-CLNS/CLNP{ES}            Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]            CLNP{ES} [ISO 8473:1988] {Static Routing}</p> <p><b>ATS Used:</b> ATS:1-7 AND ATS:1-9</p> <p><b>Product Code/Type:</b> P-004 TRANSPORT and CLNP Product ID: 209  <b>Supplier:</b> 000085            IBM Rome Networking Systems Laboratory            Via Paolo Di Dono 44            00143 Rome Italy  <b>Contact:</b> Alberto Sinibaldi            Tel: 39 6 5966-2281 Fax: 39 6 5966-2467            Email: Sinibald@romeppc.vnet.ibm.com</p> <p><b>GOSIP Product:</b> OSI Communications Subsystem/400            Version/Release: Version 2 Release 3            Release Date: 01-DEC-93            Additional Info: Derived from Base product ID: 112, which was grandfathered GOSIP V1 to V2</p> <p><b>Registration:</b> PROV, Grndfthrd, V1-&gt;V2/registered            Date: 20-DEC-93 Reason for Removal:            Basis: DERIVED Base Products:</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0179            H/W: AS/400            O/S: OS/400 Version 2 Release 3</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0046            X.25 PLP/HDLC LAP-B</p> <p><b>Underlying Stack:</b> AS/400 X.25 Communications Support, Version 2 Release 3, GOSIP Product ID: 183</p> <p><b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0010            Transport Class 0 [ISO 8073:1988]</p> <p><b>ATS Used:</b> ATS:1-8</p> <p><b>Conformance Lab:</b> 0392            IBM Rome Networking Systems Laboratory            Via Paolo Di Dono 44            00143 Rome            Italy</p>
--	---

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 259

**Supplier:** 000085

IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome Italy

**Contact:** Alberto Sinibaldi

Tel: 39 6 5966-2281 Fax: 39 6 5966-2467  
Email: Sinibald@romeppc.vnet.ibm.com

**GOSIP Product:** IBM AIX OSI Services/6000

**Version/Release:** Version 1 Release 1 **Release Date:** 01-APR-94

**Additional Info:** None

**Registration:** PROV, GOSIP Version 2/registered

**Date:** 01-AUG-94 **Reason for Removal:**

**Basis:** DERIVED **Base Products:** 230

**Tested Hardware/Operating System Platforms:** 0238

**H/W:** IBM RISC/6000 Model 32H **O/S:** IBM AIX/6000 Version 3.2.4

**Claimed Compatibility Hardware/Software Platforms:** 0239

**H/W:** IBM RISC/6000 Models 2xx, 3xx, 5xx and 9xx

**O/S:** IBM AIX/6000 Version 3

**Connectivity:** 0107 LLC1{802.2}/MAC{802.3}/10Base5

**Underlying Stack:** IBM AIX/6000 Ver 3.2.4 **Underlying Product:** N/A

**Protocols and Profiles:** 0004 TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn

Rtng Claimed}

**ATS Used:** ATS:2-7 and ATS:2-9.1

**Conformance Lab:** 0392

IBM Rome Networking Systems Laboratory  
Via Paolo Di Dono 44  
00143 Rome  
Italy

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 266

**Supplier:** 000135

Intergraph Corporation  
1 Madison Industrial Park  
Huntsville, AL 35894-0001

**Contact:** Do Te Kim

Tel: (205) 730-3506 Fax: (205)730-3301/3038

Email: dtkim@ingr.com

**GOSIP Product:** OSI/LAN

**Version/Release:** Version 7.4 **Release Date:** 11-NOV-93

**Additional Info:** None

**Registration:** PROV, GOSIP Version 2/registered

**Date:** 08-JUL-94 **Reason for Removal:**

**Basis:** BASE **Base Products:**

**Tested Hardware/Operating System Platforms:** 0231

**H/W:** InterPro 2430 (IP2430) **O/S:** CLIX Version 7.4

**Claimed Compatibility Hardware/Software Platforms:** 0232

**H/W:** C300 Server or Workstation; C400 Server or Workstation;  
C100 Server

**Connectivity:** 0107 LLC1{802.2}/MAC{802.3}/10Base5

**Underlying Stack:** LLC1 is implemented as a feature of the CLIX 7.4

O/S. Ethernet capability is built into the  
motherboard of every Intergraph system.

**Underlying Product:** N/A

**Protocols and Profiles:** 0095

TP4-CLNS/CLNP{ES}/ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn

Rtng

Tested}

**ATS Used:** ATS:2-7, ATS:2-9.1 & ATS:2-18

**Conformance Lab:** 0371

Alcatel TITN Test Center  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 51

**Supplier:** 000043

NCR  
9900 Old Grove Road  
San Diego, CA 92131

**Contact:** Wendy Morrison

Tel: (619) 693-5665 Fax: (619) 693-5705

**GOSIP Product:** NCR UNIX OSI Network Services

**Version/Release:** Ver 2.00.02

**Release Date:** 17-APR-92

**Additional Info:** Same product also registered over X.25 (Product ID 82) and for TP0 over X.25 (Product ID 83)

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 07-AUG-92 **Reason for Removal:**

**Basis:** BASE **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0063

**H/W:** NCR System 3000 consisting of the following hardware  
models: 3320, 3340, 3345, 3447, 3450, 3550 and 3600

**O/S:** NCR UNIX SVR4, (MP-RAS), Rel 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0010 LLC1{802.2}/MAC{802.3}

**Underlying Stack:** NCR System 3000, Integrated LAN Driver Ver 2.00 Western Digital WD8003

**Underlying Product:**

**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 and ATS:1-9

**Conformance Lab:** 0363

Corporation for Open Systems International Test Center  
8260 Willow Oaks Corp Drive, Suite 700

Fairfax, VA 22031

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 82

**Supplier:** 000043

NCR  
9900 Old Grove Road  
San Diego, CA 92131

**Contact:** Wendy Morrison

Tel: (619) 693-5665 Fax: (619) 693-5705

**GOSIP Product:** NCR UNIX OSI Network Services

**Version/Release:** Ver 2.01 **Release Date:** 08-SEP-92

**Additional Info:** Same product also registered over LAN (Product ID 51) and for TP0 over X.25 (Product ID 83)

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 27-OCT-92 **Reason for Removal:**

**Basis:** DERIVED **Base Products:**

**Tested Hardware/Operating System Platforms:** 0063

**H/W:** NCR System 3000 consisting of the following hardware  
models: 3320, 3340, 3345, 3447, 3450, 3550 and 3600

**O/S:** NCR UNIX SVR4, (MP-RAS), Rel 2

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046 X.25 PLP/HDLC LAP-B

**Underlying Stack:** NCR System 3000, X.25 Ntwrk Svcs [Packet Layer];  
NCR MUOE HDLC Ver 1.04 [Link Layer]; NCR Multi-Protocol

Communications Adapter/Firmware Ver 1.1A [Phys Layer]

**Underlying Product:**

**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 and ATS:1-9

**Conformance Lab:** 0363

Corporation for Open Systems International Test Center

8260 Willow Oaks Corp Drive, Suite 700

Fairfax, VA 22031

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 83

**Supplier:** 000043  
NCR  
9900 Old Grove Road  
San Diego, CA 92131

**Contact:** Wendy Morrison  
Tel: (619) 693-5665    Fax: (619) 693-5705

**GOSIP Product:** NCR UNIX OSI Network Services  
Version/Release: Ver 2.01    Release Date: 08-SEP-92  
Additional Info: Same product also registered for TP4 (Product ID 51 and Product ID 82)

**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 27-OCT-92    **Reason for Removal:**  
**Basis:** BASE    **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0063

H/W: NCR System 3000 consisting of the following hardware  
models: 3320, 3340, 3345, 3447, 3450, 3550 and 3600  
O/S: NCR UNIX SVR4, (MP-RAS), Rel 2C

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046 X.25 PLP/HDLC LAP-B

Underlying Stack: NCR System 3000, X.25 Ntrwk Svcs [Packet Layer]; NCR MUOE HDLC Ver 1.04 [Link Layer]; NCR Multi-Protocol Communications Adapter/Firmware Ver 1.1A [Phys Layer]

**Underlying Product:**

Protocols and Profiles: 0010  
Transport Class 0 [ISO 8073:1988]

ATS Used: ATS:1-8

Conformance Lab: 0363

Corporation for Open Systems International Test Center  
8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 49

**Supplier:** 000039  
Novell Incorporated  
2180 Fortune Drive  
San Jose, CA 95131

**Contact:** Jan Provan  
Tel: (408) 473-8422    Fax: (408) 433-9827

**GOSIP Product:** NetWare FTAM Transport Component

Version/Release: Ver 1.2 Rev B

Release Date: 20-APR-92

Additional Info: None

**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 24-JUN-92    **Reason for Removal:**  
**Basis:** BASE    **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0058

AST Premium 386/33 with 8 MB RAM NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet card (802.3)

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0010 LLC1{802.2}/MAC{802.3}

Underlying Stack: NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet

**Underlying Product:**

Protocols and Profiles: 0003  
TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: 0357

National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 50

**Supplier:** 000039  
Novell Incorporated  
2180 Fortune Drive  
San Jose, CA 95131

**Contact:** Jan Provan  
Tel: (408) 473-8422    Fax: (408) 433-9827

**GOSIP Product:** NetWare FTAM Transport Component  
Version/Release: Ver 1.2 Rev B    Release Date: 20-APR-92  
Additional Info: None

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 24-JUN-92    **Reason for Removal:**

**Basis:** DERIVED    **Base Products:**

**Tested Hardware/Operating System Platforms:** 0027

AST Premium 386/33 with 8 MB RAM NOVELL 3.11 Operating System over NOVELL NE2000 Ethernet card (802.4)

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0120

LLC1{802.2}/MAC{802.4}

Underlying Stack: NOVELL Ver 3.11 Operating System Over LLC1{802.2}/MAC{802.4} NE2000 and IBM 4MB Token Ring Card

**Underlying Product:**

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: 0357

National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 111

**Supplier:** 000057  
Retix  
2401 Colorado Avenue  
Santa Monica, CA 90404

**Contact:** Jeff Stone

Tel: (310) 828-3400    Fax: (310) 828-2255

**GOSIP Product:** LT-610

Version/Release: Ver 2.3.0    Release Date: 01-OCT-92

Additional Info:

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 18-DEC-92    **Reason for Removal:**

**Basis:** BASE    **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0099

Vendor claims all Intel 386 and 486 based platforms using stated o/s. Test platform was Intel 486DX (Alpha Systems Laboratory, Incorporated ASL486/33 ASL433), O/S UNIX System V Release 3.2 (Sun Soft Interactive Ver 3.0)

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0010

LLC1{802.2}/MAC{802.3}

Underlying Stack: SW: Retix LT-610, Ver 2.3.0; H/W: Western Digital Model WD8003.

**Underlying Product:**

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: 0357

National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 132  
**Supplier:** 000057  
 Retix  
 2401 Colorado Avenue  
 Santa Monica, CA 90404  
**Contact:** Jeff Stone  
 Tel: (310) 828-3400  
 Fax: (310) 828-2255  
**GOSIP Product:** LT-610  
 Version/Release: Ver 2.3.0  
 Release Date: 01-OCT-92  
 Additional Info: None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 05-FEB-93  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0120  
 Intel 386 (Tatung) O/S UNIX System V Rel 3.2 (SCO UNIX 4.0)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0010  
 LLC1{802.2}/MAC{802.3}  
**Underlying Stack:** Retix LT-610, Ver 2.3.0; Western Digital Model WD8003  
**Underlying Product:**  
**Protocols and Profiles:** 0003  
 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 and ATS:1-9  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 187  
**Supplier:** 000099  
 SUN MicroSystems, Inc.  
 32 Chemin du Vieux Chene  
 Meylan F-38240 France  
**Contact:** Willy-Francois Poulet  
 Tel: +33 76 41 42 43  
 Fax: +33 76 41 42 41  
**GOSIP Product:** SUNLink OSI  
 Version/Release: Version 8.0  
 Release Date: 08-AUG-93  
 Additional Info:  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 26-AUG-93  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0169  
 H/W: All Sun SPARC Hardware  
 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0046  
 X.25 PLP/HDLC LAP-B  
**Underlying Stack:** Sunlink X.25 8.0  
**Underlying Product:**  
**Protocols and Profiles:** 0010  
 Transport Class 0 [ISO 8073:1988]  
**ATS Used:** ATS:2-8  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 188  
**Supplier:** 000099  
 SUN MicroSystems, Inc.  
 32 Chemin du Vieux Chene  
 Meylan F-38240 France  
**Contact:** Willy-Francois Poulet  
 Tel: +33 76 41 42 43 Fax: +33 76 41 42 41  
**GOSIP Product:** Sunlink OSI  
 Version/Release: Version 8.0 Release Date: 08-AUG-93  
**Additional Info:**  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 09-SEP-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0170  
 H/W: SparcStation 10 Model 41 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0095  
 LLC1{802.2}/MAC{802.3}/10BaseT  
**Underlying Stack:** Sunlink OSI 8.0 LLC Module, implementing LLC1, the Solaris 2.1 Lance Ethernet driver and Am7990 combination implementing ISO8802-3 Sun Motherboard LAN Interface  
**Underlying Product:**  
**Protocols and Profiles:** 0004  
 TP4-CLNS/CLNP{ES} & ES-IS{ES}  
 Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtg Claimed}  
**ATS Used:** ATS:2-9.2 and ATS:2-7  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 66  
**Supplier:** 000050  
 SUN MicroSystems, Inc. International Centre for  
**Network**  
 Computing  
 32 Rue du Vieux Chene  
 F-38240 Meylan France  
**Contact:** Tom Hull  
 Tel: +33 76 41 42 18 Fax: +33 76 41 42 41  
**GOSIP Product:** SunNet OSI (Transport)  
 Version/Release: Ver 7.1 Release Date: 01-OCT-92  
**Additional Info:**  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 14-OCT-92  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0076  
 Sun MicroSystems SPARCstation 2-4/75  
 SunOS 4.1.2 (Solaris 1.0.1)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0010  
 LLC1{802.2}/MAC{802.3}  
**Underlying Stack:** SUNNET OSI Ver 7.1 LLC1 (HW) Sun CPU board LAN Interface (802.3)  
**Underlying Product:**  
**Protocols and Profiles:** 0003  
 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 AND ATS:1-9  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 85  
**Supplier:** 000050  
SUN MicroSystems, Inc. International Centre for Network Computing  
32 Rue du Vieux Chene  
F-38240 Meylan France  
**Contact:** Tom Hull  
Tel: +33 76 41 42 18 Fax: +33 76 41 42 41  
**GOSIP Product:** SunNet OSI (Transport)  
**Version/Release:** Ver 7.1 **Release Date:** 01-OCT-92  
**Additional Info:** None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 25-NOV-92 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0076  
Sun MicroSystems SPARCstation 2-4/75  
SunOS 4.1.2 (Solaris 1.0.1)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0046 X.25 PLP/HDLC LAP-B  
**Underlying Stack:** SunNet X.25 Ver 7.0.1  
**Underlying Product:**  
**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}  
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 AND ATS:1-9  
**Conformance Lab:** 0357  
National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 87  
**Supplier:** 000050  
SUN MicroSystems, Inc. International Centre for Network Computing  
32 Rue du Vieux Chene  
F-38240 Meylan France  
**Contact:** Tom Hull  
Tel: +33 76 41 42 18  
Fax: +33 76 41 42 41  
**GOSIP Product:** SunNet OSI (Transport)  
**Version/Release:** Ver 7.1  
**Release Date:** 01-OCT-92  
**Additional Info:** None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 25-NOV-92  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0076  
Sun MicroSystems SPARCstation 2-4/75  
SunOS 4.1.2 (Solaris 1.0.1)  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0046  
X.25 PLP/HDLC LAP-B  
**Underlying Stack:** SunNet X.25 Ver 7.0.1 **Underlying Product:**  
**Protocols and Profiles:** 0010  
Transport Class 0 [ISO 8073:1988]  
**ATS Used:** ATS:1-8  
**Conformance Lab:** 0357  
National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 217  
**Supplier:** 000050  
SUN MicroSystems, Inc. International Centre for Network Computing  
32 Rue du Vieux Chene  
F-38240 Meylan France  
**Contact:** Tom Hull  
Tel: +33 76 41 42 18 **Fax:** +33 76 41 42 41  
**GOSIP Product:** Sunlink OSI  
**Version/Release:** Version 8.0 **Release Date:** 08-AUG-93  
**Additional Info:** Vendor claims support for all SUN SPARC Hardware Platforms  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 25-JAN-94 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0170  
H/W: SparcStation 10 Model 41  
O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0063 X.25 PLP/X.25 LAP-B/RS-232C  
**Underlying Stack:** Sunlink X.25 8.0 **Underlying Product:**  
**Protocols and Profiles:** 0004 TP4-CLNS/CLNP{ES} & ES-IS{ES}  
Transport Class 4-CLNS [ISO 8073:1988/Add2:1989];  
CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988]  
{Dyn Rtnng Claimed}  
**ATS Used:** ATS:2-9 and ATS:2-7  
**Conformance Lab:** 0357  
National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 106  
**Supplier:** 000055  
SUN Microsystems Federal, Incorporated  
2650 Park Tower Drive, Suite 500  
Vienna, VA 22180-7306  
**Contact:** Michael Barnes  
Tel: (703) 204-4100 **Fax:** (703) 204-4782  
**GOSIP Product:** SUN SPARCstation 10 Model 42 w/SUNLink OSI 8.0  
**Version/Release:** Ver 8.0  
**Release Date:** 04-AUG-92  
**Additional Info:**  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
**Date:** 01-DEC-92  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0092  
H/W: SPARCstation 10 Model 42  
O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0010  
LLC1{802.2}/MAC{802.3}  
**Underlying Stack:** AMD, Lance 7990 Ethernet Controller, SUN Solaris 2.1 Ethernet Driver  
**Underlying Product:**  
**Protocols and Profiles:** 0003  
TP4-CLNS/CLNP{ES}  
Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 and ATS:1-9  
**Conformance Lab:** 0364  
CDA, Incorporated  
8301 Greensboro Drive, #350  
McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 107  
**Supplier:** 000055  
 SUN Microsystems Federal, Incorporated  
 2650 Park Tower Drive, Suite 500  
 Vienna, VA 22180-7306  
**Contact:** Michael Barnes  
 Tel: (703) 204-4100 Fax: (703) 204-4782  
**GOSIP Product:** SUN SPARCstation 4/30 w/SUNLink OSI 8.0  
 Version/Release: Ver 8.0 Release Date: 04-AUG-92  
 Additional Info:  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
 Date: 01-DEC-92 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0094  
 H/W: SPARCstation 4/30 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0010  
 LLC1{802.2}/MAC{802.3}  
**Underlying Stack:** AMD, Lance 7990 Ethernet Controller, SUN  
 Solaris 2.1 Ethernet Driver  
**Underlying Product:**  
**Protocols and Profiles:** 0003  
 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 and ATS:1-9  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 108  
**Supplier:** 000055  
 SUN Microsystems Federal, Incorporated  
 2650 Park Tower Drive, Suite 500  
 Vienna, VA 22180-7306  
**Contact:** Michael Barnes  
 Tel: (703) 204-4100 Fax: (703) 204-4782  
**GOSIP Product:** SUN SPARCstation 10 Model 30 w/SUNLink OSI 8.0  
 Version/Release: Ver 8.0  
 Release Date: 04-AUG-92  
 Additional Info: None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
 Date: 01-DEC-92  
 Reason for Removal:  
 Basis: BASE  
 Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0095  
 H/W: SPARCstation 10 Model 30  
 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0010  
 LLC1{802.2}/MAC{802.3}  
**Underlying Stack:** AMD, Lance 7990 Ethernet Controller SUN  
 Solaris 2.1 Ethernet Driver  
**Underlying Product:**  
**Protocols and Profiles:** 0003  
 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 and ATS:1-9  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 109  
**Supplier:** 000055  
 SUN Microsystems Federal, Incorporated  
 2650 Park Tower Drive, Suite 500  
 Vienna, VA 22180-7306  
**Contact:** Michael Barnes  
 Tel: (703) 204-4100 Fax: (703) 204-4782  
**GOSIP Product:** SUN, RDI BrightLite Model IPX Color Laptop  
 Workstation w/ SUNLink OSI 8.0  
 Version/Release: Ver 8.0  
 Release Date: 04-AUG-92  
 Additional Info: None  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
 Date: 01-DEC-92 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0096  
 RDI BrightLite IPX Color Laptop Workstation Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0010 LLC1{802.2}/MAC{802.3}  
**Underlying Stack:** AMD, Lance 7990 Ethernet Controller, SUN  
 Solaris 2.1 Ethernet Driver  
**Underlying Product:**  
**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 and ATS:1-9  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

**Product Code/Type:** P-004 TRANSPORT and CLNP **Product ID:** 142  
**Supplier:** 000055  
 SUN Microsystems Federal, Incorporated  
 2650 Park Tower Drive, Suite 500  
 Vienna, VA 22180-7306  
**Contact:** Michael Barnes  
 Tel: (703) 204-4100 Fax: (703) 204-4782  
**GOSIP Product:** SUN SPARCstation 10 Model 41 w/SUNLink OSI 8.0  
 Version/Release: Ver 8.0  
 Release Date: 04-AUG-92  
 Additional Info:  
**Registration:** PROV, Grndfthrd, V1->V2/registered  
 Date: 01-DEC-92  
 Reason for Removal:  
 Basis: BASE  
 Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0093  
 H/W: SPARCstation 10 Model 41  
 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0010  
 LLC1{802.2}/MAC{802.3}  
**Underlying Stack:** AMD, Lance 7990 Ethernet Controller SUN  
 Solaris 2.1 Ethernet Driver  
**Underlying Product:**  
**Protocols and Profiles:** 0003  
 TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}  
**ATS Used:** ATS:1-7 and ATS:1-9  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 59  
**Supplier:** 000047

UNISYS Corporation  
 8008 Westbrook Drive  
 McLean, VA 22102

**Contact:** Keith Fretz  
 Tel: (703) 556-5665    Fax: (703) 556-5172

**GOSIP Product:** CMS 1100/OSITS  
 Version/Release: 7R2B+PCR15312/2R1A+PCRs192,193,194,197

Release Date: 01-MAR-92

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 01-SEP-92    **Reason for Removal:**  
**Basis:** BASE    **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0068  
 2200 System and 1100/90 Processors, DCP-15 through DCP-55 Front End Processors. Operating System OS1100 Exec on processor DCP/OS 5R2A, TELCON 9R1A on Front End Processors

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0010 LLC1{802.2}/MAC{802.3}

**Underlying Stack:** LAN Platform 2R2A, DCP 802.3; LAN Line Module Feature #F5137-00

**Underlying Product:**

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 AND ATS:1-9

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory  
 P.O. Box 203, 2450 Swedesford Road  
 Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 71

**Supplier:** 000047  
 UNISYS Corporation  
 8008 Westbrook Drive  
 McLean, VA 22102

**Contact:** Keith Fretz  
 Tel: (703) 556-5665

Fax: (703) 556-5172

**GOSIP Product:** DCP OSITS

Version/Release: 2R1A,+192-194,197,199,202,203,205,207  
 Release Date: 01-MAR-92

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/inactive

**Date:** 19-OCT-92

**Reason for Removal:** Erroneous PCTR.

**Basis:** DERIVED

**Base Products:**

**Tested Hardware/Operating System Platforms:** 0078  
 DCP-15 through DCP-55 Front End Processors  
 DCP/OS Ver 5R2A and TELCON Ver 9R1A

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:**    **Underlying Product:**

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}  
 Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
 CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 AND ATS:1-9

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory  
 P.O. Box 203, 2450 Swedesford Road  
 Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 72  
**Supplier:** 000047

UNISYS Corporation  
 8008 Westbrook Drive  
 McLean, VA 22102

**Contact:** Keith Fretz  
 Tel: (703) 556-5665    Fax: (703) 556-5172

**GOSIP Product:** DCP OSITS

Version/Release: 2R1A + 192-194,197,199,202,203,205,207

Release Date: 01-MAR-92

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 19-OCT-92

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0078

DCP-15 through DCP-55 Front End Processors

DCP/OS Ver 5R2A and TELCON Ver 9R1A

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:**    **Underlying Product:**

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory

P.O. Box 203, 2450 Swedesford Road

Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP    **Product ID:** 73

**Supplier:** 000047

UNISYS Corporation  
 8008 Westbrook Drive  
 McLean, VA 22102

**Contact:** Keith Fretz

Tel: (703) 556-5665

Fax: (703) 556-5172

**GOSIP Product:** DCP OSITS

Version/Release: 2R1A + 192-194,197,199,202,203,205,207

Release Date: 01-MAR-92

**Additional Info:**

**Registration:** /inactive

**Date:** 01-OCT-92

**Reason for Removal:** Erroneous PCTR.

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0078

DCP-15 through DCP-55 Front End Processors

DCP/OS Ver 5R2A and TELCON Ver 9R1A

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0010

LLC1{802.2}/MAC{802.3}

**Underlying Stack:** LAN Platform 2R2A, DCP 802.3 LAN Line Module, Feature #F5137-00

**Underlying Product:**

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 AND ATS:1-9

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory

P.O. Box 203, 2450 Swedesford Road

Paoli, PA 19301

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 81

**Supplier:** 000047

UNISYS Corporation  
8008 Westbrook Drive  
McLean, VA 22102

**Contact:** Keith Fretz

Tel: (703) 556-5665   Fax: (703) 556-5172

**GOSIP Product:** CMS 1100/OSITS Ver 7R2B + PCR 15312,  
192-194, 197, 199, 202, 203, 205, 207

**Version/Release:** Rel 2R1A   **Release Date:** 01-MAR-92

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 16-OCT-92   **Reason for Removal:**

**Basis:** DERIVED   **Base Products:**

**Tested Hardware/Operating System Platforms:** 0082   OS1100 Exec.  
Ver 43R2 running on 2200 systems and 1190/90 Processors DCP-15  
through DCP-55 Front End Processors, O/S OS1100 Exec. on  
Processors DCP/OS 5R2A, Telcon 9R1A on Front End Processors

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046 X.25 PLP/HDLC LAP-B

**Underlying Stack:** X.25 PSCS Ver 51RA plus PCRs 1891-1899, 1902,  
1911, 1923, 1929.

**Underlying Product:**

**Protocols and Profiles:** 0003 TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]  
CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 AND ATS:1-9

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory  
P.O. Box 203, 2450 Swedesford Road  
Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 133

**Supplier:** 000060

UNISYS Corporation  
8008 West Park Drive  
McLean, VA 22102

**Contact:** Dale Pluta

Tel: (703) 556-5682   Fax: (703) 556-5172

**GOSIP Product:** A-Series CP2000 OSI-IPC Software

**Version/Release:** Ver 30.00.199   **Release Date:** 11-DEC-92

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 05-FEB-93   **Reason for Removal:**

**Basis:** BASE   **Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0121

Mainframe: A6 (TP4), FEP: CP2000 (CLNP)

O/S Mainframe: A-Series System Software, Ver 4.0 (TP4)

FEP: CP2000 Operating Software, V3.0 (CLNP)

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0010

LLC1{802.2}/MAC{802.3}

**Underlying Stack:** S/W: CP2000 O/S V3.0; H/W: CP2000 with LMH  
Card

**Underlying Product:**

**Protocols and Profiles:** 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

**ATS Used:** ATS:1-7 and ATS:1-9

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory  
P.O. Box 203, 2450 Swedesford Road  
Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 136

**Supplier:** 000060

UNISYS Corporation  
8008 West Park Drive  
McLean, VA 22102

**Contact:** Dale Pluta

Tel: (703) 556-5682

**GOSIP Product:** A-Series/CP2000 OSI-IPC Software, Unisys

Product 113/P4.3

**Version/Release:** Ver 30.00.200

**Release Date:** 05-JAN-93

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 26-FEB-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0124

A-Series Processor

A-Series System Software, Version 4.0

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** CP2000 X.25, Ver 30.00.192, 30-SEP-92

**Underlying Product:**

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**ATS Used:** ATS:1-8

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory  
P.O. Box 203, 2450 Swedesford Road  
Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP   **Product ID:** 137

**Supplier:** 000060

UNISYS Corporation  
8008 West Park Drive  
McLean, VA 22102

**Contact:** Dale Pluta

Tel: (703) 556-5682

Fax: (703) 556-5172

**GOSIP Product:** A-Series/CP2000 OSI-IPC Software

**Version/Release:** Ver 30.00.200

**Release Date:** 05-JAN-93

**Additional Info:**

**Registration:** PROV, Grndfthrd, V1->V2/registered

**Date:** 16-FEB-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0124

A-Series Processor

A-Series System Software, Version 4.0

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:** CP2000 X.25, Ver 30.00.192, 30-SEP-92

**Underlying Product:**

**Protocols and Profiles:** 0011

Transport Class 4-CONS [ISO 8073:1988]

**ATS Used:** ATS:1-9

**Conformance Lab:** 0367

UNISYS - Open Systems Interconnection Laboratory

P.O. Box 203, 2450 Swedesford Road

Paoli, PA 19301

## GOSIP REGISTERS, *Continued*

---

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 145

Supplier: 000060

UNISYS Corporation  
8008 West Park Drive  
McLean, VA 22102

Contact: Dale Pluta

Tel: (703) 556-5682 Fax: (703) 556-5172

GOSIP Product: A-Series/CP2000 OSI-IPC Software

Version/Release: Ver 30.00.199 Release Date: 11-DEC-92

Additional Info:

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 16-FEB-93 Reason for Removal:

Basis: DERIVED Base Products:

Tested Hardware/Operating System Platforms: 0133

H/W: Mainframe: A6 (TP4), FEP: CP2000 (CLNP)  
O/S: Mainframe: A-Series System Software, Ver 4.0  
(TP4), FEP: CP2000 Operating Software, Ver 3.0 (CLNP)

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: CP2000 X.25 Ver 30.00.192, 30-SEP-92

Underlying Product:

Protocols and Profiles: 0003

TP4-CLNS/CLNP{ES}

Transport Class 4-CLNS[ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] {Static Routing}

ATS Used: ATS:1-7 and ATS:1-9

Conformance Lab: 0367

UNISYS - Open Systems Interconnection Laboratory  
P.O. Box 203, 2450 Swedesford Road  
Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 171

Supplier: 000047

UNISYS Corporation  
8008 Westbrook Drive  
McLean, VA 22102

Contact: Keith Fretz

Tel: (703) 556-5665

Fax: (703) 556-5172

GOSIP Product: DCP OSITS

Version/Release: 2R1A,+192-194,197,199,202,203,205,207

Release Date: 01-MAR-92

Additional Info: None

Registration: PROV, Grndfthrd, V1->V2/registered

Date: 19-OCT-92

Reason for Removal:

Basis: DERIVED

Base Products:

Tested Hardware/Operating System Platforms: 0078

DCP-15 through DCP-55 Front End Processors

DCP/OS Ver 5R2A and TELCON Ver 9R1A

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0046

X.25 PLP/HDLC LAP-B

Underlying Stack: Underlying Product:

Protocols and Profiles: 0011

Transport Class 4-CONS [ISO 8073:1988]

ATS Used: ATS:1-9

Conformance Lab: 0367

UNISYS - Open Systems Interconnection Laboratory  
P.O. Box 203, 2450 Swedesford Road  
Paoli, PA 19301

**Product Code/Type:** P-004 TRANSPORT and CLNP Product ID: 239

Supplier: 000060

UNISYS Corporation  
8008 West Park Drive  
McLean, VA 22102

Contact: Dale Pluta

Tel: (703) 556-5682

Fax: (703) 556-5172

GOSIP Product: CMS-1100

Version/Release: Version 7R3A, PCR 16961

Release Date: 22-NOV-93

Additional Info: Tested hardware platform is 2200/200. Vendor claims compatible hardware as listed.

Registration: PROV, GOSIP Version 2/registered

Date: 23-MAR-94 Reason for Removal:

Basis: BASE Base Products: n/a

Tested Hardware/Operating System Platforms: 0199

H/W: 2200/200 through 2200/900 O/S: OS1100 SB4R6

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0107

LLC1{802.2}/MAC{802.3}/10Base5

Underlying Stack: CMS-1100 Underlying Product:

Protocols and Profiles: 0004

TP4-CLNS/CLNP{ES} & ES-IS{ES}

Transport Class 4-CLNS [ISO 8073:1988/Add2:1989]

CLNP{ES} [ISO 8473:1988] & ES-IS{ES} [ISO 9542:1988] {Dyn Rtng Claimed}

ATS Used: ATS:2-9.2 & ATS:2-7

Conformance Lab: 0367

UNISYS - Open Systems Interconnection Laboratory

P.O. Box 203, 2450 Swedesford Road

Paoli, PA 19301

**Product Code/Type:** P-005 Session Product ID: 229

Supplier: 000126

Bull Information Systems, Inc.  
13430 North Black Canyon  
Phoenix, AZ 85029

Contact: Tom Cody

Tel: (602) 862-5114

GOSIP Product: DPX/20 AIX 3 Stack B (Session)

Version/Release: Version 1.0

Release Date: 01-MAY-93

Additional Info: Verified for use only in support of FTAM. Tested hardware platform is DPX/20 Model 400. Vendor claims hardware compatibility as listed.

Registration: PROV, GOSIP Version 2/registered

Date: 08-MAR-94

Reason for Removal:

Basis: BASE

Base Products: n/a

Tested Hardware/Operating System Platforms: 0195

H/W: DPX/20 Models 100, 400, 600, & 800

O/S: AIX Version 3

Claimed Compatibility Hardware/Software Platforms: 0001

Connectivity: 0004

TP4-CLNS/CLNP/LAN

Underlying Stack: DPX/20 AIX 3 Stack B Underlying Product: 230

Protocols and Profiles: 0089

Session

Session [ISO 8327:1987]

ATS Used: ATS:2-10.1

Conformance Lab: 0370

Conformance Expert Center for OSI Bull - CECOB

1 Rue de Provence, BP 208

38432 Echirolles France

## GOSIP REGISTERS, Continued

**Product Code/Type:** P-005 **Session** **Product ID:** 258  
**Supplier:** 000085  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy  
**Contact:** Alberto Sinibaldi  
 Tel: 39 6 5966-2281 Fax: 39 6 5966-2467  
 Email: Sinibald@romeppc.vnet.ibm.com  
**GOSIP Product:** IBM AIX OSI Services/6000  
**Version/Release:** Version 1 Release 1 **Release Date:** 01-APR-94  
**Additional Info:** None  
**Registration:** PROV, GOSIP Version 2/registered  
**Date:** 01-AUG-94 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:** 229  
**Tested Hardware/Operating System Platforms:** 0238  
 H/W: IBM RISC/6000 Model 32H  
 O/S: IBM AIX/6000 Version 3.2.4  
**Claimed Compatibility Hardware/Software Platforms:** 0239  
 H/W: IBM RISC/6000 Models 2xx, 3xx, 5xx and 9xx  
 O/S: IBM AIX/6000 Version 3  
**Connectivity:** 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** IBM AIX/6000 Version 3.2.4  
**Underlying Product:** 259  
**Protocols and Profiles:** 0089  
 Session  
 Session [ISO 8327:1987]  
**ATS Used:** ATS:2-10.1  
**Conformance Lab:** 0392  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy

**Product Code/Type:** P-006 MHS **Product ID:** 154  
**Supplier:** 000072  
 Control Data Systems, Incorporated  
 4201 North Lexington Avenue  
 Arden Hills, MN 55126-6198  
**Contact:** B. Sekhon  
 Tel: (612) 482-3868 Fax: (612) 482-2791  
**GOSIP Product:** MAIL•HUB MHS/4000  
**Version/Release:** Ver 2.0.1  
**Release Date:** 29-JAN-93  
**Additional Info:** This product does not support MTA Relaying  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 04-MAY-93  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0144  
 H/W: Control Data CD 4330  
 O/S: EP/IX 2.0.1  
**Claimed Compatibility Hardware/Software Platforms:** 0242  
 H/W: Control Data CD 4000 Series  
**Connectivity:** 0004  
 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** Control Data EP/IX Access and Directory Ver 1.4.2  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13, ATS:1-14 and ATS:1-15  
**Conformance Lab:** 0354  
 Control Data Corporation, OSI Accredited Test Center  
 4201 North Lexington Avenue  
 Arden Hills, MN 55126-6198

**Product Code/Type:** P-006 MHS **Product ID:** 110  
**Supplier:** 000036  
 Data General Corporation  
 4400 Computer Drive, MS/D216  
 Westboro, MA 01580  
**Contact:** Charles Stakus  
 Tel: (508) 870-6392 Fax: (508) 898-4694  
**GOSIP Product:** X.400 for AViiON Sys (X.400 for AViiON Sys/3.0)  
 (OSI for AViiON)  
**Version/Release:** Ver 3.10 **Release Date:** 01-AUG-92  
**Additional Info:** None  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 01-DEC-92 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0091  
 H/W: AViiON Series 5000, VSC Synchronous Comms Controller  
 O/S: DG/UX Rel. 5.4.1, AV/X.25 Rel. 2.2.0  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0058 TP0/WAN  
**Underlying Stack:** OSI/Platform for AViiON System Ver 3.0 [TP0].  
 X.25 for AViiON System Ver 2.20  
**Underlying Product:**  
**Protocols and Profiles:** 0050  
 MHS-84 Relay/(Session)  
 MHS-84 Relay [X.400:1984] {P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13 and ATS:1-14  
**Conformance Lab:** 0391  
 Data General Corporation, OSI Conformance Test Center  
 4400 Computer Drive, MS/D216  
 Westborough, MA 01580

**Product Code/Type:** P-006 MHS **Product ID:** 223  
**Supplier:** 000102  
 Data General Corporation  
 4400 Computer Drive  
 Westboro, MA 01580  
**Contact:** Peter Conway  
 Tel: (508) 898-7176 Fax: (508) 898-4212  
**GOSIP Product:** OpenMail for AViiON Systems  
**Version/Release:** Version A.01.01.eo, Rev. 1.00  
**Release Date:** 01-OCT-93  
**Additional Info:** Must use with X.400 for AViiON Systems,V  
 3.30,01-OCT-93(P1/RTS/SESSION)  
**Registration:** FULL, GOSIP Version 2/registered  
**Date:** 25-FEB-94 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0240  
 H/W: AV8500  
 O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10  
**Claimed Compatibility Hardware/Software Platforms:** 0241  
 H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000,  
 AV8000, AV8500, AV9000  
**Connectivity:** 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** X.400 for AViiON Systems, Version 3.30, 01-OCT-93  
 and OSI/Platform for AViiON Systems, Version 3.30, 01-OCT-93  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:2-13.4  
**Conformance Lab:** 0364  
 CDA, Incorporated  
 8301 Greensboro Drive, #350  
 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

<b>Product Code/Type:</b> P-006 MHS Product ID: 224	<b>Product Code/Type:</b> P-006 MHS Product ID: 139
<b>Supplier:</b> 000102	<b>Supplier:</b> 000063
Data General Corporation 4400 Computer Drive Westboro, MA 01580	Digital Equipment Corporation P.O. Box 121 Worton Grange, Reading, Berks RG2 OTE United Kingdom
Contact: Peter Conway Tel: (508) 898-7176 Fax: (508) 898-4212	Contact: Richard Duhamel Tel: (508) 486-5021 Fax: (508) 486-7417
GOSIP Product: X.400 for AViiON Systems Version/Release: Version 3.30 Release Date: 01-OCT-94 Additional Info:	GOSIP Product: VAX Message Router X.400 Gateway Version/Release: Ver 2.2G Release Date: 18-DEC-92 Additional Info: None
Registration: FULL, GOSIP Version 2/registered Date: 25-FEB-94 Reason for Removal: Basis: BASE Base Products: n/a	Registration: PROV, GOSIP Version 1/registered Date: 11-MAR-93 Reason for Removal: Basis: BASE Base Products: n/a
Tested Hardware/Operating System Platforms: 0240 H/W: AV8500 O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10	Tested Hardware/Operating System Platforms: 0128 H/W: MicroVAX 3400 O/S: VAX/VMS Ver. 5.4 Claimed Compatibility Hardware/Software Platforms: 0243 O/S: VAX/VMS Ver. 5.4 and 5.5
Claimed Compatibility Hardware/Software Platforms: 0241 H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000	Connectivity: 0058 TP0/WAN Underlying Stack: DECNet-VAX (TM) Extensions Ver5.4A (TD1111)
Connectivity: 0004 TP4-CLNS/CLNP/LAN Underlying Stack: OSI/Platform for AViiON Sys, V3.30, 01-OCT-93	Underlying Product:
Underlying Product:	Protocols and Profiles: 0050 MHS-84 Relay/(Session) MHS-84 Relay [X.400:1984] {P1, RTS} MHS-84 Session [X.410:1984]
Protocols and Profiles: 0050 MHS-84 Relay/(Session) MHS-84 Relay [X.400:1984] {P1, RTS} MHS-84 Session [X.410:1984]	ATS Used: ATS:1-13 AND ATS:1-14
ATS Used: ATS:2-13.3, ATS:2-13.2, and ATS:2-13.5	Conformance Lab: 0357 National Computing Centre Limited Oxford Road Manchester M17ED United Kingdom
Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603	
<b>Product Code/Type:</b> P-006 MHS Product ID: 225	<b>Product Code/Type:</b> P-006 MHS Product ID: 138
<b>Supplier:</b> 000102	<b>Supplier:</b> 000040
Data General Corporation 4400 Computer Drive Westboro, MA 01580	Encore Computing Corporation 6901 West Sunrise Boulevard Ft. Lauderdale, FL 33313-4499
Contact: Peter Conway Tel: (508) 898-7176 Fax: (508) 898-4212	Contact: Augie Gonzales Tel: (305) 587-2900 Fax: (305) 797-5807
GOSIP Product: OpenMail for AViiON Systems Version/Release: Version A.01.01.eO, Rev. 1.00 Release Date: 01-OCT-93 Additional Info: Must use with X.400 for AViiON Systems, Version 3.30, 01-OCT-93 (P1/RTS/Session).	GOSIP Product: EnComm X.400 Version/Release: Ver 2.0.1 Release Date: 01-JAN-93 Additional Info: None
Registration: PROV, GOSIP Version 2/registered Date: 03-MAR-94 Reason for Removal: Basis: DERIVED Base Products: 223, 224	Registration: PROV, GOSIP Version 1/registered Date: 11-MAR-93 Reason for Removal: Basis: BASE Base Products: n/a
Tested Hardware Operating System Platforms: 0240 H/W: AV8500 O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10	Tested Hardware/Operating System Platforms: 0067 H/W: Encore Infinity 90 Series GPIO I O/S: UMAX Ver. 3.0.7
Claimed Compatibility Hardware/Software Platforms: 0241 H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000	Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0058 TP0/WAN
Connectivity: 0058 TP0/WAN Underlying Stack: X.400 for AViiON Systems, Version 3.30, 01-OCT-93; OSI/Platform for AViiON Systems, Version 3.30, 01-OCT-93; X.25 for AViiON Systems, Version 2.4, 01-OCT-93	Underlying Stack: EnComm ISO Transport Services, Rev 3.0.0 [TP0]. EnComm X.25 Rev 3.0 (x.25)
Underlying Product: 207 & 204 Protocols and Profiles: 0045 MHS-84/(Session) MHS-84 [X.400:1984] {P2, P1, RTS} MHS-84 Session [X.410:1984]	Underlying Product: Protocols and Profiles: 0045 MHS-84/(Session) MHS-84 [X.400:1984] {P2, P1, RTS} MHS-84 Session [X.410:1984]
ATS Used: ATS:2-13.5, ATS:2-13.2, ATS:2-13.3, & ATS:2-13.4 Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603	ATS Used: ATS:1-13, ATS:1-14 and ATS:1-15 Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-006 MHS **Product ID:** 191  
**Supplier:** 000101  
 Enterprise Solutions Limited  
 32603 Bowman Knoll Drive  
 Westlake Village, CA 91361  
**Contact:** Barry Sandever  
 Tel: (818) 597-8943 Fax: (818) 595-9621  
**GOSIP Product:** Enterprise Mail User Agent  
**Version/Release:** Version 2.11 **Release Date:** 01-MAY-93  
**Additional Info:** Must be used w NCR StarPRO Message Central  
 400, Ver 2.0, 01-MAR-93. This combination of products provides  
 set of MHS: P2, P1, RTS, & embedded Session protocols  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 17-SEP-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0248  
 H/W: NCR System 3000, Model 3450  
 O/S: NCR UNIX SVR4, (MP-RAS), Rel 2  
**Claimed Compatibility Hardware/Software Platforms:** 0064  
 H/W: NCR System 3000 consisting of the following hardware  
 models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600  
**Connectivity:** 0082 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** NCR UNIX OSI Network Services, Version 2.00.02  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13, ATS:1-14, ATS:1-15  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

**Product Code/Type:** P-006 MHS **Product ID:** 13  
**Supplier:** 000018  
 Hewlett-Packard Company  
 19420 Homestead Road  
 Cupertino, CA 95014-9810  
**Contact:** Murali Subbarao  
 Tel: (408) 447-2822 Fax: (408) 447-3660  
**GOSIP Product:** HP X.400/9000 P/N HP32032A; (X.400 Interface)  
 HP OpenMail, P/N B1600A  
**Version/Release:** Ver C.02.00; Ver A.00.02.03  
**Release Date:** 10-JUN-91  
**Additional Info:** None  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 19-AUG-91  
**Reason for Removal:**  
**Basis:** BASE  
**Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0014  
 H/W: HP 9000 Series 800/HP-UX Operating System, Ver. 8.0  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** HP OSI Transport Services/9000 Series 800  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13, ATS:1-14 AND ATS:1-15  
**Conformance Lab:** 0365  
 Hewlett-Packard Company, OSI Conformance Test Center  
 19420 Homestead Road, MS 43UJ  
 Cupertino, CA 95014-9810

**Product Code/Type:** P-006 MHS **Product ID:** 141  
**Supplier:** 000085  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy  
**Contact:** Alberto Sinibaldi  
 Tel: 39 6 5966-2281 Fax: 39 6 5966-2467  
**Email:** Sinibald@romeppc.vnet.ibm.com  
**GOSIP Product:** X.400 PROFS Connection  
**Version/Release:** V1R3 **Release Date:** 01-JUN-91  
**Additional Info:** Must be used with Open Network Distribution  
 Services, V1R1, 01-OCT-90, & OSI/Communications  
 Subsystem, V1R1.1, 01-DEC-90  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 19-MAR-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0037  
 H/W: IBM System 390 O/S: IBM VM/ESA Ver 1 Rel 1  
**Claimed Compatibility Hardware/Software Platforms:** 0244  
 H/W: IBM System 370/390  
**Connectivity:** 0058 TPO/WAN  
**Underlying Stack:** OSI/Communications Subsystem Ver 1 Rel 1.1  
 IBM NCP Packet Switching Interface  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13, ATS:1-14 AND ATS:1-15  
**Conformance Lab:** 0392  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy

**Product Code/Type:** P-006 MHS **Product ID:** 194  
**Supplier:** 000085  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy  
**Contact:** Alberto Sinibaldi  
 Tel: 39 6 5966-2281 Fax: 39 6 5966-2467  
**Email:** Sinibald@romeppc.vnet.ibm.com  
**GOSIP Product:** Open Network Distribution Services  
**Version/Release:** Version 1 Release 1 **Release Date:** 01-OCT-90  
**Additional Info:** Must be used with OSI/Communications Subsystem,  
 V1R1.1, 01-DEC-90, to provide the P1/RTS and Embedded  
 Session protocols  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 15-OCT-93 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0036  
 H/W: IBM System 390 O/S: IBM MVS/ESA Ver 3 Rel 1  
**Claimed Compatibility Hardware/Software Platforms:** 0244  
 H/W: IBM System 370/390  
**Connectivity:** 0058 TPO/WAN  
**Underlying Stack:** OSI/Communications Subsystem, V1R1.1,  
 01-DEC-90, and IBM NCP Packet Switching Interface  
**Underlying Product:**  
**Protocols and Profiles:** 0050  
 MHS-84 Relay/(Session)  
 MHS-84 Relay [X.400:1984] {P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13 and ATS:1-14  
**Conformance Lab:** 0392  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-006 MHS **Product ID:** 195  
**Supplier:** 000085  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy  
**Contact:** Alberto Sinibaldi  
 Tel: 39 6 5966-2281 Fax: 39 6 5966-2467  
 Email: Sinibald@romeppc.vnet.ibm.com  
**GOSIP Product:** X.400 DISOSS Connection  
**Version/Release:** Version 1 Release 2  
**Release Date:** 01-MAR-91  
**Additional Info:** Must be used with Open Network Distribution Services, V1R1, 01-OCT-90, and OSI/Communications Subsystem, V1R1.1, 01-DEC-90  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 13-OCT-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0036  
 H/W: IBM System 390 O/S: IBM MVS/ESA Ver 3 Rel 1  
**Claimed Compatibility Hardware/Software Platforms:** 0244  
 H/W: IBM System 370/390  
**Connectivity:** 0100 MHS {P1, RTS}/Session/TP0/WAN  
**Underlying Stack:** Open Network Distribution Services, V1R1, 01-OCT-90, OSI/ Communications Subsystem V1R1.1, 01-DEC-90, and IBM NCP Packet Switching Interface  
**Underlying Product:**  
**Protocols and Profiles:** 0078 MHS [X.400:1984] {P2}  
**ATS Used:** ATS:1-15  
**Conformance Lab:** 0392  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy  
  
**Product Code/Type:** P-006 MHS **Product ID:** 155  
**Supplier:** 000073  
 International Business Machines Corporation  
 3605 Highway 52 North  
 Rochester, MN 55901  
**Contact:** Michael Sullivan  
 Tel: (39-06)5187 2517 Fax: (39-06)51872467  
**GOSIP Product:** IBM OSI Message Services/400  
**Version/Release:** Ver 2 Rel 1.1  
**Release Date:** 01-MAR-92  
**Additional Info:** Must be used with OSI Communications Subsystem/400 Ver 2 Rel 1.1 01-MAR-92  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 04-MAY-93 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0140  
 H/W: AS/400 O/S: IBM OS/400 Ver 2 Rel 1.1  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0058  
 TP0/WAN  
**Underlying Stack:** TP0: IBM OSI Communication Subsystem/400 V2 R1.1 WAN: IBM AS/400 X.25 Communication Support Program V2 R1.1  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13, ATS:1-14 and ATS:1-15  
**Conformance Lab:** 0392  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy

**Product Code/Type:** P-006 MHS **Product ID:** 114  
**Supplier:** 000058  
 NCR Network Products Division  
 9900 Old Grove Road  
 San Diego, CA 92131  
**Contact:** Rolf Krause  
 Tel: (619) 693-5788 Fax: (619) 693-5705  
**GOSIP Product:** NCR StarPRO Message Central 400  
**Version/Release:** Ver 2.0 **Release Date:** 01-MAR-93  
**Additional Info:** This Product also registered for TP4 over LAN (Product ID 115)  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 29-DEC-92 **Reason for Removal:**  
**Basis:** BASE **Base Products:** n/a  
**Tested Hardware/Operating System Platforms:** 0247  
 H/W: NCR System 3000, Model 3345  
 O/S: NCR UNIX SVR4, (MP-RAS), Rel 2  
**Claimed Compatibility Hardware/Software Platforms:** 0064  
 H/W: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600  
**Connectivity:** 0058 TP0/WAN  
**Underlying Stack:** NCR UNIX OSI Network Services, Ver 2.01 (Product ID 83)  
**Underlying Product:**  
**Protocols and Profiles:** 0050  
 MHS-84 Relay/(Session)  
 MHS-84 Relay [X.400:1984] {P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13 AND ATS:1-14  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031  
  
**Product Code/Type:** P-006 MHS **Product ID:** 115  
**Supplier:** 000058  
 NCR Network Products Division  
 9900 Old Grove Road  
 San Diego, CA 92131  
**Contact:** Rolf Krause  
 Tel: (619) 693-5788 Fax: (619) 693-5705  
**GOSIP Product:** NCR StarPRO Message Central 400  
**Version/Release:** Ver 2.0 **Release Date:** 01-MAR-93  
**Additional Info:** This Product also registered for TP0 over WAN (Product ID 114)  
**Registration:** PROV, GOSIP Version 1/registered  
**Date:** 29-DEC-92 **Reason for Removal:**  
**Basis:** DERIVED **Base Products:**  
**Tested Hardware/Operating System Platforms:** 0247  
 H/W: NCR System 3000, Model 3345  
 O/S: NCR UNIX SVR4, (MP-RAS), Rel 2  
**Claimed Compatibility Hardware/Software Platforms:** 0064  
 H/W: NCR System 3000 consisting of the following hardware models: 3320, 3340, 3345, 3447, 3450, 3550, and 3600  
**Connectivity:** 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** NCR UNIX OSI Network Services, Ver 2.00.02 (TP4/CLNP, Product ID 51)  
**Underlying Product:**  
**Protocols and Profiles:** 0050  
 MHS-84 Relay/(Session)  
 MHS-84 Relay [X.400:1984] {P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13 AND ATS:1-14  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-006 MHS **Product ID:** 123  
**Supplier:** 000057  
 Retix  
 2401 Colorado Avenue  
 Santa Monica, CA 90404  
**Contact:** Jeff Stone  
 Tel: (310) 828-3400 Fax: (310) 828-2255  
**GOSIP Product:** Retix User Agent Model MH-423, Retix  
 OpenServer Model MH- 4430  
 Version/Release: Ver 1.41 Release Date: 01-OCT-92  
 Additional Info: None  
 Registration: PROV, GOSIP Version 1/registered  
 Date: 06-JAN-93 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0108  
 H/W: Tatung (Intel 386), with a Western Digital 8003 for 802.3  
 O/S: SCO Ver 4.0 (UNIX V Rel 3.2)  
**Claimed Compatibility Hardware/Software Platforms:** 0245  
 H/W: Intel 80386 and 80486 based platforms  
**Connectivity:** 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** Retix LT-610, Ver 2.3.0 (TP4/CLNP/LAN)  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13, ATS:1-14 AND ATS:1-15  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-006 MHS **Product ID:** 124  
**Supplier:** 000057  
 Retix  
 2401 Colorado Avenue  
 Santa Monica, CA 90404  
**Contact:** Jeff Stone  
 Tel: (310) 828-3400 Fax: (310) 828-2255  
**GOSIP Product:** Retix User Agent Model MH-423, Retix  
 OpenServer Model MH-4420  
 Version/Release: Ver 1.41 Release Date: 01-OCT-92  
 Additional Info: None  
 Registration: PROV, GOSIP Version 1/registered  
 Date: 06-JAN-93 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0109  
 H/W: Alpha Systems Lab (Intel 486), with Western  
 Digital 8003 for 802.3  
 O/S: Sunsoft's Interactive UNIX (Ver 3.2), Version 3.0  
**Claimed Compatibility Hardware/Software Platforms:** 0245  
 H/W: Intel 80386 and 80486 based platforms  
**Connectivity:** 0004  
 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** Retix LT-610, Ver 2.3.0 (TP4/CLNP/LAN)  
**Underlying Product:**  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:1-13, ATS:1-14 AND ATS:1-15  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-006 MHS **Product ID:** 263  
**Supplier:** 000099  
 SUN MicroSystems, Inc.  
 32 Chemin du Vieux Chene  
 Meylan F-38240 France  
**Contact:** Willy-Francois Poulet  
 Tel: +33 76 41 42 43 Fax: +33 76 41 42 41  
**GOSIP Product:** SunLink MHS  
 Version/Release: Version 8.0  
 Release Date: 27-AUG-93  
 Additional Info: None  
 Registration: PROV, GOSIP Version 2/registered  
 Date: 27-JUN-94  
 Reason for Removal:  
 Basis: DERIVED  
 Base Products:  
**Tested Hardware/Operating System Platforms:** 0093  
 H/W: SPARCstation 10 Model 41  
 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0218  
 H/W: All Sun SPARC Hardware  
**Connectivity:** 0069  
 TP4-CLNS/CLNP/WAN  
**Underlying Stack:** SunLink OSI 8.0, SunLink X.25 8.0  
**Underlying Product:** 217  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:2-13.2, ATS:2-13.3, ATS:2-13.4, and ATS:2-13.5  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-006 MHS **Product ID:** 264  
**Supplier:** 000099  
 SUN MicroSystems, Inc.  
 32 Chemin du Vieux Chene  
 Meylan F-38240 France  
**Contact:** Willy-Francois Poulet  
 Tel: +33 76 41 42 43 Fax: +33 76 41 42 41  
**GOSIP Product:** SunLink MHS  
 Version/Release: Version 8.0 Release Date: 27-AUG-93  
 Additional Info: None  
 Registration: PROV, GOSIP Version 2/registered  
 Date: 27-JUN-94 Reason for Removal:  
 Basis: DERIVED Base Products:  
**Tested Hardware/Operating System Platforms:** 0093  
 H/W: SPARCstation 10 Model 41  
 O/S: Solaris 2.1  
**Claimed Compatibility Hardware/Software Platforms:** 0218  
 H/W: All Sun SPARC Hardware  
**Connectivity:** 0058  
 TP0/WAN  
**Underlying Stack:** SunLink OSI 8.0, SunLink X.25 8.0  
**Underlying Product:** 187  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:2-13.2, ATS:2-13.3, ATS:2-13.4, and ATS:2-13.5  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

## GOSIP REGISTERS, *Continued*

---

<p><b>Product Code/Type:</b> P-006 MHS    <b>Product ID:</b> 265  <b>Supplier:</b> 000099            SUN MicroSystems, Inc.            32 Chemin du Vieux Chene            Meylan F-38240 France  <b>Contact:</b> Willy-Francois Poulet            Tel: +33 76 41 42 43    Fax: +33 76 41 42 41  <b>GOSIP Product:</b> SunLink MHS            Version/Release: version 8.0    Release Date: 27-AUG-93            Additional Info: None  <b>Registration:</b> PROV, GOSIP Version 2/registered            Date: 27-JUN-94  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> N/A  <b>Tested Hardware/Operating System Platforms:</b> 0093            H/W: SPARCstation 10 Model 41            O/S: Solaris 2.1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0218            H/W: All Sun SPARC Hardware  <b>Connectivity:</b> 0082            TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> SunLink OSI 8.0    <b>Underlying Product:</b> 188  <b>Protocols and Profiles:</b> 0045            MHS-84/(Session)            MHS-84 [X.400:1984] {P2, P1, RTS}            MHS-84 Session [X.410:1984]  <b>ATS Used:</b> ATS:2-13.2, ATS:2-13.3, ATS:2-13.4, and ATS:2-13.5  <b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom</p>	<p><b>Product Code/Type:</b> P-006 MHS    <b>Product ID:</b> 84  <b>Supplier:</b> 000050            SUN MicroSystems, Inc. International Centre for            Network Computing            32 Rue du Vieux Chene            F-38240 Meylan France  <b>Contact:</b> Tom Hull            Tel: +33 76 41 42 18    Fax: +33 76 41 42 41  <b>GOSIP Product:</b> SUNNET MHS            Version/Release: Ver 7.1            Release Date: 01-OCT-92            Additional Info: None  <b>Registration:</b> PROV, GOSIP Version 1/registered            Date: 25-NOV-92  <b>Reason for Removal:</b>  <b>Basis:</b> DERIVED  <b>Base Products:</b>  <b>Tested Hardware/Operating System Platforms:</b> 0074            H/W: Sun 4, Station 2-4/75            O/S: SunOS 4.0.3, 4.1, 4.1.1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0058            TP0/WAN  <b>Underlying Stack:</b> SunNet X.25, Ver 7.0.1 Rel 1    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0050            MHS-84 Relay/(Session)            MHS-84 Relay [X.400:1984] {P1, RTS}            MHS-84 Session [X.410:1984]  <b>ATS Used:</b> ATS:1-13 AND ATS:1-14  <b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom</p>
<p><b>Product Code/Type:</b> P-006 MHS    <b>Product ID:</b> 67  <b>Supplier:</b> 000050            SUN MicroSystems, Inc. International Centre for            Network Computing            32 Rue du Vieux Chene            F-38240 Meylan France  <b>Contact:</b> Tom Hull            Tel: +33 76 41 42 18    Fax: +33 76 41 42 41  <b>GOSIP Product:</b> SUNNET MHS Gateway            Version/Release: Ver 7.1    Release Date: 01-OCT-92            Additional Info: None  <b>Registration:</b> PROV, GOSIP Version 1/registered            Date: 14-OCT-92  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a  <b>Tested Hardware/Operating System Platforms:</b> 0074            H/W: Sun 4, Station 2-4/75            O/S: SunOS 4.0.3, 4.1, 4.1.1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0004            TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> SunNet OSI Ver 7.1 Rel 1    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0050            MHS-84 Relay/(Session)            MHS-84 Relay [X.400:1984] {P1, RTS}            MHS-84 Session [X.410:1984]  <b>ATS Used:</b> ATS:1-13 and ATS:1-14  <b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom</p>	<p><b>Product Code/Type:</b> P-006 MHS    <b>Product ID:</b> 118  <b>Supplier:</b> 000055            SUN Microsystems Federal, Incorporated            2650 Park Tower Drive, Suite 500            Vienna, VA 22180-7306  <b>Contact:</b> Michael Barnes            Tel: (703) 204-4100    Fax: (703) 204-4782  <b>GOSIP Product:</b> SunLink OSI            Version/Release: Ver 8.0    Release Date: 04-AUG-92            Additional Info: None  <b>Registration:</b> PROV, GOSIP Version 1/registered            Date: 04-JAN-93    Reason for Removal:  <b>Basis:</b> BASE    Base Products: n/a  <b>Tested Hardware/Operating System Platforms:</b> 0103            Sun, SPARCstation 10 model 30            - MAC H/W - AMD, Lance 7990 Ethernet Controller            - MAC S/W - SUN, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0004            TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> SunLink OSI 8.0 (TP4/CLNP)    <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0050            MHS-84 Relay/(Session)            MHS-84 Relay [X.400:1984] {P1, RTS}            MHS-84 Session [X.410:1984]  <b>ATS Used:</b> ATS:1-13 AND ATS:1-14  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603</p>

## GOSIP REGISTERS, Continued

**Product Code/Type:** P-006 MHS **Product ID:** 119

**Supplier:** 000055

SUN Microsystems Federal, Incorporated  
2650 Park Tower Drive, Suite 500  
Vienna, VA 22180-7306

**Contact:** Michael Barnes  
Tel: (703) 204-4100  
Fax: (703) 204-4782

**GOSIP Product:** SunLink OSI

**Version/Release:** Ver 8.0

**Release Date:** 04-AUG-92

**Additional Info:** None

**Registration:** PROV, GOSIP Version 1/registered

**Date:** 04-JAN-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0104

- Sun, SPARCstation 10 Model 42
- MAC H/W - AMD, Lance 7990 Ethernet Controller
- MAC S/W - Sun, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0004

TP4-CLNS/CLNP/LAN

**Underlying Stack:** SunLink OSI 8.0 (TP4/CLNP) **Underlying Product:**

**Protocols and Profiles:** 0050

MHS-84 Relay/(Session)

MHS-84 Relay [X.400:1984] {P1, RTS}

MHS-84 Session [X.410:1984]

**ATS Used:** ATS:1-13 AND ATS:1-14

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-006 MHS **Product ID:** 120

**Supplier:** 000055

SUN Microsystems Federal, Incorporated  
2650 Park Tower Drive, Suite 500  
Vienna, VA 22180-7306

**Contact:** Michael Barnes

Tel: (703) 204-4100 Fax: (703) 204-4782

**GOSIP Product:** SunLink OSI

**Version/Release:** Ver 8.0 **Release Date:** 04-AUG-92

**Additional Info:** None

**Registration:** PROV, GOSIP Version 1/registered

**Date:** 04-JAN-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0105

- Sun, SPARCstation 10 Model 41
- MAC H/W - AMD, Lance 7990 Ethernet Controller
- MAC S/W - Sun, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0004

TP4-CLNS/CLNP/LAN

**Underlying Stack:** SunLink OSI 8.0 (TP4/CLNP) **Underlying Product:**

**Protocols and Profiles:** 0050

MHS-84 Relay/(Session)

MHS-84 Relay [X.400:1984] {P1, RTS}

MHS-84 Session [X.410:1984]

**ATS Used:** ATS:1-13 AND ATS:1-14

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-006 MHS **Product ID:** 121

**Supplier:** 000055

SUN Microsystems Federal, Incorporated  
2650 Park Tower Drive, Suite 500  
Vienna, VA 22180-7306

**Contact:** Michael Barnes

Tel: (703) 204-4100 Fax: (703) 204-4782

**GOSIP Product:** SunLink OSI

**Version/Release:** Ver 8.0

**Release Date:** 04-AUG-92

**Additional Info:** None

**Registration:** PROV, GOSIP Version 1/registered

**Date:** 04-JAN-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0106

Sun, SPARCstation 4/30

- MAC H/W - AMD, Lance 7990 Ethernet Controller
- MAC S/W - Sun, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0004

TP4-CLNS/CLNP/LAN

**Underlying Stack:** SunLink OSI 8.0 (TP4/CLNP) **Underlying Product:**

**Protocols and Profiles:** 0050

MHS-84 Relay/(Session)

MHS-84 Relay [X.400:1984] {P1, RTS}

MHS-84 Session [X.410:1984]

**ATS Used:** ATS:1-13 AND ATS:1-14

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

**Product Code/Type:** P-006 MHS **Product ID:** 122

**Supplier:** 000055

SUN Microsystems Federal, Incorporated  
2650 Park Tower Drive, Suite 500  
Vienna, VA 22180-7306

**Contact:** Michael Barnes

Tel: (703) 204-4100 Fax: (703) 204-4782

**GOSIP Product:** SunLink OSI

**Version/Release:** Ver 8.0

**Release Date:** 04-AUG-92

**Additional Info:** None

**Registration:** PROV, GOSIP Version 1/registered

**Date:** 04-JAN-93

**Reason for Removal:**

**Basis:** BASE

**Base Products:** n/a

**Tested Hardware/Operating System Platforms:** 0107

RDI BRIGHTLITE Model IPX Color Laptop Workstation

- MAC H/W - AMD, Lance 7990 Ethernet Controller
- MAC S/W - Sun, Solaris 2.1 Ethernet Driver, O/S Solaris 2.1

**Claimed Compatibility Hardware/Software Platforms:** 0001

**Connectivity:** 0004

TP4-CLNS/CLNP/LAN

**Underlying Stack:** SunLink OSI 8.0 (TP4/CLNP) **Underlying Product:**

**Protocols and Profiles:** 0050

MHS-84 Relay/(Session)

MHS-84 Relay [X.400:1984] {P1, RTS}

MHS-84 Session [X.410:1984]

**ATS Used:** ATS:1-13 AND ATS:1-14

**Conformance Lab:** 0364

CDA, Incorporated

8301 Greensboro Drive, #350

McLean, VA 22102-3603

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-006 MHS Product ID: 61</p> <p><b>Supplier:</b> 000047 UNISYS Corporation 8008 Westbrook Drive McLean, VA 22102</p> <p><b>Contact:</b> Keith Fretz Tel: (703) 556-5665 Fax: (703) 556-5172</p> <p><b>GOSIP Product:</b> OS1100 OSI-MHS DDP-PPC: 5RIA &amp; PCR 987 <b>Version/Release:</b> Ver OSI-HS 2R1B <b>Release Date:</b> 06-MAY-92 <b>Additional Info:</b> None</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered <b>Date:</b> 10-SEP-92 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0070 H/W: 2200/201 O/S: OS1100 Exec. Ver 43R2</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0246 H/W: 1100/90 and 2200 Series Processors O/S: OS1100 Exec. Ver 43R2</p> <p><b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN</p> <p><b>Underlying Stack:</b> CMS 1100 7R2B + PCR 15312(TP4). OSITS 2RIA + PCR 192, 193, 194, 197 CMS 1100 7R2B + PCR 15312 (CLNP). DCP 802.3 LAN Line Module (LAN)</p> <p><b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0045 MHS-84(Session) MHS-84 [X.400:1984] {P2, P1, RTS} MHS-84 Session [X.410:1984]</p> <p><b>ATS Used:</b> ATS:1-13, ATS:1-14 AND ATS:1-15</p> <p><b>Conformance Lab:</b> 0367 UNISYS - Open Systems Interconnection Laboratory P.O. Box 203, 2450 Swedesford Road Paoli, PA 19301</p>	<p><b>Product Code/Type:</b> P-006 MHS Product ID: 149</p> <p><b>Supplier:</b> 000060 UNISYS Corporation 8008 West Park Drive McLean, VA 22102</p> <p><b>Contact:</b> Dale Pluta Tel: (703) 556-5682 Fax: (703) 556-5172</p> <p><b>GOSIP Product:</b> A-Series OSI-MHS <b>Version/Release:</b> 2.0.048 <b>Release Date:</b> 17-DEC-92 <b>Additional Info:</b> Used in conjunction with A-Series/CP2000 OSI-IPC Software, Version 30.00.199, 11-Dec-92.</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered <b>Date:</b> 04-MAY-93 <b>Reason for Removal:</b> <b>Basis:</b> BASE <b>Base Products:</b> n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0143 A-Series/CP2000 - A-Series System Software Ver 4.0 - CP2000 Operating Software Ver 3.0</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN</p> <p><b>Underlying Stack:</b> A-Series/CP2000 OSI-IPC (TP4-CLNS/CLNP). CP2000 Operating Software (LAN)</p> <p><b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0045 MHS-84(Session) MHS-84 [X.400:1984] {P2, P1, RTS} MHS-84 Session [X.410:1984]</p> <p><b>ATS Used:</b> ATS:1-13, ATS:1-14, ATS:1-15</p> <p><b>Conformance Lab:</b> 0367 UNISYS - Open Systems Interconnection Laboratory P.O. Box 203, 2450 Swedesford Road Paoli, PA 19301</p>
<p><b>Product Code/Type:</b> P-006 MHS Product ID: 74</p> <p><b>Supplier:</b> 000047 UNISYS Corporation 8008 Westbrook Drive McLean, VA 22102</p> <p><b>Contact:</b> Keith Fretz Tel: (703) 556-5665 Fax: (703) 556-5172</p> <p><b>GOSIP Product:</b> DDP-PPC &amp; OS 1100 OSI-MHS <b>Version/Release:</b> Ver DDP-PPC 5RIA + PCR 987 <b>Release Date:</b> 30-MAR-92 <b>Additional Info:</b> None</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered <b>Date:</b> 16-OCT-92 <b>Reason for Removal:</b> <b>Basis:</b> DERIVED <b>Base Products:</b></p> <p><b>Tested Hardware/Operating System Platforms:</b> 0079 Model 1100/90 or any 2200 System using OS1100 EXEC Ver 43R2 and DCP-15 through DCP-55 using DCP/OS Ver 5R2A and TELCON Ver 9R1A</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0085 TP4-CLNS/CLNP/WAN or TP4-CONS/WAN or TP0/WAN</p> <p><b>Underlying Stack:</b> A-Series/CP2000 OSI-IPC V30.00.199 (TP4/CLNP). [ISO 8208] X.25 DCP OSITS, Ver 2RIA(TP4). [ISO 8208] X.25 CMS 1100/OSITS Ver 7R2B(TP0). [ISO 8208] X.25 (X.25)</p> <p><b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0045 MHS-84(Session) MHS-84 [X.400:1984] {P2, P1, RTS} MHS-84 Session [X.410:1984]</p> <p><b>ATS Used:</b> ATS:1-13, ATS:1-14 AND ATS:1-15</p> <p><b>Conformance Lab:</b> 0367 UNISYS - Open Systems Interconnection Laboratory P.O. Box 203, 2450 Swedesford Road Paoli, PA 19301</p>	<p><b>Product Code/Type:</b> P-006 MHS Product ID: 163</p> <p><b>Supplier:</b> 000060 UNISYS Corporation 8008 West Park Drive McLean, VA 22102</p> <p><b>Contact:</b> Dale Pluta Tel: (703) 556-5682 Fax: (703) 556-5172</p> <p><b>GOSIP Product:</b> A-Series OSI-MHS <b>Version/Release:</b> Ver 2.0.048 <b>Release Date:</b> 17-DEC-92 <b>Additional Info:</b> In conjunction with A-Series CP/2000 OSI-IPC Software Ver 30.00.200, Rel 05-JAN-93</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered <b>Date:</b> 18-JUN-93 <b>Reason for Removal:</b> <b>Basis:</b> DERIVED <b>Base Products:</b></p> <p><b>Tested Hardware/Operating System Platforms:</b> 0143 A-Series/CP2000 - A-Series System Software Ver 4.0 - CP2000 Operating Software Ver 3.0</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001 <b>Connectivity:</b> 0088 TP4-CONS/WAN TP0/WAN</p> <p><b>Underlying Stack:</b> A-Series/CP2000 OSI-IPC Software/CP2000 X.25; A-Series/CP2000 OSI-IPC Unisys Product 113/P4.3</p> <p><b>Underlying Product:</b> <b>Protocols and Profiles:</b> 0045 MHS-84(Session) MHS-84 [X.400:1984] {P2, P1, RTS} MHS-84 Session [X.410:1984]</p> <p><b>ATS Used:</b> ATS:1-13, ATS:1-14 and ATS:1-15</p> <p><b>Conformance Lab:</b> 0367 UNISYS - Open Systems Interconnection Laboratory P.O. Box 203, 2450 Swedesford Road Paoli, PA 19301</p>

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-006 MHS Product ID: 256  
**Supplier:** 000060  
 UNISYS Corporation  
 8008 West Park Drive  
 McLean, VA 22102  
**Contact:** Dale Pluta  
 Tel: (703) 556-5682 Fax: (703) 556-5172  
**GOSIP Product:** OSI-MHS  
 Version/Release: Version 3R1 with PCRs  
 1269,1283,1343,1335,1370,1390,1398,1430,1446,1468,1290 & 1397.  
 Release Date: 17-DEC-93  
 Additional Info: Must be used in conjunction with DDP-PPC,  
 Version 5R1B with PCRs 1601, 1499 and 1618, March 25, 1994  
**Registration:** PROV, GOSIP Version 2/registered  
 Date: 01-AUG-94 Reason for Removal:  
 Basis: BASE Base Products: N/A  
**Tested Hardware/Operating System Platforms:** 0234  
 H/W: 2200/200 O/S: OS1100 SB4R6  
**Claimed Compatibility Hardware/Software Platforms:** 0235  
 H/W: 2200 Series  
 Connectivity: 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** CMS-1100, Version 7R3A, PCR 16961  
**Underlying Product:** 239  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**ATS Used:** ATS:2-13.5, ATS:2-13.2, ATS:2-13.3 and ATS:2-13.4  
**Conformance Lab:** 0367  
 UNISYS - Open Systems Interconnection Laboratory  
 P.O. Box 203, 2450 Swedesford Road  
 Paoli, PA 19301

**Product Code/Type:** P-007 FTAM Product ID: 231  
**Supplier:** 000126  
 Bull Information Systems, Inc.  
 13430 North Black Canyon  
 Phoenix, AZ 85029  
**Contact:** Tom Cody  
 Tel: (602) 862-5114  
**GOSIP Product:** FTAMX  
 Version/Release: Version 4.0 Release Date: 01-OCT-93  
 Additional Info:  
**Registration:** PROV, GOSIP Version 2/registered  
 Date: 07-MAR-94 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0195  
 H/W: DPX/20 Models 100, 400, 600, & 800  
 O/S: AIX Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0057  
 Session/TP4-CLNS/CLNP/LAN  
**Underlying Stack:** DPX/20 AIX 3 Stack B Version 1  
**Underlying Product:**  
**Protocols and Profiles:** 0090  
 FTAM/(ACSE)/(Presentation)  
 FTAM [ISO 8571:1988] {T1, M1, T2, A1}  
 FTAM ACSE [ISO 10607-1:1990]  
 FTAM Presentation [ISO 10607-1:1990] {ASN.1}  
**ATS Used:** ATS:2-16.2,ATS:2-16.6,ATS:2-16.7,ATS:2-16.8,ATS:2-16.9,ATS:2-16.10,&ATS:2-16.11  
**Conformance Lab:** 0355  
 Bull HN Conformance Test Center  
 13430 N Black Canyon Hwy, P.O. Box 8000  
 Phoenix, AZ 85029

**Product Code/Type:** P-007 FTAM Product ID: 232  
**Supplier:** 000126  
 Bull Information Systems, Inc.  
 13430 North Black Canyon  
 Phoenix, AZ 85029  
**Contact:** Tom Cody  
 Tel: (602) 862-5114  
**GOSIP Product:** DPX/20 AIX 3 Stack B  
 Version/Release: Version 1.0 Release Date: 01-MAY-93  
 Additional Info:  
**Registration:** PROV, GOSIP Version 2/registered  
 Date: 08-MAR-94 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0195  
 H/W: DPX/20 Models 100, 400, 600, & 800  
 O/S: AIX Version 3  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0057 Session/TP4-CLNS/CLNP/LAN  
**Underlying Stack:** DPX/20 AIX 3 Stack B Version 1  
**Underlying Product:**  
**Protocols and Profiles:** 0090  
 FTAM/(ACSE)/(Presentation)  
 FTAM [ISO 8571:1988] {T1, M1, T2, A1}  
 FTAM ACSE [ISO 10607-1:1990]  
 FTAM Presentation [ISO 10607-1:1990] {ASN.1}  
**ATS Used:** ATS:2-16.2,ATS:2-16.6,ATS:2-16.7,ATS:2-16.8,ATS:2-16.9,ATS:2-16.10,&ATS:2-16.11  
**Conformance Lab:** 0355  
 Bull HN Conformance Test Center  
 13430 N Black Canyon Hwy, P.O. Box 8000  
 Phoenix, AZ 85029

**Product Code/Type:** P-007 FTAM Product ID: 113  
**Supplier:** 000001  
 Bull Information Systems, Incorporated  
 13430 North Black Canyon Highway  
 Phoenix, AZ 85029  
**Contact:** Oscar Hefner  
 Tel: (602) 862-6001  
 Fax: (602) 862-6051  
**GOSIP Product:** FTAMX  
 Version/Release: Ver 02.01.06  
 Release Date: 01-AUG-92  
 Additional Info: None  
**Registration:** PROV, GOSIP Version 1/registered  
 Date: 18-DEC-92  
 Reason for Removal:  
 Basis: BASE  
 Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0087  
 DPX/2 200, O/S B.O.S. 2  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0057  
 Session/TP4-CLNS/CLNP/LAN  
**Underlying Stack:** LT-610, Bull Information Systems  
**Underlying Product:**  
**Protocols and Profiles:** 0052  
 FTAM [ISO 8571:1988] {T1, M1}  
**ATS Used:** ATS:1-16  
**Conformance Lab:** 0370  
 Conformance Expert Center for OSI Bull - CECOB  
 1 Rue de Provence, BP 208  
 38432 Echirolles France

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 90  <b>Supplier:</b> 000036            Data General Corporation            4400 Computer Drive, MS/D216            Westboro, MA 01580  <b>Contact:</b> Charles Stakus            Tel: (508) 870-6392 Fax: (508) 898-4694  <b>GOSIP Product:</b> FTAM For AViiON Systems            Version/Release: Ver 3.10            Release Date: 01-AUG-92            Additional Info: None  <b>Registration:</b> PROV, GOSIP Version 1/registered            Date: 13-NOV-92  <b>Reason for Removal:</b>            Basis: BASE            Base Products: n/a  <b>Tested Hardware/Operating System Platforms:</b> 0053            AViiON 5000/6000 Series            DG/UX System for AViiON Systems Rev. 5.4.1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0057            Session/TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> OSI/Platform for AViiON Systems  <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0052            FTAM [ISO 8571:1988] {T1, M1}  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0391            Data General Corporation, OSI Conformance Test Center            4400 Computer Drive, MS/D216            Westborough, MA 01580</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 220  <b>Supplier:</b> 000102            Data General Corporation            4400 Computer Drive            Westboro, MA 01580  <b>Contact:</b> Peter Conway            Tel: (508) 898-7176 Fax: (508) 898-4212  <b>GOSIP Product:</b> FTAM AViiON Systems            Version/Release: Version 3.30 Release Date: 01-OCT-93            Additional Info: Model AV8500 tested. Vendor claims support for other hardware models as listed.  <b>Registration:</b> PROV, GOSIP Version 2/registered            Date: 08-FEB-94 Reason for Removal:            Basis: DERIVED Base Products:  <b>Tested Hardware/Operating System Platforms:</b> 0240            H/W: AV8500            O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0241            H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000  <b>Connectivity:</b> 0069 TP4-CLNS/CLNP/WAN  <b>Underlying Stack:</b> OSI Platform for AViiON Systems  <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0079            FTAM/(ACSE)/(Presentation)/(Session)            FTAM [ISO 8571:1988] {T1, M1}            FTAM ACSE [ISO 10607-1:1990]            FTAM Presentation [ISO 10607-1:1990] {ASN.1}            FTAM Session [ISO 10607-1:1990]  <b>ATS Used:</b> ATS:2-16.2  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603</p>
<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 205  <b>Supplier:</b> 000102            Data General Corporation            4400 Computer Drive            Westboro, MA 01580  <b>Contact:</b> Peter Conway            Tel: (508) 898-7176 Fax: (508) 898-4212  <b>GOSIP Product:</b> FTAM for AViiON Systems            Version/Release: Version 3.30 Release Date: 01-OCT-93            Additional Info:  <b>Registration:</b> PROV, GOSIP Version 2/registered            Date: 15-DEC-93 Reason for Removal:            Basis: BASE Base Products: n/a  <b>Tested Hardware/Operating System Platforms:</b> 0240            H/W: AV8500            O/S: DG/UX System for AViiON Computers, Revision 5.4R2.10  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0241            H/W: AViiON AV500, AV4000, AV5000, AV6000, AV7000, AV8000, AV8500, AV9000  <b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> OSI/Platform for AViiON Systems  <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0079            FTAM/(ACSE)/(Presentation)/(Session)            FTAM [ISO 8571:1988] {T1, M1}            FTAM ACSE [ISO 10607-1:1990]            FTAM Presentation [ISO 10607-1:1990] {ASN.1}            FTAM Session [ISO 10607-1:1990]  <b>ATS Used:</b> ATS:2-16.12, ATS:2-16.10, ATS:2-16.11, ATS:2-16.9, ATS:2-16.2, ATS:2-16.6  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 130  <b>Supplier:</b> 00005            Digital Equipment Corp            550 King Street            Littleton, MA 01460-1289  <b>Contact:</b> Richard Duhamel            Tel: (508) 486-5021 Fax: (508) 486-7417            Email: duhamel@woof.enet.dec.com  <b>GOSIP Product:</b> DECnet/OSI for OpenVMS            Version/Release: Ver V5.5 Release Date: 09-NOV-92            Additional Info: None  <b>Registration:</b> PROV, GOSIP Version 1/registered            Date: 13-JAN-93 Reason for Removal:            Basis: DERIVED Base Products:  <b>Tested Hardware/Operating System Platforms:</b> 0114            Digital VAX VMS Ver 5.5  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0057            Session/TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> DECNet - OSI for Open VMS VAX Ver 5.5/VOTS Ver 3.0A  <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0057            FTAM [ISO 8571:1988] {T1} Simple File Transfer Protocol  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0362            Digital Equipment Corporation, OSI Conformance Interoperability Test Center            550 King Street, MS LKG2A/R5            Littleton, MA 01460-1289</p>

## GOSIP REGISTERS, Continued

<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 274  <b>Supplier:</b> 000005            Digital Equipment Corp            550 King Street            Littleton, MA 01460-1289  <b>Contact:</b> Richard Duhamel            Tel: (508) 486-5021 Fax: (508) 486-7417  <b>GOSIP Product:</b> DECnet/OSI for DEC OSF/1 AXP  <b>Version/Release:</b> Version 2.0 <b>Release Date:</b> 14-MAR-94  <b>Additional Info:</b> Minimum memory configuration is 32 MB and minimum disk space requirement is 680 MB.  <b>Registration:</b> PROV, GOSIP Version 2/registered  <b>Date:</b> 01-AUG-94 <b>Reason for Removal:</b>  <b>Basis:</b> BASE Base Products: N/A  <b>Tested Hardware/Operating System Platforms:</b> 0221            DEC 3000 Model 500 AXP Workstation            DEC OSF/1 Operating System, Version 2.0  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0222            DEC 3000 Series Workstations and Servers; DEC 2000 Model 300 AXP Workstation; DEC 4000 Model 610 AXP System; DEC 7000 Model 610 AXP System; DEC 10000 Model 610 AXP System  <b>Connectivity:</b> 0122            TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}/10Base2  <b>Underlying Stack:</b> DECnet/OSI V2.0 for DEC OSF/1 AXP  <b>Underlying Product:</b> 243  <b>Protocols and Profiles:</b> 0092            FTAM/(ACSE)/(PRESENTATION)/(SESSION); FTAM [ISO 8571:1988] {T1, M1, R&amp;R}; FTAM ACSE [ISO 10607-1:1990]; FTAM PRESENTATION [ISO 10607-1:1990] {ASN.1}; FTAM SESSION [ISO 10607-1:1990]  <b>ATS Used:</b> ATS:2-16.2,ATS:2-16.3,ATS:2-16.6,ATS:2-16.9,ATS:2-16.10,ATS:2-16.11 &amp; ATS:2-16.12  <b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom         </p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 241  <b>Supplier:</b> 000134            Digital Equipment Corporation            P.O. Box 121, Worton Grange Imperial Way            Reading RG2 OTU England  <b>Contact:</b> David Wiltshire            Tel: +44 734 20 6465 Fax: +44 734 20 4222            Email: wiltshire@nacceee.enet.dec.com  <b>GOSIP Product:</b> Common FTAM for DECnet/OSI OpenVMS VAX  <b>Version/Release:</b> Version 3.1 <b>Release Date:</b> 21-JAN-94  <b>Registration:</b> PROV, GOSIP Version 2/registered  <b>Date:</b> 27-JUN-94 <b>Reason for Removal:</b>  <b>Basis:</b> BASE Base Products: N/A  <b>Tested Hardware/Operating System Platforms:</b> 0223            H/W: VAXserver 3600 O/S: OpenVMS VAX Operating System V6.0  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0224  <b>Processors Not Supported:</b> MicroVAX I, VAXstation I, VAX-11/725, VAX-II/782, and VAXstation 8000  <b>All other VAX are supported</b>  <b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> DECnet/OSI V5.7 for Open VMS VAX/Ethernet  <b>Controller Card:</b> DESQA-SA; AUI Cable: BNE4D-02; 10Base2 Adapter: DESTA  <b>Underlying Product:</b> 240  <b>Protocols and Profiles:</b> 0092            FTAM/(ACSE)/(PRESENTATION)/(SESSION); FTAM [ISO 8571:1988] {T1, M1, R&amp;R}; FTAM ACSE [ISO 10607-1:1990]; FTAM PRESENTATION [ISO 10607-1:1990] {ASN.1}; FTAM SESSION [ISO 10607-1:1990]  <b>ATS Used:</b> ATS:2-16.2,ATS:2-16.3,ATS:2-16.6,ATS:2-16.9,ATS:2-16.10,ATS:2-16.11,&amp;ATS:2-16.12  <b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom         </p>
<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 53  <b>Supplier:</b> 000044            Digital Equipment Corporation            550 King Street            Littleton, MA 01460-1289  <b>Contact:</b> Ladan Porooshani            Tel: (508) 486-7123  <b>GOSIP Product:</b> DECNET-VAX (TM) Extensions Ver 5.4A/VAX FTAM Ver 2.0A <b>Version/Release:</b> Ver 2.0A  <b>Release Date:</b> 01-MAR-92 <b>Additional Info:</b> None  <b>Registration:</b> PROV, GOSIP Version 1/registered  <b>Date:</b> 16-AUG-92 <b>Reason for Removal:</b>  <b>Basis:</b> BASE Base Products: n/a  <b>Tested Hardware/Operating System Platforms:</b> 0065            Digital VAX with VMS V5.4 and DECNET-VAX V5.4 Extensions  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> DECNet-OSI for OpenVMS VAX V5.5/VOTSV3.0A  <b>Protocols and Profiles:</b> 0029            FTAM/(ACSE)/(Presentation)/(Session)            FTAM [ISO 8571:1988] {T1}            FTAM ACSE [ISO 8650:1988]            FTAM Presentation [ISO 8823:1988]            FTAM Session [ISO 8327:1987]  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0362            Digital Equipment Corporation, OSI Conformance Interoperability Test Center            550 King Street, MS LKG2A/R5            Littleton, MA 01460-1289         </p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 63  <b>Supplier:</b> 000040            Encore Computing Corporation            6901 West Sunrise Boulevard            Ft. Lauderdale, FL 33313-4499  <b>Contact:</b> Augie Gonzales            Tel: (305) 587-2900 Fax: (305) 797-5807  <b>GOSIP Product:</b> EnComm FTAM  <b>Version/Release:</b> Ver 2.0.1 <b>Release Date:</b> 01-SEP-92  <b>Additional Info:</b> None  <b>Registration:</b> PROV, GOSIP Version 1/registered  <b>Date:</b> 23-SEP-92 <b>Reason for Removal:</b>  <b>Basis:</b> BASE Base Products: n/a  <b>Tested Hardware/Operating System Platforms:</b> 0067            H/W: Encore Infinity 90 Series GPIO I            O/S: UMAX Ver. 3.0.7  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> Encore Infinity 90 Series GPIO I  <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0029            FTAM/(ACSE)/(Presentation)/(Session); FTAM [ISO 8571:1988] {T1}; FTAM ACSE [ISO 8650:1988]; FTAM Presentation [ISO 8823:1988]; FTAM Session [ISO 8327:1987]  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603         </p>

## GOSIP REGISTERS, *Continued*

---

<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 32</p> <p><b>Supplier:</b> 000018 Hewlett-Packard Company 19420 Homestead Road Cupertino, CA 95014-9810</p> <p><b>Contact:</b> Murali Subbarao Tel: (408) 447-2822 Fax: (408) 447-3660</p> <p><b>GOSIP Product:</b> HP FTAM/9000 Series 800 Version/Release: Ver C.02.03 Release Date: 10-JUN-91 Additional Info: None</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered Date: 30-JAN-92 Reason for Removal: Basis: BASE Base Products: n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0047 HP9000 Series 800 computers which support LAN/9000 link product; HP-UX Operating System, Version 8.0</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN</p> <p><b>Underlying Stack:</b> Unknown. Documentation was not retained.</p> <p><b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p><b>ATS Used:</b> ATS:1-16</p> <p><b>Conformance Lab:</b> 0365 Hewlett-Packard Company, OSI Conformance Test Center 19420 Homestead Road, MS 43UJ Cupertino, CA 95014-9810</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 166</p> <p><b>Supplier:</b> 000085 IBM Rome Networking Systems Laboratory Via Paolo Di Dono 44 00143 Rome Italy</p> <p><b>Contact:</b> Alberto Sinibaldi Tel: 39 6 5966-2281 Fax: 39 6 5966-2467 Email: Sinibaldi@romeppc.vnet.ibm.com</p> <p><b>GOSIP Product:</b> IBM OSI/File Services Version/Release: Version 1 Release 1 Release Date: 01-JUN-90 Additional Info: Must be used with OSI/Communications Subsystem Version 1 Release 1.1, 01-DEC-90</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered Date: 24-JUN-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0036 H/W: IBM System 390 O/S: IBM MVS/ESA Ver 3 Rel 1</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0081 TP4-CONS/WAN</p> <p><b>Underlying Stack:</b> IBM OSI/Communications Subsystem V1R1.1 IBM X.25 NCP Packet Switching Interface V3R4</p> <p><b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p><b>ATS Used:</b> ATS:1-16</p> <p><b>Conformance Lab:</b> 0392 IBM Rome Networking Systems Laboratory Via Paolo Di Dono 44 00143 Rome Italy</p>
<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 135</p> <p><b>Supplier:</b> 000085 IBM Rome Networking Systems Laboratory Via Paolo Di Dono 44 00143 Rome Italy</p> <p><b>Contact:</b> Alberto Sinibaldi Tel: 39 6 5966-2281 Fax: 39 6 5966-2467 Email: Sinibaldi@romeppc.vnet.ibm.com</p> <p><b>GOSIP Product:</b> IBM AIX OSI MESSAGING AND FILING / 6000 Version/Release: Ver 1 Release Date: 01-DEC-90 Additional Info: None</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered Date: 25-FEB-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0123 IBM AIX/6000, Ver 3.1.5, O/S RISC System 6000</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0004 TP4-CLNS/CLNP/LAN</p> <p><b>Underlying Stack:</b> None Underlying Product:</p> <p><b>Protocols and Profiles:</b> 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p><b>ATS Used:</b> ATS:1-16</p> <p><b>Conformance Lab:</b> 0392 IBM Rome Networking Systems Laboratory Via Paolo Di Dono 44 00143 Rome Italy</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 215</p> <p><b>Supplier:</b> 000085 IBM Rome Networking Systems Laboratory Via Paolo Di Dono 44 00143 Rome Italy</p> <p><b>Contact:</b> Alberto Sinibaldi Tel: 39 6 5966-2281 Fax: 39 6 5966-2467 Email: Sinibaldi@romeppc.vnet.ibm.com</p> <p><b>GOSIP Product:</b> OSI File Services/400 Version/Release: Version 2 Release 3 Release Date: 01-DEC-93 Additional Info: Must be used with OSI Communications Subsystem/400, Version 2 Release 3, December 1993</p> <p><b>Registration:</b> PROV, GOSIP Version 1/registered Date: 13-JAN-94 Reason for Removal: Basis: BASE Base Products: n/a</p> <p><b>Tested Hardware/Operating System Platforms:</b> 0179 H/W: AS/400 O/S: OS/400 Version 2 Release 3</p> <p><b>Claimed Compatibility Hardware/Software Platforms:</b> 0001</p> <p><b>Connectivity:</b> 0058 TP0/WAN</p> <p><b>Underlying Stack:</b> OSI Communications Subsystem/400, Version 2 Release 3, December 1993 and AS/400 X.25 Communication Support, Version 2 Release 3, GOSIP Product ID: 183</p> <p><b>Underlying Product:</b></p> <p><b>Protocols and Profiles:</b> 0029 FTAM/(ACSE)/(Presentation)/(Session); FTAM [ISO 8571:1988] {T1}; FTAM ACSE [ISO 8650:1988]; FTAM Presentation [ISO 8823:1988]; FTAM Session [ISO 8327:1987]</p> <p><b>ATS Used:</b> ATS:1-16</p> <p><b>Conformance Lab:</b> 0392 IBM Rome Networking Systems Laboratory Via Paolo Di Dono 44 00143 Rome Italy</p>

## GOSIP REGISTERS, *Continued*

**Product Code/Type:** P-007 FTAM Product ID: 257  
**Supplier:** 000085  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy  
**Contact:** Alberto Sinibaldi  
 Tel: 39 6 5966-2281 Fax: 39 6 5966-2467  
 Email: Sinibald@romeppc.vnet.ibm.com  
**GOSIP Product:** IBM AIX OSI Services/6000  
**Version/Release:** Version 1 Release 1 **Release Date:** 01-APR-94  
**Additional Info:** None  
**Registration:** PROV, GOSIP Version 2/registered  
 Date: 01-AUG-94 Reason for Removal:  
 Basis: DERIVED Base Products: 232  
**Tested Hardware/Operating System Platforms:** 0238  
 H/W: IBM RISC/6000 Model 32H  
 O/S: IBM AIX/6000 Version 3.2.4  
**Claimed Compatibility Hardware/Software Platforms:** 0239  
 H/W: IBM RISC/6000 Models 2xx, 3xx, 5xx and 9xx  
 O/S: IBM AIX/6000 Version 3  
**Connectivity:** 0057 Session/TP4-CLNS/CLNP/LAN  
**Underlying Stack:** IBM AIX/6000 Version 3.2.4  
**Underlying Product:** 258  
**Protocols and Profiles:** 0096  
 FTAM/(ACSE)/(Presentation); FTAM [ISO 8571:1988] {T1};  
 FTAM ACSE [ISO 10607-1:1990]; FTAM Presentation [ISO 10607-1:1990]  
**ATS Used:** ATS:2-16.2,ATS:2-16.6,ATS:2-16.7,ATS:2-16.8,  
 ATS:2-16.9,ATS:2-16.10 & ATS:2-16.11  
**Conformance Lab:** 0392  
 IBM Rome Networking Systems Laboratory  
 Via Paolo Di Dono 44  
 00143 Rome Italy

**Product Code/Type:** P-007 FTAM Product ID: 52  
**Supplier:** 000043  
 NCR  
 9900 Old Grove Road  
 San Diego, CA 92131  
**Contact:** Wendy Morrison  
 Tel: (619) 693-5665 Fax: (619) 693-5705  
**GOSIP Product:** NCR OSI STAR PRO FTAM  
**Version/Release:** Ver 2.00.00 **Release Date:** 01-JUL-92  
**Additional Info:** None  
**Registration:** PROV, GOSIP Version 1/registered  
 Date: 07-AUG-92 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0063  
 H/W: NCR System 3000 consisting of the following hardware  
 models: 3320, 3340, 3345, 3447, 3450, 3550 and 3600  
 O/S: NCR UNIX SVR4, (MP-RAS), Rel 2  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** Product ID# 51: NCR UNIX OSI Network  
 Services, Ver 2.00.02  
**Underlying Product:**  
**Protocols and Profiles:** 0029  
 FTAM/(ACSE)/(Presentation)/(Session)  
 FTAM [ISO 8571:1988] {T1}  
 FTAM ACSE [ISO 8650:1988]  
 FTAM Presentation [ISO 8823:1988]  
 FTAM Session [ISO 8327:1987]  
**ATS Used:** ATS:1-16  
**Conformance Lab:** 0363  
 Corporation for Open Systems International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

**Product Code/Type:** P-007 FTAM Product ID: 48  
**Supplier:** 000039  
 Novell Incorporated  
 2180 Fortune Drive  
 San Jose, CA 95131  
**Contact:** Jan Provan  
 Tel: (408) 473-8422 Fax: (408) 433-9827  
**GOSIP Product:** NETWARE FTAM  
**Version/Release:** Ver 1.2 Rev B **Release Date:** 20-APR-92  
**Additional Info:** None  
**Registration:** PROV, GOSIP Version 1/registered  
 Date: 24-JUN-92 Reason for Removal:  
 Basis: BASE Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0057  
 FTAM Initiator Hub and Responder AST Premium 386/33;  
 Netware 3.11; Novell Ethernet Card; FTAM Initiator Executable  
 AST Premium 386/33; DOS 3.3; Novell NE2000 Ethernet Card  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0004 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** Unknown. Documentation was not retained.  
**Underlying Product:**  
**Protocols and Profiles:** 0029  
 FTAM/(ACSE)/(Presentation)/(Session)  
 FTAM [ISO 8571:1988] {T1}  
 FTAM ACSE [ISO 8650:1988]  
 FTAM Presentation [ISO 8823:1988]  
 FTAM Session [ISO 8327:1987]  
**ATS Used:** ATS:1-16  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

**Product Code/Type:** P-007 FTAM Product ID: 126  
**Supplier:** 000057  
 Retix  
 2401 Colorado Avenue  
 Santa Monica, CA 90404  
**Contact:** Jeff Stone  
 Tel: (310) 828-3400  
 Fax: (310) 828-2255  
**GOSIP Product:** Retix FTAM Model FT-820  
**Version/Release:** Ver 1.80  
**Release Date:** 01-OCT-92  
**Additional Info:** None  
**Registration:** PROV, GOSIP Version 1/registered  
 Date: 21-JAN-93  
**Reason for Removal:**  
 Basis: BASE  
 Base Products: n/a  
**Tested Hardware/Operating System Platforms:** 0111  
 Intel 486 Alpha Systems Lab  
 UNIX System V Rel 3.2  
**Claimed Compatibility Hardware/Software Platforms:** 0001  
**Connectivity:** 0057  
 Session/TP4-CLNS/CLNP/LAN  
**Underlying Stack:** Retix LT-610 Underlying Product:  
**Protocols and Profiles:** 0057  
 FTAM [ISO 8571:1988] {T1} Simple File Transfer Protocol  
**ATS Used:** ATS:1-16  
**Conformance Lab:** 0357  
 National Computing Centre Limited  
 Oxford Road  
 Manchester M17ED United Kingdom

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 134</p> <p>Supplier: 000057 Retix 2401 Colorado Avenue Santa Monica, CA 90404</p> <p>Contact: Jeff Stone Tel: (310) 828-3400 Fax: (310) 828-2255</p> <p>GOSIP Product: Retix FTAM FT-820 Version/Release: Ver 1.80 Release Date: 01-OCT-92 Additional Info: None</p> <p>Registration: PROV, GOSIP Version 1/registered Date: 01-FEB-92 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: 0122 Tatung (Intel 386), O/S UNIX System V Rel 3.2 (SCO Ver 4.0)</p> <p>Claimed Compatibility Hardware/Software Platforms: 0001</p> <p>Connectivity: 0069 TP4-CLNS/CLNP/WAN</p> <p>Underlying Stack: Retix LT-610 Underlying Product: Protocols and Profiles: 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p>ATS Used: ATS:1-16</p> <p>Conformance Lab: 0357 National Computing Centre Limited Oxford Road Manchester M17ED United Kingdom</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 261</p> <p>Supplier: 000099 SUN MicroSystems, Inc. 32 Chemin du Vieux Chene Meylan F-38240 France</p> <p>Contact: Willy-Francois Poulet Tel: +33 76 41 42 43 Fax: +33 76 41 42 41</p> <p>GOSIP Product: SunLink FTAM Version/Release: Version 8.0.1 Release Date: 01-APR-94</p> <p>Registration: PROV, GOSIP Version 2/registered Date: 07-JUN-94 Reason for Removal: Basis: BASE Base Products: N/A</p> <p>Tested Hardware/Operating System Platforms: 0217 H/W: SPARCstation Model 41 O/S: Solaris 2.1</p> <p>Claimed Compatibility Hardware/Software Platforms: 0218 H/W: All Sun SPARC Hardware</p> <p>Connectivity: 0004 TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: SunLink OSI 8.0 Underlying Product: 142 Protocols and Profiles: 0079 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1, M1} FTAM ACSE [ISO 10607-1:1990] FTAM Presentation [ISO 10607-1:1990] {ASN.1} FTAM Session [ISO 10607-1:1990]</p> <p>ATS Used: ATS:2-16, ATS:2-16.9, ATS:2-16.10, ATS:2-16.11, ATS:2-16.12 and ATS:2-16.13</p> <p>Conformance Lab: 0357 National Computing Centre Limited Oxford Road Manchester M17ED United Kingdom</p>
<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 260</p> <p>Supplier: 000099 SUN MicroSystems, Inc. 32 Chemin du Vieux Chene Meylan F-38240 France</p> <p>Contact: Willy-Francois Poulet Tel: +33 76 41 42 43 Fax: +33 76 41 42 41</p> <p>GOSIP Product: SunLink FTAM Version/Release: Version 8.0.1 Release Date: 01-APR-94 Additional Info: None</p> <p>Registration: PROV, GOSIP Version 2/registered Date: 07-JUN-94 Reason for Removal: Basis: DERIVED Base Products: 187</p> <p>Tested Hardware/Operating System Platforms: 0217 H/W: SPARCstation Model 41 O/S: Solaris 2.1</p> <p>Claimed Compatibility Hardware/Software Platforms: 0218 H/W: All Sun SPARC Hardware</p> <p>Connectivity: 0117 TPO/CONS/WAN</p> <p>Underlying Stack: SunLink OSI 8.0, SunLink X.25 8.0 Underlying Product: 142 and 152 Protocols and Profiles: 0079 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1, M1} FTAM ACSE [ISO 10607-1:1990] FTAM Presentation [ISO 10607-1:1990] {ASN.1} FTAM Session [ISO 10607-1:1990]</p> <p>ATS Used: ATS:2-16, ATS:2-16.9, ATS:2-16.10, ATS:2-16.11, ATS:2-16.12 and ATS:2-16.13</p> <p>Conformance Lab: 0357 National Computing Centre Limited Oxford Road Manchester M17ED United Kingdom</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 262</p> <p>Supplier: 000099 SUN MicroSystems, Inc. 32 Chemin du Vieux Chene Meylan F-38240 France</p> <p>Contact: Willy-Francois Poulet Tel: +33 76 41 42 43 Fax: +33 76 41 42 41</p> <p>GOSIP Product: SunLink FTAM Version/Release: Version 8.0.1 Release Date: 01-APR-94 Additional Info: None</p> <p>Registration: PROV, GOSIP Version 2/registered Date: 07-JUN-94 Reason for Removal: Basis: DERIVED Base Products: 187</p> <p>Tested Hardware/Operating System Platforms: 0217 H/W: SPARCstation Model 41 O/S: Solaris 2.1</p> <p>Claimed Compatibility Hardware/Software Platforms: 0218 H/W: All Sun SPARC Hardware</p> <p>Connectivity: 0069 TP4-CLNS/CLNP/WAN</p> <p>Underlying Stack: SunLink OSI 8.0, SunLink X.25 8.0 Underlying Product: 142 and 152 Protocols and Profiles: 0079 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1, M1} FTAM ACSE [ISO 10607-1:1990] FTAM Presentation [ISO 10607-1:1990] {ASN.1} FTAM Session [ISO 10607-1:1990]</p> <p>ATS Used: ATS:2-16, ATS:2-16.9, ATS:2-16.10, ATS:2-16.11, ATS:2-16.12 and ATS:2-16.13</p> <p>Conformance Lab: 0357 National Computing Centre Limited Oxford Road Manchester M17ED United Kingdom</p>

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 68  <b>Supplier:</b> 000050            SUN MicroSystems, Inc. International Centre for Network Computing            32 Rue du Vieux Chene            F-38240 Meylan France  <b>Contact:</b> Tom Hull            Tel: +33 76 41 42 18 Fax: +33 76 41 42 41  <b>GOSIP Product:</b> SUNNET OSI FTAM  <b>Version/Release:</b> Ver 7.1  <b>Release Date:</b> 01-OCT-92  <b>Additional Info:</b> None  <b>Registration:</b> PROV, GOSIP Version 1/registered  <b>Date:</b> 14-OCT-92  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a  <b>Tested Hardware/Operating System Platforms:</b> 0075            Sun 4            SunOS 4.0.3, 4.1, 4.1.1, 4.1.2  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0004            TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> SUNNet OSI 7.0 <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0029            FTAM/(ACSE)/(Presentation)/(Session)            FTAM [ISO 8571:1988] {T1}            FTAM ACSE [ISO 8650:1988]            FTAM Presentation [ISO 8823:1988]            FTAM Session [ISO 8327:1987]  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 156  <b>Supplier:</b> 000055            SUN Microsystems Federal, Incorporated            2650 Park Tower Drive, Suite 500            Vienna, VA 22180-7306  <b>Contact:</b> Michael Barnes            Tel: (703) 204-4100 Fax: (703) 204-4782  <b>GOSIP Product:</b> SUNLink OSI FTAM  <b>Version/Release:</b> Ver 8.0  <b>Release Date:</b> 04-AUG-92  <b>Additional Info:</b> None  <b>Registration:</b> PROV, GOSIP Version 1/registered  <b>Date:</b> 04-JAN-93  <b>Reason for Removal:</b>  <b>Basis:</b> BASE  <b>Base Products:</b> n/a  <b>Tested Hardware/Operating System Platforms:</b> 0094  <b>H/W:</b> SPARCstation 4/30  <b>O/S:</b> Solaris 2.1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0004            TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> SUNLink OSI 8.0 <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0029            FTAM/(ACSE)/(Presentation)/(Session)            FTAM [ISO 8571:1988] {T1}            FTAM ACSE [ISO 8650:1988]            FTAM Presentation [ISO 8823:1988]            FTAM Session [ISO 8327:1987]  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603</p>
<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 86  <b>Supplier:</b> 000050            SUN MicroSystems, Inc. International Centre for Network Computing            32 Rue du Vieux Chene            F-38240 Meylan France  <b>Contact:</b> Tom Hull            Tel: +33 76 41 42 18 Fax: +33 76 41 42 41  <b>GOSIP Product:</b> SUNNET OSI FTAM  <b>Version/Release:</b> Ver 7.1  <b>Release Date:</b> 01-OCT-92  <b>Additional Info:</b> None  <b>Registration:</b> PROV, GOSIP Version 1/registered  <b>Date:</b> 25-NOV-92  <b>Reason for Removal:</b>  <b>Basis:</b> DERIVED  <b>Base Products:</b>  <b>Tested Hardware/Operating System Platforms:</b> 0075            Sun 4 SunOS 4.0.3, 4.1, 4.1.1, 4.1.2  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0058            TP0/WAN  <b>Underlying Stack:</b> SUNNet X.25 <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0057            FTAM [ISO 8571:1988] {T1} Simple File Transfer Protocol  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0357            National Computing Centre Limited            Oxford Road            Manchester M17ED United Kingdom</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 157  <b>Supplier:</b> 000055            SUN Microsystems Federal, Incorporated            2650 Park Tower Drive, Suite 500            Vienna, VA 22180-7306  <b>Contact:</b> Michael Barnes            Tel: (703) 204-4100 Fax: (703) 204-4782  <b>GOSIP Product:</b> SUNLink OSI FTAM  <b>Version/Release:</b> Ver 8.0 <b>Release Date:</b> 04-AUG-93  <b>Additional Info:</b> None  <b>Registration:</b> PROV, GOSIP Version 1/registered  <b>Date:</b> 04-JAN-93 <b>Reason for Removal:</b>  <b>Basis:</b> BASE <b>Base Products:</b> n/a  <b>Tested Hardware/Operating System Platforms:</b> 0095  <b>H/W:</b> SPARCstation 10 Model 30  <b>O/S:</b> Solaris 2.1  <b>Claimed Compatibility Hardware/Software Platforms:</b> 0001  <b>Connectivity:</b> 0004            TP4-CLNS/CLNP/LAN  <b>Underlying Stack:</b> SUNLink 8.0 <b>Underlying Product:</b>  <b>Protocols and Profiles:</b> 0029            FTAM/(ACSE)/(Presentation)/(Session)            FTAM [ISO 8571:1988] {T1}            FTAM ACSE [ISO 8650:1988]            FTAM Presentation [ISO 8823:1988]            FTAM Session [ISO 8327:1987]  <b>ATS Used:</b> ATS:1-16  <b>Conformance Lab:</b> 0364            CDA, Incorporated            8301 Greensboro Drive, #350            McLean, VA 22102-3603</p>

## GOSIP REGISTERS, *Continued*

---

<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 158</p> <p>Supplier: 000055 SUN Microsystems Federal, Incorporated 2650 Park Tower Drive, Suite 500 Vienna, VA 22180-7306</p> <p>Contact: Michael Barnes Tel: (703) 204-4100 Fax: (703) 204-4782</p> <p>GOSIP Product: SUNLink OSI FTAM Version/Release: ver 3.0 Release Date: 04-AUG-93 Additional Info: None</p> <p>Registration: PROV, GOSIP Version 1/registered Date: 04-JAN-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: 0093 H/W: SPARCstation 10 Model 41 O/S: Solaris 2.1</p> <p>Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0004 TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: SUNLink OSI 8.0 Underlying Product: Protocols and Profiles: 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p>ATS Used: ATS:1-16</p> <p>Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 160</p> <p>Supplier: 000055 SUN Microsystems Federal, Incorporated 2650 Park Tower Drive, Suite 500 Vienna, VA 22180-7306</p> <p>Contact: Michael Barnes Tel: (703) 204-4100 Fax: (703) 204-4782</p> <p>GOSIP Product: SUNLink OSI FTAM Version/Release: Ver 8.0 Release Date: 04-AUG-93 Additional Info: None</p> <p>Registration: PROV, GOSIP Version 1/registered Date: 04-JAN-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: 0096 RDI BrightLite IPX Color Laptop Workstation Solaris 2.1</p> <p>Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0004 TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: SUNLink OSI 8.0 Underlying Product: Protocols and Profiles: 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p>ATS Used: ATS:1-16</p> <p>Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>
<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 159</p> <p>Supplier: 000055 SUN Microsystems Federal, Incorporated 2650 Park Tower Drive, Suite 500 Vienna, VA 22180-7306</p> <p>Contact: Michael Barnes Tel: (703) 204-4100 Fax: (703) 204-4782</p> <p>GOSIP Product: SUNLink OSI FTAM Version/Release: Ver 8.0 Release Date: 04-AUG-93 Additional Info: None</p> <p>Registration: PROV, GOSIP Version 1/registered Date: 04-JAN-93 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: 0092 H/W: SPARCstation 10 Model 42 O/S: Solaris 2.1</p> <p>Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0004 TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: SUNLink OSI 8.0 Underlying Product: Protocols and Profiles: 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p>ATS Used: ATS:1-16</p> <p>Conformance Lab: 0364 CDA, Incorporated 8301 Greensboro Drive, #350 McLean, VA 22102-3603</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 60</p> <p>Supplier: 000048 UNISYS Corporation 2450 Swedesford Road Paoli, PA 19301</p> <p>Contact: Ed Kelly Tel: (215) 993-7208</p> <p>GOSIP Product: OSI-FTAM Version/Release: Rel 2R1A Release Date: 03-MAY-92 Additional Info: None</p> <p>Registration: PROV, GOSIP Version 1/registered Date: 10-SEP-92 Reason for Removal: Basis: BASE Base Products: n/a</p> <p>Tested Hardware/Operating System Platforms: 0069 1100/90 and all 2000 Series Systems OS1100 Release 43R1 DCP-15 through DCP-55, DCP/OS Ver 5R2A/TELCON Ver 9R1A</p> <p>Claimed Compatibility Hardware/Software Platforms: 0001 Connectivity: 0004 TP4-CLNS/CLNP/LAN</p> <p>Underlying Stack: CMS 1000 7R2B PLS PCR 15312 Underlying Product: Protocols and Profiles: 0029 FTAM/(ACSE)/(Presentation)/(Session) FTAM [ISO 8571:1988] {T1} FTAM ACSE [ISO 8650:1988] FTAM Presentation [ISO 8823:1988] FTAM Session [ISO 8327:1987]</p> <p>ATS Used: ATS:1-16</p> <p>Conformance Lab: 0367 UNISYS - Open Systems Interconnection Laboratory P.O. Box 203, 2450 Swedesford Road Paoli, PA 19301</p>

## GOSIP REGISTERS, *Continued*

<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 75  <b>Supplier:</b> 000047  UNISYS Corporation  8008 Westbrook Drive  McLean, VA 22102  <b>Contact:</b> Keith Fretz  Tel: (703) 556-5665      Fax: (703) 556-5172  <b>GOSIP Product:</b> OSI-FTAM  Version/Release: Rel 2R1A  Release Date: 03-MAY-92  Additional Info: None  Registration: PROV, GOSIP Version 1/registered  Date: 16-OCT-92  Reason for Removal:  Basis: DERIVED  Base Products:  Tested Hardware/Operating System Platforms: 0080  1100/90 and all 2000 Series Systems, OS1100, Release 43R1  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0069  TP4-CLNS/CLNP/WAN  Underlying Stack: CP 2000 X.25 Underlying Product:  Protocols and Profiles: 0029  FTAM/(ACSE)/(Presentation)/(Session)  FTAM [ISO 8571:1988] {T1}  FTAM ACSE [ISO 8650:1988]  FTAM Presentation [ISO 8823:1988]  FTAM Session [ISO 8327:1987]  ATS Used: ATS:1-16  Conformance Lab: 0367  UNISYS - Open Systems Interconnection Laboratory  P.O. Box 203, 2450 Swedesford Road  Paoli, PA 19301</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 146  <b>Supplier:</b> 000060  UNISYS Corporation  8008 West Park Drive  McLean, VA 22102  <b>Contact:</b> Dale Pluta  Tel: (703) 556-5682      Fax: (703) 556-5172  <b>GOSIP Product:</b> A-Series OSI FTAM  Version/Release: Ver 40.400.0008  Release Date: 16-NOV-92  Additional Info: In conjunction with A-Series/CP2000 OSI-IPC Ver 30.00.199, Rel 11-Dec-92  Registration: PROV, GOSIP Version 1/registered  Date: 13-APR-93      Reason for Removal:  Basis: BASE      Base Products: n/a  Tested Hardware/Operating System Platforms: 0138  A6      A-Series System Ver 4.0  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0004  TP4-CLNS/CLNP/LAN  Underlying Stack: A-Series/CP2000 OSI-IPC Ver 30.00.199 11-DEC-92  Underlying Product:  Protocols and Profiles: 0029  FTAM/(ACSE)/(Presentation)/(Session)  FTAM [ISO 8571:1988] {T1}  FTAM ACSE [ISO 8650:1988]  FTAM Presentation [ISO 8823:1988]  FTAM Session [ISO 8327:1987]  ATS Used: ATS:1-16  Conformance Lab: 0367  UNISYS - Open Systems Interconnection Laboratory  P.O. Box 203, 2450 Swedesford Road  Paoli, PA 19301</p>
<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 80  <b>Supplier:</b> 000048  UNISYS Corporation  2450 Swedesford Road  Paoli, PA 19301  <b>Contact:</b> Ed Kelly  Tel: (215) 993-7208  <b>GOSIP Product:</b> OSI-FTAM  Version/Release: Rel 2R1A  Release Date: 03-MAY-92  Additional Info: None  Registration: PROV, GOSIP Version 1/registered  Date: 01-SEP-92      Reason for Removal:  Basis: BASE      Base Products: n/a  Tested Hardware/Operating System Platforms: 0069  1100/90 and all 2000 Series Systems OS1100 Release 43R1  DCP-15 through DCP-55, DCP/OS Ver 5R2A/TELCON Ver 9R1A  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0004  TP4-CLNS/CLNP/LAN  Underlying Stack: DCP OSITS Underlying Product:  Protocols and Profiles: 0029  FTAM/(ACSE)/(Presentation)/(Session)  FTAM [ISO 8571:1988] {T1}  FTAM ACSE [ISO 8650:1988]  FTAM Presentation [ISO 8823:1988]  FTAM Session [ISO 8327:1987]  ATS Used: ATS:1-16  Conformance Lab: 0367  UNISYS - Open Systems Interconnection Laboratory  P.O. Box 203, 2450 Swedesford Road  Paoli, PA 19301</p>	<p><b>Product Code/Type:</b> P-007 FTAM Product ID: 150  <b>Supplier:</b> 000060  UNISYS Corporation  8008 West Park Drive  McLean, VA 22102  <b>Contact:</b> Dale Pluta  Tel: (703) 556-5682      Fax: (703) 556-5172  <b>GOSIP Product:</b> A-Series OSI-FTAM Product 115/P7.1a  Version/Release: Ver 40.400.0008  Release Date: 16-NOV-92  Additional Info: Session Layer is not registered at the request of the vendor UNISYS  Registration: PROV, GOSIP Version 1/registered  Date: 06-MAY-93      Reason for Removal:  Basis: DERIVED      Base Products:  Tested Hardware/Operating System Platforms: 0138  A6      A-Series System Ver 4.0  Claimed Compatibility Hardware/Software Platforms: 0001  Connectivity: 0081  TP4-CONS/WAN  Underlying Stack: Unisys Product 113/P4.2 Underlying Product:  Protocols and Profiles: 0028  FTAM/(ACSE)/(Presentation)  FTAM [ISO 8571:1988] {T1}  FTAM ACSE [ISO 8650:1988]  FTAM Presentation [ISO 8823:1988]  ATS Used: ATS:16  Conformance Lab: 0367  UNISYS - Open Systems Interconnection Laboratory  P.O. Box 203, 2450 Swedesford Road  Paoli, PA 19301</p>

## GOSIP REGISTERS, *Continued*

### 5.4.4 REGISTER OF GOSIP INTEROPERABILITY TEST SUITES

Test Suites for the GOSIP Interoperability Testing provisions are listed here. Entries on this register are Provisional, valid until December 31, 1994.

#### ITS-1 X.400

OSINET, Message Handling Systems Interoperability Tests, Version 1, Edition 2, September 1990, available from: OSINET Corporation, 1750 Old Meadow Road Suite 400, McLean, VA 22102, Tel. (703) 883-2797

#### ITS-2 FTAM

OSINET, File Transfer, Access and Management Interoperability Tests, Version 1, Edition 2, June 1990, available from: OSINET Corporation, 1750 Old Meadow Road Suite 400, McLean, VA 22102, Tel. (703) 883-2797

### 5.4.5 REGISTER OF GOSIP INTEROPERABILITY TEST AND REGISTRATION SERVICES

Interoperability Test and Registration Services which meet the GOSIP Interoperability Testing provisions are listed here. Entries on this register are Provisional.

#### ITRS-1 OSINET

c/o Corporation for Open Systems International  
1750 Old Meadow Road Suite 400, McLean, VA 22102  
Tel: (703) 883-2797

#### ITRS-2 Process to Support Interoperability (PSI)

SPAG, PSI Operator, SPAGsa  
Avenue Louise 165, Box 6.B-1050 Brussels, Belgium  
Tel. 32 2 645 7811  
Fax. 32 2 645 0879

### 5.4.6 REGISTER OF GOSIP MEANS OF TESTING GOSIP VERSION 1

Means of Testing (MOT) for the GOSIP program of conformance testing are listed here. These MOTS relate to the protocols identified in FIPS 146 GOSIP Version 1. For further details of each MOT listed, please contact the named supplier. Entries on this register are provisional, and are listed in the register as valid until March 30, 1992. However, at the direction of NIST, and in order to accomplish the transition to GOSIP Version 2, the validity of the GOSIP Version 1 MOT registrations has been extended indefinitely. Each GOSIP Version 1 MOT that is currently in the register will remain here until either of the following events occur: (1) the vendor withdraws the MOT from registration, or (2) NIST directs the further deregistration of GOSIP Version 2 MOT.

#### M-001 WAN TEST SYSTEMS

NOTE: Wide area test systems registered under GOSIP Version 1 were deleted from the register as of March 14, 1993.

#### M-002 LAN TEST SYSTEMS

NOTE: Local area test systems registered under GOSIP Version 1 and not related to FTAM or MHS were deleted from the register as of March 14, 1993.

#### M-002 LAN

Supplier: Corporation for Open Systems  
International Test Center  
8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

Contact: Andrea Reitzel  
Tel: (703) 205-2809  
Fax: (703) 846-8590

Test System Name, Release and Date:  
COS 802.2 /802.3 10Base5 Layer 2 Test System  
Ver 1.4  
01-DEC-90

Claimed Hardware and Operating System Platforms: 0001

Tested Hardware and Operating System Platforms: 0018  
MS-DOS 3.1, IBM PC/AT Compatible  
HP 4972A LAN Protocol Analyzer with RS-232C Option, Ver  
B.04.01  
HP 8568B Signal Generator  
HP 8770A Arbitrary Waveform Synthesizer  
HP 16500A Logic Analyzer

Base/Derived: UPDATE

From MOT ID:

Connectivity: 0027

PLS{802.3}/10Base5

Underlying Stack:

Protocols and Profiles: 0031  
LLC1 [ISO 8802-2]/MAC [ISO 8802-3]

Date Registered: 21-JUL-92

Type of Registration and Expiration Date:  
PROV, GOSIP Version 1  
01-OCT-92

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-3				
ATS:1-6				

## GOSIP REGISTERS, *Continued*

Supplier: Corporation for Open Systems  
 International Test Center  
 8260 Willow Oaks Corp Drive, Suite 700  
 Fairfax, VA 22031

Contact: Andrea Reitzel  
 Tel: (703) 205-2809  
 Fax: (703) 846-8590

Test System Name, Release and Date:  
 COS 802.3 Test System, Ver 1.0, May 1989  
 Ver 1.0 01-MAY-89

Claimed Hardware and Operating System Platforms: 0001

Tested Hardware and Operating System Platforms: 0071  
 HP 16500A Logic Analyzer System Mainframe, Ver 2.0  
 HP 16531A 400 MHz Scope Card, Ver 2.01  
 HP 16530A Timebase Card, Ver 2.0, HP 16510A 25 MHz  
 Statetiming Card,  
 HP 8656B Signal Generator, Options 001 & 002, HP 8770A  
 Arbitrary Waveform Synthesizer, HP 4972A LAN Protocol  
 Analyzer with RS-232C Option, Ver B.04.01

Base/Derived: BASE

From MOT ID:

Connectivity: 0027  
 PLS{802.3}/10Base5

Underlying Stack:

Protocols and Profiles: 0039  
 MAC [ISO 8802-3] PLS

Date Registered: 30-OCT-90

Type of Registration and Expiration Date:  
 PROV, GOSIP Version 1 01-OCT-92

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-3				

### M-003 CLNP TEST SYSTEMS

NOTE: CLNP test systems registered under GOSIP Version 1 were deleted from the register as of March 14, 1993.

### M-004 TRANSPORT TEST SYSTEMS

NOTE: Transport test systems registered under GOSIP Version 1 were deleted from the register as of March 14, 1993.

### M-005 SESSION

MOT ID: 46

Supplier: Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101

Contact: Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078

Test System Name, Release and Date:  
 XRTLE, Session  
 Ver 1.1  
 30-JAN-92

Claimed Hardware and Operating System Platforms: 0001  
 Tested Hardware and Operating System Platform: 0061

80386 PC, Interactive 386/iX UNIX Ver 2.2

Base/Derived: UPDATE

From MOT ID:

Connectivity: 0037  
 TP4-CLNS/CLNP{ES}/LAN  
 TP0/WAN  
 TP0/X.25/PLP/HDLC/RS-232C

Underlying Stack:

TWICE source code modified by Alcatel TITN ANSWARE for X.25  
 Protocols and Profiles: 0012

[ISO 8327] Session/Full Session

Date Registered: 03-AUG-92

Type of Registration and Expiration Date:  
 PROV, GOSIP Version 1  
 01-OCT-92

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-10				

Supplier: National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom

Contact: Peter Bird  
 Tel: +44 61 228 6333  
 Fax: +44 61 236 9877  
 Email: peter@ncc.co.uk

Test System Name, Release and Date:  
 NCC:COS Session Tester  
 Ver 1.0  
 01-AUG-91

Claimed Hardware and Operating System Platforms: 0001  
 Tested Hardware and Operating System Platform: 0060

Sun 3 Series, SunOS 4.1.1 or later

Sun 4 Series, SunOS 4.1.1 or later

Base/Derived: UPDATE

From MOT ID:

Connectivity: 0033  
 TP0/X.25 PLP/X.25 LAP-B/RS-232C  
 TP2/X.25 PLP/X.25 LAP-B/V.35  
 TP4-CONS/X.25 PLP/X.25 LAP-B  
 TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}  
 TP4-CLNS/CLNP{ES}/X.25 PLP/X.25 LAP-B

Underlying Stack:

Protocols and Profiles: 0012  
 [ISO 8327] Session/Full Session

Date Registered: 14-JUL-92

Type of Registration and Expiration Date:  
 PROV, GOSIP Version 1  
 01-OCT-92

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-10				

## GOSIP REGISTERS, *Continued*

---

### M-006 MHS

Supplier: GSI-Danet Incorporated  
1380 Old Freeport Road  
Pittsburgh, PA 15238  
Contact: Hans-Ludwig Heil  
Tel: (412) 967-0834 Fax: (412) 963-6779  
Test System Name, Release and Date:  
OSITEST/400 Ver 3.3 01-JUL-90  
Claimed Hardware and Operating System Platforms: 0026  
Sun 3 Series, SunOS 3.5; Sun 4 series, SunOS 4.1  
DEC MicroVAX, ULTRIX 2.2  
Tested Hardware and Operating System Platforms: 0001  
Base/Derived: BASE  
From MOT ID:  
Connectivity: 0018  
Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C  
Session/TP0/X.25 PLP/X.25 LAP-B/V.35  
Session/TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}  
Underlying Stack:  
Protocols and Profiles: 0045  
MHS-84/(Session)  
MHS-84 [X.400:1984] {P2, P1, RTS}  
MHS-84 Session [X.410:1984]  
Date Registered: 30-SEP-90  
Type of Registration and Expiration Date:  
PROV, GOSIP Version 1 01-OCT-92  
Reason for Removal:  
ATS Code Auto % Manual % Total % Comments  
ATS:1-13  
ATS:1-14  
ATS:1-15

Supplier: National Computing Centre Limited  
Oxford House, Oxford Road  
Manchester M1 7ED United Kingdom  
Contact: Peter Bird  
Tel: +44 61 228 6333 Fax: +44 61 236 9877  
Email: peter@ncc.co.uk  
Test System Name, Release and Date:  
NCC:COS MHS Tester Ver 2.2.2 01-JUL-91  
Claimed Hardware and Operating System Platforms: 0023  
Sun 4 series, SunOS 4.1  
Tested Hardware and Operating System Platforms: 0001  
Base/Derived: UPDATE  
From MOT ID:  
Connectivity: 0020  
Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C  
Session/TP0/X.25 PLP/X.25 LAP-B/V.35  
Session/TP4-CLNS/CLNP/X.25 PLP/X.25 LAP-B/RS-232C  
Session/TP4-CLNS/CLNP/X.25 PLP/X.25 LAP-B/V.35  
Session/TP4-CLNS/CLNP/LLC1[802.2]/MAC[802.3 and 802.4]  
Underlying Stack:  
Protocols and Profiles: 0045  
MHS-84/(Session)  
MHS-84 [X.400:1984] {P2, P1, RTS}  
MHS-84 Session [X.410:1984]  
Date Registered: 19-AUG-91  
Type of Registration and Expiration Date:  
PROV, GOSIP Version 1 01-OCT-92  
Reason for Removal:  
ATS Code Auto % Manual % Total % Comments  
ATS:1-13  
ATS:1-14  
ATS:1-15

### M-007 FTAM

Supplier: Alcatel TITN Incorporated  
12030 Sunrise Valley Drive  
Reston, VA 22091  
Contact: Sanjay Lokare  
Tel: (510) 484-5674 Fax: (510) 484-4078  
Test System Name, Release and Date:  
XRTLE FTAM Ver 1.0 10-APR-91  
Claimed Hardware and Operating System Platforms: 0001  
Tested Hardware and Operating System Platforms: 0042  
Sun 3 Series, SunOS 4.0.3; Sun 4 Series, SunOS 4.1  
Base/Derived: UPDATE  
From MOT ID:  
Connectivity: 0021  
Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C  
Session/TP0/X.25 PLP/X.25 LAP-B/V.35  
Session/TP4-CONS/X.25 PLP/X.25 LAP-B/RS-232C  
Session/TP4-CONS/X.25 PLP/X.25 LAP-B/V.35  
Session/TP4-CLNS/CLNP/LLC1{802.2}/MAC{802.3}  
Underlying Stack:  
Protocols and Profiles: 0028  
FTAM/(ACSE)/(Presentation)  
FTAM [ISO 8571:1988] {T1}  
FTAM ACSE [ISO 8650:1988]  
FTAM Presentation [ISO 8823:1988]  
Date Registered: 04-JUN-91  
Type of Registration and Expiration Date:  
PROV, GOSIP Version 1 01-OCT-92  
Reason for Removal:  
ATS Code Auto % Manual % Total % Comments  
  
Supplier: Alcatel TITN Test Center  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101  
Contact: Sanjay P Lokare  
Tel: (510) 484-5674 Fax: (510) 484-4078  
Test System Name, Release and Date:  
XRTLE, FTAM  
Ver 1.0  
10-APR-91  
Claimed Hardware and Operating System Platforms: 0042  
Sun 3 Series, SunOS 4.0.3  
Sun 4 Series, SunOS 4.1  
Tested Hardware and Operating System Platforms: 0001  
Base/Derived: UPDATE  
From MOT ID:  
Connectivity: 0021  
Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C  
Session/TP0/X.25 PLP/X.25 LAP-B/V.35  
Session/TP4-CONS/X.25 PLP/X.25 LAP-B/RS-232C  
Session/TP4-CONS/X.25 PLP/X.25 LAP-B/V.35  
Session/TP4-CLNS/CLNP/LLC1{802.2}/MAC{802.3}  
Underlying Stack:  
Protocols and Profiles: 0032  
FTAM [ISO 8571]  
Date Registered: 04-JUN-91  
Type of Registration and Expiration Date:  
PROV, GOSIP Version 1  
01-OCT-92  
Reason for Removal:  
ATS Code Auto % Manual % Total % Comments  
ATS:1-16

## GOSIP REGISTERS, *Continued*

**Supplier:** Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101

**Contact:** Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078

**Test System Name, Release and Date:**  
 XRTLE, FTAM  
 Ver 1.2  
 30-JAN-92

**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0061  
 80386 PC, Interactive 386/IX UNIX Ver 2.2

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 0035  
 Session/TP4-CLNS/CLNP/LLC1{802.2}/MAC{802.3}  
 Session/TP0/X.25/PLP/HDLC/RS-232C  
 Session/TP4-CONS/X.25 PLP/X.25 LAP-B/RS-232C and V.35

**Underlying Stack:**

**Protocols and Profiles:** 0032  
 FTAM [ISO 8571]

**Date Registered:** 03-AUG-92

**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 1  
 01-OCT-92

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-16				

**Supplier:** GSI-Danet Incorporated  
 1380 Old Freeport Road  
 Pittsburgh, PA 15238

**Contact:** Hans-Ludwig Heil  
 Tel: (412) 967-0834  
 Fax: (412) 963-6779

**Test System Name, Release and Date:**  
 OSITEST/FTAM  
 Ver 2.4  
 01-JUL-90

**Claimed Hardware and Operating System Platforms:** 0026  
 Sun 3 Series, SunOS 3.5  
 Sun 4 series, SunOS 4.1  
 DEC MicroVAX, ULTRIX 2.2

**Tested Hardware and Operating System Platforms:** 0001

**Base/Derived:** BASE

**From MOT ID:**

**Connectivity:** 0018  
 Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C  
 Session/TP0/X.25 PLP/X.25 LAP-B/V.35  
 Session/TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}

**Underlying Stack:**

**Protocols and Profiles:** 0028  
 FTAM/(ACSE)/(Presentation)  
 FTAM [ISO 8571:1988] {T1}  
 FTAM ACSE [ISO 8650:1988]  
 FTAM Presentation [ISO 8823:1988]

**Date Registered:** 30-SEP-90

**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 1  
 01-OCT-92

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-16				

**Supplier:** National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom

**Contact:** Peter Bird  
 Tel: +44 61 228 6333  
 Fax: +44 61 236 9877  
 Email: peter@ncc.co.uk

**Test System Name, Release and Date:**  
 NCC:COS FTAM Tester  
 Ver 2.3.1  
 18-MAR-92

**Claimed Hardware and Operating System Platforms:** 0056  
 Sun 3 Series, SunOS 4.1 or later  
 Sun 4 Series, SunOS 4.1 or later

**Tested Hardware and Operating System Platforms:** 0001

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 0029  
 Session/TP0/X.25 PLP/X.25 LAP-B  
 Session/TP2/X.25 PLP/X.25 LAP-B  
 Session/TP4-CONS/X.25 PLP/X.25 LAP-B  
 Session/TP4-CLNS/CLNP

**Underlying Stack:**

**Protocols and Profiles:** 0028  
 FTAM/(ACSE)/(Presentation)  
 FTAM [ISO 8571:1988] {T1}  
 FTAM ACSE [ISO 8650:1988]  
 FTAM Presentation [ISO 8823:1988]

**Date Registered:** 23-APR-92

**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 1  
 01-OCT-92

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-16				

**Supplier:** National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom

**Contact:** Peter Bird  
 Tel: +44 61 228 6333 Fax: +44 61 236 9877  
 Email: peter@ncc.co.uk

**Test System Name, Release and Date:**  
 NCC:COS FTAM Tester Ver 2.4 05-MAR-92

**Claimed Hardware and Operating System Platforms:** 0056  
 Sun 3 Series, SunOS 4.1 or later  
 Sun 4 Series, SunOS 4.1 or later

**Tested Hardware and Operating System Platforms:** 0001

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 0018  
 Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C  
 Session/TP0/X.25 PLP/X.25 LAP-B/V.35  
 Session/TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}

**Underlying Stack:**

**Protocols and Profiles:** 0028  
 FTAM/(ACSE)/(Presentation)  
 FTAM [ISO 8571:1988] {T1}  
 FTAM ACSE [ISO 8650:1988]  
 FTAM Presentation [ISO 8823:1988]

**Date Registered:** 14-JUL-92

**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 1 01-OCT-92

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:1-16				

## GOSIP REGISTERS, *Continued*

**Supplier:** National Computing Centre Limited  
Oxford House, Oxford Road  
Manchester M1 7ED United Kingdom

**Contact:** Peter Bird  
Tel: +44 61 228 6333  
Fax: +44 61 236 9877  
Email: peter@ncc.co.uk

**Test System Name, Release and Date:**

NCC:COS FTAM Tester Ver 2.2.2 01-JUL-91

**Claimed Hardware and Operating System Platforms:** 0001

**Tested Hardware and Operating System Platforms:** 0023

Sun 4 Series, SunOS 4.1

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 00020

Session/TP0/X.25 PLP/X.25 LAP-B/RS-232C

Session/TP0/X.25 PLP/X.25 LAP-B/V.35

Session/TP4-CLNS/CLNP/X.25 PLP/X.25 LAP-B/RS-232C

Session/TP4-CLNS/CLNP/X.25 PLP/X.25 LAP-B/V.35

Session/TP4-CLNS/CLNP/LLC1[802.2]/MAC[802.3 and 802.4]

**Underlying Stack:**

**Protocols and Profiles:** 0028

FTAM/(ACSE)/(Presentation)

FTAM [ISO 8571:1988] {T1}

FTAM ACSE [ISO 8650:1988]

FTAM Presentation [ISO 8823:1988]

**Date Registered:** 01-AUG-91

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 1 01-OCT-92

**Reason for Removal:**

**ATS Code** Auto % Manual % Total % Comments

ATS:1-16

### REGISTER OF GOSIP MEANS OF TESTING GOSIP VERSION 2

Means of Testing (MOT) for the GOSIP program of conformance testing are listed here. These MOTs relate to the protocols identified in FIPS 146-1, GOSIP Version 2. The type of registration and expiration date are listed with each MOT. For further details on MOTs found in this register, please contact the named supplier.

**M-001 WAN**

**Supplier:** Hewlett-Packard Company  
4211 - 95 Street  
Edmonton, Alberta T6E5R6 Canada

**Contact:** Bill Mortimer  
Tel: (403) 462-4545

**Test System Name, Release and Date:**

ISO 8882 Test Suite

Ver 3.0

01-SEP-92

**Claimed Hardware and Operating System Platforms:** 0001

**Tested Hardware and Operating System Platforms:** 0116

PT300, PT302, PTS00, PTS02 and PTS40, O/S Version 2.0

**Base/Derived:** BASE

**From MOT ID:**

**Connectivity:** 0044  
RS-232C, V.35

**Underlying Stack:**

**Protocols and Profiles:** 0068

X.25 PLP [8208] {CCITT 1980, 1984, ISO 8208}

(X.25 LAP-B[7776])

**Date Registered:** 29-JAN-93

**Type of Registration and Expiration Date:**

FULL, GOSIP Version 2

01-JAN-00

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-1			99.7	Full X.25 with the inclusion of ANSI Defect Reports.
ATS:2-2			100	

**Supplier:** Hewlett-Packard Company

4211 - 95 Street

Edmonton, Alberta T6E5R6 Canada

**Contact:** Bill Mortimer  
Tel: (403) 462-4545

**Test System Name, Release and Date:**

ISO 8882 Test Suite Ver 3.1 01-FEB-93

**Claimed Hardware and Operating System Platforms:** 0001

**Tested Hardware and Operating System Platforms:** 0126

PT300, PT302, PTS00, PTS02 AND PTS40

OS Ver 2.0 (PTS00/300), 2.7 (PTS02/300) and 2.8 (PTS40)

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 0044  
RS-232C, V.35

**Underlying Stack:**

**Protocols and Profiles:** 0068

X.25 PLP [8208] {CCITT 1980, 1984, ISO 8208}

(X.25 LAP-B[7776])

**Date Registered:** 17-FEB-93

**Type of Registration and Expiration Date:**

FULL, GOSIP Version 2 01-JAN-00

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-1			100	
ATS:2-2			100	Full X.25 with the inclusion of ansi defect reports.

## GOSIP REGISTERS, Continued

Supplier: International Business Machines Corporation  
 P.O. Box 12195  
 Research Triangle Park, NC 27709  
 Contact: John G Conner  
 Tel: (919) 254-2679  
 Test System Name, Release and Date:  
 Automated Protocol Test System/2 (APTS/2)  
 Ver 1.1  
 03-AUG-92  
 Claimed Hardware and Operating System Platforms: 0001  
 Tested Hardware and Operating System Platforms: 0097  
 IBM PS/2 Model 70, 80 or 90 with 8MB memory  
 OS/2 Ver 1.3  
 Base/Derived: BASE  
 From MOT ID:  
 Connectivity: 0044  
 RS-232C, V.35  
 Underlying Stack:  
 Protocols and Profiles: 0068  
 X.25 PLP [8208] {CCITT 1980, 1984, ISO 8208}  
 (X.25 LAP-B[7776])  
 Date Registered: 14-DEC-92  
 Type of Registration and Expiration Date:  
 FULL, GOSIP Version 2  
 01-JAN-94  
 Reason for Removal:  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-1		99.7		
ATS:2-2		100		

Supplier: TEKELEC  
 26580 West Aqoura Road  
 Calabasas, CA 91302  
 Contact: Siamak Poursabahian  
 Tel: (818) 880-7952  
 Fax: (818) 880-6993  
 Test System Name, Release and Date:  
 Chameleon 32-Plus ISO 8882 Test Suite  
 Ver 1.0  
 14-JUL-92  
 Claimed Hardware and Operating System Platforms: 0001  
 Tested Hardware and Operating System Platforms: 0125  
 Chameleon 32-Plus  
 MTOS-UX  
 Base/Derived: BASE  
 From MOT ID:  
 Connectivity: 0044  
 RS-232C, V.35  
 Underlying Stack:  
 Protocols and Profiles: 0068  
 X.25 PLP [8208] {CCITT 1980, 1984, ISO 8208}  
 (X.25 LAP-B[7776])  
 Date Registered: 08-FEB-93  
 Type of Registration and Expiration Date:  
 FULL, GOSIP Version 2  
 01-JAN-00  
 Reason for Removal:  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-1	100		Full X.25	
ATS:2-2	100		With the inclusion of ANSI defect reports.	

Supplier: TEKELEC  
 26580 W. Aqoura Road  
 Calabasas, CA 91302  
 Contact: Pierre Prescott  
 Tel: (818) 880-7780  
 Fax: (818) 880-6993  
 Test System Name, Release and Date:  
 Chameleon 32-Plus ISO 8882 Test Suite  
 Ver 2.0  
 17-DEC-92  
 Claimed Hardware and Operating System Platforms: 0001  
 Tested Hardware and Operating System Platforms: 0125  
 Chameleon 32-Plus  
 MTOS-UX  
 Base/Derived: UPDATE  
 From MOT ID:  
 Connectivity: 0044  
 RS-232C, V.35  
 Underlying Stack:  
 Protocols and Profiles: 0068  
 X.25 PLP [8208] {CCITT 1980, 1984, ISO 8208}  
 (X.25 LAP-B[7776])  
 Date Registered: 12-MAY-93  
 Type of Registration and Expiration Date:  
 FULL, GOSIP Version 2  
 01-JAN-00  
 Reason for Removal:  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-1			100	
ATS:2-2			100	

M-003 CLNP

Supplier: Alcatel TITN Incorporated  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101  
 Contact: Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078  
 Test System Name, Release and Date:  
 Alcatel TITN, Inc., XRTLE V4.21/CLNP V1.1  
 XRTLE Kernel V4.21/CLNP V1.1  
 29-JAN-92  
 Claimed Hardware and Operating System Platforms: 0206  
 80386 based PC, Interactive 386/iX UNIX Ver 2.2, 3.0, and  
 3.0.1  
 Tested Hardware and Operating System Platforms: 0129  
 80386 Based PC  
 Interactive 386/iX UNIX Ver 3.0  
 Base/Derived: BASE  
 From MOT ID:  
 Connectivity: 0010  
 LLC1{802.2}/MAC{802.3}  
 Underlying Stack:  
 LAN CMC 640 A.T. Type CMC  
 Protocols and Profiles: 0093  
 CLNP{ES} [ISO 8473:1988] SIA V3  
 Date Registered: 11-JAN-93  
 Type of Registration and Expiration Date:  
 PROV, GOSIP Version 2  
 01-JAN-00  
 Reason for Removal:  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-7	63.6	27.3	90.9	

## GOSIP REGISTERS, *Continued*

**Supplier:** Alcatel TITN Incorporated  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

**Contact:** Sanjay P Lokare  
Tel: (510) 484-5674  
Fax: (510) 484-4078

**Test System Name, Release and Date:**

Alcatel TITN, Inc., XRTLE V5.20/CLNP V2.0  
XRTLE Kernel V5.20/CLNP V2.0 15-JUL-93  
Simple Update Registration. Kernel change to include support of the MOTIF Graphical User Interface.

**Claimed Hardware and Operating System Platforms:** 0230  
PC 386/486

Interactive UNIX V2.2, V3.0 or 3.0.1

**Tested Hardware and Operating System Platforms:** 0129  
80386 Based PC

Interactive 386/iX UNIX Ver 3.0

**Base/Derived:** UPDATE

**From MOT ID:** 84 and 61

**Connectivity:** 0014

X.25 PLP/HDLC LAP-B/RS-232C  
X.25 PLP/HDLC LAP-B/V.35  
CLNP/8802-2/8802-3

**Underlying Stack:**

TWICE X.25 and LLC1 modified by Alcatel TITN ANSWARE for XRTLE. LAN CMC 640 A.T. TYPE CMC

**Protocols and Profiles:** 0093

CLNP{ES} [ISO 8473:1988] SIA V3

**Date Registered:** 30-JUN-94

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2 01-JAN-00

**Reason for Removal:**

<b>ATS Code</b>	<b>Auto %</b>	<b>Manual %</b>	<b>Total %</b>	<b>Comments</b>
-----------------	---------------	-----------------	----------------	-----------------

**Supplier:** Alcatel TITN Incorporated  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

**Contact:** Sanjay P Lokare  
Tel: (510) 484-5674  
Fax: (510) 484-4078

**Test System Name, Release and Date:**

Alcatel TITN, Inc., XRTLE V5.20 CLNP V2.0  
XRTLE Kernel V5.20 CLNP V2.0 15-JUL-93  
Extended update registration. Extend coverage of ATS:2-7 to include support for X.25 connectivity.

**Claimed Hardware and Operating System Platforms:** 0230  
PC 386/486 Interactive UNIX V2.2, V3.0 or 3.0.1

**Tested Hardware and Operating System Platforms:** 0129  
80386 Based PC

Interactive 386/iX UNIX Ver 3.0

**Base/Derived:** UPDATE

**From MOT ID:** 61

**Connectivity:** 0011

X.25 PLP/HDLC LAP-B/RS-232C  
X.25 PLP/HDLC LAP-B/V.35

**Underlying Stack:**

TWICE X.25 and LLC1 modified by Alcatel TITN ANSWARE for XRTLE

**Protocols and Profiles:** 0093

CLNP{ES} [ISO 8473:1988] SIA V3

**Date Registered:** 07-JUL-94

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2 01-JAN-00

**Reason for Removal:**

<b>ATS Code</b>	<b>Auto %</b>	<b>Manual %</b>	<b>Total %</b>	<b>Comments</b>
ATS:2-7	65.7	25.7	91.4	

**Supplier:** National Computing Centre Limited  
Oxford House, Oxford Road  
Manchester M1 7ED United Kingdom

**Contact:** Peter Bird  
Tel: +44 61 228 6333  
Fax: +44 61 236 9877

Email: peter@ncc.co.uk

**Test System Name, Release and Date:**  
NCC IP (CLNP) Test System  
Ver 2.2.1, ITS Ver 2.3  
01-MAR-91

**Claimed Hardware and Operating System Platforms:** 0187  
Sun 3 or Sun 4 Workstations  
SunOS 4.1.1, 4.1.2 or 4.1.3

**Tested Hardware and Operating System Platforms:** 0001

**Base/Derived:** BASE

**From MOT ID:**

**Connectivity:** 0115  
LLC1{802.2}/MAC{802.3}  
X.25 PLP/X.25 LAP-B

**Underlying Stack:**  
SunNET OSI 7.0 (TP4-CLNS) + SunNET X.25 7.0 (TP0)  
Protocols and Profiles: 0046

CLNP{ES} [ISO 8473:1988] {Static Routing}

**Date Registered:** 03-MAR-93

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2 01-JAN-00

**Reason for Removal:**

<b>ATS Code</b>	<b>Auto %</b>	<b>Manual %</b>	<b>Total %</b>	<b>Comments</b>
ATS:2-7			97.1	With use of manual assessment

### M-004 TRANSPORT

**Supplier:** Alcatel TITN Incorporated  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

**Contact:** Sanjay P Lokare  
Tel: (510) 484-5674 Fax: (510) 484-4078

**Test System Name, Release and Date:**

T4L XRTLE Version 5.20 2.41a 01-MAY-93  
Simple Upgrade: Kernel change to support the MOTIF graphical user interface. Derived Update: Addition of X.25 underlying stack.

**Claimed Hardware and Operating System Platforms:** 0229

H/W: 80386 based PC

O/W: Interactive UNIX V3.0

**Tested Hardware and Operating System Platforms:** 0228

H/W: 80486 based PC

O/S: Interactive UNIX V3.0.1

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 0094  
CLNP{ES}/LLC1{802.2}/MAC{802.3}  
CLNP{ES}/X.25 PLP/X.25 LAP-B

**Underlying Stack:**

Protocols and Profiles: 0064  
Transport Class 4/CLNS [ISO 8073:1988/Add.2:1989]

**Date Registered:** 07-JUL-94

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2 01-OCT-94

**Reason for Removal:** N/A

<b>ATS Code</b>	<b>Auto %</b>	<b>Manual %</b>	<b>Total %</b>	<b>Comments</b>
ATS:2-9.1	92.7	1	93.7	

## GOSIP REGISTERS, Continued

**Supplier:** Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101  
**Contact:** Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078  
**Test System Name, Release and Date:**  
 XRTLE Ver 4.2.1  
 TR02 (Transport Class 0) Ver 1.1  
 29-JAN-92  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0061  
 80386 PC, Interactive 386/iX UNIX Ver 2.2  
**Base/Derived:** BASE  
**From MOT ID:**  
**Connectivity:** 0046  
 X.25 PLP/HDLC LAP-B  
**Underlying Stack:**  
 TWICE Source code modified by Alcatel TITN ANSWARE  
**Protocols and Profiles:** 0010  
 Transport Class 0 [ISO 8073:1988]  
**Date Registered:** 01-FEB-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2  
 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-8	87	0	87	

**Supplier:** Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101  
**Contact:** Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078  
**Test System Name, Release and Date:**  
 XRTLE Ver 4.21  
 TR02 (Transport Class 2) Ver 1.1  
 29-JAN-92  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0061  
 80386 PC, Interactive 386/iX UNIX Ver 2.2  
**Base/Derived:** BASE  
**From MOT ID:**  
**Connectivity:** 0046  
 X.25 PLP/HDLC LAP-B  
**Underlying Stack:**  
 TWICE Source code modified by Alcatel TITN ANSWARE for  
 X.25  
**Protocols and Profiles:** 0060  
 Transport Class 2 [ISO 8073:1988]  
**Date Registered:** 05-MAR-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2  
 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-20	92.7	1	93.7	

**Supplier:** Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101  
**Contact:** Sanjay P Lokare  
 Tel: (510) 484-5674 Fax: (510) 484-4078  
**Test System Name, Release and Date:**  
 XRTLE Ver 4.21 TP4/CONS  
 Ver 2.3  
 29-JAN-92  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0061  
 80386 PC, Interactive 386/iX UNIX Ver 2.2  
**Base/Derived:** BASE  
**From MOT ID:**  
**Connectivity:** 0046  
 X.25 PLP/HDLC LAP-B  
**Underlying Stack:**  
 TWICE Source code modified by Alcatel TITN ANSWARE for  
 X.25  
**Protocols and Profiles:** 0011  
 Transport Class 4-CONS [ISO 8073:1988]  
**Date Registered:** 02-MAR-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2  
 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-9.3	86.5	2.6	89.1	

**Supplier:** Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101  
**Contact:** Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078  
**Test System Name, Release and Date:**  
 XRTLE Ver 4.21  
 T4L (TP4-CLNS) Ver 2.41  
 29-JAN-92  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0061  
 80386 PC, Interactive 386/iX UNIX Ver 2.2  
**Base/Derived:** BASE  
**From MOT ID:**  
**Connectivity:** 0041  
 CLNP{ES}/LLC1{802.2}/MAC{802.3}  
**Underlying Stack:**  
 TWICE Source code modified by Alcatel TITN ANSWARE for  
 CLNP  
**Protocols and Profiles:** 0075  
 Transport Class 4-CLNS [ISO 8073:1988 / Add2:1989]  
**Date Registered:** 05-MAR-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2  
 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-9.1	94.7	.6	95.3	

## GOSIP REGISTERS, *Continued*

---

**Supplier:** Alcatel TITN Test Center  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

**Contact:** Sanjay P Lokare  
Tel: (510) 484-5674  
Fax: (510) 484-4078

**Test System Name, Release and Date:**

XRTLE Ver 4.21  
TR02 (TP0) Ver 1.1  
29-JAN-92

**Claimed Hardware and Operating System Platforms:** 0187

Sun 3 or Sun 4 Workstations  
SunOS 4.1.1, 4.1.2 or 4.1.3

**Tested Hardware and Operating System Platforms:** 0216

Sun 4 IPC Workstation  
SunOS 4.1.1

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 0046

X.25 PLP/HDLC LAP-B

**Underlying Stack:**

TWICE Source code modified by Alcatel TITN ANSWARE for X.25

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**Date Registered:** 03-DEC-93

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2  
01-JAN-00

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-8	87	0	87	

**Supplier:** Alcatel TITN Test Center  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

**Contact:** Sanjay P Lokare  
Tel: (510) 484-5674  
Fax: (510) 484-4078

**Test System Name, Release and Date:**

XRTLE Ver 4.21  
TP4/CLNS Ver 2.41  
29-JAN-92

**Claimed Hardware and Operating System Platforms:** 0187

Sun 3 or Sun 4 Workstations  
SunOS 4.1.1, 4.1.2 or 4.1.3

**Tested Hardware and Operating System Platforms:** 0216

Sun 4 IPC Workstation  
SunOS 4.1.1

**Base/Derived:** UPDATE

**From MOT ID:**

**Connectivity:** 0041

CLNP{ES}/LLC1{802.2}/MAC{802.3}

**Underlying Stack:**

TWICE Source code modified by Alcatel TITN ANSWARE for CLNP

**Protocols and Profiles:** 0082

Transport Class 4-CLNP [ISO 8073:1988/Add2:1989]

**Date Registered:** 03-DEC-93

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2  
01-JAN-00

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-9.1	94.7	.6	95.3	

**Supplier:** National Computing Centre Limited  
Oxford House, Oxford Road  
Manchester M1 7ED United Kingdom

**Contact:** Peter Bird  
Tel: +44 61 228 6333  
Fax: +44 61 236 9877  
Email: peter@ncc.co.uk

**Test System Name, Release and Date:**  
NCC ITS Transport Test System, Class 0

Release 3.0  
04-JAN-92

ITS Protocol Engine Ver 2.3

**Claimed Hardware and Operating System Platforms:** 0187

Sun 3 or Sun 4 Workstations  
SunOS 4.1.1, 4.1.2 or 4.1.3

**Tested Hardware and Operating System Platforms:** 0145

Sun SPARCstation 4/330 with SunOS 4.1.2

**Base/Derived:** BASE

**From MOT ID:**

**Connectivity:** 0063  
X.25 PLP/X.25 LAP-B/RS-232C

**Underlying Stack:**  
SunNET OSI 7.0 (TP4-CLNS) + SunNET X.25 7.0 (TP0)

**Protocols and Profiles:** 0010

Transport Class 0 [ISO 8073:1988]

**Date Registered:** 31-MAR-93

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2  
01-JAN-00

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-8	85.2	3.7	88.9	

**Supplier:** National Computing Centre Limited  
Oxford House, Oxford Road  
Manchester M1 7ED United Kingdom

**Contact:** Peter Bird  
Tel: +44 61 228 6333  
Fax: +44 61 236 9877  
Email: peter@ncc.co.uk

**Test System Name, Release and Date:**  
NCC ITS Transport Test System, Class 2 Release 3.0  
ITS Protocol Engine Ver 2.3  
04-JAN-92

**Claimed Hardware and Operating System Platforms:** 0187

Sun 3 or Sun 4 Workstations  
SunOS 4.1.1, 4.1.2 or 4.1.3

**Tested Hardware and Operating System Platforms:** 0145

Sun SPARCstation 4/330 with SunOS 4.1.2

**Base/Derived:** BASE

**From MOT ID:**

**Connectivity:** 0063  
X.25 PLP/X.25 LAP-B/RS-232C

**Underlying Stack:**

SunNET 7.0 X.25 + OSI  
Protocols and Profiles: 0060

Transport Class 2 [ISO 8073:1988]

**Date Registered:** 31-MAR-93

**Type of Registration and Expiration Date:**

PROV, GOSIP Version 2  
01-JAN-00

**Reason for Removal:**

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-20	66.5	5.3	71.8	

## GOSIP REGISTERS, *Continued*

Supplier: National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom  
 Contact: Peter Bird  
 Tel: +44 61 228 6333  
 Fax: +44 61 236 9877  
 Email: peter@ncc.co.uk

Test System Name, Release and Date:  
 NCC ITS Transport Test System, Class 4/CONS Release 3.0  
 ITS Protocol Engine Ver 2.3  
 04-JAN-92

Claimed Hardware and Operating System Platforms: 0187  
 Sun 3 or Sun 4 Workstations  
 SunOS 4.1.1, 4.1.2 or 4.1.3

Tested Hardware and Operating System Platforms: 0145  
 Sun SPARCstation 4/330 with SunOS 4.1.2

Base/Derived: BASE

From MOT ID:

Connectivity: 0063  
 X.25 PLP/X.25 LAP-B/RS-232C

Underlying Stack:  
 SunNET 7.0 X.25 + OSI

Protocols and Profiles: 0011  
 Transport Class 4-CONS [ISO 8073:1988]

Date Registered: 31-MAR-93

Type of Registration and Expiration Date:

PROV, GOSIP Version 2  
 01-JAN-00

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-9.2	77.8	3.8	81.6	

Supplier: National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom

Contact: Peter Bird  
 Tel: +44 61 228 6333  
 Fax: +44 61 236 9877

Email: peter@ncc.co.uk

Test System Name, Release and Date:  
 NCC ITS Transport Test System, Class 4/CLNS Release 3.0  
 ITS Protocol Engine Ver 2.3  
 01-MAY-92

Claimed Hardware and Operating System Platforms: 0187  
 Sun 3 or Sun 4 Workstations  
 SunOS 4.1.1, 4.1.2 or 4.1.3

Tested Hardware and Operating System Platforms: 0145  
 Sun SPARCstation 4/330 with SunOS 4.1.2

Base/Derived: BASE

From MOT ID:

Connectivity: 0010  
 LLC1{802.2}/MAC{802.3}

Underlying Stack:

Protocols and Profiles: 0069  
 Transport Clas 4/CLNS [ISO 8073]:1988/Add.2:1989

Date Registered: 31-MAR-93

Type of Registration and Expiration Date:

PROV, GOSIP Version 2  
 01-JAN-00

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-9.2	86.5	2.4	88.9	

### M-005 SESSION

Supplier: Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101  
 Contact: Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078

Test System Name, Release and Date:  
 XRTLE Ver 4.21  
 Session Version 1.1  
 29-JAN-92

Claimed Hardware and Operating System Platforms: 0186  
 PC 386/486

Interactive UNIX V2.2, V2.2.1, V3.0, V3.0.1

Tested Hardware and Operating System Platforms: 0129  
 80386 Based PC

Interactive 386/IX UNIX Ver 3.0

Base/Derived: BASE

From MOT ID:

Connectivity: 0059  
 TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}

Underlying Stack:  
 TWICE Source code modified by Alcatel TITN

ANSWARE for

Transport and CLNP

Protocols and Profiles: 0066  
 Session [ISO 8327:1987]

Date Registered: 14-JAN-93

Type of Registration and Expiration Date:  
 PROV, GOSIP Version 2  
 01-JAN-00

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-10.1	98.4	.2	98.6	With use of manual assessment

Supplier: Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101

Contact: Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078

Test System Name, Release and Date:

XRTLE Ver 4.21  
 SESSION Ver 1.1  
 29-JAN-92

Claimed Hardware and Operating System Platforms: 0187  
 Sun 3 or Sun 4 Workstations

SunOS 4.1.1, 4.1.2 or 4.1.3

Tested Hardware and Operating System Platforms: 0001

Base/Derived: UPDATE

From MOT ID:

Connectivity: 0108  
 TP4-CLNS/CLNP{ES}/LAN

Underlying Stack:

TWICE Source code modified by Alcatel TITN ANSWARE for  
 Transport and CLNP

Protocols and Profiles: 0066

Session [ISO 8327:1987]

Date Registered: 03-DEC-93

Type of Registration and Expiration Date:  
 PROV, GOSIP Version 2  
 01-JAN-00

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-10.1	98.4	.2	98.6	

## GOSIP REGISTERS, *Continued*

M-006 MHS

Supplier: Alcatel TITN Incorporated  
12030 Sunrise Valley Drive  
Reston, VA 22091

Contact: Sanjay Lokare  
Tel: (510) 484-5674  
Fax: (510) 484-4078

Test System Name, Release and Date:

GENEPX400 Ver 2.6 28-JUN-92  
MOT Engine - Supervisor V2.2 (Apr 92)

Claimed Hardware and Operating System Platforms: 0001  
Tested Hardware and Operating System Platforms: 0061

80386 PC, Interactive 386/iX UNIX Ver 2.2

Base/Derived: BASE

From MOT ID:

Connectivity: 0026  
TP0/X.25 PLP/X.25 LAP-B/RS-232C

Underlying Stack:

TWICE Source code modified by Alcatel TITN ANSWARE for  
Session Transport, CLNP, LLC1, X.25

Protocols and Profiles: 0056  
MHS-84

MHS-84 [X.400:1984] {P2, P1, RTS}

Date Registered: 04-FEB-93

Type of Registration and Expiration Date:

PROV, GOSIP Version 2 01-JAN-00

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
----------	--------	----------	---------	----------

ATS:2-13.2 67.2 14.9 82.1

ATS:2-13.3 90.5 0 90.5

ATS:2-13.4 94.2 2.6 96.8

Supplier: National Computing Centre Limited  
Oxford House, Oxford Road

Manchester M1 7ED United Kingdom

Contact: Peter Bird  
Tel: +44 61 228 6333 Fax: +44 61 236 9877  
Email: peter@ncc.co.uk

Test System Name, Release and Date:

84mhs Test System, Version 1.0  
ITS Protocol Engine Rel 24 01-FEB-93

OpenWindows 3.0; Registration for Session expires 01-MAY-94

Claimed Hardware and Operating System Platforms: 0187

Sun 3 or Sun 4 Workstations

SunOS 4.1.1, 4.1.2 or 4.1.3

Tested Hardware and Operating System Platforms: 0145

Sun SPARCstation 4/330 with SunOS 4.1.2

Base/Derived: BASE

From MOT ID:

Connectivity: 0058 TP0/WAN

Underlying Stack:

SunNET OSI 7.0(TP4-CLNS) + SunNET X.25 7.0(TP0)

Protocols and Profiles: 0045

MHS-84/(Session)

MHS-84 [X.400:1984] {P2, P1, RTS}

MHS-84 Session [X.410:1984]

Date Registered: 24-MAY-93

Type of Registration and Expiration Date:

PROV, GOSIP Version 2 01-JAN-00

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
----------	--------	----------	---------	----------

ATS:2-13.2 97 0 97

ATS:2-13.3 85 7 92

ATS:2-13.4 81 0 81

ATS:2-13.5 65 0 65

Supplier: National Computing Centre Limited  
Oxford House, Oxford Road

Manchester M1 7ED United Kingdom

Contact: Peter Bird Tel: +44 61 228 6333  
Fax: +44 61 236 9877 Email: peter@ncc.co.uk

Test System Name, Release and Date:  
88mhs Test System Ver 1.1 29-SEP-93  
Integrated Tool Set (ITS) protocol Engine Release 24 with  
patch 018 using OpenWindows 3.0

Claimed Hardware and Operating System Platforms: 0187  
Sun 3 or Sun 4 Workstations SunOS 4.1.1, 4.1.2 or 4.1.3

Tested Hardware and Operating System Platforms: 0145  
Sun SPARCstation 4/330 with SunOS 4.1.2

Base/Derived: BASE From MOT ID:  
Connectivity: 0114 TP4-CLNS/CLNP/LAN TP0/X.25

Underlying Stack:  
SunNET OSI 7.0 (TP4-CLNS) + SunNET X.25 7.0 (TP0)

Protocols and Profiles: 0091

MHS-88/(ACSE)/(PRES)/(Session)

MHS-88 MTA [X.400:1988]{P2,P1,RTSE}

MHS-88 ACSE [ISO 8650:1988]{MH}

MHS-88 Presentation [ISO 8823:1988]{MH}

MHS-88 Session [ISO 8327:1987]

Date Registered: 13-APR-94

Type of Registration and Expiration Date:

PROV, GOSIP Version 2 01-JAN-00

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
----------	--------	----------	---------	----------

ATS:3-22.1.2 39.2 23.8 63 PASS

ATS:3-22.2.1 88.9 0 88.9 PASS

ATS:3-22.3.1 55.6 24.4 80 PASS

ATS:3-22.4 86.3 2.4 88.7 PASS

ATS:3-22.5 81.2 12.2 93.4 PASS

ATS:3-22.6 78.2 12.9 91.1 PASS

Supplier: National Computing Centre Limited

Oxford House, Oxford Road

Manchester M1 7ED United Kingdom

Contact: Peter Bird Tel: +44 61 228 6333

Fax: +44 61 236 9877 Email: peter@ncc.co.uk

Test System Name, Release and Date:

84mhs Version 1.0 01-FEB-93

Additional connectivity for TP4-CLNS/CLNP/LAN. Works with  
OpenWindows 2.0 (not recommended) and OpenWindows 3.0.

Claimed Hardware and Operating System Platforms: 0187

Sun 3 or Sun 4 Workstations SunOS 4.1.1, 4.1.2 or 4.1.3

Tested Hardware and Operating System Platforms: 0220

Sun SPARCstation 4/330 with SunOS 4.1.1

Base/Derived: UPDATE From MOT ID:

Connectivity: 0004 TP4-CLNS/CLNP/LAN

Underlying Stack: SunNET OSI 7.0

Protocols and Profiles: 0045

MHS-84/(Session)

MHS-84 [X.400:1984] {P2, P1, RTS}

MHS-84 Session [X.410:1984]

Date Registered: 24-FEB-94

Type of Registration and Expiration Date:

PROV, GOSIP Version 2 01-JAN-00

Session: PROV, GOSIP Version 2 until 01-MAY-94; RTS, P1, P2:

PROV, GOSIP Version 2, until 01-JAN-00.

Reason for Removal:

ATS Code	Auto %	Manual %	Total %	Comments
----------	--------	----------	---------	----------

ATS:2-13.1 97 0 97

ATS:2-13.2 85 7 92

ATS:2-13.3 81 0 81

ATS:2-13.5 65 0 65

## GOSIP REGISTERS, *Continued*

**Supplier:** National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom  
**Contact:** Peter Bird Tel: +44 61 228 6333  
 Fax: +44 61 236 9877 Email: peter@ncc.co.uk  
**Test System Name, Release and Date:**  
 84mhs 1.1 01-OCT-93  
 Test Engine 24 with Patches 018, 019, 020, 023, and 033.  
**Claimed Hardware and Operating System Platforms:** 0187  
 Sun 3 or Sun 4 Workstations SunOS 4.1.1, 4.1.2 or 4.1.3  
**Tested Hardware and Operating System Platforms:** 0220  
 Sun SPARCstation 4/330 with SunOS 4.1.1  
**Base/Derived:** UPGRADE  
**From MOT ID:**  
**Connectivity:** 0058 TP0/WAN  
**Underlying Stack:**  
 SunNET OSI 7.0; SunNET X.25 7.0  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**Date Registered:** 20-JUL-94  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2 01-JAN-00  
**Reason for Removal:** N/A  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-13.2	80.3	0	80.3	ETS affected by this upgrade.
ATS:2-13.3	76.5	12.7	89.2	ETS affected by this upgrade.
ATS:2-13.4	74.4	6	80.4	ETS affected by this upgrade.
ATS:2-13.5	58.9	5.9	64.8	ETS affected by this upgrade.

  

**Supplier:** National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom  
**Contact:** Peter Bird  
 Tel: +44 61 228 6333 Fax: +44 61 236 9877  
 Email: peter@ncc.co.uk  
**Test System Name, Release and Date:**  
 84mhs Version 1.1 01-OCT-93  
 Additional connectivity for TP4-CLNS/CLNP/LAN. Requires Test  
 Engine 24 with Patches 018, 019, 020, 023 and 033.  
**Claimed Hardware and Operating System Platforms:** 0233  
 H/W: Vendor claims all Sun 3 and 4 series  
 O/S: SunOS 4.1, 4.1.1, 4.1.2 and 4.1.3  
**Tested Hardware and Operating System Platforms:** 0220  
 Sun SPARCstation 4/330 with SunOS 4.1.1  
**Base/Derived:** UPDATE  
**From MOT ID:**  
**Connectivity:** 0082 TP4-CLNS/CLNP/LAN  
**Underlying Stack:** SunNET OSI 7.0  
**Protocols and Profiles:** 0045  
 MHS-84/(Session)  
 MHS-84 [X.400:1984] {P2, P1, RTS}  
 MHS-84 Session [X.410:1984]  
**Date Registered:** 28-JUL-94  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2 01-JAN-00  
**Reason for Removal:** N/A  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-13.2	80.3	0	80.3	None.
ATS:2-13.3	76.5	12.7	89.2	None.
ATS:2-13.4	74.4	6	80.4	None.
ATS:2-13.5	58.9	5.9	64.8	None.

**M-007 FTAM**

**Supplier:** Alcatel TITN Incorporated  
 12030 Sunrise Valley Drive  
 Reston, VA 22091  
**Contact:** Sanjay Lokare  
 Tel: (510) 484-5674 Fax: (510) 484-4078  
**Test System Name, Release and Date:**  
 XRTLE Ver 4.21 FTAM Ver 1.31 29-JAN-92  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0061  
 80386 PC, Interactive 386/IX UNIX Ver 2.2  
**Base/Derived:** BASE  
**From MOT ID:**  
**Connectivity:** 0062  
 Session/TP4-CLNS/CLNP{ES}/LLC1{802.2}/MAC{802.3}  
 Session/TP4-CONS/X.25 PLP/X.25/RS-232C  
 Session/TP0/X.25 PLP/X.25/RS-232C  
**Underlying Stack:** TWICE Source code modified by Alcatel TITN  
 ANSWARE for Session Transport, CLNP, LLC1, X.25  
**Protocols and Profiles:** 0057  
 FTAM [ISO 8571:1988] {T1} Simple File Transfer Protocol  
**Date Registered:** 25-JAN-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-16.1	78	6	84	

  

**Supplier:** GSI-Danet Incorporated  
 1380 Old Freeport Road  
 Pittsburgh, PA 15238  
**Contact:** Hans-Ludwig Heil  
 Tel: (412) 967-0834 Fax: (412) 963-6779  
**Test System Name, Release and Date:**  
 OSITEST/FTAM Version 2.6.3.2 01-MAR-93  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0149  
 SunSPARCstation 4/330 with SunOS 4.1.1  
**Base/Derived:** BASE From MOT ID:  
**Connectivity:** 0109  
 TP4-CLNS/CLNP{ES}/LAN  
 TP0/WAN  
**Underlying Stack:** SunNet OSI 7.0; SunNet X.25 7.0  
**Protocols and Profiles:** 0073  
 FTAM/(ACSE)/(Presentation)/(Session)  
 FTAM [ISO 8571:1988] {T1, M1, T2, A1, R&R}  
 FTAM ACSE [ISO 8650:1988]  
 FTAM Presentation [ISO 8823:1988] {ASN.1}  
 FTAM Session [ISO 8327:1987] {R&R}  
**Date Registered:** 28-JUN-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-16.10	81	0	81	
ATS:2-16.11	95	0	95	
ATS:2-16.12	90	0	90	
ATS:2-16.13	73	0	73	
ATS:2-16.2	91	0	91	
ATS:2-16.4	83	0	83	
ATS:2-16.6	90	0	90	
ATS:2-16.7	87	0	87	
ATS:2-16.8	93	0	93	
ATS:2-16.9	82	0	82	

## GOSIP REGISTERS, *Continued*

---

**Supplier:** National Computing Centre, Ltd  
 Oxford House, Oxford Road  
 Manchester M17ED United Kingdom  
**Contact:** Christian Goswani Tel: +44 61 228-6333  
 Fax: +44 61 236-9877 Email: chris@ncc.co.uk  
**Test System Name, Release and Date:** FTAM Version 3.1  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0145  
 Sun SPARCstation 4/330 with SunOS 4.1.2  
**Base/Derived:** UPGRADE From MOT ID:  
**Connectivity:** 0110  
 TP4-CLNS/CLNP{ES}/LAN  
 TP4-CLNS/CLNP{ES}/WAN  
 TP0/WAN  
**Underlying Stack:** SunNet OSI 7.0; SunNET X.25 7.0  
**Protocols and Profiles:** 0073 FTAM/(ACSE)/(Presentation)/(Session);  
 FTAM [ISO 8571:1988] {T1, M1, T2, A1, R&R}; FTAM ACSE  
 [ISO 8650:1988]; FTAM Presentation [ISO 8823:1988] {ASN.1};  
 FTAM Session [ISO 8327:1987] {R&R}  
**Date Registered:** 30-JUN-94  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2 01-JAN-00

**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
2-16.10	88.9	0	88.9	ETS affected by this report.
2-16.11	95	0	95	ETS affected by this report.
2-16.12	91.2	1.6	92.8	ETS affected by this report.
2-16.13	97	0	97	
2-16.2	94	0	94	
2-16.3	75	0	75	
2-16.6	90	0	90	
2-16.7	100	0	100	ETS affected by this report.
2-16.8	90	0	90	ETS affected by this report.
2-16.9	87.1	12.9	100	ETS affected by this report.

**Supplier:** National Computing Centre, Ltd.  
 Oxford Road  
 Manchester M17ED United Kingdom  
**Contact:** Robert Clark Tel: (510) 687-3002  
**Test System Name, Release and Date:** FTAM Version 3.0  
**Claimed Hardware and Operating System Platforms:** 0001  
**Tested Hardware and Operating System Platforms:** 0145  
 Sun SPARCstation 4/330 with SunOS 4.1.2  
**Base/Derived:** BASE From MOT ID:  
**Connectivity:** 0110  
 TP4-CLNS/CLNP{ES}/LAN  
 TP4-CLNS/CLNP{ES}/WAN  
 TP0/WAN  
**Underlying Stack:** SunNet OSI 7.0; SunNet X.25 7.0  
**Protocols and Profiles:** 0073 FTAM/(ACSE)/(Presentation)/(Session);  
 FTAM [ISO 8571:1988] {T1, M1, T2, A1, R&R}; FTAM ACSE  
 [ISO 8650:1988]; FTAM Presentation [ISO 8823:1988] {ASN.1};  
 FTAM Session [ISO 8327:1987] {R&R}  
**Date Registered:** 28-JUN-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2 01-JAN-00

**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-16.10	95	0	95	
ATS:2-16.11	95	0	95	
ATS:2-16.12	94	0	94	
ATS:2-16.2	94	0	94	
ATS:2-16.3	75	0	75	
ATS:2-16.6	90	0	90	
ATS:2-16.7	96	0	96	
ATS:2-16.8	88	0	88	
ATS:2-16.9	100	0	100	
ATS:2-26.13	97	0	97	

**M-008 ES-IS**  
**Supplier:** Alcatel TITN Test Center  
 7011 Koll Center Parkway, Suite 200  
 Pleasanton, CA 94566-3101  
**Contact:** Sanjay P Lokare  
 Tel: (510) 484-5674  
 Fax: (510) 484-4078  
**Test System Name, Release and Date:**  
 XRTLE V5.20  
 ES-IS(ES) V1.1  
 01-JUN-93  
**Claimed Hardware and Operating System Platforms:** 0186  
 PC 386/486  
 Interactive UNIX V2.2, V2.2.1, V3.0, V3.0.1  
**Tested Hardware and Operating System Platforms:** 0061  
 80386 PC, Interactive 386/iX UNIX Ver 2.2  
**Base/Derived:** BASE  
**From MOT ID:**  
**Connectivity:** 0107  
 LLC1{802.2}/MAC{802.3}/10Base5  
**Underlying Stack:**  
 TWICE software modified by Alcatel TITN ANSWARE  
**Protocols and Profiles:** 0081  
 ES-IS{ES} [ISO 9542:1988][SIA VER 3]  
**Date Registered:** 01-OCT-93  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2  
 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-18	87	8	95	

  
**Supplier:** National Computing Centre Limited  
 Oxford House, Oxford Road  
 Manchester M1 7ED United Kingdom  
**Contact:** Peter Bird  
 Tel: +44 61 228 6333  
 Fax: +44 61 236 9877  
 Email: peter@ncc.co.uk  
**Test System Name, Release and Date:**  
 NCC ES-IS(ES) Tester  
 Version 1.1  
 03-MAR-94  
 NCC Test Engine Release 26 using Open Windows 3.0  
**Claimed Hardware and Operating System Platforms:** 0225  
 Sun 4 Workstations  
 SunOS 4.1.1, 4.1.2, 4.1.3  
**Tested Hardware and Operating System Platforms:** 0220  
 Sun SPARCstation 4/330 with SunOS 4.1.1  
**Base/Derived:** BASE  
**From MOT ID:**  
**Connectivity:** 0119  
 LLC1{802.2}/MAC{802.3}/10Base2  
**Underlying Stack:**  
 SunNet OSI 7.0  
**Protocols and Profiles:** 0081  
 ES-IS{ES} [ISO 9542:1988][SIA VER 3]  
**Date Registered:** 09-JUN-94  
**Type of Registration and Expiration Date:**  
 PROV, GOSIP Version 2  
 01-JAN-00  
**Reason for Removal:**  

ATS Code	Auto %	Manual %	Total %	Comments
ATS:2-18	26.3	71.1	97.4	

## GOSIP REGISTERS, *Continued*

### M-009 Directory Services

Supplier: National Computing Centre Limited  
Oxford House, Oxford Road  
Manchester M1 7ED United Kingdom

Contact: Peter Bird  
Tel: +44 61 228 6333  
Fax: +44 61 236 9877  
Email: peter@ncc.co.uk

Test System Name, Release and Date:  
NCC500 Test System  
Release 2.0  
01-JUN-93  
NCC Test Engine Release 24 OpenWindows 3.0

Claimed Hardware and Operating System Platforms: 0219  
H/W: Sun 4 SPARCstation series  
Sun 3 series  
O/S: SunOS 4.1, 4.1.1/2/3

Tested Hardware and Operating System Platforms: 0149  
SunSPARCstation 4/330 with SunOS 4.1.1

Base/Derived: BASE  
From MOT ID:  
Connectivity: 0118  
TP0/X.25  
TP4/CLNP/802.3  
TP4/X.25  
TP2/X.25

Underlying Stack:  
SunNET OSI 7.0; SunNET X.25 7.0

Protocols and Profiles: 0087  
X.500-88 {DAP/DUA}/(ACSE&ROSE)/(Presentation)/(Session)  
X.500-88 DAP[CCITT X.500; ISO/IEC 9594:1990]{DUA}  
X.500-88 {DAP/DSA}/(ACSE&ROSE)/(Presentation)/(Session)  
X.500-88 DAP [CCITT X.500; ISO/IEC 9594:1990] {DSA}  
ROSE [ISO 9072:1989]  
ACSE [ISO 8650:1988]  
Presentation [ISO 8823:1988]  
Session [ISO 8327:1987]

Date Registered: 09-JUN-94  
Type of Registration and Expiration Date:  
PROV, GOSIP Version 2  
01-JAN-00  
Reason for Removal: N/A

ATS Code	Auto %	Manual %	Total %	Comments
ATS:3-23.1	83.6	.9	84.5	PASS
ATS:3-23.2.1	100	0	100	PASS
ATS:3-23.3.1	81	5.4	86.4	PASS
ATS:3-23.5.1	89.6	4	93.6	PASS
ATS:3-23.5.2	95.7	0	95.7	PASS

### 5.4.7 PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENTS REGISTER

PICS:1-13

Protocol: Message Handling System - 1984,  
Reliable Transfer Server  
Profile P1, P2  
GOSIP Version: 1  
Expire Date:  
Comments: None

Title: COS Stack Specification COS/AMH113

Organization: Corporation for Open Systems  
International Test Center  
8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

Issue Date: 15-APR-92  
Issue: Version 1.2  
Comments: None

PICS:2-1

Protocol: X.25 Link Access Procedure - B

GOSIP Version: 2  
Expire Date:  
Comments: None

Title: PICS Proforma for X.25 Data Link Layer

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date: 01-MAR-92  
Issue:  
Comments: None

PICS:2-10

Protocol: Session

GOSIP Version: 2  
Expire Date:  
Comments: If embedded, adjust requirements to conform to the application.

Title: PICS Proforma for basic connection oriented session

Organization: International Organization  
for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 22-OCT-92  
Issue: ISO 8327-2  
Comments: None

## GOSIP REGISTERS, *Continued*

---

### PICS:2-13.1

Protocol: Message Handling System - 1984,  
Reliable Transfer Server  
Profile P1, P2

GOSIP Version: 2

Expire Date:

Comments: None

Title: Corporation for Open Systems (COS)

Organization: Corporation for Open Systems International  
1750 Old Meadow Road  
McLean, VA 22102

Issue Date: 15-APR-92

Issue: Version 1.2

Comments: None

Title: TEST

Organization: Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

Issue Date:

Issue:

Comments:

Title: PICS for FTAM

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 15-DEC-90

Issue: ISO 8571-5:1988

Comments: ISO/IEC SC6

Title: PICS for FTAM

Organization: International Organization for Standardization  
(ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 15-DEC-90

Issue: ISO 8571-5:1988

Comments: ISO/IEC SC6

### PICS:2-13.2

Protocol: Message Handling System - 1984, Session Protocol

GOSIP Version: 2

Expire Date:

Comments: None

Title: COS Stack Specification COS/AMH113

Organization: Corporation for Open Systems  
International Test Center  
8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

Issue Date: 15-APR-92

Issue: Version 1.2

Comments: None

Title: PICS for FTAM

Organization: File Transfer, Access, and Management

GOSIP Version: 2

Expire Date:

Comments: None

### PICS:2-16.1

Protocol: High Level Data Link Control, Logical Access  
Procedure B

GOSIP Version: 2

Expire Date:

Comments:

Title: TEST

Organization: Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

Issue Date:

Issue:

Comments:

Title: TEST

Organization: Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

Issue Date:

Issue:

Comments:

Title: TEST

Organization: Bull Information Systems, Incorporated  
13430 North Black Canyon Highway  
Phoenix, AZ 85029

Issue Date:

Issue:

Comments:

## GOSIP REGISTERS, *Continued*

Title: PICS for FTAM

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 15-DEC-90

Issue: ISO 8571-5:1988

Comments: ISO/IEC SC6

Title: PICS for FTAM

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 15-DEC-90

Issue: ISO 8571-5:1988

Comments: ISO/IEC SC6

### PICS:2-16.2

Protocol: Association Control Service Element

GOSIP Version: 2

Expire Date:

Comments: Adjust requirements to conform to the application

Title: PICS Proforma for Association Control Service Element

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 22-OCT-92

Issue: ISO 8650-2

Comments: None

### PICS:2-16.3

Protocol: Presentation

GOSIP Version: 2

Expire Date:

Comments: Adjust requirements to conform to the application

Title: PICS Proforma for Presentation

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 22-OCT-92

Issue: ISO 8823-2

Comments: None

### PICS:2-17.1

Protocol: X.500-88 Directory Access Protocol

GOSIP Version: 2

Expire Date:

Comments: None

Title: Directory Access Protocol PICS Proforma

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date: 01-JUN-94

Issue: Draft; based on CCITT Recommendation X.581

Comments: None

### PICS:2-17.2

Protocol: X.500-88 Directory System Protocol

GOSIP Version: 2

Expire Date:

Comments: None

Title: Directory System Protocol PICS Proforma

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Draft under development; based on CCITT

Recommendation X.582

Comments: Date TBD

### PICS:2-2

Protocol: X.25 Packet Layer Protocol

GOSIP Version: 2

Expire Date:

Comments: None

Title: PICS Proforma for X.25 Packet Layer

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date: 01-MAR-92

Issue:

Comments: None

## GOSIP REGISTERS, *Continued*

### PICS:2-3.1

Protocol: End System to Intermediate System

GOSIP Version: 2

Expire Date:

Comments: None

Title: PICS Proforma for End System to Intermediate System

Organization: International Organization for Standardization (ISO)

Case Postale 56

CH-1211 Geneve 20 Switzerland

Issue Date: 15-AUG-88

Issue: ISO 9542

Comments: None

Title: Interim Profile Specific ICS (SIA June 1990)

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date: 15-DEC-93

Issue: ---

Comments: None

### PICS:2-7

Protocol: Connectionless Network Layer Protocol

GOSIP Version: 2

Expire Date:

Comments: None

Title: PICS Proforma for Connectionless Network Layer  
Protocol

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date: 01-MAR-92

Issue: ISO 8473

Comments: None

### PICS:2-8.1

Protocol: Transport Class 0 & 4

GOSIP Version: 2

Expire Date:

Comments: None

Title: PICS Proforma for Transport Class 0 and 4 Protocols

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date: 01-MAR-92

Issue: ISO 8073

Comments: None

### PICS:2-8.2

Protocol: Transport Class 0, 2, & 4

GOSIP Version: 2

Expire Date:

Comments: None

Title: PICS Proforma for TRANSPORT Class 0, 2, and 4  
Protocols

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date: 01-JUN-93

Issue: ISO 8073:1988

Comments: Updated June 93 to include TP2

### PICS:2-9

Protocol: Connectionless Transport

GOSIP Version: 2

Expire Date:

Comments: Voting Terminates on 29 Oct 1993 for ISO  
8602:1987/DAM 1

Title: PICS Proforma for Connectionless Transport

Organization: International Organization for Standardization (ISO)

Case Postale 56

CH-1211 Geneve 20 Switzerland

Issue Date: 01-APR-93

Issue: ISO 8602:1987/DAM1:1993

Comments: None

### PICS:3-22.1

Protocol: Message Handling System - 1988, P1 Profile

GOSIP Version: 3

Expire Date:

Comments: This is also known as ISO/IEC DISP 10611-3:1993(E)

Title: Message Handling Systems-Common Messaging-Part 3:  
AMH11-

Message Transfer(P1)

Organization: International Organization for Standardization (ISO)

Case Postale 56

CH-1211 Geneve 20 Switzerland

Issue Date: 31-JUL-93

Issue: ISO DISP 10611-3

Comments: None

## GOSIP REGISTERS, *Continued*

### PICS:3-22.2

Protocol: Message Handling System - 1988, P2 Profile  
GOSIP Version: 3  
Expire Date:  
Comments: This is also known as pDISP AMH2-2: September 1993

Title: Message Handling Systems-Interpersonal Messaging-Part 2: AMH21-IPM Content

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 24-SEP-93  
Issue: pDISP AMH2-2  
Comments: None

### PICS:3-22.5

Protocol: Reliable Transfer Service Element  
GOSIP Version: 3  
Expire Date:  
Comments: Referenced by ISO/IEC DISP 10611-2:1993(E)

Title: PICS Proforma for RTSE Protocol

Organization: International Telecommunications Union-Information Services Department  
Place des Nations  
Geneva 20 1211 Switzerland

Issue Date: 10-SEP-92  
Issue: Recommendation X.248  
Comments: None

### PICS:3-22.3

Protocol: Message Handling Systems - 1988 {P3}  
GOSIP Version: 3  
Expire Date:  
Comments: This is also known as ISO/IEC DISP 10611-4:1993(E)

Title: Message Handling Systems-Common Messaging-Part 4: AMH12-MTS Access(P3)

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 31-JUL-93  
Issue: ISO DISP 10611-4  
Comments: None

### PICS:3-22.4

Protocol: Message Handling Systems - 1988 {P7}  
GOSIP Version: 3  
Expire Date:  
Comments: This is also known as ISO/IEC DISP 10611-5:1993(E)

Title: Message Handling Systems-Common Messaging-Part 5: AMH13-MS Access (P7)

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 31-JUL-93  
Issue: ISO DISP 10611-5  
Comments: None

Title: Message Handling Systems-Interpersonal Messaging-Part 5:AMH24-IPM Requirements for Enhanced MS Access (P7)

Organization: International Organization for Standardization (ISO)  
Case Postale 56  
CH-1211 Geneve 20 Switzerland

Issue Date: 24-SEP-93  
Issue: pDISP AMH2-5 (Suppl.)  
Comments: None

## GOSIP REGISTERS, *Continued*

### 5.4.8 ABSTRACT TEST SUITES CONFORMANCE REGISTER

ATS:1-1

Protocol: HDLC LAP-B  
High Level Data Link Control, Logical Access Procedure

B

GOSIP Version: 1

Expire Date:

Comments:

Title: X.25-DTE Conformance Testing: Text for Data Link Layer  
Test Suite

Organization: ISO/IEC JTC1/SC2

Issue Date: 30-JUN-90

Issue: ISO/IEC DP 8882-2

Comments:

ATS:1-10

Protocol: Session  
Session

GOSIP Version: 1

Expire Date:

Comments:

Title: Session Abstract Test Suite; Volumes 1, 2 and 3

Organization: CTS-WAN  
USA

Issue Date: 01-SEP-88

Issue: CTS-WAN/T&S/ABS/SES/CS/1.0

Comments:

ATS:1-13

Protocol: MHS-84{RTS}  
Message Handling System - 1984, Reliable Transfer  
Service  
Profile

GOSIP Version: 1

Expire Date:

Comments: Also issued under NIST cover, August 1990.

Title: MHS RTS Tests and Testing Guide

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 01-APR-90

Issue: Issue 2

Comments:

ATS:1-14

Protocol: MHS-84{P1}  
Message Handling System - 1984, P1 Profile  
GOSIP Version: 1  
Expire Date:  
Comments: Also issued under NIST cover, August 1990.

Title: MHS P1 Tests and Testing Guide

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 01-APR-90

Issue: Issue 3

Comments:

ATS:1-15

Protocol: MHS-84{P2}  
Message Handling System - 1984, P2 Profile  
GOSIP Version: 1  
Expire Date:  
Comments: Also issued under NIST cover, August 1990.

Title: MHS P2 Tests and Testing Guide

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 01-APR-90

Issue: Issue 3

Comments:

ATS:1-16

Protocol: FTAM{T1,T2}/ACSE/Presentation  
File Transfer, Access, and Management: T1 and T2 Profiles,  
Association Control Service Element, and Presentation  
GOSIP Version: 1  
Expire Date:  
Comments: T1 and T2 profiles from NIST; ACSE and Presentation  
from NCC.

Title: FTAM Abstract Test Suite for GOSIP Version 1

Organization: National Institute of Standards and Technology (NIST)  
Building 225, Room B151  
Gaithersburg, MD 20899

Issue Date: 01-AUG-90

Issue:

Comments:

Title: FTAM Tests and Testing Guide

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 03-AUG-90

Issue: NCC/TPD - 89/016

Comments:

## GOSIP REGISTERS, *Continued*

ATS:1-2

Protocol: X.25 PLP  
X.25 Packet Layer Protocol  
GOSIP Version: 1  
Expire Date:  
Comments:

Title: DIS 8882-3 London Output.

Organization: ISO/IEC JTC1/SC2

Issue Date: 20-JUN-90  
Issue: ISO/IEC JTC1/SC6/N5608 Revised  
Comments:

ATS:1-3

Protocol: MAC & PLS [ISO 8802/3]  
Medium Access Control and Physical Layer Signaling [ISO 8802/3]  
GOSIP Version: 1  
Expire Date:  
Comments: Incorporates four test suites submitted by Corporation for Open Systems (COS) International, October 1989.

Title: 802.3 Draft Abstract Test Suite for GOSIP Version 1.

Organization: National Institute of Standards and Technology (NIST)  
Building 225, Room B151  
Gaithersburg, MD 20899

Issue Date: 01-AUG-90  
Issue:  
Comments:

ATS:1-4

Protocol: MAC & PLS [ISO 8802/4]  
Medium Access Control and Physical Layer Signaling [ISO 8802/4]  
GOSIP Version: 1  
Expire Date:  
Comments:

Title: 802.4 MAC Sublayer Conformance Test System Test Case Reference Guide.

Organization: Corporation for Open Systems  
International Test Center  
8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

Issue Date: 01-MAR-88  
Issue: COS/TPD-88/008, Issue 1  
Comments:

ATS:1-5

Protocol: MAC & PLS [ISO 8802/5]  
Medium Access Control and Physical Layer Signaling [ISO 8802/5]  
GOSIP Version: 1  
Expire Date:  
Comments: No registered ATS

ATS:1-6

Protocol: LLC-1  
Logical Link Control Type 1

GOSIP Version: 1  
Expire Date:  
Comments:

Title: 802.2 LLC (Type 1) Abstract Test Suite Submission (extract from 802.3 10BASE5 Layer 2 Test System Results Analysis Guide - LLC Sublayer).

Organization: Corporation for Open Systems  
International Test Center  
8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

Issue Date: 01-AUG-90  
Issue: Issue 1  
Comments:

ATS:1-7

Protocol: CLNP{ES}  
Connectionless Network Protocol, End System  
GOSIP Version: 1  
Expire Date:  
Comments:

Title: Internet Protocol Tests and Testing Guide for ISO 8473  
Connectionless Network Protocol Implementations.

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 01-JUL-90  
Issue: NCC/TPD-90/003, Issue 2  
Comments:

ATS:1-7.1

Protocol: CLNP{IS}  
Connectionless Network Protocol, Intermediate System  
GOSIP Version: 1  
Expire Date:  
Comments:

Title: Interim Abstract Test Suite for CLNP Intermediate Systems Testing.

Organization: National Institute of Standards and Technology (NIST)  
Building 225, Room B151  
Gaithersburg, MD 20899

Issue Date: 30-OCT-90  
Issue:  
Comments:

## GOSIP REGISTERS, *Continued*

ATS:1-8

Protocol: TP0  
Transport Protocol Class 0  
GOSIP Version: 1  
Expire Date:  
Comments:

Title: ISO/OSI Transport Class 0 CTS-WAN Abstract Test Suite

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 13-OCT-88  
Issue: CTS-WAN/T&S/ABS/TR0/CS/1.0, Rev 2.1  
Comments:

ATS:1-9

Protocol: TP4  
Transport Protocol Class 4  
GOSIP Version: 1  
Expire Date:  
Comments:

Title: Transport Class 4 Tests and Testing Guide for ISO 8073  
Transport Class 4 Implementations.

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom  
Issue Date: 01-JUL-90  
Issue: NCC/TPD - 90/002, Issue 2  
Comments:

ATS:2-1

Protocol: HDLC LAP-B  
High Level Data Link Control, Logical Access Procedure  
B  
GOSIP Version: 2  
Expire Date:  
Comments: Defects exist

Title: Information Technology-Telecommunications and  
Information Exchange Between Systems- X.25 DTE  
Conformance Testing- Part 2: Data Link Layer  
Conformance Test Suite

Organization: ISO/IEC JTC1/SC6  
Issue Date: 20-JAN-92  
Issue: ISO/IEC 8882-2:1992(E), First Edition  
Comments:

Title: Defect Report to ISO/IEC 8882-2: 1992

Organization: ISO/IEC JTC1/SC6  
Issue Date: 30-MAR-92  
Issue: X3S3.4/92-54  
Comments:

Title: Abstract Test Suite Addendum for X.25

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date:  
Issue: Quarterly  
Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/x25-isdn/x25.w51

ATS:2-10.1

Protocol: Session  
Session  
GOSIP Version: 2  
Expire Date: 01-FEB-94  
Comments: Superseded by ATS:2-10.2

Title: Session Abstract Test Suite, Volumes 1, 2, and 3

Organization: CTS-WAN

Issue Date: 01-SEP-88  
Issue: CTS/WAN/T&S/ABS/SES/CS/1.0  
Comments:

Title: Session CTS-WAN Abstract Test Suite, CTS2 Extension

Organization: Alcatel TITN Incorporated  
7011 Koll Center Parkway, Suite 200  
Pleasanton, CA 94566-3101

Issue Date: 19-MAR-91  
Issue: Version 2.0  
Comments:

Title: Abstract Test Suite Addendum for Session

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:  
Issue: Quarterly  
Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/atsaddenda/session/sess-01.w51

ATS:2-10.2

Protocol: Session  
Session  
GOSIP Version: 2  
Expire Date:  
Comments:

Title: Session Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-JAN-92  
Issue: OSTC/T&S/ABS/SES/CS/2.1  
Comments:

## GOSIP REGISTERS, *Continued*

ATS:2-13.1

Protocol: MHS-84 Session  
Message Handling System - 1984, Session Protocol  
GOSIP Version: 2  
Expire Date: 01-FEB-94  
Comments: This ATS has been superseded by ATS:2-13.5; defects exist

Title: Abstract Session Test Suite DSE MHS

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 18-JAN-89

Issue: OSTC/MHS/ABS/SES/DSE/3.0, Version 3.0

Comments:

Title: Abstract Test Suit Addendum for MHS-84

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/mhs-84/mhs84-01.w51

ATS:2-13.2

Protocol: MHS-84{RTS}  
Message Handling System - 1984, Reliable Transfer Service  
Profile  
GOSIP Version: 2  
Expire Date:  
Comments:

Title: MHS RTS Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-JUL-91

Issue: OSTC/MHS/ABS/RTS/2.0

Comments:

Title: Abstract Test Suite Addendum for MHS-84

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/mhs-84/mhs84-02.w51

ATS:2-13.3

Protocol: MHS-84{P1}  
Message Handling System - 1984, P1 Profile  
GOSIP Version: 2  
Expire Date:  
Comments: Defects exist

Title: MHS Abstract Test Suite, P1 Protocol A/311 and A/3211

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 28-SEP-90

Issue: OSTC/MHS/ABS/P1/2.0

Comments:

Title: Abstract Test Suite Addendum for MHS-84

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/mhs-84/mhs84-03.w51

ATS:2-13.4

Protocol: MHS-84{P2}  
Message Handling System - 1984, P2 Profile  
GOSIP Version: 2  
Expire Date:  
Comments: Defects exist

Title: MHS Abstract Test Suite, P2

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-SEP-92

Issue: OSTC/MHS/ABS/P2/2.0

Comments:

Title: Abstract Test Suite Addendum for MHS-84

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/mhs-84/mhs84-04.w51

## GOSIP REGISTERS, *Continued*

ATS:2-13.5

Protocol: MHS-84 Session  
Message Handling System - 1984, Session Protocol  
GOSIP Version: 2  
Expire Date:  
Comments: This ATS supersedes ATS:2-13.1

Title: ANNEX A - MHS '84 SPECIFIC PART

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 03-NOV-92

Issue: 2.0

Comments: This document is Annex A of document 2.

Title: Common Abstract Test Suite for the Session Protocol

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 03-NOV-92

Issue: 2.0

Comments: Merge this common part with Annex A to form the full  
MHS-84 test suite.

ATS:2-16.1

Protocol: FTAM{T1}  
File Transfer, Access, and Management; Simple File Transfer Profile  
GOSIP Version: 2  
Expire Date:  
Comments:

Title: T1-A/111, Volume 1 (Responder Tests) and Volume 2 (Initiator Tests)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-JAN-88

Issue: CTS-WAN/FTAM/ABS/FTAM-A111/1.0

Comments:

ATS:2-16.10

Protocol: FTAM Presentation  
File Transfer, Access, and Management; Presentation  
Protocol  
GOSIP Version: 2  
Expire Date:  
Comments:

Title: FTAM Presentation Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 11-JAN-91  
Issue: OSTC/FTAM/ABS/FTAM/PRES/5.1  
Comments:

ATS:2-16.11

Protocol: FTAM Presentation ASN.1  
File Transfer, Access, and Management; Presentation  
Abstract Syntax Notation One  
GOSIP Version: 2  
Expire Date:  
Comments:

Title: FTAM Presentation ASN.1 Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 13-NOV-91

Issue: OSTC/FTAM/ABS/FTAM/PRES/ASN.1/BER/2.4

Comments:

ATS:2-16.12

Protocol: FTAM Session  
File Transfer, Access, and Management; Session Protocol  
GOSIP Version: 2  
Expire Date:  
Comments:

Title: FTAM Session Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 17-SEP-91  
Issue: OSTC/FTAM/ABS/FTAM/SES  
Comments:

ATS:2-16.13

Protocol: FTAM Session R&R  
File Transfer, Access, and Management; Session Restart and Recovery  
GOSIP Version: 2  
Expire Date:  
Comments:

Title: FTAM Session Restart and Recovery Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 01-JAN-92  
Issue: OSTC/FTAM/ABS/FTAM/SES/R&R  
Comments:

## GOSIP REGISTERS, *Continued*

ATS:2-16.2

Protocol: FTAM{T1}  
File Transfer, Access, and Management; Simple File Transfer Profile

GOSIP Version: 2

Expire Date:

Comments:

Title: FTAM A/111 (T1) Responder ATS and FTAM A/111 (T1) Initiator ATS

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-APR-91

Issue: CTS-WAN/FTAM/ABS/FTAM-A111/2.0, Version 2.0,  
Volumes 1 and 2

Comments:

ATS:2-16.3

Protocol: FTAM{R&R}  
File Transfer, Access, and Management; Restart and Recovery Profile

GOSIP Version: 2

Expire Date:

Comments:

Title: FTAM A/111 Restart and Recovery, Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels  
Belgium

Issue Date:

Issue: OSTC/FTAM/ABS/FTAM-A111 R&R/1.0

Comments:

ATS:2-16.4

Protocol: FTAM{R&R}  
File Transfer, Access, and Management; Restart and Recovery Profile

GOSIP Version: 2

Expire Date:

Comments:

Title: FTAM A/111 Restart and Recovery, Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 29-OCT-91

Issue: OSTC/FTAM/ABS/FTAM-A111 R&R\2.0

Comments:

ATS:2-16.5

Protocol: FTAM{M1}  
File Transfer, Access, and Management; Management Profile GOSIP Version: 2

Expire Date:

Comments:

Title: FTAM A/13 ATS

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-JAN-90

Issue: FTAM/ABS/FTAM-A13/1.0

Comments:

ATS:2-16.6

Protocol: FTAM{M1}  
File Transfer, Access, and Management; Management Profile GOSIP Version: 2

Expire Date:

Comments:

Title: FTAM A/13 ATS, Version 2.0

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-AUG-91

Issue: FTAM/ABS/FTAM/A13/2.0

Comments:

ATS:2-16.7

Protocol: FTAM{T2}  
File Transfer, Access, and Management; Positional File Transfer Profile

GOSIP Version: 2

Expire Date:

Comments: Defects exist

Title: FTAM A/112 Abstract Test Suite, Volume 1 (A/112 Responder) and Volume 2 (A/112 Initiator)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-JAN-92

Issue: OSTC/FTAM/ABS/FTAM-A/112

Comments:

Title: Abstract Test Suite Addendum for FTAM

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/ftam/ftam-07.w51

## GOSIP REGISTERS, *Continued*

ATS:2-16.8

Protocol: FTAM{A1}  
File Transfer, Access, and Management; Simple File  
Access

Profile

GOSIP Version: 2

Expire Date:

Comments: Defects exist

Title: FTAM A/122 Responder Abstract Test Suite (Volume 1)  
and FTAM A/122 Initiator Abstract Test Suite (Volume 2)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-JAN-92

Issue: OSTC/FTAM/ABS/FTAM-A/122

Comments:

Title: Abstract Test Suite Addendum for FTAM

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/ftam/ftam-08.w51

ATS:2-16.9

Protocol: FTAM ACSE  
File Transfer, Access, and Management; Association  
Control

Service Element

GOSIP Version: 2

Expire Date:

Comments: ATS Consists of a common part and a specific annex.

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as  
CTS2-ACSE V2.02

Title: FTAM ACSE Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-JAN-92

Issue: OSTC/FTAM/ABS/FTAM/ACSE

Comments: This document is Annex D of Document 1. Without  
OSTC cover, document is identified as ACSE\_CTS2\_FTAM.

ATS:2-17

Protocol: VT

Virtual Terminal

GOSIP Version: 2

Expire Date:

Comments: No registered ATS.

ATS:2-18

Protocol: ES-IS(ES)

End System to Intermediate System in End System

GOSIP Version: 2

Expire Date:

Comments: Defects exist

Title: ES/IS in ES Abstract Test Suite

Organization: Alcatel TITN Answare  
Aix-en-Provence France

Issue Date: 01-MAY-93

Issue: Version 1.1

Comments:

Title: Abstract Test Suite Addendum for End System to  
Intermediate System

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/atsaddenda/lan-esis/ats/esis

ATS:2-18.A

Protocol: ES-IS(ES)

End System to Intermediate System in End System

GOSIP Version: 2

Expire Date:

Comments: JITC deficiencies noted against ATS:2-18.

Title: ES/IS in ES Abstract Test Suite Addendum

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date: 01-MAR-94

Issue: Version 1

Comments:

ATS:2-19

Protocol: CONS

Connection Oriented Network Service

GOSIP Version: 2

Expire Date:

Comments: No registered ATS.

## GOSIP REGISTERS, *Continued*

### ATS:2-1A

Protocol: HDLC LAP-B  
High Level Data Link Control, Logical Access Procedure  
B

GOSIP Version: 2  
Expire Date:  
Comments: This ATS consists of ATS:2-1 as modified by the documents below.

Title: Instructions to the Editor for the corrections of reported defects in ISO/IEC 8882-2 and 8882-3

Organization: ISO/IEC JTC1/SC6  
USA

Issue Date: 12-FEB-93

Issue: SC6 N 7988

Comments: To be used with Defect Reports referenced within.

### ATS:2-2

Protocol: X.25 PLP  
X.25 Packet Layer Protocol

GOSIP Version: 2

Expire Date:

Comments: Defects exist

Title: Information Technology-Telecommunications and Information Exchange Between Systems-X.25-DTE Conformance Testing-Part 3: Packet Layer Conformance Test Suite

Organization: ISO/IEC JTC1/SC2/WG2  
USA

Issue Date: 16-JAN-91

Issue: ISO/IEC 8882-3:1991(E), First Edition

Comments:

Title: Defect Report to ISO/IEC 8882-3:1991

Organization: ISO/IEC JTC1/SC2/WG2  
USA

Issue Date: 01-MAR-92

Issue: X3S3.7/92-49

Comments:

Title: Abstract Test Suite Addendum for X.25

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/x25.isdn/x25.w51

### ATS:2-20

Protocol: TP2  
Transport Protocol Class 2

GOSIP Version: 2

Expire Date:

Comments: A revised version of this ATS is registered as ATS:2-20A; defects exist

Title: OSTC Abstract Test Suite, Transport Class 2

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 31-JAN-91

Issue: OSTC/T&S/ABS/TR2/CS/2.0

Comments:

Title: Abstract Test Suite Addendum for Transport

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/transprt/tp2-jars.w51

### ATS:2-20A

Protocol: TP2  
Transport Protocol Class 2

GOSIP Version: 2

Expire Date:

Comments: Minor revisions of ATS:2-20

Title: OSTC Abstract Test Suite, Transport Class 2

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date:

Issue: OSTC/T&S/ABS/TR2/CS/2.1

Comments:

### ATS:2-21.1

Protocol: HDLC LAP-D  
High Level Data Link Control, Logical Access Procedure

D

GOSIP Version: 2

Expire Date:

Comments: Used in ISDN D Channel layer 2.

Title: Integrated Services Digital Network Conformance Testing Layer 2 - Data Link Layer (LAPD); Part 1 - Basic Rate Interface, User Side

Organization: National Institute of Standards and Technology (NIST)

Issue Date: 01-SEP-93

Issue: NIST Special Publication 823-4

Comments: This publication describes the LAP-D ATS for ISDN D Channel Layer 2 as developed and approved by the ISDN Conformance Testing (ICOT) Working Group of the NIUF

## GOSIP REGISTERS, *Continued*

### ATS:2-2A

Protocol: X.25 PLP  
X.25 Packet Layer Protocol

GOSIP Version: 2

Expire Date:

Comments: This ATS consists of ATS:2-2 as modified by the documents below.

Title: Instructions to be Editor for the corrections of reported defects in ISO/IEC 8882-2 and 8882-3

Organization: ISO/IEC JTC1/SC6

Issue Date: 12-FEB-93

Issue: SC6 N 7988

Comments: To be used with Defect Reports referenced within.

### ATS:2-3

Protocol: MAC & PLS [ISO 8802/3]  
Medium Access Control and Physical Layer Signaling [ISO 8802/3]

GOSIP Version: 2

Expire Date:

Comments: Incorporates four test suites submitted by Corporation for Open Systems (COS) International in October 1989

Title: 802.3 Draft Abstract Test Suite for GOSIP Version 1

Organization: National Institute of Standards and Technology (NIST)  
Building 225, Room B151  
Gaithersburg, MD 20899

Issue Date: 01-AUG-90

Issue:

Comments:

### ATS:2-4

Protocol: MAC & PLS [ISO 8802/4]  
Medium Access Control and Physical Layer Signaling [ISO 8802/4]

GOSIP Version: 2

Expire Date:

Comments:

Title: 802.4 MAC Sublayer Conformance Test System Test Case Reference Guide

Organization: Corporation for Open Systems International Test Center

8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

Issue Date: 01-MAR-88

Issue: COS/TPD-88/008, Issue 1

Comments:

### ATS:2-5

Protocol: MAC & PLS [ISO 8802/5]  
Medium Access Control and Physical Layer Signaling [ISO 8802/5]

GOSIP Version: 2

Expire Date:

Comments: No Registered ATS

### ATS:2-6

Protocol: LLC-1  
Logical Link Control Type 1

GOSIP Version: 2

Expire Date:

Comments:

Title: 802.2 LLC (Type 1) Abstract Test Suite Submission (extract from 802.3 10BASE5 Layer 2 Test System Results Analysis Guide - LLC Sublayer)

Organization: Corporation for Open Systems International Test Center

8260 Willow Oaks Corp Drive, Suite 700  
Fairfax, VA 22031

Issue Date: 01-AUG-90

Issue: Issue 1

Comments:

### ATS:2-7

Protocol: CLNP{ES}  
Connectionless Network Protocol, End System

GOSIP Version: 2

Expire Date:

Comments: Defects exist

Title: Internet Protocol Tests and Testing Guide for ISO 8473 Connectionless Network Protocol Implementations

Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 01-JUL-90

Issue: NCC/TPD-90/003, Issue 2

Comments:

Title: Abstract Test Suite Addendum for Connectionless Network Protocol (ES)

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/atsaddenda/lan-esis/ats/cenp

## GOSIP REGISTERS, *Continued*

ATS:2-7.1

Protocol: CLNP{IS}  
Connectionless Network Protocol, Intermediate System  
GOSIP Version: 2  
Expire Date:  
Comments: Defects exist

Title: Interim Abstract Test Suite for CLNP Intermediate Systems Testing

Organization: National Institute of Standards and Technology (NIST)  
Building 225, Room B151  
Gaithersburg, MD 20899

Issue Date: 30-OCT-90

Issue:

Comments:

Title: Abstract Test Suite Addendum for Connectionless Network Protocol (IS)

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/atsaddenda/lan-esis/ats/cenp

ATS:2-8

Protocol: TP0  
Transport Protocol Class 0  
GOSIP Version: 2  
Expire Date:  
Comments: A revised version of this ATS is registered as ATS:2-8A; defects exist

Title: OSTC Abstract Test Suite, Transport Class 0

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 31-JAN-91  
Issue: OSTC/T&S/ABS/TR0/CS/2.0  
Comments:

Title: Abstract Test Suite Addendum for Transport

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:  
Issue: Quarterly  
Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/transprt/tpo-jars.w51

ATS:2-8A

Protocol: TP0  
Transport Protocol Class 0  
GOSIP Version: 2  
Expire Date:  
Comments: Minor revision of ATS 2-8

Title: OSTC Abstract Test Suite, Transport Class 0  
Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date:  
Issue: OSTC/T&S/ABS/TR0/CS/2.1  
Comments:

ATS:2-9.1

Protocol: TP4-CLNS  
Transport Protocol Class 4 Over Connectionless Network Service  
GOSIP Version: 2  
Expire Date:  
Comments: New ATS under development by EWOS; defects exist

Title: Transport Class 4 over CLNS Abstract Test Suite  
Organization: Alcatel TITN Answare  
Aix-en-Provence France

Issue Date: 07-MAY-92  
Issue: Version 2.2  
Comments:

Title: Abstract Test Suite Addendum for Transport  
Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:  
Issue: Quarterly  
Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/transprt/t4l-jars.w51

ATS:2-9.2

Protocol: TP4  
Transport Protocol Class 4  
GOSIP Version: 2  
Expire Date:  
Comments: New ATS under development by EWOS; defects exist

Title: Transport Class 4 Tests and Testing Guide for ISO 8073  
Transport Class 4 Implementations  
Organization: National Computing Centre Limited  
Oxford Road  
Manchester M17ED United Kingdom

Issue Date: 01-MAY-92  
Issue: ISG-DEV-008-10-004, Issue 5  
Comments:

## GOSIP REGISTERS, *Continued*

Title: Abstract Test Suite Addendum for Transport Organization: Joint Interoperability Test Center ATTN: TCDBA, Bldg. # 57305 Ft. Huachuca, AZ 85613-7020	ATS:3-22.1.2
Issue Date: Issue: Quarterly Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/transprt/tp4-jars.w51	Protocol: MHS-88 Session Message Handling System - 1988, Session
ATS:2-9.3	GOSIP Version: 3 Expire Date: Comments: Supersedes ATS:3-22.1.1; defects exists
Protocol: TP4-CONS Transport Protocol Class 4 Over Connection Oriented Network Service GOSIP Version: 2 Expire Date: Comments: New ATS under development by EWOS; defects exist	Title: ANNEX B - MHS '88 SPECIFIC PART  Organization: Open Systems Testing Consortium Secretariat Rue du Trone, 12 B-1050 Brussels Belgium Issue Date: 03-NOV-92 Issue: 2.0 Comments: This document is Annex B of document 2.
Title: Transport Class 4 over CONS Abstract Test Suite  Organization: Alcatel TITN Answare Aix-en-Provence France Issue Date: 30-SEP-91 Issue: Version 2.0 Comments:	Title: Common Abstract Test Suite for the Session Protocol  Organization: Open Systems Testing Consortium Secretariat Rue du Trone, 12 B-1050 Brussels Belgium Issue Date: 03-NOV-92 Issue: 2.0 Comments: Merge this common part with Annex B to form the full MHS-88 test suite.
Title: Abstract Test Suite Addendum for Transport  Organization: Joint Interoperability Test Center ATTN: TCDBA, Bldg. # 57305 Ft. Huachuca, AZ 85613-7020	Title: Abstract Test Suite Addendum for MHS-88  Organization: Joint Interoperability Test Center ATTN: TCDBA, Bldg. # 57305 Ft. Huachuca, AZ 85613-7020
Issue Date: Issue: Quarterly Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/transprt/t4o-jars.w51	Issue Date: Issue: Quarterly Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/mhs-88/mhs88-02.w51
ATS:3-22.1.1	ATS:3-22.2.1
Protocol: MHS-88 Session Message Handling System - 1988, Session  GOSIP Version: 3 Expire Date: 01-FEB-94 Comments: Superseded by ATS:3-22.1.2	Protocol: MHS-88 {PRES-MH} Message Handling System - 1988, Presentation - MH  GOSIP Version: 3 Expire Date: Comments: ATS consists of a specific annex and a common part.
Title: MHS-88 DSE Session ATS  Organization: Open Systems Testing Consortium Secretariat Rue du Trone, 12 B-1050 Brussels Belgium Issue Date: 20-DEC-90 Issue: MHS-88/ABS/SES/DSE/1.0 Comments:	Title: MHS '88 Presentation Abstract Test Suite MH (88) Part  Organization: Open Systems Testing Consortium Secretariat Rue du Trone, 12 B-1050 Brussels Belgium Issue Date: 20-DEC-91 Issue: OSTC/MHS-88/ABS/PRES/MH/1.0 Comments: This document is Annex A of document 2. Without OSTC cover, document is identified as CTS2/XMHS/MH/PRES/ATS/V3.1

## GOSIP REGISTERS, *Continued*

Title: MHS '88 Presentation - Common Abstract Test Suite  
Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 20-DEC-91  
Issue: OSTC/MHS-88/ABS/PRES/ALL/1.0  
Comments: Without OSTC cover, document is identified as  
CTS2/XMHS/ALL/PRES/ATS/V4.0 CTS2\_XX\_PRES

ATS:3-22.3.1

Protocol: MHS-88 {ACSE-MH}  
Message Handling System -1988, Association Control  
Service Element - MH  
GOSIP Version: 3  
Expire Date:  
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite MH

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 04-DEC-91  
Issue: OSTC/MHS-88/ABS/ACSE/MH/1.0  
Comments: This is Annex C of Document 2. Without OSTC  
cover,  
document is identified as  
ACSE\_ATS\_MHS\_SPECIFIC\_PART V2.03.

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 05-SEP-91  
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0  
Comments: Without OSTC cover, document is identified as  
CTS2-ACSE V2.02

ATS:3-22.3.2

Protocol: MHS-88 {ACSE-P3-UA}  
Message Handling System - 1988, Association Control  
Service Element-P3-UA  
GOSIP Version: 3  
Expire Date:  
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-UA

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 05-DEC-91  
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0  
Comments: This is Annex B4 of Document 2. Without OSTC  
cover, document is identified as  
ACSE\_ATS\_RA\_SPECIFIC\_PART P3-UA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)  
Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 05-SEP-91  
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0  
Comments: Without OSTC cover, document is identified as  
CTS2-ACSE V2.02

ATS:3-22.3.3

Protocol: MHS-88 {ACSE-P3-MTA}  
Message Handling System - 1988, Association Control  
Service Element-P3-MTA  
GOSIP Version: 3  
Expire Date:  
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-MTA

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 05-DEC-91  
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0  
Comments: This is Annex B5 of Document 2. Without OSTC  
cover, document is identified as  
ACSE\_ATS\_RA\_SPECIFIC\_PART P3-MTA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)  
Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 05-SEP-91  
Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0  
Comments: Without OSTC cover, document is identified as  
CTS2-ACSE V2.02

ATS:3-22.3.4

Protocol: MHS-88 {ACSE-P3-MS}  
Message Handling System - 1988, Association Control  
Service Element-P3-MS  
GOSIP Version: 3  
Expire Date:  
Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P3-MS

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium  
Issue Date: 05-DEC-91  
Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0  
Comments: This is Annex B3 of Document 2. Without OSTC  
cover, document is identified as  
ACSE\_ATS\_RA\_SPECIFIC\_PART P3-MS V2.03

## GOSIP REGISTERS, *Continued*

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as  
CTS2-ACSE V2.02

ATS:3-22.3.5

Protocol: MHS-88 {ACSE-P7-UA}

Message Handling System - 1988, Association Control  
Service Element-P7-UA

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P7-UA

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 05-DEC-91

Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0

Comments: This is Annex B2 of Document 2. Without OSTC  
cover, document is identified as  
ACSE\_ATS\_RA\_SPECIFIC\_PART P7-UA V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as  
CTS2-ACSE V2.02

ATS:3-22.3.6

Protocol: MHS-88 {ACSE-P7-MS}

Message Handling System - 1988, Association Control  
Service Element-P7-MS

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.

Title: MHS '88 ACSE Abstract Test Suite P7-MS

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 05-DEC-91

Issue: OSTC/MHS-88/ABS/ACSE/RA/1.0

Comments: This is Annex B1 of Document 2. Without OSTC  
cover, document is identified as  
ACSE\_ATS\_RA\_SPECIFIC\_PART P7-MS V2.03

Title: MHS '88 ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 05-SEP-91

Issue: OSTC/MHS-88/ABS/ACSE/ALL/1.0

Comments: Without OSTC cover, document is identified as  
CTS2-ACSE V2.02

ATS:3-22.4

Protocol: MHS-88 {RTSE}

Message Handling System - 1988, Reliable Transfer  
Service

Element

GOSIP Version: 3

Expire Date:

Comments: Defects exist

Title: MHS '88 RTSE Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 15-OCT-91

Issue: OSTC/MHS-88/ABS/RTSE/1.0

Comments: Without OSTC cover, document is identified as  
CTS2/XMHS/MH/RTSE/ATS/V6.0

Title: Abstract Test Suite Addendum for MHS-88

Organization: Joint Interoperability Test Center

ATTN: TCDBA, Bldg. # 57305

Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet  
Address]; directory: public/addenda.ats/mhs-88/mhs88-14.w51

ATS:3-22.5

Protocol: MHS-88 {P1}

Message Handling System - 1988, P1 Profile

GOSIP Version: 3

Expire Date:

Comments: Defects exist

Title: MHS '88 P1 Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 08-JAN-92

Issue: OSTC/MHS-88/ABS/P1/1.0

Comments: Without OSTC cover, document is identified as  
CTS2/XMHS/MH/P1/ATS/V2.5.

## GOSIP REGISTERS, *Continued*

Title: Abstract Test Suite Addendum for MHS-88

ATS:3-22.7.2

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Protocol: MHS-88 {P3-MTA}  
Message Handling System - 1988, P3-MTA Profile  
GOSIP Version: 3  
Expire Date:  
Comments:

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet Address]; directory: public/addenda.ats/mhs-88/mhs88-15.w51

Title: MHS '88 P3-MTA Abstract Test Suite

ATS:3-22.6

Protocol: MHS-88 {P2}  
Message Handling System - 1988, P2 Profile

GOSIP Version: 3

Expire Date:

Comments: Defects exist

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 18-SEP-91

Issue: OSTC/MHS-88/ABS/P3-MTA/1.0

Comments: Without OSTC cover, document is identified as CTS2/XMHS/RA/P3-MTA/ATS/V4.0

ATS:3-22.8.1

Protocol: MHS-88 {P7-UA}  
Message Handling System - 1988, P7-UA Profile

GOSIP Version: 3

Expire Date:

Comments:

Title: MHS '88 P7-UA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 18-SEP-91

Issue: OSTC/MHS-88/ABS/P7-UA/1.0

Comments: Without OSTC cover, document is identified as CTS2/XMHS/RA/P7-UA/ATS/V4.0

ATS:3-22.8.2

Protocol: MHS-88 {P7-MS}  
Message Handling System - 1988, P7-MS Profile

GOSIP Version: 3

Expire Date:

Comments:

Title: MHS '88 P7-MS Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 19-SEP-91

Issue: OSTC/MHS-88/ABS/P7-MS/1.0

Comments: Without OSTC cover, document is identified as CTS2/XMHS/RA/P7-MS/ATS/V4.0

ATS:3-23

Protocol: X.500-93  
Directory Services

GOSIP Version: 3

Expire Date:

Comments: No Registered ATS. NIST plans to establish a conformance testing infrastructure for Directory Services.

## GOSIP REGISTERS, *Continued*

ATS:3-23.1

Protocol: X.500-88 SESSION  
X.500-88 Directory Services - Session

GOSIP Version: 3

Expire Date:

Comments: Refer to the ATS addendum for any applicable JARs

Title: Session Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-SEP-91

Issue: OSTC/DS/ABS/SESS/1.01 (PUB: 216)

Comments: Without OSTC cover, document is identified as CTS2  
Version: 2.3 and Amendment 01.

Title: Abstract Test Suite Addendum for Directory Services-88

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet  
Address]; directory: public/addenda.ats/x500-88/ds88-06

ATS:3-23.2.1

Protocol: X.500-88 PRESENTATION DS  
X.500-88 Directory Services - Presentation - DS

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.  
Refer to the ATS addendum for any applicable JARs.  
Defects exist.

Title: Presentation Abstract Test Suite (Specific Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-DEC-91

Issue: OSTC/DS/ABS/PRES/1.01 (PUB: 215)

Comments: Without OSTC cover, document is identified as CTS2  
Version: 4.0 and Amendment 01.

Title: Presentation Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date:

Issue: OSTC/ALL/ABS/PRES/1.0

Comments: Without OSTC cover, document is identified as CTS2  
Version: 4.0

Title: Abstract Test Suite Addendum for Directory Services-88

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet  
Address]; directory: public/atsaddenda/X500-88/DS88-04

ATS:3-23.3.1

Protocol: X.500-88 ACSE DS  
X.500-88 Directory Services - ACSE - DS

GOSIP Version: 3

Expire Date:

Comments: ATS consists of a specific annex and a common part.  
Refer to the ATS addendum for any applicable JARs.

Title: ACSE Abstract Test Suite (Specific Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-DEC-91

Issue: OSTC/DS/ABS/ACSE/1.0 (PUB: 300)

Comments: Without OSTC cover, document is identified as CTS2  
Version 2.03.

Title: ACSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date:

Issue: OSTC/ALL/ABS/ACSE/1.0

Comments: Without OSTC cover, document is identified as CTS2  
Version: 2.02

ATS:3-23.4.1

Protocol: X.500-88 ROSE DS  
X.500-88 Directory Services - ROSE - DS

GOSIP Version: 3

Expire Date:

Comments: ATS consists of specific annex & common part. Note  
that

DAP specific part does not contain any ATCs; however, the  
DUA/DSA ATTs do contain some ROSE test cases.

Title: ROSE Abstract Test Suite (Specific Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-SEP-90

Issue: OSTC/DS/ABS/ROSE/1.0 (PUB: 211)

Comments: Without OSTC cover, document is identified as CTS2  
Version 2.0

## GOSIP REGISTERS, *Continued*

Title: ROSE Abstract Test Suite (Common Part)

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-SEP-90

Issue: OSTC/ALL/ABS/ROSE/1.0

Comments: Without OSTC cover, document is identified as CTS2  
Version: 2.0

ATS:3-23.5.1

Protocol: X.500-88 DAP DSA  
X.500-88 Directory Services - DAP DSA

GOSIP Version: 3

Expire Date:

Comments: Refer to the ATS addendum for any applicable JARs;  
defects exist.

Title: DAP/DSA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-NOV-92

Issue: OSTC/DS/ABS/DSA/1.01 (PUB: 209)

Comments: None

Title: Abstract Test Suite Addendum for Directory Services-88

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet  
Address]; directory: public/atsaddenda/X500-88/DS88-01

ATS:3-23.5.2

Protocol: X.500-88 DAP DUA  
X.500-88 Directory Services - DAP DUA

GOSIP Version: 3

Expire Date:

Comments: Refer to the ATS addendum for any applicable JARs;  
defects exist.

Title: DAP/DUA Abstract Test Suite

Organization: Open Systems Testing Consortium Secretariat  
Rue du Trone, 12  
B-1050 Brussels Belgium

Issue Date: 01-SEP-93

Issue: OSTC/DS/ALL/ABS/DUA/1.03 (PUB: 208)

Comments: Without OSTC cover, document is identified as ITU-TS  
ATS4.1 DAP-DUA Manual, Version: 1.03. [X.500-88]

Title: Abstract Test Suite Addendum for Directory Services-88

Organization: Joint Interoperability Test Center  
ATTN: TCDBA, Bldg. # 57305  
Ft. Huachuca, AZ 85613-7020

Issue Date:

Issue: Quarterly

Comments: anonymous ftp to 138.27.7.2, password: [use Internet  
Address]; directory: public/atsadenda/X500-88/DS88-02

ATS:3-24-1

Protocol: MMS  
Manufacturing Message Specification

GOSIP Version: 2

Expire Date:

Comments:

Title: MMS Provider Test Specifications

Organization: Consortium for Communication Testing, c/o ACERLI  
5 Voie Verte  
92260 Fontenay-aux-Roses France

Issue Date: 20-MAR-92

Issue: MMS Provider, Ver 2.1

Comments:

ATS:3-24-2

Protocol: MMS  
Manufacturing Message Specification

GOSIP Version: 2

Expire Date:

Comments:

Title: MMS Server/Client Test Suite Structure and Test Purposes

Organization: Consortium for Communication Testing, c/o ACERLI  
5 Voie Verte  
92260 Fontenay-aux-Roses France

Issue Date: 10-DEC-92

Issue: MMS Server/Client, Ver. 1.2

Comments:

ATS:3-25

Protocol: X.500-93 DS  
X.500-93 Directory Services

GOSIP Version: 3

Expire Date:

Comments: No Registered ATS. NIST plans to establish a  
conformance testing infrastructure for X.500-93 as soon  
as ATSS are available.

## **6. NIST POSIX CONFORMANCE TESTING**

### **6.1 FIPS POSIX Standard**

The National Institute of Standards and Technology through its Computer Systems Laboratory (NIST/CSL) has established a conformance testing program for the Federal Information Standard for POSIX (FIPS 151-1 and FIPS 151-2). FIPS 151-2 replaced FIPS 151-1 in its entirety on October 15, 1993. These standards are based on the IEEE POSIX Std. 1003.1-1988 (FIPS 151-1) and ISO/IEC 9945-1:1990 (FIPS 151-2). The testing model includes a Certification Authority, NVLAP Accredited Testing Laboratories, Clients and the official NIST POSIX Conformance Test Suites. The Certification Authority is the Director of NIST/CSL. The National Voluntary Laboratory Accreditation Program (NVLAP), part of NIST, accredits the testing laboratories. The test suites NIST-PCTS:151-1 and NIST-PCTS:151-2 were developed by NIST/CSL and are based on the test assertions specified by the IEEE Standard for Information Technology—Test Methods for Measuring Conformance to POSIX, IEEE Std. 1003.3-1991 (NIST-PCTS:151-1) and the IEEE Standard for Information Technology — Test Methods for Measuring conformance to POSIX.1, IEEE Std 2003.1-1992 (NIST-PCTS:151-2).

### **6.2 POSIX Test Procedures**

There are Accredited POSIX Testing Laboratories (APTLs) accredited by NVLAP for using one or both test suites. NVLAP accreditation is renewable after one year, and identifies the specific testing procedures which the lab is authorized to run. The labs provide testing and analysis services to their clients and may forward the final test results to NIST/CSL for evaluation and subsequent issuance of a Certificate of Validation by NIST/CSL.

Testing policy documents and registers of validated products and accredited laboratories are available on an electronic mail (email) file server system. For most email systems, send an email message to [posix@nist.gov](mailto:posix@nist.gov) (mail [posix@nist.gov](mailto:posix@nist.gov)). The first line of the message should contain a command to send index (send index). After issuing the send command and a carriage return, end the email message. A listing of all of the available files will be returned via email to the requesting email address.

### **6.3 POSIX Test Suite**

The NIST-PCTS:151-2 is available from NIST/CSL, POSIX Certification Authority, Building 225 Room B266, National Institute of Standards and Technology, Gaithersburg, MD 20899.

### **6.4 Validation Requirements**

An accredited lab may submit a "clean" test report to NIST/CSL for evaluation in anticipation of a Certification of Validation being issued. "Clean" implies no test assertion failures. The Certificate of Validation will confirm that the stated product has been tested using the official NIST-PCTS and that the test results have been validated by NIST/CSL. The Certificate of Validation and the Test Results Summary contain information on the product tested, the implementation that was tested, the suppliers, conditional features that were tested, configuration details and the identification of the testing laboratory. These certificates are issued by NIST/CSL through the testing lab. Fees for services by the testing labs are established by the labs.

## 6.5 TESTING LABORATORIES for NIST POSIX (FIPS 151-1)

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-1 (FIPS 151-1) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-1). Only accredited laboratories may submit test reports to NIST/CSL for validation.

### ACCREDITED NIST POSIX TESTING LABORATORIES

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-1 (FIPS 151-1) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-1). Only accredited laboratories may submit test reports to NIST/CSL for validation.

**BULL S.A / Laboratoire POSIX**  
1 rue de Provence / BP208  
38432 ECHIROLLES CEDEX (France)

Contact: Mr. Georges Chardon  
Phone: (33) 76 39 75 93

**DataFocus Incorporated**  
12450 Fair Lakes Circle, Suite 400  
Fairfax, VA 22033-3831

Contact: Mr. Glen McPherson  
Phone: 703-631-6770

**Mindcraft, Inc.**  
410 Cambridge Avenue  
Palo Alto, CA 94306

Contact: Mr. Bruce Weiner  
Phone: 415-323-9000

**PERENNIAL**  
4699 Old Ironsides Drive, Suite 210  
Santa Clara, CA 95054

Contact: Mr. Barry E. Hedquist  
Phone: 408-748-2900

## 6.6 VALIDATED PRODUCTS for NIST POSIX (FIPS 151-1)

### NIST POSIX VALIDATED PRODUCTS

The following products have been tested by an Accredited POSIX Testing Laboratory (APTL) using the official National Institute of Standards and Technology POSIX Conformance Test Suite (NIST-PCTS:151-1) for the Federal Information Processing Standards Publication 151-1 (FIPS PUB 151-1). A Certificate of Validation has been issued by NIST/CSL. Additional information is available from NIST/CSL on conditional features supported, configuration details, and resolved test codes (if appropriate).

<u>PRODUCT SUPPLIERS</u>	<u>REFERENCE FILE #</u>	<u>SYSTEM SUPPLIERS</u>	<u>REFERENCE FILE #</u>
Amdahl Corporation	AMD5598	AGI Computer, Inc.	EVR0901
Apple Computer Inc.	APP2482, APP3355, APP7204, APP7224, APP7235, APP8616, APP9125, APP9165	Alpha Systems Lab	SUN3403
AT&T	ATT1566	Amdahl Corporation	AMD5598
BULL S.A.	BUL2387, BUL6051	Apple Computer Inc.	APP2482, APP3355, APP7204, APP7224, APP7235, APP8616, APP9125, APP9165
Control Data Corporation	CDC1101, CDC5574, CDC5750	AST Research, Inc.	SCO4102, UNV3055, UNV9180, USL2115, USL6259
CONVEX Computer Corporation	CON0202, CON2551, CON6027		
Cray Research, Inc.	CRA2641	AT&T	ATT1566, USL3610
Data General Corporation	DGC2542, DGC4767, DGC8016, DGC8703, DGC9391, DGC9574	BULL S.A.	BUL2387, BUL6051
Digital Equipment Corp.	DEC0319, DEC0638, DEC4670, DEC5794, DEC7386, DEC7833, DEC7917, DEC8003, DEC9418, DEC9672	Compaq Computer Corporation	INT5154, LNX3076, SUN6859
Encore Computer Corporation	ENC6897	Control Data Corporation	CDC1101, CDC5574, CDC5750
ESIX/Everex Systems, Inc.	EVR0901, EVR9749	CONVEX Computer Corp.	CON0202, CON2551, CON6027
Harris Corporation	HAR5240	Cray Research, Inc.	CRA2641
Hewlett-Packard Company	HPC0115, HPC0303, HPC0535, HPC0603, HPC1581, HPC1992, HPC2540, HPC2698, HPC2952, HPC3574, HPC3760, HPC3897, HPC4246, HPC6304, HPC6391, HPC6637, HPC6906, HPC7051, HPC7716, HPC8098, HPC9185	Data General Corporation	DGC2542, DGC4767, DGC8016, DGC8703, DGC9391, DGC9574, SCO6748
Interactive Systems Corp.	INT5154	Dell Computer Corporation	SUN1065
Intergraph Corporation	INT4675	Diamond Flower Incorporated	SCO3664, SCO8054
International Business Machines, Inc.	IBM0320, IBM0458, IBM1344, IBM2592, IBM3697	Digital Equipment Corp.	DEC0319, DEC0638, DEC4670, DEC5794, DEC7386, DEC7833, DEC7917, DEC8003, DEC9418, DEC9672
Lynx Real-Time Systems, Inc.	LNX3076	Encore Computer Corporation	ENC6897
Modular Computer Systems, Inc.	MOD4817	ESIX/Everex Systems, Inc.	EVR9749
Motorola Computer Group	MOT1086, MOT5618	Harris Corporation	HAR5240
NCR Corporation	NCR0554, NCR1448, NCR2047, NCR2805, NCR3061, NCR3331, NCR4518, NCR5533, NCR7380, NCR7549	Hewlett-Packard Company	HPC0115, HPC0303, HPC0535, HPC1581, HPC1992, HPC2540, HPC2698, HPC2952, HPC3574, HPC3760, HPC3897, HPC4246, HPC603, HPC6304, HPC6391, HPC6637, HPC6906, HPC7051, HPC7716, HPC8098, HPC9185
NeXT Computer, Inc.	NXT0623	Intergraph Corporation	INT4675
Pyramid Technology Corporation	PYR1271, PYR3067, PYR3233, PYR4970, PYR9863	International Business Machines	IBM0320, IBM0458, IBM1344, IBM2592, IBM3697
Santa Cruz Operation Inc.	SCO3664, SCO3832, SCO4102, SCO5199, SCO6748, SCO8054, SCO9875	Modular Computer Systems, Inc.	MOD4817
Sequent Computer Systems Inc.	SEC8754	Motorola Computer Group	MOT1086, MOT5618
Silicon Graphics, Inc.	SGI5507, SGI9297	NCR Corporation	NCR0554, NCR1448, NCR2047, NCR2805, NCR3061, NCR3331, NCR4518, NCR5533, NCR7380, NCR7549
Sun Microsystems Computer Corp.	SUN1065, SUN1442, SUN2031, SUN2727, SUN2930, SUN3272, SUN3402, SUN5684, SUN5782, SUN5970, SUN6602, SUN7188, SUN7793	NeXT Computer, Inc.	NXT0623
SunSoft, Inc.	SUN0617, SUN2241, SUN3129, SUN3403, SUN4529, SUN5382, SUN6635, SUN6859, SUN8720, SUN9763	Pyramid Technology Corp.	PYR1271, PYR3067, PYR3233, PYR4970, PYR9863
Unisys Corporation	UNI0505, UNI1798, UNI3690, UNI5711, UNI9063, UNI9080	RDI	SUN3402
Univel	UNV0528, UNV2014, UNV3055, UNV3978, UNV9180	Sequent Computer Systems Inc.	SEC8754
UNIX System Laboratories	USL2115, USL3610, USL6259	Silicon Graphics, Inc.	SGI5507, SGI9297
		Sun Microsystems Corp.,	SUN0617, SUN1442, SUN2031, SUN2241, SUN2727, SUN2930, SUN3129, SUN3272, SUN4529, SUN5382, SUN5684, SUN5782, SUN5970, SUN6602, SUN6635, SUN7188, SUN7793, SUN8720, SUN9763
		Unisys Corporation	SCO9875, UNI0505, UNI1798, UNI3690, UNI5711, UNI9063, UNI9080, UNV0528, UNV2014, UNV3978
		Zenith Data Systems	SCO3832, SCO5199

## NIST POSIX VALIDATED PRODUCTS, Continued

### Reference File #: AMD5598

Product Supplier: Amdahl Corporation

Product Tested: UTS System Version: 4 Release: 1

System Supplier: Amdahl Corporation

System Hardware: 5995M Model: 4550

C Compiler: Amdahl C Version: 1.5 Release: June, 1993

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 07/23/93

### Reference File #: APP2482

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991

System Supplier: Apple Computer Inc.

System Hardware: Macintosh Model: IIfx

C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 1/13/1991

PCTS: 151-1 Version: 1.1 - 04/26/91

APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

### Reference File #: APP3355

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 3.0 Release: March 9, 1992

System Supplier: Apple Computer Inc.

System Hardware: Macintosh Model: Quadra 700

C Compiler: A/UX native C compiler (cc) Ver: 1.23 Rel: Feb 9, 1992

PCTS: 151-1 Version: 1.1 - 01/22/92

APTL: 0342 Mindcraft, Inc. Date Issued: 04/16/92

### Reference File #: APP7204

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 3.0.1 Release: April 23, 1993

System Supplier: Apple Computer Inc.

System Hardware: Workgroup Server Model: 80

C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: Apr 1, 1992

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

### Reference File #: APP7224

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 3.0 Release: March 9, 1992

System Supplier: Apple Computer Inc.

System Hardware: Macintosh Model: Quadra 950

C Compiler: A/UX native C compiler (cc) Ver: 1.23 Rel: Feb 9, 1992

PCTS: 151-1 Version: 1.1 - 01/22/92

APTL: 0342 Mindcraft, Inc. Date Issued: 05/14/92

### Reference File #: APP7235

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991

Supplier: Apple Computer Inc. Hardware: Macintosh Model: IIci

C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 01/13/1991

PCTS: 151-1 Version: 1.1 - 04/26/91

APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

### Reference File #: APP8616

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 2.0.1 Release: 01/30/1991

Supplier: Apple Computer Inc. Hardware: Macintosh Model: IIsi

C Compiler: A/UX native C compiler (cc) Ver: 1.21 Rel: 01/13/1991

PCTS: 151-1 Version: 1.1 - 04/26/91

APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

### Reference File #: APP9125

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 3.0 Release: March 9, 1992

System Supplier: Apple Computer Inc.

System Hardware: Macintosh Model: Quadra 700

C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: April 1, 1992

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 08/11/92

### Reference File #: APP9165

Product Supplier: Apple Computer Inc.

Product Tested: A/UX Version: 3.0 Release: March 9, 1992

System Supplier: Apple Computer Inc.

System Hardware: Macintosh Model: Quadra 950

C Compiler: A/UX Developer's Tools (c89) Ver: 1.1 Rel: Apr 1, 1992

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 08/11/92

### Reference File #: ATT1566

Product Supplier: AT&T

Product Tested: AT&T UNIX System V Ver: Release 4 Rel: 4.0.3

System Supplier: AT&T

System Hardware: AT&T 3B2 R3 Series Model: 3B2/600 GR

C Compiler: AT&T 3B2/RISC C Development System Version: 1.0

PCTS: 151-1 Version: 1.1 - 09/11/91

APTL: 0343 DataFocus Incorporated Date Issued: 11/06/91

### Reference File #: BUL2387

Product Supplier: BULL S.A.

Product Tested: BOS Version: 2 Release: 1

System Supplier: BULL S.A.

System Hardware: DPX/2 Model: 200

C Compiler: C Compiler Version: 72 Release: 1

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0373 BULL S.A./Laboratoire POSIX Date Issued: 2/24/93

### Reference File #: BUL6051

Product Supplier: BULL S.A.

Product Tested: BOS/X Version: 3 Release: 2

System Supplier: BULL S.A.

System Hardware: DPX/20 Model: 620

C Compiler: BOS/X XLC C Compiler Version: 1 Release: 02

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0373 BULL S.A./Laboratoire POSIX Date Issued: 1/22/93

### Reference File #: CDC1101

Product Supplier: Control Data Corporation

Product Tested: EP/IX Version: 1.4.2 Release: November 27, 1991

System Supplier: Control Data Corporation

System Hardware: Control Data 4000 Model: 4680MP

C Compiler: EP/IX C Language RISCompiler V: C 2.11 Rel: July 1990

PCTS: 151-1 Version: 1.1 - 09/11/91

APTL: 0356 Applications Software Incorporated Date Issued: 1/29/92

### Reference File #: CDC5574

Product Supplier: Control Data Corporation

Product Tested: EP/IX Version: 1.3.1 Release: 03/21/1991

System Supplier: Control Data Corporation

System Hardware: Control Data 4000 Model: 4330-250

C Compiler: EP/IX C Language RISCompiler Version: 2.11 Release: July 1990

PCTS: 151-1 Version: 1.1 - 04/26/91

APTL: 0356 Applications Software Incorporated Date Issued: 05/24/91

### Reference File #: CDC5750

Product Supplier: Control Data Corporation

Product Tested: EP/IX Version: 1.3.1 Release: 03/21/1991

System Supplier: Control Data Corporation

System Hardware: Control Data 4000 Model: 4680

C Compiler: EP/IX C Language RISCompiler Version: 2.11 Release: 07/16/1990

PCTS: 151-1 Version: 1.1 - 04/26/91

APTL: 0356 Applications Software Incorporated Date Issued: 05/24/91

## NIST POSIX VALIDATED PRODUCTS, *Continued*

### Reference File #: CON0202

Product Supplier: CONVEX Computer Corporation  
Product Tested: ConvexOS Version: 10.1 Release: C200 Series  
System Supplier: CONVEX Computer Corporation  
System Hardware: C2 Model: C220  
C Compiler: CONVEX C Version: 4.3.2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

### Reference File #: CON2551

Product Supplier: CONVEX Computer Corporation  
Product Tested: ConvexOS Version: 10.1 Release: C3800 Series  
System Supplier: CONVEX Computer Corporation  
System Hardware: C38 Model: C3810  
C Compiler: CONVEX C Version: 4.3.2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

### Reference File #: CON6027

Product Supplier: CONVEX Computer Corporation  
Product Tested: ConvexOS Version: 10.1 Release: C3400 Series  
System Supplier: CONVEX Computer Corporation  
System Hardware: C34 Model: C3440  
C Compiler: CONVEX C Version: 4.3.2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus Incorporated Date Issued: 05/11/92

### Reference File #: CRA2641

Product Supplier: Cray Research, Inc.  
Product Tested: UNICOS Version: 7.0.5.bu Release: 7.0  
System Supplier: Cray Research, Inc.  
System Hardware: Cray Y-MP Model: YMP2E/232-4  
C Compiler: Cray Standard C Compiler Release: 3.0.5 (5/20/93)  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 10/14/93

### Reference File #: DEC0319

Product Supplier: Digital Equipment Corporation  
Product Tested: DEC OSF/1 Version: 1.2 Release: March 1993  
System Supplier: Digital Equipment Corporation  
System Hardware: DEC/3000 Model: 500  
C Compiler: DEC OSF/1 for AXP C Compiler Version: 1 Release: March 1993  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 03/10/93

### Reference File #: DEC0638

Product Supplier: Digital Equipment Corporation  
Product Tested: VMS Version: 5 Release: 5 (with VMS POSIX, version 1.0)  
System Supplier: Digital Equipment Corporation  
System Hardware: VAXstation Model: 3100 M76  
C Compiler: VAX C Version: 3 Release: 2  
PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0343 DataFocus Incorporated Date Issued: 01/29/92

### Reference File #: DEC4670

Product Supplier: Digital Equipment Corporation  
Product Tested: The ULTRIX Operating System Version: 4.3A Release: July 1993  
System Supplier: Digital Equipment Corporation  
System Hardware: DECstation Model: 5000/150  
C Compiler: Mips C Compiler Version: 3.0  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

### Reference File #: DEC5794

Product Supplier: Digital Equipment Corporation  
Product Tested: ULTRIX Version: 4.2 Release: May 31, 1991  
System Supplier: Digital Equipment Corporation  
System Hardware: VAXstation II Model: GPX  
C Compiler: pcc Version: 4.2  
PCTS: 151-1 Version: 1.1 - 04/26/91  
APTL: 0342 Mindcraft, Inc. Date Issued: 06/17/91

### Reference File #: DEC7386

Product Supplier: Digital Equipment Corporation  
Product Tested: The ULTRIX Operating System Version: 4.3 Release: August 1992  
System Supplier: Digital Equipment Corporation  
System Hardware: DECstation Model: 5000/200  
C Compiler: Mips C Compiler Version: 2.10  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 09/18/92

### Reference File #: DEC7833

Product Supplier: Digital Equipment Corporation  
Product Tested: OpenVMS VAX Version: 6 Release: 0 (with OpenVMS VAX POSIX, Version X1.2-35E)  
System Supplier: Digital Equipment Corporation  
System Hardware: VAXstation Model: 3100 M76  
C Compiler: VAX C Version: 3 Release: 2  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 10/14/93

### Reference File #: DEC7917

Product Supplier: Digital Equipment Corporation  
Product Tested: the ULTRIX Operating System Version: 4.2A Release: November 18, 1991  
System Supplier: Digital Equipment Corporation  
System Hardware: DECstation Model: 3100  
C Compiler: MIPS C Compiler Version: 2.10  
PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/06/91

### Reference File #: DEC8003

Product Supplier: Digital Equipment Corporation  
Product Tested: The ULTRIX Operating System Version: 4.3A Release: July 1993  
System Supplier: Digital Equipment Corporation  
System Hardware: DECstation Model: 5000/260  
C Compiler: Mips C Compiler Version: 3.0  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 06/24/93

### Reference File #: DEC9418

Product Supplier: Digital Equipment Corporation  
Product Tested: ULTRIX Version: 4.2 Release: May 31, 1991  
System Supplier: Digital Equipment Corporation  
System Hardware: DECstation Model: 3100  
C Compiler: MIPS C Compiler Version: 2.10  
PCTS: 151-1 Version: 1.1 - 04/26/91  
APTL: 0342 Mindcraft, Inc. Date Issued: 06/17/91

### Reference File #: DEC9672

Product Supplier: Digital Equipment Corporation  
Product Tested: The ULTRIX Operating System Version: 4.2A Release: December 1991  
System Supplier: Digital Equipment Corporation  
System Hardware: DECstation Model: 5000/200  
C Compiler: MIPS C Compiler Version: 2.10  
PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0342 Mindcraft, Inc. Date Issued: 02/12/92

## NIST POSIX VALIDATED PRODUCTS, Continued

### Reference File #: DGC2542

Product Supplier: Data General Corporation

Product Tested: DG/UX Version: 5.4

System Supplier: Data General Corporation

System Hardware: AViion 5000 Model: AV/5240

C Compiler: GNU C Compiler for AviON Systems Version: 1.37.23

PCTS: 151-1 Version: 1.1 - 07/01/91

APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

### Reference File #: DGC4767

Product Supplier: Data General Corporation

Product Tested: DG/UX Version: 5.4.2 Release: August 1992

System Supplier: Data General Corporation

System Hardware: AViion AV/530/4600 Model: AV/532

C Compiler: GNU C Compiler for AviON Systems Version: DG-2.2.3

Release: August 1992

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 09/09/92

### Reference File #: DGC8016

Product Supplier: Data General Corporation

Product Tested: DG/UX Version: 5.4

System Supplier: Data General Corporation

System Hardware: AViion 400/4000 Model: AV/4100

C Compiler: GNU C Compiler for AviON Systems Version: 1.37.23

PCTS: 151-1 Version: 1.1 - 07/01/91

APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

### Reference File #: DGC8703

Product Supplier: Data General Corporation

Product Tested: DG/UX Version: 5.4

System Supplier: Data General Corporation

System Hardware: AViion 400/4000 Model: AV/412

C Compiler: GNU C Compiler for AviON Systems Version: 1.37.23

PCTS: 151-1 Version: 1.1 - 07/01/91

APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

### Reference File #: DGC9391

Product Supplier: Data General Corporation

Product Tested: DG/UX Version: 4.32

System Supplier: Data General Corporation

System Hardware: AViion AV/400/4000 Model: AV/410

C Compiler: GNU C Compiler for AviON Sys Version: 1.37.23

PCTS: 151-1 Version: 1.1 - 04/26/91

APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

### Reference File #: DGC9574

Product Supplier: Data General Corporation

Product Tested: DG/UX Version: 5.4.2 Release: August 1992

System Supplier: Data General Corporation

System Hardware: AViion AV/8000 Model: AV/6240

C Compiler: GNU C Compiler for AviON Systems Version: DG-2.2.3

Release: August 1992

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 11/03/92

### Reference File #: ENC6897

Product Supplier: Encore Computer Corporation

Product Tested: UMAX V Release: 3.0.6

System Supplier: Encore Computer Corporation

System Hardware: 91 Series Model: 91-02427

C Compiler: Green Hills Software, Inc. C Release: 1.1

PCTS: 151-1 Version: 1.1 - 01/22/92

APTL: 0345 UniSoft Corporation Date Issued: 3/12/92

### Reference File #: EVR0901

Product Supplier: ESIX/Everex Systems, Inc.

Product Tested: ESIX System V Release 4 Version: 4 Release: 4.0

System Supplier: AGI Computer, Inc.

System Hardware: AGI Model: 486/33

C Compiler: ESIX ANSI C Compiler Version: 5.0

PCTS: 151-1 Version: 1.1 - 01/22/92

APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

### Reference File #: EVR9749

Product Supplier: ESIX/Everex Systems, Inc.

Product Tested: ESIX System V Release 4 Version: 4 Release: 4.0

System Supplier: ESIX/Everex Systems, Inc.

System Hardware: Everex Model: 3000S 386/33

C Compiler: ESIX ANSI C Compiler Version: 5.0

PCTS: 151-1 Version: 1.1 - 01/22/92

APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

### Reference File #: HAR5240

Product Supplier: Harris Corporation

Product Tested: CX/UX Release: 5.3

System Supplier: Harris Corporation, Computer Systems Division

System Hardware: Night Hawk Model: HN4802

C Compiler: Harris C Compiler Release: 5.3

PCTS: 151-1 Version: 1.1 - 09/11/91

APTL: 0342 Mindcraft, Inc. Date Issued: 12/16/91

### Reference File #: HPC0115

Product Supplier: Hewlett-Packard Company

Product Tested: HP-UX Version: 8.02 Release: 10/06/91

System Supplier: Hewlett-Packard Company

System Hardware: HP9000 Series 800 Model: 867S

C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC0303

Product Supplier: Hewlett-Packard Company

Product Tested: HP-UX Version: 8.02 Release: 10/06/91

System Supplier: Hewlett-Packard Company

System Hardware: HP9000 Series 800 Model: 867s

C Compiler: HP C Compiler Version: A 08.17 Release: 10/06/91

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/09/92

### Reference File #: HPC0535

Product Supplier: Hewlett-Packard Company

Product Tested: Domain/OS Version: 10.4 Release: April 1992

System Supplier: Hewlett-Packard Company

System Hardware: Domain Series 4000 Model: DN4500

C Compiler: Domain/C Version: 6.9.M/MPX Release: May 1992

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/2/92

### Reference File #: HPC0603

Product Supplier: Hewlett-Packard Company

Product Tested: HP-UX Version: 9.01 Release: January 4, 1993

System Supplier: Hewlett-Packard Company

System Hardware: HP9000 Series 700 Model: 735

C Compiler: HP C Compiler Version: HP92453-01 A.09.19 Release:

December, 1992

PCTS: 151-1 Version: 1.1 - 05/21/92

APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

## NIST POSIX VALIDATED PRODUCTS, Continued

### Reference File #: HPC1581

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.02 Release: 10/06/91  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 827S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC1992

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.08 Release: 11/23/92  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 827S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC2540

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.07 Release: December 1991  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 700 Model: 720  
C Compiler: HP C Compiler Version: A 08.71 Release: Dec 1991  
PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 01/29/92

### Reference File #: HPC2698

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.02 Release: 10/06/91  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 817S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC2952

Product Supplier: Hewlett-Packard Company  
Product Tested: Domain/OS Version: 10.4 Release: April 1992  
System Supplier: Hewlett-Packard Company  
System Hardware: Domain Series 400 Model: 433s  
C Compiler: Domain/C Version: 6.9.M/MPX Release: May 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 09/2/92

### Reference File #: HPC3574

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 9.0 Release: October 7, 1992  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 400 Model: 433S  
C Compiler: HP C Compiler Version: B2371B.08.00 Internal Revision 70.2 Release: October 7, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

### Reference File #: HPC3760

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.02 Release: 10/06/91  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 847S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC3897

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 9.0 Release: October 7, 1992  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 847S  
C Compiler: HP C Compiler Version: A 09.19 Release: Oct 7, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

### Reference File #: HPC4246

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.08 Release: 11/23/92  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 807S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC6304

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 700 Model: 720  
C Compiler: HP C Compiler Ver: HP92453-01 A.09.19 Rel: Dec, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

### Reference File #: HPC6391

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.00 with PHCO\_0800 (Patch)  
Release: January 1991, January 1992 (Patch)  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 400 Model: 400S  
C Compiler: HP C Compiler Version: B 08.00 Release: Dec. 1991  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 04/17/92

### Reference File #: HPC6637

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.08 Release: 11/23/92  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 817S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC6906

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 9.01 Release: January 4, 1993  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 700 Model: 715  
C Compiler: HP C Compiler Ver: HP92453-01 A.09.19 Rel: Dec. 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 2/19/93

### Reference File #: HPC7051

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.08 Release: 11/23/92  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 867S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

## NIST POSIX VALIDATED PRODUCTS, Continued

### Reference File #: HPC7716

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.08 Release: 11/23/92  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 847S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC8098

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8.02 Release: 10/06/91  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 807S  
C Compiler: HP C Compiler Version: A 08.71 Release: 10/06/91  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 12/08/92

### Reference File #: HPC9185

Product Supplier: Hewlett-Packard Company  
Product Tested: HP-UX Version: 8 Release: 5/6/91  
System Supplier: Hewlett-Packard Company  
System Hardware: HP9000 Series 800 Model: 835  
C Compiler: HP C Compiler Version: A 08.17 Release: 5/6/91  
PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0346 Hewlett-Packard POSIX Conformance Test Center Date Issued: 12/18/91

### Reference File #: IBM0320

Product Supplier: International Business Machines Inc.  
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2  
System Supplier: International Business Machines Inc.  
System Hardware: RISC System/6000 Model: 220  
C Compiler: xlc Version: 1 Release: 2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

### Reference File #: IBM0458

Product Supplier: International Business Machines Inc.  
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2  
System Supplier: International Business Machines Inc.  
System Hardware: RISC System/6000 Model: 530H  
C Compiler: xlc Version: 1 Release: 2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

### Reference File #: IBM1344

Product Supplier: International Business Machines Inc.  
Product Tested: AIX Version: 3 Release: 1  
System Supplier: International Business Machines Inc.  
System Hardware: RISC System/6000 Model: 320  
C Compiler: xlc Version: 3 Release: 1  
PCTS: 151-1 Version: 1.1 - 04/26/91  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

### Reference File #: IBM2592

Product Supplier: International Business Machines Inc.  
Product Tested: AIX Version: 3 Release: 1  
System Supplier: International Business Machines Inc.  
System Hardware: RISC System/6000 Model: 530  
C Compiler: xlc Version: 3 Release: 1  
PCTS: 151-1 Version: 1.1 - 04/26/91  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/24/91

### Reference File #: IBM3697

Product Supplier: International Business Machines Inc.  
Product Tested: AIX Version 3 for RISC System/6000 Version: 3 Release: 2  
System Supplier: International Business Machines Inc.  
System Hardware: RISC System/6000 Model: 320  
C Compiler: xlc Version: 1 Release: 2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 02/25/92

### Reference File #: INT4675

Product Supplier: Intergraph Corporation  
Product Tested: CLIX Version: 06.02.01 Release: 3.1  
System Supplier: Intergraph Corporation  
System Hardware: Intergraph 6400 Series Workstation Model: 6450  
C Compiler: CLIPPER Advanced Optimizing C Compiler Version: 06.00.01.43 Release: 28-JAN-1992  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

### Reference File #: INT5154

Product Supplier: Interactive Systems Corp.  
Product Tested: Interactive UNIX Operating System Version: 3.0 Release: 3.2  
System Supplier: Compaq Computer Corporation  
System Hardware: Compaq Model: System Pro  
C Compiler: Interactive UNIX Software Development System Ver: 3.0 PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0345 UniSoft Corporation Date Issued: 10/16/91

### Reference File #: LNX3076

Product Supplier: Lynx Real-Time Systems, Inc.  
Product Tested: LynxOS Version: 2 Release: 2.2.0  
System Supplier: Compaq Computer Corporation  
System Hardware: ProLinea Model: 4/33  
C Compiler: gcc Version: 1.42 Release: September 19, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

### Reference File #: MOD4817

Product Supplier: Modular Computer Systems, Inc.  
Product Tested: REAL/IX Version: V.3 Release: D.0  
System Supplier: Modular Computer Systems, Inc.  
System Hardware: REAL/STAR Model: 1000  
C Compiler: GNU C Compiler for REAL/IX Systems Version: 1.37  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/05/92

### Reference File #: MOT1086

Product Supplier: Motorola Computer Group  
Product Tested: UNIX® System V/88 Release 4.0 Version: 3 Release: 4.0  
System Supplier: Motorola Computer Group  
System Hardware: Motorola Series 8000 Model: 8x40  
C Compiler: Software Development System Version: T302.0 Release: 12/2/92  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 2/19/93

### Reference File #: MOT5618

Product Supplier: Motorola Computer Group  
Product Tested: UNIX® System V/88 Release 4.0 Version: 3 Release: 4.0  
System Supplier: Motorola Computer Group  
System Hardware: Motorola Series 8000 Model: 8x20  
C Compiler: Software Development System Ver: T302.0 Rel: 12/2/92  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 2/19/93

## NIST POSIX VALIDATED PRODUCTS, Continued

### Reference File #: NCR0554

Product Supplier: NCR Corporation  
Product Tested: NCR UNIX System V Ver: Release 4 Rel: 4.0.4  
System Supplier: NCR Corporation  
System Hardware: NCR 3B2 R3 Series Model: 3B2/1000 R3  
(Military ID: 3B2/600 GR)  
C Compiler: 3B2/RISC C Development System Release: 1.1  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 12/09/92

### Reference File #: NCR1448

Product Supplier: NCR Corporation  
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2  
Version: SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3455  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

### Reference File #: NCR2047

Product Supplier: NCR Corporation  
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:  
SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3447  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

### Reference File #: NCR2805

Product Supplier: NCR Corporation  
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:  
SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3450  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

### Reference File #: NCR3061

Product Supplier: NCR Corporation  
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2  
Version: SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3555  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

### Reference File #: NCR3331

Product Supplier: NCR Corporation  
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:  
SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3345  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

### Reference File #: NCR4518

Product Supplier: NCR Corporation  
Product Tested: NCR System V Release 4 MP-RAS, Rel 2 Version:  
SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3550  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus, Inc. Date Issued: 06/26/92

### Reference File #: NCR5533

Product Supplier: NCR Corporation  
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2  
Version: SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3520  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

### Reference File #: NCR7380

Product Supplier: NCR Corporation  
Product Tested: UNIX® System V Release 4.0 Version 3.1  
Version: 3.1 Release: 4.0  
System Supplier: NCR Corporation  
System Hardware: StarServer E Model: Release 3  
C Compiler: Optimized C Compiler Version: 5.0  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 03/10/93

### Reference File #: NCR7549

Product Supplier: NCR Corporation  
Product Tested: NCR UNIX System V Release 4 MP-RAS, Rel 2  
Version: SVR4 Release: 2  
System Supplier: NCR Corporation  
System Hardware: System 3000 Model: 3525  
C Compiler: NCR C Development Toolkit Release: 2  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 10/08/93

### Reference File #: NXT0623

Product Supplier: NeXT Computer, Inc.  
Product Tested: NEXTSTEP Version: 3.2 Release: November 5,  
1993 (with POSIX for NEXTSTEP version 1.0)  
System Supplier: NeXT Computer, Inc.  
System Hardware: NeXTstation Model: Color Turbo  
C Compiler: NEXTSTEP DEVELOPER Version: 3.2 Release:  
November 5, 1993  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

### Reference File #: PYR1271

Product Supplier: Pyramid Technology Corporation  
Product Tested: OSx Version: 5.1a-92a023 Release: 0422s  
System Supplier: Pyramid Technology Corporation  
System Hardware: MIServer Model: MIS-2T  
C Compiler: att\_cc Version: 5.1  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

### Reference File #: PYR3067

Product Supplier: Pyramid Technology Corporation  
Product Tested: DataCenter/OSx Version: dcosx Release: 1.1-  
92c027  
System Supplier: Pyramid Technology Corporation  
System Hardware: MIServer Model: 2S  
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 09/09/92

### Reference File #: PYR3233

Product Supplier: Pyramid Technology Corporation  
Product Tested: DataCenter/OSx Version: dcosx Release: 1.1-  
92c027  
System Supplier: Pyramid Technology Corporation  
System Hardware: MIServer Model: 12S  
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 10/05/92

## NIST POSIX VALIDATED PRODUCTS, Continued

### Reference File #: PYR4970

Product Supplier: Pyramid Technology Corporation  
Product Tested: DataCenter/OSx Version: dcosx Rel: 1.1-92c027  
System Supplier: Pyramid Technology Corporation  
System Hardware: MIServer Model: 4S  
C Compiler: DataCenter/OSx C Compiler Release: 1.1-92c027  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 09/09/92

### Reference File #: PYR9863

Product Supplier: Pyramid Technology Corporation  
Product Tested: OSx Version: 5.1a Release: 0318t  
System Supplier: Pyramid Technology Corporation  
System Hardware: MIServer Model: MIS-4T  
C Compiler: att\_cc Version: 5.1  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0343 DataFocus Incorporated Date Issued: 05/28/92

### Reference File #: SCO3664

Product Supplier: Santa Cruz Operation Inc.  
Product Tested: SCO Open Desktop Version: 2.0  
System Supplier: Diamond Flower Incorporated  
System Hardware: DFI Model: 486SX/25  
C Compiler: Microsoft C Version: 5.1  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 11/02/92

### Reference File #: SCO3832

Product Supplier: Santa Cruz Operation Inc.  
Product Tested: SCO UNIX System V/386 Version: Release 3.2  
System Supplier: Zenith Data Systems  
System Hardware: Z Station Model: 433DEh  
C Compiler: Microsoft C Version: 5.1  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 09/28/92

### Reference File #: SCO4102

Product Supplier: Santa Cruz Operation, Inc.  
Product Tested: SCO UNIX System V/386 Version: Release 3.2  
System Supplier: AST Research, Inc.  
System Hardware: Premium Series Model: 486/33  
C Compiler: Microsoft C Version: 5.1  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 07/01/92

### Reference File #: SCO5199

Product Supplier: Santa Cruz Operation Inc.  
Product Tested: SCO UNIX System V/386 Version: 3.2  
System Supplier: Zenith Data Systems  
System Hardware: Zenith Data Systems Supersport Laptop Model:  
Supersport SX  
C Compiler: Microsoft C Version: 5.1  
PCTS: 151-1 Version: 1.1 - 07/01/91  
APTL: 0343 DataFocus Incorporated Date Issued: 09/17/91

### Reference File #: SCO6748

Product Supplier: Santa Cruz Operation Inc.  
Product Tested: SCO UNIX System V/386 Version: 3.2 Release: 2  
System Supplier: Data General Corporation  
System Hardware: Walkabout/SX Model: G2763  
C Compiler: Microsoft C Optimizing Compiler Version: 5.1  
PCTS: 151-1 Version: 1.1 - 07/01/91  
APTL: 0342 Mindcraft, Inc. Date Issued: 09/10/91

### Reference File #: SCO8054

Product Supplier: Santa Cruz Operation Inc.  
Product Tested: SCO Open Desktop Version: 2.0  
System Supplier: Diamond Flower Incorporated  
System Hardware: DFI Model: 486/33  
C Compiler: Microsoft C Version: 5.1  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 11/02/92

### Reference File #: SCO9875

Product Supplier: Santa Cruz Operation Inc.  
Product Tested: SCO UNIX System V/386 Version: 3.2  
System Supplier: UNISYS Corporation  
System Hardware: PW<sup>2</sup> Advantage 3000 Series Model: 3256  
C Compiler: Microsoft C Version: 5.1  
PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0343 DataFocus Incorporated Date Issued: 11/01/91

### Reference File #: SEC8754

Product Supplier: Sequent Computer Systems Inc.  
Product Tested: DYNIX/ptx Operating System Version: 1.3.0  
System Supplier: Sequent Computer Systems Inc.  
System Hardware: Symmetry Series II Model: S27  
C Compiler: C Tools Version: 1.12p  
PCTS: 151-1 Version: 1.1 - 09/11/91  
APTL: 0345 UniSoft Corporation Date Issued: 12/09/91

### Reference File #: SGI5507

Product Supplier: Silicon Graphics, Inc.  
Product Tested: IRIX Version: 4.0.5  
System Supplier: Silicon Graphics, Inc.  
System Hardware: IRIS Model: Crimson  
C Compiler: IRIS Development Option Version: 2.20  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 06/15/92

### Reference File #: SGI9297

Product Supplier: Silicon Graphics, Inc.  
Product Tested: IRIX Version: 4.0.5  
System Supplier: Silicon Graphics, Inc.  
System Hardware: IRIS Model: Indigo  
C Compiler: IRIS Development Option Version: 2.20  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 06/15/92

### Reference File #: SUN0617

Product Supplier: SunSoft, Inc.  
Product Tested: Solaris Version: 1.0.1 Release: PC  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation IPC Model: GX  
C Compiler: Solaris C Compiler Version: 1.0.1 Release: Dec 4, 1991  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 08/27/92

### Reference File #: SUN1065

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris 2.1 for x86 Version: 2.1 Release: May 1993  
System Supplier: Dell Computer Corporation  
System Hardware: 450 Model: DE  
C Compiler: ProCompiler C Version: 2.0.1 for x86 Rel: May 1993  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/20/93

## NIST POSIX VALIDATED PRODUCTS, Continued

### Reference File #: SUN1442

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.2 Release: May 28, 1993  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation LX Model: 4/30  
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

### Reference File #: SUN2031

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.1 Release: August 4, 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SunWorkstation 4/30 Model: 4/30  
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

### Reference File #: SUN2241

Product Supplier: SunSoft, Inc.  
Product Tested: Solaris Version: 2.0 Release: June 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation 2 Model: 4/75  
C Compiler: Sun C Compiler Version: 2.0 Release: 20 May 1992  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 07/02/92

### Reference File #: SUN2727

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.1 Release: December 7, 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCserver 10 Model: 42  
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

### Reference File #: SUN2930

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.2 Release: May 28, 1993  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation 2 Model: 4/75  
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

### Reference File #: SUN3129

Product Supplier: SunSoft, Inc.  
Product Tested: Interactive Unix Operating System V/386 Version: 3.0.1 Release: 3.2  
System Supplier: Compaq Computer Corporation  
System Hardware: Desk Pro Model: 386/20E  
C Compiler: Interactive Unix Software Development System Version: 3.0 Release: December 4, 1991  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0345 UniSoft Corporation Date Issued: 9/18/92

### Reference File #: SUN3272

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.2 Release: May 28, 1993  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCenter 10 Model: 54  
C Compiler: Sun C Compiler Version: 2.0.1 Release: Oct. 3, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

### Reference File #: SUN3402

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.1 Release: August 4, 1992  
System Supplier: RDI  
System Hardware: BriteLite Model: IPX Color Laptop Workstation  
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/16/92

### Reference File #: SUN3403

Product Supplier: SunSoft, Inc.  
Product Tested: Interactive Unix Operating System V/386 Version: 3.0.1 Release: 3.2  
System Supplier: Alpha Systems Lab  
System Hardware: ASL486/33 Model: ASL433  
C Compiler: Interactive Unix Software Development System Version: 3.0  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0345 UniSoft Corporation Date Issued: 10/05/92

### Reference File #: SUN4529

Product Supplier: SunSoft, Inc.  
Product Tested: Solaris Version: 1.1 Version C Release: August 13, 1993  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCclassic Model: 4/15  
C Compiler: Solaris C Compiler Version: 1.1 Release: August 13, 1993  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

### Reference File #: SUN5382

Product Supplier: SunSoft, Inc.  
Product Tested: Solaris Version: 1.0.1 Release: PC  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation IPX Model: GX  
C Compiler: Solaris C Compiler Version: 1.0.1 Release: December 4, 1991  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus Incorporated Date Issued: 09/02/92

### Reference File #: SUN5684

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.1 Release: December 7, 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCclassic Model: 4/15  
C Compiler: Sun C Compiler Version: 2.0.1 Release: October 3, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 1/07/93

### Reference File #: SUN5782

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.1 Release: August 4, 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCserver 10 Model: 30  
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

### Reference File #: SUN5970

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.1 Release: August 4, 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCserver 10 Model: 41  
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

## NIST POSIX VALIDATED PRODUCTS, *Continued*

### Reference File #: SUN6602

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.2 Release: May 28, 1993  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCenter 2000 Model: 01  
C Compiler: Sun C Compiler Version: 2.0.1 Release: October 3, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/28/93

### Reference File #: SUN6635

Product Supplier: SunSoft, Inc.  
Product Tested: Solaris Version: 1.0.1 Release: PC  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCserver 690 Model: 140  
C Compiler: Solaris C Compiler Ver 1.0.1 Release December 4, 1991  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 02/19/92

### Reference File #: SUN6859

Product Supplier: SunSoft, Inc.  
Product Tested: INTERACTIVE UNIX Operating System V/386 Version: 4.0 Release: 3.2  
System Supplier: Compaq Computer Corporation  
System Hardware: DeskPro Model: 66M  
C Compiler: INTERACTIVE Software Development System Version: 4.0 Release: May 1993  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 07/15/93

### Reference File #: SUN7188

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 1.1 Release: August 24, 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation 10 Model: GX-30  
C Compiler: Solaris C Compiler Version: 1.1 Release: August 24, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 08/27/92

### Reference File #: SUN7793

Product Supplier: Sun Microsystems Computer Corporation, Inc.  
Product Tested: Solaris Version: 2.1 Release: August 4, 1992  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCserver 10 Model: 42  
C Compiler: Sun C Compiler Version: 2.0 Release: June 30, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/92

### Reference File #: SUN8720

Product Supplier: SunSoft, Inc.  
Product Tested: Solaris Version: 1.1 Version C Release: August 13, 1993  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation Model: 4/30  
C Compiler: Solaris C Compiler Version: 1.1 Release: Aug 13, 1993  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/14/93

### Reference File #: SUN9763

Product Supplier: SunSoft, Inc.  
Product Tested: Solaris Version: 1.0.1 Release: PC  
System Supplier: Sun Microsystems Computer Corporation, Inc.  
System Hardware: SPARCstation 2 Model: GX  
C Compiler: Solaris C Compiler Version: 1.0.1 Release: Dec 4, 1991  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 02/19/92

### Reference File #: UNI0505

Product Supplier: Unisys Corporation  
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2  
System Supplier: Unisys Corporation  
System Hardware: Unisys U 6000 Series Model: U 6000/15  
C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 04/30/92

### Reference File #: UNI1798

Product Supplier: Unisys Corporation  
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2  
System Supplier: Unisys Corporation  
System Hardware: Unisys U 6000 Series Model: U 6000/65  
C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

### Reference File #: UNI3690

Product Supplier: Unisys Corporation  
Product Tested: UNIX System V Release 4 Version: 1.1 Release: October 30, 1992  
System Supplier: Unisys Corporation  
System Hardware: Unisys U 6000 Series Model: U6000/65  
C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.1  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 09/28/92

### Reference File #: UNI5711

Product Supplier: Unisys Corporation  
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2  
System Supplier: Unisys Corporation  
System Hardware: Unisys U 6000 Series Model: U 6000/60  
C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

### Reference File #: UNI9063

Product Supplier: Unisys Corporation  
Product Tested: UNIX System V Release 4 Version: Revision 1.0.2  
System Supplier: Unisys Corporation  
System Hardware: Unisys U 6000 Series Model: U 6000/35  
C Compiler: UNIX System V Release 4 Standard C Development Environment Version: 1.0.2  
PCTS: 151-1 Version: 1.1 - 01/22/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/12/92

### Reference File #: UNI9080

Product Supplier: Unisys Corporation  
Product Tested: CTOS II Version: 3 Release: 3  
System Supplier: Unisys Corporation  
System Hardware: Unisys B-Series Model: NGEN  
C Compiler: Microsoft C Version: 6.0  
PCTS: 151-1 Version: 1.1 - 07/01/91  
APTL: 0343 DataFocus Incorporated Date Issued: 09/17/91

## NIST POSIX VALIDATED PRODUCTS, *Continued*

---

### Reference File #: UNV0528

Product Supplier: Univel  
Product Tested: UnixWare Version: 1.0 Release: June 1993  
System Supplier: Unisys Corporation  
System Hardware: Unisys U 6000/DT Series/PW<sup>2</sup> Advantage Plus Series Model: U6000/DT1 (MPE 4332)  
C Compiler: Optimizing C Compilation Sys Ver: 2.0 Rel: Nov 2, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

### Reference File #: UNV2014

Product Supplier: Univel  
Product Tested: UnixWare Version: 1.0 Release: June 1993  
System Supplier: Unisys Corporation  
System Hardware: Unisys U 6000/DT Series/PW<sup>2</sup> Advantage Plus Series Model: U6000/DT2 (MPE 4663)  
C Compiler: Optimizing C Compilation System Version: 2.0 Release: Nov. 2, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

### Reference File #: UNV3055

Product Supplier: Univel  
Product Tested: UnixWare Application Server Version: 1.0 Release: October 1992  
System Supplier: AST Research, Inc.  
System Hardware: Premium 486/33 Model: 3V  
C Compiler: UnixWare Software Development Kit Version: 1.0 Release: October 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

### Reference File #: UNV3978

Product Supplier: Univel  
Product Tested: UnixWare Version: 1.0 Release: June 1993  
System Supplier: Unisys Corporation  
System Hardware: Unisys PW<sup>2</sup> Advantage Series Model: MPI 4336)  
C Compiler: Optimizing C Compilation System Version: 2.0 Release: Nov. 2, 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 05/18/93

### Reference File #: UNV9180

Product Supplier: Univel  
Product Tested: UnixWare Personal Edition Version: 1.0 Release: October 1992  
System Supplier: AST Research, Inc.  
System Hardware: Premium 486/33 Model: 3V  
C Compiler: UnixWare Software Development Kit Version: 1.0 Release: October 1992  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0342 Mindcraft, Inc. Date Issued: 10/08/93

### Reference File #: USL2115

Product Supplier: UNIX System Laboratories, Inc.  
Product Tested: UNIX System V Release 4 Version: 4 Release: 4.0  
System Supplier: AST Research, Inc.  
System Hardware: Premium Series Model: 486/33  
C Compiler: Standard C Development Environment Version: 5.0  
PCTS: 151-1 Version: 1.1 - 05/21/92  
APTL: 0343 DataFocus, Inc. Date Issued: 07/01/92

## 6.7 TESTING LABORATORIES AND VALIDATED PRODUCTS for NIST POSIX (FIPS 151-2)

September 9, 1994

### ACCREDITED NIST POSIX TESTING LABORATORIES

The National Voluntary Laboratory Accreditation Program (NVLAP) has accredited the following laboratories to test computer operating system interfaces for conformance with the Federal Information Processing Standard 151-2 (FIPS 151-2) using the NIST POSIX Conformance Test Suite (NIST-PCTS:151-2). FIPS 151-2 replaced FIPS 151-1 in its entirety on October 15, 1993. Only accredited laboratories may submit test reports to NIST/CSL for validation.

**DataFocus Incorporated**  
12450 Fair Lakes Circle, Suite 400  
Fairfax, VA 22033-3831  
Contact: Mr. Matt Einseln  
Phone: 703-631-6770

**Mindcraft, Inc.**  
410 Cambridge Avenue  
Palo Alto, CA 94306  
Contact: Mr. Bruce Weiner  
Phone: 415-323-9000

**PERENNIAL**  
4699 Old Ironsides Drive, Suite 210  
Santa Clara, CA 95054  
Contact: Mr. Barry E. Hedquist  
Phone: 408-748-2900

**NIST POSIX VALIDATED PRODUCTS**  
The following products have been tested by an Accredited POSIX Testing Laboratory (APTL) using the official National Institute of Standards and Technology POSIX Conformance Test Suite (NIST-PCTS:151-2) for the Federal Information Processing Standards 151-2 (FIPS PUB 151-2). A Certificate of Validation has been issued by NIST/CSL. Additional information is available from NIST/CSL on conditional features supported, configuration details, and resolved test codes (if appropriate).

Information in this listing includes product information on the implementation, system tested and type of implementation. FIPS 151-2 supports three types of implementations, native, hosted, and cooperating. A native implementation "refers to an implementation of POSIX.1 that interfaces directly to an operating system kernel." A cooperating implementation "refers to an implementation of POSIX.1 that interfaces directly to an operating system kernel but the load modules are not producable on this implementation." A hosted implementation "refers to an implementation of POSIX.1 that is accomplished through interfaces from the POSIX.1 services to some alternate form of operating system kernel services."

Information is also provided on the following primary conditional features: General Terminal Interface devices (GTI), Mountable File System (MFS), Modem Control (MC), and Appropriate Privileges (AP).

<b>PRODUCT SUPPLIERS</b>	<b>REFERENCE FILE #</b>
Amdahl Corporation	151-2AMD001
Cray Research Superservers, Inc.	151-2CRA001
Data General Corporation	151-2DGC001
Digital Equipment Corporation	151-2DEC001, 151-2DEC002, 151-2DEC003, 151-2DEC004, 151-2DEC005
Hewlett-Packard Company	151-2HPC001, 151-2HPC002, 151-2HPC003, 151-2HPC004, 151-2HPC005, 151-2HPC006, 151-2HPC007, 151-2HPC008
Intergraph Corporation	151-2INT001
International Business Machines Corp.	151-2IBM001, 151-2IBM002, 151-2IBM003, 151-2IBM004, 151-2IBM005, 151-2IBM006
Microsoft Corporation	151-2MSC001, 151-2MSC002, 151-2MSC003, 151-2MSC004, 151-2MSC005, 151-2MSC006
Novell, Inc.	151-2NOV001, 151-2NOV002
Sequent Computer Systems, Inc.	151-2SEQ001, 151-2SEQ002
SunSoft, Inc.	151-2SUN001, 151-2SUN002, 151-2SUN003, 151-2SUN004, 151-2SUN005, 151-2SUN006, 151-2SUN007, 151-2SUN008, 151-2SUN009, 151-2SUN010
Unisys Corporation	151-2UNI001, 151-2UNI002

<b>SYSTEM SUPPLIERS</b>	<b>REFERENCE FILE #</b>
Amdahl Corporation	151-2AMD001
AST Research, Inc.	151-2NOV001, 151-2NOV002
Axil Workstations	151-2SUN009, 151-2SUN010
Compaq	151-2MSC002, 151-2MSC004, 151-2SUN008
Cray Research Superservers, Inc.	151-2CRA001
Data General Corporation	151-2DGC001
Digital Equipment Corporation	151-2DEC001, 151-2DEC002, 151-2DEC003, 151-2DEC004, 151-2DEC005, 151-2MSC005, 151-2MSC006
Hewlett-Packard Company	151-2HPC001, 151-2HPC002, 151-2HPC003, 151-2HPC004, 151-2HPC005, 151-2HPC006, 151-2HPC007, 151-2HPC008
Intergraph Corporation	151-2INT001
International Business Machines Corp.	151-2IBM001, 151-2IBM002, 151-2IBM003, 151-2IBM004, 151-2IBM005, 151-2IBM006
Olivetti	151-2MSC001, 151-2MSC003
Sequent Computer Systems, Inc.	151-2SEQ001, 151-2SEQ002
Sun Microsystems Computer Corp., Inc.	151-2SUN001, 151-2SUN002, 151-2SUN003, 151-2SUN004, 151-2SUN005, 151-2SUN006, 151-2SUN007
Unisys Corporation	151-2UNI001, 151-2UNI002

## NIST POSIX VALIDATED PRODUCTS, *Continued*

<p><b>151-2AMD001</b> Issued: 03/18/94 Type: Native  <b>Product Supplier:</b> Amdahl Corporation          Product: UTS Version 4 Release 2          PCD: UTS 4.2 POSIX.1 and FIPS 151-2 Conformance Document          GTI - NOT Provided by Product MC - NOT Provided by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Amdahl Corporation          Computer Hardware Product: Amdahl 5995M-4550  <b>C Compiler:</b> Amdahl C, Version 2.0  <b>APTL:</b> 0342 Mindcraft, Inc.</p>	<p><b>151-2DEC004</b> Issued: 08/05/94 Type: Hosted  <b>Product Supplier:</b> Digital Equipment Corporation          Product: POSIX for Open VMS VAX, Version 2.0          PCD: POSIX 1003.1-1990 Conformance Document for Open VMS AXP, June 1994          GTI - Not Provided by Product MC - Not Provided by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Digital Equipment Corporation          Computer Hardware Product: DECsystem, Model 4000-500  <b>Host Operating System Supplier:</b> Digital Equipment Corporation          Host Operating System: OpenVMS VAX, Version 6.1  <b>C Compiler:</b> DEC C for OpenVMS VAX Version 4.0  <b>APTL:</b> 0343 DataFocus Incorporated</p>
<p><b>151-2CRA001</b> Issued: 09/07/94 Type: Native  <b>Product Supplier:</b> Cray Research Superservers, Inc.          Product: Solaris 2.3 CRAY Version R Maintenance Update 1 with Patch 10647-03          PCD: Cray Solaris 2.3 POSIX.1 Conformance Document          GTI - NOT Provided by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Cray Research Superservers, Inc.          Computer Hardware Product: Cray SUPER SERVER 6400  <b>C Compiler:</b> Sun C Compiler Version 2.0.1, Released October 3, 1992  <b>APTL:</b> 0342 Mindcraft, Inc.</p>	<p><b>151-2DEC005</b> Issued: 08/17/94 Type: Native  <b>Product Supplier:</b> Digital Equipment Corporation          Product: DEC OSF/1 Version 3.0, released August, 1994          PCD: DEC OSF/1 POSIX.1 Conformance Document (Order Number: AA-PS35C-TE)          GTI - Supported by Product MC - Not Provided by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Digital Equipment Corporation          Computer Hardware Product: DEC 2100 model A500MP  <b>C Compiler:</b> DEC OSF/1 C Compiler, Version 3.0  <b>APTL:</b> 0342 Mindcraft, Inc.</p>
<p><b>151-2DEC001</b> Issued: 08/12/93 Type: Hosted  <b>Product Supplier:</b> Digital Equipment Corporation          Product: POSIX for Open VMS AXP Version X1.0-041          PCD: POSIX 1003.1-1990 Conformance Document for Open VMS AXP (July 1993)          GTI - NOT Provided by Product MC - NOT Provided by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Digital Equipment Corporation          Computer Hardware Product: DECsystem, Model 4000/610  <b>Host Operating System Supplier:</b> Digital Equipment Corporation          Host Operating System: OpenVMS AXP Version 1.5  <b>C Compiler:</b> DEC C Version 1, Release 3  <b>APTL:</b> 0343 DataFocus Incorporated</p>	<p><b>151-2DGC001</b> Issued: 04/12/94 Type: Native  <b>Product Supplier:</b> Data General Corporation          Product: DG/US 5.4 Release 3.00 MU01          PCD: POSIX.1 Conformance Document for the DG/UX™ System Revision 04, March 1994          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Data General Corporation Corporation          Computer Hardware Product: Data General AViON AV8500 Model G70595  <b>C Compiler:</b> gcc 2.4.5.6  <b>APTL:</b> 0342 Mindcraft, Inc.</p>
<p><b>151-2DEC002</b> Issued: 02/28/94 Type: Native  <b>Product Supplier:</b> Digital Equipment Corporation          Product: DEC OSF/1 Version 2.0, released March, 1994          PCD: DEC OSF/1 POSIX.1 Conformance Document (Order Number: AA-PS35B-TE)          GTI - Supported by Product MC - NOT Provided by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Digital Equipment Corporation          Computer Hardware Product: DEC 3000, Model 400  <b>C Compiler:</b> DEC OSF/1 C Compiler, Version 2.0  <b>APTL:</b> 0342 Mindcraft, Inc.</p>	<p><b>151-2HPC001</b> Issued: 05/12/94 Type: Native  <b>Product Supplier:</b> Hewlett-Packard Company          Product: HP-UX Release 9.09 with patches PHCO_3869, PHCO_4152, and PHKL_4149          PCD: POSIX Conformance Document, HP 9000 Computers, Third Edition, 1994. HP Part Number B2355-90034          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Hewlett-Packard Company          Computer Hardware Product: Series 9000 Model 755  <b>C Compiler:</b> HP C Compiler Version A.09.33  <b>APTL:</b> 0342 Mindcraft, Inc.</p>
<p><b>151-2DEC003</b> Issued: 08/05/94 Type: Hosted  <b>Product Supplier:</b> Digital Equipment Corporation          Product: POSIX for Open VMS AXP Version 2.0          PCD: POSIX 1003.1-1990 Conformance Document for Open VMS AXP, June 1994          GTI - Not Provided by Product MC - Not Provided by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Digital Equipment Corporation          Computer Hardware Product: DECsystem, Model 4000/610  <b>Host Operating System Supplier:</b> Digital Equipment Corporation          Host Operating System: OpenVMS AXP, Version 6.1  <b>C Compiler:</b> DEC C for OpenVMS AXP Version 4.0  <b>APTL:</b> 0343 DataFocus Incorporated</p>	<p><b>151-2HPC002</b> Issued: 05/12/94 Type: Native  <b>Product Supplier:</b> Hewlett-Packard Company          Product: HP-UX Release 9.09 with patches PHCO_3869, PHCO_4152, and PHKL_4149          PCD: POSIX Conformance Document, HP 9000 Computers, Third Edition, 1994. HP Part Number B2355-90034          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product  <b>Computer Hardware Supplier:</b> Hewlett-Packard Company          Computer Hardware Product: Series 9000 Model 725  <b>C Compiler:</b> HP C Compiler Version A.09.33  <b>APTL:</b> 0342 Mindcraft, Inc.</p>

## NIST POSIX VALIDATED PRODUCTS, *Continued*

151-2HPC003 Issued: 06/01/94 Type: Native  
 Product Supplier: Hewlett-Packard Company

Product: HP-UX Release 9.05 with patches PHKL\_4110, and PHNE\_4111

PCD: POSIX Conformance Document, HP 9000 Computers, Third Edition, 1994. HP Part Number B2355-90049

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Hewlett-Packard Company

Computer Hardware Product: Series 9000 Model 735

C Compiler: HP C Compiler Version A.09.33

APTL: 0342 Mindcraft, Inc.

151-2HPC004 Issued: 06/01/94 Type: Native

Product Supplier: Hewlett-Packard Company

Product: HP-UX Release 9.05 with patches PHKL\_4110, and PHNE\_4111

PCD: POSIX Conformance Document, HP 9000 Computers, Third Edition, 1994. HP Part Number B2355-90049

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Hewlett-Packard Company

Computer Hardware Product: Series 9000 Model 725

C Compiler: HP C Compiler Version A.09.33

APTL: 0342 Mindcraft, Inc.

151-2HPC005 Issued: 07/01/94 Type: Native

Product Supplier: Hewlett-Packard Company

Product: HP-UX 10.00.S1

PCD: POSIX Conformance Document, HP 9000 Computers, Fourth Edition, 1994. HP Part Number B2355-90049

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Hewlett-Packard Company

Computer Hardware Product: Series 9000 Model 770

C Compiler: HP C Compiler Version X.10.23

APTL: 0342 Mindcraft, Inc.

151-2HPC006 Issued: 07/01/94 Type: Native

Product Supplier: Hewlett-Packard Company

Product: HP-UX 10.00.S1

PCD: POSIX Conformance Document, HP 9000 Computers, Fourth Edition, 1994. HP Part Number B2355-90049

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Hewlett-Packard Company

Computer Hardware Product: Series 9000 Model 712

C Compiler: HP C Compiler Version X.10.23

APTL: 0342 Mindcraft, Inc.

151-2HPC007 Issued: 07/01/94 Type: Native

Product Supplier: Hewlett-Packard Company

Product: HP-UX 10.09.S1

PCD: POSIX Conformance Document, HP 9000 Computers, Fourth Edition, 1994. as modified by POSIX Conformance Document, HP-UX Compartment Mode Workstation Addendum, HP 9000 Computers, First Edition, 1994.

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Hewlett-Packard Company

Computer Hardware Product: Series 9000 Model 712

C Compiler: HP C Compiler Version X.10.18

APTL: 0342 Mindcraft, Inc.

151-2HPC008 Issued: 07/01/94 Type: Native  
 Product Supplier: Hewlett-Packard Company

Product: HP-UX 10.09.S1

PCD: POSIX Conformance Document, HP 9000 Computers, Fourth Edition, 1994. as modified by POSIX Conformance Document, HP-U Compartment Mode Workstation Addendum, HP 9000 Computers, First Edition, 1994.

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: Hewlett-Packard Company

Computer Hardware Product: Series 9000 Model 770

C Compiler: HP C Compiler Version X.10.18

APTL: 0342 Mindcraft, Inc.

151-2IBM001 Issued: 03/08/94 Type: Native

Product Supplier: International Business Machines Corporation

Product: MVS/ESA 4.3 OpenEdition™ 1.0

PCD: OpenEdition MVS POSIX.1 Conformance Document, Document Number SC23-3011-00

GTI - NOT Provided by Product MC - NOT Provided by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: International Business Machines Corporation

Computer Hardware Product: ES/9000-570

C Compiler: IBM SAA AD/Cycle® C/370 Version 1 Release 2

APTL: 0342 Mindcraft, Inc.

151-2IBM002 Issued: 02/17/94 Type: Native

Product Supplier: International Business Machines Corporation

Product: AIX Version 3.2.5 for RISC System/6000 with PTF U423984, U424399, U424507, U424590,

U425456, U424587, U425984, U425988, U425997, U42600

U426014, U425858

PCD: AIX Version 3.2 POSIX Conformance Document

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: International Business Machines Corporation

Computer Hardware Product: RISC System/6000, Model 590

C Compiler: XLC Version 1, Release 3

APTL: 0342 Mindcraft, Inc.

151-2IBM003 Issued: 02/17/94 Type: Native

Product Supplier: International Business Machines Corporation

Product: AIX Version 3.2.5 for RISC System/6000 with PTF U423984, U424399, U424507, U424590,

U425456, U424587, U425984, U425988, U425997, U42600

U426014, U425858

PCD: AIX Version 3.2 POSIX Conformance Document

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: International Business Machines Corporation

Computer Hardware Product: RISC System/6000, Model 250

C Compiler: XLC Version 1, Release 3

APTL: 0342 Mindcraft, Inc.

151-2IBM004 Issued: 02/17/94 Type: Native

Product Supplier: International Business Machines Corporation

Product: AIX Version 3.2.5 for RISC System/6000 with PTF U423984, U424399, U424507, U424590,

U425456, U424587, U425984, U425988, U425997, U42600

U426014, U425858

PCD: AIX Version 3.2 POSIX Conformance Document

GTI - Supported by Product MC - Supported by Product

MFS - Supported by Product AP - Supported by Product

Computer Hardware Supplier: International Business Machines Corporation

Computer Hardware Product: RISC System/6000, Model 360

C Compiler: XLC Version 1, Release 3

APTL: 0342 Mindcraft, Inc.

## NIST POSIX VALIDATED PRODUCTS, *Continued*

<p><u>151-2IBM005</u> Issued: 04/29/94 Type: Native Product Supplier: International Business Machines Corporation Product: AIX Version 3.2.5 for RISC System/6000 with PTFs: U423984, U424399, U425456, U425984, U425988, U425997, U426001, U426014, U427208, U427727, U427892 PCD: AIX Version 3.2 POSIX Conformance Document, part number GC23-2159-02, Third Edition GTI - Supported by Product MC - Supported by Product MFS - Supported by Product AP - Supported by Product Computer Hardware Supplier: International Business Machines Corporation Computer Hardware Product: RISC System/6000, Model 230 C Compiler: XLC Version 1, Release 3 APTL: 0342 Mindcraft, Inc.</p>	<p><u>151-2MSC002</u> Issued: 04/12/94 Type: Cooperating Hosted Product Supplier: Microsoft Corporation Product: Microsoft Windows NT POSIX Subsystem Version 3.1 PCD: Microsoft Windows NT POSIX Subsystem POSIX Conformance Document GTI - NOT Provided by Product MC - NOT Provided by Product MFS - NOT Provided by Product AP - NOT Provided by Product Computer Hardware Supplier: Compaq Computer Hardware Product: Deskpro 4/66i Host &amp; Development Operating System Supplier: Microsoft Corporation Host &amp; Development Operating System: Windows NT Version 3.1 C Compiler: Visual C++ for Windows and Windows NT, 32-bit Edition, Version 1.00. APTL: 0342 Mindcraft, Inc.</p>
<p><u>151-2IBM006</u> Issued: 04/29/94 Type: Native Product Supplier: International Business Machines Corporation Product: AIX Version 3.2.5 for RISC System/6000 with PTFs: U423984, U424399, U425456, U425984, U425988, U425997, U426001, U426014, U427208, U427727, U427892 PCD: AIX Version 3.2 POSIX Conformance Document, part number GC23-2159-02, Third Edition GTI - Supported by Product MC - Supported by Product MFS - Supported by Product AP - Supported by Product Computer Hardware Supplier: International Business Machines Corporation Computer Hardware Product: RISC System/6000, Model 570 C Compiler: XLC Version 1, Release 3 APTL: 0342 Mindcraft, Inc.</p>	<p><u>151-2MSC003</u> Issued: 04/12/94 Type: Cooperating Hosted Product Supplier: Microsoft Corporation Product: Microsoft Windows NT POSIX Subsystem Version 3.1 PCD: Microsoft Windows NT POSIX Subsystem POSIX Conformance Document GTI - NOT Provided by Product MC - NOT Provided by Product MFS - NOT Provided by Product AP - NOT Provided by Product Computer Hardware Supplier: Olivetti Computer Hardware Product: M700-10 Host &amp; Development Operating System Supplier: Microsoft Corporation Host &amp; Development Operating System: Windows NT Advanced Server Version 3.1 C Compiler: Microsoft® C Centaur Optimizing Compiler Version 8.00.081 APTL: 0342 Mindcraft, Inc.</p>
<p><u>151-2INT001</u> Issued: 07/08/94 Type: Native Product Supplier: Intergraph Corporation Product: CLIX UNIXBOOT, Version 07.05.17.00, Release 22-FEB-1994 PCD: CLIX POSIX Conformance Document, July 1994 GTI - Supported by Product MC - NOT Provided by Product MFS - Supported by Product AP - Supported by Product Computer Hardware Supplier: Intergraph Corporation Computer Hardware Product: Intergraph 2800 Series Workstation, Model 2830 C Compiler: CLIPPER Advanced Optimizing C Compiler, Version 07.05.01.61, Release 03-MAR-1994 APTL: 0343 DataFocus Incorporated</p>	<p><u>151-2MSC004</u> Issued: 04/12/94 Type: Cooperating Hosted Product Supplier: Microsoft Corporation Product: Microsoft Windows NT POSIX Subsystem Version 3.1 PCD: Microsoft Windows NT POSIX Subsystem POSIX Conformance Document GTI - NOT Provided by Product MC - NOT Provided by Product MFS - NOT Provided by Product AP - NOT Provided by Product Computer Hardware Supplier: Compaq Computer Hardware Product: Deskpro 4/66i Host &amp; Development Operating System Supplier: Microsoft Corporation Host &amp; Development Operating System: Microsoft Windows NT Advanced Server Version 3.1 C Compiler: Visual C++ for Windows and Windows NT, 32-bit Edition, Version 1.00. APTL: 0342 Mindcraft, Inc.</p>
<p><u>151-2MSC001</u> Issued: 04/12/94 Type: Cooperating Hosted Product Supplier: Microsoft Corporation Product: Microsoft Windows NT POSIX Subsystem Version 3.1 PCD: Microsoft Windows NT POSIX Subsystem POSIX Conformance Document GTI - NOT Provided by Product MC - NOT Provided by Product MFS - NOT Provided by Product AP - NOT Provided by Product Computer Hardware Supplier: Olivetti Computer Hardware Product: M700-10 Host &amp; Development Operating System Supplier: Microsoft Corp Host &amp; Development Operating System: Windows NT Version 3.1 C Compiler: Microsoft® C Centaur Optimizing Compiler Version 8.00.081 APTL: 0342 Mindcraft, Inc.</p>	<p><u>151-2MSC005</u> Issued: 05/12/94 Type: Cooperating Hosted Product Supplier: Microsoft Corporation Product: Microsoft® Windows NT® POSIX Subsystem Version 3.1 PCD: Microsoft® Windows NT® POSIX Subsystem POSIX Conformance Document GTI - NOT Provided by Product MC - NOT Provided by Product MFS - NOT Provided by Product AP - NOT Provided by Product Computer Hardware Supplier: Digital Equipment Corporation Computer Hardware Product: DECpc AXP/150 Host &amp; Development Operating System Supplier: Microsoft Corp Host &amp; Development Operating System: Microsoft® Windows NT™ Version 3.1 C Compiler: Microsoft® C/C++ Optimizing Compiler Version 8.00.9B APTL: 0342 Mindcraft, Inc.</p>

## NIST POSIX VALIDATED PRODUCTS, *Continued*

151-2MSC006 Issued: 05/12/94 Type: Cooperating Hosted Product Supplier: Microsoft Corporation  
 Product: Microsoft® Windows NT® POSIX Subsystem Version 3.1  
 PCD: Microsoft® Windows NT® POSIX Subsystem POSIX Conformance Document  
 GTI - NOT Provided by Product MC - NOT Provided by Product  
 MFS - NOT Provided by Product AP - NOT Provided by Product  
 Computer Hardware Supplier: Digital Equipment Corporation  
 Computer Hardware Product: DECpc AXP/150  
 Host & Development Operating System Supplier: Microsoft Corp  
 Host & Development Operating System: Microsoft® Windows NT™ Advanced Server Version 3.1  
 C Compiler: Microsoft® C/C++ Optimizing Compiler Version 8.00.9B  
 APTL: 0342 Mindcraft, Inc.

151-2NOV001 Issued: 05/03/94 Type: Native  
 Product Supplier: Novell, Inc.  
 Product: UnixWare® Application Server Version 1.1 with UnixWare Update 1.1.1 and PTF604  
 PCD: UnixWare® Programmer's Guide: POSIX.1 Conformance (First Edition)  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: AST Research, Inc.  
 Computer Hardware Product: Premium 486/33 model 3V  
 C Compiler: UnixWare® SDK/Personal Utilities Version 1.1  
 APTL: 0342 Mindcraft, Inc.

151-2NOV002 Issued: 05/03/94 Type: Native  
 Product Supplier: Novell, Inc.  
 Product: UnixWare® Personal Edition Version 1.1 with UnixWare Update 1.1.1 and PTF604  
 PCD: UnixWare® Programmer's Guide: POSIX.1 Conformance (First Edition)  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: AST Research, Inc.  
 Computer Hardware Product: Premium 486/33 model 3V  
 C Compiler: UnixWare® SDK/Personal Utilities Version 1.1  
 APTL: 0342 Mindcraft, Inc.

151-2SEQ001 Issued: 04/12/94 Type: Native  
 Product Supplier: Sequent Computer Systems Inc.  
 Product: DYNIX/ptx Version 4.0.0  
 PCD: DYNIX/ptx POSIX.1 Conformance Specification Part Number 1003-49622-04  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: Sequent Computer Systems Inc.  
 Computer Hardware Product: Sequent Symmetry Systems SE20  
 C Compiler: ptx/C (Version 4.0.0)  
 APTL: 0342 Mindcraft, Inc.

151-2SEQ002 Issued: 04/12/94 Type: Native  
 Product Supplier: Sequent Computer Systems Inc.  
 Product: DYNIX/ptx Version 2.1.1  
 PCD: DYNIX/ptx POSIX.1 Conformance Specification Part Number 1003-49622-03a  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: Sequent Computer Systems Inc.  
 Computer Hardware Product: Sequent Symmetry Systems SE60  
 C Compiler: ptx/C (Version 2.1.1)  
 APTL: 0342 Mindcraft, Inc.

151-2SUN001 Issued: 12/23/93 Type: Native  
 Product Supplier: SunSoft, Inc.  
 Product: Solaris 2.3 with patch 101294-01  
 PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.  
 Part No: 801-5263-10  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: Sun Microsystems Computer Corporation Inc.  
 Computer Hardware Product: SPARCcenter 2000, model 2204  
 C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992  
 APTL: 0342 Mindcraft, Inc.

151-2SUN002 Issued: 12/23/93 Type: Native  
 Product Supplier: SunSoft, Inc.  
 Product: Solaris 2.3 with patch 101294-01  
 PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.  
 Part No: 801-5263-10  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: Sun Microsystems Computer Corporation Inc.  
 Computer Hardware Product: SPARCstation 10SX, model 40  
 C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992  
 APTL: 0342 Mindcraft, Inc.

151-2SUN003 Issued: 12/23/93 Type: Native  
 Product Supplier: SunSoft, Inc.  
 Product: Solaris 2.3 with patch 101294-01  
 PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.  
 Part No: 801-5263-10  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: Sun Microsystems Computer Corporation Inc.  
 Computer Hardware Product: SPARCstation 10, model 52  
 C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992  
 APTL: 0342 Mindcraft, Inc.

151-2SUN004 Issued: 12/23/93 Type: Native  
 Product Supplier: SunSoft, Inc.  
 Product: Solaris 2.3 with patch 101294-01  
 PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.  
 Part No: 801-5263-10  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: Sun Microsystems Computer Corporation Inc.  
 Computer Hardware Product: SPARCserver 670MP, model 54  
 C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992  
 APTL: 0342 Mindcraft, Inc.

151-2SUN005 Issued: 3/30/94 Type: Native  
 Product Supplier: SunSoft, Inc.  
 Product: Solaris 2.3 Edition II with patch 101294-01 and 101498-01  
 PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.  
 Part No: 801-5263-11  
 GTI - Supported by Product MC - Supported by Product  
 MFS - Supported by Product AP - Supported by Product  
 Computer Hardware Supplier: Sun Microsystems Computer Corporation Inc.  
 Computer Hardware Product: SPARCstation 5  
 C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992  
 APTL: 0342 Mindcraft, Inc.

## NIST POSIX VALIDATED PRODUCTS, Continued

<p><b>151-2SUN006</b> Issued: 3/30/94 Type: Native          Product Supplier: SunSoft, Inc.          Product: Solaris 2.3 Edition II          PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-11          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product          Computer Hardware Supplier: Sun Microsystems Computer Corporation, Inc.          Computer Hardware Product: SPARCstation Voyager          C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992          APTL: 0342 Mindcraft, Inc.</p> <p><b>151-2SUN007</b> Issued: 3/30/94 Type: Native          Product Supplier: SunSoft, Inc.          Product: Solaris 2.3 Release with patches 101294-01, 101318-27, and 101493-01          PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-11          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product          Computer Hardware Supplier: Sun Microsystems Computer Corporation, Inc.          Computer Hardware Product: SPARCstation 20, Model 502          C Compiler: Sun C Compiler Version 2.0.1, Released Oct. 3, 1992          APTL: 0342 Mindcraft, Inc.</p> <p><b>151-2SUN008</b> Issued: 9/07/94 Type: Native          Product Supplier: SunSoft, Inc.          Product: The INTERACTIVE UNIX Operating System, Version 4.1          PCD: INTERACTIVE UNIX System V/386 Release 3.2 Standards Conformance Guide, June, 1994          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product          Computer Hardware Supplier: Compaq          Computer Hardware Product: Proliant 2000 Model 5/66-1          C Compiler: LPI C Version 2.0          APTL: 0342 Mindcraft, Inc.</p> <p><b>151-2SUN009</b> Issued: 9/07/94 Type: Native          Product Supplier: SunSoft, Inc.          Product: Solaris 2.3 with patch 101294-01          PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-11          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product          Computer Hardware Supplier: Axil Workstations          Computer Hardware Product: Axil model 220 Professional          C Compiler: gcc version cygnus-2.3.3          APTL: 0342 Mindcraft, Inc.</p>	<p><b>151-2SUN010</b> Issued: 9/07/94 Type: Native          Product Supplier: SunSoft, Inc.          Product: Solaris 2.3 with patch 101294-01          PCD: Solaris 2.3 Standards Conformance Guide, Chapter 5: POSIX.1 Part No: 801-5263-11          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product          Computer Hardware Supplier: Axil Workstations          Computer Hardware Product: Axil model 311-4.0          C Compiler: gcc version cygnus-2.3.3          APTL: 0342 Mindcraft, Inc.</p> <p><b>151-2UNI001</b> Issued: 12/02/93 Type: Native          Product Supplier: Unisys Corporation          Product: Unix System V Release 4 Revision 1.2          PCD: UNIX System V Release 4.0 POSIX Conformance Programmer's Guide          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product          Computer Hardware Supplier: Unisys Corporation          Computer Hardware Product: Unisys U6000 Series U6000/65          C Compiler: Unix System V Release 4 Standard C Development Environment Rev. 1.2          APTL: 0342 Mindcraft, Inc.</p> <p><b>151-2UNI002</b> Issued: 12/02/93 Type: Native          Product Supplier: Unisys Corporation          Product: Unix System V Release 4 Revision 1.2          PCD: UNIX System V Release 4.0 POSIX Conformance Programmer's Guide          GTI - Supported by Product MC - Supported by Product          MFS - Supported by Product AP - Supported by Product          Computer Hardware Supplier: Unisys Corporation          Computer Hardware Product: Unisys U6000 Series U6000/300          C Compiler: Unix System V Release 4 Standard C Development Environment Rev. 1.2          APTL: 0342 Mindcraft, Inc.</p>
---	--

For further information on the NIST/CSL POSIX validation program contact Martha M. Gray, Computer Systems Laboratory, B266 Technology Bldg., NIST, Gaithersburg, MD 20899. Telephone: 301-975-3276, fax: 301-590-0932, e-mail: gray@sst.nsls.nist.gov.

This register is also available on an electronic mail (email) file server system. To use the service, you must be able to send and receive email via the Internet. For most email systems, send an email message (*mail posix@nist.gov*) with the first line of the message containing a command to *send 151-2reg* and a carriage return. The next line should simply end your email message (on some systems a period and a carriage return). This register will be returned via email to your email address. There is also a register for FIPS 151-1 accredited laboratories and validated products. For this register use the command *send 151-1reg*.



## 7. COMPUTER SECURITY TESTING

### 7.1 Cryptographic Standards

The lists in Sections 8.6, 8.7 and 8.8 provide technical information about products that have been validated as conforming to the following computer security FIPS:

- a. Data Encryption Standard (DES), FIPS PUB 46-1,
- b. Message Authentication Code (MAC), FIPS PUB 113, and
- c. Key Management Using ANSI X9.17, FIPS PUB 171.

### 7.2 Data Encryption Validation Tests

FIPS PUB 46-1 specifies a cryptographic algorithm that converts plaintext to ciphertext using a 56-bit key. Testing procedures for the validation of devices as conforming to FIPS PUB 46-1 are described in the NBS Special Publication 500-20, Validating the Correctness of Hardware Implementations of the NBS Data Encryption Standard. The validation of a device is performed by running the Monte Carlo test described in the publication. The Monte-Carlo test consists of eight million encryptions and four million decryptions, with two encryptions and one decryption making up a single test. The test is designed to use the Electronic Codebook Mode (ECB) of DES. Although the actual test described in NBS Special Publication 500-20 is the same test used to validate devices today, the procedures for administering the test have changed. Currently, the test is performed by the vendor using initial values supplied by NIST. The vendor uses the supplied information to run the Monte-Carlo test and sends the results to NIST.

### 7.3 Message Authentication Code (MAC) Validation System

FIPS PUB 113, Computer Data Authentication, specifies a Data Encryption Algorithm which may be used to detect unauthorized intentional and accidental modifications to data. This process is known as data authentication. The algorithm is based on DES and is used to authenticate an entire binary message. FIPS PUB 113 is compatible with ANSI X9.9 which provides methods for authenticating an entire binary message as well as all or parts of a message which are in a coded character format. Procedures for the validation of products which implement FIPS PUB 113 and ANSI X9.9 are described in NBS Special Publication 500-156, Message Authentication Code (MAC) Validation System: Requirements and Procedures.

### 7.4 Key Management Validation System (KMVS)

FIPS PUB 171 adopts ANSI X9.17 for Federal Government use. ANSI X9.17, Financial Institution Key Management (Wholesale), provides procedures and protocols for the secure generation, distribution, storage, entry, use and destruction of symmetric cryptographic keying material (e.g., DES). It provides key management solutions for a variety of operational environments, and as such, ANSI X9.17 contains a number of options. FIPS PUB 171 specifies a particular set of options whenever keying material is distributed using the protocols of ANSI X9.17. Procedures for the validation of products which conform to a subset of the options selected in FIPS PUB 171 are described in the Key Management Validation System: Point-to-Point Validation System document which is available from the Manager of the Security Group (see Section 8.5).

## **7.5 General**

### **7.5.1 Request for Validation**

To validate a product, a vendor should send a formal request for validation which includes a clear indication of the product to be tested. The request must also include the name, address, and telephone number of the person within the vendor's organization who will be responsible for the validation testing. The request should be sent to:

Manager, Security Technology Group  
Computer Security Division  
Computer Systems Laboratory  
Building 225, Room A216  
National Institute of Standards and Technology  
Gaithersburg, MD 20899  
Telephone (301) 975-2920

### **7.5.2 Information about Validated Products**

It should be noted that the purpose of the following lists (see Sections 7.6, 7.7 and 7.8) is to provide technical information about products that have been validated as conforming to the FIPS Standards listed in Section 7.1. NIST has made every attempt to provide complete and accurate information about the products described in the following lists. However, due to the possibility of changes made within individual companies, NIST cannot guarantee that this document reflects the current status of each product.

### **7.5.3 Validation Documentation**

Copies of the above FIPS and Special Publications are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161. The KMVS validation requirements document discussed in Section 7.4 can be obtained by contacting the Manager of the Security Technology Group at the above address.

## 7.6 DES Validated Devices

**NOTE:** The purpose of this document is to provide technical information about devices that have been validated as conforming to Federal Information Processing Standard Publication 46-1, Data Encryption Standard. The National Institute of Standards and Technology (NIST) has made every attempt to provide complete and accurate information about the devices described in this document. However, due to the possibility of changes made within individual companies, NIST cannot guarantee that this document reflects the current status of each product.

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
ADT Security Systems 2560 Huntington Avenue Fourth Floor Alexandria, VA 22303 Hal Marriott (703) 960-8548	ADT Universal Communicator	10/17/90	Chip is an on board component for Communicator products in the High Security Intrusion Detection System. System has integrated key management capabilities.
Advanced Micro Devices, Inc. 4115 Freiderich Lane Mail Stop 135 Austin, TX 78744 Patrick Soheili (408) 749-2161	AmZ8068 (also known as Am9518)	1/28/81	One 40-pin DIP package; n-channel Si-gate technology; ECB, CBC, 8-bit CFB modes; separate ports for key input, clear data and enciphered data; concurrent input, output and ciphering activities; external DMA control; interfaces with AmZ8000 CPU bus directly, and with the 2900, 8080, 8085 and 8048 families with minimum throughput greater than 1 Mbytes per second; greater than 1 Mbytes per second.
	AM 9568	2/28/84	N-channel silicon gate LSI product containing the circuitry necessary to encrypt and decrypt data; can be used in terminals dedicated controllers, communication concentrators, and peripheral task processors in general processor systems; can be used in CF, ECB, or CBC operating modes; separate ports for key input, clear data, and enciphered data enhanced security; interface directly to the IAPX86, 88 bus; interfaces with 2900 and 8051 families with minimal external logic.
American Telephone and Telegraph Company (AT&T) 6612 E. 75th Street P.O. Box 1008 Indianapolis, IN 46206 Ken Zempol (908) 658-6870	AT&T Smart Card Version 2.11/DES	5/3/91	Card is part of a smart card based Computer Security System (CSS). The card is carried by an authorized user and permits the user to gain access to host computer systems that are protected by the CSS.
	AT&T Smart Card Version 3.0/DES (5E1)	7/19/91	This version of the AT&T Smart Card is designed to closely follow developments in the international standards arena in areas of card communication protocols, commands and file structures. It is a general purpose smart card that supports multiple applications and uses the DES as a basic part of its operating system.
American Telephone and Telegraph Company AT&T Guilford Center I-85 and Mt Hope Church Road McLeansville, NC 27420 Mr. B. F. Bailey (919) 279-3779	AT&T Mark E DES Key Generator, PN ON493049-1X	6/3/92	Not Available
Mr. M. Zugay (919) 279-3779	AT&T Mark ET DES Key Generator, Part No. AN10014-1	6/3/92	Not Available

## DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
The Analytic Sciences Corporation 700 Boulevard South, Suite 201 Huntsville, AL 35802 James Moore (205) 726-6718	DESafe version 1.0 (software)	8/26/94	DESafe is integrated with a commercial Bulletin Board System (BBS) to protect information during transmission to and from the BBS. DESafe permits cleartext file storage on the BBS by performing encryption/decryption "on the fly" during the file transfer. A stand-alone version of DESafe is employed by BBS users to decrypt (encrypt) downloaded (uploaded) files.
AT&T Whippany Road Whippany, N.J. 07981 William Oeschger (201) 898-1198	AT&T T7000A Digital Encryption Processor	4/22/86	Manufactured using CMOS technology; 40-pin DIP; encryption modes include ECB, CBC, CFB, and OFB; throughput 1.882 Mbytes/second on-chip RAM and ROM program memory.
AT&T Bell Laboratories 25 Lindsley Drive Room 2B-309 Morristown, N.J. 07960 William Oeschger (201) 898-1198	DEP229ER (WE229ER)	9/6/83	3.5 micron NMOS technology; 40-pin DIP; encryption modes - ECB, CBC, OFB, CFB1, CFB8, CFB64; Throughput rate of 117K ciphering operation/second.
Arkansas Systems, Inc. 8901 Kanis Road Little Rock, AR 72205-6498 David H. Bishop (501) 227-6471	DES-MATE	7/6/89	Provides data encryption for messages sent and received on-line between an ATM/EFT Network switch processor and an IBM host participant in that network. DES key management is automatic and under system control.
Chase Manhattan Bank, N.A. 199 Water Street 12th Floor New York, NY 10081 Robert Stevenson (212) 797-4153	Chase Encryption Device 1	7/24/84	Not Available
Collins Telecommunications Collins Defense Communications 350 Collins Road, NE Mail Stop 120-105 Cedar Rapids, Iowa 52498 Jim Perkins (319) 395-5773	765-5914-001  Voice Privacy Device VP430	10/15/77  10/6/81	pMOS chip with 40 usec algorithm execution time; chip has approximately a 50 nsec state change; can perform I/O functions while the chip is in operation; part of network stand-alone encryptor.  Imbedded encryption device for commercial hand held communications devices.
Computer Elektronik Infosys of America, Inc. 512-A Herndon Parkway Herndon, VA 22070 A. Mark Brown (703) 435-3800	SuperCrypt	7/24/91	Chip designed for high speed (12 Megabytes/sec data rates) encryption and decryption. ECB, CBC, CFB and OFB modes of DES supported as well as MAC generation. Available as a 120 Pin Flat Pack.
Cottonwood Software 3448 Orange Street Los Alamos, NM 87544 Jeffrey Saltzman (505) 661-6701	CryptCard  Cottonwood Software DES Class Library v. 1.05 (software)	1/12/93  8/26/94	CryptCard is an access control and DES encryption adapter for notebook PCs that have a PCMCIA slot.  Cottonwood Software DES Class Library v. 1.05 is available for license and is the basis of "Data Encryption Standard for Windows" (DES4WIN). DES4WIN offers an efficient, easy to use interface for the Data Encryption Standard within a Windows environment; portable format, clipboard or file encryption/decryption, and complete file erasure.

## DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
Cylink Corporation 110 South Wolfe Road Sunnyvale, CA 94086 Les Nightingill (408) 735-5800	CY1045	1/28/87	Not Available
	Cylink Faxdes	7/1/87	Not Available
	12035-001, DES52M	6/3/92	Not Available
	12422-001, DES2M1CFB	8/27/92	Not Available
Datakey Inc. 407 West Travelers Trail Burnsville, MN 55337-9990 Michael Carenzo (612) 890-6850	H8-310 ASACS Smart Card	7/2/92	The ASACS hardware consists of a credit-card sized smart card with an embedded Hitachi H8/310 microprocessor and a reader/writer interface which provides an RS-232 serial connection to a host computer. The smart card functions are implemented in firmware which is stored in the memory of the card's microprocessor.
Docutel/Olivetti Corporation 106 Decker Court Suite 300 Irving, TX 75062 Division International Marketing Terminal (214) 550-5400	Docutel Nordisk Spardata Cash Dispensing	6/20/82	Firmware implementation of DES in ROM for PIN /communications security.
Ericsson G.E., Mobile Communications 1 Mountain View Road Lynchburg, VA 24502 Dan Schwed (804) 948-6055	ADI DES revision 1.0	4/22/94	Software implementation of DES in OFB mode; Provides digital voice encryption for communications between mobile radios, portable radios, and dispatch control consoles in an EDACS Land Mobile Radio Communications System.
The Exchange 15395 SE 30th Place Bellevue, WA 98007 Patricia Lenti-Crane (206)644-7000	EXCRYPT DEB-64-KM (originally EXCLUDE DEB-64-KM)	1/26/89	Encrypts and decrypts data; generates random keys; supports up to six security processor boards that can be run in parallel to enhance throughput; has storage capacity for up to 4000 DES keys; developed for secure financial transactions.
Fairchild Semiconductor 2000 Century Plaza Columbia, MD 21044 Sales Department (301) 730-1510	9414 Chip Set	12/20/73	Bit-slice chip set mounted on a 9414 board with edge or ELCO connector; 4 chip set with 40 pins each; 2 bits, of each byte are distributed to each chip; single 5 V power supply; separate data inputs and outputs; ECB, CFB, and CBC modes of operation.
Front Line Software P.O. Box 217 Lowell, MA 01853 William Graham (617) 452-3352	726-8064 PROM Device	12/1/86	4 K EPROM to be used with Intel IPAX family of micro-processors including all models of the IBM PC family; all modes of DES supported.
GEC-Marconi Limited Ltd. Brown Lane, The Airport Portsmouth, Hampshire PO3 5PH England Roger Madden Cycomm Corporation (703) 352-4741	DM800	3/1/93	The DM800 is a module that can be added to an ordinary analogue radio in order to provide communication security by digital encryption.

## DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
GEMPLUS Card International 6290 Montrose Road Rockville, MD 20852 Gilles Lisimaque (301) 770-1558	MCOS16K EEPROM/DES	3/18/91	A multi-application smart card which complies with the ISO standard 7816 (parts 1, 2, and 3) for Integrated Circuit cards with contacts.
General Electric Company Mountain View Road Lynchburg, VA 24502 Jim Elder (804) 948-6187	Part Number 19B801375	6/28/85	The GE DES IC is a microprocessor controlled, low speed asynchronous CMOS IC using DES. Intended to provide secure voice in commercial grade mobile radio applications.
Glenco Engineering, Inc. 270 Lexington Drive Buffalo Grove, IL 60089-6930 D. Wade Clark (708) 808-0300	Glen-DES PN GL306051	5/8/92	The Glen-DES is a compact 20 pin design, using low power CMOS technology, operating at 3us using a 16 MHz clock. The DES chip features nonvolatile internal memory, an external key and a combined key. It is available with a simple CPU interface and it supports a DOS printer port implementation.
GTE Sylvania 77 "A" Street Needham Heights, MA 02194 Harold Manley (617) 449-2000	Mark IV Firmware DES	2/27/79	Uses AMD-2901, 4-bit slice, bipolar uP.
IBM Corporation Federal Systems Division P.O. Box 100 Kingston, NY 12401 Robert Elander (914) 385-6692	4402182 WK4/988  P/N 8270094 using DES Chip P/N 5898057 (originally 8269206)	11/1/77  8/25/78	This card used in terminal equipment; the chip uses technology with PLA control to implement CBC;  This card is used in 3845 and 3846 equipment for 8-bit CFB.
	Two TTL cards - 8632242 and 8679176	9/21/79	Will operate at least at the 1.5 Mbytes 360 channel rate; card set is used in the 3848 cryptographic unit; uses "Emerald-5" technology.
IBM Corporation 1001 W.T. Harris Blvd. West Charlotte, NC 28257 William Rohland (704) 594-8250	4745 Security Interface Unit and the Personal Security Card	10/10/90	Devices are used in a transaction security system to protect the privacy and integrity of data using a common cryptographic interface. The security interface unit communicates with the Personal Security Card and the cryptographic adaptor, if present. The Personal Security Card is an integrated-circuit chip card that contains a single chip security processor.
IBM Corporation P. O. Box 950 Poughkeepsie, NY 12602 Robert Granell (914) 435-5751	IBM EX/900 Integrated Cryptographic Feature	2/26/93	The Integrated Cryptographic Feature is available for inclusion on the IBM ES/9000 processors in support of IBMs cryptographic architecture.

## DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
IBM Corporation Branch Delivery Systems Dept. 04V, Bldg. 204 1001 W.T. Harris Blvd. Charlotte, NC 28257 Todd Arnold (704) 594-8253	IBM BDS Portable-C DES, version 1.0 (software)	7/1/94	Portable C-language implementation of DES, used in products developed by IBM Branch Delivery Systems.
Information Security Corporation 1141 Lake Cook Rd., Suite D Deerfield, IL 60015 Michael Markowitz (708) 405-0500	DES module/Intel, version 3.0 (software)	8/9/94	An extremely high speed module implemented in 386 assembly language. Used in SecretAgent for DOS, Windows and UNIX System V/386. Available as an object module library or DLL, or as one component of the AT&T Surity Cryptographic Development Kits on those platforms.
	DES module/68K, version 3.0 (software)	8/9/94	An extremely high speed module implemented in 68020 assembly language. Used in SecretAgent for Macintosh. Available as an object module library for MPW or Think C, or as one component of the AT&T Surity Cryptographic Development Kits for Macintosh.
	DES module/C, version 2.0 (software)	8/16/94	A portable DES module implemented in C/C++. Used in SecretAgent for UNIX (except on Intel platforms). Available as an object module library, or as one component of the AT&T Surity Cryptographic Development Kits for Sun, DEC, HP and other UNIX platforms.
Intel 1900 Prairie City Road Folsom, CA 95630 Joe Dragony (916) 351-5250	8294	1/3/78	Algorithm is microcode which is burned into a 1 Kbyte ROM on a 5 volt, 40-pin chip driven by a 8042 microprocessor.
	8294A	6/20/82	Same as the 8294 except for a maximum data transfer rate of 400 bytes per second.
John E. Holt & Associates 2714 Key Boulevard Arlington, VA 22201 John Holt (703) 524-2923	Krypton Firmware	2/12/86	ROM chips for the standard IBM PC family include eight 3722 chips, four 2764 chips and one 27256 chip; 1024-bit CBC chaining; encryption speed dependent on clock of PC; ROM can plug directly into ROM slot.
Jones Futurex 3715 Atherton Road Rocklin, CA 95765 Steve De Rosa (916) 632-3456	SAFE 300	8/12/93	The SAFE 300 is a stand-alone fax encryptor that provides both public network security and office privacy with automatic fax encryption, confidential fax mailbox, and misdial protection.
Lexicon ICOT Corporation 3801 Zanker Road P.O. Box 5143 San Jose, CA 95150-5143 Bob Lynch (408) 433-3300	LEX-POS (Model 600)	11/28/84	A Personal Identification Number (PIN) entry device; used in conjunction with financial transaction devices, 16 key keyboard, 20 character display, RS-232 compatible, Lexicon sold LEX-POS to ICOT Corporation.

## DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
Logimens Inc. 1080 Beaver Hall, Room 300 Montreal, Quebec H2Z 1S8 Normand Delisle (514) 876-3646	DESDL.LL 2.0 E/D Engine (software)	7/25/94	DESDL.LL is the software cryptoengine for WinDES 2.0; WinDES provides easy to use encryption/decryption as well as other file protection features for pc-compatible systems running under MS Windows; supports drag & drop capabilities, file compression, Defense-related secure file deletion, etc.
	PcDES 2.0 (software)	7/25/94	PcDES 2.0 (software) provides easy to use data encryption/ decryption (manual and batch modes) as well as other file protection features for pc-compatible systems running under DOS; supports Defense-related secure file deletion, etc.
LSI Logic/Dataco AS Smedeholm 12-14 DK-2730 Herlev Denmark Jens Kjelsbak 45 44 53 01 00	Dataco LSA4043 2030025402	1/12/90	Custom DES IC was manufactured by LSI Logic for Dataco. The DES chip is designed for optional use in ScaNet local area network products.
Matsushita Electronic Comp. High Frequency Products Div. One Pansonic Way Secaucus, NJ 07094 Dursun Sakarya (201) 348-7767	EBC 1642 IC Card	3/13/91	Card is designed to be a high security external storage media housing an 8 bit CPU and 64 Kbit EEPROM.
Micro Card Technologies, Inc. 14070 Proton Road Dallas, TX 75244 Jeff Lang (214) 788-4055	Micro Card TB100 Integrated Circuit Card	9/19/90	A multi-application integrated circuit card which can simultaneously support several application data files. Ciphering and deciphering functions may be used to encrypt or decrypt external messages using DES.
Morse Security Group, Inc. 12960 Bradley Avenue Sylmar, CA 91342-0128 Nalin Chheda (800) 423-5669 (818) 367-5951	TRAP 5200 System	4/17/90	Touch response alarm processor system, including a receiver processor located in a data gathering center and a series of transponders located at remote locations contains DES to produce encrypted data that flows along a communication path.
Motorola Microprocessor Products Div. (originally 6501 William Cannon Drive W. MGD68NE) Austin, TX 78735-8598 Don Ponder (512) 440-2956	MC6859	2/11/80	Si-gate depletion mode, nMOS 24-pin DIP using single 5 volt power supply; implements ECB and CFB.
Motorola 1309 East Algonquin Road Shaumburg, IL 60196 James Osborn (312) 576-2251	TSW-2	11/12/81	Special purpose for internal use only.

## DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
Newbridge Microsystems 603 March Road Kanata, Ontario Canada K2K 2M5 Tony Rosati (613) 592-0714	CA95A	9/8/93	The CA95C Data Ciphering Processor implements the DES using the ECB, CFB, or CBC modes of operation. The CA95C provides a high through-put rate up to 11 Mbytes/second. Separate ports for key input, clear data and enciphered data are available.
	CA20C03A	4/10/91	A high performance WD20C03A compatible DES Data encryption processor with data transfer rates up to 4 Mbytes per second. Supports ECB and CBC; PLCC and PDIP packaging available.
Newnet S.A. Alsina 430 Buenos Aires 1087 Argentina Daniel Ramos 54 1 334 9732	Data Security Device (DSD 9612)	7/2/91	This device is based on an eight bit INTEL microprocessor with 8 Kbytes of EPROM. Transfer data at speeds of 1200 to 9600 bps and communicates w/ other devices via EIA RS-232-C ports.
Nixdorf Computer Corporation VEM Module 168 Middlesex Turnpike Burlington, MA 01803 Kevin Madden (617) 890-3600		1/7/80	The plug-in module is used with the Nixdorf 8864 CPU for encrypting data transmission blocks and file protection; may be used in terminal applications in the financial community; uses TTL.
Northern Telecom 3705 35th St. NE Calgary, Alberta T1Y 6C2 Paul Provençal Bell Northern Research (613) 763-8014	BNR 64-bit Cipher Feedback Mode Module, version 1.0 (firmware)	7/19/94	The validated firmware is used in the PowerTouch 350 (Vista 350), an advanced screen telephone that connects to standard analog phone lines. PowerTouch 350 has an 8 line by 21 character display and supports the Bellcore ADSI protocol; uses the DES in 64-bit CFB mode to provide data encryption targeted for banking applications.
Racal-Milgo P.O. Box 407044 Ft. Lauderdale, FL 33340-7044 Richard Abbruscato (305) 476-6800	Datacryptor	1/7/80	Stand alone equipment with public key management remote distribution of master keys.
Rothenbuhler Engineering P.O. Box 708 2191 Rhodes Road Sedro Wolley, WA 98284-0708 Andrew Benson (206) 856-0836	CLS Series 5200 Encryption Module	3/19/91	The CLS Series 5200 Encryption Module is used in a system which communicates 8 channels of electronic security information between a client and a central monitoring facility.
Secur-Data Systems, Inc. Omega Center 7340 Executive Way, Suite R Frederick, MD 21701 Ronald Baum (301) 698-9955	DESPLEX	2/2/89	Used in a CF configuration as part of a firmware operating system for processing and transmission of alarm sensor data as well as receiving and annuciating data at an alarm monitoring facility.
Secure Computing Corporation 2675 Long Lake Road Roseville, MN 55113 Ron Bohn (612) 628-2725	sctc_des.c, version 1.7	4/22/94	Software implementation of DES that is used in LOCKout products; LOCKout uses DES-based challenge-response to provide protection for networks, support remote user dial-in authentication, and provide Internet Firewall protection for host computers.

## DES Validated Devices, *Continued*

MANUFACTURER ADDRESS	PRODUCT	VALIDATION DATE	DESCRIPTION
Texas Instruments, Inc. P.O. Box 1443, M/S 736 Houston, TX 77001 Mike Polen (713) 274-3635	TMS 99541	2/28/82	Preprogrammed TMS7020 8-bit single chip microprocessor; 40-pin DIP plastic package I/O pins are TTL compatible; master and active key registers.
UNIVAC P.O. Box 3942 St. Paul, MN 55165 Jim Nelson (612) 631-6728	End-End/Mass Storage Encryptor	1/29/80	Prototype device for testing purposes only
Virtual Open Network Environment Corp. 12300 Twinbrook Parkway Rockville, MD 20852 George Thornton (301) 881-2297	V-ONE DES Module (software)	7/25/94	Smart card system for PC security, file encryption and decryption, user authentication, secure remote system logon, personal identification, and multilevel system access.
VLSI Technology, Inc. 8375 S. River Parkway Tempe, AZ 85284 R. Slusarczyk (602) 752-8574	VM007 - Data Encryption Processor	1/6/92	The VM007 Data Encryption Processor is a programmable integrated circuit that provides a complete cryptographic system on a single chip. It contains a hardware implementation of the DES, RISC-based sequencer, data storage registers, and ROM-based microprogram. It is designed to provide very high data and key processing rates (up to 190 Megabits per second), flexible I/O inter-facing, advanced security features and supports all DES modes of operation. The VM007 is manufactured using 1.0 micron CMOS technology and is available in a 84-pin lead ceramic chip carrier.
	VM009 Data Encryption Processor	1/11/93	The VM009 Data Encryption Processor is a programmable integrated circuit that provides a complete cryptographic system on a single chip. It contains a hardware implementation of the DES, and data storage registers. It is designed to provide very high data and key processing rates (up to 100 Megabits per second), flexible I/O inter-facing, advanced security features, and supports all DES modes of operation. The VM009 is manufactured using 1.0 micron CMOS technology and is available in a 40 lead plastic DIP and 44 lead plastic lead chip carrier.
Wells Fargo Security Products Unit of Baker Protective Svcs. 1010 North Glebe Road, Suite 680 Arlington, VA 22201 William Martin (703) 247-4250	WP PN 5286/ WP PN 5287	5/26/89	The monitor panels are intended for use in a monitoring station of a proprietary intrusion detection alarm system.
Western Digital Corporation 2445 McCabe Way Irvine, CA 92714 Product Marketing Manager for Security Devices (714) 474-2033 X7853	WD-2001/WD2002  WD20C03 DES Device	8/9/79  2/19/87	Uses si-gate nMOS, TTL compatible; ECB speeds of up to 40 Kbytes/second, 161 Kbytes/second and 242 Kbytes/second.  Uses si-gate CMOS, TTL compatible; ECB and CBC, speeds of up to 403 Kbytes/second, 645 Kbytes/second and 807 Kbytes/second in ECB.

## 7.7 FIPS 113, Computer Data Authentication Message Authentication Code (MAC) Implementations

Vendor/Contact	Implementation	Validated Options	Vendor/Contact	Implementation	Validated Options
1. ACS Communications Systems Inc. 480 Spring Park Place Suite 900 Herndon, VA 22070	Personal Computer Security Module, PCSM-T	BINARY OPTION (FIPS 113)	9. Digitech Telecommunications, Inc. 342 Madison Avenue Suite 2010 New York, NY 10017	Softnet Software, Version 1	BINARY OPTION (FIPS 113)
Don Cole, (703) 471-0892	May 16, 1986		James J. McKeef, (212) 557-7230	June 29, 1987	
2. Federal Reserve Bank of Cleveland P.O.B. 6387 Cleveland, Ohio 44101	Jones Futurex PC Encryption Board FRS PC MAC Processor	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING	10. Sytek, Inc.	MACbox	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING
Dave Rich, (216) 579-2221	October 28, 1986		Rights transferred to AeT Research, Inc. on January 29, 1988 - see entry 17	June 30, 1987	
3. Shannon Systems, Inc. Mountain View, CA	Remote Crypto Facility Software Version 3.0	BINARY OPTION (FIPS 113)	AeT Research 675 North First Street Suite 800 San Jose, CA 95112		
Out of Business	January 16, 1987		Linden Feldman, (408) 275-0820		
4. Codercard, Inc.  Rights transferred to LITRONICS Information Systems on Sept. 12, 1990 - see entry 23.	Personal Computer Security Adaptor, CPS-300 Argus, Version 1 Software	BINARY OPTION (FIPS 113) CODED CHARACTERS, ENTIRE MESSAGE, NO EDITING CODED CHARACTERS, ENTIRE MESSAGE, EDITING  CODED CHARACTERS, EXTRACTED MESSAGE ELEMENTS, NO EDITING CODED CHARACTERS, EXTRACTED MESSAGE ELEMENTS, EDITING	11. Inter-Quest, Inc. 16508 East Laser Drive Fountain Hills, AZ 85268	PORT-OF-ENTRY Computer Security System Vers. 1.2 (Software)	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING
LITRONICS Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626	February 26, 1987		Charles Redding, (602) 948-2560	August 17, 1987	
Bob Gray, (714) 557-3444					
5. Jones Futurex, Inc. 10933 Trade Center Drive Rancho Cordova, CA 95670	MAC-310 Message Authenticator	BINARY OPTION (FIPS 113)	12. Recal-Guardata Limited Richmond Court 309 Fleet Road Fleet, Hampshire GU13 8BU England	PC Security Module, RGL 600 RGL 600 Host PC C Driver Software, Version: V1.01	BINARY OPTION (FIPS 113)
Don Thompson, (916) 635-3972	February 27, 1987		Paul Halliden, (252) 622144, England	November 20, 1987	
6. Infamax Securities 6974 Sandpiper Place Carlsbad, CA 92009	Protecom Crypto Processor Protecom Device Driver & Utilities, Version 0.5	BINARY OPTION (FIPS 113)	13. The Chase Manhattan Bank, N.A. 1 Seaport Plaza 11th Floor New York, New York 10038	C-FIMAS 16 Software, Version 1.0	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING
David Howard, (619) 931-8787	March 27, 1987		Bob Marian, (212) 797-4038	December 6, 1987	
7. Inter-Quest, Inc. 16508 E. Laser Drive Fountain Hills, AZ 85268	PORT-OF-ENTRY Computer Security System Vers. 1.1 (Software)	BINARY OPTION (FIPS 113)			
Charles Redding, (602) 948-2560	May 8, 1987				
8. Infamax Securities 6974 Sandpiper Place Carlsbad, CA 92009	Protecom Crypto Processor Protecom Device Driver & Utilities, Version 0.6	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	14. Atalla Corporation 2304 Zanker Road San Jose, CA 95131  Dale Hopkins, (408) 435-8850	Personal Computer Module, CPCM CPCM.HEX Software, Version OA 13-2043-01	BINARY OPTION (FIPS 113)
David Howard, (619) 931-8787	May 11, 1987			January 11, 1988	

## Message Authentication Code (MAC) Implementations, Continued

Vendor/Contact	Implementation	Validated Options	Vendor/Contact	Implementation	Validated Options
16. GN Telematic, Inc. 46 Manning Road Billerica, MA 01821  Poul Hebsgaard, (617) 667-8644	safeMatic 2000, KB76-17527 Coded Character Set Processing Software, Model KB77-17012, Version A  February 3, 1988	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING  CODED CHARACTERS; ENTIRE MESSAGE; EDITING  CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	22. Racal-Guardata, Inc 480 Spring Park Place Suite 900 Herndon, VA 22070  Brian Bucholz, (703) 471-0892	X9 Crypto Server  June 1, 1990	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING  CODED CHARACTERS; ENTIRE MESSAGE; EDITING  CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
17. Aet Research 675 North First Street Suite 800 San Jose, CA 95112  Originally validated on June 30, 1987 as a Sytek, Inc. device - see entry 10.	MACbox  August 8, 1988	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING  CODED CHARACTERS; ENTIRE MESSAGE; EDITING  CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	23. LITRONIC Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626  Bob Gray, (714) 545-6649 James Prohaska, (703) 960-8068	Personal Computer Security Adapter Argus, Version 1 Software**  Rights transferred on September 12, 1990	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING  CODED CHARACTERS; ENTIRE MESSAGE; EDITING  CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
18. Atalla Corporation 2304 Zanker Road San Jose, CA 95131  Dale Hopkins, (408) 435-8850	Personal Computer Module, MN-40-249 CPCM.HEX Software, Version OE 13-2043-00  September 26, 1988	BINARY OPTION (FIPS 113)	24. IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257  Roger Evans, (704) 594-7060	4755 Cryptographic Adapter  October 15, 1990	BINARY OPTION (FIPS 113)
19. Cypher Communications Technology, Inc. 4520 East-West Highway Suite 550 Bethesda, MD 20814  Angel Bailey, (301) 652-6790	CYCOM SCI AX3 5.01, Version 10084002  February 2, 1989	BINARY OPTION (FIPS 113)	25. IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257  Roger Evans, (704) 594-7060	4754 Security Interface Unit  October 15, 1990	BINARY OPTION (FIPS 113)
20. Dial-Guard 55 Koch Road/PO Box 7045 Corte Madera, CA 94925  Shun-Hwa Chang or Trone Miller, (415) 927-2232	Dial-Guard Remote Authenti- cator 01-103, Version 2.0 Rev. 0  March 6, 1989	BINARY OPTION (FIPS 113)	26. IBM Corporation Dept. 65K/B204-3 1001 W.T. Harris Blvd. Charlotte, NC 28257  Roger Evans, (704) 594-7060	IBM Personal Security Card  October 15, 1990	BINARY OPTION (FIPS 113)
21. Okick Data 3945 St. Martin Laval, Quebec, Canada H7T 1B7  Claude Vigeant, (514) 681-1681	RAC/M FAS-PACK, Version 1.0  April 24, 1989	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING  CODED CHARACTERS; ENTIRE MESSAGE; EDITING  CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING	27. Cypher Communications Technology, Inc. 15200 Shady Grove Rd. Suite 350 Rockville, MD 20850  Angel Bailey, (301) 590-9314	CYCOM SCI/SL 96 AX5 5.03, Version 10084012  December 19, 1990	BINARY OPTION (FIPS 113)
			28. Cypher Communications Technology, Inc. 15200 Shady Grove Rd. Suite 350 Rockville, MD 20850  Angel Bailey, (301) 590-9314	CYCOM SCI 192 AX7 5.05, Version 10084020  January 10, 1991	BINARY OPTION (FIPS 113)

## Message Authentication Code (MAC) Implementations, *Continued*

Vendor/Contact	Implementation	Validated Options
29. Digital Equipment Corporation Digital Drive - MK01-2/B06 Merrimack, NH 03054	PIN Pad 201 SMD Model: P003-120-XX  March 25, 1991	BINARY OPTION (FIPS 113)
Steve Lawrence, (603) 884-3445		
30. Information Security Corporation 1141 Lake Cook Road Suite D Deerfield, IL 60015	DES Module used in SpyProof!  July 10, 1991	BINARY OPTION (FIPS 113)
Michael Markowitz, (708) 405-0500		
31. Digital Signature Validated by Information Security Corporation 1115 N. East Avenue Oak Park, IL 60302	DES Module used in CryptMaster (3.20) and SecretAgent (1.00)  July 15, 1991	BINARY OPTION (FIPS 113)
Michael Markowitz, (708) 405-0500		
32. The Exchange Systems 15395 SE 30th Place Bellevue, WA 98007-6594  Robert Adamson, (206) 644-7000 X255	PCE-3000 (IBM PS/2 Microchannel)  January 8, 1992	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING
33. The Exchange Systems 15395 SE 30th Place Bellevue, WA 98007-6594  Robert Adamson, (206) 644-7000 X255	PCE-1000 ISA Adaptor  January 9, 1992	BINARY OPTION (FIPS 113) CODED CHARACTERS; ENTIRE MESSAGE; NO EDITING CODED CHARACTERS; ENTIRE MESSAGE; EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; NO EDITING CODED CHARACTERS; EXTRACTED MESSAGE ELEMENTS; EDITING

## 7.8 FIPS 171, Key Management Validation Using ANSI X9.17

Vendor/Contact	Implementation	Validated Options	Vendor/Contact	Implementation	Validated Options
1. LITRONICS Information Systems 2950 Redhill Avenue Costa Mesa, CA 92626  (Originally validated by Cardcard; rights transferred on September 11, 1990)  Bob Gray, (714) 545-6649 James Prohaska, (703) 960-8068	Hardware: Argus-PC, Model: CMS-100 Software: Argus/MACE Software, Version: 1.0  September 23, 1988	No. of communicating pairs: 2 No. of manual (*)KKS per comm. pair: 2 Length of manual and auto. (*)KKS: PAIR Key generation capability: YES Number of auto. distr. (*)KKS shared: UP TO 4 Number of KDs shared: UP TO 8 2 KDs in KSMs: SOMETIMES Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: SOMETIMES Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED	3. TECHNICAL COMMUNICATIONS CORPORATION 100 Domino Drive CONCORD, Massachusetts 01742  John Gill, (617) 862-6035	Hardware: CX5000 Software: Version: 2.0  May 15, 1991	No. of communicating pairs: 1 No. of manual (*)KKS per comm. pair: 2 Length of manual and auto. (*)KKS: PAIR Key generation capability: YES Number of auto. distr. (*)KKS shared: 4 Number of KDs shared: 1 2 KDs in KSMs: NEVER Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: NEVER Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED
2. TECHNICAL COMMUNICATIONS CORPORATION 100 Domino Drive CONCORD, Massachusetts 01742  John Gill, (617) 862-6035	Hardware: CX5000A Software: Version: 1.0  May 6, 1991	No. of communicating pairs: 1 No. of manual (*)KKS per comm. pair: 2 Length of manual and auto. (*)KKS: PAIR Key generation capability: YES Number of auto. distr. (*)KKS shared: 0 Number of KDs shared: 1 2 KDs in KSMs: NEVER Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: NEVER Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED	4. COMMUNICATION DEVICES, INC. 1 Forstmann Court Clifton, NJ 07011  Gene Hartsell, (201) 772-6997	Hardware: RSD/E Software: Version 7.2  -	No. of communicating pairs: 1 No. of manual (*)KKS per comm. pair: 1 Length of manual and auto. (*)KKS: PAIR Key generation capability: NO Number of auto. distr. (*)KKS shared: 0 Number of KDs shared: 1 2 KDs in KSMs: NEVER Send RSI messages: NOT TESTED Receive RSI messages: NOT TESTED Notarization of keys in KSMs: ALWAYS Send odd parity on keys in KSMs: ALWAYS Send IVs in KSMs: SOMETIMES Send encrypted IVs in KSMs: ALWAYS Send EDCs in RSIs and ESMs: ALWAYS Action if EDC received in RSIs and ESMs: NOT APPLICABLE Send EDKs in KSMs: NEVER Action on count error: ADJUST COUNT Send DSMs: YES Receive DSMs: YES IDA in DSM if only one KD can be shared: YES Role assumed: EITHER A OR B Automatic error recovery: NOT TESTED Space & CRLF as field delimiter: NOT TESTED Number of communicating pairs: 1 Number of manual (*)KKS per comm. pair: 2 Length of manual and

## **APPENDIX A**

### **FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES**



## APPENDIX A

### FIPS CONFORMANCE TESTING PRODUCTS AND SERVICES

The purpose of this appendix is to provide information about products and services that are available to Federal Agencies for assessing products for conformance to FIPS.

The entries in this list identify the topic, the standard tested, the NIST contact, and the product or service offered. The letters T, S, or C in the Product/Service column indicate a test method, testing service, or certificate/registered report respectively.

<u>TOPIC</u>	<u>STANDARD</u>	<u>CONTACT</u>	<u>PRODUCT/SERVICE</u>
COBOL	FIPS PUB 21-3	Judy Kailey NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3259	T, S, C
Fortran	FIPS PUB 69-1	Judy Kailey NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3259	T, S, C
Pascal	FIPS PUB 109	Carmelo Montanez (Technical) NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2398 Judy Kailey (Scheduling) (301) 975-3259	T, S, C
C	FIPS PUB 160	Carmelo Montanez (Technical) NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2398 Judy Kailey (Scheduling) (301) 975-3259	T, S, C
Ada	FIPS PUB 119	William Dashiell NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2490	T, S, C
MUMPS	FIPS PUB 125	William Dashiell NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-2490	T, S, C

<u>TOPIC</u>	<u>STANDARD</u>	<u>CONTACT</u>	<u>PRODUCT/SERVICE</u>
SQL	FIPS PUB 127-1	Joan Sullivan NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3258	T, S, C
GKS	FIPS PUB 120	Susan (Quinn) Sherrick NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3268	T, S, C
CGM	FIPS PUB 128 MIL-D-28003	Lynne Rosenthal NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3353	T, S, C
PHIGS	FIPS PUB 153 ANSI/ISO 9592.1-1989	Kevin Brady NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3644	T, S, C
Raster	FIPS PUB 150 MIL-R-28002	Frank Spielman NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3257	T
IRDS	FIPS PUB 156	Alan Goldfine NIST, Bldg. 225, Rm. A266 Gaithersburg, MD 20899 (301) 975-3252	T, S, C
POSIX	FIPS PUB 151-2	Martha Gray NIST, Bldg. 225, Rm. B266 Gaithersburg, MD 20899 (301) 975-3276	T, S, C
Message Authentication	FIPS PUB 113	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
Key Management Validation	FIPS PUB 171 ANSI X9.17	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C
Data Encryption Standard	FIPS PUB 46-1	Miles Smid NIST, Bldg. 225, Rm. A216 Gaithersburg, MD 20899 (301) 975-2938	T, S, C

<u>TOPIC</u>	<u>STANDARD</u>	<u>CONTACT</u>	<u>PRODUCT/SERVICE</u>
GOSIP	FIPS PUB 146	J. P. Favreau NIST, Bldg. 225, Rm B217 Gaithersburg, MD 20899 (301) 975-3634	T, S
1984 X25	CCITT X.25-1984 ISO 7776, ISO 8208 ISO 8882, ISO 9646 FIPS PUB 100-1	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN	FIPS PUB 182	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN Physical Layer	ANSI T1.605 (S/T Interface) ANSI T1.601 (U Interface)	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN Data Link Layer	CCITT Q.921 ANSI T1.602	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
ISDN Network Layer	ANSI T1.607 ANSI T1.608 FIPS PUB	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T
FDDI	ANSI X3T9	David Su NIST, Bldg. 223, Rm. B364 Gaithersburg, MD 20899 (301) 975-6194	T





U.S. DEPARTMENT OF COMMERCE  
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY  
GAITHERSBURG, MD 20899-0001  
Building 225 Room A266

**OFFICIAL BUSINESS**  
PENALTY FOR PRIVATE USE, \$300

FIRST CLASS  
ZIP+4 PRESORT  
POSTAGE & FEES PAID  
NIST  
PERMIT No. G195