

U. S. DEPARTMENT OF COMMERCE
BUREAU OF STANDARDS

THE OPTICAL ROTATION OF LIQUIDS
ITS VARIATION WITH WAVE LENGTH
TEMPERATURE, SOLVENT
AND CONCENTRATION

By T. MARTIN LOWRY

MISCELLANEOUS PUBLICATION No. 118

U. S. DEPARTMENT OF COMMERCE

R. P. LAMONT, Secretary

BUREAU OF STANDARDS

GEORGE K. BURGESS, Director

Miscellaneous Publication No. 118

THE OPTICAL ROTATION OF LIQUIDS
ITS VARIATION WITH WAVE LENGTH
TEMPERATURE, SOLVENT
AND CONCENTRATION

BY

T. MARTIN LOWRY

MARCH 25, 1932



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1932

PREFACE

The compilation of the available data on this topic, as presented in the following pages, was made in conjunction with work undertaken for the International Critical Tables and covers, with the exceptions noted below, the literature preceding January 1, 1923. No attempt has been made to include fragmentary data. Data for the sodium *D*-line at ordinary temperatures and in the common solvents will be found in International Critical Tables.¹ The common sugars have also been omitted from the present compilation, since they have been covered in the saccharimetry section of International Critical Tables.²

¹ Int. Crit. Tables, 7, pp. 355-489. McGraw-Hill Book Co., New York; 1931.

² Int. Crit. Tables, 2, pp. 334-355. McGraw-Hill Book Co., New York; 1927.

CONTENTS

	Page
Preface-----	II
I. Arrangement-----	1
II. Symbols and abbreviations-----	2
III. Class I. Organic substances in which the asymmetric carbon atom does not form part of a ring-----	2
IB. The molecule contains one carbon atom attached to four different atoms or groups-----	2
IB ₁ . The asymmetric carbon atom is attached to two other carbon atoms-----	3
1. Amines-----	3
2. Monohydroxy alcohols, their ethers and esters-----	4
3. Amino acids-----	30
IB ₂ . The molecule contains two asymmetric carbon atoms which are attached each to two other carbon atoms-----	34
4. Tartaric acid and its esters-----	34
IC ₁ . The molecule contains one asymmetric carbon atom attached to three other carbon atoms-----	48
5. Citronellal derivatives-----	48
6. Amylacetone derivatives-----	48
IV. Class II. Organic substances, at least one asymmetric carbon atom of which forms part of a ring-----	49
IIB. The molecule contains asymmetric carbon atoms attached to two other carbon atoms-----	49
7. Tetrahydronaphthol and derivatives-----	49
8. Amines-----	50
IIC. The molecule contains asymmetric carbon atoms attached each to three other carbon atoms-----	54
9. Methylcyclohexane derivatives-----	54
10. Dimethyltetrahydroquinoline and derivatives-----	55
11. Myrtenol esters-----	56
12. Menthone-----	56
IIC B. The molecule contains two or more asymmetric atoms attached respectively to two and three other carbon atoms-----	57
13. Menthol, isopulegol and derivatives-----	57
IID C. The molecule contains two or more asymmetric atoms attached respectively to three and four other carbon atoms-----	66
14. Camphoric and campholytic acids and derivatives-----	66
15. Limonene-----	68
16. Camphor and derivatives-----	69
17. Camphorcarboxylic acid and derivatives-----	76
18. Borneol and related compounds-----	79
19. Fenchyl alcohol derivatives-----	81
20. Teresantalic and isoteresantalic acids-----	82
V. Class III. Compounds containing no asymmetric carbon atom, or containing an asymmetric or dissymmetric atom of some other element-----	83
(a) Compounds containing asymmetric atoms of S, P, etc-----	83
21. Methylethylphenacylthetine derivatives-----	83
22. Bromocamphor- and camphor-sulphonates-----	83

V. Class III—Continued.	
(b) Compounds containing dissymmetric metallic atoms, <i>Co, Cr, Rh, Ir, Pt, etc.</i>	84
23. Cobalt complexes	84
24. Chromium complexes	86
25. Rhodium complexes	87
26. Iridium complexes	88
27. Platinum complexes	88
28. Molybdenyl and tungstyl derivatives of malic and tartaric acids	88
VI. Class IV. Substances of unknown, doubtful or complex structure	92
29. Alkaloids and derivatives	92
VII. Class V. Influence of salts and other substances on rotatory power	94
VIII. Literature references	101
IX. Index	105

THE OPTICAL ROTATION OF LIQUIDS, ITS VARIATION WITH WAVE LENGTH, TEMPERATURE, SOLVENT, AND CONCENTRATION¹

By T. MARTIN LOWRY

I. ARRANGEMENT

Arrangement is by classes defined as follows:

CARBON COMPOUNDS²

- I. None of the asymmetric carbon atoms forms part of a ring.
- II. At least one asymmetric carbon atom forms part of a ring.
- III. The compound contains no asymmetric carbon atom or contains at least one asymmetric or dissymmetric atom other than carbon.

- IV. Substances of unknown, doubtful, or complex structure.

Classes I to IV are subdivided according to the number and nature of the asymmetric atoms as follows:

- A_n The molecule contains n asymmetric atoms which are attached each to only one other carbon atom.
- B_n The molecule contains n asymmetric atoms which are attached each to two other carbon atoms.
- C_n The molecule contains n asymmetric atoms which are attached each to three other carbon atoms.
- D_n The molecule contains n asymmetric atoms which are attached each to four other carbon atoms.

For substances which fall within two or more of the above subdivisions the higher (in the order D, C, B, A) division receives preference in deciding the arrangement. Within a subdivision the arrangement is in accordance with the value of n in the order 1, 2, 3, etc.

¹ This section includes data and bibliography to January 1, 1924.

² Sugars and their derivatives are classed as open chain compounds. In general, derivatives are listed under the parent compound, even when they contain additional asymmetric atoms.

II. SYMBOLS AND ABBREVIATIONS

<i>t</i>	Temperature in degrees centigrade ($^{\circ}\text{C}$).
λ	Wave length of light expressed in Angstrom units; that is, in tenths of a millimicron ($\frac{1}{10} \mu\mu$) unless otherwise indicated.
<i>D</i>	A wave length of 5893 Å.
a_{λ}^t	Observed rotation at the given values for <i>t</i> .
$[a]_{\lambda}^t$	Specific rotation at the given values for <i>t</i> .
$[\text{M}]_{\lambda}^t$	Molecular rotation at the given values for <i>t</i> ($= M \times [a]_{\lambda}^t / 100$).
<i>c</i>	Concentration in grams per 100 cm ³ of solution.
<i>p</i>	Concentration in grams per 100 g of solution (= Wt. per cent). (Values in italics when column heading is " <i>c</i> " or " <i>p.</i> ")
<i>d</i>	d_4^t = density at the given value for <i>t</i> referred to water at $4^{\circ}\text{C}.$, unless otherwise indicated.
2 per cent NaOH (etc.)	2 per cent of solution of NaOH in water.
2 per cent NaOH MeOH	2 per cent of solution of NaOH in methyl alcohol.
<i>M</i>	Moles.
<i>N</i> NaOH	Normal aqueous solution of NaOH (= 1 equivalent/liter).
<i>s</i>	Solvent.

SYMBOLS FOR SOLVENTS AND RADICALS

<i>A</i>	\equiv The acid radical under which it is used.	<i>Ph</i>	\equiv (C ₆ H ₅) Phenyl.
Ac	\equiv (CH ₃ CO) Acetyl.	<i>pn</i>	\equiv (C ₃ H ₁₀ N ₂) <i>a, β</i> -Propylene-diamine.
Bu	\equiv (C ₄ H ₉) Butyl.	<i>Pr</i>	\equiv (C ₃ H ₇) Propyl.
en	\equiv (C ₂ H ₈ N ₂) <i>a, β</i> -Ethylene-diamine.	<i>Py</i>	\equiv (C ₅ H ₅ N) Pyridine.
Et	\equiv (C ₂ H ₅) Ethyl.	<i>tr</i>	\equiv (C ₃ H ₁₀ N ₂) <i>a, γ</i> -Diamino-propane (trimethylene-diamine).
Me	\equiv (CH ₃) Methyl.		

III. CLASS I.—ORGANIC SUBSTANCES IN WHICH THE ASYMMETRIC CARBON ATOM DOES NOT FORM PART OF A RING

IB. THE MOLECULE CONTAINS 1 CARBON ATOM ATTACHED TO 4 DIFFERENT ATOMS OR GROUPS



		$[a]_{\lambda}^{20}$		
<i>s</i>	<i>c</i>	5,461	5,781	5,893
H ₂ O	1.000	15.8	13.3	12.3
H ₂ O	1.674	16.0	13.4	12.4
H ₂ O	3.402	15.7	13.2	12.2
EtOH	1.671	19.5	16.8	15.7

Note.—Throughout this paper, black-face figures in parentheses refer to correspondingly numbered citations in the bibliography, p. 101.

IB₁ THE ASYMMETRIC CARBON ATOM IS ATTACHED TO 2 OTHER CARBON ATOMS

1. AMINES

Sec-butylamine (=Am) and derivatives (171) [α]_λ²⁰

<i>s</i> =H ₂ O	Sulphonyl=Su	$\frac{\lambda}{c}$	5,893	5,780	5,461
C ₄ H ₁₁ N-	<i>l</i> -Am.	4.70	-5.00	-5.22	-5.75
C ₄ H ₁₃ CIN-	<i>l</i> -Am hydrochloride	3.40	.88	.96	1.25
C ₁₁ H ₁₅ NO	Benzoyl- <i>d</i> -Am.	1.00	30.7	32.2	37.1
C ₁₀ H ₁₅ NO ₂ S	Benzene-Su- <i>d</i> -Am.	3.01	2.40	2.49	2.49
C ₁₁ H ₁₇ NO ₂ S	<i>p</i> -Toluene-Su- <i>d</i> -Am.	3.03	.81	.81	.81
C ₁₄ H ₁₇ NO ₂ S	Naphthalene- <i>a</i> -Su- <i>l</i> -Am.	2.73	-5.40	-5.40	-5.58

*C₁₅H₁₅NO, benzoyl-*l*-α-phenylethylamine (174; cf. 131)*

	[α] _λ ²⁰				[M] _λ ²⁰
<i>s</i>	$\frac{\lambda}{c}$	5,893	5,780	5,461	5,461
C ₆ H ₅	3.004	-40.1	-41.9	-48.3	-137
C ₆ H ₅	2.384	-43.7	-45.7	-52.6	-149
C ₆ H ₅	.795	-52.5	-55.7	-64.2	-182

2. MONOHYDROXY ALCOHOLS, THEIR ETHERS AND ESTERS

Specific rotation $[\alpha]_D^l$ of carbinols

(161; cf. 81)	Methyl carbinol ¹	d-Methylethyl carbinol (164)						d-Methyl-n-hexyl carbinol (164)		
		$[\alpha]_D^{20}$			$[\alpha]_D^{50}$			$[\alpha]_D^{90}$		
		s	c	$[\alpha]_D^l$	s	c	$[\alpha]_D^l$	s	c	$[\alpha]_D^l$
C ₄ H ₁₀ O-	-Ethyl-	13.87	12.48	11.84	Py.	5.26	18.42	21.61	5.04	10.31
C ₅ H ₁₂ O-	-n-Propyl-	13.70	12.89	12.56	CS ₂	5.59	17.21	20.46	34.86	13.34
C ₆ H ₁₄ O-	-n-Butyl-	11.57	11.02	10.90	EtOAc	5.45	16.78	19.72	33.29	5.06
C ₇ H ₁₆ O-	-n-Amyl-	10.32	9.89	9.60	MeCO	4.98	16.39	18.79	31.79	5.04
C ₈ H ₁₈ O-	-n-Hexyl-	9.76	9.17	8.99	AcOH-	5.04	16.28	18.66	31.77	10.81
C ₉ H ₂₀ O-	-n-Heptyl-	8.99	8.55	8.30	EtOH-	5.38	14.60	16.89	28.28	5.46
C ₁₀ H ₂₂ O-	-n-Octyl-	8.68	8.14	7.80	C ₆ H ₆ -	5.60	14.54	17.31	29.17	5.51
C _n H ₂₄ O-	-n-Nonyl-	8.13	7.66	7.28	C ₆ H ₄ Br-	4.96	11.82	13.93	23.55	12.44
C ₁₂ H ₂₆ O-	-n-Decyl-	7.78	7.27	6.89	Phenetole	-	-	-	-	5.52
C ₁₃ H ₂₈ O-	-n-Undecyl-	7.22	6.67	6.39	C ₆ H ₄ Cl-	-	-	-	-	5.34
					CHCl ₃ -	-	-	-	-	5.04
						-	-	-	-	5.17
						-	-	-	-	9.00

¹ These substances are stated to show simple dispersion. A 1-term Drude dispersion expression fits the data accurately (126).
² $l = \text{about } 20^\circ$.

Ethyl carbinols (163; cf. 126)		$[\alpha]_D^{20}$	$[\alpha]_{5,461}^{20}$	$[M]_D^{20}$	$[M]_D^{60}$	$[M]_D^{100}$	$[M]_D^{140}$
C ₄ H ₁₀ O	Methyl	13.87	16.09	10.02	8.73		
C ₅ H ₁₂ O	Ethyl			Optically inactive.			
C ₆ H ₁₄ O	Propyl	1.97	2.24	2.01	2.12	2.32	
C ₇ H ₁₆ O	Butyl	8.13	9.58	9.43	9.58	9.78	10.06
C ₈ H ₁₈ O	Amyl	8.22	9.64	10.69	10.95	11.14	11.24
C ₉ H ₂₀ O	Hexyl	7.38	8.63	10.63	11.10	11.15	11.04
C ₁₀ H ₂₂ O	Heptyl	6.68	7.76	10.55	10.66	10.64	10.49
C ₁₁ H ₂₄ O	Octyl	6.25	7.23	10.74	10.96	11.00	11.10
C ₁₂ H ₂₆ O	Nonyl	5.97	6.92	11.09	10.33	10.21	10.33
C ₁₃ H ₂₈ O	Decyl	6.23	7.21	12.44	12.28	12.13	12.11
C ₁₄ H ₃₀ O	Undecyl	5.87	6.80	12.56	12.28	12.19	12.16
C ₁₅ H ₃₂ O	Dodecyl	5.53	6.40	12.61	12.26	12.13	12.20
C ₁₆ H ₃₄ O	Tridecyl	5.11	5.92	12.38	12.34	12.11	11.76
C ₁₈ H ₃₈ O	Pentadecyl	4.77	5.49	12.87	12.80	12.72	12.63

Isopropyl carbinols (126, 162)		$[\alpha]_D^{20}$	$[M]_D^{20}$	$[M]_D^1$
C ₅ H ₁₂ O	Methyl	4.85	4.3	3.7
C ₆ H ₁₄ O	Ethyl	15.06	15.4	12.4
C ₇ H ₁₆ O	<i>n</i> -Propyl	21.25	24.7	21.9
C ₈ H ₁₈ O	<i>n</i> -Butyl	25.64	33.3	29.1
C ₉ H ₂₀ O	<i>n</i> -Amyl	22.84	32.9	28.7
C ₁₀ H ₂₂ O	<i>n</i> -Hexyl	21.46	33.9	29.2
C ₁₂ H ₂₆ O	<i>n</i> -Octyl	18.55	34.5	29.0
C ₁₄ H ₃₀ O	<i>n</i> -Decyl	16.15	34.5	29.0

¹ At boiling point.

Specific rotation $[\alpha]_D^l$ of carbinols (165; cf. 126)

	5, 893	5, 461	4, 358	5, 893	5, 461	4, 358	5, 893	5, 461	4, 358	5, 893	5, 461	4, 358	5, 893	5, 461	4, 358	
$\text{C}_6\text{H}_{11}\text{O}$ <i>d</i> -Methyl- <i>tert</i> -butyl				$\text{C}_6\text{H}_{11}\text{O}$ <i>t</i> -Methylphenyl			$\text{C}_6\text{H}_{11}\text{O}$ <i>t</i> -Ethylphenyl			$\text{C}_6\text{H}_{11}\text{O}$ <i>t</i> -Methylbenzyl			$\text{C}_6\text{H}_{11}\text{O}$ <i>t</i> -Methyl- β -phenyl ethyl			
10																
20	7.71	9.00	15.55	41.77	49.85	86.64	-25.86	-32.01	-64.95	26.55	32.19	50.03	-14.23	-16.84	-28.11	-9.79
40	6.84	8.18	14.98	41.51	40.46	85.82	-30.24	-36.02	-60.49	27.58	33.42	61.22	-14.74	-17.46	-20.28	-14.63
60	6.94	7.25	12.62	41.18	48.97	84.61	-32.82	-38.71	-66.16	28.32	34.43	62.70	-16.01	-18.47	-31.44	-18.03
80	5.27	6.35	11.07	40.64	48.32	83.05	-34.46	-40.83	-68.82	28.56	34.73	63.36	-15.90	-18.79	-32.03	-20.80
100	4.58	5.50	10.00	40.12	47.56	81.39	-35.31	-42.01	-70.84	28.47	34.41	62.94	-15.97	-18.80	-32.32	-26.51
120							39.31	46.66	79.60	-35.51	-42.11	-71.03	28.16	33.83	61.98	-15.83
140							38.48	46.77	77.94	-41.56	-41.56	-70.34	27.46	33.17	60.67	-18.91
160										-34.37	-40.76	-69.07	26.59	32.14	59.07	-32.28
180													-34.37	-40.76	-69.07	-38.99
200																-37.83

	EtoH	O_2H_6	OCH_3	OS_2	Py											
	4.87	5.86	10.54	41.94	49.94	86.26	-32.48	-38.59	-65.06	16.13	10.36	36.29	-19.45	-23.13	-38.89	-74.30
	3.31	3.89	7.78	48.88	57.93	90.22	-40.05	-47.78	-79.16	41.82	50.82	93.68	-19.41	-25.45	-42.79	-112.6
	· 59	1.87	54.13	65.18	113.2	-45.45	-53.67	-92.23	39.02	46.72	85.23	-17.20	-20.37	-34.40	-65.92	-138.5
	2.18	2.70	5.32	58.33	70.01	123.8	-45.83	-64.26	-93.69	73.57	80.60	109.1	-25.68	-30.78	-52.65	-78.25
	2.28	2.74	5.02	84.22	146.9	-69.50	-71.39	-122.7	47.88	53.02	106.0	-17.13	-20.55	-34.18	-70.99	-148.5
																-34.40
																-74.01
																-89.02
																-157.2
																51.46
																54.46

The following are approximately 5 per cent solutions at room temperature (10², 165)

Specific rotation $[\alpha]_D^{\lambda}$ of ethers of *d*-benzylmethyl carbinol (159)

λ	t	20	40	60	80	100	120	140	20	40	60	80	100	120	140	$C_{10}H_{14}O\ n$ -nonyl	
		$C_{10}H_{14}O\ n$ -methyl								$C_{11}H_{16}O\ ethyl$							
6,438	4.58	4.20	3.73	3.26	2.68	2.19			17.78	17.16	16.39	15.62	14.83	14.19	13.77		
6,461	6.35	5.63	4.73	4.07	3.40	2.71			25.75	24.68	23.40	22.47	21.46	20.43	19.54	20	20.78
6,086	7.63	6.71	5.75	4.77	3.99	3.23			30.27	29.16	27.99	26.79	25.69	24.67	23.63	40	20.20
4,800	8.75	7.75	6.68	5.61	4.57	3.60			35.14	33.91	32.64	31.18	29.74	28.40	27.06	60	19.48
4,678	9.28	8.23	7.12	6.06	4.94	3.98			37.33	36.15	34.52	33.46	32.08	30.70	29.25	80	18.91
4,388	10.80	9.27	7.75	6.47	5.38	4.35			44.34	42.69	40.94	39.13	37.36	35.54	33.67	100	18.59
																120	18.26
																140	18.01
λ	t	$C_{12}H_{18}O\ n$ -propyl								$C_{13}H_{30}O\ n$ -butyl							
		17.78	17.31	16.79	16.15	15.38	14.83	21.16		19.42	19.03	18.60	17.80	17.24	16.67	16.43	
6,438	25.93	25.09	23.90	22.78	21.83	20.46	19.79		27.90	26.99	26.01	24.96	23.95	23.11	22.43		
6,461	30.66	29.75	28.39	27.08	26.10	25.32	24.50		33.09	32.03	30.52	29.70	28.70	27.84	26.99		
5,086	34.90	33.98	32.62	30.97	29.79	29.10	28.40		37.93	36.75	35.41	34.13	32.91	31.85	30.94	20	24.86
4,800	37.26	35.97	34.42	32.80	31.49	30.86	30.20		39.90	38.67	37.38	36.04	34.77	33.62	32.58	40	24.01
4,678	44.63	43.00	41.02	39.21	37.58	36.69	35.83		48.22	46.38	44.49	42.71	41.31	40.05	39.05	60	23.29
4,388																80	22.60
																100	21.32
																120	20.76
λ	t	$C_{14}H_{32}O\ n$ -amyl								$C_{15}H_{34}O\ n$ -hexyl							
		22.75	22.08	21.43	20.66	19.71	18.66	17.73		22.83	22.18	21.53	20.83	20.27	19.91	19.79	
5,893	26.85	25.99	25.23	24.46	23.48	22.31	21.17		27.03	26.01	25.11	24.18	23.52	23.00	22.81		
6,461	45.03	43.51	41.85	39.94	38.04	36.20	35.00		46.40	44.77	43.21	41.79	40.68	39.82	39.22		
4,388																140	20.76
λ	t	$C_{16}H_{34}O\ n$ -heptyl								$C_{17}H_{36}O\ n$ -octyl							
		18.10	17.55	16.85	16.43	15.93	15.52	15.16		17.29	16.73	16.23	15.63	15.19	14.80	14.44	
6,438	25.94	24.03	23.20	22.49	21.86	21.36	21.28		25.14	24.24	23.42	22.66	21.91	21.16	20.70		
5,461	30.43	29.43	28.34	27.45	26.67	25.84	24.98		29.43	28.61	27.69	26.62	25.77	24.98	24.15		
6,086	34.92	33.75	32.69	31.61	30.50	29.57	28.61		33.67	32.91	31.94	30.92	29.84	28.89	27.99	40	25.26
4,800	36.90	35.82	34.60	33.50	32.48	31.49	30.35		34.76	33.71	32.56	31.46	30.54	29.63	29.14		
4,678	42.67	41.08	39.63	38.32	37.35	36.38	35.44		42.66	41.49	40.24	38.95	37.52	36.21	35.14		
4,388																120	20.08
																140	40.80
																160	39.56
																180	38.40
																200	37.28
																220	36.16
																240	35.26

Specific rotation $[\alpha]_D^t$ of ethers of *d*-benzylmethyl carbinol (159)

<i>t</i> =17°	Ether	<i>s</i> =EtOH			<i>CS</i> ₂			
		λ	5,893	5,461	4,358	λ	5,893	5,461
	<i>c</i>					<i>c</i>		
Methyl-----		5.00	2.8	4.9	7.3	5.00	36.2	39.5
Ethyl-----		4.95	19.7	24.4	41.1	5.01	44.4	51.4
Propyl-----		5.01	21.1	24.0	41.3	5.00	42.8	52.1
Butyl-----		5.00	25.3	30.6	49.4	4.98	42.7	53.0
Amyl-----		4.91	25.6	31.1	51.1	5.01	41.5	48.1
Hexyl-----		5.04	25.5	30.7	50.3	4.99	41.2	49.9
Heptyl-----		5.07	24.8	29.8	49.3	4.87	38.1	47.2
Octyl-----		4.95	24.2	29.8	49.0	5.05	37.9	45.6
Nonyl-----		5.04	24.4	29.7	48.6	4.96	37.5	44.6

Specific rotation of *d*- β -octyl ethers

<i>d</i> - β -Octyl ether	$[\alpha]_D^{20}$								$[\alpha]_D^{120}$							
	(100)								(100)							
	<i>c</i>	<i>s</i> =CS ₂	$[\alpha]_D^{t^1}$	<i>c</i>	<i>s</i> =EtOH	$[\alpha]_D^{t^1}$	<i>c</i>	<i>s</i> =EtOH	$[\alpha]_D^{t^1}$	<i>c</i>	<i>s</i> =CS ₂	$[\alpha]_D^{t^1}$	<i>c</i>	<i>s</i> =EtOH	$[\alpha]_D^{t^1}$	
C ₉ H ₂₀ O-----	4.97	12.31	20.44	24.31	28.10	29.10	35.95	19.60	6.37	7.52	8.92	9.30	10.07	12.24		
C ₁₀ H ₂₂ O-----	4.73	24.27	32.68	41.50	45.85	47.93	58.16	24.75	13.94	17.65	22.22	25.35	26.57	30.00		
C ₁₁ H ₂₄ O-----	5.47	31.42	-----	-----	-----	56.26	25.50	-----	17.24	-----	-----	-----	-----	23.99		
C ₁₂ H ₂₆ O-----	4.56	24.58	33.79	39.60	45.86	48.71	57.81	22.65	15.67	19.86	24.06	26.93	28.03	33.36		
C ₁₃ H ₂₈ O-----	3.53	19.00	25.42	30.62	34.16	36.61	43.81	24.05	12.37	15.50	18.82	21.12	21.54	25.28		
C ₁₄ H ₃₀ O-----	3.17	17.97	23.96	27.51	33.16	34.99	40.83	17.60	12.91	13.85	18.59	20.01	21.55	24.69		
C ₁₅ H ₃₂ O-----	4.26	19.15	26.20	32.90	37.71	39.50	45.23	24.20	13.22	17.66	20.96	23.13	24.99	27.88		
C ₁₆ H ₃₄ O-----	3.41	16.14	20.00	25.98	29.20	30.09	35.52	14.65	10.26	14.02	15.73	17.78	18.46	21.37		
C ₁₇ H ₃₆ O-----	3.30	21.50	-----	-----	27.40	21.05	-----	14.97	-----	-----	-----	-----	26.35			

¹*t*=room temperature.

Specific rotation [α]_d of alkyl esters at various temperatures (164, 166)

<i>t</i>	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 983	5, 461	5, 893	5, 461	5, 893
	Acetate $C_6H_{12}O_2$	Propionate $C_7H_{14}O_2$	<i>n</i> -Butyrate $C_8H_{18}O_2$	<i>n</i> -Valerate $C_9H_{18}O_2$	Caproate $C_{10}H_{20}O_2$	Enanthate $C_{11}H_{22}O_2$	Caprylate $C_{12}H_{24}O_2$							
20-----	30.17	25.43	28.19	23.85	25.96	21.97	24.53	20.72	22.07	18.66	20.48	17.37	19.04	16.14
40-----	28.15	23.69	26.47	22.37	24.19	20.44	23.10	19.50	20.53	17.18	19.22	16.24	17.97	15.13
60-----	26.29	22.14	24.74	20.91	22.61	19.09	21.65	18.27	19.16	16.15	18.00	15.19	16.82	14.22
80-----	24.79	20.85	23.33	19.71	21.50	18.18	20.22	17.10	18.02	15.17	16.99	14.32	15.83	13.33
100-----	23.40	19.66	-----	-----	20.35	17.18	18.94	16.00	17.04	14.44	16.03	13.54	14.84	12.52
120-----	-----	-----	-----	-----	19.36	16.33	17.90	15.13	16.04	13.53	15.03	12.71	13.99	11.84
140-----	-----	-----	-----	-----	-----	-----	17.02	14.40	15.26	12.90	14.30	12.04	13.30	12.24
160-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	13.76	11.60	12.75	10.77	-----
	Pelargonate $C_{13}H_{20}O_2$	Undecylate $C_{15}H_{30}O_2$	Laurate $C_{16}H_{32}O_2$	Myristate $C_{18}H_{36}O_2$	Palmitate $C_{20}H_{40}O_2$	Stearate $C_{22}H_{44}O_2$								
<i>d</i> - β -Butyl esters	20-----	17.80	15.03	15.81	13.42	15.03	12.69	13.42	11.34	12.12	10.25	11.14	9.39	-----
	40-----	16.73	14.14	14.83	12.48	14.11	11.91	12.70	10.69	11.44	9.65	10.47	8.83	-----
	60-----	15.75	13.31	13.97	11.73	13.22	11.13	11.95	10.07	10.81	9.12	9.86	8.32	-----
	80-----	14.82	12.51	13.13	11.09	12.39	10.43	11.26	9.50	10.23	8.61	9.32	7.89	-----
	100-----	13.96	11.76	12.40	10.47	11.69	9.83	10.55	8.91	9.62	8.10	8.89	7.48	-----
	120-----	13.11	11.10	11.81	9.98	11.15	9.41	9.95	8.41	9.11	7.68	8.45	7.12	-----
	140-----	12.51	10.59	11.26	9.45	10.57	8.92	9.44	7.95	8.67	7.29	8.01	6.75	-----
	160-----	12.25	10.33	10.69	8.99	10.07	8.50	9.03	7.65	-----	-----	7.66	6.48	-----
	Acetate $C_6H_{12}O_2$	Propionate $C_7H_{14}O_2$	<i>n</i> -Butyrate $C_8H_{18}O_2$	<i>n</i> -Valerate $C_{10}H_{20}O_2$	Caproate $C_{11}H_{22}O_2$									
<i>d</i> - β -Amyl esters	20-----	20.27	17.16	19.29	16.43	18.42	15.77	18.77	16.01	22.48	18.74	-----	-----	-----
	40-----	18.44	15.67	17.85	15.24	16.89	14.46	17.13	14.70	20.27	16.87	-----	-----	-----
	60-----	17.04	14.50	16.44	14.03	15.46	13.23	15.98	13.63	18.19	15.04	-----	-----	-----
	80-----	15.58	13.26	15.26	13.00	14.09	12.08	14.84	12.71	16.19	13.48	-----	-----	-----
	100-----	14.54	12.36	14.25	12.15	13.29	11.34	13.98	11.95	-----	-----	-----	-----	-----
	120-----	13.87	11.85	13.47	11.49	12.69	10.86	13.27	11.32	-----	-----	-----	-----	-----
	140-----	-----	-----	-----	-----	-----	-----	12.62	10.80	-----	-----	-----	-----	-----
	Acetate $C_6H_{12}O_2$	Propionate $C_7H_{14}O_2$	<i>n</i> -Butyrate $C_8H_{18}O_2$	<i>n</i> -Valerate $C_{10}H_{20}O_2$	Caproate $C_{11}H_{22}O_2$	Enanthate $C_{12}H_{26}O_2$								
<i>d</i> - β -Aryl esters	20-----	11.80	10.13	11.41	9.76	12.66	10.83	13.05	11.16	12.66	10.84	12.12	10.36	-----
	40-----	10.30	8.85	10.17	8.73	11.47	9.76	11.97	10.26	11.69	9.96	11.11	9.50	-----
	60-----	8.92	7.68	9.06	7.80	10.32	8.81	10.92	9.39	10.69	9.16	10.18	8.73	-----
	80-----	7.67	6.58	8.06	6.91	9.32	7.94	9.87	8.48	9.85	8.41	9.28	7.96	-----
	100-----	6.53	5.59	7.19	6.16	8.33	7.13	9.08	7.74	9.03	7.74	8.56	7.31	-----
	120-----	5.66	4.88	-----	-----	7.65	6.53	8.27	7.08	8.32	7.14	7.94	6.78	-----
	140-----	-----	-----	-----	-----	7.02	5.98	7.61	6.52	7.66	6.60	7.43	6.31	-----
	Pelargonate $C_{15}H_{20}O_2$	Undecylate $C_{17}H_{34}O_2$	Laurate $C_{18}H_{36}O_2$	Myristate $C_{20}H_{40}O_2$	Palmitate $C_{22}H_{44}O_2$	Stearate $C_{24}H_{48}O_2$								
<i>d</i> - β -Hexyl esters	20-----	10.96	9.38	9.75	8.35	9.34	7.99	8.66	7.40	8.10	6.87	7.21	6.16	-----
	40-----	10.09	8.61	8.97	7.67	8.53	7.27	7.84	6.70	7.44	6.31	6.44	5.52	-----
	60-----	9.26	7.87	8.17	7.00	7.75	6.64	7.18	6.14	6.84	5.87	5.88	5.02	-----
	80-----	8.46	7.19	7.56	6.48	7.11	6.09	6.60	5.62	6.26	5.37	5.43	4.65	-----
	100-----	7.77	6.63	7.02	6.02	6.52	5.60	6.09	5.21	5.81	4.97	5.03	4.31	-----
	120-----	7.24	6.21	6.49	5.55	6.01	5.16	5.66	4.84	5.51	4.70	4.68	4.02	-----
	140-----	6.73	5.84	5.99	5.15	5.64	4.82	5.29	4.53	5.31	4.55	4.40	3.78	-----
	160-----	-----	-----	-----	-----	-----	-----	5.03	4.30	-----	-----	4.21	3.58	-----

Specific rotation [α]_D²⁰ of alkyl esters at various temperatures (164, 166)—Continued

	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893
<i>t</i>	Acetate $C_4H_{10}O_2$	Propionate $C_{10}H_{20}O_3$	<i>n</i> -Butyrate $C_{11}H_{22}O_3$	<i>n</i> -Valerate $C_{12}H_{24}O_3$	Caproate $C_{12}H_{28}O_3$	Enanthate $C_{14}H_{30}O_3$	Caprylate $C_{14}H_{32}O_3$							
(20)-----	9.55	8.23	9.77	8.37	11.86	10.16	12.02	10.26	11.63	9.97	11.16	9.53	10.62	9.07
40)-----	8.07	6.91	8.67	7.40	10.80	9.24	11.07	9.48	10.38	8.90	10.31	8.80	9.77	8.32
60)-----	6.88	5.89	7.64	6.53	9.72	8.34	10.20	8.70	9.48	8.12	9.49	8.09	8.97	7.64
80)-----	5.89	5.03	6.67	5.72	8.78	7.52	9.32	7.99	8.76	7.50	8.78	7.49	8.21	7.01
100)-----	4.85	4.16	5.70	4.88	7.91	6.78	8.57	7.34	8.12	6.95	8.07	6.88	7.56	6.48
120)-----	3.92	3.35	4.85	4.14	7.13	6.12	7.83	6.70	7.48	6.39	7.43	6.35	6.97	5.96
140)-----	-----	-----	-----	6.47	5.44	7.16	6.13	7.07	6.03	6.89	5.87	6.51	5.56	-----
160)-----	-----	-----	-----	6.03	5.16	6.62	5.66	-----	6.47	5.51	6.15	5.24	-----	-----
<i>d</i> - β -Heptyl esters	Pelargonate $C_{16}H_{32}O_2$	Undecylate $C_{16}H_{38}O_3$	Laurate $C_{19}H_{38}O_3$	Myristate $C_{21}H_{40}O_2$	Palmitate $C_{22}H_{42}O_2$	Stearate $C_{22}H_{44}O_2$								
(20)-----	10.15	8.70	9.28	7.96	8.85	7.58	8.10	6.91	7.69	6.53	7.10	6.06	-----	-----
40)-----	9.40	8.04	8.65	7.40	8.28	7.08	7.50	6.40	6.97	5.98	6.38	5.42	-----	-----
60)-----	8.62	7.36	7.98	6.84	7.62	6.49	6.91	5.89	6.32	5.40	5.79	4.95	-----	-----
80)-----	7.92	6.77	7.41	6.36	6.97	5.95	6.36	5.42	5.80	4.96	5.31	4.55	-----	-----
100)-----	7.25	6.21	6.88	5.86	6.38	5.45	5.91	5.05	5.43	4.63	5.03	4.31	-----	-----
120)-----	6.72	5.76	6.41	5.46	5.85	5.00	5.54	4.74	5.08	4.34	4.65	3.98	-----	-----
140)-----	6.33	5.42	6.00	5.11	5.46	4.67	5.14	4.38	4.74	4.05	4.35	3.73	-----	-----
160)-----	6.10	5.20	5.54	4.73	5.16	4.41	4.85	4.15	4.40	3.77	-----	-----	-----	-----
<i>d</i> - β -Octyl esters	Acetate $C_{10}H_{20}O_2$	Propionate $C_{11}H_{22}O_3$	<i>n</i> -Butyrate $C_{12}H_{24}O_2$	<i>n</i> -Valerate $C_{12}H_{26}O_2$	Caproate $C_{14}H_{30}O_3$	Enanthate $C_{15}H_{30}O_3$	Caprylate $C_{16}H_{32}O_3$							
(20)-----	8.01	6.84	8.16	6.98	10.46	8.95	10.65	9.16	10.54	8.96	9.97	8.50	9.61	8.25
40)-----	6.85	5.84	6.98	5.98	9.48	8.12	9.16	7.83	9.52	8.16	9.31	7.95	8.69	7.40
60)-----	5.67	4.85	6.00	5.14	8.50	7.29	8.22	7.03	8.66	7.42	8.52	7.30	7.87	6.74
80)-----	4.59	3.93	5.14	4.40	7.63	6.54	7.46	6.36	7.92	6.79	7.73	6.63	7.20	6.18
100)-----	3.67	3.15	4.35	3.72	6.87	5.90	6.85	5.84	7.27	6.24	6.99	6.01	6.66	5.71
120)-----	2.68	2.37	3.64	3.11	6.12	5.24	6.22	5.31	6.73	5.73	6.40	5.45	6.15	5.28
140)-----	1.82	1.70	3.04	2.60	5.50	4.70	5.68	4.86	6.24	5.34	5.98	5.11	5.69	4.87
160)-----	1.20	1.15	-----	-----	4.97	4.26	5.21	4.44	-----	-----	5.66	4.88	-----	-----
180)-----	.60	.85	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Pelargonate $C_{17}H_{34}O_2$	Undecylate $C_{16}H_{38}O_3$	Laurate $C_{20}H_{40}O_3$	Myristate $C_{22}H_{44}O_2$	Palmitate $C_{24}H_{48}O_2$	Stearate $C_{26}H_{52}O_2$								
(20)-----	9.34	7.96	8.57	7.35	8.21	7.00	7.72	6.59	7.18	6.14	6.68	5.71	-----	-----
40)-----	8.50	7.29	7.90	6.77	7.53	6.47	7.05	6.02	6.58	5.64	6.19	5.28	-----	-----
60)-----	7.83	6.71	7.24	6.18	6.91	5.94	6.43	5.48	6.10	5.21	5.69	4.86	-----	-----
80)-----	7.22	6.19	6.59	5.61	6.40	5.45	5.84	4.99	5.62	4.79	5.19	4.45	-----	-----
100)-----	6.73	5.72	6.03	5.09	5.88	5.02	5.35	4.59	5.18	4.41	4.83	4.12	-----	-----
120)-----	6.30	5.36	5.54	4.73	5.44	4.66	5.03	4.31	4.80	4.10	4.47	3.83	-----	-----
140)-----	5.92	5.06	5.23	4.47	5.05	4.29	4.71	4.04	4.42	3.78	4.12	3.53	-----	-----
160)-----	5.67	4.83	-----	-----	4.73	4.03	-----	-----	-----	-----	3.78	3.23	-----	-----

Specific rotation $[\alpha]_D^T$ of alkyl esters at various temperatures (164, 166)—Continued

	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	5, 461	5, 893	
<i>d</i> - β -Undecyl esters	Acetate $C_{13}H_{26}O_2$		Propionate $C_{14}H_{28}O_2$		<i>n</i> -Butyrate $C_{15}H_{30}O_2$		<i>n</i> -Valerate $C_{16}H_{32}O_2$		Caproate $C_{17}H_{34}O_2$		Enanthate $C_{18}H_{36}O_2$		
	20	6.17	5.27	6.04	5.15	8.57	7.31	8.72	7.46	8.63	7.37	8.36	7.17
40	4.94	4.24	5.12	4.40	7.52	6.40	7.79	6.67	7.85	6.69	7.71	6.60	
60	3.90	3.35	4.39	3.75	6.58	5.62	6.95	5.96	7.10	6.07	7.13	6.10	
80	3.08	2.62	3.71	3.17	5.83	4.99	6.19	5.30	7.46	5.52	6.51	5.57	
100	2.36	2.02	3.08	2.60	5.28	4.49	5.57	4.76	5.94	5.09	5.93	5.07	
120	2.07	1.87	2.53	2.15	4.77	4.07	5.03	4.30	5.50	4.69	5.36	4.57	
140	1.19	1.17	2.08	1.75	4.32	3.70	4.63	3.97	5.11	4.36	4.91	4.22	
160	.61	.47					4.34	3.69	4.79	4.08	4.68	4.01	
180	-.11	+.11											
<i>d</i> - β -Undecyl esters	Pelargonate $C_{19}H_{40}O_2$		Undecylate $C_{22}H_{44}O_2$		Laurate $C_{21}H_{40}O_2$		Myristate $C_{23}H_{50}O_2$						
	20	7.96	6.81	7.38	6.30	7.21	6.19	6.68	5.72				
40	7.27	6.21	6.75	5.76	6.67	5.70	6.09	5.21					
60	6.68	5.71	6.15	5.25	6.16	5.27	5.48	4.71					
80	6.16	5.29	5.65	4.85	5.57	4.77	4.97	4.25					
100	5.69	4.87	5.20	4.43	5.04	4.32	4.63	3.98					
120	5.20	4.44	4.80	4.11	4.75	4.09	4.33	3.71					
140	4.79	4.10	4.50	3.85	4.52	3.87	4.11	3.50					
160	4.46	3.82	4.27	3.66	4.29	3.67	3.99	3.42					
Formates				Acetates									
<i>d</i> - β -Butyl $C_8H_{10}O_2$		<i>d</i> - β -Octyl $C_9H_{18}O_2$		<i>d</i> - β -Nonyl $C_{11}H_{22}O_2$		<i>d</i> - β -Decyl $C_{12}H_{24}O_2$		<i>d</i> - β -Tridecyl $C_{15}H_{30}O_2$					
20	22.48	18.74	-5.04	-4.16	7.24	6.21	6.61	5.64	5.39	4.63			
40	20.27	16.87	-6.43	-5.35	5.76	4.92	5.44	4.67	4.45	3.83			
60	18.19	15.04	-7.84	-6.45	4.73	4.04	4.36	3.73	3.54	3.03			
80	16.19	13.48	-9.15	-7.45	3.80	3.26	3.36	2.88	2.76	2.36			
100			-10.38	-8.36	2.90	2.49	2.56	2.19	2.11	1.79			
120			-11.25	-9.04	2.06	1.74	1.85	1.60	1.55	1.35			
140			-11.85	-9.47	1.28	1.09	1.12	1.11	1.05	.89			
160					.60	.50	.57	-.54	.51	.40			
180									±.00	±.00			
Laurates													
<i>d</i> - β -Amyl $C_{17}H_{34}O_2$		<i>d</i> - β -Nonyl $C_{21}H_{42}O_2$		<i>d</i> - β -Decyl $C_{22}H_{44}O_2$		<i>d</i> - β -Dodecyl $C_{24}H_{48}O_2$		<i>d</i> - β -Tridecyl $C_{25}H_{50}O_2$					
20	12.24	10.44	7.87	6.71	7.51	6.41	6.90	5.99	6.83	5.87			
40	11.42	9.17	7.15	6.12	7.05	6.02	6.42	5.49	6.21	5.33			
60	10.75	9.16	6.53	5.60	6.40	5.47	5.91	5.07	5.64	4.86			
80	10.17	8.69	5.98	5.14	5.72	4.88	5.45	4.67	5.20	4.47			
100	9.65	8.21	5.48	4.67	5.18	4.42	5.04	4.31	4.81	4.13			
120	9.17	7.80	5.05	4.31	4.81	4.11	4.69	4.01	4.46	3.82			
140	8.74	7.43	4.69	4.01	4.60	3.92	4.37	3.72	4.22	3.62			
160			4.35	3.72	4.45	3.78	4.10	3.50	4.10	3.50			

Specific rotation [α]_D of alkyl esters in various solvents (5 per cent concentration) (164)

$t = \text{Room temp. } \lambda =$	5,893	5,461	4,338	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	
$s =$	Ethyl alcohol				Pyridine				Benzene				Carbon disulphide			
Ester	β -Butyl esters												β -Hexyl esters			
Acetate	25.87	30.45	50.06	18.56	21.78	35.13	21.92	26.10	43.73	15.62	18.31	27.53	6.94	7.66	11.64	
Propionate	24.69	29.10	47.48	17.22	20.22	32.80	29.49	-----	-----	-----	-----	-----	7.47	7.99	12.56	
n-Butyrate	22.80	26.40	44.60	16.29	18.49	29.49	-----	-----	-----	-----	-----	-----	9.11	10.28	16.46	
n-Valerate	21.40	25.04	40.90	10.90	-----	-----	-----	14.42	16.29	27.52	8.92	10.00	15.58	10.34	11.42	18.40
Caproate	19.28	22.78	37.36	-----	-----	-----	-----	-----	-----	-----	-----	-----	9.05	10.06	18.86	18.23
Enanthate	18.03	21.15	34.99	12.80	14.92	23.18	13.49	15.91	26.51	-----	-----	-----	9.82	11.38	17.74	
Caprylate	16.95	19.83	32.95	12.06	13.44	21.77	11.33	13.93	23.12	8.40	10.01	15.01	8.99	10.69	16.24	
Caprylate	15.82	18.33	30.19	11.42	13.04	21.22	10.03	12.90	19.63	7.03	8.81	12.20	-----	-----	-----	
Palmitate	14.38	16.61	27.79	10.03	10.03	12.90	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Undecylate	13.79	16.01	26.47	-----	-----	-----	-----	9.47	11.13	18.39	6.32	7.46	10.77	6.63	7.46	10.77
Lauroate	12.60	14.30	23.56	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Mristate	11.01	13.02	21.46	7.55	8.92	14.86	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Palmitate	10.30	11.80	19.56	-----	-----	-----	7.89	9.37	15.09	5.55	6.47	9.71	5.40	6.44	10.55	
Stearate	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
$s = \text{Benzene}$																
Acetate	5.02	6.72	8.13	-----	-----	-----	-----	-----	-----	-----	-----	-----	-8.52	-10.28	-20.96	
Propionate	6.71	6.32	9.27	-----	-----	-----	-----	-----	-----	-----	-----	-----	10.91	14.24	28.21	
n-Butyrate	8.06	9.26	14.71	-2.13	-2.84	-6.10	-0.65	-0.87	-1.85	7.71	9.74	19.73	1.26	1.36	2.14	
n-Valerate	8.92	9.88	15.72	-----	-----	-----	+0.91	+1.01	+0.39	6.10	8.52	17.71	-----	-----	-----	
Caproate	8.20	9.78	15.10	-----	-----	-----	-----	-----	-----	-----	-----	-----	3.63	4.19	4.65	
Enanthate	8.43	10.29	17.18	-----	-----	-----	-----	-----	-----	-----	-----	-----	5.28	6.39	13.70	
Caprylate	8.53	9.82	15.18	-0.40	-0.68	-1.35	1.33	1.54	1.95	4.80	6.63	13.09	-----	-----	-----	
Pelargonate	8.32	8.92	14.25	+0.35	-0.18	-1.42	1.60	1.33	0.36	5.42	7.20	14.16	-----	-----	-----	
Undecylate	7.36	8.25	13.80	-----	-----	-----	1.41	1.50	1.59	4.63	6.04	12.17	-----	-----	-----	
Lauroate	7.08	8.11	13.80	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
Mristate	6.59	7.19	11.72	-----	-----	-----	-----	1.21	1.43	1.64	3.92	5.26	10.52	-----	-----	-----
Palmitate	6.19	-----	-----	-----	-----	-----	+0.93	-----	-----	-----	-----	-----	-----	-----	-----	-----
Stearate	6.90	6.63	10.58	+0.27	+0.27	+0.64	1.04	0.78	-0.27	3.44	4.00	8.50	2.57	2.57	2.92	

Specific rotation [α_d^l] of alkyl esters in various solvents (5 per cent concentration) (164)—Continued

<i>t</i> = Room temp. λ =	5, 893	5, 461	4, 358	5, 893	5, 461	4, 358	5, 893	5, 461	4, 358	5, 893	5, 461	4, 358	β -Butyl acetate																		
<i>s</i> =	β -Octyl acetate						β -Octyl stearate						β -Octyl enanthate						β -Octyl hydrogen phthalate						β -Butyl acetate						
None	6.84	8.01	12.45	5.71	6.68	—	8.59	9.97	16.10	—	—	—	25.43	30.17	49.52	—	—	—	—	—	—	—	—	—	—	—					
C_6H_5Br	9.79	11.84	17.42	7.43	8.50	—	14.50	11.39	13.00	21.76	—	—	26.80	31.96	52.84	—	—	—	—	—	—	—	—	—	—	—	—				
CH_3COCl	5.91	6.84	9.53	—	—	—	5.48	6.52	10.17	9.09	10.16	16.66	—	—	—	25.61	30.31	49.87	—	—	—	—	—	—	—	—	—	—			
$OHCOCH_3$	5.66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
OH_2NO_2	5.25	6.83	8.55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
$EtOAc$	5.18	—	—	—	—	—	5.31	5.86	9.68	8.07	7.76	8.68	15.89	46.58	55.99	104.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
$AcOH$	3.78	—	—	—	—	—	4.57	5.11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
$AcOH$	3.65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
$EtOH$	3.52	4.15	6.00	5.27	6.53	10.24	7.87	8.53	14.10	48.65	59.51	112.1	—	—	—	25.87	30.45	50.06	—	—	—	—	—	—	—	—	—	—	—		
CCl_4	3.50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
O_2H_6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Phenetole	—1.39	—1.12	—3.63	0.32	±0.00	—0.63	±0.00	—0.51	—2.11	42.83	52.41	98.72	21.92	26.10	43.73	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
C_6H_5Cl	—3.10	—4.83	—10.69	0.27	±0.00	—0.73	—0.90	—1.54	—3.88	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
DY	—3.80	—4.83	—10.69	—4.49	±0.00	—6.15	—10.03	—6.36	—8.23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
OS	—8.96	—11.45	—22.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Influence of concentration on rotatory power at laboratory temperature (164)

<i>p</i>	λ	5, 893	5, 461	4, 358	λ	5, 893	5, 461	4, 358	λ	5, 893	5, 461	4, 358	$d\beta$ -Butyl acetate $s = CS_3$	$d\beta$ -Octyl acetate $s = CS_4$	$d\beta$ -Octyl hydrogen phthalate $s = C_6H_6$	$d\beta$ -Butyl acetate $s = C_6H_6$
7.56	16.02	18.33	28.15	4.56	—9.11	—10.46	—	—	9.77	—0.64	—0.88	—	29.39	—0.49	—0.88	—2.86
21.40	19.04	22.17	35.52	15.37	—5.14	—6.27	—	—	—13.95	—0.49	—0.33	—	46.59	—0.49	—0.33	—5.51
23.87	20.21	23.63	38.23	32.07	—1.07	—1.52	—	—	—4.77	—0.49	—0.33	—	62.91	—0.49	—0.33	—1.73
50.15	22.40	26.43	43.21	44.33	+1.15	+1.18	+1.18	+1.18	+1.79	+1.05	+1.05	+1.05	71.05	3.96	3.96	4.68
66.45	23.84	28.16	46.22	47.90	1.72	1.79	1.79	1.79	1.27	0.06	0.06	0.06	7.05	4.44	4.44	6.22
100.00	25.43	30.17	49.51	60.85	3.47	3.92	3.92	3.92	5.06	5.53	7.85	7.85	8.22	8.22	8.22	12.47

Specific rotation $[\alpha]_D^{\lambda}$ of esters of acetic acid (99)

$\lambda \rightarrow$	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	
\downarrow		$C_6H_{12}O_4$	$d\gamma$ -Hexyl acetate		$C_8H_{18}O_2$	$d\gamma$ -Octyl acetate		$C_{10}H_{20}O_2$	$d\gamma$ -Decyl acetate		$C_{12}H_{22}O_2$	$d\gamma$ -Dodecyl acetate		$C_{14}H_{24}O_2$	$d\gamma$ -Tetradecyl acetate	
20	0.55	0.65	0.71	-4.68	-5.66	-10.44	-4.30	-5.08	-9.63	4.48	5.40	9.85	4.40	5.11	9.38	3.68
40	.54	.63	.70	-4.73	-5.73	-10.52	-4.37	-5.15	-9.75	4.53	5.44	9.44	4.40	5.14	9.38	3.64
60	.52	.61	.68	-4.78	-5.80	-10.63	-4.46	-5.24	-9.88	4.56	5.48	9.96	4.42	5.20	9.49	3.69
80	.51	.60	.67	-4.83	-5.88	-10.73	-4.54	-5.34	-10.02	4.62	5.53	10.03	4.45	5.24	9.55	3.67
100	.50	.58	.65	-4.88	-5.94	-10.83	-4.61	-5.43	-10.16	4.66	5.57	10.10	4.47	5.28	9.62	3.65
120	.48	.56	.63	-4.93	-6.01	-10.95	-4.71	-5.54	-10.30	4.72	5.61	10.20	4.50	5.33	9.69	3.59
140	.46	.54	.61	-4.98	-6.08	-11.07	-4.77	-6.63	-10.43	4.77	5.67	10.29	4.53	5.37	9.72	3.63
160				-5.03	-6.16	-11.20	-4.86	-6.73	-10.59	4.82	5.70	10.40	4.67	5.35	9.80	3.71
180							-4.96	-5.85	-10.79	4.87	5.74	10.49	4.58	5.48	9.88	3.80
200										4.92	5.79	10.59	4.59	5.40	9.95	3.85
\downarrow		$O_2H_{10}O_2$	$d\gamma$ -Tridecyl acetate		$C_9H_{18}O_3$	$d\gamma$ -Tetradecyl acetate		$C_{10}H_{20}O_3$	$d\gamma$ -Pentadecyl acetate		$C_{11}H_{22}O_3$	$d\gamma$ -Hexadecyl acetate		$C_{12}H_{24}O_3$	$d\gamma$ -Octadecyl acetate	
20	3.83	4.61	8.49	3.69	4.44	8.17	3.68	4.42	8.08	3.19	3.80	7.20	2.98	3.72	6.63	-----
40	3.86	4.64	8.53	3.70	4.46	8.22	3.67	4.42	8.10	3.21	3.87	7.25	3.01	3.53	6.65	-----
60	3.90	4.69	8.56	3.73	4.49	8.27	3.68	4.43	8.12	3.24	3.89	7.28	3.00	3.53	6.67	-----
80	3.93	4.71	8.60	3.76	4.51	8.33	3.69	4.45	8.15	3.26	3.89	7.30	3.02	3.55	6.71	-----
100	3.97	4.73	8.66	3.79	4.56	8.38	3.70	4.47	8.18	3.31	3.90	7.35	3.06	3.56	6.75	-----
120	4.00	4.76	8.72	3.82	4.58	8.44	3.70	4.49	8.21	3.35	3.91	7.39	3.06	3.58	6.79	-----
140	4.03	4.78	8.78	3.86	4.61	8.52	3.70	4.51	8.23	3.38	3.92	7.44	3.08	3.63	6.85	-----
160	4.08	4.84	8.89	3.91	4.64	8.59	3.71	4.53	8.30	3.40	3.93	7.59	3.11	3.60	6.89	-----
180	4.13	4.91	9.03	3.95	4.68	8.66	3.71	4.62	8.37	3.44	3.97	7.69	3.14	3.63	6.93	-----
200	4.17	4.94	9.14	3.99	4.71	8.76	3.71	4.56	8.40	3.47	4.00	7.69	3.16	3.63	6.99	-----

Specific rotation $[\alpha]_D^{20}$ of alkyl esters in solution (99)

c=5 per cent s	Acetates						Enanthates			
	EtOH			CS ₂		EtOH	EtOH		CS ₂	
	λ	5,893	5,461	4,358	5,893	4,358	5,461	4,358		
<i>d</i> -sec-Butyl	25.87	30.45	50.06	15.62	18.31	27.53	18.03	21.15	34.99	8.16
<i>d</i> -Penyl	(1) -.34	(1) -.43	(1) -.60	(1) -.23	(1) -.23	(1) -.34	(1) +.08	(1) +.16	(1) +.32	(1) 2.04
<i>d</i> - γ -Methyl	-8.01	-8.96	-16.28	-14.96	-18.10	-33.06	-3.19	-3.44	-6.46	-10.64
<i>d</i> - γ -Isopropyl	-7.41	-8.69	-15.42	-15.27	-18.32	-33.60	-2.70	-3.15	-5.81	-10.70
<i>d</i> - γ -Octyl	-8.12	-9.57	-16.90	-17.89	-21.31	-38.62	-3.67	-4.32	-7.61	-13.40
<i>d</i> - γ -Nonyl	7.24	8.87	15.58	15.28	18.16	34.43				-16.10
<i>d</i> - γ -Decyl	7.12	8.45	14.86	14.24	17.13	32.63				-28.30
<i>L</i> - γ -Undecyl	6.02	7.42	13.64	13.10	15.44	20.26				
<i>L</i> - γ -Dodecyl	6.77	8.19	14.46	14.12	16.90	31.12	-2.40	-2.70	-5.09	-10.50
<i>L</i> - γ -Tridecyl	6.60	8.11	14.97	13.92	16.85	31.03	+2.45	+2.45	-2.94	-12.60
<i>L</i> - γ -Tetradecyl	6.61	8.31	15.08	13.33	16.01	20.84	+2.69	+3.41	+5.96	-22.90
<i>L</i> - γ -Pentadecyl	6.56	7.60	13.27	12.39	15.20	28.39	2.10	2.54	+6.20	10.60
<i>L</i> - γ -Hexadecyl	5.96	7.06	12.25	11.54	13.59	25.23	1.94	2.31	6.61	10.21
<i>L</i> - γ -Octadecyl									4.64	8.46

¹Inactive.

Specific rotatory power $[\alpha]_D^l$ of *d*- β -octyl alkyl esters of the dicarboxylic acids (78)

		$C_{10}H_{20}O_4$ Octyl methyl oxalate				$C_{10}H_{20}O_4$ Octyl ethyl oxalate				$C_{10}H_{20}O_4$ Octyl ethyl malonate				$C_{10}H_{20}O_4$ <i>L</i> - β -Octyl methyl succinate			
$\frac{l}{\downarrow}$	$\lambda \rightarrow$	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	
20		14.22	16.64	25.91	13.98	16.33	24.94	9.27	10.83	17.40	-3.54	-3.97	-5.35				
40		13.32	15.24	24.25	13.05	15.13	23.56	8.10	9.28	15.19	3.39	3.39	5.62				
60		12.72	14.42	22.96	12.54	14.17	22.08	7.36	8.41	13.74	3.30	3.30	5.42				
80		12.22	13.77	21.96	12.48	13.72	21.04	6.67	7.73	12.59	3.12	3.12	5.20				
100		11.79	13.21	21.01	12.38	13.44	20.08	6.13	7.17	11.61	2.94	3.38	5.00				
120		11.39	12.68	20.19	12.37	13.36	19.21	5.66	6.72	10.81	2.77	3.17	4.78				
		$C_{10}H_{20}O_4$ Octyl ethyl succinate				$C_{10}H_{20}O_4$ Octyl oxalate				$C_{10}H_{20}O_4$ Octyl malonate				$C_{10}H_{20}O_4$ Octyl adipate			
$\frac{l}{\downarrow}$	$\lambda \rightarrow$	6,438	5,461	5,086	4,800	4,678	4,358	5,893	5,461	4,358	6,438	5,461	5,086	4,800	4,678	4,358	
20		2.44	3.67	3.96	4.37	4.56	5.33	22.72	26.57	40.66	9.19	12.83	14.79	16.37	17.07	19.37	
40		2.29	3.48	3.78	4.16	4.37	5.05	21.56	24.93	38.77	8.08	11.33	12.88	14.23	14.89	16.62	
60		2.25	3.39	3.65	3.98	4.19	4.82	20.60	23.72	37.15	7.09	10.18	11.44	12.68	13.40	14.60	
80		2.20	3.35	3.59	3.88	4.10	4.69	19.86	22.83	35.95	6.42	9.17	10.24	11.39	12.08	13.11	
100		2.20	3.30	3.55	3.79	4.02	4.62	19.32	22.26	34.92	5.95	8.40	9.33	10.29	10.98	11.90	
120		2.20	3.30	3.53	3.75	3.96	4.58	18.98	21.77	34.00	5.51	7.76	8.62	9.43	10.09	10.92	
		$C_{10}H_{20}O_4$ Octyl succinate				$C_{10}H_{20}O_4$ Octyl glutarate				$C_{10}H_{20}O_4$ Octyl adipate				$C_{10}H_{20}O_4$ Octyl adipate			
$\frac{l}{\downarrow}$	$\lambda \rightarrow$	6,438	5,461	5,086	4,800	4,678	4,358	6,438	5,461	4,358	6,438	5,461	5,086	4,800	4,678	4,358	
20		4.08	5.54	6.00	6.65	7.02	7.63	7.12	10.35	11.63	12.77	13.39	15.35	11.23	12.66	19.93	
40		3.93	5.32	5.77	6.39	6.70	7.23	6.33	9.18	10.17	11.14	11.89	13.40	10.42	11.64	18.34	
60		3.77	5.21	5.60	6.21	6.50	7.00	5.70	8.25	9.95	10.60	11.93	12.69	9.55	10.69	16.93	
80		3.63	5.10	5.49	6.04	6.36	6.82	5.22	7.47	8.28	9.04	9.61	10.99	8.60	9.81	15.52	
100		3.55	5.05	5.45	5.96	6.22	6.69	4.87	6.91	7.72	8.43	9.05	10.25	7.90	9.01	14.23	
120		3.53	5.03	5.43	5.91	6.12	6.41	4.60	6.46	7.20	7.99	8.47	9.59	7.19	8.23	13.17	

Specific rotatory power [α]_D^t of d - β -octyl alkyl esters of the dicarboxylic acids (78)—Continued

t	$\lambda \rightarrow$	C ₂₁ H ₄₄ O, Octyl pinolate				C ₁₉ H ₄₀ O ₄ Octyl substrate				C ₂₁ H ₄₄ O ₄ Octyl azelate						
		6,438	5,461	5,086	4,800	4,678	4,358			6,438	5,461	5,086	4,800	4,678	4,358	
20	9.53	13.18	15.33	17.22	18.25	20.64	11.01	12.95	19.59	9.02	12.76	14.69	16.36	17.10	19.54	
40	8.49	11.52	13.34	14.10	17.94	9.89	11.59	17.97	8.37	11.68	13.51	14.99	15.60	17.59	16.12	
60	7.72	10.31	11.83	13.39	14.16	15.91	8.85	10.47	16.77	7.75	10.68	12.36	13.69	14.23	14.84	
80	7.13	9.42	10.80	12.28	12.99	14.40	8.03	9.54	15.79	7.16	9.65	11.33	12.57	13.07	13.84	
100	6.76	8.83	10.14	11.62	12.21	13.48	7.35	8.95	14.84	6.64	9.17	10.40	11.50	12.01	13.84	
120	6.53	8.44	9.66	11.26	11.79	12.94	6.85	8.46	13.88	6.23	8.58	9.59	10.60	11.05	11.99	
		C ₁₉ H ₄₀ O ₄ Octyl <i>n</i> -nonane- <i>i</i> -dicarboxylate				C ₁₉ H ₄₀ O ₄ Octyl <i>n</i> -decane- <i>k</i> -dicarboxylate				C ₂₁ H ₄₄ O ₄ Octyl <i>n</i> -undecane- <i>k</i> -dicarboxylate						
		6,438	5,461	5,086	4,800	4,678	4,358	5,893	5,461	4,358	5,893	5,461	5,086	4,800	4,678	4,358
20	8.45	12.04	14.16	15.80	16.75	18.87	10.37	11.77	18.30	10.36	11.29	16.98	9.25	11.12	17.47	
40	7.64	10.84	12.76	14.03	14.86	16.86	9.39	10.54	16.05	9.25	10.22	15.37	8.77	10.35	16.02	
60	6.96	9.76	11.43	12.48	13.35	15.04	8.63	9.66	14.65	8.42	9.40	14.32	8.48	9.76	14.79	
80	6.39	8.83	10.36	11.29	12.08	13.51	7.84	8.87	13.43	7.67	8.70	13.42	8.27	9.33	13.73	
100	5.95	8.03	8.40	10.34	11.10	12.26	7.08	8.05	12.33	7.02	8.02	12.56	8.95	12.83	13.83	
120	5.62	7.45	8.72	9.61	10.31	11.29	6.29	7.18	11.27	6.52	7.44	11.70	7.89	8.74	11.99	

Specific rotatory power [α_D^t] of the preceding esters in approximately 5 per cent solution

Esters	s-Ethyl alcohol					Carbon disulphide				
	c	t	5,893	5,461	4,358	c	t	5,893	5,461	4,358
d-β-C ₁₁ H ₂₀ O ₄ -----	4.95	20	13.14	16.28	24.36	4.57	20	11.48	12.47	18.27
d-β-C ₁₂ H ₂₂ O ₄ -----	4.99	18	13.61	18.03	25.64	5.01	18	9.98	12.08	18.47
d-β-C ₁₃ H ₂₄ O ₄ malonate-----	5.04	21	7.34	8.14	13.70	5.06	19.5	-5.04	-7.01	-14.62
l-β-C ₁₃ H ₂₄ O ₄ succinate-----	5.05	20	-1.29	-2.18	-2.97	5.06	20	12.66	16.02	31.54
d-β-C ₁₄ H ₂₆ O ₄ -----	5.07	18	1.87	2.66	4.73	4.99	17	-13.34	-14.94	-31.09
d-β-C ₁₅ H ₂₈ O ₄ -----	4.99	18	23.73	27.54	43.66	4.97	16	10.37	13.79	17.22
d-β-C ₁₆ H ₃₀ O ₄ -----	5.04	18	9.63	10.52	16.07	4.99	17	-13.13	-15.14	-30.17
d-β-C ₁₇ H ₃₂ O ₄ -----	5.10	18	1.77	1.67	-29	5.03	17	-21.18	-24.97	-49.82
d-β-C ₂₁ H ₄₀ O ₄ -----	5.07	18	8.39	9.48	14.51	5.05	17	-11.69	-13.67	-27.33
d-β-C ₂₂ H ₄₂ O ₄ -----	5.03	18	9.45	10.35	16.72	5.11	17	-10.95	-13.10	-26.70
d-β-C ₂₃ H ₄₄ O ₄ -----	5.04	18	9.43	11.03	17.98	5.09	18	-8.85	-11.90	-22.81
d-β-C ₂₄ H ₄₆ O ₄ -----	5.03	19	8.95	10.74	17.70	5.01	18	-9.59	-11.29	-20.48
d-β-C ₂₅ H ₄₈ O ₄ -----	5.15	19	9.22	10.86	16.11	5.03	18	-7.86	-9.75	-20.19
d-β-C ₂₆ H ₅₀ O ₄ -----	5.00	18	8.71	10.41	16.81	4.96	18	-8.06	-10.28	-20.34
d-β-C ₂₇ H ₅₂ O ₄ -----	5.04	18	8.93	10.12	16.36	4.97	18	-7.75	-9.46	-20.22
d-β-C ₂₈ H ₅₄ O ₄ -----	5.01	19	9.29	9.98	16.58	4.97	18	-7.65	-9.36	-18.94
d-β-C ₂₉ H ₅₆ O ₄ -----	4.62	19	9.41	10.06	15.15	4.71	18	-6.26	-7.85	-15.50

Alkylisopropylcarbinyl hydrogen phthalates (162)	CHCl ₃ c=5		EtOH c=5	
	[α] _D	[M] _D	[α] _D	[M] _D
C ₁₂ H ₂₀ O ₄ d-Methyl ¹ -----	37.9	89.3	41.4	97.7
C ₁₄ H ₂₁ O ₄ d-Ethyl ¹ -----	-5	-1.2	-4.0	-10.1
C ₁₅ H ₂₀ O ₄ d-Propyl-----	-7.8	20.9	8.4	22.1
C ₁₄ H ₂₀ O ₄ l-n-Propyl-----	-7.8	-----	-8.0	-----
C ₁₅ H ₂₀ O ₄ d-n-Butyl-----	13.9	38.7	12.8	35.5
C ₁₆ H ₂₁ O ₄ l-n-Butyl-----	-13.8	-----	-12.9	-----
C ₁₇ H ₂₀ O ₄ d-n-Butyl-----	13.5	39.3	15.1	44.1
C ₁₄ H ₂₀ O ₄ d-n-Hexyl-----	11.8	36.1	17.0	52.1
C ₂₀ H ₃₈ O ₄ d-n-Octyl-----	16.9	56.3	17.2	57.3
C ₂₂ H ₄₀ O ₄ d-n-Decyl-----	13.9	50.3	16.8	61.0

¹ Not recrystallized, being very soluble in organic media.

α, β-Dichloropropionates¹ (67)

C ₄ H ₈ Cl ₂ O ₂ Methyl	C ₅ H ₁₀ Cl ₂ O ₂ Ethyl	C ₇ H ₁₂ Cl ₂ O ₂ Isobutyl	C ₁₀ H ₁₈ Cl ₂ O ₂ Heptyl				
t	[α] _D	t	[α] _D	t	[α] _D	t	[α] _D
3.5	0.95	12.0	-1.96	14.5	-3.73	12.0	-1.84
13.5	1.47	20.0	-1.79	20.0	-3.62	20.0	-1.73
20.0	1.70	39.5	-1.40	40.5	-3.31	40.0	-1.62
43.5	2.35	56.5	-0.97	68.0	-2.91	53.0	-1.54
54.5	2.54	-----	-----	-----	-----	99.0	-1.26

¹ Prepared from corresponding l-glycerates, possibly partly racemized.

Specific rotation [α] of *d*- γ -nonyl esters (99, 166)

$\lambda \rightarrow$	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358	5,893	5,461	4,358			
ℓ	$C_{10}H_{20}O_2$ Formate			$C_{11}H_{22}O_2$ Acetate			$C_{12}H_{24}O_2$ Propionate			$C_{13}H_{26}O_2$ n-Butyrate			$C_{14}H_{28}O_2$ Valerate		
20	-11.28	-13.47	-23.48	-5.21	-6.27	-11.47	-5.87	-7.00	-12.55	-3.38	-4.11	-7.59	-3.12	-3.85	-7.18
40	-11.27	-13.36	-23.42	-5.21	-6.25	-11.43	-5.67	-6.81	-12.27	-3.31	-4.05	-7.54	-3.01	-3.78	-6.96
60	-11.26	-13.24	-23.42	-5.25	-6.34	-11.47	-5.53	-6.67	-12.03	-3.27	-4.00	-7.49	-2.91	-3.68	-6.79
80	-11.24	-13.13	-23.52	-5.26	-6.39	-11.56	-5.43	-6.58	-11.85	-3.22	-3.96	-7.43	-2.82	-3.57	-6.60
100	-11.23	-13.11	-23.72	-5.33	-6.45	-11.68	-5.36	-6.51	-11.70	-3.20	-3.92	-7.39	-2.73	-3.45	-6.41
120	-11.26	-13.26	-24.08	-5.39	-6.58	-11.79	-5.35	-6.40	-11.64	-3.15	-3.88	-7.34	-2.63	-3.32	-6.19
140	-11.25	-13.26	-24.08	-5.47	-6.64	-11.88	-5.30	-6.39	-11.39	-3.11	-3.83	-7.27	-2.56	-3.20	-6.00
160	-11.26	-13.26	-24.08	-5.51	-6.67	-11.98	-5.28	-6.42	-11.27	-3.06	-3.76	-7.21	-2.49	-3.09	-5.78
180	-11.26	-13.26	-24.08	-5.51	-6.67	-11.98	-5.28	-6.42	-11.27	-3.01	-3.70	-7.13	-2.41	-2.96	-5.55
200	-11.26	-13.26	-24.08	-5.51	-6.67	-11.98	-5.28	-6.42	-11.27	-3.01	-3.70	-7.09	-2.33	-2.80	-5.31
ℓ	$C_{15}H_{30}O_2$ Caproate			$C_{16}H_{32}O_2$ Enanthate			$C_{17}H_{34}O_2$ Caprylate			$C_{18}H_{36}O_2$ Pelargonate			$C_{19}H_{38}O_2$ Caprate		
20	-2.66	-3.33	-6.23	-2.36	-2.91	-5.62	-2.10	-2.54	-4.94	-1.94	-2.45	-4.59	-1.90	-2.44	-4.38
40	-2.66	-3.21	-6.04	-2.26	-2.82	-5.39	-2.02	-2.50	-4.81	-1.84	-2.38	-4.46	-1.84	-2.38	-4.28
60	-2.66	-3.12	-5.82	-2.18	-2.70	-5.16	-1.94	-2.42	-4.66	-1.76	-2.29	-4.33	-1.78	-2.31	-4.18
80	-2.66	-3.03	-5.62	-2.10	-2.59	-5.02	-1.85	-2.35	-4.54	-1.68	-2.22	-4.21	-1.73	-2.24	-4.07
100	-2.66	-2.90	-5.45	-2.02	-2.50	-4.79	-1.76	-2.28	-4.39	-1.59	-2.11	-4.08	-1.66	-2.16	-3.96
120	-2.66	-2.16	-5.26	-1.93	-2.39	-4.59	-1.65	-2.20	-4.24	-1.48	-2.02	-3.94	-1.57	-2.05	-3.84
140	-2.66	-2.09	-5.06	-1.84	-2.30	-4.42	-1.55	-2.12	-4.06	-1.37	-1.93	-3.79	-1.50	-1.96	-3.72
160	-2.66	-2.02	-4.90	-1.76	-2.19	-4.23	-1.43	-2.03	-3.91	-1.26	-1.83	-3.66	-1.41	-1.86	-3.60
180	-2.66	-2.02	-4.75	-1.71	-2.09	-4.09	-1.33	-1.95	-3.73	-1.15	-1.74	-3.49	-1.32	-1.77	-3.46
200	-2.66	-2.02	-4.66	-1.68	-2.01	-3.96	-1.20	-1.87	-3.66	-1.04	-1.63	-3.31	-1.25	-1.66	-3.33
ℓ	$C_{20}H_{40}O_2$ Undecylate			$C_{21}H_{42}O_2$ Laurate			$C_{22}H_{44}O_2$ Myristate			$C_{23}H_{46}O_2$ Palmitate			$C_{24}H_{48}O_2$ Stearate		
20	-1.83	-2.28	-4.33	-1.63	-2.08	-3.85	-1.65	-2.01	-3.74	-1.49	-1.86	-3.34	-1.49	-1.78	-3.17
40	-1.79	-2.24	-4.25	-1.55	-1.99	-3.71	-1.61	-1.94	-3.61	-1.46	-1.80	-3.27	-1.46	-1.74	-3.08
60	-1.76	-2.19	-4.12	-1.48	-1.93	-3.57	-1.47	-1.87	-3.46	-1.43	-1.75	-3.20	-1.43	-1.71	-3.00
80	-1.70	-2.11	-4.01	-1.41	-1.84	-3.43	-1.43	-1.81	-3.34	-1.39	-1.67	-3.11	-1.39	-1.67	-2.92
100	-1.67	-2.01	-3.91	-1.34	-1.75	-3.34	-1.34	-1.73	-3.27	-1.34	-1.60	-3.00	-1.34	-1.62	-2.85
120	-1.61	-1.89	-3.46	-1.27	-1.68	-3.12	-1.27	-1.64	-3.03	-1.30	-1.55	-2.93	-1.30	-1.59	-2.76
140	-1.53	-1.80	-3.29	-1.21	-1.69	-2.94	-1.21	-1.56	-2.87	-1.23	-1.49	-2.82	-1.25	-1.53	-2.65
160	-1.42	-1.69	-3.08	-1.12	-1.49	-2.77	-1.15	-1.48	-2.71	-1.16	-1.39	-2.71	-1.20	-1.46	-2.57
180	-1.33	-1.69	-2.87	-0.99	-1.39	-2.68	-1.08	-1.39	-2.54	-1.08	-1.28	-2.57	-1.14	-1.41	-2.46
200	-1.22	-1.69	-2.87	-0.96	-1.20	-2.39	-0.99	-1.28	-2.34	-0.96	-1.25	-2.45	-1.10	-1.37	-2.37

Specific rotation $[\alpha]_D^t$ of *d*- γ -nonyl esters in solution (99)
 t = Temperature of laboratory

Ester	<i>c</i>	Ethyl alcohol			<i>c</i>	Carbon disulphide		
		$\lambda =$	5,893	5,461	4,358	$\lambda =$	5,893	5,461
Acetate	4.495	-8.12	-9.57	-16.90	5.115	-17.89	-21.31	-38.62
Propionate	5.240	-8.77	-20.68	-17.97	5.430	-20.72	-25.59	-44.01
<i>n</i> -Butyrate	5.195	-5.69	-6.65	-11.55	5.175	-17.10	-24.80	-36.74
<i>n</i> -Valerate	5.095	-4.91	-5.59	-9.61	5.050	-15.36	-19.42	-34.48
Caproate	4.885	-4.19	-4.93	-8.84	5.255	-14.55	-17.51	-31.49
Enanthate	5.170	-3.67	-4.32	-7.61	5.005	-13.40	-16.10	-28.30
Caprylate	5.035	-3.07	-3.52	-6.05	5.435	-12.51	-15.37	-26.22
Pelargonate	5.280	-2.76	-3.48	-5.42	5.295	-11.90	-14.73	-24.93
Caprate	5.720	-2.62	-3.32	-6.03	5.720	-10.75	-13.63	-24.04
Undecylate	5.440	-2.42	-2.84	-5.26	5.745	-10.35	-12.61	-23.31
Laurate	5.090	-2.36	-2.86	-4.47	4.995	-10.30	-12.51	-22.02
Myristate		-2.31	-2.48	-3.85	4.925	-9.75	-11.68	-20.31
Palmitate	4.735	-2.40	-2.69	-3.36	5.140	-9.15	-10.51	-18.78
Stearate	4.755	-2.30	-2.49	-3.33	5.245	-8.67	-10.49	-17.93

Specific rotation of d- γ -nonyl acetate (99)

Py	4.820	-13.39	-16.08	25.72	-----	-----	-----
C ₆ H ₆	4.831	-12.42	-14.87	25.50	-----	-----	-----
CHCl ₃	4.615	-8.73	-9.55	16.25	-----	-----	-----
AcOEt	4.996	-5.91	-7.00	12.21	-----	-----	-----
Me ₂ CO	4.684	-6.08	-7.15	12.06	-----	-----	-----
C ₂ H ₅ Br ₂	4.898	-3.74	-4.49	8.13	-----	-----	-----

C ₄ H ₈ O ₂ Methyl <i>l</i> -lactate (148; cf., 66, 221)							
(66; cf., 221)		s=PhNO ₂		C ₂ H ₅ Cl ₄			
<i>t</i>	[α] _D ^t	<i>t</i>	[α] _D ^t	<i>t</i>	$p=9.937$	$p=9.937$	[α] _D ^t
-75.0	5.48	16.0	9.85	-----	-7.8	-7.66	-----
-51.0	5.84	36.2	9.90	-----	39.7	-2.53	-----
16.7	8.10	56.5	10.16	-----	94.3	1.96	-----
35.4	8.68	104.5	10.63	-----	120.0	3.74	-----
78.8	9.98	141.0	10.95	-----	-----	-----	-----
125.0	11.13	-----	-----	-----	-----	-----	-----
C ₆ H ₁₀ O ₄ Methyl <i>l</i> - α -acetoxypropionate							
-7.4	54.26	0.3	59.78	$p=10.035$	17.6	47.56	-----
43.0	54.20	19.2	57.20	-----	54.7	47.32	-----
83.2	54.03	65.0	52.77	-----	91.3	47.34	-----
141.0	54.08	141.0	50.88	$p=10.035$	139.3	47.80	-----
C ₆ H ₁₀ O ₃ Methyl <i>l</i> - α -methoxypropionate							
-16.6	103.3	16.6	88.82	$p=10.062$	16.7	73.69	-----
16.4	97.16	41.7	85.27	-----	39.8	72.52	-----
51.1	91.81	70.5	82.17	-----	77.0	70.52	-----
78.4	88.28	92.8	79.25	-----	101.0	69.40	-----
130.0	84.16	119.0	76.40	$p=10.062$	119.0	68.21	-----

Esters of methylbenzyl carbinol in various solvents (5 per cent solution) at laboratory temperature (101)

	$\frac{c}{\downarrow} \lambda \rightarrow$	s=EtOH				$\frac{c}{\downarrow} \lambda \rightarrow$	CS ₂			
		5,893	5,700	5,461	4,358		5,893	5,700	5,461	4,358
Ester-----										
Acetate-----	5.805	8.01	8.61	9.47	15.72	5.060	-8.17	-8.36	-10.42	-22.55
Propionate-----	5.315	7.24	7.62	8.56	14.11	5.165	-13.78	-14.62	-16.85	-34.57
Butyrate-----	5.145	12.14	12.74	14.48	24.01	5.405	-7.77	-8.42	-9.17	-22.29
Valerate-----	5.630	14.70	15.75	17.20	29.23	3.645	-4.61	-4.86	-6.11	-14.21
Caproate-----	5.605	14.55	15.53	16.96	28.57	5.020	-3.26	-3.98	-4.62	-10.95
Enanthate-----	5.240	15.09	15.38	17.67	29.98	5.040	-1.80	-2.25	-2.80	-8.12
Caprylate-----	5.360	14.66	15.03	17.18	29.32	5.540	-.90	-.98	-1.15	-5.57
Pelargonate-----	5.550	14.34	15.24	17.50	28.85	5.500	-.36	-.45	-.73	-4.45
Caprate-----	5.525	14.32	15.13	16.93	28.72	5.450	-.33	-.50	-1.00	-3.92
Undecylate-----	5.250	13.61	14.19	16.19	27.71	5.270	.00	-.19	-.28	-3.51
Laurate-----	5.180	13.02	13.50	15.71	26.23	5.560	.08	-.08	-.33	-2.70
Myristate-----	5.455	12.28	13.20	14.48	24.75	5.255	.26	.00	-.17	-1.82
Palmitate-----	5.425	11.25	11.98	13.55	23.23	5.270	.38	.19	-.09	-1.71
Stearate-----	5.025	10.45	10.95	12.74	21.19	5.915	.54	.31	.23	-1.31

Specific rotation $[\alpha]_D^L$ of esters of methylbenzyl carbinol (101)

$\lambda \rightarrow$	5, 893	5, 700	5, 461	4, 358	5, 893	5, 700	5, 461	4, 358	5, 893	5, 700	5, 461	4, 358	$\text{C}_9\text{H}_{16}\text{O}_2, n\text{-Butyrate}$	$\text{C}_9\text{H}_{16}\text{O}_2, n\text{-Valerate}$		
\downarrow	$\text{C}_{11}\text{H}_{14}\text{O}_2, \text{Acetate}$		$\text{C}_{15}\text{H}_{16}\text{O}_2, \text{Propionate}$		$\text{C}_{16}\text{H}_{18}\text{O}_2, \text{Enanthate}$		$\text{C}_{17}\text{H}_{20}\text{O}_2, \text{Caprylate}$		$\text{C}_{18}\text{H}_{22}\text{O}_2, \text{Caproate}$		$\text{C}_{19}\text{H}_{24}\text{O}_2, \text{Pelargonate}$					
20	6.41	6.71	7.64	12.12	4.81	5.06	5.58	8.69	8.48	8.04	10.14	16.41	10.76	11.28	12.70	21.19
40	5.27	5.49	6.11	9.64	4.47	4.09	3.89	4.25	7.67	7.95	8.93	14.53	9.94	10.39	11.69	19.53
60	4.10	4.30	4.78	7.32	3.04	3.25	3.50	5.14	6.92	7.24	8.14	13.21	9.52	10.58	11.70	16.42
80	3.05	3.27	3.71	5.45	2.33	2.51	2.67	3.79	6.40	6.70	7.53	12.04	8.48	8.80	9.84	16.29
100	2.31	2.44	2.76	3.78	1.83	1.96	2.13	2.73	6.00	6.30	7.01	11.04	7.97	8.34	9.28	15.29
120	1.56	1.65	1.76	2.18	1.48	1.56	1.65	1.96	5.54	6.80	6.49	10.06	7.59	7.75	8.75	14.16
140	1.02	1.90	1.92	2.87	1.20	1.20	1.20	1.20	5.22	5.41	6.04	9.30	7.08	7.31	8.21	13.11
160	- .38	- .26	- .17	- .37	- .27	- .14	- .27	- .27	.93	.87	.96	5.14	5.76	6.77	6.89	12.56
180	- .06	- .15	- .27	- .47	- .06	- .22	- .22	- .22	.83	.72	.96	4.96	5.56	6.75	6.96	12.44
200	- .37	- .56	- .56	- .67	- .56	- .22	- .18	- .18	.73	.67	.91	5.03	5.56	6.82	7.04	12.44
20	10.46	11.21	12.46	20.91	10.69	11.34	12.72	21.26	10.67	11.36	12.76	21.42	10.50	10.96	12.41	20.90
40	9.58	10.20	11.41	18.84	9.98	10.45	11.80	19.53	9.85	10.53	11.86	19.95	9.84	10.34	11.65	19.63
60	8.88	9.45	10.62	17.34	9.33	9.76	11.03	18.23	9.20	9.81	11.00	18.49	9.16	9.64	10.85	18.22
80	8.46	8.82	10.01	16.31	8.86	9.21	10.32	17.00	8.69	9.25	10.42	17.31	8.62	8.99	10.22	17.05
100	8.09	8.43	9.55	15.54	8.39	8.69	9.69	15.90	8.14	8.76	9.82	16.30	8.21	8.49	9.61	16.08
120	7.77	8.13	9.16	14.89	8.00	8.29	9.19	16.11	7.74	8.27	9.34	15.42	8.00	8.21	9.26	15.38
140	7.47	7.79	8.76	14.19	7.62	7.92	8.82	14.60	7.59	8.00	8.97	14.90	7.77	8.01	8.96	14.71
160	7.18	7.50	8.31	13.55	7.31	7.63	8.48	14.10	7.44	7.82	8.72	14.40	7.56	7.80	8.71	14.17
180	7.05	7.29	8.02	13.06	7.10	7.46	8.26	13.60	7.31	7.67	8.46	14.02	7.28	7.56	8.38	13.61
200	6.95	7.19	7.88	12.66	7.08	7.39	8.17	13.14	7.26	7.67	8.30	13.83	7.04	7.23	8.08	13.17

Specific rotation [α]_D²⁵ of esters of methylbenzyl carbinal (101)

Specific rotation $[a]_D^t$ of homologous esters of $d\alpha$ -naphthyl-n-hexyl carbinol (102)

$\lambda \rightarrow$	C ₁₀ H ₂₀ O ₂ Acetate			C ₂₀ H ₃₀ O ₂ Propionate			C ₃₀ H ₄₀ O ₂ n-Butyrate			C ₄₀ H ₅₀ O ₂ n-Valerate			C ₂₀ H ₃₀ O ₂ Un-decylate				
t	5,893	5,700	5,461	4,358	5,893	5,700	5,461	4,358	5,893	5,700	5,461	4,358	5,893	5,700	5,461		
20-----	23.86	25.05	28.08	53.16	30.18	34.69	64.36	27.02	28.16	32.54	60.22	22.23	23.30	26.73	49.45	20	16.44
40-----	28.15	29.56	34.07	63.16	33.93	39.94	74.03	30.71	32.15	37.16	69.34	25.42	26.65	30.71	57.68	40	18.17
60-----	32.12	33.50	38.73	71.58	38.13	44.39	83.01	33.71	35.44	41.00	76.68	28.19	29.53	34.09	64.30	60	19.63
80-----	35.10	36.80	42.48	79.18	39.62	41.28	89.76	36.02	37.86	44.11	81.93	30.47	31.84	36.74	69.00	80	20.65
100-----	37.75	39.51	45.50	84.78	42.07	43.90	95.54	37.87	39.77	46.15	86.24	32.18	33.67	38.89	72.69	100	21.35
120-----	41.78	48.09	89.41	45.73	52.91	99.40	39.13	41.22	47.69	89.02	33.47	36.10	40.52	75.88	120	21.78	
140-----	41.20	43.44	50.03	93.07	45.17	47.20	54.70	102.7	40.17	42.27	48.84	91.49	34.45	36.08	41.73	78.11	
160-----	42.35	44.42	51.39	95.45	46.24	48.35	56.19	105.1	41.04	43.11	49.82	93.42	35.11	36.73	42.48	79.50	
180-----	43.10	44.82	51.84	97.12	47.08	49.12	57.03	107.0	41.66	43.75	49.58	94.58	35.51	37.15	42.04	80.52	
200-----	43.34	44.84	51.40	97.90	47.75	49.71	57.51	108.1	42.01	44.10	50.71	94.99	35.69	37.33	43.04	81.08	
																20	17.08
$\lambda \rightarrow$	C ₂₀ H ₃₀ O ₂ Caproate			C ₃₀ H ₄₀ O ₂ Enanthate			C ₄₀ H ₅₀ O ₂ Caprylate			C ₂₀ H ₃₀ O ₂ Pelargonate			C ₂₀ H ₃₀ O ₂ Caprate				
t	5,893	5,700	5,461	5,893	5,700	5,461	5,893	5,700	5,461	5,893	5,700	5,461	5,893	5,700	5,461		
20-----	21.12	22.36	-	19.63	20.59	23.68	21.13	22.11	25.46	47.56	19.06	19.68	22.88	17.13	18.09	20.80	
40-----	23.79	25.10	-	21.97	23.31	26.46	23.44	24.67	23.39	53.27	21.25	21.82	25.22	18.89	19.82	22.88	
60-----	26.35	27.76	-	24.11	25.31	28.77	25.23	26.57	30.61	57.44	22.80	23.45	27.16	20.45	21.25	24.55	
80-----	27.94	29.53	-	25.74	26.85	30.56	26.44	27.93	32.15	60.49	23.82	24.61	28.52	21.65	22.45	25.92	
100-----	29.34	31.06	-	26.83	28.03	31.96	27.36	28.85	33.19	62.38	24.57	25.46	29.68	22.86	23.42	27.02	
120-----	30.37	32.16	-	27.50	28.82	33.03	28.05	29.47	33.91	63.57	25.15	26.22	30.42	23.18	24.08	27.86	
140-----	31.27	33.05	-	37.74	28.02	33.76	28.49	29.88	34.44	64.63	25.60	26.77	30.99	23.69	24.58	28.44	
160-----	32.02	33.76	-	38.59	28.54	34.39	28.75	30.14	34.81	65.69	25.88	27.05	31.34	24.08	25.04	28.95	
180-----	32.62	34.46	-	39.39	29.05	35.50	28.29	30.34	35.03	66.70	26.03	27.14	31.48	24.08	25.04	28.95	
																40	18.79
																80	20.24
																100	21.20
																120	22.48
																t	5,461

Specific rotation of the above esters in 5 per cent solutions at room temperature

<i>d</i> - α -Naphthyl- <i>n</i> -hexyl carbinal	<i>s</i> =EtOH				CS ₃ (102)			
	5,893	5,700	5,461	4,358	5,893	5,700	5,461	4,358
Acetate.....	33.80	35.38	40.84	75.88	111.5	117.3	137.0	268.2
Propionate.....	36.31	37.88	43.88	80.52	122.8	129.1	150.7	293.6
<i>n</i> -Butyrate.....	32.18	33.66	38.77	71.76	113.1	119.5	139.3	273.2
<i>n</i> -Valerate.....	27.21	29.32	33.01	61.80	102.7	108.1	126.6	247.3
Caproate.....	26.52	27.33	31.23	59.89	99.10	102.7	119.8	240.4
Enanthate.....	23.26	24.68	27.91	51.55	89.74	94.99	110.3	217.4
Caprylate.....	25.27	26.27	30.18	56.76	86.64	91.07	106.2	207.9
Pelargonate.....	22.01	22.87	26.32	49.53	84.06	88.54	104.6	203.8
Caprate.....	19.54	20.64	23.00	-----	78.36	82.35	96.20	199.6
Undecylate.....	17.99	18.88	21.46	42.74	74.22	78.05	90.99	183.1

	C ₂₅ H ₂₆ O ₄ hydrogen phthalic ester in various solvents (102)			C ₂₅ H ₂₅ O ₄ Na sodium phthalic ester in EtOH (102)		
	t=room temperature			c=5 g in 100 cc		
	5,893	5,461	4,358	5,893	5,461	4,358
CS ₃	75.26	90.72	170.0	29.35	35.52	63.24
AcOH.....	25.25	29.66	47.94	-----	-----	-----
CHCl ₃	17.50	20.80	32.38	-----	-----	-----
C ₆ H ₆	5.00	4.74	1.00	-----	-----	-----
Py.....	-1.30	-3.13	-11.14	-----	-----	-----
EtOH.....	-22.46	-28.63	-61.02	-----	-----	-----

Specific rotation of C₁₄H₁₄O₂ l-methyl- α -naphthyl carbinal acetate

<i>t</i>	5,893	5,461	4,358
20.....	-32.23	-38.90	-73.79
40.....	39.51	47.47	88.04
60.....	44.58	54.04	101.51
80.....	49.18	59.39	113.02
100.....	52.85	64.21	121.57
120.....	55.22	67.07	126.02
140.....	56.78	68.68	129.82
160.....	58.11	70.33	132.62
180.....	59.29	71.83	135.39

l-methyl- α -naphthyl carbinal hydrogen phthalate (102, 165)				
Approximately 5 per cent solutions at room temperature				
<i>s</i> ↓	$\lambda \rightarrow$	5,893	5,461	4,358
CHCl ₃	-43.67	-53.47	-109.6	-----
EtOH.....	-69.68	-84.80	-171.7	-----

Specific rotation $[\alpha]_D^t$ of esters of benzoic and naphthoic acids with secondary alcohols (105)

<i>t</i>	$C_{11}H_{14}O_3 d\beta$ -Butyl benzoate	$C_{11}H_{14}O_3 d\beta$ -Hexyl benzoate	$C_{11}H_{22}O_3 d\beta$ -Octyl benzoate	$C_{14}H_{24}O_3 d\beta$ -Undecyl benzoate
5,893	5,700	5,461	4,358	5,893
20	+39.23	+41.06	+78.13	+35.38
40	37.62	39.39	44.64	34.93
60	36.26	37.78	42.83	34.52
80	34.86	36.24	41.15	34.09
100	33.52	34.86	39.45	33.62
120	32.22	33.55	38.05	34.61
140	31.20	32.41	36.93	32.73
160	30.25	31.43	35.88	32.21
180	29.61	30.67	34.88	31.75
0				
10	+6.84	+7.27	+8.39	+15.95
20	7.88	8.21	9.59	17.92
40	8.70	9.16	10.57	19.55
60	9.33	9.86	11.39	21.07
80				
100	10.00	10.52	12.02	22.34
120	10.59	11.18	12.88	23.68
140	11.10	11.84	13.48	24.75
160	11.60	12.24	13.92	25.60
180	12.03	12.74	14.50	26.37

<i>t</i>	$C_{11}H_{14}O_3 d\beta$ -Methylcarboxybenzoate	$C_{11}H_{22}O_3 d\beta$ -Butyl α -naphthoate	$C_{17}H_{26}O_3 d\beta$ -Hexyl α -naphthoate
0			
10			
20			
40			
60			
80			
100			
120			
140			
160			
180			

Specific rotation [α]_D^t of esters of benzoic and naphthoic acids with secondary alcohols (105)—Continued

		C ₁₈ H ₂₀ O ₂ d- β -Heptyl α -naphthoate				C ₁₉ H ₂₀ O ₂ d- β -Octyl α -naphthoate				C ₂₀ H ₂₀ O ₂ d- β -Decyl α -naphthoate				C ₂₁ H ₂₀ O ₂ d- β -Undecyl α -naphthoate			
0	—	+1.40	+1.29	+1.04	+2.30	-1.90	-2.11	-2.77	-9.36	-1.57	-1.67	-2.36	-9.14	+0.19	-0.20	-3.37	
10	—	2.78	2.78	2.65	+1.30	+1.05	+1.15	+0.49	-4.48	+1.01	+1.38	+1.30	-3.66	+1.63	+1.55	+1.45	
20	—	3.90	4.19	4.45	4.86	+1.67	+1.45	+1.47	+1.47	+1.39	+1.38	+1.38	+1.30	+5.86	+3.78	+4.23	
40	—	6.27	6.63	7.44	10.71	4.18	4.18	4.48	+5.58	3.84	3.96	4.29	+5.86	3.89	4.23	6.14	
60	—	8.39	8.71	9.88	16.52	6.22	6.22	6.97	11.34	5.78	5.95	6.63	10.81	5.63	5.79	10.47	
80	—	9.96	10.28	19.63	8.01	8.14	9.23	15.75	7.49	7.73	8.70	15.03	7.32	7.52	8.45	14.36	
100	—	11.25	11.61	13.53	23.13	9.56	9.97	11.28	19.68	9.04	9.40	10.61	18.91	8.87	9.16	18.15	
120	—	12.57	13.00	14.97	26.94	10.93	11.49	13.06	23.26	10.48	10.94	12.33	22.30	10.14	10.55	21.42	
140	—	13.67	14.19	16.18	29.43	12.17	12.74	14.46	26.16	11.71	12.23	13.88	24.48	11.16	11.71	13.27	
160	—	14.42	15.05	17.12	31.17	13.19	13.77	15.72	28.97	12.75	13.30	15.15	28.55	12.10	12.74	24.19	
180	—	15.11	15.84	17.97	33.82	14.20	14.76	16.90	31.25	13.40	14.22	16.22	31.53	12.90	13.93	26.62	
		C ₂₀ H ₂₀ O ₂ d- γ -Nonyl α -naphthoate				C ₂₁ H ₂₀ O ₂ d- β -Benzylmethylcarbinyl α -naphthoate				C ₂₂ H ₂₀ O ₂ d- β -Butyl β -naphthoate				C ₂₃ H ₂₀ O ₂ d- β -Hexyl β -naphthoate			
20	—	-22.23	-23.34	-27.29	-51.39	+29.10	+29.10	+30.74	+35.56	+88.67	+50.04	+52.62	+60.32	+109.82	+57.11	+60.00	+69.16
40	—	-18.62	-19.63	-22.64	-41.94	29.63	31.35	36.14	36.14	46.82	46.82	47.88	50.44	52.74	52.74	56.49	+127.44
60	—	-15.39	-16.36	-18.86	-34.80	30.10	31.84	36.69	71.46	43.75	45.80	49.33	52.74	52.74	56.38	64.69	+123.81
80	—	-12.45	-13.26	-15.27	-28.18	30.55	32.28	37.18	72.51	40.78	42.87	49.20	58.61	51.82	54.48	62.36	+119.84
100	—	-9.86	-10.47	-12.22	-21.88	30.91	32.61	37.62	73.38	38.57	40.47	46.59	50.19	52.57	56.02	61.71	+115.71
120	—	-7.66	-8.02	-9.50	-12.05	31.31	32.86	38.01	74.40	37.78	44.47	80.74	48.75	50.75	58.36	106.98	
140	—	-5.74	-5.98	-7.05	-12.13	31.58	33.69	38.28	74.67	35.13	42.32	76.67	47.54	49.53	56.92	103.90	
160	—	-3.98	-4.18	-5.12	-8.47	31.80	33.53	38.53	75.14	33.68	35.37	40.51	46.03	48.57	55.95	102.64	
180	—	-2.58	-2.78	-3.51	-5.61	32.05	33.68	38.77	76.60	32.62	34.13	39.12	45.62	47.81	56.16	102.00	
		C ₁₉ H ₂₀ O ₂ d- β -Octyl β -naphthoate				C ₂₂ H ₂₀ O ₂ d- β -Undecyl β -naphthoate				C ₂₃ H ₂₀ O ₂ d- γ -Nonyl β -naphthoate				C ₂₄ H ₂₀ O ₂ d-Benzylmethylcarbinyl β -naphthoate			
20	—	+56.26	+58.99	+68.11	+125.84	+50.03	+52.60	+60.72	+112.36	+19.14	+20.04	+23.30	+44.54	+122.83	+129.04	+149.82	+230.2
40	—	55.17	57.82	66.80	123.25	49.54	52.10	60.08	110.99	20.33	21.38	24.91	46.93	117.71	123.54	143.32	278.2
60	—	54.30	56.87	65.66	120.86	49.03	51.50	59.37	109.62	21.68	22.79	26.46	50.22	112.98	118.90	137.94	267.5
80	—	53.51	55.99	64.60	118.55	48.45	50.86	58.63	108.24	22.84	23.92	27.68	52.91	109.38	114.90	133.66	259.1
100	—	52.77	56.20	63.49	116.91	47.89	50.24	57.87	106.77	23.68	24.83	28.66	54.62	105.81	111.62	120.42	251.2
120	—	51.97	54.46	62.48	115.06	47.29	49.55	57.09	105.31	24.37	25.61	29.53	55.90	102.82	108.13	125.61	243.1
140	—	51.33	53.68	61.78	113.77	46.84	49.13	56.46	104.48	25.00	26.39	30.33	57.21	99.94	105.23	122.28	235.7
160	—	50.71	62.92	61.03	112.81	46.47	48.71	55.94	104.44	25.06	26.86	30.89	58.20	97.61	102.49	119.40	229.7
180	—	49.37	61.41	59.42	109.00	46.00	48.18	55.42	-	25.92	27.32	31.49	59.21	96.41	100.56	116.44	225.0

Specific rotation of the above esters in approximately 5 per cent solution at laboratory temperature (105)

		<i>d</i> - β -Butyl benzoate				<i>d</i> -Benzylmethylcarbinyl benzoate				<i>d</i> -Benzylmethylcarbinyl β -naphthoate				<i>d</i> - γ -Nonyl benzooate			
$\frac{S}{\downarrow}$	$\gamma \rightarrow$	5,893	5,700	5,461	4,358	5,893	5,700	5,461	4,358	5,893	5,700	5,461	4,358	5,893	5,700	5,461	4,358
EtOH	—	40.23	42.18	+48.04	+80.54	+70.49	+74.89	+86.86	+156.8	+127.9	+133.6	+155.4	+298.2	+12.01	+13.21	+14.85	+26.63
CS ₂	—	40.38	42.13	48.11	81.94	69.49	73.08	85.09	168.0	131.3	138.1	160.3	315.4	1.25	1.63	1.83	3.46
		<i>d</i> - β -Hexyl benzoate				<i>d</i> -Benzylmethylcarbinyl α -naphthoate				<i>d</i> - γ -Nonyl β -naphthoate				<i>d</i> - γ -Nonyl α -naphthoate			
EtOH	—	40.98	+42.91	+49.11	+84.33	+36.02	+37.59	+42.70	+79.39	+26.71	+28.49	+32.59	+63.23	-2.69	-3.07	-3.07	-7.29
CS ₂	—	31.93	33.28	38.14	64.39	44.71	46.71	54.34	107.70	22.76	23.92	28.09	54.76	-15.00	-15.34	-18.07	-31.00
		<i>d</i> - β -Octyl benzoate				<i>d</i> - β -Octyl α -naphthoate				<i>d</i> - β -Octyl σ -naphthoate				<i>d</i> - β -Octyl α -naphthoate			
Py	—	+25.43	+26.86	+31.23	+52.40	+8.72	+9.35	+10.61	+20.50	50.03	52.76	60.87	112.57	—	—	—	—
C ₆ H ₆	—	28.21	29.74	34.22	58.40	7.92	7.97	9.40	18.80	53.08	56.26	64.63	119.40	—	—	—	—
CS ₂	—	29.68	31.31	35.44	61.34	10.90	11.50	12.70	25.49	55.89	58.88	67.93	127.94	—	—	—	—
CHCl ₃	—	34.74	36.40	41.27	70.78	16.28	17.17	19.52	34.72	48.93	60.80	58.61	107.64	—	—	—	—
EtOH	—	39.26	41.09	47.35	82.54	18.90	20.27	22.70	40.47	45.58	48.00	55.35	101.24	—	—	—	—
AcoEt	—	42.51	44.31	51.31	88.22	19.61	20.89	23.42	40.85	58.95	62.03	71.44	130.05	—	—	—	—

67316° — 32 — 3

3. AMINO ACIDS

$C_{10}H_{11}NO_3$ N-Benzoylalanine ¹			$[\alpha]_D^{20}$ (170)		
	s	c	5,893	5,780	5,461
d-Acid-----	H ₂ O-----	1.022	2.4	2.7	3.2
l-Acid-----	H ₂ O-----	1.025	-2.4	-2.7	-3.2
d-Acid-----	{EtOH----- (Me ₂ O-----)	1.009 1.016	10.5 24.9	10.9 26.1	12.7 30.2

$C_4H_8N_2O_3$ l-Asparagine (47; cf. 18, 210)				
$s = H_2O$ $[\alpha]_D^t$				
t	p	5,893	5,461	4,358
34-----	1.961	-6.7	-7.5	-14.7
40-----	1.961	-7.7	-8.3	-17.7
60-----	1.961	-10.5	-11.3	-22.4
38-----	7.407	-6.4	-6.9	-13.2
52-----	7.407	-8.3	-9.3	-18.3
68-----	7.407	-10.5	-11.7	-23.5

$C_4H_7NO_4$ l-Aspartic acid. (47; cf. 18, 50, 140, 141)				
$s = H_2O$ $[\alpha]_D^t$				
t	p	5,893	5,461	4,358
14-----	0.990	5.1	7.1	15.2
35-----	0.990	2.5	5.1	12.7
48-----	0.990	1.3	3.1	9.2
48-----	1.961	2.3	4.0	9.3
68-----	1.961	0.0	1.3	4.5
78-----	1.961	-1.5	-0.3	2.3

¹ The effect of KOH on the specific rotation is also given in the article.

Specific rotation $[\alpha]_D^{20}$ of aminoglutamic acid and some derivatives (98)

Formula	Substance	<i>s</i>	<i>c</i>	γ	6,563	6,260	5,893	5,600	5,463	5,270	5,165	4,990	4,861	4,780
(Cf. 4)														
$\text{C}_6\text{H}_5\text{NO}_4$	dil. NaOH	16.48	8.05	9.17	10.52	11.76	12.96	14.10	14.86	16.23	17.53	—	—	—
$\text{C}_7\text{H}_5\text{NNO}_3$	<i>H</i> ₂ O	11.4	-3.40	-3.21	-2.68	-2.04	-1.59	-1.89	-2.22	-2.86	1.90	—	—	—
$\text{C}_6\text{H}_5\text{NO}_4$	AcOEt	6.08	18.20	20.06	22.67	25.26	26.81	28.70	30.18	32.67	34.07	—	—	—
$\text{C}_6\text{H}_5\text{ClO}_4$	<i>t</i> - α -Chloroglutamic acid	16.6	22.75	24.78	27.14	29.63	30.48	32.71	34.28	—	—	—	—	—
$\text{C}_6\text{H}_5\text{NO}_4$	<i>t</i> - α -Chloroglutamic acid (from zinc hydroxyglutarate).	—	—	—	—	—	—	—	—	—	—	—	—	—
$\text{C}_6\text{H}_5\text{O}_4$	d- α -Hydroxylutaric acid	16.8	-2.00	-1.64	-1.34	-0.97	-0.67	-0.31	0.00	0.31	0.67	—	—	—
$\text{AgC}_6\text{H}_5\text{O}_4$	silver d-butylrolactone- γ -carboxylic acid (from zinc hydroxyglutarate).	1.08	5.67	7.31	8.59	9.78	9.14	11.52	10.88	9.23	13.16	12.67	—	—
$\text{C}_6\text{H}_5\text{O}_4$	<i>d</i> -Butylrolactone- γ -carboxylic acid (from zinc hydroxyglutarate).	1.39	1.11	1.80	2.14	2.42	2.83	3.25	3.39	3.53	3.96	—	—	—
$\text{C}_6\text{H}_5\text{O}_4$	<i>d</i> -Butylrolactone- γ -carboxylic acid (From silver butyrolactonecarboxylate).	—	—	—	—	—	—	—	—	—	—	—	—	—
$\text{Zn}(\text{C}_3\text{H}_5\text{O}_2)_2$	do.	69	-33	1.50	2.67	3.00	3.33	3.67	3.84	4.00	4.17	4.34	—	—
$\text{C}_6\text{H}_5\text{NO}_4$	Zinc α -hydroxyglutarate	52	4.24	5.69	6.65	7.71	8.24	8.82	9.39	—	—	—	—	—
$\text{C}_6\text{H}_5\text{NO}_4$	<i>d</i> -Aspartic acid + 3 mols NaOH.	366	-3.64	-2.76	-2.48	-2.23	-2.13	-1.91	-1.61	-1.18	—	—	—	—
$\text{C}_6\text{H}_5\text{NO}_4$	Diethyl d -aspartate.	4.68	1.98	1.25	1.73	2.08	2.25	2.63	2.78	2.98	3.38	—	—	—
$\text{C}_6\text{H}_5\text{ClO}_4$	<i>t</i> -Chlorosuccinic acid	6.16	-15.04	-16.79	-18.92	-21.36	-22.96	-24.98	-26.17	-28.48	-30.90	—	—	—

¹ Values in italics are expressed in per cent.

Amino-acids and derivatives (222) $[\alpha]_{\lambda}^{20}$

Formula	Substance				s	t	p	6,563	6,260	5,893	5,675	5,463	5,270
C ₉ H ₁₀ N ₂ O ₇		(HCl-H ₂ O)			15	1.45	7.81	9.40	11.45	13.17	14.30	14.48	
C ₉ H ₁₀ N ₂ O ₉		(N KOH)			15	.773	2.58	.56	1.54	1.722	1.547	1.547	
C ₉ H ₁₁ NO ₃		HCl-H ₂ O			15	1.93	1.31	2.36	3.21	3.82	3.97	3.97	
C ₉ H ₁₁ NO ₃		do			15	3.773	-10.27	-11.30	-12.30	-13.14	-13.76	-14.01	
C ₉ H ₁₁ NO ₄		do			15	3.81	-11.44	-11.80	-12.74	-13.63	-15.02		
C ₉ H ₁₁ NO ₄		do			15	3.9	-3.69	-3.69	-3.61	-3.56	-3.54		
C ₉ H ₁₁ NO ₄		H ₂ O			20	3.36	.00	1.02	2.17	1.66	1.18		
C ₉ H ₁₁ NO ₄		HCl-H ₂ O			20	4.13	10.16	11.83	13.18	14.37	15.70	17.16	
C ₉ H ₁₁ NO ₃		do			20	2.52	7.81	9.50	11.87				(7.02 at $\lambda = 6,615$)

115.47 at $\lambda = 5,600$.
17.22 at $\lambda = 5,760$.

C ₆ H ₁₂ N ₂ O ₃ , Leucine (232)				C ₆ H ₁₀ NO ₃ , Glutamic acid				C ₄ H ₇ NO ₃ , Aspartic acid				NaOH	
HCl		NaOH		HCl		CH ₃ Cl ₂ CO ₂ H		NaOH		HCl		NaOH	
r ¹	[α]D	r ¹	[α]D	r ¹	[α]D	r ¹	[α]D	r ¹	[α]D	r ¹	[α]D	r ¹	[α]D
0	-9.84	0	-0.84	2.30	4.60	0	12.02	0.28	10.64	0	12.62	0	5.87
.65	1.70	.64	-.68	2.54	6.74	.64	23.04	.65	18.68	.40	3.00	.29	0.00
.87	6.50	.60	.88	2.58	4.90	.82	26.88	1.24	18.73	.74	-.40	.30	11.8
1.06	7.83	.83	3.00	4.93	3.75	.84	28.84	1.47	19.80	.99	-4.73	.50	14.1
1.34	11.20	.86	4.42	1.01	27.91	4.41	24.30	1.09	-3.97	.94	18.4
2.21	12.56	.99	4.00	1.55	30.04	1.32	-.40	1.28	19.0	2.17
2.82	11.23	1.30	7.51	1.20	31.10	2.20	4.60	1.44	21.6	2.80	3.77
5.11	12.14	1.63	4.28	4.63	32.36	4.63	2.47	10.22	1.96	22.8	4.96
7.61	11.39	1.75	5.39	1.75	13.90	5.96	10.90	3.04	23.6	6.21	3.47
8.62	12.88	1.97	4.37	3.92	13.86	4.90	23.0	3.47

¹ Ratio of the number of moles of the acid or base to the number of moles of the amino acid.

Molecular rotation $[M]_{\lambda}^t$

Substance (25, 14, 15, 16)	δ	c	$\rho \lambda =$	6,770	6,570	6,380	6,210	6,050	5,890	5,740	5,510	5,300	5,130	4,980	4,850
C_4H_8OS <i>l</i> - η - α -Sulphobutyric acid	18.15	(2)	-24.8	-29.7	-29.7	-7.2	-32.2	-7.8	-35.4	-38.2	-9.3				
Copper <i>d</i> - η - α -sulphobutyrate	1.75	(2)	(-15 at 4,730)	+6.5	0	-34.0	-34.0	-41.0	-41.0	-11	-11				
Copper <i>l</i> - η - α -sulphobutyrate	1.3	(2)	+20.7	+20.7	+20.7	+25.3	+27.0	+28.2	+29.3	+31.6	+33.3	+35.6	+37.9	-13	
Nickel <i>l</i> - η - α -sulphobutyrate	2.27	(2)	+20.7	+20.7	+20.7	+25.8	+31.4	+32.6	+34.8	+36.5	+38.9	+40.4	+44.9	+40.2	(2)
Cobalt <i>l</i> - η - α -sulphobutyrate	1.16	(2)	+8	+8	+8	+20.2	+26.5	+30.2	+34.8	+36.5	+38.9	+40.4	+44.9	+40.2	(2)
EtoH	.79	(2)													
$C_{10}H_{14}NO_3S$ Anilido- <i>l</i> - α -sulphobutyric acid	2.54	(2)	(-77 at 4,730)	-25.5	-26.5	-29	-30	-30	-34	-39.5	-49	-60			
Nickel anilido- <i>l</i> - α -sulphobutyrate	1.6	(2)	-119.5	-121.5	-122.5	-122.5	-122.5	-123.5	-123.5	-126.5	-132	-138	-144		
EtoH	1.45	(2)	-20.5	-24.5	-24.5	-32.5	-32.5	-32.5	-34.5	-41	-48	-55	-55	-55	-53
H_2O	.80	(2)													
Copper anilido- <i>l</i> - α -sulphobutyrate	.7	(2)	-16.5	-22	-22	-27.5	-27.5	-31.5	-31.5	-41	-48				
EtoH	1.09	(2)	-53	-53	-53	-58	-58	-63	-63	-63	-64.5	-64.5	-64.5	-64.5	-64.5
H_2O	.87	(2)													
EtoH															
	$\lambda =$		5,130	5,050	4,910	4,790	4,730								
Barium anilido- <i>l</i> - α -sulphobutyrate			$[\alpha]$ 3.65	0	+27	0	-34	-68	-82	-34	-51				
$C_6H_{12}N_4S_4$ Benzimidazole-2-propylsulphonic acid															
Barium <i>d</i> -Benzimidazole-2-propylsulphonate															
Cobalt <i>d</i> -Benzimidazole-2-propylsulphonate															
H_2O	2.6			+20		+22.5	+23.2	+24	+31	+34	+25	+26	+26.5	+39	+30
H_2O	1.88														

^t 0.485 N.² Temperature not stated, but presumably that of the laboratory.¹ +50 ($\lambda = 4,620$).⁴ +50 ($\lambda = 4,620$).[•] 0.09734 M.

IB₂. THE MOLECULE CONTAINS 2 ASYMMETRIC CARBON ATOMS WHICH ARE ATTACHED EACH TO 2 OTHER CARBON ATOMS

4. TARTARIC ACID AND ITS ESTERS

Specific rotation [α]_λ²⁰ of d-tartaric acid in aqueous solution¹ (121)

d	1.2987	1.2658	1.2352	1.2052	1.1760	1.1476	1.1201	1.0942	1.0692	1.0448	1.0211
λ ↓ p→	55.0	50.0	45.0	40.0	35.0	30.0	25.0	20.0	15.0	10.0	5.0
6,438	6.004	6.734	7.421	8.073	8.728	9.336	9.886	10.457	11.047	11.645	12.209
5,893	6.501	7.366	8.219	9.010	9.799	10.500	11.207	11.949	12.642	13.304	14.070
5,790	6.566	7.466	8.331	9.162	9.975	10.752	11.481	12.197	12.948	13.687	14.527
5,769	6.577	7.487	8.346	9.184	10.014	10.786	11.535	12.246	12.980	13.687	14.527
5,461	6.613	7.653	8.645	9.594	10.532	11.417	12.237	13.061	13.925	14.740	15.669
5,086	6.235	7.479	8.668	9.784	10.876	11.927	12.904	13.899	14.855	15.856	17.040
4,800	5.348	6.781	8.150	9.430	10.714	11.859	13.032	14.162	15.297	16.446	17.922
4,678	4.739	6.241	7.707	9.056	10.427	11.660	12.969	14.051	15.359	16.558	18.150
4,358	1.848	3.631	5.421	7.025	8.637	10.131	11.570	13.023	14.486	15.952	17.791

¹ In fused and supercooled states: (28). In various solvents: (10, 11, 83, 90, 93, 117, 134, 211, 213, 229, 230).

Rotatory dispersion in aqueous solutions of d-tartaric acid at 20°; constants and anomalies (121)

$$(Range \lambda = 6,438-4,358) [M] = \frac{k_1}{10^{-8}(\lambda^2 - \lambda_1^2)} - \frac{k_2}{10^{-8}(\lambda^2 - \lambda_2^2)} \cdot (10^{-8}\lambda_1^2 = 0.03) (10^{-8}\lambda_2^2 = 0.074)$$

p	k ₁	k ₂	10 ⁻⁴ λ ¹ (Inflection)	10 ⁻⁴ λ (Maximum)	10 ⁻⁴ λ ¹ (Reversal)
55.0	17.127	12.093	0.6571	0.5527	0.4239
54.1	17.188	12.080	.6533	.5485	.4220
50.0	17.455	12.043	.6376	.5373	.4140
45.0	17.686	11.877	.6197	.5232	.4050
41.25	17.960	11.869	.6092	.5150	.3997
40.0	18.053	11.865	.6058	.5123	.3980
35.0	18.367	11.812	.5929	.5022	.3915
30.0	18.709	11.799	.5822	.4937	.3861
25.0	18.936	11.714	.5722	.4859	.3812
20.0	19.160	11.624	.5623	.4785	.3767
15.0	19.485	11.605	.5543	.4720	.3726
10.0	19.657	11.475	.5458	.4653	.3684
5.0	19.592	11.108	.5341	.4562	.3628

¹ All values which lie outside the range of observations are in italics.

$C_6H_{12}O_6$ specific rotation $[\alpha]_{\lambda}^{20}$ of dimethyl d-tartrate (120; cf., 6, 51, 167, 228)

s	c	k_1	k_2	$10^{-3}\lambda_2^2$	Range λ	$\lambda = 6,708$	$6,438$
Nil		22.576	20.079	0.056	6,708-3,741	+2.79	+2.65
Nil at 100.5° C.		24.762	21.193	.052	6,708-4,135	+5.69	+5.80
H_2O	25	17.145	9.979	.065	6,438-4,358		+16.04
$CHONH_3$	25	17.049	10.640	.070	6,708-4,137	+12.65	+13.41
$C_2H_4Cl_2$	25	20.360	22.202	.058	6,708-4,236	-8.16	-9.31
$(CH_3)_2CO$	25	27.425	24.000	.054	6,708-3,750	+4.59	+4.67
C_6H_5N Pyridine	20	19.448	6.683	.082	6,438-4,800		+30.48
C_7H_8O Anisole	20	42.828	43.581	.047	6,438-4,358		-7.20
C_9H_7N Quinoline	21.5	37.555	33.211	.058	6,438-4,800		+4.47

s	$\lambda = 5,893$	5,780	5,461	5,086	4,800	4,678	4,358
Nil	+2.22	+2.05	+1.28	-0.39	-2.47		-8.93
Nil at 100.5° C.	+6.27	+6.29	+6.25	+5.68	+4.74	+4.07	+1.26
H_2O		+19.28	+21.17	+23.44	+25.23	+25.86	+27.33
$CHONH_3$	+15.39	+15.80	+16.96	+18.14	+18.74	+18.87	+17.85
$C_2H_4Cl_2$		-13.50	-16.51	-21.53	-27.09	-30.12	-40.92
$(CH_3)_2CO$	+4.62	+4.50	+4.01	+2.73	+0.87		
C_6H_5N Pyridine	+36.32	+37.44	+41.60	+47.15	+52.01		
C_7H_8O Anisole		-11.00	-13.80		-23.68		-37.08
C_9H_7N Quinoline	+3.56	+3.19	+1.73	-1.35	-5.24		

$C_8H_{14}O_6$ Diethyl d-tartrate $[\alpha]_{\lambda}^t$ (146)

λ	6,708	6,234	5,769	5,461	4,960	4,358
t	$s = C_6H_5N$ Pyridine. $p = 19.263$					
0.0	34.74	39.50	46.75	52.06	62.48	78.63
15.7	32.26	36.63	43.23	48.11	57.63	72.06
58.8	26.38	29.90	35.03	38.70	45.89	59.90
100.0	21.99	25.19	29.50	32.63	38.41	46.51
λ	$s = C_7H_8O$ Benzaldehyde. $p = 10.385$					
17.0		39.12	42.35	47.33	57.26	173.3
86.7		26.49	130.5	33.93	139.8	149.4
135.5		22.66	26.52	29.18	34.07	41.93
λ	6,708	6,234	5,769	5,461	4,960	4,358
t	$s = C_7H_8O_2$ Salicylaldehyde. $p = 20.214$					
19.8	20.34	23.88	27.36	30.39	35.73	43.52
32.1	120.0	123.54	127.0	130.0	135.3	142.6
61.1	19.81	22.97	126.2	129.1	34.43	40.93
79.5	19.13	22.36	25.55	28.32	33.29	39.34
114.2	18.23	21.23	24.21	26.74	31.57	37.09
λ	$s = C_9H_7N$ Quinoline. $p = 4.972$					
19.8	38.25	30.3	35.07	38.25	44.00	49.46
60.3	120.0	122.4	25.94	27.73	31.2	132.3
82.0	18.13	20.57	23.50	25.15	27.75	31.26
99.0	17.47	19.5	22.35	24.08	27.27	29.20
λ	$s = C_9H_7N$ Quinoline. $p = 13.601$					
-13.0	134.4	139.0	146.0	50.93	60.86	173.3
0.0	31.13	35.23	41.20	45.42	53.77	63.63
16.8		30.29	35.26	38.70	45.18	52.06
44.5	31.60	24.54	28.00	30.60	35.17	38.78
65.	19.19	21.55	24.48	26.76	30.41	32.58
116.0	18.21	20.36	22.92	25.14		

¹ These values have been interpolated by the compiler from the author's data.

$C_6H_{14}O_6$, Diethyl *d*-tartrate¹ (152)

$s = C_2H_4Br_2 + PhNO_2$					
<i>p</i>	$\frac{p}{PhNO_2}$	$[a]_D^{20}$	<i>p</i>	$\frac{p}{PhNO_2}$	$[a]_D^{20}$
19.925	100.00	25.9	19.926	33.35	6.06
17.105	61.92	15.95	13.391	15.55	-1.70
19.922	49.95	11.50	19.942	.00	-7.56
15.022	35.63	7.01	12.061	.00	-10.72
14.928	35.03	6.80			

¹ In other solvents see (149, 150, 152). $C_6H_{14}O_6$, Diethyl tartrate (123, 124)

<i>t</i>	$\alpha = \frac{k_1}{10^{-8}(\lambda^2 - \lambda_1^2)} - \frac{k_2}{10^{-8}(\lambda^2 - \lambda_2^2)}$		$(10^{-5}\lambda_1^2 = 0.030)$	Range λ
	<i>k</i> ₁	<i>k</i> ₂		
1 20.0	25.005	20.678	0.056	6, 708-3, 860
20.0	25.22	21.05	.055	6, 708-3, 879
64.3	22.941	17.670	.057	6, 708-3, 923
98.7	24.091	18.284	.055	6, 708-4, 358
<i>s</i> (<i>c</i> =25)				
CHONH ₂	19.62	9.46	.07	6, 708-3, 960
C ₂ H ₄ Br ₂	18.08	19.335	.061	6, 708-4, 154

¹ The ester used for these determinations was specially purified by distillation and freezing and had a setting point of 18.7° C.Specific rotatory power $[a]_{\lambda}^{20}$ of diethyl tartrate (123, 124)

<i>s</i>	$\frac{\lambda}{c}$	6,708	5,893	5,780	5,461	4,358
Nil at 20°		{ 6.87 6.69	7.82 7.45	7.88 7.52	7.87 7.50	¹ 1.98 1.62
Nil at 64.3°		9.64	11.44	11.66	12.28	10.42
Nil at 98.7°		11.09	13.35	13.70	14.64	15.13
H ₂ O ²	{ 20 25	18.23 18.59	23.39 23.74	24.46 24.60	27.06 27.19	38.18 37.80
CCl ₄	20	.20	-1.34	-1.73	-3.11	-17.17
CHBr ₃	20	1.84	.83	.63	-.30	-----
	5	22.80	29.38	30.50	33.73	46.75
CHONH ₂	{ 10 20 25	22.75 21.87 21.81	28.99 27.80 27.73	30.01 28.76 28.72	33.20 31.86 31.70	46.30 43.89 43.68
C ₂ H ₂ Br ₄	23	-6.30	-----	-11.33	-13.95	-35.36
	5	-10.35	-15.17	-16.20	-19.55	-45.17
C ₂ H ₂ Cl ₄	{ 10 20	-9.54 -8.13	-14.31 -12.41	-15.26 -13.30	-18.48 -16.33	-43.57 -39.70
	5	-10.90	-16.60	-17.11	-20.73	-48.70
C ₂ H ₄ Br ₂	{ 10 20 25	-9.60 -7.40 -6.66	-14.26 -11.52 -10.56	-15.23 -12.35 -11.33	-18.65 -15.23 -14.11	-44.76 -38.76 -36.77
	5	-1.71	-----	-4.63	-6.40	-23.80
C ₂ H ₄ Cl ₂	{ 10 20	-1.55 -1.36	-3.76 -3.63	-4.24 -4.11	-6.09 -5.88	-23.11 -22.39
	5	-1.50	-3.40	-4.40	-6.40	-23.35
C ₃ H ₆ Br ₂	20	9.38	11.09	11.30	11.88	10.00
C ₃ H ₅ OH	40	10.73	12.80	13.23	13.97	11.37
Me ₂ CO	{ 10 20	10.10 9.90	12.28 11.66	12.63 11.93	13.24 12.46	10.99 9.52
C ₆ H ₅ NO ₂	20	19.32	24.45	26.02	29.01	-----

¹ The ester used for these determinations was specially purified by distillation and freezing and had a setting point of 18.7° C. Specific rotations for other wave lengths are as follows:

$\lambda =$	6,438	6,362	5,782	5,700	5,218	5,153	5,105	5,086	4,810	4,800
$[\alpha]_{\lambda}^{20} =$	7.38	7.43	7.87	7.88	7.61	7.48	7.36	7.34	6.25	6.22
$\lambda =$	4,722	4,678	4,603	4,475	4,415	4,359	4,315	4,271	4,240	4,210
$[\alpha]_{\lambda}^{20} =$	5.75	5.45	4.9	3.5	2.8	2.1	1.4	0.7	0	-0.7
$\lambda =$	4,148	4,119	4,071	4,005	3,967	3,900	3,889	3,872	3,868	3,860
$[\alpha]_{\lambda}^{20} =$	-2.1	-2.8	-4.2	-6.2	-7.7	-10.3	-11.1	-11.5	-11.8	-12.2

¹ The data for water are uncertain, on account of hydrolysis; but they serve to show the general character of the dispersion in this solvent.

$C_8H_{14}O_6$ Diethyl tartrate¹ $[\alpha]_D^t$ (231)

t \downarrow	$p \rightarrow$	s=H ₂ O				
		100	75.05	50.23	25.03	10.08
20	7.67	11.81	17.51	23.69	25.98	26.52
30	8.72	12.38	17.34	23.13	25.52	26.28
40	9.72	12.90	17.18	22.55	25.00	25.78
50	10.60	13.37	17.04	21.97	24.41	25.17
60	11.31	13.65	16.90	21.40	23.76	24.52
70	11.94	13.90	16.77	20.81	23.08	23.89
80	12.50	14.14	16.65	20.23	22.39	23.25
90	13.01	14.40	16.53	19.65		
100	13.47	14.65	16.42	19.06		

s=MeOH							
t \downarrow	$p \rightarrow$	100	75	50	25	10	5
20	7.67	9.13	10.45	11.20	11.45	11.51	
30	8.72	10.10	11.34	12.07	12.30	12.37	
40	9.72	11.00	12.15	12.80	13.10	13.10	
50	10.60	11.80	12.82	13.48	13.48	13.74	

s=EtOH							
t \downarrow	$p \rightarrow$	100	60	50	25	10	5
20	7.67	7.60	7.90	8.37	8.55	8.75	
30	8.72	8.70	9.00	9.52	9.60	9.75	
40	9.72	9.63	10.02	10.46	10.62	10.75	

s=CHCl ₃							
t \downarrow	$p \rightarrow$	100	79.95	60.04	39.91	19.12	9.0
20	7.67	3.84	0.70	1.56	2.80	2.80	
30	8.72	5.23	2.32	.32	.89	.89	
40	9.72	6.46	3.83	2.05	.82	.79	
50	10.60	7.67	5.26	3.61	2.50	2.30	

¹ For dispersion (light-filter sources only) see (228, 229); for influence of solvents, concentration, and temperature see (6, 74, 151, 167).

$C_8H_{14}O_6$, Diethyl tartrate (231)

$s = \text{CHONH}_2$ Formamide			$s = \text{C}_2\text{H}_4\text{Br}_2$ Ethylene bromide		
p	d_4^{20}	$[\alpha]_D^{20}$	p	d_4^{20}	$[\alpha]_D^{20}$
74.67	1.1986	16.00	69.60	1.3867	2.62
51.10	1.1806	22.55	44.47	1.5899	-1.94
25.69	1.1577	27.60	22.49	1.8297	-6.99
8.86	1.1425	29.74	11.58	1.9814	-10.79
5.35	1.1396	30.13	5.53	2.0788	-14.16
1.90	1.1365	30.3	2.31	2.1362	-18.72
			1.20	2.1567	-17.3
			.42	2.1713	-18.7

 $C_{12}H_{22}O_6$ Diisobutyl tartrate $[\alpha]_\lambda^t$ (146)

$\frac{t}{\downarrow}$	$\lambda \rightarrow$	6,716	6,234	5,790	5,461	4,960	4,358
73.0	15.86	17.94	20.50	22.77	26.14	29.69	
99.0	16.33	18.51	21.17	23.34	27.19	31.40	
132.0	16.42	18.73	21.43	23.64	27.75	32.33	
171.7	16.02	18.31	20.94	23.14	27.34	32.10	
193.0	15.64	17.93	20.56	22.71	26.86	31.73	
226.3	15.28	17.30	19.79	21.97	26.03	30.96	
$s = \text{C}_2\text{H}_4\text{Cl}_4$. $p = 33.362$							
0.0	5.46	5.82	5.97	5.81	4.56	-0.26	
16.4	7.47	8.23	8.89	9.15	8.84	5.63	
44.0	10.19	11.39	12.58	13.43	14.32	13.31	
68.0	11.90	13.34	14.91	16.01	17.84	18.24	
99.4	13.26	14.92	16.84	18.35	20.78	22.56	
$s = \text{C}_2\text{H}_4\text{Cl}_4$. $p = 48.15$							
24.8	9.29	10.44	11.50	12.20	12.74	11.04	
42.2	10.85	12.24	13.58	14.57	15.83	15.30	
67.0	12.39	14.07	15.82	17.21	19.25	20.08	
99.7	13.78	15.59	17.60	19.28	22.06	24.26	
$s = \text{C}_8\text{H}_7\text{N}$ Quinoline. $p = 20.066$							
0.0	54.49	63.29	73.72	83.36	103.44	133.63	
39.35	39.40	45.63	62.56	59.45	72.50	91.47	
69.75	32.67	37.69	52.79	48.15	58.62	73.26	
99.5	28.35	32.48	42.99	41.87	50.61	62.28	
147.5	23.93	28.30	¹ 37.63	¹ 36.9	42.94	¹ 52.9	

¹ These values have been interpolated by the compiler from the author's data.

C₁₆H₂₆O₈ Diisobutyl diacetyl-d-tartrate (146)

$\frac{t}{\downarrow}$	$\lambda \rightarrow$	6,742	6,234	5,790	5,461	4,960	4,358
-21.0	¹ 16.2	¹ 16.5		18.63	20.33	23.34	25.92
0.0	13.53	15.29		17.34	18.95	21.63	23.86
14.0	12.86	14.69		16.58	18.15	20.74	22.92
17.25	12.83	14.54		16.42	17.96		
42.25	12.21	13.94		15.75	17.09	19.75	21.93
75.2	11.92	13.61		15.45	16.94	19.60	22.22
98.9	11.94	13.80		15.69	17.30	20.14	23.32
200.0	14.28	16.51		19.00	21.26		31.45

 $s = C_2H_2Cl_4, p = 20.034$

$\frac{t}{\downarrow}$	$\lambda \rightarrow$	6,716	6,234	5,790	5,461	4,960	4,358
0.0	10.62	11.75		13.06	14.25	15.87	16.51
16.9	9.86	11.10	¹ 12.5	¹ 13.5	14.93	¹ 15.4	
43.0	9.49	10.57		11.87	12.82	14.29	14.65
57.5	¹ 9.4	10.49	¹ 11.6		12.68	14.26	¹ 14.8
76.85	9.35	10.40	11.70		12.73	14.41	15.49
99.75	9.63	10.80	12.12		13.24	15.27	16.78

 $s = C_7H_7NO_2, o\text{-Nitrotoluene. } p = 58.86$

0.0	3.38	2.96	2.11	0.91	-3.52	-18.30
46.7	5.18	5.31	5.22	4.81	2.52	-6.21
99.1	7.48	8.15	8.80	9.17	8.97	² 9.34
147.0	9.61	10.93	12.27	13.19	14.16	

 $s = C_7H_7NO_2, o\text{-Nitrotoluene. } p = 24.694$

0.0	-3.08	-4.60	-7.20	-10.19	-19.41	² -42.85
17.0	¹ -1.4	¹ -2.8	-4.83	-7.36	¹ -14.9	² -33.22
49.8	1.65	0.71	-0.49	-1.94	-7.14	
73.7	3.74	2.99	2.47	1.62	-1.93	
150.0	7.68	8.31	8.83	9.00	9.11	

 $s = C_8H_7N$ Quinoline. $p = 74.96$

$\frac{t}{\downarrow}$	$\lambda \rightarrow$	6,742	6,234	5,790	5,461	4,960	4,358
0.0	15.51	17.81		20.32	22.44	26.22	30.54
16.6	14.64	16.73		19.17	21.09	24.55	28.65
59.75	13.23	15.15		17.26	19.06	22.22	25.70
100.0	12.89	14.77			18.75	22.02	

 $s = C_8H_7N$ Quinoline. $p = 20.476$

0.0	33.53	39.32	46.48	52.79	65.26	89.54
17.0	-----	34.35	¹ 40.5	¹ 46.1	57.41	76.59
36.7	-----	29.94	¹ 35.2	¹ 39.8	49.56	66.04
76.75	21.37	24.37	¹ 28.5	¹ 32.2	39.22	51.00
103.2	19.49	12.21	¹ 25.8	¹ 29.2	35.35	

¹ These values have been interpolated by the compiler from the author's data.² These readings were difficult to make and are, therefore, less accurate.

Rotatory dispersion of tartrates (65)

t	d_4^t	λ	$[\alpha]_{\lambda}^t \quad l=2 \text{ dm}$									
			6,708	6,563	6,147	5,893	5,769	5,679	5,568	5,461	5,219	4,861
$C_{12}H_{22}O_6, n\text{-Dibutyl } d\text{-tartrate}$												
9.0	1.1044	7.44	7.68	8.32	8.67	8.82	8.92	9.04	9.13	9.26	8.7	8.1
21.5	1.0934	8.55	8.80	9.63	10.20	10.45	10.61	10.81	11.00	11.25	11.23	11.0
41.5	1.0759	9.93	10.22	11.27	11.92	12.27	12.50		13.08	13.61	14.19	14.1
72.5	1.0492	11.31	11.73	13.06	13.91	14.36	14.65	15.05	15.44	16.26	17.4	17.9
98.0	1.0269	12.11	12.54	13.99	14.95	15.45	15.83	16.29	16.75	17.87	19.43	20.2
118.0	1.0099	12.39	12.83	14.36	15.35	15.89	16.30	16.82	17.26	18.39	20.21	20.9
128.0	1.0011	12.4	12.91	14.51	15.53	16.08	16.46	16.97	17.53	18.65	20.4	
140.0	.9906	12.44	13.00	14.54	15.65	16.23	16.62	17.15	17.63	18.88	20.76	21.4
151.0	.981	12.54	12.97	14.54	15.69	16.19	16.57	17.04	17.66	18.77	20.51	21.6
165.0	.969	12.52	12.99	14.58	15.69	16.25	16.67	17.16	17.67	18.97	20.60	21.9
$C_{18}H_{34}O_6, n\text{-Diheptyl } d\text{-tartrate}$												
44.5	0.9952	7.66	7.92	8.70	9.17	9.43	9.64	9.84	10.03	10.44	10.77	10.6
79.0	.9685	8.87	9.20	10.16	10.88	11.23	11.49	11.78	12.08	12.73	13.69	14.1
100.0	.9520	9.27	9.59	10.71	11.43	11.81	12.12	12.44	12.79	13.60	14.76	15.2
125.2	.9328	9.66	10.00	11.16	11.96	12.38	12.71	13.09	13.48	14.46	15.78	16.5
149.0	.914	9.78	10.17	11.35	12.14	12.60	12.88	13.33	13.71	14.77	16.18	16.9
168.0	.8995	9.68	10.06	11.30	12.12	12.59	12.88	13.29	13.69	14.63	16.20	16.8
$C_{20}H_{38}O_6, n\text{-Diocetyl } d\text{-tartrate}$												
45.0	0.9817	7.14	7.35	8.05	8.51	8.73	8.88	9.08	9.29	9.71	9.98	9.9
79.0	.9551	8.32	8.59	9.54	10.18	10.51	10.75	11.05	11.32	12.02	12.72	13.0
89.0	.9473	8.54	8.84	9.86	10.53	10.86	11.13	11.44	11.76	12.53	13.40	13.8
112.0	.9292	8.90	9.26	10.35	11.06	11.44	11.73	12.07	12.42	13.32	14.50	15.0
132.0	.9140	9.04	9.39	10.51	11.26	11.65	11.93	12.30	12.68	13.57	14.96	15.6
145.0	.9035	8.06	9.41	10.58	11.34	11.73	12.01	12.40	12.73	13.66	15.07	15.8
165.0	.887	9.05	9.41	10.54	11.33	11.74	12.06	12.45	12.80	13.74	15.04	16.0

d-Tartrates (128, 145; cf. 6, 167, 228, 229)

$C_{10}H_{14}O_6$ <i>t</i>	Diallyl $[\alpha]_D^t$	$C_{12}H_{22}O_6$ <i>t</i>	Diisobutyl $[\alpha]_D^t$	$C_{20}H_{34}O_6$ <i>t</i>	Di- <i>d</i> - β -octyl $[\alpha]_D^t$
15.6	15.28	20.0	17.75	16.4	10.25
20.0	15.52	69.1	19.83	20.0	10.45
33.2	16.23	80.6	20.03	41.0	11.38
71.5	17.95	97.5	20.44	74.4	12.54
106.6	18.66			107.5	13.31
131.6	18.82				
148.2	18.75				
168.0	18.44				
$C_{10}H_{18}O_6$ Di- <i>n</i> -propyl					
16.5	12.22	16.0	7.63		
20.0	12.54	21.5	7.83		
45.5	14.52	41.5	9.36		
77.7	16.48	50.0	10.13		
111.2	17.44	62.0	10.89		
123.0	17.62	71.0	11.43		
133.2	17.72	98.0	12.72		
147.2	17.82				
161.0	17.77				
173.0	17.70				
$C_{10}H_{18}O_6$ Diisopropyl					
15.3	20.55				
20.0	20.90				
49.7	22.66				
73.0	23.67				
118.0	24.69				
136.0	24.82				
144.5	24.79				
155.0	24.77				
173.0	24.63				

$C_{20}H_{38}O_6$ Di- β -octyl tartrates $[\alpha]_D^{17}$ (161)			
	<i>d</i> -Tartrate	<i>t</i> -Tartrate	<i>r</i> -Tartrate
Di- <i>d</i> - β -octyl.....	24.06	2.06	14.12
Di- <i>l</i> - β -octyl.....	-1.93	-24.20	-14.03
Di- <i>dl</i> - β -octyl.....	11.02	-11.00	0.00

*d-Tartrates of organic bases in water*¹

Neutral salts (87)	c =	2.5 [α] _D ²⁰	5.0 [α] _D ²⁰	5.0 [M] _D ²⁰
C ₄ H ₄ O ₆ <i>d</i> -Tartaric acid.....	14.44	14.02	21.0	
C ₁₂ H ₂₂ N ₂ O ₆ <i>n</i> -Butylamine.....	17.40	17.86	52.9	
C ₁₄ H ₁₆ N ₂ O ₆ Pyridine.....	18.72	19.30	59.5	
C ₁₄ H ₂₈ N ₂ O ₆ Piperidine.....	16.80	17.12	54.8	
C ₁₆ H ₂₀ N ₂ O ₆ Aniline.....	16.12	16.58	55.7	
C ₁₈ H ₂₄ N ₂ O ₆ Benzylamine.....	17.40	18.28	66.5	
C ₂₂ H ₂₀ N ₂ O ₆ Quinoline.....	12.80	13.22	54.0	
C ₂₂ H ₂₈ N ₂ O ₆ Tetrahydroquinoline.....	12.80	13.42	55.8	
Acid salts (39)	c	2.5 [α] _D ²⁰	5.0 [α] _D ²⁰	5.0 [M] _D ²⁰
C ₄ H ₄ O ₆ <i>d</i> -Tartaric acid.....	1.50	15.0	22.5	
C ₄ H ₉ NO ₆ Ammonia.....	1.67	25.55	42.7	
C ₅ H ₁₁ NO ₆ Methylamine.....	1.81	23.4	42.35	
C ₉ H ₁₇ NO ₆ Diethylamine.....	2.23	18.98	42.35	
C ₆ H ₁₁ NO ₆ Pyridine.....	2.29	18.5	42.35	
C ₁₀ H ₁₃ NO ₆ Aniline.....	2.43	17.42	42.35	
C ₁₆ H ₁₂ NO ₇ <i>p</i> -Aminophenol { <i>o</i> -Toluidine.....	2.59	16.2	42.0	
C ₁₁ H ₁₅ NO ₆ { <i>m</i> -Toluidine <i>p</i> -Toluidine.....	2.57	16.34	42.0	
C ₁₁ H ₁₅ NO ₆ Benzylamine.....	2.57	16.47	42.35	
C ₁₁ H ₁₅ NO ₇ <i>p</i> -Anisidine.....	2.57	16.60	42.7	
C ₁₂ H ₁₇ NO ₇ <i>p</i> -Phenetidine.....	2.73	15.4	42.0	
C ₁₂ H ₁₃ NO ₆ Quinoline.....	2.87	14.75	42.4	
C ₁₂ H ₁₉ NO ₆ Pseudocumidine.....	2.79	14.95	41.7	
	1.14	14.92	42.5	
Neutral salts (30)				
C ₄ H ₁₂ N ₂ O ₆ Ammonia.....	1.84	34.6	63.7	
C ₉ H ₁₅ NO ₆ Methylamine.....	2.12	29.7	63.1	
C ₁₂ H ₂₈ N ₂ O ₆ Diethylamine.....	2.96	21.1	62.6	
C ₁₄ H ₁₆ N ₂ O ₆ Pyridine.....	3.08	19.2	59.2	
C ₁₄ H ₂₀ N ₂ O ₆ Aniline.....	3.36	17.1	57.5	
C ₁₈ H ₂₄ N ₂ O ₆ { <i>o</i> -Toluidine <i>m</i> -Toluidine.....	3.64	15.6	56.7	
C ₁₈ H ₂₄ N ₂ O ₆ { <i>p</i> -Toluidine.....	3.64	15.8	57.6	
C ₁₈ H ₂₄ N ₂ O ₆ Benzylamine.....	3.64	15.85	57.7	
C ₂₂ H ₂₀ N ₂ O ₆ Quinoline.....	4.08	17.4	63.4	
	13.5	13.5	55.0	

¹ For effects of different ratios of acids to amines see (135).

d-Tartrates of organic bases in water—Continued

<i>s</i>	<i>c, p, or d</i>	(157, 180, 181) $[\alpha]_D^{20}$	[M] $_D^{20}$
$C_6H_{10}O_6$ Dimethyl <i>d</i> -tartrate			
Nil.....	1. 3284	2. 14	3. 8
H_2O	1 5. 0231	20. 04	35. 7
$C_8H_{14}O_6$ Diethyl <i>d</i> -tartrate			
Nil.....	1. 2059	7. 62	15. 7
	<i>5. 3231</i>	8. 47	
	<i>25. 106</i>	7. 46	
n -BuOH (1,594).....	43. 658	6. 97	
	59. 440	6. 86	
	80. 990	7. 07	
	<i>4. 610</i>	7. 10	
iso -BuOH (1,594).....	27. 278	6. 01	
	50. 515	5. 55	
	65. 578	5. 85	
	83. 960	6. 64	
C_6H_6	5. 6479	6. 75	+13. 9
	10. 7339	6. 29	+13. 0
	21. 0627	6. 12	+12. 6
$C_{10}H_{18}O_6$ Dipropyl <i>d</i> -tartrate			
Nil.....	1. 1344	12. 31	28. 81
H_2O	4. 8206	26. 67	62. 4
	<i>5. 6205</i>	19. 62	45. 9
C_6H_6	11. 1266	20. 34	47. 6
	22. 2112	18. 31	42. 8
Dimethoxysuccinates			
$C_8H_{14}O_6$ Dimethyl			
Nil ¹	1. 1317	² 82. 52	² 170. 0
	19. 9988	78. 71	162. 1
H_2O	10. 0315	78. 45	161. 6
	5. 0319	78. 50	161. 7
	6. 2598	81. 04	166. 9
$MeOH$	12. 0806	76. 32	157. 2
	23. 0151	78. 90	162. 5
	20. 0036	101. 63	209. 4
C_6H_6	10. 0128	104. 66	215. 6
	5. 0060	105. 47	217. 3
$C_{10}H_{18}O_6$ Diethyl			
Nil ¹	² 1. 0556	² 85. 39	² 199. 8
	1. 0961	89. 96	210. 6
H_2O	5. 3752	89. 11	208. 5
	6. 0569	87. 66	205. 1
$MeOH$	9. 7565	87. 41	204. 5
	19. 0407	87. 27	204. 2
	5. 5130	104. 93	245. 5
C_6H_6	10. 1117	104. 14	243. 7
	19. 3137	102. 65	240. 2
$C_{12}H_{22}O_6$ Dipropyl			
Nil ¹	² 1. 0237	² 81. 06	² 212. 5
	1. 0612	84. 92	222. 4
	6. 6571	84. 99	222. 7
$MeOH$	12. 5697	84. 50	221. 4
	23. 7085	85. 79	224. 8
	5. 6938	101. 26	265. 3
C_6H_6	11. 4730	101. 00	264. 6
	21. 5619	99. 24	260. 0

¹ The *p* values are in italics.² At *t*=60° C.

d-Tartrates of organic bases in water—Continued

$C_{20}H_{16}Cl_2O_8$, Dimethyl di- <i>o</i> -chlorobenzoyltartrate			$C_{20}H_{16}Cl_2O_8$, Dimethyl di- <i>m</i> -chlorobenzoyltartrate		
<i>t</i> or <i>p</i> ¹	d_4^t (64)	$[\alpha]_D^t$	<i>t</i> or <i>p</i> ¹	d_4^t (64)	$[\alpha]_D^t$
13.1	1.3793	-48.83			
20.6	1.3719	-49.22			
46.8	1.3467	-49.79			
69.8	1.3246	-48.94			
83.1	1.3117	-47.95			
87.5	1.3075	-47.51			
99.2	1.2962	-46.80			
<i>s</i> =EtOH. <i>p</i> =1.606			<i>s</i> =EtOH. <i>c</i> =1.961		
20	0.7964	-51.99	20	0.7975	86.66
$C_{20}H_{16}Br_2O_8$, Dimethyl di- <i>o</i> -bromobenzoyltartrate			$C_{20}H_{16}Br_2O_8$, Dimethyl di- <i>p</i> -bromobenzoyltartrate		
27	1.602	-34.29	11.8	1.3660	-122.20
38	1.587	-34.74	23.9	1.3536	-118.79
60	1.559	-34.23	30.4	1.3470	-117.03
75	1.543	-33.79	35.9	1.3414	-115.50
93	1.524	-32.89	64.1	1.3127	-103.23
<i>s</i> =EtOH. <i>t</i> =20°			98.0	1.2784	-98.30
1.486 .9996	0.8009 .7951	-37.39 -36.51	<i>s</i> =EtOH. <i>p</i> =1.621.		
<i>s</i> =Py. <i>t</i> =20°			20	0.7964	-103.1
1.408 1.121	0.9860 .9831	-33.12 -33.61	<i>s</i> =EtOH. <i>t</i> =20°		
$C_{20}H_{16}Br_2O_8$, Dimethyl di- <i>m</i> -bromobenzoyltartrate			1.033	0.7777	-72.19
4	1.620	-83.26	1.3057	.7941	-71.85
16	1.605	-82.05	1.2592	.7929	-71.38
23	1.595	-81.33	$C_{20}H_{16}Br_2O_8$, Dimethyl di- <i>p</i> -bromobenzoyltartrate		
40	1.573	-79.19	21.7	1.5832	-112.2
75	1.531	-73.80	44	1.5565	-107.2
$C_{20}H_{16}Cl_2O_8$, Dimethyl di- <i>m</i> -chlorobenzoyltartrate			68.5	1.5290	-100.7
16.2	1.3556	-92.09	74.6	1.5228	-99.1
26.0	1.3463	-91.00	<i>s</i> =EtOH. <i>t</i> =20°		
35.4	1.3375	-89.67	1.822	0.7982	-101.8
42.4	1.3307	-88.61	1.766	.7979	-101.5
52.6	1.3213	-86.84	$C_{20}H_{16}I_2O_8$ Dimethyl di- <i>o</i> -iodobenzoyltartrate		
79.3	1.2963	-81.79	14.1	1.8104	-13.23
99.0	1.2779	-77.58	20.0	1.8037	-13.82
<i>s</i> =Py. <i>t</i> =20°			45.7	1.7746	-16.00
17.8	1.7866	-80.90	74.7	1.7420	-16.72
35.1	1.7665	-79.18	99.0	1.7145	-16.47
63.0	1.7335	-74.88	$C_{20}H_{16}I_2O_8$ Dimethyl di- <i>m</i> -iodobenzoyltartrate		
98.5	1.6918	-67.86	17.8	1.7866	-80.90
<i>t</i> or <i>p</i> values are in italics.			35.1	1.7665	-79.18
			63.0	1.7335	-74.88
			98.5	1.6918	-67.86

Rotatory dispersion of d-tartrates in aqueous solutions at 20° C. (121)

$\lambda \downarrow$	c	$K_2C_4H_4O_6 \cdot \frac{1}{2}H_2O$ 4.329 K_2O 0.403	$Na_2C_4H_4O_6 \cdot 2H_2O$ 20.178 Na_2O 0.220	$H_2C_4H_4O_6$ 15.0 As_2O_3 Sat. at B. P.	For further data on these and other metallic salts of tartric acid see (83, 107, 113, 114, 115, 143, 144, 208, 218); also the main table.
6,438		-2.62	-14.32	34.88	
5,893		-2.71		41.55	
5,780		-2.71	-19.17	42.87	
5,461		-3.71	-22.55	47.83	
5,086		-5.52	-27.75	54.33	
4,800		-7.24	-33.11	60.35	
4,678		-8.96	-35.85	63.02	
4,358		-12.12	-46.14	70.62	

$$\text{Drude's equation } [M_1]_{\lambda}^l = \frac{k_1}{10^{-8}(\lambda^2 - \lambda_1^2)} - \frac{k_2}{10^{-8}(\lambda^2 - \lambda_2^2)}$$

Solute	c	Moles	k_1	k_2	$10^{-8}\lambda_1^2$	$10^{-8}\lambda_2^2$	Range λ
(1) $\begin{cases} H_2C_4H_4O_6 \\ H_2BO_3 \end{cases}$	7.5	0.05					
	4.65	.075	24.08		0.0246		6, 708-4, 100
(2) $\begin{cases} H_2C_4H_4O_6 \\ H_2BO_3 \end{cases}$	15.0	.10					
	6.2	.10	25.7	1.249	.03	.065	6, 708-4, 046
(3) $\begin{cases} H_2C_4H_4O_6 \\ As_2O_3 \end{cases}$	2.5	.0167					
	1.65	.0167					
(4) $\begin{cases} KOH \\ H_2C_4H_4O_6 \end{cases}$	14.0	.25	20.148		.017		6, 438-4, 259
	2.5	.0167					
(5) $\begin{cases} Bi(OH)_3 \\ KOH \end{cases}$	2.16	.0083					
	14.0	.25		37.414		.0645	6, 438-4, 249
(6) $(NH_4)_2C_4H_4O_6$	37.075		38.676	17.117	.038	.060	6, 438-3, 919
(7) $\begin{cases} Na_2C_4H_4O_6 \\ NaOH \end{cases}$	4.6	.02	18.56		.060		6, 438-4, 242
(8) $K_2C_4H_4O_6$	4.7	.02	17.298		.013		6, 438-4, 242
(9) $Na_2C_4H_4O_6$	25.72		37.445	18.025	.038	.060	6, 708-4, 005
(10) $Na_2C_4H_4O_6$	41.97		37.108	18.348	.038	.060	6, 438-3, 874
(11) $K_2C_4H_4O_6$	41.647		41.750	19.255	.038	.060	6, 708-4, 046
(12) $KNa_2C_4H_4O_6 \cdot 4H_2O$	40.255		41.108	18.886	.038	.060	6, 438-4, 251
(13) $K(SbO)C_4H_4O_6 \cdot \frac{1}{2}H_2O$	55.938		38.513	18.066	.038	.060	6, 438-4, 055
(14) $\begin{cases} K(SbO)C_4H_4O_6 \cdot \frac{1}{2}H_2O \\ KOH \end{cases}$	5.516		142.78		.0494		6, 708-3, 984
	5.53	.0167					
	11.2	.20		89.48		.0627	6, 708-4, 358

Molecular rotations of the preceding solutions

6,708	6,438	5,893	5,780	5,461	5,086	4,800	4,678	4,358
(1) 55.9	61.3	74.8	77.8	88.1	103.1	117.2	124.1	145.4
(2) 57.8	63.0	76.7	79.9	90.6	105.9	120.5	128.1	150.2
(3) -----	51.0	-----	63.3	72.2	83.8	95.5	99.0	114.9
(4) -----	-106.4	-132.2	-138.8	-159.9	-192.6	-225.5	-243.4	-298.4
(5) -----	54.24	65.43	63.05	76.77	89.10	100.51	106.11	122.83
(6) -----	43.6	-----	55.5	62.4	71.7	80.5	84.0	98.7
(7) -----	42.7	-----	53.9	61.4	70.8	79.4	84.0	97.3
(8) 45.05	49.00	58.45	60.55	68.23	79.65	89.36	94.51	107.74
(9) -----	47.04	56.10	58.35	65.58	75.88	85.04	89.99	103.04
(10) 51.92	56.51	67.96	70.81	79.61	92.39	104.06	109.63	126.61
(11) -----	55.79	67.20	69.86	78.69	91.26	102.81	108.68	125.22
(12) 51.49	61.72	64.29	72.16	83.72	94.41	99.44	114.45	
(13) 358.1	389.9	481.0	500.45	573.7	682.2	789.2	842.5	1,015.8
(14) -229.0	-253.8	-313.7	-330.05	-380.4	-457.8	-534.3	-574.3	-702.0

$C_{12}H_{18}O_8$ Diethyl diacetyl-d-tartrate $[\alpha]_D^L$ (205)

s=NiI						s=C ₆ H ₅ Br ₃ . t=76.75						s=C ₆ H ₅ OH. t=76.75							
	[α] _D 76.75	[α] _D 90.0	[M] _D 76.75	[M] _D 90.0	[M] _D 90.0	p=8.43	21.62	53.79	76.58	92.34	30.87	55.45	68.37	84.38	94.58				
						d=1.9192	1.7279	1.3996	1.2363	1.1435	1.0500	1.0465	1.0777	1.0901	1.0985				
6.527.6	4.833	5.468	14.022	15.864	-1.096	+0.651	+2.312	+3.582	+4.465	+5.003	+3.049	+2.708	+3.233	+4.268					
5.890.3	5.173	6.015	15.009	17.452	-2.185	-1.819	+2.030	+3.659	+4.622	+5.353	+2.847	+2.474	+3.125	+4.429					
5.783.6	5.181	6.086	15.033	17.657	-2.522	-1.670	+1.927	+3.477	+4.592	+5.264	+2.771	+2.338	+3.011	+4.430					
5.455.9	5.151	6.135	14.947	17.801	-3.688	-2.008	+1.372	+3.139	+4.476	+5.802	+2.292	+1.801	+2.607	+4.199					
4.749.7	3.390	4.815	9.836	13.970	-8.088	-6.116	-1.540	+1.273	+2.747	+3.572	-4.226	-1.336	-0.666	+2.297					
4.364.8	-	2.303	-	-11.895	-14.224	-11.895	-12.053	-6.499	-2.689	-4.458	-4.714	-4.714	-3.909	-4.469					
4.346.2	.195	2.392	.666	6.941	-14.868	-14.868	-12.053	-6.499	-2.689	-4.458	-4.997	-5.996	-4.324	-1.539					
s=C ₆ H ₅ NO ₃ , Nitrobenzene. t=76.75						s=C ₇ H ₇ NO ₃ m-Nitrotoluene. t=76.75						s=C ₆ H ₅ Naphthalene. t=99							
	p=24.80	52.45	70.91	82.95	92.74	25.92	49.32	67.74	80.77	92.18	31.74	52.89	69.49	82.34	91.92				
						d=1.1102	1.1216	1.1332	1.0652	1.0963	1.1007	1.1016	0.9997	1.0217	1.0433	1.0221	1.0705		
6.527.6	-7.296	-3.567	-0.707	+1.948	+4.137	-6.624	-2.864	-0.043	+3.479	+4.045	+2.555	+4.307	+4.872	+5.957	+5.506				
5.890.3	-10.752	-6.893	-2.032	+1.391	+4.113	-9.698	-4.927	-1.192	+3.139	+4.064	+2.140	+4.364	+5.240	+6.421	+6.177				
5.783.6	-11.623	-6.581	-2.470	+1.205	+4.056	-10.524	-5.454	-1.148	+2.972	+3.903	+1.830	+4.143	+5.249	+6.351	+6.244				
5.455.9	-14.754	-8.765	-4.086	+1.375	+3.784	-13.380	-7.375	-2.796	+2.258	+3.599	+1.035	+3.796	+5.152	+6.532	+6.121				
4.749.7	-26.466	-17.357	-7.598	-4.156	+1.404	-24.007	-15.744	-8.754	-1.925	+2.963	+3.994	-2.221	+2.834	+4.683	+4.888				
4.346.2	-24.472	-17.122	-17.088	-10.049	-2.689	-22.192	-14.225	-8.221	-12.387	-8.277	-9.728	-3.654	-3.654	-1.560	+2.229				

C₈H₁₄O₆ Diethyl d-tartrate (153, 154, 155)

	<i>s</i>	<i>p</i>	[α] _D ²⁰	<i>t</i>	[α] _D ^t	<i>t</i>	[α] _D ^t	<i>t</i>	[α] _D ^t
C ₂ H ₅ NS	Nil	100	7.58						
	(Methyl thiocyanate	60.63	9.87						
	(Methyl isothiocyanate	61.40	7.95						
C ₂ H ₄ O	Acetaldehyde	49.09	17.02						
C ₂ H ₅ NS	(Ethyl thiocyanate	9.98	11.7						
	(Ethyl isothiocyanate	10.17	3.37						
C ₂ H ₆ O	Acetone	{ 10.01	12.2	13	11.7	36.7	13.4	46	13.9
		25.06	11.9	11.5	11.3	32	12.8	36	13.0
C ₃ H ₈ O	<i>n</i> -Propyl alcohol	25.0	6.73						
C ₄ H ₁₀ O	(<i>n</i> -Butyl alcohol	12.04	+9.2						
	Isobutyl alcohol	10.00	5.7						
	<i>sec</i> -Butyl alcohol	11.88	5.7						
	<i>tert</i> -Butyl alcohol	12.13	3.5						
C ₄ H ₁₀ O ₃ S	(Diethyl sulphite	9.38	7.9						
	(Ethyl ethylsulphonate	8.66	4.3						
C ₅ H ₁₀ O ₂	Methyl acetoacetate	{ 10.21	11.3	15.3	10.9	35.1	12.2	54	13.2
		25.23	10.6	16.9	10.4	35.1	11.7	57.3	12.8
		50.46	9.40	15.6	9.0	37.4	10.9	56.2	12.1
C ₆ H ₅ NS	Isobutyl thiocyanate	10.59	6.2						
	Isobutyl isothiocyanate	10.67	-1.0						
C ₆ H ₁₀ O	Diethyl ketone	11.79	10.5						
	Methyl propyl ketone	11.88	10.9						
C ₆ H ₁₀ O ₂	Diethyl carbonate	10.11	6.5						
C ₆ H ₈ O	Allyl alcohol	{ 28.27	11.95	8.6	11.2	35.3	13.2	55.5	14.2
		49.81	10.70	11.5	10.0	34.2	11.9	53.0	13.1
C ₆ H ₇ NO ₂	<i>o</i> -Nitrophenol	{ 23.89	60.1	16.2	81.4	16.9	112.2	17.66	
		51.12	56.8	14.31	78.2	15.35	97.3	16.08	
C ₆ H ₈ N ₂ O ₂	<i>o</i> -Nitroaniline	{ 74.95	43.4	12.14	87.3	14.38	115.1	14.21	
	<i>m</i> -Nitroaniline	89.3	12.0	14.4	11.6	138.6	13.5		
	<i>p</i> -Nitroaniline	89.43	11.8	36.6	13.1	48.6	13.8		
		90.02	17.8	34.8	18.0	41.6	18.2		
C ₆ H ₈ O	Phenol	{ 14.79	38.5	30.75	35.47	52.3	30.96	92.4	26.85
		23.85	34.2	53.5	29.55	96.9	25.7	130.4	23.65
		48.2	23.94	65.2	22.62	92.3	21.83	140.6	20.54
		64.78	17.05	64.9	18.38	100.3	18.78	126	18.52
		74.39	13.82	53.5	15.60	76.5	16.38	89.7	16.76
		79.24	12.37	55.5	14.62	87.1	15.90	117.2	16.62
C ₆ H ₇ N	Aniline	{ 7.66	37.7	34.7	36.5	59.3	34.2	70.7	33.3
		23.98	35.2	38.1	33.6	55.6	31.3	81.8	29.5
C ₆ H ₁₀ O ₃	Ethyl acetoacetate	{ 66.29	21.3	43.2	21.8	75.2	20.8	86.1	20.6
		10.47	8.9	14	8.0	51	11.7	71.5	13.1
		25.08	8.1	14	7.5	40.5	10.0	50.5	10.8
		50.19	7.7	15.2	7.1	43.1	10.0	54.2	10.9
C ₆ H ₁₁ O ₃	Paracetaldehyde	49.99	3.93	33.1	6.2	57	9.1	67.5	10.0
C ₇ H ₇ NO ₂	<i>o</i> -Nitroanisole	{ 9.79	30.6	34.5	29.5	53.2	28.3	62.8	27.7
		21.17	25.3	29.1	25.4	39.3	25.1	55.8	24.8
C ₇ H ₈ O	<i>p</i> -Nitroanisole	53.84	12.5	35.1	13.63	44.4	14.23	57.6	14.91
	Anisole	{ 9.99	4.5	27.3	5.34	35.2	6.25		
		24.62	6.8	33.2	8.20	52.9	10.15	72.8	12.41
		49.85	8.1	30.6	9.12				
C ₇ H ₈ O	Benzyl alcohol	{ 10.0	28.0	46.9	26.1				
		23.38	26.2	45.1	25.2	75.6	23.9	101.1	23.0
	<i>o</i> -Cresol	9.61	33.2						
	<i>m</i> -Cresol	9.64	42.6						
	<i>p</i> -Cresol	9.59	46.9						
C ₇ H ₈ N	Methylaniline	{ 9.94	23.6	31.7	23.1	49.8	22.8	65.0	22.5
		30.89	17.6	19.4	17.5	15.7	17.3	15.3	17.3
	<i>o</i> -Toluidine	10.93	30.5	38.2	29.4	47.4	28.3		
		25.10	27.4	45.7	25.7	58.0	25.2		
C ₇ H ₈ N	<i>m</i> -Toluidine	{ 50.3	21.1	34.6	20.7	50.5	20.4		
		11.66	48.5	29.7	46.1	43.2	42.2		
	<i>p</i> -Toluidine	{ 24.96	42.4	32.9	39.4	48.0	36.4	64.3	33.9
		24.92	42.3	35.7	39.4	46.8	37.7	67.8	33.6
		49.98	31.4	34.7	29.8	46.3	28.6	58.2	27.5
C ₇ H ₁₂ O ₃	Ethyl methylacetoacetate	10.23	8.5	13	7.8	30	9.5	41	10.5
C ₇ H ₇ NO ₂	<i>o</i> -Nitrophenetole	{ 25.09	19.2	30.6	19.7	53.3	20.4	65.5	20.6
C ₈ H ₁₀ O	Phenetole	{ 39.43	15.75	29.1	16.27	42.0	17.06		
		9.99	+7.75	27.1	8.41	36.5	9.58		
		24.96	+7.32	31.6	8.79	43.5	10.14	50.5	10.92
		51.73	6.86	31.0	8.05	18.2	6.72		

¹ See footnote at end of table.

$C_8H_{14}O_6$ Diethyl *d*-tartrate (153, 154, 155)—Continued

	<i>s</i>	<i>p</i>	$[\alpha]_D^{20}$	<i>t</i>	$[\alpha]_D^t$	<i>t</i>	$[\alpha]_D^t$	<i>t</i>	$[\alpha]_D^t$
$C_8H_8O_2$	Phenyl acetate	24.96	15.28	28.2	15.33	39.3	15.40	44.4	15.37
$C_8H_{10}O$	β -Phenylethyl alcohol	26.30	14.48	27.8	14.52	40.7	14.55	—	—
$C_8H_{10}O$	<i>o</i> -Cresol methyl ether	10.06	8.8	—	—	—	—	—	—
$C_8H_{10}O$	<i>m</i> -Cresol methyl ether	10.17	4.9	—	—	—	—	—	—
$C_8H_{10}O$	<i>p</i> -Cresol methyl ether	10.04	7.0	—	—	—	—	—	—
$C_8H_{11}N$	Dimethylaniline	{ 9.4 24.84	{ 4.2 5.1	25.6 30.9	5.6 6.6	43.0 47.3	7.7 8.5	33.9 50.9	6.6 9.4
$C_8H_{12}O_4$	Ethyl <i>C</i> -acetylacetone	9.02	10.0	—	—	—	—	—	—
$C_8H_{12}O_4$	Ethyl <i>O</i> -acetylacetone	9.38	14.0	—	—	—	—	—	—
$C_8H_{14}O_3$	Ethyl ethylacetacetate	62.93	6.72	—	—	—	—	—	—
$C_8H_{14}O_3$	Ethyl β -ethoxycrotonate	62.96	4.86	—	—	—	—	—	—
$C_8H_{14}O_3$	Ethyl dimethylacetone	{ 10.28 25.17 50.31	{ 8.8 8.0 6.83	11.9 13.2 12.6	8.2 7.1 6.5	35.8 38.4 32.2	10.1 9.8 8.7	— 57.1 51.0	— 11.3 10.5
$C_9H_{10}O_2$	Benzyl acetate	24.89	14.68	31.8	14.72	43.7	14.75	51.7	14.82
$C_9H_{12}O$	γ -Phenylpropyl alcohol	24.83	13.63	28.7	13.73	42.0	13.87	—	—
$C_9H_{20}O_4$	Benzyl ethyl ether	20.78	12.26	13.0	12.18	36.3	12.57	42.5	12.83
$C_{14}H_{14}O$	Ethyl orthocarbonate	10.80	4.0	—	—	—	—	—	—
$C_{14}H_{14}O$	Dibenzyl ether	24.84	13.07	16.4	3.0	32.2	13.35	40.9	13.54

¹ These are values of $[\alpha]_D^t$ for 10-cm tubes; the specific rotations are not given by the author.

IC₁. THE MOLECULE CONTAINS 1 ASYMMETRIC CARBON ATOM ATTACHED TO 3 OTHER CARBON ATOMS

5. CITRONELLAL DERIVATIVES

Derivatives of citronellal (187; cf. 188, 196) $[\alpha]_D^{20}$

			6,563	5,893	5,270	4,861
$C_{11}H_{20}$	2, 6-Dimethyl- Δ^2 , 7-nonadiene	—	—8.12	—10.37	—12.29	—16.17
$C_{12}H_{22}$	2, 6-Dimethyl- Δ^2 , 7-decadiene	—	—6.64	—	—	—
$C_{13}H_{24}$	2, 6-Dimethyl- Δ^2 , 8-undecadiene	—	—5.22	—6.68	—7.98	—10.55
$C_{13}H_{22}$	2, 6-Dimethyl- Δ^2 , 8, 10-undecatriene	—	—7.87	—10.12	—12.34	—16.92
$C_{16}H_{28}$	2, 6-Dimethyl- Δ^2 , 8-octadiene-8-cyclohexane	—	—5.03	—6.40	—7.65	—
$C_{16}H_{22}$	2, 6-Dimethyl- Δ^2 , 7-octadiene-8-benzene	—	—48.07	—63.24	—77.35	—108.10
$C_{16}H_{24}$	2, 6-Dimethyl- Δ^2 -octene-8-benzene	—	—	—7.26	—	—
$C_{17}H_{24}$	2, 6-Dimethyl- Δ^2 , 8-nonadiene-9-benzene	—	—	—3.33	—	—
$C_{18}H_{36}$	2, 6-Dimethyl- Δ^2 , 8-decadiene-10-benzene	—	—4.54	—5.76	—6.84	—8.90

6. AMYLACETONE DERIVATIVES

Derivatives of amylacetone $[\alpha]_D^{20}$ (204)

$p=10$	<i>s</i>	6,563	5,893	5,270	4,861	$[M]_D$
$C_8H_{16}O$ <i>l</i> -Amylacetone ¹	{ C_6H_6 EtOH	{ 6.41 5.4 6.2	{ 8.20 7.34 8.0	{ 9.52 8.5 9.0	{ 12.42 12.5 13.0	{ 10.49 9.4 10.3
$C_{10}H_{18}O_2$ Acetyl- <i>l</i> -amylacetone	C_6H_6	7.54	9.80	11.65	15.78	16.66
$C_{11}H_{20}O_3$ Ethyl <i>l</i> -amylacetacetate	C_6H_6	6.12	8.0	9.5	14.0	14.1
$C_{15}H_{20}O$ Benzylidene- <i>l</i> -amylacetone	C_6H_6	10.62	13.66	16.23	21.72	27.32
$C_{15}H_{20}O_2$ Benzoyl- <i>l</i> -amylacetone	{ C_6H_6 NaOH	{ 7.28 5.1 6.4	{ 9.41 6.0 8.93	{ 11.34 8.11 10.6	{ 15.72 11.94 15.05	{ 21.83 15.9 20.7
$C_{16}H_{22}O_2$ Anisylidene- <i>l</i> -amylacetone	C_6H_6	5.9	8.62	10.52	16.6	21.2

¹ These derivatives of *l*-amyl alcohol are dextrorotatory.

IV. CLASS II. ORGANIC SUBSTANCES, AT LEAST ONE ASYMMETRIC CARBON ATOM OF WHICH FORMS PART OF A RING

II B. THE MOLECULE CONTAINS ASYMMETRIC CARBON ATOMS ATTACHED TO 2 OTHER CARBON ATOMS

7. TETRAHYDRONAPHTHOL AND DERIVATIVES

Specific rotation $[\alpha]_D^t$ of d- and l-ac-tetrahydro- β -naphthol and derivatives (103)

<i>t</i>	$C_{10}H_{12}O$ d-ac-tetrahydro- β -naphthol			$C_{15}H_{20}O_2$ l-ac-tetrahydro- β -naphthyl n-valerate		
	$[\alpha]_{5,893}^t$	$[\alpha]_{5,461}^t$	$[\alpha]_{4,358}^t$	$[\alpha]_{5,893}^t$	$[\alpha]_{5,461}^t$	$[\alpha]_{4,358}^t$
20	75.68	90.26	162.16	-46.80	-56.23	-99.97
40	71.85	86.72	155.51	-45.77	-55.34	-98.40
60	68.35	82.62	148.98	-44.71	-54.43	-96.74
80	65.36	79.16	142.05	-43.62	-53.50	-95.13
100	62.56	75.39	135.65	-42.48	-52.52	-93.40
120	59.94	72.33	130.13	-41.30	-51.54	-91.60
140	57.50	69.82	125.88	-40.05	-50.56	-89.80
160	55.26	67.36	121.04	-38.79	-49.53	-87.96
180	52.96	64.66	116.10	-37.43	-48.45	-85.96
200	50.86	62.47	112.15			

<i>s</i>	<i>c</i>	$[\alpha]_{5,893}^t$	$[\alpha]_{5,461}^t$	$[\alpha]_{4,358}^t$	<i>s</i>	<i>c</i>	$[\alpha]_{5,893}^t$	$[\alpha]_{5,461}^t$	$[\alpha]_{4,358}^t$
$C_{10}H_{20}O$ d-ac-tetrahydro- β -naphthol									
$C_{15}H_{20}O_2$ l-ac-tetrahydro- β -naphthyl n-valerate									
Py-----	5.0815	75.97	91.54	164.6	CHCl ₃ ---	4.9355	-41.01	-49.57	-87.34
EtOH---	5.1565	75.56	90.88	161.4	EtOH---	5.0335	-41.21	-49.45	-88.49
CHCl ₃ ---	4.9840	67.32	80.71	143.2	C ₆ H ₆ ---	4.1395	-53.63	-64.63	-115.1
CS ₂ ----	5.1030	62.30	75.13	134.3	CS ₂ ----	5.1460	-63.86	-77.36	-140.0
C ₆ H ₆ ---	4.8265	61.50	73.98	131.6	$C_{18}H_{16}O_4$ l-ac-tetrahydro- β -naphthyl hydrogen phthalate				
$C_{18}H_{15}O_4Na$ Sodium l-ac-tetrahydro- β -naphthyl phthalate									
H ₂ O---	{ 0.5117 1.0332 1.5280 1.9660 .9423	$\pm 0^\circ$ $\pm 0^\circ$ -1.24 -2.54 -18.05	0.87 .75 -1.02 -2.71 -21.59	5.65 4.84 1.10 -2.49 -34.26	Py-----	5.2985	-15.87	-19.99	-34.23
EtOH---					EtOH---	4.9150	-9.72	-11.28	-17.11
					CHCl ₃ ---	5.1060	-13.71	-17.27	-29.40
					C ₆ H ₆ ---	2.2115	-27.54	-33.30	-59.61
					$C_{18}H_{16}O_4$ d-ac-tetrahydro- β -naphthyl hydrogen phthalate				
					CHCl ₃ ---	1.0718	13.57	16.03	28.84

8. AMINES

 $C_{10}H_{14}N_2$ Nicotine (97)

<i>t</i>	<i>d</i> $\frac{t}{4}$	[<i>a</i>] D^t
20. 0	1. 0093	168. 20
29. 5	1. 0017	168. 71
41. 5	. 9924	169. 09
52. 0	. 9840	169. 51
62. 0	. 9760	169. 74
69. 6	. 9699	169. 94
86. 4	. 9567	169. 73
92. 0	. 9521	169. 71
<i>s</i> =H ₂ O		
	<i>p</i>	
20. 0	6. 638	76. 82
85. 0	6. 638	95. 29
20. 0	88. 338	134. 16
90. 0	88. 338	150. 34
20. 0	89. 471	138. 73
20. 0	81. 842	121. 48
20. 0	69. 202	100. 47
20. 0	60. 773	94. 02
20. 0	50. 134	89. 03
20. 0	40. 237	85. 09
20. 0	30. 973	82. 48
20. 0	20. 726	80. 06
20. 0	10. 012	78. 66
20. 0	2. 505	83. 15
<i>s</i> =CHONH ₂ (231)		
<i>p</i>	<i>d</i> $\frac{20}{4}$	[<i>a</i>] D^{20}
100		-163. 9
61. 54	1. 0610	-122. 65
38. 33	1. 0889	-102. 38
17. 80	1. 1139	-82. 77
11. 32	1. 1220	-73. 74
<i>s</i> =C ₂ H ₄ Br ₂ (231)		
58. 12	1. 3009	-172. 64
36. 29	1. 5310	-176. 55
17. 42	1. 8096	-179. 31
10. 14	1. 9467	-179. 90

Specific rotation $[a]_t^t$ of nicotine at various temperatures (135)

t	$[a]_4^t, 800$	t	$[a]_5^t, 5,893$
22.3 81.5	251.81	22.7	149.97
	223.67	-71.5	135.02
22.4 81.5	$[a]_5^t, 086$		-82.1 131.73
	216.08	-89.0	129.40
22.4 5.0 -5.0	191.27	$[a]_5^t, 461$	
	180.7	22.5	121.38
-5.0 -15.0	179.40	-71.2	109.51
	178.20	-80.7	106.98
-15.0 -30.0 -45.0 -72.5 -81.5 -89.7	178.90	$[a]_6^t, 438$	
	174.42	22.5	110.43
-45.0 -72.5 -81.5 -89.7	171.54	-72.2	99.23
	162.85	-81.6	96.98
-81.5 -89.7	159.24	$[a]_6^t, 708$	
	156.61		

Specific rotation $[a]_t^{20}$ of derivatives of *l*-tetrahydroquinaldine (177; cf. 108)

S	Benzoyl $C_{17}H_{17}NO$				o-Nitrobenzoyl $C_{17}H_{16}N_2O_3$			
	c	5,893	5,780	5,461	c	5,893	5,780	5,461
EtOH-----	1.6890	326.7	342.2	397.3	1.8332	17.11	13.4	-2.05
C_6H_6 -----	1.3398	246.7	258.3	299.9	1.7644	-58.5	-66.8	-99.0
Me ₂ CO-----	1.3265	318.1	333.3	389.0	2.1108	9.60	4.5	-12.4
AcOH-----	1.3309	364.5	382.8	445.2	1.8484	30.0	27.5	+14.5
m-Nitrobenzoyl $C_{17}H_{16}N_2O_3$				p-Nitrobenzoyl $C_{17}H_{16}N_2O_3$				
EtOH-----	1.7303	241.6	252.8	292.6	1.3376	369.9	388.2	459.2
C_6H_6 -----	1.6752	229.6	241.4	278.8	1.3317	320.7	337.9	396.5
Me ₂ CO-----	1.7930	250.7	262.9	306.5	1.3317	353.0	371.7	440.1
AcOH-----	1.7456	250.2	263.4	306.5	1.3402	379.6	401.8	473.9
<i>p</i> -Toluyl $C_{18}H_{19}NO$				Toluene- <i>p</i> -sulphonyl $C_{17}H_{18}NO_2S$				
EtOH-----	1.3369	333.2	347.2	404.5	1.3207	-137.2	-143.1	-163.9
C_6H_6 -----	1.3333	251.5	264.4	305.5	1.3029	-134.2	-141.9	-162.7
Me ₂ CO-----	1.3426	323.6	338.9	393.7	1.3349	-128.8	-135.2	-155.1
AcOH-----	1.3472	370.7	388.6	452.0	1.3179	-122.0	-127.1	-145.9
Nitrobenzene- <i>m</i> -sulphonyl $C_{15}H_{16}N_2O_4S$				2-Nitrotoluene-4-sulphonyl $C_{17}H_{18}N_2O_4S$				
EtOH-----	0.7770	-85.2	-91.7	-103.3	0.6781	-48.7	-49.8	-54.0
C_6H_6 -----	1.4096	-124.2	-130.0	-148.3	1.3212	-21.2	-20.4	-18.9
Me ₂ CO-----	1.1664	-100.7	-107.2	-123.9	1.2585	-53.1	-54.4	-60.8
AcOH-----	1.5098	-96.9	-101.9	-116.9	1.2909	-27.1	-28.1	-30.0

Specific rotation [α]_λ²⁰ of derivatives of *l*-tetrahydroquinaldine (177; cf. 108)—Con.

S	α -Naphthoyl $C_{21}H_{19}NO$				β -Naphthoyl $C_{21}H_{19}NO$			
	c	5, 893	5, 780	5, 461	c	5, 893	5, 780	5, 461
EtOH-----	1.3336	359.9	416.2	490.0	0.3562	339.3	359.5	415.5
C ₆ H ₆ -----	1.3192	338.5	354.9	421.7	2.0434	256.1	268.8	311.5
Me ₂ CO-----	1.3479	385.8	406.6	478.0	.3376	330.3	347.3	405.1
AcOH-----	1.3342	397.2	420.3	491.9	2.0334	374.0	393.8	457.2
$Naphthalene-\alpha$ -sulphonyl $C_{20}H_{11}NO_2S$								
EtOH-----	0.7049	103.8	110.0	134.9	1.2570	-225.0	-237.3	-276.1
C ₆ H ₆ -----	1.3465	75.0	80.7	98.4	1.3303	-231.7	-243.1	-284.3
Me ₂ CO-----	1.6371	90.9	94.7	114.5	.6638	-216.9	-227.1	-264.4
AcOH-----	1.3596	89.0	95.1	114.7	1.3522	-206.5	-216.5	-252.5

Specific rotation [α]_λ²⁰ of tetrahydroquinaldinomethylene camphors,¹ $C_{21}H_{27}NO$

$C_{21}H_{27}NO$	s	c	5, 893	5, 780	5, 461	4, 482	4, 359
d-T-d-C ¹ -----	EtOH-----	0.1114	-133	-145	-183	-----	-598
d-T-d-C-----	EtOH-----	.5020	-133	-143	-182	M. P.=81.0°	
d-T-d-C (A)-----	AcOH-----	.1052	-95.5	-105	-136	-----	
d-T-d-C-----	AcOH-----	.5009	-142	-153	-196	-----	
<i>l</i> -T- <i>l</i> -C-----	EtOH-----	.1108	+134	+144	+182	M. P.=81.0°	
<i>d</i> -T- <i>l</i> -C-----	EtOH-----	.1030	-627	-667	-803	M. P.=111.5°	
<i>d</i> -T- <i>l</i> -C-----	EtOH-----	.5017	-734	-730	-945	-----	
<i>d</i> -T- <i>l</i> -C (B)-----	AcOH-----	.1535	-671	-715	-868	-----	
<i>l</i> -T- <i>d</i> -C-----	EtOH-----	.1109	+741	+787	+951	+1,946	+2,519
<i>l</i> -T- <i>d</i> -C-----	EtOH-----	.5008	+734	+780	+945	M. P.=111.5°	
<i>d</i> -T- <i>d</i> -C-----	EtOH-----	.1016	-440	-475	-577	-----	-1,575
<i>d</i> -T- <i>d</i> -C (C)-----	AcOH-----	.1062	-384	-412	-504	-----	
<i>l</i> -T- <i>d</i> -C-----	EtOH-----	.1006	+444	+471	+574	M. P.=83.5°	
<i>dl</i> -T- <i>d</i> -C-----	EtOH-----	.1066	+307	+326	+391	M. P.=113.0°	
<i>dl</i> -T- <i>l</i> -C-----	EtOH-----	.1018	-307	-326	-390	-----	-975
<i>dl</i> -T- <i>l</i> -C (D)-----	AcOH-----	.1018	-300	-313	-381	M. P.=113.0°	

¹ T and C represent, respectively, the tetrahydroquinaldinomethylene, $C_{11}H_{11}N$, and the camphor, $C_{10}H_{14}O$, radicals.

NOTE.—Tetrahydroquinaldinomethylene camphors exhibit mutarotation in acetic acid solution. All observations recorded in the above table were made after mutarotation was complete.

Mutarotation of the (A), (B), (C), and (D) substances in the preceding table is given below:

Time (in hours)	(A)	(B)	(C)	(D)
	$\alpha_{5,461}$	$\alpha_{5,461}$	$\alpha_{5,461}$	$\alpha_{5,461}$
1/2-----	-2.54	-19.60	-8.15	-5.44
1 1/2-----	-2.00	-18.25	-7.39	-5.34
2 1/2-----	-1.91	-17.88	-7.25	-5.28
6 1/2-----		-17.77	-7.20	-5.18
24-----			-7.13	
48-----	-1.91			

Data for other smaller concentrations given in the original paper; influence of concentration is negligible.

Salts and derivatives of hydroxyhydrindamine (173; cf. 172)

B=1-hydroxy-2-hydrindamine.
 A=α-bromocamphor- α -sulphonic acid.
 A'=camphor- β -sulphonic acid.

Substance	s	$c \downarrow$	$[\alpha]_{\lambda}^{20}$			$[M]_{5,461}^{20}$
			5,893	5,780	5,461	
d-B-l-A ¹	H ₂ O	1.510	-45.2	-47.7	-56.3	-274
(After 98 hours)*	Me ₂ CO	.413	-30.9	-32.7	-40.6	-198
d-B-d-A	H ₂ O	1.592	+68.3	71.9	84.5	389
	{Me ₂ CO (95 per cent)}	.779	+76.7	81.2	95.3	439
d-B-d-A'	H ₂ O	1.382	+31.7	33.1	38.5	147
l-B-d-A'	Me ₂ CO	.656	+60.2	73.2	85.2	325
(30 minutes)*	H ₂ O	2.271	-2.5	-2.4	-1.5	-5.9
(48 hours)*	Me ₂ CO	.801	-6.5	-6.5	-7.2	-27.3
d-B	Me ₂ CO		-5.3	-5.6	-6.2	-23.7
(122 hours)	H ₂ O	1.103	+22.9	24.3	27.9	41.6
(104 hours)	Me ₂ CO	1.053	+275	289	334	498
d-B-HCl	EtOH	.518	+39.1	41.1	47.3	70.6
l-B-HCl	H ₂ O	.642	+32.3	33.9	38.9	72.2
l-B-HBr	H ₂ O	.606	-32.2	-33.8	-38.8	-72.0
d-B-1/2 (H ₂ SO ₄)	H ₂ O	.502	-26.4	-27.4	-31.9	-73.3
(17 hours)*	Me ₂ CO (70 per cent)	1.345	+29.2	30.7	35.3	70.0
-B-HNO ₃	H ₂ O	.344	+33.4	34.9	40.7	80.6
(19 hours)*	Me ₂ CO (98 per cent)	.718	-27.8	-29.2	-33.8	-71.6
d-B-1/2 (H ₂ CO ₃)	H ₂ O	.341	-52.1	-56.5	-65.3	-138
d-B-1/2 (H ₂ PtCl ₆)	H ₂ O	.319	+30.7	33.1	38.0	68.4
d-B picrate	Me ₂ CO	1.200	+16.0	17.3	19.4	68.6
(30 minutes)*	Me ₂ CO	.432	+3.5	+2.9	± 0.0	± 0.0
(19 hours)*	Me ₂ CO	.432	-2.9	-4.1	-8.1	-31.0
(43 hours)*	Me ₂ CO	.432	-4.6	-5.8	-10.4	-39.0
d-B acetate	H ₂ O	.652	+28.2	30.1	34.5	72.1
(96 hours)*	Me ₂ CO	.690	+169	177.0	203	425.0
l-B benzoate*	H ₂ O	.473	-22.2	-23.2	-26.9	-73.0
(107 hours)*	Me ₂ CO	.486	-122	-128	-148	-401
l-B salicylate*	H ₂ O	.455	-21.4	-22.0	-25.3	-73
(30 minutes)*	{Me ₂ CO	.582				
(378 hours)	Me ₂ CO	.582	-61.0	-63.5	-73.8	-212
C ₁₅ H ₁₄ NO ₂ , l-1-hydroxy-2-benzylhydrindamine	Me ₂ CO	.582	-31.8	-34.3	-39.9	-115
C ₁₅ H ₁₄ NO ₂ , d-1-hydroxy-2-benzylidenhydrindamine	Me ₂ CO	.258	-58.1	-60.1	-68.8	-174
C ₁₅ H ₁₄ N ₂ O ₂ , d-1-hydroxy-2-carbamidohydrindene	EtOH	.355	+90.1	95.7	111.0	+262
	AcOH	.386	-4.5	-4.5	-4.5	-8.7
	HCl (conc.)	.422	+59.2	+61.6	+71.7	+138
			s	c	λ	$[\alpha]_{\lambda}^{20}$
C ₈ H ₁₂ N ₂ O	l-1-Hydroxy-2-hydrazinohydrindene (156)	{H ₂ O	0.375			
C ₁₀ H ₁₄ N ₂ O ₂	l-1-Hydroxy-2-semicarbazinohydrindene	EtOH	0.510			

NOTE.—Solutions marked with an asterisk (*) exhibit mutarotation, the final rotation being given for each substance. The form of the rotation-time curve is not simple and a maximum is observed in some cases. Thus the rotations for the dextro-base ($\alpha_{5,461}$) in acetone are:

30 minutes.....	14.03	42 minutes.....	14.51	100 minutes.....	14.73	23 hours.....	14.34
34 minutes.....	14.23	55 minutes.....	14.65	190 minutes.....	14.69	122 hours.....	14.07
38 minutes.....	14.40	70 minutes.....	14.71	6 hours.....	14.60	240 hours.....	14.07

II B₃

(172)		s	$c \downarrow$	$[\alpha]_{\lambda}^{18}$			$[M]_{\lambda}^{18}$
C ₁₅ H ₁₄ NO ₂ Dihydroxydihydrindamine				$\lambda \rightarrow$	5,893	5,780	
t hydrochloride.....	{H ₂ O	1.0.330		83.3	86.4	100.0	+281
	H ₂ O	1.2.007		81.3	84.4	98.1	276
d hydrochloride.....	H ₂ O	1.346		-83.2	-86.1	-99.8	+281
d-chloroplatinate.....	EtOH	.503		46.3	47.2	55.7	227

	Name	s	c	$[\alpha]_D^t$	Lit.
C ₁₇ H ₂₁ NO ₂	d-Hyoscymine.....	50 per cent EtOH.....	4.0	21.0	(29)
	l-Hyoscymine.....	50 per cent EtOH.....	2.165	-25.8	(17)
	CHCl ₃		4.0	-23.7	(29)

^t=room temperature.

¹ Concentration calculated on free base.

² Molecular rotatory power calculated on one equivalent of base.

IIC. THE MOLECULE CONTAINS ASYMMETRIC CARBON ATOMS
ATTACHED EACH TO 3 OTHER CARBON ATOMS

9. METHYLCYCLOHEXANE DERIVATIVES (158)

$C_8H_{11}BrCl$, *d*-4-Chloro-1-methyl-4-chlorobromomethylcyclohexane

<i>s</i>	<i>c</i>	$\frac{t}{\lambda \rightarrow}$	4,359	5,780	5,893
EtOH.....	3.21	17.0	0.39	0.35	0.35

$C_8H_{11}Br$ *d*-1-Methyl-4-bromomethylenecyclohexane¹

Ligroin.....	9.01	16.0	-59.37	-52.34	-50.39
EtOH.....	3.05	16.0	-62.24	-55.38	-50.40

l-1-Methyl-4-bromomethylenecyclohexane¹

Ligroin.....	9.17	16.0	59.11	52.17	50.18
--------------	------	------	-------	-------	-------

$C_8H_{11}BrO$; *l*-1-Methylcyclohexylidene-4-bromoacetic acid¹

EtOH.....	{ 1.47 2.67	19.0 16.0	-12.4 -12.1	-11.0 -10.6	-10.4 -10.3
-----------	----------------	--------------	----------------	----------------	----------------

$C_8H_{11}BrCl_2O$; *l*-4-Chloro-1-methylcyclohexyl-4-chlorobromoacetic acid

EtOH.....	3.79	17.0	-1.32	-1.12	-1.05
-----------	------	------	-------	-------	-------

$C_8H_{14}Br_2O$; *d*- β -Dibromo-1-methylcyclohexyl-4-acetic acid

EtOAc.....	1.59	16.0	2.3	2.0	2.4
EtOH.....	1.37	17.0	29.0	25.1	24.3
C ₆ H ₆	1.50	17.0	29.6	25.6	-24.3
	2.70	17.0	28.2	24.5	23.8

$C_8H_{14}Br_2O$; *l*- β -Dibromo-1-methylcyclohexyl-4-acetic acid

EtOAc.....	3.29	16.0	-2.3	-1.9	-2.3
C ₆ H ₆	1.49	16.0	-29.2	-25.2	-24.5
	3.01	16.0	-28.2	-24.7	-23.9

$C_8H_{14}Br_2O$; *l*- α -Dibromo-1-methylcyclohexyl-4-acetic acid²

C ₆ H ₆	{ 1.51 3.05 3.00	16.0 16.0 16.0	10.3 9.5 4.9	9.3 8.4 4.3	8.6 7.6 3.9
-------------------------------------	------------------------	----------------------	--------------------	-------------------	-------------------

$C_8H_{14}O$; *d*-1-Methylcyclohexylidene-4-acetic acid¹

EtOH.....	0.78	18.0	95.8	83.7	81.1
-----------	------	------	------	------	------

¹ These compounds are centroasymmetric.

² The rotatory powers of the α -dibromides are opposite in sign to those of the parent acids.

10. DIMETHYLTETRAHYDROQUINOLINE AND DERIVATIVES

 $C_{11}H_{15}N$ 2, 4-DIMETHYLTETRAHYDROQUINOLINE (216)

	<i>t</i>	$d_4^{t \text{ or } s}$	[α]D	[M]D		<i>t</i>	$d_4^{t \text{ or } s}$	[α]D	[M]D
$C_{11}H_{15}NO$ Benzoyl- <i>d</i> -compound									
<i>d</i> -	20	1.0009	60.13	97.1	<i>C₆H₆</i>	{ 18	0.678	-312.5	-828.0
<i>l</i> -	20	1.00078	-57.24	-92.15		{ 18	1.211	-313.7	-831.0
<i>d</i> -Iso-	15	1.0044	18.23	29.52		{ 18	.501	-379.7	-1,006.0
<i>l</i> -Iso-	15	1.0063	-18.03	-29.05		{ 18	1.124	-378.9	-1,004.0
<i>s</i> <i>d</i> -Compound									
<i>EtOH</i>	{ 18	1.473	57.0	91.8	<i>Me₂CO</i>	{ 18	.418	-374.5	-992.0
	{ 18	3.675	56.7	91.3		{ 18	1.162	-377.0	-999.0
<i>t</i> -Compound									
<i>EtOH</i>	{ 18	1.270	-56.2	-90.6	<i>CHCl₃</i>	{ 18	.426	-373.6	-990.0
	{ 18	2.625	-56.0	-90.2		{ 18	.822	-378.1	-1,002.0
<i>d</i> -Iso-Compound									
<i>EtOH</i>	{ 17	2.102	18.5	29.7	<i>AcOEt</i>	{ 18	.392	-397.7	-1,054.0
	{ 17	2.768	18.5	29.7		{ 18	.768	-392.8	-1,041.0
<i>t</i> -Iso-Compound									
<i>EtOH</i>	{ 18	0.951	-17.6	-28.2	<i>AcOH</i>	{ 18	.494	-418.2	-1,109.0
	{ 18	2.548	-17.9	-28.8		{ 18	.814	-420.6	-1,114.0
$C_{11}H_{15}ClN$ <i>d</i> -Hydrochloride									
<i>H₂O</i>	{ 18	0.462	84.4	167.0	Benzoyl- <i>t</i> -Compound				
	{ 18	.908	83.1	164.5	<i>EtOH</i>	{ 18	0.486	314.1	832.3
<i>EtOH</i>	{ 19	.422	91.4	181.0		{ 19	.395	314.7	833.7
<i>t</i> -Hydrochloride									
<i>H₂O</i>	{ 18	0.583	-81.5	-161.2	<i>C₆H₆</i>	{ 19	.809	313.5	830.3
	{ 18	.891	-80.8	-159.8		{ 18	.363	377.6	1,000.6
<i>EtOH</i>	{ 18	.541	-91.4	-180.5	<i>EtOH</i>	{ 19	.356	420.0	1,113.0
	{ 18	.146	-93.2	-184.5		{ 19	.182	401.7	1,063.0
<i>d</i> -Iso-Hydrochloride									
<i>H₂O</i>	{ 18	1.085	5.1	10.1	Benzoyl- <i>t</i> -Iso-Compound				
<i>t</i> -Iso-Hydrochloride									
<i>H₂O</i>	{ 18	1.505	-5.1	-10.1	<i>EtOH</i>	{ 18	0.416	86.2	407.0
	{ 18					{ 18	.821	84.9	401.0
	{ 18					{ 18	1.236	85.0	401.0
	{ 18					{ 18	1.640	86.5	408.0
<i>t</i> - <i>t</i> -Compound									
<i>H₂O</i>	{ 18	1.286	-55.2	-261.0	<i>H₂O</i>	{ 18	1.341	-54.8	-259.0
	{ 18	.886	-55.4	-262.0		{ 18	.886	-55.4	-262.0
	{ 18	.456	-55.5	-262.0		{ 18	.456	-55.5	-262.0
<i>t</i> - <i>Iso</i> - <i>d</i> -Compound									
<i>H₂O</i>	{ 18	0.450	-85.5	-404.0	<i>H₂O</i>	{ 18	0.854	-86.1	-407.0
	{ 18	1.913	-84.7	-400.0		{ 18	1.034	55.7	263.0

11. MYRTEMOL ESTERS

(188) Esters of myrtenol $[\alpha]_{\lambda}^{20}$

Formula	Name	6,563	5,893	5,463	4,861
C ₁₀ H ₁₈ O	Myrtenol	36.83	46.49	55.04	71.81
C ₁₄ H ₂₀ O ₂	Myrtenyl crotonate	32.39	40.97	48.66	63.75
C ₁₄ H ₂₂ O ₂	Myrtenyl butyrate	26.99	34.13	40.51	53.01
C ₁₆ H ₂₂ O ₂	Myrtenyl Δ ^{1,5} pentadiene-α-carboxylate	29.25	36.97	43.96	57.36
C ₁₆ H ₂₀ O ₂	Myrtenyl n-hexoate	23.95	30.30	35.96	47.13
C ₁₇ H ₂₀ O ₂	Myrtenyl benzoate	29.01	36.67	43.51	56.90
C ₁₈ H ₂₂ O ₂	Myrtenyl phenylacetate	20.31	25.68	30.35	39.42
C ₁₉ H ₂₄ O ₂	Myrtenyl β-phenylpropionate	20.77	26.30	31.22	40.81

12. MENTHONE

Specific rotation $[\alpha]_{\lambda}^t$ of menthone C₁₀H₁₈O at different temperatures (104)


λ	5,893	5,780	5,461	4,358	λ	5,893	5,780	5,461	4,358
20	-26.74	-27.84	-32.07	-57.15	120	-31.41	-32.88	-38.18	-71.83
40	-27.65	-28.89	-33.29	-59.92	140	-31.63	-33.13	-38.63	-72.13
60	-28.36	-29.79	-34.38	-62.61	160	-31.48	-33.06	-38.43	-71.48
80	-29.32	-30.67	-35.48	-65.55	180	-31.77	-33.09	-38.37	-71.52
100	-30.43	-31.77	-36.82	-68.84					

Anomalous rotatory dispersion of mixtures of C₁₀H₁₈O l- and d-menthone (36; cf. 13, 19, 20, 21, 69)


<i>t</i> -Menthone <i>p</i>	<i>d</i> -Menthone <i>p</i>	$[\alpha]_{\lambda}^{20}$			
		6,563	5,893	5,270	4,861
100	100	-22.44	-28.84	-37.75	-46.47
46.29	53.71	19.33	26.83	38.66	52.45
40.21	59.79	.085	1.00	3.04	6.03
51.76	48.24	2.37	4.05	7.22	11.43
59.24	40.76	-1.94	-1.70	-.69	1.18
		-4.73	-5.41	-5.77	-5.41

IICB. THE MOLECULE CONTAINS 2 OR MORE ASYMMETRIC ATOMS ATTACHED RESPECTIVELY TO 2 AND 3 OTHER CARBON ATOMS

13. MENTHOL, ISOPULEGOL, AND DERIVATIVES



$\begin{array}{c} s \\ p \end{array}$	Phenol C_6H_5OH	Eugenol $C_{10}H_{12}O_2$	$\begin{array}{c} s \\ p \end{array}$	Phenol C_6H_5OH	Eugenol $C_{10}H_{12}O_2$
10	-----	-48.96	35	-46.51	-47.84
15	-----	-48.52	40	-46.44	-47.73
25	-47.16	-48.13	45	-46.39	-47.63
30	-46.74	-47.98	50	-46.36	-47.56



	d^t	$[\alpha]_D^t$	t	d^t	$[\alpha]_D^t$
100	1.050	-121.2			
80	1.058	-125.0			
70	1.073	-124.6			
65	1.078	-124.8			
<i>p</i> -Ester					
100		1.045			-75.48
80		1.058			-76.21
70		1.070			-76.54
65		1.077			-76.94
<i>m</i> -Ester					
100	1.049	-82.04			
80	1.056	-82.92			
70	1.071	-82.54			
65	1.081	-82.06			
40	1.097	-82.17			
20	1.118	-82.52			

Specific rotation [α]_λ^t of menthol and related compounds at different temperatures (104)

λ	5,893	5,780	5,461	4,358	5,893	5,780	5,461	4,358
t	$C_{10}H_{20}O$ <i>l</i> -Menthol				$C_{10}H_{21}N$ <i>l</i> -Menthylamine			
20	-48.96	-51.39	-57.90	-96.61	-39.97	-41.63	-47.04	-76.40
40	-49.55	-52.10	-58.80	-97.61	-40.81	-42.51	-48.07	-78.03
60	-50.02	-52.34	-59.30	-98.15	-41.52	-43.24	-48.88	-79.47
80	-49.97	-52.06	-58.95	-97.97	-42.14	-43.96	-49.58	-80.85
100	-49.48	-51.53	-58.21	-97.03	-42.76	-44.62	-50.27	-82.22
120	-48.78	-50.94	-57.48	-95.82	-43.40	-45.21	-51.01	-83.75
140	-48.15	-50.34	-56.78	-94.66	-44.01	-45.75	-51.69	-85.09
160	-47.58	-49.76	-56.14	-93.46	-44.61	-46.20	-52.32	-86.52
180	-47.09	-49.09	-55.59	-92.04	-45.02	-46.69	-52.81	-87.78
	$C_{11}H_{21}O_2$ <i>l</i> -Menthyl acetate				$C_{17}H_{21}NO_4$ <i>l</i> -Menthyl o-nitrobenzoate			
20	-79.41	-83.01	-94.12	-156.1	-128.7	-136.4	-161.3	-381.9
40	-79.20	-82.73	-93.58	-155.7	-126.1	-133.8	-157.9	-372.7
60	-78.98	-82.47	-93.50	-155.2	-123.6	-131.0	-154.4	-362.9
80	-78.89	-82.31	-93.28	-155.1	-121.2	-128.1	-151.0	-352.4
100	-78.57	-81.98	-92.90	-154.4	-119.0	-125.2	-147.6	-341.8
120	-78.34	-81.74	-92.64	-153.9	-117.3	-123.4	-145.5	-----
140	-78.11	-81.51	-92.34	-153.4	-115.9	-122.1	-143.9	-----
160	-77.89	-81.26	-92.04	-152.9	-114.4	-120.7	-142.1	-----
180	-77.62	-81.00	-91.70	-152.4	-112.9	-119.3	-140.2	-----
	$C_{17}H_{21}NO_4$ <i>l</i> -Menthyl m-nitrobenzoate				$C_{17}H_{21}NO_4$ <i>l</i> -Menthyl p-nitrobenzoate			
20	-82.52	-86.30	-98.44	-173.6	-70.99	-73.98	-83.33	-----
40	-82.14	-85.93	-97.90	-----	-70.86	-73.91	-83.45	-----
60	-81.70	-85.43	-97.25	-----	-70.73	-73.72	-83.28	-----
80	-81.06	-84.76	-96.44	-----	-70.60	-73.57	-83.12	-----
100	-80.39	-84.00	-95.72	-----	-70.34	-73.40	-82.83	-----
120	-79.68	-83.28	-94.95	-----	-70.18	-73.16	-82.59	-----
140	-78.93	-82.59	-94.18	-----	-69.98	-73.05	-82.47	-----
160	-78.42	-82.27	-93.66	-----	-69.98	-71.86	-81.64	-----
180	-78.70	-82.56	-93.65	-----	-67.33	-70.44	-79.50	-----
	$C_{15}H_{26}O_2$ <i>l</i> -Menthyl phenylacetate				$C_{15}H_{26}O_3$ <i>l</i> -Menthyl p-methoxybenzoate			
20	-68.06	-71.34	-81.14	-137.4	-86.22	-90.12	-102.6	-174.7
40	-67.41	-70.44	-80.09	-135.6	-87.42	-90.38	-103.8	-175.7
60	-66.65	-69.56	-79.07	-133.8	-85.39	-89.43	-101.4	-170.1
80	-65.66	-68.58	-77.87	-131.9	-83.52	-87.44	-99.04	-167.2
100	-64.74	-67.54	-76.72	-130.0	-81.64	-85.31	-96.70	-163.2
120	-63.89	-66.62	-75.80	-128.1	-79.82	-83.45	-94.64	-150.1
140	-62.95	-65.67	-74.87	-126.1	-78.03	-81.68	-92.47	-155.4
160	-62.07	-64.92	-73.91	-123.9	-76.28	-79.79	-90.28	-151.9
180	-61.55	-64.40	-73.02	-121.9	-74.87	-78.00	-88.35	-148.7
	$C_{22}H_{35}O_4$ <i>l</i> -Dimethyl oxalate				19°	$C_{17}H_{21}IO_2$ <i>l</i> -Menthyl o-iodobenzoate		
20	-93.46	-97.61	-110.4	-182.0	-61.35	-64.30	-73.57	-130.8
40	-93.28	-97.40	-110.1	-181.9	-61.02	-63.90	-73.16	-130.4
60	-93.11	-97.21	-109.9	-181.5	19°	$C_{17}H_{21}IO_2$ <i>l</i> -Menthyl m-iodobenzoate		
80	-92.87	-96.99	-109.6	-181.0	-61.22	-63.90	-72.67	-121.8
100	-92.64	-96.61	-109.2	-180.3	19°	$C_{17}H_{21}IO_2$ <i>l</i> -Menthyl p-iodobenzoate		
120	-92.10	-96.10	-108.8	-179.6	-63.63	-66.50	-75.30	-126.7
140	-91.68	-95.43	-108.1	-178.9	20°	$C_{20}H_{25}O_3$ <i>l</i> -Menthyl p-allyloxybenzoate		
160	-91.11	-94.77	-107.4	-178.0	-79.76	-83.55	-94.14	164.6
180	-90.38	-94.04	-106.6	-177.0	.	-	-	-

Esters of l-Isopulegol [α]_λ^k (160)

Formula	Name	<i>t</i> ^o	6, 438	5, 461	5, 086	4, 800	4, 359
$C_{10}H_{18}O$	<i>l</i> -Isopulegol	20	-18.23	-25.90	-30.31	-34.51	-43.07
		40	18.61	26.46	31.01	35.43	44.30
		60	18.98	27.05	31.74	36.37	45.55
		80	19.39	27.65	32.47	37.35	46.86
		100	19.83	28.28	33.25	38.37	48.22
		120	20.26	28.95	34.08	39.45	49.67
		140	20.73	29.66	34.95	40.57	51.16
$C_{11}H_{20}O_2$	<i>l</i> -Isopulegyl acetate	20	-9.58	-12.22	-13.61	-14.57	-15.65
		40	-11.61	-15.32	-17.18	-18.71	-21.24
		60	-13.65	-18.34	-20.74	-22.83	-26.38
		80	-15.82	-21.23	-24.16	-26.95	-31.56
$C_{11}H_{22}O_2$	<i>l</i> -Isopulegyl propionate (<i>s</i> =EtOH, <i>c</i> =5)	20	-16.66	-20.66	-23.95	-26.55	-29.44
		20	-8.19	-10.13	-11.06	-11.63	-12.20
		40	-10.17	-13.49	-14.80	-16.12	-17.98
		60	-12.22	-16.58	-18.51	-20.36	-23.54
		80	-14.33	-19.63	-22.21	-24.68	-29.04
$C_{14}H_{24}O$	<i>l</i> -Isopulegyl <i>n</i> -butyrate (<i>s</i> =EtOH, <i>c</i> =5)	20	-15.81	-19.64	-22.87	-25.08	-27.70
		20	-5.53	-6.46	-7.02	-6.93	-6.28
		40	-7.78	-9.99	-10.98	-11.77	-12.34
		60	-9.87	-13.32	-14.69	-16.13	-18.10
		80	-11.87	-16.24	-18.35	-19.88	-23.41
		100	-14.12	-19.39	-22.41	-24.65	-29.09
		120	-16.31	-22.40	-26.00	-28.77	-34.59
$C_{15}H_{26}O_2$	<i>l</i> -Isopulegyl <i>n</i> -valerate (<i>s</i> =EtOH, <i>c</i> =5)	20	-18.21	-25.54	-29.34	-32.96	-39.86
		20	-10.12	-28.60	-32.77	-37.20	-45.24
		40	-12.19	-16.51	-18.79	-20.95	-24.11
		60	-14.11	-16.50	-19.19	-20.67	-23.56
		80	-6.28	-7.57	-8.28	-8.57	-8.63
$C_{16}H_{28}O_2$	<i>l</i> -Isopulegyl <i>n</i> -valerate (<i>s</i> =EtOH, <i>c</i> =5)	20	-8.39	-10.87	-11.99	-12.87	-14.16
		20	-10.32	-13.78	-15.47	-17.12	-19.36
		40	-12.19	-16.51	-18.79	-20.95	-24.11
		60	-14.28	-16.79	-19.71	-21.62	-24.13
		80	-5.19	-5.95	-6.19	-6.30	-5.84
$C_{17}H_{30}O_2$	<i>l</i> -Isopulegyl caproate (<i>s</i> =EtOH, <i>c</i> =5)	20	-7.45	-9.04	-9.84	-10.46	-11.46
		20	-9.33	-11.93	-13.31	-14.55	-16.66
		40	-11.06	-14.86	-16.77	-18.41	-21.47
		60	-14.28	-16.79	-19.71	-21.62	-24.13
		80	-4.84	-5.48	-5.76	-5.83	-5.50
$C_{18}H_{32}O_2$	<i>l</i> -Isopulegyl enanthate (<i>s</i> =EtOH, <i>c</i> =5)	20	-6.71	-8.45	-9.44	-10.07	-10.74
		20	-8.43	-11.27	-12.57	-13.82	-15.41
		40	-10.17	-13.88	-15.68	-17.53	-20.00
		60	-11.37	-14.36	-17.12	-18.79	-21.07
		80	-4.59	-5.19	-5.61	-5.86	-5.26
$C_{19}H_{34}O_2$	<i>l</i> -Isopulegyl caprylate (<i>s</i> =EtOH, <i>c</i> =5)	20	-8.60	-10.23	-15.92	-17.12	-19.83
		20	-6.58	-7.92	-8.84	-9.68	-10.10
		40	-8.28	-10.52	-11.88	-13.23	-14.82
		60	-9.78	-13.09	-14.84	-16.69	-19.07
		80	-4.60	-5.23	-5.68	-5.86	-5.26
$C_{20}H_{36}O_2$	<i>l</i> -Isopulegyl pelargonate (<i>s</i> =EtOH, <i>c</i> =5)	20	-10.30	-13.50	-15.10	-16.81	-19.21
		20	-4.36	-4.98	-5.38	-5.51	-4.94
		40	-6.20	-7.64	-8.43	-9.22	-9.47
		60	-7.72	-10.24	-11.39	-12.64	-13.94
		80	-9.20	-12.57	-14.06	-15.62	-18.12
$C_{21}H_{38}O_2$	<i>l</i> -Isopulegyl caprate (<i>s</i> =EtOH, <i>c</i> =5)	20	-10.21	-13.01	-14.81	-16.31	-18.72
		20	-4.45	-4.93	-5.20	-5.35	-5.15
		40	-5.78	-7.52	-8.19	-8.71	-9.66
		60	-7.41	-9.75	-11.10	-12.23	-13.54
		80	-9.02	-11.92	-13.69	-15.20	-17.38
$C_{22}H_{40}O_2$	<i>l</i> -Isopulegyl undecylate (<i>s</i> =EtOH, <i>c</i> =5)	20	-9.77	-12.47	-14.16	-15.65	-17.55
		20	-4.31	-4.98	-5.29	-5.54	-5.54
		40	-5.94	-7.35	-8.21	-8.94	-9.41
		60	-7.31	-9.48	-10.83	-11.82	-13.18
		80	-8.65	-11.48	-13.02	-14.52	-16.44
$C_{23}H_{42}O_2$	<i>l</i> -Isopulegyl laurate (<i>s</i> =EtOH, <i>c</i> =5)	20	-9.86	-11.87	-13.68	-15.39	-16.40
		20	-3.84	-4.42	-4.83	-4.98	-4.65
		40	-5.35	-6.69	-7.60	-8.23	-8.57
		60	-6.89	-8.88	-10.14	-11.18	-12.27
		80	-8.32	-11.01	-12.47	-13.75	-15.93
$C_{24}H_{44}O_2$	<i>l</i> -Isopulegyl myristate (<i>s</i> =EtOH, <i>c</i> =5)	20	-9.44	-11.90	-13.56	-15.04	-16.51
		20	-3.81	-4.23	-4.68	-4.84	-4.48
		40	-5.30	-6.30	-7.05	-7.62	-8.07
		60	-6.63	-8.32	-9.38	-10.28	-11.44
		80	-7.82	-10.33	-11.69	-13.00	-15.02

Menthol and related compounds in solution $[a]_D^t$ (104; cf. 12, 71, 136, 185, 191)

t=approximately 20°

Formula	Name	S	c	5,893	5,780	5,461	4,358
$C_{10}H_{18}O$	<i>l</i> -Menthone	C_6H_5	5.01	16.73	17.13	19.83	35.17
		EtOH	5.49	23.19	24.02	27.66	47.31
		CS ₂	5.47	23.95	24.86	29.07	58.68
$C_{10}H_{20}O$	<i>l</i> -Menthol	EtOH	5.16	-49.46	-51.80	-59.14	-97.09
		CS ₂	5.28	47.03	49.11	55.64	93.19
		C ₆ H ₅	5.53	44.60	46.52	52.78	86.78
$C_{12}H_{22}O_2$	<i>l</i> -Menthyl acetate	CS ₂	5.18	77.01	81.27	91.20	150.58
		EtOH	5.79	85.23	89.02	100.93	167.50
		CHCl ₃					
$C_{14}H_{24}O_4$	<i>l</i> -Menthyl hydrogen succinate (Cf. 12).	C ₆ H ₅	5.08	59.43	62.24	70.47	116.27
		CHCl ₃	5.00	65.65	68.50	78.05	128.91
		CS ₂					
$C_{17}H_{22}BrClO_2$	<i>l</i> -Menthyl 2-chloro-6-bromobenzoate.	CS ₂	4.77	15.69	16.74	19.04	33.88
		C ₆ H ₅					
$C_{17}H_{22}ClNO_4$	<i>l</i> -Menthyl 4-chloro-2-nitrobenzoate.	CS ₂	4.12	144.64	152.76	181.74	447.38
		C ₆ H ₅					
$C_{17}H_{22}ClNO_4$	<i>l</i> -Menthyl 4-chloro-3-nitrobenzoate.	Py	4.60	72.57	75.19	85.41	155.39
		CHCl ₃					
$C_{17}H_{22}ClNO_4$	<i>l</i> -Menthyl 5-chloro-2-nitrobenzoate.	CS ₂	4.52	151.53	161.25	193.97	516.14
		C ₆ H ₅	4.86	169.38	180.86	217.30	566.79
		CHCl ₃	5.46	153.71	162.40	195.23	505.03
$C_{17}H_{22}N_2O_6$	<i>l</i> -Menthyl 2, 6-dinitrobenzoate.	C ₆ H ₅	4.72	184.05	196.83	237.49	644.60
		CHCl ₃	4.64	80.39	83.32	96.03	173.83
$C_{17}H_{22}N_2O_6$	<i>l</i> -Menthyl 2, 4-dinitrobenzoate.	Py	4.73	116.0	122.6	145.0	347.62
		CS ₂	4.83	133.3	141.2	167.9	403.11
		CHCl ₃	4.94	135.9	144.0	170.9	403.76
		C ₆ H ₅	4.80	138.1	146.1	173.6	425.68
$C_{17}H_{23}ClO_2$	<i>l</i> -Menthyl <i>m</i> -chlorobenzoate.	CS ₂	5.67	85.19	89.07	100.13	171.80
		C ₆ H ₅					
$C_{17}H_{23}FO_2$	<i>l</i> -Menthyl <i>p</i> -fluorobenzoate.	Py	5.31	81.45	84.94	96.14	160.58
		CHCl ₃	4.84	81.70	85.41	96.56	159.87
		EtOH	4.73	84.37	87.62	99.33	165.57
		CS ₂	4.55	90.24	93.33	106.72	181.38
$C_{17}H_{23}IO_2$	<i>l</i> -Menthyl <i>o</i> -iodobenzoate.	C ₆ H ₅	4.82	86.80	90.74	102.86	173.09
		Py					
		CHCl ₃					
		CS ₂					
$C_{17}H_{23}IO_2$	<i>l</i> -Menthyl <i>m</i> -iodobenzoate.	CS ₂	5.17	58.59	61.76	70.34	124.49
		C ₆ H ₅	5.28	58.38	62.37	68.96	115.20
$C_{17}H_{23}IO_2$	<i>l</i> -Menthyl <i>p</i> -iodobenzoate.	Py	6.19	63.97	66.24	74.80	127.77
		CS ₂					
$C_{17}H_{23}IO_2$	<i>l</i> -Menthyl <i>p</i> -iodobenzoate.	AcOEt	6.06	57.36	59.91	67.72	111.61
		C ₆ H ₅	5.71	69.69	72.14	82.13	139.73
$C_{17}H_{23}NO_4$	<i>l</i> -Menthyl <i>o</i> -nitrobenzoate.	Py	5.07	138.91	146.90	175.00	435.52
		CHCl ₃	5.15	154.01	162.01	170.67	461.97
		EtOH	4.92	156.78	165.52	195.57	466.90
		CS ₂	5.57	162.76	172.27	208.08	513.34
$C_{17}H_{23}NO_4$	<i>l</i> -Menthyl <i>o</i> -nitrobenzoate.	C ₆ H ₅	4.19	182.40	193.47	230.27	560.18
		Py					
$C_{17}H_{23}NO_4$	<i>l</i> -Menthyl <i>m</i> -nitrobenzoate.	CHCl ₃	5.87	81.75	85.67	97.76	173.34
		CS ₂	7.11	88.97	92.83	106.48	186.09
$C_{17}H_{24}O_2$	<i>l</i> -Menthyl benzoate.	C ₆ H ₅	5.20	90.38	96.01	106.70	178.60
		CHCl ₃	5.18	86.61	90.66	102.24	169.75
$C_{17}H_{25}NO_2$	<i>l</i> -Menthyl phenylcarbamate.	CHCl ₃	4.96	76.91	80.04	91.83	153.22
		C ₆ H ₅					
$(C_{18}H_{23}O_4)_2Mg$	Magnesium <i>l</i> -menthyl phthalate.	EtOH	3.76	55.23	57.62	65.06	108.88
		H ₂ O					
$C_{18}H_{23}O_4Na$	Sodium <i>l</i> -menthyl phthalate.	EtOH	5.29	60.74	63.42	72.52	123.79
		CHCl ₃					
$C_{18}H_{24}O_4$	<i>l</i> -Menthyl hydrogen phthalate.	CHCl ₃	4.97	93.74	97.86	113.15	205.19
		C ₆ H ₅					
$C_{18}H_{26}O_2$	<i>l</i> -Menthyl phenylacetate.	CHCl ₃	5.07	64.43	67.39	76.26	128.45
		C ₆ H ₅					
$C_{18}H_{26}O_2$	<i>l</i> -Menthyl <i>m</i> -toluate.	CHCl ₃	5.03	88.47	92.17	104.99	176.63
		C ₆ H ₅	4.89	59.82	62.37	70.34	115.45
$C_{20}H_{30}O_3$	<i>l</i> -Menthyl <i>o</i> -propoxybenzoate.	CHCl ₃	4.78	79.56	83.22	94.58	161.41
		C ₆ H ₅					
$C_{20}H_{30}O_3S$	<i>l</i> -Menthyl <i>p</i> -isopropoxybenzoate.	CHCl ₃	4.78	78.81	81.75	93.22	155.90
		C ₆ H ₅					
$C_{21}H_{28}O_3$	<i>l</i> -Menthyl 2-methoxynaphthoate.	CHCl ₃	4.95	46.89	49.32	56.39	89.33
		C ₆ H ₅	5.02	51.16	53.43	60.75	99.79
$C_{20}H_{38}O_5S$	<i>di-l</i> -Menthyl sulphite.	CHCl ₃	5.27	97.86	101.84	115.57	192.12
		C ₆ H ₅					
$C_{22}H_{38}O_3$	<i>l</i> -Dimenthyl oxalate.	CHCl ₃	4.79	82.08	85.82	96.68	157.99
		C ₆ H ₅					
$C_{23}H_{38}O_4$	Pyridinium <i>l</i> -menthyl phthalate.	CHCl ₃	4.92	98.18	102.55	116.25	192.81
		C ₆ H ₅					
$C_{24}H_{39}NO_4$	Pyridinium <i>l</i> -menthyl phthalate.	Py	4.74	93.69	97.43	110.83	183.84
		C ₆ H ₅	6.57	70.92	74.57	86.30	159.74

Menthylamine derivatives $[\alpha]_D^t$ (104; cf., 12, 71, 136, 185, 191)*t*=approximately 20°

Formula	Name	s	c	5,893	5,780	5,461	4,358
C ₁₀ H ₂₂ ClN.....	<i>l</i> -Menthylamine hydrochloride.....	{H ₂ O.....	5.12	36.29	37.45	42.60	69.85
C ₁₃ H ₂₅ NO ₂	Ethyl <i>l</i> -menthylcarbamate.....	[CHCl ₃	4.98	45.72	49.86	54.14	89.82
C ₁₄ H ₂₅ NO ₂	Allyl <i>l</i> -menthylcarbamate.....	[CHCl ₃	3.94	68.52	71.31	81.58	137.0
C ₁₄ H ₂₅ N ₂ O.....	<i>n</i> -Propyl <i>l</i> -menthylcarbamide.....	EtOH.....	4.35	67.33	70.08	79.86	135.98
C ₁₅ H ₂₉ NO ₂	<i>n</i> -Butyl <i>l</i> -menthylcarbamate.....	CHCl ₃	2.77	66.94	69.47	79.20	133.17
C ₁₅ H ₂₇ NO ₂	<i>m</i> -Tolyl <i>l</i> -menthylcarbamate.....	CHCl ₃	4.42	64.18	66.74	76.19	128.76
C ₁₈ H ₂₇ NO ₂	<i>p</i> -Tolyl <i>l</i> -menthylcarbamate.....	CHCl ₃	1.96	56.49	58.52	66.92	112.98
C ₁₈ H ₂₅ N ₂ O.....	<i>m</i> -Tolyl <i>l</i> -menthylcarbamide.....	Py.....	2.23	80.67	85.06	97.03	171.32
C ₁₉ H ₂₂ NO ₂	<i>m</i> -4-Xylenyl <i>l</i> -menthylcarbamate.....	CHCl ₃	3.85	53.91	55.67	63.57	108.05
C ₂₁ H ₂₇ NO ₂	1-Naphthyl <i>l</i> -menthylcarbamate.....	EtOH.....	3.10	48.66	51.86	59.64	100.20
C ₂₁ H ₂₅ N ₂ O.....	2-Naphthyl <i>l</i> -menthylcarbamide.....	CHCl ₃	1.13	64.68	67.89	76.72	136.18
C ₂₁ H ₂₉ NO ₂	<i>l</i> -Menthyl <i>l</i> -menthylcarbamate.....	CHCl ₃	4.74	90.02	93.60	106.34	178.26
C ₂₁ H ₄₀ N ₂ O.....	di- <i>l</i> -Menthylcarbamide.....	CHCl ₃	4.68	91.26	95.53	108.02	181.25

Rotatory dispersion of some menthyl esters (197; cf., 38)

Formula	Name	s	t	p or c	6,563	5,893	5,461	4,861	
C ₁₃ H ₂₁ NO ₂	<i>l</i> -Menthyl cyanoacetate.....	C ₆ H ₆	20	10	-64.15	-80.92	-95.21	-123.57	
C ₁₆ H ₂₆ O ₄	<i>l</i> -Menthyl acetylacetooacetate.....	{Nil.....			-61.49	-79.56	-96.34	-131.32	
C ₁₈ H ₂₈ O ₃	<i>l</i> -Menthyl ethylacetoacetate.....	{C ₆ H ₆	10	40.39	-50.77	-59.46	-76.50		
		C ₆ H ₆	10	50.59	-63.85	-75.60	-98.39		
C ₁₇ H ₂₀ O ₃	<i>l</i> -Menthyl isopropylacetooacetate.....	{Nil.....	20	-	-48.69	-61.53	-72.91	-95.05	
		{C ₆ H ₆	20	10	-47.32	-59.74	-70.53	-91.70	
C ₁₈ H ₂₆ O ₂	Menthyl <i>o</i> -toluate (38).....	Nil.....	20	-	-66.54	-84.58	-108.84	-131.72	
C ₁₉ H ₂₄ O ₂	<i>l</i> -Menthyl phenylpropionate.....	C ₆ H ₆	10	57.31	-72.56	-85.90	-111.92		
C ₁₉ H ₂₀ O ₃	<i>l</i> -Menthyl benzoylacetate.....	C ₆ H ₆	20	10	-50.95	-64.39	-76.15	-99.89	
C ₂₁ H ₂₃ O ₂	<i>l</i> -Menthyl benzylideneacetooacetate (cf. 82).....	C ₆ H ₆	10	-	-8.17	-10.97	-13.66	-21.27	
C ₂₁ H ₂₀ O ₂	<i>l</i> -Menthyl <i>l</i> -benzylacetooacetate.....	C ₆ H ₆	20	10	-94.05	-121.21	-145.67	-196.73	
		<i>l</i> -Menthyl <i>dl</i> -benzylacetooacetate.....	C ₆ H ₆	20	10	-43.43	-55.10	-65.20	-85.85
C ₂₄ H ₂₀ O ₃	<i>l</i> -Menthyl benzoylphenylacetate.....	{C ₆ H ₆	20	10	13.73	21.10	28.58	49.91	
		{EtOH.....	20	{10+1 [droppy]}	-43.89	-58.91	-75.08	-93.57	
C ₂₅ H ₂₀ O ₃	<i>l</i> -Menthyl benzoylbenzylideneacetate.....	C ₆ H ₆	20	10	-61.75	-78.62	-93.69	-123.84	
C ₂₇ H ₂₄ O ₃	<i>l</i> -Menthyl <i>d</i> -diphenylmethylacetooacetate.....	C ₆ H ₆	10	-	-33.83	-41.94	-48.18	-60.00	
		<i>l</i> -Menthyl <i>l</i> -diphenylmethylacetooacetate.....	C ₆ H ₆	10	-51.13	-65.15	-78.04	-103.94	
		<i>l</i> -Menthyl <i>dl</i> -diphenylmethylacetooacetate.....	C ₆ H ₆	10	-42.62	-53.69	-63.31	-82.43	
C ₂₂ H ₃₄ O ₃	<i>l</i> -Menthyl <i>l</i> -benzoylcinnamylacetate.....	C ₆ H ₆	20	10	-67.41	-86.08	-102.18	-135.71	
C ₃₀ H ₃₄ O ₂	<i>l</i> -Menthyl triphenylacetate (38).....	{PhMe.....	20	1	26.17	-3.04	-3.44	-3.67	
		{CS ₂	20	1	19.22	-9.94	-13.79	-19.65	
		{Me ₂ CO.....	20	1	12.89	-1.58	-1.58	-1.28	
		{CHCl ₃	20	1	18.12	-3.81	-4.39	-4.83	

1 For this compound $c = g/100 \text{ cc.}$

67316°—32—5°

Menthol and menthyl esters [α]_λ²⁰

Formula	Name	p	s	6,563	5,893	5,463	4,861	Lit.
C ₁₀ H ₂₀ O	<i>l</i> -Menthol		C ₆ H ₆	37.01	46.58	54.78	70.84	188
C ₁₃ H ₂₁ NO ₂	<i>l</i> -Menthyl cyanoacetate	10	C ₆ H ₆	-64.15	80.92	95.21	123.57	197
C ₁₄ H ₂₄ O ₃	<i>l</i> -Menthyl acetoacetate	10	Nil	-54.92	-69.21	-81.98	-106.35	188
			C ₆ H ₆	-55.71	-69.32	-82.15	-105.78	204
			C ₆ H ₆	-68.08				188
			EtOH	-70.26				188
C ₁₄ H ₂₆ O ₂	<i>l</i> -Menthyl butyrate		Nil	55.39	69.66	82.13	106.16	188
C ₁₅ H ₂₆ O ₂	<i>l</i> -Menthyl isovalerate		Nil	51.88	65.18	76.95	99.09	188
C ₁₆ H ₂₈ O ₄	<i>l</i> -Menthyl acetylacetone-		Nil	61.49	-79.56	-96.34	-131.32	197
	acetate	(10)	C ₆ H ₆	-51.84	-66.88	-80.68	-110.64	
C ₁₆ H ₂₈ O ₃	<i>l</i> -Menthyl ethylacetacetate		Nil	-50.59	-63.85	-75.60	-98.39	188, 197
C ₁₇ H ₂₄ O ₂	<i>l</i> -Menthyl benzoate		C ₆ H ₆	72.41	91.10	107.76	139.30	188
C ₁₇ H ₃₀ O ₃	<i>l</i> -Menthyl isopropylacet-		Nil	-48.69	-61.53	-72.91	-95.05	188, 197
	acetate		C ₆ H ₆	-47.32	-59.74	-70.58	-91.70	
C ₁₈ H ₂₆ O ₂	<i>l</i> -Menthyl o-toluate	10	Nil	-44.76	-56.67	-67.24	-87.97	38, 197
			C ₆ H ₆	-45.59	-57.80	-67.99	-89.38	
C ₁₈ H ₃₀ O ₅	{ <i>l</i> -Menthyl ethyl acetyl suc-		Nil	-38.77	-48.80	-57.45	-74.02	188, 197
	cinate (α -ester)		C ₆ H ₆	-40.94	-51.59	-60.68	-78.29	
C ₁₈ H ₃₂ O ₃	<i>l</i> -Menthyl diethylacetacetate		Nil	-44.35	-55.68	-65.53	-84.35	188, 197
C ₁₈ H ₂₄ O ₂	<i>l</i> -Menthyl phenylpropionate	10	C ₆ H ₆	-40.39	-50.77	-59.46	-76.50	
C ₁₉ H ₂₆ O ₂	<i>l</i> -Menthyl cinnamate		C ₆ H ₆	-57.31	-72.56	-85.90	-111.92	188, 197
C ₁₉ H ₂₆ O ₂	<i>l</i> -Menthyl benzoylacetate	10	C ₆ H ₆	59.94	75.80	89.75	117.42	188
			C ₆ H ₆	-50.95	-64.39	-76.15	-98.89	197
C ₁₉ H ₃₄ O ₃	<i>l</i> -Menthyl <i>l</i> -amylacetacetate		Nil	-32.40	40.48	47.66	61.01	204
C ₂₀ H ₂₈ O ₂	<i>l</i> -Menthyl α -methylcinnamate		C ₆ H ₆	49.99	62.26	72.95	92.65	188
C ₂₀ H ₂₈ O ₂	<i>l</i> -Menthyl β -methylcinnamate		C ₆ H ₆	53.13	66.35	78.01	99.61	188
C ₂₁ H ₂₈ O ₃	<i>l</i> -Menthyl benzylideneacetacetate	10	C ₆ H ₆	-8.17	-10.97	-13.66	-21.27	188, 197
C ₂₁ H ₃₀ O ₂	<i>l</i> -Menthyl <i>l</i> -benzylacetacetate	10	C ₆ H ₆	-94.05	-121.21	-145.67	-196.75	188, 197
C ₂₁ H ₃₀ O ₃	<i>l</i> -Menthyl <i>dl</i> -benzylacetacetate	10	C ₆ H ₆	-43.43	-55.10	-65.20	-85.85	197
C ₂₂ H ₃₂ O ₃	<i>l</i> -Menthyl α -phenylethylacetacetate	10	C ₆ H ₆	-84.25	108.2	131.3	177.75	204
	{ <i>l</i> -Menthyl <i>d</i> -benzoylphe-		C ₆ H ₆	13.73	21.10	28.58	49.91	197
C ₂₃ H ₃₀ O ₂	<i>l</i> -Menthyl <i>dl</i> -benzoylphe-	10	EtOH ¹	-43.89	-58.91	-75.03	-93.57	197
	nylacetacetate							
C ₂₅ H ₃₀ O ₃	<i>l</i> -Menthyl benzoylbenzylidenacetacetate	10	C ₆ H ₆	-61.75	-78.62	-93.69	-123.84	197
C ₂₅ H ₃₀ O ₄	<i>l</i> -Menthyl dibenzoylacetacetate		C ₆ H ₆	-49.58	-64.07	-76.88	-104.18	188, 197
C ₂₇ H ₃₄ O ₃	<i>l</i> -Menthyl <i>d</i> -diphenylmethylacetacetate	10	C ₆ H ₆	-33.83	-41.94	-48.18	-60.00	197
C ₂₇ H ₃₄ O ₃	<i>l</i> -Menthyl <i>l</i> -diphenylmethylacetacetate	10	C ₆ H ₆	-51.13	-65.15	-78.04	-103.94	197
C ₂₇ H ₃₄ O ₃	<i>l</i> -Menthyl <i>dl</i> -diphenylmethylacetacetate	10	C ₆ H ₆	-42.62	-53.69	-68.31	-82.43	188, 197
C ₂₈ H ₃₄ O ₃	<i>l</i> -Menthyl <i>l</i> -benzoylcinnamylacetacetate	10	C ₆ H ₆	-67.41	-86.08	-102.18	-135.71	197
C ₂₈ H ₃₂ O ₅	<i>l</i> -Menthyl dibenzoylacetacetate		C ₆ H ₆	42.79	53.94	63.30	80.35	188

¹ With one drop of piperidine.

Mutarotation of l-menthyl esters of keto-acids (186)

$C_{14}H_{22}O_3$ <i>l</i> -Menthyl acetacetate		$C_{19}H_{34}O_3$ <i>l</i> -Menthyl benzoylacetate		$C_{20}H_{32}O_3$ <i>l</i> -Menthyl phenylacetoacetate	
$s = C_6H_6$, $p = 10.02$		$s = C_6H_6$, $p = 10.04$		$s = C_6H_6$, $p = 10.04$	
Hours	$[\alpha]_D^{20}$	Hours	$[\alpha]_D^{20}$	Hours	$[\alpha]_D^{20}$
0	-64.0	0	-55.4	0	+28.7
1	-64.2	1	-58.4	80	-25.1
19	-64.5	3	-61.7	104	-31.3
63	-65.5	5	-62.5	144	-38.5
96	-5.9	7	-63.2	245	-49.4
		9	-63.2	319	-53.5
$s = EtOH$, $p = 0.88$		23	-63.9	464	-60.7
		50	64.0	628	-62.1
				800	-64.9
				1,303	-66.0
				1,615	¹ -67.2
$s = EtOH$, $p = 9.93$					
0	-71.4	0	-56.4	$s = EtOH$, $p = 10.01$	
0.75	-71.0	0.75	-56.6	0	-28.3
1.5	-70.8	3	-56.8	2	-37.9
2.25	-70.7	6	-56.9	5	-49.4
3.0	-70.2			9	-58.0
				12	-61.5
				24	-65.5
				47	-67.1
$C_{20}H_{34}O_3$ <i>l</i> -Menthyl phenylbenzoylacetate					
$s = EtOH$, $p = 1.25$					
0		0	-12		
2		2	-16		
17		17	-39		
25		25	-45		
89		89	-63		

 $C_{20}H_{34}O_4S$ *l*-Menthyl *d*- β -camphorsulphonate $[\alpha]_{\lambda}^{20}$ (35)

s	$c \backslash \lambda$	656 $\mu\mu$	589 $\mu\mu$	527 $\mu\mu$	486 $\mu\mu$	472 $\mu\mu$	457 $\mu\mu$
PhMe.....	9.76	-12.04	-13.45	-13.95	-12.86	-12.04
Me ₂ CO.....	7.54	-15.38	-17.57	-19.08	-18.73	-18.03
CHCl ₃	9.66	-17.87	-20.63	-22.92	-23.30	-22.76	-21.46

l-Menthyl *l*- β -camphorsulphonate

PhMe.....	9.70	-57.9	-74.7	-98.3	-122.0	-131.3
Me ₂ CO.....	11.05	-57.3	-74.1	-97.8	-121.4

¹ In the presence of one drop of piperidine this value is reached in eight minutes.

Mutarotation of l-menthyl esters of keto-acids (186)—Continued

$C_{12}H_{22}OS_2$ (40) Methyl <i>l</i> -menthyl-xanthate (superfused)		$C_{12}H_{24}OS_2$ (42) Benzyl <i>l</i> -menthyl-xanthate		$C_{12}H_{40}O_2S_4$ (42) Methylenedil- <i>l</i> -menthyl-xanthate—Contd.	
$d=1.037$		$s=PhMe. c=9.994$		$s=CS_2. c=7.069$	
λ	$[\alpha]_D^{20}$	λ	$[\alpha]_D^{20}$	λ	$[\alpha]_D^{20}$
657 $\mu\mu$	-56.4	657	-32.0	657	-9.70
589	-64.8	590	-36.1	590	-2.00
553	-67.7	553	-36.9	559	5.56
527	-67.9	528	-36.0	547	9.90
517	-67.1	508	-33.8	528	19.8
508	-65.7	500	-32.0	508	33.5
500	-63.8	486	-28.2	500	41.6
492	-61.4			486	58.7
486	-58.5				
473	-49.1				
$s=PhMe. c=5.788$		$C_{22}H_{38}O_2S_3$ (33) <i>l</i> -Menthylxanthic thioanhydride		$C_{24}H_{29}NOS_2$ (39, 41) 1,2-Diphenyl- <i>l</i> -menthylimido-xanthide (<i>l</i> -Menthyl phenylthiobenzoylthiourethane, Ph.CS.N Ph. CS.OC ₆ H ₄)	
$s=PhMe. c=5.657$		$s=PhMe. c=5.657$		$s=PhMe. c=0.138$	
673	-62.3	684	-48.5	622	-192
657	-65.1	657	-49.8	603	-272
622	-70.9	622	-49.6	590	-388
590	-76.6	603	-48.4	582	-449
560	-81.4	589	-46.5	573	-536
542	-83.9	548	-34.3	559	-594
528	-85.3			547	-507
522	-85.8	527	-21.3	536	-260
517	-85.8	516	-11.8	528	0
508	-85.6	506	-2.2	508	380
500	-85.0	498.5	+5.0	492	870
486	-82.2	491	+11.8	478	1,160
473	-76.5				
452	-56.7				
$C_{12}H_{24}OS_2$ (40) Ethyl <i>l</i> -menthyl-xanthate (liquid)		$C_{22}H_{38}O_2S_4$ (34; cf., 33) <i>l</i> -Menthyl dixanthide		$s=Me_2CO. c=0.138$	
$d=1.020$		$s=PhMe. c=9.404$		$s=Me_2CO. c=0.138$	
657	-52.4	656	-182.8	657	-33
589	-60.3	589	-225.1	622	-105
553	-63.0	527	-271.0	603	-185
527	-63.4	486	-293.3	590	-301
517	-62.6	478	-293.4	582	-348
508	-61.4	472	-292.0	573	-507
500	-59.8	466	-288.0	559	-579
486	-55.3	461	-281.9	547	-594
473	-47.0			536	-522
$s=PhMe. c=9.442$		$s=PhMe. c=10.18$		$s=PhMe. c=0.9876$	
657	-59.7	683	1.37	687	-51
589	-70.4	657	3.35	663	-80
553	-75.7	622	7.66	642	-116
527	-78.6	590	13.9	622	-167
517	-78.9				
508	-78.9	553	24.8		
500	-78.3	528	37.5		
486	-75.5	508	51.6		
478	-73.3	486	75.4		
473	-70.1				

Mutarotation of *l*-menthyl esters of keto-acids (186)—Continued

$C_{14}H_{22}NO_2S(39)$ <i>l</i> -Menthyl mono thiourethane (<i>l</i> -menthyl phenylthiobenzoylurethane, Ph. CS. N Ph. CO. OC ₁₀ H ₁₉)	$C_{24}H_{44}O_2S_4$ (42) Ethylene di- <i>l</i> -menthylxanthate [CH ₂ . S.C S.O.C ₁₀ H ₁₉] ₂	$C_{25}H_{44}O_2S_4$ (42) Trimethylene di- <i>l</i> -menthylxanthate			
$s = PhMe. \ c = 0.131$	$s = PhMe. \ c = 7.506$	$s = PhMe. \ c = 6.49$			
λ	$[\alpha]_{\lambda}^{20}$	λ	$[\alpha]_{\lambda}^{20}$	λ	$[\alpha]_{\lambda}^{20}$
696 657 641 622 603	-31 -35 -39 -47 -57	657 622 590 553 538	-56.1 -61.1 -65.4 -69.3 -70.3	675 657 622 559 553	-54.9 -57.2 -62.7 -67.1 -71.7
590 573 560 547	-78 -110 -162 -230	528 508 500 492 486 478	-70.4 -69.3 -67.9 -66.0 -63.9 -58.0	536 523 522 517 508 500 486 478	-72.7 -73.0 -73.2 -73.0 -72.6 -71.7 -68.6 -65.0
$C_{14}H_{20}OS_2$ (42) Diphenylcarbinyl <i>l</i> -menthylxanthate				$C_{10}H_{14}OS_2$ (42) Triphe-nylcarbinyl <i>l</i> -men-thylxanthate	
$s = EtOH$				$s = PhMe. \ c = 4.395$	
657 589 528 486 478 472 466	-53.4 -65.3 -77.6 -82.4 -82.9 -83.3 -81.3			657 589 527 486 472	-72.8 -96.9 -127.5 -159.2 -175.0

(43) $[\alpha]_{\lambda}^t$

$C_{12}H_{22}OS_2$ Methyl <i>l</i> -menthylxanthate					$C_{22}H_{44}O_2S_4$ Methylenedil- <i>l</i> -menthylxanthate				
$s = PhMe. \ p = 10.18$					$s = PhMe. \ p = 4.89$				
λ	$656 \mu\mu$	$589 \mu\mu$	$527 \mu\mu$	$486 \mu\mu$	λ	$656 \mu\mu$	$589 \mu\mu$	$527 \mu\mu$	$486 \mu\mu$
t									
-36.6 -31.8 0.0 17.4 47.5 80.6	-64.3 -64.6 -65.1 -65.3 -65.8 -66.1	-75.4 -75.7 -76.8 -76.8 -77.4 -77.5	-83.3 -83.6 -85.1 -85.3 -86.0 -86.2	-79.3 -79.8 -81.6 -82.4 -82.8 -83.8	-22.0 0.0 22.0 50.4 80.4	17.4 10.8 2.8 -8.7 -20.3	32.4 23.4 12.0 -2.4 -17.5	63.7 51.4 36.6 16.2 -5.0	108.8 93.3 74.3 47.9 20.8
$s = AcOEt. \ p = 4.83$					$C_{12}H_{22}O_2S_2$ <i>l</i> -Menthylxanthic thioanhydride				
$s = PhMe. \ p = 1.06$									
-47.6 0.0 20.5 49.2	-66.6 -67.7 -68.4 -69.3	-78.9 -80.9 -81.9 -82.7	-87.7 -90.7 -91.5 -93.2	-86.2 -89.2 -90.2 -92.0	-34.6 19.8 50.2	-22.6 -51.3 -76.0	1.0 -48.0 -94.7	+85.3 -20.7 -127.5	+285. +28.4 -----

IIDC. THE MOLECULE CONTAINS 2 OR MORE ASYMMETRIC ATOMS ATTACHED RESPECTIVELY TO 3 OR 4 OTHER CARBON ATOMS

14. CAMPHORIC AND CAMPHOLYTIC ACIDS AND DERIVATIVES

C₁₀H₁₆O₄ Camphoric acid and normal camphorates (87)

Formula	Organic base (s=EtOH) [α] _D ²⁰	c=2.5	5.0
C ₁₀ H ₁₆ O ₄	Nil.....	47.72	48.02
C ₁₈ H ₃₈ N ₂ O ₄	n-Butylamine.....	11.16	10.96
C ₂₀ H ₂₆ N ₂ O ₄	Pyridine.....	27.12	25.90
C ₂₀ H ₃₈ N ₂ O ₄	Piperidine.....	14.36	14.24
C ₂₂ H ₃₀ N ₂ O ₄	Aniline.....	31.84	32.5
C ₂₄ H ₃₄ N ₂ O ₄	Benzylamine.....	17.16	16.92
C ₂₈ H ₃₀ N ₂ O ₄	Quinoline.....	18.76	19.16
C ₂₈ H ₃₈ N ₂ O ₄	Tetrahydroquinoline.....	17.28	17.56
C ₃₀ H ₃₄ N ₂ O ₄	α-Naphthylamine.....	18.00	18.12
C ₃₀ H ₃₄ N ₂ O ₄	β-Naphthylamine.....	18.72	18.64
C ₃₀ H ₄₂ N ₂ O ₄	ac-Tetrahydro-β-naphthylamine.....	14.32	14.38
C ₃₀ H ₄₂ N ₂ O ₄	ar-Tetrahydro-α-naphthylamine.....	16.76	16.92

Derivatives of camphoric acid

s	c	[α] _D ¹⁸	s	c	[α] _D ¹⁸	s	c	[α] _D ¹⁸
C ₁₀ H ₁₄ BrNO ₂ <i>d</i> -Camphorbromimidate (52)			C ₁₁ H ₁₇ NO ₂ <i>d</i> -Camphormethyl-imide			C ₁₇ H ₂₀ N ₂ O ₄ <i>d</i> -Camphor <i>p</i> -nitrobenzylimide		
C ₆ H ₆	{ 1.9412 2.3840 3.0828 1.6644 2.7372 2.8640	12.0 11.2 12.0 13.6 13.0 12.8	EtOH.....	{ 2.4352 3.1372 3.5548 4.2428 2.8280 4.1460	11.1 11.0 11.4 11.3 8.0 8.0	Me ₂ CO.....	{ 2.0284 2.7180 3.1392 2.2520 3.9712	11.8 12.3 12.3 2.6 2.8
CHCl ₃			Me ₂ CO.....					
C ₁₀ H ₁₄ INO ₂ <i>d</i> -Camphoriodo-imide			C ₁₂ H ₁₉ NO ₂ <i>d</i> -Camphorethyl-imide			C ₁₇ H ₂₁ NO ₂ <i>d</i> -Camphorbenzyl-imide		
C ₆ H ₆	{ 1.6220 1.7532 1.5498 2.0520 2.5792 2.9872	16.0 16.0 15.2 15.3 15.7 15.7	EtOH.....	{ 2.0864 2.1480 3.0352 3.9028 2.3544 2.9302 4.7560	12.4 12.6 12.5 12.5 8.4 8.8 8.5	Me ₂ CO.....	{ 1.8156 2.3104 3.2128 2.8268 2.9552 3.3444 3.9392 2.1994 3.8228	12.7 12.1 12.1 11.9 12.0 12.2 11.9 5.2 4.8
CHCl ₃			Me ₂ CO.....					

Derivatives of campholic and camphoric acids

Formula	Name	p	s	[α] _D ²⁰				Lit.
				6,563	5,893	5,463	4,861	
C ₁₀ H ₁₈ O.....	1, 2, 2, 3-Tetramethylcyclopentane 1-aldehyde.	10	C ₆ H ₆	68.48	89.26	108.00	148.65	196, 198
C ₁₀ H ₁₈ O ₂	Campholic acid.....		C ₆ H ₆	47.48	59.26	69.36	88.33	188, 196
C ₁₀ H ₂₀ O.....	1, 2, 2, 3-Tetramethylcyclopentane-1-carbinol.		C ₆ H ₆	53.36	67.18	79.42	102.74	188, 198
C ₁₁ H ₁₈ O ₃	1-Acetyl-1, 2, 2-trimethylcyclopentane-3-carboxylic acid.	5	C ₆ H ₆	84.29	109.98	116.07	185.71	196
C ₁₁ H ₂₀ O.....	1, 2, 2, 3-Tetramethylcyclopentane-1-methyl ketone.		{Nil..... C ₆ H ₆	51.27 53.89	63.67 -----	74.17 -----	93.32	188, 196
C ₁₂ H ₂₀ O ₂	1, 2, 2, 3-Tetramethylcyclopentane-1-acrylic acid.	10	C ₆ H ₆	52.06	66.82	79.90	107.39	198
C ₁₂ H ₂₀ O ₂	Ethyl 1, 2, 2, 3-trimethyl-3-methylenecyclopentane-1-carboxylate.		{Nil..... C ₆ H ₆	20.62 12.99	26.73 16.38	31.57 18.97	41.24 25.41	195 195

¹ In (196) these figures are quoted for the methyl ester.

Derivatives of campholic and camphoric acids—Continued

Formula	Name	<i>p</i>	<i>s</i>	[α] $^{20}_\lambda$				Lit.
				6,563	5,893	5,463	4,861	
C ₁₂ H ₂₀ O ₃	Methyl 1-acetyl-1, 2, 2-trimethylcyclopentane-3-carboxylate.	{ 10	Nil	-10.53	-14.02	-14.08	-24.99	196
			C ₆ H ₆	14.46	-19.17	-20.18	-33.41	196
C ₁₅ H ₂₂ O ₂	1, 2, 2, 3-Tetramethylcyclopentane-1-ethyl ketone.	{ Nil		50.64	63.15	73.89	94.08	188, 196
			C ₆ H ₆		54.83	-----	-----	196
C ₁₂ H ₂₂ O ₂	Ethyl campholate.	{ Nil			40.49	-----	-----	196
			C ₆ H ₆		39.79	-----	-----	196
C ₁₂ H ₂₂ O ₂	1, 2, 2, 3-Tetramethylcyclopentane-1-propionic acid.	10	C ₆ H ₆	38.21	48.38	57.20	75.29	198
C ₁₄ H ₂₄ O ₂	Ethyl 1, 2, 2, 3-tetramethylcyclopentane-1-acrylate.	{ 10	Nil	44.91	57.51	68.80	91.93	198
			C ₆ H ₆	44.47	57.11	68.19	91.60	198
C ₁₄ H ₂₆ O ₂	Ethyl 1, 2, 2, 3-tetramethylcyclopentane-1-propionate.	{ 10	Nil	32.32	40.95	48.09	63.15	198
			C ₆ H ₆	32.94	41.66	49.14	64.54	198
C ₁₆ H ₂₂ O....	1, 2, 2, 3-Tetramethylcyclopentane-1 phenyl ketone.	{ 10	Nil	5.72	-1.21	-12.42	-50.54	196
			C ₆ H ₆	2.70	-11.47	-23.96	-66.49	196
		{ 10	EtOH	21.74	21.68	17.51	-3.73	196
C ₁₇ H ₂₄ O....	1, 2, 2, 3-Tetramethylcyclopentane-1 benzyl ketone.		Nil	28.46	32.16	36.40	42.56	196
			C ₆ H ₆	21.51	25.91	28.05	33.34	196
C ₁₈ H ₂₄ O....	1, 2, 2, 3-Tetramethyl-1-cyclopentane cinnamyl ketone.				54.29	-----	-----	196
C ₁₇ H ₂₄ O ₂	1, 2, 2, 3-Tetramethylcyclopentane-1-carbonyl benzoate.	10	C ₆ H ₆	37.75	47.81	56.63	73.83	198
C ₁₈ H ₂₆ O....	1, 2, 2, 3-Tetramethylcyclopentane-1 β -phenylethyl ketone.	{ 10	Nil	18.96	23.71	27.68	35.43	196
			C ₆ H ₆	14.32	18.15	20.86	27.40	196
C ₂₀ H ₂₄ O....	1, 2, 2, 3-Tetramethylcyclopentane-1 α -naphthyl ketone.	{ 10	C ₆ H ₆	-41.95	-60.52	-80.21	-132.25	196
			EtOH	-12.23	-19.97	-29.45	-58.16	196

(112)	C ₁₀ H ₁₄ O ₂ Camphorquinone	C ₁₀ H ₁₅ NO ₂ Isonitrosocamphor
$p=0.2 \text{ to } 0.6 [\alpha]_D^t$ $t=\text{laboratory temperature}$		
$\frac{s}{\lambda}$	=MeOH	C ₆ H ₆
		EtOH
6,850	38	
6,680	41	146.9
6,260	42.7	48
5,940	53	60.8
5,660	80	75
		222
5,430	85	100
5,240	122.6	144
5,080	151	227
5,000	256	
4,930	341	368
		318
4,860	389	
4,800	293.7	240
4,740	144	
4,690	102	

Derivatives of camphorquinonehydrazoxime (Q) (61)

Formula	Name	s	ϵ	$[\alpha]_D$
C ₁₈ H ₁₇ N ₃ O	Q (from α -isonitrosocamphor)	{ CHCl ₃ 2 per cent NaOH	1.0388 0.0	-52.4 0.0
C ₁₁ H ₁₉ N ₄ O ₂	Q-carbamide	CHCl ₃	1.0576	52.8
C ₁₂ H ₂₁ N ₃ O	Isopropylidene-Q	CHCl ₃	1.0184	-40.1
C ₁₇ H ₂₁ N ₃ O	Benzylidene-Q	CHCl ₃	1.0164	-73.8
C ₂₀ H ₂₂ N ₄ O ₂	bis-Isonitrosocamphanazine	CHCl ₃	1.0336	-254.2
C ₁₀ H ₁₇ N ₃ O	Q (from β -isonitrosoepicamphor)	{ CHCl ₃ 2 per cent NaOH	1.0372 1.0548	149.0 103.8
C ₁₁ H ₁₈ N ₄ O ₂	Q-carbamide	2 per cent NaOH	1.0568	135.6
C ₁₄ H ₂₁ N ₃ O ₃	Diacetyl-Q	{ CHCl ₃ 2 per cent NaOH	.8224 .8552	177.0 87.7
C ₁₇ H ₂₁ N ₃ O	Benzylidene-Q	CHCl ₃	1.040	94.5
C ₁₇ H ₂₁ N ₃ O ₂	Benzoyl-Q	EtOH	.8420	130.5
C ₂₄ H ₂₇ N ₅ O ₃	Phenylcarbaminophenyliurethane-Q	CHCl ₃	.920	137.7

15. LIMONENE

C ₁₀ H ₁₆ d-Limonene (135; Cf., 26)		C ₁₀ H ₁₆ d-Limonene (135; Cf., 26)		C ₁₀ H ₁₆ d-Limonene (135; Cf., 26)	
	[α] _{4,359} ^t		[α] _{5,461} ^t		[α] _{6,703} ^t
22.2	232.5	20.5	135.7	21.0	85.1
- .4	241.0	-.5	140.2	4.0	87.1
-22.5	249.3	-20.5	144.5	-9.0	89.2
-47.0	259.3	-40.8	148.8	-24.2	91.2
-66.0	266.2	-54.0	152.1	-41.0	93.6
				-61.0	96.5
-80.6	274.3	-67.0	155.0		
-92.0	277.8	-79.7	159.0	-82.0	100.4
-102.0	282.7	-85.7	163.0	-102.0	105.6
-115.0	289.3	-116.4	172.0	-108.0	106.5
-123.0	292.9	-124.5	176.0	-120.7	109.4
				-123.5	109.5
	[α] _{4,916} ^t		[α] _{5,893} ^t		
22.0	174.6	22.2	115.9		
-12.2	184.3	.0	120.0		
-30.4	188.4	-18.0	124.0		
-51.0	194.5	-64.0	132.1		
-74.5	201.1	-76.4	135.0		
-85.0	204.1	-89.0	137.7		
-104.0	210.7	-103.7	141.4		
-120.8	214.6	-114.0	143.2		
		-118.0	143.8		
		-123.0	145.4		
		-125.7	146.4		
		-128.0	146.3		

16. CAMPHOR AND DERIVATIVES

Specific rotation of camphor in various solvents

C ₁₀ H ₁₆ O camphor (231)			C ₁₀ H ₁₆ O camphor (231)			C ₁₀ H ₁₆ O camphor (231)		
p	d ₄ ²⁰	[α] _D ²⁰	p	d ₄ ²⁰	[α] _D ²⁰	p	d ₄ ²⁰	[α] _D ²⁰
s=C ₆ H ₆			s=CHCl ₃ —continued			s=AcOH		
34.91	0.9066	44.20	4.03	1.4452	41.10	33.26	1.0174	45.66
6.44	.8835	39.90	2.19	1.4586	41.23	3.98	1.0458	42.33
5.36	.8827	40.07	1.15	1.4604	41.7	3.15	1.0467	41.81
4.12	.8817	39.75				2.15	1.0478	41.3
3.14	.8809	39.90				1.13	1.0488	40.7
1.97	.8800	39.2						
s=CHCl ₃			36.23	1.4029	56.93			
			3.87	2.0758	58.83			
			2.99	2.0983	58.93			
35.27	1.2476	45.76	1.86	2.1279	60.1			
5.31	1.4361	41.00	1.00	2.1513	60.1			

p (157) [α] _D ²⁵	p (157) [α] _D ²⁵	p (157) [α] _D ²⁵	
C ₁₀ H ₁₆ O camphor		C ₁₀ H ₁₆ O camphor	
s=EtOH		s=C ₆ H ₆	
0.7643	41.4	0.4472	38.4
3.050	43.8	.928	38.8
7.538	43.5	2.722	40.3
14.82	44.1	4.550	41.4
24.280	45.2	9.097	42.4
37.83	46.1	22.470	43.4
50.72	47.4	35.480	45.6
		52.373	47.8
s=Me ₂ CO			
0.7962	50.1		
3.054	50.6	0.7693	138.1
5.037	50.2	7.381	143.2
9.992	50.6	22.93	144.2
24.27	51.2	34.72	145.4
37.83	51.9	48.58	146.3
50.73	52.5		
66.94	53.3		
s=EtOAc		s=PhCl	
0.7962	50.1	0.7255	41.3
3.054	50.6	5.503	41.2
5.037	50.2	18.643	43.2
9.992	50.6	30.35	44.9
24.27	51.2	59.25	45.7
37.83	51.9		
50.73	52.5		
66.94	53.3		
s=EtOAc		s=iso-BuOH	
1.119	52.9	0.9796	40.1
2.671	51.5	4.9447	43.7
8.882	52.0	23.984	46.2
22.00	52.5	46.148	48.2
34.85	52.5	56.654	48.9
51.69	53.4		
s=C ₆ H ₆			
0.4665		0.4665	116.2
4.512		4.512	120.4
21.21		21.21	125.1
32.50		32.50	128.3
46.12		46.12	132.9

The interpolation formula for calculating the specific rotation applied to ($C_{10}H_{16}O$) camphor in various solvents (72)

s	Limits of p		$[a]_D^{20} = A + Bp + Cp^2$
C_6H_6	11.30	54.28	$39.942 + 0.1627 p$.
C_6H_5Cl	11.07	54.20	$39.097 + 0.1533 p$ ($t=18.5$).
MeOH	12.34	56.66	$40.979 + 0.03835 p + 0.0009196 p^2$.
EtOH	12.32	56.79	$42.004 + 0.04968 p + 0.001006 p^2$.
PrOH	12.19	56.37	$43.805 + 0.036331 p + 0.0008996 p^2$.
HCO ₂ H	8.44	46.54	$19.856 + 0.3023 p$.
AcOH	9.64	49.89	$41.811 + 0.1327 p$.
EtCO ₂ H	10.12	50.96	$46.020 + 0.0938 p$.

$C_{10}H_{16}O$ Camphor in Me₂CO (130)

t	$d\frac{t}{4}$	c	$[a]_D^t$	t	$d\frac{t}{4}$	c	$[a]_D^t$
13.7	0.87507	40.7410	50.549	14.3	0.81346	3.8695	49.211
13.7	.85355	27.5673	49.665	14.8	.81100	2.6196	49.511
13.7	.83880	18.6984	49.133	17.0	.80887	2.1344	49.639
13.7	.82864	12.5190	48.773	17.4	.80708	1.7758	49.695
14.3	.82166	8.4604	48.709	17.0	.80633	1.1914	49.960
14.3	.81709	5.7394	48.900	25.2	.79763	1.0684	50.070

$C_{10}H_{16}O$ Camphor (72; cf. 9, 10, 19, 54, 55, 63, 80, 91, 108, 111, 116, 182, 206, 226, 227)

$s=C_6H_6. \quad t=20$		$s=EtOH. \quad t=20$		$s=AcOH. \quad t=20$	
p	$[a]_D^t$	p	$[a]_D^t$	p	$[a]_D^t$
11.30	40.780	12.32	42.769	8.50	43.36
22.34	43.581	24.10	43.930	16.42	43.87
33.18	44.331	35.57	45.020	19.22	44.24
43.82	46.075	46.25	46.248	29.60	45.93
54.28	47.772	56.79	48.070	34.35	46.60
$t=18.5$		$s=PrOH. \quad t=20^\circ (?)$		$s=EtCO_2H. \quad t=20$	
11.07	40.786	12.19	41.381	13.60	48.34
21.87	42.548	23.90	45.145	23.06	48.98
33.28	44.387	35.10	46.188	30.60	49.70
43.70	45.950	45.93	47.397	39.08	50.53
54.20	47.638	56.37	48.711		
$s=MeOH. \quad t=20$		$s=CH_2O_2. \quad t=20$			
12.34	41.592	20.44	26.03		
24.14	42.495	24.05	26.91		
35.46	43.495	34.38	29.85		
46.26	44.738	42.32	32.33		
56.66	46.104	50.89	35.08		
		64.11	39.93		

Simple derivatives of camphor (37) $[a]_\lambda^{20}$

Formula	Name	s	c	6,563	5,893	5,270	4,881
$C_{10}H_{16}O$	Camphor	{ MeOH CS ₂	9.97 12.10	29.37 31.86	40.56 44.75	58.64 64.99	78.94 89.24
	β -Camphor (epicamphor)	{ MeOH CS ₂	9.66 8.47	-32.84 -45.59	-45.53 -63.23	-66.40 -91.57	-90.51 -124.33
$C_{10}H_{14}Br_2O$	{ α , α -Dibromocamphor α , β -Dibromocamphor	{ CS ₂ C ₆ H ₆	10.02 9.70	28.44 61.16	40.52 80.45	61.97 109.50	89.42 140.1
$C_{10}H_{14}I_2O$	α , α -Diiodocamphor	CS ₂	5.25	20.7	30.5	48.6	70.8
$C_{10}H_{15}ClO$	α -Chlorocamphor	{ CS ₂ C ₆ H ₆	9.36 9.24	69.7 54.20	91.8 71.10	125.2 96.40	161.0 122.30
$C_{10}H_{15}BrO$	α -Bromocamphor	{ CS ₂ MeOH	9.98 4.58	107.5 98.8	141.8 129.3	193.6 174.7	248.2 222.0
$C_{10}H_{15}IO$	α -Iodocamphor (cf. 79)	MeOH	9.40	112.3	147.3	198.3	252.9
$C_{10}H_{18}BrNO_4S$	NH ₄ α -Bromo- π -camphorsulfonate.	H ₂ O	5.25	63.6	85.1	117.4	152.0

Mutarotation of $C_{10}H_{15}NO_3$ nitrocamphor in various solvents
(119; cf. 19, 31, 32, 56, 118, 119, 122, 127, 168)

s	c	t	$[\alpha]_D$		Period
			Initial	Final	
C_6H_6 -----	5	15	-124	-104	4 days.
PhMe-----	5	20	-106	-87	$\frac{1}{2}$ day.
$C_6H_5Me_2$ -----	5	20	-99	-75	4 days.
PhCO ₂ Et-----	5	17	-50	-28	$\frac{1}{2}$ day.
CS ₂ -----	5	17	-83	-68	2 days.
CHCl ₃ -----	5	13	-27	-15	1 week.
Et ₂ O-----	5	18	-37	-18	2 hours.
AcOEt-----	5	14	-13	-2	2 hours.
Me ₂ CO-----	5	20	-7	8	$\frac{1}{4}$ hour.
MeOH-----	5	16	-31	-12	3 hours.
EtOH-----	5	15	-26	-9	5 hours.
PrOH-----	5	17	-24	-10	2 hours.
HCO ₂ H-----	5	15	± 0	12	3 hours.
AcOH-----	5	13	-3	8	5 hours.
EtCO ₂ H-----	5	14	-5	5	2 hours.

Mutarotation of $C_{10}H_{14}BrNO_3$ π -Bromonitrocamphor (119)

$s = C_6H_6 \quad p = 3.3$	
Pseudo form	
Time	α_t
<i>Hours</i>	
0	(188.4)
0.5	184.0
1.0	179.7
1.5	175.0
3.5	158.2
5.0	145.2
7.0	129.5
8.7	116.0
27.0	25.7
29.0	18.7
31.7	10.7
48.6	-17.5
99.3	-38.0
Limit.	
<i>Normal form</i>	
0	(-51.4)
1	-50.7
25	-47.2
48	-43.7
72	-42.7
118	-40.0
144	-37.5
Limit.	
$t = 13 \text{ to } 15^\circ \text{ C.}$	

$C_{16}H_{16}O_4S$ *d*-Camphor- β -sulphonic acid, salts, and derivatives $s=H_2O$ (73)

Salts	λ	$[\alpha]_D^{20}$			$[M]_D$
		5,461	5,780	5,893	
$ZnA_2 \cdot 6H_2O$	2	20.75	16.84	15.83	100.7
	4	20.90	16.89	15.79	100.5
	8	20.74	16.75	15.80	100.5
$MgA_2 \cdot 6H_2O$	2	22.22	17.92	16.88	100.4
	4	22.12	18.02	16.92	100.1
	8	22.20	17.92	16.82	100.1
$CdA_2 \cdot 6H_2O$	2	19.37	15.72	14.74	100.7
	4	19.38	15.65	14.80	101.0
	8	19.37	15.63	14.66	100.1
	16	19.34	15.60	14.70	100.4
$CaA_2 \cdot 4H_2O$	2	22.76	18.47	17.22	98.94
	4	22.67	18.32	17.15	98.50
	8	22.35	18.00	16.91	97.15
	16	22.06	17.77	16.65	95.67
$BaA_2 \cdot 3H_2O$	2	20.00	16.34	15.08	98.58
	4	19.89	16.11	14.98	98.00
	8	19.57	15.77	14.77	96.64
	16	19.23	15.49	14.53	95.04
NH_2A	1	26.68	21.70	20.21	50.38
	2	26.70	21.71	20.24	50.45
	4	27.01	21.79	20.46	51.00
	8	26.99	21.81	20.46	51.00
$C_5H_{11}NA$	16	27.43	22.20	20.79	51.85
	2	20.83	17.04	15.97	50.70
	4	21.37	17.30	16.12	51.18
	8	21.63	17.56	16.50	52.38
	16	22.29	18.07	-----	-----

Camphor- β -sulphonyl salts $s=CHCl_3$ (73; Cf. 7)

	λ	5,461	5,780	5,893	$[M]$
	c				
$C_{10}H_{15}ClO_3S$	3.6	40.08	33.91	32.17	80.62
$C_{10}H_{15}NO_2S$	2.3	38.56	34.37	33.79	72.07
$C_{15}H_{25}NO_3S$.57	42.58	35.91	33.45	100.15
(Piperidine)	.97	42.46	35.88	33.38	99.90
$C_5H_{11}NA$	{ 1.6	41.40	34.94	32.37	102.8
	.92	40.54	34.06	32.08	101.9

$C_{10}H_{16}B_2O_4S \cdot 3H_2O$ *d*- α -Bromocamphor- β -sulphonic acid and salts $s = H_2O$ (175; Cf. 106, 132)

	$\frac{\lambda}{c}$	5, 461	5, 780	5, 893	[M] _D
C Acid $3H_2O$	0.521	120.8	103.6	98.3	305.8
C	3.130	121.6	104.1	99.1	308.2
C $BaA_2 \cdot 6\frac{1}{2}H_2O$.391	85.7	73.5	69.7	305.0
C	1.570	85.2	73.0	69.3	303.0
D NH_4A	.523	88.4	75.0	71.2	233.5
D	3.017	88.8	75.4	71.5	235.0
D	{ 0.5% } (EtOH)	99.7	81.7	81.1	266
B	.503	53.7	44.8	41.8	137.0
C	.498	113.0	97.0	91.4	300.0
KA. $H_2O(?)$.522	102.1	87.2	83.4	292.0
D	3.180	103.1	88.0	84.1	295.0
C	.299	109.0	91.9	86.0	300.0
D $C_2H_5NH_2A$.504	90.2	77.3	72.9	259.0
D	2.561	91.3	77.9	73.6	262.0
C AgA. $1\frac{1}{2}H_2O$.688	85.4	73.0	69.0	310.0
C	3.048	83.2	71.3	67.7	304.0
C $ZnA_2 \cdot 5\frac{1}{2}H_2O$.686	94.4	80.2	76.5	300.0
D	.581	97.3	82.2	77.9	267.0

NOTE. The salts of this acid exist in two stereoisomeric forms, one of low rotatory power and high dispersion (C) and another of high rotatory power and low dispersion (B). Both of these are converted into an equilibrium-mixture (D) in the presence of traces of ammonia.

 $C_{10}H_{17}O_4S$ Camphor- π -sulphonic acid and its salts (87)

Formula	Organic base ($s = CHCl_3$) $[a]_D^{20}$	$c = 2.5$	5.0	$[M]_D^{20}$
$C_{10}H_{16}O_4S$	Nil			
$C_{15}H_{27}NO_4S \cdot H_2O$	<i>n</i> -Butylamine	24.04	24.82	57.6
$C_{15}H_{27}NO_4S$	Pyridine	20.44	20.36	62.1
$C_{15}H_{27}NO_4S$	Piperidine	31.72	31.42	97.7
$C_{16}H_{23}NO_4S$	Aniline	21.40	22.94	72.7
$C_{17}H_{25}NO_4S$	Benzylamine	23.32	23.28	75.7
$C_{19}H_{23}NO_4S$	Quinoline	21.36	22.00	74.6
$C_{19}H_{27}NO_4S$	Tetrahydroquinoline	26.96	27.90	100.7
$C_{20}H_{25}NO_4S$	α -Naphthylamine	25.36	25.98	94.8
$C_{20}H_{25}NO_4S$	β -Naphthylamine	20.92	21.38	80.2
$C_{20}H_{25}NO_4S$	<i>ac</i> -Tetrahydro- β -naphthylamine	20.80	21.54	80.8
$C_{20}H_{29}NO_4S$	<i>ar</i> -Tetrahydro- α -naphthylamine	17.36	17.36	65.8
$C_{20}H_{29}NO_4S$		19.80	19.92	75.5

 $C_{11}H_{16}O_2$. Hydroxymethylenecamphor and derivatives (174)

Formula	Name	Time	s	$[a]_D^{20}$					
				$\downarrow c \lambda \rightarrow$	5,893	5,750	5,461		
$C_{11}H_{16}O_2$	<i>d</i> -Hydroxymethylenecamphor	<i>Hours</i>	EtOH*	1.009	198	209	242		
				2.0	EtOH†	228	198		
$C_{11}H_{16}BrO_2$	<i>l</i> -Hydroxymethylenecamphor	<i>Hours</i>	EtOH*	1.008	-195	207	239		
				2.0	EtOH†	-185	196		
$C_{11}H_{14}BrO_2$	<i>d</i> - Bromohydroxymethylene-camphor	<i>Hours</i>	EtOH	1.188	73.2	76.4	85.7		
				48	EtOH†	71.6	74.3		
$C_{20}H_{25}NO_2$	<i>l</i> - Hydroxyhydrindamino - <i>d</i> - methylenecamphor.	72	EtOH*	3.367	73.6	76.4	86.6		
				48	C_6H_5	80.6	83.0		
$C_{20}H_{25}NO_2$	<i>d</i> - Hydroxyhydrindamino - <i>d</i> - methylenecamphor.	72	EtOH†	.497	145	157	185		
				48	C_6H_5 †	.517	99.1		
				18	AcOH†	.391	102		
				54	C_6H_5 †	.512	153		
				72	EtOH*†	.518	302		
							335		

NOTE.—Solutions marked with asterisk (*) exhibit mutarotation, the final value is given for each substance and marked with the dagger (†).

Divalent metallic salts of hydroxymethylenecamphor and of nitrocumphor

	<i>d</i> -C ₁₁ H ₁₅ O ₂ =oca		<i>d</i> -C ₁₀ H ₁₄ NO ₃ =nica		(112) [α] _D			
<i>s</i>	CHCl ₃	CHCl ₃	CHCl ₃	CHCl ₃	EtOH	CHCl ₃	CHCl ₃	
<i>p</i>	-----	-----	5	5	5	5	5	
Salt	Co.oca ₂	Ni.oca ₂	UO ₂ .oca ₂	[Cu.oca ₂ (H.oca) ₂]	Cu.oca ₂	Co.nica ₂	Co.nica ₂	
6,840	178	-----	70	-----	-----	-----	-----	
6,650	185	140	84	-----	119.7	190	-----	
6,450	200	-----	-----	-----	147.3	-----	-----	
6,250	223	167	100	37.7	87	156.6	232	
6,100	233	-----	-----	-----	98	128.9	-----	
5,940	247	200	122	18.3	106	101	276	
5,780	268	-----	-----	-----	-----	-----	-----	
5,650	286	235	145	9.4	120	55.3	324	
5,430	333	280	175	34	140	18.4	370	
5,240	358	322	221	56.5	146	0	432	
5,075	412	355	267	75.3	160	-----	456	
4,940	-----	415	320	-----	170	-----	-----	
4,800	-----	465	-----	-----	-----	-----	-----	
4,690	-----	515	-----	-----	-----	-----	-----	

Tervalent metallic salts of hydroxymethylenecamphor

Salt	Cr.oca ₃		Al.oca ₃ H.oca ¹		Salt	Cr.oca ₃		Al.oca ₃ H.oca ¹	
	C ₆ H ₆	EtOH	EtOH	EtOH		C ₆ H ₆	EtOH	EtOH	EtOH
<i>s</i>	0.1	0.51	0.5-1	1	<i>p</i>	0.1	0.51	0.5-1	1
6,840	-----	218.5	475	136	5,330	-----	218.5	-----	-----
6,650	215	256.5	499	146	5,240	24	133	1,011.8	266
6,450	-----	294.5	-----	-----	5,150	-----	114	-----	-----
6,250	311	342	581	170	5,075	155.5	95	1,138.6	292
6,100	-----	427.5	-----	-----	5,000	-----	137.8	-----	-----
5,940	622	503	675.8	193	4,940	84	180	1,271	318
5,650	730	589	779.5	213	4,800	59.8	204?	1,413	345
5,540	-----	484	-----	-----	4,690	-----	-----	1,566.7	375
5,430	407	361	892.8	240	4,580	-----	-----	1,730	402

¹ See (174) and hydroxymethylenecamphor, p. 73

Dispersion data. Alkyl and alkylidene derivatives of camphor [a]_λ²⁰

Formula	Name	s	p or d	6,563	5,893	5,461	5,270	4,861	Lit.
C ₁₁ H ₂₁ NO	α -Aminomethylenecamphor	EtOH	9.98	191.37	267.32	323.41	477.19	200	
	β -Aminomethylenecamphor	EtOH	9.97	236.57	313.76	388.23	553.99	200	
C ₁₂ H ₂₁ O	Ethyldenecamphor	(Nil)	8.870	154.0	203.4	252.1	362.6	194	
C ₁₃ H ₂₀ O	Propyldenecamphor	(C ₆ H ₆)	9.99	136.37	178.58	219.31	308.49	194	
		(Nil)	9.497	112.18	149.18	185.30	267.40	192	
		(Nil)	9.533	55.71	73.26	89.70	126.19	192	
		C ₆ H ₆	6	17.47	22.67	27.73	37.81	194	
		(Nil)	9.448	131.39	172.95	212.96	301.48	194	
		EtOH	9.99	130.72	171.26	210.60	296.48	194	
		(C ₆ H ₆)	10.06	119.07	157.44	195.25	276.96	194	
C ₁₄ H ₂₀ O	Methylenecamphorpropionic acid	C ₆ H ₆	10	24.11	32.31	40.05	57.28	192	
	α -Methylenecamphorethylurethane	Py	5.26	149.42	198.52	245.11	347.35	201	
C ₁₄ H ₂₀ O ₃	β -Methylenecamphorethylurethane	Py	5.26	145.93	197.17	247.62	366.69		
C ₁₄ H ₂₀ O	<i>n</i> -Butyldenecamphor	(Nil)	9.389	71.61	94.58	117.13	168.54	192	
		(Nil)	9.330	124.51	161.95	200.07	285.83	194	
		C ₆ H ₆	9.88	112.57	149.32	185.40	264.75	194	
C ₁₅ H ₂₂ O	$\Delta^{1,4}$ Pentenylidenecamphor	(Nil)	9.475	108.47	144.23	178.78	257.48		
C ₁₅ H ₂₂ O	4-Butene-1-methylenecamphor	(Nil)	9.275	118.67	156.69	193.40	275.90	194	
C ₁₅ H ₂₂ O	Isoamylidenecamphor	C ₆ H ₆	9.98	108.55	145.04	179.05	254.12	194	
C ₁₅ H ₂₂ O	<i>n</i> -Amylidenecamphor	(Nil)	9.332	88.94	116.48	146.18	209.95	192	
C ₁₅ H ₂₂ O	Isamylidenecamphor	(Nil)	9.197	50.19	66.78	82.57	120.17	194	
		(C ₆ H ₆)	10.06	31.29	42.34	53.40	79.14	194	
C ₁₆ H ₂₄ O	<i>n</i> -Hexylidenecamphor	(Nil)	9.252	106.05	141.13	175.05	251.88	192	
C ₁₆ H ₂₄ O	Isohexylidenecamphor	(Nil)	9.202	100.05	133.84	165.68	237.80	192	
C ₁₇ H ₂₆ O	Benzylidenecamphor	C ₆ H ₆	10.01	322.48	426.55	530.40	741.87	194	
C ₁₇ H ₂₆ O	Hexylidenecamphor	C ₆ H ₆	9.99	92.34	128.64	157.36	263.31	194	
C ₁₇ H ₂₆ O	α -Methylenecamphor- α -isobutylacetic acid	C ₆ H ₆		82.34	108.74	133.23	187.49	192	
C ₁₈ H ₂₄ O	α -Benzoylaminomethylidenecamphor	Py	5.26	166.44	228.20	292.67	453.11	200	
C ₁₈ H ₂₄ O	β -Benzoylaminomethylidenecamphor	Py	5.26	164.28	219.29	273.15	333.06		
C ₁₈ H ₂₄ O	Benzylidenecamphor	(Nil)	1.0250	97.87	129.87	159.26	226.50	194	
C ₁₈ H ₂₄ O	Hexylidenecamphor	C ₆ H ₆	9.97	87.78	115.72	143.39	203.31	194	
C ₁₈ H ₂₄ O	α -Methylenecamphor- α -isobutylketone	EtOH	9.93	98.29	129.83	160.40	227.02	194	
C ₁₈ H ₂₄ O	Phenylethylidenecamphor	C ₆ H ₆	10.00	16.56	22.82	29.22	45.19	194	
C ₁₈ H ₂₄ O	Phenylethylcamphor	(Nil)	0.9368	40.82	51.17	58.91	76.34	193	
C ₁₈ H ₂₄ O	Phenylethylcampholketone	(C ₆ H ₆)	10.0	38.19	48.24	56.32	70.41		
C ₁₈ H ₂₄ O	α -Naphthylmethylenecamphor	(Nil)	1.0104	95.81	126.92	157.35	226.66	192	
C ₁₈ H ₂₄ O	Phenylpropylidenecamphor	(Nil)	1.0094	96.61	127.99	157.97	225.20	194	
C ₁₈ H ₂₄ O	Phenylpropylcamphor	C ₆ H ₆	9.97	89.32	117.70	145.52	206.69	194	
C ₁₈ H ₂₄ O	α -Naphthylmethylenecamphor	C ₆ H ₆	10.00	39.19	52.37	64.75	93.51	194	
				263.17	353.02	443.94	634.54		

² t = 30°.

1 t = 20°.

Camphor, methylcamphor, and derivatives

Formula	Name	p	s	[α] _D ²⁰				Lit.
				6,563	5,893	5,463	4,861	
C ₁₀ H ₁₆ O	Camphor		C ₆ H ₅	30.94	43.01	55.32	86.75	183
C ₁₁ H ₁₈ O	Methylcamphor		C ₆ H ₅	15.82	23.25	30.76	50.84	183
C ₁₁ H ₁₈ O ₂	Camphorylcarbinol ¹		Nil	46.31	62.11	77.67	113.48	188
C ₁₂ H ₁₈ O ₂	Camphorylacetic acid		C ₆ H ₅	16.01	23.40	31.02	50.83	cf. 189
			C ₆ H ₅	27.56	38.06	47.99	73.33	203
			Nil	36.99	49.25	61.08	87.60	203
C ₁₃ H ₂₀ O ₂	Camphorylacetone	10	C ₆ H ₅	45.91	60.73	74.42	105.52	{ cf. 189
C ₁₃ H ₂₀ O ₂	Camphorylcarbinyl acetate		Nil	49.46	53.78	66.77	96.36	183
C ₁₄ H ₂₂ O ₂	Ethyl camphorylacetate	10	Nil	51.01	67.53	83.38	119.23	203
C ₁₄ H ₂₆ O	Isoamylcamphor		C ₆ H ₅	27.07	37.18	46.96	70.77	203
			Nil	50.19	66.78	82.57	120.17	194
C ₁₅ H ₂₆ O	Camphorylphenylmethane		C ₆ H ₅	31.29	42.34	53.40	79.14	cf. 186
C ₁₇ H ₂₂ O	α-Camphoryl-β-phenylethane		Nil	92.56	123.35	153.34	220.90	183
C ₁₈ H ₂₄ O	α-Camphoryl-γ-phenyl-propane		C ₆ H ₅	16.56	22.82	29.22	45.19	194
C ₁₉ H ₂₆ O	α-Camphoryl-β-phenyl-propane		C ₆ H ₅	39.19	52.37	64.75	93.51	194
C ₂₀ H ₂₄ O ₂	Camphorylbenzylidene-3-acetone	10	C ₆ H ₅	35.41	47.37	58.54	83.57	203
C ₂₀ H ₂₄ O ₂	Camphoryl-3-acetylacetophenone	10	C ₆ H ₅	45.38	62.52	78.31	118.59	203
C ₂₁ H ₂₁ NO ₂	Methylenecamphor-α-amino-camphor	2.48	C ₆ H ₅	90.51	121.8	151.7	211.4	200
C ₂₂ H ₂₄ O ₂	α, β-Dicamphorylethane	5	C ₆ H ₅	44.99	60.37	75.29	110.33	183

¹ In this table "camphoryl" is used for the radical C₁₀H₁₆O of camphor, and not for the radical C₁₃H₂₄O₂ of camphoric acid.

17. CAMPHORCARBOXYLIC ACID AND DERIVATIVES

C₁₁H₁₆O₃ Amine salts of camphorcarboxylic acid (rotation calculated on the concentration of the acid)

c=7.84 (133)		$\frac{M \text{ amine}}{M \text{ acid}}$		[α] _D ²⁰	
Amine		H ₂ O	EtOH	H ₂ O	EtOH
C ₁₄ H ₂₃ NO ₂	Propylamine	1 17	1 4.8	90.4 90.2	81.7 78.5
C ₁₅ H ₂₇ NO ₂	Butylamine	1 13.7	1 5	91 92.3	81.7 78.8
C ₁₅ H ₂₇ NO ₂	Diethylamine	45 1 1.98	45 1 5	73.1 92.5 92.5	82.3 85 85
C ₁₇ H ₃₁ NO ₂	Triethylamine	1 9.53	1 5	82 92.5	85.5 85.5
		45			

C ₁₁ H ₁₆ C ₈ Camphorcarboxylic acid + C ₆ H ₅ N aniline								
MC ₆ H ₅ N	(c of acid = 2.61)				[α] _D ²⁰ (133)			
	s	EtOH	Et ₂ O	C ₆ H ₅	PhMe	C ₆ H ₅ Me ₂	Me ₂ CO	PhNH ₂
0	63.2	55.8	33.2	39.6	44.3	57.7	27.4	
1	62.5	55.8	33.8	39.6	44.3	57.7		
5	57.4							
45	34.1							
70	27.4							

Influence of bases on rotatory power of $C_{11}H_{16}O_3$ camphorcarboxylic acid (27)

Formula	Base ($s = C_6H_4Me_2$)	ϵ	Mols of base to 1 of acid	t_1	$[\alpha]_D^{t_1}$	t_2	$[\alpha]_D^{t_2}$
$C_{11}H_{16}O_3$	Nil.....	{ .18 .18	----- 1.2	32 22 23	44.2 42.1 34.5	57 50 48	46.2 45.2 39.2
$C_{16}H_{21}NO_3$	Pyridine.....	{ .5 .5	10.4	-----	-----	49	33.0
$C_{18}H_{27}NO_3$	Piperidine.....	{ .13 .13	1.4 3.0	25 25	61.7 61.7	47 48	60.0 60.0
$C_{18}H_{29}NO_3$	Isoamylamine.....	{ .12 .12	1.0 2.0	19 22	65.3 65.7	48 48	63 63
$C_{17}H_{23}NO_3$	α -Picoline.....	{ .74 .74	1.0 5.1	22 27	33.3 30.3	49 48	38.7 34.2
$C_{18}H_{23}NO_3$	Benzylamine.....	{ .02 .02	1.5 3.0	22 30	49.2 49.4	48 48	49.2 49.6
$C_{18}H_{25}NO_3$	<i>m</i> -Toluidine.....	.20	1.9	18	42.5	48	45
$C_{19}H_{27}NO_3$	Collidine.....	{ .39 .39	1.02 4.5	21 22	36 31.8	48	40 35.8
$C_{19}H_{27}NO_3$	Dimethylaniline.....	{ .39 .28	5.5 1.2	19	32.5 41.2	48	36.2 44.5
$C_{19}H_{25}NO_3$	Diisobutylamine.....	{ .18 .17	1.04 2.15	22 25	65.7 67.2	48 47	62.8 64.7
$C_{20}H_{23}NO_3$	Quinoline.....	{ .84 .84	1.3 4.1	21	29.2	48	36.7
$C_{20}H_{23}NO_3$	Tripropylamine.....	{ .84 .84	7.3	22	27.5	49	33.7
$C_{20}H_{27}NO_3$	Quinaldine.....	{ .13 .13 1.4 1.4 1.4	1.0 1.5 1.7 4.1 5.7	22 22 17.5	40.3 48 30 25.4 22	{ 48 48 48 48 49	{ 41.8 38.3 33.0 31.7
$C_{22}H_{33}NO_3$	Diethylbenzylamine.....	{ .32 .41	1.02 2.0	19 26	37.5 36.7	47 48	40.8 40.0
$C_{22}H_{45}NO_3$	Triisobutylamine.....	.17	1.3	20	43.0	48	45

Dispersion data, camphorcarboxylic acid derivatives

Formula	Name	s	c λ	6,708	6,438	5,893	5,461	5,058
$C_{11}H_{16}BrNO_2$	α, α' -Bromocamphorcarboxamide.	EtOH	5	29.4	-----	38.4	45.8	-----
$C_{16}H_{24}BrNO_2$	α, α' -Bromocamphorpiperidide.	EtOH	-----	-54.5	-58.5	-71.2	-86	-102.3
Formula	Name	s	c λ	4,800	4,678	4,359	Lit.	
$C_{11}H_{16}BrNO_2$	α, α' -Bromocamphorcarboxamide....	EtOH	5	-----	-----	82.6	-----	
$C_{16}H_{24}BrNO_2$	α, α' -Bromocamphorpiperidide.....	EtOH	-----	-118.0	-126.0	-150.9	79	

Derivatives of camphorcarboxylic acid c=5 (125)

Time	$[\alpha]_{5,461}$	Time	$[\alpha]_{5,461}$	Time	$[\alpha]_{5,461}$
$C_{11}H_{17}NO_2$ Mutarotation of camphorcarboxamide		$C_{11}H_{17}NO_2$ Mutarotation of camphorcarboxamide		$C_{16}H_{23}NO_2$ Mutarotation of camphorcarboxypiperide	
s = EtOH		s = C_6H_6		s = C_6H_6	
<i>Hours</i>		<i>Hours</i>		<i>Hours</i>	
0.1	-0.2	0.1	1.5	0.5	24.7
.2	.1	.2	2.0	.7	24.7
.3	.2	.4	2.9	1.0	24.7
.4	.3	.6	3.6	1.5	24.7
.5	.4	.8	4.7	2.0	25.0
.6	.6	1.0	5.5	2.3	25.3
.8	1.1	2.0	10.1	2.5	25.3
1.0	1.4	3.0	15.0	3.0	25.4
1.5	2.5	4.0	19.9	3.5	25.6
2.0	3.7	5.0	24.1	4.0	25.8
2.5	4.8	6.0	28.7	4.5	25.7
3.0	5.9	7.0	32.6	5.0	25.6
3.5	7.1	8.0	36.5	5.5	25.6
4.0	8.2	10.0	43.4	6.5	25.8
4.5	9.4	12.0	49.2	8.0	26.3
5.0	10.4	13.3	52.4	9.0	26.5
8.0	17.2	23.0	67.4	10.0	26.6
9.0	19.0	25.0	68.0	11.0	27.0
10.0	21.0	28.4	69.7	12.0	27.1
11.0	23.3	31.0	71.0	13.0	27.5
12.4	25.8	36.0	70.9	22.0	28.0
14.2	29.3	48.0	72.7	28.0	29.0
22.0	43.4	61.0	73.8	30.0	29.2
26.0	50.3	96.0	74.4	33.1	29.6
30.0	56.4			36.0	30.0
33.0	60.7	$C_{16}H_{23}NO_2$ Mutarotation of camphorcarboxypiperide		46.8	30.9
34.0	62.3			54.0	31.3
36.0	64.8			59.0	31.6
48.0	81.1			70.0	32.4
50.0	84.0	$s = C_6H_6$		73.0	32.6
51.0	85.4	<i>Hours</i>		78.0	33.3
52.0	86.5	0.1	25.8	84.0	33.7
53.0	88.3	.4	25.5	94.0	34.4
54.5	90.3	2.0	25.5	102.0	35.4
56.0	91.8	9.0	25.3		
58.0	93.8	12.0	25.6		
59.4	94.7				
61.0	96.0	24.0	27.7		
71.0	99.6	30.0	28.7		
83.0	100.4	36.0	29.9		
Final	100.8	48.0	32.9		
		54.0	34.2		
		61.0	36.2		
		72.0	39.1		
		78.0	40.6		
		84.0	42.2		
		96.0	44.2		
		108.0	46.5		
		132.0	49.8		
		<i>Days</i>			
		6.0	51.2		
		6.5	51.2		
		7.0	52.9		
		7.5	54.3		
		8.0	54.7		
		8.5	54.8		
		9.0	54.8		
		10.0	55.6		
		15.0	56.3		
		21.0	56.9		
		40.0	56.7		

18. BORNEOL AND RELATED COMPOUNDS

Borneol and isoborneol (104)

Formula	Name	s	c	$[\alpha]_{5,893}$	$[\alpha]_{5,780}$	$[\alpha]_{5,461}$	$[\alpha]_{4,358}$
$C_{10}H_{18}O$	<i>l</i> -Borneol.....	EtOH	5.51	36.79	39.10	44.54	76.05
	<i>d</i> -Isoborneol.....	EtOH	5.16	33.89	35.38	39.61	65.31
$C_{14}H_{22}O_4$	<i>d</i> -Bornyl hydrogen phthalate.....	CHCl ₃	4.99	20.33	20.92	23.33	37.05
	<i>l</i> -Isobornyl hydrogen phthalate.....	C ₆ H ₆	4.73	42.72	45.02	51.93	91.70
		CS ₂	1.65	46.06	47.28	51.82	96.96
		EtOH	5.18	56.72	59.71	68.39	123.60
		CHCl ₃	5.33	77.47	80.74	92.76	163.34
		EtOH	5.19	81.62	85.27	97.97	173.71

Specific rotation $[\alpha]_X^t$ of $C_{12}H_{20}O_2$ *l*-bornyl acetate at different temperatures (104)

$t \downarrow \lambda \rightarrow$	5,893	5,780	5,461	4,358
20	-42.43	-44.16	-50.18	-84.33
40	-40.75	-42.49	-48.19	-80.98
60	-39.06	-40.71	-46.18	-77.49
80	-37.64	-39.22	-44.52	-74.56
100	-36.44	-38.08	-43.16	-72.40
120	-35.22	-36.84	-41.60	-70.04
140	-34.00	-35.58	-40.46	-67.79
160	-33.04	-34.47	-39.09	-65.55
180	-32.30	-33.55	-37.67	-63.43

$[\alpha]_X^{20}$ (174; cf. 57, 58, 59, 60)

Formula	Name	s	$c \downarrow \lambda \rightarrow$	5,893	5,780	5,461
$C_{10}H_{20}BrN$	<i>d</i> -Bornylamine hydrobromide.....	H ₂ O	2.465	17.6	18.5	20.7
		H ₂ O	1.023	17.6	18.6	20.8
$C_{17}H_{22}NO$	Benzoyl- <i>d</i> -bornylamine.....	EtOH	4.931	18.9	19.8	22.3
		EtOH	1.644	18.6	19.5	21.9
$C_{10}H_{18}N$	<i>d</i> -Neobornylamine ¹	CHCl ₃	.673	26.0	26.8	32.0
		EtOH	4.027	-21.6	-22.7	-26.3
$C_{10}H_{20}N$	<i>d</i> -Neobornylamine ¹	EtOH	1.005	-20.6	-22.1	-25.6
		EtOH	4.413	-38.0	-39.5	-44.4
$C_{17}H_{22}NO$	Benzoyl- <i>d</i> -neobornylamine ¹	EtOH	4.0	-43.7	-----	-----
		H ₂ O	2.470	-31.4	32.5	37.0
$C_{10}H_{20}BrN$	<i>d</i> -Neobornylamine hydrobromide ¹	H ₂ O	1.001	-31.2	32.7	37.0
		EtOH	1.637	-33.0	34.5	39.4
$C_{10}H_{20}N$	<i>d</i> -Neobornylamine ²	CHCl ₃	0.671	-37.3	39.9	44.4
		EtOH	1.8	-44.7	-----	-----

¹ Probably not quite pure.

² These values were determined by Forster, and probably refer to the pure substance.

Derivatives of borneol

λ	$[\alpha]_{\lambda}^t$	λ	$[\alpha]_{\lambda}^t$	λ	$[\alpha]_{\lambda}^t$
$C_{17}H_{20}OS_2$ (39) Methyl <i>d</i> -bornylxanthate					
$s = PhMe.$	$c = 5.95$				
$c = 10.47$					
675 $\mu\mu$	31.4	656	-37.3	657	119
657	32.7	589	-43.0	622	255
622	35.5	553	-44.8	590	417
589	37.7	527	-44.6	573	417
559	39.8	517	-43.5	559	331
542	40.5	508	-42.1	547	158
527	40.5	486	-35.0		
508	39.5	466	-20.5	$s = Me_2CO.$ $c = 0.1424$	
500	38.5	451	1.3		
486	35.6				
472	30.7				
451	15.3				
$C_{17}H_{22}OS_2$ (39) Ethyl <i>d</i> -bornylxanthate					
$s = PhMe.$	$c = 5.881$				
657	28.8	685	-1.1	657	77
621	31.6	675	-.8	622	190
589	33.4	657	.4	590	337
548	35.1	622	3.1	573	351
537	35.4	590	5.9	559	323
		553	12.0	547	182
527	34.9	528	18.9		
516	34.5	500	31.7		
506	33.5	486	39.8		
498	32.6				
486	28.9				
$C_{21}H_{34}O_2S$ (33, 39, 40) <i>l</i> -Bornylidixanthide [S.CS.O.Bor] ₂ (superfused)					
657	-49.8				
589	-58.9				
553	-63.2	622	242	657	140
527	-65.3	603	340	590	380
517	-65.3	590	399	578	420
		582	405	573	450
508	-65.0	578	408	559	435
500	-64.3	559	327	553	365
486	-61.0	547	129	547	310
472	-54.5	536	-82		
		528	-279		
$s = PHMe.$ $c = 4.154$					
		492	-1,290		
657	-36.6	478	-1,500		
589	-42.4				
548	-44.1				
527	-43.8				
498	-39.0				
485	-33.7				
478	-29.6				
466	-19.5				
451	2.7				
446	11.3				
$s = Me_2CO.$ $c = 0.1456$					
603	309				
578	385				
573	412				
559	412				
547	275				
536	164				
$s = EtOH$					
657	-25.5				
589	-34.3				
553	-40.6				
528	-46.4				
508	-52.6				
500	-56.2				
486	-64.0				

Influence of temperature on dispersion of methyl l-bornylxanthate

		$C_{12}H_{20}OS_2$ (43) $[\alpha]_D^t$			
		$s = PhMe. \quad p = 10.04$			
t	λ	656 $\mu\mu$	589	527	536
-36.6		-39.6	-46.7	-51.3	-47.8
-31.8		-39.3	-46.0	-50.0	-46.7
0		-35.5	-41.1	-44.4	-40.2
+20		-32.9	-38.1	-40.7	-35.6
+46.4		-30.2	-34.8	-36.1	-30.5
+80.2		-26.4	-30.4	-30.2	-23.6

		$s = AcOEt \quad p = 4.86$			
t	λ	656 $\mu\mu$	589	527	536
-49.5		-48.5	-57.7	-65.7	-67.2
0		-39.2	-46.0	-51.1	-50.4
20.5		-36.3	-42.2	-45.8	-43.1
50.2		-31.2	-36.4	-38.7	-34.7

19. FENCHYL ALCOHOL DERIVATIVES

Derivatives of fenchyl alcohol

		$C_{12}H_{14}O_2S_2$ (41) Fenchylxanthic thioanhydride $[\alpha]_D^t$			
		$s = PhMe. \quad p = 2.09. \quad (43)$			
t	λ	0	22.4	50.9	81.5
674		36.2	35.4	35.4	33.8
656		35.7	33.8	34.5	33.8
589		26.0	24.4	24.6	23.7
527		33.5	34.9	35.4	39.1
508		89.8	-----	93.7	194.1(?)

¹ The query is in the original paper.

Derivatives of fenchyl alcohol—Continued

$s = \text{PhMe. } c = 6.004$		$C_{21}H_{34}O_2S_4$ (42) Methylene fenchyl-xanthate, $\text{CH}_2(\text{S.CS.O.Fen})_2$		$C_{24}H_{27}NOS_2$ (39, 41) 1,2-Diphenylfenchyl-imidoxanthide, Ph.CS.NPh.CS.OFen	
		$s = \text{PhMe. } c = 7.77$		$s = \text{Me}_2\text{CO. } c = 0.1302$	
687	-36.0	657	-40.8	657	150
670	-36.0	590	-51.2	622	430
657	-36.1	553	-57.8	603	630
641	-35.2	523	-63.0	590	799
631	-34.3	500	-68.0		
622	-33.3	456	-70.3	582	829
612	-31.6	478	-70.5	578	876
600	-29.2			573	814
589	-25.6			566	783
570	-18.1				
559	-9.6				
547	1.9				
536	16.7				
527	34.1				
$s = \text{Me}_2\text{CO. } c = 5.95$		$C_{24}H_{27}NOS_2$ (39, 41) 1,2-Diphenylfenchyl-imidoxanthide, Ph.CS.NPh.CS.OFen		559	630
701	-52.6	696	75	553	461
682	-55.2	687	109	547	246
656	-57.3	663	225		
631	-57.9	642	338		
		634	436		
517	42.3				
508	57.8				
504	73.9				
496	87.3				
$C_{22}H_{34}O_2S_4$ (42) Fenchyl dixanthide [.S.CS.OFen] ₂		622	630		
$s = \text{PhMe. } c = 4.35$		603	900		
590		590	1,050		
582		582	1,040		
578		578	1,000		
		573	930		
		566	770		
		559	560		
		553	290		
		547	15		
657	74.2				
589	98.9	542	-315		
527	136.3	536	-640		
486	181.4	528	-1,590		
479	191.5	508	-2,440		
473	203.7	500	-2,940		
467	215.6	492	-3,160		
462	227.6	486	-3,340		
457	240.2	478	-3,530		

20. TERESANTALIC AND ISOTERESANTALIC ACIDS

Dispersion data. Other acids derived from camphor (202)

Formula	Name	$[\alpha]_D^{20}$					
		s	p or d	6,563	5,893	5,463	4,861
$C_{11}H_{18}O_2$...	Methyl teresantalate.....	Nil	1.0305	-48.19	-60.79	-71.79	-93.04
	Methyl isoteresantalate.....	C_6H_5 ...	10.0	-50.43	-63.57	-75.36	-97.82
$C_{10}H_{14}O_2$...	Teresantalic acid.....	Nil	1.0269	-84.51	-108.75	-130.34	-174.31
	Isoteresantalic acid.....	C_6H_5 ...	10.0	-60.84	-76.60	-91.70	-117.76
$C_{11}H_{17}ClO_2$...	Methyl hydrochloroteresantalate....	C_6H_5 ...	10.0	-99.29	-127.58	-152.41	-204.52
				7.22	9.22	10.45	14.33

V. Class III. COMPOUNDS CONTAINING NO ASYMMETRIC CARBON ATOM, OR CONTAINING AN ASYMMETRIC OR DISSYMMETRIC ATOM OF SOME OTHER ELEMENT

(a) COMPOUNDS CONTAINING ASYMMETRIC ATOMS OF S, P, ETC.

21. METHYLETHYLPHENACYLTHETINE DERIVATIVES

(a) Compounds containing asymmetric atoms of S, P, etc.

Salts of methylethylphenacylthetine, $C_{11}H_{18}O_2S$ (=MOH)

(215)		$[\alpha]_{\lambda}^{20}$		
s	$\downarrow \lambda \rightarrow$	4,359	5,781	5,893

$C_{21}H_{22}BrO_3S$; d-M d- α -bromocamphor- π -sulphonate

H_2O	{ 0.603 · 610 · 945 EtOH.....	72.5 70.9 71.4 · 807 1.034	61.3 61.1 60.8 70.6 70.8	59.7 59.0 59.2 67.2 66.2
--------------	--	--	--------------------------------------	--------------------------------------

$C_{21}H_{22}BrO_3S$; l-M d- α -bromocamphor- π -sulphonate

H_2O	{ 0.260 · 484 · 760 1.190	56.9 56.2 57.2 57.6	48.3 47.4 48.0 47.5	46.3 46.4 46.0 46.9
EtOH.....	{ .192 .320 .387	72.9 71.1 71.8	61.2 60.9 60.8	57.3 56.2 56.9

$C_{17}H_{17}N_3O_8S$ d-M picrate

Me_2CO	{ 0.575 · 713 1.464	15.7 15.8 15.9	13.5 13.7 13.6	12.2 11.9 12.2
----------------	---------------------------	----------------------	----------------------	----------------------

(215) $[\alpha]_{\lambda}^{20}$

(215)		$\downarrow \lambda \rightarrow$	4,359	5,781	5,893
-------	--	----------------------------------	-------	-------	-------

$C_{17}H_{17}N_3O_8S$ l-M picrate

Me_2CO	{ 0.480 · 948 2.289	—16.7 —15.8 —16.2	—14.1 —14.0 —13.8	—13.0 —12.4 —12.6
----------------	---------------------------	-------------------------	-------------------------	-------------------------

$C_{17}H_{17}N_3O_8S$ d-M styphnate

Me_2CO	{ 0.625 · 908	11.6 11.6	10.0 10.2	9.2 9.1
----------------	------------------	--------------	--------------	------------

$C_{17}H_{17}N_3O_8S$ l-M styphnate

Me_2CO	{ 0.684 1.009	—12.1 —12.3	—10.6 —10.7	—9.9 —10.0
----------------	------------------	----------------	----------------	---------------

22. BROMOCAMPHOR- AND CAMPHORSULPHONATES PHOSPHONIUM SALTS

$s = H_2O$ (169)				$[\alpha]_{\lambda}^{15}$
(a)	d - α -Bromocamphor- π -sulphonates	$\downarrow \lambda \rightarrow$	4,359	5,781
$C_{19}H_{15}BrNO_4S$ $C_{31}H_{35}BrO_4PS$	Ammonium salt..... <i>dl</i> -Phenyl- <i>p</i> -tolylbenzylmethylphosphonium salt.....	0.488 .886	104.0 53.9	87.9 45.85
(b)	d -Camphor- β -sulphonates			
$C_{19}H_{15}NO_4S$ $C_{31}H_{37}O_4PS$	Ammonium salt..... <i>dl</i> -Phenyl- <i>p</i> -tolylbenzylmethylphosphonium salt.....	.498 1.058	26.6 12.3	21.6 9.9
				20.1 9.2

(b) COMPOUNDS CONTAINING DISSYMMETRIC METALLIC ATOMS
(Co, Cr, Rh, Ir, Pt, Etc.)

en = ethylenediamine, H₂N·CH₂·CH₂·NH₂.
pn = propylenediamine, H₂N·CH(CH₃)CH₂·NH₂.
tr = trimethylenediamine H₂N·CH₂·CH₂·CH₂·NH₂.

23. COBALT COMPLEXES

Trialkylenediamminecobaltic salts				
$I = [Co \cdot pn_3]Br_3 \cdot 2H_2O$ $II = [Co \cdot en_3]Br_3 \cdot 2H_2O$				
$s = H_2O$		$p = 0.1$	(212)	$[M]_\lambda^1$
λ	$I \text{ (d-pn)}$	$I \text{ (l-pn)}$	$II \text{ (d-salt)}$	$II \text{ (l-salt)}$
6,615	-175	+173	0 (?)	0 (?)
6,435	-120	+122	+82	-82
6,260	0	0	+232	-227
6,075	+111	-111	+376	-374
5,893	+223	-223	+603	-603
5,740	+459	-457	+868	-863
5,600	+836	-824	+1,257	-1,250
5,475	+1,379	-1,370	+1,841	-1,830
5,270	+2,508	-2,479	+3,100	-3,095
5,075	+1,114	-1,114	+2,477	-2,477
5,035	0	0		
4,990	-1,114	+1,114	+1,452	-1,452
4,920	-----	-----	0	0
4,850	-----	-----	-937	+927

¹ The largest value of α was 1.2° ; the last figure in each number is therefore uncertain.

(94)

 $s = H_2O. \quad p = 60$

λ	$[M]_\lambda^{15}$	λ	$[M]_\lambda^{15}$	λ	$[M]_\lambda^{15}$
6,750	165	6,265	394	5,760	828
6,600	228	6,100	513	5,595	1,069
6,425	306	5,910	638		

² $p = 1.91$.

(95)

λ	[M] $_{\lambda}$	λ	[M] $_{\lambda}$	λ	[M] $_{\lambda}$
$s = H_2O. \quad p = 0.5 \text{ to } 7.3$		Co. en ₃ (CNS) ₃			
		$s = H_2O$ <i>d</i> -salt, $c = 0.68$ <i>l</i> -salt, $c = 0.81$			
6,750	± 165	5,420	± 133	4,740	± 389
6,600	± 216	5,595	± 781	4,780	± 402
6,425	± 290	5,760	± 616	4,870	± 418
6,265	± 375	5,910	± 491	4,945	± 441
6,100	± 443	6,100	± 401	5,020	± 465
5,910	± 599	6,265	± 267	5,105	± 492
5,760	± 790	6,425	± 179	5,180	± 511
5,595	± 931			5,260	± 552
5,420	$\pm 1,399$			5,340	± 596
5,260	$\pm 1,903$			5,420	± 640
5,085	$\pm 2,377$				
4,920	$\pm 2,705$				
$[Co. en_3](ClO_4)_3$		$[Co. en_3]I_3 \cdot H_2O$			
$s = H_2O. \quad c = 0.57$		$s = H_2O$ <i>d</i> -salt, $c = 0.59$ <i>l</i> -salt, $c = 0.55$			
5,085	$\pm 2,592$	5,085	$\pm 2,158$	5,515	± 705
5,260	$\pm 1,804$	5,260	$\pm 1,843$	5,610	± 786
5,420	$\pm 1,407$	5,420	$\pm 1,435$	5,700	± 869
5,595	± 999	5,595	$\pm 1,072$	5,800	± 974
5,760	± 743	5,760	± 774	5,910	$\pm 1,135$
5,910	± 513	5,910	± 599	6,020	$\pm 1,266$
6,100	± 444	6,100	± 470	6,140	± 839
6,265	± 407	6,265	± 357	6,260	∓ 18
6,425	± 327	6,425	± 274	6,380	∓ 543
6,600	± 212	6,600	± 211		

¹ Mean values for *d*- and *l*-salts.

(209, 224)		
<i>d</i> - and <i>l</i> -[C ₆ H ₅ O ₂ .Co.en] ₂ X [M] _D ¹		
Acetylacetonatodiethylenediamine salts		
$s = H_2O. \quad c = 0.1 \quad [M]_D$		
X	<i>d</i> -	<i>l</i> -
Cl ₂	+2,107	-2,134
Br ₂	+2,102	-2,102
I ₂	+2,204	-2,204
(ClO ₄) ₂	+2,107	-2,107
(NO ₂) ₂	+2,217	-2,217
(SCN) ₂	+2,107	-2,107
S ₂ O ₈	+2,040	-2,261
<i>d</i> - and <i>l</i> -[C ₆ H ₅ O ₂ .Co.en] ₂ X		
Propionylacetonatodiethylenediamine salts		
$s = H_2O. \quad c = 0.1$		
X	<i>d</i> -	<i>l</i> -
(ClO ₄) ₂	+2,476	-2,436
(NO ₂) ₂	+2,481	-2,460
S ₂ O ₈	+2,311	-2,383

¹ The last figures in these numbers are uncertain.

<i>d</i> - and <i>l</i> -[C ₆ H ₅ O ₂ .Co.en] ₂ I ₂ Propionylacetonodiethylenediaminecobaltic iodide			<i>d</i> - and <i>l</i> -[C ₆ H ₅ O ₂ .Co.en] ₂ I ₂ Propionylacetonodiethylenediaminecobaltic iodide		
s=H ₂ O. c=0.1			s=H ₂ O. c=0.1		
λ	[α] _{λ}		λ	[α] _{λ}	
	<i>d</i> -	<i>l</i> -		<i>d</i> -	<i>l</i> -
6,440	+115	-135	5,540	650	-672
6,260	186	-190	5,475	600	-623
6,075	276	-268	5,425	554	-584
5,893	402	-390	5,370	440	-480
5,750	518	-535	5,320	360	-388
5,600	630	-645			

24. CHROMIUM COMPLEXES

[Cr(C ₂ O ₄) ₃] K ₃ .3H ₂ O (95)		[Cr(C ₂ O ₄) ₃] K ₃ .3H ₂ O (95)		[Cr(C ₂ O ₄) ₃] K ₃ .3H ₂ O (95)	
s=H ₂ O		s=H ₂ O		s=H ₂ O	
λ	[M] _{λ}	λ	[M] _{λ}	λ	[M] _{λ}
4,600	-1,550	5,400	-2,100	5,950	1,960
4,800	-1,710	5,500	-1,400	6,200	600
5,000	-2,100	5,600	-900	6,340	0
5,200	-2,300	5,700	0	6,400	-100
5,300	-2,200	5,800	+1,750	6,500	-200

<i>d</i> - and <i>l</i> -[Cr.en] ₂ I ₂ .H ₂ O		<i>d</i> - and <i>l</i> -[Cr.en] ₂ I ₂ .H ₂ O		<i>d</i> - and <i>l</i> -[Cr.en] ₂ I ₂ .H ₂ O	
(95; cf., 96)		(95; cf., 96)		(95; cf., 96)	
Values for <i>d</i> -salts are +, for <i>l</i> -salts -		Values for <i>d</i> -salts are +, for <i>l</i> -salts -		Values for <i>d</i> -salts are +, for <i>l</i> -salts -	
s=H ₂ O $p=1.01-0.03$ $t=15^{\circ}-18^{\circ}$		s=H ₂ O $p=1.01-0.03$ $t=15^{\circ}-18^{\circ}$		s=H ₂ O $p=1.01-0.03$ $t=15^{\circ}-18^{\circ}$	
4,260	2,826	5,260	965	6,020	291
4,420	2,538	5,430	763	6,260	233
4,640	2,205	5,610	574	6,520	195
4,860	1,761	5,800	409	6,660	182
5,100	1,171				

25. RHODIUM COMPLEXES

λ	[M] $_{\lambda}$	λ	[M] $_{\lambda}$	λ	[M] $_{\lambda}$
<i>d</i> - and <i>l</i> - Rhodiumtriethylenediamines					
[Rh(en) ₃]Br ₃ .2H ₂ O (95)					
s=H ₂ O. p=7.31					
6,780	-244	6,840	-240	5,340	± 261
6,640	-251	6,660	260	5,420	$^1 \pm 263$
6,520	-260	6,520	265	5,515	± 267
6,380	-278	6,380	284	5,610	$^1 \pm 276$
6,260	-296	6,260	298	5,700	± 280
6,140	-309	6,140	319	5,800	$^1 \pm 284$
6,030	-328	6,063	334	5,910	± 271
5,890	-346	5,890	300	6,020	$^1 \pm 258$
5,700	-372	5,800	370	6,140	± 250
5,510	-400	5,700	386	6,260	$^1 \pm 246$
5,340	-425	5,605	402	6,380	± 241
5,180	-446	5,510	420	6,520	$^1 \pm 236$
5,100	-458	5,420	430		
4,860	-481	5,340	440		
4,710	-495	5,260	456		
4,310	-508	5,180	463		
4,150	-509	5,100	472		
		4,945	495		
[Rh(en) ₃]I ₃ .H ₂ O (95)					
s=H ₂ O. p=4.53					
6,840	± 205	4,780	518		
6,660	218	4,650	536		
6,520	232	4,480	550		
6,380	247	4,310	562		
6,260	255				
[Rh(C ₂ O ₄) ₃]K ₃ .H ₂ O (95)					
s=H ₂ O. p=10.96-0.5					
6,140	273	4,860	1,724		
6,030	293	4,950	1,419		
5,890	302	5,020	1,225		
5,800	312	5,100	997		
5,700	326	5,180	833		
5,605	335	5,260	686		
5,510	347	5,340	553		
5,420	359	5,420	411		
5,340	366	5,510	325		
5,260	380	5,605	225		
5,180	387	5,700	146		
5,100	396	5,800	79		
5,020	405	5,890	30		
4,945	411	5,900	25		
4,860	420	5,970	0		
4,780	428	6,030	-22		
4,710	434	6,140	-56		
4,650	442	6,260	-82		
4,500	447	6,380	-102		
4,480	450	6,520	-114		
4,420	454	6,660	-121		
4,310	455	6,800	-126		
4,200	453	6,946	-133		
4,150	457				
4,060	458				
4,010	459				
3,940	460				
3,880	402				
3,820	366				
3,780	340				
3,740	323				
3,700	322				

¹ p=0.511.

26. IRIDIUM COMPLEXES

*d-Triethylenediamine salts (225)**d-[Ir.en₃]X₃* $[\alpha]_D$

X	\downarrow $p \lambda \rightarrow$	6,563	5,893	5,270
I-----	0.25	30	42	56
NO ₃ -----	.25	41.2	57.2	75.2
ClO ₄ -----	.2	34.5	48.5	64.0

*d-Dinitritodiethylenediamine salts**[Ir(NO₂)₂en₂]X(225)*

s=H ₂ O		p=0.25			[α] _D	
X	\downarrow $\lambda \rightarrow$	6,563	5,893	5,270		
Br-----		17.2	26.0	40.0		
ClO ₄ -----		16.4	24.8	38.4		
NO ₃ -----		18.0	27.2	41.2		

27. PLATINUM COMPLEXES

Platinum complexes containing d- and l-propylenediamine (212)

s=H ₂ O	c=0.5	[M] _{6,563}	[M] _{5,893}	[M] _{5,270}
<i>d</i> -[Pt. d-pns]Cl ₄ .H ₂ O-----		-844	-1,013	-1,419
<i>d</i> -[Pt. l-pns]Cl ₄ .H ₂ O-----		+839	+1,035	+1,413
<i>l</i> -[Pt. d-pns]Br ₄ -----		-833	-1,024	-1,422
<i>d</i> -[Pt. l-pns]Br ₄ -----		+840	+1,031	+1,429
<i>l</i> -[Pt. d-pns]I ₄ -----		-851	-1,054	-1,433
<i>d</i> -[Pt. l-pns]I ₄ -----		+832	+1,036	+1,424

Complex metallic salts containing l-propylenediamine (44)

s=H ₂ O	p	[M] _D
[Pt. pn ₂]Cl ₂ -----	16.6	+192
[Pt. pn. 2NH ₃]Cl ₂ -----	17.5	+94
[Pt. en. pn]Cl ₂ -----	19.1	+96
[Pt. pn. tr]Cl ₂ -----	13.1	+98
[Pd. pn ₂]Cl ₂ -----	17.7	+258
[Ni. pn ₃]Cl ₂ .H ₂ O-----	11.0	+55

28. MOLYBDENYL AND TUNGSTYL DERIVATIVES OF MALIC AND TARTARIC ACIDS

(MoO₃)_(C₄H₄O₅Na₂) Sodium molybdenylmalate [M]_D. (77, cf. 75)

t	p	11.020	6.046	3.175	1.633	0.827	0.416
15	190.2	189.0	188.2	187	185	181	
30	178.7	177.5	176.8	175	173	170	
45	163.6	162.4	162.0	160	158	155	
60	146.0	144.8	144.0	142	140	136	
75	125.9	124.6	123.2	122	120	115	
90	102.8	101.2	99.7	98	96	93	

 p =per cent of malic acid: the solutions are N/1, 2, 4, 8, 16, 32.

$(MoO_3)_2(C_4H_4O_5Na)_2$ Sodium dimolybdenylmalate $[M]_D$. (77 cf. 75)

$t \setminus p$	5.748	3.094	1.608	0.821	0.414	0.208
15	958.5	951.5	945	935	920	905
30	954.7	946.8	938	922	903	881
45	947.0	937.7	928	903	876	828
60	934.1	915.9	895	860	795	717
75	913.0	884.4	849	777	672	509
90	877.6	832.5	766	661	496	218

p =per cent of malic acid: the solutions are $N/2, 4, 8, 16, 32, 64$.

$MoO_2(C_4H_4O_5Na)_2$ Sodium molybdenylmalate $[M]_D$. (77; cf. 75)

$t \setminus p$	11.792	6.275	3.241
10	-121.4	-119.8	-114.2
20	125.8	122.9	115.7
30	128.7	124.7	116.5
40	130.4	125.8	117.1
50	¹ 131.6	¹ 126.8	¹ 117.6
60	131.5	125.0	114.4
70	130.9	123.3	110.6
80	129.9	120.0	105.6
90	127.6	115.1	98.6
95	125.9	111.6	93.1

¹ Maximum.

p =Per cent of malic acid: the solutions are $N/1, 2, 4$.

$MoO_2(C_4H_5O_5K)_2$ Potassium molybdenylmalate $[M]_D$. (75)

$t \setminus p$	6.975	3.619	1.843
20	+382.2	+379.3	+377
45	381.4	378.3	374
70	380.1	374.6	365
95	372.6	359.4	342

p =Per cent of malic acid.

$MoO_2(C_4H_4O_5NH_4)_2$ Ammonium molybdenylmalate $[M]_D$. (77; cf. 75)

$t \setminus p$	12.107	6.367	3.270	1.658	0.835
10	-122.0	-121.4	-120.2	-109	-103
20	125.7	125.1	123.7	112	107
30	128.7	128.0	125.2	113	109
35	¹ 129.5	¹ 128.7	¹ 125.8	¹ 114	¹ 110
40	129.3	128.2	125.6	113	109
50	129.1	128.2	123.7	109	103
60	128.6	126.2	120.6	103	94
70	126.5	123.6	115.9	96	81
80	123.8	120.3	109.6	86	67
90	120.7	116.5	102.5	75	52
95	118.9	114.8	99.6	71	45

¹ Maximum.

p =per cent of malic acid: the solutions are $N/1, 2, 4, 8, 16$.

$MoO_3(C_4H_4O_6Na_2)$ Sodium molybdenyltartrate $[M]_D$. (76)

$t \backslash p$	12.308	6.781	3.569	1.831	0.928	0.467	0.234	0.117
20	832.4	813.8	787.6	750	629	695	538	421
40	815.4	797.6	769.1	720	602	671	509	386
70	791.8	778.6	717.0	704	561	636	443	300
90	767.7	758.6	722.5	676	502	600	363	225

p =per cent of tartaric acid: the solutions are N/1, 2, 4, 8, 16, 32, 64, 128.

 $(MoO_3)_2(C_4H_4O_6Na_2)$ Sodium dimolybdenyltartrate $[M]_D$. (76)

$t \backslash p$	6.403	3.461	1.803	0.920	0.465	0.233
15	1324.9	1223	1039	802	662	592
30	1188.7	1098	918	710	592	524
45	1037.7	926	785	611	514	450
60	894.9	777	668	516	443	382
75	771.0	651	566	434	379	320
90	666.2	565	484	375	323	270

p =per cent of tartaric acid: the solutions are N/2, 4, 8, 16, 32, 64.

 $MoO_2(C_4H_4O_6K)_2$ Potassium molybdenyltartrate $[M]_D$. (76)

$t \backslash p$	6.975	3.619	1.843	0.929	0.467	0.235
20	382.2	379.3	377	372	362	365
45	381.4	378.3	374	368	361	353
70	380.1	374.6	365	351	338	320
95	371.6	359.4	342	316	283	246

p =per cent of tartaric acid: the solutions are N/2, 4, 8, 16, 32, 64.

 $WO_3(C_4H_4O_5Na_2)$ Sodium tungstylmalate $[M]_D$. (77)

$t \backslash p$	10.202	5.792	3.107	1.601	0.822	0.415
10	28.0	+29.2	+32.2	+56	+91	+124
30	28.6	31.2	38.5	64	98	131
50	30.3	36.7	51.6	81	116	139
70	33.8	45.6	66.3	103	137	150
95	37.3	57.8	82.2	124	159	162

p =per cent of malic acid; the solutions are N/1, 2, 4, 8, 16, 32.

 $WO_2(C_4H_4O_5Na)_2$ Sodium tungstyldimalate $[M]_D$. (77)

$t \backslash p$	12.268	6.134	3.211	1.640
10	-99.6	-98.5	-97.1	-91
20	104.3	102.7	100.9	93
30	107.6	105.4	102.8	94
40	110.1	107.7	103.2	95 Max.
50	112.0	109.0	104.1 Max.	94
60	113.4	110.1 Max.	103.8	93
70	113.7 Max.	109.5	101.9	91
80	113.4	108.1	98.0	88
90	112.8	106.2	93.8	82
95	112.4	105.0	91.2	77

p =per cent of malic acid; the solutions are N/1, 2, 4, 8.

$WO_3(C_4H_4O_6Na_2)$ Sodium tungstyltartrate $[M]_D$. (76)

$t \backslash p$	11.390	6.486	3.484	1.409	0.922	0.465
20	482.8	463.5	442.4	420	395	360
40	476.1	455.7	432.8	405	378	344
70	466.7	447.2	421.3	390	354	316
90	459.3	437.5	411.9	381	336	291

p = per cent of tartaric acid: the solutions are N/1, 2, 4, 8, 16, 32.

 $(WO_3)_2(C_4H_4O_6Na_2)$ Sodium ditungstyltartrate $[M]_D$. (76)

$t \backslash p$	5.833	3.233	1.751	0.906	0.461	0.232
10	220.2	203.1	197	191	183	179
20	213.6	203.0	191	186	178	171
30	208.1	195.3	186	182	174	163
40	203.2	194.1	182	178	170	155
50	198.7	190.3	179	175	166	150
60	194.8	186.8	175	172	163	145
70	191.4	183.7	172	170	159	141
80	188.7	180.7	169	163	158	139
90	186.6	177.8	167	166	157	137
95	185.8	176.6	167	164	156	134

p = per cent of tartaric acid: the solutions are N/2, 4, 8, 16, 32, 64.

 $WO_2(C_4H_4O_6Na)_2$ Sodium tungstylditartrate $[M]_D$. (76)

$t \backslash p$	12.582	6.845	3.580	1.832	0.927
10	242.4	242.7	243.5	247	256
20	245.9	247.2	248.2	252	262
30	248.5	249.9	251.7	255	264
40	250.9	252.4	254.3	257	265
50	253.0	254.4	255.9	258	264
60	255.0	256.1	257.2	258	263
70	256.4	257.6	257.0	256	261
80	257.5	257.4	256.3	254	256
90	257.9	256.6	254.7	251	248
95	258.1	256.0	252.8	250	244

p = per cent of tartaric acid: the solutions are N/1, 2, 4, 8, 16.

VI. Class IV. SUBSTANCES OF UNKNOWN, DOUBTFUL, OR COMPLEX STRUCTURE

29. ALKALOIDS AND DERIVATIVES

$C_{20}H_{24}N_2O_2$ Quinine $[\alpha]_D^t$ $s = EtOH$ (abs.) (138)

$i \backslash c$	1	2	3	4	5	6
0	-171.4	-169.6	-167.9	-166.1	-164.2	-162.4
5	-170.5	-168.7	-167.0	-165.2	-163.4	-161.6
10	-169.6	-167.8	-166.1	-164.4	-162.7	-160.9
15	-168.9	-167.1	-165.4	-163.7	-162.1	-160.4
20	-168.2	-166.6	-164.8	-163.2	-161.6	-159.8

$C_{20}H_{25}ClN_2O_2$ Quinine hydrochloride (83)

$s = H_2O + EtOH$		$s = H_2O + EtOH$	
$c = 2, t = 15^\circ$		$c = 2, t = 15^\circ$	
Per cent EtOH	$[\alpha]_D$	Per cent EtOH	$[\alpha]_D$
97	-143.86	60	-187.75
90	-160.75	50	-187.50
85	-168.25	40	-182.82
80	-174.75	20	-166.59
70	-182.27	0	-138.75

$C_{19}H_{22}N_2O$ Cinchonine salts (89; cf. 84, 85)

Formula	Name	$c =$	2.5	5.0
		s	$[\alpha]_D^{20}$	$[\alpha]_D^{10}$
$C_{19}H_{22}N_2O$ -----	Cinchonine-----	EtOH-----	224.5	($c = 0.5$)
$C_{22}H_{50}N_2O_3$ -----	Myristate-----	$CHCl_3$ -----	134.2	133.5
$C_{25}H_{54}N_2O_3$ -----	Palmitate-----	$CHCl_3$ -----	126.3	127.8
$C_{27}H_{58}N_2O_3$ -----	Stearate-----	$CHCl_3$ -----	121.4	122.3

Derivatives of cinchonine and cinchonidine (87)

$s = CHCl_3$ $c = 2.0$		Cinchonine	Cinchonidine
Formula	Name	$[\alpha]_D^{12}$	$[\alpha]_D^{13}$
$C_{21}H_{24}N_2O_2$ -----	Acetyl-----	108.5	12.90
$C_{25}H_{26}N_2O_3S$ -----	Benzenesulphonyl-----	62.15	11.43
$C_{26}H_{26}N_2O_3$ -----	Benzoyl-----	-27.80	98.65

$(C_{23}H_{26}N_2O_4)$ Brucine salts, $s = CHCl_3$ (85, 86, 87, 89)

Formula	Name	$c = 2.5$ [M] _D ¹⁵	$c = 5.0$ [M] _D ¹⁴
C ₂₅ H ₃₀ N ₂ O ₆	Acetate	260.6	258.0
C ₂₆ H ₃₂ N ₂ O ₆	Propionate	252.3	248.1
C ₂₇ H ₃₄ N ₂ O ₆	n-Butyrate	251.2	247.4
C ₂₈ H ₃₆ N ₂ O ₆	n-Valerate	251.6	247.4
C ₂₉ H ₃₈ N ₂ O ₆	n-Caproate	252.8	246.8
$t = 14.5 - 20^\circ \text{ C.}$		[M] _D	[M] _D
C ₂₃ H ₂₆ N ₂ O ₄	Brucine	121.0	121.5
C ₂₅ H ₃₀ N ₂ O ₆	Glyoxylate	-61.3	-60.7
C ₂₆ H ₃₂ N ₂ O ₇	Pyruvate	-86.2	-85.2
C ₂₇ H ₃₄ N ₂ O ₇	Acetoacetate	-53.7	-54.7
C ₂₈ H ₃₆ N ₂ O ₇	Levulinate	-177.9	-175.5
C ₂₉ H ₃₈ N ₂ O ₆	Sorbate	-120.6	-130.0
C ₂₉ H ₃₈ N ₂ O ₆	β, γ -Dihydrosorbate	-214.2	-227.2
C ₃₀ H ₄₂ N ₂ O ₆	Benzoate	-129.0	-131.1
C ₃₁ H ₄₂ N ₂ O ₇	Phenylglyoxylate	-33.4	-32.6
C ₃₂ H ₃₄ N ₂ O ₇	Phenylpyruvate	+18.5	+20.4
C ₃₂ H ₃₄ N ₂ O ₇	Benzoylacetate	-188.8	-180.0
C ₃₃ H ₃₆ N ₂ O ₇	β -Benzoylpropionate	-182.4	-184.1
C ₃₃ H ₃₄ N ₂ O ₈	Benzoylpypyruvate	+66.1	+60.1
C ₃₃ H ₃₆ N ₂ O ₇	Benzylpyruvate	-55.5	-54.9
C ₃₅ H ₃₆ N ₂ O ₈	Piperate	-28.6	-30.7
C ₃₅ H ₃₈ N ₂ O ₈	α, β -Dihydroperipate	-154.3	-154.1
C ₃₅ H ₃₈ N ₂ O ₈	β, γ -Dihydroperipate	-179.1	-178.5
C ₃₆ H ₄₀ N ₂ O ₈	Piperonylbutyrate	-170.5	-174.1
C ₃₇ H ₄₄ N ₂ O ₆	Myristate	246.7	246.8
C ₃₉ H ₅₈ N ₂ O ₆	Palmitate	248.4	247.5
C ₄₁ H ₆₂ N ₂ O ₆	Stearate	247.7	247.4
Dibrucine salts			
C ₄₉ H ₅₆ N ₄ O ₁₄	Mesoxalate	-191.9	-189.1
C ₅₀ H ₅₆ N ₄ O ₁₃	Oxalacetate	-357.0	-362.4
C ₅₁ H ₅₈ N ₄ O ₁₃	Acetonedicarboxylate	-428.2	-428.2
C ₄₈ H ₅₄ N ₄ O ₁₂	Oxalate	-24.6	-26.3
C ₄₉ H ₅₆ N ₄ O ₁₂	Malonate	-470.6	-470.6
C ₅₀ H ₅₈ N ₄ O ₁₂	Succinate	-580.9	-591.6
C ₅₁ H ₆₀ N ₄ O ₁₂	Glutarate	-464.4	-465.8
C ₅₂ H ₅₈ N ₄ O ₁₂	Muconate	-90.4	-88.5
C ₅₂ H ₆₀ N ₄ O ₁₂	β, γ -Dihydromuconate	-359.0	-354.6
C ₅₂ H ₆₀ N ₄ O ₁₂	β, γ -Dihydromuconate	365.5	-358.8
C ₅₂ H ₆₂ N ₄ O ₁₂	Adipate	397.8	399.2
C ₅₃ H ₆₄ N ₄ O ₁₂	Pimelate	417.9	405.2
C ₅₄ H ₆₆ N ₄ O ₁₂	Suberate	457.5	439.6
C ₅₅ H ₆₈ N ₄ O ₁₂	Azelate	444.2	440.8
C ₅₆ H ₇₀ N ₄ O ₁₂	Sebacate	479.5	477.5
C ₅₅ H ₆₂ N ₄ O ₁₂	Cinnamylidenemalonate	98.99	-----
C ₅₈ H ₆₄ N ₄ O ₁₂	β, γ -Dihydrocinnamylidenemalonate	439.5	-444.2
	β, γ -Dihydrocinnamylidenemalonate	505.2	-509.2

VII. Class V. INFLUENCE OF SALTS AND OTHER SUBSTANCES ON ROTATORY POWER

Influence of salts on rotatory power (48)

(a) $C_3H_6O_3$ *l*-lactic acid (containing 8 per cent *d*-lactic acid)

$s = H_2O$ $t = 15^\circ C.$

Salt	c of salt	p	d^{20}	$[\alpha]_{5,461}^{15}$
Nil				
NaCl	23.4	8.71	1.162	-7.6
NaBr	41.2	7.65	1.293	-8.0
BaBr ₂	59.2	6.79	1.485	-17.7

(b) $C_4H_8O_3$ Methyl *l*-lactate (containing 5 per cent methyl *d*-lactate)

s	p	d^{20}	$[\alpha]_{5,461}^{20}$
Nil			
H_2O	100	1.093	8.4
N NaCl	10.0	1.012	1.4
$\frac{1}{4}$ N NaCl	10.0	1.050	.5
N NaBr	10.37	1.150	-2.1
	10.0	1.080	.5
N KCl	10.0	1.054	.5
N NH ₄ Cl	10.0	1.027	.9
N CaCl ₂	10.0	1.054	-1.0
N BaCl ₂	10.0	1.094	-1.3
$\frac{1}{4}$ N BaBr ₂	9.81	1.456	-9.1

(c) $C_3H_6O_4$ *d*-Glyceric acid

$s = H_2O$

Salt	c of salt	p	d^{20}	$[\alpha]_{5,461}^{20}$
Nil				
NaCl	23.4	1.84	1.17	4.9
BaBr ₂	20.8	1.90	1.22	6.9

(d) $C_3H_7NO_2$ *d*-Alanine

s	c	$[\alpha]_{5,461}^{15}$
H_2O	10.0	2.9
N KCl	10.0	3.0
N NaCl	10.0	3.3
N BaCl ₂	10.0	3.5
$\frac{1}{4}$ N BaBr ₂	10.0	4.8
1.5 M HCl	5.78	17.8

(e) $C_5H_9NO_4$ *d*-Glutamic acid

s	p	d^{25}	$[\alpha]_{5,461}^{25}$
H_2O	1.50	1.003	13.3
N NaCl	1.50	1.043	14.4
$\frac{1}{4}$ N NaCl	1.51	1.152	15.8
N KCl	1.53	1.050	14.8
N BaCl ₂	1.53	1.092	14.4
$\frac{1}{4}$ N BaBr ₂	1.51	1.500	18.1
2M NaOH	12.25	1.075	-3.6
2M NaOH	6.55	1.050	11.7
1.5M HCl	8.75	-----	37.4

Influence of salts on rotatory power (48)—Continued

(f) Influence of NaBr

	s = MeOH	c = 10	+ N NaBr
		[α] _{5,461} ¹⁵	[α] _{5,461} ¹⁵
C ₂ H ₄ O ₅	<i>l</i> -Malic acid.....	-5.9	21.8
C ₄ H ₆ O ₄	<i>d</i> -Tartaric acid.....	2.6	-9.0
C ₅ H ₈ O ₃	Methyl <i>l</i> -lactate.....	5.4	-5.8
C ₅ H ₈ O ₅	Dimethyl <i>l</i> -malate.....	-9.4	9.1
C ₆ H ₈ O ₆	Dimethyl <i>d</i> -tartrate.....	2.7	-12.6
C ₁₀ H ₁₄ O ₈	Dimethyl <i>d</i> -diacetoxysuccinate (c=4).....	-18.3	-12.2
C ₁₂ H ₁₈ O ₈	Diethyl <i>d</i> -diacetoxysuccinate (c=5).....	3.6	7.6

(g) Influence of sodium halides

Formula	Name	s	c	t	[α] _{5,461} ¹⁵
C ₆ H ₁₀ O ₃	<i>d</i> - β -Phenyllactic acid.....	{ H ₂ O..... 1/2 N NaCl..... MeOH..... 1/2 N NaBr in MeOH.....	2.505 .665 10.0 10.0	20 20 20 20	25.5 13.5 21.0 -2.0
C ₁₀ H ₁₂ O ₈	Methyl <i>d</i> - β -phenyllactate.....	{ MeOH..... 1/2 N NaBr in MeOH.....	10.0 10.0	18 18	-4.5 -22.3

(h) C₅H₁₅NO₄ Ethyl *l*-aspartate

s	c	[α] _{5,461} ¹⁵
Nil.....		-11.7
C ₆ H ₆	10.92	-12.6
CHCl ₃	11.02	-9.7
Me ₂ CO ¹	20.0	-8.8
H ₂ O.....	{ 21.7 12.25	4.2 4.2
1/2 N NaCl.....	10.81	6.7
1/2 N BaBr ₂	14.50	11.5
1/2 N CaCl ₂	13.21	14.5
NHCl.....	11.37	12.0
MeOH.....	20.0	-0.5
N NaBr in MeOH.....	20.0	4.3

¹ Ethyl *l*-aspartate reacts with Me₂CO; $\alpha_{\text{gr}} = -3.50$ to -56.6 (c=20) in 15 hours

(i) Effect of temperature

(1) C₃H₆O₃ *l*-Lactic acid in aqueous solution (containing 8 per cent *d*-lactic acid) p=10.73

t	15	18	36	52	62	70
d ^t	1.03	1.03	1.02	1.01	1.01	1.00
[α] _{5,461} ^t	-2.2	-2.0	-0.7	± 0.0	0.4	0.7

Influence of salts on rotatory power (48)—Continued(2) $C_4H_8O_5$: Methyl *l*-lactate (containing 5 per cent methyl *d*-lactate)

s=Nil				
<i>t</i>	<i>d</i> ^t	$[\alpha]_{5,893}^t$	$[\alpha]_{5,461}^t$	$[\alpha]_{4,078}^t$
15	1.097	7.26	8.25	10.89
20	1.093	7.46	8.39	11.21
s=H ₂ O				
<i>p</i>	<i>d</i> ²⁰	$[\alpha]_{5,893}^{20}$	$[\alpha]_{5,461}^{20}$	$[\alpha]_{4,078}^{20}$
100	1.093	7.46	8.39	11.21
80.0	1.086	4.1	4.4	4.5
50.9	1.063	2.1	2.5	1.0
20.0	1.026	1.8	1.8	-0.2
10.0	1.012	1.3	1.4	-0.5
5.36	1.005	1.3	1.4	-0.9

*Effect of salts on the rotatory power of $C_3H_7NO_2$ *d*-alanine (48)*

s	c	$[\alpha]_{4,359}^{15}$
H ₂ O-----	10.0	2.9
N KCl-----	10.0	3.0
N NaCl-----	10.0	3.3
N BaCl ₂ -----	10.0	3.5
N BaBr ₂ -----	10.0	4.8
1.5 M HCl-----	5.78	17.8

*Influence of inorganic salts on the rotation of $C_4H_8O_5$, malic acid*s=H₂O, n=number of gram equivalents of salt added to 500 g of 20 per cent malic acid solution. (214; cf., 8, 53, 182, 183, 207, 214, 223) Δ =Change in $[\alpha]_D$ due to the presence of the salt

Salt	d ²⁰ 4	n	Δ	Salt	d ²⁰ 4	n	Δ
NH ₄ Cl-----	1.086	1/4	1.16	Ca(NO ₃) ₂ -----	1.1155	0.2998	4.37
	1.103	1	3.28		1.1917	1	12.07
(NH ₄) ₂ SO ₄ -----	1.0965	1/4	.65				
	1.1418	1	1.98	BaCl ₂ -----	1.1256	1/4	5.58
					1.2566	1	17.23
NH ₄ NO ₃ -----	1.0938	1/4	1.11	Ba(NO ₃) ₂ -----	1.133	1/4	4.83
	1.131	1	3.00		1.091	1/4	.73
				LiCl-----	1.123	1	2.84
AlCl ₃ -----	1.0985	1/4	.60				
	1.1547	1	2.63	NaCl-----	1.0993	1/4	1.67
					1.153	1	5.39
Al ₂ (SO ₄) ₃ -----	1.1075	1/4	.40	Na ₂ SO ₄ -----	1.1103	1/4	1.14
	1.1105	1/4	.56		1.181	1/6	3.38
ZnCl ₂ -----	1.1915	1.015	2.55				
	1.118	1/4	.00	NaNO ₃ -----	1.107	1/4	1.61
	1.2247	0.998	1.06		1.180	1	4.64
Zn(NO ₃) ₂ -----	1.119	1/4	.55		1.0905	1/6	1.04
	1.2283	1	2.81	KCl-----	1.1013	1/4	1.95
Cd(NO ₃) ₂ -----	1.1291	1/4	.73		1.123	1/2	3.49
	1.267	1	3.11	KI-----	1.1618	1	5.57
HgCl ₂ -----	1.126	1/6	.36				
	1.1495	1/4	-3.36	KBr-----	1.1215	1/4	2.11
Hg(NO ₃) ₂ -----	1.3472	1	-3.58		1.2363	1	6.00
	1.0995	1/4	.77		1.1397	1/4	2.39
MgCl ₂ -----	1.1556	1	2.82	KI-----	1.3015	1	6.79
					1.1126	1/4	1.48
MgSO ₄ -----	1.1095	1/4	.34	K ₂ SO ₄ -----			
	1.1935	1	1.51		1.1095	1/4	1.88
Mg(NO ₃) ₂ -----	1.107	1/4	.81	KNO ₃ -----	1.882	1	4.51
	1.1817	1	2.65		1.1223	1/4	1.95
CaCl ₂ -----	1.1018	1/4	3.95	RbCl-----	1.2417	1	5.08
	1.166	1.019	14.81		1.1442	1/4	1.94
					1.3185	1	4.66

$C_4H_6O_6$ Tartaric acid, effect of metallic salts on rotation (129)

Salt	c		[α] _{5,780} For acid alone	$\lambda \rightarrow$ \downarrow	[α] λ			
	Of salt	Of acid			5,780	5,461	4,920	4,359
NaCl.....	24.8	39.1	0.1	17	-3.2	-4.4	-8.0	-17.5
CaCl ₂	42.7	30.2	10.2	17	-42.5	-49.0	-64.9	-95.0
SrCl ₂	41	25.8	10.9	19	-16.3	-19.4	-27.1	-43.2
BaCl ₂	28	47.0	8.2	17	-11.2	-13.5	-19.0	-33.8
MgCl ₂	25	19.1	11.9	17	7.4	7.5	6.8	3.8
ZnCl ₂	22	24.4	11.0	18	9.6	9.9	9.9	8.0
NaNO ₃	36	21.8	11.3	18	0.2	-0.6	-3.0	-10.5
Ca(NO ₃) ₂	40	21.8	11.3	20	-14.0	-17.0	-24.1	-38.9
Sr(NO ₃) ₂	32	21.8	11.3	20	-5.4	-7.0	-12.0	-22.5
Ba(NO ₃) ₂	8	21.8	11.3	18	5.2	4.9	-3.7	-1.0

Influence of sodium and barium halides on the rotatory power of derivatives of succinic acid in aqueous solution (45, 46)

Formula	Name	p	s	t	[α] _D ¹
$C_4H_6O_6$	Malic acid.....	{ 16.67	H ₂ O.....	25	-1.55
		13.95	4 M NaCl.....	25	4.80
		11.15	2 M BaBr ₂	25	21.8
$C_4H_6O_6$	Tartaric acid.....	{ 16.67	H ₂ O.....	25	12.98
		15.2	2 M NaCl.....	25	7.62
		14.22	2 M NaBr.....	25	7.03
		13.33	2 M NaI.....	25	5.11
		{ 14.20	1 M BaCl ₂	25	-1.58
$C_6H_8O_6$	Methyl hydrogen tartrate.....	13.36	1 M BaBr ₂	25	-2.34
		11.15	2 M BaBr ₂	25	-8.83
		{ 19.67	H ₂ O.....	25	14.8
$C_6H_{10}O_5$	Dimethyl malate.....	20.05	5 M NaCl.....	25	3.7
		19.6	2.5 M BaBr ₂	25	-8.37
		{ 50.0	H ₂ O.....	25	-8.58
$C_6H_{10}O_6$	Dimethyl tartrate.....	43.62	5 M NaCl.....	25	-1.65
		36.4	2.5 M BaBr ₂	25	9.00
		{ 49.77	H ₂ O.....	16.7	* 14.71
$C_8H_{14}O_6$	Diethyl tartrate.....	43.62	5 M NaCl.....	16.0	.73
		36.45	2.5 M BaBr ₂	17.0	-12.02
		{ 50.0	H ₂ O.....	19.9	* 17.34
		43.62	5 M NaCl.....	17.0	2.19
		36.45	2.5 M BaBr ₂	15.0	-7.93

¹ Moles of salt per 1000 g. of water, throughout the table.

* See (143).

² See (142).

Effect of the addition of various salts on the rotation of $C_8H_{16}O_6$ Diethyl tartrate. (147)

$$c = 11.841$$

s	[d] ₄ ²⁶	[α] _D ²⁶	s	[d] ₄ ²⁶	[α] _D ²⁶
H ₂ O.....	1.021	26.37	M NaBr.....	1.127	19.86
M NH ₄ Cl.....	1.046	22.56	M KBr.....	1.151	18.41
M NaCl.....	1.088	20.32	M (NH ₄) ₂ SO ₄	1.129	18.73
M KCl.....	1.097	19.59	M KCNS.....	1.091	17.28
M NH ₄ NO ₃	1.068	22.50	M NaClO ₄	1.132	18.78
M NaNO ₃	1.110	19.06	M NaC ₂ H ₅ O ₂	1.087	18.25
M KNO ₃	1.119	19.34	M CO(NH ₂) ₂	1.058	27.29
M NaI.....	1.201	16.26	M BaCl ₂	1.127	13.94
M KI.....	1.211	16.69			

¹ The concentrations of ester and of salt are relative to 100 g. of water.

Effect of inactive substances on the rotation of tartaric acid

1. Inorganic and organic acids (23, 110, 178, 217).
2. Organic bases (178, 179).
3. Organic halide and nitro compounds (179).
4. Alcohols (22, 110, 178).
5. Benzene and homologues (179).
6. Boric acid (24, 139).
7. Alkalies (3, 219).
8. Alkali salts (113, 208, 218).

Influence of acid, alkali, and salts on the rotatory power and rotatory dispersion of aspartic acid and asparagine (47)

(C₄H₇NO₄) *l*-Aspartic acid

s	Moles of acid or alkali per mole of substance	p	t	[α] 5,593	[α] 5,461	[α] 4,358
H ₂ O-----	{ 0.990 1.961 1.961 1.961	25	3.8	6.0	14.0	
		48	2.3	4.0	9.3	
		68	±0.0	1.3	4.5	
		78	-1.5	-3	2.3	
N HCl.....	1.5	7.984	25	25.0	29.9	63.5
0.2 N NaOH.....	1.0	2.584	25	-17.3	-19.3	-33.6
N NaOH.....	1.0	11.30	25	-6.0	-6.9	-9.4
2 N NaOH.....	1.0	19.76	25	.5	1.5	5.5
N NaOH.....	2.0	6.0	25	-2.4	-2.1	1.8
0.2 N NaOH.....	2.0	1.303	25	-6.9	-4.8	-1.5
2 N NaOH.....	2.0	11.02	25	-7	-3	4.3
N NaCl.....		1.011	25	9.5	12.7	28.6
4 N NaCl.....		.944	25	18.4	21.5	47.9
N BaCl ₂		1.047	25	13.7	16.7	33.7
4 N BaCl ₂		1.007	25	21.2	25.4	50.3

(C₄H₈N₂O₃) *l*-Asparagine

H ₂ O-----	{ 1.961 1.961 1.961 7.407	34	-6.7	-7.5	-14.7
N HCl.....	1.5	8.942	25	27.9	33.7
N NaOH.....	1.0	12.44	25	-8.8	-10.0
					-19.9

C₄H₈N₂O₃, Asparagine, effect of dilute acids on rotation of 1 mole asparagine+300 moles H₂O (18)

M HCl	[α] _D ²⁰	M H ₂ SO ₄	[α] _D ²⁰	M AcOH	[α] _D ²⁰
1	26.4	0.5	23.1	1	-3.49
1.5	30.4	0.75	27.3	2	-3.10
2	31.5	1	29.5	5	-1.45
3	31.9	3	32.0	7	-0.59
5	32.3	5	34.3	10	0.00
10	33.3	10	35.5	15	1.11
15	33.7			20	2.63
20	34.3				

Influence of acid, alkali and salts on rotatory power of C₄H₉NO₄ *d*-glutamic acid (48)

s	p	[α] _{4,350}	s	p	[α] _{4,350}
H ₂ O.....	1.50	13.3	4 N BaBr ₂	1.51	18.1
N NaCl.....	1.50	14.4	1 M NaOH.....	12.25	-3.6
4 N NaCl.....	1.51	15.8	2 M NaOH.....	6.55	11.7
N KCl.....	1.53	14.8	1.5 M HCl.....	8.75	37.4
N BaCl ₂	1.53	14.4			

Influence of boric acid on C₆H₁₄O₆ mannitol

(a) with H ₃ BO ₃ (62)		s=EtOH. c=10		(b) with NaOH (137)	
s=H ₂ O. c=10		$\frac{M\text{H}_3\text{BO}_3}{M\text{C}_6\text{H}_{14}\text{O}_6}$	[α] _D ¹⁸	$\frac{M\text{C}_6\text{H}_{14}\text{O}_6}{M\text{H}_3\text{BO}_3}$	[α] _D ¹⁵
$M\text{H}_3\text{BO}_3$	[α] _D ¹⁸	2.0	17.3	10	-0.37
$M\text{C}_6\text{H}_{14}\text{O}_6$		2.6	21.1	9	-4.47
		3.0	22.9	8	-7.70
		3.5	24.6	7	-8.83
				6	-8.86
s=H ₂ O. c=12					
		2.2	20.2	5	-1.04
		3.0	25.2	4	-1.30
		4.0	28.7	3	-1.95
				2	-2.59
				1	-3.43
s=H ₂ O. c=15		s=H ₂ O. c=3.555		(c) with NaBO ₃ (137)	
		$\frac{M\text{C}_6\text{H}_{14}\text{O}_6}{M\text{H}_3\text{BO}_3}$	[α] _D ¹⁵ (137)	$\frac{M\text{C}_6\text{H}_{14}\text{O}_6}{M\text{NaBO}_3}$	[α] _D ¹⁵
		6	-0.73	20	-0.078
		5	.38	17	.004
		4	1.69	15	.397
		3	1.83	13	.873
		2	2.03	11	1.357
		1	2.25	9	1.737
		.5	3.77	7	2.193
		.333	5.57	5	3.439
		.25	6.76	3	5.169
				1	19.746

Influence of boric acid on derivatives of mannitol (92) s=H₂O N/2 H₃BO₃

Formula	Name	c	[α] _D ²⁰	[α] _D ²⁰
C ₆ H ₁₄ O ₆	Mannitol		-0.25	28.3
C ₈ H ₁₈ O ₆	ϵ, ζ -Dimethylmannitol	N/4	-7.35	-3.88
C ₁₀ H ₂₂ O ₆	$\gamma, \delta, \epsilon, \zeta$ -Tetramethylmannitol	N/8	-13.02	-6.72
C ₉ H ₁₈ O ₆	$\beta, \gamma, \epsilon, \zeta$ -Tetramethylmannitol	N/8	38.54	40.64
C ₁₁ H ₂₄ O ₆	Mannitolmonoacetone	N/4	30.61	29.50
C ₁₂ H ₂₂ O ₆	Pentamethylmannitol	N/2	7.54	8.25
	Mannitoldiacetone	N/8	23.04	22.43

The influence of papaverine on the optical activity of narcotine in acid solution (5)

c		Length of tube=2 dcm.	
C ₂₂ H ₂₃ NO ₇	C ₂₀ H ₂₁ NO ₄	[α] _D ³¹ _{5,451}	
Narcotine	Papaverine	in 1 per cent H ₂ SO ₄	in 1 per cent HCl
2.0	0.0	2.61	2.23
.0	.5	.02	0.02
2.0	.5	2.24	1.76
2.0	.0	2.59	
2.0	.5	2.19	
2.0	1.0	2.00	
2.0	2.0	1.69	
2.0	3.0	1.49	
2.0	4.0	1.45	
s=PhMe			
1.333	0.00	-4.83	
0.00	.50	± 0.00	
1.333	.50	-4.82	
1.333	1.00	-4.84	

Specific rotation of C ₂₁ H ₂₃ NO ₇ , narcotine (5)					
s	PhMe	90 per cent EtOH	CHCl ₃	1 per cent H ₂ SO ₄	1 per cent HCl
c	2	0.4	2.0	2.0	1.0
t	32	31	33	32	29
[α] _{D, 893} ¹	-148.75	-----	-198.0	57.25	50.0
[α] _{D, 780}	-154.5	-----	-206.5	-----	52.2
[α] _{D, 461}	-182	-203.75°	-242.3	65.2	56.5

Rotatory power of liquid crystals

For a layer 1 mm. thick; λ = 5,893 (220)		
(a) Esters of C ₂₇ H ₄₆ O cholesterol		
C ₂₇ H ₄₅ Cl	Chloride	-120
C ₂₇ H ₄₅ O ₂	Acetate	-200
C ₃₀ H ₅₀ O ₂	Propionate	5
C ₃₁ H ₅₀ O ₂	Crotonate	1180
C ₂₁ H ₄₅ O ₂	n-Butyrate	50
C ₃₂ H ₅₀ O ₂	Allylacetate	-190
C ₃₃ H ₅₀ O ₂	Sorbate	480
C ₃₄ H ₄₆ NO ₄	o-Nitrobenzoate	70
	m-Nitrobenzoate	100
	p-Nitrobenzoate	-1,700
C ₃₄ H ₄₆ O ₂	Benzoate	+80
C ₃₆ H ₅₀ O ₂	Phenylpropionate	30
C ₃₆ H ₅₁ NO ₄	p-Nitrocinnamate	-6,200
C ₃₆ H ₅₀ O ₂	Cinnamate	-1,400
C ₃₆ H ₅₁ O ₂	Hydrocinnamate	-900
C ₇₂ H ₁₀₂ N ₂ O ₄	p-Azocinnamate	10,500

¹ Sign uncertain.

(b) Esters of active amyl alcohol		
C ₂₁ H ₂₅ NO ₂	Cinnamylideneaminocinnamate	9,500.
C ₂₁ H ₂₂ N ₂ O ₄	p-Nitrobenzylideneaminocinnamate	6,000.
C ₂₂ H ₂₂ N ₂ O ₃	Cyanobenzylideneaminocinnamate	8,000 to 13,000.
C ₂₂ H ₂₅ NO ₃	Anisylideneaminocinnamate	6,000 to 8,000.
C ₂₃ H ₂₇ NO ₃	Anisylideneamino- <i>a</i> -methylcinnamate	4,000 to 5,000.

VIII. LITERATURE REFERENCES

1. Int. Crit. Tables, **7**, pp. 355-489. McGraw-Hill Book Co., New York; 1931.
2. Int. Crit. Tables, **2**, pp. 334-355; 1927.
3. Aignan, Compt. rend., **112**, p. 1009; 1891.
4. Andrlík, Z. Ver. deut. Zucker-Ind., **53**, p. 948; 1903.
5. Annet, J. Chem. Soc., **123**, p. 376; 1923.
6. Anschütz, Ber., **18**, p. 1397; 1885.
7. Armstrong and Lowry, J. Chem. Soc., **81**, p. 1441; 1902.
8. Armstrong and Walker, Proc. Roy. Soc., **90**, p. 375; 1914.
9. Arnaud, Compt. rend., **93**, p. 593; 1881.
10. Arndtsen, Ann. chim. phys., **54**, p. 403; 1858.
11. Arndtsen, Ann. Physik, **105**, p. 312; 1858.
12. Arth, Ann. chim. phys., **7**, p. 433; 1886.
13. Atkinson and Yoshida, J. Chem. Soc., **41**, p. 49; 1882.
14. Backer and de Boer, Proc. Acad. Sci. Amsterdam, **26**, p. 79; 1923.
15. Backer and de Boer, Rec. trav. chim., **43**, p. 297; 1924.
16. Backer and de Boer, Rec. trav. chim., **43**, p. 420; 1924.
17. Barrowclift and Tutin, J. Chem. Soc., **95**, p. 1966; 1909.
18. Becker, Ber., **14**, p. 1028; 1881.
19. Beckmann, Ann., **250**, p. 322; 1889.
20. Beckmann, J. prakt. Chem., **55**, p. 14; 1897.
21. Binz, Z. physik. Chem., **12**, p. 723; 1893.
22. Biot, Mém. acad. sci. inst. France, **15**, p. 93; 1838.
23. Biot, Mém. acad. sci. inst. France, **16**, p. 229; 1838.
24. Biot, Ann. chim. phys., **28**, p. 99; 1850.
25. de Boer, Thesis, Gröningen; 1923.
26. von Braun and Lemke, Ber., **56**, p. 1562; 1923.
27. Bredig and Joyner, Z. Elektrochem., **24**, p. 285; 1918.
28. Bruhot, Ann. phys., **3**, p. 417; 1915.
29. Carr and Reynolds, J. Chem. Soc., **97**, p. 1328; 1910.
30. Casale, Gazz. chim. ital., **47**, p. 191; 1917.
31. Cazeneuve, Compt. rend., **104**, p. 1522; 1887.
32. Cazeneuve, Bull. soc. chim., **47**, p. 920; 1887.
33. Chugaev, Ber., **42**, p. 2244; 1909.
34. Chugaev, 7th Intern. Cong. Appl. Chem., **10**, p. 142; 1910.
35. Chugaev, Ber., **44**, p. 2023; 1911.
36. Chugaev, Z. physik. Chem., **76**, p. 469; 1911.
37. Chugaev, Bull. soc. chim., **11**, p. 718; 1912.
38. Chugaev and Glinnin, Ber., **45**, p. 2579; 1912.
39. Chugaev and Ogorodnikov, Z. physik. Chem., **74**, p. 503; 1910.
40. Chugaev and Ogorodnikov, Ann. chim. phys., **22**, p. 137; 1911.
41. Chugaev and Ogorodnikov, Z. physik. Chem., **79**, p. 471; 1912.
42. Chugaev and Ogorodnikov, Z. physik. Chem., **85**, p. 481; 1913.
43. Chugaev and Pastanogov, Z. physik. Chem., **85**, p. 553; 1913.
44. Chugaev and Sokolov, Ber., **40**, p. 3461; 1907.
45. Clough, J. Chem. Soc., **105**, p. 49; 1914.
46. Clough, J. Chem. Soc., **107**, p. 96; 1915.
47. Clough, J. Chem. Soc., **107**, p. 1509; 1915.
48. Clough, J. Chem. Soc., **113**, p. 526; 1918.
49. Cohen and Armes, J. Chem. Soc., **87**, p. 1190; 1905.
50. Cook, Ber., **30**, p. 294; 1897.
51. Darmois, Compt. rend., **176**, p. 1140; 1923.
52. Evans, J. Chem. Soc., **97**, p. 2237; 1910.
53. Farnsteiner, Ber., **23**, p. 3570; 1890.
54. Taucon, Compt. rend., **154**, p. 652; 1912.
55. Foerster, Ber., **23**, p. 2981; 1890.
56. Forster, J. Chem. Soc., **71**, p. 1030; 1897.
57. Forster, J. Chem. Soc., **73**, p. 386; 1898.
58. Forster, J. Chem. Soc., **75**, p. 934; 1899.
59. Forster, J. Chem. Soc., **75**, p. 1149; 1899.

60. Forster and Hart-Smith, J. Chem. Soc., **77**, p. 1152; 1900.
61. Forster and Kunz, J. Chem. Soc., **105**, p. 1718; 1914.
62. Fox and Gauge, J. Chem. Soc., **99**, p. 1075; 1911.
63. François and Luce, J. pharm. chim., **25**, p. 500; 1922.
64. Frankland, Carter and Adams, J. Chem. Soc., **101**, p. 2470; 1912.
65. Frankland and Garner, J. Chem. Soc., **115**, p. 636; 1919.
66. Frankland and Henderson, Proc. Chem. Soc., **11**, p. 54; 1895.
67. Frankland and Turnbull, J. Chem. Soc., **105**, p. 456; 1914.
68. von Friedrichs, Arch. Pharm., **257**, p. 72; 1919.
69. Gardiner, Perkin and Watson, J. Chem. Soc., **97**, p. 1756; 1910.
70. Glover and Lowry, J. Chem. Soc., **101**, p. 1902; 1912.
71. Goldschmidt and Freund, Z. physik. Chem., **14**, p. 394; 1894.
72. Golse, Thesis, Bordeaux; 1911.
73. Graham, J. Chem. Soc., **101**, p. 746; 1912.
74. Grossmann and Landau, Z. physik. Chem., **75**, p. 129; 1910.
75. Grossmann and Pötter, Ber., **37**, p. 84; 1904.
76. Grossmann and Pötter, Ber., **38**, p. 3874; 1905.
77. Grossmann and Pötter, Z. physik. Chem., **56**, p. 577; 1906.
78. Hall, J. Chem. Soc., **123**, p. 32; 1923.
79. Haller, Thesis, Nancy; 1879.
80. Haller, Compt. rend., **105**, p. 227; 1887.
81. Haller and Lassieur, Compt. rend., **151**, p. 697; 1910.
82. Hann and Lapworth, J. Chem. Soc., **85**, p. 46; 1904.
83. Hesse, Ann., **176**, pp. 89, 189; 1875.
84. Hilditch, J. Chem. Soc., **95**, p. 331; 1909.
85. Hilditch, J. Chem. Soc., **95**, p. 1570; 1909.
86. Hilditch, J. Chem. Soc., **95**, p. 1578; 1909.
87. Hilditch, J. Chem. Soc., **99**, p. 218; 1911.
88. Hilditch, Z. physik. Chem., **77**, p. 482; 1911.
89. Hilditch, J. Chem. Soc., **101**, p. 192; 1912.
90. Holty, J. Physic. Chem., **9**, p. 764; 1905.
91. Ingersoll, Phys. Rev., **9**, p. 257; 1917.
92. Irvine and Steele, J. Chem. Soc., **107**, p. 1221; 1915.
93. Itzig, Ber., **34**, p. 1372; 1901.
94. Jaeger, Proc. Acad. Sci. Amsterdam, **17**, p. 1217; 1915.
95. Jaeger, Rec. trav. chim., **38**, p. 171; 1919.
96. Jaeger and Thomas, Proc. Acad. Sci. Amsterdam, **21**, p. 225; 1918.
97. Jephcott, J. Chem. Soc., **115**, p. 104; 1919.
98. Karrer and Kaase, Helv. Chim. Acta, **2**, p. 436; 1919.
99. Kenyon, J. Chem. Soc., **105**, p. 2226; 1914.
100. Kenyon and McNicol, J. Chem. Soc., **123**, p. 14; 1923.
101. Kenyon and Pickard, J. Chem. Soc., **105**, p. 2262; 1914.
102. Kenyon and Pickard, J. Chem. Soc., **105**, p. 2644; 1914.
103. Kenyon and Pickard, J. Chem. Soc., **105**, p. 2677; 1914.
104. Kenyon and Pickard, J. Chem. Soc., **107**, p. 35; 1915.
105. Kenyon and Pickard, J. Chem. Soc., **107**, p. 115; 1915.
106. Kipping and Pope, J. Chem. Soc., **63**, p. 548; 1893.
107. Krecke, Arch. Néerland. Sci., **7**, p. 97; 1872.
108. Ladenburg and Herrmann, Ber., **41**, p. 966; 1908.
109. Landolt, Ann., **189**, p. 241; 1877.
110. Landolt, Ber., **13**, p. 2329; 1880.
111. Landolt, Ber., **21**, p. 191; 1888.
112. Liebermann and Hörmann, Ber., **11**, p. 952; 1878.
113. Long, Am J. Sci., **36**, p. 351; 1888.
114. Long, Am. J. Sci., **38**, p. 264; 1889.
115. Long, Am. J. Sci., **40**, p. 275; 1890.
116. Longchambon, Compt. rend., **175**, p. 174; 1922.
117. Longchambon, Compt. rend., **178**, p. 951; 1924.
118. Lowry, J. Chem. Soc., **73**, p. 986; 1898.
119. Lowry, J. Chem. Soc., **75**, p. 211; 1899.
120. Lowry and Abram, J. Chem. Soc., **107**, p. 1187; 1915.
121. Lowry and Austin, Trans. Roy. Soc., **222**, p. 249; 1922.
122. Lowry and Burgess, J. Chem. Soc., **123**, p. 2111; 1923.
123. Lowry and Cutter, J. Chem. Soc., **121**, p. 532; 1922.
124. Lowry and Dickson, J. Chem. Soc., **107**, p. 1173; 1915.
125. Lowry and Glover, J. Chem. Soc., **103**, p. 913; 1913.
126. Lowry, Pickard and Kenyon, J. Chem. Soc., **105**, p. 94; 1914.
127. Lowry and Robertson, J. Chem. Soc., **85**, p. 1541; 1904.

128. McCrae, J. Chem. Soc., **79**, p. 1103; 1901.
 129. de Mallemann, Compt. rend., **172**, p. 150; 1921.
 130. Malosse, Compt. rend., **153**, p. 54; 1911.
 131. Marckwald and Meth, Ber., **38**, p. 801; 1905.
 132. Marsh, J. Chem. Soc., **57**, p. 828; 1890.
 133. Minguin, Compt. rend., **146**, p. 287; 1908.
 134. Minguin, Ann. chim. phys., **25**, p. 145; 1912.
 135. Molby, Phys. Rev., **30**, p. 77; 1910.
 136. Neville and Pickard, J. Chem. Soc., **85**, p. 685; 1904.
 137. Nossourtsch, Thesis, Zürich; 1912.
 138. Oudemans, Ann., **182**, p. 33; 1876.
 139. Pasteur, Ann. chim. phys., **28**, p. 56; 1850.
 140. Pasteur, Ann. chim. phys., **31**, p. 67; 1851.
 141. Pasteur, Ann. chim. phys., **34**, p. 30; 1852.
 142. Patterson, J. Chem. Soc., **79**, p. 167; 1901.
 143. Patterson, J. Chem. Soc., **85**, p. 1116; 1904.
 144. Patterson, J. Chem. Soc., **85**, p. 1152; 1904.
 145. Patterson, J. Chem. Soc., **103**, p. 145; 1913.
 146. Patterson, J. Chem. Soc., **109**, p. 1139; 1916.
 147. Patterson and Anderson, J. Chem. Soc., **101**, p. 1833; 1912.
 148. Patterson and Forsyth, J. Chem. Soc., **103**, p. 2263; 1913.
 149. Patterson, Henderson and Fairlie, J. Chem. Soc., **91**, p. 1838; 1907.
 150. Patterson and McDonald, J. Chem. Soc., **95**, p. 321; 1909.
 151. Patterson and McMillan, J. Chem. Soc., **91**, p. 504; 1907.
 152. Patterson and Montgomeris, J. Chem. Soc., **95**, p. 1128; 1909.
 153. Patterson and Pollock, J. Chem. Soc., **105**, p. 2322; 1914.
 154. Patterson and Stevenson, J. Chem. Soc., **97**, p. 2110; 1910.
 155. Patterson and Stevenson, J. Chem. Soc., **101**, p. 241; 1912.
 156. Peacock, J. Chem. Soc., **103**, p. 669; 1913.
 157. Peacock, J. Chem. Soc., **107**, p. 1547; 1915.
 158. Perkin and Pope, J. Chem. Soc., **99**, p. 1510; 1911.
 159. Phillips, J. Chem. Soc., **123**, p. 22; 1923.
 160. Pickard, Hunter, Lewcock and de Pennington, J. Chem. Soc., **117**, p. 1248; 1920.
 161. Pickard and Kenyon, J. Chem. Soc., **99**, p. 45; 1911.
 162. Pickard and Kenyon, J. Chem. Soc., **101**, p. 620; 1912.
 163. Pickard and Kenyon, J. Chem. Soc., **103**, p. 1923; 1913.
 164. Pickard and Kenyon, J. Chem. Soc., **105**, p. 830; 1914.
 165. Pickard and Kenyon, J. Chem. Soc., **105**, p. 1115; 1914.
 166. Pickard, Kenyon and Hunter, J. Chem. Soc., **123**, p. 1; 1923.
 167. Pictet, Arch. sci. phys. nat., **7**, p. 82; 1882.
 168. Pope, J. Chem. Soc., **75**, p. 1105; 1899.
 169. Pope and Gibson, J. Chem. Soc., **101**, p. 735; 1912.
 170. Pope and Gibson, J. Chem. Soc., **101**, p. 939; 1912.
 171. Pope and Gibson, J. Chem. Soc., **101**, p. 1702; 1912.
 172. Pope and Read, J. Chem. Soc., **99**, p. 2071; 1911.
 173. Pope and Read, J. Chem. Soc., **101**, p. 758; 1912.
 174. Pope and Read, J. Chem. Soc., **103**, p. 444; 1913.
 175. Pope and Read, J. Chem. Soc., **105**, p. 800; 1914.
 176. Pope and Read, J. Chem. Soc., **105**, p. 811; 1914.
 177. Pope and Winmill, J. Chem. Soc., **101**, p. 2309; 1912.
 178. Príbram, Sitzber. Akad. Wiss. Wien, **97**, II, p. 460; 1888.
 179. Príbram, Ber., **22**, p. 6; 1889.
 180. Purdie and Barbour, J. Chem. Soc., **79**, p. 971; 1901.
 181. Purdie and Irvine, J. Chem. Soc., **79**, p. 957; 1901.
 182. Rimbach, Z. physik. Chem., **9**, p. 698; 1892.
 183. Rimbach and Weber, Z. physik. Chem., **51**, p. 473; 1905.
 184. Rosenheim and Aron, Z. anorg. allgem. Chem., **39**, p. 170; 1904.
 185. Rupe, Ann., **327**, p. 157; 1903.
 186. Rupe, Ann., **395**, p. 87; 1913.
 187. Rupe, Ann., **402**, p. 149; 1913.
 188. Rupe and Akermann, Ann., **420**, p. 1; 1920.
 189. Rupe, Akermann and Takagi, Helv. Chim. Acta, **1**, p. 452; 1918.
 190. Rupe and Burchhardt, Ber., **49**, p. 2547; 1916.
 191. Rupe and Buselt, Ann., **369**, p. 311; 1909.
 192. Rupe and Courvoisier, Helv. Chim. Acta, **6**, p. 1049; 1923.
 193. Rupe and Glenz, Ann., **436**, p. 184; 1924.
 194. Rupe and Iselin, Ber., **49**, p. 25; 1916.

195. Rupe and Jäggi, *Helv. Chim. Acta*, **3**, p. 654; 1920.
196. Rupe and Jäggi, *Ann.*, **428**, p. 164; 1922.
197. Rupe and Kägi, *Ann.*, **420**, p. 33; 1920.
198. Rupe and Lauger, *Helv. Chim. Acta*, **3**, p. 272; 1920.
199. Rupe and Schmid, *Helv. Chim. Acta*, **5**, p. 437; 1922.
200. Rupe, Seiberth and Kussmaul, *Helv. Chim. Acta*, **3**, p. 50; 1920.
201. Rupe, Seiberth and Kussmaul, *Helv. Chim. Acta*, **3**, p. 71; 1920.
202. Rupe and Tomi, *Ber.*, **49**, p. 2563; 1916.
203. Rupe, Werder and Togaki, *Helv. Chim. Acta*, **1**, p. 309; 1918.
204. Rupe and Wild, *Ann.*, **414**, p. 111; 1917.
205. Schener, *Z. physik. Chem.*, **72**, p. 513; 1910.
206. Schlundt, *J. Physic. Chem.*, **7**, p. 194; 1903.
207. Schneider, *Ann.*, **207**, p. 257; 1881.
208. Schütt, *Ber.*, **21**, p. 2586; 1888.
209. Schwyser, Thesis, Zürich; 1919; and *Tables ann. internat.*, **5**, p. 727; 1922.
210. Sherry, *J. Physic. Chem.*, **11**, p. 559; 1907.
211. Shinn, *J. Physic. Chem.*, **11**, p. 201; 1907.
212. Smirnov, *Helv. Chim. Acta*, **3**, p. 177; 1920.
213. Sonnenthal, *Sitzber. Akad. Wiss. Wien*, **100**, IIb, p. 570; 1891.
214. Stubbs, *J. Chem. Soc.*, **99**, p. 2265; 1911.
215. Taylor, *J. Chem. Soc.*, **101**, p. 1124; 1912.
216. Thomas, *J. Chem. Soc.*, **101**, p. 725; 1912.
217. Thomsen, *J. prakt. Chem.*, **32**, p. 211; 1889.
218. Thomsen, *J. prakt. Chem.*, **34**, p. 74; 1886.
219. Thomsen, *J. prakt. Chem.*, **35**, p. 145; 1887.
220. Vorländer and Huth, *Z. physik. Chem.*, **75**, p. 641; 1911.
221. Walker, *J. Chem. Soc.*, **67**, p. 914; 1895.
222. Waser, *Helv. Chim. Acta*, **6**, p. 206; 1923.
223. Wender, *Biochem. Z.*, **30**, p. 357; 1911.
224. Werner, Schwyzer and Karrer, *Helv. Chim. Acta*, **4**, p. 113; 1921.
225. Werner and Smirnoff, *Helv. Chim. Acta*, **3**, p. 472; 1920.
226. Wetterfors, Thesis, Upsala; 1920; and *Tables ann. internat.*, **5**, p. 727; 1925.
227. Wetterfors, *Z. Physik*, **8**, p. 229; 1922.
228. Winther, *Z. physik. Chem.*, **41**, p. 161; 1902.
229. Winther, *Z. physik. Chem.*, **45**, p. 331; 1903.
230. Winther, *Z. physik. Chem.*, **56**, p. 719; 1906.
231. Winther, *Z. physik. Chem.*, **60**, p. 563; 1907.
232. Wood, *J. Chem. Soc.*, **105**, p. 1988; 1914.

SUBJECT INDEX

(Only the more important substances are included)

A	Page	D	Page
Acids. <i>See</i> under names.		Dicarboxylic acids, octyl esters of.....	17
Alanine.....	94, 96	Dichloropropionates, alkyl.....	19
Alcohols, monohydroxy	4	Diethyl diacetyletartrate.....	46
ethers and esters.....	4	Diethyl tartrate.....	35, 47, 97
naphthoates of.....	27	Dihydroxyphenylalanine.....	32
secondary, benzoates of.....	27	Diisobutyl diacetyletartrate.....	39
Alkaloids (<i>see also</i> Bases, organic).....	92	Diisobutyl tartrate.....	38
Alkyl dichloropropionates.....	19	Dimethyl tartrate.....	35
Alkyl esters of fatty acids.....	9	Dimethyltetrahydroquinoline derivatives.....	55
Alkylisopropylecarbinyl phthalates.....	19	Dispersion.....	34, 40, 45, 56, 61, 75, 77, 81, 82, 98
Alkyl tartrates.....	34		
Amines (<i>see also</i> Bases, organic).....	3, 50, 61, 66, 76	E	
camphorcarboxylates of.....	76	Esters and ethers of monohydroxy alcohols.....	4
Amino acids and derivatives.....	30	Ethylalkyl carbinols.....	5
Aminoglutaric acid and derivatives.....	31	Ethyl aspartate.....	95
Ammines.....	84		
Ammonium chloroiodomethanesulphonate.....	2	F	
Amylacetone and derivatives.....	48	Fatty acids, alkyl esters of.....	9
Amyl esters.....	4, 100	methylbenzyl carbinol esters of.....	22
Asparagine.....	30, 98	naphthylhexyl carbinol esters of.....	25
Aspartic acid.....	30, 32, 98	Fenethyl alcohol derivatives.....	81
B		Fenethylxanthic-acid derivatives.....	81
Bases.....	77		
camphorates.....	66	G	
camphorcarboxylates.....	76	Glutamic acid.....	32, 94, 98
organic (<i>see also</i> Alkaloids and Amines).....	42	Glyceric acid.....	94
tartrates.....	42		
Benzimidazolepropylsulphonic acid.....	33	H	
Benzoinates of secondary alcohols.....	27	Hydroxyhydrindamine derivatives.....	53
Benzoylalanine.....	30	Hydroxymethylene camphor and derivatives.....	73
Benzoylphenylethylamine.....	3	salts of.....	74
Benzylmethyl carbinol ethers.....	7	Hyoscyamine.....	53
Borneol and derivatives.....	79		
Bornylamine derivatives.....	79	I	
Bornylxanthic-acid derivatives.....	80	Inactive substances, effect of, on tartaric acid.....	98
Bromocamphorsulphonates.....	83	Iridium ammines.....	88
Bromocamphorsulphonic acid.....	73	Isoborneol.....	79
Bromonitrocamphor.....	71	Isonitrosocamphor.....	67
Brucine and salts.....	93	Isopropylalkyl carbinols.....	5
Butylamine.....	3	Isopulegol and esters.....	57, 59
C		Isoteressantalic acid.....	82
Campholic acid derivatives.....	66		
Campholytic acid derivatives.....	66	K	
Camphor.....	69	Keto-acids, menthyl esters of.....	63
alkyl derivatives of.....	75		
alkylidene derivatives of.....	75	L	
halogen derivatives.....	70	Lactates and related esters.....	21, 94, 96
Camphorates of organic bases.....	66	Lactic acid.....	94, 95
Camphorcarbamide.....	78	Leucine.....	32
Camphorcarboxylates of amines.....	76	Limonenene.....	68
Camphorcarboxylic acid and derivatives.....	76	Liquid crystals.....	100
Camphorcarboxypiperidine.....	78		
Camphoric acid and derivatives.....	66	M	
Camphorquinone.....	67	Malic acid, effect of salts on.....	95
Camphorquinonehydrazoxime derivatives.....	68	Mannitol and derivatives.....	99
Camphorsulphonates.....	63, 83	Menthol.....	57, 60
Camphorsulphonic acid and derivatives.....	72	Menthone.....	56
Carbinols.....	4	Methylamine derivatives.....	61
Cholesterol esters.....	100	Methyl esters.....	61
Chromium ammines.....	86	Methylxanthates and derivatives.....	64
Chromium potassium oxalate.....	86	Metal complexes.....	84
Cinchonidine derivatives.....	92	Methylalkyl carbinols.....	4
Cinchonine and salts.....	92	Methylbenzyl carbinol esters of fatty acids.....	22
Citronellal.....	48	Methylcamphor and derivatives.....	76
Cobalt ammines.....	84		
Cobalt potassium oxalate.....	85		
Crystals, liquid.....	100		

	Page		Page
Methylcyclohexane derivatives.....	54	Quinine.....	92
Methylethylphenacylthetine salts.....	83	R	
Methyl lactate.....	21, 94, 96	Rhodium ammines.....	87
Methyl malate.....	95, 97	Rhodium potassium oxalate.....	87
Methylnaphthyl carbonyl acetate.....	26	malonate.....	87
Methyl phenyllactate.....	95	S	
Molybdenylmalates.....	88	Salts, influence of, on rotation.....	94
Molybdenyltartrates.....	90	Succinic acid.....	97
Mutarotation.....	52, 53, 63, 71, 73	Sulphobutyric-acid derivatives.....	33
Myrtenol esters.....	56	T	
N		Tartaric acid.....	34, 97, 98
Naphthoates of secondary alcohols.....	27	Tartaric acids, substituted, esters of.....	39, 44
Naphthylhexylcarbinol esters of fatty acids.....	25	Tartrates, alkyl.....	35
Narcotine.....	99	of organic bases.....	42
Neobornylamine derivatives.....	79	Teresantalic acid and derivatives.....	82
Nicotine.....	50	Tetrahydronaphthol and derivatives.....	49
Nitrocamphor.....	71	Thetine, methylethylphenacyl.....	83
salts of.....	74	Tungstylmalates.....	90
O		Tungstyltartrates.....	91
Octyl alkyl ethers.....	8	Tyrosine.....	32
Octyl esters of dicarboxylic acids.....	17	X	
P		Xanthates.....	64, 80, 81
Papaverine.....	99		
Phenyllactic acid.....	95		
Phosphonium salts.....	83		
Platinum ammines.....	88		



