

A11102 146129

A UNITED STATES
DEPARTMENT OF
COMMERCE
PUBLICATION

NBS
PUBLICATIONS

NAT'L INST OF STANDARDS & TECH R.I.C.



A11102146129

/NSRDS-NBS
QC100 .U573 V3;4;1971 C.2 NBS-PUB-C 1964



NSRDS—NBS 3, Section 4



Selected Tables of Atomic Spectra Atomic Energy Levels and Multiplet Tables N_{IV}, N_V, N_{VI}, N_{VII}

QC
100
U573
.3, Sec.
1971
Py 2.

U.S.
DEPARTMENT
OF
COMMERCE

National
Bureau
of
Standards

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau consists of the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, the Center for Computer Sciences and Technology, and the Office for Information Programs.

THE INSTITUTE FOR BASIC STANDARDS provides the central basis within the United States of a complete and consistent system of physical measurement; coordinates that system with measurement systems of other nations; and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of a Center for Radiation Research, an Office of Measurement Services and the following divisions:

Applied Mathematics—Electricity—Heat—Mechanics—Optical Physics—Linac
Radiation²—Nuclear Radiation²—Applied Radiation²—Quantum Electronics³—
Electromagnetics³—Time and Frequency³—Laboratory Astrophysics³—Cryogenics³.

THE INSTITUTE FOR MATERIALS RESEARCH conducts materials research leading to improved methods of measurement, standards, and data on the properties of well-characterized materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government agencies; and develops, produces, and distributes standard reference materials. The Institute consists of the Office of Standard Reference Materials and the following divisions:

Analytical Chemistry—Polymers—Metallurgy—Inorganic Materials—Reactor
Radiation—Physical Chemistry.

THE INSTITUTE FOR APPLIED TECHNOLOGY provides technical services to promote the use of available technology and to facilitate technological innovation in industry and Government; cooperates with public and private organizations leading to the development of technological standards (including mandatory safety standards), codes and methods of test; and provides technical advice and services to Government agencies upon request. The Institute also monitors NBS engineering standards activities and provides liaison between NBS and national and international engineering standards bodies. The Institute consists of the following technical divisions and offices:

Engineering Standards Services—Weights and Measures—Flammable Fabrics—
Invention and Innovation—Vehicle Systems Research—Product Evaluation
Technology—Building Research—Electronic Technology—Technical Analysis—
Measurement Engineering.

THE CENTER FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides technical services designed to aid Government agencies in improving cost effectiveness in the conduct of their programs through the selection, acquisition, and effective utilization of automatic data processing equipment; and serves as the principal focus within the executive branch for the development of Federal standards for automatic data processing equipment, techniques, and computer languages. The Center consists of the following offices and divisions:

Information Processing Standards—Computer Information—Computer Services
—Systems Development—Information Processing Technology.

THE OFFICE FOR INFORMATION PROGRAMS promotes optimum dissemination and accessibility of scientific information generated within NBS and other agencies of the Federal Government; promotes the development of the National Standard Reference Data System and a system of information analysis centers dealing with the broader aspects of the National Measurement System; provides appropriate services to ensure that the NBS staff has optimum accessibility to the scientific information of the world, and directs the public information activities of the Bureau. The Office consists of the following organizational units:

Office of Standard Reference Data—Office of Technical Information and
Publications—Library—Office of Public Information—Office of International
Relations.

¹ Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D.C. 20234.

² Part of the Center for Radiation Research.

³ Located at Boulder, Colorado 80302.

SEP 10 1971

UNITED STATES DEPARTMENT OF COMMERCE • Maurice H. Stans, *Secretary*U.S. NATIONAL BUREAU OF STANDARDS • Lewis M. Branscomb, *Director*

Selected Tables of Atomic Spectra

- A Atomic Energy Levels-Second Edition
- B Multiplet Tables

N IV, N V, N VI, N VII

Data Derived From the Analyses of Optical Spectra

Charlotte E. Moore

Office of Standard Reference Data
National Bureau of Standards
Washington, D.C. 20234



NSRDS-NBS 3, Section 4

Nat. Stand. Ref. Data Ser., Nat. Bur. Stand. (U.S.), 3, Sec. 4, 46 pages (Aug. 1971)

CODEN: NSRDA

© 1970 by the Secretary of Commerce on Behalf of the United States Government

Issued August 1971

Abstract

The present publication is the fourth Section of a series being prepared in response to the persistent need for a current revision of two sets of tables containing data on atomic spectra as derived from analyses of optical spectra. As in the previous Sections, Part A contains the atomic energy levels and Part B the multiplet tables. Four spectra of nitrogen, N IV, N V, N VI and N VII, are included. The form of presentation is described in detail in the text to Section 1.

Key words: Atomic energy levels, N IV-N VII; Nitrogen spectra, N IV-N VII; Multiplet tables, N IV-N VII; Spectra, N IV-N VII; Wavelengths, nitrogen spectra N IV-N VII.

Library of Congress Catalog Card Number: 64-60074

Foreword

The National Standard Reference Data System provides effective access to the quantitative data of physical science, critically evaluated and compiled for convenience, and readily accessible through a variety of distribution channels. The System was established in 1963 by action of the President's Office of Science and Technology and the Federal Council for Science and Technology, with responsibility to administer it assigned to the National Bureau of Standards.

The System now comprises a complex of data centers and other activities, carried on in academic institutions and other laboratories both in and out of government. The independent operational status of existing critical data projects is maintained and encouraged. Data centers that are components of the NSRDS produce compilations of critically evaluated data, critical reviews of the state of quantitative knowledge in specialized areas, and computations of useful functions derived from standard reference data. In addition, the centers and projects establish criteria for evaluation and compilation of data and make recommendations on needed improvements in experimental techniques. They are normally closely associated with active research in the relevant field.

The technical scope of the NSRDS is indicated by the principal categories of data compilation projects now active or being planned: nuclear properties, atomic and molecular properties, solid state properties, thermodynamic and transport properties, chemical kinetics, and colloid and surface properties and mechanical properties.

The NSRDS receives advice and planning assistance from the National Research Council of the National Academy of Sciences-National Academy of Engineering. An overall Review Committee considers the program as a whole and makes recommendations on policy, long-term planning, and international collaboration. Advisory Panels, each concerned with a single technical area, meet regularly to examine major portions of the program, assign relative priorities, and identify specific key problems in need of further attention. For selected specific topics, the Advisory Panels sponsor subpanels which make detailed studies of users' needs, the present state of knowledge, and existing data resources, as a basis for recommending one or more data compilation activities. This assembly of advisory services contributes greatly to the guidance of NSRDS activities.

The NSRDS-NBS series of publications is intended primarily to include evaluated reference data and critical reviews of long-term interest to the scientific and technical community.

LEWIS M. BRANSCOMB, *Director*

Preface

The present publication is the fourth Section of a series that is being prepared in response to the increasing demand for a current revision of two sets of tables containing data on atomic spectra as derived from analyses of optical spectra.

The first set, *Atomic Energy Levels*, NBS Circular 467, consists of three Volumes published, respectively, in 1949, 1952, and 1958, and a fourth one on rare-earth spectra, still in course of preparation. This Circular has been reprinted as NSRDS-NBS 35, Volumes I, II, and III.

The second set consists of two Multiplet Tables; one published in 1945 by the Princeton University Observatory containing multiplets having wavelengths longer than 3000 Å; the other, *An Ultra-Violet Multiplet Table*, NBS Circular 488, appearing in five Sections, the first in 1950, the second in 1952, and the others in 1962. The 1945 Princeton Multiplet Table is being reprinted as NSRDS-NBS 40.

The present series includes both sets of data, the energy levels and multiplet tables as parts A and B, respectively, for selected spectra contained in Volume I of "Atomic Energy Levels." The Sections are being published at irregular intervals as revised analyses become available. A flexible paging system permits the arrangement of the various Sections by atomic number, regardless of the order in which the separate spectra are published. Section 1 includes three spectra of silicon, $Z=14$: Si II, Si III, Si IV. Section 2 contains similar data for Si I. Section 3 covers all the spectra of carbon, $Z=6$: C I, C II, C III, C IV, C V, C VI. Section 5 is scheduled to include the remaining spectra of nitrogen: N I, N II, N III. The form of presentation of the data is described in detail in the text of Section 1. All Sections are arranged identically and the same conversion factor, cm^{-1} to eV, 0.000123981 is used throughout.

The manuscript has been prepared by Charlotte E. Moore of the Office of Standard Reference Data, who published the earlier tables. She appreciates the cordial cooperation of the numerous atomic spectroscopists whose work is quoted here. She is particularly indebted to B. Edlén for his valuable guidance and advice. K. Bockasten and S. G. Tilford have also been most cooperative. The splendid work of Barbara N. Somerville in typing the press copy of this difficult tabular material is gratefully acknowledged.

Washington, D.C., December 18, 1970.

Contents

	Page
Abstract.....	II
Foreword.....	III
Preface.....	IV

Part A—Atomic Energy Levels

Element: Z Spectrum	
Nitrogen: 7	
N IV.....	A7 IV 1 to A7 IV 5
N V.....	A7 V 1 to A7 V 3
N VI.....	A7 VI 1 to A7 VI 2
N VII.....	A7 VII 1 to A7 VII 2

Part B—Multiplet Tables

Element: Z Spectrum	
Nitrogen: 7	
N IV.....	B7 IV 1 to B7 IV 10
N V.....	B7 V 1 to B7 V 4
N VI.....	B7 VI 1 to B7 VI 1
N VII.....	B7 VII 1 to B7 VII 3

NSRDS-NBS 3, SECTION 4

NITROGEN. Z = 7

A N IV Atomic Energy Levels

B N IV Multiplet Table

Atomic Energy Levels

Part A

NITROGEN

N IV

Be I sequence; 4 electrons

$Z = 7$

Ground state $1s^2 2s^2 ^1S_0$

$2s^2 ^1S_0$ **624866 ± 3**, 160.034 Å (Vac)

I P 77.472 eV

The early analysis by Edlén has been revised and extended by R. Hallin, who has observed the spectrum from 300 Å to 8000 Å with a theta-pinch discharge as source. Hallin lists 127 classified lines and derives the ionization limit 624864.7 ± 2 cm⁻¹ from hydrogen-like terms and by using the polarization formula. A slight revision of this value by A. Ölme in 1970 is quoted above.

The triplet and singlet systems are connected by the two intersystem combination lines at 823 Å and 1486 Å.

D. J. Michels has carried the analysis further by observations in the range 159 Å to 463 Å made with a Hinteregger-type water-cooled quartz capillary discharge tube—a windowless source operated as a pulse discharge. He reports 250 classified lines of which 22 are included by Hallin. Fifty-three of his new terms lie above the first ionization limit.

Michels introduces some revisions to the 1966 analysis. He interchanges the terms $4s\ ^3S$ and $3p'\ ^3S$. This change has been adopted, but Hallin's values have been retained, as they are based on observations in the longer wavelength region. The level $3d'\ ^1P^\circ$ has been revised by correcting a transcript error in the earlier work. This change leaves the line of intensity 2 at 2594.34 Å unclassified. Improved values for $6d\ ^3D$, $4p'\ ^1D$ and $4,5d'\ ^3D^\circ$ have resulted from the 1970 observations.

One member in each of three series is missing because of masking: $5p'\ ^1D$, $5d'\ ^1F^\circ$ and $12d'\ ^3D^\circ$.

REFERENCES

R. Hallin, Ark. Fys. (Stockholm) **32**, No. 11, 201–210 (1966). I P, T, C L, G D

D. J. Michels, J. Opt. Soc. Am. **61**, No. 5, 625–631 (1971).

A. Ölme, Physica Scripta **1**, 256–260 (1970). I P

Atomic Energy Levels

NIV

NIV

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
2s ²	2s ² 1S	0	0.0		2p (2P°)3d	3d' 3D°	1	505554.0	
2s(2S)2p	2p 3P°	0	67209.2				2	505588.2	34.2
		1	67272.3	63.1			3	505630.6	42.4
		2	67416.3	144.0	2p (2P _{1/2})3d	3d' 1F°	3	506284.8	
2s(2S)2p	2p 1P°	1	130693.9		2s(2S)4p	4p 1P°	1	507027.9	
2p ²	2p ² 3P	0	175535.4		2s(2S)4d	4d 3D	1	511440	
		1	175608.1	72.7			2	511446	6
		2	175732.9	124.8			3	511448.0	2
2p ²	2p ² 1D	2	188882.5		2p (2P _{1/2})3d	3d' 3P°	2	511509.3	
2p ²	2p ² 1S	0	235369.3				1	511560.4	-51.1
2s(2S)3s	3s 3S	1	377284.8		2s(2S)4d	4d 1D	2	514647.7	-30.8
2s(2S)3s	3s 1S	0	388854.6		2p (2P _{1/2})3p	3p' 1S	0	515569.8	
2s(2S)3p	3p 1P°	1	404522.4		2s(2S)4f	4f 3F°	2	516552.6	
2s(2S)3p	3p 3P°	0	405971.6				3	516560.8	8.2
		1	405987.5	15.9			4	516572.0	11.2
		2	406022.8	35.3	2p (2P _{1/2})3d	3d' 1P°	1	518610.5	
2s(2S)3d	3d 3D	1	420045.8		2s(2S)4f	4f 1F°	3	521862.8	
		2	420049.6	3.8			2s(2S)5s	5s 3S	
		3	420058.0	8.4			0	544813.4	
2s(2S)3d	3d 1D	2	429159.6		2s(2S)5s	5s 1S	0	546731.3	
2p (2P°)3s	3s' 3P°	0	465291.8		2s(2S)5p	5p 1P°	1	550232.6	
		1	465371.0	79.2			2s(2S)5d	5d 3D	
		2	465536.6	165.6			1, 2	552789.6	
2p (2P _{1/2})3s	3s' 1P°	1	473029.3				3	552790.9	1.3
2p (2P _{0/2})3p	3p' 1P	1	480884.2		2s(2S)5d	5d 1D	2	554300.7	
2p (2P°)3p	3p' 3D	1	484498.2				2s(2S)5g	5g 1G	
		2	484594.9	96.7			4	554339.1	
		3	484746.2	151.3	2s(2S)5g	5g 3G	3, 4, 5	554339.7	
2s(2S)4s	4s 3S	1	487607.4		2s(2S)5f	5f 3F°	2, 3, 4	554571.8	
2p (2P°)3p	3p' 3P	0	494253.1		2s(2S)5f	5f 1F°	3	554995.7	
		1	494309.2	56.1	2s(2S)6s	6s 3S	1	570381.3	
		2	494402.0	92.8			2s(2S)6s	6s 1S	
2s(2S)4s	4s 1S	0	495057.7		2s(2S)6p	6p 1P°	1	571172.1	
2p (2P°)3d	3d' 3F°	2	495406.2				2s(2S)6p	6d 3D	
		3	495482.6	76.4			1, 2, 3	572731.1	
		4	495585.7	103.1	2s(2S)6d	6d 1P°		575030.5	
2p (2P _{1/2})3p	3p' 3S	1	498045.5		2s(2S)6g	6g 1G	4	575807.9	
2p (2P _{0/2})3d	3d' 1D°	2	498310.3		2s(2S)6g	6g 3G	3, 4, 5	575809.4	
2p (2P _{1/2})3p	3p' 1D	2	499705.9		2s(2S)6d	6d 1D	2	575872.4	
2s(2S)4p	4p 3P°	2	503680.4		2s(2S)6f	6f 1F°	3	575999.3	
		1	503691.9	-11.5			2s(2S)6h	6h ^{1,3} H°	
		0	503699.8	-7.9			4, 5, 5, 6	576042.9	

Atomic Energy Levels

NIV - Continued
NIV - Continued

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
2p(² P°)4s	4s' ³ P°	0 1 2	577957.8 578045.4 578210.6	87.6 165.2	2s(² S)9d 2s(² S)9d	9d ³ D 9d ¹ D	1, 2, 3 2	602865.7 603107.3	
2p(² P _{1/2} °)4s	4s' ¹ P°	1	580817.5		2s(² S)10s	10s ³ S	1	606142.6	
2p(² P _{0/2} °)4p	4p' ¹ P	1	584661.6		2s(² S)10p	10p ¹ P°	1	606818.2	
2s(² S)7s	7s ³ S	1	584977.1		2s(² S)10d	10d ³ D	1, 2, 3	607064.2	
2s(² S)7s	7s ¹ S	0	584983.3		2s(² S)10d	10d ¹ D	2	607242.9'	
2p(² P°)4p	4p' ³ D	1 2 3	585709.5 585798.1 585929.8	88.6 131.7	2s(² S)11s 2s(² S)11p	11s ³ S 11p ¹ P°	1 1	609465.8 609945.8	
2s(² S)7p	7p ¹ P°	1	587979.4		2s(² S)11d	11d ³ D	1, 2, 3	610166.0	
2s(² S)7d	7d ³ D	1, 2, 3	588382.6		2s(² S)11d	11d ¹ D	2	610287.2	
2p(² P _{0/2} °)4d	4d' ¹ D°	2	588689.0		2s(² S)12p	12p ¹ P°	1	612328.6	
2p(² P°)4p	4p' ³ P	0 1 2	588790.1 588991.2 589059.3	201.1 68.1	2s(² S)12d 2s(² S)12d	12d ³ D 12d ¹ D	1, 2, 3 2	612525.1 612621.6	
2s(² S)7d	7d ¹ D	2	588884.0		2s(² S)13p	13p ¹ P°	1	614190.3	
2s(² S)7h	7h ^{1,3} H°	4, 5, 5, 6	588994.3		2s(² S)13d	13d ³ D	1, 2, 3	614380.6	
2s(² S)7i	7i ^{1,3} I	5, 6, 6, 7	589021.4		2s(² S)13d	13d ¹ D	2	614470.5	
2p(² P _{1/2} °)4d	4d' ¹ F°	3	591047.8		2s(² S)14d	14d ³ D	1, 2, 3	615894.4	
2p(² P _{1/2} °)4p	4p' ¹ D	2	591060.9		2s(² S)15d	15d ³ D	1, 2, 3	617038.7	
2p(² P°)4d	4d' ³ D°	1 2 3	593690.0 593713.7 593772.1	23.7 58.4	N v (² S _{0/2})	Limit	624866 ± 3	
2p(² P _{1/2} °)4p	4p' ¹ S	0	594182.6		2p(² P°)5s	5s' ³ P°	0 1 2	626355.0 626445.3 626611.9	90.3 166.6
2p(² P°)4d	4d' ³ P°	2 1 0	594489.9 594547.7 594573.8	-57.8 -26.1	2p(² P _{1/2} °)5s	5s' ¹ P°	1	628546.9	
2p(² P _{1/2} °)4p	4p' ³ S	1	595296.3		2p(² P _{0/2} °)5p	5p' ¹ P	1	629845.3	
2s(² S)8s	8s ¹ S	0	596150.1		2p(² P°)5p	5p' ³ D	1 2 3	630268.8 630333.6 630473.0	64.8 139.4
2s(² S)8p	8p ¹ P°	1	596270.9						
2s(² S)8d	8d ³ D	1, 2, 3	597026.8		2p(² P°)5p	5p' ³ P	0 1 2	631807.7 631868.2	60.5
2s(² S)8d	8d ¹ D	2	597349.1						
2s(² S)8s	8s ³ S	1	597481.6		2p(² P°)5d	5d' ³ D°	1 2 3	634158.4 634182.8 634263.4	24.4 80.6
2p(² P _{1/2} °)4d	4d' ¹ P°	1	598538.2						
2s(² S)9s	9s ³ S	1	601621.5		2p(² P°)5d	5d' ³ P°	0, 1, 2	634669.5	
2s(² S)9p	9p ¹ P°	1	602609.3		2p(² P _{1/2} °)5d	5d' ¹ P°	1	636467	

Atomic Energy Levels

N IV - Continued

N IV - Continued

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval	
2p(² P°)6s	6s' ³ P°	0	651590.1	81.7 188.1	2p(² P°)8d	8d' ³ P°	0, 1, 2	678025.9		
		1	651671.8		2p(² P _{1/2})8d	8d' ¹ P°	1	678355		
		2	651859.9		2p(² P°)9s	9s' ³ P°	0			
2p(² P _{0/2})6p	6p' ¹ P	1	653629.9							
2p(² P°)6p	6p' ³ D	1	653909.4 654053.9	144.5	2p(² P°)9p	9p' ³ D	1	682464.8		
		2					2			
		3					3			
2p(² P°)6p	6p' ³ P	0, 1, 2	654791.3					683092.7		
2p(² P _{1/2})6d	6d' ¹ F°	3	655270.0		2p(² P°)9p	9p' ³ P	0, 1, 2	683278.4		
2p(² P _{1/2})6p	6p' ¹ D	2	655284.1		2p(² P _{1/2})9p	9p' ¹ D	2	683399.9		
2p(² P°)6d	6d' ³ D°	1	656043.6	31.1 81.0	2p(² P°)9d	9d' ³ D°	1, 2, 3	683692.6		
		2	656074.7		2p(² P°)9d	9d' ³ P°	0, 1, 2	683857.8		
		3	656155.7		2p(² P _{1/2})9d	9d' ¹ P°	1	684015		
2p(² P°)6d	6d' ³ P°	0, 1, 2	656349.6		2p(² P _{1/2})10s	10s' ³ P°	0			
2p(² P _{1/2})6d	6d' ¹ P°	1	657392				1			
2p(² P°)7s	7s' ³ P°	0	666458.2 666665.4	207.2	2p(² P°)10p	10p' ³ D	1	686954.2		
		1					2			
2p(² P _{0/2})7p	7p' ¹ P	1	667698.9		2p(² P°)10p	10p' ³ P	0, 1, 2	687432.9		
2p(² P°)7p	7p' ³ D	1	667872.6 668031.3	158.7	2p(² P _{1/2})10p	10p' ¹ D	2	687548.3		
		2					3			
		3			2p(² P°)10d	10d' ³ D°	1, 2, 3			
2p(² P°)7p	7p' ³ P	0, 1, 2	668460.9		2p(² P°)10d	10d' ³ P°	0, 1, 2	687875.8		
2p(² P _{1/2})7p	7p' ¹ D	2	668753.5		2p(² P°)10d	10d' ³ P°	0, 1, 2	688022.7		
2p(² P°)7d	7d' ³ D°	1, 2, 3	669328.5		2p(² P _{1/2})10d	10d' ¹ P°	1	688094		
2p(² P°)7d	7d' ³ P°	0, 1, 2	669596.6		2p(² P°)11p	11p' ³ P	0, 1, 2	690659.5		
2p(² P _{1/2})7d	7d' ¹ P°	1	670086		2p(² P _{1/2})11p	11p' ¹ D	2	690770.5		
2p(² P°)8s	8s' ³ P°	0	676090.7		2p(² P°)11d	11d' ³ D°	1, 2, 3	690976.4		
		1			2p(² P°)12p	12p' ³ P	0, 1, 2			
		2			2p(² P°)13p	13p' ³ P	0, 1, 2			
2p(² P°)8p	8p' ¹ P	1	676706.4		2p(² P°)13d	13d' ³ D°	1, 2, 3	694902.7		
		2	676994.0					695124.4		
		3							
2p(² P°)8p	8p' ³ P	0, 1, 2	677276.5		N v(2p ² P _{0/2})	Limit		705327.9	259.7	
2p(² P _{1/2})8p	8p' ¹ D	2	677458.7		N v(2p ² P _{1/2})	Limit		705586.6		
2p(² P°)8d	8d' ³ D°	1, 2, 3	677844.3						October 1970.	

Atomic Energy Levels

N IV Observed Terms

Config. $1s^2 +$	Observed Terms			
$2s^2$	$2s^2 \ ^1S$			
$2s(^2S)2p$	$2p \ ^3P^\circ$ $2p \ ^1P^\circ$			
$2p^2$	$2p^2 \ ^3P$ $2p^2 \ ^1S$ $2p^2 \ ^1D$			
$ns(n \geq 3)$	$np(n \geq 3)$	$nd(n \geq 3)$		
$2s(^2S)nl$	$3-11s \ ^3S$ $3-8s \ ^1S$	$3, 4p \ ^3P^\circ$ $3-13p \ ^1P^\circ$	$3-15d \ ^3D$ $3-13d \ ^1D$	
$2p(^2P^\circ)nl'$	$3-10s' \ ^3P^\circ$ $3-5s' \ ^1P^\circ$	$3, 4p' \ ^3S$ $3-13p' \ ^3P$ $3, 4p' \ ^1S$ $3-8p' \ ^1P$	$3-10p' \ ^3D$ $3, 4, 6-11p' \ ^1D$	$3-10d' \ ^3P^\circ$ $3-11, 13d' \ ^3D^\circ$ $3d' \ ^3F^\circ$ $3-10d' \ ^1P^\circ$ $3, 4d' \ ^1D^\circ$ $3, 4, 6d' \ ^1F^\circ$
$nf(n \geq 4)$	$ng(n \geq 5)$	$nh(n \geq 6)$		$ni(n \geq 7)$
$2s(^2S)nl$	$4, 5f \ ^3F^\circ$ $4-6f \ ^1F^\circ$	$5, 6g \ ^3G$ $5, 6g \ ^1G$	$6, 7h \ ^3, ^1H^\circ$	$7i \ ^3, ^1I$

Multiplet Table

Part B

NITROGEN

N IV ($Z = 7$)

I P 77.472 eV Limit 628466 ± 3 cm $^{-1}$ 160.034 Å (Vac)

Anal A List A October 1970

REFERENCES

- A. Ölme, Physica Scripta **1**, 256–260 (1970). I P
- A R. Hallin, Ark. Fys. (Stockholm) **32**, No. 11, 201–210 (1966). I P, T, C L, I; W L, 300 Å–7702 Å
- B D. J. Michels, J. Opt. Soc. Am. **61**, No. 5, 625–631 (1971), and private communication regarding intensity estimates. T, CL, G D, Theory(I); W L, 159Å–463Å
- C B. Edlén, Nova Acta Reg. Soc. Sci. Uppsala [IV] **9**, No. 6, 62–65 (1934). T, CL, I; W L, 181 Å–7127 Å
- P Predicted Lines

In column 3 parentheses indicate that the estimated intensities are from a different reference and on a different scale than the entries without parentheses.

New Multiplet Numbers, not inserted between older ones, start with UV 20 and 18.

*Blend

‡Raié ultime

N IV

N IV

IA	Ref	Int	E P		J	Multiplet No.	IA	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
1486.496	A	2	0.00	8.34	0-1	$2s^2 \ ^1S - 2p \ ^3P^o$ UV 0.01	211.405	B	(400)	0.00	58.65	0-1	$2s^2 \ ^1S - 3s' \ ^1P^o$ UV 2.03
765.148‡	A	15	0.00	16.20	0-1	$2s^2 \ ^1S - 2p \ ^1P^o$ UV 1	197.230	C	(500)	0.00	62.86	0-1	$2s^2 \ ^1S - 4p \ ^1P^o$ UV 2.04
569.450	P		0.00	21.77	0-1	$2s^2 \ ^1S - 2p^2 \ ^3P$ UV 1.01F	192.823	P		0.00	64.30	0-1	$2s^2 \ ^1S - 3d' \ ^1P^o$ UV 2.05
529.430	P		0.00	23.42	0-2	$2s^2 \ ^1S - 2p^2 \ ^1D$ UV 1.02F	181.746	C	(400)	0.00	68.22	0-1	$2s^2 \ ^1S - 5p \ ^1P^o$ UV 2.06
424.864	P		0.00	29.18	0-0	$2s^2 \ ^1S - 2p^2 \ ^1S$ UV 1.03F	174.602	B	(200)	0.00	71.01	0-1	$2s^2 \ ^1S - 6p \ ^1P^o$ UV 2.07
247.205	C	(900)	0.00	50.15	0-1	$2s^2 \ ^1S - 3p \ ^1P^o$ UV 2	172.171	P		0.00	72.01	0-1	$2s^2 \ ^1S - 4s' \ ^1P^o$ UV 2.08
246.313	P		0.00	50.33	0-1	$2s^2 \ ^1S - 3p \ ^3P^o$ UV 2.01	170.074	B	(200)	0.00	72.90	0-1	$2s^2 \ ^1S - 7p \ ^1P^o$ UV 2.09
214.882	P		0.00	57.70	0-1	$2s^2 \ ^1S - 3s' \ ^3P^o$ UV 2.02	167.709	B	(150)	0.00	73.93	0-1	$2s^2 \ ^1S - 8p \ ^1P^o$ UV 2.10

Multiplet Table

N IV—Continued

N IV—Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
167.074	P		0.00	74.21	0-1	2s ² 1S — 4d' 1P° UV 2.11	234.195	C	(600w)*	8.36	61.30	2-2	2p 3P°— 3p' 3P UV 5.05
165.945	B	(50)	0.00	74.71	0-1	2s ² 1S — 9p 1P° UV 2.12	234.172	P		8.34	61.28	1-1	
164.794	B	(30)	0.00	75.23	0-1	2s ² 1S — 10p 1P° UV 2.13	234.249	C	(600w)*	8.36	61.28	2-1	
163.949	B	(10d)	0.00	75.62	0-1	2s ² 1S — 11p 1P° UV 2.14	234.203	P		8.34	61.28	1-0	
163.311	B	(1d)	0.00	75.92	0-1	2s ² 1S — 12p 1P° UV 2.15	234.124	C	(600w)*	8.34	61.30	1-2	
162.816	B	(1d)	0.00	76.15	0-1	2s ² 1S — 13p 1P° UV 2.16	233.762	P		8.34	61.38	1-0	2p 3P°— 4s 1S UV 5.06
							232.223	B	(200)	8.36	61.75	2-1	2p 3P°— 3p' 3S UV 5.07
							232.145	B	(150)	8.34	61.75	1-1	
							232.112	B	(100)	8.33	61.75	0-1	
							231.326	P		8.36	61.95	2-2	2p 3P°— 3p' 1D UV 5.08
							231.249	P		8.34	61.95	1-2	
							225.212	B	(800)	8.36	63.41	2-3	2p 3P°— 4d 3D UV 6
							225.142	B	(800w)*	8.34	63.41	1-2	
							225.110	B	(800w)*	8.33	63.41	0-1	
923.220	A	16	8.36	21.79	2-2	2p 3P°— 2p ² 3P UV 3	223.598	P		8.36	63.81	2-2	2p 3P°— 4d 1D UV 6.01
923.057	A	14-	8.34	21.77	1-1		223.526	P		8.34	63.81	1-2	
924.283	A	14+	8.36	21.77	2-1		223.066	P		8.34	63.92	1-0	2p 3P°— 3p' 1S UV 6.02
923.675	A	14	8.34	21.76	1-0		209.471	B		8.36	67.55	2-1	2p 3P°— 5s 3S
921.992	A	14+	8.34	21.79	1-2		209.407	B	(400w)*	8.34	67.55	1-1	
922.519	A	14	8.33	21.77	0-1		209.378	B	(400w)*	8.33	67.55	0-1	
823.273	A	2	8.36	23.42	2-2	2p 3P°— 2p ² 1D UV 3.01	206.028	B	(500)	8.36	68.54	2-3	2p 3P°— 5d 3D UV 6.04
822.299	P		8.34	23.42	1-2		205.968	B	(500w)*	8.34	68.54	1-2	
							205.940	B	(500w)*	8.33	68.54	0-1	
594.895	P		8.34	29.18	1-0	2p 3P°— 2p ² 1S UV 3.02	198.821	B	(300)	8.36	70.72	2-1	2p 3P°— 6s 3S
322.722	B	9	8.36	46.78	2-1	2p 3P°— 3s 3S UV 4	198.764	B	(250w)*	8.34	70.72	1-1	
322.572	B	8	8.34	46.78	1-1		198.740	B	(250w)*	8.33	70.72	0-1	UV 6.05
322.506	B	7	8.33	46.78	0-1		197.000	B	(400)	8.36	71.29	2-	2p 3P°— 6d 3D
310.962	P		8.34	48.21	1-0	2p 3P°— 3s 1S UV 4.01	196.944	B	(400w)*	8.34	71.29	1-	
							196.921	B	(400w)*	8.33	71.29	0-1	
283.583	B	12	8.36	52.08	2-3	2p 3P°— 3d 3D UV 5	193.214	B	(350)	8.36	72.53	2-1	2p 3P°— 7s 3S
283.476	B	11	8.34	52.08	1-2		193.160	B	(300w)*	8.34	72.53	1-1	
283.419	B	10	8.33	52.08	0-1		193.139	B	(300w)*	8.33	72.53	0-1	
276.439	P		8.36	53.21	2-2	2p 3P°— 3d 1D UV 5.01	192.859	B		8.36	72.64	2-3	2p 3P°— 4p' 3D UV 6.06
276.329	P		8.34	53.21	1-2		192.908	B	(400w)*	8.36	72.63	2-2	
							192.888	B	(400w)*	8.34	72.62	1-1	
							192.941	B	(400w)*	8.36	72.62	2-1	
241.857	P		8.36	59.62	2-1	2p 3P°— 3p' 1P UV 5.02	191.951	B	(350)	8.36	72.95	2-	2p 3P°— 4p' 3D UV 6.08
241.773	P		8.34	59.62	1-1		191.898	B	(350w)*	8.34	72.95	1-	
241.736	P		8.33	59.62	0-1		191.868	B	(350w)*	8.33	72.95	0-1	
239.616	B	(500w)	8.36	60.10	2-3	2p 3P°— 3p' 3D UV 5.03	191.702	B		8.36	73.03	2-2	2p 3P°— 4p' 3P UV 6.10
239.632	B		8.34	60.08	1-2		191.676	B		8.34	73.02	1-1	
239.659	B		8.33	60.07	0-1		191.727	B	(400w)*	8.36	73.02	2-1	
239.708	B	(400w)*	8.36	60.08	2-2		191.748	B	(400w)*	8.34	73.00	1-0	
239.679	B		8.34	60.07	1-1		191.748	B	(400w)*	8.34	73.03	1-2	
239.763	B		8.36	60.07	2-1		*191.651	B		8.34	73.02	0-1	
237.991	B	(500)	8.36	60.45	2-1	2p 3P°— 4s 3S UV 5.04	*191.651	B		8.33	73.02	0-1	
237.908	B	(400w)*	8.34	60.45	1-1								
237.873	B	(400w)*	8.33	60.45	0-1								

Multiplet Table

N IV—Continued

N IV—Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac													
189.437	B	(10)	8.36	73.81	2-1	$2p\ ^3P^o - 4p'\ ^3S$	166.496	B	(20)	8.36	82.82	2-3	$2p\ ^3P^o - 7p'\ ^3D$
189.386	B	(5)	8.34	73.81	1-1	UV 6.11	166.540	B	(75)	8.36	82.80	2-2	UV 6.28
189.365	B	(1)	8.33	73.81	0-1								
188.818	B	(300)	8.36	74.02	2-	$2p\ ^3P^o - 8d\ ^3D$	166.377	B	(20)	8.36	82.88	2-2	$2p\ ^3P^o - 7p'\ ^3P$
188.762	B	(300w)*	8.34	74.02	1-	UV 6.12	166.337	B	(10)	8.34	82.88	1-2	UV 6.29
188.743	B		8.33	74.02	0-1		164.048	B	(50)	8.36	83.93	2-3	$2p\ ^3P^o - 8p'\ ^3D$
188.656	B	(250)	8.36	74.08	2-1	$2p\ ^3P^o - 8s\ ^3S$	163.972	B	(2)	8.36	83.97	2-2	$2p\ ^3P^o - 8p'\ ^3P$
188.606	B	(200w)*	8.34	74.08	1-1	UV 6.13							UV 6.31
188.583	B		8.33	74.08	0-1								
187.194	B	(20)	8.36	74.59	2-1	$2p\ ^3P^o - 9s\ ^3S$	162.423	B	(10)	8.36	84.69	2-3	$2p\ ^3P^o - 9p'\ ^3D$
187.142	B	(10)	8.34	74.59	1-1	UV 6.14							UV 6.32
187.123	B	(10)	8.33	74.59	0-1		162.374	B	(2)	8.36	84.71	2-2	$2p\ ^3P^o - 9p'\ ^3P$
186.759	B	(300d)	8.36	74.74	2-	$2p\ ^3P^o - 9d\ ^3D$							UV 6.33
186.709	B	(250d)*	8.34	74.74	1-	UV 6.15	161.286	B	(2d)	8.36	85.23	2-3	$2p\ ^3P^o - 10p'\ ^3D$
186.690	B		8.33	74.74	0-1								UV 6.34
185.623	B	(5)	8.36	75.15	2-1	$2p\ ^3P^o - 10s\ ^3S$	161.256	B	(2d)	8.36	85.24	2-2	$2p\ ^3P^o - 10p'\ ^3P$
185.568	B	(3)	8.34	75.15	1-1	UV 6.16							UV 6.35
185.306	B	(200d)	8.36	75.26	2-	$2p\ ^3P^o - 10d\ ^3D$	160.451	B	(1d)	8.36	85.63	2-	$2p\ ^3P^o - 11p'\ ^3P$
185.257	B	(150d)*	8.34	75.26	1-	UV 6.17							UV 6.36
185.237	B		8.33	75.26	0-1								
184.485	B	(2)	8.36	75.56	2-1	$2p\ ^3P^o - 11s\ ^3S$	159.833	B	(1d)	8.36	85.93	2-	$2p\ ^3P^o - 12p'\ ^3P$
184.437	B	(1)	8.34	75.56	1-1	UV 6.18							UV 6.37
184.247	B	(75d)*	8.36	75.65	2-	$2p\ ^3P^o - 11d\ ^3D$	159.366	B	(1d)	8.36	86.15	2-	$2p\ ^3P^o - 13p'\ ^3P$
184.200	B		8.34	75.65	1-	UV 6.19							UV 6.38
183.450	B	(50d)*	8.36	75.94	2-	$2p\ ^3P^o - 12d\ ^3D$	Air						
183.402	B		8.34	75.94	1-	UV 6.20	2219.61	P		16.20	21.79	1-2	$2p\ ^1P^o - 2p^2\ ^3P$
182.827	B	(30d)	8.36	76.17	2-	$2p\ ^3P^o - 13d\ ^3D$	2225.78	P		16.20	21.77	1-1	
182.779	P		8.34	76.17	1-	UV 6.21	2229.38	P		16.20	21.76	1-0	
182.323	B	(20d)	8.36	76.36	2-	$2p\ ^3P^o - 14d\ ^3D$	2219.61	A	20	16.20	23.42	1-2	$2p\ ^1P^o - 2p^2\ ^1D$
182.275	P		8.34	76.36	1-	UV 6.22	2225.78						UV 7
181.943	B	(10d)	8.36	76.50	2-	$2p\ ^3P^o - 15d\ ^3D$	2229.38	A	20	16.20	29.18	1-0	$2p\ ^1P^o - 2p^2\ ^1S$
181.895	B		8.34	76.50	1-	UV 6.23	955.335	A					UV 8
177.602	B	(100w)*	8.36	78.17	2-3	$2p\ ^3P^o - 5p'\ ^3D$	405.530	P		16.20	46.78	1-1	$2p\ ^1P^o - 3s\ ^3S$
177.646	B	(250)	8.36	78.15	2-2	UV 6.24							UV 8.01
177.621	B	(100w)*	8.34	78.14	1-1		387.353	C	4	16.20	48.21	1-0	$2p\ ^1P^o - 3s\ ^1S$
177.163	B	(200)	8.36	78.34	2-2	$2p\ ^3P^o - 5p'\ ^3P$							UV 9
177.142	B	(100w)*	8.34	78.33	1-1	UV 6.25	345.595	P		16.20	52.08	1-2	$2p\ ^1P^o - 3d\ ^3D$
177.182	B		8.36	78.33	2-1		345.600	P		16.20	52.08	1-1	UV 9.01
177.119	B	(100w)*	8.34	78.34	1-2								
170.463	B	(50)	8.36	81.09	2-3	$2p\ ^3P^o - 6p'\ ^3D$	335.052	B	11	16.20	53.21	1-2	$2p\ ^1P^o - 3d\ ^1D$
170.505	B	(100)	8.36	81.07	2-2	UV 6.26							UV 10
170.249	B	(100)	8.36	81.18	2-2	$2p\ ^3P^o - 6p'\ ^3P$	285.561	B	(600)	16.20	59.62	1-1	$2p\ ^1P^o - 3p'\ ^1P$
170.208	B	(50)	8.34	81.18	1-2	UV 6.27							UV 11

Multiplet Table

N IV—Continued

N IV—Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac 282.565 282.642	P P		16.20 16.20	60.08 60.07	1-2 1-1	2p ¹ P°—3p' ³ D UV 11.01	Vac 209.842	B	(150w)	16.20	75.29	1-2	2p ¹ P°—10d ¹ D UV 12.16
280.180	P		16.20	60.45	1-1	2p ¹ P°—4s ³ S UV 11.02	208.510	B	(100d)	16.20	75.66	1-2	2p ¹ P°—11d ¹ D UV 12.17
274.946 275.016 275.058	P		16.20 16.20 16.20	61.30 61.28 61.28	1-2 1-1 1-0	2p ¹ P°—3p' ³ P UV 11.03	207.500	B	(20d)	16.20	75.95	1-2	2p ¹ P°—12d ¹ D UV 12.18
274.451	B	(250)	16.20	61.38	1-0	2p ¹ P°—4s ¹ S UV 11.04	206.707	B	(10d)	16.20	76.18	1-2	2p ¹ P°—13d ¹ D UV 12.19
272.219	P		16.20	61.75	1-1	2p ¹ P°—3p' ³ S UV 11.05	200.340	B	(300)	16.20	78.09	1-1	2p ¹ P°—5p' ¹ P UV 12.20
270.994	B	(650)	16.20	61.95	1-2	2p ¹ P°—3p' ¹ D UV 12	191.228	B	(100)	16.20	81.04	1-1	2p ¹ P°—6p' ¹ P UV 12.21
262.638 262.642	P P		16.20 16.20	63.41 63.41	1-2 1-1	2p ¹ P°—4d ³ D UV 12.01	190.625	B	(200)	16.20	81.24	1-2	2p ¹ P°—6p' ¹ D UV 12.22
260.447	B	(600)	16.20	63.81	1-2	2p ¹ P°—4d ¹ D UV 12.02	186.218	B	(50)	16.20	82.78	1-2	2p ¹ P°—7p' ¹ P UV 12.23
259.824	B	(450)	16.20	63.92	1-0	2p ¹ P°—3p' ¹ S UV 12.03	185.853	B	(75)	16.20	82.91	1-2	2p ¹ P°—7p' ¹ D UV 12.24
240.363	B	(200)	16.20	67.78	1-0	2p ¹ P°—5s ¹ S UV 12.04	183.146	B	(5d)	16.20	83.90	1-1	2p ¹ P°—8p' ¹ P UV 12.25
236.068	B	(550)	16.20	68.72	1-2	2p ¹ P°—5d ¹ D UV 12.05	182.894	B	(10)	16.20	83.99	1-2	2p ¹ P°—8p' ¹ D UV 12.26
227.026	B	(100)	16.20	70.81	1-0	2p ¹ P°—6s ¹ S UV 12.06	180.928	B	(5)	16.20	84.73	1-2	2p ¹ P°—9p' ¹ D UV 12.27
224.629	B	(450w)	16.20	71.40	1-2	2p ¹ P°—6d ¹ D UV 12.07	179.554	B	(2)	16.20	85.25	1-2	2p ¹ P°—10p' ¹ D UV 12.28
220.280	B	(400)	16.20	72.49	1-1	2p ¹ P°—4p' ¹ P UV 12.08	178.547	B	(1)	16.20	85.64	1-2	2p ¹ P°—11p' ¹ D UV 12.29
220.124	B	(50)	16.20	72.53	1-0	2p ¹ P°—7s ¹ S UV 12.09							,
218.250	B	(400)	16.20	73.01	1-2	2p ¹ P°—7d ¹ D UV 12.10	437.083 436.845 436.706	P P P		21.79 21.77 21.76	50.15 50.15 50.15	2-1 1-1 0-1	2p ² ³ P—3p ¹ P° UV 12.30
217.218	B	(500)	16.20	73.28	1-2	2p ¹ P°—4p' ¹ D UV 12.11	434.235 434.067	P P		21.79 21.77	50.34 50.33	2-2 1-1	2p ² ³ P—3p ³ P° UV 12.31
215.755	B	(75)	16.20	73.67	1-0	2p ¹ P°—4p' ¹ S UV 12.12	434.302 434.097 434.000	P P P		21.79 21.77 21.77	50.33 50.33 50.34	2-1 1-0 1-2	
214.843	B	(10)	16.20	73.91	1-0	2p ¹ P°—8s ¹ S UV 12.13	433.930	P		21.76	50.33	0-1	
214.291	B	(250)	16.20	74.06	1-2	2p ¹ P°—8d ¹ D UV 12.14	345.062 345.111 345.261 345.207	B B B B	{ (600w)*	21.79 21.77 21.79 21.77	57.72 57.70 57.70 57.69	2-2 1-1 2-1 1-0	2p ² ³ P—3s' ³ P° UV 13
211.679	B	(250d)	16.20	74.77	1-2	2p ¹ P°—9d ¹ D UV 12.15	344.916 345.025	B B		21.77 21.76	57.72 57.70	1-2 0-1	

Multiplet Table

N IV - Continued

N IV - Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
336.365	P		21.79	58.65	2-1	$2p^2\ ^3P - 3s'\ ^1P^\circ$	217.895	B	(500d)	21.79	78.69	2-	$2p^2\ ^3P - 5d'\ ^3P^\circ$
336.224	P		21.77	58.65	1-1	UV 13.01	217.836	P		21.77	78.69	1-	UV 15.06
336.141	P		21.76	58.65	0-1								
310.003	P		21.79	61.78	2-2	$2p^2\ ^3P - 3d'\ ^1D^\circ$	210.028	B	(200)	21.79	80.82	2-2	$2p^2\ ^3P - 6s'\ ^3P^\circ$
309.883	P		21.77	61.78	1-2	UV 13.02	210.056	P		21.77	80.79	1-1	UV 15.07
304.927	P		21.79	62.45	2-2	$2p^2\ ^3P - 4p\ ^3P^\circ$	210.111	B		21.79	80.79	2-1	
304.800	P		21.77	62.45	1-1	UV 13.03	210.092	B	(100w)*	21.77	80.78	1-0	
304.916	P		21.79	62.45	2-1		209.976	B		21.77	80.82	1-2	
304.793	P		21.77	62.45	1-0		210.024	P		21.76	80.79	0-1	
304.811	P		21.77	62.45	1-2								
304.733	P		21.76	62.45	0-1								
303.124	B		{ 21.79	62.69	2-3	$2p^2\ ^3P - 3d'\ ^3D^\circ$	208.150	B		{ 21.79	81.35	2-3	$2p^2\ ^3P - 6d'\ ^3D^\circ$
303.048	C		{ 21.77	62.68	1-2	UV 14	208.144	P		{ 21.77	81.34	1-2	UV 15.08
303.006	B		{ 21.76	62.68	0-1		208.113	P		{ 21.76	81.34	0-1	
303.162	B		{ 21.79	62.68	2-2								
303.078	B		{ 21.77	62.68	1-1		208.066	B	(400d)	{ 21.79	81.37	2-	$2p^2\ ^3P - 6d'\ ^3P^\circ$
303.191	B		{ 21.79	62.68	2-1		208.012	P		{ 21.77	81.37	1-	UV 15.09
297.816	B	(700)	21.79	63.42	2-2	$2p^2\ ^3P - 3d'\ ^3P^\circ$	203.694	B	(50w)*	21.79	82.65	2-2	$2p^2\ ^3P - 7s'\ ^3P^\circ$
297.657	B		{ 21.77	63.42	1-1	UV 15	203.728	P		{ 21.77	82.63	1-1	UV 15.10
297.770	B		{ 21.79	63.42	2-1		203.780	B	(50)	{ 21.79	82.63	2-1	
297.634	B	(600w)*	{ 21.77	63.43	1-0		203.642	B	(50w)*	{ 21.77	82.65	1-2	
297.704	B		{ 21.77	63.42	1-2								
297.595	C		{ 21.76	63.42	0-1		202.595	B	(500w)	{ 21.79	82.98	2-	$2p^2\ ^3P - 7d'\ ^3D^\circ$
248.461	B	(500w)*	21.79	71.69	2-2	$2p^2\ ^3P - 4s'\ ^3P^\circ$							UV 15.11
248.484	B	(500w)*	21.77	71.67	1-1	UV 15.01	202.485	B	(300d)	21.79	83.02		$2p^2\ ^3P - 7d'\ ^3P^\circ$
248.563	B		{ 21.79	71.67	2-1								UV 15.12
248.540	B	(500)*	{ 21.77	71.66	1-0								
248.383	B		{ 21.77	71.69	1-2		199.857	B	(50)	21.79	83.82	2-2	$2p^2\ ^3P - 8s'\ ^3P^\circ$
248.433	B	(500w)*	21.76	71.67	0-1		199.806	B	(20)	21.77	83.82	1-2	UV 15.13
239.212	B		{ 21.79	73.62	2-3	$2p^2\ ^3P - 4d'\ ^3D^\circ$	199.159	B	(450w)	21.79	84.04	2-	$2p^2\ ^3P - 8d'\ ^3D^\circ$
239.174	B	(450w)*	{ 21.77	73.61	1-2	UV 15.02							UV 15.14
239.146	B		{ 21.76	73.61	0-1								
239.243	B		{ 21.79	73.61	2-2		199.087	B	(200d)	21.79	84.06	2-	$2p^2\ ^3P - 8d'\ ^3P^\circ$
239.188	P		{ 21.77	73.61	1-1								UV 15.15
239.259	P		{ 21.79	73.61	2-1								
238.802	B	(600)	21.79	73.71	2-2	$2p^2\ ^3P - 4d'\ ^3P^\circ$	197.343	B	(2)	21.79	84.61	2-	$2p^2\ ^3P - 9s'\ ^3P^\circ$
238.694	B		{ 21.77	73.71	1-1	UV 15.03							UV 15.16
238.769	B		{ 21.79	73.71	2-1		196.866	B	(500w)	21.79	84.76	2-	$2p^2\ ^3P - 9d'\ ^3D^\circ$
238.683	B	(500w)*	{ 21.77	73.72	1-0								UV 15.17
238.731	B		{ 21.77	73.71	1-2		196.802	B	(100d)	21.79	84.79	2-	$2p^2\ ^3P - 9d'\ ^3P^\circ$
238.657	B		{ 21.76	73.71	0-1								
221.789	B	(450)	21.79	77.69	2-2	$2p^2\ ^3P - 5s'\ ^3P^\circ$							
221.810	P		21.77	77.67	1-1	UV 15.04							
221.871	B		{ 21.79	77.67	2-1		195.610	B	(1)	21.79	85.17	2-2	$2p^2\ ^3P - 10s'\ ^3P^\circ$
221.854	B	(300w)*	{ 21.77	77.66	1-0								UV 15.19
221.729	B		{ 21.77	77.69	1-2								
221.774	P		{ 21.76	77.67	0-1		195.258	B	(100d)	21.79	85.28	2-	$2p^2\ ^3P - 10d'\ ^3D^\circ$
221.774	P		{ 21.76	77.67	0-1								UV 15.20
218.088	B		{ 21.79	78.64	2-3	$2p^2\ ^3P - 5d'\ ^3D^\circ$	195.202	B	(20d)	21.79	85.30	2-	$2p^2\ ^3P - 10d'\ ^3P^\circ$
218.067	B	(400w)*	{ 21.77	78.63	1-2	UV 15.05							UV 15.21
218.044	B		{ 21.76	78.62	0-1								
218.116	B		{ 21.79	78.63	2-2								
218.079	P		{ 21.77	78.62	1-1		194.083	B	(75d)	21.79	85.67		$2p^2\ ^3P - 11d'\ ^3D^\circ$
218.138	P		{ 21.79	78.62	2-1								UV 15.22

Multiplet Table

N IV - Continued

N IV - Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac 192.533	B	(10d)	21.79	86.18		$2p^2 \ ^3P - 13d' \ ^3D^\circ$ UV 15.23	Vac 250.121	B	(300)	23.42	72.99	2-2	$2p^2 \ ^1D - 4d' \ ^1D^\circ$ UV 18.12
463.740	B	(650)	23.42	50.15	2-1	$2p^2 \ ^1D - 3p \ ^1P^\circ$ UV 15.24	248.654	B	(450)	23.42	73.28	2-3	$2p^2 \ ^1D - 4d' \ ^1F^\circ$ UV 18.13
460.532	P		23.42	50.34	2-2	$2p^2 \ ^1D - 3p \ ^3P^\circ$	244.100	B	(300w)	23.42	74.21	2-1	$2p^2 \ ^1D - 4d' \ ^1P^\circ$ UV 18.14
460.607	P		23.42	50.33	2-1	$2p^2 \ ^1D - 3p \ ^3P^\circ$ UV 15.25	227.446	P		23.42	77.91	2-1	$2p^2 \ ^1D - 5s' \ ^1P^\circ$ UV 18.15
361.462	P		23.42	57.72	2-2	$2p^2 \ ^1D - 3s' \ ^3P^\circ$ UV 15.26	223.421 ^a	P	(500d)	23.42	78.91	2-1	$2p^2 \ ^1D - 5d' \ ^1P^\circ$ UV 18.16
361.679	P		23.42	57.70	2-1	$2p^2 \ ^1D - 3s' \ ^3P^\circ$ UV 16	214.414	B	(50d)	23.42	81.24	2-3	$2p^2 \ ^1D - 6d' \ ^1F^\circ$ UV 18.17
351.931	C	(500w)	23.42	58.65	2-1	$2p^2 \ ^1D - 3s' \ ^1P^\circ$ UV 16	213.443 ^a	P	(300d)	23.42	81.50	2-1	$2p^2 \ ^1D - 6d' \ ^1P^\circ$ UV 18.19
323.178	B	(600w)	23.42	61.78	2-2	$2p^2 \ ^1D - 3d' \ ^1D^\circ$ UV 17	207.812 ^a	P	(200d)	23.42	83.08	2-1	$2p^2 \ ^1D - 7d' \ ^1P^\circ$ UV 18.20
317.664	P		23.42	62.45	2-2	$2p^2 \ ^1D - 4p \ ^3P^\circ$	204.354 ^a	B	(150d)	23.42	84.10	2-1	$2p^2 \ ^1D - 8d' \ ^1P^\circ$ UV 18.21
317.653	P		23.42	62.45	2-1	$2p^2 \ ^1D - 4p \ ^3P^\circ$ UV 17.01	315.060	B	(600)	23.42	84.80	2-1	$2p^2 \ ^1D - 9d' \ ^1P^\circ$ UV 18.22
315.708	P		23.42	62.69	2-3	$2p^2 \ ^1D - 3d' \ ^3D^\circ$	314.324	B	(20)	23.42	85.31	2-1	$2p^2 \ ^1D - 10d' \ ^1P^\circ$ UV 18.23
315.751	P		23.42	62.68	2-2	$2p^2 \ ^1D - 3d' \ ^3D^\circ$ UV 17.02	309.956	P		23.42	85.31	2-1	$2p^2 \ ^1D - 10d' \ ^1P^\circ$ UV 18.23
315.785	P		23.42	62.68	2-1	$2p^2 \ ^1D - 3d' \ ^3D^\circ$	309.907	P		23.42	85.31	2-1	$2p^2 \ ^1D - 10d' \ ^1P^\circ$ UV 18.23
305.177	P		23.42	64.04	2-3	$2p^2 \ ^1D - 4f \ ^3F^\circ$	305.185	P		23.42	64.04	2-2	$2p^2 \ ^1S - 3p \ ^1P^\circ$ UV 18.24
303.280	B	(500)	23.42	64.30	2-1	$2p^2 \ ^1D - 3d' \ ^1P^\circ$ UV 18.04	300.318	B	(650)	23.42	64.70	2-3	$2p^2 \ ^1S - 3s' \ ^3P^\circ$ UV 18.26
276.741	B	(10)	23.42	68.22	2-1	$2p^2 \ ^1D - 5p \ ^1P^\circ$ UV 18.06	273.140	B	(300)	23.42	68.81	2-3	$2p^2 \ ^1S - 4p \ ^1P^\circ$ UV 18.29
273.140	B	(300)	23.42	68.81	2-3	$2p^2 \ ^1D - 5f \ ^1F^\circ$ UV 18.07	260.519	P		23.42	71.01	2-1	$2p^2 \ ^1S - 3d' \ ^1P^\circ$ UV 18.30
258.320	B	(150)	23.42	71.41	2-3	$2p^2 \ ^1D - 6f \ ^1F^\circ$ UV 18.09	255.148	B	(380)	23.42	72.01	2-1	$2p^2 \ ^1S - 5p \ ^1P^\circ$ UV 18.31
250.566	P		23.42	72.90	2-1	$2p^2 \ ^1D - 7p \ ^1P^\circ$ UV 18.11	296.418	P		23.42	72.90	2-1	$2p^2 \ ^1S - 6p \ ^1P^\circ$ UV 18.32

^a Observed members of this series are shifted to longer waves by 0.309 Å to 0.052 Å (n=5 to 8), when autoionization is effective.

Multiplet Table

N IV -Continued

N IV -Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac 289.479	B	(300)	29.18	72.01	0-1	$2p^2 \ ^1S - 4s' \ ^1P^\circ$ UV 18.33	Air 6380.77	A	8	48.21	50.15	0-1	$3s \ ^1S - 3p \ ^1P^\circ$ 2
283.599	P		29.18	72.90	0-1	$2p^2 \ ^1S - 7p \ ^1P^\circ$ UV 18.34	5835.11	P		48.21	50.33	0-1	$3s \ ^1S - 3p \ ^3P^\circ$ 2.01
275.354	B	(450)	29.18	74.21	0-1	$2p^2 \ ^1S - 4d' \ ^1P^\circ$ UV 18.35	Vac 1306.909	P		48.21	57.70	0-1	$3s \ ^1S - 3s' \ ^3P^\circ$ UV 18.48
254.338	B	(100)	29.18	77.91	0-1	$2p^2 \ ^1S - 5s' \ ^1P^\circ$ UV 18.36	1188.006	A	6	48.21	58.65	0-1	$3s \ ^1S - 3s' \ ^1P^\circ$ UV 18.49
249.316	B	(300d)	29.18	78.91	0-1	$2p^2 \ ^1S - 5d' \ ^1P^\circ$ UV 18.37	846.215	P		48.21	62.86	0-1	$3s \ ^1S - 4p \ ^1P^\circ$ UV 18.50
236.954	B	(150d)	29.18	81.50	0-1	$2p^2 \ ^1S - 6d' \ ^1P^\circ$ UV 18.38	770.678	P		48.21	64.30	0-1	$3s \ ^1S - 3d' \ ^1P^\circ$ UV 18.51
230.035	B	(100d)	29.18	83.08	0-1	$2p^2 \ ^1S - 7d' \ ^1P^\circ$ UV 18.39	619.663	P		48.21	68.22	0-1	$3s \ ^1S - 5p \ ^1P^\circ$ UV 18.52
225.741	B	(50d)	29.18	84.10	0-1	$2p^2 \ ^1S - 8d' \ ^1P^\circ$ UV 18.40	520.934	P		48.21	72.01	0-1	$3s \ ^1S - 4s' \ ^1P^\circ$ UV 18.53
222.893	B	(30d)	29.18	84.80	0-1	$2p^2 \ ^1S - 9d' \ ^1P^\circ$ UV 18.41	476.909	P		48.21	74.21	0-1	$3s \ ^1S - 4d' \ ^1P^\circ$ UV 18.54
220.885	B	(2d)	29.18	85.31	0-1	$2p^2 \ ^1S - 10d' \ ^1P^\circ$ UV 18.42							
Air 3670.35	P		—	—	—	—	Air 6438.53	P		50.15	52.08	1-2	$3p \ ^1P^\circ - 3d \ ^3D$ 2.02
			46.78	50.15	1-1	$3s \ ^3S - 3p \ ^1P^\circ$ 0.01	6440.11	P		50.15	52.08	1-1	
3478.71	A	15	46.78	50.34	1-2	$3s \ ^3S - 3p \ ^3P^\circ$	4057.759	A	8	50.15	53.21	1-2	$3p \ ^1P^\circ - 3d \ ^1D$ 3
3482.99	A	14	46.78	50.33	1-1	1							
3484.96	A	13	46.78	50.33	1-0		1309.557	A	4	50.15	59.62	1-1	$3p \ ^1P^\circ - 3p' \ ^1P$ UV 18.55
Vac 1133.117	A	4	46.78	57.72	1-2	$3s \ ^3S - 3s' \ ^3P^\circ$	1248.868	P		50.15	60.08	1-2	$3p \ ^1P^\circ - 3p' \ ^3D$
1135.244	A	3	46.78	57.70	1-1	UV 18.43	1250.378	P		50.15	60.07	1-1	UV 18.56
1136.241	A	2	46.78	57.69	1-0		1203.587	P		50.15	60.45	1-1	$3p \ ^1P^\circ - 4s \ ^3S$
791.045	P		46.78	62.45	1-2	$3s \ ^3S - 4p \ ^3P^\circ$				50.15	60.77	1-2	UV 18.57
791.095	P		46.78	62.45	1-1	UV 18.44				50.15	61.30	1-2	$3p \ ^1P^\circ - 3p' \ ^3P$
791.167	P		46.78	62.45	1-0		1112.600	P		50.15	61.28	1-1	
							1113.749	P		50.15	61.28	1-0	UV 18.58
							1114.446	P		50.15	61.28		
745.020	P		46.78	63.42	1-2	$3s \ ^3S - 3d' \ ^3P^\circ$				50.15	61.38	1-0	$3p \ ^1P^\circ - 4s \ ^1S$
744.737	P		46.78	63.42	1-1	UV 18.45	1104.542	P		50.15	61.38	1-0	UV 18.59
744.566	P		46.78	63.43	1-0					50.15	61.38		
497.696	P		46.78	71.69	1-2	$3s \ ^3S - 4s' \ ^3P^\circ$	1069.255	P		50.15	61.75	1-1	$3p \ ^1P^\circ - 3p' \ ^3S$
498.106	P		46.78	71.67	1-1	UV 18.46				50.15	61.75	1-1	UV 18.60
498.323	P		46.78	71.66	1-0		1050.602	P		50.15	61.95	1-2	$3p \ ^1P^\circ - 3p' \ ^1D$
460.394	P		46.78	73.71	1-2	$3s \ ^3S - 4d' \ ^3P^\circ$				50.15	63.81	1-2	UV 18.61
460.272	P		46.78	73.71	1-1	UV 18.47				50.15	63.81	1-2	
460.217	P		46.78	73.72	1-0		908.057	P		50.15	63.81	1-2	$3p \ ^1P^\circ - 4d \ ^1D$
			—	—	—	—				50.15	63.81	1-2	UV 18.62

Multiplet Table

N IV -Continued

N IV -Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.	
			Low	High						Low	High			
Vac 900.516	P		50.15	63.92	1-0	$3p\ ^1P^o - 3p'\ ^1S$ UV 18.63	Vac 948.540 948.244 948.155	A A A	5 4 2	50.34 50.33 50.33	63.41 63.41 63.41	2-3 1-2 0-1	$3p\ ^3P^o - 4d\ ^3D$ UV 18.79	
703.191	P		50.15	67.78	1-0	$3p\ ^1P^o - 5s\ ^1S$ UV 18.64								
667.653	P		50.15	68.72	1-2	$3p\ ^1P^o - 5d\ ^1D$ UV 18.65	720.510 720.327 720.244	P P P		50.34 50.33 50.33	67.55 67.55 67.55	2-1 1-1 0-1	$3p\ ^3P^o - 5s\ ^3S$ UV 18.80	
600.061	P		50.15	70.81	1-0	$3p\ ^1P^o - 6s\ ^1S$ UV 18.66								
583.601	P		50.15	71.40	1-2	$3p\ ^1P^o - 6d\ ^1D$ UV 18.67	1323.98 1325.685 1326.964	A A A	2 1 0	52.08 52.08 52.08	61.44 61.43 61.42	3-4 2-3 1-2	$3d\ ^3D - 3d'\ ^3F^o$ UV 18.81	
555.126	P		50.15	72.49	1-1	$3p\ ^1P^o - 4p'\ ^1P$ UV 18.68	1195.852 1195.567 1195.400	P P P		52.08 52.08 52.08	62.45 62.45 62.45	3-2 2-1 1-0	$3d\ ^3D - 4p\ ^3P^o$ UV 18.82	
554.137	P		50.15	72.53	1-0	$3p\ ^1P^o - 7s\ ^1S$ UV 18.69	1168.599 1169.063	A A	3 2	52.08 52.08	62.69 62.68	3-3 2-2	$3d\ ^3D - 3d'\ ^3D^o$ UV 18.83	
542.412	P		50.15	73.01	1-2	$3p\ ^1P^o - 7d\ ^1D$ UV 18.70	1169.478	A	1	52.08	62.68	1-1		
536.082	P		50.15	73.28	1-2	$3p\ ^1P^o - 4p'\ ^1D$ UV 18.71	1036.16	A	8w	52.08	64.05		$3d\ ^3D - 4f\ ^3F^o$ UV 18.84	
527.259	P		50.15	73.67	1-0	$3p\ ^1P^o - 4p'\ ^1S$ UV 18.72	1446.114	A	5	53.21	61.78	2-2	$3d\ ^1D - 3d'\ ^1D^o$ UV 18.85	
521.845	P		50.15	73.91	1-0	$3p\ ^1P^o - 8s\ ^1S$ UV 18.73	1296.600	A	5	53.21	62.77	2-3	$3d\ ^1D - 3d'\ ^1F^o$ UV 18.86	
518.600	P		50.15	74.06	1-2	$3p\ ^1P^o - 8d\ ^1D$ UV 18.74	1284.218	A	3	53.21	62.86	2-1	$3d\ ^1D - 4p\ ^1P^o$ UV 18.87	
Air							1078.708	A	6	53.21	64.70	2-3	$3d\ ^1D - 4f\ ^1F^o$ UV 18.88	
7122.98	A	5	50.34	52.08	2-3	$3p\ ^3P^o - 3d\ ^3D$								
7109.40	A	3	50.33	52.08	1-2	4								
7103.28	A	2	50.33	52.08	0-1		5204.29	A	5	57.72	60.10	2-3	$3s'\ ^3P^o - 3p'\ ^3D$	
7127.27	A	1	50.34	52.08	2-2		5200.40	A	4	57.70	60.08	1-2	5	
7111.30	A	1	50.33	52.08	1-1		5205.15	A	3	57.69	60.07	0-1		
7129.18	P		50.34	52.08	2-1		5245.61	A	3	57.72	60.08	2-2		
Vac							5226.69	A	3	57.70	60.07	1-1		
1270.280	A	5	50.34	60.10	2-3	$3p\ ^3P^o - 3p'\ ^3D$	5272.35	P		57.72	60.07	2-1		
1272.160	A	4	50.33	60.08	1-2	UV 18.75	3463.37	A	6	57.72	61.30	2-2	$3s'\ ^3P^o - 3p'\ ^3P$	
1273.47	A	3	50.33	60.07	0-1		3454.70	A	2	57.70	61.28	1-1	7	
1272.74	A	2	50.34	60.08	2-2		3474.55	A	3	57.72	61.28	2-1		
1273.716	A	2	50.33	60.07	1-1		3461.36	A	2	57.70	61.28	1-0		
1274.285	P		50.34	60.07	2-1		3443.59	A	3	57.70	61.30	1-2		
1225.719	A	4	50.34	60.45	2-1	$3p\ ^3P^o - 4s\ ^3S$	3445.20	A	2	57.69	61.28	0-1		
1225.192	A	3	50.33	60.45	1-1	UV 18.76	3075.19	P		57.72	61.75	2-1	$3s'\ ^3P^o - 3p'\ ^3S$	
1224.960	A	1	50.33	60.45	0-1		3059.60	P		57.70	61.75	1-1	7.01	
1131.488	P			50.34	61.30	2-2	$3p\ ^3P^o - 3p'\ ^3P$	3052.20	P		57.69	61.75	0-1	
1132.225	P			50.33	61.28	1-1	UV 18.77							
1086.691	A	2	50.34	61.75	2-1	$3p\ ^3P^o - 3p'\ ^3S$								
1086.269	A	1	50.33	61.75	1-1	UV 18.78	12727.43	P		58.65	59.62	1-1	$3s'\ ^1P^o - 3p'\ ^1P$	
m1086.084	P	N1	50.33	61.75	0-1								7.02	

Multiplet Table

N IV -Continued

N IV -Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Air													
4538.32	P		58.65	61.38	1-0	$3s' \ ^1P^o - 4s \ ^1S$ 7.03	1702.006	A	5	61.44	68.73	4-	$3d' \ ^3F^o - 5g \ ^3G$ UV 18.91
3747.54	A	6	58.65	61.95	1-2	$3s' \ ^1P^o - 3p' \ ^1D$ 8	1699.03	A	4	61.43	68.73	3-	
2402.05	A	5	58.65	63.81	1-2	$3s' \ ^1P^o - 4d \ ^1D$ UV 18.89	1696.86	A	3	61.42	68.73	2-	
			—	—			1246.51	A	2	61.44	71.39	4-	$3d' \ ^3F^o - 6g \ ^3G$ UV 18.92
							1244.92	A	1	61.43	71.39	3-	
							m1243.73	P	N V	61.42	71.39	2-	
							Air			—	—		
5736.94	A	4	59.62	61.78	1-2	$3p' \ ^1P - 3d' \ ^1D^o$ 9	6119.23	P		61.78	63.81	2-2	$3d' \ ^1D^o - 4d \ ^1D$ 16
3823.95	A	0	59.62	62.86	1-1	$3p' \ ^1P - 4p \ ^1P^o$ 10	5288.25	P		61.95	64.30	2-1	$3p' \ ^1D - 3d' \ ^1P^o$ 17
2649.88	P		59.62	64.30	1-1	$3p' \ ^1P - 3d' \ ^1P^o$ UV 18.90				—	—		
			—	—						—	—		
9222.99	P		60.10	61.44	3-4	$3p' \ ^3D - 3d' \ ^3F^o$ 10.01	12870.47	P		62.45	63.41	2-3	$4p \ ^3P^o - 4d \ ^3D$ 18
9182.16	P		60.08	61.43	2-3		12892.88	P		62.45	63.41	1-2	
9165.07	P		60.07	61.42	1-2		12916.03	P		62.45	63.41	0-1	
9311.55	P		60.10	61.43	3-3								
9247.04	P		60.08	61.42	2-2								
9378.29	P		60.10	61.42	3-2								
4786.92	P		60.10	62.69	3-3	$3p' \ ^3D - 3d' \ ^3D^o$ 11	2430.41	A	3	62.45	67.55	2-1	$4p \ ^3P^o - 5s \ ^3S$ UV 18.93
4762.09	P		60.08	62.68	2-2		2431.07	A	2	62.45	67.55	1-1	
4747.96	P		60.07	62.68	1-1		2431.55	A	0	62.45	67.55	0-1	
4796.66	P		60.10	62.68	3-2								
4769.86	P		60.08	62.68	2-1								
4752.49	P		60.08	62.69	2-3								
4740.26	P		60.07	62.68	1-2								
3735.43	P		60.10	63.42	3-2	$3p' \ ^3D - 3d' \ ^3P^o$ 12	2080.34	A	6	62.77	68.73	3-4	$3d' \ ^1F^o - 5g \ ^1G$ UV 18.95
3707.39	P		60.08	63.42	2-1								
3689.94	P		60.07	63.43	1-0								
3714.43	P		60.08	63.42	2-2		Vac						
3694.14	P		60.07	63.42	1-1		1438.37	A	3	62.77	71.39	3-4	$3d' \ ^1F^o - 6g \ ^1G$ UV 18.96
3701.13	P		60.07	63.42	1-2								
			—	—						—	—		
3141.16	A	3p	60.10	64.05	3-4	$3p' \ ^3D - 4f \ ^3F^o$ 12.01	2318.09	A	6w	63.41	68.76		$4d \ ^3D - 5f \ ^3F^o$ UV 18.97
3127.41	A	2p	60.08	64.04	2-3								
3118.79	A	1p	60.07	64.04	1-2								
			—	—						—	—		
6219.89	A	4	60.45	62.45	1-2	$4s \ ^3S - 4p \ ^3P^o$ 12.02	2421.65	A	3	63.42	68.54	2-3	$3d' \ ^3P^o - 5d \ ^3D$ UV 18.98
6215.43	A	3	60.45	62.45	1-1		2424.73	A	2	63.42	68.54	1-2	
6212.41	A	1	60.45	62.45	1-0		2426.54	A	1	63.43	68.54	0-1	
			—	—						—	—		
			—	—			2809.35	A	2	63.81	68.22	2-1	$4d \ ^1D - 5p \ ^1P^o$ UV 18.99
5843.84	P		61.30	63.42	2-2	$3p' \ ^3P - 3d' \ ^3P^o$ 15	2477.69	A	8	63.81	68.81	2-3	$4d \ ^1D - 5f \ ^1F^o$ UV 18.991
5795.09	P		61.28	63.42	1-1								
5826.43	P		61.30	63.42	2-1								
5784.76	P		61.28	63.43	1-0								
5812.31	P		61.28	63.42	1-2								
5776.31	P		61.28	63.42	0-1								

Multiplet Table

N IV—Continued

N IV—Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac 1688.11	A	3	64.05	71.39	4-	$4f\ ^3F^{\circ}-6g\ ^3G$	Air 2884.77	A	$4w$	68.73	73.02		$5g\ ^3G-7h\ ^3H^{\circ}$
1687.82	A	2	64.04	71.39	3-	UV 20							UV 21
1687.60	A	1	64.04	71.39	2-		4707.31	A	$4h$	68.76	71.39		$5f\ ^3F^{\circ}-6g\ ^3G$
			—	—						—	—		21
Air 3078.25	A	6	64.70	68.73	3-4	$4f\ ^1F^{\circ}-5g\ ^1G$	7582.40	A	$2wl$	71.39	73.02		$6g\ ^3G-7h\ ^3H^{\circ}$
			—	—		19				—	—		22
4606.33	A	6	68.73	71.42		$5g\ ^3G-6h\ ^3H^{\circ}$	7702.96	A	$4ws$	71.42	73.03		$6h\ ^3H^{\circ}-7i\ ^3I$
			20							—	—		23

NSRDS-NBS 3, SECTION 4

NITROGEN, Z = 7

A N v Atomic Energy Levels

B N v Multiplet Table

Atomic Energy Levels

Part A

NITROGEN

N V

Li I sequence; 3 electrons

$Z = 7$

Ground state $1s^2 2s \ ^2S_{01/2}$

$2s \ ^2S_{01/2} \ 789537.2 \pm 3.0 \text{ cm}^{-1}, 126.656 \text{ \AA}$ (Vac)

I P 97.888 eV

The analysis is from Hallin, who has observed the spectrum in the range 200 Å to 8000 Å with a theta pinch discharge as source. On the basis of these new measurements he has calculated unperturbed energy levels for the entire term system. The limit quoted above is determined from extended Ritz formulae for levels with $l=0$ and 1 and from the polarization formula for those with $l \geq 2$.

Tilford has observed the spectrum from 128 Å to 266 Å with a low-pressure, high-voltage condensed capillary discharge as source, and extended the observed ns -series to $n=10$, the np -series to $n=17$ and the nd -series to $n=18$. From a Ritz-Rydberg formula he derives the limit $789516 \pm 24 \text{ cm}^{-1}$ as compared with 789534.4 cm^{-1} calculated by Hallin from the 2S series by an extended Ritz formula.

In the table the energy levels obtained from the observations are quoted from Hallin, supplemented by his calculated unperturbed values for the series to $n=10$. All calculated values are entered in brackets.

Tilford is quoted for the nd^2D terms ($n=9, 10$) and for all other ns, np, nd terms having $n > 10$. Hallin notes that in the region 140 Å to 250 Å the difference between his calculated wavelengths and the measurements by Tilford ranges from +0.002 Å to -0.006 Å, which introduces appreciable differences in the level values. It has been suggested by Edlén that the large and almost constant intervals observed experimentally by Tilford in the nd^2D terms, amounting to about $21 \pm 9 \text{ cm}^{-1}$, may result from some sort of Stark Effect. The predicted intervals are small for these terms.

REFERENCES

S. G. Tilford, J. Opt. Soc. Am. **53**, No. 9, 1051–1054 (1963). I P, T, C L

R. Hallin, Ark. Fys. (Stockholm) **31**, No. 36, 511–526 (1966). I P, T, C L, G D, Stark Effect

N V

N V

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
2s	2s 2S	$0\frac{1}{2}$	0.0		4p	4p $^2P^\circ$	$0\frac{1}{2}$ $1\frac{1}{2}$	615141.0 615173.8	32.8
2p	2p $^2P^\circ$	$0\frac{1}{2}$ $1\frac{1}{2}$	80463.2 80721.9	258.7	4d	4d 2D	$1\frac{1}{2}$ $2\frac{1}{2}$	617916.3 617925.5	9.2
3s	3s 2S	$0\frac{1}{2}$	456126.6						
3p	3p $^2P^\circ$	$0\frac{1}{2}$ $1\frac{1}{2}$	477765.7 477842.0	76.3	4f	4f $^2F^\circ$	$2\frac{1}{2}$ $3\frac{1}{2}$	618059.3 618064.1	[4.8]
3d	3d 2D	$1\frac{1}{2}$ $2\frac{1}{2}$	484404.3 484426.3	22.0	5s	5s 2S	$0\frac{1}{2}$	673886.2	
4s	4s 2S	$0\frac{1}{2}$	606348.8		5p	5p $^2P^\circ$	$0\frac{1}{2}$ $1\frac{1}{2}$	678300.4 678316.5	16.1

A7 v-1

Atomic Energy Levels

N V – Continued

N V – Continued

Config.	Desig.	J	Level	Interval		Config.	Desig.	J	Level	Interval
5d	5d ² D	$\frac{1}{2}$ $\frac{2}{2}$	[679712.7] 679717.6	[4.9]		9s	9s ² S	$\frac{0}{2}$	[754677.0]	
5f	5f ² F°	$\frac{2}{2}, \frac{3}{2}$	679790.4			9p	9p ² P°	$\frac{0}{2}$ $\frac{1}{2}$	[755411.5] [755414.3]	[2.8]
5g	5g ² G	$\frac{3}{2}, \frac{4}{2}$	679802.3			9d	9d ² D	$\frac{1}{2}$ $\frac{2}{2}$	755608 755633	25
6s	6s ² S	$\frac{0}{2}$	709939.2			9f	9f ² F°	$\frac{2}{2}, \frac{3}{2}$	[755666.5]	
6p	6p ² P°	$\frac{0}{2}$ $\frac{1}{2}$	712463.2 712472.6	9.4		9g	9g ² G	$\frac{3}{2}, \frac{4}{2}$	[755667.9]	
6d	6d ² D	$\frac{1}{2}$ $\frac{2}{2}$	713279.3 713281.5	2.2		9h	9h ² H°	$\frac{4}{2}, \frac{5}{2}$	[755668.4]	
6f	6f ² F°	$\frac{2}{2}, \frac{3}{2}$	713324.7			9i	9i ² I	$\frac{5}{2}, \frac{6}{2}$	[755668.6]	
6g	6g ² G	$\frac{3}{2}, \frac{4}{2}$	713328.9			9k	9k ² K°	$\frac{6}{2}, \frac{7}{2}$	[755668.7]	
6h	6h ² H°	$\frac{4}{2}, \frac{5}{2}$	713334.8			10s	10s ² S	$\frac{0}{2}$	[761382.7]	
7s	7s ² S	$\frac{0}{2}$	731425.4			10p	10p ² P°	$\frac{0}{2}$ $\frac{1}{2}$	[761916.3] [761918.3]	[2.0]
7p	7p ² P°	$\frac{0}{2}$ $\frac{1}{2}$	[733003.3] [733009.2]	[5.9]		10d	10d ² D	$\frac{1}{2}$ $\frac{2}{2}$	762048 762071	23
7d	7d ² D	$\frac{1}{2}$ $\frac{2}{2}$	[733515.4] [733517.2]	[1.8]		10f	10f ² F°	$\frac{2}{2}, \frac{3}{2}$	[762102.1]	
7f	7f ² F°	$\frac{2}{2}, \frac{3}{2}$	733542.7			10g	10g ² G	$\frac{3}{2}, \frac{4}{2}$	[762103.1]	
7g	7g ² G	$\frac{3}{2}, \frac{4}{2}$	[733549.0]			10h	10h ² H°	$\frac{4}{2}, \frac{5}{2}$	[762103.5]	
7h	7h ² H°	$\frac{4}{2}, \frac{5}{2}$	[733549.9]			10i	10i ² I	$\frac{5}{2}, \frac{6}{2}$	[762103.6]	
7i	7i ² I	$\frac{5}{2}, \frac{6}{2}$	[733550.4]			10k	10k ² K°	$\frac{6}{2}, \frac{7}{2}$	[762103.7]	
8s	8s ² S	$\frac{0}{2}$	[745255.6]			10l	10l ² L	$\frac{7}{2}, \frac{8}{2}$	[762103.8]	
8p	8p ² P°	$\frac{0}{2}$ $\frac{1}{2}$	[746306.0] [746309.9]	[3.9]		11p	11p ² P°	$\frac{0}{2}, \frac{1}{2}$	766687	
8d	8d ² D	$\frac{1}{2}$ $\frac{2}{2}$	[746648.5] [746649.7]	[1.2]		11d	11d ² D	$\frac{1}{2}, \frac{2}{2}$	766866	
8f	8f ² F°	$\frac{2}{2}, \frac{3}{2}$	[746669.2]			12p	12p ² P°	$\frac{0}{2}, \frac{1}{2}$	770347	
8g	8g ² G	$\frac{3}{2}, \frac{4}{2}$	[746671.3]			12d	12d ² D	$\frac{1}{2}, \frac{2}{2}$	770483	
8h	8h ² H°	$\frac{4}{2}, \frac{5}{2}$	[746671.9]			13p	13p ² P°	$\frac{0}{2}, \frac{1}{2}$	773174	
8i	8i ² I	$\frac{5}{2}, \frac{6}{2}$	[746672.2]			13d	13d ² D	$\frac{1}{2}, \frac{2}{2}$	773282	
8k	8k ² K°	$\frac{6}{2}, \frac{7}{2}$	[746672.4]			14p	14p ² P°	$\frac{0}{2}, \frac{1}{2}$	775465	
						14d	14d ² D	$\frac{1}{2}, \frac{2}{2}$	775581	
						15p	15p ² P°	$\frac{0}{2}, \frac{1}{2}$	777230	

Atomic Energy Levels

N V – Continued

N V – Continued

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
15d	15d ² D	1½, 2½	777490		17d	17d ² D	1½, 2½	780117	
16p	16p ² P°	0½, 1½	778634		18d	18d ² D	1½, 2½	781067	
16d	16d ² D	1½, 2½	778847	
17p	17p ² P°	0½, 1½	779855		N VI (¹ S ₀)	Limit	789537.2 ± 3.0	

July 1970.

Multiplet Table

Part B

NITROGEN

N V ($Z = 7$)

IP 91.888eV Limit 789537.2 ± 3.0 126.656 \AA (Vac)

Anal A List A July 1970

REFERENCES

- A R. Hallin, Ark. Fys. (Stockholm) **31**, No. 36, 511–526 (1966). IP, T, C L, G D, I; WL 140 Å to 7618 Å
- B S. G. Tilford, J. Opt. Soc. Am. **53**, No. 9, 1051–1054 (1963). IP, T, C L, (I); WL 128 Å to 1242 Å. (Note that intensities from Reference B are entered in parentheses).
- P Predicted wavelengths from Ref A, Table 4 and from calculated unperturbed energy levels in Ref A, Table 5.

New Multiplet Numbers, not inserted between older ones, start with UV 7 and 13.

*Blend

* and § Blend of N V and N IV

N V									N V								
IA	Ref	Int	E P		J	Multiplet No.	IA	Ref	Int	E P		J	Multiplet No.				
			Low	High						Low	High						
Vac 1238.821‡ 1242.804	A A	20 19	0.00 0.00	10.01 9.98	$0\frac{1}{2}-1\frac{1}{2}$ $0\frac{1}{2}-0\frac{1}{2}$	$2s^2S - 2p^2P^o$ UV 1	Vac 131.254	B	(5)	0.00 94.46	0 $\frac{1}{2}-$	$2s^2S - 10p^2P^o$ UV 3.06					
209.274 209.308	P P	(80) (80)	0.00 0.00	59.24 59.23	$0\frac{1}{2}-1\frac{1}{2}$ $0\frac{1}{2}-0\frac{1}{2}$	$2s^2S - 3p^2P^o$ UV 2	130.431	B	(4)	0.00 95.05	0 $\frac{1}{2}-$	$2s^2S - 11p^2P^o$ UV 3.07					
162.556 162.564	P P	(48)	0.00 0.00	76.27 76.27	$0\frac{1}{2}-1\frac{1}{2}$ $0\frac{1}{2}-0\frac{1}{2}$	$2s^2S - 4p^2P^o$ UV 3	129.811	B	(3)	0.00 95.51	0 $\frac{1}{2}-$	$2s^2S - 12p^2P^o$ UV 3.08					
147.424 147.427	P P	(24)	0.00 0.00	84.10 84.10	$0\frac{1}{2}-1\frac{1}{2}$ $0\frac{1}{2}-0\frac{1}{2}$	$2s^2S - 5p^2P^o$ UV 3.01	129.337	B	(2)	0.00 95.86	0 $\frac{1}{2}-$	$2s^2S - 13p^2P^o$ UV 3.09					
140.356 140.358	P P	(16)	0.00 0.00	88.33 88.33	$0\frac{1}{2}-1\frac{1}{2}$ $0\frac{1}{2}-0\frac{1}{2}$	$2s^2S - 6p^2P^o$ UV 3.02	128.954	B	(1)	0.00 96.14	0 $\frac{1}{2}-$	$2s^2S - 14p^2P^o$ UV 3.10					
136.429	B	(8)	0.00	90.88	0 $\frac{1}{2}-$	$2s^2S - 7p^2P^o$ UV 3.03	128.662	B	(1)	0.00 96.36	0 $\frac{1}{2}-$	$2s^2S - 15p^2P^o$ UV 3.11					
133.994	B	(7)	0.00	92.53	0 $\frac{1}{2}-$	$2s^2S - 8p^2P^o$ UV 3.04	128.430	B	(0)	0.00 96.54	0 $\frac{1}{2}-$	$2s^2S - 16p^2P^o$ UV 3.12					
132.383	B	(6)	0.00	93.66	0 $\frac{1}{2}-$	$2s^2S - 9p^2P^o$ UV 3.05	128.229	B	(0)	0.00 96.69	0 $\frac{1}{2}-$	$2s^2S - 17p^2P^o$ UV 3.13					

Multiplet Table

N V -Continued

N V -Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac													
266.379	A	(84)	10.01	56.55	1½-0½	2p ²P°— 3s ²S	143.241	B	(1)	10.01	96.56	1½-	2p ²P°—16d ²D
266.196	A	(80)	9.98	56.55	0½-0½	UV 4							UV 24
247.706	A	(100)	10.01	60.06	1½-2½	2p ²P°— 3d ²D	142.981	B	(0)	10.01	96.72	1½-	2p ²P°—17d ²D
247.561	A	(85)	9.98	60.06	0½-1½	UV 5							UV 25
190.249	P	(32)	10.01	75.18	1½-0½	2p ²P°— 4s ²S	142.797	B	(0)	10.01	96.84	1½-	2p ²P°—18d ²D
190.155	P	(20)	9.98	75.18	0½-0½	UV 5.01							UV 26
186.149	P	(62)	10.01	76.61	1½-2½	2p ²P°— 4d ²D							
186.063	P	(52)	9.98	76.61	0½-1½	UV 6							
168.587	P	(12)	10.01	83.55	1½-0½	2p ²P°— 5s ²S							
168.514	P	(5)	9.98	83.55	0½-0½	UV 7	Air	4603.73	A	12	56.55	59.24	0½-1½
								4619.98	A	10	56.55	59.23	0½-0½
166.946	P	(52)	10.01	84.27	1½-2½	2p ²P°— 5d ²D							
166.875	P	(44)	9.98	84.27	0½-1½	UV 8	Vac						
158.928	P	(7)	10.01	88.02	1½-0½	2p ²P°— 6s ²S	628.744	A	5	56.55	76.27	0½-1½	3s ²S — 4p ²P°
158.862	P	(4)	9.98	88.02	0½-0½	UV 9	628.874	A	3	56.55	76.27	0½-0½	UV 27
158.088	P	(36)	10.01	88.43	1½-2½	2p ²P°— 6d ²D	450.072	P	3*	56.55	84.10	0½-1½	3s ²S — 5p ²P°
158.024	P	(24)	9.98	88.43	0½-1½	UV 10	450.105	P	3*	56.55	84.10	0½-0½	UV 28
153.683	B	(6)	10.01	90.68	1½-0½	2p ²P°— 7s ²S	390.102	P		56.55	88.33	0½-1½	3s ²S — 6p ²P°
153.624	B	(3)	9.98	90.68	0½-0½	UV 11	390.116	P		56.55	88.33	0½-0½	UV 29
153.192	B	(28)	10.01	90.94	1½-2½	2p ²P°— 7d ²D							
153.136	B	(18)	9.98	90.94	0½-1½	UV 12							
150.488	B	(5)	10.01	92.40	1½-0½	2p ²P°— 8s ²S	Air	15185.80	P		59.24	60.06	1½-2½
150.429	B	(2)	9.98	92.40	0½-0½	UV 13		15061.34	P		59.23	60.06	0½-1½
150.171	B	(14)	10.01	92.57	1½-2½	2p ²P°— 8d ²D	Vac						
150.116	B	(7)	9.98	92.57	0½-1½	UV 14	778.172	A	2	59.24	75.18	1½-0½	3p ²P°— 4s ²S
							777.712	A	1	59.23	75.18	0½-0½	UV 30
148.387	B	(4)	10.01	93.57	1½-0½	2p ²P°— 9s ²S							
148.328	B	(1)	9.98	93.57	0½-0½	UV 15	713.860	A	8	59.24	76.61	1½-2½	3p ²P°— 4d ²D
							713.518	A	6	59.23	76.61	0½-1½	UV 31
148.168	B	(7)	10.01	93.68	1½-2½	2p ²P°— 9d ²D							
148.116	B	(4)	9.98	93.68	0½-1½	UV 16	510.096	P		59.24	83.55	1½-0½	3p ²P°— 5s ²S
							509.896	P		59.23	83.55	0½-0½	UV 32
146.921	B	(3)	10.01	94.40	1½-0½	2p ²P°—10s ²S							
						UV 17	495.356	P		59.24	84.27	1½-2½	3p ²P°— 5d ²D
146.767	B	(6)	10.01	94.48	1½-2½	2p ²P°—10d ²D							UV 33
146.716	B	(3)	9.98	94.48	0½-1½	UV 18	495.180	P		59.23	84.27	0½-1½	3p ²P°— 6s ²S
							430.857	P		59.24	88.02	1½-0½	UV 34
145.742	B	(5)	10.01	95.08	1½-	2p ²P°—11d ²D							
						UV 19	424.75	A	2	59.24	88.43	1½-2½	3p ²P°— 6d ²D
							424.61	A	1	59.23	88.43	0½-1½	UV 35
144.978	B	(4)	10.01	95.53	1½-	2p ²P°—12d ²D							
						UV 20	394.348	P		59.24	90.68	1½-0½	3p ²P°— 7s ²S
							394.228	P		59.23	90.68	0½-0½	UV 36
144.392	B	(3)	10.01	95.87	1½-	2p ²P°—13d ²D							
						UV 21	391.123	P		59.24	90.94	1½-2½	3p ²P°— 7d ²D
							391.008	P		59.23	90.94	0½-1½	UV 37
143.914	B	(2)	10.01	96.16	1½-	2p ²P°—14d ²D							
						UV 22							
143.520	B	(1)	10.01	96.39	1½-	2p ²P°—15d ²D							
						UV 23	764.840	P		60.06	76.27	2½-1½	3d ²D — 4p ²P°
							764.896	P		60.06	76.27	1½-0½	UV 38

Multiplet Table

N V - Continued

N V - Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac 748.291	A	9	60.06	76.63	$2\frac{1}{2}-3\frac{1}{2}$	$3d^2D - 4f^2F^\circ$	Air 2590.81	A	2	83.55	88.33	$0\frac{1}{2}-1\frac{1}{2}$	$5s^2S - 6p^2P^\circ$
748.195	A	8	60.06	76.63	$1\frac{1}{2}-2\frac{1}{2}$	UV 39	2591.44	A	1	83.55	88.33	$0\frac{1}{2}-0\frac{1}{2}$	UV 55
515.757	P		60.06	84.10	$2\frac{1}{2}-1\frac{1}{2}$	$3d^2D - 5p^2P^\circ$							
515.741	P		60.06	84.10	$1\frac{1}{2}-0\frac{1}{2}$	UV 40							
511.834	A	5	60.06	84.28		$3d^2D - 5f^2F^\circ$	3161.38	A	3	84.10	88.02	$1\frac{1}{2}-0\frac{1}{2}$	$5p^2P^\circ - 6s^2S$
						UV 41	3159.75	A	2	84.10	88.02	$0\frac{1}{2}-0\frac{1}{2}$	2
436.85	A	4	60.06	88.44		$3d^2D - 6f^2F^\circ$	2859.16	A	5l	84.10	88.43	$1\frac{1}{2}-2\frac{1}{2}$	$5p^2P^\circ - 6d^2D$
						UV 42	2858.03	A	4	84.10	88.43	$0\frac{1}{2}-1\frac{1}{2}$	UV 56
Air							Vac						
11327.57	P		75.18	76.27	$0\frac{1}{2}-1\frac{1}{2}$	$4s^2S - 4p^2P^\circ$	1882.92	A	1	84.10	90.68	$1\frac{1}{2}-0\frac{1}{2}$	$5p^2P^\circ - 7s^2S$
11368.92	P		75.18	76.27	$0\frac{1}{2}-0\frac{1}{2}$	1.02	1882.36	A	0	84.10	90.68	$0\frac{1}{2}-0\frac{1}{2}$	UV 57
Vac													
1389.514	A	3	75.18	84.10	$0\frac{1}{2}-1\frac{1}{2}$	$4s^2S - 5p^2P^\circ$							
1389.822	A	2	75.18	84.10	$0\frac{1}{2}-0\frac{1}{2}$	UV 43							
942.278	P		75.18	88.33	$0\frac{1}{2}-1\frac{1}{2}$	$4s^2S - 6p^2P^\circ$	Air 2974.52	A	6p	84.27	88.44		$5d^2D - 6f^2F^\circ$
942.361	P		75.18	88.33	$0\frac{1}{2}-0\frac{1}{2}$	UV 44							UV 59
							Vac						
1703.218	A	4	76.27	83.55	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 5s^2S$	1857.88	A	3l	84.27	90.95	$2\frac{1}{2}-$	$5d^2D - 7f^2F^\circ$
1702.25§	A	3	76.27	83.55	$0\frac{1}{2}-0\frac{1}{2}$	UV 45	1857.69	A	3l	84.27	90.95	$1\frac{1}{2}-2\frac{1}{2}$	UV 60
1549.336	A	6	76.27	84.27	$1\frac{1}{2}-2\frac{1}{2}$	$4p^2P^\circ - 5d^2D$							
1548.647	P		76.27	84.27	$0\frac{1}{2}-1\frac{1}{2}$	UV 46							
1055.229	P		76.27	88.02	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 6s^2S$	Air 2980.78	A	8wl	84.28	88.44		$5f^2F^\circ - 6g^2G$
1054.871	P		76.27	88.02	$0\frac{1}{2}-0\frac{1}{2}$	UV 47							UV 61
1019.278	P		76.27	88.43	$1\frac{1}{2}-2\frac{1}{2}$	$4p^2P^\circ - 6d^2D$	Vac 1860.37	A	6w	84.28	90.95		$5f^2F^\circ - 7g^2G$
1018.973	P		76.27	88.43	$0\frac{1}{2}-1\frac{1}{2}$	UV 48							etc. UV 62 etc.
							1495.5	A	2w	84.28	92.57		$5f^2F^\circ - 8g^2G$
													etc. UV 63 etc.
1655.879	P	2*	76.61	84.10	$2\frac{1}{2}-1\frac{1}{2}$	$4d^2D - 5p^2P^\circ$							
1656.065	P	2*	76.61	84.10	$1\frac{1}{2}-0\frac{1}{2}$	UV 49							
1616.328	A	9wl	76.61	84.28		$4d^2D - 5f^2F^\circ$	Air 2981.31	A	10wl	84.28	88.44		$5g^2G - 6h^2H^\circ$
1048.20	A	2w	76.61	88.44		$4d^2D - 6f^2F^\circ$	UV 51						UV 64
1621.966	A	1	76.63	84.27		$4f^2F^\circ - 5d^2D$	Vac 1860.37	A	6w	84.28	90.95		$5g^2G - 7h^2H^\circ$
1619.688	A	12wl	76.63	84.28		$4f^2F^\circ - 5g^2G$	UV 53						etc. UV 65 etc.
1049.65	A	3w	76.63	88.44		$4f^2F^\circ - 6g^2G$	Air 4333.38	P		88.02	90.88	$0\frac{1}{2}-1\frac{1}{2}$	$5g^2G - 8h^2H^\circ$
						UV 54	4334.49	P		88.02	90.88	$0\frac{1}{2}-0\frac{1}{2}$	etc. UV 66 etc.
													3

Multiplet Table

Nv - Continued

Nv - Continued

I A	Ref	Int	E P		J	Multiplet No.	I A	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Air													
5274.66	P		88.33	90.68	$1\frac{1}{2}-0\frac{1}{2}$	$6p^2P^o - 7s^2S$	4944.49	P		88.44	90.95		$6g^2G - 7h^2H^o$
5272.04	P		88.33	90.68	$0\frac{1}{2}-0\frac{1}{2}$	4						etc.	10 etc.
4750.57	P		88.33	90.94	$1\frac{1}{2}-2\frac{1}{2}$	$6p^2P^o - 7d^2D$							
4748.86	P		88.33	90.94	$0\frac{1}{2}-1\frac{1}{2}$	5	4944.71	P		88.44	90.95		$6h^2H^o - 7i^2I$
5067.60	P		88.43	90.88	$2\frac{1}{2}-1\frac{1}{2}$	$6d^2D - 7p^2P^o$						etc.	10.01 etc.
5068.40	P		88.43	90.88	$1\frac{1}{2}-0\frac{1}{2}$	6							
4933.36	P		88.43	90.95	$2\frac{1}{2}-$	$6d^2D - 7f^2F^o$	6716.95	P		90.68	92.53	$0\frac{1}{2}-1\frac{1}{2}$	$7s^2S - 8p^2P^o$
4932.68	P		88.43	90.95	$1\frac{1}{2}-2\frac{1}{2}$	7	6718.71	P		90.68	92.53	$0\frac{1}{2}-0\frac{1}{2}$	11
4951.32	P		88.44	90.94	$-2\frac{1}{2}$	$6f^2F^o - 7d^2D$							
4951.76	P		88.44	90.94	$2\frac{1}{2}-1\frac{1}{2}$	8	7329.09	P		90.88	92.57	$1\frac{1}{2}-2\frac{1}{2}$	$7p^2P^o - 8d^2D$
4944.56	A	9w	88.44	90.95		$6f^2F^o - 7g^2G$				90.88	92.57	$0\frac{1}{2}-1\frac{1}{2}$	12
						etc. 9 etc.							
2998.43	A	5w	88.44	92.57		$6f^2F^o - 8g^2G$	7618.46	A	5w	90.95	92.57		
						etc. 9.01 etc.						7g^2G — 8h^2H^o	
												etc.	13 etc.

NSRDS-NBS 3, SECTION 4

NITROGEN, Z = 7

A N VI Atomic Energy Levels

B N VI Multiplet Table

Atomic Energy Levels

Part A

NITROGEN

N VI

He I sequence; 2 electrons

$Z = 7$

Ground state $1s^2 \ ^1S_0$

$1s^2 \ ^1S_0$ **4452758** cm $^{-1}$, 22.458 Å (Vac)

I P 552.057 eV

In 1940 Tyrén reported his observations of the first three members of the singlet series, and the intersystem combination $1s^2 \ ^1S_0 - 2p \ ^3P_1$, in the range 23 Å to 29 Å. The resulting energy levels are given in Edlén's 1952 paper and are quoted here.

Bockasten and his colleagues have observed the triplet $2s \ ^3S - 2p \ ^3P^o$ in a theta-pinch discharge as source. Their wavelengths have been used to obtain the levels $2p \ ^3P_{2,1}^o$. The third line of the group is blended with N III. For this reason, Edlén's estimated value is quoted for $2p \ ^3P_0^o$ and entered in brackets in the table. The difference, o-c, is only -6 cm^{-1} .

The remaining levels are based on the observations reported in 1966 by Fawcett and Irons. The center of gravity of the $2p \ ^3P^o$ term, 3438480 cm $^{-1}$ has been used to evaluate the $nd \ ^3D$ terms. These authors give calculated wavelengths for the combinations with terms $np \ ^3P^o$ and $nd \ ^3D$ to $n=10$, but further observations are needed to extend the analysis.

The limit is from the theoretical work by Pekeris on the "Ground State of Two-Electron Atoms."

REFERENCES

- F. Tyrén, Nova Acta. Reg. Soc. Sci. Uppsala [IV] **12**, No. 1, 24–26 (1940). I P, T, C L
- B. Edlén, Ark. Fys. (Stockholm) **4**, No. 28, 441–453 (1952). I P, T, C L
- C. L. Pekeris, Phys. Rev. **112**, No. 5, 1649–1658 (1958). I P. Theory
- K. Bockasten, R. Hallin, K. B. Johansson and P. Tsui, Phys. Lett. **8**, No. 3, 181–182 (1964). C L
- B. C. Fawcett, F. E. Irons, Proc. Phys. Soc. (London) **89**, Part 4, No. 566, 1063–1064 (L) (1966).

Atomic Energy Levels

N VI
N VI

Config.	Desig.	J	Level	Interval		Config.	Desig.	J	Level	Internal
1s ²	1s ² 1S	0	0			1s 3p	3p 1P°	1	4016390	
1s 2s	2s 3S	1	3385890			1s 4p	4p 3P°	0, 1, 2	4202620	
1s 2p	2p 3P°	0 1 2	[3438310] 3438320 3438610	[10] 290		1s 4d	4d 3D	1, 2, 3	4205820	
1s 2p	2p 1P°	1	3473790			1s 4p	4p 1P°	1	4206810	
1s 3p	3p 3P°	0, 1, 2	4006160			1s 5p	5p 3P°	1, 2, 3	4293080	
1s 3d	3d 3D	1, 2, 3	4013460			1s 5d	5d 3D	1, 2, 3	4294570	
						N VII (² S _{0 1/2})	Limit	4452758	

July 1970

Multiplet Table

Part B

NITROGEN

N VI ($Z = 7$)

IP 552.057 eV Limit 4452758 cm⁻¹ 22.458 Å

Anal C List A July 1970

REFERENCES

- A F. Tyrén, Nova Acta Reg. Soc. Sci. Uppsala [IV] **12**, No. 1, 24–26 (1940). IP, T, CL; WL 23 Å to 29 Å
 - B K. Bockasten, R. Hallin, K. B. Johansson and P. Tsui, Phys. Lett. **8**, No. 3, 181–182 (1964). CL, I; WL 1896 Å to 1907 Å
 - C B. C. Fawcett, F. E. Irons, Proc. Phys. Soc. (London) **89**, Part 4, No. 566, 1063–1064 (1966). CL; WL 97 Å to 173 Å
- * and § Blend N III and N VI

N VI

N VI

IA	Ref	Int	EP		J	Multiplet No.	IA	Ref	Int	EP		J	Multiplet No.
			Low	High						Low	High		
Vac 29.084	A		0.00	426.29	0-1	1s ² 1S - 2p ³ P° 1	Vac 161.22	C		419.79	496.69	1-	2s ³ S - 3p ³ P° 6
28.787‡	A		0.00	430.68	0-1	1s ² 1S - 2p ¹ P° 2	122.44	C		419.79	521.05	1-	2s ³ S - 4p ³ P° 7
24.898	A		0.00	497.96	0-1	1s ² 1S - 3p ¹ P° 3	110.23	C		419.79	532.26	1-	2s ³ S - 5p ³ P° 8
23.771	A		0.00	521.56	0-1	1s ² 1S - 4p ¹ P° 4	173.92	C		426.31	497.59		2p ³ P° - 3d ³ D 9
1896.82	B	3	419.79	426.32	1-2	2s ³ S - 2p ³ P° 5	130.32	C		426.31	521.44		2p ³ P° - 4d ³ D 10
1907.34	B	2	419.79	426.29	1-1		116.81	C		426.31	532.45		2p ³ P° - 5d ³ D 11
*1907.87§	B	2	419.79	426.29	1-0								

NSRDS-NBS 3, SECTION 4

NITROGEN, Z = 7

A N VII Atomic Energy Levels

B N VII Multiplet Table



Atomic Energy Levels

Part A

NITROGEN

N VII

H I sequence; 1 electron

$Z = 7$

Ground state $1s^2S_{0\frac{1}{2}}$

$1s^2S_{0\frac{1}{2}}$ **5380089** cm⁻¹, 18.587 Å (Vac)

I P 667.029 eV

In 1940 Tyrén reported his observation of the first member of the Lyman series. This line was also detected in 1963 in the Zeta spectrum by the workers at Culham Laboratory, during the initial phase of their study of high-temperature plasmas. The first two members of this series, at 24.8 Å and 20.8 Å respectively, were identified in the far ultraviolet solar spectrum by R. L. Blake and his colleagues in 1964.

The terms listed below have been calculated by J. D. Garcia and J. E. Mack in their extensive paper on the H-like spectra, H I to Ca XX. Their values refer to the isotope ¹⁴N VII for which they used the value $R = 109733.00982$.

Edlén has, also, calculated centre-of-gravity wavelengths of the Lyman lines $1s - np$, $n = 2$ to 7 for the natural isotope mixture, but the difference is negligible for N VII.

REFERENCES

- F. Tyrén, Nova Acta Reg. Soc. Sci. Uppsala [IV] **12**, No. 1, 1–66 (1940). C L
- B. C. Fawcett, A. H. Gabriel, W. G. Griffin, B. B. Jones and R. Wilson, Nature **200**, No. 4913, 1303–1304 (L) (1963). C L
- R. L. Blake, T. A. Chubb, H. Friedman and A. E. Unzicker, Science **146**, No. 3647, 1037–1038 (Nov. 20, 1964). C L
- J. D. Garcia and J. E. Mack, J. Opt. Soc. Am. **55**, No. 6, 654–685 (1965). I P, T, C L
- B. Edlén, Ark. Fys. (Stockholm) **31**, No. 35, 509–510 (1966). C L

N VII

N VII

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval	
1s	$1s^2S$	$0\frac{1}{2}$	0		4p	$4p^2P^\circ$	$0\frac{1}{2}$	5043853	6	
2p	$2p^2P^\circ$	$0\frac{1}{2}$	4034761	45	4s	$4p^2S$	$0\frac{1}{2}$	5043859	104	
2s	$2s^2S$	$0\frac{1}{2}$	4034806	835	4p, 4d	$4d^2D$	$4p^2P^\circ$	$1\frac{1}{2}$	5043963	36
2p	$2p^2P^\circ$	$1\frac{1}{2}$	4035641		4d, 4f	$4d^2D$	$4f^2F^\circ$	$2\frac{1}{2}$	5043999	19
					4f	$4f^2F^\circ$	$3\frac{1}{2}$	5044018		
3p	$3p^2P^\circ$	$0\frac{1}{2}$	4782263	13	5p	$5p^2P^\circ$	$0\frac{1}{2}$	5164916	3	
3s	$3s^2S$	$0\frac{1}{2}$	4782276	247	5s	$5s^2S$	$0\frac{1}{2}$	5164919	54	
3d	$3d^2D$	$1\frac{1}{2}$	4782523	1	5p, 5d	$5d^2D$	$5p^2P^\circ$	$1\frac{1}{2}$	5164973	18
3p	$3p^2P^\circ$	$1\frac{1}{2}$	4782524	86	5d, 5f	$5d^2D$	$5f^2F^\circ$	$2\frac{1}{2}$	5164991	10
3d	$3d^2D$	$2\frac{1}{2}$	4782610		5f, 5g	$5g^2G$	$5f^2F^\circ$	$3\frac{1}{2}$	5165001	
					5g	$5g^2G$	$4\frac{1}{2}$	5165006	5	

Atomic Energy Levels

N VII – Continued

N VII – Continued

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
6p	6p $^2\text{P}^\circ$	$\frac{1}{2}$	5230673		11p	11p $^2\text{P}^\circ$	$\frac{1}{2}$	5335641	
6s	6s ^2S	$\frac{1}{2}$	5230675	2	11s	11s ^2S	$\frac{1}{2}$	5335642	1
6d	6d ^2D	$\frac{1}{2}$	5230705	30	etc.		$\frac{1}{2}$	to 51	9
6p	6p $^2\text{P}^\circ$	$\frac{1}{2}$	5230706	1					
6d, 6f	6d ^2D	$\frac{1}{2}$	5230716	10	12p	12p $^2\text{P}^\circ$	$\frac{1}{2}$	5342741	
6f, 6g	6f $^2\text{F}^\circ$	$\frac{1}{2}$	5230722	6	12s	12s ^2S	$\frac{1}{2}$	5342742	1
6g, 6h	6g ^2G	$\frac{1}{2}$	5230725	3	etc.		$\frac{1}{2}$	to 49	7
6h	6h $^2\text{H}^\circ$	$\frac{1}{2}$	5230727	2					
7p	7p $^2\text{P}^\circ$	$\frac{1}{2}$	5270319		13s, 13p	13s ^2S	$\frac{1}{2}$	5348267	
7s	7s ^2S	$\frac{1}{2}$	5270320	1	etc.		$\frac{1}{2}$	to 72	5
7p, 7d	7d ^2D	$\frac{1}{2}$	5270340	20	14s, 14p	14s ^2S	$\frac{1}{2}$	5352651	
7d, 7f	7d ^2D	$\frac{1}{2}$	5270346	6	etc.		$\frac{1}{2}$	to 55	4
7f, 7g	7f $^2\text{F}^\circ$	$\frac{1}{2}$	5270350	4					
7g, 7h	7g ^2G	$\frac{1}{2}$	5270352	2					
7h, 7i	7h $^2\text{H}^\circ$	$\frac{1}{2}$	5270353	1	15s, 15p	15s ^2S	$\frac{1}{2}$	5356187	
7i	7i ^2I	$\frac{1}{2}$	5270354	1	etc.		$\frac{1}{2}$	to 91	4
8p	8p $^2\text{P}^\circ$	$\frac{1}{2}$	5296049		16s, 16p	16s ^2S	$\frac{1}{2}$	5359082	
8s	8s ^2S	$\frac{1}{2}$	5296050	1	etc.		$\frac{1}{2}$	to 85	3
8p, 8d	8d ^2D	$\frac{1}{2}$	5296063	13	17s, 17p	17s ^2S	$\frac{1}{2}$	5361481	
8d, 8f	8d ^2D	$\frac{1}{2}$	5296068	5	etc.		$\frac{1}{2}$	to 83	2
8f, 8g	8f $^2\text{F}^\circ$	$\frac{1}{2}$	5296070	2					
8g, 8h	8g ^2G	$\frac{1}{2}$	5296071	1	18s, 18p	18s ^2S	$\frac{1}{2}$	5363491	
8h, 8i	8h $^2\text{H}^\circ$	$\frac{1}{2}$	5296072	1	etc.		$\frac{1}{2}$	to 93	2
8i, 8k	8i ^2I	$\frac{1}{2}$	5296073	1					
8k	8k $^2\text{K}^\circ$	$\frac{1}{2}$	5296073	0	19s, 19p	19s ^2S	$\frac{1}{2}$	5365192	
9p	9p $^2\text{P}^\circ$	$\frac{1}{2}$	5313689		etc.		$\frac{1}{2}$	to 94	2
9s	9s ^2S	$\frac{1}{2}$	5313690	1					
9p, 9d	9d ^2D	$\frac{1}{2}$	5313699	9	20s, 20p	20s ^2S	$\frac{1}{2}$	5366645	
9d, 9f	9d ^2D	$\frac{1}{2}$	5313702	3	etc.		$\frac{1}{2}$	to 46	1
9f, 9g	9f $^2\text{F}^\circ$	$\frac{1}{2}$	5313704	2					
9g, 9h	9g ^2G	$\frac{1}{2}$	5313705	1					
9h, 9i	9h $^2\text{H}^\circ$	$\frac{1}{2}$	5313705	0					
9i, 9k	9i ^2I	$\frac{1}{2}$	5313706	1					
9k, 9l	9k $^2\text{K}^\circ$	$\frac{1}{2}$	5313706	0					
9l	9l ^2L	$\frac{1}{2}$	5313706	0					
10p	10p $^2\text{P}^\circ$	$\frac{1}{2}$	5326306						
10s	10s ^2S	$\frac{1}{2}$	5326307	1					
10d	10d ^2D	$\frac{1}{2}$	5326313	6					
10p	10p $^2\text{P}^\circ$	$\frac{1}{2}$	5326314						
10d, 10f	10d ^2D	$\frac{1}{2}$	5326316	2					
10f, 10g	10f $^2\text{F}^\circ$	$\frac{1}{2}$	5326317	1					
10g, 10h	10g ^2G	$\frac{1}{2}$	5326317	1					
10h, 10i	10h $^2\text{H}^\circ$	$\frac{1}{2}$	5326318	1					
10i, 10j	10i ^2I	$\frac{1}{2}$	5326318	0					
10j, 10k	10j $^2\text{K}^\circ$	$\frac{1}{2}$	5326319	1					
10k, 10l	10k ^2L	$\frac{1}{2}$	5326319	0					
10l, 10m	10l ^2L	$\frac{1}{2}$	5326319	0					
10m	10m $^2\text{M}^\circ$	$\frac{1}{2}$	5326319	0					

April 1970.

Multiplet Table

Part B

NITROGEN

N VII ($Z=7$)

IP 667.029 eV Limit 5380089 cm⁻¹ 18.587 Å (Vac)

Anal A List B April 1970

REFERENCES

A. J. D. Garcia and J. E. Mack, J. Opt. Soc. Am. **55**, No. 6, 654–685 (1965). IP, T, CL; WL 18 Å to 18107 Å (All wavelengths are from theoretical calculations of H-like spectra. For unresolved groups the wavelength has been derived from “the wave number of the statistically weighted mean of all components.”)

B. Edlén, Ark. Fys. (Stockholm) **31**, No. 35, 509–510 (1966). CL

N VII

N VII

IA	Ref	Int	E P		J	Multiplet No.	IA	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac													
24.7792	A		0.00	500.34	$\frac{1}{2}-\frac{1}{2}$	1s ² S – 2p ² P°	18.6976	A		0.00	663.08	$\frac{1}{2}-$	1s ² S – 13p ² P°
24.7846	A		0.00	500.23	$\frac{1}{2}-\frac{1}{2}$	1							12
20.9095	A		0.00	592.94	$\frac{1}{2}-\frac{1}{2}$	1s ² S – 3p ² P°	18.6823	A		0.00	663.63	$\frac{1}{2}-$	1s ² S – 14p ² P°
20.9106	A		0.00	592.91	$\frac{1}{2}-\frac{1}{2}$	2							13
19.8257	A		0.00	625.36	$\frac{1}{2}-\frac{1}{2}$	1s ² S – 4p ² P°	18.6700	A		0.00	664.07	$\frac{1}{2}-$	1s ² S – 15p ² P°
19.8261	A		0.00	625.34	$\frac{1}{2}-\frac{1}{2}$	3							14
19.3612	A		0.00	640.36	$\frac{1}{2}-\frac{1}{2}$	1s ² S – 5p ² P°	18.6599	A		0.00	664.42	$\frac{1}{2}-$	1s ² S – 16p ² P°
19.3614	A		0.00	640.35	$\frac{1}{2}-\frac{1}{2}$	4							15
19.1179	A		0.00	648.51	$\frac{1}{2}-\frac{1}{2}$	1s ² S – 6p ² P°	18.6516	A		0.00	664.72	$\frac{1}{2}-$	1s ² S – 17p ² P°
19.1180	A		0.00	648.50	$\frac{1}{2}-\frac{1}{2}$	5							16
18.9741	A		0.00	653.42	$\frac{1}{2}-\frac{1}{2}$	1s ² S – 7p ² P°	18.6446	A		0.00	664.97	$\frac{1}{2}-$	1s ² S – 18p ² P°
18.9742	A		0.00	653.42	$\frac{1}{2}-\frac{1}{2}$	6							17
18.8819	A		0.00	656.61	$\frac{1}{2}-\frac{1}{2}$	1s ² S – 8p ² P°	18.6387	A		0.00	665.18	$\frac{1}{2}-$	1s ² S – 19p ² P°
18.8820	A		0.00	656.61	$\frac{1}{2}-\frac{1}{2}$	7							18
18.8193	A		0.00	658.80	$\frac{1}{2}-$	1s ² S – 9p ² P°	18.6336	A		0.00	665.36	$\frac{1}{2}-$	1s ² S – 20p ² P°
						8							19
18.7747	A		0.00	660.36	$\frac{1}{2}-$	1s ² S – 10p ² P°	—	—	—	—	—	—	
						9							
18.7419	A		0.00	661.52	$\frac{1}{2}-$	1s ² S – 11p ² P°	133.934	A		500.34	592.91	$\frac{1}{2}-\frac{1}{2}$	2p ² P° – 3s ² S
						10	133.777	A		500.23	592.91	$\frac{1}{2}-\frac{1}{2}$	20
18.7170	A		0.00	662.40	$\frac{1}{2}-$	1s ² S – 12p ² P°	133.874	A		500.34	592.95	$\frac{1}{2}-\frac{1}{2}$	2p ² P° – 3d ² D
						11	133.732	A		500.23	592.94	$\frac{1}{2}-\frac{1}{2}$	21
							133.890	A		500.34	592.94	$\frac{1}{2}-\frac{1}{2}$	

Multiplet Table

N VII—Continued

N VII—Continued

IA	Ref	Int	E P		J	Multiplet No.	IA	Ref	Int	E P		J	Multiplet No.
			Low	High						Low	High		
Vac													
99.185	A		500.34	625.34	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 4s^2S$	75.701	A		500.30	664.07		$2p^2P^o - 15d^2D$
99.098	A		500.23	625.34	$0\frac{1}{2}-0\frac{1}{2}$	22							etc. 42 etc.
99.134	A		500.30	625.36		$2p^2P^o - 4d^2D$	133.740	A		500.24	592.24	$0\frac{1}{2}-1\frac{1}{2}$	$2s^2S - 3p^2P^o$
88.552	A		500.34	640.35	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 5s^2S$	133.787	A		500.24	592.91	$0\frac{1}{2}-0\frac{1}{2}$	43
88.483	A		500.23	640.35	$0\frac{1}{2}-0\frac{1}{2}$	24							
88.515	A		500.30	640.36		$2p^2P^o - 5d^2D$	99.093	A		500.24	625.36	$0\frac{1}{2}-1\frac{1}{2}$	$2s^2S - 4p^2P^o$
						etc. 25 etc.	99.103	A		500.24	625.34	$0\frac{1}{2}-0\frac{1}{2}$	44
83.680	A		500.34	648.50	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 6s^2S$	88.482	A		500.24	640.36	$0\frac{1}{2}-1\frac{1}{2}$	$2s^2S - 5p^2P^o$
83.618	A		500.23	648.50	$0\frac{1}{2}-0\frac{1}{2}$	26				500.24	640.35	$0\frac{1}{2}-0\frac{1}{2}$	45
83.648	A		500.30	648.51		$2p^2P^o - 6d^2D$	83.619	A		500.24	648.51	$0\frac{1}{2}-1\frac{1}{2}$	$2s^2S - 6p^2P^o$
						etc. 27 etc.	83.621	A		500.24	648.50	$0\frac{1}{2}-0\frac{1}{2}$	46
80.993	A		500.34	653.42	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 7s^2S$	80.937	A		500.24	653.42	$0\frac{1}{2}-1\frac{1}{2}$	$2s^2S - 7p^2P^o$
80.935	A		500.23	653.42	$0\frac{1}{2}-0\frac{1}{2}$	28				500.24	653.42	$0\frac{1}{2}-0\frac{1}{2}$	47
80.963	A		500.30	653.42		$2p^2P^o - 7d^2D$	79.286	A		500.24	656.61	$0\frac{1}{2}-1\frac{1}{2}$	$2s^2S - 8p^2P^o$
						etc. 29 etc.	79.287	A		500.24	656.61	$0\frac{1}{2}-0\frac{1}{2}$	48
79.339	A		500.34	656.61	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 8s^2S$	78.193	A		500.24	658.80	$0\frac{1}{2}-1\frac{1}{2}$	$2s^2S - 9p^2P^o$
79.284	A		500.23	656.61	$0\frac{1}{2}-0\frac{1}{2}$	30				500.24	658.80	$0\frac{1}{2}-0\frac{1}{2}$	49
79.311	A		500.30	656.61		$2p^2P^o - 8d^2D$	77.429	A		500.24	660.36	$0\frac{1}{2}-$	$2s^2S - 10p^2P^o$
						etc. 31 etc.							50
78.244	A		500.34	658.80	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 9s^2S$							
78.190	A		500.23	658.80	$0\frac{1}{2}-0\frac{1}{2}$	32	382.651	A		592.94	625.34	$1\frac{1}{2}-0\frac{1}{2}$	$3p^2P^o - 4s^2S$
							382.269	A		592.91	625.34	$0\frac{1}{2}-0\frac{1}{2}$	51
78.217	A		500.30	658.80		$2p^2P^o - 9d^2D$	261.510	A		592.94	640.35	$1\frac{1}{2}-0\frac{1}{2}$	$3p^2P^o - 5s^2S$
						etc. 33 etc.	261.331	A		592.91	640.35	$0\frac{1}{2}-0\frac{1}{2}$	52
77.479	A		500.34	660.36	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 10s^2S$	223.139	A		592.94	648.50	$1\frac{1}{2}-0\frac{1}{2}$	$3p^2P^o - 6s^2S$
77.427	A		500.23	660.36	$0\frac{1}{2}-0\frac{1}{2}$	34	223.009	A		592.91	648.50	$0\frac{1}{2}-0\frac{1}{2}$	53
77.453	A		500.30	660.36		$2p^2P^o - 10d^2D$	205.004	A		592.94	653.42	$1\frac{1}{2}-0\frac{1}{2}$	$3p^2P^o - 7s^2S$
						etc. 35 etc.	204.894	A		592.91	653.42	$0\frac{1}{2}-0\frac{1}{2}$	54
76.923	A		500.34	661.52	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 11s^2S$	194.732	A		592.94	656.61	$1\frac{1}{2}-0\frac{1}{2}$	$3p^2P^o - 8s^2S$
76.871	A		500.23	661.52	$0\frac{1}{2}-0\frac{1}{2}$	36	194.633	A		592.91	656.61	$0\frac{1}{2}-0\frac{1}{2}$	55
76.897	A		500.30	661.52		$2p^2P^o - 11d^2D$	188.265	A		592.94	658.80	$1\frac{1}{2}-0\frac{1}{2}$	$3p^2P^o - 9s^2S$
						etc. 37 etc.	188.173	A		592.91	658.80	$0\frac{1}{2}-0\frac{1}{2}$	56
76.505	A		500.34	662.40	$1\frac{1}{2}-0\frac{1}{2}$	$2p^2P^o - 12s^2S$	183.897	A		592.94	660.36	$1\frac{1}{2}-0\frac{1}{2}$	$3p^2P^o - 10s^2S$
76.454	A		500.23	662.40	$0\frac{1}{2}-0\frac{1}{2}$	38	183.809	A		592.91	660.36	$0\frac{1}{2}-0\frac{1}{2}$	57
76.480	A		500.30	662.40		$2p^2P^o - 12d^2D$							
						etc. 39 etc.							
76.158	A		500.30	663.08		$2p^2P^o - 13d^2D$	382.136	A		592.91	625.36	$0\frac{1}{2}-1\frac{1}{2}$	$3s^2S - 4p^2P^o$
						etc. 40 etc.	382.297	A		592.91	625.34	$0\frac{1}{2}-0\frac{1}{2}$	58
75.904	A		500.30	663.63		$2p^2P^o - 14d^2D$	261.303	A		592.91	640.36	$0\frac{1}{2}-1\frac{1}{2}$	$3s^2S - 5p^2P^o$
						etc. 41 etc.	261.342	A		592.91	640.35	$0\frac{1}{2}-0\frac{1}{2}$	59

Multiplet Table

N VII – Continued

N VII – Continued

IA	Ref	Int	EP		J	Multiplet No.	IA	Ref	Int	EP		J	Multiplet No.
			Low	High						Low	High		
Vac													
223.000	A		592.91	648.51	$0\frac{1}{2}-1\frac{1}{2}$	$3s^2S - 6p^2P^\circ$	396.677	A		625.36	656.61		$4d^2D - 8f^2F^\circ$
223.017	A		592.91	648.50	$0\frac{1}{2}-0\frac{1}{2}$	60							etc. 78 etc.
204.891	A		592.91	653.42	$0\frac{1}{2}-1\frac{1}{2}$	$3s^2S - 7p^2P^\circ$	370.741	A		625.36	658.80		$4d^2D - 9f^2F^\circ$
204.900	A		592.91	653.42	$0\frac{1}{2}-0\frac{1}{2}$	61							etc. 79 etc.
			—	—			354.177	A		625.36	660.36		$4d^2D - 10f^2F^\circ$
382.445	A		592.95	625.36		$3d^2D - 4f^2F^\circ$							etc. 80 etc.
261.449	A		592.95	640.36		$3d^2D - 5f^2F^\circ$							etc. 81 etc.
223.106	A		592.95	648.51		$3d^2D - 6f^2F^\circ$							etc. 82 etc.
204.980	A		592.95	653.42		$3d^2D - 7f^2F^\circ$							etc. 83 etc.
194.713	A		592.95	656.61		$3d^2D - 8f^2F^\circ$							etc. 84 etc.
188.248	A		592.95	658.80		$3d^2D - 9f^2F^\circ$							etc. 85 etc.
183.881	A		592.95	660.36		$3d^2D - 10f^2F^\circ$							etc. 86 etc.
			—	—			1521.41	A		640.36	648.51		$5d^2D - 6f^2F^\circ$
826.747	A		625.36	640.35	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 5s^2S$							etc. 86 etc.
825.996	A		625.34	640.35	$0\frac{1}{2}-0\frac{1}{2}$	69							$5d^2D - 7f^2F^\circ$
535.584	A		625.36	648.50	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 6s^2S$	949.134	A		640.36	653.42		etc. 87 etc.
535.269	A		625.34	648.50	$0\frac{1}{2}-0\frac{1}{2}$	70							$5d^2D - 8f^2F^\circ$
441.780	A		625.36	653.42	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 7s^2S$	762.884	A		640.36	656.61		etc. 88 etc.
441.565	A		625.34	653.42	$0\frac{1}{2}-0\frac{1}{2}$	71							$5d^2D - 9f^2F^\circ$
396.688	A		625.36	656.61	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 8s^2S$	672.420	A		640.36	658.80		etc. 89 etc.
396.515	A		625.34	656.61	$0\frac{1}{2}-0\frac{1}{2}$	72							$5d^2D - 10f^2F^\circ$
370.745	A		625.36	658.80	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 9s^2S$	619.844	A		640.36	660.36		etc. 90 etc.
370.594	A		625.34	658.80	$0\frac{1}{2}-0\frac{1}{2}$	73							$5d^2D - 10s^2S$
354.178	A		625.36	660.36	$1\frac{1}{2}-0\frac{1}{2}$	$4p^2P^\circ - 10s^2S$							etc. 91 etc.
354.040	A		625.34	660.36	$0\frac{1}{2}-0\frac{1}{2}$	74							$6p^2P^\circ - 7s^2S$
			—	—			Air						
							2523.601	A		648.51	653.42	$1\frac{1}{2}-0\frac{1}{2}$	$6p^2P^\circ - 8s^2S$
							2521.500	A		648.50	653.42	$0\frac{1}{2}-0\frac{1}{2}$	91
							Vac						
826.385	A		625.36	640.36		$4d^2D - 5f^2F^\circ$	1530.362	A		648.51	656.61	$1\frac{1}{2}-0\frac{1}{2}$	$6p^2P^\circ - 8s^2S$
						etc. 75 etc.	1529.590	A		648.50	656.61	$0\frac{1}{2}-0\frac{1}{2}$	92
535.510	A		625.36	648.51		$4d^2D - 6f^2F^\circ$	1205.052	A		648.51	658.80	$1\frac{1}{2}-0\frac{1}{2}$	$6p^2P^\circ - 9s^2S$
						etc. 76 etc.	1204.573	A		648.50	658.80	$0\frac{1}{2}-0\frac{1}{2}$	93
441.753	A		625.36	653.42		$4d^2D - 7f^2F^\circ$	1046.014	A		648.51	660.36	$1\frac{1}{2}-0\frac{1}{2}$	$6p^2P^\circ - 10s^2S$
						etc. 77 etc.	1045.653	A		648.50	660.36	$0\frac{1}{2}-0\frac{1}{2}$	94

Publications in the National Standard Reference Data Series

National Bureau of Standards

You may use this listing as your order form by checking the proper box of the publication(s) you desire or by providing the full identification of the publication you wish to purchase. The full letter symbols with each publication number and full title of the publication and author must be given in your order, e.g. NSRDS-NBS-17, Tables of Molecular Vibrational Frequencies, Part 3, by T. Shimanouchi.

Pay for publications by check, money order, or Superintendent of Documents coupons or deposit account. Make checks and money orders payable to Superintendent of Documents. Foreign

remittances should be made either by international money order or draft on an American bank. Postage stamps are not acceptable.

No charge is made for postage to destinations in the United States and possessions, Canada, Mexico, and certain Central and South American countries. To other countries, payments for documents must cover postage. Therefore, one-fourth of the price of the publication should be added for postage.

Send your order together with remittance to Superintendent of Documents, Government Printing Office, Washington, D.C. 20402.

- NSRDS-NBS 1, **National Standard Reference Data System—Plan of Operation**, by E. L. Brady and M. B. Wallenstein, 1964 (15 cents). SD Catalog No. C13.48:1.
- NSRDS-NBS 2, **Thermal Properties of Aqueous Univalent Electrolytes**, by V. B. Parker, 1965 (45 cents). SD Catalog No. C13.48:2.
- NSRDS-NBS 3, Sec. 1, **Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables, Si II, Si III, Si IV**, by C. E. Moore, 1965 (35 cents). SD Catalog No. C13.48:/Sec. 1.
- NSRDS-NBS 3, Sec. 2, **Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables, Si I**, by C. E. Moore, 1967 (20 cents). SD Catalog No. C13.48:3/Sec. 2.
- NSRDS-NBS 3, Sec. 3, **Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables, Cl, C II, C III, C IV, C V, C VI**, by C. E. Moore, 1970 (\$1.00). SD Catalog No. C13.48:3/Sec. 3.
- NSRDS-NBS 3, Sec. 4, **Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables, N IV, N V, N VI, N VII**, by C. E. Moore, 1971 (\$1.00). SD Catalog No. C13.48:3/Sec. 4.
- NSRDS-NBS 4, **Atomic Transition Probabilities, Volume I, Hydrogen Through Neon**, by W. L. Wiese, M. W. Smith and B. M. Glennon, 1966 (\$2.50). SD Catalog No. C13.48:4/Vol. 1.
- NSRDS-NBS 5, **The Band Spectrum of Carbon Monoxide**, by P. H. Krupenie, 1966 (70 cents). SD Catalog No. C13.48:5.
- NSRDS-NBS 6, **Tables of Molecular Vibrational Frequencies, Part 1**, by T. Schimanouchi, 1967 (40 cents). SD Catalog No. C13.48:6/Pt. 1.
- NSRDS-NBS 7, **High Temperature Properties and Decomposition of Inorganic Salts, Part 1, Sulfates**, by K. H. Stern and E. L. Weise, 1966 (35 cents). SD Catalog No. C13.48:7/Pt. 1.
- NSRDS-NBS 8, **Thermal Conductivity of Selected Materials**, by R. W. Powell, C. Y. Ho, and P. E. Liley, 1966 (\$1.00). SD Catalog No. C13.48:8.
- NSRDS-NBS 9, **Tables of Bimolecular Gas Reactions (rate coefficients)**, by A. F. Trotman-Dickenson and G. S. Milne, 1967 (\$2.00). SD Catalog No. C13.48:9.
- NSRDS-NBS 10, **Selected Values of Electric Dipole Moments for Molecules in the Gas Phase**, by R. D. Nelson, Jr., D. R. Lide, Jr., and A. A. Maryott, 1967 (40 cents). SD Catalog No. C13.48:10.
- NSRDS-NBS 11, **Tables of Molecular Vibrational Frequencies, Part 2**, by T. Shimanouchi, 1967 (30 cents). SD Catalog No. C13.48:11/Pt. 2.
- NSRDS-NBS 12, **Tables for the Rigid Asymmetric Roto-Transformation Coefficients from Symmetric to Asymmetric Bases and Expectation Values of P_2^2 , P_4^2 , and P_6^2** , by R. H. Schwendeman, 1968 (60 cents). SD Catalog No. C13.48:12.
- NSRDS-NBS 13, **Hydrogenation of Ethylene on Metallic Catalysts**, by J. Horiuti and K. Miyahara, 1968 (\$1.00). SD Catalog No. C13.48:13.
- NSRDS-NBS 14, **X-Ray Wavelengths and X-Ray Atomic Energy Levels**, by J. A. Bearden, 1967 (40 cents). SD Catalog No. C13.48:14.
- NSRDS-NBS 15, **Molten Salts, Vol. 1, Electrical Conductance, Density, and Viscosity Data**, by G. Janz, F. W. Dampier, G. R. Lakshminarayanan, P. K. Lorenz, and R. P. T. Tomkins, 1968 (\$3.00). SD Catalog No. C13.48:15/Vol. 1.
- NSRDS-NBS 16, **Thermal Conductivity of Selected Materials, Part 2**, by C. Y. Ho, R. W. Powell, and P. E. Liley, 1968 (\$2.00). SD Catalog No. C13.48:16/Pt. 2.
- NSRDS-NBS 17, **Tables of Molecular Vibration Frequencies, Part 3**, by T. Shimanouchi, 1968 (30 cents). SD Catalog No. C13.48:17/Pt. 3.
- NSRDS-NBS 18, **Critical Analysis of the Heat-Capacity Data of the Literature and Evaluation of Thermo-dynamic Properties of Copper, Silver, and Gold From 0 to 300 K**, by G. T. Furukawa, W. G. Saba, and M. L. Reilly, 1968 (40 cents). SD Catalog No. C13.48:18.
- NSRDS-NBS 19, **Thermodynamic Properties of Ammonia as an Ideal Gas**, by L. Haar, 1968 (20 cents). SD Catalog No. C13.48:19.
- NSRDS-NBS 20, **Gas Phase Reaction Kinetics of Neutral Oxygen Species**, by H. S. Johnson, 1968 (45 cents). SD Catalog No. C13.48:20.
- NSRDS-NBS 21, **Kinetic Data on Gas Phase Unimolecular Reactions**, by S. W. Benson and H. E. O'Neal, 1970 (\$7.00). SD Catalog No. C13.48:21.
- NSRDS-NBS 22, **Atomic Transition Probabilities, Vol. II, Sodium Through Calcium, A Critical Data Compilation**, by W. L. Wiese, M. W. Smith, and B. M. Miles, 1969 (\$4.50). SD Catalog No. C13.48:22/Vol. II.
- NSRDS-NBS 23, **Partial Grotrian Diagrams of Astrophysical Interest**, by C. E. Moore and P. W. Merrill, 1968 (55 cents). SD Catalog No. C13.48:23.
- NSRDS-NBS 24, **Theoretical Mean Activity Coefficients of Strong Electrolytes in Aqueous Solutions from 0 to 100 °C**, by Walter J. Hamer, 1968 (\$4.25). SD Catalog No. C13.48:24.
- NSRDS-NBS 25, **Electron Impact Excitation of Atoms**, by B. L. Moiseiwitsch and S. J. Smith, 1968 (\$2.00). SD Catalog No. C13.48:25.

- NSRDS-NBS 26, **Ionization Potentials, Appearance Potentials, and Heats of Formation of Positive Ions**, by J. L. Franklin, J. G. Dillard, H. M. Rosenstock, J. T. Herron, K. Draxl, and F. H. Field, 1969 (\$4.00). SD Catalog No. C13.48:26.
- NSRDS-NBS 27, **Thermodynamic Properties of Argon from the Triple Point to 300 K at Pressures to 1000 Atmospheres**, by A. L. Gosman, R. D. McCarty, and J. G. Hust, 1969 (\$1.25). SD Catalog No. C13.48:27.
- NSRDS-NBS 28, **Molten Salts, Vol. 2, Section 1, Electrochemistry of Molten Salts: Gibbs Free Energies and Excess Free Energies From Equilibrium-Type Cells**, by G. J. Janz and C. G. M. Dilkhuis. **Section 2, Surface Tension Data**, by G. J. Janz, G. R. Lakshminarayanan, R. P. T. Tomkins, and J. Wong, 1969 (\$2.75). SD Catalog No. C13.48:28/Vol. 2.
- NSRDS-NBS 29, **Photon Cross Sections, Attenuation Coefficients and Energy Absorption Coefficients from 10 KeV to 100 GeV**, by J. H. Hubbell, 1969 (75 cents). SD Catalog No. C13.48:29.
- NSRDS-NBS 30, **High Temperature Properties and Decomposition of Inorganic Salts, Part 2, Carbonates**, by K. H. Stern and E. L. Weise, 1969 (45 cents). SD Catalog No. C13.48:30/Pt. 2.
- NSRDS-NBS 31, **Bond Dissociation Energies in Simple Molecules**, by B. deB. Darwent, 1970 (55 cents). SD Catalog No. C13.48:31.
- NSRDS-NBS 32, **Phase Behavior in Binary Multi-component Systems at Elevated Pressures: n-Pentane and Methane-n-Pentane**, by V. M. Berry and B. H. Sage, 1970 (70 cents). SD Catalog No. C13.48:32.
- NSRDS-NBS 33, **Electrolytic and Conductance and the Conductance of the Acids in Water**, by W. J. Hamer and H. J. DeWane, 1970 (50 cents). SD Catalog No. C13.48:34.
- NSRDS-NBS 34, **Ionization Potentials and Ionization Limits Derived from the Analyses of Optical Spectra**, by C. E. Moore, 1970 (75 cents). SD Catalog No. C13.48:33.
- NSRDS-NBS 35, **Atomic Energy Levels, Vol. I ^1H to ^{23}V ; Vol. II ^{24}Cr to ^{41}Nb ; Vol. III ^{42}Mo to ^{57}La , ^{72}Hf to ^{89}Ac** , by C. E. Moore, 1971 (In preparation). SD Catalog No. C13.48:35/Vols. I, II, and III.
- NSRDS-NBS 36, **Micelle Concentrations of Aqueous Surfactant Systems**, by P. Mukerjee and K. J. Mysels, 1971 (In press) SD Catalog No. C13.48:36.

**Announcement of New Publications in
National Standard Reference Data Series**

Superintendent of Documents,
Government Printing Office,
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Standard Reference Data Series—National Bureau of Standards.

Name.....

Company.....


Address.....

City..... State..... Zip Code.....

(Notification key N-337)

U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET		1. PUBLICATION OR REPORT NO. NBS-NSRDS 3, Section 4	2. Gov't Accession No.	3. Recipient's Accession No.
4. TITLE AND SUBTITLE Selected Tables of Atomic Spectra A Atomic Energy Levels-Second Edition B Multiplet Tables: N IV, N V, N VI, N VII Data Derived from the Analyses of Optical Spectra			5. Publication Date August 1971	6. Performing Organization Code
7. AUTHOR(S) Charlotte E. Moore			8. Performing Organization	
9. PERFORMING ORGANIZATION NAME AND ADDRESS NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234			10. Project/Task/Work Unit No.	11. Contract/Grant No.
12. Sponsoring Organization Name and Address Office of Standard Reference Data National Bureau of Standards Department of Commerce Washington, D.C. 20234			13. Type of Report & Period Covered NA	14. Sponsoring Agency Code
15. SUPPLEMENTARY NOTES				
16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.) The present publication is the fourth Section of a series being prepared in response to the persistent need for a current revision of two sets of tables containing data on atomic spectra as derived from analyses of optical spectra. As in the previous Sections, Part A contains the atomic energy levels and Part B the multiplet tables. Four spectra of nitrogen, N IV, N V, N VI, and N VII, are included. The form of presentation is described in detail in the text to Section 1.				
17. KEY WORDS (Alphabetical order, separated by semicolons) Atomic energy levels, N IV-N VII; Multiplet tables, N IV-N VII; Nitrogen spectra, N IV-N VII; Spectra, N IV-N VII; Wavelengths, nitrogen spectra N IV-N VII.				
18. AVAILABILITY STATEMENT <input checked="" type="checkbox"/> UNLIMITED. <input type="checkbox"/> FOR OFFICIAL DISTRIBUTION. DO NOT RELEASE TO NTIS.		19. SECURITY CLASS (THIS REPORT) UNCLASSIFIED	21. NO. OF PAGES 46	
		20. SECURITY CLASS (THIS PAGE) UNCLASSIFIED	22. Price 55 cents	

USCOMM-DC 66244-P71



NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH reports National Bureau of Standards research and development in physics, mathematics, chemistry, and engineering. Comprehensive scientific papers give complete details of the work, including laboratory data, experimental procedures, and theoretical and mathematical analyses. Illustrated with photographs, drawings, and charts.

Published in three sections, available separately:

● Physics and Chemistry

Papers of interest primarily to scientists working in these fields. This section covers a broad range of physical and chemical research, with major emphasis on standards of physical measurement, fundamental constants, and properties of matter. Issued six times a year. Annual subscription: Domestic, \$9.50; foreign, \$11.75*.

● Mathematical Sciences

Studies and compilations designed mainly for the mathematician and theoretical physicist. Topics in mathematical statistics, theory of experiment design, numerical analysis, theoretical physics and chemistry, logical design and programming of computers and computer systems. Short numerical tables. Issued quarterly. Annual subscription: Domestic, \$5.00; foreign, \$6.25*.

● Engineering and Instrumentation

Reporting results of interest chiefly to the engineer and the applied scientist. This section includes many of the new developments in instrumentation resulting from the Bureau's work in physical measurement, data processing, and development of test methods. It will also cover some of the work in acoustics, applied mechanics, building research, and cryogenic engineering. Issued quarterly. Annual subscription: Domestic, \$5.00; foreign, \$6.25*.

TECHNICAL NEWS BULLETIN

The best single source of information concerning the Bureau's research, developmental, cooperative and publication activities, this monthly publication is designed for the industry-oriented individual whose daily work involves intimate contact with science and technology—for engineers, chemists, physicists, research managers, product-development managers, and company executives. Annual subscription: Domestic, \$3.00; foreign, \$4.00*.

* Difference in price is due to extra cost of foreign mailing.

Order NBS publications from:

Superintendent of Documents
Government Printing Office
Washington, D.C. 20402

NONPERIODICALS

Applied Mathematics Series. Mathematical tables, manuals, and studies.

Building Science Series. Research results, test methods, and performance criteria of building materials, components, systems, and structures.

Handbooks. Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications. Proceedings of NBS conferences, bibliographies, annual reports, wall charts, pamphlets, etc.

Monographs. Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

National Standard Reference Data Series. NSRDS provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated.

Product Standards. Provide requirements for sizes, types, quality and methods for testing various industrial products. These standards are developed cooperatively with interested Government and industry groups and provide the basis for common understanding of product characteristics for both buyers and sellers. Their use is voluntary.

Technical Notes. This series consists of communications and reports (covering both other agency and NBS-sponsored work) of limited or transitory interest.

Federal Information Processing Standards Publications. This series is the official publication within the Federal Government for information on standards adopted and promulgated under the Public Law 89-306, and Bureau of the Budget Circular A-86 entitled, Standardization of Data Elements and Codes in Data Systems.

Consumer Information Series. Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

NBS Special Publication 305, Supplement 1, Publications of the NBS, 1968-1969. When ordering, include Catalog No. C13.10:305. Price \$4.50; foreign, \$5.75.

U.S. DEPARTMENT OF COMMERCE

WASHINGTON, D.C. 20230

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE

