

A11102 146179

NBS
PUBLICATIONS

NAT'L INST OF STANDARDS & TECH R.I.C.



A11102146179
/NSRDS-NBS
QC100 .U573 V3:9;1980 C.1 NBS-PUB-C 1964



NSRDS—NBS 3, Section 9

U.S. DEPARTMENT OF COMMERCE / National Bureau of Standards



Selected Tables of Atomic Spectra

Atomic Energy Levels and Multiplet Tables

0 v

QC
100
.U573
No. 3-9
1980
c. 2

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress on March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau's technical work is performed by the National Measurement Laboratory, the National Engineering Laboratory, and the Institute for Computer Sciences and Technology.

THE NATIONAL MEASUREMENT LABORATORY provides the national system of physical and chemical and materials measurement; coordinates the system with measurement systems of other nations and furnishes essential services leading to accurate and uniform physical and chemical measurement throughout the Nation's scientific community, industry, and commerce; conducts materials research leading to improved methods of measurement, standards, and data on the properties of materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government agencies; develops, produces, and distributes Standard Reference Materials; and provides calibration services. The Laboratory consists of the following centers:

Absolute Physical Quantities² — Radiation Research — Thermodynamics and Molecular Science — Analytical Chemistry — Materials Science.

THE NATIONAL ENGINEERING LABORATORY provides technology and technical services to the public and private sectors to address national needs and to solve national problems; conducts research in engineering and applied science in support of these efforts; builds and maintains competence in the necessary disciplines required to carry out this research and technical service; develops engineering data and measurement capabilities; provides engineering measurement traceability services; develops test methods and proposes engineering standards and code changes; develops and proposes new engineering practices; and develops and improves mechanisms to transfer results of its research to the ultimate user. The Laboratory consists of the following centers:

Applied Mathematics — Electronics and Electrical Engineering² — Mechanical Engineering and Process Technology² — Building Technology — Fire Research — Consumer Product Technology — Field Methods.

THE INSTITUTE FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides scientific and technical services to aid Federal agencies in the selection, acquisition, application, and use of computer technology to improve effectiveness and economy in Government operations in accordance with Public Law 89-306 (40 U.S.C. 759), relevant Executive Orders, and other directives; carries out this mission by managing the Federal Information Processing Standards Program, developing Federal ADP standards guidelines, and managing Federal participation in ADP voluntary standardization activities; provides scientific and technological advisory services and assistance to Federal agencies; and provides the technical foundation for computer-related policies of the Federal Government. The Institute consists of the following centers:

Programming Science and Technology — Computer Systems Engineering.

¹Headquarters and Laboratories at Gaithersburg, MD, unless otherwise noted; mailing address Washington, DC 20234.

²Some divisions within the center are located at Boulder, CO 80303.

JUN 25 1980

NOE 001 - 0.100

00100

0573

10-3-9

1980

C-2

Selected Tables of Atomic Spectra

A Atomic Energy Levels - Second Edition

B Multiplet Tables

0 v

Data Derived from the Analyses of Optical Spectra

Charlotte E. Moore

Office of Standard Reference Data
National Bureau of Standards
Washington, D.C. 20234

U.S. Naval Research Laboratory
E. O. Hulburt Center for Space Research
Washington, D.C. 20375



U.S. DEPARTMENT OF COMMERCE, Philip M. Klutznick, Secretary

Luther H. Hodges, Jr., Deputy Secretary

Jordan J. Baruch, Assistant Secretary for Productivity, Technology, and Innovation

U.S. NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director

Issued May 1980

Library of Congress Catalog Card Number: 64-60074

NSRDS-NBS 3, Section 9

Nat. Stand. Ref. Data Ser., Nat. Bur. Stand. (U.S.), 3, Sec. 9, 21 pages (May 1980)
CODEN: NSRDAP

©1980 by the Secretary of Commerce on Behalf of the United States Government

Abstract

The present publication is the ninth section of a series being prepared in response to the need for a current revision of two sets of the author's tables containing data on atomic spectra as derived from analyses of optical spectra. As in the previous Sections, Part A contains the atomic energy levels and Part B the multiplet tables. Section 9 includes these data for O v. The form of the presentation is described in detail in the text to Section I.

Key words: Atomic energy levels, O v; atomic spectra, O v; multiplet table, O v; oxygen spectra, O v; spectrum O v; wavelengths, O v.

Foreword


The National Standard Reference Data System provides access to the quantitative data of physical science, critically evaluated and compiled for convenience and readily accessible through a variety of distribution channels. The System was established in 1963 by action of the President's Office of Science and Technology and the Federal Council for Science and Technology, and responsibility to administer it was assigned to the National Bureau of Standards.

NSRDS receives advice and planning assistance from a Review Committee of the National Research Council of the National Academy of Sciences-National Academy of Engineering. A number of Advisory Panels, each concerned with a single technical area, meet regularly to examine major portions of the program, assign relative priorities, and identify specific key problems in need of further attention. For selected specific topics, the Advisory Panels sponsor subpanels which make detailed studies of users' needs, the present state of knowledge, and existing data resources as a basis for recommending one or more data compilation activities. This assembly of advisory services contributes greatly to the guidance of NSRDS activities.

The System now includes a complex of data centers and other activities in academic institutions and other laboratories. Components of the NSRDS produce compilations of critically evaluated data, reviews of the state of quantitative knowledge in specialized areas, and computations of useful functions derived from standard reference data. The centers and projects also establish criteria for evaluation and compilation of data and recommend improvements in experimental techniques. They are normally associated with research in the relevant field.

The technical scope of NSRDS is indicated by the categories of projects active or being planned: nuclear properties, atomic and molecular properties, solid state properties, thermodynamic and transport properties, chemical kinetics, and colloid and surface properties.

Reliable data on the properties of matter and materials are a major foundation of scientific and technical progress. Such important activities as basic scientific research, industrial quality control, development of new materials for building and other technologies, measuring and correcting environmental pollution depend on quality reference data. In NSRDS, the Bureau's responsibility to support American science, industry, and commerce is vitally fulfilled.



ERNEST AMBLER, *Director*

Preface

The present publication is the ninth section of a series that is being prepared in response to the increasing demand for a current revision of two sets of tables containing data on atomic spectra as derived from analyses of optical spectra.

The first set, Atomic Energy Levels, NBS Circular 467, consists of three volumes published, respectively, in 1949, 1952 and 1958. This Circular has been reprinted as NSRDS-NBS 35, Volumes I, II and III.

The second set consists of two Multiplet Tables; one published in 1945 by the Princeton University Observatory, containing multiplets having wavelengths longer than 3000 Å; the other, An Ultraviolet Multiplet Table, NBS Circular 488, appearing in five Sections, the first in 1950, the second in 1952, and the others in 1962. The Princeton Multiplet Table was reprinted in 1972 as NSRDS-NBS 40.

The present series includes both sets of data, the energy levels and multiplet tables, as Parts A and B, respectively, for selected spectra contained in Volume I of "Atomic Energy Levels." The sections are being published at irregular intervals as revised analyses become available. A flexible paging permits the arrangement of the various sections by atomic number, regardless of the order in which the separate spectra are published. Section 1 includes three spectra of silicon, $Z=14$: Si II, Si III, Si IV. Section 2 contains similar data for Si I. Section 3 covers all spectra of carbon, $Z=6$: C I, C II, C III, C IV, C V, C VI. Section 4 includes the last four spectra of nitrogen, $Z=7$: N IV, N V, N VI, N VII. Section 5 completes the spectra of nitrogen, N I, N II, N III. Section 6 contains the spectra of hydrogen, $Z=1$: H I, D, T. Section 7 contains the first spectrum of oxygen, $Z=8$: O I, and Section 8 the last three spectra of oxygen, $Z=8$: O VI, O VII, O VIII. The present Section, 9, contains O V. The form of presentation of the data is described in detail in the text of Section 1. All sections are arranged identically, and the same conversion factor, cm^{-1} to eV, 0.000123981 is used throughout.

The manuscript has been prepared by Charlotte E. Moore, who published the earlier tables. She appreciates the cordial cooperation of numerous atomic spectroscopists. She is particularly indebted to B. Edlén in Lund, Sweden, W. C. Martin and R. Zalubas in the Spectroscopy Section of this Bureau, and to D. R. Lide and his staff for their cordial collaboration in publishing this material.

Washington, D.C., July 1979

Contents

	Page
Abstract	III
Foreword	IV
Preface	V

Part A-Atomic Energy Levels

Element: Z	Spectrum	
Oxygen: 8		
	O v	A8 v-1 to A8 v-4

Part B-Multiplet Tables

Element: Z	Spectrum	
Oxygen: 8		
	O v	B8 v-1 to B8 v-6

Errata

NSRDS-NBS 3, Section 8

Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables, O VI, O VII, O VIII

O VI

Part A. An obvious duplication of configuration assignments for two pairs of levels above the ionization limit have been called to the writer's attention by W. C. Martin and V. Kaufman: the pair 4537620 and 4541330 cm^{-1} and the pair 4582950 and 4591370 cm^{-1} . From a study of the data reported in the literature, it appears reasonable to conclude that the lower pair of levels represents different observations of the same line from which the level has been derived. The level 4541330 cm^{-1} should be rejected.

In the upper pair, the level 4582950 cm^{-1} should be designated $2p''\ ^2P^\circ$ because of its reasonable agreement with an estimated value. The level 4591370 cm^{-1} should be rejected.

Part B. As a result of these corrections, the Multiplets UV 2.10 and UV 2.12 should be rejected and UV 2.11 should have the designation $2s\ ^2S-2p''\ ^2P^\circ$.

O VII

Part A. W. C. Martin has also noted an evident misprint in O VII, namely; the levels 10593340 and 10593340 + x cm^{-1} should doubtless have the configuration $2s\ 3p$.

Part B. The designations of Multiplets 17 and 31 should be corrected accordingly.

June 5, 1979

NSRDS-NBS 3, SECTION 9

OXYGEN Z=8

A O v Atomic Energy Levels

B O v Multiplet Table

Part A

OXYGEN

O v

Be I sequence: 4 electrons

 $Z=8$ Ground State $1s^2 2s^2 {}^1S_0$ $2s^2 {}^1S_0$ **918657** $\pm 4\text{cm}^{-1}$; 108.855 Å

I P 113.896 eV

The detailed analysis published in 1968 by K. Bockasten and K. B. Johansson is presented here. These authors have recalculated all of the energy levels from measurements of 126 lines between 340 Å and 7700 Å as observed with a theta-pinch discharge as source, combined with 31 lines observed by B. Edlén in the range 172 Å – 287 Å. They have connected the singlet and triplet terms by observation and derived the value of x in “Atomic Energy Levels” as -182.4cm^{-1} .

The intercombination line $2s^2 {}^1S-2s2p {}^3P_1^o$, which is of special interest in the interpretation of XUV stellar spectra, has recently been remeasured by C. M. Brown at 1218.344 ± 0.010 Å. The value of $2p {}^3P_1^o$ from this observation is 82078.62cm^{-1} , resulting in a correction of $+3.3\text{cm}^{-1}$ to all triplet terms. This adjustment has been made in the present list and is in accord with B. Edlén’s current study of the Be I isoelectronic sequence.

The ionization limit listed above has been determined “by applying the polarization formula to the hydrogen-like levels and by using the theoretically predicted value of the dipole polarizability.”

Wavelengths calculated to four places are listed for 66 lines in the region 124 Å – 286 Å “suitable as reference lines.” In general, the four-place calculated wavelengths are quoted in the Multiplet Table in preference to the observed values.

In 1975 Edlén extended the 1968 paper by observations from 194 Å to 114 Å. From this list of classified lines the writer has added the following energy levels, with the wavelengths on which they are based:

Desig.	Level(cm^{-1})	Wavelength (Å)	Desig.	Level (cm^{-1})	Wavelength (Å)
$4s' {}^3P_2^o$	818668?	165.349	$8d {}^3D_{1,2}$	875162	126.082
$4p' {}^3P_0$	834835?	132.845	$5p' {}^3P_0$	900858	122.133
$4d' {}^3F_2^o$	836985?	165.218	$5p' {}^3P_1$	901023	122.088
$4p' {}^1S_0$	839441?	146.920	$5d' {}^3D_1^o$	904027	144.809
$4d' {}^3D_1^o$	841102	159.327	$5d' {}^3D_2^o$	904183	144.809
$7d {}^3D_{1,2}$	861778	128.246			

The level 838375 has been designated as $6p {}^3P_{0,1,2}^o$ instead of $6p {}^3P_2^o$ on the basis of the resolved triplet at 160 Å.

Brackets in the Table of Energy Levels denote calculated values.

The authors of the 1968 paper have noted an error in “Atomic Energy Levels,” p. 57: the level listed there as 902592cm^{-1} should have read 902692cm^{-1} .

References

- B. Edlén, Nova Acta Reg. Soc. Sci. Upsala [IV] **9**, No. 6, 49, 64–72 (1934). I P, T, C L, G D
 C. E. Moore, Atomic Energy Levels, **I**, Circ. Natl. Bur. Std. 467, 57 (1949). I P, T
 K. Bockasten and K. B. Johansson, Ark. Fys. **38**, No. 31, 563–584 (1968). I P, T, C L, G D
 B. Edlén, Physica Scripta **11**, 366–370 (1975). C L
 C. M. Brown, Unpublished (May 1979). W L
 B. Edlén, Physica Scripta **20**, 129–137 (1979). T, C L

Atomic Energy Levels

O v

O v

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
$2s^2$	$2s^2\ ^1S$	0	0		$2s(S)4s$	$4s\ ^3S$	1	722480.0	
$2s(^2S)2p$	$2p\ ^3P^o$	0	81942.5	136.1	$2s(^2S)4s$	$4s\ ^1S$	0	731670.5	
		1	82078.6	306.7	$2s(^2S)4p$	$4p\ ^3P^o$	0	735911.6	10.4
		2	82385.3				1	735922.0	27.1
$2s(^2S)2p$	$2p\ ^1P^o$	1	158797.7				2	735949.1	
$2p^2$	$2p^2\ ^3P$	0	213462.5	155.7	$2s(^2S)4p$	$4p\ ^1P^o$	1	737880.8	
		1	213618.2	268.8	$2s(^2S)4d$	$4d\ ^3D$	1	742239.4	4.7
		2	213887.0				2	742244.1	4.5
$2p^2$	$2p^2\ ^1D$	2	231721.4				3	742248.6	
$2p^2$	$2p^2\ ^1S$	0	287910.3		$2s(^2S)4d$	$4d\ ^1D$	2	746274.9	
$2s(^2S)3s$	$3s\ ^3S$	1	546972.7		$2s(^2S)4f$	$4f\ ^3F^o$	2, 3, 4	747550.5	
$2s(^2S)3s$	$3s\ ^1S$	0	561276.4		$2s(^2S)4f$	$4f\ ^1F^o$	3	749840.5	
$2s(^2S)3p$	$3p\ ^1P^o$	1	580824.9		$2s(^2S)5s$	$5s\ ^3S$	1	796071	
$2s(^2S)3p$	$3p\ ^3P^o$	0	582806.4	36.7	$2s(^2S)5p$	$5p\ ^1P^o$	1	802466	
		1	582843.1	77.2	$2s(^2S)5p$	$5p\ ^3P^o$	0		
		2	582920.3				1	802862	16
$2s(^2S)3d$	$3d\ ^3D$	1	600748.9	10.0			2	802878	
		2	600758.9	20.3	$2s(^2S)5d$	$5d\ ^3D$	1	[806446.4]	[2.0]
		3	600779.2				2	[806448.4]	[3.0]
$2s(^2S)3d$	$3d\ ^1D$	2	612615.6				3	806451.4	
$2p(^2P^o)3s$	$3s'\ ^3P^o$	0	652918.0	162.1	$2s(^2S)5d$	$5d\ ^1D$	2	808352.3	
		1	653080.1	343.2	$2s(^2S)5g$	$5g\ ^3G$	3,4	808388.2	3.7
		2	653423.3				5	808391.9	
$2p(^2P^o)3s$	$3s'\ ^1P^o$	1	664485.9		$2s(^2S)5g$	$5g\ ^1G$	4	808388.6	
$2p(^2P^o)3p$	$3p'\ ^1P$	1	672693.8		$2s(^2S)5f$	$5f\ ^3F^o$	2	808613.0	0.9
$2p(^2P^o)3p$	$3p'\ ^3D$	1	677150.7	197.8			3	808613.9	2.2
		2	677348.5	316.5			4	808616.1	
		3	677665.0		$2s(^2S)5f$	$5f\ ^1F^o$	3	808916.8	
$2p(^2P^o)3p$	$3p'\ ^3S$	1	683942.9		$2p(^2P^o)4s$	$4s'\ ^3P^o$	0		
$2p(^2P^o)3p$	$3p'\ ^3P$	0	689403.5	114.2			1		
		1	689517.7	190.8			2	818668	
		2	689708.5		$2p(^2P^o)4s$	$4s'\ ^1P^o$	1	824282	
$2p(^2P^o)3d$	$3d'\ ^3F^o$	2	692626.0	183.4	$2p(^2P^o)4p$	$4p'\ ^1P$	1	829597	
		3	692809.4	235.4	$2p(^2P^o)4p$	$4p'\ ^3D$	1	830867	162
		4	693044.8				2	831029	305
$2p(^2P^o)3d$	$3d'\ ^1D^o$	2	694643.8				3	831334	
$2p(^2P^o)3p$	$3p'\ ^1D$	2	697170.2		$2p(^2P^o)4p$	$4p'\ ^3S$	1	832072	
$2p(^2P^o)3d$	$3d'\ ^3D^o$	1	704182	60	$2p(^2P^o)4p$	$4p'\ ^3P$	0	834835	137
		2	704242	106			1	834972	170
		3	704348				2	835142	
$2p(^2P^o)3p$	$3p'\ ^1S$	0	707635.5		$2p(^2P^o)4d$	$4d'\ ^3F^o$	2	836985	
$2p(^2P^o)3d$	$3d'\ ^3P^o$	2	707981.2	-143.9			3		
		1	708125.1	-80			4		
		0	708205		$2p(^2P^o)4d$	$4d'\ ^1D^o$	2	837833	
$2p(^2P^o)3d$	$3d'\ ^1F^o$	3	712963.5		$2p(^2P^o)4p$	$4p'\ ^1D$	2	837855	
$2p(^2P^o)3d$	$3d'\ ^1P^o$	1	719274.9						

Atomic Energy Levels

O v—Continued

O v—Continued

Config.	Desig.	J	Level	Interval	Config.	Desig.	J	Level	Interval
$2s(^2S)6p$	$6p\ ^3P^o$	0, 1, 2	838375		$2s(^2S)8p$	$8p\ ^1P^o$	1	874447	
$2p(^2P^o)4p$	$4p'\ ^1S$	0	839441		$2s(^2S)8d$	$8d\ ^3D$	1, 2 3	875162 875186	24
$2s(^2S)6p$	$6p\ ^1P^o$	1	839616		$2s(^2S)8i$	$8i\ ^3I$ $8i\ ^1I$	5, 6, 7 6	875777.7	
$2s(^2S)6g$	$6g\ ^3G$	3	840126.7	42.7	$2s(^2S)8k$	$8k\ ^3K^o$ $8k\ ^1K^o$	6, 7, 8 7	875789.1	
		4	840169.4	122.1					
		5	840291.5						
$2s(^2S)6g$	$6g\ ^1G$	4	840385.2		$2p(^2P^o)5p$	$5p'\ ^1P$	1	898580	
$2s(^2S)6f$	$6f\ ^1F^o$	3	840821.5		$2p(^2P^o)5p$	$5p'\ ^3D$	1 2 3	899492	
$2s(^2S)6d$	$6d\ ^3D$	1, 2, 3	841036						
$2p(^2P^o)4d$	$4d'\ ^3D^o$	1	841102	93	$2p(^2P^o)5p$	$5p'\ ^3P$	0	900858	165
		2	841195	123			1	901023	142
		3	841318				2	901165	
$2s(^2S)6d$	$6d\ ^1D$	2	842087		$2p(^2P^o)5p$	$5p'\ ^1D$	2	902442	
$2s(^2S)6h$	$6h\ ^3H^o$	4, 5, 6	842376.5		$2p(^2P^o)5d$	$5d'\ ^1D^o$	2	902691	
	$6h\ ^1H^o$	5							
$2s(^2S)6f$	$6f\ ^3F^o$	2	842707.3	16.0	$2p(^2P^o)5d$	$5d'\ ^3D^o$	1	904027	156
		3	842723.3	19.0			2	904183	135
		4	842742.3				3	904318	
$2p(^2P^o)4d$	$4d'\ ^3P^o$	2	843111	-107	$2p(^2P^o)5d$	$5d'\ ^3P^o$	2	904810	
		1	843218	-52			1		
		0	843270				0		
$2p(^2P^o)4f$	$4f'\ ^3G$	3	845481.6	65.1	$2p(^2P^o)5d$	$5d'\ ^1F^o$	3	906403	
		4	845546.7	160.0	O VI ($^2S_{0\frac{1}{2}}$)	Limit	...	918657±4	
		5	845706.7		$2p(^2P^o)6p$	$6p'\ ^1P$	1	935093	
$2p(^2P^o)4f$	$4f'\ ^1G$	4	845942.6		$2p(^2P^o)6p$	$6p'\ ^3D$	1 2 3	935766	
$2p(^2P^o)4d$	$4d'\ ^1F^o$	3	847136						
$2p(^2P^o)4d$	$4d'\ ^1P^o$	1	847460		$2p(^2P^o)6p$	$6p'\ ^3P$	0 1 2	936626	
$2s(^2S)7p$	$7p\ ^1P^o$	1	860874						
$2s(^2S)7d$	$7d\ ^3D$	1, 2 3	861778 861796	18	$2p(^2P^o)6p$	$6p'\ ^1D$	2	937341	
$2s(^2S)7d$	$7d\ ^1D$	2	862419		$2p(^2P^o)7p$	$7p'\ ^3D$	1 2 3	957314	
$2s(^2S)7h$	$7h\ ^3H^o$	4, 5, 6	862609.5						
	$7h\ ^1H^o$	5			$2p(^2P^o)7p$	$7p'\ ^3P$	0 1 2	957850	
$2s(^2S)7i$	$7i\ ^3I$	5, 6, 7	862653.7						
	$7i\ ^1I$	6			$2p(^2P^o)7d$	$7d'\ ^3D^o$	1 2 3	959016	
$2s(^2S)7g$	$7g\ ^3G$	3	862793.1	3.7	
		4	862796.8	2.5	O VI ($^2P^o_{0\frac{1}{2}}$)	Limit	...	1015031	
		5	862799.3		O VI ($^2P^o_{1\frac{1}{2}}$)	Limit	...	1015561	
$2s(^2S)7g$	$7g\ ^1G$	4	862800.7						

May 1970.

Atomic Energy Levels

O v Observed Terms

Config. $1s^2+$	Observed Terms			
$2s^2$	$2s^2 \ ^1S$			
$2s(^2S)2p$	$\left\{ \begin{array}{ll} 2p & ^3P^\circ \\ 2p & ^1P^\circ \end{array} \right.$			
$2p^2$	$\left\{ \begin{array}{ll} 2p^2 & ^3P \\ 2p^2 \ ^1S & \end{array} \right. \quad 2p^2 \ ^1D$			
	$ns(n \geq 3)$	$np(n \geq 3)$	$nd(n \geq 3)$	$nf(n \geq 4)$
$2s(^2S)nl$	$\left\{ \begin{array}{l} 3-5s \ ^3S \\ 3,4s \ ^1S \end{array} \right.$	$\begin{array}{l} 3-6p \ ^3P^\circ \\ 3-8p \ ^1P^\circ \end{array}$	$\begin{array}{l} 3-8d \ ^3D \\ 3-7d \ ^1D \end{array}$	$\begin{array}{l} 4-6f \ ^3F^\circ \\ 4-6f \ ^1F^\circ \end{array}$
$2p(^2P^\circ)nl'$	$\left\{ \begin{array}{l} 3,4s' \ ^3P^\circ \\ 3,4s' \ ^1P^\circ \end{array} \right.$	$\begin{array}{ll} 3,4p' \ ^3S & 3-7p' \ ^3P \quad 3-7p' \ ^3D \\ 3,4p' \ ^1S & 3-6p' \ ^1P \quad 3-6p' \ ^1D \end{array}$	$\begin{array}{ll} 3-5d' \ ^3P^\circ & 3-5,7d' \ ^3D^\circ \quad 3,4d' \ ^3F^\circ \\ 3,4d' \ ^1P^\circ & 3-5d' \ ^1D^\circ \quad 3-5d' \ ^1F^\circ \end{array}$	$\begin{array}{l} 4f' \ ^3G \\ 4f' \ ^1G \end{array}$
	$ng(n \geq 5)$	$nh(n \geq 6)$	$ni(n \geq 7)$	$nk(n \geq 8)$
$2s(^2S)nl$	$\left\{ \begin{array}{l} 5-7g \ ^3G \\ 5-7g \ ^1G \end{array} \right.$	$\begin{array}{l} 6,7h \ ^3H^\circ \\ 6,7h \ ^1H^\circ \end{array}$	$\begin{array}{l} 7,8i \ ^3I \\ 7,8i \ ^1I \end{array}$	$\begin{array}{l} 8k \ ^3K^\circ \\ 8k \ ^1K^\circ \end{array}$

OXYGEN

O v (Z=8)

I P 113.896 Limit 918657 cm⁻¹ 108.855 Å

Anal A List A May 1979

REFERENCES

- A K. Bockasten and K. B. Johansson, Ark. Fys. **38**, No. 31, 563-584 (1968). I P, T, C L, I; W L 124 Å - 7610 Å
- B C. M. Brown, Unpublished material (May 1979). W L 1218.344 ± 0.010 Å.
- C B. Edlén, Physica Scripta **11**, 366-370 (1975). C L, I; W L 114 Å-194 Å
- D B. Edlén, Nova Acta Reg. Soc. Sci. Upsala [IV] **9**, No. 6, 49, 64-72 (1934). I P, T, C L, I, G D; W L 122 Å - 4554 Å
- E B. Edlén, Zeit. Astroph. **7**, 378-390 (1933). W L 3702-6830 Å; Lines observed in spectra of hot stars.
- P Predicted Lines:
 Four-place calculated wavelengths "suitable as reference lines," 124 Å -170 Å are quoted from Ref. A, Table 6, p. 579. Observed intensities are entered for these lines.
 Four-place calculated wavelengths are quoted from Ref. C, 124 Å-194 Å. Observed intensities are entered for these lines.
 Two-place wavelengths calculated from the energy levels (Part A) for lines listed in Ref. E as observed in spectra of hot stars and for missing lines in some multiplets.

New Multiplet Numbers not inserted between older ones start with UV 17 and 18.

m Masked

‡ Raie Ultime

* Blend

* and § Blend of O v and O iv

* and §§ Blend of O v and O iii

* and † Blend of O v and O ii

Multiplet Table

O v

O v

I A	Ref.	Int.	E P		J	Multiplet No.	I A	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
1218.344	B	1	0.00	10.18	0-1	$2s^2 \ ^1S-2p \ ^3P^o$ UV 0.01	164.6570	P	7*	10.21	85.51	2-2	$2p \ ^3P^o-3p' \ ^3P$
							164.6256	P	4	10.18	85.49	1-1	U V 6.02
							164.7087	P	6	10.21	85.49	2-1	
629.730‡	A	25	0.00	19.69	0-1	$2s^2 \ ^1S-2p \ ^1P^o$ UV 1	164.6565	P	7*	10.18	85.47	1-0	
							164.5739	P	6	10.18	85.51	1-2	
172.1689	P	13	0.00	72.01	0-1	$2s^2 \ ^1S-3p \ ^1P^o$ UV 2	164.5887	P	5	10.16	85.49	0-1	
							156.2269	P	4	10.21	89.57	2-1	$2p \ ^3P^o-4s \ ^3S$
139.0289	P	7	0.00	89.18	0-1	$2s^2 \ ^1S-3d' \ ^1P^o$ UV 2.01	156.1521	P	3	10.18	89.57	1-1	UV 6.03
							156.1189	P	2	10.16	89.57	0-1	
135.5232	P	7	0.00	91.48	0-1	$2s^2 \ ^1S-4p \ ^1P^o$ UV 2.02	151.5465	P	8*	10.21	92.02	2-3	$2p \ ^3P^o-4d \ ^3D$
							151.4772	P	7*	10.18	92.02	1-2	UV 6.04
							151.4470	P	6	10.16	92.02	0-1	
124.6159	P	6	0.00	99.49	0-1	$2s^2 \ ^1S-5p \ ^1P^o$ UV 2.03	151.5476	P	8*	10.21	92.02	2-2	
							151.4782	P	7*	10.18	92.02	1-1	
119.102	C	4	0.00	104.10	0-1	$2s^2 \ ^1S-6p \ ^1P^o$ UV 2.04	140.115	C	2	10.21	98.70	2-1	$2p \ ^3P^o-5s \ ^3S$
							140.052	C	1	10.18	98.70	1-1	UV 6.05
							140.030	C	0	10.16	98.70	0-1	
118.000	C	1	0.00	105.07	0-1	$2s^2 \ ^1S-4d' \ ^1P^o$ UV 2.05	138.1089	P	6*	10.21	99.98	2-3	$2p \ ^3P^o-5d \ ^3D$
							138.0510	P	5*	10.18	99.98	1-2	UV 6.06
116.161	C	2	0.00	106.73	0-1	$2s^2 \ ^1S-7p \ ^1P^o$ UV 2.06	138.0255	P	4	10.16	99.98	0-1	
							138.1095	P	6*	10.21	99.98	2-2	
							138.0514	P	5*	10.18	99.98	1-1	
114.358	C	1	0.00	108.41	0-1	$2s^2 \ ^1S-8p \ ^1P^o$ UV 2.07	133.5204	P	5d*	10.21	103.07	2-3	$2p \ ^3P^o-4p' \ ^3D$
							133.5201	P	5d*	10.18	103.03	1-2	UV 6.07
							133.5247	P	5d*	10.16	103.01	0-1	
760.445	A	22	10.21	26.52	2-2	$2p \ ^3P^o-2p^2 \ ^3P$	133.5748	P	1	10.21	103.03	2-2	
760.228	A	19	10.18	26.48	1-1	UV 3	133.5490	P	1	10.18	103.01	1-1	
762.003	A	21	10.21	26.48	2-1								
761.128	A	20	10.18	26.47	1-0		133.389	C	3	10.21	103.16	2-1	$2p \ ^3P^o-4p' \ ^3S$
758.678	A	21	10.18	26.52	1-2		133.335	C	2	10.18	103.16	1-1	UV 6.08
759.441	A	20	10.16	26.48	0-1		133.316	C	1	10.16	103.16	0-1	
669.628	A	5	10.21	28.73	2-2	$2p \ ^3P^o-2p^2 \ ^1D$	*132.845	C	4	10.21	103.54	2-2	$2p \ ^3P^o-4p' \ ^3P$
668.225	A	1	10.18	28.73	1-2	UV 3.01	132.875	C	2	10.21	103.52	2-1	UV 6.09
							*132.845	C	4	10.18	103.50	1-0	
215.245	A	9	10.21	67.81	2-1	$2p \ ^3P^o-3s \ ^3S$	*132.797	C	3	10.18	103.54	1-2	
215.103	A	8	10.18	67.81	1-1	UV 4	*132.797	C	3	10.16	103.52	0-1	
215.040	A	7	10.16	67.81	0-1								
192.9035	P	14*	10.21	74.49	2-3	$2p \ ^3P^o-3d \ ^3D$	*131.812	C	4	10.21	104.27	2-3	$2p \ ^3P^o-6d \ ^3D$
192.7970	P	13*	10.18	74.48	1-2	UV 5	*131.758	C	3	10.18	104.27	1-2	UV 6.10
192.7501	P	12	10.16	74.48	0-1		131.738	C	2	10.16	104.27	0-1	
192.9111	P	14*	10.21	74.48	2-2		*131.812	C	4	10.21	104.27	2-2	
192.8007	P	13*	10.18	74.48	1-1		*131.758	C	3	10.18	104.27	1-1	
167.9883	P	8*	10.21	84.02	2-3	$2p \ ^3P^o-3p' \ ^3D$	128.302	C	3d	10.21	106.85	2-3	$2p \ ^3P^o-7d \ ^3D$
167.9910	P	8*	10.18	83.98	1-2	UV 6	*128.246	C	2d	10.18	106.84	1-2	UV 6.11
168.0084	P	5	10.16	83.95	0-1		*128.246	C	2d	10.16	106.84	0-1	
168.0776	P	4	10.21	83.98	2-2								
168.0469	P	4	10.18	83.95	1-1		126.135	C	2d	10.21	108.51	2-3	$2p \ ^3P^o-8d \ ^3D$
168.1335	P	1	10.21	83.95	2-1		*126.082	C	1d	10.18	108.50	1-2	UV 6.12
							*126.082	C	1d	10.16	108.50	0-1	
166.2351	P	6	10.21	84.80	2-1	$2p \ ^3P^o-3p' \ ^3S$							
166.1504	P	5	10.18	84.80	1-1	UV 6.01	122.383	C	4	10.21	111.52	2-3	$2p \ ^3P^o-5p' \ ^3D$
166.1128	P	4	10.16	84.80	0-1								UV 6.13

Multiplet Table

O v—Continued

O v—Continued

I A	Ref.	Int.	E P		J	Multiplet No.	I A	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
122.133	C	3	10.21	111.73	2-2	2p ³ P°-5p' ³ P	134.473	C	2	19.69	111.89	1-2	2p ¹ P°-5p' ¹ D
122.088	C	1	10.18	111.71	1-1	UV 6.14							UV 12.11
117.181	C	2	10.21	116.02	2-3	2p ³ P°-6p' ³ D	128.817	C	0	19.69	115.93	1-1	2p ¹ P°-6p' ¹ P
						UV 6.15							UV 12.12
117.063	C	2	10.21	116.12	2-2	2p ³ P°-6p' ³ P	128.445	C	1	19.69	116.21	1-2	2p ¹ P°-6p' ¹ D
						UV 6.16							UV 12.13
114.295	C	1	10.21	118.69	2-3	2p ³ P°-7p' ³ D	270.982	D	0	26.53	72.27	2-2	2p ² ³ P -3p ³ P°
						UV 6.17							UV 12.14
114.225	C	1	10.21	118.76	2-2	2p ³ P°-7p' ³ P	227.511	A	7	26.52	81.01	2-2	2p ² ³ P -3s' ³ P°
						UV 6.18	227.549	A	5	26.48	80.97	1-1	UV 12.15
1371.292	A	20	19.69	28.73	1-2	2p ¹ P°-2p ² ¹ D	227.689	A	5	26.52	80.97	2-1	
						UV 7	227.634	A	5	26.48	80.95	1-0	
774.518	A	18	19.69	35.70	1-0	2p ¹ P°-2p ² ¹ S	227.372	A	5	26.48	81.01	1-2	
						UV 8	227.469	A	5	26.47	80.97	0-1	
248.459	A	6	19.69	69.59	1-1	2p ¹ P°-3s ¹ S	203.890	D	8	26.52	87.33	2-3	2p ² ³ P -3d' ³ D°
						UV 9	203.821	D	7	26.48	87.31	1-2	UV 13
220.352	A	13	19.69	75.95	1-2	2p ¹ P°-3d ¹ D	203.783	D	6	26.47	87.31	0-1	
						UV 10	203.935	D	6	26.52	87.31	2-2	
194.5919	P	9	19.69	83.40	1-1	2p ¹ P°-3p' ¹ P	203.851	D	6-	26.48	87.31	1-1	
						UV 11	202.393	A	7	26.52	87.78	2-2	2p ² ³ P -3d' ³ P°
185.7450	P	10	19.69	86.44	1-2	2p ¹ P°-3p' ¹ D	202.224	A	5	26.48	87.79	1-1	UV 14
						UV 12	202.334	A	5	26.52	87.79	2-1	
182.2032	P	3	19.69	87.73	1-0	2p ¹ P°-3p' ¹ S	202.191	D	5	26.48	87.80	1-0	
						UV 12.01	202.283	A	5	26.48	87.78	1-2	
174.5588	P	3	19.69	90.71	1-0	2p ¹ P°-4s ¹ S	202.161	A	5	26.46	87.79	0-1	
						UV 12.02	191.5481	P	2*	26.52	91.24	2-2	2p ² ³ P -4p ³ P°
170.2194	P	7	19.69	92.52	1-2	2p ¹ P°-4d ¹ D	191.4595	P	1*	26.48	91.24	1-1	UV 14.01
						UV 12.03	191.5580	P	2*	26.52	91.24	2-1	
153.9516	P	5	19.69	100.22	1-2	2p ¹ P°-5d ¹ D	191.4633	P	1*	26.48	91.24	1-0	
						UV 12.04	191.4495	P	1*	26.48	91.24	1-2	
149.076	C	4	19.69	102.85	1-1	2p ¹ P°-4p' ¹ P	191.4024	P	0	26.47	91.24	0-1	
						UV 12.05	169.782	P		26.52	99.54	2-2	2p ² ³ P -5p ³ P°
147.263	C	5	19.69	103.88	1-2	2p ¹ P°-4p' ¹ D	169.709	P		26.48	99.54	1-1	UV 14.02
						UV 12.06	165.349	C	1	26.52	101.50	2-2	2p ² ³ P -4s' ³ P°?
146.920	C	0	19.69	104.07	1-0	2p ¹ P°-4p' ¹ S?							UV 14.03
						UV 12.07	*160.1312	P	1	26.52	103.94	2-	2p ² ³ P -6p ³ P°
146.347	C	3	19.69	104.40	1-2	2p ¹ P°-6d ¹ D	*160.059	C	1	26.48	103.94	1-	UV 14.04
						UV 12.08	160.023	C	0	26.47	103.94	0-1	
142.122	C	1	19.69	106.92	1-2	2p ¹ P°-7d ¹ D	159.380	C	6	26.52	104.31	2-3	2p ² ³ P -4d' ³ D°
						UV 12.09	159.343	C	5	26.48	104.29	2-3	UV 14.05
135.175	C	1	19.69	111.41	1-1	2p ¹ P°-5p' ¹ P	159.327	C	4	26.47	104.28	0-1	
						UV 12.10	159.411	C	3	26.52	104.29	2-2	
							158.926	C	4	26.52	104.53	2-2	2p ² ³ P -4d' ³ P°
							*158.818	C	3	26.48	104.54	1-1	UV 14.06
							158.899	C	2	26.52	104.54	2-1	
							*158.818	C	3	26.48	104.55	1-0	
							158.858	C	1	26.48	104.53	1-2	
							158.792	C	2	26.47	104.54	0-1	
							144.837	C	4d	26.52	112.12	2-3	2p ² ³ P -5d' ³ D°
							*144.809	C	4d	26.48	112.10	1-2	UV 14.07
							*144.809	C	4d	26.47	112.08	0-1	

Multiplet Table

O v—Continued

O v—Continued

I A	Ref.	Int.	E P		J	Multiplet No.	I A	Ref.	Int.	E P		J	Multiplet No.
			Low	High						Low	High		
Vac							Vac						
144.734	C	1bd	26.52	112.18		$2p^2 \ ^3P-5d' \ ^3P^o$ UV 14.08	529.202	A	6w	67.81	91.24	1-	$3s \ ^3S-4p \ ^3P^o$ UV 33
134.205	C	1d	26.52	118.90	2-2	$2p^2 \ ^3P-7d' \ ^3D^o$ UV 14.09	390.755	A	3	67.81	99.54	1-	$3s \ ^3S-5p \ ^3P^o$ UV 34
286.448	A	6	28.73	72.01	2-1	$2p^2 \ ^1D-3p \ ^1P^o$ UV 14.10	343.168	A	1	67.81	103.94	1-2	$3s \ ^3S-6p \ ^3P^o$ UV 35
231.070§	D	7	28.73	82.38	2-1	$2p^2 \ ^1D-3s' \ ^1P^o$ UV 14.11	Air 5114.07	A	7	69.59	72.01	0-1	$3s \ ^1S-3p \ ^1P^o$ 1
216.018	A	9	28.73	86.12	2-2	$2p^2 \ ^1D-3d' \ ^1D^o$ UV 15	Vac 566.232	A	2	69.59	91.48	0-1	$3s \ ^1S-4p \ ^1P^o$ UV 36
207.794	A	10	28.73	88.39	2-3	$2p^2 \ ^1D-3d' \ ^1F^o$ UV 16	414.612	A	1	69.59	99.49	0-1	$3s \ ^1S-5p \ ^1P^o$ UV 37
205.105	A	2	28.73	89.18	2-1	$2p^2 \ ^1D-3d' \ ^1P^o$ UV 17	Air 3144.66	A	10	72.01	75.95	1-2	$3p \ ^1P^o-3d \ ^1D$ 2
193.0058	P	6	28.73	92.97	2-3	$2p^2 \ ^1D-4f \ ^1F^o$ UV 18	Vac 788.577	A	1h	72.01	87.73	1-0	$3p \ ^1P^o-3p' \ ^1S$ UV 38
173.252	P		28.73	100.29	2-3	$2p^2 \ ^1D-5f \ ^1F^o$ UV 19	662.928	A	1h	72.01	90.71	1-0	$3p \ ^1P^o-4s \ ^1S$ UV 39
168.759	C	2	28.73	102.20	2-1	$2p^2 \ ^1D-4s' \ ^1P^o$ UV 20	604.416	A	7	72.01	92.52	1-2	$3p \ ^1P^o-4d \ ^1D$ UV 40
165.218	C	0	28.73	103.77	2-2	$2p^2 \ ^1D-4d' \ ^3F^o?$ UV 21	439.517	A	3	72.01	100.22	1-2	$3p \ ^1P^o-5d \ ^1D$ UV 41
164.986	C	4	28.73	103.88	2-2	$2p^2 \ ^1D-4d' \ ^1D^o$ UV 22	382.757	A	0	72.01	104.40	1-2	$3p \ ^1P^o-6d \ ^1D$ UV 42
164.1766	P	4	28.73	104.25	2-3	$2p^2 \ ^1D-6f \ ^1F^o$ UV 23	Air 5597.91	A	9	72.27	74.49	2-3	$3p \ ^3P^o-3d \ ^3D$ 3
162.492	C	6	28.73	105.03	2-3	$2p^2 \ ^1D-4d' \ ^1F^o$ UV 24	5580.12	A	7	72.26	74.48	1-2	
149.038	C	1	28.73	111.92	2-2	$2p^2 \ ^1D-5d' \ ^1D^o$ UV 25	5571.84	A	5	72.26	74.48	0-1	
341.391	D	0	35.70	72.01	0-1	$2p^2 \ ^1S-3p \ ^1P^o$ UV 26	5604.28	A	5	72.27	74.48	2-2	
265.550	D	4	35.70	82.38	0-1	$2p^2 \ ^1S-3s' \ ^1P^o$ UV 27	5583.23	A	5	72.26	74.48	1-1	
231.823	A	7	35.70	89.19	0-1	$2p^2 \ ^1S-3d' \ ^1P^o$ UV 28	5607.41	P		72.27	74.48	2-1	
222.235	A	3	35.70	91.48	0-1	$2p^2 \ ^1S-4p \ ^1P^o$ UV 29	Vac 1055.451	A	5	72.27	84.02	2-3	$3p \ ^3P^o-3p' \ ^3D$ UV 43
186.442	C	0	35.70	102.20	0-1	$2p^2 \ ^1S-4s' \ ^1P^o$ UV 30	1058.149	A	3	72.26	83.98	1-2	
178.715	C	4	35.70	105.07	0-1	$2p^2 \ ^1S-4d' \ ^1P^o$ UV 31	1059.930	A	2	72.26	83.95	0-1	
Air							1058.998	A	2	72.27	83.98	2-2	
2781.01	A	25	67.81	72.27	1-2	$3s \ ^3S-3p \ ^3P^o$	1060.380	A	2	72.26	83.95	1-1	
2786.99	A	24	67.81	72.26	1-1	UV 32	716.553	A	5	72.27	89.57	2-1	$3p \ ^3P^o-4s \ ^3S$
2789.85	A	22	67.81	72.26	1-0		716.137	A	3	72.26	89.57	1-1	UV 44
							m715.955	P	O iv	72.26	89.57	0-1	
							627.636	A	5	72.27	92.02	2-3	$3p \ ^3P^o-4d \ ^3D$
							627.351	A	4	72.26	92.02	1-2	UV 45
							627.225	A	2	72.26	92.02	0-1	
							469.150	A	1	72.27	98.70	2-1	$3p \ ^3P^o-5s \ ^3S$ UV 46
							447.356	A	4	72.27	99.98	2-3,2	$3p \ ^3P^o-5d \ ^3D$
							447.226	A	3h	72.26	99.98	1-2,1	UV 47

Multiplet Table

O v—Continued

I A	Ref.	Int.	E P		J	Multiplet No.
			Low	High		
Vac 739.838	A	1h	74.48	91.24		$3d \ ^3D - 4p \ ^3P^\circ$ UV 48
681.272	A	12	74.48	92.68		$3d \ ^3D - 4f \ ^3F^\circ$ UV 49
481.136	A	6	74.48	100.25		$3d \ ^3D - 5f \ ^3F^\circ$ UV 50
413.296	A	4	74.48	104.48		$3d \ ^3D - 6f \ ^3F^\circ$ UV 51
728.733	A	8	75.95	92.97	2-3	$3d \ ^1D - 4f \ ^1F^\circ$ UV 52
509.415	A	3	75.95	100.29	2-3	$3d \ ^1D - 5f \ ^1F^\circ$ UV 53
438.197	A	0	75.95	104.25	2-3	$3d \ ^1D - 6f \ ^1F^\circ$ UV 54
Air 4123.99	A	8	81.01	84.02	2-3	$3s' \ ^3P^\circ - 3p' \ ^3D$
m4119.42	P	O II	80.97	83.98	1-2	4
m4125.49	P	O III	80.95	83.95	0-1	
4178.45	A	4	81.01	83.98	2-2	
m4153.26	P	O II	80.97	83.95	1-1	
4213.35	P		81.01	83.95	2-1	
3275.63	A	1	81.01	84.80	2-1	$3s' \ ^3P^\circ - 3p' \ ^3S$
3239.21	P		80.97	84.80	1-1	5
3222.29	P		80.95	84.80	0-1	
2755.11	A	8	81.01	85.51	2-2	$3s' \ ^3P^\circ - 3p' \ ^3P$
2743.58	A	3	80.97	85.49	1-1	UV 55
2769.76	A	4	81.01	85.49	2-1	
2752.24	A	4	80.97	85.47	1-0	
2729.34	A	4	80.97	85.51	1-2	
2731.45	A	3	80.95	85.49	0-1	
Vac 562.080	A	3	81.01	103.07	2-3	$3s' \ ^3P^\circ - 4p' \ ^3D$
561.959	A	2	80.96	103.02	1,0-2,1	UV 56
Air 3058.68	D	0	82.38	86.44	1-2	$3s' \ ^1P^\circ - 3p' \ ^1D$
4554.53	A	3	83.40	86.12	1-2	$3p' \ ^1P - 3d' \ ^1D^\circ$
6500.24	A	9	84.02	85.92	3-4	$3p' \ ^3D - 3d' \ ^3F^\circ$
6466.13	A	8	83.98	85.90	2-3	7.01
6460.11	A	7	83.95	85.87	1-2	
6601.28	A	2h	84.02	85.90	3-3	
6543.78	A	3	83.98	85.87	2-2	
3746.60	P		84.02	87.33	3-3	$3p' \ ^3D - 3d' \ ^3D^\circ$
3717.27	P		83.98	87.31	2-2	8
3698.32	P		83.95	87.31	1-1	
3761.54	P		84.02	87.31	3-2	
3725.58	P		83.98	87.31	2-1	
3702.68	P		83.98	87.33	2-3	
3690.13	P		83.95	87.31	1-2	

O v—Continued

I A	Ref.	Int.	E P		J	Multiplet No.
			Low	High		
Air 3297.62	P		84.02	87.78	3-2	$3p' \ ^3D - 3d' \ ^3P^\circ$
3248.28	P		83.98	87.79	2-1	9
3219.21	P		83.95	87.80	1-0	
3263.54	P		83.98	87.78	2-2	
3227.54	P		83.95	87.79	1-1	
3242.61	P		83.95	87.78	1-2	
4924.88	P		84.80	87.31	1-2	$3p' \ ^3S - 3d' \ ^3D^\circ$
4939.48	P		84.80	87.31	1-1	10
4158.84	A	2	84.80	87.78	1-2	$3p' \ ^3S - 3d' \ ^3P^\circ$
4134.06	A	1	84.80	87.79	1-1	11
4120.44	P		84.80	87.80	1-0	
6828.81	P		85.51	87.33	2-3	$3p' \ ^3P - 3d' \ ^3D^\circ$
6789.48	P		85.49	87.31	1-2	12
6764.58	P		85.47	87.31	0-1	
6878.62	P		85.51	87.31	2-2	
6817.26	P		85.49	87.31	1-1	
6907.13	P		85.51	87.31	2-1	
5471.12	P		85.51	87.78	2-2	$3p' \ ^3P - 3d' \ ^3P^\circ$
5372.71	P		85.49	87.79	1-1	13
5428.38	P		85.51	87.79	2-1	
5349.65	P		85.49	87.80	1-0	
5414.59	P		85.49	87.78	1-2	
5339.94	P		85.47	87.79	0-1	
Vac 679.136	A	4	85.92	104.18	4-5	$3d' \ ^3F^\circ - 6g \ ^3G$
678.612	A	3	85.90	104.17	3-4	UV 57
677.968	A	2	85.87	104.16	2-3	
655.039	A	5	85.92	104.85	4-5	$3d' \ ^3F^\circ - 4f' \ ^3G$
*654.712§	A	3	85.90	104.83	3-4	UV 58
654.207	A	2	85.87	104.82	2-3	
Air 6330.05	A	3	86.44	88.39	2-3	$3p' \ ^1D - 3d' \ ^1F^\circ$
4522.66	P		86.44	89.18	2-1	$3p' \ ^1D - 3d' \ ^1P^\circ$
Vac 784.795	A	2	88.39	104.19	3-4	$3d' \ ^1F^\circ - 6g \ ^1G$
*752.019§	A	1	88.39	104.88	3-4	UV 59
Air 3702.65	P		89.18	92.52	1-2	$3d' \ ^1P^\circ - 4d' \ ^1D$
7422.4	A	5	89.57	91.24	1-2	16
7437.3	A	4	89.57	91.24	1-1	$4s \ ^3S - 4p \ ^3P^\circ$
7443.1	A	1h	89.57	91.24	1-0	17
Vac 1243.801	A	1	89.57	99.54	1-2	$4s \ ^3S - 5p \ ^3P^\circ$
						UV 61

Multiplet Table

O v—Continued

O v—Continued

I A	Ref.	Int.	E P		J	Multiplet No.		I A	Ref.	Int.	E P		J	Multiplet No.
			Low	High							Low	High		
Vac							Air							
1418.393	A	3	91.24	99.98	2-3	4p ³ P°-5d ³ D	*2695.44§§	A	6	100.25	104.85	4-5	5f ³ F°-4f' ³ G	
1417.908	A	2	91.24	99.98	1-2	UV 62	2706.83	A	4	100.25	104.83	3-4	UV 74	
1417.653	A	1	91.24	99.98	0-1		2711.53	A	4	100.25	104.82	2-3		
1419.009	A	2	91.48	100.22	1-2	4p ¹ P°-5d ¹ D	Vac							
						UV 63	1845.631	A	1wh	100.25	106.97		5f ³ F°-7g ³ G	
1506.717	A	10w	92.02	100.25		4d ³ D-5f ³ F°							UV 75	
						UV 64	Air							
1596.375	A	7	92.52	100.29	2-3	4d ¹ D-5f ¹ F°	3176.87	A	6	100.29	104.19	3-4	5f ¹ F°-6g ¹ G	
						UV 65							20	
1643.678	A	14w	92.68	100.22		4f ³ F°-5g ³ G	2700.04	A	4	100.29	104.88	3-4	5f ¹ F°-4f' ¹ G	
						UV 66							UV 76	
1707.996	A	10	92.97	100.22	3-4	4f ¹ F°-5g ¹ G	4479.45	A	5	104.18	106.95	5-6	6g ³ G-7h ³ H°	
						UV 67	*4454.97†	A	4	104.17	106.95	4-5	21	
							*4446.92†	A	4	104.16	106.95	3-4		
							4498.82	A	5	104.19	106.95	4-5	6g ¹ G-7h ¹ H°	
Air													22	
2619.88	A	2	99.54	104.27	2-3	5p ³ P°-6d ³ D								
2618.81	A	1	99.54	104.27	1-2	UV 68	4628.87	P		104.25	106.92	2-3	6f ¹ F°-7d ¹ D	
*2754.7	A	3	99.98	104.48	3-4	5d ³ D-6f ³ F°							23	
2755.91	A	2	99.98	104.48	2-3	UV 69	4548.48	A	2	104.25	106.97	3-4	6f ¹ F°-7g ¹ G	
2756.98	A	2	99.98	104.48	1-2								24	
3078.95	A	2	100.22	104.25	2-3	5d ¹ D-6f ¹ F°	4930.27	A	12w	104.44	106.95		6h ^{3,1} H°-7i ^{3,1} I	
						18							25	
*2941.65	A	11+	100.23	104.44	5-6	5g ³ G-6h ³ H°	2993.0	A	2w	104.44	108.58		6h ^{3,1} H°-8i ^{3,1} I	
2941.33	A	11	100.22	104.44	4,3-5,4	UV 70							UV 77	
Vac														
*1844.495	A	2wh	100.23	106.95	5-6	5g ³ G-7h ³ H°	4984.41	A	2	104.48	106.97	4-5	5f ³ F°-7g ³ G	
						UV 71	4980.30	A	2	104.48	106.97	3-4	26	
							4977.25	A	2	104.48	106.97	2-3		
Air														
*2941.65	A	11+	100.22	104.44	4-5	5g ¹ G-6h ¹ H°	5914.54	A	4h	104.85	106.95	5-6	4f' ³ G-7h ³ H°	
						UV 72	5859.07	A	3h	104.83	106.95	4-5	27	
							5836.79	A	3h	104.82	106.95	3-4		
Vac														
*1844.495	A	2wh	100.22	106.95	4-5	5g ¹ G-7h ¹ H°	5999.50	A	3h	104.88	106.95	4-5	4f' ¹ G-7h ¹ H°	
						UV 73							28	
Air														
3156.11	A	7	100.25	104.18	4-5	5f ³ F°-6g ³ G	7592.0	A	6W	106.95	108.58		7h ^{3,1} H°-8i ^{3,1} I	
3168.10	A	6	100.25	104.17	3-4	19							29	
3172.31	A	5	100.25	104.16	2-3		7610.9	A	8W	106.95	108.58		7i ^{3,1} I-8k ^{3,1} K°	
													30	

U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET	1. PUBLICATION OR REPORT NO. NSRDS-NBS 3, Section 9	2. Gov't. Accession No.	3. Recipient's Accession No.
4. TITLE AND SUBTITLE Selected Tables of Atomic Spectra, Atomic Energy Levels and Multiplet Tables, O V		5. Publication Date May 1980	
		6. Performing Organization Code	
7. AUTHOR(S) Charlotte E. Moore		8. Performing Organ. Report No.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, DC 20234		10. Project/Task/Work Unit No.	
		11. Contract/Grant No.	
12. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (Street, City, State, ZIP) Same as item 9		13. Type of Report & Period Covered N/A	
		14. Sponsoring Agency Code	
15. SUPPLEMENTARY NOTES <p style="text-align: center;">Library of Congress Catalog Card Number: 6460074</p> <input type="checkbox"/> Document describes a computer program; SF-185, FIPS Software Summary, is attached.			
16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.) <p>The present publication is the ninth section of a series being prepared in response to the need for a current revision of two sets of the author's tables containing data on atomic spectra as derived from analysis of optical spectra. As in the previous Sections, Part A contains the atomic energy levels and Part B the multiplet tables. Section 9 includes these data for O V. The form of the presentation is described in detail in the text to Section I.</p>			
17. KEY WORDS (six to twelve entries; alphabetical order; capitalize only the first letter of the first key word unless a proper name; separated by semicolons) Atomic energy levels, O V; atomic spectra, O V; multiplet table, O V; oxygen spectra, O V; spectrum O V; wavelenth, O V.			
18. AVAILABILITY <input checked="" type="checkbox"/> Unlimited <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS <input checked="" type="checkbox"/> Order From Sup. of Doc., U.S. Government Printing Office, Washington, DC 20402 <input type="checkbox"/> Order From National Technical Information Service (NTIS), Springfield, VA. 22161		19. SECURITY CLASS (THIS REPORT) UNCLASSIFIED	21. NO. OF PRINTED PAGES 21
		20. SECURITY CLASS (THIS PAGE) UNCLASSIFIED	22. Price \$2.75



Important Additions

TO THE JOURNAL OF PHYSICAL AND CHEMICAL REFERENCE DATA

Three comprehensive reference volumes, each, as the Journal itself, published by the American Institute of Physics and the American Chemical Society for the National Bureau of Standards . . . your triple assurance of their accuracy, immediacy, and usefulness.

Supplement No. 1 to Vol. 2

"PHYSICAL AND THERMODYNAMIC PROPERTIES OF ALIPHATIC ALCOHOLS"

by R. C. Wilhoit and B. J. Zwolinski, *Thermodynamics Research Center, Department of Chemistry, Texas A & M University*

Represents the most exhaustive review and critical analysis of selected physical and thermodynamic properties of aliphatic alcohols that has been published in the world literature of chemistry.

Supplement No. 1 to Vol. 3

"THERMAL CONDUCTIVITY OF THE ELEMENTS: A COMPREHENSIVE REVIEW"

by C. Y. Ho, R. W. Powell, and P. E. Liley, *Thermophysical Properties Research Center, Purdue University, West Lafayette, Indiana*

This comprehensive review of the world's thermal conductivity data presents recommended or estimated values for all 105 elements.

Supplement No. 1 to Vol. 6

ENERGETICS OF GASEOUS IONS

by H. M. Rosenstock, K. Draxl, B. Steiner, and J. T. Herron, *National Bureau of Standards*

Provides a comprehensive body of critically evaluated information on ionization potentials, appearance potentials, electron affinities and heats of formation of gaseous positive and negative ions. It is a complete revision and extension of the earlier reference work, "Ionization Potentials, Appearance Potentials and Heats for Formation of Gaseous Positive Ions," NSRDS-NBS 26.

Business Operations—Books and Journals Dept.
American Chemical Society
1155 16th Street, N.W.
Washington, D.C. 20036

Please send _____ copies of _____ at \$_____.

A. "PHYSICAL AND THERMODYNAMIC PROPERTIES OF ALIPHATIC ALCOHOLS." (First supplement to Vol. 2 of the *Journal of Physical and Chemical Reference Data*.) Hard Cover: \$33.00. Soft Cover: \$30.00.

B. "THERMAL CONDUCTIVITY OF THE ELEMENTS. A COMPREHENSIVE REVIEW." (First supplement to Vol. 3 of the *Journal of Physical and Chemical Reference Data*.) Hard Cover: \$60.00. Soft Cover: \$55.00.

C. "ENERGETICS OF GASEOUS IONS." (First supplement to Vol. 6 of the *Journal of Physical and Chemical Reference Data*.) Hard Cover: \$70.00. Soft Cover: \$65.00.

☐ I am enclosing a check ☐ I am enclosing a money order

Name _____

Address _____

City _____ State _____ Zip Code _____

Title _____ Employer _____

Please add \$1.50 extra for foreign postage and handling.

**Announcement of New Publications in
National Standard Reference Data Series**

Superintendent of Documents,
Government Printing Office,
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued
in the series: National Standard Reference Data Series—National Bureau of
Standards.

Name_____

Company_____

Address_____

City_____State_____Zip Code_____

(Notification Key N-519)

NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH—The Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. As a special service to subscribers each issue contains complete citations to all recent Bureau publications in both NBS and non-NBS media. Issued six times a year. Annual subscription: domestic \$17; foreign \$21.25. Single copy, \$3 domestic; \$3.75 foreign.

NOTE: The Journal was formerly published in two sections: Section A "Physics and Chemistry" and Section B "Mathematical Sciences."

DIMENSIONS/NBS—This monthly magazine is published to inform scientists, engineers, business and industry leaders, teachers, students, and consumers of the latest advances in science and technology, with primary emphasis on work at NBS. The magazine highlights and reviews such issues as energy research, fire protection, building technology, metric conversion, pollution abatement, health and safety, and consumer product performance. In addition, it reports the results of Bureau programs in measurement standards and techniques, properties of matter and materials, engineering standards and services, instrumentation, and automatic data processing. Annual subscription: domestic \$11; foreign \$13.75.

NONPERIODICALS

Monographs—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

Applied Mathematics Series—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NBS under the authority of the National Standard Data Act (Public Law 90-396).

NOTE: The principal publication outlet for the foregoing data is the Journal of Physical and Chemical Reference Data (JPCRD) published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

Consumer Information Series—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

Order the above NBS publications from: Superintendent of Documents, Government Printing Office, Washington, DC 20402.

Order the following NBS publications—FIPS and NBSIR's—from the National Technical Information Services, Springfield, VA 22161

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NBS Interagency Reports (NBSIR)—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Services, Springfield, VA 22161, in paper copy or microfiche form.

BIBLIOGRAPHIC SUBSCRIPTION SERVICES

The following current-awareness and literature-survey bibliographies are issued periodically by the Bureau:

Cryogenic Data Center Current Awareness Service. A literature survey issued biweekly. Annual subscription: domestic \$25; foreign \$30.

Liquefied Natural Gas. A literature survey issued quarterly. Annual subscription: \$20.

Superconducting Devices and Materials. A literature survey issued quarterly. Annual subscription: \$30. Please send subscription orders and remittances for the preceding bibliographic services to the National Bureau of Standards, Cryogenic Data Center (736) Boulder, CO 80303.

U.S. DEPARTMENT OF COMMERCE
National Bureau of Standards
Washington, D.C. 20234

OFFICIAL BUSINESS

Penalty for Private Use, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE
COM-215



SPECIAL FOURTH-CLASS RATE
BOOK
