


A11101 577759

NATL INST OF STANDARDS & TECH R.I.C.



A11101577759

Levin, Rhoda D/Ionization potential and  
QC100 .U573 V71:1983 C.2 NBS-PUB-C 1982



**NSRDS-NBS 71**

**U.S. DEPARTMENT OF COMMERCE / National Bureau of Standards**



# **Ionization Potential and Appearance Potential Measurements, 1971-1981**

QC

100

.U573

No.71

1983

C.2

## NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards<sup>1</sup> was established by an act of Congress on March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau's technical work is performed by the National Measurement Laboratory, the National Engineering Laboratory, and the Institute for Computer Sciences and Technology.

**THE NATIONAL MEASUREMENT LABORATORY** provides the national system of physical and chemical and materials measurement; coordinates the system with measurement systems of other nations and furnishes essential services leading to accurate and uniform physical and chemical measurement throughout the Nation's scientific community, industry, and commerce; conducts materials research leading to improved methods of measurement, standards, and data on the properties of materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government agencies; develops, produces, and distributes Standard Reference Materials; and provides calibration services. The Laboratory consists of the following centers:

Absolute Physical Quantities<sup>2</sup> — Radiation Research — Chemical Physics —  
Analytical Chemistry — Materials Science

**THE NATIONAL ENGINEERING LABORATORY** provides technology and technical services to the public and private sectors to address national needs and to solve national problems; conducts research in engineering and applied science in support of these efforts; builds and maintains competence in the necessary disciplines required to carry out this research and technical service; develops engineering data and measurement capabilities; provides engineering measurement traceability services; develops test methods and proposes engineering standards and code changes; develops and proposes new engineering practices; and develops and improves mechanisms to transfer results of its research to the ultimate user. The Laboratory consists of the following centers:

Applied Mathematics — Electronics and Electrical Engineering<sup>2</sup> — Manufacturing Engineering — Building Technology — Fire Research — Chemical Engineering<sup>2</sup>

**THE INSTITUTE FOR COMPUTER SCIENCES AND TECHNOLOGY** conducts research and provides scientific and technical services to aid Federal agencies in the selection, acquisition, application, and use of computer technology to improve effectiveness and economy in Government operations in accordance with Public Law 89-306 (40 U.S.C. 759), relevant Executive Orders, and other directives; carries out this mission by managing the Federal Information Processing Standards Program, developing Federal ADP standards guidelines, and managing Federal participation in ADP voluntary standardization activities; provides scientific and technological advisory services and assistance to Federal agencies; and provides the technical foundation for computer-related policies of the Federal Government. The Institute consists of the following centers:

Programming Science and Technology — Computer Systems Engineering.

<sup>1</sup>Headquarters and Laboratories at Gaithersburg, MD, unless otherwise noted;  
mailing address Washington, DC 20234.

<sup>2</sup>Some divisions within the center are located at Boulder, CO 80303.



NSRDS-NBS

# Ionization Potential and Appearance Potential Measurements, 1971-1981

---

Rhoda D. Levin and Sharon G. Lias

Ion Kinetics and Energetics Data Center  
National Measurement Laboratory  
National Bureau of Standards  
Washington, DC 20234

NATIONAL BUREAU  
OF STANDARDS  
LIBRARY

JUL 22 1983

notacc-circ.  
QC 100  
U573  
no. 71  
1983  
c.2



---

U.S. DEPARTMENT OF COMMERCE, Malcolm Baldrige, Secretary  
NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director

Issued October 1982

**Library of Congress Cataloging in Publication Data**

Levin, Rhoda D.  
Ionization potential and appearance potential measurements,  
1971-1981.

(NSRDS-NBS ; 71)

"Issued October 1982"

1. Ionization.	I. Lias, Sharon G., 1935-	II. Title.	III. Series
QC100.U573 no. 71 [QD561]	602'.18s		82-2095
	[541.3'722]		AACR2

**NSRDS-NBS 71**

Natl. Stand. Ref. Data Ser., Natl. Bur. Stand. (U.S.), 71, 634 pages (Oct. 1982)  
CODEN: NSRDAP

© 1982 by the Secretary of Commerce on Behalf of the United States Government

Supersedes NSRDS-NBS 66, Part 1

U.S. GOVERNMENT PRINTING OFFICE  
WASHINGTON: 1982

---

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402  
Price **\$12.00**  
(Add 25 percent for other than U.S. mailing).

**In Memoriam**

**HENRY M. ROSENSTOCK**

Dr. Henry Meyer Rosenstock died on September 14, 1982, while this volume was in press. In 1963 Dr. Rosenstock originated the compilation of ionization and appearance potential data at the National Bureau of Standards. Although in 1979 he turned the project over to the present authors in order to devote more time to other scientific interests, he remained throughout the production of this book a wise mentor, a guide to the mysteries of both mass spectrometric literature and data compilation, and, always, a good friend. We gratefully dedicate this work to his memory.





## Foreword

The National Standard Reference Data System provides access to the quantitative data of physical science, critically evaluated and compiled for convenience and readily accessible through a variety of distribution channels. The System was established in 1963 by action of the President's Office of Science and Technology and the Federal Council for Science and Technology, and responsibility to administer it was assigned to the National Bureau of Standards.

NSRDS receives advice and planning assistance from a Review Committee of the National Research Council of the National Academy of Sciences-National Academy of Engineering. A number of Advisory Panels, each concerned with a single technical area, meet regularly to examine major portions of the program, assign relative priorities, and identify specific key problems in need of further attention. For selected specific topics, the Advisory Panels sponsor subpanels which make detailed studies of users' needs, the present state of knowledge, and existing data resources as a basis for recommending one or more data compilation activities. This assembly of advisory services contributes greatly to the guidance of NSRDS activities.

The System now includes a complex of data centers and other activities in academic institutions and other laboratories. Components of the NSRDS produce compilations of critically evaluated data, reviews of the state of quantitative knowledge in specialized areas, and computations of useful functions derived from standard reference data. The centers and projects also establish criteria for evaluation and compilation of data and recommend improvements in experimental techniques. They are normally associated with research in the relevant field.

The technical scope of NSRDS is indicated by the categories of projects active or being planned: nuclear properties, atomic and molecular properties, solid state properties, thermodynamic and transport properties, chemical kinetics, and colloid and surface properties.

Reliable data on the properties of matter and materials are a major foundation of scientific and technical progress. Such important activities as basic scientific research, industrial quality control, development of new materials for building and other technologies, measuring and correcting environmental pollution depend on quality reference data. In NSRDS, the Bureau's responsibility to support American science, industry, and commerce is vitally fulfilled.

A handwritten signature in dark ink, reading "E. Ambler." The signature is fluid and cursive, with a large initial "E" and a trailing flourish.

ERNEST AMBLER, *Director*

## Contents

	Page
Introduction .....	1
Literature Coverage .....	1
Description of the Compilation .....	2
Acknowledgments .....	3
References .....	3
Index of Ions .....	4
Table of Ion Energetics Measurements .....	42
Author Index .....	556
Bibliography .....	575



# Ionization Potential and Appearance Potential Measurements, 1971-1981

Rhoda D. Levin and Sharon G. Lias

*Ion Kinetics and Energetics Data Center, National Measurement Laboratory, National Bureau of Standards, Washington, DC 20234*

A compilation is presented of the ionization potential and appearance potential measurements which appeared in the refereed literature in the time period 1971-1981. The data are sorted according to the identity of the ionic species formed in the ionization process. Precursor molecules or radicals are identified by a structural formula and, in the case of compounds containing rings, by name according to the Chemical Abstracts system of nomenclature. Chemical Abstracts Registry Numbers are provided where available. A complete bibliography and author index are provided.

Key words: appearance potential; charge transfer spectrum; electron impact ionization; ionization potential; photoelectron spectroscopy; photoionization; spectroscopy.

## Introduction

In 1969, the NBS Ion Energetics Data Center, under the direction of Dr. Henry M. Rosenstock, published a compilation of ionization potential and appearance potential measurements covering the literature through mid-1967 [1]<sup>1</sup>. This was followed in 1977 by an update covering the literature through 1971 [2]. Both these volumes contained, wherever possible, critical evaluations of the data in which the ionization threshold measurements were paired with thermochemical data on corresponding neutral species to generate values for the heats of formation of ions in the gas phase. The current publication, which consists of a listing of ionization and appearance potential measurements which appeared in the literature between 1971 and 1981 (plus a few older measurements not included in the earlier volumes), is the first step toward a new update.

The 1977 compilation [2] is 10 years out of date at this writing, and the collection given here contains data from approximately 2000 papers which have appeared in the intervening years. The early publication of this encyclopedic list of measurements without an accompanying evaluation serves several purposes. Especially for that body of users whose interest lies in the ionization potentials themselves, or for those who require a bibliographic guide to mass spectrometric and photoelectron spectroscopic measurements, the present volume as it is will serve the need. For those users whose primary interest is in evaluated heats of formation of ions, this volume will best be used as an adjunct to the 1977 compilation, to call attention to newer measurements, until the appearance of an updated critical evaluation.

Data listed in the compilation "Ion Energetics Measurements, 1971-1973" by H. M. Rosenstock, D. Sims, S. S. Shroyer, and W. J. Webb [3] have been included as an integral part of the present book.

This compilation is restricted to processes involving positive ion formation. Data concerned with the energetics of negative ions are being compiled by Dr. John Bartmess of Indiana University, to be published separately in the *Journal of Physical and Chemical Reference Data*. That publication will list the heats of formation and, where available, entropies of negative ions, along with the electron affinities of corresponding neutral species and, where available, the acidities of the corresponding conjugate acids.

## Literature Coverage

The literature for the period 1971-1981 was covered initially by an issue-by-issue search of the following journals: *Canadian Journal of Chemistry*, *Canadian Journal of Physics*, *Chemical Communications*, *Chemical Physics*, *Chemical Physics Letters*, *Chemische Berichte*, *Faraday Transactions II*, *Helvetica Chimica Acta*, *High Temperature*, *International Journal of Mass Spectrometry and Ion Physics*, *Journal of the American Chemical Society*, *Journal of Chemical Physics*, *Journal of Electron Spectroscopy and Related Phenomena*, *Journal of Inorganic and Nuclear Chemistry*, *Journal of the Optical Society of America*, *Journal of Organometallic Chemistry*, *Journal of Physical Chemistry*, *Organic Mass Spectrometry*, *Tetrahedron*, and *Tetrahedron Letters*. This search was supplemented by a systematic use of standard abstracting services such as *Chemical Abstracts* and the *Mass Spectrometry Bulletin* (of the *Mass Spectrometry Data Centre*, The University of Nottingham, U.K.). Papers listed

<sup>1</sup> Figures in brackets indicate literature references.

in review articles describing relevant measurements were also checked against the bibliography as a monitor of the completeness of coverage. With the exception of certain journals published in the Soviet Union to which we did not have ready access, the literature coverage is estimated to be better than 95% complete. Only data appearing in refereed journals are included. The cut-off date is approximately March 1981.

## Description of the Compilation

The table of ionization and appearance potential measurements follows a format similar to that used in the earlier volumes [1,2,3]. That is, one will find data for a particular system listed under the empirical formula for the ion that is generated in the ionization process of interest. For example, in order to find the ionization potential of acetone, one finds the empirical formula of the acetone ion,  $\text{C}_3\text{H}_6\text{O}^+$  (boldface), then identifies those measurements involving acetone precursor molecules by looking in the first column of the table. For the appearance potential of a fragmentation process of the acetone ion (e.g.,  $\text{CH}_3\text{COCH}_3 \rightarrow \text{CH}_3\text{CO}^+ + \text{CH}_3 + \text{e}^-$ ), one would locate the empirical formula of the product ion,  $\text{C}_2\text{H}_3\text{O}^+$ , and identify those measurements involving acetone precursors in the first column. The neutral precursor species are identified by a semi-structural formula, and for compounds containing rings, the compound name according to the system of nomenclature used by the Chemical Abstracts Services. The Chemical Abstracts Registry Number is given for all compounds, when available. For a very few papers which appeared late in 1980, it was necessary if the data were to be included, to use the nomenclature used by the original authors and to omit the Registry Numbers. In some cases, comments about the experimental observation are also given.

The column of the table, labelled "Other Products," contains an indication of the identity of neutral or negative ion fragment species when these are known (e.g.,  $\text{CH}_3$  in the fragmentation process:  $\text{CH}_3\text{COCH}_3 \rightarrow \text{CH}_3\text{CO}^+ + \text{CH}_3 + \text{e}^-$ ). When the process described is just the removal of an electron, this column contains two asterisks. A word of caution is in order here—some techniques (particularly photoelectron spectroscopy) measure the energy required to remove an electron from a molecule, but do not identify the resulting ionic species. Certain molecular ions (e.g.,  $\text{neo-C}_5\text{H}_{12}^+$ ,  $\text{CCl}_4^+$ ) are formed on a dissociative potential surface, and cannot be said to exist in the gas phase. Therefore, it must be stated that the listing of the empirical formula of a particular ion does not necessarily imply that the ion exists in the gas phase.

The fourth column of the table gives the measured energy required to form the listed ion from the neutral molecule or radical in the second column. All values are given in electron volts. When the original data have been reported in units other than electron volts, conversion to electron volts has been made using the following conversion factors:  $1 \text{ eV} = 8065.479 \text{ cm}^{-1} = 96.48456 \text{ kJ mol}^{-1} = 23.06036 \text{ kcal mol}^{-1}$ . Error limits, when cited, are those given by the original authors.

Ionization potentials given are adiabatic values unless the designation (V) appears after the value, in which case the vertical ionization potential has been given. Photoelectron spectroscopy papers often report only vertical ionization potentials. Although in many cases, these probably coincide with the adiabatic values, we have followed the policy of labelling such ionization potentials "vertical" unless the original authors specifically report the measurement of an adiabatic ionization potential. Because of the original emphasis of this compilation effort on deriving heats of formation of ions, it was initially assumed that the users of this volume would find only adiabatic values useful, and therefore, vertical values were included only when adiabatic values were not given in a particular paper. This same emphasis, as well as space considerations, has deemed that only the lowest ionization potential be included here, except for monatomic, diatomic, and triatomic species, for which transitions leading to higher electronic states are also included. Users whose interests are in vertical ionization potentials or excited states of polyatomic ions will find this volume useful as a bibliographic guide to the literature of photoelectron spectroscopy.

Where available, the ionization potentials corresponding to the formation of doubly-charged ions have been included. Data for ionization processes leading to ions having three or more positive charges are not included.

The fifth column of the table gives an indication of the experimental technique used in the measurement. The abbreviations are as follows:

Abbreviation	Technique
S	Spectroscopy
PI	Photoionization
PE	Photoelectron Spectroscopy
AUG	Auger Electron Spectroscopy
PEN	Penning Ionization
EI	Electron Impact
CTS	Charge Transfer Spectrum
OTH	Other

For detailed descriptions of these various techniques, the reader is referred to the chapter appearing at the beginning of the 1977 compilation [2].

The final column of the table lists the number of the reference in the bibliography at the end of the table. An author index is also provided.

The index lists the empirical formulas of the ionic species, ordered according to an alphabetical sorting scheme. The empirical formulas are written with the atoms given in increasing order of atomic number, with the exception of hydrogen which appears after carbon in carbon-containing ions. The alphabetization is carried out on these formulas as written. For example, the ions  $\text{CHF}_3^+$ ,  $\text{CHCl}_3^+$ ,  $\text{CFCl}_3^+$ , and  $\text{CCl}_3\text{I}^+$  would be alphabetized first according to the atom which appears immediately after the C in the empirical formula, then according to the following atom:  $\text{CCl}_3\text{I}^+$ ,  $\text{CFCl}_3^+$ ,  $\text{CHCl}_3^+$ ,  $\text{CHF}_3^+$ .

As in the earlier volumes [1,2,3], the actual ordering of the ionic species in the compilation is determined by the atom in the molecule which has the highest atomic number, with the overall ordering following the periodic chart in increasing order. To find an ion whose highest atomic number atom is X, find that portion of the compilation devoted to species having X as the highest atomic number atom. In this portion, the sort will first list species containing only X ( $X^+$ ,  $X_2^+$ ,  $X_3^+$ , etc.), then ions compounded of X and one other element, these other atoms appearing in increasing order of atomic number. Within the set of ions  $A_nX_m^+$ , all ions with  $m$  equal to 1 will appear first while  $n$  advances from  $n=1$  to the maximum value; then  $m$  will be advanced to 2, and so on. When all  $A_nX_m^+$  ions (where A has an atomic number lower than that of X) have been listed,  $A_nB_pX_m^+$  ions appear (ordering of atomic numbers:  $A < B < X$ ). The indexes are advanced in the order  $n, p, m$ . The sort then proceeds to species containing four different atoms, etc.

### Acknowledgments

Mrs. Kathy Maugh, Mr. José Portal, and Dr. Pierre Ausloos have all contributed greatly to this work by participating in the abstracting of data from the literature. The authors would also like to acknowledge Dr. Henry M. Rosenstock and the former staff of the NBS Ion Energetics Data Center for the development of the computer processing

procedures used in the production of this book, and the technical assistance of Mr. Robert Thompson, Mrs. Carla Messina, and Mr. George Dines in using those techniques. We would particularly like to thank Ms. Carol Martin for her careful proofreading of the final tables, and Mr. David Stier for writing programs which simplified the final editing process and improved the format of the book. This project was supported by the Office of Standard Reference Data of the National Bureau of Standards and the U.S. Department of Energy Pollutant Characterization and Safety Research Division. That portion of the compilation originally published in reference [3] was supported in part by the National Institute of General Medical Sciences, National Institutes of Health (NIGMS). The advice and encouragement of Dr. L. H. Gevantman is gratefully acknowledged.

### References

- [1] Franklin, J. L., Dillard, J. G., Rosenstock, H. M., Herron, J. T., Draxl, K., and Field, F. H., "Ionization Potentials, Appearance Potentials, and Heats of Formation of Gaseous Positive Ions," Nat. Stand. Ref. Data Ser., Nat. Bur. Stand. (U.S.), 26 (1969).
- [2] Rosenstock, H. M., Draxl, K., Steiner, B. W., and Herron, J. T., "Energetics of Gaseous Ions," J. Phys. Chem. Ref. Data **6**, Suppl. 1 (1977).
- [3] Rosenstock, H. M., Sims, D., Shroyer, S. S., and Webb, W. J., "Ion Energetics Measurements. Part I. 1971-1973," Nat. Stand. Ref. Data Ser., Nat. Bur. Stand. (U.S.), 66 (1980).
- [4] Bartmess, J. E., to be published.



# Index of Ions

Ac <sup>+</sup> .....	552	BC <sub>3</sub> H <sub>9</sub> O <sup>+</sup> .....	224
Ag <sup>+</sup> .....	492	BC <sub>3</sub> H <sub>9</sub> O <sub>2</sub> <sup>+</sup> .....	224
AgEu <sup>+</sup> .....	527	BC <sub>3</sub> H <sub>9</sub> O <sub>3</sub> <sup>+</sup> .....	224
AgHo <sup>+</sup> .....	529	BC <sub>3</sub> H <sub>9</sub> S <sup>+</sup> .....	342
AgI <sup>+</sup> .....	518	BC <sub>3</sub> H <sub>9</sub> S <sub>2</sub> <sup>+</sup> .....	342
AgI <sub>3</sub> <sup>+</sup> .....	518	BC <sub>3</sub> H <sub>9</sub> S <sub>4</sub> <sup>+</sup> .....	342
Ag <sub>2</sub> <sup>+</sup> .....	493	BC <sub>3</sub> H <sub>12</sub> N <sup>+</sup> .....	167
Ag <sub>2</sub> I <sup>+</sup> .....	518	BC <sub>3</sub> H <sub>11</sub> N <sub>2</sub> <sup>+</sup> .....	168
Ag <sub>3</sub> <sup>+</sup> .....	493	BC <sub>3</sub> H <sub>12</sub> N <sup>+</sup> .....	167
Ag <sub>3</sub> I <sub>2</sub> <sup>+</sup> .....	518	BC <sub>3</sub> H <sub>12</sub> N <sub>2</sub> Br <sup>+</sup> .....	470
Ag <sub>3</sub> I <sub>3</sub> <sup>+</sup> .....	518	BC <sub>3</sub> H <sub>12</sub> N <sub>2</sub> Cl <sup>+</sup> .....	381
Al <sup>+</sup> .....	290	BC <sub>3</sub> H <sub>12</sub> N <sub>2</sub> F <sup>+</sup> .....	283
AlAg <sup>+</sup> .....	493	BC <sub>3</sub> H <sub>12</sub> N <sub>2</sub> I <sup>+</sup> .....	512
AlAu <sup>+</sup> .....	544	BC <sub>3</sub> H <sub>13</sub> N <sub>2</sub> <sup>+</sup> .....	168
AlAu <sub>2</sub> <sup>+</sup> .....	545	BC <sub>3</sub> H <sub>7</sub> NBr <sup>+</sup> .....	469
AlBr <sup>+</sup> .....	475	BC <sub>5</sub> H <sub>7</sub> NCl <sup>+</sup> .....	381
AlBr <sub>3</sub> <sup>+</sup> .....	475	BC <sub>5</sub> H <sub>7</sub> N <sub>2</sub> O <sub>2</sub> <sup>+</sup> .....	268
AlCl <sup>+</sup> .....	393	BC <sub>5</sub> H <sub>8</sub> N <sup>+</sup> .....	168
AlCl <sub>3</sub> <sup>+</sup> .....	393	BC <sub>5</sub> H <sub>15</sub> N <sub>2</sub> <sup>+</sup> .....	168
AlCl <sub>4</sub> Cs <sup>+</sup> .....	521	BC <sub>6</sub> H <sub>5</sub> Cl <sub>2</sub> <sup>+</sup> .....	377
AlCl <sub>4</sub> K <sup>+</sup> .....	405	BC <sub>6</sub> H <sub>5</sub> F <sub>2</sub> <sup>+</sup> .....	278
AlCl <sub>4</sub> Rb <sup>+</sup> .....	482	BC <sub>6</sub> H <sub>7</sub> NF <sub>3</sub> <sup>+</sup> .....	283
AlI <sup>+</sup> .....	514	BC <sub>6</sub> H <sub>10</sub> N <sup>+</sup> .....	168
AlI <sub>3</sub> <sup>+</sup> .....	514	BC <sub>6</sub> H <sub>10</sub> NO <sup>+</sup> .....	267
AlSi <sup>+</sup> .....	309	BC <sub>6</sub> H <sub>12</sub> N <sup>+</sup> .....	168
Al <sub>2</sub> <sup>+</sup> .....	291	BC <sub>6</sub> H <sub>12</sub> NO <sub>3</sub> <sup>+</sup> .....	268
Al <sub>2</sub> <sup>2+</sup> .....	291	BC <sub>6</sub> H <sub>14</sub> N <sub>3</sub> <sup>+</sup> .....	169
Al <sub>2</sub> Au <sup>+</sup> .....	545	BC <sub>6</sub> H <sub>18</sub> N <sub>3</sub> <sup>+</sup> .....	169
Al <sub>2</sub> Br <sub>6</sub> <sup>+</sup> .....	475	BC <sub>8</sub> H <sub>11</sub> O <sub>2</sub> <sup>+</sup> .....	224
Al <sub>2</sub> Cl <sub>5</sub> <sup>+</sup> .....	393	BC <sub>8</sub> H <sub>17</sub> N <sub>2</sub> <sup>+</sup> .....	168
Am <sup>+</sup> .....	555	BC <sub>8</sub> H <sub>19</sub> N <sub>2</sub> <sup>+</sup> .....	168
Ar <sup>+</sup> .....	402	BC <sub>9</sub> H <sub>11</sub> N <sub>2</sub> <sup>+</sup> .....	168
Ar <sup>2+</sup> .....	403	BC <sub>9</sub> H <sub>13</sub> N <sub>2</sub> <sup>+</sup> .....	168
ArKr <sup>+</sup> .....	482	BC <sub>9</sub> H <sub>16</sub> N <sup>+</sup> .....	168
ArXe <sup>+</sup> .....	520	BC <sub>10</sub> H <sub>13</sub> N <sub>2</sub> <sup>+</sup> .....	168
Ar <sub>2</sub> <sup>+</sup> .....	403	BC <sub>10</sub> H <sub>15</sub> N <sub>2</sub> <sup>+</sup> .....	169
As <sup>+</sup> .....	454	BC <sub>10</sub> H <sub>20</sub> N <sup>+</sup> .....	168
AsBr <sup>+</sup> .....	481	BC <sub>11</sub> H <sub>13</sub> Co <sup>+</sup> .....	437
AsBr <sub>2</sub> <sup>+</sup> .....	481	BC <sub>12</sub> H <sub>10</sub> <sup>+</sup> .....	122
AsBr <sub>3</sub> <sup>+</sup> .....	481	BC <sub>12</sub> H <sub>18</sub> SBr <sup>+</sup> .....	478
AsI <sub>3</sub> <sup>+</sup> .....	517	BC <sub>12</sub> H <sub>18</sub> SCl <sup>+</sup> .....	400
AsTl <sup>+</sup> .....	549	BC <sub>12</sub> H <sub>19</sub> S <sup>+</sup> .....	342
As <sub>2</sub> <sup>+</sup> .....	454	BC <sub>13</sub> H <sub>21</sub> OS <sup>+</sup> .....	360
As <sub>4</sub> <sup>+</sup> .....	454	BC <sub>13</sub> H <sub>21</sub> S <sup>+</sup> .....	342
Au <sup>+</sup> .....	544	BC <sub>14</sub> H <sub>19</sub> <sup>+</sup> .....	122
AuEu <sup>+</sup> .....	545	BC <sub>16</sub> H <sub>15</sub> Co <sup>+</sup> .....	437
Au <sub>2</sub> <sup>+</sup> .....	544	BC <sub>16</sub> H <sub>28</sub> N <sup>+</sup> .....	168
Au <sub>2</sub> Eu <sup>+</sup> .....	545	BC <sub>18</sub> H <sub>15</sub> <sup>+</sup> .....	122
B <sup>+</sup> .....	43	BC <sub>18</sub> H <sub>25</sub> U <sup>+</sup> .....	554
BAu <sup>+</sup> .....	544	BC <sub>21</sub> H <sub>15</sub> F <sub>3</sub> <sup>+</sup> .....	278
BCH <sub>3</sub> Br <sub>2</sub> <sup>+</sup> .....	467	BCl <sup>+</sup> .....	371
BCH <sub>3</sub> Cl <sub>2</sub> <sup>+</sup> .....	377	BCl <sub>2</sub> <sup>+</sup> .....	371
BCH <sub>3</sub> F <sub>2</sub> <sup>+</sup> .....	278	BCl <sub>3</sub> <sup>+</sup> .....	371
BCH <sub>3</sub> O <sup>+</sup> .....	224	BF <sup>+</sup> .....	269
BCH <sub>8</sub> N <sup>+</sup> .....	167	BFCl <sup>+</sup> .....	389
BC <sub>2</sub> H <sub>6</sub> Br <sup>+</sup> .....	467	BFCl <sub>2</sub> <sup>+</sup> .....	389
BC <sub>2</sub> H <sub>6</sub> Cl <sup>+</sup> .....	377	BF <sub>2</sub> <sup>+</sup> .....	269
BC <sub>2</sub> H <sub>6</sub> F <sup>+</sup> .....	278	BF <sub>2</sub> Cl <sup>+</sup> .....	389
BC <sub>2</sub> H <sub>7</sub> I <sup>+</sup> .....	511	BF <sub>3</sub> <sup>+</sup> .....	269
BC <sub>2</sub> H <sub>6</sub> NBr <sub>2</sub> <sup>+</sup> .....	470	BO <sup>+</sup> .....	172
BC <sub>2</sub> H <sub>6</sub> NCl <sub>2</sub> <sup>+</sup> .....	381	BOAu <sup>+</sup> .....	544
BC <sub>2</sub> H <sub>6</sub> NF <sub>2</sub> <sup>+</sup> .....	283	BOF <sup>+</sup> .....	283
BC <sub>2</sub> H <sub>6</sub> NI <sub>2</sub> <sup>+</sup> .....	512	BOF <sub>2</sub> <sup>+</sup> .....	284
BC <sub>2</sub> H <sub>8</sub> N <sup>+</sup> .....	167	BO <sub>2</sub> <sup>+</sup> .....	172
BC <sub>2</sub> H <sub>9</sub> N <sup>+</sup> .....	167	BO <sub>2</sub> Ba <sup>+</sup> .....	521
BC <sub>2</sub> H <sub>9</sub> NF <sub>2</sub> P <sup>+</sup> .....	323	BO <sub>2</sub> In <sup>+</sup> .....	496
BC <sub>3</sub> H <sub>9</sub> <sup>+</sup> .....	122	BO <sub>2</sub> K <sup>+</sup> .....	404

$\text{BO}_2\text{K}_2^+$ .....	404	$\text{B}_4\text{C}_2\text{H}_{14}\text{NF}_2\text{P}^+$ .....	324
$\text{BO}_2\text{Na}^+$ .....	290	$\text{B}_4\text{C}_3\text{H}_8\text{O}_3\text{Fe}^+$ .....	432
$\text{BO}_2\text{Na}_2^+$ .....	290	$\text{B}_5\text{CH}^+$ .....	121
$\text{BO}_2\text{Ti}^+$ .....	548	$\text{B}_5\text{CH}_{11}^+$ .....	121
$\text{BO}_2\text{Ti}_2^+$ .....	548	$\text{B}_5\text{C}_2\text{H}_7^+$ .....	121
$\text{BO}_4\text{W}^+$ .....	533	$\text{B}_5\text{C}_3\text{H}_3\text{O}_3\text{Fe}^+$ .....	432
$\text{BO}_5\text{W}_2^+$ .....	534	$\text{B}_5\text{C}_5\text{H}_3\text{O}_3\text{Fe}^+$ .....	433
$\text{BO}_{10}\text{W}_3^+$ .....	534	$\text{B}_8\text{C}_2\text{H}_{10}^+$ .....	122
$\text{BO}_{13}\text{W}_4^+$ .....	534	$\text{B}_9\text{CH}_{11}\text{S}^+$ .....	342
$\text{BP}^+$ .....	310	$\text{B}_{10}\text{C}_2\text{H}_{12}^+$ .....	122
$\text{BSCl}^+$ .....	399	$\text{Ba}^+$ .....	521
$\text{B}_2\text{C}_2\text{H}_6\text{S}_3^+$ .....	342	$\text{Ba}^{+2}$ .....	521
$\text{B}_2\text{C}_2\text{H}_7\text{NS}_2^+$ .....	350	$\text{BaI}^+$ .....	522
$\text{B}_2\text{C}_3\text{H}_9\text{NOS}^+$ .....	364	$\text{Be}^+$ .....	43
$\text{B}_2\text{C}_3\text{H}_9\text{NS}_2^+$ .....	351	$\text{BeC}_5\text{H}_2\text{Br}^+$ .....	467
$\text{B}_2\text{C}_3\text{H}_9\text{N}_3\text{Br}_2^+$ .....	470	$\text{BeC}_5\text{H}_3\text{Cl}^+$ .....	377
$\text{B}_2\text{C}_3\text{H}_9\text{N}_3\text{Cl}_2^+$ .....	381	$\text{BeC}_6\text{H}_5^+$ .....	121
$\text{B}_2\text{C}_3\text{H}_{10}\text{N}_2\text{S}^+$ .....	350	$\text{BeC}_6\text{H}_6^+$ .....	121
$\text{B}_2\text{C}_3\text{H}_{11}\text{N}_3^+$ .....	169	$\text{BeC}_7\text{H}_6^+$ .....	121
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_2\text{Br}_2^+$ .....	470	$\text{BeC}_8\text{H}_8^+$ .....	121
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_2\text{Cl}_2^+$ .....	381	$\text{BeC}_{10}\text{H}_2\text{O}_4\text{F}_{12}^+$ .....	287
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_2\text{F}_2^+$ .....	283	$\text{BeC}_{10}\text{H}_{10}^+$ .....	121
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_2\text{O}^+$ .....	267	$\text{BeC}_{10}\text{H}_{14}\text{O}_4^+$ .....	224
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_2\text{S}^+$ .....	350	$\text{BeC}_{12}\text{H}_{10}^+$ .....	121
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_4\text{Cl}_2^+$ .....	381	$\text{BeCl}_2^+$ .....	371
$\text{B}_2\text{C}_4\text{H}_{13}\text{N}_3^+$ .....	169	$\text{BeF}^+$ .....	269
$\text{B}_2\text{C}_5\text{H}_{15}\text{N}_3^+$ .....	169	$\text{BeFCl}^+$ .....	389
$\text{B}_2\text{C}_5\text{H}_{15}\text{N}_3\text{O}_2^+$ .....	268	$\text{BeF}_2^+$ .....	269
$\text{B}_2\text{C}_5\text{H}_{15}\text{N}_3\text{S}_2^+$ .....	351	$\text{Bi}^+$ .....	551
$\text{B}_2\text{C}_5\text{H}_{16}\text{N}_2\text{SiS}^+$ .....	368	$\text{Bi}_2^+$ .....	551
$\text{B}_2\text{C}_6\text{H}_{18}\text{N}_2^+$ .....	168	$\text{Bi}_3^+$ .....	551
$\text{B}_2\text{C}_6\text{H}_{18}\text{N}_3\text{As}^+$ .....	455	$\text{Bi}_4^+$ .....	551
$\text{B}_2\text{C}_6\text{H}_{18}\text{N}_6\text{P}^+$ .....	316	$\text{Bk}^+$ .....	555
$\text{B}_2\text{C}_6\text{H}_{18}\text{N}_4^+$ .....	169	$\text{Br}^+$ .....	462
$\text{B}_2\text{C}_6\text{H}_{18}\text{N}_4\text{O}_2^+$ .....	268	$\text{BrAg}^+$ .....	494
$\text{B}_2\text{C}_6\text{H}_{18}\text{N}_6\text{S}_2^+$ .....	351	$\text{BrAg}_3^+$ .....	494
$\text{B}_2\text{C}_7\text{H}_{21}\text{N}_3\text{Si}^+$ .....	304	$\text{BrBa}^+$ .....	522
$\text{B}_2\text{C}_7\text{H}_{21}\text{N}_3\text{Sn}^+$ .....	500	$\text{BrCs}^+$ .....	521
$\text{B}_2\text{C}_7\text{H}_{21}\text{N}_5^+$ .....	169	$\text{BrI}^+$ .....	517
$\text{B}_2\text{C}_8\text{H}_{22}\text{N}_3^+$ .....	169	$\text{BrIn}^+$ .....	496
$\text{B}_2\text{C}_8\text{H}_{24}\text{N}_4^+$ .....	169	$\text{BrRb}^+$ .....	483
$\text{B}_2\text{C}_8\text{H}_{24}\text{N}_6\text{P}^+$ .....	316	$\text{BrRb}_2^+$ .....	483
$\text{B}_2\text{C}_8\text{H}_{24}\text{N}_6^+$ .....	170	$\text{BrSr}^+$ .....	483
$\text{B}_2\text{C}_{12}\text{H}_{16}\text{Co}^+$ .....	437	$\text{BrTi}^+$ .....	549
$\text{B}_2\text{C}_{12}\text{H}_{16}\text{O}_2\text{Co}^+$ .....	439	$\text{BrW}^+$ .....	539
$\text{B}_2\text{C}_{22}\text{H}_{20}\text{Co}^+$ .....	437	$\text{BrYb}^+$ .....	530
$\text{B}_2\text{Cl}_4^+$ .....	371	$\text{Br}_2^+$ .....	463
$\text{B}_2\text{F}^+$ .....	269	$\text{Br}_2\text{Ag}_3$ .....	494
$\text{B}_2\text{O}_6\text{W}^+$ .....	534	$\text{Br}_2\text{Cd}^+$ .....	495
$\text{B}_2\text{O}_{12}\text{W}_3^+$ .....	534	$\text{Br}_2\text{Nd}^+$ .....	526
$\text{B}_3\text{C}_2\text{H}_5^+$ .....	121	$\text{Br}_2\text{Pb}^+$ .....	551
$\text{B}_3\text{C}_2\text{H}_{11}\text{NF}_2\text{P}^+$ .....	323	$\text{Br}_2\text{Sn}^+$ .....	503
$\text{B}_3\text{C}_2\text{H}_{12}\text{NF}_2\text{P}^+$ .....	323	$\text{Br}_2\text{Tm}^+$ .....	530
$\text{B}_3\text{C}_3\text{H}_9\text{N}_3\text{Cl}_3^+$ .....	381	$\text{Br}_2\text{W}^+$ .....	539
$\text{B}_3\text{C}_3\text{H}_9\text{N}_3\text{F}_3^+$ .....	283	$\text{Br}_2\text{Yb}^+$ .....	530
$\text{B}_3\text{C}_3\text{H}_{12}\text{N}_3^+$ .....	169	$\text{Br}_3\text{Ag}_3^+$ .....	494
$\text{B}_3\text{C}_3\text{H}_5\text{O}_3\text{Fe}^+$ .....	433	$\text{Br}_3\text{In}^+$ .....	497
$\text{B}_3\text{C}_3\text{H}_5\text{O}_3\text{Fe}^+$ .....	433	$\text{Br}_3\text{Sb}^+$ .....	506
$\text{B}_3\text{C}_6\text{H}_{18}\text{N}_3^+$ .....	169	$\text{Br}_3\text{Tm}^+$ .....	530
$\text{B}_3\text{C}_6\text{H}_{24}\text{N}_5^+$ .....	169	$\text{Br}_3\text{W}^+$ .....	539
$\text{B}_3\text{C}_6\text{H}_7\text{Br}_2^+$ .....	468	$\text{Br}_3\text{W}_2^+$ .....	539
$\text{B}_3\text{C}_2\text{H}_4\text{Cl}_2^+$ .....	377	$\text{Br}_4\text{Hf}^+$ .....	531
$\text{B}_3\text{C}_2\text{H}_4\text{I}_2^+$ .....	512	$\text{Br}_4\text{W}^+$ .....	539
$\text{B}_3\text{C}_2\text{H}_5\text{Br}^+$ .....	467	$\text{Br}_4\text{W}_2^+$ .....	539
$\text{B}_3\text{C}_2\text{H}_5\text{Cl}^+$ .....	377	$\text{Br}_4\text{Zr}^+$ .....	484
$\text{B}_3\text{C}_2\text{H}_5\text{I}^+$ .....	511	$\text{Br}_5\text{W}^+$ .....	539
$\text{B}_3\text{C}_2\text{H}_6^+$ .....	121	$\text{Br}_5\text{W}_2^+$ .....	539
$\text{B}_3\text{C}_2\text{H}_8^+$ .....	121	$\text{Br}_6\text{W}_2^+$ .....	540
$\text{B}_4\text{C}_2\text{H}_{12}\text{NF}_2\text{P}^+$ .....	323	$\text{Br}_6\text{Re}_3^+$ .....	542

C <sup>+</sup> .....	44	CH <sub>2</sub> Cl <sup>+</sup> .....	372
C <sup>+2</sup> .....	44	CH <sub>2</sub> Cl <sub>2</sub> <sup>+</sup> .....	375
CBr <sup>+</sup> .....	463	CH <sub>2</sub> D <sup>+</sup> .....	46
CBr <sub>3</sub> <sup>+</sup> .....	463	CH <sub>2</sub> DSi <sup>+</sup> .....	293
CBr <sub>4</sub> <sup>+</sup> .....	464	CH <sub>2</sub> D <sub>2</sub> Si <sup>+</sup> .....	293
CCl <sup>+</sup> .....	371	CH <sub>2</sub> F <sup>+</sup> .....	274
CCl <sub>2</sub> <sup>+</sup> .....	371	CH <sub>2</sub> FCl <sup>+</sup> .....	391
CCl <sub>2</sub> Br <sub>2</sub> <sup>+</sup> .....	479	CH <sub>2</sub> F <sub>3</sub> As <sup>+</sup> .....	456
CCl <sub>3</sub> <sup>+</sup> .....	371	CH <sub>2</sub> F <sub>3</sub> P <sup>+</sup> .....	321
CDN <sup>+</sup> .....	125	CH <sub>2</sub> F <sub>4</sub> S <sup>+</sup> .....	366
CDO <sup>+</sup> .....	174	CH <sub>2</sub> I <sup>+</sup> .....	509
CD <sub>2</sub> <sup>+</sup> .....	45	CH <sub>2</sub> I <sub>2</sub> <sup>+</sup> .....	511
CD <sub>2</sub> O <sup>+</sup> .....	174	CH <sub>2</sub> N <sup>+</sup> .....	125
CD <sub>3</sub> <sup>+</sup> .....	46	CH <sub>2</sub> NF <sup>+</sup> .....	281
CD <sub>3</sub> NO <sub>2</sub> <sup>+</sup> .....	246	CH <sub>2</sub> NF <sub>2</sub> <sup>+</sup> .....	282
CD <sub>3</sub> O <sup>+</sup> .....	175	CH <sub>2</sub> NO <sup>+</sup> .....	226
CD <sub>4</sub> O <sup>+</sup> .....	175	CH <sub>2</sub> NS <sup>+</sup> .....	343
CF <sup>+</sup> .....	269	CH <sub>2</sub> N <sub>2</sub> <sup>+</sup> .....	146
CFBr <sub>3</sub> <sup>+</sup> .....	474	CH <sub>2</sub> N <sub>3</sub> <sup>+</sup> .....	164
CFCl <sup>+</sup> .....	389	CH <sub>2</sub> O <sup>+</sup> .....	174
CFCl <sub>2</sub> <sup>+</sup> .....	390	CH <sub>2</sub> OAs <sup>+</sup> .....	455
CFCl <sub>3</sub> <sup>+</sup> .....	390	CH <sub>2</sub> OS <sup>+</sup> .....	352
CFP <sup>+</sup> .....	321	CH <sub>2</sub> O <sub>2</sub> <sup>+</sup> .....	204
CFSCI <sup>+</sup> .....	401	CH <sub>2</sub> PCl <sub>3</sub> <sup>+</sup> .....	397
CF <sub>2</sub> <sup>+</sup> .....	270	CH <sub>2</sub> PS <sup>+</sup> .....	368
CF <sub>2</sub> Br <sub>2</sub> <sup>+</sup> .....	473	CH <sub>2</sub> S <sup>+</sup> .....	329
CF <sub>2</sub> Cl <sup>+</sup> .....	389	CH <sub>2</sub> S <sub>2</sub> <sup>+</sup> .....	337
CF <sub>2</sub> ClBr <sup>+</sup> .....	479	CH <sub>3</sub> <sup>+</sup> .....	45
CF <sub>2</sub> Cl <sub>2</sub> <sup>+</sup> .....	390	CH <sub>3</sub> AlBr <sub>2</sub> <sup>+</sup> .....	476
CF <sub>2</sub> PCl <sub>3</sub> <sup>+</sup> .....	399	CH <sub>3</sub> AlI <sub>2</sub> <sup>+</sup> .....	514
CF <sub>2</sub> S <sup>+</sup> .....	365	CH <sub>3</sub> Br <sup>+</sup> .....	464
CF <sub>3</sub> <sup>+</sup> .....	271	CH <sub>3</sub> Cl <sup>+</sup> .....	372
CF <sub>3</sub> Br <sup>+</sup> .....	473	CH <sub>3</sub> Cl <sub>2</sub> Ge <sup>+</sup> .....	453
CF <sub>3</sub> Cl <sup>+</sup> .....	390	CH <sub>3</sub> Cl <sub>3</sub> Ge <sup>+</sup> .....	453
CF <sub>3</sub> I <sup>+</sup> .....	514	CH <sub>3</sub> Cl <sub>3</sub> Ti <sup>+</sup> .....	407
CF <sub>3</sub> IHg <sup>+</sup> .....	548	CH <sub>3</sub> D <sup>+</sup> .....	46
CF <sub>3</sub> PCl <sub>2</sub> <sup>+</sup> .....	398	CH <sub>3</sub> DO <sup>+</sup> .....	175
CF <sub>4</sub> <sup>+</sup> .....	271	CH <sub>3</sub> DSi <sup>+</sup> .....	293
CH <sup>+</sup> .....	44	CH <sub>3</sub> D <sub>2</sub> Si <sup>+</sup> .....	294
CHBr <sup>+</sup> .....	464	CH <sub>3</sub> F <sub>2</sub> P <sup>+</sup> .....	321
CHBr <sub>2</sub> <sup>+</sup> .....	466	CH <sub>3</sub> F <sub>2</sub> Si <sup>+</sup> .....	308
CHBr <sub>3</sub> <sup>+</sup> .....	467	CH <sub>3</sub> F <sub>3</sub> Si <sup>+</sup> .....	308
CHCl <sub>2</sub> <sup>+</sup> .....	375	CH <sub>3</sub> Ga <sup>+</sup> .....	447
CHCl <sub>3</sub> <sup>+</sup> .....	376	CH <sub>3</sub> I <sup>+</sup> .....	509
CHD <sup>+</sup> .....	45	CH <sub>3</sub> N <sup>+</sup> .....	126
CHDO <sup>+</sup> .....	174	CH <sub>3</sub> NBr <sub>2</sub> <sup>+</sup> .....	469
CHD <sub>2</sub> <sup>+</sup> .....	46	CH <sub>3</sub> NCl <sub>2</sub> <sup>+</sup> .....	381
CHD <sub>2</sub> O <sup>+</sup> .....	175	CH <sub>3</sub> NF <sub>4</sub> P <sub>3</sub> <sup>+</sup> .....	323
CHD <sub>3</sub> <sup>+</sup> .....	46	CH <sub>3</sub> NO <sup>+</sup> .....	226
CHD <sub>3</sub> O <sup>+</sup> .....	175	CH <sub>3</sub> NOGe <sup>+</sup> .....	451
CHF <sup>+</sup> .....	274	CH <sub>3</sub> NOSi <sup>+</sup> .....	306
CHFCl <sub>2</sub> <sup>+</sup> .....	392	CH <sub>3</sub> NO <sub>2</sub> <sup>+</sup> .....	246
CHF <sub>2</sub> <sup>+</sup> .....	276	CH <sub>3</sub> NS <sup>+</sup> .....	343
CHF <sub>2</sub> Cl <sup>+</sup> .....	391	CH <sub>3</sub> NSGe <sup>+</sup> .....	453
CHF <sub>3</sub> <sup>+</sup> .....	277	CH <sub>3</sub> NSiS <sup>+</sup> .....	368
CHI <sub>2</sub> <sup>+</sup> .....	511	CH <sub>3</sub> N <sub>2</sub> <sup>+</sup> .....	146
CHI <sub>3</sub> <sup>+</sup> .....	511	CH <sub>3</sub> N <sub>3</sub> <sup>+</sup> .....	162
CHN <sup>+</sup> .....	125	CH <sub>3</sub> O <sup>+</sup> .....	175
CHNF <sub>2</sub> <sup>+</sup> .....	282	CH <sub>3</sub> OAs <sup>+</sup> .....	455
CHNO <sup>+</sup> .....	226	CH <sub>3</sub> OPCl <sub>2</sub> <sup>+</sup> .....	397
CHNS <sup>+</sup> .....	343	CH <sub>3</sub> OPSCl <sub>2</sub> <sup>+</sup> .....	402
CHO <sup>+</sup> .....	174	CH <sub>3</sub> OS <sup>+</sup> .....	352
CHO <sup>+</sup> F.....	284	CH <sub>3</sub> O <sub>2</sub> <sup>+</sup> .....	204
CHOM <sub>n</sub> <sup>+</sup> .....	422	CH <sub>3</sub> O <sub>2</sub> FS <sup>+</sup> .....	367
CHO <sub>2</sub> <sup>+</sup> .....	204	CH <sub>3</sub> O <sub>2</sub> F <sub>2</sub> P <sup>+</sup> .....	324
CHP <sup>+</sup> .....	310	CH <sub>3</sub> O <sub>2</sub> PBr <sub>2</sub> <sup>+</sup> .....	477
CHS <sup>+</sup> .....	328	CH <sub>3</sub> O <sub>2</sub> PCl <sub>2</sub> <sup>+</sup> .....	398
CH <sub>2</sub> <sup>+</sup> .....	44	CH <sub>3</sub> O <sub>2</sub> SCI <sup>+</sup> .....	401
CH <sub>2</sub> Br <sup>+</sup> .....	464	CH <sub>3</sub> PCl <sub>2</sub> <sup>+</sup> .....	396
CH <sub>2</sub> Br <sub>2</sub> <sup>+</sup> .....	466	CH <sub>3</sub> PCl <sub>2</sub> Se <sup>+</sup> .....	462



CH <sub>3</sub> PSBr <sub>2</sub> <sup>+</sup> .....	479	COF <sub>4</sub> <sup>+</sup> .....	284
CH <sub>3</sub> PSCl <sub>2</sub> <sup>+</sup> .....	402	COF <sub>6</sub> SiP <sub>2</sub> Cl <sub>3</sub> Co <sup>+</sup> .....	441
CH <sub>3</sub> S <sup>+</sup> .....	329	COF <sub>12</sub> P <sub>4</sub> Fe <sup>+</sup> .....	434
CH <sub>3</sub> Si <sup>+</sup> .....	293	COFe <sup>+</sup> .....	430
CH <sub>3</sub> <sup>+</sup> .....	46	COMn <sup>+</sup> .....	422
CH <sub>4</sub> N <sup>+</sup> .....	126	COMo <sup>+</sup> .....	486
CH <sub>4</sub> NBr <sup>+</sup> .....	468	CONi <sup>+</sup> .....	443
CH <sub>4</sub> NCl <sup>+</sup> .....	378	COS <sup>+</sup> .....	352
CH <sub>4</sub> N <sub>2</sub> <sup>+</sup> .....	146	COSe <sup>+</sup> .....	460
CH <sub>4</sub> N <sub>2</sub> O <sup>+</sup> .....	240	COSiCl <sub>3</sub> Co <sup>+</sup> .....	441
CH <sub>4</sub> N <sub>2</sub> S <sup>+</sup> .....	346	COW <sup>+</sup> .....	534
CH <sub>4</sub> O <sup>+</sup> .....	175	CO <sub>3</sub> K <sub>2</sub> <sup>+</sup> .....	404
CH <sub>4</sub> OAs <sup>+</sup> .....	455	CP <sup>+</sup> .....	310
CH <sub>4</sub> OP <sup>+</sup> .....	317	CPCl <sub>5</sub> <sup>+</sup> .....	396
CH <sub>4</sub> OS <sup>+</sup> .....	352	CP <sub>2</sub> <sup>+</sup> .....	310
CH <sub>4</sub> O <sup>2+</sup> .....	175	CRh <sup>+</sup> .....	491
CH <sub>4</sub> O <sub>2</sub> P <sup>+</sup> .....	317	CRhCe <sup>+</sup> .....	524
CH <sub>4</sub> O <sub>3</sub> P <sup>+</sup> .....	318	CRuCe <sup>+</sup> .....	524
CH <sub>4</sub> S <sup>+</sup> .....	329	CS <sup>+</sup> .....	327
CH <sub>4</sub> S <sub>2</sub> <sup>+</sup> .....	337	CSCl <sub>2</sub> <sup>+</sup> .....	399
CH <sub>4</sub> Si <sup>+</sup> .....	293	CSCr <sup>+</sup> .....	418
CH <sub>4</sub> SiCl <sub>2</sub> <sup>+</sup> .....	395	CSFe <sup>+</sup> .....	434
CH <sub>5</sub> N <sup>+</sup> .....	126	CSFe <sub>2</sub> <sup>+</sup> .....	434
CH <sub>5</sub> NO <sup>+</sup> .....	227	CSMn <sup>+</sup> .....	425
CH <sub>5</sub> O <sub>2</sub> P <sup>+</sup> .....	318	CSMnI <sup>+</sup> .....	516
CH <sub>5</sub> P <sup>+</sup> .....	310	CSMo <sup>+</sup> .....	489
CH <sub>5</sub> Si <sup>+</sup> .....	293	CSSe <sup>+</sup> .....	461
CH <sub>6</sub> N <sub>2</sub> <sup>+</sup> .....	146	CSW <sup>+</sup> .....	538
CH <sub>6</sub> OSi <sup>+</sup> .....	305	CS <sub>2</sub> <sup>+</sup> .....	328
CH <sub>6</sub> Si <sup>+</sup> .....	294	CSe <sup>+</sup> .....	458
CH <sub>6</sub> SiS <sup>+</sup> .....	367	CSe <sub>2</sub> <sup>+</sup> .....	458
CH <sub>7</sub> NSi <sub>2</sub> <sup>+</sup> .....	304	CSiCe <sup>+</sup> .....	524
ClA <sup>+</sup> .....	522	CSiP <sup>+</sup> .....	325
CN <sup>+</sup> .....	124	CSi <sub>2</sub> <sup>+</sup> .....	293
CNEu <sup>+</sup> .....	527	CTh <sup>+</sup> .....	552
CNF <sup>+</sup> .....	279	CU <sup>+</sup> .....	554
CNFP <sup>+</sup> .....	322	C <sub>2</sub> <sup>+</sup> .....	44
CNF <sub>2</sub> P <sup>+</sup> .....	322	C <sub>2</sub> Al <sup>+</sup> .....	291
CNF <sub>2</sub> PS <sup>+</sup> .....	370	C <sub>2</sub> Al <sub>2</sub> <sup>+</sup> .....	291
CNGa <sup>+</sup> .....	448	C <sub>2</sub> Ce <sup>+</sup> .....	523
CNK <sup>+</sup> .....	404	C <sub>2</sub> Cl <sub>6</sub> <sup>+</sup> .....	371
CNK <sub>2</sub> <sup>+</sup> .....	404	C <sub>2</sub> D <sup>+</sup> .....	46
CNOBr <sup>+</sup> .....	472	C <sub>2</sub> D <sub>2</sub> <sup>+</sup> .....	47
CNOBr <sub>3</sub> <sup>+</sup> .....	472	C <sub>2</sub> D <sub>3</sub> <sup>+</sup> .....	48
CNOCl <sup>+</sup> .....	385	C <sub>2</sub> D <sub>3</sub> O <sup>+</sup> .....	178
CNOClBr <sub>2</sub> <sup>+</sup> .....	479	C <sub>2</sub> D <sub>4</sub> <sup>+</sup> .....	49
CNOCl <sub>2</sub> Br <sup>+</sup> .....	479	C <sub>2</sub> D <sub>4</sub> O <sup>+</sup> .....	179
CNOCl <sub>3</sub> <sup>+</sup> .....	385	C <sub>2</sub> Eu <sup>+</sup> .....	527
CNOFCl <sub>2</sub> <sup>+</sup> .....	393	C <sub>2</sub> FCl <sub>2</sub> <sup>+</sup> .....	390
CNOF <sub>2</sub> Cl <sup>+</sup> .....	393	C <sub>2</sub> F <sub>2</sub> <sup>+</sup> .....	270
CNOF <sub>2</sub> P <sup>+</sup> .....	324	C <sub>2</sub> F <sub>2</sub> Cl <sup>+</sup> .....	390
CNOF <sub>3</sub> <sup>+</sup> .....	287	C <sub>2</sub> F <sub>2</sub> Cl <sub>2</sub> <sup>+</sup> .....	390
CNOI <sup>+</sup> .....	513	C <sub>2</sub> F <sub>3</sub> <sup>+</sup> .....	271
CNO <sub>2</sub> <sup>+</sup> .....	226	C <sub>2</sub> F <sub>3</sub> Br <sup>+</sup> .....	473
CNO <sub>3</sub> F <sub>3</sub> Hg <sup>+</sup> .....	547	C <sub>2</sub> F <sub>3</sub> Cl <sup>+</sup> .....	390
CNPr <sup>+</sup> .....	525	C <sub>2</sub> F <sub>3</sub> Cl <sub>3</sub> <sup>+</sup> .....	391
CN <sub>2</sub> F <sub>2</sub> <sup>+</sup> .....	280	C <sub>2</sub> F <sub>3</sub> S <sub>2</sub> Cl <sup>+</sup> .....	401
CN <sub>3</sub> F <sub>3</sub> Hg <sup>+</sup> .....	547	C <sub>2</sub> F <sub>4</sub> <sup>+</sup> .....	272
CN <sub>4</sub> <sup>+</sup> .....	125	C <sub>2</sub> F <sub>4</sub> Br <sub>2</sub> <sup>+</sup> .....	474
CO <sup>+</sup> .....	173	C <sub>2</sub> F <sub>4</sub> Cl <sub>2</sub> <sup>+</sup> .....	390
CO <sup>+2</sup> .....	173	C <sub>2</sub> F <sub>4</sub> I <sub>2</sub> <sup>+</sup> .....	514
COBr <sub>2</sub> <sup>+</sup> .....	470	C <sub>2</sub> F <sub>4</sub> S <sub>2</sub> <sup>+</sup> .....	365
COCl <sup>+</sup> .....	382	C <sub>2</sub> F <sub>5</sub> <sup>+</sup> .....	272
COCl <sub>2</sub> <sup>+</sup> .....	382	C <sub>2</sub> F <sub>5</sub> Cl <sup>+</sup> .....	390
COCo <sup>+</sup> .....	438	C <sub>2</sub> F <sub>6</sub> I <sup>+</sup> .....	514
COCr <sup>+</sup> .....	410	C <sub>2</sub> F <sub>6</sub> <sup>+</sup> .....	272
COF <sup>+</sup> .....	284	C <sub>2</sub> F <sub>6</sub> PCl <sup>+</sup> .....	398
COF <sub>2</sub> <sup>+</sup> .....	284	C <sub>2</sub> F <sub>6</sub> S <sub>2</sub> Hg <sup>+</sup> .....	547
COF <sub>3</sub> SiPCL <sub>3</sub> Co <sup>+</sup> .....	441	C <sub>2</sub> Fe <sup>+</sup> .....	429

$C_2H^+$	46	$C_2H_3NO^+$	227
$C_2HBr^+$	464	$C_2H_3NO_3^+$	261
$C_2HCl^+$	372	$C_2H_3NS^+$	343
$C_2HCl_3^+$	377	$C_2H_3N_3^+$	162
$C_2HD^+$	47	$C_2H_3N_3O^+$	245
$C_2HD_2^+$	48	$C_2H_3O^+$	176
$C_2HD_3^+$	49	$C_2H_3OBr^+$	470
$C_2HD_3O^+$	179	$C_2H_3OCl^+$	382
$C_2HF^+$	274	$C_2H_3OF^+$	284
$C_2HFCl^+$	391	$C_2H_3OF_3^+$	286
$C_2HF_2^+$	276	$C_2H_3OPCl_2^+$	398
$C_2HF_2Cl^+$	391	$C_2H_3O_2^+$	204
$C_2HF_3^+$	277	$C_2H_3O_2Br^+$	471
$C_2HF_3Cl_2^+$	392	$C_2H_3O_2Cl^+$	384
$C_2HF_6P^+$	322	$C_2H_3O_2I^+$	513
$C_2HI^+$	509	$C_2H_3P^+$	311
$C_2HOCl^+$	382	$C_2H_3S^+$	329
$C_2HOCl_3^+$	385	$C_2H_4^+$	48
$C_2HO_2F_3^+$	286	$C_2H_4Br^+$	464
$C_2HO_2Mn^+$	422	$C_2H_4Br_2^+$	466
$C_2H_2^+$	47	$C_2H_4Cl^+$	372
$C_2H_2Br_2^+$	466	$C_2H_4ClBr^+$	479
$C_2H_2Cl^+$	372	$C_2H_4Cl_2^+$	375
$C_2H_2Cl_2^+$	375	$C_2H_4DO^+$	179
$C_2H_2Cl_4^+$	377	$C_2H_4F^+$	274
$C_2H_2Co^+$	437	$C_2H_4FBr^+$	474
$C_2H_2D_2^+$	48	$C_2H_4F_2^+$	276
$C_2H_2D_3^+$	49	$C_2H_4Ga^+$	448
$C_2H_2D_3O^+$	179	$C_2H_4I_2^+$	511
$C_2H_2F^+$	274	$C_2H_4N^+$	126
$C_2H_2FBr^+$	474	$C_2H_4NO^+$	227
$C_2H_2FCl^+$	391	$C_2H_4NS^+$	343
$C_2H_2F_2^+$	276	$C_2H_4N_2^+$	146
$C_2H_2F_2Br_2^+$	475	$C_2H_4N_2O_2^+$	254
$C_2H_2F_3I^+$	514	$C_2H_4N_3^+$	164
$C_2H_2I_2^+$	511	$C_2H_4O^+$	178
$C_2H_2N^+$	126	$C_2H_4OAs^+$	455
$C_2H_2NBr^+$	468	$C_2H_4OPCl_3^+$	398
$C_2H_2NCl^+$	378	$C_2H_4OS^+$	352
$C_2H_2NF^+$	281	$C_2H_4O_2^+$	205
$C_2H_2NOCl_3^+$	389	$C_2H_4O_2S^+$	357
$C_2H_2N_2Se^+$	460	$C_2H_4O_3^+$	219
$C_2H_2N_3Br^+$	469	$C_2H_4O_3S^+$	359
$C_2H_2N_3Cl^+$	380	$C_2H_4O_4^+$	222
$C_2H_2N_4^+$	164	$C_2H_4PCl_3^+$	397
$C_2H_2O^+$	175	$C_2H_4PSCl_3^+$	402
$C_2H_2OCl_2^+$	384	$C_2H_5^+$	329
$C_2H_2O_2^+$	204	$C_2H_5S_3^+$	339
$C_2H_2O_4^+$	222	$C_2H_5Si^+$	294
$C_2H_2S^+$	329	$C_2H_5^+$	49
$C_2H_2S_3^+$	339	$C_2H_5Br^+$	464
$C_2H_2Se^+$	459	$C_2H_5Cl^+$	372
$C_2H_3^+$	47	$C_2H_5F^+$	274
$C_2H_3Br^+$	464	$C_2H_5I^+$	509
$C_2H_3Cl^+$	372	$C_2H_5N^+$	126
$C_2H_3Cl_3^+$	377	$C_2H_5NO^+$	227
$C_2H_3D^+$	48	$C_2H_5NO_2^+$	246
$C_2H_3DO^+$	178	$C_2H_5NS^+$	343
$C_2H_3D_2^+$	49	$C_2H_5O^+$	179
$C_2H_3D_2O^+$	179	$C_2H_5OAs^+$	455
$C_2H_3D_3^+$	49	$C_2H_5OBr^+$	470
$C_2H_3D_3O^+$	180	$C_2H_5OCl^+$	383
$C_2H_3F^+$	274	$C_2H_5OF^+$	284
$C_2H_3F_2^+$	276	$C_2H_5OI^+$	512
$C_2H_3F_2Cl^+$	391	$C_2H_5OPSCl_2^+$	402
$C_2H_3F_3^+$	277	$C_2H_5OSiCl_3^+$	395
$C_2H_3Ga^+$	447	$C_2H_5O_2^+$	205
$C_2H_3I^+$	509	$C_2H_5O_2As^+$	455
$C_2H_3N^+$	126	$C_2H_5O_2PCl_2^+$	398
$C_2H_3NF^+$	281	$C_2H_5P^+$	311

$C_2H_5PCl_2^+$	396	$C_2H_7OCl^+$	383
$C_2H_5S^+$	330	$C_2H_7OP^+$	317
$C_2H_5SCl^+$	399	$C_2H_7OPS_2^+$	369
$C_2H_5Se^+$	459	$C_2H_7O_2As^+$	455
$C_2H_6^+$	49	$C_2H_7O_2PS^+$	369
$C_2H_6AlBr^+$	476	$C_2H_7O_3P^+$	318
$C_2H_6AlCl^+$	393	$C_2H_7P^+$	311
$C_2H_6AlI^+$	514	$C_2H_7PS^+$	369
$C_2H_6Cd^+$	495	$C_2H_7Si^+$	294
$C_2H_6ClGe^+$	453	$C_2H_8Ge^+$	449
$C_2H_6ClSn^+$	503	$C_2H_8N_2^+$	146
$C_2H_6Cl_2Ge^+$	453	$C_2H_8N_2O_2P^+$	320
$C_2H_6Cl_2Sn^+$	503	$C_2H_8N_2S^+$	346
$C_2H_6FP^+$	321	$C_2H_8Si^+$	294
$C_2H_6FSi^+$	308	$C_2H_9NSi^+$	303
$C_2H_6F_2Ge^+$	452	$C_2H_{10}N_3OP^+$	319
$C_2H_6F_2Si^+$	308	$C_3La^+$	522
$C_2H_6F_3SiAs^+$	456	$C_3Lu^+$	531
$C_2H_6Ga^+$	448	$C_2NOF_3Hg^+$	547
$C_2H_6Hg^+$	546	$C_3NOF_6^+$	287
$C_2H_6N^+$	126	$C_3N_2^+$	125
$C_2H_6NBr^+$	468	$C_3N^{2+}$	124
$C_2H_6NCl^+$	378	$C_3N_2F_6^+$	280
$C_2H_6NF_2^+$	282	$C_3N_2K_4^+$	404
$C_2H_6NF_2P^+$	322	$C_3N_2O^+$	226
$C_2H_6NF_3Si^+$	309	$C_3N_2O_2Fe^+$	433
$C_2H_6NF_3P^+$	323	$C_3N_2S^+$	343
$C_2H_6NOPCl_2^+$	398	$C_3N_2S_2^+$	343
$C_2H_6NPCL_2^+$	397	$C_3OCl_4^+$	382
$C_2H_6NPSCl_2^+$	402	$C_3OCl_3^+$	382
$C_2H_6NSiCl_3^+$	395	$C_3OCl_4^+$	382
$C_2H_6N_2^+$	146	$C_3OF^+$	284
$C_2H_6N_2O^+$	240	$C_3OFe^+$	430
$C_2H_6N_2O_2^+$	254	$C_3OSCr^+$	418
$C_2H_6N_2P_2F_6^+$	323	$C_3OSMo^+$	489
$C_2H_6N_2S_2^+$	350	$C_3OSW^+$	538
$C_2H_6O^+$	179	$C_2O_2Br_2^+$	470
$C_2H_6OAs^+$	455	$C_2O_2Cl_2^+$	382
$C_2H_6OPCl^+$	397	$C_2O_2Co^+$	438
$C_2H_6OPS^+$	369	$C_2O_2Cr^+$	411
$C_2H_6OPS_2^+$	369	$C_2O_2F^+$	284
$C_2H_6OS^+$	352	$C_2O_2F_6SiP_2Cl_3Co^+$	441
$C_2H_6O_2^+$	205	$C_2O_2F_9P_3Fe^+$	434
$C_2H_6O_2As^+$	455	$C_2O_2Fe^+$	430
$C_2H_6O_2P^+$	318	$C_2O_2Mn^+$	422
$C_2H_6O_2PS^+$	369	$C_2O_2Mo^+$	486
$C_2H_6O_2PS_2^+$	369	$C_2O_2Ni^+$	443
$C_2H_6O_2S^+$	357	$C_2O_2SiCl_3Co^+$	441
$C_2H_6O_3P^+$	318	$C_2O_2W^+$	534
$C_2H_6O_3PS^+$	369	$C_3P^+$	310
$C_2H_6O_3S^+$	359	$C_3Rh^+$	491
$C_2H_6PCl^+$	396	$C_3RhCe^+$	524
$C_2H_6PClSe^+$	462	$C_3RuCe^+$	524
$C_2H_6PSBr^+$	479	$C_3S_2Cl_4^+$	399
$C_2H_6PSCl^+$	402	$C_3S_2Fe_2^+$	434
$C_2H_6S^+$	330	$C_3S_2Mn_2^+$	425
$C_2H_6S_2^+$	337	$C_3S_4^+$	328
$C_2H_6Se^+$	459	$C_3Sc^+$	405
$C_2H_6Si^+$	294	$C_3Si^+$	293
$C_2H_6SiCl^+$	394	$C_3Th^+$	552
$C_2H_6SiCl_2^+$	395	$C_3Ti^+$	406
$C_2H_6SiCl_3As^+$	457	$C_3U^+$	554
$C_2H_6SiPCL_3^+$	399	$C_3Y^+$	483
$C_2H_6Si_2^+$	299	$C_3Zr^+$	483
$C_2H_6Te^+$	506	$C_4^+$	44
$C_2H_6Zn^+$	446	$C_3D_6^+$	53
$C_2H_7As^+$	454	$C_3D_6O^+$	181
$C_2H_7N^+$	127	$C_3F^+$	270
$C_2H_7NO^+$	227	$C_3F_2^+$	270
$C_2H_7NOS^+$	360	$C_3F_3^+$	271



$C_3F_3Br^+$ .....	473	$C_3H_4O^+$ .....	180
$C_3F_3Cl^+$ .....	390	$C_3H_4OS_2^+$ .....	360
$C_3F_3I^+$ .....	514	$C_3H_4O_2^+$ .....	205
$C_3F_4^+$ .....	272	$C_3H_4O_2S^+$ .....	357
$C_3F_6^+$ .....	272	$C_3H_4O_3^+$ .....	219
$C_3F_6S^+$ .....	365	$C_3H_4O_4^+$ .....	222
$C_3F_6P^+$ .....	321	$C_3H_4S_3^+$ .....	340
$C_3H^+$ .....	49	$C_3H_5^+$ .....	51
$C_3HD_3^+$ .....	53	$C_3H_5Br^+$ .....	464
$C_3HD_6^+$ .....	53	$C_3H_5Cl^+$ .....	372
$C_3HF^+$ .....	274	$C_3H_5ClHg^+$ .....	547
$C_3HF_2^+$ .....	276	$C_3H_5D^+$ .....	53
$C_3HF_3^+$ .....	277	$C_3H_5D_3O^+$ .....	181
$C_3HN^+$ .....	127	$C_3H_5F^+$ .....	275
$C_3HNF_6^+$ .....	283	$C_3H_5I^+$ .....	509
$C_3HO^+$ .....	180	$C_3H_5N^+$ .....	128
$C_3HOF_4Cl^+$ .....	393	$C_3H_5NO^+$ .....	227
$C_3HO_3Mn^+$ .....	422	$C_3H_5NOS^+$ .....	360
$C_3HS^+$ .....	330	$C_3H_5NO_2^+$ .....	247
$C_3H_2^+$ .....	49	$C_3H_5NS^+$ .....	343
$C_3H_2D_6^+$ .....	53	$C_3H_5NS_2^+$ .....	349
$C_3H_2F^+$ .....	274	$C_3H_5N_3O^+$ .....	245
$C_3H_2F_2^+$ .....	276	$C_3H_5O^+$ .....	180
$C_3H_2N^+$ .....	127	$C_3H_5OCl^+$ .....	383
$C_3H_2NCl^+$ .....	378	$C_3H_5OF^+$ .....	284
$C_3H_2NO^+$ .....	227	$C_3H_5OPCl_2^+$ .....	398
$C_3H_2N^{2+}$ .....	128	$C_3H_5OS^+$ .....	353
$C_3H_2N_2^+$ .....	147	$C_3H_5S^+$ .....	330
$C_3H_2N_2O_2S^+$ .....	364	$C_3H_5S_2^+$ .....	337
$C_3H_2N_2O_4^+$ .....	263	$C_3H_6^+$ .....	52
$C_3H_2O^+$ .....	180	$C_3H_6Br^+$ .....	464
$C_3H_2OCO_2^+$ .....	438	$C_3H_6Br_2^+$ .....	466
$C_3H_2OF_3Br^+$ .....	475	$C_3H_6Cl^+$ .....	373
$C_3H_2OF_4^+$ .....	286	$C_3H_6D^+$ .....	53
$C_3H_2OF_6^+$ .....	286	$C_3H_6F^+$ .....	275
$C_3H_2O_2S^+$ .....	357	$C_3H_6FBr^+$ .....	474
$C_3H_2O_3^+$ .....	219	$C_3H_6F_2^+$ .....	277
$C_3H_2S_3^+$ .....	340	$C_3H_6N^+$ .....	128
$C_3H_3^+$ .....	50	$C_3H_6NF^+$ .....	281
$C_3H_3Br^+$ .....	464	$C_3H_6NF_3PCI^+$ .....	399
$C_3H_3Cl^+$ .....	372	$C_3H_6NO^+$ .....	227
$C_3H_3Co^+$ .....	437	$C_3H_6NOCl^+$ .....	385
$C_3H_3D_3^+$ .....	53	$C_3H_6NS^+$ .....	344
$C_3H_3F^+$ .....	274	$C_3H_6NSe^+$ .....	459
$C_3H_3Fe^+$ .....	429	$C_3H_6N_2^+$ .....	147
$C_3H_3I^+$ .....	509	$C_3H_6N_2OF_3P^+$ .....	324
$C_3H_3N^+$ .....	128	$C_3H_6N_2OPCl_3^+$ .....	398
$C_3H_3NO^+$ .....	227	$C_3H_6N_2O_2^+$ .....	255
$C_3H_3NS^+$ .....	343	$C_3H_6N_2O_3^+$ .....	263
$C_3H_3NS_2^+$ .....	349	$C_3H_6N_2S^+$ .....	346
$C_3H_3N_2^+$ .....	147	$C_3H_6O^+$ .....	180
$C_3H_3N_3^+$ .....	162	$C_3H_6OS^+$ .....	353
$C_3H_3Ni^+$ .....	441	$C_3H_6OS_2^+$ .....	360
$C_3H_3O^+$ .....	180	$C_3H_6O_2^+$ .....	205
$C_3H_3OF_3^+$ .....	286	$C_3H_6O_2S^+$ .....	357
$C_3H_3OF_5^+$ .....	286	$C_3H_6O_3^+$ .....	220
$C_3H_3O_2F_3^+$ .....	286	$C_3H_6O_3^+$ .....	220
$C_3H_3Ru^+$ .....	490	$C_3H_6S^+$ .....	330
$C_3H_3W^+$ .....	532	$C_3H_6S_2^+$ .....	337
$C_3H_4^+$ .....	50	$C_3H_6S_3^+$ .....	340
$C_3H_4D_2^+$ .....	53	$C_3H_6SiCl_2^+$ .....	395
$C_3H_4D_3^+$ .....	53	$C_3H_7^+$ .....	53
$C_3H_4D_3O^+$ .....	181	$C_3H_7Br^+$ .....	464
$C_3H_4F^+$ .....	274	$C_3H_7Cl^+$ .....	373
$C_3H_4N^+$ .....	147	$C_3H_7F^+$ .....	275
$C_3H_4N_2O^+$ .....	240	$C_3H_7I^+$ .....	510
$C_3H_4N_2O_2^+$ .....	254	$C_3H_7N^+$ .....	128
$C_3H_4N_2S_2^+$ .....	350	$C_3H_7NO^+$ .....	227
$C_3H_4N_3Br^+$ .....	469	$C_3H_7NO_2^+$ .....	247
$C_3H_4N_3Cl^+$ .....	380	$C_3H_7NO_2S^+$ .....	363

$C_3H_7NS^+$ .....	344
$C_3H_7O^+$ .....	181
$C_3H_7OBr^+$ .....	470
$C_3H_7OCl^+$ .....	383
$C_3H_7OF^+$ .....	284
$C_3H_7OI^+$ .....	512
$C_3H_7O_3P^+$ .....	318
$C_3H_7S^+$ .....	330
$C_3H_7Se^+$ .....	459
$C_3H_8^+$ .....	53
$C_3H_8Hg^+$ .....	546
$C_3H_8N^+$ .....	128
$C_3H_8N_2^+$ .....	147
$C_3H_8N_2O^+$ .....	240
$C_3H_8N_2O_2^+$ .....	255
$C_3H_8N_2S^+$ .....	346
$C_3H_8N_2S_2^+$ .....	350
$C_3H_8O^+$ .....	181
$C_3H_8OS^+$ .....	353
$C_3H_8O_4P^+$ .....	319
$C_3H_8S^+$ .....	330
$C_3H_8S_2^+$ .....	337
$C_3H_8Si^+$ .....	294
$C_3H_9Al^+$ .....	291
$C_3H_9As^+$ .....	454
$C_3H_9BrPb^+$ .....	551
$C_3H_9BrSn^+$ .....	504
$C_3H_9ClGe^+$ .....	453
$C_3H_9ClPb^+$ .....	551
$C_3H_9ClSn^+$ .....	503
$C_3H_9FSi^+$ .....	308
$C_3H_9Ga^+$ .....	448
$C_3H_9Ge^+$ .....	449
$C_3H_9N^+$ .....	128
$C_3H_9NO^+$ .....	228
$C_3H_9N_3F_{12}P_6Cr^+$ .....	418
$C_3H_9N_3F_{12}P_6Mo^+$ .....	489
$C_3H_9N_3F_{12}P_6W^+$ .....	538
$C_3H_9N_3Si^+$ .....	304
$C_3H_9OAs^+$ .....	455
$C_3H_9OP^+$ .....	317
$C_3H_9OSi^+$ .....	305
$C_3H_9O_2PS_2^+$ .....	369
$C_3H_9O_3As^+$ .....	456
$C_3H_9O_3P^+$ .....	318
$C_3H_9O_3PCr^+$ .....	416
$C_3H_9O_3PS^+$ .....	369
$C_3H_9O_3PSe^+$ .....	461
$C_3H_9O_3PW^+$ .....	536
$C_3H_9O_4P^+$ .....	319
$C_3H_9P^+$ .....	311
$C_3H_9PS^+$ .....	369
$C_3H_9Pb^+$ .....	550
$C_3H_9Sb^+$ .....	505
$C_3H_9Si^+$ .....	294
$C_3H_9SiBr^+$ .....	476
$C_3H_9SiCl^+$ .....	394
$C_3H_9SiMn^+$ .....	424
$C_3H_9Sn^+$ .....	497
$C_3H_{10}NP^+$ .....	315
$C_3H_{10}N_2^+$ .....	147
$C_3H_{10}Si^+$ .....	295
$C_3H_{10}Sn^+$ .....	497
$C_3H_{12}N_3OP^+$ .....	319
$C_3H_{16}Ge^+$ .....	449
$C_3La^+$ .....	522
$C_3NBr^+$ .....	468
$C_3NCl^+$ .....	378
$C_3NF^+$ .....	279

$C_3NI^+$ .....	512
$C_3NO_4Co^+$ .....	439
$C_3N_2O^+$ .....	226
$C_3N_3F_3^+$ .....	280
$C_3OF_3Cl_3^+$ .....	393
$C_3OF_5^+$ .....	284
$C_3OF_5Cl^+$ .....	393
$C_3OF_6^+$ .....	284
$C_3O_2^+$ .....	174
$C_3O_2Fe^+$ .....	430
$C_3O_2SCr^+$ .....	418
$C_3O_2SMo^+$ .....	489
$C_3O_2SW^+$ .....	538
$C_3O_3Cr^+$ .....	411
$C_3O_3F_3SiPCl_2Co^+$ .....	441
$C_3O_3F_3SiPCl_3Co^+$ .....	441
$C_3O_3F_6P_2Fe^+$ .....	434
$C_3O_3F_9P_3Cr^+$ .....	418
$C_3O_3Fe^+$ .....	430
$C_3O_3Fe^{+2}$ .....	430
$C_3O_3Mn^+$ .....	422
$C_3O_3Mo^+$ .....	486
$C_3O_3Ni^+$ .....	443
$C_3O_3SiCl_3Co^+$ .....	441
$C_3O_3W^+$ .....	534
$C_3S_6^+$ .....	328
$C_3Th^+$ .....	552
$C_3U^+$ .....	554
$C_4Br_2^+$ .....	463
$C_4Cl_2^+$ .....	371
$C_4D_4^+$ .....	54
$C_4D_4S^+$ .....	331
$C_4D_7^+$ .....	55
$C_4F_2^+$ .....	270
$C_4F_3^+$ .....	271
$C_4F_4^+$ .....	272
$C_4F_6^+$ .....	272
$C_4F_6Co_2^+$ .....	439
$C_4F_8^+$ .....	273
$C_4F_{12}As_2^+$ .....	456
$C_4F_{12}P_2^+$ .....	321
$C_4F_{12}P_4^+$ .....	321
$C_4HBr^+$ .....	464
$C_4HCl^+$ .....	373
$C_4HF^+$ .....	275
$C_4HI^+$ .....	510
$C_4HN_2F_3^+$ .....	282
$C_4HO_4Co^+$ .....	438
$C_4HO_4Mn^+$ .....	423
$C_4H_2^+$ .....	53
$C_4H_2D_4^+$ .....	55
$C_4H_2F_3^+$ .....	277
$C_4H_2F_4^+$ .....	278
$C_4H_2N_2^+$ .....	147
$C_4H_2N_2F_2^+$ .....	282
$C_4H_2N_2S^+$ .....	346
$C_4H_2O_2^+$ .....	206
$C_4H_2O_2Cl_2^+$ .....	384
$C_4H_2O_2Co_2^+$ .....	438
$C_4H_2O_3^+$ .....	220
$C_4H_2O_4Fe^+$ .....	432
$C_4H_2SBr_2^+$ .....	478
$C_4H_2SI_2^+$ .....	515
$C_4H_7^+$ .....	54
$C_4H_3BrTe^+$ .....	508
$C_4H_3ClSe^+$ .....	462
$C_4H_3ClTe^+$ .....	508
$C_4H_3I^+$ .....	510
$C_4H_3N^+$ .....	129

$C_4H_4NOS^+$ .....	361	$C_4H_6O^+$ .....	222
$C_4H_3NO_2S^+$ .....	363	$C_4H_6S^+$ .....	331
$C_4H_3NO_2Se^+$ .....	461	$C_4H_6S_3^+$ .....	340
$C_4H_3NO_2^+$ .....	261	$C_4H_6SiCl_2^+$ .....	395
$C_4H_3N_2F^+$ .....	281	$C_4H_7^+$ .....	55
$C_4H_3N_2OBr^+$ .....	472	$C_4H_7Br^+$ .....	465
$C_4H_3N_2OCl^+$ .....	386	$C_4H_7Ge^+$ .....	449
$C_4H_3N_2OF^+$ .....	287	$C_4H_7N^+$ .....	129
$C_4H_3OBr^+$ .....	470	$C_4H_7NO^+$ .....	228
$C_4H_3OClHg^+$ .....	547	$C_4H_7NO_2^+$ .....	247
$C_4H_3O_4CoGe^+$ .....	454	$C_4H_7NO_3^+$ .....	261
$C_4H_3O_4SiCo^+$ .....	440	$C_4H_7NS_2^+$ .....	349
$C_4H_3S^+$ .....	331	$C_4H_7N_3O^+$ .....	245
$C_4H_3SBr^+$ .....	477	$C_4H_7N_3S^+$ .....	348
$C_4H_3SCl^+$ .....	399	$C_4H_7O^+$ .....	182
$C_4H_3SClHg^+$ .....	547	$C_4H_7O_3P^+$ .....	318
$C_4H_3SI^+$ .....	515	$C_4H_7O_4PCl_2^+$ .....	398
$C_4H_3TeI^+$ .....	519	$C_4H_7Si^+$ .....	295
$C_4H_4^+$ .....	54	$C_4H_7Sn^+$ .....	497
$C_4H_4F_3^+$ .....	277	$C_4H_8^+$ .....	55
$C_4H_4N^+$ .....	129	$C_4H_8Br_2^+$ .....	466
$C_4H_4NO_2Br^+$ .....	473	$C_4H_8FBr^+$ .....	474
$C_4H_4NO_2Cl^+$ .....	387	$C_4H_8N^+$ .....	129
$C_4H_4N_2^+$ .....	147	$C_4H_8NO^+$ .....	228
$C_4H_4N_2O^+$ .....	240	$C_4H_8NOCl^+$ .....	385
$C_4H_4N_2O_2^+$ .....	255	$C_4H_8NO_2Se^+$ .....	461
$C_4H_4N_2O_3^+$ .....	263	$C_4H_8N_2^+$ .....	148
$C_4H_4O^+$ .....	181	$C_4H_8N_2O_2^+$ .....	255
$C_4H_4OS^+$ .....	353	$C_4H_8N_2S^+$ .....	346
$C_4H_4O_2^+$ .....	206	$C_4H_8N_4^+$ .....	164
$C_4H_4O_3^+$ .....	220	$C_4H_8O^+$ .....	182
$C_4H_4O_4^+$ .....	222	$C_4H_8OPCl^+$ .....	397
$C_4H_4O_8Mo_2^+$ .....	487	$C_4H_8OS^+$ .....	353
$C_4H_4S^+$ .....	331	$C_4H_8O_2^+$ .....	206
$C_4H_4SSe^+$ .....	461	$C_4H_8O_2S^+$ .....	358
$C_4H_4STe^+$ .....	507	$C_4H_8O_4^+$ .....	222
$C_4H_4S_2^+$ .....	337	$C_4H_8S^+$ .....	331
$C_4H_4S_3^+$ .....	340	$C_4H_8S_2^+$ .....	337
$C_4H_4Se^+$ .....	459	$C_4H_8S_4Sn^+$ .....	502
$C_4H_4Te^+$ .....	506	$C_4H_8Se^+$ .....	459
$C_4H_5^+$ .....	54	$C_4H_8Si^+$ .....	295
$C_4H_5N^+$ .....	129	$C_4H_8Te^+$ .....	506
$C_4H_5NO_2^+$ .....	247	$C_4H_9^+$ .....	56
$C_4H_5NS^+$ .....	344	$C_4H_9As^+$ .....	454
$C_4H_5NS_2^+$ .....	349	$C_4H_9Br^+$ .....	465
$C_4H_5N_2^+$ .....	162	$C_4H_9Cl^+$ .....	373
$C_4H_5N_3O^+$ .....	245	$C_4H_9F_2P^+$ .....	321
$C_4H_5O^+$ .....	182	$C_4H_9I^+$ .....	510
$C_4H_5O_2F^+$ .....	286	$C_4H_9N^+$ .....	129
$C_4H_5O_3Cl^+$ .....	384	$C_4H_9NO^+$ .....	228
$C_4H_6^+$ .....	54	$C_4H_9NOS^+$ .....	361
$C_4H_6Co_2^+$ .....	437	$C_4H_9NOSi^+$ .....	306
$C_4H_6F_2Si^+$ .....	308	$C_4H_9NO_2^+$ .....	247
$C_4H_6F_6P_2^+$ .....	322	$C_4H_9NS^+$ .....	344
$C_4H_6Ga^+$ .....	448	$C_4H_9NS_2^+$ .....	349
$C_4H_6N^+$ .....	129	$C_4H_9NSiS^+$ .....	368
$C_4H_6NF_6P^+$ .....	323	$C_4H_9N_2OF_2P^+$ .....	324
$C_4H_6NOSe^+$ .....	461	$C_4H_9O^+$ .....	183
$C_4H_6N_2^+$ .....	148	$C_4H_9OSiMn^+$ .....	424
$C_4H_6N_2O^+$ .....	241	$C_4H_9O_2As^+$ .....	456
$C_4H_6N_2O_2^+$ .....	255	$C_4H_9O_2PCl_2^+$ .....	398
$C_4H_6N_2S^+$ .....	346	$C_4H_9O_3P^+$ .....	318
$C_4H_6N_2S_2^+$ .....	350	$C_4H_9O_3PCr^+$ .....	416
$C_4H_6N_3Br^+$ .....	469	$C_4H_9O_4PW^+$ .....	536
$C_4H_6N_3Cl^+$ .....	380	$C_4H_9PCl_2^+$ .....	396
$C_4H_6N_4^+$ .....	164	$C_4H_9S^+$ .....	331
$C_4H_6O^+$ .....	182	$C_4H_9Si^+$ .....	295
$C_4H_6O_2^+$ .....	206	$C_4H_9SiCl^+$ .....	394
$C_4H_6O_2S^+$ .....	357	$C_4H_{10}^+$ .....	56
$C_4H_6O_3^+$ .....	220	$C_4H_{10}Cd^+$ .....	495



$C_4H_{10}F_2Si^+$	308	$C_4O_3SMo^+$	489
$C_4H_{10}Hg^+$	546	$C_4O_3SW^+$	538
$C_4H_{10}N^+$	129	$C_4O_3Cl_2Rh^+$	492
$C_4H_{10}NF_2P^+$	323	$C_4O_4Cr^+$	411
$C_4H_{10}NSe^+$	459	$C_4O_4F_3PFe^+$	434
$C_4H_{10}N_2^+$	148	$C_4O_4F_6P_2Cr^+$	418
$C_4H_{10}N_2O^+$	241	$C_4O_4Fe^+$	430
$C_4H_{10}N_2OS^+$	362	$C_4O_4FeBr_2^+$	480
$C_4H_{10}N_2S_2^+$	350	$C_4O_4FeI_2^+$	516
$C_4H_{10}N_4^+$	164	$C_4O_4Mn^+$	422
$C_4H_{10}O^+$	183	$C_4O_4Mo^+$	486
$C_4H_{10}OS^+$	353	$C_4O_4Ni^+$	443
$C_4H_{10}O_2^+$	207	$C_4O_4W^+$	534
$C_4H_{10}O_2As^+$	456	$C_4SBr^+$	477
$C_4H_{10}O_2PSCI^+$	402	$C_4SI_4^+$	515
$C_4H_{10}O_2S^+$	358	$C_4S_8^+$	328
$C_4H_{10}O_2SiCl_2^+$	395	$C_4Th^+$	553
$C_4H_{10}O_3^+$	220	$C_4Ti^+$	406
$C_4H_{10}O_3PCl^+$	397	$C_4U^+$	554
$C_4H_{10}S^+$	331	$C_5F^+$	270
$C_4H_{10}S_2^+$	337	$C_5F_2^+$	270
$C_4H_{10}S_2Sn^+$	502	$C_5F_3^+$	271
$C_4H_{10}Si^+$	295	$C_5F_4^+$	272
$C_4H_{10}Zn^+$	446	$C_5F_5^+$	272
$C_4H_{11}As^+$	454	$C_5F_{15}P_5^+$	321
$C_4H_{11}N^+$	130	$C_5HN^+$	162
$C_4H_{11}NO^+$	228	$C_5HOF_{11}^+$	287
$C_4H_{11}NO_2^+$	247	$C_5HO_5Mn^+$	423
$C_4H_{11}O_2As^+$	456	$C_5HO_5Re^+$	541
$C_4H_{11}O_2PS_2^+$	370	$C_5H_2^+$	57
$C_4H_{11}O_3P^+$	318	$C_5H_2N_3SCL^+$	401
$C_4H_{11}P^+$	311	$C_5H_2O_2F_4^+$	286
$C_4H_{11}SiCl^+$	394	$C_5H_2O_3Co^+$	438
$C_4H_{12}Al_2Br_2^+$	476	$C_5H_3^+$	57
$C_4H_{12}Al_2Cl_2^+$	393	$C_5H_3Br^+$	465
$C_4H_{12}Al_2I_2^+$	514	$C_5H_3Cl^+$	373
$C_4H_{12}As_2^+$	455	$C_5H_3D_4^+$	60
$C_4H_{12}Ge^+$	449	$C_5H_3I^+$	510
$C_4H_{12}NP^+$	315	$C_5H_3NCl_2^+$	381
$C_4H_{12}N_2^+$	148	$C_5H_3NO^+$	228
$C_4H_{12}N_3FP^+$	322	$C_5H_3NO_5Cr^+$	414
$C_4H_{12}N_3F_4P^+$	323	$C_5H_3NO_5W^+$	535
$C_4H_{12}N_2OPCl^+$	398	$C_5H_3NS^+$	344
$C_4H_{12}N_2OS^+$	362	$C_5H_3NS^+$	350
$C_4H_{12}N_2PCl^+$	397	$C_5H_3N_2OF_3^+$	288
$C_4H_{12}N_2PSCI^+$	402	$C_5H_3N_3O^+$	245
$C_4H_{12}N_2SiCl_2^+$	395	$C_5H_3OS^+$	353
$C_4H_{12}N_4^+$	164	$C_5H_3O_2^+$	207
$C_4H_{12}N_6^+$	167	$C_5H_3O_5GeRe^+$	542
$C_4H_{12}ORe^+$	541	$C_5H_3O_5MnGe^+$	454
$C_4H_{12}PAu^+$	545	$C_5H_3O_5PCr^+$	416
$C_4H_{12}P_2^+$	314	$C_5H_3O_5SiMn^+$	424
$C_4H_{12}Pb^+$	550	$C_5H_3O_5SiRe^+$	541
$C_4H_{12}SGe^+$	452	$C_5H_4^+$	57
$C_4H_{12}SPb^+$	551	$C_5H_4D_3^+$	60
$C_4H_{12}SSn^+$	501	$C_5H_4N^+$	130
$C_4H_{12}Si^+$	295	$C_5H_4NBr^+$	468
$C_4H_{12}SiS^+$	367	$C_5H_4NCl^+$	378
$C_4H_{12}Sn^+$	497	$C_5H_4NOBr^+$	472
$C_4H_{13}NSi^+$	303	$C_5H_4NOCl^+$	385
$C_4H_{13}N_2O_3P^+$	320	$C_5H_4N_2^+$	149
$C_4H_{14}N_3OP^+$	319	$C_5H_4N_2O_2^+$	255
$C_4I_2^+$	509	$C_5H_4N_2O_3^+$	263
$C_4La^+$	522	$C_5H_4N_4^+$	164
$C_4Lu^+$	531	$C_5H_4N_4O^+$	246
$C_4NF_3^+$	280	$C_5H_4N_4O_2^+$	260
$C_4N_2^+$	125	$C_5H_4N_4O_3^+$	265
$C_4N_2F_4^+$	280	$C_5H_4O^+$	183
$C_4O_2Cl_2^+$	382	$C_5H_4OS^+$	353
$C_4O_3SCr^+$	419	$C_5H_4OSe^+$	460

$C_5H_4OTe^+$ .....	507	$C_5H_7^+$ .....	58
$C_5H_4O_2^+$ .....	207	$C_5H_7N^+$ .....	130
$C_5H_4O_2S^+$ .....	358	$C_5H_7NOS^+$ .....	361
$C_5H_4O_2Se^+$ .....	461	$C_5H_7NO_2^+$ .....	247
$C_5H_4O_2Te^+$ .....	507	$C_5H_7NO_3^+$ .....	261
$C_5H_4O_3^+$ .....	220	$C_5H_7NS_2^+$ .....	349
$C_5H_4S_2^+$ .....	337	$C_5H_7N_3^+$ .....	162
$C_5H_4S_3^+$ .....	340	$C_5H_7N_3O^+$ .....	246
$C_5H_4^+$ .....	57	$C_5H_8^+$ .....	60
$C_5H_5As^+$ .....	454	$C_5H_8Br_2^+$ .....	466
$C_5H_5Bi^+$ .....	552	$C_5H_8ClBr^+$ .....	479
$C_5H_5Co^+$ .....	437	$C_5H_8FBr^+$ .....	474
$C_5H_5Cr^+$ .....	409	$C_5H_8Ge^+$ .....	449
$C_5H_5F_2P^+$ .....	321	$C_5H_8N^+$ .....	130
$C_5H_5F_3Si^+$ .....	308	$C_5H_8NO^+$ .....	229
$C_5H_5Fe^+$ .....	429	$C_5H_8NO_2Br^+$ .....	473
$C_5H_5Ge^+$ .....	449	$C_5H_8NO_2Cl^+$ .....	387
$C_5H_5In^+$ .....	496	$C_5H_8N_2^+$ .....	149
$C_5H_5La^+$ .....	522	$C_5H_8N_2O^+$ .....	241
$C_5H_5Mg^+$ .....	290	$C_5H_8N_2S^+$ .....	346
$C_5H_5Mn^+$ .....	421	$C_5H_8O^+$ .....	184
$C_5H_5MnI^+$ .....	516	$C_5H_8OS^+$ .....	354
$C_5H_5N^+$ .....	130	$C_5H_8O_2^+$ .....	207
$C_5H_5NO^+$ .....	228	$C_5H_8O_3^+$ .....	220
$C_5H_5NOCr^+$ .....	413	$C_5H_8SCl_2^+$ .....	400
$C_5H_5NONi^+$ .....	443	$C_5H_8S_3^+$ .....	341
$C_5H_5NO_2^+$ .....	247	$C_5H_8Si^+$ .....	295
$C_5H_5NS^+$ .....	344	$C_5H_9^+$ .....	61
$C_5H_5NSCr^+$ .....	418	$C_5H_9Br^+$ .....	465
$C_5H_5N_2OBr^+$ .....	472	$C_5H_9FSi^+$ .....	308
$C_5H_5N_2OCl^+$ .....	387	$C_5H_9I^+$ .....	510
$C_5H_5N_2OF^+$ .....	287	$C_5H_9N^+$ .....	130
$C_5H_5N_5^+$ .....	167	$C_5H_9NO^+$ .....	229
$C_5H_5N_5O^+$ .....	246	$C_5H_9NOSe^+$ .....	461
$C_5H_5Nd^+$ .....	525	$C_5H_9NO_2^+$ .....	247
$C_5H_5Ni^+$ .....	442	$C_5H_9NO_3^+$ .....	261
$C_5H_5OClHg^+$ .....	547	$C_5H_9NS^+$ .....	344
$C_5H_5O_2F_3^+$ .....	286	$C_5H_9NS_2^+$ .....	349
$C_5H_5P^+$ .....	311	$C_5H_9N_3O^+$ .....	246
$C_5H_5Pr^+$ .....	524	$C_5H_9N_3S^+$ .....	348
$C_5H_5Ru^+$ .....	490	$C_5H_9O^+$ .....	184
$C_5H_5SCI^+$ .....	399	$C_5H_9OBr^+$ .....	470
$C_5H_5SClHg^+$ .....	548	$C_5H_9O_2^+$ .....	207
$C_5H_5Sb^+$ .....	505	$C_5H_9O_2F_9SiP_3Mn^+$ .....	425
$C_5H_5Si^+$ .....	295	$C_5H_9O_2SiMn^+$ .....	424
$C_5H_5SiCl_3^+$ .....	395	$C_5H_9O_5PCr^+$ .....	416
$C_5H_5Tl^+$ .....	548	$C_5H_9O_5PW^+$ .....	536
$C_5H_5W^+$ .....	532	$C_5H_9SiBr^+$ .....	476
$C_5H_6^+$ .....	58	$C_5H_9SiCl^+$ .....	394
$C_5H_6Cl_2^+$ .....	375	$C_5H_9SiI^+$ .....	514
$C_5H_6D^+$ .....	60	$C_5H_{10}^+$ .....	61
$C_5H_6N^+$ .....	130	$C_5H_{10}Br_2^+$ .....	467
$C_5H_6N_2^+$ .....	149	$C_5H_{10}Ge^+$ .....	449
$C_5H_6N_2O^+$ .....	241	$C_5H_{10}N^+$ .....	130
$C_5H_6N_2O_2^+$ .....	255	$C_5H_{10}NBr^+$ .....	468
$C_5H_6N_2O_3^+$ .....	263	$C_5H_{10}NCl^+$ .....	378
$C_5H_6O^+$ .....	183	$C_5H_{10}N_2^+$ .....	149
$C_5H_6OCO_2^+$ .....	438	$C_5H_{10}N_2O^+$ .....	241
$C_5H_6OS^+$ .....	353	$C_5H_{10}N_2S^+$ .....	346
$C_5H_6OSe^+$ .....	460	$C_5H_{10}N_4^+$ .....	165
$C_5H_6O_2^+$ .....	207	$C_5H_{10}O^+$ .....	184
$C_5H_6O_2S^+$ .....	358	$C_5H_{10}O_2^+$ .....	208
$C_5H_6O_3^+$ .....	220	$C_5H_{10}S^+$ .....	332
$C_5H_6S^+$ .....	331	$C_5H_{10}Si^+$ .....	295
$C_5H_6SSe^+$ .....	462	$C_5H_{11}^+$ .....	62
$C_5H_6STe^+$ .....	508	$C_5H_{11}As^+$ .....	454
$C_5H_6S_2^+$ .....	338	$C_5H_{11}Br^+$ .....	465
$C_5H_6Se^+$ .....	459	$C_5H_{11}I^+$ .....	510
$C_5H_6Si^+$ .....	295	$C_5H_{11}N^+$ .....	131
$C_5H_6Te^+$ .....	507	$C_5H_{11}NO^+$ .....	229

$C_5H_{11}NO_2^+$ .....	247
$C_5H_{11}NO_2S^+$ .....	363
$C_5H_{11}NO_2Se^+$ .....	461
$C_5H_{11}NS^+$ .....	344
$C_5H_{11}N_2OF_2P^+$ .....	324
$C_5H_{11}O^+$ .....	185
$C_5H_{11}O_3P^+$ .....	319
$C_5H_{12}^+$ .....	62
$C_5H_{12}Hg^+$ .....	546
$C_5H_{12}N^+$ .....	131
$C_5H_{12}N_2^+$ .....	149
$C_5H_{12}N_2O^+$ .....	241
$C_5H_{12}N_2OFP^+$ .....	324
$C_5H_{12}N_2S^+$ .....	346
$C_5H_{12}O^+$ .....	185
$C_5H_{12}OGe^+$ .....	451
$C_5H_{12}OS^+$ .....	354
$C_5H_{12}OSi^+$ .....	305
$C_5H_{12}O_2Si^+$ .....	306
$C_5H_{12}S^+$ .....	332
$C_5H_{12}S_2^+$ .....	338
$C_5H_{12}S_2Sn^+$ .....	502
$C_5H_{12}Si^+$ .....	341
$C_5H_{12}Si^+$ .....	295
$C_5H_{12}Sn^+$ .....	498
$C_5H_{13}N^+$ .....	131
$C_5H_{13}NBr_2^+$ .....	469
$C_5H_{13}NO^+$ .....	229
$C_5H_{13}NO_2^+$ .....	248
$C_5H_{13}N_2OP^+$ .....	319
$C_5H_{14}N_2^+$ .....	150
$C_5H_{14}Si^+$ .....	296
$C_5H_{14}Sn^+$ .....	498
$C_5H_{15}NSi^+$ .....	303
$C_5H_{15}PS_2Sn^+$ .....	502
$C_5H_{15}P_5^+$ .....	315
$C_5H_{15}Ta^+$ .....	532
$C_5H_{16}N_4OP^+$ .....	320
$C_5NCl_5^+$ .....	378
$C_5NF_5^+$ .....	280
$C_5NOCl_5^+$ .....	385
$C_5N_1^+$ .....	125
$C_5OF_6Co_2^+$ .....	440
$C_5O_5Scr^+$ .....	419
$C_5O_5SMo^+$ .....	489
$C_5O_5SW^+$ .....	538
$C_5O_5BrRe^+$ .....	542
$C_5O_5ClMn^+$ .....	428
$C_5O_5ClRe^+$ .....	542
$C_5O_5Cr^+$ .....	411
$C_5O_5F_3PCr^+$ .....	418
$C_5O_5F_3PMo^+$ .....	489
$C_5O_5F_3PW^+$ .....	538
$C_5O_5Fe^+$ .....	430
$C_5O_5IRe^+$ .....	542
$C_5O_5MnBr^+$ .....	480
$C_5O_5MnI^+$ .....	516
$C_5O_5Mo^+$ .....	486
$C_5O_5PBr_3Mo^+$ .....	490
$C_5O_5PCl_3Cr^+$ .....	420
$C_5O_5PCl_3Mo^+$ .....	489
$C_5O_5PCl_3W^+$ .....	538
$C_5O_5PCrBr_3^+$ .....	480
$C_5O_5SiCl_3Mn^+$ .....	428
$C_5O_5W^+$ .....	534
$C_5S_{10}^+$ .....	328
$C_6Cl_4^+$ .....	371
$C_6Cl_4^+$ .....	371
$C_6D_{12}^+$ .....	69
$C_6D_{12}O_2^+$ .....	210

$C_6F_3Br_3^+$ .....	474
$C_6F_3Cl_4^+$ .....	391
$C_6F_4^+$ .....	272
$C_6F_4Br_2^+$ .....	474
$C_6F_5^+$ .....	272
$C_6F_5Br^+$ .....	473
$C_6F_5Cl^+$ .....	390
$C_6F_5I^+$ .....	514
$C_6F_6^+$ .....	273
$C_6F_6N_2^+$ .....	280
$C_6F_{12}^+$ .....	273
$C_6F_{12}P_2^+$ .....	321
$C_6F_{13}P_3^+$ .....	321
$C_6HCl_5^+$ .....	377
$C_6HFCI_4^+$ .....	392
$C_6HF_2Cl_2^+$ .....	392
$C_6HF_2Br^+$ .....	475
$C_6HF_4Cl^+$ .....	392
$C_6HF_5^+$ .....	278
$C_6HOF_5^+$ .....	286
$C_6HS_2Br_3^+$ .....	478
$C_6H_1^+$ .....	62
$C_6H_2Cl_2^+$ .....	375
$C_6H_2Cl_4^+$ .....	377
$C_6H_2FCl_3^+$ .....	392
$C_6H_2F_2Br_2^+$ .....	475
$C_6H_2F_2Cl_2^+$ .....	392
$C_6H_2F_3Br^+$ .....	475
$C_6H_2F_3Cl^+$ .....	391
$C_6H_2F_4^+$ .....	278
$C_6H_2NF_5^+$ .....	283
$C_6H_2OF_4^+$ .....	286
$C_6H_2O_2Cl_4^+$ .....	385
$C_6H_2O_4Cl_2Fe^+$ .....	436
$C_6H_2O_4Co_2^+$ .....	438
$C_6H_2O_4FeBr_2^+$ .....	480
$C_6H_2S_2Br_2^+$ .....	478
$C_6H_3Br_4^+$ .....	467
$C_6H_3Cl_3^+$ .....	377
$C_6H_3D_2^+$ .....	64
$C_6H_3FBr_2^+$ .....	475
$C_6H_3FCl_2^+$ .....	392
$C_6H_3F_2Br^+$ .....	475
$C_6H_3F_2Cl^+$ .....	391
$C_6H_3F_3^+$ .....	277
$C_6H_3Ge^+$ .....	449
$C_6H_3NO_3MnBr^+$ .....	480
$C_6H_3N_3^+$ .....	162
$C_6H_3N_3O_6^+$ .....	267
$C_6H_3N_5^+$ .....	167
$C_6H_3OF_3^+$ .....	286
$C_6H_3OF_3S^+$ .....	367
$C_6H_3OF_3Se^+$ .....	461
$C_6H_3O_2F_3^+$ .....	286
$C_6H_3O_5Mn^+$ .....	423
$C_6H_3O_5Re^+$ .....	541
$C_6H_3S_2Br^+$ .....	478
$C_6H_3S_2I^+$ .....	515
$C_6H_3Si^+$ .....	296
$C_6H_4^+$ .....	62
$C_6H_4Br^+$ .....	465
$C_6H_4BrI^+$ .....	517
$C_6H_4Br_2^+$ .....	467
$C_6H_4Cl^+$ .....	373
$C_6H_4Cl_2^+$ .....	376
$C_6H_4D_2^+$ .....	65
$C_6H_4F^+$ .....	275
$C_6H_4FBr^+$ .....	474
$C_6H_4FCl^+$ .....	391
$C_6H_4F_2^+$ .....	277



$C_6H_4I_2^+$	511	$C_6H_5PCl_2^+$	397
$C_6H_5NF_3^+$	282	$C_6H_5PSCl_2^+$	402
$C_6H_5NOCl^+$	385	$C_6H_5SFe^+$	434
$C_6H_5NOF_3^+$	288	$C_6H_5SFe_2^+$	435
$C_6H_5NO_2^+$	248	$C_6H_5SMn^+$	425
$C_6H_5NO_3Br^+$	473	$C_6H_5SMnI^+$	516
$C_6H_5NO_2Cl^+$	388	$C_6H_5SMn_2^+$	426
$C_6H_5NO_2F^+$	288	$C_6H_5Sb^+$	505
$C_6H_5NO_2I^+$	513	$C_6H_5SiSiCl_3^+$	402
$C_6H_5N_2^+$	150	$C_6H_6^+$	64
$C_6H_5N_2O^+$	241	$C_6H_6^{+2}$	65
$C_6H_5N_2O_4^+$	266	$C_6H_6Cr^+$	409
$C_6H_5N_2O_5^+$	267	$C_6H_6D_4^+$	68
$C_6H_5N_2S^+$	346	$C_6H_6N^+$	131
$C_6H_5N_2Se^+$	460	$C_6H_6NBr^+$	468
$C_6H_5N_3Cl^+$	380	$C_6H_6NCl^+$	378
$C_6H_5N_3O_2^+$	261	$C_6H_6NF^+$	281
$C_6H_5O^+$	185	$C_6H_6NI^+$	512
$C_6H_5OBr^+$	470	$C_6H_6NO^+$	229
$C_6H_5OBr_2^+$	472	$C_6H_6NOCl_3^+$	389
$C_6H_5OCl^+$	383	$C_6H_6N_2^+$	150
$C_6H_5OCl_2^+$	384	$C_6H_6N_2O^+$	241
$C_6H_5OF^+$	284	$C_6H_6N_2O_2^+$	255
$C_6H_5OF_2^+$	285	$C_6H_6N_3^+$	165
$C_6H_5OI^+$	513	$C_6H_6O^+$	185
$C_6H_5O_2^+$	208	$C_6H_6OS^+$	354
$C_6H_5O_3^+$	220	$C_6H_6OSe^+$	460
$C_6H_5O_3S^+$	359	$C_6H_6OTe^+$	507
$C_6H_5O_3Fe^+$	432	$C_6H_6O_2^+$	209
$C_6H_5S^+$	332	$C_6H_6O_2Co_2^+$	438
$C_6H_5S_2^+$	338	$C_6H_6O_2S^+$	358
$C_6H_5S_2Se_2^+$	462	$C_6H_6O_2S_2^+$	360
$C_6H_5S_4^+$	341	$C_6H_6O_2Se^+$	461
$C_6H_5Se^+$	459	$C_6H_6O_2Te^+$	507
$C_6H_5Se_4^+$	459	$C_6H_6O_3^+$	220
$C_6H_5^+$	63	$C_6H_6O_3F_9P^+$	324
$C_6H_5As^+$	454	$C_6H_6O_4^+$	222
$C_6H_5Bi^+$	552	$C_6H_6O_6PCr^+$	417
$C_6H_5Br^+$	465	$C_6H_6O_6PW^+$	537
$C_6H_5Cl^+$	373	$C_6H_6S^+$	332
$C_6H_5Cl^+$	372	$C_6H_6S_4^+$	340
$C_6H_5ClCr^+$	420	$C_6H_6W_2^+$	533
$C_6H_5F^+$	275	$C_6H_7^+$	65
$C_6H_5I^+$	510	$C_6H_7D_4^+$	68
$C_6H_5N^+$	131	$C_6H_7F_6As^+$	456
$C_6H_5NBr_2^+$	469	$C_6H_7Mn^+$	421
$C_6H_5NCl_2^+$	381	$C_6H_7MnI^+$	516
$C_6H_5NF_2^+$	282	$C_6H_7N^+$	131
$C_6H_5NO^+$	229	$C_6H_7NCr^+$	410
$C_6H_5NOSCr^+$	419	$C_6H_7NF_6^+$	283
$C_6H_5NOSMn^+$	427	$C_6H_7NO^+$	226
$C_6H_5NOSMnI^+$	516	$C_6H_7NO^+$	230
$C_6H_5NO_2^+$	248	$C_6H_7NONi^+$	443
$C_6H_5NO_2Cr^+$	414	$C_6H_7NOS^+$	361
$C_6H_5NO_3^+$	226	$C_6H_7NO_2^+$	248
$C_6H_5NO_3^+$	261	$C_6H_7NS^+$	344
$C_6H_5N_3^+$	162	$C_6H_7N_2^+$	150
$C_6H_5N_3F_5P_3^+$	323	$C_6H_7N_2OCl^+$	387
$C_6H_5N_3OS^+$	363	$C_6H_7N_3^+$	167
$C_6H_5N_3O_3^+$	266	$C_6H_7P^+$	311
$C_6H_5O^+$	185	$C_6H_8^+$	65
$C_6H_5OBr^+$	470	$C_6H_8D_2^+$	68
$C_6H_5OCl^+$	383	$C_6H_8Ge^+$	449
$C_6H_5OF^+$	285	$C_6H_8N^+$	132
$C_6H_5OI^+$	513	$C_6H_8N_2^+$	150
$C_6H_5OMn^+$	422	$C_6H_8N_2O^+$	242
$C_6H_5OPCl_4^+$	398	$C_6H_8N_2O_2^+$	256
$C_6H_5OW^+$	534	$C_6H_8O^+$	186
$C_6H_5O_2^+$	208	$C_6H_8OS^+$	354
$C_6H_5O_2PCl_2^+$	398	$C_6H_8OSe^+$	460

$C_6H_8O_2^+$	209	$C_6H_{12}S_4Sn^+$	502
$C_6H_8O_3^+$	223	$C_6H_{12}Si^+$	296
$C_6H_8S^+$	332	$C_6H_{12}Si_4Cl_4^+$	395
$C_6H_8SSe^+$	462	$C_6H_{13}^+$	69
$C_6H_8S_2^+$	338	$C_6H_{13}I^+$	511
$C_6H_8S_4^+$	341	$C_6H_{13}N^+$	133
$C_6H_8Si^+$	296	$C_6H_{13}NO^+$	230
$C_6H_8^+$	66	$C_6H_{13}NO_2^+$	248
$C_6H_9D^+$	68	$C_6H_{13}NO_3Si^+$	307
$C_6H_9Ga^+$	448	$C_6H_{13}O_3P^+$	319
$C_6H_9N^+$	132	$C_6H_{13}P^+$	311
$C_6H_9NOS^+$	361	$C_6H_{14}^+$	70
$C_6H_9NS_2^+$	349	$C_6H_{14}Cd^+$	495
$C_6H_9N_3^+$	162	$C_6H_{14}Ge^+$	450
$C_6H_9N_3O^+$	246	$C_6H_{14}Hg^+$	546
$C_6H_9O_3F_6SiP_2Mn^+$	425	$C_6H_{14}N_2^+$	151
$C_6H_9O_3SiMn^+$	424	$C_6H_{14}N_3O^+$	242
$C_6H_9O_6PCr^+$	417	$C_6H_{14}O^+$	187
$C_6H_9O_6PW^+$	537	$C_6H_{14}OS^+$	354
$C_6H_9P^+$	311	$C_6H_{14}O_2^+$	210
$C_6H_{10}^+$	66	$C_6H_{14}O_3PCl^+$	397
$C_6H_{10}Br_2^+$	467	$C_6H_{14}S^+$	332
$C_6H_{10}ClBr^+$	479	$C_6H_{14}S_2^+$	338
$C_6H_{10}FBr^+$	474	$C_6H_{14}Si^+$	296
$C_6H_{10}NOCl^+$	385	$C_6H_{14}Sn^+$	498
$C_6H_{10}N_2^+$	151	$C_6H_{15}FSi^+$	308
$C_6H_{10}N_2O^+$	242	$C_6H_{15}N^+$	133
$C_6H_{10}N_2O_2^+$	256	$C_6H_{15}NBr_2^+$	469
$C_6H_{10}N_2O_4^+$	263	$C_6H_{15}NO^+$	230
$C_6H_{10}N_2S^+$	346	$C_6H_{15}NO_3^+$	262
$C_6H_{10}Ni^+$	442	$C_6H_{15}NS_2Sn^+$	502
$C_6H_{10}O^+$	186	$C_6H_{15}N_3^+$	162
$C_6H_{10}O_2^+$	209	$C_6H_{15}O_3P^+$	319
$C_6H_{10}O_3^+$	220	$C_6H_{15}O_3PCr^+$	416
$C_6H_{10}O_4^+$	223	$C_6H_{15}O_4PS^+$	369
$C_6H_{10}Pd^+$	492	$C_6H_{15}O_4SiCl^+$	395
$C_6H_{10}Pt^+$	543	$C_6H_{15}O_4P^+$	319
$C_6H_{10}S^+$	332	$C_6H_{15}P^+$	311
$C_6H_{10}S_2^+$	338	$C_6H_{15}PS_2^+$	369
$C_6H_{10}S_4^+$	342	$C_6H_{15}Si^+$	296
$C_6H_{11}^+$	69	$C_6H_{15}SiCl^+$	394
$C_6H_{11}Br^+$	465	$C_6H_{16}N_2^+$	152
$C_6H_{11}Cl^+$	373	$C_6H_{16}N_3P^+$	316
$C_6H_{11}I^+$	511	$C_6H_{16}N_4^+$	165
$C_6H_{11}N^+$	132	$C_6H_{16}Si^+$	296
$C_6H_{11}NO^+$	230	$C_6H_{16}Si_4^+$	302
$C_6H_{11}NOS^+$	361	$C_6H_{16}Sn^+$	498
$C_6H_{11}NO_2^+$	248	$C_6H_{17}NSi^+$	303
$C_6H_{11}NO_3^+$	262	$C_6H_{18}GeSn^+$	503
$C_6H_{11}N_2Cl^+$	379	$C_6H_{18}Ge_2^+$	450
$C_6H_{11}O^+$	187	$C_6H_{18}NSiP^+$	325
$C_6H_{11}OS^+$	354	$C_6H_{18}N_2Si_2^+$	304
$C_6H_{11}O_2^+$	209	$C_6H_{18}N_3F_3P^+$	323
$C_6H_{11}O_2P^+$	318	$C_6H_{18}N_3OP^+$	320
$C_6H_{12}^+$	69	$C_6H_{18}N_3P^+$	316
$C_6H_{12}F_4Si_4^+$	309	$C_6H_{18}N_3PCr^+$	416
$C_6H_{12}Ge^+$	449	$C_6H_{18}N_3PFe^+$	433
$C_6H_{12}NO^+$	230	$C_6H_{18}N_3PMo^+$	488
$C_6H_{12}NOBr^+$	472	$C_6H_{18}N_3PS^+$	369
$C_6H_{12}N_2^+$	151	$C_6H_{18}OSi_2^+$	306
$C_6H_{12}N_2O_2^+$	256	$C_6H_{18}PAu^+$	545
$C_6H_{12}N_2S^+$	347	$C_6H_{18}P_2Cl_3Pt^+$	544
$C_6H_{12}N_3^+$	165	$C_6H_{18}P_2I_2Pt^+$	544
$C_6H_{12}O^+$	187	$C_6H_{18}Pb_2^+$	550
$C_6H_{12}OS^+$	354	$C_6H_{18}Re^+$	540
$C_6H_{12}O_2^+$	210	$C_6H_{18}SGe_2^+$	453
$C_6H_{12}O_4^+$	223	$C_6H_{18}SPb_2^+$	551
$C_6H_{12}S^+$	332	$C_6H_{18}SSn_2^+$	502
$C_6H_{12}S_3^+$	340	$C_6H_{18}SiGe^+$	452
$C_6H_{12}S_4^+$	342	$C_6H_{18}SiSn^+$	501



$C_6H_{18}Si_2^+$	299	$C_7H_5N_2O_3Cl^+$	388
$C_6H_{18}Si_2S^+$	368	$C_7H_5N_3O_6^+$	267
$C_6H_{18}Sn_2^+$	500	$C_7H_5O^+$	187
$C_6H_{18}W^+$	532	$C_7H_5OCl^+$	383
$C_6H_{19}NSi_2^+$	304	$C_7H_5OClCr^+$	420
$C_6N_2^+$	125	$C_7H_5OSFe^+$	435
$C_6N_4^+$	125	$C_7H_5OSMn^+$	426
$C_6O_2Cl_2^+$	382	$C_7H_5O_2^+$	210
$C_6O_2F_4^+$	284	$C_7H_5O_2Br^+$	471
$C_6O_2F_6Co_2^+$	440	$C_7H_5O_2ClFe^+$	436
$C_6O_5CrSe^+$	462	$C_7H_5O_2F^+$	285
$C_6O_5F_3Mn^+$	423	$C_7H_5O_2F_3PMn^+$	425
$C_6O_5SCr^+$	419	$C_7H_5O_2FeBr^+$	480
$C_6O_5SMo^+$	489	$C_7H_5O_2FeI^+$	516
$C_6O_5SW^+$	538	$C_7H_5O_2Mn^+$	422
$C_6O_6Cr^+$	411	$C_7H_5O_2PCl_3Mn^+$	428
$C_6O_6Mo^+$	486	$C_7H_5O_2PMnBr_3^+$	480
$C_6O_6S_2Fe_2^+$	435	$C_7H_5O_2W^+$	534
$C_6O_6W^+$	534	$C_7H_5S_2Fe_2^+$	435
$C_6S_2Br_4^+$	477	$C_7H_5S_2Mn^+$	426
$C_7F_8^+$	273	$C_7H_5S_2Mn_2^+$	426
$C_7HO_4F_6Ir^+$	543	$C_7H_6^+$	70
$C_7HO_4F_6Rh^+$	491	$C_7H_6Cl^+$	373
$C_7H_2O_5Co_2^+$	439	$C_7H_6Cl_2^+$	376
$C_7H_3F_5^+$	278	$C_7H_6F^+$	275
$C_7H_3NO_2S^+$	363	$C_7H_6NO^+$	231
$C_7H_3NO_3^+$	262	$C_7H_6NOCl^+$	386
$C_7H_3NO_3Fe^+$	433	$C_7H_6NOF^+$	287
$C_7H_3NO_3Cr^+$	414	$C_7H_6NO_2^+$	248
$C_7H_3OF_5^+$	286	$C_7H_6N_2^+$	152
$C_7H_3O_6Fe^+$	432	$C_7H_6N_2O_3^+$	264
$C_7H_3F_6Br^+$	475	$C_7H_6N_2O_5^+$	267
$C_7H_3F_3Cl^+$	391	$C_7H_6O^+$	188
$C_7H_3F_4^+$	278	$C_7H_6OCr^+$	411
$C_7H_4N^+$	133	$C_7H_6O_2^+$	210
$C_7H_4NF^+$	281	$C_7H_6O_3^+$	220
$C_7H_4NI^+$	512	$C_7H_6O_3Co_2^+$	438
$C_7H_4NO^+$	230	$C_7H_6O_3Fe^+$	431
$C_7H_4NOCl^+$	385	$C_7H_6O_5ClMnSn^+$	503
$C_7H_4NO_2^+$	248	$C_7H_6O_6SCr^+$	419
$C_7H_4NO_3^+$	262	$C_7H_6O_7PCr^+$	417
$C_7H_4N_2O_2^+$	256	$C_7H_6O_7PW^+$	537
$C_7H_4N_2O_3^+$	263	$C_7H_6S_2^+$	338
$C_7H_4OBr^+$	471	$C_7H_6Si^+$	296
$C_7H_4OCl^+$	383	$C_7H_7^+$	70
$C_7H_4OF^+$	285	$C_7H_7Br^+$	465
$C_7H_4O_3Fe^+$	431	$C_7H_7Cl^+$	373
$C_7H_4O_3PMn^+$	424	$C_7H_7ClHg^+$	547
$C_7H_4O_4F_3Rh^+$	491	$C_7H_7F^+$	275
$C_7H_4O_5Fe^+$	432	$C_7H_7FSiBr^+$	476
$C_7H_4O_6SCr^+$	419	$C_7H_7FSiCl^+$	396
$C_7H_4S_2Mn^+$	426	$C_7H_7I^+$	511
$C_7H_4S_2Mn_2^+$	426	$C_7H_7NO^+$	231
$C_7H_4S_3^+$	340	$C_7H_7NOCr^+$	413
$C_7H_5D_2^+$	72	$C_7H_7NOS^+$	361
$C_7H_5F_3^+$	277	$C_7H_7NOSMn^+$	427
$C_7H_5N^+$	133	$C_7H_7NOSMnI^+$	516
$C_7H_5NO^+$	231	$C_7H_7NO_2^+$	249
$C_7H_5NOS^+$	361	$C_7H_7NO_2FSi^+$	309
$C_7H_5NOS_2Mn^+$	428	$C_7H_7NO_2S^+$	363
$C_7H_5NOS_2Mn_2^+$	428	$C_7H_7NO_3^+$	262
$C_7H_5NO_2S^+$	363	$C_7H_7NO_5W^+$	535
$C_7H_5NO_2SCr^+$	419	$C_7H_7N_2FS^+$	366
$C_7H_5NO_3Cr^+$	414	$C_7H_7N_2O^+$	242
$C_7H_5NO_4^+$	265	$C_7H_7N_2OBr^+$	473
$C_7H_5NO_5Cr^+$	414	$C_7H_7N_2OCl^+$	387
$C_7H_5NS^+$	344	$C_7H_7N_2OF^+$	287
$C_7H_5NS_2^+$	349	$C_7H_7N_2OI^+$	513
$C_7H_5N_2Cl^+$	379	$C_7H_7N_2S^+$	347
$C_7H_5N_2O_3^+$	263	$C_7H_7N_2SBr^+$	478

$C_7H_7N_2SCl^+$	400	$C_7H_{10}SSe^+$	462
$C_7H_7N_2SI^+$	515	$C_7H_{10}S_2^+$	338
$C_7H_7N_2O_2S^+$	364	$C_7H_{10}S_3^+$	340
$C_7H_7O^+$	189	$C_7H_{11}^+$	74
$C_7H_7OBr^+$	471	$C_7H_{11}N^+$	135
$C_7H_7OCl^+$	383	$C_7H_{11}NO^+$	231
$C_7H_7OF^+$	285	$C_7H_{11}NO_2^+$	249
$C_7H_7OI^+$	513	$C_7H_{11}N_3O^+$	246
$C_7H_7OMn^+$	422	$C_7H_{11}OCl^+$	384
$C_7H_7O_2^+$	210	$C_7H_{11}O_2Br^+$	471
$C_7H_7O_4^+$	223	$C_7H_{11}P^+$	311
$C_7H_7O_4Ir^+$	543	$C_7H_{12}^+$	74
$C_7H_7O_3Rh^+$	491	$C_7H_{12}NBr^+$	468
$C_7H_7SBr^+$	478	$C_7H_{12}NCl^+$	379
$C_7H_7SMn^+$	425	$C_7H_{12}NI^+$	512
$C_7H_7SMnI^+$	516	$C_7H_{12}NO_2^+$	249
$C_7H_8^+$	72	$C_7H_{12}N_2^+$	152
$C_7H_8^{+2}$	73	$C_7H_{12}N_2O^+$	242
$C_7H_8Cr^+$	409	$C_7H_{12}N_2O_2^+$	256
$C_7H_8FSi^+$	308	$C_7H_{12}O^+$	191
$C_7H_8N^+$	134	$C_7H_{12}O_2^+$	211
$C_7H_8N_2^+$	152	$C_7H_{12}O_4^+$	223
$C_7H_8N_2O^+$	242	$C_7H_{12}S^+$	333
$C_7H_8N_2OS^+$	362	$C_7H_{12}S_4^+$	342
$C_7H_8N_2O_2^+$	256	$C_7H_{13}^+$	74
$C_7H_8N_2S^+$	347	$C_7H_{13}N^+$	135
$C_7H_8O^+$	189	$C_7H_{13}NO^+$	232
$C_7H_8OCr^+$	411	$C_7H_{13}OS^+$	355
$C_7H_8OS^+$	355	$C_7H_{13}O_2^+$	211
$C_7H_8OS_2^+$	360	$C_7H_{14}^+$	74
$C_7H_8O_2^+$	210	$C_7H_{14}N_2^+$	153
$C_7H_8O_2PMn^+$	424	$C_7H_{14}N_2O^+$	242
$C_7H_8O_2S^+$	358	$C_7H_{14}O^+$	191
$C_7H_8S^+$	333	$C_7H_{14}OS^+$	355
$C_7H_8S_3^+$	340	$C_7H_{14}O_2^+$	211
$C_7H_8SiCl^+$	394	$C_7H_{15}^+$	75
$C_7H_8Te^+$	507	$C_7H_{15}N^+$	135
$C_7H_9^+$	73	$C_7H_{15}NO^+$	232
$C_7H_9Br^+$	465	$C_7H_{15}NO_2Si^+$	307
$C_7H_9N^+$	134	$C_7H_{15}O_2P^+$	318
$C_7H_9NO^+$	231	$C_7H_{15}O_4PCr^+$	416
$C_7H_9NOS^+$	361	$C_7H_{15}O_4PW^+$	536
$C_7H_9NOSe^+$	461	$C_7H_{15}P^+$	311
$C_7H_9NOTe^+$	507	$C_7H_{16}Hg^+$	546
$C_7H_9NO_2^+$	249	$C_7H_{16}N_2^+$	153
$C_7H_9NS^+$	345	$C_7H_{16}N_3OF_2P^+$	324
$C_7H_9NSe^+$	460	$C_7H_{16}N_4^+$	165
$C_7H_9N_3S^+$	348	$C_7H_{16}S_2Sn^+$	502
$C_7H_9N_5^+$	167	$C_7H_{16}Sn^+$	498
$C_7H_9O_4CoSn^+$	503	$C_7H_{17}NO^+$	232
$C_7H_9O_4F_3SiPMn^+$	425	$C_7H_{17}OPS^+$	369
$C_7H_9O_4PFe^+$	433	$C_7H_{18}Ge^+$	450
$C_7H_9O_4SiMn^+$	424	$C_7H_{18}NP^+$	315
$C_7H_9O_7PCr^+$	417	$C_7H_{18}N_2^+$	153
$C_7H_9O_7PW^+$	537	$C_7H_{18}N_2Si^+$	303
$C_7H_9Si^+$	296	$C_7H_{18}N_3OPCr^+$	418
$C_7H_{10}^+$	73	$C_7H_{18}N_3OPFe^+$	433
$C_7H_{10}F_6Si^+$	308	$C_7H_{18}N_3OPMo^+$	488
$C_7H_{10}N^+$	135	$C_7H_{18}Pb^+$	550
$C_7H_{10}NO^+$	231	$C_7H_{18}Sn^+$	498
$C_7H_{10}NO_2^+$	249	$C_7H_{19}NSi^+$	303
$C_7H_{10}N_2^+$	152	$C_7H_{19}O_2Si_2^+$	306
$C_7H_{10}N_2O^+$	242	$C_7H_{19}SiAs^+$	456
$C_7H_{10}N_2O_2^+$	256	$C_7H_{19}SiP^+$	325
$C_7H_{10}O^+$	190	$C_7H_{20}Si_2^+$	299
$C_7H_{10}OS^+$	355	$C_7H_{21}P_2ClPt^+$	543
$C_7H_{10}OSe^+$	460	$C_7H_{21}P_2IPt^+$	544
$C_7H_{10}O_2^+$	211	$C_7NF_5^+$	280
$C_7H_{10}S^+$	333	$C_7O_3F_6Co_2^+$	440

$C_7O_6F_3Re^+$	541	$C_8H_7D_2NO_2^+$	250
$C_8F_{10}^+$	273	$C_8H_7N^+$	135
$C_8F_{20}P^+$	321	$C_8H_7NO^+$	232
$C_8HO_2F_{17}^+$	287	$C_8H_7NOBr^+$	472
$C_8H_2^+$	75	$C_8H_7NOBr_2^+$	473
$C_8H_3N_2F_4^+$	283	$C_8H_7NOCl^+$	386
$C_8H_2O_6Co_2^+$	439	$C_8H_7NOCl_2^+$	388
$C_8H_3F_5^+$	278	$C_8H_7NOF_2^+$	288
$C_8H_3NF_3^+$	282	$C_8H_7NOS^+$	361
$C_8H_3NO_5SCr^+$	419	$C_8H_7NO_2^+$	250
$C_8H_3NO_6Cr^+$	415	$C_8H_7NO_2Cr^+$	414
$C_8H_3Ge^+$	450	$C_8H_7NO_2S^+$	363
$C_8H_4NO^+$	232	$C_8H_7NO_3^+$	262
$C_8H_4N_2^+$	153	$C_8H_7NO_4^+$	265
$C_8H_4N_2F_2^+$	282	$C_8H_7NS^+$	345
$C_8H_4N_2O_3Cr^+$	415	$C_8H_7NS_2^+$	349
$C_8H_4O^+$	191	$C_8H_7O^+$	191
$C_8H_4O_2^+$	211	$C_8H_7OBr^+$	471
$C_8H_4O_2S^+$	358	$C_8H_7OCl^+$	384
$C_8H_4O_2S_3^+$	360	$C_8H_7OSMn^+$	426
$C_8H_4O_3^+$	221	$C_8H_7O_2^+$	212
$C_8H_4S_3^+$	340	$C_8H_7O_2Br^+$	471
$C_8H_4S_3Br_2^+$	478	$C_8H_7O_2Cl^+$	384
$C_8H_4Si^+$	296	$C_8H_7O_2F^+$	285
$C_8H_3Br^+$	466	$C_8H_7O_2I^+$	513
$C_8H_3Cl^+$	374	$C_8H_7O_2Mn^+$	422
$C_8H_3I^+$	511	$C_8H_8^+$	75
$C_8H_3NO_2^+$	249	$C_8H_8Cl_2^+$	376
$C_8H_3N_2F^+$	281	$C_8H_8La^+$	522
$C_8H_3N_2OCl^+$	387	$C_8H_8NFS^+$	366
$C_8H_3N_3O_3^+$	265	$C_8H_8NO^+$	232
$C_8H_3O_2ClCr^+$	420	$C_8H_8NOBr^+$	472
$C_8H_3O_2SMn^+$	427	$C_8H_8NOCl^+$	386
$C_8H_3O_3^+$	221	$C_8H_8NOF^+$	287
$C_8H_3O_3Mn^+$	422	$C_8H_8NOI^+$	513
$C_8H_3O_3Re^+$	541	$C_8H_8NO_2^+$	250
$C_8H_3O_3W^+$	534	$C_8H_8NO_2Cl^+$	388
$C_8H_6^+$	75	$C_8H_8NS^+$	345
$C_8H_6Cl_2^+$	376	$C_8H_8NSBr^+$	478
$C_8H_6D_3O^+$	192	$C_8H_8NSCl^+$	400
$C_8H_6N^+$	135	$C_8H_8NSI^+$	515
$C_8H_6NOF_4^+$	288	$C_8H_8N_2^+$	154
$C_8H_6NSBr^+$	478	$C_8H_8N_2O_2Cl_3^+$	388
$C_8H_6NSCl^+$	400	$C_8H_8N_2O_3^+$	264
$C_8H_6N_2^+$	154	$C_8H_8N_2S^+$	347
$C_8H_6N_2O^+$	242	$C_8H_8Nd^+$	525
$C_8H_6N_2O_2^+$	256	$C_8H_8Ni^+$	442
$C_8H_6N_2O_2S^+$	364	$C_8H_8O^+$	191
$C_8H_6N_2O_4Cl_2^+$	389	$C_8H_8OCr^+$	411
$C_8H_6N_2S_2^+$	350	$C_8H_8O_2^+$	212
$C_8H_6O^+$	191	$C_8H_8O_2Cr^+$	411
$C_8H_6O_2Br_2^+$	472	$C_8H_8O_2Fe^+$	431
$C_8H_6O_2Cl_2^+$	385	$C_8H_8O_3^+$	221
$C_8H_6O_2Cr^+$	411	$C_8H_8O_3Fe^+$	431
$C_8H_6O_2F_2^+$	285	$C_8H_8Pr^+$	524
$C_8H_6O_2Hg^+$	547	$C_8H_8Ru^+$	490
$C_8H_6O_2I_2^+$	513	$C_8H_8S^+$	333
$C_8H_6O_4^+$	223	$C_8H_8S_2^+$	338
$C_8H_6O_4Co_2^+$	439	$C_8H_8W_2^+$	533
$C_8H_6O_5Fe^+$	432	$C_8H_9^+$	76
$C_8H_6O_5SCr^+$	419	$C_8H_9Cl^+$	374
$C_8H_6O_6Cr^+$	413	$C_8H_9N^+$	136
$C_8H_6O_6Fe^+$	432	$C_8H_9NO^+$	233
$C_8H_6O_7S^+$	333	$C_8H_9NOS^+$	361
$C_8H_6O_7S_2^+$	338	$C_8H_9NO_2^+$	250
$C_8H_6O_7S_2Hg^+$	547	$C_8H_9NO_2S^+$	363
$C_8H_6O_8^+$	341	$C_8H_9NO_3Cr^+$	414
$C_8H_6Se^+$	459	$C_8H_9NO_3W^+$	535
$C_8H_6Te^+$	507	$C_8H_9NS^+$	345
$C_8H_7Cl^+$	374	$C_8H_9N_2O^+$	243



$C_8H_9N_2OCl^+$ .....	387
$C_8H_9N_2S^+$ .....	347
$C_8H_9N_2SCl^+$ .....	400
$C_8H_9O^+$ .....	192
$C_8H_9OBr^+$ .....	471
$C_8H_9OCl^+$ .....	384
$C_8H_9OF^+$ .....	285
$C_8H_9O_3MnSn^+$ .....	503
$C_8H_9O_3PG^+$ .....	416
$C_8H_9O_3PMo^+$ .....	488
$C_8H_9O_3PW^+$ .....	536
$C_8H_9O_3SiMn^+$ .....	424
$C_8H_9O_3SnRe^+$ .....	542
$C_8H_9O_8PCr^+$ .....	417
$C_8H_9O_8PMo^+$ .....	488
$C_8H_9O_8PW^+$ .....	537
$C_8H_{10}^+$ .....	77
$C_8H_{10}Cr^+$ .....	409
$C_8H_{10}FSi^+$ .....	308
$C_8H_{10}FSiBr^+$ .....	476
$C_8H_{10}FSiCl^+$ .....	396
$C_8H_{10}N^+$ .....	136
$C_8H_{10}NCl^+$ .....	379
$C_8H_{10}NO_2FSi^+$ .....	309
$C_8H_{10}N_2Cl_2^+$ .....	381
$C_8H_{10}N_2O^+$ .....	243
$C_8H_{10}N_2OS^+$ .....	362
$C_8H_{10}N_2O_2^+$ .....	256
$C_8H_{10}N_2S^+$ .....	347
$C_8H_{10}N_2S_2^+$ .....	350
$C_8H_{10}N_3F_3P_3^+$ .....	323
$C_8H_{10}N_3O_2^+$ .....	261
$C_8H_{10}O^+$ .....	192
$C_8H_{10}OFSi^+$ .....	309
$C_8H_{10}OS^+$ .....	355
$C_8H_{10}OSe^+$ .....	460
$C_8H_{10}O_2^+$ .....	212
$C_8H_{10}O_6PW^+$ .....	537
$C_8H_{10}S^+$ .....	333
$C_8H_{10}SSe^+$ .....	462
$C_8H_{10}S_2^+$ .....	338
$C_8H_{10}Se_2^+$ .....	459
$C_8H_{11}^+$ .....	78
$C_8H_{11}As^+$ .....	454
$C_8H_{11}FSi^+$ .....	308
$C_8H_{11}F_3Si_2^+$ .....	309
$C_8H_{11}F_6As^+$ .....	456
$C_8H_{11}N^+$ .....	136
$C_8H_{11}NO^+$ .....	233
$C_8H_{11}NOS^+$ .....	362
$C_8H_{11}NS_2^+$ .....	349
$C_8H_{11}OSi^+$ .....	305
$C_8H_{11}O_2F_3^+$ .....	286
$C_8H_{11}O_3SMn^+$ .....	427
$C_8H_{11}P^+$ .....	311
$C_8H_{11}SGe^+$ .....	452
$C_8H_{11}SPb^+$ .....	551
$C_8H_{11}SSn^+$ .....	501
$C_8H_{11}Si^+$ .....	296
$C_8H_{11}SiS^+$ .....	367
$C_8H_{11}SiSCl^+$ .....	402
$C_8H_{11}Si_2Cl_3^+$ .....	395
$C_8H_{12}^+$ .....	78
$C_8H_{12}N^+$ .....	137
$C_8H_{12}NO^+$ .....	233
$C_8H_{12}NO_2^+$ .....	250
$C_8H_{12}N_2^+$ .....	154
$C_8H_{12}N_2O^+$ .....	243
$C_8H_{12}N_2O_2S_4Fe^+$ .....	436
$C_8H_{12}N_4^+$ .....	165

$C_8H_{12}O^+$ .....	193
$C_8H_{12}OS^+$ .....	355
$C_8H_{12}O_2^+$ .....	212
$C_8H_{12}O_8CrMo^+$ .....	489
$C_8H_{12}O_8Cr_2^+$ .....	413
$C_8H_{12}O_8Mo_2^+$ .....	487
$C_8H_{12}S^+$ .....	334
$C_8H_{12}S_2^+$ .....	339
$C_8H_{12}Si^+$ .....	297
$C_8H_{13}^+$ .....	79
$C_8H_{13}N^+$ .....	137
$C_8H_{13}NO^+$ .....	233
$C_8H_{13}NOGe^+$ .....	451
$C_8H_{13}NOSi^+$ .....	307
$C_8H_{13}NOSn^+$ .....	501
$C_8H_{13}NO_2^+$ .....	250
$C_8H_{13}NSi^+$ .....	303
$C_8H_{13}OSMn^+$ .....	426
$C_8H_{13}P^+$ .....	312
$C_8H_{14}^+$ .....	80
$C_8H_{14}CrGe^+$ .....	453
$C_8H_{14}N^+$ .....	137
$C_8H_{14}NBr^+$ .....	468
$C_8H_{14}NCl^+$ .....	379
$C_8H_{14}N_2^+$ .....	154
$C_8H_{14}N_2O^+$ .....	243
$C_8H_{14}N_2O_2^+$ .....	257
$C_8H_{14}Ni^+$ .....	442
$C_8H_{14}O^+$ .....	194
$C_8H_{14}O_2^+$ .....	213
$C_8H_{14}O_3PCl_1^+$ .....	360
$C_8H_{14}Pd^+$ .....	492
$C_8H_{14}Pt^+$ .....	543
$C_8H_{14}S^+$ .....	334
$C_8H_{14}Si^+$ .....	297
$C_8H_{15}N^+$ .....	138
$C_8H_{15}NO^+$ .....	233
$C_8H_{15}NO_2Cl_2^+$ .....	388
$C_8H_{15}N_3^+$ .....	163
$C_8H_{15}O_3PCr^+$ .....	417
$C_8H_{15}O_5PW^+$ .....	536
$C_8H_{16}^+$ .....	80
$C_8H_{16}NO_2Cl^+$ .....	388
$C_8H_{16}N_2^+$ .....	154
$C_8H_{16}N_2O^+$ .....	243
$C_8H_{16}N_2O_2^+$ .....	257
$C_8H_{16}N_4^+$ .....	165
$C_8H_{16}O^+$ .....	194
$C_8H_{16}OS^+$ .....	355
$C_8H_{16}O_2^+$ .....	213
$C_8H_{16}O_4^+$ .....	223
$C_8H_{17}N^+$ .....	138
$C_8H_{17}NO^+$ .....	233
$C_8H_{17}NO_4Si^+$ .....	307
$C_8H_{18}FP^+$ .....	321
$C_8H_{18}Ge^+$ .....	450
$C_8H_{18}Hg^+$ .....	546
$C_8H_{18}NO^+$ .....	234
$C_8H_{18}N_2^+$ .....	155
$C_8H_{18}N_2O_2^+$ .....	257
$C_8H_{18}N_2S^+$ .....	347
$C_8H_{18}N_3O_2PFe^+$ .....	433
$C_8H_{18}N_3O_2PMo^+$ .....	488
$C_8H_{18}N_3P^+$ .....	316
$C_8H_{18}N_4^+$ .....	165
$C_8H_{18}N_4Ni^+$ .....	444
$C_8H_{18}O^+$ .....	194
$C_8H_{18}OS^+$ .....	355
$C_8H_{18}O_2^+$ .....	213

$C_8H_{18}O_2S^+$	358	$C_9H_8^+$	82
$C_8H_{18}PCl^+$	396	$C_9H_8Cl_2^+$	376
$C_8H_{18}S^+$	334	$C_9H_8DO^+$	195
$C_8H_{18}S_2^+$	339	$C_9H_8NO^+$	234
$C_8H_{18}Si_2Br_2^+$	476	$C_9H_8NOF_3^+$	288
$C_8H_{18}Si_2Cl_2^+$	395	$C_9H_8N_2O^+$	243
$C_8H_{18}Sn^+$	498	$C_9H_8N_2S_2^+$	350
$C_8H_{19}O_2PS_3^+$	370	$C_9H_8O^+$	194
$C_8H_{19}P^+$	312	$C_9H_8OS^+$	356
$C_8H_{20}Ge^+$	450	$C_9H_8O_2^+$	213
$C_8H_{20}NO_1P^+$	320	$C_9H_8O_2Cr^+$	412
$C_8H_{20}N_3^+$	155	$C_9H_8O_2SCr^+$	419
$C_8H_{20}N_3P^+$	316	$C_9H_8O_3Cr^+$	412
$C_8H_{20}N_4^+$	165	$C_9H_8O_3Fe^+$	431
$C_8H_{20}O_3P_2S_3Ni^+$	444	$C_9H_8O_3PMn^+$	424
$C_8H_{20}O_3P_2S_3Pd^+$	492	$C_9H_8O_3Ru^+$	490
$C_8H_{20}O_3P_2S_3Pt^+$	543	$C_9H_8O_4^+$	223
$C_8H_{20}O_3Si^+$	306	$C_9H_8O_5SCr^+$	419
$C_8H_{20}Si^+$	297	$C_9H_9^+$	82
$C_8H_{20}Si_2^+$	299	$C_9H_9Cl^+$	374
$C_8H_{20}Sn^+$	498	$C_9H_9F^+$	278
$C_8H_{21}NSi^+$	303	$C_9H_9N^+$	138
$C_8H_{21}NSi_2^+$	304	$C_9H_9NO^+$	234
$C_8H_{22}O_2Si_2^+$	306	$C_9H_9NOS^+$	362
$C_8H_{22}Si_2^+$	299	$C_9H_9NO_3Cr^+$	414
$C_8H_{22}Si_2Cd^+$	495	$C_9H_9N_3Cl_2^+$	381
$C_8H_{22}Sn^+$	500	$C_9H_9N_3F^+$	282
$C_8H_{23}NSi_2^+$	304	$C_9H_9N_3S^+$	348
$C_8H_{23}N_4Ge^+$	451	$C_9H_9O^+$	195
$C_8H_{23}N_4Hf^+$	531	$C_9H_9O_5^+$	223
$C_8H_{23}N_4Mo^+$	486	$C_9H_{10}^+$	82
$C_8H_{23}N_4Si^+$	304	$C_9H_{10}NO^+$	234
$C_8H_{23}N_4Si_2^+$	304	$C_9H_{10}NOCl^+$	386
$C_8H_{23}N_4Sn^+$	500	$C_9H_{10}N_2Br^+$	469
$C_8H_{23}N_4Ti^+$	406	$C_9H_{10}N_2Cl^+$	380
$C_8H_{23}N_4V^+$	408	$C_9H_{10}N_2F^+$	281
$C_8H_{23}N_4Zr^+$	484	$C_9H_{10}N_2I^+$	512
$C_8H_{23}P_2Pt^+$	543	$C_9H_{10}N_2S^+$	347
$C_8H_{24}Si_4^+$	301	$C_9H_{10}N_3Cl^+$	380
$C_8N_2F_4^+$	280	$C_9H_{10}N_3O_2^+$	260
$C_8N_2F_6^+$	280	$C_9H_{10}N_3O_2Cl^+$	388
$C_8N_2O_2Cl_2^+$	385	$C_9H_{10}O^+$	195
$C_8O_3Cl_4^+$	382	$C_9H_{10}OCr^+$	411
$C_8O_3F_6Co_2^+$	440	$C_9H_{10}O_2^+$	213
$C_8O_3F_{12}Mo_2^+$	487	$C_9H_{10}O_4^+$	221
$C_9H_4O_3^+$	221	$C_9H_{10}O_3Fe^+$	431
$C_9H_5FS_3^+$	366	$C_9H_{10}O_7PCr^+$	417
$C_9H_5NO_4Fe^+$	433	$C_9H_{10}O_7PW^+$	537
$C_9H_5O_3ClCr^+$	420	$C_9H_{10}S^+$	334
$C_9H_5S_3Cl^+$	399	$C_9H_{11}Cl^+$	374
$C_9H_6N_2^+$	155	$C_9H_{11}N^+$	139
$C_9H_6N_2S^+$	347	$C_9H_{11}NO^+$	234
$C_9H_6N_3F_5^+$	283	$C_9H_{11}NO_2^+$	250
$C_9H_6OS^+$	355	$C_9H_{11}NO_3^+$	262
$C_9H_6O_2^+$	213	$C_9H_{11}N_2^+$	155
$C_9H_6O_2S^+$	358	$C_9H_{11}N_2Br^+$	469
$C_9H_6O_3Cr^+$	412	$C_9H_{11}N_2Cl^+$	380
$C_9H_6O_3S^+$	359	$C_9H_{11}N_2F^+$	281
$C_9H_6O_3Co_2^+$	439	$C_9H_{11}N_2I^+$	512
$C_9H_6S_3^+$	341	$C_9H_{11}N_2O^+$	243
$C_9H_7^+$	81	$C_9H_{11}N_2OCl^+$	387
$C_9H_7N^+$	138	$C_9H_{11}N_2OF_2P^+$	324
$C_9H_7NO^+$	234	$C_9H_{11}N_2S^+$	347
$C_9H_7NO_2^+$	250	$C_9H_{11}N_2SCI^+$	400
$C_9H_7NO_2Cr^+$	414	$C_9H_{11}N_3^+$	163
$C_9H_7N_3O_3^+$	264	$C_9H_{11}N_3O_2^+$	260
$C_9H_7O_2SMn^+$	427	$C_9H_{11}O_6^+$	224
$C_9H_7O_3^+$	221	$C_9H_{11}S^+$	334
$C_9H_7O_3Mn^+$	423	$C_9H_{12}^+$	83
$C_9H_7P^+$	312	$C_9H_{12}Cr^+$	410



$C_9H_{12}N_2^+$	156	$C_9H_{18}^+$	86
$C_9H_{12}N_2O^+$	243	$C_9H_{18}NCl^+$	379
$C_9H_{12}N_2O_2^+$	257	$C_9H_{18}NO^+$	235
$C_9H_{12}N_2S^+$	347	$C_9H_{18}NO_2^+$	251
$C_9H_{12}O^+$	195	$C_9H_{18}NO_2Cl^+$	388
$C_9H_{12}OBr^+$	471	$C_9H_{18}N_2^+$	156
$C_9H_{12}O_2^+$	214	$C_9H_{18}N_3O_3PCr^+$	418
$C_9H_{12}O_2S^+$	358	$C_9H_{18}N_3O_3PFe^+$	433
$C_9H_{12}O_3^+$	221	$C_9H_{18}N_3O_3PMo^+$	488
$C_9H_{12}S^+$	334	$C_9H_{18}N_3S_6Fe^+$	435
$C_9H_{13}^+$	85	$C_9H_{18}O^+$	196
$C_9H_{13}As^+$	454	$C_9H_{18}O_3^+$	221
$C_9H_{13}ClGe^+$	453	$C_9H_{18}S_3^+$	341
$C_9H_{13}ClSn^+$	503	$C_9H_{19}N^+$	140
$C_9H_{13}FSi^+$	308	$C_9H_{20}Ge^+$	450
$C_9H_{13}N^+$	139	$C_9H_{20}Hg^+$	546
$C_9H_{13}NFSi^+$	309	$C_9H_{20}N_2^+$	156
$C_9H_{13}NO^+$	234	$C_9H_{20}Sn^+$	498
$C_9H_{13}NO_2^+$	251	$C_9H_{21}N^+$	140
$C_9H_{13}NO_2Si^+$	307	$C_9H_{21}NBr_2^+$	469
$C_9H_{13}NO_3Si^+$	307	$C_9H_{21}NSi^+$	303
$C_9H_{13}NS^+$	345	$C_9H_{21}O_3P^+$	319
$C_9H_{13}OFSi^+$	309	$C_9H_{21}P^+$	312
$C_9H_{13}OSiBr^+$	476	$C_9H_{22}Si^+$	297
$C_9H_{13}OSiCl^+$	395	$C_9H_{22}Sn^+$	498
$C_9H_{13}P^+$	312	$C_9H_{23}O_2Si_2^+$	306
$C_9H_{13}SiBr^+$	476	$C_9H_{24}N_4^+$	165
$C_9H_{13}SiCl^+$	394	$C_9H_{24}Si_2^+$	299
$C_9H_{14}^+$	85	$C_9H_{24}Sn_2^+$	500
$C_9H_{14}F_2Si_2^+$	309	$C_9H_{25}NSi_2^+$	304
$C_9H_{14}Ge^+$	450	$C_9H_{25}Si_2P^+$	325
$C_9H_{14}NO_2^+$	251	$C_9H_{27}NSi_3^+$	304
$C_9H_{14}NP^+$	315	$C_9NF_7^+$	280
$C_9H_{14}NSi^+$	303	$C_9O_5F_6Co_2^+$	440
$C_9H_{14}N_2^+$	156	$C_{10}Cl_6^+$	372
$C_9H_{14}N_2Ge^+$	451	$C_{10}F_8^+$	273
$C_9H_{14}N_2O^+$	243	$C_{10}F_{12}S_3^+$	365
$C_9H_{14}N_2O_3^+$	264	$C_{10}H_2O_4F_{12}Cu^+$	445
$C_9H_{14}N_2S^+$	348	$C_{10}H_2O_4F_{12}Mg^+$	290
$C_9H_{14}N_2Si^+$	304	$C_{10}H_2O_4F_{12}Ni^+$	444
$C_9H_{14}O^+$	195	$C_{10}H_2O_4F_{12}Zn^+$	447
$C_9H_{14}OCrGe^+$	453	$C_{10}H_2O_6^+$	224
$C_9H_{14}OS^+$	356	$C_{10}H_2O_6F_{12}U^+$	555
$C_9H_{14}OSi^+$	305	$C_{10}H_4NO_3ClCr^+$	420
$C_9H_{14}O_2^+$	214	$C_{10}H_4NO_3CrBr^+$	480
$C_9H_{14}Pb^+$	550	$C_{10}H_4O_6Cl_2Co_2^+$	441
$C_9H_{14}SGe^+$	452	$C_{10}H_5NO_3Cr^+$	414
$C_9H_{14}SPb^+$	551	$C_{10}H_5NO_3W^+$	535
$C_9H_{14}SSn^+$	501	$C_{10}H_5NO_6Cr^+$	415
$C_9H_{14}Si^+$	297	$C_{10}H_6^+$	86
$C_9H_{14}SiS^+$	367	$C_{10}H_6Br_2^+$	467
$C_9H_{14}Si_2Cl_2^+$	395	$C_{10}H_6Cl_2^+$	376
$C_9H_{14}Sn^+$	498	$C_{10}H_6N_2^+$	156
$C_9H_{15}N^+$	139	$C_{10}H_6O_2^+$	214
$C_9H_{15}NO^+$	234	$C_{10}H_6O_3^+$	221
$C_9H_{15}NO_2^+$	251	$C_{10}H_6O_4^+$	223
$C_9H_{15}N_2O_2^+$	257	$C_{10}H_6O_6Co_2^+$	439
$C_9H_{15}O_6PCr^+$	417	$C_{10}H_6S_2^+$	339
$C_9H_{15}O_6PW^+$	537	$C_{10}H_7N^+$	140
$C_9H_{16}^+$	85	$C_{10}H_7NO_2^+$	251
$C_9H_{16}NOCl^+$	386	$C_{10}H_7O_3Mn^+$	423
$C_9H_{16}NO_2^+$	251	$C_{10}H_8^+$	86
$C_9H_{16}N_2^+$	156	$C_{10}H_8^{+2}$	87
$C_9H_{16}O^+$	196	$C_{10}H_8^{+3}$	87
$C_9H_{17}N^+$	140	$C_{10}H_8Cl_3Fe^+$	436
$C_9H_{17}NO^+$	235	$C_{10}H_8F_6S_4Ni^+$	444
$C_9H_{17}NO_2^+$	251	$C_{10}H_8N_2^+$	156
$C_9H_{17}NO_2Cl_2^+$	388	$C_{10}H_8N_2O_2^+$	257
$C_9H_{17}NO_2S^+$	364	$C_{10}H_8O^+$	196
$C_9H_{17}N_2O_2^+$	257	$C_{10}H_8OS_2^+$	360

$C_{10}H_8OS_3^+$ .....	360
$C_{10}H_8O_2^+$ .....	214
$C_{10}H_8O_2F_6S_2Ni^+$ .....	444
$C_{10}H_8O_3Cr^+$ .....	412
$C_{10}H_8O_3Fe^+$ .....	431
$C_{10}H_8O_3Mo^+$ .....	486
$C_{10}H_8O_3W^+$ .....	534
$C_{10}H_8O_4Cr^+$ .....	413
$C_{10}H_8O_4F_6Co^+$ .....	440
$C_{10}H_8O_4F_6Cu^+$ .....	445
$C_{10}H_8O_4F_6Ni^+$ .....	443
$C_{10}H_8O_8Fe^+$ .....	432
$C_{10}H_8S^+$ .....	334
$C_{10}H_8S_3^+$ .....	341
$C_{10}H_9ClFe^+$ .....	436
$C_{10}H_9N^+$ .....	140
$C_{10}H_9NO^+$ .....	235
$C_{10}H_9NO_6SFe_2^+$ .....	436
$C_{10}H_9NS^+$ .....	345
$C_{10}H_9O_3Mn^+$ .....	423
$C_{10}H_9P^+$ .....	312
$C_{10}H_{10}^+$ .....	87
$C_{10}H_{10}Br_2Ta^+$ .....	532
$C_{10}H_{10}Br_2Zr^+$ .....	484
$C_{10}H_{10}Cl_2Hf^+$ .....	531
$C_{10}H_{10}Cl_2Ta^+$ .....	532
$C_{10}H_{10}Cl_2Ti^+$ .....	407
$C_{10}H_{10}Cl_2Zr^+$ .....	484
$C_{10}H_{10}Co^+$ .....	437
$C_{10}H_{10}Cr^+$ .....	410
$C_{10}H_{10}F_3Ti^+$ .....	407
$C_{10}H_{10}Fe^+$ .....	429
$C_{10}H_{10}Hg^+$ .....	547
$C_{10}H_{10}La^+$ .....	522
$C_{10}H_{10}Mg^+$ .....	290
$C_{10}H_{10}Mn^+$ .....	421
$C_{10}H_{10}NO^+$ .....	235
$C_{10}H_{10}NOF_3^+$ .....	288
$C_{10}H_{10}N_2^+$ .....	156
$C_{10}H_{10}N_2Cl_2^+$ .....	381
$C_{10}H_{10}N_2O_4^+$ .....	264
$C_{10}H_{10}Nd^+$ .....	525
$C_{10}H_{10}Ni^+$ .....	442
$C_{10}H_{10}O^+$ .....	196
$C_{10}H_{10}O_2^+$ .....	214
$C_{10}H_{10}O_2Cr^+$ .....	412
$C_{10}H_{10}O_2Fe^+$ .....	431
$C_{10}H_{10}O_3Fe^+$ .....	431
$C_{10}H_{10}O_3Ru^+$ .....	490
$C_{10}H_{10}Pb^+$ .....	550
$C_{10}H_{10}Pr^+$ .....	524
$C_{10}H_{10}Ru^+$ .....	490
$C_{10}H_{10}Si^+$ .....	297
$C_{10}H_{10}Sn^+$ .....	498
$C_{10}H_{10}TiBr_2^+$ .....	480
$C_{10}H_{10}V^+$ .....	407
$C_{10}H_{10}W_2^+$ .....	533
$C_{10}H_{10}ZrI_2^+$ .....	518
$C_{10}H_{11}Cl^+$ .....	374
$C_{10}H_{11}DO^+$ .....	197
$C_{10}H_{11}N^+$ .....	140
$C_{10}H_{11}NO^+$ .....	235
$C_{10}H_{11}NO_4^+$ .....	265
$C_{10}H_{11}NO_5Cr^+$ .....	414
$C_{10}H_{11}NO_5W^+$ .....	535
$C_{10}H_{11}N_3^+$ .....	163
$C_{10}H_{11}N_3S^+$ .....	349
$C_{10}H_{11}O^+$ .....	196
$C_{10}H_{11}O_5SMn^+$ .....	427
$C_{10}H_{11}Re^+$ .....	540

$C_{10}H_{12}^+$ .....	88
$C_{10}H_{12}Mo^+$ .....	485
$C_{10}H_{12}NO^+$ .....	235
$C_{10}H_{12}NOCl^+$ .....	386
$C_{10}H_{12}N_2^+$ .....	156
$C_{10}H_{12}O^+$ .....	196
$C_{10}H_{12}OCr^+$ .....	411
$C_{10}H_{12}O_4^+$ .....	214
$C_{10}H_{12}S_2^+$ .....	339
$C_{10}H_{12}S_3^+$ .....	341
$C_{10}H_{12}S^+$ .....	342
$C_{10}H_{12}Se_4^+$ .....	459
$C_{10}H_{12}W^+$ .....	533
$C_{10}H_{13}Cl^+$ .....	374
$C_{10}H_{13}F^+$ .....	275
$C_{10}H_{13}N^+$ .....	140
$C_{10}H_{13}NO^+$ .....	235
$C_{10}H_{13}NO_2^+$ .....	251
$C_{10}H_{13}N_2^+$ .....	157
$C_{10}H_{13}N_2Cl^+$ .....	380
$C_{10}H_{13}N_2O^+$ .....	243
$C_{10}H_{13}N_2OCl^+$ .....	387
$C_{10}H_{13}N_2OF_2P^+$ .....	324
$C_{10}H_{13}N_2S^+$ .....	348
$C_{10}H_{13}N_2SCl^+$ .....	400
$C_{10}H_{13}N_3^+$ .....	163
$C_{10}H_{13}O_5SMn^+$ .....	427
$C_{10}H_{13}P^+$ .....	312
$C_{10}H_{13}Ta^+$ .....	532
$C_{10}H_{14}^+$ .....	89
$C_{10}H_{14}Ge^+$ .....	450
$C_{10}H_{14}N^+$ .....	140
$C_{10}H_{14}NOCl^+$ .....	386
$C_{10}H_{14}N_2^+$ .....	157
$C_{10}H_{14}N_2O^+$ .....	244
$C_{10}H_{14}N_2S^+$ .....	348
$C_{10}H_{14}O^+$ .....	197
$C_{10}H_{14}OBr^+$ .....	471
$C_{10}H_{14}OSi^+$ .....	305
$C_{10}H_{14}O_2^+$ .....	214
$C_{10}H_{14}O_2CrGe^+$ .....	453
$C_{10}H_{14}O_2S_2Co^+$ .....	440
$C_{10}H_{14}O_2S_2Cu^+$ .....	445
$C_{10}H_{14}O_2S_2Ni^+$ .....	444
$C_{10}H_{14}O_3^+$ .....	221
$C_{10}H_{14}O_4Cl_2Sn^+$ .....	503
$C_{10}H_{14}O_4Co^+$ .....	438
$C_{10}H_{14}O_4Cu^+$ .....	445
$C_{10}H_{14}O_4Mg^+$ .....	290
$C_{10}H_{14}O_4Ni^+$ .....	443
$C_{10}H_{14}O_4Zn^+$ .....	447
$C_{10}H_{14}O_6U^+$ .....	554
$C_{10}H_{15}S^+$ .....	335
$C_{10}H_{15}S_4Co^+$ .....	440
$C_{10}H_{15}S_4Ni^+$ .....	444
$C_{10}H_{15}Si^+$ .....	297
$C_{10}H_{15}^+$ .....	90
$C_{10}H_{15}Br^+$ .....	466
$C_{10}H_{15}Cl^+$ .....	374
$C_{10}H_{15}F^+$ .....	276
$C_{10}H_{15}N^+$ .....	140
$C_{10}H_{15}NO^+$ .....	235
$C_{10}H_{15}NO_2^+$ .....	251
$C_{10}H_{15}OSMn^+$ .....	426
$C_{10}H_{15}O_7PCr^+$ .....	417
$C_{10}H_{15}O_7PW^+$ .....	537
$C_{10}H_{15}P^+$ .....	312
$C_{10}H_{15}SMn^+$ .....	425
$C_{10}H_{16}^+$ .....	90
$C_{10}H_{16}Ge^+$ .....	450

$C_{10}H_{16}NFSi^+$ .....	309
$C_{10}H_{16}NP^+$ .....	315
$C_{10}H_{16}N_2^+$ .....	157
$C_{10}H_{16}N_2O_2^+$ .....	257
$C_{10}H_{16}N_4^+$ .....	166
$C_{10}H_{16}O^+$ .....	197
$C_{10}H_{16}OSi^+$ .....	305
$C_{10}H_{16}O_2^+$ .....	215
$C_{10}H_{16}O_2S^+$ .....	358
$C_{10}H_{16}O_2Si^+$ .....	306
$C_{10}H_{16}O_3^+$ .....	222
$C_{10}H_{16}O_3Ni^+$ .....	443
$C_{10}H_{16}O_3Pd^+$ .....	492
$C_{10}H_{16}O_3Pt^+$ .....	543
$C_{10}H_{16}P_2^+$ .....	314
$C_{10}H_{16}Pb^+$ .....	550
$C_{10}H_{16}S^+$ .....	335
$C_{10}H_{16}SGe^+$ .....	452
$C_{10}H_{16}SPb^+$ .....	551
$C_{10}H_{16}SSn^+$ .....	501
$C_{10}H_{16}S_4^+$ .....	342
$C_{10}H_{16}Si^+$ .....	297
$C_{10}H_{16}SiS^+$ .....	367
$C_{10}H_{16}Sn^+$ .....	499
$C_{10}H_{17}^+$ .....	91
$C_{10}H_{17}FSi_2^+$ .....	309
$C_{10}H_{17}N^+$ .....	141
$C_{10}H_{17}NO^+$ .....	235
$C_{10}H_{17}NO_2^+$ .....	252
$C_{10}H_{17}OCl^+$ .....	384
$C_{10}H_{17}P^+$ .....	312
$C_{10}H_{17}Si_2Cl^+$ .....	395
$C_{10}H_{18}^+$ .....	91
$C_{10}H_{18}N_2^+$ .....	157
$C_{10}H_{18}N_2O^+$ .....	244
$C_{10}H_{18}N_2O_2^+$ .....	257
$C_{10}H_{18}N_3O^+$ .....	266
$C_{10}H_{18}N_3O_4PCr^+$ .....	418
$C_{10}H_{18}N_3O_4PFe^+$ .....	433
$C_{10}H_{18}N_3O_4PMo^+$ .....	488
$C_{10}H_{18}Ni^+$ .....	442
$C_{10}H_{18}O^+$ .....	197
$C_{10}H_{18}O_2^+$ .....	215
$C_{10}H_{18}S_6^+$ .....	342
$C_{10}H_{18}Si_2^+$ .....	299
$C_{10}H_{18}Sn^+$ .....	499
$C_{10}H_{19}N^+$ .....	141
$C_{10}H_{19}NO^+$ .....	236
$C_{10}H_{19}NO_2Cl_2^+$ .....	388
$C_{10}H_{20}^+$ .....	91
$C_{10}H_{20}NO_2Cl^+$ .....	388
$C_{10}H_{20}N_2^+$ .....	157
$C_{10}H_{20}N_4^+$ .....	166
$C_{10}H_{20}O^+$ .....	197
$C_{10}H_{20}O_2^+$ .....	224
$C_{10}H_{20}S^+$ .....	335
$C_{10}H_{21}P^+$ .....	312
$C_{10}H_{22}Hg^+$ .....	547
$C_{10}H_{22}N_2^+$ .....	157
$C_{10}H_{22}N_2O^+$ .....	244
$C_{10}H_{22}Si_2^+$ .....	299
$C_{10}H_{23}N^+$ .....	141
$C_{10}H_{23}N_2^+$ .....	157
$C_{10}H_{24}N_2S_2Sn_2^+$ .....	502
$C_{10}H_{24}N_3P^+$ .....	316
$C_{10}H_{24}N_4^+$ .....	166
$C_{10}H_{24}O_3Ti^+$ .....	406
$C_{10}H_{24}O_4Ti^+$ .....	406
$C_{10}H_{24}Si_2^+$ .....	299
$C_{10}H_{24}Si_4^+$ .....	302

$C_{10}H_{24}Sn^+$ .....	499
$C_{10}H_{25}O_2Si_2^+$ .....	306
$C_{10}H_{25}P_5^+$ .....	315
$C_{10}H_{27}NSi_2^+$ .....	304
$C_{10}H_{27}Si_2As^+$ .....	456
$C_{10}H_{27}Si_2P^+$ .....	325
$C_{10}H_{28}N_2Si_2^+$ .....	304
$C_{10}H_{30}N_3Nb^+$ .....	485
$C_{10}H_{30}N_3Ta^+$ .....	532
$C_{10}H_{30}Si^+$ .....	302
$C_{10}H_{30}Si_5^+$ .....	302
$C_{10}O_6F_6Co_2^+$ .....	440
$C_{10}O_{10}Mn_2^+$ .....	422
$C_{10}O_{10}Re_2^+$ .....	541
$C_{11}HO_3F_{23}^+$ .....	287
$C_{11}H_2N_2O_5W^+$ .....	535
$C_{11}H_5N_3^+$ .....	163
$C_{11}H_6O_7Cr^+$ .....	413
$C_{11}H^+$ .....	92
$C_{11}H_7N^+$ .....	141
$C_{11}H_7NO_5Cr^+$ .....	414
$C_{11}H_7NO_5W^+$ .....	535
$C_{11}H_7NO_6Cr^+$ .....	415
$C_{11}H_8N_2^+$ .....	158
$C_{11}H_8N_2O^+$ .....	244
$C_{11}H_8O^+$ .....	198
$C_{11}H_8OS^+$ .....	356
$C_{11}H_8O_2^+$ .....	215
$C_{11}H_8O_3Fe^+$ .....	432
$C_{11}H_8O_4Cr^+$ .....	413
$C_{11}H_8O_4Mo^+$ .....	486
$C_{11}H_8O_4Scr^+$ .....	419
$C_{11}H_8O_5Cr^+$ .....	413
$C_{11}H_9^+$ .....	92
$C_{11}H_9F^+$ .....	276
$C_{11}H_9I^+$ .....	511
$C_{11}H_9NO^+$ .....	252
$C_{11}H_{10}^+$ .....	92
$C_{11}H_{10}O^+$ .....	198
$C_{11}H_{10}OMo^+$ .....	486
$C_{11}H_{10}OW_2^+$ .....	535
$C_{11}H_{10}O_2^+$ .....	215
$C_{11}H_{10}O_2S^+$ .....	358
$C_{11}H_{10}O_3Cr^+$ .....	412
$C_{11}H_{10}O_4PMn^+$ .....	424
$C_{11}H_{10}S^+$ .....	335
$C_{11}H_{10}SFe_2^+$ .....	435
$C_{11}H_{10}SMn_2^+$ .....	426
$C_{11}H_{11}Cr^+$ .....	410
$C_{11}H_{11}Mn^+$ .....	421
$C_{11}H_{11}N^+$ .....	141
$C_{11}H_{11}NOS^+$ .....	362
$C_{11}H_{11}NO_2^+$ .....	252
$C_{11}H_{11}NO_3Cr^+$ .....	414
$C_{11}H_{11}^+$ .....	93
$C_{11}H_{12}N_2Cl_2^+$ .....	381
$C_{11}H_{12}N_2O_2^+$ .....	257
$C_{11}H_{12}O^+$ .....	198
$C_{11}H_{12}O_2^+$ .....	215
$C_{11}H_{12}O_2Cr^+$ .....	412
$C_{11}H_{12}O_3Fe^+$ .....	432
$C_{11}H_{12}O_3PMn^+$ .....	424
$C_{11}H_{12}O_4Fe^+$ .....	432
$C_{11}H_{12}O_5Fe^+$ .....	432
$C_{11}H_{13}Cl^+$ .....	374
$C_{11}H_{13}DO^+$ .....	198
$C_{11}H_{13}N^+$ .....	141
$C_{11}H_{13}NO^+$ .....	236
$C_{11}H_{13}N_3Cl_2^+$ .....	381
$C_{11}H_{13}O^+$ .....	198



$C_{11}H_{13}O_7^+$ .....	224
$C_{11}H_{14}^+$ .....	93
$C_{11}H_{13}NO^+$ .....	236
$C_{11}H_{13}NOCl^+$ .....	386
$C_{11}H_{13}N_2^+$ .....	158
$C_{11}H_{13}N_2O^+$ .....	244
$C_{11}H_{14}O^+$ .....	198
$C_{11}H_{14}O_2^+$ .....	215
$C_{11}H_{14}O_3CrGe^+$ .....	453
$C_{11}H_{15}Cl^+$ .....	374
$C_{11}H_{15}NO^+$ .....	236
$C_{11}H_{15}N_2O^+$ .....	244
$C_{11}H_{15}N_2OCl^+$ .....	387
$C_{11}H_{15}N_2S^+$ .....	348
$C_{11}H_{15}N_2SCl^+$ .....	400
$C_{11}H_{15}N_3^+$ .....	163
$C_{11}H_{15}N_5^+$ .....	167
$C_{11}H_{15}O_3PCr^+$ .....	417
$C_{11}H_{15}O_3PMo^+$ .....	488
$C_{11}H_{15}O_3PW^+$ .....	536
$C_{11}H_{15}O_8PCr^+$ .....	418
$C_{11}H_{15}O_8PMo^+$ .....	488
$C_{11}H_{15}O_8PW^+$ .....	537
$C_{11}H_{16}^+$ .....	94
$C_{11}H_{16}NO_2Br^+$ .....	473
$C_{11}H_{16}NO_2F_3^+$ .....	288
$C_{11}H_{16}N_2O^+$ .....	244
$C_{11}H_{16}N_2S^+$ .....	348
$C_{11}H_{16}N_3^+$ .....	163
$C_{11}H_{16}N_3Cl^+$ .....	380
$C_{11}H_{16}O^+$ .....	198
$C_{11}H_{16}OBr^+$ .....	471
$C_{11}H_{16}O_2^+$ .....	215
$C_{11}H_{16}S^+$ .....	335
$C_{11}H_{16}Si^+$ .....	297
$C_{11}H_{17}^+$ .....	94
$C_{11}H_{17}N^+$ .....	142
$C_{11}H_{17}NO^+$ .....	252
$C_{11}H_{17}NO_3^+$ .....	262
$C_{11}H_{17}N_3^+$ .....	163
$C_{11}H_{17}O_3PCr^+$ .....	417
$C_{11}H_{18}^+$ .....	94
$C_{11}H_{18}N_3O_3PCr^+$ .....	418
$C_{11}H_{18}N_3O_3PMo^+$ .....	488
$C_{11}H_{18}N_3O_3PW^+$ .....	537
$C_{11}H_{18}O^+$ .....	198
$C_{11}H_{18}O_2^+$ .....	216
$C_{11}H_{18}SSn^+$ .....	501
$C_{11}H_{18}SiS^+$ .....	367
$C_{11}H_{19}N^+$ .....	142
$C_{11}H_{19}NOSi^+$ .....	307
$C_{11}H_{20}^+$ .....	95
$C_{11}H_{20}NO^+$ .....	236
$C_{11}H_{20}N_2O_4^+$ .....	266
$C_{11}H_{20}O^+$ .....	199
$C_{11}H_{20}OSi_2^+$ .....	306
$C_{11}H_{20}O_2^+$ .....	216
$C_{11}H_{20}O_2Si_2^+$ .....	306
$C_{11}H_{20}O_3Si_2^+$ .....	306
$C_{11}H_{20}PAu^+$ .....	545
$C_{11}H_{20}Si_2^+$ .....	299
$C_{11}H_{21}N^+$ .....	142
$C_{11}H_{21}NSi_2^+$ .....	304
$C_{11}H_{21}N_2O_2^+$ .....	258
$C_{11}H_{22}^+$ .....	95
$C_{11}H_{22}NO^+$ .....	236
$C_{11}H_{22}N_2^+$ .....	158
$C_{11}H_{22}O^+$ .....	199
$C_{11}H_{22}Si_2^+$ .....	299
$C_{11}H_{23}P^+$ .....	312

$C_{11}H_{24}S_2Sn^+$ .....	502
$C_{11}H_{25}NS_2Sn^+$ .....	502
$C_{11}H_{27}O_2Si_2^+$ .....	306
$C_{11}H_{31}NSi_3P_2^+$ .....	325
$C_{12}F_8^+$ .....	273
$C_{12}F_{10}^+$ .....	273
$C_{12}H_3O_{12}Re_3^+$ .....	541
$C_{12}H_4^+$ .....	95
$C_{12}H_6N_4^+$ .....	166
$C_{12}H_6O_2^+$ .....	216
$C_{12}H_6O_3^+$ .....	222
$C_{12}H_7NO_2^+$ .....	252
$C_{12}H_7NO_3Cr^+$ .....	414
$C_{12}H_7NO_6Cr^+$ .....	415
$C_{12}H_7N_2OCl^+$ .....	387
$C_{12}H_7N_3^+$ .....	163
$C_{12}H_7N_3O_3^+$ .....	265
$C_{12}H_8^+$ .....	95
$C_{12}H_8Br_2^+$ .....	467
$C_{12}H_8FBr^+$ .....	474
$C_{12}H_8F_2^+$ .....	277
$C_{12}H_8NO^+$ .....	236
$C_{12}H_8NOBr^+$ .....	472
$C_{12}H_8NOCl^+$ .....	386
$C_{12}H_8NOF^+$ .....	287
$C_{12}H_8NOI^+$ .....	513
$C_{12}H_8N_2^+$ .....	158
$C_{12}H_8N_2O^+$ .....	244
$C_{12}H_8N_2O_4^+$ .....	264
$C_{12}H_8N_3^+$ .....	163
$C_{12}H_8N_3Cl^+$ .....	380
$C_{12}H_8O^+$ .....	199
$C_{12}H_8OS^+$ .....	356
$C_{12}H_8OSe^+$ .....	461
$C_{12}H_8OTe^+$ .....	507
$C_{12}H_8O_2^+$ .....	216
$C_{12}H_8O_2S^+$ .....	358
$C_{12}H_8O_2SBr_2^+$ .....	479
$C_{12}H_8S^+$ .....	335
$C_{12}H_8SCl_2^+$ .....	400
$C_{12}H_9^+$ .....	96
$C_{12}H_9Br^+$ .....	466
$C_{12}H_9Cl^+$ .....	374
$C_{12}H_9F^+$ .....	276
$C_{12}H_9I^+$ .....	511
$C_{12}H_9N^+$ .....	142
$C_{12}H_9NO^+$ .....	236
$C_{12}H_9NO_3W^+$ .....	535
$C_{12}H_9NS^+$ .....	345
$C_{12}H_9N_2Cl^+$ .....	380
$C_{12}H_9N_3^+$ .....	163
$C_{12}H_9N_3O_2^+$ .....	260
$C_{12}H_9N_3O_2F^+$ .....	288
$C_{12}H_9O_4Rh^+$ .....	491
$C_{12}H_9SCl^+$ .....	399
$C_{12}H_{10}^+$ .....	96
$C_{12}H_{10}^{+2}$ .....	96
$C_{12}H_{10}As^+$ .....	454
$C_{12}H_{10}Bi^+$ .....	552
$C_{12}H_{10}Ga^+$ .....	448
$C_{12}H_{10}Hg^+$ .....	546
$C_{12}H_{10}NOS_2Mn_2^+$ .....	428
$C_{12}H_{10}N_2^+$ .....	158
$C_{12}H_{10}N_2O^+$ .....	244
$C_{12}H_{10}N_2O_2^+$ .....	258
$C_{12}H_{10}N_2O_2S_2Mn^+$ .....	8
$C_{12}H_{10}N_3F_4P_4^+$ .....	323
$C_{12}H_{10}N_4O_2^+$ .....	261
$C_{12}H_{10}O^+$ .....	199
$C_{12}H_{10}OS^+$ .....	356

$C_{12}H_{10}OSFe_2^+$ .....	435
$C_{12}H_{10}O_2Fe^+$ .....	431
$C_{12}H_{10}O_2S^+$ .....	359
$C_{12}H_{10}O_2Ti^+$ .....	406
$C_{12}H_{10}O_2W_2^+$ .....	535
$C_{12}H_{10}S^+$ .....	335
$C_{12}H_{10}S_2Fe_2^+$ .....	435
$C_{12}H_{10}S_2Mn_2^+$ .....	426
$C_{12}H_{10}Sb^+$ .....	505
$C_{12}H_{10}Si_2^+$ .....	300
$C_{12}H_{11}^+$ .....	96
$C_{12}H_{11}As^+$ .....	455
$C_{12}H_{11}N^+$ .....	142
$C_{12}H_{11}NO^+$ .....	237
$C_{12}H_{11}NO_2^+$ .....	252
$C_{12}H_{11}N_3^+$ .....	163
$C_{12}H_{11}P^+$ .....	312
$C_{12}H_{12}^+$ .....	96
$C_{12}H_{12}Cr^+$ .....	410
$C_{12}H_{12}Fe^+$ .....	429
$C_{12}H_{12}Mo^+$ .....	485
$C_{12}H_{12}N_2^+$ .....	158
$C_{12}H_{12}N_2O^+$ .....	244
$C_{12}H_{12}N_2O_2S^+$ .....	364
$C_{12}H_{12}N_3S^+$ .....	348
$C_{12}H_{12}Nb^+$ .....	485
$C_{12}H_{12}O^+$ .....	200
$C_{12}H_{12}OS^+$ .....	356
$C_{12}H_{12}O_2^+$ .....	216
$C_{12}H_{12}O_3S^+$ .....	359
$C_{12}H_{12}O_3Cr^+$ .....	412
$C_{12}H_{12}O_3Mo^+$ .....	486
$C_{12}H_{12}O_3W^+$ .....	534
$C_{12}H_{12}S_2^+$ .....	339
$C_{12}H_{12}Si^+$ .....	297
$C_{12}H_{12}Ti^+$ .....	406
$C_{12}H_{12}V^+$ .....	407
$C_{12}H_{12}Zr^+$ .....	484
$C_{12}H_{13}As^+$ .....	455
$C_{12}H_{13}N^+$ .....	142
$C_{12}H_{13}NO^+$ .....	237
$C_{12}H_{13}NO_2^+$ .....	252
$C_{12}H_{13}NS_2^+$ .....	349
$C_{12}H_{13}N_3^+$ .....	163
$C_{12}H_{13}P^+$ .....	312
$C_{12}H_{14}^+$ .....	97
$C_{12}H_{14}Br_2Mo^+$ .....	490
$C_{12}H_{14}Cl_2Mo^+$ .....	489
$C_{12}H_{14}Cl_2Nb^+$ .....	485
$C_{12}H_{14}Co^+$ .....	437
$C_{12}H_{14}Cr^+$ .....	410
$C_{12}H_{14}Fe^+$ .....	430
$C_{12}H_{14}Mg^+$ .....	290
$C_{12}H_{14}Mn^+$ .....	421
$C_{12}H_{14}Mo^+$ .....	485
$C_{12}H_{14}MoI^+$ .....	515
$C_{12}H_{14}NO_2^+$ .....	252
$C_{12}H_{14}N_2^+$ .....	159
$C_{12}H_{14}N_2O_3Cr^+$ .....	415
$C_{12}H_{14}N_2O_5Mo^+$ .....	487
$C_{12}H_{14}N_2O_5W^+$ .....	535
$C_{12}H_{14}Ni^+$ .....	442
$C_{12}H_{14}O^+$ .....	200
$C_{12}H_{14}O_2^+$ .....	216
$C_{12}H_{14}O_2S_2Fe_2^+$ .....	436
$C_{12}H_{14}Os^+$ .....	542
$C_{12}H_{14}Ru^+$ .....	490
$C_{12}H_{14}V^+$ .....	407
$C_{12}H_{14}W^+$ .....	533
$C_{12}H_{15}Cl^+$ .....	375

$C_{12}H_{15}DO^+$ .....	200
$C_{12}H_{15}N^+$ .....	142
$C_{12}H_{15}NO^+$ .....	237
$C_{12}H_{15}O_2SMn^+$ .....	427
$C_{12}H_{15}O_3SMn^+$ .....	427
$C_{12}H_{16}^+$ .....	97
$C_{12}H_{16}Mo^+$ .....	485
$C_{12}H_{16}NO^+$ .....	237
$C_{12}H_{16}NOCl^+$ .....	386
$C_{12}H_{16}NS^+$ .....	345
$C_{12}H_{16}NSCl^+$ .....	400
$C_{12}H_{16}N_2^+$ .....	159
$C_{12}H_{16}N_2O_4S_1Fe^+$ .....	436
$C_{12}H_{16}O^+$ .....	200
$C_{12}H_{16}OS^+$ .....	356
$C_{12}H_{16}O_2^+$ .....	216
$C_{12}H_{16}O_3S^+$ .....	359
$C_{12}H_{16}S_3^+$ .....	341
$C_{12}H_{16}Si^+$ .....	298
$C_{12}H_{16}Sn^+$ .....	499
$C_{12}H_{16}W^+$ .....	533
$C_{12}H_{17}P^+$ .....	312
$C_{12}H_{18}^+$ .....	98
$C_{12}H_{18}Cr^+$ .....	410
$C_{12}H_{18}Ge^+$ .....	450
$C_{12}H_{18}NO^+$ .....	237
$C_{12}H_{18}N_2O_2Cu^+$ .....	445
$C_{12}H_{18}N_2O_2Ni^+$ .....	443
$C_{12}H_{18}N_2O_2Pd^+$ .....	492
$C_{12}H_{18}N_2S_2Co^+$ .....	440
$C_{12}H_{18}N_2S_2Cu^+$ .....	445
$C_{12}H_{18}N_2S_2Ni^+$ .....	444
$C_{12}H_{18}N_2S_2Pd^+$ .....	492
$C_{12}H_{18}O^+$ .....	200
$C_{12}H_{18}OBr^+$ .....	471
$C_{12}H_{18}OS^+$ .....	356
$C_{12}H_{18}O_2^+$ .....	216
$C_{12}H_{18}S^+$ .....	335
$C_{12}H_{18}Si^+$ .....	298
$C_{12}H_{18}Sn^+$ .....	499
$C_{12}H_{19}NO_2^+$ .....	252
$C_{12}H_{19}NO_2S^+$ .....	363
$C_{12}H_{19}NO_3^+$ .....	262
$C_{12}H_{20}^+$ .....	98
$C_{12}H_{20}NO^+$ .....	237
$C_{12}H_{20}N_2^+$ .....	159
$C_{12}H_{20}N_2O_2^+$ .....	258
$C_{12}H_{20}N_2S^+$ .....	348
$C_{12}H_{20}N_2S_2^+$ .....	350
$C_{12}H_{20}O^+$ .....	200
$C_{12}H_{20}O_2S^+$ .....	359
$C_{12}H_{20}O_3Sn^+$ .....	501
$C_{12}H_{20}O_8Cr_2^+$ .....	413
$C_{12}H_{20}S^+$ .....	336
$C_{12}H_{20}S_4^+$ .....	342
$C_{12}H_{21}NO^+$ .....	237
$C_{12}H_{22}^+$ .....	99
$C_{12}H_{22}NO^+$ .....	237
$C_{12}H_{22}NO_2^+$ .....	252
$C_{12}H_{22}N_2^+$ .....	159
$C_{12}H_{22}O^+$ .....	200
$C_{12}H_{22}OSi_2^+$ .....	306
$C_{12}H_{22}O_2^+$ .....	216
$C_{12}H_{22}O_3^+$ .....	222
$C_{12}H_{22}Si_3^+$ .....	300
$C_{12}H_{23}N^+$ .....	143
$C_{12}H_{23}NO_2Cl_2^+$ .....	388
$C_{12}H_{24}^+$ .....	99
$C_{12}H_{24}NO^+$ .....	237
$C_{12}H_{24}O_2^+$ .....	216



$C_{12}H_{24}O_7^+$	223	$C_{13}H_{10}NO_2^+$	253
$C_{12}H_{24}O_6^+$	224	$C_{13}H_{10}N_2^+$	159
$C_{12}H_{24}Si_2^+$	300	$C_{13}H_{10}N_2O^+$	244
$C_{12}H_{25}NO^+$	238	$C_{13}H_{10}N_2O_2^+$	258
$C_{12}H_{25}N_2^+$	159	$C_{13}H_{10}N_2O_4^+$	266
$C_{12}H_{26}N_1^+$	166	$C_{13}H_{10}O^+$	201
$C_{12}H_{27}N^+$	143	$C_{13}H_{10}OS_2Fe_2^+$	435
$C_{12}H_{27}NBr_2^+$	469	$C_{13}H_{10}O_2^+$	216
$C_{12}H_{27}O_3PS^+$	369	$C_{13}H_{10}O_2SFe_2^+$	435
$C_{12}H_{27}P^+$	313	$C_{13}H_{10}O_3W_2^+$	535
$C_{12}H_{27}PCr^+$	416	$C_{13}H_{10}S^+$	336
$C_{12}H_{28}N_2^+$	159	$C_{13}H_{11}^+$	100
$C_{12}H_{28}N_1^+$	166	$C_{13}H_{11}N^+$	143
$C_{12}H_{28}Si_2^+$	300	$C_{13}H_{11}NO^+$	238
$C_{12}H_{28}Sn^+$	499	$C_{13}H_{11}NO_2^+$	253
$C_{12}H_{29}O_2Si_2^+$	306	$C_{13}H_{11}NS^+$	345
$C_{12}H_{30}O_4P_3S_6Co^+$	440	$C_{13}H_{11}N_4O_2^+$	261
$C_{12}H_{30}O_4P_3S_3Cr^+$	419	$C_{13}H_{11}O^+$	201
$C_{12}H_{30}O_4P_3S_3In^+$	496	$C_{13}H_{11}OCl^+$	384
$C_{12}H_{30}O_4P_3S_3Rh^+$	492	$C_{13}H_{11}OSCl^+$	401
$C_{12}H_{30}Si_4^+$	300	$C_{13}H_{11}OSi^+$	305
$C_{12}H_{32}P_2S_3Sn_2^+$	502	$C_{13}H_{11}OSn^+$	500
$C_{12}H_{33}NSi_3^+$	304	$C_{13}H_{11}O_2SSn^+$	502
$C_{12}H_{36}N_2Si^+$	304	$C_{13}H_{11}SGe^+$	452
$C_{12}H_{36}N_2Si_4Ge^+$	452	$C_{13}H_{11}SSn^+$	501
$C_{12}H_{36}N_2Si_4Hg^+$	547	$C_{13}H_{11}SiS^+$	368
$C_{12}H_{36}N_2Si_4Pb^+$	551	$C_{13}H_{12}^+$	100
$C_{12}H_{36}N_2Si_4Sn^+$	501	$C_{13}H_{12}N^+$	144
$C_{12}H_{36}N_2Si_4Zn^+$	447	$C_{13}H_{12}NO_2^+$	253
$C_{12}H_{36}N_6Mo_3^+$	486	$C_{13}H_{12}N_2^+$	159
$C_{12}H_{36}N_6P_2Fe^+$	433	$C_{13}H_{12}N_2O^+$	244
$C_{12}H_{36}N_6P_2Mo^+$	488	$C_{13}H_{12}N_2O_2^+$	258
$C_{12}H_{36}N_6P_2W^+$	536	$C_{13}H_{12}N_4O_2^+$	261
$C_{12}H_{36}N_6W^+$	533	$C_{13}H_{12}O^+$	201
$C_{12}H_{36}Si_5^+$	302	$C_{13}H_{12}OS^+$	356
$C_{12}H_{36}Si_6^+$	302	$C_{13}H_{12}O_2^+$	216
$C_{12}O_{12}Os_3^+$	543	$C_{13}H_{12}S^+$	336
$C_{12}O_{12}Ru_3^+$	490	$C_{13}H_{13}N^+$	144
$C_{13}H_7N_3O^+$	246	$C_{13}H_{13}NO^+$	238
$C_{13}H_7N_4^+$	166	$C_{13}H_{13}NO_2S^+$	363
$C_{13}H_7O_6ClCr^+$	420	$C_{13}H_{13}Si^+$	298
$C_{13}H_7O_6FCr^+$	415	$C_{13}H_{13}Ti^+$	406
$C_{13}H_8NO_2^+$	252	$C_{13}H_{14}^+$	101
$C_{13}H_8N_2^+$	159	$C_{13}H_{14}NO_2^+$	253
$C_{13}H_8N_4^+$	166	$C_{13}H_{14}N_2^+$	159
$C_{13}H_9O^+$	200	$C_{13}H_{14}N_2O^+$	245
$C_{13}H_9OS^+$	356	$C_{13}H_{14}N_2O_4^+$	266
$C_{13}H_9O_2^+$	216	$C_{13}H_{14}O_2^+$	217
$C_{13}H_9O_6Cr^+$	413	$C_{13}H_{14}Si^+$	298
$C_{13}H_9S^+$	336	$C_{13}H_{15}Ge^+$	450
$C_{13}H_9^+$	99	$C_{13}H_{15}NO^+$	238
$C_{13}H_9D_2^+$	100	$C_{13}H_{15}NO_2^+$	253
$C_{13}H_9N^+$	143	$C_{13}H_{15}NO_2S^+$	364
$C_{13}H_9NO^+$	238	$C_{13}H_{15}Nb^+$	485
$C_{13}H_9NOS^+$	362	$C_{13}H_{16}^+$	101
$C_{13}H_9NO_2^+$	252	$C_{13}H_{16}N_2^+$	159
$C_{13}H_9NO_2S^+$	363	$C_{13}H_{16}Si^+$	298
$C_{13}H_9NO_3^+$	263	$C_{13}H_{16}Sn^+$	499
$C_{13}H_9NO_4^+$	265	$C_{13}H_{16}W^+$	533
$C_{13}H_9O^+$	201	$C_{13}H_{17}Cl^+$	375
$C_{13}H_9OCl^+$	384	$C_{13}H_{17}N^+$	144
$C_{13}H_9P^+$	313	$C_{13}H_{17}NO_2S^+$	364
$C_{13}H_{10}^+$	100	$C_{13}H_{17}N_3^+$	164
$C_{13}H_{10}D^+$	100	$C_{13}H_{17}O_7PCr^+$	417
$C_{13}H_{10}N^+$	143	$C_{13}H_{17}O_6^+$	224
$C_{13}H_{10}NBr^+$	468	$C_{13}H_{18}^+$	101
$C_{13}H_{10}NCl^+$	379	$C_{13}H_{18}N_2O^+$	245
$C_{13}H_{10}NF^+$	281	$C_{13}H_{18}O^+$	201
$C_{13}H_{10}NI^+$	512	$C_{13}H_{18}OCr^+$	411
$C_{13}H_{10}NO^+$	238	$C_{13}H_{18}OSi^+$	305

$C_{13}H_{18}SiFe^+$ .....	433
$C_{13}H_{19}BrMoSn^+$ .....	504
$C_{13}H_{19}ClMoSn^+$ .....	504
$C_{13}H_{19}MoSnI^+$ .....	519
$C_{13}H_{20}MoSn^+$ .....	504
$C_{13}H_{20}NO^+$ .....	238
$C_{13}H_{20}O^+$ .....	201
$C_{13}H_{20}OSi^+$ .....	305
$C_{13}H_{20}O_2^+$ .....	217
$C_{13}H_{20}SnW^+$ .....	540
$C_{13}H_{21}NO^+$ .....	238
$C_{13}H_{21}SnTa^+$ .....	532
$C_{13}H_{22}^+$ .....	101
$C_{13}H_{22}Ge^+$ .....	450
$C_{13}H_{22}NO^+$ .....	239
$C_{13}H_{22}N_2^+$ .....	160
$C_{13}H_{22}Si^+$ .....	300
$C_{13}H_{22}Sn^+$ .....	499
$C_{13}H_{23}NO^+$ .....	239
$C_{13}H_{24}^+$ .....	101
$C_{13}H_{24}NO^+$ .....	239
$C_{13}H_{24}NO_2^+$ .....	253
$C_{13}H_{24}N_2^+$ .....	160
$C_{13}H_{24}Si_2^+$ .....	300
$C_{13}H_{25}NO^+$ .....	239
$C_{13}H_{25}N_2O_2^+$ .....	258
$C_{13}H_{26}^+$ .....	102
$C_{13}H_{27}OPCr^+$ .....	416
$C_{13}H_{28}Sn^+$ .....	500
$C_{13}H_{33}N_4Ti^+$ .....	406
$C_{13}H_{36}N_6OP_2Fe^+$ .....	434
$C_{13}H_{36}N_6OP_2Mo^+$ .....	488
$C_{14}F_{10}^+$ .....	273
$C_{14}HO_4F_{29}^+$ .....	287
$C_{14}H_7O_6F_3Cr^+$ .....	415
$C_{14}H_8^+$ .....	102
$C_{14}H_8Br_2^+$ .....	467
$C_{14}H_8Cl_2^+$ .....	376
$C_{14}H_8NO_2Cl^+$ .....	388
$C_{14}H_8O_2^+$ .....	217
$C_{14}H_8O_3^+$ .....	222
$C_{14}H_8O_4^+$ .....	223
$C_{14}H_8O_6^+$ .....	224
$C_{14}H_8S^+$ .....	342
$C_{14}H_9Br^+$ .....	466
$C_{14}H_9Cl^+$ .....	375
$C_{14}H_9F^+$ .....	276
$C_{14}H_9N^+$ .....	144
$C_{14}H_9NO_2^+$ .....	253
$C_{14}H_9OS^+$ .....	356
$C_{14}H_9O_2^+$ .....	217
$C_{14}H_9O_2S^+$ .....	359
$C_{14}H_{10}^+$ .....	102
$C_{14}H_{10}^{+2}$ .....	103
$C_{14}H_{10}NF_3^+$ .....	282
$C_{14}H_{10}N_2O^+$ .....	245
$C_{14}H_{10}N_2O_2^+$ .....	258
$C_{14}H_{10}O^+$ .....	202
$C_{14}H_{10}OS^+$ .....	356
$C_{14}H_{10}O_2^+$ .....	217
$C_{14}H_{10}O_2S_2Fe_2^+$ .....	435
$C_{14}H_{10}O_3^+$ .....	222
$C_{14}H_{10}O_3S^+$ .....	359
$C_{14}H_{10}O_3SFe_2^+$ .....	435
$C_{14}H_{10}O_4Fe_2^+$ .....	432
$C_{14}H_{10}O_4W_2^+$ .....	535
$C_{14}H_{10}O_6Cr^+$ .....	413
$C_{14}H_{10}O_7Cr^+$ .....	413
$C_{14}H_{10}S^+$ .....	336
$C_{14}H_{11}^+$ .....	103

$C_{14}H_{11}N^+$ .....	144
$C_{14}H_{11}NO^+$ .....	239
$C_{14}H_{11}NO_3Cr^+$ .....	414
$C_{14}H_{11}NS^+$ .....	345
$C_{14}H_{11}OS^+$ .....	357
$C_{14}H_{11}P^+$ .....	313
$C_{14}H_{11}S^+$ .....	336
$C_{14}H_{12}^+$ .....	103
$C_{14}H_{12}N_2^+$ .....	160
$C_{14}H_{12}N_2O_2^+$ .....	258
$C_{14}H_{12}N_2O_4^+$ .....	266
$C_{14}H_{12}O^+$ .....	202
$C_{14}H_{12}O_2^+$ .....	217
$C_{14}H_{12}O_2S^+$ .....	359
$C_{14}H_{12}O_3^+$ .....	222
$C_{14}H_{12}S^+$ .....	336
$C_{14}H_{13}^+$ .....	104
$C_{14}H_{13}N^+$ .....	144
$C_{14}H_{13}NO^+$ .....	239
$C_{14}H_{13}NO_2^+$ .....	253
$C_{14}H_{13}NO_4^+$ .....	265
$C_{14}H_{13}NO_3Cr^+$ .....	414
$C_{14}H_{13}Sn^+$ .....	499
$C_{14}H_{14}^+$ .....	104
$C_{14}H_{14}N_2^+$ .....	160
$C_{14}H_{14}N_2O_2^+$ .....	258
$C_{14}H_{14}N_2O_4^+$ .....	264
$C_{14}H_{14}N_2S_2^+$ .....	350
$C_{14}H_{14}N_4O_2^+$ .....	261
$C_{14}H_{14}O^+$ .....	202
$C_{14}H_{14}OS^+$ .....	357
$C_{14}H_{14}OSi^+$ .....	305
$C_{14}H_{14}OSn^+$ .....	500
$C_{14}H_{14}O_2^+$ .....	217
$C_{14}H_{14}O_2S^+$ .....	359
$C_{14}H_{14}O_3SSn^+$ .....	502
$C_{14}H_{14}S^+$ .....	336
$C_{14}H_{14}SGe^+$ .....	453
$C_{14}H_{14}SSn^+$ .....	502
$C_{14}H_{14}Si^+$ .....	298
$C_{14}H_{14}SiS^+$ .....	368
$C_{14}H_{15}N^+$ .....	144
$C_{14}H_{15}NO^+$ .....	239
$C_{14}H_{15}P^+$ .....	313
$C_{14}H_{16}^+$ .....	104
$C_{14}H_{16}Cr^+$ .....	410
$C_{14}H_{16}Mo^+$ .....	486
$C_{14}H_{16}N_2^+$ .....	160
$C_{14}H_{16}OS_2^+$ .....	360
$C_{14}H_{16}O_2^+$ .....	217
$C_{14}H_{16}Ti^+$ .....	406
$C_{14}H_{18}^+$ .....	105
$C_{14}H_{18}Ge^+$ .....	450
$C_{14}H_{18}N_2^+$ .....	160
$C_{14}H_{18}O_2^+$ .....	217
$C_{14}H_{18}O_2Cr^+$ .....	412
$C_{14}H_{18}Si^+$ .....	298
$C_{14}H_{18}Sn^+$ .....	499
$C_{14}H_{19}NO^+$ .....	239
$C_{14}H_{20}N_3O_2S_4Fe^+$ .....	436
$C_{14}H_{20}O^+$ .....	202
$C_{14}H_{20}O_2^+$ .....	218
$C_{14}H_{20}O_{10}^+$ .....	224
$C_{14}H_{20}S^+$ .....	341
$C_{14}H_{21}O_8PCr^+$ .....	418
$C_{14}H_{21}O_8PW^+$ .....	537
$C_{14}H_{22}^+$ .....	105
$C_{14}H_{22}O^+$ .....	202
$C_{14}H_{22}O_2^+$ .....	218
$C_{14}H_{22}Si^+$ .....	300

$C_{14}H_{23}NO^+$	239
$C_{14}H_{23}P^+$	313
$C_{14}H_{24}^+$	105
$C_{14}H_{24}Si^+$	300
$C_{14}H_{25}NO^+$	240
$C_{14}H_{26}^+$	105
$C_{14}H_{26}Si^+$	300
$C_{14}H_{27}NO^+$	240
$C_{14}H_{27}O_2PCr^+$	416
$C_{14}H_{28}^+$	105
$C_{14}H_{30}Sn^+$	499
$C_{14}H_{32}Si^+$	300
$C_{14}H_{36}N_2Si_2Ge^+$	452
$C_{14}H_{36}N_2Si_2Pb^+$	550
$C_{14}H_{36}N_2Si_2Sn^+$	501
$C_{14}H_{36}N_6O_2P_2Fe^+$	434
$C_{14}H_{36}N_6O_2P_2Mo^+$	488
$C_{14}H_{36}N_6O_2P_2W^+$	537
$C_{14}H_{36}Si_4P^+$	325
$C_{14}H_{38}Si_4Ge^+$	452
$C_{14}H_{38}Si_4Hg^+$	547
$C_{14}H_{38}Si_4Pb^+$	550
$C_{14}H_{38}Si_4Sn^+$	501
$C_{15}H_3O_6F_{18}Al^+$	292
$C_{15}H_3O_6F_{18}Co^+$	440
$C_{15}H_3O_6F_{18}Cr^+$	415
$C_{15}H_3O_6F_{18}Fe^+$	433
$C_{15}H_3O_6F_{18}Ga^+$	448
$C_{15}H_3O_6F_{18}Mn^+$	423
$C_{15}H_3O_6F_{18}Ru^+$	490
$C_{15}H_3O_6F_{18}Sc^+$	405
$C_{15}H_3O_6F_{18}Ti^+$	407
$C_{15}H_3O_6F_{18}V^+$	408
$C_{15}H_6O_6Co_2^+$	439
$C_{15}H_9^+$	105
$C_{15}H_9N^+$	144
$C_{15}H_{10}Cl_2^+$	376
$C_{15}H_{10}N_2O_3^+$	264
$C_{15}H_{10}O^+$	202
$C_{15}H_{10}O_2^+$	218
$C_{15}H_{10}O_3W_2^+$	535
$C_{15}H_{10}S^+$	336
$C_{15}H_{11}^+$	105
$C_{15}H_{11}N^+$	144
$C_{15}H_{11}NO^+$	240
$C_{15}H_{11}NO_2^+$	253
$C_{15}H_{11}NO_3S^+$	364
$C_{15}H_{11}O_2S^+$	359
$C_{15}H_{11}P^+$	313
$C_{15}H_{12}^+$	105
$C_{15}H_{12}O^+$	202
$C_{15}H_{12}O_2^+$	218
$C_{15}H_{12}O_6F_9Al^+$	292
$C_{15}H_{12}O_6F_9Cr^+$	415
$C_{15}H_{12}O_6F_9Fe^+$	433
$C_{15}H_{13}^+$	106
$C_{15}H_{13}NO^+$	240
$C_{15}H_{14}^+$	106
$C_{15}H_{14}N_2^+$	160
$C_{15}H_{14}N_2O_2^+$	258
$C_{15}H_{14}N_2O_4^+$	266
$C_{15}H_{14}S^+$	336
$C_{15}H_{15}ClTh^+$	553
$C_{15}H_{15}ClU^+$	555
$C_{15}H_{15}La^+$	522
$C_{15}H_{15}N^+$	145
$C_{15}H_{15}NO_2^+$	253
$C_{15}H_{15}N_3O_2^+$	260
$C_{15}H_{15}Nd^+$	525
$C_{15}H_{15}O^+$	203

$C_{15}H_{15}Pr^+$	525
$C_{15}H_{16}^+$	107
$C_{15}H_{16}NO_2^+$	254
$C_{15}H_{16}N_2^+$	160
$C_{15}H_{16}OS^+$	357
$C_{15}H_{16}O_2^+$	218
$C_{15}H_{16}Sn^+$	499
$C_{15}H_{18}^+$	107
$C_{15}H_{18}NO_2^+$	254
$C_{15}H_{18}N_3O_{12}Co^+$	439
$C_{15}H_{18}N_3O_{12}Rh^+$	491
$C_{15}H_{18}N_3O_4^+$	261
$C_{15}H_{18}O_3Cr^+$	413
$C_{15}H_{18}O_6Cl_3Co^+$	441
$C_{15}H_{18}O_6CoBr_3^+$	480
$C_{15}H_{19}N_2O_{10}Rh^+$	491
$C_{15}H_{20}NO_8Rh^+$	491
$C_{15}H_{20}N_2OS^+$	362
$C_{15}H_{20}N_2O_2^+$	258
$C_{15}H_{21}O_6Co^+$	438
$C_{15}H_{21}O_6Cr^+$	413
$C_{15}H_{21}O_6Fe^+$	432
$C_{15}H_{21}O_6Mn^+$	423
$C_{15}H_{21}O_6Rh^+$	491
$C_{15}H_{22}Si_2^+$	300
$C_{15}H_{23}Cl^+$	375
$C_{15}H_{24}^+$	107
$C_{15}H_{24}N_2O_3^+$	264
$C_{15}H_{24}O_6Si_2Cr^+$	416
$C_{15}H_{24}O_6Si_2Mo^+$	487
$C_{15}H_{24}O_6Si_2W^+$	536
$C_{15}H_{24}Si_2^+$	300
$C_{15}H_{25}P^+$	313
$C_{15}H_{27}O_3PCr^+$	416
$C_{15}H_{28}^+$	107
$C_{15}H_{28}NO_3^+$	263
$C_{15}H_{28}NO_3S^+$	364
$C_{15}H_{29}NO_3^+$	263
$C_{15}H_{29}N_2O_2^+$	258
$C_{15}H_{30}NO^+$	240
$C_{15}H_{30}N_2O_2^+$	259
$C_{15}H_{31}NO^+$	240
$C_{15}H_{32}Sn^+$	499
$C_{15}H_{35}P_5^+$	315
$C_{15}H_{36}N_6O_3F_2Cr^+$	418
$C_{15}H_{36}N_6O_3F_2Fe^+$	434
$C_{15}H_{36}N_6O_3F_2Mo^+$	488
$C_{15}H_{36}N_6O_3F_2W^+$	537
$C_{16}F_{10}^+$	273
$C_{16}H_8^+$	107
$C_{16}H_8F_8^+$	278
$C_{16}H_8N_2^+$	160
$C_{16}H_{10}^+$	107
$C_{16}H_{10}N_2O_2^+$	259
$C_{16}H_{10}O^+$	203
$C_{16}H_{10}O_6W_2^+$	535
$C_{16}H_{11}^+$	108
$C_{16}H_{11}N_3O_4^+$	266
$C_{16}H_{12}^+$	108
$C_{16}H_{12}NCl^+$	379
$C_{16}H_{12}N_2O_2^+$	259
$C_{16}H_{12}O^+$	203
$C_{16}H_{12}O_2^+$	218
$C_{16}H_{13}^+$	108
$C_{16}H_{13}N^+$	145
$C_{16}H_{13}NO^+$	240
$C_{16}H_{13}NO_2^+$	254
$C_{16}H_{13}NS_2^+$	349
$C_{16}H_{14}^+$	108
$C_{16}H_{14}N_2O_2Co^+$	439



$C_{16}H_{14}N_2O_2Cu^+$ .....	445
$C_{16}H_{14}N_2O_2Mn^+$ .....	423
$C_{16}H_{14}N_2O_2Ni^+$ .....	443
$C_{16}H_{14}N_2S_2^+$ .....	350
$C_{16}H_{14}O_2^+$ .....	218
$C_{16}H_{14}O_4^+$ .....	223
$C_{16}H_{14}S_2^+$ .....	339
$C_{16}H_{15}N^+$ .....	145
$C_{16}H_{15}NS^+$ .....	345
$C_{16}H_{16}^+$ .....	108
$C_{16}H_{16}N_2O_2^+$ .....	259
$C_{16}H_{16}N_4Co^+$ .....	437
$C_{16}H_{16}N_4Cu^+$ .....	444
$C_{16}H_{16}N_4Ni^+$ .....	442
$C_{16}H_{16}O^+$ .....	203
$C_{16}H_{16}O_2^+$ .....	218
$C_{16}H_{16}Th^+$ .....	553
$C_{16}H_{16}U^+$ .....	554
$C_{16}H_{17}N^+$ .....	145
$C_{16}H_{18}^+$ .....	109
$C_{16}H_{18}N_2^+$ .....	160
$C_{16}H_{18}N_2S^+$ .....	348
$C_{16}H_{18}N_4^+$ .....	166
$C_{16}H_{18}O^+$ .....	203
$C_{16}H_{18}OS^+$ .....	357
$C_{16}H_{18}O_2^+$ .....	218
$C_{16}H_{18}S^+$ .....	336
$C_{16}H_{20}^+$ .....	109
$C_{16}H_{20}N_2^+$ .....	160
$C_{16}H_{20}N_2O_6Mo_2^+$ .....	487
$C_{16}H_{22}La^+$ .....	522
$C_{16}H_{22}Nd^+$ .....	525
$C_{16}H_{22}PAu^+$ .....	545
$C_{16}H_{22}P_2I_2Pt^+$ .....	544
$C_{16}H_{22}Pr^+$ .....	525
$C_{16}H_{22}Si^+$ .....	301
$C_{16}H_{24}N_2^+$ .....	160
$C_{16}H_{24}N_2O^+$ .....	245
$C_{16}H_{24}O_4S^+$ .....	359
$C_{16}H_{26}^+$ .....	109
$C_{16}H_{26}O_4S^+$ .....	360
$C_{16}H_{27}O_4PCr^+$ .....	416
$C_{16}H_{27}O_4PW^+$ .....	536
$C_{16}H_{28}NO_4^+$ .....	265
$C_{16}H_{28}NO_4S^+$ .....	364
$C_{16}H_{28}N_2^+$ .....	161
$C_{16}H_{28}N_4^+$ .....	166
$C_{16}H_{29}N_2O_3^+$ .....	264
$C_{16}H_{29}N_2O_4^+$ .....	266
$C_{16}H_{30}N_2O_4P_2Cr^+$ .....	418
$C_{16}H_{30}Si_2^+$ .....	301
$C_{16}H_{32}Si_3^+$ .....	301
$C_{16}H_{34}N_2^+$ .....	161
$C_{16}H_{36}N_6O_4P_2Cr^+$ .....	418
$C_{16}H_{36}N_6O_4P_2Mo^+$ .....	488
$C_{16}H_{36}N_6O_4P_2W^+$ .....	537
$C_{16}H_{36}P_4^+$ .....	314
$C_{16}H_{36}Si_7^+$ .....	303
$C_{16}H_{36}Sn^+$ .....	499
$C_{16}H_{30}N_4Cr^+$ .....	410
$C_{16}H_{30}N_4Hf^+$ .....	531
$C_{16}H_{30}N_4Mo^+$ .....	486
$C_{16}H_{30}N_4Ti^+$ .....	406
$C_{16}H_{30}N_4Zr^+$ .....	484
$C_{16}H_{34}OSi_4Re^+$ .....	542
$C_{16}H_{34}Si_3Cr^+$ .....	415
$C_{16}H_{34}Si_3Hf^+$ .....	531
$C_{16}H_{34}Si_3Pb^+$ .....	550
$C_{16}H_{34}Si_3Sn^+$ .....	501
$C_{16}H_{34}Si_3Ti^+$ .....	407

$C_{16}H_{34}Si_4Zr^+$ .....	484
$C_{17}H_8N_3^+$ .....	164
$C_{17}H_9NO_4^+$ .....	266
$C_{17}H_{11}O_4Rh^+$ .....	491
$C_{17}H_{12}^+$ .....	109
$C_{17}H_{12}O^+$ .....	203
$C_{17}H_{12}S_3^+$ .....	341
$C_{17}H_{13}N^+$ .....	145
$C_{17}H_{14}^+$ .....	109
$C_{17}H_{14}NOCl^+$ .....	386
$C_{17}H_{14}O^+$ .....	203
$C_{17}H_{15}^+$ .....	109
$C_{17}H_{15}N^+$ .....	145
$C_{17}H_{16}O_2^+$ .....	218
$C_{17}H_{17}D_3O_2^+$ .....	218
$C_{17}H_{17}N_2OSCl^+$ .....	401
$C_{17}H_{18}N_2OS^+$ .....	362
$C_{17}H_{18}O^+$ .....	203
$C_{17}H_{18}O_2^+$ .....	218
$C_{17}H_{18}Si^+$ .....	298
$C_{17}H_{19}N^+$ .....	145
$C_{17}H_{19}NO_3^+$ .....	263
$C_{17}H_{19}N_2SCL^+$ .....	400
$C_{17}H_{20}N_2^+$ .....	161
$C_{17}H_{20}N_2O^+$ .....	245
$C_{17}H_{20}N_2S^+$ .....	348
$C_{17}H_{20}O^+$ .....	203
$C_{17}H_{20}OS^+$ .....	357
$C_{17}H_{20}O_2^+$ .....	218
$C_{17}H_{20}Si^+$ .....	298
$C_{17}H_{22}N^+$ .....	161
$C_{17}H_{22}O_2^+$ .....	219
$C_{17}H_{25}N_2O_2^+$ .....	259
$C_{17}H_{25}P_2BrPt^+$ .....	544
$C_{17}H_{25}P_2ClPt^+$ .....	544
$C_{17}H_{25}P_2IPt^+$ .....	544
$C_{17}H_{28}Si^+$ .....	301
$C_{17}H_{29}N^+$ .....	145
$C_{17}H_{29}P^+$ .....	313
$C_{17}H_{32}N_2O_5^+$ .....	267
$C_{17}H_{33}N_2O_2^+$ .....	259
$C_{18}H_8N_4^+$ .....	166
$C_{18}H_{10}^+$ .....	109
$C_{18}H_{11}NO_2^+$ .....	254
$C_{18}H_{12}^+$ .....	109
$C_{18}H_{12}F_3P^+$ .....	322
$C_{18}H_{12}O^+$ .....	203
$C_{18}H_{12}PCl_3^+$ .....	397
$C_{18}H_{14}^+$ .....	110
$C_{18}H_{15}Al^+$ .....	291
$C_{18}H_{15}As^+$ .....	455
$C_{18}H_{15}Bi^+$ .....	552
$C_{18}H_{15}ClSn^+$ .....	503
$C_{18}H_{15}Ga^+$ .....	448
$C_{18}H_{15}GeBr^+$ .....	481
$C_{18}H_{15}N^+$ .....	145
$C_{18}H_{15}O_3P^+$ .....	319
$C_{18}H_{15}P^+$ .....	313
$C_{18}H_{15}PCr^+$ .....	416
$C_{18}H_{15}Sb^+$ .....	505
$C_{18}H_{15}Si^+$ .....	298
$C_{18}H_{15}Sn^+$ .....	500
$C_{18}H_{16}^+$ .....	110
$C_{18}H_{16}Ge^+$ .....	450
$C_{18}H_{16}NP^+$ .....	315
$C_{18}H_{16}N_2O_2^+$ .....	259
$C_{18}H_{16}N_2O_2S_4Fe^+$ .....	436
$C_{18}H_{16}O^+$ .....	203
$C_{18}H_{16}S^+$ .....	336
$C_{18}H_{16}Si^+$ .....	299



$C_{18}H_{16}Sn^+$ .....	500
$C_{18}H_{17}N^+$ .....	146
$C_{18}H_{17}N_2Br^+$ .....	469
$C_{18}H_{17}N_3O_2^+$ .....	260
$C_{18}H_{17}OSMn^+$ .....	426
$C_{18}H_{17}SMn^+$ .....	426
$C_{18}H_{18}^+$ .....	110
$C_{18}H_{18}N_2^+$ .....	161
$C_{18}H_{18}O^+$ .....	203
$C_{18}H_{18}O_2^+$ .....	219
$C_{18}H_{18}O_3^+$ .....	222
$C_{18}H_{20}^+$ .....	111
$C_{18}H_{20}N_2^+$ .....	161
$C_{18}H_{20}N_2O_2^+$ .....	259
$C_{18}H_{20}O^+$ .....	203
$C_{18}H_{21}BrU^+$ .....	555
$C_{18}H_{21}ClTh^+$ .....	553
$C_{18}H_{21}ClU^+$ .....	555
$C_{18}H_{22}N_2OS^+$ .....	362
$C_{18}H_{22}N_2O_2^+$ .....	259
$C_{18}H_{22}N_2S^+$ .....	348
$C_{18}H_{22}OS^+$ .....	357
$C_{18}H_{22}O_2^+$ .....	219
$C_{18}H_{24}Cr^+$ .....	410
$C_{18}H_{24}Mo^+$ .....	486
$C_{18}H_{24}N_2^+$ .....	161
$C_{18}H_{24}N_2O_2^+$ .....	259
$C_{18}H_{24}N_4^+$ .....	166
$C_{18}H_{24}V^+$ .....	407
$C_{18}H_{25}N_3O_3^+$ .....	264
$C_{18}H_{26}NO_2P^+$ .....	320
$C_{18}H_{26}PCl^+$ .....	396
$C_{18}H_{27}N^+$ .....	146
$C_{18}H_{27}P^+$ .....	313
$C_{18}H_{28}N_2O_2S_4Fe^+$ .....	436
$C_{18}H_{28}P_2Pt^+$ .....	543
$C_{18}H_{30}N_2O_4^+$ .....	266
$C_{18}H_{33}P^+$ .....	313
$C_{18}H_{34}N_3O_3^+$ .....	265
$C_{18}H_{34}Si^+$ .....	301
$C_{18}H_{35}N_2O_2^+$ .....	259
$C_{18}H_{36}Si^+$ .....	301
$C_{18}H_{38}Si^+$ .....	302
$C_{18}H_{40}Si^+$ .....	302
$C_{18}H_{42}N_3Cr^+$ .....	410
$C_{18}H_{44}Si^+$ .....	302
$C_{18}O_{18}Os_6^+$ .....	543
$C_{19}H_3O_{16}F_{18}Mn^+$ .....	423
$C_{19}H_{13}As^+$ .....	455
$C_{19}H_{13}N^+$ .....	146
$C_{19}H_{13}P^+$ .....	313
$C_{19}H_{15}OPCr^+$ .....	416
$C_{19}H_{16}^+$ .....	111
$C_{19}H_{16}NO_2^+$ .....	254
$C_{19}H_{17}P^+$ .....	313
$C_{19}H_{18}NO_2^+$ .....	254
$C_{19}H_{18}NP^+$ .....	315
$C_{19}H_{18}O^+$ .....	204
$C_{19}H_{19}N^+$ .....	146
$C_{19}H_{20}^+$ .....	111
$C_{19}H_{20}N_2^+$ .....	161
$C_{19}H_{20}O^+$ .....	204
$C_{19}H_{20}O_2^+$ .....	219
$C_{19}H_{21}NO_3^+$ .....	263
$C_{19}H_{21}N_2OSCl^+$ .....	401
$C_{19}H_{22}^+$ .....	111
$C_{19}H_{22}N_2OS^+$ .....	362
$C_{19}H_{22}O^+$ .....	204
$C_{19}H_{23}N^+$ .....	146
$C_{19}H_{23}N_3OS^+$ .....	363

$C_{19}H_{24}N_2^+$ .....	161
$C_{19}H_{26}O_4MoSn^+$ .....	504
$C_{19}H_{28}N_3O_3^+$ .....	265
$C_{19}H_{29}OP^+$ .....	317
$C_{19}H_{34}Sn^+$ .....	500
$C_{19}H_{35}N_2O_3^+$ .....	264
$C_{19}H_{35}O_2P^+$ .....	318
$C_{19}H_{36}N_2O_4^+$ .....	266
$C_{20}H_{12}^+$ .....	111
$C_{20}H_{13}NO_3^+$ .....	263
$C_{20}H_{14}^+$ .....	111
$C_{20}H_{14}O_2^+$ .....	219
$C_{20}H_{14}O_3^+$ .....	222
$C_{20}H_{15}NO_2^+$ .....	254
$C_{20}H_{15}O_3PCr^+$ .....	416
$C_{20}H_{15}O_3PW^+$ .....	536
$C_{20}H_{16}Fe_2^+$ .....	430
$C_{20}H_{16}O_4F_{12}U^+$ .....	555
$C_{20}H_{17}O_3SMn^+$ .....	427
$C_{20}H_{17}O_3SMn^+$ .....	427
$C_{20}H_{18}^+$ .....	111
$C_{20}H_{18}Fe_2^+$ .....	430
$C_{20}H_{18}N_2^+$ .....	161
$C_{20}H_{19}N_3O_2F_3S^+$ .....	367
$C_{20}H_{19}P^+$ .....	313
$C_{20}H_{20}^+$ .....	112
$C_{20}H_{20}NP^+$ .....	315
$C_{20}H_{20}N_2O^+$ .....	245
$C_{20}H_{20}N_2O_2S_4Fe^+$ .....	436
$C_{20}H_{21}N_2OF_3S^+$ .....	367
$C_{20}H_{22}N_2^+$ .....	161
$C_{20}H_{22}N_2O^+$ .....	245
$C_{20}H_{22}N_2O_2SCo^+$ .....	440
$C_{20}H_{22}N_2O_2SCu^+$ .....	446
$C_{20}H_{22}N_2O_2SNi^+$ .....	444
$C_{20}H_{22}N_2O_3Co^+$ .....	439
$C_{20}H_{22}N_2O_3Cu^+$ .....	445
$C_{20}H_{22}N_2O_3Ni^+$ .....	443
$C_{20}H_{22}O_3^+$ .....	219
$C_{20}H_{23}N^+$ .....	146
$C_{20}H_{23}N_3O_2Co^+$ .....	439
$C_{20}H_{23}N_3O_2Cu^+$ .....	445
$C_{20}H_{23}N_3O_2Ni^+$ .....	443
$C_{20}H_{24}^+$ .....	112
$C_{20}H_{24}N_3^+$ .....	161
$C_{20}H_{24}N_2OS^+$ .....	363
$C_{20}H_{24}N_2O_2^+$ .....	259
$C_{20}H_{24}N_2O_3S^+$ .....	364
$C_{20}H_{24}N_2O_3^+$ .....	264
$C_{20}H_{24}N_3SCL^+$ .....	401
$C_{20}H_{24}O^+$ .....	204
$C_{20}H_{24}O_6^+$ .....	224
$C_{20}H_{25}N_3O^+$ .....	246
$C_{20}H_{25}N_3O_2^+$ .....	260
$C_{20}H_{25}N_3S^+$ .....	349
$C_{20}H_{26}O_2^+$ .....	219
$C_{20}H_{28}^+$ .....	112
$C_{20}H_{28}N_2O_2^+$ .....	259
$C_{20}H_{28}N_3O_4^+$ .....	267
$C_{20}H_{28}O_8Th^+$ .....	553
$C_{20}H_{28}O_8U^+$ .....	554
$C_{20}H_{28}O_8Zr^+$ .....	484
$C_{20}H_{30}^+$ .....	112
$C_{20}H_{30}Cl_2Zr^+$ .....	484
$C_{20}H_{30}Co^+$ .....	437
$C_{20}H_{30}Cr^+$ .....	410
$C_{20}H_{30}Fe^+$ .....	430
$C_{20}H_{30}Mn^+$ .....	422
$C_{20}H_{30}Ni^+$ .....	442
$C_{20}H_{30}S_2^+$ .....	339

$C_{20}H_{30}Si_2^+$	301	$C_{22}H_{48}Si_4^+$	302
$C_{20}H_{30}V^+$	407	$C_{22}H_{34}Si_6^+$	302
$C_{20}H_{32}NP^+$	315	$C_{23}H_{13}NS_2^+$	350
$C_{20}H_{32}S_2^+$	339	$C_{23}H_{15}O_5AsMo^+$	489
$C_{20}H_{34}N_2^+$	161	$C_{23}H_{15}O_5AsW^+$	539
$C_{20}H_{34}NiO_1^+$	267	$C_{23}H_{13}O_5MnSn^+$	503
$C_{20}H_{36}^+$	112	$C_{23}H_{13}O_5MoSb^+$	506
$C_{20}H_{36}N_2O_6^+$	267	$C_{23}H_{15}O_5PCr^+$	417
$C_{20}H_{36}O_6^+$	224	$C_{23}H_{13}O_5PMo^+$	488
$C_{20}H_{36}O_8Mo_2^+$	487	$C_{23}H_{13}O_5PW^+$	537
$C_{20}H_{37}N_3O_5^+$	267	$C_{23}H_{15}O_5SbW^+$	540
$C_{20}H_{38}Si_2^+$	301	$C_{23}H_{13}O_5SnRe^+$	542
$C_{20}H_{38}Si_4^+$	302	$C_{23}H_{15}O_8PCr^+$	418
$C_{20}H_{44}Cr^+$	410	$C_{23}H_{15}O_8PW^+$	537
$C_{20}H_{44}Ge^+$	450	$C_{23}H_{17}F_2P^+$	321
$C_{20}H_{44}Hf^+$	531	$C_{23}H_{17}P^+$	314
$C_{20}H_{44}Sn^+$	500	$C_{23}H_{17}PCl_2^+$	397
$C_{20}H_{44}Ti^+$	406	$C_{23}H_{19}P^+$	314
$C_{20}H_{44}Zr^+$	484	$C_{23}H_{24}O^+$	204
$C_{20}H_{48}Si_4^+$	302	$C_{23}H_{26}^+$	114
$C_{21}H_{12}F_9P^+$	322	$C_{23}H_{20}N_3OS^+$	363
$C_{21}H_{14}D^+$	113	$C_{23}H_{30}O^+$	204
$C_{21}H_{14}N_2O_2^+$	259	$C_{23}H_{32}N_3O_3^+$	265
$C_{21}H_{15}^+$	112	$C_{23}H_{33}O_3PCr^+$	417
$C_{21}H_{15}Cl^+$	375	$C_{23}H_{33}O_3PMo^+$	488
$C_{21}H_{15}NO_2^+$	254	$C_{23}H_{33}O_3PW^+$	537
$C_{21}H_{15}O_3PCr^+$	416	$C_{23}H_{40}O_2^+$	219
$C_{21}H_{15}O_3PW^+$	536	$C_{23}H_{43}N_3O_5^+$	267
$C_{21}H_{21}O_3P^+$	319	$C_{24}H_{12}^+$	114
$C_{21}H_{21}P^+$	314	$C_{24}H_{14}^+$	114
$C_{21}H_{22}NP^+$	315	$C_{24}H_{16}^+$	114
$C_{21}H_{22}O^+$	204	$C_{24}H_{16}N_2^+$	161
$C_{21}H_{24}NSiP^+$	325	$C_{24}H_{16}O_2^+$	219
$C_{21}H_{24}N_2O_2Co^+$	439	$C_{24}H_{16}Si^+$	299
$C_{21}H_{24}N_2O_2Cu^+$	445	$C_{24}H_{17}NO_2^+$	254
$C_{21}H_{24}N_2O_2Ni^+$	443	$C_{24}H_{20}^+$	114
$C_{21}H_{24}N_2F_3S^+$	366	$C_{24}H_{20}NP^+$	316
$C_{21}H_{24}Si_2^+$	301	$C_{24}H_{20}N_3F_2P_3^+$	323
$C_{21}H_{26}N_2O_2^+$	260	$C_{24}H_{20}O_3Fe_4^+$	432
$C_{21}H_{26}N_2S_2^+$	350	$C_{24}H_{20}Si^+$	299
$C_{21}H_{26}N_3OSCl^+$	401	$C_{24}H_{20}Sn^+$	500
$C_{21}H_{31}O_2P^+$	318	$C_{24}H_{22}^+$	115
$C_{21}H_{32}Si_4^+$	301	$C_{24}H_{22}MnAs^+$	457
$C_{22}H_{10}O_4^+$	223	$C_{24}H_{22}MnSb^+$	505
$C_{22}H_{12}^+$	113	$C_{24}H_{22}PMn^+$	424
$C_{22}H_{12}O_2^+$	219	$C_{24}H_{21}^+$	115
$C_{22}H_{14}^+$	113	$C_{24}H_{24}N_2O_2^+$	260
$C_{22}H_{15}O_4FeAs^+$	458	$C_{24}H_{24}N_1O_1CrMo^+$	489
$C_{22}H_{15}O_4PCr^+$	416	$C_{24}H_{24}N_1O_1Cr_2^+$	415
$C_{22}H_{15}O_4PW^+$	536	$C_{24}H_{24}N_1O_1MoW^+$	540
$C_{22}H_{18}^+$	113	$C_{24}H_{24}N_1O_1Mo_2^+$	487
$C_{22}H_{18}O^+$	204	$C_{24}H_{24}N_1O_4W_2^+$	535
$C_{22}H_{20}^+$	114	$C_{24}H_{26}NP^+$	316
$C_{22}H_{20}Si^+$	299	$C_{24}H_{26}N_2O_2^+$	260
$C_{22}H_{21}P^+$	314	$C_{24}H_{26}Si_2^+$	301
$C_{22}H_{22}^+$	114	$C_{24}H_{28}N_2O_2^+$	260
$C_{22}H_{24}NP^+$	315	$C_{24}H_{30}N_3P^+$	316
$C_{22}H_{24}N_2O_2S_2Fe^+$	436	$C_{24}H_{33}La^+$	522
$C_{22}H_{24}N_3O_2F_3S^+$	367	$C_{24}H_{33}Nd^+$	525
$C_{22}H_{25}SiP^+$	325	$C_{24}H_{33}Pr^+$	525
$C_{22}H_{26}N_3OF_3S^+$	367	$C_{24}H_{36}Cr^+$	410
$C_{22}H_{27}N_3OS^+$	363	$C_{24}H_{36}N_4O_3Rh_2^+$	491
$C_{22}H_{30}N_1O_2S_2^+$	364	$C_{24}H_{44}P_4^+$	314
$C_{22}H_{32}N_3O_2^+$	260	$C_{24}H_{50}P_2S_4Sn_2^+$	502
$C_{22}H_{36}O_4Co^+$	438	$C_{25}H_{16}^+$	115
$C_{22}H_{40}O_4Ni^+$	443	$C_{25}H_{18}N_2O_2^+$	260
$C_{22}H_{46}O_4Pd^+$	492	$C_{25}H_{21}P^+$	314
$C_{22}H_{46}O_4Zn^+$	447	$C_{25}H_{22}OMnAs^+$	457
$C_{22}H_{46}Si_4^+$	302	$C_{25}H_{22}OMnSb^+$	505
$C_{22}H_{48}N_2S_4Sn_2^+$	502	$C_{25}H_{22}OPMn^+$	424

$C_{25}H_{22}PSMn^+$ .....	428
$C_{25}H_{22}SMnAs^+$ .....	457
$C_{25}H_{22}SMnSb^+$ .....	505
$C_{25}H_{22}O_2P^+$ .....	318
$C_{25}H_{23}P^+$ .....	314
$C_{25}H_{23}N_2I^+$ .....	512
$C_{25}H_{37}N_3O_4^+$ .....	267
$C_{25}H_{37}N_4O_3^+$ .....	265
$C_{26}H_{14}^+$ .....	115
$C_{26}H_{16}^+$ .....	115
$C_{26}H_{22}OPSMn^+$ .....	428
$C_{26}H_{22}OSMnAs^+$ .....	457
$C_{26}H_{22}OSMnSb^+$ .....	505
$C_{26}H_{22}O_2MnAs^+$ .....	457
$C_{26}H_{22}O_2MnSb^+$ .....	505
$C_{26}H_{22}O_2PMn^+$ .....	424
$C_{26}H_{23}O_3PCr^+$ .....	417
$C_{26}H_{24}^+$ .....	116
$C_{26}H_{24}N_2^+$ .....	161
$C_{26}H_{26}Si_2^+$ .....	301
$C_{26}H_{32}Si_4^+$ .....	302
$C_{26}H_{37}N_3O_4^+$ .....	267
$C_{26}H_{40}N_2O_7S^+$ .....	364
$C_{26}H_{38}Si_6^+$ .....	302
$C_{27}H_{23}O_3PSCr^+$ .....	419
$C_{27}H_{27}NFP^+$ .....	322
$C_{27}H_{33}P^+$ .....	314
$C_{27}H_{39}Si_3P^+$ .....	325
$C_{27}H_{40}N_4O_8S^+$ .....	364
$C_{28}H_{14}^+$ .....	116
$C_{28}H_{16}^+$ .....	116
$C_{28}H_{20}^+$ .....	117
$C_{28}H_{20}N_2O_2S_3Fe^+$ .....	436
$C_{28}H_{24}O_6PSCr^+$ .....	419
$C_{28}H_{29}O_7PCr^+$ .....	417
$C_{28}H_{34}^+$ .....	117
$C_{29}H_{22}P^+$ .....	314
$C_{29}H_{33}N_2I^+$ .....	512
$C_{30}H_{11}^+$ .....	117
$C_{30}H_{16}^+$ .....	117
$C_{30}H_{18}^+$ .....	117
$C_{30}H_{20}S_2^+$ .....	339
$C_{30}H_{32}N_4^+$ .....	166
$C_{30}H_{39}P^+$ .....	314
$C_{30}H_{45}N_5O_6^+$ .....	267
$C_{30}H_{64}Si_6^+$ .....	303
$C_{31}H_{37}N_2P^+$ .....	316
$C_{32}H_{14}^+$ .....	118
$C_{32}H_{16}^+$ .....	118
$C_{32}H_{16}N_8Co^+$ .....	438
$C_{32}H_{16}N_8Cu^+$ .....	445
$C_{32}H_{16}N_8Fe^+$ .....	430
$C_{32}H_{16}N_8Mn^+$ .....	422
$C_{32}H_{16}N_8Ni^+$ .....	442
$C_{32}H_{16}N_8Zn^+$ .....	447
$C_{32}H_{18}^+$ .....	118
$C_{32}H_{18}N_8^+$ .....	167
$C_{32}H_{21}NCl^+$ .....	379
$C_{33}H_{20}N_2Cl^+$ .....	380
$C_{33}H_{57}O_6Fe^+$ .....	432
$C_{34}H_{16}^+$ .....	118
$C_{34}H_{18}^+$ .....	118
$C_{34}H_{20}^+$ .....	118
$C_{35}H_{27}P^+$ .....	314
$C_{36}H_{16}^+$ .....	119
$C_{36}H_{18}^+$ .....	119
$C_{36}H_{20}^+$ .....	119
$C_{36}H_{23}NCl^+$ .....	379
$C_{36}H_{30}Si_2^+$ .....	301
$C_{36}H_{44}N_4Co^+$ .....	437

$C_{36}H_{44}N_4Cu^+$ .....	445
$C_{36}H_{44}N_4Fe^+$ .....	430
$C_{36}H_{44}N_4Mg^+$ .....	290
$C_{36}H_{44}N_4Ni^+$ .....	442
$C_{36}H_{44}N_4Pd^+$ .....	492
$C_{36}H_{44}N_4Zn^+$ .....	446
$C_{36}H_{46}N_4^+$ .....	166
$C_{38}H_{16}^+$ .....	119
$C_{38}H_{18}^+$ .....	119
$C_{38}H_{20}^+$ .....	119
$C_{38}H_{22}^+$ .....	119
$C_{38}H_{26}^+$ .....	119
$C_{40}H_{20}^+$ .....	119
$C_{40}H_{30}O_3P_2Mo^+$ .....	488
$C_{40}H_{40}O_4P_2W^+$ .....	537
$C_{40}H_{56}^+$ .....	119
$C_{42}H_{18}^+$ .....	119
$C_{42}H_{20}^+$ .....	120
$C_{42}H_{22}^+$ .....	120
$C_{42}H_{24}^+$ .....	120
$C_{42}H_{30}^+$ .....	120
$C_{44}H_{20}^+$ .....	120
$C_{44}H_{28}N_3ClFe^+$ .....	436
$C_{44}H_{28}N_4ClMn^+$ .....	428
$C_{44}H_{28}N_4Co^+$ .....	438
$C_{44}H_{28}N_4Cu^+$ .....	445
$C_{44}H_{28}N_4Fe^+$ .....	430
$C_{44}H_{28}N_4Mg^+$ .....	290
$C_{44}H_{28}N_4Mn^+$ .....	422
$C_{44}H_{28}N_4Ni^+$ .....	442
$C_{44}H_{28}N_4Pb^+$ .....	550
$C_{44}H_{28}N_4Zn^+$ .....	447
$C_{44}H_{30}N_4^+$ .....	166
$C_{45}H_{31}P_2Cl^+$ .....	396
$C_{46}H_{26}^+$ .....	120
$C_{48}H_{24}^+$ .....	120
$C_{50}H_{28}^+$ .....	120
$C_{54}H_{30}^+$ .....	120
$C_{55}H_{72}N_4O_5Mg^+$ .....	290
$C_{58}H_{12}^+$ .....	120
$Ca^+$ .....	405
$Ca^{+2}$ .....	405
$CaBr^+$ .....	480
$CaI^+$ .....	515
$CaI_2^+$ .....	515
$Cd^+$ .....	495
$CdI_2^+$ .....	518
$Ce^+$ .....	523
$CeAu^+$ .....	545
$CeIr^+$ .....	543
$CePt^+$ .....	544
$Ce_2^+$ .....	523
$Cf^+$ .....	555
$Cl^+$ .....	370
$Cl^{+2}$ .....	370
$ClAg^+$ .....	493
$ClAg_2^+$ .....	493
$ClAg_4^+$ .....	493
$ClAs^+$ .....	457
$ClBa^+$ .....	521
$ClBrSn^+$ .....	504
$ClBr_2Ag_3^+$ .....	494
$ClBr_3Sn^+$ .....	504
$ClCo^+$ .....	440
$ClCs^+$ .....	520
$ClCu^+$ .....	446
$ClCu_2^+$ .....	446
$ClGd^+$ .....	528
$ClI^+$ .....	515
$ClIn^+$ .....	496



ClK <sup>+</sup> .....	405
ClMo <sup>+</sup> .....	489
ClNb <sup>+</sup> .....	485
ClNd <sup>+</sup> .....	526
ClRb <sup>+</sup> .....	482
ClSr <sup>+</sup> .....	483
ClTi <sup>+</sup> .....	548
ClV <sup>+</sup> .....	408
ClW <sup>+</sup> .....	538
ClYb <sup>+</sup> .....	530
ClZr <sup>+</sup> .....	484
Cl <sub>2</sub> <sup>+</sup> .....	370
Cl <sub>2</sub> Ag <sub>2</sub> <sup>+</sup> .....	493
Cl <sub>2</sub> Ag <sub>3</sub> <sup>+</sup> .....	493
Cl <sub>2</sub> As <sup>+</sup> .....	457
Cl <sub>2</sub> Ba <sup>+</sup> .....	522
Cl <sub>2</sub> BrAg <sub>3</sub> <sup>+</sup> .....	494
Cl <sub>2</sub> Ca <sup>+</sup> .....	405
Cl <sub>2</sub> Cd <sup>+</sup> .....	495
Cl <sub>2</sub> Co <sup>+</sup> .....	441
Cl <sub>2</sub> Cr <sup>+</sup> .....	420
Cl <sub>2</sub> Cs <sub>2</sub> <sup>+</sup> .....	521
Cl <sub>2</sub> CuAg <sub>2</sub> <sup>+</sup> .....	494
Cl <sub>2</sub> Cu <sub>2</sub> <sup>+</sup> .....	446
Cl <sub>2</sub> Cu <sub>2</sub> Ag <sup>+</sup> .....	494
Cl <sub>2</sub> Cu <sub>3</sub> <sup>+</sup> .....	446
Cl <sub>2</sub> Fe <sup>+</sup> .....	436
Cl <sub>2</sub> Gd <sup>+</sup> .....	528
Cl <sub>2</sub> Hg <sup>+</sup> .....	547
Cl <sub>2</sub> K <sub>2</sub> <sup>+</sup> .....	405
Cl <sub>2</sub> Mn <sup>+</sup> .....	428
Cl <sub>2</sub> Mo <sup>+</sup> .....	489
Cl <sub>2</sub> Nb <sup>+</sup> .....	485
Cl <sub>2</sub> Nd <sup>+</sup> .....	526
Cl <sub>2</sub> Ni <sup>+</sup> .....	444
Cl <sub>2</sub> Pb <sup>+</sup> .....	551
Cl <sub>2</sub> Rb <sub>2</sub> <sup>+</sup> .....	482
Cl <sub>2</sub> Se <sup>+</sup> .....	462
Cl <sub>2</sub> Se <sub>2</sub> <sup>+</sup> .....	462
Cl <sub>2</sub> Sn <sup>+</sup> .....	503
Cl <sub>2</sub> Sr <sup>+</sup> .....	483
Cl <sub>2</sub> Ta <sup>+</sup> .....	532
Cl <sub>2</sub> V <sup>+</sup> .....	408
Cl <sub>2</sub> W <sup>+</sup> .....	538
Cl <sub>2</sub> Yb <sup>+</sup> .....	530
Cl <sub>2</sub> Zn <sup>+</sup> .....	447
Cl <sub>2</sub> Zr <sup>+</sup> .....	484
Cl <sub>3</sub> Ag <sub>4</sub> <sup>+</sup> .....	494
Cl <sub>3</sub> Ag <sub>4</sub> <sup>+</sup> .....	494
Cl <sub>3</sub> As <sup>+</sup> .....	457
Cl <sub>3</sub> CuAg <sub>2</sub> <sup>+</sup> .....	494
Cl <sub>3</sub> Cu <sub>2</sub> Ag <sup>+</sup> .....	494
Cl <sub>3</sub> Cu <sub>3</sub> <sup>+</sup> .....	446
Cl <sub>3</sub> Cu <sub>4</sub> <sup>+</sup> .....	446
Cl <sub>3</sub> Ga <sup>+</sup> .....	448
Cl <sub>3</sub> Ge <sup>+</sup> .....	453
Cl <sub>3</sub> In <sup>+</sup> .....	496
Cl <sub>3</sub> Mo <sup>+</sup> .....	489
Cl <sub>3</sub> Nb <sup>+</sup> .....	485
Cl <sub>3</sub> Nd <sup>+</sup> .....	526
Cl <sub>3</sub> Sb <sup>+</sup> .....	505
Cl <sub>3</sub> Ta <sup>+</sup> .....	532
Cl <sub>3</sub> V <sup>+</sup> .....	408
Cl <sub>3</sub> W <sup>+</sup> .....	538
Cl <sub>3</sub> Zr <sup>+</sup> .....	484
Cl <sub>4</sub> Ag <sub>4</sub> <sup>+</sup> .....	494
Cl <sub>4</sub> Cu <sub>4</sub> <sup>+</sup> .....	446
Cl <sub>4</sub> Cu <sub>5</sub> <sup>+</sup> .....	446
Cl <sub>4</sub> Ge <sup>+</sup> .....	453
Cl <sub>4</sub> Hf <sup>+</sup> .....	531

Cl <sub>4</sub> Mo <sup>+</sup> .....	489
Cl <sub>4</sub> Nb <sup>+</sup> .....	485
Cl <sub>4</sub> Ta <sup>+</sup> .....	532
Cl <sub>4</sub> Th <sup>+</sup> .....	553
Cl <sub>4</sub> Ti <sup>+</sup> .....	407
Cl <sub>4</sub> U <sup>+</sup> .....	555
Cl <sub>4</sub> W <sup>+</sup> .....	538
Cl <sub>4</sub> Zr <sup>+</sup> .....	484
Cl <sub>5</sub> Cu <sub>5</sub> <sup>+</sup> .....	446
Cl <sub>5</sub> Mo <sup>+</sup> .....	489
Cl <sub>5</sub> Nb <sup>+</sup> .....	485
Cl <sub>5</sub> Re <sup>+</sup> .....	542
Cl <sub>5</sub> Ta <sup>+</sup> .....	532
Cl <sub>5</sub> W <sup>+</sup> .....	538
Cl <sub>6</sub> Ga <sub>2</sub> <sup>+</sup> .....	448
Cl <sub>6</sub> W <sup>+</sup> .....	538
Cl <sub>9</sub> Re <sub>3</sub> <sup>+</sup> .....	542
Cm <sup>+</sup> .....	555
Co <sup>+</sup> .....	437
Cr <sup>+</sup> .....	409
Cs <sup>+</sup> .....	520
CsAu <sup>+</sup> .....	545
Cs <sup>2+</sup> .....	520
Cs <sub>2</sub> <sup>+</sup> .....	520
Cu <sup>+</sup> .....	444
CuDy <sup>+</sup> .....	529
CuGe <sup>+</sup> .....	454
CuHo <sup>+</sup> .....	529
CuSn <sup>+</sup> .....	503
CuTb <sup>+</sup> .....	528
Cu <sub>2</sub> <sup>+</sup> .....	444
Cu <sub>2</sub> Sn <sup>+</sup> .....	503
Cu <sub>3</sub> Br <sub>4</sub> <sup>+</sup> .....	480
Cu <sub>3</sub> I <sub>3</sub> <sup>+</sup> .....	516
Cu <sub>3</sub> Br <sub>3</sub> <sup>+</sup> .....	480
Cu <sub>3</sub> Br <sub>4</sub> <sup>+</sup> .....	480
D <sup>+</sup> .....	42
DBr <sup>+</sup> .....	463
DF <sup>+</sup> .....	269
DI <sup>+</sup> .....	508
DLi <sup>+</sup> .....	42
DO <sup>+</sup> .....	171
D <sub>2</sub> <sup>+</sup> .....	42
D <sub>2</sub> N <sup>+</sup> .....	123
D <sub>2</sub> N <sub>2</sub> <sup>+</sup> .....	124
D <sub>2</sub> O <sup>+</sup> .....	172
D <sub>2</sub> Si <sup>+</sup> .....	292
D <sub>3</sub> N <sup>+</sup> .....	123
D <sub>3</sub> Si <sup>+</sup> .....	292
Dy <sup>+</sup> .....	528
Er <sup>+</sup> .....	529
Eu <sup>+</sup> .....	526
Eu <sup>+2</sup> .....	527
Eu <sub>2</sub> <sup>+</sup> .....	527
F <sup>+</sup> .....	268
FAg <sup>+</sup> .....	493
FAl <sup>+</sup> .....	292
FAs <sup>+</sup> .....	456
FBr <sup>+</sup> .....	473
FCe <sup>+</sup> .....	523
FCl <sup>+</sup> .....	389
FCr <sup>+</sup> .....	415
FCs <sup>+</sup> .....	520
FGa <sup>+</sup> .....	448
FGe <sup>+</sup> .....	451
FI <sup>+</sup> .....	513
FK <sub>2</sub> <sup>+</sup> .....	404
FKr <sup>+</sup> .....	482
FLa <sup>+</sup> .....	523
FMn <sup>+</sup> .....	423



FMo <sup>+</sup>	487	F <sub>4</sub> S <sup>+</sup>	365
FNa <sub>2</sub> <sup>+</sup>	290	F <sub>4</sub> SW <sup>+</sup>	538
FP <sup>+</sup>	320	F <sub>4</sub> Si <sup>+</sup>	307
FPSBr <sub>2</sub> <sup>+</sup>	479	F <sub>4</sub> U <sup>+</sup>	554
FS <sup>+</sup>	365	F <sub>4</sub> W <sup>+</sup>	536
FS <sub>2</sub> <sup>+</sup>	365	F <sub>4</sub> Xe <sup>+</sup>	519
FTl <sup>+</sup>	548	F <sub>3</sub> Br <sup>+</sup>	473
FTl <sub>2</sub> <sup>+</sup>	548	F <sub>3</sub> Ce <sub>2</sub> <sup>+</sup>	524
FV <sup>+</sup>	408	F <sub>3</sub> Ga <sub>2</sub> <sup>+</sup>	448
FW <sup>+</sup>	536	F <sub>5</sub> I <sup>+</sup>	514
F <sub>2</sub> <sup>+</sup>	268	F <sub>5</sub> La <sub>2</sub> <sup>+</sup>	523
F <sub>2</sub> <sup>15</sup> Cl <sup>+</sup>	389	F <sub>5</sub> Mo <sup>+</sup>	487
F <sub>2</sub> Al <sup>+</sup>	292	F <sub>5</sub> P <sup>+</sup>	320
F <sub>2</sub> As <sup>+</sup>	456	F <sub>5</sub> S <sup>+</sup>	365
F <sub>2</sub> Cd <sup>+</sup>	495	F <sub>5</sub> SCI <sup>+</sup>	401
F <sub>2</sub> Ce <sup>+</sup>	523	F <sub>5</sub> U <sup>+</sup>	554
F <sub>2</sub> Cr <sup>+</sup>	415	F <sub>5</sub> W <sup>+</sup>	536
F <sub>2</sub> Ga <sup>+</sup>	448	F <sub>6</sub> Mo <sup>+</sup>	487
F <sub>2</sub> Ge <sup>+</sup>	451	F <sub>6</sub> Re <sup>+</sup>	541
F <sub>2</sub> Kr <sup>+</sup>	482	F <sub>6</sub> S <sup>+</sup>	365
F <sub>2</sub> La <sup>+</sup>	523	F <sub>6</sub> Si <sub>2</sub> <sup>+</sup>	307
F <sub>2</sub> Mn <sup>+</sup>	423	F <sub>6</sub> U <sup>+</sup>	554
F <sub>2</sub> Mo <sup>+</sup>	487	F <sub>6</sub> Xe <sup>+</sup>	519
F <sub>2</sub> P <sup>+</sup>	320	F <sub>7</sub> Re <sup>+</sup>	541
F <sub>2</sub> PBr <sup>+</sup>	477	F <sub>12</sub> P <sub>4</sub> Cl <sub>2</sub> Rh <sub>2</sub> <sup>+</sup>	492
F <sub>2</sub> PCI <sup>+</sup>	398	F <sub>12</sub> P <sub>4</sub> Ni <sup>+</sup>	444
F <sub>2</sub> PI <sup>+</sup>	515	F <sub>12</sub> P <sub>4</sub> Pd <sup>+</sup>	492
F <sub>2</sub> PSBr <sup>+</sup>	479	F <sub>12</sub> P <sub>4</sub> Pt <sup>+</sup>	543
F <sub>2</sub> S <sup>+</sup>	365	F <sub>15</sub> P <sub>5</sub> Fe <sup>+</sup>	434
F <sub>2</sub> SW <sup>+</sup>	538	F <sub>15</sub> P <sub>5</sub> Ru <sup>+</sup>	490
F <sub>2</sub> S <sub>2</sub> <sup>+</sup>	365	F <sub>18</sub> P <sub>6</sub> Cr <sup>+</sup>	418
F <sub>2</sub> S <sub>2</sub> W <sup>+</sup>	538	F <sub>18</sub> P <sub>6</sub> Mo <sup>+</sup>	488
F <sub>2</sub> Se <sup>+</sup>	461	F <sub>18</sub> P <sub>6</sub> W <sup>+</sup>	538
F <sub>2</sub> Si <sup>+</sup>	307	Fe <sup>+</sup>	428
F <sub>2</sub> Sn <sup>+</sup>	501	Fe <sup>2+</sup>	429
F <sub>2</sub> Tl <sub>2</sub> <sup>+</sup>	548	Fe <sub>2</sub> <sup>+</sup>	429
F <sub>2</sub> V <sup>+</sup>	408	Ga <sup>+</sup>	447
F <sub>2</sub> W <sup>+</sup>	536	GaBi <sup>+</sup>	552
F <sub>2</sub> Xe <sup>+</sup>	519	GaBr <sub>3</sub> <sup>+</sup>	481
F <sub>2</sub> Zn <sup>+</sup>	447	GaI <sup>+</sup>	517
F <sub>3</sub> As <sup>+</sup>	456	GaI <sub>3</sub> <sup>+</sup>	517
F <sub>3</sub> Bi <sup>+</sup>	552	GaSb <sup>+</sup>	506
F <sub>3</sub> Br <sup>+</sup>	473	Ga <sub>2</sub> <sup>+</sup>	447
F <sub>3</sub> Ce <sup>+</sup>	523	Gd <sup>+</sup>	527
F <sub>3</sub> Cl <sup>+</sup>	389	Ge <sup>+</sup>	448
F <sub>3</sub> Cr <sup>+</sup>	415	GeAu <sup>+</sup>	545
F <sub>3</sub> Ge <sup>+</sup>	451	GeI <sub>4</sub> <sup>+</sup>	517
F <sub>3</sub> Mn <sup>+</sup>	423	GeSe <sup>+</sup>	462
F <sub>3</sub> Mo <sup>+</sup>	487	GeTe <sup>+</sup>	508
F <sub>3</sub> P <sup>+</sup>	320	Ge <sub>2</sub> <sup>+</sup>	449
F <sub>3</sub> PCo <sup>+</sup>	440	H <sup>+</sup>	42
F <sub>3</sub> PS <sup>+</sup>	370	HB <sup>+</sup>	43
F <sub>3</sub> S <sup>+</sup>	365	HBNF <sup>+</sup>	279
F <sub>3</sub> SW <sup>+</sup>	538	HBNF <sub>4</sub> P <sup>+</sup>	322
F <sub>3</sub> Sb <sup>+</sup>	505	HBO <sub>2</sub> <sup>+</sup>	173
F <sub>3</sub> Si <sup>+</sup>	307	HBS <sup>+</sup>	327
F <sub>3</sub> SiBr <sup>+</sup>	476	HBe <sup>+</sup>	43
F <sub>3</sub> SiCl <sup>+</sup>	396	HBr <sup>+</sup>	463
F <sub>3</sub> SiPCI <sub>3</sub> Co <sup>+</sup>	441	HCa <sup>+</sup>	405
F <sub>3</sub> V <sup>+</sup>	408	HCl <sup>+</sup>	370
F <sub>3</sub> W <sup>+</sup>	536	HD <sup>+</sup>	42
F <sub>3</sub> AlCs <sup>+</sup>	520	HDN <sup>+</sup>	123
F <sub>3</sub> AlK <sup>+</sup>	405	HDO <sup>+</sup>	172
F <sub>3</sub> As <sup>+</sup>	456	HF <sup>+</sup>	268
F <sub>3</sub> Bi <sup>+</sup>	552	HF <sub>2</sub> P <sup>+</sup>	320
F <sub>3</sub> Ge <sup>+</sup>	451	HF <sub>3</sub> Si <sup>+</sup>	307
F <sub>3</sub> Ge <sub>2</sub> <sup>+</sup>	451	HF <sub>12</sub> P <sub>4</sub> Co <sup>+</sup>	440
F <sub>3</sub> Mn <sup>+</sup>	423	HF <sub>12</sub> P <sub>4</sub> Ir <sup>+</sup>	543
F <sub>4</sub> Mo <sup>+</sup>	487	HF <sub>12</sub> P <sub>4</sub> Rh <sup>+</sup>	491
F <sub>4</sub> P <sub>2</sub> <sup>+</sup>	320	HF <sub>15</sub> P <sub>5</sub> Mn <sup>+</sup>	425

HI <sup>+</sup> .....	508
HLi <sup>+</sup> .....	42
HLi <sub>2</sub> <sup>+</sup> .....	43
HMn <sup>+</sup> .....	421
HN <sup>+</sup> .....	123
HNBBr <sub>2</sub> <sup>+</sup> .....	468
HNCI <sub>2</sub> <sup>+</sup> .....	378
HNF <sub>2</sub> <sup>+</sup> .....	279
HNF <sub>2</sub> P <sub>2</sub> <sup>+</sup> .....	322
HNF <sub>6</sub> P <sub>2</sub> <sup>+</sup> .....	322
HNO <sup>+</sup> .....	226
HNOS <sup>+</sup> .....	360
HNO <sub>2</sub> <sup>+</sup> .....	226
HNO <sub>3</sub> <sup>+</sup> .....	226
HN <sub>2</sub> <sup>+</sup> .....	124
HN <sub>3</sub> <sup>+</sup> .....	124
HO <sup>+</sup> .....	171
HOCl <sup>+</sup> .....	382
HO <sup>+</sup> .....	283
HO <sub>2</sub> <sup>+</sup> .....	172
HP <sup>+</sup> .....	310
HS <sup>+</sup> .....	326
HSe <sup>+</sup> .....	458
HSi <sup>+</sup> .....	292
HSiCl <sub>3</sub> <sup>+</sup> .....	394
HTe <sup>+</sup> .....	506
H <sub>2</sub> <sup>+</sup> .....	42
H <sub>2</sub> B <sup>+</sup> .....	43
H <sub>2</sub> BNF <sup>+</sup> .....	279
H <sub>2</sub> BNF <sub>2</sub> <sup>+</sup> .....	279
H <sub>2</sub> Br <sup>+</sup> .....	463
H <sub>2</sub> Br <sub>2</sub> <sup>+</sup> .....	463
H <sub>2</sub> Cl <sup>+</sup> .....	370
H <sub>2</sub> Cl <sub>2</sub> <sup>+</sup> .....	370
H <sub>2</sub> Cl <sub>2</sub> Ge <sup>+</sup> .....	453
H <sub>2</sub> F <sup>+</sup> .....	269
H <sub>2</sub> F <sub>2</sub> Ge <sup>+</sup> .....	451
H <sub>2</sub> F <sub>2</sub> Si <sup>+</sup> .....	307
H <sub>2</sub> F <sub>2</sub> SiAs <sup>+</sup> .....	456
H <sub>2</sub> F <sub>2</sub> SiP <sup>+</sup> .....	325
H <sub>2</sub> F <sub>12</sub> P <sub>4</sub> Fe <sup>+</sup> .....	434
H <sub>2</sub> GeBr <sub>2</sub> <sup>+</sup> .....	481
H <sub>2</sub> GeI <sub>2</sub> <sup>+</sup> .....	517
H <sub>2</sub> Li <sup>+</sup> .....	42
H <sub>2</sub> N <sup>+</sup> .....	123
H <sub>2</sub> NBr <sup>+</sup> .....	468
H <sub>2</sub> NCl <sup>+</sup> .....	377
H <sub>2</sub> NF <sub>2</sub> P <sup>+</sup> .....	322
H <sub>2</sub> N <sub>2</sub> <sup>+</sup> .....	124
H <sub>2</sub> O <sup>+</sup> .....	171
H <sub>2</sub> O <sub>2</sub> <sup>+</sup> .....	172
H <sub>2</sub> P <sup>+</sup> .....	310
H <sub>2</sub> S <sup>+</sup> .....	326
H <sub>2</sub> S <sub>2</sub> <sup>+</sup> .....	327
H <sub>2</sub> Se <sup>+</sup> .....	458
H <sub>2</sub> Si <sup>+</sup> .....	292
H <sub>2</sub> SiBr <sub>2</sub> <sup>+</sup> .....	476
H <sub>2</sub> SiCl <sub>2</sub> <sup>+</sup> .....	394
H <sub>2</sub> SiI <sub>2</sub> <sup>+</sup> .....	514
H <sub>2</sub> Te <sup>+</sup> .....	506
H <sub>3</sub> As <sup>+</sup> .....	454
H <sub>3</sub> B <sup>+</sup> .....	43
H <sub>3</sub> BF <sub>3</sub> P <sup>+</sup> .....	320
H <sub>3</sub> B <sub>3</sub> N <sub>3</sub> Cl <sub>3</sub> <sup>+</sup> .....	378
H <sub>3</sub> B <sub>3</sub> N <sub>3</sub> F <sub>3</sub> <sup>+</sup> .....	279
H <sub>3</sub> ClGe <sup>+</sup> .....	453
H <sub>3</sub> FCe <sup>+</sup> .....	451
H <sub>3</sub> FSi <sup>+</sup> .....	307
H <sub>3</sub> F <sub>2</sub> <sup>+</sup> .....	269
H <sub>3</sub> GeBr <sup>+</sup> .....	481

H <sub>3</sub> GeI <sup>+</sup> .....	517
H <sub>3</sub> N <sup>+</sup> .....	123
H <sub>3</sub> N <sup>+2</sup> .....	123
H <sub>3</sub> NF <sub>4</sub> SiP <sub>2</sub> <sup>+</sup> .....	326
H <sub>3</sub> NO <sup>+</sup> .....	226
H <sub>3</sub> NOSiS <sup>+</sup> .....	368
H <sub>3</sub> N <sub>2</sub> <sup>+</sup> .....	124
H <sub>3</sub> N <sub>3</sub> Ge <sup>+</sup> .....	451
H <sub>3</sub> N <sub>3</sub> Si <sup>+</sup> .....	303
H <sub>3</sub> O <sup>+</sup> .....	172
H <sub>3</sub> P <sup>+</sup> .....	310
H <sub>3</sub> S <sup>+</sup> .....	327
H <sub>3</sub> Sb <sup>+</sup> .....	504
H <sub>3</sub> Si <sup>+</sup> .....	292
H <sub>3</sub> SiBr <sup>+</sup> .....	476
H <sub>3</sub> SiCl <sup>+</sup> .....	394
H <sub>3</sub> SiI <sup>+</sup> .....	514
H <sub>3</sub> F <sub>2</sub> <sup>+</sup> .....	269
H <sub>3</sub> Ge <sup>+</sup> .....	449
H <sub>3</sub> N <sup>+</sup> .....	123
H <sub>3</sub> AlCl <sub>4</sub> <sup>+</sup> .....	393
H <sub>4</sub> N <sub>2</sub> <sup>+</sup> .....	124
H <sub>4</sub> N <sub>4</sub> <sup>+</sup> .....	124
H <sub>4</sub> O <sub>2</sub> <sup>+</sup> .....	172
H <sub>4</sub> P <sub>2</sub> <sup>+</sup> .....	310
H <sub>4</sub> SGe <sup>+</sup> .....	452
H <sub>4</sub> Si <sup>+</sup> .....	292
H <sub>4</sub> SiS <sup>+</sup> .....	367
H <sub>4</sub> Sn <sup>+</sup> .....	497
H <sub>5</sub> B <sub>3</sub> <sup>+</sup> .....	43
H <sub>5</sub> B <sub>3</sub> F <sub>3</sub> P <sup>+</sup> .....	321
H <sub>5</sub> N <sub>2</sub> F <sub>2</sub> P <sup>+</sup> .....	322
H <sub>5</sub> PCe <sup>+</sup> .....	452
H <sub>5</sub> SiP <sup>+</sup> .....	325
H <sub>5</sub> Si <sub>2</sub> <sup>+</sup> .....	293
H <sub>6</sub> BN <sup>+</sup> .....	124
H <sub>6</sub> B <sub>3</sub> <sup>+</sup> .....	43
H <sub>6</sub> B <sub>3</sub> N <sub>3</sub> <sup>+</sup> .....	124
H <sub>6</sub> Ge <sub>2</sub> Se <sup>+</sup> .....	462
H <sub>6</sub> Ge <sub>2</sub> Te <sup>+</sup> .....	508
H <sub>6</sub> NF <sub>2</sub> SiP <sup>+</sup> .....	326
H <sub>6</sub> N <sub>3</sub> OP <sup>+</sup> .....	319
H <sub>6</sub> OGe <sub>2</sub> <sup>+</sup> .....	451
H <sub>6</sub> OSi <sub>2</sub> <sup>+</sup> .....	305
H <sub>6</sub> SGe <sub>2</sub> <sup>+</sup> .....	452
H <sub>6</sub> Si <sub>2</sub> <sup>+</sup> .....	293
H <sub>6</sub> Si <sub>2</sub> S <sup>+</sup> .....	367
H <sub>6</sub> Si <sub>2</sub> Se <sup>+</sup> .....	461
H <sub>6</sub> Si <sub>2</sub> Te <sup>+</sup> .....	507
H <sub>8</sub> B <sub>4</sub> <sup>+</sup> .....	43
H <sub>8</sub> B <sub>3</sub> <sup>+</sup> .....	43
H <sub>8</sub> B <sub>3</sub> Br <sup>+</sup> .....	463
H <sub>8</sub> B <sub>3</sub> Cl <sup>+</sup> .....	371
H <sub>8</sub> B <sub>3</sub> I <sup>+</sup> .....	509
H <sub>8</sub> B <sub>3</sub> SBr <sup>+</sup> .....	477
H <sub>8</sub> Si <sub>3</sub> <sup>+</sup> .....	293
H <sub>9</sub> B <sub>3</sub> <sup>+</sup> .....	43
H <sub>9</sub> B <sub>3</sub> S <sup>+</sup> .....	327
H <sub>9</sub> NGe <sub>3</sub> <sup>+</sup> .....	451
H <sub>9</sub> NSi <sub>3</sub> <sup>+</sup> .....	303
H <sub>9</sub> PCe <sub>3</sub> <sup>+</sup> .....	452
H <sub>9</sub> Si <sub>3</sub> As <sup>+</sup> .....	456
H <sub>9</sub> Si <sub>3</sub> P <sup>+</sup> .....	325
H <sub>10</sub> B <sub>4</sub> <sup>+</sup> .....	43
H <sub>10</sub> B <sub>6</sub> <sup>+</sup> .....	44
H <sub>10</sub> Si <sub>4</sub> <sup>+</sup> .....	293
H <sub>11</sub> B <sub>3</sub> <sup>+</sup> .....	43
H <sub>11</sub> B <sub>3</sub> Si <sup>+</sup> .....	293
H <sub>11</sub> B <sub>3</sub> S <sup>+</sup> .....	327
H <sub>11</sub> B <sub>11</sub> S <sup>+</sup> .....	327

$H_{12}B_3Al^+$	291	$K_2^+$	403
$H_{12}B_6^+$	44	$K_4^+$	403
$H_{12}Si_4^+$	293	$K_4^+$	403
$H_{14}B_{10}^+$	44	$K_5^+$	403
$H_{16}B_4Hf^+$	531	$K_7^+$	403
$H_{16}B_4U^+$	554	$K_8^+$	403
$H_{16}B_4Zr^+$	483	$Kr^+$	481
$Hf^+$	531	$Kr^{+2}$	481
$Hg^+$	545	$KrXe^+$	520
$Hg_2^+$	545	$Kr_2^+$	481
$Hg_3^+$	545	$La^+$	522
$Hg_4^+$	545	$LaAu^+$	545
$Hg_5^+$	546	$LaIr^+$	543
$Hg_6^+$	546	$Li^+$	42
$Hg_7^+$	546	$LiBi^+$	552
$Hg_8^+$	546	$LiBr^+$	463
$Hg_9^+$	546	$LiCH_4^+$	120
$Hg_{10}^+$	546	$LiCl^+$	370
$Hg_{11}^+$	546	$LiI^+$	509
$Hg_{12}^+$	546	$LiK^+$	404
$Ho^+$	529	$LiNa^+$	289
$HoAu^+$	545	$LiO^+$	172
$Ho_2^+$	529	$LiOSi^+$	305
$I^+$	508	$LiPb^+$	550
$ICe^+$	524	$Li_2^+$	42
$ICe^{+2}$	524	$Li_2Br_2^+$	463
$ICs^+$	521	$Li_2C_4H_9^+$	120
$IDy^+$	529	$Li_2Cl_2^+$	370
$IEr^+$	530	$Li_2I_2^+$	509
$IEu^+$	527	$Li_2O^+$	172
$IGd^+$	528	$Li_3^+$	42
$IHo^+$	529	$Li_3C^+$	120
$INd^+$	526	$Li_3Cl_3^+$	371
$IPr^+$	525	$Li_3C_4H_9^+$	121
$ISm^+$	526	$Li_3C_6H_{18}^+$	121
$ITb^+$	528	$Li_3C_{12}H_{27}^+$	121
$ITl^+$	549	$Li_3C_{16}H_{36}^+$	121
$ITm^+$	530	$Lu^+$	531
$I_2^+$	508	$Mg^+$	290
$I_2^{+2}$	508	$MgCl_2^+$	393
$I_2Ba^+$	522	$MgI_2^+$	514
$I_2Ce^+$	524	$Mn^+$	420
$I_2Dy^+$	529	$MnI^+$	516
$I_2Er^+$	530	$MnSe^+$	462
$I_2Eu^+$	527	$Mn_2^+$	421
$I_2Gd^+$	528	$Mo^+$	485
$I_2Ho^+$	529	$Mo_2^+$	485
$I_2Nd^+$	526	$N^+$	122
$I_2Pb^+$	551	$N^{+2}$	122
$I_2Pr^+$	525	$NCe^+$	523
$I_2Sm^+$	526	$NCl_3^+$	377
$I_2Tb^+$	528	$NF^+$	278
$I_2Tm^+$	530	$NFS^+$	366
$I_3Ce^+$	524	$NF_2^+$	279
$I_3Dy^+$	529	$NF_3^+$	279
$I_3Er^+$	530	$NF_3S^+$	366
$I_3Gd^+$	528	$NF_5P_2^+$	322
$I_3Ho^+$	529	$NF_6P_3^+$	322
$I_3Nd^+$	526	$NGe_2^+$	451
$I_3Pr^+$	525	$NHf^+$	531
$I_3Tb^+$	528	$NO^+$	225
$I_3Tm^+$	530	$NO^{+2}$	225
$I_4Hf^+$	531	$NOBr^+$	472
$In^+$	496	$NOCl^+$	385
$InI^+$	518	$NOF^+$	287
$InI_3^+$	519	$NOF_3^+$	287
$Ir^+$	543	$NOSi_2^+$	306
$K^+$	403	$NO_2^+$	225
$KBr^+$	480	$NO_2Cl^+$	385
$KI^+$	515	$NO_2F^+$	287



$\text{NO}_3\text{Cs}^+$ .....	520	$\text{OAlSi}^+$ .....	309
$\text{NO}_3\text{Cs}_2^+$ .....	520	$\text{OAl}_2^+$ .....	291
$\text{NO}_3\text{K}^+$ .....	404	$\text{OBa}^+$ .....	521
$\text{NO}_3\text{Rb}^+$ .....	482	$\text{OBr}^+$ .....	470
$\text{NO}_3\text{Ti}^+$ .....	548	$\text{OBrW}^+$ .....	540
$\text{NP}^+$ .....	315	$\text{OBr}_2\text{W}^+$ .....	540
$\text{NS}^+$ .....	343	$\text{OBr}_3\text{W}^+$ .....	540
$\text{NSCl}^+$ .....	400	$\text{OBr}_4\text{W}^+$ .....	540
$\text{NS}_2^+$ .....	343	$\text{OCa}^+$ .....	405
$\text{NSiGe}^+$ .....	452	$\text{OCe}^+$ .....	523
$\text{NSi}_2^+$ .....	303	$\text{OCl}^+$ .....	382
$\text{NV}^+$ .....	407	$\text{OCIV}^+$ .....	408
$\text{N}_2^+$ .....	122	$\text{OCl}_2^+$ .....	382
$\text{N}_2\text{F}^+$ .....	279	$\text{OCl}_2\text{V}^+$ .....	409
$\text{N}_2\text{F}_2^+$ .....	279	$\text{OCl}_3\text{V}^+$ .....	409
$\text{N}_2\text{F}_3^+$ .....	279	$\text{OCs}_2^+$ .....	520
$\text{N}_2\text{O}^+$ .....	225	$\text{ODy}^+$ .....	529
$\text{N}_2\text{O}^{+2}$ .....	225	$\text{OEr}^+$ .....	530
$\text{N}_2\text{O}_1^+$ .....	226	$\text{OEu}^+$ .....	527
$\text{N}_2\text{O}_3^+$ .....	226	$\text{OEu}_2^+$ .....	527
$\text{N}_2\text{O}_4\text{Cu}^+$ .....	445	$\text{OF}^+$ .....	283
$\text{N}_2\text{S}_2^+$ .....	343	$\text{OFAl}^+$ .....	292
$\text{N}_3\text{Br}^+$ .....	468	$\text{OFV}^+$ .....	408
$\text{N}_3\text{Cl}^+$ .....	377	$\text{OF}_2^+$ .....	283
$\text{N}_3\text{F}_6\text{P}_3^+$ .....	322	$\text{OF}_2\text{Al}^+$ .....	292
$\text{N}_3\text{O}_9\text{Co}^+$ .....	439	$\text{OF}_2\text{Ge}^+$ .....	452
$\text{N}_3\text{O}_{10}\text{V}^+$ .....	408	$\text{OF}_2\text{S}^+$ .....	366
$\text{N}_3\text{P}_3\text{Cl}_6^+$ .....	397	$\text{OF}_2\text{V}^+$ .....	408
$\text{N}_3\text{S}_3^+$ .....	343	$\text{OF}_3\text{Mo}^+$ .....	487
$\text{N}_4\text{O}_2\text{Ti}^+$ .....	406	$\text{OF}_4\text{P}^+$ .....	324
$\text{N}_4\text{S}_4^+$ .....	343	$\text{OF}_3\text{V}^+$ .....	408
$\text{Na}^+$ .....	289	$\text{OF}_1\text{P}_2^+$ .....	324
$\text{NaAg}^+$ .....	493	$\text{OF}_4\text{Xe}^+$ .....	520
$\text{NaAu}^+$ .....	544	$\text{OF}_5\text{Re}^+$ .....	541
$\text{NaBr}^+$ .....	475	$\text{OFe}^+$ .....	430
$\text{NaCl}^+$ .....	393	$\text{OGd}^+$ .....	527
$\text{NaCl}_3\text{Gd}^+$ .....	528	$\text{OGd}_2^+$ .....	528
$\text{NaI}^+$ .....	514	$\text{OGe}^+$ .....	451
$\text{NaK}^+$ .....	404	$\text{OHf}^+$ .....	531
$\text{NaK}_2^+$ .....	404	$\text{OHo}^+$ .....	529
$\text{Na}_2^+$ .....	289	$\text{OHo}_2^+$ .....	529
$\text{Na}_2\text{Cl}_2^+$ .....	393	$\text{OIn}_2^+$ .....	496
$\text{Na}_2\text{K}^+$ .....	404	$\text{OK}^+$ .....	404
$\text{Na}_2\text{K}_2^+$ .....	404	$\text{OK}_2^+$ .....	404
$\text{Na}_3^+$ .....	289	$\text{OLa}^+$ .....	522
$\text{Na}_3\text{K}^+$ .....	404	$\text{OLu}^+$ .....	531
$\text{Na}_4^+$ .....	289	$\text{OLu}_2^+$ .....	531
$\text{Na}_4\text{K}^+$ .....	404	$\text{ONa}^+$ .....	290
$\text{Na}_5^+$ .....	289	$\text{ONaP}^+$ .....	324
$\text{Na}_5\text{K}^+$ .....	405	$\text{ONd}^+$ .....	526
$\text{Na}_6^+$ .....	289	$\text{ONp}^+$ .....	555
$\text{Na}_7^+$ .....	289	$\text{OP}^+$ .....	316
$\text{Na}_8^+$ .....	289	$\text{OPBr}_3^+$ .....	477
$\text{Na}_9^+$ .....	289	$\text{OPCl}^+$ .....	397
$\text{Na}_{10}^+$ .....	289	$\text{OPCl}_4^+$ .....	397
$\text{Na}_{11}^+$ .....	289	$\text{OPb}^+$ .....	550
$\text{Na}_{12}^+$ .....	289	$\text{OPr}^+$ .....	525
$\text{Na}_{13}^+$ .....	289	$\text{ORe}^+$ .....	540
$\text{Na}_{14}^+$ .....	289	$\text{OS}^+$ .....	351
$\text{Nb}^+$ .....	484	$\text{OSBr}_2^+$ .....	478
$\text{Nd}^+$ .....	525	$\text{OSBr}_3^+$ .....	479
$\text{Ne}^+$ .....	288	$\text{OSCl}_2^+$ .....	401
$\text{Ne}^{+2}$ .....	289	$\text{OSCl}_3^+$ .....	401
$\text{Ni}^+$ .....	441	$\text{OSU}^+$ .....	555
$\text{No}^+$ .....	555	$\text{OS}_2^+$ .....	351
$\text{Np}^+$ .....	555	$^{18}\text{OSi}^+$ .....	352
$\text{O}^+$ .....	170	$\text{OSm}^+$ .....	526
$\text{O}^{+2}$ .....	170	$\text{OSn}^+$ .....	500
$\text{OAl}^+$ .....	291	$\text{OSr}^+$ .....	483
$\text{OAlCl}^+$ .....	393	$\text{OTa}^+$ .....	532

OTb <sup>+</sup>	528	O <sub>1</sub> W <sub>2</sub> <sup>+</sup>	533
OTb <sub>2</sub> <sup>+</sup>	528	O <sub>1</sub> BaRe <sup>+</sup>	542
OTe <sup>+</sup>	507	O <sub>1</sub> CsRe <sup>+</sup>	542
OTh <sup>+</sup>	553	O <sub>1</sub> KRe <sup>+</sup>	542
OTi <sup>+</sup>	406	O <sub>1</sub> MoCs <sub>2</sub> <sup>+</sup>	521
OTi <sup>+</sup>	548	O <sub>1</sub> NaRe <sup>+</sup>	541
OTl <sub>2</sub> <sup>+</sup>	548	O <sub>1</sub> Na <sub>2</sub> Mo <sup>+</sup>	487
OTm <sup>+</sup>	530	O <sub>1</sub> Os <sup>+</sup>	542
OU <sup>+</sup>	554	O <sub>1</sub> P <sub>2</sub> <sup>+</sup>	317
OV <sup>+</sup>	408	O <sub>1</sub> RbRe <sup>+</sup>	542
OY <sup>+</sup>	483	O <sub>1</sub> ReTl <sup>+</sup>	549
OYb <sup>+</sup>	530	O <sub>1</sub> Ru <sup>+</sup>	490
OZr <sup>+</sup>	484	O <sub>1</sub> STl <sub>2</sub> <sup>+</sup>	548
O <sub>2</sub> <sup>+</sup>	170	O <sub>1</sub> W <sub>2</sub> <sup>+</sup>	533
O <sub>2</sub> <sup>2+</sup>	171	O <sub>3</sub> P <sub>2</sub> <sup>+</sup>	317
O <sub>2</sub> Al <sup>+</sup>	291	O <sub>3</sub> Re <sub>2</sub> <sup>+</sup>	541
O <sub>2</sub> Al <sub>2</sub> <sup>+</sup>	291	O <sub>3</sub> VW <sup>+</sup>	539
O <sub>2</sub> BrW <sup>+</sup>	540	O <sub>2</sub> W <sub>2</sub> <sup>+</sup>	533
O <sub>2</sub> Br <sub>2</sub> W <sup>+</sup>	540	O <sub>6</sub> As <sub>4</sub> <sup>+</sup>	455
O <sub>2</sub> Ce <sup>+</sup>	523	O <sub>6</sub> P <sub>3</sub> <sup>+</sup>	317
O <sub>2</sub> Ce <sub>2</sub> <sup>+</sup>	523	O <sub>6</sub> P <sub>4</sub> <sup>+</sup>	317
O <sub>2</sub> Cl <sup>+</sup>	382	O <sub>6</sub> Re <sub>2</sub> <sup>+</sup>	541
O <sub>2</sub> Cl <sub>2</sub> Cr <sup>+</sup>	420	O <sub>6</sub> Sb <sub>2</sub> <sup>+</sup>	505
O <sub>2</sub> Cl <sub>2</sub> Mo <sup>+</sup>	489	O <sub>1</sub> W <sub>2</sub> <sup>+</sup>	533
O <sub>2</sub> Eu <sub>2</sub> <sup>+</sup>	527	O <sub>7</sub> P <sub>3</sub> <sup>+</sup>	317
O <sub>2</sub> FS <sup>+</sup>	366	O <sub>7</sub> P <sub>4</sub> <sup>+</sup>	317
O <sub>2</sub> F <sub>2</sub> S <sup>+</sup>	366	O <sub>7</sub> Re <sub>2</sub> <sup>+</sup>	541
O <sub>2</sub> Fe <sup>+</sup>	430	O <sub>8</sub> P <sub>4</sub> <sup>+</sup>	317
O <sub>2</sub> Gd <sup>+</sup>	528	O <sub>8</sub> VW <sub>2</sub> <sup>+</sup>	539
O <sub>2</sub> Gd <sub>2</sub> <sup>+</sup>	528	O <sub>8</sub> V <sub>4</sub> <sup>+</sup>	408
O <sub>2</sub> Ge <sub>2</sub> <sup>+</sup>	451	O <sub>8</sub> W <sub>3</sub> <sup>+</sup>	533
O <sub>2</sub> Hf <sup>+</sup>	531	O <sub>8</sub> P <sup>+</sup>	317
O <sub>2</sub> Ho <sub>2</sub> <sup>+</sup>	529	O <sub>1</sub> V <sub>2</sub> W <sub>2</sub> <sup>+</sup>	539
O <sub>2</sub> IW <sup>+</sup>	540	O <sub>9</sub> W <sub>3</sub> <sup>+</sup>	533
O <sub>2</sub> I <sub>2</sub> W <sup>+</sup>	540	O <sub>10</sub> P <sub>4</sub> <sup>+</sup>	317
O <sub>2</sub> NaP <sup>+</sup>	324	O <sub>10</sub> V <sub>2</sub> W <sub>2</sub> <sup>+</sup>	539
O <sub>2</sub> P <sup>+</sup>	317	O <sub>10</sub> V <sub>3</sub> W <sup>+</sup>	539
O <sub>2</sub> PAg <sup>+</sup>	493	O <sub>10</sub> V <sub>4</sub> <sup>+</sup>	408
O <sub>2</sub> Pb <sup>+</sup>	550	O <sub>11</sub> VW <sub>3</sub> <sup>+</sup>	539
O <sub>2</sub> Re <sup>+</sup>	540	O <sub>11</sub> W <sub>4</sub> <sup>+</sup>	533
O <sub>2</sub> S <sup>+</sup>	351	O <sub>12</sub> W <sup>+</sup>	533
O <sub>2</sub> SCI <sup>+</sup>	401	O <sub>13</sub> V <sub>2</sub> W <sub>13</sub> <sup>+</sup>	539
O <sub>2</sub> SCI <sub>2</sub> <sup>+</sup>	401	O <sub>13</sub> V <sub>3</sub> W <sub>2</sub> <sup>+</sup>	539
O <sub>2</sub> SFCl <sup>+</sup>	401	Os <sup>+</sup>	542
O <sub>2</sub> Se <sup>+</sup>	460	P <sup>+</sup>	309
O <sub>2</sub> Ta <sup>+</sup>	532	PAs <sup>+</sup>	456
O <sub>2</sub> Tb <sup>+</sup>	528	PAs <sub>2</sub> <sup>+</sup>	457
O <sub>2</sub> Te <sup>+</sup>	507	PBr <sup>+</sup>	477
O <sub>2</sub> Th <sup>+</sup>	553	PBr <sub>2</sub> <sup>+</sup>	477
O <sub>2</sub> Ti <sup>+</sup>	406	PBr <sub>2</sub> <sup>+</sup>	477
O <sub>2</sub> U <sup>+</sup>	554	PCI <sup>+</sup>	396
O <sub>2</sub> V <sup>+</sup>	408	PClBr <sup>+</sup>	479
O <sub>2</sub> W <sup>+</sup>	533	PClBr <sub>2</sub> <sup>+</sup>	480
O <sub>2</sub> Zr <sup>+</sup>	484	PCI <sub>2</sub> <sup>+</sup>	396
O <sub>3</sub> <sup>+</sup>	171	PCl <sub>2</sub> Br <sup>+</sup>	479
O <sub>3</sub> ClMn <sup>+</sup>	428	PCI <sub>2</sub> <sup>+</sup>	396
O <sub>3</sub> FCl <sup>+</sup>	392	PCI <sub>3</sub> <sup>+</sup>	396
O <sub>3</sub> FMn <sup>+</sup>	423	PCI <sub>5</sub> <sup>+</sup>	396
O <sub>3</sub> FRe <sup>+</sup>	541	PI <sub>3</sub> <sup>+</sup>	514
O <sub>3</sub> FS <sup>+</sup>	366	PS <sup>+</sup>	368
O <sub>3</sub> IRe <sup>+</sup>	542	PSBr <sub>3</sub> <sup>+</sup>	479
O <sub>3</sub> MoCs <sub>2</sub> <sup>+</sup>	521	PSCl <sub>3</sub> <sup>+</sup>	402
O <sub>3</sub> NaP <sup>+</sup>	325	PSb <sup>+</sup>	505
O <sub>3</sub> PCs <sup>+</sup>	520	PSe <sup>+</sup>	461
O <sub>3</sub> PK <sup>+</sup>	405	PTe <sup>+</sup>	507
O <sub>3</sub> PRb <sup>+</sup>	482	P <sub>2</sub> <sup>+</sup>	309
O <sub>3</sub> P <sub>2</sub> <sup>+</sup>	317	P <sub>2</sub> As <sub>2</sub> <sup>+</sup>	457
O <sub>3</sub> Re <sup>+</sup>	541	P <sub>2</sub> Rh <sup>+</sup>	491
O <sub>3</sub> S <sup>+</sup>	351	P <sub>3</sub> <sup>+</sup>	310
O <sub>3</sub> U <sup>+</sup>	554	P <sub>3</sub> As <sup>+</sup>	457
		P <sub>4</sub> <sup>+</sup>	310

$P_4S^+$ .....	368	$Se_2^+$ .....	458
$P_4S_2^+$ .....	368	$Se_4^+$ .....	458
$P_4S_3^+$ .....	368	$Se_6^+$ .....	458
$P_4S_4^+$ .....	368	$Si^+$ .....	292
$P_4S_5^+$ .....	368	$SiBr^+$ .....	476
$P_4S_6^+$ .....	368	$SiBr_2^+$ .....	476
$P_4S_7^+$ .....	368	$SiBr_3^+$ .....	476
$P_4S_8^+$ .....	368	$SiBr_4^+$ .....	476
$P_4S_9^+$ .....	368	$SiCl^+$ .....	393
$P_4S_{10}^+$ .....	368	$SiCl_2^+$ .....	393
$P_4Se_3^+$ .....	461	$SiCl_3Co^+$ .....	441
$Pa^+$ .....	553	$SiCl_3^+$ .....	394
$Pb^+$ .....	549	$SiCl_3Co^+$ .....	441
$Pd^+$ .....	492	$SiCl^+$ .....	394
$PdCe^+$ .....	524	$SiP^+$ .....	325
$Pm^+$ .....	526	$SiP_2^+$ .....	325
$Pr^+$ .....	524	$Si_2Cl_4^+$ .....	394
$Pt^+$ .....	543	$Si_2P^+$ .....	325
$PtTh^+$ .....	553	$Sm^+$ .....	526
$Pu^+$ .....	555	$Sn^+$ .....	497
$Rb^+$ .....	482	$SnI_4^+$ .....	519
$RbI^+$ .....	517	$SnTe^+$ .....	508
$Rb_2^+$ .....	482	$Sr^+$ .....	483
$Rb_2I^+$ .....	517	$Sr^{+2}$ .....	483
$Re^+$ .....	540	$SrI^+$ .....	517
$Rh^+$ .....	490	$SrI_2^+$ .....	517
$RhCe^+$ .....	524	$Ta^+$ .....	532
$RhLa^+$ .....	523	$Tb^+$ .....	528
$Rh_2^+$ .....	491	$TePb^+$ .....	551
$Ru^+$ .....	490	$Te_2^+$ .....	506
$RuTh^+$ .....	553	$Te_3^+$ .....	506
$RuU^+$ .....	555	$Te^+$ .....	506
$S^+$ .....	326	$Te_5^+$ .....	506
$SBr_2^+$ .....	477	$Te_6^+$ .....	506
$SCe^+$ .....	524	$Th^+$ .....	552
$SCl^+$ .....	399	$Ti^+$ .....	405
$SCl_2^+$ .....	399	$TiBr_4^+$ .....	480
$SEu^+$ .....	527	$TiI_4^+$ .....	515
$SEu_2^+$ .....	527	$TiPt^+$ .....	544
$SGa^+$ .....	448	$TiRh^+$ .....	492
$SGa_2^+$ .....	448	$Ti_2Rh^+$ .....	492
$SGd^+$ .....	528	$Tl^+$ .....	548
$SGe^+$ .....	452	$TlBi^+$ .....	552
$SSe^+$ .....	461	$Tl_2^+$ .....	548
$SSn^+$ .....	501	$Tm^+$ .....	530
$STi^+$ .....	407	$U^+$ .....	553
$SV^+$ .....	408	$U^{+2}$ .....	553
$SY^+$ .....	483	$V^+$ .....	407
$S_2^+$ .....	326	$V^{+5}$ .....	407
$S_2Br_2^+$ .....	477	$W^+$ .....	532
$S_2Ce^+$ .....	524	$Xe^+$ .....	519
$S_2Cl^+$ .....	399	$Xe^{+2}$ .....	519
$S_2Cl_2^+$ .....	399	$Xe_2^+$ .....	519
$S_2Eu^+$ .....	527	$Y^+$ .....	483
$S_2Eu_2^+$ .....	527	$YRh^+$ .....	492
$S_3As_3^+$ .....	457	$Yb^+$ .....	530
$S_3As_4^+$ .....	457	$Yb^{+2}$ .....	530
$S_4As_4^+$ .....	457	$Yb_2^+$ .....	530
$S_8^+$ .....	326	$Zn^+$ .....	446
$Sb^+$ .....	504	$ZnBr_2^+$ .....	481
$SbI_3^+$ .....	519	$ZnI_2^+$ .....	516
$Sb_2^+$ .....	504	$Zr^+$ .....	483
$Sb_4^+$ .....	504	$ZrI_4^+$ .....	518
$Sb_4^+$ .....	504		
$Sc^+$ .....	405		
$ScRh^+$ .....	492		
$Se^+$ .....	458		
$SeBr_2^+$ .....	481		
$SeSn^+$ .....	503		
$SeTe^+$ .....	508		



Table of Ion Energetics Measurements

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$H^+$	$H_2^+ (^2\Sigma^+)$	1333-74-0	H	$18.0 \pm 0.2$	EI	3799
	$CH_4$	74-82-8	$CH_3$	$21.3 \pm 0.3$	EI	5205
				$24.0 \pm 0.5$	EI	3521
	$C_2H_2$	74-86-2		$20.6 \pm 0.3$	EI	4876
	$C_2H_6$	74-84-0		$23.5 \pm 0.5$	EI	4911
	$H_2O$	7732-18-5	OH	$16.95 \pm 0.05$	EI	5046
			$OH(X^2\Pi)$	$18.7 \pm 0.05$	EI	3906
	$HCHO$	50-00-0	$HCO$	$17.41 \pm 0.07$	PI	3554
$D^+$	$CD_4$	59862-12-3	$CD_3$	$22.17 \pm 0.1$	EI	5205
	$D_2O$	7789-20-0	OD	$18.75 \pm 0.05$	PE	4247
			$OD(X^2\Pi)$	$18.7 \pm 0.05$	EI	3906
$H_2^+$  ( $^2\Sigma_g$ )	$H_2$	1333-74-0	**	$15.42589 \pm 0.00005$ S	S	3770
			**	15.4	PI	5479
			**	$15.38186 \pm 0.00031$	PE	3531
			**	15.43	PE	4248
			**	15.43	PE	5313
			**	$15.5 \pm 1$	EI	4894
	$C_2H_6$	74-84-0		$35.0 \pm 0.5$	EI	4911
	$HCHO$	50-00-0	CO	$15.42 \pm 0.06$	PI	3554
$HD^+$	$HD$	13983-20-5	**	$15.44477 \pm 0.00007$ S	S	3763
	$CH_3CD_3$	2031-95-0		$38.2 \pm 0.8$	EI	5128
$D_2^+$	$D_2$	7782-39-0	**	$15.4667 \pm 0.0001$	S	5140
	$CH_3CD_3$	2031-95-0		$35.2 \pm 0.8$	EI	5128
$Li^+$	$Li$	7439-93-2	**	5.4	EI	4912
			**	$5.5 \pm 0.3$	EI	5254
	$LiF$	7789-24-4		$\sim 12$	EI	3464
	$LiCl$	7447-41-8	Cl	10.17	PI	5509
$Li_2^+$	$Li_2$	14452-59-6	**	$4.96 \pm 0.1$	S	3768
			**	$5.174 \pm 0.013$	PI	5143
			**	$4.86 \pm 0.1$	EI	4568
			**	$4.86 \pm 0.1$	EI	5164
			**	$5.0 \pm 0.3$	EI	5254
			**	5.0	EI	4912
$Li_3^+$	$Li_3$	12596-47-3	**	$4.35 \pm 0.2$	EI	5164
$HLi^+$	$LiH$	7580-67-8	**	$7.9 \pm 0.3$	EI	5254
			**	$4.5 \pm 0.3$	EI	5254
$DLi^+$	$LiD$	13587-16-1	**	$7.7 \pm 0.1$	EI	4568
$H_2Li^+$	$LiH_2$	19709-52-5	**	$6.14 \pm 0.2$	EI	5254

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{HLi}_2^+$	$\text{Li}_2\text{H}$	12339-13-8	**	$4.5 \pm 0.3$	EI	5254
$\text{Be}^+$	Be	7440-41-7	**	$9.2 \pm 1.0$	EI	4113
$\text{HBe}^+$	BeH	13597-97-2	**	$8.20 \pm 0.06$	S	4183
			**	$8.21 \pm 0.05$	S	5223
$\text{B}^+$	B	7440-42-8	**	$8.29808 \pm 0.00002$	S	4182
			**	8.0	EI	4483
			**	$8.6 \pm 0.4$	EI	3468
	$\text{H}_2\text{NBH}_2$	14720-35-5		$19.2 \pm 0.05$	EI	4522
$\text{HB}^+$	$\text{H}_2\text{NBH}_2$	14720-35-5	$\text{NH}_3$	$18.0 \pm 0.1$	EI	4522
$\text{H}_2\text{B}^+$	$\text{H}_2\text{NBH}_2$	14720-35-5	$\text{NH}_2$	$17.2 \pm 0.2$	EI	4522
$\text{H}_3\text{B}^+$	$\text{BH}_3$	13283-31-3	**	11-12	EI	3441
$\text{H}_5\text{B}_3^+$	$\text{B}_3\text{H}_7$	12429-70-8		$11.5 \pm 0.3$	EI	3652
$\text{H}_6\text{B}_3^+$	$\text{B}_3\text{H}_7$	12429-70-8	H	$11.2 \pm 0.3$	EI	3652
$\text{H}_8\text{B}_4^+$	$\text{B}_4\text{H}_8$	12007-71-5	**	$10.9 \pm 0.3$	EI	3652
$\text{H}_{10}\text{B}_4^+$	$\text{B}_4\text{H}_{10}$ (Tetraborane (10))	18283-93-7	**	$10.76 \pm 0.04$	PE	4454
$\text{H}_8\text{B}_5^+$	$\text{B}_5\text{H}_9$	19624-22-7	H	$11.84 \pm 0.01$	EI	3547
	$1\text{-B}_3\text{H}_8\text{CH}_3$	19495-55-7	$\text{CH}_3$	$10.45 \pm 0.02$	EI	3547
	$2\text{-B}_3\text{H}_8\text{CH}_3$	23753-74-4	$\text{CH}_3$	$10.61 \pm 0.05$	EI	3547
	$1\text{-B}_3\text{H}_8\text{C}_2\text{H}_5$	23753-61-9	$\text{C}_2\text{H}_5$	$10.33 \pm 0.05$	EI	3547
	$2\text{-B}_3\text{H}_8\text{C}_2\text{H}_5$	23753-62-0	$\text{C}_2\text{H}_5$	$10.31 \pm 0.01$	EI	3547
	$1\text{-B}_3\text{H}_8\text{C}_3\text{H}_7$	34692-67-6	$\text{C}_3\text{H}_7$	$10.98 \pm 0.01$	EI	3547
	$1\text{-B}_3\text{H}_8\text{Cl}$	19469-13-7	Cl	$11.75 \pm 0.05$	EI	3547
	$2\text{-B}_3\text{H}_8\text{Cl}$	19469-14-8	Cl	$12.20 \pm 0.10$	EI	3547
	$1\text{-B}_3\text{H}_8\text{Br}$	23753-67-5	Br	$11.38 \pm 0.05$	EI	3547
	$2\text{-B}_3\text{H}_8\text{Br}$	23753-64-2	Br	$11.75 \pm 0.05$	EI	3547
	$1\text{-B}_3\text{H}_8\text{I}$	30624-33-0	I	$10.70 \pm 0.05$	EI	3547
	$2\text{-B}_3\text{H}_8\text{I}$	20199-87-5	I	$10.72 \pm 0.05$	EI	3547
$\text{H}_9\text{B}_5^+$	$\text{B}_5\text{H}_9$	19624-22-7	**	9.90	PE	3869
			**	9.94	PE	4446
			**	$9.87 \pm 0.02$	PE	4454
			**	10.5 (V)	PE	4949
$\text{H}_{11}\text{B}_5$	$\text{B}_5\text{H}_{11}$ (Pentaborane(11))	18433-84-6	**	10.7 (V)	PE	4949

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_{10}\text{B}_6^+$	$\text{B}_6\text{H}_{10}$ (Hexaborane(10))	2377-80-2	**	9.4 (V)	PE	4949
$\text{H}_{12}\text{B}_6^+$	$\text{B}_6\text{H}_{12}$ (Hexaborane(12))	12008-19-4	**	10.2 (V)	PE	4949
$\text{H}_{14}\text{B}_{10}^+$	$\text{B}_{10}\text{H}_{14}$ (Decaborane (14))	17702-41-9	**	$9.88 \pm 0.03$	PE	4454
			**	10.15 (V)	PE	4265
$\text{C}^+$	C	7440-44-0	**	$10.5 \pm 1.0$	EI	3597
			**	$10.9 \pm 0.4$	EI	4206
			**	$10.9 \pm 0.4$	EI	5635
			**	$11.2 \pm 0.5$	EI	4909
			**	$11.2 \pm 0.5$	EI	5169
			**	$11.4 \pm 1.5$	EI	3978
	$\text{CH}_4$	74-82-8		$\leq 25.2$	EI	3813
	$\text{C}_2\text{H}_2$	74-86-2		$22.5 \pm 0.3$	EI	4876
	$\text{C}_2\text{H}_4$	74-85-1		24.4	EI	4118
	$\text{CH}_2=\text{CD}_2$	6755-54-0		24.4	EI	4197
	$\text{C}_2\text{H}_6$	74-84-0		$29.6 \pm 0.2$	EI	4911
$(^2\text{P})$	CO	630-08-0	$\text{O}^-(^2\text{P})$	20.89	EI	5126
	$\text{CO}_2$	124-38-9	$\text{O}_2$	$25 \pm 2$	PI	5170
			$\text{O}_2$	$22.7 \pm 0.2$	EI	4693
				$24.6 \pm 1.0$	EI	4129
			2O	$27.8 \pm 0.1$	EI	4693
	$\text{CH}_3\text{Br}$	74-83-9	$\text{H} + \text{H}_2 + \text{Br}$	$22.9 \pm 0.5$	EI	4533
$\text{C}^{+2}$						
$(^3\text{P})$	$\text{C}^+$	14067-05-1	**	31.0	EI	3489
$(^1\text{P})$			**	37.3	EI	3489
$\text{C}_2^+$						
	$\text{C}_2$	12070-15-4	**	$10.9 \pm 0.4$	EI	4206
			**	$11.1 \pm 0.5$	EI	5169
			**	$11.1 \pm 1.0$	EI	3597
	$\text{C}_2\text{H}_2$	74-86-2		$19.2 \pm 0.2$	EI	4876
	$\text{C}_2\text{H}_4$	74-85-1		24.5	EI	4118
	$\text{CH}_2=\text{CD}_2$	6755-54-0		24.5	EI	4197
	$\text{C}_2\text{H}_6$	74-84-0		$31.5 \pm 0.2$	EI	4911
$\text{C}_3^+$						
	$\text{C}_3$	12075-35-3	**	$11.1 \pm 0.5$	EI	5169
$\text{CH}^+$						
	$\text{CH}_4$	74-82-8	$\text{H}_2 + \text{H}?$	22.4	EI	3813
	$\text{C}_2\text{H}_2$	74-86-2		$20.9 \pm 0.2$	EI	4876
	$\text{C}_2\text{H}_4$	74-85-1		22.1	EI	4118
	$\text{CH}_2=\text{CD}_2$	6755-54-0		21.9	EI	4197
	$\text{C}_2\text{H}_6$	74-84-0		$26.7 \pm 0.5$	EI	4911
	$\text{CH}_3\text{Br}$	74-83-9	$\text{H}_2 + \text{Br}$	$21.7 \pm 0.3$	EI	4533
$\text{CH}_2^+$						
	$\text{CH}_2$	60528-76-9	**	$10.35 \pm 0.15$	EI	5365
	$\text{CH}_4$	74-82-8	$\text{H}_2$	15.3	EI	3813
	$\text{C}_2\text{H}_2$	74-86-2		$20.5 \pm 0.2$	EI	4876
	$\text{C}_2\text{H}_4$	74-85-1	$\text{CH}_2$	$18.04 \pm 0.04$	PI	5130
				18.4	EI	4118



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_2^+$	$\text{CH}_2=\text{CD}_2$	6755-54-0		18.4	EI	4197
	$\text{C}_2\text{H}_6$	74-84-0		$17.3 \pm 0.15$	EI	4911
	$\text{CH}_3\text{OH}$	67-56-1	$\text{H}_2\text{O}$	$14.05 \pm 0.05$	PI	3554
	$\text{CH}_3\text{CHO}$	75-07-0		$15.08 \pm 0.09$	PI	4350
	$\text{C}_2\text{H}_4\text{O}$ (Oxirane)	75-21-8		$14.66 \pm 0.09$	PI	4350
	$\text{CH}_2=\text{CF}_2$	75-38-7	$\text{CF}_2$	$16.99 \pm 0.02$	PI	3930
			$\text{CF}_2$	$17.2 \pm 0.1$	EI	3539
	$\text{CH}_3\text{Br}$	74-83-9	$\text{HBr}$	$14.7 \pm 0.5$	EI	4533
$\text{CHD}^+$	$\text{CH}_2=\text{CD}_2$	6755-54-0		20.0	EI	4197
$\text{CD}_2^+$	$\text{CH}_2=\text{CD}_2$	6755-54-0		18.4	EI	4197
	$\text{C}_2\text{D}_4$	683-73-8	$\text{CD}_2$	$18.13 \pm 0.07$	PI	5130
$\text{CH}_3^+$	$\text{CH}_4$	2229-07-4	**	$9.81 \pm 0.02$	PE	3717
			**	$9.82 \pm 0.02$ (V)	PE	4614
			**	$9.837 \pm 0.005$	PE	3942
			**	$9.86 \pm 0.04$ (V)	PE	3695
			**	$9.86 \pm 0.04$	PE	3700
			**	$9.84 \pm 0.05$	EI	4714
			**	$9.84 \pm 0.02$	PE	4899
			**	$9.840 \pm 0.005$ (V)	PE	4596
			**	$9.6 \pm 0.3$	EI	4533
	$\text{CH}_3$	74-82-8	H	14.4	EI	3813
	$\text{C}_2\text{H}_4$	74-85-1		19.3	EI	4118
	$\text{C}_2\text{H}_6$	74-84-0		$14.1 \pm 0.1$	EI	4911
	$\text{CH}_3\text{C}\equiv\text{CH}$	74-99-7	$\text{C}_2\text{H}$	$14.6 \pm 0.1$	EI	3769
			$\text{C}_2\text{H}$	16.0	EI	3808
	$\text{C}_2\text{H}_5\text{C}\equiv\text{CH}$	107-00-6	$\text{C}_3\text{H}_3$	15.1	EI	3808
	$1-\text{C}_4\text{H}_8$	106-98-9	$\text{C}_4\text{H}_5$	14.1	EI	3808
	<i>iso</i> - $\text{C}_4\text{H}_8$	115-11-7	$\text{C}_4\text{H}_5$	16.4	EI	3808
	$(\text{CH}_3)_3\text{CC}\equiv\text{CH}$	917-92-0	$\text{C}_5\text{H}_7$	14.7	EI	3808
	$(\text{CH}_3)_2\text{CCH}=\text{CH}_2$	558-37-2	$\text{C}_5\text{H}_9$	15.4	EI	3808
	$\text{CH}_3\text{NH}_2$	74-89-5	$\text{NH}_2$	14.5	EI	3808
	$\text{C}_2\text{H}_5\text{NH}_2$	75-04-7	$\text{CH}_2\text{NH}_2$	15.6	EI	3808
	$(\text{CH}_3)_2\text{NH}$	124-40-3	$\text{CH}_3\text{NH}$	14.8	EI	3808
	$(\text{CH}_3)_3\text{N}$	75-50-3	$(\text{CH}_3)_2\text{N}$	14.9	EI	3808
	$(\text{C}_2\text{H}_5)_2\text{NH}$	109-89-7	$\text{C}_2\text{H}_5\text{NHCH}_2$	15.4	EI	3808
	$(\text{C}_2\text{H}_5)_3\text{N}$	121-44-8	$(\text{C}_2\text{H}_5)_2\text{NCH}_2$	16.7	EI	3808
	<i>trans</i> - $\text{CH}_3\text{N}=\text{NCH}_3$	4143-41-3	$\text{CH}_3+\text{N}_2$	$11.32 \pm 0.05$	PI	4342
	$\text{CH}_3\text{OH}$	67-56-1	OH	$13.82 \pm 0.04$	PI	3554
	$\text{CH}_3\text{CHO}$	75-07-0	$\text{CO}+\text{H}$	$14.08 \pm 0.05$	PI	4350
				14.08	PI	5270
			$\text{CO}+\text{H}$	$14.11 \pm 0.05$	PI	4177
	$\text{C}_2\text{H}_4\text{O}$	75-21-8	$\text{CO}+\text{H}$	$13.06 \pm 0.05$	PI	4350
	(Oxirane)					
	$\text{CH}_3\text{CDO}$	4122-13-8		14.26	PI	5270
	$(\text{CH}_3)_2\text{CO}$	67-64-1		15.61	PE	5066
				15.2	EI	3550
	$((\text{CH}_3)_2\text{C}(\text{CN})\text{NO})_2$	31018-29-8		14.60	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{COCH}_3)_2$	30442-79-6		15.70	EI	4809
	$(\text{C}_6\text{H}_{11}\text{NO}_2)_2$	68777-99-1		15.50	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{COOCH}_3)_2$	6144-15-6		14.20	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{OOCCH}_3)_2$	68777-98-0		12.80	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO}_2)\text{NO})_2$	5275-46-7		14.20	EI	4809
	$\text{CH}_3(\text{NF}_2)\text{CH}(\text{NF}_2)\text{CH}_3$	15403-25-5		$16.4 \pm 0.4$	EI	3634
	$(\text{CH}_3)_2\text{C}(\text{NF}_2)_2$	19309-63-8		$14.7 \pm 0.2$	EI	3634

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.	
CH <sub>3</sub> <sup>+</sup>	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		14.6±0.3	EI	3634	
	(CH <sub>3</sub> O) <sub>2</sub> PO	512-56-1		17.90±0.40	EI	3989	
	(CH <sub>3</sub> ) <sub>2</sub> SO	67-68-5	CH <sub>3</sub> SO	13.3±0.3	EI	5311	
	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)O	152-20-5		15.20±0.30	EI	3989	
	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)S	2953-29-9		14.50±0.40	EI	3989	
	(CH <sub>3</sub> ) <sub>2</sub> CClNO	2421-26-3		13.75	EI	4809	
	CH <sub>3</sub> Br	74-83-9	Br	12.80±0.03	PI	4640	
			Br	12.8±0.3	EI	4533	
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		11.95	EI	4809	
	CH <sub>3</sub> I	74-88-4	I	12.25±0.03	PI	4640	
			I	12.260±0.013	PI	3524	
			12.07±0.07	EI	3626		
CH <sub>2</sub> D <sup>+</sup>	CH <sub>3</sub> CDO	4122-13-8		14.18	PI	5270	
CHD <sub>2</sub> <sup>+</sup>	CH <sub>2</sub> =CD <sub>2</sub>	6755-54-0		19.5	EI	4197	
	CD <sub>3</sub> CHO	19901-15-6		14.25	PI	5270	
CD <sub>3</sub> <sup>+</sup>	CD <sub>3</sub>	17030-72-7	**	9.831±0.007 (V)	PE	4596	
			**	9.5±0.1	EI	4714	
	CD <sub>3</sub> OD	811-98-3	OD	14.88	PI	5174	
	CD <sub>3</sub> CHO	19901-15-6		14.15	PI	5270	
CH <sub>3</sub> <sup>+</sup>	CH <sub>3</sub>	74-82-8	**	12.6	PI	5479	
			**	12.51	PE	3645	
			**	~12.51	PE	3529	
			**	12.6	PE	4623	
			**	12.64	PE	3716	
			**	13.6 (V)	PE	5084	
			**	12.8	EI	3813	
			**	12.82±0.02	EI	5513	
			**	12.94±0.04	EI	5503	
	C <sub>2</sub> H <sub>6</sub>	74-84-0		20.4±0.3	EI	4911	
	CH <sub>3</sub> CHO	75-07-0	CO	12.61±0.06	PI	4350	
				12.61	PI	5270	
	C <sub>2</sub> H <sub>4</sub> O (Oxirane)	75-21-8	CO	11.79±0.03	PI	4350	
	CH <sub>3</sub> D <sup>+</sup>	CH <sub>3</sub> CDO	4122-13-8		12.76	PI	5270
	CHD <sub>3</sub> <sup>+</sup>	CD <sub>3</sub> CHO	19901-15-6		12.77	PI	5270
	C <sub>2</sub> H <sup>+</sup>	C <sub>2</sub> H	2122-48-7	**	11.96±0.05	OTH	3931
			**	11.96±0.05	OTH	3929	
C <sub>2</sub> H <sub>2</sub>		74-86-2	H	17.36±0.01	PI	3931	
				17.45±0.1	EI	4876	
C <sub>2</sub> H <sub>4</sub>		74-85-1		18.7	EI	4118	
CH <sub>2</sub> =CD <sub>2</sub>		6755-54-0		18.9	EI	4197	
C <sub>2</sub> H <sub>6</sub>		74-84-0		25.6±0.2	EI	4911	
CH≡CCN		1070-71-9	CN	18.19±0.04	PI	3929	
CHF <sub>2</sub> C≡CH		18371-25-0	CHF <sub>2</sub>	16.19±0.02	EI	3769	
C <sub>2</sub> D <sup>+</sup>	C <sub>2</sub> D <sub>2</sub>	1070-74-2	D	17.44±0.01	PI	3931	

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>2</sub>H<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>2</sub>	74-86-2	**	11.394±0.005	PI	4069
			**	11.398±0.005	PI	3921
			**	11.40	PE	4048
			**	11.40	PE	5313
			**	11.403±0.0003	PE	4575
			**	11.43 (V)	PE	4750
			**	11.49 (V)	PE	5084
			**	11.4±0.1	EI	4876
			**	~11.3	EI	4658
			**	11.37±0.05	EI	4714
			**	11.4±0.1	EI	5129
	C <sub>2</sub> H <sub>4</sub>	74-85-1	H <sub>2</sub>	13.14±0.01	PI	5130
			**	13.55	PI	5018
				13.0±0.1	EI	4922
				13.13±0.04	EI	4922
			H <sub>2</sub>	13.1	EI	4118
			H <sub>2</sub>	13.11±0.02	EI	4320
				13.1	EI	4197
			D <sub>2</sub>	13.27±0.05	EI	4320
				14.7±0.1	EI	4911
			CH <sub>2</sub>	15.2±0.1	EI	3769
			C <sub>3</sub> H <sub>6</sub>	115-07-1	CH <sub>4</sub>	12.92±0.05
	C <sub>3</sub> H <sub>6</sub>	75-19-4	CH <sub>4</sub>	12.71±0.06	PI	4350
	(Cyclopropane)					
	((CH <sub>3</sub> ) <sub>2</sub> C(CN)NO) <sub>2</sub>	31018-29-8		16.50	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(CN)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		15.90	EI	4809
	C <sub>2</sub> H <sub>3</sub> F	75-02-5	HF	13.51±0.02	PI	3930
				13.51	PI	5352
			HF	13.30	PE	4993
	CH <sub>2</sub> =CF <sub>2</sub>	75-38-7	2F	19.08±0.03	PI	3930
	cis-CHF=CHF	1630-77-9		18.4±0.2	PI	5241
	trans-CHF=CHF	1630-78-0		18.3±0.2	PI	5241
C <sub>2</sub> H <sub>3</sub> Cl	75-01-4	HCl	12.47±0.1	PI	3930	
C <sub>2</sub> H <sub>3</sub> Br	593-60-2	HBr	12.5±0.2	PI	5079	
<b>C<sub>2</sub>HD<sup>+</sup></b>	CH≡CD	XXXXX-XX-X	**	11.25±0.1	EI	4714
	CH <sub>2</sub> =CD <sub>2</sub>	6755-54-0		13.1	EI	4197
	trans-CHD=CHD	1517-53-9	HD	13.16±0.03	EI	4320
<b>C<sub>2</sub>D<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> D <sub>2</sub>	1070-74-2	**	11.404±0.005	PI	3921
			**	11.20±0.1	EI	4714
	trans-CHD=CHD	1517-53-9	H <sub>2</sub>	13.14±0.06	EI	4320
	C <sub>2</sub> D <sub>4</sub>	683-73-8	D <sub>2</sub>	13.24±0.01	PI	5130
	C <sub>2</sub> D <sub>6</sub>	1632-99-1	2D <sub>2</sub>	14.8	PE	3919
<b>C<sub>2</sub>H<sub>3</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>3</sub>	2669-89-8	**	8.7±0.1	OTH	3930
	C <sub>2</sub> H <sub>4</sub>	74-85-1	H	13.22±0.02	PI	5130
			**	13.55	PI	5018
			H	13.31±0.03	EI	4320
			H	13.52±0.04	EI	5503
			H	13.6	EI	4118
	C <sub>2</sub> H <sub>6</sub>	74-84-0		14.6±0.1	EI	4911
	C <sub>4</sub> H <sub>6</sub>	115-07-1	CH <sub>3</sub>	13.20±0.04	PI	4350
			CH <sub>4</sub>	13.78±0.03	EI	5244
	C <sub>6</sub> H <sub>6</sub>	75-19-4	CH <sub>4</sub>	12.64±0.05	PI	4350
	(Cyclopropane)					
	CH <sub>2</sub> CHCH <sub>2</sub> CN	109-75-1		12.90	PI	5201
	C <sub>6</sub> H <sub>5</sub> NH	109-97-7		13.60	PI	5201



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>2</sub>H<sub>3</sub><sup>+</sup></b>	CH <sub>3</sub> C(CH <sub>3</sub> )CN	126-98-7		13.20	PI	5201
	C <sub>3</sub> H <sub>3</sub> CN (Cyclopropanecarbonitrile)	5500-21-0		12.65	PI	5201
	CH <sub>3</sub> CHO	75-07-0	OH	14.17±0.13	PI	4350
	C <sub>2</sub> H <sub>3</sub> O (Oxirane)	75-21-8	OH	12.92±0.08	PI	4350
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		15.30	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO <sub>2</sub> )NO) <sub>2</sub>	5275-46-7		14.30	EI	4809
	C <sub>2</sub> H <sub>3</sub> F	75-02-5	F	13.84±0.04	PI	3930
			F	13.84	PI	5352
			F	13.85±0.1	PE	4993
	C <sub>2</sub> H <sub>3</sub> Cl	75-01-4	Cl	12.48±0.04	PI	3930
			Cl	12.56±0.09	EI	5503
	C <sub>2</sub> H <sub>3</sub> Br	593-60-2	Br	11.85±0.1	PI	5079
			Br	12.01±0.13	EI	5503
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		14.45	EI	4809
<b>C<sub>2</sub>HD<sub>2</sub><sup>+</sup></b>	CH <sub>2</sub> =CD <sub>2</sub>	6755-54-0	H	13.2	EI	4197
	<i>trans</i> -CHD=CHD	1517-53-9	H	13.56±0.10	EI	4320
<b>C<sub>2</sub>D<sub>3</sub><sup>+</sup></b>	C <sub>2</sub> D <sub>4</sub>	683-73-8	D	13.41±0.02	PI	5130
	C <sub>2</sub> D <sub>6</sub>	1632-99-1	D <sub>2</sub> +D	14.8	PE	3919
<b>C<sub>2</sub>H<sub>4</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>4</sub>	74-85-1	**	10.50±0.02	PI	5018
			**	10.507±0.004	PI	4306
			**	10.51	PI	5479
			**	10.517±0.003	PI	5130
			**	10.5 (V)	PE	4225
			**	10.5 (V)	PE	4884
			**	10.50±0.01 (V)	PE	4939
			**	10.51	PE	3649
			**	10.51	PE	3739
			**	10.51	PE	3847
			**	10.51	PE	5408
			**	10.514±0.007	PE	4943
			**	10.515±0.003	PE	3957
			**	10.517±0.002	PE	4494
			**	10.56	PE	3533
			**	10.68 (V)	PE	5084
			**	10.5	EI	4118
			**	~10.5	EI	4671
			**	10.51±0.01	EI	4320
	C <sub>2</sub> H <sub>6</sub>	74-84-0		12.1±0.1	EI	4911
	C <sub>3</sub> H <sub>8</sub>	74-98-6	CH <sub>4</sub>	11.52	EI	5284
			CH <sub>4</sub>	11.55	EI	3488
			CH <sub>4</sub>	11.9	EI	3488
	C <sub>3</sub> H <sub>4</sub> (=O) (Cyclopropanone)	5009-27-8		10.2±0.1	EI	4689
	C <sub>4</sub> H <sub>4</sub> F <sub>4</sub> (Cyclobutane, 1,1,2,2-tetrafluoro-)	374-12-9	C <sub>2</sub> F <sub>4</sub>	13.15	EI	4553
<b>C<sub>2</sub>H<sub>3</sub>D<sup>+</sup></b>	C <sub>2</sub> H <sub>3</sub> D	XXXXXX-XX-X	**	10.518±0.007	PE	4943
<b>C<sub>2</sub>H<sub>2</sub>D<sub>2</sub><sup>+</sup></b>	CH <sub>2</sub> CD <sub>2</sub>	6755-54-0	**	10.529±0.007	PE	4943
			**	10.5	EI	4197
	<i>cis</i> -CHDCHD	2813-62-9	**	10.521±0.007	PE	4943

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_2D_2^+$	<i>trans</i> -CHDCHD	1517-53-9	**	10.525±0.007	PE	4943
			**	10.56±0.03	EI	4320
$C_2HD_3^+$	$C_2HD_3$	2680-01-5	**	10.518±0.007	PE	4943
			**	10.60±0.03	EI	4320
$C_2D_4^+$	$C_2D_4$	683-73-8	**	10.528±0.003	PI	5130
			**	10.526±0.007	PE	4943
			**	10.528±0.002	PE	4494
$C_2H_5^+$	$C_2H_5$	14936-94-8	**	8.39±0.02	PE	4899
	$C_2H_6$	74-84-0		12.0±0.1	EI	4911
	<i>tert</i> - $C_4H_9$ , $Li_4$	25395-78-2		11.±0.50	PI	5455
	$(C_6H_{11}NO_2)_2$	68777-99-1		14.95	EI	4809
	$((CH_3)_2C(NO)OOCCH_3)_2$	68777-98-0		14.20	EI	4809
	$((CH_3)_2C(NO_2)NO)_2$	5275-46-7		13.50	EI	4809
	$C_2H_5SOCH_3$	1669-98-3	$CH_3SO$	11.8±0.2	EI	5311
	$(C_2H_5)_2SO$	70-29-1	$C_2H_5SO$	11.9±0.2	EI	5311
	$(CH_3)_2CClNO$	2421-26-3		14.75	EI	4809
	$C_2H_5Br$	74-96-4	Br	10.72±0.08	EI	3626
	$(CH_3)_2CBrNO$	7119-91-7		13.25	EI	4809
$C_2H_3D_2^+$	$CH_3CD_2$	28882-22-6	**	8.38±0.02	PE	4899
$C_2H_2D_3^+$	$CH_3CD_3$	2031-95-0	H	12.2±0.1	EI	5128
$C_2H_6^+$	$C_2H_6$	74-84-0	**	12.0 (V)	PE	5084
			**	12.00 (V)	PE	4366
			**	11.5±0.1	EI	4911
			**	11.76±0.05	EI	3791
	$(CH_3)_2C(NF_2)_2$	19309-63-8	$NF_3 + CNF?$	13.1±0.2	EI	3634
$C_2H_3D_3^+$	$CH_3CD_3$	2031-95-0	**	11.5±0.1	EI	5128
$C_3H^+$	$CH \equiv CCH_3$	74-99-7	$H + H_2$	17.12±0.06	PI	5009
			$H + H_2$	16.6±0.02	PE	5009
			$H_2 + H$	14.0±0.1	EI	3769
	$CH_2 = C = CH_2$	463-49-0	$H_2 + H$	16.9±0.1	PI	5050
	$C_3H_4$	2781-85-3	$H + H_2$	16.3±0.05	PI	5014
	(Cyclopropene)		$H + H_2$	15.7±0.1	PE	5014
$C_3H_2^+$	$CH \equiv CCH_3$	74-99-7	$H_2$	13.68±0.04	PI	5009
			$H_2$	13.0±0.1	PE	5009
			$H_2$	13.8±0.1	EI	3769
	$CH_2 = C = CH_2$	463-49-0	$H_2$	13.5±0.2	PI	5050
	$C_3H_4$	2781-85-3	$H_2$	12.51±0.04	PI	5014
	(Cyclopropene)		$H_2$	12.15±0.1	PE	5014
	$CH \equiv CC \equiv CCH_3$	4911-55-1	$C_2H_2$	12.3	PI	5404

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_3^+$	CH $\equiv$ CCH <sub>3</sub>	74-99-7	H	11.58 $\pm$ 0.04	PI	5009
			H	11.2 $\pm$ 0.1	PE	5009
			H	11.9 $\pm$ 0.1	EI	3769
	CH <sub>2</sub> =C=CH <sub>2</sub>	463-49-0		11.48 $\pm$ 0.02	PI	5050
			H	11.595 $\pm$ 0.01	PI	5106
	C <sub>3</sub> H <sub>4</sub> (Cyclopropene)	2781-85-3	H	10.59 $\pm$ 0.04	PI	5014
			H	10.25 $\pm$ 0.1	PE	5014
			H	10.9 $\pm$ 0.1	EI	4689
	C <sub>3</sub> H <sub>6</sub>	115-07-1	H <sub>2</sub> +H	13.19 $\pm$ 0.05	PI	4350
				14.21 $\pm$ 0.09	EI	5244
	C <sub>3</sub> H <sub>6</sub> (Cyclopropane)	75-19-4	H <sub>2</sub> +H <sup>-</sup>	12.1 $\pm$ 0.1	PI	4350
			H <sub>2</sub> +H	12.86 $\pm$ 0.1	PI	4350
	C <sub>2</sub> H <sub>5</sub> C $\equiv$ CH	107-00-6	CH <sub>3</sub>	11.7	EI	3808
	C <sub>6</sub> H <sub>6</sub> (Benzene)	71-43-2	C <sub>3</sub> H <sub>3</sub>	13.79	PI	4075
			C <sub>3</sub> H <sub>3</sub>	16.90	PE	4630
				15.34 $\pm$ 0.06	EI	4534
	CH <sub>2</sub> CHCH <sub>2</sub> CN	109-75-1		12.10	PI	5201
	CH <sub>3</sub> C(CH <sub>3</sub> )CN	126-98-7		12.30	PI	5201
	C <sub>3</sub> H <sub>5</sub> CN	5500-21-0		11.80	PI	5201
	(Cyclopropanecarbonitrile)					
	C <sub>4</sub> H <sub>4</sub> NH (1H-Pyrrole)	109-97-7		12.60	PI	5201
	(CH <sub>3</sub> ) <sub>2</sub> NCH=CHC $\equiv$ CH	2206-24-8		15.2	EI	3674
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NCH=CHC $\equiv$ CH	1809-53-6		18.6	EI	3674
	CH <sub>3</sub> COC $\equiv$ CH	1423-60-5	CHO	11.55 $\pm$ 0.10	PE	5289
	C <sub>4</sub> H <sub>4</sub> O (Furan)	110-00-9	CHO	12.10 $\pm$ 0.10	PE	5289
	((CH <sub>3</sub> ) <sub>2</sub> C(CN)NO) <sub>2</sub>	31018-29-8		13.90	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		14.30	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO <sub>2</sub> )NO) <sub>2</sub>	5275-46-7		14.05	EI	4809
	C <sub>4</sub> H <sub>4</sub> S (Thiophene)	110-02-1	CHS	13.06 $\pm$ 0.05	PE	5283
	CH <sub>2</sub> ClC $\equiv$ CH	624-65-7	Cl	11.00	EI	5282
	CH <sub>3</sub> C $\equiv$ CCl	7747-84-4	Cl	10.98	EI	5282
	(CH <sub>3</sub> ) <sub>2</sub> CClNO	2421-26-3		14.35	EI	4809
	CH <sub>2</sub> BrC $\equiv$ CH	106-96-7	Br	10.88	EI	5282
	CH <sub>3</sub> C $\equiv$ CBr	2003-82-9	Br	10.90	EI	5282
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		13.80	EI	4809
	CH <sub>3</sub> C $\equiv$ CI	624-66-8	I	10.70	EI	5282
	CH <sub>2</sub> IC $\equiv$ CH	659-86-9	I	10.50	EI	5282
$C_3H_4^+$	CH <sub>3</sub> C $\equiv$ CH	74-99-7	**	10.37 $\pm$ 0.01	PI	5009
			**	10.36 (V)	PE	4847
			**	10.364 $\pm$ 0.005	PE	4575
			**	10.37	PE	4048
			**	10.38 $\pm$ 0.01	PE	5009
			**	10.54 (V)	PE	5084
			**	10.5 $\pm$ 0.1	EI	3769
	CH <sub>2</sub> =C=CH <sub>2</sub>	463-49-0	**	10.017 $\pm$ 0.003	S	3774
			**	9.696 $\pm$ 0.002	PE	5050
			**	10. (V)	PE	4931
			**	10.02 (V)	PE	5105
			**	10.07 (V)	PE	4019
			**	9.691 $\pm$ 0.004	PI	4807
	C <sub>3</sub> H <sub>4</sub> (Cyclopropene)	2781-85-3	**	9.67 $\pm$ 0.01	PI	5014
			**	9.668 $\pm$ 0.005	PE	5014



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_4^+$	$C_3H_4$	2781-85-3	**	9.67	PE	3727
			**	9.82 (V)	PE	4669
			**	9.86 (V)	PE	3505
			**	9.86 (V)	PE	4267
			**	9.7±0.1	EI	4689
	$C_3H_6$	115-07-1	$H_2$	11.91±0.03	PI	4350
	$C_3H_6$ (Cyclopropane)	75-19-4	$H_2$	11.64±0.15	PI	4350
	$CH_2CHCH_2CN$	109-75-1		11.50	PI	5201
	$CH_2C(CH_3)CN$	126-98-7		11.75	PI	5201
	$C_3H_5CN$ (Cyclopropanecarbonitrile)	5500-21-0		11.20	PI	5201
	$C_3H_5NH$ (1H-Pyrrole)	109-97-7		12.00	PI	5201
	$CH_3COC\equiv CH$	1423-60-5	CO	10.68±0.05	PE	5289
	$C_3H_4O$ (Furan)	110-00-9	CO	11.60±0.10	PE	5289
	$((CH_3)_2C(CN)NO)_2$	31018-29-8		12.50	EI	4809
	$(C_6H_{11}NO_2)_2$	68777-99-1		15.55	EI	4809
	$((CH_3)_2C(NO)OOCCH_3)_2$	68777-98-0		12.00	EI	4809
	$((CH_3)_2C(NO_2)NO)_2$	5275-46-7		14.60	EI	4809
	$(CH_3)_2CCINO$	2421-26-3		11.95	EI	4809
	$(CH_3)_2CBrNO$	7119-91-7		11.80	EI	4809
$C_3H_5^+$	$CH_2=CHCH_2$	1981-80-2	**	8.13±0.02	PE	4722
			**	8.13±0.02	PE	4898
	$C_3H_6$	115-07-1	H	11.78	PI	4369
			H	11.88±0.03	PI	4350
			H	11.90±0.05	EI	5244
	$C_3H_6$ (Cyclopropane)	75-19-4	$H^+$	10.74±0.09	PI	4350
			H	11.44±0.05	PI	4350
			H	11.47	PI	4369
	1- $C_4H_8$	106-98-9	$CH_4$	11.8	EI	3808
	<i>iso</i> - $C_4H_8$	115-11-7	$CH_4$	11.8	EI	3808
	$C_4H_8$ (Cyclopropane, methyl-)	594-11-6	$CH_4$	10.9	EI	3493
	$CH\equiv C(CH_2)_3CH_3$	693-02-7		14.09±0.05	EI	3585
	$CH_3C\equiv CCH_2CH_2CH_3$	764-35-2		13.9±0.01	EI	3585
	$C_6H_{10}$ (Cyclohexene)	110-83-8		13.68±0.05	EI	3585
	$C_5H_8=CH_2$ (Cyclopentane, methylene-)	1528-30-9	$C_3H_5$	10.2	EI	5586
				14.05±0.05	EI	3585
	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-)	693-89-0		14.90±0.1	EI	3585
			$C_3H_7$	13.7	EI	5586
	$(CH_3)_2NCH_2CH=CH_2$	2155-94-4	$C_2H_6N$	9.55	PI	5543
	$((CH_3)_2C(CN)NO)_2$	31018-29-8		10.85	EI	4809
	$(C_6H_{11}NO_2)_2$	68777-99-1		12.95	EI	4809
	$((CH_3)_2C(NO)OOCCH_3)_2$	68777-98-0		11.80	EI	4809
	$((CH_3)_2C(NO_2)NO)_2$	5275-46-7		11.40	EI	4809
	$(C_2H_5)_2S$	352-93-2	$CH_3SH + H$	12.41±0.05	PI	4025
	$C_3H_6S_2$ (1,3-Dithiolane)	4829-04-3	$S_3H$	10.8±0.2	EI	3598
	<i>(iso</i> - $C_3H_7$ )SOCH <sub>3</sub>	XXXXX-XX-X		12.4±0.1	EI	5311
	<i>n</i> - $C_3H_7Cl$	540-54-5	$H_2 + Cl$	12.41	PI	5069
	<i>iso</i> - $C_3H_7Cl$	75-29-6	$H_2 + Cl$	12.58	PI	5069
	$(CH_3)_2CCINO$	2421-26-3		11.75	EI	4809
	<i>n</i> - $C_3H_7Br$	106-94-5	$H_2 + Br$	11.86	PI	5069

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_5^+$	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> Br	75-26-3	H <sub>2</sub> + Br	11.98	PI	5069
				12.23±0.06	EI	4971
	CH <sub>2</sub> =CHCH <sub>2</sub> CH <sub>2</sub> Br	5162-44-7	CH <sub>2</sub> Br	12.6	EI	5633
	CH <sub>2</sub> =CH(CH <sub>2</sub> ) <sub>3</sub> Br	1119-51-3		12.2	EI	5633
	C <sub>6</sub> H <sub>11</sub> Br (Cyclohexane, bromo-)	108-85-0		12.52±0.05	PI	4078
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		11.15	EI	4809
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> I	107-08-4	H <sub>2</sub> + I	11.23	PI	5069
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> I	75-30-9	H <sub>2</sub> + Br	11.34	PI	5069
				11.67±0.06	EI	4971
$C_3H_6^+$	C <sub>3</sub> H <sub>6</sub>	115-07-1	**	9.73±0.01	PI	4350
			**	9.73±0.02	PI	5018
			**	9.70 (V)	PE	4285
			**	9.72	PE	3864
			**	9.74	PE	3533
			**	9.744±0.003	PE	3957
			**	9.86 (V)	PE	3950
			**	9.9 (V)	PE	3940
			**	9.91±0.01 (V)	PE	4939
			**	10.03 (V)	PE	4513
			**	10.2 (V)	PE	4225
			**	10.2 (V)	PE	4884
			**	9.69±0.09	EI	5244
	C <sub>3</sub> H <sub>6</sub>	75-19-4	**	9.91±0.03	PI	4350
	(Cyclopropane)					
			**	10.3±0.1	EI	4689
	<i>n</i> -C <sub>4</sub> H <sub>10</sub>	106-97-8	CH <sub>4</sub>	11.06	EI	3538
			CH <sub>4</sub>	11.15	EI	5284
	<i>iso</i> -C <sub>4</sub> H <sub>10</sub>	75-28-5	CH <sub>4</sub>	10.89±0.02	PI	5025
			CH <sub>4</sub>	10.91	EI	5284
	(CH <sub>3</sub> ) <sub>2</sub> C=CHCH <sub>2</sub>	513-35-9	C <sub>2</sub> H <sub>4</sub>	11.70±0.11	EI	3544
	(CH <sub>3</sub> ) <sub>2</sub> CHCH=CH <sub>2</sub>	563-45-1	C <sub>2</sub> H <sub>4</sub>	11.54±0.10	EI	3544
	C <sub>2</sub> H <sub>3</sub> C(CH <sub>3</sub> )=CH <sub>2</sub>	563-46-2	C <sub>2</sub> H <sub>4</sub>	11.66±0.06	EI	3544
	1-C <sub>5</sub> H <sub>10</sub>	109-67-1	C <sub>2</sub> H <sub>4</sub>	11.61±0.08	EI	3544
	<i>cis</i> -2-C <sub>5</sub> H <sub>10</sub>	627-20-3	C <sub>2</sub> H <sub>4</sub>	11.54±0.02	EI	3544
	<i>trans</i> -2-C <sub>5</sub> H <sub>10</sub>	646-04-8	C <sub>2</sub> H <sub>4</sub>	11.73±0.11	EI	3544
	C <sub>5</sub> H <sub>10</sub>	287-92-3	C <sub>2</sub> H <sub>4</sub>	11.45	EI	4319
	(Cyclopentane)					
			C <sub>2</sub> H <sub>4</sub>	11.74±0.07	EI	3544
	C <sub>6</sub> H <sub>12</sub>	110-82-7	C <sub>3</sub> H <sub>6</sub>	11.23±0.04	PI	4078
	(Cyclohexane)					
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Li <sub>4</sub>	25395-78-2		11.±0.50	PI	5455
	(CH <sub>3</sub> ) <sub>2</sub> NCH <sub>2</sub> C≡CH	7223-38-3	C <sub>2</sub> H <sub>3</sub> N	9.39	PI	5543
	(CH <sub>3</sub> ) <sub>2</sub> NCH <sub>2</sub> CH=CH <sub>2</sub>	2155-94-4	C <sub>2</sub> H <sub>3</sub> N	9.58	PI	5543
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> OH	71-23-8	H <sub>2</sub> O	10.3	EI	3916
			H <sub>2</sub> O	10.33±0.03	EI	3626
	C <sub>4</sub> H <sub>6</sub> O	1191-95-3	CO	9.85±0.15	EI	3794
	(Cyclobutanone)					
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> CHO	110-62-3	C <sub>2</sub> H <sub>3</sub> O	11.90	EI	5264
	<i>sec</i> -C <sub>5</sub> H <sub>11</sub> CHO	123-15-9	C <sub>3</sub> H <sub>6</sub> O	11.00	EI	5264
	<i>iso</i> -C <sub>6</sub> H <sub>13</sub> NO	920-40-1		10.8±0.1	EI	3654
	((CH <sub>3</sub> ) <sub>2</sub> C(CN)NO) <sub>2</sub>	31018-29-8		11.35	EI	4809
	(C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> ) <sub>2</sub>	68777-99-1		11.30	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		10.70	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO <sub>2</sub> )NO) <sub>2</sub>	5275-46-7		11.20	EI	4809
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> Cl	540-54-5	HCl	10.82	PI	5069
	(CH <sub>3</sub> ) <sub>2</sub> CCINO	2421-26-3		11.35	EI	4809
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		11.15	EI	4809

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_3\text{H}_5\text{D}^+$	$(\text{CH}_3)_3\text{CD}$	13183-68-1	$\text{CH}_4$	$10.89 \pm 0.02$	PI	5025
$\text{C}_3\text{H}_4\text{D}_2^+$	$(\text{CD}_3)_2\text{CH}_3\text{CH}$	XXXXX-XX-X	$\text{CD}_4$	$10.97 \pm 0.02$	PI	5025
$\text{C}_3\text{H}_3\text{D}_3^+$	$(\text{CD}_3)_2\text{CH}_3\text{CH}$	XXXXX-XX-X	$\text{CD}_3\text{H}$	$10.97 \pm 0.02$	PI	5025
$\text{C}_3\text{HD}_5^+$	$(\text{CD}_3)_2\text{CH}_3\text{CH}$	XXXXX-XX-X	$\text{CH}_3\text{D}$	$10.89 \pm 0.02$	PI	5025
$\text{C}_3\text{D}_6^+$	$\text{CD}_3\text{CH}_2\text{CD}_3$	2875-96-9	**	$\sim 12$	PI	5615
$\text{C}_3\text{H}_7^+$	<i>iso</i> - $\text{C}_3\text{H}_7$	19252-53-0	**	$7.36 \pm 0.02$	PE	4899
	<i>n</i> - $\text{C}_4\text{H}_{10}$	106-97-8	$\text{CH}_3$	11.09	EI	3538
			$\text{CH}_3$	11.2	EI	5284
	<i>iso</i> - $\text{C}_4\text{H}_{10}$	75-28-5	$\text{CH}_3$	$11.16 \pm 0.02$	PI	5025
	$\text{C}_6\text{H}_{12}$ (Cyclohexane)	110-82-7	$\text{C}_3\text{H}_5$	$11.49 \pm 0.03$	PI	4078
	$(\text{C}_6\text{H}_{11}\text{NO}_2)_2$	68777-99-1		10.40	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{OOCCH}_3)_2$	68777-98-0		10.20	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO}_2)\text{NO})_2$	5275-46-7		11.40	EI	4809
	<i>(iso</i> - $\text{C}_7\text{H}_7$ ) $\text{SOCH}_3$	XXXXX-XX-X	$\text{CH}_3\text{SO}$	$10.60 \pm 0.11$	EI	5311
	<i>(iso</i> - $\text{C}_7\text{H}_7$ ) $_2\text{SO}$	2211-89-4	<i>iso</i> - $\text{C}_3\text{H}_7\text{SO}$	$11.57 \pm 0.04$	EI	5311
	<i>n</i> - $\text{C}_3\text{H}_7\text{Cl}$	540-54-5	Cl	11.07	PI	5069
	<i>iso</i> - $\text{C}_3\text{H}_7\text{Cl}$	75-29-6	Cl	10.92	PI	5069
			Cl	$11.3 \pm < 0.1$	EI	3735
	<i>n</i> - $\text{C}_3\text{H}_7\text{Br}$	106-94-5	Br	10.46	PI	5069
	<i>iso</i> - $\text{C}_3\text{H}_7\text{Br}$	75-26-3	Br	10.33	PI	5069
			Br	$10.7 \pm < 0.1$	EI	3735
	$(\text{CH}_3)_2\text{CBrNO}$	7119-91-7		11.25	EI	4809
	<i>n</i> - $\text{C}_7\text{H}_7\text{I}$	107-08-4	I	9.80	PI	5069
	<i>iso</i> - $\text{C}_7\text{H}_7\text{I}$	75-30-9	I	9.70	PI	5069
			I	$10.0 \pm < 0.1$	EI	3735
$\text{C}_3\text{H}_6\text{D}^+$	$(\text{CH}_3)_3\text{CD}$	13183-68-1	$\text{CH}_3$	$11.16 \pm 0.02$	PI	5025
$\text{C}_3\text{H}_4\text{D}_3^+$	$(\text{CD}_3)_2\text{CH}_3\text{CH}$	XXXXX-XX-X	$\text{CD}_3$	$11.16 \pm 0.02$	PI	5025
$\text{C}_3\text{HD}_6^+$	$(\text{CD}_3)_2\text{CH}_3\text{CH}$	XXXXX-XX-X	$\text{CH}_3$	$11.16 \pm 0.02$	PI	5025
$\text{C}_3\text{H}_8^+$	$\text{C}_3\text{H}_8$	74-98-6	**	11.5 (V)	PE	3710
			**	11.5 (V)	PE	5084
			**	$11.01 \pm 0.07$	EI	5503
			**	$11.27 \pm 0.05$	EI	3791
$\text{C}_3\text{H}_2\text{D}_6^+$	$\text{CD}_3\text{CH}_2\text{CD}_3$	2875-96-9	**	10.94	PI	5615
$\text{C}_7\text{H}_2^+$	$\text{HC} \equiv \text{CC} \equiv \text{CH}$	460-12-8	**	10.17	PE	4048
			**	10.17	PE	5313
			**	10.30 (V)	PE	5084
			**	$10.08 \pm 0.1$	EI	4714
	$\text{CH}_3\text{C} \equiv \text{CC} \equiv \text{CCH}_3$	2809-69-0	$\text{C}_2\text{H}_4$	$14.60 \pm 0.1$	PI	5370



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_3^+$	$C_4H_3$	XXXXXX-XX-X	**	$8.31 \pm 0.1$	EI	4714
	$CH_3C \equiv CC \equiv CCH_3$	2809-69-0	$C_2H_3$	$14.05 \pm 0.1$	PI	5370
	$C_6H_6$ (Benzene)	71-43-2	$H + C_2H_2$	$18.48 \pm 0.07$	EI	4534
	$(CH_3)_2NCH = CHC \equiv CH$	2206-24-8		14.4	EI	3674
	$C_4H_8NCH = CHC \equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-)	19352-85-3		15.2	EI	3674
	$(C_2H_5)_2NCH = CHC \equiv CH$	1809-53-6		15.0	EI	3674
$C_4H_4^+$	$H_2C = C = C = CH_2$	2873-50-9	**	$9.25 \pm 0.05$	EI	5454
			**	9.15	PE	5034
	$CH_2 = CHC \equiv CH$	689-97-4	**	$9.58 \pm 0.02$	PE	4374
			**	9.63	PE	3997
			**	$9.64 \pm 0.03$ (V)	PE	4538
			**	$9.58 \pm 0.02$	EI	5454
			**	9.9	EI	3767
	$HC \equiv CCH_2CH_2C \equiv CH$	628-16-0	$C_2H_2$	$10.42 \pm 0.08$	PI	5454
			$C_2H_2$	$10.47 \pm 0.1$	EI	5454
	$H_3CC \equiv CC \equiv CCH_3$	2809-69-0	$C_2H_2$	$11.27 \pm 0.2$	PI	5454
	$C_6H_6$ (Benzene)	71-43-2	$C_2H_2$	13.85	PI	4075
			$C_2H_2$	$14.17 \pm 0.08$	PI	5454
			$C_2H_2$	14.85	PE	4630
			$C_2H_2$	$13.94 \pm 0.1$	EI	5454
			$C_2H_2$	14.1	EI	3488
	$C_5H_5N$ (Pyridine)	110-86-1	HCN	11.8-12.0	PI	5028
			HCN	$12.34 \pm 0.1$	EI	5454
			HCN	$13.41 \pm 0.05$	EI	5413
	$(CH_3)_2NCH = CHC \equiv CH$	2206-24-8	$CH_2 = NH + CH_3$	13.4	EI	3674
	$C_4H_8NCH = CHC \equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-)	19352-85-3		13.7	EI	3674
$C_4D_4^+$	$(CD_2 = C)_2$	25294-38-6	**	9.20	PE	5034
$C_4H_5^+$	$C_5H_8$ (Cyclopentene)	142-29-0	$CH_3$	11.83	EI	4203
	$C_5H_8$ (Spiropentane)	157-40-4	$CH_3$	10.20	EI	4203
	$C_5H_8 = CH_2$ (Cyclopentane, methylene-)	1528-30-9	$C_2H_5$	9.7	EI	5586
$C_4H_6^+$	$trans-(CH_2 = CH)_2$	106-99-0	**	9.03	PE	5084
			**	9.0691	S	5199
			**	9.03 (V)	PE	4688
			**	$9.18 \pm 0.04$	EI	4274
	$C_2H_5C \equiv CH$	107-00-6	**	$10.178 \pm 0.005$	PE	4575
	$CH_3C \equiv CCH_3$	503-17-3	**	$9.562 \pm 0.005$	PE	4575
			**	9.59	PE	4048
			**	9.61	PE	4160
			**	9.79 (V)	PE	5084
	$CH_2 = C = CHCH_3$	590-19-2	**	9.33 (V)	PE	4019
			**	9.0 (V)	PE	4225
			**	9.03	PE	3847
	$C_4H_6$ (Bicyclo[1.1.0]butane)	157-33-5	**	$19.1 \pm 0.1$ (V)	PE	4702
	$C_4H_6$ (Cyclobutene)	822-35-5	**	$9.43 \pm 0.03$ (V)	PE	4828

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_6^+$	$C_4H_6$	822-35-5	**	9.43 (V)	PE	4267
	$C_3H_4(=CH_2)$ (Cyclopropane, methylene-)	6142-73-0	**	9.59 (V)	PE	4669
	$iso-C_4H_8$ (Cyclobutane)	115-11-7	$H_2$	$11.3 \pm 0.1$	EI	5268
	$C_4H_8$ (Cyclobutane)	287-23-0	$H_2$	$11.2 \pm 0.1$	EI	5268
	$CH \equiv C(CH_2)_3CH_3$	693-02-7	$C_2H_4$	$11.08 \pm 0.05$	EI	3585
	$CH_3C \equiv CCH_2CH_2CH_3$	764-35-2	$C_2H_4$	$11.02 \pm 0.05$	EI	3585
	$C_6H_{10}$ (Cyclohexene)	110-83-8	$C_2H_4$	$11.91 \pm 0.05$	EI	3585
	$C_5H_8=CH_2$ (Cyclopentane, methylene-)	1528-30-9	$C_2H_4$	10.2	EI	5586
	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-)	693-89-0	$C_2H_4$ $C_2H_4$	$12.32 \pm 0.05$ $12.33 \pm 0.05$	EI EI	3585 3585
	$C_6H_{10}=CH_2$ (Cyclohexane, methylene-)	1192-37-6	$C_3H_6$	13.2	EI	5586
	$C_6H_{11}Cl$ (Cyclohexane, chloro-)	542-18-7		$11.07 \pm 0.03$	PI	4078
$C_4H_2D_4^+$	<i>trans</i> -( $CD_2=CH$ ) <sub>2</sub>	10545-58-1	**	9.0695	S	5199
$C_4D_6^+$	<i>trans</i> -( $CD_2=CD$ ) <sub>2</sub>	1441-56-1	**	9.0698	S	5199
$C_4H_7^+$	$(CH_3)_2C=CHCH_2$	513-35-9	$CH_3$	$11.33 \pm 0.12$	EI	3544
	$(CH_3)_2CHCH=CH_2$	563-45-1	$CH_3$	$11.15 \pm 0.12$	EI	3544
	$C_2H_5C(CH_3)=CH_2$	563-46-2	$CH_3$	$11.34 \pm 0.07$	EI	3544
	$1-C_5H_{10}$	109-67-1	$CH_3$	$11.35 \pm 0.07$	EI	3544
	<i>cis</i> -2- $C_5H_{10}$	627-20-3	$CH_3$	$11.24 \pm 0.02$	EI	3544
	<i>trans</i> -2- $C_5H_{10}$	646-04-8	$CH_3$	$11.35 \pm 0.03$	EI	3544
	$C_5H_{10}$ (Cyclopentane)	287-92-3	$CH_3$	$11.36 \pm 0.08$	EI	3544
	$C_6H_{12}$ (Cyclohexane)	110-82-7	$C_2H_5$	$11.21 \pm 0.04$	PI	4078
	$C_6H_{10}=CH_2$ (Cyclohexane, methylene-)	1192-37-6	$C_3H_5$	13.7	EI	5586
	$C_6H_{11}Cl$ (Cyclohexane, chloro-)	542-18-7		$11.52 \pm 0.05$	PI	4078
	$CH_2=CHCH_2CH_2Br$	5162-44-7	Br	10.6	EI	5633
	$C_6H_{11}Br$ (Cyclohexane, bromo-)	108-85-0		$11.54 \pm 0.02$	PI	4078
$C_4H_8^+$	$1-C_4H_8$	106-98-9	**	$9.59 \pm 0.02$	PI	5018
			**	$9.625 \pm 0.003$	PE	3957
			**	9.72 (V)	PE	3950
			**	$9.77 \pm 0.01$ (V)	PE	4939
			**	10.0 (V)	PE	4225
	$2-C_4H_8$	107-01-7	**	9.13 (V)	PE	5600
			**	9.21	PE	3533
			**	$9.239 \pm 0.003$	PE	3957
			**	9.39 (V)	PE	4614
			**	9.41 (V)	PE	4669
	<i>iso</i> - $C_4H_8$	115-11-7	**	9.45 (V)	PE	4513
			**	$9.11 \pm 0.03$ (V)	PE	4828
			**	$9.11 \pm 0.02$	PI	5018
			**	9.07	PE	3533
	<i>cis</i> -2- $C_4H_8$	590-18-1	**	$9.11 \pm 0.03$ (V)	PE	4828
			**	$9.11 \pm 0.02$	PI	5018
			**	9.07	PE	3533

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_8^+$	<i>cis</i> -2- $C_4H_8$	590-18-1	**	9.124±0.005	PE	3957
			**	9.20 (V)	PE	4669
			**	9.29 (V)	PE	4084
			**	9.32±0.01 (V)	PE	4939
			**	9.36 (V)	PE	4513
			**	9.4 (V)	PE	4225
	<i>trans</i> - $CH_3CH=CHCH_3$	624-64-6	**	9.11 (V)	PE	3649
			**	9.10±0.02	PI	5018
			**	9.09	PE	3533
			**	9.11	PE	4267
			**	9.122±0.005	PE	3957
			**	9.32 (V)	PE	4084
			**	9.37 (V)	PE	4513
			**	9.5 (V)	PE	4225
	$C_4H_8$ (Cyclobutane)	287-23-0	**	9.92±0.05	PE	3757
			**	10.7±0.1 (V)	PE	4037
	$C_4H_8$ (Cyclopropane, methyl-)	594-11-6	**	9.9±0.2	EI	3493
	<i>n</i> - $C_5H_{12}$	109-66-0	$CH_4$	11.00	EI	5284
	$C_6H_{12}$ (Cyclohexane)	110-82-7	$C_2H_4$	11.08±0.01	PI	4078
			$C_2H_4$	11.45	EI	4319
	$(CH_3)_2CHC_2H_4CHO$	1119-16-0	$C_2H_4O$	11.10	EI	5264
	$C_2H_5CH(CH_3)CH_2CHO$	15877-57-3	$CH_3CHO$	9.86	EI	4729
			$C_2H_4O$	11.10	EI	5264
	<i>n</i> - $C_5H_{11}CHO$	66-25-1	$C_2H_4O$	10.70	EI	5264
	<i>n</i> - $C_6H_{13}OH$	111-27-3		9.89	EI	4729
	$C_6H_{11}Cl$ (Cyclohexane, chloro-)	542-18-7		10.2±0.01	PI	4078
$C_4H_9^+$	<i>tert</i> - $C_4H_9$	1605-73-8	**	6.58±0.01	PE	4634
			**	6.70±0.03	PE	4899
			**	6.95±0.05 (V)	PE	4614
	<i>iso</i> - $C_4H_{10}$	75-28-5	H	10.68±0.02	PI	5025
			H	10.68±0.03	PI	5345
	<i>neo</i> - $C_5H_{12}$	463-82-1	$CH_3$	10.35	PI	5482
	$(tert-C_4H_9)_3Li_4$	25395-78-2		11.±0.50	PI	5455
	<i>tert</i> - $C_4H_9NO$	917-95-3		8.9±0.1	EI	3654
	$C_6H_5S(tert-C_4H_9)$ (Benzene, [(1,1-dimethylethyl)thio]-)	3019-19-0		10.47±0.1	EI	4198
	<i>tert</i> - $C_4H_9Cl$	507-20-0	Cl	10.51±0.01	PI	5345
	$C_6H_{11}Cl$ (Cyclohexane, chloro-)	542-18-7		10.56±0.02	PI	4078
	<i>tert</i> - $C_4H_9SiCl_3$	18171-74-9	$SiCl_3$	10.7±0.1	EI	5276
	$(CH_3)_3CGe(CH_3)_3$	1184-91-4	$(CH_3)_3Ge$	10.19±0.27	EI	3548
	<i>tert</i> - $C_4H_9Br$	507-19-7	Br	9.85±0.01	PI	5345
	$(tert-C_4H_9)(CH_3)_3Sn$	3531-47-3	$(CH_3)_3Sn$	10.03±0.23	EI	3548
	<i>tert</i> - $C_4H_9I$	558-17-8	I	8.98±0.01	PI	5345
	$(tert-C_4H_9)(CH_3)_3Pb$	32997-03-8	$(CH_3)_3Pb$	9.45±0.15	EI	3548
$C_4H_{10}^+$	<i>n</i> - $C_4H_{10}$	106-97-8	**	10.6±0.1	PE	4702
			**	11.2 (V)	PE	5084
			**	10.87±0.05	EI	3791
			**	10.89	EI	3538
	<i>iso</i> - $C_4H_{10}$	75-28-5	**	11.4 (V)	PE	3710
			**	10.74±0.05	EI	3791

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_2^+$	$CH \equiv CC \equiv CCH_3$	4911-55-1	$H_2$	13.7	EI	5404
$C_5H_3^+$	$CH \equiv CC \equiv CCH_3$	4911-55-1	H	$11.6 \pm 0.2$	EI	5404
$C_5H_1^+$	$CH_3C \equiv CC \equiv CH$	4911-55-1	**	9.51	PE	4048
			**	9.51	PE	5404
	1,2,3,4- $C_5H_4$	21986-03-8	**	8.67	PE	4686
$C_5H_5^+$	$C_5H_5$ (Cyclopentadienyl)	XXXXX-XX-X	**	8.41	EI	4545
	$C_6H_5CH_3$ (Benzene, methyl-)	108-88-3	$C_2H_2 + H$	$16.4 \pm 0.2$	EI	4331
	$C_6H_4(CH_3)_2$ (Benzene, 1,4-dimethyl-)	106-42-3	$C_2H_2 + CH_3$	$16.3 \pm 0.2$	EI	4331
	$C_6H_5C_2H_5$ (Benzene, ethyl-)	100-41-4	$C_2H_2 + CH_3$	$16.2 \pm 0.2$	EI	4331
	$C_6H_5C_3H_7$ (Benzene, propyl-)	103-65-1	$C_2H_5 + C_2H_2$	$15.5 \pm 0.2$	EI	4331
	$C_6H_5NH_2$ (Benzenamine)	62-53-3	$HCN + H$	$15.2 \pm 0.2$	EI	4331
	$C_6H_5OH$ (Phenol)	108-95-2	$CO + H$	$14.2 \pm 0.2$	EI	4331
	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-2-nitro-)	88-72-2	$HCN + CO + OH$	$13.5 \pm 0.2$	EI	4331
	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-3-nitro-)	99-08-1	$C_2H_2 + NO_2$	14.8	EI	4331
	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-4-nitro-)	99-99-0	$C_2H_2 + NO_2$	$15.2 \pm 0.2$	EI	4331
	$C_6H_4ClCH_3$ (Benzene, 1-chloro-2-methyl-)	95-49-8		$15.67 \pm 0.015$	EI	3777
	$C_6H_4ClCH_3$ (Benzene, 1-chloro-3-methyl-)	108-41-8	$C_2H_2 + Cl$	$15.7 \pm 0.2$	EI	4331
			$C_2H_2 + Cl$	$15.7 \pm 0.2$	EI	4331
	$C_6H_4ClCH_3$ (Benzene, 1-chloro-4-methyl-)	106-43-4		$15.71 \pm 0.15$	EI	3777
				$15.66 \pm 0.15$	EI	3777
	$C_6H_4BrCH_3$ (Benzene, 1-bromo-2-methyl-)	95-46-5	$C_2H_2 + Cl$	$15.7 \pm 0.2$	EI	4331
				$15.19 \pm 0.15$	EI	3777
	$C_6H_4BrCH_3$ (Benzene, 1-bromo-3-methyl-)	591-17-3	$C_2H_2 + Br$	$15.2 \pm 0.2$	EI	4331
			$C_2H_2 + Br$	$15.2 \pm 0.2$	EI	4331
	$C_6H_4BrCH_3$ (Benzene, 1-bromo-4-methyl-)	106-38-7	$C_2H_2 + Br$	$15.20 \pm 0.15$	EI	3777
				$15.2 \pm 0.2$	EI	4331
	$C_6H_4ICH_3$ (Benzene, 1-iodo-2-methyl-)	615-37-2	$C_2H_2 + I$	$15.23 \pm 0.15$	EI	3777
				$14.3 \pm 0.2$	EI	4331
	$C_6H_4ICH_3$ (Benzene, 1-iodo-3-methyl-)	625-95-6		$14.34 \pm 0.15$	EI	3777
				$14.47 \pm 0.15$	EI	3777
	$C_6H_4ICH_3$ (Benzene, 1-iodo-4-methyl-)	624-31-7	$C_2H_2 + I$	$14.5 \pm 0.2$	EI	4331
				$14.66 \pm 0.15$	EI	3777
			$C_2H_2 + I$	$14.7 \pm 0.2$	EI	4331



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_6^+$	$CH_2=C(CH_3)C\equiv CH$	78-80-8	**	$9.23 \pm 0.01$	PE	5407
			**	$9.30 \pm 0.03$ (V)	PE	4538
			**	10.1	EI	3767
	$CH_2=CHC\equiv CCH_3$	646-05-9	**	$9.00 \pm 0.01$	PE	5407
			**	$9.06 \pm 0.03$ (V)	PE	4538
			**	9.4	EI	3767
	$CH_3CH=CHC\equiv CH$	2206-23-7	**	8.5	EI	3767
	$CH_2=C=CHCH=CH_2$	10563-01-6	**	8.88 (V)	PE	4397
	<i>cis</i> - $CH_3CH=CHC\equiv CH$	1574-40-9	**	$9.17 \pm 0.03$ (V)	PE	4538
			**	$9.11 \pm 0.01$	OTH	5407
	<i>trans</i> - $CH_3CH=CHC\equiv CH$	2004-69-5	**	$9.11 \pm 0.03$ (V)	PE	4538
			**	$9.05 \pm 0.01$	OTH	5407
	$C_5H_6$ (Bicyclo[2.1.0]pent-2-ene)	5164-35-2	**	8.6 (V)	PE	5621
	$C_5H_6$ (Cyclopentadiene)	26912-33-4	**	$8.56 \pm 0.01$	EI	3535
	$C_5H_6$ (1,3-Cyclopentadiene)	542-92-7	**	8.56 (V)	PE	4179
			**	8.6 (V)	PE	4373
			**	8.61 (V)	PE	5535
			**	9.0	EI	3476
	$C_3H_3C\equiv CH$ (Cyclopropane, ethynyl-)	6746-94-7	**	9.58 (V)	PE	3997
	$C_7H_{10}$ (Bicyclo[2.2.1]hept-2-ene)	498-66-8	$C_2H_4$	$9.22 \pm 0.01$	EI	3535
	$C_7H_{10}$ (Tricyclo[2.2.1.0 <sup>2,6</sup> ]heptane)	279-19-6	$C_2H_4$	$9.44 \pm 0.01$	EI	3535
	$C_6H_7NH_2$ (Benzenamine)	62-53-3		$12.04 \pm <0.1$	EI	3735
			HCN	$12.13 \pm 0.06$	EI	3784
			HCN	$12.77 \pm 0.05$	EI	5413
	$C_6H_7OH$ (Phenol)	108-95-2	CO	$12.45 \pm 0.1$	EI	3817
	$C_6H_7SH$ (Benzenethiol)	108-98-5	CS	$12.18 \pm 0.1$	EI	3817
	$C_7H_9Br$ (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>endo</i> -)	5810-82-2	$C_2H_3Br$	10.0	EI	5633
	$C_7H_9Br$ (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>exo</i> -)	5889-54-3	$C_2H_3Br$	10.0	EI	5633
$C_5H_7^+$	$CH_2=CHCHCH=CH_2$	XXXXX-XX-X	**	7.25	EI	4591
	$CH\equiv CC(CH_3)_2$	XXXXX-XX-X	**	7.44	EI	4591
	$CH\equiv CCHCH_2CH_3$	XXXXX-XX-X	**	7.6	OTH	4591
	$CH_2=CHC(=CH_2)CH_2$	XXXXX-XX-X	**	7.9	OTH	4591
	$C_5H_7$	XXXXX-XX-X	**	7.00	EI	4545
	(Cyclopentenyl)					
	$C_5H_7$	XXXXX-XX-X	**	7.00	EI	4591
	(Cyclopentenyl)					
	$CH_2=C(CH_3)CH=CH_2$	78-79-5	H	8.85	EI	4591
			H	10.54	EI	4203
	$CH_2=CHCH=CHCH_3$	504-60-9	H	10.52	EI	4203
	$CH_2=CHCH_2CH=CH_2$	591-93-5	H	9.46	EI	4591
			H	10.23	EI	4203
	<i>trans</i> - $CH_2=CHCH=CHCH_3$	2004-70-8	H	8.60	EI	4591
	$C_5H_8$ (Cyclopentene)	142-29-0	H	9.00	EI	4591
			H	10.98	EI	4203
	$C_5H_8$ (Spiropentane)	157-40-4	H	9.26	EI	4591

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_7^+$	$C_5H_8$	157-40-4	H	$9.53 \pm 0.03$	EI	4203
	$C_5H_7D$ (Cyclopentene-1- <i>d</i> )	37729-44-5	D	$11.03 \pm 0.03$	EI	4203
	$C_6H_{10}$	XXXXXX-XX-X	$CH_3$	8.45	EI	4591
	$CH_2=C(C_2H_5)CH=CH_2$	XXXXXX-XX-X	$CH_3$	8.81	EI	4591
	$C_6H_{10}$	XXXXXX-XX-X	$CH_3$	$10.06 \pm 0.05$	EI	5483
	$CH_2=C(C_2H_5)CH=CH_2$	XXXXXX-XX-X	$CH_3$	$10.08 \pm 0.05$	EI	5483
	$CH_2=(C(CH_3)_2)CH=CH_2$	513-81-5	$CH_3$	8.66	EI	4591
	$CH_2=CH(CH_2)_2CH=CH_2$	592-42-7	$CH_3$	$10.22 \pm 0.05$	EI	5483
			$CH_3$	9.29	EI	4591
	$CH \equiv C(CH_2)_3CH_3$	693-02-7	$CH_3$	$9.35 \pm 0.05$	EI	5483
			$CH_3$	$10.04 \pm 0.05$	EI	5483
	$CH_2=C(CH_3)CH_2CH=CH_2$	763-30-4	$CH_3$	$10.87 \pm 0.05$	EI	3585
			$CH_3$	9.16	EI	4591
	$CH_3C \equiv CCH_2CH_2CH_3$	764-35-2	$CH_3$	$9.40 \pm 0.05$	EI	5483
			$CH_3$	$\leq 9.93 \pm 0.05$	EI	5483
	$CH \equiv CC(CH_3)_3$	917-92-0	$CH_3$	$10.63 \pm 0.05$	EI	3585
			$CH_3$	$9.90 \pm 0.05$	EI	5483
	$CH \equiv CCH(CH_3)C_2H_5$	922-59-8	$CH_3$	$10.76 \pm 0.06$	EI	4126
			$CH_3$	$9.93 \pm 0.05$	EI	5483
	$C_6H_{10}$	926-54-5	$CH_3$	$10.23 \pm 0.05$	EI	5483
	$CH_2=CHCH=C(CH_3)_2$	926-56-7	$CH_3$	$10.18 \pm 0.05$	EI	5483
	$C_2H_5C \equiv CC_2H_5$	928-49-4	$CH_3$	$9.88 \pm 0.05$	EI	5483
	$CH_2=CHCH(CH_3)CH=CH_2$	1115-08-8	$CH_3$	$9.54 \pm 0.05$	EI	5483
	$C_6H_{10}$	2787-45-3	$CH_3$	$10.16 \pm 0.05$	EI	5483
	$(CH_3)_2C=C=CHCH_3$	3043-33-2	$CH_3$	$9.55 \pm 0.05$	EI	5483
	$C_6H_{10}$	5194-51-4	$CH_3$	$10.14 \pm 0.05$	EI	5483
	$CH \equiv CCH_2CH(CH_3)_2$	7154-75-8	$CH_3$	$10.03 \pm 0.05$	EI	5483
	$CH_2=C=C(CH_3)C_2H_5$	7417-48-3	$CH_3$	$9.44 \pm 0.05$	EI	5483
	$CH_2=C=CHCH(CH_3)_2$	13643-05-5	$CH_3$	$9.78 \pm 0.05$	EI	5483
	$CH_3C \equiv CCH(CH_3)_2$	21020-27-9	$CH_3$	$9.67 \pm 0.05$	EI	5483
	$1,2\text{-}n\text{-}C_6H_{10}$	592-44-9	$CH_3$	$9.12 \pm 0.05$	EI	5483
	$2,3\text{-}n\text{-}C_6H_{10}$	592-49-4	$CH_3$	$9.38 \pm 0.05$	EI	5483
	$cis\text{-}CH_2=CHCH=CHC_2H_5$	XXXXXX-XX-X	$CH_3$	8.54	EI	4591
	$cis\text{-}1,4\text{-}n\text{-}C_6H_{10}$	7318-67-4	$CH_3$	$9.61 \pm 0.05$	EI	5483
	$trans\text{-}1,4\text{-}n\text{-}C_6H_{10}$	7319-00-8	$CH_3$	$9.60 \pm 0.05$	EI	5483
	$trans\text{-}1,3\text{-}n\text{-}C_6H_{10}$	20237-34-7	$CH_3$	$9.74 \pm 0.05$	EI	5483
	$trans,cis\text{-}2,4\text{-}n\text{-}C_6H_{10}$	5194-50-3	$CH_3$	$10.10 \pm 0.05$	EI	5483
	$(C_3H_5)_2$ (1,1'-Bicyclopropyl)	5685-46-1	$CH_3$	$9.34 \pm 0.05$	EI	5483
	$C_4H_6(=CHCH_3)$ (Cyclobutane, ethenyl-)	2597-49-1	$CH_3$	$9.88 \pm 0.05$	EI	5483
	$C_6H_{10}$ (Cyclohexene)	110-83-8	$CH_3$	8.95	EI	4591
			$CH_3$	$11.22 \pm 0.05$	EI	3585
	$C_5H_8=CH_2$ (Cyclopentane, methylene-)	1528-30-9	$CH_3$	8.2	EI	5586
			$CH_3$	$11.71 \pm 0.05$	EI	3585
	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-)	693-89-0	$CH_3$	8.59	EI	4591
			$CH_3$	$11.59 \pm 0.05$	EI	3585
	$C_5H_7CH_3$ (Cyclopentene, 3-methyl-)	1120-62-3	$CH_3$	8.95	EI	4591
			$CH_3$	$9.18 \pm 0.05$	EI	5483
	$C_3H_5C(CH_3)=CH_2$ (Cyclopropane, (1-methylethenyl)-)	4663-22-3	$CH_3$	$9.78 \pm 0.05$	EI	5483
	$C_4H(CH_3)_3$ (Cyclopropene, 1,3,3-trimethyl-)	3664-56-0	$CH_3$	$8.78 \pm 0.05$	EI	5483
			$C_2H_5$	12.5	EI	5586
	$C_6H_{10}=CH_2$ (Cyclohexane, methylene-)	1192-37-6	$C_2H_5$	$10.0 \pm 0.1$	PI	3918
			$C_2H_5$	$10.0 \pm 0.1$	PI	3918
	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	2825-82-3		$10.0 \pm 0.1$	PI	3918

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_7^+$	$C_{10}H_{15}CH_3$	XXXXX-XX-X		$\leq 10.2 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl, (2 $\alpha$ ,3 $\alpha$ $\beta$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ $\beta$ )-)	50745-90-9		$> 10.2 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer)	50745-92-1		$> 10.5 \pm 0.1$	PI	3918
	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-)	32787-97-6		$> 10.2 \pm 0.1$	PI	3918
	$C_5H_7N(CH_3)$ (Pyridine,2-methyl-)	109-06-8	HCN	$12.87 \pm 0.05$	EI	5413
	$C_5H_7N(CH_3)$ (Pyridine,3-methyl-)	108-99-6	HCN	$12.94 \pm 0.05$	EI	5413
	$C_5H_7N(CH_3)$ (Pyridine,4-methyl-)	108-89-4	HCN	$12.86 \pm 0.05$	EI	5413
	$C_6H_{11}Cl$ (Cyclohexane, chloro-)	542-18-7		$10.67 \pm 0.05$	PI	4078
$C_5H_6D^+$	$C_5H_7D$ (Cyclopentene-1- <i>d</i> )	37729-44-5	H	$10.98 \pm 0.03$	EI	4203
$C_5H_4D_3^+$	$C_5H_4D_4$ (Spiropentane-1,1,2,2- <i>d</i> <sub>4</sub> )	14996-50-0	D	$9.72 \pm 0.03$	EI	4203
$C_5H_3D_4^+$	$C_5H_4D_4$ (Spiropentane-1,1,2,2- <i>d</i> <sub>4</sub> )	14996-50-0	H	$9.55 \pm 0.03$	EI	4203
$C_5H_8^+$	$CH_2=C=CHCHCH_3$	591-95-7	**	9.25	PE	5411
			**	9.22 (V)	PE	4748
	$CH_2=C(CH_3)CH=CH_2$	78-79-5	**	8.87 (V)	PE	5010
			**	8.89	PE	3847
			**	9.04 (V)	PE	3892
	$CH_2=CHCH=CHCH_3$	504-60-9	**	8.67	PE	5411
			**	8.6	EI	5200
	$(CH_2=CH)_2CH_2$	591-93-5	**	7.97 (V)	PE	5314
			**	$9.62 \pm 0.02$	PE	4010
			**	9.72 (V)	PE	4211
	$CH_3CH=C=CHCH_3$	591-96-8	**	9.13 (V)	PE	4019
	$(CH_3)_3CHC\equiv CH$	598-23-2	**	$10.049 \pm 0.007$	PE	4575
	$(CH_3)_3C=C=CH_2$	598-25-4	**	8.95 (V)	PE	4019
			**	8.9	EI	5200
	$C_7H_7C\equiv CH$	627-19-0	**	$10.098 \pm 0.005$	PE	4575
	$C_5H_5C\equiv CCH_3$	627-21-4	**	$9.439 \pm 0.005$	PE	4575
			**	$9.25 \pm 0.02$	PE	4702
	1,3- <i>trans</i> - $C_5H_8$	2004-70-8	**	$8.67 \pm 0.02$	PE	4702
			**	8.61	PE	3847
	<i>cis</i> - $CH_3CH=CHCH=CH_2$	1574-41-0	**	8.64	PE	5202
			**	8.60 (V)	PE	5005
			**	8.60 (V)	PE	5010
	$C_5H_8$	185-94-4	**	$8.7 \pm 0.1$	PE	4702
	(Bicyclo[2.1.0]pentane) (JC-Mean value of Jahn-Teller components)					
	$C_7H_8(=CH_2)$	1120-56-5	**	9.35 (V)	PE	4669
	(Cyclobutane, methylene-)					
	$C_5H_8$	142-29-0	**	$9.02 \pm 0.01$	PI	5556
	(Cyclopentene)					
			**	$9.01 \pm 0.03$ (V)	PE	4828
			**	9.12 (V)	PE	4285
			**	9.17 (V)	PE	4517

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_8^+$	$C_5H_8$	142-29-0	**	9.18 (V)	PE	4267
			**	9.20 (V)	PE	4189
			**	9.20 (V)	PE	4669
			**	9.00	EI	4203
			**	9.1	EI	5200
	$C_3H_3CH=CH_2$ (Cyclopropane, ethenyl-)	693-86-7	**	8.7	PE	4329
			**	9.1 (V)	PE	4034
			**	9.15 (V)	PE	4347
			**	9.2	PE	3576
	$C_5H_8$ (Spiropentane)	157-40-4	**	9.26	EI	4203
			CH <sub>2</sub>	9.2	EI	5586
	$C_6H_{10}=CH_2$ (Cyclohexane, methylene-)	1528-30-9	CH <sub>2</sub>	9.2	EI	5586
			C <sub>2</sub> H <sub>4</sub>	12.2	EI	5586
	$C(CH_3)(CH_2)C_6H_8CH_3$ (Cyclohexene, 1-methyl-4-(1-methylethenyl)-)	1192-37-6	C <sub>2</sub> H <sub>4</sub>	12.2	EI	5586
			C <sub>5</sub> H <sub>8</sub>	11.6	EI	5200
	$n-C_4H_9CHO$	138-86-3	C <sub>5</sub> H <sub>8</sub>	11.6	EI	5200
			H <sub>2</sub> O	9.80±0.06	EI	5267
	$C_5H_9OH$ (Cyclopentanol)	110-62-3	H <sub>2</sub> O	10.00	EI	5264
			H <sub>2</sub> O	9.66±0.06	EI	5267
$C_5H_9^+$	$CH_3CH=CHCHCH_3$	XXXXXX-XX-X	**	7.07	EI	4591
			**	7.4	OTH	4591
	$CH_2=C(CH_3)CHCH_3$	XXXXXX-XX-X	**	7.9	OTH	4591
	$CH_2=C(C_2H_5)CH_2$	XXXXXX-XX-X	**	8.0	OTH	4591
	$CH_2CH(CH_3)CH=CH_2$	XXXXXX-XX-X	**	7.30	EI	4591
	$CH_2=CHCHC_2H_5$	17829-37-7	**	7.13	EI	4591
	$CH_2=CHC(CH_3)_2$	29791-12-6	**	7.47	EI	4545
	$C_5H_9$ (Cyclopentyl)	3889-74-5	**	7.47	EI	4545
			**	7.47	EI	4591
	$((CH_3)_2C)_2$	563-79-1	CH <sub>3</sub>	8.16	EI	4591
	$(CH_3)_2C=CHC_2H_5$	625-27-4	CH <sub>3</sub>	8.58	EI	4591
	$n-C_4H_9CH=CH_2$	592-41-6	CH <sub>3</sub>	9.44	EI	4591
	$n-C_4H_9C(CH_3)=CH_2$	763-29-1	CH <sub>3</sub>	9.04	EI	4591
	$sec-C_4H_9CH=CH_2$	760-20-3	CH <sub>3</sub>	9.44	EI	4591
	$iso-C_4H_9CH=CH_2$	691-37-2	CH <sub>3</sub>	9.44	EI	4591
	$iso-C_4H_9C(CH_3)=CH_2$	27416-06-4	CH <sub>3</sub>	9.01	EI	4591
	$tert-C_4H_9CH=CH_2$	558-37-2	CH <sub>3</sub>	9.44	EI	4591
	$cis-CH_3CH=C(CH_3)C_2H_5$	922-62-3	CH <sub>3</sub>	8.58	EI	4591
	$trans-(CH_3)_2CHCH=CHCH_3$	674-76-0	CH <sub>3</sub>	8.91	EI	4591
	$trans-CH_3CH=CHC_3H_7$	4050-45-7	CH <sub>3</sub>	8.93	EI	4591
	$trans-C_2H_5CH=CHC_2H_5$	13269-52-8	CH <sub>3</sub>	8.97	EI	4591
	$C_6H_{12}$ (Cyclohexane)	110-82-7	CH <sub>3</sub>	11.07±0.04	PI	4078
			CH <sub>3</sub>	9.88	EI	4591
			CH <sub>3</sub>	11.15	EI	4319
	$C_5H_9CH_3$ (Cyclopentane, methyl-)	96-37-7	CH <sub>3</sub>	10.42	EI	4591
			CH <sub>3</sub>	10.42	EI	4591
	$C_2H_5CH(C_2H_5)=CH_2$	760-21-4	CH <sub>3</sub>	9.01	EI	4591
	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	2825-82-3	CH <sub>3</sub>	10.5±0.1	PI	3918
			CH <sub>3</sub>	10.5±0.1	PI	3918
	$C_6H_9Cl$ (Cyclohexane, chloro-)	542-18-7	CH <sub>3</sub>	11.01±0.02	PI	4078
			CH <sub>3</sub>	11.01±0.02	PI	4078
	$CH_2=CH(CH_2)_3Br$	1119-51-3	Br	10.2	EI	5633
$C_5H_{10}^+$	$(CH_3)_2C=CHCH_2$	513-35-9	**	8.83±0.11	EI	3544
			**	8.682±0.003	PE	3957



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_{10}^+$	$(CH_3)_2C=CHCH_2$	513-35-9	**	8.72	PE	3533
	$(CH_3)_2CHCH=CH_2$	563-45-1	**	$9.533 \pm 0.003$	PE	3957
			**	$9.60 \pm 0.03$	EI	3544
	$C_2H_5C(CH_3)=CH_2$	563-46-2	**	$9.148 \pm 0.003$	PE	3957
			**	$9.35 \pm 0.08$	EI	3544
	1- $C_5H_{10}$	109-67-1	**	$9.42 \pm 0.02$	PE	4695
			**	$9.524 \pm 0.003$	PE	3957
			**	$9.54 \pm 0.02$ (V)	PE	4010
			**	$9.68 \pm 0.01$ (V)	PE	4939
			**	$9.82 \pm 0.06$	EI	3544
	2- <i>cis</i> - $C_5H_{10}$	627-20-3	**	$8.94 \pm 0.02$	PE	4695
			**	$9.22 \pm 0.01$ (V)	PE	4939
			**	$9.036 \pm 0.005$	PE	3957
			**	$9.23 \pm 0.02$	EI	3544
	<i>trans</i> -2- $C_5H_{10}$	646-04-8	**	$9.036 \pm 0.005$	PE	3957
			**	$9.23 \pm 0.01$ (V)	PE	4939
			**	$9.32 \pm 0.03$	EI	3544
	$C_4H_7CH_3$ (Cyclobutane, methyl-)	598-61-8	**	9.60	PE	4268
	$C_5H_{10}$ (Cyclopentane)	287-92-3	**	$10.55 \pm 0.03$	PI	5556
			**	$10.3 \pm 0.1$	PE	4702
			**	10.40	PE	4056
			**	10.48	PE	4319
			**	10.5 (V)	PE	4189
			**	$10.54 \pm 0.05$	EI	4319
			**	$10.91 \pm 0.07$	EI	3544
$C_3H_{11}^+$	1- $C_5H_{11}$	2672-01-7	**	$7.94 \pm 0.06$	EI	4895
	2- $C_5H_{11}$	2492-34-4	**	7.41	EI	4895
	<i>tert</i> - $C_4H_9CH_2$	3744-21-6	**	7.91	EI	4895
	<i>tert</i> - $C_5H_{11}$	4348-35-0	**	6.85	EI	4895
	<i>tert</i> - $C_5H_{11}NO$	34946-78-6		$8.7 \pm 0.1$	EI	3654
	<i>(iso-C_5H_{11})SOCH_3</i>	55860-10-1	$CH_3SO$	$9.1 \pm 0.3$	EI	5311
$C_3H_{12}^+$	<i>n</i> - $C_5H_{12}$	109-66-0	**	$10.2 \pm 0.1$	PE	4702
			**	10.36	PE	4056
			**	$10.59 \pm 0.05$	EI	3791
	<i>iso</i> - $C_5H_{12}$	78-78-4	**	$10.3 \pm 0.1$	PE	4702
			**	$10.50 \pm 0.05$	EI	3791
	<i>neo</i> - $C_5H_{12}$	463-82-1	**	$10.21 \pm 0.04$	PE	3880
			**	$10.25 \pm 0.1$	PE	3677
			**	11.3 (V)	PE	3710
			**	$11.3$ (V)	PE	4050
$C_6H_2^+$	$HC \equiv CC \equiv CC \equiv CH$	3161-99-7	**	9.50	PE	4048
			**	$9.63$ (V)	PE	5084
$C_6H_4^+$	<i>cis</i> - $CH=CCH=CHC \equiv CH$	16668-67-0	**	$9.10 \pm 0.02$	PE	4374
	<i>trans</i> - $CH=CCH=CHC \equiv CH$	16668-68-1	**	$9.07 \pm 0.02$	PE	4374
	$C_6H_4$	462-80-6	**	$9.75 \pm 0.2$	EI	3583
	(1,3-Cyclohexadien-5-yne)					
	$C_6H_6$	71-43-2	$H_2$	12.94	PI	4075
	(Benzene)					
			$H_2$	$14.04 \pm 0.06$	EI	3784
				$14.14 \pm 0.08$	EI	4534
	$C_6H_5CN$ (Benzonitrile)	100-47-0	$HCN$	$13.38 \pm 0.03$	EI	5080

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_1^+$	$C_6H_5CN$	100-47-0	HCN	$13.80 \pm 0.06$	EI	3784
				$13.92 \pm < 0.1$	EI	3735
$C_6H_5^+$	$C_6H_5$	2396-01-2	**	$8.1 \pm 0.1$	PI	3752
	(Phenyl)					
	$HC \equiv CCH_2CH_2C \equiv CH$	628-16-0	H	$10.16 \pm 0.08$	PI	5454
			H	$10.21 \pm 0.03$	EI	3790
	$H_3CC \equiv CC \equiv CCH_3$	2809-69-0	H	$10.55 \pm 0.09$	PI	5454
	$HC \equiv CCH_2C \equiv CCH_3$	10420-91-4	H	$10.21 \pm 0.1$	EI	5454
	$C_6H_6$	71-43-2	H	12.94	PI	4075
	(Benzene)					
			H	$13.78 \pm 0.08$	PI	5454
			H	$13.74 \pm 0.1$	EI	5454
			H	$13.97 \pm 0.06$	EI	3784
			H	$14.05 \pm < 0.1$	EI	3735
			H	$14.56 \pm 0.07$	EI	4534
	$C_6H_5CH_3$	108-88-3	$CH_3$	13.70	EI	4115
	(Benzene, methyl-)					
	$C_7H_8$	544-25-2	$CH_3$	14.17	EI	4115
	(1,3,5-Cycloheptatriene)					
	<i>trans</i> - $CH_2=CHCH=CHCH=CHCH_3$	17679-93-5		$12.3 \pm 0.15$	PE	5432
	$C_6H_5CH_2CH_2N(CH_3)_2$	29088-49-1	$C_4H_{10}N$	10.55	PI	5543
	(Benzeneethanamine, dimethyl-)					
	$C_6H_5CHO$	100-52-7	$CO + H$	14.11	EI	3792
	(Benzaldehyde)					
	$C_6H_5COCH_3$	98-86-2	$CO + CH_3$	13.28	EI	3626
	(Ethanone, 1-phenyl-)					
			$CO + CH_3$	13.97	EI	3792
	$(C_6H_5)_2CO$	119-61-9	$C_6H_5 + CO$	15.67	EI	3792
	(Methanone, diphenyl-)					
	$C_6H_5COOH$	65-85-0		$14.3 \pm 0.07$	EI	5121
	(Benzoic acid)					
			$CO + OH$	$15.08 \pm 0.2$	EI	3973
			$CO + OH$	15.08	EI	3792
	$C_6H_5COOCH_3$	93-58-3	$CH_3O + CO$	13.82	EI	3626
	(Benzoic acid methyl ester)					
				$14.3 \pm 0.07$	EI	5121
			$CH_3O + CO$	14.74	EI	3792
	$C_6H_5COOC_2H_5$	93-89-0		$14.5 \pm 0.03$	EI	5121
	(Benzoic acid, ethyl ester)					
	$C_6H_5COOC_3H_7$	939-48-0		$15.0 \pm 0.10$	EI	5121
	(Benzoic acid, 1-methylethyl ester)					
	$C_6H_5COOC_3H_7$	2315-68-6		$14.9 \pm 0.06$	EI	5121
	(Benzoic acid, propyl ester)					
	$C_6H_5COOC_4H_9$	136-60-7		$15.0 \pm 0.03$	EI	5121
	(Benzoic acid, butyl ester)					
	$C_6H_5COOC_3H_7$	120-50-3		$15.0 \pm 0.04$	EI	5121
	(Benzoic acid, 2-methylpropyl ester)					
	$C_6H_5COOC_3H_{11}$	XXXXX-XX-X		$15.2 \pm 0.10$	EI	5121
	(Benzoic acid, methylbutyl ester)					
	$C_6H_5NO$	586-96-9		$11.0 \pm 0.1$	EI	3654
	(Benzene, nitroso-)					
	$C_6H_5CONH_2$	55-21-0	$NH_2 + CO$	14.21	EI	3792
	(Benzamide)					
	$C_6H_5COC_6H_4NH_2$	2835-77-0		$15.6 \pm 0.3$	EI	4358
	(Methanone, (2-aminophenyl)phenyl-)					
	$C_6H_5COC_6H_4NH_2$	2835-78-1		$16.2 \pm 0.3$	EI	4358
	(Methanone, (3-aminophenyl)phenyl-)					
	$C_6H_5NO_2$	98-95-3	$NO_2$	$9.46 \pm 0.05$	PI	5437
	(Benzene, nitro-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5^+$	$C_6H_5NO_2$	98-95-3	$NO_2$	$11.93 \pm 0.1$	EI	3447
	$C_6H_5COC_6H_4NO_2$ (Methanone, (2-nitrophenyl)phenyl-)	2243-79-0		$14.9 \pm 0.3$	EI	4358
	$C_6H_5COC_6H_4NO_2$ (Methanone, (3-nitrophenyl)phenyl-)	2243-80-3		$15.6 \pm 0.3$	EI	4358
	$C_6H_5COC_6H_4NO_2$ (Methanone, (4-nitrophenyl)phenyl-)	1144-74-7		$15.5 \pm 0.3$	EI	4358
	$C_6H_5Cl$ (Benzene, chloro-)	108-90-7	Cl	$12.47 \pm 0.06$	PI	5181
			Cl	12.81	EI	3626
	$C_6H_5COCl$ (Benzoyl chloride)	98-88-4	Cl + CO	13.81	EI	3792
	$C_6H_5COC_6H_4Cl$ (Methanone, (2-chlorophenyl)phenyl-)	5162-03-8		$15.0 \pm 0.3$	EI	4358
	$C_6H_5COC_6H_4Cl$ (Methanone, (3-chlorophenyl)phenyl-)	1016-78-0		$15.2 \pm 0.3$	EI	4358
	$C_6H_5COC_6H_4Cl$ (Methanone, (4-chlorophenyl)phenyl-)	134-85-0		$15.2 \pm 0.3$	EI	4358
	$C_6H_5Br$ (Benzene, bromo-)	108-86-1	Br	11.82	EI	3626
	$C_6H_5I$ (Benzene, iodo-)	591-50-4	I	11.34	EI	3626
$C_6H_3D_2^+$	$CD \equiv CCH_2CH_2C \equiv CD$	XXXXX-XX-X H		$10.18 \pm 0.03$	EI	3790
$C_6H_6^+$	$HC \equiv CCH_2CH_2C \equiv CH$	628-16-0	**	$9.98 \pm 0.05$	PI	5454
			**	10.48 (V)	PE	4397
			**	$9.87 \pm 0.03$	EI	3790
			**	$9.93 \pm 0.05$	EI	5454
	$CH_2 = CHC \equiv CCH = CH_2$	821-08-9	**	$8.50 \pm 0.02$	PE	4374
	$H_3CC \equiv CC \equiv CCH_3$	2809-69-0	**	$8.90 \pm 0.05$	PI	5454
			**	8.91	PE	4048
			**	8.92	PE	4731
			**	9.08 (V)	PE	5084
			**	$9.03 \pm 0.1$	EI	4714
	$CH_2 = C = (CH)_2 = C = CH_2$	29776-96-3	**	8.53 (V)	PE	4397
	$CH \equiv CCH_2CH = C = CH_2$	33142-15-3	**	9.65 (V)	PE	4397
	$C_6H_6$ (Benzene)	71-43-2	**	9.2	PI	3586
			**	9.2 (V)	PE	3528
			**	9.22	PE	5408
			**	9.22 (V)	PE	5125
			**	9.23 (V)	PE	4884
			**	9.23 (V)	PE	4472
			**	$9.24 \pm 0.02$ (V)	PE	4913
			**	9.24	PE	4621
			**	9.24	PE	5197
			**	9.24 (V)	PE	3513
			**	9.24 (V)	PE	3673
			**	9.24 (V)	PE	4280
			**	9.24 (V)	PE	4701
			**	9.24 (V)	PE	5012
			**	9.24 (V)	PE	5378
			**	9.24 (V)	PE	5632
			**	$9.25 \pm 0.03$ (V)	PE	3713
			**	$9.25 \pm 0.05$ (V)	PE	4724
			**	9.25	PE	3520
			**	9.25	PE	5084
			**	9.25 (V)	PE	5600

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>6</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>6</sub>	71-43-2	**	9.27	PE	3658
			**	9.3 (V)	PE	5258
			**	9.20±0.1	EI	3624
			**	9.25±0.07	EI	4534
			**	9.26±0.06	EI	5503
			**	9.70	EI	4834
			**	9.25	CTS	3922
	C <sub>6</sub> H <sub>6</sub> (Bicyclo[2.2.0]hexa-2,5-diene)	5649-95-6	**	9.4 (V)	PE	4394
			**	9.40 (V)	PE	4453
	C <sub>3</sub> (=CH <sub>2</sub> ) <sub>3</sub> (Cyclopropane, tris(methylene)-)	3227-90-5	**	9.0±0.1	S	4184
			**	8.94 (V)	PE	5431
	C <sub>6</sub> H <sub>6</sub> (Tricyclo[3.1.0.0 <sup>2,6</sup> ]hex-3-ene)	659-85-8	**	8.54±0.04 (V)	PE	4716
			**	8.55 (V)	PE	4400
	C <sub>8</sub> H <sub>8</sub> (Pentacyclo[4.2.0.0 <sup>2,5</sup> .0 <sup>3,8</sup> .0 <sup>6,7</sup> ]octane)	277-10-1	**	9.2±<0.1	EI	3735
			CH <sub>2</sub> O	11.27±0.1	EI	3446
	C <sub>6</sub> H <sub>5</sub> OCH <sub>3</sub> (Benzene, methoxy-)	100-66-3	HCHO	11.50	EI	3845
			**	11.55±<0.1	EI	3735
	(C <sub>6</sub> H <sub>6</sub> )(CO) <sub>3</sub> Cr (Chromium, (η <sup>6</sup> -benzene)tricarbonyl-)	12082-08-5	**	9.49±0.1	EI	3788
<b>C<sub>6</sub>H<sub>6</sub><sup>+2</sup></b>	C <sub>6</sub> H <sub>6</sub> (Benzene)	71-43-2	**	26.1	OTH	5141
<b>C<sub>6</sub>H<sub>4</sub>D<sub>2</sub><sup>+</sup></b>	CD≡CCH <sub>2</sub> CH <sub>2</sub> C≡CD	XXXXX-XX-X	**	9.97±0.06	EI	3790
<b>C<sub>6</sub>H<sub>7</sub><sup>+</sup></b>	C <sub>7</sub> H <sub>10</sub> (Bicyclo[2.2.1]hept-2-ene)	498-66-8	CH <sub>3</sub>	10.46±0.01	EI	3535
			CH <sub>3</sub>	10.17±0.01	EI	3535
	C <sub>7</sub> H <sub>10</sub> (Tricyclo[2.2.1.0 <sup>2,6</sup> ]heptane)	279-19-6	**	10.69	PI	4173
			**	10.69	PI	4173
<b>C<sub>6</sub>H<sub>8</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>7</sub> (CH <sub>3</sub> ) (1,3-Cyclopentadiene, 2-methyl-)	3727-31-9	**	8.4 (V)	PE	4373
			**	8.4 (V)	PE	4373
	C <sub>5</sub> H <sub>7</sub> (CH <sub>3</sub> ) (1,3-Cyclopentadiene, 1-methyl-)	96-39-9	**	8.4 (V)	PE	4373
			**	8.72±0.01	PE	5407
	C <sub>2</sub> H <sub>3</sub> C≡CCH=CH <sub>2</sub>	13721-54-5	**	8.91±0.01	PE	5407
			**	8.54 (V)	PE	4829
	CH <sub>2</sub> =C=CHC(CH <sub>3</sub> )=CH <sub>2</sub>	14763-81-6	**	8.54 (V)	PE	4829
			**	8.32 (V)	PE	4829
	1,2,trans-4-C <sub>6</sub> H <sub>8</sub>	20130-95-4	**	8.56 (V)	PE	4829
			**	8.3±0.1	S	4235
	cis-CH <sub>2</sub> =CHCH=CHCH=CH <sub>2</sub>	2612-46-6	**	8.31±0.02	PE	5432
			**	8.32	PE	3847
			**	8.27	S	4235
			**	8.29	PE	3847
	trans-CH <sub>2</sub> =CHCH=CHCH=CH <sub>2</sub>	821-07-8	**	8.30±0.02	PE	5432
			**	9.4 (V)	PE	4453
			**	8.66±0.03 (V)	PE	4766
	C <sub>6</sub> H <sub>8</sub> (Bicyclo[2.2.0]hex-2-ene)	3097-63-0	**	9.4 (V)	PE	4453
			**	9.4 (V)	PE	4453
	C <sub>4</sub> H <sub>6</sub> (=CH <sub>2</sub> ) <sub>2</sub> (Cyclobutane, 1,2-bis(methylene)-)	14296-80-1	**	9.4 (V)	PE	4453
			**	9.4 (V)	PE	4453



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_8^+$	$C_4H_6(=CH_2)_2$	14296-80-1	**	8.77	PE	5265
	$C_4H_6(=CH_2)_2$ (Cyclobutane, 1,3-bis(methylene)-)	2045-78-5	**	$9.08 \pm 0.03$ (V)	PE	4766
	$C_4H_7C \equiv CH$ (Cyclobutane, ethynyl-)	50786-62-4	**	10.02 (V)	PE	3997
			**	10.02 (V)	PE	5607
	$C_6H_8$ (1,3-Cyclohexadiene)	592-57-4	**	$8.25 \pm 0.02$	PE	4702
			**	$8.25 \pm 0.03$ (V)	PE	4828
			**	8.25	PE	5411
			**	8.32 (V)	PE	5010
	$C_6H_8$ (1,4-Cyclohexadiene)	628-41-1	**	8.80 (V)	PE	5538
			**	$8.82 \pm 0.02$	PE	4702
			**	8.82	PE	5411
			**	8.82 (V)	PE	4531
			**	8.82 (V)	PE	5535
	$C_5H_5CH_3$ (1,3-Cyclopentadiene, methyl-)	26519-91-5	**	$8.28 \pm 0.05$ (V)	PE	3688
	$C_5H_5CH_3$ (1,3-Cyclopentadiene, 1-methyl-)	96-39-9	**	8.40 (V)	PE	4179
	$C_5H_5CH_3$ (1,3-Cyclopentadiene, 2-methyl-)	3727-31-9	**	8.45 (V)	PE	4179
	$C_5H_6=CH_2$ (Cyclopentene, 3-methylene-)	930-26-7	**	8.40	PE	4347
	$C_6H_8$ (Cyclopropane cyclopropylidene-)	27567-82-4	**	8.93 (V)	PE	4963
	$C_6H_8$ (Tricyclo[3.1.0.0 <sup>2,6</sup> ]hexane)	287-12-7	**	9.43 (V)	PE	4400
	$C_5H_8=CH_2$ (Cyclopentane, methylene-)	1528-30-9	H <sub>2</sub>	8.7	EI	5586
	$C_6H_{10}=CH_2$ (Cyclohexane, methylene-)	1192-37-6	CH <sub>4</sub>	11.2	EI	5586
	$C_{10}H_{16}$ (4,7-Methano-1H-indene, octahydro-, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	2825-82-3		$9.9 \pm 0.1$	PI	3918
$C_6H_9^+$	$CH \equiv C(CH_2)_3CH_3$	693-02-7	H	$10.75 \pm 0.05$	EI	3585
	$CH_3C \equiv CCH_2CH_2CH_3$	764-35-2	H	$10.81 \pm 0.05$	EI	3585
	$C_6H_{10}$ (Cyclohexene)	110-83-8	H	$11.8 \pm 0.05$	EI	3585
	$C_5H_8=CH_2$ (Cyclopentane, methylene-)	1528-30-9	H	$12.13 \pm 0.05$	EI	3585
	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-)	693-89-0	H	$11.97 \pm 0.05$	EI	3585
	$C_{10}H_{15}CH_3$ (4,7-Methano-1H-indene, octahydro-8-methyl, stereoisomer)	50745-92-1		$9.5 \pm 0.1$	PI	3918
	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1H-indene, 5-ethyloctahydro-, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-)	32787-97-6		$\leq 10.2 \pm 0.1$	PI	3918
	$C_6H_{11}Cl$ (Cyclohexane, chloro-)	542-18-7		$10.40 \pm 0.02$	PI	4078
$C_6H_{10}^+$	$C_5H_7(CH_3)$ (Cyclopentene, 3-methyl-)	1120-62-3	**	$8.98 \pm 0.05$ (V)	PE	4954
	$trans-CH_2=CHC(CH_3)=CHCH_3$	XXXXXX-XX-X	**	$8.37 \pm 0.05$	EI	5483
	$CH_2=C(C_2H_5)CH=CH_2$	XXXXXX-XX-X	**	$8.81 \pm 0.05$	EI	5483
	$CH_2=C(CH_3)C(CH_3)=CH_2$	513-81-5	**	8.62	PE	3847
			**	8.72 (V)	PE	5010
			**	8.76 (V)	PE	3892
			**	$8.54 \pm 0.04$	EI	4274

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{10}^+$	$CH_2=C(CH_3)C(CH_3)=CH_2$	513-81-5	**	$8.66 \pm 0.05$	EI	5483
	$(CH_2=CHCH_2)_2$	592-42-7	**	9.25 (V)	PE	5314
			**	$9.29 \pm 0.05$	EI	5483
			**	$9.59 \pm 0.02$ (V)	PE	4010
	$C_4H_5C \equiv CH$	693-02-7	**	$10.067 \pm 0.005$	PE	4575
			**	$9.95 \pm 0.05$	EI	5483
			**	$10.52 \pm 0.05$	EI	3585
	$CH_2=C(CH_3)CH_2CH=CH_2$	763-30-4	**	$9.16 \pm 0.05$	EI	5483
	$C_3H_7C \equiv CCH_3$	764-35-2	**	$9.366 \pm 0.005$	PE	4575
			**	$9.37 \pm 0.05$	EI	5483
			**	$9.97 \pm 0.05$	EI	3585
	$CH \equiv CC(CH_3)_3$	917-92-0	**	$9.80 \pm 0.05$	EI	5483
			**	$10.67 \pm 0.02$	EI	4126
	$CH_3CH_2CH(CH_3)C \equiv CH$	922-59-8	**	$9.975 \pm 0.008$	PE	4575
			**	$9.79 \pm 0.05$	EI	5483
	<i>trans</i> - $CH_2=C(CH_3)CH=CHCH_3$	926-54-5	**	8.47 (V)	PE	5010
			**	$8.45 \pm 0.05$	EI	5483
	$(CH_3)_2C=CHCH=CH_2$	926-56-7	**	8.29	PE	5202
			**	$8.26 \pm 0.05$	EI	5483
	$C_2H_5C \equiv CC_2H_5$	928-49-4	**	$9.323 \pm 0.005$	PE	4575
			**	$9.34 \pm 0.05$	EI	5483
	$CH_2=CHCH(CH_3)CH=CH_2$	1115-08-8	**	$9.40 \pm 0.05$	EI	5483
	$CH_2=C(CH_3)CH=CHCH_3$	1118-58-7	**	$8.47 \pm 0.02$	PE	4702
	<i>cis</i> - $CH_2=CHC(CH_3)=CHCH_3$	2787-43-1	**	$8.39 \pm 0.02$	PE	4702
	<i>trans</i> - $CH_2=CHC(CH_3)=CHCH_3$	2787-45-3	**	$16.6 \pm 0.1$ (V)	PE	4702
			**	$8.46 \pm 0.05$	EI	5483
	$(CH_3)_2C=C=CHCH_3$	3043-33-2	**	8.69 (V)	PE	4019
			**	$8.64 \pm 0.05$	EI	5483
	$C_2H_5C(=CH_2)CH=CH_2$	3404-63-5	**	$8.79 \pm 0.02$	PE	4702
			**	8.79	PE	5411
	$CH_2=CHC(CH_3)=CHCH_3$	4549-74-0	**	8.39	PE	5411
	<i>trans,trans</i> -2,4- <i>n</i> - $C_6H_{10}$	5194-51-4	**	$8.26 \pm 0.05$	EI	5483
	$(CH_3)_2CHCH_2C \equiv CH$	7154-75-8	**	$10.055 \pm 0.005$	PE	4575
			**	$9.83 \pm 0.05$	EI	5483
	$CH_2=C=C(CH_3)C_2H_5$	7417-48-3	**	$8.74 \pm 0.05$	EI	5483
	$CH_2=C=CHCH(CH_3)_2$	13643-05-5	**	$9.06 \pm 0.05$	EI	5483
	$(CH_3)_2CHC \equiv CCH_3$	21020-27-9	**	$9.346 \pm 0.007$	PE	4575
			**	$9.31 \pm 0.05$	EI	5483
	1,2- <i>n</i> - $C_6H_{10}$	592-44-9	**	$9.00 \pm 0.05$	EI	5483
	1,3- $C_6H_{10}$	592-48-3	**	$8.53 \pm 0.02$	PE	4702
	2,3- <i>n</i> - $C_6H_{10}$	592-49-4	**	$8.76 \pm 0.05$	EI	5483
	2,4- $C_6H_{10}$	592-46-1	**	$8.09 \pm 0.03$ (V)	PE	4828
	2,4- <i>trans,cis</i> - $C_6H_{10}$	5194-50-3	**	$8.25 \pm 0.02$	PE	4702
			**	8.26	PE	5202
			**	$8.24 \pm 0.05$	EI	5483
	2,4- <i>cis,cis</i> - $C_6H_{10}$	6108-61-8	**	$8.18 \pm 0.02$	PE	4702
	<i>(tert-C_3H_7)_2C \equiv CH</i>	917-92-0	**	$9.923 \pm 0.010$	PE	4575
	<i>cis</i> -1,4- <i>n</i> - $C_6H_{10}$	7318-67-4	**	$9.04 \pm 0.05$	EI	5483
	<i>trans</i> -1,4- <i>n</i> - $C_6H_{10}$	7319-00-8	**	$8.98 \pm 0.05$	EI	5483
	<i>trans</i> -1,3- <i>n</i> - $C_6H_{10}$	20237-34-7	**	$8.54 \pm 0.05$	EI	5483
	<i>trans,trans</i> - $CH_3CH=CHCH=CHCH_3$	5194-51-4	**	8.09	PE	3847
			**	8.93 (V)	PE	3892
	$C_6H_{10}$	186-04-9	**	9.6 (V)	PE	4453
	(Bicyclo[2.2.0]hexane)					
	$(C_3H_7)_2$	5685-46-1	**	9.6 (V)	PE	5344
	(1,1'-Bicyclopropyl)		**	$9.12 \pm 0.05$	EI	5483
	$C_4H_7CH=CH_2$	2597-49-1	**	9.44 (V)	PE	4347
	(Cyclobutane, ethenyl-)		**	9.44 (V)	PE	5607
			**	$8.70 \pm 0.05$	EI	5483

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>10</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>10</sub> (Cyclohexene)	110-83-8	**	8.94±0.01	PI	5556
				9.11 (V)	PE	4249
				9.12 (V)	PE	4267
				9.12 (V)	PE	4285
				9.12 (V)	PE	5538
	C <sub>5</sub> H <sub>8</sub> =CH <sub>2</sub> (Cyclopentane, methylene-)	1528-30-9	**	9.57±0.05	EI	3585
				8.55±0.01	PI	3585
				9.14 (V)	PE	4669
				7.2	EI	5586
				9.26±0.05	EI	3585
	C <sub>5</sub> H <sub>7</sub> CH <sub>3</sub> (Cyclopentene, 1-methyl-)	693-89-0	**	8.55±0.01	PI	3585
				8.60±0.01	PI	5556
				9.12±0.05	EI	3585
				8.95±0.01	PI	5556
				9.12	PE	4608
	C <sub>3</sub> H <sub>5</sub> C(CH <sub>3</sub> )=CH <sub>2</sub> (Cyclopropane, (1-methylethenyl)-)	4663-22-3	**	8.66±0.05	EI	5483
				8.58±0.05	EI	5483
				9.66 (V)	PE	5361
				11.7	EI	5586
				10.46±0.1	EI	3581
	C <sub>6</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub> (Cyclohexane, 1,2-dimethyl-, <i>cis</i> -)	2207-01-4	2CH <sub>3</sub>	10.63±0.1	EI	3581
				9.8±0.1	PI	3918
				10.0±0.1	PI	3918
				10.00	EI	5264
				9.90	EI	5264
	C <sub>6</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub> (Cyclohexane, 1,2-dimethyl-, <i>trans</i> -)	6876-23-9	2CH <sub>3</sub>	9.80	EI	5264
				10.2±0.2	EI	4617
				10.4±0.05	EI	4548
				10.10±0.05	PI	4078
				10.00	EI	5264
	C <sub>6</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub> (Cyclohexane, 1,2-dimethyl-, <i>trans</i> -)	6876-23-9	2CH <sub>3</sub>	9.90	EI	5264
				9.80	EI	5264
				10.2±0.2	EI	4617
				10.4±0.05	EI	4548
				10.10±0.05	PI	4078
	C <sub>6</sub> H <sub>11</sub> OH (Cyclohexanol)	108-93-0	H <sub>2</sub> O	10.2±0.2	EI	4617
				10.4±0.05	EI	4548
				10.10±0.05	PI	4078
				10.00	EI	5264
				9.90	EI	5264
	C <sub>6</sub> H <sub>11</sub> OH (Cyclohexanol)	108-93-0	H <sub>2</sub> O	10.2±0.2	EI	4617
				10.4±0.05	EI	4548
				10.10±0.05	PI	4078
				10.00	EI	5264
				9.90	EI	5264
	C <sub>6</sub> H <sub>11</sub> OH (Cyclohexanol)	108-93-0	H <sub>2</sub> O	10.2±0.2	EI	4617
				10.4±0.05	EI	4548
				10.10±0.05	PI	4078
				10.00	EI	5264
				9.90	EI	5264
	C <sub>6</sub> H <sub>11</sub> OH (Cyclohexanol)	108-93-0	H <sub>2</sub> O	10.2±0.2	EI	4617
				10.4±0.05	EI	4548
				10.10±0.05	PI	4078
				10.00	EI	5264
				9.90	EI	5264
<b>C<sub>6</sub>H<sub>9</sub>D<sup>+</sup></b>	C <sub>6</sub> H <sub>9</sub> D <sub>2</sub> OH (Cyclohexanol, 3,5- <i>d</i> <sub>2</sub> -)	XXXXX-XX-X	HDO	11.3±0.10	EI	4548
				10.5±0.06	EI	4548
<b>C<sub>6</sub>H<sub>8</sub>D<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>9</sub> D <sub>2</sub> OH (Cyclohexanol, 3,5- <i>d</i> <sub>2</sub> -)	XXXXX-XX-X	H <sub>2</sub> O	10.5±0.10	EI	4548
				11.1±0.04	EI	4548
<b>C<sub>6</sub>H<sub>7</sub>D<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> D <sub>4</sub> OH (Cyclohexanol-3,3,5,5- <i>d</i> <sub>4</sub> -ol)	XXXXX-XX-X	HDO	10.7±0.2	EI	4617
				10.2±0.2	EI	4617
<b>C<sub>6</sub>H<sub>6</sub>D<sub>4</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> D <sub>4</sub> OH (Cyclohexanol-3,3,5,5- <i>d</i> <sub>4</sub> -ol)	21273-04-1	H <sub>2</sub> O	10.2±0.2	EI	4617
				10.2±0.2	EI	4617

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}^+$	$C_6H_{12}$ (Cyclohexane)	110-82-7	H	$11.32 \pm 0.05$	PI	4078
	$C_6H_{11}Cl$ (Cyclohexane, chloro-)	542-18-7		$10.20 \pm 0.05$	PI	4078
	$C_6H_{11}Br$ (Cyclohexane, bromo-)	108-85-0		$9.85 \pm 0.05$	PI	4078
$C_6H_{12}^+$	$(CH_3)_3CCH=CH_2$	558-37-2	**	$9.450 \pm 0.005$	PE	3957
			**	9.7 (V)	PE	3940
	$(CH_3)_4C=C$	563-78-0	**	8.41 (V)	PE	5535
			**	$9.072 \pm 0.005$	PE	3957
	$(CH_3)_2C=C(CH_3)_2$	563-79-1	**	8.26	PE	3533
			**	$8.271 \pm 0.005$	PE	3957
			**	8.30 (V)	PE	5600
			**	8.42 (V)	PE	4243
			**	8.46 (V)	PE	4459
			**	10.52 (V)	PE	4747
	$(CH_3)_2CHCH_2CH=CH_2$	691-37-2	**	$9.452 \pm 0.003$	PE	3957
	$(C_2H_5)_2C=CH_2$	760-21-4	**	$9.061 \pm 0.005$	PE	3957
	$C_2H_5CH_2C(CH_3)=CH_2$	763-29-1	**	$9.076 \pm 0.005$	PE	3957
	1- $C_6H_{12}$	592-41-6	**	9.31	PE	4033
			**	$9.37 \pm 0.02$	PE	4695
			**	$9.478 \pm 0.003$	PE	3957
			**	$9.65 \pm 0.01$ (V)	PE	4939
			**	9.33	EI	4033
	2- $C_6H_{12}$	592-43-8	**	$8.88 \pm 0.02$	PE	4695
	3- <i>trans</i> - $C_6H_{12}$	13269-52-8	**	$8.83 \pm 0.02$	PE	4695
			**	$9.14 \pm 0.01$ (V)	PE	4939
	<i>cis</i> -( $CH_3$ ) <sub>2</sub> CHCH=CHCH <sub>3</sub>	691-38-3	**	$8.976 \pm 0.005$	PE	3957
	<i>cis</i> -2- $C_6H_{12}$	7688-21-3	**	$8.969 \pm 0.005$	PE	3957
			**	$9.15 \pm 0.01$ (V)	PE	4939
	<i>cis</i> -3- $C_6H_{12}$	7642-09-3	**	$8.954 \pm 0.005$	PE	3957
			**	$9.15 \pm 0.01$ (V)	PE	4939
	<i>trans</i> -( $CH_3$ ) <sub>2</sub> CHCH=CHCH <sub>3</sub>	674-76-0	**	$8.972 \pm 0.005$	PE	3957
	<i>trans</i> -2- $C_6H_{12}$	4050-45-7	**	$8.966 \pm 0.005$	PE	3957
			**	$9.16 \pm 0.01$ (V)	PE	4939
	<i>trans</i> -3- $C_6H_{12}$	13269-52-8	**	$8.965 \pm 0.005$	PE	3957
	$C_6H_{12}$ (Cyclohexane)	110-82-7	**	$9.88 \pm 0.01$	S	3757
			**	$9.88 \pm 0.01$	PI	4078
			**	$9.89 \pm 0.01$	PI	5556
			**	9.84	PE	4319
			**	9.87	PE	4056
			**	9.88	PE	5043
			**	10.3 (V)	PE	3997
			**	$9.83 \pm 0.05$	EI	4319
	$CH_3C_5H_9$ (Cyclopentane, methyl-)	96-37-7	**	$10.34 \pm 0.04$	PI	5556
			**	$18.3 \pm 0.1$	PE	4702
$C_6D_{12}^+$	$C_6D_{12}$ (Cyclohexane- <i>d</i> <sub>12</sub> )	1735-17-7	**	$9.91 \pm 0.01$	S	3757
$C_6H_{13}^+$	1- $C_6H_{13}$	2679-29-0	**	$7.92 \pm 0.06$	EI	4895
	2- $C_6H_{13}$	2493-44-9	**	7.38	EI	4895
	<i>n</i> - $C_3H_7C(CH_3)_2$	21058-26-4	**	6.82	EI	4895



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}^+$	<i>n</i> -C <sub>6</sub> H <sub>11</sub>	110-54-3	**	10.22	PE	4056
			**	18.7±0.1 (V)	PE	4702
	(iso-C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub>	79-29-8	**	17.9±0.1 (V)	PE	4702
	<i>tert</i> -C <sub>7</sub> H <sub>9</sub> CH <sub>2</sub> CH <sub>3</sub>	75-83-2	**	17.6±0.1 (V)	PE	4702
$C_7H_6^+$	C <sub>7</sub> H <sub>6</sub> (Bicyclo[3.2.0]hepta-1,4,6-triene)	35295-58-0	**	8.41 (V)	PE	4779
	C <sub>7</sub> H <sub>6</sub> (Bicyclo[4.1.0]hepta-1,3,5-triene)	4646-69-9	**	8.82 (V)	PE	4063
	C <sub>7</sub> H <sub>4</sub> (=C=CH <sub>2</sub> ) (1,3-Cyclopentadiene, 5-ethenylidene-)	27041-32-3	**	8.29 (V)	PE	4779
	<i>cis</i> -C <sub>7</sub> H <sub>4</sub> (C≡CH) <sub>2</sub> (Cyclopropane, <i>cis</i> -1,2-diethynyl-)	59502-33-9	**	8.90±0.02	PE	4374
	<i>trans</i> -C <sub>7</sub> H <sub>4</sub> (C≡CH) <sub>2</sub> (Cyclopropane, <i>trans</i> -1,2-diethynyl-)	35295-57-9	**	9.00±0.02	PE	4374
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CN (Benzeneacetonitrile)	140-29-4	HCN	12.19	EI	4934
	C <sub>6</sub> H <sub>4</sub> (CN)CH <sub>3</sub> (Benzonitrile, 4-methyl-)	104-85-8	HCN	12.22	EI	4934
	C <sub>7</sub> H <sub>7</sub> CN (2,4,6-Cycloheptatriene-1-carbonitrile)	13612-59-4	HCN	11.19	EI	4934
	C <sub>7</sub> H <sub>7</sub>	3551-27-7	**	6.28±0.02	PE	4820
	(2,4,6-Cycloheptatrien-1-yl) (JC-Mean value of Jahn-Teller components)		**	6.74±0.05	EI	3789
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> (Methyl, phenyl-)	2154-56-5	**	7.20±0.02	PE	4722
			**	7.20±0.02	PE	4898
$C_7H_7^+$			**	7.43±0.06 (V)	PE	4609
	C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> (Benzene,methyl-)	108-88-3	H	10.71±0.03	PI	5120
			H	10.71	EI	5293
			H	11.8	EI	4115
	C <sub>7</sub> H <sub>8</sub> (1,3,5-Cycloheptatriene)	544-25-2	H	9.36±0.02	PI	5120
			H	10.73	EI	4115
	<i>trans</i> -CH <sub>2</sub> =CHCH=CHCH=CHCH <sub>3</sub>	17679-93-5		12.2±0.15	PE	5432
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> (Benzene, 1-2-dimethyl-)	95-47-6	CH <sub>3</sub>	11.80±0.2	EI	4199
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> (Benzene, 1,3-dimethyl-)	108-38-8	CH <sub>3</sub>	11.80±0.2	EI	4199
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> (Benzene, 1,4-dimethyl-)	106-42-3		11.5±0.3	EI	4223
			CH <sub>3</sub>	11.85±0.2	EI	4199
	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>5</sub> (Benzene,ethyl-)	100-41-4	CH <sub>3</sub>	10.06	EI	5293
	C <sub>6</sub> H <sub>5</sub> CH(CH <sub>3</sub> ) <sub>2</sub> (Benzene,1-methylethyl-)	98-82-8	C <sub>2</sub> H <sub>5</sub>	9.91	EI	5293
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> (Benzene,propyl-)	103-65-1	C <sub>2</sub> H <sub>5</sub>	9.85	EI	5293
	C <sub>6</sub> H <sub>5</sub> C <sub>4</sub> H <sub>9</sub> (Benzene,butyl-)	104-51-8	C <sub>3</sub> H <sub>7</sub>	9.93	EI	5293
	C <sub>6</sub> H <sub>5</sub> CH(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub> (Benzene,1-methylpropyl)	135-98-8	C <sub>3</sub> H <sub>7</sub>	10.00	EI	5293
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub> (Benzene,2-methylpropyl)	538-93-2	C <sub>3</sub> H <sub>7</sub>	9.99	EI	5293
	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> CH <sub>2</sub> (Benzene, 1,1'-methylenebis-)	101-81-5	C <sub>6</sub> H <sub>5</sub>	11.5±0.1	EI	3807

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7^+$	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 4-methyl-)	644-08-6		$13.7 \pm 0.3$	EI	4223
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-2-(2-phenylethyl)-)	34403-05-9		$11.2 \pm 0.3$	EI	5230
	$C_6H_5CH_2CH_2C_6H_3CH_3$ (Benzene, 1-methyl-3-(2-phenylethyl)-)	34403-06-0		$11.1 \pm 0.2$	EI	5230
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-4-(2-phenylethyl)-)	14310-20-4		$11.3 \pm 0.4$	EI	5230
	$C_6H_5(CH_2)_3C_6H_5$ (Benzene, 1,1'-(1,3-propanediyl)bis-)	1081-75-0		11.6	EI	4925
	$C_6H_5CH_2CH_2C_6H_4H$ (1,3,5-Cycloheptatriene, 7-(2-phenylethyl)-)	712-32-6		11.6	EI	5230
	$C_6H_5CH_2N(CH_3)_2$ (Benzenemethanamine, dimethyl-)	28262-13-7	$C_2H_6N$	9.62	PI	5543
	$C_6H_5CH_2CH_2N(CH_3)_2$ (Benzeneethanamine, dimethyl-)	29088-49-1	$C_3H_8N$	10.55	PI	5543
	$C_6H_4(CH_3)_2CHO$ (Benzaldehyde, 2,4-dimethyl-)	15764-16-6		11.2	EI	4051
	$C_6H_4(CH_3)_2CHO$ (Benzaldehyde, 2,5-dimethyl-)	5779-94-2		11.2	EI	4051
	$C_6H_4(CH_3)_2CHO$ (Benzaldehyde, 3,4-dimethyl-)	5973-71-7		11.1	EI	4051
	$C_6H_4(CH_3)COCH_3$ (Ethanone, 1-(4-methylphenyl)-)	122-00-9		$13.8 \pm 0.3$	EI	4223
	$C_6H_4(CH_3)COOH$ (Benzoic acid, 3-methyl-)	99-04-7	COOH	$12.48 \pm 0.2$	EI	3973
	$C_6H_4(CH_3)COOH$ (Benzoic acid, 4-methyl-)	99-94-5	COOH	$12.55 \pm 0.2$	EI	3973
	$C_6H_5CH_2CH_2OCOCH_3$ (Acetic acid, 2-phenylethyl ester)	103-45-7		12.50	EI	3590
	$CH_3C_6H_4NO_2$ (Benzene, 1-methyl-2-nitro-)	88-72-2	NO <sub>2</sub>	$11.0 \pm 0.1$	PI	5437
	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-3-nitro-)	99-08-1	NO <sub>2</sub>	$13.1 \pm 0.3$	EI	4223
				$11.58 \pm 0.1$	EI	3447
	$CH_3C_6H_4NO_2$ (Benzene, 1-methyl-4-nitro-)	99-99-0	NO <sub>2</sub>	$12.1 \pm 0.3$	EI	4223
				$11.3 \pm 0.1$	PI	5437
			NO <sub>2</sub>	$11.80 \pm 0.1$	EI	3447
				$12.3 \pm 0.3$	EI	4223
	$C_6H_5CH_2Cl$ (Benzene, chloromethyl-)	25168-05-2	Cl	$10.16 \pm 0.05$	PI	5515
	$C_6H_4ClCH_3$ (Benzene, 1-chloro-2-methyl-)	95-49-8		$11.21 \pm 0.1$	EI	3777
	$C_6H_4ClCH_3$ (Benzene, 1-chloro-3-methyl-)	108-41-8		$11.34 \pm 0.1$	EI	3777
	$C_6H_4ClCH_3$ (Benzene, 1-chloro-4-methyl-)	106-43-4		$11.42 \pm 0.1$	EI	3777
	$C_6H_4BrCH_3$ (Benzene, 1-bromo-2-methyl-)	95-46-5		$11.5 \pm 0.3$	EI	4223
	$C_6H_4BrCH_3$ (Benzene, 1-bromo-3-methyl-)	591-17-3		$11.14 \pm 0.1$	EI	3777
	$C_6H_4BrCH_3$ (Benzene, 1-bromo-4-methyl-)	106-38-7		$11.22 \pm 0.1$	EI	3777
	$C_6H_4ICH_3$ (Benzene, 1-iodo-2-methyl-)	615-37-2		$11.1 \pm 0.3$	EI	4223
	$C_6H_4ICH_3$ (Benzene, 1-iodo-3-methyl-)	625-95-6		$11.22 \pm 0.1$	EI	3777
	$C_6H_4ICH_3$ (Benzene, 1-iodo-4-methyl-)			$11.14 \pm 0.1$	EI	3777
				$11.0 \pm 0.3$	EI	4223

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7^+$	$C_6H_5ICH_3$	625-95-6		$11.26 \pm 0.1$	EI	3777
	$C_6H_5ICH_3$	624-31-7		$11.15 \pm 0.1$	EI	3777
	(Benzene, 1-iodo-4-methyl-)					
$C_7H_5D_2^+$	$C_6H_5CD_2$	2154-54-3	**	$7.22 \pm 0.02$	PE	4722
	(Methyl- $d_2$ , phenyl-)		**	$7.22 \pm 0.02$	PE	4898
$C_7H_8^+$	$C_6H_5(n-C_4H_9)$ (Benzene, butyl-)	104-51-8	$C_3H_6$	$9.73 \pm 0.04$	PI	4928
	$C_6H_5(iso-C_4H_9)$ (Benzene, (2-methylpropyl)-)	538-93-2	$C_3H_6$	$9.76 \pm 0.04$	PI	4928
	$C_6H_5(n-C_5H_{11})$ (Benzene, pentyl-)	538-68-1		$9.72 \pm 0.04$	PI	4928
	$CH_2=C=C(CH_3)CH=CH_2$	57212-57-4	**	8.39 (V)	PE	4397
	$C_6H_5CH_3$	108-88-3	**	8.82	PI	3753
	(Benzene, methyl-)		**	8.72	PE	3955
			**	$8.78 \pm 0.02$	PE	3854
			**	8.80	PE	3868
			**	8.82	PE	4621
			**	8.82 (V)	PE	4280
			**	8.84	PE	5574
			**	$8.85 \pm 0.015$ (V)	PE	4107
			**	8.85 (V)	PE	4884
			**	$8.900 \pm 0.03$ (V)	PE	4340
			**	$9.0 \pm 0.03$ (V)	PE	3713
			**	9.00 (V)	PE	5258
			**	8.67	EI	3845
			**	$8.80 \pm 0.1$	EI	3788
			**	8.81	EI	4115
			**	8.82	EI	5293
			**	$8.89 \pm 0.03$	EI	3626
			**	8.71	CTS	3546
			**	8.91	CTS	4029
	$C_7H_8$	121-46-0	**	8.6 (V)	PE	3724
	(Bicyclo[2.2.1]hepta-2,5-diene)		**	8.69 (V)	PE	3687
			**	8.69 (V)	PE	5538
			**	8.70 (V)	PE	3509
			**	8.73 (V)	PE	5010
			**	8.73 (V)	PE	5367
			**	8.69 (V)	PE	3824
	$C_7H_8$	544-25-2	**	8.50 (V)	PE	5444
	(1,3,5-Cycloheptatriene)		**	8.52	EI	4115
	$C_7H_8$	765-46-8	**	8.14	PE	3576
	(Spiro[2.4]hepta-4,6-diene)		**	8.33 (V)	PE	4142
	$C_7H_8$	XXXXX-XX-X	**	8.33 (V)	PE	4142
	(Tetracyclo[3.2.0.0.0 <sup>2,7</sup> .0 <sup>4,6</sup> ]heptane)		**	8.82 (V)	PE	5441
	$C_7H_8$	35618-58-7	**	8.82 (V)	PE	5441
	(Tricyclo[4.1.0.0 <sup>2,7</sup> ]hept-3-ene)		**	$12.4 \pm 0.15$	PE	5432
	$trans-CH_2=CHCH=CHCH=CHCH_3$	17679-93-5	**	$10.10 \pm 0.1$	EI	3629
	$C_6H_5C_4H_9$	104-51-8	$CH_2=CHCH_3$	$10.10 \pm 0.1$	EI	3629
	(Benzene, butyl-)		**	9.7 $\pm$ 0.1	EI	4925
	$C_6H_5(CH_2)_3C_6H_5$	1081-75-0	**	9.7 $\pm$ 0.1	EI	4925
	(Benzene, 1,1'-(1,3-propanediyl)bis-)		**	10.0 $\pm$ 0.1	EI	5230
	$C_6H_5CH_2CH_2C_6H_5$	712-32-6	**	9.0 $\pm$ 0.1	EI	5230
	(1,3,5-Cycloheptatriene, 7-(2-phenylethyl)-)		**	9.0 $\pm$ 0.1	EI	5230

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_8^+$	$C_6H_5(OCH_3)CH_3$ (Benzene, 1-methoxy-3-methyl-)	100-84-5	$CH_2O$	$11.22 \pm 0.1$	EI	3446
	$C_6H_5(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-)	104-93-8	$CH_2O$	$11.11 \pm 0.1$	EI	3446
	$(C_6H_5CH_3)(CO)_3Cr$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzene]-)	12083-24-8	$HCHO$	11.23	EI	3845
				$8.31 \pm 0.1$	EI	3788
$C_7H_8^{+2}$	$C_6H_5CH_3$ (Benzene, methyl-)	108-88-3	**	24.2	OTH	5141
$C_7H_9^+$	$C_7H_{10}$ (Bicyclo[2.2.1]hept-2-ene)	498-66-8	H	$11.0 \pm 0.01$	EI	3535
	$C_7H_{10}$ (Tricyclo[2.2.1.0 <sup>2,6</sup> ]heptane)	279-19-6	H	$11.3 \pm 0.01$	EI	3535
	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane)	281-23-2		10.69	PI	4173
	$C_7H_7Br$ (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>endo</i> -)	5810-82-2	Br	10.1	EI	5633
	$C_7H_7Br$ (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>exo</i> -)	5889-54-3	Br	10.2	EI	5633
$C_7H_{10}^+$	$CH \equiv CC(C_2H_5) = CHCH_3$	14272-82-3	**	$8.70 \pm 0.01$	PE	5407
	$C_2H_5C \equiv CC(CH_3) = CH_2$	23056-94-2	**	$8.66 \pm 0.01$	PE	5407
	$CH_2 = CHC(CH_3) = CHCH = CH_2 - E$	24587-26-6		8.28 (V)	PE	4380
	$CH_2 = C = C(CH_3)C(CH_3) = CH_2$	39968-66-6	**	8.10 (V)	PE	4829
	$CH_2 = C(CH_3)CH = CHCH = CH_2 - E$	41233-72-1		8.31 (V)	PE	4380
	<i>trans</i> - $CH_2 = CHCH = CHCH = CHCH_3$	17679-93-5	**	$7.96 \pm 0.02$	PE	5432
			**	8.07	PE	3847
	$C_7H_{10}$ (Bicyclo[2.2.1]hept-2-ene)	498-66-8	**	8.95	PE	5481
			**	8.95 (V)	PE	3509
			**	8.97 (V)	PE	3687
			**	8.97 (V)	PE	4249
			**	8.97 (V)	PE	4285
			**	8.97 (V)	PE	5538
			**	$8.80 \pm 0.01$	EI	3535
	$C_7H_{10}$ (Bicyclo[4.1.0]hept-2-ene)	2566-57-6	**	8.69 (V)	PE	3849
	$C_7H_{10}$ (1,3-Cycloheptadiene)	4054-38-0	**	$8.31 \pm 0.03$ (V)	PE	4828
	$C_6H_8 = CH_2$ (Cyclohexene, 4-methylene-)	13407-18-6	**	9.27 (V)	PE	4249
	$C_5H_6(=CH_2)_2$ (Cyclopentane, 1,2-bis(methylene)-)	20968-70-1	**	8.58	PE	5265
	$C_3H_5C(CH_3) = C = CH_2$ (Cyclopropane, (1-methyl-1,2-propadienyl)-)	51549-86-1	**	8.83	PE	4608
	$C_7H_{10}$ (Spiro[2.4]hept-4-ene)	52708-23-3	**	8.48 (V)	PE	4347
	$C_7H_{10}$ (Tricyclo[2.2.1.0 <sup>2,6</sup> ]heptane)	279-19-6	**	9.40 (V)	PE	3741
			**	$8.92 \pm 0.01$	EI	3535
	$C_7H_{10}$ (Tricyclo[4.1.0.0 <sup>2,7</sup> ]heptane)	287-13-8	**	8.72 (V)	PE	4400
			**	8.72 (V)	PE	5441
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer)	50745-92-1		$9.5 \pm 0.1$	PI	3918



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{11}^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	2825-82-3		$9.9 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (2-Methyl-exo-tricyclo[5.2.1.0 <sup>2,6</sup> ]decane)	XXXXX-XX-X		$\leq 10.2 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 $\alpha$ ,3 $\alpha\beta$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha\beta$ )-)	50745-90-9		$10.0 \pm 0.1$	PI	3918
	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-)	32787-97-6		$\leq 10.2 \pm 0.1$	PI	3918
$C_7H_{12}^+$	$C_5H_7(C_2H_5)$	694-35-9	**	$8.91 \pm 0.05$ (V)	PE	4954
	(Cyclopentene, 3-ethyl-)		**	$8.88 \pm 0.01$	PI	5556
	$C_5H_{11}C \equiv CH$	628-71-7	**	$10.044 \pm 0.005$	PE	4575
	$CH_2 = CHCH_2CH = C(CH_3)_2$	763-88-2	**	8.70 (V)	PE	4211
	$(CH_3)_2C = C = C(CH_3)_2$	1000-87-9	**	8.47 (V)	PE	4019
			**	8.53 (V)	PE	5362
	$(C_2H_5)_2C(CH_3)_2$	1112-35-2	**	9.55 (V)	PE	3994
	$C_4H_9C \equiv CCH_3$	1119-65-9	**	$9.326 \pm 0.005$	PE	4575
	$(CH_3)_2CH(CH_2)_2C \equiv CH$	2203-80-7	**	$10.015 \pm 0.005$	PE	4575
	$C_2H_5C \equiv CC_4H_7$	2586-89-2	**	$9.260 \pm 0.005$	PE	4575
	$CH_2 = CH(CH_2)_3CH = CH_2$	3070-53-9	**	$9.52 \pm 0.02$ (V)	PE	4010
	$(CH_3)_2CHCH_2C \equiv CCH_3$	53566-37-3	**	$9.320 \pm 0.005$	PE	4575
	( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> )C $\equiv$ CCH <sub>3</sub>	999-78-0	**	$9.276 \pm 0.010$	PE	4575
	$C_7H_{12}$ (Bicyclo[2.2.1]heptane)	279-23-2	**	10.15 (V)	PE	3509
			**	10.2 (V)	PE	3687
	$C_7H_{12}$ (Bicyclo[4.1.0]heptane)	286-08-8	**	9.46 (V)	PE	3849
	$C_7H_{12}$ (Cycloheptene(Z))	628-92-2	**	$9.05 \pm 0.15$	EI	5532
			**	9.12 (V)	PE	4285
	$C_6H_{10} = CH_2$ (Cyclohexane, methylene-)	1192-37-6	**	$9.12 \pm 0.02$ (V)	PE	4338
			**	9.13 (V)	PE	4249
			**	9.7	EI	5586
	$CH_3C_6H_9$ (Cyclohexene, 1-methyl-)	591-49-1	**	$8.67 \pm 0.02$	PI	5556
	$CH_3C_6H_9$ (Cyclohexene, 3-methyl-)	591-48-0	**	$8.89 \pm 0.01$	PI	5556
	$CH_3C_6H_9$ (Cyclohexene, 4-methyl-)	591-47-9	**	$8.91 \pm 0.01$	PI	5556
	$C_2H_5C_5H_7$ (Cyclopentene, 1-ethyl-) (Cyclopentene, 3-ethyl-)	2146-38-5	**	$8.53 \pm 0.01$	PI	5556
	$C_7H_{12}$ (Cyclopropene, tetramethyl)	26385-95-5	**	8.52 (V)	PE	5480
$C_7H_{13}^+$	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>cis</i> -)	2207-01-4	CH <sub>3</sub>	$10.55 \pm 0.05$	EI	3581
	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>trans</i> -)	6876-23-9	CH <sub>3</sub>	$10.73 \pm 0.05$	EI	3581
$C_7H_{14}^+$	<i>trans</i> -(CH <sub>3</sub> ) <sub>3</sub> CCH=CHCH <sub>2</sub>	690-08-4	**	$8.908 \pm 0.008$	PE	3957
	(CH <sub>3</sub> ) <sub>3</sub> CC(CH <sub>3</sub> )=CH <sub>2</sub>	594-56-9	**	$9.016 \pm 0.007$	PE	3957
	(CH <sub>3</sub> ) <sub>3</sub> CCH <sub>2</sub> CH=CH <sub>2</sub>	762-62-9	**	$9.399 \pm 0.003$	PE	3957
			**	9.6 (V)	PE	3940
	(CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> C(CH <sub>3</sub> )=CH <sub>2</sub>	2213-32-3	**	$9.025 \pm 0.005$	PE	3957
	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> C(CH <sub>3</sub> )=CH <sub>2</sub>	6094-02-6	**	$9.039 \pm 0.005$	PE	3957

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{11}^+$	$C_2H_2C(CH_3)=C(CH_3)_2$	10574-37-5	**	$8.213 \pm 0.005$	PE	3957
	1- $C_7H_{11}$	592-76-7	**	$9.27 \pm 0.02$	PE	4695
			**	$9.442 \pm 0.003$	PE	3957
	2- $C_7H_{11}$	592-77-8	**	$8.84 \pm 0.02$	PE	4695
	3- $C_7H_{11}$	592-78-9	**	$8.77 \pm 0.02$	PE	4695
	<i>cis</i> -( $CH_3$ ) <sub>3</sub> CCH=CHCH <sub>3</sub>	762-63-0	**	$8.922 \pm 0.008$	PE	3957
	<i>cis</i> -( $CH_3$ ) <sub>2</sub> CHCH <sub>2</sub> CH=CHCH <sub>3</sub>	13151-17-2	**	$8.917 \pm 0.005$	PE	3957
	<i>trans</i> -CH <sub>3</sub> CH <sub>2</sub> C(CH <sub>3</sub> )HCH=CHCH <sub>3</sub>	3683-22-5	**	$8.912 \pm 0.005$	PE	3957
	<i>trans</i> -( $CH_3$ ) <sub>2</sub> CHCH <sub>2</sub> CH=CHCH <sub>3</sub>	7385-82-2	**	$8.919 \pm 0.005$	PE	3957
	$C_7H_{14}$	291-64-5	**	9.97	PE	4319
	(Cycloheptane)		**	$9.88 \pm 0.05$	EI	4319
	CH <sub>3</sub> C <sub>6</sub> H <sub>11</sub> (Cyclohexane,methyl-)	108-87-2	**	$9.76 \pm 0.03$	PI	5556
$C_7H_{15}^+$	1- $C_7H_{15}$	3356-67-0	**	$7.90 \pm 0.06$	EI	4895
	2- $C_7H_{15}$	3474-30-4	**	$7.35 \pm 0.06$	EI	4895
	<i>n</i> - $C_4H_9C(CH_3)_2$	40626-78-6	**	6.79	EI	4895
$C_8H_2^+$	CH≡CC≡CC≡CC≡CH	XXXXX-XX-X	**	$9.09 \pm 0.02$	PE	4460
$C_8H_6^+$	$C_8H_6$	XXXXX-XX-X	**	$8.95 \pm 0.1$	EI	4714
	CH <sub>3</sub> C≡CC≡CC≡CCH <sub>3</sub>	1072-20-4	**	8.60	PE	4048
	$C_6H_3C \equiv CH$	536-74-3	**	8.75	PE	3938
	(Benzene, ethynyl-)		**	8.78 (V)	PE	4334
			**	8.78 (V)	PE	5259
			**	$8.82 \pm 0.02$ (V)	PE	5409
			**	$8.88 \pm 0.02$ (V)	PE	3854
	$C_8H_6$	4026-23-7	**	$7.87 \pm 0.02$ (V)	PE	4945
	(Bicyclo[4.2.0]octa-1,3,5,7-tetraene)					
$C_8H_8^+$	$C_6H_5CH=CH_2$	100-42-5	**	$8.40 \pm 0.02$	PE	3854
	(Benzene, ethenyl-)		**	8.42	PE	3938
			**	8.48 (V)	PE	4884
			**	8.49 (V)	PE	3964
			**	8.50 (V)	PE	4347
			**	8.55 (V)	PE	3781
			**	8.55 (V)	PE	5632
			**	$8.23 \pm 0.1$	EI	4714
			**	$8.28 \pm 0.04$	EI	4097
	$C_8H_8$	37846-63-2	**	8.50 (V)	PE	3933
	(Bicyclo[2.2.1]hepta-2,5-diene, 7-methylene-)					
	$C_8H_8$	694-87-1	**	$8.66 \pm 0.03$ (V)	PE	4828
	(Bicyclo[4.2.0]octa-1,3,5-triene)		**	8.66 (V)	PE	4063
	$C_4(=CH_2)_4$	3227-91-6	**	8.35	PE	4728
	(Cyclobutane, tetrakis(methylene)-)					
	$C_6H_4(=CH_2)_2$	502-86-3	**	$7.87 \pm 0.05$ (V)	PE	4510
	(1,4-Cyclohexadiene,3,6-bis(methylene)-)					
	$C_8H_8$	49852-40-6	**	8.9	PE	4180
	(1,5-Cyclooctadiyne)					
	$C_8H_8$	629-20-9	**	8.0	PE	3999
	(1,3,5,7-Cyclooctatetraene)					

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_8^+$	$C_8H_8$ (Pentacyclo[3.3.0.0 <sup>1,4</sup> .0 <sup>3,7</sup> .0 <sup>6,8</sup> ]octane)	20656-23-9	**	8.18	PE	4955
	$C_8H_8$ (Pentacyclo[4.2.0.0 <sup>2,5</sup> .0 <sup>3,8</sup> .0 <sup>1,7</sup> ]octane)	277-10-1	**	8.46	PE	4955
			**	8.4 ± <0.1	EI	3735
			**	9.6	PE	4726
	$C_8H_8$ (Tetracyclo[3.2.0.0 <sup>2,7</sup> .0 <sup>4,6</sup> ]heptane, 3-methylene-)	38898-42-9	**	8.48 (V)	PE	4142
	$C_8H_8$ (Tricyclo[3.2.1.0 <sup>2,8</sup> ]octa-2,6-diene)	XXXXX-XX-X	**	8.5 (V)	PE	4034
	$C_8H_8$ (Tricyclo[4.2.0.0 <sup>2,5</sup> ]octa-3,7-diene, <i>syn</i> -)	20380-30-7	**	9.08 (V)	PE	4045
			**	9.08 (V)	PE	4258
	$C_8H_8$ (Tricyclo[4.2.0.0 <sup>2,5</sup> ]octa-3,7-diene, <i>anti</i> -)	20380-31-8	**	8.90 (V)	PE	4258
			**	8.96 (V)	PE	4045
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-2-(2-phenylethyl)-)	34403-05-9		10.0 ± 0.2	EI	5230
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-3-(2-phenylethyl)-)	34403-06-0		10.1 ± 0.2	EI	5230
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-4-(2-phenylethyl)-)	14310-20-4		10.6 ± 0.5	EI	5230
	$C_6H_5CH_2CH_2CH_2C_6H_5$ (Benzene, 1,1'-(1,3-propanediyl)bis-)	1081-75-0		10.0 ± 0.2	EI	5230
	$C_6H_5CH_2CH_2C_7H_7$ (1,3,5-Cycloheptatriene, 7-(2-phenylethyl)-)	712-32-6		9.3 ± 0.2	EI	5230
	$C_{10}H_{11}OH$ (2-Naphthalenol, 1,2,3,4-tetrahydro-)	530-91-6	$C_2H_4O$	11.68 ± 0.04	EI	4960
	$C_6H_5CH_2CH_2OCOCH_3$ (Acetic acid, 2-phenylethyl ester)	103-45-7		8.90	EI	3590
$C_8H_9^+$	$C_6H_5(CH_3)_2$ (Benzene, 1-2-dimethyl-)	95-47-6	H	12.10 ± 0.2	EI	4199
	$C_6H_5(CH_3)_2$ (Benzene, 1,3-dimethyl-)	108-38-8	H	12.25 ± 0.2	EI	4199
	$C_6H_5(CH_3)_2$ (Benzene, 1,4-dimethyl-)	106-42-3	H	12.10 ± 0.2	EI	4199
	$C_6H_5C_2H_5$ (Benzene, ethyl-)	100-41-4	H	10.60	EI	5293
	$C_6H_5CH(CH_3)_2$ (Benzene, 1-methylethyl-)	98-82-8	$CH_3$	10.02	EI	5293
	$C_6H_5CH_2CH_2CH_3$ (Benzene, propyl-)	103-65-1	$CH_3$	9.98	EI	5293
	$C_6H_5C_4H_9$ (Benzene, butyl-)	104-51-8	$C_2H_5$	9.98	EI	5293
	$C_6H_5CH(CH_3)C_2H_5$ (Benzene, 1-methylpropyl)	135-98-8	$C_2H_5$	9.93	EI	5293
	$C_6H_5(CH_3)C_4H_9$ (Benzene, 1-butyl-3-methyl-)	1595-04-6		11.43 ± 0.1	EI	3629
	$C_6H_5(CH_3)C_4H_9$ (Benzene, 1-butyl-4-methyl-)	1595-05-7		11.03 ± 0.1	EI	3629
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-2-(2-phenylethyl)-)	34403-05-9		10.15 ± 0.1	EI	5230
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-3-(2-phenylethyl)-)	34403-06-0		10.35 ± 0.1	EI	5230
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-4-(2-phenylethyl)-)	14310-20-4		10.0 ± 0.1	EI	5230
	$C_6H_5CH_2CH_2CH_2C_6H_5$ (Benzene, 1,1'-(1,3-propanediyl)bis-)	1081-75-0		10.4 ± 0.2	EI	5230
	$C_6H_5CH_2CH_2C_7H_7$ (1,3,5-Cycloheptatriene, 7-(2-phenylethyl)-)	712-32-6		8.95 ± 0.05	EI	5230

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_9^+$	$CH_3C_6H_4CH_2N(CH_3)_2$ (Benzenemethanamine, N,N, <i>ar</i> -trimethyl-)	56927-89-0	$C_2H_6N$	10.92	PI	5543
	$C_6H_5(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methyl-, acetate)	33709-40-9		12.30	EI	3590
	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methyl-, acetate)	22532-47-4		11.80	EI	3590
$C_8H_{10}^+$	$C_7H_7(CH_3)$ (Tricyclo[4.1.0.0 <sup>2,7</sup> ]hept-3-ene, 1-methyl-)	61772-33-6	**	8.45 (V)	PE	5441
	$C_7H_7(CH_3)$ (Tricyclo[4.1.0.0 <sup>2,7</sup> ]hept-3-ene, 6-methyl-)	61772-31-4	**	8.64 (V)	PE	5441
	$(C_2H_5C\equiv C)_2$	16387-70-5	**	8.78	PE	4731
	<i>trans</i> -1,3,5,7- $C_8H_{10}$	3725-31-3	**	$7.79 \pm 0.02$	PE	4846
	$C_6H_4(CH_3)_2$ (Benzene, 1,2-dimethyl-)	95-47-6	**	$8.45 \pm 0.02$	PE	3854
			**	$8.57 \pm 0.03$ (V)	PE	4828
			**	8.57 (V)	PE	4063
			**	$8.75 \pm 0.03$ (V)	PE	3713
			**	$8.55 \pm 0.1$	EI	3788
			**	$8.85 \pm 0.05$	EI	4199
			**	8.61	CTS	3546
			**	8.70	CTS	4029
	$C_6H_4(CH_3)_2$ (Benzene, 1,3-dimethyl-)	108-38-3	**	$8.50 \pm 0.02$	PE	3854
			**	8.55 (V)	PE	4231
			**	$8.71 \pm 0.015$ (V)	PE	4107
			**	$8.75 \pm 0.03$ (V)	PE	3713
	$C_6H_4(CH_3)_2$ (Benzene, 1,3-dimethyl-)	108-38-8	**	$8.90 \pm 0.05$	EI	4199
	$C_6H_4(CH_3)_2$ (Benzene, 1,4-dimethyl-)	106-42-3	**	$8.37 \pm 0.02$	PE	3854
			**	8.43 (V)	PE	4231
			**	8.44	PE	5574
			**	$8.6 \pm 0.03$ (V)	PE	3713
			**	$8.80 \pm 0.05$	EI	4199
	$C_6H_5-C_2H_5$ (Benzene, ethyl-)	100-41-4	**	8.76	EI	5293
	$C_8H_{10}$ (Bicyclo[2.2.1]hept-2-ene, 5-methylene-)	694-91-7	**	8.93 (V)	PE	3824
			**	9.01 (V)	PE	4249
	$C_8H_{10}$ (Bicyclo[4.1.1]octa-2,4-diene)	61885-53-8	**	8.11 (V)	PE	4723
	$C_6H_6(=CH_2)_2$ (Cyclohexene, 4,5-bis(methylene)-)	54290-41-4	**	9.00 (V)	PE	4249
	$CH\equiv CC_6H_5$ (Cyclohexene, 1-ethynyl-)	931-49-7	**	$8.61 \pm 0.01$	PE	5407
	$C_8H_{10}$ (1,3,5-Cyclooctatriene)	1871-52-9	**	7.9	PE	3999
	$C_8H_{10}$ (1,3,6-Cyclooctatriene)	3725-30-2	**	8.5	PE	3999
	$C_8H_{10}$ (1-Cycloocten-5-yne)	68177-00-4	**	8.90	PE	5053
	$C_7H_4=C(CH_3)_2$ (1,3-Cyclopentadiene, 5-(1-methylethylidene)-)	2175-91-9	**	8.03 (V)	PE	4357
	$C_8H_{10}$ (Dicyclopropa[ <i>cd,gh</i> ]pentalene, octahydro-)	765-72-0	**	$9.12 \pm 0.02$ (V)	PE	4338
	$C_8H_{10}$ (Spiro[2.5]octa-4,6-diene)	53143-64-9	**	7.89 (V)	PE	5359
	$C_8H_{10}$ (Spiro[3.4]octa-5,7-diene)	15439-15-3	**	8.20	PE	4268



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{10}^+$	$C_8H_{10}$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]oct-6-ene, (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ )-)	3635-94-7	**	9.05 (V)	PE	3509
	$C_8H_{10}$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]oct-6-ene, (1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ )-)	3635-95-8	**	8.90 (V)	PE	3509
	$C_8H_{10}$ (Tricyclo[3.2.1.0 <sup>2,8</sup> ]oct-6-ene)	XXXXX-XX-X	**	8.5 (V)	PE	4034
	$C_8H_{10}$ (Tricyclo[3.3.0.0 <sup>2,6</sup> ]octene)	53754-35-1	**	8.63 (V)	PE	4259
	$C_8H_{10}$ (Tricyclo[4.2.0.0 <sup>2,5</sup> ]oct-3-ene, (1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ )-)	39781-76-5	**	9.25 (V)	PE	4045
	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-3-methyl-)	1595-04-6	$CH_2=CHCH_3$	$10.33 \pm 0.1$	EI	3629
	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-4-methyl-)	1595-05-7	$CH_2=CHCH_3$	$10.14 \pm 0.1$	EI	3629
	$CH_3C_6H_4CH_2N(CH_3)_2$ (Benzenemethanamine,N,N, <i>ar</i> -trimethyl-)	56927-89-0	$C_2H_5N$	9.6	PI	5543
	$(C_6H_4(CH_3)_2(CO)_3)Cr$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,2-dimethylbenzene]-)	12129-29-2		$8.51 \pm 0.1$	EI	3788
$C_8H_{11}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-)	32787-97-6		$9.9 \pm 0.1$	PI	3918
$C_8H_{12}^+$	$((CH_3)_2C=C)_2$	2431-31-4	**	7.70	PE	5034
	$(C_2H_5)_2C=CHC\equiv CH$	2750-71-2	**	$8.54 \pm 0.01$	PE	5407
	$CH_3CH=CHCH=CHCH=CHCH_3$ -E,E,E	15192-80-0		7.95 (V)	PE	4380
	$(CH_3)_2C=CHCH=CHCH=CH_2$ -E,E	16895-46-8		7.88 (V)	PE	4380
	$C_3H_7C\equiv CC(CH_3)=CH_2$	17669-40-8	**	$8.62 \pm 0.01$	PE	5407
	$C_4H_9C\equiv CCH=CH_2$	17679-92-4	**	$8.83 \pm 0.01$	PE	5407
	$CH_3CH=C(CH_3)CH=CHCH=CH_2$ -E,E	58434-77-8		8.01 (V)	PE	4380
	<i>cis</i> - $CH\equiv CCH=CH(CH_2)_3CH_3$	42091-89-4	**	$8.91 \pm 0.01$	PE	5407
	<i>cis</i> - $CH_3C\equiv CC(C_2H_5)=CHCH_3$	70058-02-5	**	$8.28 \pm 0.01$	PE	5407
	<i>trans</i> - $CH\equiv CCH=CH(CH_2)_3CH_3$	42104-42-7	**	$8.87 \pm 0.01$	PE	5407
	<i>trans</i> - $CH_3C\equiv CC(C_2H_5)=CHCH_3$	70058-03-6	**	$8.23 \pm 0.01$	PE	5407
	$C_8H_{12}$	497-35-8	**	9.02 (V)	PE	3824
	(Bicyclo[2.2.1]heptane, 2-methylene-)		**			
	$C_8H_{12}$	31463-35-1	**	9.04 (V)	PE	4249
	(Bicyclo[2.2.1]heptane, 7-methylene-)		**	9.40 (V)	PE	3933
	$C_8H_{12}$	931-64-6	**	9.03 (V)	PE	4285
	(Bicyclo[2.2.2]oct-2-ene)		**			
			**	$9.05 \pm 0.02$ (V)	PE	4842
			**	9.07 (V)	PE	4249
	$C_8H_{12}$	61885-54-9	**	8.90 (V)	PE	4723
	(Bicyclo[4.1.1]oct-3-ene)					
	$C_4H_3(CH_3)_2C\equiv CH$	66438-88-8	**	9.78 (V)	PE	5607
	(Cyclobutane,3-ethynyl-1,1-dimethyl)					
	$C_6H_8(=CH_2)_2$	2819-48-9	**	8.90	PE	5265
	(Cyclohexane,1,2-bis(methylene)-)		**			
			**	8.92 (V)	PE	4249
	$C_6H_{10}=C=CH_2$	5664-20-0	**	8.69	PE	5625
	(Cyclohexane,ethenylidene-)					
	$C_6H_{11}C\equiv CH$	931-48-6	**	9.92 (V)	PE	3997
	(Cyclohexane, ethynyl-)					
	$C_8H_{12}$	5259-71-2	**	8.7 (V)	PE	5372
	(1,5-Cyclooctadiene-(E,Z)-)					
	$C_8H_{12}$	1700-10-3	**	8.4	PE	3999
	(1,3-Cyclooctadiene)					
	$C_8H_{12}$	1073-07-0	**	8.5	PE	3999
	(1,4-Cyclooctadiene)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{12}^+$	$C_8H_{12}$ (1,5-Cyclooctadiene)	111-78-4	**	8.9	PE	3999
	$C_8H_{12}$ (Cyclooctyne)	1781-78-8	**	8.9	PE	4180
	$CH_2=CHCH_2C_5H_7$ (Cyclopentene, 1-(2-propenyl)-)	37689-19-3	**	9.10 (V)	PE	4362
	$CH_2=CHCH_2C_5H_7$ (Cyclopentene, 3-(2-propenyl)-)	14564-97-7	**	$8.89 \pm 0.02$	PI	5556
	$C_3H_3CH_3(CH=C=CHCH_3)$ (Cyclopropane, 1-(1,2-butadienyl)-2-methyl- <i>cis</i> -)	60166-71-4	**	8.96	PE	4608
	$C_3H_3CH=CHC_3H_5$ (Cyclopropane, 1,1'-(1,2-ethenediyl)bis- ( <i>E</i> ))	10359-44-1	**	7.72	PI	3759
	$C_3H_3CH=CHC_3H_5$ (Cyclopropane, 1,1'-(1,2-ethenediyl)bis- ( <i>Z</i> ))	23510-65-6	**	7.70	PI	3759
	$(C_3H_5)_2C=CH_2$ (Cyclopropane, 1,1'-ethenylidenebis-)	822-93-5	**	8.08	PI	3759
	$C_3H_3CH=C=C(CH_3)_2$ (Cyclopropane, (3-methyl-1,2-butadienyl)-)	60166-72-5	**	8.87	PE	4608
	$C_8H_{12}$ (Cyclopropane, 1-methyl-1-(1-methyl-1,2-propadienyl)-)	60166-69-0	**	8.81	PE	4608
	$C_8H_{12}$ (Dispiro[2.0.2.2]octane)	21426-37-9	**	9.02 (V)	PE	5361
	$C_8H_{12}$ (Dispiro[2.1.2.1]octane)	25399-32-0	**	9.21 (V)	PE	5361
	$C_8H_{12}$ (Spiro[2.5]oct-4-ene)	7647-57-6	**	8.44 (V)	PE	5359
	$C_8H_{12}$ (Spiro[3.4]oct-5-ene)	14783-50-7	**	8.65	PE	4268
	$C_7H_9CH_3$ (Tricyclo[4.1.0.0 <sup>2,7</sup> ]heptane, 1-methyl-)	32348-63-3	**	8.89 (V)	PE	4347
	$C_7H_9CH_3$ (Tricyclo[4.1.0.0 <sup>2,7</sup> ]heptane, 2-methyl-)	40391-49-9	**	8.20 (V)	PE	5441
	$C_8H_{12}$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octane, (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ )-)	22389-16-8	**	9.40 (V)	PE	3509
	$C_8H_{12}$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octane, (1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ )-)	13377-46-3	**	$8.8 \pm 0.1$	EI	3492
	$C_8H_{12}$ (Tricyclo[3.3.0.0 <sup>2,6</sup> ]octane)	250-21-5	**	9.40 (V)	PE	3509
	$C_8H_{12}$ (Tricyclo[3.3.0.0 <sup>2,6</sup> ]octane)	250-21-5	**	$9.1 \pm 0.1$	EI	3492
	$C_8H_{12}$ (Tricyclo[4.2.0.0 <sup>2,5</sup> ]octane, <i>syn</i> -)	28636-10-4	**	9.78 (V)	PE	4259
	$C_8H_{12}$ (Tricyclo[4.2.0.0 <sup>2,5</sup> ]octane, <i>anti</i> -)	13027-75-3	**	9.18 (V)	PE	4045
	$C_8H_{12}$ (Tricyclo[5.1.0.0 <sup>2,4</sup> ]octane, (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ )-)	50695-42-6	**	9.23 (V)	PE	4045
	$C_8H_{12}$ (Tricyclo[5.1.0.0 <sup>2,4</sup> ]octane, (1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,7 $\alpha$ )-)	50895-58-4	**	8.95 (V)	PE	3849
	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	2825-82-3	**	9.39 (V)	PE	3849
	$C_{10}H_{15}CH_3$ XXXXX-XX-X	XXXXX-XX-X	**	$10.5 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	XXXXX-XX-X	**	$10.0 \pm 0.1$	PI	3918
$C_8H_{13}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl, (2 $\alpha$ ,3 $\alpha\beta$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha\beta$ )-)	50745-90-9	**	$10.1 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer)	50745-92-1	**	$9.5 \pm 0.1$	PI	3918

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{14}^+$	$C_5H_7((CH_2)_2CH_3)$ (Cyclopentene, 3-(1-methylethyl)-)	4276-45-3	**	$8.85 \pm 0.05$ (V)	PE	4954
			**	$8.81 \pm 0.02$	PI	5556
	$(tert-C_4H_9)CH_2C \equiv CH_3$	56617-18-6	**	$9.284 \pm 0.007$	PE	4575
	$(CH_3)_2C = CHCH = C(CH_3)_2$	764-13-6	**	7.65	PE	3847
	$(CH_3)_2CHC \equiv CCH(CH_3)_2$	927-99-1	**	$9.171 \pm 0.008$	PE	4575
	$C_3H_7C \equiv CC_3H_7$	1942-45-6	**	$9.196 \pm 0.005$	PE	4575
			**	$9.20 \pm 0.02$	PI	5583
	$C_5H_{11}C \equiv CCH_3$	2809-67-8	**	$9.302 \pm 0.005$	PE	4575
			**	$9.31 \pm 0.02$	PI	5583
	$CH_2 = CH(CH_3)_4CH = CH_2$	3710-30-3	**	$9.52 \pm 0.02$ (V)	PE	4010
	$C_2H_5C \equiv CC_4H_9$	15232-76-5	**	$9.222 \pm 0.005$	PE	4575
			**	$9.22 \pm 0.02$	PI	5583
	$1-C_8H_{14}$	629-05-0	**	$9.95 \pm 0.02$	PI	5583
	$(tert-C_4H_9)C \equiv CC_2H_5$	4911-60-8	**	$9.180 \pm 0.010$	PE	4575
	$C_8H_{14}$	280-33-1	**	9.43	S	3757
	(Bicyclo[2.2.2]octane)		**	$9.45 \pm 0.02$	PE	3757
	$C_8H_{14}$	7078-34-4	**	10.0 (V)	PE	4723
	(Bicyclo[4.1.1]octane)		**	9.40 (V)	PE	4347
	$C_3H_7(CH_3)_2CH = CH_2$ (Cyclobutane, 3-ethenyl-1,1-dimethyl-)	52708-22-2	**	9.40 (V)	PE	5607
			**	9.51	PE	4347
	$C_6H_{11}CH = CH_2$ (Cyclohexane, ethenyl-)	695-12-5	**	9.40 (V)	PE	4347
	$C_2H_5C_6H_9$ (Cyclohexene, 1-ethyl-)	1453-24-3	**	$8.48 \pm 0.01$	PI	5556
	$C_2H_5C_6H_9$ (Cyclohexene, 3-ethyl-)	2808-71-1	**	$8.83 \pm 0.01$	PI	5556
	$C_2H_5C_6H_9$ (Cyclohexene, 4-ethyl-)	3742-42-5	**	$8.88 \pm 0.01$	PI	5556
	$C_8H_{14}$	931-88-4	**	8.8	PE	3999
	(Cyclooctene)		**	9.02 (V)	PE	4285
	$n-C_8H_7C_5H_7$ (Cyclopentene, 1-propyl)	3074-61-1	**	$8.48 \pm 0.01$	PI	5556
	$n-C_8H_7C_5H_7$ (Cyclopentene, 3-propyl-)	34067-75-9	**	$8.84 \pm 0.02$	PI	5556
	$C_8H_{14}$	185-65-9	**	9.46 (V)	PE	5359
	(Spiro[2.5]octane)		**	9.45	PE	4268
	$C_8H_{14}$	175-56-4	**	9.45	PE	4268
	(Spiro[3.4]octane)		**	9.45	PE	4268
$C_8H_{16}^+$	$(CH_3)_3CCH_2C(CH_3) = CH_2$	107-39-1	**	$8.909 \pm 0.005$	PE	3957
	$(CH_3)_2CHC(CH_3) = C(CH_3)_2$	565-77-5	**	$8.165 \pm 0.005$	PE	3957
	$C_2H_5CH_2C(CH_3) = C(CH_3)_2$	7145-20-2	**	$8.186 \pm 0.005$	PE	3957
	$(C_2H_5)_2C = CHC_2H_5$	16789-51-8	**	$8.480 \pm 0.004$	PE	3957
	$(C_2H_5)_2C = C(CH_3)_2$	19780-67-7	**	$8.170 \pm 0.003$	PE	3957
	$1-C_8H_{16}$	111-66-0	**	$9.427 \pm 0.006$	PI	5584
			**	$9.60 \pm 0.01$ (V)	PE	4939
	$cis-(CH_3)_2CHCH = CHCH(CH_3)_2$	10557-44-5	**	$8.846 \pm 0.005$	PE	3957
	$cis-C_2H_5C(CH_3) = C(CH_3)C_2H_5$	19550-87-9	**	$8.172 \pm 0.003$	PE	3957
	$cis-2-C_8H_{16}$	7642-04-8	**	$8.913 \pm 0.009$	PI	5584
			**	$9.10 \pm 0.01$ (V)	PE	4939
	$cis-3-C_8H_{16}$	14850-22-7	**	$8.859 \pm 0.008$	PI	5584
			**	$8.849 \pm 0.005$	PE	3957
			**	$9.05 \pm 0.01$ (V)	PE	4939
	$cis-4-C_8H_{16}$	7642-15-1	**	$8.836 \pm 0.006$	PI	5584
			**	$8.841 \pm 0.005$	PE	3957
			**	$9.03 \pm 0.01$ (V)	PE	4939

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>16</sub><sup>+</sup></b>	<i>trans</i> -(CH <sub>3</sub> ) <sub>2</sub> CHCH=CHCH(CH <sub>3</sub> ) <sub>2</sub>	692-70-6	**	8.838±0.005	PE	3957
	<i>trans</i> -C <sub>2</sub> H <sub>5</sub> C(CH <sub>3</sub> )=C(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub>	19550-88-0	**	8.156±0.003	PE	3957
	<i>trans</i> -2-C <sub>8</sub> H <sub>16</sub>	13389-42-9	**	8.913±0.006	PI	5584
			**	9.09±0.01 (V)	PE	4939
	<i>trans</i> -3-C <sub>8</sub> H <sub>16</sub>	14919-01-8	**	8.854±0.006	PI	5584
			**	9.03±0.01 (V)	PE	4939
	<i>trans</i> -4-C <sub>8</sub> H <sub>16</sub>	14850-23-8	**	8.836±0.006	PI	5584
			**	8.830±0.005	PE	3957
			**	9.01±0.01 (V)	PE	4939
	C <sub>6</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub> (Cyclohexane, 1,2-dimethyl-, <i>cis</i> -)	2207-01-4	**	9.90±0.07	EI	3581
	C <sub>6</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub> (Cyclohexane, 1,2-dimethyl-, <i>trans</i> -)	6876-23-9	**	10.03±0.05	EI	3581
	C <sub>2</sub> H <sub>5</sub> C <sub>6</sub> H <sub>11</sub> (Cyclohexane, ethyl-)	1678-91-7	**	9.67±0.02	PI	5556
	C <sub>8</sub> H <sub>16</sub> (Cyclooctane)	292-64-8	**	9.7	PE	3999
			**	9.80	PE	4319
			**	10.08±0.05	EI	4319
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> C <sub>5</sub> H <sub>9</sub> (Cyclopentane, propyl-)	2040-96-2	**	10.00±0.04	PI	5556
<b>C<sub>6</sub>H<sub>7</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> C≡CCH <sub>3</sub> (Benzene, 1-propynyl-)	673-32-5		11.42±0.05	EI	4044
	C <sub>6</sub> H <sub>8</sub> (1 <i>H</i> -Indene)	95-13-6	H	12.62±0.05	EI	4044
	C <sub>6</sub> H <sub>8</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-)	31158-25-5		13.6±0.4	EI	4018
	C <sub>6</sub> H <sub>10</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Benzene, 1,1'-cyclohexylidenebis-)	21113-55-3		13.3±0.4	EI	4018
	C <sub>6</sub> H <sub>9</sub> (CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Benzene, 1,1'-(4-methylcyclohexylidene)bis-)	32812-65-0		13.7±0.4	EI	4018
	C <sub>10</sub> H <sub>13</sub> (CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-)	50592-50-2		13.2±0.4	EI	4018
	C <sub>6</sub> H <sub>5</sub> C≡CCH=CHCH <sub>2</sub> OH (2-Penten-4-yn-1-ol, 5-phenyl-, ( <i>E</i> )-)	40317-08-6		11.43±0.05	EI	4044
	C <sub>6</sub> H <sub>8</sub> (=O)(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Cyclohexanone, 2,2-diphenyl-)	22612-62-0		14.1±0.4	EI	4018
	C <sub>6</sub> H <sub>8</sub> (=O)(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Cyclohexanone, 4,4-diphenyl-)	4528-68-1		13.5±0.4	EI	4018
	C <sub>6</sub> H <sub>7</sub> (=O)(CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Cyclohexanone, 2-methyl-5,5-diphenyl-)	50592-49-9		13.5±0.4	EI	4018
	C <sub>6</sub> H <sub>7</sub> (=O)(CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Cyclohexanone, 6-methyl-2,2-diphenyl-)	50592-52-4		13.7±0.4	EI	4018
	C <sub>6</sub> H <sub>8</sub> (OH)(CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Cyclohexanol, 1-methyl-4,4-diphenyl-)	50592-47-7		13.7±0.4	EI	4018
	C <sub>6</sub> H <sub>6</sub> (=O)(CH <sub>3</sub> ) <sub>2</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-)	50592-53-5		13.8±0.4	EI	4018
	C <sub>10</sub> H <sub>11</sub> (=O)(CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (2(3 <i>H</i> )-Naphthalenone, 4,4a,5,6,7,8-hexahydro-4a-methyl-7,7-diphenyl-)	50786-03-3		13.0±0.4	EI	4018
	C <sub>6</sub> H <sub>8</sub> (=O)(CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CHO (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-)	XXXXX-XX-X		13.4±0.4	EI	4018
	C <sub>6</sub> H <sub>6</sub> (=O)(CH <sub>3</sub> )(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> COCH <sub>3</sub> 4018	50592-55-7		14.2±0.4	EI	4018
	(Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-)					
	C <sub>6</sub> H <sub>6</sub> (=O)(C <sub>6</sub> H <sub>5</sub> )=CHS(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-)	50592-51-3		13.7±0.4	EI	4018
	C <sub>6</sub> H <sub>6</sub> (=O)CH <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> CH <sub>2</sub> CH=C(CH <sub>3</sub> )Cl (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-)	50592-54-6	Cl	13.7±0.4	EI	4018



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_8^+$	$C_6H_5(CH)_2C\equiv CH$ (Benzene, 1-ethynyl-2-methyl-)	766-47-2	**	$8.61 \pm 0.02$ (V)	PE	5409
	$C_6H_5(CH)_3C\equiv CH$ (Benzene, 1-ethynyl-3-methyl-)	766-82-5	**	$8.63 \pm 0.02$ (V)	PE	5409
	$C_6H_5(CH)_4C\equiv CH$ (Benzene, 1-ethynyl-4-methyl-)	766-97-2	**	8.43 (V)	PE	4334
	$C_6H_5CH=CH=CH_2$ (Benzene, 1,2-propadienyl-)	2327-99-3	**	$8.48 \pm 0.02$ (V)	PE	5409
	$C_6H_5C\equiv CCH_3$ (Benzene, 1-propynyl-)	673-32-5	**	$8.41 \pm 0.02$ (V)	PE	5409
		.	**	8.49 (V)	PE	4334
	$C_6H_5C_6H_5$ (1H-Indene)	95-13-6	**	$8.15 \pm 0.015$ (V)	PE	5522
	$C_9H_8$ (Spiro[4.4]nona-1,3,6,8-tetraene)	14867-83-5	**	$8.33 \pm 0.01$	EI	3805
			**	7.99 (V)	PE	4049
			**	7.99 (V)	PE	4189
$C_9H_9^+$	$CH\equiv C(CH=CH)_3CH_3$	1743-34-6	H	$10.7 \pm 0.1$	EI	4336
	$C_6H_5C_3H_5$ (Benzene, cyclopropyl-)	873-49-4	H	$11.4 \pm 0.1$	EI	4336
	$C_6H_5(CH_2)_3CH=CH_2$ (Benzene, 1-ethenyl-4-methyl-)	622-97-9	H	$11.8 \pm 0.1$	EI	4336
	$C_6H_5C(CH_3)=CH_2$ (Benzene, (1-methylethenyl)-)	98-83-9	H	$11.8 \pm 0.1$	EI	4336
	$C_6H_5CH=CHCH_3$ (Benzene, 1-propenyl-)	637-50-3	H	$11.8 \pm 0.1$	EI	4336
	$C_6H_5CH_2CH=CH_2$ (Benzene, 2-propenyl-)	300-57-2	H	$11.6 \pm 0.1$	EI	4336
	$C_9H_{10}$ (1H-Indene, 2,3-dihydro-)	496-11-7	H	$12.1 \pm 0.1$	EI	4336
$C_9H_{10}^+$	$CH\equiv C(CH=CH)_3CH_3$	1743-34-6	**	$7.2 \pm 0.1$	EI	4336
	$C_6H_5C_3H_5$ (Benzene, cyclopropyl-)	873-49-4	**	8.61 (V)	PE	4927
			**	8.66 (V)	PE	4815
			**	8.71 (V)	PE	4347
			**	$8.3 \pm 0.1$	EI	4336
	$C_6H_5(CH_2)_3CH=CH_2$ (Benzene, 1-ethenyl-2-methyl-)	611-15-4	**	$8.20 \pm 0.02$	PE	3854
	$C_6H_5(CH_2)_3CH=CH_2$ (Benzene, 1-ethenyl-3-methyl-)	100-80-1	**	8.53 (V)	PE	3964
	$C_6H_5(CH_2)_3CH=CH_2$ (Benzene, 1-ethenyl-3-methyl-)	100-80-1	**	$8.15 \pm 0.02$	PE	3854
	$C_6H_5(CH_2)_3CH=CH_2$ (Benzene, 1-ethenyl-4-methyl-)	622-97-9	**	8.37 (V)	PE	3964
	$C_6H_5(CH_2)_3CH=CH_2$ (Benzene, 1-ethenyl-4-methyl-)	622-97-9	**	8.20 (V)	PE	3964
	$C_6H_5C(CH_3)=CH_2$ (Benzene, (1-methylethenyl)-)	98-83-9	**	$8.1 \pm 0.1$	EI	4336
			**	8.52 (V)	PE	3964
			**	$8.18 \pm 0.04$	EI	4097
			**	8.3 $\pm$ 0.1	EI	4336
			**	$8.20 \pm 0.02$	PE	3854
	$C_6H_5CH=CHCH_3$ (Benzene, 1-propenyl-, (E)-)	873-66-5	**	8.32	PE	4289
			**	$7.84 \pm 0.04$	EI	4097
			**	8.45	PE	4289
	$C_6H_5CH=CHCH_3$ (Benzene, 1-propenyl-, (Z)-)	766-90-5	**			
	$C_6H_5CH=CHCH_3$ (Benzene, 1-propenyl-)	637-50-3	**	$8.5 \pm 0.1$	EI	4336

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{10}^+$	$C_6H_5C(CH_3)=CH_2$ (Benzene, 2-propenyl-)	300-57-2	**	$8.20 \pm 0.02$	PE	3854
			**	8.60	PE	3938
			**	9.16 (V)	PE	4211
			**	$7.8 \pm 0.1$	EI	4336
	$C_7H_6(=CH_2)_2$ (Bicyclo[2.2.1]hept-2-ene, 5,6-bis(methylene)-)	5628-77-3	**	8.48 (V)	PE	4249
	$C_9H_{10}$ (Bicyclo[3.2.2]nona-2,6,8-triene)	16216-91-4	**	8.72 (V)	PE	3991
	$C_9H_{10}$ (1H-Cyclobuta[cd]pentalene, 1a,3a,5a,5b-tetrahydro-)	58913-91-0	**	8.76	PE	4855
	$C_8H_8=CH_2$ (Dicyclopropa[cd,gh]pentalene, octahydro-1-methylene-)	3721-64-0	**	$8.43 \pm 0.02$ (V)	PE	4338
	$C_9H_{10}$ (1H-Indene, 2,3-dihydro-)	496-11-7	**	$8.45 \pm 0.02$ (V)	PE	3854
			**	8.46 (V)	PE	4063
			**	$8.6 \pm 0.1$	EI	4336
			**	$8.60 \pm 0.01$	EI	3805
			**	8.52	CTS	3546
			**	$8.46 \pm 0.03$ (V)	PE	4828
			**	8.50	PE	4952
	$C_9H_{10}$ (1,2-Methanodicyclopropa[cd,gh]pentalene, octahydro-)	13084-56-5	**	$9.06 \pm 0.02$ (V)	PE	4338
			**	$9.15 \pm 0.05$ (V)	PE	5335
	$C_9H_{10}$ (Pentacyclo[4.3.0.0 <sup>2,3</sup> .0 <sup>3,8</sup> .0 <sup>4,7</sup> ]nonane)	452-61-9	**	8.47	PE	4955
	$C_9H_{10}$ (Spiro[bicyclo[2.2.1]hepta-2,5-diene-7,1'-cyclopropane])	7092-57-1	**	8.73 (V)	PE	3780
	$C_9H_{10}$ (Spiro[4.4]nona-1,3,6-triene)	766-30-3	**	8.27 (V)	PE	4189
	$C_9H_{10}$ (Spiro[4.4]nona-1,3,7-triene)	24430-29-3	**	8.25 (V)	PE	4189
	$C_9H_{10}$ (Tricyclo[3.2.2.0 <sup>2,4</sup> ]nona-6,8-diene)	7092-05-9	**	8.65 (V)	PE	5605
	$C_9H_{10}$ (Tricyclo[3.3.1.0 <sup>2,8</sup> ]nona-3,6-diene)	14693-11-9	**	8.4 (V)	PE	4034
	$C_9H_{10}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nona-3,7-diene)	4932-71-2	**	8.7 (V)	PE	3853
	$C_9H_{10}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nona-3,7-diene, (1 $\alpha$ ,2 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-)	15564-45-1	**	$9.03 \pm 0.03$ (V)	PE	4281
	$C_9H_{10}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nona-3,7-diene, (1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ )-)	15564-44-0	**	$8.65 \pm 0.05$ (V)	PE	4040
	$C_8H_8(=CH_2)$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]oct-6-ene,8-methylene-)	XXXXX-XX-X	**	$8.85 \pm 0.05$ (V)	PE	5335
	$C_6H_5(CH_2)_3NH_2$ (Benzenepropanamine)	2038-57-5	NH <sub>4</sub>	$9.5 \pm 0.1$	EI	5374
	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methyl-, acetate)	33709-40-9		8.75	EI	3590
	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methyl-, acetate)	22532-47-4		8.50	EI	3590
$C_9H_{12}^+$	$C_6H_5(iso-C_3H_7)$ (Benzene, (1-methylethyl)-)	98-82-8	**	8.75 (V)	PE	4927
			**	8.72	EI	5293
			**	8.98 (V)	PE	4347
	$(C_2H_5)_3C$	20685-34-1	**	9.52 (V)	PE	3994
	$C_6H_5CH_2CH_2CH_3$ (Benzene, propyl-)	103-65-1	**	8.71	EI	5293
	$C_6H_5(CH_3)_3$ (Benzene, 1,2,3-trimethyl-)	526-73-8	**	$8.6 \pm 0.03$ (V)	PE	3713

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{12}^+$	$C_9H_3(CH_3)_3$ (Benzene, 1,2,4-trimethyl-)	95-63-6	**	$8.5 \pm 0.03$ (V)	PE	3713
	$C_9H_3(CH_3)_3$ (Benzene, 1,3,5-trimethyl-)	108-67-8	**	$8.45 \pm 0.05$ (V)	PE	4132
			**	$8.45 \pm 0.05$ (V)	PE	4724
			**	8.45 (V)	PE	5367
			**	$8.65 \pm 0.03$ (V)	PE	3713
			**	$8.21 \pm 0.1$	EI	3788
			**	8.46	CTS	4029
	$C_8H_8(=CH_2)_2$ (Bicyclo[2.2.1]heptane, 2,3-bis(methylene)-)	36439-78-8	**	8.41 (V)	PE	4249
	$C_9H_{12}$ (Bicyclo[3.2.2]nona-2,6-diene)	14993-07-8	**	8.84 (V)	PE	3991
	$C_9H_{12}$ (Bicyclo[3.2.2]nona-6,8-diene)	7164-08-1	**	9.00 (V)	PE	3991
	$C_9H_{12}$ (Bicyclo[4.2.1]nona-2,4-diene)	6572-82-3	**	8.23 (V)	PE	4688
	$C_9H_{10}=CH_2$ (Bicyclo[2.2.2]oct-2-ene, 5-methylene-)	19386-05-1	**	8.97 (V)	PE	4249
	$CH \equiv CCH = C_6H_{10}$ (Cyclohexane,2-propynylidene-)	2806-45-3	**	$8.49 \pm 0.01$	PE	5407
	$(C_3H_5)_2C = C = CH_2$ (Cyclopropane, 1,1'-(1,2-propadienylidene)bis-)	60166-70-3	**	8.62	PE	4608
	$C_9H_{12}$ (Spiro[4.4]nona-1,3-diene)	766-29-0	**	8.10 (V)	PE	4189
			**	8.14	PE	4268
	$C_9H_{12}$ (Tetracyclo[3.3.1.0 <sup>2,8</sup> .0 <sup>4,6</sup> ]nonane)	3105-29-1	**	8.67 (V)	PE	3741
	$C_9H_{12}$ (Tetracyclo[6.1.0.0 <sup>2,4</sup> .0 <sup>5,7</sup> ]nonane(1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,7 $\beta$ ,8 $\alpha$ )-)	37831-90-6	**	9.0 (V)	PE	5192
	$C_7H_6(CH_3)_2$ (Tricyclo[4.1.0.0 <sup>2,7</sup> ]hept-3-ene,1,3-dimethyl-)	66036-92-8	**	8.26 (V)	PE	5441
	$C_7H_6(CH_3)_2$ (Tricyclo[4.1.0.0 <sup>2,7</sup> ]hept-3-ene,1,6-dimethyl-)	61772-32-5	**	8.30 (V)	PE	5441
	$C_9H_{12}$ (Tricyclo[3.2.2.0 <sup>2,4</sup> ]non-6-ene)	7092-58-2	**	8.8 (V)	PE	5605
	$C_9H_{12}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]non-3-ene)	7078-40-2	**	9 (V)	PE	3853
	$C_9H_{12}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]non-3-ene, (1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ )-)	16529-76-3	**	$9.00 \pm 0.05$ (V)	PE	4040
	$C_9H_{12}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]non-7-ene)	6827-30-1	**	8.7 (V)	PE	3853
	$C_9H_{12}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]non-7-ene, (1 $\alpha$ ,2 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-)	16529-83-2	**	$8.92 \pm 0.03$ (V)	PE	4281
	$C_9H_{12}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]non-7-ene, <i>exo</i> -)	16529-82-1	**	$8.70 \pm 0.05$ (V)	PE	4040
	$C_9H_{12}$ (Tricyclo[6.1.0.0 <sup>2,4</sup> ]non-5-ene(1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ )-)	62211-27-2	**	8.90 (V)	PE	4964
	$C_9H_{12}$ (Tricyclo[6.1.0.0 <sup>2,4</sup> ]non-5-ene(1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,8 $\alpha$ )-)	62279-39-4	**	8.96 (V)	PE	4964
	$C_9H_{12}$ (Tricyclo[6.1.0.0 <sup>1,5</sup> ]non-6-ene(1 $\alpha$ ,3 $\alpha$ ,5 $\alpha$ ,8 $\alpha$ )-)	XXXXX-XX-X	**	9.0 (V)	PE	4964
	$C_9H_{12}$ (Tricyclo[6.1.0.0 <sup>1,5</sup> ]non-6-ene(1 $\alpha$ ,3 $\beta$ ,5 $\beta$ ,8 $\alpha$ )-)	62163-62-6	**	8.5 (V)	PE	4964
	$C_9H_{10}(=CH_2)$ (Tricyclo[3.2.1.0 <sup>2,1</sup> ]octane,8-methylene-)	38310-48-4	**	$9.10 \pm 0.05$ (V)	PE	5335
	$C_9H_{12}$ (Trispiro[2.0.2.0.2.0]nonane)	31561-59-8	**	9.12 (V)	PE	4963
	$(C_6H_5)_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12129-67-8		$8.61 \pm 0.1$	EI	3788

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{13}^+$	$C(CH_3)(CH_2)C_6H_8CH_3$ (Cyclohexene, 1-methyl-4-(1-methylethenyl)-)	138-86-3	$CH_3$	8.9	El	5200
	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	2825-82-3	$CH_3$	$9.8 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$	XXXXX-XX-X		$\leq 10.2 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 $\alpha$ ,3 $\alpha$ $\beta$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ $\beta$ )-)	50745-90-9		$10.1 \pm 0.1$	PI	3918
	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer)	50745-92-1		$9.5 \pm 0.1$	PI	3918
	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-)	32787-97-6		$9.9 \pm 0.1$	PI	3918
$C_9H_{14}^+$	$C_4H_9C \equiv CC(CH_3) = CH_2$	17603-76-8	**	$8.57 \pm 0.01$	PE	5407
	$CH_3C \equiv CCH = C(C_2H_5)_2$	70058-01-4	**	$8.12 \pm 0.01$	PE	5407
	$CH \equiv CC(iso-C_3H_7) = C(CH_3)_2$	61786-07-0	**	$8.26 \pm 0.01$	PE	5407
	<i>cis</i> - $CH_3C \equiv CCH = CHC_4H_9$	53497-78-2	**	$8.46 \pm 0.01$	PE	5407
	<i>trans</i> - $CH_3C \equiv CCH = CHC_4H_9$	53497-79-3	**	$8.46 \pm 0.01$	PE	5407
	$C_9H_{14}$ (Bicyclo[3.2.2]non-2-ene)	40319-81-1	**	8.84 (V)	PE	3991
	$C_9H_{14}$ (Bicyclo[3.2.2]non-6-ene)	7124-86-9	**	8.95 (V)	PE	3991
	$C_9H_{14}$ (Bicyclo[3.3.1]non-1-ene)	17530-61-9	**	8.35 (V)	PE	4569
	$C_8H_{12} = CH_2$ (Bicyclo[2.2.2]octane, 2-methylene-)	2972-20-5	**	8.87 (V)	PE	4249
	$CH_2 = CHCH_2C_6H_9$ (Cyclohexene, 1-(2-propenyl)-)	13511-13-2	**	$8.49 \pm 0.01$	PI	5556
	$CH_2 = CHCH_2C_6H_9$ (Cyclohexene, 3-(2-propenyl)-)	15232-95-8	**	$8.83 \pm 0.02$	PI	5556
	$C_9H_{14}$ (1,2-Cyclononadiene)	1123-11-1	**	8.87 (V)	PE	4019
	$C_3H_2(CH_3)_2 = C = C(CH_3)_2$ (Cyclopropane, 1,1-dimethyl-2-(2-methyl-1-propenylidene)-)	28438-32-6	**	7.65	PE	5625
	$C_3H_2(CH_3)_2 = C = C(CH_3)_2$ (Cyclopropane, 1,2-dimethyl-3-(2-methyl-1-propenylidene)- <i>cis</i> -)	37817-36-0	**	7.76	PE	5625
	$C_3H_2(CH_3)_2 = C = C(CH_3)_2$ (Cyclopropane, 1,2-dimethyl-3-(2-methyl-1-propenylidene)- <i>trans</i> -)	37817-46-2	**	7.70	PE	5625
	$C_4H_5C(C_2H_5) = C = CHCH_3$ (Cyclopropane, (1-ethyl-1,2-butadienyl)-)	60042-77-5	**	8.60	PE	4608
	$C_9H_{14}$ (Spiro[bicyclo[2.2.1]heptane-2,1'-cyclopropane])	173-89-7	**	9.45 (V)	PE	4433
	$C_9H_{14}$ (Spiro[4.4]non-1-ene)	873-12-1	**	8.73	PE	4268
			**	8.96 (V)	PE	4347
	$C_9H_{14}$ (Tricyclo[3.2.2.0 <sup>2,4</sup> ]nonane)	278-80-8	**	9.3 (V)	PE	5605
			**	9.50 (V)	PE	3849
	$C_9H_{14}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nonane, (1 $\alpha$ ,2 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-)	16526-28-6	**	$9.65 \pm 0.03$ (V)	PE	4281
	$C_9H_{14}$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nonane, <i>exo</i> -)	16526-27-5	**	$9.5 \pm 0.05$ (V)	PE	4040
	$C_6H_{10} = C = C = CHCH_3$ (Cyclohexane, 1-propenylidene-)	20023-43-2	**	8.41	PE	5625
$C_9H_{16}^+$	$C_3H_7C(CH_3)_2C \equiv CCH_3$	XXXXX-XX-X	**	$9.183 \pm 0.010$	PE	4575
	$(CH_3)_2CHC(CH_3)_2C \equiv CCH_3$	994-21-8	**	$9.154 \pm 0.010$	PE	4575
	$CH_2 = CH(CH_3)_5CH = CH_2$	4900-30-5	**	$9.51 \pm 0.02$ (V)	PE	4010
	$C_6H_{13}C \equiv CCH_3$	19447-29-1	**	$9.289 \pm 0.005$	PE	4575
			**	$9.32 \pm 0.02$	PI	5583



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>9</sub>H<sub>16</sub><sup>+</sup></b>	C <sub>3</sub> H <sub>11</sub> C≡CC <sub>2</sub> H <sub>5</sub>	20184-89-8	** **	9.202±0.005	PE	4575
	1-C <sub>9</sub> H <sub>16</sub>	3452-09-3	**	9.20±0.02	PI	5583
	4-C <sub>9</sub> H <sub>16</sub>	20184-91-2	**	9.93±0.02	PI	5583
	C <sub>7</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub>	2034-53-9	**	8.30	PE	3687
	(Bicyclo[2.2.1]heptane, 7,7-dimethyl-)					
	C <sub>9</sub> H <sub>16</sub>	283-19-2	**	9.6 (V)	PE	3991
	(Bicyclo[3.2.2]nonane)					
	C <sub>9</sub> H <sub>16</sub>	280-65-9	**	9.35	PE	4735
	(Bicyclo[3.3.1]nonane)					
	C <sub>9</sub> H <sub>16</sub>	286-60-2	**	9.4 (V)	PE	3509
	(Bicyclo[6.1.0]nonane)					
	C <sub>9</sub> H <sub>16</sub>	39124-79-3	**	9.36 (V)	PE	3849
	(Bicyclo[6.1.0]nonane, <i>trans</i> -)					
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> C <sub>6</sub> H <sub>9</sub>	2539-75-5	**	8.43±0.01	PI	5556
	(Cyclohexene, 1-propyl-)					
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> C <sub>6</sub> H <sub>9</sub>	3983-06-0	**	8.80±0.01	PI	5556
	(Cyclohexene, 3-propyl-)					
	C <sub>9</sub> H <sub>16</sub>	933-21-1	**	8.81±0.15	EI	5532
	(Cyclononene(Z))					
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> C <sub>5</sub> H <sub>7</sub>	2423-01-0	**	8.45±0.01	PI	5556
	(Cyclopentene, 1-butyl-)					
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> C <sub>5</sub> H <sub>7</sub>	22531-00-6	**	8.83±0.02	PI	5556
	(Cyclopentene, 3-butyl-)					
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> C <sub>5</sub> H <sub>7</sub>	53098-47-8	**	8.44±0.01	PI	5556
	(Cyclopentene, 1-(2-methylpropyl)-)					
<b>C<sub>9</sub>H<sub>18</sub><sup>+</sup></b>	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> C(CH <sub>3</sub> )=C(CH <sub>3</sub> ) <sub>2</sub>	3074-64-4	**	8.145±0.005	PE	3957
	C <sub>2</sub> H <sub>5</sub> CH <sub>2</sub> C(CH <sub>3</sub> )=C(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub>	3074-67-7	**	8.077±0.005	PE	3957
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> C=C(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub>	50787-13-8	**	8.128±0.005	PE	3957
	1-C <sub>9</sub> H <sub>18</sub>	124-11-8	**	9.42±0.01	PI	5584
	<i>cis</i> -2-C <sub>9</sub> H <sub>18</sub>	6434-77-1	**	8.90±0.01	PI	5584
	<i>cis</i> -3-C <sub>9</sub> H <sub>18</sub>	20237-46-1	**	8.84±0.01	PI	5584
			**	9.01±0.01 (V)	PE	4939
	<i>cis</i> -4-C <sub>9</sub> H <sub>18</sub>	10405-84-2	**	8.801±0.01	PI	5584
	<i>trans</i> -2-C <sub>9</sub> H <sub>18</sub>	6434-78-2	**	8.90±0.01	PI	5584
	<i>trans</i> -3-C <sub>9</sub> H <sub>18</sub>	20063-92-7	**	8.84±0.01	PI	5584
			**	9.01±0.01 (V)	PE	4939
	<i>trans</i> -4-C <sub>9</sub> H <sub>18</sub>	10405-85-3	**	8.809±0.01	PI	5584
	(CH <sub>3</sub> ) <sub>2</sub> CHC <sub>6</sub> H <sub>11</sub>	696-29-7	**	9.55±0.03	PI	5556
	(Cyclohexane, (1-methylethyl)-)					
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> C <sub>5</sub> H <sub>9</sub>	2040-95-1	**	9.95±0.03	PI	5556
	(Cyclopentane, butyl-)					
<b>C<sub>10</sub>H<sub>6</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (C≡CH) <sub>2</sub>	21792-52-9	**	8.69±0.02	PE	4374
	(Benzene, 1,2 diethynyl-)					
	C <sub>6</sub> H <sub>4</sub> (C≡CH) <sub>2</sub>	1785-61-1	**	8.82±0.02	PE	4374
	(Benzene, 1,3 diethynyl-)					
<b>C<sub>10</sub>H<sub>8</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (C≡CH) <sub>2</sub>	935-14-8	**	8.58±0.02	PE	4374
	(Benzene, 1,4 diethynyl-)					
	C <sub>10</sub> H <sub>8</sub>	275-51-4	**	7.42 (V)	PE	5397
	(Azulene)		**	7.43±0.04	PE	4196
			**	7.44±0.03 (V)	PE	4828
	C <sub>10</sub> H <sub>8</sub>	91-20-3	**	8.1	PI	3586
	(Naphthalene)		**	8.13	PE	3637

Table of Ion Energetics Measurements—Contigued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_8^+$	$C_{10}H_8$	91-20-3	**	8.15±0.02 (V)	PE	4913
			**	8.15	PE	3668
			**	8.15	PE	3638
			**	8.15	PE	4066
			**	8.15	PE	4515
			**	8.15 (V)	PE	3781
			**	8.15 (V)	PE	4701
			**	8.15 (V)	PE	5632
			**	8.18±0.03 (V)	PE	4828
			**	8.31±0.03 (V)	PE	4341
			**	8.25±0.01	EI	3588
			**	8.12	CTS	3922
$C_{10}H_8^{+2}$	$C_{10}H_8$ (Naphthalene)	91-20-3	**	22.8	OTH	5141
$C_{10}H_8^{+3}$	$C_{10}H_8$ (Naphthalene)	91-20-3	**	41.2±1.0	OTH	5141
$C_{10}H_{10}^+$	$C_6H_3CH=CHCH=CH_2$ (Benzene, 1,3-butadienyl-, (E)-)	16939-57-4	**	7.95	PE	3892
	$C_6H_3CH=C=CHCH_3$ (Benzene, 1,2-butadienyl-)	2327-98-2	**	8.15 (V)	PE	4493
	<i>cis</i> -( $C_6H_3$ )CH=CHCH=CH <sub>2</sub> (Benzene, 1,3-butadienyl-)	1515-78-2	**	8.39	PE	5202
	$C_6H_3C\equiv CC_2H_5$ (Benzene, 1-butynyl-)	622-76-4	**	8.33±0.02 (V)	PE	5409
	$C_6H_3C_3H_5$ (Benzene, 1-cyclobuten-1-yl-)	3365-26-2	**	8.22	PE	4347
	$C_6H_4(C_2H_3)_2$ (Benzene, 1,4-diethenyl-)	105-06-6	**	8.11 (V)	PE	5537
	$C_6H_4(CH_3)_2C\equiv CH$ (Benzene, 1-ethynyl-2,4-dimethyl-)	16017-30-4	**	8.31±0.02 (V)	PE	5409
	$CH_2=C(C_6H_5)CH=CH_2$ (Benzene, (1-methylene-2-propenyl)-)	2288-18-8	**	8.57	PE	3892
			**	8.60 (V)	PE	5537
	$C_6H_3C(CH_3)=C=CH_2$ (Benzene, 1-methyl-1,2-propadienyl-)	22433-39-2	**	8.07 (V)	PE	4493
	$C_6H_4(CH_3)C\equiv CCH_3$ (Benzene, 1-methyl-2-(1-propynyl)-)	57497-13-9	**	8.23±0.02 (V)	PE	5409
	$C_6H_4(CH_3)C\equiv CCH_3$ (Benzene, 1-methyl-3-(1-propynyl)-)	XXXXX-XX-X	**	8.26±0.02 (V)	PE	5409
	$C_6H_4(CH_3)C\equiv CCH_3$ (Benzene, 1-methyl-4-(1-propynyl)-)	2749-93-1	**	8.13±0.02 (V)	PE	5409
	$C_{10}H_8=CH_2$ (Bicyclo[4.2.1]nona-2,4,7-triene, 9-methylene-)	38898-39-4	**	8.25 (V)	PE	4094
	$C_8H_8(=CH_2)_2$ (Bicyclo[2.2.2]octa-2,5-diene, 7,8-bis(methylene)-)	51698-73-8	**	8.33±0.03 (V)	PE	4665
	$C_9H_8=CH_2$ (1H-Cyclobuta[cd]pentalene, 1a,3a,5a,5b-tetrahydro-1-methylene-)	64096-73-7	**	8.80	PE	4855
	$C_{10}H_{10}$ (Cyclopenta[cd]pentalene, 2a,4a,6a,6b-tetrahydro-)	6053-74-3	**	9.0 (V)	PE	4004
	$C_{10}H_{10}$ (Hexacyclo[4.4.0.0 <sup>2,4</sup> .0 <sup>3,9</sup> .0 <sup>5,7</sup> .0 <sup>8,10</sup> ]decane)	XXXXX-XX-X	**	8.5 (V)	PE	5192
	$C_9H_8(=CH_2)$ (1H-Indene, 2,3-dihydro-1-methylene-)	1194-56-5	**	8.00±0.02	PE	3854
	$C_9H_8(=CH_2)$ (1,2-Methanodicyclopropa[cd,gh]pentalene, octahydro-3-methylene-)	64630-96-2	**	9.00±0.05 (V)	PE	5335

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{10}^+$	$C_8H_8(=CH_2)$	64630-96-2	**	9.00 (V)	PE	5447
	$C_{10}H_{10}$ (1,2,3-Metheno-1 <i>H</i> -cycloprop[ <i>cd</i> ]indene, 2,2a,2b,3,5a,5b-hexahydro-)	26934-61-2	**	8.80 ± 0.2 (V)	PE	4338
	$C_{10}H_{10}$ (1,2,3-Metheno-1 <i>H</i> -dicycloprop[ <i>cd,hi</i> ]indene, octahydro-)	33840-23-2	**	8.50 (V)	PE	3849
	$C_{10}H_{10}$ (Pentacyclo[4.4.0.0 <sup>2,5</sup> .0 <sup>3,8</sup> .0 <sup>1,7</sup> ]dec-9-ene)	5603-34-9	**	8.34 ± 0.05	PE	4449
	$C_9H_8(=CH_2)$ (Pentacyclo[4.3.0.0 <sup>2,4</sup> .0 <sup>3,8</sup> .0 <sup>5,7</sup> ]nonane, 9-methylene-)	XXXXX-XX-X	**	9.15 ± 0.05 (V)	PE	5335
	$C_{10}H_{10}$ (Tetracyclo[5.3.0.0 <sup>2,6</sup> .0 <sup>3,10</sup> ]deca-4,8-diene)	34324-40-8	**	8.44 (V)	PE	5578
	$C_{10}H_{10}$ (Tricyclo[6.2.0.0 <sup>2,7</sup> ]deca-1,5,7-triene)	58436-35-4	**	8.18	PE	4952
	$C_{10}H_{10}$ (Tricyclo[6.2.0.0 <sup>3,6</sup> ]deca-1(8)2,6-triene)	1610-51-1	**	8.17	PE	4952
	$C_{10}H_9OH$ (1-Naphthalenol, 1,2,3,4-tetrahydro-)	529-33-9	H <sub>2</sub> O	8.87 ± 0.07	EI	4960
	$C_{10}H_9OH$ (2-Naphthalenol, 1,2,3,4-tetrahydro-)	530-91-6	H <sub>2</sub> O	9.15 ± 0.02	EI	4960
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Fe (Ferrocene)	102-54-5	Fe	13.96 ± 0.10	EI	3628
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Ni (Nickelocene)	1271-28-9	Ni	13.3 ± 0.5	EI	3628
$C_{10}H_{12}^+$	$C_6H_5C_3H_7(CH_3)$ (Benzene, (1-methylcyclopropyl)-)	2214-14-4	**	8.73 (V)	PE	4815
	$C_6H_5C_4H_7$ (Benzene, cyclobutyl-)	4392-30-7	**	8.77 (V)	PE	4347
	$C_6H_5(CH_3)_2CH=CH_2$ (Benzene, 1-ethenyl-2,4-dimethyl-)	2234-20-0	**	8.22 (V)	PE	3964
	$C_6H_5(CH_3)_2CH=CH_2$ (Benzene, 2-ethenyl-1,3-dimethyl-)	2039-90-9	**	8.10 ± 0.02	PE	3854
	$C_6H_5(CH_3)_2CH=CH_2$ (Benzene, 2-ethenyl-1,4-dimethyl-)	2039-89-6	**	8.48 (V)	PE	3964
	$C_6H_5CH=C(CH_3)_2$ (Benzene, (2-methyl-1-propenyl)-)	768-49-0	**	8.00 ± 0.02	PE	3854
	$C_7H_6=C(CH_3)_2$ (Bicyclo[2.2.1]hepta-2,5-diene, 7-(1-methylethylidene)-)	36456-22-1	**	7.78 ± 0.04	EI	4097
	$C_8H_8(=CH_2)_2$ (Bicyclo[2.2.2]oct-2-ene, 5,6-bis(methylene)-)	36528-62-8	**	8.33 ± 0.03 (V)	PE	4665
	$C_{10}H_{12}$ (Bicyclo[3.2.1]oct-6-ene, 2,4-bis(methylene)-)	72569-84-7	**	8.33 (V)	PE	4249
	$C_{10}H_{12}$ (Cyclodecatetraene)	3451-55-6	**	8.98 (V)	PE	5325
	$C_6H_5(CH_3)_2(=CH_2)_2$ (1,4-Cyclohexadiene, 1,4-dimethyl-3,6-bis(methylene)-)	63238-49-3	**	~9.0 (V)	PE	5314
	$C_{10}H_{12}$ (Cyclopenta[ <i>cd</i> ]pentalene, 1,2,2a,4a,6a,6b-hexahydro-)	31678-74-7	**	8.55 (V)	PE	5392
	$C_{10}H_{12}$ (Dispiro[2.0.2.4]deca-7,9-diene)	30353-70-9	**	7.58 (V)	PE	4771
	$C_6H_5(C_2H_5)_2$ (Dispiro[2.2.2.2]deca-4,9-diene)	36262-33-6	**	9.00 (V)	PE	5606
	$C_6H_5CH_3$ (1 <i>H</i> -Indene, 2,3-dihydro-1-methyl-)	767-58-8	**	7.74 (V)	PE	5359
	$C_{10}H_{12}$ (1,2,3-Metheno-1 <i>H</i> -cycloprop[ <i>cd</i> ]indene, octahydro-)	28339-41-5	**	7.33 ± 0.05	PI	5278
			**	7.23	PE	4284
			**	7.82 (V)	PE	4385
			**	8.47	CTS	3546
			**	9.08 ± 0.02 (V)	PE	4338

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{12}^+$	$C_{10}H_{12}$ (Naphthalene, 1,2,3,4-tetrahydro-)	119-64-2	**	8.44 (V)	PE	4063
			**	$8.45 \pm 0.02$ (V)	PE	3854
			**	8.47	CTS	3546
	$C_{10}H_{12}$ (Naphthalene, 1,4,5,8-tetrahydro-)	493-04-9	**	8.27 (V)	PE	4531
	$C_{10}H_{12}$ ( <i>trans</i> -Pentacyclo[3.3.2.0 <sup>2,9</sup> .0 <sup>4,10</sup> .0 <sup>6,8</sup> ]decane)	XXXXX-XX-X	**	8.8 (V)	PE	5192
	$C_{10}H_{12}$ (Tetracyclo[5.2.1.0 <sup>2,6</sup> .0 <sup>3,5</sup> ]dec-8-ene)	XXXXX-XX-X	**	$8.83 \pm 0.03$ (V)	PE	4281
	$C_{10}H_{12}$ (Tetracyclo[5.3.0.0 <sup>2,6</sup> .0 <sup>3,10</sup> ]dec-4-ene)	XXXXX-XX-X	**	8.72 (V)	PE	5578
	$C_{10}H_{12}$ (Tricyclo[4.2.2.0 <sup>2,5</sup> ]deca-7,9-diene)	37707-19-0	**	8.8 (V)	PE	5605
	$C_{10}H_{10}(=CH_2)$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]non-7-ene,9-methylene-)	XXXXX-XX-X	**	$8.90 \pm 0.05$ (V)	PE	5335
	$C_{10}H_{12}$ (Tricycloprop[ <i>cd,f,hi</i> ]indene, decahydro-, (1 $\alpha$ ,1 $\beta$ ,1 $\gamma$ ,2 $\alpha$ ,2 $\beta$ ,2 $\gamma$ ,2 $\delta$ ,2 $\epsilon$ )-)	50895-59-5	**	8.78 (V)	PE	3849
$C_{10}H_{14}^+$	$C_6H_5$ ( <i>tert</i> - $C_4H_9$ ) (Benzene, (1,1-dimethylethyl)-)	98-06-6	**	8.83 (V)	PE	4280
			**	8.69	EI	5293
			**	8.64	CTS	3922
	$(n-C_3H_7C\equiv C)_2$	16387-71-6	**	8.72	PE	4731
	$C_6H_5C_4H_9$ (Benzene, butyl-)	104-51-8	**	8.68	EI	5293
	$C_6H_5(C_2H_5)_2$ (Benzene, 1,2-diethyl-)	135-01-3	**	8.51 (V)	PE	4063
			**	8.51	CTS	3546
	$C_6H_5(C_2H_5)_2$ (Benzene, 1,4-diethyl)	105-05-5	**	8.40	PE	5574
	$C_6H_5CH(CH_3)C_2H_5$ (Benzene, 1-methylpropyl)	135-98-8	**	8.68	EI	5293
	$C_6H_5CH_2CH(CH_3)_2$ (Benzene, 2-methylpropyl)	538-93-2	**	8.68	EI	5293
	$C_6H_5(CH_3)_3$ (Benzene, 1,2,3,4-tetramethyl-)	488-23-3	**	8.18	PE	4952
	$C_6H_5(CH_3)_3$ (Benzene, 1,2,3,5-tetramethyl-)	527-53-7	**	$8.3 \pm 0.03$ (V)	PE	3713
	$C_6H_5(CH_3)_3$ (Benzene-1,2,4,5-tetramethyl)	95-93-2	**	8.05 (V)	PE	5629
			**	8.2	CTS	3543
	$C_7H_8=C(CH_3)_2$ (Bicyclo[2.2.1]hept-2-ene, 7-(1-methylethylidene)-)	14995-50-7	**	8.27	PE	3687
	$C_8H_{10}(=CH_2)_2$ (Bicyclo[2.2.2]octane, 2,3-bis(methylene)-)	36439-79-9	**	8.37 (V)	PE	4249
	$C_8H_{10}(=CH_2)_2$ (Bicyclo[3.2.1]octane, 2,4-bis(methylene)-)	XXXXX-XX-X	**	$\sim 8.9$ (V)	PE	5314
	$C_9H_{12}=CH_2$ (1H-Cyclobuta[ <i>cd</i> ]pentalene, octahydro-1-methylene-)	64096-75-9	**	8.87	PE	4855
	$C_{10}H_{14}$ (Dispiro[2.0.2.4]dec-7-ene)	53143-76-3	**	8.48 (V)	PE	5359
	$C_{10}H_{14}$ (Tetracyclo[5.2.1.0 <sup>2,6</sup> .0 <sup>3,5</sup> ]decane, (1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ ,6 $\alpha$ ,7 $\alpha$ )-)	53862-36-5	**	$9.20 \pm 0.03$ (V)	PE	4281
	$C_{10}H_{14}$ (Tetracyclo[5.3.0.0 <sup>2,6</sup> .0 <sup>3,10</sup> ]decane)	XXXXX-XX-X	**	9.4 (V)	PE	5578
	$C_{10}H_{14}$ (Tetracyclo[7.1.0.0 <sup>2,4</sup> .0 <sup>5,7</sup> ]decane (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,7 $\alpha$ ,9 $\alpha$ )-)	62279-40-7	**	8.8 (V)	PE	4964
	$C_{10}H_{14}$ (Tetracyclo[7.1.0.0 <sup>2,4</sup> .0 <sup>5,7</sup> ]decane (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,7 $\alpha$ ,9 $\alpha$ )-)	62279-36-1	**	9.0 (V)	PE	4964



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{11}^+$	$C_{10}H_{11}$ (Tetracyclo[7.1.0.0 <sup>2,4</sup> .0 <sup>5,7</sup> ]decane(1 $\alpha$ ,2 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\alpha$ ,9 $\alpha$ )–)	62279–35–0	**	8.88 (V)	PE	4964
	$C_{10}H_{14}$ (Tricyclo[4.2.2.0 <sup>2,5</sup> ]dec–7–ene)	37706–26–6	**	9.0 (V)	PE	5605
	$C_6H_{12}(=CH_2)$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nonane,9–methylene–)	XXXXXX–XX–X	**	9.20 $\pm$ 0.05 (V)	PE	5335
	$C_6H_3(CH_3)_4$ (Benzene, 1,2,4,5–tetramethyl–)	95–93–2	**	8.07	PE	4952
$C_{10}H_{15}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane)	281–23–2	H	10.6	PI	4173
	$C_{10}H_{15}CH_3$	XXXXXX–XX–X	CH <sub>3</sub>	9.5 $\pm$ 0.1	PI	3918
	$C_{10}H_{15}CH_3$ (4,7–Methano–1 <i>H</i> –indene, octahydro–2–methyl–, (2 $\alpha$ ,3 $\alpha$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha$ )–)	50745–90–9	CH <sub>3</sub>	10.1 $\pm$ 0.1	PI	3918
	$C_{10}H_{15}CH_3$ (4,7–Methano–1 <i>H</i> –indene, octahydro–8–methyl–, stereoisomer)	50745–92–1	CH <sub>3</sub>	9.6 $\pm$ 0.1	PI	3918
	$C_{10}H_{15}C_2H_5$ (4,7–Methano–1 <i>H</i> –indene, 5–ethyloctahydro–, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )–)	32787–97–6		9.9 $\pm$ 0.1	PI	3918
	$C_{12}H_{20}$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 2–ethyl–)	14451–87–7		10.5	PI	4173
$C_{10}H_{16}^+$	$C_5H_{11}C\equiv CC(CH_3)=CH_2$	70058–00–3	**	8.57 $\pm$ 0.01	PE	5407
	$CH_3C\equiv CC(iso-C_3H_7)=C(CH_3)_2$	70058–04–7	**	7.89 $\pm$ 0.01	PE	5407
	$C_6H_{13}=CH_2$ (Bicyclo[4.2.1]nonane, 9–methylene–)	40916–48–1	**	9.0 (V)	PE	4094
	$C_4H_3(CH_3)_3C\equiv CH$ (Cyclobutane,2–ethynyl–1,1,3,3–tetramethyl)	66438–89–9	**	9.33 (V)	PE	5607
	$C_6H_3(CH_3)_4$ (1,4–Cyclohexadiene, 3,3,6,6–tetramethyl–)	2223–54–3	**	8.81 (V)	PE	4385
	$C(CH_3)(CH_2)C_6H_8CH_3$ (Cyclohexene, 1–methyl–4–(1–methylethenyl)–)	138–86–3	**	8.3	EI	5200
	$(C_3H_5)_2C=C(CH_3)_2$ (Cyclopropane, 1,1'–(2–methyl–1–propenylidene)bis–)	27720–84–9	**	7.82	PI	3759
	$C_3H(CH_3)_3=C=C(CH_3)_2$ (Cyclopropane,trimethyl(2–methyl–1–propenylidene)–)	14803–30–6	**	7.57	PE	5625
	$C_{10}H_{16}$ (Dispiro[2.0.2.4]decane)	24029–74–1	**	9.22 (V)	PE	5359
	$C_{10}H_{16}$ (Dispiro[2.2.2.2] decane)	24518–94–3	**	9.17 (V)	PE	4385
	$C_{10}H_{16}$ (4,7–Methano–1 <i>H</i> –indene, octahydro–)	6004–38–2	**	9.3	PI	4173
	$C_{10}H_{16}$ (4,7–Methano–1 <i>H</i> –indene, octahydro–, (3 $\alpha$ ,4 $\beta$ ,7 $\beta$ ,7 $\alpha$ )–)	2825–82–3	**	9.35 $\pm$ 0.05	PI	3918
	$C_{10}H_{16}$ (Spiro[bicyclo[2.2.2]octane–2,1'–cyclopropane])	53764–10–6	**	9.32 (V)	PE	4433
	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane	281–23–2	**	9.30 $\pm$ 0.01	S	3757
			**	9.25	PI	4173
			**	9.1 $\pm$ 0.05	PE	3855
			**	9.20	PE	4735
			**	9.22	PE	3907
			**	9.23	PE	3886
			**	9.28 $\pm$ 0.1	PE	3851
			**	9.28 (V)	PE	5043
			**	9.31 $\pm$ 0.01	PE	3757
			**	9.55 (V)	PE	3990
			**	9.75 $\pm$ 0.02 (V)	PE	4217
			**	9.75 (V)	PE	4000
			**	9.75 (V)	PE	5395

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[4.2.2.0 <sup>2,5</sup> ]decane)	249-87-6	**	9.45 (V)	PE	5605
$C_{10}H_{17}^+$	$C_6H_9(CH_3)C_4H_8$ (Naphthalene, decahydro-1-methyl-(1 $\alpha$ ,4 $\alpha$ ,8 $\alpha\beta$ ))	4683-95-8	CH <sub>3</sub>	10.13 $\pm$ 0.007	EI	5451
	$C_6H_9(CH_3)C_4H_8$ (Naphthalene, decahydro-1-methyl-(1 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha$ ))	XXXXXX-XX-X	CH <sub>3</sub>	10.14 $\pm$ 0.010	EI	5451
	$C_6H_9(CH_3)C_4H_8$ (Naphthalene, decahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,8 $\alpha\beta$ ))	14398-71-1	CH <sub>3</sub>	10.34 $\pm$ 0.006	EI	5451
	$C_6H_9(CH_3)C_4H_8$ (Naphthalene, decahydro-2-methyl-(2 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha$ ))	4683-94-7	CH <sub>3</sub>	10.33 $\pm$ 0.009	EI	5451
$C_{10}H_{18}^+$	( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> )C $\equiv$ C( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> )	17530-24-4	**	9.054 $\pm$ 0.010	PE	4575
	$C_6H_9$ ( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) (Cyclohexene, 3-(1,1-dimethylethyl)-)	14072-87-8	**	8.94 $\pm$ 0.02 (V)	PE	5420
	$C_4H_9C\equiv CC_4H_9$	1942-46-7	**	9.125 $\pm$ 0.005	PE	4575
			**	9.14 $\pm$ 0.02	PI	5583
	$C_6H_{13}C\equiv CC_2H_5$	2384-85-2	**	9.190 $\pm$ 0.005	PE	4575
			**	9.19 $\pm$ 0.02	PI	5583
	1-C <sub>10</sub> H <sub>18</sub>	764-93-2	**	9.91 $\pm$ 0.02	PI	5583
	2-C <sub>10</sub> H <sub>18</sub>	2384-70-5	**	9.30 $\pm$ 0.02	PI	5583
	4-C <sub>10</sub> H <sub>18</sub>	2384-86-3	**	9.17 $\pm$ 0.02	PI	5583
	$C_4H_3(CH_3)_4CH=CH_2$ (Cyclobutane, 2-ethenyl-1,1,3,3-tetramethyl)	66438-87-7	**	9.10 (V)	PE	5607
	$C_{10}H_{18}$ (Cyclodecene(E))	2198-20-1	**	8.91 $\pm$ 0.15	EI	5532
	$C_{10}H_{18}$ (Cyclodecene(Z))	935-31-9	**	8.97 $\pm$ 0.15	EI	5532
	$C_{10}H_{18}$ (Cyclodecene)	3618-12-0	**	8.98 (V)	PE	4267
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> C <sub>6</sub> H <sub>9</sub> (Cyclohexene, 1-butyl-)	3282-53-9	**	8.41 $\pm$ 0.01	PI	5556
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> C <sub>6</sub> H <sub>9</sub> (Cyclohexene, 3-butyl-)	3983-07-1	**	8.80 $\pm$ 0.02	PI	5556
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> C <sub>6</sub> H <sub>9</sub> (Cyclohexene, 4-butyl-)	21524-26-5	**	8.85 $\pm$ 0.02	PI	5556
	(CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> C <sub>6</sub> H <sub>9</sub> (Cyclohexene, 1-(2-methylpropyl)-)	3983-03-7	**	8.40 $\pm$ 0.01	PI	5556
	C <sub>2</sub> H <sub>5</sub> CH(CH <sub>3</sub> )C <sub>6</sub> H <sub>9</sub> (Cyclohexene, 3-(1-methylpropyl)-)	15232-91-4	**	8.74 $\pm$ 0.02	PI	5556
	(CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> C <sub>6</sub> H <sub>9</sub> (Cyclohexene, 3-(2-methylpropyl)-)	4104-56-7	**	8.77 $\pm$ 0.02	PI	5556
	<i>n</i> -C <sub>5</sub> H <sub>11</sub> C <sub>5</sub> H <sub>7</sub> (Cyclopentene, 1-pentyl-)	4291-98-9	**	8.45 $\pm$ 0.02	PI	5556
	<i>n</i> -C <sub>5</sub> H <sub>11</sub> C <sub>5</sub> H <sub>7</sub> (Cyclopentene, 3-pentyl-)	37689-14-8	**	8.84 $\pm$ 0.02	PI	5556
	$C_{10}H_{18}$ (Naphthalene, decahydro-)	91-17-8	**	~9.35	PE	4735
	(CH <sub>3</sub> ) <sub>2</sub> CHC <sub>2</sub> H <sub>5</sub> C <sub>5</sub> H <sub>7</sub> (Cyclopentene, 1-(3-methylbutyl)-)	37689-15-9	**	8.44 $\pm$ 0.02	PI	5556
	(CH <sub>3</sub> ) <sub>2</sub> CHC <sub>2</sub> H <sub>5</sub> C <sub>5</sub> H <sub>7</sub> (Cyclopentene, 3-(3-methylbutyl)-)	37689-16-0	**	8.83 $\pm$ 0.02	PI	5556
$C_{10}H_{20}^+$	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> C(C <sub>2</sub> H <sub>5</sub> )=C(CH <sub>3</sub> ) <sub>2</sub>	19780-61-1	**	8.101 $\pm$ 0.005	PE	3957
	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> C(CH <sub>3</sub> )=C(CH <sub>3</sub> ) <sub>2</sub>	19781-18-1	**	8.132 $\pm$ 0.005	PE	3957
	(CH <sub>3</sub> ) <sub>3</sub> CCH <sub>2</sub> C(CH <sub>3</sub> )=C(CH <sub>3</sub> ) <sub>2</sub>	33175-59-6	**	8.097 $\pm$ 0.005	PE	3957
	1-C <sub>10</sub> H <sub>20</sub>	872-05-9	**	9.417 $\pm$ 0.006	PI	5584
			**	9.59 $\pm$ 0.01 (V)	PE	4939

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
(state)						
$C_{10}H_{20}^+$	<i>tert</i> - $C_3H_7)_2C=CH_2$	5857-68-1	**	$8.795 \pm 0.008$	PE	3957
	<i>cis</i> -( $CH_3)_3CCH=CHC(CH_3)_3$	692-47-7	**	$8.695 \pm 0.010$	PE	3957
			**	8.95 (V)	PE	4084
	<i>cis</i> -2- $C_{10}H_{20}$	20348-51-0	**	$8.899 \pm 0.010$	PI	5584
			**	$9.08 \pm 0.01$ (V)	PE	4939
	<i>cis</i> -3- $C_{10}H_{20}$	19398-86-8	**	$8.832 \pm 0.009$	PI	5584
			**	$9.01 \pm 0.01$ (V)	PE	4939
	<i>cis</i> -4- $C_{10}H_{20}$	19398-88-0	**	$8.784 \pm 0.004$	PI	5584
			**	$8.97 \pm 0.01$ (V)	PE	4939
	<i>cis</i> -5- $C_{10}H_{20}$	7433-78-5	**	$8.773 \pm 0.006$	PI	5584
			**	$8.766 \pm 0.005$	PE	3957
			**	$8.94 \pm 0.01$ (V)	PE	4939
	<i>cis</i> (( <i>iso</i> - $C_3H_7$ )( $CH_3$ ) $C_2$ )	60643-93-8	**	8.27 (V)	PE	4459
	<i>trans</i> -( $CH_3)_3CCH=CHC(CH_3)_3$	692-48-8	**	$8.741 \pm 0.008$	PE	3957
			**	8.89 (V)	PE	4084
	<i>trans</i> -2- $C_{10}H_{20}$	20063-97-2	**	$8.903 \pm 0.005$	PI	5584
			**	$9.06 \pm 0.01$ (V)	PE	4939
	<i>trans</i> -3- $C_{10}H_{20}$	19150-21-1	**	$8.830 \pm 0.006$	PI	5584
			**	$9.00 \pm 0.01$	PE	4939
	<i>trans</i> -4- $C_{10}H_{20}$	19398-89-1	**	$8.782 \pm 0.004$	PI	5584
			**	$8.97 \pm 0.01$ (V)	PE	4939
	<i>trans</i> -5- $C_{10}H_{20}$	7433-56-9	**	$8.762 \pm 0.012$	PI	5584
			**	$8.760 \pm 0.005$	PE	3957
			**	$8.95 \pm 0.01$ (V)	PE	4939
	<i>trans</i> (( <i>iso</i> - $C_3H_7$ )( $CH_3$ ) $C_2$ )	60643-94-9	**	8.24 (V)	PE	4459
	$C_{10}H_{20}$ (Cyclodecane)	293-96-9	**	$10.00 \pm 0.05$	EI	4319
	<i>n</i> - $C_4H_9C_6H_{11}$ (Cyclohexane, butyl-)	1678-93-9	**	$9.57 \pm 0.03$	PI	5556
	$C_2H_5CH(CH_3)C_6H_{11}$ (Cyclohexane, (1-methylpropyl)-)	7058-01-7	**	$9.51 \pm 0.03$	PI	5556
	$(CH_3)_2CHCH_2C_6H_{11}$ (Cyclohexane, (2-methylpropyl)-)	1678-98-4	**	$9.54 \pm 0.03$	PI	5556
	<i>n</i> - $C_5H_{11}C_5H_9$ (Cyclopentane, pentyl-)	3741-00-2	**	$9.91 \pm 0.05$	PI	5556
$C_{11}H_7^+$	$(C_6H_5)_2$ (1,1'-Biphenyl)	92-52-4	$CH_3$	$14.80 \pm 0.2$	EI	4199
$C_{11}H_9^+$	$C_{10}H_7CH_3$ (Naphthalene, 1-methyl-)	90-12-0	H	$13.15 \pm 0.2$	EI	4199
	$C_{10}H_7CH_3$ (Naphthalene, 2-methyl-)	91-57-6	H	$13.15 \pm 0.2$	EI	4199
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,5-dimethyl-)	571-61-9	$CH_3$	$12.85 \pm 0.05$	EI	4199
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,8-dimethyl-)	569-41-5	$CH_3$	$12.70 \pm 0.2$	EI	4199
	$C_6H_5C \equiv CCH=CHCH_2Cl$ (Benzene, (5-chloro-3-penten-1-ynyl)-, ( <i>E</i> )-)	40316-56-1		$8.95 \pm 0.05$	EI	4044
	$C_{10}H_7CH_2Cl$ (Naphthalene, 1-(chloromethyl)-)	86-52-2		$11.21 \pm 0.05$	EI	4044
	$C_{10}H_7CH_2Cl$ (Naphthalene, 2-(chloromethyl)-)	2506-41-4		$11.15 \pm 0.05$	EI	4044
$C_{11}H_{10}^+$	$C_{10}H_7CH_3$ (Azulene, 1-methyl-)	769-31-3	**	$7.26 \pm 0.03$ (V)	PE	4828
	$C_{10}H_7CH_3$ (Azulene, 4-methyl-)	17647-77-7	**	$7.33 \pm 0.03$ (V)	PE	4828

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{10}^+$	$C_{10}H_7CH_3$ (Azulene, 5-methyl-)	1654-55-3	**	$7.30 \pm 0.03$ (V)	PE	4828
	$C_{10}H_7CH_3$ (Azulene, 6-methyl-)	1654-52-0	**	$7.34 \pm 0.03$ (V)	PE	4828
	$C_{11}H_{10}$ (Bicyclo[4.4.1]undeca-1,3,5,7,9-pentaene)	2443-46-1	**	7.90 (V)	PE	3953
	$C_9H_8(=C=CH_2)$ (1,2-Methanodicyclop[ <i>cd,gh</i> ]pentalene, 3-ethenylideneoctahydro-)	65915-89-1	**	8.75 (V)	PE	5447
	$C_{11}H_{10}$ (1,4-Methanonaphthalene, 1,4-dihydro-)	4453-90-1	**	$8.30 \pm 0.05$ (V)	PE	4830
			**	$8.32 \pm 0.05$ (V)	PE	4866
			**	$8.34 \pm 0.05$ (V)	PE	5019
			**	8.34 (V)	PE	4541
			**	8.34 (V)	PE	4835
	$C_{10}H_7CH_3$ (Naphthalene, 1-methyl-)	90-12-0	**	7.95 (V)	PE	3685
			**	$8.01 \pm 0.03$ (V)	PE	4828
			**	$7.80 \pm 0.03$	El	3588
			**	$8.50 \pm 0.05$	El	4199
			**	7.98	CTS	3758
	$C_{10}H_7CH_3$ (Naphthalene, 2-methyl-)	91-57-6	**	7.83	PE	4515
			**	7.93 (V)	PE	3685
			**	$8.01 \pm 0.03$ (V)	PE	4828
			**	$8.10 \pm 0.03$	El	3588
			**	$8.45 \pm 0.05$	El	4199
	$(C_6H_5)_2S$ (Benzene, 1,1'-thiobis-)	139-66-2	CS	$12.57 \pm 0.1$	El	3817
$C_{11}H_{12}^+$	$C_9H_8(C_2H_4)$ (Spiro[cyclopropane-1,3'-(1,2)methanodicyclop[ <i>cd,gh</i> ]pentalene]octahydro-)	65915-88-0	**	9.05 (V)	PE	5447
	$C_6H_5C_5H_7$ (Benzene, 1-cyclopenten-1-yl-)	825-54-7	**	8.15 (V)	PE	4347
	$C_6H_5C_5H_7$ (Benzene, 2-cyclopenten-1-yl-)	37689-22-8	**	$\sim 9.2 \pm 0.05$ (V)	PE	4954
	$C_6H_5C_5H_7$ (Benzene, 3-cyclopenten-1-yl-)	39599-89-8	**	$8.62 \pm 0.01$	PI	5556
	$C_6H_5C \equiv CC_3H_7$ (Benzene, 1-pentynyl-)	4250-81-1	**	$8.29 \pm 0.02$ (V)	PE	5409
	$C_{11}H_{12}$ (1H-Cyclobut[ <i>f</i> ]indene, 2,4,5,6-tetrahydro-)	60582-10-7	**	8.05	PE	4952
	$C_{11}H_{12}$ (1H-Cyclobut[ <i>e</i> ]indene, 2,5,6,7-tetrahydro-)	60582-11-8	**	8.19	PE	4952
	$C_{11}H_{12}$ (1,4-Methanonaphthalene, 1,2,3,4-tetrahydro-)	4486-29-7	**	$8.42 \pm 0.05$ (V)	PE	4830
			**	$8.45 \pm 0.05$ (V)	PE	4866
	$C_{10}H_{10}(=CH_2)$ (Naphthalene, 1,2,3,4-tetrahydro-1-methylene-)	25108-63-8	**	$7.90 \pm 0.02$ (V)	PE	3854
	$C_{11}H_{12}$ (Pentacycloundecene)	XXXXXX-XX-X	**	8.7 (V)	PE	5578
	$C_9H_8(=CH_2)_2$ (Tricyclo[3.2.2.0 <sup>2,3</sup> ]non-6-ene, 8,9-bis(methylene)-(1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ )-)	36439-89-1	**	$8.37 \pm 0.03$ (V)	PE	4665
$C_{11}H_{14}^+$	$C_6H_5C_5H_9(C_2H_5)$ (Benzene, (1-ethylcyclopropyl)-)	50462-84-5	**	8.70 (V)	PE	4815
	$C_6H_5C_5H_9$ (Benzene, cyclopentyl-)	700-88-9	**	8.81 (V)	PE	4347
	$C_6H_5(CH_2)_3CH=CH_2$ (Benzene, 2-ethenyl-1,3,5-trimethyl-)	769-25-5	**	8.33 (V)	PE	3964



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{11}^+$	$C_6H_5CH=CH(CH_2)_2CH_3$ (Benzene, 1-pentenyl-)	826-18-6	**	$8.4 \pm 0.07$	EI	5374
	$C_{11}H_{11}$ (5 <i>H</i> -Benzocycloheptene, 6,7,8,9-tetrahydro-)	1075-16-7	**	$8.40 \pm 0.02$ (V)	PE	3854
	$C_{11}H_{11}$ (Bicyclo[4.2.1]non-7-ene, 2,5-bis(methylene)-)	72569-85-8	**	8.44 (V)	PE	4063
	$C_{10}H_8(CH_3)_2$ (Indan, 1,1-dimethyl)	4912-92-9	**	8.47	CTS	3546
	$C_{10}H_8(CH_3)_2$ (1 <i>H</i> -Indene, 2,3-dihydro-2,2-dimethyl-)	20836-11-7	**	8.47	CTS	3546
	$C_{11}H_{11}$ (Spiro[2,4]hepta-1,4,6-triene, 1,2-diethyl)	49542-94-1	**	7.87 (V)	PE	5480
	$C_{10}H_{10}(=CH_2)_2$ (Tricyclo[3.2.2.0 <sup>2,1</sup> ]nonane, 6,7-bis(methylene)-(1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ )-)	36439-90-4	**	$8.38 \pm 0.03$ (V)	PE	4665
	$C_8H_8=C(CH_3)_2$ (Tricyclo[3.2.1.0 <sup>2,1</sup> ]oct-6-ene, 8-(1-methylethylidene)-, <i>endo</i> -)	XXXXX-XX-X	**	7.9	PE	3687
	$C_6H_5(CH_2)_5NH_2$ (Benzenepentanamine)	17734-21-3	$NH_3$	$9.4 \pm 0.1$	EI	5374
$C_{11}H_{16}^+$	$C_6H_5CH_2$ ( <i>tert</i> - $C_4H_9$ ) (Benzene, (2,2-dimethylpropyl)-)	1007-26-7	**	8.7 (V)	PE	4172
			**	8.77 (V)	PE	4280
			**	~8.8	PE	4589
	$C_6H_5(CH_3)C_4H_9$ (Benzene, 1-butyl-3-methyl-)	1595-04-6	**	$8.42 \pm 0.1$	EI	3629
	$C_6H_5(CH_3)C_4H_9$ (Benzene, 1-butyl-4-methyl-)	1595-05-7	**	$8.35 \pm 0.1$	EI	3629
	$C_6H(CH_3)_5$ (Benzene, pentamethyl-)	700-12-9	**	7.9	CTS	3543
	$C_{10}H_{10}C=C=C(CH_3)_2$ (Bicyclo[4.1.0]heptane, 7-(2-methyl-1-propenylidene)-)	4544-26-7	**	7.60	PE	5625
	$C_{10}H_{12}(=CH_2)_2$ (Bicyclo[4.2.1]nonane, 2,5-bis(methylene)-)	72569-86-9	**	8.90 (V)	PE	5314
	$(C_3H_5)_3C=CHC_3H_5$ (Cyclopropane, 1,1',1''-(1-ethenyl-2-ylidene)tris-)	23603-63-6	**	7.48	PI	3759
	$C_{11}H_{16}$ (Dispiro[cyclopropane-1,2'-bicyclo[2.2.1]heptane-3',1''-cyclopropane])	40827-29-0	**	8.76 (V)	PE	4433
	$C_{11}H_{16}$ (Spiro[2,4]hepta-4,6-diene, 1,2-diethyl)	59313-59-6	**	8.20 (V)	PE	5480
	$C_{10}H_{14}(=CH_2)$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 2-methylene-)	875-72-9	**	8.82	PE	3886
	$C_8H_8(=CH_2)(CH_3)_2$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octane, 3,3-dimethyl-)	XXXXX-XX-X	**	$8.86 \pm 0.02$ (V)	PE	4217
	$C_8H_{10}=C(CH_3)_2$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octane, 8-(1-methylethylidene)-, <i>endo</i> -)	XXXXX-XX-X	**	$8.80 \pm 0.05$ (V)	PE	5335
			**	8.18	PE	3687
$C_{11}H_{17}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-)	32787-97-6	$CH_3$	$10.0 \pm 0.1$	PI	3918
$C_{11}H_{18}^+$	$C_{10}H_{15}CH_3$	XXXXX-XX-X	**	$9.35 \pm 0.05$	PI	3918
	$C_7H_6(CH_3)_4$ (Cycloheptyne, 3,3,7,7-tetramethyl-)	33470-40-5	**	8.80 (V)	PE	4362
	$C_6H_{11}C_5H_7$ (Cyclohexane, 2-cyclopenten-1-yl-)	2690-15-5	**	$8.95 \pm 0.05$ (V)	PE	4954
	$C_4(CH_3)_4=C=C(CH_3)_2$ (Cyclopropane, tetramethyl(2-methyl-1-propenylidene)-)	13303-30-5	**	7.46	PE	5625
	$C_{11}H_{18}$ (4,7-Ethano-1 <i>H</i> -indene, octahydro-)	38255-97-9	**	9.15	PI	4173

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{18}^+$	$C_{11}H_{18}$ (4,7-Methanoazulene, decahydro-)	51027-86-2	**	9.25	PI	4173
	$C_{10}H_{13}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 $\alpha$ ,3 $\alpha\beta$ ,4 $\alpha$ ,7 $\alpha$ ,7 $\alpha\beta$ )-)	50745-90-9	**	9.35 $\pm$ 0.05	PI	3918
	$C_{10}H_{13}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer)	50745-92-1	**	9.35 $\pm$ 0.05	PI	3918
	$C_6H_7(CH_3)C_4H_8$ (Naphthalene, 1,2,3,4,4a,5,6,8a-octahydro-4a-methyl- <i>cis</i> -)	65698-42-2	**	8.92 $\pm$ 0.02 (V)	PE	5420
	$C_6H_7(CH_3)C_4H_8$ (Naphthalene, 1,2,3,4,4a,5,6,8a-octahydro-4a-methyl- <i>trans</i> -)	XXXXX-XX-X	**	8.92 $\pm$ 0.02 (V)	PE	5420
	$C_{11}H_{18}$ (Naphthalene, 1,2,3,4,4a,5,6,8a-octahydro-4a-methyl- <i>trans</i> -)	68211-37-0	**	8.92 $\pm$ 0.05 (V)	PE	4842
	$C_{10}H_{13}CH_3$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1-methyl-)	768-91-2	**	9.17 $\pm$ 0.02	PE	3886
$C_{11}H_{20}^+$	1- $C_{11}H_{20}$	2243-98-3	**	9.90 $\pm$ 0.02	PI	5583
	2- $C_{11}H_{20}$	60212-29-5	**	9.28 $\pm$ 0.02	PI	5583
	3- $C_{11}H_{20}$	60212-30-8	**	9.17 $\pm$ 0.02	PI	5583
	4- $C_{11}H_{20}$	60212-31-9	**	9.13 $\pm$ 0.02	PI	5583
	5- $C_{11}H_{20}$	2294-72-6	**	9.11 $\pm$ 0.02	PI	5583
	(tert- $C_4H_9$ ) <sub>2</sub> C=C=CH <sub>2</sub>	22585-31-5	**	8.55 (V)	PE	4019
	$C_{11}H_{20}$	13294-73-0	**	9.09 $\pm$ 0.05 (V)	PE	4842
	$C_{11}H_{20}$ (Cyclohexane, 1-(1,1-dimethylethyl)-4-methylene)		**	9.09 $\pm$ 0.02 (V)	PE	5420
	$n$ - $C_5H_{11}C_6H_9$	15232-85-6	**	8.37 $\pm$ 0.02	PI	5556
	$n$ - $C_6H_{13}C_5H_7$ (Cyclopentene, 1-hexyl-)	4291-99-0	**	8.43 $\pm$ 0.01	PI	5556
	$n$ - $C_6H_{13}C_5H_7$ (Cyclopentene, 3-hexyl-)	37689-18-2	**	8.84 $\pm$ 0.02	PI	5556
	$C_{11}H_{20}$	13151-60-5	**	8.73 $\pm$ 0.15	EI	5532
	$C_{11}H_{20}$	13151-61-6	**	8.65 $\pm$ 0.15	EI	5532
	$C_6H_7(CH_3)C_4H_8$ (Naphthalene, decahydro-2-methyl-(2 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\alpha$ )-)	4683-94-7	**	9.31 $\pm$ 0.006	EI	5451
	$C_6H_7(CH_3)C_4H_8$ (Naphthalene, decahydro-1-methyl-(1 $\alpha$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ )-)	4683-95-8	**	9.27 $\pm$ 0.009	EI	5451
	$C_6H_7(CH_3)C_4H_8$ (Naphthalene, decahydro-1-methyl-(1 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\alpha$ )-)	XXXXX-XX-X	**	9.26 $\pm$ 0.008	EI	5451
	$C_6H_7(CH_3)C_4H_8$ (Naphthalene, decahydro-2-methyl-(2 $\alpha$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ )-)	14398-71-1	**	9.32 $\pm$ 0.006	EI	5451
$C_{11}H_{22}^+$	$C_2H_5CH_2C(C_2H_5)=C(C_2H_5)_2$	50787-14-9	**	8.041 $\pm$ 0.020	PE	3957
	$n$ - $C_6H_{13}C_5H_9$ (Cyclopentane, hexyl-)	4457-00-5	**	9.90 $\pm$ 0.03	PI	5556
$C_{12}H_6^+$	$C_6H_3(C\equiv CH)_3$ (Benzene, 1,3,5-triethynyl-)	7567-63-7	**	8.86 $\pm$ 0.02	PE	4374
	$C_{12}H_6$ (1,5,9-Cyclododecatiene-3,7,11-triyn)	6555-54-0	**	7.69 (V)	PE	4652
$C_{12}H_8^+$	$C_{12}H_8$ (Acenaphthylene)	208-96-8	**	8.22 $\pm$ 0.04	PE	4196
	$C_{12}H_8$ (Biphenylene)	259-79-0	**	7.53 $\pm$ 0.05	PE	3684
			**	7.60 $\pm$ 0.02 (V)	PE	3702

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_8^+$	$C_{12}H_8$	259-79-0	**	$7.61 \pm 0.04$	PE	4196
	$C_{12}H_8$	7003-42-1	**	7.54 (V)	PE	4652
	(1,3,5,9-Cyclododecatetraene-7,11-diyne)					
$C_{12}H_9^+$	$(C_6H_5)_2$ (1,1'-Biphenyl)	92-52-4	H	$13.60 \pm 0.2$	EI	4199
$C_{12}H_{10}^+$	$C_{12}H_{10}$ (Acenaphthylene, 1,2-dihydro-)	83-32-9	**	$7.76 \pm 0.03$ (V)	PE	4828
	$(C_6H_5)_2$	92-52-4	**	$7.82 \pm 0.04$	PE	4196
	$(1,1'$ -Biphenyl)	92-52-4	**	$7.95 \pm 0.02$	PE	3702
	$(C_6H_5)_2$	92-52-4	**	8.34 (V)	PE	5619
	$(C_6H_5)_2$	92-52-4	**	8.39 (V)	PE	5364
	$(C_6H_5)_2$	92-52-4	**	$8.80 \pm 0.05$	EI	4199
	$(C_6H_5)_2$	92-52-4	**	8.35	CTS	3577
	$C_{12}H_{10}$ (Cyclobuta[ <i>a</i> ]naphthalene, 1,2-dihydro-)	32277-35-3	**	$7.84 \pm 0.03$ (V)	PE	4952
	$C_{12}H_{10}$ (Cyclobuta[ <i>b</i> ]naphthalene, 1,2-dihydro-)	6827-31-2	**	$7.92 \pm 0.03$ (V)	PE	4952
	$(C_6H_5)_2$	92-52-4	**	$7.96 \pm 0.03$ (V)	PE	4828
	$C_{12}H_{10}$ (Cyclopent[ <i>cd</i> ]azulene, 2a, 8b-dihydro-)	38310-40-6	**	7.46 (V)	PE	4008
	$C_{12}H_{10}$ (4a, 8a-Ethenonaphthalene)	19539-78-7	**	8.1 (V)	PE	4006
$C_{12}H_{10}^{+2}$	$(C_6H_5)_2$ (1,1'-Biphenyl)	92-52-4	**	22.1	OTH	5141
$C_{12}H_{11}^+$	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,5-dimethyl-)	571-61-9	H	$12.85 \pm 0.05$	EI	4199
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,8-dimethyl-)	569-41-5	H	$13.00 \pm 0.2$	EI	4199
$C_{12}H_{12}^+$	$C_{11}H_9(CH_3)$ (1,4-Methanonaphthalene, 1,4-dihydro-6-methyl-)	4897-73-8	**	$8.12 \pm 0.05$ (V)	PE	5019
	$C_{10}H_6(CH_3)_2$ (Azulene, 4,5-dimethyl-)	56594-77-5	**	$7.18 \pm 0.03$ (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Azulene, 4,6-dimethyl-)	56594-78-6	**	$7.29 \pm 0.03$ (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Azulene, 4,7-dimethyl-)	46030-99-3	**	$7.20 \pm 0.03$ (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Azulene, 4,8-dimethyl-)	7206-52-2	**	$7.27 \pm 0.03$ (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Azulene, 5,6-dimethyl-)	10556-12-4	**	$7.17 \pm 0.03$ (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Azulene, 5,7-dimethyl-)	56594-76-4	**	$7.08 \pm 0.03$ (V)	PE	4828
	$C_{12}H_{12}$ (1,5,9-Cyclododecatriyne)	60323-50-4	**	9.24 (V)	PE	4781
	$C_{12}H_{12}$ (Cyclopent[ <i>cd</i> ]azulene, 2a, 4a, 8a, 8b-tetrahydro-)	56004-38-7	**	8.50 (V)	PE	5606
	$C_{12}H_{12}$ (4a, 8a-Ethenonaphthalene, 1,4-dihydro-)	38310-32-6	**	8.0 (V)	PE	4006
	$C_{12}H_{12}$ (5,9-Methano-5H-benzocycloheptene, 6,9-dihydro-)	24309-43-1	**	$8.42 \pm 0.05$	PE	4866

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{12}^+$	$C_{12}H_{12}$ (2,7-Methano-1H-cyclopropa[ <i>b</i> ]naphthalene, 1a,2,7,7a-tetrahydro- (1 $\alpha$ ,2 $\beta$ ,7 $\beta$ ,7 $\alpha$ )-)	15577-76-1	**	8.40±0.05 (V)	PE	4866
	$C_{12}H_{12}$ (1,2,5-Metheno-1H-cyclobuta[ <i>de</i> ]naphthalene, 1a,2,4a,5,7a,7b-hexahydro-)	68109-02-4	**	8.30 (V)	PE	5119
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,3-dimethyl-)	575-41-7	**	7.86±0.03 (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,4-dimethyl-)	571-58-4	**	7.82±0.03 (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,5-dimethyl-)	571-61-9	**	7.85±0.03 (V)	PE	4828
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 1,8-dimethyl-)	569-41-5	**	8.30±0.05 7.64±0.03 (V)	El PE	4199 4828
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 2,3-dimethyl-)	581-40-8	**	8.30±0.05 7.89±0.03 (V)	El PE	4199 4828
	$C_{10}H_6(CH_3)_2$ (Naphthalene, 2,7-dimethyl-)	582-16-1	**	7.89±0.03 (V)	PE	4828
$C_{12}H_{11}^+$	$C_6H_5C_6H_5$ (Benzene,2-cyclohexen-1-yl-)	15232-96-9	**	7.96±0.02	PI	5556
	$C_6H_5C_6H_5$ (Benzene,3-cyclohexen-1-yl-)	4994-16-5	**	8.57±0.01	PI	5556
	$C_6H_5CH_2C_5H_7$ (Benzene,(1-methyl-2-cyclopenten-1-yl)-)	XXXXX-XX-X	**	8.47±0.02	PI	5556
	$C_{11}H_{12}(=CH_2)$ (5 <i>H</i> -Benzocycloheptene, 6,7,8,9-tetrahydro-5-methylene-)	40562-09-2	**	8.45±0.02 (V)	PE	3854
	$C_7H_4(=CH_2)_2(=C(CH_3)_2)$ (Bicyclo[2.2.1]hept-2-ene,5,6-bis(methylene)-7-(1-methylethylidene)-)	36439-83-5	**	8.40±0.03 (V)	PE	4665
	$C_9H_8=C(CH_3)_2$ (1 <i>H</i> -Cyclobuta[ <i>cd</i> ]pentalene, 1a,3a,5a,5b-tetrahydro-1- (1-methylethylidene)-)	64096-77-1	**	8.15	PE	4855
	$C_{12}H_{14}$ (1,4:5,8-Dimethanonaphthalene, 1,4,4a,5,8,8a-hexahydro-, (1 $\alpha$ ,4 $\alpha$ ,4a $\alpha$ ,5 $\alpha$ ,8 $\alpha$ ,8a $\alpha$ )-)	1076-13-7	**	8.08±0.03 (V)	PE	4301
	$C_{12}H_{14}$ (1,4:5,8-Dimethanonaphthalene, 1,4,4a,5,8,8a-hexahydro-, (1 $\alpha$ ,4 $\alpha$ ,4a $\alpha$ ,5 $\beta$ ,8 $\beta$ ,8a $\alpha$ )-)	15914-94-0	**	8.46±0.03 (V)	PE	4301
	$C_{12}H_{14}$ (4a, 8a-Ethenonaphthalene, 1,2,3,4-tetrahydro-)	24139-33-1	**	8.0 (V)	PE	4006
	$C_{12}H_{14}$ (4a, 8a-Ethenonaphthalene, 1,4,5,8-tetrahydro-)	20295-17-4	**	8.7 (V)	PE	4006
	$C_{12}H_{14}$ (Hexacyclododecane)	XXXXX-XX-X	**	9.0 (V)	PE	5578
	$C_{12}H_{14}$ (5-Indacene, 1,2,3,5,6,7-hexahydro-)	495-52-3	**	7.94	PE	4952
	$C_{12}H_{14}$ (as-Indacene, 1,2,3,6,7,8-hexahydro-)	1076-17-1	**	8.09	PE	4952
	$C_{12}H_{14}$ (5,9-Methano-5 <i>H</i> -benzocycloheptene,6,7,8,9-tetrahydro-)	15391-62-5	**	8.52±0.05 (V)	PE	4866
	$C_9H_8(=C(CH_3)_2)$ (1,2-Methanodicyclopropa[ <i>cd,gh</i> ]pentalene,octahydro-3-(1-methylethylidene)-)	65915-87-9	**	8.35 (V)	PE	5447
	$C_{10}H_{10}(=CH_2)_2$ (Tricyclo[4.2.2.0 <sup>2,5</sup> ]dec-7-ene,9,10-bis(methylene)-(1 $\alpha$ ,2 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-)	57297-56-0	**	8.40±0.03 (V)	PE	4665
	$C_9H_8=C(CH_3)_2$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nona-3,7-diene, 9-(1-methylethylidene)-, (1 $\alpha$ ,2 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-)	27237-73-6	**	8.33±0.03 (V)	PE	4281
$C_{12}H_{16}^+$	$C_6H_5C_3H_4(iso-C_3H_7)$ (Benzene, [1-(1-methylethyl)cyclopropyl]-)	63339-99-1	**	8.63 (V)	PE	4815
	$C_6H_5CH=CHC(CH_3)_3$ (Benzene, (3,3-dimethyl-1-butenyl)-, (E)-)	3846-66-0	**	7.80±0.04	El	4097



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{16}^+$	$C_6H_5CH=CHC(CH_3)_3$ (Benzene, (3,3-dimethyl-1-butenyl)-, (Z)-)	3740-05-4	**	$8.29 \pm 0.04$	EI	4097
	$C_6H_5C(C(CH_3)_3)=CH_2$ (Benzene, (2,2-dimethyl-1-methylenepropyl)-)	5676-29-9	**	$8.25 \pm 0.04$	EI	4097
	$C_{12}H_{16}$ (Benzocyclooctene, 5,6,7,8,9,10-hexahydro-)	1076-69-3	**	8.42 (V)	PE	4063
	$C_6H_4(CH_2)_6$ (Bicyclo[6.2.2]dodeca-8,10,11-triene)	53011-74-8	**	8.00 (V)	PE	5339
	$C_{12}H_{16}$ (4a,8a-Ethanonaphthalene, 1,4,5,8-tetrahydro-)	5103-78-6	**	$9.00 \pm 0.05$ (V)	PE	4593
	$C_{12}H_{16}$ (4a,8a-Ethenonaphthalene, 1,2,3,4,5,8-hexahydro-)	24139-32-0	**	8.9 (V)	PE	4006
	$C_{12}H_{16}$ (Tetraspiro[2.0.2.0.2.0]dodecane)	24375-17-5	**	8.22 (V)	PE	4963
	$C_{10}H_{12}(=CH_2)_2$ (Tricyclo[4.2.2.0 <sup>2,5</sup> ]decane, 7,8-bis(methylene)-(1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ )-)	36439-92-6	**	$8.27 \pm 0.03$ (V)	PE	4665
	$C_9H_{10}=C(CH_3)_2$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]non-7-ene, 9-(1-methylethylidene)-, (1 $\alpha$ ,2 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-)	53848-19-4	**	$8.39 \pm 0.03$ (V)	PE	4281
$C_{12}H_{18}^+$	$(n-C_4H_9C\equiv C)_2$	1120-29-2	**	8.67	PE	4731
	$(tert-C_4H_9C\equiv C)_2$	6130-98-9	**	$8.61 \pm 0.02$ (V)	PE	4816
	$C_6H_4(CH(CH_3)_2)_2$ (Benzene, 1,4-bis(1-methylethyl))	100-18-5	**	8.35	PE	5574
	$C_6(CH_3)_6$ (Benzene, hexamethyl-)	87-85-4	**	7.9 (V)	PE	5600
			**	7.8	CTS	3543
	$C_6(CH_3)_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexamethyl-)	7641-77-2		7.83 (V)	PE	4296
			**	7.92 (V)	PE	4297
	$C_9H_{12}=C(CH_3)_2$	66149-44-8	**	8.19	PE	4855
	$C_3=(C(CH_3)_2)_3$ (Cyclopropane, tris (1-methylethylidene)-)	2799-44-2	**	7.49	PE	4390
	$C_{12}H_{18}$ (1,4:5,8-Dimethanonaphthalene, decahydro-, (1 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ ,8 $\alpha$ ,8 $\alpha$ )-)	53862-33-2	**	$9.50 \pm 0.03$ (V)	PE	4301
	$C_{12}H_{18}$ (1,4:5,8-Dimethanonaphthalene, decahydro-, (1 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,8 $\beta$ ,8 $\alpha$ )-)	15914-95-1	**	$9.57 \pm 0.03$ (V)	PE	4301
	$C_{12}H_{18}$ (Dispiro[cyclopropane-1,2'-bicyclo[2.2.2]octane-3',1''-cyclopropane])	40827-30-3	**	8.67 (V)	PE	4433
	$C_{12}H_{18}$ (4a,8a-Ethenonaphthalene, 1,2,3,4,5,6,7,8-octahydro-)	38992-78-8	**	9.05 (V)	PE	4006
	$C_9H_{12}=C(CH_3)_2$ (Tricyclo[4.2.1.0 <sup>2,5</sup> ]nonane, 9-(1-methylethylidene)-, (1 $\alpha$ ,2 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-)	53848-20-7	**	$8.30 \pm 0.03$ (V)	PE	4281
	$(C_6(CH_3)_6)(CO)_3Cr$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-hexamethylbenzene]-)	12088-11-8		$8.55 \pm 0.1$	EI	3788
$C_{12}H_{20}^+$	$C_{12}H_{20}$ (Acenaphthylene, dodecahydro-)	2146-36-3	**	9.05	PI	4173
	$C_6H_{11}C_6H_9$ (Cyclohexene, 1-cyclohexyl-)	3282-54-0	**	$8.30 \pm 0.01$	PI	5556
	$C_6H_{11}C_6H_9$ (Cyclohexene, 3-cyclohexyl-)	1808-09-9	**	$8.68 \pm 0.01$	PI	5556
	$C_8H_8(CH_3)_4$ (Cyclooctyne, 3,3,8,8-tetramethyl-)	XXXXX-XX-X	**	8.90 (V)	PE	4362
	$C_{10}H_{15}C_3H_5$ (4,7-Methano-1H-indene, 5-ethyloctahydro-, (3 $\alpha$ ,4 $\beta$ ,5 $\alpha$ ,7 $\beta$ ,7 $\alpha$ )-)	32787-97-6	**	$9.35 \pm 0.05$	PI	3918
	$C_{10}H_{14}(CH_3)_2$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane)	702-79-4	**	9.15	PE	4735

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{20}^+$	$C_{12}H_{20}$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 2-ethyl-)	14451-87-7	**	9.2	PI	4173
$C_{12}H_{22}^+$	<i>trans</i> - $C_3H_2(tert-C_4H_9)_2=CH_2$	XXXXX-XX-X	**	$8.22 \pm 0.04$	EI	4575
	$C_5H_{11}C \equiv CC_5H_{11}$	6975-99-1	**	$9.090 \pm 0.005$	PE	4575
			**	$9.06 \pm 0.03$	PI	5583
	<i>trans,trans</i> -( <i>tert</i> - $C_4H_9$ ) $CH=CH_2$	22430-49-5	**	$8.23 \pm 0.04$	EI	4274
	1- $C_{12}H_{22}$	765-03-7	**	$9.90 \pm 0.02$	PI	5583
	2- $C_{12}H_{22}$	629-49-2	**	$9.29 \pm 0.02$	PI	5583
	3- $C_{12}H_{22}$	6790-27-8	**	$9.17 \pm 0.02$	PI	5583
	4- $C_{12}H_{22}$	22058-01-1	**	$9.14 \pm 0.03$	PI	5583
	5- $C_{12}H_{22}$	19780-12-2	**	$9.09 \pm 0.03$	PI	5583
	$C_{12}H_{22}$ (Cyclododecene(E))	1486-75-5	**	$8.74 \pm 0.15$	EI	5532
	$C_{12}H_{22}$ (Cyclododecene(Z))	1129-89-1	**	$8.78 \pm 0.15$	EI	5532
	<i>n</i> - $C_6H_{13}C_6H_9$ (Cyclohexene, 1-hexyl-)	3964-66-7	**	$8.37 \pm 0.03$	PI	5556
	<i>n</i> - $C_6H_{13}C_6H_9$ (Cyclohexene, 3-hexyl-)	15232-78-7	**	$8.78 \pm 0.01$	PI	5556
	<i>n</i> - $C_7H_{15}C_5H_7$ (Cyclopentene, 1-heptyl-)	4292-00-6	**	$8.41 \pm 0.03$	PI	5556
$C_{12}H_{21}^+$	<i>cis</i> -( $CH_3$ ) $CCH_2C(CH_3)=CHC(CH_3)_3$	27656-50-4	**	$8.346 \pm 0.005$	PE	3957
	$C_{12}H_{24}$ (Cyclododecane)	294-62-2	**	$10.04 \pm 0.05$	EI	4319
$C_{13}H_9^+$	$C_{13}H_9CH_3$ (Phenanthrene, 4-methyl-)	832-64-4	$C_2H_3$	$12.7 \pm 0.1$	EI	3454
	$C_{14}H_9(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-)	3674-69-9		$12.4 \pm 0.1$	EI	3454
	$C_6H_8(C_6H_5)_2$ (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-)	31158-25-5		$13.0 \pm 0.4$	EI	4018
	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-)	21113-55-3		$13.3 \pm 0.4$	EI	4018
	$C_6H_7(CH_3)(C_6H_5)_2$ (Cyclohexene, 1-methyl-4,4-diphenyl-)	50592-48-8		$13.4 \pm 0.4$	EI	4018
	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-)	32812-65-0		$13.2 \pm 0.4$	EI	4018
	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-)	50592-50-2		$13.4 \pm 0.4$	EI	4018
	$C_6H_8(=O)(C_6H_5)_2$ (2-Cyclohexen-1-one, 4,4-diphenyl-)	4528-64-7		$14.4 \pm 0.4$	EI	4018
	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-)	22612-62-0		$13.8 \pm 0.4$	EI	4018
	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-)	4528-68-1		$14.4 \pm 0.4$	EI	4018
	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-)	50592-49-9		$14.0 \pm 0.4$	EI	4018
	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-)	50592-52-4		$14.1 \pm 0.4$	EI	4018
	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-)	50592-47-7		$13.9 \pm 0.4$	EI	4018
	$C_6H_8(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-)	50592-53-5		$13.4 \pm 0.4$	EI	4018
	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-)	XXXXX-XX-X		$13.6 \pm 0.4$	EI	4018
	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-)	50592-55-7		$13.6 \pm 0.4$	EI	4018

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_9^+$	$C_6H_6(O)(C_6H_5)=CHS(CH_2)_3CH_3$ (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-)	50592-51-3		$13.7 \pm 0.4$	EI	4018
	$C_6H_6(O)CH_2(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-)	50592-54-6	Cl	$13.3 \pm 0.4$	EI	4018
$C_{13}H_{10}^+$	$C_{13}H_{10}$ (9H-Fluorene)	86-73-7	**	$7.93 \pm 0.02$ (V)	PE	3702
			**	$7.89 \pm 0.03$	PI	5552
			**	7.91 (V)	PE	5619
			**	8.52	EI	4228
$C_{13}H_{11}^+$	$(C_6H_5)_2CH_2$ (Benzene, 1,1'-methylenebis-)	101-81-5	H	$11.2 \pm 0.1$	EI	5429
	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 4-methyl-)	644-08-6	H	$11.3 \pm 0.1$	EI	5429
	$C_{10}H_7CH=CHCH_3$ (Naphthalene, 1-(1-propenyl)-)	22767-77-7	H	$12.2 \pm 0.1$	EI	5429
	$C_{11}H_9C_2H_4$ (Spiro[7H-benzocycloheptene-7,1'-cyclopropane])	29150-13-8	H	$11.4 \pm 0.1$	EI	5429
	$C_6H_5(CH_3)C_6H_4CH_3$ (1,1'-Biphenyl, 2,2'-dimethyl-)	605-39-0	$CH_3$	$11.75 \pm 0.2$	EI	4199
	$C_6H_5(CH_3)C_6H_4CH_3$ (1,1'-Biphenyl, 3,3'-dimethyl-)	612-75-9	$CH_3$	$13.40 \pm 0.2$	EI	4199
	$C_6H_5(CH_3)C_6H_4CH_3$ (1,1'-Biphenyl, 4,4'-dimethyl-)	613-33-2	$CH_3$	12.65	EI	4199
	$(C_6H_5)_3CH$ (Benzene, 1,1',1''-methylidynetris-)	519-73-3	$C_6H_5$	10.9	PI	4055
	$C_6H_5CH_2C_6H_4OH$ (Phenol, 4-(phenylmethyl)-)	101-53-1	OH	$11.0 \pm 0.2$	EI	3807
	$C_6H_5CH_2C_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethyl)-)	834-14-0	$OCH_3$	$11.6 \pm 0.1$	EI	3807
	$C_6H_5CH_2C_6H_4NO_2$ (Benzene, 1-nitro-4-(phenylmethyl)-)	1817-77-2	$NO_2$	$10.5 \pm 0.1$	EI	3807
$C_{13}H_{10}D^+$	$C_6H_4(CH_2D)C_6H_4CH_2D$ (1,1'-Biphenyl, 2,2'-di(methyl-d)-)	52889-80-2	$CH_2D$	$11.80 \pm 0.2$	EI	4199
	$C_6H_4(CH_2D)C_6H_4CH_2D$ (1,1'-Biphenyl, 4,4'-di(methyl-d)-)	52889-82-4	$CH_2D$	12.95	EI	4199
$C_{13}H_9D_2^+$	$C_6H_4(CH_2D)C_6H_4CH_2D$ (1,1'-Biphenyl, 4,4'-di(methyl-d)-)	52889-82-4	$CH_3$	$12.65 \pm 0.2$	EI	4199
$C_{13}H_{12}^+$	$(C_6H_5)_2CH_2$ (Benzene, 1,1'-methylenebis-)	101-81-5	**	$8.55 \pm 0.03$	PI	5552
			**	$8.67 \pm 0.05$ (V)	PE	4620
			**	8.8 (V)	PE	4211
			**	$8.80 \pm 0.02$ (V)	PE	3854
			**	$8.7 \pm 0.1$	EI	5429
			**	$9.00 \pm 0.05$	EI	3806
			**	9.4	EI	4228
	$C_{13}H_{12}$ (1H-Benz[ <i>f</i> ]indene, 2,3-dihydro-)	1624-26-6	**	$7.85 \pm 0.03$ (V)	PE	4828
	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 2-methyl-)	643-58-3	**	$8.10 \pm 0.02$	PE	3702
	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 3-methyl-)	643-93-6	**	$7.95 \pm 0.02$	PE	3702

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{12}^+$	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 4-methyl-)	644-08-6	**	$7.80 \pm 0.02$	PE	3702
	$C_{13}H_{12}$ (5,10-Methanobenzocyclooctene, 5,10-dihydro-)	33627-04-2	**	$8.6 \pm 0.1$	EI	5429
	$C_{13}H_{12}$ (3,8-Methanocyclobuta[b]naphthalene, 2a,3,8,8a-tetrahydro- (2 $\alpha$ ,3 $\alpha$ ,8 $\alpha$ ,8 $\alpha$ )-)	54483-68-4	**	$8.25 \pm 0.05$	PE	4866
	$C_{13}H_{12}$ (3,8-Methanocyclobuta[b]naphthalene, 2a,3,8,8a-tetrahydro- (2 $\alpha$ ,3 $\beta$ ,8 $\beta$ ,8 $\alpha$ )-)	54483-73-7	**	$8.35 \pm 0.05$ (V)	PE	4866
	$C_{10}H_7CH=CHCH_3$ (Naphthalene, 1-(1-propenyl)-)	22767-77-7	**	$8.42 \pm 0.05$ (V)	PE	4866
	$C_{11}H_8C_2H_4$ (Spiro[7H-benzocycloheptene-7,1'-cyclopropane])	29150-13-8	**	$8.4 \pm 0.1$	EI	5429
	$C_{11}H_8C_2H_4$ (Spiro[7H-benzocycloheptene-7,1'-cyclopropane])	29150-13-8	**	$8.0 \pm 0.1$	EI	5429
$C_{13}H_{14}^+$	$C_{13}H_{14}$ (Azulene, 4,6,8-trimethyl-)	941-81-1	**	$7.10$ (V)	PE	5397
	$C_3H_3(C_6H_5)_2=C=C(CH_3)_2$ (Benzene, [2-(2-methyl-1-propenylidene)cyclopropyl]-)	4544-23-4	**	7.73	PE	5625
	$C_{13}H_{14}$ (1,2,4-Ethanylylidene-1H-cyclobuta[cd]pentalene, octahydro-5,7-bis (methylene)-)	42607-62-5	**	8.50	PE	4036
	$C_{13}H_{14}$ (5,10-Methanobenzocyclooctene, 5,6,7,10-tetrahydro-)	42919-37-9	**	$8.66 \pm 0.05$	PE	4866
	$C_{13}H_{14}$ (5,10-Methanobenzocyclooctene, 5,6,9,10-tetrahydro-)	42919-38-0	**	$8.54 \pm 0.05$	PE	4866
	$C_{13}H_{14}$ (3,8-Methanocyclobuta[b]naphthalene, 1,2,2a,3,8,8a-hexahydro- (2 $\alpha$ ,3 $\alpha$ ,8 $\alpha$ ,8 $\alpha$ )-)	67145-41-9	**	$8.46 \pm 0.05$ (V)	PE	4866
	$C_{13}H_{14}$ (3,8-Methanocyclobuta[b]naphthalene, 1,2,2a,3,8,8a-hexahydro- (2 $\alpha$ ,3 $\beta$ ,8 $\beta$ ,8 $\alpha$ )-)	67109-90-4	**	$8.60 \pm 0.05$ (V)	PE	4866
$C_{13}H_{16}^+$	$C_{13}H_{16}$ (Bicyclo[5.4.2]trideca-7,9,11,12-tetraene)	XXXXX-XX-X	**	$8.2$ (V)	PE	3999
	$C_{13}H_{16}$ (1,2,4-Ethanylylidene-1H-cyclobuta[cd]pentalene, octahydro-5-methyl-7-methylene-, (1 $\alpha$ ,1 $\alpha\beta$ , 2 $\alpha$ ,3 $\alpha\beta$ ,4 $\alpha$ ,5 $\alpha$ ,5 $\alpha\beta$ ,5 $\beta\beta$ )-)	42607-64-7	**	9.10	PE	4036
	$C_{13}H_{16}$ (5,10-Methanobenzocyclooctene, 5,6,7,8,9,10-hexahydro-)	33627-05-3	**	$8.52 \pm 0.05$ (V)	PE	4866
$C_{13}H_{18}^+$	$C_6H_5C_3H_7(tert-C_3H_7)$ (Benzene, [1-(1,1-dimethylethyl)cyclopropyl]-)	63340-00-1	**	$8.63$ (V)	PE	4815
	$C_6H_4(CH_2)_7$ (Bicyclo[7.2.2]trideca-9,11,12-triene)	3761-63-5	**	$8.21$ (V)	PE	5339
$C_{13}H_{22}^+$	$C_3H_3(C_6H_5)_2$ (1,3-Cyclopentadiene, 1,3-bis(1,1-dimethylethyl)-)	XXXXX-XX-X	**	$7.79$ (V)	PE	4324
	$C_{13}H_{22}$ (1H-Phenylene, dodecahydro-)	2935-07-1	**	8.85	PI	4173
$C_{13}H_{21}^+$	1- $C_{13}H_{21}$	26186-02-7	**	$9.90 \pm 0.02$	PI	5583
	2- $C_{13}H_{21}$	28467-75-6	**	$9.28 \pm 0.02$	PI	5583
	3- $C_{13}H_{21}$	60186-78-9	**	$9.14 \pm 0.03$	PI	5583
	4- $C_{13}H_{21}$	60186-79-0	**	$9.07 \pm 0.03$	PI	5583
	5- $C_{13}H_{21}$	60186-80-3	**	$9.09 \pm 0.03$	PI	5583



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{21}^+$	6- $C_{13}H_{24}$	42371-66-4	**	$9.05 \pm 0.03$	PI	5583
	<i>n</i> - $C_7H_{15}C_6H_9$ (Cyclohexene, 1-heptyl-)	15232-86-7	**	$8.37 \pm 0.02$	PI	5556
	$C_{13}H_{24}$ (Cyclotridecene(E))	2484-65-3	**	$8.63 \pm 0.15$	EI	5532
$C_{13}H_{26}^+$	$((CH_3)_3C)_2C=CHCH(CH_3)_2$	50787-12-7	**	$8.307 \pm 0.008$	PE	3957
$C_{11}H_8^+$	$C_{18}H_8N_4$ (Dibenzo[ <i>f,h</i> ]quinoxaline-2,3-dicarbonitrile)	55408-49-6	2(CN) <sub>2</sub>	11.91	EI	5488
$C_{11}H_{10}^+$	$C_{14}H_{10}$ (Anthracene)	120-12-7	**	7.47	S	3857
			**	7.4	PI	3586
			**	7.40	PI	3877
			**	7.40	PE	3668
			**	7.40 (V)	PE	5436
			**	7.40 (V)	PE	5630
			**	$7.41 \pm 0.02$ (V)	PE	4913
			**	$7.41 \pm 0.05$	PE	3684
			**	7.41 (V)	PE	4701
			**	$7.42 \pm 0.02$ (V)	PE	4430
			**	$7.43 \pm 0.03$ (V)	PE	4887
			**	$7.44 \pm 0.03$ (V)	PE	4341
			**	$7.47 \pm 0.01$	PE	3644
			**	$7.47 \pm 0.01$	PE	3657
			**	7.47	PE	4364
			**	7.35	CTS	3577
			**	7.4	CTS	3543
	$C_6H_5C \equiv CC_6H_5$ (Benzene, 1,1'-(1,2-ethynediyl)bis-)	501-65-5	**	$7.90 \pm 0.02$	PE	3854
			**	$8.0 \pm 0.05$	PE	3684
	$C_{10}H_6C_3H_4$ (Cyclohepta[ <i>de</i> ]naphthalene)	208-20-8	**	7.10 (V)	PE	5597
	$C_{13}H_{10}$ (Cyclopenta[ <i>ef</i> ]heptalene)	209-42-7	**	6.84 (V)	PE	4572
	$C_{10}H_6C_3H_4$ (6b,8a-Dihydrocyclobut[ <i>a</i> ]acenaphthylene)	XXXXX-XX-X	**	7.72 (V)	PE	5597
	$C_{10}H_6C_3H_4$ (2,3-Dihydro-1,2,3-metheno-1H-phenalene)	XXXXX-XX-X	**	7.55 (V)	PE	5597
	$C_{11}H_{10}$ (Phenanthrene)	85-01-8	**	7.85 (V)	PE	5619
			**	$7.86 \pm 0.01$	PE	3644
			**	$7.86 \pm 0.02$ (V)	PE	4913
			**	7.86 (V)	PE	4701
			**	$7.87 \pm 0.02$ (V)	PE	4430
			**	7.91 (V)	PE	5364
			**	$7.92 \pm 0.02$ (V)	PE	3702
			**	$7.92 \pm 0.05$	PE	3684
			**	$8.03 \pm 0.01$	EI	3588
			**	8.25	CTS	3577
	$C_6H_8(C_6H_5)_2$ (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-)	31158-25-5		$10.4 \pm 0.4$	EI	4018
	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-)	21113-55-3		$10.8 \pm 0.4$	EI	4018
	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-)	32812-65-0		$10.2 \pm 0.4$	EI	4018
	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-)	50592-50-2		$9.3 \pm 0.4$	EI	4018

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{10}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-)	22612-62-0		$10.7 \pm 0.4$	EI	4018
	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-)	4528-68-1		$13.2 \pm 0.4$	EI	4018
	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-)	50592-49-9		$9.6 \pm 0.4$	EI	4018
	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-)	50592-52-4		$10.3 \pm 0.4$	EI	4018
	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-)	50592-47-7		$10.5 \pm 0.4$	EI	4018
	$C_6H_8(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-)	XXXXX-XX-X		$10.2 \pm 0.4$	EI	4018
	$C_6H_8(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-)	50592-55-7	3	$10.0 \pm 0.4$	EI	4018
	$C_{14}H_{12}S$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-)	1207-93-8	$H_2S$	9.76	EI	5414
	$C_{14}H_{12}SO_2$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-5,5-dioxide-)	23772-26-1	$H_2SO_2$	10.00	EI	5414
	$C_6H_6(=O)CH_2(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-)	50592-54-6	Cl	$10.5 \pm 0.4$	EI	4018
$C_{14}H_{10}^{+2}$	$C_{14}H_{10}$ (Anthracene)	120-12-7	**	21.3	OTH	5141
	$C_6H_5C \equiv CC_6H_5$ (Benzene, 1,1'-(1,2-ethynediyl)bis-)	501-65-5	**	23.3	OTH	5141
$C_{14}H_{11}^+$	$C_{14}H_{12}S$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-)	1207-93-8	HS	11.05	EI	5414
	$C_{14}H_{12}SO_2$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-5,5-dioxide-)	23772-26-1	$HSO_2$	10.35	EI	5414
$C_{14}H_{12}^+$	$(C_6H_5)_2CH=CH$ (Benzene, 1,1'-(1,2-ethenediyl)bis-(E)-)	103-30-0	**	$7.70 \pm 0.03$	PI	5552
			**	$7.70 \pm 0.02$	PE	3854
			**	7.76	PE	3657
			**	7.87 (V)	PE	4464
			**	$7.90 \pm 0.05$ (V)	PE	4377
			**	$7.91 \pm 0.05$ (V)	PE	4333
	$C_6H_5CH=CHC_6H_5$	645-49-8	**	$7.80 \pm 0.02$	PE	3854
	(Benzene, 1,1'-(1,2-ethenediyl)bis-(Z))		**	8.17 (V)	PE	4464
	$C_{14}H_{12}$ (Benzene, 1,1'-(1,2-ethenediyl)bis-)	588-59-0	**	7.5	PI	3586
			**	$7.93 \pm 0.03$ (V)	PE	4767
			**	7.94	PE	5124
			**	10.30 (V)	PE	4856
			**	7.9	CTS	3577
	$(C_6H_5)_2C-CH_2$ (Benzene, 1,1'-ethenylidenebis-)	530-48-3	**	$8.00 \pm 0.02$	PE	3854
	$C_{14}H_{12}$	776-35-2	**	$7.55 \pm 0.02$	PE	3702
	(Phenanthrene, 9,10-dihydro-)		**	8.19 (V)	PE	5364
	$C_6H_8(C_6H_5)_2$ (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-)	31158-25-5		$9.8 \pm 0.4$	EI	4018
	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-)	21113-55-3		$9.8 \pm 0.4$	EI	4018
	$C_6H_7(CH_3)(C_6H_5)_2$	50592-48-8		$9.8 \pm 0.4$	EI	4018
	(Cyclohexene, 1-methyl-4,4-diphenyl-)					

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{12}^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-)	32812-65-0		$10.1 \pm 0.4$	EI	4018
	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-)	50592-50-2		$9.5 \pm 0.4$	EI	4018
	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-)	22612-62-0		$9.5 \pm 0.4$	EI	4018
	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-)	4528-68-1		$10.0 \pm 0.4$	EI	4018
	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-)	50592-49-9		$10.0 \pm 0.4$	EI	4018
	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-)	50592-52-4		$10.4 \pm 0.4$	EI	4018
	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-)	50592-47-7		$10.1 \pm 0.4$	EI	4018
	$C_6H_6(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-)	50592-53-5		$9.9 \pm 0.4$	EI	4018
	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropenal, 1-methyl-2-oxo-3,3-diphenyl-)	XXXXXX-XX-X		$10.3 \pm 0.4$	EI	4018
	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-)	50592-55-7		$10.5 \pm 0.4$	EI	4018
	$C_6H_6(=O)(C_6H_5)=CHS(CH_2)_3CH_3$ (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-)	50592-51-3		$10.1 \pm 0.4$	EI	4018
	$C_{14}H_{12}SO_2$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-5,5-dioxide-)	23772-26-1	$SO_2$	10.20	EI	5414
	$C_6H_6(=O)CH_3(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-)	50592-54-6	Cl	$10.0 \pm 0.4$	EI	4018
$C_{14}H_{13}^+$	$C_6H_3(CH_3)C_6H_4CH_3$ (1,1'-Biphenyl, 2,2'-dimethyl-)	605-39-0	H	$12.20 \pm 0.2$	EI	4199
	$C_6H_3(CH_3)C_6H_4CH_3$ (1,1'-Biphenyl, 3,3'-dimethyl-)	612-75-9	H	$13.00 \pm 0.2$	EI	4199
	$C_6H_3(CH_3)C_6H_4CH_3$ (1,1'-Biphenyl, 4,4'-dimethyl-)	613-33-2	H	12.85	EI	4199
$C_{14}H_{14}^+$	$C_6H_5CH_2CH_2C_6H_5$ (Benzene, 1,1'-(1,2-ethanediy)bis-)	103-29-7	**	$9.00 \pm 0.05$	EI	3806
	$(C_7H_7)_2$ (Bicycloheptatrienyl)	39473-62-6	**	8.62 (V)	PE	4820
	$C_{14}H_{14}$ (Bicyclo[2.2.2]octane, 2,3,5,6,7,8-hexa(methylene)-)	XXXXXX-XX-X	**	8.38 (V)	PE	5315
	$(C_6H_5CH_3)_2$ (1,1'-Biphenyl, 2,2'-dimethyl-)	605-39-0	**	$8.05 \pm 0.02$	PE	3702
	$(C_6H_5CH_3)_2$ (1,1'-Biphenyl, 3,3'-dimethyl-)	612-75-9	**	$8.80 \pm 0.05$	EI	4199
	$(C_6H_5CH_3)_2$ (1,1'-Biphenyl, 3,3'-dimethyl-)	612-75-9	**	$7.85 \pm 0.02$	PE	3702
	$C_6H_3(CH_3)C_6H_4CH_3$ (1,1'-Biphenyl, 4,4'-dimethyl-)	613-33-2	**	$8.70 \pm 0.05$	EI	4199
	$C_6H_5C_6H_4C_2H_5$ (1,1'-Biphenyl, 2-ethyl-)	1812-51-7	**	$8.55 \pm 0.02$ (V)	PE	3702
	$C_{14}H_{14}$ (1,4-Methanonaphthalene, 1,4-dihydro-9-((1-methylethylidene)-)	7350-72-3	**	8.01 (V)	PE	4541
	$C_{14}H_{16}$ (Anthracene, 1,4,5,8,9-hexahydro-)	5910-28-1	**	8.16 (V)	PE	4531
	$C_3H_2(C_6H_5)(CH_3)=C=C(CH_3)_2$ (Benzene, [2-methyl-3-(2-methyl-1-propenylidene)cyclopropyl]- <i>cis</i> -)	33530-26-6	**	7.65	PE	5625
	$C_3H_2(C_6H_5)(CH_3)=C=C(CH_3)_2$ (Benzene, [2-methyl-3-(2-methyl-1-propenylidene)cyclopropyl]- <i>trans</i> -)	33530-27-7	**	7.63	PE	5625

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{16}^+$	$C_{10}H_7(CH_2)_3CH_3$ (Naphthalene, 1-butyl-)	1634-09-0	**	7.76	PE	3960
	$C_{10}H_1(CH_3)_4$ (Naphthalene, 2,3,6,7-tetramethyl-)	1134-40-3	**	7.60±0.03 (V)	PE	4828
$C_{11}H_{18}^+$	$(tert-C_4H_9)_2(C\equiv C)_1$	20264-60-2	**	8.32±0.02 (V)	PE	4816
$C_{11}H_{22}^+$	$C_6H_5(C(CH_3)_2)_2$ (Benzene, 1,4-bis(1,1-dimethylethyl))	1012-72-2	**	8.30	PE	5574
$C_{11}H_{24}^+$	$(CH_3)_4CC(C_4H_9)C(C_4H_9)C(CH_3)CH_3$	54580-22-2	**	8.14 (V)	PE	4459
	$C_4(CH_3)_4(C(CH_3)_2)_2$ (Cyclobutane, 1,1,2,2-tetramethyl-3,4-bis(1-methylethylidene)-)	1133-23-9	**	7.49 (V)	PE	4459
$C_{11}H_{26}^+$	$C_{10}H_{13}C\equiv CC_{10}H_{13}$	35216-11-6	**	9.067±0.005	PE	4575
			**	9.03±0.04	PI	5583
	1- $C_{11}H_{26}$	765-10-6	**	9.89±0.02	PI	5583
	2- $C_{11}H_{26}$	638-60-8	**	9.26±0.03	PI	5583
	3- $C_{11}H_{26}$	60212-32-0	**	9.17±0.02	PI	5583
	4- $C_{11}H_{26}$	60212-33-1	**	9.11±0.03	PI	5583
	5- $C_{11}H_{26}$	60212-34-2	**	9.10±0.03	PI	5583
	6- $C_{11}H_{26}$	3730-08-3	**	9.09±0.02	PI	5583
	$((CH_3)_2C=C(iso-C_4H_7))_2$	54580-23-3	**	8.22 (V)	PE	4459
	$C_{14}H_{26}$ (Cyclotetradecene(E))	6568-33-8	**	8.70±0.15	EI	5532
			**	8.65±0.15	EI	5532
$C_{11}H_{28}^+$	$((CH_3)_3C)_2C=CHC(CH_3)_3$	28923-90-2	**	8.169±0.012	PE	3957
	$((iso-C_4H_7)_2C)_2$	7090-88-2	**	8.13 (V)	PE	4459
$C_{15}H_9^+$	$C_{14}H_9CH_3$ (Phenanthrene, 4-methyl-)	832-64-4	$H_2 + H$	14.4±0.1	EI	3454
	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-)	1576-69-8		17.6±0.1	EI	3454
	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-)	3674-69-9		15.1±0.1	EI	3454
	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-)	7396-38-5	3CH <sub>3</sub>	14.5±0.1	EI	3454
	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 3,4,5,6-tetramethyl-)	7343-06-8	3CH <sub>3</sub>	16.5±0.1	EI	3454
$C_{15}H_{11}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 4-methyl-)	832-64-4	H	12.0±0.1	EI	3454
	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-)	1576-69-8	CH <sub>3</sub>	13.5±0.1	EI	3454
	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-)	3674-69-9	CH <sub>3</sub>	10.8±0.1	EI	3454
$C_{15}H_{12}^+$	$C_{14}H_9CH_3$ (Anthracene, 9-methyl-)	779-02-2	**	7.24±0.03 (V)	PE	4887
			**	7.25	PE	4171
			**	7.27 (V)	PE	5436
	$C_3H_2(C_6H_5)_2$ (Benzene, 1,1'-(1-cyclopropene-1,2-diyl)bis-)	24168-52-3	**	10.27 (V)	PE	4856



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{12}^+$	$(C_7H_5)_2C$ (Bicyclo[2.2.1]hepta-2,5-diene,7,7'-methanediylidenebis-)	73045-26-8	**	8.05 (V)	PE	5463
	$C_{15}H_{12}$ (1H-Cyclopropa[1]phenanthrene, 1a,9b-dihydro-)	949-41-7	**	7.77 (V)	PE	4927
	$C_{15}H_{12}$ (5H-Dibenzo [a,d]cycloheptene)	256-81-5	**	7.95 (V)	PE	4611
	$C_{11}H_9CH_3$ (Phenanthrene, 1-methyl-)	832-69-9	**	$7.7 \pm 0.03$	EI	3588
	$C_{11}H_9CH_3$ (Phenanthrene, 2-methyl-)	2531-84-2	**	$7.9 \pm 0.04$	EI	3588
	$C_{11}H_9CH_3$ (Phenanthrene, 3-methyl-)	832-71-3	**	$7.68 \pm 0.01$	EI	3588
	$C_{11}H_9CH_3$ (Phenanthrene, 4-methyl-)	832-64-4	**	$7.1 \pm 0.1$	EI	3454
	$C_{11}H_9CH_3$ (Phenanthrene, 9-methyl-)	883-20-5	**	$7.70 \pm 0.02$	EI	3588
	$C_{11}H_9CH_3$ (Phenanthrene, 9-methyl-)	883-20-5	**	$7.46 \pm 0.03$	EI	3588
	$(C_7H_5)_2C$ (Tetracyclo[3.2.0.0 <sup>2,7</sup> .0 <sup>1,6</sup> ]heptane,3,3'-methanetetra-)	73050-57-4	**	7.80 (V)	PE	5463
$C_{15}H_{13}^+$	$C_{10}H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-)	21113-55-3		$10.3 \pm 0.4$	EI	4018
	$C_{10}H_{10}(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-)	32812-65-0		$10.6 \pm 0.4$	EI	4018
	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-)	50592-50-2		$10.3 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-)	22612-62-0		$9.7 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-)	4528-68-1		$10.5 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-)	50592-49-9		$10.8 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-)	50592-52-4		$10.3 \pm 0.4$	EI	4018
	$C_{10}H_{10}(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-)	50592-47-7		$10.1 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-)	50592-53-5		$10.3 \pm 0.4$	EI	4018
	$C_{10}H_{11}(=O)(CH_3)(C_6H_5)_2$ (2(3H)-Naphthalenone,4,4a,5,6,7,8-hexahydro-4a-methyl-7,7-diphenyl-)	50786-03-3		$9.9 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanonepropanal, 1-methyl-2-oxo-3,3-diphenyl-)	XXXXX-XX-X		$10.5 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-)	50592-55-7		$10.6 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)(C_6H_5)_2CH_2CH_2CH_2CH_3$ (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-)	50592-51-3		$10.8 \pm 0.4$	EI	4018
	$C_{10}H_{10}(=O)CH_2(C_6H_5)_2CH_2CH=CH(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-)	50592-54-6	Cl	$10.6 \pm 0.4$	EI	4018
$C_{15}H_{11}^+$	$C_{15}H_{14}$ (Benzene,1,1'-(1,2-cyclopropanediyl)bis-, <i>cis</i> -)	1138-48-3	**	8.20	PE	5260
	$C_{15}H_{14}$ (Benzene,1,1'-(1,2-cyclopropanediyl)bis-, <i>trans</i> -)	1138-47-2	**	8.05	PE	5260
	$(C_6H_5)_2CH=CCH_3$ (Benzene, <i>trans</i> -1,1'-(1-methyl-1,2-ethenediyl)bis-)	833-81-8	**	$8.10 \pm 0.05$ (V)	PE	4377
	$(C_7H_5)_2CH_2$ (Dispiro[bicyclo[2.2.1]hepta-2,5-diene-7,1'-cyclopropane-2',7''-bicyclo[2.2.1]hepta[2,5]diene])	73045-27-9	**	8.25 (V)	PE	5463
	$(C_7H_5)_2CH_2$ (Dispiro[tetracyclo[3.2.0.0 <sup>2,7</sup> .0 <sup>1,6</sup> ]heptane-3,1'-cyclopropane-2',3''-tetracyclo[3.2.0.0 <sup>2,7</sup> .0 <sup>1,6</sup> ]heptane])	73050-58-5		8.4 (V)	PE	5463

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{11}^+$	$C_{13}H_8(CH_3)_2$ (9 <i>H</i> -Fluorene, 9,9-dimethyl-)	4569-45-3	**	7.8 (V)	PE	4081
$C_{15}H_{16}^+$	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-2-(2-phenylethyl)-)	34403-05-9	**	$8.64 \pm 0.05$	EI	5230
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-3-(2-phenylethyl)-)	34403-06-0	**	$8.59 \pm 0.05$	EI	5230
	$C_6H_5CH_2CH_2C_6H_4CH_3$ (Benzene, 1-methyl-4-(2-phenylethyl)-)	14310-20-4	**	$8.58 \pm 0.05$	EI	5230
	$C_6H_5(CH_2)_3C_6H_5$ (Benzene, 1,1'-(1,3-propanediyl)bis-)	1081-75-0	**	$8.60 \pm 0.1$	EI	4925
			**	$8.79 \pm 0.05$	EI	5230
	$C_6H_5C_6H_4CH(CH_3)_2$ (1,1'-Biphenyl, 2-isopropyl-)	19486-60-3	**	$8.50 \pm 0.02$ (V)	PE	3702
	$C_6H_5C_6H_4C_3H_7$ (1,1'-Biphenyl, 2-propyl-)	20282-28-4	**	$8.50 \pm 0.02$ (V)	PE	3702
	$C_6H_5CH_2CH_2C_7H_7$ (1,3,5-Cycloheptatriene, 7-(2-phenylethyl)-)	712-32-6	**	$8.06 \pm 0.05$	EI	5230
$C_{15}H_{18}^+$	$C_{10}H_3(CH_3)_5$ (Azulene, 1,2,4,6,8-pentamethyl-)	XXXXX-XX-X	**	$6.85 \pm 0.03$ (V)	PE	4828
$C_{15}H_{21}^+$	$C_9H_6(CH_3)_6$ (Tetracyclo[6.1.0.0 <sup>2,4</sup> .0 <sup>3,7</sup> ]nonane, 3,3,6,6,9,9-hexamethyl- (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\beta$ ,7 $\beta$ ,8 $\alpha$ )-)	51898-92-1	**	8.5 (V)	PE	5192
	$C_{11}H_{12}(CH_3)_4$ (Undec-1,5,8-triene, 1,4,4,8-tetramethyl-)	XXXXX-XX-X	**	9.54 (V)	PE	5314
$C_{15}H_{28}^+$	$C_{15}H_{28}$ (Cyclopentadecene(E))	2146-35-2	**	$8.83 \pm 0.15$	EI	5532
	$C_{15}H_{28}$ (Cyclopentadecene(Z))	34458-54-3	**	$8.80 \pm 0.15$	EI	5532
$C_{16}H_8^+$	$C_{16}H_8$ (Dibenzo[ <i>a,e</i> ]cyclooctene, 5,6,11,12-tetrahydro-)	53397-65-2	**	7.76 (V)	PE	4652
$C_{16}H_{10}^+$	$C_{16}H_{10}$ (Azuleno[2,1,8- <i>ija</i> ]azulene)	3526-04-3	**	$7.14 \pm 0.03$ (V)	PE	4263
	$C_{16}H_{10}$ (Cyclohept[ <i>g</i> ]acenaphthylene)	194-32-1	**	$7.13 \pm 0.04$	PE	4196
	$C_{16}H_{10}$ (Dibenzo[ <i>a,e</i> ]cyclooctene, 5,6-didehydro-)	53397-66-3	**	7.56 (V)	PE	4652
	$C_{16}H_{10}$ (Fluoranthene)	206-44-0	**	$7.95 \pm 0.04$	PE	4196
	$C_{16}H_{10}$ (Pyrene)	129-00-0	**	7.41 (V)	PE	3951
			**	7.41 (V)	PE	4701
			**	7.42 (V)	PE	5364
			**	$7.45 \pm 0.01$	PE	3657
			**	7.45	CTS	3577
	$C_{11}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-)	1576-69-8		$17.7 \pm 0.1$	EI	3454
	$C_{11}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-)	3674-69-9		> 16	EI	3454

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{11}^+$	$C_{11}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-)	7396-38-5	$2CH_3 + H$	$15.6 \pm 0.1$	EI	3454
	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 3,4,5,6-tetramethyl-)	7343-06-8	$2CH_3 + H$	$14.3 \pm 0.1$	EI	3454
$C_{16}H_{12}^+$	$C_{14}H_8(=CH_2)_2$ (Anthracene, 9,10-dihydro-9,10-bis(methylene)-)	3302-51-0	**	7.95 (V)	PE	4540
	$C_{16}H_{12}$ (Azulene, 2-phenyl-)	19227-07-7	**	7.20 (V)	PE	5397
	$C_{16}H_{12}$ (Azulene, 6-phenyl-)	23781-82-0	**	7.25 (V)	PE	5397
	$C_{16}H_{12}$ (Azuleno[2,1,8- <i>ija</i> ]azulene, 10b, 10c-dihydro-)	38765-94-5	**	$7.33 \pm 0.03$ (V)	PE	4263
	$C_{16}H_{12}$ (Cyclohept[ <i>fg</i> ]acenaphthylene, 1,2-dihydro-)	518-03-6	**	$6.85 \pm 0.04$	PE	4196
	$C_{16}H_{12}$ (Dibenzo[ <i>a,e</i> ]cyclooctene)	262-89-5	**	7.8 (V)	PE	4652
	$C_{10}H_7C_6H_5$ (Naphthalene, 2-phenyl-)	612-94-2	**	7.75	PE	4066
	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-)	7396-38-5	$2CH_3$	$14.0 \pm 0.1$	EI	3454
	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 3,4,5,6-tetramethyl-)	7343-06-8	$2CH_3$	$13.5 \pm 0.1$	EI	3454
$C_{16}H_{13}^+$	$C_{16}H_{14}$ (Phenanthrene, 2,7-dimethyl-)	1576-69-8	H	$13.5 \pm 0.1$	EI	3454
	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-)	3674-69-9	H	$12.3 \pm 0.1$	EI	3454
$C_{16}H_{11}^+$	$C_6H_5(CH=CH)_2C_6H_5$ (Benzene, 1,1'-(1,3-butadiene-1,4-diyl)bis-)	886-65-7	**	$7.54 \pm 0.03$ (V)	PE	4767
			**	7.56	PE	5124
			**	8.05	PE	5202
	$C_{14}H_8(CH_3)_2$ (Cyclopenta[ <i>ef</i> ]heptalene, 3,5-dimethyl-)	20672-23-5	**	6.73 (V)	PE	4572
	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-)	1576-69-8	**	$8.0 \pm 0.1$	EI	3454
	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-)	3674-69-9	**	$7.6 \pm 0.1$	EI	3454
	$C_6H_5(=O)(C_6H_5)_2$ (2-Cyclohexen-1-one, 4,4-diphenyl-)	4528-64-7		$9.3 \pm 0.4$	EI	4018
	$C_6H_5(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-)	22612-62-0		$9.6 \pm 0.4$	EI	4018
	$C_6H_5(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-)	50592-52-4		$9.2 \pm 0.4$	EI	4018
	$C_6H_5(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-)	50592-53-5		$9.4 \pm 0.4$	EI	4018
	$C_6H_5(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-)	XXXXXX-XX-X		$9.4 \pm 0.4$	EI	4018
	$C_6H_5(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-)	50592-55-7		$9.3 \pm 0.4$	EI	4018
	$C_6H_5(=O)CH_3(C_6H_5)_2CH_2CH= C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-)	50592-54-6	Cl	$9.1 \pm 0.4$	EI	4018
$C_{16}H_{16}^+$	$C_{16}H_{16}$ (1,6-Ethenocyclopenta[ <i>cd</i> ]pentaleno[2,1,6- <i>gha</i> ] pentalene, 1,1a,3a,3b,5a,5b,6,6a,6b,6c-decahydro-)	66081-13-8	**	8.74 (V)	PE	4832

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{16}^+$	$C_{16}H_{16}$ (Tricyclo[8.2.2.2 <sup>1,7</sup> ]hexadeca-4,6,10,12,13,15-hexaene)	1633-22-3	**	8.00 (V)	PE	4510
			**	7.60	PE	4158
			**	7.8	PE	5600
			**	8.08 (V)	PE	4088
			**	8.10 (V)	PE	5575
	$(C_6H_5CH_2CH_2)_2$ (Tricyclo[9.3.1.1 <sup>4,8</sup> ]hexadeca-1(15),4,6,8(16),11,13-hexaene)	2319-97-3	**	8.20 (V)	PE	5575
			**	8.24 (V)	PE	4088
			**	8.24 (V)	PE	4231
$C_{16}H_{18}^+$	$(tert-C_4H_9)_2(C\equiv C)_4$	20264-61-3	**	8.12±0.02 (V)	PE	4816
	$C_{10}H_5C_6H_4C_6H_5$ (1,1'-Biphenyl, 2-butyl-)	XXXXX-XX-X	**	8.50±0.02 (V)	PE	3702
$C_{16}H_{20}^+$	$C_{10}H_2(CH_3)_6$ (Azulene, 2,4,5,6,7,8-hexamethyl-)	63297-21-2	**	6.84±0.03 (V)	PE	4828
	$C_{10}H_2(CH_3)_6$ (Azulene, 3,4,5,6,7,8-hexamethyl-)	XXXXX-XX-X	**	6.73±0.03 (V)	PE	4828
	$C_8(CH_3)_4(=CH_2)_4$ (Tricyclo[3.3.0.0 <sup>2,6</sup> ]octane, 1,2,5,6-tetramethyl- 3,4,7,8-tetrakis(methylene)-)	34106-16-6	**	7.97±0.02 (V)	PE	5562
	$C_8(CH_3)_4(=CH_2)_4$ (Tricyclo[4.2.0.0 <sup>2,5</sup> ]octane, 1,2,5,6-tetramethyl- 3,4,7,8-tetrakis(methylene)-(1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ )-)	34101-24-1	**	8.10±0.02 (V)	PE	5562
$C_{16}H_{26}^+$	$C_6H_5(CH_2C(CH_3)_2)_2$ (Benzene, 1,4-bis(2,2-dimethylpropyl))	1020-87-7	**	8.25	PE	5574
$C_{17}H_{12}^+$	$C_{17}H_{12}$ (10b,10c-Methanoazuleno[2,1,8- <i>ija</i> ]azulene)	38801-41-1	**	7.15±0.03 (V)	PE	4263
	$C_{17}H_{12}$ (1,1'-Spirobi[1 <i>H</i> -indene])	165-42-4	**	7.80 (V)	PE	4083
$C_{17}H_{14}^+$	$C_{17}H_{14}$ (12 <i>H</i> -1,11-Methenobenzo[1,2:4,5]dicycloheptene, 11a,12a-dihydro-)	25835-57-8	**	7.37±0.03 (V)	PE	4263
$C_{17}H_{15}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-)	7396-38-5	CH <sub>3</sub>	11.5±0.1	EI	3454
	$C_{18}H_{18}$ (Phenanthrene, 3,4,5,6-tetramethyl-)	7343-06-8	CH <sub>3</sub>	11.5±0.1	EI	3454
$C_{18}H_{10}^+$	$C_{18}H_{10}$ (Naphthacene)	92-24-0	**	6.9	PI	3586
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Benz[ <i>a</i> ]anthracene)	56-55-3	**	7.41 (V)	PE	4701
			**	7.41±0.02 (V)	PE	4913
			**	7.42 (V)	PE	4039
			**	7.47±0.01	PE	3644
			**	7.56±0.01	PE	3657
			**	7.5	CTS	3577
	$C_{18}H_{12}$ (Benzo[ <i>c</i> ]phenanthrene)	195-19-7	**	7.60 (V)	PE	4701



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>18</sub>H<sub>12</sub><sup>+</sup></b>	C <sub>18</sub> H <sub>12</sub>	195-19-7	**	7.62 (V)	PE	4039
			**	7.60±0.02 (V)	PE	4913
	C <sub>18</sub> H <sub>12</sub> (Chrysene)	218-01-9	**	7.59±0.02 (V)	PE	4913
			**	7.59 (V)	PE	4701
			**	7.60±0.01	PE	3644
			**	7.61 (V)	PE	4039
			**	7.75	CTS	3577
	C <sub>18</sub> H <sub>12</sub> (Naphthacene)	92-24-0	**	6.97±0.02 (V)	PE	4913
			**	7.01	PE	3668
			**	7.01 (V)	PE	4039
			**	7.04±0.04	PE	4196
	C <sub>18</sub> H <sub>12</sub> (Tetracyclo[6.6.2.1 <sup>3,13</sup> .1 <sup>6,10</sup> ]octadeca-1,3(17),4,6,8,10(18),11,13,15-nonaene)	27313-56-0	**	8.06 (V)	PE	3647
			**	8.06 (V)	PE	4088
	C <sub>18</sub> H <sub>12</sub> (Triphenylene)	217-59-4	**	7.84±0.01	PE	3657
			**	7.86 (V)	PE	4039
			**	7.88±0.02 (V)	PE	4913
			**	7.88 (V)	PE	4701
			**	7.89±0.04	PE	4196
			**	8.1	CTS	3577
<b>C<sub>18</sub>H<sub>14</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> =C(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (Benzene, (2,4-cyclopentadien-1-ylidenephnylmethyl)-)	2175-90-8	**	7.96 (V)	PE	4357
	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>4</sub> (1,1':4',1''-Terphenyl)	92-94-4	**	7.83	PE	4478
	C <sub>18</sub> H <sub>14</sub> (1,1':2',1''-Terphenyl)	84-15-1	**	7.99±0.01	PE	3657
	C <sub>18</sub> H <sub>14</sub> (1,1':3',1''-Terphenyl)	92-06-8	**	8.01±0.01	PE	3657
	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>4</sub> (1,1':4',1''-Terphenyl)	92-94-4	**	7.78±0.01	PE	3657
<b>C<sub>18</sub>H<sub>16</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (CH=CH) <sub>3</sub> C <sub>6</sub> H <sub>5</sub> (Benzene, 1,1'-(1,3,5-hexatriene-1,6-diyl)bis-)	1720-32-7	**	7.27±0.03 (V)	PE	4767
			**	7.33	PE	5124
	C <sub>18</sub> H <sub>16</sub> (11,1-Metheno-1H-cyclohepta[b]heptalene, 11a,12,13,13a-tetrahydro-)	28255-97-2	**	7.40±0.05 (V)	PE	4263
	C <sub>10</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub> (Pyrene, 10b,10c-dihydro-10b,10c-dimethyl-, trans-)	956-84-3	**	6.7	PE	3948
<b>C<sub>18</sub>H<sub>18</sub><sup>+</sup></b>	(tert-C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> (C≡C) <sub>5</sub>	XXXXX-XX-X	**	8.06±0.02 (V)	PE	4816
	C <sub>14</sub> H <sub>9</sub> C(CH <sub>3</sub> ) <sub>3</sub> (Anthracene, 9-(1,1-dimethylethyl)-)	13719-97-6	**	7.13±0.03 (V)	PE	4887
	C <sub>14</sub> H <sub>6</sub> (CH <sub>3</sub> ) <sub>4</sub> (Cyclopenta[ef]heptalene, 3,5,8,10-tetramethyl-)	17597-70-5	**	6.59 (V)	PE	4572
	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (CH <sub>2</sub> ) <sub>6</sub> ([2.2.2](1,2,4)Cyclophane)	XXXXX-XX-X	**	8.0±0.1 (V)	PE	5600
	C <sub>14</sub> H <sub>6</sub> (CH <sub>3</sub> ) <sub>4</sub> (Phenanthrene, 2,4,5,7-tetramethyl-)	7396-38-5	**	7.8±0.1	EI	3454
	C <sub>14</sub> H <sub>6</sub> (CH <sub>3</sub> ) <sub>4</sub> (Phenanthrene, 3,4,5,6-tetramethyl-)	7343-06-8	**	7.5±0.1	EI	3454
	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (CH <sub>2</sub> ) <sub>6</sub> (Tetracyclo[6.6.2.1 <sup>3,13</sup> .1 <sup>6,10</sup> ]octadeca-1,3(17),6,8,10(18),13-hexaene)	27165-88-4	**	7.70±0.02 (V)	PE	5600
			**	8.20±0.05 (V)	PE	5600

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{18}^+$	$(C_6H_5)_2(CH_2)_6$	27165-88-4	**	7.88 (V)	PE	4701
$C_{18}H_{20}^+$	$C_{10}H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-)	21113-55-3	**	$8.9 \pm 0.2$	EI	4074
	$C_{18}H_{20}$ (Naphthacene, 1,4,5,6,7,10,11,12-octahydro-)	60700-47-2	**	8.14 (V)	PE	4531
	$C_{16}H_{14}(CH_3)_2$ (Tricyclo[9.3.1.1 <sup>4,8</sup> ]hexadeca-1(15),4,6,8(16),11,13-hexaene, 5,12-dimethyl-)	55705-29-8	**	7.98 (V)	PE	4231
$C_{19}H_{16}^+$	$(C_6H_5)_3CH$ (Benzene, 1,1',1''-methylidynetris-)	519-73-3	**	$8.34 \pm 0.03$	PI	4055
			**	$8.34 \pm 0.04$	PI	5552
			**	$8.40 \pm 0.05$ (V)	PE	4620
$C_{19}H_{20}^+$	$C_6H_5(CH_2)_4(C_6H_5)_2$ (Cyclohexene, 1-methyl-4,4-diphenyl-)	50592-48-8	**	$8.7 \pm 0.4$	EI	4018
	$C_6H_5(OH)(CH_2)_4(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-)	50592-47-7	$H_2O$	$9.2 \pm 0.4$	EI	4018
$C_{19}H_{22}^+$	$C_6H_5(CH_2)_4(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-)	32812-65-0	**	$8.8 \pm 0.2$	EI	4074
			**	$8.8 \pm 0.2$	EI	4074
$C_{20}H_{12}^+$	$C_{20}H_{12}$ (Azuleno[1,2,3- <i>cd</i> ]phenalene)	54100-60-6	**	6.58 (V)	PE	4637
	$C_{20}H_{12}$ (Azuleno[5,6,7- <i>cd</i> ]phenalene)	6580-41-2	**	7.76 (V)	PE	4637
	$C_{20}H_{12}$ (Benzo[ <i>a</i> ]pyrene)	50-32-8	**	$7.12 \pm 0.01$	PE	3644
			**	7.12 (V)	PE	5364
			**	$7.39 \pm 0.01$	PE	3657
			**	7.41 (V)	PE	4701
	$C_{20}H_{12}$ (Benzo[ <i>e</i> ]pyrene)	192-97-2	**	$7.43 \pm 0.04$	PE	4196
	$C_{20}H_{12}$ (Perylene)	198-55-0	**	$6.90 \pm 0.01$	PE	3657
			**	6.97 (V)	PE	4712
			**	6.97 (V)	PE	4701
			**	$7.00 \pm 0.01$	PE	3644
			**	7.1	CTS	3577
$C_{20}H_{14}^+$	$C_{14}H_9C_6H_5$ (Anthracene, 9-phenyl-)	602-55-1	**	7.25 (V)	PE	5436
			**	7.25 (V)	PE	5630
	$C_{14}H_9C_6H_5$ (Phenanthrene, 9-phenyl-)	844-20-2	**	7.65 (V)	PE	4262
$C_{20}H_{18}^+$	$(C_6H_5CHCHCHCH)_2$ (Benzene, 1,1'-(1,3,5,7-octatetraene-1,8-diyl)bis-)	22828-29-1	**	7.19	PE	5124
	$C_6H_5(CH_2CH_2)_2C_{10}H_6$ (5,14:8,11-Diethanobenzoicyclododecane, 6,7,12,13-tetrahydro-)	4432-72-8	**	7.60 (V)	PE	5575
	$C_6H_5(CH_2CH_2)_2C_{10}H_6$ (1,5-(Ethano[1,4]benzenoethano)naphthalene)	60058-13-1	**	7.56 (V)	PE	5575

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{20}H_{20}^+$	$(C_6H_5)_2(CH_2)_8$ ([2.2.2.2.2](1,2,3,4)Cyclophane)	XXXXXX-XX-X **		$7.9 \pm 0.1$ (V)	PE	5600
	$(C_6H_5)_2(CH_2)_8$ ([2.2.2.2.2](1,2,3,5)Cyclophane)	XXXXXX-XX-X **		$7.75 \pm 0.02$ (V)	PE	5600
	$(C_6H_5)_2(CH_2)_8$ ([2.2.2.2.2](1,2,4,5)Cyclophane)	XXXXXX-XX-X **		$7.67 \pm 0.02$ (V)	PE	5600
$C_{20}H_{21}^+$	$C_{12}(CH_3)_8$ (1,3,7,9-Cyclododecatetrayne, 5,5,6,6,11,11,12,12-octamethyl-)	61414-48-0 **		$8.27 \pm 0.03$ (V)	PE	4938
	$(C_6H_5)(CH_2)_3C_6(CH_3)_3$ (Tricyclo[8.2.2.2 <sup>1,7</sup> ]hexadeca-4,6,10,12,13,15-hexaene, 4,5,7,8-tetramethyl-)	XXXXXX-XX-X **		7.47 (V)	PE	5600
	$C_{10}H_{12}(CH_3)_4$ (Tricyclo[8.2.2.2 <sup>1,7</sup> ]hexadeca-4,6,10,12,13,15-hexaene, 5,11,13,15-tetramethyl-, stereoisomer)	35233-71-7 **		7.52 (V)	PE	4771
	$C_6H_5CH_2CH_2C_6(CH_3)_3CH_2CH_2$ (Tricyclo[8.2.2.2 <sup>1,7</sup> ]hexadeca-4,6,10,12,13,15-hexaene, 5,6,15,16-tetramethyl-)	65304-59-8 **		7.55 (V)	PE	5575
$C_{20}H_{28}^+$	$(C_6H_5)_2C_2$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, tricyclo[3.3.1.1 <sup>3,7</sup> ]decylidene-)	30541-56-1 **		7.84 (V)	PE	4459
$C_{20}H_{30}^+$	$C_6H_5(tert-C_4H_9)_3$ (Pentalene, 1,3,5-tris(1,1-dimethylethyl)-)	50356-52-0 **		7.11 (V)	PE	5613
$C_{20}H_{36}^+$	$((tert-C_4H_9)_2C \equiv C)_2$	33512-45-7 **		7.0	PE	5034
	$C_3(tert-C_4H_9)_4$ (1,3-Cyclobutadiene, 1,2,3,4-tetrakis(1,1-dimethylethyl)-)	66809-05-0 **		6.35 (V)	PE	5094
	$C_3(tert-C_4H_9)_4$ (Tricyclo[1.1.0.0 <sup>2,4</sup> ]butane, tetrakis(1,1-dimethylethyl)-)	66809-06-1 **		7.50 (V)	PE	5094
	(JC—Mean value of Jahn–Teller components)					
$C_{21}H_{15}^+$	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 2,2'-dimethyl-)	32834-84-7	$CH_3$	$13.25 \pm 0.2$	EI	4199
	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 3,3'-dimethyl-)	34042-82-5	$CH_3$	$12.25 \pm 0.2$	EI	4199
	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 7,7'-dimethyl-)	34003-80-0	$CH_3$	$12.75 \pm 0.2$	EI	4199
	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 8,8'-dimethyl-)	32693-05-3	$CH_3$	$11.50 \pm 0.2$	EI	4199
	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 2,2'-dimethyl-)	32834-84-7	$CH_3$	13.25	EI	3477
	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 3,3'-dimethyl-)	34042-82-5	$CH_3$	12.25	EI	3477
	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 7,7'-dimethyl-)	34003-80-0	$CH_3$	12.75	EI	3477
	$C_{10}H_6(CH_3)_2C_{10}H_6CH_3$ (1,1'-Binaphthalene, 8,8'-dimethyl-)	32693-05-3	$CH_3$	11.50	EI	3477
	$C_{12}H_{30}$ (Cyclopropene, bis-3,3'-triphenyl-)	XXXXXX-XX-X **		$9.3 \pm 0.05$	EI	4628
	$C_3(C_6H_5)_3BF_4$ (Cyclopropenium, triphenyl-, tetrafluoroborate(1-))	741-16-2	$BF_3, F$	$9.3 \pm 0.05$	EI	4628
	$C_3(C_6H_5)_3Cl$ (Cyclopropenylum, triphenyl-, chloride)	58090-78-1	Cl	$8.51 \pm 0.05$	EI	4628
	$C_3(C_6H_5)_3Br$ (Cyclopropenylum, triphenyl-, bromide)	4919-51-1	Br	$8.35 \pm 0.05$	EI	4628
	$C_3(C_6H_5)_3I$ (Cyclopropenylum, triphenyl-, iodide)	58090-79-2	I	$8.6 \pm 0.05$	EI	4628

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{21}H_{11}D^+$	$C_{10}H_6(CH_2D)C_{10}H_6CH_2D$ (1,1'-Binaphthalene, 2,2'-di(methyl- <i>d</i> )-)	52889-79-9	$CH_2D$	$13.05 \pm 0.2$	EI	4199
	$C_{10}H_6(CH_2D)C_{10}H_6CH_2D$ (1,1'-Binaphthalene, 8,8'-di(methyl- <i>d</i> )-)	52963-27-6	$CH_2D$	$11.35 \pm 0.2$	EI	4199
$C_{22}H_{12}^+$	$C_{22}H_{12}$ (Benzo[ <i>g,h,i</i> ]perylene)	191-24-2	**	7.15 (V)	PE	4701
			**	7.15 (V)	PE	4712
			**	$7.19 \pm 0.01$	PE	3644
	$C_{22}H_{12}$ (Dibenzo[ <i>d,e,f,m,n,o</i> ]chrysene)	191-26-4	**	$6.92 \pm 0.04$	PE	4196
$C_{22}H_{14}^+$	$C_{22}H_{14}$ (Benzo[ <i>b</i> ]chrysene)	214-17-5	**	$7.20 \pm 0.02$ (V)	PE	4913
	$C_{22}H_{14}$ (Benzo[ <i>a</i> ]naphthacene)	226-88-0	**	$6.97 \pm 0.02$ (V)	PE	4913
	$C_{22}H_{14}$ (Benzo[ <i>b</i> ]chrysene)	214-17-5	**	$7.14 \pm 0.04$	PE	4196
	$C_{22}H_{14}$ (Benzo[ <i>a</i> ]naphthacene)	226-88-0	**	$7.06 \pm 0.04$	PE	4196
	$C_{22}H_{14}$ (3,4-Benzotetraphene)	XXXXX-XX-X	**	$7.35 \pm 0.01$	PE	3657
	$C_{22}H_{14}$ (Benzo[ <i>b</i> ]triphenylene)	215-58-7	**	$7.39 \pm 0.02$ (V)	PE	4913
			**	7.39 (V)	PE	4701
			**	$7.44 \pm 0.04$	PE	4196
	$C_{22}H_{14}$ (Dibenz[ <i>a,h</i> ]anthracene)	53-70-3	**	$7.38 \pm 0.02$ (V)	PE	4913
			**	$7.38 \pm 0.04$	PE	4196
			**	7.38 (V)	PE	4701
	$C_{22}H_{14}$ (Dibenz[ <i>a,j</i> ]anthracene)	224-41-9	**	$7.39 \pm 0.04$	PE	4196
			**	$7.40 \pm 0.02$ (V)	PE	4913
			**	7.40 (V)	PE	4701
	$C_{22}H_{14}$ (Dibenzo[ <i>c,g</i> ]phenanthrene)	188-52-3	**	$7.47 \pm 0.04$	PE	4196
			**	7.51 (V)	PE	4488
			**	7.51 (V)	PE	4701
			**	$7.51 \pm 0.02$ (V)	PE	4913
	$C_{22}H_{14}$ (Pentacene)	135-48-8	**	$6.61 \pm 0.02$ (V)	PE	4913
			**	6.64	PE	3668
			**	$6.74 \pm 0.01$	PE	3644
	$C_{22}H_{14}$ (Pentaphene)	222-93-5	**	$7.27 \pm 0.02$ (V)	PE	4913
			**	7.27 (V)	PE	4701
			**	$7.34 \pm 0.04$	PE	4196
	$C_{22}H_{14}$ (Picene)	213-46-7	**	$7.52 \pm 0.02$ (V)	PE	4913
			**	7.52 (V)	PE	4701
			**	$7.54 \pm 0.04$	PE	4196
$C_{22}H_{18}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 2,2'-dimethyl-)	32834-84-7	**	$8.20 \pm 0.05$	EI	4199
	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 3,3'-dimethyl-)	34042-82-5	**	$8.20 \pm 0.05$	EI	4199
	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 7,7'-dimethyl-)	34003-80-0	**	$8.15 \pm 0.05$	EI	4199



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{22}H_{18}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 8,8'-dimethyl-)	32693-05-3	**	$8.00 \pm 0.05$	EI	4199
	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 2,2'-dimethyl-)	32834-84-7	**	8.20	EI	3477
	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 3,3'-dimethyl-)	34042-82-5	**	8.00	EI	3477
	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 7,7'-dimethyl-)	34003-80-0	**	8.15	EI	3477
	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthalene, 8,8'-dimethyl-)	32693-05-3	**	8.00	EI	3477
$C_{22}H_{20}^+$	$(C_6H_5CHCHCHCHCH)_2$ (Benzene, 1,1'-(1,3,5,7,9-decapentaene-1,10-diyl)bis-)	XXXXX-XX-X	**	7.05	PE	5124
	$(C_6H)_2(CH_2)_{10}$ ([2.2.2.2.2](1,2,3,4,5)Cyclophane)	XXXXX-XX-X	**	$7.67 \pm 0.02$ (V)	PE	5600
$C_{23}H_{26}^+$	$C_{10}H_{14}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-)	50592-50-2	**	$8.9 \pm 0.2$	EI	4074
	$C_{24}H_{12}$ (Coronene)    $C_{24}H_{12}$ (Tribenzo[ <i>a,e,i</i> ]cyclododecene, 5,6,11,12,17,18-hexadehydro-)	191-07-1	** ** ** ** **	7.29 (V) 7.29 (V) 7.34 (V) 7.5 7.45 (V)	PE PE PE CTS PE	4701 4712 3951 3577 4652
$C_{24}H_{14}^+$	$C_{24}H_{14}$ (Benzo[ <i>rst</i> ]pentaphene)	189-55-9	**	$7.07 \pm 0.04$	PE	4196
	$C_{24}H_{14}$ (Benzo[ <i>a</i> ]perylene)	191-85-5	**	6.71 (V)	PE	4712
	$C_{24}H_{14}$ (Benzo[ <i>b</i> ]perylene)	197-70-6	**	6.89 (V)	PE	4712
	$C_{24}H_{14}$ (Dibenzo[ <i>de,qr</i> ]naphthacene)	193-09-9	**	$6.92 \pm 0.04$	PE	4196
	$C_{24}H_{14}$ (Dibenzo[ <i>fg,op</i> ]naphthacene)	192-51-8	**	$7.41 \pm 0.04$	PE	4196
	$C_{24}H_{14}$ (Dibenzo[ <i>a,h</i> ]pyrene)	XXXXX-XX-X	**	7.39 (V)	PE	4701
	$(C_{10}H_6C_2H_2)_2$ (Pentacyclo[10.4.4.4 <sup>1,9</sup> .0 <sup>6,22</sup> .0 <sup>15,19</sup> ]tetracos-2,4,6,8,10, 12,14,16,17,19,21,23-dodecaene)	43012-17-5	**	7.40 (V)	PE	5575
	$(C_{10}H_6C_2H_2)_2$ (Pentacyclo[11.5.3.3 <sup>4,10</sup> .0 <sup>7,23</sup> .0 <sup>16,20</sup> ]tetracos-1(19),2,4,6,8, 10(22),11,13,15,17,20,23-dodecaene)	51557-75-6	**	7.20 (V)	PE	5575
$C_{24}H_{20}^+$	$(C_{10}H_6CH_2CH_2)_2$ (5,16:8,13-Diethenodibenzo[ <i>a,g</i> ]cyclododecene, 6,7,14,15-tetrahydro-)	14724-91-5	**	7.25 (V)	PE	5575
	$(C_{10}H_6CH_2CH_2)_2$ (Pentacyclo[10.4.4.4 <sup>1,9</sup> .0 <sup>5,21</sup> .0 <sup>16,20</sup> ]tetracos-1(17),4,6,8, 12,14,16(20),18,21,23-decaene)	54835-57-3	**	7.50 (V)	PE	5575
	$(C_{10}H_6CH_2CH_2)_2$ (Pentacyclo[10.4.4.4 <sup>1,9</sup> .0 <sup>5,21</sup> .0 <sup>16,20</sup> ]tetracos-1(17),4,6,8, 12,14,16(20),18,21,23-decaene)	54835-57-3	**	7.05 (V)	PE	5575

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{21}H_{20}^+$	$(C_{10}H_6CH_2CH_2)_2$	54835-57-3	**	7.25 (V)	PE	5575
	$(C_{10}H_6CH_2CH_2)_2$ (Pentacyclo[10.4.4.4 <sup>4,9</sup> .0 <sup>6,22</sup> .0 <sup>15,19</sup> ]tetracosa-4,6,8,12,14,16, 17,19,21,23-decaene)	73608-51-2	**	7.52 (V)	PE	5575
	$(C_{10}H_6CH_2CH_2)_2$ (Pentacyclo[11.5.3.3 <sup>4,10</sup> .0 <sup>7,23</sup> .0 <sup>16,20</sup> ]tetracosa-1(19),4,6,8,10(22), 13,15,17,20,23-decaene)	7130-24-7	**	7.37 (V)	PE	5575
	$(C_{10}H_6CH_2CH_2)_2$ (Pentacyclo[13.3.2.2 <sup>6,10</sup> .1 <sup>3,18</sup> .1 <sup>9,12</sup> ]tetracosa-1,3(21),6,8,10, 12(22),15,17,19,23-decaene)	73608-52-3	**	6.60 (V)	PE	5575
$C_{21}H_{22}^+$	$(C_6H_5CHCHCHCHCHCH)_2$ (Benzene,1,1'-(1,3,5,7,9,11-dodecahexaene-1,12-diyl)bis-)	XXXXX-XX-X	**	7.07	PE	5124
	$C_{10}H_7(CH_2)_4C_{10}H_7$ (Naphthalene, 1,1'-(1,4-butanediyl)bis-)	29571-17-3	**	7.67	PE	3960
$C_{21}H_{24}^+$	$(C_6)_2(CH_2)_{12}$ [(2.2.2.2.2.2)(1,2,3,4,5,6)Cyclophane]	XXXXX-XX-X	**	7.55±0.02 (V)	PE	5600
$C_{25}H_{16}^+$	$C_{25}H_{16}$ (9,9'-Spiro[9H-fluorene])	159-66-0	**	7.7 (V)	PE	4081
$C_{26}H_{14}^+$	$C_{26}H_{14}$ (Dibenzo[ <i>b,ghi</i> ]perylene)	5869-30-7	**	6.99 (V)	PE	4712
	$C_{26}H_{14}$ (Dibenzo[ <i>b,pqr</i> ]perylene)	190-95-4	**	7.12 (V)	PE	4712
	$C_{26}H_{14}$ (Dibenzo[ <i>cd,lm</i> ]perylene)	188-96-5	**	6.72±0.02 (V)	PE	4852
	$C_{26}H_{14}$ (Naphtho[1,2,3,4- <i>ghi</i> ]perylene)	190-84-1	**	6.77±0.04 6.96 (V)	PE PE	4196 4712
	$C_{26}H_{14}$ (Naphtho[8,1,2- <i>bcd</i> ]perylene)	188-89-6	**	6.82±0.04	PE	4196
	$C_{26}H_{16}$ (Benzo[ <i>c</i> ]picene)	217-37-8	**	7.36±0.02 (V)	PE	4913
	$C_{26}H_{16}$ (Benzo[ <i>a</i> ]pentacene)	239-98-5	**	6.61±0.02 (V)	PE	4913
$C_{26}H_{16}^+$	$C_{26}H_{16}$ (Benzo[ <i>c</i> ]pentaphene)	222-54-8	**	6.72±0.04 7.14±0.04	PE PE	4196 4196
	$C_{26}H_{16}$ (Benzo[ <i>h</i> ]pentaphene)	214-91-5	**	7.20±0.02 (V) 7.30±0.04	PE PE	4913 4196
	$C_{26}H_{16}$ (Benzo[ <i>b</i> ]picene)	217-42-5	**	7.36±0.02 (V) 7.17±0.02 (V)	PE PE	4913 4913
	$C_{26}H_{16}$ (Benzo[ <i>c</i> ]picene)	217-37-8	**	7.20±0.04 7.20 (V)	PE PE	4196 4701
	$C_{26}H_{16}$ (Dibenzo[ <i>a,j</i> ]naphthacene)	227-04-3	**	6.99±0.02 (V)	PE	4913
	$C_{26}H_{16}$ (Dibenzo[ <i>b,k</i> ]chrysene)	217-54-9	**	6.97±0.04	PE	4196
	$C_{26}H_{16}$ (Dibenzo[ <i>g,p</i> ]chrysene)	191-68-4	**	6.98±0.02 (V) 7.18±0.04	PE PE	4913 4196

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{26}H_{16}^+$	$C_{26}H_{16}$	191-68-4	**	$7.20 \pm 0.02$ (V)	PE	4913
	$C_{26}H_{16}$	216-00-2	**	$6.96 \pm 0.04$	PE	4196
	(Dibenzo[ <i>a,c</i> ]naphthacene)		**	$6.98 \pm 0.02$ (V)	PE	4913
	$C_{26}H_{16}$	227-04-3		$7.02 \pm 0.04$	PE	4196
	(Dibenzo[ <i>a,y</i> ]naphthacene)					
	$(C_{13}H_8)_2$	746-47-4	**	$7.27 \pm 0.04$	PE	4196
	(9 <i>H</i> -Fluorene, 9(9 <i>H</i> -fluoren-9-ylidene)-)					
	$C_{26}H_{16}$	258-31-1	**	$6.36 \pm 0.02$ (V)	PE	4913
	(Hexacene)					
	$C_{26}H_{16}$	222-78-6	**	$6.44 \pm 0.04$	PE	4196
	(Hexaphene)		**	$6.92 \pm 0.02$ (V)	PE	4913
	$C_{26}H_{16}$	220-77-9	**	$7.02 \pm 0.04$	PE	4196
	(Naphtho[1,2- <i>b</i> ]chrysene)		**	$7.19 \pm 0.02$ (V)	PE	4913
	$C_{26}H_{16}$	196-64-5	**	$7.15 \pm 0.02$ (V)	PE	4913
	(Naphtho[2,3- <i>g</i> ]chrysene)					
	$C_{26}H_{16}$	220-82-6	**	$7.15 \pm 0.04$	PE	4196
	(Naphtho[2,1- <i>a</i> ]naphthacene)		**	$7.22 \pm 0.04$	PE	4196
	$C_{26}H_{16}$	187-83-7	**	$6.83 \pm 0.02$ (V)	PE	4913
	(Phenanthro[3,4- <i>c</i> ]phenanthrene)			$7.37$ (V)	PE	4488
	$C_{26}H_{16}$	215-26-9	**	$7.35 \pm 0.04$	PE	4196
	(Tribenz[ <i>a,c,h</i> ]anthracene)					
			**	$7.40 \pm 0.02$ (V)	PE	4913
			**	$7.40$ (V)	PE	4701
$C_{26}H_{24}^+$	$(C_6H_5CHCHCHCHCHCHCHCH)_2$	62622-57-5	**	$7.2 \pm 0.2$	PE	5124
	(Benzene, 1,1'-(1,3,5,7,9,11,13-tetradecaheptaene-1,14-diyl)bis-)					
$C_{28}H_{14}^+$	$C_{28}H_{14}$	190-70-5	**	$7.08$ (V)	PE	4701
	(Benzo[ <i>a</i> ]coronene)					
	$C_{28}H_{14}$	190-71-6	**	$7.08$ (V)	PE	4712
	(Benzo[ <i>pqr</i> ]naphtho[8,1,2- <i>bcd</i> ]perylene)		**	$6.92 \pm 0.04$	PE	4196
$C_{28}H_{16}^+$	$C_{28}H_{14}$	190-39-6	**	$6.30$ (V)	PE	4712
	(Phenanthro[1,10,9,8- <i>opqr</i> ]perylene)					
	$C_{28}H_{16}$	385-14-8	**	$7.00 \pm 0.04$	PE	4196
	(Benzo[ <i>p</i> ]naphtho[1,8,7- <i>ghi</i> ]chrysene)					
	$C_{28}H_{16}$	14147-38-7	**	$6.82$ (V)	PE	4712
	(Dibenzo[ <i>de,st</i> ]pentacene)					
	$C_{28}H_{16}$	193-11-3	**	$7.03 \pm 0.04$	PE	4196
	(Dibenzo[ <i>de,uv</i> ]pentacene)					
	$C_{28}H_{16}$	197-74-0	**	$6.86$ (V)	PE	4712
	(Dibenzo[ <i>fg,gr</i> ]pentacene)					
	$C_{28}H_{16}$	192-59-6	**	$7.33 \pm 0.04$	PE	4196
	(Dibenzo[ <i>fg,st</i> ]pentacene)					
	$C_{28}H_{16}$	197-69-3	**	$6.85$ (V)	PE	4712
	(Dibenzo[ <i>fg,ij</i> ]pentaphene)					
	$C_{28}H_{16}$	190-36-3	**	$6.51$ (V)	PE	4712
	(Dibenzo[ <i>a,o</i> ]perylene)					
	$C_{28}H_{16}$	191-81-1	**	$6.64$ (V)	PE	4712
	(Dibenzo[ <i>a,n</i> ]perylene)					
	$C_{28}H_{16}$	191-87-7	**	$6.51$ (V)	PE	4712
	(Dibenzo[ <i>a,y</i> ]perylene)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{28}H_{16}^+$	$C_{28}H_{16}$ (Naphtho[1,2,3,4- <i>rst</i> ]pentaphene)	191-20-8	**	$7.09 \pm 0.04$	PE	4196
$C_{28}H_{20}^+$	$C_{28}H_{20}$ (Azulene, 1,2,3-triphenyl-)	XXXXX-XX-X	**	6.9 (V)	PE	5397
$C_{28}H_{31}^+$	$(C_6H_2(CH_3)_{3/4})CH$ (Benzene, 1,1',1''-methylidynetris[2,4,6-trimethyl-])	52719-55-8	**	$7.68 \pm 0.05$ (V)	PE	4620
$C_{30}H_{14}^+$	$C_{30}H_{14}$ (Dibenzo[ <i>bc,ef</i> ]coronene)	190-31-8	**	6.50 (V)	PE	4712
	$C_{30}H_{14}$ (Dibenzo[ <i>bc,kl</i> ]coronene)	190-55-6	**	$6.42 \pm 0.02$ (V)	PE	4852
$C_{30}H_{16}^+$	$C_{30}H_{16}$ (Anthra[1,2,3,4- <i>ghi</i> ]perylene)	190-85-2	**	6.77 (V)	PE	4712
	$C_{30}H_{16}$ (Benzo[ <i>st</i> ]naphtho[2,1,8,7- <i>defg</i> ]pentacene)	14258-76-5	**	7.04 (V)	PE	4712
	$C_{30}H_{16}$ (Benzo[ <i>uv</i> ]naphtho[2,1,8,7- <i>defg</i> ]pentacene)	5869-31-8	**	6.78 (V)	PE	4712
	$C_{30}H_{16}$ (Benzo[ <i>qr</i> ]naphtho[2,1,8,7- <i>fghi</i> ]pentacene)	190-87-4	**	6.97 (V)	PE	4712
	$C_{30}H_{16}$ (Tetrabenzo[ <i>de,hi,mn,qr</i> ]naphthacene)	385-13-7	**	$6.90 \pm 0.04$	PE	4196
	$C_{30}H_{16}$ (Tribenzo[ <i>de,kl,rst</i> ]pentaphene)	188-72-7	**	$6.42 \pm 0.02$ (V)	PE	4852
	$C_{30}H_{16}$ (Tribenzo[ <i>b,n,pqr</i> ]perylene)	190-81-8	**	7.13 (V)	PE	4701
			**	7.13 (V)	PE	4712
$C_{30}H_{18}^+$	$C_{30}H_{18}$ (Benzo[ <i>p</i> ]hexaphene)	222-81-1	**	$6.59 \pm 0.02$ (V)	PE	4913
	$C_{30}H_{18}$ (Benzo[ <i>c</i> ]naphtho[2,1- <i>p</i> ]chrysene)	27798-46-5	**	$7.19 \pm 0.02$ (V)	PE	4913
	$C_{30}H_{18}$ (Dibenzo[ <i>a,c</i> ]pentacene)	216-08-0	**	$6.62 \pm 0.02$ (V)	PE	4913
			**	$6.67 \pm 0.04$	PE	4196
	$C_{30}H_{18}$ (Dibenzo[ <i>a,l</i> ]pentacene)	227-09-8	**	$6.64 \pm 0.02$ (V)	PE	4913
	$C_{30}H_{18}$ (Dibenzo[ <i>c,m</i> ]pentaphene)	222-51-5	**	$7.11 \pm 0.02$ (V)	PE	4913
			**	7.11 (V)	PE	4701
	$C_{30}H_{18}$ (Dibenzo[ <i>b,n</i> ]picene)	213-44-5	**	$7.17 \pm 0.02$ (V)	PE	4913
	$C_{30}H_{18}$ (Dinaphtho[2,1- <i>c</i> :1',2'- <i>g</i> ]phenanthrene)	16914-68-4	**	7.25 (V)	PE	4488
	$C_{30}H_{18}$ (Heptaphene)	222-75-3	**	$6.89 \pm 0.02$ (V)	PE	4913
			**	$6.98 \pm 0.04$	PE	4196
	$C_{30}H_{18}$ (Naphtho[2,3- <i>c</i> ]pentaphene)	222-58-2	**	$7.04 \pm 0.02$ (V)	PE	4913
	$C_{30}H_{18}$ (Tetrabenz[ <i>a,c,h,j</i> ]anthracene)	215-11-2	**	$7.43 \pm 0.02$ (V)	PE	4913
			**	7.43 (V)	PE	4701
			**	$7.45 \pm 0.04$	PE	4196
	$C_{30}H_{18}$ (Tribenz[ <i>a,c,j</i> ] naphthacene)	215-96-3	**	$6.99 \pm 0.02$ (V)	PE	4913



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{30}H_{18}^+$	$C_{30}H_{18}$ (Trinaphthylene)	196-62-3	**	$7.35 \pm 0.02$ (V)	PE	4913
$C_{32}H_{14}^+$	$C_{32}H_{14}$ (Ovalene)	190-26-1	**	6.71 (V)	PE	4712
			**	$6.86 \pm 0.01$	PE	3644
$C_{32}H_{16}^+$	$C_{32}H_{16}$ (Dibenzo[ <i>a,g</i> ]coronene)	190-66-9	**	7.04 (V)	PE	4712
			**	7.04 (V)	PE	4701
	$C_{32}H_{16}$ (Dibenzo[ <i>a,j</i> ]coronene)	190-72-7	**	6.92 (V)	PE	4712
			**	6.92 (V)	PE	4701
	$C_{32}H_{16}$ (Naphtho[2,3- <i>a</i> ]coronene)	190-74-9	**	6.88 (V)	PE	4712
$C_{32}H_{18}^+$	$C_{32}H_{18}$ (Dibenzo[ <i>fg,wx</i> ]hexacene)	192-60-9	**	$7.01 \pm 0.04$	PE	4196
	$C_{32}H_{18}$ (Dibenzo[ <i>hi,uv</i> ]hexacene)	192-54-1	**	$7.30 \pm 0.04$	PE	4196
$C_{31}H_{16}^+$	$C_{31}H_{16}$ (Benzo[ <i>pqr</i> ]dinaphtho[8,1,2- <i>bcd</i> :2',1',8'- <i>lmn</i> ]perylene)	188-11-4	**	$6.74 \pm 0.02$ (V)	PE	4852
	$C_{31}H_{16}$ (Dibenzo[ <i>fg,ij</i> ]phenanthro[2,1,10,9,8,7- <i>pqrstuv</i> ]pentaphene)	187-94-0	**	$6.82 \pm 0.02$ (V)	PE	4852
			**	6.82 (V)	PE	4712
$C_{31}H_{18}^+$	$C_{31}H_{18}$ (Benzo[ <i>rst</i> ]phenanthro[1,10,9- <i>cde</i> ]pentaphene)	190-93-2	**	$6.42 \pm 0.02$ (V)	PE	4852
	$C_{31}H_{18}$ (Dibenzo[ <i>a,rst</i> ]naphtho[8,1,2- <i>cde</i> ]pentaphene)	191-46-8	**	$6.59 \pm 0.02$ (V)	PE	4852
	$C_{31}H_{18}$ (Dibenzo[ <i>fg,ij</i> ]naphtho[1,2,3,4- <i>rst</i> ]pentaphene)	313-63-3	**	6.84 (V)	PE	4712
	$C_{31}H_{18}$ (Dibenzo[ <i>m,pqr</i> ]naphtho[1,2,3,4- <i>tuv</i> ]picene)	XXXXXX-XX-X	**	$6.59 \pm 0.02$ (V)	PE	4852
	$C_{31}H_{18}$ (Tetrabenzo[ <i>de,hi,op,st</i> ]pentacene)	191-79-7	**	$6.27 \pm 0.02$ (V)	PE	4852
	$C_{31}H_{18}$ (Tetrabenzo[ <i>de,h,kl,rst</i> ]pentaphene)	188-13-6	**	$6.22 \pm 0.02$ (V)	PE	4852
	$C_{31}H_{18}$ (Tetrabenzo[ <i>a,cd,j,lm</i> ]perylene)	191-53-7	**	$6.71 \pm 0.02$ (V)	PE	4852
	$C_{31}H_{18}$ (Tetrabenzo[ <i>c,m,pqr,tuv</i> ]picene)	XXXXXX-XX-X	**	$6.48 \pm 0.02$ (V)	PE	4852
$C_{31}H_{20}^+$	$C_{31}H_{20}$ (Benz[ <i>j</i> ]heptaphene)	214-87-9	**	$6.90 \pm 0.02$ (V)	PE	4913
	$C_{31}H_{20}$ (Benzo[ <i>a</i> ]phenanthro[9,10- <i>c</i> ]naphthacene)	385-16-0	**	$6.73 \pm 0.02$ (V)	PE	4913
	$C_{31}H_{20}$ (Naphtho[2,1- <i>c</i> ]phenanthro[4,3- <i>g</i> ]phenanthrene)	20495-12-9	**	7.15 (V)	PE	4488
	$C_{31}H_{20}$ (Tetrabenzo[ <i>b,g,k,p</i> ]chrysene)	385-15-9	**	$6.83 \pm 0.02$ (V)	PE	4913
	$C_{31}H_{20}$ (Tetrabenzo[ <i>a,c,j,l</i> ]naphthacene)	215-95-2	**	$7.00 \pm 0.02$ (V)	PE	4913
			**	7.00 (V)	PE	4701

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{36}H_{16}^+$	$C_{36}H_{16}$ (Dinaphtho[8,1,2- <i>abc</i> :2',1',8'- <i>klm</i> ]coronene)	53086-28-5	**	6.76±0.02 (V)	PE	4852
			**	6.85±0.04	PE	4196
	$C_{36}H_{16}$ (Dinaphtho[8,1,2- <i>abc</i> :8',1',2'- <i>jkl</i> ]coronene)	190-47-6	**	6.70±0.04	PE	4196
$C_{36}H_{18}^+$	$C_{36}H_{18}$ (Dibenzo[ <i>g,i</i> ]phenanthro[9,10,1,2,3- <i>pqrst</i> ]pentaphene)	188-00-1	**	7.10 (V)	PE	4701
	$C_{36}H_{18}$ (Tribenzo[ <i>a,d,g</i> ]coronene)	313-62-2	**	6.88 (V)	PE	4712
			**	6.88 (V)	PE	4701
$C_{36}H_{20}^+$	$C_{36}H_{20}$ (Dibenzo[ <i>hi,wx</i> ]heptacene)	197-73-9	**	6.68 (V)	PE	4712
	$C_{36}H_{20}$ (Dinaphtho[1,2,3- <i>fg</i> :1',2',3'- <i>qr</i> ]pentacene)	36474-85-8	**	6.82 (V)	PE	4712
$C_{38}H_{16}^+$	$C_{38}H_{16}$ (Naphth[2',1',8',7':4,10,5]anthra[1,9,8- <i>abcd</i> ]coronene)	41163-25-1	**	6.81±0.02 (V)	PE	4852
			**	6.90 (V)	PE	4701
$C_{38}H_{18}^+$	$C_{38}H_{18}$ (Benzo[ <i>rs</i> ]dinaphtho[2,1,8,7- <i>klmn</i> :3',2',1',8',7'- <i>vwxyz</i> ]hexaphene)	190-90-9	**	6.38±0.02 (V)	PE	4852
	$C_{38}H_{18}$ (Dibenzo[ <i>jk,uv</i> ]dinaphtho[2,1,8,7- <i>defg</i> :2',1',8',7'- <i>opqr</i> ]pentacene)	190-89-6	**	6.50±0.02 (V)	PE	4852
$C_{38}H_{20}^+$	$C_{38}H_{20}$ (Benzo[ <i>wx</i> ]naphtho[2,1,8,7- <i>hijk</i> ]heptacene)	14529-73-8	**	6.72 (V)	PE	4712
	$C_{38}H_{20}$ (Tribenzo[ <i>fg,mn,xyz</i> ]heptaphene)	34814-77-2	**	6.40±0.02 (V)	PE	4852
	$C_{38}H_{20}$ (Tribenzo[ <i>de,h,kl</i> ]naphtho[1,2,3,4- <i>rst</i> ]pentaphene)	187-96-2	**	6.06±0.02 (V)	PE	4852
$C_{38}H_{22}^+$	$C_{38}H_{22}$ (Diphenanthro[3,4- <i>c</i> :4'3'- <i>g</i> ]phenanthrene)	20495-14-1	**	7.07 (V)	PE	4488
	$C_{38}H_{22}$ (Tetrabenz[ <i>a,c,l,n</i> ]pentacene)	216-07-9	**	6.65±0.02 (V)	PE	4913
$C_{38}H_{56}^+$	( $C_6H_6(CH_3)_3(CHCHC(CH_3)_2CH)_2$ ( $\beta$ -Carotene,(all-E)-1,1'-(3,7,12,16-tetramethyl-1,3,5,7,9,11,13,15,17-octadecanonaene-1,18-diyl)bis[2,6,6-trimethylcyclohexene])	7235-40-7		6.4±0.2	OTH	5278
$C_{40}H_{20}^+$	$C_{40}H_{20}$ (Benzo[1,2,3- <i>cd</i> :4,5,6- <i>c'd</i> ]diperylene)	188-73-8	**	6.11±0.02 (V)	PE	4852
$C_{40}H_{56}^+$	$C_{40}H_{56}$ (1,3,5,7,9,11,13,15,17-Octadecanonene,3,7,12,16-tetramethyl-1,18-cyclohex-1-ene,2,6,6-trimethyl-)	XXXXX-XX-X	**	6.5	PE	5093
$C_{42}H_{18}^+$	$C_{42}H_{18}$ (Hexabenz[ <i>bc,ef,hi,kl,no,qr</i> ]coronene)	190-24-9	**	6.87±0.02 (V)	PE	4852
			**	6.87 (V)	PE	4712

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{18}^+$	$C_{12}H_{18}$	190-24-9	**	6.89 (V)	PE	4701
$C_{12}H_{20}^+$	$C_{12}H_{20}$ (Dibenzo[ <i>fg,mn</i> ]phenanthro[2,1,10,9,8,7- <i>vwxyz</i> , <i>a,b</i> ]heptaphene)	34814-80-7	**	$6.72 \pm 0.02$ (V)	PE	4852
$C_{12}H_{22}^+$	$C_{12}H_{22}$ (Dibenzo[ <i>fg,mn</i> ]naphtho[1,2,3,4- <i>xyz</i> ]heptaphene)	34814-82-9	**	$6.18 \pm 0.02$ (V)	PE	4852
	$C_{12}H_{22}$ (Hexabenzo[ <i>a,cd,fj,lm,o</i> ]perylene)	190-22-7	**	$6.71 \pm 0.02$ (V)	PE	4852
$C_{12}H_{24}^+$	$C_{12}H_{24}$ (Anthra[2,3- <i>j</i> ]heptaphene)	214-77-7	**	$6.85 \pm 0.02$ (V)	PE	4913
	$C_{12}H_{24}$ (Benzo[ <i>g</i> ]phenanthro[3,4- <i>c</i> :6,5- <i>c'</i> ]diphenanthrene)	57520-29-3	**	6.99 (V)	PE	4488
	$C_{12}H_{24}$ (Dibenzo[ <i>fj</i> ]phenanthro[9,10- <i>s</i> ]picene)	190-23-8	**	$7.52 \pm 0.02$ (V)	PE	4913
$C_{12}H_{30}^+$	$C_6(C_6H_5)_6$ (Benzene, hexaphenyl-)	XXXXX-XX-X	**	$8.47 \pm 0.05$	EI	4628
	$C_{12}H_{30}$ (Cyclopropene, bis-3,3'-triphenyl-)	XXXXX-XX-X	**	$7.72 \pm 0.05$	EI	4628
$C_{11}H_{20}^+$	$C_{11}H_{20}$ (Dibenzo[ <i>a,jk</i> ]phenanthro[8,9,10,1,2- <i>cdefgh</i> ]pyranthrene)	70346-75-7	**	$6.79 \pm 0.02$ (V)	PE	4852
$C_{16}H_{26}^+$	$C_{16}H_{26}$ (Bisbenzo[5,6]phenanthro[3,4- <i>c</i> :4',3'- <i>g</i> ]phenanthrene)	57468-45-8	**	6.95 (V)	PE	4488
	$C_{16}H_{26}$ (Tetrabenzo[ <i>a,c,g,s</i> ]heptaphene)	62662-49-1	**	$6.88 \pm 0.02$ (V)	PE	4913
$C_{18}H_{24}^+$	$C_{18}H_{24}$ (Hexabenzo[ <i>a,d,g,j,m,p</i> ]coronene)	1065-80-1	**	6.75 (V)	PE	4712
			**	6.78 (V)	PE	4701
$C_{30}H_{28}^+$	$C_{30}H_{28}$ (Dinaphtho[1,2- <i>g</i> :1',2'- <i>g'</i> ]naphtho[2,1- <i>c</i> :7,8- <i>c'</i> ]diphenanthrene)	57468-46-9	**	6.93 (V)	PE	4488
$C_{34}H_{30}^+$	$C_{34}H_{30}$ (Bisnaphtho[1',2':5,6]phenanthro[3,4- <i>c</i> :4',3'- <i>g</i> ]phenanthrene)	24386-06-9	**	6.91 (V)	PE	4488
$C_{38}H_{32}^+$	$C_{38}H_{32}$ (Diphenanthro[4,3- <i>g</i> :4',3'- <i>g'</i> ]naphtho[2,1- <i>c</i> :7,8- <i>c'</i> ]diphenanthrene)	57483-71-3	**	6.88 (V)	PE	4488
$Li_3C^+$	$CLi_3$	70378-93-7	**	$4.6 \pm 0.3$	EI	5334
$LiCH_3^+$	$(tert-C_4H_9)_1Li_1$	25395-78-2		$11.0 \pm 0.50$	PI	5455
$Li_2C_4H_3^+$	$(tert-C_4H_9)_1Li_1$	25395-78-2		$8.1 \pm 0.25$	PI	5455

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Li}_1\text{C}_4\text{H}_9^+$	$(\text{tert-C}_4\text{H}_9)_3\text{Li}_1$	25395-78-2		$8.1 \pm 0.25$	PI	5455
$\text{Li}_1\text{C}_8\text{H}_{18}^+$	$(\text{tert-C}_4\text{H}_9)_3\text{Li}_1$	25395-78-2		$8.1 \pm 0.25$	PI	5455
$\text{Li}_1\text{C}_{12}\text{H}_{27}^+$	$(\text{tert-C}_4\text{H}_9)_3\text{Li}_1$	25395-78-2		$6.2 \pm 0.25$	PI	5455
$\text{Li}_1\text{C}_{16}\text{H}_{36}^+$	$(\text{tert-C}_4\text{H}_9)_3\text{Li}_1$	25395-78-2	**	$6.2 \pm 0.25$	OTH	5455
$\text{BeC}_6\text{H}_5^+$	$(\text{C}_6\text{H}_5)_2\text{Be}$ (Beryllium, diphenyl-)	22300-89-6	$\text{C}_6\text{H}_5$	$13.4 \pm 0.2$	EI	3815
$\text{BeC}_6\text{H}_8^+$	$(\text{C}_3\text{H}_5)(\text{CH}_3)\text{Be}$ (Beryllium, $(\eta^5-2,4\text{-cyclopentadien-1-yl})\text{methyl-}$ )	36351-95-8	**	9.43 (V)	PE	5384
$\text{BeC}_7\text{H}_6^+$	$(\text{C}_3\text{H}_5)(\text{C}_2\text{H})\text{Be}$ (Beryllium, $(\eta^5-2,4\text{-cyclopentadien-1-yl})\text{ethynyl-}$ )	52140-36-0	**	9.40 (V)	PE	5384
$\text{BeC}_8\text{H}_8^+$	$(\text{C}_3\text{H}_5)(\text{C}_2\text{CH}_3)\text{Be}$ (Beryllium, $(\eta^5-2,4\text{-cyclopentadien-1-yl})\text{propynyl-}$ )	XXXXX-XX-X	**	8.82 (V)	PE	5384
$\text{BeC}_{10}\text{H}_{10}^+$	$(\text{C}_3\text{H}_5)_2\text{Be}$ (Beryllium, $2,4\text{-cyclopentadien-1-yl}(\eta^5-2,4\text{-cyclopentadien-1-yl-})$ )	37048-03-6	**	7.45 (V)	PE	5108
$\text{BeC}_{12}\text{H}_{10}^+$	$(\text{C}_6\text{H}_5)_2\text{Be}$ (Beryllium, diphenyl-)	22300-89-6	**	$9.20 \pm 0.10$	EI	3815
$\text{B}_5\text{CH}_9^+$	$\text{CH}_9\text{B}_5$ (2-Carbahexaborane(9))	12385-35-2	**	10.4 (V)	PE	4949
$\text{B}_5\text{CH}_{11}^+$	$\text{B}_5\text{H}_8\text{CH}_3$ (Pentaborane(9), 1-methyl-)	19495-55-7	**	10.20 (V)	PE	4519
	$\text{B}_5\text{H}_8\text{CH}_3$ (Pentaborane(9), 2-methyl-)	23753-74-4	**	10.30 (V)	PE	4519
$\text{B}_3\text{C}_2\text{H}_5^+$	$\text{C}_2\text{H}_3\text{B}_3$ (1,5-Dicarapentaborane)	20693-66-7	**	10.54	PE	4446
			**	10.9 (V)	PE	4949
$\text{B}_1\text{C}_2\text{H}_6^+$	$\text{C}_2\text{H}_6\text{B}_1$ (1,6-Dicarbahexaborane(6))	20693-67-8	**	9.9 (V)	PE	4949
			**	9.77	PE	4446
$\text{B}_1\text{C}_2\text{H}_8^+$	$\text{C}_2\text{H}_8\text{B}_1$ (2,3-Dicarbahexaborane(8))	18972-20-8	**	9.6 (V)	PE	4949
$\text{B}_5\text{C}_2\text{H}_7^+$	$\text{C}_2\text{H}_7\text{B}_5$ (2,4-Dicarbaheptaborane(7))	20693-69-0	**	10.54	PE	4446



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$B_3C_2H_7^+$	$C_2H_7B_3$	20693-69-0	**	10.6 (V)	PE	4949
$B_8C_2H_{10}^+$	$C_2B_8H_{10}$ (1,10-Dicarbadeccaborane(10))	23653-23-8	**	10.5 (V)	PE	5324
$B_{10}C_2H_{12}^+$	$C_2B_{10}H_{12}$ (1,12-Dicarbadeccaborane(12))	20644-12-6	**	10.6 (V)	PE	5324
	$C_2H_{12}B_{10}$ (1,7-Dicarbadeccaborane)	16986-24-6	**	10.19	PE	4446
$BC_3H_9^+$	$(CH_3)_3B$	593-90-8	** ** **	10.68 (V) 10.69 (V) 10.69	PE PE PE	4398 4243 5485
$BC_{12}H_{10}^+$	$(C_6H_5)_3B$ (Borane, triphenyl-)	960-71-4	$C_6H_5$	10.2	PI	4055
$BC_{11}H_{19}^+$	$C_6H_5BC_9H_{14}$ (9-Borabicyclo[3.3.1]nonane, 9-phenyl-)	23418-91-9	**	9.16 (V)	PE	4956
$BC_{18}H_{15}^+$	$(C_6H_5)_3B$ (Borane, triphenyl-)	960-71-4	**	$8.60 \pm 0.03$	PI	4055
$N^+$	N	17778-88-0	**	14.549	PI	4355
	$N_2$	7727-37-9	**	24.3	EI	5617
			$N(^4S^o)$	24.34	EI	5051
			N	$24.4 \pm 0.25$	EI	3797
	$NH_3$	7664-41-7	$H_2 + H$	$\leq 22.5$	EI	3811
	$N_2O$	10024-97-2	NO	$20 \pm 1$	PI	5170
			NO	19.494	PE	4752
$N^{+2}$	$N_2$	7727-37-9	N	$60.3 \pm 2$	EI	3797
$N_2^+$	$N_2$	7727-37-9	**	$15.5812 \pm 0.002$	S	3561
	$(^2\Sigma_g^-)$		**	15.5	PI	5479
	$(^2\Pi_u)$		**	16.7	PI	5479
	$(^2\Sigma_g^-)$		**	18.8	PI	5479
	$(^2\Sigma_g^-)$		**	15.58	PE	4248
	$(^2\Sigma_g^-)$		**	15.58 (V)	PE	5055
	$(^2\Sigma_g^-)$		**	15.60 (V)	PE	4022
	$(^2\Sigma_g^-)$		**	15.61	PE	4073
	$(A^2\Pi_u)$		**	$16.695 \pm 0.002$	PE	3935
	$(^2\Pi_u)$		**	16.70	PE	4248
	$(^2\Pi_u)$		**	16.73	PE	4073
	$(^2\Pi_u)$		**	16.98 (V)	PE	4022
	$(^2\Sigma_u^-)$		**	18.75	PE	4248
	$(^2\Sigma_u^-)$		**	18.78 (V)	PE	4022
	$(^2\Sigma_u^-)$		**	18.87 (V)	PE	3714
	$(^2\Sigma_u^-)$		**	24.6 (V)	PE	3714

Table of Ion Energetics Measurements—Continued.

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{N}_2^+$ ( $^2\Pi_g$ ) ( $^2\Sigma_g^-$ ) ( $^2\Sigma_g^-$ ) ( $^2\Sigma_g^-$ ) ( $^2\Sigma_g^-$ ) ( $^2\Sigma_g^-$ ) ( $^2\Sigma_g^-$ )	$\text{N}_2$	7727-37-9	**	29.0 (V)	PE	4615
				35 (V)	PE	3714
				39.8 (V)	PE	4615
				28-29 (V)	PE	3714
				32-33 (V)	PE	3714
				36-37 (V)	PE	3714
				15.58±0.02	EI	4877
	$\text{N}_2\text{H}_2$	3618-05-1	$\text{H}_2$	61.1±0.5	EI	5346
	<i>iso</i> - $\text{N}_2\text{H}_2$	28647-38-3	$\text{H}_2$	14.00±0.05	EI	4896
	$\text{N}_2\text{O}$	10024-97-2	O	18±1	PI	5170
$\text{N}_2^{+2}$ ( $^1\Sigma_g^-$ ) ( $^1\Pi_u$ )	$\text{N}_2$	7727-37-9	**	43	EI	3452
				43.1±0.5	OTH	5007
				45.2±0.5	OTH	5007
	$\text{N}_2^+$	13966-04-6		28	EI	3452
$\text{HN}^+$ ( $^2\Pi$ )	NH	XXXXX-XX-X	**	13.49±0.01 (V)	PE	5011
	$\text{NH}_3$	7664-41-7	$\text{H}_2$	17.2	EI	3811
$\text{H}_2\text{N}^+$ ( $^3B_1$ ) ( $^1A_1$ ) ( $^1B_1$ )	$\text{NH}_2$	15194-15-7	**	11.46±0.01	PE	5011
				12.45±0.01	PE	5011
				14.27±0.01 (V)	PE	5011
	$\text{NH}_3$	7664-41-7	**	15.768±0.004	PI	5146
			H	15.0	EI	3811
	$\text{CH}_3\text{NH}_2$	74-89-5	$\text{CH}_3$	15.9	EI	3808
$\text{HDN}^+$	$\text{NH}_2\text{D}$	13587-49-0	**	15.79±0.01	PI	5146
	$\text{NHD}_2$	13780-28-4	**	15.90±0.01	PI	5146
$\text{D}_2\text{N}^+$	$\text{ND}_2$	54842-55-6	**	11.45±0.01	PE	5011
	$\text{NHD}_2$	13780-28-4	**	15.79±0.01	PI	5146
	$\text{ND}_3$	13550-49-7	**	15.89±0.01	PI	5146
$\text{H}_3\text{N}^+$	$\text{NH}_3$	7664-41-7	**	10.18±0.09	PE	4497
				10.15	PE	3719
				10.2	PE	4623
				10.85 (V)	PE	5540
				11.3 (V)	PE	4845
				10.2	EI	3811
				10.45	EI	4759
	$\text{NH}_4\text{Cl}$	12125-02-9		10.10±0.05	PI	4592
$\text{H}_3\text{N}^{+2}$	$\text{NH}_3$	7664-41-7	**	35.3±0.7	OTH	5266
$\text{D}_3\text{N}^+$	$\text{ND}_3$	13550-49-7	**	10.21	PE	3719
$\text{H}_1\text{N}^+$	$\text{C}_2\text{H}_5\text{NH}_2$	75-04-7	$\text{C}_2\text{H}_2 + \text{H}$	12.72±0.02	EI	3487
	$(\text{CH}_3)_2\text{NH}$	124-40-3		14.05±0.05	EI	3487
	$\text{NH}_4\text{Cl}$	12125-02-9	Cl	10.10±0.05	PI	4592

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{HN}_2^+$	$\text{N}_2\text{H}$	36882-13-0		$7.8 \pm 0.05$	EI	5248
	$\text{N}_2\text{H}_2$	3618-05-1	H	$10.98 \pm 0.05$	EI	4896
			H	$11.33 \pm 0.05$	EI	5248
	$\text{N}_2\text{H}_2$	15626-43-4	H	$10.89 \pm 0.08$	EI	4903
	<i>iso</i> - $\text{N}_2\text{H}_2$	28647-38-3	H	$10.77 \pm 0.05$	EI	5248
$\text{H}_2\text{N}_2^+$	$\text{N}_2\text{H}_2$	3618-05-1	**	$9.59 \pm 0.01$	PE	4587
			**	9.59	PE	4408
			**	9.59	PE	5137
			**	$9.7 \pm 0.1$	EI	4896
				$9.80 \pm 0.05$	EI	5248
	<i>iso</i> - $\text{N}_2\text{H}_2$	28647-38-3		$9.52 \pm 0.05$	EI	5248
	<i>trans</i> - $\text{N}_2\text{H}_2$	15626-42-3	**	$9.65 \pm 0.08$	EI	4904
	$\text{N}_2\text{H}_4$	302-01-2	2H	$10.75 \pm 0.08$	EI	4904
$\text{D}_2\text{N}_2^+$	$\text{N}_2\text{D}_2$	14989-24-3	**	9.61	PE	4408
			**	9.61	PE	5137
	$\text{N}_2\text{D}_2$	40712-39-8	**	$9.61 \pm 0.01$	PE	4587
$\text{H}_3\text{N}_2^+$	$\text{N}_2\text{H}_3$	13598-46-4		$7.85 \pm 0.05$	EI	5248
	$\text{N}_2\text{H}_4$	302-01-2	H	$10.86 \pm 0.05$	EI	5248
$\text{H}_4\text{N}_2^+$	$\text{N}_2\text{H}_4$	302-01-2	**	$8.98 \pm 0.05$	PE	4521
			**	9.90 (V)	PE	4137
			**	9.91 (V)	PE	3862
			**	10.07	PE	3747
			**	$10.68 \text{ (V)}$	PE	5381
				$8.93 \pm 0.05$	EI	5248
$\text{HN}_3^+$	$\text{HN}_3$	7782-79-8	**	10.70	PE	4500
	$(^2\text{A}'')$		**	$10.72 \pm 0.02$	PE	3670
			**	$10.72 \text{ (V)}$	PE	5151
			**	10.74	PE	4595
	$(^2\text{A}')$		**	$12.24 \pm 0.02 \text{ (V)}$	PE	3670
$\text{H}_4\text{N}_4^+$	<i>trans</i> - $\text{H}_2\text{NN}=\text{NNH}_2$	54410-57-0	**	$8.99 \text{ (V)}$	PE	4432
$\text{H}_6\text{BN}^+$	$(\text{BH}_3)(\text{NH}_3)$	xxxx-xx-x	**	$9.44 \pm 0.02$	PE	3699
$\text{H}_6\text{B}_3\text{N}_3^+$	$\text{B}_3\text{H}_6\text{N}_3$	6569-51-3	**	9.88	PE	3637
	(Borazine)		**	$10.09 \text{ (V)}$	PE	3673
			**	$10.14 \pm 0.01$	PE	3506
$\text{CN}^+$	$((\text{CH}_3)_2\text{C}(\text{CN})\text{NO})_2$	31018-29-8		16.50	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{OOCCH}_3)_2$	68777-98-0		15.90	EI	4809
	$\text{PF}_2\text{CN}$	14118-40-2	$\text{PF}_2$	$19.8 \pm 0.3$	EI	4543
$\text{C}_2\text{N}^{2+}$	$\text{C}_2\text{H}_5\text{CN}$	107-12-0		41.2	EI	5337

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2N_2^+$	$C_2N_2$	460-19-5	**	13.51 (V)	PE	5525
			**	35.5±0.5	OTH	5147
$C_4N_2^+$	$CNC\equiv CCN$	1071-98-3	**	11.84 (V)	PE	4765
			**	11.84 (V)	PE	5525
$C_6N_2^+$	$CNC\equiv CC\equiv CCN$	16419-78-6	**	11.2	S	4254
$CN_4^+$	$N_4C\equiv N$	764-05-6	**	10.96 (V)	PE	4392
			**	11.00±0.01	PE	4746
$C_5N_4^+$	$C(CN)_4$	24331-09-7		13.94	PE	4417
$C_6N_4^+$	$(NC)_2C=C(CN)_2$	670-54-2	**	11.67±0.02	PI	5505
			**	11.765±0.008	PI	4306
			**	11.79±0.05 (V)	PE	4859
$CHN^+$	HCN	74-90-8	**	13.60 (V)	PE	5055
			**	13.607±0.002	PE	4525
			**	13.61±0.01	PE	3840
			**	14.00±0.01	PE	3840
			**	14.011±0.003	PE	4525
			**	19.06±0.01	PE	3840
			**	~19.7	PE	4525
			**	31.0 (V)	PE	4525
			**	13.71	EI	3737
	$CH_3NH_2$	74-89-5		12.5±0.1 (V)	PE	5457
	$CH_3NC$	75-05-8		12.5±0.1 (V)	PE	5457
	$((CH_3)_2C(CN)NO)_2$	31018-29-8		14.10	EI	4809
$DCN^+$	DCN	3017-23-0	**	13.613±0.002	PE	4525
			**	13.999±0.003	PE	4525
$CH_2N^+$	$CH_2CHCH_2CN$	109-75-1		11.90	PI	5201
	$CH_2C(CH_3)CN$	126-98-7		12.05	PI	5201
	$C_3H_5CN$	5500-21-0		11.50	PI	5201
	(Cyclopropanecarbonitrile)					
	$C_4H_7NH$ (1H-Pyrrole)	109-97-7		12.40	PI	5201



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_3\text{N}^+$ ( $^2\text{A}'$ )	$\text{CH}_2=\text{NH}$	2053-29-4	**	$\sim 10.0$	PE	4489
$\text{CH}_4\text{N}^+$	$\text{CH}_3\text{NH}_2$	74-89-5		10.55	EI	4878
				10.70	EI	4878
	$(\text{CH}_3)_2\text{NH}$	124-40-3		10.80	EI	4878
	$\text{HCONHCH}_3$	123-39-7		11.65	EI	4878
	$\text{CH}_3\text{CONHCH}_3$	79-16-3		11.50	EI	4878
	$\text{NHCH}_3\text{CONH}_2$	598-50-5		11.65	EI	4878
	$(\text{NHCH}_3)_2\text{CO}$	96-31-1		11.45	EI	4878
	$\text{N}(\text{CH}_3)_2\text{CONHCH}_3$	632-14-4		11.45	EI	4878
	$\text{C}_2\text{H}_5\text{NO}_2$	56-40-6		$10.27 \pm 0.05$	EI	3571
	$\text{NH}(\text{CH}_3)\text{CSNH}_2$	598-52-7		11.10	EI	4878
	$(\text{NHCH}_3)_2\text{CS}$	534-13-4		11.25	EI	4878
	$\text{N}(\text{CH}_3)_2\text{CSNHCH}_3$	2489-77-2		11.60	EI	4878
$\text{CH}_5\text{N}^+$	$\text{CH}_3\text{NH}_2$	74-89-5	**	$8.80 \pm 0.02$	PE	3890
			**	$8.89 \pm 0.1$	PE	4480
			**	9.08	PE	5510
			**	9.58 (V)	PE	4884
			**	9.58 (V)	PE	5249
			**	9.64 (V)	PE	4068
			**	9.64 (V)	PE	5063
			**	9.65 (V)	PE	4087
			**	9.45	EI	4759
$\text{C}_2\text{H}_2\text{N}^+$	$\text{C}_3\text{H}_4\text{N}_2$ (1 <i>H</i> -Imidazole)	288-32-4	HCN	13.2	EI	3910
	$\text{C}_3\text{H}_3\text{NO}$ (Oxazole)	288-42-6	HCO	14.1	EI	5400
$\text{C}_2\text{H}_3\text{N}^+$	$\text{CH}_3\text{CN}$	75-05-8	**	$12.20 \pm 0.01$	PE	4679
			**	12.21 (V)	PE	4884
			**	12.46 (V)	PE	5525
	$\text{CH}_3\text{NC}$	593-75-9	**	11.32 (V)	PE	5525
	$\text{CH}_2\text{CHCH}_2\text{CN}$	109-75-1		11.10	PI	5201
	$\text{CH}_2\text{C}(\text{CH}_3)\text{CN}$	126-98-7		11.65	PI	5201
	$\text{C}_3\text{H}_5\text{CN}$ (Cyclopropanecarbonitrile)	5500-21-0		11.00	PI	5201
	$\text{C}_4\text{H}_4\text{NH}$ (1 <i>H</i> -Pyrrole)	109-97-7		11.75	PI	5201
	$\text{C}_3\text{H}_3\text{NO}$ (Oxazole)	288-42-6	CO	11.0	EI	5400
$\text{C}_2\text{H}_4\text{N}^+$	$(\text{CH}_3)_2\text{NCH}=\text{CHC}\equiv\text{CH}$	2206-24-8		13.1	EI	3674
	$(\text{C}_2\text{H}_5)_2\text{NCH}=\text{CHC}\equiv\text{CH}$	1809-53-6		13.6	EI	3674
$\text{C}_2\text{H}_5\text{N}^+$	$\text{CH}_2=\text{NCH}_3$	1761-67-7	**	$9.90 \pm 0.02$ (V)	PE	4776
	$\text{CH}_3\text{CH}=\text{NH}$	20729-41-3	**	$10.18 \pm 0.02$ (V)	PE	4776
	$\text{C}_2\text{H}_5\text{N}$ (Aziridine)	151-56-4	**	$9.2 \pm 0.1$	PE	4990
			**	$9.85 \pm 0.02$ (V)	PE	4133
$\text{C}_2\text{H}_6\text{N}^+$	$\text{C}_2\text{H}_7\text{NH}_2$	75-04-7	H	$9.61 \pm 0.09$	EI	5467
	$(\text{CH}_3)_2\text{NH}$	124-40-3	H	$9.41 \pm 0.06$	EI	5467

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>2</sub>H<sub>6</sub>N<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NH	124-40-3		10.50	EI	4878
				10.55	EI	4878
	(CH <sub>3</sub> ) <sub>3</sub> N	75-50-3	CH <sub>3</sub>	10.68±0.09	EI	5467
				11.25	EI	4878
	C <sub>2</sub> H <sub>5</sub> NHCH <sub>3</sub>	624-78-2	CH <sub>3</sub>	8.49±0.05	EI	5467
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> NH <sub>2</sub>	107-10-8	CH <sub>3</sub>	10.2±0.3	EI	5467
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> NH <sub>2</sub>	75-31-0	CH <sub>3</sub>	8.86±0.05	EI	5467
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH	109-89-7	C <sub>2</sub> H <sub>5</sub>	11.42±0.05	EI	5467
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> NH <sub>2</sub>	109-73-9	C <sub>2</sub> H <sub>5</sub>	9.49±0.09	EI	5467
	(CH <sub>3</sub> ) <sub>2</sub> NCH <sub>2</sub> CH=CH <sub>2</sub>	2155-94-4	C <sub>3</sub> H <sub>5</sub>	8.58	PI	5543
	(CH <sub>3</sub> ) <sub>3</sub> CH(CH <sub>2</sub> ) <sub>2</sub> NH <sub>2</sub>	107-85-7	<i>iso</i> -C <sub>3</sub> H <sub>7</sub>	9.59±0.12	EI	5467
	<i>n</i> -C <sub>7</sub> H <sub>15</sub> NH <sub>2</sub>	110-58-7	C <sub>3</sub> H <sub>7</sub>	9.34±0.10	EI	5467
	<i>n</i> -C <sub>8</sub> H <sub>17</sub> NHCH <sub>3</sub>	110-68-9	<i>iso</i> -C <sub>3</sub> H <sub>7</sub>	8.37±0.06	EI	5467
	(CH <sub>3</sub> ) <sub>2</sub> NCH=CHC≡CH	2206-24-8	CH=CHC≡CH	12.7	EI	3674
	(CH <sub>3</sub> ) <sub>2</sub> NC <sub>4</sub> H <sub>9</sub>	927-62-8	C <sub>4</sub> H <sub>9</sub>	9.75±0.10	EI	5467
	C <sub>2</sub> H <sub>5</sub> NHC <sub>4</sub> H <sub>9</sub>	13360-63-9	C <sub>4</sub> H <sub>9</sub>	8.61±0.05	EI	5467
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> N(CH <sub>3</sub> ) <sub>2</sub>	918-02-5	<i>tert</i> -C <sub>4</sub> H <sub>9</sub>	10.96±0.07	EI	5467
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub>	28262-13-7	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub>	9.62	PI	5543
	(Benzenemethanamine,dimethyl-)					
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub>	29088-49-1	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>4</sub>	8.50	PI	5543
	(Benzenethanamine,dimethyl-)					
	CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub>	56927-89-0	C <sub>8</sub> H <sub>9</sub>	9.49	PI	5543
	(Benzenemethanamine,N,N, <i>ar</i> -trimethyl-)					
	HCON(CH <sub>3</sub> ) <sub>2</sub>	68-12-2		11.60	EI	4878
	C <sub>2</sub> H <sub>5</sub> NHCHO	627-45-2	HCO	9.7±0.15	EI	5467
	CH <sub>3</sub> CON(CH <sub>3</sub> ) <sub>2</sub>	127-19-5		12.15	EI	4878
	N(CH <sub>3</sub> ) <sub>2</sub> CONH <sub>2</sub>	1320-50-9		11.65	EI	4878
	N(CH <sub>3</sub> ) <sub>2</sub> CONHCH <sub>3</sub>	632-14-4		11.70	EI	4878
	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> CO	632-22-4		10.10	EI	4878
	N(CH <sub>3</sub> ) <sub>2</sub> CSNHCH <sub>3</sub>	2489-77-2		10.85	EI	4878
	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> CS	2782-91-4		10.35	EI	4878
<b>C<sub>2</sub>H<sub>7</sub>N<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> NH <sub>2</sub>	75-04-7	**	8.76±0.1	PE	4480
			**	9.44±0.18 (V)	PE	3987
			**	9.471 (V)	PE	4527
			**	9.50 (V)	PE	4032
			**	9.50 (V)	PE	4068
			**	9.50 (V)	PE	5249
			**	8.07	PE	3589
	(CH <sub>3</sub> ) <sub>2</sub> NH	124-40-3	**	8.15±0.1	PE	4480
			**	8.2±0.1	PE	4990
			**	8.25±0.02	PE	3890
			**	8.30	PE	5510
			**	8.85 (V)	PE	4588
			**	8.929 (V)	PE	4527
			**	8.95 (V)	PE	5540
			**	8.97 (V)	PE	5063
			**	8.83	EI	4759
<b>C<sub>3</sub>HN<sup>+</sup></b>	CH≡CCN	1070-71-9	**	11.6	S	3755
			**	11.64±0.01	PI	3929
			**	11.75 (V)	PE	5525
<b>C<sub>3</sub>H<sub>2</sub>N<sup>+</sup></b>	CH <sub>2</sub> CHCH <sub>2</sub> CN	109-75-1		12.05	PI	5201
	CH <sub>2</sub> C(CH <sub>3</sub> )CN	126-98-7		12.20	PI	5201
	C <sub>3</sub> H <sub>3</sub> CN	5500-21-0		11.75	PI	5201
	(Cyclopropanecarbonitrile)					
	C <sub>4</sub> H <sub>7</sub> NH	109-97-7		12.50	PI	5201
	(1H-Pyrrole)					

Table of Ion Energetics Measurements—Continued

[illegible]

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_3N^+$	$CH_2=C=CHCN$	1001-56-5	**	10.35 (V)	PE	4748
	$CH_3C\equiv CCN$	13752-78-8	**	$10.78\pm 0.02$	PE	4765
			**	10.95 (V)	PE	5525
	$(CH_3)_2NCH=CHC\equiv CH$	2206-24-8	$2CH_3$	15.1	EI	3674
	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-)	19352-85-3	$C_4H_8$	15.3	EI	3674
	$(C_2H_5)_2NCH=CHC\equiv CH$	1809-53-6		16.5	EI	3674
$C_4H_4N^+$	$CH_3CHCH_2CN$	109-75-1	H	12.30	PI	5201
	$CH_2C(CH_3)CN$	126-98-7	H	12.55	PI	5201
	$C_3H_5CN$	5500-21-0	H	12.10	PI	5201
	(Cyclopropanecarbonitrile)					
	$C_4H_4NH$ (1H-Pyrrole)	109-97-7	H	12.85	PI	5201
$C_4H_5N^+$	$CH_3CHCH_2CN$	109-75-1	**	10.22	PE	5201
	$CH_2C(CH_3)CN$	126-98-7	**	10.34	PE	5201
			**	$10.37\pm 0.02$ (V)	PE	4609
			**	$10.37\pm 0.05$ (V)	PE	4859
	<i>trans</i> - $CH_3CH=CHCN$	627-26-9	**	$10.23\pm 0.05$ (V)	PE	4859
	$C_3H_5CN$	5500-21-0	**	10.25	PE	5201
	(Cyclopropanecarbonitrile)					
	$C_4H_4NH$ (1H-Pyrrole)	109-97-7	**	$8.207\pm 0.003$	PI	5430
			**	$8.208\pm 0.005$	PI	5274
			**	$8.20\pm 0.01$	PI	4058
			**	8.23 (V)	PE	4009
			**	8.21	PE	5201
			**	$\sim 8.1$	EI	4656
			**	$8.22\pm 0.05$	EI	4316
			**	$8.40\pm 0.05$	EI	3482
$C_4H_6N^+$	$(CH_3)_2CC\equiv N$	3225-31-8	**	$8.56\pm 0.06$ (V)	PE	4609
	<i>tert</i> - $C_4H_9CN$	630-18-2		12.5	EI	4809
	$((CH_3)_2C(CN)NO)_2$	31018-29-8		9.00	EI	4809
$C_4H_7N^+$	$C_4H_7N$ (1H-Pyrrole, 2,5-dihydro-)	109-96-6	**	$8.61\pm 0.05$ (V)	PE	4830
$C_4H_8N^+$	$(CH_3)_2NCH_2CH=CH_2$	2155-94-4	$CH_3$	9.62	PI	5543
$C_4H_9N^+$	$CH_3CH=NC_2H_5$	1190-79-0	**	9.440 (V)	PE	4527
	$C_2H_5N(CH_3)_2$ (Aziridine, 2,2-dimethyl-)	2658-24-4	**	$9.29\pm 0.02$ (V)	PE	4133
	$C_3H_9N$	123-75-1	**	$8.77\pm 0.02$ (V)	PE	4133
	(Pyrrolidine)		**	$8.77\pm 0.02$ (V)	PE	4480
			**	$8.77\pm 0.05$ (V)	PE	4830
			**	$8.82\pm 0.03$ (V)	PE	4452
			**	8.82 (V)	PE	4742
$C_4H_{10}N^+$	$(C_2H_5)_3N$	121-44-8	$C_2H_5$	13.14	EI	3674

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_{11}N^+$	$(C_2H_5)_2NH$	109-89-7	**	$7.85 \pm 0.1$	PE	4480
			**	8.630 (V)	PE	4527
			**	8.68 (V)	PE	4588
	$C_2H_5N(CH_3)_2$	598-56-1	**	$7.74 \pm 0.05$	PE	4192
	$n-C_4H_9NH_2$	109-73-9	**	9.40 (V)	PE	4068
	$sec-C_4H_9NH_2$	13952-84-6	**	$8.46 \pm 0.1$	PE	4480
	$iso-C_4H_9NH_2$	78-81-9	**	$8.50 \pm 0.1$	PE	4480
$C_5H_4N^+$	$tert-C_4H_9NH_2$	75-64-9	**	$8.46 \pm 0.1$	PE	4480
$C_5H_4N^+$	$(CH_3)_2NCH=CHC\equiv CH$	2206-24-8	$CH_3 + H_2$	12.4	EI	3674
	$C_4H_8NCH=CHC\equiv CH$	19352-85-3		15.0	EI	3674
	(Pyrrolidine, 1-(1-buten-3-ynyl)-)					
$C_5H_5N^+$	$C_5H_5N$ (Pyridine)	110-86-1	**	9.25	PI	5028
			**	9.4	PI	3586
			**	9.26	PE	4867
			**	9.263	PE	3707
			**	9.51 (V)	PE	5258
			**	9.59 (V)	PE	3513
			**	$9.60 \pm 0.5$ (V)	PE	3685
			**	9.66 (V)	PE	4240
			**	9.7 (V)	PE	3832
			**	$\sim 9.5$	EI	4530
			**	$9.66 \pm 0.03$	EI	3626
			**	$9.70 \pm 0.05$	EI	3498
			**	9.70	EI	5292
			**	$9.74 \pm 0.05$	EI	5413
			**	$9.85 \pm 0.1$	EI	4302
$C_5H_6N^+$	$(CH_3)_2NCH=CHC\equiv CH$	2206-24-8	$CH_3$	11.2	EI	3674
	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-)	19352-85-3	$CH_2=CHCH_2$	11.3	EI	3674
	$(C_2H_5)_2NCH=CHC\equiv CH$	1809-53-6		13.9	EI	3674
$C_5H_7N^+$	$C_4H_4N(CH_3)$ (1H-Pyrrole, 1-methyl-)	96-54-8	**	8.4	EI	3580
			**	$7.94 \pm 0.02$	PI	5430
	$C_5H_7N$ (Pyridine, 1,4-dihydro-)	3337-17-5	**	7.46 (V)	PE	4586
			**	$8.01 \pm 0.05$	EI	3482
$C_5H_8N^+$	$C_4H_4NCH_3$ (Pyrrole, 2-methyl-)	636-41-9	**	$8.01 \pm 0.05$	EI	3482
$C_5H_8N^+$	$(CH_3)_2NCH_2C\equiv CH$	7223-38-3	H	9.29	PI	5543
$C_5H_9N^+$	$C_4H_6N(CH_3)$ (1H-Pyrrole, 2,5-dihydro-1-methyl-)	554-15-4	**	$8.21 \pm 0.05$ (V)	PE	4830
		7223-38-3	**	8.17	PI	5543
	$(CH_3)_2NCH_2C\equiv CH$	7223-38-3	**	$8.22 \pm 0.05$	PE	4192
			**	11.1 (V)	PE	4649
	$n-C_4H_9N\equiv C$	2769-64-4	**	11.1 (V)	PE	4649
	$C_5H_9N$ (Pyridine, 1,2,3,6-tetrahydro-)	694-05-3	**	$8.64 \pm 0.05$ (V)	PE	4830
$C_5H_{10}N^+$	$(CH_3)_2NCH_2CH=CH_2$	2155-94-4	H	9.56	PI	5543



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{11}N^+$	$C_4H_8N(CH_3)$ (Pyrrolidine, 1-methyl-)	120-94-5	**	$8.41 \pm 0.02$ (V)	PE	4480
			**	$8.41 \pm 0.02$ (V)	PE	4133
			**	$8.41 \pm 0.05$ (V)	PE	4830
	$(CH_3)_2NCH_2CH=CH_2$	2155-94-4	**	7.84	PI	5543
			**	$7.84 \pm 0.05$	PE	4192
			**	9.45 (V)	PE	4814
	$C_2H_5CH=NC_2H_5$ $C_2H_5N(CH_3)_3$ (Aziridine, 1,2,2-trimethyl-)	18328-91-1	**	$8.68 \pm 0.02$ (V)	PE	4133
		23132-47-0	**			
	$C_5H_{11}N$ (Piperidine)	110-89-4	**	$7.85 \pm 0.1$	PE	4480
			**	$8.05 \pm 0.05$	PE	4996
			**	$8.64 \pm 0.02$ (V)	PE	4133
			**	$8.64 \pm 0.05$ (V)	PE	4830
			**	$8.65 \pm 0.10$ (V)	PE	5308
			**	$8.66 \pm 0.03$ (V)	PE	4452
			**	8.660 (V)	PE	4527
			**	8.67 (V)	PE	5540
$C_5H_{12}N^+$	$(C_2H_5)_3N$	121-44-8	$CH_3$	11.48	EI	3674
$C_5H_{13}N^+$	$(C_2H_5)_2(CH_3)N$	616-39-7	**	$7.42 \pm 0.1$	PE	4480
			**	8.32 (V)	PE	4564
	<i>tert</i> - $C_3H_7NH_2$	5813-64-9	**	$8.46 \pm 0.1$	PE	4480
	<i>neo</i> - $C_3H_7NH_2$	110-58-7	**	$8.54 \pm 0.1$	PE	4480
$C_6H_5N^+$	$C_5H_5CN$ (Cyclopentadienecarbonitrile)	27659-36-5	**	9.7	EI	3476
$C_6H_6N^+$	$C_6H_5COC_6H_4NH_2$ (Methanone, (2-aminophenyl)phenyl-)	2835-77-0		$15.0 \pm 0.3$	EI	4358
	$C_6H_5COC_6H_4NH_2$ (Methanone, (3-aminophenyl)phenyl-)	2835-78-1		$14.6 \pm 0.2$	EI	4358
	$C_6H_5COC_6H_4NH_2$ (Methanone, (4-aminophenyl)phenyl-)	1137-41-3		$15.5 \pm 0.3$	EI	4358
	$C_6H_4(NH_2)COOH$ (Benzoic acid, 3-amino-)	99-05-8	CO + OH	$14.26 \pm 0.2$	EI	3973
	$C_6H_4(NH_2)COOH$ (Benzoic acid, 4-amino-)	150-13-0	CO + OH	$14.77 \pm 0.2$	EI	3973
	$C_6H_4(NO_2)NH_2$ (Benzenamine, 3-nitro-)	99-09-2	$NO_2$	$11.23 \pm 0.1$	EI	3447
	$C_6H_4(NO_2)NH_2$ (Benzenamine, 4-nitro-)	100-01-6	$NO_2$	$11.53 \pm 0.1$	EI	3447
	$C_6H_4ClNH_2$ (Benzenamine, 2-chloro-)	95-51-2	Cl	13.10	EI	4834
	$C_6H_4BrNH_2$ (Benzenamine, 2-bromo-)	615-36-1	Br	12.50	EI	4834
	$C_6H_4INH_2$ (Benzenamine, 2-iodo-)	615-43-0	I	11.60	EI	4834
$C_6H_7N^+$	$C_6H_7NH_2$ (Benzenamine)	62-53-3	**	7.7	PI	3586
			**	$7.70 \pm 0.01$	PI	4028
			**	$7.65 \pm 0.02$	PE	3890
			**	7.66	PE	3988
			**	$7.71 \pm 0.01$	PE	4154

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>7</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub>	62-53-3	**	7.71	PE	3955
			**	7.80	PE	4621
			**	8.03 (V)	PE	4884
			**	8.05 (V)	PE	4106
			**	8.05 (V)	PE	4893
			**	8.10 (V)	PE	4159
			**	7.61±0.1	EI	3788
			**	7.63	EI	3845
			**	7.89±0.03	EI	3626
			**	7.89	EI	3485
			**	8.09±<0.1	EI	3735
			**	8.27±0.05	EI	5413
			**	8.35	EI	4834
			**	8.05 (V)	PE	5272
			**	9.18 (V)	PE	5258
	CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> N (Pyridine,2-methyl-)	109-06-8	**	9.20±0.05 (V)	PE	3685
			**	9.20 (V)	PE	5527
			**	9.37±0.05	EI	5413
			**	9.4±0.1	EI	4302
			**	9.29 (V)	PE	5258
	CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> N (Pyridine,3-methyl-)	108-99-6	**	9.43±0.05	EI	5413
			**	9.4±0.1	EI	4302
			**	9.41 (V)	PE	5258
	CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> N (Pyridine,4-methyl-)	108-89-4	**	9.46±0.05	EI	5413
			**	9.50±0.05 (V)	PE	3685
			**	9.5±0.1	EI	4302
			**	9.55±0.05	EI	3498
			**	9.55	EI	5292
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )OCH <sub>3</sub> (Benzenamine, 3-methoxy-)	536-90-3	CH <sub>2</sub> O	10.51±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )OCH <sub>3</sub> (Benzenamine, 4-methoxy-)	104-94-9	HCHO	9.58	EI	3845
	C <sub>6</sub> H <sub>5</sub> NHCOCH <sub>3</sub> (Acetamide, N-phenyl-)	103-84-4		10.60	EI	4834
	C <sub>6</sub> H <sub>5</sub> NHCONH <sub>2</sub> (Urea, phenyl-)	64-10-8	CH <sub>2</sub> =C=O	10.45±0.03	EI	3483
				10.1	EI	4834
			(C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> )(CO) <sub>3</sub> Cr (Chromium, (η <sup>6</sup> -benzenamine)tricarbonyl-)	12108-11-1		7.96±0.1
	<b>C<sub>6</sub>H<sub>8</sub>N<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NCH=CHC≡CH	2206-24-8	H	10.1	EI
<b>C<sub>6</sub>H<sub>9</sub>N<sup>+</sup></b>		(CH <sub>3</sub> ) <sub>2</sub> NCH=CHC≡CH	2206-24-8	**	7.7	EI
	C <sub>5</sub> H <sub>6</sub> NCH <sub>3</sub> (Pyridine, 1,4-dihydro-N-methyl-)	33666-44-3	**	7.39 (V)	PE	4255
	C <sub>4</sub> H <sub>2</sub> NH(CH <sub>3</sub> ) <sub>2</sub> (1H-Pyrrole,2,5-dimethyl-)	625-84-3	**	7.39 (V)	PE	4586
			**	7.69 (V)	PE	5387
	C <sub>4</sub> H <sub>4</sub> NC <sub>2</sub> H <sub>5</sub> (Pyrrole, 2-ethyl-)	1551-06-0	**	7.97±0.05	EI	3482
	<b>C<sub>6</sub>H<sub>11</sub>N<sup>+</sup></b>	C <sub>5</sub> H <sub>9</sub> N(CH <sub>3</sub> ) (Pyridine, 1,2,3,6-tetrahydro-1-methyl-)	694-55-3	**	8.67±0.05 (V)	PE
(CH <sub>2</sub> =CHCH <sub>2</sub> ) <sub>2</sub> NH		124-02-7	**	8.79±0.3 (V)	PE	4818
			**	8.79 (V)	PE	5469

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}N^+$	$CH_3CH=CHCH=NC_2H_5$	3653-19-8	**	9.3 (V)	PE	4814
$C_6H_{13}N^+$	$C_5H_{10}N(CH_3)$ (Piperidine, 1-methyl-)	626-67-5	**	$7.74 \pm 0.05$	PE	4996
			**	$8.29 \pm 0.02$ (V)	PE	4133
			**	$8.29 \pm 0.02$ (V)	PE	4480
			**	$8.29 \pm 0.05$ (V)	PE	4830
	$n-C_3H_7N=CHCH_2CH_3$	7707-70-2	**	$8.55 \pm 0.2$	EI	4360
	$n-C_3H_7N=C(CH_3)_2$	22023-64-9	**	$8.31 \pm 0.2$	EI	4360
	$(iso-C_3H_7)CH=NC_2H_5$	1743-56-2	**	9.25 (V)	PE	4814
	$iso-C_3H_7N=C(CH_3)_2$	3332-08-9	**	$8.36 \pm 0.2$	EI	4360
	$iso-C_3H_7N=CHCH_2CH_3$	28916-23-6	**	$8.50 \pm 0.2$	EI	4360
	$C_6H_{13}N$ (1 <i>H</i> -Azepine, hexahydro-)	111-49-9	**	$8.41 \pm 0.02$ (V)	PE	4133
	$C_6H_{11}NH_2$ (Cyclohexanamine)	108-91-8	**	$8.37 \pm 0.1$	PE	4480
	$C_5H_{10}NCH_3$ (Piperidine, 2-methyl-)	109-05-7	**	$7.76 \pm 0.05$	PE	4996
	$C_5H_{10}NCH_3$ (Piperidine, 3-methyl-)	626-56-2	**	$7.94 \pm 0.05$	PE	4996
	$C_5H_{10}NCH_3$ (Piperidine, 4-methyl-)	626-58-4	**	$8.01 \pm 0.05$	PE	4996
$C_6H_{15}N^+$	$(C_2H_5)_3N$	121-44-8	**	$7.11 \pm 0.1$	PE	4480
			**	$7.20 \pm 0.09$	PE	4497
			**	8.08 (V)	PE	4564
			**	$8.19 \pm 0.05$ (V)	PE	3987
	$n-C_6H_{13}NH_2$	111-26-2	**	$8.63 \pm 0.05$	PI	5508
	$(n-C_5H_7)_2NH$	142-84-7	**	$7.76 \pm 0.1$	PE	4480
			**	$8.59 \pm 0.3$ (V)	PE	4818
	$(iso-C_3H_7)_2NH$	108-18-9	**	$7.59 \pm 0.1$	PE	4480
$C_7H_9N^+$	$C_6H_5(CN)COOH$ (Benzoic acid, 4-cyano-)	619-65-8	CO + OH	$15.68 \pm 0.2$	EI	3973
	$C_6H_5(NO_2)CN$ (Benzonitrile, 3-nitro-)	619-24-9	NO <sub>2</sub>	$12.25 \pm 0.1$	EI	3447
	$C_6H_5(NO_2)CN$ (Benzonitrile, 4-nitro-)	619-72-7	NO <sub>2</sub>	$12.42 \pm 0.1$	EI	3447
$C_7H_5N^+$	$C_6H_5N \equiv C$ (Benzene, isocyano-)	931-54-4	**	9.50 (V)	PE	4649
	$C_6H_5CN$ (Benzonitrile)	100-47-0	**	9.62	PE	3938
			**	9.69	PE	4621
			**	9.70 (V)	PE	4334
			**	9.70 (V)	PE	4969
			**	9.71 (V)	PE	5259
			**	9.72 (V)	PE	5272
			**	9.7	EI	3916
			**	9.77	EI	3845
			**	$10.13 \pm 0.03$	EI	5080
	$C_6H_5(CN)OCH_3$ (Benzonitrile, 3-methoxy-)	1527-89-5	CH <sub>2</sub> O	$12.23 \pm 0.1$	EI	3446
	$C_6H_5(CN)OCH_3$ (Benzonitrile, 4-methoxy-)	874-90-8	CH <sub>2</sub> O	$12.30 \pm 0.1$	EI	3446
			HCHO	12.39	EI	3845

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>8</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> (NH <sub>2</sub> )CH <sub>3</sub> (Benzenamine, 2-methyl-)	95-53-4	H	11.25 ± 0.05	PI	4028
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )CH <sub>3</sub> (Benzenamine, 4-methyl-)	106-49-0	H	11.00 ± 0.1	PI	4028
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )C <sub>4</sub> H <sub>9</sub> (Benzenamine, 3-butyl-)	5369-17-5		12.13 ± 0.1	EI	3629
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )C <sub>4</sub> H <sub>9</sub> (Benzenamine, 4-butyl-)	104-13-2		11.10 ± 0.1	EI	3629
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (Benzenamine, 4-(phenylmethyl)-)	1135-12-2	C <sub>6</sub> H <sub>5</sub>	10.6 ± 0.1	EI	3807
	(C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> (Benzenamine, 4,4'-methylenebis-)	101-77-9		10.6 ± 0.1	EI	3807
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2-methylphenyl)-)	120-66-1	CH <sub>3</sub> CO	13.97 ± 0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(4-methylphenyl)-)	103-89-9	CH <sub>3</sub> CO	14.21 ± 0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )CH <sub>2</sub> CH <sub>2</sub> OCOCH <sub>3</sub> (Benzenethanol, 4-amino-, acetate(ester))	33709-38-5		11.00	EI	3590
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )CH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (Benzenamine, 4-[(4-nitrophenyl)methyl]-)	726-17-0		11.6 ± 0.2	EI	3807
	C <sub>5</sub> H <sub>5</sub> N(CH=CH <sub>2</sub> )BF <sub>4</sub> (Pyridinium, 1-ethenyl-tetrafluoroborate (1-))	XXXXX-XX-X		9.0 ± 0.1	EI	5502
<b>C<sub>7</sub>H<sub>9</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> (NH <sub>2</sub> )CH <sub>3</sub> (Benzenamine, 2-methyl-)	95-53-4	**	7.44 ± 0.02	PI	4028
			**	7.45 ± 0.02	PE	3890
			**	7.52	PE	3988
			**	7.83 (V)	PE	4106
			**	7.83 (V)	PE	5272
			**	7.84 (V)	PE	4893
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )CH <sub>3</sub> (Benzenamine, 3-methyl-)	108-44-1	**	7.55	PE	3988
			**	7.66 (V)	PE	5272
			**	7.66 (V)	PE	4106
			**	7.82 (V)	PE	4893
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )CH <sub>3</sub> (Benzenamine, 4-methyl-)	106-49-0	**	7.24 ± 0.02	PI	4028
			**	7.37	PE	3988
			**	7.44 ± 0.02	PI	4028
			**	7.62 (V)	PE	4106
			**	7.81 (V)	PE	4893
			**	7.85 ± 0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>5</sub> NHCH <sub>3</sub> (Benzenamine, <i>N</i> -methyl-)	100-61-8	**	7.32	PE	3988
			**	7.35 ± 0.02	PE	3890
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> NH <sub>2</sub> (Benzenemethanamine)	100-46-9	**	9.10 ± 0.01 (V)	PE	4154
	C <sub>5</sub> H <sub>3</sub> N(CH <sub>3</sub> ) <sub>2</sub> (Pyridine, 2,5-dimethyl-)	589-93-5	**	8.80 ± 0.05 (V)	PE	3685
	C <sub>5</sub> H <sub>3</sub> N(CH <sub>3</sub> ) <sub>2</sub> (Pyridine, 2,6-dimethyl-)	108-48-5	**	8.87	PE	4867
			**	9.23 ± 0.05	EI	3498
			**	8.90 ± 0.05 (V)	PE	3685
			**	9.23	EI	5292
	(CH <sub>3</sub> ) <sub>2</sub> C <sub>5</sub> H <sub>3</sub> N (Pyridine, 3,4-dimethyl-)	583-58-4	**	9.15 (V)	PE	5527
	(CH <sub>3</sub> ) <sub>2</sub> C <sub>5</sub> H <sub>3</sub> N (Pyridine, 3,5-dimethyl-)	591-22-0	**	9.25 (V)	PE	5527
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )C <sub>4</sub> H <sub>9</sub> (Benzenamine, 3-butyl-)	5369-17-5	CH <sub>2</sub> =CHCH <sub>3</sub>	10.10 ± 0.1	EI	3629

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>9</sub>N<sup>+</sup></b>	C <sub>7</sub> H <sub>9</sub> (NH) <sub>2</sub> C <sub>4</sub> H <sub>9</sub> (Benzenamine, 4-butyl-)	104-13-2	CH <sub>2</sub> =CHCH <sub>3</sub>	9.37±0.1	EI	3629
	C <sub>7</sub> H <sub>9</sub> (CH <sub>3</sub> )NHC(=O)CH <sub>3</sub> (Acetamide, <i>N</i> -(2-methylphenyl)-)	120-66-1	CH <sub>2</sub> =C=O	10.05±0.02	EI	3631
	C <sub>7</sub> H <sub>9</sub> (CH <sub>3</sub> )NHC(=O)CH <sub>3</sub> (Acetamide, <i>N</i> -(4-methylphenyl)-)	103-89-9	CH <sub>2</sub> =C=O	10.12±0.02	EI	3631
<b>C<sub>7</sub>H<sub>10</sub>N<sup>+</sup></b>	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NCH=CHC≡CH	1809-53-6	CH <sub>3</sub>	13.1	EI	3674
<b>C<sub>7</sub>H<sub>11</sub>N<sup>+</sup></b>	C <sub>7</sub> H <sub>11</sub> N (1-Azabicyclo[2.2.2]oct-2-ene)	13929-94-7	**	8.02	PE	5185
	C <sub>7</sub> H <sub>11</sub> N (2-Azabicyclo[2.2.2]oct-5-ene)	3693-58-1	**	8.35±0.05 (V)	PE	4830
	C <sub>7</sub> H <sub>10</sub> NH (2-Azabicyclo[3.2.1]oct-6-ene)	71017-41-9	**	8.60 (V)	PE	5481
	C <sub>6</sub> H <sub>11</sub> N≡C (Cyclohexane, isocyano-)	931-53-3	**	11.0 (V)	PE	4649
	C <sub>7</sub> H <sub>2</sub> N(CH <sub>3</sub> ) <sub>3</sub> (Pyrrole, 1,3,4-trimethyl-)	30144-12-8	**	7.3	EI	3580
<b>C<sub>7</sub>H<sub>13</sub>N<sup>+</sup></b>	C <sub>5</sub> H <sub>7</sub> (N(CH <sub>3</sub> ) <sub>2</sub> ) (2-Cyclopenten-1-amine, <i>N,N</i> -dimethyl-)	13044-51-4	**	9.32±0.05 (V)	PE	4954
	(CH <sub>2</sub> =CHCH <sub>2</sub> ) <sub>2</sub> (CH <sub>3</sub> )N	2424-01-3	**	8.41±0.3 (V)	PE	4818
	C <sub>7</sub> H <sub>13</sub> N (1-Azabicyclo[2.2.2]octane)	100-76-5	**	7.50±0.09	PE	4497
	C <sub>7</sub> H <sub>13</sub> N (2-Azabicyclo[2.2.2]octane)	280-38-6	**	8.06±0.015 (V)	PE	4286
	C <sub>7</sub> H <sub>13</sub> N (4-Azabicyclo[2.2.2]octane)	100-76-5	**	8.22±0.05 (V)	PE	4830
	C <sub>7</sub> H <sub>13</sub> N (4-Azabicyclo[2.2.2]octane)	100-76-5	**	7.50±0.1	PE	4480
	C <sub>5</sub> H <sub>7</sub> N(CH <sub>3</sub> ) <sub>2</sub> (1-Cyclopenten-1-amine, <i>N,N</i> -dimethyl-)	4840-12-4	**	7.46 (V)	PE	5185
<b>C<sub>7</sub>H<sub>15</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>12</sub> NCH <sub>3</sub> (1 <i>H</i> -Azepine, hexahydro-1-methyl-)	1192-95-6	**	8.29±0.02 (V)	PE	4133
	C <sub>5</sub> H <sub>9</sub> N(CH <sub>3</sub> ) <sub>2</sub> (Cyclopentanamine, <i>N,N</i> -dimethyl-)	18636-91-4	**	8.34 (V)	PE	5185
<b>C<sub>8</sub>H<sub>6</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (CN)C <sub>3</sub> H <sub>9</sub> (Benzonitrile, 3-butyl-)	20651-74-5		12.90±0.1	EI	3629
	C <sub>6</sub> H <sub>3</sub> (CN)C <sub>4</sub> H <sub>9</sub> (Benzonitrile, 4-butyl-)	20651-73-4		12.71±0.1	EI	3629
<b>C<sub>8</sub>H<sub>7</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CN (Benzeneacetonitrile)	140-29-4	**	9.34	EI	4934
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> N≡C (Benzene, (isocyanomethyl)-)	10340-91-7	**	9.47 (V)	PE	4649
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )CN (Benzonitrile, 2-methyl-)	529-19-1	**	9.38 (V)	PE	5272
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )CN (Benzonitrile, 2-methyl-)	529-19-1	**	9.40 (V)	PE	5259
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )CN (Benzonitrile, 3-methyl-)	620-22-4	**	9.34 (V)	PE	5259
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )CN (Benzonitrile, 3-methyl-)	620-22-4	**	9.40 (V)	PE	5272
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )CN (Benzonitrile, 4-methyl-)	104-85-8	**	9.38 (V)	PE	5259
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )CN (Benzonitrile, 4-methyl-)	104-85-8	**	9.38 (V)	PE	5259



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>7</sub>N<sup>+</sup></b>	C <sub>8</sub> H <sub>7</sub> (CH <sub>3</sub> )CN	104-85-8	**	9.33 (V)	PE	5272
			**	9.31	EI	4089
			**	9.32	EI	4934
	C <sub>7</sub> H <sub>5</sub> CN (2,4,6-Cycloheptatriene-1-carbonitrile)	13612-59-4	**	8.89	EI	4934
	C <sub>8</sub> H <sub>7</sub> C <sub>2</sub> H <sub>2</sub> NH (1H-Indole)	120-72-9	**	7.75±0.015 (V)	PE	5522
			**	7.87 (V)	PE	4586
			**	7.91 (V)	PE	5396
			**	7.92±0.05 (V)	PE	4672
			**	8.29±0.05	EI	4316
	C <sub>8</sub> H <sub>7</sub> N (Indolizine)	274-40-8	**	7.24 (V)	PE	4812
	C <sub>6</sub> H <sub>5</sub> (CN)C <sub>2</sub> H <sub>5</sub> (Benzonitrile, 3-butyl-)	20651-74-5	CH <sub>2</sub> =CHCH <sub>3</sub>	11.55±0.1	EI	3629
	C <sub>6</sub> H <sub>5</sub> (CN)C <sub>4</sub> H <sub>9</sub> (Benzonitrile, 4-butyl-)	20651-73-4	CH <sub>2</sub> =CHCH <sub>3</sub>	11.66±0.1	EI	3629
<b>C<sub>8</sub>H<sub>9</sub>N<sup>+</sup></b>	C <sub>8</sub> H <sub>9</sub> N (9-Azabicyclo[4.2.1]nona-2,4,7-triene)	6789-38-4	**	8.45 (V)	PE	4136
	C <sub>8</sub> H <sub>9</sub> N (1H-Indole, 2,3-dihydro-)	496-15-1	**	7.15±0.02	PE	3890
	C <sub>6</sub> H <sub>5</sub> CH=NCH <sub>3</sub> (Methanamine, N-(phenylmethylene)-)	622-29-7	**	8.77	PE	4421
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )CH <sub>2</sub> CH <sub>2</sub> OCOCH <sub>3</sub> (Benzeneethanol, 4-amino-, acetate(ester))	33709-38-5		7.80	EI	3590
<b>C<sub>8</sub>H<sub>10</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> N(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, N,N-dimethyl-)	121-69-7	H	10.56±0.05	PI	4028
	C <sub>4</sub> H <sub>8</sub> NCH=CHC≡CH (Pyrrolidine, 1-(1-buten-3-ynyl)-)	19352-85-3	H	10.7	EI	3674
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub> (Benzenemethanamine, dimethyl-)	28262-13-7	H	9.57	PI	5543
<b>C<sub>8</sub>H<sub>11</sub>N<sup>+</sup></b>	C <sub>8</sub> H <sub>11</sub> N (9-Azabicyclo[4.2.1]nona-2,4-diene)	7129-31-9	**	8.36 (V)	PE	4136
	C <sub>7</sub> H <sub>9</sub> NCH <sub>3</sub> (2-Azabicyclo[3.2.1]octa-3,6-diene, 2-methyl-)	56125-88-3	**	7.28 (V)	PE	5481
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, 2,3-dimethyl)	87-59-2	**	7.77±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, 2,4-dimethyl)	95-68-1	**	7.65±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, 2,5-dimethyl)	95-78-3	**	7.78±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> ) <sub>2</sub> NH <sub>2</sub> (Benzenamine, 2,6-dimethyl-)	87-62-7	**	7.30±0.02	PE	3890
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, 3,4-dimethyl)	95-64-7	**	7.36	PE	3988
			**	7.78±0.05 (V)	PE	5013
			**	7.68±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, 3,5-dimethyl)	108-69-0	**	7.75±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )NHCH <sub>3</sub> (Benzenamine, N,2-dimethyl-)	611-21-2	**	7.27	PE	3988
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )NHCH <sub>3</sub> (Benzenamine, N,3-dimethyl-)	696-44-6	**	7.26	PE	3988
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )NHCH <sub>3</sub> (Benzenamine, N,4-dimethyl-)	623-08-5	**	7.13	PE	3988

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{11}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-)	121-69-7	**	$7.13 \pm 0.04$	PI	4028
			**	$7.10 \pm 0.02$	PE	3890
			**	7.11	PE	3988
			**	7.15	PE	4621
			**	7.35 (V)	PE	4884
			**	7.37 (V)	PE	4106
			**	7.2	CTS	3543
			**	7.42	CTS	4029
			**	7.6 (V)	PE	5378
			**	7.78	EI	4863
			**	7.92 (V)	PE	5272
	$C_6H_5CH_2CH_2NH_2$ (Benzeneethanamine)	64-04-0	**	$8.99 \pm 0.20$ (V)	PE	4672
	$C_6H_5CH_2NHCH_3$ (Benzenemethanamine, <i>N</i> -methyl-)	103-67-3	**	8.73 (V)	PE	5134
	$C_5H_4=CHN(CH_3)_2$ (Methanamine, 1-(2,4-cyclopentadien-1-ylidene)- <i>N,N</i> -dimethyl-)	696-68-4	**	7.43 (V)	PE	4357
$C_8H_{12}N^+$	$(CH_3)_3C_5H_2N$ (Pyridine, 2,4,6-trimethyl-)	108-75-8	**	$8.9 \pm 0.1$ (V)	PE	5527
	$C_4H_5NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-)	19352-85-3	**	7.5	EI	3674
$C_8H_{13}N^+$	$C_7H_{10}N(CH_3)$ (2-Azabicyclo[2.2.2]oct-5-ene, 2-methyl-)	3693-61-6	**	$7.97 \pm 0.05$ (V)	PE	4830
	$(C_2H_5)_2NCH=CHC\equiv CH$	1809-53-6	**	8.0	EI	3674
	$C_8H_{13}N$ (9-Azabicyclo[4.2.1]non-7-ene)	51787-59-8	**	8.76 (V)	PE	4136
	$C_7H_{10}NCH_3$ (2-Azabicyclo[3.2.1]oct-3-ene, 2-methyl-)	56125-90-7	**	7.36 (V)	PE	5481
	$C_7H_{10}NCH_3$ (2-Azabicyclo[3.2.1]oct-6-ene, 2-methyl-)	56125-92-9	**	8.18 (V)	PE	5481
	$C_4H_4NC_4H_9$ (1 <i>H</i> -Pyrrole, 2-(1,1-dimethylethyl)-)	5398-58-3	**	$7.95 \pm 0.05$	EI	3482
$C_8H_{14}N^+$	$C_{11}H_{22}N_2$ (8-Azabicyclo[3.2.1]octan-3-amine, 8-methyl- <i>N</i> -propyl- <i>endo</i> -)	67216-34-6		$10.1 \pm 0.3$	EI	5401
	$C_{11}H_{22}N_2$ (8-Azabicyclo[3.2.1]octan-3-amine, 8-methyl- <i>N</i> -propyl- <i>exo</i> -)	67139-56-4	$C_5H_7NH$	$10.5 \pm 0.3$	EI	5401
	$C_8H_{15}NO$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl- <i>endo</i> -)	120-29-6	OH	$10.2 \pm 0.3$	EI	5401
	$C_8H_{15}NO$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl- <i>exo</i> -)	135-97-7	OH	$10.7 \pm 0.3$	EI	5401
	$C_8H_{17}NO$ (8-Azabicyclo[3.2.1]octane, 3-methoxy-8-methyl- <i>endo</i> -)	XXXXX-XX-X	$CH_3O$	$9.8 \pm 0.3$	EI	5401
	$C_8H_{17}NO$ (8-Azabicyclo[3.2.1]octane, 3-methoxy-8-methyl- <i>exo</i> -)	16487-33-5	$CH_3O$	$10.2 \pm 0.3$	EI	5401
	$C_{11}H_{19}NO$ (8-Azabicyclo[3.2.1]octane, 3-phenoxy- <i>endo</i> -)	XXXXX-XX-X	$C_6H_5O$	$9.1 \pm 0.3$	EI	5401
	$C_{11}H_{19}NO$ (8-Azabicyclo[3.2.1]octane, 3-phenoxy- <i>exo</i> -)	16487-31-3	$C_6H_5O$	$8.8 \pm 0.3$	EI	5401
	$C_{10}H_{17}NO_2$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl acetate(ester), <i>endo</i> -)	3423-27-6	$C_2H_5O_2$	$10.2 \pm 0.3$	EI	5401
	$C_{10}H_{17}NO_2$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl acetate(ester), <i>exo</i> -)	3423-26-5		$10.3 \pm 0.3$	EI	5401
	$C_{10}H_{18}N_2O_2$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl-methylcarbamate(ester), <i>endo</i> -)	67139-52-0	$C_2H_5NO_2$	$9.8 \pm 0.3$	EI	5401

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{11}N^+$	$C_{10}H_{18}N_2O_2$ (8-Azabicyclo[3.2.1]octan-3-ol,8-methyl-methylcarbamate(ester), <i>exo</i> -)	67139-53-1	$C_2H_4NO_2$	$10.2 \pm 0.3$	EI	5401
	$C_{17}H_{20}N_2O_2$ (8-Azabicyclo[3.2.1]octan-3-ol,8-methyl-phenylcarbamate(ester)- <i>exo</i> -)	29364-21-4	$C_7H_6NO_2$	$9.2 \pm 0.3$	EI	5401
	$C_{17}H_{20}N_2OS$ (Carbamothioic acid,phenyl-0-(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)ester, <i>endo</i> -)	67139-54-2	$C_7H_6NOS$	$8.4 \pm 0.3$	EI	5401
	$C_{17}H_{20}N_2OS$ (Carbamothioic acid,phenyl-0-(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)ester, <i>exo</i> -)	67139-55-3	$C_7H_6NOS$	$8.6 \pm 0.3$	EI	5401
	$C_9H_{17}NO_3S$ (8-Azabicyclo[3.2.1]octan-3-ol,8-methyl-methanesulfonate(ester), <i>endo</i> -)	35130-97-3	$CH_3O_3S$	$9.1 \pm 0.3$	EI	5401
	$C_9H_{17}NO_3S$ (8-Azabicyclo[3.2.1]octan-3-ol,8-methyl-methanesulfonate(ester), <i>exo</i> -)	35136-87-9	$CH_3O_3S$	$9.6 \pm 0.3$	EI	5401
	$C_8H_{14}NCl$ (8-Azabicyclo[3.2.1]octane,3-chloro-8-methyl- <i>endo</i> -)	13514-03-9	Cl	$9.1 \pm 0.3$	EI	5401
	$C_8H_{14}NCl$ (8-Azabicyclo[3.2.1]octane,3-chloro-8-methyl- <i>exo</i> -)	2292-12-8	Cl	$9.5 \pm 0.3$	EI	5401
	$C_8H_{14}NBr$ (8-Azabicyclo[3.2.1]octane,3-bromo-8-methyl- <i>endo</i> -)	27809-79-6	Br	$9.1 \pm 0.3$	EI	5401
	$C_8H_{14}NBr$ (8-Azabicyclo[3.2.1]octane,3-bromo-8-methyl- <i>exo</i> -)	2292-11-7	Br	$8.9 \pm 0.3$	EI	5401
$C_8H_{15}N^+$	$C_7H_{12}N(CH_3)$ (2-Azabicyclo[2.2.2]octane,2-methyl-)	55100-40-8	**	$7.78 \pm 0.05$ (V)	PE	4830
	<i>tert</i> - $C_4H_9CH=NCH_2CH=CH_2$	68003-54-3	**	9.31 (V)	PE	4968
	<i>tert</i> - $C_4H_9CH=NCH=CHCH_3$	68003-65-6	**	8.69 (V)	PE	4968
	$C_8H_{15}N$ (9-Azabicyclo[4.2.1]nonane)	284-18-4	**	8.50 (V)	PE	4136
	$C_7H_{12}NCH_3$ (1-Azabicyclo[2.2.2]octane, 4-methyl-)	45651-41-0	**	$8.06 \pm 0.015$ (V)	PE	4286
	$C_6H_9N(CH_3)_2$ (1-Cyclohexen-1-amine,N,N-dimethyl-)	13815-46-8	**	7.56 (V)	PE	5185
	$((CH_3)_3N)CH=C(CH_3)_2$ (Pyrrolidine, 1-(2-methyl-1-propenyl)-)	2403-57-8	**	$7.66 \pm 0.03$ (V)	PE	4452
$C_8H_{17}N^+$	$C_6H_{11}N(CH_3)_2$ (Cyclohexanamine,N,N-diethyl-)	XXXXXX-XX-X	**	8.09 (V)	PE	5185
	$((CH_3)_3N)CH_2CH(CH_3)_2$ (Pyrrolidine, 1-(2-methylpropyl)-)	39198-81-7	**	$8.17 \pm 0.03$ (V)	PE	4452
$C_9H_7N^+$	$C_9H_7N$ (Isoquinoline)	119-65-3	**	8.50	PE	3638
			**	8.50	PE	4515
			**	8.54 (V)	PE	3723
	$C_9H_7N$ (Quinoline)	91-22-5	**	8.3	PI	3586
			**	8.62	PE	3638
			**	8.62	PE	4066
			**	8.62 (V)	PE	3723
$C_9H_9N^+$	$C_6H_5CH(N \equiv C)CH_3$ (Benzene, (1-isocyanoethyl)-(R)-)	21872-33-3	**	9.37 (V)	PE	4649
	$C_8H_7C_2H_2NCH_3$ (1H-Indole,1-methyl-)	603-76-9	**	$7.74 \pm 0.03$	PI	5552
			**	$7.48 \pm 0.015$	PE	5522
			**	7.71 (V)	PE	4586
	$CH_3C_6H_3C_2H_2NH$ (1H-Indole,2-methyl-)	95-20-5	**	$7.44 \pm 0.015$	PE	5522

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_9N^+$	$CH_3C_6H_4C_2H_2NH$ (1H-Indole,3-methyl-)	83-34-1	**	$7.54 \pm 0.015$	PE	5522
	$CH_3C_6H_3C_2H_2NH$ (1H-Indole,4-methyl-)	16096-32-5	**	$7.60 \pm 0.015$	PE	5522
	$C_6H_4C_2H(CH_3)NH$ (1H-Indole,6-methyl-)	3420-02-8	**	$7.54 \pm 0.015$	PE	5522
	$C_6H_3C_2H(CH_3)NH$ (1H-Indole,7-methyl-)	933-67-5	**	$7.53 \pm 0.015$	PE	5522
	$C_8H_6NCH_3$ (2H-Isoindole, 2-methyl-)	33804-84-1	**	7.12 (V)	PE	4935
			**	7.22 (V)	PE	4586
$C_9H_{11}N^+$	$C_9H_{11}N$ (Isoquinoline, 1,2,3,4-tetrahydro-)	91-21-4	**	$8.57 \pm 0.05$ (V)	PE	4830
	$C_9H_{11}N$ (Quinoline, 1,2,3,4-tetrahydro-)	635-46-1	**	$7.00 \pm 0.02$	PE	3890
$C_9H_{13}N^+$	$C_6H_5CH_3N(CH_3)_2$ (Benzeneamine,N,N,3-trimethyl-)	121-72-2	**	7.24 (V)	PE	5272
	$C_6H_5CH_3N(CH_3)_2$ (Benzeneamine,N,N,2-trimethyl-)	609-72-3	**	7.92 (V)	PE	5272
	$C_7H_{12}NC \equiv CH$ (1-Azabicyclo[2.2.2]octane, 4-ethynyl-)	52547-86-1	**	$8.30 \pm 0.015$ (V)	PE	4286
	$C_6H_5CH_3N(CH_3)_2$	99-97-8	**	6.95	PE	3988
	$C_6H_5CH_3N(CH_3)_2$ (Benzenamine, N,N,4-trimethyl-)		**	$6.9 \pm 0.1$	PE	4401
	$C_6H_5(CH_3)_2NH_2$ (Benzenamine, 2,4,6-trimethyl-)	88-05-1	**	7.15	PE	3988
	$C_6H_5(CH_3)_2NHCH_3$ (Benzenamine, N,2,6-trimethyl-)	767-71-5	**	7.34	PE	3988
	$C_6H_5(CH_3)_2N(CH_3)_2$ (Benzenamine, N,N,2-trimethyl-)	609-72-3	**	$7.40 \pm 0.02$	PE	3890
			**	7.44	PE	3988
			**	7.92 (V)	PE	4106
	$C_6H_5(CH_3)_2N(CH_3)_2$ (Benzenamine, N,N,3-trimethyl-)	121-72-2	**	7.06	PE	3988
			**	7.24 (V)	PE	4106
			**	7.27 (V)	PE	4106
	$C_6H_5CH_2CH_2NHCH_3$ (Benzeneethanamine, N-methyl-)	589-08-2	**	$8.66 \pm 0.20$ (V)	PE	4672
	$C_6H_5CH_2CH(NH_2)CH_3$ (Benzeneethanamine, $\alpha$ -methyl- ( $\pm$ )-)	300-62-9	**	$8.99 \pm 0.06$ (V)	PE	4758
			**	$8.91 \pm 0.14$ (V)	PE	4672
	$C_6H_5CH_2N(CH_3)_2$ (Benzenemethanamine,dimethyl-)	103-83-3	**	7.69	PI	5543
	$C_6H_5(CH_2)_2NH_2$ (Benzenepropanamine)	2038-57-5	**	$7.69 \pm 0.05$	PE	4192
	$C_5H_4NC(CH_3)_3$ (Pyridine, 4-(1,1-dimethylethyl)-)	3978-81-2	**	$8.89 \pm 0.12$ (V)	PE	4672
			**	$9.30 \pm 0.05$ (V)	PE	3685
$C_9H_{15}N^+$	$(CH_2 = CHCH_2)_3N$	102-70-5	**	$8.30 \pm 0.3$ (V)	PE	4818
			**	8.30 (V)	PE	5469
	$C_9H_{15}N$ (1-Azatricyclo[3.3.1.1 <sup>1,7</sup> ]decane)	281-27-6	**	$7.57 \pm 0.02$	PE	4217
	$C_5H_8NC_4H_7$ (Pyrrolidine, 1-(1-cyclopenten-1-yl)-)	7148-07-4	**	$7.10 \pm 0.05$ (V)	PE	4654

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>9</sub>H<sub>17</sub>N<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> C=NC <sub>6</sub> H <sub>11</sub>	XXXXX-XX-X	**	8.23	PE	5589
	C <sub>8</sub> H <sub>13</sub> NCH <sub>3</sub> (9-Azabicyclo[3.3.1]nonane, 9-methyl-)	491-25-8	**	7.84 (V)	PE	5091
	C <sub>7</sub> H <sub>12</sub> NC <sub>2</sub> H <sub>5</sub> (1-Azabicyclo[2.2.2]octane, 4-ethyl-)	45732-65-8	**	8.05±0.015 (V)	PE	4286
	C <sub>6</sub> H <sub>11</sub> N=C(CH <sub>3</sub> ) <sub>2</sub> (Cyclohexanamine, N-(1-methylethylidene)-)	6407-36-9	**	8.23	PE	4043
	((CH <sub>2</sub> ) <sub>5</sub> N)CH=C(CH <sub>3</sub> ) <sub>2</sub> (Piperidine, 1-(2-methyl-1-propenyl)-)	673-33-6	**	7.93±0.03 (V)	PE	4452
<b>C<sub>9</sub>H<sub>19</sub>N<sup>+</sup></b>	((CH <sub>2</sub> ) <sub>5</sub> N)CH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub> (Piperidine, 1-(2-methylpropyl)-)	10315-89-6	**	8.16±0.03 (V)	PE	4452
	C <sub>5</sub> H <sub>7</sub> N(CH <sub>3</sub> ) <sub>4</sub> (Piperidine, 2,2,6,6-tetramethyl-)	768-66-1	**	7.39	PE	4278
<b>C<sub>9</sub>H<sub>21</sub>N<sup>+</sup></b>	(n-C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> N	102-69-2	**	7.03±0.09	PE	4497
			**	7.03±0.1	PE	4480
			**	8.04±0.3 (V)	PE	4818
	tert-C <sub>5</sub> H <sub>11</sub> (tert-C <sub>4</sub> H <sub>9</sub> )NH	58471-09-3	**	7.81±0.1	PE	4480
<b>C<sub>10</sub>H<sub>7</sub>N<sup>+</sup></b>	C <sub>10</sub> H <sub>7</sub> N (Pyrrolo[2,1,5-cd]indolizine)	209-81-4	**	7.63 (V)	PE	4812
<b>C<sub>10</sub>H<sub>9</sub>N<sup>+</sup></b>	C <sub>10</sub> H <sub>7</sub> (NH <sub>2</sub> ) (1-Naphthalenamine)	134-32-7	**	7.3	PI	3586
	C <sub>9</sub> H <sub>9</sub> NCH <sub>3</sub> (Isoquinoline, 3-methyl-)	1125-80-0	**	7.46 (V)	PE	4466
	C <sub>10</sub> H <sub>7</sub> NCH <sub>3</sub> (Isoquinoline, 3-methyl-)	1125-80-0	**	8.11	PE	4515
	C <sub>10</sub> H <sub>7</sub> NH <sub>2</sub> (2-Naphthalenamine)	91-59-8	**	7.74±0.02	PE	4143
	C <sub>10</sub> H <sub>7</sub> NH <sub>2</sub> (2-Naphthalenamine)	91-59-8	**	7.10±0.02	PE	4143
	C <sub>10</sub> H <sub>9</sub> N (Naphthalen-1,4-imine, 1,4-dihydro-)	5176-20-5	**	7.2	PI	3586
	C <sub>10</sub> H <sub>9</sub> N (Naphthalen-1,4-imine, 1,4-dihydro-)	5176-20-5	**	7.56 (V)	PE	4466
	C <sub>10</sub> H <sub>9</sub> N (Naphthalen-1,4-imine, 1,4-dihydro-)	5176-20-5	**	8.25±0.05 (V)	PE	4830
<b>C<sub>10</sub>H<sub>11</sub>N<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH=NCH=CHCH <sub>3</sub> (z)	53146-18-2	**	8.33 (V)	PE	4968
	C <sub>10</sub> H <sub>11</sub> N (Naphthalen-1,4-imine, 1,2,3,4-tetrahydro-)	5176-30-7	**	8.44±0.05 (V)	PE	4830
	C <sub>6</sub> H <sub>5</sub> CH=NCH <sub>2</sub> CH=CH <sub>2</sub> (2-Propen-1-amine, N-(phenylmethylene)-(E)-)	68003-55-4	**	8.87 (V)	PE	4968
<b>C<sub>10</sub>H<sub>13</sub>N<sup>+</sup></b>	C <sub>9</sub> H <sub>10</sub> N(CH <sub>3</sub> ) (Isoquinoline, 1,2,3,4-tetrahydro-2-methyl-)	1612-65-3	**	8.60±0.05 (V)	PE	4830
<b>C<sub>10</sub>H<sub>14</sub>N<sup>+</sup></b>	CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub> (Benzenemethanamine, N,N,ar-trimethyl-)	56927-89-0	H	9.5	PI	5543
<b>C<sub>10</sub>H<sub>15</sub>N<sup>+</sup></b>	C <sub>9</sub> H <sub>13</sub> N=CH <sub>2</sub> (1-Azatricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 4-methylene-)	42949-22-4	**	7.78±0.02 (V)	PE	4217
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )C <sub>3</sub> H <sub>9</sub> (Benzenamine, 3-butyl-)	5369-17-5	**	7.51±0.1	EI	3629



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{15}N^+$	$C_6H_4(NH_2)C_4H_9$ (Benzenamine, 4-butyl-)	104-13-2	**	$7.61 \pm 0.1$	EI	3629
	$C_6H_5N(C_2H_5)_2$ (Benzenamine, <i>N,N</i> -diethyl-)	91-66-7	**	$6.95 \pm 0.02$	PE	3890
	$C_6H_2(CH_3)_3NHCH_3$ (Benzenamine, <i>N</i> ,2,4,6-tetramethyl-)	13021-14-2	**	7.22	PE	3988
	$C_6H_3(CH_3)_2N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2,6-tetramethyl-)	769-06-2	**	$7.30 \pm 0.02$	PE	3890
			**	7.42	PE	3988
	$C_6H_5CH_2CH_2N(CH_3)_2$ (Benzeneethanamine, <i>N,N</i> -dimethyl-)	1126-71-2	**	$7.70 \pm 0.05$	PE	4192
			**	$8.35 \pm 0.14$ (V)	PE	4672
	$C_6H_5CH_2CH_2N(CH_3)_2$ (Benzeneethanamine, dimethyl-)	29088-49-1	**	7.70	PI	5543
	$CH_3C_6H_4CH_2N(CH_3)_2$ (Benzenemethanamine, <i>N,N</i> , <i>ar</i> -trimethyl-)	56927-89-0	**	7.61	PI	5543
	$C_6H_5CH_2CH(CH_3)NHCH_3$ (Benzenethanamine, <i>N</i> , $\alpha$ -dimethyl-)	7632-10-2	**	$8.60 \pm 0.20$ (V)	PE	4672
$C_{10}H_{17}N^+$	$((CH_2)_4N)(C_6H_9)$ (Pyrrolidine, 1-(1-cyclohexen-1-yl)-)	1125-99-1	**	$7.10 \pm 0.03$ (V)	PE	4452
			**	$7.14 \pm 0.05$	PE	4654
	$C_5H_{10}NC_5H_7$ (Piperidine, 1-(1-cyclopenten-1-yl)-)	1614-92-2	**	$7.4 \pm 0.05$ (V)	PE	4654
$C_{10}H_{19}N^+$	$((CH_2)_4N)(C_6H_{11})$ (Pyrrolidine, 1-cyclohexyl-)	7731-02-4	**	$7.96 \pm 0.03$ (V)	PE	4452
	$C_7H_{12}N(iso-C_3H_7)$ (1-Azabicyclo[2.2.2]octane, 4-(1-methylethyl)-)	45842-68-0	**	$7.99 \pm 0.015$ (V)	PE	4286
	$C_9H_{14}NC_2H_5$ (9-Azabicyclo[3.3.1]nonane, 9-ethyl-)	64776-29-0	**	7.76 (V)	PE	5091
	$C_{10}H_{19}N$ (1-Azabicyclo[3.3.3]undecane)	31023-92-4	**	$6.94 \pm 0.09$	PE	4497
$C_{10}H_{23}N^+$	$n-C_{10}H_{21}NH_2$	2016-57-1	**	$8.63 \pm 0.05$	PI	5508
$C_{11}H_7N^+$	$C_{10}H_7CH$ (1-Naphthalenecarbonitrile)	86-53-3	**	8.61 (V)	PE	4466
	$C_{10}H_7CN$ (2-Naphthalenecarbonitrile)	613-46-7	**	8.64 (V)	PE	4466
$C_{11}H_{11}N^+$	$C_{11}H_9(NH_2)$ (1,4-Methanonaphthalene-5-amine, 1,4-dihydro-)	61346-80-3	**	$7.84 \pm 0.05$ (V)	PE	5019
	$C_{11}H_9(NH_2)$ (1,4-Methanonaphthalene-6-amine, 1,4-dihydro-)	35391-95-8	**	$7.60 \pm 0.05$	PE	5019
	$C_{10}H_8N(CH_3)$ (Naphthalen-1,4-imine, 1,4-dihydro-9-methyl-)	55258-00-9	**	$8.18 \pm 0.05$ (V)	PE	4830
$C_{11}H_{13}N^+$	$C_{10}H_{10}N(CH_3)$ (Naphthalen-1,4-imine, 1,2,3,4-tetrahydro-9-methyl-)	55257-99-3	**	$8.33 \pm 0.05$ (V)	PE	4830
	$C_6H_5(CN)C_4H_9$ (Benzonitrile, 3-butyl-)	20651-74-5	**	$9.77 \pm 0.1$	EI	3629
	$C_6H_5(CN)C_4H_9$ (Benzonitrile, 4-butyl-)	20651-73-4	**	$10.08 \pm 0.1$	EI	3629
	$C_{11}H_{13}N$ (2 <i>H</i> -1,4-Ethanoquinoline, 3,4-dihydro-)	4363-25-1	**	$7.85 \pm 0.02$	PE	3890

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{13}N^+$	$C_9H_7CH=NCH=C(CH_3)_2$ (2-Propen-1-amine, 2-methyl-N-(phenylmethylene)-(E)-)	68003-68-9	**	8.05 (V)	PE	4968
$C_{11}H_{17}N^+$	$C_7H_9N(tert-C_4H_9)$ (2-Azabicyclo[3.2.1]octa-3,6-diene,2-(1,1-dimethylethyl)-)	71017-51-1	**	7.06 (V)	PE	5481
	$C_6H_2(CH_3)_3N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2,4,6-pentamethyl-)	13021-15-3	**	7.24	PE	3988
$C_{11}H_{19}N^+$	$C_5H_{10}NC_6H_9$ (Piperidine, 1-(1-cyclohexen-1-yl)-)	2981-10-4	**	$7.44 \pm 0.03$ (V)	PE	4452
$C_{11}H_{21}N^+$	$((CH_2)_5N)(C_6H_{11})$ (Piperidine, 1-cyclohexyl-)	3319-01-5	**	$7.93 \pm 0.03$ (V)	PE	4452
	$C_7H_{12}N(tert-C_4H_9)$ (1-Azabicyclo[2.2.2]octane, 4-(1,1-dimethylethyl)-)	45980-26-5	**	$7.97 \pm 0.015$ (V)	PE	4286
	$C_7H_{12}N(tert-C_4H_9)$ (2-Azabicyclo[3.2.1]octane,2-(1,1-dimethylethyl)-)	71017-52-2	**	8.30 (V)	PE	5481
	$C_9H_{11}NCH(CH_3)_2$ (9-Azabicyclo[3.3.1]nonane,9-(1-methylethyl)-)	64776-33-6	**	7.68 (V)	PE	5091
	$C_9H_{14}NCH_2CH_2CH_3$ (9-Azabicyclo[3.3.1]nonane,9-propyl-)	73320-99-7	**	7.71 (V)	PE	5091
$C_{12}H_9N^+$	$C_{11}H_9(CN)$ (1,4-Methanonaphthalene-5-carbonitrile, 1,4-dihydro-)	61346-79-0	**	$8.94 \pm 0.05$	PE	5019
	$C_{11}H_9(CN)$ (1,4-Methanonaphthalene-6-carbonitrile, 1,4-dihydro-)	16513-60-3	**	$8.94 \pm 0.05$ (V)	PE	5235
	$(C_6H_4)_2NH$ (9H-Carbazole)	86-74-8	**	$8.87 \pm 0.05$ (V)	PE	5019
	$C_{11}H_9CN$ (1,4-Methanonaphthalene-2-carbonitrile, 1,4-dihydro-)	71906-57-5	**	$7.50$ (V)	PE	5619
	$C_{11}H_9CN$ (1,4-Methanonaphthalene-6-carbonitrile, 1,4-dihydro-)	16513-60-3	**	$7.68$ (V)	PE	4159
	$C_{12}H_9N$ (Pyrido[2,1,6- <i>de</i> ]quinolizine)	519-61-9	**	$8.77 \pm 0.05$ (V)	PE	5235
	$C_{11}H_9CN$ (1,4-Methanonaphthalene-6-carbonitrile, 1,4-dihydro-)	16513-60-3	**	$8.77$ (V)	PE	4835
	$C_{12}H_9N$ (Pyrido[2,1,6- <i>de</i> ]quinolizine)	519-61-9	**	$8.85 \pm 0.05$ (V)	PE	5235
$C_{12}H_{11}N^+$	$(C_6H_5)_2NH$ (Benzenamine, <i>N</i> -phenyl-)	122-39-4	**	$7.14 \pm 0.03$	PI	4028
	$C_6H_5C_6H_4NH_2$ ([1,1'-Biphenyl]-2-amine)	90-41-5	**	$7.18 \pm 0.01$	PE	4154
	$C_6H_5C_6H_4NH_2$ ([1,1'-Biphenyl]-2-amine)	90-41-5	**	$7.44$ (V)	PE	4159
	$C_6H_5C_6H_4NH_2$ ([1,1'-Biphenyl]-2-amine)	90-41-5	**	$7.28 \pm 0.02$	PE	3702
$C_{12}H_{13}N^+$	$C_{10}H_7N(CH_3)_2$ (2-Naphthalenamine, <i>N,N</i> -dimethyl-)	2436-85-3	**	7.12 (V)	PE	4466
	$C_{10}H_7N(CH_3)_2$ (1-Naphthalenamine, <i>N,N</i> -dimethyl-)	86-56-6	**	7.59 (V)	PE	4466
	$C_{10}H_7N(CH_3)_2$ (1-Naphthalenamine, <i>N,N</i> -dimethyl-)	86-56-6	**	$7.00 \pm 0.02$	PE	4143
$C_{12}H_{15}N^+$	$C_{12}H_{15}N$ (1 <i>H</i> ,5 <i>H</i> -Benzo[ <i>ij</i> ]quinolizine, 2,3,6,7-tetrahydro-)	479-59-4	**	$6.65 \pm 0.02$	PE	3890

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{23}N^+$	$C_8H_{14}NC(CH_3)_3$ (9-Azabicyclo[3.3.1]nonane, 9-(1,1-dimethylethyl)-)	64776-36-9	**	7.30 (V)	PE	5091
	(n-C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> N	102-82-9	**	6.98±0.1	PE	4480
$C_{13}H_9N^+$	$C_{13}H_9N$ (Acridine)	260-94-6	**	7.8	PI	3586
			**	7.85 (V)	PE	5436
			**	7.88±0.02 (V)	PE	4430
			**	8.13±0.02 (V)	PE	4551
	$C_{13}H_9N$ (Benzo[f]quinoline)	85-02-9	**	8.14±0.02 (V)	PE	4430
	$C_{13}H_9N$ (Benzo[h]quinoline)	230-27-3	**	8.04±0.02 (V)	PE	4430
	$C_{13}H_9N$ (Phenanthridine)	229-87-8	**	8.31±0.02 (V)	PE	4430
$C_{13}H_{10}N^+$	$C_6H_5C(=CH_2)C_5H_4N$ (Pyridine, 2-(1-phenylethenyl)-)	XXXXXX-XX-X H		9.5	EI	5570
	$C_6H_5C(=CH_2)C_5H_4N$ (Pyridine, 3-(1-phenylethenyl)-)	XXXXXX-XX-X H		9.9	EI	5570
	$C_6H_5C(=CH_2)C_5H_4N$ (Pyridine, 4-(1-phenylethenyl)-)	54813-56-8 H		10.0	EI	5570
	$C_6H_4(CH_3)C(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(3-methylphenyl)ethenyl]-)	XXXXXX-XX-X CH <sub>3</sub>		9.7	EI	5570
	$C_6H_4(CH_3)C(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(4-methylphenyl)ethenyl]-)	XXXXXX-XX-X CH <sub>3</sub>		9.8	EI	5570
	$C_6H_4FC(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(2-fluorophenyl)ethenyl]-)	XXXXXX-XX-X F		9.5	EI	5570
	$C_6H_4ClC(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(2-chlorophenyl)ethenyl]-)	XXXXXX-XX-X Cl		9.2	EI	5570
	$C_6H_4ClC(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(4-chlorophenyl)ethenyl]-)	XXXXXX-XX-X Cl		9.9	EI	5570
	$C_6H_4BrC(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(2-bromophenyl)ethenyl]-)	XXXXXX-XX-X Br		9.0	EI	5570
	$C_6H_4BrC(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(4-bromophenyl)ethenyl]-)	XXXXXX-XX-X Br		9.7	EI	5570
	$C_6H_4IC(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(2-iodophenyl)ethenyl]-)	XXXXXX-XX-X I		8.8	EI	5570
$C_{13}H_{11}N^+$	$C_{13}H_{11}N$ (Acridine, 9,10-dihydro-)	92-81-9	**	7.33 (V)	PE	4159
	$C_6H_5CH=NC_6H_5$ (Benzenamine, N-(phenylmethylene)-)	538-51-2	**	8.25 (V)	PE	4475
			**	8.27±0.05 (V)	PE	4333
	$C_{12}H_8NCH_3$ (2H-Benz[f]isoindole, 2-methyl-)	59788-14-6	**	6.56 (V)	PE	4935
	$C_6H_5C(=CH_2)C_5H_4N$ (Pyridine, 2-(1-phenylethenyl)-)	XXXXXX-XX-X **		8.65	EI	5570
	$C_6H_5C(=CH_2)C_5H_4N$ (Pyridine, 3-(1-phenylethenyl)-)	XXXXXX-XX-X **		8.73	EI	5570
	$C_6H_5C(=CH_2)C_5H_4N$ (Pyridine, 4-(1-phenylethenyl)-)	54813-56-8	**	8.90	EI	5570
	$C_6H_5CH=CHC_5H_4N$ (Pyridine, <i>trans</i> -2-(2-phenylethenyl)-)	538-49-8	**	7.99±0.05 (V)	PE	4377
	$C_6H_5CH=CHC_5H_4N$ (Pyridine, <i>trans</i> -3-(2-phenylethenyl)-)	5097-91-6	**	8.10±0.05 (V)	PE	4377

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{11}N^+$	$C_6H_5CH=CHC_5H_4N$ (Pyridine, <i>trans</i> -4-(2-phenylethenyl)-)	5097-93-8	**	$8.34 \pm 0.05$ (V)	PE	4377
$C_{13}H_{12}N^+$	$(C_6H_5NH_2)_2CH_2$ (Benzenamine, 4,4'-methylenebis-)	101-77-9	$NH_2$	$10.7 \pm 0.1$	EI	3807
$C_{13}H_{13}N^+$	$(C_6H_5)_2NCH_3$ (Benzenamine, N-methyl-N-phenyl-)	552-82-9	**	$6.94 \pm 0.03$	PI	5552
	$C_6H_5CH_2C_6H_4NH_2$ (Benzenamine, 4-(phenylmethyl)-)	1135-12-2	**	7.33 (V)	PE	4159
			**	$7.67 \pm 0.05$	EI	3806
$C_{13}H_{17}N^+$	$C_7H_{12}NC_6H_5$ (1-Azabicyclo[2.2.2]octane, 4-phenyl-)	51069-11-5	**	$8.13 \pm 0.015$ (V)	PE	4286
$C_{11}H_9N^+$	$C_4H_5N$ (Cyclopent[4,5]azepino[2,1,7- <i>cd</i> ]pyrrolizine)	27884-38-4	**	7.06 (V)	PE	4812
$C_{11}H_{11}N^+$	$C_{13}H_8NCH_3$ (Acridine, 9-methyl-)	611-64-3	**	7.68 (V)	PE	5436
	$C_6H_5CH_2C_6H_4CN$ (Benzonitrile, 4-(phenylmethyl)-)	23450-31-9	**	$9.25 \pm 0.05$	EI	3806
	$C_{11}H_{11}N$ (5H-Dibenzo [ <i>b,f</i> ]azepine)	256-96-2	**	6.78	PE	4611
$C_{11}H_{13}N^+$	$C_6H_5N=CHC_6H_4CH_3$ (Benzenamine, N-[(3-methylphenyl)methylene]-)	6906-25-8	**	8.07 (V)	PE	5486
	$C_{11}H_{13}N$ (5H-Dibenzo [ <i>b,f</i> ]azepine, 10,11-dihydro-)	494-19-9	**	7.25 (V)	PE	4159
	$C_6H_4(CH_3)C(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(3-methylphenyl)ethenyl]-)	XXXXX-XX-X	**	8.48	EI	5570
	$C_6H_4(CH_3)C(=CH_2)C_5H_4N$ (Pyridine, 2-[1-(4-methylphenyl)ethenyl]-)	XXXXX-XX-X	**	8.45	EI	5570
	$C_6H_4(CH_3)CH=CHC_5H_4N$ (Pyridine, <i>trans</i> -3-[2-(4-methylphenyl)ethenyl]-)	6892-33-7	**	$7.90 \pm 0.05$ (V)	PE	4377
	$C_6H_5CH=C(CH_3)C_5H_4N$ (Pyridine, <i>trans</i> -4-(1-methyl-2-phenylethenyl)-)	18150-12-4	**	$8.39 \pm 0.05$ (V)	PE	4377
	$C_6H_4(CH_3)N=CHC_6H_5$ (Benzenamine, 2-methyl-N-(phenylmethylene)-)	5877-55-4	**	8.06 (V)	PE	5486
$C_{11}H_{15}N^+$	$C_6H_4(CH_2CH_2)_2C_4H_2NH$ (15-Azatricyclo[8.2.2.1 <sup>1,7</sup> ]pentadeca-4,6,10,12,13-pentaene)	51053-69-1	**	7.26	PE	5575
	$C_6H_5CH_2CH_2C_6H_4NH_2$ (Benzenamine, 4-(2-phenylethyl)-)	13024-49-2	**	$7.55 \pm 0.05$	EI	3806
$C_{15}H_9N^+$	$C_{11}H_9CN$ (9-Anthracenecarbonitrile)	1210-12-4	**	$7.80 \pm 0.03$ (V)	PE	4887
$C_{15}H_{11}N^+$	$C_{11}H_8N(CH_3)$ (Cyclopenta[ <i>i</i> ]pyrido[2,1,6- <i>de</i> ]quinolizine, 3-methyl-)	21533-76-6	**	6.37 (V)	PE	4812
	$C_{15}H_{11}N$ (16-Azatricyclo[9.2.2.1 <sup>1,8</sup> ]hexadeca-2,4,6,8(16),9,11,13,14-octaene)	1647-34-8	**	8.03 (V)	PE	4824

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{11}N^+$	$C_9H_6NC_6H_5$ (Quinoline, 2-phenyl-)	612-96-4	**	8.10	PE	4066
$C_{15}H_{15}N^+$	$C_{15}H_{15}N$ (16-Azatricyclo[9.2.2.1 <sup>4,8</sup> ]hexadeca-4,6,8(16),11,13,14-hexaene) $C_6H_3(CH_2CH_2)_2C_5H_5N$ (5-Azatricyclo[8.2.2.2 <sup>4,7</sup> ]hexadeca-4,6,10,12,13,15-hexaene) $C_6H_3(CH_3)N=CHC_6H_4CH_3$ (Benzenamine,2-methyl-N-[(3-methylphenyl)methylene]-) $C_6H_3(CH_3)_2N=CHC_6H_5$ (Benzenamine,2,6-dimethyl-N-(phenylmethylene)-)	42082-72-4	**	8.05 (V)	PE	4824
		37877-95-5	**	8.20 (V)	PE	5575
		33629-97-9	**	8.00 (V)	PE	5486
		3096-95-5	**	8.00 (V)	PE	5486
$C_{16}H_{13}N^+$	$C_{15}H_{10}N(CH_3)$ (16-Azatricyclo[9.2.2.1 <sup>4,8</sup> ]hexadeca-2,4,6,8(16),9,11,13,14-octaene, 6-methyl-) $C_{14}H_7N(CH_3)_2$ (Cyclopent[4,5]azepino[2,1,7-cd]pyrrolizine,6,8-dimethyl-) $C_5H_3(CN)(C_6H_5)_2$ (Cyclopropanecarbonitrile, 1,2-diphenyl-)	70389-17-2	**	7.92 (V)	PE	4824
		65738-45-6	**	6.99 (V)	PE	4812
		10224-14-3	**	8.80±0.08	EI	3575
$C_{16}H_{15}N^+$	$C_{14}H_9N(CH_3)_2$ (3H-Indole, 3,3-dimethyl-2-phenyl-)	6636-32-4	**	8.10 (V)	PE	4421
$C_{16}H_{17}N^+$	$C_{15}H_{14}N(CH_3)$ (16-Azatricyclo[9.2.2.1 <sup>4,8</sup> ]hexadeca-4,6,8(16),11,13,14-hexaene, 6-methyl-) $C_6H_3(CH_3)_2N=CHC_6H_4CH_3$ (Benzamine,2,6-dimethyl-N-[(3-methylphenyl)methylene]-) $C_{10}H_{15}NH_2$ (Tricyclo[8.2.2.2 <sup>4,7</sup> ]hexadeca-4,6,10,12,13,15-hexaen-5-amine)	70389-16-1	**	8.06 (V)	PE	4824
		57387-52-7	**	7.90 (V)	PE	5486
		10122-95-9	**	6.90	PE	4158
$C_{17}H_{13}N^+$	$C_{16}H_{10}NCH_3$ (2H-Dibenz[e,g]isoindole, 2-methyl-)	59788-15-7	**	7.15 (V)	PE	4935
$C_{17}H_{15}N^+$	$C_{15}H_9N(CH_3)_2$ (16-Azatricyclo[9.2.2.1 <sup>4,8</sup> ]hexadeca-2,4,6,8(16),9,11,13,14-octaene, 12,14-dimethyl-)	64000-97-1	**	7.67 (V)	PE	4824
$C_{17}H_{19}N^+$	$C_{15}H_{13}N(CH_3)_2$ (16-Azatricyclo[9.2.2.1 <sup>4,8</sup> ]hexadeca-4,6,8(16),11,13,14-hexaene, 12,14-dimethyl-)	70389-13-8	**	7.70 (V)	PE	4824
$C_{17}H_{29}N^+$	$C_5H_2N(C(CH_3)_3)_3$ (Pyridine, 2,4,6-tris(1,1-dimethylethyl)-)	20336-15-6	**	8.6 (V)	PE	3685
			**	8.6 (V)	PE	3934
$C_{18}H_{15}N^+$	$(C_6H_5)_3N$ (Benzenamine, N,N-diphenyl-)	603-34-9	**	7.00±0.05 (V)	PE	4368
			**	6.80±0.05	PI	4028
			**	6.75±0.01	PE	4154



Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{17}N^+$	$C_{10}H_6(CH_2CH_2)_2C_4H_2NH$ (5,14-Ethenobenzocyclododecen-8,11-imine,6,7,12,13-tetrahydro-)	73650-66-5	**	7.35 (V)	PE	5575
$C_{18}H_{27}N^+$	$C_{10}H_{14}NC_6H_4C(CH_3)_3$ (9-Azabicyclo[3.3.1]nonane,9-[4-(1,1-dimethylethyl)phenyl])	XXXXX-XX-X	**	6.94 (V)	PE	5091
$C_{19}H_{13}N^+$	$C_{13}H_8NC_6H_5$ (Acridine,9-phenyl-)	602-56-2	**	7.75 (V)	PE	5436
	$C_{13}H_8NC_6H_5$ (Phenanthridine, 6-phenyl-)	2720-93-6	**	7.80 (V)	PE	5630
	$C_{13}H_8NC_6H_5$ (Phenanthridine, 6-phenyl-)	2720-93-6	**	8.20 (V)	PE	4262
$C_{19}H_{19}N^+$	$C_{15}H_7N(CH_3)_4$ (16-Azatricyclo[9.2.2.1 <sup>4,8</sup> ]hexadeca-2,4,6,8(16),9,11,13,14-octaene, 12,13,14,15-tetramethyl-)	64000-98-2	**	7.54 (V)	PE	4824
$C_{19}H_{23}N^+$	$C_{15}H_{11}N(CH_3)_4$ (16-Azatricyclo[9.2.2.1 <sup>4,8</sup> ]hexadeca-4,6,8(16),11,13,14-hexaene, 12,13,14,15-tetramethyl-)	70389-15-0	**	7.57 (V)	PE	4824
$C_{20}H_{23}N^+$	$C_{15}H_{12}=CHCH_2CH_2N(CH_3)_2$ (1-Propanamine, 3-(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-ylidene)-N,N-dimethyl-)	50-48-6	**	$8.26 \pm 0.07$	CTS	4079
$CH_2N_2^+$	$CH_3N_2$	334-88-3	**	9.00	PE	4595
	$H_2NC \equiv N$	420-04-2		10.65 (V)	PE	4294
	$CH_2N_2$	157-22-2	**	10.3	PE	3727
	(3H-Diazirine)					
$CH_3N_2^+$	$CH_3N=NCH_3$	503-28-6	$CH_3$	9.2	EI	3632
	<i>trans</i> - $CH_3N=NCH_3$	4143-41-3	$CH_3$	$9.20 \pm 0.03$	PI	4342
$CH_4N_2^+$	$CH_3N=NH$	XXXXX-XX-X	**	$8.8 \pm 0.1$	PE	4587
$CH_6N_2^+$	$H_2NNH(CH_3)$	60-34-4	**	9.34 (V)	PE	5381
			**	$8.40 \pm 0.05$	PE	4521
			**	9.32 (V)	PE	4137
			**	9.36 (V)	PE	4514
$C_2H_4N_2^+$	$CH_2=NN=CH_2$	503-27-5	**	8.95	PE	4499
$C_2H_6N_2^+$	$(CH_3N)_2$	503-28-6	**	8.30	PE	4587
			**	$8.95 \pm 0.05$ (V)	PE	4614
			**	9.0 (V)	PE	4467
			**	$8.45 \pm 0.05$	PI	4342
	<i>trans</i> - $CH_3N=NCH_3$	4143-41-3	**	8.20	PE	3649
$C_2H_8N_2^+$	$(CH_3)_2NNH_2$	57-14-7	**	$8.05 \pm 0.05$	PE	4521
			**	8.82 (V)	PE	5381
			**	8.85 (V)	PE	4514

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_8N_2^+$	$(CH_3)_2NNH_2$	57-14-7	**	8.88 (V)	PE	4137
	$(CH_3NH)_2$	540-73-8	**	9.00 (V)	PE	4137
			**	9.02 (V)	PE	5068
			**	9.02 (V)	PE	5381
			**	9.62	PE	3747
	$C_2H_5NHNH_2$	624-80-6	**	$8.12 \pm 0.05$	PE	4521
			**	9.20 (V)	PE	4137
$C_3H_2N_2^+$	$CH_3(CN)_2$	109-77-3	**	12.88	PE	4067
$C_3H_3N_2^+$	$C_3H_1N_2$ (1H-Imidazole)	288-32-4	H	12.8	EI	3910
$C_3H_1N_2^+$	$C_3H_1N_2$ (1H-Imidazole)	288-32-4	**	8.96 (V)	PE	5092
			**	8.78 (V)	PE	4009
			**	9.12	EI	3910
	$C_3H_1N_2$ (1H-Pyrazole)	288-13-1	**	9.15 (V)	PE	5213
			**	9.15 (V)	PE	4009
$C_3H_6N_2^+$	$(CH_3)_2NC \equiv N$	1467-79-4		9.44 (V)	PE	4294
	$(CH_3)_2C = N = N$	2684-60-8	**	7.88	PE	4047
	$C_3H_6N_2$ (3H-Diazirine, 3,3-dimethyl-)	5161-49-9	**	9.76 (V)	PE	3505
$C_3H_8N_2^+$	$(CH_3)_2NN = CH_2$	2035-89-4	**	7.85	PE	3884
	$CH_3NHN = CHCH_3$	17167-73-6	**	7.67	PE	3884
	$C_3H_6NNH_2$ (1-Azetidinamine)	53779-89-8	**	8.828 (V)	PE	4156
	$CH_2N_2(CH_3)_2$ (Diaziridine, 1,2-dimethyl-)	6794-95-2	**	9.42 (V)	PE	3888
			**	9.42 (V)	PE	4277
	$CH_2N_2(CH_3)_2$ (Diaziridine, 3,3-dimethyl-)	4901-76-2	**	9.90 (V)	PE	3888
	$C_3H_8N_2$ (Pyrazolidine)	504-70-1	**	7.90 (V)	PE	4085
			**	9.16 (V)	PE	4134
$C_3H_{10}N_2^+$	$(CH_3)_2NNH(CH_3)$	1741-01-1	**	8.74 (V)	PE	5381
			**	8.67 (V)	PE	4137
	<i>n</i> - $C_3H_7NHNH_2$	5039-61-2	**	9.07 (V)	PE	4137
	<i>iso</i> - $C_3H_7NHNH_2$	2257-52-5	**	$8.42 \pm 0.05$	PE	4521
			**	9.05 (V)	PE	4137
$C_1H_2N_2^+$	<i>cis</i> - $CH(CN) = CH(CN)$	928-53-0	**	11.15	PE	3778
	<i>trans</i> - $CH(CN) = CH(CN)$	764-42-1	**	11.15	PE	3778
			**	$11.16 \pm 0.03$	PI	5505
	$C(CN)_2 = CH_2$	922-64-5	**	$11.38 \pm 0.05$ (V)	PE	4859
$C_1H_1N_2^+$	$C_1H_1N_2$ (Pyrazine)	290-37-9	**	$9.28 \pm 0.01$	S	3773

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_4N_2^+$	$C_4H_4N_2$ (Pyrazine)	290-37-9	**	9.29	PE	3679
			**	9.63 (V)	PE	3513
			**	9.63 (V)	PE	4330
	$C_4H_4N_2$ (Pyridazine)	289-80-5	**	8.64	PE	3679
			**	8.706 ± 0.001	PE	3639
			**	9.31 (V)	PE	3513
			**	9.31 (V)	PE	4330
	$C_4H_4N_2$ (Pyrimidine)	289-95-2	**	9.23	PE	3679
			**	9.32 ± 0.01	PE	3651
			**	9.73 ± 0.03 (V)	PE	4445
			**	9.73 (V)	PE	3513
			**	9.73 (V)	PE	4330
$C_4H_6N_2^+$	$C_4H_6N_2$ (1H-Imidazole, 1-methyl-)	616-47-7	**	8.66 (V)	PE	5092
	$C_4H_6N_2$ (1H-Imidazole, 2-methyl-)	693-98-1	**	8.50 (V)	PE	5092
	$C_4H_4NNH_2$ (1H-Pyrrol-1-amine)	765-39-9	**	8.36 (V)	PE	5387
	$(CH_3CH=NN)_2$	XXXXX-XX-X	**	8.56	PE	5589
$C_4H_8N_2^+$	$C_4H_8N_2(CH_3)$ (1H-Imidazole, 4,5-dihydro-2-methyl-)	534-26-9	**	8.56 (V)	PE	5096
	$CH_3CH=NN=CHCH_3$	592-56-3	**	8.50	PE	4499
			**	8.56	PE	4043
			**	9.1 (V)	PE	4814
			**	9.11 (V)	PE	4085
			**	11.62 (V)	PE	5381
	$(CH_3)_2NCH_2CN$	926-64-7	**	8.72 ± 0.05	PE	4192
	$C_2H_5NC_2H_4N$ (1,1'-Biaziridine)	4388-03-8	**	8.65 (V)	PE	4085
			**	11.16 (V)	PE	5381
$C_4H_{10}N_2^+$	$C_2H_5N=NC_2H_5$	821-14-7	**	8.7 ± 0.1	EI	4099
	$CH_3NHN=C(CH_3)_2$	5771-02-8	**	7.69	PE	3884
	$(CH_3)_2NN=CHCH_3$	7422-90-4	**	7.54	PE	3884
	<i>trans</i> - $C_2H_5N=NC_2H_5$	15463-99-7	**	8.77 (V)	PE	4429
	$C_2H_4N_2(CH_3)_2$ (1,2-Diazetidene, 1,2-dimethyl-)	52433-27-9	**	7.95 (V)	PE	4277
	$C_2H_4N_2(CH_3)_2$ (1,2-Diazetidene, 1,2-dimethyl- <i>trans</i> -)	67144-62-1	**	8.12 (V)	PE	4780
	$CHN_2(CH_3)_3$ (Diaziridine, 1,3,3-trimethyl-)	40711-15-7	**	9.20 (V)	PE	3888
	$C_4H_{10}N_2$ (Piperazine)	110-85-0	**	8.72 (V)	PE	4085
			**	8.98 (V)	PE	4141
	$C_4H_{10}N_2$ (Pyridazine, hexahydro-)	505-19-1	**	8.64 (V)	PE	4134
	$C_4H_8NNH_2$ (1-Pyrrolidinamine)	16596-41-1	**	8.681 (V)	PE	4156
$C_4H_{12}N_2^+$	$(C_2H_5)_2NNH_2$	616-40-0	**	7.96 ± 0.05	PE	4521
	$(NH(C_2H_5))_2$	1615-80-1	**	8.81 (V)	PE	5381
			**	8.88 (V)	PE	4085
	$((CH_3)_2N)_2$	6415-12-9	**	8.27	PE	5280

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_{12}N_2^+$	$((CH_3)_2N)_2$	6415-12-9	**	8.27 (V)	PE	4137
			**	8.27 (V)	PE	5504
			**	8.38 (V)	PE	4085
			**	8.43 (V)	PE	3889
			**	8.55 (V)	PE	4156
	<i>n</i> - $C_4H_9NHNH_2$	3530-11-8	**	9.04 (V)	PE	4137
<i>tert</i> - $C_4H_9NHNH_2$	32064-67-8	**	8.92 (V)	PE	4137	
$C_5H_4N_2^+$	$C_5H_4N_2$ (1,3-Cyclopentadiene, 5-diazo-)	1192-27-4	**	$8.09 \pm 0.01$	PE	4250
			**	8.33 (V)	PE	4047
$C_5H_6N_2^+$	$CH_3C(CN)_2CH_3$	7321-55-3	**	12.39 (V)	PE	4067
	$C_5H_4NNH_2$ (2-Pyridinamine)	504-29-0	**	8.34 (V)	PE	4240
			**	$8.5 \pm 0.1$	EI	4302
			**	$8.85 \pm 0.05$	EI	3891
			**	9.3	CTS	3730
	$C_5H_4NNH_2$ (3-Pyridinamine)	462-08-8	**	8.44 (V)	PE	4240
			**	$8.7 \pm 0.1$	EI	4302
			**	$9.03 \pm 0.05$	EI	3891
			**	9.0	CTS	3730
	$C_5H_4NNH_2$ (4-Pyridinamine)	504-24-5	**	8.76 (V)	PE	4240
			**	8.77 (V)	PE	5527
			**	$8.8 \pm 0.1$	EI	4302
			**	$9.27 \pm 0.05$	EI	3891
			**	8.4	CTS	3730
	$C_5H_8N_2^+$	$C_5H_8N_2$ (2,3-Diazabicyclo[2.2.1]hept-2-ene)	2721-32-6	**	$8.45 \pm 0.04$	PE
			**	8.82 (V)	PE	4135
			**	8.94 (V)	PE	4429
$C_5H_8N_2$ (1H-Imidazole, 1,2-dimethyl-)		1739-84-0	**	8.38 (V)	PE	5092
$C_5H_{10}N_2^+$	$C_5H_7N_2CH_3$ (1,5-Diazabicyclo[3.1.0]hexane, 2-methyl-)	6794-96-3	**	8.78 (V)	PE	3888
$C_5H_{12}N_2^+$	$(CH_3)_2NN=C(CH_3)_2$	13483-31-3	**	7.43	PE	3884
	$C_5H_6N_2(CH_3)_2$ (1-Azetidinamine, N,N-dimethyl-)	67092-88-0	**	7.70 (V)	PE	4780
	$CN_2(CH_3)_4$ (Diaziridine, tetramethyl-)	50695-43-7	**	8.94 (V)	PE	3888
	$C_5H_{10}NNH_2$ (1-Piperidinamine)	2213-43-6	**	8.631 (V)	PE	4156
	$C_5H_6N_2(CH_3)_2$ (Pyrazolidine, 1,2-dimethyl-)	38704-89-1	**	7.78	PE	5280
			**	7.90 (V)	PE	4277
			**	8.33 (V)	PE	4134
			**	9.05 (V)	PE	4277

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>5</sub>H<sub>11</sub>N<sub>2</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> CH <sub>2</sub>	XXXXX-XX-X	**	7.74±0.05	PE	4192
	(C <sub>2</sub> H <sub>5</sub> (CH <sub>3</sub> )NN(CH <sub>3</sub> ) <sub>2</sub>	50599-41-2	**	8.18	PE	5280
			**	8.18 (V)	PE	4137
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> N(CH <sub>3</sub> )NH <sub>2</sub>	20240-62-4	**	7.82±0.05	PE	4521
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> NHN(CH <sub>3</sub> ) <sub>2</sub>	5824-85-1	**	8.52 (V)	PE	4137
<b>C<sub>6</sub>H<sub>4</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> NCN (2-Pyridinecarbonitrile)	100-70-9	**	10.12 (V)	PE	4240
			**	10.33±0.05	EI	3498
			**	10.33	EI	5292
			**	10.5±0.1	EI	4302
	C <sub>5</sub> H <sub>4</sub> NCN (3-Pyridinecarbonitrile)	100-54-9	**	10.10 (V)	PE	4240
			**	10.37 (V)	PE	5527
			**	10.4±0.1	EI	4302
	C <sub>5</sub> H <sub>4</sub> NCN (4-Pyridinecarbonitrile)	100-48-1	**	10.30 (V)	PE	4240
			**	10.7 (V)	PE	5527
			**	10.4±0.1	EI	4302
<b>C<sub>6</sub>H<sub>6</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NH) <sub>2</sub> (2,5-Cyclohexadiene,1,4-diimine)	4377-73-5	**	9.36±0.03	PI	5552
			**	8.54 (V)	PE	4135
	C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> (7,8-Diazatetracyclo[3.3.0.0 <sup>2,4</sup> .0 <sup>3,6</sup> ]oct-7-ene)	34122-54-8	**			
<b>C<sub>6</sub>H<sub>7</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )NHCCH <sub>3</sub> (Acetamide, <i>N</i> -(2-aminophenyl)-)	34801-09-7	CH <sub>3</sub> CO	13.93±0.02	EI	3631
			CH <sub>3</sub> CO	13.72±0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )NHCCH <sub>3</sub> (Acetamide, <i>N</i> -(4-aminophenyl)-)	122-80-5				
<b>C<sub>6</sub>H<sub>8</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> (1,2-Benzenediamine)	95-54-5	**	7.2	PE	4201
			**	7.69 (V)	PE	5474
			**	7.78 (V)	PE	4893
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> (1,3-Benzenediamine)	108-45-2	**	7.14	PI	4328
			**	7.44	PE	4201
			**	7.60 (V)	PE	5474
			**	7.74 (V)	PE	4893
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> (1,4-Benzenediamine)	106-50-3	**	6.89±0.03	PI	5552
			**	6.84	PE	4201
			**	7.34 (V)	PE	5474
			**	7.61 (V)	PE	4893
			**	7.16	EI	4089
			**	7.86 (V)	PE	5474
	C <sub>6</sub> H <sub>5</sub> NHNH <sub>2</sub> (Phenylhydrazine)	100-63-0	**			
	C <sub>4</sub> H <sub>2</sub> N <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (Pyrazine, 2,6-dimethyl-)	108-50-9	**	8.80	PE	3860
	C <sub>5</sub> NH <sub>4</sub> (CH <sub>3</sub> )NH <sub>2</sub> (2-Pyridinamine, 6-methyl-)	1824-81-3	**	9.1	CTS	3730
	C <sub>5</sub> H <sub>4</sub> NNHCH <sub>3</sub> (2-Pyridinamine, <i>N</i> -methyl-)	4597-87-9	**	8.26±0.05	EI	3891



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_8N_2^+$	$C_5NH_3(CH_3)NH_2$ (3-Pyridinamine, 4-methyl-)	3430-27-1	**	9.3	CTS	3730
	$C_5H_4NNHCH_3$ (3-Pyridinamine, <i>N</i> -methyl-)	18364-47-1	**	$8.53 \pm 0.05$	EI	3891
	$C_5H_4NNHCH_3$ (4-Pyridinamine, <i>N</i> -methyl-)	1121-58-0	**	$8.75 \pm 0.05$	EI	3891
	$C_5H_3N(NH)CH_3$ (2(1 <i>H</i> )-Pyridinimine, 1-methyl-)	4088-63-5	**	$7.91 \pm 0.05$	EI	3891
	$C_5H_3N(NH)CH_3$ (4(1 <i>H</i> )-Pyridinimine, 1-methyl-)	16562-40-6	**	$7.85 \pm 0.05$	EI	3891
	$C_5H_4N(NH)CH_3$ (Pyridinium, 3-amino-1-methyl-, hydroxides, inner salt)	38879-42-2	**	$7.45 \pm 0.1$	EI	3891
	$C_6H_4(NH_2)NHC(=O)CH_3$ (Acetamide, <i>N</i> -(2-aminophenyl)-)	34801-09-7	$CH_2=C=O$	$10.49 \pm 0.02$	EI	3631
	$C_6H_4(NH_2)NHC(=O)CH_3$ (Acetamide, <i>N</i> -(4-aminophenyl)-)	122-80-5	$CH_2=C=O$	$10.06 \pm 0.02$	EI	3631
$C_6H_{10}N_2^+$	$C_6H_{10}N_2$ (2,3-Diazabicyclo[2.2.2]oct-2-ene)	3310-62-1	**	$7.79 \pm 0.04$	PE	3828
$C_6H_{12}N_2^+$	$(CH_3)_2C=NN=C(CH_3)_2$	627-70-3	**	7.97	PE	4043
			**	8.6	PE	4814
	$(C_2H_5CH=N)_2$	15601-98-6	**	9.0 (V)	PE	4814
	$(C_3H_6N)_2$ (1,1-Biazetidine)	67092-91-5	**	8.2 (V)	PE	4780
	$C_6H_{12}N_2$ (1,2-Diazabicyclo[2.2.2]octane)	329-94-2	**	8.52 (V)	PE	4134
	$C_6H_{12}N_2$ (1,4-Diazabicyclo[2.2.2]octane)	280-57-9	**	7.20	PI	5045
			**	$7.52 \pm 0.02$ (V)	PE	4480
			**	7.52 (V)	PE	4038
			**	7.609	PE	4214
			**	7.61 (V)	PE	4141
			**	7.70 (V)	PE	5623
	$C_6H_{12}N_2$ (1,5-Diazabicyclo[3.2.1]octane)	280-28-4	**	8.24 (V)	PE	5623
			**	8.89 (V)	PE	4141
	$C_6H_{12}N_2$ (1,5-Diazabicyclo[3.3.0]octane)	XXXXX-XX-X	**	7.87 (V)	PE	5504
	$C_2N_2(CH_3)_4$ (1,2-Diazete, 3,4-dihydro-3,3,4,4-tetramethyl-)	54166-22-2	**	8.87 (V)	PE	4651
	$C_3H_6N_2C_3H_6$ (1 <i>H</i> ,5 <i>H</i> -Pyrazolo[1,2- <i>a</i> ]pyrazole,tetrahydro-)	5397-67-1	**	7.87	PE	5280
			**	7.90 (V)	PE	5381
			**	7.87 (V)	PE	4134
			**	7.91 (V)	PE	3889
	$C_4H_6N_2(CH_3)_2$ (Pyridazine, 1,2,3,6-tetrahydro-1,2-dimethyl-)	26163-36-0	**	8.89 (V)	PE	4277
			**	8.12 (V)	PE	4134
	$CH_2=C(N(CH_3)_2)_2$	815-62-3	**	7.5 (V)	PE	4291
	<i>cis</i> -( <i>iso</i> - $C_3H_7$ ) <sub>2</sub> N=N	23201-84-5	**	8.24 (V)	PE	4429
	<i>trans</i> - $C_3H_7N=NC_3H_7$	55204-42-7	**	8.61 (V)	PE	4429
	<i>trans</i> -( <i>iso</i> - $C_3H_7$ ) <sub>2</sub> N=N	15464-00-3	**	8.47 (V)	PE	4429
	$C_4H_8N_2(CH_3)_2$ (Piperazine, 1,4-dimethyl-)	106-58-1	**	8.77 (V)	PE	4141

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{14}N_2^+$	$C_4H_8N_2(CH_3)_2$ (Pyridazine, hexahydro-1,2-dimethyl-)	26163-37-1	**	7.77 (V)	PE	3887
			**	7.78 (V)	PE	4277
			**	7.78 (V)	PE	5353
			**	7.81	PE	5280
			**	7.81 (V)	PE	4134
			**	8.57 (V)	PE	4277
	$C_4H_8N_2(CH_3)_2$ (Pyrimidine, hexahydro-1,3-dimethyl-)	10556-96-4	**	8.11 (V)	PE	4141
	$C_4H_8NN(CH_3)_2$ (1-Pyrrolidinamine, N,N-dimethyl-)	53779-90-1	**	7.97	PE	5280
$C_6H_{16}N_2^+$	$(CH_3)_2NCH_2CH_2N(CH_3)_2$	51-80-9	**	7.61±0.05	PE	4192
	$(C_3H_5NH_2)_2$	124-09-4	**	7.52 (V)	PE	5538
	$(NH(C_3H_7))_2$	1615-83-4	**	8.62 (V)	PE	5381
	$(C_2H_5)_2NN(CH_3)_2$	21849-74-1		8.10	PE	5280
			**	8.10 (V)	PE	4137
	$((C_2H_5)(CH_3)N)_2$	23337-93-1	**	8.08	PE	5280
	$(n-C_3H_7)_2NNH_2$	4986-50-9	**	8.51	PE	4137
	$(n-C_3H_7)(CH_3)NN(CH_3)_2$	60678-65-1	**	8.14	PE	5280
	$(NH(iso-C_3H_7))_2$	3711-34-0	**	8.45 (V)	PE	5381
			**	8.34 (V)	PE	4085
			**	8.59 (V)	PE	4137
	$(iso-C_3H_7)(CH_3)NN(CH_3)_2$	49840-63-3	**	8.09	PE	5280
			**	8.09 (V)	PE	4137
$C_7H_6N_2^+$	$C_6H_5CHN_2$ (Benzene, (diazomethyl)-)	766-91-6	**	7.72±0.02 (V)	PE	4674
	$C_7H_6N_2$	51-17-2	**	8.44 (V)	PE	5092
	(1H-Benzimidazole)		**	8.45 (V)	PE	5396
	$C_7H_6N_2$	274-76-0	**	8.19 (V)	PE	4812
	$C_6H_4CHN_2H$ (1H-Indazole)	271-44-3	**	8.35 (V)	PE	5396
$C_7H_8N_2^+$	$C_7H_8N_2$ (3,4-Diazatricyclo[4.2.1.0 <sup>2,5</sup> ]nona-3,7-diene)	23979-29-5	**	9.05±0.05 (V)	PE	4040
	$C_7H_8N_2$ (3,5,6-Methenocyclopentapyrazole, 3,3a,4,5,6,6a-hexahydro-)	16104-45-3	**	8.23±0.05	PE	4449
			**	8.65 (V)	PE	4135
$C_7H_{10}N_2^+$	$C_7H_{10}N_2$ (3,4-Diazatricyclo[4.2.1.0 <sup>2,5</sup> ]non-3-ene)	23979-30-8	**	8.90±0.05 (V)	PE	4040
	$C_5H_4NN(CH_3)_2$ (4-Pyridinamine, N,N-dimethyl-)	1122-58-3	**	7.82 (V)	PE	5527
			**	8.3±0.1	EI	4302
	$C_5H_4NN(CH_3)_2$ (2-Pyridinamine, N,N-dimethyl-)	5683-33-0	**	7.8±0.1	EI	4302
			**	7.7	CTS	3730
$C_7H_{12}N_2^+$	$C_5H_6N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.1]hept-5-ene, 2,3-dimethyl-)	14288-15-4	**	7.63 (V)	PE	4277
			**	7.63 (V)	PE	5353
			**	7.72 (V)	PE	4134
			**	7.74 (V)	PE	3889

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{12}N_2^+$	$C_7H_{12}N_2$ (6,7-Diazabicyclo[3.2.2]non-6-ene)	43195-77-3	**	$7.64 \pm 0.04$	PE	3828
	$C_3N_2(CH_3)_4$ (4H-Pyrazole,3,4,4,5-tetramethyl-)	19078-32-1	**	9.57 (V)	PE	5381
			**	10.12 (V)	PE	4085
$C_7H_{14}N_2^+$	$C_5H_8N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.1]heptane, 2,3-dimethyl-)	14287-89-9	**	7.48 (V)	PE	4277
			**	7.48 (V)	PE	5353
			**	7.58 (V)	PE	3889
			**	7.66 (V)	PE	5280
	$C_5H_8N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.1]heptane, 2,3-dimethyl-, (2- <i>endo</i> ,3- <i>exo</i> )-)	53798-46-2	**	7.66 (V)	PE	4134
	$C_7H_{14}N_2$ (1,5-Diazabicyclo[3.2.2]nonane)	283-47-6	**	7.43 (V)	PE	4141
	$C_7H_{14}N_2$ (1,5-Diazabicyclo[3.3.1]nonane)	281-17-4	**	7.75 (V)	PE	4141
	$C_6H_{11}N_2CH_3$ (1,2-Diazabicyclo[2.2.2]octane, 2-methyl-)	6523-29-1	**	8.02 (V)	PE	4134
	$C_3H_2N_2(CH_3)_4$ (3H-Pyrazole, 4,5-dihydro-3,3,5,5-tetramethyl-)	2721-31-5	**	8.63 (V)	PE	4429
	$C_4H_8N_2C_3H_6$ (1H-Pyrazolo[1,2- <i>a</i> ]pyridazine, hexahydro-)	5721-43-7	**	7.63	PE	5280
			**	7.63 (V)	PE	4134
	$C_4H_5N_2(CH_3)_3$ (Pyridazine, 1,2,3,6-tetrahydro-1,2,3-trimethyl-)	38704-94-8	**	8.08 (V)	PE	4134
$C_7H_{16}N_2^+$	$C_5H_{10}N_2(CH_3)_2$ (1H-1,2-Diazepin, hexahydro-1,2-dimethyl-)	49840-68-8	**	7.88	PE	5280
	$C_3H_4N_2(CH_3)_4$ (Imidazolidine, 1,2,2,3-tetramethyl-)	33709-65-8	**	7.85 (V)	PE	5477
	$C_5H_{10}NN(CH_3)_2$ (1-Piperidinamine, N,N-dimethyl-)	49840-60-0	**	8.09	PE	5280
	$C_3H_6N_2(C_2H_5)_2$ (Pyrazolidine, 1,2-diethyl-)	22825-58-7	**	8.06	PE	5280
			**	8.06 (V)	PE	4134
	$C_4H_7N_2(CH_3)_3$ (Pyridazine, hexahydro-1,2,3-trimethyl-)	38704-92-6	**	7.81 (V)	PE	3887
			**	7.83	PE	5280
			**	7.83 (V)	PE	4134
			**	8.03 (V)	PE	4141
$C_7H_{18}N_2^+$	$(C_2H_5)_2NN(C_2H_5)(CH_3)$	50599-43-4	**	8.02	PE	5280
	$(n-C_4H_9)(CH_3)NN(CH_3)_2$	52598-10-4	**	8.12	PE	5280
			**	8.12 (V)	PE	4137
	$(tert-C_4H_9)(CH_3)NN(CH_3)_2$	60678-73-1	**	7.89	PE	5280
$C_8H_4N_2^+$	$C_6H_4(CN)_2$ (1,2-Benzenedicarbonitrile)	91-15-6	**	10.10 (V)	PE	4969
			**	10.27 (V)	PE	5259
	$C_6H_4(CN)_2$ (1,3-Benzenedicarbonitrile)	626-17-5	**	10.20 (V)	PE	5259
			**	10.60 (V)	PE	4969
	$C_6H_4(CN)_2$ (1,4-Benzenedicarbonitrile)	623-26-7	**	10.1 (V)	PE	5259
			**	10.10 (V)	PE	4969

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_6N_2^+$	$C_8H_6N_2$ (Cinnoline)	253-66-7	**	<8.8	PE	3638
			**	8.90 (V)	PE	3722
	$C_8H_6N_2$ (1,5-Naphthyridine)	254-79-5	**	9.20 (V)	PE	3722
	$C_8H_6N_2$ (1,6-Naphthyridine)	253-72-5	**	9.07 (V)	PE	3722
	$C_8H_6N_2$ (1,7-Naphthyridine)	253-69-0	**	8.99 (V)	PE	3722
	$C_8H_6N_2$ (1,8-Naphthyridine)	254-60-4	**	9.20 (V)	PE	3722
	$C_8H_6N_2$ (2,6-Naphthyridine)	253-50-9	**	8.87 (V)	PE	3722
	$C_8H_6N_2$ (2,7-Naphthyridine)	253-45-2	**	8.98 (V)	PE	3722
	$C_8H_6N_2$ (Phthalazine)	253-52-1	**	8.70 (V)	PE	3722
	$C_8H_6N_2$ (Quinazoline)	253-82-7	**	9.00	PE	3638
			**	9.08 (V)	PE	3722
	$C_8H_6N_2$ (Quinoxaline)	91-19-0	**	9.00 (V)	PE	3722
			**	9.01	PE	3638
$C_8H_8N_2^+$	$(C_4H_4N)_2$ (1,1'-Bi-1H-pyrrole)	38602-81-2	**	8.30 (V)	PE	5387
	$C_8H_8N_2$ (9,10-Diazapentacyclo[4.4.0.0 <sup>2,5</sup> .0 <sup>3,8</sup> .0 <sup>4,7</sup> ]dec-9-ene)	24046-80-8	**	7.68±0.05	PE	4449
$C_8H_{12}N_2^+$	$C_7H_{12}NCN$ (1-Azabicyclo[2.2.2]octane-4-carbonitrile)	26458-78-6	**	8.71±0.015 (V)	PE	4286
	$C_6H_4(NH_2)N(CH_3)_2$ (1,4-Benzenediamine, <i>N,N</i> -dimethyl-)	99-98-9	**	6.46	PI	4328
	$C_8H_{12}N_2$ (7,8-Diazatricyclo[4.2.2.0 <sup>2,5</sup> ]dec-7-ene, (1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ )-)	25863-08-5	**	7.68±0.05	PE	4449
	$C_4N_2(CH_3)_4$ (Pyrazine, tetramethyl-)	1124-11-4	**	8.6 (V)	PE	4161
$C_8H_{14}N_2^+$	$C_6H_8N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.2]oct-2-ene, 1,4-dimethyl-)	49570-30-1	**	8.06 (V)	PE	4429
	$C_6H_8N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.2]oct-5-ene, 2,3-dimethyl-)	14287-91-3	**	7.49 (V)	PE	4134
			**	7.51 (V)	PE	4277
			**	7.51 (V)	PE	5353
			**	7.59 (V)	PE	3889
	$C_8H_{14}N_2$ (7,8-Diazabicyclo[4.2.2]dec-7-ene)	32634-64-3	**	7.38±0.04	PE	3828
	$C_8H_{14}N_2$ (1,3-Diazatricyclo[3.3.1.1 <sup>3,7</sup> ]decane)	281-29-8	**	7.75 (V)	PE	4659
$C_8H_{16}N_2^+$	$C_5H_{10}N_2C_3H_6$ (2H-Azirin-3-amine, <i>N,N</i> -diethyl-2,2-dimethyl-)	28942-55-4	**	7.68 (V)	PE	4780
	$(C_4H_8N)_2$ (1,1'-Bipyrrolidine)	18389-95-2	**	7.888 (V)	PE	4156
			**	7.91	PE	5280
			**	9.95 (V)	PE	5381
	$C_6H_{10}N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.2]octane, 2,3-dimethyl-)	14287-92-4	**	7.45 (V)	PE	4277

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{16}N_2^+$	$C_6H_{10}N_2(CH_3)_2$	14287-92-4	**	7.45 (V)	PE	5353
			**	7.46	PE	5280
	$C_6H_{10}N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.2]octane, 2,3-dimethyl-, <i>trans</i> -)	53779-85-4	**	7.46 (V)	PE	4134
	$C_8H_{16}N_2$ (1 <i>H</i> ,5 <i>H</i> -Pyrazolo[1,2- <i>a</i> ][1,2]diazepine, hexahydro-)	49840-69-9	**	7.58 (V)	PE	4134
			**	7.58	PE	5280
	$C_4H_8N_2(CH_3)_4$ (Pyridazine, 1,2,3,6-tetrahydro-1,2,4,5-tetramethyl-)	14003-02-2	**	7.92 (V)	PE	4134
	$C_4H_8N_2(CH_3)_4$ (Pyridazine, 3,4,5,6-tetrahydro-3,3,6,6-tetramethyl-)	19403-24-8	**	7.89 (V)	PE	4429
	$C_8H_{16}N_2$ (Pyridazino[1,2- <i>a</i> ]pyridazine, octahydro-)	3661-15-2	**	7.59 (V)	PE	3889
			**	7.60 (V)	PE	4134
			**	7.61	PE	5280
$C_8H_{18}N_2^+$	<i>trans</i> -( <i>tert</i> - $C_4H_9N$ ) $_2$	927-83-3	**	8.2±0.2 (V)	PE	4581
			**	8.20 (V)	PE	4429
	( <i>iso</i> - $C_4H_9N$ ) $_2$	3896-19-3	**	8.20 (V)	PE	4429
	$C_6H_{12}NN(CH_3)_2$ (1 <i>H</i> -Azepin-1-amine, hexahydro- <i>N,N</i> -dimethyl-)	60678-76-4	**	8.09	PE	5280
	$C_2H_4N_2(C_3H_7)_2$ (1,2-Diazetidene, 1,2-bis(1-methylethyl)- <i>trans</i> )	67092-87-9	**	7.6 (V)	PE	4780
	$C_4H_8N_2(C_2H_5)_2$ (Pyridazine, 1,2-diethylhexahydro-)	60678-82-2	**	7.81	PE	5280
	$C_4H_6(CH_3)_2N_2(CH_3)_2$ (Pyridazine, hexahydro-1,2,3,6-tetramethyl, <i>cis</i> -)	26171-64-2	**	7.76	PE	5280
			**	7.76 (V)	PE	4134
			**	7.82 (V)	PE	3887
	$C_4H_6(CH_3)_2N_2(CH_3)_2$ (Pyridazine, hexahydro-1,2,3,6-tetramethyl, <i>trans</i> -)	38704-91-5	**	7.55	PE	5280
			**	7.78 (V)	PE	3887
			**	7.82 (V)	PE	4134
$C_8H_{20}N_2^+$	( $NH(C_4H_9)$ ) $_2$	1744-71-4	**	8.65 (V)	PE	5381
	( $(C_2H_5)_2N$ ) $_2$	4267-00-9	**	7.94	PE	5280
			**	7.94 (V)	PE	4137
			**	7.94 (V)	PE	5381
			**	8.10 (V)	PE	3889
	( <i>n</i> - $C_4H_9$ ) $_2NNH_2$	7422-80-2	**	7.75±0.05	PE	4521
	( <i>n</i> - $C_3H_7$ ) $_2NN(CH_3)_2$	60678-72-0	**	7.98	PE	5280
	( $NH(iso-C_4H_9)$ ) $_2$	3711-37-3	**	8.70 (V)	PE	5381
	( <i>iso</i> - $C_4H_9$ ) $_2NNH_2$	16596-38-6	**	7.73±0.05	PE	4521
	( <i>iso</i> - $C_3H_7$ ) $_2NN(CH_3)_2$	60678-66-2	**	7.65	PE	5280
	( <i>iso</i> - $C_3H_7$ )( $CH_3N$ ) $_2$	60678-71-9	**	7.92	PE	5280
$C_9H_6N_2^+$	$C_9H_6N_2$ (Pyrazino[2,1,6- <i>cd</i> ]pyrrolizine)	27884-36-2	**	7.65 (V)	PE	4812
$C_9H_{11}N_2^+$	$C_6H_5N=CHN(CH_3)_2$ (Methanimidamide, <i>N,N</i> -dimethyl- <i>N'</i> -phenyl-)	1783-25-1	H	9.0±0.1	EI	4359
			H	9.0	EI	4337
	$C_6H_4(F)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-fluorophenyl)- <i>N,N</i> -dimethyl-)	53666-09-4	F	8.9	EI	4337
	$C_6H_4(Cl)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chlorophenyl)- <i>N,N</i> -dimethyl-)	2103-49-3	Cl	8.6±0.1	EI	4359
			Cl	8.6	EI	4337



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{11}N_2^+$	$C_6H_4(Br)N=CHN(CH_3)_2$ (Methanimidamide, $N'$ -(2-bromophenyl)- $N,N$ -dimethyl-)	53746-69-3	Br	8.4	EI	4337
	$C_6H_4(I)N=CHN(CH_3)_2$ (Methanimidamide, $N'$ -(2-iodophenyl)- $N,N$ -dimethyl-)	53666-10-7	I	8.4	EI	4337
$C_9H_{12}N_2^+$	$C_6H_5N=CHN(CH_3)_2$ (Methanimidamide, $N,N$ -dimethyl- $N'$ -phenyl-)	1783-25-1	**	$7.3 \pm 0.1$	EI	4359
			**	7.3	EI	4337
$C_9H_{14}N_2^+$	$C_9H_{14}N_2$ (3,4-Diazatricyclo[4.2.1.0 <sup>2,5</sup> ]non-7-ene, 3,4-dimethyl-(1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ -))	67144-64-3	**	7.68 (V)	PE	4780
	$C_8H_{12}N_2(=CH_2)$ (1,3-Diazatricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 6-methylene-)	51500-09-5	**	7.53 (V)	PE	4659
$C_9H_{16}N_2^+$	$C_9H_{16}N_2$ (3,4-Diazatricyclo[4.2.1.0 <sup>2,5</sup> ]nonane, 3,4-dimethyl-(1 $\alpha$ ,2 $\beta$ ,5 $\beta$ ,6 $\alpha$ -))	67144-63-2	**	7.64 (V)	PE	4780
	$C_9H_{16}N_2$ (1,4-Methanopyrazino[1,2- <i>a</i> ]pyridazine, octahydro-)	72282-74-7	**	7.19 (V)	PE	5133
$C_9H_{18}N_2^+$	$C_5H_{10}N(C_4H_8N)$ (Piperidine, 1-(1-pyrrolidinyl)-)	49840-66-6	**	7.951 (V)	PE	4156
			**	7.95	PE	5280
$C_9H_{20}N_2^+$	$C_3H_6N_2(C_3H_7)_2$ (1-Azetidinamine, $N,N$ -dipropyl-)	67092-89-1	**	7.5 (V)	PE	4780
	$C_3H_6N_2(C_3H_7)_2$ (Pyrazolidine, 1,2-bis(1-methylethyl)-)	38704-87-9	**	7.81 (V)	PE	4134
			**	7.89 (V)	PE	3889
			**	7.81	PE	5280
	$C_3H_4N_2(CH_3)_2(C_2H_5)_2$ (Pyrazolidine, 4,4-diethyl-1,2-dimethyl-, <i>trans</i> -)	53779-87-6	**	7.59 (V)	PE	4134
$C_{10}H_6N_2^+$	$C_{12}H_6N_4$ (2,3-Pyrazinedicarbonitrile, 5-phenyl-)	52109-66-7	(CN) <sub>2</sub>	13.20	EI	5488
$C_{10}H_8N_2^+$	$(C_5H_4N)_2$ (2,2'-Bipyridine)	366-18-7	**	$8.35 \pm 0.02$	PE	3702
	$(C_5H_4N)_2$ (4,4'-Bipyridine)	553-26-4	**	$9.10 \pm 0.02$	PE	3702
$C_{10}H_{10}N_2^+$	$C_{10}H_6(NH_2)_2$ (1,5-Naphthalenediamine)	2243-62-1	**	$6.74 \pm 0.02$	PE	4143
	$C_{10}H_6(NH_2)_2$ (1,8-Naphthalenediamine)	479-27-6		$6.65 \pm 0.02$	PE	4143
$C_{10}H_{12}N_2^+$	$C_4H_4NNC_4H_2(CH_3)_2$ (1,1'-Bi-1H-pyrrole, 2,5-dimethyl)	24046-14-8	**	7.77 (V)	PE	5387
	$C_6H_5CH_2C_3H_5N_2$ (1H-Imidazole, 4,5-dihydro-2-(phenylmethyl)-)	59-98-3	**	8.50 (V)	PE	5096
	$C_8H_6NCH_2CH_2NH_2$ (1H-Indole-3-ethanamine)	61-54-1	**	$7.69 \pm 0.08$ (V)	PE	4672

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{13}N_2^+$	$C_6H_3(Cl)(CH_3)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> (2-chloro-4-methylphenyl)- <i>N,N</i> -dimethyl-)	53666-35-6	Cl	$8.6 \pm 0.1$	EI	4359
	$C_6H_3(Cl)(CH_3)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> (2-chloro-5-methylphenyl)- <i>N,N</i> -dimethyl-)	53666-41-4	Cl	$8.5 \pm 0.1$	EI	4359
$C_{10}H_{14}N_2^+$	$C_6H_5N=N(tert-C_4H_9)$ (Diazene, (1,1-dimethylethyl)phenyl-)	1775-83-3	**	$8.35 \pm 0.2$ (V)	PE	4581
	$C_6(NH_2)_2(CH_3)_4$ (1,4-Benzenediamine, 2,3,5,6-tetramethyl-)	3102-87-2	**	$8.63 \pm 0.03$	PI	5552
$C_{10}H_{16}N_2^+$	$C_6H_4(N(CH_3)_2)_2$ (1,4-Benzenediamine, <i>N,N,N',N'</i> -tetramethyl-)	100-22-1	**	$6.1 \pm 0.1$	PE	4401
			**	$6.20 \pm 0.05$	PI	3729
			**	6.7	CTS	3543
			**	6.75 (V)	PE	5382
	$C_6(NH_2)_2(CH_3)_4$ (1,4-Benzenediamine, 2,3,5,6-tetramethyl-)	3102-87-2	**	6.43	PI	4328
	$C_{10}H_{16}N_2$ (1,4-Ethanopyridazino[1,2- <i>a</i> ]pyridazine, 1,4,6,7,8,9-hexahydro-)	72282-73-6	**	7.07 (V)	PE	5133
$C_{10}H_{18}N_2^+$	$C_6H_6N_2(CH_3)_4$ (2,3-Diazabicyclo[2.2.2]oct-5-ene, 1,2,3,4-tetramethyl-)	53779-88-7	**	7.43 (V)	PE	4134
	$C_{10}H_{18}N_2$ (1,4-Ethanopyridazino[1,2- <i>a</i> ]pyridazine, octahydro-)	72282-72-5	**	7.06 (V)	PE	5133
	$C_3N_2(CH_3)_4(=C(CH_3)_2)$ (3H-Pyrazole, 4,5-dihydro-3,3,5,5-tetramethyl-4-(1-methylethylidene)-)	55204-47-2	**	8.58 (V)	PE	4429
$C_{10}H_{20}N_2^+$	$C_5H_8N_2(tert-C_4H_9)(CH_3)$ (2,3-Diazabicyclo[2.2.1]heptane, 2-(1,1-dimethylethyl)-3-methyl-)	42842-99-9	**	7.34	PE	5280
			**	7.33 (V)	PE	4134
	$C_6H_{14}N_2(CH_3)_2$ (9-Azabicyclo[3.3.1]nonan-9-amine, <i>N,N</i> -dimethyl-)	60678-79-7	**	7.53 (V)	PE	5091
	$C_6H_{12}NNC_4H_8$ (1H-Azepine, hexahydro-1-(pyrrolidinyl)-)	60678-75-3	**	7.60	PE	5280
	$(C_5H_{10}N)_2$ (1,1'-Bipiperidine)	6130-94-5	**	7.89	PE	5280
			**	7.892 (V)	PE	4156
			**	8.05 (V)	PE	4085
	$C_6H_8(CH_3)_2N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.2]octane, 1,2,3,4-tetramethyl-)	59498-94-1	**	7.43	PE	5280
	$C_6H_8N_2(CH_3)_4$ (2,3-Diazabicyclo[2.2.2]octane, 1,2,3,4-tetramethyl-, <i>trans</i> -)	53779-86-5	**	7.43 (V)	PE	4134
	$(C_3H_4(CH_3)_2)_2N_2$ (1H,5H-Pyrazolo[1,2- <i>a</i> ]pyrazole, tetrahydro-2,2,6,6-tetramethyl-)	2940-98-9	**	7.53	PE	5280
			**	7.53 (V)	PE	4134
$C_{10}H_{22}N_2^+$	$C_4H_4(CH_3)_4N_2(CH_3)_2$ (Pyridazine, hexahydro-1,2,3,3,6,6-hexamethyl-)	60678-80-0	**	7.46	PE	5280
$C_{10}H_{24}N_2^+$	$(iso-C_3H_7)_2NN(iso-C_3H_7)(CH_3)$	XXXXXX-XX-X	**	7.60	PE	5280
	$(n-C_3H_7)_2NN(C_2H_5)_2$	52598-09-1	**	7.87	PE	5280
			**	7.87 (V)	PE	4137
	$(n-C_4H_9)_2NN(CH_3)_2$	60678-67-3	**	7.96	PE	5280
	$(iso-C_3H_7)_2NN(C_2H_5)_2$	XXXXXX-XX-X	**	8.126 (V)	PE	4156

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{24}N_2^+$	iso-C <sub>3</sub> H <sub>7</sub> N(CH <sub>3</sub> )N(iso-C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub>	49840-64-4	**	7.59 (V)	PE	
			**	7.895 (V)	PE	4156
	((tert-C <sub>4</sub> H <sub>9</sub> )(CH <sub>3</sub> )N) <sub>2</sub>	52291-46-0	**	7.67	PE	5280
			**	7.67 (V)	PE	4137
			**	7.67 (V)	PE	5381
			**	7.920 (V)	PE	4156
$C_{11}H_8N_2^+$	C <sub>11</sub> H <sub>8</sub> N <sub>2</sub> (1 <i>H</i> -Perimidine)	204-02-4	**	6.80	CTS	4035
	C <sub>11</sub> H <sub>8</sub> N <sub>2</sub> (9 <i>H</i> -Pyrido[3,4- <i>b</i> ]indole)	244-63-3	**	7.99±0.06 (V)	PE	4758
$C_{11}H_{14}N_2^+$	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )CH <sub>2</sub> C <sub>5</sub> H <sub>5</sub> N <sub>2</sub> (1 <i>H</i> -Imidazole,4,5-dihydro-2-[(2-methylphenyl)methyl]-)	3038-50-4	**	8.60 (V)	PE	5096
	C <sub>8</sub> H <sub>6</sub> NCH <sub>2</sub> CH <sub>2</sub> NHCH <sub>3</sub> (1 <i>H</i> -Indole-3-ethanamine, N-methyl-)	61-49-4	**	7.60±0.08 (V)	PE	4672
	C <sub>8</sub> H <sub>5</sub> N(CH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> (1 <i>H</i> -Indole-3-ethanamine, 5-methyl-)	1821-47-2	**	7.64±0.05 (V)	PE	4672
	C <sub>8</sub> H <sub>6</sub> NCH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub> (1 <i>H</i> -Indole-3-methanamine, N,N-dimethyl-)	87-52-5	**	7.69±0.16 (V)	PE	4672
$C_{11}H_{22}N_2^+$	C <sub>11</sub> H <sub>22</sub> N <sub>2</sub> (8-Azabicyclo[3.2.1]octan-3-amine,8-methyl-N-propyl- <i>endo</i> -)	67216-34-6	**	8.0±0.15	EI	5401
	C <sub>11</sub> H <sub>22</sub> N <sub>2</sub> (8-Azabicyclo[3.2.1]octan-3-amine,8-methyl-N-propyl- <i>exo</i> -)	67139-56-4	**	8.1±0.15	EI	5401
	C <sub>6</sub> H <sub>12</sub> NNC <sub>5</sub> H <sub>10</sub> (1 <i>H</i> -Azepine,hexahydro-1-(1-piperidinyl)-)	60778-60-1	**	7.87	PE	5280
$C_{12}H_8N_2^+$	C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> (Benzo[ <i>c</i> ]cinnoline)	230-17-1	**	~8.69±0.02 (V)	PE	4430
	C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> (1,10-Phenanthroline)	66-71-7	**	8.51±0.02 (V)	PE	4430
	C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> (4,7-Phenanthroline)	230-07-9	**	8.35±0.02 (V)	PE	4430
	C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> (Phenazine)	92-82-0	**	8.33±0.02 (V)	PE	4430
			**	8.44±0.02 (V)	PE	4551
$C_{12}H_{10}N_2^+$	C <sub>6</sub> H <sub>5</sub> N=NC <sub>6</sub> H <sub>5</sub> (Diazene, diphenyl-)	103-33-3	**	8.5 (V)	PE	4467
	<i>trans</i> -C <sub>6</sub> H <sub>5</sub> N=NC <sub>6</sub> H <sub>5</sub> (Diazene, diphenyl-, <i>trans</i> -)	17082-12-1	**	8.46 (V)	PE	4475
			**	8.5±0.05 (V)	PE	5320
	<i>trans</i> -(C <sub>5</sub> H <sub>4</sub> N) <sub>2</sub> CH=CH (Pyridine, 2,2'-(1,2-ethenediyl)bis-(E)-)	13341-40-7	**	8.18±0.03 (V)	PE	4805
	<i>trans</i> -(C <sub>5</sub> H <sub>4</sub> N) <sub>2</sub> CH=CH (Pyridine, 4,4'-(1,2-ethenediyl)bis-(E)-)	13362-78-2	**	8.83±0.03 (V)	PE	4805
	<i>trans</i> -(C <sub>5</sub> H <sub>4</sub> N) <sub>2</sub> CH=CH (Pyridine, 2-[2-(3-pyridinyl)ethenyl]-(E)-)	13362-75-9	**	8.33±0.03 (V)	PE	4805
	<i>trans</i> -(C <sub>5</sub> H <sub>4</sub> N) <sub>2</sub> CH=CH (Pyridine, 2-[2-(4-pyridinyl)ethenyl]-(E)-)	14802-41-6	**	8.50±0.03 (V)	PE	4805
	C <sub>11</sub> H <sub>7</sub> N <sub>2</sub> CH <sub>3</sub> (9 <i>H</i> -Pyrido[3,4- <i>b</i> ]indole, 1-methyl-)	486-84-0	**	7.83±0.06 (V)	PE	4758
$C_{12}H_{12}N_2^+$	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> ([1,1'-Biphenyl]-4,4'-diamine)	92-87-5	**	6.88	PI	4328

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{12}N_2^+$	$(C_6H_5NH)_2$ (Hydrazine, 1,2-diphenyl-)	122-66-7	**	$7.78 \pm 0.05$	PE	5322
			**	7.78 (V)	PE	5381
$C_{12}H_{14}N_2^+$	$(C_4H_2NHCH_2CH_2)_2$ (13,14-Diazatricyclo[8.2.1.1 <sup>4,7</sup> ]tetradeca-4,6,10,12-tetraene)	73650-67-6	**	7.45 (V)	PE	5575
$C_{12}H_{16}N_2^+$	$(C_4H_2N(CH_3)_2)_2$ (1,1'-Bi-1H-pyrrole, 2,2',5,5'-tetramethyl-)	10507-71-8	**	7.73 (V)	PE	5387
	$C_{12}H_{16}N_2$ (Benzenecarboximidamide, N,N-dimethyl-N'-1-propenyl)	68003-59-8	**	7.20 (V)	PE	4968
	$C_8H_6NCH_2CH_2N(CH_3)_2$ (1H-Indole-3-ethanamine, N,N-dimethyl-)	61-50-7	**	$7.57 \pm 0.05$ (V)	PE	4672
$C_{12}H_{20}N_2^+$	$C_6H_{10}NN(C_6H_{10})$ (Cyclohexanone, cyclohexylidenehydrazone)	4278-87-9	**	7.84	PE	4043
	$(C_6H_{10}N)_2$	XXXXX-XX-X	**	7.84	PE	5589
$C_{12}H_{22}N_2^+$	$C_8H_{14}N_2C_4H_8$ (Pyridazino[1,2- <i>b</i> ]phthalazine, dodecahydro-, <i>trans</i> -)	60678-83-3	**	7.51	PE	5280
$C_{12}H_{25}N_2^+$	$C_{12}H_{25}N_2^+$ (Hexyl, 1,1,5-trimethyl-5-[(1-methylethyl)azo]-)	73322-99-3	**	7.39 (V)	PE	5091
$C_{12}H_{28}N_2^+$	$(n-C_4H_9)_2NN(C_2H_5)_2$	60678-68-4	**	7.77	PE	5280
	$((n-C_3H_7)_2N)_2$	60678-69-5	**	7.74	PE	5280
$C_{13}H_8N_2^+$	$C_{11}H_8(CN)_2$ (1,4-Methanonaphthalene-2,5-dicarbonitrile, 1,4-dihydro-)	71925-32-1	**	$9.31 \pm 0.05$ (V)	PE	5235
	$C_{11}H_8(CN)_2$ (1,4-Methanonaphthalene-2,6-dicarbonitrile, 1,4-dihydro-)	71925-30-9	**	$9.30 \pm 0.05$ (V)	PE	5235
	$C_{11}H_8(CN)_2$ (1,4-Methanonaphthalene-2,7-dicarbonitrile, 1,4-dihydro-)	71925-31-0	**	$9.27 \pm 0.05$ (V)	PE	5235
	$C_{11}H_8(CN)_2$ (1,4-Methanonaphthalene-2,8-dicarbonitrile, 1,4-dihydro-)	71925-33-2	**	$9.27 \pm 0.05$ (V)	PE	5235
$C_{13}H_{10}N_2^+$	$C_{13}H_{10}N_2$ (1H-Phenalen-9-amine, 1-iminio-)	67618-27-3	**	$7.27 \pm 0.1$ (V)	PE	4951
$C_{13}H_{12}N_2^+$	$C_6H_5NNC_6H_4CH_3$ (Diazene, (4-methylphenyl)phenyl-(E)-)	6720-39-4	**	$\sim 8.3$ (V)	PE	5320
$C_{13}H_{14}N_2^+$	$(C_6H_4NH_2)_2CH_2$ (Benzenamine, 4-4'-methylenebis-)	101-77-9	**	7.20	PI	4328
			**	$7.75 \pm 0.05$	EI	3806
$C_{13}H_{16}N_2^+$	$C_{10}H_{11}C_3H_5N_2$ (1H-Imidazole, 4,5-dihydro-2-(1,2,3,4,-tetrahydro-1-naphthalenyl)-)	84-22-0	**	8.33 (V)	PE	5096

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{22}N_2^+$	$C_{13}H_{22}N_2$ (5,8-Ethano-1H-pyrazolo[1,2- <i>a</i> ]pyridazine,2,2-diethyl-2,3,5,8-tetrahydro-)	72282-76-9	**	7.04 (V)	PE	5133
	$C_{13}H_{22}N_2$ (Spiro[cyclohexane-1,3'-[3 <i>H</i> -2,6]methanoimidazo[1,5- <i>a</i> ]pyridine])	53994-42-6	**	7.46 (V)	PE	4141
$C_{13}H_{24}N_2^+$	$C_6H_{10}N_2C_3H_4(C_2H_5)_2$ (5,8-Ethano-1H-pyrazolo[1,2- <i>a</i> ]pyridazine,2,2-diethylhexahydro-)	23211-28-1	**	6.92	PE	5280
			**	6.93 (V)	PE	4134
$C_{14}H_{12}N_2^+$	$C_{13}H_9N_2(CH_3)$ (1 <i>H</i> -Cyclopenta[ <i>g</i> <i>h</i> ]perimidine, 6,7-dihydro-1-methyl-)	18969-93-2	**	6.53	CTS	4035
$C_{14}H_{14}N_2^+$	$(C_5H_3N)_2(CH_2)_4$ (15,16-Diazatricyclo[9.3.1.1 <sup>4,8</sup> ] hexadeca-1(15),4,6,8(16),11,13-hexaene)	6574-83-0	**	8.35	PE	4386
	$C_{14}H_{14}N_2$ (1,4-Ethanonaphtho[1,8- <i>ef</i> ]-1,4-diazepine, 2,3-dihydro-)	59950-41-3	**	7.56 (V)	PE	4419
	$C_{10}H_7CH_2C_3H_5N_2$ (1H-Imidazole,4,5-dihydro-2-(1-naphthalenylmethyl)-)	835-31-4	**	8.46 (V)	PE	5096
$C_{14}H_{16}N_2^+$	$C_6H_4(NH_2)CH_2CH_2C_6H_4NH_2$ (Benzenamine, 4,4'-(1,2-ethanediy)bis-)	621-95-4	**	7.45±0.05	EI	3806
	$(C_4H_2N)_2(C_3H_6)_2$ (10b,10c-Diazadicyclopenta[ <i>ef</i> , <i>kl</i> ]heptalene,3,4,5,8,9,10-hexahydro-)	56751-92-9	**	7.72 (V)	PE	5387
	$(C_6H_5N(CH_3))_2$ (Hydrazine,1,2-dimethyl-1,2-diphenyl-)	14996-70-4	**	7.30±0.05	PE	5322
$C_{14}H_{18}N_2^+$	$C_{10}H_6(N(CH_3)_2)_2$ (1,5-Naphthalenediamine, <i>N,N,N',N'</i> -tetramethyl-)	10075-69-1	**	6.70±0.02	PE	4143
	$C_{10}H_6(N(CH_3)_2)_2$ (1,8-Naphthalenediamine, <i>N,N,N',N'</i> -tetramethyl-)	20734-58-1	**	6.45±0.02	PE	4143
	$C_{14}H_{18}N_2$ (1,4-Ethanopyridazino[1,2- <i>b</i> ]phthalazine,1,2,3,4,6,11-hexahydro-)	72282-75-8	**	7.21 (V)	PE	5133
$C_{15}H_{14}N_2^+$	$C_{13}H_7(=NCH_3)NHCH_3$ (Phenylene,9-methylamino-1-methylimino-)	XXXXX-XX-X	**	6.98±0.04 (V)	PE	5595
$C_{15}H_{16}N_2^+$	$C_3H_6N_2(C_6H_5)_2$ (Pyrazolidine,1,2-diphenyl-)	63378-86-9	**	7.50±0.05	PE	5322
$C_{16}H_8N_2^+$	$C_{18}H_8N_4$ (Dibenzol[ <i>f,h</i> ]quinoxaline-2,3-dicarbonitrile)	55408-49-6	(CN) <sub>2</sub>	12.30	EI	5488
$C_{16}H_{18}N_2^+$	$C_{16}H_{18}N_2$ (2H-1,5-Propano-1H-naphtho[1,8- <i>bc</i> ]-1,5-diazocine,3,4-dihydro-)	59950-40-2	**	6.90 (V)	PE	4419
	$C_4H_8N_2(C_6H_5)_2$ (Pyridazine,hexahydro-1,2-diphenyl-)	63378-87-0	**	7.30±0.05	PE	5322
$C_{16}H_{20}N_2^+$	$C_6H_4(N(CH_3)_2)C_6H_4N(CH_3)_2$ ([1,1'-Biphenyl]-4,4'-diamine, <i>N,N,N',N'</i> -tetramethyl-)	366-29-0	**	6.40	PI	4328
$C_{16}H_{24}N_2^+$	$C_{16}H_{24}N_2$ (1H-Imidazole,2-[[4-(1,1-dimethylethyl)-2,6-dimethylphenyl]methyl]-4,5-dihydro-)	526-36-3	**	8.49 (V)	PE	5096



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{28}N_2^+$	$(C_8H_{14}N)_2$ (9,9'-Bi-9-azabicyclo[3.3.1]nonane)	62796-83-2	**	6.94 (V)	PE	5091
$C_{16}H_{34}N_2^+$	<i>trans</i> - $((CH_3)_3CCH_2C(CH_3)_2)_2N=N$	55204-43-8	**	8.00 (V)	PE	
$C_{17}H_{20}N_2^+$	$C_5H_{10}N_2(C_6H_5)_2$ (1 <i>H</i> -1,2-Diazepine, hexahydro-1,2-diphenyl-)	63378-89-2	**	$7.30 \pm 0.05$	PE	5322
$C_{17}H_{22}N_2^+$	$(C_6H_4N(CH_3)_2)_2CH_2$ (Benzenamine, 4,4'-methylenebis( <i>N,N</i> -dimethyl)-)	101-61-1	**	6.72	PI	4328
			**	7.1	CTS	3543
$C_{18}H_{18}N_2^+$	$C_6H_5C_3H_3(CN)C_6H_4N(CH_3)_2$ (Cyclopropanecarbonitrile, 2-( <i>p</i> -(dimethylamino)phenyl)-1-phenyl-)	6114-58-5	**	$6.90 \pm 0.10$	EI	3575
$C_{18}H_{20}N_2^+$	$C_6H_{10}N_2(C_6H_5)_2$ (2,3-Diazabicyclo[2.2.2]octane, 2,3-diphenyl-)	63378-90-5	**	$7.15 \pm 0.05$	PE	5322
$C_{18}H_{24}N_2^+$	$(C_6H_5N(iso-C_3H_7))_2$ (Hydrazine, 1,2-bis(1-methylethyl)-1,2-diphenyl-)	63378-85-8	**	$7.20 \pm 0.05$	PE	5322
		63378-84-7	**	$7.24 \pm 0.05$	PE	5322
$C_{19}H_{26}N_2^+$	$C_6H_4(CH_3)C_3H_3(CN)C_6H_4N(CH_3)_2$ (Cyclopropanecarbonitrile, 2-( <i>p</i> -(dimethylamino)phenyl)-1- <i>p</i> -tolyl-)	32589-51-8	**	$6.80 \pm 0.07$	EI	3575
$C_{19}H_{24}N_2^+$	$C_{14}H_{12}N(CH_2)_3N(CH_3)_2$ (5 <i>H</i> -Dibenz[ <i>b,f</i> ]azepine-5-propanamine, 10,11-dihydro- <i>N,N</i> -dimethyl-)	50-49-7	**	$8.21 \pm 0.07$	CTS	4079
$C_{20}H_{18}N_2^+$	$C_6H_4(CH_2NC_6H_5)_2$ (Phthalazine, 1,2,3,4-tetrahydro-2,3-diphenyl-)	16460-56-3	**	$7.32 \pm 0.05$	PE	5322
$C_{20}H_{22}N_2^+$	$C_8H_{12}N_2(C_6H_5)_2$ (1,3-Diazatricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 5,7-diphenyl-)	38705-08-7	**	$7.54 \pm 0.03$ (V)	PE	4163
$C_{20}H_{24}N_2^+$	$C_6H_{10}(CH_2NC_6H_5)_2$ (Phthalazine, decahydro-2,3-diphenyl, <i>trans</i> -)	63378-88-1	**	$7.01 \pm 0.05$	PE	5322
$C_{20}H_{34}N_2^+$	$C_4(CH_3)_4(=NC_6H_{11})_2$ (Cyclohexanamine, <i>N,N'</i> -(2,2,4,4-tetramethyl-1,3-cyclobutanediylidene)bis-)	6119-44-4	**	8.33 (V)	PE	5499
$C_{24}H_{16}N_2^+$	$C_{24}H_{16}N_2$ (25,26-Diazapentacyclo[19.3.1.1 <sup>9,13</sup> .0 <sup>4,16</sup> .0 <sup>6,18</sup> ]hexacos-1(25), 2,4,6(18),7,9,11,13(26),14,16,19,21,23-tridecaene)	64031-65-8	**	6.97 (V)	PE	4824
$C_{26}H_{24}N_2^+$	$(C_6H_5N(CH_2C_6H_5))_2$ (Hydrazine, 1,2-diphenyl-1,2-bis(phenylmethyl)-)	29334-75-6	**	$7.59 \pm 0.05$	PE	5322

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CH<sub>3</sub>N<sub>3</sub><sup>+</sup></b>	CH <sub>3</sub> N <sub>3</sub>	624-90-8	**	9.81 ± 0.02	PE	3670
<b>C<sub>2</sub>H<sub>3</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>3</sub> N <sub>3</sub> (1 <i>H</i> -1,2,4-Triazole)	288-88-0	**	10.6 (V)	PE	5228
	C <sub>2</sub> H <sub>3</sub> N <sub>3</sub> (1 <i>H</i> -1,2,3-Triazole)	288-36-8	**	10.0 (V)	PE	4009
	C <sub>2</sub> H <sub>3</sub> N <sub>3</sub> (1 <i>H</i> -1,2,4-Triazole)	288-88-0	**	10.06 (V)	PE	4009
<b>C<sub>3</sub>H<sub>3</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> H <sub>3</sub> N <sub>3</sub> (1,2,4-Triazine)	290-38-0	**	9.61 (V)	PE	4707
	C <sub>3</sub> H <sub>3</sub> N <sub>3</sub> (1,3,5-Triazine)	290-87-9	**	9.98	PE	3679
			**	10.01 ± 0.01	PE	3720
			**	10.1	PE	3637
<b>C<sub>4</sub>H<sub>5</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> H <sub>2</sub> N <sub>3</sub> (CH <sub>3</sub> ) (1,2,4-Triazine, 3-methyl-)	24108-33-6	**	9.26 (V)	PE	4707
	C <sub>3</sub> H <sub>2</sub> N <sub>3</sub> (CH <sub>3</sub> ) (1,2,4-Triazine, 5-methyl-)	21134-95-2	**	9.31 (V)	PE	4707
	C <sub>3</sub> H <sub>2</sub> N <sub>3</sub> (CH <sub>3</sub> ) (1,2,4-Triazine, 6-methyl-)	21134-96-3	**	9.35 (V)	PE	4707
<b>C<sub>5</sub>HN<sub>3</sub><sup>+</sup></b>	C(CN) <sub>2</sub> = CHCN	997-76-2	**	~11.55	PE	4859
	C <sub>12</sub> H <sub>6</sub> N <sub>4</sub> (2,3-Pyrazinedicarbonitrile, 5-phenyl-)	52109-66-7	C <sub>6</sub> H <sub>5</sub> CN	11.27	EI	5488
<b>C<sub>5</sub>H<sub>7</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> HN <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> (1,2,4-Triazine, 3,5-dimethyl-)	24108-34-7	**	9.02 (V)	PE	4707
	C <sub>3</sub> HN <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> (1,2,4-Triazine, 5,6-dimethyl-)	21134-90-7	**	9.15 (V)	PE	4707
<b>C<sub>6</sub>H<sub>3</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>13</sub> H <sub>8</sub> N <sub>4</sub> (2,3-Pyrazinedicarbonitrile, 5-methyl-6-phenyl-)	52109-67-8	C <sub>6</sub> H <sub>5</sub> CN	11.92	EI	5488
<b>C<sub>6</sub>H<sub>5</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> (Benzene, azido-)	622-37-7	**	8.72 ± 0.02 (V)	PE	4674
	C <sub>6</sub> H <sub>5</sub> N <sub>3</sub> (1 <i>H</i> -Benzotriazole)	95-14-7	**	9.20 ± 0.05	EI	4316
	C <sub>4</sub> H <sub>3</sub> N <sub>2</sub> C <sub>2</sub> H <sub>2</sub> N (Imidazo[1,2- <i>b</i> ]pyridazine)	766-55-2	**	8.33 (V)	PE	5396
<b>C<sub>6</sub>H<sub>9</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> N <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> (1,2,4-Triazine, 3,5,6-trimethyl-)	24108-36-9	**	8.84 (V)	PE	4707
<b>C<sub>6</sub>H<sub>15</sub>N<sub>3</sub><sup>+</sup></b>	(CH <sub>2</sub> = NCH <sub>3</sub> ) <sub>3</sub>	108-74-7	**	8.33 ± 0.05 (V)	PE	4776
	(CH <sub>3</sub> CH = NH) <sub>3</sub>	638-14-2	**	8.45 ± 0.05 (V)	PE	4776
	C <sub>3</sub> H <sub>6</sub> N <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> (1,2,4-Triazine, hexahydro-1,2,4-trimethyl-)	66175-25-5	**	8.10 (V)	PE	5215

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{15}N_3^+$	$C_7H_{12}N_3(CH_3)$ (1,3,5-Triazatricyclo[3.3.1.1. <sup>3,7</sup> ]decane, 7-methyl-)	38705-10-1	**	8.08 (V)	PE	4141
$C_9H_{11}N_3^+$	$C_6H_5NC_3H_4N_2H_2$ (Imidazolidine,2-(phenylimino)-)	XXXXXX-XX-X	**	7.85 (V)	PE	5545
$C_{10}H_{11}N_3^+$	$C_6H_4C_4H_7N_3$ (Imidazo[2,1- <i>b</i> ]quinazoline,1,2,3,5-tetrahydro-)	32725-29-4	**	7.46 (V)	PE	5545
$C_{10}H_{13}N_3^+$	$C_6H_4(CH_3)NC_3H_4N_2H_2$ (Imidazolidine,2-(2-methylphenylimino)-)	XXXXXX-XX-X	**	7.75 (V)	PE	5545
$C_{11}H_5N_3^+$	$C_{12}H_6N_4$ (2,3-Pyrazinedicarbonitrile,5-phenyl-)	52109-66-7	HCN	11.61	EI	5488
	$C_{13}H_8N_4$ (2,3-Pyrazinedicarbonitrile,5-methyl-6-phenyl-)	52109-67-8	$CH_3CN$	11.48	EI	5488
$C_{11}H_{15}N_3^+$	$C_6H_3(CH_3)_2NC_3H_4N_2H_2$ (Imidazolidine,2-(2,6-dimethylphenylimino)-)	XXXXXX-XX-X	**	7.63 (V)	PE	5545
$C_{11}H_{16}N_3^+$	$C_6H_4(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[3-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-32-3	H	$8.8 \pm 0.1$	EI	4359
	$C_6H_4(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[4-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-31-2	H	$9.0 \pm 0.1$	EI	4359
	$C_6H_3(Cl)(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[2-chloro-4-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-30-1	Cl	$9.1 \pm 0.1$	EI	4359
	$C_6H_3(Cl)(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[2-chloro-5-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-39-0	Cl	$8.9 \pm 0.1$	EI	4359
$C_{11}H_{17}N_3^+$	$C_6H_4(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[3-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-32-3	**	$6.3 \pm 0.1$	EI	4359
	$C_6H_4(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[4-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-31-2	**	$6.1 \pm 0.1$	EI	4359
$C_{12}H_7N_3^+$	$C_{13}H_8N_4$ (2,3-Pyrazinedicarbonitrile,5-methyl-6-phenyl-)	52109-67-8	HCN	14.82	EI	5488
$C_{12}H_8N_3^+$	$C_{13}H_8N_4$ (2,3-Pyrazinedicarbonitrile,5-methyl-6-phenyl-)	52109-67-8	CN	15.10	EI	5488
$C_{12}H_9N_3^+$	$C_4H_3N_2C_2HNC_6H_5$ (Imidazo[1,2- <i>b</i> ]pyridazine,2-phenyl-)	1844-54-8	**	7.73 (V)	PE	5396
$C_{12}H_{11}N_3^+$	$C_6H_5NNC_6H_4NH_2$ (Benzenamine,4-(phenylazo)-(E)-)	25548-34-9	**	$7.67 \pm 0.05$ (V)	PE	5320
	$C_{11}H_6N_2(NH_2)CH_3$ (1 <i>H</i> -Perimindin-2-amine, 1-methyl-)	20551-10-4	**	6.41	CTS	4035
$C_{12}H_{13}N_3^+$	$(C_6H_4NH_2)_2NH$ (1,4-Benzenediamine, <i>N</i> -(4-aminophenyl)-)	537-65-5	**	6.20	PI	4328

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{17}N_3^+$	$C_{10}H_{11}NC_3H_4N_2H_2$ (Imidazolidine,2-[(5,6,7,8-tetrahydronaphthal-1-yl)imino-])	XXXXXX-XX-X **		7.62 (V)	PE	5545
$C_{17}H_8N_3^+$	$C_{18}H_8N_4$ (Dibenzo[ <i>f,h</i> ]quinoxaline-2,3-dicarbonitrile)	55408-49-6	CN	13.10	EI	5488
$CH_2N_4^+$	$CH_2N_4$ (1 <i>H</i> -Tetrazole)	288-94-8	**	11.3 (V)	PE	4009
$C_2H_2N_4^+$	$C_2H_2N_4$ (1,2,4,5-Tetrazine)	290-96-0	**	9.14	PE	3679
			**	9.24	PE	3740
$C_2H_4N_4^+$	$C_2H_4N_4$ (1 <i>H</i> -1,2,4-Triazole-5-amine) $C_4H_6N_4$ (1 <i>H</i> -1,2,4-Triazol-5-amine,1-ethyl-) $C_4H_8N_4$ (4 <i>H</i> -1,2,4-Triazol-3-amine,4-ethyl-) $C_4H_8N_4$ (1 <i>H</i> -1,2,4-Triazole-3-amine,1-ethyl-) $C_5H_{10}N_4$ (4 <i>H</i> -1,2,4-Triazol-3-amine,4-propyl-) $C_5H_{10}N_4$ (1 <i>H</i> -1,2,4-Triazole-3-amine,1-propyl-) $C_5H_{10}N_4$ (1 <i>H</i> -1,2,4-Triazole-5-amine,1-propyl-)	XXXXXX-XX-X 58661-94-2 42786-06-1 42786-04-9 58661-97-5 58661-95-3 58661-96-4	$C_2H_4$ $C_2H_4$ $C_2H_4$ $C_3H_6$ $C_3H_6$	8.3 10.0 10.2 10.2 10.4 10.2 9.9	EI EI EI EI EI EI EI	5487 5487 5487 5487 5487 5487 5487
$C_4H_6N_4^+$	$C_2N_4(CH_3)_2$ (1,2,4,5-Tetrazine, 3,6-dimethyl-)	1558-23-2	**	9.08 (V)	PE	3679
$C_4H_8N_4^+$	$C_4H_8N_4$ (1 <i>H</i> -1,2,4-Triazol-5-amine,1-ethyl-) $C_4H_8N_4$ (4 <i>H</i> -1,2,4-Triazol-3-amine,4-ethyl-) $C_4H_8N_4$ (1 <i>H</i> -1,2,4-Triazole-3-amine,1-ethyl-)	58661-94-2 42786-06-1 42786-04-9		8.5 8.3 8.2	EI EI EI	5487 5487 5487
$C_4H_{10}N_4^+$	$C_2N_2(CH_3)_2=N_2$ (1,2,3,4-Tetrazine,1,4,5,6-tetrahydro-1,4-dimethyl-)	39247-66-0	**	8.03 (V)	PE	5604
$C_4H_{12}N_4^+$	$((CH_3)_2N_2)_2$ (2-Tetrazene,1,1,4,4-tetramethyl-)	6130-87-6	**	7.7 (V)	PE	5604
$C_5H_4N_4^+$	$C_5H_4N_4$ (1 <i>H</i> -Purine) $C_5H_4NN_3$ (Tetrazolo[1,5- <i>a</i> ]Pyridine) $C_5H_4N_4$ (1 <i>H</i> -1,2,3-Triazol[4,5- <i>c</i> ]pyridine) $C_5H_4N_4$ ([1,2,4]Triazol[1,5- <i>a</i> ]pyrazine)	120-73-0 274-87-3 273-05-2 399-66-6	** ** ** **	9.52±0.03 (V) 8.85 (V) 9.10±0.05 9.6 (V)	PE PE EI PE	4445 5396 4316 5492

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_4N_4^+$	$C_5H_4N_4$ (1H-1,2,3-Triazolo[4,5-b]pyridine)	273-34-7	**	$9.20 \pm 0.05$	EI	4316
$C_5H_{10}N_4^+$	$C_5H_{10}N_4$ (4H-1,2,4-Triazol-3-amine,4-propyl-)	58661-97-5		8.3	EI	5487
$C_5H_{10}N_4^+$	$C_5H_{10}N_4$ (1H-1,2,4-Triazole-3-amine,1-propyl-)	58661-95-3		8.1	EI	5487
$C_5H_{10}N_4^+$	$C_5H_{10}N_4$ (1H-1,2,4-Triazole-5-amine,1-propyl-)	58661-96-4		8.3	EI	5487
$C_6H_6N_4^+$	$C_5H_3N_4CH_3$ (1H-Purine, 6-methyl-)	2004-03-7	**	9.3 (V)	PE	5492
$C_6H_6N_4^+$	$C_5H_3N_4CH_3$ (7H-Purine, 7-methyl-)	18346-04-8	**	9.4 (V)	PE	5492
$C_6H_6N_4^+$	$C_5H_3N_4CH_3$ (9H-Purine, 9-methyl-)	20427-22-9	**	9.4 (V)	PE	5492
$C_6H_{12}N_4^+$	$C_6H_{12}N_4$ (1,3,5,7-Tetraazatricyclo[3.3.1.1.3,7]decane)	100-97-0	**	8.53 (V)	PE	4141
$C_6H_{16}N_4^+$	$C_2H_4N_4(CH_3)_4$ (1,2,4,5-Tetrazacyclohexane, 1,2,4,5-tetramethyl-)	XXXXX-XX-X	**	7.90 (V)	PE	5504
$C_6H_{16}N_4^+$	$C_2H_4N_4(CH_3)_4$ (1,2,4,5-Tetrazine, hexahydro-1,2,4,5-tetramethyl-)	20717-38-8	**	7.90 (V)	PE	4277
$C_6H_{16}N_4^+$			**	7.90 (V)	PE	5215
$C_6H_{16}N_4^+$			**	7.90 (V)	PE	5353
$C_6H_{16}N_4^+$			**	9.00 (V)	PE	4277
$C_7H_{16}N_4^+$	$C_2H_4N_4(CH_3)_2(C_3H_6)$ (6H-Pyrazolo[1,2-a][1,2,4,5]tetrazine,hexahydro-2,3-dimethyl-)	70517-50-9	**	7.76 (V)	PE	5489
$C_8H_{12}N_4^+$	<i>trans</i> -(NCC(CH <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> N=N	34241-39-9	**	9.62 (V)	PE	4429
$C_8H_{16}N_4^+$	$C_2H_4N_4(CH_3)_2(C_4H_6)$ (Pyridazino[1,2-a][1,2,4,5]tetrazine,1,2,3,4,6,9-hexahydro-2,3-dimethyl-)	53233-92-4	**	7.77 (V)	PE	5489
$C_8H_{16}N_4^+$	$C_2H_4N_4(C_3H_6)_2$ (1H,5H,7H,11H-Dipyrazolo[1,2-a:1',2'-d][1,2,4,5]tetrazine,tetrahydro-)	37882-92-1	**	7.55 (V)	PE	5489
$C_8H_{16}N_4^+$	$C_8H_{16}N_4$ (1,3,6,8-Tetraazatricyclo[4.4.1.1 <sup>3,8</sup> ]dodecane)	51-46-7	**	7.389	PE	4214
$C_8H_{18}N_4^+$	$C_2H_4N_4(CH_3)_2(C_4H_8)$ (Pyridazino[1,2-a][1,2,4,5]tetrazine,octahydro-2,3-dimethyl-)	61012-98-4	**	7.69 (V)	PE	5489
$C_8H_{20}N_4^+$	$(N_2(C_2H_5)_2)_2$ (2-Tetrazene,1,1,4,4-tetraethyl-)	13304-29-5	**	7.1 (V)	PE	5604
$C_8H_{20}N_4^+$	$C_2H_2N_4(CH_3)_6$ (1,2,4,5-Tetrazine, hexahydro-1,2,3,4,5,6-hexamethyl- <i>trans</i> -)	71899-35-9	**	7.63 (V)	PE	5215
$C_9H_{24}N_4^+$	$C(N(CH_3)_2)_4$	10524-51-3	**	7.19 (V)	PE	4588



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{16}N_4^+$	$C_2H_4N_4(C_4H_6)_2$ (6H,13H-Dipyridazino[1,2-a:1',2'-d][1,2,4,5-tetrazine,1,4,8,11-tetrahydro-)	37882-93-2	** **	7.51 (V)	PE	5489
				7.73 (V)	PE	5215
$C_{10}H_{20}N_4^+$	$C_2H_4N_4(C_4H_8)_2$ (6H,13H-Dipyridazino[1,2-a:1',2'-d][1,2,4,5]tetrazine,octahydro-)	5767-20-4	**	7.46 (V)	PE	5489
	$(C_3H_4N_2(CH_3)_2)_2$ (Imidazolidine,2-(1,3-dimethyl-2-imidazolidinylidene)-1,3-dimethyl-)	1911-01-9	** **	<5.41	PI	5277
				6.06 (V)	PE	3512
$C_{10}H_{24}N_4^+$	$((CH_3)_2N)_4C_2$	996-70-3	** **	<5.36	PI	5277
				5.95 (V)	PE	3512
$C_{12}H_6N_4^+$	$C_{12}H_6N_4$ (2,3-Pyrazinedicarbonitrile,5-phenyl-)	52109-66-7	**	8.68	EI	5488
$C_{12}H_{26}N_4^+$	$((CH_3)_2N)_2C=CH_2$	10596-53-9	**	5.60±0.10	PI	5278
$C_{12}H_{28}N_4^+$	$((CH_3)_2CH)_2NN_2$ (2-Tetrazene,1,1,4,4-tetrakis(1-methylethyl))	13304-31-9	**	6.9 (V)	PE	5604
$C_{13}H_7N_4^+$	$C_{13}H_8N_4$ (2,3-Pyrazinedicarbonitrile,5-methyl-6-phenyl-)	52109-67-8	H	9.35	EI	5488
$C_{13}H_8N_4^+$	$C_{13}H_8N_4$ (2,3-Pyrazinedicarbonitrile,5-methyl-6-phenyl-)	52109-67-8		8.65	EI	5488
$C_{16}H_{18}N_4^+$	$C_{16}H_{18}N_4$ (Aniline, 2,2'-[1,2-ethanediybis(nitrilomethylidene)]bis-)	XXXXX-XX-X	**	7.83±0.04	EI	4668
$C_{16}H_{28}N_4^+$	$(C_8H_{14}N_2)_2$ (9-Azabicyclo[3.3.1]nonane,9,9'-azobis-)	67282-66-0	**	7.07 (V)	PE	5091
$C_{18}H_8N_4^+$	$C_{18}H_8N_4$ (Dibenzof[h]quinoxaline-2,3-dicarbonitrile)	55408-49-6	**	8.20	EI	5488
$C_{18}H_{24}N_4^+$	$C_{18}H_{24}N_4$ (1,2,4,5-Tetrazine, hexahydro-1,4-dimethyl-2,5-bis(phenylmethyl)-)	61012-91-7	**	7.71 (V)	PE	5215
$C_{30}H_{32}N_4^+$	$C_2H_4N_4(CH_2C_6H_5)_4$ (1,2,4,5-Tetrazine, hexahydro-1,3,5,6-tetrakis(4-methylphenyl)-)	38422-60-5	**	7.44 (V)	PE	5215
$C_{36}H_{46}N_4^+$	$C_{20}H_6N_4(C_2H_5)_8$ (21H, 23H-Porphine,2,3,7,8,12,13,17,18-octaethyl-)	2683-82-1	** **	6.25 (V)	PE	4557
				6.39±0.03 (V)	PE	5476
$C_{44}H_{30}N_4^+$	$C_{20}H_{10}N_4(C_6H_5)_4$ (21H, 23H-Porphine,5,10,15,20-tetraphenyl-)	917-23-7	**	6.39 (V)	PE	4557

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>44</sub>H<sub>30</sub>N<sub>4</sub><sup>+</sup></b>	C <sub>20</sub> H <sub>10</sub> N <sub>4</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>4</sub>	917-23-7	**	6.32±0.2	OTH	4962
<b>C<sub>5</sub>H<sub>5</sub>N<sub>5</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> N <sub>4</sub> (NH <sub>2</sub> ) (1H-Purin-6-amine)	73-24-5	**	8.44±0.03 (V)	PE	4445
			**	8.3±0.1	EI	5555
			**	8.48 (V)	PE	4644
			**	8.48 (V)	PE	5492
<b>C<sub>6</sub>H<sub>3</sub>N<sub>5</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> N(CN)N <sub>3</sub> (Tetrazolo[1,5- <i>a</i> ]pyridine-8-carbonitrile)	40306-97-6	**	9.22 (V)	PE	5396
<b>C<sub>6</sub>H<sub>7</sub>N<sub>5</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> N <sub>4</sub> (NHCH <sub>3</sub> ) (1H-Purin-6-amine, N-methyl-)	443-72-1	**	8.15 (V)	PE	5492
			**	8.15 (V)	PE	4644
			**	8.39 (V)	PE	4644
	C <sub>5</sub> H <sub>2</sub> N <sub>4</sub> (CH <sub>3</sub> )NH <sub>2</sub> (7H-Purin-6-amine, 7-methyl-)	935-69-3	**	8.64 (V)	PE	5492
	C <sub>5</sub> H <sub>2</sub> N <sub>4</sub> (NH <sub>2</sub> )CH <sub>3</sub> (9H-Purin-6-amine, 9-methyl-)	700-00-5	**	8.39 (V)	PE	5492
	C <sub>5</sub> H <sub>2</sub> N <sub>4</sub> (NH <sub>2</sub> )CH <sub>3</sub> (1H-Purin-6-amine,9-methyl-)	XXXXXX-XX-X	**	7.9±0.1	EI	5555
<b>C<sub>7</sub>H<sub>9</sub>N<sub>5</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>2</sub> N <sub>4</sub> (CH <sub>3</sub> )NHCH <sub>3</sub> (9H-Purin-6-amine, N,9-dimethyl-)	2009-52-1	**	7.95 (V)	PE	5492
	C <sub>5</sub> H <sub>3</sub> N <sub>4</sub> N(CH <sub>3</sub> ) <sub>2</sub> (1H-Purin-6-amine,N,N-dimethyl-)	938-55-6	**	7.78 (V)	PE	5492
<b>C<sub>11</sub>H<sub>15</sub>N<sub>5</sub><sup>+</sup></b>	C <sub>11</sub> H <sub>13</sub> N <sub>4</sub> NH <sub>2</sub> (9H-Purin-6-amine, 9-cyclohexyl-)	4235-94-3	**	9.1	CTS	3915
<b>C<sub>4</sub>H<sub>12</sub>N<sub>6</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>4</sub> N <sub>2</sub> H <sub>2</sub> N <sub>2</sub> C <sub>2</sub> H <sub>4</sub> N <sub>2</sub> H <sub>2</sub> ([1,2,4,5]Tetrazino[1,2- <i>a</i> ][1,2,4,5]tetrazine,octahydro-)	1743-13-1	**	11.05 (V)	PE	5381
<b>C<sub>32</sub>H<sub>18</sub>N<sub>8</sub><sup>+</sup></b>	C <sub>32</sub> H <sub>18</sub> N <sub>8</sub> (29H,31H-Phthalocyanine)	574-93-6	**	7.36±0.10	EI	3829
<b>BCH<sub>8</sub>N<sup>+</sup></b>	(CH <sub>3</sub> NH <sub>2</sub> )(BH <sub>3</sub> )	1722-33-4	**	9.66±0.01	PE	3699
<b>BC<sub>2</sub>H<sub>8</sub>N<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NBH <sub>2</sub>	1838-13-7	**	9.51	PE	3584
<b>BC<sub>2</sub>H<sub>9</sub>N<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> NH)(BH <sub>2</sub> )	74-94-2	**	9.39±0.01	PE	3699
<b>BC<sub>3</sub>H<sub>12</sub>N<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> N)(BH <sub>3</sub> )	75-22-9	**	9.28±0.2	PE	3699
<b>BC<sub>4</sub>H<sub>12</sub>N<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NB(CH <sub>3</sub> ) <sub>2</sub>	1113-30-0	**	8.92	PE	3584
			**	8.92 (V)	PE	4243
			**	9.02 (V)	PE	5581

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>BC<sub>5</sub>H<sub>8</sub>N<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> N·BH <sub>3</sub> (Pyridine, compound with borane (1:1))	110-51-0	**	9.72 (V)	PE	4536
<b>BC<sub>6</sub>H<sub>10</sub>N<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N(CH <sub>3</sub> )·BH <sub>3</sub> (Pyridine, 4-methyl-, compound with borane (1:1))	3999-39-1	**	9.50 (V)	PE	4536
<b>BC<sub>6</sub>H<sub>12</sub>N<sup>+</sup></b>	(C <sub>3</sub> H <sub>6</sub> ) <sub>2</sub> BN (1H,5H-[1,2]Azaborolo[1,2-a][1,2]azaborole,tetrahydro-)	16153-13-2	**	8.80 (V)	PE	5609
			**	8.06	PE	3584
<b>BC<sub>9</sub>H<sub>16</sub>N<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> )·BH <sub>3</sub> (Pyridine, 4-(1,1-dimethylethyl)-, compound with borane (1:1))	56898-51-2	**	9.45 (V)	PE	4536
<b>BC<sub>10</sub>H<sub>20</sub>N<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> BNC <sub>8</sub> H <sub>14</sub> (1-Azabicyclo[3.3.1]nonane,1-dimethylboryl-)	XXXXX-XX-X	**	8.53 (V)	PE	5581
	(CH <sub>3</sub> ) <sub>2</sub> NBC <sub>8</sub> H <sub>14</sub> (Methanamine,N-methyl-N-(9-boratabicyclo[3.3.1]non-9-yl))	XXXXX-XX-X	**	8.73 (V)	PE	5581
<b>BC<sub>16</sub>H<sub>28</sub>N<sup>+</sup></b>	C <sub>8</sub> H <sub>14</sub> BNC <sub>8</sub> H <sub>14</sub> (1-Azabicyclo[3.3.1]nonane,1-(9-boratabicyclo[3.3.1]non-9-yl)-)	XXXXX-XX-X	**	8.31 (V)	PE	5581
<b>BC<sub>4</sub>H<sub>11</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> BN <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (1,3,2-Diazaborolidine, 1,3-dimethyl-)	38151-26-7	**	7.55 (V)	PE	4298
<b>BC<sub>4</sub>H<sub>13</sub>N<sub>2</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> BH	2386-98-3	**	7.76	PE	3584
<b>BC<sub>5</sub>H<sub>15</sub>N<sub>2</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> B(CH <sub>3</sub> )	6914-63-2	**	7.63	PE	3584
<b>B<sub>2</sub>C<sub>6</sub>H<sub>18</sub>N<sub>2</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> BNCH <sub>3</sub> ) <sub>2</sub> (Boranediamine,N-(dimethylboryl)-N,N',N',1-tetramethyl)	73263-55-5	**	9.02 (V)	PE	5628
<b>BC<sub>8</sub>H<sub>17</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>2</sub> BN <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> C(CH <sub>3</sub> ) <sub>3</sub> (1H-1,3,2-Diazaborole, 2-(1,1-dimethylethyl)-2,3-dihydro-1,3-dimethyl-)	53088-51-0	**	7.25 (V)	PE	4298
<b>BC<sub>8</sub>H<sub>19</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> H <sub>4</sub> BN <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> C(CH <sub>3</sub> ) <sub>3</sub> (1,3,2-Diazaborolidine, 2-(1,1-dimethylethyl)-1,3-dimethyl-)	53088-52-1	**	7.46 (V)	PE	4298
<b>BC<sub>9</sub>H<sub>11</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>3</sub> BN <sub>2</sub> CH <sub>3</sub> (1H-1,3,2-Diazaborole, 2,3-dihydro-1-methyl-2-phenyl-)	53088-50-9	**	7.53 (V)	PE	4298
<b>BC<sub>9</sub>H<sub>13</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>3</sub> BN <sub>2</sub> CH <sub>3</sub> (1,3,2-Diazaborolidine, 1-methyl-2-phenyl-)	6076-64-8	**	7.91 (V)	PE	4298
<b>BC<sub>10</sub>H<sub>13</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>2</sub> BN <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (1H-1,3,2-Diazaborole, 2,3-dihydro-1,3-dimethyl-2-phenyl-)	41422-89-3	**	7.34 (V)	PE	4298

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>BC<sub>10</sub>H<sub>15</sub>N<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>4</sub> BN <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (1,3,2-Diazaborolidine, 1,3-dimethyl-2-phenyl-)	5709-94-4	**	7.48 (V)	PE	4298
<b>B<sub>2</sub>C<sub>3</sub>H<sub>11</sub>N<sub>3</sub><sup>+</sup></b>	N <sub>3</sub> B <sub>2</sub> H <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> (1,2,4,3,5-Triazadiborolidine, 1,2,4-trimethyl-)	53246-11-0	**	7.78 (V)	PE	4526
	N <sub>3</sub> B <sub>2</sub> H <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> (1,2,4,3,5-Triazadiborolidine, 1,3,5-trimethyl-)	40392-35-6	**	7.76 (V)	PE	4526
<b>B<sub>3</sub>C<sub>3</sub>H<sub>12</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> H <sub>12</sub> B <sub>3</sub> N <sub>3</sub> (Borazine, 1,3,5-trimethyl-)	1004-35-9	**	8.99 (V)	PE	3943
			**	9.28 ± 0.02	PE	3506
	C <sub>3</sub> H <sub>12</sub> B <sub>3</sub> N <sub>3</sub> (Borazine, 2,4,6-trimethyl-)	5314-85-2	**	9.50 (V)	PE	3943
			**	9.64 ± 0.03	PE	3506
<b>B<sub>2</sub>C<sub>4</sub>H<sub>13</sub>N<sub>3</sub><sup>+</sup></b>	N <sub>3</sub> B <sub>2</sub> H(CH <sub>3</sub> ) <sub>4</sub> (1,2,4,3,5-Triazadiborolidine, 1,2,3,5-tetramethyl-)	31732-40-8	**	7.51 (V)	PE	4526
	N <sub>3</sub> B <sub>2</sub> H(CH <sub>3</sub> ) <sub>4</sub> (1,2,4,3,5-Triazadiborolidine, 1,3,4,5-tetramethyl-)	40392-34-5	**	7.73 (V)	PE	4526
<b>B<sub>2</sub>C<sub>5</sub>H<sub>15</sub>N<sub>3</sub><sup>+</sup></b>	N <sub>3</sub> B <sub>2</sub> (CH <sub>3</sub> ) <sub>5</sub> (1,2,4,3,5-Triazadiborolidine, 1,2,3,4,5-pentamethyl-)	31732-41-9	**	7.47 (V)	PE	4526
<b>BC<sub>6</sub>H<sub>14</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>14</sub> BN <sub>3</sub> ([1,3,2]Diazaborino[1,2-a][1,3,2]diazaborine, octahydro-)	1730-15-0	**	7.90	PE	3584
<b>BC<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>+</sup></b>	B(N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>3</sub>	4375-83-1	**	7.60 (V)	PE	3704
<b>B<sub>3</sub>C<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>18</sub> B <sub>3</sub> N <sub>3</sub> (Borazine, hexamethyl-)	877-07-6	**	8.53 (V)	PE	3943
<b>B<sub>2</sub>C<sub>8</sub>H<sub>21</sub>N<sub>3</sub><sup>+</sup></b>	N <sub>3</sub> B <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub> C(CH <sub>3</sub> ) <sub>3</sub> (1,2,4,3,5-Triazadiborolidine, 4-(1,1-dimethylethyl)-1,2,3,5-tetramethyl-)	57877-83-5	**	7.45 (V)	PE	4526
<b>B<sub>2</sub>C<sub>6</sub>H<sub>18</sub>N<sub>4</sub><sup>+</sup></b>	B <sub>2</sub> N <sub>4</sub> (CH <sub>3</sub> ) <sub>6</sub> (1,2,4,5,3,6-Tetrazadiborine, hexahydro-1,2,3,4,5,6-hexamethyl-)	7318-93-6	**	6.83 (V)	PE	4299
<b>B<sub>2</sub>C<sub>8</sub>H<sub>24</sub>N<sub>4</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> BB(N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub>	1630-79-1	**	7.3 (V)		3512
			**	7.58	PE	3584
<b>B<sub>2</sub>C<sub>7</sub>H<sub>21</sub>N<sub>5</sub><sup>+</sup></b>	N <sub>3</sub> B <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> (N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> (1,2,4,3,5-Triazadiborolidine-3,5-diamine, N,N,N',N',1,2,4-heptamethyl-)	53246-08-5	**	7.05 (V)	PE	4526
<b>B<sub>3</sub>C<sub>8</sub>H<sub>24</sub>N<sub>5</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>24</sub> B <sub>3</sub> N <sub>5</sub> (Boranediamine, N,N,N',N'-tetramethyl-1-(2,3,4,5-tetramethyl-1,2,4,3,5-triazadiborolidin-1-yl)-)	53324-00-8	**	~7.29 (V)	PE	4526
	C <sub>8</sub> H <sub>24</sub> B <sub>3</sub> N <sub>5</sub> (Boranediamine, N,N,N',N'-tetramethyl-1-(1,2,3,5-tetramethyl-1,2,4,3,5-triazadiborolidin-4-yl)-) (RX N <sub>3</sub> B <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub> B(N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> )	53323-99-2	**	~7.2 (V)	PE	4526

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>B<sub>2</sub>C<sub>8</sub>H<sub>24</sub>N<sub>6</sub><sup>+</sup></b>	B <sub>2</sub> N <sub>4</sub> (CH <sub>3</sub> ) <sub>4</sub> (N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> (1,2,4,5,3,6-Tetrazadiborine-3,6-diamine, tetrahydro- <i>N,N,N',N'</i> ,1,2,4,5-octamethyl-)	54154-16-4	**	7.09 (V)	PE	4299
<b>O<sup>+</sup></b>						
( <sup>1</sup> P <sup>o</sup> )	O	17778-80-2	**	14.040	S	5209
			**	13.618	PI	5000
( <sup>2</sup> P)			**	18.63	PE	3701
			**	14.0±0.5	EI	4436
			**	14.2±1	EI	4687
( <sup>4</sup> S <sup>o</sup> )	O <sub>2</sub>	7782-44-7	O( <sup>3</sup> P)	18.69±0.04	EI	4318
( <sup>4</sup> S <sup>o</sup> )			O( <sup>1</sup> D)	20.52±0.05	EI	4318
( <sup>2</sup> D <sup>o</sup> )			O( <sup>3</sup> P)	22.09±0.1	EI	4318
( <sup>3</sup> P)	O <sub>3</sub>	10028-15-6	O <sub>2</sub>	15.21±0.1	PI	5004
	H <sub>2</sub> O	7732-18-5	H <sub>2</sub>	19.0	EI	3967
			2H	26.8	EI	3967
( <sup>4</sup> S)	CO	630-08-0	C( <sup>4</sup> S)	23.44	EI	5126
	CO <sub>2</sub>	124-38-9		19.393±0.008	PI	4349
			CO	19±1	PI	5170
			CO	19.067	PE	5064
( <sup>4</sup> S <sub>u</sub> )			CO	19.071	PE	4886
			CO	19.05±0.05	EI	4693
				22.6±1.0	EI	4129
	NO	10102-43-9	N	20.1±0.3	EI	3945
	N <sub>2</sub> O	10024-97-2	N <sub>2</sub>	15±1	PI	5170
	HOF	14034-79-8	HF	14.34	PI	3932
( <sup>4</sup> S <sub>u</sub> )	COS	463-58-1	CS <sup>-</sup>	19.45±0.08	EI	4905
<b>O<sup>+2</sup></b>						
	O <sup>+</sup> ( <sup>2</sup> P)	14581-93-2	**	30	EI	3489
			**	32	EI	3489
( <sup>1</sup> D)			**	38	EI	3489
( <sup>5</sup> S)			**	42	EI	3489
	CO	630-08-0	C( <sup>1</sup> D)	61	EI	3489
	CO <sup>+</sup>	12144-04-6	C( <sup>1</sup> D)	47	EI	3489
<b>O<sub>2</sub><sup>+</sup></b>						
( <sup>2</sup> Π <sub>3/2g</sub> )	O <sub>2</sub>	7782-44-7	**	12.127	PE	4675
( <sup>2</sup> Π <sub>g</sub> )			**	12.07±0.01	PI	4020
( <sup>2</sup> Π <sub>1/2</sub> )			**	12.071±0.001	PE	4491
( <sup>2</sup> Π <sub>g</sub> )			**	12.071	PE	5064
( <sup>2</sup> Π <sub>g</sub> )			**	12.076±0.002	PE	4770
( <sup>2</sup> Π <sub>3/2g</sub> )			**	12.077	PE	3834
( <sup>2</sup> Π <sub>g</sub> )			**	12.08	PE	4073
( <sup>2</sup> Π <sub>1/2g</sub> )			**	12.102	PE	3834
( <sup>2</sup> Π <sub>g</sub> )			**	12.33±0.01 (V)	PE	4415
( <sup>4</sup> Π <sub>u</sub> )			**	16.101	PE	5064
( <sup>4</sup> Π <sub>u</sub> )			**	16.105	PE	3664
( <sup>2</sup> Π <sub>u</sub> )			**	16.5	PE	3698
( <sup>2</sup> Π <sub>u</sub> )			**	17.15	PE	5064
( <sup>2</sup> Π <sub>u</sub> )			**	~17.45	PE	3534
( <sup>2</sup> Φ <sub>u</sub> )			**	17.5	PE	3698
( <sup>4</sup> Σ <sub>g</sub> <sup>-</sup> )			**	18.171	PE	5064
( <sup>2</sup> Δ <sub>g</sub> )			**	18.803±0.006	PE	4288
( <sup>2</sup> Δ <sub>g</sub> )			**	18.81	PE	3534
( <sup>2</sup> Φ <sub>u</sub> )			**	19.1±0.01	PE	5142
( <sup>2</sup> Δ <sub>g</sub> )			**	19.9±0.01	PE	5142
( <sup>2</sup> Σ <sub>g</sub> <sup>-</sup> )			**	20.296	PE	5064
( <sup>2</sup> Π <sub>u</sub> )			**	22.8±0.1	PE	3975
( <sup>4</sup> Σ <sub>u</sub> <sup>-</sup> )			**	24.6	PE	3975
( <sup>4</sup> Σ <sub>g</sub> <sup>-</sup> )			**	39.7 (V)	PE	4629
( <sup>2</sup> Σ <sub>g</sub> <sup>-</sup> )			**	40.33 (V)	PE	4629



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{O}_2^+$						
	$\text{O}_2$	7782-44-7	**	$12.0 \pm 0.5$	EI	4436
			**	$12.2 \pm 0.2$	EI	4131
			**	$60.5 \pm 0.8$	EI	5346
	$\text{O}_3$	10028-15-6	O	$13.125 \pm 0.004$	PI	5004
$\text{O}_2^{+2}$ ( $^3\Pi_g, ^3\Sigma_u^-$ ) $\text{O}_2$ ( $^3\Pi_u$ )		7782-44-7	**	$43.0 \pm 0.5$	OTH	5007
			**	$48.0 \pm 1.0$	OTH	5007
$\text{O}_3^+$						
( $^2A_1$ )	$\text{O}_3$	10028-15-6	**	$12.519 \pm 0.004$	PI	5004
( $^2A_1$ )			**	$12.3 \pm 0.1?$	PE	4539
( $^2A_1$ )			**	$12.44 \pm 0.01$	PE	4239
( $^2A_1$ )			**	$12.53 \pm 0.1$	PE	4170
( $^2A_1$ )			**	12.56	PE	4169
( $^2A_2$ )			**	13.02 (V)	PE	4169
( $^2B_2$ )			**	13.02 (V)	PE	4239
( $^2A_2$ )			**	$13.03 \pm 0.02$	PE	4170
( $^2B_2$ )			**	$13.57 \pm 0.01$	PE	4170
( $^2B_2$ )			**	13.57 (V)	PE	4169
( $^2A_2$ )			**	13.57 (V)	PE	4239
( $^2A_2$ )			**	15.57 (V)	PE	4239
( $^2B_2$ )			**	16.54 (V)	PE	4239
( $^2A_1$ )			**	17.45 (V)	PE	4239
( $^2B_1, ^2B_2, ^2A_1, ^2B_2$ )			**	19.99 (V)	PE	4239
( $^2B_1, ^2B_2$ )			**	$20.3 \pm 0.1$ (V)	PE	4170
( $^2A_1$ )			**	24.5 (V)	PE	4239
$\text{HO}^+$						
( $^3\Sigma^-$ )	$\text{OH}$	3352-57-6	**	13.01 (V)	PE	4773
( $^1\Delta$ )			**	15.20 (V)	PE	4773
			**	$13.5 \pm 1.0$	EI	4054
			**	12.88	OTH	3932
	$\text{H}_2\text{O}$	7732-18-5	H	$18.115 \pm 0.008$	PI	5146
			H	$18.08 \pm 0.05$	EI	5046
			H	18.2	EI	3967
	$\text{HCOOH}$	64-18-6	HCO	$17.97 \pm 0.06$	PI	4177
	$\text{HOF}$	14034-79-8	F	15.07	PI	3932
$\text{OD}^+$						
	$\text{D}_2\text{O}$	7789-20-0	D	$18.219 \pm 0.008$	PI	5146
			D	$18.19 \pm 0.03$	PE	4247
$\text{H}_2\text{O}^+$						
	$\text{H}_2\text{O}$	7732-18-5	**	12.612	S	5101
( $^2B_1$ )			**	$12.619 \pm 0.006$	S	3983
( $^2B_1$ )			**	12.6	PI	5479
( $^2A_1$ )			**	13.8	PI	5479
( $^2B_2$ )			**	17.2	PI	5479
			**	11.8 (V)	PE	4845
( $^2B_1$ )			**	12.6	PE	4623
( $^2B_2$ )			**	$12.60 \pm 0.02$ (V)	PE	4970
( $^2B_1$ )			**	12.61 (V)	PE	4537
( $^2B_1$ )			**	12.61 (V)	PE	4850
( $^2B_1$ )			**	$12.615 \pm 0.001$	PE	4351
			**	$12.615 \pm 0.001$	PE	5506
( $^2B_1$ )			**	12.616	PE	5064
( $^2B_1$ )			**	12.619	PE	3941
( $^2B_1$ )			**	12.62	PE	3719
( $^2B_1$ )			**	12.624	PE	3530
( $^2B_1$ )			**	12.624	PE	4602

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>H<sub>2</sub>O<sup>+</sup></b>	H <sub>2</sub> O	7732-18-5	**	12.627	PE	5626
				13.78	PE	3719
				13.8	PE	4623
				13.930±0.010	PE	3530
				14.75±0.03 (V)	PE	4970
				14.8	PE	3941
				17.02	PE	3719
				17.2	PE	4623
				17.378±0.008	PE	4351
				17.390	PE	3530
				18.54	PE	3941
				18.74±0.04 (V)	PE	4970
				32.2	PE	4623
				32.2 (V)	PE	3719
				32.61±0.05 (V)	PE	4970
				12.63±0.03	EI	5046
				12.7	EI	3967
	H <sub>2</sub> <sup>18</sup> O	14314-42-2	**	12.615±0.001	PE	5506
<b>HDO<sup>+</sup></b>	HDO	14940-63-7	**	12.630	PE	5626
<b>D<sub>2</sub>O<sup>+</sup></b>	D <sub>2</sub> O	7789-20-0	**	12.636±0.006	S	3983
				12.637	S	5101
				12.633±0.001	PE	4351
				12.633±0.001	PE	5506
				12.633	PE	3530
				12.637	PE	4602
				12.639	PE	5626
				13.930±0.010	PE	3530
				17.412±0.008	PE	4351
				12.65±0.03	EI	5046
	D <sub>2</sub> O		**			
<b>H<sub>3</sub>O<sup>+</sup></b>	(H <sub>2</sub> O) <sub>2</sub>	25655-83-8	OH	11.73±0.03	PI	5015
	C <sub>2</sub> H <sub>5</sub> OH	64-17-5		14.30±0.02	EI	3487
<b>HO<sub>2</sub><sup>+</sup></b>	HO <sub>2</sub>	3170-83-0	**	11.67±0.15	EI	4920
<b>H<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	H <sub>2</sub> O <sub>2</sub>	7722-84-1	**	10.54	PE	4577
				11.69 (V)	PE	4168
<b>H<sub>4</sub>O<sub>2</sub><sup>+</sup></b>	(H <sub>2</sub> O) <sub>2</sub>	25655-83-8	**	<11.21±0.09	PI	5015
<b>LiO<sup>+</sup></b>	LiO	12142-77-7	**	8.45±0.20	EI	3909
<b>Li<sub>2</sub>O<sup>+</sup></b>	Li <sub>2</sub> O	12057-24-8	**	6.19±0.20	EI	3909
<b>BO<sup>+</sup></b>	BO	12505-77-0	**	13.2±0.2	EI	4483
				13.0±0.5	EI	3473
<b>BO<sub>2</sub><sup>+</sup></b>	BO <sub>2</sub>	13840-88-5	**	14.0±1.0	EI	4054

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>HBO<sub>2</sub><sup>+</sup></b>						
	BHO <sub>2</sub>	13460-50-9	**	13.5±1.0	EI	4054
<b>CO<sup>+</sup></b>						
	CO	630-08-0	**	11.3969	S	5167
(²Σ <sup>+</sup> )			**	14.014	S	3760
(²Π <sub>1/2</sub> )			**	16.550	S	3760
(²Σ <sup>+</sup> )			**	19.672	S	3760
(²Σ <sub>2p</sub> )			**	14.0	PI	5479
(²Π <sub>2p</sub> )			**	16.5	PI	5479
(²Σ <sub>2s</sub> )			**	19.7	PI	5479
(²Σ <sup>+</sup> )			**	14.01	PE	4073
(²Σ <sub>2p</sub> )			**	14.01 (V)	PE	4022
(²Σ <sup>+</sup> )			**	14.01 (V)	PE	5055
(²Π)			**	16.55	PE	4073
(²Π)			**	16.91 (V)	PE	4022
(²Σ <sub>u</sub> <sup>+</sup> )			**	19.69 (V)	PE	3714
(²Σ <sub>2s</sub> )			**	19.72 (V)	PE	4022
(²Σ <sup>+</sup> )			**	39.0	PE	3975
(²Σ <sup>+</sup> )			**	39.7 (V)	PE	4615
(²Σ <sup>+</sup> )			**	14.07±0.05	EI	4958
	CO <sub>2</sub>	124-38-9	O(³S)	29.0	PI	4095
			O	19±2	PI	5170
(²Σ <sup>+</sup> )			O	19.466	PE	4886
			O	19.466	PE	5064
(²Σ <sup>+</sup> )			O	21.433	PE	4886
(²Π)			O	21.976	PE	4886
			O	19.42±0.075	EI	4693
				20.9±1.0	EI	4129
	COS	463-58-1	S <sup>-?</sup>	15.6	EI	3779
<b>CO<sup>+2</sup></b>						
	CO	630-08-0	**	41.8±0.5	EI	4958
<b>CO<sub>2</sub><sup>+</sup></b>						
(²Π <sub>g</sub> )	CO <sub>2</sub>	124-38-9	**	13.77	PI	4932
(X²Π <sub>3/2g</sub> )			**	13.773±0.002	PI	3925
(²Π <sub>3/2g</sub> )			**	13.774±0.003	PI	4349
(X²Π <sub>3/2g</sub> )			**	13.776±0.008	PI	4069
(²Π <sub>1/2g</sub> )			**	13.788±0.003	PI	4349
(²Σ <sub>g</sub> <sup>+</sup> )			**	19.391±0.001	PI	4886
			**	36.2	PI	5127
			**	13±1	PI	5170
			**	35±3	PI	5170
(²Π <sub>3/2g</sub> )			**	13.776±0.002	PE	4910
(²Π <sub>1/2g</sub> )			**	13.797±0.002	PE	4910
(²Π <sub>3/2u</sub> , ²Π <sub>1/2u</sub> )			**	17.316±0.003	PE	4910
(²Σ <sub>u</sub> <sup>+</sup> )			**	18.076±0.002	PE	4910
(²Σ <sub>g</sub> <sup>+</sup> )			**	19.395±0.003	PE	4910
(²Π <sub>g</sub> )			**	13.773 (V)	PE	4886
			**	13.776±0.002	PE	5256
(²Π <sub>g</sub> )			**	13.777±0.002	PE	5132
(²Π <sub>g</sub> )			**	13.78	PE	4073
(²Π <sub>g</sub> )			**	13.78 (V)	PE	4850
(²Π <sub>g</sub> )			**	13.788	PE	5064
(²Π <sub>g</sub> )			**	13.79 (V)	PE	5055
(²Π <sub>g</sub> )			**	13.80±0.01	PE	3965
(²Π <sub>u</sub> )			**	17.31 (V)	PE	4886
(²Π <sub>u</sub> )			**	17.311±0.002	PE	5132
(²Π <sub>u</sub> )			**	17.34±0.01	PE	3965
(²Σ <sub>u</sub> <sup>+</sup> )			**	18.068±0.002	PE	5132
(²Σ <sub>u</sub> <sup>+</sup> )			**	18.07 (V)	PE	4886

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CO}_2^+$ ( $^2\Sigma_u^+$ ) ( $^2\Sigma_g$ ) ( $^2\Sigma_g^+$ ) ( $^2\Sigma_u$ ) ( $^2\Sigma_g$ )	$\text{CO}_2$	124-38-9	**	$18.08 \pm 0.01$	PE	3965
			**	$19.386 \pm 0.002$	PE	5132
			**	$19.39 \pm 0.01$	PE	3965
			**	37	PE	4095
			**	38.4	PE	4095
			**	$13.79 \pm 0.05$	EI	5240
			**	$13.83 \pm 0.05$	EI	4693
			**	$13.89 \pm 0.03$	EI	4877
			**	$13.92 \pm 0.2$	EI	5588
$\text{C}_3\text{O}_2^+$	$\text{C}_3\text{O}_2$	504-64-3	**	10.605	PE	3728
$\text{CHO}^+$ ( $^2A'$ )	$\text{HCO}$	17030-74-9	**	$8.55 \pm 0.01$	PE	5008
	$\text{HCHO}$	50-00-0	H	$11.89 \pm 0.03$	PI	3554
	$\text{CH}_3\text{OH}$	67-56-1	$\text{H}_2 + \text{H}$	$13.06 \pm 0.10$	PI	3554
	$\text{CD}_3\text{OH}$	1849-29-2	$\text{D}_2 + \text{D}$	$13.8 \pm 0.6$	EI	5173
	$\text{CH}_3\text{CHO}$	75-07-0	$\text{CH}_3$	$11.79 \pm 0.03$	PI	4177
	$\text{CH}_3\text{CDO}$	4122-13-8		12.67	PI	5270
	$\text{CD}_3\text{CHO}$	19901-15-6		11.98	PI	5270
			$\text{CH}_3$	$12.03 \pm 0.03$	PI	4350
				12.03	PI	5270
	$\text{C}_2\text{H}_4\text{O}$ (Oxirane)	75-21-8	$\text{CH}_3$	$11.54 \pm 0.03$	PI	4350
	$(\text{CH}_3)_2\text{O}$	115-10-6		$13.96 \pm 0.2$	EI	4071
	$\text{CH}_3\text{OCD}_3$	13725-27-4		$13.97 \pm 0.2$	EI	4071
	$\text{C}_2\text{H}_5\text{OCD}_3$	16995-14-5		$13.13 \pm 0.2$	EI	4071
	$\text{C}_4\text{H}_4\text{O}$ (Furan)	110-00-9	$\text{C}_3\text{H}_3$	$13.2 \pm 0.1$	PE	5289
	$\text{HCOOH}$	64-18-6	OH	$12.79 \pm 0.03$	PI	4177
			OH	$13.0 \pm 0.1$	PI	5135
	$\text{HNCO}$	420-05-3	N	15.52	EI	4507
	$\text{HCONH}_2$	75-12-7		13.70	EI	4878
	$\text{HCONHCH}_3$	123-39-7		12.40	EI	4878
	$\text{HCON}(\text{CH}_3)_2$	68-12-2		14.50	EI	4878
$\text{CDO}^+$	$\text{DCO}$	15233-68-8	**	$8.56 \pm 0.01$	PE	5008
	$\text{CD}_3\text{OH}$	1849-29-2	$\text{D}_2 + \text{H}$	$13.53 \pm 0.5$	EI	5173
	$\text{CD}_3\text{OD}$	811-98-3		14.88	PI	5174
	$\text{CH}_3\text{CDO}$	4122-13-8		11.95	PI	5270
	$\text{CD}_3\text{CHO}$	19901-15-6		12.65	PI	5270
	$\text{CH}_3\text{OCD}_3$	13725-27-4		$13.87 \pm 0.2$	EI	4071
	$\text{C}_2\text{H}_5\text{OCD}_3$	16995-14-5		$13.57 \pm 0.2$	EI	4071
$\text{CH}_2\text{O}^+$	$\text{H}_2\text{CO}$	50-00-0	**	$10.874 \pm 0.002$	S	5071
			**	$10.88 \pm 0.02$	PI	3554
			**	$10.90 \pm 0.03$	PI	3765
			**	10.1 (V)	PE	4467
			**	$10.885 \pm 0.005$	PE	5519
	$\text{CH}_3\text{OH}$	67-56-1	$\text{H}_2$	$12.05 \pm 0.12$	PI	3554
$\text{CHDO}^+$	$\text{CD}_3\text{OH}$	1849-29-2	$\text{D}_2$	$12.78 \pm 0.3$	EI	5173
$\text{CD}_2\text{O}^+$	$\text{D}_2\text{CO}$	XXXXXX-XX-X	**	$10.901 \pm 0.006$	S	5071
	$\text{CD}_3\text{OH}$	1849-29-2	HD	$12.28 \pm 0.4$	EI	5173

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CH<sub>3</sub>O<sup>+</sup></b>	CH <sub>3</sub> OH	67-56-1	H	11.55±0.03	PI	3554
			H	11.69	EI	4915
			H	11.76±0.11	EI	5503
	(CH <sub>3</sub> ) <sub>2</sub> O	115-10-6	CH <sub>3</sub>	≤11.8	EI	4915
			CH <sub>3</sub>	12.42±0.1	EI	4071
	C <sub>2</sub> H <sub>5</sub> OH	13725-27-4	CH <sub>3</sub>	11.30	EI	4915
	C <sub>2</sub> H <sub>5</sub> OCH <sub>3</sub>	540-67-0	C <sub>2</sub> H <sub>5</sub>	≤11.7	EI	4915
				12.86±0.1	EI	4071
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> OH	71-23-8	C <sub>2</sub> H <sub>5</sub>	11.16±0.03	EI	3626
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> O	60-29-7		11.92	EI	5072
<b>CHD<sub>2</sub>O<sup>+</sup></b>	CD <sub>3</sub> OH	1849-29-2	D	11.30±0.3	EI	5173
	C <sub>2</sub> H <sub>5</sub> OCD <sub>3</sub>	16995-14-5		12.86±0.05	EI	4071
<b>CD<sub>3</sub>O<sup>+</sup></b>	CD <sub>3</sub> OH	1849-29-2	H	11.40±0.5	EI	5173
	CD <sub>3</sub> OD	811-98-3	D	12.71	PI	5174
<b>CH<sub>4</sub>O<sup>+</sup></b>	CH <sub>3</sub> OH	67-56-1	**	10.83±0.03	PI	3554
			**	10.85±0.01	PI	4957
			**	10.846±0.002	PE	4770
			**	10.86 (V)	PE	4850
			**	10.94 (V)	PE	4068
			**	10.95	PE	4087
			**	10.95 (V)	PE	4032
			**	10.95 (V)	PE	4884
			**	10.95 (V)	PE	5249
			**	10.96 (V)	PE	3941
			**	10.97±0.03 (V)	PE	4484
			**	10.90±0.03	EI	4877
			**	10.90±0.12	EI	5503
<b>CH<sub>4</sub>O<sup>2+</sup></b>	CH <sub>3</sub> OH	67-56-1	**	33.2±0.5	OTH	5147
<b>CH<sub>3</sub>DO<sup>+</sup></b>	CH <sub>3</sub> OD	4206-31-9	**	10.861±0.002	PE	4770
<b>CHD<sub>3</sub>O<sup>+</sup></b>	CD <sub>3</sub> OH	1849-29-2	**	10.84±0.1	EI	5173
<b>CD<sub>4</sub>O<sup>+</sup></b>	CD <sub>3</sub> OD	811-98-3	**	11.00	PI	5174
			**	10.885±0.002	PE	4770
<b>C<sub>2</sub>H<sub>2</sub>O<sup>+</sup></b>	CH <sub>2</sub> =C=O	463-51-4	**	9.614±0.008	PI	5458
			**	9.60 (V)	PE	5610
			**	9.61±0.02	PE	5458
			**	9.63±0.02	PE	5211
	CH <sub>3</sub> CHO	75-07-0	H <sub>2</sub> ?	13.06±0.09	PI	4350
	C <sub>2</sub> H <sub>4</sub> O	75-21-8	H <sub>2</sub> ?	13.07±0.05	PI	4350
	(Oxirane)					
	C <sub>3</sub> H <sub>4</sub> (=O)	5009-27-8		9.9±0.1	EI	4689
	(Cyclopropanone)					
	C <sub>4</sub> H <sub>4</sub> O	110-00-9	C <sub>2</sub> H <sub>2</sub>	11.80±0.10	PE	5289
	(Furan)					



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_2O^+$	$C_3H_6O$ (Cyclobutanone)	1191-95-3	$C_2H_4$	$10.53 \pm 0.15$	EI	3794
	$C_3H_3NO$ (Oxazole)	288-42-6	HCN	$12.15 \pm 0.6$	EI	5400
$C_2H_3O^+$	$CH_3CHO$	75-07-0	H	$10.82 \pm 0.03$	PI	4177
			H	$10.90 \pm 0.03$	PI	4350
			H	10.90	PI	5270
	$C_2H_4O$ (Oxirane)	75-21-8	H	$11.62 \pm 0.05$	PI	4350
	$CH_3CDO$	4122-13-8	D	10.92	PI	5270
	$(CH_3)_2CO$	67-64-1	$CH_3$	$10.52 \pm 0.02$	PI	5412
			$CH_3$	12.22	PE	5066
			$CH_3$	$10.28 \pm 0.05$	EI	3626
				10.30	EI	4535
			$CH_3$	11.3	EI	3550
	$CH_3COC \equiv CH$	1423-60-5	$C_2H$	$12.10 \pm 0.10$	PE	5289
	$C_2H_5COCH_3$	78-93-3		10.69	EI	4535
	<i>iso</i> - $C_3H_7COCH_3$	563-80-4		10.68	EI	4535
	<i>tert</i> - $C_4H_9COCH_3$	75-97-8		$\sim 11.3$	EI	4535
	$CH_3COOCH_3$	79-20-9		10.94	EI	5070
	$C_6H_5OOCCH_3$ (Acetic acid, phenyl ester)	122-79-2	<i>cyclo</i> - $C_6H_5O$	$12.78 \pm 0.2$	EI	3484
			$C_6H_5O$	$12.83 \pm 0.03$	EI	3483
	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 3-methylphenyl ester)	122-46-3	$C_6H_4(CH_3)O$	$13.83 \pm 0.2$	EI	3484
	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester)	140-39-6		$13.97 \pm 0.2$	EI	3484
	$C_6H_5CH_2CH_2OCOCH_3$ (Acetic acid, 2-phenylethyl ester)	103-45-7		11.70	EI	3590
	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methyl-, acetate)	33709-40-9		11.90	EI	3590
	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methyl-, acetate)	22532-47-4		11.90	EI	3590
	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 3-methoxy-, acetate)	5451-83-2	$C_6H_4(OCH_3)O$	$13.92 \pm 0.2$	EI	3484
	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 4-methoxy-, acetate)	1200-06-2	$C_6H_4(OCH_3)O$	$14.57 \pm 0.2$	EI	3484
	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methoxy-, acetate)	33709-39-6		11.80	EI	3590
	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methoxy-, acetate)	22532-51-0		12.20	EI	3590
	$C_6H_4(COOH)OOCCH_3$ (Benzoic acid, 4-(acetyloxy)-)	2345-34-8	$C_6H_4(COOH)O$	$12.46 \pm 0.2$	EI	3484
	$CH_3CONH_2$	60-35-5		11.70	EI	4878
	$CH_3CONHCH_3$	79-16-3		12.40	EI	4878
	$CH_3CON(CH_3)_2$	127-19-5		12.55	EI	4878
	$C_5H_8NCOCH_3$ (Pyridine, 1-acetyl-1,2,3,4-tetrahydro-)	19615-27-1		13.5	EI	4046
	$C_5H_{10}NCOCH_3$ (Piperidine, 1-acetyl-)	618-42-8		15.1	EI	4046
	$C_6H_5NHCOCH_3$ (Acetamide, <i>N</i> -phenyl-)	103-84-4		$13.22 \pm 0.03$	EI	3483
	$C_6H_4(NH_2)CH_2CH_2OCOCH_3$ (Benzeneethanol, 4-amino-, acetate(ester))	33709-38-5		12.30	EI	3590
	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 3-nitrophenyl ester)	1523-06-4		$10.94 \pm 0.2$	EI	3484
	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 4-nitrophenyl ester)	830-03-5		$10.85 \pm 0.2$	EI	3484
	$((CH_3)_2C(NO)COCH_3)_2$	30442-79-6		11.60	EI	4809

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3O^+$	$(C_6H_{11}NO_2)_2$	68777-99-1		10.40	EI	4809
	$((CH_3)_2C(NO)OOCCH_3)_2$	68777-98-0		10.20	EI	4809
	$C_6H_4FOOCCH_3$	29650-44-0	$C_6H_4FO$	$12.23 \pm 0.03$	EI	3483
	(Phenol, 2-fluoro-, acetate)					
	$C_6H_4FOOCCH_3$	405-51-6	$C_6H_4FO$	$12.72 \pm 0.03$	EI	3483
	(Phenol, 4-fluoro-, acetate)					
	$C_6H_3F_2OOCCH_3$	36914-77-9		$12.00 \pm 0.03$	EI	3480
	(Phenol, 2,4-difluoro-, acetate)					
	$C_6H_3F_2OOCCH_3$	36914-78-0		$12.24 \pm 0.03$	EI	3480
	(Phenol, 2,6-difluoro-, acetate)					
	$CH_3COCF_3$	421-50-1		11.45	EI	3550
	$C_6H_4FNHCOCH_3$	399-31-5		$13.59 \pm 0.03$	EI	3483
	(Acetamide, <i>N</i> -(2-fluorophenyl)-)					
	$C_6H_4FNHCOCH_3$	351-83-7		$13.42 \pm 0.03$	EI	3483
	(Acetamide, <i>N</i> -(4-fluorophenyl)-)					
	$C_6H_3F_2NHCOCH_3$	399-36-0		$13.18 \pm 0.03$	EI	3480
	(Acetamide, <i>N</i> -(2,4-difluorophenyl)-)					
	$C_6H_3F_2NHCOCH_3$	3869-29-5		$13.80 \pm 0.03$	EI	3480
	(Acetamide, <i>N</i> -(2,6-difluorophenyl)-)					
	$C_6H_4ClOOCCH_3$	4525-75-1		$12.55 \pm 0.03$	EI	3483
	(Acetic acid, 2-chlorophenyl ester)					
	$C_6H_4ClOOCCH_3$	13031-39-5		$12.36 \pm 0.2$	EI	3484
	(Acetic acid, 3-chlorophenyl ester)					
	$C_6H_4ClOOCCH_3$	876-27-7		$12.39 \pm 0.03$	EI	3483
	(Acetic acid, 4-chlorophenyl ester)					
	$C_6H_4ClCH_2CH_2OCOCH_3$	33709-41-0		$12.73 \pm 0.2$	EI	3484
	(Phenethyl alcohol, <i>m</i> -chloro-, acetate)			11.60	EI	3590
	$C_6H_3Cl_2OOCCH_3$	6341-97-5		$12.11 \pm 0.03$	EI	3480
	(Phenol, 2,4-dichloro-, acetate)					
	$C_6H_3Cl_2OOCCH_3$	28165-71-1		$12.09 \pm 0.03$	EI	3480
	(Phenol, 2,6-dichloro-, acetate)					
	$C_6H_4ClNHCOCH_3$	533-17-5		$13.91 \pm 0.03$	EI	3483
	(Acetamide, <i>N</i> -(2-chlorophenyl)-)					
	$C_6H_4ClNHCOCH_3$	539-03-7		$13.00 \pm 0.03$	EI	3483
	(Acetamide, <i>N</i> -(4-chlorophenyl)-)					
	$C_6H_3Cl_2NHCOCH_3$	6975-29-7		$13.08 \pm 0.03$	EI	3480
	(Acetamide, <i>N</i> -(2,4-dichlorophenyl)-)					
	$C_6H_3Cl_2NHCOCH_3$	17700-54-8		$13.40 \pm 0.03$	EI	3480
	(Acetamide, <i>N</i> -(2,6-dichlorophenyl)-)					
	$C_6H_4BrCOOCH_3$	1829-37-4		$12.24 \pm 0.03$	EI	3483
	(Phenol, 2-bromo-, acetate)					
	$C_6H_4BrOOCCH_3$	35065-86-2		$12.36 \pm 0.2$	EI	3484
	(Phenol, 3-bromo-, acetate)					
	$C_6H_4BrOOCCH_3$	1927-95-3		$12.87 \pm 0.2$	EI	3484
	(Phenol, 4-bromo-, acetate)					
	$C_6H_3Br_2OOCCH_3$	36914-79-1		$13.06 \pm 0.03$	EI	3483
	(Phenol, 2,4-dibromo-, acetate)			$12.01 \pm 0.03$	EI	3480
	$C_6H_3Br_2OOCCH_3$	28165-72-2		$12.36 \pm 0.03$	EI	3480
	(Phenol, 2,6-dibromo-, acetate)					
	$C_6H_4BrNHCOCH_3$	614-76-6		$14.68 \pm 0.03$	EI	3483
	(Acetamide, <i>N</i> -(2-bromophenyl)-)					
	$C_6H_4BrNHCOCH_3$	103-88-8		$13.96 \pm 0.03$	EI	3483
	(Acetamide, <i>N</i> -(4-bromophenyl)-)					
	$C_6H_3Br_2NHCOCH_3$	23373-04-8		$13.10 \pm 0.03$	EI	3480
	(Acetamide, <i>N</i> -(2,4-dibromophenyl)-)					
	$C_6H_3Br_2NHCOCH_3$	33098-80-5		$13.21 \pm 0.03$	EI	3480
	(Acetamide, <i>N</i> -(2,6-dibromophenyl)-)					
	$C_6H_4IOOCCH_3$	32865-61-5	$C_6H_4IO$	$12.47 \pm 0.03$	EI	3483
	(Phenol, 2-iodo-, acetate)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>2</sub>H<sub>3</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> IOOCCCH <sub>3</sub> (Phenol, 4-iodo-, acetate)	33527-94-5	C <sub>6</sub> H <sub>4</sub> IO	12.74±0.03	EI	3483
	C <sub>6</sub> H <sub>3</sub> I <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,4-diiodo-, acetate)	36914-80-4		12.15±0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> I <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,6-diiodo-, acetate)	28165-73-3		12.02±0.03	EI	3480
	C <sub>6</sub> H <sub>4</sub> INHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2-iodophenyl)-)	19591-17-4		13.56±0.03	EI	3483
	C <sub>6</sub> H <sub>4</sub> INHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(4-iodophenyl)-)	622-50-4		13.16±0.03	EI	3483
<b>C<sub>2</sub>D<sub>3</sub>O<sup>+</sup></b>	CD <sub>3</sub> CHO	19901-15-6	H	10.91	PI	5270
	(CD <sub>3</sub> ) <sub>2</sub> CO	666-52-4	CD <sub>3</sub>	10.56±0.02	PI	5412
<b>C<sub>2</sub>H<sub>4</sub>O<sup>+</sup></b>	C <sub>4</sub> H <sub>7</sub> (OH) (Cyclobutanol)	2919-23-5	C <sub>2</sub> H <sub>4</sub>	9.87	EI	4729
	C <sub>2</sub> H <sub>3</sub> O(CH <sub>2</sub> OH) (Oxiranemethanol)	556-52-5	CH <sub>2</sub> O	10.30	EI	4729
	CH <sub>3</sub> CHO	75-07-0	**	10.19	S	5273
			**	10.20±0.02	PI	4177
			**	10.20±0.03	PI	3765
			**	10.22±0.01	PI	4350
			**	10.22	PI	5270
			**	10.2298±0.0007	PI	4306
			**	10.20	PE	4471
			**	10.20	PE	4520
			**	10.21	PE	4224
			**	10.227±0.005	PE	5519
			**	10.23 (V)	PE	4850
			**	10.24±0.02	PE	4220
			**	10.26 (V)	PE	4513
			**	10.9 (V)	PE	4467
			**	10.23	EI	4729
	CH <sub>2</sub> =CHOH	557-75-5	**	9.0±0.15	OTH	4729
			**	10.558±0.1	PI	4868
	C <sub>2</sub> H <sub>4</sub> O (Oxirane)	75-21-8	**	10.56±0.01	PI	4350
			**	10.4±0.1	PE	4990
			**	10.560	PE	4868
			**	10.568 (V)	PE	4527
			**	10.57	EI	4729
	C <sub>2</sub> H <sub>5</sub> OH	64-17-5	H <sub>2</sub>	~ 10.45	EI	4729
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> OH	67-63-0	CH <sub>4</sub>	10.23±0.02	PI	5512
	CH <sub>2</sub> =CHOC <sub>2</sub> H <sub>5</sub>	109-92-2	C <sub>2</sub> H <sub>4</sub>	10.19	EI	4729
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> CHO	123-72-8	C <sub>2</sub> H <sub>4</sub>	10.52	EI	4729
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> CHO	110-62-3	C <sub>3</sub> H <sub>6</sub>	11.40	EI	5264
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> CHO	26140-47-6	C <sub>3</sub> H <sub>6</sub>	10.57	EI	4729
	(CH <sub>3</sub> ) <sub>2</sub> CHC <sub>2</sub> H <sub>4</sub> CHO	1119-16-0	C <sub>4</sub> H <sub>8</sub>	11.40	EI	5264
	C <sub>2</sub> H <sub>5</sub> CH(CH <sub>3</sub> )CH <sub>2</sub> CHO	15877-57-3	2-C <sub>4</sub> H <sub>8</sub>	10.88	EI	4729
	<i>n</i> -C <sub>5</sub> H <sub>11</sub> CHO	66-25-1	C <sub>4</sub> H <sub>8</sub>	11.40	EI	5264
			C <sub>4</sub> H <sub>8</sub>	11.60	EI	5264
			C <sub>4</sub> H <sub>8</sub>	~ 10.7	EI	4729
	C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> (1,3-dioxolane)	646-06-0	CH <sub>2</sub> O	10.87	EI	4729
<b>C<sub>2</sub>H<sub>3</sub>DO<sup>+</sup></b>	CH <sub>3</sub> CDO	4122-13-8	**	10.21	PI	5270

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2HD_3O^+$	CD <sub>3</sub> CHO	19901-15-6	**	10.19	PI	5270
$C_2D_4O^+$	C <sub>2</sub> D <sub>4</sub> O (Oxirane- <i>d</i> <sub>4</sub> )	6552-57-4	**	10.571	PE	4868
$C_2H_5O^+$	CH <sub>3</sub> OCH <sub>2</sub>	23653-97-6	**	6.94	EI	4915
	C <sub>2</sub> H <sub>5</sub> OH	64-17-5	H	10.75±0.03	EI	5467
			H	10.67	EI	4915
	(CH <sub>3</sub> ) <sub>2</sub> O	115-10-6	H	10.99	EI	4915
			H	10.70±0.13	EI	5503
			H	11.23±0.04	EI	5467
			H	11.55±0.15	EI	4071
	C <sub>2</sub> H <sub>5</sub> OCH <sub>3</sub>	540-67-0	CH <sub>3</sub>	10.47	EI	4915
			CH <sub>3</sub>	10.91±0.1	EI	4071
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> OH	71-23-8	CH <sub>3</sub>	11.35±0.04	EI	5467
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> OH	67-63-0	CH <sub>3</sub>	10.40±0.03	PI	5512
			CH <sub>3</sub>	10.26	EI	4915
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> O	60-29-7	C <sub>2</sub> H <sub>5</sub>	11.85	EI	4915
				11.83	EI	4603
	C <sub>2</sub> H <sub>5</sub> CH(OH)CH <sub>3</sub>	78-92-2	C <sub>2</sub> H <sub>5</sub>	10.22	EI	4915
	CH <sub>3</sub> CD <sub>2</sub> OC <sub>2</sub> H <sub>5</sub>	XXXXX-XX-X		11.71	EI	4603
	CH <sub>3</sub> CH(OH)CH <sub>2</sub> OH	57-55-6	CH <sub>2</sub> OH	10.25	EI	4915
	CH <sub>3</sub> OCH <sub>2</sub> CH <sub>2</sub> OH	109-86-4	CH <sub>2</sub> OH	10.36	EI	4915
	CH <sub>3</sub> OCH <sub>2</sub> CH <sub>2</sub> OCH <sub>3</sub>	110-71-4	CH <sub>3</sub> OCH <sub>2</sub>	10.27	EI	4915
	C <sub>2</sub> H <sub>5</sub> ONO	79-24-3	NO	10.62±0.07	EI	5467
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		12.75	EI	4809
	CH <sub>2</sub> BrCH <sub>2</sub> OH	540-51-2	Br	10.47±0.05	EI	5467
$C_2H_4DO^+$	CH <sub>3</sub> CD <sub>2</sub> OC <sub>2</sub> H <sub>5</sub>	XXXXX-XX-X		11.91	EI	4603
$C_2H_3D_2O^+$	CH <sub>3</sub> OCD <sub>3</sub>	13725-27-4	D	11.53±0.1	EI	4071
	CH <sub>3</sub> CD <sub>2</sub> OC <sub>2</sub> H <sub>5</sub>	XXXXX-XX-X		13.1	EI	4603
$C_2H_2D_3O^+$	CH <sub>3</sub> OCD <sub>3</sub>	13725-27-4	H	11.15±0.1	EI	4071
	C <sub>2</sub> H <sub>5</sub> OCD <sub>3</sub>	16995-14-5	CH <sub>3</sub>	10.41±0.06	EI	5503
			CH <sub>3</sub>	11.01±0.1	EI	4071
$C_2H_6O^+$	C <sub>2</sub> H <sub>5</sub> OH	64-17-5	**	10.59 (V)	PE	5514
			**	10.61 (V)	PE	4850
			**	10.62 (V)	PE	3941
			**	10.64 (V)	PE	4068
			**	10.64 (V)	PE	5249
			**	10.65±0.03 (V)	PE	4484
			**	10.65 (V)	PE	5088
	(CH <sub>3</sub> ) <sub>2</sub> O	115-10-6	**	9.8±0.1	PE	4990
			**	9.98 (V)	PE	4850
			**	10.0±0.2 (V)	PE	4774
			**	10.03 (V)	PE	4884
			**	10.04 (V)	PE	3656
			**	10.04 (V)	PE	3844
			**	10.052 (V)	PE	4527
			**	11.94 (V)	PE	5249
			**	10.12±0.2	EI	4071

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3D_3O^+$	$CH_3OCD_3$	13725-27-4	**	$10.00 \pm 0.1$	EI	4071
$C_3HO^+$	$CH_3COC \equiv CH$	1423-60-5	$CH_3$	$11.00 \pm 0.10$	PE	5289
$C_3H_2O^+$	$C_3H_2(=O)$ (2-Cyclopropen-1-one)	2961-80-0	**	9.47	PE	4270
			**	$10.0 \pm 0.3$	EI	4689
$C_3H_3O^+$	$CH_2 = CHCOCH_3$ ( $C_6H_{11}NO_2$ ) <sub>2</sub>	78-94-4 68777-99-1	$CH_3$	$10.44 \pm 0.05$ 13.25	EI EI	5445 4809
$C_3H_4O^+$	$CH_2 = CHCHO$	107-02-8	**	10.13	PE	3864
			**	10.15 (V)	PE	4195
	$CH \equiv CCH_2OH$	107-19-7	**	10.45 (V)	PE	4847
	$CH_3CH = C = O$	6004-44-0	**	8.95 (V)	PE	5610
	$C_3H_4(=O)$ (Cyclopropanone)	5009-27-8	**	$9.1 \pm 0.1$	EI	4689
	$CH_2 = CHCHO$ (2-Propenal)	107-02-8	**	10.11	PE	5360
$C_3H_5O^+$	$C_2H_5COCH_3$ ( $C_2H_5$ ) <sub>2</sub> CO ( $C_6H_{11}NO_2$ ) <sub>2</sub>	123-72-8 96-22-0 68777-99-1		10.22 10.10 10.75	EI EI EI	4535 4535 4809
$C_3H_6O^+$	(CH <sub>3</sub> ) <sub>2</sub> CO	67-64-1	**	9.705	S	5006
			**	9.71	S	5273
			**	$9.694 \pm 0.006$	PI	5412
			**	$9.700 \pm 0.001$	PI	4306
			**	$9.71 \pm 0.03$	PI	3765
			**	9.5 (V)	PE	4467
			**	9.68 (V)	PE	4850
			**	9.70 (V)	PE	4513
			**	$9.709 \pm 0.005$	PE	5519
			**	9.709 (V)	PE	4527
			**	$9.71 \pm 0.01$	PE	4535
			**	$9.71 \pm 0.02$ (V)	PE	4524
			**	9.71	PE	4224
			**	9.71 (V)	PE	4233
			**	9.72	PE	3649
			**	9.72 (V)	PE	4285
			**	9.72 (V)	PE	5538
			**	$9.75 \pm 0.025$	PE	3626
			**	$9.71 \pm 0.03$	EI	4535
			**	9.74	EI	3485
	$CH_2 = CHCH_2OH$	107-18-6	**	9.63	PE	3864
			**	10.22 (V)	PE	3863
	$CH_2 = CHOCH_3$	107-25-5	**	8.95	PE	3863
			**	8.96	PE	4246
			**	9.05 (V)	PE	4291
	$C_2H_5CHO$	123-38-6	**	9.85 (V)	PE	4513
			**	$9.953 \pm 0.005$	PE	5519
			**	9.96 (V)	PE	4850
			**	9.99	PE	4224
	$C_3H_6O$	503-30-0	**	9.63	PE	3980
	(Oxetane)			$9.679$ (V)	PE	4527



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>3</sub>H<sub>6</sub>O<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> OCH <sub>3</sub> (Oxirane, methyl-)	75-56-9	**	10.26 (V)	PE	4747
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> COCH <sub>3</sub>	107-87-9	C <sub>2</sub> H <sub>4</sub>	10.08	EI	5039
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> CHO	110-62-3	C <sub>2</sub> H <sub>4</sub>	9.82	EI	5039
			C <sub>2</sub> H <sub>4</sub>	10.00	EI	5264
	C <sub>5</sub> H <sub>9</sub> OH (Cyclopentanol)	96-41-3	C <sub>2</sub> H <sub>4</sub>	9.98	EI	5039
	(CH <sub>3</sub> ) <sub>2</sub> CHC <sub>2</sub> H <sub>4</sub> CHO	1119-16-0	C <sub>3</sub> H <sub>6</sub>	11.00	EI	5264
	C <sub>2</sub> H <sub>5</sub> CH(CH <sub>3</sub> )CH <sub>2</sub> CHO	15877-57-3	C <sub>3</sub> H <sub>6</sub>	10.10	EI	5264
	<i>n</i> -C <sub>5</sub> H <sub>11</sub> CHO	66-25-1	C <sub>3</sub> H <sub>6</sub>	9.72	EI	5039
			C <sub>3</sub> H <sub>6</sub>	10.20	EI	5264
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> CH(CH <sub>3</sub> )CHO	123-15-9	C <sub>3</sub> H <sub>6</sub>	9.80	EI	5039
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> COCH <sub>3</sub>	591-78-6	C <sub>3</sub> H <sub>6</sub>	10.04	EI	5039
	<i>sec</i> -C <sub>5</sub> H <sub>11</sub> CHO	123-15-9	C <sub>3</sub> H <sub>6</sub>	10.30	EI	5264
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> COCH <sub>3</sub>	108-10-1	C <sub>3</sub> H <sub>6</sub>	9.98	EI	5039
<b>C<sub>3</sub>D<sub>6</sub>O<sup>+</sup></b>	(CD <sub>3</sub> ) <sub>2</sub> CO	666-52-4	**	9.695±0.006	PI	5412
			**	9.68	PE	3649
<b>C<sub>3</sub>H<sub>7</sub>O<sup>+</sup></b>	CH <sub>3</sub> CHOCH <sub>3</sub>	20615-69-4	**	<6.50	EI	4915
	C <sub>2</sub> H <sub>5</sub> OCH <sub>3</sub>	540-67-0	H	10.32	EI	4915
			H	10.32±0.1	EI	4071
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> OH	71-23-8	H	10.2	EI	3916
			H	10.48±0.03	EI	3626
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> OH	67-63-0	H	10.3±0.5	PI	5512
			H	<10.48	EI	4915
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> O	60-29-7	CH <sub>3</sub>	10.26	EI	4915
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> OCH <sub>3</sub>	598-53-8	CH <sub>3</sub>	9.82	EI	4915
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> OH	75-65-0	CH <sub>3</sub>	9.86	EI	4915
				10.1±0.2	EI	4124
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> (CH <sub>3</sub> )OH	71-23-8	CH <sub>3</sub>	10.18	EI	4915
	<i>tert</i> -C <sub>5</sub> H <sub>11</sub> OH	75-85-4	C <sub>2</sub> H <sub>5</sub>	9.80	EI	4915
	C <sub>2</sub> H <sub>5</sub> OCH <sub>2</sub> CH <sub>2</sub> OH	110-80-5	CH <sub>2</sub> OH	10.26	EI	4915
	CH <sub>3</sub> OCH(CH <sub>3</sub> )CH <sub>2</sub> OH	1589-47-5	CH <sub>2</sub> OH	9.68	EI	4915
<b>C<sub>3</sub>H<sub>4</sub>D<sub>3</sub>O<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> OCD <sub>3</sub>	16995-14-5	H	10.22±0.1	EI	4071
<b>C<sub>3</sub>H<sub>8</sub>O<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> OCH <sub>3</sub>	540-67-0	**	9.72 (V)	PE	5088
			**	9.62±0.1	EI	4071
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> OH	71-23-8	**	10.15±0.025	PE	3626
			**	10.49 (V)	PE	4068
			**	10.51 (V)	PE	3941
			**	10.51 (V)	PE	4850
			**	10.52±0.03 (V)	PE	4484
			**	10.0	EI	3916
			**	10.16±0.03	EI	3626
		67-63-0	**	10.10±0.02	PI	5512
			**	10.36 (V)	PE	4068
			**	10.42 (V)	PE	3941
			**	10.44 (V)	PE	4850
			**	10.49±0.03 (V)	PE	4484
<b>C<sub>3</sub>H<sub>5</sub>D<sub>3</sub>O<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> OCD <sub>3</sub>	16995-14-5	**	9.64±0.1	EI	4071
<b>C<sub>4</sub>H<sub>4</sub>O<sup>+</sup></b>	CH <sub>3</sub> COC≡CH	1423-60-5	**	10.19	PE	5289

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>3</sub>H<sub>4</sub>O<sup>+</sup></b>	C <sub>3</sub> H(=O)CH <sub>3</sub> (Cyclopropenone, methyl-)	XXXXX-XX-X	**	9.15±0.05	PE	5086
	C <sub>4</sub> H <sub>4</sub> O (Furan)	110-00-9	**	8.91±0.01	PI	4058
			**	8.88	PE	5289
			**	~8.8	EI	4656
			**	8.85±0.05	EI	4316
			**	8.99±0.05	EI	3482
			**	8.89	CTS	4382
<b>C<sub>4</sub>H<sub>5</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>8</sub> NCOCH=CHCH <sub>3</sub> (Pyridine, 1,2,3,4-tetrahydro-1-(1-oxo-2-butenyl)-, (E))	50838-23-8		13.0	EI	4046
	C <sub>5</sub> H <sub>10</sub> NCOCH=CHCH <sub>3</sub> (Piperidine, 1-(1-oxo-2-butenyl)-, (E))	50838-22-7	**	14.6	EI	4046
<b>C<sub>4</sub>H<sub>6</sub>O<sup>+</sup></b>	CH <sub>2</sub> =CHCOCH <sub>3</sub>	78-94-4	**	9.61 (V)	PE	4224
			**	9.67 (V)	PE	4285
			**	10.11 (V)	PE	5538
			**	9.66	PE	5360
	(CH <sub>3</sub> ) <sub>2</sub> C=C=O	598-26-5	**	8.38 (V)	PE	5610
	CH≡CCH(CH <sub>3</sub> )OH	2028-63-9	**	10.41 (V)	PE	4847
	CH <sub>3</sub> CH=CHCHO	4170-30-3	**	9.86±0.03 (V)	PE	4767
			**	9.75	PE	5360
	CH <sub>2</sub> =C=CHOCH <sub>3</sub>	13169-00-1	**	8.75 (V)	PE	4748
	C <sub>4</sub> H <sub>6</sub> O (Cyclobutanone)	1191-95-3	**	9.61±0.02 (V)	PE	3517
			**	9.4±0.1	EI	4689
			**	9.58±0.1	EI	3794
	C <sub>4</sub> H <sub>6</sub> O (Furan, 2,5-dihydro-)	1708-29-8	**	9.14±0.02 (V)	PE	3843
			**	9.16	PE	4688
			**	9.16 (V)	PE	4290
	C <sub>2</sub> H <sub>3</sub> OCH=CH <sub>2</sub> (Oxirane, ethenyl-)	930-22-3	**	9.94 (V)	PE	4747
	CH <sub>2</sub> =C(CH <sub>3</sub> )CHO (2-Propenal, 2-methyl-)	78-85-3	**	9.92	PE	5360
<b>C<sub>4</sub>H<sub>7</sub>O<sup>+</sup></b>	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> COCH <sub>3</sub>	563-80-4		9.9	EI	4535
	<i>(iso</i> -C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> CO	565-80-0		9.56	EI	4535
<b>C<sub>4</sub>H<sub>8</sub>O<sup>+</sup></b>	CH <sub>2</sub> =CHCH <sub>2</sub> (OCH <sub>3</sub> )	627-40-7	**	9.84±0.05 (V)	PE	4954
			**	9.54±0.03	PI	3765
	C <sub>2</sub> H <sub>5</sub> COCH <sub>3</sub>	78-93-3	**	9.49 (V)	PE	4850
			**	9.52	PE	4224
			**	9.529±0.005	PE	5519
			**	9.53±0.01	PE	4535
			**	9.56 (V)	PE	4513
			**	9.54±0.03	EI	4535
			**	10.05 (V)	PE	5460
			**	9.83 (V)	PE	4513
	CH <sub>2</sub> =CHCH(OH)CH <sub>3</sub> <i>n</i> -C <sub>3</sub> H <sub>7</sub> CHO	598-32-3	**	9.836±0.005	PE	5519
			**	9.85 (V)	PE	4850
			**	9.82 (V)	PE	4224
			**	9.705±0.005	PE	5519
	<i>sec</i> -C <sub>3</sub> H <sub>7</sub> CHO	78-84-2	**	9.41	S	3749
			**	9.38	PE	4573
	C <sub>4</sub> H <sub>8</sub> O (Furan, tetrahydro-)	109-99-9	**			
			**			

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.	
<b>C<sub>4</sub>H<sub>8</sub>O<sup>+</sup></b>	C <sub>4</sub> H <sub>8</sub> O	109-99-9	**	9.53 (V)	PE	4145	
			**	9.57±0.02 (V)	PE	3843	
			**	9.65 (V)	PE	4290	
			**	9.71 (V)	PE	4742	
	C <sub>2</sub> H <sub>2</sub> O(CH <sub>3</sub> ) <sub>2</sub> (Oxirane, 2,2-dimethyl-)	558-30-5	**	10.00 (V)	PE	4747	
	C <sub>2</sub> H <sub>2</sub> O(CH <sub>3</sub> ) <sub>2</sub> (Oxirane, 2,3-dimethyl, <i>trans</i> -)	21490-63-1	**	9.98 (V)	PE	4747	
	C <sub>2</sub> H <sub>3</sub> OC <sub>2</sub> H <sub>5</sub> (Oxirane, ethyl-)	106-88-7	**	10.15 (V)	PE	4747	
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> CHCHO	97-96-1	C <sub>2</sub> H <sub>4</sub>	9.68	EI	5039	
	(CH <sub>3</sub> ) <sub>2</sub> CHC <sub>2</sub> H <sub>4</sub> CHO	1119-16-0	C <sub>2</sub> H <sub>4</sub>	10.10	EI	5264	
	C <sub>2</sub> H <sub>5</sub> C(CH <sub>3</sub> ) <sub>2</sub> CHO	2094-75-9	C <sub>2</sub> H <sub>4</sub>	9.58	EI	5039	
	C <sub>2</sub> H <sub>5</sub> CH(CH <sub>3</sub> )CH <sub>2</sub> CHO	15877-57-3	C <sub>2</sub> H <sub>4</sub>	11.00	EI	5264	
	<i>n</i> -C <sub>5</sub> H <sub>11</sub> CHO	66-25-1	C <sub>2</sub> H <sub>4</sub>	10.00	EI	5264	
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> COC <sub>2</sub> H <sub>5</sub>	589-38-8	C <sub>2</sub> H <sub>4</sub>	9.89	EI	5039	
	<i>sec</i> -C <sub>5</sub> H <sub>11</sub> CHO	123-15-9	C <sub>2</sub> H <sub>4</sub>	10.60	EI	5264	
	<i>sec</i> -C <sub>4</sub> H <sub>9</sub> COCH <sub>3</sub>	565-61-7	C <sub>2</sub> H <sub>4</sub>	9.52	EI	5039	
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> COC <sub>2</sub> H <sub>5</sub>	106-35-4	C <sub>3</sub> H <sub>6</sub>	9.82	EI	5039	
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> CH(CH <sub>3</sub> )COCH <sub>3</sub>	2550-21-2	C <sub>3</sub> H <sub>6</sub>	9.41	EI	5039	
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> CH(C <sub>2</sub> H <sub>5</sub> )CHO	26254-92-2	C <sub>3</sub> H <sub>6</sub>	9.68	EI	5039	
	<b>C<sub>4</sub>H<sub>9</sub>O<sup>+</sup></b>	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> OC <sub>2</sub> H <sub>5</sub>	625-54-7	CH <sub>3</sub>	9.50	EI	4915
		<i>tert</i> -C <sub>5</sub> H <sub>11</sub> OH	75-85-4	CH <sub>3</sub>	9.89	EI	4915
<i>tert</i> -C <sub>4</sub> H <sub>9</sub> OCH <sub>3</sub>		1634-04-4	CH <sub>3</sub>	9.46	EI	4915	
<b>C<sub>4</sub>H<sub>10</sub>O<sup>+</sup></b>	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> O	60-29-7	**	9.41	PE	4573	
			**	9.59 (V)	PE	4850	
			**	9.701 (V)	PE	4527	
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> OH	71-36-3	**	10.37 (V)	PE	4068	
			**	10.43 (V)	PE	4850	
			**	10.44±0.03 (V)	PE	4484	
	<i>sec</i> -C <sub>4</sub> H <sub>9</sub> OH	78-92-2	**	10.23 (V)	PE	4850	
			**	10.35±0.03 (V)	PE	4484	
			**	10.47±0.03 (V)	PE	4484	
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> OH	78-83-1	**	10.47±0.03 (V)	PE	4484	
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> OH	75-65-0	**	10.25±0.03 (V)	PE	4484	
			**	10.25 (V)	PE	3941	
**			10.26 (V)	PE	4850		
<b>C<sub>5</sub>H<sub>4</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> O (2,4-Cyclopentadien-1-one)	13177-38-3	**	9.49 (V)	PE	4616	
	C <sub>6</sub> H <sub>4</sub> O <sub>2</sub> (2,5-Cyclohexadiene-1,4-dione)	106-51-4	CO	11.10±0.05	PI	3523	
<b>C<sub>5</sub>H<sub>6</sub>O<sup>+</sup></b>	C <sub>4</sub> H <sub>3</sub> OCH <sub>3</sub> (Furan,2-methyl-)	534-22-5	**	8.54 (V)	PE	5323	
	C <sub>4</sub> H <sub>3</sub> O(CH <sub>3</sub> ) (Furan,3-methyl-)	930-27-8	**	8.37±0.05 (V)	PE	4626	
			**	8.70 (V)	PE	5323	
			**	8.58	CTS	4382	
	C <sub>5</sub> H <sub>6</sub> (=O) (2-Cyclopenten-1-one)	930-30-3	**	9.30 (V)	PE	4195	
	C <sub>5</sub> H <sub>6</sub> O (4H-Pyran)	289-65-6	**	9.35 (V)	PE	4285	
			**	8.47±0.05	EI	3482	
			**	8.38±0.02 (V)	PE	4740	

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
(state)						
<b>C<sub>5</sub>H<sub>8</sub>O<sup>+</sup></b>						
	C <sub>5</sub> H <sub>7</sub> (OH) (2-Cyclopenten-1-ol)	3212-60-0	**	9.60±0.05 (V)	PE	4954
	CH≡CC(CH <sub>3</sub> ) <sub>2</sub> OH	115-19-5	**	10.18 (V)	PE	4847
	CH≡CCH <sub>2</sub> CH(OH)CH <sub>3</sub>	2117-11-5	**	10.24 (V)	PE	4847
	CH <sub>2</sub> =C(OCH <sub>3</sub> )CH=CH <sub>2</sub>	3588-30-5	**	8.43	PE	3892
	<i>trans</i> -CH <sub>3</sub> OCH=CHCH=CH <sub>2</sub>	10034-09-0	**	8.03	PE	3892
	CH <sub>3</sub> CH=C(CH <sub>3</sub> )CHO (2-Butenal,2-methyl-(E)-)	497-03-0	**	9.60	PE	5360
	CH <sub>3</sub> CH=C(CH <sub>3</sub> )CHO (2-Butenal,2-methyl-(Z)-)	6038-09-1	**	9.59	PE	5360
	CH <sub>2</sub> =C(CH <sub>3</sub> )C(=O)CH <sub>3</sub>	814-78-8	**	9.50	PE	5360
	C <sub>5</sub> H <sub>8</sub> O (Cyclopentanone)	120-92-3	**	9.42±0.03	PI	3765
			**	9.10 (V)	PE	5043
			**	9.25±0.02 (V)	PE	3517
			**	9.28 (V)	PE	4285
			**	9.28 (V)	PE	4742
	C <sub>3</sub> H <sub>5</sub> COCH <sub>3</sub> (Ethanone,1-cyclopropyl-)	765-43-5	**	9.46 (V)	PE	5528
			**	9.50 (V)	PE	4233
	CH <sub>3</sub> CH <sub>2</sub> CH=CHCHO (2-Pentenal)	764-39-6	**	9.70	PE	5360
	C <sub>2</sub> H <sub>5</sub> COCH=CH <sub>2</sub> (1-Penten-3-one)	1629-58-9	**	9.50	PE	5360
	CH <sub>3</sub> CH=CHC(=O)CH <sub>3</sub> (3-Penten-2-one)	625-33-2	**	9.39	PE	5360
	C <sub>5</sub> H <sub>8</sub> O (2 <i>H</i> -Pyran, 3,4-dihydro-)	110-87-2	**	8.35	PE	4246
			**	8.37±0.02	PE	4740
			**	8.60 (V)	PE	4569
<b>C<sub>5</sub>H<sub>9</sub>O<sup>+</sup></b>						
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> COCH <sub>3</sub>	591-78-6	CH <sub>3</sub>	9.4	EI	3916
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> COCD <sub>3</sub>	XXXXX-XX-X	CD <sub>3</sub>	9.80	EI	4535
	<i>(tert</i> -C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> CO	815-24-7		~9.38	EI	4535
<b>C<sub>5</sub>H<sub>10</sub>O<sup>+</sup></b>						
	CH <sub>2</sub> =CHOCH(CH <sub>3</sub> ) <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> CO	XXXXX-XX-X 96-22-0	** **	8.90 (V) 9.22±0.02	PE PE	4569 4695
			**	9.309±0.005	PE	5519
			**	9.31±0.01	PE	4535
			**	9.37±0.03	EI	4535
	CH <sub>2</sub> =CHC(CH <sub>3</sub> ) <sub>2</sub> OH	115-18-4	**	9.90 (V)	PE	5460
	CH <sub>3</sub> CH=CHCH(OH)CH <sub>3</sub>	1569-50-2	**	9.56 (V)	PE	5460
	CH <sub>2</sub> =C(CH <sub>3</sub> )CH(OH)CH <sub>3</sub>	10473-14-0	**	9.61 (V)	PE	5460
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> COCH <sub>3</sub>	107-87-9	**	9.47±0.03	PI	3765
			**	9.28±0.02	PE	4695
			**	9.383±0.005	PE	5519
			**	9.44 (V)	PE	4850
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> CHO	110-62-3	**	9.65±0.02	PE	4695
			**	9.748±0.005	PE	5519
			**	9.82 (V)	PE	4850
			**	9.72±0.06	EI	5267
			**	9.90	EI	5264
	<i>sec</i> -C <sub>4</sub> H <sub>9</sub> CHO	96-17-3	**	9.59±0.01	PE	5519
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> COCH <sub>3</sub>	563-80-4	**	9.298±0.005	PE	5519
			**	9.30±0.01	PE	4535
			**	9.36	PE	4224
			**	9.30±0.04	EI	4535
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> CHO	590-86-3	**	9.697±0.005	PE	5519

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{10}O^+$	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> CHO	630-19-3	**	9.50±0.01	PE	5519
	C <sub>5</sub> H <sub>9</sub> OH (Cyclopentanol)	96-41-3	**	9.58±0.06	EI	5267
	C <sub>5</sub> H <sub>10</sub> O (2H-Pyran, tetrahydro-)	142-68-7	**	9.16	PE	4573
			**	9.46 (V)	PE	4246
			**	9.48 (V)	PE	4082
			**	9.50 (V)	PE	3733
$C_5H_{11}O^+$	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> OC <sub>2</sub> H <sub>5</sub>	637-92-3	CH <sub>3</sub>	9.24	EI	4915
$C_5H_{12}O^+$	<i>n</i> -C <sub>5</sub> H <sub>11</sub> OH	71-41-0	**	10.42±0.03 (V)	PE	4484
	<i>tert</i> -C <sub>5</sub> H <sub>11</sub> OH	75-85-4	**	10.16±0.03 (V)	PE	4484
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> OCH <sub>3</sub>	1634-04-4	**	9.41 (V)	PE	4850
$C_6H_4O^+$	C <sub>6</sub> H <sub>4</sub> O (Methanone, 2,4-cyclopentadien-1-ylidene-)	4727-22-4	**	8.95±0.1	EI	3552
			**	8.99±0.1	EI	3553
			**	9.05±0.05	EI	4317
	C <sub>6</sub> H <sub>4</sub> O (3-Oxabicyclo[3.2.0]hepta-1,4,6-triene)	40020-12-0	**	8.05 (V)	PE	4779
	<i>cis</i> -C <sub>2</sub> H <sub>2</sub> O(C≡CH) <sub>2</sub> (Oxirane, <i>cis</i> -2,3-diethynyl-)	40020-13-1	**	9.60	PE	4374
	<i>trans</i> -C <sub>2</sub> H <sub>2</sub> O(C≡CH) <sub>2</sub> (Oxirane, <i>trans</i> -2,3-diethynyl-)	40020-14-2	**	9.50	PE	4374
	C <sub>6</sub> H <sub>4</sub> (O)NN (2,4-Cyclohexadien-1-one, 6-diazo-)	4024-72-0	**	8.29±0.05	EI	4317
	C <sub>6</sub> H <sub>4</sub> (O)NN (2,5-Cyclohexadien-1-one, 4-diazo-)	932-97-8	N <sub>2</sub>	9.6±0.01	EI	4317
$C_6H_5O^+$	C <sub>6</sub> H <sub>5</sub> OCH <sub>3</sub> (Benzene, methoxy-)	100-66-3	CH <sub>3</sub>	11.3	EI	3916
			CH <sub>3</sub>	11.80±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> (OH)COOH (Benzoic acid, 3-hydroxy-)	99-06-9	CO + OH	14.42±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> (OH)COOH (Benzoic acid, 4-hydroxy-)	99-96-7	CO + OH	14.56±0.2	EI	3973
	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> (Benzene, nitro-)	98-95-3	NO	10.95±0.05	PI	5437
			NO	10.35±0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )OH (Phenol, 4-nitro-)	100-02-7	NO <sub>2</sub>	11.91±0.1	EI	3447
$C_6H_6O^+$	C <sub>6</sub> H <sub>5</sub> OH (Phenol)	108-95-2	**	8.37	PE	3955
			**	8.47±0.02	PE	3890
			**	8.55	PE	4621
			**	8.56 (V)	PE	4891
			**	8.67 (V)	PE	4327
			**	8.69 (V)	PE	4884
			**	8.73	PE	5272
			**	8.50	EI	3845
			**	8.69	EI	3485
			**	9.09±0.1	EI	3817
	C <sub>6</sub> H <sub>5</sub> OC <sub>2</sub> H <sub>5</sub> (Benzene, ethoxy-)	103-73-1	C <sub>2</sub> H <sub>4</sub>	10.03±0.19	EI	5611



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>6</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OC <sub>2</sub> H <sub>5</sub>	103-73-1	C <sub>2</sub> H <sub>4</sub>	11.3	EI	3479
	C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> (2,4,6-Cycloheptatrien-1-one, 2-hydroxy-)	533-75-5	CO	10.8	EI	3479
	C <sub>6</sub> H <sub>4</sub> (OH)OCH <sub>3</sub> (Phenol, 4-methoxy-)	150-76-5	HCHO	10.30	EI	3845
	C <sub>6</sub> H <sub>5</sub> OOCCH <sub>3</sub> (Acetic acid, phenyl ester)	122-79-2	CH <sub>2</sub> =C=O	9.57±0.03	EI	3483
	C <sub>6</sub> H <sub>5</sub> OCH <sub>2</sub> CH <sub>2</sub> F (Benzene,2-fluoroethoxy-)	405-97-0	CH <sub>2</sub> =C=O C <sub>2</sub> H <sub>3</sub> F	9.89±0.2 11.18	EI EI	3484 5083
	C <sub>6</sub> H <sub>5</sub> OCH <sub>2</sub> CH <sub>2</sub> Cl (Benzene,2-chloroethoxy-)	622-86-6	C <sub>2</sub> H <sub>3</sub> Cl	10.80	EI	5083
	C <sub>6</sub> H <sub>5</sub> OCH <sub>2</sub> CH <sub>2</sub> Br (Benzene,2-bromoethoxy-)	589-10-6	C <sub>2</sub> H <sub>3</sub> Br	9.71	EI	5083
<b>C<sub>6</sub>H<sub>8</sub>O<sup>+</sup></b>	CH <sub>3</sub> (CH=CH) <sub>2</sub> CHO	142-83-6	**	9.22±0.03 (V)	PE	4767
	C <sub>6</sub> H <sub>8</sub> O (2-Cyclohexen-1-one)	930-68-7	**	9.20 (V)	PE	4195
			**	9.23±0.05	PE	5086
			**	9.37 (V)	PE	4285
	C <sub>6</sub> H <sub>8</sub> O (3-Cyclohexen-1-one)	4096-34-8	**	9.42 (V)	PE	4285
	C <sub>4</sub> H <sub>3</sub> OC <sub>2</sub> H <sub>5</sub> (Furan, 2-ethyl-)	3208-16-0	**	8.45±0.05	EI	3482
	C <sub>6</sub> H <sub>8</sub> O (7-Oxabicyclo[2.2.1]hept-2-ene)	6705-50-6	**	9.44±0.02 (V)	PE	3843
<b>C<sub>6</sub>H<sub>10</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>7</sub> (OCH <sub>3</sub> ) (Cyclopentene, 3-methoxy-)	39819-74-4	**	9.45±0.05 (V)	PE	4954
	C <sub>5</sub> H <sub>7</sub> (OCH <sub>3</sub> ) (Cyclopentene, 4-methoxy-)	40955-64-4	**	9.12±0.03 (V)	PE	4468
	C <sub>5</sub> H <sub>7</sub> O(CH <sub>3</sub> ) (2H-Pyran, 3,4-dihydro-6-methyl-)	16015-11-5	**	8.40 (V)	PE	4569
	n-C <sub>3</sub> H <sub>7</sub> CH=CHCHO	505-57-7	**	9.65	PE	5360
	CH=CC(CH <sub>3</sub> )(OH)C <sub>2</sub> H <sub>5</sub>	77-75-8	**	10.03 (V)	PE	4847
	CH <sub>2</sub> =CHCH <sub>2</sub> CH <sub>2</sub> COCH <sub>3</sub>	109-49-9	**	9.50 (V)	PE	4195
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> C=C=O	24264-08-2	**	8.24	EI	4660
	CH <sub>3</sub> CH=C(C <sub>2</sub> H <sub>5</sub> )CHO (2-Butenal,2-ethyl-)	19780-25-7	**	9.53	PE	5360
	C <sub>6</sub> H <sub>10</sub> O (Cyclohexanone)	108-94-1	**	9.14±0.03	PI	3765
			**	9.14±0.02 (V)	PE	3517
			**	9.18	PE	5085
			**	9.18 (V)	PE	5043
			**	9.28 (V)	PE	4285
			**	9.5±0.2	EI	4074
	C <sub>3</sub> H <sub>4</sub> (CH <sub>3</sub> )COCH <sub>3</sub> (Ethanone,1-(1-methylcyclopropyl)-)	1567-75-5	**	9.3 (V)	PE	5528
	C <sub>3</sub> H <sub>4</sub> (CH <sub>3</sub> )COCH <sub>3</sub> (Ethanone,1-(2-methylcyclopropyl)-)	930-56-3	**	9.38 (V)	PE	5528
	CH <sub>3</sub> CH=CHC(=O)C <sub>2</sub> H <sub>5</sub>	2497-21-4	**	9.32	PE	5360
	C <sub>6</sub> H <sub>10</sub> O (7-Oxabicyclo[2.2.1]heptane)	279-49-2	**	9.57±0.02 (V)	PE	3843
	CH <sub>3</sub> CH <sub>2</sub> CH=C(CH <sub>3</sub> )CHO	623-36-9	**	9.54	PE	5360
	iso-C <sub>3</sub> H <sub>7</sub> COCH=CH <sub>2</sub>	1606-47-9	**	9.39	PE	5360
	CH <sub>3</sub> CH=C(CH <sub>3</sub> )C(=O)CH <sub>3</sub>	565-62-8	**	9.35	PE	5360
	(CH <sub>3</sub> ) <sub>2</sub> C=CHC(=O)CH <sub>3</sub>	141-79-7	**	9.11	PE	5360
	C <sub>3</sub> HN(=O) <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (2,4-Azetidinedione, 3,3-diethyl-)	42282-85-9		9.60	EI	4660

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{10}O^+$	$C_3N(=O)_2(C_2H_5)_2C_6H_5$ (2,4-Azetidinedione, 3,3-diethyl-1-phenyl-)	15745-94-5		9.61	EI	4660
$C_6H_{11}O^+$	$(C_6H_{11}NO_2)_2$	68777-99-1		9.65	EI	4809
$C_6H_{12}O^+$	$C_5H_9(OCH_3)$ (Cyclopentane, methoxy-) <i>tert</i> - $C_4H_9COCH_3$	5614-37-9	**	$9.40 \pm 0.03$ (V)	PE	4468
		75-97-8	**	$8.88 \pm 0.04$	PE	3851
			**	$9.11 \pm 0.01$	PE	4535
			**	$9.117 \pm 0.005$	PE	5519
			**	9.21 (V)	PE	4224
			**	$9.17 \pm 0.06$	EI	4535
			**	9.24	PE	4395
			**	$9.18 \pm 0.03$	PI	3765
	$(CH_3)_2CHC_2H_4CHO$	1119-16-0	**	9.80	EI	5264
	$C_2H_5CH(CH_3)CH_2CHO$	15877-57-3	**	9.90	EI	5264
	<i>n</i> - $C_5H_{11}CHO$	66-25-1	**	$9.62 \pm 0.02$	PE	4695
			**	$9.722 \pm 0.005$	PE	5519
			**	9.80	EI	5264
	<i>n</i> - $C_3H_7COC_2H_5$	589-38-8	**	$9.12 \pm 0.02$	PE	4695
	<i>n</i> - $C_4H_9COCH_3$	591-78-6	**	$9.44 \pm 0.03$	PI	3765
			**	$9.24 \pm 0.02$	PE	4695
			**	$9.331 \pm 0.005$	PE	5519
			**	9.38 (V)	PE	4850
			**	9.2	EI	3916
	<i>iso</i> - $C_4H_9COCH_3$	108-10-1	**	9.42	PE	4224
			**	$9.296 \pm 0.005$	PE	5519
	<i>sec</i> - $C_6H_{11}CHO$	123-15-9	**	9.70	EI	5264
	<i>sec</i> - $C_4H_9COCH_3$	565-61-7	**	$9.209 \pm 0.005$	PE	5519
	<i>iso</i> - $C_3H_7COC_2H_5$	565-69-5	**	$9.098 \pm 0.005$	PE	5519
	<i>neo</i> - $C_5H_{11}CHO$	2987-16-8	**	$9.610 \pm 0.005$	PE	5519
	$C_6H_{11}OH$ (Cyclohexanol)	108-93-0	**	$10.0 \pm 0.2$	EI	4617
$C_6H_{14}O^+$	<i>tert</i> - $C_4H_9OC_2H_5$	637-92-3	**	$9.39 \pm 0.015$ (V)	PE	4434
	$(n-C_3H_7)_2O$	111-43-3	**	9.49 (V)	PE	4850
$C_7H_5O^+$	$C_6H_5CHO$ (Benzaldehyde)	100-52-7	H	11.26	EI	3792
	$C_6H_5COCH_3$ (Acetophenone)	98-86-2	$CH_3$	$10.50 \pm 0.01$	EI	5059
			$CH_3$	9.6	EI	3916
			$CH_3$	10.38	EI	3792
	$(C_6H_5)_2CO$ (Methanone, diphenyl-)	119-61-9		$11.35 \pm 0.1$	EI	4335
			$C_6H_5$	11.72	EI	3792
			$C_6H_5$	$12.00 \pm 0.1$	EI	5493
	$C_6H_5COOH$ (Benzoic acid)	65-85-0	OH	$11.5 \pm 0.07$	EI	5121
			OH	$12.11 \pm 0.2$	EI	3973
			OH	12.11	EI	3792
	$C_6H_5COOCH_3$ (Benzoic acid, methyl ester)	93-58-3	$OCH_3$	$10.8 \pm 0.05$	EI	5121
			$OCH_3$	11.40	EI	3792
	$C_6H_5COOC_2H_5$ (Benzoic acid, ethyl ester)	93-89-0	$OC_2H_5$	$10.8 \pm 0.07$	EI	5121
	$C_6H_5COOC_3H_7$ (Benzoic acid, 1-methylethyl ester)	939-48-0	$OC_3H_7$	$11.2 \pm 0.10$	EI	5121

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>5</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> COOC <sub>3</sub> H <sub>7</sub> (Benzoic acid, propyl ester)	2315-68-6	OC <sub>3</sub> H <sub>7</sub>	11.2±0.05	EI	5121
	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> O (Methanone, 2-furanylphenyl-)	2689-59-0	C <sub>4</sub> H <sub>3</sub> O	12.3±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COOC <sub>4</sub> H <sub>9</sub> (Benzoic acid, butyl ester)	136-60-7	OC <sub>4</sub> H <sub>9</sub>	11.2±0.10	EI	5121
	C <sub>6</sub> H <sub>5</sub> COOC <sub>4</sub> H <sub>9</sub> (Benzoic acid, 2-methylpropyl ester)	120-50-3	OC <sub>4</sub> H <sub>9</sub>	11.3±0.10	EI	5121
	C <sub>6</sub> H <sub>5</sub> COOC <sub>5</sub> H <sub>11</sub> (Benzoic acid, methylbutyl ester)	XXXXX-XX-X	OC <sub>5</sub> H <sub>11</sub>	11.2±0.10	EI	5121
	C <sub>6</sub> H <sub>5</sub> COOC <sub>6</sub> H <sub>5</sub> (Benzoic acid, phenyl ester)	93-99-2		10.0	EI	5631
	C <sub>6</sub> H <sub>5</sub> COOC <sub>6</sub> H <sub>4</sub> OCH <sub>3</sub> (Phenol, 4-methoxy-, benzoate)	1523-19-9		10.6	EI	5631
	C <sub>6</sub> H <sub>5</sub> CONH <sub>2</sub> (Benzamide)	55-21-0	NH <sub>2</sub>	11.09	EI	3792
	C <sub>6</sub> H <sub>5</sub> COC <sub>5</sub> H <sub>4</sub> N (Methanone, phenyl-2-pyridinyl-)	91-02-1	C <sub>5</sub> H <sub>4</sub> N	11.7±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COC <sub>5</sub> H <sub>4</sub> N (Methanone, phenyl-3-pyridinyl-)	5424-19-1	C <sub>5</sub> H <sub>4</sub> N	11.7±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COC <sub>5</sub> H <sub>4</sub> N (Methanone, phenyl-4-pyridinyl-)	14548-46-0	C <sub>5</sub> H <sub>4</sub> N	10.8±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> NCH <sub>3</sub> (Methanone, (1-methyl-1H-pyrrol-2-yl)phenyl-)	37496-06-3		13.1±0.1	EI	5493
	C <sub>5</sub> H <sub>9</sub> NCOC <sub>6</sub> H <sub>5</sub> (Pyridine, 1-benzoyl-1,2,3,4-tetrahydro-)	50838-24-9		12.4	EI	4046
	C <sub>5</sub> H <sub>10</sub> NCOC <sub>6</sub> H <sub>5</sub> (Piperidine, 1-benzoyl-)	776-75-0		14.4	EI	4046
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (Methanone, (2-aminophenyl)phenyl-)	2835-77-0		12.6±0.2	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (Methanone, (3-aminophenyl)phenyl-)	2835-78-1		12.3±0.2	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (Methanone, (4-aminophenyl)phenyl-)	1137-41-3		12.5±0.2	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> N <sub>2</sub> (Methanone, phenylpyrazinyl-)	3430-09-9	C <sub>4</sub> H <sub>3</sub> N <sub>2</sub>	10.8±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> N <sub>2</sub> (Methanone, phenyl-4-pyrimidinyl-)	68027-80-5	C <sub>4</sub> H <sub>3</sub> N <sub>2</sub>	10.7±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Methanone, (2-nitrophenyl)phenyl-)	2243-79-0		11.05±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Methanone, (3-nitrophenyl)phenyl-)	2243-80-3		11.15±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Methanone, (4-nitrophenyl)phenyl-)	1144-74-7		11.4±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COOC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Benzoic acid, 4-nitrophenyl ester)	959-22-8		10.2	EI	5631
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>3</sub> S (Methanone, phenyl-2-thienyl-)	135-00-2	C <sub>4</sub> H <sub>3</sub> S	12.0±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COCl (Benzoyl chloride)	98-88-4	Cl	10.31	EI	3792
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (2-chlorophenyl)phenyl-)	5162-03-8		11.1±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (3-chlorophenyl)phenyl-)	1016-78-0		11.3±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (4-chlorophenyl)phenyl-)	134-85-0		11.5±0.1	EI	4358
<b>C<sub>7</sub>H<sub>6</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CHO (Benzaldehyde)	100-52-7	**	9.50±0.02	PI	4031
			**	9.50±0.02	PI	4057

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_6O^+$	$C_6H_5CHO$	100-52-7	**	9.6	PI	3586
			**	9.40	PE	3938
			**	9.49	PE	4621
			**	9.54 (V)	PE	4850
			**	10.0 (V)	PE	4467
			**	9.74	EI	3792
	$C_7H_6O$ (2,4,6-Cycloheptatriene-1-one)	539-80-0	**	$8.89 \pm 0.03$ (V)	PE	4391
			**	8.82 (V)	PE	5444
			**	$8.90 \pm 0.02$ (V)	PE	4140
	$C_6H_4(=O)(=CH_2)$ (2,4-Cyclohexadien-1-one, 6-methylene-)	27890-67-1	**	8.80 (V)	PE	4744
$C_7H_7O^+$	$C_6H_5CH_2C_6H_4OH$ (Phenol, 4-(phenylmethyl)-)	101-53-1	$C_6H_5$	$11.1 \pm 0.2$	EI	3807
	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-3-methyl-)	100-84-5	$CH_3$	$11.60 \pm 0.1$	EI	3446
	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-)	104-93-8	$CH_3$	$11.45 \pm 0.1$	EI	3446
	$C_6H_4(OH)C_4H_9$ (Phenol, 3-butyl-)	4074-43-5		$12.79 \pm 0.1$	EI	3629
	$C_6H_4(OH)C_4H_9$ (Phenol, 4-butyl-)	1638-22-8		$11.45 \pm 0.1$	EI	3629
	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 2-methylphenyl ester)	533-18-6	$CH_3CO$	$13.16 \pm 0.02$	EI	3631
	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester)	140-39-6	$CH_3CO$	$13.47 \pm 0.02$	EI	3631
	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 3-methoxy-)	586-38-9	COOH	$13.07 \pm 0.2$	EI	3973
	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 4-methoxy-)	100-09-4	COOH	$12.80 \pm 0.2$	EI	3973
	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-3-nitro-)	99-08-1	NO	$9.98 \pm 0.1$	EI	3447
	$CH_3C_6H_4NO_2$ (Benzene, 1-methyl-4-nitro-)	99-99-0	NO	$10.91 \pm 0.05$	PI	5437
	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-3-nitro-)	555-03-3	NO	$10.34 \pm 0.1$	EI	3447
			$NO_2$	$11.44 \pm 0.1$	EI	3447
	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-4-nitro-)	100-17-4	$NO_2$	$11.63 \pm 0.1$	EI	3447
$C_7H_8O^+$	$C_6H_4CH_3(OH)$ (Phenol, 2-methyl-)	95-48-7	**	8.48 (V)	PE	5272
			**	8.50 (V)	PE	4891
			**	$8.24 \pm 0.02$	PE	3890
	$C_6H_4CH_3(OH)$ (Phenol, 3-methyl-)	108-39-4	**	8.52 (V)	PE	5272
			**	8.41 (V)	PE	4891
			**	8.38 (V)	PE	5272
	$C_6H_4CH_3(OH)$ (Phenol, 4-methyl-)	106-44-5	**	8.35 (V)	PE	4891
			**	8.34	EI	4089
			**	9.11 (V)	PE	4850
	$C_6H_5CH_2OH$ (Benzenemethanol)	100-51-6	**	9.23 (V)	PE	4744
			**	$9.00 \pm 0.1$	EI	3788
			**	$8.20 \pm 0.02$	PE	3890
	$C_6H_5OCH_3$ (Benzene, methoxy-)	100-66-3	**	8.24	PE	4621
			**			

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_8O^+$	$C_6H_5OCH_3$	100-66-3	**	8.25 (V)	PE	4850
			**	8.39 (V)	PE	5272
			**	8.42 (V)	PE	3781
			**	8.42 (V)	PE	4884
			**	8.45 (V)	PE	5310
			**	8.46 (V)	PE	4327
			**	8.20	EI	3845
			**	8.20	EI	3845
			**	$8.25 \pm 0.1$	EI	3788
			**	$8.39 \pm 0.1$	EI	3446
			**	8.6	EI	3479
			**	8.6	EI	3916
			**	$8.76 \pm 0.1$	EI	3735
			**	8.18	CTS	3758
			**	8.37	CTS	4029
	$C_7H_8O$ (Bicyclo[2.2.1]hept-2-en-7-one)	694-71-3	**	9.25 (V)	PE	4285
	$C_7H_8O$ (Bicyclo[2.2.1]hept-5-en-2-one)	694-98-4	**	8.86 (V)	PE	4285
	$C_7H_8O$ (2-Oxabicyclo[3.2.1]octa-3,6-diene)	4729-06-0	**	8.04-8.24 (V)	PE	5481
	$C_6H_4(OH)C_4H_9$ (Phenol, 3-butyl-)	4074-43-5	$CH_2=CHCH_3$	$11.07 \pm 0.1$	EI	3629
	$C_6H_4(OH)C_4H_9$ (Phenol, 4-butyl-)	1638-22-8	$CH_2=CHCH_3$	$10.32 \pm 0.1$	EI	3629
	$C_6H_4(OCH_3)_2$ (Benzene, 1,3-dimethoxy-)	151-10-0	$CH_2O$	$10.98 \pm 0.1$	EI	3446
	$C_6H_4(OCH_3)_2$ (Benzene, 1,4-dimethoxy-)	150-78-7	HCHO	11.00	EI	3845
	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 2-methylphenyl ester)	533-18-6	$CH_2=C=O$	$9.44 \pm 0.02$	EI	3631
	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 3-methylphenyl ester)	122-46-3	$CH_2=C=O$	$10.03 \pm 0.2$	EI	3484
	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester)	140-39-6	$CH_2=C=O$	$9.26 \pm 0.02$	EI	3631
	$C_6H_5OOCOCH_3$ (Carbonic acid, methyl phenyl ester)	13509-27-8	$CH_2=C=O$	$9.75 \pm 0.2$	EI	3484
			$CO_2$	10.3	EI	3479
	$(C_6H_5CH_2OH)(CO)_3Cr$ (Chromium, [(1,2,3,4,5,6- $\eta$ )-benzenemethanol]tricarbonyl-)	12116-45-9		$9.40 \pm 0.1$	EI	3788
	$(C_6H_5OCH_3)(CO)_3Cr$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methoxybenzene]-)	12116-44-8		$8.45 \pm 0.1$	EI	3788
$C_7H_{10}O^+$	$C_7H_9(OH)$ (Bicyclo[2.2.1]hept-2-en-7-ol- <i>syn</i> -)	13118-70-2	**	9.41 (V)	PE	4511
	$C_7H_9(OH)$ (Bicyclo[2.2.1]hept-2-en-7-ol- <i>anti</i> -)	694-70-2	**	9.19 (V)	PE	4511
	$C_7H_{10}O$ (Bicyclo[2.2.1]heptane-2-one)	497-38-1	**	9.14 (V)	PE	4285
	$C_7H_{10}O$ (Bicyclo[2.2.1]heptan-7-one)	10218-02-7	**	9.06 (V)	PE	4285
	$C_7H_{10}O$ (2-Cyclohepten-1-one)	1121-66-0	**	9.25 (V)	PE	4285
	$C_7H_{10}O$ (3-Cyclohepten-1-one)	1121-64-8	**	9.14 (V)	PE	4285
	$(C_3H_5)_2CO$ (Methanone, dicyclopropyl-)	1121-37-5	**	9.28 (V)	PE	4233
	$C_7H_{10}O$ (2-Oxabicyclo[3.2.1]oct-3-ene)	59171-38-9	**	8.01-8.18 (V)	PE	5481



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>12</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>9</sub> (OCH <sub>3</sub> ) (Cyclohexene, 4-methoxy-)	15766-93-5	**	9.01±0.03 (V)	PE	4468
	C <sub>6</sub> H <sub>9</sub> O(CH <sub>3</sub> ) (Cyclohexanone, 2-methyl-)	583-60-8	**	9.05	PE	5085
	C <sub>6</sub> H <sub>9</sub> O(CH <sub>3</sub> ) (Cyclohexanone, 4-methyl-)	589-92-4	**	9.5±0.2	EI	4074
			**	9.16	PE	5085
	CH <sub>2</sub> =C(CH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> COCH <sub>3</sub>	3240-09-3	**	9.40 (V)	PE	4195
	C <sub>7</sub> H <sub>12</sub> O (Cycloheptanone)	502-42-1	**	9.14 (V)	PE	4285
			**	9.17±0.02 (V)	PE	3517
<b>C<sub>7</sub>H<sub>14</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>11</sub> (OCH <sub>3</sub> ) (Cyclohexane, methoxy-)	931-56-6	**	9.22±0.03 (V)	PE	4468
	C <sub>2</sub> H <sub>5</sub> C(CH <sub>3</sub> ) <sub>2</sub> COCH <sub>3</sub>	20669-04-9	**	9.019±0.005	PE	5519
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> COCH <sub>2</sub> CH <sub>3</sub>	106-35-4	**	9.02±0.02	PE	4695
	<i>n</i> -C <sub>5</sub> H <sub>11</sub> COCH <sub>3</sub>	110-43-0	**	9.18±0.02	PE	4695
			**	9.298±0.005	PE	5519
			**	9.36 (V)	PE	4850
	<i>n</i> -C <sub>6</sub> H <sub>13</sub> CHO	111-71-7	**	9.65±0.02	PE	4695
	<i>(n</i> -C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> CO	123-19-3	**	9.12±0.03	PI	3765
			**	9.04±0.02	PE	4695
			**	9.10±0.01	PE	5519
	<i>iso</i> -C <sub>5</sub> H <sub>11</sub> COCH <sub>3</sub>	110-12-3	**	9.284±0.005	PE	5519
	<i>(iso</i> -C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> CO	565-80-0	**	8.94±0.01	PE	4535
			**	8.947±0.005	PE	5519
			**	8.99±0.04	EI	4535
	<i>neo</i> -C <sub>5</sub> H <sub>11</sub> COCH <sub>3</sub>	590-50-1	**	9.226±0.005	PE	5519
<b>C<sub>8</sub>H<sub>4</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>8</sub> O(CH <sub>3</sub> ) <sub>2</sub> (Cyclohexanone, 4,4-dimethyl-)	4255-62-3	**	9.12	PE	5085
<b>C<sub>8</sub>H<sub>6</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH=C=O	3496-32-0	**	8.17 (V)	PE	5610
	C <sub>6</sub> H <sub>6</sub> O (Benzene, ethynyloxy-)	4279-76-9		8.7	EI	5290
	C <sub>6</sub> H <sub>4</sub> C <sub>2</sub> H <sub>2</sub> O (Benzofuran)	271-89-6	**	8.37±0.015 (V)	PE	5522
				8.8	EI	5290
			**	8.85±0.05	EI	4316
	C <sub>8</sub> H <sub>6</sub> O	5101-44-0		8.5	EI	5290
	(Phenol, 2-ethynyl-)					
	C <sub>9</sub> H <sub>6</sub> O <sub>2</sub> (2H-1-Benzopyran-2-one)	91-64-5	CO	10.8	EI	5290
<b>C<sub>9</sub>H<sub>7</sub>O<sup>+</sup></b>	CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> (Ethanone, 1-(4-methylphenyl))	122-00-9	CH <sub>3</sub>	10.52±0.05	EI	5059
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )COOH (Benzoic acid, 3-methyl-)	99-04-7	OH	12.38±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )COOH (Benzoic acid, 4-methyl-)	99-94-5	OH	12.07±0.2	EI	3973
	C <sub>6</sub> H <sub>5</sub> COCOC <sub>6</sub> H <sub>4</sub> CH <sub>3</sub> (Ethanedione, (4-methylphenyl)phenyl-)	2431-00-7	C <sub>6</sub> H <sub>5</sub> CO	9.84±0.10	EI	3823
<b>C<sub>9</sub>H<sub>8</sub>O<sup>+</sup></b>	C <sub>7</sub> H <sub>5</sub> OCH <sub>3</sub> 2,4,6-Cycloheptatriene-1-one, 2-methyl-)	29639-50-0	**	8.61±0.03 (V)	PE	4391

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>8</sub>O<sup>+</sup></b>						
	C <sub>6</sub> H <sub>5</sub> COCH <sub>3</sub> (Benzaldehyde, methyl-)	1334-78-7	**	8.9 (V)	PE	4467
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CHO (Benzeneacetaldehyde)	122-78-1	**	8.80	PE	3938
	C <sub>8</sub> H <sub>8</sub> O (Benzofuran, 2,3-dihydro-)	496-16-2	**	8.02	PE	4573
	C <sub>6</sub> H <sub>5</sub> COCH <sub>3</sub> (Ethanone, 1-phenyl-)	98-86-2	**	9.29±0.2	PI	4031
			**	9.29±0.2	PI	4057
			**	9.6	PI	3586
			**	9.1±0.1	PE	4401
			**	9.35 (V)	PE	4850
			**	9.37 (V)	PE	5272
			**	9.45 (V)	PE	4804
			**	9.1	EI	3916
			**	9.50	EI	3792
	C <sub>6</sub> H <sub>4</sub> O(=CH <sub>2</sub> ) <sub>2</sub> (7-Oxabicyclo[2.2.1]hept-2-ene,5,6-bis(methylene)-)	56582-02-6	**	8.87±0.03 (V)	PE	4665
	C <sub>8</sub> H <sub>8</sub> O (9-Oxabicyclo[4.2.1]nona-2,4,7-triene)	7140-63-8	**	8.56 (V)	PE	4688
	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> H <sub>3</sub> O (Oxirane, phenyl-)	96-09-3	**	9.04 (V)	PE	4927
			**	9.07 (V)	PE	4747
			**	9.23 (V)	PE	5364
	C <sub>10</sub> H <sub>11</sub> OH (1-Naphthalenol, 1,2,3,4-tetrahydro-)	529-33-9	C <sub>2</sub> H <sub>4</sub>	10.42±0.03	EI	4960
<b>C<sub>8</sub>H<sub>9</sub>O<sup>+</sup></b>						
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )C <sub>4</sub> H <sub>9</sub> (Benzene, 1-butyl-3-methoxy-)	20893-43-0		12.04±0.1	EI	3629
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )C <sub>4</sub> H <sub>9</sub> (Benzene, 1-butyl-4-methoxy-)	18272-84-9		10.79±0.1	EI	3629
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> OCH <sub>3</sub> (Benzene, 1-methoxy-4-(phenylmethyl)-)	834-14-0	C <sub>6</sub> H <sub>5</sub>	11.9±0.1	EI	3807
	C <sub>16</sub> H <sub>18</sub> O (Benzene, 1-methoxy-4-(3-phenylpropyl)-)	40715-68-2		10.7±0.1	EI	4925
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> OCOCH <sub>3</sub> (Phenethyl alcohol, <i>m</i> -methoxy-, acetate)	33709-39-6		12.10	EI	3590
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> OCOCH <sub>3</sub> (Phenethyl alcohol, <i>p</i> -methoxy-, acetate)	22532-51-0		11.50	EI	3590
<b>C<sub>8</sub>H<sub>6</sub>D<sub>3</sub>O<sup>+</sup></b>						
	C <sub>17</sub> H <sub>17</sub> D <sub>3</sub> O <sub>2</sub> (Benzene, 1-methoxy-3-[3-(4-methoxy- <i>d</i> <sub>3</sub> -phenyl)propyl]-)	67081-97-4		11.1±0.1	EI	4925
<b>C<sub>8</sub>H<sub>10</sub>O<sup>+</sup></b>						
	CH <sub>3</sub> (CH=CH) <sub>3</sub> CHO	17609-31-3	**	8.42±0.03 (V)	PE	4767
	C <sub>6</sub> H <sub>5</sub> OC <sub>2</sub> H <sub>5</sub> (Benzene, ethoxy-)	103-73-1	**	8.36 (V)	PE	5310
			**	8.41 (V)	PE	4327
			**	8.6	EI	3479
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> OCH <sub>3</sub> (Benzene, (methoxymethyl)-)	538-86-3	**	9.07 (V)	PE	4927
			**	9.12 (V)	PE	3781
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )OCH <sub>3</sub> (Benzene, 1-methoxy-2-methyl-)	578-58-5	**	7.90	PE	4573
			**	8.03±0.02	PE	3890
			**	8.24 (V)	PE	5272
			**	8.24 (V)	PE	5310
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )OCH <sub>3</sub> (Benzene, 1-methoxy-3-methyl)	100-84-5	**	8.28 (V)	PE	5272

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>10</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )OCH <sub>3</sub>	100-84-5	**	8.35±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )CH <sub>3</sub> (Benzene, 1-methoxy-4-methyl-)	104-93-8	**	8.14±0.01 (V)	PE	4389
			**	8.16 (V)	PE	4327
			**	8.17 (V)	PE	4211
			**	8.18 (V)	PE	5272
			**	7.85	EI	3845
			**	8.33±0.1	EI	3446
			**	7.91	CTS	3758
	C <sub>8</sub> H <sub>10</sub> O (Bicyclo[2.2.2]oct-5-en-2-one)	2220-40-8	**	8.73 (V)	PE	4285
	C <sub>6</sub> H <sub>6</sub> O(=CH <sub>2</sub> ) <sub>2</sub> (7-Oxabicyclo[2.2.1]heptane,2,3-bis(methylene)-)	53011-95-3	**	8.79±0.03 (V)	PE	4665
	C <sub>8</sub> H <sub>10</sub> O (9-Oxabicyclo[4.2.1]nona-2,4-diene)	19740-75-1	**	8.55 (V)	PE	4688
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> OH (Phenol,2,4-dimethyl-)	105-67-9	**	8.18 (V)	PE	5272
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> OH (Phenol, 2,6-dimethyl-)	576-26-1	**	8.05±0.02	PE	3890
			**	8.26 (V)	PE	5272
			**	8.34 (V)	PE	4327
	C <sub>8</sub> H <sub>10</sub> O (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-one, (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ )-)	14224-86-3	**	8.8±0.1	EI	3492
	C <sub>8</sub> H <sub>10</sub> O (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-one, <i>exo</i> -)	7076-83-7	**	9.2±0.1	EI	3492
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )C <sub>4</sub> H <sub>9</sub> (Benzene, 1-butyl-3-methoxy-)	20893-43-0	CH <sub>2</sub> =CHCH <sub>3</sub>	10.52±0.1	EI	3629
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )C <sub>4</sub> H <sub>9</sub> (Benzene, 1-butyl-4-methoxy-)	18272-84-9	CH <sub>2</sub> =CHCH <sub>3</sub>	10.38±0.1	EI	3629
	C <sub>16</sub> H <sub>18</sub> O (Benzene, 1-methoxy-3-(3-phenylpropyl)-)	67081-95-2		9.7±0.1	EI	4925
	C <sub>17</sub> H <sub>17</sub> D <sub>3</sub> O <sub>2</sub> (Benzene, 1-methoxy-3-[3-(4-methoxy- <i>d</i> <sub>3</sub> -phenyl)propyl]-)	67081-97-4		9.8±0.1	EI	4925
	C <sub>6</sub> H <sub>5</sub> OOCCOCH <sub>3</sub> (Carbonic acid, ethyl phenyl ester)	3878-46-4	CO <sub>2</sub>	10.0	EI	3479
<b>C<sub>8</sub>H<sub>12</sub>O<sup>+</sup></b>	C <sub>7</sub> H <sub>9</sub> (OCH <sub>3</sub> ) (Bicyclo[2.2.1]hept-2-ene, 5-methoxy- <i>endo</i> -)	17190-92-0	**	8.69±0.03 (V)	PE	4468
	C <sub>7</sub> H <sub>9</sub> (OCH <sub>3</sub> ) (Bicyclo[2.2.1]hept-2-ene, 5-methoxy- <i>exo</i> -)	17190-87-3	**	8.68±0.03 (V)	PE	4468
	C <sub>7</sub> H <sub>9</sub> (OCH <sub>3</sub> ) (Bicyclo[2.2.1]hept-2-ene, 7-methoxy- <i>syn</i> -)	36197-25-8	**	8.84±0.03 (V)	PE	4468
			**	8.95 (V)	PE	4511
	C <sub>7</sub> H <sub>9</sub> (OCH <sub>3</sub> ) (Bicyclo[2.2.1]hept-2-ene, 7-methoxy- <i>anti</i> -)	13041-10-6	**	9.02±0.03 (V)	PE	4468
			**	9.11 (V)	PE	4511
	C <sub>4</sub> H <sub>3</sub> O( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) (Furan, 2-(1,1-dimethylethyl)-)	7040-43-9	**	8.32	CTS	4382
	C <sub>4</sub> H <sub>3</sub> O( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) (Furan, 3-(1,1-dimethylethyl)-)	7040-42-8	**	8.58	CTS	4382
	C <sub>8</sub> H <sub>12</sub> O (Bicyclo[2.2.2]octan-2-one)	2716-23-6	**	9.10 (V)	PE	4285
	C <sub>8</sub> H <sub>11</sub> OH (Bicyclo[2.2.2]oct-2-en-1-ol)	68211-36-9	**	9.21±0.05 (V)	PE	4842
	<i>anti</i> -C <sub>8</sub> H <sub>11</sub> OH (Bicyclo[2.2.2]oct-5-en-2-ol-(1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ )-)	6688-07-9	**	9.14±0.02 (V)	PE	4703
	<i>syn</i> -C <sub>8</sub> H <sub>11</sub> OH (Bicyclo[2.2.2]oct-5-en-2-ol-(1 $\alpha$ ,2 $\beta$ ,4 $\alpha$ )-)	19245-72-8	**	9.25±0.02 (V)	PE	4703
	C <sub>6</sub> H <sub>10</sub> (OH)C $\equiv$ CH (Cyclohexanol, 1-ethynyl-)	78-27-3	**	10.6 (V)	PE	4847

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>12</sub>O<sup>+</sup></b>	C <sub>8</sub> H <sub>12</sub> O (2-Cycloocten-1-one)	1728-25-2	**	9.18 (V)	PE	4285
	C <sub>8</sub> H <sub>12</sub> O (3-Cycloocten-1-one)	4734-90-1	**	9.12 (V)	PE	4285
	C <sub>8</sub> H <sub>12</sub> O (9-Oxabicyclo[3.3.1]non-1-ene)	40164-27-0	**	8.60 (V)	PE	4569
	C <sub>8</sub> H <sub>12</sub> O (9-Oxabicyclo[4.2.1]non-7-ene)	20642-83-5	**	8.89 (V)	PE	4688
	C <sub>8</sub> H <sub>11</sub> OH (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-ol, <i>endo-syn</i> -)	7076-81-5	**	8.8±0.1	EI	3492
	C <sub>8</sub> H <sub>11</sub> OH (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-ol, <i>endo-anti</i> -)	16384-97-7	**	9.1±0.1	EI	3492
	C <sub>8</sub> H <sub>11</sub> OH (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-ol, <i>exo-syn</i> -)	7076-80-4	**	9.1±0.1	EI	3492
	C <sub>8</sub> H <sub>11</sub> OH		**	9.3±0.1	EI	3492
<b>C<sub>8</sub>H<sub>14</sub>O<sup>+</sup></b>	C <sub>7</sub> H <sub>11</sub> (OCH <sub>3</sub> ) (Bicyclo[2.2.1]heptane, 2-methoxy- <i>endo</i> -)	10395-55-8	**	9.17±0.03 (V)	PE	4468
	C <sub>7</sub> H <sub>11</sub> (OCH <sub>3</sub> ) (Bicyclo[2.2.1]heptane, 7-methoxy-)	36197-12-3	**	9.27±0.03 (V)	PE	4468
	(iso-C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> C=C=O	XXXXX-XX-X	**	8.09	EI	4660
	C <sub>8</sub> H <sub>13</sub> OH (Bicyclo[2.2.2]octan-1-ol)	20534-58-1	**	9.65±0.05 (V)	PE	4842
	C <sub>8</sub> H <sub>14</sub> (=O) (Cyclooctanone)	502-49-8	**	9.00 (V)	PE	4285
			**	9.08 (V)	PE	5043
			**	9.09±0.02 (V)	PE	3517
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> CH=C(CH <sub>3</sub> )C(=O)CH <sub>3</sub> (3-Hepten-2-one, 3-methyl-)	39899-08-6	**	9.22	PE	5360
	C <sub>8</sub> H <sub>14</sub> O (9-Oxabicyclo[3.3.1]nonane)	281-05-0	**	9.05 (V)	PE	4569
	C <sub>8</sub> H <sub>14</sub> O (9-Oxabicyclo[4.2.1]nonane)	284-20-8	**	9.12 (V)	PE	4688
	C <sub>3</sub> HN(=O) <sub>2</sub> ( <i>iso</i> -C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> (2,4-Azetidinedione, 3,3-bis(1-methylethyl)-)	17197-62-5	HN=C=O	9.49	EI	4660
	C <sub>10</sub> H <sub>17</sub> NO <sub>2</sub> (2,4-Azetidinedione, 1-methyl-3,3-bis(1-methylethyl)-)	38951-66-5	CH <sub>3</sub> N=C=O	9.39	EI	4660
	C <sub>11</sub> H <sub>16</sub> NO <sub>2</sub> F <sub>3</sub> (2,4-Azetidinedione, 3,3-bis(1-methylethyl)-1-(2,2,2-trifluoroethyl)-)	56519-50-7	**	9.55	EI	4660
<b>C<sub>8</sub>H<sub>16</sub>O<sup>+</sup></b>	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> CO( <i>iso</i> -C <sub>3</sub> H <sub>7</sub> )	5857-36-3	**	8.797±0.005	PE	5519
	<i>n</i> -C <sub>6</sub> H <sub>13</sub> COCH <sub>3</sub>	111-13-7	**	9.40±0.03	PI	3765
			**	9.38 (V)	PE	4850
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> COCH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub>	589-63-9	**	9.10±0.05	PI	3765
<b>C<sub>8</sub>H<sub>18</sub>O<sup>+</sup></b>	(n-C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> O	142-96-1	**	9.40 (V)	PE	4850
			**	9.51±0.015 (V)	PE	4434
	(tert-C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> O (1,1'Oxybis (1,1-Dimethylethane))	XXXXX-XX-X	**	8.81	PE	4577
<b>C<sub>9</sub>H<sub>8</sub>O<sup>+</sup></b>	CH≡CCH(OH)C <sub>6</sub> H <sub>5</sub> (Benzenemethanol, α-ethynyl-)	4187-87-5	**	10.69 (V)	PE	4847
	C <sub>7</sub> H <sub>4</sub> (=O)(=CH <sub>2</sub> ) <sub>2</sub> (Bicyclo[2.2.1]hept-2-en-7-one, 5,6-bis(methylene)-)	57297-57-1	**	8.57±0.03 (V)	PE	4665
	C <sub>9</sub> H <sub>8</sub> =O (Bicyclo[4.2.1]nona-2,4,7-trien-9-one)	34733-74-9	**	8.28 (V)	PE	4363
	C <sub>9</sub> H <sub>8</sub> (=O) (1H-Inden-1-one, 2,3-dihydro-)	83-33-0	**	9.31	EI	4863

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_9O^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,4-dimethyl-5-(methyl- <i>d</i> )-)	38479-87-7	$CH_2D$	$12.3 \pm 0.1$	EI	4041
	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,5-dimethyl-4-(methyl- <i>d</i> )-)	38479-86-6	$CH_2D$	$11.4 \pm 0.1$	EI	4041
$C_6H_8DO^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,4-dimethyl-5-(methyl- <i>d</i> )-)	38479-87-7	$CH_3$	$11.5 \pm 0.1$	EI	4041
	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,5-dimethyl-4-(methyl- <i>d</i> )-)	38479-86-6	$CH_3$	$11.4 \pm 0.1$	EI	4041
$C_9H_{10}O^+$	$C_9H_{10}O$ (2H-1-Benzopyran, 3,4-dihydro-)	493-08-3	**	7.93	PE	4573
	$C_6H_6(=O)(=CH_2)_2$ (Bicyclo[2.2.1]heptan-7-one, 2,3-bis(methylene)-)	38680-06-7	**	$8.64 \pm 0.03$ (V)	PE	4665
	$C_9H_{10}O$ (2-Cyclopropen-1-one, 2,3-dicyclopropyl-)	42152-37-4	**	8.55 (V)	PE	5390
	$C_6H_4(CH_3)COCH_3$ (Ethanone, 1-(2-methylphenyl-))	577-16-2	**	9.15 (V)	PE	5272
	$C_6H_4(CH_3)COCH_3$ (Ethanone, 1-(3-methylphenyl-))	585-74-0	**	9.14 (V)	PE	5272
	$C_6H_4(CH_3)COCH_3$ (Ethanone, 1-(4-methylphenyl-))	122-00-9	**	9.12 (V)	PE	5272
	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methoxy-, acetate)	33709-39-6		8.40	EI	3590
	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methoxy-, acetate)	22532-51-0		8.25	EI	3590
	$C_6H_5O(iso-C_3H_7)$ (Benzene, (1-methylethoxy)-)	2741-16-4	**	8.42 (V)	PE	5310
	$C_6H_4(CH_3)OC_2H_5$ (Benzene, 1-ethoxy-2-methyl-)	614-71-1	**	8.32 (V)	PE	4327
$C_9H_{12}O^+$	$C_6H_4(CH_3)OC_2H_5$ (Benzene, 1-ethoxy-4-methyl-)	622-60-6	**	8.21 (V)	PE	5310
	$C_6H_3(CH_3)_2OCH_3$ (Benzene, 1-methoxy-2,4-dimethyl-)	6738-23-4	**	8.13 (V)	PE	4327
	$C_6H_3(CH_3)_2OCH_3$ (Benzene, 2-methoxy-1,3-dimethyl-)	1004-66-6	**	7.95 (V)	PE	5272
	<i>syn</i> - $C_9H_{11}OH$ (Bicyclo[4.2.1]nona-2,4-dien-9-ol <i>syn</i> -)	64725-61-7	**	$8.10 \pm 0.02$	PE	3890
	<i>anti</i> - $C_9H_{11}OH$ (Bicyclo[4.2.1]nona-2,4-dien-9-ol <i>anti</i> -)	64725-60-6	**	8.51 (V)	PE	5272
	$C_9H_{12}(=O)$ (Bicyclo[4.2.1]non-7-en-9-one)	42948-91-4	**	8.53 (V)	PE	4327
	$C_9H_{12}(=O)$ (Tricyclo[3.2.1.1 <sup>3,6</sup> ]nonan-2-one)	XXXXX-XX-X	**	$8.62 \pm 0.02$ (V)	PE	4703
	$C_9H_{12}(=O)$ (Tricyclo[3.2.1.1 <sup>3,6</sup> ]nonan-7-one)	XXXXX-XX-X	**	$8.43 \pm 0.02$ (V)	PE	4703
	$C_{10}H_{12}O_2$ (2,5-Cyclohexadiene-1,4-dione, 2,3,5,6-tetramethyl-)	527-17-3	CO	9.10 (V)	PE	4363
	$C_9H_{14}(=O)$ (Bicyclo[4.2.1]nonan-9-one)	14252-11-0	**	8.67 (V)	PE	5043
	$C_9H_{14}(=O)$ (Bicyclo[4.3.0]nonan-7-one)	XXXXX-XX-X	**	8.81 (V)	PE	5043
	$C_9H_{14}(=O)$ (Bicyclo[4.3.0]nonan-7-one)	XXXXX-XX-X	**	$10.1 \pm 0.05$	PI	3523
	$C_9H_{14}(=O)$ (Bicyclo[4.3.0]nonan-7-one)	XXXXX-XX-X	**	8.90 (V)	PE	4363
	$C_9H_{14}(=O)$ (Bicyclo[4.3.0]nonan-7-one)	XXXXX-XX-X	**	$9.08 \pm 0.08$	EI	5038
	$C_9H_{14}(=O)$ (Bicyclo[4.3.0]nonan-7-one)	XXXXX-XX-X	**			



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>9</sub>H<sub>14</sub>O<sup>+</sup></b>	C <sub>9</sub> H <sub>14</sub> (=O) (Bicyclo[4.3.0]nonan-8-one)	XXXXXX-XX-X	**	9.14±0.08	EI	5038
	<i>syn</i> -C <sub>9</sub> H <sub>13</sub> OH (Bicyclo[4.2.1]non-3-en-9-ol <i>syn</i> -)	64725-59-3	**	9.14±0.02 (V)	PE	4703
	<i>anti</i> -C <sub>9</sub> H <sub>13</sub> OH (Bicyclo[4.2.1]non-3-en-9-ol <i>anti</i> -)	64725-58-2	**	9.11±0.02 (V)	PE	4703
	C <sub>8</sub> H <sub>11</sub> OCH <sub>3</sub> (Bicyclo[2.2.2]oct-2-ene, 1-methoxy-)	25489-02-5	**	9.17±0.05 (V)	PE	4842
	C <sub>8</sub> H <sub>11</sub> OCH <sub>3</sub> (Bicyclo[2.2.2]oct-2-ene, 5-methoxy-)	56206-38-3	**	8.77±0.03 (V)	PE	4468
	C <sub>10</sub> H <sub>15</sub> (=O)CH <sub>3</sub> (Bicyclo[4.4.0]decan-3-one, 2-methyl-)	XXXXXX-XX-X	**	10.50±0.08	EI	5038
	C <sub>10</sub> H <sub>15</sub> (=O)CH <sub>3</sub> (Bicyclo[4.4.0]decan-3-one, 4-methyl-)	XXXXXX-XX-X	**	10.65±0.08	EI	5038
<b>C<sub>9</sub>H<sub>16</sub>O<sup>+</sup></b>	C <sub>8</sub> H <sub>13</sub> OCH <sub>3</sub> (Bicyclo[2.2.2]octane, 1-methoxy-)	7697-14-5	**	9.17±0.05 (V)	PE	4842
	C <sub>8</sub> H <sub>13</sub> OCH <sub>3</sub> (Bicyclo[2.2.2]octane, 2-methoxy-)	56206-39-4	**	9.07±0.03	PE	4468
<b>C<sub>9</sub>H<sub>18</sub>O<sup>+</sup></b>	<i>n</i> -C <sub>7</sub> H <sub>15</sub> COCH <sub>3</sub>	821-55-6	**	9.38 (V)	PE	4850
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> CO	108-83-8	**	9.04±0.03	PI	3765
			**	8.98±0.01	PE	5519
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> CO	815-24-7	**	8.67±0.01	PE	4535
			**	8.67±0.02	PE	5519
			**	8.79±0.05	EI	4535
			**	8.65±0.03	PI	3765
<b>C<sub>10</sub>H<sub>8</sub>O<sup>+</sup></b>	C <sub>10</sub> H <sub>8</sub> O (2-Cyclopropen-1-one, 2-methyl-3-phenyl-)	26307-30-2	**	8.64 (V)	PE	5390
	C <sub>10</sub> H <sub>7</sub> OH (1-Naphthalenol)	90-15-3	**	7.76±0.03	PI	5552
			**	7.78 (V)	PE	4466
	C <sub>10</sub> H <sub>7</sub> OH (2-Naphthalenol)	135-19-3	**	7.85±0.05	PI	5552
			**	7.90 (V)	PE	4466
<b>C<sub>10</sub>H<sub>10</sub>O<sup>+</sup></b>	C(C <sub>6</sub> H <sub>5</sub> )(C <sub>2</sub> H <sub>5</sub> )=C=O (1-Buten-1-one, 2-phenyl-)	XXXXXX-XX-X	**	7.94	EI	4660
	C <sub>3</sub> HN(=O) <sub>2</sub> C <sub>2</sub> H <sub>5</sub> (C <sub>6</sub> H <sub>5</sub> ) (2,4-Azetidinedione, 3-ethyl-3-phenyl-)	42282-82-6	**	8.97	EI	4660
	C <sub>12</sub> H <sub>13</sub> NO <sub>2</sub> (2,4-Azetidinedione, 3-ethyl-1-methyl-3-phenyl-)	56519-51-8	**	8.83	EI	4660
<b>C<sub>10</sub>H<sub>11</sub>O<sup>+</sup></b>	C <sub>10</sub> H <sub>11</sub> OH (1-Naphthalenol, 1,2,3,4-tetrahydro-)	529-33-9	H	9.67±0.11	EI	4960
	C <sub>10</sub> H <sub>11</sub> OH (2-Naphthalenol, 1,2,3,4-tetrahydro-)	530-91-6	H	11.6	EI	4960
<b>C<sub>10</sub>H<sub>12</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )C <sub>3</sub> H <sub>5</sub> (Benzene, 1-cyclopropyl-4-methoxy-)	4030-17-5	**	8.05 (V)	PE	4815
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )CH <sub>2</sub> CH=CH <sub>2</sub> (Benzene, 1-methoxy-4-(2-propenyl)-)	140-67-0	**	8.20 (V)	PE	4211
	C <sub>10</sub> H <sub>11</sub> OH (1-Naphthalenol, 1,2,3,4-tetrahydro-)	529-33-9	**	8.70±0.01	EI	4960

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{12}O^+$	$C_{10}H_{11}OH$ (2-Naphthalenol, 1,2,3,4-tetrahydro-)	530-91-6	**	$8.67 \pm 0.02$	EI	4960
$C_{10}H_{11}DO^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,4-dimethyl-5-(methyl- <i>d</i> )-)	38479-87-7	**	$8.7 \pm 0.1$	EI	4041
	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,5-dimethyl-4-(methyl- <i>d</i> )-)	38479-86-6	**	$8.7 \pm 0.1$	EI	4041
$C_{10}H_{14}O^+$	$C_6H_5O(tert-C_4H_9)$ (Benzene, (1,1-dimethylethoxy-))	6669-13-2	**	8.66 (V)	PE	4327
			**	$8.71 \pm 0.015$ (V)	PE	
			**	8.77 (V)	PE	5310
	$C_6H_4(CH_3)O(iso-C_3H_7)$ (Benzene, 1-methyl-2-(1-methylethoxy)-)	33426-60-7	**	8.24 (V)	PE	5310
	$C_6H_3(CH_3)_2OC_2H_5$ (Benzene, 2-ethoxy-1,3-dimethyl-)	26620-08-6	**	8.49 (V)	PE	4327
	$C_6H_2(CH_3)_3OCH_3$ (Benzene, 2-methoxy-1,3,5-trimethyl-)	4028-66-4	**	8.28 (V)	PE	5310
	$C_6H_4(CH_3)OCH(CH_3)_2$ (Benzene, 1-methyl-4-(1-methylethoxy)-)	22921-10-4	**	8.09 (V)	PE	4327
	<i>syn</i> - $C_9H_{11}OCH_3$ (Bicyclo[4.2.1]nona-2,4-diene, 9-methoxy- <i>syn</i> -)	64725-62-8	**	$8.28 \pm 0.02$ (V)	PE	4703
	$C_6H_4(OH)C_4H_9$ (Phenol, 3-butyl-)	4074-43-5	**	$8.92 \pm 0.1$	EI	3629
	$C_6H_4(OH)C_4H_9$ (Phenol, 4-butyl-)	1638-22-8	**	$8.67 \pm 0.1$	EI	3629
	$C_6H_4(OH)C_4H_9$ (Phenol, 2-(1,1-dimethylethyl-))	88-18-6	**	$8.10 \pm 0.02$	PE	3890
	$C_{10}H_{14}(=O)$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decanone)	700-58-3	**	8.67 (V)	PE	5043
			**	8.59	PE	3886
			**	$8.80 \pm 0.02$ (V)	PE	4217
	$C_{10}H_{14}(=O)$ (Tricyclo[4.2.1.1 <sup>2,6</sup> ]decan-8-one)	XXXXX-XX-X	**	8.57 (V)	PE	5043
	$C_{10}H_{14}(=O)$ (Tricyclo[4.2.1.1 <sup>3,6</sup> ]decan-8-one)	XXXXX-XX-X	**	8.96 (V)	PE	5043
$C_{10}H_{16}O^+$	$C_{10}H_{16}O$ (Bicyclo[2.2.1]heptan-2-one, 1,7,7-trimethyl-)	76-22-2	**	$8.76 \pm 0.03$	PI	3765
	$C_{10}H_{15}OH$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decan-1-ol)	768-95-6	**	$9.09 \pm 0.05$	PE	3886
	$C_{10}H_{15}OH$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decan-2-ol)	700-57-2	**	$9.09 \pm 0.07$	PE	3886
$C_{10}H_{18}O^+$	$C_6H_8(tert-C_4H_9)(OH)$ (2-Cyclohexen-1-ol, 4-(1,1-dimethylethyl)- <i>cis</i> -)	35376-39-7	**	$9.33 \pm 0.02$ (V)	PE	5420
	$C_6H_8(tert-C_4H_9)(OH)$ (2-Cyclohexen-1-ol, 4-(1,1-dimethylethyl)- <i>trans</i> -)	35376-40-0	**	$9.18 \pm 0.02$ (V)	PE	5420
	$C_6H_9O(tert-C_4H_9)$ (Cyclohexanone, 4- <i>tert</i> -butyl-)	98-53-3	**	9.04	PE	5085
$C_{10}H_{20}O^+$	$C_6H_{10}(tert-C_4H_9)(OH)$ (Cyclohexanol, 4-(1,1-dimethylethyl)- <i>cis</i> -)	937-05-3	**	$9.82 \pm 0.02$ (V)	PE	5420
	$C_6H_{10}(tert-C_4H_9)(OH)$ (Cyclohexanol, 4-(1,1-dimethylethyl)- <i>trans</i> -)	21862-63-5	**	$9.91 \pm 0.02$ (V)	PE	5420

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_8O^+$	$C_{11}H_8O$ (7-H-Benzocyclohepten-7-one)	4443-91-8	**	$8.61 \pm 0.03$ (V)	PE	4391
	$C_{10}H_7CHO$ (1-Naphthalenecarboxaldehyde)	66-77-3	**	$8.43 \pm 0.03$	PI	5552
$C_{11}H_{10}O^+$	$C_{10}H_7OCH_3$ (Naphthalene, 1-methoxy-)	2216-69-5	**	7.72 (V)	PE	3781
	$C_{10}H_7OCH_3$ (Naphthalene, 2-methoxy-)	93-04-9	**	7.87 (V)	PE	3781
$C_{11}H_{12}O^+$	<i>syn</i> - $C_{11}H_{11}OH$ (1,4-Methanonaphthalen-9-ol, 1,2,3,4-tetrahydrostereoisomer)	1198-20-5	**	$8.80 \pm 0.02$ (V)	PE	4703
	$C_{20}H_{26}O_2$ ( <i>D</i> -Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-)	1232-89-9	**	$8.62 \pm 0.02$ (V)	PE	4703
	$C_{20}H_{26}O_2$ ( <i>D</i> -Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-)	1232-88-8		$11.46 \pm 0.05$	EI	3571
	$C_{20}H_{26}O_2$ ( <i>D</i> -Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-, (8 $\alpha$ )-)			$11.20 \pm 0.05$	EI	3571
	$C_6(CH_3)_4(CH_2D)CHO$ (Benzaldehyde, 2,3,5,6-tetramethyl-4-(methyl- <i>d</i> )-)	43022-36-2	$CH_2D$	$11.2 \pm 0.1$	EI	4041
$C_{11}H_{14}O^+$	$C_6H_4(OCH_3)C_3H_4(CH_3)$ (Benzene, 1-methoxy-4-(1-methylcyclopropyl)-)	63340-01-2	**	8.09 (V)	PE	4815
	$C_{11}H_{14}O$ (2-Cyclopropen-1-one,2,3-bis(1-methylcyclopropyl)-)	58287-34-6	**	8.44 (V)	PE	5390
	$C_6H_5CO(CH_2)_3CH_3$ (1-Pentanone, 1-phenyl-)	1009-14-9	**	9.3 (V)	PE	4804
	<i>tert</i> - $C_4H_9COC_6H_5$ (1-Propanone, 2,2 dimethyl-1-phenyl-)	938-16-9	**	8.70	PE	4395
			**	9.02 (V)	PE	4804
	$C_6(CH_3)_4(CH_2D)CHO$ (Benzaldehyde, 2,3,5,6-tetramethyl-4-(methyl- <i>d</i> )-)	43022-36-2	$CH_3$	$11.2 \pm 0.1$	EI	4041
$C_{11}H_{16}O^+$	$C_6H_4(CH_3)O(tert-C_4H_9)$ (Benzene, 1-(1,1-dimethylethoxy)-2-methyl-)	15359-96-3	**	8.45 (V)	PE	5310
	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-3-methoxy-)	20893-43-0	**	$8.17 \pm 0.1$	EI	3629
	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-4-methoxy-)	18272-84-9	**	$8.24 \pm 0.1$	EI	3629
	$C_6H_4(CH_3)OC(CH_3)_3$ (Benzene, 1-(1,1-dimethylethoxy)-4-methyl-)	15359-98-5	**	8.23 (V)	PE	4327
	$C_6H_3(CH_3)_2OCH(CH_3)_2$ (Benzene, 1,3-dimethyl-2-(1-methylethoxy)-)	54350-31-1	**	8.49 (V)	PE	4327
	$C_6H_2(CH_3)_3OC_2H_5$ (Benzene, 2-ethoxy-1,3,5-trimethyl-)	61248-63-3	**	8.28 (V)	PE	5310
	$C_{10}H_{13}(=O)CH_3$ (2(3 <i>H</i> )-Naphthalenone, 4,4a,5,6,7,8-hexahydro-4a-methyl-)	826-56-2	**	$9.6 \pm 0.2$	EI	4074
	$C_{10}H_{15}(=O)CH_3$ (Bicyclo[4.4.0]decan-3-one, 2-methyl-)	XXXXXX-XX-X	**	$9.32 \pm 0.08$	EI	5038
	$C_{10}H_{15}(=O)CH_3$ (Bicyclo[4.4.0]decan-3-one, 4-methyl-)	XXXXXX-XX-X	**	$9.41 \pm 0.08$	EI	5038
$C_{11}H_{18}O^+$	$C_9H_{13}(=O)(C_2H_5)$ (Bicyclo[4.3.0]nonan-7-one, 1-ethyl-)	XXXXXX-XX-X	**	$9.40 \pm 0.08$	EI	5038

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{18}O^+$	$C_9H_{13}(=O)(C_2H_5)$ (Bicyclo[4.3.0]nonan-8-one, 7-ethyl-)	XXXXX-XX-X	**	$9.45 \pm 0.08$	EI	5038
	$C_3(C_4H_9)_2=O$ (2-Cyclopropen-1-one, 2,3-bis(1,1-dimethylethyl)-)	19985-79-6	**	8.23 (V)	PE	4361
			**	8.36 (V)	PE	5390
	$C_6H_6(CH_3)(OH)C_4H_8$ (4a(2H)-Naphthalenol, 1,3,4,7,8,8a-hexahydro-8a-methyl- <i>cis</i> -)	68211-44-9	**	$9.26 \pm 0.02$ (V)	PE	5420
	$C_6H_6(CH_3)(OH)C_4H_8$ (4a(2H)-Naphthalenol, 1,3,4,7,8,8a-hexahydro-8a-methyl- <i>trans</i> -)	XXXXX-XX-X	**	$9.35 \pm 0.02$ (V)	PE	5420
	$C_{11}H_{17}OH$ (4a(2H)-Naphthalenol, 1,3,4,7,8,8a-hexahydro-8a-methyl- <i>trans</i> -)	67497-82-9	**	$9.35 \pm 0.05$ (V)	PE	4842
$C_{11}H_{20}O^+$	$C_6H_8(tert-C_4H_9)(OCH_3)$ (Cyclohexene, 3-(1,1-dimethylethyl)-6-methoxy- <i>cis</i> -)	71555-63-0	**	$9.29 \pm 0.03$ (V)	PE	5420
	$C_6H_8(tert-C_4H_9)(OCH_3)$ (Cyclohexene, 3-(1,1-dimethylethyl)-6-methoxy- <i>trans</i> -)	71555-64-1	**	$8.97 \pm 0.02$ (V)	PE	5420
	$C_{11}H_{19}OH$ (Cyclohexanol, 5-(1,1-dimethylethyl)-2-methylene- <i>cis</i> -)	19245-69-3	**	$9.18 \pm 0.05$ (V)	PE	4842
			**	$9.18 \pm 0.02$ (V)	PE	5420
	$C_{11}H_{19}OH$ (Cyclohexanol, 5-(1,1-dimethylethyl)-2-methylene- <i>trans</i> -)	19245-70-6	**	$9.37 \pm 0.05$ (V)	PE	4842
			**	$9.37 \pm 0.02$ (V)	PE	5420
	$C_3H_2(C_4H_9)_2=O$ (Cyclopropanone, 2,3-bis(1,1-dimethylethyl)-, <i>trans</i> -)	14743-58-9	**	8.45 (V)	PE	4361
	$tert-C_4H_9COC(C_2H_5)=C(CH_3)CH_3$ (4-Hexen-3-one, 4-ethyl-2,2,5-trimethyl-)	68165-37-7	**	8.74	PE	5360
	$C_6H_8(CH_3)(OH)C_4H_8$ (4a(2H)-Naphthalenol, octahydro-8a-methyl- <i>cis</i> -)	5173-74-0	**	$9.45 \pm 0.02$ (V)	PE	5420
	$C_{11}H_{19}OH$ (4a(2H)-Naphthalenol, octahydro-8a-methyl- <i>trans</i> -)	5173-73-9	**	$9.41 \pm 0.05$ (V)	PE	4842
$C_{11}H_{22}O^+$	$C_6H_{10}(tert-C_4H_9)(OCH_3)$ (Cyclohexane, 1-(1,1-dimethylethyl)-4-methoxy- <i>cis</i> -)	15875-99-7	**	$9.36 \pm 0.02$ (V)	PE	5420
	$C_6H_{10}(tert-C_4H_9)(OCH_3)$ (Cyclohexane, 1-(1,1-dimethylethyl)-4-methoxy- <i>trans</i> -)	15876-31-0	**	$9.32 \pm 0.02$ (V)	PE	5420
$C_{12}H_8O^+$	$(C_6H_4)_2O$ (Dibenzofuran)	132-64-9	**	8.09 (V)	PE	5619
			**	8.77	EI	4228
$C_{12}H_{10}O^+$	$(C_6H_5)_2O$ (Benzene, 1,1'-oxybis-)	101-84-8	**	$8.09 \pm 0.03$	PI	5552
			**	8.0	PE	4228
	$C_{11}H_7OCH_3$ (7-H-Benzocyclohepten-7-one, 6-methyl-)	4900-73-6	**	$8.46 \pm 0.03$ (V)	PE	4391
	$C_6H_5C_6H_4OH$ ([1,1'-Biphenyl]-2-ol)	90-43-7	**	$7.80 \pm 0.02$	PE	3702
	$C_6H_5C_6H_4OH$ ([1,1'-Biphenyl]-4-ol)	92-69-3	**	$7.78 \pm 0.03$	PI	5552
	$C_{10}H_7COCH_3$ (Ethanone, 1-(1-naphthalenyl)-)	941-98-0	**	8.23 (V)	PE	4466
	$C_{10}H_7COCH_3$ (Ethanone, 1-(2-naphthalenyl)-)	93-08-3	**	8.31 (V)	PE	4466
	$C_{10}H_7C_2H_3O$ (Oxirane, 2-naphthalenyl-)	20861-99-8	**	8.21 (V)	PE	5364

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{12}O^+$	$C_{11}H_9(OCH_3)$ (1,4-Methanonaphthalene, 1,4-dihydro-5-methoxy-)	53308-23-9	**	$8.10 \pm 0.05$ (V)	PE	5019
			**	8.10 (V)	PE	4835
	$C_{11}H_9(OCH_3)$ (1,4-Methanonaphthalene, 1,4-dihydro-6-methoxy-)	4897-71-6	**	$7.87 \pm 0.05$	PE	5019
			**	7.87 (V)	PE	4835
$C_{12}H_{14}O^+$	<i>syn</i> - $C_{11}H_{11}OCH_3$ 1,4-Methanonaphthalene, 1,2,3,4-tetrahydro-9-methoxy-stereoisomer)	64725-57-1	**	$8.46 \pm 0.02$ (V)	PE	4703
	$C_{12}H_{14}O$ (4a,8a-Ethanonaphthalene-9-one, 1,4,5,8-tetrahydro-)	60964-67-2	**	$8.85 \pm 0.05$ (V)	PE	4593
	<i>anti</i> - $C_{11}H_{11}OCH_3$ (1,4-Methanonaphthalene, 1,2,3,4-tetrahydro-9-methoxy-stereoisomer)	64725-57-1	**	$8.61 \pm 0.02$ (V)	PE	4703
	<i>anti</i> - $C_{11}H_{10}(OH)CH_3$ (1,4-Methanonaphthalen-9-ol, 1,2,3,4-tetrahydro-6-methyl-(1 $\alpha$ ,4 $\alpha$ ,6R*)-)	1201-10-1	**	$8.31 \pm 0.02$ (V)	PE	4703
	<i>syn</i> - $C_{11}H_{10}(OH)CH_3$ (1,4-Methanonaphthalen-9-ol, 1,2,3,4-tetrahydro-6-methyl-(1 $\alpha$ ,4 $\alpha$ 9S*)-)	16306-87-7	**	$8.41 \pm 0.02$ (V)	PE	4703
$C_{12}H_{16}O^+$	$C_6H_4(OCH_3)C_3H_4(C_2H_5)$ (Benzene, 1-(1-ethylcyclopropyl)-4-methoxy-)	63340-02-3	**	8.11 (V)	PE	4815
	$C_6H_4(C(CH_3)_3)COCH_3$ (Ethanone, 1-[4-(1,1-dimethylethyl)phenyl]-)	943-27-1	**	$9.01 \pm 0.05$ (V)	PE	5097
	$C_6H_4(CH_3)CO(CH_2)_3CH_3$ (1-Pentanone, 1-(4-methylphenyl)-)	1671-77-8	**	9.02 (V)	PE	4804
$C_{12}H_{15}DO^+$	$C_6(CH_3)_4(CH_2D)CHO$ (Benzaldehyde, 2,3,5,6-tetramethyl-4-(methyl-d)-)	43022-36-2	**	$8.3 \pm 0.1$	EI	4041
$C_{12}H_{18}O^+$	$C_6H_2(CH_3)_3O(iso-C_3H_7)$ (Benzene, 1,3,5-trimethyl-2-(1-methylethoxy)-)	13605-05-5	**	8.15 (V)	PE	5310
	$C_6H_3(CH_3)_2OC(CH_3)_3$ (Benzene, 2-(1,1-dimethylethoxy)-1,3-dimethyl-)	54350-32-2	**	8.47 (V)	PE	4327
	$C_{10}H_{15}COCH_3$ (Ethanone, 1-tricyclo[3.3.1.1 <sup>3,7</sup> ]dec-1-yl-)	1660-04-4	**	$8.82 \pm 0.05$	PE	3851
$C_{12}H_{20}O^+$	$C_6H_6(CH_3)(OCH_3)C_4H_8$ (Naphthalene, 1,2,3,4,4a,5,6,8a-octahydro-8a-methoxy-4a-methyl- <i>cis</i> -)	71546-87-7	**	$9.34 \pm 0.02$ (V)	PE	5420
	$C_6H_6(CH_3)(OCH_3)C_4H_8$ (Naphthalene, 1,2,3,4,4a,5,6,8a-octahydro-8a-methoxy-4a-methyl- <i>trans</i> -)	68211-38-1	**	$9.00 \pm 0.05$ (V)	PE	4842
			**	$9.35 \pm 0.02$ (V)	PE	5420
$C_{12}H_{22}O^+$	$C_{11}H_{19}OCH_3$ (Cyclohexane, 1-(1,1-dimethylethyl)-3-methoxy-4-methylene- <i>cis</i> -)	68211-39-2	**	$8.97 \pm 0.05$ (V)	PE	4842
			**	$8.97 \pm 0.02$ (V)	PE	5420
	$C_{11}H_{19}OCH_3$ (Cyclohexane, 1-(1,1-dimethylethyl)-3-methoxy-4-methylene- <i>trans</i> -)	68211-40-5	**	$9.30 \pm 0.05$ (V)	PE	4842
			**	$9.30 \pm 0.02$ (V)	PE	5420
	$C_6H_8(CH_3)(OCH_3)C_4H_8$ (Naphthalene, decahydro-4a-methoxy-8a-methyl- <i>cis</i> -)	17987-54-1	**	$9.08 \pm 0.02$ (V)	PE	5420
	$C_{11}H_{19}OCH_3$ (Naphthalene, decahydro-4a-methoxy-8a-methyl- <i>trans</i> -)	17987-53-0	**	$9.10 \pm 0.05$ (V)	PE	4842
$C_{13}H_8O^+$	$(C_6H_4)_2CO$ (9H-Fluoren-9-one)	486-25-9	**	$8.36 \pm 0.03$	PI	5552



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_8O^+$	$(C_6H_5)_2CO$	486-25-9	**	$8.36 \pm 0.02$	PI	3523
	$C_{13}H_8(=O)$ (1H-Phenalen-1-one)	548-39-0	**	$8.20 \pm 0.04$ (V)	PE	5193
	$C_6H_5COC_6H_4NH_2$ (Methanone, (2-aminophenyl)phenyl-)	2835-77-0		$11.2 \pm 0.2$	EI	4358
	$C_6H_5COC_6H_4NH_2$ (Methanone, (3-aminophenyl)phenyl-)	2835-78-1		$12.3 \pm 0.3$	EI	4358
	$C_6H_5COC_6H_4NH_2$ (Methanone, (4-aminophenyl)phenyl-)	1137-41-3		$11.5 \pm 0.2$	EI	4358
$C_{13}H_9O^+$	$C_6H_5COC_6H_4Cl$ (Methanone, (2-chlorophenyl)phenyl-)	5162-03-8		$10.9 \pm 0.2$	EI	4358
	$C_6H_5COC_6H_4Cl$ (Methanone, (3-chlorophenyl)phenyl-)	1016-78-0		$11.0 \pm 0.1$	EI	4358
	$C_6H_5COC_6H_4Cl$ (Methanone, (4-chlorophenyl)phenyl-)	134-85-0		$11.1 \pm 0.2$	EI	4358
$C_{13}H_{10}O^+$	$C_6H_5C_6H_4CHO$ ([1,1'-Biphenyl]-4-carboxaldehyde)	3218-36-8	**	$8.47 \pm 0.03$	PI	5552
	$(C_6H_5)_2CO$ (Methanone, diphenyl-)	119-61-9	**	$9.14 \pm 0.03$	PI	4031
			**	$9.14 \pm 0.03$	PI	4057
			**	9.4	PI	3586
			**	$9.05 \pm 0.05$ (V)	PE	4844
			**	$9.4 \pm 0.1$	EI	5493
			**	$9.45 \pm 0.1$	EI	4335
			**	$9.45 \pm 0.1$	EI	4358
			**	9.46	EI	3792
	$(C_6H_5)_2CH_2OC(=O)$ (Dibenz[b,e]oxepin-11(6H)-one)	4504-87-4	CO	11.5	EI	5340
$C_{13}H_{11}O^+$	$C_6H_5CH_2C_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethyl)-)	834-14-0	CH <sub>3</sub>	$11.9 \pm 0.1$	EI	3807
$C_{13}H_{12}O^+$	$C_{11}H_9(COCH_3)$ (Ethanone, 1-(1,4-dihydro-1,4-methanonaphthalen-5-yl)-)	61346-78-9	**	$8.49 \pm 0.05$ (V)	PE	5019
	$C_{11}H_9(COCH_3)$ (Ethanone, 1-(1,4-dihydro-1,4-methanonaphthalen-6-yl)-)	63509-77-3	**	$8.57 \pm 0.05$ (V)	PE	5019
	$C_6H_5CH_2OC_6H_5$ (Benzene, phenoxymethyl-)	946-80-5	**	8.31	CT	5336
	$C_{11}H_9O(CH_3)_2$ (7H-Benzocyclohepten-7-one, 6,8-dimethyl-)	2484-16-4	**	$8.29 \pm 0.03$ (V)	PE	4391
	$C_{11}H_9O(CH_3)_2$ (7H-Benzocyclohept-7-one, 2,3-dimethyl-)	55027-90-2	**	$8.25 \pm 0.03$ (V)	PE	4391
	$C_6H_5CH_2C_6H_4OH$ (Phenol, 4-(phenylmethyl)-)	101-53-1	**	$8.45 \pm 0.05$	EI	3806
$C_{13}H_{18}O^+$	$C_{13}H_{18}O$ (Benzene, 1-methoxy-4-[1-(1-methylethyl)cyclopropyl]-)	63340-03-4	**	8.10 (V)	PE	4815
$C_{13}H_{20}O^+$	$C_6H_2(CH_3)_3O(tert-C_4H_9)$ (Benzene, 2-(1,1-dimethylethoxy)-1,3,5-trimethyl-)	61248-61-1	**	8.27 (V)	PE	5310
	$C_5H_2(O)(C_4H_9)_2$ (2,4-Cyclopentadien-1-one, 2,5-bis(1,1-dimethylethyl)-)	36319-88-7	**	8.50 (V)	PE	4293
	$C_5H_2(O)(C_4H_9)_2$ (2,4-Cyclopentadien-1-one, 3,4-bis(1,1-dimethylethyl)-)	28786-71-2	**	8.60 (V)	PE	4293

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_{10}O^+$	$C_{14}H_{10}O$ (9(10H)-Anthracenone)	90-44-8	**	$8.83 \pm 0.03$	PI	5552
	$C_{14}H_{10}O$ (Dibenz [ <i>b,f</i> ]oxepin)	257-05-6	**	$8.83 \pm 0.03$ 7.45	PI PE	3523 4611
	$(C_6H_5)_2C=C=O$ (Ethenone, diphenyl-)	525-06-4	**	7.85	EI	4660
	$C_{14}H_{10}O$ (Phenanthro[9,10- <i>b</i> ]oxirene, 1a,9b-dihydro-)	585-08-0	**	8.19 (V)	PE	5364
	$C_5N(=O)_2(C_6H_5)_3$ (2,4-Azetidinedione, 1,3,3-triphenyl-)	15745-93-4	**	8.24 (V) 8.46	OTH EI	4927 4660
	$(C_6H_5)_2CH_2SC(=O)$ (Dibenz[ <i>b,e</i> ]thiepin-11(6H)-one)	1531-77-7	S	9.45	EI	5340
	$C_{14}H_{10}SO_3$ (Dibenzo[ <i>b,e</i> ]thiepin-11(6H)-one-5,5-dioxide)	33301-21-2	SO <sub>2</sub>	10.00	EI	5414
$C_{14}H_{12}O^+$	$C_{14}H_{12}O$ (Oxirane, <i>cis</i> -2,3-diphenyl-)	1689-71-0	**	8.68	PE	5260
	$C_{14}H_{12}O$ (Oxirane, <i>trans</i> -2,3-diphenyl-)	1439-07-2	**	8.60	PE	5260
$C_{14}H_{14}O^+$	$C_6H_5CH_2C_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethyl)-)	834-14-0	**	$8.20 \pm 0.05$	EI	3806
	$C_6H_5CH_2OC_6H_4CH_3$ (Benzene, 1-methyl-4-(phenylmethoxy)-)	834-25-3	**	7.91	CTS	5336
	$C_6H_4(CH_2CH_2)_2C_4H_2O$ (15-Oxatricyclo[8.2.2.1 <sup>4,7</sup> ]pentadeca-4,6,10,12,13-pentaene)	5040-51-7	**	7.78 (V)	PE	5575
$C_{14}H_{20}O^+$	$C_{14}H_{20}O$ (Benzene, 1-[1-(1,1-dimethylethyl)cyclopropyl]-4-methoxy-)	63340-04-5	**	8.05 (V)	PE	4815
$C_{14}H_{22}O^+$	$C_6H_3(C_4H_9)_2OH$ (Phenol, 2,6-bis(1,1-dimethylethyl)-)	128-39-2	**	$7.70 \pm 0.02$	PE	3890
	$C_6H_3(C_4H_9)_2OH$ (Phenol, 3,5-bis(1,1-dimethylethyl)-)	1138-52-9	**	$7.90 \pm 0.02$	PE	3890
$C_{15}H_{10}O^+$	$C_{14}H_9CHO$ (9-Anthracenecarboxaldehyde)	642-31-9	**	$7.69 \pm 0.03$	PI	5552
	$C_{15}H_{10}O$ (2-Cyclopropen-1-one, 2,3-diphenyl-)	886-38-4	**	$7.67 \pm 0.03$ (V) 8.47 (V)	PE PE	4887 5390
	$C_{15}H_{10}O$ (5H-Dibenzo[ <i>a,c</i> ]cyclohepten-5-one)	4444-43-3	**	10.56 (V) $8.5 \pm 0.1$ (V)	PE PE	4856 4391
	$C_{15}H_{10}O$ (5H-Dibenzo[ <i>a,d</i> ]cyclohepten-5-one)	2222-33-5	**	$8.06 \pm 0.03$ (V)	PE	4391
$C_{15}H_{12}O^+$	$C_{14}H_9OCH_3$ (Anthracene, 9-methoxy-)	2395-96-2	**	$7.21 \pm 0.03$ (V)	PE	4887
	<i>trans</i> - $C_6H_5CH=CHC_6H_4CHO$ (Benzaldehyde, 4-(2-phenylethenyl)-)	32555-96-7	**	$7.92 \pm 0.04$	PI	5552

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{15}O^+$	$C_{20}H_{22}O_2$ ( <i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-)	1232-90-2		$11.46 \pm 0.05$	EI	3571
	$C_{20}H_{22}O_2$ ( <i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-, (14 $\beta$ )-)	1232-91-3		$10.84 \pm 0.09$	EI	3571
$C_{16}H_{10}O^+$	$C_{16}H_{10}O$ (4,6-Ethenodibenz[ <i>b,f</i> ]oxepine, ( <i>Z,Z</i> )-)	42073-03-0	**	7.95 (V)	PE	4088
$C_{16}H_{12}O^+$	$C_{14}H_9C_2H_3O$ (Oxirane,9-anthracenyl-)	61695-73-6	**	7.41 (V)	PE	5364
$C_{16}H_{16}O^+$	$C_{16}H_{16}O$ (6,12-Methano-7H-benzocycloundecen-14-one,8,9,10,11-tetrahydro-)	25401-39-2	**	$8.31 \pm 0.03$ (V)	PE	4391
	$C_{20}H_{22}O_2$ ( <i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-)	1232-90-2		$10.79 \pm 0.07$	EI	3571
	$C_{20}H_{22}O_2$ ( <i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-, (14 $\beta$ )-)	1232-91-3		$10.44 \pm 0.11$	EI	3571
$C_{16}H_{18}O^+$	$C_{16}H_{18}O$ (Benzene, 1-methoxy-3-(3-phenylpropyl)-)	67081-95-2	**	$8.15 \pm 0.05$	EI	4925
	$C_{16}H_{18}O$ (Benzene, 1-methoxy-4-(3-phenylpropyl)-)	40715-68-2	**	$8.18 \pm 0.05$	EI	4925
$C_{17}H_{12}O^+$	$C_{17}H_{12}O$ (Methanone, phenyl-1-azulenyl-)	XXXXX-XX-X	**	7.55 (V)	PE	5397
$C_{17}H_{14}O^+$	$C_{15}H_8O(CH_3)_2$ (8H-Cyclohepta[ <i>b</i> ]naphthalen-8-one,7,9-dimethyl-)	39787-00-3	**	$7.83 \pm 0.03$ (V)	PE	4391
	$C_6H_5CH_2OC_{10}H_7$ (Naphthalene,1-(phenylmethoxy)-)	607-58-9	**	7.63	CTS	5336
	$C_6H_5CH_2OC_{10}H_7$ (Naphthalene,2-(phenylmethoxy)-)	613-62-7	**	7.82	CTS	5336
$C_{17}H_{18}O^+$	$C_{17}H_{18}O$ (6,13-Methanobenzocyclododecene-15-one,7,8,9,10,11,12-hexahydro-)	55027-91-3	**	$8.2 \pm 0.1$ (V)	PE	4391
$C_{17}H_{20}O^+$	$C_{11}H_6O[(CH_3)_2CH]_2$ (7-H-Benzocyclohepten-7-one,6,8-bis(1-methylethyl)-)	55027-89-9	**	$8.15 \pm 0.03$ (V)	PE	4391
$C_{18}H_{12}O^+$	$C_{16}H_9C_2H_3O$ (Oxirane,1-pyrenyl-)	61695-74-7	**	7.43 (V)	PE	5364
$C_{18}H_{16}O^+$	$C_{10}H_6(CH_2CH_2)_2C_4H_2O$ (8,11-Epoxy-5,14-ethenobenzocyclododecene,6,7,12,13-tetrahydro-)	24178-85-6	**	7.46 (V)	PE	5575
$C_{18}H_{18}O^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-)	4528-68-1	**	$8.8 \pm 0.2$	EI	4074
$C_{18}H_{20}O^+$	$C_{18}H_{20}O$ (6,14-Methanobenzocyclotridecene-16-one,8,9,10,11,12,12-hexahydro-)	25401-40-5	**	$8.13 \pm 0.03$ (V)	PE	4391

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_{19}\text{H}_{18}\text{O}^+$	$\text{C}_{15}\text{H}_8\text{O}(\text{CH}_2\text{CH}_3)_2$ (8H-Cyclohepta[b]naphthalen-8-one,7,9-diethyl-)	55027-92-4	**	$7.83 \pm 0.03$ (V)	PE	4391
$\text{C}_{19}\text{H}_{20}\text{O}^+$	$\text{C}_6\text{H}_7(=\text{O})(\text{CH}_3)(\text{C}_6\text{H}_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-)	50592-49-9	**	$8.8 \pm 0.2$	EI	4074
$\text{C}_{19}\text{H}_{22}\text{O}^+$	$\text{C}_6\text{H}_6(\text{OH})(\text{CH}_3)(\text{C}_6\text{H}_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-)	50592-47-7	**	$9.2 \pm 0.2$	EI	4074
$\text{C}_{20}\text{H}_{24}\text{O}^+$	$\text{C}_{20}\text{H}_{24}\text{O}$ (6,16-Methanobenzocyclopentadecen-18-one,8,9,10,11,12,13,14,15-octahydro-)	25401-41-6	**	$8.10 \pm 0.03$ (V)	PE	4391
$\text{C}_{21}\text{H}_{22}\text{O}^+$	$\text{C}_{15}\text{H}_8\text{O}(\text{CH}(\text{CH}_3)_2)_2$ (8H-Cyclohepta[b]naphthalen-8-one,7,9-bis(1-methylethyl-)	55027-93-5	**	$7.76 \pm 0.03$ (V)	PE	4391
$\text{C}_{22}\text{H}_{18}\text{O}^+$	$\text{C}_{14}\text{H}_8(\text{CH}_2\text{CH}_2)_2\text{C}_4\text{H}_2\text{O}$ (9,10-(Ethano[2,5]furanoeethano)anthracene)	34721-69-2	**	6.87 (V)	PE	5575
$\text{C}_{23}\text{H}_{24}\text{O}^+$	$\text{C}_{10}\text{H}_{11}(=\text{O})(\text{CH}_3)(\text{C}_6\text{H}_5)_2$ (2(3H-Naphthalenone, 4,4a,5,6,7,8-hexahydro-4a-methyl-7,7-diphenyl-)	50786-03-3	**	$8.9 \pm 0.2$	EI	4074
$\text{C}_{23}\text{H}_{30}\text{O}^+$	$\text{C}_{23}\text{H}_{30}\text{O}$ (6,19-Methanobenzocyclooctadecen-21-one, 7,8,9,10,11,12,13,14,15,16,17,18,-dodecahydro-)	25401-43-8	**	$8.15 \pm 0.03$ (V)	PE	4391
$\text{CHO}_2^+$	HCOOH	64-18-6		12.26	PI	4959
			H	$12.29 \pm 0.03$	PI	4177
			H	$12.36 \pm 0.1$	PI	5135
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{OOCCH}_3)_2$	68777-98-0		12.75	EI	4809
$\text{CH}_2\text{O}_2^+$	HCOOH	64-18-6	**	$11.329 \pm 0.002$	S	5465
			**	$11.05 \pm 0.03$	PI	3765
			**	$11.16 \pm 0.03$	PI	4177
			**	$11.314 \pm 0.002$	PI	4306
			**	10.7 (V)	PE	4467
			**	11.3	PE	3883
			**	11.33	PE	3874
			**	11.34 (V)	PE	4850
			**	$11.35 \pm 0.03$	PE	3734
			**	11.51 (V)	PE	4513
$\text{CH}_3\text{O}_2^+$	HCOOC <sub>2</sub> H <sub>5</sub>	109-94-4	$\text{CH}_2=\text{CH}$	$10.9 \pm 0.05$	EI	4831
	HCOOCH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub>	110-74-7	$\text{CH}_2=\text{CHCH}_2$	$10.45 \pm 0.05$	EI	4831
	HCOOCH(CH <sub>3</sub> ) <sub>2</sub>	625-55-8	$\text{CH}_2=\text{CHCH}_3$	$10.38 \pm 0.05$	EI	4831
$\text{C}_2\text{H}_2\text{O}_2^+$	(CHO) <sub>2</sub>	107-22-2	**	10.52 (V)	PE	5517
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{OOCCH}_3)_2$	68777-98-0		10.30	EI	4809
$\text{C}_2\text{H}_3\text{O}_2^+$	$((\text{CH}_3)_2\text{C}(\text{NO})\text{COOCH}_3)_2$	6144-15-6		11.05	EI	4809
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{OOCCH}_3)_2$	68777-98-0		10.35	EI	4809

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_4O_2^+$	CH <sub>3</sub> COOH	64-19-7	**	10.38±0.03	PI	3765
			**	10.644±0.002	PI	4306
			**	10.66±0.05	PI	4959
			**	10.664±0.003	PI	5161
			**	10.63 (V)	PE	4850
			**	10.65	PE	3874
			**	10.69±0.03	PE	3734
			**	10.70	PE	3718
			**	10.8 (V)	PE	4426
			**	10.84 (V)	PE	5251
			**	10.87 (V)	PE	4513
			**	11.5 (V)	PE	4467
	HCOOCH <sub>3</sub>	107-31-3	**	10.66±0.05	EI	5263
			**	10.66	EI	5039
			**	10.3 (V)	PE	4467
			**	10.85±0.05	PE	4831
			**	10.85	PE	3718
	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> COOH	107-92-6	**	10.85 (V)	PE	4850
			C <sub>2</sub> H <sub>4</sub>	10.60±0.05	EI	5263
			C <sub>2</sub> H <sub>4</sub>	10.60	EI	5039
	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> COOH	109-52-4	C <sub>3</sub> H <sub>6</sub>	10.56±0.05	EI	5263
			C <sub>3</sub> H <sub>6</sub>	10.56	EI	5039
	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> COOH	142-62-1	C <sub>4</sub> H <sub>8</sub>	10.52±0.05	EI	5263
			1-C <sub>4</sub> H <sub>8</sub>	10.52	EI	5039
	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> COOH	111-14-8	C <sub>5</sub> H <sub>10</sub>	10.54±0.05	EI	5263
			1-C <sub>5</sub> H <sub>10</sub>	10.54	EI	5039
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		11.35	EI	4809
$C_2H_5O_2^+$	CH <sub>3</sub> COOC <sub>2</sub> H <sub>5</sub>	141-78-6	CH <sub>2</sub> =CH	10.6±0.1	EI	4831
	CH <sub>3</sub> COOCH(CH <sub>3</sub> ) <sub>2</sub>	108-21-4	CH <sub>2</sub> =CHCH <sub>2</sub>	9.96±0.05	EI	4831
	CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub>	109-60-4	CH <sub>2</sub> =CHCH <sub>2</sub>	9.94±0.05	EI	4831
$C_2H_6O_2^+$	(CH <sub>3</sub> O) <sub>2</sub>	690-02-8	**	9.71 (V)	PE	5068
$C_3H_4O_2^+$	CH <sub>2</sub> =CHCOOH	79-10-7	**	10.60	PE	3864
$C_3H_6O_2^+$	C <sub>2</sub> H <sub>5</sub> COOH	79-09-4	**	10.525±0.003	PI	5161
			**	10.44±0.03	PE	3734
			**	10.51 (V)	PE	4850
			**	10.54	PE	3874
			**	10.72 (V)	PE	4513
			**	10.41	EI	5039
			**	10.25±0.05	PE	4831
			**	10.25 (V)	PE	4850
	CH <sub>3</sub> COOCH <sub>3</sub>	79-20-9	**	10.33	PE	3718
			**	10.59 (V)	PE	3937
			**	11.0 (V)	PE	4467
			**	10.61±0.05	PE	4831
			**	10.61 (V)	PE	4850
			**	10.62	PE	3718
			**	9.86 (V)	PE	5212
	C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> (1,2-Dioxolane)	4362-13-4	**			
			**			
	C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> (1,3-Dioxolane)	646-06-0	**	10.1 (V)	PE	3733
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> COOCH <sub>3</sub>	623-42-7	**	10.17±0.05	EI	5070
			C <sub>2</sub> H <sub>4</sub>	10.18	EI	5039
	<i>sec</i> -C <sub>4</sub> H <sub>9</sub> COOH	116-53-0	C <sub>2</sub> H <sub>4</sub>	10.27	EI	5039
			C <sub>3</sub> H <sub>6</sub>	10.20	EI	5039
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> COOCH <sub>3</sub>	624-24-8	C <sub>3</sub> H <sub>6</sub>	10.06	EI	5039
			C <sub>3</sub> H <sub>6</sub>	10.16	EI	5039
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> COOCH <sub>3</sub>	556-24-1	C <sub>3</sub> H <sub>6</sub>			



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_2O_2^+$	$C_4H_2(=O)_2$ (3-Cyclobutene-1,2-dione)	32936-74-6	**	9.79 (V)	PE	4808
	$C_6H_4O_2$ (2,5-Cyclohexadiene-1,4-dione)	106-51-4	$C_2H_2$	$11.2 \pm 0.05$	PI	3523
$C_4H_4O_2^+$	$C_4H_4(=O)_2$ (1,2-Cyclobutanedione)	33689-28-0	**	9.61 (V)	PE	4808
	$C_4H_4O_2$ (1,4-Dioxin)	290-67-5	**	$7.75 \pm 0.02$	PE	4740
	$C_4H_4O(=O)$ (2(3H)-Furanone)	20825-71-2	**	10.70 (V)	PE	3826
$C_4H_6O_2^+$	$CH_2=CHCOOCH_3$	96-33-3	**	10.72 (V)	PE	3937
	$CH_3CO_2CH=CH_2$	108-05-4	**	$9.85 \pm 0.05$ (V)	PE	4859
	$(CH_3CO)_2$	431-03-8	**	9.47 (V)	PE	5538
			**	9.55 (V)	PE	3936
			**	9.55 (V)	PE	4520
			**	9.57 (V)	PE	4233
			**	9.72 (V)	PE	5517
	$CH_2=CHCH_2COOH$	625-38-7	**	10.02	PE	5086
	$CH_2=C(CH_3)COOH$	3724-65-0	**	10.15	PE	5086
	<i>cis</i> - $CH_3CH=CHCOOH$	503-64-0	**	10.08	PE	5086
	<i>trans</i> - $CH_3CH=CHCOOH$	107-93-7	**	10.08	PE	5086
	$C_3H_5COOH$ (Cyclopropanecarboxylic acid)	1759-53-1	**	10.64	PE	5086
	$C_4H_6O_2$ (1,2-Dioxin-3,6-dihydro-)	18715-02-1	**	9.66	PE	5318
	$C_4H_6O_2$ (1,4-Dioxin, 2,3-dihydro-)	543-75-9	**	$8.07 \pm 0.02$	PE	4740
	$C_4H_6O(=O)$ (2(3H)-Furanone, dihydro-)	96-48-0	**	10.26 (V)	PE	4742
			**	10.26 (V)	PE	3826
	$HCOOCH_2CH_2CH_3$	110-74-7	**	$10.50 \pm 0.05$	PE	4831
			**	10.50	PE	4850
			**	10.62	PE	3718
	$CH_3COOC_2H_5$	141-78-6	**	$9.90 \pm 0.05$	PE	4831
			**	9.90 (V)	PE	4850
			**	10.24	PE	3718
			**	10.16	EI	5039
	$C_2H_5COOCH_3$	554-12-1	**	10.30 (V)	PE	4850
			**	10.15	EI	5039
	$HCOOCH(CH_3)_2$	625-55-8	**	$10.44 \pm 0.05$	PE	4831
			**	10.44 (V)	PE	4850
	<i>n</i> - $C_3H_7COOH$	107-92-6	**	10.22 (V)	PE	3937
			**	10.38 (V)	PE	4850
			**	10.46	PE	3874
			**	10.24	EI	5039
	<i>iso</i> - $C_3H_7COOH$	79-31-2	**	$10.33 \pm 0.03$	PE	3734
			**	10.33	PE	3874
			**	10.12	EI	5039
			**	$10.329 \pm 0.005$	PI	5161
			**	10.30 (V)	PE	3937
	$C_4H_8O_2$ (1,2-Dioxane)	5703-46-8	**	10.0 (V)	PE	5212
	$C_4H_8O_2$ (1,3-Dioxane)	505-22-6	**	10.1 (V)	PE	3733
			**	10.12 (V)	PE	4082

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> (1,4-Dioxane)	123-91-1	**	9.41 (V)	PE	4082
			**	9.43 (V)	PE	3733
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> CHCOOH	88-09-5	C <sub>2</sub> H <sub>4</sub>	10.14	EI	5039
	C <sub>2</sub> H <sub>5</sub> C(CH <sub>3</sub> ) <sub>2</sub> COOH	595-37-9	C <sub>2</sub> H <sub>4</sub>	10.02	EI	5039
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> COOC <sub>2</sub> H <sub>5</sub>	105-54-4	C <sub>2</sub> H <sub>4</sub>	10.06	EI	5039
	<i>sec</i> -C <sub>4</sub> H <sub>9</sub> COOCH <sub>3</sub>	868-57-5	C <sub>2</sub> H <sub>4</sub>	9.81	EI	5039
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> C(CH <sub>3</sub> ) <sub>2</sub> COOH	1185-39-3	C <sub>3</sub> H <sub>6</sub>	9.96	EI	5039
	<i>n</i> -C <sub>3</sub> H <sub>11</sub> COOC <sub>2</sub> H <sub>5</sub>	123-66-0	1-C <sub>4</sub> H <sub>8</sub>	9.96	EI	5039
C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> <sup>+</sup>	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> OOH	75-91-2	**	10.24 (V)	PE	4251
C <sub>5</sub> H <sub>3</sub> O <sub>2</sub> <sup>+</sup>	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> O (Methanone, 2-furanylphenyl-)	2689-59-0	C <sub>6</sub> H <sub>5</sub>	12.4±0.1	EI	5493
C <sub>5</sub> H <sub>4</sub> O <sub>2</sub> <sup>+</sup>	C <sub>5</sub> H <sub>4</sub> O <sub>2</sub> (4-Cyclopentene-1,3-dione)	930-60-9	**	10.25 (V)	PE	3826
	C <sub>4</sub> H <sub>3</sub> OCHO (2-Furancarboxaldehyde)	98-01-1	**	9.50±0.05	EI	3482
	C <sub>5</sub> H <sub>4</sub> O(=O) (4H-Pyran-4-one)	108-97-4	**	9.35±0.05 (V)	PE	5002
C <sub>5</sub> H <sub>6</sub> O <sub>2</sub> <sup>+</sup>	CH <sub>2</sub> =C=CHCOOCH <sub>3</sub>	18913-35-4	**	10.02 (V)	PE	4748
	C <sub>5</sub> H <sub>6</sub> (=O) <sub>2</sub> (1,3-Cyclopentanedione)	3859-41-4	**	9.46±0.05	PE	3848
			**	9.53 (V)	PE	5020
	C <sub>5</sub> H <sub>5</sub> (=O)OH (2-Cyclopenten-1-one, 3-hydroxy-)	5870-62-2	**	9.22±0.05 (V)	PE	3848
	C <sub>3</sub> H <sub>2</sub> O <sub>2</sub> (=CH <sub>2</sub> ) <sub>2</sub> (1,3-Dioxolane, 4,5-bis(methylene)-)	4362-68-9	**	8.62	PE	5265
	C <sub>4</sub> H <sub>3</sub> O(=O)CH <sub>3</sub> (2(3H)-Furanone, 5-methyl-)	591-12-8	**	9.62±0.05	EI	4666
	C <sub>4</sub> H <sub>3</sub> O(=O)CH <sub>3</sub> (2(5H)-Furanone, 5-methyl-)	591-11-7	**	10.12±0.05	EI	4666
C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> <sup>+</sup>	CH <sub>2</sub> =C(CH <sub>3</sub> )COOCH <sub>3</sub>	80-62-6	**	10.28 (V)	PE	3937
	CH <sub>3</sub> COCH <sub>2</sub> COCH <sub>3</sub>	123-54-6	**	8.85±0.05	PE	3848
			**	9.00 (V)	PE	4195
			**	9.15 (V)	PE	5100
			**	9.18±0.07 (V)	PE	3682
	(CH <sub>3</sub> ) <sub>2</sub> C=CHCOOH	541-47-9	**	9.63	PE	5086
	CH <sub>3</sub> CO <sub>2</sub> C(CH <sub>3</sub> )=CH <sub>2</sub>	591-87-7	**	9.74±0.05 (V)	PE	4859
	C <sub>2</sub> H <sub>5</sub> CH=CHCOOH	626-98-2	**	10.14	PE	5086
	HCOC(CH <sub>3</sub> ) <sub>2</sub> CHO	1185-34-8	**	9.8 (V)	PE	4195
	CH <sub>3</sub> CH=CHCH <sub>2</sub> COOH	1617-32-9	**	9.41	PE	5086
	CH <sub>2</sub> =C(C <sub>2</sub> H <sub>5</sub> )COOH	3586-58-1	**	10.06	PE	5086
	CH <sub>3</sub> CH=C(CH <sub>3</sub> )COOH	13201-46-2	**	9.50	PE	5086
	CH <sub>2</sub> =C(CH <sub>3</sub> )CH <sub>2</sub> COOH	53774-20-2	**	9.52	PE	5086
	C <sub>4</sub> H <sub>7</sub> COOH (Cyclobutanecarboxylic acid)	3721-95-7	**	10.35	PE	5086
	C <sub>5</sub> H <sub>8</sub> O <sub>2</sub> (2,3-Dioxabicyclo[2.2.1]heptane)	279-35-6	**	8.96 (V)	PE	5563
			**	8.99 (V)	PE	5212
C <sub>5</sub> H <sub>9</sub> O <sub>2</sub> <sup>+</sup>	((CH <sub>3</sub> ) <sub>2</sub> CO) <sub>2</sub>	XXXXX-XX-X CH <sub>3</sub>		10.08±0.05	PI	5412
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		9.45	EI	4809

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>5</sub>H<sub>10</sub>O<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> COOCH(CH <sub>3</sub> ) <sub>2</sub>	108-21-4	**	9.95±0.05	PE	4831
			**	10.08	PE	3718
	CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub>	109-60-4	**	9.92 (V)	PE	4850
	HCOO(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub>	592-84-7	**	10.52±0.05	PE	4831
			**	10.52 (V)	PE	4850
			**	10.54	PE	3718
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> COOH	109-52-4	**	10.53 (V)	PE	3874
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> COOCH <sub>3</sub>	623-42-7	**	10.15 (V)	PE	4850
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> COOH	503-74-2	**	10.51 (V)	PE	3874
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> COOH	75-98-9	**	10.3 (V)	PE	4426
	C <sub>5</sub> H <sub>10</sub> O <sub>2</sub>	505-63-5	**	9.75 (V)	PE	5212
	(1,2-Dioxepane)					
	C <sub>3</sub> H <sub>4</sub> O <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub>	2916-31-6	**	9.71 (V)	PE	3733
	(1,3-Dioxolane, 2,2-dimethyl-)					
<b>C<sub>6</sub>H<sub>4</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> O <sub>2</sub>	106-51-4	**	9.7	PI	3586
	(2,5-Cyclohexadiene-1,4-dione)					
			**	9.96±0.01	PI	3523
			**	9.96±0.01	PI	5505
			**	9.99±0.05 (V)	PE	5558
			**	10.01	PE	4463
			**	10.03 (V)	PE	3936
			**	10.11	PE	5082
	C <sub>6</sub> H <sub>4</sub> (=O) <sub>2</sub>	583-63-1	**	9.6 (V)	PE	4616
	(3,5-Cyclohexadiene-1,2-dione)					
			**	9.60 (V)	PE	4808
<b>C<sub>6</sub>H<sub>5</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OH)OCH <sub>3</sub> (Phenol, 4-methoxy-)	150-76-5	CH <sub>3</sub>	11.10±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> (OH)OOCCH <sub>3</sub> (1,2-Benzenediol monoacetate)	2848-25-1	CH <sub>3</sub> CO	12.54±0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (OH)OOCCH <sub>3</sub> (1,4-Benzenediol monoacetate)	3233-32-7	CH <sub>3</sub> CO	13.83±0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )OH (Phenol, 4-nitro-)	100-02-7	NO	9.90±0.1	EI	3447

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6O_2^+$	$C_6H_4(OH)_2$ (1,2-Benzenediol)	120-80-9	**	8.56 (V)	PE	4891
	$C_6H_4(OH)_2$ (1,3-Benzenediol)	108-46-3	**	8.63 (V)	PE	4891
	$C_6H_6O_2$ (1,4-Benzenediol)	123-31-9	**	$7.95 \pm 0.03$	PI	3523
			**	$7.95 \pm 0.05$	PI	5552
			**	8.44 (V)	PE	4891
	$C_3(=O)_2(CH_3)_2$ (3-Cyclobutene-1,2-dione, 3,4-dimethyl-)	1121-15-9	**	9.06 (V)	PE	4808
			**	9.10 (V)	PE	4861
	$C_4H_3OCOCH_3$ (Ethanone, 1-(2-furanyl)-)	1192-62-7	**	$9.27 \pm 0.05$	EI	3482
	$C_6H_4(OH)OOCH_3$ (1,2-Benzenediol monoacetate)	2848-25-1	$CH_2=C=O$	$9.30 \pm 0.02$	EI	3631
	$C_6H_4(OH)OOCCH_3$ (Benzeneacetic acid, 4-hydroxy-)	3233-32-7	$CH_2=C=O$	$9.28 \pm 0.02$	EI	3631
$C_6H_8O_2^+$	$C_6H_8(=O)_2$ (1,3-Cyclohexanedione)	504-02-9	**	$9.52 \pm 0.05$	PE	3848
			**	9.60 (V)	PE	5020
	$C_6H_8(=O)_2$ (1,4-Cyclohexanedione)	637-88-7	**	9.65 (V)	PE	3936
			**	$\sim 9.85$ (V)	PE	5090
	$C_5H_5(=O)_2CH_3$ (1,3-Cyclopentanedione, 2-methyl-)	765-69-5	**	$9.40 \pm 0.1$ (V)	PE	3848
	$C_5H_4(=O)(OH)CH_3$ (2-Cyclopenten-1-one, 3-hydroxy-2-methyl-)	5870-63-3	**	$8.84 \pm 0.05$	PE	3848
	$C_6H_8O_2$ (2,3-Dioxabicyclo[2.2.2]oct-5-ene)	6671-70-1	**	8.76 (V)	PE	5563
	$C_4H_4O_2(=CH_2)_2$ (1,4-Dioxane, 2,3-bis(methylene)-)	70517-24-7	**	8.38	PE	5265
	$C_4H_2O(=O)(CH_3)_2$ (3(2H)-Furanone, 2,5-dimethyl-)	14400-67-0	**	$9.23 \pm 0.05$	EI	4673
	$C_3H_5COCOCCH_3$ (1,2-Propanedione, 1-cyclopropyl-)	15940-89-3	**	9.33 (V)	PE	4233
$C_6H_{10}O_2^+$	$CH_3COC(CH_3)HCOCH_3$	815-57-6	**	8.55 (V)	PE	4195
	<i>trans</i> - $CH_3CH=CHCOOC_2H_5$	623-70-1	**	10.11 (V)	PE	3937
	$C_6H_9(=O)OH$ (Cyclohexanone, 2-hydroxy-)	533-60-8	**	9.70 (V)	PE	4509
	$C_6H_{10}O_2$ (2,3-Dioxabicyclo[2.2.2]octane)	280-53-5	**	8.82 (V)	PE	5212
			**	8.83 (V)	PE	5563
$C_6H_{11}O_2^+$	$C_4H_6O_2(CH_3)_2$ (1,3-Dioxane, 4,6-dimethyl-, <i>cis</i> -)	3390-18-9	H	$9.693 \pm 0.005$	EI	3481
	$C_4H_6O_2(CH_3)_2$ (1,3-Dioxane, 4,6-dimethyl-, <i>trans</i> -)	1121-87-5	H	$9.540 \pm 0.003$	EI	3481
	$C_4H_5O_2(CH_3)_3$ (1,3-Dioxane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\alpha$ ,6 $\alpha$ )-)	19145-91-6	$CH_3$	$9.593 \pm 0.006$	EI	3481
	$C_4H_5O_2(CH_3)_3$ (1,3-Dioxane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\alpha$ ,6 $\beta$ )-)	36402-73-0	$CH_3$	$9.448 \pm 0.002$	EI	3481

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>12</sub>O<sub>2</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> CO) <sub>2</sub>	XXXXX-XX-X **		9.26±0.03	PI	5412
	CH <sub>3</sub> COOCH(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub>	105-46-4	**	9.97±0.05	PE	4831
	C <sub>2</sub> H <sub>5</sub> COOCH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub>	106-36-5	**	9.96 (V)	PE	4850
	CH <sub>3</sub> COO(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub>	123-86-4	**	9.92±0.05	PE	4831
			**	10.02±0.05	PE	4831
			**	10.17	PE	3718
	CH <sub>2</sub> =C(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	2678-54-8	**	8.3 (V)	PE	4291
	<i>tert</i> -C <sub>5</sub> H <sub>9</sub> COOCH <sub>3</sub>	598-98-1	**	9.90±0.04	PE	3851
	<i>cis</i> -C <sub>5</sub> H <sub>8</sub> (OH)OCH <sub>3</sub>	13051-91-7	**	9.80 (V)	PE	4450
	(Cyclopentanol, 2-methoxy-, <i>cis</i> -)					
	<i>trans</i> -C <sub>5</sub> H <sub>8</sub> (OH)OCH <sub>3</sub>	7429-45-0	**	9.60 (V)	PE	4450
	(Cyclopentanol, 2-methoxy-, <i>trans</i> -)					
	C <sub>2</sub> O <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub>	35856-82-7	**	8.53	PE	4577
	(1,2-Dioxetane, 3,3,4,4-tetramethyl-)					
	C <sub>6</sub> H <sub>12</sub> O <sub>2</sub>	6572-89-0	**	9.29 (V)	PE	5212
	(1,2-Dioxocane)					
<b>C<sub>6</sub>D<sub>12</sub>O<sub>2</sub><sup>+</sup></b>	((CD <sub>3</sub> ) <sub>2</sub> CO) <sub>2</sub>	XXXXX-XX-X **		9.25±0.03	PI	5412
<b>C<sub>6</sub>H<sub>14</sub>O<sub>2</sub><sup>+</sup></b>	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> O) <sub>2</sub>	16642-57-2	**	9.16 (V)	PE	5212
<b>C<sub>7</sub>H<sub>5</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OH)COOH (Benzoic acid, 3-hydroxy-)	99-06-9	OH	12.51±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> (OH)COOH (Benzoic acid, 4-hydroxy-)	99-96-7	OH	12.00±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> (COOH) <sub>2</sub> (1,3-Benzenedicarboxylic acid)	121-91-5	COOH	12.42±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> (COOH) <sub>2</sub> (1,4-Benzenedicarboxylic acid)	100-21-0	COOH	12.56±0.2	EI	3973
<b>C<sub>7</sub>H<sub>6</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (O <sub>2</sub> CH <sub>2</sub> ) (1,3-Benzodioxole)	274-09-9	**	8.21 (V)	PE	5567
	C <sub>6</sub> H <sub>5</sub> COOH (Benzoic acid)	65-85-0	**	9.75±0.2	EI	3973
			**	9.75	EI	3792
	C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> (Bicyclo[2.2.1]hept-5-ene-2,3-dione)	17994-26-2	**	8.73±0.05 (V)	PE	4851
	C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> (2,5-Cyclohexadiene-1,4-dione, 2-methyl-)	553-97-9	**	9.78±0.02	PI	3523
			**	9.78	PE	4463
	C <sub>6</sub> H <sub>3</sub> (=O) <sub>2</sub> (CH <sub>3</sub> ) (3,5-Cyclohexadiene-1,2-dione, 4-methyl-)	3131-54-2	**	9.40 (V)	PE	4808
<b>C<sub>7</sub>H<sub>7</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> ) <sub>2</sub> (Benzene, 1,3-dimethoxy-)	151-10-0	CH <sub>3</sub>	11.17±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> ) <sub>2</sub> (Benzene, 1,4-dimethoxy-)	150-78-7	CH <sub>3</sub>	10.98±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )OCH <sub>3</sub> (Benzene, 1-methoxy-3-nitro-)	555-03-3	NO	9.39±0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )OCH <sub>3</sub> (Benzene, 1-methoxy-4-nitro-)	100-17-4	NO	10.03±0.1	EI	3447
<b>C<sub>7</sub>H<sub>8</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OH)CH <sub>2</sub> OH (Benzenemethanol, 2-hydroxy-)	90-01-7	**	8.58 (V)	PE	4744
	C <sub>7</sub> H <sub>8</sub> O <sub>2</sub> (Bicyclo[2.2.1]heptane-2,3-dione)	6236-71-1	**	9.00±0.05 (V)	PE	4851



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_8O_2^+$	$C_6H_4(OH)OCH_3$ (Phenol, 4-methoxy-)	150-76-5	**	7.50	EI	3845
	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 3-methoxy-, acetate)	5451-83-2	$CH_2=C=O$	$8.02 \pm 0.1$	EI	3446
	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 4-methoxy-, acetate)	1200-06-2	$CH_2=C=O$	$9.56 \pm 0.2$	EI	3484
	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 4-methoxy-, acetate)	1200-06-2	$CH_2=C=O$	$9.48 \pm 0.2$	EI	3484
$C_7H_{10}O_2^+$	$C_5H_7(OOCCH_3)$ (2-Cyclopenten-1-ol)	20657-21-0	**	$9.61 \pm 0.05$ (V)	PE	4954
	$C_6H_7(=O)_2CH_3$ (1,3-Cyclohexanedione, 2-methyl-)	1193-55-1	**	$9.37 \pm 0.05$	PE	3848
	$C_5H_4(=O)_2(CH_3)_2$ (1,3-Cyclopentanedione, 2,2-dimethyl-)	3883-58-7	**	$9.08 \pm 0.05$	PE	3848
	$C_5H_5(=O)_2C_2H_5$ (1,3-Cyclopentanedione, 2-ethyl-)	823-36-9	**	$9.22$ (V)	PE	4742
	$C_5H_4(=O)(OH)C_2H_5$ (2-Cyclopenten-1-one, 2-ethyl-3-hydroxy-)	5857-25-0	**	$9.22$ (V)	PE	4810
	$C_3O_2(=CH_2)_2(CH_3)_2$ (1,3-Dioxolane, 2,2-dimethyl-4,5-bis(methylene)-)	70517-23-6	**	8.30	PE	5265
	$C_4HO(CH_3)_2OCH_3$ (Furan, 3-methoxy-2,5-dimethyl-)	57556-12-4	**	$7.86 \pm 0.05$	EI	4673
	$C_4HO(=O)(CH_3)_3$ (2(3H)-Furanone, 3,3,5-trimethyl-)	35983-73-4	**	$9.00 \pm 0.05$	EI	4666
	$C_4HO(=O)(CH_3)_3$ (3(2H)-Furanone, 2,2,5-trimethyl-)	1559-45-1	**	$9.04 \pm 0.05$	EI	4673
	$C_7H_{10}O_2$ (Spiro[2,3-dioxabicyclo[2.2.1]heptane, 7,1'-cyclopropane])	XXXXXX-XX-X	**	$8.87$ (V)	PE	5563
	$CH_3COG(CH_3)_2COCH_3$	3142-58-3	**	$9.30$ (V)	PE	4195
	$C_6H_9(=O)OCH_3$ (Cyclohexanone, 2-methoxy-)	17429-00-4	**	$9.06$ (V)	PE	4509
	$C_7H_{12}O_2$ (6,7-Dioxabicyclo[3.2.2]nonane)	283-35-2	**	$8.97$ (V)	PE	5212
$C_7H_{13}O_2^+$	$C_4H_4O_2(CH_3)_4$ (1,3-Dioxane, 2,2,4,6-tetramethyl-, <i>cis</i> -)	17227-17-7	$CH_3$	$9.332 \pm 0.006$	EI	3481
	$C_4H_4O_2(CH_3)_4$ (1,3-Dioxane, 2,2,4,6-tetramethyl-, <i>trans</i> -)	20268-00-2	$CH_3$	$9.128 \pm 0.008$	EI	3481
$C_7H_{14}O_2^+$	$C_2H_5COOCH_2CH(CH_3)_2$	540-42-1	**	$9.94$ (V)	PE	4850
	<i>cis</i> - $C_6H_{10}(OH)OCH_3$ (Cyclohexanol, 2-methoxy-, <i>cis</i> -)	7429-41-6	**	$9.68$ (V)	PE	4450
	<i>trans</i> - $C_6H_{10}(OH)OCH_3$ (Cyclohexanol, 2-methoxy-, <i>trans</i> -)	7429-40-5	**	$9.69$ (V)	PE	4450
	<i>cis</i> - $C_5H_8(OCH_3)_2$ (Cyclopentane, 1,2-dimethoxy-, <i>cis</i> -)	61011-51-6	**	$9.29$ (V)	PE	4450
	<i>trans</i> - $C_5H_8(OCH_3)_2$ (Cyclopentane, 1,2-dimethoxy-, <i>trans</i> -)	29887-56-7	**	$9.39$ (V)	PE	4450
	$C_3H_2O_2(CH_3)_4$ (1,2-Dioxolane, 3,3,5,5-tetramethyl-)	22431-90-9	**	$9.25$ (V)	PE	4251
			**	$9.26$ (V)	PE	4577
	$C_8H_4(=O)_2$ (Bicyclo[4.2.0]octa-1,3,5-triene-7,8-dione)	6383-11-5	**	$9.23$ (V)	PE	4861

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_7O_2^+$	$CH_3OC_6H_4COCH_3$ (Ethanone, 1-(4-methoxyphenyl)-)	100-06-1	$CH_3$	$10.69 \pm 0.04$	EI	5059
	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 3-methoxy-)	586-38-9	OH	$12.51 \pm 0.2$	EI	3973
	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 4-methoxy-)	100-09-4	OH	$12.53 \pm 0.2$	EI	3973
$C_8H_8O_2^+$	$C_6H_5OC(=O)CH_3$ (Acetic acid, phenyl ester)	122-79-2	**	$8.6 \pm 0.05$	PE	5608
			**	$8.75 \pm 0.03$	EI	3483
			**	$8.84 \pm 0.2$	EI	3484
	$C_6H_4(CHO)OCH_3$ (Benzaldehyde, 4-methoxy-)	123-11-5	**	8.43	PE	4621
	$C_6H_4(CH_3)COOH$ (Benzoic acid, 3-methyl-)	99-04-7	**	$9.43 \pm 0.2$	EI	3973
	$C_6H_4(CH_3)COOH$ (Benzoic acid, 4-methyl-)	99-94-5	**	$9.23 \pm 0.2$	EI	3973
	$C_6H_5COOCH_3$ (Benzoic acid, methyl ester)	93-58-3	**	9.28	PE	4621
			**	9.34 (V)	PE	4850
			**	$9.40 \pm 0.025$	PE	3626
			**	$9.35 \pm 0.03$	EI	3626
			**	$9.35 \pm 0.1$	EI	3788
			**	9.49	EI	3792
	$C_8H_8O_2$ (Bicyclo[2.2.1]hept-5-ene-2,3-dione, 5-methyl-)	60526-48-9	**	$8.50 \pm 0.05$ (V)	PE	4851
	$C_6H_2O_2(CH_3)_2$ (2,5-Cyclohexadiene-1,4-dione, 2,5-dimethyl-)	137-18-8	**	9.58	PE	4463
			**	$9.60 \pm 0.05$ (V)	PE	5558
	$(C_6H_5COOCH_3)(CO)_3Cr$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)	12125-87-0		$9.31 \pm 0.1$	EI	3788
$C_8H_{10}O_2^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,2-dimethoxy-)	91-16-7	**	7.8 (V)	PE	4758
			**	8.17 (V)	PE	5567
	$C_6H_4(OCH_3)_2$ (Benzene, 1,3-dimethoxy-)	151-10-0	**	8.14 (V)	PE	5567
			**	8.18 (V)	PE	4758
			**	$8.17 \pm 0.1$	EI	3446
	$C_6H_4(OCH_3)_2$ (Benzene, 1,4-dimethoxy-)	150-78-7	**	7.54	PE	4621
			**	$7.83 \pm 0.015$ (V)	PE	4434
			**	7.90 (V)	PE	3781
			**	7.90 (V)	PE	4758
			**	7.90 (V)	PE	5403
			**	7.96 (V)	PE	5567
			**	7.45	EI	3845
			**	$7.88 \pm 0.1$	EI	3446
	$C_8H_{10}(=O)_2$ (Bicyclo[3.2.1]octane-2,4-dione)	XXXXX-XX-X	**	9.28 (V)	PE	5020
	$C_8H_{10}(=O)_2$ ( <i>cis</i> -Bicyclo[3.3.0]octane-3,7-dione)	XXXXX-XX-X	**	9.78 (V)	PE	5090
	$C_3H_5COCOC_3H_5$ (Ethanedione, dicyclopropyl-)	XXXXX-XX-X	**	9.09 (V)	PE	4233
$C_8H_{12}O_2^+$	$C_8H_{12}O_2$ ( <i>trans,trans</i> - $CH_3CH=CHCH=CHCOOC_2H_5$ )	5941-48-0	**	8.85 (V)	PE	5010
	$C_4(=O)_2(CH_3)_4$ (1,3-Cyclobutanedione, 2,2,4,4-tetramethyl-)	933-52-8	**	8.80 (V)	PE	3936

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>12</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>4</sub> (=O) <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub>	933-52-8	**	8.80 (V)	PE	5090
	C <sub>6</sub> H <sub>6</sub> (=O) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (1,3-Cyclohexanedione, 5,5-dimethyl-)	126-81-8	**	9.28±0.05	PE	3848
	C <sub>6</sub> H <sub>7</sub> (=O)OC <sub>2</sub> H <sub>5</sub> (2-Cyclohexen-1-one, 3-ethoxy-)	5323-87-5	**	8.69±0.05	PE	3848
	C <sub>8</sub> H <sub>12</sub> O <sub>2</sub> (7,8-Dioxabicyclo[4.2.2]dec-9-ene)	52148-56-8	**	9.00 (V)	PE	5563
	C <sub>8</sub> H <sub>12</sub> O <sub>2</sub> (2,3-Dioxabicyclo[2.2.1]heptane, 7-[methylene(dimethyl)]-)	XXXXX-XX-X	**	8.62 (V)	PE	5563
	C <sub>4</sub> H <sub>3</sub> O(=O)( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) (2(3H)-Furanone, 5-(1,1-dimethylethyl)-)	19918-17-3	**	9.03±0.05	EI	4666
<b>C<sub>8</sub>H<sub>14</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>14</sub> O <sub>2</sub>	142-30-3	**	9.70 (V)	PE	4847
	C(=CH <sub>2</sub> )OC <sub>2</sub> H <sub>5</sub>	55370-32-6	**	8.14	PE	5265
	C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> (7,8-Dioxabicyclo[4.2.2]decane)	52965-57-8	**	9.05 (V)	PE	5212
	C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> (9,10-Dioxabicyclo[3.3.2]decane)	XXXXX-XX-X	**	9.06 (V)	PE	5563
	C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> (9,10-Dioxabicyclo[3.3.2]decane)	XXXXX-XX-X	**	9.14 (V)	PE	5563
	C <sub>4</sub> H <sub>2</sub> O(O)(CH <sub>3</sub> ) <sub>4</sub> (3(2H)-Furanone, dihydro-2,2,5,5-tetramethyl-)	5455-94-7	**	9.29±0.03 (V)	PE	4292
<b>C<sub>8</sub>H<sub>16</sub>O<sub>2</sub><sup>+</sup></b>	<i>cis</i> -C <sub>6</sub> H <sub>10</sub> (OCH <sub>3</sub> ) <sub>2</sub> (Cyclohexane, 1,2-dimethoxy-, <i>cis</i> -)	30363-80-5	**	9.24 (V)	PE	4450
	<i>trans</i> -C <sub>6</sub> H <sub>10</sub> (OCH <sub>3</sub> ) <sub>2</sub> (Cyclohexane, 1,2-dimethoxy-, <i>trans</i> -)	29887-60-3	**	9.31 (V)	PE	4450
	C <sub>4</sub> H <sub>4</sub> O <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub> (1,2-Dioxane, 3,3,6,6-tetramethyl-)	22431-89-6	**	9.35 (V)	PE	4577
			**	9.55 (V)	PE	4251
<b>C<sub>8</sub>H<sub>18</sub>O<sub>2</sub><sup>+</sup></b>	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> O) <sub>2</sub>	110-05-4	**	8.78 (V)	PE	4251
			**	8.78 (V)	PE	5212
<b>C<sub>9</sub>H<sub>6</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>9</sub> H <sub>6</sub> (=O) <sub>2</sub> (1H-Indene-1,2(3H)dione)	16214-27-0	**	9.04±0.05 (V)	PE	4708
	C <sub>9</sub> H <sub>6</sub> (=O) <sub>2</sub> (1H-Indene-1,3(2H)dione)	606-23-5	**	9.43±0.05 (V)	PE	4708
<b>C<sub>9</sub>H<sub>8</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>9</sub> H <sub>8</sub> O <sub>2</sub> (Spiro[bicyclo[2.2.1]hept-5-ene-7,1'-cyclopropane]-2,3-dione)	60526-40-1	**	8.50±0.05 (V)	PE	4851
<b>C<sub>9</sub>H<sub>10</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )(COCH <sub>3</sub> ) (Ethanone, 1-(4-methoxyphenyl)-)	100-06-1	**	8.2±0.1	PE	4401
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )OOCCH <sub>3</sub> (Acetic acid, 2-methylphenyl ester)	533-18-6	**	8.65 (V)	PE	4804
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )OOCCH <sub>3</sub> (Acetic acid, 3-methylphenyl ester)	122-46-3	**	8.38±0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )OOCCH <sub>3</sub> (Acetic acid, 4-methylphenyl ester)	140-39-6	**	8.98±0.2	EI	3484
			**	7.84±0.02	EI	3631
	C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> (Bicyclo[2.2.1]hept-5-ene-2,3-dione, 7,7-dimethyl-)	60526-42-3	**	8.61±0.2	EI	3484
	C <sub>9</sub> H <sub>10</sub> O <sub>2</sub> (Spiro[bicyclo[2.2.1]heptane-7,1'-cyclopropane]-2,3-dione)	70705-73-6	**	8.50±0.05	PE	4851
				8.75±0.05 (V)	PE	4851

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{12}O_2^+$	$C_6H_4(OCH_3)(OC_2H_5)$ (Benzene, 1-ethoxy-4-methoxy-)	5076-72-2	**	7.72±0.015 (V)	PE	4434
	$C_6H_3(OCH_3)_2CH_3$ (Benzene, 1,2-dimethoxy-4-methyl-)	494-99-5	**	7.95 (V)	PE	4672
	$C_6H_5O(CH_2)_2OCH_3$ (Benzene,(2-methoxyethoxy)-)	41532-81-4	**	8.41±0.05	EI	5484
	$C_9H_{12}(=O)_2$ (Bicyclo[3.2.2]nonane-2,4-dione)	XXXXX-XX-X	**	9.15 (V)	PE	5020
$C_9H_{14}O_2^+$	$C_6H_7(=O)_2CH(CH_3)_2$ (1,3-Cyclohexanedione, 2-(1-methylethyl)-)	3401-01-2	**	9.09±0.05	PE	3848
	$C_6H_5(=O)_2(CH_3)_3$ (1,3-Cyclohexanedione, 2,5,5-trimethyl-)	1125-11-7	**	9.10±0.05	PE	3848
	$C_5H_2(=O)_2(CH_3)_4$ (1,3-Cyclopentanedione, 4,4,5,5-tetramethyl-)	XXXXX-XX-X	**	9.18 (V)	PE	5020
$C_{10}H_6O_2^+$	$C_{10}H_6O_2$ (1,4-Naphthalenedione)	130-15-4	**	9.56±0.01	PI	3523
			**	9.49	PE	5082
$C_{10}H_8O_2^+$	$C_{10}H_8(OH)_2$ (1,4-Naphthalenediol)	571-60-8	**	7.62±0.03	PI	5552
$C_{10}H_{10}O_2^+$	$C_{10}H_{10}O_2$ (Bicyclo[2.2.1]hept-5-ene-2,3-dione, 7-(1-methylethylidene)-)	60526-38-7	**	8.30±0.05 (V)	PE	4851
$C_{10}H_{12}O_2^+$	$C_{10}H_{12}O_2$ (2,5-Cyclohexadione-1,4-dione, 2,3,5,6-tetramethyl-)	527-17-3	**	9.16±0.03	PI	3523
			**	9.16±0.03	PI	5505
			**	9.25±0.05 (V)	PE	5558
	$C_{10}H_{12}O_2$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane-2,6-dione)	39751-07-0	**	9.06	PE	3886
	(JC-Mean value of Jahn-Teller components)		**	9.07 (V)	PE	5043
	$C_{10}H_{12}(=O)_2$ (Tricyclo[4.2.1.1 <sup>2,6</sup> ]decane-7,8-dione)	XXXXX-XX-X	**	8.84 (V)	PE	5043
$C_{10}H_{14}O_2^+$	$C_6H_4(OCH_3)(OCH(CH_3)_2)$ (Benzene, 1-methoxy-4-(1-methylethoxy)-)	20744-02-9	**	7.83±0.015 (V)	PE	4434
	$C_6H_4(OCH_3)(OC_3H_7)$ (Benzene, 1-methoxy-4-propoxy-)	20743-94-6	**	7.80±0.015 (V)	PE	4434
	$C_6(CH_3)_4(OH)_2$ (1,4-Benzenediol,2,3,5,6-tetramethyl-)	527-18-14	**	7.48±0.05	PI	5552
	$C_6H_5O(CH_2)_3OCH_3$ (Benzene,(3-methoxypropoxy)-)	61372-56-3	**	8.42±0.05	EI	5484
	$C_7H_5(CH_3)_3O_2$ (Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-)	465-29-2	**	8.71 (V)	PE	5517
			**	8.80 (V)	PE	3936
	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-ol, acetate, <i>endo-syn</i> -)	32426-26-9	**	8.6±0.1	EI	3492
	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-ol, acetate, <i>endo-anti</i> -)	32350-51-9	**	9.0±0.1	EI	3492
	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-ol, acetate, <i>exo-syn</i> -)	32350-52-0	**	8.9±0.1	EI	3492
	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octan-8-ol, acetate, <i>exo-anti</i> -)	32350-50-8	**	9.3±0.1	EI	3492

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{14}O_2^+$	$C_8H_8(OCH_3)_2$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]oct-6-ene, 8,8-dimethoxy-, (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ )-)	14224-84-1	**	8.6 $\pm$ 0.1	EI	3492
$C_{10}H_{16}O_2^+$	$C_8H_{10}(OCH_3)_2$ (Bicyclo[2.2.2]oct-2-ene, 1,4-dimethoxy-) $C_6H_7(=O)_2C(CH_3)_3$ (1,3-Cyclohexanedione, 2-(1,1-dimethylethyl)-) $C_6H_4(=O)_2(CH_3)_4$ (1,3-Cyclohexanedione, 2,2,5,5-tetramethyl-) $C_6H_4(=O)_2(CH_3)_4$ (1,3-Cyclohexanedione, 4,4,6,6-tetramethyl-) $C_6H_6O_2CH_3CH(CH_3)_2$ (2,3-Dioxabicyclo[2.2.2]oct-5-ene, 1-methyl-4-(1-methylethyl)-) $C_8H_{10}(OCH_3)_2$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octane, 8,8-dimethoxy-, (1 $\alpha$ ,2 $\alpha$ ,4 $\alpha$ ,5 $\alpha$ )-) $C_8H_{10}(OCH_3)_2$ (Tricyclo[3.2.1.0 <sup>2,4</sup> ]octane, 8,8-dimethoxy-, (1 $\alpha$ ,2 $\beta$ ,4 $\beta$ ,5 $\alpha$ )-)	59880-82-9	**	9.24 (V)	PE	4619
		XXXXX-XX-X	**	9.05 $\pm$ 0.1	PE	3848
		702-50-1	**	9.04 $\pm$ 0.05	PE	3848
		60681-10-9	**	9.29 (V)	PE	5020
		512-85-6	**	8.07	PE	4577
			**	8.42 (V)	PE	4619
		14224-85-2	**	8.7 $\pm$ 0.1	EI	3492
		7076-82-6	**	8.9 $\pm$ 0.1	EI	3492
$C_{10}H_{18}O_2^+$	$C_8H_{12}(OCH_3)_2$ (Bicyclo[2.2.2]octane, 1,4-dimethoxy-) $C_6H_6O_2CH_3CH(CH_3)_2$ (2,3-Dioxabicyclo[2.2.2]octane, 1-methyl-4-(1-methylethyl)-)	59880-84-1	**	9.14 (V)	PE	4619
		5718-73-0	**	8.09	PE	4577
			**	8.50 (V)	PE	4619
$C_{11}H_8O_2^+$	$C_6H_5COC_4H_9O$ (Methanone,2-furanylphenyl-) $C_{10}H_5(=O)_2(CH_3)$ (1,4-Naphthalenedione,2-methyl-)	2689-59-0	**	9.1 $\pm$ 0.1	EI	5493
		58-27-5	**	9.51 (V)	PE	5093
$C_{11}H_{10}O_2^+$	$C_6H_4C_3(CH_3)_2O_2$ (1H-Indene-1,2(3H)-dione,3,3-dimethyl-)	20651-88-1	**	8.7 (V)	PE	5517
$C_{11}H_{12}O_2^+$	$C_{11}H_{12}O_2$ (Spiro[bicyclo[2.2.1]hept-5-ene-7,1'-cyclopentane]-2,3-dione)	60526-44-5	**	8.45 $\pm$ 0.05 (V)	PE	4851
$C_{11}H_{14}O_2^+$	$C_6H_4(OCH_3)(OCH_2C_3H_7)$ (Benzene, 1-(cyclopropylmethoxy)-4-methoxy-)	54929-10-1	**	7.78 $\pm$ 0.015 (V)	PE	4434
$C_{11}H_{16}O_2^+$	$C_6H_4(OCH_3)(OC_4H_9)$ (Benzene, 1-butoxy-4-methoxy-) $C_6H_4(OCH_3)(OC(CH_3)_3)$ (Benzene, 1-(1,1-dimethylethoxy)-4-methoxy-) $C_6H_4(OCH_3)(OC_4H_9)$ (Benzene, 1-methoxy-4-(1-methylpropoxy)-) $C_6H_4(OCH_3)(OC_4H_9)$ (Benzene, 1-methoxy-4-(2-methylpropoxy)-) $C_6H_5O(CH_2)_4OCH_3$ (Benzene,(4-methoxybutoxy)-) $C_8H_7(=O)_2(CH_3)_3$ (Bicyclo[3.2.1]octane-2,4-dione, 1,8,8-trimethyl-) $C_{10}H_{15}COOH$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane-1-carboxylic acid)	20743-95-7	**	7.74 $\pm$ 0.015 (V)	PE	4434
		15360-00-6	**	8.00 $\pm$ 0.015 (V)	PE	4434
		51241-49-7	**	7.83 $\pm$ 0.015 (V)	PE	4434
		54929-09-8	**	7.79 $\pm$ 0.015 (V)	PE	4434
		20636-14-0	**	8.45 $\pm$ 0.05	EI	5484
		3278-94-2	**	8.73 (V)	PE	5020
		828-51-3	**	9.34	PE	3886



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{18}O_2^+$	$C_7H_6(=O)_2(CH_3)_4$ (1,2-Cycloheptanedione, 3,3,7,7-tetramethyl-)	68347-39-7	**	8.70 (V)	PE	5090
	$C_7H_6O_4(CH_3)_2C_3H_7$ (2,4-Dioxabicyclo[3.2.2]non-6-ene, 1-methyl-5-(1-methylethyl)-)	59880-80-7	**	9.31 (V)	PE	4619
$C_{11}H_{20}O_2^+$	$(CH_3)_3CCOCH_2COC(CH_3)_3$	1118-71-4	**	$8.86 \pm 0.07$ (V)	PE	3682
	$C_7H_{10}O_2(CH_3)_2C_3H_7$	59880-83-0	**	9.29 (V)	PE	4619
	(2,4-Dioxabicyclo[3.2.2]nonane, 1-methyl-5-(1-methylethyl)-)					
$C_{12}H_6O_2^+$	$C_{12}H_6(=O)_2$ (1,2-Acenaphthalenedione)	82-86-0	**	$8.77 \pm 0.05$ (V)	PE	5095
$C_{12}H_8O_2^+$	$C_{12}H_8O_2$ (Dibenzo[ <i>b,e</i> ][1,4]dioxin)	262-12-4	**	$7.78 \pm 0.05$ (V)	PE	4743
$C_{12}H_{12}O_2^+$	$(C_4H_2OCH_2CH_2)_2$ (13,14-Dioxatricyclo[8.2.1.1 <sup>4,7</sup> ]tetradeca-4,6,10,12-tetraene)	73650-68-7	**	7.60	PE	5575
	$C_{12}H_{12}O_2$	21377-44-6	**	$8.70 \pm 0.05$ (V)	PE	4593
	(4a,8a-Ethanonaphthalene-9,10-dione, 1,4,5,8-tetrahydro-)					
$C_{12}H_{14}O_2^+$	$C_{12}H_{14}O_2$ (4a,8a-Ethanonaphthalene-9,10-dione, 1,2,3,4,5,8-hexahydro-)	21377-45-7	**	$8.60 \pm 0.05$ (V)	PE	4593
$C_{12}H_{16}O_2^+$	$C_{12}H_{16}O_2$ (4a,8a-Ethanonaphthalene-9,10-dione, octahydro-)	21377-46-8	**	$8.65 \pm 0.05$ (V)	PE	4593
$C_{12}H_{18}O_2^+$	$C_6H_5O(CH_2)_5OCH_3$ (Benzene,[(5-methoxypentyl)oxy]-)	61372-57-4	**	$8.51 \pm 0.05$	EI	5484
	$C_{10}H_{15}COOCH_3$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane-1-carboxylic acid methyl ester)	711-01-3	**	$9.38 \pm 0.03$	PE	3851
$C_{12}H_{22}O_2^+$	$C_6H_6CH_3(OCH_3)_2C_3H_7$ (Cyclohexene, 3,6-dimethoxy-3-methyl-6-(1-methylethyl)- <i>cis</i> -)	59880-81-8	**	9.21 (V)	PE	4619
$C_{12}H_{24}O_2^+$	$C_6H_8CH_3(OCH_3)_2C_3H_7$ (Cyclohexane, 1,4-dimethoxy-1-methyl-4-(1-methylethyl)- <i>cis</i> -)	59922-36-0	**	9.26 (V)	PE	4619
$C_{13}H_8O_2^+$	$C_{13}H_7(=O)OH$ (1H-Phenalen-1-one, 9-hydroxy-)	7465-58-9	**	$8.12 \pm 0.04$ (V)	PE	5193
	$C_{14}H_8O_2$ (9H-Xanthen-9-one)	90-47-1	**	$8.42 \pm 0.03$	PI	3523
$C_{13}H_{10}O_2^+$	$C_6H_5COOC_6H_5$ (Benzoic acid, phenyl ester)	93-99-2	**	9.0	EI	5631
	$C_6H_5COC_6H_4OH$ (Methanone, (4-hydroxyphenyl)phenyl-)	1137-42-4	**	$8.80 \pm 0.05$ (V)	PE	4844
$C_{13}H_{12}O_2^+$	$C_6H_5CH_2OC_6H_4OH$ (Phenol, 4-(phenylmethoxy)-)	103-16-2	**	7.83	CTS	5336

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{14}O_2^+$	$C_{11}H_8(OCH_3)_2$ (1,4-Methanonaphthalene, 1,4-dihydro-5,8-dimethoxy-)	947-58-0	**	$7.77 \pm 0.05$ (V)	PE	5019
$C_{13}H_{20}O_2^+$	$C_6H_5O(CH_2)_6OCH_3$ (Benzene, [(6-methoxyhexyl)oxy]-)	61372-58-5	**	$8.48 \pm 0.05$	EI	5484
$C_{14}H_8O_2^+$	$C_{14}H_8O_2$ (1,4-Anthracenedione)	635-12-1	**	$8.45 \pm 0.02$	PI	3523
	$C_{14}H_8O_2$ (9,10-Anthracenedione)	84-65-1	**	$9.25 \pm 0.03$	PI	3523
			**	9.3	PI	3586
			**	9.25	PE	5082
			**	$9.40 \pm 0.08$	EI	3571
	$C_{14}H_8O_2$ (9,10-Phenanthrenedione)	84-11-7	**	$8.64 \pm 0.03$	PI	3523
$C_{14}H_9O_2^+$	$(C_6H_5)_2CH_2OC(=O)$ (Dibenz[ <i>b,e</i> ]oxepin-11(6H)-one)	4504-87-4	H	10.8	EI	5340
$C_{14}H_{10}O_2^+$	$(C_6H_5)_2CH_2OC(=O)$ (Dibenz[ <i>b,e</i> ]oxepin-11(6H)-one)	4504-87-4	**	9.63	EI	5340
	$(C_6H_5CO)_2$ (Ethanedione, diphenyl-)	134-81-6	**	$8.9 \pm 0.05$ (V)	PE	4844
			**	9.1 (V)	PE	5517
			**	$8.86 \pm 0.15$	EI	3823
	$C_{13}H_7(=O)OCH_3$ (1H-Phenalen-1-one, 9-methoxy-)	35897-82-6	**	$8.14 \pm 0.04$ (V)	PE	5193
$C_{14}H_{12}O_2^+$	$C_{14}H_{12}O_2$ (Azulene, 1,3-diacetyl-)	10487-55-5	**	7.95 (V)	PE	5397
	$C_{14}H_{12}O_2$ (3,6-Ethanodicyclopenta[ <i>cd,gh</i> ]pentalene-7,8-dione 2a,3,3a,5a,6,6a,6b,6c-octahydro-)	68217-17-4	**	8.85 (V)	PE	4849
	$C_{14}H_{10}(OH)_2$ (9,10-Phenanthrenediol, 9,10-dihydro- <i>trans</i> -)	572-41-8	**	8.13 (V)	PE	5364
$C_{14}H_{14}O_2^+$	$C_{11}H_9(COOC_2H_5)$ (1,4-Methanonaphthalene-6-carboxylic acid ethyl ester, 1,4-dihydro-)	56136-20-0	**	$8.51 \pm 0.05$ (V)	PE	5019
	$C_6H_5O(CH_2)_2OC_6H_5$ (Benzene, 1,1'-[1,2-ethanediylbis(oxy)]bis-)	104-66-5	**	$8.39 \pm 0.05$	EI	5484
	$C_6H_5CH_2OC_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethoxy)-)	6630-18-8	**	7.76	CTS	5336
	$C_{14}H_{14}O_2$ (3,6-Ethanodicyclopenta[ <i>cd,gh</i> ]pentalene-7,8-dione, 1,2,2a,3,3a,5a,6,6a 6b,6c-decahydro-)	68217-18-5	**	8.80 (V)	PE	4849
$C_{14}H_{16}O_2^+$	$C_{14}H_{16}O_2$ (3,6-Ethanodicyclopenta[ <i>cd,gh</i> ]pentalene-7,8-dione, dodecahydro-)	68217-19-6	**	8.82 (V)	PE	4849
$C_{14}H_{18}O_2^+$	$C_6H_4OCH_3(OCH(C_3H_5)_2)$ (Benzene, 1-(dicyclopropylmethoxy)-4-methoxy-)	54929-11-2	**	$7.80 \pm 0.015$ (V)	PE	4434

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_{20}O_2^+$	$C_6H_2(=O)_2(tert-C_4H_9)_2$ (3,5-Cyclohexadiene-1,2-dione, 3,5-bis(1,1-dimethylethyl)-)	3383-21-9	**	8.81 (V)	PE	4808
	$C_6H_2(=O)_2(tert-C_4H_9)_2$ (3,5-Cyclohexadiene-1,2-dione, 3,6-bis(1,1-dimethylethyl)-)	34105-76-5	**	8.71 (V)	PE	4808
$C_{14}H_{22}O_2^+$	$C_6H_4(OCH_3)(OC_7H_{15})$ (Benzene, 1-(heptyloxy)-4-methoxy-)	20743-97-9	**	$7.78 \pm 0.015$ (V)	PE	4434
$C_{15}H_{10}O_2^+$	$C_{15}H_{10}O_2$	XXXXX-XX-X	**	9.0 (V)	PE	5599
$C_{15}H_{12}O_2^+$	$C_{15}H_{12}O_2$	XXXXX-XX-X	**	9.22 (V)	PE	5599
	$C_6H_5COCOC_6H_4CH_3$ (Ethanedione, (4-methylphenyl)phenyl-)	2431-00-7	**	$9.05 \pm 0.10$	EI	3823
	$C_{13}H_7(=O)OC_2H_5$ (1H-Phenalen-1-one, 9-ethoxy-)	68217-42-5	**	$8.06 \pm 0.04$ (V)	PE	5193
	$C_6H_5COCH_2COC_6H_5$ (1,3-Propanedione, 1,3-diphenyl-)	120-46-7	**	$8.45 \pm 0.05$ (V)	PE	4844
$C_{15}H_{16}O_2^+$	$C_6H_5O(CH_2)_3OC_6H_5$ (Benzene, 1,1'-[1,3-propanediylbis(oxy)]bis-)	726-44-3	**	$8.46 \pm 0.05$	EI	5484
$C_{16}H_{12}O_2^+$	$C_{16}H_{12}O_2$	XXXXX-XX-X	**	7.8 (V)	PE	5599
$C_{16}H_{14}O_2^+$	$C_6H_5COCH_2CH_2COC_6H_5$ (1,4-Butanedione, 1,4-diphenyl-)	495-71-6	**	$9.2 \pm 0.05$ (V)	PE	4844
$C_{16}H_{16}O_2^+$	$C_{16}H_{16}O_2$	68217-20-9	**	8.6 (V)	PE	4849
	(2,4-Ethanobiscyclopropa[4,5]cyclopenta[1,2,3-cd:1',2',3'-gh] pentalene-5,6-dione, tetradecahydro-(1 $\alpha$ ,1b $\beta$ ,2 $\alpha$ ,2a $\beta$ ,2b $\alpha$ , 3a $\alpha$ ,3b $\beta$ ,3c $\beta$ ,3d $\beta$ ,4 $\alpha$ ,4a $\beta$ ,4b $\alpha$ )-)					
$C_{16}H_{18}O_2^+$	$C_6H_5O(CH_2)_4OC_6H_5$ (Benzene, 1,1'-[1,4-butanediylbis(oxy)]bis-)	3459-88-9	**	$8.41 \pm 0.05$	EI	5484
$C_{17}H_{16}O_2^+$	$C_{17}H_{16}O_2$	XXXXX-XX-X	**	7.55 (V)	PE	5599
	$C_{13}H_7(=O)OC_4H_9$ (1H-Phenalen-1-one, 9-butoxy-)	69454-53-1	**	$8.03 \pm 0.04$ (V)	PE	5193
	$C_6H_5COC(CH_3)_2COC_6H_5$ (1,3-Propanedione, 2,2-dimethyl-1,3-diphenyl-)	41169-42-0	**	$9.0 \pm 0.05$ (V)	PE	4844
$C_{17}H_{18}O_2^+$	$C_{17}H_{18}O_2$	XXXXX-XX-X	**	7.5 (V)	PE	5599
	$C_{17}H_{18}O_2$	841-71-4	**	7.5 (V)	PE	5397
	(Azulene, 1,3-diacetyl-4,6,8-trimethyl-)					
$C_{17}H_{20}O_2^+$	$C_6H_5O$ (Benzene, 1,1'-[1,5-pentanediybis(oxy)]bis-)	40339-96-6	**	8.4	EI	5484
$C_{17}H_{17}D_3O_2^+$	$C_{17}H_{17}D_3O_2$ (Benzene, 1-methoxy-3-[3-(4-methoxy- <i>d</i> <sub>3</sub> -phenyl)propyl]-)	67081-97-4	**	$7.90 \pm 0.1$	EI	4925

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{17}H_{22}O_2^+$	$C_{10}H_{15}(OCH_3)(OC_6H_4)$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1-(4-methoxyphenoxy)-)	49764-17-2	**	$7.82 \pm 0.015$ (V)	PE	4434
$C_{18}H_{18}O_2^+$	$C_{18}H_{18}O_2$	XXXXX-XX-X	**	7.5 (V)	PE	5599
$C_{18}H_{22}O_2^+$	$C_6H_5O(CH_2)_6OC_6H_5$ (Benzene, 1,1'-[1,6-hexanediylbis(oxy)]bis-)	10125-18-5	**	$8.47 \pm 0.05$	EI	5484
$C_{19}H_{20}O_2^+$	$C_{19}H_{20}O_2$	XXXXX-XX-X	**	7.4 (V)	PE	5599
$C_{20}H_{14}O_2^+$	$C_{20}H_{12}(OH)_2$ (Benzo[a]pyrene, 7,8-diol, 7,8-dihydro-, trans-)	57404-88-3	**	7.21 (V)	PE	5364
$C_{20}H_{22}O_2^+$	$C_{20}H_{22}O_2$ (D-Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-)	1232-90-2	**	$7.56 \pm 0.07$	EI	3571
	$C_{20}H_{22}O_2$ (D-Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-, (14 $\beta$ )-)	1232-91-3	**	$7.82 \pm 0.07$	EI	3571
$C_{20}H_{26}O_2^+$	$C_{20}H_{26}O_2$ (D-Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-)	1232-89-9	**	$8.22 \pm 0.06$	EI	3571
	$C_{20}H_{26}O_2$ (D-Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-, (8 $\alpha$ )-)	1232-88-8	**	$8.17 \pm 0.08$	EI	3571
$C_{22}H_{12}O_2^+$	$C_{22}H_{12}O_2$ (6,13-Pentacenedione)	3029-32-1	**	$8.07 \pm 0.05$	PI	3523
$C_{23}H_{40}O_2^+$	$C_6H_4(OCH_3)(OC_{16}H_{33})$ (Benzene, 1-hexadecyloxy)-4-methoxy-	20743-99-1	**	$7.72 \pm 0.015$ (V)	PE	4434
$C_{24}H_{16}O_2^+$	$C_{24}H_{16}O_2$ (Azulene, 1,3-dibenzoyl-)	XXXXX-XX-X	**	7.7 (V)	PE	5397
$C_2H_4O_3^+$	$C_2H_4O_3$ (1,2,4-Trioxolane)	289-14-5	**	$10.67 \pm 0.03$ (V)	PE	4980
$C_3H_2O_3^+$	$C_3H_2O_2(=O)$ (1,3-Dioxol-2-one)	872-36-6	**	10.08 (V)	PE	4549
			**	11.91 (V)	PE	3826
$C_3H_4O_3^+$	$CH_3COCO_2H$	127-17-3	**	10.42 (V)	PE	4520
	$C_3H_4O_2(=O)$ (1,3-Dioxolan-2-one)	96-49-1	**	10.40	PE	4471
			**	10.40	PE	4648
			**	10.70	PE	4219
			**	11.1 (V)	PE	4549
			**	11.47 (V)	PE	3826

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_6O_3^+$	$CH_3OCOOCH_3$	616-38-6	**	11.00 (V)	PE	4471
			**	11.00 (V)	PE	4648
			**	11.2 (V)	PE	4549
	$C_3H_6O_3$ (1,3,5-Trioxane)	110-88-3	**	10.8 (V)	PE	3733
$C_4H_2O_3^+$	$C_4H_2O(=O)_2$ (2,5-Furandione)	108-31-6	**	11.1 (V)	PE	4269
			**	11.11±0.05 (V)	PE	4708
			**	11.45 (V)	PE	3826
$C_4H_4O_3^+$	$C_4H_4O(=O)_2$ (2,5-Furandione, dihydro-)	108-30-5	**	10.8 (V)	PE	4269
			**	10.84 (V)	PE	4742
			**	10.84 (V)	PE	4810
$C_4H_6O_3^+$	$CH_3COCOOCH_3$	600-22-6	**	9.88 (V)	PE	4520
	$C_3H_3O_2(=O)CH_3$ (1,3-Dioxolan-2-one, 4-methyl-)	108-32-7		10.52	PE	4219
$C_4H_{10}O_3^+$	$CH(OCH_3)_3$	149-73-5	**	10.24±0.07 (V)	PE	4721
$C_5H_4O_3^+$	$C_3O_2(=CH_2)_2O$ (1,3-Dioxolan-2-one,4,5-bis(methylene)-)	62458-20-2	**	9.30	PE	5265
	$C_4H_3OCOOH$ (2-Furancarboxylic acid)	488-93-7	**	9.16±0.05 (V)	PE	4626
$C_5H_6O_3^+$	$CH_3(C=O)_3CH_3$	921-11-9	**	9.52 (V)	PE	5347
	$C_3O_2(=O)(CH_3)_2$ (1,3-Dioxol-2-one, 4,5-dimethyl-)	37830-90-3	**	9.10 (V)	PE	4549
	$C_5H_6O(=O)_2$ (2H-Pyran-2,6(3H)-dione,dihydro)	108-55-4	**	11.17 (V)	PE	5090
$C_5H_8O_3^+$	$C_6H_8O_3$ (6,7,8-Trioxabicyclo[3.2.1]octane)	280-21-7	**	9.63±0.03 (V)	PE	4980
$C_6H_4O_3^+$	$C_6H_4O_3$ (7-oxabicyclo[2.2.1]hept-5-ene-2,3-dione)	55058-68-9	**	8.95±0.05 (V)	PE	4851
$C_6H_6O_3^+$	$C_4H_3OCOOCH_3$ (2-Furancarboxylic acid, methyl ester)	611-13-2	**	9.00±0.05 (V)	PE	4626
			**	9.32±0.05	EI	3482
$C_6H_{10}O_3^+$	$C_6H_{10}O_3$ (7,8,9-Trioxabicyclo[4.2.1]nonane)	284-22-0	**	9.61±0.03 (V)	PE	4980
$C_7H_6O_3^+$	$C_6H_4(OH)COOH$ (Benzoic acid, 3-hydroxy-)	99-06-9	**	9.20±0.2	EI	3973
	$C_6H_4(OH)COOH$ (Benzoic acid, 4-hydroxy-)	99-96-7	**	9.22±0.2	EI	3973



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_6O_3^+$	$C_6H_4(COOH)OOCCH_3$ (Benzoic acid, 4-(acetyloxy)-)	2345-34-8	$CH_2=C=O$	$10.08 \pm 0.2$	EI	3484
$C_8H_4O_3^+$	$C_8H_4O(=O)_2$ (2,3-Benzofurandione)	4732-72-3	**	$9.65 \pm 0.05$ (V)	PE	4708
	$C_8H_4O(=O)_2$ (1,3-Isobenzofurandione)	85-44-9	**	$10.25 \pm 0.05$ (V)	PE	4708
$C_8H_5O_3^+$	$C_6H_4(COOH)_2$ (1,3-Benzenedicarboxylic acid)	121-91-5	OH	$12.17 \pm 0.2$	EI	3973
	$C_6H_4(COOH)_2$ (1,4-Benzenedicarboxylic acid)	100-21-0	OH	$12.14 \pm 0.2$	EI	3973
$C_8H_8O_3^+$	$C_6H_4(OH)CCH_3$ (1,2-Benzenediol monoacetate)	2848-25-1	**	$8.16 \pm 0.02$	EI	3631
	$C_6H_4(OH)OOCCH_3$ (1,4-Benzenediol monoacetate)	3233-32-7	**	$8.12 \pm 0.02$	EI	3631
	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 3-methoxy-)	586-38-9	**	$9.06 \pm 0.2$	EI	3973
	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 4-methoxy-)	100-09-4	**	$9.04 \pm 0.2$	EI	3973
	$C_8H_8O_3$ (Bicyclo[3.2.1]octane-2,3,4-trione)	25352-00-5	**	9.49 (V)	PE	4387
$C_9H_4O_3^+$	$C_9H_4O_3$ (1H-Indene-1,2,3-trione)	938-24-9	**	9.1 (V)	PE	4387
$C_9H_7O_3^+$	$C_6H_4(COOCH_3)COSC_6H_4CH_3$ (Benzoic acid, 2-[[[(4-methylphenyl)thio]carbonyl]-methyl ester])	42797-32-0		$10.98 \pm 0.2$	EI	4062
	$C_8H_4O(=O)(OCH_3)SC_6H_4CH_3$ (1(3H)-Isobenzofuranone, 3-methoxy-3-[(4-methylphenyl)thio]-)	51053-89-5		$10.7 \pm 0.2$	EI	4062
$C_9H_{10}O_3^+$	$C_6H_4(OCH_3)CO_2CH_3$ (Benzoic acid, 4-methoxy-, methyl ester)	121-98-2	**	8.24	PE	4621
	$C_9H_{10}O_3$ (Bicyclo[3.2.2]nonane-2,3,4-trione)	57744-40-8	**	9.14 (V)	PE	4387
	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 3-methoxy-, acetate)	5451-83-2	**	$8.29 \pm 0.2$	EI	3484
	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 4-methoxy-, acetate)	1200-06-2	**	$7.92 \pm 0.2$	EI	3484
$C_9H_{12}O_3^+$	$C_5O_3(CH_3)_4$ (1,2,3 Cyclopentanetrione, 4,4,5,5-tetramethyl-)	1889-98-1	**	9.00 (V)	PE	4387
$C_9H_{18}O_3^+$	$((CH_3)_2CO)_3$	XXXXX-XX-X	**	$9.10 \pm 0.03$	PI	5412
$C_{10}H_6O_3^+$	$C_{10}H_5O_2(OH)$ (1,4-Naphthalenedione, 5-hydroxy-)	481-39-0	**	$8.70 \pm 0.02$	PI	3523
$C_{10}H_{14}O_3^+$	$C_6H_2O_3(CH_3)_4$ (1,2,3 Cyclohexanetrione, 4,4,6,6-tetramethyl-)	57744-39-5	**	9.10 (V)	PE	4387

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{16}O_3^+$	$CH(OCH_2CH=CH_2)_3$	16754-50-0	**	$9.80 \pm 0.07$ (V)	PE	4721
	$C_6H_4O(=O)_2(CH_3)_4$	XXXXX-XX-X	**	8.90 (V)	PE	5090
	(1,2-Cycloheptanedione-5-oxa,3,3,7,7-tetramethyl-)					
$C_{12}H_6O_3^+$	$C_{12}H_6O(=O)_2$	81-84-5	**	$8.92 \pm 0.05$ (V)	PE	5095
	(1H,3H-Naphtho[1,8-cd]pyran-1,3-dione)					
$C_{12}H_{22}O_3^+$	$C_4H_4O_3(tert-C_4H_9)_2$	XXXXX-XX-X	**	9.00 (V)	PE	5563
	(2,3,7-Trioxabicyclo[2.2.1]heptane,1,4-bis(1,1-dimethylethyl)-)					
$C_{14}H_8O_3^+$	$C_{14}H_7O_2(OH)$	129-43-1	**	$8.43 \pm 0.05$	PI	3523
	(9,10-Anthracenedione, 1-hydroxy-)					
	$C_{14}H_7O_2(OH)$	605-32-3	**	$8.70 \pm 0.03$	PI	3523
	(9,10-Anthracenedione, 2-hydroxy-)					
$C_{14}H_{10}O_3^+$	$C_6H_5COCOC_6H_4OH$	38469-73-7	**	$8.9 \pm 0.05$ (V)	PE	4844
	(Ethanedione, (4-hydroxyphenyl)phenyl-)					
$C_{14}H_{12}O_3^+$	$C_6H_5COOC_6H_4OCH_3$	1523-19-9	**	8.6	EI	5631
	(Phenol, 4-methoxy-, benzoate)					
$C_{18}H_{18}O_3^+$	$C_{18}H_{18}O_3^+$	71591-81-6	**	$8.6 \pm 0.05$ (V)	PE	4844
	(1,3-Propanedione, 1-(4-methoxyphenyl)-2,2-dimethyl-3-phenyl-)					
$C_{20}H_{14}O_3^+$	$C_{20}H_{12}(OH)_2O$	60268-85-1	**	7.13 (V)	PE	5364
	(Benzo[10,11]chryseno[3,4-b]oxirene-7,8-diol,7,8,8a,9a-tetrahydro-(7 $\alpha$ ,8 $\beta$ ,8a $\alpha$ ,9a $\alpha$ )-)					
$C_2H_2O_4^+$	HOCOCOOH	144-62-7	**	11.20 (V)	PE	4487
			**	11.20 (V)	PE	4648
			**	11.20 (V)	PE	5517
$C_2H_4O_4^+$	(HCOOH) $_2$	14523-98-9	**	11.3 (V)	PE	3734
$C_3H_4O_4^+$	$CH_2(COOH)_2$	141-82-2	**	11.05 (V)	PE	5243
$C_4H_4O_4^+$	<i>trans</i> -HO $_2$ CCH=CHCO $_2$ H	110-17-8	**	10.9 (V)	PE	4464
$C_4H_6O_4^+$	$CHCH_3(COOH)_2$	516-05-2	**	10.80 (V)	PE	5243
	$CH_3OCOCOOCH_3$	553-90-2	**	10.30 (V)	PE	4648
$C_4H_8O_4^+$	(CH $_3$ COOH) $_2$	6993-75-5	**	10.6 (V)	PE	3734
$C_6H_6O_4^+$	$CH_3OOC\equiv CCOOCH_3$	762-42-5	**	10.9 (V)	PE	3937
	$C_4(=O)_2(CH_3O)_2$	5222-73-1	**	9.20 (V)	PE	4861
	(3-Cyclobutene-1,2-dione, 3,4-dimethoxy-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_8O_4^+$	<i>cis</i> -(CH <sub>3</sub> OC(O)CH) <sub>2</sub>	624-48-6	**	10.3 (V)	PE	4464
			**	10.47 (V)	PE	3937
	<i>trans</i> -(CH <sub>3</sub> OC(O)CH) <sub>2</sub>	624-49-7	**	10.5 (V)	PE	4464
			**	10.70 (V)	PE	3937
$C_6H_{10}O_4^+$	C <sub>2</sub> H <sub>5</sub> OCOCOOC <sub>2</sub> H <sub>5</sub>	95-92-1	**	10.19 (V)	PE	4648
$C_6H_{12}O_4^+$	(CH <sub>3</sub> CH <sub>2</sub> COOH) <sub>2</sub>	XXXXX-XX-X	**	10.4 (V)	PE	3734
$C_7H_7O_4^+$	C <sub>14</sub> H <sub>20</sub> O <sub>10</sub> ( $\alpha$ -D-Galactopyranosiduronic acid, methyl methyl ester, triacetate)	35785-35-4		10.81	EI	5227
$C_7H_{12}O_4^+$	C(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (COOH) <sub>2</sub>	510-20-3	**	10.40 (V)	PE	5243
$C_8H_6O_4^+$	C <sub>6</sub> H <sub>4</sub> (COOH) <sub>2</sub> (1,3-Benzenedicarboxylic acid)	121-91-5	**	9.98±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> (COOH) <sub>2</sub> (1,4-Benzenedicarboxylic acid)	100-21-0	**	9.86±0.2	EI	3973
$C_8H_{16}O_4^+$	C <sub>8</sub> H <sub>16</sub> O <sub>4</sub> (1,4,7,10-Tetraoxacyclododecane)	294-93-9	**	9.3 (V)	PE	5104
$C_9H_8O_4^+$	C <sub>6</sub> H <sub>4</sub> (COOH)OOCCH <sub>3</sub> (Benzoic acid, 4-(acetyloxy)-)	2345-34-8	**	9.11±0.2	EI	3484
$C_{10}H_6O_4^+$	C <sub>10</sub> H <sub>4</sub> O <sub>2</sub> (OH) <sub>2</sub> (1,4-Naphthalenedione, 5,8-dihydroxy-)	475-38-7	**	8.20±0.02	PI	3523
$C_{12}H_{24}O_4^+$	((CH <sub>3</sub> ) <sub>2</sub> CO) <sub>4</sub>	XXXXX-XX-X	**	9.02±0.03	PI	5412
$C_{14}H_8O_4^+$	C <sub>14</sub> H <sub>6</sub> O <sub>2</sub> (OH) <sub>2</sub> (9,10-Anthracenedione, 1,4-dihydroxy-)	81-64-1	**	7.94±0.03	PI	3523
	C <sub>14</sub> H <sub>6</sub> O <sub>2</sub> (OH) <sub>2</sub> (9,10-Anthracenedione, 1,5-dihydroxy-)	117-12-4	**	8.53±0.03	PI	3523
	C <sub>14</sub> H <sub>6</sub> O <sub>2</sub> (OH) <sub>2</sub> (9,10-Anthracenedione, 2,6-dihydroxy-)	84-60-6	**	8.65±0.05	PI	3523
$C_{16}H_{14}O_4^+$	C <sub>6</sub> H <sub>4</sub> (COOCH <sub>3</sub> )C <sub>6</sub> H <sub>4</sub> COOCH <sub>3</sub> ([1,1'-Biphenyl]-2,2'-dicarboxylic acid dimethyl ester)	5807-64-7	**	8.90±0.05	EI	4199
	C <sub>6</sub> H <sub>4</sub> (COOCH <sub>3</sub> )C <sub>6</sub> H <sub>4</sub> COOCH <sub>3</sub> ([1,1'-Biphenyl]-4-4'-dicarboxylic acid dimethyl ester)	792-74-5	**	9.15±0.05	EI	4199
	(C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> OC=O) <sub>2</sub> (Ethanedioic acid bis(phenylmethyl)ester)	7579-36-4	**	9.1 (V)	PE	4609
$C_{22}H_{10}O_4^+$	C <sub>22</sub> H <sub>10</sub> O <sub>4</sub> (5,7,12,14-Pentacenetetrone)	23912-79-0	**	9.22±0.05	PI	3523
$C_9H_9O_5^+$	C <sub>14</sub> H <sub>20</sub> O <sub>10</sub> ( $\alpha$ -D-Galactopyranosiduronic acid, methyl methyl ester, triacetate)	35785-35-4		10.50	EI	5227

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{20}\dot{O}_5^+$	$C_{10}H_{20}O_5$ (1,4,7,10,13-Pentaoxacyclopentadecane)	33100-27-5	**	9.58 (V)	PE	5104
$C_9H_{11}O_6^+$	$C_{14}H_{20}O_{10}$ ( $\alpha$ -D-Galactopyranosiduronic acid, methyl methyl ester, triacetate)	35785-35-4		10.46	EI	5227
$C_{10}H_2O_6^+$	$C_{10}H_2O_2(=O)_4$ (1 <i>H</i> ,3 <i>H</i> -Benzo[1,2- <i>c</i> :4,5- <i>c'</i> ]difuran-1,3,5,7-tetrone)	89-32-7	**	$12.19 \pm 0.02$	PI	4174
$C_{12}H_{24}O_6^+$	$C_{12}H_{24}O_6$ (1,4,7,10,13,16-Hexaoxacyclooctadecane)	17455-13-9	**	9.70 (V)	PE	5104
$C_{14}H_8O_6^+$	$C_{14}H_4O_2(OH)_4$ (Anthraquinone, 1,4,5,8-tetrahydroxy-)	81-60-7	**	$7.83 \pm 0.02$	PI	3523
$C_{20}H_{24}O_6^+$	$C_{20}H_{24}O_6$ (Dibenzo[ <i>b,k</i> ][1,4,7,10,13,16]hexaoxacyclooctadecin,6,7,9,10,17,18,20,21-octahydro-)	14187-32-7	**	7.70 (V)	PE	5104
$C_{20}H_{36}O_6^+$	$C_{20}H_{30}O_6$ (Dibenzo[ <i>b,k</i> ][1,4,7,10,13,16]hexaoxacyclooctadecin,eicosahydro-)	16069-36-6	**	9.45 (V)	PE	5104
$C_{11}H_{13}O_7^+$	$C_{14}H_{20}O_{10}$ ( $\alpha$ -D-Galactopyranosiduronic acid, methyl methyl ester, triacetate)	35785-35-4	$OCH_3, CH_3COOH$	10.27	EI	5227
$C_{13}H_{17}O_9^+$	$C_{14}H_{20}O_{10}$ ( $\alpha$ -D-Galactopyranosiduronic acid, methyl methyl ester, triacetate)	35785-35-4	$OCH_3$	10.10	EI	5227
$C_{11}H_{20}O_{10}^+$	$C_{14}H_{20}O_{10}$ ( $\alpha$ -D-Galactopyranosiduronic acid, methyl methyl ester, triacetate)	35785-35-4	**	9.96	EI	5227
$BeC_{10}H_{14}O_4^+$	$(CH_3COCHCOCH_3)_2Be$ (Beryllium, bis(2,4-pentanedionato- <i>O,O'</i> )-, ( <i>T</i> -4)-)	10210-64-7	**	$8.41 \pm 0.07$ (V)	PE	3682
$BCH_3O^+$	$(BH_3)(CO)$	13205-44-2	**	$11.14 \pm 0.02$	PE	3699
$BC_3H_9O^+$	$(CH_3)_2BOCH_3$	4443-43-0	**	10.32 (V)	PE	4065
$BC_3H_9O_2^+$	$(CH_3O)_2BCH_3$	7318-81-2	**	10.40 (V)	PE	4065
$BC_8H_{11}O_2^+$	$C_6H_5B(OCH_3)_2$ (Boric acid, phenyl-dimethyl ester)	13471-35-7	**	$9.25 \pm 0.05$ (V)	PE	4956
$BC_3H_9O_3^+$	$B(OCH_3)_3$	121-43-7	**	10.40 (V)	PE	4065

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>NO<sup>+</sup></b>						
( <sup>1</sup> Σ <sup>+</sup> )	NO	10102-43-9	**	9.26436±0.00006	S	5144
( <sup>2</sup> Π, <sup>1</sup> Π)			**	21.72	S	4176
( <sup>3</sup> Π)			**	21.721±0.006	S	3761
( <sup>1</sup> Σ <sup>+</sup> )			**	9.26 (V)	PE	4843
( <sup>1</sup> Σ <sup>+</sup> )			**	9.262±0.003	PE	3516
( <sup>1</sup> Σ <sup>+</sup> )			**	9.27	PE	4073
( <sup>2</sup> Σ <sup>+</sup> )			**	15.667±0.003	PE	3516
( <sup>3</sup> Π)			**	16.562±0.003	PE	3516
( <sup>3</sup> Δ)			**	16.863±0.003	PE	3516
( <sup>2</sup> Σ <sup>-</sup> )			**	17.586±0.003	PE	3516
( <sup>1</sup> Σ <sup>-</sup> )			**	17.811±0.003	PE	3516
( <sup>1</sup> Π)			**	18.319±0.003	PE	3516
( <sup>3</sup> Π)			**	21.722±0.010	PE	3516
( <sup>1</sup> Π)			**	21.722±0.010	PE	3516
( <sup>1</sup> Σ <sup>+</sup> )			**	22.727±0.10	PE	3516
( <sup>1</sup> Σ <sup>+</sup> )			**	9.27±0.05	EI	3453
	N <sub>2</sub> O	10024-97-2	N	15.01	PI	4356
			N( <sup>2</sup> D°)	16.53±0.01	PI	4356
			N( <sup>2</sup> P°)	17.73±0.01	PI	4356
			N	16±1	PI	5170
	CH <sub>3</sub> NO <sub>2</sub>	75-52-5		11.75±0.01	PI	3524
	CH <sub>3</sub> ONO	624-91-9	CH <sub>3</sub> O	10.917±0.008	PI	3524
	((CH <sub>3</sub> ) <sub>2</sub> C(CN)NO) <sub>2</sub>	31018-29-8		10.20	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)COCH <sub>3</sub> ) <sub>2</sub>	30442-79-6		10.50	EI	4809
	(C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> ) <sub>2</sub>	68777-99-1		12.20	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)COOCH <sub>3</sub> ) <sub>2</sub>	6144-15-6		9.90	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		10.80	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO <sub>2</sub> )NO) <sub>2</sub>	5275-46-7		10.50	EI	4809
	CF <sub>3</sub> NO	XXXXXX-XX-X	CF <sub>3</sub>	12.4±0.1	EI	5220
	ClNO	XXXXXX-XX-X	Cl	11.0±0.02	EI	5220
	(CH <sub>3</sub> ) <sub>2</sub> CClNO	2421-26-3	CH <sub>3</sub> CCl	12.75	EI	4809
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		11.10	EI	4809
<b>NO<sup>+2</sup></b>						
( <sup>2</sup> Σ <sup>+</sup> , <sup>2</sup> Π)	NO	10102-43-9	**	39.3±0.5	OTH	5007
( <sup>2</sup> Σ <sup>+</sup> )			**	42.4±1.0	OTH	5007
( <sup>2</sup> Σ <sup>+</sup> , <sup>2</sup> Π)			**	47.2±0.5	OTH	5007
<b>N<sub>2</sub>O<sup>+</sup></b>						
( <sup>2</sup> Π <sub>3/2</sub> )	N <sub>2</sub> O	10024-97-2	**	12.88±0.005	PI	4356
( <sup>2</sup> Π <sub>1/2</sub> )			**	12.89±0.005	PI	4356
( <sup>2</sup> Σ <sup>+</sup> )			**	16.37±0.01	PI	4356
			**	12±1	PI	5170
( <sup>2</sup> Π)			**	12.886±0.002	PE	4752
			**	12.89 (V)	PE	5055
( <sup>2</sup> Π)			**	12.90	PE	3998
( <sup>2</sup> Σ <sup>+</sup> )			**	16.388±0.001	PE	4752
( <sup>2</sup> Σ <sup>+</sup> )			**	16.40	PE	3998
( <sup>2</sup> Σ <sup>+</sup> )			**	20.105±0.002	PE	4752
			**	12.91±0.03	EI	4877
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		13.15	EI	4809
<b>N<sub>2</sub>O<sup>2+</sup></b>						
	N <sub>2</sub> O	10024-97-2	**	37.3±0.5	OTH	5147
<b>NO<sub>2</sub><sup>+</sup></b>						
	NO <sub>2</sub>	10102-44-0	**	<9.62±0.01	PI	3927
			**	10.4±0.3	EI	5176
			**	35.0±0.5	EI	5176



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{N}_2\text{O}_1^+$	$\text{N}_2\text{O}_1$	10544-72-6	**	$10.8 \pm 0.2$	PE	4700
			**	$11.4 \pm 0.1$ (V)	PE	4709
			**	$11.4 \pm 0.1$ (V)	PE	5262
			**	$11.45 \pm 0.1$ (V)	PE	5383
			**	11.6 (V)	PE	4561
			**	11-12 (V)	PE	4631
$\text{N}_2\text{O}_3^+$	$\text{N}_2\text{O}_3$	10102-03-1	**	12.3 (V)	PE	4561
$\text{HNO}^+$	$\text{HNO}$	14332-28-6	**	8.6 (V)	PE	4467
	$((\text{CH}_3)_2\text{C}(\text{NO})\text{OOCCH}_3)_2$	68777-98-0		14.20	EI	4809
	$(\text{CH}_3)_2\text{CBrNO}$	7119-91-7		12.75	EI	4809
$\text{H}_3\text{NO}^+$	$\text{NH}_2\text{OH}$	7803-49-8	**	10.59 (V)	PE	4768
				10.64 (V)	PE	5288
$\text{C}_6\text{H}_7\text{NO}^+$	$\text{C}_5\text{H}_4\text{N}(\text{O})\text{CH}_3$ (Pyridine, 2-methyl-, 1-oxide)	931-19-1	**	$8.21 \pm 0.02$ (V)	PE	4275
$\text{HNO}_2^+$	$\text{HNO}_2$	7782-77-6	**	11.3 (V)	PE	4467
$\text{HNO}_3^+$	$\text{HNO}_3$	7697-37-2	**	$11.95 \pm 0.01$	PE	4477
			**	11.96	PE	4404
			**	12.2 (V)	PE	4561
$\text{C}_2\text{N}_2\text{O}^+$	$\text{NCNCO}$	22430-66-6	**	$11.49 \pm 0.02$	PE	4746
$\text{C}_3\text{N}_2\text{O}^+$	$(\text{CN})_2\text{CO}$	1115-12-4	**	12.56 (V)	PE	3726
$\text{CNO}_2^+$	$((\text{CH}_3)_2\text{C}(\text{NO}_2)\text{NO})_2$	5275-46-7		10.15	EI	4809
$\text{C}_6\text{H}_5\text{NO}_3^+$	$\text{C}_6\text{H}_4(\text{OH})\text{NO}_2$ (Phenol, 4-nitro-)	100-02-7	**	7.38	EI	4089
$\text{CHNO}^+$	$\text{HNCO}$	75-13-8	**	$11.62 \pm 0.02$	PE	3670
	$\text{HCNO}$	506-85-4	**	10.83	PE	4595
$\text{CH}_2\text{NO}^+$	$\text{HCONH}_2$	75-12-7		12.00	EI	4878
	$\text{CH}_3\text{CONH}_2$	60-35-5		11.60	EI	4878
	$(\text{NH}_2)_2\text{CO}$	57-13-6		12.90	EI	4878
	$\text{NHCH}_2\text{CONH}_2$	598-50-5		13.25	EI	4878
	$\text{N}(\text{CH}_3)_2\text{CONH}_2$	1320-50-9		13.70	EI	4878
$\text{CH}_3\text{NO}^+$	$\text{HCONH}_2$	75-12-7	**	$10.16 \pm 0.03$	PI	3765
			**	$10.50 \pm 0.05$	EI	4759
	$\text{CH}_2=\text{NOH}$	75-17-2	**	10.62 (V)	PE	4650
	$\text{CH}_3\text{NO}$	865-40-7	**	$8.68 \pm 0.1$ (V)	PE	4465
				$9.76 \pm 0.05$ (V)	PE	5298

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CH<sub>3</sub>NO<sup>+</sup></b>	CH <sub>3</sub> NO	865-40-7	** **	9.8 9.8 (V)	PE PE	4379 4467
<b>CH<sub>3</sub>NO<sup>+</sup></b>	H <sub>2</sub> NOCH <sub>3</sub>	67-62-9	**	10.25 (V)	PE	5288
	CH <sub>3</sub> NHOH	593-77-1		10.28 (V) 9.82 (V)	PE PE	4768 5288
<b>C<sub>2</sub>H<sub>3</sub>NO<sup>+</sup></b>	CH <sub>3</sub> NCO	624-83-9	**	10.67 ± 0.02	PE	3670
<b>C<sub>2</sub>H<sub>4</sub>NO<sup>+</sup></b>	HCONHCH <sub>3</sub>	123-39-7		11.20	EI	4878
	CH <sub>3</sub> CONHCH <sub>3</sub>	79-16-3		11.80	EI	4878
	(NHCH <sub>3</sub> ) <sub>2</sub> CO	96-31-1		11.90	EI	4878
	N(CH <sub>3</sub> ) <sub>2</sub> CONHCH <sub>3</sub>	632-14-4		12.40	EI	4878
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		10.30	EI	4809
	((CH <sub>3</sub> ) <sub>2</sub> C(NO <sub>2</sub> )NO) <sub>2</sub>	5275-46-7		10.15	EI	4809
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		10.10	EI	4809
<b>C<sub>2</sub>H<sub>5</sub>NO<sup>+</sup></b>	CH <sub>3</sub> CONH <sub>2</sub>	60-35-5	** ** ** ** ** ** ** **	9.65 ± 0.03 9.62 9.62 9.80 10.15 ± 0.05 10.20 (V) 10.00 ± 0.05 10.1 ± 0.2	PI PE PE PE EI PE EI EI	3765 4471 4520 3718 4759 4650 4759 4099
<b>C<sub>2</sub>H<sub>7</sub>NO<sup>+</sup></b>	NH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH	141-43-5	**	9.87 ± 0.06 (V)	PE	3987
	CH <sub>3</sub> NHOCH <sub>3</sub>	1117-97-1		9.48 (V)	PE	5288
	(CH <sub>3</sub> ) <sub>2</sub> NOH	5725-96-2		9.18 (V)	PE	5288
<b>C<sub>3</sub>H<sub>2</sub>NO<sup>+</sup></b>	C <sub>3</sub> H <sub>3</sub> NO (Oxazole)	288-42-6	H	12.7	EI	5400
<b>C<sub>3</sub>H<sub>3</sub>NO<sup>+</sup></b>	CH <sub>2</sub> =CHNCO	3555-94-0	**	9.80 ± 0.1 (V)	PE	5541
	C <sub>3</sub> H <sub>3</sub> NO (Isoxazole)	288-14-2	**	10.20 (V)	PE	5213
	C <sub>3</sub> H <sub>3</sub> NO (Oxazole)	288-42-6	**	9.6	EI	5400
<b>C<sub>3</sub>H<sub>5</sub>NO<sup>+</sup></b>	C <sub>3</sub> H <sub>5</sub> NCO	109-90-0	**	10.32 ± 0.05 (V)	PE	5026
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		10.60	EI	4809
<b>C<sub>3</sub>H<sub>6</sub>NO<sup>+</sup></b>	HCON(CH <sub>3</sub> ) <sub>2</sub>	68-12-2		11.35	EI	4878
	CH <sub>3</sub> CON(CH <sub>3</sub> ) <sub>2</sub>	127-19-5		11.60	EI	4878
	N(CH <sub>3</sub> ) <sub>2</sub> CONHCH <sub>3</sub>	632-14-4		12.40	EI	4878
	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> CO	632-22-4		11.75	EI	4878
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		10.25	EI	4809
	(CH <sub>3</sub> ) <sub>2</sub> CCINO	2421-26-3		11.80	EI	4809
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		10.35	EI	4809
<b>C<sub>3</sub>H<sub>7</sub>NO<sup>+</sup></b>	HCON(CH <sub>3</sub> ) <sub>2</sub>	68-12-2	**	9.45 ± 0.05	EI	4759

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>3</sub>H<sub>7</sub>NO<sup>+</sup></b>	CH <sub>3</sub> CONHCH <sub>3</sub>	79-16-3	**	9.85 (V)	PE	3718
			**	9.70±0.05	EI	4759
	(CH <sub>3</sub> ) <sub>2</sub> C=NOH	127-06-0	**	9.67 (V)	PE	4650
	C <sub>3</sub> H <sub>6</sub> ONH (Isoxazolidine)	504-72-3	**	9.57 (V)	PE	5301
	((CH <sub>3</sub> ) <sub>2</sub> C(NO)OOCCH <sub>3</sub> ) <sub>2</sub>	68777-98-0		10.70	EI	4809
<b>C<sub>3</sub>H<sub>9</sub>NO<sup>+</sup></b>	CH <sub>3</sub> OCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub>	109-85-3	**	9.45±0.09 (V)	PE	3987
	NH <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> OH	156-87-6	**	9.77±0.20 (V)	PE	3987
	(CH <sub>3</sub> ) <sub>4</sub> NO	1184-78-7	**	8.27 (V)	PE	4537
			**	8.375±0.035 (V)	PE	5529
	(CH <sub>3</sub> ) <sub>2</sub> NOCH <sub>3</sub>	5669-39-6		8.81 (V)	PE	5288
<b>C<sub>4</sub>H<sub>7</sub>NO<sup>+</sup></b>	C <sub>4</sub> H <sub>7</sub> N(=O) (2-Pyrrolidinone)	616-45-5	**	9.53 (V)	PE	4742
<b>C<sub>4</sub>H<sub>8</sub>NO<sup>+</sup></b>	(C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> ) <sub>2</sub>	68777-99-1		9.40	EI	4809
<b>C<sub>4</sub>H<sub>9</sub>NO<sup>+</sup></b>	C <sub>4</sub> H <sub>9</sub> ON(CH <sub>3</sub> ) (Isoxazolidine, 2-methyl-)	22445-44-9	**	8.60 (V)	PE	5301
	CH <sub>3</sub> CON(CH <sub>3</sub> ) <sub>2</sub>	127-19-5	**	9.43 (V)	PE	3718
			**	9.20±0.05	EI	4759
	<i>n</i> -C <sub>3</sub> H <sub>7</sub> CH=NOH	110-69-0	**	9.93 (V)	PE	4650
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> NO	917-95-3	**	7.99±0.1 (V)	PE	4465
			**	8.95 (V)	PE	4719
			**	9.05±0.05 (V)	PE	5298
	C <sub>4</sub> H <sub>9</sub> NO (Morpholine)	110-91-8	**	8.88±0.05	PE	4654
			**	8.88±0.05 (V)	PE	4819
			**	8.91±0.03 (V)	PE	4452
	C <sub>4</sub> H <sub>8</sub> ONH (2H-1,2-Oxazine, tetrahydro-)	36652-42-3	**	9.00 (V)	PE	5301
<b>C<sub>4</sub>H<sub>11</sub>NO<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NC <sub>2</sub> H <sub>4</sub> OH	108-01-0	**	8.82 (V)	PE	4537
			**	8.85±0.04 (V)	PE	3987
	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>3</sub> NH <sub>2</sub>	5332-73-0	**	9.37±0.12 (V)	PE	3987
<b>C<sub>5</sub>H<sub>3</sub>NO<sup>+</sup></b>	C <sub>4</sub> H <sub>3</sub> OCN (2-Furancarbonitrile)	617-90-3	**	9.47±0.05 (V)	PE	4626
			**	9.77±0.05	EI	3482
<b>C<sub>5</sub>H<sub>5</sub>NO<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N(OH) (2-Pyridinol)	109-10-4	**	9.11±0.03 (V)	PE	4711
			**	9.28±0.02	EI	3636
	C <sub>5</sub> H <sub>4</sub> N(OH) (3-Pyridinol)	109-00-2	**	9.15±0.03 (V)	PE	4711
			**	9.5±0.1	EI	4302
			**	9.55±0.02	EI	3636
			**	9.55±0.05	EI	3635
	C <sub>5</sub> H <sub>4</sub> N(OH) (4-Pyridinol)	626-64-2	**	9.8±0.03	PE	4711
			**	9.6±0.1	EI	4302
			**	9.89±0.02	EI	3636
	C <sub>5</sub> H <sub>5</sub> NO (Pyridine, 1-oxide)	694-59-7	**	8.38±0.02	PE	4470
			**			

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>5</sub>H<sub>5</sub>NO<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> NO	694-59-7	** **	8.38±0.02 (V) 8.46 (V)	PE PE	4275 4222
	C <sub>5</sub> H <sub>4</sub> NOH (2-Pyridinol)	72762-00-6	**	8.62 (V)	PE	5191
	C <sub>5</sub> H <sub>4</sub> NH(=O) (2(1H)-Pyridinone)	142-08-5	**	8.62±0.03 (V)	PE	4711
	C <sub>5</sub> H <sub>4</sub> NH(=O) (2(1H)-Pyridinone)	142-08-5	**	9.0±0.1	EI	4302
	C <sub>5</sub> H <sub>4</sub> NCHO (1-H-Pyrrole-2-carboxaldehyde)	1003-29-8	**	8.93±0.05	EI	3482
	<b>C<sub>5</sub>H<sub>8</sub>NO<sup>+</sup></b> (CH <sub>3</sub> ) <sub>2</sub> NCOCH=CHCH <sub>3</sub>	23135-18-4	CH <sub>3</sub>	11.0±0.1	EI	3996
	<b>C<sub>5</sub>H<sub>9</sub>NO<sup>+</sup></b> <i>n</i> -C <sub>5</sub> H <sub>9</sub> NCO <i>tert</i> -C <sub>5</sub> H <sub>9</sub> CNO <i>tert</i> -C <sub>5</sub> H <sub>9</sub> C≡NO C <sub>5</sub> H <sub>5</sub> CHN(CH <sub>3</sub> )O (Methanaminium,N-(cyclopropylmethylene)-N-hydroxy-hydroxide,inner salt) C <sub>5</sub> H <sub>6</sub> N(=O)CH <sub>3</sub> (3-Pyrrolidinone, 1-methyl-)	111-36-4 1609-86-5 27143-81-3 65194-05-0 68165-06-0	** ** ** ** **	10.14±0.05 (V) 9.57 (V) 9.55±0.05 (V) 8.30 8.83 (V)	PE PE PE PE PE	5026 4674 4719 5099 4742
<b>C<sub>5</sub>H<sub>11</sub>NO<sup>+</sup></b>	C <sub>5</sub> H <sub>8</sub> ON(CH <sub>3</sub> ) (2H-1,2-Oxazine,tetrahydro-2-methyl-)	22445-43-8	**	8.66 (V)	PE	5301
	<i>n</i> -C <sub>5</sub> H <sub>7</sub> CHNO(CH <sub>3</sub> ) (Oxaziridine, 2-methyl-3-propyl-)	58751-77-2	**	9.40±0.05	EI	4677
	CH <sub>3</sub> COCH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub>	15364-56-4	**	7.71±0.05	PE	4192
	<i>n</i> -C <sub>5</sub> H <sub>7</sub> CONHCH <sub>3</sub>	17794-44-4	**	9.68±0.05	EI	4677
	<i>n</i> -C <sub>5</sub> H <sub>7</sub> CH=NOCH <sub>3</sub>	31376-98-4	**	9.33±0.05	EI	4677
	<i>n</i> -C <sub>5</sub> H <sub>7</sub> CH=N(O)CH <sub>3</sub>	44603-43-2	**	8.57±0.05	EI	4677
	<i>tert</i> -C <sub>5</sub> H <sub>9</sub> N(=CH <sub>2</sub> )O	41012-82-2	** **	8.64 8.64 (V)	PE PE	5099 4719
	<i>cis</i> -C <sub>5</sub> H <sub>8</sub> (OH)NH <sub>2</sub> (Cyclopentanol, <i>cis</i> -2-amino-)	57070-95-8	**	8.61	PE	4399
	<i>trans</i> -C <sub>5</sub> H <sub>8</sub> (OH)NH <sub>2</sub> (Cyclopentanol, <i>trans</i> -2-amino-)	59260-76-3	**	8.30	PE	4399
	<b>C<sub>5</sub>H<sub>13</sub>NO<sup>+</sup></b> (CH <sub>3</sub> ) <sub>2</sub> N(CH <sub>2</sub> ) <sub>4</sub> OH	3179-63-3	**	8.74±0.04 (V)	PE	3987
<b>C<sub>6</sub>H<sub>5</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> NO (Benzene, nitroso-)	586-96-9	** ** ** **	8.09 8.9 (V) 8.90±0.1 (V) 9.84±0.1 (V)	PE PE PE PE	3938 4467 4465 4401
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )OCH <sub>3</sub> (Benzenamine, 3-methoxy-)	536-90-3	CH <sub>3</sub>	11.07±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> )OCH <sub>3</sub> (Benzenamine, 4-methoxy-)	104-94-9	CH <sub>3</sub>	10.43±0.1	EI	3446
	C <sub>6</sub> H <sub>5</sub> COC <sub>2</sub> H <sub>4</sub> NCH <sub>3</sub> (Methanone,(1-methyl-1H-pyrrol-2-yl)phenyl-)	37496-06-3	C <sub>6</sub> H <sub>5</sub>	12.2±0.1	EI	5493
<b>C<sub>6</sub>H<sub>6</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OH)NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2-hydroxyphenyl)-)	614-80-2	CH <sub>3</sub> CO	13.46±0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (OH)NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(4-hydroxyphenyl)-)	103-90-2	CH <sub>3</sub> CO	13.52±0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )NH <sub>2</sub> (Benzenamine, 3-nitro-)	99-09-2	NO	9.12±0.1	EI	3447

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>6</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )NH <sub>2</sub> (Benzenamine, 4-nitro-)	100-01-6	NO	9.56±0.1	EI	3447
<b>C<sub>6</sub>H<sub>7</sub>NO<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N(OCH <sub>3</sub> ) (Pyridine, 2-methoxy-)	1628-89-3	**	8.82±0.03 (V)	PE	4711
			**	8.9±0.1	EI	4302
			**	8.96±0.02	EI	3636
	C <sub>5</sub> H <sub>4</sub> N(OCH <sub>3</sub> ) (Pyridine, 3-methoxy-)	7295-76-3	**	9.34±0.02	EI	3636
			**	9.34±0.05	EI	3635
	C <sub>5</sub> H <sub>4</sub> N(OCH <sub>3</sub> ) (Pyridine, 4-methoxy-)	620-08-6	**	9.58±0.02	EI	3636
	C <sub>5</sub> H <sub>4</sub> N(=O)CH <sub>3</sub> (2(1H)-Pyridinone, 1-methyl-)	694-85-9	**	8.58±0.02	EI	3636
			**	8.41±0.03 (V)	PE	4711
	C <sub>5</sub> H <sub>4</sub> N(=O)CH <sub>3</sub> (4(1H)-Pyridinone, 1-methyl-)	695-19-2	**	8.48±0.02	EI	3636
			**	8.20±0.03 (V)	PE	4711
	C <sub>5</sub> H <sub>3</sub> N(CH <sub>3</sub> )OH (2-Pyridinol, 6-methyl-)	73229-70-6	**	8.33 (V)	PE	5191
			**	8.69±0.03	OTH	5596
	C <sub>4</sub> H <sub>4</sub> NCOCH <sub>3</sub> (Ethanone, 1-(1H-pyrrol-2-yl)-)	1072-83-9	**	8.72±0.05	EI	3482
	C <sub>5</sub> H <sub>4</sub> N(O)CH <sub>3</sub> (Pyridine, 3-methyl-, 1-oxide)	1003-73-2	**	8.20±0.02 (V)	PE	4275
	C <sub>5</sub> H <sub>4</sub> N(O)CH <sub>3</sub> (Pyridine, 4-methyl-, 1-oxide)	1003-67-4	**	8.12±0.02 (V)	PE	4275
			**	8.17 (V)	PE	4222
	C <sub>5</sub> H <sub>4</sub> N(O)CH <sub>3</sub> (Pyridinium, 3-hydroxy-1-methyl-, hydroxide, inner salt)	25065-00-3	**	7.90±0.02	EI	3636
			**	7.90±0.05	EI	3635
	C <sub>5</sub> H <sub>3</sub> N(OH)CH <sub>3</sub> (3-Pyridinol, 6-methyl-)	1121-78-4	**	9.15±0.05	EI	3635
	C <sub>5</sub> H <sub>3</sub> NH(CH <sub>3</sub> )(=O) (2(1H)-Pyridinone, 6-methyl-)	3279-76-3	**	8.19±0.03	OTH	5596
	C <sub>6</sub> H <sub>4</sub> (OH)NHCOCCH <sub>3</sub> (Acetamide, N-(2-hydroxyphenyl)-)	614-80-2	CH <sub>2</sub> =C=O	9.41±0.02	EI	3631
	C <sub>6</sub> H <sub>4</sub> (OH)NHCOCCH <sub>3</sub> (Acetamide, N-(4-hydroxyphenyl)-)	103-90-2	CH <sub>2</sub> =C=O	9.82±0.02	EI	3631
<b>C<sub>6</sub>H<sub>11</sub>NO<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NCOCH=CHCH <sub>3</sub>	23135-18-4	**	9.0±0.1	EI	3996
<b>C<sub>6</sub>H<sub>12</sub>NO<sup>+</sup></b>	C <sub>11</sub> H <sub>20</sub> N <sub>2</sub> O <sub>4</sub> (L-Alanine, N-(N-acetyl-L-valyl)-methyl ester)	55728-13-7		9.2±0.1	PI	5279
<b>C<sub>6</sub>H<sub>13</sub>NO<sup>+</sup></b>	cis-C <sub>6</sub> H <sub>10</sub> (OH)NH <sub>2</sub> (Cyclohexanol, 2-amino-, cis-)	931-15-7	**	9.59 (V)	PE	4450
	trans-C <sub>6</sub> H <sub>10</sub> (OH)NH <sub>2</sub> (Cyclohexanol, 2-amino-, trans-)	6982-39-4	**	9.49 (V)	PE	4450
	C <sub>11</sub> H <sub>20</sub> N <sub>2</sub> O <sub>4</sub> (L-Alanine, N-(N-acetyl-L-valyl)-methyl ester)	55728-13-7		8.8±0.1	PI	5279
<b>C<sub>6</sub>H<sub>15</sub>NO<sup>+</sup></b>	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> OH	100-37-8	**	8.58±0.03 (V)	PE	3987
<b>C<sub>7</sub>H<sub>4</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (CN)OCH <sub>3</sub> (Benzonitrile, 3-methoxy-)	1527-89-5	CH <sub>3</sub>	12.75±0.1	EI	3446



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_1NO^+$	$C_6H_4(CN)OCH_3$ (Benzonitrile, 4-methoxy-)	874-90-8	$CH_3$	$12.65 \pm 0.1$	EI	3446
	$C_6H_4(NO_2)CN$ (Benzonitrile, 3-nitro-)	619-24-9	NO	$10.45 \pm 0.1$	EI	3447
	$C_6H_4(NO_2)CN$ (Benzonitrile, 4-nitro-)	619-72-7	NO	$10.80 \pm 0.1$	EI	3447
$C_7H_5NO^+$	$C_6H_5N=C=O$ (Benzene, isocyanato-)	103-71-9	**	9.00 (V)	PE	4495
			**	9.2	EI	4660
	$C_6H_5CNO$ (Benzonitrile, N-oxide)	873-67-6	**	$8.96 \pm 0.02$ (V)	PE	4674
$C_7H_6NO^+$	$C_6H_5COC_6H_4NH_2$ (Methanone, (2-aminophenyl)phenyl-)	2835-77-0		$11.9 \pm 0.1$	EI	4358
				$11.9 \pm 0.1$	EI	4335
	$C_6H_5COC_6H_4NH_2$ (Methanone, (3-aminophenyl)phenyl-)	2835-78-1		$12.0 \pm 0.1$	EI	4335
				$12.0 \pm 0.1$	EI	4358
	$C_6H_5COC_6H_4NH_2$ (Methanone, (4-aminophenyl)phenyl-)	1137-41-3		$11.25 \pm 0.1$	EI	4335
				$11.25 \pm 0.1$	EI	4358
	$CH_3C_6H_4NO_2$ (Benzene, 1-methyl-2-nitro-)	88-72-2	OH	$9.69 \pm 0.05$	PI	5437
	$C_6H_4(NH_2)COOH$ (Benzoic acid, 3-amino-)	99-05-8	OH	$12.18 \pm 0.2$	EI	3973
	$C_6H_4(NH_2)COOH$ (Benzoic acid, 4-amino-)	150-13-0	OH	$12.12 \pm 0.2$	EI	3973
	$C_6H_4(Cl)NHCHO$ (Formamide, N-(2-chlorophenyl)-)	2596-93-2	Cl	$9.3 \pm 0.1$	EI	4359
$C_7H_7NO^+$	$C_6H_4(NO)(CH_3)$ (Benzene, 1-methyl-4-nitroso-)	623-11-0	**	$8.79 \pm 0.1$ (V)	PE	4465
	$C_6H_5CONH_2$ (Benzamide)	55-21-0	**	9.45 (V)	PE	4918
			**	9.60	EI	3792
$C_7H_9NO^+$	$C_5H_5N(OC_2H_5)$ (Pyridine, 4-ethoxy-)	33399-46-1	**	$9.25 \pm 0.03$ (V)	PE	4711
	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 3-methoxy-)	536-90-3	**	$7.76 \pm 0.1$	EI	3446
	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 4-methoxy-)	104-94-9	**	7.44	PI	4328
			**	7.08	PE	4621
			**	$7.58 \pm 0.01$ (V)	PE	4389
			**	7.58 (V)	PE	5403
			**	6.92	EI	3845
			**	$7.60 \pm 0.1$	EI	3446
			**	9.39	EI	4089
$C_7H_{10}NO^+$	$C_4H_8NCOCH=CHCH_3$ (Pyrrolidine, 1-(1-oxo-2-butenyl)-)	51944-65-1	$CH_3$	$11.2 \pm 0.1$	EI	3996
$C_7H_{11}NO^+$	$C_5H_9NCOCH_3$ (Pyridine, 1-acetyl-1,2,3,4-tetrahydro-)	19615-27-1	**	8.8	EI	4046

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{13}NO^+$	$C_7H_{12}NOH$ (1-Azabicyclo[2.2.2]octan-4-ol)	26458-74-2	**	$8.48 \pm 0.015$ (V)	PE	4286
	$C_6H_{10}N(=O)CH_3$ (2H-Azepin-2-one, hexahydro-1-methyl-)	2556-73-2	**	$9.00 \pm 0.05$	EI	4677
	$C_6H_{10}(=NOCH_3)$ (Cyclohexanone, O-methyloxime)	13858-85-0	**	$9.01 \pm 0.05$	EI	4677
	$C_6H_{10}(=N(O)CH_3)$ (Methanamine, N-cyclohexylidene-N-oxide)	58751-78-3	**	$7.97 \pm 0.05$	EI	4677
	$C_6H_{10}NOCH_3$ (1-Oxa-2-azaspiro[2.5]octane, 2-methyl-)	3400-13-3	**	$8.93 \pm 0.05$	EI	4677
	$C_5H_{10}NCOCH_3$ (Piperidine, 1-acetyl-)	618-42-8	**	9.1	EI	4046
$C_7H_{15}NO^+$	$C_7H_6ON(C(CH_3)_3)$ (Isoxazolidine, 2-(1,1-dimethylethyl)-)	67137-81-9	**	8.25	PE	5301
	<i>cis</i> - $C_5H_8(OH)N(CH_3)_2$ (Cyclopentanol, <i>cis</i> -2-(dimethylamino)-)	57070-96-9	**	7.80	PE	4399
	<i>trans</i> - $C_5H_8(OH)N(CH_3)_2$ (Cyclopentanol, <i>trans</i> -2-(dimethylamino)-)	18760-79-7	**	7.45	PE	4399
$C_7H_{17}NO^+$	$(C_2H_5)_2N(CH_2)_3OH$	622-93-5	**	$8.56 \pm 0.05$ (V)	PE	3987
$C_8H_4NO^+$	$C_6H_4(CN)COOH$ (Benzoic acid, 4-cyano-)	619-65-8	OH	$12.68 \pm 0.2$	EI	3973
$C_8H_7NO^+$	$C_6H_4(NCO)CH_3$ (Benzene, 1-isocyanato-2-methyl-)	614-68-6	**	$8.7 \pm 0.1$ (V)	PE	5026
	$C_6H_4(NCO)CH_3$ (Benzene, 1-isocyanato-3-methyl-)	621-29-4	**	$8.7 \pm 0.1$ (V)	PE	5026
			**	8.83 (V)	PE	4495
	$C_6H_4(NCO)CH_3$ (Benzene, 1-isocyanato-4-methyl-)	622-58-2	**	$8.6 \pm 0.1$ (V)	PE	5026
	$C_6H_4(CN)OCH_3$ (Benzonitrile, 3-methoxy-)	1527-89-5	**	$9.11 \pm 0.1$	EI	3446
	$C_6H_4(CN)OCH_3$ (Benzonitrile, 4-methoxy-)	874-90-8	**	8.74	EI	3845
			**	$8.97 \pm 0.1$	EI	3446
	$C_6H_4C_2H_2NH(=O)$ (2H-Indol-2-one, 1,3-dihydro-)	59-48-3	**	8.36 (V)	PE	5406
$C_8H_8NO^+$	$C_6H_5NHCOCH_3$ (Acetamide, N-phenyl-)	103-84-4	H	11.00	EI	4834
	$C_6H_4ClNHCOCH_3$ (Acetamide, N-(2-chlorophenyl)-)	533-17-5	Cl	9.40	EI	4834
			Cl	9.40	EI	4834
				$8.86 \pm 0.03$	EI	3483
	$C_6H_3(Cl)(CH_3)NHCHO$ (Formamide, <i>N</i> -(2-chloro-4-methylphenyl)-)	18931-77-6	Cl	$9.1 \pm 0.1$	EI	4359
	$C_6H_3(Cl)(CH_3)NHCHO$ (Formamide, <i>N</i> -(2-chloro-5-methylphenyl)-)	18931-82-3	Cl	$9.1 \pm 0.1$	EI	4359
	$C_6H_4BrNHCOCH_3$ (Acetamide, N-(2-bromophenyl)-)	614-76-6	Br	9.40	EI	4834
				$9.08 \pm 0.03$	EI	3483
	$C_6H_4INHCOCH_3$ (Acetamide, N-(2-iodophenyl)-)	19591-17-4	I	9.30	EI	4834
				$8.57 \pm 0.03$	EI	3483

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>9</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )(CONH <sub>2</sub> ) (Benzamide, 3-methyl-)	618-47-3	**	9.11 (V)	PE	4918
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )(CONH <sub>2</sub> ) (Benzamide, 4-methyl-)	619-55-6	**	9.14 (V)	PE	4918
	C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (COCH <sub>3</sub> ) (Ethanone, 1-(4-aminophenyl)-)	99-92-3	**	7.8±0.1	PE	4401
	C <sub>6</sub> H <sub>5</sub> CHNO(CH <sub>3</sub> ) (Oxaziridine, 2-methyl-3-phenyl-)	3400-12-2	**	8.36±0.05	EI	4677
	C <sub>6</sub> H <sub>5</sub> CH=N(O)CH <sub>3</sub>	XXXXX-XX-X	**	8.01 (V)	PE	5590
	C <sub>6</sub> H <sub>5</sub> NHC(=O)CH <sub>3</sub> (Acetamide, N-phenyl)	103-84-4	**	8.30±0.10	PE	5608
			**	8.46±0.05 (V)	PE	5013
			**	8.46 (V)	PE	5406
			**	8.60	EI	4834
			**	8.18±0.03	EI	3483
	C <sub>6</sub> H <sub>5</sub> CH=NOCH <sub>3</sub> (Benzaldehyde, O-methyloxime)	3376-32-7	**	8.76±0.05	EI	4677
	C <sub>6</sub> H <sub>5</sub> CONHCH <sub>3</sub> (Benzamide, N-methyl-)	613-93-4	**	9.33±0.05	EI	4677
	C <sub>6</sub> H <sub>5</sub> CH=N(CH <sub>3</sub> )O (Methanamine, N-(phenylmethylene)-N-oxide)	3376-23-6	**	7.89 (V)	PE	4719
			**	8.01±0.02 (V)	PE	4674
			**	8.01	PE	5099
			**	8.08±0.05	EI	4677
	C <sub>7</sub> H <sub>6</sub> N(CH <sub>3</sub> )O (Methanaminium, N-2,4,6-cycloheptatrien-1-ylidene-N-hydroxy-hydroxide, inner salt)	65194-06-1	**	7.28	PE	5099
	C <sub>6</sub> H <sub>4</sub> (OH)CHN(O)CH <sub>3</sub> (Phenol, 4-amino-N-oxide)	16089-67-1	**	7.76±0.02 (V)	PE	4674
<b>C<sub>8</sub>H<sub>11</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (OH)(CH <sub>2</sub> NHCH <sub>3</sub> ) (Benzenemethanamine, 2-hydroxy-N-methyl-)	XXXXX-XX-X	**	8.18 (V)	PE	5134
	C <sub>6</sub> H <sub>4</sub> (OH)CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> (Phenol, 4-(2-aminoethyl)-)	51-67-2	**	8.41±0.12 (V)	PE	4672
<b>C<sub>8</sub>H<sub>12</sub>NO<sup>+</sup></b>	C <sub>5</sub> H <sub>10</sub> NCOCH=CHCH <sub>3</sub> (Piperidine, 1-(1-oxo-2-butenyl)-)	3626-69-5	**	11.1±0.1	EI	3996
<b>C<sub>8</sub>H<sub>13</sub>NO<sup>+</sup></b>	C <sub>4</sub> H <sub>8</sub> NCOCH=CHCH <sub>3</sub> (Pyrrolidine, 1-(1-oxo-2-butenyl)-)	51944-65-1	**	9.0±0.1	EI	3996
<b>C<sub>8</sub>H<sub>15</sub>NO<sup>+</sup></b>	C <sub>7</sub> H <sub>12</sub> NCH <sub>2</sub> OH (1-Azabicyclo[2.2.2]octane-4-methanol)	26608-58-2	**	8.17±0.015 (V)	PE	4286
	C <sub>8</sub> H <sub>15</sub> NO (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl- <i>endo</i> -)	120-29-6	**	8.1±0.15	EI	5401
	C <sub>8</sub> H <sub>15</sub> NO (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl- <i>exo</i> -)	135-97-7	**	7.9±0.15	EI	5401
	((CH <sub>2</sub> ) <sub>4</sub> ON)CH=C(CH <sub>3</sub> ) <sub>2</sub> (Morpholine, 4-(2-methyl-1-propenyl)-)	2403-55-6	**	8.20±0.03 (V)	PE	4452
<b>C<sub>8</sub>H<sub>17</sub>NO<sup>+</sup></b>	C <sub>1</sub> H <sub>6</sub> ON(C(CH <sub>3</sub> ) <sub>3</sub> ) (2H-1,2-Oxazine, 2-(1,1-dimethylethyl)tetrahydro-)	54722-72-4	**	8.27 (V)	PE	5301
	CH <sub>3</sub> CH(CH <sub>3</sub> )CON(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	33931-44-1	**	8.80 (V)	PE	4672
	<i>cis</i> -C <sub>6</sub> H <sub>10</sub> (OH)N(CH <sub>3</sub> ) <sub>2</sub> (Cyclohexanol, 2-(dimethylamino)-, <i>cis</i> -)	20431-82-7	**	8.64 (V)	PE	4450
	<i>trans</i> -C <sub>6</sub> H <sub>10</sub> (OH)N(CH <sub>3</sub> ) <sub>2</sub> (Cyclohexanol, 2-(dimethylamino)-, <i>trans</i> -)	15910-74-4	**	8.36 (V)	PE	4450

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{17}NO^+$	$((CH_2)_4ON)CH_2CH(CH_3)_2$ (Morpholine, 4-(2-methylpropyl)-)	10315-98-7	**	$8.46 \pm 0.03$ (V)	PE	4452
$C_8H_{18}NO^+$	$(tert-C_4H_9)_2NO$	2406-25-9	**	6.77	PE	3712
$C_9H_7NO^+$	$C_9H_7NO$ (Isoquinoline, 2-oxide)	1532-72-5	**	$7.98 \pm 0.02$ (V)	PE	4551
	$C_9H_7NO$ (Quinoline, 1-oxide)	1613-37-2	**	$8.00 \pm 0.02$ (V)	PE	4551
$C_9H_8NO^+$	$C_9H_7NHCOC(=O)CH_3$ (2-Butenamide, <i>N</i> -phenyl-)	1733-40-0	$CH_3$	$12.1 \pm 0.3$	EI	3996
$C_9H_9NO^+$	$C_9H_7(CH_3)_2CNO$ (Benzonitrile, 2,6-dimethyl- <i>N</i> -oxide)	19111-74-1	**	$8.62 \pm 0.02$ (V)	PE	4674
	$C_9H_9NO$ (Isoquinoline, 3,4-dihydro-2-oxide)	24423-87-8	**	7.81 (V)	PE	4719
	$C_9H_4C_3H_5NO$ (Isoquinolinium,3,4-dihydro-2-hydroxy-hydroxide,inner salt)	65194-03-8	**	7.81	PE	5099
$C_9H_{10}NO^+$	$C_9H_9ClNHCOC(=O)CH_3$ (Propanamide, <i>N</i> -(2-chlorophenyl)-)	2760-32-9	Cl	9.45	EI	4834
$C_9H_{11}NO^+$	$C_9H_9N(CH_3)C(=O)CH_3$ (Acetamide, <i>N</i> -methyl- <i>N</i> -phenyl-)	579-10-2	**	8.81 (V)	PE	5406
	$C_9H_9(CH_3)NHC(=O)CH_3$ (Acetamide, <i>N</i> -(2-methylphenyl)-)	120-66-1	**	8.34 (V)	PE	5406
	$C_9H_9(CH_3)NHCOC(=O)CH_3$ (Acetamide, <i>N</i> -(4-methylphenyl)-)	103-89-9	**	$8.03 \pm 0.02$	EI	3631
	$C_9H_9(CHO)N(CH_3)_2$ (Benzaldehyde, 4-(dimethylamino)-)	100-10-7	**	$7.75 \pm 0.02$	EI	3631
			**	$7.36 \pm 0.02$	PI	4028
			**	$7.3 \pm 0.1$	PE	4401
$C_9H_{13}NO^+$	$C_9H_9(OCH_3)(CH_2NHCH_3)$ (Methanamine, <i>N</i> -[2-methoxyphenyl methylene]-)	1125-90-2	**	8.22 (V)	PE	5134
	$C_9H_9N(O)(tert-C_4H_9)$ (Pyridine, 4-(1,1-dimethylethyl)-, 1-oxide)	23569-17-7	**	8.00 (V)	PE	4222
	$C_9H_{13}N=O$ (1-Azatricyclo[3.3.1.1 <sup>3,7</sup> ]decan-4-one)	42949-24-6	**	$8.21 \pm 0.02$ (V)	PE	4217
	$C_9H_9(OCH_3)N(CH_3)_2$ (Benzenamine, 4-methoxy- <i>N,N</i> -dimethyl-)	701-56-4	**	$6.7 \pm 0.1$	PE	4401
	$C_9H_9(OCH_3)N(CH_3)_2$ (Benzenamine, 2-methoxy- <i>N,N</i> -dimethyl-)	700-75-4	**	$7.18 \pm 0.01$ (V)	PE	4389
	$C_9H_9(O)N(CH_3)_3$ (Benzenaminium, 2-hydroxy- <i>N,N,N</i> -trimethyl-, hydroxide, inner salt)	31061-58-2	**	$7.59 \pm 0.02$	EI	3630
	$C_9H_9(OCH_3)CH_2CH_2NH_2$ (Benzenethanamine, 4-methoxy-)	55-81-2	**	$\sim 6.8$	EI	3630
	$C_9H_9NCOCH=CHCH_3$ (Pyridine, 1,2,3,4-tetrahydro-1-(1-oxo-2-butenyl)-, (E))	50838-23-8	**	$8.16 \pm 0.08$ (V)	PE	4672
				8.6	EI	4046
$C_9H_{15}NO^+$	$C_9H_9NOC_5H_7$ (Morpholine, 4-(1-cyclopenten-1-yl)-)	936-52-7	**	$7.60 \pm 0.05$ (V)	PE	4654

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{15}NO^+$	$C_4H_8NOC_5H_7$	936-52-7	**	$7.60 \pm 0.05$ (V)	PE	4819
	$C_5H_{10}NCOCH=CHCH_3$ (Piperidine, 1-(1-oxo-2-butenyl)-, (E))	50838-22-7		8.9	EI	4046
	$C_5H_{10}NCOCH=CHCH_3$ (Piperidine, 1-(1-oxo-2-butenyl)-)	3626-69-5	$CH_3$	$8.9 \pm 0.1$	EI	3996
$C_9H_{17}NO^+$	$C_8H_{14}NOCH_3$ (9-Azabicyclo[3.3.1]nonane, 9-methoxy-)	73321-04-7	**	7.79 (V)	PE	5091
	$C_9H_{17}NO$ (8-Azabicyclo[3.2.1]octane, 3-methoxy-8-methyl- <i>endo</i> -)	XXXXXX-XX-X	**	$7.8 \pm 0.15$	EI	5401
	$C_9H_{17}NO$ (8-Azabicyclo[3.2.1]octane, 3-methoxy-8-methyl- <i>exo</i> -)	16487-33-5	**	$7.9 \pm 0.15$	EI	5401
	$C_9H_{17}NO$ (Bicyclo[2.2.1]heptan-2-ol, 3-(dimethylamino)-(2- <i>exo</i> , 3- <i>endo</i> )-)	57128-85-5	**	8.35 (V)	PE	5377
	$C_9H_{17}NO$ (Bicyclo[2.2.1]heptan-2-ol, 3-(dimethylamino)-(endo,endo)-)	57070-90-3	**	8.60 (V)	PE	5377
	$C_5H_5N(O)(CH_3)_4$ (4-Piperidinone, 2,2,6,6-tetramethyl-)	826-36-8	**	7.74	PE	4278
			**	$8.30 \pm 0.05$	EI	3494
$C_9H_{18}NO^+$	$C_5H_6N(CH_3)_4O$ (1-Piperidinyloxy, 2,2,6,6-tetramethyl-)	2564-83-2	**	6.73	PE	3712
$C_{10}H_9NO^+$	$C_6H_6N_3(=O)(CH_3)$ (Indeno[1,2- <i>d</i> ]triazol-8(3H)-one, 3a,8a-dihydro-3-methyl-)	55507-30-7	$N_2$	$8.8 \pm 0.2$	EI	4863
$C_{10}H_{10}NO^+$	$C_6H_5CH_2NHCOCCH=CHCH_3$ (2-Butenamide, <i>N</i> -(phenylmethyl)-)	51944-67-3	$CH_3$	$10.7 \pm 0.1$	EI	3996
$C_{10}H_{11}NO^+$	$C_6H_2(CH_3)_3(C \equiv NO)$ (Benzonitrile, 2,4,6-trimethyl- <i>N</i> -oxide)	2904-57-6	**	8.34 (V)	PE	4719
			**	$8.35 \pm 0.02$ (V)	PE	4674
	$C_6H_5NHCOCCH=CHCH_3$ (2-Butenamide, <i>N</i> -phenyl-)	1733-40-0	**	$8.7 \pm 0.1$	EI	3996
$C_{10}H_{12}NO^+$	$C_6H_4ClNHCOCCH_2CH_2CH_3$ (Butanamide, <i>N</i> -(2-chlorophenyl)-)	33694-15-4	Cl	9.45	EI	4834
$C_{10}H_{13}NO^+$	$C_6H_4(CH_3)_2NHCOCCH_3$ (Acetamide, <i>N</i> -(2,6-dimethylphenyl)-)	2198-53-0	**	$8.70 \pm 0.05$ (V)	PE	5013
	$C_6H_4(CH_3)N(CH_3)C(=O)CH_3$ (Acetamide, <i>N</i> -methyl- <i>N</i> -(2-methylphenyl)-)	29823-47-0	**	8.82 (V)	PE	5406
	$C_6H_4(N(CH_3)_2)COCH_3$ (Ethanone, 1-[4-(dimethylamino)phenyl]-)	2124-31-4	**	$7.57 \pm 0.05$ (V)	PE	5097
$C_{10}H_{15}NO^+$	$C_{10}H_{15}NO$ (Benzeneethanamine, 4-methoxy- $\alpha$ -methyl-( $\pm$ )-)	23239-32-9	**	$8.16 \pm 0.06$ (V)	PE	4758
$C_{10}H_{17}NO^+$	$C_4H_8NOC_6H_9$ (Morpholine, 4-(1-cyclohexen-1-yl)-)	670-80-4	**	$7.67 \pm 0.05$	PE	4452
			**	$7.67 \pm 0.05$	PE	4654
			**	$7.67 \pm 0.05$ (V)	PE	4819



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{19}NO^+$	$((CH_2)_4ON)(C_6H_{11})$ (Morpholine, 4-cyclohexyl-)	6425-41-8	**	$8.18 \pm 0.03$ (V)	PE	4452
	$C_{10}H_{19}NO$ (Bicyclo[2.2.1]heptan-2-amine, 3-methoxy-N,N-dimethyl-(2-endo,3-exo)-)	67425-06-3	**	8.13 (V)	PE	5377
	$C_{10}H_{19}NO$ (Bicyclo[2.2.1]heptan-2-amine, 3-methoxy-N,N-dimethyl-(endo,endo)-)	67398-96-3	**	8.06 (V)	PE	5377
$C_{11}H_{13}NO^+$	$C_6H_5CH_2NHCOC(=O)CH=CHCH_3$ (2-Butenamide, N-(phenylmethyl)-)	51944-67-3	**	$8.6 \pm 0.1$	EI	3996
$C_{11}H_{14}NO^+$	$C_{27}H_{30}N_4O_8S$ (L-Cysteine, S-(2-methoxy-2-oxoethyl)-N-[N-[N-(1-oxopropyl)-L-phenylalanyl]-L-leucyl]glycyl]-methyl ester)	35146-63-5		$9.0 \pm 0.1$	PI	5279
	$C_6H_4ClNHCOC(CH_3)_3$ (Propanamide, N-(2-chlorophenyl)-2,2-dimethyl-)	62662-74-2	Cl	9.45	EI	4834
$C_{11}H_{15}NO^+$	$C_6H_5(CH_2)_2N(CH_3)C(=O)CH_3$ (Acetamide, N-(2,6-dimethylphenyl)-N-methyl-)	18835-47-7	**	8.8 (V)	PE	5406
	$C_6H_5(CH_2)_3CHN(CH_3)O$ (Methanamine, N-[(2,4,6-trimethylphenyl)methylene]-N-oxide)	41106-03-0	**	8.08	PE	5099
			**	8.08 (V)	PE	4719
	$C_6H_5CH=N(tert-C_4H_9)O$ (2-Propanamine, 2-methyl-N-(phenylmethylene)-N-oxide)	3376-24-7	**	7.69 (V)	PE	4719
$C_{11}H_{20}NO^+$	$C_{13}H_{25}NO$ (4-Quinolinol, 4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\beta$ ))	20422-70-2	$C_2H_5$	9.92	EI	5452
	$C_{13}H_{25}NO$ (4-Quinolinol, 4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\beta$ ))	20422-68-8	$C_2H_5$	$9.81 \pm 0.02$	EI	5598
	$C_{13}H_{25}NO$ (4-Quinolinol, 4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha\beta$ ,8 $\alpha\beta$ ))	20422-72-4	$C_2H_5$	9.94	EI	5452
$C_{11}H_{22}NO^+$	$C_{30}H_{45}N_5O_6$ (L-Alanine, N-[N-[N-(1-oxodecyl)glycyl]-L-tryptophyl]-L-alanyl]-methyl ester)	19716-78-0		$9.4 \pm 0.1$	PI	5279
$C_{12}H_8NO^+$	$C_{12}H_8NOH$ (Methanone, (2-nitrophenyl)-2-pyridinyl-)	27693-37-4		7.94	EI	5459
	$C_6H_5COC_5H_4N$ (Methanone, phenyl-2-pyridinyl-)	91-02-1		9.97	EI	5459
	$C_6H_5(CH_3)COC_5H_4N$ (Methanone, (2-methylphenyl)-2-pyridinyl-)	54523-78-3		9.71	EI	5459
	$C_6H_4FCOC_5H_4N$ (Methanone, (2-fluorophenyl)-2-pyridinyl-)	XXXXXX-XX-X		10.15	EI	5459
	$C_6H_4ClCOC_5H_4N$ (Methanone, (2-chlorophenyl)-2-pyridinyl-)	1694-57-1		9.59	EI	5459
	$C_6H_4BrCOC_5H_4N$ (Methanone, (2-bromophenyl)-2-pyridinyl-)	XXXXXX-XX-X		9.37	EI	5459
	$C_6H_4ICOC_5H_4N$ (Methanone, (2-iodophenyl)-2-pyridinyl-)	XXXXXX-XX-X		9.06	EI	5459
$C_{12}H_9NO^+$	$C_{12}H_8NOH$ (Methanone, (2-nitrophenyl)-2-pyridinyl-)	27693-37-4	**	7.29	EI	5459
	$C_6H_5COC_5H_4N$ (Methanone, phenyl-2-pyridinyl-)	91-02-1	**	9.06	EI	5459
			**	$9.1 \pm 0.1$	EI	5493
	$C_6H_5COC_5H_4N$ (Methanone, phenyl-3-pyridinyl-)	5424-19-1	**	$9.6 \pm 0.1$	EI	5493

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_9NO^+$	$C_6H_5COC_6H_4N$ (Methanone, phenyl-4-pyridinyl-)	14548-46-0	**	$9.6 \pm 0.1$	EI	5493
$C_{12}H_{11}NO^+$	$C_6H_5COC_6H_4NCH_3$ (Methanone, (1-methyl-1H-pyrrol-2-yl)phenyl-)	37496-06-3	**	$8.7 \pm 0.1$	EI	5493
$C_{12}H_{13}NO^+$	$C_6H_4(CN)CO(CH_2)_3CH_3$ (Benzonitrile, 4-(1-oxopentyl)-)	30611-20-2	**	9.57 (V)	PE	4804
	$C_6H_5O(CH_2CH_2)_2C_6H_4NH$ (13-Oxa-14-azatricyclo[8.2.1.1 <sup>1,7</sup> ]tetradeca-4,6,10,12-tetraene)	73650-94-9	**	7.22	PE	5575
	$C_5H_8NCOC_6H_5$ (Pyridine, 1-benzoyl-1,2,3,4-tetrahyro-)	50838-24-9	**	8.4	EI	4046
$C_{12}H_{15}NO^+$	$C_5H_{10}NCOC_6H_5$ (Piperidine, 1-benzoyl-)	776-75-0	**	8.8	EI	4046
$C_{12}H_{16}NO^+$	$C_6H_4CINHCOCH_2C(CH_3)_3$ (Butanamide, N-(2-chlorophenyl)-3,3-dimethyl-)	XXXXX-XX-X Cl		9.40	EI	4834
$C_{12}H_{18}NO^+$	$C_{13}H_{21}NO$ (4-Quinolinol, 4-ethynyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	16067-80-4	$CH_3$	9.35	EI	5598
	$C_{13}H_{21}NO$ (4-Quinolinol, 4-ethynyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	16067-45-1	$CH_3$	9.15	EI	5452
	$C_{13}H_{21}NO$ (4-Quinolinol, 4-ethynyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	14788-65-9	$CH_3$	9.33	EI	5452
$C_{12}H_{20}NO^+$	$C_{13}H_{23}NO$ (4-Quinolinol, 4-ethenyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	20431-93-0	$CH_3$	9.17	EI	5598
	$C_{13}H_{23}NO$ (4-Quinolinol, 4-ethenyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	20431-91-8	$CH_3$	8.98	EI	5452
	$C_{13}H_{23}NO$ (4-Quinolinol, 4-ethenyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	20431-95-2	$CH_3$	9.14	EI	5452
$C_{12}H_{21}NO^+$	$C_4(=O)(CH_3)_4(=NC_4H_9)$ (Cyclobutanone, 3-(butylimino)-2,2,4,4-tetramethyl-)	23458-49-3	**	8.63 (V)	PE	5499
$C_{12}H_{22}NO^+$	$C_{13}H_{25}NO$ (4-Quinolinol, 4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	20422-68-8	$CH_3$	9.00	EI	5452
	$C_{13}H_{25}NO$ (4-Quinolinol, 4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	20422-70-2	$CH_3$	9.04	EI	5598
	$C_{13}H_{25}NO$ (4-Quinolinol, 4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	20422-72-4	$CH_3$	9.15	EI	5452
	$C_{13}H_{27}NO$ (4-Quinolinol, 1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-60-4	$C_2H_5$	9.85	EI	5452
	$C_{13}H_{27}NO$ (4-Quinolinol, 1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-62-6	$C_2H_5$	$9.80 \pm 0.02$	EI	5598
	$C_{13}H_{27}NO$ (4-Quinolinol, 1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-61-5	$C_2H_5$	9.90	EI	5452
$C_{12}H_{24}NO^+$	$C_{17}H_{32}N_2O_5$ (L-Serine, N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	55728-15-9		$9.5 \pm 0.1$	PI	5279
	$C_{20}H_{37}N_3O_5$ (L-Alanine, N-[N-[N-(1-oxodecyl)-L-alanyl]-L-alanyl]-methyl ester)	55728-11-5		$9.0 \pm 0.1$	PI	5279

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{21}NO^+$	$C_{23}H_{43}N_3O_5$ (L-Alanine, N-[N-[N-(1-oxodecyl)-L-alanyl]-L-leucyl]-methyl ester)	55728-12-6		$9.0 \pm 0.1$	PI	5279
$C_{12}H_{25}NO^+$	$C_{17}H_{32}N_2O_5$ (L-Serine, N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	55728-15-9		$9.4 \pm 0.1$	PI	5279
$C_{13}H_9NO^+$	$C_{11}H_9NO$ (Acridine 10-oxide)	10399-73-2	**	$7.45 \pm 0.02$ (V)	PE	4551
$C_{13}H_{10}NO^+$	$C_6H_5COC_6H_4NH_2$ (Methanone, (2-aminophenyl)phenyl-)	2835-77-0	H	$10.6 \pm 0.1$	EI	4358
$C_{13}H_{11}NO^+$	$C_{11}H_8(CN)(OCH_3)$ (1,4-Methanonaphthalene-2-carbonitrile, 1,4-dihydro-5-methoxy-)	71906-50-8	**	8.46 (V)	PE	4835
	$C_{11}H_8(CN)(OCH_3)$ (1,4-Methanonaphthalene-2-carbonitrile, 1,4-dihydro-8-methoxy-)	71906-48-4	**	8.44 (V)	PE	4835
	$C_{11}H_9(CN)(OCH_3)$ (1,4-Methanonaphthalene-2-carbonitrile, 1,4-dihydro-6-methoxy-)	71906-42-8	**	8.22 (V)	PE	4835
	$C_6H_5CH=N(O)C_6H_5$ (Benzenemethanimine, $\alpha$ -phenyl-N-oxide)	59862-61-2	**	7.75 (V)	PE	5590
	$C_6H_5COC_6H_4NH_2$ (Methanone, (2-aminophenyl)phenyl-)	2835-77-0	**	$8.25 \pm 0.1$	EI	4358
	$C_6H_5COC_6H_4NH_2$ (Methanone, (3-aminophenyl)phenyl-)	2835-78-1	**	$8.25 \pm 0.1$	EI	4335
	$C_6H_5COC_6H_4NH_2$ (Methanone, (3-aminophenyl)phenyl-)	2835-78-1	**	$8.45 \pm 0.1$	EI	4335
	$C_6H_5COC_6H_4NH_2$ (Methanone, (4-aminophenyl)phenyl-)	1137-41-3	**	$8.45 \pm 0.1$	EI	4358
	$C_6H_5COC_6H_4NH_2$ (Methanone, (4-aminophenyl)phenyl-)	1137-41-3	**	$8.4 \pm 0.1$	EI	4358
	$C_6H_4(CH_3)COC_3H_4N$ (Methanone, (2-methylphenyl)-2-pyridinyl-)	54523-78-3	**	$8.4 \pm 0.1$	EI	4335
$C_{13}H_{13}NO^+$	$C_6H_5CH_2OC_6H_4NH_2$ (Benzenamine, 4-(phenylmethoxy)-)	6373-46-2	**	7.58	CTS	5336
$C_{13}H_{15}NO^+$	$C_{10}H_6N(=O)(n-C_4H_9)$ (Indeno[1,2- <i>b</i> ]azirin-6(1H)-one, 1-butyl-1a,6a-dihydro-)	56359-28-5	**	$7.90 \pm 0.1$	EI	4863
	$C_{10}H_6N_2(=O)(n-C_4H_9)$ (Indeno[1,2- <i>d</i> ]triazol-8(3H)-one, 3-butyl-3a,8a-dihydro-)	55507-31-8	N <sub>2</sub>	$7.8 \pm 0.2$	EI	4863
$C_{13}H_{20}NO^+$	$C_{14}H_{23}NO$ (4-Quinolinol, 1-ethyl-4-ethynyldecahydro-2-methyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-55-7	CH <sub>3</sub>	9.29	EI	5598
	$C_{14}H_{23}NO$ (4-Quinolinol, 1-ethyl-4-ethynyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-54-6	CH <sub>3</sub>	9.30	EI	5598
	$C_{14}H_{23}NO$ (4-Quinolinol, 1-ethyl-4-ethynyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-56-8	CH <sub>3</sub>	9.15	EI	5598
	$C_{14}H_{23}NO$ (4-Quinolinol, 1-ethyl-4-ethynyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-56-8	CH <sub>3</sub>	9.15	EI	5598
$C_{13}H_{21}NO^+$	$C_5H_5N(CH_3)_2(OH)(C\equiv CH)C_4H_8$ (4-Quinolinol, 4-ethynyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ $\beta$ ,8 $\alpha$ $\alpha$ ))	16067-45-1	**	$7.27 \pm 0.02$	EI	5598
	$C_{13}H_{21}NO$ (4-Quinolinol, 4-ethynyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	14788-65-9	**	$7.41 \pm 0.02$	EI	5598
	$C_{13}H_{21}NO$ (4-Quinolinol, 4-ethynyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	16067-80-4	**	$7.40 \pm 0.02$	EI	5598
	$C_{13}H_{21}NO$ (4-Quinolinol, 4-ethynyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	16067-80-4	**	$7.40 \pm 0.02$	EI	5598

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>13</sub>H<sub>22</sub>NO<sup>+</sup></b>	C <sub>13</sub> H <sub>25</sub> NO (4-Quinololinol,4-ethenyl-1-ethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	38463-57-9	CH <sub>3</sub>	9.23	EI	5598
	C <sub>13</sub> H <sub>25</sub> NO (4-Quinololinol,4-ethenyl-1-ethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	38463-58-0	CH <sub>3</sub>	9.20	EI	5598
	C <sub>13</sub> H <sub>25</sub> NO (4-Quinololinol,4-ethenyl-1-ethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\alpha$ ))	38463-59-1	CH <sub>3</sub>	9.06	EI	5598
<b>C<sub>13</sub>H<sub>23</sub>NO<sup>+</sup></b>	C <sub>13</sub> H <sub>23</sub> NO (4-Quinololinol,4-ethenyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	20431-93-0	**	7.43±0.02	EI	5598
	C <sub>3</sub> H <sub>5</sub> N(CH <sub>3</sub> ) <sub>2</sub> (OH)(CH=CH <sub>2</sub> )C <sub>4</sub> H <sub>8</sub> (4-Quinololinol,4-ethenyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\alpha$ ))	20431-91-8	**	7.26±0.02	EI	5598
	C <sub>13</sub> H <sub>23</sub> NO (4-Quinololinol,4-ethenyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	20431-95-2	**	7.39±0.02	EI	5598
<b>C<sub>13</sub>H<sub>24</sub>NO<sup>+</sup></b>	C <sub>13</sub> H <sub>27</sub> NO (4-Quinololinol,1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	38463-60-4	CH <sub>3</sub>	9.09	EI	5598
	C <sub>13</sub> H <sub>27</sub> NO (4-Quinololinol,1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\alpha$ ))	38463-62-6	CH <sub>3</sub>	9.05	EI	5598
	C <sub>13</sub> H <sub>27</sub> NO (4-Quinololinol,1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	38463-61-5	CH <sub>3</sub>	9.18	EI	5598
<b>C<sub>13</sub>H<sub>25</sub>NO<sup>+</sup></b>	C <sub>13</sub> H <sub>25</sub> NO (4-Quinololinol,4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	20422-70-2	**	7.30±0.02	EI	5598
	C <sub>3</sub> H <sub>5</sub> N(CH <sub>3</sub> ) <sub>2</sub> (OH)(C <sub>2</sub> H <sub>5</sub> )C <sub>4</sub> H <sub>8</sub> (4-Quinololinol,4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\alpha$ ))	20422-68-8	**	7.19±0.02	EI	5598
	C <sub>13</sub> H <sub>25</sub> NO (4-Quinololinol,4-ethyldecahydro-1,2-dimethyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	20422-72-4	**	7.32±0.02	EI	5598
<b>C<sub>14</sub>H<sub>11</sub>NO<sup>+</sup></b>	C <sub>13</sub> H <sub>7</sub> (=O)NHCH <sub>3</sub> (Phenalen-1-one,9-methylamino-)	XXXXX-XX-X	**	7.41±0.04 (V)	PE	5595
<b>C<sub>14</sub>H<sub>13</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (OCH <sub>3</sub> )C(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine,2-[1-(3-methoxyphenyl)ethenyl]-)	XXXXX-XX-X	**	8.27	EI	5570
	C <sub>6</sub> H <sub>5</sub> (OCH <sub>3</sub> )C(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine,2-[1-(4-methoxyphenyl)ethenyl]-)	XXXXX-XX-X	**	8.15	EI	5570
	C <sub>6</sub> H <sub>5</sub> (OCH <sub>3</sub> )CH=CHC <sub>5</sub> H <sub>4</sub> N (Pyridine, <i>trans</i> -3-[2-(4-methoxyphenyl)ethenyl]-)	5847-73-4	**	7.72±0.05 (V)	PE	4377
<b>C<sub>14</sub>H<sub>15</sub>NO<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> N(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine,N,N-dimethyl-4-(phenylmethanone)-)	XXXXX-XX-X	**	7.50±0.05	PI	5552
<b>C<sub>14</sub>H<sub>19</sub>NO<sup>+</sup></b>	C <sub>13</sub> H <sub>19</sub> NO (8-Azabicyclo[3.2.1]octane,3-phenoxy- <i>endo</i> -)	XXXXX-XX-X	**	8.1±0.15	EI	5401
	C <sub>13</sub> H <sub>19</sub> NO (8-Azabicyclo[3.2.1]octane,3-phenoxy- <i>exo</i> -)	16487-31-3	**	8.2±0.15	EI	5401
<b>C<sub>14</sub>H<sub>23</sub>NO<sup>+</sup></b>	C <sub>4</sub> (=O)(CH <sub>3</sub> ) <sub>3</sub> (=NC <sub>6</sub> H <sub>11</sub> ) (Cyclobutanone, 3-(cyclohexylimino)-2,2,4,4-tetramethyl-)	54133-31-2	**	9.23 (V)	PE	5499
	C <sub>13</sub> H <sub>23</sub> NO (4-Quinololinol,1-ethyl-4-ethynyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	38463-54-6	**	7.33±0.02	EI	5598
	C <sub>13</sub> H <sub>23</sub> NO (4-Quinololinol,1-ethyl-4-ethynyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ ,8 $\alpha\alpha$ ))	38463-56-8	**	7.16±0.02	EI	5598
	C <sub>13</sub> H <sub>23</sub> NO (4-Quinololinol,1-ethyl-4-ethynyldecahydro-2-methyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha\alpha$ ,8 $\alpha\beta$ ))	38463-55-7	**	7.28±0.02	EI	5598

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>11</sub>H<sub>25</sub>NO<sup>+</sup></b>	C <sub>11</sub> H <sub>25</sub> NO (4-Quinolinol,4-ethenyl-1-ethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-57-9	**	7.32 $\pm$ 0.02	EI	5598
	C <sub>11</sub> H <sub>25</sub> NO (4-Quinolinol,4-ethenyl-1-ethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ $\beta$ ,8 $\alpha$ $\alpha$ ))	38463-59-1	**	7.15 $\pm$ 0.02	EI	5598
	C <sub>11</sub> H <sub>25</sub> NO (4-Quinolinol,4-ethenyl-1-ethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-58-0	**	7.30 $\pm$ 0.02	EI	5598
<b>C<sub>14</sub>H<sub>27</sub>NO<sup>+</sup></b>	C <sub>14</sub> H <sub>27</sub> NO (4-Quinolinol,1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-60-4	**	7.24 $\pm$ 0.02	EI	5598
	C <sub>14</sub> H <sub>27</sub> NO (4-Quinolinol,1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\alpha$ ,4 $\alpha$ $\beta$ ,8 $\alpha$ $\alpha$ ))	38463-62-6	**	7.09 $\pm$ 0.02	EI	5598
	C <sub>14</sub> H <sub>27</sub> NO (4-Quinolinol,1,4-diethyldecahydro-2-methyl-(2 $\alpha$ ,4 $\beta$ ,4 $\alpha$ ,8 $\alpha$ $\beta$ ))	38463-61-5	**	7.23 $\pm$ 0.02	EI	5598
<b>C<sub>15</sub>H<sub>11</sub>NO<sup>+</sup></b>	C <sub>9</sub> H <sub>6</sub> N(O)(C <sub>6</sub> H <sub>5</sub> ) (Isoquinolinium, 4-hydroxy-2-phenyl-hydroxide, inner salt)	56359-29-6	**	7.10 $\pm$ 0.05	EI	4863
	C <sub>9</sub> H <sub>6</sub> N(=O)(C <sub>6</sub> H <sub>5</sub> ) (Indeno[1,2- <i>b</i> ]azirin-6(1H)-one, 1a,6a-dihydro-1-phenyl-)	42299-62-7	**	8.13 $\pm$ 0.05	EI	4863
	C <sub>9</sub> H <sub>6</sub> N <sub>3</sub> (=O)(C <sub>6</sub> H <sub>5</sub> ) (Indeno[1,2- <i>d</i> ]triazol-8(3H)-one, 3a,8a-dihydro-3-phenyl-)	55507-27-2	N <sub>2</sub>	8.1 $\pm$ 0.1	EI	4863
<b>C<sub>15</sub>H<sub>13</sub>NO<sup>+</sup></b>	C <sub>13</sub> H <sub>7</sub> (=O)N(CH <sub>3</sub> ) <sub>2</sub> (Phenalen-1-one,9-dimethylamino-)	XXXXX-XX-X	**	7.36 $\pm$ 0.04 (V)	PE	5595
<b>C<sub>15</sub>H<sub>30</sub>NO<sup>+</sup></b>	C <sub>19</sub> H <sub>30</sub> N <sub>2</sub> O <sub>4</sub> (Glycine,N-[N-(1-oxodecyl)-L-leucyl]-methyl ester)	55728-14-8		9.2 $\pm$ 0.1	PI	5279
<b>C<sub>15</sub>H<sub>31</sub>NO<sup>+</sup></b>	C <sub>19</sub> H <sub>30</sub> N <sub>2</sub> O <sub>4</sub> (Glycine,N-[N-(1-oxodecyl)-L-leucyl]-methyl ester)	55728-14-8		9.1 $\pm$ 0.1	PI	5279
<b>C<sub>16</sub>H<sub>13</sub>NO<sup>+</sup></b>	C <sub>9</sub> H <sub>6</sub> N <sub>3</sub> (=O)(CH <sub>2</sub> C <sub>6</sub> H <sub>5</sub> ) (Indeno[1,2- <i>d</i> ]triazol-8(3H)-one, 3a,8a-dihydro-3-(phenylmethyl)-)	55527-79-2	N <sub>2</sub>	8.1 $\pm$ 0.1	EI	4863
<b>CH<sub>4</sub>N<sub>2</sub>O<sup>+</sup></b>	(NH <sub>2</sub> ) <sub>2</sub> CO	57-13-6	**	9.7	PE	4221
			**	10.15 (V)	PE	4471
			**	10.28 (V)	PE	4599
			**	10.33 (V)	PE	4469
<b>C<sub>2</sub>H<sub>6</sub>N<sub>2</sub>O<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NNO	62-75-9	**	8.69	PE	4647
			**	9.05 (V)	PE	4451
			**	9.09 (V)	PE	4576
			**	9.66 (V)	PE	4599
	CH <sub>3</sub> NHCONH <sub>2</sub>	598-50-5	**		PE	4599
	CH <sub>3</sub> NN(O)CH <sub>3</sub>	54168-20-6	**	~10.07 $\pm$ 0.03 (V)	PE	4691
<b>C<sub>3</sub>H<sub>1</sub>N<sub>2</sub>O<sup>+</sup></b>	CH <sub>3</sub> C(=O)CHN <sub>2</sub>	2684-62-0	**	9.21 $\pm$ 0.05 (V)	PE	5326
<b>C<sub>3</sub>H<sub>8</sub>N<sub>2</sub>O<sup>+</sup></b>	(CH <sub>3</sub> NH) <sub>2</sub> CO	96-31-1	**	9.23 (V)	PE	4599
	(CH <sub>3</sub> ) <sub>2</sub> NCONH <sub>2</sub>	598-94-7	**	8.96 (V)	PE	4599
<b>C<sub>4</sub>H<sub>1</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>4</sub> H <sub>1</sub> N <sub>2</sub> O (Pyrazine, 1-oxide)	2423-65-6	**	9.17 $\pm$ 0.02 (V)	PE	4470



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>4</sub>H<sub>4</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O (Pyridazine, 1-oxide)	1457-42-7	**	8.89±0.02	PE	4470
	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O (Pyrimidine, 1-oxide)	17043-94-6	**	8.80±0.02	PE	4470
	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> (=O) (2(1H)-Pyrimidinone)	557-01-7	**	10.06±0.05	EI	5159
<b>C<sub>4</sub>H<sub>6</sub>N<sub>2</sub>O<sup>+</sup></b>	CH <sub>3</sub> C(=O)C(CH <sub>3</sub> )N <sub>2</sub>	14088-58-5	**	8.76±0.05 (V)	PE	5326
	C(CH <sub>3</sub> ) <sub>2</sub> (CN)NO	44513-62-4	**	9.77±0.1 (V)	PE	4465
<b>C<sub>4</sub>H<sub>10</sub>N<sub>2</sub>O<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NCONHCH <sub>3</sub>	632-14-4	**	8.80 (V)	PE	4599
	(CH <sub>3</sub> CH <sub>2</sub> ) <sub>2</sub> NNO	55-18-5	**	8.76 (V)	PE	4576
	(Ethanamine, N-ethyl-N-nitroso-)					
<b>C<sub>5</sub>H<sub>6</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O (1H-Imidazole, 1-acetyl-)	2466-76-4	**	9.38 (V)	PE	5092
	C <sub>5</sub> H <sub>6</sub> N(O)NH <sub>2</sub> (2-Pyridinamine 1-oxide)	14150-95-9	**	8.04±0.05	EI	4117
	C <sub>5</sub> H <sub>6</sub> N(O)NH <sub>2</sub> (3-Pyridinamine 1-oxide)	1657-32-5	**	8.21±0.05	EI	4117
	C <sub>5</sub> H <sub>6</sub> N(O)NH <sub>2</sub> (4-Pyridinamine 1-oxide)	3535-75-9	**	7.67±0.05	EI	4117
	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> OCH <sub>3</sub> (Pyrimidine, 2-methoxy-)	931-63-5	**	9.66±0.05	EI	5159
	C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> (=O)CH <sub>3</sub> (2(1H)Pyrimidinone, 1-methyl-)	3739-81-9	**	9.31±0.05	EI	5159
<b>C<sub>5</sub>H<sub>8</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>8</sub> N <sub>2</sub> O (2,3-Diazabicyclo[2.2.1]hept-2-ene, 2-oxide)	22509-00-8	**	9.48±0.03 (V)	PE	4691
<b>C<sub>5</sub>H<sub>10</sub>N<sub>2</sub>O<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NN=CHCOCH <sub>3</sub>	XXXXX-XX-X	**	8.06 (V)	PE	5548
	(CH <sub>3</sub> ) <sub>2</sub> NN=CHCH <sub>2</sub> CHO	XXXXX-XX-X	**	8.08 (V)	PE	5548
	C <sub>5</sub> H <sub>8</sub> NCONH <sub>2</sub>	4736-71-4	**	8.92 (V)	PE	4803
	(1-Pyrrolidinecarboxamide)					
<b>C<sub>5</sub>H<sub>12</sub>N<sub>2</sub>O<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> CO	632-22-4	**	8.64 (V)	PE	4599
			**	8.67 (V)	PE	4469
<b>C<sub>6</sub>H<sub>4</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O (Benzofurazan)	273-09-6	**	9.37	PE	4017
	C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O (1,2,3-Benzoxadiazole)	273-59-6	**	9.45 (V)	PE	5131
	C <sub>6</sub> H <sub>4</sub> (O)NN (2,4-Cyclohexadien-1-one, 6-diazo-)	4024-72-0	N <sub>2</sub>	9.5±0.01	EI	4317
	C <sub>6</sub> H <sub>4</sub> (O)NN (2,5-Cyclohexadien-1-one, 4-diazo-)	932-97-8	**	8.28±0.05	EI	4317
	C <sub>6</sub> H <sub>4</sub> N(O)CN (2-Pyridinecarbonitrile, 1-oxide)	2402-98-4	**	8.96±0.02 (V)	PE	4275
	C <sub>6</sub> H <sub>4</sub> N(O)CN (3-Pyridinecarbonitrile, 1-oxide)	14906-64-0	**	8.93±0.02 (V)	PE	4275
	C <sub>6</sub> H <sub>4</sub> N(O)CN (4-Pyridinecarbonitrile, 1-oxide)	14906-59-3	**	8.95±0.02 (V)	PE	4275
<b>C<sub>6</sub>H<sub>6</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> NCONH <sub>2</sub> (3-Pyridinecarboxamide)	98-92-0	**	9.18	PE	5093

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>8</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> N(O)NHCH <sub>3</sub> (2-Pyridinamine, <i>N</i> -methyl-, 1-oxide)	54818-70-1	**	7.67±0.05	EI	4117
	C <sub>5</sub> H <sub>3</sub> N(O)NHCH <sub>3</sub> (3-Pyridinamine, <i>N</i> -methyl-, 1-oxide)	54818-71-2	**	7.97±0.05	EI	4117
	C <sub>5</sub> H <sub>3</sub> N(O)NHCH <sub>3</sub> (4-Pyridinamine, <i>N</i> -methyl-, 1-oxide)	1122-92-5	**	7.45±0.05	EI	4117
	C <sub>5</sub> H <sub>3</sub> N(=NH)OCH <sub>3</sub> (2(1 <i>H</i> )-Pyridinimine, 1-methoxy-)	54818-76-7	**	7.46±0.05	EI	4117
<b>C<sub>6</sub>H<sub>10</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>10</sub> N <sub>2</sub> O (2,3-Diazabicyclo[2.2.2]oct-2-ene 2-oxide)	25926-96-9	**	9.30±0.03 (V)	PE	4691
<b>C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O	35216-94-5	**	~9.60±0.03 (V)	PE	4691
	(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> NNO (2-Propanamine, <i>N</i> -(1-methylethyl)- <i>N</i> -nitroso-)	601-77-4	**	8.58 (V)	PE	4576
<b>C<sub>7</sub>H<sub>7</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> NHCONH <sub>2</sub> (Urea, phenyl-)	64-10-8		9.50	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClNHCONH <sub>2</sub> (Urea, (2-chlorophenyl)-)	114-38-5	Cl	9.35	EI	4834
	C <sub>6</sub> H <sub>4</sub> BrNHCONH <sub>2</sub> (Urea, (2-bromophenyl)-)	13114-90-4	Br	9.35	EI	4834
	C <sub>6</sub> H <sub>4</sub> INHCONH <sub>2</sub> (Urea, (2-iodophenyl)-)	13114-93-7	I	9.15	EI	4834
<b>C<sub>7</sub>H<sub>8</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )NNO (Benzenamine, <i>N</i> -methyl- <i>N</i> -nitroso-)	614-00-6	**	9.01 (V)	PE	4576
	C <sub>6</sub> H <sub>5</sub> NHCONH <sub>2</sub> (Urea, phenyl-)	64-10-8	**	8.55	EI	4834
<b>C<sub>7</sub>H<sub>10</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> N(O)N(CH <sub>3</sub> ) <sub>2</sub> (2-Pyridinamine, <i>N,N</i> -dimethyl-, 1-oxide)	3618-79-9	**	7.62±0.05	EI	4117
	C <sub>5</sub> H <sub>3</sub> N(O)N(CH <sub>3</sub> ) <sub>2</sub> (3-Pyridinamine, <i>N,N</i> -dimethyl-, 1-oxide)	36100-40-0	**	7.85±0.05	EI	4117
	C <sub>5</sub> H <sub>3</sub> N(O)N(CH <sub>3</sub> ) <sub>2</sub> (4-Pyridinamine, <i>N,N</i> -dimethyl-, 1-oxide)	1005-31-8	**	7.21±0.05 (V)	PE	4275
			**	7.32±0.05	EI	4117
<b>C<sub>7</sub>H<sub>12</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>7</sub> H <sub>12</sub> NNO (2-Azabicyclo[2.2.2]octane, 2-nitroso)	21744-12-7	**	8.72 (V)	PE	4576
	C <sub>7</sub> H <sub>12</sub> N <sub>2</sub> O (6,7-Diazabicyclo[3.2.2]non-6-ene 6-oxide)	26081-83-4	**	9.21±0.03 (V)	PE	4691
	C <sub>3</sub> N <sub>2</sub> (=O)(CH <sub>3</sub> ) <sub>4</sub> (4 <i>H</i> -Pyrazole-4-one, 3,5-dihydro-3,3,5,5-tetramethyl-)	30467-62-0	**	8.61 (V)	PE	4429
	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O (1 <i>H</i> -Pyridazino[1,2- <i>c</i> ][1,3,4]oxadiazine, hexahydro-)	73569-74-1	**	8.04 (V)	PE	5215
<b>C<sub>8</sub>H<sub>6</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (CN)(CONH <sub>2</sub> ) (Benzamide, 4-cyano-)	3034-34-2	**	9.99 (V)	PE	4918
	C <sub>6</sub> H <sub>5</sub> C(=O)CHN <sub>2</sub> (Ethanone, 2-diazo-1-phenyl-)	3282-32-4	**	8.93±0.05 (V)	PE	5326
	C <sub>8</sub> H <sub>6</sub> N <sub>2</sub> O (Quinoxaline, 1-oxide)	6935-29-1	**	8.62±0.02 (V)	PE	4551

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_9N_2O^+$	$C_6H_4ClNHCONHCH_3$ (Urea, N-(2-chlorophenyl)-N'-methyl-)	15500-96-6	Cl	9.35	EI	4834
$C_8H_{10}N_2O^+$	$C_6H_5NO(N(CH_3)_2)$ (Benzenamine, N,N-dimethyl-4-nitroso-)	138-89-6	**	$7.2 \pm 0.1$	PE	4401
	$C_6H_5(NH_2)NHCOCH_3$ (Acetamide, N-(2-aminophenyl)-)	34801-09-7	**	$7.78 \pm 0.1$ (V)	PE	4465
	$C_6H_5(NH_2)NHCOCH_3$ (Acetamide, N-(4-aminophenyl)-)	122-80-5	**	$7.39 \pm 0.02$	EI	3631
	$C_6H_5NHCONHCH_3$ (Urea, N-methyl-N'-phenyl-)	1007-36-9	**	$7.12 \pm 0.02$	EI	3631
				$8.50 \pm 0.05$	EI	4834
$C_8H_{12}N_2O^+$	$C_9H_{12}N_2(=O)$ (1,3-Diazatricyclo[3.3.1.1 <sup>3,7</sup> ]decan-6-one)	20397-57-3	**	8.25 (V)	PE	4659
$C_8H_{14}N_2O^+$	$(CH_3)CH=NN(C_2H_5)CH=CHCOCH_3$ $(CH_3)_2C=NN(CH_3)CH=CHCOCH_3$	XXXXXX-XX-X	**	7.79 (V)	PE	5548
	$C_6H_4N_2O$ (7,8-Diazabicyclo[4.2.2]dec-7-ene 7-oxide)	63262-98-6	**	7.78 (V)	PE	5548
		25926-97-0	**	$9.13 \pm 0.03$ (V)	PE	4691
$C_8H_{16}N_2O^+$	$C_4H_4N_2(O)(CH_3)_4$ (Pyridazine, 3,4,5,6-tetrahydro-3,3,6,6-tetramethyl-1-oxide)	54143-34-9	**	$\sim 9.13 \pm 0.03$ (V)	PE	4691
$C_9H_8N_2O^+$	$C_6H_5(CN)CHN(O)CH_3$ (Benzonitrile, 4-[(methylimino)methyl]-N'-oxide)	16089-70-6	**	$8.35 \pm 0.02$ (V)	PE	4674
	$CH_3C_6H_4C(=O)CHN_2$ (Ethanone, 2-diazo-1-(4-methylphenyl)-)	17263-64-8	**	$8.80 \pm 0.05$ (V)	PE	5326
	$C_6H_5C(=O)C(CH_3)N_2$ (1-Propanone, 2-diazo-1-phenyl-)	14088-57-4	**	$8.52 \pm 0.05$ (V)	PE	5326
$C_9H_{11}N_2O^+$	$C_6H_5(Cl)(N(CH_3)_2)NHCHO$ (Formamide, N-[2-chloro-5-(dimethylamino)phenyl]-)	53666-46-9	Cl	$9.7 \pm 0.1$	EI	4359
	$C_6H_4ClNHCONHC_2H_5$ (Urea, N-(2-chlorophenyl)-N'-ethyl-)	62635-53-4	Cl	9.30	EI	4834
$C_9H_{12}N_2O^+$	$C_6H_5NHCONHC_2H_5$ (Urea, N-ethyl-N'-phenyl-)	621-04-5	**	$8.25 \pm 0.05$	EI	4834
$C_9H_{14}N_2O^+$	$C_6H_{14}N_2O$ (1-Pyrrolidinecarboxamide, N-1,3-butadienyl-(E)-)	61759-62-4	**	7.90 (V)	PE	4803
$C_{10}H_{13}N_2O^+$	$C_6H_5(OCH_3)N=CHN(CH_3)_2$ (Methanimidamide, N'-(3-methoxyphenyl)-N,N-dimethyl-)	1202-42-2	H	$9.2 \pm 0.1$	EI	4359
	$C_6H_5(OCH_3)N=CHN(CH_3)_2$ (Methanimidamide, N'-(4-methoxyphenyl)-N,N-dimethyl-)	1202-62-6	H	$9.3 \pm 0.1$	EI	4359
	$C_6H_5(Cl)(OCH_3)N=CHN(CH_3)_2$ (Methanimidamide, N'-(2-chloro-4-methoxyphenyl)-N,N-dimethyl-)	53666-34-5	Cl	$8.9 \pm 0.1$	EI	4359
	$C_6H_5(Cl)(OCH_3)N=CHN(CH_3)_2$ (Methanimidamide, N'-(2-chloro-5-methoxyphenyl)-N,N-dimethyl-)	53666-40-3	Cl	$8.7 \pm 0.1$	EI	4359
	$C_6H_4ClNHCONHCH(CH_3)_2$ (Urea, N-(2-chlorophenyl)-N'-(1-methylethyl)-)	62635-47-6	Cl	9.20	EI	4834

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>10</sub>H<sub>11</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (OCH <sub>3</sub> )N=CHN(CH <sub>3</sub> ) <sub>2</sub> (Methanimidamide, <i>N'</i> -(3-methoxyphenyl)- <i>N,N</i> -dimethyl-)	1202-42-2		7.2±0.1	EI	4359
	C <sub>6</sub> H <sub>5</sub> (OCH <sub>3</sub> )N=CHN(CH <sub>3</sub> ) <sub>2</sub> (Methanimidamide, <i>N'</i> -(4-methoxyphenyl)- <i>N,N</i> -dimethyl-)	1202-62-6	**	6.9±0.1	EI	4359
	C <sub>5</sub> H <sub>5</sub> NCON(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (3-Pyridinecarboxamide, <i>N,N</i> -diethyl-)	59-26-7	**	8.65	PE	5093
	C <sub>6</sub> H <sub>5</sub> NHCONHCH(CH <sub>3</sub> ) <sub>2</sub> (Urea, <i>N</i> -(1-methylethyl)- <i>N'</i> -phenyl-)	19895-44-4	**	8.20±0.05	EI	4834
<b>C<sub>10</sub>H<sub>18</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>10</sub> H <sub>18</sub> N <sub>2</sub> O	51884-33-4	**	8.36±0.05 (V)	PE	5326
<b>C<sub>10</sub>H<sub>22</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>2</sub> H <sub>4</sub> N <sub>2</sub> O(C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> (1,3,4-Oxadiazolidine, 3,4-bis(1,1-dimethylethyl)-)	38786-33-3	**	8.15 (V)	PE	3889
<b>C<sub>11</sub>H<sub>8</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> N <sub>2</sub> (Methanone, phenylpyrazinyl-)	3430-09-9	**	9.4±0.1	EI	5493
	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> N <sub>2</sub> (Methanone, phenyl-4-pyrimidinyl-)	68027-80-5	**	9.4±0.1	EI	5493
<b>C<sub>11</sub>H<sub>14</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>10</sub> H <sub>13</sub> (CN)(NO) (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane-2-carbonitrile, 2-nitroso-)	60038-41-7	**	9.22 (V)	PE	4465
	C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> )CH <sub>2</sub> C <sub>6</sub> H <sub>3</sub> N <sub>2</sub> (1 <i>H</i> -imidazole, 4,5-dihydro-2-[(4-methoxyphenyl)methyl]-)	71609-39-7	**	8.60 (V)	PE	5096
	C <sub>8</sub> H <sub>5</sub> N(OCH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> (1 <i>H</i> -Indole-3-ethanamine, 5-methoxy-)	608-07-1	**	7.68±0.12 (V)	PE	4672
<b>C<sub>11</sub>H<sub>15</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClNHCONHC(CH <sub>3</sub> ) <sub>3</sub> (Urea, <i>N</i> -(2-chlorophenyl)- <i>N'</i> -(1,1-dimethylethyl)-)	62635-48-7	Cl	9.10	EI	4834
<b>C<sub>11</sub>H<sub>16</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> NHCONHC(CH <sub>3</sub> ) <sub>3</sub> Urea, <i>N</i> -(1,1-dimethylethyl)- <i>N'</i> -phenyl-)	15054-54-3	**	8.10±0.05	EI	4834
<b>C<sub>12</sub>H<sub>8</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> O (Phenazine, 5-oxide)	304-81-4	**	8.00±0.02 (V)	PE	4551
			**	8.10 (V)	PE	4590
<b>C<sub>12</sub>H<sub>10</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> N=N(O)C <sub>6</sub> H <sub>5</sub>	XXXXX-XX-X	**	8.55 (V)	PE	5590
	C <sub>6</sub> H <sub>5</sub> NNC <sub>6</sub> H <sub>4</sub> OH (Phenol, 4-(phenylazo)-(E)-)	20714-70-9	**	8.2±0.05 (V)	PE	5320
	C <sub>11</sub> H <sub>6</sub> N <sub>2</sub> (OH)CH <sub>3</sub> (9 <i>H</i> -Pyrido[3,4- <i>b</i> ]indol-7-ol, 1-methyl-)	487-03-6	**	7.92±0.06 (V)	PE	4758
<b>C<sub>12</sub>H<sub>12</sub>N<sub>2</sub>O<sup>+</sup></b>	(C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> ) <sub>2</sub> O (Benzenamine, 4,4'-oxybis-)	101-80-4	**	6.55	PI	4328
<b>C<sub>13</sub>H<sub>10</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>12</sub> H <sub>7</sub> N <sub>2</sub> OCH <sub>3</sub> (Phenazine, 2-methyl-10-oxide)	26730-04-1	**	7.90 (V)	PE	4590
<b>C<sub>13</sub>H<sub>12</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> NNC <sub>6</sub> H <sub>4</sub> OCH <sub>3</sub> (Diazene, (4-methoxyphenyl)phenyl-(E)-)	21650-49-7	**	8.0±0.05 (V)	PE	5320

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{12}N_2O^+$	$C_{11}H_8N_2(CH_3)OCH_3$ (9H-Pyrido[3,4- <i>b</i> ]indole, 7-methoxy-1-methyl-)	442-51-3	**	$7.78 \pm 0.06$ (V)	PE	4758
$C_{13}H_{14}N_2O^+$	$C_{11}H_8N_2(CH_3)OCH_3$ (3H-Pyrido[3,4- <i>b</i> ]indole, 4,9-dihydro-7-methoxy-1-methyl-)	304-21-2	**	$7.38 \pm 0.06$ (V)	PE	4758
$C_{13}H_{18}N_2O^+$	$C_{13}H_{18}N_2O$ (1H-Indole-3-ethanamine 5-methoxy-N,N-dimethyl-)	1019-45-0	**	$7.61 \pm 0.14$ (V)	PE	4672
$C_{11}H_{10}N_2O^+$	$C_6H_5C(=O)C(C_6H_5)N_2$ (Ethanone,diazodiphenyl-)	3469-17-8	**	$7.79 \pm 0.05$ (V)	PE	5326
$C_{16}H_{24}N_2O^+$	$C_{16}H_{24}N_2O$ (Phenol,3-[4,5-dihydro-1H-imidazol-2-yl)methyl]-6-(1,1-dimethylethyl)- -2,4-dimethyl-)	1491-59-4	**	8.36 (V)	PE	5096
$C_{17}H_{20}N_2O^+$	$(C_6H_5N(CH_3)_2)_2CO$ (Methanone, diphenyl-, bis(dimethylamino)deriv.)	58211-66-8	**	$7.25 \pm 0.1$	PI	4028
$C_{20}H_{20}N_2O^+$	$C_8H_{10}N_2(=O)(C_6H_5)_2$ (1,3-Diazatricyclo[3.3.1.1 <sup>3,7</sup> ]decan-6-one, 5,7-diphenyl-)	19066-35-4	**	$7.87 \pm 0.03$ (V)	PE	4163
$C_{20}H_{22}N_2O^+$	$C_8H_{11}N_2(OH)(C_6H_5)_2$ (1,3-Diazatricyclo[3.3.1.1 <sup>3,7</sup> ]decan-6-ol, 5,7-diphenyl-)	3576-75-8	**	$7.51 \pm 0.03$ (V)	PE	4163
$C_2H_3N_3O^+$	$C_2H_3N_3(=O)$ (3H-1,2,4-Triazol-3-one,1,2-dihydro-)	930-33-6	**	9.18 (V)	PE	4439
$C_3H_5N_3O^+$	$C_2H_2N_3(=O)(CH_3)$ (3H-1,2,4-Triazol-3-one,1,2-dihydro-5-methyl-)	930-63-2	**	8.76 (V)	PE	4439
$C_4H_5N_3O^+$	$C_4H_5N_2(=O)(NH_2)$ (2(1H)-Pyrimidinone,4-amino-)	71-30-7	**	8.45	PE	5093
			**	$8.94 \pm 0.03$ (V)	PE	4445
			**	$9.0 \pm 0.1$	EI	5555
$C_4H_7N_3O^+$	$C_2HN_3(=O)(CH_3)_2$ (3H-1,2,4-Triazol-3-one,2,4-dihydro-2,5-dimethyl-)	4114-21-0	**	8.62 (V)	PE	4439
	$C_2HN_3(=O)(CH_3)_2$ (3H-1,2,4-Triazol-3-one,2,4-dihydro-4,5-dimethyl-)	54770-19-3	**	8.69 (V)	PE	4439
$C_5H_3N_3O^+$	$C_5H_3N(O)NN$ (2(3 <i>H</i> )-Pyridinone, 3-diazo-)	XXXXX-XX-X	**	$8.80 \pm 0.05$	EI	4316
	$C_5H_3N(O)NN$ (2(5 <i>H</i> )-Pyridinone, 5-diazo-)	XXXXX-XX-X	**	$8.93 \pm 0.05$	EI	4316
	$C_5H_3N(O)NN$ (4(3 <i>H</i> )-Pyridinone, 3-diazo-)	54459-88-0	**	$9.00 \pm 0.05$	EI	4316



Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>5</sub>H<sub>7</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>2</sub> N <sub>2</sub> (CH <sub>3</sub> )(=O)NH <sub>2</sub> (2(1H)-Pyrimidinone,4-amino-1-methyl-)	1122-47-0	**	8.65 (V)	PE	5594
	C <sub>5</sub> HN <sub>2</sub> H(CH <sub>3</sub> )(=O)NH <sub>2</sub> (2(1H)-Pyrimidinone,4-amino-5-methyl-)	554-01-8	**	9.5±0.1 8.78 (V)	EI PE	5555 5594
	C <sub>5</sub> HN <sub>2</sub> H(CH <sub>3</sub> )(=O)NH <sub>2</sub> (2(1H)-Pyrimidinone,4-amino-6-methyl-)	6220-50-4	**	8.73 (V)	PE	5594
	C <sub>5</sub> H <sub>2</sub> N <sub>2</sub> H(CH <sub>3</sub> )(=O)NH (2(1H)-Pyrimidinone,4-imino-3-methyl-)	XXXXX-XX-X	**	8.72 (V)	PE	5594
<b>C<sub>5</sub>H<sub>9</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>2</sub> N <sub>3</sub> (=O)(CH <sub>3</sub> ) <sub>3</sub> (3H-1,2,4-Triazol-3-one,2,4-dihydro-2,4,5-trimethyl-)	57626-52-5	**	8.39 (V)	PE	4439
<b>C<sub>6</sub>H<sub>9</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>2</sub> N <sub>2</sub> (=O)(NH(CH <sub>3</sub> ))(CH <sub>3</sub> ) (2(1H)Pyrimidinone,4-amino-1,N-dimethyl-)	XXXXX-XX-X	**	9.25±0.1	EI	5555
	C <sub>5</sub> HN <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (=O)NH <sub>2</sub> (2(1H)-Pyrimidinone,4-amino-1,5-dimethyl-)	17634-60-5	**	8.50 (V)	PE	5594
	C <sub>5</sub> HN <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (=O)NH <sub>2</sub> (2(1H)-Pyrimidinone,4-amino-1,6-dimethyl-)	66943-92-8	**	8.41 (V)	PE	5594
	C <sub>5</sub> H <sub>2</sub> N <sub>2</sub> (CH <sub>3</sub> )(=O)NHCH <sub>3</sub> (2(1H)-Pyrimidinone,1-methyl-4-(methyldamino)-)	6220-49-1	**	8.58 (V)	PE	5594
<b>C<sub>7</sub>H<sub>11</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>2</sub> N <sub>2</sub> (=O)(N(CH <sub>3</sub> ) <sub>2</sub> )(CH <sub>3</sub> ) (2(1H)Pyrimidinone,4-(dimethylamino)-1-methyl-)	2228-27-5	**	8.7±0.1	EI	5555
<b>C<sub>13</sub>H<sub>7</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>12</sub> H <sub>7</sub> N <sub>2</sub> OCN (2-Phenazinedicarbonitrile-10-oxide)	59019-84-0	**	8.44 (V)	PE	4590
<b>C<sub>20</sub>H<sub>25</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>20</sub> H <sub>25</sub> N <sub>3</sub> O		**	7.25±0.10 (V)	PE	4672
<b>C<sub>5</sub>H<sub>4</sub>N<sub>4</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> (=O) (6H-Purin-6-one,1,7-dihydro-)	68-94-0	**	8.55±0.03 (V)	PE	4445
<b>C<sub>5</sub>H<sub>5</sub>N<sub>5</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> (=O)(NH <sub>2</sub> ) (6H-Purin-6-one,2-amino-1,7-dihydro-)	73-40-5	**	7.85	PE	5093
			**	8.70	PE	5093
			**	8.24±0.03 (V)	PE	4445
			**	8.0±0.2	EI	5555
<b>CH<sub>3</sub>NO<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> NO <sub>2</sub>	75-52-5	**	11.040±0.017	PI	3524
			**	11.07±0.01	PE	3721
			**	11.29 (V)	PE	5272
			**	11.31±0.015 (V)	PE	4107
			**	11.31 (V)	PE	4884
			**	11.8 (V)	PE	4467
	CH <sub>3</sub> ONO	624-91-9	**	10.475±0.007	PI	3524
			**	11.0	PE	4379
<b>CD<sub>3</sub>NO<sub>2</sub><sup>+</sup></b>	CD <sub>3</sub> NO <sub>2</sub>	13031-32-8	**	11.08±0.01	PE	3721
<b>C<sub>2</sub>H<sub>3</sub>NO<sub>2</sub><sup>+</sup></b>	CH <sub>2</sub> (NH <sub>2</sub> )COOH	56-40-6	**	8.8	PE	4221

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_5NO_2^+$	$CH_3(NH_2)COOH$	56-40-6	**	$9.21 \pm 0.05$	EI	3571
	$CH_3COCONH_2$	631-66-3	**	9.71 (V)	PE	4520
$C_3H_5NO_2^+$	$C_3H_5NO(=O)$	497-25-6	**	10.21 (V)	PE	4742
	(2-Oxazolidinone)					
$C_3H_7NO_2^+$	$NH_2COOC_2H_5$	51-79-6	**	10.62 (V)	PE	4803
	$CH_3CH(NH_2)COOH$	56-41-7	**	8.8	PE	4221
			**	8.88	PE	4641
$C_4H_5NO_2^+$	$C_4H_5N(=O)_2$	123-56-8	**	10.01 (V)	PE	4742
	(2,5-Pyrrolidinedione)		**	10.01 (V)	PE	4810
$C_4H_7NO_2^+$	$CH_2=CHCH_2CH_2ONO$	67428-02-8	**	$10.02 \pm 0.02$ (V)	PE	4722
			**	10.02 (V)	PE	4898
	$C_4H_4NO(=O)(CH_3)$	16112-59-7	**	9.95 (V)	PE	4742
	(2-Oxazolidinone, 4-methyl-)					
$C_4H_9NO_2^+$	$C_4H_5CH(NH_2)COOH$	80-60-4	**	8.70	PE	4641
	$CH_2(NH_2)COOC_2H_5$	459-73-4	**	8.8	PE	4221
$C_4H_{11}NO_2^+$	$(CH_3)_2N(O)(C_2H_4OH)$	10489-99-3	**	8.86 (V)	PE	4537
$C_5H_5NO_2^+$	$CH_2=C(CN)CO_2CH_3$	137-05-3	**	$10.98 \pm 0.05$ (V)	PE	4859
	$CH_3CO_2C(CN)=CH_2$	3061-65-2	**	$10.76 \pm 0.05$ (V)	PE	4859
	$C_5H_4N(O)OH$	XXXXX-XX-X	**	$8.90 \pm 0.05$	EI	4178
	(Pyridinium, 1,2-dihydroxy-, 1-hydroxide, inner salt)					
	$C_5H_4N(O)OH$	XXXXX-XX-X	**	$8.60 \pm 0.05$	EI	4178
	(Pyridinium, 1,3-dihydroxy-, 1-hydroxide, inner salt)					
$C_5H_7NO_2^+$	$C_5H_6NH(=O)_2$	1121-89-7	**	9.87 (V)	PE	5614
	(2,6-Piperidinedione)					
$C_5H_9NO_2^+$	$C_4H_4N(=O)_2(CH_3)$	1121-07-9	**	10.71 (V)	PE	5090
	(2,5-Pyrrolidinedione, 1-methyl-)					
$C_5H_9NO_2^+$	$CH_3COC(CH_3)_2NO$	6931-05-1	**	$8.48 \pm 0.1$ (V)	PE	4465
	$C_5H_3NO(=O)(CH_3)_2$	26654-39-7	**	9.80 (V)	PE	4742
	(2-Oxazolidinone, 4,4-dimethyl-)					
	$C_5H_3NO(=O)(CH_3)_2$	58628-98-1	**	9.84 (V)	PE	4742
$C_5H_7NO_2^+$	(2-Oxazolidinone, 4,5-dimethyl-)					
	$C_5H_3NO(=O)(CH_3)_2$	1121-83-1	**	9.88 (V)	PE	4742
$C_5H_{11}NO_2^+$	(2-Oxazolidinone, 5,5-dimethyl-)					
	$(CH_3)_2NCH_2COOCH_3$	7148-06-3	**	$7.96 \pm 0.05$	PE	4192
	<i>n</i> - $C_5H_7CH(NH_2)COOH$	6600-40-4	**	8.53	PE	4641
	<i>iso</i> - $C_5H_7CH(NH_2)COOH$	72-18-4	**	8.71	PE	4641

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{13}NO_2^+$	$(CH_3)_2N(O)(C_2H_5OCH_3)$	55695-37-9	**	8.37 (V)	PE	4537
$C_6H_4NO_2^+$	$C_6H_4(NO_2)_2$ (Benzene, 1,3-dinitro-)	99-65-0	$NO_2$	$12.34 \pm 0.1$	EI	3447
	$C_6H_4(NO_2)_2$ (Benzene, 1,4-dinitro-)	100-25-4	$NO_2$	$12.50 \pm 0.1$	EI	3447
$C_6H_5NO_2^+$	$C_6H_5NO_2$ (Benzene, nitro-)	98-95-3	**	$9.85 \pm 0.03$	PI	5505
			**	$9.87 \pm 0.05$	PI	5437
			**	$9.88 \pm 0.015$ (V)	PE	4107
			**	9.92 (V)	PE	4892
			**	9.93	PE	4621
			**	9.93 (V)	PE	4884
			**	9.93 (V)	PE	5272
			**	$9.94 \pm 0.025$	PE	3626
			**	$9.99 \pm 0.01$	PE	3721
			**	9.99	PE	3856
			**	10.8 (V)	PE	4467
			**	9.6	EI	3916
			**	$9.65 \pm 0.1$	EI	3447
			**	9.90	EI	3485
	$C_5H_4NCOOH$ (3-Pyridinecarboxylic acid)	59-67-6	**	9.38	PE	5093
$C_6H_7NO_2^+$	$C_5H_4N(O)OCH_3$ (Pyridine, 4-methoxy-, 1-oxide)	1122-96-9	**	$7.74 \pm 0.05$ (V)	PE	4275
			**	7.89 (V)	PE	4222
	$C_5H_4N(O)OCH_3$ (Pyridinium, 1-hydroxy-2-methoxy-, hydroxide, inner salt)	XXXXX-XX-X	**	$8.21 \pm 0.05$	EI	4178
	$C_5H_4N(O)OCH_3$ (Pyridinium, 1-hydroxy-3-methoxy-, hydroxide, inner salt)	XXXXX-XX-X	**	$8.40 \pm 0.05$	EI	4178
	$C_5H_4N(O)OCH_3$ (Pyridinium, 1-hydroxy-4-methoxy-, hydroxide, inner salt)	XXXXX-XX-X	**	$7.98 \pm 0.05$	EI	4178
	$C_5H_4N(O)OCH_3$ (Pyridinium, 3-hydroxy-1-methoxy-, hydroxide, inner salt)	XXXXX-XX-X	**	8.3	EI	4178
	$C_5H_4N(=O)OCH_3$ (2(1H)-Pyridinone, 1-methoxy-)	40775-55-1	**	$8.32 \pm 0.05$	EI	4178
	$C_5H_4N(=O)OCH_3$ (4(1H)-Pyridinone, 1-methoxy-)	XXXXX-XX-X	**	$8.49 \pm 0.05$	EI	4178
	$C_4H_4NCOOCH_3$ (1H-Pyrrole-2-carboxylic acid, methyl ester)	1193-62-0	**	$8.65 \pm 0.05$	EI	3482
$C_6H_{11}NO_2^+$	$CH_3COCH_2C(CH_3)_2NO$	60027-50-1	**	$7.96 \pm 0.1$ (V)	PE	4465
$C_6H_{13}NO_2^+$	$n-C_4H_9CH(NH_2)COOH$	327-57-1	**	8.52	PE	4641
	$sec-C_4H_9CH(NH_2)COOH$	73-32-5	**	8.66	PE	4641
	$iso-C_4H_9CH(NH_2)COOH$	61-90-5	**	8.51	PE	4641
$C_7H_4NO_2^+$	$C_6H_5COC_6H_4NO_2$ (Methanone, (2-nitrophenyl)phenyl-)	2243-79-0		$10.3 \pm 0.1$	EI	4358
$C_7H_6NO_2^+$	$C_6H_4(NO_2)C_4H_9$ (Benzene, 1-butyl-3-nitro-)	20651-76-7		$13.08 \pm 0.1$	EI	3629

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>6</sub>NO<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (NO <sub>2</sub> )C <sub>2</sub> H <sub>5</sub> (Benzene, 1-butyl-4-nitro-)	20651-75-6		12.54±0.1	EI	3629
<b>C<sub>7</sub>H<sub>7</sub>NO<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (NO)(OCH <sub>3</sub> ) (Benzene, 1-methoxy-4-nitroso-)	1516-21-8	**	8.46±0.1 (V)	PE	4465
	CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Benzene, 1-methyl-2-nitro-)	88-72-2	**	9.50 (V)	PE	4892
			**	9.43±0.05	PI	5437
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )NO <sub>2</sub> (Benzene, 1-methyl-3-nitro-)	99-08-1	**	9.63 (V)	PE	5272
			**	9.69±0.015 (V)	PE	4107
			**	9.50	PE	4892
			**	9.48 (V)	PE	5272
	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> )NO <sub>2</sub> (Benzene, 1-methyl-4-nitro-)	99-99-0	**	9.49±0.015 (V)	PE	4107
			**	9.48±0.1	EI	3447
			**	9.50	PE	4892
			**	9.52 (V)	PE	5272
			**	9.54±0.015 (V)	PE	4107
			**	9.50±0.1	EI	3447
			**	9.56	EI	4089
			**	9.1±0.1	PE	4401
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )COOH (Benzoic acid, 3-amino-)	99-05-8	**	8.41±0.2	EI	3973
	C <sub>6</sub> H <sub>5</sub> (NH <sub>2</sub> )COOH (Benzoic acid, 4-amino-)	150-13-0	**	8.36±0.2	EI	3973
	C <sub>6</sub> H <sub>5</sub> OOCNH <sub>2</sub> (Carbamic acid phenyl ester)	622-46-8	**	9.14 (V)	PE	4803
	C <sub>5</sub> H <sub>5</sub> NCOOCH <sub>3</sub> (3-Pyridinecarboxylic acid, methyl ester)	93-60-7	**	9.25	PE	5093
			**	9.85±0.1	EI	4302
	C <sub>6</sub> H <sub>5</sub> (NO <sub>2</sub> )C <sub>2</sub> H <sub>5</sub> (Benzene, 1-butyl-3-nitro-)	20651-76-7	CH <sub>2</sub> =CHCH <sub>3</sub>	11.52±0.1	EI	3629
	C <sub>6</sub> H <sub>5</sub> (NO <sub>2</sub> )C <sub>2</sub> H <sub>5</sub> (Benzene, 1-butyl-4-nitro-)	20651-75-6	CH <sub>2</sub> =CHCH <sub>3</sub>	11.44±0.1	EI	3629
<b>C<sub>7</sub>H<sub>9</sub>NO<sub>2</sub><sup>+</sup></b>	C <sub>3</sub> H <sub>7</sub> OCON(CH <sub>3</sub> ) <sub>2</sub> (2-Furancarboxamide, N,N-dimethyl-)	13156-75-7	**	8.86±0.05 (V)	PE	4626
<b>C<sub>7</sub>H<sub>10</sub>NO<sub>2</sub><sup>+</sup></b>	C <sub>7</sub> H <sub>10</sub> NO(=O) (8-Azabicyclo[3.2.1]oct-8-yloxy, 3-oxo-)	38390-62-4	**	7.4±0.1	OTH	5379
	C <sub>4</sub> H <sub>8</sub> NO(COCH=CHCH <sub>3</sub> ) (Morpholine, 4-(1-oxo-2-butenyl)-)	51944-66-2	**	11.1±0.1	EI	3996
<b>C<sub>7</sub>H<sub>11</sub>NO<sub>2</sub><sup>+</sup></b>	C <sub>7</sub> H <sub>11</sub> NO <sub>2</sub>	61759-61-3	**	8.21 (V)	PE	4803
	C <sub>3</sub> HN(=O) <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (2,4-Azetidinedione, 3,3-diethyl-)	42282-85-9	**	9.57	EI	4660
<b>C<sub>7</sub>H<sub>12</sub>NO<sub>2</sub><sup>+</sup></b>	C <sub>11</sub> H <sub>20</sub> N <sub>2</sub> O <sub>4</sub> (L-Alanine, N-(N-acetyl-L-valyl)-methyl ester)	55728-13-7		9.3±0.1	PI	5279
<b>C<sub>8</sub>H<sub>5</sub>NO<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (CN)COOH (Benzoic acid, 4-cyano-)	619-65-8	**	10.27±0.2	EI	3973
	C <sub>6</sub> H <sub>5</sub> N(=O) <sub>2</sub> (1H-Indole-2,3-dione)	91-56-5	**	8.98±0.05 (V)	PE	4708

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_5NO_2^+$	$C_8H_5N(=O)_2$ (1H-Isindole-1,3(2H)-dione)	85-41-6	**	$9.78 \pm 0.05$ (V)	PE	4708
			**	9.90 (V)	PE	5614
$C_8H_7NO_2^+$	$C_8H_7(OCH_3)(C \equiv NO)$ (Benzonitrile, 4-methoxy-N-oxide)	15500-73-9	**	8.42 (V)	PE	4719
$C_8H_8NO_2^+$	$C_8H_7(Cl)(OCH_3)NHCHO$ (Formamide, <i>N</i> -(2-chloro-4-methoxyphenyl)-)	53666-45-8	Cl	$9.4 \pm 0.1$	EI	4359
	$C_8H_7(Cl)(OCH_3)NHCHO$ (Formamide, <i>N</i> -(2-chloro-5-methoxyphenyl)-)	53666-47-0	Cl	$9.0 \pm 0.1$	EI	4359
$C_8H_9NO_2^+$	$C_8H_8(OCH_3)(CONH_2)$ (Benzamide, 3-methoxy-)	5813-86-5	**	8.60 (V)	PE	4918
	$C_8H_8(OCH_3)(CONH_2)$ (Benzamide, 4-methoxy-)	3424-93-9	**	8.62 (V)	PE	4918
	$C_8H_8(OH)CH=N(O)CH_3$	XXXXX-XX-X	**	7.76 (V)	PE	5590
	$C_8H_8(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(2-hydroxyphenyl)-)	614-80-2	**	$7.01 \pm 0.02$	EI	3631
	$C_8H_8(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(4-hydroxyphenyl)-)	103-90-2	**	$7.57 \pm 0.02$	EI	3631
	$C_8H_8(CH_3)_2NO_2$ (Benzene, 1,3-dimethyl-2-nitro-)	81-20-9	**	$9.17 \pm 0.015$	PE	4107
	$C_8H_8(CH_3)_2NO_2$ (Benzene, 2,4-dimethyl-1-nitro-)	89-87-2	**	9.17 (V)	PE	5272
			**	9.36 (V)	PE	5272
	$C_5H_4NCH_2COOCH_3$ (2-Pyridineacetic acid methyl ester)	1658-42-0	**	$9.38 \pm 0.015$ (V)	PE	4107
			**	$9.40 \pm 0.02$	EI	3627
	$C_5H_4NCH_2COOCH_3$ (3-Pyridineacetic acid methyl ester)	39998-25-9	**	$9.52 \pm 0.02$	EI	3627
	$C_5H_4NCH_2COOCH_3$ (4-Pyridineacetic acid methyl ester)	29800-89-3	**	$9.62 \pm 0.02$	EI	3627
	$C_5H_4NCOOC_2H_5$ (4-Pyridinecarboxylic acid ethyl ester)	1570-45-2	**	$9.75 \pm 0.1$	EI	4302
$C_8H_7D_2NO_2^+$	$C_8H_5CD_2CH_2ONO$ (Nitrous acid 2-phenylethyl-2,2- $d_2$ ester)	67428-03-9	**	$9.13 \pm 0.02$ (V)	PE	4722
			**	9.13 (V)	PE	4898
$C_8H_{12}NO_2^+$	$C_8H_{12}NO(=O)$ (9-Azabicyclo[3.3.1]non-9-yloxy, 3-oxo-)	7123-92-4	**	$7.4 \pm 0.1$	OTH	5379
$C_8H_{13}NO_2^+$	$C_4H_8NO(COCH=CHCH_3)$ (Morpholine, 4-(1-oxo-2-butenyl)-)	51944-66-2	**	$8.8 \pm 0.1$	EI	3996
$C_9H_7NO_2^+$	$C_8H_5N(=O)_2CH_3$ (1H-Isindole-1,3(2H)-dione, 2-methyl-)	550-44-7	**	$9.55 \pm 0.05$ (V)	PE	4854
$C_9H_{11}NO_2^+$	$C_8H_8(OCH_3)CH=N(O)CH_3$	XXXXX-XX-X	**	7.60 (V)	PE	5590
	$C_5H_4N(CH_3)=CHCOOCH_3$ (Acetic acid, (1-methyl-2(1 <i>H</i> )-pyridinylidene)-, methyl ester)	39998-21-5	**	$7.02 \pm 0.02$	EI	3627
	$C_5H_4N(CH_3)=CHCOOCH_3$ (Acetic acid, (1-methyl-4(1 <i>H</i> )-pyridinylidene)-, methyl ester)	39998-22-6	**	$6.82 \pm 0.02$	EI	3627



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{11}NO_2^+$	$C_7H_8NCO_2CH_3$ (2-Azabicyclo[3.2.1]octa-3,6-diene-2-carboxylic acid methyl ester)	56125-93-0	**	8.20 (V)	PE	5481
	$C_6H_2(CH_3)_3NO_2$ (Benzene, 1,3,5-trimethyl-2-nitro-)	603-71-4	**	9.01 (V)	PE	5272
	$C_6H_5CH_2CH(NH_2)COOH$ (DL-Phenylalanine)	150-30-1	**	$\leq 8.4$	PI	3766
$C_9H_{13}NO_2^+$	$C_7H_{10}NCO_2CH_3$ (2-Azabicyclo[3.2.1]oct-3-ene-2-carboxylic acid methyl ester)	56125-94-1	**	8.03 (V)	PE	5481
	$C_7H_{10}NCO_2CH_3$ (2-Azabicyclo[3.2.1]oct-6-ene-2-carboxylic acid methyl ester)	56125-95-2	**	8.60 (V)	PE	5481
	$C_6H_{13}NO_2$ (1,2-Benzenediol, 4-(2-aminopropyl)-)	555-64-6	**	$8.18 \pm 0.06$ (V)	PE	4758
	$C_5H_3N(CH_3)_2CH_2COOCH_3$ (3-Pyridineacetic acid, 1,4-dihydro-1-methyl-, methyl ester)	39998-23-7	**	$6.94 \pm 0.02$	EI	3627
$C_9H_{14}NO_2^+$	$C_7H_8NO(=O)(CH_3)_2$ (8-Azabicyclo[3.2.1]oct-8-yloxy, 1,5-dimethyl-3-oxo-)	34061-60-4	**	$7.4 \pm 0.1$	OTH	5379
$C_9H_{15}NO_2^+$	$C_7H_{12}NCO_2CH_3$ (2-Azabicyclo[3.2.1]octane-2-carboxylic acid methyl ester)	71017-44-2	**	8.70 (V)	PE	5481
	$C_7H_{12}NOCOCH_3$ (1-Azabicyclo[2.2.2]octane-4-ol acetate(ester))	26458-76-4	**	$8.42 \pm 0.015$ (V)	PE	4286
	$C_3HN(=O)_2(iso-C_3H_7)_2$ (2,4-Azetidinedione, 3,3-bis(1-methylethyl)-)	17197-62-5	**	9.42	EI	4660
$C_9H_{16}NO_2^+$	$C_5H_4N(O)(=O)(CH_3)_4$ (1-Piperidinyloxy, 2,2,6,6-tetramethyl-4-oxo-)	2896-70-0	**	$7.40 \pm 0.05$	EI	3494
			**	$7.4 \pm 0.1$	OTH	5379
$C_9H_{17}NO_2^+$	$C_5H_4N(=O)(OH)(CH_3)_4$ (4-Piperidinone, 1-hydroxy-2,2,6,6-tetramethyl-)	3637-11-4	**	$8.51 \pm 0.05$	EI	3494
	<i>trans</i> -( $C_2H_5$ ) <sub>2</sub> NCH=CHCOO <sub>2</sub> H <sub>5</sub>	13894-28-5	**	7.63 (V)	PE	388
$C_9H_{18}NO_2^+$	$C_5H_3NO(CH_3)_4OH$ (1-Piperidinyloxy, 4-hydroxy-2,2,6,6-tetramethyl-)	2226-96-2	**	$7.4 \pm 0.1$	OTH	5379
$C_{10}H_7NO_2^+$	$C_{10}H_7NO_2$ (Naphthalene, 1-nitro-)	86-57-7	**	$8.60 \pm 0.01$	PI	5505
	$C_{10}H_7NO_2$ (Naphthalene, 2-nitro-)	581-89-5	**	$8.67 \pm 0.01$	PI	5505
$C_{10}H_{13}NO_2^+$	$C_6H_5(NO_2)C_4H_9$ (Benzene, 1-butyl-3-nitro-)	20651-76-7	**	$9.94 \pm 0.1$	EI	3629
	$C_6H_5(NO_2)C_4H_9$ (Benzene, 1-butyl-4-nitro-)	20651-75-6	**	$10.07 \pm 0.1$	EI	3629
	$C_6H_5O_2CH_2CH(NH_2)CH_3$ (1,3-Benzodioxole, 5-ethanamine- $\alpha$ -methyl-( $\pm$ )-)	51497-09-7	**	$8.01 \pm 0.06$ (V)	PE	4758
$C_{10}H_{15}NO_2^+$	$C_6H_5(OCH_3)_2CH_2CH_2NH_2$ (Benzeethanamine, 3,4-dimethoxy-)	120-20-7	**	$8.03 \pm 0.16$ (V)	PE	4672

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{17}NO_2^+$	$C_{10}H_{17}NO_2$ (8-Azabicyclo[3.2.1]octan-3-ol,8-methyl acetate(ester), <i>endo</i> -)	3423-27-6	**	$8.0 \pm 0.15$	EI	5401
	$C_{10}H_{17}NO_2$ (8-Azabicyclo[3.2.1]octan-3-ol,8-methyl-acetate(ester), <i>exo</i> -)	3423-26-5	**	$8.1 \pm 0.15$	EI	5401
	$C_{10}H_{17}NO_2$ (2,4-Azetidinedione, 1-methyl-3,3-bis(1-methylethyl)-)	38951-66-5	**	9.27	EI	4660
$C_{11}H_9NO_2^+$	$C_{11}H_9(NO_2)$ (1,4-Methanonaphthalene, 1,4-dihydro-5-nitro-)	58673-43-1	**	$8.87 \pm 0.05$ (V)	PE	5019
	$C_{11}H_9(NO_2)$ (1,4-Methanonaphthalene, 1,4-dihydro-6-nitro-)	XXXXX-XX-X	**	$8.96 \pm 0.05$ (V)	PE	5019
$C_{11}H_{11}NO_2^+$	$C_7HN(=O)_2C_2H_3(C_6H_5)$ (2,4-Azetidinedione, 3-ethyl-3-phenyl-)	42282-82-6	**	8.90	EI	4660
	$C_{11}H_{11}NO_2$ (Carbamic acid, 1,3-butadienyl-phenyl ester, (E)-)	61759-55-5	**	8.30 (V)	PE	4803
$C_{11}H_{17}NO_2^+$	$C_{11}H_{17}NO_2$ (Benzenethanamine, 2,5-dimethoxy- $\alpha$ -methyl-( $\pm$ )-)	13641-74-2	**	$7.70 \pm 0.06$ (V)	PE	4758
	$C_{11}H_{17}NO_2$ (Benzenethanamine, 2,4-dimethoxy- $\alpha$ -methyl-( $\pm$ )-)	52850-81-4	**	$7.91 \pm 0.06$ (V)	PE	4758
	$C_{11}H_{17}NO_2$ (Benzenethanamine, 3,4-dimethoxy- $\alpha$ -methyl-)	120-26-3	**	$8.18 \pm 0.06$ (V)	PE	4758
			**	$8.03 \pm 0.06$ (V)	PE	4758
$C_{12}H_7NO_2^+$	$C_{12}H_7N(=O)_2$ (1H-Benz[de]isoquinoline-1,3(2H)-dione)	81-83-4	**	$8.68 \pm 0.05$ (V)	PE	5095
$C_{12}H_{11}NO_2^+$	$C_{25}H_{37}N_3O_4$ (L-Tryptophan,N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	55728-17-1		$8.9 \pm 0.1$	PI	5279
$C_{12}H_{13}NO_2^+$	$C_{12}H_{13}NO_2$ (2,4-Azetidinedione, 3-ethyl-1-methyl-3-phenyl-)	56519-51-8	**	8.82	EI	4660
$C_{12}H_{11}NO_2^+$	$C_{27}H_{39}N_4O_8S$ (L-Cysteine,S-(2-methoxy-2-oxoethyl)-N-[N-[N-(1-oxopropyl)-L-phenylalanyl]-L-leucyl]glycyl]-methyl ester)	35146-63-5		$9.1 \pm 0.1$	PI	5279
$C_{12}H_{19}NO_2^+$	$C_{12}H_{19}NO_2$ (Benzenethanamine, 2,5-dimethoxy- $\alpha$ ,4-dimethyl-( $\pm$ )-)	26011-50-7	**	$7.62 \pm 0.06$ (V)	PE	4758
$C_{12}H_{22}NO_2^+$	$C_{30}H_{45}N_5O_6$ (L-Alanine,N-[N-[N-[N-(1-oxodecyl)glycyl]-L-tryptophyl]-L-alanyl]-methyl ester)	19716-78-0		$9.5 \pm 0.1$	PI	5279
$C_{13}H_8NO_2^+$	$C_6H_5COC_6H_4NO_2$ (Methanone, (3-nitrophenyl)phenyl-)	2243-80-3		$11.2 \pm 0.1$	EI	4358
	$C_6H_5COC_6H_4NO_2$ (Methanone, (4-nitrophenyl)phenyl-)	1144-74-7		$11.5 \pm 0.1$	EI	4358
$C_{13}H_9NO_2^+$	$C_{13}H_9N(=O)_2$ (1H-Benz[de]isoquinoline-1,3(2H)-dione,2-methyl-)	2382-08-3	**	$8.57 \pm 0.05$ (V)	PE	5095

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{10}NO_2^+$	$(C_6H_4NO_2)_2CH_2$ (Benzene, 1,1'-methylenebis[4-nitro-])	1817-74-9	$NO_2$	$11.1 \pm 0.1$	EI	3807
$C_{13}H_{11}NO_2^+$	$C_6H_5CH_2C_6H_4NO_2$ (Benzene, 1-nitro-4-(phenylmethyl)-)	1817-77-2	**	$9.35 \pm 0.05$	EI	3806
$C_{13}H_{12}NO_2^+$	$C_6H_4(COC_5H_8N)_2$ (Pyridine, 1,1'-(1,2-phenylenedicarbonyl)bis[1,2,3,4-tetrahydro-])	52881-76-2		10.5	EI	4346
	$C_6H_4(COC_5H_8N)_2$ (Pyridine, 1,1'-(1,4-phenylenedicarbonyl)bis[1,2,3,4-tetrahydro-])	52881-77-3		11.6	EI	4346
$C_{13}H_{14}NO_2^+$	$C_5H_{10}NCOC_6H_4COC_5H_8N$ (Pyridine, 1,2,3,4-tetrahydro-1-[4-(1-piperidinylcarbonyl)benzoyl]-)	52881-78-4		11.4	EI	4346
	$C_6H_4(COC_5H_{10}N)_2$ (Piperidine, 1,1'-(1,2-phenylenedicarbonyl)bis-)	38256-33-6		11.8	EI	4346
	$C_6H_4(COC_5H_{10}N)_2$ (Piperidine, 1,1'-(1,4-phenylenedicarbonyl)bis-)	15088-30-9		12.7	EI	4346
$C_{13}H_{15}NO_2^+$	$C_3N(=O)_2(C_2H_5)_2C_6H_5$ (2,4-Azetidinedione, 3,3-diethyl-1-phenyl-)	15745-94-5	**	8.71	EI	4660
$C_{13}H_{24}NO_2^+$	$C_{25}H_{37}N_3O_4$ (L-Tryptophan, N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	55728-17-1		$9.5 \pm 0.1$	PI	5279
	$C_{20}H_{34}N_4O_4$ (L-Histidine, N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	31944-64-6		$8.8 \pm 0.1$	PI	5279
	$C_{17}H_{32}N_2O_5$ (L-Serine, N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	55728-15-9		$9.6 \pm 0.1$	PI	5279
	$C_{20}H_{37}N_3O_5$ (L-Alanine, N-[N-[N-(1-oxodecyl)-L-alanyl]-L-alanyl]-methyl ester)	55728-11-5		$9.5 \pm 0.1$	PI	5279
	$C_{24}H_{43}N_3O_5$ (L-Alanine, N-[N-[N-(1-oxodecyl)-L-alanyl]-L-leucyl]-methyl ester)	55728-12-6		$9.6 \pm 0.1$	PI	5279
$C_{13}H_9NO_2^+$	$C_{14}H_9NO_2$ (Anthracene, 9-nitro-)	602-60-8	**	$7.88 \pm 0.03$ (V)	PE	4887
	$C_6H_4C_4O_2NC_5H_5$ (Pyridinium, 2,3-dihydro-1,3-dioxo-1H-indene-2-ylide)	1283-93-8	**	7.6	CTS	5592
$C_{14}H_{13}NO_2^+$	$C_6H_5CH_2CH_2C_6H_4NO_2$ (Benzene, 1-nitro-4-(2-phenylethyl)-)	14310-29-3	**	$9.17 \pm 0.05$	EI	3806
$C_{13}H_{11}NO_2^+$	$C_6H_4C_4O_2C_5H_4NCH_3$ (Pyridinium, 3-(1,3-dihydro-1,3-dioxo-2H-inden-2-yl)-1-methyl-hydroxide, inner salt)	59804-88-5	**	7.20	CTS	5592
	$C_6H_4C_4O_2C_5H_4NCH_3$ (Pyridinium, 1,3-dihydro-1,3-dioxo-2H-inden-2-ylide)	59804-81-8	**	7.35	CTS	5592
	$C_6H_4C_4O_2NC_5H_4CH_3$ (Pyridinium, 3-methyl-1,3-dihydro-1,3-dioxo-2H-inden-2-ylide)	59804-82-9	**	7.55	CTS	5592
$C_{13}H_{15}NO_2^+$	$C_6H_5CH_2OC_6H_4NHCOCH_3$ (Acetamide, N-[4-(phenylmethoxy)phenyl]-)	41927-14-4	**	7.88	CTS	5336

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{16}\dot{N}O_2^+$	$C_6H_4(CH_2COC_5H_8N)_2$ (Pyridine, 1,1'-[1,2-phenylenebis(1-oxo-2,1-ethanediyl)]bis[1,2,3,4-tetrahydro-])	52881-80-8		10.8	EI	4346
$C_{15}H_{18}NO_2^+$	$C_6H_4(CH_2COC_5H_{10}N)_2$ (Piperidine, 1,1'-[1,2-phenylenebis(1-oxo-2,1-ethanediyl)]bis-)	52881-79-5		12.1	EI	4346
$C_{16}H_{13}NO_2^+$	$C_9H_6N(O)(C_6H_4OCH_3)$ (Isoquinolinium, 4-hydroxy-2-(4-methoxyphenyl)-hydroxide, inner salt)	56359-30-9	**	$6.93 \pm 0.05$	EI	4863
	$C_9H_6N(=O)(C_6H_4OCH_3)$ (Indeno[1,2- <i>b</i> ]azirin-6(1H)-one, 1a,6a-dihydro-1-(4-methoxyphenyl)-)	55507-32-9	**	$7.68 \pm 0.05$	EI	4863
	$C_9H_6N_3(=O)(C_6H_4OCH_3)$ (Indeno[1,2- <i>d</i> ]triazol-8(3H)-one, 3a,8a-dihydro-3-(4-methoxyphenyl)-)	55507-28-3	$N_2$	$7.8 \pm 0.1$	EI	4863
$C_{18}H_{11}NO_2^+$	$C_6H_4C_6O_2NC_6H_7$ (Isoquinolinium, 1,3-dihydro-1,3-dioxo-2H-inden-2-ylide)	27609-07-0	**	7.5	CTS	5592
	$C_6H_4C_6O_2NC_6H_7$ (Quinolinium, 1,3-dihydro-1,3-dioxo-2H-inden-2-ylide)	59804-80-7	**	7.45	CTS	5592
$C_{19}H_{16}NO_2^+$	$(C_6H_4COC_5H_8N)_2$ (Pyridine, 1,1'-([1,1'-biphenyl]-2,2'-diylldicarbonyl)bis[1,2,3,4-tetrahydro-])	52882-85-6		10.9	EI	4346
	$(C_6H_4COC_5H_8N)_2$ (Pyridine, 1,1'-([1,1'-biphenyl]-4-4'-diylldicarbonyl)bis[1,2,3,4-tetrahydro-])	52882-88-9		11.1	EI	4346
$C_{19}H_{18}NO_2^+$	$C_6H_4(COC_5H_8N)C_6H_4COC_5H_{10}N$ (Pyridine, 1,2,3,4-tetrahydro-1-[[2'-(1-piperidinyldicarbonyl)[1,1'-biphenyl]-2-carbonyl]-])	52882-86-7		10.4	EI	4346
	$(C_6H_4COC_5H_{10}N)_2$ (Piperidine, 1,1'-([1,1'-biphenyl]-2,2'-diylldicarbonyl)bis-)	52882-84-5		12.0	EI	4346
	$(C_6H_4COC_5H_{10}N)_2$ (Piperidine, 1,1'-([1,1'-biphenyl]-4-4'-diylldicarbonyl)bis-)	52882-87-8		12.3	EI	4346
$C_{20}H_{15}NO_2^+$	$C_3(C_6H_5)_2O_2NC_6H_5$ (Pyridinium, 1-benzoyl-2-oxo-2-phenylethylide)	17281-65-1	**	8.14	CTS	5591
$C_{21}H_{15}NO_2^+$	$C_3N(=O)_2(C_6H_5)_3$ (2,4-Azetidinedione, 1,3,3-triphenyl-)	15745-93-4	**	8.37	EI	4660
$C_{24}H_{17}NO_2^+$	$C_3(C_6H_5)_2O_2NC_6H_7$ (Quinolinium, 1-benzoyl-2-oxo-2-phenylethylide)	XXXXX-XX-X	**	7.92	CTS	5591
$C_2H_4N_2O_2^+$	$NH_2COCONH_2$	471-46-5	**	9.41	PE	4487
			**	9.80 (V)	PE	4462
			**	9.80 (V)	PE	5517
	$NH_2CONHCHO$	1190-24-5	**	10.58 (V)	PE	4599
$C_2H_6N_2O_2^+$	$(CH_3)_2NNO_2$	4164-28-7	**	9.53	PE	4647
	<i>trans</i> -( $CH_3NO$ ) <sub>2</sub>	XXXXX-XX-X	**	8.68 (V)	PE	4465
$C_3H_4N_2O_2^+$	$C_2HN_2O_2CH_3$ (Sydnone, 3-methyl-)	6939-12-4	**	9.0	CTS	4348

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>3</sub>H<sub>6</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> CONHCONH <sub>2</sub>	591-07-1	**	10.3 (V)	PE	4599
<b>C<sub>3</sub>H<sub>8</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NCH <sub>2</sub> NO <sub>2</sub>	53915-73-4	**	9.17 (V)	PE	4192
<b>C<sub>4</sub>H<sub>4</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> (Pyrazine, 1,4-dioxide)	2423-84-9	**	8.33±0.02 (V)	PE	4470
	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> (Pyridazine, 1,2-dioxide)	19194-87-7	**	8.51±0.02 (V)	PE	4470
	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> (=O) <sub>2</sub> (2,4(1H,3H)-Pyrimidinedione)	66-22-8	**	9.45 (V)	PE	4754
			**	9.50±0.03 (V)	PE	4445
			**	9.59 (V)	PE	5472
			**	9.60 (V)	PE	4599
			**	9.68 (V)	PE	5577
			**	9.35±0.1	EI	5555
			**	9.53±0.02	EI	3571
	C <sub>4</sub> H <sub>4</sub> NNO <sub>2</sub> (Pyrrole, 2-nitro-)	5919-26-6	**	9.30±0.05	EI	3482
<b>C<sub>4</sub>H<sub>6</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> N <sub>2</sub> O(=O)(CH <sub>3</sub> ) <sub>2</sub> (1,3,4-Oxadiazol-2(5H)-one, 5,5-dimethyl-)	28873-61-2	**	10.20 (V)	PE	4929
	C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> (2,4(1H,3H)-Pyrimidinedione, dihydro-)	504-07-4	**	10.00 (V)	PE	4599
			**	10.0±0.1	EI	5555
<b>C<sub>4</sub>H<sub>8</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> NHCOCONHCH <sub>3</sub>	615-35-0	**	9.33	PE	4462
<b>C<sub>5</sub>H<sub>4</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> NNO <sub>2</sub> (Pyridine, 2-nitro-)	15009-91-3	**	10.1±0.1	EI	4302
	C <sub>5</sub> H <sub>4</sub> NNO <sub>2</sub> (Pyridine, 3-nitro-)	2530-26-9	**	10.3±0.1	EI	4302
	C <sub>5</sub> H <sub>4</sub> NNO <sub>2</sub> (Pyridine, 4-nitro-)	1122-61-8	**	10.4	PE	4536
			**	10.2±0.1	EI	4302
<b>C<sub>5</sub>H<sub>6</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>4</sub> H <sub>3</sub> N <sub>2</sub> (=O) <sub>2</sub> CH <sub>3</sub> (2,4(1H,3H)-Pyrimidinedione, 1-methyl-)	615-77-0	**	9.0±0.1	EI	5555
	C <sub>4</sub> H <sub>3</sub> N <sub>2</sub> (=O) <sub>2</sub> CH <sub>3</sub> (2,4(1H,3H)-Pyrimidinedione, 5-methyl-)	65-71-4	**	9.02 (V)	PE	4754
			**	9.14±0.03 (V)	PE	4445
			**	9.20 (V)	PE	4599
			**	8.95±0.1	EI	5555
<b>C<sub>6</sub>H<sub>6</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (NO <sub>2</sub> ) (Benzenamine, 2-nitro-)	88-74-4	**	8.27±0.01	PI	5552
			**	8.43 (V)	PE	3856
	C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (NO <sub>2</sub> ) (Benzenamine, 3-nitro-)	99-09-2	**	8.31±0.02	PI	5552
			**	8.60 (V)	PE	3856
	C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> (NO <sub>2</sub> ) (Benzenamine, 4-nitro-)	100-01-6	**	8.34±0.01	PI	5552
			**	8.60 (V)	PE	3856
			**	8.43	EI	4089
			**	8.62±0.1	EI	3447



Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
(state)						
<b>C<sub>6</sub>H<sub>8</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>1</sub> H <sub>2</sub> N <sub>2</sub> O <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (2,4(1H,3H)-Pyrimidinedione, 1,3-dimethyl-)	874-14-16	**	9.00 (V)	PE	4599
			**	8.75±0.1	EI	5555
	C <sub>1</sub> H <sub>2</sub> N <sub>2</sub> (=O) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (2,4(1H,3H)-Pyrimidinedione,3,5-dimethyl-)	4160-77-4	**	8.6±0.1	EI	5555
<b>C<sub>6</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>10</sub> N <sub>2</sub> (O) <sub>2</sub> (2,3-Diazabicyclo[2.2.2]oct-2-ene 2,3-dioxide)	36479-80-8	**	8.04±0.03	PE	4691
<b>C<sub>6</sub>H<sub>12</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NCOCON(CH <sub>3</sub> ) <sub>2</sub>	1608-14-6	**	9.02	PE	4462
	C <sub>2</sub> N <sub>2</sub> (O) <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub> (1,2-Diazete, 3,4-dihydro-3,3,4,4-tetramethyl-1,2-dioxide)	34493-89-5	**	8.23±0.03 (V)	PE	4691
<b>C<sub>7</sub>H<sub>4</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )CN (Benzonitrile, 3-nitro-)	619-24-9	**	10.29±0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )CN (Benzonitrile, 4-nitro-)	619-72-7	**	10.23±0.1	EI	3447
	C <sub>5</sub> H <sub>4</sub> N <sub>2</sub> (=O) <sub>2</sub> (5H-Pyrrolo[3,4- <i>b</i> ]pyridine-5,7(6H)-dione)	4664-00-0	**	10.0±0.1 (V)	PE	4854
<b>C<sub>7</sub>H<sub>8</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N(O)NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -2-pyridinyl-, <i>N'</i> -oxide)	6994-14-5	**	8.05±0.05	EI	4117
	C <sub>5</sub> H <sub>4</sub> N(O)NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -3-pyridinyl-, 1-oxide)	XXXXX-XX-X	**	8.40±0.05	EI	4117
	C <sub>5</sub> H <sub>4</sub> N(O)NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -4-pyridinyl-, 1-oxide)	14906-56-0	**	7.76±0.05	EI	4117
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )NHCH <sub>3</sub> (Benzenamine, <i>N</i> -methyl-2-nitro-)	612-28-2	**	8.02 (V)	PE	3856
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )NHCH <sub>3</sub> (Benzenamine, <i>N</i> -methyl-4-nitro-)	100-15-2	**	8.17 (V)	PE	3856
<b>C<sub>7</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>1</sub> HN <sub>2</sub> (=O) <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub> (2,4(1H,3H)-Pyrimidinedione,1,3,5-trimethyl-)	4401-71-2	**	8.25±0.1	EI	5555
<b>C<sub>7</sub>H<sub>12</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>7</sub> H <sub>12</sub> NNO <sub>2</sub> (1-Azabicyclo[2.2.2]octane, 4-nitro-)	51069-42-2	**	8.81±0.015 (V)	PE	4286
	C <sub>7</sub> H <sub>12</sub> N <sub>2</sub> (O) <sub>2</sub> (6,7-Diazabicyclo[3.2.2]non-6-ene 6,7-dioxide)	54143-30-5	**	8.04±0.03	PE	4691
<b>C<sub>8</sub>H<sub>6</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> (1,5-Naphthyridine 1,5-dioxide)	27305-49-3	**	8.18±0.02 (V)	PE	4551
	C <sub>5</sub> H <sub>3</sub> NN(CH <sub>3</sub> )(=O) <sub>2</sub> (5H-Pyrrolo[3,4- <i>b</i> ]pyridine-5,7(6H)-dione, 6-methyl-)	6789-51-1	**	9.8±0.1 (V)	PE	4889
	C <sub>8</sub> H <sub>6</sub> N <sub>2</sub> O <sub>2</sub> (Quinoxaline, 1,4-dioxide)	2423-66-7	**	7.98±0.02 (V)	PE	4551
	C <sub>6</sub> H <sub>5</sub> C <sub>2</sub> HN <sub>2</sub> O <sub>2</sub> (Sydnone, 3-phenyl-)	120-06-9		9.0	CTS	4348
<b>C<sub>8</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N(O)N(CH <sub>3</sub> )COCH <sub>3</sub> (Acetamide, <i>N</i> -methyl- <i>N</i> -2-pyridinyl-, <i>N'</i> -oxide)	54818-72-3	**	7.77±0.05	EI	4117
	C <sub>5</sub> H <sub>4</sub> N(O)N(CH <sub>3</sub> )COCH <sub>3</sub> (Acetamide, <i>N</i> -methyl- <i>N</i> -3-pyridinyl-, <i>N'</i> -oxide)	54818-73-4	**	8.18±0.05	EI	4117
	C <sub>5</sub> H <sub>4</sub> N(O)N(CH <sub>3</sub> )COCH <sub>3</sub> (Acetamide, <i>N</i> -methyl- <i>N</i> -4-pyridinyl-, <i>N'</i> -oxide)	54818-74-5	**	7.52±0.05	EI	4117

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{10}N_2O_2^+$	$C_6H_4NO_2N(CH_3)_2$ (Benzenamine, N,N-dimethyl-4-nitro-)	100-23-2	**	$7.6 \pm 0.1$	PE	4401
			**	8.0 (V)	PE	3856
	$C_6H_2NO_2(CH_3)_2NH_2$ (Benzenamine, 2,6-dimethyl-4-nitro-)	16947-63-0	**	8.33 (V)	PE	3856
	$C_6H_2NO_2(CH_3)_2NH_2$ (Benzenamine, 3,5-dimethyl-4-nitro-)	34761-82-5	**	8.23 (V)	PE	3856
	$C_6H_4N_2(=O)_2(CH_3)_2$ (2,5-Diazabicyclo[4.2.0]oct-1(6)-ene-7,8-dione, 2,5-dimethyl-)	64186-72-7	**	7.68 (V)	PE	4861
$C_8H_{14}N_2O_2^+$	$C_3H_2N_2(CH_3)_3(CO_2CH_3)$ (3H-Pyrazole-3-carboxylic acid, 4,5-dihydro-3,5,5-trimethyl-methyl ester)	22497-19-4	**	8.94 (V)	PE	4429
	$(CH_3)_2C=NN(CH_3)CH=CHCOOCH_3$	63263-00-3	**	7.80 (V)	PE	5548
	$(CH_3)CH=NN(C_2H_5)CH=CHCOOCH_3$	63263-01-4	**	7.88 (V)	PE	5548
	$C_8H_{14}N_2(O)_2$	54143-31-6	**	$8.03 \pm 0.03$	PE	4691
	(7,8-Diazabicyclo[4.2.2]dec-7-ene 7,8-dioxide)					
$C_8H_{16}N_2O_2^+$	$C_7H_7NHCOCOONHC_3H_7$	14040-77-8	**	9.12	PE	4462
	$C_4H_3N_2(O)_2(CH_3)_4$ (Pyridazine, 3,4,5,6-tetrahydro-3,3,6,6-tetramethyl-1,2-dioxide)	54143-35-0	**	$7.86 \pm 0.03$	PE	4691
$C_8H_{18}N_2O_2^+$	<i>trans</i> -( $CH_3OC(CH_3)_2N=N$ )	55204-44-9	**	8.33 (V)	PE	4429
$C_9H_{12}N_2O_2^+$	$C_6H_3NO_2(CH_3)_2N(CH_3)_2$ (Benzenamine, N,N,2-trimethyl-4-nitro-)	32417-74-6	**	8.30 (V)	PE	3856
$C_9H_{15}N_2O_2^+$	$C_4HN(O)(CH_3)_4CONH_2$ (1H-Pyrrol-1-yloxy, 3-(aminocarbonyl)-2,5-dihydro-2,2,5,5-tetramethyl-)	3229-73-0	**	$7.40 \pm 0.05$	EI	3494
$C_9H_{17}N_2O_2^+$	$C_4H_3N(O)(CH_3)_4CONH_2$ (1-Pyrrolidinylloxy, 3-(aminocarbonyl)-2,2,5,5-tetramethyl-)	4399-80-8	**	$7.40 \pm 0.05$	EI	3494
	$C_{11}H_{20}N_2O_4$	55728-13-7		$8.9 \pm 0.1$	PI	5279
	(L-Alanine, N-(N-acetyl-L-valyl)-methyl ester)					
$C_{10}H_8N_2O_2^+$	$C_{10}H_6NH_2(NO_2)$ (1-Naphthalenamine, 2-nitro-)	607-23-8	**	$7.79 \pm 0.02$	PI	5552
	$C_{10}H_6NH_2(NO_2)$ (1-Naphthalenamine, 4-nitro-)	776-34-1	**	$7.73 \pm 0.02$	PI	5552
$C_{10}H_{16}N_2O_2^+$	$C_7H_7NO(CH_3)_2CH_3NO$ (2-Nitroso-1,3,3-trimethyl-2-azabicyclo[2.2.2]octan-5-one)	XXXXXX-XX-X	**	8.63 (V)	PE	4576
$C_{10}H_{18}N_2O_2^+$	$(CH_3)_2C=NN(iso-C_3H_7)CH=CHCOOCH_3$	63263-02-5	**	7.70 (V)	PE	5548
	$C_{10}H_{18}N_2O_2$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl-methylcarbamate(ester), <i>endo</i> -)	67139-52-0	**	$8.2 \pm 0.15$	EI	5401
	$C_{10}H_{18}N_2O_2$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl-methylcarbamate(ester), <i>exo</i> -)	67139-53-1	**	$7.8 \pm 0.15$	EI	5401
$C_{11}H_{12}N_2O_2^+$	$C_{11}H_{12}N_2O_2$ (DL-Tryptophan)	54-12-6	**	$\leq 7.5$	EI	3766

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{21}N_2O_2^+$	$C_5H_5N(O)(CH_3)_4NHCOCCH_3$ (1-Piperidinyloxy, 4-(acetyl amino)-2,2,6,6-tetramethyl-)	14691-89-5	**	$7.40 \pm 0.05$	EI	3494
$C_{12}H_{10}N_2O_2^+$	$(NO_2)C_6H_4C_6H_4NH_2$ ([1,1'-Biphenyl]-4-amine-4'-nitro-)	1211-40-1	**	$7.46 \pm 0.03$	PI	5552
	$C_{10}H_4N_2(=O)_2(CH_3)_2$ (Cyclobuta[ <i>b</i> ]quinoxaline-1,2-dione, 3,8-dihydro-3,8-dimethyl-)	33527-99-0	**	7.13 (V)	PE	4861
$C_{12}H_{20}N_2O_2^+$	$C_{12}H_{20}O_2N_2$ (2-Pentanone, 4,4'-(1,2-ethanediyldinitrilo)bis-)	6310-76-5	**	7.71 (V)	PE	3822
$C_{13}H_{10}N_2O_2^+$	$C_{12}H_7N_2O(OCH_3)$ (Phenazine, 2-methoxy-10-oxide)	2876-29-1	**	7.74 (V)	PE	4590
	$C_{12}H_7N_2O(OCH_3)$ (Phenazine, 2-methoxy-5-oxide)	3224-54-2	**	7.84 (V)	PE	4590
	$NO_2C_6H_4N=CHC_6H_5$ (Benzenamine, 4-nitro-N-(phenylmethylene)-)	69173-79-1	**	8.76 (V)	PE	5486
	$C_6H_5NNC_6H_4COOH$ (Benzoic acid, 4-(phenylazo)-(E)-)	37790-20-8	**	$\sim 8.75$ (V)	PE	5320
	$C_6H_4(NO_2)CH=CHC_5H_4N$ (Pyridine, <i>trans</i> -3-[2-(4-nitrophenyl)ethenyl]-)	5847-74-5	**	$8.58 \pm 0.05$ (V)	PE	4377
$C_{13}H_{12}N_2O_2^+$	$C_6H_4(NO_2)CH_2C_6H_4NH_2$ (Benzenamine, 4-[(4-nitrophenyl)methyl]-)	726-17-0	**	$7.87 \pm 0.05$	EI	3806
$C_{13}H_{25}N_2O_2^+$	$C_{20}H_{33}N_4O_4$ (L-Histidine, N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	31944-64-6		$9.1 \pm 0.1$	PI	5279
$C_{14}H_{10}N_2O_2^+$	$(C_6H_5)_2C_2N_2O_2$ (Sydnone, 3,4-diphenyl-)	3815-83-6		7.8	CTS	4348
$C_{11}H_{12}N_2O_2^+$	$NO_2C_6H_4N=CHC_6H_4CH_3$ (Benzenamine, N-[(3-methylphenyl)methylene]-4-nitro-)	XXXXX-XX-X	**	8.58 (V)	PE	5486
	$NO_2C_6H_3(CH_3)N=CHC_6H_5$ (Benzenamine, 2-methyl-4-nitro-N-(phenylmethylene)-)	XXXXX-XX-X	**	8.66 (V)	PE	5486
$C_{14}H_{14}N_2O_2^+$	$C_6H_4(NH_2)CH_2CH_2C_6H_4NO_2$ (Benzenamine, 4-[2-(4-nitrophenyl)ethyl]-)	7357-96-2	**	$7.78 \pm 0.05$	EI	3806
$C_{15}H_{14}N_2O_2^+$	$NO_2C_6H_2(CH_3)_2N=CHC_6H_5$ (Benzenamine, 2,6-dimethyl-4-nitro-N-(phenylmethylene)-)	XXXXX-XX-X	**	8.51 (V)	PE	5486
	$NO_2C_6H_3(CH_3)N=CHC_6H_4CH_3$ (Benzenamine, 2-methyl-4-nitro-N-[(3-methylphenyl)methylene]-)	XXXXX-XX-X	**	$\sim 8.49$ (V)	PE	5486
$C_{15}H_{20}N_2O_2^+$	$C_{15}H_{20}N_2O_2$ (8-Azabicyclo[3.2.1]octan-3-ol, 8-methyl-phenylcarbamate(ester), <i>exo</i> -)	29364-21-4	**	$8.0 \pm 0.15$	EI	5401
$C_{15}H_{29}N_2O_2^+$	$C_{20}H_{37}N_4O_5$ (L-Alanine, N-[N-[N-(1-oxodecyl)-L-alanyl]-L-alanyl]-methyl ester)	55728-11-5		$8.9 \pm 0.1$	PI	5279

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{30}N_2O_2^+$	$C_{20}H_{37}N_3O_5$ (L-Alanine,N-[N-[N-(1-oxodecyl)-L-alanyl]-L-alanyl]-methyl ester)	55728-11-5	**	$8.7 \pm 0.1$	PI	5279
$C_{16}H_{10}N_2O_2^+$	$C_{10}H_{10}N_2O_2$ [( $\Delta^{2,2}$ -Biindoline)-3,3'-dione]	12626-73-2	**	7.17	PI	3586
$C_{16}H_{12}N_2O_2^+$	$C_6H_4(NO_2)C_3H_3(CN)C_6H_5$ (Cyclopropanecarbonitrile, 1-(p-nitrophenyl)-2-phenyl-)	10432-22-1	**	$9.05 \pm 0.10$	EI	3575
$C_{16}H_{16}N_2O_2^+$	$NO_2C_6H_4(CH_3)_2N=CHC_6H_4CH_3$ (Benzenamine,2,6-dimethyl-4-nitro-N-[(3-methylphenyl)methylene]-)	XXXXX-XX-X	**	8.43 (V)	PE	5486
	$C_{10}H_{16}N_2O_2$ (Phenol, 2,2'-[1,2-ethanediylbis(nitrilomethylidyne)]bis-)	94-93-9	**	$8.53 \pm 0.07$	EI	4668
$C_{17}H_{25}N_2O_2^+$	$C_{27}H_{40}N_4O_8S$ (L-Cysteine,S-(2-methoxy-2-oxoethyl)-N-[N-[N-(1-oxopropyl)-L-phenylalanyl]-L-leucyl]glycyl]-methyl ester)	35146-63-5	**	$8.8 \pm 0.1$	PI	5279
$C_{17}H_{33}N_2O_2^+$	$C_{10}H_{16}N_2O_4$ (Glycine,N-[N-(1-oxodecyl)-L-leucyl]-methyl ester)	55728-14-8	**	$9.6 \pm 0.1$	PI	5279
$C_{18}H_{16}N_2O_2^+$	$C_6H_4(NH_2)OC_6H_4OC_6H_4NH_2$ (Benzenamine, 4,4'-[1,4-phenylenebis(oxy)]bis-)	3491-12-1	**	6.60	PI	4328
$C_{18}H_{20}N_2O_2^+$	$C_6H_4(COC_5H_8N)_2$ (Pyridine, 1,1'-(1,2-phenylenedicarbonyl)bis[1,2,3,4-tetrahydro-])	52881-76-2	**	8.7	EI	4346
	$C_6H_4(COC_5H_8N)_2$ (Pyridine, 1,1'-(1,4-phenylenedicarbonyl)bis[1,2,3,4-tetrahydro-])	52881-77-3	**	8.7	EI	4346
$C_{18}H_{22}N_2O_2^+$	$C_5H_{10}NCOC_6H_4COC_5H_8N$ (Pyridine, 1,2,3,4-tetrahydro-1-[4-(1-piperidinylcarbonyl)benzoyl]-)	52881-78-4	**	8.7	EI	4346
$C_{18}H_{24}N_2O_2^+$	$C_6H_4(COC_5H_{10}N)_2$ (Piperidine, 1,1'-(1,2-phenylenedicarbonyl)bis-)	38256-33-6	**	8.9	EI	4346
	$C_6H_4(COC_5H_{10}N)_2$ (Piperidine, 1,1'-(1,4-phenylenedicarbonyl)bis-)	15088-30-9	**	8.8	EI	4346
$C_{18}H_{35}N_2O_2^+$	$C_{21}H_{43}N_3O_5$ (L-Alanine,N-[N-[N-(1-oxodecyl)-L-alanyl]-L-leucyl]-methyl ester)	55728-12-6	**	$8.5 \pm 0.1$	PI	5279
$C_{20}H_{24}N_2O_2^+$	$C_6H_4(CH_2COC_5H_8N)_2$ (Pyridine, 1,1'-[1,2-phenylenebis(1-oxo-2,1-ethanediyl)]bis[1,2,3,4-tetrahydro-])	52881-80-8	**	8.6	EI	4346
$C_{20}H_{28}N_2O_2^+$	$C_6H_4(CH_2COC_5H_{10}N)_2$ (Piperidine, 1,1'-[1,2-phenylenebis(1-oxo-2,1-ethanediyl)]bis-)	52881-79-5	**	8.8	EI	4346
$C_{21}H_{11}N_2O_2^+$	$C_3(C_6H_5)_2O_2NC_5H_4CN$ (Pyridinium,4-cyano-1-benzoyl-2-oxo-2-phenylethylide)	59805-16-2	**	7.94	CTS	5591

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{21}H_{26}N_2O_2^+$	$C_{21}H_{26}N_2O_2$ (Phenol, 2,2'-[1,7-heptanediylbis(nitrilomethylidyne)]bis-)	52279-42-2	**	$8.26 \pm 0.06$	EI	4213
$C_{24}H_{24}N_2O_2^+$	$(C_6H_4COC_5H_8N)_2$ (Pyridine, 1,1'-([1,1'-biphenyl]-2,2'-diylldicarbonyl)bis[1,2,3,4-tetrahydro-]) $(C_6H_4COC_5H_8N)_2$ (Pyridine, 1,1'-([1,1'-biphenyl]-4,4'-diylldicarbonyl)bis[1,2,3,4-tetrahydro-])	52882-85-6	**	8.4	EI	4346
$C_{24}H_{26}N_2O_2^+$	$C_6H_4(COC_5H_8N)C_6H_4COC_5H_{10}N$ (Pyridine, 1,2,3,4-tetrahydro-1-[[2'-(1-piperidinylcarbonyl)[1,1'-biphenyl]-2-carbonyl]-])	52882-86-7	**	8.4	EI	4346
$C_{24}H_{28}N_2O_2^+$	$(C_6H_4COC_5H_{10}N)_2$ (Piperidine, 1,1'-([1,1'-biphenyl]-2,2'-diylldicarbonyl)bis-) $(C_6H_4COC_5H_{10}N)_2$ (Piperidine, 1,1'-([1,1'-biphenyl]-4,4'-diylldicarbonyl)bis-)	52882-84-5	**	8.5	EI	4346
$C_{24}H_{28}N_2O_2^+$	$(C_6H_4COC_5H_{10}N)_2$ (Piperidine, 1,1'-([1,1'-biphenyl]-4,4'-diylldicarbonyl)bis-)	52882-87-8	**	8.4	EI	4346
$C_{25}H_{18}N_2O_2^+$	$C_3(C_6H_5)_2O_2(NC_5H_4)_2$ (4,4'-Bipyridinium,1-benzoyl-2-oxo-2-phenylethylide)	59805-17-3	**	7.66	CTS	5591
$C_9H_{10}N_3O_2^+$	$C_6H_4(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N,N</i> -dimethyl- <i>N'</i> -(3-nitrophenyl)-) $C_6H_4(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N,N</i> -dimethyl- <i>N'</i> -(4-nitrophenyl)-) $C_6H_3(Cl)(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chloro-4-nitrophenyl)- <i>N,N</i> -dimethyl-) $C_6H_3(Cl)(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chloro-5-nitrophenyl)- <i>N,N</i> -dimethyl-)	2103-47-1	H	$9.5 \pm 0.1$	EI	4359
$C_9H_{11}N_3O_2^+$	$C_6H_4(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N,N</i> -dimethyl- <i>N'</i> -(3-nitrophenyl)-) $C_6H_3(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N,N</i> -dimethyl- <i>N'</i> -(4-nitrophenyl)-)	2103-47-1	**	$7.8 \pm 0.1$	EI	4359
$C_{12}H_9N_3O_2^+$	$C_6H_3(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N,N</i> -dimethyl- <i>N'</i> -(4-nitrophenyl)-)	1205-59-0	**	$7.9 \pm 0.1$	EI	4359
$C_{12}H_9N_3O_2^+$	$C_6H_5NNC_6H_4NO_2$ (Diazene,(nitrophenyl)phenyl-(E)-)	37790-23-1	**	$9.05 \pm 0.05$ (V)	PE	5320
$C_{15}H_{15}N_3O_2^+$	$C_{11}H_3N_3(=O)_2(CH_3)_4$ (Benzo[ <i>g</i> ]pyrido[2,3- <i>d</i> ]pyrimidin-2,4-dione, 3,7,8,10-tetramethyl-)	XXXXXX-XX-X	**	7.94 (V)	PE	4992
$C_{18}H_{17}N_3O_2^+$	$C_6H_4(NO_2)C_3H_3(CN)C_6H_4N(CH_3)_2$ (Cyclopropanecarbonitrile, 2-( <i>p</i> -(dimethylamino)phenyl)-1-( <i>p</i> -nitrophenyl)-)	28752-34-3	**	$8.30 \pm 0.07$	EI	3575
$C_{20}H_{25}N_3O_2^+$	$C_{20}H_{25}N_3O_2$ (Phenol, 2,2'-[iminobis(3,1-propanediyl)nitrilomethylidyne)]bis-)	52279-45-5	**	$8.31 \pm 0.07$	EI	4213
$C_{22}H_{32}N_3O_2^+$	$C_{30}H_{35}N_5O_6$ (L-Alanine, N-[N-[N-(1-oxodecyl)glycyl]-L-tryptophyl]-L-alanyl]-methyl ester)	19716-78-0		$9.6 \pm 0.1$	PI	5279
$C_5H_4N_4O_2^+$	$C_5H_4N_4(=O)_2$ (1H-Purine-2,6-dione,3,7-dihydro-)	69-89-6	**	8.55	PE	5093
$C_5H_4N_4O_2^+$			**	$8.89 \pm 0.03$ (V)	PE	4445



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_1N_1O_2^+$	$C_6H_1N_1(=O)_2$ (2,4-(1H,3H)-Pteridinedione)	487-21-8	**	9.20 (V)	PE	5577
$C_8H_{10}N_1O_2^+$	$C_7HN_1(=O)_2(CH_3)_3$ (1H-Purine-2,6-dione,3,7-dihydro-1,3,7-trimethyl-)	58-08-2	**	7.95	PE	5093
$C_{12}H_{10}N_1O_2^+$	$C_{10}H_1N_1(=O)_2(CH_3)_2$ (Benzo[g]pteridine-2,4(1H,3H)-dione, 1,3-dimethyl-)	2962-90-5	**	8.63 (V)	PE	4992
	$C_{10}H_1N_1(=O)_2(CH_3)_2$ (Benzo[g]pteridine-2,4(3H,10H)-dione, 3,10-dimethyl-)	4074-59-3	**	8.47 (V)	PE	4992
$C_{13}H_{11}N_1O_2^+$	$C_6H_2(CH_3)_2C_4N_1(CH_3)(=O)_2$ (Methyl-isoalloxazine)	XXXXX-XX-X	**	8.72 (V)	PE	5577
$C_{13}H_{12}N_1O_2^+$	$C_{10}H_1N_1(=O)_2(CH_3)_3$ (Benzo[g]pteridine-2,4(3H,10H)-dione, 3,6,10-trimethyl-)	XXXXX-XX-X	**	8.16 (V)	PE	4992
	$C_{10}H_1N_1(=O)_2(CH_3)_3$ (Benzo[g]pteridine-2,4(3H,10H)-dione, 3,9,10-trimethyl-)	XXXXX-XX-X	**	8.30 (V)	PE	4992
$C_{14}H_{14}N_1O_2^+$	$C_{10}H_3N_1(=O)_2(CH_3)_3$ (Benzo[g]pteridine-2,4(3H,10H)-dione, 3,7,8,10-tetramethyl-)	18636-32-3	**	8.22 (V)	PE	4992
$C_{15}H_{18}N_1O_2^+$	$C_{10}H_3N_1(=O)_2(CH_3)_5$ (Benzo[g]pteridine-2,4(1H,3H)-dione,5,10-dihydro-1,3,7,8,10-pentamethyl-)	14453-97-5	**	7.00 (V)	PE	4992
$C_2H_3NO_3^+$	$NH_2COCOOH$	471-47-6	**	10.51 (V)	PE	4487
$C_4H_3NO_3^+$	$C_3H_3ONO_2$ (Furan, 2-nitro-)	609-39-2	**	$9.75 \pm 0.05$ (V)	PE	4626
			**	$10.04 \pm 0.05$	EI	3482
$C_4H_7NO_3^+$	$C_2H_5O(CO)_2NH_2$	XXXXX-XX-X	**	9.85 (V)	PE	5549
$C_5H_7NO_3^+$	$CH_3CONHC(=CH_2)COOH$	XXXXX-XX-X	**	9.24 (V)	PE	4983
$C_3H_9NO_3^+$	$CH_3COOC(CH_3)_2NO$	17746-46-2	**	$8.28 \pm 0.1$ (V)	PE	4465
$C_6H_5NO_3^+$	$C_6H_3(OH)(NO_2)$ (Phenol, 2-nitro-)	88-75-5	**	9.29 (V)	PE	4473
	$C_6H_3(OH)(NO_2)$ (Phenol, 3-nitro-)	554-84-7	**	9.33 (V)	PE	4473
	$C_6H_3(OH)(NO_2)$ (Phenol, 4-nitro-)	100-02-7	**	9.38 (V)	PE	4473
	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 3-nitrophenyl ester)	1523-06-4	**	$8.84 \pm 0.1$	EI	3447
	$C_6H_3(NO_2)OOCCH_3$ (Acetic acid, 4-nitrophenyl ester)	830-03-5	$CH_2=C=O$	$10.85 \pm 0.2$	EI	3484
			$CH_2=C=O$	$10.76 \pm 0.2$	EI	3484

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}NO_3^+$	$C_2H_5O(CO)_2N(CH_3)_2$	XXXXX-XX-X **		9.31 (V)	PE	5549
$C_6H_{13}NO_3^+$	$N(CH_2CH_2OH)_3$	102-71-6	**	~8.7 (V)	PE	4413
$C_7H_3NO_3^+$	$C_7H_3NO(=O)_2$ (Furo[3,4,-b]pyridine-5,7-dione)	699-98-9	**	$10.5 \pm 0.1$ (V)	PE	4889
$C_7H_4NO_3^+$	$C_6H_5COC_6H_4NO_2$ (Methanone, (2-nitrophenyl)phenyl-)	2243-79-0		$12.0 \pm 0.2$	EI	4335
	$C_6H_5COC_6H_4NO_2$ (Methanone, (3-nitrophenyl)phenyl-)	2243-80-3		$12.0 \pm 0.2$	EI	4358
	$C_6H_5COC_6H_4NO_2$ (Methanone, (3-nitrophenyl)phenyl-)	2243-80-3		$12.3 \pm 0.2$	EI	4335
	$C_6H_5COC_6H_4NO_2$ (Methanone, (4-nitrophenyl)phenyl-)	1144-74-7		$12.3 \pm 0.2$	EI	4358
	$C_6H_4(NO_2)COOH$ (Benzoic acid, 3-nitro-)	121-92-6	OH	$12.35 \pm 0.2$	EI	4335
	$C_6H_4(NO_2)COOH$ (Benzoic acid, 3-nitro-)	121-92-6	OH	$12.35 \pm 0.2$	EI	4358
	$C_6H_4(NO_2)COOH$ (Benzoic acid, 4-nitro-)	62-23-7	OH	$13.00 \pm 0.2$	EI	3973
	$C_6H_4(NO_2)COOH$ (Benzoic acid, 4-nitro-)	62-23-7	OH	$11.58 \pm 0.2$	EI	3973
$C_7H_7NO_3^+$	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-2-nitro-)	91-23-6	**	9.04 (V)	PE	4473
	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-3-nitro-)	555-03-3	**	9.01 (V)	PE	4473
	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-3-nitro-)	555-03-3	**	$9.09 \pm 0.1$	EI	3447
	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-4-nitro-)	100-17-4	**	$8.6 \pm 0.1$	PE	4401
	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-4-nitro-)	100-17-4	**	8.79	PE	4621
	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-4-nitro-)	100-17-4	**	$9.04 \pm 0.1$	EI	3447
	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-4-nitro-)	100-17-4	**	9.07 (V)	PE	4473
	$C_6H_4(NO_2)(OCH_3)$ (Benzene, 1-methoxy-4-nitro-)	100-17-4	**	$9.08 \pm 0.01$ (V)	PE	4389
$C_8H_7NO_3^+$	$C_6H_4NO_2(COCH_3)$ (Ethanone, 1-(4-nitrophenyl)-)	100-19-6	**	$10.15 \pm 0.1$ (V)	PE	4401
$C_9H_{11}NO_3^+$	$C_6H_4(OH)CH_2CH(NH_2)COOH$ (DL-Tyrosine)	556-03-6	**	<8.4	EI	3766
$C_{11}H_{17}NO_3^+$	$C_6H_2(OCH_3)_3CH_2CH_2NH_2$ (Benzeethanamine, 3,4,5-trimethoxy-)	54-04-6	**	$8.18 \pm 0.24$ (V)	PE	4672
$C_{12}H_{19}NO_3^+$	$C_{12}H_{19}NO_3$ (Benzeethanamine, 3,4,5-trimethoxy-N-methyl-)	4838-96-4		$8.44 \pm 0.40$ (V)	PE	4672
	$C_{12}H_{19}NO_3$ (Benzeethanamine, 2,3,4-trimethoxy- $\alpha$ -methyl-( $\pm$ )-)	22199-12-8	**	$8.09 \pm 0.06$ (V)	PE	4758
	$C_{12}H_{19}NO_3$ (Benzeethanamine, 2,4,5-trimethoxy- $\alpha$ -methyl-( $\pm$ )-)	22199-15-1	**	$7.66 \pm 0.06$ (V)	PE	4758
	$C_{12}H_{19}NO_3$ (Benzeethanamine, 2,4,6-trimethoxy- $\alpha$ -methyl-( $\pm$ )-)	22199-16-2	**	$7.76 \pm 0.06$ (V)	PE	4758
	$C_{12}H_{19}NO_3$ (Benzeethanamine, 3,4,5-trimethoxy- $\alpha$ -methyl-( $\pm$ )-)	22199-17-3	**	$8.16 \pm 0.06$ (V)	PE	4758

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>13</sub>H<sub>9</sub>NO<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Methanone, (2-nitrophenyl)phenyl-)	2243-79-0	**	9.6±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Methanone, (3-nitrophenyl)phenyl-)	2243-80-3	**	9.6±0.1 9.8±0.1	EI EI	4335 4335
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Methanone, (4-nitrophenyl)phenyl-)	1144-74-7	**	9.8±0.1	EI	4358
			**	9.95±0.1	EI	4335
			**	9.95±0.1	EI	4358
<b>C<sub>15</sub>H<sub>28</sub>NO<sub>3</sub><sup>+</sup></b>	C <sub>20</sub> H <sub>36</sub> N <sub>2</sub> O <sub>6</sub> (L-Alanine, N-[N-(1-oxodecyl)-L-α-glutamyl]-dimethyl ester)	55728-16-0		9.6±0.1	PI	5279
	C <sub>20</sub> H <sub>36</sub> N <sub>2</sub> O <sub>6</sub> (L-Alanine, N-[N-(1-oxodecyl)-L-α-glutamyl]-dimethyl ester)	55728-16-0		9.4±0.1	PI	5279
<b>C<sub>17</sub>H<sub>19</sub>NO<sub>3</sub><sup>+</sup></b>	C <sub>16</sub> H <sub>14</sub> NO(OH <sub>2</sub> )CH <sub>3</sub> (Morphinan-3,6-diol, 7,8-didehydro-4,5-epoxy-17-methyl-(5α,6α)-)	57-27-2	**	8.3 (V)	PE	4646
	C <sub>16</sub> H <sub>14</sub> NO(OH <sub>2</sub> )CH <sub>2</sub> CH=CH <sub>2</sub> (Morphinan-3,6-diol, 7,8-didehydro-4,5-epoxy-17-(2-propenyl)-(5α,6α)-)	62-67-9	**	8.15 (V)	PE	4646
<b>C<sub>20</sub>H<sub>13</sub>NO<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OC <sub>6</sub> H <sub>3</sub> C <sub>3</sub> O <sub>2</sub> NC <sub>3</sub> H <sub>5</sub>	XXXXXX-XX-X	**	7.55	CTS	5592
	C <sub>3</sub> H <sub>2</sub> N <sub>2</sub> O <sub>3</sub> (Imidazolidinetrione)	120-89-8	**	10.67	PE	4471
<b>C<sub>3</sub>H<sub>6</sub>N<sub>2</sub>O<sub>3</sub><sup>+</sup></b>	C(CH <sub>3</sub> ) <sub>2</sub> (NO <sub>2</sub> )NO	5275-46-7	**	9.92±0.1 (V)	PE	4465
	C <sub>3</sub> HN <sub>2</sub> O <sub>3</sub> (CH <sub>3</sub> ) (Imidazolidinetrione, methyl-)	3659-97-0	**	10.52	PE	4471
<b>C<sub>4</sub>H<sub>4</sub>N<sub>2</sub>O<sub>3</sub><sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> (=O) <sub>3</sub> (2,4,6(1H,3H,5H)-Pyrimidinetrione)	67-52-7	**	10.20	PE	5093
	C <sub>5</sub> H <sub>4</sub> N(O)NO <sub>2</sub> (Pyridine, 4-nitro-, 1-oxide)	1124-33-0	**	9.03±0.02 (V)	PE	4275
<b>C<sub>5</sub>H<sub>6</sub>N<sub>2</sub>O<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> N <sub>2</sub> O <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> (Imidazolidinetrione, dimethyl-)	5176-82-9	**	10.19	PE	4471
	C <sub>6</sub> H <sub>10</sub> (NO)(NO <sub>2</sub> ) (Cyclohexane, 1-nitro-1-nitroso-)	14296-14-1	**	9.55 (V)	PE	4465
<b>C<sub>7</sub>H<sub>4</sub>N<sub>2</sub>O<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )(C≡NO) (Benzonitrile, 4-nitro-N-oxide)	2574-03-0	**	~9.5 (V)	PE	4719
	C <sub>6</sub> H <sub>3</sub> (Cl)(NO <sub>2</sub> )NHCHO (Formamide, N-(2-chloro-4-nitrophenyl)-)	16135-32-3	Cl	10.2±0.1	EI	4359

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_5N_2O_3^+$	$C_6H_4(Cl)(NO_2)NHCHO$ (Formamide, <i>N</i> -(2-chloro-5-nitrophenyl)-)	53666-48-1	Cl	$9.9 \pm 0.1$	EI	4359
$C_7H_6N_2O_3^+$	$C_6H_4(NO_2)(CONH_2)$ (Benzamide, 3-nitro-)	645-09-0	**	10.28 (V)	PE	4918
	$C_6H_4(NO_2)(CONH_2)$ (Benzamide, 4-nitro-)	619-80-7	**	10.33 (V)	PE	4918
$C_8H_8N_2O_3^+$	$C_6H_4(NO_2)NHC(=O)CH_3$ (Acetamide, <i>N</i> -(2-nitrophenyl)-)	552-32-9	**	8.85	EI	4834
$C_9H_7N_2O_3^+$	$C_6H_4(NO_2)NHC(=O)CH=CHCH_3$ (2-Butenamide, <i>N</i> -(4-nitrophenyl)-)	51944-68-4	$CH_3$	$13.6 \pm 0.3$	EI	3996
$C_9H_{14}N_2O_3^+$	$C_3N_2O_4(C_3H_7)_2$ (Imidazolidinetrione, dipropyl-)	21036-96-4	**	9.90	PE	4471
$C_{10}H_{10}N_2O_3^+$	$C_6H_4(NO_2)NHC(=O)CH=CHCH_3$ (2-Butenamide, <i>N</i> -(4-nitrophenyl)-)	51944-68-4	**	$9.1 \pm 0.1$	EI	3996
$C_{12}H_8N_2O_3^+$	$C_6H_4(NO_2)C(=O)C_5H_4N$ (Methanone, (2-nitrophenyl)-2-pyridinyl-)	27693-37-4	**	9.71	EI	5459
$C_{14}H_{14}N_2O_3^+$	$C_{14}H_{14}N_2O_3$	XXXXX-XX-X	**	8.00 (V)	PE	5590
$C_{15}H_{10}N_2O_3^+$	$C_6H_6N(O)(C_6H_4NO_2)$ (Isoquinolinium, 4-hydroxy-2-(4-nitrophenyl)-hydroxide, inner salt)	56359-31-0	**	$7.29 \pm 0.05$	EI	4863
	$C_9H_6N(=O)(C_6H_4NO_2)$ (Indeno[1,2- <i>b</i> ]azirin-6(1H)-one, 1a,6a-dihydro-1-(4-nitrophenyl)-)	55507-33-0	**	$8.71 \pm 0.05$	EI	4863
	$C_9H_6N_3(=O)(C_6H_4NO_2)$ (Indeno[1,2- <i>d</i> ]triazol-8(3H)-one, 3a,8a-dihydro-3-(4-nitrophenyl)-)	55507-29-4	$N_2$	$8.8 \pm 0.1$	EI	4863
$C_{15}H_{24}N_2O_3^+$	$C_{15}H_{24}(NO)(NO_2)$ (Bicyclo[7.2.0]undecane, 6,10,10-trimethyl-2-methylene-5-nitro-6-nitroso-)	28834-17-5	**	9.26 (V)	PE	4465
$C_{16}H_{29}N_2O_3^+$	$C_{20}H_{37}N_3O_3$ (L-Alanine, N-[N-[N-(1-oxodecyl)-L-alanyl]-L-alanyl]-methyl ester)	55728-11-5		$9.8 \pm 0.1$	PI	5279
$C_{18}H_{25}N_2O_3^+$	$C_{27}H_{40}N_4O_5S$ (L-Cysteine, S-(2-methoxy-2-oxoethyl)-N-[N-[N-(1-oxopropyl)-L-phenylalanyl]-L-leucyl]glycyl]-methyl ester)	35146-63-5		$9.1 \pm 0.1$	PI	5279
$C_{19}H_{35}N_2O_3^+$	$C_{23}H_{43}N_3O_5$ (L-Alanine, N-[N-[N-(1-oxodecyl)-L-alanyl]-L-leucyl]-methyl ester)	55728-12-6		$8.8 \pm 0.1$	PI	5279
$C_{20}H_{21}N_2O_3^+$	$C_{20}H_{21}N_2O_3$ (Phenol, 2,2'-[oxybis(3,1-propanediyl)nitriolomethylidyne]bis-)	52279-43-3	**	$8.40 \pm 0.10$	EI	4213

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_5N_3O_3^+$	$O_2NC_6H_4C(=O)CHN_2$ (Ethanone,2-diazo-(4-nitrophenyl)-)	4203-31-0	**	$9.41 \pm 0.05$ (V)	PE	5326
$C_{12}H_7N_3O_3^+$	$C_{12}H_7N_2ONO_2$ (Phenazine, 2-nitro-10-oxide)	2876-33-7	**	8.46 (V)	PE	4590
$C_{18}H_{34}N_3O_3^+$	$C_{20}H_{37}N_4O_5$ (L-Alanine,N-[N-[N-(1-oxodecyl)-L-alanyl]-L-alanyl]-methyl ester)	55728-11-5		$8.8 \pm 0.1$	PI	5279
$C_{19}H_{28}N_3O_3^+$	$C_{27}H_{40}N_4O_6S$ (L-Cysteine,S-(2-methoxy-2-oxoethyl)-N-[N-[N-(1-oxopropyl)-L-phenylalanyl]-L-leucyl]glycyl]-methyl ester)	35146-63-5		$9.0 \pm 0.1$	PI	5279
$C_{23}H_{32}N_3O_3^+$	$C_{30}H_{43}N_5O_6$ (L-Alanine,N-[N-[N-(1-oxodecyl)glycyl]-L-tryptophyl]-L-alanyl]-methyl ester)	19716-78-0		$9.5 \pm 0.1$	PI	5279
$C_5H_4N_4O_3^+$	$C_5H_4N_4(=O)_3$ (1H-Purine-2,6,8(3H)-trione,7,9-dihydro-)	69-93-2	**	8.15	PE	5093
$C_{25}H_{37}N_4O_3^+$	$C_{30}H_{43}N_5O_6$ (L-Alanine,N-[N-[N-(1-oxodecyl)glycyl]-L-tryptophyl]-L-alanyl]-methyl ester)	19716-78-0		$9.5 \pm 0.1$	PI	5279
$C_7H_5NO_4^+$	$C_6H_4(NO_2)COOH$ (Benzoic acid, 3-nitro-)	121-92-6	**	$10.31 \pm 0.2$	EI	3973
	$C_6H_4(NO_2)COOH$ (Benzoic acid, 4-nitro-)	62-23-7	**	$10.18 \pm 0.2$	EI	3973
$C_8H_7NO_4^+$	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 3-nitrophenyl ester)	1523-06-4	**	$9.43 \pm 0.2$	EI	3484
	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 4-nitrophenyl ester)	830-03-5	**	$9.48 \pm 0.2$	EI	3484
$C_{10}H_{11}NO_4^+$	$C_6H_2(OCH_3)_3(C \equiv NO)$ (Benzonitrile, 2,4,6-trimethoxy-N-oxide)	2904-59-8	**	7.95 (V)	PE	4719
	$C_3(OCH_3)_2O_2NC_5H_5$ (Pyridinium,2-methoxy-1-(methoxycarbonyl)-2-oxoethylide)	1291-37-8	**	7.83	CTS	5591
$C_{13}H_9NO_4^+$	$C_6H_5COOC_6H_4NO_2$ (Benzoic acid, 4-nitrophenyl ester)	959-22-8	**	9.3	EI	5631
$C_{14}H_{13}NO_4^+$	$C_3(OCH_3)_2O_2NC_6H_7$ (Isoquinolium, 2-methoxy-1-(methoxycarbonyl)-2-oxoethylide)	17870-65-4	**	7.67	CTS	5591
	$C_3(OCH_3)_2O_2NC_6H_7$ (Quinolinium,1-(2-methoxy-1-(methoxycarbonyl)-2-oxoethyl)-hydroxide, inner salt)	17870-64-3	**	7.67	CTS	5591
$C_{16}H_{28}NO_4^+$	$C_{20}H_{36}N_2O_6$ (L-Alanine,N-[N-(1-oxodecyl)-L- $\alpha$ -glutamyl]-dimethyl ester)	55728-16-0		$9.7 \pm 0.1$	PI	5279



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>17</sub>H<sub>9</sub>NO<sup>+</sup></b>	C <sub>17</sub> H <sub>9</sub> NO <sub>4</sub> (Naphtho[2,3- <i>f</i> ]quinoline-7,12-dione, 5,6-dihydroxy-)	568-02-5	**	7.35	PI	3586
<b>C<sub>6</sub>H<sub>4</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> ) <sub>2</sub> (Benzene, 1,2-dinitro-)	528-29-0	**	10.71 (V)	PE	4892
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> ) <sub>2</sub> (Benzene, 1,3-dinitro-)	99-65-0	**	10.43 ± 0.02	PI	5505
			**	10.40 (V)	PE	4892
			**	10.62 ± 0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> ) <sub>2</sub> (Benzene, 1,4-dinitro-)	100-25-4	**	10.50 ± 0.02	PI	5552
			**	10.3 ± 0.1	PE	4401
			**	10.65 (V)	PE	4892
			**	10.63 ± 0.1	EI	3447
<b>C<sub>10</sub>H<sub>18</sub>N<sub>2</sub>O<sup>+</sup></b>	<i>trans</i> -(CH <sub>3</sub> C=OOC(CH <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> N=N	55204-45-0	**	8.74 (V)	PE	4429
<b>C<sub>11</sub>H<sub>20</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>11</sub> H <sub>20</sub> N <sub>2</sub> O <sub>4</sub> (L-Alanine, N-(N-acetyl-L-valyl)-methyl ester)	55728-13-7	**	8.6 ± 0.1	PI	5279
<b>C<sub>13</sub>H<sub>10</sub>N<sub>2</sub>O<sup>+</sup></b>	(C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> ) <sub>2</sub> )CH <sub>2</sub> (Benzene, 1,1'-methylenebis[4-nitro-])	1817-74-9	**	9.98 ± 0.05	EI	3806
<b>C<sub>13</sub>H<sub>14</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> NH(=O) <sub>2</sub> NC <sub>8</sub> H <sub>8</sub> (=O) <sub>2</sub> (1H-Isoindole-1,3(2H)-dione, 2-(2,6-dioxo-3-piperidiny)-4,5,6,7-tetrahydro-)	60242-08-2	**	9.50 (V)	PE	5614
<b>C<sub>14</sub>H<sub>12</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> )CH <sub>2</sub> CH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> (Benzene, 1,1'-(1,2-ethanediyl)bis[4-nitro-])	736-30-1	**	9.77 ± 0.05	EI	3806
<b>C<sub>15</sub>H<sub>14</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>3</sub> (OCH <sub>3</sub> ) <sub>2</sub> O <sub>2</sub> (NC <sub>5</sub> H <sub>4</sub> ) <sub>2</sub> (4,4'-Bipyridinium, 2-methoxy-1-(methoxycarbonyl)-2-oxoethylidene)	59805-15-1	**	7.50	CTS	5591
<b>C<sub>16</sub>H<sub>29</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>20</sub> H <sub>34</sub> N <sub>4</sub> O <sub>4</sub> (L-Histidine, N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	31944-64-6		9.6 ± 0.1	PI	5279
<b>C<sub>18</sub>H<sub>30</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>4</sub> (N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ) <sub>2</sub> (COOC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (1,3-Cyclobutadiene-1,3-dicarboxylic acid, 2,4-bis(diethylamino)-, diethyl ester)	20913-35-3	**	7.55 (V)	PE	3885
<b>C<sub>19</sub>H<sub>36</sub>N<sub>2</sub>O<sup>+</sup></b>	C <sub>19</sub> H <sub>36</sub> N <sub>2</sub> O <sub>4</sub> (Glycine, N-[N-(1-oxodecyl)-L-leucyl]-methyl ester)	55728-14-8	**	8.9 ± 0.1	PI	5279
<b>C<sub>6</sub>H<sub>5</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> (NO <sub>2</sub> ) <sub>2</sub> (Benzenamine, 2,5-dinitro-)	619-18-1	**	8.89 ± 0.01	PI	5552
<b>C<sub>16</sub>H<sub>11</sub>N<sub>3</sub>O<sup>+</sup></b>	C <sub>3</sub> H <sub>3</sub> (CN)((C <sub>6</sub> H <sub>4</sub> )NO <sub>2</sub> ) <sub>2</sub> (Cyclopropanecarbonitrile, 1,2-bis( <i>p</i> -nitrophenyl)-)	28752-28-5	**	9.30 ± 0.05	EI	3575

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_{20}\text{H}_{28}\text{N}_3\text{O}_1^+$	$\text{C}_{27}\text{H}_{40}\text{N}_4\text{O}_8\text{S}$ (L-Cysteine,S-(2-methoxy-2-oxoethyl)-N-[N-[N-(1-oxopropyl)-L-phenylalanyl]-L-leucyl]glycyl]-methyl ester)	35146-63-5	**	$9.2 \pm 0.1$	PI	5279
$\text{C}_{25}\text{H}_{37}\text{N}_3\text{O}_1^+$	$\text{C}_{25}\text{H}_{37}\text{N}_3\text{O}_1$ (L-Tryptophan,N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	55728-17-1	**	$7.5 \pm 0.1$	PI	5279
$\text{C}_{20}\text{H}_{31}\text{N}_1\text{O}_1^+$	$\text{C}_{20}\text{H}_{31}\text{N}_1\text{O}_1$ (L-Histidine,N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	31944-64-6	**	$8.7 \pm 0.1$	PI	5279
$\text{C}_{26}\text{H}_{37}\text{N}_4\text{O}_1^+$	$\text{C}_{30}\text{H}_{45}\text{N}_5\text{O}_6$ (L-Alanine,N-[N-[N-(1-oxodecyl)glycyl]-L-tryptophyl]-L-alanyl]-methyl ester)	19716-78-0	**	$9.5 \pm 0.1$	PI	5279
$\text{C}_6\text{H}_4\text{N}_2\text{O}_5^+$	$\text{C}_6\text{H}_3(\text{NO}_2)_2\text{OH}$ (Phenol, 2,4-dinitro-)	51-28-5	**	9.57	PE	5093
$\text{C}_7\text{H}_6\text{N}_2\text{O}_5^+$	$\text{C}_6\text{H}_5(\text{NO}_2)_2\text{OCH}_3$ (Benzene,1-methoxy-2,4-dinitro-)	119-27-7	**	9.30	PE	5093
$\text{C}_{17}\text{H}_{32}\text{N}_2\text{O}_5^+$	$\text{C}_{17}\text{H}_{32}\text{N}_2\text{O}_5$ (L-Serine,N-[N-(1-oxodecyl)-L-alanyl]-methyl ester)	55728-15-9	**	$9.1 \pm 0.1$	PI	5279
$\text{C}_{20}\text{H}_{37}\text{N}_3\text{O}_5^+$	$\text{C}_{20}\text{H}_{37}\text{N}_3\text{O}_5$ (L-Alanine,N-[N-[N-(1-oxodecyl)-L-alanyl]-L-alanyl]-methyl ester)	55728-11-5	**	$8.6 \pm 0.1$	PI	5279
$\text{C}_{23}\text{H}_{43}\text{N}_3\text{O}_5^+$	$\text{C}_{23}\text{H}_{43}\text{N}_3\text{O}_5$ (L-Alanine,N-[N-[N-(1-oxodecyl)-L-alanyl]-L-leucyl]-methyl ester)	55728-12-6	**	$8.4 \pm 0.1$	PI	5279
$\text{C}_{20}\text{H}_{36}\text{N}_2\text{O}_6^+$	$\text{C}_{20}\text{H}_{36}\text{N}_2\text{O}_6$ (L-Alanine,N-[N-(1-oxodecyl)-L- $\alpha$ -glutamyl]-dimethyl ester)	55728-16-0	**	$9.1 \pm 0.1$	PI	5279
$\text{C}_6\text{H}_3\text{N}_3\text{O}_6^+$	$\text{C}_6\text{H}_3(\text{NO}_2)_3$ (Benzene,1,3,5-trinitro-)	99-35-4	**	$10.96 \pm 0.02$	PI	5505
$\text{C}_7\text{H}_5\text{N}_3\text{O}_6^+$	$\text{C}_6\text{H}_2(\text{NO}_2)_3\text{CH}_3$ (Benzene,2-methyl-1,3,5-trinitro-)	118-96-7	**	$10.59 \pm 0.04$	PI	5552
$\text{C}_{30}\text{H}_{45}\text{N}_5\text{O}_6^+$	$\text{C}_{30}\text{H}_{45}\text{N}_5\text{O}_6$ (L-Alanine,N-[N-[N-(1-oxodecyl)glycyl]-L-tryptophyl]-L-alanyl]-methyl ester)	19716-78-0	**	$7.7 \pm 0.1$	PI	5279
$\text{BC}_6\text{H}_{10}\text{NO}^+$	$\text{C}_5\text{H}_4\text{N}(\text{OCH}_3)_2\text{BH}_3$ (Pyridine, 4-methoxy-, compound with borane(1:1))	56898-50-1	**	9.30 (V)	PE	4536
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_2\text{O}^+$	$\text{N}_2\text{B}_2\text{O}(\text{CH}_3)_4$ (1,2,4,3,5-Oxadiazadiborolidine, 2,3,4,5-tetramethyl-)	57877-89-1	**	8.39 (V)	PE	4526
	$\text{N}_2\text{B}_2\text{O}(\text{CH}_3)_4$ (1,3,4,2,5-Oxadiazadiborolidine, 2,3,4,5-tetramethyl-)	40392-38-9	**	7.88 (V)	PE	4526

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{BC}_5\text{H}_7\text{N}_2\text{O}_2^+$	$\text{C}_5\text{H}_7\text{N}(\text{NO}_2)\cdot\text{BH}_3$ (Pyridine, 4-nitro-, compound with borane (1:1))	56898-55-6	**	10.27 (V)	PE	4536
$\text{B}_2\text{C}_5\text{H}_{13}\text{N}_3\text{O}_2^+$	$\text{N}_3\text{B}_2(\text{CH}_3)_2(\text{OCH}_3)_2$ (1,2,4,3,5-Triazadiborolidine, 3,5-dimethoxy-1,2,4-trimethyl-)	53161-86-7	**	7.54 (V)	PE	4526
$\text{B}_2\text{C}_6\text{H}_{18}\text{N}_4\text{O}_2^+$	$\text{B}_2\text{N}_4(\text{CH}_3)_2(\text{OCH}_3)_2$ (1,2,4,5,3,6-Tetrazadiborine, hexahydro-3,6-dimethoxy-1,2,4,5-tetramethyl-)	54154-15-3	**	7.35 (V)	PE	4299
$\text{BC}_6\text{H}_{12}\text{NO}_3^+$	$\text{N}(\text{CH}_2\text{CH}_2\text{O})_3\text{B}$ (2,8,9-Trioxa-5-aza-1-borabicyclo[3.3.3]undecane)	283-56-7	**	9.8 (V)	PE	4413
$\text{F}^+$						
$(^3\text{P}_2)$	$\text{F}(^2\text{P}_{3/2,1/2})$	14762-94-8	**	16.915	S	5247
$(^3\text{P}_1)$			**	17.418	S	5247
$(^1\text{P}_0)$			**	17.431	S	5247
$(^1\text{D}_2)$			**	19.927	S	5247
$(^3\text{P}_1)$			**	$17.47 \pm 0.02$	PE	5087
$(^1\text{D}_2)$			**	$20.05 \pm 0.02$	PE	5087
	$\text{F}_2$	7782-41-4	F	19.008	PI	3928
	$\text{SF}_6$	2551-62-4		$37.5 \pm 1.0$	EI	4645
	$\text{CF}_2\text{Cl}_2$	75-71-8	$\text{CF}^- + 2\text{Cl}$	$25.6 \pm 0.2$	PI	5399
	$\text{GeF}_4$	14929-46-5		$33.0 \pm 0.3$	EI	5154
	$\text{AsF}_3$	7784-35-2	$\text{AsF}_2$	$21.6 \pm 0.3$	EI	5016
			$\text{As} + \text{F}_2$	$29.3 \pm 0.2$	EI	5016
			$\text{As} + 2\text{F}$	31.0	EI	5016
	$\text{AsF}_5$	7784-36-3	$\text{AsF}_4$	$22.1 \pm 0.2$	EI	5016
$\text{F}_2^+$						
$(^2\Pi_g)$	$\text{F}_2$	7782-41-4	**	$15.70 \pm 0.02$	S	3743
$(^2\Pi_g)$			**	15.694	PE	4655
$(^2\Pi_g)$			**	15.70	PE	3507
			**	15.70	PE	5313
$(^2\Pi_u)$			**	18.98 (V)	PE	3507
$(^2\Pi_u)$			**	18.45	OTH	3743
	$\text{SF}_6$	2551-62-4		$18.0 \pm 1.0$	EI	4645
	$\text{AsF}_3$	7784-35-2	$\text{AsF}$	$23.8 \pm 0.1$	EI	5016
$\text{HF}^+$						
	$\text{HF}$	7664-39-3	**	$15.98 \pm 0.04$	PI	5015
			**	$15.98 \pm 0.04$	PI	5307
$(^2\Pi)$			**	$16.03 \pm 0.01$	PE	3500
$(^2\Pi)$			**	16.039	PE	4655
$(^2\Pi)$			**	$16.044 \pm 0.003$	PE	5037
			**	16.06	PE	5313
$(^2\Pi)$			**	16.1	PE	4623
$(^2\Pi)$			**	$16.12 \pm 0.04$ (V)	PE	4970
$(^2\Sigma)$			**	18.6	PE	4623
$(^2\Sigma)$			**	19.118	PE	3500
$(^2\Sigma)$			**	19.118	PE	4655
$(^2\Sigma)$			**	$19.79 \pm 0.05$ (V)	PE	4970
$(^2\Sigma)$			**	39.0 (V)	PE	4623
$(^2\Sigma)$			**	$39.30 \pm 0.04$ (V)	PE	4970
			**	$16.05 \pm 0.04$	AUG	5231
$(^2\Pi)$			**	$16. \pm 1$	EI	4894
$(^2\Pi)$			**	16.05	EI	4879

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>DF<sup>+</sup></b> ( <sup>2</sup> Π) ( <sup>2</sup> Π) ( <sup>2</sup> Σ <sup>+</sup> ) ( <sup>2</sup> Σ <sup>+</sup> )	DF	14333-26-7	** ** ** **	16.058±0.003 16.058 19.162 19.172	PE PE PE PE	5037 4655 4655 3500
<b>H<sub>2</sub>F<sup>+</sup></b>	(HF) <sub>2</sub>	30664-12-1	F	15.65±0.04 15.65±0.06	PI PI	5307 5015
<b>H<sub>3</sub>F<sub>2</sub><sup>+</sup></b>	(HF) <sub>3</sub>	XXXXX-XX-X	F	14.85±0.09	PI	5307
<b>H<sub>4</sub>F<sub>3</sub><sup>+</sup></b>	(HF) <sub>4</sub>	XXXXX-XX-X	F	14.50±0.15	PI	5307
<b>BeF<sup>+</sup></b>	BeF	13597-96-1	**	9.3±1.0	EI	4113
<b>BeF<sub>2</sub><sup>+</sup></b>	BeF <sub>2</sub>	7787-49-7	**	14.5±1.0	EI	4113
<b>BF<sup>+</sup></b>	BF	13768-60-0	**	12±1	EI	4054
<b>BF<sub>2</sub><sup>+</sup></b>	BF <sub>2</sub>	13842-55-2	** **	8±1 9±1	EI EI	3465 4054
	BF <sub>3</sub>	7637-07-2		15.92 16	PI EI	4997 4054
	H <sub>2</sub> NBF <sub>2</sub>	50673-31-9		16.1±0.3	EI	4522
<b>BF<sub>3</sub><sup>+</sup></b>	BF <sub>3</sub>	7637-07-2	** ** ** ** **	15.96±0.01 15.95 (V) 15.71±0.10 17±1 15.25	PE PE EI EI PE	4997 3704 3540 4054 5485
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> OBF <sub>3</sub>	109-63-7	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> O	15.00±0.10	EI	3540
<b>B<sub>2</sub>F<sub>4</sub><sup>+</sup></b>	B <sub>2</sub> F <sub>4</sub>	13965-73-6	**	≤12.23±0.06	PE	3709
<b>CF<sup>+</sup></b>	CF	3889-75-6	** **	9.17±0.1 9.24	EI OTH	4544 3930
	CF <sub>3</sub> C≡CC≡CCF <sub>3</sub>	10524-09-1		19.1±0.1	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Benzene, hexafluoro-)	392-56-3		18.3±0.1	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		15.6±0.5	EI	4961
	C <sub>2</sub> H <sub>3</sub> F	75-02-5	CH <sub>3</sub>	14.50±0.1	PE	4993
	CH <sub>2</sub> =CF <sub>2</sub>	75-38-7	CH <sub>2</sub> F	14.92±0.02	PI	3930
	cis-CHF=CHF	1630-77-9		14.4±0.1	PI	5241
	trans-CHF=CHF	1630-78-0		14.5±0.1	PI	5241
	CF <sub>3</sub> Cl	75-72-9	Cl+F <sub>2</sub>	20.28±0.1	PI	5399
	C <sub>2</sub> F <sub>3</sub> Cl	79-38-9	CF <sub>2</sub> Cl	16.7±0.1	EI	4070
	CF <sub>2</sub> Cl <sub>2</sub>	75-71-8	Cl <sub>2</sub> +F <sup>-</sup> F+Cl <sub>2</sub> F+2Cl	15.30±0.3 17.65 20.20	PI PI PI	5399 5196 5196
	CFCl=CFCl	598-88-9	CFCl <sub>2</sub>	16.5±0.1	EI	4070
	CFCl <sub>3</sub>	75-69-4	3Cl	15.61±0.05	PI	5399

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
CF <sup>+</sup>	CFCl <sub>3</sub>	75-69-4	Cl <sub>2</sub> + Cl 3Cl	15.7	PI	5196
				18.35	PI	5196
C <sub>3</sub> F <sup>+</sup>	C <sub>6</sub> F <sub>6</sub> (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		22.4±0.5	EI	4961
C <sub>3</sub> F <sup>+</sup>	CF <sub>3</sub> C≡CC≡CCF <sub>3</sub>	10524-09-1		23.7±0.5	EI	4961
CF <sub>2</sub> <sup>+</sup> ( <sup>2</sup> A <sub>1</sub> )	CF <sub>2</sub>	2154-59-8	**	11.4±0.3	EI	4544
			**	11.54±0.1	EI	4554
			**	11.42±0.01	PE	4239
			**	16.40 (V)	PE	4239
			**	17.4(V)	PE	4239
			**	19.2 (V)	PE	4239
			**	20.83 (V)	PE	4239
			**	22.2 (V)	PE	4239
			**	24.0 (V)	PE	4239
			**	11.54±0.10	EI	3818
	**	9.74	OTH	3930		
	C <sub>2</sub> F <sub>4</sub> CF <sub>3</sub> NO CF <sub>3</sub> Cl	116-14-3 XXXXXX-XX-X 75-72-9	CF <sub>2</sub>	15.2±0.1	EI	3539
			FNO	16.7±0.2	EI	5220
			F <sup>-</sup> + Cl	15.90±0.3	PI	5399
			F + Cl <sup>-</sup>	16.00±0.1	PI	5399
			F + Cl	18.84	PI	4757
			F + Cl	18.85±0.05	PI	5399
			F + Cl	18.85	PI	5196
			CF <sub>2</sub> Cl <sub>2</sub>	75-71-8	Cl <sub>2</sub>	14.90±0.3
			Cl + Cl	16.98	PI	4757
			2Cl	17.22	PI	5196
C <sub>2</sub> F <sub>2</sub> <sup>+</sup>	C <sub>2</sub> F <sub>2</sub>	689-99-6	**	11.18	PE	4681
			**	11.18	PE	5313
C <sub>3</sub> F <sub>2</sub> <sup>+</sup>	CF <sub>3</sub> C≡CC≡CCF <sub>3</sub>	10524-09-1	F + C <sub>3</sub> F <sub>3</sub>	14.9±0.4	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Benzene, hexafluoro-)	392-56-3		15.8±0.1	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		13.5±0.5	EI	4961
C <sub>4</sub> F <sub>2</sub> <sup>+</sup>	(CF≡C) <sub>2</sub>	64788-23-4	**	10.05	PE	5313
			**	10.35 (V)	PE	4681
	CF <sub>3</sub> C≡CC≡CCF <sub>3</sub>	10524-09-1		18.9±0.5	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Benzene, hexafluoro-)	392-56-3		19.8±0.5	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		16.0±0.5	EI	4961
C <sub>3</sub> F <sub>2</sub> <sup>+</sup>	CF <sub>3</sub> C≡CC≡CCF <sub>3</sub>	10524-09-1		21.2±0.5	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Benzene, hexafluoro-)	392-56-3		20.7±0.1	EI	4961
			F <sub>2</sub> + CF <sub>2</sub>	24.8±0.4	EI	4961
			F + CF <sub>3</sub>	24.8±0.4	EI	4961
	C <sub>6</sub> F <sub>6</sub> (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		17.8±0.5	EI	4961



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3F_2^+$	$C_6F_6$	6733-01-3	$F_2 + CF_2$	$25. \pm 0.4$	EI	4961
			$F + CF_3$	$25. \pm 0.4$	EI	4961
$CF_3^+$	$CF_3$	2264-21-3	**	9.5	OTH	5554
	$CF_4$	75-73-0	F	$14.7 \pm 0.3$	PI	5175
	$CF_3C \equiv CC \equiv CCF_3$	10524-09-1		$17.6 \pm 0.5$	EI	4961
	$C_6F_6$ (Benzene, hexafluoro-)	392-56-3		$15.3 \pm 0.5$	EI	4961
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3	$CF + C_4F_2$	$21.3 \pm 0.4$	EI	4961
			$CF + C_3 + CF_2$	$25.2 \pm 0.4$	EI	4961
				$16.5 \pm 0.5$	EI	4961
	$CH_3CF_3$	420-46-2	$CF + C_4F_2$	$19.4 \pm 0.4$	EI	4961
			$CF + C_3 + CF_2$	$22.7 \pm 0.4$	EI	4961
	$(CF_2 = CH)_2$	407-70-5	$CH_3$	$13.94 \pm 0.1$	EI	3478
	$(CF_3)_2CO$	684-16-2	$C_3H_2F$	$13.9 \pm 0.1$	EI	5554
	$CH_3COCF_3$	421-50-1		13.8	EI	3550
	$CF_3NO$	XXXXXX-XX-X	NO	14.6	EI	3550
	$CF_3Cl$	75-72-9	Cl	$12.6 \pm 0.1$	EI	5220
	$C_2F_5I$	354-64-3		12.55	PI	5196
			Cl	12.65	PI	4757
			$CF_2, I$	$13.73 \pm 0.1$	EI	4862
$C_2F_3^+$	$C_2F_3Cl$	79-38-9	Cl	$15.4 \pm 0.1$	EI	4070
$C_3F_3^+$	$CF_3C \equiv CC \equiv CCF_3$	10524-09-1		$15.0 \pm 0.2$	EI	4961
	$C_6F_6$ (Benzene, hexafluoro-)	392-56-3	$C_3F_3$	$16.5 \pm 0.4$	EI	4961
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		$17.1 \pm 0.2$	EI	4961
			$CF + C_2F_2$	$21 \pm 0.4$	EI	4961
				$15.0 \pm 0.2$	EI	4961
			$C_3F_3$	$15.6 \pm 0.4$	EI	4961
			$CF + C_2F_2$	$19.6 \pm 0.4$	EI	4961
$C_4F_3^+$	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		$16.8 \pm 0.2$	EI	4961
$C_5F_3^+$	$CF_3C \equiv CC \equiv CCF_3$	10524-09-1		$14.8 \pm 0.2$	EI	4961
			$CF_3$	$15. \pm 0.4$	EI	4961
			$F + CF_2$	$18.4 \pm 0.4$	EI	4961
			$F + CF_2$	$18.5 \pm 0.4$	EI	4961
			$CF + F_2$	$23.6 \pm 0.4$	EI	4961
	$C_6F_6$ (Benzene, hexafluoro-)	392-56-3		$15.8 \pm 0.1$	EI	4961
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3	$CF_3$	$16.1 \pm 0.4$	EI	4961
			$F + CF_2$	$18.8 \pm 0.4$	EI	4961
			$F + CF_2$	$18.8 \pm 0.4$	EI	4961
				$13.8 \pm 0.1$	EI	4961
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3	$CF_3$	$15. \pm 0.4$	EI	4961
			$F + CF_2$	$17.5 \pm 0.4$	EI	4961
			$F + CF_2$	$17.7 \pm 0.4$	EI	4961
$CF_4^+$	$CF_4$	75-73-0	**	$16.25 \pm 0.04$ (V)	PE	3880

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2F_4^+$	$C_2F_4$	116-14-3	**	10.10	PE	3649
			**	10.14	PE	5408
			**	10.32	PE	3589
			**	10.52 (V)	PE	4084
			**	10.56±0.02 (V)	PE	5017
	$C_4H_4F_4$ (Cyclobutane, 1,1,2,2-tetrafluoro-)	374-12-9	$C_2H_4$	12.60	EI	4553
$C_3F_4^+$	1,2- $C_3F_4$	461-68-7	**	11.24 (V)	PE	5105
$C_4F_4^+$	$CF_2=C=C=CF_2$	2252-95-1	**	9.30 (V)	PE	4738
$C_5F_4^+$	$CF_3C\equiv CC\equiv CF$	64788-24-5	**	10.85 (V)	PE	4681
	$CF_3C\equiv CC\equiv CCF_3$	10524-09-1		14.2±0.2	EI	4961
	$C_6F_6$ (Benzene, hexafluoro-)	392-56-3	$CF_2$	15.5±0.4	EI	4961
			$CF_2$	16.3±0.4	EI	4961
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		16.4±0.2	EI	4961
				13.8±0.2	EI	4961
$C_6F_4^+$	$CF_3C\equiv CC\equiv CCF_3$	10524-09-1		14.8±0.4	EI	4961
$C_2F_5^+$	$C_2F_5I$	354-64-3	I	11.71±0.1	EI	4862
$C_5F_5^+$	$C_6F_6$ (Benzene, hexafluoro-)	392-56-3		16.4±0.2	EI	4961
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		18.5±0.2	EI	4961
$C_6F_5^+$	$CF_3C\equiv CC\equiv CCF_3$	10524-09-1		14.8±0.2	EI	4961
	$C_6F_6$ (Benzene, hexafluoro-)	392-56-3	F	15.1±0.4	EI	4961
			F	16.86±0.05	EI	4127
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3		17.2±0.2	EI	4961
				14.6±0.2	EI	4961
	$C_6F_5Cl$ (Benzene, chloropentafluoro-)	344-07-0	Cl	15.85±0.05	EI	4127
	$C_6F_5Br$ (Benzene, bromopentafluoro-)	344-04-7	Br	14.93±0.05	EI	4127
	$C_6F_5I$ (Benzene, pentafluoroiodo-)	827-15-6	I	13.21±0.05	EI	4127
$C_2F_6^+$	$C_2F_6$	76-16-4	**	14.6 (V)	PE	4321
$C_3F_6^+$	$CF_3CF=CF_2$	116-15-4	**	10.62	PE	3589
			**	10.62	PE	4165
$C_4F_6^+$	$CF_3C\equiv CCF_3$	692-50-2	**	12.31	PE	3589

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4F_6^+$	$CF_3C\equiv CCF_3$	692-50-2	**	$12.35\pm 0.01$	PE	4633
$C_6F_6^+$	$CF_3C\equiv CC\equiv CCF_3$	10524-09-1	**	$10.99\pm 0.01$	PE	4633
			**	$11.5\pm 0.1$	EI	4961
	$C_6F_6$ (Benzene, hexafluoro-)	392-56-3	**	$9.90\pm 0.01$	S	3559
			**	$9.90\pm 0.05$	PE	4821
			**	9.90 (V)	PE	3873
			**	9.91	PE	5408
			**	9.93	PE	3637
			**	10.09 (V)	PE	4884
			**	10.14 (V)	PE	5252
			**	$10.2\pm 0.1$	EI	4961
			**	10.09 (V)	PE	4472
	$C_6F_6$ (Bicyclo[2.2.0]hexa-2,5-diene, 1,2,3,4,5,6-hexafluoro-)	6733-01-3	**	$10.08\pm 0.05$	PE	4414
			**	10.4 (V)	PE	4453
			**	$10.4\pm 0.1$	EI	4961
$C_4F_8^+$	<i>cis</i> -2- $C_4F_8$	1516-65-0	**	11.46 (V)	PE	4084
	<i>trans</i> -2- $C_4F_8$	1516-64-9	**	11.55 (V)	PE	3649
			**	11.55 (V)	PE	4084
$C_7F_8^+$	$C_6F_5CF_3$ (Benzene, pentafluoro(trifluoromethyl)-)	434-64-0	**	9.9	PE	5521
			**	9.9 (V)	PE	5461
$C_{10}F_8^+$	$C_{10}F_8$ (Naphthalene, octafluoro-)	313-72-4	**	8.85	PE	3637
			**	$8.90\pm 0.05$	PE	4821
$C_{12}F_8^+$	$C_{12}F_8$ (Acenaphthylene, octafluoro-)	1554-93-4	**	$9.1\pm 0.1$ (V)	PE	4821
$C_8F_{10}^+$	$C_6F_4(CF_3)_2$ (Benzene, 1,2,4,5-tetrafluoro-3,6-bis(trifluoromethyl)-)	651-89-8	**	9.9	PE	5521
			**	9.9 (V)	PE	5461
$C_{12}F_{10}^+$	$(C_6F_5)_2$ (1,1'-Biphenyl, decafluoro-)	434-90-2	**	$9.40\pm 0.02$	PE	3702
$C_{14}F_{10}^+$	$C_{14}F_{10}$ (Anthracene, decafluoro-)	1580-19-4	**	$8.28\pm 0.05$	PE	4821
	$C_{14}F_{10}$ (Phenanthrene, decafluoro-)	1580-20-7	**	$8.75\pm 0.05$	PE	4821
$C_{16}F_{10}^+$	$C_{16}F_{10}$ (Pyrene, decafluoro-)	1493-68-1	**	$8.36\pm 0.05$	PE	4821
$C_6F_{12}^+$	$(CF_3)_2C=C(CF_3)_2$	360-57-6	**	12.61 (V)	PE	4084

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CHF<sup>+</sup></b>	<i>cis</i> -CHF=CHF	1630-77-9	CHF	18.1±0.2	PI	5241
	<i>trans</i> -CHF=CHF	1630-78-0	CHF	18.1±0.2	PI	5241
<b>CH<sub>2</sub>F<sup>+</sup></b>	CH <sub>2</sub> F	3744-29-4	**	8.90	EI	3732
			**	9.16±0.02	OTH	3930
	CH <sub>2</sub> F <sub>2</sub>	75-10-5	F	14.06	EI	3732
	CH <sub>2</sub> =CF <sub>2</sub>	75-38-7	CF	14.84±0.02	PI	3930
	<i>cis</i> -CHF=CHF	1630-77-9	CF	14.3±0.1	PI	5241
	<i>trans</i> -CHF=CHF	1630-78-0	CF	14.3±0.1	PI	5241
<b>C<sub>2</sub>HF<sup>+</sup></b>	C <sub>2</sub> HF	2713-09-9	**	11.26	PE	5313
	C <sub>2</sub> H <sub>3</sub> F	75-02-5	H <sub>2</sub>	13.72±0.02	PI	3930
				13.72	PI	5352
			H <sub>2</sub>	13.70±0.1	PE	4993
	CH <sub>2</sub> =CF <sub>2</sub>	75-38-7	HF	14.18±0.03	PI	3930
	<i>trans</i> -CHF=CHF	1630-78-0	HF	13.7±0.1	PI	5241
<b>C<sub>2</sub>H<sub>2</sub>F<sup>+</sup></b>	C <sub>2</sub> H <sub>3</sub> F	75-02-5	H	13.56±0.04	PI	3930
			H	13.56	PI	5352
			H	13.55	PE	4993
	CH <sub>2</sub> =CF <sub>2</sub>	75-38-7	F	14.37±0.02	PI	3930
	<i>cis</i> -CHF=CHF	1630-77-9	F	13.9±0.1	PI	5241
	<i>trans</i> -CHF=CHF	1630-78-0	F	13.9±0.1	PI	5241
	CH <sub>2</sub> =CFCl	2317-91-1	Cl	13.7±0.1	EI	4070
<b>C<sub>2</sub>H<sub>3</sub>F<sup>+</sup></b>	C <sub>2</sub> H <sub>3</sub> F	75-02-5	**	10.35±0.01	PI	3930
			**	10.363±0.015	PI	5616
			**	10.3	PE	4993
			**	10.36	PE	5408
			**	10.37	PE	5352
			**	10.56±0.02 (V)	PE	5017
	(CH <sub>3</sub> ) <sub>2</sub> CHF	420-26-8	CH <sub>4</sub>	11.53±0.03	PI	5003
<b>C<sub>2</sub>H<sub>4</sub>F<sup>+</sup></b>	CH <sub>3</sub> CHF	29526-61-2	**	7.93	PI	5003
	C <sub>2</sub> H <sub>5</sub> F	353-36-6	H	12.04±0.03	PI	5003
	(CH <sub>3</sub> ) <sub>2</sub> CHF	420-26-8	CH <sub>3</sub>	11.75±0.03	PI	5003
	CH <sub>3</sub> CHF <sub>2</sub>	75-37-6	F	14.80±0.1	EI	3478
<b>C<sub>2</sub>H<sub>5</sub>F<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> F	353-36-6	**	12.43 (V)	PE	3984
			**	12.43 (V)	PE	4321
			**	12.43 (V)	PE	5088
<b>C<sub>3</sub>HF<sup>+</sup></b>	CHF <sub>2</sub> C≡CH	18371-25-0	HF	12.6±0.15	EI	3769
<b>C<sub>3</sub>H<sub>2</sub>F<sup>+</sup></b>	CHF <sub>2</sub> C≡CH	18371-25-0	F	14.2±0.2	EI	3769
	(CF <sub>2</sub> =CH) <sub>2</sub>	407-70-5	CF <sub>3</sub>	12.4±0.1	EI	5554
<b>C<sub>3</sub>H<sub>3</sub>F<sup>+</sup></b>	CH <sub>2</sub> FC≡CH	2805-22-3	**	10.95 (V)	PE	4684
<b>C<sub>3</sub>H<sub>4</sub>F<sup>+</sup></b>	C <sub>3</sub> H <sub>4</sub> F <sub>4</sub>	374-12-9	CF <sub>3</sub>	12.85	EI	4553
	(Cyclobutane, 1,1,2,2-tetrafluoro-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_3F^+$	$CH_2=CHCH_2F$	818-92-8	**	10.11	PE	3863
			**	10.38 (V)	PE	4260
			**	10.56 (V)	PE	4091
$C_3H_6F^+$	$(CH_3)_2CF$	14665-81-7	**	7.14	PI	5003
	$(CH_3)_2CHF$	420-26-8	H	$11.23 \pm 0.03$	PI	5003
$C_3H_7F^+$	$(CH_3)_2CHF$	420-26-8	**	$11.08 \pm 0.02$	PI	5003
	$n-C_3H_7F$	460-13-9	**	11.96 (V)	PE	3984
$C_4HF^+$	$CF \equiv CC \equiv CH$	XXXXXX-XX-X	**	10.10	PE	5313
$C_6H_4F^+$	$C_6H_4(F)COOH$ (Benzoic acid, 3-fluoro-)	455-38-9	$CO + OH$	$15.25 \pm 0.2$	EI	3973
	$C_6H_4(F)COOH$ (Benzoic acid, 4-fluoro-)	456-22-4	$CO + OH$	$15.33 \pm 0.2$	EI	3973
	$C_6H_4FNO_2$ (Benzene, 1-fluoro-3-nitro-)	402-67-5	$NO_2$	$12.22 \pm 0.1$	EI	3447
	$C_6H_4FNO_2$ (Benzene, 1-fluoro-4-nitro-)	350-46-9	$NO_2$	$12.37 \pm 0.1$	EI	3447
$C_6H_5F^+$	$C_6H_5F$ (Benzene, fluoro-)	462-06-6	**	9.20	S	3559
			**	9.11	PE	3955
			**	9.17	PE	4621
			**	9.19 (V)	PE	3873
			**	9.22	PE	5408
			**	9.22 (V)	PE	5125
			**	$9.35 \pm 0.03$ (V)	PE	3713
			**	9.37 (V)	PE	4884
			**	9.75	EI	4834
	$C_6H_5FOCH_3$ (Benzene, 1-fluoro-3-methoxy-)	456-49-5	$CH_2O$	$11.76 \pm 0.1$	EI	3446
	$C_6H_5FOCH_3$ (Benzene, 1-fluoro-4-methoxy-)	459-60-9	$CH_2O$	$11.55 \pm 0.1$	EI	3446
$C_7H_6F^+$	$C_6H_5FC_4H_9$ (Benzene, 1-butyl-3-fluoro-)	20651-66-5		$11.69 \pm 0.1$	EI	3629
	$C_6H_5FC_4H_9$ (Benzene, 1-butyl-4-fluoro-)	20651-65-4		$11.25 \pm 0.1$	EI	3629
$C_7H_7F^+$	$C_6H_5CH_2F$ (Benzene, (fluoromethyl)-)	350-50-5	**	9.55 (V)	PE	3992
	$C_6H_5FC_4H_9$ (Benzene, 1-butyl-3-fluoro-)	20651-66-5	$CH_2=CHCH_3$	$10.21 \pm 0.1$	EI	3629
	$C_6H_5FC_4H_9$ (Benzene, 1-butyl-4-fluoro-)	20651-65-4	$CH_2=CHCH_3$	$10.29 \pm 0.1$	EI	3629
$C_{10}H_{13}F^+$	$C_6H_5FC_4H_9$ (Benzene, 1-butyl-3-fluoro-)	20651-66-5	**	$9.19 \pm 0.1$	EI	3629
	$C_6H_5FC_4H_9$ (Benzene, 1-butyl-4-fluoro-)	20651-65-4	**	$9.15 \pm 0.1$	EI	3629



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{15}F^+$	$C_{10}H_{15}F$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 2-fluoro-)	16668-83-0	**	9.46	PE	3886
$C_{11}H_9F^+$	$C_{11}H_9(F)$ (1,4-Methanonaphthalene, 5-fluoro-1,4-dihydro-)	61346-81-4	**	$8.66 \pm 0.05$ (V)	PE	5019
	$C_{11}H_9(F)$ (1,4-Methanonaphthalene, 6-fluoro-1,4-dihydro-)	58653-71-7	**	$8.62 \pm 0.05$ (V)	PE	5019
$C_{12}H_9F^+$	$C_6H_5-C_6H_4F$ (1,1'-Biphenyl, 2-fluoro-)	321-60-8	**	$8.20 \pm 0.02$	PE	3702
	$C_6H_5-C_6H_4F$ (1,1'-Biphenyl, 4-fluoro-)	324-74-3	**	$8.00 \pm 0.02$	PE	3702
$C_{14}H_9F^+$	$C_{14}H_9F$ (Anthracene, 9-fluoro-)	529-85-1	**	$7.46 \pm 0.03$ (V)	PE	4887
$CHF_2^+$	$CHF_2$	2670-13-5	**	$\leq 8.90$	EI	3732
			**	9.45	OTH	5554
	$CH_2F_2$	75-10-5	H	13.11	EI	3732
	$CHF_2C \equiv CH$	18371-25-0	$C_2H$	$13.8 \pm 0.1$	EI	3769
	$(CF_2 = CH)_2$	407-70-5	$C_3F_2H$	$14.3 \pm 0.1$	EI	5554
$C_2HF_2^+$	$CH_2 = CF_2$	75-38-7	H	$15.80 \pm 0.04$	PI	3930
	<i>cis</i> -CHF=CHF	1630-77-9	H	$14.9 \pm 0.2$	PI	5241
	<i>trans</i> -CHF=CHF	1630-78-0	H	$15.4 \pm 0.2$	PI	5241
$C_2H_2F_2^+$	$CH_2 = CF_2$	75-38-7	**	$10.29 \pm 0.01$	PI	3930
			**	10.29	PE	5408
			**	$10.69 \pm 0.02$ (V)	PE	5017
	<i>cis</i> -CHF=CHF	1630-77-9	**	10.23	PE	5408
			**	10.43 (V)	PE	3649
			**	$10.44 \pm 0.02$ (V)	PE	5017
	<i>trans</i> -CHF=CHF	1630-78-0	**	10.21	PE	5408
			**	$10.38 \pm 0.02$ (V)	PE	5017
			**	10.38 (V)	PE	3649
	$(CH_2)_2CF_2$	420-45-1	$CH_4$	$11.57 \pm 0.03$	PI	5003
	$C_4H_4F_4$	374-12-9	$C_2H_2F_2$	12.15	EI	4553
	(Cyclobutane, 1,1,2,2-tetrafluoro-)					
$C_2H_3F_2^+$	$CH_3CF_2$	40640-67-3	**	7.92	PI	5003
	$CH_3CHF_2$	75-37-6	H	$12.18 \pm 0.03$	PI	5003
	$(CH_3)_2CF_2$	420-45-1	$CH_3$	$11.81 \pm 0.03$	PI	5003
	$CH_3CF_3$	420-46-2	F	$15.14 \pm 0.1$	EI	3478
$C_2H_4F_2^+$	$CH_3CHF_2$	75-37-6	**	12.8 (V)	PE	4321
$C_3HF_2^+$	$CHF_2C \equiv CH$	18371-25-0	H	$12.9 \pm 0.1$	EI	3769
	$(CF_2 = CH)_2$	407-70-5	$CF_2H$	$14.0 \pm 0.1$	EI	5554
$C_3H_2F_2^+$	$CF_2 = C = CH_2$	430-64-8	**	$9.79 \pm 0.03$	PE	4833
	$CHF_2C \equiv CH$	18371-25-0	**	$11.6 \pm 0.1$	EI	3769
	(1,2-Propadiene, 1,1-difluoro-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_2F_2^+$	$(CF_2=CH)_2$	407-70-5	$CF_2$	$14.4 \pm 0.2$	EI	5554
$C_3H_6F_2^+$	$(CH_3)_2CF_2$	420-45-1	**	$11.42 \pm 0.02$	PI	5003
$C_6H_4F_2^+$	$C_6H_4F_2$ (Benzene, 1,2-difluoro-)	367-11-3	**	9.30	S	4271
			**	9.30 (V)	PE	3873
			**	$9.6 \pm 0.03$ (V)	PE	3713
	$C_6H_4F_2$ (Benzene, 1,3-difluoro-)	372-18-9	**	9.35	S	4271
			**	9.32 (V)	PE	3873
			**	$9.6 \pm 0.03$ (V)	PE	3713
	$C_6H_3F_2$ (Benzene, 1,4-difluoro-)	540-36-3	**	9.18	S	4271
			**	9.15 (V)	PE	3873
			**	9.29	PE	5408
			**	$9.4 \pm 0.03$ (V)	PE	3713
$C_{12}H_8F_2^+$	$(C_6H_4F)_2$ (1,1'-Biphenyl, 2,2'-difluoro-)	388-82-9	**	$8.35 \pm 0.02$	PE	3702
	$(C_6H_4F)_2$ (1,1'-Biphenyl, 3,3'-difluoro-)	396-64-5	**	$8.35 \pm 0.02$	PE	3702
	$(C_6H_4F)_2$ (1,1'-Biphenyl, 4,4'-difluoro-)	398-23-2	**	$8.00 \pm 0.02$	PE	3702
$CHF_3^+$	$CF_3H$	75-46-7	**	$14.8 \pm 0.05$ (V)	PE	5419
$C_2HF_3^+$	$C_2HF_3$	359-11-5	**	10.14	PE	5408
			**	10.53 (V)	PE	3649
			**	$10.54 \pm 0.02$ (V)	PE	5017
$C_2H_3F_3^+$	$CH_3CF_3$	420-46-2	**	$13.26 \pm 0.1$	EI	3478
			**	13.8 (V)	PE	4321
$C_3HF_3^+$	$CF_3C \equiv CH$	661-54-1	**	11.83	PE	3589
			**	$11.96 \pm 0.02$	PE	4765
$C_4H_2F_3^+$	$(CF_2=CH)_2$	407-70-5	F	$15.2 \pm 0.1$	EI	5554
$C_4H_4F_3^+$	$C_4H_4F_4$ (Cyclobutane, 1,1,2,2-tetrafluoro-)	374-12-9	$F^-$	$13.5 \pm 1$	EI	4553
$C_6H_3F_3^+$	$C_6H_3F_3$ (Benzene, 1,3,5-trifluoro-)	372-38-3	**	9.26 (V)	PE	3873
			**	9.64	PE	3764
			**	9.64	PE	5408
$C_7H_5F_3^+$	$C_6H_5CF_3$ (Benzene, (trifluoromethyl)-)	98-08-8	**	9.68	PE	4621

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>9</sub>H<sub>9</sub>F<sub>3</sub><sup>+</sup></b>	C <sub>9</sub> F <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> (Benzene, 1,3,5-trifluoro-2,4,6-trimethyl-)	363-64-4	**	8.76±0.02	PE	5521
			**	8.76 (V)	PE	5461
<b>C<sub>4</sub>H<sub>2</sub>F<sub>4</sub><sup>+</sup></b>	(CF <sub>2</sub> =CH) <sub>2</sub>	407-70-5	**	10.6±0.1	EI	5554
<b>C<sub>6</sub>H<sub>2</sub>F<sub>4</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>2</sub> F <sub>4</sub> (Benzene, 1,2,3,4-tetrafluoro-)	551-62-2	**	9.56 (V)	PE	3873
			**	9.60	PE	5408
	C <sub>6</sub> H <sub>2</sub> F <sub>4</sub> (Benzene, 1,2,3,5-tetrafluoro-)	2367-82-0	**	9.56 (V)	PE	3873
			**	9.36 (V)	PE	3873
<b>C<sub>7</sub>H<sub>4</sub>F<sub>4</sub><sup>+</sup></b>	C <sub>6</sub> HF <sub>3</sub> CH <sub>3</sub> (Benzene, 1,2,4,5-tetrafluoro-3-methyl-)	5230-78-4	**	9.16±0.02	PE	5521
			**	9.16 (V)	PE	5461
<b>C<sub>6</sub>HF<sub>5</sub><sup>+</sup></b>	C <sub>6</sub> HF <sub>5</sub> (Benzene, pentafluoro-)	363-72-4	**	9.82	S	3559
			**	9.64 (V)	PE	3873
			**	9.73	PE	5408
			**	9.90 (V)	PE	5252
<b>C<sub>7</sub>H<sub>3</sub>F<sub>5</sub><sup>+</sup></b>	C <sub>6</sub> F <sub>5</sub> CH <sub>3</sub> (Benzene, pentafluoromethyl-)	771-56-2	**	9.4	PE	5521
			**	9.4 (V)	PE	5461
			**	9.81 (V)	PE	5252
<b>C<sub>8</sub>H<sub>3</sub>F<sub>5</sub><sup>+</sup></b>	C <sub>6</sub> F <sub>5</sub> CH=CH <sub>2</sub> (Benzene, ethenylpentafluoro-)	653-34-9	**	9.18±0.02	PE	3854
<b>C<sub>16</sub>H<sub>8</sub>F<sub>8</sub><sup>+</sup></b>	C <sub>16</sub> H <sub>8</sub> F <sub>8</sub> (Tricyclo[8.2.2.2 <sup>4,7</sup> ]hexadeca-4,6,10,12,13,15-hexaene, 2,2,3,3,8,8,9,9-octafluoro-)	3345-29-7	**	8.90	PE	4158
<b>BCH<sub>3</sub>F<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> BF <sub>2</sub> (Borane, difluoromethyl)	373-64-8	**	13.16 (V)	PE	5485
<b>BC<sub>2</sub>H<sub>6</sub>F<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> BF	353-46-8	**	11.22 (V)	PE	4243
			**	11.25 (V)	PE	5485
<b>BC<sub>6</sub>H<sub>5</sub>F<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> BF <sub>2</sub> (Borane, difluorophenyl-)	368-98-9	**	9.61 (V)	PE	4956
<b>BC<sub>21</sub>H<sub>15</sub>F<sub>4</sub><sup>+</sup></b>	C <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> BF <sub>4</sub> (Cyclopropenium, triphenyl-, tetrafluoroborate(1-))	741-16-2	**	8.65±0.05	EI	4628
<b>NF<sup>+</sup></b>	NF <sub>2</sub>	3744-07-8	F <sup>-</sup>	11.86±0.2	EI	3785

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
NF <sup>+</sup>	NF <sub>2</sub>	3744-07-8	F	15.46±0.2	EI	3785
	N <sub>2</sub> F <sub>4</sub>	10036-47-2	NF <sub>2</sub> +F	16.6	EI	3785
	(CH <sub>3</sub> ) <sub>2</sub> C(NF <sub>2</sub> ) <sub>2</sub>	19309-63-8		13.9±0.3	EI	3634
	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		13.0±0.3	EI	3634
N <sub>2</sub> F <sup>+</sup>	N <sub>2</sub> F <sub>4</sub>	10036-47-2	F <sub>2</sub> +F	14.2±0.3	EI	3785
			3F	16.7±0.3	EI	3785
NF <sub>2</sub> <sup>+</sup>	NF <sub>2</sub>	3744-07-8	**	12.1±0.1 (V)	PE	3671
			**	12.1	PE	3693
			**	14.6±0.1 (V)	PE	3671
			**	14.6	PE	3693
			**	16.4	PE	3693
			**	17.6	PE	3693
			**	11.76±0.1	EI	3785
	N <sub>2</sub> F <sub>4</sub>	10036-47-2	F <sup>-</sup> +NF	12.40±0.1	EI	3785
			NF <sub>2</sub>	12.70±0.1	EI	3785
	(CH <sub>3</sub> ) <sub>2</sub> C(NF <sub>2</sub> ) <sub>2</sub>	19309-63-8		13.9±0.4	EI	3634
	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		14.8±0.4	EI	3634
N <sub>2</sub> F <sub>2</sub> <sup>+</sup>	<i>trans</i> -N <sub>2</sub> F <sub>2</sub>	13776-62-0	**	12.8	PE	3649
	N <sub>2</sub> F <sub>4</sub>	10036-47-2	2F	16.0±0.1	EI	3785
NF <sub>3</sub> <sup>+</sup>	NF <sub>3</sub>	7783-54-2	**	12.97±0.04	PE	3641
			**	13.18±0.1	EI	3578
N <sub>2</sub> F <sub>4</sub> <sup>+</sup>	N <sub>2</sub> F <sub>4</sub>	10036-47-2	**	12.00±0.1	EI	3785
HNF <sub>2</sub> <sup>+</sup>	HNF <sub>2</sub>	10405-27-3	**	11.53±0.08	PE	5253
HBNF <sup>+</sup>	H <sub>2</sub> NBF <sub>2</sub>	50673-31-9	HF	14.0±0.2	EI	4522
H <sub>2</sub> BNF <sup>+</sup>	H <sub>2</sub> NBF <sub>2</sub>	50673-31-9	F	16.1±0.4	EI	4522
H <sub>2</sub> BNF <sub>2</sub> <sup>+</sup>	H <sub>2</sub> NBF <sub>2</sub>	50673-31-9	**	12.4±0.4	EI	4522
H <sub>3</sub> B <sub>3</sub> N <sub>3</sub> F <sub>3</sub> <sup>+</sup>	B <sub>3</sub> H <sub>3</sub> N <sub>3</sub> F <sub>3</sub> (Borazine, 2,4,6-trifluoro-)	13779-24-3	**	10.46	PE	3637
			**	10.66 (V)	PE	3673
			**	10.66 (V)	PE	3943
CNF <sup>+</sup>	FCN	1495-50-7	**	13.34±0.02	PE	4676
			**	14.48±0.02	PE	4676
			**	19.3±0.1 (V)	PE	4676
			**	22.6±0.1 (V)	PE	4676
C <sub>3</sub> NF <sup>+</sup>	CF≡CCN	32038-83-8	**	11.51±0.02	PE	4765

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CN}_2\text{F}_2^+$	$\text{CF}_2\text{N}_2$ (3 <i>H</i> -Diazirine, 3,3-difluoro-)	693-85-6	**	11.2	PE	3727
$\text{C}_4\text{NF}_3^+$	$\text{CF}_3\text{C}\equiv\text{CCN}$	66051-48-7	**	$12.00\pm 0.02$	PE	4765
$\text{C}_3\text{N}_3\text{F}_3^+$	$\text{C}_3\text{N}_3\text{F}_3$ (1,3,5-Triazine, 2,4,6-trifluoro-)	675-14-9	**	11.5	PE	3637
$\text{C}_4\text{N}_2\text{F}_4^+$	$\text{C}_3\text{F}_4\text{N}_2$ (Pyrazine, tetrafluoro-)	13177-77-0	**	10.34 (V)	PE	4330
	$\text{C}_3\text{F}_4\text{N}_2$ (Pyridazine, tetrafluoro-)	7627-80-7	** **	10.37 (V) 10.70 (V)	PE PE	5530 4330
	$\text{C}_3\text{F}_4\text{N}_2$ (Pyrimidine, tetrafluoro-)	767-79-3	** **	11.15 10.75 (V)	PE PE	5530 4330
			**	10.82 (V)	PE	5530
$\text{C}_8\text{N}_2\text{F}_4^+$	$\text{C}_6\text{F}_4(\text{CN})_2$ (1,2-Benzenedicarbonitrile, 3,4,5,6-tetrafluoro-)	1835-65-0	**	10.60 (V)	PE	4969
	$\text{C}_6\text{F}_4(\text{CN})_2$ (1,4-Benzenedicarbonitrile, 2,3,5,6-tetrafluoro-)	1835-49-0	**	10.65 (V)	PE	4969
$\text{C}_5\text{NF}_5^+$	$\text{C}_5\text{F}_5\text{N}$ (Pyridine, pentafluoro-)	700-16-3	**	10.07	PE	4867
			**	10.08	PE	3637
$\text{C}_7\text{NF}_5^+$	$\text{C}_6\text{F}_5\text{CN}$ (Benzonitrile, pentafluoro-)	773-82-0	**	10.1	PE	5521
			**	10.1 (V)	PE	5461
			**	10.45 (V)	PE	4969
$\text{C}_2\text{N}_2\text{F}_6^+$	<i>cis</i> - $\text{CF}_3\text{N}=\text{NCF}_3$	XXXXX-XX-X	**	10.5	PE	3649
$\text{C}_6\text{F}_6\text{N}_2^+$	$\text{C}_6\text{F}_6\text{N}_2$	2167-31-9	**	$11.85\pm 0.05$ (V)	PE	4859
$\text{C}_8\text{N}_2\text{F}_6^+$	$\text{C}_8\text{N}_2(\text{F})_6$ (Cinnoline, hexafluoro-)	28734-86-3	**	9.66 (V)	PE	3959
	$\text{C}_8\text{N}_2\text{F}_6$ (1,8-Naphthyridine, 2,3,4,5,6,7-hexafluoro-)	56595-12-1	**	$\sim 10.01$ (V)	PE	4523
	$\text{C}_8\text{N}_2\text{F}_6$ (2,7-Naphthyridine, 1,3,4,5,6,8-hexafluoro-)	56595-14-3	**	9.50 (V)	PE	4523
	$\text{C}_8\text{N}_2(\text{F})_6$ (Phthalazine, hexafluoro-)	25732-35-8	**	9.90 (V)	PE	3959
	$\text{C}_8\text{N}_2(\text{F})_6$ (Quinoxaline, hexafluoro-)	28734-87-4	**	9.43 (V)	PE	3959
	$\text{C}_8\text{N}_2(\text{F})_6$ (Quinoxaline, hexafluoro-)	21271-15-8	**	9.65 (V)	PE	3959
$\text{C}_9\text{NF}_7^+$	$\text{C}_9\text{NF}_7$ (Isoquinoline, heptafluoro-)	13180-39-7	**	9.29 (V)	PE	3723



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>9</sub>NF<sub>7</sub><sup>+</sup></b>	C <sub>9</sub> NF <sub>7</sub> (Quinoline, heptafluoro-)	13180-38-6	**	9.51 (V)	PE	3723
<b>CH<sub>2</sub>NF<sup>+</sup></b>	CH <sub>2</sub> (NF <sub>2</sub> )CH(NF <sub>2</sub> )CH <sub>3</sub>	15403-25-5	CH <sub>3</sub> C(NF <sub>2</sub> )FH?	11.5±0.2	EI	3634
	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		11.9±0.2	EI	3634
<b>C<sub>2</sub>H<sub>2</sub>NF<sup>+</sup></b>	CH <sub>2</sub> FCN	503-20-8	**	12.67 (V)	PE	4684
<b>C<sub>2</sub>H<sub>3</sub>NF<sup>+</sup></b>	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		16.8±0.4	EI	3634
<b>C<sub>3</sub>H<sub>6</sub>NF<sup>+</sup></b>	CH <sub>2</sub> (NF <sub>2</sub> )CH(NF <sub>2</sub> )CH <sub>3</sub>	15403-25-5		14.6±0.3	EI	3634
<b>C<sub>6</sub>H<sub>6</sub>NF<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (F)(NH <sub>2</sub> ) (Benzenamine, 2-fluoro-)	348-54-9	**	8.18 (V)	PE	4893
			**	8.50	EI	4834
	C <sub>6</sub> H <sub>3</sub> (F)(NH <sub>2</sub> ) (Benzenamine, 3-fluoro-)	372-19-0	**	8.32 (V)	PE	4893
	C <sub>6</sub> H <sub>3</sub> (F)(NH <sub>2</sub> ) (Benzenamine, 4-fluoro-)	371-40-4	**	8.18 (V)	PE	4893
	C <sub>6</sub> H <sub>3</sub> FNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2-fluorophenyl)-)	399-31-5	CH <sub>2</sub> =C=O	9.80±0.03	EI	3483
	C <sub>6</sub> H <sub>3</sub> FNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(4-fluorophenyl)-)	351-83-7	CH <sub>2</sub> =C=O	10.12±0.03	EI	3483
<b>C<sub>7</sub>H<sub>4</sub>NF<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> F(CN) (Benzonitrile, 2-fluoro-)	394-47-8	**	9.78 (V)	PE	5259
	C <sub>6</sub> H <sub>3</sub> F(CN) (Benzonitrile, 3-fluoro-)	403-54-3	**	9.79 (V)	PE	5259
	C <sub>6</sub> H <sub>3</sub> F(CN) (Benzonitrile, 4-fluoro-)	1194-02-1	**	9.74 (V)	PE	5259
<b>C<sub>13</sub>H<sub>10</sub>NF<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> FC(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine, 2-[1-(2-fluorophenyl)ethenyl]-)	XXXXX-XX-X	**	8.66	EI	5570
	C <sub>6</sub> H <sub>3</sub> FC(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine, 2-[1-(4-fluorophenyl)ethenyl]-)	XXXXX-XX-X	**	8.68	EI	5570
<b>C<sub>4</sub>H<sub>3</sub>N<sub>2</sub>F<sup>+</sup></b>	C <sub>4</sub> H <sub>3</sub> FN <sub>2</sub> (Pyrimidine, 2-fluoro-)	31575-35-6	**	10.5	PE	5530
<b>C<sub>8</sub>H<sub>5</sub>N<sub>2</sub>F<sup>+</sup></b>	C <sub>8</sub> H <sub>3</sub> N <sub>2</sub> F (Quinazoline, 2-fluoro-)	56595-08-5	**	9.15 (V)	PE	4523
	C <sub>8</sub> H <sub>3</sub> N <sub>2</sub> F (Quinazoline, 4-fluoro-)	56595-09-6	**	9.22 (V)	PE	4523
<b>C<sub>9</sub>H<sub>10</sub>N<sub>2</sub>F<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (F)N=CHN(CH <sub>3</sub> ) <sub>2</sub> (Methanimidamide, <i>N'</i> -(2-fluorophenyl)- <i>N,N</i> -dimethyl-)	53666-09-4	H	9.0	EI	4337
<b>C<sub>9</sub>H<sub>11</sub>N<sub>2</sub>F<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (F)N=CHN(CH <sub>3</sub> ) <sub>2</sub> (Methanimidamide, <i>N'</i> -(2-fluorophenyl)- <i>N,N</i> -dimethyl-)	53666-09-4	**	7.6	EI	4337

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CHNF<sub>2</sub><sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> C(NF <sub>2</sub> ) <sub>2</sub>	19309-63-8		13.2±0.3	EI	3634
	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		13.7±0.3	EI	3634
<b>CH<sub>2</sub>NF<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> (NF <sub>2</sub> )CH(NF <sub>2</sub> )CH <sub>3</sub>	15403-25-5		13.1±0.2	EI	3634
	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		13.6±0.3	EI	3634
<b>C<sub>2</sub>H<sub>6</sub>NF<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> (NF <sub>2</sub> )CH(NF <sub>2</sub> )CH <sub>3</sub>	15403-25-5		10.8±0.2	EI	3634
	(CH <sub>3</sub> ) <sub>2</sub> C(NF <sub>2</sub> ) <sub>2</sub>	19309-63-8		11.1±0.3	EI	3634
	(CH <sub>2</sub> NF <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub>	21298-22-6		11.8±0.3	EI	3634
<b>C<sub>6</sub>H<sub>5</sub>NF<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2,4-difluorophenyl)-)	399-36-0	CH <sub>2</sub> =C=O	9.70±0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2,6-difluorophenyl)-)	3896-29-5	CH <sub>2</sub> =C=O	9.52±0.03	EI	3480
<b>C<sub>4</sub>H<sub>2</sub>N<sub>2</sub>F<sub>2</sub><sup>+</sup></b>	C <sub>4</sub> H <sub>2</sub> F <sub>2</sub> N <sub>2</sub> (Pyrazine, 2,3-difluoro-)	52751-15-2	**	10.35 (V)	PE	5530
	C <sub>4</sub> H <sub>2</sub> F <sub>2</sub> N <sub>2</sub> (Pyrazine, 2,6-difluoro-)	33873-09-5	**	10.30 (V)	PE	5530
	C <sub>4</sub> H <sub>2</sub> F <sub>2</sub> N <sub>2</sub> (Pyridazine, 3,6-difluoro-)	33097-39-1	**	10.17	PE	5530
	C <sub>4</sub> H <sub>2</sub> F <sub>2</sub> N <sub>2</sub> (Pyrimidine, 2,4-difluoro-)	2802-61-1	**	10.65 (V)	PE	5530
	C <sub>4</sub> H <sub>2</sub> F <sub>2</sub> N <sub>2</sub> (Pyrimidine, 4,6-difluoro-)	2802-62-2	**	10.95 (V)	PE	5530
<b>C<sub>8</sub>H<sub>4</sub>N<sub>2</sub>F<sub>2</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>4</sub> N <sub>2</sub> F <sub>2</sub> (1,8-Naphthyridine, 2,7-difluoro-)	56595-11-0	**	9.26 (V)	PE	4523
	C <sub>8</sub> H <sub>4</sub> N <sub>2</sub> F <sub>2</sub> (Quinazoline, 2,4-difluoro-)	56595-10-9	**	9.30 (V)	PE	4523
	C <sub>8</sub> H <sub>4</sub> N <sub>2</sub> (F) <sub>2</sub> (Quinoxaline, 2,3-difluoro-)	7066-36-6	**	9.30 (V)	PE	3959
<b>C<sub>9</sub>H<sub>9</sub>N<sub>3</sub>F<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> NC <sub>3</sub> H <sub>4</sub> N <sub>2</sub> H <sub>2</sub> (Imidazolidine, 2-(2,6-difluorophenylimino)-)	XXXXXX-XX-X	**	8.12 (V)	PE	5545
<b>C<sub>6</sub>H<sub>4</sub>NF<sub>3</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N(CF <sub>3</sub> ) (Pyridine, 4-(trifluoromethyl)-)	XXXXXX-XX-X	**	10.1 (V)	PE	4536
<b>C<sub>11</sub>H<sub>10</sub>NF<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> CF <sub>3</sub> C(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine, 2-[1-[3-trifluoromethyl]phenyl]ethenyl)-)	XXXXXX-XX-X	**	9.02	EI	5570
	C <sub>6</sub> H <sub>4</sub> CF <sub>3</sub> C(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine, 2-[1-[4-trifluoromethyl]phenyl]ethenyl)-)	XXXXXX-XX-X	**	8.97	EI	5570
<b>C<sub>4</sub>HN<sub>2</sub>F<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> HF <sub>3</sub> N <sub>2</sub> (Pyrimidine, 2,4,6-trifluoro-)	696-82-2	**	10.93 (V)	PE	5530
<b>C<sub>8</sub>H<sub>3</sub>NF<sub>4</sub><sup>+</sup></b>	C <sub>6</sub> F <sub>4</sub> C <sub>2</sub> H <sub>2</sub> NH (1 <i>H</i> -Indole, 4,5,6,7-tetrafluoro-)	16264-67-8	**	8.30±0.015 (V)	PE	5522

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_2N_2F_4^+$	$C_8H_2N_2F_4$ (2,7-Naphthyridine, 1,3,6,8-tetrafluoro-)	56595-13-2	**	9.55 (V)	PE	4523
	$C_8H_2N_2(F)_4$ (Quinoxaline, 5,6,7,8-tetrafluoro-)	33319-19-6	**	9.50 (V)	PE	3959
$C_6H_2NF_5^+$	$C_6F_5NH_2$ (Benzenamine, 2,3,4,5,6-pentafluoro-)	771-60-8	**	$8.40 \pm 0.02$	PE	3890
$C_9H_6N_3F_5^+$	$C_9F_5NC_3H_3N_2H_2$ (Imidazolidine, 2-(pentafluorophenylimino)-)	XXXXX-XX-X	**	8.60 (V)	PE	5545
$C_3HNF_6^+$	$(CF_3)_2C=NH$	1645-75-6	**	11.8 (V)	PE	4814
$C_6H_7NF_6^+$	$(CH_3)_2NC(CF_3)=C(CF_3)H$	35186-00-6	**	8.22	PE	3589
$BC_4H_{12}N_2F^+$	$((CH_3)_2N)_2BF_2$	383-90-4	**	8.04	PE	3584
$BC_2H_6NF_2^+$	$(CH_3)_2NBF_2$	359-18-2	**	9.71	PE	3584
$B_2C_4H_{12}N_2F_2^+$	$(F(CH_3)BNCH_3)_2$	73775-17-1	**	9.34 (V)	PE	5628
$BC_6H_7NF_3^+$	$C_5H_4N(CF_3) \cdot BH_3$ (Pyridine, 4-trifluoromethyl)-, compound with borane (1:1))	56898-54-5	**	10.04 (V)	PE	4536
$B_3C_3H_9N_3F_3^+$	$C_3H_9B_3N_3F_3$ (Borazine, 2,4,6-trifluoro-1,3,5-trimethyl-)	13722-15-1	**	9.48 (V)	PE	3943
$OF^+$	FO	12061-70-0	**	12.77	PE	5425
			**	$12.79 \pm 0.1$	OTH	3920
	OF <sub>2</sub>	7783-41-7	F	$\leq 14.438$	PI	3920
$OF_2^+$	OF <sub>2</sub>	7783-41-7	**	$13.11 \pm 0.01$	PI	3920
	$(^2B_2)$		**	13.11	PE	3649
	$(^2B_1)$		**	13.26 (V)	PE	3694
	$(^2A_1)$		**	15.74	PE	3649
	$(^2B_2)$		**	16.17 (V)	PE	3694
	$(^2B_1)$		**	16.44 (V)	PE	3649
	$(^2A_2)$		**	16.47 (V)	PE	3694
	$(^2A_2)$		**	17.9	PE	3649
	$(^2B_2)$		**	20.7 (V)	PE	3649
$HO^+$	HOF	14034-79-8	**	$12.71 \pm 0.01$	PI	3932
	$(^2A'')$		**	$12.69 \pm 0.03$	PE	3831
	$(^2A')$		**	$14.50 \pm 0.03$	PE	3831
	$(^2A')$		**	$15.9 \pm 0.05$	PE	3831
$BO^+$	BOF	23361-56-0	**	$14 \pm 1$	EI	4054

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>BOF<sub>2</sub><sup>+</sup></b>	BOF <sub>2</sub>	12006-82-5	**	17±1	EI	4054
<b>COF<sup>+</sup></b>	CF <sub>2</sub> O	353-50-4	F	14.85±0.2	PI	5041
<b>COF<sub>2</sub><sup>+</sup></b>	CF <sub>2</sub> O	353-50-4	**	13.02	PE	3649
			**	13.04	PE	3726
			**	13.6 (V)	PE	5041
			**	14.09	PE	3649
			**	19.15	PE	3649
			**	19.8 (V)	PE	3649
			**	21.1 (V)	PE	3649
			**	~22.7	PE	3649
<b>C<sub>2</sub>O<sub>2</sub>F<sub>2</sub><sup>+</sup></b>	(COF) <sub>2</sub>	359-40-0	**	12.20±0.02	PE	4696
<b>C<sub>2</sub>OF<sub>3</sub><sup>+</sup></b>	(CF <sub>3</sub> ) <sub>2</sub> CO	684-16-2		11.65	EI	3550
<b>COF<sub>4</sub><sup>+</sup></b>	CF <sub>3</sub> OF	373-91-1	**	13.6 (V)	PE	3941
<b>C<sub>6</sub>O<sub>2</sub>F<sub>4</sub><sup>+</sup></b>	C <sub>6</sub> F <sub>4</sub> O <sub>2</sub> (2,5-Cyclohexadiene, 1,4-dione, 2,3,5,6-tetrafluoro-)	527-21-9	**	10.96±0.05 (V)	PE	5558
<b>C<sub>3</sub>OF<sub>5</sub><sup>+</sup></b>	(CF <sub>3</sub> ) <sub>2</sub> CO	684-16-2		16	EI	3550
<b>C<sub>3</sub>OF<sub>6</sub><sup>+</sup></b>	(CF <sub>3</sub> ) <sub>2</sub> CO	684-16-2	**	11.44	PE	3649
			**	12.09±0.02 (V)	PE	4524
<b>CHOF<sup>+</sup></b> ( <sup>2</sup> A')	HFCO	1493-02-3	**	12.37±0.02	PE	4496
<b>C<sub>2</sub>H<sub>3</sub>OF<sup>+</sup></b>	CH <sub>3</sub> CFO	557-99-3	**	11.51±0.02	PE	4220
<b>C<sub>2</sub>H<sub>5</sub>OF<sup>+</sup></b>	CH <sub>2</sub> FCH <sub>2</sub> OH	371-62-0	**	10.98 (V)	PE	5088
<b>C<sub>3</sub>H<sub>5</sub>OF<sup>+</sup></b>	CH <sub>3</sub> COCH <sub>2</sub> F	430-51-3	**	10.20±0.02 (V)	PE	4524
	C <sub>2</sub> H <sub>3</sub> OCH <sub>2</sub> F (Oxirane, (fluoromethyl)-)	503-09-3	**	10.78 (V)	PE	4747
<b>C<sub>3</sub>H<sub>7</sub>OF<sup>+</sup></b>	CH <sub>2</sub> FCH <sub>2</sub> OCH <sub>3</sub>	627-43-0	**	10.18 (V)	PE	5088
<b>C<sub>6</sub>H<sub>4</sub>OF<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> FOCH <sub>3</sub> (Benzene, 1-fluoro-3-methoxy-)	456-49-5	CH <sub>3</sub>	12.53±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> FOCH <sub>3</sub> (Benzene, 1-fluoro-4-methoxy-)	459-60-9	CH <sub>3</sub>	11.99±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> FNO <sub>2</sub> (Benzene, 1-fluoro-3-nitro-)	402-67-5	NO	10.25±0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> FNO <sub>2</sub> (Benzene, 1-fluoro-4-nitro-)	350-46-9	NO	10.64±0.1	EI	3447

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>3</sub>OF<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (F)(OH) (Phenol, 2-fluoro-)	367-12-4	**	8.95 (V)	PE	4891
	C <sub>6</sub> H <sub>3</sub> (F)(OH) (Phenol, 3-fluoro-)	372-20-3	**	8.97±0.02 (V) 8.99 (V)	PE PE	5184 4891
	C <sub>6</sub> H <sub>3</sub> (F)(OH) (Phenol, 4-fluoro-)	371-41-5	**	9.05±0.02 (V) 8.77 (V)	PE PE	5184 4891
	C <sub>6</sub> H <sub>3</sub> FOOCCH <sub>3</sub> (Phenol, 2-fluoro-, acetate)	29650-44-0	CH <sub>2</sub> =C=O	8.79±0.02 (V) 9.17±0.03	PE EI	5184 3483
	C <sub>6</sub> H <sub>3</sub> FOOCCH <sub>3</sub> (Phenol, 4-fluoro-, acetate)	405-51-6	CH <sub>2</sub> =C=O	9.55±0.03	EI	3483
<b>C<sub>7</sub>H<sub>3</sub>OF<sup>+</sup></b>	FC <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> (Ethanone, 1-(4-fluorophenyl))	403-42-9	CH <sub>3</sub>	10.39±0.03	EI	5059
	C <sub>6</sub> H <sub>3</sub> (F)COOH (Benzoic acid, 3-fluoro-)	455-38-9	OH	12.50±0.2	EI	3973
	C <sub>6</sub> H <sub>3</sub> (F)COOH (Benzoic acid, 4-fluoro-)	456-22-4	OH	12.33±0.2	EI	3973
<b>C<sub>7</sub>H<sub>3</sub>OF<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> FOCH <sub>3</sub> (Benzene, 1-fluoro-3-methoxy-)	456-49-5	**	8.70±0.1	EI	3446
	C <sub>6</sub> H <sub>3</sub> FOCH <sub>3</sub> (Benzene, 1-fluoro-4-methoxy-)	459-60-9	**	8.58±0.1	EI	3446
<b>C<sub>8</sub>H<sub>9</sub>OF<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OCH <sub>2</sub> CH <sub>2</sub> F (Benzene, 2-fluoroethoxy-)	405-97-0	**	8.63	EI	5083
<b>C<sub>7</sub>H<sub>3</sub>O<sub>2</sub>F<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (F)COOH (Benzoic acid, 3-fluoro-)	455-38-9	**	9.91±0.2	EI	3973
	C <sub>6</sub> H <sub>3</sub> (F)COOH (Benzoic acid, 4-fluoro-)	456-22-4	**	9.91±0.2	EI	3973
<b>C<sub>8</sub>H<sub>7</sub>O<sub>2</sub>F<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> FOOCCH <sub>3</sub> (Phenol, 2-fluoro-, acetate)	29650-44-0	**	8.78±0.03	EI	3483
	C <sub>6</sub> H <sub>3</sub> FOOCCH <sub>3</sub> (Phenol, 4-fluoro-, acetate)	405-51-6	**	8.27±0.03	EI	3483
<b>C<sub>6</sub>H<sub>3</sub>OF<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (OH)F <sub>2</sub> (Phenol, 2,4-difluoro-)	367-27-1	**	8.98±0.02 (V)	PE	5184
	C <sub>6</sub> H <sub>3</sub> (OH)F <sub>2</sub> (Phenol, 2,5-difluoro-)	XXXXXX-XX-X	**	9.10±0.02 (V)	PE	5184
	C <sub>6</sub> H <sub>3</sub> (OH)F <sub>2</sub> (Phenol, 3,5-difluoro-)	XXXXXX-XX-X	**	9.04±0.02 (V)	PE	5184
	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,4-difluoro-, acetate)	36914-77-9	CH <sub>2</sub> =C=O	9.63±0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,6-difluoro-, acetate)	36914-78-0	CH <sub>2</sub> =C=O	9.69±0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,4-difluoro-, acetate)	36914-77-9	**	8.60±0.03	EI	3480
<b>C<sub>8</sub>H<sub>6</sub>O<sub>2</sub>F<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,6-difluoro-, acetate)	36914-78-0	**	8.88±0.03	EI	3480



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3OF_3^+$	$CF_3CH_2OH$	75-89-8	**	11.7 (V)	PE	3941
$C_3H_3OF_3^+$	$CH_3COCF_3$	421-50-1	**	$11.00 \pm 0.02$ (V)	PE	4524
$C_6H_3OF_3^+$	$C_6H_3(OH)F_3$ (Phenol,2,3,4-trifluoro-)	XXXXX-XX-X	**	$9.19 \pm 0.02$ (V)	PE	5184
	$C_6H_3(OH)F_3$ (Phenol,2,4,5-trifluoro-)	XXXXX-XX-X	**	$9.10 \pm 0.02$ (V)	PE	5184
$C_2HO_2F_3^+$	$CF_3COOH$	76-05-1	**	11.46	PE	3718
			**	$12.00 \pm 0.03$ (V)	PE	3734
			**	12.00 (V)	PE	3874
			**	12.06 (V)	PE	5251
			**	$12.08 \pm 0.05$ (V)	PE	4986
$C_3H_3O_2F_3^+$	$HCOOCH_2CF_3$	32042-38-9	**	11.31	PE	3718
$C_4H_5O_2F_3^+$	$CF_3COOC_2H_5$	383-63-1	**	11.6 (V)	PE	3718
	$CH_3COOCH_2CF_3$	406-95-1	**	10.84	PE	3718
$C_5H_5O_2F_3^+$	$CF_3COCH_2COCH_3$	367-57-7	**	$9.92 \pm 0.07$ (V)	PE	3682
$C_6H_3O_2F_3^+$	$C_4H_3OCOCF_3$ (Ethanone, 2,2,2-trifluoro-1-(2-furanyl)-)	18207-47-1	**	$9.77 \pm 0.05$	EI	3482
$C_8H_{11}O_2F_3^+$	$(CH_3)_3CCOCH_2COCF_3$	22767-90-4	**	$9.87 \pm 0.07$ (V)	PE	3682
$C_3H_2OF_4^+$	$(CHF_2)_2CO$	360-52-1	**	$11.33 \pm 0.02$ (V)	PE	4524
$C_6H_2OF_4^+$	$C_6H(OH)F_4$ (Phenol,2,3,5,6-tetrafluoro-)	769-39-1	**	$9.40 \pm 0.02$ (V)	PE	5184
$C_3H_3OF_5^+$	$C_2F_5CH_2OH$	422-05-9	**	11.68 (V)	PE	3941
$C_6HOF_5^+$	$C_6F_5OH$ (Phenol,pentafluoro-)	771-61-9	**	$9.37 \pm 0.02$ (V)	PE	5184
			**	$9.20 \pm 0.02$	PE	3890
$C_7H_3OF_5^+$	$C_6F_5OCH_3$ (Benzene, pentafluoromethoxy-)	389-40-2	**	$9.10 \pm 0.02$	PE	3890
$C_3H_2OF_6^+$	$CF_3CH(OH)CF_3$	920-66-1	**	12.23 (V)	PE	3941
$C_5H_2O_2F_6^+$	$CF_3COCH_2COCF_3$	1522-22-1	**	$10.74 \pm 0.07$ (V)	PE	3682

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>5</sub>HOF<sup>+</sup><sub>11</sub></b>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub> OCHF <sub>2</sub> CF <sub>3</sub>	3330-15-2	**	12.6	PE	4424
<b>C<sub>8</sub>HO<sub>2</sub>F<sup>+</sup><sub>17</sub></b>	F(CF(CF <sub>3</sub> )CF <sub>2</sub> O) <sub>2</sub> CHF <sub>2</sub> CF <sub>3</sub>	3330-14-1	**	12.78 (V)	PE	4424
<b>C<sub>11</sub>HO<sub>3</sub>F<sup>+</sup><sub>23</sub></b>	F(CF(CF <sub>3</sub> )CF <sub>2</sub> O) <sub>3</sub> CHF <sub>2</sub> CF <sub>3</sub>	3330-16-3	**	12.96 (V)	PE	4424
<b>C<sub>14</sub>HO<sub>4</sub>F<sup>+</sup><sub>29</sub></b>	F(CF(CF <sub>3</sub> )CF <sub>2</sub> O) <sub>4</sub> CHF <sub>2</sub> CF <sub>3</sub>	26738-51-2	**	13.47 (V)	PE	4424
<b>BeC<sub>10</sub>H<sub>2</sub>O<sub>4</sub>F<sup>+</sup><sub>12</sub></b>	(CF <sub>3</sub> COCHCOCF <sub>3</sub> ) <sub>2</sub> Be (Beryllium, bis(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>T</i> -4)-)	19648-82-9	**	10.39±0.07 (V)	PE	3682
<b>NOF<sup>+</sup></b> ( <sup>2</sup> A') ( <sup>2</sup> A')	ONF	7789-25-5	** **	12.63±0.03 12.66	PE PE	4420 4404
<b>NO<sub>2</sub>F<sup>+</sup></b>	NO <sub>2</sub> F	10022-50-1	**	13.09	PE	4404
<b>NOF<sup>+</sup><sub>3</sub></b>	NOF <sub>3</sub>	13847-65-9	**	13.36±0.01	PE	3641
<b>CNOF<sup>+</sup><sub>3</sub></b>	CF <sub>3</sub> NO CF <sub>3</sub> NO	XXXXX-XX-X 334-99-6	**	10.5±0.1 11.06±0.05 (V)	EI PE	5220 5298
<b>C<sub>2</sub>NOF<sup>+</sup><sub>6</sub></b>	(CF <sub>3</sub> ) <sub>2</sub> NO	2154-71-4	**	10.7±0.1 (V)	PE	3671
<b>C<sub>7</sub>H<sub>6</sub>NOF<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (F)(CONH <sub>2</sub> ) (Benzamide, 4-fluoro-)	824-75-9	**	9.50 (V)	PE	4918
<b>C<sub>8</sub>H<sub>8</sub>NOF<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> FNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2-fluorophenyl)-)	399-31-5	** **	8.65 8.27±0.03	EI EI	4834 3483
	C <sub>6</sub> H <sub>4</sub> FNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(4-fluorophenyl)-)	351-83-7	**	8.20±0.03	EI	3483
<b>C<sub>12</sub>H<sub>8</sub>NOF<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> FCOC <sub>3</sub> H <sub>4</sub> N (Methanone, (2-fluorophenyl)-2-pyridinyl-)	XXXXX-XX-X	**	9.11	EI	5459
<b>C<sub>4</sub>H<sub>3</sub>N<sub>2</sub>OF<sup>+</sup></b>	C <sub>4</sub> H <sub>3</sub> N <sub>2</sub> F(=O) (2(1H)-Pyrimidinone, 5-fluoro-)	2022-78-8	**	10.08±0.05	EI	5159
<b>C<sub>5</sub>H<sub>3</sub>N<sub>2</sub>OF<sup>+</sup></b>	C <sub>4</sub> H <sub>2</sub> N <sub>2</sub> FOCH <sub>3</sub> (Pyrimidine, 5-fluoro-2-methoxy-)	17148-49-1	**	9.65±0.05	EI	5159
	C <sub>4</sub> H <sub>2</sub> N <sub>2</sub> F(=O)CH <sub>3</sub> (2(1H)-Pyrimidinone, 5-fluoro-1-methyl-)	63331-05-5	**	9.21±0.05	EI	5159
<b>C<sub>7</sub>H<sub>7</sub>N<sub>2</sub>OF<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> FNHCONH <sub>2</sub> (Urea, (2-fluorophenyl)-)	656-31-5	**	8.50	EI	4834

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>F<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (F)(NO <sub>2</sub> ) (Benzene, 1-fluoro-2-nitro-)	1493-27-2	**	9.86 (V)	PE	4892
	C <sub>6</sub> H <sub>4</sub> (F)(NO <sub>2</sub> ) (Benzene, 1-fluoro-3-nitro-)	402-67-5	**	9.88	PE	4892
	C <sub>6</sub> H <sub>4</sub> (F)(NO <sub>2</sub> ) (Benzene, 1-fluoro-4-nitro-)	350-46-9	**	9.93±0.1	EI	3447
			**	9.90	PE	4892
			**	10.00±0.1	EI	3447
<b>C<sub>12</sub>H<sub>9</sub>N<sub>4</sub>O<sub>2</sub>F<sup>+</sup></b>	C <sub>10</sub> H <sub>9</sub> N <sub>4</sub> (F)(=O) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (Benzo[ <i>g</i> ]pteridine-2,4(3H,10H)-dione, 3,10-dimethyl-7-fluoro-)	XXXXXX-XX-X	**	8.51 (V)	PE	4992
<b>C<sub>8</sub>H<sub>7</sub>NOF<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2,4-difluorophenyl)-)	399-36-0	**	8.21±0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2,6-difluorophenyl)-)	3896-29-5	**	8.52±0.03	EI	3480
<b>C<sub>6</sub>H<sub>4</sub>NOF<sub>3</sub><sup>+</sup></b>	C <sub>4</sub> H <sub>3</sub> NCOCF <sub>3</sub> (Ethanone, 2,2,2-trifluoro-1-(1 <i>H</i> -pyrrol-2-yl)-)	2557-70-2	**	9.18±0.05	EI	3482
	C <sub>5</sub> H <sub>3</sub> N(O)CF <sub>3</sub> (Pyridine, 4-(trifluoromethyl)-1-oxide-)	XXXXXX-XX-X	**	8.90 (V)	PE	4536
<b>C<sub>8</sub>H<sub>6</sub>NOF<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> NHCO(CF <sub>3</sub> ) (Acetamide, 2,2,2-trifluoro- <i>N</i> -phenyl-)	404-24-0	**	8.93±0.05 (V)	PE	5013
<b>C<sub>9</sub>H<sub>8</sub>NOF<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> )NHCO(CF <sub>3</sub> ) (Acetamide, 2,2,2-trifluoro- <i>N</i> -(2-methylphenyl)-)	2727-68-6	**	8.84±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> )NHCO(CF <sub>3</sub> ) (Acetamide, 2,2,2-trifluoro- <i>N</i> -(3-methylphenyl)-)	2727-69-7	**	8.73±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> )NHCO(CF <sub>3</sub> ) (Acetamide, 2,2,2-trifluoro- <i>N</i> -(4-methylphenyl)-)	350-96-9	**	8.61±0.05 (V)	PE	5013
<b>C<sub>10</sub>H<sub>10</sub>NOF<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> NHCO(CF <sub>3</sub> ) (Acetamide, <i>N</i> -(2,3-dimethylphenyl)-2,2,2-trifluoro-)	14719-31-4	**	8.62±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> NHCO(CF <sub>3</sub> ) (Acetamide, <i>N</i> -(3,4-dimethylphenyl)-2,2,2-trifluoro-)	XXXXXX-XX-X	**	8.51±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> NHCO(CF <sub>3</sub> ) (Acetamide, <i>N</i> -(2,4-dimethylphenyl)-2,2,2-trifluoro-)	14618-47-4	**	8.56±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> NHCO(CF <sub>3</sub> ) (Acetamide, <i>N</i> -(3,5-dimethylphenyl)-2,2,2-trifluoro-)	14818-53-2	**	8.59±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> NHCO(CF <sub>3</sub> ) (Acetamide, <i>N</i> -(2,5-dimethylphenyl)-2,2,2-trifluoro-)	14618-48-5	**	8.70±0.05 (V)	PE	5013
	C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> NHCO(CF <sub>3</sub> ) (Acetamide, <i>N</i> -(2,6-dimethylphenyl)-2,2,2-trifluoro-)	7497-27-0	**	8.99±0.05 (V)	PE	5013
<b>C<sub>5</sub>H<sub>3</sub>N<sub>2</sub>OF<sub>3</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> N <sub>2</sub> OF <sub>3</sub> (1 <i>H</i> -Imidazole, 1-(trifluoroacetyl)-)	1546-79-8	**	9.91 (V)	PE	5092
<b>C<sub>11</sub>H<sub>16</sub>NO<sub>2</sub>F<sub>3</sub><sup>+</sup></b>	C <sub>11</sub> H <sub>16</sub> NO <sub>2</sub> F <sub>3</sub> (2,4-Azetidinedione, 3,3-bis(1-methylethyl)-1-(2,2,2-trifluoroethyl)-)	56519-50-7	**	9.50	EI	4660
<b>Ne<sup>+</sup></b> ( <sup>2</sup> P <sub>3/2</sub> )	Ne	7440-01-9	**	21.56471±0.00001 S		3754

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Ne}^+$ ( $^2\text{P}$ ) ( $^2\text{P}$ ) ( $^2\text{S}$ ) ( $^2\text{S}$ )	Ne	7440-01-9	** ** ** **	21.59 (V) 22.0 48.49 $\pm$ 0.01 (V) 49.0	PE PE PE PE	4970 4623 4970 4623
$\text{Ne}^{+2}$	Ne	7440-01-9	**	62.8 $\pm$ 0.2	EI	4503
$\text{Na}^+$	Na	7440-23-5	** ** ** **	5.2 5.3 $\pm$ 0.2 5.55 $\pm$ 0.2 5.6 $\pm$ 0.3	EI EI EI EI	4912 3609 5588 4518
	$\text{NaBO}_2$	XXXXX-XX-X	$\text{BO}_2$	9.66 $\pm$ 0.15	EI	4663
	NaF	7681-49-4	F	9.98 $\pm$ 0.15 $\sim$ 12	EI EI	4663 3464
$\text{Na}_2^+$	$\text{Na}_2$	25681-79-2	** **	4.866 $\pm$ 0.014 4.9	PI EI	4914 4912
$\text{Na}_3^+$	$\text{Na}_3$	37279-42-8	**	3.97 $\pm$ 0.05	PI	4914
$\text{Na}_4^+$	$\text{Na}_4$	39297-86-4	**	4.27 $\pm$ 0.05	PI	4914
$\text{Na}_5^+$	$\text{Na}_5$	39297-87-5	**	4.05 $\pm$ 0.05	PI	4914
$\text{Na}_6^+$	$\text{Na}_6$	39297-88-6	**	4.12 $\pm$ 0.05	PI	4914
$\text{Na}_7^+$	$\text{Na}_7$	39297-89-7	**	4.04 $\pm$ 0.05	PI	4914
$\text{Na}_8^+$	$\text{Na}_8$	39297-90-0	**	4.10 $\pm$ 0.05	PI	4914
$\text{Na}_9^+$	$\text{Na}_9$	66457-73-6	**	4.0 $\pm$ 0.01	PI	4914
$\text{Na}_{10}^+$	$\text{Na}_{10}$	XXXXX-XX-X	**	3.9 $\pm$ 0.1	PI	4914
$\text{Na}_{11}^+$	$\text{Na}_{11}$	66457-74-7	**	3.8 $\pm$ 0.1	PI	4914
$\text{Na}_{12}^+$	$\text{Na}_{12}$	XXXXX-XX-X	**	3.6 $\pm$ 0.1	PI	4914
$\text{Na}_{13}^+$	$\text{Na}_{13}$	66457-75-8	**	3.6 $\pm$ 0.1	PI	4914
$\text{Na}_{14}^+$	$\text{Na}_{14}$	66457-76-9	**	3.5 $\pm$ 0.1	PI	4914
$\text{LiNa}^+$	NaLi	12333-49-2	**	4.94 $\pm$ 0.10	EI	4912

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>ONa<sup>+</sup></b>	NaO	12401-86-4	**	12.9	EI	4518
<b>BO<sub>2</sub>Na<sup>+</sup></b>	NaBO <sub>2</sub>	XXXXX-XX-X	**	9.18±0.10	EI	4663
<b>BO<sub>2</sub>Na<sub>2</sub><sup>+</sup></b>	(NaBO <sub>2</sub> ) <sub>2</sub>	XXXXX-XX-X	BO <sub>2</sub>	10.15±0.12	EI	4663
	Na <sub>2</sub> BO <sub>2</sub> F	XXXXX-XX-X	F <sup>-</sup>	6.18±0.10	EI	4663
	Na <sub>2</sub> BO <sub>2</sub> F	XXXXX-XX-X	F	10.15±0.12	EI	4663
<b>FNa<sub>2</sub><sup>+</sup></b>	Na <sub>2</sub> F <sub>2</sub>	12285-64-2	F <sup>-</sup>	5.86±0.10	EI	4663
			F	10.00±0.10	EI	4663
	Na <sub>2</sub> BO <sub>2</sub> F	XXXXX-XX-X	BO <sub>2</sub> <sup>-</sup>	5.86±0.10	EI	4663
	Na <sub>2</sub> BO <sub>2</sub> F	XXXXX-XX-X	BO <sub>2</sub>	10.00±0.10	EI	4663
<b>Mg<sup>+</sup></b>	Mg	7439-95-4	**	7.63±0.08	EI	4114
			**	7.72±0.05	EI	5342
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Mg (Magnesium, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	1284-72-6		13.9±0.5	EI	3793
<b>C<sub>5</sub>H<sub>5</sub>Mg<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Mg (Magnesium, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	1284-72-6		11.0±0.2	EI	3793
<b>C<sub>10</sub>H<sub>10</sub>Mg<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Mg (Magnesium, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	1284-72-6	**	8.11 (V)	PE	3688
			**	8.0±0.1	EI	3793
<b>C<sub>12</sub>H<sub>14</sub>Mg<sup>+</sup></b>	(C <sub>5</sub> H <sub>4</sub> CH <sub>3</sub> ) <sub>2</sub> Mg (Magnesocene, 1,1'-dimethyl-)	40672-08-0	**	7.78 (V)	PE	3688
<b>C<sub>36</sub>H<sub>44</sub>N<sub>4</sub>Mg<sup>+</sup></b>	((C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> C <sub>4</sub> NCH) <sub>4</sub> Mg (Magnesium, [2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ](SP-4-1)-)	20910-35-4	**	6.19±0.03 (V)	PE	5476
<b>C<sub>44</sub>H<sub>28</sub>N<sub>4</sub>Mg<sup>+</sup></b>	C <sub>20</sub> H <sub>8</sub> N <sub>4</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>4</sub> Mg (Magnesium, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ](SP-4-1)-)	14640-21-2	**	5.91±0.2	OTH	4962
			**	6.48 (V)	PE	4557
<b>C<sub>10</sub>H<sub>14</sub>O<sub>4</sub>Mg<sup>+</sup></b>	(CH <sub>3</sub> COCHCOCH <sub>3</sub> ) <sub>2</sub> Mg (Magnesium, bis(2,4-pentanedionato-O,O')-(T-4)-)	14024-56-7	**	8.42 (V)	PE	4384
<b>C<sub>55</sub>H<sub>72</sub>N<sub>4</sub>O<sub>5</sub>Mg<sup>+</sup></b>	C <sub>34</sub> H <sub>33</sub> N <sub>4</sub> O <sub>3</sub> MgCOOC <sub>20</sub> H <sub>39</sub> (Chlorophyll a)	42617-16-3	**	6.1±0.2	OTH	5278
<b>C<sub>10</sub>H<sub>2</sub>O<sub>4</sub>F<sub>12</sub>Mg<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCF <sub>3</sub> ) <sub>2</sub> Mg (Magnesium, bis(1,1,1,5,5,5 hexafluoro-2,4-pentanedionato-O,O')-(T-4)-)	19648-85-2	**	10.28 (V)	PE	4384
<b>Al<sup>+</sup></b>	Al	7429-90-5	**	6.0±0.3	PE	4860



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Al}^+$	Al	7429-90-5	** ** ** ** **	$6.0 \pm 0.2$ $6.0 \pm 0.3$ $6.0 \pm 1$ 6.0 $6.6 \pm 0.6$	EI EI EI EI EI	5171 5067 4687 4872 3440
$\text{Al}^{2+}$	$\text{Al}^+$	14903-36-7	**	$18.82873 \pm 0.0001$	S	5081
$\text{Al}_2^+$	$\text{Al}_2$	32752-94-6	** **	$5.4 \pm 1.0$ $5.4 \pm 1.0$	EI EI	4005 4014
	$\text{Al}_2\text{O}$	12004-36-3		$15.2 \pm 0.5$	EI	4005
$\text{H}_{12}\text{B}_3\text{Al}^+$	$\text{Al}(\text{BH}_4)_3$	13771-22-7	** **	$12.9 \pm 0.1$ (V) 12.9 (V)	PE PE	4825 4888
$\text{C}_2\text{Al}^+$	$\text{AlC}_2$	37297-57-7	**	$9.3 \pm 1.0$	EI	4014
$\text{C}_2\text{Al}_2^+$	$\text{Al}_2\text{C}_2$	12122-01-9	**	$8.0 \pm 0.5$	EI	4014
$\text{C}_3\text{H}_9\text{Al}^+$	$(\text{CH}_3)_3\text{Al}$	75-24-1	**	9.76 (V)	PE	4398
$\text{C}_{18}\text{H}_{15}\text{Al}^+$	$(\text{C}_6\text{H}_5)_3\text{Al}$ (Aluminum, triphenyl-)	841-76-9	**	$8.53 \pm 0.03$	PI	4055
$\text{OAl}^+$	AlO	14457-64-8	** ** ** ** ** ** ** **	$9.5 \pm 0.2$ $9.5 \pm 1$ 9.5 $9.53 \pm 0.15$ $9.9 \pm 0.5$ $10.3 \pm 1$ $9 \pm 1$ $10 \pm 1$	EI EI EI EI EI EI EI EI	5171 3617 4872 3816 4678 4687 3463 3620
	$\text{Al}_2\text{O}$	12004-36-3		$15.1 \pm 0.3$	EI	4005
$\text{O}_2\text{Al}^+$	$\text{AlO}_2$	11092-32-3	** ** **	$10.5 \pm 1.0$ $10 \pm 1$ $10 \pm 1$	EI EI EI	5171 3463 3617
$\text{OAl}_2^+$	$\text{Al}_2\text{O}$	12004-36-3	** ** ** ** ** ** ** **	$7.7 \pm 0.2$ $7.7 \pm 0.5$ $8.0 \pm 0.5$ $8.1 \pm 1$ $8.20 \pm 0.15$ $8.5 \pm 0.2$ $8.5 \pm 1$ $9 \pm 1$	EI EI EI EI EI EI EI EI	4005 3985 4678 4687 3816 5171 3617 3620
$\text{O}_2\text{Al}_2^+$	$\text{Al}_2\text{O}_2$	12252-63-0	** ** **	$9.9 \pm 0.5$ $10.0 \pm 1$ $10 \pm 1$	EI EI EI	5171 4687 3617

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>FAI<sup>+</sup></b>	AlF	13595-82-9	**	9.86±0.05	S	4229
			**	9	EI	3606
<b>F<sub>2</sub>Al<sup>+</sup></b>	AlF <sub>2</sub>	13569-23-8	**	10	EI	3606
<b>OFAI<sup>+</sup></b>	AlOF	13596-12-8	**	10.5±1	EI	3462
			**	11	EI	3606
<b>OF<sub>2</sub>Al<sup>+</sup></b>	AlOF <sub>2</sub>	38344-66-0	**	13±1	EI	3606
<b>C<sub>13</sub>H<sub>12</sub>O<sub>6</sub>F<sub>9</sub>Al<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCH <sub>3</sub> ) <sub>3</sub> Al (Aluminum, tris(1,1,1-trifluoro-2,4-pentanedionato- <i>O,O'</i> )-)	14354-59-7	**	9.22±0.07 (V)	PE	3682
<b>C<sub>13</sub>H<sub>3</sub>O<sub>6</sub>F<sub>18</sub>Al<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCF <sub>3</sub> ) <sub>3</sub> Al (Aluminum, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	15306-18-0	**	10.33±0.07 (V)	PE	3682
<b>Si<sup>+</sup></b>	Si	7440-21-3	**	8.15172±0.00003	S	4582
			**	8.1±0.5	EI	3969
			**	8.2±0.5	EI	4200
			**	8.5±0.5	EI	3610
	SiH <sub>4</sub>	7803-62-5		13.3	EI	3813
	CH <sub>3</sub> SiH <sub>3</sub>	992-94-9		12.1	EI	4625
	CH <sub>3</sub> SiD <sub>3</sub>	1066-43-9		11.8	EI	4625
<b>HSi<sup>+</sup></b> ( <sup>1</sup> Σ <sup>+</sup> )	SiH	13774-94-2	**	7.91	OTH	3564
	SiH <sub>3</sub>	7803-62-5		14.7	EI	3813
	CH <sub>3</sub> SiH <sub>3</sub>	992-94-9		14.8	EI	4625
<b>H<sub>2</sub>Si<sup>+</sup></b>	SiH <sub>4</sub>	7803-62-5	H <sub>2</sub>	11.8	EI	3813
			H <sub>2</sub>	11.9±0.1	EI	5276
			2H?	16.2	EI	3813
	Si <sub>2</sub> H <sub>6</sub>	1590-87-0	SiH <sub>4</sub>	11.95±0.1	EI	5276
	CH <sub>3</sub> SiH <sub>3</sub>	992-94-9	CH <sub>4</sub>	11.5±0.1	EI	5276
				11.7	EI	4625
<b>D<sub>2</sub>Si<sup>+</sup></b>	CH <sub>3</sub> SiD <sub>3</sub>	1066-43-9		11.6	EI	4625
<b>H<sub>3</sub>Si<sup>+</sup></b>	SiH <sub>4</sub>	7803-62-5	H	12.2	EI	3813
			H	12.3±0.1	EI	5276
	Si <sub>2</sub> H <sub>6</sub>	1590-87-0	SiH <sub>3</sub>	11.75±0.1	EI	5276
	CH <sub>3</sub> SiH <sub>3</sub>	992-94-9		12.5	EI	4625
<b>D<sub>3</sub>Si<sup>+</sup></b>	CH <sub>3</sub> SiD <sub>3</sub>	1066-43-9		12.4	EI	4625
<b>H<sub>4</sub>Si<sup>+</sup></b>	SiH <sub>4</sub>	7803-62-5	**	12.3 (V)	PE	4972
			**	11.60	PE	3716
			**	11.7	PE	5276

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_3\text{Si}_2^+$	$\text{Si}_2\text{H}_6$	1590-87-0	H	$11.4 \pm 0.1$	EI	5276
$\text{H}_6\text{Si}_2^+$	$\text{Si}_2\text{H}_6$	1590-87-0	** ** **	10.0 10.53 (V) 10.53 (V)	PE PE PE	5276 4160 4558
$\text{H}_8\text{Si}_3^+$	$\text{Si}_3\text{H}_8$	7783-26-8	**	9.87 (V)	PE	4558
$\text{H}_{10}\text{Si}_4^+$	$n\text{-Si}_4\text{H}_{10}$	7783-29-1	**	9.62 (V)	PE	4558
$\text{H}_{12}\text{Si}_5^+$	$n\text{-Si}_5\text{H}_{12}$	14868-53-2	**	9.36 (V)	PE	4558
$\text{H}_{11}\text{B}_5\text{Si}^+$	$\text{B}_5\text{H}_8(\text{SiH}_3)$ (Pentaborane(9), 2,3- $\mu$ -silyl-)	22044-27-5	**	10.17 (V)	PE	4519
$\text{H}_{11}\text{B}_5\text{Si}^+$	$\text{B}_5\text{H}_8(\text{SiH}_3)$ (Pentaborane(9), 1-silyl-)	28556-29-8	**	10.40 (V)	PE	4519
$\text{H}_{11}\text{B}_5\text{Si}^+$	$\text{B}_5\text{H}_8(\text{SiH}_3)$ (Pentaborane(9), 2-silyl-)	22142-52-5	**	10.42 (V)	PE	4519
$\text{C}_2\text{Si}^+$	$\text{SiC}_2$	12071-27-1	** **	$10.1 \pm 0.5$ $10.3 \pm 0.5$	EI EI	4005 3969
$\text{CSi}_2^+$	$\text{Si}_2\text{C}$ $\text{Si}_2\text{C}$	XXXXXX-XX-X XXXXXX-XX-X	** **	$9.0 \pm 0.5$ $9.5 \pm 0.5$	EI EI	4005 3969
$\text{CH}_3\text{Si}^+$	$\text{CH}_3\text{SiH}_3$ $\text{CH}_3\text{SiD}_3$ $\text{CH}_2=\text{CHSi}(\text{CH}_3)_2$	992-94-9 1066-43-9 754-05-2		12.8 12.1 15	EI EI EI	4625 4625 3809
$\text{CH}_2\text{DSi}^+$	$\text{CH}_3\text{SiD}_4$	1066-43-9		11.4	EI	4625
$\text{CH}_3\text{Si}^+$	$\text{CH}_3\text{SiH}_3$  $(\text{CH}_3)_2\text{SiH}_2$	992-94-9  1111-74-6	$\text{H}_2$ $\text{CH}_4$	11.3 $11.4 \pm 0.1$ $11.1 \pm 0.1$	EI EI EI	4625 5276 5276
$\text{CH}_3\text{DSi}^+$	$\text{CH}_3\text{SiD}_3$	1066-43-9	2D	11.5	EI	4625
$\text{CH}_2\text{D}_2\text{Si}^+$	$\text{CH}_3\text{SiD}_3$	1066-43-9	H,D	11.4	EI	4625
$\text{CH}_5\text{Si}^+$	$\text{CH}_3\text{SiH}_3$  $(\text{CH}_3)_2\text{SiH}_2$ $\text{CH}_2=\text{CHSi}(\text{CH}_3)_2$ $((\text{CH}_3)_2\text{H}_2\text{Si})_2$	992-94-9  1111-74-6 754-05-2 870-26-8	H H $\text{CH}_4$ $\text{CH}_3\text{SiH}_2$	$11.8 \pm 0.1$ 11.8 $11.5 \pm 0.1$ 15 $11.4 \pm 0.1$	EI EI EI EI EI	5276 4625 5276 3809 5276

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CH<sub>3</sub>D<sub>2</sub>Si<sup>+</sup></b>	CH <sub>3</sub> SiD <sub>3</sub>	1066-43-9	D	11.8	EI	4625
<b>CH<sub>6</sub>Si<sup>+</sup></b>	CH <sub>3</sub> SiH <sub>3</sub>	992-94-9	** **	10.7 11.6 (V)	PE PE	5276 4972
<b>C<sub>2</sub>H<sub>4</sub>Si<sup>+</sup></b>	CH≡CSiH <sub>3</sub>	1066-27-9	**	10.73 (V)	PE	4160
<b>C<sub>2</sub>H<sub>6</sub>Si<sup>+</sup></b>	CH <sub>2</sub> =CHSiH <sub>3</sub>	7291-09-0	** **	10.37 (V) 10.4 (V)	PE PE	3950 3940
	(CH <sub>3</sub> ) <sub>2</sub> SiH <sub>2</sub>	1111-74-6	H <sub>2</sub>	10.7±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>3</sub> SiH	993-07-7	CH <sub>4</sub>	10.5±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>2</sub> HSiSiH <sub>2</sub> CH <sub>3</sub>	814-74-4	CH <sub>3</sub> SiH <sub>3</sub>	10.75±0.1	EI	5276
	((CH <sub>3</sub> ) <sub>2</sub> HSi) <sub>2</sub>	814-98-2	(CH <sub>3</sub> ) <sub>2</sub> SiH <sub>2</sub>	10.7±0.1	EI	5276
<b>C<sub>2</sub>H<sub>7</sub>Si<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> SiH <sub>2</sub>	1111-74-6	H	11.1±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>3</sub> SiH	993-07-7	CH <sub>3</sub>	10.9±0.1	EI	5276
	CH <sub>2</sub> =CHSi(CH <sub>3</sub> ) <sub>3</sub>	754-05-2	13	13	EI	3809
	((CH <sub>3</sub> ) <sub>2</sub> Si) <sub>2</sub>	870-26-8	SiH <sub>4</sub>	10.3±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>2</sub> HSiSiH <sub>2</sub> CH <sub>3</sub>	814-74-4	CH <sub>3</sub> SiH <sub>2</sub>	10.75±0.1	EI	5276
	((CH <sub>3</sub> ) <sub>2</sub> HSi) <sub>2</sub>	814-98-2	(CH <sub>3</sub> ) <sub>2</sub> SiH	10.8±0.1	EI	5276
<b>C<sub>2</sub>H<sub>8</sub>Si<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> SiH <sub>2</sub>	1111-74-6	** **	10.3 11.2 (V)	PE PE	5276 4972
<b>C<sub>3</sub>H<sub>6</sub>Si<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> Si=CH <sub>2</sub>	4112-23-6	**	7.5±0.3	OTH	5287
	CH <sub>2</sub> =CHCH <sub>2</sub> SiH <sub>3</sub>	18191-59-8	**	9.49 (V)	PE	3950
	C <sub>3</sub> H <sub>6</sub> Si (Silacyclobutane) CH <sub>2</sub> =CHSi(CH <sub>3</sub> ) <sub>3</sub>	287-29-6	**	10.05 (V)	PE	4077
	CH <sub>2</sub> =CHSi(CH <sub>3</sub> ) <sub>3</sub>	754-05-2	C <sub>2</sub> H <sub>4</sub>	10	EI	3809
	C <sub>3</sub> H <sub>6</sub> Si(CH <sub>3</sub> ) <sub>2</sub> (Silacyclobutane, 1,1-dimethyl-)	2295-12-7	C <sub>2</sub> H <sub>4</sub>	9.61	PI	5287
<b>C<sub>3</sub>H<sub>9</sub>Si<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SiH	993-07-7	H	10.5±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>4</sub> Si	75-76-3	CH <sub>3</sub> CH <sub>3</sub> CH <sub>3</sub> CH <sub>3</sub>	10.03±0.04 10.25±0.1 10.53±0.20 10.63±0.05	PI EI EI EI	4907 5276 3548 4126
	CH <sub>2</sub> =CHSi(CH <sub>3</sub> ) <sub>3</sub>	754-05-2	C <sub>2</sub> H <sub>3</sub>	11	EI	3809
	(CH <sub>3</sub> ) <sub>3</sub> SiC <sub>2</sub> H <sub>5</sub>	3439-38-1	C <sub>2</sub> H <sub>5</sub>	10.0±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>2</sub> HSiSiH <sub>2</sub> CH <sub>3</sub>	814-74-4	SiH <sub>3</sub>	9.8±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>3</sub> SiSiH <sub>3</sub>	18365-32-7	SiH <sub>3</sub>	9.7±0.1	EI	5276
	((CH <sub>3</sub> ) <sub>2</sub> HSi) <sub>2</sub>	814-98-2	CH <sub>3</sub> SiH <sub>2</sub>	10.1±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>3</sub> SiSiH(CH <sub>3</sub> ) <sub>2</sub>	812-15-7	(CH <sub>3</sub> ) <sub>2</sub> SiH	10.0	EI	5276
	(CH <sub>3</sub> ) <sub>3</sub> Si <sub>2</sub>	1450-14-2	(CH <sub>3</sub> ) <sub>2</sub> SiH	10.2±0.1	EI	5276
	(CH <sub>3</sub> ) <sub>6</sub> Si <sub>2</sub>	1450-14-2	(CH <sub>3</sub> ) <sub>3</sub> Si	9.9	EI	5276
	C <sub>6</sub> H <sub>5</sub> Si <sub>2</sub> (CH <sub>3</sub> ) <sub>5</sub> (Disilane, pentamethylphenyl-)	1130-17-2	C <sub>6</sub> H <sub>5</sub> Si(CH <sub>3</sub> ) <sub>2</sub>	10.08±0.09	EI	3549
	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> SiCH <sub>3</sub> Si(CH <sub>3</sub> ) <sub>3</sub> (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-)	1450-16-4		10.59±0.03	EI	3549
	(C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> ) <sub>2</sub> Si) <sub>2</sub> (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-)	1145-98-8	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> SiCH <sub>3</sub>	11.04±0.03	EI	3549
	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> SiSi(CH <sub>3</sub> ) <sub>3</sub> (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-)	1450-18-6	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Si	10.83±0.09	EI	3549

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_9Si^+$	$(CH_3)_2NCH_2Si(CH_3)_3$	18182-40-6	$C_3H_8N$	9.76	PI	5543
	$(CH_3)_3SiOSi(CH_3)_3$	107-46-0		$15.4 \pm 0.2$	EI	3444
	$(CH_3)_3SiOSi(CH_3)_2OSi(CH_3)_3$	107-51-7		$15.8 \pm 0.2$	EI	3444
	$(CH_3)_3SiOSi(CH_3)(C_2H_5)OSi(CH_3)_3$	5356-85-4		$15.4 \pm 0.2$	EI	3444
	$(CH_3)_3SiOSi(CH_3)(C_2H_5)OSi(CH_3)_2$	17861-60-8		$15.3 \pm 0.2$	EI	3444
	$C_6H_5SSi(CH_3)_3$	4551-15-9		$10.18 \pm 0.1$	EI	4198
	(Silane, trimethyl(phenylthio)-)					
	$(CH_3)_3SiCl$	30687-62-8	Cl	$11.6 \pm 0.1$	EI	5276
	$((CH_3)_3Si)(CO)_5Mn$	26500-16-3		$9.81 \pm 0.11$	EI	5321
	$(CH_3)_3SiGe(CH_3)_3$	31608-80-7	$(CH_3)_3Ge$	$10.19 \pm 0.12$	EI	3548
	$((CH_3)_3Si)(CH_3)_3Sn$	16393-88-7	$(CH_3)_3Sn$	$10.18 \pm 0.26$	EI	3548
$C_3H_{10}Si^+$	$(CH_3)_3SiH$	993-07-7	**	9.9	PE	5276
			**	10.8 (V)	PE	4972
$C_4H_7Si^+$	$(CH_3)_3SiC \equiv CH$	1066-54-2	$CH_3$	$10.79 \pm 0.04$	EI	4126
$C_4H_8Si^+$	$C_4H_8Si$	XXXXX-XX-X	**	9.21 (V)	PE	4517
	(Silacyclopent-3-ene)					
$C_5H_9Si^+$	$CH_2 = CHSi(CH_3)_3$	754-05-2	$CH_3$	.9	EI	3809
$C_7H_{10}Si^+$	$(C_2H_5)_2SiH_2$	542-91-6	$H_2$	$10.0 \pm 0.1$	EI	5276
	$(C_2H_5)_3SiH$	617-86-7	$C_2H_6$	$9.75 \pm 0.1$	EI	5276
$C_3H_{12}Si^+$	$(CH_3)_4Si$	75-76-3	**	$9.80 \pm 0.03$	PI	4907
			**	$9.42 \pm 0.1$	PE	3677
			**	9.6	PE	5276
			**	$9.79 \pm 0.04$	PE	3880
			**	10.4 (V)	PE	4972
			**	10.57 (V)	PE	5368
			**	15.62 (V)	PE	3503
			**	$9.85 \pm 0.16$	EI	3548
			**	$9.99 \pm 0.03$	EI	4126
			**	9.8	PE	5276
	$(C_2H_5)_2SiH_2$	542-91-6	**	10.3 (V)	PE	4972
			**			
$C_3H_5Si^+$	$(CH_3)_2Si(C \equiv CH)_2$	1675-60-1	$CH_3$	$12.05 \pm 0.05$	EI	4126
$C_3H_6Si^+$	$C_3H_6SiH$ (Silabenzene)	289-77-0	**	8.0 (V)	PE	5107
$C_5H_8Si^+$	$C_5H_8(SiH_3)$	33618-25-6	**	8.7 (V)	PE	4373
	(Silane, 2,4-cyclopentadien-1-yl-)					
$C_3H_{10}Si^+$	$(CH_3)_3SiC \equiv CH$	1066-54-2	**	$9.9 \pm 0.1$	PE	4002
			**	$10.40 \pm 0.02$	EI	4126
$C_3H_{12}Si^+$	$(CH_3)_3SiCH = CH_2$	754-05-2	**	9.8 (V)	PE	3908



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_{12}Si^+$	$(CH_3)_3SiCH=CH_2$	754-05-2	** **	9.8 (V)	PE	3940
	$C_3H_6Si(CH_3)_2$	2295-12-7	**	9.2	EI	3809
	(Silacyclobutane, 1,1-dimethyl-)			9.40 (V)	PE	4077
$C_3H_{11}Si^+$	$(CH_3)_3SiC_2H_5$	3439-38-1	**	9.6	PE	5276
$C_6H_3Si^+$	$CH_3Si(C\equiv CH)_3$	1849-39-4	$CH_4$	$12.81 \pm 0.07$	EI	4126
$C_6H_8Si^+$	$(CH_3)_2Si(C\equiv CH)_2$	1675-60-1	**	$10.85 \pm 0.10$	EI	4126
	$C_5H_5SiCH_3$	63878-65-9	**	7.7 (V)	PE	5216
	(Silabenzene, 1-methyl-)					
	$C_6H_5SiH_3$	694-53-1	**	9.09	PE	3868
	(Silane, phenyl-)		**	9.25	PE	3922
$C_6H_{12}Si^+$	$(C_2H_5)_2Si(CH_3)_2$	10519-87-6	** **	9.8 (V)	PE	3994
	$C_6H_{12}Si$	18187-50-3	**	9.8 (V)	PE	5089
	(Silacyclopent-2-ene, 1,1-dimethyl-)			$9.27 \pm 0.03$ (V)	PE	5389
	$C_4H_6Si(CH_3)_2$	16054-12-9	**	9.0 (V)	PE	5550
	(Silacyclopent-3-ene, 1,1-dimethyl-)		**			
				$9.1 \pm 0.03$ (V)	PE	5389
$C_6H_{14}Si^+$	$(CH_3)_3SiCH_2CH=CH_2$	762-72-1	** **	9.0 (V)	PE	3908
	$C_5H_5Si(CH_3)_3$	30681-90-4	**	9.0 (V)	PE	3940
	(Silacyclobutane, 1,1,2-trimethyl-)			9.20 (V)	PE	4077
	$C_4H_8Si(CH_3)_2$	1072-54-4	**	9.75 (V)	PE	4077
	(Silacyclopentane, 1,1-dimethyl-)					
$C_6H_{13}Si^+$	$(C_2H_5)_3SiH$	617-86-7	H	$10.4 \pm 0.1$	EI	5276
	$(C_2H_5)_4Si$	631-36-7	$C_2H_5$	$10.0 \pm 0.1$	EI	5276
$C_6H_{16}Si^+$	$(C_2H_5)_3SiH$	617-86-7	** **	9.5	PE	5276
			**	9.9 (V)	PE	4985
			**	10.0 (V)	PE	4972
$C_7H_6Si^+$	$CH_3Si(C\equiv CH)_3$	1849-39-4	**	$11.06 \pm 0.03$	EI	4126
$C_7H_9Si^+$	$C_6H_5SiH(CH_3)_2$	766-77-8	$CH_3$	8.72	EI	4125
	(Silane, dimethylphenyl-)					
$C_8H_4Si^+$	$Si(C\equiv CH)_4$	1849-38-3	**	11.34	EI	4126
$C_8H_{11}Si^+$	$C_6H_5Si(CH_3)_2H$	766-77-8	H	$10.43 \pm 0.04$	EI	3549
	(Silane, dimethylphenyl-)					
	$C_6H_4(CH_3)SiH(CH_3)_2$	1432-39-9	$CH_3$	8.34	EI	4125
	(Silane, dimethyl(4-methylphenyl)-)					
$C_8H_5Si^+$	$C_6H_5Si(CH_3)_3$	768-32-1	$CH_4$	$10.26 \pm 0.03$	EI	3549
	(Silane, trimethylphenyl-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{11}Si^+$	$C_6H_5Si_2(CH_3)_5$ (Disilane, pentamethylphenyl-)	1130-17-2	$Si(CH_3)_3$	$9.86 \pm 0.06$	EI	3549
	$(C_6H_5)_2SiCH_3Si(CH_3)_3$ (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-)	1450-16-4	$C_6H_5Si(CH_3)_2$	$9.75 \pm 0.04$	EI	3549
	$(C_6H_5)(CH_3)_2Si_2$ (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-)	1145-98-8	$C_6H_5Si(CH_3)_2$	$9.87 \pm 0.08$	EI	3549
	$(C_6H_5)_3SiSi(CH_3)_3$ (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-)	1450-18-6	$(C_6H_5)_2SiCH_3$	$10.13 \pm 0.03$	EI	3549
$C_8H_{12}Si^+$	$(C_2H_5)_3Si$	1112-55-6	**	9.7 (V)	PE	3994
	$C_6H_5Si(CH_3)_2H$ (Silane, dimethylphenyl-)	766-77-8	**	$8.92 \pm 0.15$	EI	3549
$C_8H_{11}Si^+$						
	$C_3H_5Si(CH_3)_4$ (Silane, 2,4-cyclopentadien-1-yltrimethyl-)	3559-74-8	**	8.30 (V)	PE	5535
$C_8H_{20}Si^+$						
	$(C_2H_5)_3Si$	631-36-7	**	8.9	PE	5276
			**	9.8 (V)	PE	4985
$C_9H_{11}Si^+$						
	$C_6H_5Si(CH_3)_3$ (Silane, trimethylphenyl-)	768-32-1	**	9.0 (V)	PE	5380
			**	9.05 (V)	PE	4280
			**	$8.81 \pm 0.15$	EI	3549
			**	8.79	CTS	3922
$C_9H_{22}Si^+$						
	$(iso-C_3H_7)_3SiH$	6485-79-6	**	9.5 (V)	PE	4985
$C_{10}H_{10}Si^+$						
	$C_{10}H_7SiH_3$ (Silane, 1-naphthalenyl-)	38274-75-8	**	8.12	CTS	3922
$C_{10}H_{11}Si^+$						
	$C_9H_8Si(CH_3)_2$ (1-Silaindan, 1,1-dimethyl-)	17158-48-4	**	8.54	CTS	3546
	$C_9H_8Si(CH_3)_2$ (1H-2-Silaindene, 2,3-dihydro-2,2-dimethyl-)	2764-87-6	**	8.41	CTS	3546
$C_{10}H_{16}Si^+$						
	$C_6H_5CH_2Si(CH_3)_3$ (Silane, trimethyl(phenylmethyl))	770-09-2	**	8.35	PE	5574
			**	8.4	PE	4589
			**	8.42 (V)	PE	4280
			**	8.27	CTS	3922
			**	8.37	CTS	3546
$C_{11}H_{16}Si^+$						
	$C_6H_5CH=CHSi(CH_3)_3$ (Silane, trimethyl(2-phenylethenyl)-, (E)-)	19372-00-0	**	$7.89 \pm 0.04$	EI	4097
	$C_6H_5CH=CHSi(CH_3)_3$ (Silane, trimethyl(2-phenylethenyl)-, (Z)-)	19319-11-0	**	$8.19 \pm 0.04$	EI	4097
	$C_6H_5C(Si(CH_3)_3)=CH_2$ (Silane, trimethyl(1-phenylethenyl)-)	1923-01-9	**	$8.23 \pm 0.04$	EI	4097
$C_{12}H_{12}Si^+$						
	$(C_6H_5)_2SiH_2$ (Silane, diphenyl-)	775-12-2	**	$9.23 \pm 0.05$ (V)	PE	4620

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{16}Si^+$	$C_6H_7Si(CH_3)_3$ (Silane, 1 <i>H</i> -inden-1-yltrimethyl-)	18053-75-3	**	$7.65 \pm 0.01$	EI	3805
	$C_6H_7Si(CH_3)_3$ (Silane, (2,3-dihydro-1 <i>H</i> -inden-1-yl)trimethyl-)	18036-88-9	**	$7.87 \pm 0.01$	EI	3805
$C_{12}H_{18}Si^+$	$C_6H_5CH=CHCH_2Si(CH_3)_3$ (Silane, trimethyl(3-phenyl-2-propenyl)-, (E)-)	40595-34-4	**	8.13	CTS	3546
	$C_6H_5CH=CHCH_2Si(CH_3)_3$ (Silane, trimethyl(3-phenyl-2-propenyl)-, (Z)-)	40595-35-5	**	$7.61 \pm 0.04$	EI	4097
	$C_6H_5CH=CHCH_2Si(CH_3)_3$ (Silane, trimethyl(3-phenyl-2-propenyl)-, (Z)-)	40595-35-5	**	$7.77 \pm 0.04$	EI	4097
$C_{13}H_{13}Si^+$	$(C_6H_5)_2Si(CH_3)H$ (Silane, methyldiphenyl-)	776-76-1	H	$10.97 \pm 0.12$	EI	3549
	$(C_6H_5)_2SiCH_3Si(CH_3)_3$ (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-)	1450-16-4	$(CH_3)_3Si$	$9.63 \pm 0.02$	EI	3549
	$(C_6H_5)_2Si(CH_3)_2$ (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-)	1145-98-8	$(CH_3)_3Si$	$9.60 \pm 0.02$	EI	3549
	$((C_6H_5)_2CH_2Si)_2$ (Disilane, 1,2-dimethyl-1,1,2,2-tetraphenyl-)	1172-76-5	$(C_6H_5)_2SiCH_3$	$9.51 \pm 0.05$	EI	3549
	$(C_6H_5)_2Si(CH_3)H$ (Silane, methyldiphenyl-)	776-76-1	**	$8.75 \pm 0.15$	EI	3549
$C_{13}H_{16}Si^+$	$C_{10}H_7Si(CH_3)_3$ (Silane, trimethyl-1-naphthalenyl-)	18052-80-7	**	8.03	CTS	3758
	$C_{12}H_8Si(CH_3)_2$ (5 <i>H</i> -Dibenzosilole, 5,5-dimethyl-)	13688-68-1	**	7.9 (V)	PE	4081
$C_{14}H_{18}Si^+$	$C_{10}H_7CH_2Si(CH_3)_3$ (Silane, trimethyl(1-naphthalenylmethyl)-)	18410-58-7	**	7.83	CTS	3758
			**	7.83	CTS	3922
$C_{17}H_{18}Si^+$	$C_6H_7Si(CH_3)_2C_6H_5$ (Silane, 1 <i>H</i> -inden-1-yl dimethylphenyl-)	27490-90-0	**	$7.69 \pm 0.04$	EI	3805
	$C_9H_9Si(CH_3)_2C_6H_5$ (Silane, (2,3-dihydro-1 <i>H</i> -inden-1-yl)dimethylphenyl-)	41273-54-5	**	$7.94 \pm 0.01$	EI	3805
$C_{18}H_{15}Si^+$	$(C_6H_5)_3SiH$ (Silane, triphenyl-)	789-25-3	H	$9.58 \pm 0.08$	EI	3549
	$(C_6H_5)_4Si$ (Silane, tetraphenyl-)	1048-08-4	$C_6H_5$	9.7	PI	4055
	$(C_6H_5)_3SiSi(CH_3)_3$ (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-)	1450-18-6	$C_6H_5$	$9.93 \pm 0.08$	EI	3549
	$((C_6H_5)_2CH_2Si)_2$ (Disilane, 1,2-dimethyl-1,1,2,2-tetraphenyl-)	1172-76-5	$(CH_3)_3Si$	$9.35 \pm 0.03$	EI	3549
	$((C_6H_5)_2CH_2Si)_2$ (Disilane, 1,2-dimethyl-1,1,2,2-tetraphenyl-)	1172-76-5	$C_6H_5Si(CH_3)_2$	$9.35 \pm 0.03$	EI	3549
	$((C_6H_5)_3Si)_2$ (Disilane, hexaphenyl-)	1450-23-3	$(C_6H_5)_3Si$	$9.61 \pm 0.09$	EI	3549

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{16}Si^+$	$(C_6H_5)_3SiH$ (Silane, triphenyl-)	789-25-3	**	$9.13 \pm 0.05$ (V)	PE	4620
			**	$8.80 \pm 0.15$	EI	3549
$C_{22}H_{20}Si^+$	$C_{10}H_7Si(CH_3)_2C_{10}H_7$ (Silane, dimethyl-di-1-naphthalenyl-)	18753-19-0	**	8.03	CTS	3758
$C_{24}H_{16}Si^+$	$C_{24}H_{16}Si$ (5,5'-Spirobi[5 <i>H</i> -dibenzosilole])	159-68-2	**	7.85 (V)	PE	4081
$C_{24}H_{20}Si^+$	$(C_6H_5)_4Si$ (Silane, tetraphenyl-)	1048-08-4	**	$8.50 \pm 0.03$	PI	4055
			**	$8.65 \pm 0.15$	EI	3549
$C_2H_6Si_2^+$	$SiH_3C \equiv CSiH_3$	XXXXX-XX-X	**	10.46 (V)	PE	4160
$C_6H_{18}Si_2^+$	$(CH_3)_6Si_2$	1450-14-2	**	8.0	PE	5276
			**	8.69 (V)	PE	3504
			**	$8.35 \pm 0.12$	EI	3548
			**	$8.46 \pm 0.15$	EI	3549
$C_7H_{20}Si_2^+$	$((CH_3)_3Si)_2CH_2$	2117-28-4	**	9.5 (V)	PE	4457
$C_8H_{20}Si_2^+$	$C_8H_{20}Si_2$	18178-59-1	**	9.19 (V)	PE	4715
$C_8H_{22}Si_2^+$	$(CH_3)_3SiCH_2CH_2Si(CH_3)_3$	6231-76-1	**	8.78 (V)	PE	4457
$C_9H_{24}Si_2^+$	$(CH_3)_3Si(CH_2)_3Si(CH_3)_3$	2295-05-8	**	9.41 (V)	PE	4457
$C_{10}H_{18}Si_2^+$	$((CH_3)_3SiCC)_2$	4526-07-2	**	8.85 (V)	PE	5332
$C_{10}H_{22}Si_2^+$	$C_{10}H_{22}Si_2$	18081-31-7	**	$8.45 \pm 0.04$	EI	4274
	$CH_2 = C(Si(CH_3)_3)C(Si(CH_3)_3) = CH_2$	22472-36-2	**	$8.65 \pm 0.04$	EI	4274
	$C_{10}H_{22}Si_2$	22500-95-4	**	$8.45 \pm 0.04$	EI	4274
	<i>trans,trans</i> - $((CH_3)_3SiCH = CH)_2$	22430-47-3	**	$8.43 \pm 0.04$	EI	4274
$C_{10}H_{24}Si_2^+$	$C_{10}H_{24}Si_2$	XXXXX-XX-X	**	8.30 (V)	PE	5535
$C_{11}H_{20}Si_2^+$	$C_6H_5Si_2(CH_3)_5$ (Disilane, pentamethylphenyl-)	1130-17-2	**	8.35 (V)	PE	3946
			**	$8.35 \pm 0.15$	EI	3549
			**	8.37	CTS	3946
	$C_6H_5(SiH(CH_3)_2)Si(CH_3)_3$ (Silane, [4-(dimethylsilyl)phenyl]trimethyl-)	27856-24-2	**	$8.4 \pm 0.2$	EI	4121
$C_{11}H_{22}Si_2^+$	$C_5H_4(Si(CH_3)_3)_2$ (Silane, 2,4-cyclopentadien-1-ylidenebis[trimethyl-])	33630-76-1	**	8.05 (V)	PE	5535

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{10}Si_2^+$	$C_9H_9Si(CH_3)Si(CH_3)_3$ (2-Silaindan, 2-methyl-2-(trimethylsilyl)-)	27490-20-6	**	8.37	CTS	3546
$C_{12}H_{22}Si_2^+$	$C_6H_5CH_2Si_2(CH_3)_5$ (Disilane, pentamethyl(phenylmethyl)-)	3098-82-6	**	8.27	CTS	3546
	$C_6H_4(Si(CH_3)_3)_2$ (Silane, 1,4-phenylenebis(trimethyl)-)	13183-70-5	**	8.98 (V)	PE	5380
$C_{12}H_{24}Si_2^+$	$C_6H_6(Si(CH_3)_3)_2$ (Silane, 2,5-cyclohexadiene-1,4-diylbis(trimethyl- <i>trans</i> -))	54380-47-1	**	7.70 (V)	PE	5535
$C_{12}H_{28}Si_2^+$	$C_{12}H_{20}Si_2$ (Silane, 2,3-dimethyl-2-butene-1,4-diylbis(trimethyl- <i>trans</i> -))	XXXXX-XX-X	**	7.70 (V)	PE	5535
$C_{12}H_{30}Si_2^+$	( <i>tert</i> - $C_4H_9Si(CH_3)_2$ ) $C_6H_5Si(CH_3)_2$	63262-93-1	**	8.52 (V)	PE	4683
$C_{13}H_{22}Si_2^+$	$C_6H_5CH=CHSi_2(CH_3)_5$ (Disilane, pentamethyl(2-phenylethenyl)-, (E)-)	40595-36-6	**	$7.73 \pm 0.04$	EI	4097
$C_{13}H_{24}Si_2^+$	$C_6H_5CH(Si(CH_3)_3)_2$ (Silane, (phenylmethylene)bis(trimethyl))	14595-77-8	**	8.10	PE	5574
			**	8.10 (V)	PE	5012
$C_{14}H_{22}Si_2^+$	$C_{14}H_{22}Si_2$ (2,6-Disila-s-indacene, 1,2,3,5,6,7-hexahydro-2,2,6,6-tetramethyl-)	69020-20-2	**	7.80 (V)	PE	5629
$C_{14}H_{24}Si_2^+$	$C_9H_7Si_2(CH_3)_5$ (Disilane, 1-indanylpentamethyl-)	27490-23-9	**	8.07	CTS	3546
	$C_6H_5CH=C(Si(CH_3)_3)_2$ (Silane, (phenylethenylidene)bis(trimethyl)-)	18415-23-1	**	$8.12 \pm 0.04$	EI	4097
$C_{14}H_{26}Si_2^+$	$C_6H_4(CH_2Si(CH_3)_3)_2$ (Silane, [1,2-phenylenebis(methylene)]bis(trimethyl)-)	18412-14-1	**	8.05 (V)	PE	5012
			**	8.05 (V)	PE	5629
	$C_{14}H_{26}Si_2$ (Silane, [1,3-phenylenebis(methylene)]bis(trimethyl)-)	18412-15-2	**	8.05 (V)	PE	5629
			**	8.10 (V)	PE	5012
	$C_6H_4(CH_2Si(CH_3)_3)_2$ (Silane, [1,4-phenylenebis(methylene)]bis(trimethyl))	17557-09-4	**	7.75	PE	5574
			**	7.75 (V)	PE	5012
$C_{14}H_{32}Si_2^+$	$C_{14}H_{32}Si_2$	XXXXX-XX-X	**	7.90 (V)	PE	5535
$C_{15}H_{22}Si_2^+$	$C_{10}H_7Si_2(CH_3)_5$ (Disilane, pentamethyl-1-naphthalenyl-)	38446-40-1	**	7.95	CTS	3758
$C_{15}H_{24}Si_2^+$	$C_{10}H_6(Si(CH_3)_3)_2$ (Silane, 1 <i>H</i> -indene-1,2-diylbis(trimethyl)-)	26205-36-7	**	$7.54 \pm 0.01$	EI	3805



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{22}Si_2^+$	$(C_6H_5)_2SiCH_3Si(CH_3)_3$ (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-)	1450-16-4	**	$8.38 \pm 0.15$	EI	3549
	$(C_6H_5)(CH_3)_2Si_2$ (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-)	1145-98-8	**	$8.11 \pm 0.15$	EI	3549
$C_{16}H_{30}Si_2^+$	$C_{10}H_{16}Si_2$ (Silane, [(2,5-dimethyl-1,4-phenylene)bis(methylene)]bis[trimethyl-])	69020-19-5	**	7.70 (V)	PE	5629
	$C_{10}H_{30}Si_2$ (Silane, [(4,6-dimethyl-1,3-phenylene)bis(methylene)]bis[trimethyl-])	62347-03-9	**	7.95 (V)	PE	5629
$C_{18}H_{31}Si_2^+$	$C_{18}H_{31}Si_2$ (Silane, [(2,3,5,6-tetramethyl-1,4-phenylene)bis(methylene)]bis[trimethyl-])	69020-17-3	**	7.25 (V)	PE	5629
$C_{20}H_{30}Si_2^+$	$(C_6H_5)(CH_2Si(CH_3)_3)_2$ (Silane, [[1,1'-biphenyl]-4,4'-diylbis(methylene)]bis[trimethyl-])	61342-05-0	**	7.60 (V)	PE	5012
$C_{20}H_{38}Si_2^+$	$C_6H_4(CH_2Si(C_2H_5)_3)_2$ (Silane, [1,4-phenylenebis(methylene)]bis[triethyl-])	18724-34-0	**	7.75	PE	5574
$C_{21}H_{24}Si_2^+$	$(C_6H_5)_3SiSi(CH_3)_3$ (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-)	1450-18-6	**	$8.30 \pm 0.15$	EI	3549
$C_{24}H_{26}Si_2^+$	$C_{10}H_7(Si(CH_3)_2)_2C_{10}H_7$ (Disilane, 1,1,2,2-tetramethyl-1,2-di-1-naphthalenyl-)	38446-41-2	**	7.91	CTS	3758
$C_{26}H_{26}Si_2^+$	$((C_6H_5)_2CH_2Si)_2$ (Disilane, 1,2-dimethyl-1,1,2,2-tetraphenyl-)	1172-76-5	**	$8.05 \pm 0.15$	EI	3549
$C_{36}H_{30}Si_2^+$	$((C_6H_5)_3Si)_2$ (Disilane, hexaphenyl-)	1450-23-3	**	$8.16 \pm 0.15$	EI	3549
$C_8H_{24}Si_3^+$	$Si_3(CH_3)_8$	3704-44-7	**	8.19 (V)	PE	3504
$C_{16}H_{32}Si_3^+$	$C_6H_5C(Si(CH_3)_3)_3$ (Silane, (phenylmethylidene)tris[trimethyl-])	14595-76-7	**	8.10	PE	5574
			**	8.10 (V)	PE	5012
$C_{17}H_{28}Si_3^+$	$C_{10}H_7Si_3(CH_3)_7$ (Trisilane, 1,1,1,2,2,3,3-heptamethyl-3-(1-naphthalenyl)-)	38446-42-3	**	7.93	CTS	3758
	$C_{10}H_7Si_2(Si(CH_3)_3)_2CH_3$ (Trisilane, 1,1,1,2,3,3,3-heptamethyl-2-(1-naphthalenyl)-)	38446-43-4	**	7.85	CTS	3758
$C_{18}H_{36}Si_3^+$	$C_6H_5(CH_2Si(CH_3)_3)_3$ (Silane, [1,3,5-benzenetriyltris(methylene)]tris[trimethyl-])	59305-32-7	**	7.85 (V)	PE	5012
				7.85 (V)	PE	5629
$C_{21}H_{12}Si_3^+$	$C_{21}H_{12}Si_3$ (Silane, [(2,4,6-trimethyl-1,3,5-benzenetriyl)tris(methylene)]tris[trimethyl-])	69020-18-4	**	7.40 (V)	PE	5629

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{26}H_{32}Si_3^+$	$C_{10}H_7(Si(CH_3)_2)_3C_{10}H_7$ (Trisilane, 1,1,2,2,3,3-hexamethyl-1,3-di-1-naphthalenyl-)	38580-43-7	**	7.92	CTS	3758
$C_6H_{16}Si_4^+$	$C_6H_{16}Si_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 <sup>3,7</sup> ]decane)	281-44-7	**	9.0±0.05	PE	3855
			**	9.7 (V)	PE	4000
$C_{10}H_{24}Si_4^+$	$C_6H_{12}Si_4(CH_3)_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1,3,5,7-tetramethyl-)	17995-33-4	**	8.45±0.05	PE	3855
$C_{16}H_{36}Si_4^+$	<i>n</i> - $Si_4(CH_3)_{10}$	865-76-9	**	7.98 (V)	PE	3504
$C_{18}H_{38}Si_4^+$	$C_{18}H_{38}Si_4$ (Silane, 1,2,4,5-benzenetetrayltetrakis(trimethyl-))	17156-61-5	**	8.30 (V)	PE	5319
$C_{18}H_{40}Si_4^+$	$C_6H_4(Si(CH_3)_2)_4$ (Silane, 2,5-cyclohexadiene-1,4-diyltetrakis(trimethyl-))	XXXXX-XX-X	**	7.00 (V)	PE	5535
$C_{18}H_{44}Si_4^+$	$((CH_3)_3SiCH_2)_4C=C$	XXXXX-XX-X	**	7.15 (V)	PE	5535
$C_{20}H_{42}Si_4^+$	$C_6H_4(CH(Si(CH_3)_2))_2$ (Silane(1,4-phenylenedimethylidene)tetrakis(trimethyl))	17557-10-7	**	7.40	PE	5574
			**	7.40 (V)	PE	5012
$C_{20}H_{48}Si_4^+$	<i>tert</i> - $C_4H_9SiCH_3)_4$		**	7.42 (V)	PE	4683
$C_{22}H_{46}Si_4^+$	$C_6H_2(CH_2Si(CH_3)_2)_4$ (Silane, [1,2,4,5-benzenetetrayltetrakis(methylene)] tetrakis(trimethyl-))	64131-86-8		7.10 (V)	PE	5012
			**	7.10 (V)	PE	5629
$C_{22}H_{48}Si_4^+$	$C_{10}H_{12}(Si(CH_3)_2)_4$ (Silane, (1,2,3,4,5,6,7,8-octahydro-1,4,5,8-naphthalenetetrayl) tetrakis(trimethyl-))	XXXXX-XX-X	**	6.98 (V)	PE	5535
$C_{10}H_{30}Si_5^+$	$Si_5(CH_3)_{10}$ (Cyclopentasilane, decamethyl-)	13452-92-1	**	7.94 (V)	PE	3504
$C_{12}H_{36}Si_5^+$	$Si(Si(CH_3)_2)_4$	4098-98-0	**	8.24 (V)	PE	3504
$C_{12}H_{36}Si_6^+$	$Si_6(CH_3)_{12}$ (Cyclohexasilane, dodecamethyl-)	4098-30-0	**	7.79 (V)	PE	3504
$C_{22}H_{54}Si_6^+$	$((CH_3)_3Si)_2CC_2$	20932-80-3	**	7.60 (V)	PE	5332
$C_{26}H_{58}Si_6^+$	$C_6H_4(C(Si(CH_3)_2))_2$ (Silane(1,4-phenylenedimethanetetrayl)hexakis)	17557-11-8	**	7.45	PE	5574

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>26</sub>H<sub>58</sub>Si<sup>+</sup><sub>6</sub></b>	C <sub>6</sub> H <sub>4</sub> (C(Si(CH <sub>3</sub> ) <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub>	17557-11-8	**	7.45 (V)	PE	5012
<b>C<sub>30</sub>H<sub>66</sub>Si<sup>+</sup><sub>6</sub></b>	C <sub>6</sub> (CH <sub>2</sub> Si(CH <sub>3</sub> ) <sub>3</sub> ) <sub>6</sub> (Silane, [1,2,3,4,5,6-benzenehexaylhexakis(methylene)] hexakis(trimethyl)-)	64131-87-9	**	7.40 (V)	PE	5012
			**	7.40 (V)	PE	5629
<b>C<sub>16</sub>H<sub>36</sub>Si<sup>+</sup><sub>7</sub></b>	C <sub>16</sub> H <sub>18</sub> Si <sub>7</sub> (CH <sub>3</sub> ) <sub>6</sub> (2 <i>H</i> -1,5,8,12-Dimethano-3,6a,10-metheno-1,3,5,6a,8,10,12-heptasilaoctalene, dodecahydro-1, 3,5,8,10,12-hexamethyl-)	26393-20-4	**	7.9±0.05	PE	3855
<b>NSi<sub>2</sub><sup>+</sup></b>	Si <sub>2</sub> N	12293-67-3	**	9.5±0.5	EI	3810
			**	9.3±0.5	EI	4200
<b>H<sub>3</sub>N<sub>3</sub>Si<sup>+</sup></b>	SiH <sub>3</sub> N <sub>3</sub>	13847-60-4	**	10.33±0.02 (V)	PE	3670
<b>H<sub>9</sub>NSi<sub>3</sub><sup>+</sup></b>	(SiH <sub>3</sub> ) <sub>3</sub> N	13862-16-3	**	9.7±0.1 (V)	PE	3661
<b>C<sub>2</sub>H<sub>9</sub>NSi<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NSiH <sub>3</sub>	2875-98-1	**	8.5±0.1 (V)	PE	3661
<b>C<sub>1</sub>H<sub>13</sub>NSi<sup>+</sup></b>	NH <sub>2</sub> (CH <sub>2</sub> Si(CH <sub>3</sub> ) <sub>3</sub> )	18166-02-4	**	9.07 (V)	PE	5102
<b>C<sub>5</sub>H<sub>15</sub>NSi<sup>+</sup></b>	NH(CH <sub>3</sub> )(CH <sub>2</sub> Si(CH <sub>3</sub> ) <sub>3</sub> )	18135-05-2	**	8.55 (V)	PE	5102
<b>C<sub>6</sub>H<sub>17</sub>NSi<sup>+</sup></b>	C <sub>6</sub> H <sub>17</sub> NSi (CH <sub>3</sub> ) <sub>2</sub> NCH <sub>2</sub> Si(CH <sub>3</sub> ) <sub>4</sub>	13014-85-2	**	8.46 (V)	PE	5102
		18182-40-6	**	7.61	PI	5543
			**	7.63±0.05	PE	4192
			**	8.20 (V)	PE	5102
<b>C<sub>7</sub>H<sub>19</sub>NSi<sup>+</sup></b>	C <sub>7</sub> H <sub>19</sub> NSi ( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> NHSi(CH <sub>3</sub> ) <sub>3</sub> )	5577-67-3	**	8.41±0.05 (V)	PE	4725
<b>C<sub>8</sub>H<sub>13</sub>NSi<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> NS(CH <sub>3</sub> ) <sub>3</sub> (Pyridine, 2-(trimethylsilyl)-)	13737-04-7	**	8.90±0.05 (V)	PE	3685
	C <sub>5</sub> H <sub>4</sub> NS(CH <sub>3</sub> ) <sub>3</sub> (Pyridine, 4-(trimethylsilyl)-)	18301-46-7	**	9.30±0.05 (V)	PE	3685
<b>C<sub>8</sub>H<sub>21</sub>NSi<sup>+</sup></b>	C <sub>8</sub> H <sub>21</sub> NSi	10545-36-5	**	7.93 (V)	PE	5102
<b>C<sub>9</sub>H<sub>11</sub>NSi<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (N(CH <sub>3</sub> ) <sub>2</sub> )SiH(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, 4-(dimethylsilyl)- <i>N,N</i> -dimethyl-)	2516-75-8	CH <sub>3</sub>	7.08	EI	4125
<b>C<sub>9</sub>H<sub>21</sub>NSi<sup>+</sup></b>	C <sub>3</sub> H <sub>10</sub> NCH <sub>2</sub> Si(CH <sub>3</sub> ) <sub>3</sub> (Piperidine, 1-[(trimethylsilyl)methyl]-)	17877-17-7	**	8.18 (V)	PE	5102
<b>C<sub>7</sub>H<sub>18</sub>N<sub>2</sub>Si<sup>+</sup></b>	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> N=NSi(CH <sub>3</sub> ) <sub>3</sub>	25811-66-9	**	7.6±0.2 (V)	PE	4581

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{11}N_2Si^+$	$C_9H_5N=NSi(CH_3)_3$ (Diazene, phenyl(trimethylsilyl)-)	17881-28-6	**	$7.85 \pm 0.2$ (V)	PE	4581
$C_3H_9N_3Si^+$	$(CH_3)_3SiN_3$	4648-54-8	**	$9.7 \pm 0.1$ (V)	PE	3670
$C_8H_{21}N_4Si^+$	$((CH_3)_2N)_4Si$	1624-01-7	** **	8.39 (V) 8.69 (V)	PE PE	3503 4588
$CH_9NSi_2^+$	$(SiH_3)_2NCH_3$	4459-06-7	**	$9.2 \pm 0.1$ (V)	PE	3661
$C_6H_{19}NSi_2^+$	$((CH_3)_3Si)_2NH$	999-97-3	** **	8.66 (V) $8.79 \pm 0.05$ (V)	PE PE	4181 4725
$C_8H_{21}NSi_2^+$	$C_8H_6NSi_2(CH_3)_5$ (1-Aza-3,5-disilacyclohexane, 1,3,3,5,5-pentamethyl-)	69320-68-9	**	7.90 (V)	PE	5102
$C_8H_{23}NSi_2^+$	$NH(CH_2Si(CH_3)_3)_2$	17882-91-6	**	8.36 (V)	PE	5102
$C_9H_{25}NSi_2^+$	$CH_3N(CH_2Si(CH_3)_3)_2$	69320-67-8	**	7.86 (V)	PE	5102
$C_{10}H_{27}NSi_2^+$	$C_{10}H_{27}NSi_2$	17988-70-4	**	7.82 (V)	PE	5102
$C_{11}H_{21}NSi_2^+$	$C_5H_3N(Si(CH_3)_3)_2$ (Pyridine, 2,5-bis(trimethylsilyl)-)	35505-51-2	**	$8.65 \pm 0.05$ (V)	PE	3685
	$C_5H_3N(Si(CH_3)_3)_2$ (Pyridine, 2,6-bis(trimethylsilyl)-)	35505-52-3	**	$8.50 \pm 0.05$ (V)	PE	3685
$C_6H_{18}N_2Si_2^+$	$C_6H_{18}N_2Si_2$	13436-03-8	**	$7.1 \pm 0.2$ (V)	PE	4581
$C_8H_{24}N_4Si_2^+$	$N_4Si_2(CH_3)_8$ (1,2,4,5-Tetraaza-3,6-disilacyclohexane, 1,2,3,3,4,5,6,6-octamethyl-)	53213-29-9	**	$\sim 7.5$ (V)	PE	5504
$C_9H_{27}NSi_3^+$	$((CH_3)_3Si)_3N$	1586-73-8	**	8.60 (V)	PE	4181
$C_{12}H_{33}NSi_3^+$	$N(CH_2Si(CH_3)_3)_3$	4438-47-5	**	7.66 (V)	PE	5102
$C_{10}H_{28}N_2Si_4^+$	$C_2H_4N_2Si_4(CH_3)_8$ (1,5-Diaza-2,4,6,8-tetrasilabicyclo[3.3.0]octane, 2,2,4,4,6,6,8,8-octamethyl-)	XXXXX-XX-X	**	7.15 (V)	PE	5504
$C_{12}H_{36}N_2Si_4^+$	$((CH_3)_3Si)_2N_2$	20156-62-1	**	$\sim 7.95$ (V)	PE	5504
$B_2C_7H_{21}N_3Si^+$	$N_3B_2(CH_3)_3Si(CH_3)_3$ (1,2,4,3,5-Triazadiborolidine, 1,2,3,5-tetramethyl-4-(trimethylsilyl)-)	53323-98-1	**	7.48 (V)	PE	4526
	$N_3B_2(CH_3)_3Si(CH_3)_3$ (1,2,4,3,5-Triazadiborolidine, 1,3,4,5-tetramethyl-2-(trimethylsilyl)-)	53246-18-7	**	7.56 (V)	PE	4526

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$^{18}\text{OSi}^+$	$\text{Si}^{18}\text{O}$	10097-28-6	**	11.43	S	5049
			**	$10.2 \pm 0.5$	EI	3985
			**	$11.3 \pm 0.3$	EI	4005
			**	$11.3 \pm 0.5$	EI	3810
			**	$11.5 \pm 0.3$	EI	3610
$\text{H}_6\text{Si}_2\text{O}^+$	$(\text{SiH}_3)_2\text{O}$	13597-73-4	**	11.17 (V)	PE	3656
			**	11.19 (V)	PE	3844
$\text{LiOSi}^+$	$\text{LiSiO}$	XXXXX-XX-X	**	$6.3 \pm 0.3$	EI	5393
$\text{CH}_6\text{OSi}^+$	$\text{CH}_3\text{OSiH}_3$	2171-96-2	**	10.61 (V)	PE	3844
$\text{C}_3\text{H}_9\text{SiO}^+$	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)_3$	107-46-0		$21.8 \pm 0.2$	EI	3444
	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)_2\text{OSi}(\text{CH}_3)_3$	107-51-7		$21.8 \pm 0.2$	EI	3444
	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)(\text{C}_2\text{H}_5)\text{OSi}(\text{CH}_3)_3$	5356-85-4	3	$23.6 \pm 0.2$	EI	3444
	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)(\text{C}_2\text{H}_5)_2\text{OSi}(\text{CH}_3)_3$	17861-60-8	3	$21.8 \pm 0.2$	EI	3444
$\text{C}_5\text{H}_{12}\text{OSi}^+$	$(\text{CH}_3)_3\text{SiCOCH}_3$	13411-48-8	**	8.6 (V)	PE	4139
			**	8.64	PE	4395
$\text{C}_8\text{H}_{11}\text{OSi}^+$	$\text{C}_6\text{H}_4(\text{OCH}_3)\text{SiH}(\text{CH}_3)_2$ (Silane, (4-methoxyphenyl)dimethyl-)	1432-38-8	$\text{CH}_3$	8.13	EI	4125
$\text{C}_9\text{H}_{14}\text{OSi}^+$	$\text{C}_6\text{H}_7\text{Si}(\text{CH}_3)_2\text{OCH}_3$ (Silane, methoxydimethylphenyl-)	17881-88-8	**	9.34	EI	5421
$\text{C}_{10}\text{H}_{11}\text{OSi}^+$	<i>tert</i> -( $\text{CH}_3$ ) <sub>3</sub> SiCOC <sub>6</sub> H <sub>5</sub> (Silane, benzoyltrimethyl-)	5908-41-8	**	7.96	PE	4395
$\text{C}_{10}\text{H}_{16}\text{OSi}^+$	$\text{CH}_3\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{OCH}_3$ (Silane, methoxydimethyl(3-methylphenyl)-)	62244-47-7	**	8.97	EI	5421
	$\text{CH}_3\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{OCH}_3$ (Silane, methoxydimethyl(4-methylphenyl)-)	51501-87-2	**	9.09	EI	5421
	$\text{CH}_3\text{OC}_6\text{H}_4\text{Si}(\text{CH}_3)_3$ (Silane, (4-methoxyphenyl)trimethyl-)	877-68-9	**	$8.47$ (V)	PE	5380
				8.03	CTS	3758
$\text{C}_{13}\text{H}_{11}\text{OSi}^+$	$\text{C}_{12}\text{H}_9\text{OSi}(\text{CH}_3)_2$ (10H-Phenoxasilin, 10,10-dimethyl-)	18414-62-5	$\text{CH}_3$	$8.5 \pm 0.1$	EI	4664
$\text{C}_{13}\text{H}_{18}\text{OSi}^+$	$\text{C}_9\text{H}_7\text{Si}(\text{CH}_3)_2\text{OC}_2\text{H}_5$ (Silane, ethoxy-1 <i>H</i> -inden-1-yl dimethyl-)	41273-57-8	**	$7.63 \pm 0.01$	EI	3805
$\text{C}_{13}\text{H}_{20}\text{OSi}^+$	$\text{C}_9\text{H}_9\text{Si}(\text{CH}_3)_2\text{OC}_2\text{H}_5$ (Silane, (2,3-dihydro-1 <i>H</i> -inden-1-yl)ethoxydimethyl-)	41273-53-4	**	$7.81 \pm 0.01$	EI	3805
$\text{C}_{11}\text{H}_{11}\text{OSi}^+$	$\text{C}_{12}\text{H}_9\text{OSi}(\text{CH}_3)_2$ (10H-Phenoxasilin, 10,10-dimethyl-)	18414-62-5	**	$8.0 \pm 0.1$	EI	4664



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_{12}O_2Si^+$	$C_3H_6Si(OCH_3)_2$ (Silacyclobutane, 1,1-dimethoxy-)	33446-84-3	**	10.15 (V)	PE	4077
$C_{10}H_{16}O_2Si^+$	$CH_3OC_6H_4Si(CH_3)_2OCH_3$ (Silane,methoxy(4-methoxyphenyl)dimethyl-)	62244-48-8	**	8.62	EI	5421
$C_8H_{20}O_4Si^+$	$(C_2H_5O)_4Si$	78-10-4	**	9.77 (V)	PE	3503
$C_6H_{18}OSi_2^+$	$((CH_3)_3Si)_2O$	107-46-0	**	9.88 (V)	PE	4181
$C_{11}H_{20}OSi_2^+$	$C_6H_4(SiH(CH_3)_2)Si(CH_3)_2OCH_3$ (Silane, [3-(dimethylsilyl)phenyl]methoxydimethyl-)	XXXXX-XX-X	**	$8.5 \pm 0.2$	EI	4121
	$C_6H_4(SiH(CH_3)_2)Si(CH_3)_2OCH_3$ (Silane, [4-(dimethylsilyl)phenyl]methoxydimethyl-)	33546-26-8	**	$8.6 \pm 0.2$	EI	4121
$C_{12}H_{22}OSi_2^+$	$C_6H_4(OCH_3)Si_2(CH_3)_5$ (Disilane, (4-methoxyphenyl)pentamethyl-)	4199-03-5	**	7.85	CTS	3758
$C_7H_{19}O_2Si_2^+$	$(CH_3)_3SiO(CH_2)_2OSi(CH_3)_3$	7381-30-8	$CH_3$	$9.5 \pm 0.1$	EI	4300
$C_8H_{21}O_2Si_2^+$	$(CH_3)_3SiO(CH_2)_3OSi(CH_3)_3$	17887-80-8	$CH_3$	$9.4 \pm 0.1$	EI	4300
$C_9H_{23}O_2Si_2^+$	$(CH_3)_3SiO(CH_2)_4OSi(CH_3)_3$	18001-91-7	$CH_3$	$9.3 \pm 0.1$	EI	4300
$C_{10}H_{25}O_2Si_2^+$	$(CH_3)_3SiO(CH_2)_5OSi(CH_3)_3$	54494-06-3	$CH_3$	$9.3 \pm 0.1$	EI	4300
$C_{11}H_{20}O_2Si_2^+$	$C_6H_4(SiH(CH_3)_2)Si(OCH_3)_2CH_3$ (Silane, [3-(dimethylsilyl)phenyl]dimethoxymethyl-)	XXXXX-XX-X	**	$8.8 \pm 0.2$	EI	4121
	$C_6H_4(SiH(CH_3)_2)Si(OCH_3)_2CH_3$ (Silane, [4-(dimethylsilyl)phenyl]dimethoxymethyl-)	34239-01-5	**	$8.5 \pm 0.2$	EI	4121
$C_{11}H_{27}O_2Si_2^+$	$(CH_3)_3SiO(CH_2)_6OSi(CH_3)_3$	6222-22-6	$CH_3$	$9.3 \pm 0.1$	EI	4300
$C_{12}H_{29}O_2Si_2^+$	$(CH_3)_3SiO(CH_2)_7OSi(CH_3)_3$	54494-07-4	$CH_3$	$9.4 \pm 0.1$	EI	4300
$C_{11}H_{20}O_3Si_2^+$	$C_6H_4(SiH(CH_3)_2)Si(OCH_3)_3$ (Silane, [3-(dimethylsilyl)phenyl]trimethoxy-)	XXXXX-XX-X	**	$9.0 \pm 0.2$	EI	4121
$NOSi_2^+$	$Si_2NO$	12033-47-5	**	$10.8 \pm 0.5$	EI	3810
$CH_3NOSi^+$	$SiH_4NCO$	13730-13-7	**	$11.10 \pm 0.02$ (V)	PE	3670
$C_1H_9NOSi^+$	$(CH_3)_3SiNCO$	1118-02-1	**	$10.3 \pm 0.1$ (V)	PE	3670

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_8\text{H}_{13}\text{NOSi}^+$	$\text{C}_5\text{H}_4\text{N}(\text{O})\text{Si}(\text{CH}_3)_3$ (Pyridine, 4-(trimethylsilyl)-, 1-oxide)	28867-06-3	**	8.19 (V)	PE	4222
$\text{C}_{11}\text{H}_{19}\text{NOSi}^+$	$(\text{CH}_3)_2\text{NC}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{OCH}_3$ (Benzenamine, 4-(methoxydimethylsilyl)-N,N-dimethyl-)	62244-49-9	**	7.45	EI	5421
$\text{C}_9\text{H}_{13}\text{NO}_2\text{Si}^+$	$\text{NO}_2\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_3$ (Silane, trimethyl(4-nitrophenyl)-)	4405-33-8	**	9.80 (V)	PE	5380
$\text{C}_6\text{H}_{13}\text{NO}_3\text{Si}^+$	$\text{N}(\text{CH}_2\text{CH}_2\text{O})_3\text{SiH}$ (2,8,9-Trioxa-5-aza-silabicyclo[3.3.3]undecane)	283-60-3	**	$\sim 10.1$	PE	4413
$\text{C}_7\text{H}_{15}\text{NO}_3\text{Si}^+$	$\text{N}(\text{CH}_2\text{CH}_2\text{O})_3\text{SiCH}_3$ (2,8,9-Trioxa-5-aza-1-silabicyclo[3.3.3]undecane, 1-methyl-)	2288-13-3	**	8.7 (V)	PE	4413
$\text{C}_9\text{H}_{13}\text{NO}_3\text{Si}^+$	$\text{NO}_2\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{OCH}_3$ (Silane, methoxydimethyl(4-nitrophenyl)-)	62244-50-2	**	9.44	EI	5421
$\text{C}_8\text{H}_{17}\text{NO}_4\text{Si}^+$	$\text{N}(\text{CH}_2\text{CH}_2\text{O})_3\text{SiOC}_2\text{H}_5$ (2,8,9-Trioxa-5-aza-1-silabicyclo[3.3.3]undecane, 1-ethoxy-)	3463-21-6	**	10.6 (V)	PE	4413
$\text{F}_2\text{Si}^+$	$\text{SiF}_2$	13966-66-0	**	$10.78 \pm 0.05$	PE	4138
			**	11.08 (V)	PE	4322
			**	15.57 (V)	PE	4322
			**	17.08 (V)	PE	4322
$\text{F}_3\text{Si}^+$	$\text{CH}_3\text{SiF}_3$	373-74-0	$\text{CH}_3$	$13.33 \pm 0.05$	PI	4907
$\text{F}_4\text{Si}^+$	$\text{SiF}_4$	7783-61-1	**	15.19	PI	4907
			**	16.45 (V)	PE	4322
			**	$16.46 \pm 0.04$ (V)	PE	3880
			**	$15.4 \pm 1$	EI	4894
$\text{F}_6\text{Si}_2^+$	$\text{Si}_2\text{F}_6$	13830-68-7	**	$13.20 \pm 0.02$ (V)	PE	4026
$\text{H}_3\text{FSi}^+$	$\text{SiH}_3\text{F}$	13537-33-2	**	12.58 (V)	PE	3511
			**	$12.6 \pm 0.1$ (V)	PE	3510
			**	$16.1 \pm 0.1$ (V)	PE	3502
			**	$13.0 \pm 1$	EI	4894
$\text{H}_2\text{F}_2\text{Si}^+$	$\text{SiH}_2\text{F}_2$	13824-36-7	**	12.85 (V)	PE	3511
			**	12.85 (V)	PE	3694
			**	$12.9 \pm 0.1$ (V)	PE	3510
			**	$11.0 \pm 1$	EI	4894
$\text{HF}_3\text{Si}^+$	$\text{SiHF}_3$	13465-71-9	**	$14.48 \pm 0.02$ (V)	PE	4026
			**	$14.48 \pm 0.05$ (V)	PE	5419
			**	$11.0 \pm 1$	EI	4894

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_2\text{H}_6\text{FSi}^+$	$(\text{CH}_3)_3\text{SiF}$	420-56-4	$\text{CH}_3$	$10.70 \pm 0.04$	PI	4907
$\text{C}_3\text{H}_9\text{FSi}^+$	$(\text{CH}_3)_3\text{SiF}$	420-56-4	** **	$10.31 \pm 0.04$ $11.0$ (V)	PI PE	4907 4972
$\text{C}_5\text{H}_9\text{FSi}^+$	$(\text{CH}_3)_3\text{SiC}\equiv\text{CF}$	38346-22-4	**	$9.8 \pm 0.1$	PE	4002
$\text{C}_6\text{H}_{15}\text{FSi}^+$	$(\text{C}_2\text{H}_5)_3\text{SiF}$	358-43-0	**	$10.1$ (V)	PE	4972
$\text{C}_7\text{H}_8\text{FSi}^+$	$\text{C}_6\text{H}_5\text{Si}(\text{CH}_3)_2\text{F}$ (Silane, fluorodimethylphenyl-)	454-57-9	$\text{CH}_3$	$10.83$	EI	5366
$\text{C}_8\text{H}_{10}\text{FSi}^+$	$\text{CH}_3\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane, fluorodimethyl(3-methylphenyl)-)	33664-04-9	$\text{CH}_3$	$10.92$	EI	5366
	$\text{CH}_3\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane, fluorodimethyl(4-methylphenyl)-)	33664-05-0	$\text{CH}_3$	$10.82$	EI	5366
$\text{C}_8\text{H}_{11}\text{FSi}^+$	$\text{C}_6\text{H}_5\text{Si}(\text{CH}_3)_2\text{F}$ (Silane, fluorodimethylphenyl-)	454-57-9	**	$9.17$	EI	5421
$\text{C}_9\text{H}_{13}\text{FSi}^+$	$\text{CH}_3\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane, fluorodimethyl(3-methylphenyl)-)	33664-04-9	**	$8.86$	EI	5421
	$\text{CH}_3\text{C}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane, fluorodimethyl(4-methylphenyl)-)	33664-05-0	**	$8.86$	EI	5421
	$\text{FC}_6\text{H}_4\text{Si}(\text{CH}_3)_3$ (Silane, (4-fluorophenyl)trimethyl-)	455-17-4	**	$9.0$ (V)	PE	5380
$\text{CH}_3\text{F}_2\text{Si}^+$	$(\text{CH}_3)_2\text{SiF}_2$	353-66-2	$\text{CH}_3$	$11.70 \pm 0.03$	PI	4907
$\text{C}_2\text{H}_6\text{F}_2\text{Si}^+$	$(\text{CH}_3)_2\text{SiF}_2$	353-66-2	** **	$11.03 \pm 0.03$ $11.5$ (V)	PI PE	4907 4972
$\text{C}_4\text{H}_6\text{F}_2\text{Si}^+$	$\text{C}_4\text{H}_6\text{SiF}_2$ (Silacyclopent-3-ene, 1,1-difluoro-)	XXXXX-XX-X	**	$9.62$ (V)	PE	4517
$\text{C}_4\text{H}_{10}\text{F}_2\text{Si}^+$	$(\text{C}_2\text{H}_5)_2\text{SiF}_2$	358-06-5	**	$10.5$ (V)	PE	4972
$\text{CH}_3\text{F}_3\text{Si}^+$	$\text{CH}_3\text{SiF}_3$	373-74-0	** ** **	$12.48 \pm 0.04$ $13.2$ (V) $13.24 \pm 0.02$ (V)	PI PE PE	4907 4972 4026
$\text{C}_5\text{H}_5\text{F}_3\text{Si}^+$	$\text{C}_5\text{H}_5(\text{SiF}_3)$ (Silane, 2,4-cyclopentadien-1-yl trifluoro-)	55765-70-3	**	$9.1$ (V)	PE	4373
$\text{C}_7\text{H}_{10}\text{F}_6\text{Si}^+$	<i>cis</i> -( $\text{CH}_3$ ) <sub>2</sub> SiC(CF <sub>3</sub> )=C(CF <sub>3</sub> )H	35186-03-9	**	$9.86$	PE	3589

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{17}FSi_2^+$	$C_6H_5(SiF(CH_3)_2)SiH(CH_3)_2$ (Silane, [4-(dimethylsilyl)phenyl]fluorodimethyl-)	33546-29-1	**	$8.5 \pm 0.2$	EI	4121
$C_9H_{11}F_2Si_2^+$	$C_6H_5(SiF_2CH_3)SiH(CH_3)_2$ (Silane, 1,1-difluoro[4-(dimethylsilyl)phenyl]methyl-)	XXXXX-XX-X	**	$8.7 \pm 0.2$	EI	4121
$C_8H_{11}F_3Si_2^+$	$C_6H_5(SiF_3)SiH(CH_3)_2$ (Silane, trifluoro[4-(dimethylsilyl)phenyl]-)	XXXXX-XX-X	**	$9.2 \pm 0.2$	EI	4121
$C_6H_{12}F_4Si^+$	$C_6H_{12}Si_4F_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1,3,5,7-tetrafluoro-)	33664-21-0	**	$9.8 \pm 0.05$	PE	3855
$C_9H_{13}NFSi^+$	$(CH_3)_2NC_6H_4Si(CH_3)_2F$ (Benzenamine, 4-(fluorodimethylsilyl)-N,N-dimethyl-)	62244-56-8	$CH_3$	11.59	EI	5366
$C_{10}H_{16}NFSi^+$	$(CH_3)_2NC_6H_4Si(CH_3)_2F$ (Benzenamine, 4-(fluorodimethylsilyl)-N,N-dimethyl-)	62244-56-8	**	7.55	EI	5421
$C_2H_6NF_3Si^+$	$F_3SiN(CH_3)_2$	812-14-6	**	$9.60 \pm 0.05$ (V)	PE	5419
$C_8H_{10}OFSi^+$	$CH_3OC_6H_4Si(CH_3)_2F$ (Silane, fluoro(4-methoxyphenyl)dimethyl-)	62244-55-7	$CH_3$	11.03	EI	5366
$C_9H_{13}OFSi^+$	$CH_3OC_6H_4Si(CH_3)_2F$ (Silane, fluoro(4-methoxyphenyl)dimethyl-)	62244-55-7	**	8.42	EI	5421
$C_7H_7NO_2FSi^+$	$NO_2C_6H_4Si(CH_3)_2F$ (Silane, fluorodimethyl(4-nitrophenyl)-)	62244-57-9	$CH_3$	10.71	EI	5366
$C_8H_{10}NO_2FSi^+$	$NO_2C_6H_4Si(CH_3)_2F$ (Silane, fluorodimethyl(4-nitrophenyl)-)	62244-57-9	**	9.77	EI	5421
$AlSi^+$	SiAl	12042-55-6	**	$6.5 \pm 1.0$	EI	4005
$OAlSi^+$	SiAlO	37361-47-0	**	$6.3 \pm 1.0$	EI	4005
			**	$8.0 \pm 1$	EI	3985
$P^+$	$P_2$	12185-09-0		15.9	EI	3472
	$PH_3$	7803-51-2	$H_2 + H$	16.3	EI	3811
	$PCl_3$	7719-12-2	$Cl_2 + Cl$	$18.5 \pm 0.7$	EI	3556
	$PBr_3$	7789-60-8	$Br_2 + Br$	$16.7 \pm 0.7$	EI	3556
	$LaPO_4$	XXXXX-XX-X		$13.0 \pm 0.6$	EI	5603
$P_2^+$	$P_2$	12185-09-0	**	$10.7 \pm 0.1$	S	3567
$(^2\Pi_u)$			**	10.60	PE	3695
$(^2\Pi_g)$			**	$10.62 \pm 0.01$ (V)	PE	4597
$(^2\Sigma_g)$			**	$10.81 \pm 0.01$ (V)	PE	4597

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$P_2^+$ ( $^1\Sigma_g^+$ ) ( $^1\Sigma_u^+$ )	$P_2$	12185-09-0	**	10.84 (V)	PE	3695
			**	$15.52 \pm 0.01$ (V)	PE	4597
			**	$9.7 \pm 0.5$	EI	3458
			**	9.7	EI	4001
			**	$10.3 \pm 0.5$	EI	4120
			**	11.2	EI	3472
			**	$11.4 \pm 0.5$	EI	4098
			**	$11.8 \pm 0.5$	EI	3555
	$P_4$ ( $^1\Sigma_g^+$ )	12185-10-3		$12.85 \pm 0.01$	PI	4936
			$P_2$	$12.85 \pm 0.03$	PI	4924
$P_3^+$ ( $^1\Sigma_g^+$ )	$P_3$	55030-78-9	**	$7.85 \pm 0.2$	PI	4924
	$P_4$	12185-10-3		$12.54 \pm 0.01$	PI	4936
			P	$12.54 \pm 0.03$	PI	4924
$P_4^+$	$P_4$	12185-10-3	**	9.25	PI	4924
			**	9.34	PI	4936
			**	$9.10 \pm 0.05$	PE	3683
			**	9.2	PE	3643
			**	$10.0 \pm 0.5$	EI	4098
			**	$10.8 \pm 0.3$	EI	3555
$HP^+$	$PH_3$	7803-51-2	$H_2$	12.9	EI	3811
$H_2P^+$	$PH_3$	7803-51-2	H	13.4	EI	3811
$H_3P^+$	$PH_3$	7803-51-2	**	$9.96 \pm 0.01$	PE	3703
			**	9.96	PE	3719
			**	9.96	PE	5516
			**	$10.59 \pm 0.05$ (V)	PE	5419
			**	10.0	EI	3811
$H_1P_2^+$	$P_2H_4$	13445-50-6	**	9.69 (V)	PE	4584
$BP^+$	BP	20205-91-8	**	$<13 \pm 2$	EI	3619
$CP^+$	PC	12326-85-1	**	$10.5 \pm 0.5$	EI	3458
$C_2P^+$	$C_2P$	12602-39-0	**	$10.9 \pm 0.5$	EI	3458
$CP_2^+$	$CP_2$	12601-93-3	**	$9.4 \pm 0.5$	EI	3458
$CHP^+$ ( $^2\Pi$ ) ( $^2\Sigma$ )	HCP	6829-52-3	**	$10.79 \pm 0.01$	PE	3840
			**	$12.86 \pm 0.01$	PE	3840
$CH_5P^+$	$CH_3PH_2$	593-54-4	**	$9.12 \pm 0.07$	PE	4152
			**	9.12	PE	5516
			**	$9.6 \pm 0.1$ (V)	PE	3661
			**	9.70 (V)	PE	4474



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3P^+$	$CH_3C\equiv P$	34627-31-1	**	$9.89 \pm 0.01$ (V)	PE	5033
$C_2H_5P^+$	$C_2H_5P$ (Phosphirane)	6569-82-0	**	$9.4 \pm 0.1$	PE	4990
$C_2H_7P^+$	$(CH_3)_2PH$	676-59-5	** ** ** ** **	$8.47 \pm 0.07$ 8.47 $8.5 \pm 0.1$ 9.10 (V) 9.13 (V)	PE PE PE PE PE	4152 5516 4990 4474 4185
$C_3H_9P^+$	$(CH_3)_3P$	594-09-2	** ** ** ** ** ** ** ** ** **	$8.01 \pm 0.07$ $8.11 \pm 0.1$ 8.11 $8.6 \pm 0.1$ (V) 8.6 (V) 8.60 (V) 8.60 (V) 8.60 (V) 8.65 (V) 8.79	PE PE PE PE PE PE PE PE PE PE	4152 5042 5516 3661 5378 4226 4579 5368 4474 5602
$C_4H_{11}P^+$	$(C_2H_5)_2PH$ $(CH_3)_3P=CH_2$	627-49-6 14580-91-7	** ** ** **	8.69 6.81 (V) 6.81 (V) 6.87 (V)	PE PE PE PE	3589 4579 5442 4181
	$(CH_3)_3P=CH_2$ <i>tert</i> - $C_4H_9PH_2$	29218-61-9 2501-94-2	** **	6.81 (V) 9.30 (V)	PE PE	5368 4474
$C_5H_9P^+$	$C_5H_9P$ (Phosphorin)	289-68-9	**	9.2 (V)	PE	3832
$C_6H_7P^+$	$C_6H_7PH_2$ (Phosphine, phenyl-)	638-21-1	**	$8.47 \pm 0.01$	PE	4154
$C_6H_9P^+$	$(C_2H_5)_3P$	3746-01-8	**	7.52 (V)	PE	5526
$C_6H_{13}P^+$	$(CH_3)_3P=CHCH=CH_2$	30417-65-3	**	6.20 (V)	PE	4579
$C_6H_{15}P^+$	$(C_2H_5)_3P$	554-70-1	** **	7.44 (V) 8.52	PE PE	5526 5602
$C_7H_{11}P^+$	$C_4H_9(CH_3)_2P(CH_3)$ (1H-Phosphole, 1,3,4-trimethyl-)	37739-99-4	**	8.25 (V)	PE	5618
$C_7H_{13}P^+$	$(CH_3)_3P=CHC(CH_3)=CH_2$ $(CH_3)_3P=CHCH=CHCH_3$	29218-65-3 61169-15-1	** **	6.20 (V) 6.02 (V)	PE PE	4579 4579
$C_8H_{11}P^+$	$(C_6H_5)(CH_3)_2P$ (Phosphine, dimethyl phenyl)	672-66-2	**	$7.58 \pm 0.05$	PI	5278

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{11}P^+$	$(C_6H_5)(CH_3)_2P$	672-66-2	** **	7.81 ± 0.01 8.45 (V)	PE PE	4154 5378
$C_8H_{13}P^+$	$C_4H_9PC_4H_9$ (1H-Phosphole, 1-butyl-)	37739-98-3	**	8.45 (V)	PE	5618
$C_8H_{19}P^+$	$(tert-C_4H_9)_2PH$	819-19-2	**	8.35 (V)	PE	4474
$C_9H_7P^+$	$C_9H_7P$ (Isophosphinoline)	253-37-2	**	8.04	PE	4515
$C_9H_{13}P^+$	$C_6H_5(CH_3)_2P=CH_2$ (Phosphorane, dimethylmethylenepheryl-)	29949-96-0	**	6.85 (V)	PE	4579
$C_9H_{21}P^+$	$(n-C_4H_9)_2PCH_3$	33374-48-0	**	8.20 (V)	PE	4423
$C_{10}H_9P^+$	$C_9H_9PCH_3$ (Isophosphinoline, 3-methyl-)	49622-63-1	**	7.96	PE	4515
$C_{10}H_9P^+$	$C_6H_5C_4H_9P$ (1H-Phosphole, 1-phenyl-)	20342-00-1	**	8.45 (V)	PE	4090
$C_{10}H_{13}P^+$	$C_6H_5C_4H_9P$ (Phospholane, 1-phenyl-)	3302-87-2	**	8.35 (V)	PE	4090
$C_{10}H_{15}P^+$	$(CH_3)_3P=CHC_6H_5$ (Phosphorane, trimethyl(phenylmethylene)-)	30417-68-6	**	6.19 (V)	PE	4579
$C_{10}H_{17}P^+$	$C_4H_9(CH_3)_2P(tert-C_4H_9)$ (1H-Phosphole, 1-(1,1-dimethylethyl)-3,4-dimethyl-)	38066-25-0	**	8.05 (V)	PE	5618
$C_{10}H_{17}P^+$	$C_4H_9(CH_3)_2PC_4H_9$ (1H-Phosphole, 1-butyl-3,4-dimethyl-)	30540-39-7	**	8.15 (V)	PE	5618
$C_{10}H_{21}P^+$	$(n-C_4H_9)_2PCH=CH_2$	13652-22-7	**	8.25 (V)	PE	4423
$C_{11}H_{23}P^+$	$(n-C_4H_9)_2PCH_2CH=CH_2$	56660-54-9	**	8.20 (V)	PE	4423
$C_{12}H_{11}P^+$	$(C_6H_5)_2PH$ (Phosphine, diphenyl-)	829-85-6	**	7.80 ± 0.01	PE	4154
$C_{12}H_{13}P^+$	$C_6H_5C_4H_9P(CH_3)_2$ (1H-Phosphole, 2,5-dimethyl-1-phenyl-)	13904-58-0	**	8.0 (V)	PE	4090
$C_{12}H_{17}P^+$	$C_6H_5C_4H_9P(CH_3)_2$ (Phospholane, 2,5-dimethyl-1-phenyl-) $(CH_3)_3P=CHCH=CHC_6H_5$ (Phosphorane, trimethyl(3-phenyl-2-propenylidene)-(E)-)	40358-68-7 61169-16-2	** **	8.35 (V) 6.20 (V)	PE PE	4090 4579

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>12</sub>H<sub>27</sub>P<sup>+</sup></b>	(n-C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> P	998-40-3	**	8.00 (V)	PE	4423
	(tert-C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> P	13716-12-6	**	7.70 (V)	PE	4474
<b>C<sub>13</sub>H<sub>9</sub>P<sup>+</sup></b>	C <sub>13</sub> H <sub>9</sub> P	398-14-1	**	7.34 (V)	PE	5436
	(Acridophosphine)					
<b>C<sub>14</sub>H<sub>11</sub>P<sup>+</sup></b>	C <sub>13</sub> H <sub>8</sub> PCH <sub>3</sub>	57422-79-4	**	7.19 (V)	PE	5436
	(Acridophosphine, 10-methyl)					
<b>C<sub>14</sub>H<sub>15</sub>P<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (CH <sub>3</sub> )P=CH <sub>2</sub>	4554-22-7	**	6.70 (V)	PE	4579
	(Phosphorane, methylmethylenediphenyl-)					
<b>C<sub>14</sub>H<sub>23</sub>P<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (P(n-C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> )	6372-44-7	**	8.03 (V)	PE	4423
	(Phosphine, dibutylphenyl-)					
<b>C<sub>15</sub>H<sub>11</sub>P<sup>+</sup></b>	C <sub>9</sub> H <sub>6</sub> PC <sub>6</sub> H <sub>5</sub>	39768-04-2	**	7.65	PE	4066
	(Phosphinoline, 2-phenyl-)					
<b>C<sub>15</sub>H<sub>25</sub>P<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (CH <sub>2</sub> P(n-C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> )	56660-53-8	**	8.09 (V)	PE	4423
	(Phosphine, dibutyl(phenylmethyl)-)					
<b>C<sub>17</sub>H<sub>29</sub>P<sup>+</sup></b>	C <sub>5</sub> H <sub>2</sub> P(C(CH <sub>3</sub> ) <sub>3</sub> ) <sub>3</sub>	17420-29-0	**	8.0 (V)	PE	3934
	(Phosphorin, 2,4,6-tris(1,1-dimethylethyl)-)					
<b>C<sub>18</sub>H<sub>15</sub>P<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P	603-35-0	**	7.44±0.05	PI	4325
	(Phosphine, triphenyl-)		**	7.37±0.01	PE	4154
			**	7.80 (V)	PE	4579
			**	7.85±0.05 (V)	PE	4368
			**	7.92 (V)	PE	5438
			**	7.97 (V)	PE	5139
<b>C<sub>18</sub>H<sub>27</sub>P<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> P(C <sub>6</sub> H <sub>11</sub> ) <sub>2</sub>	6476-37-5	**	7.94 (V)	PE	5417
	(Phosphine, dicyclohexylphenyl-)					
<b>C<sub>18</sub>H<sub>33</sub>P<sup>+</sup></b>	(C <sub>6</sub> H <sub>11</sub> ) <sub>3</sub> P	2622-14-2	**	7.75 (V)	PE	5139
	(Phosphine, tricyclohexyl-)					
<b>C<sub>19</sub>H<sub>13</sub>P<sup>+</sup></b>	C <sub>13</sub> H <sub>8</sub> PC <sub>6</sub> H <sub>5</sub>	20995-81-7	**	7.25 (V)	PE	5436
	(Acridophosphine, 10-phenyl-)		**	7.25 (V)	PE	5630
	C <sub>13</sub> H <sub>8</sub> PC <sub>6</sub> H <sub>5</sub>	52731-68-7	**	7.60 (V)	PE	4262
	(Phosphanthridine, 6-phenyl-)					
<b>C<sub>19</sub>H<sub>17</sub>P<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P=CH <sub>2</sub>	3487-44-3	**	6.62 (V)	PE	4579
	(Phosphorane, methylenetriphenyl-)					
<b>C<sub>20</sub>H<sub>19</sub>P<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P=CHCH <sub>3</sub>	1754-88-7	**	6.15 (V)	PE	4579
	(Phosphorane, ethylenetriphenyl-)					

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{21}H_{21}P^+$	$(CH_3C_6H_4)_3P$ (Phosphine, tris(2-methylphenyl)-)	6163-58-2	**	7.64 (V)	PE	5438
	$(CH_3C_6H_4)_3P$ (Phosphine, tris(3-methylphenyl)-)	6224-63-1	**	7.68 (V)	PE	5438
	$(CH_3C_6H_4)_3P$ (Phosphine, tris(4-methylphenyl)-)	1038-95-9	**	7.6 (V)	PE	5438
	$(C_6H_5)_3P = C(CH_3)_2$ (Phosphorane, (1-methylethylidene)triphenyl-)	16666-80-1	**	6.04 (V)	PE	4579
$C_{22}H_{21}P^+$	$(C_6H_5)_3P = CHCH = CHCH_3$ (Phosphorane, 2-butenylidenetriphenyl-(E)-)	56374-57-3	**	5.95 (V)	PE	4579
	$C_5H_2P(C_6H_5)_3$ (Phosphorin, 2,4,6-triphenyl)	13497-36-4	**	7.80 (V)	PE	5271
$C_{23}H_{19}P^+$	$(C_6H_5)_3P = C_5H_4$ (Phosphorane, 2,4-cyclopentadien-1-ylidenetriphenyl-)	2224-32-0	**	6.91 (V)	PE	4579
$C_{25}H_{21}P^+$	$(C_6H_5)_3P = CHC_6H_5$ (Phosphorane, triphenyl(phenylmethylene)-)	16721-45-2	**	6.01 (V)	PE	4579
$C_{25}H_{23}P^+$	$C_5H_2P(C_6H_5)_3(CH_3)_2$ (Phosphorin, 1,1-dihydro-1,1-dimethyl-2,4,6-triphenyl-)	25959-36-8	**	5.90 (V)	PE	5271
$C_{27}H_{33}P^+$	$(iso-C_6H_7-C_6H_4)_3P$ (Phosphine, tris[4-(1-methylethyl)phenyl]-)	29949-82-4	**	7.53 (V)	PE	5438
$C_{29}H_{25}P^+$	$C_9H_6P(C_6H_5)(CH_2C_6H_5)_2$ (Phosphinoline, 1,1-dihydro-2-phenyl-1,1-bis(phenylmethyl)-)	39767-95-8	**	6.00	PE	4066
$C_{30}H_{39}P^+$	$(tert-C_4H_9C_6H_4)_3P$ (Phosphine, tris[4-(1,1-dimethylethyl)phenyl]-)	54409-77-7	**	7.52 (V)	PE	5438
$C_{35}H_{27}P^+$	$C_5H_2P(C_6H_5)_5$ (Phosphorin, 1,1-dihydro-1,1,2,4,6-pentaphenyl-)	22605-15-8	**	5.90 (V)	PE	5271
$C_4H_{12}P_2^+$	$((CH_3)_2P)_2-trans$	3676-91-3	**	7.88 (V)	PE	4191
	$((CH_3)_2P)_2-trans$		**	7.88 (V)	PE	4185
	$((CH_3)_2P)_2-gauche$	3676-91-3	**	8.79 (V)	PE	4185
$C_{10}H_{16}P_2^+$	$C_6H_4(P(CH_3)_2)_2$ (Phosphine, 1,4-phenylenebis(dimethyl)-)	10498-57-4	**	8.2 (V)	PE	5382
$C_{16}H_{36}P_4^+$	$(tert-C_4H_9P)_4$ (Tetraphosphetane, tetrabutyl-)	13969-03-4	**	7.39 (V)	PE	4942
$C_{24}H_{44}P_4^+$	$(C_6H_{11}P)_4$ (Tetraphosphetane, tetracyclohexyl-)	3040-71-9	**	7.28 (V)	PE	4942

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{15}P_5^+$	$(CH_3P)_5$ (Pentaphospholane, pentamethyl-)	1073-98-9	**	7.58 (V)	PE	4942
$C_{10}H_{25}P_5^+$	$(C_2H_5P)_5$ (Pentaphospholane, pentaethyl-)	4141-67-7	**	7.41 (V)	PE	4942
$C_{15}H_{35}P_5^+$	$(n-C_3H_7P)_5$ (Pentaphospholane, pentapropyl-)	55019-74-4	**	7.26 (V)	PE	4942
$NP^+$	NP	17739-47-8	**	11.85	PE	4498
$(^2\Sigma^+)$			**	$11.88 \pm 0.01$	PE	4685
$(^2\Sigma^+)$			**	$12.30 \pm 0.01$	PE	4685
$(^2\Pi)$			**	12.34	PE	4498
$(^2\Pi_\mu)$			**	$15.74 \pm 0.01$	PE	4685
$(^2\Sigma^+)$			**			
$C_3H_{10}NP^+$	$(CH_3)_3P=NH$	15107-02-5	**	8.19 (V)	PE	4181
			**	8.29 (V)	PE	5442
$C_4H_{12}NP^+$	$(CH_3)_3PNCH_3$	42437-75-2	**	7.67 (V)	PE	5442
$C_7H_{18}NP^+$	$(CH_3)_3PN(tert-C_4H_9)$	71328-66-0	**	7.56 (V)	PE	5442
$C_9H_{14}NP^+$	$(CH_3)_3PNC_6H_5$ (Benzenamine, N-trimethylphosphoranylidene-)	57114-54-2	**	7.05 (V)	PE	5442
$C_{10}H_{16}NP^+$	$C_6H_4(N(CH_3)_2)(P(CH_3)_2)$ (Benzenamine, 4-(dimethylphosphino)-N,N-dimethyl-)	1199-66-2	**	7.30 (V)	PE	5382
$C_{18}H_{16}NP^+$	$(C_6H_5)_3PNH$ (Phosphine imide, P,P,P-triphenyl-)	2240-47-3	**	7.95 (V)	PE	5442
$C_{19}H_{18}NP^+$	$(C_6H_5)_3PNCH_3$ (Methanamine, N-(triphenylphosphoranylidene)-)	17986-01-5	**	7.54 (V)	PE	5442
$C_{20}H_{20}NP^+$	$(C_6H_5)_3PNC_2H_5$ (Ethanamine, N-triphenylphosphoranylidene-)	47182-04-7	**	7.43 (V)	PE	5442
$C_{20}H_{32}NP^+$	$(CH_3)_2NC_6H_4P(C_6H_{11})_2$ (Benzenamine, 4-(dicyclohexylphosphino)-N,N-dimethyl-)	40438-64-0	**	7.25 (V)	PE	5417
$C_{21}H_{22}NP^+$	$(C_6H_5)_3PN(iso-C_3H_7)$ (2-Propanamine, N-(triphenylphosphoranylidene)-)	40168-14-7	**	7.38 (V)	PE	5442
$C_{22}H_{24}NP^+$	$(C_6H_5)_3PN(tert-C_4H_9)$ (2-Propanamine, 2-methyl-N-(triphenylphosphoranylidene)-)	13989-64-5	**	7.35 (V)	PE	5442



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_{20}NP^+$	$(C_6H_5)_3PNC_6H_5$ (Benzenamine, N-(triphenylphosphoranylidene)-)	2325-27-1	**	6.95 (V)	PE	5442
$C_2H_{26}NP^+$	$(C_6H_5)_3PNC_6H_{11}$ (Cyclohexanamine, N-(triphenylphosphoranylidene)-)	66949-28-8	**	7.37 (V)	PE	5442
$C_{31}H_{37}N_2P^+$	$C_5H_2P(C_6H_5)_3(N(C_2H_5)_2)$ (Phosphorin, 1,1-bis(diethylamino)-1,1-dihydro-2,4,6-triphenyl-)	36231-67-1	**	5.95 (V)	PE	5271
$C_6H_{16}N_3P^+$	$C_2H_4N_2P(CH_3)_2N(CH_3)_2$ (1,3,2-Diazaphospholidin-2-amine, N,N,1,3-tetramethyl-)	6069-38-1	**	7.61 (V)	PE	5477
$C_6H_{18}N_3P^+$	$((CH_3)_2N)_3P$	1608-26-0	**	7.30 (V)	PE	4474
			**	7.61 (V)	PE	3825
	$((CH_3)_2N)_3P_2(CO)_4Mo$	27342-90-1	**	10.01	PE	5602
				10.1±0.05	EI	3952
$C_8H_{18}N_3P^+$	$((CH_3)_2N)_3P_2(CO)_4Mo$	27342-90-1		10.1±0.05	EI	3952
$C_8H_{20}N_3P^+$	$C_2H_4N_2P(CH_3)_2N(C_2H_5)_2$ (1,3,2-Diazaphospholidin-2-amine, N,N,-diethyl-1,3-dimethyl)	65173-82-2	**	7.50 (V)	PE	5477
$C_{10}H_{24}N_3P^+$	$C_2H_4N_2P(CH_3)_2N(iso-C_3H_7)_2$ (1,3,2-Diazaphospholidin-2-amine, 1,3-dimethyl- N,N-bis(1-methylethyl)-)	65173-83-3	**	7.40 (V)	PE	5477
$C_{21}H_{30}N_3P^+$	$((CH_3)_2NC_6H_4)_3P$ (Benzenamine, 4,4',4''-phosphinidynetris[N,N-dimethyl-])	1104-21-8	**	6.9-7.0 (V)	PE	5438
$B_2C_6H_{18}N_3P^+$	$N_3B_2(CH_3)_4P(CH_3)_2$ (1,2,4,3,5-Triazadiborolidine, 1-(dimethylphosphino)-2,3,4,5-tetramethyl-)	53246-20-1	**	7.64 (V)	PE	4526
	$N_3B_2(CH_3)_4P(CH_3)_2$ (1,2,4,3,5-Triazadiborolidine, 4-(dimethylphosphino)-1,2,3,5-tetramethyl-)	53246-15-4	**	7.70 (V)	PE	4526
$B_2C_8H_{24}N_5P^+$	$C_6H_{24}B_2N_3P$ (Phosphonous diamide, N,N,N',N'-tetramethyl-P-(1,2,3,5-tetramethyl-1,2,4,3,5-triazaborolid in-4-yl)-) (RX $N_3B_2(CH_3)_4P(N(CH_3)_2)_2$ )	53246-16-5	**	7.57 (V)	PE	4526
$OP^+$	PO	14452-66-5	**	8.231	S	3762
			**	8.373	S	5136
			**	8.38	S	3560
			**	8.5±1	EI	3819
			**	9.1±0.5	EI	4678
			**	9.5±0.5	EI	4098
			**	10.7	EI	4518
	$P_2O_3$	1314-24-5		13.5±1.0	EI	4098
	$(CH_3O)_3PO$	512-56-1	O + $CH_3O$ + 2H	18.90±0.50	EI	3989
	$LaPO_4$	XXXXX-XX-X		11.5±0.5	EI	5603

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{O}_2\text{P}^+$	$\text{PO}_2$	12164-97-5	** ** **	$10.5 \pm 0.1$ $10.5 \pm 1$ $11.5 \pm 0.5$	EI EI EI	4518 3819 4098
	$\text{P}_2\text{O}_3$	1314-24-5		$15.4 \pm 1.0$	EI	4098
	$\text{LaPO}_4$	XXXXX-XX-X		$10.4 \pm 0.5$	EI	5603
$\text{O}_3\text{P}_2^+$	$\text{P}_2\text{O}_3$	1314-24-5	**	$10.4 \pm 0.5$	EI	4098
$\text{O}_4\text{P}_2^+$	$\text{P}_2\text{O}_4$	XXXXX-XX-X	**	$10.8 \pm 1.0$	EI	4098
$\text{O}_5\text{P}_2^+$	$\text{P}_2\text{O}_5$	1314-56-3	**	$12.0 \pm 1.0$	EI	4098
$\text{O}_6\text{P}_3^+$	$\text{P}_3\text{O}_6$	XXXXX-XX-X	**	$12.3 \pm 1.0$	EI	4098
$\text{O}_7\text{P}_3^+$	$\text{P}_4\text{O}_9$	XXXXX-XX-X		$15.0 \pm 1.0$	EI	4098
$\text{O}_6\text{P}_4^+$	$\text{P}_4\text{O}_6$ (2,4,6,8,9,10-Hexaoxa-1,3,5,7-tetraphosphatricyclo[3.3.1.1 <sup>3,7</sup> ]decane)	10248-58-5	**	10.55 (V)	PE	5343
$\text{O}_7\text{P}_4^+$	$\text{P}_4\text{O}_7$	12065-80-4	**	$11.4 \pm 0.5$	EI	4098
$\text{O}_8\text{P}_4^+$	$\text{P}_4\text{O}_8$	12037-06-8	**	$11.9 \pm 0.5$	EI	4098
$\text{O}_9\text{P}_4^+$	$\text{P}_4\text{O}_9$	XXXXX-XX-X	**	$12.4 \pm 0.5$	EI	4098
$\text{O}_{10}\text{P}_4^+$	$\text{P}_4\text{O}_{10}$ (2,4,6,8,9,10-Hexaoxa-1,3,5,7-tetraphosphatricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1,3,5,7-tetraoxide)	16752-60-6	**  **	$13.0 \pm 0.5$  $13.0 \pm 0.5$	EI  EI	4098  4098
$\text{CH}_3\text{OP}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9		$13.40 \pm 0.30$	EI	3989
$\text{C}_2\text{H}_7\text{OP}^+$	$(\text{CH}_3)_2\text{P}(\text{O})\text{H}$	7211-39-4	**	10.32 (V)	PE	5523
$\text{C}_3\text{H}_9\text{OP}^+$	$(\text{CH}_3)_3\text{PO}$	676-96-0	** ** **	9.88 (V) 9.89 (V) 9.9	PE PE PE	5442 5368 5529
$\text{C}_{19}\text{H}_{29}\text{OP}^+$	$\text{CH}_3\text{OC}_6\text{H}_4\text{P}(\text{C}_6\text{H}_{11})_2$ (Phosphine, dicyclohexyl(4-methoxyphenyl)-)	40438-63-9	**	7.88 (V)	PE	5417
$\text{CH}_4\text{O}_2\text{P}^+$	$(\text{CH}_3\text{O})_3\text{PO}$	512-56-1	2HCHO + H	$14.90 \pm 0.20$	EI	3989
	$(\text{CH}_3\text{O})_3\text{P}(\text{CH}_3\text{S})\text{O}$	152-20-5	$\text{CH}_3\text{S} + \text{HCHO}$	$12.25 \pm 0.20$	EI	3989
	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	$\text{CH}_3\text{S} + \text{HCHS}$	$12.75 \pm 0.20$	EI	3989
	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$	22608-53-3	$\text{CH}_3\text{S} + \text{HCHS}$	$11.90 \pm 0.10$	EI	3989

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CH<sub>5</sub>O<sub>2</sub>P<sup>+</sup></b>	(CH <sub>3</sub> O) <sub>3</sub> PO	512-56-1	2HCHO	12.91±0.10	EI	3989
	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)O	152-20-5	HCHS + HCHO	12.35±0.20	EI	3989
<b>C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>P<sup>+</sup></b>	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)S	2953-29-9		10.40±0.10	EI	3989
<b>C<sub>6</sub>H<sub>11</sub>PO<sub>2</sub><sup>+</sup></b>	PO(CH=CH <sub>2</sub> ) <sub>2</sub> (OC <sub>2</sub> H <sub>5</sub> )	30594-15-1	**	10.23 (V)	PE	5021
<b>C<sub>7</sub>H<sub>15</sub>PO<sub>2</sub><sup>+</sup></b>	C <sub>7</sub> H <sub>15</sub> PO <sub>2</sub>	71431-36-2	**	10.04 (V)	PE	5021
<b>C<sub>19</sub>H<sub>35</sub>O<sub>2</sub>P<sup>+</sup></b>	C <sub>2</sub> H <sub>2</sub> P(OCH <sub>3</sub> ) <sub>2</sub> (C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> (Phosphorin, 2,4,6-tris(1,1-dimethylethyl)-1,1-dihydro-1,1-dimethoxy-)	37912-85-9	**	6.7 (V)	PE	4053
<b>C<sub>21</sub>H<sub>31</sub>O<sub>2</sub>P<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> COOC <sub>6</sub> H <sub>4</sub> P(C <sub>6</sub> H <sub>11</sub> ) <sub>2</sub> (Benzoic acid, 4-(dicyclohexylphosphino)-ethyl ester)	40438-59-3	**	8.12 (V)	PE	5417
<b>C<sub>25</sub>H<sub>23</sub>O<sub>2</sub>P<sup>+</sup></b>	C <sub>2</sub> H <sub>2</sub> P(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (OCH <sub>3</sub> ) <sub>2</sub> (Phosphorin, 1,1-dihydro-1,1-dimethoxy-2,4,6-triphenyl-)	20995-67-9	**	6.60 (V)	PE	5271
<b>CH<sub>4</sub>O<sub>3</sub>P<sup>+</sup></b>	(CH <sub>3</sub> O) <sub>3</sub> PO	512-56-1	HCHO + CH <sub>3</sub>	13.90±0.20	EI	3989
	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)O	152-20-5	HCHS + CH <sub>3</sub>	13.20±0.20	EI	3989
<b>C<sub>2</sub>H<sub>6</sub>O<sub>3</sub>P<sup>+</sup></b>	(CH <sub>3</sub> O) <sub>3</sub> PO	31682-64-1	**	11.0 (V)	PE	5190
	(CH <sub>3</sub> O) <sub>3</sub> PO	512-56-1	HCHO + H	14.1±0.20	EI	3989
	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)O	152-20-5	CH <sub>3</sub> S	11.90±0.10	EI	3989
<b>C<sub>2</sub>H<sub>7</sub>O<sub>3</sub>P<sup>+</sup></b>	HPO(OCH <sub>3</sub> ) <sub>2</sub>	868-85-9	**	10.53	PE	5032
	(CH <sub>3</sub> O) <sub>3</sub> PO	512-56-1	HCHO	11.62±0.10	EI	3989
	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)O	152-20-5	HCHS	11.00±0.10	EI	3989
<b>C<sub>3</sub>H<sub>7</sub>O<sub>3</sub>P<sup>+</sup></b>	C <sub>2</sub> H <sub>4</sub> O <sub>2</sub> P(OCH <sub>3</sub> ) (1,3,2-Dioxaphospholane, 2-methoxy-)	XXXXX-XX-X	**	9.06±0.1	PE	5042
<b>C<sub>3</sub>H<sub>9</sub>O<sub>3</sub>P<sup>+</sup></b>	P(OCH <sub>3</sub> ) <sub>3</sub>	121-45-9	**	8.50	PE	5516
			**	9.0 (V)	PE	5190
			**	9.21	PE	5602
			**	9.22 (V)	PE	4705
	CH <sub>3</sub> PO(OCH <sub>3</sub> ) <sub>2</sub>	756-79-6	**	10.00	PE	5032
<b>C<sub>4</sub>H<sub>7</sub>O<sub>3</sub>P<sup>+</sup></b>	C <sub>4</sub> H <sub>7</sub> O <sub>3</sub> P (2,6,7-Trioxa-1-phosphabicyclo[2.2.2]octane)	280-45-5	**	9.42±0.1	PE	5042
<b>C<sub>4</sub>H<sub>9</sub>O<sub>3</sub>P<sup>+</sup></b>	C <sub>3</sub> H <sub>6</sub> O <sub>2</sub> P(OCH <sub>3</sub> ) (1,3,2-Dioxaphosphorinane, 2-methoxy-)	XXXXX-XX-X	**	8.74±0.1	PE	5042
	PO(OCH <sub>3</sub> ) <sub>2</sub> (CH=CH <sub>2</sub> )	4645-32-3	**	10.94 (V)	PE	5021
<b>C<sub>4</sub>H<sub>11</sub>O<sub>3</sub>P<sup>+</sup></b>	HPO(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	762-04-9	**	10.31	PE	5032

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{11}O_3P^+$	PO(OCH <sub>3</sub> ) <sub>2</sub> (CH <sub>2</sub> CH=CH <sub>2</sub> )	757-54-0	**	9.96 (V)	PE	5021
$C_6H_{13}O_3P^+$	C <sub>7</sub> H <sub>15</sub> O <sub>2</sub> P(CH <sub>3</sub> ) <sub>2</sub> (OCH <sub>3</sub> ) (1,3,2-Dioxaphosphorinane, 2-methoxy-4,6-dimethyl-(2 $\alpha$ ,4 $\alpha$ ,6 $\alpha$ )-) C <sub>7</sub> H <sub>15</sub> O <sub>2</sub> P(CH <sub>3</sub> ) <sub>2</sub> (OCH <sub>3</sub> ) (1,3,2-Dioxaphosphorinane, 2-methoxy-4,6-dimethyl-(2 $\beta$ ,4 $\alpha$ ,6 $\alpha$ )-) PO(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (CH=CH <sub>2</sub> )	7735-82-2 41821-91-4 682-30-4	** ** ** **	8.34 $\pm$ 0.1 8.69 $\pm$ 0.1 10.6 (V) 10.6 (V)	PE PE PE PE	5042 5042 5021 5328
$C_6H_{15}O_3P^+$	(C <sub>2</sub> H <sub>5</sub> O) <sub>3</sub> P	122-52-1	** ** **	8.8 (V) 8.92 (V) 9.15	PE PE PE	5190 4705 5602
$C_9H_{21}O_3P^+$	(iso-C <sub>3</sub> H <sub>7</sub> O) <sub>3</sub> P	116-17-6	**	8.76 (V)	PE	5139
$C_{18}H_{15}O_3P^+$	(C <sub>6</sub> H <sub>5</sub> O) <sub>3</sub> P (Phosphorous acid triphenyl ester)	101-02-0	**	8.80 (V)	PE	5139
$C_{21}H_{21}O_3P^+$	(CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> ) <sub>3</sub> P (Phosphine, tris(2-methoxyphenyl)-) (CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> ) <sub>3</sub> P (Phosphine, tris(3-methoxyphenyl)-) (CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> ) <sub>3</sub> P (Phosphine, tris(4-methoxyphenyl)-)	4731-65-1 29949-84-6 855-38-9	** ** **	7.37 (V) 7.72 (V) 7.48 (V)	PE PE PE	5438 5438 5438
$C_3H_8O_4P^+$	(CH <sub>3</sub> O) <sub>3</sub> PO	512-56-1	H	12.73 $\pm$ 0.20	EI	3989
$C_3H_9O_4P^+$	(CH <sub>3</sub> O) <sub>3</sub> PO	512-56-1	** ** ** ** **	9.99 10.8 (V) 10.81 (V) 10.82 (V) 10.70 $\pm$ 0.10	PE PE PE PE EI	5516 5190 5624 4705 3989
$C_6H_{15}O_4P^+$	(C <sub>2</sub> H <sub>5</sub> O) <sub>3</sub> PO	78-40-0	** ** **	9.79 10.4 (V) 10.54 (V)	PE PE PE	5516 5190 5624
$H_6N_3OP^+$	(NH <sub>2</sub> ) <sub>3</sub> PO	13597-72-3	**	10.00 $\pm$ 0.05	EI	4759
$C_3H_{13}N_2OP^+$	C <sub>2</sub> H <sub>4</sub> N <sub>2</sub> P(CH <sub>3</sub> ) <sub>2</sub> OCH <sub>3</sub> (1,3,2-Diazapholidine, 2-methoxy-1,3-dimethyl-)	7137-86-2	**	8.12 (V)	PE	5477
$C_2H_{10}N_3OP^+$	((CH <sub>3</sub> ) <sub>2</sub> N)(NH <sub>2</sub> ) <sub>2</sub> PO	19316-37-1	**	8.85 $\pm$ 0.05	EI	4759
$C_3H_{12}N_3OP^+$	(CH <sub>3</sub> NH) <sub>3</sub> PO	6326-72-3	**	9.10 $\pm$ 0.05	EI	4759
$C_1H_{14}N_3OP^+$	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> (NH <sub>2</sub> )PO ((CH <sub>3</sub> ) <sub>2</sub> N)(CH <sub>3</sub> NH) <sub>2</sub> PO	3732-86-3 16853-36-4	** **	8.60 $\pm$ 0.05 8.75 $\pm$ 0.05	EI EI	4759 4759

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{16}N_3OP^+$	$((CH_3)_2N)_2(CH_3NH)PO$	10159-46-3	**	$8.55 \pm 0.05$	EI	4759
$C_6H_{18}N_3OP^+$	$OP(N(CH_3)_2)_3$	630-31-9	**	7.82 (V)	PE	5624
	$((CH_3)_2N)_3PO$	680-31-9	**	8.7 (V)	PE	5190
			**	$8.35 \pm 0.05$	EI	4759
$C_{18}H_{26}NO_2P^+$	$NO_2C_6H_4P(C_6H_{11})_2$ (Phosphine, dicyclohexyl(4-nitrophenyl)-)	40438-56-0	**	8.39 (V)	PE	5417
$C_2H_8N_2O_2P^+$	$OP(OC_2H_5)NHNH_2$	XXXXX-XX-X	**	7.95	PE	5627
$C_8H_{20}NO_3P^+$	$(N(C_2H_5)_2)PO(OC_2H_5)_2$	3167-69-9	**	8.69	PE	5032
$C_4H_{13}N_2O_3P^+$	$OP(OC_2H_5)_2NHNH_2$	56183-69-8	**	10.90 (V)	PE	5627
$FP^+$	$PF_3$	7783-55-3	2F	$21.0 \pm 0.3$	EI	4543
	$PF_2CN$	14118-40-2	F + CN	$19.1 \pm 0.2$	EI	4543
$F_2P^+$	$PF_3$	7783-55-3	F	$13.5 \pm 0.1$	EI	4305
			F	$15.4 \pm 0.2$	EI	4543
	$P_2F_4$	13824-74-3	$PF_2$	$10.9 \pm 0.1$	EI	4305
	$PF_2H$	14984-74-8	H	$11.7 \pm 0.1$	EI	4305
	$PF_2CN$	14118-40-2	CN	$13.4 \pm 0.2$	EI	4543
	$PF_2I$	13819-11-9	I	$10.8 \pm 0.1$	EI	4305
$F_3P^+$	$PF_3$	7783-55-3	**	$11.5 \pm 0.1$	PI	4543
			**	11.56	PE	5453
			**	$11.57 \pm 0.01$	PE	3703
			**	$11.66 \pm 0.01$	PE	3641
			**	12.20 (V)	PE	5602
			**	$12.23 \pm 0.02$ (V)	PE	3662
			**	12.28 (V)	PE	5539
			**	$11.4 \pm 0.2$	EI	4543
			**	$11.6 \pm 0.1$	EI	4305
			**	11.65	EI	5462
			**	$11.72 \pm 0.1$	EI	3578
$F_5P^+$	$PF_5$	7647-19-0	**	15.54 (V)	PE	3872
			**	15.6 (V)	PE	3669
$F_4P_2^+$	$P_2F_4$	13824-74-3	**	9.64 (V)	PE	3662
			**	$9.3 \pm 0.1$	EI	4305
$HF_2P^+$	$PF_2H$	14984-74-8	**	$11.0 \pm 0.1$ (V)	PE	3662
			**	$10.5 \pm 0.1$	EI	4305
$H_3BF_3P^+$	$(PF_3)(BH_3)$	14931-39-6	**	$11.02 \pm 0.03$	PE	3699



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_3\text{B}_3\text{F}_3\text{P}^+$	$\text{B}_3\text{H}_7\text{PF}_3$	11126-95-7		$10.8 \pm 0.3$	EI	3652
$\text{CFP}^+$ ( $^2\Pi$ )	$\text{FC}\equiv\text{P}$	65756-42-5	**	$10.57 \pm 0.01$	PE	4836
$\text{C}_3\text{F}_9\text{P}^+$	$(\text{CF}_3)_3\text{P}$	432-04-2	** ** **	11.70 (V) 11.70 (V) 11.70 (V)	PE PE PE	4191 4371 4261
$\text{C}_4\text{F}_{12}\text{P}_2^+$	$((\text{CF}_3)_2\text{P})_2\text{-trans}$	2714-60-5	** **	10.71 (V) 10.71 (V)	PE PE	4191 4185
	$((\text{CF}_3)_2\text{P})_2\text{-gauche}$		**	11.57 (V)	PE	4185
$\text{C}_6\text{F}_{12}\text{P}_2^+$	$\text{C}_2\text{P}_2(\text{CF}_3)_4$ (1,2-Diphosphete, 1,2-dihydro-1,2,3,4-tetrakis(trifluoromethyl)-)	2375-86-2	**	10.97 (V)	PE	4191
$\text{C}_6\text{F}_{15}\text{P}_3^+$	$(\text{C}_2\text{F}_5\text{P})_3$ (Tetraphosphirane, tris(pentafluoroethyl)-)	29634-17-1	**	10.39 (V)	PE	4942
$\text{C}_4\text{F}_{12}\text{P}_4^+$	$\text{P}_4(\text{CF}_3)_4$ (Tetraphosphetane, tetrakis(trifluoromethyl)-)	393-02-2	** **	10.18 (V) 10.18 (V)	PE PE	4191 4942
$\text{C}_8\text{F}_{20}\text{P}_4^+$	$(\text{C}_2\text{F}_5\text{P})_4$ (Tetraphosphetane, tetrakis(pentafluoroethyl)-)	35449-91-3	**	9.99 (V)	PE	4942
$\text{C}_5\text{F}_{15}\text{P}_5^+$	$\text{P}_5(\text{CF}_3)_5$ (Pentaphospholane, pentakis(trifluoromethyl)-)	745-23-3	** **	9.71 (V) 9.79 (V)	PE PE	4191 4942
$\text{C}_2\text{H}_6\text{FP}^+$	$(\text{CH}_3)_2\text{PF}$	507-15-3	**	9.35 (V)	PE	4474
$\text{C}_8\text{H}_{18}\text{FP}^+$	$(\text{tert-C}_4\text{H}_9)_2\text{PF}$	29146-24-5	**	8.50 (V)	PE	4474
$\text{CH}_3\text{F}_2\text{P}^+$	$\text{CH}_3\text{PF}_2$	753-59-3	**	10.35 (V)	PE	4474
$\text{C}_4\text{H}_9\text{F}_2\text{P}^+$	$\text{tert-C}_4\text{H}_9\text{PF}_2$	29149-32-4	**	9.65 (V)	PE	4474
$\text{C}_5\text{H}_5\text{F}_2\text{P}^+$	$\text{C}_5\text{H}_5(\text{PF}_2)$ (Phosphonous difluoride, 2,4-cyclopentadien-1-yl-)	36917-22-3	**	9.2 (V)	PE	4373
$\text{C}_{23}\text{H}_{17}\text{F}_2\text{P}^+$	$\text{C}_5\text{H}_2\text{P}(\text{C}_6\text{H}_5)_3\text{F}_2$ (Phosphorin, 1,1-difluoro-1,1-dihydro-2,4,6-triphenyl-)	40425-79-4	**	7.15 (V)	PE	5271
$\text{CH}_2\text{F}_3\text{P}^+$	$\text{H}_2\text{PCF}_3$	420-52-0	** **	$11.15 \pm 0.05$ (V) 11.18 (V)	PE PE	5419 4371

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{12}F_3P^+$	(FC <sub>6</sub> H <sub>4</sub> ) <sub>3</sub> P (Phosphine, tris(3-fluorophenyl)-)	23039-94-3	**	8.32 (V)	PE	5438
	(FC <sub>6</sub> H <sub>4</sub> ) <sub>3</sub> P (Phosphine, tris(4-fluorophenyl)-)	18437-78-0	**	8.12 (V)	PE	5438
$C_2HF_6P^+$	(CF <sub>3</sub> ) <sub>2</sub> PH	460-96-8	**	11.50 (V)	PE	4371
			**	11.51 (V)	PE	4185
$C_{21}H_{12}F_9P^+$	(CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> ) <sub>3</sub> P (Phosphine, tris[2-(2-trifluoromethyl)phenyl]-)	25688-42-0	**	8.30 (V)	PE	5438
	(CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> ) <sub>3</sub> P (Phosphine, tris(4-trifluoromethyl)phenyl)-)	13406-29-6	**	8.65 (V)	PE	5438
$C_1H_6F_6P_2^+$	(CH <sub>3</sub> ) <sub>2</sub> PP(CF <sub>3</sub> ) <sub>2</sub>	666-62-6	**	9.37 (V)	PE	4191
$NF_5P_2^+$	PF <sub>2</sub> (NPF <sub>3</sub> )	34118-39-3	**	11.2 (V)	PE	5398
$NF_6P_3^+$	(F <sub>2</sub> P) <sub>3</sub> N	56564-56-8	**	11.2±0.1 (V)	PE	4378
$N_3F_6P_3^+$	N <sub>3</sub> P <sub>3</sub> F <sub>6</sub>	XXXXX-XX-X	**	11.4	PE	5295
$H_2NF_2P^+$	F <sub>2</sub> PNH <sub>2</sub>	25757-74-8	**	10.9±0.1 (V)	PE	4378
			**	10.9 (V)	PE	3662
$H_5N_2F_2P^+$	PHF <sub>2</sub> (NH <sub>2</sub> ) <sub>2</sub>	60448-09-1	**	10.7 (V)	PE	4622
$HNF_4P_2^+$	(F <sub>2</sub> P) <sub>2</sub> NH	34326-59-5	**	11.3±0.1 (V)	PE	4378
$HNF_6P_2^+$	NH(PF <sub>2</sub> )(PF <sub>4</sub> )	71481-55-5	**	11.6 (V)	PE	5398
$HBNF_4P^+$	BF <sub>2</sub> [NH(PF <sub>2</sub> )]	60073-67-8	**	11.5±0.1 (V)	PE	4504
$CNFP^+$	PF <sub>2</sub> CN	14118-40-2	F	15.7±0.2	EI	4543
$CNF_2P^+$	PF <sub>2</sub> CN	14118-40-2	**	11.9±0.1 (V)	PE	3662
			**	11.7±0.2	EI	4543
$C_{27}H_{27}NFP^+$	C <sub>5</sub> H <sub>5</sub> P(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> )F (Phosphorin, 1-(diethylamino)-1-fluoro-1,1-dihydro-2,4,6-triphenyl-)	40425-24-9	**	6.50 (V)	PE	5271
$C_4H_{12}N_2FP^+$	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> PF	1735-82-6	**	8.18 (V)	PE	3825
$C_2H_6NF_2P^+$	(CH <sub>3</sub> ) <sub>2</sub> NPF <sub>2</sub>	814-97-1	**	9.58 (V)	PE	3825
			**	9.6 (V)	PE	3662
			**	9.60 (V)	PE	4474

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_2\text{H}_6\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NPF}_2$	814-97-1	**	$10.2 \pm 0.3$	EI	3652
$\text{C}_3\text{H}_{10}\text{NF}_2\text{P}^+$	$(\text{C}_2\text{H}_5)_2\text{NPF}_2$	363-84-8	**	9.45 (V)	PE	4474
$\text{C}_6\text{H}_{18}\text{N}_3\text{F}_2\text{P}^+$	$((\text{CH}_3)_2\text{N})_3\text{PF}_2$	7549-83-9	**	8.04 (V)	PE	3825
$\text{C}_3\text{H}_{12}\text{N}_2\text{F}_3\text{P}^+$	$((\text{CH}_3)_2\text{N})_2\text{PF}_3$	1735-83-7	**	8.84 (V)	PE	3825
$\text{C}_2\text{H}_6\text{NF}_4\text{P}^+$	$(\text{CH}_3)_2\text{NPF}_4$	2353-98-2	**	10.35 (V)	PE	3825
$\text{C}_3\text{H}_6\text{NF}_6\text{P}^+$	$(\text{CH}_3)_2\text{NP}(\text{CF}_3)_2$	432-01-9	**	9.56 (V)	PE	4261
$\text{CH}_3\text{NF}_4\text{P}_2^+$	$\text{CH}_3\text{N}(\text{PF}_2)_2$	17648-18-9	**	10.95 (V)	PE	5376
$\text{C}_2\text{H}_6\text{N}_2\text{P}_2\text{F}_6^+$	$(\text{CH}_3\text{NPF}_3)_2$ (1,3,2,4-Diazadiphosphetidine, 2,2,2,4,4,4-hexafluoro-2,2,4,4-tetrahydro-1,3-dimethyl-)	3880-04-4	**	9.80	EI	5462
$\text{C}_{24}\text{H}_{20}\text{N}_3\text{F}_2\text{P}_3^+$	$(\text{C}_6\text{H}_5)_4\text{P}_3\text{N}_3\text{F}_2$ (1,3,5,2,4,6-Triazatriphosphorine, 2,4-difluoro-2,2,4,4,6,6-hexahydro-2,4,6,6-tetraphenyl-)	73502-98-4	**	8.59	PE	5443
$\text{C}_{12}\text{H}_{10}\text{N}_3\text{F}_4\text{P}_3^+$	$(\text{C}_6\text{H}_5)_3\text{P}_3\text{N}_3\text{F}_4$ (1,3,5,2,4,6-Triazatriphosphorine, 2,2,4,6-tetrafluoro-2,2,4,4,6,6-hexahydro-4,4-diphenyl-)	XXXXXX-XX-X	**	9.64 (V)	PE	5443
$\text{C}_{12}\text{H}_{10}\text{N}_3\text{F}_4\text{P}_3^+$	<i>cis</i> -( $\text{C}_6\text{H}_5$ ) <sub>3</sub> $\text{P}_3\text{N}_3\text{F}_4$ (1,3,5,2,4,6-Triazatriphosphorine, 2,2,4,6-tetrafluoro-2,2,4,4,6,6-hexahydro-4,6-diphenyl-)	73502-97-3	**	9.62 (V)	PE	5443
$\text{C}_6\text{H}_5\text{N}_3\text{F}_3\text{P}_3^+$	$\text{C}_6\text{H}_5\text{P}_3\text{N}_3\text{F}_3$ (1,3,5,2,4,6-Triazatriphosphorine, 2,2,4,4,6-pentafluoro-2,2,4,4,6,6-hexahydro-6-phenyl-)	2713-48-6	**	10.07 (V)	PE	5443
$\text{C}_8\text{H}_{10}\text{N}_4\text{F}_3\text{P}_3^+$	$(\text{C}_6\text{H}_4\text{N}(\text{CH}_3)_2\text{P}_3\text{N}_3\text{F}_3$ (1,3,5,2,4,6-Triazatriphosphorine, 2-[4-(dimethylamino)phenyl]-2,4,4,6,6-pentafluoro-2,2,4,4,6,6-hexahydro-)	53968-86-8	**	7.88 (V)	PE	5443
$\text{BC}_2\text{H}_9\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{PBH}_3?$	2851-73-2	**	$12.2 \pm 0.3$	EI	3652
$\text{B}_3\text{C}_2\text{H}_{11}\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{PB}_3\text{H}_7$	11126-93-5		$10.4 \pm 0.3$	EI	3652
$\text{B}_3\text{C}_2\text{H}_{12}\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{PB}_3\text{H}_7$	11126-93-5	H	$10.5 \pm 0.3$	EI	3652
$\text{B}_4\text{C}_2\text{H}_{12}\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{PB}_3\text{H}_8$	12602-24-3		$10.0 \pm 0.3$	EI	3652

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>B<sub>1</sub>C<sub>2</sub>H<sub>11</sub>NF<sub>2</sub>P<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NF <sub>2</sub> PB <sub>3</sub> H <sub>8</sub>	12602-24-3	**	9.6±0.3	EI	3652
<b>OF<sub>3</sub>P<sup>+</sup></b>	POF <sub>3</sub>	13478-20-1	**	12.77±0.04	PE	3641
<b>OF<sub>4</sub>P<sub>2</sub><sup>+</sup></b>	PF <sub>2</sub> OPF <sub>2</sub>	13812-07-2	**	11.2 (V)	PE	3662
<b>CH<sub>3</sub>O<sub>2</sub>F<sub>2</sub>P<sup>+</sup></b>	PF <sub>2</sub> O(OCH <sub>3</sub> )	22382-13-4	**	12.64 (V)	PE	4699
<b>C<sub>6</sub>H<sub>6</sub>O<sub>3</sub>F<sub>9</sub>P<sup>+</sup></b>	(CF <sub>3</sub> CH <sub>2</sub> O) <sub>3</sub> P	370-69-4	**	10.37 (V)	PE	4705
<b>CNOF<sub>2</sub>P<sup>+</sup></b>	PF <sub>2</sub> NCO	461-59-6	**	11.05±0.02 (V)	PE	3662
<b>C<sub>5</sub>H<sub>12</sub>N<sub>2</sub>OF<sub>2</sub>P<sup>+</sup></b>	CN <sub>2</sub> P(=O)F(CH <sub>3</sub> ) <sub>3</sub> (1,3,2-Diazaphosphetidin-4-one, 2-fluoro-2,2-dihydro- 1,2,2,3-tetramethyl-)	32707-18-9	**	8.70±0.1	EI	5462
<b>C<sub>4</sub>H<sub>9</sub>N<sub>2</sub>OF<sub>2</sub>P<sup>+</sup></b>	CN <sub>2</sub> P(=O)F <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> (1,3,2-Diazaphosphetidin-4-one, 2,2-difluoro-2,2-dihydro- 1,2,3-trimethyl-)	31053-08-4	**	9.00±0.1	EI	5462
<b>C<sub>5</sub>H<sub>11</sub>N<sub>2</sub>OF<sub>2</sub>P<sup>+</sup></b>	CN <sub>2</sub> P(=O)F <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> C <sub>2</sub> H <sub>5</sub> (1,3,2-Diazaphosphetidin-4-one, 2-ethyl-2,2-difluoro- 2,2-dihydro-1,3-dimethyl-)	31053-09-5	**	8.90±0.1	EI	5462
<b>C<sub>9</sub>H<sub>11</sub>N<sub>2</sub>OF<sub>2</sub>P<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CN <sub>2</sub> P(=O)F <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (1,3,2-Diazaphosphetidin-4-one, 2,2-difluoro-2,2- dihydro-1,2-dimethyl-3-phenyl-)	31053-06-2	**	8.15±0.1	EI	5462
<b>C<sub>9</sub>H<sub>9</sub>F<sub>2</sub>CN<sub>2</sub>P(=O)(CH<sub>3</sub>)<sub>2</sub></b>	(1,3,2-Diazaphosphetidin-4-one, 2,2-difluoro-2,2-dihydro- 1,3-dimethyl-2-phenyl-)	32707-15-6	**	8.80±0.1	EI	5462
<b>C<sub>10</sub>H<sub>13</sub>N<sub>2</sub>OF<sub>2</sub>P<sup>+</sup></b>	C <sub>10</sub> H <sub>13</sub> N <sub>2</sub> OF <sub>2</sub> P (1,3,2-Diazaphosphetidin-4-one, 2-ethyl-2,2-difluoro- 2,2-dihydro-1-methyl-3-phenyl-)	31053-07-3	**	8.00±0.1	EI	5462
<b>C<sub>7</sub>H<sub>16</sub>N<sub>3</sub>OF<sub>2</sub>P<sup>+</sup></b>	C <sub>7</sub> H <sub>16</sub> N <sub>3</sub> OF <sub>2</sub> P (1,3,2-Diazaphosphetidin-4-one, 2-(diethylamino)-2,2- difluoro-2,2-dihydro-1,3-dimethyl-)	32707-17-8	**	8.85±0.1	EI	5462
<b>C<sub>3</sub>H<sub>6</sub>N<sub>2</sub>OF<sub>3</sub>P<sup>+</sup></b>	CN <sub>2</sub> P(=O)F <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> (1,3,2-Diazaphosphetidin-4-one, 2,2,2-trifluoro- 2,2-dihydro-1,3-dimethyl-)	32707-12-3	**	9.60±0.1	EI	5462
<b>ONaP<sup>+</sup></b>	NaPO	56730-08-6	**	7.7±0.5	EI	4518
<b>O<sub>2</sub>NaP<sup>+</sup></b>	NaPO <sub>2</sub> NaPO <sub>2</sub>	XXXXX-XX-X XXXXX-XX-X	** **	5.3±0.5 8.6	EI EI	4518 4098

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>O<sub>3</sub>NaP<sup>+</sup></b>	NaPO <sub>3</sub>	XXXXX-XX-X **		10.16±0.04 (V)	PE	4840
	NaPO <sub>4</sub>	XXXXX-XX-X **		5.0±0.8	EI	4518
<b>SiP<sup>+</sup></b>	PSi	12137-64-3	**	9.1±0.5	EI	4102
<b>Si<sub>2</sub>P<sup>+</sup></b>	PSi <sub>2</sub>	37347-46-9	**	8.4±0.5	EI	4102
<b>SiP<sub>2</sub><sup>+</sup></b>	P <sub>2</sub> Si	12137-68-7	**	9.0±0.5	EI	4102
<b>H<sub>5</sub>SiP<sup>+</sup></b>	SiH <sub>3</sub> PH <sub>2</sub>	14616-47-8	**	9.9±0.1 (V)	PE	3661
<b>H<sub>9</sub>Si<sub>3</sub>P<sup>+</sup></b>	(SiH <sub>3</sub> ) <sub>3</sub> P	15110-33-5	**	9.3±0.1 (V)	PE	3661
<b>CSiP<sup>+</sup></b>	CSiP	37342-74-8	**	8.9±0.5	EI	4102
<b>C<sub>7</sub>H<sub>19</sub>SiP<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> P = CHSi(CH <sub>3</sub> ) <sub>3</sub>	3272-86-4	**	6.80	PE	3782
			**	6.81 (V)	PE	4181
			**	6.81 (V)	PE	5368
<b>C<sub>22</sub>H<sub>25</sub>SiP<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SiCH = P(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (Phosphorane, triphenyl[(trimethylsilyl)methylene]-)	3739-97-7	**	6.71 (V)	PE	4579
<b>C<sub>9</sub>H<sub>25</sub>Si<sub>2</sub>P<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SiSi(CH <sub>3</sub> ) <sub>2</sub> CH = P(CH <sub>3</sub> ) <sub>3</sub>	29947-67-9	**	6.85 (V)	PE	4181
			**	6.87	PE	3782
<b>C<sub>10</sub>H<sub>27</sub>Si<sub>2</sub>P<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> Si) <sub>2</sub> C = P(CH <sub>3</sub> ) <sub>3</sub>	3607-03-2	**	6.92 (V)	PE	4181
			**	6.92 (V)	PE	5368
<b>C<sub>27</sub>H<sub>39</sub>Si<sub>3</sub>P<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SiC <sub>6</sub> H <sub>4</sub> P (Phosphine, tris[4-trimethylsilyl]phenyl)-)	18848-96-9	**	7.67 (V)	PE	5438
<b>C<sub>14</sub>H<sub>36</sub>Si<sub>3</sub>P<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> Si <sub>3</sub> (CH <sub>3</sub> ) <sub>6</sub> (=P(CH <sub>3</sub> ) <sub>3</sub> ) <sub>2</sub>	51685-13-3	**	6.11 (V)	PE	4181
	(Phosphorane, (1,1,2,2,4,4-hexamethyl-1,2,4-trisilacyclopentane-3,5-diylidene)bis(trimethyl-))					
<b>C<sub>6</sub>H<sub>18</sub>NSiP<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SiN = P(CH <sub>3</sub> ) <sub>3</sub>	6063-72-5	**	8.30 (V)	PE	4181
			**	8.30 (V)	PE	5442
<b>C<sub>21</sub>H<sub>24</sub>NSiP<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> PNSi(CH <sub>3</sub> ) <sub>3</sub> (Silanamine, 1,1,1-trimethyl-N-(triphenylphosphoranylidene)-)	13892-06-3	**	8.05 (V)	PE	5442
<b>C<sub>11</sub>H<sub>31</sub>NSi<sub>2</sub>P<sub>2</sub><sup>+</sup></b>	C <sub>11</sub> H <sub>31</sub> NSi <sub>2</sub> P <sub>2</sub> <sup>+</sup>	39980-56-8	**	6.18 (V)	PE	4181
<b>H<sub>2</sub>F<sub>3</sub>SiP<sup>+</sup></b>	H <sub>2</sub> PSiF <sub>3</sub>	51518-19-5	**	11.06±0.05 (V)	PE	5419



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.	
<b>H<sub>6</sub>NF<sub>2</sub>SiP<sup>+</sup></b>	PF <sub>2</sub> [N(SiH <sub>3</sub> ) <sub>2</sub> ]	71579-71-0	**	10.8 (V)	PE	4988	
<b>H<sub>3</sub>NF<sub>4</sub>P<sub>2</sub>Si<sup>+</sup></b>	N(PF <sub>2</sub> ) <sub>2</sub> (SiH <sub>3</sub> )	71579-72-1	**	11.2 (V)	PE	4988	
<b>S<sup>+</sup></b>	S	7704-34-9	**	10.36	S	4864	
			**	10.3±0.3	EI	3449	
			**	10.4±0.3	EI	4486	
			**	10.4±0.3	EI	4874	
			**	10.5±0.3	EI	3616	
			**	10.5±0.3	EI	4580	
			**	10.5±0.3	EI	4864	
			**	10.5	EI	4544	
			**	~11±0.5	EI	3448	
			S <sub>2</sub>	23550-45-0	S	13.5±0.5	EI
	H <sub>2</sub> S	7783-06-4	H <sub>2</sub>	13.5	EI	3967	
	CS <sub>2</sub>	75-15-0		14.80±0.02	PI	4936	
	(4S <sub>u</sub> )		CS	14.80±0.02	PI	5435	
			CS	14.88±0.05	EI	4905	
			CS(X <sup>1</sup> Σ <sup>+</sup> )	13.35	EI	4897	
				13.40±0.08	EI	5242	
	(4S <sub>u</sub> )		CS	15±1	EI	3812	
			CS	17±1	EI	3812	
		SO <sub>2</sub>	7446-09-5	SO	16.334	PE	5388
		COS	463-58-1	CO	13.52±0.05	EI	4905
				CO	13.7	EI	3779
		SCl <sub>2</sub>	10545-99-0		13.0±0.2	EI	4287
<b>S<sub>2</sub><sup>+</sup></b>	S <sub>2</sub>	23550-45-0	**	9.42±0.10	EI	3616	
			**	9.8±0.3	EI	4874	
			**	9.8±0.5	EI	3615	
			(2Π <sub>g,1/2</sub> )	**	9.30	PE	5475
			(2Π <sub>g,3/2</sub> )	**	9.38±0.01	PE	4370
			**	9.55 (V)	PE	4550	
			(2Π <sub>g,3/2</sub> )	**	9.56 (V)	PE	5475
			(4Π <sub>u</sub> )	**	11.28	PE	5475
			(4Σ <sub>g</sub> <sup>+</sup> )	**	13.06	PE	5475
			**	9.36±0.02	EI	4920	
			**	9.42±0.1	EI	4554	
			**	9.8±0.3	EI	4486	
			**	10.1±0.3	EI	5229	
			**	9.38±0.03	OTH	5435	
	CS <sub>2</sub>	75-15-0	C	16.82±0.02	PI	5435	
				16.88±0.02	PI	4936	
	C <sub>3</sub> H <sub>6</sub> S <sub>2</sub> (1,3-Dithiolane)	4829-04-3	CH <sub>2</sub> =CHCH <sub>3</sub>	10.7±0.1	EI	3598	
	S <sub>2</sub> F <sub>2</sub>	13709-35-8		17.6±0.4	EI	3738	
	<b>S<sub>8</sub><sup>+</sup></b>	S <sub>8</sub>	10544-50-0	**	9.23 (V)	PE	3846
				**	9.40 (V)	PE	4411
	<b>HS<sup>+</sup></b>	H <sub>2</sub> S	7783-06-4	H	14.4	EI	3967
				H	14.7±0.2	EI	4610
<b>H<sub>2</sub>S<sup>+</sup></b>	H <sub>2</sub> S	7783-06-4	**	10.466±0.002	S	5060	
			**	12.777±0.005	S	5060	

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>H<sub>2</sub>S<sup>+</sup></b>						
( <sup>2</sup> B <sub>2</sub> )	H <sub>2</sub> S	7783-06-4	**	14.643	S	5060
( <sup>2</sup> B <sub>1</sub> )			**	10.5	PI	5479
( <sup>2</sup> A <sub>1</sub> )			**	12.8	PI	5479
( <sup>2</sup> B <sub>2</sub> )			**	14.8	PI	5479
( <sup>2</sup> B <sub>1</sub> )			**	10.43	PE	4073
			**	10.43 (V)	PE	4276
( <sup>2</sup> B <sub>1</sub> )			**	10.47	PE	3719
( <sup>2</sup> A <sub>1</sub> )			**	12.752	PE	3515
( <sup>2</sup> A <sub>1</sub> )			**	12.78	PE	3719
( <sup>2</sup> B <sub>2</sub> )			**	14.78	PE	3719
( <sup>2</sup> A <sub>1</sub> )			**	22.0±0.2 (V)	PE	5269
( <sup>2</sup> A <sub>1</sub> )			**	22.2 (V)	PE	3719
( <sup>2</sup> A <sub>1</sub> )			**	23.3±0.2 (V)	PE	5269
			**	10.45	EI	3967
			**	10.56±0.05	EI	4610
<b>H<sub>3</sub>S<sup>+</sup></b>						
	C <sub>2</sub> H <sub>5</sub> SH	75-08-1		12.41.0.02	EI	3487
	(CH <sub>3</sub> ) <sub>2</sub> S	75-18-3		14.14±0.02	EI	3487
<b>H<sub>2</sub>S<sub>2</sub><sup>+</sup></b>						
	H <sub>2</sub> S <sub>2</sub>	13465-07-1	**	10.01 (V)	PE	4276
<b>HBS<sup>+</sup></b>						
( <sup>2</sup> Π)	HBS	14457-85-3	**	11.11±0.03	PE	3982
			**	11.12	PE	3871
( <sup>2</sup> Σ <sup>+</sup> )			**	13.54±0.03	PE	3982
( <sup>2</sup> Σ <sup>+</sup> )			**	15.83±0.1	PE	3982
<b>H<sub>9</sub>B<sub>9</sub>S<sup>+</sup></b>						
	SB <sub>9</sub> H <sub>9</sub> (1-Thiadecaborane(9))	41646-56-4	**	10.3 (V)	PE	5324
<b>H<sub>11</sub>B<sub>9</sub>S<sup>+</sup></b>						
	6-SB <sub>9</sub> H <sub>11</sub> (6-Thiadecaborane(11))	12447-77-7	**	9.8 (V)	PE	5324
<b>H<sub>11</sub>B<sub>11</sub>S<sup>+</sup></b>						
	SB <sub>11</sub> H <sub>11</sub> (1-Thiadodecaborane(11))	56464-75-6	**	11.1 (V)	PE	5324
<b>CS<sup>+</sup></b>						
	CS	2944-05-0	**	11.33±0.01	PI	4936
( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> )			**	11.33±0.01	PE	3691
			**	11.33±0.02	PE	3696
( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> )			**	11.33±0.02	PE	5208
( <sup>2</sup> Σ)			**	11.34±0.02	PE	3690
( <sup>2</sup> π)			**	12.78±0.02	PE	3690
( <sup>2</sup> π <sub>u</sub> )			**	12.79±0.01	PE	3691
( <sup>2</sup> Π <sub>u</sub> )			**	12.79±0.02	PE	5208
( <sup>2</sup> Σ)			**	15.83±0.02	PE	3690
( <sup>2</sup> Σ <sub>u</sub> <sup>+</sup> )			**	15.84±0.01	PE	3691
( <sup>2</sup> Σ <sub>u</sub> <sup>+</sup> )			**	18.00±0.01	PE	3691
( <sup>2</sup> Σ)			**	18.03±0.02	PE	3690
			**	11.0±0.03	EI	4920
			**	11.39±0.1	EI	4554
			**	11.39±0.10	EI	3616
	CS <sub>2</sub>	75-15-0	S <sup>-</sup>	13.64±0.02	PI	4936
				15.75±0.02	PI	4936
			S	15.75±0.02	PI	5435
( <sup>2</sup> Σ <sup>+</sup> )			S <sup>-</sup>	13.90±0.1	EI	4905

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CS<sup>+</sup></b> ( <sup>2</sup> Σ <sup>+</sup> )	CS <sub>2</sub>	75-15-0	S	15.94±0.07 14.10±0.08	EI EI	4905 5242
( <sup>2</sup> Σ <sup>+</sup> , <sup>2</sup> Π) ( <sup>2</sup> Σ <sup>+</sup> )			S-( <sup>2</sup> P <sub>u</sub> ) S( <sup>1</sup> P <sub>g</sub> )	14.5 14.7	EI EI	4897 4897
( <sup>2</sup> Σ <sup>+</sup> )	COS	463-58-1	S O O <sup>-</sup> ?	16.3±1 18.7±0.5 16.7	EI EI EI	3812 4905 3779
<b>CS<sub>2</sub><sup>+</sup></b>						
( <sup>2</sup> Π <sub>g3/2</sub> )	CS <sub>2</sub>	75-15-0	**	10.0685±0.0020	S	5439
( <sup>2</sup> Π <sub>g1/2</sub> )			**	10.1230±0.0020	S	5439
( <sup>2</sup> Π <sub>g1/2u</sub> )			**	12.586	S	3573
( <sup>2</sup> Π <sub>u</sub> )			**	12.713	S	5048
( <sup>2</sup> Π <sub>g3/2</sub> )			**	10.070±0.006	PI	5299
( <sup>2</sup> Π <sub>g3/2</sub> )			**	10.074±0.005	PI	4936
( <sup>2</sup> Π <sub>g3/2</sub> )			**	10.076±0.005	PI	5435
( <sup>2</sup> Π <sub>g</sub> )			**	10.077	PI	4994
( <sup>2</sup> Π <sub>g1/2</sub> )			**	10.125	PI	5299
( <sup>2</sup> Π <sub>g1/2</sub> )			**	10.131±0.005	PI	4936
( <sup>2</sup> Π <sub>g1/2</sub> )			**	10.132±0.005	PI	5435
( <sup>2</sup> Π <sub>u</sub> )			**	12.696	PI	4994
( <sup>2</sup> Σ <sup>+</sup> )			**	14.479	PI	4994
( <sup>2</sup> Σ <sup>+</sup> )			**	14.48±0.02	PI	5435
( <sup>2</sup> Σ <sup>+</sup> )			**	14.480±0.005	PI	4936
( <sup>2</sup> Σ <sup>+</sup> )			**	16.184±0.005	PI	4936
( <sup>2</sup> Σ <sup>+</sup> )			**	16.19±0.02	PI	5435
( <sup>2</sup> Σ <sup>+</sup> )			**	16.192	PI	4994
( <sup>2</sup> Σ <sup>+</sup> )			**	16.53±0.02	PI	4936
( <sup>2</sup> Π <sub>g</sub> )			**	10.06±0.01	PE	3965
			**	10.06	PE	3697
( <sup>2</sup> Π <sub>g3/2</sub> )			**	10.06	PE	4073
(X <sup>2</sup> Π <sub>g3/2</sub> )			**	10.074.0.002	PE	4979
			**	10.079±0.003	PE	5256
			**	10.10 (V)	PE	5055
( <sup>2</sup> Π <sub>u</sub> )			**	12.67±0.01	PE	3965
( <sup>2</sup> Σ <sup>+</sup> )			**	14.47±0.01	PE	3965
( <sup>2</sup> Σ <sup>+</sup> )			**	16.18±0.01	PE	3965
			**	10.06±0.025	EI	5027
			**	10.05±0.08	EI	5242
			**	10.07±0.1	EI	4554
			**	10.07±0.10	EI	3616
( <sup>2</sup> Π <sub>u</sub> )			**	12.620	OTH	5029
<b>C<sub>2</sub>S<sub>4</sub><sup>+</sup></b>						
	(CS <sub>2</sub> ) <sub>2</sub>	XXXXXX-XX-X	**	9.36±0.02	PI	5439
	(CS <sub>2</sub> ) <sub>2</sub>	XXXXXX-XX-X	**	~9.63	PI	5299
<b>C<sub>3</sub>S<sub>6</sub><sup>+</sup></b>						
	(CS <sub>2</sub> ) <sub>3</sub>	XXXXXX-XX-X	**	9.22±0.02	PI	5439
<b>C<sub>4</sub>S<sub>8</sub><sup>+</sup></b>						
	(CS <sub>2</sub> ) <sub>4</sub>	XXXXXX-XX-X	**	9.10±0.02	PI	5439
<b>C<sub>5</sub>S<sub>10</sub><sup>+</sup></b>						
	(CS <sub>2</sub> ) <sub>5</sub>	XXXXXX-XX-X	**	9.04±0.02	PI	5439
<b>CHS<sup>+</sup></b>						
	C <sub>4</sub> H <sub>4</sub> S (Thiophene)	110-02-1	C <sub>3</sub> H <sub>3</sub>	13.19±0.04	PE	5283
	C <sub>3</sub> H <sub>6</sub> S <sub>2</sub> (1,3-Dithiolane)	4829-04-3	CHS + CH <sub>4</sub> ?	13±0.4	EI	3598

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CHS<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> SO	67-68-5	H <sub>2</sub> O + CH <sub>3</sub>	11.55 ± 0.2	EI	5311
	C <sub>3</sub> H <sub>6</sub> OS (1,3-Oxathiolane)	2094-97-5		12.9 ± 0.2	EI	3598
<b>CH<sub>2</sub>S<sup>+</sup></b>	HCHS	865-36-1	**	9.0 (V)	PE	4467
			**	9.33 (V)	PE	4323
			**	9.338 ± 0.010	PE	3697
			**	9.38 (V)	PE	4680
	CH <sub>3</sub> SH	74-93-1	H <sub>2</sub>	10.8 ± 0.1	PI	4025
	(CH <sub>3</sub> ) <sub>2</sub> S	75-18-3	CH <sub>4</sub>	10.46 ± 0.08	PI	4025
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> S	352-93-2	C <sub>2</sub> H <sub>4</sub> + CH <sub>4</sub>	11.75 ± 0.03	PI	4025
	C <sub>3</sub> H <sub>6</sub> S <sub>2</sub> (1,3-Dithiolane)	4829-04-3		11 ± 0.4	EI	3598
	C <sub>3</sub> H <sub>6</sub> OS (1,3-Oxathiolane)	2094-97-5		12.5 ± 0.2	EI	3598
<b>CH<sub>3</sub>S<sup>+</sup></b>	CH <sub>3</sub> SH	74-93-1	H	11.37 ± 0.05	PI	4025
	(CH <sub>3</sub> ) <sub>2</sub> S	75-18-3	CH <sub>3</sub>	10.79 ± 0.04	PI	4025
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> S	352-93-2	C <sub>2</sub> H <sub>4</sub> + CH <sub>3</sub>	12.00 ± 0.05	PI	4025
	(CH <sub>3</sub> CH <sub>2</sub> ) <sub>2</sub> CHSH	616-31-9	C <sub>2</sub> H <sub>5</sub> + C <sub>2</sub> H <sub>4</sub>	12.1	EI	5316
	CH <sub>3</sub> SCH(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub>	10359-64-5	C <sub>2</sub> H <sub>5</sub> + C <sub>2</sub> H <sub>4</sub>	12.9	EI	5316
	C <sub>3</sub> H <sub>6</sub> S <sub>2</sub> (1,3-Dithiolane)	4829-04-3		11.4 ± 0.4	EI	3598
	C <sub>2</sub> H <sub>5</sub> SOCH <sub>3</sub>	1669-98-3	C <sub>2</sub> H <sub>4</sub> + OH	12.23 ± 0.32	EI	5311
	(CH <sub>3</sub> O) <sub>2</sub> P(CH <sub>3</sub> S)O	152-20-5		13.1 ± 0.30	EI	3989
	(CH <sub>3</sub> S) <sub>2</sub> P(CH <sub>3</sub> O)O	22608-53-3		12.60 ± 0.20	EI	3989
<b>CH<sub>4</sub>S<sup>+</sup></b>  ( <sup>2</sup> A'')	CH <sub>3</sub> SH	74-93-1	**	9.44 ± 0.01	PI	4025
			**	9.415	PE	3697
			**	9.42	PE	3678
			**	9.44	PE	4032
			**	9.44	PE	4087
			**	9.44 (V)	PE	3656
			**	9.44 (V)	PE	5632
<b>C<sub>2</sub>H<sub>2</sub>S<sup>+</sup></b>	CH <sub>2</sub> =C=S	18282-77-4	**	8.89 (V)	PE	4698
	C <sub>4</sub> H <sub>4</sub> S (Thiophene)	110-02-1	C <sub>2</sub> H <sub>2</sub>	12.1 ± 0.1	PE	5283
<b>C<sub>2</sub>H<sub>3</sub>S<sup>+</sup></b>	C <sub>3</sub> H <sub>6</sub> S <sub>2</sub> (1,3-Dithiolane)	4829-04-3	CH <sub>3</sub> S	10.8 ± 0.4	EI	3598
	C <sub>3</sub> H <sub>6</sub> OS (1,3-Oxathiolane)	2094-97-5	CH <sub>2</sub> O + H	12.3 ± 0.1	EI	3598
<b>C<sub>2</sub>H<sub>4</sub>S<sup>+</sup></b>	CH <sub>3</sub> CHS	6851-93-0	**	8.98 ± 0.02 (V)	PE	4212
			**	9.3 (V)	PE	4467
			**	9.051 ± 0.006	S	3882
			**	8.9 ± 0.1	PE	4990
	C <sub>2</sub> H <sub>4</sub> S (Thiirane)	420-12-2	**	9.00	PE	3861
			**	9.05 (V)	PE	3837
			**	9.89 ± 0.3	PI	4025
			**	11.2 ± 0.3	EI	3598
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> S	352-93-2	C <sub>2</sub> H <sub>6</sub>	9.89 ± 0.3	PI	4025
	C <sub>3</sub> H <sub>6</sub> S <sub>2</sub> (1,3-Dithiolane)	4829-04-3	CH <sub>2</sub> S	11.2 ± 0.3	EI	3598
	C <sub>3</sub> H <sub>6</sub> OS (1,3-Oxathiolane)	2094-97-5	CH <sub>2</sub> O	10.5 ± 0.1	EI	3598

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_5S^+$	$(CH_3)_2S$	75-18-3	H	$10.93 \pm 0.02$	PI	4025
	$(CH_3)_2CHSH$	75-33-2	$CH_3$	$11.0 \pm 0.15$	EI	5058
	$(C_2H_5)_2S$	352-93-2	$C_2H_5$	$10.23 \pm 0.03$	PI	4025
	$HSCH_2CH_2SH$	26914-40-9	SH	$10.4 \pm 0.15$	EI	5058
	$C_3H_6S_2$ (1,3-Dithiolane)	4829-04-3	CHS	$11.4 \pm 0.3$	EI	3598
	$(CH_3S)_2CH_2$	1618-26-4	$SCH_3$	$10.1 \pm 0.15$	EI	5058
	$C_3H_6OS$ (1,3-Oxathiolane)	2094-97-5	CHO	$10.4 \pm 0.1$	EI	3598
	$BrCH_2CH_2SH$	24276-77-5	Br	$10.1 \pm 0.15$	EI	5058
$C_2H_6S^+$	$C_2H_5SH$	75-08-1	**	9.29	PE	4032
	$(CH_3)_2S$	75-18-3	**	8.687	S	4238
			**	$8.706 \pm 0.010$	S	3970
			**	$8.69 \pm 0.01$	PI	4025
			**	7.59 (V)	PE	5526
			**	$8.5 \pm 0.1$	PE	4990
			**	$8.57 \pm 0.04$	PE	3842
			**	8.65 (V)	PE	3678
			**	8.67	PE	3867
			**	8.67 (V)	PE	4276
			**	8.67 (V)	PE	5632
			**	8.7	PE	4104
			**	8.71 (V)	PE	3656
			**	8.71 (V)	PE	4884
			**	8.71 (V)	PE	5538
	$(C_2H_5)_2S$	352-93-2	$C_2H_5$	$9.90 \pm 0.03$	PI	4025
$C_3HS^+$	$C_4H_4S$ (Thiophene)	110-02-1	$CH_3$	$12.95 \pm 0.05$	PE	5283
$C_3H_5S^+$	$C_3H_6S_2$ (1,3-Dithiolane)	4829-04-3	SH	$10.5 \pm 0.1$	EI	3598
$C_3H_6S^+$	$CH_2=CHCH_2SH$	870-23-5	**	9.25	PE	3864
			**	9.25 (V)	PE	5427
	$CH_2=CHSCH_3$	1822-74-8	**	8.44 (V)	PE	4246
			**	8.45 (V)	PE	4291
			**	8.45 (V)	PE	4638
			**	8.45 (V)	PE	5632
	$(CH_3)_2CS$	4756-05-2	**	8.6 (V)	PE	4467
			**	$8.60 \pm 0.05$ (V)	PE	4212
	$C_3H_6S$ (Thietane)	287-27-4	**	$8.65 \pm 0.01$	PI	5531
	$C_2H_5SCH_3$ (Thiirane, methyl-)	1072-43-1	**	8.88 (V)	PE	4747
$C_3H_7S^+$	$(CH_3)_3CSH$	75-66-1	$CH_3$	$11.4 \pm 0.15$	EI	5316
	$(C_2H_5)_2S$	352-93-2	$CH_3$	$10.16 \pm 0.05$	PI	4025
			$CH_3$	$10.7 \pm 0.15$	EI	5316
	$(CH_3CH_2)_2CHSH$	616-31-9	$C_2H_5$	$10.6 \pm 0.15$	EI	5316
	$CH_3SCH(CH_3)C_2H_5$	10359-64-5	$C_2H_5$	$10.3 \pm 0.15$	EI	5316
	$BrCH_2CH_2CH_2SH$	XXXXX-XX-X	Br	$9.5 \pm 0.15$	EI	5316
$C_3H_8S^+$	$C_2H_5SCH_3$	624-89-5	**	8.46	CTS	4272



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_8S^+$	<i>n</i> -C <sub>3</sub> H <sub>7</sub> SH	107-03-9	**	9.19	PE	4032
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> SH	75-33-2	**	9.14	PE	4032
$C_4H_3S^+$	$C_4H_4S$ (Thiophene)	110-02-1	H	$12.93 \pm 0.07$	PE	5283
	$C_4H_4S$ (Thiophene)	110-02-1	**	$8.874 \pm 0.005$	S	3731
$C_4H_4S^+$	$C_4H_4S$ (Thiophene)	110-02-1	**	$8.86 \pm 0.01$	PI	4058
			**	8.85 (V)	PE	4690
			**	$8.87 \pm 0.01$	PE	5283
			**	8.87 (V)	PE	3858
			**	8.90	PE	4017
			**	8.90 (V)	PE	5405
			**	~8.8	EI	4656
			**	$8.80 \pm 0.05$	EI	4316
			**	9.05	CTS	3787
			**	$9.12 \pm 0.05$	EI	3482
$C_4D_4S^+$	$C_4D_4S$ (Thiophene- <i>d</i> <sub>4</sub> )	2036-39-7	**	$8.874 \pm 0.005$	S	3731
	$(CH_2=CH)_2S$	627-51-0	**	$8.25 \pm 0.01$	PI	5531
$C_4H_6S^+$	$C_2H_5SCH=CH_2$ (Thiirane, ethenyl-)	5954-75-6	**	7.61 (V)	PE	5526
	$C_4H_6S$ (Thiophene, 2,5-dihydro-)	1708-32-3	**	8.89 (V)	PE	4747
	$CH_2=CHSC_2H_5$	627-50-9	**	8.54 (V)	PE	3995
	$CH_3SCH_2CH=CH_2$	10152-76-8	**	$8.21 \pm 0.01$	PI	5531
$C_4H_8S^+$	$C_4H_8S$ (Thiophene, tetrahydro-)	110-01-0	**	8.6	PE	4104
			**	8.65 (V)	PE	4211
			**	8.40 (V)	PE	3995
			**	8.42 (V)	PE	4145
			**	$8.62 \pm 0.05$	EI	3498
			**	8.62	EI	5292
	$(C_2H_5)_2S$	352-93-2	H	$10.2 \pm 0.1$	PI	4025
	$(C_2H_5)_2S$	352-93-2	**	$8.42 \pm 0.01$	PI	4025
$C_4H_{10}S^+$			**	7.45 (V)	PE	5526
			**	8.44 (V)	PE	4276
			**	8.44 (V)	PE	5632
			**	8.41	CTS	4272
	<i>n</i> -C <sub>4</sub> H <sub>9</sub> SH	109-79-5	**	9.15	PE	4032
	<i>sec</i> -C <sub>4</sub> H <sub>9</sub> SH	513-53-1	**	9.10	PE	4032
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> SH	513-44-0	**	9.12	PE	4032
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> SH	75-66-1	**	9.03	PE	4032
	$C_4H_7SCH_3$ (Thiophene, 2-methyl-)	554-14-3	**	8.59 (V)	PE	5323

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_6S^+$	$C_4H_3SCH_3$	554-14-3	**	$8.63 \pm 0.05$	EI	3482
	$C_4H_3SCH_3$	616-44-4	**	8.61	CTS	3787
	$C_4H_3SCH_3$ (Thiophene, 3-methyl-)	616-44-4	**	8.72	EI	3787
	$C_5H_6S$	289-70-3	**	8.84	CTS	3787
	$C_5H_6S$	289-70-3	**	8.70 (V)	PE	5323
	$C_5H_6S$ (4H-Thiopyran)	289-70-3	**	$8.0 \pm 0.1$ (V)	PE	4841
$C_5H_{10}S^+$	$CH_2=CHS(iso-C_3H_7)$	18888-46-5	**	$8.15 \pm 0.01$	PI	5531
	$CH_2=CHCH_2SC_2H_5$	5296-62-8	**	$8.51 \pm 0.01$	PI	5531
	$CH_2=CHSC_3H_7$	16330-21-5	**	$8.16 \pm 0.01$	PI	5531
	$C_5H_{10}S$	1613-51-0	**	8.39	PE	4246
	$C_5H_{10}S$ (2H-Thiopyran, tetrahydro-)	1613-51-0	**	8.45 (V)	PE	3733
$C_5H_{12}S^+$	$C_2H_5S(iso-C_3H_7)$	5145-99-3	**	$8.35 \pm 0.01$	PI	5531
	$(CH_3)_3CSCH_3$	6163-64-0	**	$8.38 \pm 0.05$	PE	4153
	$n-C_3H_7SC_2H_5$	4110-50-3	**	8.37	CTS	4272
$C_6H_4S^+$	$cis-C_2H_2S(C\equiv CH)_2$ (Thiirane, <i>cis</i> -2,3-diethynyl-)	50555-56-1	**	8.80	PE	4374
	$trans-C_2H_2S(C\equiv CH)_2$ (Thiirane, <i>trans</i> -2,3-diethynyl-)	50555-55-0	**	8.85	PE	4374
$C_6H_6S^+$	$C_6H_5SH$ (Benzenethiol)	108-98-5	**	8.28	PE	3678
			**	8.39	PE	4621
			**	8.47 (V)	PE	4327
			**	$8.95 \pm 0.1$	EI	3817
			**	8.36	CTS	4272
$C_6H_8S^+$	$C_4H_2S(CH_3)_2$ (Thiophene, 2,5-dimethyl-)	638-02-8	**	8.10	EI	3787
			**	8.18	CTS	3787
	$C_4H_3SC_2H_5$	872-55-9	**	$8.67 \pm 0.05$	EI	3482
	$C_4H_3SC_2H_5$ (Thiophene, 2-ethyl-)	872-55-9	**	8.57	CTS	3787
$C_6H_{10}S^+$	$HC\equiv CS(iso-C_4H_9)$	50351-47-8	**	$8.62 \pm 0.01$	PI	5531
	$(CH_2=CHCH_2)_2S$	592-88-1	**	$8.52 \pm 0.01$	PI	5531
	$C_6H_{10}S$ (7-Thiabicyclo[2.2.1]heptane)	279-59-4	**	$8.28 \pm 0.04$	PE	3842
	$C_5H_7SCH_3$ (2H-Thiopyran, 3,4-dihydro-6-methyl-)	13042-79-0	**	7.95 (V)	PE	4569
$C_6H_{12}S^+$	$CH_2=CHS(tert-C_4H_9)$	14094-13-4	**	$8.07 \pm 0.01$	PI	5531
	$CH_2=CHSC_4H_9$	4789-70-2	**	$8.15 \pm 0.01$	PI	5531
$C_6H_{14}S^+$	$(n-C_3H_7)_2S$	111-47-7	**	8.34 (V)	PE	4276
			**	8.34 (V)	PE	5632
	$(iso-C_3H_7)_2S$	625-80-9	**	$8.25 \pm 0.01$	PI	5531
			**	8.26 (V)	PE	4276

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}S^+$	(iso-C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> S	625-80-9	**	8.26 (V)	PE	5632
$C_7H_8S^+$	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> SH (Benzenemethanethiol)	100-53-8	**	8.85 (V)	PE	3678
	C <sub>6</sub> H <sub>5</sub> SCH <sub>3</sub> (Benzene,(methylthio)-)	100-68-5	**	7.92±0.02	PI	5552
			**	7.96±0.01	PI	5531
			**	8.02 (V)	PE	4479
			**	8.04 (V)	PE	4884
			**	8.07 (V)	PE	3781
			**	8.07 (V)	PE	4327
			**	8.07 (V)	PE	5632
			**	8.60 (V)	PE	4327
			**	8.08	CTS	4272
			**	7.93	PE	4621
	C <sub>6</sub> H <sub>4</sub> (SH)CH <sub>3</sub> (Benzenethiol, 2-methyl-)	137-06-4	**	8.31 (V)	PE	4327
	C <sub>6</sub> H <sub>4</sub> (SH)CH <sub>3</sub> (Benzenethiol, 3-methyl-)	108-40-7	**	8.44 (V)	PE	4327
	C <sub>6</sub> H <sub>4</sub> (SH)CH <sub>3</sub> (Benzenethiol, 4-methyl-)	106-45-6	**	8.33 (V)	PE	4327
	C <sub>7</sub> H <sub>8</sub> S (2-Thiabicyclo[3.2.1]octa-3,6-diene)	39066-37-0	**	8.03-8.12 (V)	PE	5481
$C_7H_{10}S^+$	C <sub>7</sub> H <sub>10</sub> S (2-Thiabicyclo[3.2.1]oct-3-ene)	71017-55-5	**	7.92 (V)	PE	5481
$C_7H_{12}S^+$	CH <sub>3</sub> C≡CS(iso-C <sub>4</sub> H <sub>9</sub> )	56444-80-5	**	8.15±0.01	PI	5531
	C <sub>7</sub> H <sub>12</sub> S (2-Thiabicyclo[3.2.1]octane)	279-81-2	**	8.43-8.52 (V)	PE	5481
	C <sub>5</sub> H <sub>6</sub> S(CH <sub>3</sub> ) <sub>2</sub> (2 <i>H</i> -Thiopyran, 3,4-dihydro-4,4-dimethyl-)	53520-28-8	**	8.06 (V)	PE	4246
$C_8H_6S^+$	C <sub>6</sub> H <sub>4</sub> C <sub>2</sub> H <sub>2</sub> S (Benzothiophene)	11095-43-5	**	8.13±0.015 (V)	PE	5522
	C <sub>8</sub> H <sub>6</sub> S (Benzo[ <i>b</i> ]thiophene)	95-15-8	**	8.20	PE	4017
			**	8.73±0.05	EI	4316
	C <sub>8</sub> H <sub>6</sub> S (Benzo[ <i>c</i> ]thiophene)	270-82-6	**	7.75	PE	4017
$C_8H_8S^+$	C <sub>6</sub> H <sub>5</sub> SCH=CH <sub>2</sub> (Benzene,(ethenylthio)-)	1822-73-7	**	7.96±0.01	PI	5531
	C <sub>6</sub> H <sub>5</sub> CSCH <sub>3</sub> (Ethanethione, 1-phenyl-)	16696-68-7	**	8.1 (V)	PE	4467
	C <sub>8</sub> H <sub>8</sub> S (9-Thiabicyclo[4.2.1]nona-2,4,7-triene)	35783-97-2	**	8.39 (V)	PE	4326
$C_8H_{10}S^+$	C <sub>6</sub> H <sub>5</sub> SC <sub>2</sub> H <sub>5</sub> (Benzene,(ethylthio)-)	622-38-8	**	7.88±0.02	PI	5531
			**	8.0 (V)	PE	4327
			**	8.53 (V)	PE	4327
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )SCH <sub>3</sub> (Benzene, 1-methyl-3-(methylthio)-)	4886-77-5	**	8.00 (V)	PE	4327
			**	8.50 (V)	PE	4327

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{10}S^+$	$C_6H_5(CH_3)SCH_3$ (Benzene, 1-methyl-4-(methylthio)-)	623-13-2	**	7.87 (V)	PE	4327
			**	$7.9 \pm 0.05$ (V)	PE	4389
			**	8.50 (V)	PE	4327
	$C_6H_5CH_2SCH_3$ (Benzene, [(methylthio)methyl]-)	766-92-7	**	9.01 (V)	PE	3781
	$C_8H_{10}S$ (9-Thiabicyclo[4.2.1]nona-2,4-diene)	50669-04-0	**	8.26 (V)	PE	4326
$C_8H_{12}S^+$	$C_4H_5S(tert-C_4H_9)$ (Thiophene, 2-(1,1-dimethylethyl)-)	1689-78-7	**	8.48	CTS	4382
			**	$8.54 \pm 0.05$	EI	3482
	$C_4H_5S(tert-C_4H_9)$ (Thiophene, 3-(1,1-dimethylethyl)-)	1689-79-8	**	8.57	CTS	4382
	$C_8H_{12}S$ (9-Thiabicyclo[3.3.1]non-1-ene)	50436-33-4	**	8.35 (V)	PE	4569
	$C_8H_{12}S$ (9-Thiabicyclo[4.2.1]non-7-ene)	13350-64-6	**	8.20 (V)	PE	4326
	$C_4S(CH_3)_4$ (Thiophene, tetramethyl-)	14503-51-6	**	7.93	CTS	4382
$C_8H_{14}S^+$	$C_8H_{14}S$ (9-Thiabicyclo[3.3.1]nonane)	281-15-2	**	8.20 (V)	PE	4569
	$C_8H_{14}S$ (9-Thiabicyclo[4.2.1]nonane)	6522-54-9	**	8.16 (V)	PE	4326
$C_8H_{18}S^+$	$(n-C_4H_9)_2S$	544-40-1	**	8.22 (V)	PE	4276
	$(iso-C_4H_9)_2S$	592-65-4	**	8.32	CTS	4272
	$(tert-C_4H_9)_2S$	107-47-1	**	8.07 (V)	PE	4276
			**	8.07 (V)	PE	5632
			**	8.07 (V)	PE	5632
			**	$8.18 \pm 0.05$ (V)	PE	4153
			**	$8.19 \pm 0.1$	EI	4198
$C_9H_{10}S^+$	$C_6H_5CH=CHSCH_3$ (Benzene, [2-(methylthio)ethenyl]-(Z)-)	35822-50-5	**	7.75 (V)	PE	3781
			**	8.75 (V)	PE	5632
	$C_6H_5SCH_2CH=CH_2$ (Benzene, (2-propenylthio)-)	5296-64-0	**	$7.91 \pm 0.01$	PI	5531
$C_9H_{11}S^+$	$C_6H_5S(tert-C_4H_9)$ (Benzene, [(1,1-dimethylethyl)thio]-)	3019-19-0	$CH_3$	$12.1 \pm 0.1$	EI	4198
$C_9H_{12}S^+$	$C_6H_5S(n-C_3H_7)$ (Benzene, (propylthio)-)	874-79-3	**	$7.81 \pm 0.03$	PI	5552
	$C_6H_5(CH_3)SC_2H_5$ (Benzene, 1-(ethylthio)-3-methyl-)	34786-24-8	**	7.92 (V)	PE	4327
			**	8.42 (V)	PE	4327
	$C_6H_5(CH_3)SC_2H_5$ (Benzene, 1-(ethylthio)-4-methyl-)	622-63-9	**	7.9 (V)	PE	4327
			**	8.45 (V)	PE	4327
	$C_6H_5SCH(CH_3)_2$ (Benzene, [(1-methylethyl)thio]-)	3019-20-3	**	8.46 (V)	PE	4327
$C_{10}H_8S^+$	$C_6H_5C_2H_5S$ (Thiophene, 2-phenyl)	825-55-8	**	8.06	CTS	4382

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>10</sub>H<sub>14</sub>S<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> S( <i>tert</i> -C <sub>3</sub> H <sub>9</sub> ) (Benzene, [(1,1-dimethylethyl)thio]-)	3019-19-0	**	8.38 ± 0.05	PE	4589
			**	8.17 ± 0.1	EI	4198
			**	8.40 (V)	PE	4327
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )SCH(CH <sub>3</sub> ) <sub>2</sub> (Benzene, 1-methyl-3-[(1-methylethyl)thio]-)	14905-80-7	**	8.38 (V)	PE	4327
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )SCH(CH <sub>3</sub> ) <sub>2</sub> (Benzene, 1-methyl-4-[(1-methylethyl)thio]-)	14905-81-8	**	8.38 (V)	PE	4327
<b>C<sub>10</sub>H<sub>16</sub>S<sup>+</sup></b>	C <sub>7</sub> H <sub>7</sub> (=S)(CH <sub>3</sub> ) <sub>3</sub> (Bicyclo[2.2.1]heptane-2-thione, 1,3,3-trimethyl-)	875-06-9	**	8.41 (V)	PE	4323
	C <sub>6</sub> H <sub>4</sub> S(CH <sub>3</sub> ) <sub>4</sub> (Thiepin, 4,5-didehydro-2,3,6,7-tetrahydro-3,3,6,6-tetramethyl-)	26825-18-3	**	8.19 (V)	PE	4362
	C <sub>10</sub> H <sub>15</sub> SH (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane-1-thiol)	34301-54-7	**	8.78 (V)	PE	5395
<b>C<sub>10</sub>H<sub>20</sub>S<sup>+</sup></b>	C <sub>6</sub> H <sub>8</sub> S(CH <sub>3</sub> ) <sub>4</sub> (1-Thiacycloheptane, 3,3,6,6-tetramethyl-)	XXXXXX-XX-X	**	8.15 (V)	PE	4362
<b>C<sub>11</sub>H<sub>10</sub>S<sup>+</sup></b>	C <sub>10</sub> H <sub>7</sub> SCH <sub>3</sub> (Naphthalene, 1-(methylthio)-)	10075-72-6	**	7.67 (V)	PE	3781
	C <sub>10</sub> H <sub>7</sub> SCH <sub>3</sub> (Naphthalene, 2-(methylthio)-)	7433-79-6	**	7.71 (V)	PE	3781
			**	7.71 (V)	PE	5632
<b>C<sub>11</sub>H<sub>16</sub>S<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (SCH <sub>3</sub> )( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) (Benzene, 1-(1,1-dimethylethyl)-4-(methylthio)-)	7252-86-0	**	7.83 ± 0.05 (V)	PE	4627
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )SC(CH <sub>3</sub> ) <sub>3</sub> (Benzene, 1-[(1,1-dimethylethyl)thio]-3-methyl-)	34786-26-0	**	8.35 (V)	PE	4327
	C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> )SC(CH <sub>3</sub> ) <sub>3</sub> (Benzene, 1-[(1,1-dimethylethyl)thio]-4-methyl-)	7439-10-3	**	8.31 (V)	PE	4327
<b>C<sub>12</sub>H<sub>8</sub>S<sup>+</sup></b>	C <sub>12</sub> H <sub>8</sub> S (Dibenzothiophene)	132-65-0	**	7.90 ± 0.03	PI	5552
			**	7.93 (V)	PE	5619
			**	8.01 (V)	PE	3852
			**	8.34	EI	3787
			**	8.44	EI	4228
			**	8.23	CTS	3787
<b>C<sub>12</sub>H<sub>10</sub>S<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> S (Benzene, 1,1'-thiobis-)	139-66-2	**	7.81 ± 0.03	PI	5552
			**	7.92 ± 0.01	PI	5531
			**	7.8	PE	4228
			**	7.86 (V)	PE	4667
			**	7.88 ± 0.05	EI	3498
			**	7.88	EI	5292
			**	8.45 ± 0.1	EI	3817
			**	8.04	CTS	4272
	C <sub>4</sub> H <sub>5</sub> SCH=CHC <sub>6</sub> H <sub>5</sub> (Thiophene, 2-(2-phenylethenyl)-)	3783-65-1	**	7.55	EI	3787
			**	7.78	CTS	3787
<b>C<sub>12</sub>H<sub>18</sub>S<sup>+</sup></b>	C <sub>6</sub> H <sub>6</sub> (C <sub>2</sub> H <sub>4</sub> S)C <sub>6</sub> H <sub>6</sub> (4 $\alpha$ ,8 $\alpha$ -(Methanothiomethano)naphthalene, 1,2,3,4,5,8-hexahydro-)	17853-64-4	**	8.07 (V)	PE	5194



Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{20}S^+$	$C_{12}H_{20}S(C_4H_9)_2$ (Thiophene, 2,5-bis(1,1-dimethylethyl)-)	1689-77-6	**	7.85 (V)	PE	4324
$C_{13}H_8S^+$	$C_{13}H_{12}S$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-)	1207-93-8	$CH_3$	10.80	EI	5414
$C_{13}H_{10}S^+$	$(C_6H_5)_2CH_2SC(=O)$ (Dibenz[ <i>b,e</i> ]thiepin-11(6H)-one)	1531-77-7	CO	9.75	EI	5340
$C_{13}H_{12}S^+$	$C_6H_5(CH_3)SC_6H_5$ (Benzene, 1-methyl-2-(phenylthio)-)	13963-35-4	**	8.01	CTS	4272
	$C_6H_5(CH_3)SC_6H_5$ (Benzene, 1-methyl-3-(phenylthio)-)	13865-48-0	**	7.99	CTS	4272
	$C_6H_5(CH_3)SC_6H_5$ (Benzene, 1-methyl-4-(phenylthio)-)	3699-01-2	**	7.95	CTS	4272
	$C_6H_5CH_2SC_6H_5$ (Benzene, [(phenylmethyl)thio]-)	831-91-4	**	$7.87 \pm 0.02$	PI	5552
$C_{14}H_{10}S^+$	$C_{14}H_{10}S$ (Dibenzo[ <i>b,f</i> ] thiepin)	257-13-6	**	7.96 (V)	PE	4611
$C_{14}H_{11}S^+$	$C_{14}H_{12}S$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-)	1207-93-8	H	11.40	EI	5414
	$C_{13}H_8S(CH_3)_2$ (9H-Thioxanthene, 9,9-dimethyl-)	19019-10-4	$CH_3$	$8.3 \pm 0.1$	EI	4664
$C_{14}H_{12}S^+$	$C_{14}H_{12}S$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-)	1207-93-8	**	8.77	EI	5414
$C_{14}H_{14}S^+$	$C_6H_5(CH_3)_2SC_6H_5$ (Benzene, 1,2-dimethyl-4-(phenylthio)-)	2828-65-1	**	7.89	CTS	4272
	$C_6H_5(CH_3)SC_6H_4CH_3$ (Benzene, 1,1'-thiobis[2-methyl-])	4537-05-7	**	7.94	CTS	4272
	$C_6H_5(CH_3)SC_6H_4CH_3$ (Benzene, 1,1'-thiobis[4-methyl-])	620-94-0	**	7.83	CTS	4272
	$(C_6H_5CH_2)_2S$ (Benzene, 1,1'-thiobis(methylene)bis-)	538-74-9	**	$8.05 \pm 0.02$	PI	5552
$C_{15}H_{10}S^+$	$C_3(=S)(C_6H_5)_2$ (2-Cyclopropen-1-thione, 2,3-diphenyl-)	2570-01-6	**	11.25 (V)	PE	4856
$C_{15}H_{14}S^+$	$C_{13}H_8S(CH_3)_2$ (9H-Thioxanthene, 9,9-dimethyl-)	19019-10-4	**	$7.7 \pm 0.1$	EI	4664
$C_{16}H_{18}S^+$	$C_6H_5(CH_3)_2SC_6H_3(CH_3)_2$ (Benzene, 1,1'-thiobis[2,6-dimethyl-])	52805-90-0	**	8.36	CTS	4272
$C_{18}H_{16}S^+$	$C_{10}H_6(CH_2CH_2)_2C_4H_2S$ (8,11-Epithio-5,14-ethenobenzocyclododecene, 6,7,12,13-tetrahydro-)	53539-29-0	**	7.50 (V)	PE	5575

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_2\text{S}_2^+$	$\text{C}_2\text{H}_6\text{S}_2$ (1,3-Dithiolane)	4829-04-3	$\text{C}_2\text{H}_4$	$10.8 \pm 0.2$	EI	3598
$\text{CH}_4\text{S}_2^+$	$\text{HSCH}_2\text{SH}$	6725-64-0	**	9.9 (V)	PE	4405
$\text{C}_2\text{H}_6\text{S}_2^+$	$(\text{CH}_3\text{S})_2$	624-92-0	**	8.3	PE	4188
			**	8.82 (V)	PE	3697
			**	8.96 (V)	PE	5068
			**	8.97 (V)	PE	4276
			**	8.97 (V)	PE	5538
			**	8.97 (V)	PE	5632
			**	8.98 (V)	PE	4218
			**	9. (V)	PE	4410
$\text{C}_3\text{H}_5\text{S}_2^+$	$\text{C}_3\text{H}_6\text{S}_2$ (1,3-Dithiolane)	4829-04-3	H	$11.2 \pm 0.2$	EI	3598
$\text{C}_3\text{H}_6\text{S}_2^+$	$\text{CH}_3\text{C}=\text{SSCH}_3$	2168-84-5	**	8.50 (V)	PE	4427
	$\text{C}_3\text{H}_6\text{S}_2$ (1,3-Dithiolane)	4829-04-3	**	8.75 (V)	PE	4418
			**	8.77 (V)	PE	4756
			**	$9.0 \pm 0.05$	EI	3598
$\text{C}_3\text{H}_8\text{S}_2^+$	$\text{CH}_3\text{SCH}_2\text{SCH}_3$	1618-26-4	**	8.65 (V)	PE	5632
			**	8.67 (V)	PE	4405
$\text{C}_4\text{H}_4\text{S}_2^+$	$\text{C}_4\text{H}_4\text{S}_2$ (1,4-Dithiin)	290-79-9	**	$8.1 \pm 0.1$ (V)	PE	4841
$\text{C}_4\text{H}_8\text{S}_2^+$	$\text{CH}_2=\text{C}(\text{SCH}_3)_2$ <i>cis</i> - $\text{CH}_3\text{SCH}=\text{CHSCH}_3$ <i>trans</i> - $\text{CH}_3\text{SCH}=\text{CHSCH}_3$	51102-74-0	**	8.2 (V)	PE	4291
		764-44-3	**	7.80 (V)	PE	4291
		764-45-4	**	7.85 (V)	PE	4291
			**	7.96 (V)	PE	5632
	$\text{C}_4\text{H}_8\text{S}_2$ (1,2-Dithiane)	505-20-4	**	8.36 (V)	PE	4276
			**	8.36 (V)	PE	5632
	$\text{C}_4\text{H}_8\text{S}_2$ (1,3-Dithiane)	505-23-7	**	8.33 (V)	PE	4756
			**	8.33 (V)	PE	5632
			**	8.54 (V)	PE	3733
	$\text{C}_4\text{H}_8\text{S}_2$ (1,4-Dithiane)	505-29-3	**	8.46 (V)	PE	5632
			**	8.58 (V)	PE	3733
$\text{C}_4\text{H}_{10}\text{S}_2^+$	$(\text{C}_2\text{H}_5\text{S})_2$	110-81-6	**	8.70 (V)	PE	4276
			**	8.70 (V)	PE	5632
			**	8.77 (V)	PE	4410
			**	8.85 (V)	PE	4218
	$\text{CH}_3\text{SCH}_2\text{CH}_2\text{SCH}_3$	6628-18-8	**	8.64 (V)	PE	5632
$\text{C}_5\text{H}_4\text{S}_2^+$	$\text{C}_5\text{H}_4\text{S}(=\text{S})$ (4H-Thiopyran-4-thione)	1120-94-1	**	$7.96 \pm 0.05$ (V)	PE	5002

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_6S_2^+$	$C_4H_5SSCH_3$ (Thiophene, 2-(methylthio)-)	5780-36-9	**	$8.63 \pm 0.05$ (V)	PE	4626
	$C_4H_5S(SH)CH_3$ (2-Thiophenethiol, 5-methyl-)	3970-28-3	**	$8.10 \pm 0.05$	EI	3482
			**	$8.48 \pm 0.05$	EI	4706
$C_5H_{12}S_2^+$	$C_2H_5SCH_2SC_2H_5$	4396-19-4	**	8.66 (V)	PE	4756
			**	$8.22 \pm 0.02$	PI	5531
$C_6H_4S_2^+$	$C_6H_4S_2$ (Thieno[2,3- <i>b</i> ]thiophene)	250-84-0	**	8.32	PE	4017
	$C_6H_4S_2$ (Thieno[3,2- <i>b</i> ]thiophene)	251-41-2	**	8.32 (V)	PE	5405
			**	8.45 (V)	PE	5478
			**	8.10	PE	4017
	$C_6H_4S_2$ (Thieno[3,2- <i>b</i> ]thiophene)	251-41-1	**	8.10 (V)	PE	5405
			**	8.14 (V)	PE	3852
$C_6H_8S_2^+$	$C_4H_5S(CH_3)SCH_3$ (Thiophene, 2-methyl-5-(methylthio)-)	40990-29-2	**	$8.13 \pm 0.05$	EI	4706
	$C_4HS(SH)(CH_3)_2$ (3-Thiophenethiol, 2,5-dimethyl-)	29874-05-3	**	$8.22 \pm 0.05$	EI	4706
$C_6H_{10}S_2^+$	<i>cis,cis</i> - $CH_3SCH=CHCH=CHSCH_3$	35822-49-2	**	7.48 (V)	PE	5632
$C_6H_{14}S_2^+$	$(n-C_3H_7S)_2$	629-19-6	**	8.62 (V)	PE	4276
			**	8.62 (V)	PE	5632
	$(iso-C_3H_7S)_2$	4253-89-8	**	8.54 (V)	PE	4276
			**	8.54 (V)	PE	5632
			**	8.51 (V)	PE	4410
$C_7H_6S_2^+$	$C_7H_6S_2$ (Thieno[2,3- <i>b</i> ]thiophene,2-methyl-)	13393-75-4	**	8.12 (V)	PE	5478
	$C_7H_6S_2$ (Thieno[2,3- <i>b</i> ]thiophene,3-methyl-)	1723-34-8	**	8.04 (V)	PE	5478
$C_7H_{10}S_2^+$	$C_4HS(CH_3)_2SCH_3$ (Thiophene, 2,5-dimethyl-3-(methylthio)-)	63359-64-8	**	$7.96 \pm 0.05$	EI	4706
$C_8H_6S_2^+$	$(C_4H_5S)_2$ (3,3'-Bithiophene)	3172-56-3	**	8.2 (V)	PE	5422
$C_8H_8S_2^+$	$C_8H_8S_2$ (1,6-Dithiecin, 3,4,8,9-tetradehydro-2,5,7,10-tetrahydro-)	53690-50-9	**	$8.73 \pm 0.02$ (V)	PE	4180
$C_8H_{10}S_2^+$	$C_6H_4(SCH_3)_2$ (Benzene,1,2-bis(methylthio)-)	2388-68-3	**	8.0 (V)	PE	5403
	$C_6H_4(SCH_3)_2$ (Benzene,1,3-bis(methylthio)-)	2388-69-4	**	8.0 (V)	PE	5403
	$C_6H_4(SCH_3)_2$ (Benzene, 1,4-bis(methylthio)-)	699-20-7	**	7.93 (V)	PE	3781

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{10}S_2^+$	$C_6H_4(SCH_3)_2$	699-20-7	**	7.93 (V)	PE	5403
$C_8H_{12}S_2^+$	$C_4(=S)_2(CH_3)_4$ (1,3-Cyclobutanedithione, 2,2,4,4-tetramethyl-)	10181-56-3	**	8.35 (V)	PE	5499
$C_8H_{18}S_2^+$	$n-C_4H_9SSn-C_4H_9$ ( <i>tert</i> - $C_4H_9S$ ) <sub>2</sub>	629-45-8 110-06-5	** ** ** ** **	8.51 (V) 8.15 (V) 8.17 (V) 8.17 (V) 8.20 (V)	PE PE PE PE PE	4410 4410 4276 5632 4218
$C_{10}H_6S_2^+$	$C_{10}H_6S_2$ (Naphtho[1,8- <i>cd</i> ]-1,2-dithole)	209-22-3	**	7.15 (V)	PE	4782
$C_{10}H_{12}S_2^+$	$C_{10}H_{12}S_2$ (1,3-Benzodithiole-2-ethyl-2-methyl-)	58657-45-7	**	7.85 (V)	PE	5410
$C_{12}H_{12}S_2^+$	$(C_4H_2SCH_2CH_2)_2$ (13,14-Dithiatricyclo[8.2.1.1 <sup>4,7</sup> ]tetradeca-4,6,10,12-tetraene)	73650-69-8	**	7.95	PE	5575
	$C_{10}H_6(SCH_3)_2$ (Naphthalene, 1,4-bis(methylthio)-)	10075-73-7	**	7.58 (V)	PE	5204
	$C_{10}H_6(SCH_3)_2$ (Naphthalene, 1,5-bis(methylthio)-)	10075-74-8	**	7.58 (V) 7.66 (V)	PE PE	5612 5204
	$C_{10}H_6(SCH_3)_2$ (Naphthalene, 1,8-bis(methylthio)-)	7343-31-9	**	7.55 (V)	PE	5204
	$C_{10}H_6(SCH_3)_2$ (Naphthalene, 2,6-bis(methylthio)-)	10075-77-1	**	7.59 (V)	PE	5204
			**	7.59 (V)	PE	5612
$C_{16}H_{14}S_2^+$	$C_{14}H_8S_2(CH_3)_2$ (Anthracene-9,10-bis(methylthio)-)	10075-83-9	**	7.44 (V)	PE	5612
$C_{20}H_{30}S_2^+$	$(C_{10}H_{15}S)_2$ (Disulfide, bis(tricyclo[3.3.1.1 <sup>3,7</sup> ]dec-1-yl))	34895-45-9	**	7.86 (V)	PE	5395
$C_{20}H_{32}S_2^+$	$C_{12}H_8S_2(CH_3)_8$ (Cyclobuta[1,2- <i>d</i> :3,4- <i>d'</i> ]bisthiopin, 1,2,4,5,6,7,9,10-octahydro-1,1,5,5,6,6,10,10-octamethyl-)	40219-42-9		6.89 (V)	PE	4304
$C_{30}H_{20}S_2^+$	$C_6S_2(C_6H_5)_4$ (Thieno[3,4- <i>c</i> ]thiophene-2,5-5 <sup>IV</sup> , 1,3,4,6-tetraphenyl-)	36516-81-1	**	6.19 (V)	PE	4838
$C_2H_2S_3^+$	$C_2H_2S_2(=S)$ (1,3-Dithietane-2-thione)	18555-26-5	**	8.83 (V)	PE	4549
$C_2H_4S_3^+$	$C_2H_4S_3$ (1,2,4-Trithiolane)	289-16-7	** **	8.72±0.2 (V) 8.72 (V)	PE PE	5415 4410

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_2S_3^+$	$C_3H_2S_3$ (1,3-Dithiole-2-thione)	930-35-8	**	8.26 (V)	PE	5410
	$(C_3H_2S_2)=S$ (3H-1,2-Dithiole-3-thione)	534-25-8	**	8.3 (V)	PE	4549
			**	8.42 (V)	PE	4403
$C_3H_4S_3^+$	$C_3H_4S_2S$ (1,3-Dithiolane-2-thione)	822-38-8	**	8.40 (V)	PE	4407
			**	8.40 (V)	PE	4323
$C_3H_6S_3^+$	$(CH_3S)_2CS$	2314-48-9	**	8.5 (V)	PE	4323
	$C_3H_6S_3$ (1,3,5-Trithiane)	291-21-4	**	8.76 (V)	PE	3733
			**	8.83±0.05 (V)	PE	4212
$C_4H_4S_3^+$	$(C_3HS_2)=S(CH_3)$ (3H-1,2-Dithiole-3-thione, 4-methyl-)	3354-41-4	**	8.23 (V)	PE	4403
	$(C_3HS_2)=S(CH_3)$ (3H-1,2-Dithiole-3-thione, 5-methyl-)	3354-40-3	**	8.25 (V)	PE	4403
$C_4H_6S_3^+$	$C_4H_6S_2=S$ (1,3-Dithiane-2-thione)	1748-15-8	**	8.40 (V)	PE	4323
$C_5H_4S_3^+$	$C_5H_4S_4$ ([1,2]Dithiolo[1,5- <i>b</i> ][1,2]dithiole-7- $S^{IV}$ )	252-09-5	**	8.11 (V)	PE	3569
$C_6H_6S_3^+$	$C_5H_3S_3CH_3$ ([1,2]Dithiolo[1,5- <i>b</i> ][1,2]dithiole-7- $S^{IV}$ , 2-methyl-)	20718-55-2	**	7.83 (V)	PE	3569
$C_6H_{12}S_3^+$	$C_3H_3S_3(CH_3)_3$ (1,3,5-Trithiane, 2,4,6-trimethyl-)	2765-04-0	**	8.39±0.05 (V)	PE	4212
	$C_6H_{12}S_4$ (1,2,4-Trithiolane,3,3,5,5-tetramethyl-)	38348-31-1	**	8.12±0.2 (V)	PE	5415
			**	8.12 (V)	PE	4410
$C_7H_4S_3^+$	$C_7H_4S_3$ (1,3-Benzodithiole-2-thione)	934-36-1	**	8.14 (V)	PE	5410
	$(C_7H_4S_2)=S$ (3H-1,2-Benzodithiole-3-thione)	3354-42-5	**	8.10 (V)	PE	4403
$C_7H_8S_3^+$	$C_5H_2S_3(CH_3)_2$ ([1,2]Dithiolo[1,5- <i>b</i> ][1,2]dithiole-7- $S^{IV}$ , 2,5-dimethyl-)	2080-35-5	**	7.73 (V)	PE	3569
	$C_5H_2S_3(CH_3)_2$ ([1,2]Dithiolo[1,5- <i>b</i> ][1,2]dithiole-7- $S^{IV}$ , 3,4-dimethyl-)	29977-00-2	**	7.63 (V)	PE	3569
$C_7H_{10}S_3^+$	$(C_7HS_2)=S(tert-C_4H_9)$ (3H-1,2-Dithiole-3-thione, 5-(1,1-dimethylethyl)-)	29507-64-0	**	8.15 (V)	PE	4403
$C_8H_4S_3^+$	$C_8H_4S_3$ (Dithieno[2,3- <i>b</i> :3',2'- <i>d</i> ]thiophene)	236-63-5	**	7.86 (V)	PE	5405



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>4</sub>S<sub>3</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>4</sub> S <sub>3</sub> (Dithieno[3,2- <i>b</i> :2',3'- <i>d</i> ]thiophene)	3593-75-7	**	7.8 (V)	PE	5405
	C <sub>8</sub> H <sub>4</sub> S <sub>3</sub> (Dithieno[3,4- <i>b</i> :3',4'- <i>d</i> ]thiophene)	13090-49-8	**	7.88 (V)	PE	5405
<b>C<sub>8</sub>H<sub>6</sub>S<sub>3</sub><sup>+</sup></b>	(C <sub>4</sub> H <sub>3</sub> S) <sub>2</sub> S (Thiophene,2,2'-thiobis-)	3988-99-6	**	8.40 (V)	PE	5356
	(C <sub>4</sub> H <sub>3</sub> S) <sub>2</sub> S (Thiophene,3,3'-thiobis-)	3807-38-3	**	8.06 (V)	PE	5356
<b>C<sub>9</sub>H<sub>6</sub>S<sub>3</sub><sup>+</sup></b>	(C <sub>3</sub> HS <sub>2</sub> )=S(C <sub>6</sub> H <sub>5</sub> ) (3H-1,2-Dithiole-3-thione, 5-phenyl-)	3445-76-9	**	8.11 (V)	PE	4403
<b>C<sub>9</sub>H<sub>16</sub>S<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> S <sub>3</sub> (CH <sub>3</sub> ) <sub>6</sub> (1,3,5-Trithiane, 2,2,4,4,6,6-hexamethyl-)	828-26-2	**	7.95±0.05 (V)	PE	4212
<b>C<sub>10</sub>H<sub>8</sub>S<sub>3</sub><sup>+</sup></b>	(C <sub>3</sub> HS <sub>2</sub> )=S(C <sub>6</sub> H <sub>4</sub> CH <sub>3</sub> ) (3H-1,2-Dithiole-3-thione, 5-(4-methylphenyl)-)	6921-83-1	**	8.10 (V)	PE	4403
	(C <sub>4</sub> H <sub>2</sub> S) <sub>2</sub> C <sub>2</sub> H <sub>4</sub> S (4H,6H-Dithieno[3,4- <i>c</i> :3',4'- <i>e</i> ]thiepin)	42850-82-8	**	8.4 (V)	PE	5422
	(C <sub>4</sub> H <sub>2</sub> S) <sub>2</sub> C <sub>2</sub> H <sub>4</sub> S (Dithieno[2,3- <i>c</i> :3',2'- <i>e</i> ]thiepin,4,6-dihydro-)	63286-55-5	**	8.15 (V)	PE	5422
<b>C<sub>10</sub>H<sub>12</sub>S<sub>3</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>6</sub> S <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> (3H-[1,2]Dithiolo[4,5,1- <i>hi</i> ][1,2]benzodithiole-8-S <sup>IV</sup> , 4,5-dihydro-2,6-dimethyl-)	35437-21-9	**	7.34 (V)	PE	3569
<b>C<sub>12</sub>H<sub>16</sub>S<sub>3</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>6</sub> S <sub>3</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (3H-[1,2]Dithiolo[4,5,1- <i>hi</i> ][1,2]benzodithiole-8-S <sup>IV</sup> , 2,6-diethyl-4,5-dihydro-)	35505-46-5	**	7.33 (V)	PE	3569
<b>C<sub>11</sub>H<sub>20</sub>S<sub>3</sub><sup>+</sup></b>	C <sub>8</sub> H <sub>6</sub> S <sub>3</sub> (C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> (3H-[1,2]Dithiolo[4,5,1- <i>hi</i> ][1,2]benzodithiole-8-S <sup>IV</sup> , 4,5-dihydro-2,6-bis(1-methylethyl)-)	35505-47-6	**	7.19 (V)	PE	3569
<b>C<sub>17</sub>H<sub>12</sub>S<sub>3</sub><sup>+</sup></b>	C <sub>3</sub> H <sub>2</sub> S <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> ([1,2]Dithiolo[1,5- <i>b</i> ][1,2]dithiole-7-S <sup>IV</sup> , 3,4-diphenyl-)	25730-47-6	**	7.57 (V)	PE	3569
<b>C<sub>5</sub>H<sub>8</sub>S<sub>4</sub><sup>+</sup></b>	C <sub>5</sub> H <sub>8</sub> S <sub>4</sub> (1,4,6,9-Tetrathiaspiro[4.4]nonane)	13145-46-5	**	8.26 (V)	PE	4756
			**	8.35 (V)	PE	4418
<b>C<sub>5</sub>H<sub>12</sub>S<sub>4</sub><sup>+</sup></b>	C(SCH <sub>3</sub> ) <sub>4</sub>	6156-25-8	**	8.29 (V)	PE	4756
<b>C<sub>6</sub>H<sub>4</sub>S<sub>4</sub><sup>+</sup></b>	(C <sub>3</sub> H <sub>2</sub> S <sub>2</sub> ) <sub>2</sub> (1,3-Dithiole-2-(1,3-dithiole-2-ylidene)-)	31366-25-3	**	7.00	CTS	5622
			**	6.83 (V)	PE	3981
			**	6.83 (V)	PE	4481
			**	6.92±0.03 (V)	PE	4155
<b>C<sub>6</sub>H<sub>8</sub>S<sub>4</sub><sup>+</sup></b>	(C <sub>3</sub> H <sub>3</sub> S <sub>2</sub> ) <sub>2</sub> (1,3-Dithiolane, 2-(1,3-dithiolan-2-ylidene)-)	24719-68-4	**	7.05±0.03 (V)	PE	4155

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_8S_4^+$	$(C_3H_4S_2)_2$	24719-68-4	**	7.17 (V)	PE	4481
$C_6H_{10}S_4^+$	$C_6H_{10}S_4$ (2,2-Bi-1,3-dithiolane)	6784-47-0	**	8.6-9.0 (V)	PE	4481
$C_6H_{12}S_4^+$	$(CH_3S)_2C=C(SCH_3)_2$	13046-50-9	**	7.75 (V)	PE	4291
	$C_2S_4(CH_3)_4$ (1,2,4,5-Tetrathiane, 3,3,6,6-tetramethyl-)	4475-72-3	**	8.23±0.02 (V)	PE	4402
$C_7H_{12}S_4^+$	$C_7H_{12}S_4$ (1,5,7,11-Tetrathiaspiro[5.5]undecane)	180-97-2	**	8.09 (V)	PE	4756
$C_{10}H_{12}S_4^+$	$C_6S_4(CH_3)_4$ (1,3-Dithiole, 2-(4,5-dimethyl-1,3-dithiol-2-ylidene)-4,5-dimethyl-)	50708-37-7	**	6.40 (V)	PE	4481
$C_{10}H_{16}S_4^+$	$C_{10}H_{16}S_4$ (6,7,13,14-Tetrathiadispiro[4.2.4.2]tetradecane)	184-05-4	**	8.17±0.02 (V)	PE	4402
$C_{12}H_{20}S_4^+$	$C_{12}H_{20}S_4$ (7,8,15,16-Tetrathiadispiro[5.2.5.2]hexadecane)	183-85-7	**	7.98±0.02 (V)	PE	4402
$C_{14}H_8S_4^+$	$(C_6H_4S_2C)_2$ (1,3-Benzodithiole, 2-(1,3-benzodithiol-2-ylidene)-)	24648-13-2	**	6.81 (V)	PE	4461
$C_{10}H_{18}S_6^+$	$C_4H_8S_2$ (1,4-Dithiane)	505-29-3	**	8.46 (V)	PE	5632
$B_9CH_{11}S^+$	$SB_9H_9(CH_3)$ (1-Thiadecaborane(9),10-methyl-)	64173-76-8	**	10.0 (V)	PE	5324
$BC_3H_9S^+$	$(CH_3)_2BSCH_3$	19163-05-4	**	9.40 (V)	PE	4065
$BC_{12}H_{19}S^+$	$C_6H_5SB(n-C_3H_7)_2$ (Boric acid, dipropylthio-phenyl ester)	4443-46-3	**	8.77±0.05 (V)	PE	4848
	$C_6H_4(CH_3)SB(n-C_3H_7)_2$ (Boric acid, dipropylthio-3-methylphenyl ester)	64503-47-5	**	8.59±0.05 (V)	PE	4848
$BC_{13}H_{21}S^+$	$C_6H_4(CH_3)SB(n-C_3H_7)_2$ (Boric acid, dipropylthio-4-methylphenyl ester)	64503-46-4	**	8.48±0.05 (V)	PE	4848
	$(CH_3S)_2BCH_3$	19163-08-7	**	8.74 (V)	PE	4065
$B_2C_2H_6S_3^+$	$B_2S_4(CH_3)_2$ (1,2,4,3,5-Trithiadiborolane, 3,5-dimethyl-)	25592-09-0	**	9.04 (V)	PE	4526
$BC_3H_9S_3^+$	$B(SCH_3)_3$	997-49-9	**	8.74 (V)	PE	4065

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>NS<sup>+</sup></b> ( <sup>2</sup> II)	NS	51801-08-2	**	8.87±0.01 (V)	PE	4657
	(SN) <sub>2</sub>	XXXXX-XX-X		13.0±0.6	EI	4870
	(SN) <sub>4</sub>	XXXXX-XX-X		14.1±0.6	EI	4870
<b>NS<sub>2</sub><sup>+</sup></b>	(SN) <sub>2</sub>	XXXXX-XX-X		12.2±0.6	EI	4870
<b>N<sub>2</sub>S<sub>2</sub><sup>+</sup></b>	(SN) <sub>2</sub>	XXXXX-XX-X	**	11.5±0.6	EI	4870
	S <sub>2</sub> N <sub>2</sub>	25474-92-4	**	10.41	PE	4718
	S <sub>2</sub> N <sub>2</sub>	45346-74-5	**	10.51 (V)	PE	5355
	(Sulfur nitride)					
	(SN) <sub>4</sub>	XXXXX-XX-X		13.7±0.6	EI	4870
<b>N<sub>3</sub>S<sub>3</sub><sup>+</sup></b>						
	(SN) <sub>4</sub>	XXXXX-XX-X		12.3±0.6	EI	4870
<b>N<sub>4</sub>S<sub>4</sub><sup>+</sup></b>						
	(SN) <sub>4</sub>	XXXXX-XX-X	**	10.4±0.6	EI	4870
	(S <sub>4</sub> N <sub>4</sub> ) (Nitrogen sulfide)	28950-34-7	**	9.36 (V)	PE	5355
<b>C<sub>2</sub>N<sub>2</sub>S<sup>+</sup></b>						
	S(C≡N) <sub>2</sub>	627-52-1	**	11.32 (V)	PE	4476
<b>C<sub>2</sub>N<sub>2</sub>S<sub>2</sub><sup>+</sup></b>						
	(SCN) <sub>2</sub>	505-14-6	**	11.05±0.02	PE	5363
<b>CHNS<sup>+</sup></b>	HNCS	3129-90-6	**	9.94±0.02 (V)	PE	3670
<b>CH<sub>2</sub>NS<sup>+</sup></b>						
	NH(CH <sub>3</sub> )CSNH <sub>2</sub>	598-52-7		12.45	EI	4878
<b>CH<sub>3</sub>NS<sup>+</sup></b>						
	HCSNH <sub>2</sub>	115-08-2	**	8.69	PE	4469
<b>C<sub>2</sub>H<sub>3</sub>NS<sup>+</sup></b>						
	CH <sub>3</sub> NCS	556-61-6	**	9.37±0.02 (V)	PE	3670
	CH <sub>3</sub> SCN	556-64-9	**	9.96±0.05 (V)	PE	5026
<b>C<sub>2</sub>H<sub>4</sub>NS<sup>+</sup></b>						
	(NHCH <sub>3</sub> ) <sub>2</sub> CS	534-13-4		12.20	EI	4878
	N(CH <sub>3</sub> ) <sub>2</sub> CSNHCH <sub>3</sub>	2489-77-2		11.25	EI	4878
<b>C<sub>2</sub>H<sub>5</sub>NS<sup>+</sup></b>						
	CH <sub>3</sub> CSNH <sub>2</sub>	62-55-5	**	8.33 (V)	PE	4323
			**	8.36	PE	4469
<b>C<sub>3</sub>H<sub>3</sub>NS<sup>+</sup></b>						
	C <sub>3</sub> H <sub>3</sub> NS (Isothiazole)	288-16-4	**	9.55	PE	3587
			**	9.62 (V)	PE	5213
			**	9.80	EI	3587
	C <sub>3</sub> H <sub>3</sub> NS (Thiazole)	288-47-1	**	9.50 (V)	PE	5213
<b>C<sub>3</sub>H<sub>5</sub>NS<sup>+</sup></b>						
	C <sub>2</sub> H <sub>5</sub> NCS	542-85-8	**	9.12±0.05 (V)	PE	5026
	C <sub>2</sub> H <sub>5</sub> SCN	542-90-5	**	9.77±0.05 (V)	PE	5026

Table of Ion Energetics Measurements—Continued

Ion - (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_6NS^+$	$((CH_3)_2N)_2CS$	2782-91-4		11.20	EI	4878
$C_3H_7NS^+$	$HCSN(CH_3)_2$	758-16-7	** **	8.16 8.2 (V)	PE PE	4469 4323
$C_4H_5NS^+$	$C_3H_2NS(CH_3)$ (Isothiazole, 3-methyl-)	693-92-5	**	9.60	EI	3587
	$C_3H_2NS(CH_3)$ (Isothiazole, 4-methyl-)	693-90-3	**	9.25	PE	3587
	$C_3H_2NS(CH_3)$ (Isothiazole, 5-methyl-)	693-97-0	**	9.65	EI	3587
$C_4H_9NS^+$	$CH_3CSN(CH_3)_2$	631-67-4	**	7.86	PE	4469
$C_5H_3NS^+$	$C_4H_3SCN$ (2-Thiophenecarbonitrile)	1003-31-2	** **	9.83±0.05 10.00	EI CTS	3482 4382
$C_5H_5NS^+$	$C_5H_4N(SH)$ (2-Pyridinethiol)	73018-10-7	**	8.79±0.03 (V)	PE	4711
			**	8.92±0.02	EI	3636
	$C_5H_4N(SH)$ (3-Pyridinethiol)	16133-26-9	**	8.89±0.03 (V)	PE	4711
			**	9.41±0.02	EI	3636
	$C_5H_3N(SH)$ (4-Pyridinethiol)	4556-23-4	**	9.25±0.03 (V)	PE	4711
			**	9.50±0.02	EI	3636
	$C_5H_4NH(=S)$ (2(1H)-Pyridinethione)	2637-34-5	**	7.80±0.03 (V)	PE	4711
$C_5H_9NS^+$	$n-C_4H_9NCS$	592-82-5	**	9.02±0.05 (V)	PE	5026
	$n-C_4H_9SCN$	628-83-1	**	9.64±0.05 (V)	PE	5026
$C_5H_{11}NS^+$	$CH_2=C(SCH_3)N(CH_3)_2$	24854-14-6	**	7.8 (V)	PE	4291
$C_6H_7NS^+$	$C_5H_4N(SCH_3)$ (Pyridine, 2-(methylthio)-)	18438-38-5	**	8.24±0.03 (V)	PE	4711
			**	8.47±0.02	EI	3636
	$C_5H_4N(SCH_3)$ (Pyridine, 3-(methylthio)-)	18794-33-7	**	8.41±0.03 (V)	PE	4711
			**	8.93±0.02	EI	3636
	$C_5H_4N(SCH_3)$ (Pyridine, 4-(methylthio)-)	22581-72-2	**	8.73±0.03 (V)	PE	4711
			**	9.00±0.02	EI	3636
	$C_5H_4N(=S)CH_3$ (2(1H)-Pyridinethione, 1-methyl-)	2044-27-1	**	7.69±0.03 (V)	PE	4711
			**	7.84±0.02	EI	3636
	$C_5H_4N(=S)CH_3$ (4(1H)-Pyridinethione, 1-methyl-)	6887-59-8	**	7.6±0.03 (V)	PE	4711
			**	7.54±0.02	EI	3636
$C_7H_5NS^+$	$C_6H_5NCS$ (Benzene, isothiocyanato-)	103-72-0	**	8.53 (V)	PE	4495

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_5NS^+$	$C_7H_5NS$ (Benzothiazole)	95-16-9	**	8.85 (V)	PE	4437
$C_7H_9NS^+$	$C_6H_4(SCH_3)NH_2$ (Benzenamine, 4-(methylthio)-)	104-96-1	**	7.6 (V)	PE	5403
			**	7.60 ± 0.01 (V)	PE	4389
$C_8H_7NS^+$	$C_7H_4NS(CH_3)$ (Benzothiazole, 2-methyl-)	120-75-2	**	8.65 (V)	PE	4437
$C_8H_8NS^+$	$C_6H_5NHCSCH_3$ (Ethanethioamide, N-phenyl-)	637-53-6	H	9.60	EI	4834
	$C_6H_4FNHCSCH_3$ (Ethanethioamide, N-(2-fluorophenyl)-)	39184-82-2	F	9.50	EI	4834
	$C_6H_4ClNHCSCH_3$ (Ethanethioamide, N-(2-chlorophenyl)-)	39184-83-3	Cl	8.65	EI	4834
			Cl	8.65	EI	4834
	$C_6H_4BrNHCSCH_3$ (Ethanethioamide, N-(2-bromophenyl)-)	62635-46-5	Br	8.50	EI	4834
	$C_6H_4INHCSCH_3$ (Ethanethioamide, N-(2-iodophenyl)-)	39184-84-4	I	8.55	EI	4834
$C_8H_9NS^+$	$C_6H_5NHCSCH_3$ (Ethanethioamide, N-phenyl-)	637-53-6	**	8.20	EI	4834
$C_9H_{13}NS^+$	$C_6H_4(SCH_3)N(CH_3)_2$ (Benzenamine, N,N-dimethyl-4-(methylthio)-)	2388-51-4	**	7.29 ± 0.01 (V)	PE	4389
$C_{10}H_9NS^+$	$C_6H_5CH_2(C_3H_2NS)$ (Isothiazole, 4-(phenylmethyl)-)	36412-26-7	**	9.05	PE	3587
			**	9.35	EI	3587
$C_{12}H_9NS^+$	$C_{12}H_9NS$ (10H-Phenothiazine)	92-84-2	**	7.26 ± 0.08 (V)	PE	4667
			**	6.74 ± 0.07	CTS	4079
			**	6.87	CTS	4035
$C_{12}H_{16}NS^+$	$C_6H_4ClNHCSCH_2C(CH_3)_3$ (Butanethioamide, N-(2-chlorophenyl)-3,3-dimethyl-)	62635-54-5		8.65	EI	4834
$C_{13}H_{11}NS^+$	$C_{12}H_9NS(CH_3)$ (10H-Phenothiazine, 10-methyl-)	1207-72-3	**	7.15 ± 0.07 (V)	PE	4667
			**	6.73 ± 0.07	CTS	4079
$C_{14}H_{11}NS^+$	$C_{13}H_7(=S)NHCH_3$ (Phenylene, 1-thione-9-methylamino-)	XXXXX-XX-X	**	7.21 ± 0.04 (V)	PE	5595
$C_{16}H_{15}NS^+$	$C_{13}H_7(=S)NH(iso-C_3H_7)$ (Phenylene, 1-thione-9-(methylethyl)amino-)	XXXXX-XX-X	**	7.17 ± 0.04 (V)	PE	5595



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_7\text{N}_2\text{S}^+$	$(\text{NH}_2)_2\text{CS}$	62-56-6	**	7.9	PE	4221
			**	$8.41 \pm 0.03$ (V)	PE	4253
			**	8.41 (V)	PE	4323
			**	8.50 (V)	PE	4469
			**	8.50	EI	4834
$\text{C}_2\text{H}_8\text{N}_2\text{S}^+$	$(\text{CH}_3)_2\text{S}(=\text{NH})_2$	13904-95-5	**	8.87 (V)	PE	4827
			**	8.87 (V)	PE	5207
$\text{C}_3\text{H}_6\text{N}_2\text{S}^+$	$\text{C}_3\text{H}_6\text{N}_2=\text{S}$ (2-Imidazolidinethione)	96-45-7	**	$8.15 \pm 0.03$ (V)	PE	4253
		24692-43-1	**	8.92 (V)	PE	4024
	$\text{C}_2\text{H}_3\text{N}_2\text{SCH}_3$ (1,2,5-Thia( $\text{S}^{\text{IV}}$ )diazole, 3,4-dihydro-3-methyl-)					
$\text{C}_3\text{H}_8\text{N}_2\text{S}^+$	$(\text{CH}_3\text{NH})_2\text{CS}$	534-13-4	**	$8.08 \pm 0.03$ (V)	PE	4253
$\text{C}_4\text{H}_2\text{N}_2\text{S}^+$	$\text{C}_3\text{H}_2\text{NS}(\text{CN})$	3912-37-6	**	10.55	EI	3587
	(4-Isothiazolecarbonitrile)					
$\text{C}_4\text{H}_6\text{N}_2\text{S}^+$	$\text{C}_4\text{H}_3\text{N}_2(=\text{S})\text{CH}_3$ (2 <i>H</i> -Imidazole-2-thione, 1,3-dihydro-1-methyl-)	60-56-0	**	$7.41 \pm 0.03$ (V)	PE	4253
$\text{C}_4\text{H}_8\text{N}_2\text{S}^+$	$\text{C}_2\text{H}_2\text{N}_2\text{S}(\text{CH}_3)_2$ (1,2,5-Thia( $\text{S}^{\text{IV}}$ )diazole, 3,4-dihydro-3,3-dimethyl-)	24692-45-3	**	9.62 (V)	PE	4024
$\text{C}_5\text{H}_8\text{N}_2\text{S}^+$	$\text{C}_5\text{H}_2\text{N}_2(=\text{S})(\text{CH}_3)_2$ (2 <i>H</i> -Imidazole-2-thione, 1,3-dihydro-1,3-dimethyl-)	6596-81-2	**	$7.27 \pm 0.03$ (V)	PE	4253
	$\text{C}_5\text{H}_2\text{N}_2(=\text{S})(\text{CH}_3)_2$ (3 <i>H</i> -Pyrazole-3-thione, 1,2-dihydro-1,2-dimethyl-)	55833-07-3	**	7.55 (V)	PE	5309
$\text{C}_5\text{H}_{10}\text{N}_2\text{S}^+$	$\text{C}_5\text{H}_4\text{N}_2(=\text{S})(\text{CH}_3)_2$ (2-Imidazolidinethione, 1,3-dimethyl-)	13461-16-0	**	$7.95 \pm 0.03$ (V)	PE	4253
$\text{C}_5\text{H}_{12}\text{N}_2\text{S}^+$	$((\text{CH}_3)_2\text{N})_2\text{CS}$	2782-91-4	**	$7.82 \pm 0.03$	PE	4253
			**	7.82 (V)	PE	4323
			**	7.84 (V)	PE	4469
			**	8.18 (V)	PE	5215
	$\text{C}_5\text{H}_6\text{N}_2\text{S}(\text{CH}_3)_2$ (2 <i>H</i> -1,3,4-Thiadiazine, tetrahydro-3,4-dimethyl-)	66175-24-4	**			
$\text{C}_6\text{H}_4\text{N}_2\text{S}^+$	$\text{C}_6\text{H}_4\text{N}_2\text{S}$ (1,2,3-Benzothiadiazole)	273-77-8	**	9.15 (V)	PE	3852
			**	$9.50 \pm 0.05$	EI	4316
	$\text{C}_6\text{H}_4\text{N}_2\text{S}$ (2,1,3-Benzothiadiazole)	273-13-2	**	8.98	PE	4017
			**	9.00 (V)	PE	3852
$\text{C}_6\text{H}_{10}\text{N}_2\text{S}^+$	$\text{C}_3\text{HN}_2(=\text{S})(\text{CH}_3)_3$ (3 <i>H</i> -Pyrazole-3-thione, 1,2-dihydro-1,2,4-trimethyl-)	66187-19-7	**	7.60 (V)	PE	5309

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{12}N_2S^+$	$C_4H_6N_2(=S)(CH_3)_2$ (2(1 <i>H</i> )-Pyrimidinethione, tetrahydro-1,3-dimethyl-)	16597-35-6	**	7.58 (V)	PE	4323
$C_7H_7N_2S^+$	$C_6H_5NHCSNH_2$ (Thiourea, phenyl-)	103-85-5	H	9.65	EI	4834
	$C_6H_4(CH_3)NHCSNH_2$ (Thiourea, (2-methylphenyl)-)	614-78-8	CH <sub>3</sub>	9.60	EI	4834
	$C_6H_4(OCH_3)NHCSNH_2$ (Thiourea, (2-methoxyphenyl)-)	1516-37-6	**	8.95	EI	4834
	$C_6H_4(NO_2)NHCSNH_2$ (Thiourea, (2-nitrophenyl)-)	51039-84-0	NO <sub>2</sub>	8.60	EI	4834
	$C_6H_4F NHCSNH_2$ (Thiourea, (2-fluorophenyl)-)	656-32-6	F	9.60	EI	4834
	$C_6H_4Cl NHCSNH_2$ (Thiourea, (2-chlorophenyl)-)	5344-82-1	Cl	8.50	EI	4834
	$C_6H_4Br NHCSNH_2$ (Thiourea, (2-bromophenyl)-)	5391-30-0	Br	8.35	EI	4834
	$C_6H_4I NHCSNH_2$ (Thiourea, (2-iodophenyl)-)	62635-52-3	I	8.55	EI	4834
$C_7H_8N_2S^+$	$C_6H_5NHCSNH_2$ (Thiourea, phenyl-)	103-85-5	**	8.10	EI	4834
$C_8H_8N_2S^+$	$C_7H_7NS(NH_2)CH_3$ (6-Benzothiazolamine, 2-methyl-)	2941-62-0	**	7.70 (V)	PE	4437
$C_8H_9N_2S^+$	$C_6H_5N(CH_3)CSNH_2$ (Thiourea, N-methyl-N-phenyl-)	4104-75-0		9.70	EI	4834
	$C_6H_4Cl NHCSNHCH_3$ (Thiourea, N-(2-chlorophenyl)-N'-methyl-)	30954-73-5	Cl	8.35	EI	4834
$C_8H_{10}N_2S^+$	$C_6H_5N(CH_3)CSNH_2$ (Thiourea, N-methyl-N-phenyl-)	2724-69-8	**	8.00	EI	4834
			**	8.05 ± 0.05	EI	4834
	$C_6H_4(CH_3)NHCSNH_2$ (Thiourea, (2-methylphenyl)-)	614-78-8	**	8.20	EI	4834
$C_8H_{18}N_2S^+$	$((CH_3)_3CN)_2S$	2056-74-8	**	8.65 (V)	PE	4024
$C_9H_6N_2S^+$	$C_7H_7NS(CN)CH_3$ (6-Benzothiazolecarbonitrile, 2-methyl-)	42474-60-2	**	9.15 (V)	PE	4437
$C_9H_{10}N_2S^+$	$C_7H_4N_2(S)(CH_3)_2$ (2 <i>H</i> -Benzimidazole-2-thione, 1,3-dihydro-1,3-dimethyl-)	3418-46-0	**	7.46	PE	4555
$C_9H_{11}N_2S^+$	$C_6H_4Cl NHCSNHC_2H_5$ (Thiourea, N-(2-chlorophenyl)-N'-ethyl-)	19384-08-8	Cl	8.35	EI	4834
$C_9H_{12}N_2S^+$	$C_6H_5NHCSNHC_2H_5$ (Thiourea, N-ethyl-N'-phenyl-)	2741-06-2	**	7.95 ± 0.05	EI	4834

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{11}N_2S^+$	$C_5H_2N_2S(CH_3)_4$ (Isothiazolo[5,1- <i>c</i> ]isothiazole-7- $S^{IV}$ , 1,6-dihydro-1,2,5,6-tetramethyl-)	52353-57-8	**	6.44 (V)	PE	4406
$C_{10}H_{13}N_2S^+$	$C_6H_7ClNHCSNHCH(CH_3)_2$ (Thiourea, <i>N</i> -(2-chlorophenyl)- <i>N'</i> -(1-methylethyl)-)	62635-49-8	Cl	8.25	EI	4834
$C_{10}H_{11}N_2S^+$	$C_6H_5NHCSNHCH(CH_3)_2$ (Thiourea, <i>N</i> -(1-methylethyl)- <i>N'</i> -phenyl-)	15093-36-4	**	$7.90 \pm 0.05$	EI	4834
$C_{11}H_{15}N_2S^+$	$C_6H_7ClNHCSNHCH(CH_3)_3$ (Thiourea, <i>N</i> -(2-chlorophenyl)- <i>N'</i> -(1,1-dimethylethyl)-)	62635-50-1	Cl	8.10	EI	4834
$C_{11}H_{16}N_2S^+$	$C_6H_5NHCSNHCH(CH_3)_3$ (Thiourea, <i>N</i> -(1,1-dimethylethyl)- <i>N'</i> -phenyl-)	14327-04-9	**	$7.85 \pm 0.05$	EI	4834
$C_{12}H_{12}N_2S^+$	$(C_6H_5NH)_2S$ (Benzenamine, 4,4'-thiobis-)	139-65-1	**	6.75	PI	4328
$C_{12}H_{20}N_2S^+$	$C_{12}H_{20}N_2S$ (7-Thia-14,15-diazadispiro[5.1.5.2]pentadec-14-ene)	28037-21-0	**	8.57 (V)	PE	4429
$C_{16}H_{18}N_2S^+$	$C_{12}H_8NSCH_2CH_2N(CH_3)_2$ (10 <i>H</i> -Phenothiazine-10-ethanamine, <i>N,N</i> -dimethyl-)	522-24-7	**	$8.25 \pm 0.07$	CTS	4079
$C_{17}H_{20}N_2S^+$	$C_{12}H_8NS(CH_3)_3N(CH_3)_2$ (10 <i>H</i> -Phenothiazine-10-propanamine, <i>N,N</i> -dimethyl-)	58-40-2	**	$7.20 \pm 0.06$ (V)	PE	4667
			**	$8.22 \pm 0.07$	CTS	4079
$C_{18}H_{22}N_2S^+$	$C_{12}H_8NSCH_2CH_2N(C_2H_5)_2$ (10 <i>H</i> -Phenothiazine-10-ethanamine, <i>N,N</i> -diethyl-)	60-91-3	**	$7.85 \pm 0.07$	CTS	4079
$C_4H_7N_3S^+$	$C_2HN_3(=S)(CH_3)_2$ (4 <i>H</i> -1,2,3-Triazole-4-thione, 2,3-dihydro-2,3-dimethyl-)	64808-28-2	**	7.97 (V)	PE	5309
		34618-67-2	**	7.25 (V)	PE	5309
$C_5H_9N_3S^+$	$C_2N_3(=S)(CH_3)_3$ (3 <i>H</i> -1,2,4-Triazole-3-thione, 2,4-dihydro-2,4,5-trimethyl-)	37526-42-4	**	7.63 (V)	PE	4439
		64808-27-1	**	7.95 (V)	PE	5309
	$C_2N_3(S)(CH_3)_3$ (4 <i>H</i> -1,2,3-Triazole-4-thione, 2,3-dihydro-2,3,5-trimethyl-)	66187-20-0	**	7.02 (V)	PE	5309
$C_7H_9N_3S^+$	$C_6H_7(NH_2)NHCSNH_2$ (Thiourea, (2-aminophenyl)-)	3394-09-0	**	8.10	EI	4834
$C_9H_9N_3S^+$	$C_6H_3C_3HN_3(=S)CH_3$ (3 <i>H</i> -1,2,4-Triazole-3-thione, 2,4-dihydro-4-methyl-5-phenyl-)	38942-51-7	**	7.78 (V)	PE	4439

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{11}N_3S^+$	$C_6H_5C_2N_3(=S)(CH_3)_2$ (3H-1,2,4-Triazole-3-thione, 2,4-dihydro-2,4-dimethyl-5-phenyl-)	7112-00-7	**	7.59 (V)	PE	4439
$C_{20}H_{25}N_3S^+$	$C_{12}H_8NS(CH_2)_3C_4H_8N_2CH_3$ (10H-Phenothiazine, 10-[3-(4-methyl-1-piperazinyl)propyl]-)	84-97-9	**	$6.87 \pm 0.07$	CTS	4079
$C_3H_3NS_2^+$	$C_3H_3NS=S$ (2(3H)-Thiazolethione)	5685-05-2	**	$7.74 \pm 0.03$ (V)	PE	4253
$C_3H_5NS_2^+$	$C_3H_5NS=S$ (2-Thiazolidinethione)	96-53-7	**	$8.25 \pm 0.03$ (V)	PE	4253
$C_4H_5NS_2^+$	$C_3H_3NS(=S)CH_3$ (2(3H)-Thiazolethione, 3-methyl-)	5685-07-4	**	$7.68 \pm 0.03$ (V)	PE	4253
$C_4H_7NS_2^+$	$C_3H_4NS(=S)CH_3$ (2-Thiazolidinethione, 3-methyl-)	1908-87-8	**	$8.04 \pm 0.03$	PE	4253
$C_4H_9NS_2^+$	$(CH_3)_2NCSSCH_3$	3735-92-0	** **	$8.01 \pm 0.03$ 8.01 (V)	PE PE	4253 4323
$C_5H_7NS_2^+$	$C_3HNS(=S)(CH_3)_2$ (2(3H)-Thiazolethione, 3,4-dimethyl-)	5316-79-0	**	$7.55 \pm 0.03$ (V)	PE	4253
	$C_3HNS(=S)(CH_3)_2$ (2(3H)-Thiazolethione, 4,5-dimethyl-)	5351-51-9	**	$7.56 \pm 0.03$ (V)	PE	4253
$C_5H_9NS_2^+$	$C_3H_4NS(=S)(CH_3)_2$ (2-Thiazolidinethione, 4,4-dimethyl-)	1908-88-9	**	$8.18 \pm 0.03$ (V)	PE	4253
$C_6H_9NS_2^+$	$C_3NS(=S)(CH_3)_3$ (2(3H)-Thiazolethione, 3,4,5-trimethyl-)	21364-38-5	**	$7.45 \pm 0.03$ (V)	PE	4253
$C_7H_5NS_2^+$	$C_7H_5NS(S)$ (2(3H)-Benzothiazolethione)	149-30-4	**	7.99	PE	4555
$C_8H_7NS_2^+$	$C_7H_4NS(S)(CH_3)$ (2(3H)-Benzothiazolethione, 3-methyl-)	2254-94-6	**	7.81	PE	4555
$C_8H_{11}NS_2^+$	$C_5H_2NS_2(CH_3)_3$ (Methanamine, N-[1-methyl-2-(5-methyl-3H-1,2-dithiol-3-ylidene)ethylidene]-)	57254-27-0	**	7.17 (V)	PE	4406
$C_{12}H_{13}NS_2^+$	$(C_6H_2S)_2C_2H_4NC_2H_5$ (4H-Dithieno[2,3-c:3',2'-e]azepine, 5-ethyl-5,6-dihydro-)	64504-69-4	**	7.9 (V)	PE	5422
$C_{16}H_{13}NS_2^+$	$(C_4H_2S)_2C_2H_4NC_6H_5$ (4H-Dithieno[2,3-c:3',2'-e]azepine, 5,6-dihydro-5-phenyl-)	40306-87-4	**	7.9 (V)	PE	5422
	$(C_4H_2S)_2C_2H_4NC_6H_5$ (4H-Dithieno[3,4-c:3',4'-e]azepine, 5,6-dihydro-5-phenyl-)	64504-70-7	**	7.5 (V)	PE	5422

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{23}H_{15}NS_2^+$	$C_5S_2N(C_6H_5)_3$ (Thieno[3,4-c]isothiazole-5-S <sup>IV</sup> ,3,4,6-triphenyl-)	61164-97-4	**	6.9 (V)	PE	5341
$C_2H_6N_2S_2^+$	$NH_2NHC(=S)SCH_3$	5397-03-5	**	8.81	PE	5285
$C_3H_4N_2S_2^+$	$C_2HN_2S(=S)CH_3$ (1,3,4-Thiadiazole-2(3H)-thione, 5-methyl-)	29490-19-5	**	8.33 (V)	PE	4439
$C_3H_8N_2S_2^+$	$NH_2N(CH_3)C(=S)SCH_3$	20184-94-5	**	8.39	PE	5285
$C_4H_6N_2S_2^+$	$C_2N_2S(=S)(CH_3)_2$ (1,3,4-Thiadiazole-2(3H)-thione,3,5-dimethyl-)	7111-96-8	**	7.97 (V)	PE	4439
$C_4H_{10}N_2S_2^+$	$N(CH_3)_2NHC(=S)SCH_3$	25554-63-6	**	8.37	PE	5285
$C_8H_6N_2S_2^+$	$C_6H_5C_2HN_2S(=S)$ (1,3,4-Thiadiazole-2(3H)-thione,5-phenyl-)	5585-19-3	**	8.13 (V)	PE	4439
$C_8H_{10}N_2S_2^+$	$NH(C_6H_5)NHC(=S)SCH_3$ (Hydrazinecarbodithioic acid,2-phenyl-methyl ester)	50878-38-1	**	8.47	PE	5285
$C_9H_8N_2S_2^+$	$C_6H_5C_2N_2S(=S)CH_3$ (1,3,4-Thiadiazole-2(3H)-thione,3-methyl-5-phenyl-)	5770-97-8	**	7.87 (V)	PE	4439
$C_{12}H_{20}N_2S_2^+$	$H_2(CH_3C(=S)CH_2C(CH_3)NCH)_2$	40006-83-5	**	7.60 (V)	PE	5446
$C_{14}H_{14}N_2S_2^+$	$N(C_6H_5)_2NHC(=S)SCH_3$ (Hydrazinecarbodithioic acid,2,2-diphenyl-methyl ester)	50878-39-2	**	7.47	PE	5285
$C_{16}H_{14}N_2S_2^+$	$(C_6H_4N(CH_3)CS)_2$ (Benzothiazole,2,3-dihydro-3-methyl-2-(3-methyl-2(3H)-benzothiazolylidene)-)	2786-70-1	**	5.75 ± 0.2	OTH	5278
$C_{21}H_{26}N_2S_2^+$	$C_{21}H_{26}N_2S_2$	50-52-2	**	7.00 ± 0.08 (V)	PE	4667
$C_5H_3NS_3^+$	$(C_3S_2)=S(CN)(CH_3)$ (3H-1,2-Dithiole-4-carbonitrile, 5-methyl-3-thioxo-)	24045-79-2	**	8.70 (V)	PE	4403
$B_2C_3H_{10}N_2S^+$	$N_2B_2SH(CH_3)_3$ (1,3,4,2,5-Thiadiazadiborolidine, 2,3,5-trimethyl-)	57877-85-7	**	8.32 (V)	PE	4526
$B_2C_4H_{12}N_2S^+$	$N_2B_2S(CH_3)_4$ (1,3,4,2,5-Thiadiazadiborolidine, 2,3,4,5-tetramethyl-)	40392-37-8	**	8.00 (V)	PE	4526
$B_2C_2H_7NS_2^+$	$NB_2S_2H(CH_3)_2$ (1,2,4,3,5-Dithiazadiborolidine, 3,5-dimethyl-)	57877-87-9	**	8.69 (V)	PE	4526



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>B<sub>2</sub>C<sub>3</sub>H<sub>9</sub>NS<sub>2</sub><sup>+</sup></b>	NB <sub>2</sub> S <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> (1,2,4,3,5-Dithiazadiborolidine, 3,4,5-trimethyl-)	57877-88-0	**	8.58 (V)	PE	4526
<b>B<sub>2</sub>C<sub>5</sub>H<sub>15</sub>N<sub>3</sub>S<sub>2</sub><sup>+</sup></b>	N <sub>3</sub> B <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> (SCH <sub>3</sub> ) <sub>2</sub> (1,2,4,3,5-Triazadiborolidine, 1,2,4-trimethyl-3,5-bis(methylthio)-)	40392-36-7	**	7.74 (V)	PE	4526
<b>B<sub>2</sub>C<sub>6</sub>H<sub>18</sub>N<sub>4</sub>S<sub>2</sub><sup>+</sup></b>	B <sub>2</sub> N <sub>3</sub> (CH <sub>3</sub> ) <sub>4</sub> (SCH <sub>3</sub> ) <sub>2</sub> (1,2,4,5,3,6-Tetrazadiborine, hexahydro-1,2,4,5-tetramethyl-3,6-bis(methylthio)-)	54154-14-2	**	7.39 (V)	PE	4299
<b>OS<sup>+</sup></b> ( <sup>2</sup> Π <sub>3/2g</sub> )	SO( <sup>3</sup> Σ <sup>-</sup> )	13827-32-2	**	10.29±0.01	PE	4230
			**	10.31	PE	4186
( <sup>2</sup> Π)			**	10.32	PE	3701
( <sup>2</sup> Π <sub>1/2g</sub> )				10.33±0.01	PE	4230
( <sup>4</sup> Π)			**	11.3	PE	3701
( <sup>4</sup> Π <sub>u</sub> )			**	13.50±0.05	PE	4230
( <sup>2</sup> Π <sub>u</sub> )			**	~ 14.4	PE	4230
( <sup>4</sup> Σ <sub>g</sub> <sup>-</sup> )			**	14.94±0.01	PE	4230
( <sup>4</sup> Σ <sup>-</sup> )			**	14.96	PE	3701
( <sup>2</sup> Σ <sub>g</sub> <sup>-</sup> )			**	16.44±0.01	PE	4230
( <sup>2</sup> Π <sub>u</sub> )			**	~ 19.6	PE	4230
			**	10.20±0.03	EI	4920
			**	10.28±0.02	EI	3816
	SO <sub>2</sub>	7446-09-5	O	15.930±0.005	PE	5388
	S <sub>2</sub> O	20901-21-7	**	13.745±0.006	PI	4762
	COS	463-58-1	C	19.8	EI	3779
<b>O<sub>2</sub>S<sup>+</sup></b> ( <sup>2</sup> A <sub>1</sub> )	SO <sub>2</sub>	7446-09-5	**	12.3	PE	3865
( <sup>2</sup> A <sub>1</sub> )			**	12.31	PE	4092
( <sup>2</sup> A <sub>1</sub> )			**	12.50 (V)	PE	3879
( <sup>2</sup> A <sub>1</sub> )			**	12.54 (V)	PE	4024
( <sup>2</sup> A <sub>2</sub> )			**	13.01 (V)	PE	4092
( <sup>2</sup> A <sub>2</sub> )			**	13.24 (V)	PE	3879
( <sup>2</sup> A <sub>2</sub> )			**	13.25 (V)	PE	4024
( <sup>2</sup> B <sub>2</sub> )			**	13.30 (V)	PE	4092
( <sup>2</sup> B <sub>2</sub> )			**	13.47 (V)	PE	3879
( <sup>2</sup> B <sub>2</sub> )			**	13.56 (V)	PE	4024
( <sup>2</sup> B <sub>1</sub> )			**	15.99	PE	3879
( <sup>2</sup> B <sub>2</sub> )			**	15.992±0.003	PE	3865
( <sup>2</sup> A <sub>1</sub> )			**	16.324±0.004	PE	3865
( <sup>2</sup> A <sub>1</sub> )			**	16.33	PE	3879
( <sup>2</sup> B <sub>1</sub> )			**	16.498±0.004	PE	3865
( <sup>2</sup> B <sub>1</sub> )			**	16.57 (V)	PE	4092
			**	20.06±0.05	PE	3865
<b>O<sub>3</sub>S<sup>+</sup></b>	SO <sub>3</sub>	7446-11-9	**	12.73±0.05	PE	4388
			**	12.81±0.03	PE	4485
( <sup>2</sup> A <sub>2</sub> )			**	12.82±0.01	PE	4516
			**	12.82±0.03	PE	4149
			**	13.75±0.03	PE	4485
			**	~ 14.5 (V)	PE	4485
			**	14.83±0.03	PE	4485
			**	17.86±0.03	PE	4485
<b>OS<sub>2</sub><sup>+</sup></b>	S <sub>2</sub> O	20901-21-7	**	10.58±0.01	PI	4762
( <sup>2</sup> A')			**	10.52	PE	4092
( <sup>2</sup> A')			**	10.52 (V)	PE	4244

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>OS<sub>2</sub><sup>+</sup></b>						
(²A')	S <sub>2</sub> O	20901-21-7	**	10.53±0.02	PE	3841
(²A')			**	10.62	PE	3692
(²A*)			**	11.22	PE	4092
(²A')			**	11.22 (V)	PE	4244
(²A')			**	11.25±0.02	PE	3841
(²A*)			**	11.31±0.02	PE	3841
(²A')			**	11.32	PE	3692
(²A')			**	11.34	PE	4092
(²A*)			**	11.34 (V)	PE	4244
(²A*)			**	11.37	PE	3692
(²A')			**	14.3±0.02	PE	3841
(²A*)			**	14.3	PE	3692
(²A*)			**	14.62 (V)	PE	4092
(²A')			**	14.62 (V)	PE	4244
(²A*)			**	14.82 (V)	PE	4244
(²A')			**	14.84 (V)	PE	4092
(²A*)			**	14.9±0.02	PE	3841
(²A')			**	15.5±0.02	PE	3841
(²A')			**	15.5	PE	3692
(²A')			**	15.80 (V)	PE	4092
(²A')			**	15.80 (V)	PE	4244
(²A')			**	18.5 (V)	PE	4244
(²A')			**	18.50 (V)	PE	4092
<b>COS<sup>+</sup></b>						
(²Π)	COS	463-58-1	**	11.190	PI	4994
(²Π)			**	15.075	PI	4994
(²Σ <sup>+</sup> )			**	16.043	PI	4994
(²Σ <sup>+</sup> )			**	17.955	PI	4994
			**	11.177±0.002	PE	5256
(²Π)			**	11.18±0.01	PE	3965
			**	11.19 (V)	PE	5055
(²Π <sub>3/2</sub> )			**	11.22	PE	4073
(²Π)			**	15.09±0.01	PE	3965
(²Σ <sup>+</sup> )			**	16.05±0.01	PE	3965
(²Σ <sup>+</sup> )			**	17.96±0.01	PE	3965
(²Π)			**	11.19±0.05	EI	5027
			**	11.3	EI	3779
<b>CH<sub>2</sub>OS<sup>+</sup></b>						
	C <sub>3</sub> H <sub>6</sub> OS (1,3-Oxathiolane)	2094-97-5	C <sub>2</sub> H <sub>4</sub>	10.4±0.3	EI	3598
<b>CH<sub>3</sub>OS<sup>+</sup></b>						
	(CH <sub>3</sub> ) <sub>2</sub> SO	67-68-5	CH <sub>3</sub>	10.91±0.16	EI	5311
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> SO	70-29-1	C <sub>2</sub> H <sub>5</sub> + CH <sub>3</sub>	12.04±0.08	EI	5311
<b>CH<sub>4</sub>OS<sup>+</sup></b>						
	C <sub>2</sub> H <sub>5</sub> SOCH <sub>3</sub> ( <i>iso</i> -C <sub>3</sub> H <sub>7</sub> )SOCH <sub>3</sub>	1669-98-3 XXXXX-XX-X	C <sub>2</sub> H <sub>4</sub> C <sub>3</sub> H <sub>6</sub>	10.00±0.11	EI	5311
				9.28±0.03	EI	5311
<b>C<sub>2</sub>H<sub>4</sub>OS<sup>+</sup></b>						
	CH <sub>3</sub> COSH	507-09-5	**	10.06 (V)	PE	4769
	C <sub>2</sub> H <sub>4</sub> SO (Thiirane, 1-oxide)	7117-41-1	**	9.66 (V)	PE	3646
			**	9.66 (V)	PE	4295
<b>C<sub>2</sub>H<sub>6</sub>OS<sup>+</sup></b>						
	(CH <sub>3</sub> ) <sub>2</sub> SO	67-68-5	**	9.01 (V)	PE	3646
			**	9.01 (V)	PE	4295
			**	9.11 (V)	PE	3705

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>2</sub>H<sub>6</sub>OS<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> SO	67-68-5	**	9.08±0.09	EI	5311
			**	9.20	EI	5292
			**	9.20±0.05	EI	3498
	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> SO	70-29-1	C <sub>2</sub> H <sub>4</sub>	9.86±0.08	EI	5311
<b>C<sub>3</sub>H<sub>5</sub>OS<sup>+</sup></b>	C <sub>3</sub> H <sub>6</sub> OS (1,3-Oxathiolane)	2094-97-5	H	10.8±0.1	EI	3598
<b>C<sub>3</sub>H<sub>6</sub>OS<sup>+</sup></b>	CH <sub>3</sub> C=OSCH <sub>3</sub> C <sub>2</sub> H <sub>5</sub> S(CH <sub>3</sub> )O C <sub>3</sub> H <sub>6</sub> OS (1,3-Oxathiolane)	1534-08-3	**	9.65 (V)	PE	4427
			**	9.02 (V)	PE	4295
		2094-97-5	**	9±0.05	EI	3598
<b>C<sub>3</sub>H<sub>8</sub>OS<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> SOCH <sub>3</sub>	1669-98-3	**	8.89±0.08	EI	5311
<b>C<sub>4</sub>H<sub>4</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> S(=O) (2(5H)-Thiophenone)	3354-32-3	**	9.78±0.05	EI	4666
<b>C<sub>4</sub>H<sub>8</sub>OS<sup>+</sup></b>	CH <sub>3</sub> COSC <sub>2</sub> H <sub>5</sub> CH <sub>3</sub> C=SOCC <sub>2</sub> H <sub>5</sub> C <sub>4</sub> H <sub>8</sub> OS (1,4-Oxathiane)	625-60-5	**	9.44 (V)	PE	4769
			**	8.82 (V)	PE	4427
			**	8.67 (V)	PE	3733
	C <sub>2</sub> H <sub>5</sub> SCH <sub>2</sub> OCH <sub>3</sub> (Thiirane, methoxymethyl-)	19858-14-1	**	8.77 (V)	PE	4747
	C <sub>4</sub> H <sub>8</sub> SO (Thiophene, tetrahydro-1-oxide)	1600-44-8	**	8.77 (V)	PE	3646
			**	8.77 (V)	PE	4295
			**	9.07±0.05	EI	3498
			**	9.07	EI	5292
<b>C<sub>4</sub>H<sub>10</sub>OS<sup>+</sup></b>	(CH <sub>3</sub> CH <sub>2</sub> ) <sub>2</sub> SO	70-29-1	**	8.76 (V)	PE	3646
			**	8.76 (V)	PE	4295
			**	8.75±0.03	EI	5311
	(iso-C <sub>3</sub> H <sub>7</sub> )SOCH <sub>3</sub> (iso-C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> SO	XXXXX-XX-X	**	8.71±0.04	EI	5311
			C <sub>3</sub> H <sub>6</sub>	9.22±0.18	EI	5311
<b>C<sub>3</sub>H<sub>3</sub>OS<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> COC <sub>4</sub> H <sub>3</sub> S (Methanone, phenyl-2-thienyl-)	135-00-2	C <sub>6</sub> H <sub>5</sub>	11.8±0.1	EI	5493
<b>C<sub>3</sub>H<sub>4</sub>OS<sup>+</sup></b>	C <sub>3</sub> H <sub>4</sub> O(=S) (4H-Pyran-4-thione)	1120-93-0	**	8.10±0.05 (V)	PE	5002
	C <sub>6</sub> H <sub>5</sub> SCHO (2-Thiophene carboxaldehyde)	98-03-3	**	9.37±0.05 (V)	PE	4626
			**	9.55±0.05	EI	3482
	C <sub>7</sub> H <sub>4</sub> S(=O) (4H-Thiopyran-4-one)	1003-41-4	**	8.97±0.05 (V)	PE	5002
<b>C<sub>3</sub>H<sub>6</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>5</sub> S(OCH <sub>3</sub> ) (Thiophene, 2-methoxy-)	16839-97-7	**	8.14±0.05	EI	4666
			**	8.30±0.05	EI	3482
			**	8.08	CTS	4382
	C <sub>4</sub> H <sub>3</sub> OSCH <sub>3</sub> (Furan, 2-(methylthio)-)	13129-38-9	**	8.58±0.05 (V)	PE	4626

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>5</sub>H<sub>6</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>5</sub> O(SH)CH <sub>3</sub> (2-Furanthiol, 5-methyl-)	60965-60-8	**	8.45±0.05	EI	4706
	C <sub>4</sub> H <sub>5</sub> S(=O)(CH <sub>3</sub> ) (2(5H)-Thiophenone, 3-methyl-)	33687-85-3	**	9.60±0.05	EI	4666
	C <sub>4</sub> H <sub>5</sub> S(=O)(CH <sub>3</sub> ) (2(5H)-Thiophenone, 5-methyl-)	7210-64-2	**	9.16±0.05	EI	4666
<b>C<sub>5</sub>H<sub>8</sub>OS<sup>+</sup></b>	C <sub>5</sub> H <sub>8</sub> S(=O) (4H-Thiopyran-4-one, tetrahydro-)	1072-72-6	**	8.90±0.05	PE	5002
<b>C<sub>5</sub>H<sub>12</sub>OS<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> S(CH <sub>2</sub> ) <sub>2</sub> OCH <sub>3</sub>	56444-81-6	**	8.33±0.02	PI	5531
<b>C<sub>6</sub>H<sub>6</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>7</sub> SCOCH <sub>3</sub> (Ethanone, 1-(2-thienyl)-)	88-15-3	**	9.20±0.05	EI	3482
	C <sub>4</sub> H <sub>7</sub> SCOCH <sub>3</sub> (Ethanone, 1-(3-thienyl)-)	1468-83-3	**	9.32±0.05	EI	3482
<b>C<sub>6</sub>H<sub>8</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>7</sub> S(CH <sub>3</sub> )(OCH <sub>3</sub> ) (Thiophene, 2-methoxy-3-methyl-)	33687-87-5	**	8.05±0.05	EI	4666
	C <sub>4</sub> H <sub>7</sub> S(CH <sub>3</sub> )(OCH <sub>3</sub> ) (Thiophene, 2-methoxy-5-methyl-)	31053-55-1	**	8.01±0.05	EI	4666
	C <sub>4</sub> H <sub>7</sub> O(CH <sub>3</sub> )SCH <sub>3</sub> (Furan, 2-methyl-5-(methylthiol)-)	13678-59-6	**	8.15±0.05	EI	4706
	C <sub>3</sub> HO(SH)(CH <sub>3</sub> ) <sub>2</sub> (3-Furanthiol, 2,5-dimethyl-)	55764-23-3	**	8.23±0.05	EI	4706
	C <sub>4</sub> H <sub>7</sub> S(=O)(CH <sub>3</sub> ) <sub>2</sub> (2(3H)-Thiophenone, 3,3-dimethyl-)	33687-82-0	**	8.77±0.05	EI	4666
	C <sub>4</sub> H <sub>7</sub> S(=O)(CH <sub>3</sub> ) <sub>2</sub> (2(5H)-Thiophenone, 3,4-dimethyl-)	33922-75-7	**	9.44±0.05	EI	4666
	C <sub>4</sub> H <sub>7</sub> S(=O)(CH <sub>3</sub> ) <sub>2</sub> (2(5H)-Thiophenone, 3,5-dimethyl-)	33687-84-2	**	9.35±0.05	EI	4666
	C <sub>4</sub> H <sub>7</sub> S(=O)(CH <sub>3</sub> ) <sub>2</sub> (2(5H)-Thiophenone, 4,5-dimethyl-)	35983-76-7	**	9.13±0.05	EI	4666
	C <sub>4</sub> H <sub>7</sub> S(=O)(CH <sub>3</sub> ) <sub>2</sub> (3(2H)-Thiophenone, 2,5-dimethyl-)	3760-59-6	**	8.55±0.05	EI	4673
	C <sub>4</sub> H <sub>7</sub> S(=O)(C <sub>2</sub> H <sub>5</sub> ) (2(5H)-Thiophenone, 5-ethyl-)	56761-30-9	**	9.08±0.05	EI	4666
<b>C<sub>6</sub>H<sub>11</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>9</sub> OS(CH <sub>3</sub> ) <sub>3</sub> (1,3-Oxathiane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\alpha$ ,6 $\alpha$ )-)	22521-88-6	CH <sub>3</sub>	8.54±0.01	EI	3803
	C <sub>4</sub> H <sub>9</sub> OS(CH <sub>3</sub> ) <sub>3</sub> (1,3-Oxathiane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\alpha$ ,6 $\beta$ )-)	22425-91-8	CH <sub>3</sub>	8.67	EI	3803
	C <sub>4</sub> H <sub>9</sub> OS(CH <sub>3</sub> ) <sub>3</sub> (1,3-Oxathiane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\beta$ ,6 $\alpha$ )-)	22425-90-7	CH <sub>3</sub>	8.64	EI	3803
<b>C<sub>6</sub>H<sub>12</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>9</sub> OS(CH <sub>3</sub> ) <sub>2</sub> (1,3-Oxathiane, 4,6-dimethyl-, <i>cis</i> -)	22452-25-1	**	8.75	EI	3803
	C <sub>4</sub> H <sub>9</sub> OS(CH <sub>3</sub> ) <sub>2</sub> (1,3-Oxathiane, 4,6-dimethyl-, <i>trans</i> -)	22452-26-2	**	8.67±0.01	EI	3803
<b>C<sub>6</sub>H<sub>11</sub>OS<sup>+</sup></b>	( <i>n</i> -C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> SO	4253-91-2	**	8.60 (V)	PE	4295
	( <i>iso</i> -C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> SO	2211-89-4	**	8.46 (V)	PE	4295
			**	8.46 (V)	PE	3646
			**	8.54±0.08	EI	5311

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>11</sub>OS<sup>+</sup></b>	(iso-C <sub>5</sub> H <sub>11</sub> )SOCH <sub>3</sub>	55860-10-1	**	8.55±0.05	EI	5311
<b>C<sub>7</sub>H<sub>8</sub>OS<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> S(CH <sub>3</sub> )O (Benzene, (methylsulfinyl)-)	1193-82-4	**	8.79 (V)	PE	4295
<b>C<sub>7</sub>H<sub>10</sub>OS<sup>+</sup></b>	C <sub>4</sub> HS(CH <sub>3</sub> ) <sub>2</sub> (OCH <sub>3</sub> ) (Thiophene, 2-methoxy-3,5-dimethyl-)	57556-17-9	**	7.78±0.05	EI	4666
	C <sub>4</sub> HO(CH <sub>3</sub> ) <sub>2</sub> SCH <sub>3</sub> (Furan, 2,5-dimethyl-3-(methylthiol)-)	63359-63-7	**	7.91±0.05	EI	4706
	C <sub>4</sub> HS(CH <sub>3</sub> ) <sub>2</sub> OCH <sub>3</sub> (Thiophene, 3-methoxy-2,5-dimethyl-)	57556-08-8	**	7.89±0.05	EI	4673
	C <sub>4</sub> H <sub>2</sub> S(=O)(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub> (3(2H)-Thiophenone, 2-ethyl-5-methyl-)	57556-06-6	**	8.22±0.05	EI	4673
	C <sub>4</sub> H <sub>2</sub> S(=O)(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub> (3(2H)-Thiophenone, 5-ethyl-2-methyl-)	57556-03-3	**	8.34±0.05	EI	4673
	C <sub>4</sub> HS(=O)(CH <sub>3</sub> ) <sub>3</sub> (2(3H)-Thiophenone, 3,3,5-trimethyl-)	33687-83-1	**	8.53±0.05	EI	4666
	C <sub>4</sub> HS(=O)(CH <sub>3</sub> ) <sub>3</sub> (3(2H)-Thiophenone, 2,2,5-trimethyl-)	57556-09-9	**	8.49±0.05	EI	4673
<b>C<sub>7</sub>H<sub>13</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> OS(CH <sub>3</sub> ) <sub>4</sub> (1,3-Oxathiane, 2,2,4,6-tetramethyl-, <i>cis</i> -)	34560-79-7	CH <sub>3</sub>	8.63±0.01	EI	3803
	C <sub>4</sub> H <sub>4</sub> OS(CH <sub>3</sub> ) <sub>4</sub> (1,3-Oxathiane, 2,2,4,6-tetramethyl, <i>trans</i> -)	34560-78-6	CH <sub>3</sub>	8.54±0.01	EI	3803
<b>C<sub>7</sub>H<sub>14</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>5</sub> OS(CH <sub>3</sub> ) <sub>3</sub> (1,3-Oxathiane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\alpha$ ,6 $\alpha$ )-)	22521-88-6	**	8.55	EI	3803
	C <sub>4</sub> H <sub>5</sub> OS(CH <sub>3</sub> ) <sub>3</sub> (1,3-Oxathiane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\alpha$ ,6 $\beta$ )-)	22425-91-8	**	8.54	EI	3803
	C <sub>4</sub> H <sub>5</sub> OS(CH <sub>3</sub> ) <sub>3</sub> (1,3-Oxathiane, 2,4,6-trimethyl-, (2 $\alpha$ ,4 $\beta$ ,6 $\alpha$ )-)	22425-90-7	**	8.58	EI	3803
<b>C<sub>8</sub>H<sub>10</sub>OS<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (SCH <sub>3</sub> )(OCH <sub>3</sub> ) (Benzene, 1-methoxy-2-(methylthio)-)	2388-73-0	**	8.05 (V)	PE	5403
	C <sub>6</sub> H <sub>4</sub> (SCH <sub>3</sub> )(OCH <sub>3</sub> ) (Benzene, 1-methoxy-4-(methylthio)-)	1879-16-9	**	7.80 (V)	PE	5403
			**	7.80±0.01 (V)	PE	4389
<b>C<sub>8</sub>H<sub>12</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>5</sub> S(=O)( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) (2(5H)-Thiophenone, 3-(2,2-dimethylethyl)-)	XXXXX-XX-X	**	9.25±0.05	EI	4666
	C <sub>6</sub> H <sub>12</sub> OS (3(2H)-Thiophenone, 2-methyl-5-(1-methylethyl)-)	57556-04-4	**	8.21±0.05	EI	4673
<b>C<sub>8</sub>H<sub>16</sub>OS<sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> OS(CH <sub>3</sub> ) <sub>4</sub> (1,3-Oxathiane, 2,2,4,6-tetramethyl-, <i>cis</i> -)	34560-79-7	**	8.48±0.02	EI	3803
	C <sub>4</sub> H <sub>4</sub> OS(CH <sub>3</sub> ) <sub>4</sub> (1,3-Oxathiane, 2,2,4,6-tetramethyl, <i>trans</i> -)	34560-78-6	**	8.45±0.01	EI	3803
<b>C<sub>8</sub>H<sub>18</sub>OS<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> C) <sub>2</sub> SO	2211-92-9	**	8.18 (V)	PE	3646
			**	8.18 (V)	PE	4295
<b>C<sub>9</sub>H<sub>6</sub>OS<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> C <sub>3</sub> H <sub>2</sub> S(=O) (4H-1-Benzothiopyran-4-one)	491-39-4	**	8.68 (V)	PE	5491



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_8OS^+$	$C_6H_4C_3H_4S(=O)$ (4H-1-Benzothiopyran-4-one,2,3-dihydro-)	3528-17-4	**	8.53 (V)	PE	5491
$C_9H_{14}OS^+$	$C_9H_{14}OS$ (Thiophene, 3-(1,1-dimethylethyl)-2-methoxy-) $C_9H_{14}OS$ (2(3H)-Thiophenone, 3-(1,1-dimethylethyl)-3-methyl-) $C_9H_{14}OS$ (2(5H)-Thiophenone, 3-(1,1-dimethylethyl)-5-methyl-) $C_9H_{14}OS$ (3(2H)-Thiophenone, 2-(1,1-dimethylethyl)-5-methyl-) $C_9H_{14}OS$ (3(2H)-Thiophenone, 5-(1,1-dimethylethyl)-2-methyl-)	57556-16-8 57556-18-0 57556-15-7 57556-07-7 57556-05-5	** ** ** ** **	7.67±0.05 8.38±0.05 9.07±0.05 8.09±0.05 8.10±0.05	EI EI EI EI EI	4666 4666 4666 4673 4673
$C_{11}H_8OS^+$	$C_6H_5COC_3H_4S$ (Methanone, phenyl-2-thienyl-)	135-00-2	**	9.2±0.1	EI	5493
$C_{12}H_8OS^+$	$C_{12}H_8SO$ (Dibenzothiophene, 5-oxide) $C_{12}H_8OS$ (Phenoxathiin)	1013-23-6 262-20-4	** **	8.43 (V) 7.72±0.05 (V)	PE PE	4295 4743
$C_{12}H_{10}OS^+$	$(C_6H_5)_2SO$	945-51-7	** ** **	9.02±0.05 8.58 (V) 9.02	EI PE EI	3498 4295 5292
$C_{12}H_{12}OS^+$	$C_6H_4(C_2H_4SO)C_6H_4$ (4 $\alpha$ ,8 $\alpha$ -(Methanothiomethano)naphthalene-10-oxide)	64776-55-2	**	8.44 (V)	PE	5194
$C_{12}H_{16}OS^+$	$C_6H_4(C_2H_4SO)C_6H_8$ (4 $\alpha$ ,8 $\alpha$ -(Methanothiomethano)naphthalene,1,2,3,4-tetrahydro-10-oxide) $C_6H_4(C_2H_4SO)C_6H_6$ (4 $\alpha$ ,8 $\alpha$ -(Methanothiomethano)naphthalene,1,4,5,8-tetrahydro-10-oxide)	71656-72-9 17853-53-1	** **	8.71 (V) 8.52 (V)	PE PE	5194 5194
$C_{12}H_{18}OS^+$	$C_6H_4(C_2H_4SO)C_6H_8$ (4 $\alpha$ ,8 $\alpha$ -(Methanothiomethano)naphthalene,1,2,3,4,5,8-hexahydro-10-oxide)	71600-20-9	**	8.50 (V)	PE	5194
$C_{13}H_8OS^+$	$C_{13}H_7(=O)SH$ (Phenalen-1-one,9-mercapto-)	XXXXX-XX-X	**	7.76±0.04 (V)	PE	5595
$C_{13}H_{12}OS^+$	$C_6H_4(OCH_3)SC_6H_5$ (Benzene, 1-methoxy-3-(phenylthio)-) $C_6H_4(OCH_3)SC_6H_5$ (Benzene, 1-methoxy-4-(phenylthio)-)	30723-54-7 5633-57-8	** **	8.02 7.89	CTS CTS	4272 4272
$C_{14}H_9OS^+$	$(C_6H_4)_2CH_2SC(=O)$ (Dibenzo[ <i>b,e</i> ]thiepin-11(6H)-one)	1531-77-7	H	10.4	EI	5340
$C_{14}H_{10}OS^+$	$(C_6H_4)_2CH_2SC(=O)$ (Dibenzo[ <i>b,e</i> ]thiepin-11(6H)-one)	1531-77-7	**	9.21	EI	5340

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method •	Ref.
$C_{11}H_{10}OS^+$	$C_2S(=O)(C_6H_5)_2$ (Thiirene, diphenyl-1-oxide)	31247-21-9	**	10.86 (V)	PE	4856
$C_{11}H_{11}OS^+$	$C_{14}H_{12}SO_2$ (Dibenzo[ <i>b,e</i> ]thiepin, 6,11-dihydro-5,5-dioxide-)	23772-26-1	OH	10.30	EI	5414
$C_{11}H_{11}OS^+$	$C_6H_5O(CH_2)_2SC_6H_5$ (Benzene, [(2-phenoxyethyl)thio]-)	17414-04-9	**	$8.20 \pm 0.05$	EI	5484
$C_{15}H_{16}OS^+$	$C_6H_5O(CH_2)_3SC_6H_5$ (Benzene, [(3-phenoxypropyl)thio]-)	59950-10-6	**	$8.21 \pm 0.05$	EI	5484
$C_{16}H_{18}OS^+$	$C_6H_5O(CH_2)_4SC_6H_5$ (Benzene, [(4-phenoxybutyl)thio]-)	59950-11-7	**	$8.25 \pm 0.05$	EI	5484
$C_{17}H_{20}OS^+$	$C_6H_5O(CH_2)_5SC_6H_5$ (Benzene, [(5-phenoxypropyl)thio]-)	59950-12-8	**	$8.27 \pm 0.05$	EI	5484
$C_{18}H_{22}OS^+$	$C_6H_5O(CH_2)_6SC_6H_5$ (Benzene, [(6-phenoxyhexyl)thio]-)	59950-13-9	**	$8.26 \pm 0.05$	EI	5484
$C_2H_4O_2S^+$	$C_2H_4SO_2$ (Thiirane 1,1-dioxide)	1782-89-4	**	10.20 (V)	PE	4827
$C_2H_6O_2S^+$	$(CH_3)_2SO_2$	67-71-0	**	10.65 (V)	PE	4827
			**	10.65 (V)	PE	5207
			**	10.80 (V)	PE	3993
			**	10.97 (V)	PE	3705
$C_3H_2O_2S^+$	$C_3H_2O_2(=S)$ (1,3-Dioxole-2-thione)	37635-87-3	**	9.05 (V)	PE	4549
$C_3H_4O_2S^+$	$C_2HS(O_2)(CH_3)$ (Thiirene, methyl-1,1-dioxide-)	14491-01-1	**	10.40 (V)	PE	4508
	$C_3H_4O_2(=S)$ (1,3-Dioxolane-2-thione)	20628-59-5	**	8.88 (V)	PE	4549
$C_3H_6O_2S^+$	$(CH_3O)_2CS$	1115-13-5	**	8.99 (V)	PE	4323
	$(CH_3)(CH_2=CH)SO_2$	3680-02-2	**	10.65 (V)	PE	4827
			**	10.82 (V)	PE	3993
$C_4H_6O_2S^+$	$(CH_2=CH)_2SO_2$	77-77-0	**	10.56 (V)	PE	4827
			**	10.62 (V)	PE	3993
	$C_2S(O_2)(CH_3)_2$ (Thiirene, dimethyl-1,1-dioxide-)	30646-57-2	**	9.89 (V)	PE	4508
	$C_4H_6SO_2$	77-79-2	**	10.44 (V)	PE	4827
	(Thiophene, 2,5-dihydro-1,1-dioxide)		**	10.44 (V)	PE	5207

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>4</sub>H<sub>8</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>2</sub> H <sub>2</sub> S(O <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> (Thiirane, 2,3-dimethyl-1,1-dioxide, <i>cis</i> -)	54697-52-8	**	9.82 (V)	PE	4508
	C <sub>4</sub> H <sub>8</sub> SO <sub>2</sub> (Thiophene, tetrahydro-1,1-dioxide)	126-33-0	**	9.91±0.07	PI	5040
			**	10.24 (V)	PE	4324
<b>C<sub>4</sub>H<sub>10</sub>O<sub>2</sub>S<sup>+</sup></b>	(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> SO <sub>2</sub>	597-35-3	**	9.96±0.03	PI	5040
<b>C<sub>5</sub>H<sub>4</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> SO <sub>2</sub> ([1,2]Oxathiolo[2,3- <i>b</i> ][1,2]oxathiole-7-S <sup>IV</sup> )	40159-76-0	**	8.58 (V)	PE	4406
	C <sub>5</sub> H <sub>3</sub> SCOOH (2-Thiophenecarboxylic acid)	527-72-0	**	9.14±0.05 (V)	PE	4626
			**	9.35	EI	3804
<b>C<sub>5</sub>H<sub>6</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>5</sub> O <sub>2</sub> (=S)(CH <sub>3</sub> ) <sub>2</sub> (1,3-Dioxole-2-thione, 4,5-dimethyl-)	37528-00-0	**	8.4 (V)	PE	4549
<b>C<sub>6</sub>H<sub>6</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> SCOOCH <sub>3</sub> (2-Thiophenecarboxylic acid methyl ester)	5380-42-7	**	8.98±0.05 (V)	PE	4626
			**	9.22±0.05	EI	3482
<b>C<sub>7</sub>H<sub>8</sub>O<sub>2</sub>S<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> )(CH <sub>3</sub> )SO <sub>2</sub> (Benzene, (methylsulfonyl)-)	3112-85-4	**	9.74 (V)	PE	4827
<b>C<sub>8</sub>H<sub>4</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>8</sub> H <sub>4</sub> S(=O) <sub>2</sub> (Benzol[ <i>b</i> ]thiophene-2,3-dione)	493-57-2	**	9.14±0.05 (V)	PE	4708
	C <sub>8</sub> H <sub>4</sub> S(=O) <sub>2</sub> (Benzol[ <i>c</i> ]thiophene-1,3-dione)	5698-59-9	**	9.85±0.05 (V)	PE	4708
<b>C<sub>8</sub>H<sub>18</sub>O<sub>2</sub>S<sup>+</sup></b>	(iso-C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> SO <sub>2</sub>	10495-45-1	**	9.54±0.05	PI	5040
<b>C<sub>9</sub>H<sub>6</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>9</sub> H <sub>4</sub> C <sub>3</sub> H <sub>2</sub> S(=O) <sub>2</sub> 5491 (4H-1-Benzothiopyran-4-one-1-oxide)	37682-92-1	**	9.24 (V)	PE	5491
<b>C<sub>9</sub>H<sub>12</sub>O<sub>2</sub>S<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> )(n-C <sub>3</sub> H <sub>7</sub> )SO <sub>2</sub> (Benzene, (propylsulfonyl)-)	13596-75-3	**	9.21±0.03	PI	5040
<b>C<sub>10</sub>H<sub>16</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> S(=O) <sub>2</sub> (CH <sub>3</sub> ) <sub>4</sub> (1,2-Cycloheptanedione-7-thia,3,3,7,7-tetramethyl-)	XXXXX-XX-X	**	8.75 (V)	PE	5090
<b>C<sub>11</sub>H<sub>10</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> C <sub>3</sub> O <sub>2</sub> S(CH <sub>3</sub> ) <sub>2</sub> (Sulfonium, dimethyl-2,3-dihydro-1,3-dioxo-1H-inden-2-ylide)	5508-42-9	**	8.05	CTS	5592
<b>C<sub>12</sub>H<sub>8</sub>O<sub>2</sub>S<sup>+</sup></b>	C <sub>12</sub> H <sub>8</sub> SO <sub>2</sub> (Dibenzothiophene 5,5-dioxide)	1016-05-3	**	8.90 (V)	PE	4827
			**	9.28	EI	4228

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{10}O_2S^+$	$(C_6H_5)_2SO_2$ (Benzene, 1,1'-sulfonylbis-)	127-63-9	**	$9.16 \pm 0.03$	PI	5040
			**	9.37 (V)	PE	4827
			**	9.7	EI	4228
$C_{12}H_{12}O_2S^+$	$C_6H_5(C_2H_4SO_2)C_4H_9$ (4 $\alpha$ ,8 $\alpha$ -(Methanothiomethano)naphthalene-10,10-dioxide)	23695-63-8	**	8.7 (V)	PE	5194
$C_{12}H_{16}O_2S^+$	$C_6H_5(C_2H_4SO_2)C_4H_9$ (4 $\alpha$ ,8 $\alpha$ -(Methanothiomethano)naphthalene,1,4,5,8-tetrahydro-10,10-dioxide)	17853-54-2	**	9.2 (V)	PE	5194
$C_{12}H_{20}O_2S^+$	$C_4H_9S(C_4H_9)_2O_2$ (Thiophene, 2,5-bis(1,1-dimethylethyl)- 1,1-dioxide)	6407-02-9	**	8.64 (V)	PE	4324
$C_{14}H_9O_2S^+$	$C_6H_5(COSC_6H_5)_2$ (1,2-Benzenedicarbothioic acid S,S-diphenyl ester)	42797-33-1	$C_6H_5S$	$10.3 \pm 0.2$	EI	4062
	$C_6H_5O(=O)(SC_6H_5)_2$ (1(3H)-Isobenzofuranone, 3,3-bis(phenylthio)-)	4792-31-8	$C_6H_5S$	$10.3 \pm 0.2$	EI	4062
$C_{14}H_{12}O_2S^+$	$C_{14}H_{12}SO_2$ (Dibenzo[ <i>b,e</i> ]thiepin,6,11-dihydro-5,5-dioxide-)	23772-26-1	**	9.85	EI	5414
$C_{14}H_{14}O_2S^+$	$(C_6H_4CH_3)_2SO_2$ (Benzene, 1,1'-sulfonylbis[4-methyl-])	599-66-6	**	$8.66 \pm 0.04$	PI	5040
$C_{15}H_{11}O_2S^+$	$C_6H_5(COSC_6H_4CH_3)_2$ (1,2-Benzenedicarbothioic acid S,S-bis(4-methylphenyl)ester)	42797-34-2	$C_6H_5(S)CH_3$	$10.1 \pm 0.2$	EI	4062
	$C_6H_5O(=O)(SC_6H_4CH_3)_2$ (1(3H)-Isobenzofuranone, 3,3-bis[(4-methylphenyl)thio]-)	42797-36-4	$C_6H_5(S)CH_3$	$9.9 \pm 0.2$	EI	4062
$C_2H_4O_3S^+$	$SO(OCH_2)_2$	3741-38-6	**	10.30	EI	5292
			**	10.93 (V)	PE	3646
			**	10.93 (V)	PE	4295
			**	$10.30 \pm 0.05$	EI	3498
$C_2H_6O_3S^+$	$(CH_3O)_2SO$	616-42-2	**	10.25 (V)	PE	3646
			**	10.25 (V)	PE	4295
$C_6H_5O_3S^+$	$C_6H_5O_3S$ (1,3,2-Benzodioxathiole-2-oxide)	6255-58-9	**	9.1 (V)	PE	4616
$C_9H_6O_3S^+$	$C_6H_5C_3H_2S(=O)_2$ (4H-1-Benzothiopyran-4-one-1,1-dioxide)	22810-27-1	**	9.93 (V)	PE	5491
$C_{14}H_{10}O_3S^+$	$C_{14}H_{10}SO_3$ (Dibenzo[ <i>b,e</i> ]thiepin-11(6H)-one-5,5-dioxide)	33301-21-2	**	9.70	EI	5414
$C_{16}H_{21}O_4S^+$	$C_{16}H_{21}S(O)(CH_2)_8$ (Spiro[furan-3(2H),2'-furo[3,4- <i>d</i> ][1,3]oxathiol]-4(5H)-one, 4',6'-dihydro-2,2,4',4',5,5,6',6'-octamethyl-)	54196-16-6	**	$7.48 \pm 0.03$ (V)	PE	4292

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{26}O_1S^+$	$C_8H_9S_2(OH)(CH_3)_8$ (Spiro[furan-3(2 <i>H</i> ),2'-furo[3,4- <i>d</i> ][1,3]oxathiol]-4-ol, 4,4',5,6'-tetrahydro-2,2,4',4',5,5,6',6'-octamethyl-)	54739-35-4	**	$7.47 \pm 0.03$ (V)	PE	4292
$C_3H_1OS_2^+$	$C_3H_4S_2O$ (1,3-Dithiolan-2-one)	2080-58-2	**	9.50 (V)	PE	4407
			**	9.58 (V)	PE	4549
$C_3H_6OS_2^+$	$CH_3SCSOCH_3$	19708-81-7	**	8.71 (V)	PE	4323
$C_7H_8OS_2^+$	$C_5H_2S_2O(CH_3)_2$ (2-Propanone,1-(5-methyl-3H-1,2-dithiol-3-ylidene)-)	1005-55-6	**	7.68 (V)	PE	4406
$C_{10}H_8OS_2^+$	$(C_4H_2S)_2C_2H_4O$ (4H,6H-Dithieno[3,4- <i>c</i> :3',4'- <i>e</i> ]oxepin)	23062-34-2	**	8.3 (V)	PE	5422
	$(C_4H_2S)_2C_2H_4O$ (Dithieno[2,3- <i>c</i> :3',2'- <i>e</i> ]oxepin,4,6-dihydro-)	63286-53-3	**	8.15 (V)	PE	5422
$C_{11}H_{16}OS_2^+$	$(C_4H_2S)_2C_2(CH_3)_4O$ (Dithieno[2,3- <i>c</i> :3',2'- <i>e</i> ]oxepin,4,6-dihydro-4,4,6,6-tetramethyl-)	64504-71-8	**	7.8 (V)	PE	5422
	$(C_4H_2S)_2C_2(CH_3)_4O$ (4H,6H-Dithieno[3,4- <i>c</i> :3',4'- <i>e</i> ]oxepin,4,4,6,6-tetramethyl-)	64504-72-9	**	8.0 (V)	PE	5422
$C_6H_6O_2S_2^+$	$C_4(=O)_2(CH_3S)_2$ (3-Cyclobutene-1,2-dione, 3,4-bis(methylthio)-)	54131-97-4	**	8.18 (V)	PE	4861
$C_8H_{11}O_2S_2^+$	$C_3H_5S_2(CH_2)_4COOH$ (1,2-Dithiolane-3-pentanoic acid)	62-46-4	**	8.02 (V)	PE	4410
$C_{10}H_8OS_3^+$	$(C_4HS)_2 = S(C_6H_4OCH_3)$ (3H-1,2-Dithiole-3-thione, 5-(4-methoxyphenyl)-)	532-11-6	**	8.11 (V)	PE	4403
$C_8H_4O_2S_3^+$	$C_8H_4S_2(SO_2)$ (Dithieno[2,3- <i>b</i> :3',2'- <i>d</i> ]thiophene,7,7-dioxide-)	28504-86-1	**	8.5 (V)	PE	5405
	$C_8H_4S_2(SO_2)$ (Dithieno[3,2- <i>b</i> :2',3'- <i>d</i> ]thiophene,4,4-dioxide-)	3807-53-2	**	8.4 (V)	PE	5405
	$C_8H_4S_2(SO_2)$ (Dithieno[3,4- <i>b</i> :3',4'- <i>d</i> ]thiophene,4,4-dioxide-)	28504-85-0	**	8.7 (V)	PE	5405
$BC_{13}H_{21}OS^+$	$C_{13}H_{21}BOS$ (Borinic acid, dipropylthio-4-methoxyphenyl ester)	64503-45-3	**	$8.17 \pm 0.05$ (V)	PE	4848
$HNOS^+$	$HN=S=O$	13817-04-4	**	11.60 (V)	PE	5386
$C_2H_7NOS^+$	$(CH_3)_2S(NH)O$	1520-31-6	**	9.5 (V)	PE	5207
			**	9.50 (V)	PE	4827
$C_3H_5NOS^+$	$C_3H_5NO=S$ (2-Oxazolidinethione)	5840-81-3	**	$8.37 \pm 0.03$ (V)	PE	4253



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>4</sub>H<sub>3</sub>NOS<sup>+</sup></b>	C <sub>3</sub> H <sub>2</sub> NS(CHO) (5-Isothiazolecarboxaldehyde)	5242-57-9	**	10.25	EI	3587
<b>C<sub>4</sub>H<sub>9</sub>NOS<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> CNSO	38662-39-	**	10.54 (V)	PE	4024
<b>C<sub>5</sub>H<sub>7</sub>NOS<sup>+</sup></b>	C <sub>3</sub> HNO(=S)(CH <sub>3</sub> ) <sub>2</sub> (2(3 <i>H</i> )-Oxazolethione, 4,5-dimethyl-)	6670-14-0	**	7.74±0.03 (V)	PE	4253
<b>C<sub>6</sub>H<sub>7</sub>NOS<sup>+</sup></b>	C <sub>5</sub> H <sub>2</sub> NH(=S)(OH)CH <sub>3</sub> (2(1 <i>H</i> )-Pyridinethione, 3-hydroxy-6-methyl-)	22989-67-9	**	8.04±0.05	EI	3635
	C <sub>5</sub> H <sub>3</sub> N(OH)SCH <sub>3</sub> (3-Pyridinol, 2-(methylthio)-)	32637-37-9	**	8.53±0.05	EI	3977
<b>C<sub>6</sub>H<sub>9</sub>NOS<sup>+</sup></b>	C <sub>3</sub> NO(S)(CH <sub>3</sub> ) <sub>3</sub> (2(3 <i>H</i> )-Oxazolethione, 3,4,5-trimethyl-)	25444-93-3	**	7.51	PE	4555
			**	7.54±0.03 (V)	PE	4253
<b>C<sub>6</sub>H<sub>11</sub>NOS<sup>+</sup></b>	C <sub>6</sub> H <sub>11</sub> NSO (Cyclohexanamine, <i>N</i> -sulfinyl-)	30980-11-1	**	10.0 (V)	PE	4024
<b>C<sub>7</sub>H<sub>5</sub>NOS<sup>+</sup></b>	C <sub>7</sub> H <sub>5</sub> NO(S) (2(3 <i>H</i> )-Benzoxazolethione)	2382-96-9	**	8.14	PE	4555
	C <sub>7</sub> H <sub>5</sub> NS(O) (Thiazolo[3,2- <i>a</i> ]pyridinium, 3-hydroxy-, hydroxide, inner salt)	42715-25-3	**	6.92±0.05	EI	3977
<b>C<sub>7</sub>H<sub>7</sub>NOS<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> N(O)SC <sub>2</sub> H <sub>4</sub> (Thiazolo[3,2- <i>a</i> ]pyridinium, 2,3-dihydro-8-hydroxy-hydroxide, inner salt)	23003-45-4	**	7.12±0.05	EI	5416
	C <sub>5</sub> H <sub>3</sub> N(=O)SC <sub>2</sub> H <sub>4</sub> (5 <i>H</i> -Thiazolo[3,2- <i>a</i> ]pyridin-5-one, 2,3-dihydro-)	66201-75-0	**	7.91±0.05	EI	5416
<b>C<sub>7</sub>H<sub>9</sub>NOS<sup>+</sup></b>	C <sub>5</sub> H <sub>2</sub> N(OH)(CH <sub>3</sub> )SCH <sub>3</sub> (3-Pyridinol, 6-methyl-2-(methylthio)-)	23003-25-0	**	8.24±0.05	EI	3635
	C <sub>4</sub> H <sub>3</sub> SCON(CH <sub>3</sub> ) <sub>2</sub> (2-Thiophenecarboxamide, <i>N,N</i> -dimethyl-)	30717-57-8	**	8.84±0.05 (V)	PE	4626
<b>C<sub>8</sub>H<sub>7</sub>NOS<sup>+</sup></b>	C <sub>7</sub> H <sub>4</sub> NO(S)(CH <sub>3</sub> ) (2(3 <i>H</i> )-Benzoxazolethione, 3-methyl-)	13673-63-7	**	7.94	PE	4555
	C <sub>5</sub> H <sub>3</sub> N(O)SC <sub>2</sub> H(CH <sub>3</sub> ) (Thiazolo[3,2- <i>a</i> ]pyridinium, 8-hydroxy-3-methyl-hydroxide, inner salt)	30276-99-4	**	7.12±0.05	EI	5416
	C <sub>7</sub> H <sub>4</sub> NS(O)CH <sub>3</sub> (Thiazolo[3,2- <i>a</i> ]pyridinium, 3-hydroxy-2-methyl-, hydroxide, inner salt)	35143-56-7	**	6.82±0.05	EI	3977
	C <sub>7</sub> H <sub>4</sub> NS(O)CH <sub>3</sub> (Thiazolo[3,2- <i>a</i> ]pyridinium, 8-hydroxy-5-methyl-, hydroxide, inner salt)	30277-17-9	**	7.03±0.05	EI	3635
	C <sub>5</sub> H <sub>3</sub> N(=O)SC <sub>2</sub> H(CH <sub>3</sub> ) (5 <i>H</i> -Thiazolo[3,2- <i>a</i> ]pyridin-5-one, 3-methyl-)	71310-14-0	**	7.44	EI	5416
<b>C<sub>8</sub>H<sub>9</sub>NOS<sup>+</sup></b>	C <sub>7</sub> H <sub>6</sub> NOS(CH <sub>3</sub> ) (1,4-Oxathiino[3,2- <i>b</i> ]pyridine, 2,3-dihydro-6-methyl-)	35688-70-1	**	8.03±0.05	EI	3635
	C <sub>5</sub> H <sub>2</sub> (=O)(CH <sub>3</sub> )NC <sub>2</sub> H <sub>4</sub> S (Cyclopent[2,3]azirino[2,1- <i>b</i> ]thiazol-7(4 <i>aH</i> )-one, 2,3-dihydro-4 <i>a</i> -methyl-)	71310-16-2	**	7.93	EI	5416

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
(state)						
<b>C<sub>8</sub>H<sub>9</sub>NOS<sup>+</sup></b>						
	C <sub>7</sub> H <sub>2</sub> N(=S)(OH)(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub> (2(1 <i>H</i> )-Pyridinethione, 1-ethenyl-3-hydroxy-6-methyl-)	35688-69-8	**	7.73±0.05	EI	3635
	C <sub>7</sub> H <sub>2</sub> N(O)(CH <sub>3</sub> )SC <sub>2</sub> H <sub>4</sub> (Thiazolo[3,2- <i>a</i> ]pyridinium,2,3-dihydro-8-hydroxy-5-methyl- hydroxide, inner salt)	23003-43-2	**	6.95±0.05	EI	5416
	C <sub>7</sub> H <sub>2</sub> N(=O)(CH <sub>3</sub> )SC <sub>2</sub> H <sub>4</sub> (5 <i>H</i> -Thiazolo[3,2- <i>a</i> ]pyridin-5-one,2,3-dihydro-8-methyl-)	71310-13-9	** **	7.35±0.05 7.69±0.05	EI EI	3635 5416
<b>C<sub>8</sub>H<sub>11</sub>NOS<sup>+</sup></b>	C <sub>7</sub> H <sub>2</sub> N(=S)(OH)(CH <sub>3</sub> )C <sub>2</sub> H <sub>5</sub> (2(1 <i>H</i> )-Pyridinethione, 1-ethyl-3-hydroxy-6-methyl-)	24207-15-6	**	7.75±0.05	EI	3635
<b>C<sub>9</sub>H<sub>9</sub>NOS<sup>+</sup></b>						
	C <sub>7</sub> H <sub>2</sub> N(O)(CH <sub>3</sub> )SC <sub>2</sub> H(CH <sub>3</sub> ) (Thiazolo[3,2- <i>a</i> ]pyridinium,8-hydroxy-3,5-dimethyl- hydroxide, inner salt)	30277-00-0	**	6.84±0.05	EI	5416
	C <sub>7</sub> H <sub>2</sub> N(=O)(CH <sub>3</sub> )SC <sub>2</sub> H(CH <sub>3</sub> ) (5 <i>H</i> -Thiazolo[3,2- <i>a</i> ]pyridin-5-one,3,8-dimethyl-)	71310-15-1	**	7.32	EI	5416
<b>C<sub>11</sub>H<sub>11</sub>NOS<sup>+</sup></b>	C <sub>11</sub> H <sub>11</sub> NOS (Carbamothioic acid, 1,3-butadienyl-S-phenyl ester, (E)-)	61759-58-8	**	~8.18 (V)	PE	4803
<b>C<sub>13</sub>H<sub>9</sub>NOS<sup>+</sup></b>	C <sub>7</sub> H <sub>4</sub> NS(O)C <sub>6</sub> H <sub>5</sub> (Thiazolo[3,2- <i>a</i> ]pyridinium, 3-hydroxy-2-phenyl-, hydroxide, inner salt)	32044-03-4	**	6.70±0.05	EI	3977
<b>C<sub>4</sub>H<sub>10</sub>N<sub>2</sub>OS<sup>+</sup></b>	C <sub>2</sub> H <sub>4</sub> N <sub>2</sub> S(O)(CH <sub>3</sub> ) <sub>2</sub> (1,2,5-Thiadiazolidine, 2,5-dimethyl-, 1-oxide)	15108-72-2	**	8.2 (V)	PE	4295
<b>C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>OS<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> SO	3768-60-3	** **	8.53 (V) 8.53 (V)	PE PE	3646 4295
<b>C<sub>7</sub>H<sub>8</sub>N<sub>2</sub>OS<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (OH)NHCSNH <sub>2</sub> (Thiourea, (2-hydroxyphenyl)-)	1520-26-9	**	8.20	EI	4834
<b>C<sub>8</sub>H<sub>10</sub>N<sub>2</sub>OS<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> (OCH <sub>3</sub> )NHCSNH <sub>2</sub> (Thiourea, (2-methoxyphenyl)-)	1516-37-6	**	7.80	EI	4834
<b>C<sub>15</sub>H<sub>20</sub>N<sub>2</sub>OS<sup>+</sup></b>						
	C <sub>15</sub> H <sub>20</sub> N <sub>2</sub> OS (Carbamothioic acid,phenyl-0-(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)ester, <i>endo</i> -)	67139-54-2	**	8±0.3	EI	5401
	C <sub>15</sub> H <sub>20</sub> N <sub>2</sub> OS (Carbamothioic acid,phenyl-0-(8-methyl-8-azabicyclo[3.2.1]oct-3-yl)ester, <i>exo</i> -)	67139-55-3	**	8±0.3	EI	5401
<b>C<sub>17</sub>H<sub>18</sub>N<sub>2</sub>OS<sup>+</sup></b>	C <sub>12</sub> H <sub>8</sub> NSCOCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub> (10 <i>H</i> -Phenothiazine, 10-[3-(dimethylamino)-1-oxopropyl]-)	3576-44-1	**	8.26±0.07	CTS	4079
<b>C<sub>18</sub>H<sub>22</sub>N<sub>2</sub>OS<sup>+</sup></b>	C <sub>18</sub> H <sub>22</sub> N <sub>2</sub> OS (10 <i>H</i> -Phenothiazine-10-ethanamine, 2-methoxy- <i>N,N</i> , $\alpha$ -trimethyl-)	7624-74-0	**	8.18±0.07	CTS	4079
<b>C<sub>19</sub>H<sub>22</sub>N<sub>2</sub>OS<sup>+</sup></b>	C <sub>12</sub> H <sub>8</sub> NSCOCH <sub>2</sub> CH <sub>2</sub> N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> (10 <i>H</i> -Phenothiazine, 10-[3-(diethylamino)-1-oxopropyl]-)	3576-47-4	**	7.85±0.07	CTS	4079

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_{20}\text{H}_{21}\text{N}_2\text{OS}^+$	$\text{C}_{12}\text{H}_8\text{NSCO}(\text{CH}_2)_3\text{N}(\text{C}_2\text{H}_5)_2$ (10 <i>H</i> -Phenothiazine, 10-[4-(diethylamino)-1-oxobutyl]-)	51307-45-0	**	$7.88 \pm 0.07$	CTS	4079
$\text{C}_6\text{H}_5\text{N}_3\text{OS}^+$	$\text{C}_7\text{H}_2\text{N}_3\text{SOCH}_3$ ([1,2,3]Thiadiazolo[5,4- <i>b</i> ]pyridine, 5-methoxy-)	54459-90-4	**	$9.01 \pm 0.05$	EI	4316
$\text{C}_{19}\text{H}_{23}\text{N}_3\text{OS}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{CH}_3)\text{NHCOCH}_2\text{N}(\text{C}_2\text{H}_5)_2$ (Acetamide, 2-(diethylamino)- <i>N</i> -(10-methyl-10 <i>H</i> -phenothiazin-3-yl)-)	1952-62-1	**	$7.13 \pm 0.07$	CTS	4079
$\text{C}_{22}\text{H}_{27}\text{N}_3\text{OS}^+$	$\text{C}_{22}\text{H}_{27}\text{N}_3\text{OS}$ (Ethanone, 1-[10-[3-(4-methyl-1-piperazinyl)propyl]-10 <i>H</i> -phenothiazin-2-yl]-)	1053-74-3	**	$9.05 \pm 0.07$	CTS	4079
$\text{C}_{23}\text{H}_{29}\text{N}_3\text{OS}^+$	$\text{C}_{23}\text{H}_{29}\text{N}_3\text{OS}$ (1-Propanone, 1-[10-[3-(4-methyl-1-piperazinyl)propyl]-10 <i>H</i> -phenothiazin-2-yl]-)	20686-45-7	**	$9.08 \pm 0.07$	CTS	4079
$\text{C}_3\text{H}_7\text{NO}_2\text{S}^+$	$\text{SHCH}_2\text{CH}(\text{NH}_2)\text{COOH}$	3374-22-9	**	$\sim 9$	PI	3766
$\text{C}_7\text{H}_3\text{NO}_2\text{S}^+$	$\text{C}_7\text{H}_3\text{SNO}_2$ (Thiophene, 2-nitro-)	609-40-5	**	$9.73 \pm 0.05$ (V)	PE	4626
			**	$9.77 \pm 0.05$	EI	3482
$\text{C}_5\text{H}_{11}\text{NO}_2\text{S}^+$	$\text{CH}_3\text{SCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$	59-51-8	**	$\sim 9$	PI	3766
$\text{C}_7\text{H}_3\text{NO}_2\text{S}^+$	$\text{C}_7\text{H}_3\text{NS}(=\text{O})_2$ (Thieno[3,4- <i>b</i> ]pyridine-5,7-dione)	69094-37-7	**	$10.05 \pm 0.05$ (V)	PE	4889
$\text{C}_7\text{H}_5\text{NO}_2\text{S}^+$	$\text{C}_7\text{H}_4\text{NS}(\text{O})\text{OH}$ (Thiazolo[3,2- <i>a</i> ]pyridinium, 3,8-dihydroxy-, hydroxide, inner salt)	35143-55-6	**	$8.70 \pm 0.05$	EI	3977
$\text{C}_7\text{H}_7\text{NO}_2\text{S}^+$	$\text{C}_6\text{H}_4(\text{NO}_2)\text{SCH}_3$ (Benzene, 1-(methylthio)-4-nitro-)	701-57-5	**	$8.59 \pm 0.01$ (V)	PE	4389
$\text{C}_8\text{H}_7\text{NO}_2\text{S}^+$	$\text{C}_7\text{H}_3\text{NS}(\text{O})(\text{OH})\text{CH}_3$ (Thiazolo[3,2- <i>a</i> ]pyridinium, 3,8-dihydroxy-2-methyl-, hydroxide, inner salt)	35191-20-9	**	$8.60 \pm 0.05$	EI	3977
$\text{C}_8\text{H}_9\text{NO}_2\text{S}^+$	$\text{C}_5\text{H}_3\text{N}(\text{SCH}_3)\text{OCOCH}_3$ (3-Pyridinol, 2-(methylthio)- acetate (ester))	42715-30-0	**	$7.91 \pm 0.05$	EI	3977
$\text{C}_{12}\text{H}_{19}\text{NO}_2\text{S}^+$	$\text{C}_{12}\text{H}_{19}\text{NO}_2\text{S}$ (Benzeneethanamine, 2,5-dimethoxy- $\alpha$ -methyl-4-(methylthio)-( $\pm$ )-)	69519-59-1	**	$7.64 \pm 0.06$ (V)	PE	4758
$\text{C}_{13}\text{H}_9\text{NO}_2\text{S}^+$	$\text{C}_7\text{H}_3\text{NS}(\text{O})(\text{OH})\text{C}_6\text{H}_5$ (Thiazolo[3,2- <i>a</i> ]pyridinium, 3,8-dihydroxy-2-phenyl-, hydroxide, inner salt)	35143-57-8	**	$8.42 \pm 0.05$	EI	3977
$\text{C}_{13}\text{H}_{13}\text{NO}_2\text{S}^+$	$\text{C}_7\text{H}_8\text{SO}_2\text{C}_6\text{H}_5$ (2-Azabicyclo[3.2.1]octa-3,6-diene,2-(phenylsulfonyl)-)	2063-88-9	**	$8.11$ (V)	PE	5481

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{15}NO_2S^+$	$C_7H_{10}NSO_2C_6H_5$ (2-Azabicyclo[3.2.1]oct-3-ene,2-(phenylsulfonyl)-)	2063-89-0	**	8.18 (V)	PE	5481
	$C_7H_{10}NSO_2C_6H_5$ (2-Azabicyclo[3.2.1]oct-6-ene,2-(phenylsulfonyl)-)	71017-42-0	**	8.79	PE	5481
$C_{13}H_{17}NO_2S^+$	$C_7H_{12}NSO_2C_6H_5$ (2-Azabicyclo[3.2.1]octane,2-(phenylsulfonyl)-)	5503-65-1	**	8.72 (V)	PE	5481
$C_3H_2N_2O_2S^+$	$C_3H_2NS(NO_2)$ (Isothiazole, 4-nitro-)	931-07-7	**	10.45	PE	3587
$C_8H_6N_2O_2S^+$	$C_7H_5NS(NO_2)CH_3$ (Benzothiazole, 2-methyl-6-nitro-)	2941-63-1	**	9.15 (V)	PE	4437
$C_{12}H_{12}N_2O_2S^+$	$(C_6H_4NH_2)_2SO_2$ (Benzenamine, 4,4'-sulfonylbis-)	80-08-0	**	$7.25 \pm 0.05$	PI	5040
			**	7.25	PI	4328
$C_{20}H_{24}N_2O_2S^+$	$C_{20}H_{24}N_2O_2S$ (Phenol, 2,2'-(thiobis(3,1-propanediynitrilomethylidene))bis-)	52279-44-4	**	$8.51 \pm 0.10$	EI	4213
$C_7H_7N_3O_2S^+$	$C_6H_4(NO_2)NHCSNH_2$ (Thiourea, (2-nitrophenyl)-)	51039-84-0	**	8.30	EI	4834
$C_9H_{17}NO_3S^+$	$C_9H_{17}NO_3S$ (8-Azabicyclo[3.2.1]octan-3-ol,8-methyl-methanesulfonate(ester), <i>exo</i> -)	35136-87-9	**	$7.7 \pm 0.15$	EI	5401
$C_{15}H_{11}NO_3S^+$	$C_7H_5NOS(OCOCH_3)C_6H_5$ (Thiazolo[3,2- <i>a</i> ]pyridinium, 8-(acetyloxy)-3-hydroxy-2-phenyl-, hydroxide, inner salt)	32002-92-9	**	$6.27 \pm 0.05$	EI	3977
$C_{13}H_{28}NO_3S^+$	$C_{26}H_{40}N_2O_7S$ (L-Tyrosine, N-[S-(2-methoxy-2-oxoethyl)-N-(1-oxodecyl)-L-cysteinyl]-methyl ester)	32886-16-1		$8.7 \pm 0.1$	PI	5279
$C_{16}H_{28}NO_4S^+$	$C_{26}H_{40}N_2O_7S$ (L-Tyrosine, N-[S-(2-methoxy-2-oxoethyl)-N-(1-oxodecyl)-L-cysteinyl]-methyl ester)	32886-16-1		$9.0 \pm 0.1$	PI	5279
$C_{26}H_{40}N_2O_7S^+$	$C_{26}H_{40}N_2O_7S$ (L-Tyrosine, N-[S-(2-methoxy-2-oxoethyl)-N-(1-oxodecyl)-L-cysteinyl]-methyl ester)	32886-16-1	**	$8.3 \pm 0.1$	PI	5279
$C_{27}H_{40}N_4O_8S^+$	$C_{27}H_{40}N_4O_8S$ (L-Cysteine, S-(2-methoxy-2-oxoethyl)-N-[N-[N-(1-oxopropyl)-L-phenylalanyl]-L-leucyl]glycyl]-methyl ester)	35146-63-5	**	$8.3 \pm 0.1$	PI	5279
$C_{22}H_{30}N_4O_2S_2^+$	$C_{22}H_{30}N_4O_2S_2$ (10 <i>H</i> -Phenothiazine-2-sulfonamide, <i>N,N</i> -dimethyl-10[3-(4-methyl-1-piperazinyl)propyl]-)	316-81-4	**	$6.81 \pm 0.07$	CTS	4079
$B_2C_3H_9NOS^+$	$NB_2SO(CH_3)_3$ (1,3,5,2,4-Oxathiazadiborolidine, 2,4,5-trimethyl-)	57877-90-4	**	9.00 (V)	PE	4526

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.	
FS <sup>+</sup>	SF	16068-96-5	**	10.0±0.3	EI	4580	
			**	10.0	EI	4544	
			**	10.09±0.10	EI	3818	
			**	10.2±0.3	EI	4864	
		37.6±3.0	EI	4645			
	F <sub>2</sub> S <sup>+</sup>	SF <sub>2</sub>	13814-25-0	**	10.08	PE	5073
**				10.29±0.10	EI	3818	
		27.5±0.5	EI	3818			
F <sub>3</sub> S <sup>+</sup>		SF <sub>4</sub>	7783-60-0	F	12.63±0.10	EI	3818
		SF <sub>6</sub>	2551-62-4		19.4±0.5	PI	4917
					19.6±0.5	EI	4645
	20.0±0.5				EI	3818	
F <sub>4</sub> S <sup>+</sup>	SF <sub>4</sub>	7783-60-0	**	12.03±0.05	EI	3578	
			**	12.08±0.10	EI	3818	
	2F	18.44±0.10	EI	3818			
			19.6±1.0	EI	4645		
	F <sub>5</sub> S <sup>+</sup>	SF <sub>6</sub>	2551-62-4		15.3±0.2	PI	4917
F				15.50±0.10	EI	3818	
F				16.2±0.2	EI	4645	
F <sub>6</sub> S <sup>+</sup>	SF <sub>6</sub>	2551-62-4	**	15.7	PE	5232	
FS <sub>2</sub> <sup>+</sup>	S <sub>2</sub> F <sub>2</sub>	13709-35-8		14.0±0.4	EI	3738	
F <sub>2</sub> S <sub>2</sub> <sup>+</sup>	S <sub>2</sub> F <sub>2</sub>	13709-35-8	**	10.68 (V)	PE	4332	
			**	10.84 (V)	PE	4332	
			**	11.6±0.4	EI	3738	
CF <sub>2</sub> S <sup>+</sup>	F <sub>2</sub> CS	420-32-6	**	10.45±0.01	PE	3708	
			**	10.52	PE	4080	
			**	10.64 (V)	PE	3746	
			**	10.53±0.10	EI	3818	
C <sub>2</sub> F <sub>4</sub> S <sub>2</sub> <sup>+</sup>	S=C(F)SCF <sub>3</sub>	371-73-3	**	10.12 (V)	PE	4345	
C <sub>3</sub> F <sub>6</sub> S <sub>3</sub> <sup>+</sup>	S=C(SCF <sub>3</sub> ) <sub>2</sub>	461-08-5	**	9.25 (V)	PE	4345	
C <sub>10</sub> F <sub>12</sub> S <sub>4</sub> <sup>+</sup>	C <sub>6</sub> S <sub>4</sub> (CF <sub>3</sub> ) <sub>4</sub>	26393-26-0	**	7.95 (V)	PE	4481	
	(1,3-Dithiole, 2-(4,5-di-trifluoromethyl-1,3-dithiol-2-ylidene)-4,5-di-trifluoromethyl-)						



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_2\text{F}_1\text{S}^+$	$\text{CH}_2=\text{SF}_4$	66793-25-7	**	10.65 (V)	PE	4984
$\text{C}_9\text{H}_5\text{FS}_3^+$	$(\text{C}_3\text{HS}_2)=\text{S}(\text{C}_6\text{H}_4\text{F})$ (3H-1,2-Dithiole-3-thione, 5-(4-fluorophenyl)-)	54290-50-5	**	8.14 (V)	PE	4403
$\text{NFS}^+$	NSF	18820-63-8	**	$11.49 \pm 0.02$	PE	3665
$(^2\text{A}')$				$11.54 \pm 0.01$	PE	3666
$(^2\text{A}')$				11.82 (V)	PE	3660
$(^2\text{A}')$				$13.382 \pm 0.004$	PE	3666
$(^2\text{A}')$				$13.39 \pm 0.02$	PE	3665
$(^2\text{A}')$				13.50 (V)	PE	3660
$(^2\text{A}')$				$13.775 \pm 0.005$	PE	3666
$(^2\text{A}')$				$13.78 \pm 0.02$	PE	3665
$(^2\text{A}')$				13.87 (V)	PE	3660
$(^2\text{A}')$				$14.93 \pm 0.01$	PE	3666
$(^2\text{A}')$				$15.35 \pm 0.02$	PE	3665
$(^2\text{A}')$				15.61 (V)	PE	3660
$(^2\text{A}')$				$16.56 \pm 0.03$ (V)	PE	3666
$(^2\text{A}')$				$17.24 \pm 0.08$ (V)	PE	3666
$(^2\text{A}')$				$21.1 \pm 0.1$ (V)	PE	3666
$\text{NF}_3\text{S}^+$	$\text{NSF}_3$	15930-75-3	**	12.50 (V)	PE	3660
$\text{C}_8\text{H}_8\text{NFS}^+$	$\text{C}_6\text{H}_4\text{FNHCSCH}_3$ (Ethanethioamide, N-(2-fluorophenyl)-)	39184-82-2	**	8.30	EI	4834
$\text{C}_7\text{H}_7\text{N}_2\text{FS}^+$	$\text{C}_6\text{H}_4\text{FNHCSNH}_2$ (Thiourea, (2-fluorophenyl)-)	656-32-6	**	8.15	EI	4834
$\text{C}_{21}\text{H}_{24}\text{N}_3\text{F}_3\text{S}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{CF}_3)(\text{CH}_2)_3\text{C}_4\text{H}_8\text{N}_2\text{CH}_3$ (10H-Phenothiazine, 10-[3-(4-methyl-1-piperazinyl)propyl]-2-(trifluoromethyl)-)	117-89-5	**	$7.10 \pm 0.07$	CTS	4079
			**	$7.31 \pm 0.08$ (V)	PE	4667
$\text{O}_2\text{FS}^+$	$\text{SO}_2\text{F}_2$	2699-79-8		$14.8 \pm 0.5$	EI	4921
	$\text{SO}_2\text{FCl}$	13637-84-8	**	$13.0 \pm 0.5$	EI	4921
$\text{O}_3\text{FS}^+$	$\text{SO}_3\text{F}$	21549-02-0	**	$12.85 \pm 0.1$ (V)	PE	3671
$\text{OF}_2\text{S}^+$	$\text{SOF}_2$	7783-42-8	**	12.19	PE	3705
			**	12.25	PE	3879
			**	12.58 (V)	PE	3646
			**	12.58 (V)	PE	4295
			**	12.6 (V)	PE	3694
			**	$12.58 \pm 0.10$	EI	3818
$\text{O}_2\text{F}_2\text{S}^+$	$\text{SO}_2\text{F}_2$	2699-79-8	**	$\sim 13.0$	PE	3879
			**	$13.04 \pm 0.01$	PE	3675
			**	13.43 (V)	PE	3705
			**	13.55 (V)	PE	3694
			**	13.75 (V)	PE	4827

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{O}_2\text{F}_2\text{S}^+$	$\text{SO}_2\text{F}_2$	2699-79-8	**	13.75 (V)	PE	5207
$\text{CH}_3\text{O}_2\text{FS}^+$	$(\text{CH}_3)\text{SO}_2(\text{F})$	558-25-8	**	12.53 (V)	PE	4827
			**	12.53 (V)	PE	5207
			**	12.61 (V)	PE	3705
$\text{C}_6\text{H}_3\text{OF}_3\text{S}^+$	$\text{C}_6\text{H}_3\text{SCOCF}_3$ (Ethanone, 2,2,2-trifluoro-1-(2-thienyl)-)	651-70-7	**	$9.70 \pm 0.05$	EI	3482
	$\text{C}_6\text{H}_3\text{SCOCF}_3$ (Ethanone, 2,2,2-trifluoro-1-(3-thienyl)-)	30933-31-4	**	$9.63 \pm 0.05$	EI	3482
$\text{C}_{20}\text{H}_{21}\text{N}_2\text{OF}_3\text{S}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{CF}_3)\text{COCH}_2\text{CH}_2\text{N}(\text{C}_2\text{H}_5)_2$ (10 <i>H</i> -Phenothiazine, 10-[3-(diethylamino)-1-oxopropyl]-2-(trifluoromethyl)-)	30223-48-4	**	$7.89 \pm 0.07$	CTS	4079
$\text{C}_{22}\text{H}_{26}\text{N}_3\text{OF}_3\text{S}^+$	$\text{C}_{22}\text{H}_{26}\text{N}_3\text{OF}_3\text{S}$ (1-Piperazineethanol, 4-[3-[2-(trifluoromethyl)-10 <i>H</i> -phenothiazin-10-yl]propyl]-)	69-23-8	**	$8.64 \pm 0.07$	CTS	4079
$\text{C}_{20}\text{H}_{19}\text{N}_2\text{O}_2\text{F}_3\text{S}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{CF}_3)\text{COCH}_2\text{CH}_2\text{C}_4\text{H}_8\text{NO}$ (10 <i>H</i> -Phenothiazine, 10-[3-(4-morpholinyl)-1-oxopropyl]-2-(trifluoromethyl)-)	33414-29-8	**	$8.54 \pm 0.07$	CTS	4079
$\text{C}_{22}\text{H}_{24}\text{N}_3\text{O}_2\text{F}_3\text{S}^+$	$\text{C}_{22}\text{H}_{24}\text{N}_3\text{O}_2\text{F}_3\text{S}$ (10 <i>H</i> -Phenothiazine, 10-[3-[4-(2-hydroxyethyl)-1-piperazinyl]-1-oxopropyl]-2-(trifluoromethyl)-)	33414-36-7	**	$8.71 \pm 0.07$	CTS	4079
$\text{H}_4\text{SiS}^+$	$\text{SiH}_3\text{SH}$	14044-97-4	**	9.97 (V)	PE	3656
$\text{H}_6\text{Si}_2\text{S}^+$	$(\text{SiH}_3)_2\text{S}$	16544-95-9	**	9.59 (V)	PE	3867
			**	9.70 (V)	PE	3656
$\text{CH}_6\text{SiS}^+$	$(\text{CH}_3)_2$	16643-15-5	**	9.10 (V)	PE	3867
$\text{C}_4\text{H}_{12}\text{SiS}^+$	$(\text{CH}_3)_3\text{SiSCH}_3$	3908-55-2	**	$8.69 \pm 0.05$ (V)	PE	4153
$\text{C}_8\text{H}_{11}\text{SiS}^+$	$\text{C}_6\text{H}_5\text{SSi}(\text{CH}_3)_3$ (Silane, trimethyl(phenylthio)-)	4551-15-9	$\text{CH}_3$	$9.93 \pm 0.1$	EI	4198
$\text{C}_9\text{H}_{14}\text{SiS}^+$	$\text{C}_6\text{H}_5\text{SSi}(\text{CH}_3)_3$ (Silane, trimethyl(phenylthio)-)	4551-15-9	**	$8.67 \pm 0.05$	PE	4589
			**	$8.28 \pm 0.1$	EI	4198
$\text{C}_{10}\text{H}_{16}\text{SiS}^+$	$\text{C}_6\text{H}_4(\text{SCH}_3)\text{Si}(\text{CH}_3)_3$ (Silane, trimethyl[4-(methylthio)phenyl]-)	22515-25-9	**	$7.93 \pm 0.05$ (V)	PE	4627
	$\text{C}_6\text{H}_5\text{SCH}_2\text{Si}(\text{CH}_3)_3$ (Silane, trimethyl [(phenylthio)methyl]-)	17873-08-4	**	$7.81 \pm 0.05$ (V)	PE	4627
$\text{C}_{11}\text{H}_{18}\text{SiS}^+$	$\text{C}_{11}\text{H}_{18}\text{SiS}$ (Silane, trimethyl[[4-(methylthio)phenyl]methyl]-)	59163-55-2	**	$7.72 \pm 0.05$ (V)	PE	4627

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{11}SiS^+$	$C_{12}H_8SiS(CH_3)_2$ (10H-Phenothiasilin, 10,10-dimethyl-)	61431-08-1	$CH_3$	$8.5 \pm 0.1$	EI	4664
$C_{11}H_{11}SiS^+$	$C_{12}H_8SiS(CH_3)_2$ (10H-Phenothiasilin, 10,10-dimethyl-)	61431-08-1	**	$7.8 \pm 0.1$	EI	4664
$C_6H_{18}Si_2S^+$	$((CH_3)_3Si)_2S$	3385-94-2	** **	$8.74 \pm 0.05$ (V) $8.70 \pm 0.1$	PE EI	4153 4198
$CH_3NSiS^+$	$SiH_3NCS$	14311-54-7	**	$9.54 \pm 0.02$ (V)	PE	3670
$C_1H_9NSiS^+$	$(CH_3)_3SiNCS$	2290-65-5	**	$9.3 \pm 0.1$ (V)	PE	3670
$B_2C_5H_{16}N_2SiS^+$	$N_3B_2SH(CH_3)_2Si(CH_3)_3$ (1,3,4,2,5-Thiadiazadiborolidine, 2,5-dimethyl-3-(trimethylsilyl)-)	57877-86-8	**	8.25 (V)	PE	4526
$H_3NOSiS^+$	$SiH_3NSO$	57251-86-2	**	10.55 (V)	PE	4409
$PS^+$	SP	12281-36-6	**	9.0	EI	4001
$P_1S^+$	$P_4S$		**	$10.6 \pm 0.5$	EI	3615
$P_4S_2^+$	$P_4S_2$	12165-70-7	**	$10.6 \pm 0.5$	EI	3615
$P_4S_3^+$	$P_4S_3$	1314-85-8	** **	9.01 (V) $9.7 \pm 0.5$	PE EI	4704 3615
$P_4S_4^+$	$P_4S_4$	XXXXXX-XX-X	**	$10.1 \pm 0.5$	EI	3615
$P_4S_5^+$	$P_4S_5$	12137-70-1	**	$10.4 \pm 0.5$	EI	3615
$P_4S_6^+$	$P_4S_6$	XXXXXX-XX-X	**	$10.0 \pm 0.5$	EI	3615
$P_4S_7^+$	$P_4S_7$	12037-82-0	**	$10.1 \pm 0.5$	EI	3615
$P_4S_8^+$	$P_4S_8$	37295-14-0	**	$9.8 \pm 0.5$	EI	3615
$P_4S_9^+$	$P_4S_9$	25070-46-6	**	$9.8 \pm 0.5$	EI	3615
$P_4S_{10}^+$	$P_4S_{10}$	12066-62-5	**	$9.6 \pm 0.5$	EI	3615
$CH_2PS^+$	$(CH_3O)_2P(CH_3S)$	2953-29-9	$H + HCHO + HS$	$14.05 \pm 0.30$	EI	3989

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_2\text{H}_7\text{PS}^+$	$(\text{CH}_3)_2\text{P}(\text{S})\text{H}$	6591-05-5	**	8.78 (V)	PE	5523
$\text{C}_3\text{H}_9\text{PS}^+$	$(\text{CH}_3)_3\text{PS}$	2404-55-9	**	8.48±0.035 (V)	PE	5529
			**	8.48 (V)	PE	5442
$\text{C}_6\text{H}_{15}\text{PS}_2^+$	$\text{C}_2\text{H}_5\text{S}_2\text{P}(\text{C}_2\text{H}_5)_2$	5745-32-4	**	8.68 (V)	PE	5569
$\text{C}_6\text{H}_{18}\text{N}_3\text{PS}^+$	$\text{PS}(\text{N}(\text{CH}_3)_2)_3$	3732-82-9	**	7.66±0.003	PE	4086
			**	7.66±0.02	PE	4279
			**	8.05 (V)	PE	5627
$\text{C}_2\text{H}_6\text{OPS}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	$\text{HCHO} + \text{HS}$	11.70±0.20	EI	3989
$\text{C}_7\text{H}_{17}\text{OPS}^+$	$(\text{C}_3\text{H}_7\text{O})(\text{C}_2\text{H}_5)_2\text{PS}$	54867-58-2	**	8.08±0.04	PE	4279
			**	8.53 (V)	PE	5627
$\text{C}_2\text{H}_6\text{O}_2\text{PS}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{O}$	152-20-5	$\text{CH}_3\text{O}$	11.82±0.20	EI	3989
	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	$\text{CH}_3\text{S}$	10.10±0.10	EI	3989
	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$	22608-53-3	$\text{CH}_3\text{S}$	10.50±0.10	EI	3989
$\text{C}_2\text{H}_7\text{O}_2\text{PS}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{O}$	152-20-5	$\text{HCHO}$	10.51±0.10	EI	3989
	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	$\text{HCHS}$	10.35±0.10	EI	3989
	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$	22608-53-3	$\text{HCHS}$	10.10±0.10	EI	3989
$\text{C}_2\text{H}_6\text{O}_3\text{PS}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{O}$	152-20-5	$\text{CH}_3$	10.03±0.10	EI	3989
$\text{C}_3\text{H}_9\text{O}_3\text{PS}^+$	$(\text{CH}_3\text{O})_3\text{PS}$	152-18-1	**	9.16 (V)	PE	4705
	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{O}$	152-20-5	**	9.55±0.10	EI	3989
$\text{C}_6\text{H}_{15}\text{O}_3\text{PS}^+$	$(\text{C}_2\text{H}_5\text{O})_3\text{PS}$	126-68-1	**	8.49±0.02	PE	4279
			**	8.96 (V)	PE	5514
	$\text{SP}(\text{OC}_2\text{H}_5)_3$	1186-09-0	**	8.96 (V)	PE	5627
$\text{C}_{12}\text{H}_{27}\text{O}_3\text{PS}^+$	$\text{SP}(\text{OC}_4\text{H}_9)_3$	12408-16-1	**	8.02	PE	5627
$\text{C}_2\text{H}_6\text{OPS}_2^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	$\text{CH}_3\text{O}$	10.20±0.30	EI	3989
	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$	22608-53-3	$\text{CH}_3\text{O}$	10.15±0.10	EI	3989
$\text{C}_2\text{H}_7\text{OPS}_2^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	$\text{HCHO}$	10.00±0.10	EI	3989
	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$	22608-53-3	$\text{HCHO}$	9.90±0.20	EI	3989
$\text{C}_2\text{H}_6\text{O}_2\text{PS}_2^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	$\text{CH}_3$	9.65±0.20	EI	3989
	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$	22608-53-3	$\text{CH}_3$	9.47±0.10	EI	3989
$\text{C}_3\text{H}_9\text{O}_2\text{PS}_2^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$	2953-29-9	**	9.0±0.10	EI	3989
	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$	22608-53-3	**	9.20±0.10	EI	3989

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_{11}O_2PS_2^+$	$HS_2P(OC_2H_5)_2$	298-06-6	**	9.1 (V)	PE	4636
$C_8H_{19}O_2PS_3^+$	$(C_2H_5O)_2P(=S)SCH_2CH_2SC_2H_5$	XXXXX-XX-X	**	9.0 (V)	PE	5190
$F_3PS^+$	$F_3PS$	2404-52-6	**	$11.05 \pm 0.035$ (V)	PE	5529
$CNF_2PS^+$	$PF_2NCS$	461-60-9	**	$10.2 \pm 0.1$ (V)	PE	3662
$Cl^+$	$Cl(^2P_{3/2})$	22537-15-1	**	$12.97 \pm 0.02$	PE	5087
	$Cl(^2P_{1/2})$		**	12.97	PE	5214
	$Cl(^1P_1)$		**	$13.06 \pm 0.02$	PE	5087
	$Cl(^1P_1)$		**	13.06	PE	5214
	$Cl(^1P_0)$		**	13.1	PE	5214
	$Cl(^1D_2)$		**	$14.41 \pm 0.02$	PE	5087
	$Cl(^1D_2)$		**	14.412	S	5209
	$Cl(^1D_2)$		**	14.42	PE	5214
	$Cl(^1S_0)$		**	16.42	PE	5214
	$CH_2Cl_2$	75-09-2	$CH_2Cl$	$17.4 \pm 0.1$	EI	3442
			$CH_2Cl$	17.4	EI	3490
	$COCl_2$	75-44-5	$ClCO$	$16.5 \pm 0.2$	PI	5041
	$(CH_3)_2CClNO$	2421-26-3		22.70	EI	4809
	$CF_3Cl$	75-72-9	$CF_3$	$19.66 \pm 0.1$	PI	5399
	$CF_2Cl_2$	75-71-8	$CFCl_2$	$16.40 \pm 0.2$	PI	5399
	$CFCl_3$	75-69-4	$F + CCl_2$	$13.7 \pm 0.5$	PI	5399
			$F + CCl_2$	$15.20 \pm 0.1$	PI	5399
			$Cl + CFCl$	$15.6 \pm 0.1$	PI	5399
	$Ag_3Cl_3$	12444-97-2		$\sim 15.5$	EI	3605
$Cl^{+2}$	$Cl^+$	14835-24-6	**	$23.8137 \pm 0.0002$	S	3756
			**	$23.8138 \pm 0.0002$	S	4175
$Cl_2^+$	$Cl_2$	7782-50-5	**	11.49	PE	3507
			**	14.43 (V)	PE	3507
			**	16.10 (V)	PE	3507
	$CF_2Cl_2$	75-71-8	$CF_2$	$15.40 \pm 0.1$	PI	5399
$HCl^+$	$HCl$	7647-01-0	**	$12.72 \pm 0.03$	PI	5307
	$(CH_3)_2CClNO$	2421-26-3		13.35	EI	4809
$H_2Cl^+$	$(HCl)_2$	XXXXX-XX-X	Cl	$12.32 \pm 0.03$	PI	5307
$H_2Cl_2^+$	$(HCl)_2$	XXXXX-XX-X	**	$11.91 \pm 0.05$	PI	5307
$LiCl^+$	$LiCl$	7447-41-8	**	9.57	PI	5509
			**	$10.01 \pm 0.02$ (V)	PE	4950
$Li_2Cl_2^+$	$(LiCl)_2$	12345-57-2	**	10.20	PI	5509
			**	$\sim 10.70$ (V)	PE	4950



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Li}_3\text{Cl}_3^+$	$(\text{LiCl})_3$	59217-69-5	**	10.17	PI	5509
$\text{BeCl}_2^+$	$\text{BeCl}_2$	7787-47-5	**	$12.5 \pm 1.0$	EI	4113
$\text{BCl}^+$	$\text{BCl}$	20583-55-5	**	$12 \pm 1$	EI	3465
$\text{BCl}_2^+$	$\text{BCl}_2$	13842-52-9	**	$12 \pm 1.0$	EI	3465
$\text{BCl}_3^+$	$\text{BCl}_3$	10294-34-5	**	11.62 (V)	PE	3704
$\text{B}_2\text{Cl}_4^+$	$\text{B}_2\text{Cl}_4$	13701-67-2	**	$\leq 10.42 \pm 0.02$	PE	3709
$\text{H}_8\text{B}_5\text{Cl}^+$	$\text{B}_5\text{H}_8\text{Cl}$ (Pentaborane(9), 1-chloro-)	19469-13-7	**	10.03 (V)	PE	4519
	$\text{B}_5\text{H}_8\text{Cl}$ (Pentaborane(9), 2-chloro-)	19469-14-8	**	10.24 (V)	PE	4519
$\text{CCl}^+$	$\text{C}_2\text{F}_3\text{Cl}$	79-38-9	$\text{CF}_3$	$16.9 \pm 0.1$	EI	4070
	$\text{CF}_2\text{Cl}_2$	75-71-8	$\text{FCl} + \text{F}^-$	$14.80 \pm 0.2$	PI	5399
	$\text{CFCl} = \text{CFCl}$	598-88-9	$\text{CF}_2\text{Cl}$	$16.4 \pm 0.2$	EI	4070
	$\text{CFCl}_3$	75-69-4	$2\text{Cl} + \text{F}$	$20.00 \pm 0.2$	PI	5399
				20.5	PI	5196
$\text{CCl}_2^+$	$\text{CFCl} = \text{CFCl}$	598-88-9	$\text{CF}_2$	$13.8 \pm 0.1$	EI	4070
	$\text{CFCl}_3$	75-69-4	$\text{FCl}$	17.0	PI	5196
			$\text{Cl} + \text{F}$	$17.12 \pm 0.04$	PI	4757
$\text{C}_4\text{Cl}_2^+$	$\text{CCl} = \text{CC} = \text{CCl}$	51104-87-1	**	$9.34 \pm 0.02$	PE	4162
$\text{CCl}_3^+$	$\text{CCl}_1$	3170-80-7	**	8.28	EI	3732
	$\text{CCl}_4$	56-23-5	Cl	$11.28 \pm 0.03$	PI	4308
			Cl	11.37	EI	3732
	$(\text{CCl}_3)_2\text{CO}$	116-16-5		11.75	EI	3550
	$\text{CFCl}_3$	75-69-4	F	$13.25 \pm 0.04$	PI	4757
			F	13.50	PI	5196
$\text{C}_6\text{Cl}_4^+$	$\text{C}_6\text{Cl}_4$ (1,3-Cyclohexadien-5-yne, 1,2,3,4-tetrachloro-)	13280-72-3	**	$10.66 \pm 0.2$	EI	3583
	$\text{C}_8\text{O}_3\text{Cl}_4$ (1,3-Isobenzofurandione, 4,5,6,7-tetrachloro-)	117-08-8		$14.31 \pm 0.2$	EI	3583
	$\text{C}_6\text{Cl}_5\text{I}$ (Benzene, pentachloroiodo-)	16478-18-5		$14.51 \pm 0.2$	EI	3583
	$\text{C}_6\text{Cl}_4\text{I}_2$ (Tetrachloro-1,2-diiodobenzene)	XXXXXX-XX-X		$12.85 \pm 0.2$	EI	3583
$\text{C}_2\text{Cl}_6^+$	$\text{C}_2\text{Cl}_6$	67-72-1	**	11.22 (V)	PE	4547
$\text{C}_6\text{Cl}_6^+$	$\text{C}_6\text{Cl}_6$ (Benzene, hexachloro-)	118-74-1	**	9.20 (V)	PE	3873

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6Cl_6^+$	$C_6Cl_6$	118-74-1	**	$9.31 \pm 0.05$ (V)	PE	5558
$C_{10}Cl_8^+$	$(C_5Cl_4)_2$ (1,3-Cyclopentadiene, 1,2,3,4-tetrachloro-5-(2,3,4,5-tetrachloro-2,4-cyclopentadien-1-ylidene)-)	6298-65-3	**	8.47 (V)	PE	4813
$C_6H_5Cl^+$	$C_6H_5Cl$ (Benzene,chloro-)	108-90-7	**	9.08 (V)	PE	5125
$CH_2Cl^+$	$CH_2Cl$	6806-86-6	**	8.80	EI	3732
	$CH_3Cl$	74-87-3	H	12.96	EI	3732
	$CH_2Cl_2$	75-09-2	Cl	$12.14 \pm 0.02$	PI	4308
			Cl	12.15	EI	3732
$CH_3Cl^+$	$CH_3Cl$	74-87-3	**	11.221	S	5245
			**	$11.28 \pm 0.01$	PI	4308
			**	11.29 (V)	PE	5249
			**	11.27	EI	3732
$C_2HCl^+$	$CH \equiv CCl$	593-63-5	**	$11.044 \pm 0.004$	S	3876
$C_2H_2Cl^+$	$CH_2 = CFCI$	2317-91-1	F	$14.8 \pm 0.1$	EI	4070
$C_2H_3Cl^+$	$C_2H_3Cl$	75-01-4	**	$9.99 \pm 0.02$	PI	3930
			**	11.65	PI	3930
			**	10.01	PE	3863
			**	10.15 (V)	PE	4303
	$CH_2ClCH_2Cl$	107-06-2		11.1	PI	5501
$C_2H_4Cl^+$	$CH_3CHCl_2$	75-34-3		11.20	PI	5501
	$CH_2ClCH_2Cl$	107-06-2		11.47	PI	5501
	$CH_2BrCH_2Cl$	107-04-0		10.72	PI	5501
	$CH_3CHClBr$	593-96-4		10.52	PI	5501
$C_2H_5Cl^+$	$C_2H_5Cl$	75-00-3	**	11.01 (V)	PE	4076
			**	11.01 (V)	PE	5088
			**	11.01 (V)	PE	5249
			**	$11.06 \pm 0.02$ (V)	PE	4547
$C_3H_3Cl^+$	$CH_2ClC \equiv CH$	624-65-7	**	10.76 (V)	PE	4684
			**	10.76 (V)	PE	4847
				10.68	EI	5282
	$CH_2 = C = CHCl$	3223-70-9	**	9.57 (V)	PE	4748
	$CH_3C \equiv CCl$	7747-84-4	**	$9.83 \pm 0.02$	PE	4765
				9.82	EI	5282
$C_3H_5Cl^+$	$CH_2 = CHCH_2Cl$	107-05-1	**	10.05	PE	3863
			**	10.20 (V)	PE	4260
			**	10.34 (V)	PE	4091

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>3</sub>H<sub>6</sub>Cl<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> CCINO	2421-26-3		9.70	EI	4809
<b>C<sub>3</sub>H<sub>7</sub>Cl<sup>+</sup></b>	<i>n</i> -C <sub>3</sub> H <sub>7</sub> Cl	540-54-5	**	10.82	PI	5069
			**	10.88 (V)	PE	4076
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> Cl	75-29-6	**	10.78	PI	5069
			**	11.0 ± 0.1	EI	3735
<b>C<sub>4</sub>HCl<sup>+</sup></b>	CH≡CC≡CCl	6089-44-7	**	9.72 ± 0.02	PE	4162
<b>C<sub>4</sub>H<sub>5</sub>Cl<sup>+</sup></b>	<i>n</i> -C <sub>4</sub> H <sub>9</sub> Cl	109-69-3	**	10.84 (V)	PE	4076
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> Cl	507-20-0	**	10.76 (V)	PE	4566
<b>C<sub>5</sub>H<sub>3</sub>Cl<sup>+</sup></b>	CH <sub>3</sub> C≡CC≡CCl	40331-44-0	**	9.15 ± 0.02	PE	4162
<b>C<sub>6</sub>H<sub>4</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (2-chlorophenyl)phenyl-)	5162-03-8		15.6 ± 0.3	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (3-chlorophenyl)phenyl-)	1016-78-0		15.7 ± 0.3	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (4-chlorophenyl)phenyl-)	134-85-0		15.7 ± 0.3	EI	4358
	C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub> (Benzene, 1-chloro-3-nitro-)	121-73-3	NO <sub>2</sub>	12.00 ± 0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub> (Benzene, 1-chloro-4-nitro-)	100-00-5	NO <sub>2</sub>	12.30 ± 0.1	EI	3447
<b>C<sub>6</sub>H<sub>5</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> Cl (Benzene, chloro-)	108-90-7	**	9.067 (V)	PE	5257
			**	9.07 (V)	PE	5258
			**	9.09	PE	4621
			**	9.09 (V)	PE	3873
			**	9.10 ± 0.02	PE	5138
			**	9.10 ± 0.02	PE	5305
			**	8.99	EI	3845
			**	9.12 ± 0.1	EI	3788
			**	9.55	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClOCH <sub>3</sub> (Benzene, 1-chloro-3-methoxy-)	2845-89-8	CH <sub>2</sub> O	11.68 ± 0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> ClOCH <sub>3</sub> (Benzene, 1-chloro-4-methoxy-)	623-12-1	HCHO	11.42	EI	3845
	(C <sub>6</sub> H <sub>5</sub> Cl)(CO) <sub>3</sub> Cr (Chromium, tricarbonyl(η <sup>6</sup> -chlorobenzene)-)	12082-03-0	CH <sub>2</sub> O	11.56 ± 0.1	EI	3446
				9.15 ± 0.1	EI	3788
<b>C<sub>6</sub>H<sub>11</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>11</sub> Cl (Cyclohexane, chloro-)	542-18-7	**	10.10 ± 0.01	PI	4078
			**	10.67 (V)	PE	4078
<b>C<sub>7</sub>H<sub>6</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClCH <sub>2</sub> CH <sub>2</sub> OCOCH <sub>3</sub> (Phenethyl alcohol, <i>m</i> -chloro-, acetate)	33709-41-0		12.90	EI	3590
<b>C<sub>7</sub>H<sub>7</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Cl (Benzene, chloromethyl-)	25168-05-2	**	9.14 ± 0.01	PI	5515

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>7</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Cl	25168-05-2	**	9.14±0.01	PI	5557
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Cl (Benzene, (chloromethyl)-)	100-44-7	**	9.30 (V)	PE	3992
	C <sub>6</sub> H <sub>4</sub> ClCH <sub>3</sub> (Benzene, 1-chloro-2-methyl-)	95-49-8	**	8.72±0.1	EI	3777
	C <sub>6</sub> H <sub>4</sub> ClCH <sub>3</sub> (Benzene, 1-chloro-3-methyl-)	108-41-8	**	8.67±0.1	EI	3777
	C <sub>6</sub> H <sub>4</sub> ClCH <sub>3</sub> (Benzene, 1-chloro-4-methyl-)	106-43-4	**	8.78±0.1	EI	3777
<b>C<sub>8</sub>H<sub>5</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> C≡CCl (Benzene, (chloroethynyl)-)	1483-82-5	**	8.70 (V)	PE	4334
	C <sub>6</sub> H <sub>4</sub> (Cl)C≡CH (Benzene, 1-chloro-4-ethynyl-)	873-73-4	**	8.75 (V)	PE	4334
<b>C<sub>8</sub>H<sub>7</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClCH <sub>2</sub> CH <sub>2</sub> OCOCH <sub>3</sub> (Phenethyl alcohol, <i>m</i> -chloro-, acetate)	33709-41-0		8.90	EI	3590
<b>C<sub>8</sub>H<sub>9</sub>Cl<sup>+</sup></b>	CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Cl (Benzene, 1-(chloromethyl)-3-methyl-)	620-19-9	**	8.82±0.03	PI	5557
	CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Cl (Benzene, 1-(chloromethyl)-4-methyl-)	104-82-5	**	8.79±0.03	PI	5557
<b>C<sub>9</sub>H<sub>9</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Cl)C <sub>3</sub> H <sub>5</sub> (Benzene, 1-chloro-4-cyclopropyl-)	1798-84-1	**	8.64 (V)	PE	4815
<b>C<sub>9</sub>H<sub>11</sub>Cl<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CH <sub>2</sub> Cl (Benzene, 1-(chloromethyl)-3,5-dimethyl-)	2745-54-2	**	8.63±0.03	PI	5557
<b>C<sub>10</sub>H<sub>11</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Cl)C <sub>3</sub> H <sub>4</sub> (CH <sub>3</sub> ) (Benzene, 1-chloro-4-(1-methylcyclopropyl)-)	63340-05-6	**	8.67 (V)	PE	4815
<b>C<sub>10</sub>H<sub>13</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> Cl(tert-C <sub>4</sub> H <sub>9</sub> ) (Benzene, 1-chloro-4-(1,1-dimethylethyl)-)	3972-56-3	**	8.82 (V)	PE	4438
<b>C<sub>10</sub>H<sub>15</sub>Cl<sup>+</sup></b>	C <sub>10</sub> H <sub>15</sub> Cl (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1-chloro-)	935-56-8	**	9.30	PE	3886
<b>C<sub>11</sub>H<sub>13</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Cl)C <sub>3</sub> H <sub>4</sub> (C <sub>2</sub> H <sub>5</sub> ) (Benzene, 1-chloro-4-(1-ethylcyclopropyl)-)	63340-06-7	**	8.64 (V)	PE	4815
<b>C<sub>11</sub>H<sub>15</sub>Cl<sup>+</sup></b>	(tert-C <sub>4</sub> H <sub>9</sub> )C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Cl (Benzene, 1-(chloromethyl)-3-dimethylethyl-)	38580-79-9	**	8.71±0.03	PI	5557
	(tert-C <sub>4</sub> H <sub>9</sub> )C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Cl (Benzene, 1-(chloromethyl)-4-dimethylethyl-)	19692-45-6	**	8.60±0.03	PI	5557
<b>C<sub>12</sub>H<sub>9</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> C <sub>6</sub> H <sub>4</sub> Cl (1,1'-Biphenyl, 2-chloro-)	2051-60-7	**	8.20±0.02	PE	3702
	C <sub>6</sub> H <sub>5</sub> C <sub>6</sub> H <sub>4</sub> Cl (1,1'-Biphenyl, 4-chloro-)	2051-62-9	**	8.10±0.02	PE	3702

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{15}Cl^+$	$C_{12}H_{15}Cl$ (Benzene, 1-chloro-4-[1-(1-methylethyl)cyclopropyl]-)	63340-07-8	**	8.64 (V)	PE	4815
$C_{13}H_{17}Cl^+$	$C_{13}H_{17}Cl$ (Benzene, 1-chloro-4-[1-(1,1-dimethylethyl)cyclopropyl]-)	63340-08-9	**	8.64 (V)	PE	4815
$C_{14}H_9Cl^+$	$C_{14}H_9Cl$ (Anthracene, 9-chloro-)	716-53-0	**	$7.45 \pm 0.03$ (V)	PE	4887
$C_{15}H_{23}Cl^+$	$(tert-C_3H_7)_2C_6H_3CH_2Cl$ (Benzene, 1-(chloromethyl)-3,5-bis(1,1-dimethylethyl)-)	51625-14-0	**	$8.29 \pm 0.03$	PI	5557
$C_{21}H_{15}Cl^+$	$C_{21}H_{15}Cl$ (Cyclopropenylum, triphenyl-,chloride)	58090-78-1	**	$7.75 \pm 0.05$	EI	4628
$CHCl_2^+$	$CHCl_2$	3474-12-2	**	8.45	EI	3732
	$CHCl_3$	67-66-3	Cl	$11.49 \pm 0.02$	PI	4308
			Cl	11.52	EI	3732
	$CHCl_2CH_2Cl$	79-00-5	$CH_2Cl$	11.80	EI	3732
$CH_2Cl_2^+$	$CH_2Cl_2$	75-09-2	**	$11.32 \pm 0.01$	PI	4308
			**	11.28	EI	3732
$C_2H_2Cl_2^+$	$CH_2=CCl_2$	75-35-4	**	10.00 (V)	PE	4303
			**	$9.99 \pm 0.02$ (V)	PE	4880
	<i>cis</i> -CHCl=CHCl	156-59-2	**	9.80 (V)	PE	4303
	<i>trans</i> -CHCl=CHCl	156-60-5	**	9.72 (V)	PE	3648
			**	9.80 (V)	PE	4303
			**	11.92 (V)	PE	4022
$C_2H_4Cl_2^+$	$CH_3CHCl_2$	75-34-3	**	11.06	PI	5501
			**	11.02	PE	5501
			**	$11.23 \pm 0.02$ (V)	PE	4547
	$CH_2ClCH_2Cl$	107-06-2	**	11.05	PI	5501
			**	11.04	PE	5501
			**	$11.13 \pm 0.10$ (V)	PE	4732
			**	$11.22 \pm 0.02$ (V)	PE	4367
			**	$11.39 \pm 0.03$ (V)	PE	4144
			**	$11.40 \pm 0.10$ (V)	PE	4732
$C_3H_6Cl_2^+$	$C_3H_6Cl_2$ (Cyclopentene, 4,4-dichloro-)	XXXXX-XX-X	**	9.78 (V)	PE	4517
$C_6H_2Cl_2^+$	$C_6H_2Cl_2$ (1,3-Cyclohexadien-5-yne, 1,2-dichloro-)	24634-92-2	**	$9.66 \pm 0.2$	EI	3583
	$C_6H_2Cl_2$ (1,3-Cyclohexadien-5-yne, 1,3-dichloro-)	24634-94-4	**	$9.97 \pm 0.2$	EI	3583
	$C_6H_2Cl_2$ (1,3-Cyclohexadien-5-yne, 1,4-dichloro-)	XXXXX-XX-X	**	$9.11 \pm 0.2$	EI	3583
	$C_6H_2Cl_2$ (1,3-Cyclohexadien-5-yne, 2,3-dichloro-)	24634-93-3	**	$9.58 \pm 0.2$	EI	3583



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_2Cl_2^+$	$C_6H_2O_3Cl_2$ (1,3-Isobenzofurandione, 4,7-dichloro-)	4466-59-5		$13.60 \pm 0.2$	EI	3583
	$C_6H_2O_3Cl_2$ (1,3-Isobenzofurandione, 5,6-dichloro-)	942-06-3		$14.06 \pm 0.2$	EI	3583
	$C_6H_2Cl_2I_2$ (3,4-Dichloro-1,2-diiodobenzene)	XXXXX-XX-X		$14.11 \pm 0.2$	EI	3583
	$C_6H_2Cl_2I_2$ (3,5-Dichloro-1,2-diiodobenzene)	XXXXX-XX-X		$14.43 \pm 0.2$	EI	3583
	$C_6H_2Cl_2I_2$ (4,5-Dichloro-1,2-diiodobenzene)	XXXXX-XX-X		$14.11 \pm 0.2$	EI	3583
$C_6H_4Cl_2^+$	$C_6H_4Cl_2$ (Benzene, 1,2-dichloro-)	95-50-1	**	$9.06 \pm 0.02$	PE	5138
			**	9.08 (V)	PE	3873
	$C_6H_4Cl_2$ (Benzene, 1,3-dichloro-)	541-73-1	**	$9.12 \pm 0.02$	PE	5138
			**	9.15 (V)	PE	3873
	$C_6H_4Cl_2$ (Benzene, 1,4-dichloro-)	106-46-7	**	$8.98 \pm 0.02$	PE	5138
			**	8.988 (V)	PE	5257
$C_7H_6Cl_2^+$	$C_6H_3Cl_2CH_3$ (Benzene, 1,3-dichloro-2-methyl-)	118-69-4	**	8.73 (V)	PE	5461
	$C_6H_3Cl_2CH_3$ (Benzene, 1,3-dichloro-5-methyl-)	25186-47-4	**	$9.99 \pm 0.02$	PE	5521
			**	9.99 (V)	PE	5461
	$C_6H_3Cl_2CH_3$ (Benzene, 1,4-dichloro-2-methyl-)	19398-61-9	**	$8.75 \pm 0.02$	PE	5521
$C_8H_6Cl_2^+$	$C_6H_3(Cl)CH=CH_2$ (Benzene, 1,3-dichloro-2-ethenyl-)	28469-92-3	**	$8.70 \pm 0.02$	PE	3854
$C_8H_8Cl_2^+$	$C_6H_5CH_2CHCl_2$ (Benzene, (2,2-dichloroethyl)-)	4412-39-9	**	9.27 (V)	PE	4927
$C_9H_8Cl_2^+$	$C_6H_5C_3H_3Cl_2$ (Benzene, (2,2-dichlorocyclopropyl)-)	2415-80-7	**	8.97 (V)	PE	4927
$C_{10}H_6Cl_2^+$	$C_{10}H_6Cl_2$ (Azulene, 1,3-dichloro-)	14658-94-7	**	7.45 (V)	PE	5397
$C_{14}H_8Cl_2^+$	$C_{14}H_8Cl_2$ (Anthracene, 9,10-dichloro-)	605-48-1	**	7.58	PE	4364
$C_{15}H_{10}Cl_2^+$	$C_{15}H_{10}Cl_2$ (1H-Cyclopropa[ <i>l</i> ]phenanthrene, 1,1-dichloro-1a,9b-dihydro-)	37608-29-0	**	8.06 (V)	PE	4927
$CHCl_3^+$	$CHCl_3$	67-66-3	**	$11.37 \pm 0.02$	PI	4308
			**	11.48 (V)	PE	4146
			**	11.41	EI	3732

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_2\text{H}_3\text{Cl}_3^+$	$\text{CH}_3\text{CCl}_3$	71-55-6	**	11.25 (V)	PE	4547
$\text{C}_6\text{H}_3\text{Cl}_3^+$	$\text{C}_6\text{H}_3\text{Cl}_3$ (Benzene, 1,2,3-trichloro-)	87-61-6	**	9.22 (V)	PE	3873
	$\text{C}_6\text{H}_3\text{Cl}_3$ (Benzene, 1,3,5-trichloro-)	108-70-3	**	$9.34 \pm 0.02$	PE	5138
			**	9.36 (V)	PE	3873
$\text{C}_2\text{H}_2\text{Cl}_4^+$	$\text{CH}_2\text{ClCCl}_3$	630-20-6	**	11.45 (V)	PE	4547
$\text{C}_6\text{H}_2\text{Cl}_4^+$	$\text{C}_6\text{H}_2\text{Cl}_4$ (Benzene, 1,2,3,4-tetrachloro-)	634-66-2	**	9.11 (V)	PE	3873
	$\text{C}_6\text{H}_2\text{Cl}_4$ (Benzene, 1,2,3,5-tetrachloro-)	634-90-2	**	9.16 (V)	PE	3873
	$\text{C}_6\text{H}_2\text{Cl}_4$ (Benzene, 1,2,4,5-tetrachloro-)	95-94-3	**	9.06 (V)	PE	3873
			**	$9.20 \pm 0.05$ (V)	PE	5558
$\text{C}_2\text{HCl}_5^+$	$\text{CHCl}_2\text{CCl}_3$	76-01-7	**	11.28 (V)	PE	4547
$\text{C}_6\text{HCl}_5^+$	$\text{C}_6\text{HCl}_5$ (Benzene, pentachloro-)	608-93-5	**	9.11 (V)	PE	3873
$\text{BeC}_3\text{H}_5\text{Cl}^+$	$(\text{C}_3\text{H}_5)\text{BeCl}$ (Beryllium, chloro( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	36346-97-1	**	9.60 (V)	PE	5384
$\text{BC}_2\text{H}_6\text{Cl}^+$	$(\text{CH}_3)_2\text{BCl}$ (Borane, chlorodimethyl)	1803-36-7	**	10.78 (V)	PE	5485
$\text{B}_4\text{C}_2\text{H}_5\text{Cl}^+$	$\text{C}_2\text{B}_4\text{H}_5\text{Cl}$ (1,6-Dicarbahexaborane(6), 2-chloro-)	33616-59-0	**	9.53 (V)	PE	5553
$\text{BCH}_3\text{Cl}_2^+$	$\text{CH}_3\text{BCl}_2$ (Borane, dichloromethyl)	7318-78-7	**	11.51	PE	5485
$\text{B}_4\text{C}_2\text{H}_4\text{Cl}_2^+$	$\text{C}_2\text{B}_4\text{H}_4\text{Cl}_2$ (1,6-Dicarbahexaborane(6), 2,4-dichloro-)	XXXXXX-XX-X	**	9.38 (V)	PE	5553
$\text{BC}_6\text{H}_3\text{Cl}_2^+$	$\text{C}_6\text{H}_3\text{BCl}_2$ (Borane, dichlorophenyl-)	873-51-8	**	9.52 (V)	PE	4956
$\text{N}_3\text{Cl}^+$	$\text{ClN}_3$	13973-88-1	**	$10.20 \pm 0.01$	PE	5001
$\text{NCl}_3^+$	$\text{NCl}_3$	10025-85-1	**	$10.12 \pm 0.1$	PE	4737
$\text{H}_2\text{NCl}^+$	$\text{NH}_2\text{Cl}$	10599-90-3	**	$9.85 \pm 0.02$	PE	4763
			**	10.60 (V)	PE	5544

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{HNCl}_2^+$	$\text{NHCl}_2$	3400-09-7	**	9.98±0.05	PE	4737
			**	10.52 (V)	PE	5544
$\text{H}_3\text{B}_3\text{N}_3\text{Cl}_3^+$	$\text{B}_3\text{H}_3\text{N}_3\text{Cl}_3$ (Borazine, 2,4,6-trichloro-)	933-18-6	**	10.55 (V)	PE	3673
			**	10.55 (V)	PE	3943
$\text{C}_3\text{NCl}^+$	$\text{CCl}\equiv\text{CCN}$	2003-31-8	**	10.95±0.02	PE	4765
$\text{C}_5\text{NCl}_5^+$	$\text{C}_5\text{N}(\text{Cl})_5$ (Pyridine, pentachloro-)	2176-62-7	**	9.44 (V)	PE	4275
$\text{CH}_3\text{NCl}^+$	$\text{CH}_3\text{NHCl}$	6154-14-9	**	9.19±0.02	PE	4737
			**	9.70±0.10 (V)	PE	4741
$\text{C}_2\text{H}_2\text{NCl}^+$	$\text{CH}_2\text{ClCN}$	107-14-2	**	11.95±0.01	PE	4679
			**	11.98 (V)	PE	4684
$\text{C}_2\text{H}_6\text{NCl}^+$	$(\text{CH}_3)_2\text{NCl}$	1585-74-6	**	8.67±0.02	PE	4737
			**	9.25 (V)	PE	5304
$\text{C}_3\text{H}_2\text{NCl}^+$	$\text{CH}_2=\text{C}(\text{Cl})\text{CN}$	920-37-6	**	10.58±0.05 (V)	PE	4859
$\text{C}_5\text{H}_4\text{NCl}^+$	$\text{ClC}_5\text{H}_4\text{N}$ (Pyridine, 2-chloro-)	109-09-1	**	9.54 (V)	PE	5258
	$\text{ClC}_5\text{H}_4\text{N}$ (Pyridine, 3-chloro-)	626-60-8	**	9.9±0.1	EI	4302
			**	9.58 (V)	PE	5258
	$\text{ClC}_5\text{H}_4\text{N}$ (Pyridine, 4-chloro-)	626-61-9	**	9.75±0.1	EI	4302
			**	10.2 (V)	PI	5566
			**	9.86 (V)	PE	5258
			**	10.0±0.1	EI	4302
$\text{C}_5\text{H}_{10}\text{NCl}^+$	$\text{C}_5\text{H}_{10}\text{NCl}$ (Piperidine, 1-chloro-)	2156-71-0	**	9.00±0.10 (V)	PE	5308
$\text{C}_6\text{H}_6\text{NCl}^+$	$\text{C}_6\text{H}_4\text{ClNH}_2$ (Benzeneamine, 2-chloro-)	95-51-2	**	8.50	EI	4834
	$\text{C}_6\text{H}_4\text{ClNHCOCH}_3$ (Acetamide, N-(2-chlorophenyl)-)	533-17-5		11.05	EI	4834
	$\text{C}_6\text{H}_4\text{ClNHCOCH}_3$ (Acetamide, N-(4-chlorophenyl)-)	539-03-7	$\text{CH}_2=\text{C}=\text{O}$	10.76±0.03	EI	3483
			$\text{CH}_2=\text{C}=\text{O}$	10.11±0.03	EI	3483
	$\text{C}_6\text{H}_4\text{ClNHCOCH}_2\text{CH}_3$ (Propanamide, N-(2-chlorophenyl)-)	2760-32-9		10.75	EI	4834
	$\text{C}_6\text{H}_4\text{ClNHCOCH}_2\text{CH}_2\text{CH}_3$ (Butanamide, N-(2-chlorophenyl)-)	33694-15-4		10.70	EI	4834
	$\text{C}_6\text{H}_4\text{ClNHCOCH}_2\text{C}(\text{CH}_3)_3$ (Propanamide, N-(2-chlorophenyl)-2,2-dimethyl-)	62662-74-2		10.70	EI	4834
	$\text{C}_6\text{H}_4\text{ClNHCOCH}_2\text{C}(\text{CH}_3)_3$ (Butanamide, N-(2-chlorophenyl)-3,3-dimethyl-)	XXXXX-XX-X		10.45	EI	4834

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>6</sub>NCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClNHCONH <sub>2</sub> (Urea, (2-chlorophenyl)-)	114-38-5		9.15	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClNHCONHCH <sub>3</sub> (Urea, N-(2-chlorophenyl)-N'-methyl-)	15500-96-6		10.20	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClNHCONHC <sub>2</sub> H <sub>5</sub> (Urea, N-(2-chlorophenyl)-N'-ethyl-)	62635-53-4		10.05	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClNHCONHCH(CH <sub>3</sub> ) <sub>2</sub> (Urea, N-(2-chlorophenyl)-N'-(1-methylethyl)-)	62635-47-6		9.80	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClNHCONHC(CH <sub>3</sub> ) <sub>3</sub> (Urea, N-(2-chlorophenyl)-N'-(1,1-dimethylethyl)-)	62635-48-7		9.70	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClNHCSCH <sub>3</sub> (Ethanethioamide, N-(2-chlorophenyl)-)	39184-83-3		11.00	EI	4834
	C <sub>6</sub> H <sub>4</sub> ClNHCSCH <sub>2</sub> C(CH <sub>3</sub> ) <sub>3</sub> (Butanethioamide, N-(2-chlorophenyl)-3,3-dimethyl-)	62635-54-5		11.00	EI	4834
<b>C<sub>7</sub>H<sub>12</sub>NCl<sup>+</sup></b>	C <sub>7</sub> H <sub>12</sub> NCl (1-Azabicyclo[2.2.2]octane, 4-chloro-)	5960-95-2	**	8.55±0.015 (V)	PE	4286
<b>C<sub>8</sub>H<sub>10</sub>NCl<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> ClN(CH <sub>3</sub> ) <sub>2</sub> (Benzenamine, 4-chloro-N,N-dimethyl-)	698-69-1	**	7.2±0.1	PE	4401
<b>C<sub>8</sub>H<sub>14</sub>NCl<sup>+</sup></b>	C <sub>8</sub> H <sub>14</sub> NCl (9-Azabicyclo[3.3.1]nonane, 9-chloro-)	73322-95-9	**	8.55 (V)	PE	5091
	C <sub>8</sub> H <sub>14</sub> NCl (8-Azabicyclo[3.2.1]octane, 3-chloro-8-methyl- <i>endo</i> -)	13514-03-9	**	8.1±0.15	EI	5401
	C <sub>8</sub> H <sub>14</sub> NCl (8-Azabicyclo[3.2.1]octane, 3-chloro-8-methyl- <i>exo</i> -)	2292-12-8	**	8.3±0.15	EI	5401
<b>C<sub>9</sub>H<sub>18</sub>NCl<sup>+</sup></b>	C <sub>5</sub> H <sub>10</sub> N(CH <sub>3</sub> ) <sub>4</sub> Cl (Piperidine, 1-chloro-2,2,6,6-tetramethyl-)	32579-76-3	**	7.64	PE	4278
<b>C<sub>13</sub>H<sub>10</sub>NCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClC(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine, 2-[1-(2-chlorophenyl)ethenyl]-)	XXXXXX-XX-X	**	8.55	EI	5570
	C <sub>6</sub> H <sub>4</sub> ClC(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine, 2-[1-(4-chlorophenyl)ethenyl]-)	XXXXXX-XX-X	**	8.58	EI	5570
<b>C<sub>16</sub>H<sub>12</sub>NCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Cl)C <sub>3</sub> H <sub>3</sub> (CN)C <sub>6</sub> H <sub>5</sub> (Cyclopropanecarbonitrile, 1-( <i>p</i> -chlorophenyl)-2-phenyl-)	32589-55-2	**	8.18±0.10	EI	3575
<b>C<sub>32</sub>H<sub>21</sub>NCl<sup>+</sup></b>	C <sub>5</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (NC <sub>5</sub> H <sub>5</sub> )(C <sub>10</sub> H <sub>6</sub> )Cl (Cyclopenta-1,3-diene, 1,4-diphenyl-5-pyridinium-2,3-(naphtha-1,8-diyl), chloride)	XXXXXX-XX-X	**	6.75	CTS	5593
<b>C<sub>36</sub>H<sub>23</sub>NCl<sup>+</sup></b>	C <sub>5</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (NC <sub>9</sub> H <sub>7</sub> )(C <sub>10</sub> H <sub>6</sub> )Cl (Cyclopenta-1,3-diene, 1,4-diphenyl-5-quinolinium-2,3-(naphtha-1,8-diyl), chloride)	XXXXXX-XX-X	**	6.70	CTS	5593
	C <sub>5</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> (NC <sub>9</sub> H <sub>7</sub> )(C <sub>10</sub> H <sub>6</sub> )Cl (Cyclopenta-1,3-diene, 1,4-diphenyl-5-isoquinolinium-2,3-(naphtha-1,8-diyl), chloride)	XXXXXX-XX-X	**	6.72	CTS	5593
<b>C<sub>6</sub>H<sub>11</sub>N<sub>2</sub>Cl<sup>+</sup></b>	C <sub>3</sub> H <sub>2</sub> N <sub>2</sub> Cl(CH <sub>3</sub> ) <sub>3</sub> (3H-Pyrazole, 3-chloro-4,5-dihydro-3,5,5-trimethyl-)	55204-46-1	**	9.04 (V)	PE	4429
<b>C<sub>7</sub>H<sub>5</sub>N<sub>2</sub>Cl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> CN <sub>2</sub> HCl (1H-Indazole, 3-chloro-)	29110-74-5	**	8.41 (V)	PE	5396

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{10}N_2Cl^+$	$C_6H_4(Cl)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chlorophenyl)- <i>N,N</i> -dimethyl-)	2103-49-3	H	8.9	EI	4337
$C_9H_{11}N_2Cl^+$	$C_6H_4(Cl)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chlorophenyl)- <i>N,N</i> -dimethyl-)	2103-49-3	**	$7.3 \pm 0.1$	EI	4359
			**	7.3	EI	4337
$C_{10}H_{13}N_2Cl^+$	$C_6H_4(Cl)(CH_3)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chloro-4-methylphenyl)- <i>N,N</i> -dimethyl-)	53666-35-6	**	$7.1 \pm 0.1$	EI	4359
	$C_6H_4(Cl)(CH_3)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chloro-5-methylphenyl)- <i>N,N</i> -dimethyl-)	53666-41-4	**	$7.1 \pm 0.1$	EI	4359
$C_{12}H_9N_2Cl^+$	$C_6H_5NNC_6H_4Cl$ (Diazine, (4-chlorophenyl)phenyl-(E)-)	6141-95-3	**	$8.55 \pm 0.05$ (V)	PE	5320
$C_{33}H_{20}N_2Cl^+$	$C_3(C_6H_5)_2(NC_5H_4CN)(C_{10}H_6)Cl$ (Cyclopenta-1,3-diene, 1,4-diphenyl-5-(4-cyanopyridinium)-2,3-(naphtha-1,8-diyl), chloride)	XXXXX-XX-X	**	6.72	CTS	5593
$C_2H_2N_3Cl^+$	$C_2H_2N_3Cl$ (1H-1,2,4-Triazole, 3-chloro-)	6818-99-1	**	10.1 (V)	PE	5228
$C_3H_4N_3Cl^+$	$C_2N_3Cl(CH_3)$ (1H-1,2,4-Triazole, 3-chloro-5-methyl-)	15285-15-1	**	9.6 (V)	PE	5228
	$C_2HN_3Cl(CH_3)$ (1H-1,2,4-Triazole, 3-chloro-1-methyl-)	56616-92-3	**	9.7 (V)	PE	5228
	$C_2HN_3Cl(CH_3)$ (1H-1,2,4-Triazole, 5-chloro-1-methyl-)	56616-99-0	**	9.75 (V)	PE	5228
	$C_2HN_3Cl(CH_3)$ (4H-1,2,4-Triazole, 3-chloro-4-methyl-)	56616-87-6	**	9.8 (V)	PE	5228
$C_4H_6N_3Cl^+$	$C_2N_3Cl(CH_3)_2$ (1H-1,2,4-Triazole, 3-chloro-1,5-dimethyl-)	56616-94-5	**	9.4 (V)	PE	5228
	$C_2N_3Cl(CH_3)_2$ (1H-1,2,4-Triazole, 5-chloro-1,3-dimethyl-)	56616-97-8	**	9.35 (V)	PE	5228
	$C_2N_3Cl(CH_3)_2$ (4H-1,2,4-Triazole, 3-chloro-4,5-dimethyl-)	56616-85-4	**	9.3 (V)	PE	5228
$C_6H_4N_3Cl^+$	$C_4H_2N_2ClC_2H_2N$ (Imidazo[1,2- <i>b</i> ]pyridazine, 6-chloro-)	6775-78-6	**	8.55 (V)	PE	5396
$C_9H_{10}N_3Cl^+$	$C_6H_4CINC_3H_3N_2H_2$ (Imidazolidine, 2-(2-chlorophenylimino)-)	XXXXX-XX-X	**	7.96 (V)	PE	5545
$C_{11}H_{16}N_3Cl^+$	$C_6H_4(Cl)(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[2-chloro-4-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-30-1	**	$6.4 \pm 0.1$	EI	4359
	$C_6H_4(Cl)(N(CH_3)_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -[2-chloro-5-(dimethylamino)phenyl]- <i>N,N</i> -dimethyl-)	53666-39-0	**	$6.4 \pm 0.1$	EI	4359
$C_{12}H_8N_3Cl^+$	$C_4H_2N_2ClC_2HNC_6H_5$ (Imidazo[1,2- <i>b</i> ]pyridazine, 6-chloro-2-phenyl-)	1844-53-7	**	8.09 (V)	PE	5396



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_3\text{NCl}_2^+$	$\text{CH}_3\text{NCl}_2$	7651-91-4	**	$9.35 \pm 0.02$	PE	4737
			**	$10.06 \pm 0.10$ (V)	PE	4741
$\text{C}_5\text{H}_3\text{NCl}_2^+$	$\text{Cl}_2\text{C}_5\text{H}_3\text{N}$ (Pyridine, 3,5-dichloro-)	2457-47-8	**	9.88 (V)	PE	5527
$\text{C}_6\text{H}_3\text{NCl}_2^+$	$\text{C}_6\text{H}_3(\text{Cl})_2\text{NH}_2$ (Benzenamine, 2,6-dichloro-)	608-31-1	**	$7.60 \pm 0.02$	PE	3890
	$\text{C}_6\text{H}_3\text{Cl}_2\text{NHCOCCH}_3$ (Acetamide, <i>N</i> -(2,4-dichlorophenyl)-)	6975-29-7	$\text{CH}_2 = \text{C} = \text{O}$	$10.09 \pm 0.03$	EI	3480
	$\text{C}_6\text{H}_3\text{Cl}_2\text{NHCOCCH}_3$ (Acetamide, <i>N</i> -(2,6-dichlorophenyl)-)	17700-54-8	$\text{CH}_2 = \text{C} = \text{O}$	$9.93 \pm 0.03$	EI	3480
$\text{C}_8\text{H}_{10}\text{N}_2\text{Cl}_2^+$	$\text{C}_6\text{Cl}_4(\text{CH}_3)_2(\text{NH}_2)_2$ (1,4-Benzenediamine, 2,5-dichloro-3,6-dimethyl-)	40200-66-6	**	$6.86 \pm 0.03$	PI	5552
$\text{C}_{10}\text{H}_{10}\text{N}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_3(\text{Cl})_2\text{CH}_2\text{C}_4\text{H}_5\text{N}_2$ (1H-Imidazole, 2-[(2,6-dichlorophenyl)methyl]-4,5-dihydro-)	52115-81-8	**	8.42 (V)	PE	5096
$\text{C}_{11}\text{H}_{12}\text{N}_2\text{Cl}_2^+$	$\text{C}_{11}\text{H}_{12}\text{N}_2\text{Cl}_2$	65248-67-1	**	8.21 (V)	PE	5096
$\text{C}_9\text{H}_9\text{N}_3\text{Cl}_2^+$	$\text{C}_6\text{H}_3\text{Cl}_2\text{NC}_3\text{H}_4\text{N}_2\text{H}_2$ (Imidazolidine, 2-(2,6-dichlorophenylimino)-)	XXXXXX-XX-X	**	8.01 (V)	PE	5545
$\text{C}_{11}\text{H}_{13}\text{N}_3\text{Cl}_2^+$	$\text{C}_6\text{H}_3\text{Cl}_2\text{NC}_3\text{H}_4\text{N}_2(\text{CH}_3)_2$ (Imidazolidine, 2-(2,6-dichlorophenylimino)-1,3-dimethyl-)	XXXXXX-XX-X	**	7.84 (V)	PE	5545
$\text{BC}_5\text{H}_7\text{NCl}^+$	$\text{C}_5\text{H}_4\text{N}(\text{Cl})\text{BH}_3$ (Pyridine, 4-chloro-, compound with borane (1:1))	56898-52-3	**	9.71 (V)	PE	4536
$\text{BC}_4\text{H}_{12}\text{N}_2\text{Cl}^+$	$\text{B}(\text{N}(\text{CH}_3)_2)_2\text{Cl}$	6562-41-0	**	8.15 (V)	PE	3704
			**	8.08	PE	3584
$\text{BC}_2\text{H}_6\text{NCl}_2^+$	$(\text{CH}_3)_2\text{NBCl}_2$	1113-31-1	**	9.56	PE	3584
			**	9.68 (V)	PE	3704
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_2\text{Cl}_2^+$	$(\text{ClCH}_2\text{BNCH}_3)_2$	73775-16-3	**	9.48 (V)	PE	5628
$\text{B}_2\text{C}_3\text{H}_9\text{N}_3\text{Cl}_2^+$	$\text{N}_3\text{B}_2\text{Cl}_2(\text{CH}_3)_3$	53246-09-6	**	8.22 (V)	PE	4526
$\text{B}_2\text{C}_4\text{H}_{12}\text{N}_4\text{Cl}_2^+$	$\text{B}_2\text{N}_3(\text{CH}_3)_4\text{Cl}_2$ (1,2,4,5,3,6-Tetrazadiborine, 3,6-dichlorohexahydro-1,2,4,5-tetramethyl-)	54196-15-5	**	7.61 (V)	PE	4299
$\text{B}_3\text{C}_3\text{H}_9\text{N}_3\text{Cl}_3^+$	$(\text{CH}_3)_3\text{B}_3\text{N}_3\text{Cl}_3$	703-86-6	**	9.45 (V)	PE	3943
	(Borazine, 2,4,6-trichloro-1,3,5-trimethyl-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>OCl<sup>+</sup></b> ( <sup>1</sup> Σ <sup>+</sup> )	ClO	14989-30-1	**	11.01±0.01 (V)	PE	4944
<b>O<sub>2</sub>Cl<sup>+</sup></b>	ClO <sub>2</sub>	10049-04-4	**	10.36±0.02	PE	3499
( <sup>2</sup> A <sub>1</sub> )			**	10.5±0.1 (V)	PE	3671
( <sup>1</sup> B <sub>2</sub> )			**	15.5±0.1 (V)	PE	3671
<b>OCl<sub>2</sub><sup>+</sup></b>	Cl <sub>2</sub> O	7791-21-1	**	11.02 (V)	PE	3694
( <sup>2</sup> B <sub>1</sub> )			**	12.37 (V)	PE	3694
( <sup>2</sup> B <sub>2</sub> )			**	12.65 (V)	PE	3694
( <sup>2</sup> A <sub>1</sub> )			**	12.79 (V)	PE	3694
( <sup>2</sup> A <sub>2</sub> )			**	15.9 (V)	PE	4763
( <sup>2</sup> B <sub>1</sub> )			**	15.90 (V)	PE	3694
			**	16.6 (V)	PE	4763
<b>HOCl<sup>+</sup></b>	HOCl	7790-92-3	**	11.12±0.01	PE	4763
( <sup>2</sup> A'')			**	12.09±0.01	PE	4763
( <sup>2</sup> A')			**	14.6±0.1 (V)	PE	4763
( <sup>2</sup> A'')			**	15.6±0.1 (V)	PE	4763
<b>COCl<sup>+</sup></b>	COCl <sub>2</sub>	75-44-5	Cl	11.2±0.2	PI	5041
<b>COCl<sub>2</sub><sup>+</sup></b>	COCl <sub>2</sub>	75-44-5	**	~11.2	PE	3726
			**	11.55±0.02	PE	3667
			**	11.84 (V)	PE	5041
<b>C<sub>2</sub>OCl<sub>2</sub><sup>+</sup></b>	Cl <sub>2</sub> C=C=O	4591-28-0	**	9.07±0.02 (V)	PE	5030
<b>C<sub>2</sub>O<sub>2</sub>Cl<sub>2</sub><sup>+</sup></b>	(COCl) <sub>2</sub>	79-37-8	**	10.91±0.05	PE	4696
			**	11.26 (V)	PE	5549
<b>C<sub>4</sub>O<sub>2</sub>Cl<sub>2</sub><sup>+</sup></b>	C <sub>4</sub> (Cl) <sub>2</sub> (=O) <sub>2</sub> (3-Cyclobutene-1,2-dione, 3,4-dichloro-)	2892-63-9	**	9.89 (V)	PE	4861
<b>C<sub>2</sub>OCl<sub>3</sub><sup>+</sup></b>	(CCl <sub>3</sub> ) <sub>2</sub> CO	116-16-5		12.0	EI	3550
<b>C<sub>2</sub>OCl<sub>4</sub><sup>+</sup></b>	CCl <sub>3</sub> COCl	76-02-8	**	11.31 (V)	PE	4547
<b>C<sub>6</sub>O<sub>2</sub>Cl<sub>4</sub><sup>+</sup></b>	C <sub>6</sub> Cl <sub>4</sub> O <sub>2</sub> (2,5-Cyclohexadiene, 1,4-dione, 2,3,5,6-tetrachloro-)	118-75-2	**	9.90±0.05 (V)	PE	5558
<b>C<sub>8</sub>O<sub>3</sub>Cl<sub>4</sub><sup>+</sup></b>	C <sub>8</sub> O <sub>3</sub> Cl <sub>4</sub> (1,3-Isobenzofurandione, 4,5,6,7-tetrachloro-)	117-08-8	**	10.77±0.2	EI	3583
<b>C<sub>2</sub>HOCl<sup>+</sup></b>	CHCl=C=O	29804-89-5	**	9.35 (V)	PE	5610
<b>C<sub>2</sub>H<sub>3</sub>OCl<sup>+</sup></b>	CH <sub>3</sub> COCl	75-36-5	**	10.85±0.05	PE	4220
			**	11.03 (V)	PE	4513

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>2</sub>H<sub>3</sub>OCl<sup>+</sup></b>	CH <sub>3</sub> COCl	75-36-5	**	11.03 (V)	PE	4547
	CH <sub>2</sub> ClCHO	107-20-0	**	10.61 (V)	PE	4513
			**	10.61 (V)	PE	4547
<b>C<sub>2</sub>H<sub>5</sub>OCl<sup>+</sup></b>	CH <sub>2</sub> ClCH <sub>2</sub> OH	107-07-3	**	10.90 (V)	PE	5088
	(CH <sub>3</sub> ) <sub>2</sub> O·HCl	XXXXX-XX-X	**	10.6±0.2 (V)	PE	4774
<b>C<sub>3</sub>H<sub>5</sub>OCl<sup>+</sup></b>	CH <sub>3</sub> COCH <sub>2</sub> Cl	78-95-5	**	9.91±0.03	PI	3765
			**	9.93±0.02 (V)	PE	4524
	C <sub>2</sub> H <sub>5</sub> OCH <sub>2</sub> Cl (Oxirane, (chloromethyl)-)	106-89-8	**	10.60 (V)	PE	4747
<b>C<sub>3</sub>H<sub>7</sub>OCl<sup>+</sup></b>	CH <sub>2</sub> ClCH <sub>2</sub> OCH <sub>3</sub>	627-42-9	**	10.05 (V)	PE	5088
<b>C<sub>6</sub>H<sub>4</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClOCH <sub>3</sub> (Benzene, 1-chloro-3-methoxy-)	2845-89-8	CH <sub>3</sub>	11.89±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> ClOCH <sub>3</sub> (Benzene, 1-chloro-4-methoxy-)	623-12-1	CH <sub>3</sub>	11.84±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub> (Benzene, 1-chloro-3-nitro-)	121-73-3	NO	10.31±0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub> (Benzene, 1-chloro-4-nitro-)	100-00-5	NO	10.61±0.1	EI	3447
<b>C<sub>6</sub>H<sub>5</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClOOCCH <sub>3</sub> (Acetic acid, 2-chlorophenyl ester)	4525-75-1	CH <sub>2</sub> =C=O	9.19±0.03	EI	3483
	C <sub>6</sub> H <sub>4</sub> ClOOCCH <sub>3</sub> (Acetic acid, 3-chlorophenyl ester)	13031-39-5	CH <sub>2</sub> =C=O	10.11±0.2	EI	3484
	C <sub>6</sub> H <sub>4</sub> ClOOCCH <sub>3</sub> (Acetic acid, 4-chlorophenyl ester)	876-27-7	CH <sub>2</sub> =C=O	9.60±0.03	EI	3483
			CH <sub>2</sub> =C=O	10.17±0.2	EI	3484
<b>C<sub>7</sub>H<sub>4</sub>OCl<sup>+</sup></b>	ClC <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> (Ethanone, 1-(4-chlorophenyl))	99-91-2	CH <sub>3</sub>	10.34±0.03	EI	5059
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (2-chlorophenyl)phenyl-)	5162-03-8		11.4±0.1	EI	4335
				11.4±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (3-chlorophenyl)phenyl-)	1016-78-0	**	11.75±0.1	EI	4335
				11.75±0.1	EI	4358
	C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> Cl (Methanone, (4-chlorophenyl)phenyl-)	134-85-0		11.65±0.1	EI	4358
			**	11.65±0.2	EI	4335
<b>C<sub>7</sub>H<sub>5</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> COCl (Benzoyl chloride)	98-88-4	**	9.85	EI	3792
<b>C<sub>7</sub>H<sub>7</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClOCH <sub>3</sub> (Benzene, 1-chloro-3-methoxy-)	2845-89-8	**	8.72±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> ClOCH <sub>3</sub> (Benzene, 1-chloro-4-methoxy-)	623-12-1	**	8.18	EI	3845
			**	8.52±0.1	EI	3446

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{11}OCl^+$	$C_6H_9ClO(CH_3)$ (Cyclohexanone, 2-chloro-2-methyl-)	10409-46-8	**	9.41	PE	5085
$C_8H_7OCl^+$	$C_6H_4(Cl)COCH_3$ (Ethanone, 1-(4-chlorophenyl)-)	99-91-2	**	$9.60 \pm 0.05$ (V)	PE	5097
$C_8H_9OCl^+$	$C_6H_5OCH_2CH_2Cl$ (Benzene, 2-chloroethoxy-)	622-86-6	**	8.50	EI	5083
$C_{10}H_{17}OCl^+$	$C_6H_9ClO(tert-C_4H_9)$ (Cyclohexanone, cis-2-chloro-4-(1,1-dimethylethyl)-)	16508-33-1	**	9.48	PE	5085
$C_{13}H_9OCl^+$	$C_6H_5COC_6H_4Cl$ (Methanone, (2-chlorophenyl)phenyl-)	5162-03-8	**	$9.55 \pm 0.1$	EI	4335
			**	$9.55 \pm 0.1$	EI	4358
	$C_6H_5COC_6H_4Cl$ (Methanone, (3-chlorophenyl)phenyl-)	1016-78-0	**	$9.55 \pm 0.1$	EI	4335
			**	$9.55 \pm 0.1$	EI	4358
	$C_6H_5COC_6H_4Cl$ (Methanone, (4-chlorophenyl)phenyl-)	134-85-0	**	$9.6 \pm 0.1$	EI	4335
			**	$9.6 \pm 0.1$	EI	4358
$C_{13}H_{11}OCl^+$	$C_6H_5CH_2OC_6H_4Cl$ (Benzene, 1-chloro-4-(phenylmethoxy)-)	7700-27-8	**	8.34	CTS	5336
$C_2H_3O_2Cl^+$	$CH_2ClCOOH$	79-11-8	**	10.99 (V)	PE	3874
$C_8H_7O_2Cl^+$	$C_6H_5ClOOCCH_3$ (Acetic acid, 2-chlorophenyl ester)	4525-75-1	**	$8.67 \pm 0.03$	EI	3483
	$C_6H_5ClOOCCH_3$ (Acetic acid, 3-chlorophenyl ester)	13031-39-5	**	$8.83 \pm 0.2$	EI	3484
	$C_6H_4ClOOCCH_3$ (Acetic acid, 4-chlorophenyl ester)	876-27-7	**	$8.42 \pm 0.03$	EI	3483
			**	$8.79 \pm 0.2$	EI	3484
$C_4H_5O_3Cl^+$	$C_2H_5O(CO)_2Cl$	XXXXX-XX-X	**	10.77 (V)	PE	5549
$C_2H_2OCl_2^+$	$CHCl_2CHO$	79-02-7	**	10.83 (V)	PE	4547
	$CH_2ClCOCl$	79-04-9	**	10.30 (V)	PE	4547
$C_6H_4OCl_2^+$	$C_6H_3(Cl)_2OH$ (Phenol, 2,6-dichloro-)	87-65-0	**	$8.65 \pm 0.02$	PE	3890
	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,4-dichloro-, acetate)	6341-97-5	$CH_2=C=O$	$9.37 \pm 0.03$	EI	3480
	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,6-dichloro-, acetate)	28165-71-1	$CH_2=C=O$	$9.88 \pm 0.03$	EI	3480
$C_4H_2O_2Cl_2^+$	$C_1H_2Cl_2O_2$ (2,5-Cyclohexadiene-1,4-dione, 2,5-dichloro-)	XXXXX-XX-X	**	$10.24 \pm 0.03$	PI	5505

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6O_2Cl_2^+$	$C_6H_4Cl_2OOCCH_3$ (Phenol, 2,4-dichloro-, acetate)	6341-97-5	**	$8.16 \pm 0.03$	EI	3480
	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,6-dichloro-, acetate)	28165-71-1	**	$8.68 \pm 0.03$	EI	3480
$C_2HOCl_3^+$	$CCl_3CHO$	75-87-6	**	10.88 (V)	PE	4547
	$CHCl_2COCl$	79-36-7	**	11.27 (V)	PE	4547
$C_6H_2O_2Cl_4^+$	$C_6Cl_4(OH)_2$ (1,4-Benzenediol, 2,3,5,6-tetrachloro-)	87-87-6	**	$8.30 \pm 0.05$	PI	5552
$NOCl^+$ ( $^2A', ^2A''$ ) $NOCl$ ( $^2A', ^2A''$ ) ( $^2A', ^2A'', ^2A'$ )		2696-92-6	**	$10.87 \pm 0.01$	PE	4422
			**	$10.90 \pm 0.5$	PE	4420
			**	10.94	PE	4404
$NO_2Cl^+$	$ClNO_2$	13444-90-1	**	11.84	PE	4404
$CNOCl^+$	$ClNCO$	13858-09-8	**	$10.72 \pm 0.01$	PE	5001
$C_8N_2O_2Cl_2^+$	$C_6Cl_2O_2(CN)_2$ (1,4-Cyclohexadiene, 1,2-dicarbonitrile, 4,5-dichloro-3,6-dioxo-)	84-58-2	**	$10.58 \pm 0.05$ (V)	PE	5558
$CNOCl_3^+$	$CCl_3NO$	3711-49-7		$10.30 \pm 0.05$ (V)	PE	5298
$C_5NOCl_5^+$	$C_5N(O)(Cl)_5$ (Pyridine, pentachloro-, 1-oxide)	17573-93-2	**	$8.72 \pm 0.02$ (V)	PE	4275
$C_3H_6NOCl^+$	$C(CH_3)_2(Cl)NO$	2421-26-3	**	$9.13 \pm 0.1$ (V)	PE	4465
$C_4H_8NOCl^+$	$C_2H_5C(CH_3)(Cl)NO$	681-01-6	**	$9.29 \pm 0.1$ (V)	PE	4465
$C_5H_4NOCl^+$	$C_5H_4N(O)Cl$ (Pyridine, 4-chloro-, 1-oxide)	1121-76-2	**	$8.42 \pm 0.02$ (V)	PE	4275
$C_6H_4NOCl^+$	$C_6H_4(Cl)(NO)$ (Benzene, 1-chloro-4-nitroso-)	932-98-9	**	$9.02 \pm 0.1$ (V)	PE	4465
$C_6H_{10}NOCl^+$	$C_6H_{10}(Cl)(NO)$ (Cyclohexane, 1-chloro-1-nitroso-)	695-64-7	**	9.28 (V)	PE	4465
	<i>trans</i> - $C_6H_{10}(Cl)(NO)$ (Cyclohexane, <i>trans</i> -1-chloro-2-nitroso-)	1809-72-9	**	9.13 (V)	PE	4465
$C_7H_4NOCl^+$	$C_6H_4(Cl)(C \equiv NO)$ (Benzonitrile, 4-chloro-N-oxide)	15500-74-0	**	8.65 (V)	PE	4719
	$C_6H_4(Cl)NCO$ (Benzene, 1-chloro-3-isocyanato-)	2909-38-8	**	$9.0 \pm 0.1$ (V)	PE	5026
	$C_6H_4(Cl)NCO$ (Benzene, 1-chloro-4-isocyanato-)	104-12-1	**	$8.8 \pm 0.1$ (V)	PE	5026



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>6</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Cl)(CONH <sub>2</sub> ) (Benzamide, 3-chloro-)	618-48-4	**	9.34 (V)	PE	4918
	C <sub>6</sub> H <sub>4</sub> (Cl)(CONH <sub>2</sub> ) (Benzamide, 4-chloro-)	619-56-7	**	9.35 (V)	PE	4918
	C <sub>6</sub> H <sub>4</sub> (Cl)NHCHO (Formamide, <i>N</i> -(2-chlorophenyl)-)	2596-93-2	**	8.4±0.1	EI	4359
<b>C<sub>8</sub>H<sub>7</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2,4-dichlorophenyl)-)	6975-29-7		8.81±0.03	EI	3480
	C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2,6-dichlorophenyl)-)	17700-54-8		8.79±0.03	EI	3480
<b>C<sub>8</sub>H<sub>8</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2-chlorophenyl)-)	533-17-5	**	8.55	EI	4834
			**	8.07±0.03	EI	3483
	C <sub>6</sub> H <sub>4</sub> ClNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(4-chlorophenyl)-)	539-03-7	**	8.07±0.03	EI	3483
	C <sub>6</sub> H <sub>4</sub> (Cl)(CH <sub>3</sub> )NHCHO (Formamide, <i>N</i> -(2-chloro-4-methylphenyl)-)	18931-77-6	**	8.1±0.1	EI	4359
	C <sub>6</sub> H <sub>4</sub> (Cl)(CH <sub>3</sub> )NHCHO (Formamide, <i>N</i> -(2-chloro-5-methylphenyl)-)	18931-82-3	**	8.2±0.1	EI	4359
<b>C<sub>9</sub>H<sub>10</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClNHCOCH <sub>2</sub> CH <sub>3</sub> (Propanamide, <i>N</i> -(2-chlorophenyl)-)	2760-32-9	**	8.45±0.05	EI	4834
<b>C<sub>9</sub>H<sub>16</sub>NOCl<sup>+</sup></b>	C <sub>5</sub> H <sub>9</sub> N(O)(CH <sub>2</sub> ) <sub>4</sub> Cl (4-Piperidinone, 1-chloro-2,2,6,6-tetramethyl-)	38951-83-6	**	8.01	PE	4278
<b>C<sub>10</sub>H<sub>12</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClNHCOCH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> (Butanamide, <i>N</i> -(2-chlorophenyl)-)	33694-15-4	**	8.50±0.05	EI	4834
<b>C<sub>10</sub>H<sub>14</sub>NOCl<sup>+</sup></b>	C <sub>10</sub> H <sub>14</sub> (Cl)(NO) (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 2-chloro-2-nitroso-)	33673-34-6	**	9.02 (V)	PE	4465
<b>C<sub>11</sub>H<sub>14</sub>NOCl<sup>+</sup></b>	C <sub>11</sub> H <sub>14</sub> NOCl (Butanamide, <i>N</i> -(2-chlorophenyl)-3-methyl-)	62635-51-2	**	8.50±0.05	EI	4834
<b>C<sub>12</sub>H<sub>8</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClCOC <sub>5</sub> H <sub>4</sub> N (Methanone, (2-chlorophenyl)-2-pyridinyl-)	1694-57-1	**	8.98	EI	5459
<b>C<sub>12</sub>H<sub>16</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> ClNHCOCH <sub>2</sub> C(CH <sub>3</sub> ) <sub>3</sub> (Butanamide, <i>N</i> -(2-chlorophenyl)-3,3-dimethyl-)	XXXXX-XX-X	**	8.40±0.05	EI	4834
<b>C<sub>17</sub>H<sub>14</sub>NOCl<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Cl)C <sub>5</sub> H <sub>3</sub> (CN)C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> ) (Cyclopropanecarbonitrile, 1-( <i>p</i> -chlorophenyl)-2-( <i>p</i> -methoxyphenyl)-)	32589-54-1	**	7.70±0.05	EI	3575
<b>C<sub>4</sub>H<sub>3</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>4</sub> H <sub>3</sub> N <sub>2</sub> Cl(=O) (2(1H)-Pyrimidinone, 5-chloro-)	54326-16-8	**	9.78±0.05	EI	5159

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or <sup>a</sup> appearance potential (eV)	Method	Ref.
<b>C<sub>5</sub>H<sub>5</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> N(O)(Cl)NH <sub>2</sub> (2-Pyridinamine, 5-chloro-, 1-oxide)	52132-34-0	**	7.98±0.05	EI	4117
	C <sub>5</sub> H <sub>5</sub> N <sub>2</sub> ClOCH <sub>3</sub> (Pyrimidine, 5-chloro-2-methoxy-)	38373-44-3	**	9.36±0.05	EI	5159
	C <sub>5</sub> H <sub>5</sub> N <sub>2</sub> Cl(=O)CH <sub>3</sub> (2(1H)-Pyrimidinone, 5-chloro-1-methyl-)	63331-06-6	**	9.03±0.05	EI	5159
<b>C<sub>6</sub>H<sub>7</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> N(O)(Cl)NHCH <sub>3</sub> (2-Pyridinamine, 5-chloro- <i>N</i> -methyl-, 1-oxide)	54818-75-6	**	7.61±0.05	EI	4117
	C <sub>5</sub> H <sub>5</sub> N(Cl)(=NH)OCH <sub>3</sub> (2(1 <i>H</i> )-Pyridinimine, 5-chloro-1-methoxy-)	54818-77-8	**	7.40±0.05	EI	4117
<b>C<sub>7</sub>H<sub>7</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CINHCONH <sub>2</sub> (Urea, (2-chlorophenyl)-)	114-38-5	**	8.45	EI	4834
<b>C<sub>8</sub>H<sub>5</sub>N<sub>2</sub>OCl<sup>+</sup></b>	ClC <sub>6</sub> H <sub>4</sub> C(=O)CHN <sub>2</sub> (Ethanone, 1-(2-chlorophenyl)-2-diazo-)	XXXXX-XX-X	**	8.60±0.05 (V)	PE	5326
	ClC <sub>6</sub> H <sub>4</sub> C(=O)CHN <sub>2</sub> (Ethanone, 1-(4-chlorophenyl)-2-diazo-)	3282-33-5	**	9.02±0.05 (V)	PE	5326
<b>C<sub>8</sub>H<sub>9</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CINHCONHCH <sub>3</sub> (Urea, <i>N</i> -(2-chlorophenyl)- <i>N'</i> -methyl-)	15500-96-6	**	8.35±0.05	EI	4834
<b>C<sub>9</sub>H<sub>11</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (Cl)(N(CH <sub>3</sub> ) <sub>2</sub> )NHCHO (Formamide, <i>N</i> -[2-chloro-5-(dimethylamino)phenyl]-)	53666-46-9	**	6.7±8.1	EI	4359
	C <sub>6</sub> H <sub>5</sub> CINHCONHC <sub>2</sub> H <sub>5</sub> (Urea, <i>N</i> -(2-chlorophenyl)- <i>N'</i> -ethyl-)	62635-53-4	**	8.25±0.05	EI	4834
<b>C<sub>10</sub>H<sub>13</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (Cl)(OCH <sub>3</sub> )N=CHN(CH <sub>3</sub> ) <sub>2</sub> (Methanimidamide, <i>N'</i> -(2-chloro-4-methoxyphenyl)- <i>N,N</i> -dimethyl-)	53666-34-5	**	7.0±0.1	EI	4359
	C <sub>6</sub> H <sub>5</sub> (Cl)(OCH <sub>3</sub> )N=CHN(CH <sub>3</sub> ) <sub>2</sub> (Methanimidamide, <i>N'</i> -(2-chloro-5-methoxyphenyl)- <i>N,N</i> -dimethyl-)	53666-40-3	**	7.1±0.1	EI	4359
	C <sub>6</sub> H <sub>5</sub> CINHCONHCH(CH <sub>3</sub> ) <sub>2</sub> (Urea, <i>N</i> -(2-chlorophenyl)- <i>N'</i> -(1-methylethyl)-)	62635-47-6	**	8.15±0.05	EI	4834
<b>C<sub>11</sub>H<sub>15</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CINHCONHC(CH <sub>3</sub> ) <sub>3</sub> (Urea, <i>N</i> -(2-chlorophenyl)- <i>N'</i> -(1,1-dimethylethyl)-)	62635-48-7	**	8.05±0.05	EI	4834
<b>C<sub>12</sub>H<sub>7</sub>N<sub>2</sub>OCl<sup>+</sup></b>	C <sub>12</sub> H <sub>7</sub> N <sub>2</sub> OCl (Phenazine, 2-chloro-10-oxide)	1019-15-4	**	8.16 (V)	PE	4590
	C <sub>12</sub> H <sub>7</sub> N <sub>2</sub> OCl (Phenazine, 2-chloro-5-oxide)	1211-09-2	**	8.20 (V)	PE	4590
<b>C<sub>4</sub>H<sub>4</sub>NO<sub>2</sub>Cl<sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> N(=O) <sub>2</sub> (Cl) (2,5-Pyrroledione, 1-chloro-)	128-09-6	**	10.29 (V)	PE	4742
			**	10.29 (V)	PE	4810
<b>C<sub>5</sub>H<sub>8</sub>NO<sub>2</sub>Cl<sup>+</sup></b>	C <sub>5</sub> H <sub>8</sub> NO(=O)(Cl)(CH <sub>3</sub> ) <sub>2</sub> (2-Oxazolidinone, 3-chloro-4,4-dimethyl-)	58629-01-9	**	9.68 (V)	PE	4742

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_4NO_2Cl^+$	$C_6H_4ClNO_2$ (Benzene, 1-chloro-3-nitro-)	121-73-3	**	$9.92 \pm 0.1$	EI	3447
	$C_6H_4ClNO_2$ (Benzene, 1-chloro-4-nitro-)	100-00-5	**	$9.96 \pm 0.1$	EI	3447
$C_8H_8NO_2Cl^+$	$C_6H_3(Cl)(OCH_3)NHCHO$ (Formamide, <i>N</i> -(2-chloro-4-methoxyphenyl)-)	53666-45-8	**	$8.0 \pm 0.1$	EI	4359
	$C_6H_3(Cl)(OCH_3)NHCHO$ (Formamide, <i>N</i> -(2-chloro-5-methoxyphenyl)-)	53666-47-0	**	$8.0 \pm 0.1$	EI	4359
$C_8H_{16}NO_2Cl^+$	$C_8H_{16}NO_2Cl$	61542-18-5	**	9.48 (V)	PE	4772
$C_9H_{18}NO_2Cl^+$	$C_9H_{18}NO_2Cl$	61542-20-9	**	9.38 (V)	PE	4772
$C_{10}H_{20}NO_2Cl^+$	$C_{10}H_{20}NO_2Cl$	59660-96-7	**	9.42 (V)	PE	4941
	$C_{12}H_{24}NO_2Cl$	59660-97-8	**	9.35 (V)	PE	4772
$C_{11}H_8NO_2Cl^+$	$ClC_6H_3C_3O_2NC_5H_5$ (Pyridinium, 4-chloro-1,3-dihydro-1,3-dioxo-2H-inden-2-ylide)	59804-79-4	**	7.65	CTS	5592
	$ClC_6H_3C_3O_2NC_5H_5$ (Pyridinium, 5-chloro-1,3-dihydro-1,3-dioxo-2H-inden-2-ylide)	59805-03-7	**	7.70	CTS	5592
$C_9H_{10}N_3O_2Cl^+$	$C_6H_3(Cl)(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chloro-4-nitrophenyl)- <i>N,N</i> -dimethyl-)	53666-38-9		$7.9 \pm 0.1$	EI	4359
	$C_6H_3(Cl)(NO_2)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-chloro-5-nitrophenyl)- <i>N,N</i> -dimethyl-)	53666-43-6	**	$7.7 \pm 0.1$	EI	4359
$C_7H_5N_2O_3Cl^+$	$C_6H_3(Cl)(NO_2)NHCHO$ (Formamide, <i>N</i> -(2-chloro-4-nitrophenyl)-)	16135-32-3	**	$9.3 \pm 0.1$	EI	4359
	$C_6H_3(Cl)(NO_2)NHCHO$ (Formamide, <i>N</i> -(2-chloro-5-nitrophenyl)-)	53666-48-1	**	$9.0 \pm 0.1$	EI	4359
$C_8H_7NOCl_2^+$	$C_6H_3Cl_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-dichlorophenyl)-)	6975-29-7	**	$8.09 \pm 0.03$	EI	3480
	$C_6H_3Cl_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-dichlorophenyl)-)	17700-54-8	**	$8.25 \pm 0.03$	EI	3480
$C_8H_{15}NO_2Cl_2^+$	$C_8H_{15}NO_2Cl_2$	61542-19-6	**	9.52 (V)	PE	4772
$C_9H_{17}NO_2Cl_2^+$	$C_9H_{17}NO_2Cl_2$	61542-21-0	**	9.56 (V)	PE	4772
$C_{10}H_{19}NO_2Cl_2^+$	$C_{10}H_{19}NO_2Cl_2$	59661-02-8	**	9.54 (V)	PE	4772
$C_{12}H_{23}NO_2Cl_2^+$	$C_{12}H_{23}NO_2Cl_2$	59661-03-9	**	9.59 (V)	PE	4772
$C_8H_8N_2O_2Cl_2^+$	$C_6Cl_2(NH_2)(NO_2)(CH_3)_2$ (Benzenamine, 2,5-dichloro-3,6-dimethyl-4-nitro-)	40331-38-2	**	$8.17 \pm 0.03$	PI	5552

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>8</sub>H<sub>6</sub>N<sub>2</sub>O<sub>4</sub>Cl<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> Cl <sub>2</sub> (NO <sub>2</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (Benzene, 1,3-dichloro-4,6-dimethyl-2,5-dinitro-)	40200-67-7	**	9.52±0.02	PI	5552
	C <sub>6</sub> Cl <sub>2</sub> (NO <sub>2</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> (Benzene, 1,4-dichloro-2,5-dimethyl-3,6-dinitro-)	40115-57-9	**	9.47±0.02	PI	5552
<b>C<sub>2</sub>H<sub>2</sub>NOCl<sub>3</sub><sup>+</sup></b>	CCl <sub>3</sub> CONH <sub>2</sub>	594-65-0	**	10.53 (V)	PE	4803
	C <sub>6</sub> H <sub>6</sub> NOCl <sub>3</sub>	59403-01-9	**	8.66 (V)	PE	4803
<b>FCI<sup>+</sup></b> ( <sup>2</sup> Π <sub>3/2p</sub> ) ( <sup>2</sup> Π <sub>1/2</sub> ) ( <sup>2</sup> Π <sub>1/2p</sub> ) ( <sup>2</sup> Π <sub>1/2</sub> ) ( <sup>2</sup> Π <sub>0</sub> ) ( <sup>2</sup> Σ <sup>+</sup> )	ClF	7790-89-8	**	12.66±0.01	PE	3507
			**	12.66±0.01	PE	3680
			**	12.74±0.01	PE	3507
			**	12.74±0.01	PE	3680
			**	16.39±0.01	PE	3507
			**	17.80±0.01	PE	3507
	<sup>35</sup> ClF	21377-80-0	**	12.60±0.05	EI	5620
<b>F<sub>2</sub><sup>37</sup>Cl<sup>+</sup></b>	<sup>35</sup> ClF <sub>2</sub>	24801-48-7	**	12.77±0.05	EI	5620
	<sup>35</sup> ClF <sub>3</sub>	7790-91-2	F	13.78±0.07	EI	5620
<b>F<sub>3</sub>Cl<sup>+</sup></b>	ClF <sub>3</sub>	7790-91-2	**	12.65±0.05	PE	3680
			**	13.05±0.05 (V)	EI	5620
<b>BeFCI<sup>+</sup></b>	BeFCI	13598-12-4	**	13.0±1.0	EI	4113
<b>BFCI<sup>+</sup></b>	BClF	22395-93-3	**	11±1	EI	3465
<b>BF<sub>2</sub>Cl<sup>+</sup></b>	BClF <sub>2</sub>	14720-30-0	**	13±1	EI	3465
<b>BFCl<sub>2</sub><sup>+</sup></b>	BCl <sub>2</sub> F	14720-31-1	**	14.1	EI	3465
<b>CFCI<sup>+</sup></b>	CF <sub>3</sub> Cl	75-72-9	F <sub>2</sub>	19.75±0.2	PI	5399
	C <sub>2</sub> F <sub>3</sub> Cl	79-38-9	CF <sub>2</sub>	15.0±0.1	EI	3539
	CF <sub>2</sub> Cl <sub>2</sub>	75-71-8	F <sup>-</sup> +Cl	15.20±0.3	PI	5399
				17.76	PI	4757
				15.3±0.15	EI	3539
	CFCl=CFCI	598-88-9	CFCl	15.95±0.05	PI	5399
	CFCl <sub>3</sub>	75-69-4	Cl <sub>2</sub>	16.0	PI	5196
			Cl <sub>2</sub>	16.02±0.04	PI	4757
				17.1±0.1	EI	3539
			2Cl	16.8±0.1	EI	3539
	CH <sub>2</sub> =CFCI	2317-91-1	CH <sub>2</sub>			
<b>CF<sub>2</sub>Cl<sup>+</sup></b>	CF <sub>3</sub> Cl	75-72-9	F	14.0±0.3	PI	5175
			F	14.25	PI	5196
	C <sub>2</sub> F <sub>3</sub> Cl	79-38-9	CF	14.9±0.1	EI	4070
	CF <sub>2</sub> Cl <sub>2</sub>	75-71-8	Cl <sup>-</sup>	10.60±0.02	PI	5399
			Cl	12.10	PI	5196
			Cl	11.99	EI	4757
				11.95	EI	3550
	(CF <sub>2</sub> Cl) <sub>2</sub> CO	127-21-9				

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2F_2Cl^+$	$C_2F_3Cl$	79-38-9	F	$15.9 \pm 0.2$	EI	4070
	$CFCl = CFCI$	598-88-9	Cl	$14.8 \pm 0.1$	EI	4070
$CF_3Cl^+$	$CF_3Cl$	75-72-9	**	12.39	PI	4757
			**	12.45	PI	5196
			**	13.0 (V)	PE	3914
			**	$13.08 \pm 0.01$ (V)	PE	4916
			**	$13.08 \pm 0.02$ (V)	PE	4026
$C_2F_3Cl^+$	$C_2F_3Cl$	79-38-9	**	9.76	S	3776
			**	9.82	PE	3589
			**	10.26 (V)	PE	4303
			**	$10.6 \pm 0.1$	EI	4070
$C_3F_3Cl^+$	$CF_3C \equiv CCl$	673-93-8	**	$11.14 \pm 0.02$	PE	4765
$C_2F_5Cl^+$	$CF_3CF_2Cl$	76-15-3	**	12.96 (V)	PE	4366
$C_6F_5Cl^+$	$C_6F_5Cl$ (Benzene, chloropentafluoro-)	344-07-0	**	$9.72 \pm 0.02$	PE	5305
				$9.94$ (V)	PE	5252
$CFCl_2^+$	$CF_2Cl_2$	75-71-8	F <sup>-</sup>	$12.07 \pm 0.05$	PI	5399
				$13.30 \pm 0.05$	PI	5399
				13.81	PI	4757
				14.15	PI	5796
	$CFCl = CFCI$	598-88-9	CF	$14.3 \pm 0.1$	EI	4070
	$CFCl_3$	75-69-4	Cl	$11.57 \pm 0.04$	PI	4757
				11.65	PI	5196
$C_2FCl_2^+$	$CFCl = CFCI$	598-88-9	F	$15.7 \pm 0.1$	EI	4070
$CF_2Cl_2^+$	$CF_2Cl_2$	75-71-8	**	$11.75 \pm 0.04$	PI	4757
			**	11.75	PI	5196
			**	$12.24 \pm 0.01$ (V)	PE	4916
			**	12.3 (V)	PE	3914
			**	$12.27 \pm 0.02$ (V)	EI	4880
$C_2F_2Cl_2^+$	$CF_2 = CCl_2$	79-35-6	**	9.62	PE	3589
			**	$9.82 \pm 0.02$ (V)	EI	4880
	$CFCl = CFCI$	598-88-9	**	$10.2 \pm 0.1$	EI	4070
$C_2F_4Cl_2^+$	$(CF_2Cl)_2$	76-14-2	**	12.47 (V)	PE	4613
			**	12.85 (V)	PE	4366
$CFCl_3^+$	$CFCl_3$	75-69-4	**	$11.77 \pm 0.01$	PE	4365
			**	11.85 (V)	PE	5196
			**	11.9 (V)	PE	3914
			**	$11.76 \pm 0.01$ (V)	PE	4916



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2F_3Cl_3^+$	$CFCl_2CF_2Cl$	76-13-1	**	12.05 (V)	PE	4366
$C_6F_3Cl_3^+$	$C_6F_3Cl_3$ (Benzene, 1,3,5-trichloro-2,4,6-trifluoro-)	319-88-0	**	$9.48 \pm 0.02$	PE	5305
$CH_2FCl^+$	$CH_2FCl$	593-70-4	**	11.74	PE	3914
$C_2HFCl^+$	$CH_2=CFCl$	2317-91-1	H	$16.2 \pm 0.2$	EI	4070
$C_2H_2FCl^+$	$CH_2=CFCl$	2317-91-1	**	9.97	S	3776
			**	$10.7 \pm 0.2$	EI	3539
			**	$10.7 \pm 0.2$	EI	4070
$C_6H_4FCl^+$	$C_6H_4FCl$ (Benzene, 1-chloro-2-fluoro-)	348-51-6	**	9.16 (V)	PE	4567
			**	$9.18 \pm 0.02$	PE	5305
	$C_6H_4FCl$ (Benzene, 1-chloro-3-fluoro-)	625-98-9	**	$9.22 \pm 0.02$	PE	5305
			**	9.25 (V)	PE	4567
	$C_6H_4FCl$ (Benzene, 1-chloro-4-fluoro-)	352-33-0	**	9.05 (V)	PE	4567
			**	$9.08 \pm 0.02$	PE	5305
$CHF_2Cl^+$	$CHF_2Cl$	75-45-6	**	12.6 (V)	PE	3914
$C_2HF_2Cl^+$	$CF_2=CHCl$	359-10-4	**	9.76	S	3776
$C_2H_3F_2Cl^+$	$CH_3CF_2Cl$	75-68-3	**	12.50 (V)	PE	4366
$C_6H_3F_2Cl^+$	$C_6H_3F_2Cl$ (Benzene, 1-chloro-2,4-difluoro-)	1435-44-5	**	$9.17 \pm 0.02$	PE	5305
	$C_6H_3F_2Cl$ (Benzene, 1-chloro-3,5-difluoro-)	1435-43-4	**	$9.40 \pm 0.02$	PE	5305
	$C_6H_3F_2Cl$ (Benzene, 2-chloro-1,3-difluoro-)	38361-37-4	**	$9.37 \pm 0.02$	PE	5305
	$C_6H_3F_2Cl$ (Benzene, 2-chloro-1,4-difluoro-)	2367-91-1	**	$9.19 \pm 0.02$	PE	5305
	$C_6H_3F_2Cl$ (Benzene, 4-chloro-1,2-difluoro-)	696-02-6	**	$9.24 \pm 0.02$	PE	5305
$C_6H_2F_3Cl^+$	$C_6H_2F_3Cl$ (Benzene, 1-chloro-2,3,4-trifluoro-)	36556-42-0	**	$9.42 \pm 0.02$	PE	5305
	$C_6H_2F_3Cl$ (Benzene, 1-chloro-2,4,5-trifluoro-)	XXXXXX-XX-X	**	$9.27 \pm 0.02$	PE	5305
	$C_6H_2F_3Cl$ (Benzene, 2-chloro-1,3,4-trifluoro-)	39153-73-6	**	$9.39 \pm 0.02$	PE	5305
$C_7H_4F_3Cl^+$	$C_6H_4ClCF_3$ (Benzene, 1-chloro-2-trifluoromethyl-)	88-16-4	**	9.47 (V)	PE	4567
	$C_6H_4ClCF_3$ (Benzene, 1-chloro-3-trifluoromethyl-)	98-15-7	**	9.50 (V)	PE	4567

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_1F_3Cl^+$	$C_6H_1ClCF_3$ (Benzene, 1-chloro-4-trifluoromethyl-)	98-56-6	**	9.56 (V)	PE	4567
$C_6HF_4Cl^+$	$C_6HF_4Cl$ (Benzene, 3-chloro-1,2,4,5-tetrafluoro-)	1835-61-6	**	$9.58 \pm 0.02$	PE	5305
$CHFCl_2^+$	$CHFCl_2$	75-43-4	**	12.0 (V)	PE	3914
$C_6H_3FCl_2^+$	$C_6H_3FCl_2$ (Benzene, 1,2-dichloro-3-fluoro-)	36556-50-0	**	$9.29 \pm 0.02$	PE	5305
	$C_6H_3FCl_2$ (Benzene, 1,2-dichloro-4-fluoro-)	1435-49-0	**	$9.16 \pm 0.02$	PE	5305
	$C_6H_3FCl_2$ (Benzene, 1,3-dichloro-2-fluoro-)	2268-05-5	**	$9.32 \pm 0.02$	PE	5305
	$C_6H_3FCl_2$ (Benzene, 1,3-dichloro-5-fluoro-)	1435-46-7	**	$9.39 \pm 0.02$	PE	5305
	$C_6H_3FCl_2$ (Benzene, 1,4-dichloro-2-fluoro-)	348-59-4	**	$9.09 \pm 0.02$	PE	5305
	$C_6H_3FCl_2$ (Benzene, 2,4-dichloro-1-fluoro-)	1435-48-9	**	$9.12 \pm 0.02$	PE	5305
$C_6H_2F_2Cl_2^+$	$C_6H_2F_2Cl_2$ (Benzene, 1,2-dichloro-3,4-difluoro-)	36556-39-5	**	$9.33 \pm 0.02$	PE	5305
	$C_6H_2F_2Cl_2$ (Benzene, 1,3-dichloro-2,4-difluoro-)	36556-37-3	**	$9.27 \pm 0.02$	PE	5305
	$C_6H_2F_2Cl_2$ (Benzene, 1,3-dichloro-2,5-difluoro-)	2367-80-8	**	$9.32 \pm 0.02$	PE	5305
	$C_6H_2F_2Cl_2$ (Benzene, 1,4-dichloro-2,5-difluoro-)	XXXXXX-XX-X	**	$9.17 \pm 0.02$	PE	5305
	$C_6H_2F_2Cl_2$ (Benzene, 2,3-dichloro-1,4-difluoro-)	36556-54-4	**	$9.32 \pm 0.02$	PE	5305
$C_2HF_3Cl_2^+$	$CF_2ClCHFCI$	354-23-4	**	12.00 (V)	PE	4366
$C_6HF_3Cl_2^+$	$C_6HF_3Cl_2$ (Benzene, 2,4-dichloro-1,3,5-trifluoro-)	2368-53-8	**	$9.37 \pm 0.02$	PE	5305
$C_6H_2FCl_3^+$	$C_6H_2FCl_3$ (Benzene, 1,2,3-trichloro-4-fluoro-)	36556-36-2	**	$9.20 \pm 0.02$	PE	5305
	$C_6H_2FCl_3$ (Benzene, 1,2,4-trichloro-5-fluoro-)	XXXXXX-XX-X	**	$9.16 \pm 0.02$	PE	5305
	$C_6H_2FCl_3$ (Benzene, 1,3,5-trichloro-2-fluoro-)	36556-33-9	**	$9.23 \pm 0.02$	PE	5305
	$C_6H_2FCl_3$ (Benzene, 2,3,5-trichloro-1-fluoro-)	3107-20-8	**	$9.24 \pm 0.02$	PE	5305
$C_6HFCl_4^+$	$C_6HFCl_4$ (Benzene, 1,2,3,4-tetrachloro-5-fluoro-)	2691-93-2	**	$9.20 \pm 0.02$	PE	5305
	$C_6HFCl_4$ (Benzene, 1,2,4,5-tetrachloro-3-fluoro-)	319-97-1	**	$9.19 \pm 0.02$	PE	5305
$O_3FCI^+$	$ClO_3F$	7616-94-6	**	$12.945 \pm 0.005$	PE	3675

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_3\text{OF}_5\text{Cl}^+$	$\text{CClF}_2\text{COCF}_3$	79-53-8	**	$11.71 \pm 0.02$ (V)	PE	4524
$\text{C}_3\text{OF}_3\text{Cl}_3^+$	$\text{CCl}_3\text{FCOCClF}_2$	79-52-7	**	$11.21 \pm 0.02$ (V)	PE	4524
	$\text{CF}_3\text{COCCL}_3$	758-42-9	**	$11.24 \pm 0.02$ (V)	PE	4524
$\text{C}_3\text{HOF}_4\text{Cl}^+$	$\text{CClF}_2\text{COCHF}_2$	920-64-9	**	$11.33 \pm 0.02$ (V)	PE	4524
$\text{CNOF}_2\text{Cl}^+$	$\text{CF}_2\text{ClNO}$	421-13-6		$10.81 \pm 0.05$ (V)	PE	5298
$\text{CNOFCl}_2^+$	$\text{CFCl}_2\text{NO}$	1495-28-9		$10.58 \pm 0.05$ (V)	PE	5298
$\text{NaCl}^+$ ( $^2\text{P}_{3/2}$ ) ( $^2\text{P}_{3/2}$ ) ( $^2\text{P}_{1/2}$ )	NaCl	7647-14-5	**	$8.93 \pm 0.1$	PE	4344
			**	$8.93 \pm 0.1$	PE	5035
			**	9.0 (V)	PE	4307
			**	$9.80 \pm 0.04$ (V)	PE	5035
$\text{Na}_2\text{Cl}_2^+$	$(\text{NaCl})_2$	12258-98-9	**	10.30 (V)	PE	4344
			**	10.30 (V)	PE	5035
$\text{MgCl}_2^+$	$\text{MgCl}_2$	7786-30-3	**	10.5 (V)	PE	4761
$\text{AlCl}^+$	$\text{AlCl}$	13595-81-8	**	9.4	PE	4860
$\text{AlCl}_3^+$	$\text{AlCl}_3$	7446-70-0	**	12.01 (V)	PE	4398
			**	12.01 (V)	PE	4256
$\text{Al}_2\text{Cl}_6^+$	$(\text{AlCl}_3)_2$	13845-12-0	**	12.18 (V)	PE	4559
			**	12.18 (V)	PE	4256
$\text{C}_2\text{H}_6\text{AlCl}^+$	$(\text{CH}_3)_2\text{ClAl}$	1184-58-3	**	10.25 (V)	PE	4398
$\text{C}_4\text{H}_{12}\text{Al}_2\text{Cl}_2^+$	$((\text{CH}_3)_2\text{ClAl})_2$	12073-96-0	**	10.09 (V)	PE	4559
$\text{H}_4\text{NAICl}_4^+$	$\text{NH}_4\text{AlCl}_4$	7784-14-7	**	$10.56 \pm 0.06$ (V)	PE	5238
$\text{OAlCl}^+$	$\text{AlOCl}$	13596-11-7	**	$12 \pm 1$	EI	3462
$\text{SiCl}^+$	$\text{SiCl}_2$	13569-32-9	Cl	$12.50 \pm 0.10$	EI	5188
	$\text{SiCl}_4$	35880-05-8		$19.20 \pm 0.10$	EI	5188
	$\text{Cl}_3\text{SiCo}(\text{Co})_2(\text{PF}_3)_2$	37769-29-2		$16.4 \pm 0.5$	EI	3653
	$\text{Cl}_3\text{SiCo}(\text{CO})_3\text{PF}_3$	37769-28-1		$16.2 \pm 0.5$	EI	3653
$\text{SiCl}_2^+$	$\text{SiCl}_2$	13569-32-9	**	$10.93 \pm 0.10$	EI	5188
	$\text{SiCl}_4$	35880-05-8		$17.64 \pm 0.10$	EI	5188

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SiCl}_3^+$	$\text{SiCl}_4$	15056-28-7	Cl	$12.6 \pm 0.1$	EI	5276
	$\text{Si}_2\text{Cl}_6$	13465-77-5	$\text{SiCl}_3$	$11.4 \pm 0.1$	EI	5276
	$\text{SiHCl}_3$	10025-78-2	H	$11.9 \pm 0.1$	EI	5276
	$\text{C}_6\text{H}_5\text{SSiCl}_3$ (Silane, trichloro(phenylthio)-)	7579-91-1		$11.43 \pm 0.1$	EI	4198
$\text{SiCl}_4^+$	$\text{SiCl}_4$	10026-04-7	**	12.06 (V)	PE	3514
			**	11.8	PE	5276
			**	$11.44 \pm 0.10$	EI	5188
$\text{Si}_2\text{Cl}_6^+$	$\text{Si}_2\text{Cl}_6$	13465-77-5	**	10.4	PE	5276
			**	$11.0 \pm 0.3$	EI	5188
$\text{H}_3\text{SiCl}^+$	$\text{SiH}_3\text{Cl}$	13465-78-6	**	$11.61 \pm 0.02$ (V)	PE	3510
			**	$11.61 \pm 0.05$ (V)	PE	3502
			**	11.65 (V)	PE	3511
$\text{H}_2\text{SiCl}_2^+$	$\text{SiH}_2\text{Cl}_2$	4109-96-0	**	$11.64 \pm 0.02$ (V)	PE	3510
			**	11.70 (V)	PE	3511
			**	11.70 (V)	PE	3694
$\text{HSiCl}_3^+$	$\text{SiHCl}_3$	10025-78-2	**	11.94 (V)	PE	3511
			**	11.94 (V)	PE	4146
$\text{C}_2\text{H}_6\text{SiCl}^+$	$\text{C}_6\text{H}_5\text{SSi}(\text{CH}_3)_2\text{Cl}$ (Silane, chlorodimethyl(phenylthio)-)	52548-11-5		$10.79 \pm 0.1$	EI	4198
$\text{C}_3\text{H}_9\text{SiCl}^+$	$(\text{CH}_3)_3\text{SiCl}$	75-77-4	**	10.76 (V)	PE	3503
			**	10.84 (V)	PE	4683
			**	10.0	PE	5276
$\text{C}_4\text{H}_9\text{SiCl}^+$	$\text{C}_4\text{H}_8\text{Si}(\text{Cl})\text{CH}_3$ (Silacyclobutane, 1-chloro-1-methyl-)	2351-34-0	**	9.95 (V)	PE	4077
$\text{C}_4\text{H}_{11}\text{SiCl}^+$	$(\text{CH}_3)_3\text{SiCH}_2\text{Cl}$	2344-80-1	**	$10.17 \pm 0.1$ (V)	PE	3830
$\text{C}_5\text{H}_9\text{SiCl}^+$	$(\text{CH}_3)_3\text{SiC}\equiv\text{CCl}$	7652-06-4	**	$9.4 \pm 0.1$	PE	4002
$\text{C}_6\text{H}_{13}\text{SiCl}^+$	<i>tert</i> - $\text{C}_7\text{H}_9\text{Si}(\text{CH}_3)_2\text{Cl}$	18162-48-6	**	9.77 (V)	PE	4683
$\text{C}_7\text{H}_8\text{SiCl}^+$	$\text{C}_6\text{H}_4(\text{Cl})\text{SiH}(\text{CH}_3)_2$ (Silane, (3-chlorophenyl)dimethyl-)	2083-13-8	$\text{CH}_3$	8.90	EI	4125
	$\text{C}_6\text{H}_4(\text{Cl})\text{SiH}(\text{CH}_3)_2$ (Silane, (4-chlorophenyl)dimethyl-)	1432-31-1	$\text{CH}_3$	8.84	EI	4125
$\text{C}_9\text{H}_{13}\text{SiCl}^+$	$\text{ClC}_6\text{H}_4\text{Si}(\text{CH}_3)_3$ (Silane, (4-chlorophenyl)trimethyl-)	10557-71-8	**	9.01 (V)	PE	5380
			**	9.03 (V)	PE	4438

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{17}Si_2Cl^+$	$C_6H_4(SiCl(CH_3)_2)SiH(CH_3)_2$ (Silane, chloro[3-(dimethylsilyl)phenyl]dimethyl-)	34259-70-6	**	$8.5 \pm 0.2$	EI	4121
	$C_6H_4(SiCl(CH_3)_2)SiH(CH_3)_2$ (Silane, chloro[4-(dimethylsilyl)phenyl]dimethyl-)	17873-29-9	**	$8.6 \pm 0.2$	EI	4121
$CH_3SiCl_2^+$	$CH_3SiHCl_2$	20156-50-7	**	11.47	S	5183
$C_2H_6SiCl_2^+$	$(CH_3)_2SiCl_2$	75-78-5	**	10.99 (V)	PE	3503
$C_3H_6SiCl_2^+$	$C_3H_6SiCl_2$ (Silacyclobutane, 1,1-dichloro-)	2351-33-9	**	10.50 (V)	PE	4077
$C_4H_6SiCl_2^+$	$C_4H_6SiCl_2$ (Silacyclopent-3-ene, 1,1-dichloro-)	XXXXX-XX-X	**	9.63 (V)	PE	4517
$C_8H_{18}Si_2Cl_2^+$	$C_8H_{18}Si_2Cl_2$	65411-94-1	**	8.96 (V)	PE	4715
$C_9H_{14}Si_2Cl_2^+$	$C_6H_4(SiCl_2CH_3)SiH(CH_3)_2$ (Silane, 1,1-dichloro[3-(dimethylsilyl)phenyl]methyl-)	34259-71-7	**	$8.6 \pm 0.2$	EI	4121
$C_3H_5SiCl_3^+$	$C_3H_5(SiCl_3)$ (Silane, 5-trichloro-2,4-cyclopentadien-1-yl-)	13688-63-6	**	9.0 (V)	PE	4373
$C_8H_{11}Si_2Cl_3^+$	$C_6H_4(SiCl_3)SiH(CH_3)_2$ (Silane, trichloro[3-(dimethylsilyl)phenyl]-)	34259-72-8	**	$9.1 \pm 0.2$	EI	4121
	$C_6H_4(SiCl_3)SiH(CH_3)_2$ (Silane, trichloro[4-(dimethylsilyl)phenyl]-)	XXXXX-XX-X	**	$9.3 \pm 0.2$	EI	4121
$C_6H_{12}Si_4Cl^+$	$C_6H_{12}Si_4Cl_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1,3,5,7-tetrachloro-)	18222-89-4	**	$9.4 \pm 0.05$	PE	3855
$C_4H_{12}N_2SiCl_2^+$	$((CH_3)_2N)_2SiCl_2$	13328-30-8	**	8.81 (V)	PE	3503
$C_2H_6NSiCl_3^+$	$((CH_3)_2N)SiCl_3$	13307-04-5	**	9.30 (V)	PE	3503
$C_9H_{13}OSiCl^+$	$ClC_6H_4Si(CH_3)_2OCH_3$ (Silane, (3-chlorophenyl)methoxydimethyl-)	62244-45-5	**	9.20	EI	5421
	$ClC_6H_4Si(CH_3)_2OCH_3$ (Silane, (4-chlorophenyl)methoxydimethyl-)	62244-44-4	**	9.20	EI	5421
$C_6H_{15}O_3SiCl^+$	$(C_2H_5O)_3SiCl$	4667-99-6	**	10.52 (V)	PE	3503
$C_7H_{10}O_2SiCl_2^+$	$(C_2H_5O)_2SiCl_2$	4667-38-3	**	10.78 (V)	PE	3503
$C_2H_3OSiCl_3^+$	$(C_2H_5O)SiCl_3$	1825-82-7	**	11.30 (V)	PE	3503



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{F}_3\text{SiCl}^+$	$\text{SiF}_3\text{Cl}$	14049-36-6	**	$13.44 \pm 0.02$ (V)	PE	4026
$\text{C}_7\text{H}_7\text{FSiCl}^+$	$\text{ClC}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane,(3-chlorophenyl)fluorodimethyl-)	62244-52-4	$\text{CH}_3$	11.13	EI	5366
	$\text{ClC}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane,(4-chlorophenyl)fluorodimethyl-)	62244-51-3	$\text{CH}_3$	11.00	EI	5366
$\text{C}_8\text{H}_{10}\text{FSiCl}^+$	$\text{ClC}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane,(3-chlorophenyl)fluorodimethyl-)	62244-52-4	**	9.09	EI	5421
	$\text{ClC}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$ (Silane,(4-chlorophenyl)fluorodimethyl-)	62244-51-3	**	9.15	EI	5421
$\text{PCl}^+$	$\text{PCl}_1$	7719-12-2		$16.0 \pm 0.2$	EI	3556
$\text{PCl}_2^+$	$\text{PCl}_1$	7719-12-2	Cl	$11.9 \pm 0.1$	EI	3556
	$\text{PCl}_2\text{Br}$	13536-48-6	Br	$11.3 \pm 0.1$	EI	3556
$\text{PCl}_3^+$	$\text{PCl}_1$	7719-12-2	**	10.5 (V)	PE	5190
			**	10.51 (V)	PE	4023
			**	$10.52 \pm 0.03$ (V)	PE	3669
			**	10.52 (V)	PE	4146
			**	10.54 (V)	PE	5539
			**	$10.5 \pm 0.1$	EI	3556
$\text{PCl}_5^+$	$\text{PCl}_5$	10026-13-8	**	10.7 (V)	PE	5190
			**	10.88 (V)	PE	3669
$\text{CPCl}_5^+$	$\text{CCl}_3\text{PCl}_2$	3582-11-4	**	10.25 (V)	PE	4474
$\text{C}_2\text{H}_6\text{PCl}^+$	$(\text{CH}_3)_2\text{PCl}$	811-62-1	**	9.20 (V)	PE	4474
$\text{C}_6\text{H}_{18}\text{PCl}^+$	$(\text{tert-C}_4\text{H}_9)_2\text{PCl}$	13716-10-4	**	8.45 (V)	PE	4474
$\text{C}_{18}\text{H}_{26}\text{PCl}^+$	$\text{ClC}_6\text{H}_4\text{P}(\text{C}_6\text{H}_{11})_2$ (Phosphine, (4-chlorophenyl)dicyclohexyl-)	40438-62-8	**	8.14 (V)	PE	5417
$\text{C}_{15}\text{H}_{31}\text{PCl}^+$	$\text{C}_{15}\text{H}_{31}\text{PCl}$ (Cyclopenta-1,3-diene,1,4-diphenyl-5-triphenylphosphinylium- 2,3-(naphtha-1,8-diyl),chloride)	XXXXXX-XX-X	**	6.82	CTS	5593
$\text{CH}_3\text{PCl}_2^+$	$\text{CH}_3\text{PCl}_2$	676-83-5	**	9.85 (V)	PE	4474
$\text{C}_2\text{H}_5\text{PCl}_2^+$	$\text{C}_2\text{H}_5\text{PCl}_2$	1498-40-4	**	$9.70 \pm 0.05$ (V)	PE	5033
$\text{C}_1\text{H}_9\text{PCl}_2^+$	$\text{tert-C}_4\text{H}_9\text{PCl}_2$	25979-07-1	**	9.30 (V)	PE	4474

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5PCl_2^+$	$C_6H_5PCl_2$ (Phosphonous dichloride, phenyl-)	644-97-3	**	9.7 (V)	PE	5190
			**	9.10±0.01	PE	4154
$C_{23}H_{17}PCl_2^+$	$C_5H_3P(C_6H_5)_3Cl_2$ (Phosphorin, 1,1-dichloro-1,1-dihydro-2,4,6-triphenyl-)	40425-71-6	**	7.05 (V)	PE	5271
$CH_2PCl_3^+$	$(CH_2Cl)PCl_2$	2155-78-4	**	9.58	PE	5627
$C_2H_4PCl_3^+$	$(CH_2Cl)_2PCl$	22402-95-5	**	9.38	PE	5627
$C_{18}H_{12}PCl_3^+$	$(ClC_6H_4)_3P$ (Phosphine, tris(4-chlorophenyl)-)	1159-54-2	**	8.18 (V)	PE	5438
$N_3P_3Cl_6^+$	$N_3P_3Cl_6$	940-71-6	**	10.43	PE	5295
$C_4H_{12}N_2PCl^+$	$((CH_3)_2N)_2PCl$	3348-44-5	**	8.25 (V)	PE	4474
$C_2H_6NPCl_2^+$	$(CH_3)_2NPCl_2$	683-85-2	**	9.45 (V)	PE	4261
			**	9.50 (V)	PE	4474
$OPCl^+$	$POCl$	21295-50-1	**	11.85 (V)	PE	4023
			**	12.35 (V)	PE	4023
			**	12.93 (V)	PE	4023
			**	12.98 (V)	PE	4023
			**	13.48 (V)	PE	4023
			**	13.85 (V)	PE	4023
			**	15.37 (V)	PE	4023
			**	16.53 (V)	PE	4023
$OPCl_3^+$	$POCl_3$	10025-87-3	**	11.36±0.02	PE	3835
			**	11.49 (V)	PE	5624
			**	11.58±0.05	PE	3641
			**	11.89±0.03 (V)	PE	3669
			**	12.0 (V)	PE	5190
	$POCl_3$	63736-95-8	**	11.89±0.02 (V)	PE	4730
$C_2H_6OPCl^+$	$(CH_3)_2P(O)Cl$	1111-92-8	**	10.77 (V)	PE	5523
$C_4H_8OPCl^+$	$POCl(C_2H_5)(CH=CH_2)$	61752-99-6	**	10.62 (V)	PE	5021
$C_4H_{10}O_3PCl^+$	$OPCl(OC_2H_5)_2$	814-49-3	**	10.29	PE	5627
$C_6H_{14}O_3PCl^+$	$OPCl(OC_3H_7)_2$	2510-89-6	**	10.89	PE	5627
$CH_3OPCl_2^+$	$CH_3OPCl_2$	676-97-1	**	10.92	PE	5627
			**	11.4 (V)	PE	5190

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CH<sub>3</sub>OPCl<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> OPCl <sub>2</sub>	676-97-1	**	11.43 (V)	PE	5523
			**	11.45 (V)	PE	5021
			**	11.49 (V)	PE	5328
<b>C<sub>2</sub>H<sub>3</sub>OPCl<sub>2</sub><sup>+</sup></b>	POCl <sub>2</sub> (CH=CH <sub>2</sub> )	1438-74-0	**	10.81	PE	5032
			**	11.24 (V)	PE	5021
			**	11.24 (V)	PE	5328
<b>C<sub>3</sub>H<sub>5</sub>OPCl<sub>2</sub><sup>+</sup></b>	POCl <sub>2</sub> (CH <sub>2</sub> CH=CH <sub>2</sub> )	1498-47-1	**	10.54 (V)	PE	5021
	POCl <sub>2</sub> (C(CH <sub>3</sub> )=CH <sub>2</sub> )	3944-27-2	**	10.86 (V)	PE	5021
<b>C<sub>6</sub>H<sub>5</sub>OPCl<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (POCl <sub>2</sub> ) (Phosphonic dichloride, phenyl-)	824-72-6	**	9.95 (V)	PE	5021
<b>CH<sub>3</sub>O<sub>2</sub>PCl<sub>2</sub><sup>+</sup></b>	PCl <sub>2</sub> O(OCH <sub>3</sub> )	677-24-7	**	11.50 (V)	PE	4699
<b>C<sub>2</sub>H<sub>5</sub>O<sub>2</sub>PCl<sub>2</sub><sup>+</sup></b>	PCl <sub>2</sub> O(OC <sub>2</sub> H <sub>5</sub> )	1498-51-7	**	11.42 (V)	PE	4699
			**	11.46 (V)	PE	5624
<b>C<sub>4</sub>H<sub>9</sub>O<sub>2</sub>PCl<sub>2</sub><sup>+</sup></b>	(CH <sub>2</sub> Cl) <sub>2</sub> (OC <sub>2</sub> H <sub>5</sub> )PO	13274-84-5	**	10.19	PE	5627
<b>C<sub>6</sub>H<sub>5</sub>O<sub>2</sub>PCl<sub>2</sub><sup>+</sup></b>	OPCl <sub>2</sub> OC <sub>6</sub> H <sub>5</sub>	770-12-7	**	9.1	PE	5627
			(Phosphorodichloridic acid, phenyl ester)			
<b>C<sub>4</sub>H<sub>7</sub>O<sub>4</sub>PCl<sub>2</sub><sup>+</sup></b>	(CH <sub>3</sub> O) <sub>2</sub> P(=O)OCHCCl <sub>2</sub>	62-73-7	**	9.4 (V)	PE	5190
<b>C<sub>2</sub>H<sub>4</sub>OPCl<sub>3</sub><sup>+</sup></b>	(CH <sub>2</sub> Cl) <sub>2</sub> PClO	13482-64-9	**	10.46	PE	5627
<b>C<sub>8</sub>H<sub>14</sub>O<sub>5</sub>PCl<sub>3</sub><sup>+</sup></b>	(CH <sub>3</sub> O) <sub>2</sub> P(=O)CH(CCl <sub>3</sub> )OCOC <sub>4</sub> H <sub>7</sub>	XXXXX-XX-X	**	10.3 (V)	PE	5190
<b>C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>OPCl<sup>+</sup></b>	OPCl(N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub>	1605-65-8	**	8.61	PE	5627
<b>C<sub>2</sub>H<sub>6</sub>NOPCl<sub>2</sub><sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NPCl <sub>2</sub> O	677-43-0	**	9.31 (V)	PE	5624
<b>C<sub>3</sub>H<sub>6</sub>N<sub>2</sub>OPCl<sub>3</sub><sup>+</sup></b>	CN <sub>2</sub> P(=O)Cl <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub>	3576-20-3	**	9.20±0.1	EI	5462
	(1,3,2-Diazaphosphetidin-4-one, 2,2,2-trichloro-2,2-dihydro-1,3-dimethyl-)					
<b>F<sub>2</sub>PCl<sup>+</sup></b>	PF <sub>2</sub> Cl	14335-40-1	**	12.8±0.1 (V)	PE	3662
<b>C<sub>2</sub>F<sub>6</sub>PCl<sup>+</sup></b>	(CF <sub>3</sub> ) <sub>2</sub> PCl	650-52-2	**	11.13 (V)	PE	4371
			**	11.13 (V)	PE	4261
<b>CF<sub>3</sub>PCl<sub>2</sub><sup>+</sup></b>	CF <sub>3</sub> PCl <sub>2</sub>	421-58-9	**	10.70 (V)	PE	4371
			**	10.70 (V)	PE	4261

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CF}_2\text{PCI}_3^+$	$\text{CCl}_3\text{PF}_2$	1112-03-4	**	10.65 (V)	PE	4474
$\text{C}_3\text{H}_6\text{NF}_3\text{PCI}^+$	$(\text{CH}_3)_2\text{NP}(\text{Cl})\text{CF}_3$	3135-63-5	**	9.56 (V)	PE	4261
$\text{C}_2\text{H}_6\text{SiPCI}_3^+$	$\text{Cl}_3\text{SiP}(\text{CH}_3)_2$	XXXXXX-XX-X	**	$9.1 \pm 0.05$ (V)	PE	5419
$\text{SCI}^+$	$\text{SCl}_2$	10545-99-0	Cl	$12.2 \pm 0.1$	EI	4287
$\text{S}_2\text{Cl}^+$	$\text{S}_2\text{Cl}_2$	10025-67-9	Cl	$12.2 \pm 0.2$	EI	4287
$\text{SCI}_2^+$ ( $^2\text{B}_2$ )	$\text{SCl}_2$	10545-99-0	**	9.49	PE	4188
( $^2\text{B}_1$ )			**	9.67 (V)	PE	4150
( $^2\text{A}_1, ^2\text{B}_2$ )			**	12.19 (V)	PE	4150
( $^2\text{A}_2$ )			**	12.45 (V)	PE	4150
			**	$9.7 \pm 0.1$	EI	4287
$\text{S}_2\text{Cl}_2^+$	$\text{S}_2\text{Cl}_2$	10025-67-9	**	9.4	PE	4188
			**	$11.3 \pm 0.2$	EI	4287
$\text{BSCl}^+$ ( $^2\Pi_{3/2}$ )	$\text{ClB}=\text{S}$	55753-38-3	**	$10.51 \pm 0.1$	PE	4857
$\text{CSCI}_2^+$	$\text{CCl}_2\text{S}$	463-71-8	**	$9.61 \pm 0.02$	PE	3667
			**	9.68	PE	4080
			**	9.80 (V)	PE	3746
$\text{C}_2\text{S}_2\text{Cl}_4^+$	$\text{C}_2\text{S}_2\text{Cl}_4$ (1,3-Dithietane, 2,2,4,4-tetrachloro)	20464-23-7	**	9.69 (V)	PE	5572
$\text{C}_2\text{H}_5\text{SCI}^+$	$\text{CH}_3\text{SCH}_2\text{Cl}$	2373-51-5	**	7.74 (V)	PE	5526
$\text{C}_4\text{H}_3\text{SCI}^+$	$\text{C}_4\text{H}_3\text{SCl}$ (Thiophene, 2-chloro-)	96-43-5	**	$8.89 \pm 0.05$ (V)	PE	4626
			**	$9.06 \pm 0.05$	EI	3482
			**	8.83	CTS	3787
$\text{C}_5\text{H}_5\text{SCI}^+$	$\text{C}_4\text{H}_3\text{SCH}_2\text{Cl}$ (Thiophene, 2-(chloromethyl)-)	765-50-4	**	$8.89 \pm 0.05$ (V)	PE	4626
$\text{C}_{12}\text{H}_9\text{SCI}^+$	$\text{C}_6\text{H}_4(\text{Cl})\text{SC}_6\text{H}_5$ (Benzene, 1-chloro-3-(phenylthio)-)	38700-88-8	**	8.16	CTS	4272
	$\text{C}_6\text{H}_3(\text{Cl})\text{SC}_6\text{H}_5$ (Benzene, 1-chloro-4-(phenylthio)-)	13343-26-5	**	8.07	CTS	4272
$\text{C}_9\text{H}_5\text{S}_3\text{Cl}^+$	$(\text{C}_3\text{HS}_2)=\text{S}(\text{C}_6\text{H}_4\text{Cl})$		**	8.15 (V)	PE	4403
(3/2)g	$\text{Ar}_2$	5761-16-0	**	$15.675 \pm 0.02$ (V)	PE	4885

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_8SCl_2^+$	$CCl_2=CHS(iso-C_3H_7)$	19284-67-4	**	$8.14 \pm 0.01$	PI	5531
$C_{12}H_8SCl_2^+$	$C_6H_4(Cl)SC_6H_4Cl$ (Benzene, 1,1'-thiobis[4-chloro-])	5181-10-2	**	8.13	CTS	4272
$BC_{12}H_{18}SCl^+$	$C_6H_4(Cl)SB(n-C_3H_7)_2$	64541-68-0	**	$8.87 \pm 0.05$ (V)	PE	4848
	$C_6H_4(Cl)SB(n-C_3H_7)_2$ (Borinic acid, dipropylthio-3-chlorophenyl ester)	64503-48-6	**	$8.73 \pm 0.05$ (V)	PE	4848
$NSCl^+$	NSCl	17178-58-4	**	$10.61 \pm 0.01$	PE	4604
$(^2A')$			**	10.96 (V)	PE	3660
			**	$11.38 \pm 0.02$	PE	4604
$(^2A', ^2A'')$			**	11.80 (V)	PE	3660
$(^2A')$			**	$13.73 \pm 0.02$	PE	4604
$(^2A')$			**	13.77 (V)	PE	3660
$(^2A')$			**	$14.28 \pm 0.02$	PE	4604
$(^2A')$			**	14.46 (V)	PE	3660
$(^2A')$			**	$16.5 \pm 0.01$	PE	4604
$C_8H_6NSCl^+$	$C_7H_5NS(Cl)CH_3$ (Benzothiazole, 6-chloro-2-methyl-)	4146-24-1	**	8.50 (V)	PE	4437
$C_8H_8NSCl^+$	$C_6H_4ClNHCSCH_3$ (Ethanethioamide, N-(2-chlorophenyl)-)	39184-83-3	**	8.10	EI	4834
$C_{12}H_{16}NSCl^+$	$C_6H_4ClNHCSCH_2C(CH_3)_3$ (Butanethioamide, N-(2-chlorophenyl)-3,3-dimethyl-)	62635-54-5	**	$8.00 \pm 0.05$	EI	4834
$C_7H_7N_2SCl^+$	$C_6H_4ClNHCSNH_2$ (Thiourea, (2-chlorophenyl)-)	5344-82-1	**	8.05	EI	4834
$C_8H_9N_2SCl^+$	$C_6H_4ClNHCSNHCH_3$ (Thiourea, N-(2-chlorophenyl)-N'-methyl-)	30954-73-5	**	$7.85 \pm 0.05$	EI	4834
$C_9H_{11}N_2SCl^+$	$C_6H_4ClNHCSNHC_2H_5$ (Thiourea, N-(2-chlorophenyl)-N'-ethyl-)	19384-08-8	**	$7.85 \pm 0.05$	EI	4834
$C_{10}H_{13}N_2SCl^+$	$C_6H_4ClNHCSNHCH(CH_3)_2$ (Thiourea, N-(2-chlorophenyl)-N'-(1-methylethyl)-)	62635-49-8	**	$7.80 \pm 0.05$	EI	4834
$C_{11}H_{15}N_2SCl^+$	$C_6H_4ClNHCSNHC(CH_3)_3$ (Thiourea, N-(2-chlorophenyl)-N'-(1,1-dimethylethyl)-)	62635-50-1	**	$7.75 \pm 0.05$	EI	4834
$C_{17}H_{19}N_2SCl^+$	$C_{17}H_{19}N_2SCl$ (10H-Phenothiazine-10-propanamine, 2-chloro-N,N-dimethyl-)	50-53-3	**	$7.16 \pm 0.08$ (V)	PE	4667
	$C_{17}H_{19}N_2SCl$ (10H-Phenothiazine-10-propanamine, 2-chloro-N,N-dimethyl-)	50-53-3	**	$8.25 \pm 0.07$	CTS	4079



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_2N_3SCl^+$	$C_5H_2N_3SCl$ ([1,2,3]Thiadiazolo[5,4- <i>b</i> ]pyridine, 5-chloro-)	54459-89-1	**	$9.57 \pm 0.05$	EI	4316
$C_{20}H_{21}N_3SCl^+$	$C_{12}H_7NS(Cl)(CH_2)_3C_6H_8N_2CH_3$ (10 <i>H</i> -Phenothiazine, 2-chloro-10-[3-(4-methyl-1-piperazinyl)propyl]-)	58-38-8	**	$7.03 \pm 0.07$	CTS	4079
$O_2SCl^+$	$SO_2Cl_2$	7791-25-5	**	$11.8 \pm 0.5$	EI	4921
$OSCl_2^+$	$Cl_2SO$	7719-09-7	**	11.07 (V)	PE	4295
			**	11.12 (V)	PE	3705
			**	11.13 (V)	PE	3646
			**	11.3 (V)	PE	3694
			**	11.3 (V)	PE	3879
$O_2SCl_2^+$	$SO_2Cl_2$	7791-25-5	**	12.05	PE	3879
			**	12.4 (V)	PE	3694
			**	12.41 (V)	PE	4827
			**	12.41 (V)	PE	5207
			**	12.42 (V)	PE	3705
			**	$11.4 \pm 0.5$	EI	4921
$OSCl_3^+$	$SOCl_3$	XXXXXX-XX-X	**	$9.63 \pm 0.02$	PE	3835
$C_{13}H_{11}OSCl^+$	$C_6H_4(OCH_3)SC_6H_4Cl$ (Benzene, 1-chloro-4-[(4-methoxyphenyl)thio]-)	20912-69-0	**	7.91	CTS	4272
$CH_3O_2SCl^+$	$(CH_3)SO_2(Cl)$	124-63-0	**	11.6 (V)	PE	4827
			**	11.6 (V)	PE	5207
			**	11.74 (V)	PE	3705
$C_{17}H_{17}N_2OSCl^+$	$C_{12}H_7NS(Cl)COCH_2CH_2N(CH_3)_2$ (10 <i>H</i> -Phenothiazine, 2-chloro-10-[3-(dimethylamino)-1-oxopropyl]-)	3576-45-2	**	$8.24 \pm 0.07$	CTS	4079
$C_{19}H_{21}N_2OSCl^+$	$C_{12}H_7NS(Cl)COCH_2CH_2N(C_2H_5)_2$ (10 <i>H</i> -Phenothiazine, 2-chloro-10-[3-(diethylamino)-1-oxopropyl]-)	800-22-6	**	$7.87 \pm 0.07$	CTS	4079
$C_{21}H_{26}N_3OSCl^+$	$C_{21}H_{26}N_3OSCl$ (1-Piperazineethanol, 4-[3-(2-chloro-10 <i>H</i> -phenothiazin-10-yl)propyl]-)	58-39-9	**	$8.63 \pm 0.07$	CTS	4079
$F_5SCl^+$	$SF_5Cl$	13780-57-9	**	$12.335 \pm 0.005$	PE	3655
$CFSCl^+$	$FCICS$	1495-18-7	**	10.20 (V)	PE	3746
$C_2F_3S_2Cl^+$	$S=C(Cl)SCF_3$	1540-66-5	**	9.57 (V)	PE	4345
$O_2SFCl^+$	$SO_2FCl$	13637-84-8	**	12.61 (V)	PE	3705
			**	$12.3 \pm 0.5$	EI	4921

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>11</sub>SiSCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> SSi(CH <sub>3</sub> ) <sub>2</sub> Cl (Silane, chlorodimethyl(phenylthio)-)	52548-11-5	**	8.76±0.1	EI	4198
<b>C<sub>6</sub>H<sub>5</sub>SiSCl<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> SSiCl <sub>3</sub> (Silane, trichloro(phenylthio)-)	7579-91-1	**	9.03±0.1	EI	4198
<b>PSCl<sub>3</sub><sup>+</sup></b>	PSCl <sub>3</sub>	3982-91-0	**	9.71±0.003	PE	4086
			**	9.71±0.03	PE	4279
			**	10.11 (V)	PE	4023
			**	10.13±0.03 (V)	PE	3669
			**	10.15 (V)	PE	5514
			**	10.15 (V)	PE	5627
<b>C<sub>2</sub>H<sub>6</sub>PSCl<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> P(S)Cl	993-12-4	**	9.12 (V)	PE	5523
<b>CH<sub>3</sub>PSCl<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> P(S)Cl <sub>2</sub>	676-98-2	**	9.73 (V)	PE	5523
<b>C<sub>6</sub>H<sub>5</sub>PSCl<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> P(Cl) <sub>2</sub> S (Phosphonothioic dichloride, phenyl-)	3497-00-5	**	9.02±0.03	PE	4279
			**	9.02	PE	5514
			**	9.47 (V)	PE	5627
<b>C<sub>2</sub>H<sub>4</sub>PSCl<sub>3</sub><sup>+</sup></b>	(CH <sub>2</sub> Cl) <sub>2</sub> PSCl	20459-66-9	**	9.16	PE	5627
<b>C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>PSCl<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>2</sub> ClPS	3732-81-8	**	8.23±0.003	PE	4086
			**	8.23±0.02	PE	4279
			**	8.75 (V)	PE	5627
<b>C<sub>2</sub>H<sub>6</sub>NPSCl<sub>2</sub><sup>+</sup></b>	PSCl <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub>	1498-65-3	**	8.97±0.003	PE	4086
			**	8.97±0.04	PE	4279
			**	9.35 (V)	PE	5627
<b>C<sub>4</sub>H<sub>10</sub>O<sub>2</sub>PSCl<sup>+</sup></b>	(C <sub>2</sub> H <sub>5</sub> O) <sub>2</sub> ClPS	2524-04-1	**	8.83±0.02	PE	4279
			**	9.41 (V)	PE	5514
			**	9.41 (V)	PE	5627
<b>CH<sub>3</sub>OPSCl<sub>2</sub><sup>+</sup></b>	PCl <sub>2</sub> S(OCH <sub>3</sub> )	2523-94-6	**	9.85 (V)	PE	4699
	Cl <sub>2</sub> P(O)SCH <sub>3</sub>	18281-76-0	**	10.20 (V)	PE	5328
<b>C<sub>2</sub>H<sub>5</sub>OPSCl<sub>2</sub><sup>+</sup></b>	SPCl <sub>2</sub> (OC <sub>2</sub> H <sub>5</sub> )	1498-64-2	**	9.81 (V)	PE	5627
			**	9.32±0.03	PE	4279
			**	9.81 (V)	PE	5514
<b>Ar<sup>+</sup></b>	Ar	7440-37-1	**	15.75973±0.00001 S		3923
	(²P <sub>3/2</sub> )		**	15.753±0.002	PE	3525
	(²P <sub>3/2</sub> )		**	15.930±0.002	PE	3525
	(²P <sub>1/2</sub> )		**	15.713±0.003	PEN	3541
	(²P <sub>3/2</sub> )		**	15.7	EI	5022

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Ar}^{+2}$	Ar	7440-37-1	**	~43	EI	3445
			**	$43.5 \pm 0.2$	EI	4503
			**	$43.7 \pm 0.5$	EI	3625
	$\text{Ar}^+$	XXXXX-XX-X	**	~17	EI	5022
$\text{Ar}_2^+$	$\text{Ar}_2$	12595-59-4	**	14.44	PI	5195
			**	$14.54 \pm 0.02$	PI	4923
			**	$15.55 \pm 0.025$ (V)	PE	4885
			**	$15.675 \pm 0.02$ (V)	PE	4885
			**	$15.87 \pm 0.015$ (V)	PE	4885
			**	$15.99 \pm 0.03$ (V)	PE	4885
			**	$15.2 \pm 0.2$	EI	5350
			**	$15.675 \pm 0.02$ (V)	PE	4885
$\text{K}^+$	K	7440-09-7	**	4.34	PE	4642
			**	$4.1 \pm 0.3$	EI	4873
			**	4.4	EI	4912
	$(^3\text{P}_{3/2})$ $(^3\text{P}_{1/2})$	7681-11-0	I <sup>-</sup>	$25.14 \pm 0.04$ (V)	PE	5035
				$25.50 \pm 0.04$ (s)	PE	5035
	KF	7789-23-3	F	$9.54 \pm 0.20$	EI	4663
	$(^3\text{P}_{3/2})$ $(^3\text{P}_{1/2})$	25681-80-5	K	4.85	PI	4914
			Cl <sup>-</sup>	$24.98 \pm 0.04$ (V)	PE	5035
	$(^3\text{P}_{3/2})$ $(^3\text{P}_{1/2})$	7447-40-7		$25.22 \pm 0.04$ (s)	PE	5035
				$25.04 \pm 0.04$ (V)	PE	5035
	KBr	7758-02-3	Br <sup>-</sup>	$25.36 \pm 0.04$ (s)	PE	5035
	KBO <sub>2</sub>	XXXXX-XX-X	BO <sub>2</sub>	$9.47 \pm 0.20$	EI	4663
	NaK	12056-29-0	Na	4.96	PI	4914
$\text{K}_2^+$	$(^3\Sigma_g^+)$	25681-80-5	**	$4.059 \pm 0.001$	PI	4914
			**	$4.06073 \pm 0.00016$	PI	1395
			**	3.9	EI	4912
$\text{K}_3^+$	$\text{K}_3$	37279-39-3	**	$3.3 \pm 0.1$	PI	4914
$\text{K}_4^+$	$\text{K}_4$	39297-76-2	**	$3.6 \pm 0.1$	PI	4914
$\text{K}_5^+$	$\text{K}_5$	39297-77-3	**	$3.3 \pm 0.1$	PI	4914
$\text{K}_7^+$	$\text{K}_7$	39297-79-5	**	$3.3 \pm 0.1$	PI	4914
$\text{K}_8^+$	$\text{K}_8$	39297-80-8	**	$3.4 \pm 0.1$	PI	4914

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>LiK<sup>+</sup></b>	KLi	12030-83-0	**	4.69±0.10	EI	4912
<b>CNK<sup>+</sup></b>	KCN	151-50-8	**	9.3±0.3	EI	4875
<b>CNK<sub>2</sub><sup>+</sup></b>	(KCN) <sub>2</sub>	XXXXXX-XX-X		10.3±0.3	EI	4875
<b>C<sub>2</sub>N<sub>2</sub>K<sub>3</sub><sup>+</sup></b>	(KCN) <sub>3</sub>	XXXXXX-XX-X		10. ±1	EI	4875
<b>OK<sup>+</sup></b>	KO	12401-70-6	**	7.1±0.2	EI	4745
			**	8.±1	EI	4745
<b>OK<sub>2</sub><sup>+</sup></b>	K <sub>2</sub> O	12136-45-7	**	7.5±0.1	EI	4745
			**	7.5±0.2	EI	4745
			**	10.7±0.3	EI	4873
<b>BO<sub>2</sub>K<sup>+</sup></b>	KBO <sub>2</sub>	XXXXXX-XX-X	**	8.62±0.14	EI	4663
<b>BO<sub>2</sub>K<sub>2</sub><sup>+</sup></b>	(KBO <sub>2</sub> ) <sub>2</sub>	XXXXXX-XX-X	BO <sub>2</sub>	9.97±0.18	EI	4663
	K <sub>2</sub> BO <sub>2</sub> F	XXXXXX-XX-X	F <sup>-</sup>	5.91±0.10	EI	4663
	K <sub>2</sub> BO <sub>2</sub> F	XXXXXX-XX-X	F	9.97±0.18	EI	4663
<b>CO<sub>3</sub>K<sub>2</sub><sup>+</sup></b>	K <sub>2</sub> CO <sub>3</sub>	XXXXXX-XX-X	**	7.4±0.3	EI	4873
<b>NO<sub>3</sub>K<sup>+</sup></b>	KNO <sub>3</sub>	XXXXXX-XX-X	**	8.96±0.03 (V)	PE	5354
<b>FK<sub>2</sub><sup>+</sup></b>	K <sub>2</sub> F <sub>2</sub>	12285-62-0	F <sup>-</sup>	5.48±0.12	EI	4663
			F	9.44±0.15	EI	4663
	K <sub>2</sub> BO <sub>2</sub> F	XXXXXX-XX-X	BO <sub>2</sub> <sup>-</sup>	5.48±0.12	EI	4663
	K <sub>2</sub> BO <sub>2</sub> F	XXXXXX-XX-X	BO <sub>2</sub>	9.44±0.15	EI	4663
<b>NaK<sup>+</sup></b>	NaK	12056-29-0	**	4.52±0.05	PI	4914
			**	4.57±0.20	EI	4912
<b>NaK<sub>2</sub><sup>+</sup></b>	NaK <sub>2</sub>	12532-69-3	**	3.6±0.1	PI	4914
<b>Na<sub>2</sub>K<sup>+</sup></b>	Na <sub>2</sub> K	12286-02-1	**	3.7±0.1	PI	4914
<b>Na<sub>2</sub>K<sub>2</sub><sup>+</sup></b>	Na <sub>2</sub> K <sub>2</sub>	66459-14-1	**	4.0±0.1	PI	4914
<b>Na<sub>3</sub>K<sup>+</sup></b>	Na <sub>3</sub> K	66419-70-3	**	4.1±0.05	PI	4914
<b>Na<sub>4</sub>K<sup>+</sup></b>	Na <sub>4</sub> K	66419-71-4	**	4.0±0.1	PI	4914

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Na}_5\text{K}^+$	$\text{Na}_5\text{K}$	66419-72-5	**	$4.1 \pm 0.1$	PI	4914
$\text{F}_4\text{AlK}^+$	$\text{KAlF}_4$	14484-69-6	**	$13.02 \pm 0.05$ (V)	PE	5238
$\text{O}_3\text{PK}^+$	$\text{KPO}_3$	XXXXX-XX-X	**	$9.44 \pm 0.03$ (V)	PE	4840
$\text{ClK}^+$	KCl	7447-40-7	**	$8.44 \pm 0.1$	PE	4344
$(^2\text{P}_{3/2})$			**	$8.44 \pm 0.1$	PE	5035
$(^2\text{P}_{3/2})$			**	8.7 (V)	PE	4307
$\text{Cl}_2\text{K}_2^+$	$(\text{KCl})_2$	12258-97-8	**	9.60 (V)	PE	4344
			**	9.60 (V)	PE	5035
$\text{AlCl}_4\text{K}^+$	$\text{KAlCl}_4$	13821-13-1	**	$10.96 \pm 0.05$ (V)	PE	5238
$\text{Ca}^+$	Ca	7440-70-2	**	$6.11321 \pm 0.00002$ S		4583
			**	6.0	PE	4860
			**	$6.0 \pm 0.3$	EI	5067
			**	$6.06 \pm 0.05$	EI	4114
			**	$6.08 \pm 0.06$	EI	5342
			**	$\sim 6.1$	EI	3486
$\text{Ca}^{+2}$	Ca	7440-70-2	**	18	EI	3486
$\text{HCa}^+$	CaH	14452-75-6	**	$5.86 \pm 0.09$	S	4216
$\text{OCa}^+$	CaO	1305-78-8	**	$6.5 \pm 1$	EI	4881
$\text{Cl}_2\text{Ca}^+$	$\text{CaCl}_2$	10043-52-4	**	10.2 (V)	PE	4761
$\text{Sc}^+$	Sc	7440-20-2	**	$6.7 \pm 0.5$	EI	5349
$\text{C}_2\text{Sc}^+$	$\text{ScC}_2$	XXXXX-XX-X	**	$7.6 \pm 0.5$	EI	5349
	$\text{ScC}_2$	12175-91-6	**	$7.7 \pm 0.2$	EI	3470
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Sc}^+$	$(\text{CF}_3\text{COCHCOCF}_3)_3\text{Sc}$	18990-42-6	**	$10.13 \pm 0.07$ (V)	PE	3682
	(Scandium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)					
$\text{Ti}^+$	Ti	7440-32-6	**	$6.6 \pm 0.5$	EI	3449
			**	6.7	EI	4872
			**	$6.78 \pm 0.02$	EI	5342
			**	$6.8 \pm 0.1$	EI	4114
			**	$7.3 \pm 0.6$	EI	4206
			**	$7.3 \pm 0.6$	EI	5635
			**	$7.4 \pm 0.5$	EI	3594
				$14.5 \pm 0.7$	EI	3594
	TiO	12137-20-1	O	$14.51 \pm 0.36$	EI	4103



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>2</sub>Ti<sup>+</sup></b>	TiC <sub>2</sub>	12071-32-8	**	8.2±0.6	EI	4206
			**	8.2±0.6	EI	5635
			**	8.7±0.5	EI	4112
<b>C<sub>1</sub>Ti<sup>+</sup></b>	TiC <sub>1</sub>	12547-96-5	**	9.0±1.0	EI	4112
<b>C<sub>12</sub>H<sub>12</sub>Ti<sup>+</sup></b>	C <sub>7</sub> H <sub>7</sub> Ti(C <sub>5</sub> H <sub>5</sub> ) (Titanium, (η <sup>7</sup> -cycloheptatrienylium)(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	51203-49-7	**	6.83±0.05 (V)	PE	4132
			**	5.5-6.0 (V)	PE	4393
	(C <sub>6</sub> H <sub>6</sub> ) <sub>2</sub> Ti (Titanium, bis(η <sup>6</sup> -benzene)-)	52462-43-8				
<b>C<sub>13</sub>H<sub>13</sub>Ti<sup>+</sup></b>	C <sub>8</sub> H <sub>8</sub> Ti(C <sub>5</sub> H <sub>5</sub> ) (Titanium, (η <sup>8</sup> -1,3,5,7-cyclooctatetraene)(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	11065-40-0	**	5.67±0.05 (V)	PE	4132
<b>C<sub>14</sub>H<sub>16</sub>Ti<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> ) <sub>2</sub> Ti (Titanium, bis[(1,2,3,4,5,6-η)-methylbenzene]-)	55527-82-7	**	5.4-7.2 (V)	PE	4393
<b>C<sub>20</sub>H<sub>14</sub>Ti<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> CCH <sub>2</sub> ) <sub>4</sub> Ti	36945-13-8	**	8.33±0.1 (V)	PE	4242
<b>C<sub>13</sub>H<sub>33</sub>N<sub>3</sub>Ti<sup>+</sup></b>	(N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ) <sub>3</sub> (CH <sub>3</sub> )Ti	25483-56-1	**	7.6 (V)	PE	4734
<b>C<sub>8</sub>H<sub>24</sub>N<sub>4</sub>Ti<sup>+</sup></b>	(N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>4</sub> Ti	XXXXX-XX-X	**	7.13 (V)	PE	4588
<b>C<sub>16</sub>H<sub>40</sub>N<sub>4</sub>Ti<sup>+</sup></b>	(N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ) <sub>4</sub> Ti	XXXXX-XX-X	**	6.83 (V)	PE	4588
<b>OTi<sup>+</sup></b>	TiO	12137-20-1	**	6.4±0.1	EI	4114
			**	6.7±0.1	EI	5471
			**	6.7	EI	4872
			**	6.8±0.5	EI	3449
			**	6.8±0.5	EI	4678
			**	7.22±0.35	EI	4103
			**	7.3±0.5	EI	3594
<b>O<sub>2</sub>Ti<sup>+</sup></b>	TiO <sub>2</sub>	13463-67-7	**	8.5±0.5	EI	3594
			**	9.54±0.1	EI	5471
			**	10.2±0.2	EI	4114
			**	11.56±0.14	EI	4103
<b>C<sub>12</sub>H<sub>10</sub>O<sub>2</sub>Ti<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CO) <sub>2</sub> Ti (Titanium, dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	12129-51-0	**	6.35 (V)	PE	5217
<b>C<sub>10</sub>H<sub>24</sub>O<sub>3</sub>Ti<sup>+</sup></b>	(n-C <sub>3</sub> H <sub>7</sub> O) <sub>3</sub> (CH <sub>3</sub> )Ti	64516-16-1	**	9.4 (V)	PE	4734
<b>C<sub>10</sub>H<sub>24</sub>O<sub>4</sub>Ti<sup>+</sup></b>	(n-C <sub>3</sub> H <sub>7</sub> O) <sub>3</sub> (CH <sub>3</sub> O)Ti	64516-17-2	**	9.1 (V)	PE	4734
<b>N<sub>4</sub>O<sub>12</sub>Ti<sup>+</sup></b>	(NO <sub>2</sub> ) <sub>4</sub> Ti	12372-56-4	**	12.35±0.11 (V)	PE	4999

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{10}F_2Ti^+$	$(\eta-C_5H_5)_2TiF_2$ (Titanium, bis( $\eta^5$ -2,4-cyclopentadien-1-yl)difluoro-)	309-89-7	**	$8.1 \pm 0.1$ (V)	PE	4987
$C_{15}H_3O_6F_{18}Ti^+$	$(CF_3COCHOCOCF_3)_3Ti$ (Titanium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	22854-59-7	**	$7.94 \pm 0.07$ (V)	PE	3682
			**	7.98 (V)	PE	3681
$C_{16}H_{44}Si_4Ti^+$	$((CH_3)_3SiCH_2)_4Ti$	33948-28-6	**	$8.58 \pm 0.1$ (V)	PE	4242
$STi^+$	TiS	12039-07-5	**	$7.1 \pm 0.3$	EI	3449
$ClTi^+$	TiCl <sub>4</sub>	7550-45-0	**	11.70 (V)	PE	5148
			**	11.76 (V)	PE	4694
$C_{10}H_{10}Cl_2Ti^+$	$(\eta-C_5H_5)_2TiCl_2$ (Titanium dichlorobis( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	1271-19-8	**	$8.5 \pm 0.1$ (V)	PE	4987
		1271-19-8	**	$8.46 \pm 0.05$ (V)	PE	4375
	Titanium, dichlorobis ( $\eta^5$ -2,4-cyclopentadien-1-yl)-)					
$CH_3Cl_3Ti^+$	$Ti(CH_3)_3Cl_3$	2747-38-8	**	10.8 (V)	PE	4734
$V^+$	V	7440-62-2	**	$\sim 7.5$	EI	4202
			**	$7 \pm 1$	EI	3801
	VOF <sub>3</sub>	13709-31-4	3F + O	$31.26 \pm 0.19$	EI	4546
	VOCl <sub>3</sub>	7727-18-6	3Cl + O	$26.83 \pm 0.39$	EI	4546
$V^{+5}$	$V^{+4}$	22541-76-0	**	$65.2812 \pm 0.0006$	S	4264
$C_{10}H_{10}V^+$	$(C_5H_5)_2V$ (Vanadocene)	1277-47-0	**	6.78 (V)	PE	5507
			**	6.81 (V)	PE	5394
$C_{12}H_{12}V^+$	$C_7H_7V(C_5H_5)$ (Vanadium, ( $\eta^7$ -cycloheptatrienylium)( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12636-68-9	**	$6.42 \pm 0.05$ (V)	PE	4132
$C_{12}H_{14}V^+$	$(C_5H_4CH_3)_2V$ (Vanadocene, 1,1'-dimethyl-)	12146-93-9	**	6.60 (V)	PE	5507
$C_{18}H_{24}V^+$	$(C_6H_4(CH_3)_3)_2V$ (Vanadium, bis[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	1272-71-5	**	$5.61 \pm 0.05$ (V)	PE	4132
$C_{20}H_{30}V^+$	$(C_5(CH_3)_3)_2V$ (Vanadocene, decamethyl-)	XXXXX-XX-X	**	5.87 (V)	PE	5394
$NV^+$	VN	24646-85-3	**	$8 \pm 1$	EI	3801

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
(state)						
$\text{C}_6\text{H}_{24}\text{N}_1\text{V}^+$	$(\text{N}(\text{CH}_3)_2)_4\text{V}$	XXXXX-XX-X **		6.2 (V)	PE	4588
$\text{OV}^+$	VO	12035-98-2	**	$8 \pm 1$	EI	3620
	$\text{VOF}_3$	13709-31-4	3F	$24.41 \pm 0.10$	EI	4546
	$\text{VOCl}_3$	7727-18-6	3Cl	$19.77 \pm 0.09$	EI	4546
$\text{O}_2\text{V}^+$	$\text{VO}_2$	12036-21-4	**	$12.7 \pm 0.2$	EI	4131
			**	$10 \pm 2$	EI	3620
$\text{O}_8\text{V}_4^+$	$\text{V}_4\text{O}_8$	12503-87-6	**	$13 \pm 1$	EI	3620
$\text{O}_{10}\text{V}_4^+$	$\text{V}_4\text{O}_{10}$	12503-98-9	**	$11.8 \pm 0.3$	EI	4131
			**	$12 \pm 1$	EI	3620
$\text{N}_3\text{O}_{10}\text{V}^+$	$(\text{NO}_3)_3\text{VO}$	16017-37-1	**	$12.33 \pm 0.04$ (V)	PE	4999
$\text{FV}^+$	$\text{VOF}_3$	13709-31-4	2F+O	$25.75 \pm 0.26$	EI	4546
$\text{F}_2\text{V}^+$	$\text{VOF}_3$	13709-31-4	F+O	$20.83 \pm 0.19$	EI	4546
$\text{F}_3\text{V}^+$	$\text{VOF}_3$	13709-31-4	O	$16.76 \pm 0.05$	EI	4546
$\text{OFV}^+$	$\text{VOF}_3$	13709-31-4	2F	$19.92 \pm 0.06$	EI	4546
$\text{OF}_2\text{V}^+$	$\text{VOF}_3$	13709-31-4	F	$15.31 \pm 0.06$	EI	4546
$\text{OF}_3\text{V}^+$	$\text{VOF}_3$	13709-31-4	**	$13.88 \pm 0.05$	EI	4546
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{V}^+$	$(\text{CF}_3\text{COCHCOCF}_3)_3\text{V}$	15695-77-9	**	$8.68 \pm 0.07$ (V)	PE	3682
	(Vanadium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)		**	8.68 (V)	PE	3681
$\text{SV}^+$	VS	12166-27-7	**	$\sim 9$	EI	4202
$\text{ClV}^+$	$\text{VOCl}_3$	7727-18-6	2Cl+O	$22.16 \pm 0.07$	EI	4546
$\text{Cl}_2\text{V}^+$	$\text{VOCl}_3$	7727-18-6	Cl+O	$18.98 \pm 0.20$	EI	4546
$\text{Cl}_3\text{V}^+$	$\text{VOCl}_3$	7727-18-6	O	$16.48 \pm 0.28$	EI	4546
$\text{OCIV}^+$	$\text{VOCl}_3$	7727-18-6	$\text{Cl}_2$	$14.05 \pm 0.06$	EI	4546
			2Cl	$16.31 \pm 0.05$	EI	4546

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>OCl<sub>2</sub>V<sup>+</sup></b>	VOCl <sub>3</sub>	7727-18-6	Cl	13.25±0.05	EI	4546
<b>OCl<sub>3</sub>V<sup>+</sup></b>	VOCl <sub>3</sub>	7727-18-6	** **	11.84 (V) 11.90±0.05	PE EI	5148 4546
<b>Cr<sup>+</sup></b> ( <sup>6</sup> S) ( <sup>6</sup> D)	Cr	7440-47-3	** ** **	6.76 8.29 6.76 (V)	PE PE OTH	4858 4858 5286
	(CO) <sub>6</sub> Cr	13007-92-6	6CO	15.36±0.03	EI	5291
	(C <sub>6</sub> H <sub>5</sub> (CO) <sub>3</sub> )Cr	12082-08-5	C <sub>6</sub> H <sub>5</sub> +3CO	12.2±0.2	EI	3786
	(Chromium, (η <sup>6</sup> -benzene)tricarbonyl-)					
	(C <sub>7</sub> H <sub>8</sub> (CO) <sub>3</sub> )Cr	12125-72-3	C <sub>6</sub> H <sub>6</sub> +3CO C <sub>7</sub> H <sub>8</sub> +3CO	13.50±0.1 13.3±0.2	EI EI	3788 5210
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-1,3,5-cycloheptatriene]-)					
	(C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> (CO) <sub>3</sub> )Cr	12083-24-8	C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> +3CO	13.42±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-methylbenzene]-)					
			C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> +3CO	13.5±0.2	EI	5210
	(C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> (CO) <sub>3</sub> )Cr	12129-29-2		13.06±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-1,2-dimethylbenzene]-)					
	(C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> (CO) <sub>3</sub> )Cr	12129-67-8		13.90±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-1,3,5-trimethylbenzene]-)					
	(C <sub>6</sub> (CH <sub>3</sub> ) <sub>6</sub> (CO) <sub>3</sub> )Cr	12088-11-8		13.00±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-hexamethylbenzene]-)					
	(C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> OH)(CO) <sub>3</sub> Cr	12116-45-9		14.01±0.1	EI	3788
	(Chromium, [(1,2,3,4,5,6-η)-benzenemethanol]tricarbonyl-)					
	(C <sub>6</sub> H <sub>5</sub> OCH <sub>3</sub> (CO) <sub>3</sub> )Cr	12116-44-8		12.65±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-methoxybenzene]-)					
	(C <sub>6</sub> H <sub>5</sub> COOCH <sub>3</sub> (CO) <sub>3</sub> )Cr	12125-87-0		14.00±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-methylbenzoate]-)					
	(C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> (CO) <sub>3</sub> )Cr	12108-11-1	C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> +3CO	13.17±0.1	EI	3788
	(Chromium, (η <sup>6</sup> -benzenamine)tricarbonyl-)					
	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P(CO) <sub>3</sub> Cr	XXXXX-XX-X		22.3±0.05	EI	3952
	((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P <sub>2</sub> (CO) <sub>3</sub> Cr	19976-85-3		22.2±0.05	EI	3952
	CS(CO) <sub>5</sub> Cr	50358-90-2	5CO+CS	16.16±0.07	EI	5291
	(C <sub>6</sub> H <sub>5</sub> Cl)(CO) <sub>3</sub> Cr	12082-03-0	C <sub>6</sub> H <sub>5</sub> Cl+3CO	14.10±0.1	EI	3788
	(Chromium, tricarbonyl(η <sup>6</sup> -chlorobenzene)-)					
<b>C<sub>5</sub>H<sub>5</sub>Cr<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> (CO) <sub>2</sub> (NO)Cr	36312-04-6	2CO+NO	12.79±0.1	EI	5348
	(Chromium, dicarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)nitrosyl-)					
	(C <sub>5</sub> H <sub>5</sub> (CO) <sub>2</sub> (NS)Cr	66539-91-1	2CO+NS	13.45±0.1	EI	5348
	(Chromium, dicarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)thionitrosyl-)					
<b>C<sub>6</sub>H<sub>6</sub>Cr<sup>+</sup></b>	(C <sub>6</sub> H <sub>6</sub> (CO) <sub>3</sub> )Cr	12082-08-5	3CO	9.0±0.2	EI	3786
	(Chromium, (η <sup>6</sup> -benzene)tricarbonyl-)					
			3CO	10.34±0.1	EI	3788
<b>C<sub>7</sub>H<sub>8</sub>Cr<sup>+</sup></b>	(C <sub>7</sub> H <sub>8</sub> (CO) <sub>3</sub> )Cr	12125-72-3	3CO	10.2±0.2	EI	5210
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-1,3,5-cycloheptatriene]-)					
	(C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> (CO) <sub>3</sub> )Cr	12083-24-8	3CO	10.04±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-methylbenzene]-)					
			3CO	10.1±0.2	EI	5210
<b>C<sub>8</sub>H<sub>10</sub>Cr<sup>+</sup></b>	(C <sub>8</sub> H <sub>10</sub> (CH <sub>3</sub> ) <sub>2</sub> (CO) <sub>3</sub> )Cr	12129-29-2	3CO	9.60±0.1	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6-η)-1,2-dimethylbenzene]-)					

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{12}Cr^+$	$(C_9H_3(CH_3)_3)(CO)_3Cr$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12129-67-8	3CO	$10.35 \pm 0.1$	EI	3788
$C_{10}H_{10}Cr^+$	$(C_7H_5)_2Cr$ (Chromocene)	1271-24-5	**	5.50	PE	3725
			**	5.70 (V)	PE	5394
			**	5.71 (V)	PE	5507
$C_{11}H_{11}Cr^+$	$C_6H_6Cr(C_5H_5)$ (Chromium, ( $\eta^6$ -benzene)( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12093-16-2	**	$7.15 \pm 0.05$ (V)	PE	4132
			**	$6.20 \pm 0.1$ (V)	PE	3686
$C_{12}H_{12}Cr^+$	$C_7H_7Cr(C_5H_5)$ (Chromium, ( $\eta^7$ -cycloheptatrienyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12093-81-1	**	$5.59 \pm 0.05$ (V)	PE	4132
	$(C_6H_6)_2Cr$ (Chromium, bis(benzene)-)	1271-54-1	**	$5.4 \pm 0.1$ (V)	PE	3686
			**	$5.45 \pm 0.02$ (V)	PE	4447
$C_{12}H_{11}Cr^+$	$(C_7H_4CH_3)_2Cr$ (Chromocene, 1,1'-dimethyl-)	12146-92-8	**	5.53 (V)	PE	5507
$C_{12}H_{18}Cr^+$	$(C_6(CH_3)_3)(CO)_3Cr$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-hexamethylbenzene]-)	12088-11-8	3CO	$9.82 \pm 0.1$	EI	3788
$C_{14}H_{16}Cr^+$	$(C_6H_5CH_3)_2Cr$ (Chromium, bis( $\eta^6$ -methyl benzene)-)	12087-58-0	**	$5.24 \pm 0.1$ (V)	PE	3686
$C_{18}H_{24}Cr^+$	$(C_9H_3(CH_3)_3)_2Cr$ (Chromium, bis[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	1274-07-3	**	$5.01 \pm 0.05$ (V)	PE	4132
$C_{20}H_{30}Cr^+$	$(C_5(CH_3)_3)_2Cr$ (Chromocene, decamethyl-)	XXXXXX-XX-X	**	4.93 (V)	PE	5394
$C_{20}H_{44}Cr^+$	$((CH_3)_3CCH_2)_4Cr$	37007-84-4	**	$7.25 \pm 0.1$ (V)	PE	3830
$C_{24}H_{36}Cr^+$	$(C_6(CH_3)_3)_2Cr$ (Chromium, bis[(1,2,3,4,5,6- $\eta$ )-hexamethylbenzene]-)	12243-39-9	**	4.68 (V)	PE	5286
$C_6H_7N^+Cr^+$	$(C_6H_5NH_2)(CO)_3Cr$ (Chromium, ( $\eta^6$ -benzenamine)tricarbonyl-)	12108-11-1	3CO	$9.96 \pm 0.1$	EI	3788
$C_{18}H_{42}N_3Cr^+$	$(N(iso-C_3H_7)_2)_3Cr$	XXXXXX-XX-X	**	6.3 (V)	PE	5036
$C_{16}H_{40}N_3Cr^+$	$(N(C_2H_5)_2)_4Cr$	XXXXXX-XX-X	**	5.9 (V)	PE	5036
$COCr^+$	$(CO)_6Cr$ $CS(CO)_5Cr$	13007-92-6 50358-90-2	5CO 4CO + CS	$14.03 \pm 0.04$ $14.94 \pm 0.08$	EI EI	5291 5291



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_2\text{O}_2\text{Cr}^+$	$(\text{CO})_6\text{Cr}$	13007-92-6	4CO	$12.51 \pm 0.04$	EI	5291
	$\text{CS}(\text{CO})_5\text{Cr}$	50358-90-2	3CO + CS	$13.52 \pm 0.08$	EI	5291
$\text{C}_3\text{O}_3\text{Cr}^+$	$(\text{CO})_6\text{Cr}$	13007-92-6	3CO	$11.35 \pm 0.03$	EI	5291
	$\text{CS}(\text{CO})_5\text{Cr}$	50358-90-2	2CO + CS	$12.06 \pm 0.05$	EI	5291
$\text{C}_4\text{O}_4\text{Cr}^+$	$(\text{CO})_6\text{Cr}$	13007-92-6	2CO	$10.45 \pm 0.03$	EI	5291
	$\text{CS}(\text{CO})_5\text{Cr}$	50358-90-2	CO + CS	$11.12 \pm 0.05$	EI	5291
$\text{C}_5\text{O}_5\text{Cr}^+$	$(\text{CO})_6\text{Cr}$	13007-92-6	CO	$9.85 \pm 0.03$	EI	5291
	$\text{CS}(\text{CO})_5\text{Cr}$	50358-90-2	CS	$10.58 \pm 0.07$	EI	5291
$\text{C}_6\text{O}_6\text{Cr}^+$	$(\text{CO})_6\text{Cr}$	13007-92-6	**	$8.40 \pm 0.02$ (V)	PE	3979
			**	8.40 (V)	PE	4456
			**	8.40 (V)	PE	5333
			**	8.41 (V)	PE	4692
			**	$8.19 \pm 0.1$	EI	3582
			**	8.20	EI	5453
			**	$8.30 \pm 0.05$	EI	4600
			**	$8.42 \pm 0.03$	EI	5291
$\text{C}_7\text{H}_6\text{OCr}^+$	$(\text{C}_6\text{H}_6)(\text{CO})_3\text{Cr}$ (Chromium, ( $\eta^6$ -benzene)tricarbonyl-)	12082-08-5	2CO	$7.9 \pm 0.2$	EI	3786
			2CO	$8.09 \pm 0.1$	EI	3788
$\text{C}_7\text{H}_8\text{OCr}^+$	$(\text{C}_6\text{H}_5\text{CH}_2\text{OH})(\text{CO})_3\text{Cr}$ (Chromium, [(1,2,3,4,5,6- $\eta$ )-benzenemethanol]tricarbonyl-)	12116-45-9	3CO	$10.35 \pm 0.1$	EI	3788
	$(\text{C}_6\text{H}_5\text{OCH}_3)(\text{CO})_3\text{Cr}$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methoxybenzene]-)	12116-44-8	3CO	$9.90 \pm 0.1$	EI	3788
$\text{C}_8\text{H}_8\text{OCr}^+$	$(\text{C}_6\text{H}_5\text{CH}_3)(\text{CO})_3\text{Cr}$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzene]-)	12083-24-8	2CO	$8.11 \pm 0.1$	EI	3788
$\text{C}_9\text{H}_{10}\text{OCr}^+$	$(\text{C}_6\text{H}_4(\text{CH}_3)_2)(\text{CO})_3\text{Cr}$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,2-dimethylbenzene]-)	12129-29-2	2CO	$7.85 \pm 0.1$	EI	3788
$\text{C}_{10}\text{H}_{12}\text{OCr}^+$	$(\text{C}_6\text{H}_3(\text{CH}_3)_3)(\text{CO})_3\text{Cr}$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12129-67-8	2CO	$8.00 \pm 0.1$	EI	3788
$\text{C}_{13}\text{H}_{18}\text{OCr}^+$	$(\text{C}_6(\text{CH}_3)_6)(\text{CO})_3\text{Cr}$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-hexamethylbenzene]-)	12088-11-8	2CO	$7.70 \pm 0.1$	EI	3788
$\text{C}_8\text{H}_6\text{O}_2\text{Cr}^+$	$(\text{C}_6\text{H}_6)(\text{CO})_3\text{Cr}$ (Chromium, ( $\eta^6$ -benzene)tricarbonyl-)	12082-08-5	CO	$7.25 \pm 0.1$	EI	3788
			CO	$7.4 \pm 0.2$	EI	3786
$\text{C}_8\text{H}_8\text{O}_2\text{Cr}^+$	$(\text{C}_6\text{H}_5\text{CH}_2\text{OH})(\text{CO})_3\text{Cr}$ (Chromium, [(1,2,3,4,5,6- $\eta$ )-benzenemethanol]tricarbonyl-)	12116-45-9	2CO	$8.19 \pm 0.1$	EI	3788
	$(\text{C}_6\text{H}_5\text{OCH}_3)(\text{CO})_3\text{Cr}$ (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methoxybenzene]-)	12116-44-8	2CO	$7.90 \pm 0.1$	EI	3788

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_8O_2Cr^+$	(C <sub>6</sub> H <sub>5</sub> COOCH <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)	12125-87-0	3CO	9.1	EI	5448
	(C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzene]-)	12083-24-8	3CO	10.00±0.1	EI	3788
	C <sub>11</sub> H <sub>8</sub> O <sub>2</sub> SCr (Chromium, (carbonothioyl)dicarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)	52140-27-9	2CO+CS	11.3	EI	5448
$C_9H_8O_2Cr^+$	(C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzene]-)	12083-24-8	CO	7.09±0.1	EI	3788
	(C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,2-dimethylbenzene]-)	12129-29-2	CO	7.00±0.1	EI	3788
$C_{11}H_{12}O_2Cr^+$	(C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12129-67-8	CO	6.69±0.1	EI	3788
	(C <sub>6</sub> (CH <sub>3</sub> ) <sub>6</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-hexamethylbenzene]-)	12088-11-8	CO	6.45±0.1	EI	3788
$C_9H_6O_3Cr^+$	C <sub>7</sub> H <sub>6</sub> (CO) <sub>3</sub> Cr (Chromium, ( $\eta^6$ -benzene)tricarbonyl-)	12082-08-5	**	7.42±0.03 (V)	PE	4447
			**	6.74±0.1	EI	3788
			**	7.0±0.2	EI	3786
			**	7.28	CTS	4029
$C_9H_8O_3Cr^+$	(C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> OH)(CO) <sub>3</sub> Cr (Chromium, [(1,2,3,4,5,6- $\eta$ )-benzenemethanol]tricarbonyl-)	12116-45-9	CO	7.32±0.1	EI	3788
	(C <sub>6</sub> H <sub>5</sub> OCH <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methoxybenzene]-)	12116-44-8	CO	6.95±0.1	EI	3788
	(C <sub>6</sub> H <sub>5</sub> COOCH <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)	12125-87-0	2CO	7.7	EI	5448
			2CO	8.27±0.1	EI	3788
$C_{10}H_8O_3Cr^+$	C <sub>7</sub> H <sub>6</sub> (CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-cycloheptatriene]-)	12125-72-3	**	7.18 (V)	PE	5206
			**	7.30±0.05 (V)	PE	4724
			**	6.9±0.2	EI	5210
	(C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzene]-)	12083-24-8	**	6.6±0.2	EI	5210
			**	6.69±0.1	EI	3788
			**	7.29	CTS	4029
$C_{11}H_{10}O_3Cr^+$	(C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,2-dimethylbenzene]-)	12129-29-2	**	6.70±0.1	EI	3788
			**	7.29	CTS	4029
$C_{12}H_{12}O_3Cr^+$	(C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> )(CO) <sub>3</sub> Cr (Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12129-67-8	**	7.20±0.05 (V)	PE	4724
			**	7.20 (V)	PE	5286
			**	7.20 (V)	PE	5367
			**	6.60±0.1	EI	3788
			**	7.29	CTS	4029

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{18}O_3Cr^+$	$(C_6(CH_3)_6)(CO)_3Cr$	12088-11-8	**	7.00 (V)	PE	5286
	(Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-hexamethylbenzene]-)		**	$6.35 \pm 0.1$	EI	3788
$C_{10}H_8O_4Cr^+$	$(C_6H_5CH_2OH)(CO)_3Cr$	12116-45-9	**	$6.92 \pm 0.1$	EI	3788
	(Chromium, [(1,2,3,4,5,6- $\eta$ )-benzenemethanol]tricarbonyl-)					
	$(C_6H_5OCH_3)(CO)_3Cr$	12116-44-8	**	$6.75 \pm 0.1$	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methoxybenzene]-)					
	$(C_6H_5COOCH_3)(CO)_3Cr$	12125-87-0	CO	7.32	CTS	4029
	(Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)			$7.60 \pm 0.1$	EI	3788
$C_{11}H_8O_4Cr^+$	$(C_7H_8)(CO)_3Cr$	12146-36-0	**	7.28 (V)	PE	5367
	(Chromium, [(2,3,5,6- $\eta$ )-bicyclo[2.2.1]hepta-2,5-diene]tetracarbonyl-)					
$C_{11}H_8O_5Cr^+$	$(C_6H_5COOCH_3)(CO)_3Cr$	12125-87-0	**	$7.02 \pm 0.1$	EI	3788
	(Chromium, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)					
			**	7.1	EI	5448
$C_8H_6O_6Cr^+$	$CH_3C(OCH_3)(CO)_3Cr$	20540-69-6	**	7.47 (V)	PE	4692
			**	$7.46 \pm 0.1$	EI	3582
$C_{13}H_8O_6Cr^+$	$C_6H_5C(OCH_3)(CO)_3Cr$	27436-93-7	**	7.39 (V)	PE	4692
			(Chromium, pentacarbonyl(methoxyphenylmethylene)-(OC-6-21)-)			
			**	$7.26 \pm 0.1$	EI	3582
$C_{11}H_{10}O_6Cr^+$	$(C_6H_4(CH_3)COCH_3)(CO)_3Cr$	29160-36-9	**	$7.13 \pm 0.1$	EI	3582
	(Chromium, pentacarbonyl(methoxy(4-methylphenyl)methylene)-, (OC-6-21)-)					
$C_{13}H_{21}O_6Cr^+$	$(CH_3COCHCOCH_3)_3Cr$	21679-31-2	**	$7.46 \pm 0.07$ (V)	PE	3682
	(Chromium, tris(2,4-pentanedionato- <i>O,O'</i> )-, (OC-6-11)-)					
$C_{11}H_6O_7Cr^+$	$C_3H_3OC(OCH_3)(CO)_3Cr$	34741-93-0	**	7.37 (V)	PE	4692
	(Chromium, pentacarbonyl(2-furanylmethoxymethylene)-(OC-6-21)-)					
$C_{11}H_{10}O_7Cr^+$	$(C_6H_4(OCH_3)COCH_3)(CO)_3Cr$	27436-99-3	**	$7.05 \pm 0.1$	EI	3582
	(Chromium, pentacarbonyl( <i>o,o'</i> -dimethoxybenzylidene)-)					
$C_8H_{12}O_8Cr_2^+$	$Cr_2(O_2CCH_3)_4$	15020-15-2	**	$8.65 \pm 0.05$ (V)	PE	4986
$C_{12}H_{20}O_8Cr_2^+$	$Cr_2(O_2CC_2H_5)_4$	XXXXX-XX-X	**	$8.104 \pm 0.05$ (V)	PE	4986
$C_5H_3NOCr^+$	$(C_5H_3)(CO)_2(NO)Cr$	36312-04-6	2CO	$10.53 \pm 0.1$	EI	5348
	(Chromium, dicarbonyl( $\eta^1$ -2,4-cyclopentadien-1-yl)nitrosyl-)					
$C_7H_7NOCr^+$	$(C_6H_5NH_2)(CO)_3Cr$	12108-11-1	2CO	$7.84 \pm 0.1$	EI	3788
	(Chromium, ( $\eta^6$ -benzenamine)tricarbonyl-)					

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_6\text{H}_5\text{NO}_2\text{Cr}^+$	$(\text{C}_5\text{H}_5)(\text{CO})_2(\text{NO})\text{Cr}$ (Chromium, dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)nitrosyl-)	36312-04-6	CO	$9.37 \pm 0.1$	EI	5348
$\text{C}_8\text{H}_7\text{NO}_2\text{Cr}^+$	$(\text{C}_6\text{H}_5\text{NH}_2)(\text{CO})_3\text{Cr}$ (Chromium, ( $\eta^6$ -benzenamine)tricarbonyl-)	12108-11-1	CO	$6.75 \pm 0.1$	EI	3788
$\text{C}_7\text{H}_5\text{NO}_3\text{Cr}^+$	$(\text{C}_5\text{H}_5)(\text{NO})(\text{CO})_2\text{Cr}$ (Chromium, dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)nitrosyl-)	36312-04-6	**	7.80	EI	3579
				$8.51 \pm 0.1$	EI	5348
$\text{C}_9\text{H}_7\text{NO}_3\text{Cr}^+$	$(\text{C}_6\text{H}_5\text{NH}_2)(\text{CO})_3\text{Cr}$ (Chromium, ( $\eta^6$ -benzenamine)tricarbonyl-)	12108-11-1	**	$6.52 \pm 0.1$	EI	3788
$\text{C}_{11}\text{H}_{11}\text{NO}_3\text{Cr}^+$	$\text{C}_6\text{H}_5\text{N}(\text{CH}_3)_2\text{Cr}(\text{CO})_3$ (Chromium, tricarbonyl( <i>N,N</i> -dimethylbenzenamine)-)	12109-10-3	**	7.38	CTS	4029
$\text{C}_5\text{H}_3\text{NO}_5\text{Cr}^+$	$(\text{CO})_5\text{NH}_3\text{Cr}$	15228-27-0	**	7.56 (V)	PE	4252
				7.56 (V)	PE	5540
$\text{C}_7\text{H}_3\text{NO}_5\text{Cr}^+$	$(\text{CO})_5\text{CNCH}_3\text{Cr}$	33726-04-4	**	7.61 (V)	PE	4252
$\text{C}_7\text{H}_5\text{NO}_5\text{Cr}^+$	$\text{CH}_3\text{C}(\text{NH}_2)(\text{CO})_5\text{Cr}$	22852-50-2	**	7.45 (V)	PE	4692
$\text{C}_8\text{H}_9\text{NO}_5\text{Cr}^+$	$(\text{CO})_5\text{N}(\text{CH}_3)_3\text{Cr}$	15228-26-9	**	7.45 (V)	PE	4252
$\text{C}_9\text{H}_9\text{NO}_5\text{Cr}^+$	$\text{CH}_3\text{C}(\text{N}(\text{CH}_3)_2)(\text{CO})_5\text{Cr}$	22852-52-4	**	7.12 (V)	PE	4692
$\text{C}_{10}\text{H}_5\text{NO}_5\text{Cr}^+$	$(\text{C}_5\text{H}_5\text{N})(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl(pyridine)-(OC-6-22)-)	14740-77-3	**	7.30 (V)	PE	5566
$\text{C}_{10}\text{H}_{11}\text{NO}_5\text{Cr}^+$	$(\text{C}_5\text{H}_{10}\text{NH})(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl(piperidine)-(OC-6-22))	15710-39-1	**	7.39 (V)	PE	5540
$\text{C}_{11}\text{H}_7\text{NO}_5\text{Cr}^+$	$(\text{CH}_3\text{C}_5\text{H}_4\text{N})(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl(4-methylpyridine)-(OC-6-22)-)	64914-26-7	**	7.22 (V)	PE	5566
$\text{C}_{12}\text{H}_7\text{NO}_5\text{Cr}^+$	$\text{C}_6\text{H}_5\text{C}(\text{NH}_2)(\text{CO})_5\text{Cr}$ (Chromium, (aminophenylmethylene)pentacarbonyl-(OC-6-21)-)	32370-44-8	**	7.25 (V)	PE	4692
$\text{C}_{11}\text{H}_{11}\text{NO}_5\text{Cr}^+$	$\text{C}_6\text{H}_5\text{C}(\text{N}(\text{CH}_3)_2)(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl[(dimethylamino)phenylmethylene]-(OC-6-21)-)	30971-68-7	**	7.02 (V)	PE	4692
$\text{C}_{11}\text{H}_{13}\text{NO}_5\text{Cr}^+$	$(\text{tert-C}_4\text{H}_9\text{C}_5\text{H}_4\text{N})(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl[4-(1,1-dimethylethyl)pyridine]-(OC-6-22)-)	64914-25-6	**	7.17 (V)	PE	5566

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_8\text{H}_4\text{N}_2\text{O}_5\text{Cr}^+$	$(\text{C}_3\text{H}_3\text{N}_2)(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl(1H-pyrazole- $\text{N}^2$ )-(OC-6-22)-)	71127-65-6	**	7.40 (V)	PE	5213
$\text{C}_{12}\text{H}_{14}\text{N}_2\text{O}_5\text{Cr}^+$	$(\text{C}_3\text{H}_4\text{N}_2(\text{C}_2\text{H}_5)_2)(\text{CO})_5\text{Cr}$	XXXXX-XX-X	**	7.12 (V)	PE	5601
$\text{C}_8\text{H}_3\text{NO}_6\text{Cr}^+$	$(\text{C}_3\text{H}_3\text{NO})(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl(isoxazole- $\text{N}^2$ )-(OC-6-22)-)	71127-67-8	**	7.42 (V)	PE	5213
$\text{C}_{10}\text{H}_5\text{NO}_6\text{Cr}^+$	$\text{C}_3\text{H}_3\text{OC}(\text{NH}_2)(\text{CO})_5\text{Cr}$ (Chromium, (amino-2-furanylmethylene)pentacarbonyl-(OC-6-21)-)	29130-96-9	**	7.22 (V)	PE	4692
$\text{C}_{11}\text{H}_7\text{NO}_6\text{Cr}^+$	$(\text{CH}_3\text{OC}_3\text{H}_4\text{N})(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl(4-methoxypyridine- $\text{N}^1$ )-(OC-6-22)-)	64914-33-6	**	7.18 (V)	PE	5566
$\text{C}_{12}\text{H}_7\text{NO}_6\text{Cr}^+$	$(\text{CH}_3\text{COC}_3\text{H}_4\text{N})(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl[1-(4-pyridinyl)ethanone- $\text{N}^1$ ](OC-6-22)-)	64914-29-0	**	7.5 (V)	PI	5566
$\text{C}_{24}\text{H}_{24}\text{N}_4\text{O}_4\text{Cr}_2^+$	$(\text{C}_5\text{H}_3\text{N}(\text{O})\text{CH}_3)_4\text{Cr}_2$ (Chromium, tetrakis[ $\mu$ -(6-methyl-2(1H)-pyridinonato- $\text{N}^1\text{:O}^3$ )]di-(Cr-Cr), stereoisomer)	67634-82-6	**	6.8 (V)	PE	5191
$\text{FCr}^+$	CrF	13943-42-5	**	$9.3 \pm 0.4$	EI	5440
	CrF <sub>2</sub>	10049-10-2	F	$14.7 \pm 0.5$	EI	5440
$\text{F}_2\text{Cr}^+$	CrF <sub>2</sub>	10049-10-2	**	$10.6 \pm 0.3$	EI	5440
	CrF <sub>3</sub>	7788-97-8	F	$14.8 \pm 0.5$	EI	5440
$\text{F}_3\text{Cr}^+$	CrF <sub>3</sub>	7788-97-8	**	$12.5 \pm 0.3$	EI	5440
$\text{C}_{13}\text{H}_7\text{O}_6\text{FCr}^+$	$(\text{C}_6\text{H}_4\text{FCOCH}_3)(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl[(4-fluorophenyl)methoxymethylene]-, (OC-6-21)-)	27436-94-8	**	$7.32 \pm 0.1$	EI	3582
$\text{C}_{14}\text{H}_7\text{O}_6\text{F}_3\text{Cr}^+$	$(\text{C}_6\text{H}_3(\text{CF}_3)\text{COCH}_3)(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl[ $\alpha$ -methoxy- <i>o</i> -(trifluoromethyl)benzylidene]-)	32011-10-2	**	$7.34 \pm 0.1$	EI	3582
	$(\text{C}_6\text{H}_3(\text{CF}_3)\text{COCH}_3)(\text{CO})_5\text{Cr}$ (Chromium, pentacarbonyl[methoxy[4-(trifluoromethyl)phenyl]methylene]-, (OC-6-21)-)	27637-27-0	**	$7.42 \pm 0.1$	EI	3582
$\text{C}_{15}\text{H}_{12}\text{O}_6\text{F}_9\text{Cr}^+$	$(\text{CF}_3\text{COCHCOCH}_3)_3\text{Cr}$ (Chromium, tris(1,1,1-trifluoro-2,4-pentanedionato- $\text{O}, \text{O}'$ )-)	14592-89-3	**	$8.58 \pm 0.07$ (V)	PE	3682
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Cr}^+$	$(\text{CF}_3\text{COCHCOCF}_3)_3\text{Cr}$ (Chromium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- $\text{O}, \text{O}'$ )-, (OC-6-11)-)	14592-80-4	**	9.53 (V)	PE	3681
			**	$9.57 \pm 0.07$ (V)	PE	3682
$\text{C}_{16}\text{H}_{14}\text{Si}_4\text{Cr}^+$	$((\text{CH}_3)_3\text{SiCH}_2)_4\text{Cr}$	35394-18-4	**	$7.26 \pm 0.1$ (V)	PE	3830



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{21}O_6Si_2Cr^+$	$C_{13}H_{21}O_6Si_2Cr$	XXXXXX-XX-X **		7.57 (V)	PE	5601
$C_{12}H_{27}PCr^+$	$((n-C_4H_9)_3P)(CO)_5Cr$	18497-59-1	5CO	11.05	EI	5564
$C_{18}H_{15}PCr^+$	$((C_6H_5)_3P)(CO)_5Cr$ (Chromium,pentacarbonyl(triphenylphosphine)-(OC-6-22))	14917-12-5	5CO	10.9	EI	5564
$C_6H_{18}N_3PCr^+$	$(((CH_3)_2N)_3P)(CO)_5Cr$	XXXXXX-XX-X	5CO	$12.5 \pm 0.05$	EI	3952
	$(((CH_3)_2N)_3P)_2(CO)_4Cr$	19976-85-3		$11.0 \pm 0.05$	EI	3952
$C_{13}H_{27}OPCr^+$	$((n-C_4H_9)_3P)(CO)_5Cr$	18497-59-1	4CO	9.65	EI	5564
$C_{19}H_{15}OPCr^+$	$((C_6H_5)_3P)(CO)_5Cr$ (Chromium,pentacarbonyl(triphenylphosphine)-(OC-6-22))	14917-12-5	4CO	9.7	EI	5564
$C_{11}H_{27}O_2PCr^+$	$((n-C_4H_9)_3P)(CO)_5Cr$	18497-59-1	3CO	8.85	EI	5564
$C_{20}H_{15}O_2PCr^+$	$((C_6H_5)_3P)(CO)_5Cr$ (Chromium,pentacarbonyl(triphenylphosphine)-(OC-6-22))	14917-12-5	3CO	9.3	EI	5564
$C_3H_9O_3PCr^+$	$(P(OCH_3)_3)(CO)_5Cr$	18461-34-2	5CO	11.5	EI	5564
$C_6H_{15}O_3PCr^+$	$(P(OC_2H_5)_3)(CO)_5Cr$	18461-32-0	5CO	11.8	EI	5564
$C_{15}H_{27}O_3PCr^+$	$((n-C_4H_9)_3P)(CO)_5Cr$	18497-59-1	2CO	8.55	EI	5564
$C_{21}H_{15}O_3PCr^+$	$((C_6H_5)_3P)(CO)_5Cr$ (Chromium,pentacarbonyl(triphenylphosphine)-(OC-6-22))	14917-12-5	2CO	9.1	EI	5564
$C_4H_9O_4PCr^+$	$(P(OCH_3)_3)(CO)_5Cr$	18461-34-2	4CO	10.1	EI	5564
$C_7H_{15}O_4PCr^+$	$(P(OC_2H_5)_3)(CO)_5Cr$	18461-32-0	4CO	10.0	EI	5564
$C_{16}H_{27}O_4PCr^+$	$((n-C_4H_9)_3P)(CO)_5Cr$	18497-59-1	CO	8.25	EI	5564
$C_{22}H_{15}O_4PCr^+$	$((C_6H_5)_3P)(CO)_5Cr$ (Chromium,pentacarbonyl(triphenylphosphine)-(OC-6-22))	14917-12-5	CO	8.5	EI	5564
$C_5H_3O_5PCr^+$	$(CO)_5PH_3Cr$	18116-53-5	**	7.90 (V)	PE	4252
$C_5H_9O_5PCr^+$	$(P(OCH_3)_3)(CO)_5Cr$	18461-34-2	3CO	9.4	EI	5564
$C_8H_9O_5PCr^+$	$(CO)_5P(CH_3)_3Cr$	26555-09-9	**	7.58 (V)	PE	4252

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization of appearance potential (eV)	Method	Ref.
$C_8H_9O_5PCr^+$	$(CO)_5P(CH_3)_3Cr$	26555-09-9	**	7.6	PE	5602
$C_8H_{15}O_5PCr^+$	$P(OC_2H_5)_3(CO)_5Cr$	18461-32-0	3CO	9.2	EI	5564
$C_{11}H_{15}O_5PCr^+$	$((C_2H_5)_3P)(CO)_5Cr$	21321-30-2	**	7.6	PE	5602
$C_{11}H_{17}O_5PCr^+$	$C_{13}H_{17}O_7PCr$ (Chromium,dicarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate](trimethyl phosphite-P)-)	53248-14-9	2CO	7.2	EI	5448
$C_{23}H_{15}O_5PCr^+$	$(C_6H_5)_3P(CO)_5Cr$ (Chromium, pentacarbonyl (triphenylphosphine)-(OC-6-22)-)	14917-12-5	**	7.30 (V)	PE	5139
			**	7.40 $\pm$ 0.05	EI	4600
$C_{23}H_{33}O_5PCr^+$	$(C_6H_{11})_3P(CO)_5Cr$ (Chromium, pentacarbonyl (tricyclohexylphosphine)-(OC-6-22)-)	15603-93-7	**	7.24 (V)	PE	5139
$C_{26}H_{23}O_5PCr^+$	$C_{28}H_{23}O_7PCr$ (Chromium,dicarbonyl[(1,2,3,4,5,6- $\eta$ )-methyl benzoate](triphenyl phosphite-P)-)	63928-77-8	2CO	7.2	EI	5448
$C_6H_6O_6PCr^+$	$P(OCH_3)_3(CO)_5Cr$	18461-34-2	$OCH_3 + CO$	11.9	EI	5564
$C_6H_9O_6PCr^+$	$P(OCH_3)_3(CO)_5Cr$	18461-34-2	2CO	8.7	EI	5564
$C_9H_{15}O_6PCr^+$	$P(OC_2H_5)_3(CO)_5Cr$	18461-32-0	2CO	8.8	EI	5564
$C_7H_6O_7PCr^+$	$P(OCH_3)_3(CO)_5Cr$	18461-34-2	$OCH_3$	10.8	EI	5564
$C_7H_9O_7PCr^+$	$P(OCH_3)_3(CO)_5Cr$	18461-34-2	CO	8.25	EI	5564
$C_9H_{10}O_7PCr^+$	$P(OC_2H_5)_3(CO)_5Cr$	18461-32-0	$OC_2H_5$	11.1	EI	5564
$C_{10}H_{15}O_7PCr^+$	$P(OC_2H_5)_3(CO)_5Cr$	18461-32-0	CO	8.3	EI	5564
$C_{13}H_{17}O_7PCr^+$	$C_{13}H_{17}O_7PCr$ (Chromium,dicarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate](trimethyl phosphite-P)-)	53248-14-9	**	6.6	EI	5448
$C_{28}H_{23}O_7PCr^+$	$C_{28}H_{23}O_7PCr$ (Chromium,dicarbonyl[(1,2,3,4,5,6- $\eta$ )-methyl benzoate](triphenyl phosphite-P)-)	63928-77-8	**	6.8	EI	5448
$C_8H_9O_8PCr^+$	$((CH_3O)_3P)(CO)_5Cr$	18461-34-2	**	8.0	PE	5602

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{15}O_8PCr^+$	$((C_2H_5O)_3P)(CO)_5Cr$	18461-32-0	**	7.9	PE	5602
$C_{11}H_{21}O_8PCr^+$	$(iso-C_3H_7O)_3P(CO)_5Cr$	XXXXX-XX-X	**	7.61 (V)	PE	5139
$C_{23}H_{15}O_8PCr^+$	$(C_6H_5O)_3P(CO)_5Cr$ (Chromium, pentacarbonyl (triphenyl phosphite-P)-(OC-6-22)-)	18461-39-7	**	7.67 (V)	PE	5139
$C_7H_{18}N_3OPCr^+$	$((CH_3)_2N)_3P(CO)_5Cr$	XXXXX-XX-X	4CO	$9.8 \pm 0.05$	EI	3952
$C_9H_{18}N_3O_3PCr^+$	$((CH_3)_2N)_3P(CO)_5Cr$	XXXXX-XX-X	2CO	$8.6 \pm 0.05$	EI	3952
$C_{10}H_{18}N_3O_4PCr^+$	$((CH_3)_2N)_3P(CO)_5Cr$	XXXXX-XX-X	CO	$7.6 \pm 0.05$	EI	3952
$C_{11}H_{18}N_3O_5PCr^+$	$((CH_3)_2N)_3P(CO)_5Cr$	15137-66-3	**	$6.6 \pm 0.05$	EI	3952
			**	7.6	PE	5602
$C_{16}H_{30}N_2O_3P_2Cr^+$	$C_{10}H_{30}N_2O_3P_2Cr$	XXXXX-XX-X	**	6.70 (V)	PE	5601
$C_{15}H_{36}N_6O_3P_2Cr^+$	$((CH_3)_2N)_3P_2(CO)_4Cr$	19976-85-3	CO	$9.5 \pm 0.05$	EI	3952
$C_{16}H_{36}N_6O_4P_2Cr^+$	$((CH_3)_2N)_3P_2(CO)_4Cr$	19976-85-3	**	$6.5 \pm 0.05$	EI	3952
$F_{18}P_6Cr^+$	$(PF_3)_6Cr$	26117-61-3	**	9.0	PE	4021
			**	9.29 (V)	PE	4456
$C_3H_9N_3F_{12}P_6Cr^+$	$(CH_3)_3N(PF_3)_2)_3Cr$	63404-40-0	**	7.70 (V)	PE	5376
$C_5O_5F_3PCr^+$	$(PF_3)(CO)_5Cr$	18461-42-2	**	8.56 (V)	PE	5539
			**	8.7	PE	5602
			**	8.70	EI	5453
$C_4O_4F_6P_2Cr^+$	$(PF_3)_2(CO)_4Cr$	31616-42-9	**	8.85	EI	5453
$C_3O_3F_9P_3Cr^+$	$(PF_3)_3(CO)_3Cr$	31616-43-0	**	8.90	EI	5453
$CSCr^+$	$CS(CO)_5Cr$	50358-90-2	5CO	$13.68 \pm 0.04$	EI	5291
$C_3H_5NSCr^+$	$(C_3H_5)(CO)_2(NS)Cr$ (Chromium, dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)thionitrosyl-)	66539-91-1	2CO	$9.07 \pm 0.1$	EI	5348
$C_2OSCr^+$	$CS(CO)_5Cr$	50358-90-2	4CO	$12.12 \pm 0.04$	EI	5291
$C_3O_2SCr^+$	$CS(CO)_5Cr$	50358-90-2	3CO	$11.12 \pm 0.04$	EI	5291

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_1O_3SCr^+$	$CS(CO)_3Cr$	50358-90-2	2CO	$10.22 \pm 0.04$	EI	5291
$C_5O_4SCr^+$	$CS(CO)_3Cr$	50358-90-2	CO	$9.39 \pm 0.04$	EI	5291
$C_6O_5SCr^+$	$(CS)(CO)_3Cr$	50358-90-2	**	8.16 (V)	PE	5333
			**	8.16 (V)	PE	5518
			**	$8.31 \pm 0.03$	EI	5291
$C_9H_8O_2SCr^+$	$(C_6H_5COOCH_3)(CS)(CO)_2Cr$ (Chromium,(carbonothioyl)dicarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)	52140-27-9	2CO	9.2	EI	5448
$C_{11}H_8O_4SCr^+$	$(C_6H_5COOCH_3)(CS)(CO)_2Cr$ (Chromium,(carbonothioyl)dicarbonyl[(1,2,3,4,5,6- $\eta$ )-methylbenzoate]-)	52140-27-9	**	7.8	EI	5448
$C_8H_6O_5SCr^+$	$CH_3C(SCH_3)(CO)_3Cr$	35797-92-3	**	7.35 (V)	PE	4692
$C_9H_8O_5SCr^+$	$(S(CH_2)_4)(CO)_3Cr$ (Chromium,pentacarbonyl(tetrahydrothiophene)-)	15038-40-1	**	7.45	EI	5292
			**	$7.45 \pm 0.05$	EI	3498
$C_7H_6O_6SCr^+$	$(SO(CH_3)_2)(CO)_3Cr$	36083-80-4	**	7.64	EI	5292
			**	$7.64 \pm 0.05$	EI	3498
$C_7H_4O_8SCr^+$	$(SO(OCH_2)_2)(CO)_3Cr$	36252-44-5	**	7.80	EI	5292
			**	$7.80 \pm 0.05$	EI	3498
$C_6H_5NOSCr^+$	$(C_5H_5)(CO)_2(NS)Cr$ (Chromium,dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)thionitrosyl-)	66539-91-1	CO	$8.15 \pm 0.1$	EI	5348
$C_7H_5NO_2SCr^+$	$(C_5H_5)(CO)_2(NS)Cr$ (Chromium,dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)thionitrosyl-)	66539-91-1	**	$7.83 \pm 0.1$	EI	5348
$C_8H_3NO_3SCr^+$	$(C_3H_3NS)(CO)_3Cr$ (Chromium,pentacarbonyl(isothiazole- $N^2$ )-(OC-6-22)-)	39554-14-8	**	7.32 (V)	PE	5213
	$(C_3H_3NS)(CO)_3Cr$ (Chromium,pentacarbonyl(thiazole- $N^3$ )-(OC-6-22)-)	55293-31-7	**	7.36 (V)	PE	5213
$C_{27}H_{23}O_5PSCr^+$	$C_{28}H_{23}O_6PSCr$ (Chromium,(carbonothioyl)carbonyl[(1,2,3,4,5,6- $\eta$ )-methyl benzoate](triphenyl phosphite-P)-)	57546-01-7	CO	$8.8 \pm 0.3$	EI	5448
	$C_{28}H_{23}O_6PSCr$ (Chromium,(carbonothioyl)carbonyl[(1,2,3,4,5,6- $\eta$ )-methyl benzoate](triphenyl phosphite-P)-)	57546-01-7	**	7.4	EI	5448
$C_{12}H_{30}O_6P_3S_6Cr^+$	$((C_2H_5)_2S_2PO_2)_3Cr$	14177-95-8	**	7.71 (V)	PE	5203

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Cl}_2\text{Cr}^+$	$\text{CrCl}_2$	10049-05-5	**	9.97 (V)	PE	5172
$\text{C}_6\text{H}_5\text{ClCr}^+$	(C <sub>6</sub> H <sub>5</sub> Cl)(CO) <sub>3</sub> Cr (Chromium, tricarbonyl( $\eta^6$ -chlorobenzene)-)	12082-03-0	3CO	10.10±0.1	EI	3788
$\text{O}_2\text{Cl}_2\text{Cr}^+$	$\text{CrO}_2\text{Cl}_2$	14977-61-8	** **	11.8 (V) 11.85±0.03 (V)	PE PE	4455 5148
$\text{C}_7\text{H}_5\text{OClCr}^+$	(C <sub>6</sub> H <sub>5</sub> Cl)(CO) <sub>3</sub> Cr (Chromium, tricarbonyl( $\eta^6$ -chlorobenzene)-)	12082-03-0	2CO	8.18±0.1	EI	3788
$\text{C}_8\text{H}_5\text{O}_2\text{ClCr}^+$	(C <sub>6</sub> H <sub>5</sub> Cl)(CO) <sub>3</sub> Cr (Chromium, tricarbonyl( $\eta^6$ -chlorobenzene)-)	12082-03-0	CO	7.45±0.1	EI	3788
$\text{C}_9\text{H}_5\text{O}_3\text{ClCr}^+$	(C <sub>6</sub> H <sub>5</sub> Cl)(CO) <sub>3</sub> Cr (Chromium, tricarbonyl( $\eta^6$ -chlorobenzene)-)	12082-03-0	**	7.00±0.1	EI	3788
$\text{C}_{13}\text{H}_7\text{O}_6\text{ClCr}^+$	(C <sub>6</sub> H <sub>4</sub> ClCOCH <sub>3</sub> )(CO) <sub>5</sub> Cr (Chromium, pentacarbonyl[(4-chlorophenyl)methoxymethylene]-, (OC-6-21)-)	29160-37-0	**	7.34±0.1	EI	3582
$\text{C}_{10}\text{H}_4\text{NO}_5\text{ClCr}^+$	(ClC <sub>5</sub> H <sub>4</sub> N)(CO) <sub>5</sub> Cr (Chromium, pentacarbonyl(4-chloropyridine)-(OC-6-22)-)	64914-28-9	**	7.42 (V)	PI	5566
$\text{C}_5\text{O}_3\text{PCl}_3\text{Cr}^+$	(PCl <sub>3</sub> )(CO) <sub>3</sub> Cr	18461-41-1	** **	8.32 (V) 8.26	PE EI	5539 5453
$\text{Mn}^+$	Mn	7439-96-5	** ** ** **	7.434 7.43 8.61 14.26	S PE PE PE	5497 4858 4858 4858
$(^1\text{S}_3)$						
$(^1\text{S})$						
$(^3\text{S})$						
$(^1\text{D})$						
	$\text{C}_5\text{H}_5(\text{CO})_3\text{Mn}$ (Manganese, tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12079-65-1	3CO + C <sub>5</sub> H <sub>5</sub>	15.32±0.02	EI	4661
	$\text{C}_5\text{H}_4(\text{CH}_3)(\text{CO})_3\text{Mn}$ (Manganese, tricarbonyl[1,2,3,4,5- $\eta$ ]-1-methyl-2,4-cyclopentadien-1-yl]-)	12108-13-3	3CO + C <sub>6</sub> H <sub>7</sub>	16.33±0.02	EI	4661
	(CO) <sub>5</sub> MnH	16972-33-1		17.3	EI	3814
	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>5</sub> Mn	26500-16-3		21.7	EI	3814
	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>4</sub> (PF <sub>3</sub> )Mn	33989-27-4		21.9	EI	3814
	$\text{C}_5\text{H}_5(\text{CO})_2\text{CSMn}$ (Manganese, (carbonothioyl)dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	31741-76-1	2CO + CS + C <sub>5</sub> H <sub>5</sub>	16.51±0.04	EI	4661
	$\text{C}_5\text{H}_4(\text{CH}_3)(\text{CO})_2\text{CSMn}$ (Manganese, (carbonothioyl)dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl]-)	49716-52-1	2CO + CS + C <sub>6</sub> H <sub>7</sub>	16.22±0.02	EI	4661
	$(\text{C}_5\text{H}_5)_2(\text{CS})_2(\text{NO})_2\text{Mn}_2$ (Manganese, bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyl]-( <i>Mn-Mn</i> )-)	64090-73-9		26.71±0.03	EI	5423
	$(\text{C}_5\text{H}_5)(\text{CS})(\text{NO})\text{MnI}$ (Manganese, (carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)	58450-74-1		16.57±0.03	EI	5561
	$(\text{CH}_3\text{C}_5\text{H}_4)(\text{CS})(\text{NO})\text{MnI}$ (Manganese, (carbonothioyl)[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl]iodonitrosyl-)	XXXXX-XX-X		15.57±0.07	EI	5561



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Mn<sub>2</sub><sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (NO) <sub>2</sub> Mn <sub>2</sub> (Manganese, bis[μ-(carbonothioyl)bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl) dinitrosyl-di-(Mn-Mn)-])	64090-73-9		28.38 ± 0.02	EI	5423
<b>HMn<sup>+</sup></b>	(CO) <sub>5</sub> MnH	16972-33-1	5CO	13.8	EI	3814
<b>C<sub>5</sub>H<sub>5</sub>Mn<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> (CO) <sub>3</sub> Mn (Manganese, tricarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	12079-65-1	3CO	11.67 ± 0.04	EI	4661
	C <sub>5</sub> H <sub>5</sub> (CO) <sub>2</sub> CSMn (Manganese, (carbonothioyl)dicarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	31741-76-1	2CO + CS	12.25 ± 0.03	EI	4661
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (NO) <sub>2</sub> Mn <sub>2</sub> (Manganese, bis[μ-(carbonothioyl)bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl) dinitrosyl-di-(Mn-Mn)-])	64090-73-9		21.33 ± 0.16	EI	5423
	(C <sub>5</sub> H <sub>5</sub> )(CS)(NO)MnI (Manganese, (carbonothioyl)(η <sup>5</sup> -2,4-cyclopentadien-1-yl)iodonitrosyl-)	58450-74-1	NO + CS + I	12.84 ± 0.03	EI	5561
<b>C<sub>6</sub>H<sub>7</sub>Mn<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> (CH <sub>3</sub> )(CO) <sub>3</sub> Mn (Manganese, tricarbonyl[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl]-)	12108-13-3	3CO	11.21 ± 0.03	EI	4661
	(CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> )(CO) <sub>2</sub> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P)Mn (Manganese, dicarbonyl[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl] (triphenylphosphine)-)	12100-95-7		15.97 ± 0.09	EI	5576
	C <sub>5</sub> H <sub>4</sub> (CH <sub>3</sub> )(CO) <sub>2</sub> CSMn (Manganese, (carbonothioyl)dicarbonyl[(1,2,3,4,5-η)-1-methyl- 2,4-cyclopentadien-1-yl]-)	49716-52-1	2CO + CS	12.20 ± 0.01	EI	4661
	C <sub>26</sub> H <sub>22</sub> OPSMn (Manganese, (carbonothioyl)carbonyl[(1,2,3,4,5-η)-1-methyl-2,4- cyclopentadien-1-yl](triphenylphosphine)-)	70279-43-5		16.23 ± 0.02	EI	5576
	(CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> )(CO) <sub>2</sub> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> As)Mn (Manganese, dicarbonyl[(1,2,3,4,5-η)-1-methyl-2,4- cyclopentadien-1-yl](triphenylarsine)-)	XXXXXX-XX-X		14.73 ± 0.02	EI	5576
	C <sub>26</sub> H <sub>22</sub> OSMnAs (Manganese, (carbonothioyl)carbonyl[(1,2,3,4,5-η)-1- methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-)	XXXXXX-XX-X		15.68 ± 0.06	EI	5576
	C <sub>26</sub> H <sub>22</sub> O <sub>2</sub> MnSb (Manganese, dicarbonyl[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien- 1-yl](triphenylstibine)-)	XXXXXX-XX-X		14.51 ± 0.04	EI	5576
	(CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> )(CO)(CS)((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Sb)Mn (Manganese, (carbonothioyl)carbonyl[(1,2,3,4,5-η)-1-methyl- 2,4-cyclopentadien-1-yl](triphenylstibine)-)	XXXXXX-XX-X		14.95 ± 0.10	EI	5576
	(CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> )(CS)(NO)MnI (Manganese, (carbonothioyl)[(1,2,3,4,5-η)-1-methyl- 2,4-cyclopentadien-1-yl]iodonitrosyl-)	XXXXXX-XX-X	NO + CS + I	13.19 ± 0.04	EI	5561
<b>C<sub>10</sub>H<sub>10</sub>Mn<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Mn (Manganocene)	1271-27-8	**	6.26 (V)	PE	5394
			**	6.26 (V)	PE	5507
			**	6.55	PE	3725
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (NO) <sub>2</sub> Mn <sub>2</sub> (Manganese, bis[μ-(carbonothioyl)bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl) dinitrosyl-di-(Mn-Mn)-])	64090-73-9		16.16 ± 0.03	EI	5423
<b>C<sub>11</sub>H<sub>11</sub>Mn<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> )(C <sub>6</sub> H <sub>6</sub> )Mn (Manganese, (η <sup>6</sup> -benzene)(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	1271-43-8	**	6.36 ± 0.1 (V)	PE	3686
<b>C<sub>12</sub>H<sub>11</sub>Mn<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> CH <sub>3</sub> ) <sub>2</sub> Mn (Manganocene, 1,1'-dimethyl-)	32985-17-4	**	6.01 (V)	PE	5507

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{11}Mn^+$	$(C_5H_1CH_3)_2Mn$	32985-17-4	**	6.06 (V)	PE	5394
$C_{20}H_{30}Mn^+$	$(C_5(CH_3)_5)_2Mn$ (Manganocene, decamethyl-)	XXXXX-XX-X	**	5.33 (V)	PE	5394
$C_{44}H_{28}N_1Mn^+$	$C_{20}H_8N_1(C_6H_5)_1Mn$ (Manganese, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ]-[SP-4-1]-)	31004-82-7	**	6.44 (V)	PE	4557
$C_{32}H_{16}N_8Mn^+$	$C_{12}H_{16}N_8Mn$ (Manganese, [29H,31H-phthalocyaninato(2-)-N <sup>29</sup> ,N <sup>30</sup> ,N <sup>31</sup> ,N <sup>32</sup> ]-[SP-4-1]-)	14325-24-7	**	7.26±0.10	EI	3829
$COMn^+$	$((CH_3)_3Si)(CO)_5Mn$	26500-16-3		17.9	EI	3814
$C_2O_2Mn^+$	$(CO)_5MnH$	16972-33-1		13.7	EI	3814
$C_3O_3Mn^+$	$(CO)_5MnH$	16972-33-1		13.2	EI	3814
$C_1O_4Mn^+$	$(CO)_5MnH$	16972-33-1		11.2	EI	3814
$C_{10}O_{10}Mn_2^+$	$(CO)_{10}Mn_2$	10170-69-1	**	8.02 (V)	PE	4492
$CHOMn^+$	$(CO)_5MnH$	16972-33-1	4CO	12.7	EI	3814
$C_6H_5OMn^+$	$C_5H_5(CO)_3Mn$ (Manganese, tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12079-65-1	2CO	9.28±0.01	EI	4661
$C_7H_7OMn^+$	$C_5H_5(CH_3)(CO)_3Mn$ (Manganese, tricarbonyl[1,2,3,4,5- $\eta$ ]-1-methyl-2,4-cyclopentadien-1-yl)-)	12108-13-3	2CO	9.01±0.03	EI	4661
$C_2HO_2Mn^+$	$(CO)_5MnH$	16972-33-1	3CO	10.3	EI	3814
$C_7H_5O_2Mn^+$	$C_5H_5(CO)_3Mn$ (Manganese, tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12079-65-1	CO	8.37±0.01	EI	4661
$C_8H_7O_2Mn^+$	$C_5H_5(CH_3)(CO)_3Mn$ (Manganese, tricarbonyl[1,2,3,4,5- $\eta$ ]-1-methyl-2,4-cyclopentadien-1-yl)-)	12108-13-3	CO	8.13±0.01	EI	4661
$C_3HO_3Mn^+$	$(CO)_5MnH$	16972-33-1	2CO	9.9	EI	3814
$C_8H_5O_3Mn^+$	$C_5H_5(CO)_3Mn$ (Manganese, tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12079-65-1	**	8.05 (V)	PE	4570
			**	8.06±0.01	EI	4661
			**	8.12±0.1	EI	3578
			**	8.12	EI	5453

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>9</sub>H<sub>7</sub>O<sub>3</sub>Mn<sup>+</sup></b>	C <sub>9</sub> H <sub>7</sub> (CO) <sub>3</sub> Mn (Manganese, tricarbonyl[1,2,3,4,5- <i>η</i> ]-2,4-cyclohexadien-1-yl)-)	12108-14-4	**	8.06±0.05 (V)	PE	4501
	C <sub>9</sub> H <sub>11</sub> (CH <sub>3</sub> )(CO) <sub>3</sub> Mn (Manganese, tricarbonyl[(1,2,3,4,5- <i>η</i> )-1-methyl-2,4-cyclopentadien-1-yl]-)	12108-13-3	**	~8.1	PE	4995
			**	7.86±0.01	EI	4661
<b>C<sub>10</sub>H<sub>7</sub>O<sub>3</sub>Mn<sup>+</sup></b>	C <sub>7</sub> H <sub>7</sub> (CO) <sub>3</sub> Mn (Manganese, tricarbonyl[(1,2,3,4,5- <i>η</i> )-2,4,6-cycloheptatrien-1-yl]-)	53011-14-6	**	7.78±0.05 (V)	PE	4501
<b>C<sub>10</sub>H<sub>9</sub>O<sub>3</sub>Mn<sup>+</sup></b>	C <sub>7</sub> H <sub>9</sub> (CO) <sub>3</sub> Mn (Manganese, tricarbonyl[1,2,3,4,5- <i>η</i> ]-2,4-cycloheptadien-1-yl)-)	32798-86-0	**	7.86±0.05 (V)	PE	4501
<b>C<sub>1</sub>HO<sub>1</sub>Mn<sup>+</sup></b>	(CO) <sub>5</sub> MnH	16972-33-1	CO	8.7	EI	3814
<b>C<sub>5</sub>HO<sub>5</sub>Mn<sup>+</sup></b>	(CO) <sub>5</sub> MnH	16972-33-1	**	8.85 (V)	PE	4448
			**	8.85 (V)	PE	4456
			**	8.5±0.1	EI	3814
<b>C<sub>6</sub>H<sub>3</sub>O<sub>5</sub>Mn<sup>+</sup></b>	CH <sub>3</sub> (CO) <sub>5</sub> Mn	13601-24-6	**	8.65 (V)	PE	4110
<b>C<sub>15</sub>H<sub>21</sub>O<sub>6</sub>Mn<sup>+</sup></b>	(CH <sub>3</sub> COCHCOCH <sub>3</sub> ) <sub>3</sub> Mn (Manganese, tris(2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	14284-89-0	**	7.32±0.07 (V)	PE	3682
<b>C<sub>16</sub>H<sub>11</sub>N<sub>2</sub>O<sub>2</sub>Mn<sup>+</sup></b>	C <sub>16</sub> H <sub>11</sub> N <sub>2</sub> O <sub>2</sub> Mn (Manganese, [[2,2'-(1,2-ethanediy)bis(nitrilomethylidyne)] bis[phenolato]](2-)-N,N',O,O']-)	XXXXXX-XX-X	**	7.77±0.08	EI	4668
<b>FMn<sup>+</sup></b>	MnF	13569-25-0	**	8.51±0.2	EI	3623
	MnF <sub>2</sub>	7782-64-1		13.60±0.2	EI	3623
<b>F<sub>2</sub>Mn<sup>+</sup></b>	MnF <sub>2</sub>	7782-64-1	**	11.38±0.2	EI	3623
	MnF <sub>3</sub>	7783-53-1		14.79±0.2	EI	3623
<b>F<sub>3</sub>Mn<sup>+</sup></b>	MnF <sub>3</sub>	7783-53-1	**	12.57±0.2	EI	3623
	MnF <sub>4</sub>	15195-58-1		15.50±0.2	EI	3623
<b>F<sub>4</sub>Mn<sup>+</sup></b>	MnF <sub>4</sub>	15195-58-1	**	13.46±0.2	EI	3623
<b>O<sub>3</sub>FMn<sup>+</sup></b>	MnO <sub>3</sub> F	15586-97-7	**	12.20±0.05 (V)	PE	4632
<b>C<sub>6</sub>O<sub>5</sub>F<sub>3</sub>Mn<sup>+</sup></b>	CF <sub>3</sub> (CO) <sub>5</sub> Mn	13601-14-4	**	9.17 (V)	PE	4110
<b>C<sub>15</sub>H<sub>3</sub>O<sub>6</sub>F<sub>18</sub>Mn<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCF <sub>3</sub> ) <sub>3</sub> Mn (Manganese, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	14354-50-8	**	9.2 (V)	PE	3682
<b>C<sub>19</sub>H<sub>3</sub>O<sub>10</sub>F<sub>18</sub>Mn<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCF <sub>3</sub> ) <sub>3</sub> (CO) <sub>4</sub> Mn (Tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)manganese tetracarbonyl)	XXXXXX-XX-X	**	8.11±0.07 (V)	PE	3682

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_9SiMn^+$	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>5</sub> Mn	26500-16-3		12.8	EI	3814
$C_7H_9OSiMn^+$	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>5</sub> Mn	26500-16-3	4CO	12.0	EI	3814
	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>4</sub> (PF <sub>3</sub> )Mn	33989-27-4		12.7	EI	3814
$C_3H_9O_2SiMn^+$	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>5</sub> Mn	26500-16-3	3CO	10.8	EI	3814
	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>4</sub> (PF <sub>3</sub> )Mn	33989-27-4		11.1	EI	3814
$C_6H_9O_3SiMn^+$	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>5</sub> Mn	26500-16-3	2CO	10.2	EI	3814
$C_7H_9O_4SiMn^+$	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>5</sub> Mn	26500-16-3	CO	9.2	EI	3814
	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>4</sub> (PF <sub>3</sub> )Mn	33989-27-4	PF <sub>3</sub>	9.9	EI	3814
$C_5H_3O_5SiMn^+$	(SiH <sub>3</sub> )(CO) <sub>5</sub> Mn	15770-61-3	**	8.99±0.02 (V)	PE	3827
$C_8H_9O_5SiMn^+$	(Si(CH <sub>3</sub> ) <sub>3</sub> )(CO) <sub>5</sub> Mn	XXXXXX-XX-X	**	9.0±0.1 (V)	PE	3827
	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>5</sub> Mn	26500-16-3	**	8.47	PE	5321
			**	8.7±0.2	EI	3814
$C_{24}H_{22}PMn^+$	(CH <sub>3</sub> C <sub>5</sub> H <sub>3</sub> )(CO) <sub>2</sub> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P)Mn	12100-95-7	2CO	8.54±0.03	EI	5576
	(Manganese,dicarbonyl[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl] (triphenylphosphine)-)					
	C <sub>26</sub> H <sub>22</sub> OPSMn	70279-43-5	CO + CS	9.19±0.03	EI	5576
	(Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5-η)-1-methyl-2,4- cyclopentadien-1-yl](triphenylphosphine)-)					
$C_{25}H_{22}OPMn^+$	(CH <sub>3</sub> C <sub>5</sub> H <sub>3</sub> )(CO) <sub>2</sub> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P)Mn	12100-95-7	CO	8.95±0.02	EI	5576
	(Manganese,dicarbonyl[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl] (triphenylphosphine)-)					
$C_7H_8O_2PMn^+$	(C <sub>5</sub> H <sub>5</sub> )(PH <sub>3</sub> )(CO) <sub>2</sub> Mn	12300-46-8	**	7.28	EI	5453
	(Manganese,dicarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(phosphine)-)					
$C_{26}H_{22}O_2PMn^+$	(CH <sub>3</sub> C <sub>5</sub> H <sub>3</sub> )(CO) <sub>2</sub> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P)Mn	12100-95-7	**	6.55±0.03	EI	5576
	(Manganese,dicarbonyl[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl] (triphenylphosphine)-)					
$C_7H_4O_3PMn^+$	C <sub>4</sub> H <sub>4</sub> P(CO) <sub>3</sub> Mn	XXXXXX-XX-X	**	8.25 (V)	PE	4995
	(Phosphacymantrene)					
$C_9H_8O_3PMn^+$	C <sub>4</sub> H <sub>2</sub> P(CH <sub>3</sub> ) <sub>2</sub> (CO) <sub>3</sub> Mn	XXXXXX-XX-X	**	8.13 (V)	PE	4995
	(Phosphacymantrene, 3,4-dimethyl-)					
$C_{11}H_{12}O_3PMn^+$	C <sub>11</sub> H <sub>12</sub> O <sub>3</sub> PMn	XXXXXX-XX-X	**	8. (V)	PE	4995
	(Phosphacymantrene, 3,4-dimethyl-2-ethyl-)					
$C_{11}H_{10}O_4PMn^+$	C <sub>11</sub> H <sub>10</sub> O <sub>4</sub> PMn	XXXXXX-XX-X	**	8.2 (V)	PE	4995
	(Phosphacymantrene, 2-acetyl-3,4-dimethyl-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>HF<sub>15</sub>P<sub>5</sub>Mn<sup>+</sup></b>	H(PF <sub>3</sub> ) <sub>5</sub> Mn	20558-69-4	**	9.47 (V)	PE	4456
<b>C<sub>7</sub>H<sub>3</sub>O<sub>2</sub>F<sub>3</sub>PMn<sup>+</sup></b>	(C <sub>5</sub> H <sub>3</sub> )(PF <sub>3</sub> )(CO) <sub>2</sub> Mn (Manganese,dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl) (phosphorus trichloride)-)	12275-47-7	**	8.24	EI	5453
<b>C<sub>7</sub>H<sub>9</sub>O<sub>4</sub>F<sub>3</sub>SiPMn<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>3</sub> PF <sub>3</sub> Mn	33989-27-4	**	8.7 ± 0.2	EI	3814
<b>C<sub>6</sub>H<sub>9</sub>O<sub>3</sub>F<sub>6</sub>SiP<sub>2</sub>Mn<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>4</sub> (PF <sub>3</sub> ) <sub>2</sub> Mn	36087-62-4	**	8.1 ± 0.1	EI	3814
<b>C<sub>5</sub>H<sub>9</sub>O<sub>2</sub>F<sub>9</sub>SiP<sub>3</sub>Mn<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> Si)(CO) <sub>3</sub> (PF <sub>3</sub> ) <sub>3</sub> Mn	36087-61-3	**	9.1 ± 0.2	EI	3814
<b>CSMn<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> (CO) <sub>2</sub> CSMn (Manganese, (carbonothioyl)dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-) C <sub>5</sub> H <sub>3</sub> (CH <sub>3</sub> )(CO) <sub>2</sub> CSMn (Manganese, (carbonothioyl)dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl- 2,4-cyclopentadien-1-yl]-) (C <sub>5</sub> H <sub>3</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-) (CH <sub>3</sub> C <sub>4</sub> H <sub>3</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)(1,2,3,4,5- $\eta$ )-1-methyl- 2,4-cyclopentadien-1-yl]iodonitrosyl-)	31741-76-1	2CO + C <sub>5</sub> H <sub>3</sub>	16.91 ± 0.02	EI	4661
		49716-52-1	2CO + C <sub>6</sub> H <sub>7</sub>	17.97 ± 0.01	EI	4661
		58450-74-1	C <sub>5</sub> H <sub>3</sub> + NO + I	17.74 ± 0.03	EI	5561
		XXXXX-XX-X		18.00 ± 0.05	EI	5561
<b>C<sub>2</sub>S<sub>2</sub>Mn<sub>2</sub><sup>+</sup></b>	(C <sub>5</sub> H <sub>3</sub> ) <sub>2</sub> (CS) <sub>2</sub> (NO) <sub>2</sub> Mn <sub>2</sub> (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn)-)	64090-73-9		20.92 ± 0.04	EI	5423
<b>C<sub>6</sub>H<sub>3</sub>SMn<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> (CO) <sub>2</sub> CSMn (Manganese, (carbonothioyl)dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-) (C <sub>5</sub> H <sub>3</sub> ) <sub>2</sub> (CS) <sub>2</sub> (NO) <sub>2</sub> Mn <sub>2</sub> (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn)-) (C <sub>5</sub> H <sub>3</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)	31741-76-1	2CO	9.25 ± 0.01	EI	4661
		64090-73-9		13.00 ± 0.02	EI	5423
		58450-74-1	NO + I	10.17 ± 0.03	EI	5561
<b>C<sub>7</sub>H<sub>7</sub>SMn<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> (CH <sub>3</sub> )(CO) <sub>2</sub> CSMn (Manganese, (carbonothioyl)dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl- 2,4-cyclopentadien-1-yl]-) C <sub>26</sub> H <sub>22</sub> OPSMn (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4- cyclopentadien-1-yl](triphenylphosphine)-) C <sub>26</sub> H <sub>22</sub> OSMnAs (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1- methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-) (CH <sub>3</sub> C <sub>4</sub> H <sub>3</sub> )(CO)(CS)((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Sb)Mn (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1-methyl- 2,4-cyclopentadien-1-yl](triphenylstibine)-) (CH <sub>3</sub> C <sub>4</sub> H <sub>3</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)(1,2,3,4,5- $\eta$ )-1-methyl- 2,4-cyclopentadien-1-yl]iodonitrosyl-)	49716-52-1	2CO	9.15 ± 0.01	EI	4661
		70279-43-5	CO + (C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P	12.54 ± 0.50	EI	5576
		XXXXX-XX-X		11.78 ± 0.30	EI	5576
		XXXXX-XX-X		10.78 ± 0.08	EI	5576
		XXXXX-XX-X	NO + I	10.21 ± 0.03	EI	5561
<b>C<sub>10</sub>H<sub>15</sub>SMn<sup>+</sup></b>	C <sub>4</sub> H <sub>9</sub> SC <sub>4</sub> H <sub>7</sub> CH <sub>3</sub> Mn(CO) <sub>2</sub> (Dicarbonyl[(1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl] (tetrahydrothiophene)manganese)	12153-94-5	2CO	7.9 ± 0.1	EI	3498



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{17}SMn^+$	$(C_6H_5)_2SC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl[(1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl] (1,1'-thiobis(benzene)-S)manganese)	36154-47-9	2CO	$8.0 \pm 0.1$	EI	3498
$C_7H_4S_2Mn^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn)-)	64090-73-9		$15.61 \pm 0.16$	EI	5423
$C_7H_5S_2Mn^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn)-)	64090-73-9		$16.02 \pm 0.05$	EI	5423
$C_6H_5SMn_2^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn))	64090-73-9		$16.18 \pm 0.07$	EI	5423
$C_{11}H_{10}SMn_2^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn))	64090-73-9	CS + 2NO	$12.64 \pm 0.02$	EI	5423
$C_7H_4S_2Mn_2^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn)-)	64090-73-9		$11.87 \pm 0.03$	EI	5423
$C_7H_5S_2Mn_2^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn))	64090-73-9	$C_5H_5 + 2NO$	$12.89 \pm 0.02$	EI	5423
$C_{12}H_{10}S_2Mn_2^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyldi-(Mn-Mn))	64090-73-9	2NO	$8.99 \pm 0.02$	EI	5423
$C_7H_5OSMn^+$	$C_5H_5(CO)_2CSMn$ (Manganese, (carbonothioyl)dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	31741-76-1	CO	$8.18 \pm 0.01$	EI	4661
$C_8H_7OSMn^+$	$C_5H_4(CH_3)(CO)_2CSMn$ (Manganese, (carbonothioyl)dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl- 2,4-cyclopentadien-1-yl]-)	49716-52-1	CO	$7.95 \pm 0.02$	EI	4661
$C_8H_{13}OSMn^+$	$C_5H_4CH_3Mn(CO)_2SO(CH_3)_2$ (Dicarbonyl[(1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl] (sulfinylbis(methane)-S)manganese)	12153-02-5	2CO	$7.9 \pm 0.1$	EI	3498
$C_{10}H_{15}OSMn^+$	$C_4H_9SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl[(1,2,3,4,5-)-1-methyl-2,4-cyclopentadiene-1-yl] (tetrahydrothiophene 1-oxide-S)manganese)	12153-95-6	2CO	$7.5 \pm 0.1$	EI	3498
$C_{18}H_{17}OSMn^+$	$(C_6H_5)_2SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl] (1,1'-sulfinylbis(benzene)-S)manganese)	36154-49-1	2CO	$7.8 \pm 0.1$	EI	3498

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_5O_2SMn^+$	$(C_5H_5)(CO)_2(CS)Mn$	31741-76-1	**	7.81 (V)	PE	5518
	(Manganese,(carbonothioyl)dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)		**	$7.78 \pm 0.01$	EI	4661
$C_9H_7O_2SMn^+$	$C_5H_4(CH_3)(CO)_2CSMn$	49716-52-1	**	$7.72 \pm 0.02$	EI	4661
	(Manganese, (carbonothioyl)dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl]-)					
$C_{12}H_{15}O_2SMn^+$	$C_1H_8SC_5H_4CH_3Mn(CO)_2$	12153-94-5	**	$6.45 \pm 0.05$	EI	3498
	(Dicarbonyl(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)(tetrahydrothiophene)manganese)		**	6.45	EI	5292
$C_{20}H_{17}O_2SMn^+$	$(C_6H_5)_2SC_5H_4CH_3Mn(CO)_2$	36154-47-9	**	$6.27 \pm 0.05$	EI	3498
	(Dicarbonyl((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)(1,1'-thiobis(benzene)-S)manganese)		**	6.27	EI	5292
$C_8H_{11}O_3SMn^+$	$C_2H_4O_2SOC_5H_4CH_3Mn(CO)_2$	12152-97-5	2CO	$7.75 \pm 0.1$	EI	3498
	(Dicarbonyl(1,3,2-dioxathiolane 2-oxide-S)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)manganese)					
$C_{10}H_{13}O_3SMn^+$	$C_5H_4CH_3Mn(CO)_2SO(CH_3)_2$	12153-02-5	**	$7.19 \pm 0.05$	EI	3498
	(Dicarbonyl((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)(sulfinylbis(methane)-S)manganese)		**	7.19	EI	5292
$C_{12}H_{15}O_3SMn^+$	$C_4H_8SOC_5H_4CH_3Mn(CO)_2$	12153-95-6	**	$6.79 \pm 0.05$	EI	3498
	(Dicarbonyl((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadiene-1-yl)(tetrahydrothiophene 1-oxide-S)manganese) hydrothiophene-1-oxide-S-))		**	6.79	EI	5292
$C_{20}H_{17}O_3SMn^+$	$(C_6H_5)_2SOC_5H_4CH_3Mn(CO)_2$	36154-49-1	**	$6.76 \pm 0.05$	EI	3498
	(Dicarbonyl((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)(1,1'-sulfinylbis(benzene)-S)manganese)		**	6.76	EI	5292
$C_{10}H_{11}O_5SMn^+$	$C_2H_4O_2SOC_5H_4CH_3Mn(CO)_2$	12152-97-5	**	$7.38 \pm 0.05$	EI	3498
	(Dicarbonyl(1,3,2-dioxathiolane 2-oxide-S)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)manganese)		**	7.38	EI	5292
$C_6H_5NOSMn^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$	64090-73-9		$11.04 \pm 0.03$	EI	5423
	(Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl)dinitrosyl-di-( <i>Mn-Mn</i> )-)					
$C_7H_7NOSMn^+$	$(C_5H_5)(CS)(NO)MnI$	58450-74-1	1	$8.77 \pm 0.04$	EI	5561
	(Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)					
$C_7H_7NOSMn^+$	$(CH_3C_5H_4)(CS)(NO)MnI$	XXXXX-XX-X 1		$8.68 \pm 0.02$	EI	5561
	(Manganese,(carbonothioyl)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)iodonitrosyl-)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_5NOS_2Mn^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyl-di-(Mn-Mn))	64090-73-9		$9.03 \pm 0.04$	EI	5423
$C_7H_5NOS_2Mn_2^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyl-di-(Mn-Mn))	64090-73-9	$C_5H_5 + NO$	$11.97 \pm 0.02$	EI	5423
$C_{12}H_{10}NOS_2Mn_2^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyl-di-(Mn-Mn))	64090-73-9	NO	$7.90 \pm 0.02$	EI	5423
$C_{12}H_{10}N_2O_2S_2Mn^+$	$(C_5H_5)_2(CS)_2(NO)_2Mn_2$ (Manganese,bis[ $\mu$ -(carbonothioyl)bis( $\eta^5$ -2,4-cyclopentadien-1-yl) dinitrosyl-di-(Mn-Mn)-)	64090-73-9	**	$6.77 \pm 0.02$	EI	5582
$C_{25}H_{22}PSMn^+$	$C_{26}H_{22}OPSMn$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4- cyclopentadien-1-yl](triphenylphosphine)-)	70279-43-5	CO	$7.37 \pm 0.02$	EI	5576
$C_{26}H_{22}OPSMn^+$	$C_{26}H_{22}OPSMn$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4- cyclopentadien-1-yl](triphenylphosphine)-)	70279-43-5	**	$6.58 \pm 0.02$	EI	5576
$Cl_2Mn^+$	$MnCl_2$	7773-01-5	**	$11.03$ (V)	PE	5172
$C_{44}H_{28}N_4ClMn^+$	$C_{20}H_8N_4(C_6H_5)_4MnCl$ (Manganese, chloro[5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)- $N^{21},N^{22},N^{23},N^{24}$ ]- (SP-5-12)-)	32195-55-4	**	$5.95 \pm 0.2$	OTH	4962
$O_3ClMn^+$	$MnO_3Cl$	15605-27-3	**	$11.98 \pm 0.05$ (V)	PE	4632
$C_5O_3ClMn^+$	$(CO)_3MnCl$	14100-30-2	** **	$8.87 \pm 0.05$ (V) $8.94$ (V)	PE PE	4492 3866
$C_5O_3SiCl_3Mn^+$	$(CO)_3SiCl_3Mn$	38194-30-8	**	$9.36 \pm 0.05$	PE	4492
$C_7H_5O_2PCl_3Mn^+$	$(C_5H_5)(PCl_3)(CO)_2Mn$ (Manganese,dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl) (phosphorus trichloride)-)	12275-46-6	**	8.12	EI	5453
$Fe^+$	Fe	7439-89-6	** **	$7.7 \pm 0.2$ $8.0 \pm 0.5$	EI EI	4618 4436
	$(C_5H_5)_2Fe$ (Ferrocene)	102-54-5		$12.0 \pm 1.5$	EI	3793
			$(C_5H_5)_2$	$14.00 \pm 0.25$	EI	3623
				$14.10 \pm 0.15$	EI	4072
	$(CO)_5Fe$	13463-40-6	5CO	$16.2 \pm 0.2$	EI	4618

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Fe}^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>3</sub> Fe	19372-47-5		17.0±0.05	EI	3952
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub>	67113-80-8		20.94±0.03	EI	5423
	(Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub> (Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		20.21±0.03	EI	5423
$\text{Fe}_2^{2+}$	Fe <sup>+</sup>	7439-89-6	**	16.188±0.001	S	5233
$\text{Fe}_2^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub>	67113-80-8		26.71±0.06	EI	5423
	(Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub>	67225-86-9		20.89±0.03	EI	5423
	(Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)					
$\text{C}_2\text{Fe}^+$	(CO) <sub>5</sub> Fe	13463-40-6		29.9±0.5	EI	4736
$\text{C}_3\text{H}_3\text{Fe}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Fe	102-54-5		17.75±0.2	EI	4072
	(Ferrocene)					
				18.06±0.10	EI	3628
$\text{C}_5\text{H}_5\text{Fe}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Fe	102-54-5		12.95±0.15	EI	4072
	(Ferrocene)					
			C <sub>5</sub> H <sub>5</sub>	13.9±0.2	EI	3793
				14.25±0.25	EI	3628
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub>	67113-80-8		15.82±0.03	EI	5423
	(Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub>	67225-86-9		15.32±0.03	EI	5423
	(Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)					
$\text{C}_{10}\text{H}_{10}\text{Fe}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Fe	102-54-5	**	6.90 (V)	PE	4565
	(Ferrocene)					
			**	6.78±0.05	PI	3729
			**	6.72	PE	3725
			**	6.86 (V)	PE	5394
			**	6.88 (V)	PE	3688
			**	6.88 (V)	PE	5507
			**	~7.0 (V)	PE	3527
			**	7.10 (V)	PE	4072
			**	6.75±0.25	EI	3628
			**	6.9±0.1	EI	3793
			**	6.90±0.1	EI	4072
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub>	67113-80-8		9.03±0.03	EI	5423
	(Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub>	67225-86-9		8.62±0.03	EI	5423
	(Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)					
$\text{C}_{12}\text{H}_{12}\text{Fe}^+$	(C <sub>5</sub> H <sub>5</sub> )(C <sub>5</sub> H <sub>4</sub> C <sub>2</sub> H <sub>3</sub> )Fe	1271-51-8	**	6.75±0.05	PI	3729
	(Ferrocene, ethenyl-)					

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{11}Fe^+$	$(C_5H_5CH_3)_2Fe$ (Ferrocene, 1,1'-dimethyl-)	1291-47-0	**	6.72 (V)	PE	3688
			**	6.72 (V)	PE	5507
	$(C_5H_5)(C_5H_4C_2H_5)Fe$ (Ferrocene, ethyl-)	1273-89-8	**	$6.70 \pm 0.05$	PI	3729
$C_{20}H_{30}Fe^+$	$(C_5(CH_3)_2)_2Fe$ (Ferrocene, decamethyl-)	12126-50-0	**	5.88 (V)	PE	5394
$C_{20}H_{16}Fe_2^+$	$(C_{10}H_8)_2Fe_2$ (1,1':1'',1'''-Biferrocene)	11105-90-1	**	6.55 (V)	PE	5373
$C_{20}H_{18}Fe_2^+$	$(C_{10}H_8)(C_5H_5)_2Fe_2$ (1,1''-Biferrocene)	1287-38-3	**	6.6 (V)	PE	5373
$C_{36}H_{41}N_4Fe^+$	$((C_5H_5)_2C_4NCH)_4Fe$ (Iron, [2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphinato(2-)- $N^{21},N^{22},N^{23},N^{24}$ ](SP-4-1)-)	61085-06-1	**	$6.06 \pm 0.03$ (V)	PE	5476
$C_{44}H_{28}N_4Fe^+$	$C_{20}H_8N_4(C_6H_5)_4Fe$ (Iron, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)- $N^{21},N^{22},N^{23},N^{24}$ ](SP-4-1)-)	16591-56-3	**	6.50 (V)	PE	4557
$C_{32}H_{16}N_8Fe^+$	$C_{32}H_{16}N_8Fe$ (Iron, [29H,31H-phthalocyaninato(2-)- $N^{20},N^{30},N^{31},N^{32}$ ](SP-4-1)-)	132-16-1	**	$7.22 \pm 0.10$	EI	3829
$OFe^+$	FeO	1345-25-1	**	$8.71 \pm 0.10$	EI	4436
	$(CO)_5Fe$	13463-40-6		$22.5 \pm 0.5$	EI	4736
$O_2Fe^+$	FeO <sub>2</sub>	12411-15-3	**	$9.5 \pm 0.5$	EI	4436
$COFe^+$	$(CO)_5Fe$	13463-40-6	4CO	$14.0 \pm 0.2$	EI	4618
$C_2OFe^+$	$(CO)_5Fe$	13463-40-6		$20.2 \pm 0.5$	EI	4736
$C_2O_2Fe^+$	$(CO)_5Fe$	13463-40-6	3CO	$11.0 \pm 0.2$	EI	4618
$C_3O_2Fe^+$	$(CO)_5Fe$	13463-40-6		$18.2 \pm 0.5$	EI	4736
$C_3O_3Fe^+$	$(CO)_5Fe$	13463-40-6	2CO	$10.1 \pm 0.2$	EI	4618
$C_3O_3Fe^{+2}$	$(CO)_5Fe$	13463-40-6		$24.0 \pm 0.5$	EI	4736
$C_4O_4Fe^+$	$(CO)_5Fe$	13463-40-6	CO	$9.3 \pm 0.2$	EI	4618
$C_5O_5Fe^+$	$(CO)_5Fe$	13463-40-6	**	8.6 (V)	PE	4376



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>3</sub>O<sub>3</sub>Fe<sup>+</sup></b>	(CO) <sub>3</sub> Fe	13463-40-6	**	8.60 (V)	PE	4456
			**	8.4±0.2	EI	4618
<b>C<sub>8</sub>H<sub>8</sub>O<sub>2</sub>Fe<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> (CO) <sub>2</sub> (CH <sub>3</sub> )Fe (Iron, dicarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)methyl-)	12080-06-7	**	7.65 (V)	PE	4565
			**	7.79 (V)	PE	4570
			**	7.91 (V)	PE	5358
<b>C<sub>10</sub>H<sub>10</sub>O<sub>2</sub>Fe<sup>+</sup></b>	(C <sub>5</sub> H <sub>3</sub> )(C <sub>3</sub> H <sub>3</sub> )(CO) <sub>2</sub> Fe (Iron,dicarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-2-propenyl-)	38960-10-0	**	7.97 (V)	PE	5358
<b>C<sub>12</sub>H<sub>10</sub>O<sub>2</sub>Fe<sup>+</sup></b>	(C <sub>5</sub> H <sub>3</sub> ) <sub>2</sub> (CO) <sub>2</sub> Fe (Iron,dicarbonyl-2,4-cyclopentadiene-1-yl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	12247-96-0	**	7.58 (V)	PE	5358
<b>C<sub>7</sub>H<sub>4</sub>O<sub>3</sub>Fe<sup>+</sup></b>	C <sub>4</sub> H <sub>4</sub> (CO) <sub>3</sub> Fe (Iron, tricarbonyl(η <sup>4</sup> -1,3-cyclobutadiene)-)	12078-17-0	**	7.65±0.02	PE	4412
			**	8.1 (V)	PE	4937
			**	8.15 (V)	PE	5005
<b>C<sub>7</sub>H<sub>6</sub>O<sub>3</sub>Fe<sup>+</sup></b>	(CH <sub>2</sub> =CHCH=CH <sub>2</sub> )(CO) <sub>3</sub> Fe (1,3- <i>n</i> -C <sub>4</sub> H <sub>6</sub> )(CO) <sub>3</sub> Fe (Iron, (η <sup>4</sup> -1,3-butadiene)tricarbonyl-) (CH <sub>2</sub> ) <sub>3</sub> C(CO) <sub>3</sub> Fe (Trimethylenemethane-iron tricarbonyl-)	12078-32-9 52610-59-0 XXXXX-XX-X	**	8.16 (V)	PE	5551
			**	8.23 (V)	PE	5044
			**	8.22 (V)	PE	5005
			**	8.63 (V)	PE	5005
<b>C<sub>8</sub>H<sub>8</sub>O<sub>3</sub>Fe<sup>+</sup></b>	C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> Fe (Iron, tricarbonyl[(1,2,3,4-η)-2-methyl-1,3-butadiene]-, stereoisomer) C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> Fe (Iron, tricarbonyl[(1,2,3,4-η)-1,3-pentadiene]-,(E)-)	32731-93-4 XXXXX-XX-X	**	8.11 (V)	PE	5005
			**	8.07 (V)	PE	5005
<b>C<sub>9</sub>H<sub>8</sub>O<sub>3</sub>Fe<sup>+</sup></b>	C <sub>6</sub> H <sub>6</sub> (CO) <sub>3</sub> Fe (Iron, tricarbonyl[(1,2,3,4-η)-1,3-cyclohexadiene]-)	12152-72-6	**	7.96 (V)	PE	5005
			**	7.98 (V)	PE	5551
<b>C<sub>9</sub>H<sub>10</sub>O<sub>3</sub>Fe<sup>+</sup></b>	C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> Fe (Iron, tricarbonyl[(1,2,3,4-η)-2,3-dimethyl-1,3-butadiene]-) C <sub>9</sub> H <sub>10</sub> O <sub>3</sub> Fe (Iron, tricarbonyl[(1,2,3,4-η)-2-methyl-1,3-pentadiene-,(E)-])	31741-56-7 XXXXX-XX-X	**	7.95 (V)	PE	5005
			**	7.94 (V)	PE	5005
<b>C<sub>10</sub>H<sub>8</sub>O<sub>3</sub>Fe<sup>+</sup></b>	C <sub>7</sub> H <sub>6</sub> (CO) <sub>3</sub> Fe (Iron, [(2,3,5,6-η)-bicyclo 2.2.1]hepta-2,5-diene] tricarbonyl-) (C <sub>7</sub> H <sub>6</sub> )(CO) <sub>3</sub> Fe (Iron,tricarbonyl[(1,2,3,4-η)-1,3,5-cycloheptatriene]-)	12307-07-2 36343-88-1	**	7.51 (V)	PE	5005
			**	7.51 (V)	PE	5367
			**	7.76 (V)	PE	5551
<b>C<sub>10</sub>H<sub>10</sub>O<sub>3</sub>Fe<sup>+</sup></b>	(C <sub>7</sub> H <sub>10</sub> )(CO) <sub>3</sub> Fe (Iron,tricarbonyl[(1,2,3,4-η)-1,3-cycloheptadiene]-)	40674-86-0	**	7.78 (V)	PE	5551

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_8O_3Fe^+$	$(C_9H_8)(CO)_3Fe$ (Iron, tricarbonyl[(1,2,3,4- $\eta$ )-1,3,5,7-cyclooctatetraene]-)	12093-05-9	**	7.84 (V)	PE	5551
$C_{11}H_{12}O_3Fe^+$	$(C_9H_{12})(CO)_3Fe$ (Iron, tricarbonyl[(1,2,3,4- $\eta$ )-1,3-cyclooctadiene]-)	33270-50-7	**	7.45 (V)	PE	5551
$C_1H_2O_1Fe^+$	$Fe(CO)_4H_2$	12002-28-7	**	9.65	PE	4372
$C_6H_4O_1Fe^+$	$(CH_2=CH_2)(CO)_3Fe$	32799-25-0	** **	8.38 (V) 8.4-8.6 (V)	PE PE	4946 4376
$C_{11}H_{12}O_1Fe^+$	$(C_3(CH_3)_3)(CO)_3Fe$	12264-26-5	**	7.84 (V)	PE	5362
$C_7H_1O_5Fe^+$	$CH_2=CHCHO(CO)_3Fe$	12287-43-3	** **	8.69 (V) 9.35 (V)	PE PE	4908 5559
$C_8H_6O_3Fe^+$	$CH_1CH=CHCHO(CO)_3Fe$	70520-16-0	**	8.60 (V)	PE	4908
$C_{11}H_{12}O_5Fe^+$	$C_{11}H_{12}O_5Fe$ (Iron, tricarbonyl[(1,2,3,4- $\eta$ )-(2,4-hexadienoic acid ethyl ester, (E,E)-)-])	XXXXX-XX-X	**	8.19 (V)	PE	5005
$C_7H_3O_6Fe^+$	$CH_2=CHCOO(CO)_3Fe$	12287-44-4	**	8.66 (V)	PE	4908
$C_8H_6O_6Fe^+$	$CH_2=CHCOOCH_3(CO)_3Fe$	12287-67-1	**	8.50 (V)	PE	4908
$C_{15}H_{21}O_6Fe^+$	$(CH_3COCHCOCH)_3Fe$ (Iron, tris(2,4-pentanedionato- $O,O'$ )-, ( $OC$ -6-11)-)	14024-18-1	**	$8.10 \pm 0.07$ (V)	PE	3682
$C_{33}H_{57}O_6Fe^+$	$((CH_3)_3CCOCHCOCH(CH_3)_3)_3Fe$ (Iron, tris(2,2,6,6-tetramethyl-3,5-heptanedionato- $O,O'$ )-)	14876-47-2	**	$7.92 \pm 0.07$ (V)	PE	3682
$C_{10}H_8O_8Fe^+$	$CH_3OOCCH=CHCOOCH_3(CO)_3Fe$	33248-78-1	**	8.68 (V)	PE	4908
$C_{11}H_{10}O_1Fe_2^+$	$trans-((C_5H_5)(CO)_2Fe)_2$ (Iron, di- $\mu$ -carbonyldicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl) di-( $Fe-Fe$ ))	32757-46-3	**	6.95 (V)	PE	5317
$C_{21}H_{20}O_1Fe_4^+$	$(C_5H_5COFe)_4$ (Iron, tetra- $\mu$ -3-carbonyltetrakis( $\eta^5$ -2,4-cyclopentadien-1-yl)tetra-tetrahedro)	12203-87-1	**	6.45 (V)	PE	4565
$B_1C_3H_8O_3Fe^+$	$B_1H_9(CO)_3Fe$ (Iron, tricarbonyl[(1,2,3,4- $\eta$ )-tetraborane(8)]-)	54748-47-9	**	8.6 (V)	PE	4937
$B_3C_3H_9O_3Fe^+$	$B_3H_9(CO)_3Fe$ (Iron, tricarbonyl [nonahydropentaborate (2-)]-)	61403-41-6	**	8.4 (V)	PE	4937

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>B<sub>3</sub>C<sub>5</sub>H<sub>5</sub>O<sub>3</sub>Fe<sup>+</sup></b>	C <sub>2</sub> H <sub>5</sub> B <sub>3</sub> (CO) <sub>3</sub> Fe (Iron, tricarbonyl [ $\eta^1$ -pentahydrodicarbapentaborato(2-)]-)	53363-10-3	**	8.6 (V)	PE	4937
<b>B<sub>3</sub>C<sub>5</sub>H<sub>7</sub>O<sub>3</sub>Fe<sup>+</sup></b>	C <sub>2</sub> H <sub>7</sub> B <sub>3</sub> (CO) <sub>3</sub> Fe (Iron, tricarbonyl [(1,2,3,4,5- $\eta$ )-heptahydro-1,2-dicarbapentaborate (2-)]-)	36657-30-4	**	8.7	PE	4937
<b>B<sub>5</sub>C<sub>5</sub>H<sub>3</sub>O<sub>5</sub>Fe<sup>+</sup></b>	B <sub>5</sub> H <sub>3</sub> (CO) <sub>5</sub> Fe (Iron, tricarbonyl [(2,3,4,5- $\eta$ )-dicarbonyltrihiropentaborato (2-)]-)	61525-93-7	**	8.0 (V)	PE	4937
<b>C<sub>2</sub>N<sub>2</sub>O<sub>4</sub>Fe<sup>+</sup></b>	(CO) <sub>2</sub> (NO) <sub>2</sub> Fe	13682-74-1	**	8.16±0.04	PE	5225
<b>C<sub>7</sub>H<sub>3</sub>NO<sub>4</sub>Fe<sup>+</sup></b>	(CH <sub>2</sub> =CHCN)(CO) <sub>4</sub> Fe	15602-77-4	**	8.90 (V)	PE	5559
<b>C<sub>5</sub>H<sub>5</sub>NO<sub>4</sub>Fe<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> N)(CO) <sub>4</sub> Fe (Iron, tetracarbonyl(pyridine)-(TB-5-12)-)	53317-88-7	**	7.65 (V)	PE	5559
<b>C<sub>15</sub>H<sub>12</sub>O<sub>6</sub>F<sub>9</sub>Fe<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCH <sub>3</sub> ) <sub>3</sub> Fe (Iron, tris(1,1,1-trifluoro-2,4-pentanedionato- <i>O,O'</i> )-)	14526-22-8	**	9.18±0.07 (V)	PE	3682
<b>C<sub>15</sub>H<sub>3</sub>O<sub>6</sub>F<sub>18</sub>Fe<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCF <sub>3</sub> ) <sub>3</sub> Fe (Iron, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	17786-67-3	**	10.13±0.07 (V)	PE	3682
<b>C<sub>13</sub>H<sub>18</sub>SiFe<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> )(C <sub>5</sub> H <sub>4</sub> Si(CH <sub>3</sub> ) <sub>3</sub> )Fe (Ferrocene, (trimethylsilyl)-)	12215-68-8	**	9.5±0.10	PI	3729
<b>C<sub>6</sub>H<sub>18</sub>N<sub>3</sub>PFe<sup>+</sup></b>	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>4</sub> Fe	19372-47-5	4CO	10.2±0.05	EI	3952
<b>C<sub>12</sub>H<sub>36</sub>N<sub>6</sub>P<sub>2</sub>Fe<sup>+</sup></b>	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>3</sub> Fe	19372-46-4	3CO	11.7±0.05	EI	3952
<b>C<sub>7</sub>H<sub>9</sub>O<sub>4</sub>PFe<sup>+</sup></b>	(P(CH <sub>3</sub> ) <sub>3</sub> )(CO) <sub>4</sub> Fe (JC-Mean value of Jahn-Teller components)	18475-02-0	**	7.77 (V)	PE	5559
<b>C<sub>22</sub>H<sub>15</sub>O<sub>4</sub>PFe<sup>+</sup></b>	(P(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> )(CO) <sub>4</sub> Fe (Iron, tetracarbonyl(triphenylphosphine)-)	14649-69-5	**	7.55 (V)	PE	5559
<b>C<sub>7</sub>H<sub>18</sub>N<sub>3</sub>OPFe<sup>+</sup></b>	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>4</sub> Fe	19372-47-5	3CO	10.2±0.05	EI	3952
<b>C<sub>8</sub>H<sub>18</sub>N<sub>3</sub>O<sub>2</sub>PFe<sup>+</sup></b>	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>4</sub> Fe	19372-47-5	2CO	9.8±0.05	EI	3952
<b>C<sub>9</sub>H<sub>18</sub>N<sub>3</sub>O<sub>3</sub>PFe<sup>+</sup></b>	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>4</sub> Fe	19372-47-5	CO	9.4±0.05	EI	3952
<b>C<sub>10</sub>H<sub>18</sub>N<sub>3</sub>O<sub>4</sub>PFe<sup>+</sup></b>	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>4</sub> Fe	19372-47-5	**	9.0±0.05	EI	3952

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{36}N_6OP_2Fe^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>3</sub> Fe	19372-46-4	2CO	10.2±0.05	EI	3952
$C_{11}H_{36}N_6O_2P_2Fe^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>3</sub> Fe	19372-46-4	CO	9.7±0.05	EI	3952
$C_{15}H_{36}N_6O_3P_2Fe^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>3</sub> Fe	19372-46-4	**	7.7±0.05	EI	3952
$F_{13}P_5Fe^+$	(PF <sub>3</sub> ) <sub>5</sub> Fe	13815-34-4	**	8.9	PE	4021
			**	9.15 (V)	PE	4456
			**	8.83	EI	5453
$H_2F_{12}P_1Fe^+$	FeH <sub>2</sub> (PF <sub>3</sub> ) <sub>4</sub>	24899-55-6	**	9.78 (V)	PE	4720
$C_4O_4F_3PFe^+$	PF <sub>3</sub> Fe(CO) <sub>4</sub>	16388-47-9	**	8.75 (V)	PE	4753
$C_3O_4F_6P_2Fe^+$	(PF <sub>3</sub> ) <sub>2</sub> Fe(CO) <sub>3</sub>	16454-87-8	**	8.95 (V)	PE	4753
			**	8.47	EI	5453
$C_2O_2F_9P_3Fe^+$	(PF <sub>3</sub> ) <sub>3</sub> (CO) <sub>2</sub> Fe	16388-46-8	**	8.61	EI	5453
$COF_{12}P_1Fe^+$	(PF <sub>3</sub> ) <sub>4</sub> FeCO	16388-45-7	**	9.18 (V)	PE	4753
			**	8.62	EI	5453
$CSFe^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub> (Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8		11.88±0.03	EI	5423
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub> (Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		12.02±0.06	EI	5423
$CSFe_2^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub> (Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8		26.00±0.03	EI	5423
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub> (Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		20.00±0.03	EI	5423
$C_2S_2Fe_2^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub> (Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8		26.00±0.03	EI	5582
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub> (Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		22.53±0.03	EI	5423
$C_6H_5SFe^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS)(CO) <sub>3</sub> Fe <sub>2</sub> (Iron,μ-carbonothioyl-μ-carbonyldicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8		14.74±0.04	EI	5423
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CS) <sub>2</sub> (CO) <sub>2</sub> Fe <sub>2</sub> (Iron,bis[μ-(carbonothioyl)]dicarbonylbis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		14.74±0.09	EI	5423

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_3SFe_2^+$	$(C_5H_5)_2(CS)(CO)_3Fe_2$ (Iron, $\mu$ -carbonothioyl- $\mu$ -carbonyldicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8	$C_5H_5 + 3CO$	$16.79 \pm 0.02$	EI	5423
	$(C_5H_5)_2(CS)_2(CO)_2Fe_2$ (Iron,bis[ $\mu$ -(carbonothioyl)]dicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		$17.19 \pm 0.02$	EI	5423
$C_{11}H_{10}SFe_2^+$	$(C_5H_5)_2(CS)(CO)_3Fe_2$ (Iron, $\mu$ -carbonothioyl- $\mu$ -carbonyldicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8	3CO	$10.44 \pm 0.04$	EI	5423
	$(C_5H_5)_2(CS)_2(CO)_2Fe_2$ (Iron,bis[ $\mu$ -(carbonothioyl)]dicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9	2CO + CS	$12.61 \pm 0.04$	EI	5423
$C_7H_5S_2Fe_2^+$	$(C_5H_5)_2(CS)_2(CO)_2Fe_2$ (Iron,bis[ $\mu$ -(carbonothioyl)]dicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		$13.23 \pm 0.02$	EI	5423
$C_{12}H_{10}S_2Fe_2^+$	$(C_5H_5)_2(CS)_2(CO)_2Fe_2$ (Iron,bis[ $\mu$ -(carbonothioyl)]dicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9	2CO	$8.89 \pm 0.03$	EI	5423
$C_9H_{18}N_3S_6Fe^+$	$[S_2CN(CH_3)_2]_3Fe$	14484-64-1	**	7.72 (V)	PE	4710
$C_6O_6S_2Fe_2^+$	$(CO)_6Fe_2S_2$	14243-23-3	**	7.9 (V)	PE	5536
$C_7H_5OSFe^+$	$(C_5H_5)_2(CS)(CO)_3Fe_2$ (Iron, $\mu$ -carbonothioyl- $\mu$ -carbonyldicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8		$13.13 \pm 0.03$	EI	5423
	$(C_5H_5)_2(CS)_2(CO)_2Fe_2$ (Iron,bis[ $\mu$ -(carbonothioyl)]dicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9		$13.83 \pm 0.11$	EI	5423
$C_{12}H_{10}OSFe_2^+$	$(C_5H_5)_2(CS)(CO)_3Fe_2$ (Iron, $\mu$ -carbonothioyl- $\mu$ -carbonyldicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8	2CO	$8.58 \pm 0.02$	EI	5423
$C_{13}H_{10}O_2SFe_2^+$	$(C_5H_5)_2(CS)(CO)_3Fe_2$ (Iron, $\mu$ -carbonothioyl- $\mu$ -carbonyldicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8	CO	$7.62 \pm 0.02$	EI	5423
$C_{11}H_{10}O_3SFe_2^+$	$(C_5H_5)_2(CS)(CO)_3Fe_2$ (Iron, $\mu$ -carbonothioyl- $\eta$ -carbonyldicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67113-80-8	**	$6.46 \pm 0.02$	EI	5423
$C_{13}H_{10}OS_2Fe_2^+$	$(C_5H_5)_2(CS)_2(CO)_2Fe_2$ (Iron,bis[ $\mu$ -(carbonothioyl)]dicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9	CO	$7.47 \pm 0.02$	EI	5423
$C_{11}H_{10}O_2S_2Fe_2^+$	$(C_5H_5)_2(CS)_2(CO)_2Fe_2$ (Iron,bis[ $\mu$ -(carbonothioyl)]dicarbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)di-(Fe-Fe)-)	67225-86-9	**	$6.76 \pm 0.04$	EI	5423



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{11}O_6S_2Fe_2^+$ ( <i>iso</i> -C <sub>4</sub> H <sub>7</sub> S) <sub>2</sub> (CO) <sub>6</sub> Fe <sub>2</sub>		26411-94-9	**	7.5 (V)	PE	5536
$C_8H_{12}N_2O_2S_4Fe^+$ [S <sub>2</sub> CN(CH <sub>3</sub> ) <sub>2</sub> ] <sub>2</sub> (CO) <sub>2</sub> Fe		36309-89-4	**	8.51 (V)	PE	4710
$C_{11}H_{20}N_2O_2S_4Fe^+$ [C <sub>5</sub> H <sub>10</sub> N(CS <sub>2</sub> )] <sub>2</sub> (CO) <sub>2</sub> Fe (Iron, dicarbonylbis(1-piperidinecarbodithioato-S,S')-(OC-6-21)-)		35816-66-1	**	8.57 (V)	PE	4710
$C_{18}H_{16}N_2O_2S_4Fe^+$ C <sub>18</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> S <sub>4</sub> Fe (Iron, dicarbonylbis(methylphenylcarbomodithioato-S,S')-(OC-6-21)-)		63796-70-3	**	7.77 (V)	PE	4710
$C_{18}H_{28}N_2O_2S_4Fe^+$ C <sub>18</sub> H <sub>28</sub> N <sub>2</sub> O <sub>2</sub> S <sub>4</sub> Fe (Iron, dicarbonylbis(2,6-dimethyl-1-piperidinecarbodithioato-S,S')-(OC-6-21)-)		63796-67-8	**	8.26 (V)	PE	4710
$C_{20}H_{20}N_2O_2S_4Fe^+$ C <sub>20</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> S <sub>4</sub> Fe (Iron, dicarbonylbis(ethylphenylcarbomodithioato-S,S')-(OC-6-21)-)		63796-69-0	**	7.76 (V)	PE	4710
$C_{22}H_{24}N_2O_2S_4Fe^+$ C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> S <sub>4</sub> Fe (Iron, dicarbonylbis[ethyl(phenylmethyl)carbomodithioato-S,S']-(OC-6-21)-)		63796-64-5	**	7.90 (V)	PE	4710
$C_{28}H_{20}N_2O_2S_4Fe^+$ C <sub>28</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> S <sub>4</sub> Fe (Iron, dicarbonylbis(diphenylcarbomodithioato-S,S')-(OC-6-21)-)		63796-68-9	**	7.58 (V)	PE	4710
$C_{12}H_{16}N_2O_4S_4Fe^+$ C <sub>12</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub> S <sub>4</sub> Fe (Iron, dicarbonylbis(4-morpholinecarbodithioato-S,S')-(OC-6-21)-)		63796-66-7	**	8.64 (V)	PE	4710
$C_{10}H_9NO_6SF_2^+$ ( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> NS)(CO) <sub>6</sub> Fe <sub>2</sub>		41812-87-7	**	7.8 (V)	PE	5536
$Cl_2Fe^+$	FeCl <sub>2</sub>	7758-94-3	**	10.34 (V)	PE	5172
$C_{10}H_9ClFe^+$	(C <sub>5</sub> H <sub>5</sub> )(C <sub>5</sub> H <sub>4</sub> Cl)Fe (Ferrocene, chloro-)	1273-74-1	**	6.83±0.05	PI	3729
$C_{10}H_8Cl_2Fe^+$	(C <sub>5</sub> H <sub>4</sub> Cl) <sub>2</sub> Fe (Ferrocene, 1,1'-dichloro-)	1293-67-0	**	7.03 (V)	PE	3688
$C_{41}H_{28}N_4ClFe^+$	C <sub>20</sub> H <sub>8</sub> N <sub>4</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>4</sub> FeCl (Iron, chloro[5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ]- (SP-5-12)-)	16456-81-8	**	6.09±0.2	OTH	4962
$C_7H_5O_2ClFe^+$	C <sub>5</sub> H <sub>5</sub> (CO) <sub>2</sub> FeCl (Iron, dicarbonylchloro(η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	12107-04-9	**	8.00 (V)	PE	4565
			**	8.00 (V)	PE	4570
$C_6H_2O_4Cl_2Fe^+$	CCl <sub>2</sub> CH <sub>2</sub> (CO) <sub>4</sub> Fe <i>trans</i> -C <sub>2</sub> H <sub>3</sub> Cl <sub>2</sub> (CO) <sub>4</sub> Fe	52613-75-9	**	8.82 (V)	PE	4908
		52646-80-7	**	8.72 (V)	PE	4908

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Co}^+$	$(\text{C}_5\text{H}_5)_2\text{Co}$ (Cobaltocene)	1277-43-6		$14.10 \pm 0.15$	EI	4072
	$\text{Cl}_3\text{SiCo}(\text{CO})_3\text{PF}_4$	37769-28-1		$18.9 \pm 0.5$	EI	3653
	$\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-29-2		$18.9 \pm 0.4$	EI	3653
	$(\text{C}_5\text{H}_5)_2\text{Co}$ (Cobaltocene)					
$\text{C}_3\text{H}_3\text{Co}^+$	$(\text{C}_5\text{H}_5)_2\text{Co}$ (Cobaltocene)	1277-43-6		$17.50 \pm 0.2$	EI	4072
$\text{C}_5\text{H}_5\text{Co}^+$	$(\text{C}_5\text{H}_5)_2\text{Co}$ (Cobaltocene)	1277-43-6		$13.20 \pm 0.2$	EI	4072
				$14.0 \pm 0.3$	EI	3793
$\text{C}_{10}\text{H}_{10}\text{Co}^+$	$(\text{C}_5\text{H}_5)_2\text{Co}$ (Cobaltocene)	1277-43-6	**	5.55 (V)	PE	5394
			**	5.56 (V)	PE	5507
			**	$5.7 \pm 0.2$	EI	3793
			**	$5.95 \pm 0.1$	EI	4072
$\text{C}_{12}\text{H}_{11}\text{Co}^+$	$(\text{C}_5\text{H}_4\text{CH}_3)_2\text{Co}$ (Cobaltocenium, 1,1'-dimethyl-)	40759-60-2	**	5.37 (V)	PE	5507
$\text{C}_{20}\text{H}_{30}\text{Co}^+$	$(\text{C}_5(\text{CH}_3)_2)_2\text{Co}$ (Cobaltocene, decamethyl-)	XXXXX-XX-X	**	4.705 (V)	PE	5394
$\text{C}_2\text{H}_2\text{Co}_2^+$	$\text{CH} \equiv \text{CH}(\text{CO})_6\text{Co}_2$ (Cobalt, hexacarbonyl(ethyne)di-)	12553-66-1	6CO	$15.58 \pm 0.05$	EI	4116
$\text{C}_4\text{H}_6\text{Co}_2^+$	$(\text{CO})_6\text{CH}_3\text{C} \equiv \text{CCH}_3\text{Co}_2$ (Cobalt, (2-butyne)hexacarbonyl di-)	12282-08-5	6CO	$15.60 \pm 0.05$	EI	4116
$\text{BC}_{11}\text{H}_{13}\text{Co}^+$	$(\text{C}_5\text{H}_5)(\text{C}_5\text{H}_4\text{BCH}_3)\text{Co}$ (Cobalt, ( $\eta^5$ -2,4-cyclopentadien-1-yl)((1,2,3,4,5,6- $\eta$ )-1-methylboratabenzene)-)	36534-25-5	**	$6.56 \pm 0.1$	EI	3545
$\text{B}_2\text{C}_{12}\text{H}_{16}\text{Co}^+$	$(\text{C}_5\text{H}_5\text{BCH}_3)_2\text{Co}$ (Cobalt, bis[(1,2,3,4,5,6- $\eta$ )-1-methylboratabenzene]-)	36534-27-7	**	$7.15 \pm 0.1$	EI	3545
$\text{BC}_{16}\text{H}_{15}\text{Co}^+$	$(\text{C}_5\text{H}_5)(\text{C}_5\text{H}_4\text{BC}_6\text{H}_5)\text{Co}$ (Cobalt, ( $\eta^5$ -2,4-cyclopentadien-1-yl)((1,2,3,4,5,6- $\eta$ )-1-phenylboratabenzene)-)	36682-12-9	**	$6.63 \pm 0.1$	EI	3545
$\text{B}_2\text{C}_{22}\text{H}_{20}\text{Co}^+$	$(\text{C}_5\text{H}_5\text{BC}_6\text{H}_5)_2\text{Co}$ (Cobalt, bis[(1,2,3,4,5,6- $\eta$ )-1-phenylboratabenzene]-)	36534-31-3	**	$7.25 \pm 0.1$	EI	3545
$\text{C}_{16}\text{H}_{16}\text{N}_4\text{Co}^+$	$\text{C}_{16}\text{H}_{16}\text{N}_4\text{Co}$ (Cobalt, [N,N'-bis[(2-aminophenyl)methylene]-1,2-ethanediaminato(2-)-N,N',N'',N''']-)	21177-97-9	**	$6.98 \pm 0.10$	EI	4668
$\text{C}_{36}\text{H}_{44}\text{N}_4\text{Co}^+$	$((\text{C}_5\text{H}_5)_2\text{C}_4\text{NCH})_2\text{Co}$ (Cobalt, [2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ]-)(SP-4-1)-)	17632-19-8	**	$6.09 \pm 0.03$ (V)	PE	5476

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>11</sub>H<sub>28</sub>N<sub>4</sub>Co<sup>+</sup></b>	C <sub>20</sub> H <sub>8</sub> N <sub>4</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>4</sub> Co (Cobalt, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ]- (SP-4-1)-)	14172-90-8	**	6.12±0.2	OTH	4962
<b>C<sub>32</sub>H<sub>16</sub>N<sub>8</sub>Co<sup>+</sup></b>	C <sub>32</sub> H <sub>16</sub> N <sub>8</sub> Co (Cobalt, [29H,31H-phthalocyaninato(2-)-N <sup>29</sup> ,N <sup>30</sup> ,N <sup>31</sup> ,N <sup>32</sup> ]- (SP-4-1)-)	3317-67-7	**	7.46±0.10	EI	3829
<b>CoCo<sup>+</sup></b>	Cl <sub>3</sub> SiCo(CO) <sub>3</sub> PF <sub>3</sub>	37769-28-1		16.7±0.3	EI	3653
	Cl <sub>3</sub> SiCo(CO) <sub>3</sub> (PF <sub>3</sub> ) <sub>2</sub>	37769-29-2		16.9±0.4	EI	3653
<b>C<sub>2</sub>O<sub>2</sub>Co<sup>+</sup></b>	Cl <sub>3</sub> SiCo(CO) <sub>3</sub> PF <sub>3</sub>	37769-28-1		15.5±0.4	EI	3653
	Cl <sub>3</sub> SiCo(CO) <sub>3</sub> (PF <sub>3</sub> ) <sub>2</sub>	37769-29-2		15.5±0.3	EI	3653
<b>C<sub>1</sub>HO<sub>2</sub>Co<sup>+</sup></b>	(CO) <sub>4</sub> CoH	16842-03-8	**	8.90±0.02 (V)	PE	3827
			**	8.90 (V)	PE	4456
<b>C<sub>10</sub>H<sub>11</sub>O<sub>4</sub>Co<sup>+</sup></b>	(CH <sub>3</sub> C(O)=CHCOCH <sub>3</sub> ) <sub>2</sub> Co	14024-48-7	**	8.50 (V)	PE	5100
<b>C<sub>22</sub>H<sub>10</sub>O<sub>4</sub>Co<sup>+</sup></b>	(((CH <sub>3</sub> ) <sub>3</sub> CCO) <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> Co	XXXXX-XX-X	**	7.92 (V)	PE	5568
<b>C<sub>15</sub>H<sub>21</sub>O<sub>6</sub>Co<sup>+</sup></b>	(C <sub>5</sub> H <sub>7</sub> O <sub>2</sub> ) <sub>3</sub> Co	21679-46-9	**	7.52 (V)	PE	4965
			**	7.52±0.07 (V)	PE	3682
<b>C<sub>3</sub>H<sub>2</sub>OC<sub>2</sub><sup>+</sup></b>	CH≡CH(CO) <sub>6</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl(ethyne)di-)	12553-66-1	5CO	14.11±0.05	EI	4116
<b>C<sub>5</sub>H<sub>6</sub>OC<sub>2</sub><sup>+</sup></b>	(CO) <sub>6</sub> CH <sub>3</sub> C≡CCH <sub>3</sub> Co <sub>2</sub> (Cobalt, (2-butyne)hexacarbonyldi-)	12282-08-5	5CO	13.85±0.05	EI	4116
<b>C<sub>1</sub>H<sub>2</sub>O<sub>2</sub>Co<sub>2</sub><sup>+</sup></b>	CH≡CH(CO) <sub>6</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl(ethyne)di-)	12553-66-1	4CO	12.40±0.05	EI	4116
<b>C<sub>6</sub>H<sub>6</sub>O<sub>2</sub>Co<sub>2</sub><sup>+</sup></b>	(CO) <sub>6</sub> CH <sub>3</sub> C≡CCH <sub>3</sub> Co <sub>2</sub> (Cobalt, (2-butyne)hexacarbonyldi-)	12282-08-5	4CO	12.36±0.05	EI	4116
<b>C<sub>5</sub>H<sub>2</sub>O<sub>3</sub>Co<sub>2</sub><sup>+</sup></b>	CH≡CH(CO) <sub>6</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl(ethyne)di-)	12553-66-1	3CO	10.96±0.05	EI	4116
<b>C<sub>7</sub>H<sub>6</sub>O<sub>3</sub>Co<sub>2</sub><sup>+</sup></b>	(CO) <sub>6</sub> CH <sub>3</sub> C≡CCH <sub>3</sub> Co <sub>2</sub> (Cobalt, (2-butyne)hexacarbonyldi-)	12282-08-5	3CO	10.98±0.05	EI	4116
<b>C<sub>6</sub>H<sub>2</sub>O<sub>4</sub>Co<sub>2</sub><sup>+</sup></b>	CH≡CH(CO) <sub>6</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl(ethyne)di-)	12553-66-1	2CO	9.74±0.05	EI	4116

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_6O_4Co_2^+$	(CO) <sub>6</sub> CH <sub>3</sub> C≡CCH <sub>3</sub> Co <sub>2</sub> (Cobalt, (2-butynyl)hexacarbonyldi-)	12282-08-5	2CO	9.68±0.05	EI	4116
$C_7H_2O_5Co_2^+$	CH≡CH(CO) <sub>6</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl(ethyne)di-)	12553-66-1	CO	8.71±0.05	EI	4116
$C_9H_6O_5Co_2^+$	(CO) <sub>6</sub> CH <sub>3</sub> C≡CCH <sub>3</sub> Co <sub>2</sub> (Cobalt, (2-butynyl)hexacarbonyldi-)	12282-08-5	CO	8.62±0.05	EI	4116
$C_8H_2O_6Co_2^+$	CH≡CH(CO) <sub>6</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl(ethyne)di-)	12553-66-1	**	7.96±0.05	EI	4116
$C_{10}H_6O_6Co_2^+$	(CO) <sub>6</sub> CH <sub>3</sub> C≡CCH <sub>3</sub> Co <sub>2</sub> (Cobalt, (2-butynyl)hexacarbonyldi-)	12282-08-5	**	7.80±0.05	EI	4116
$C_{15}H_8O_6Co_2^+$	(CO) <sub>6</sub> CH <sub>3</sub> C≡CC <sub>6</sub> H <sub>5</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl[μ-(1,2-η:1,2-η)-1-propynylbenzene]]di-, (Co-Co))	53556-74-4	**	7.85±0.05	EI	4116
$B_2C_{12}H_{16}O_2Co^+$	(C <sub>6</sub> H <sub>5</sub> BOCH <sub>3</sub> ) <sub>2</sub> Co (Cobalt, bis[(1,2,3,4,5,6-η)-1-methoxyboratabenzene]-)	36534-20-0	**	7.02±0.1	EI	3545
$N_3O_9Co^+$	(NO <sub>3</sub> ) <sub>3</sub> Co	55866-74-5	**	10.79±0.03 (V)	PE	4999
$C_3NO_4Co^+$	(CO) <sub>3</sub> NOCO	14096-82-3	**	8.26±0.03	PE	5225
$C_{16}H_{14}N_2O_2Co^+$	C <sub>16</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> Co (Cobalt, [[2,2'-(1,2-ethanediy]bis(nitrilomethylidyne)] bis[phenolato]](2-)-N,N',O,O']-)	14167-18-1	**	7.52±0.06	EI	4668
$C_{21}H_{24}N_2O_2Co^+$	C <sub>21</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> Co (Cobalt, [[2,2'-(1,7-heptanediy]bis(nitrilomethylidyne)]bis[phenolato]](2-)-N,N',O,O']-, (T-4)-)	17084-78-5	**	7.78±0.08	EI	4213
$C_{20}H_{23}N_3O_2Co^+$	C <sub>20</sub> H <sub>23</sub> N <sub>3</sub> O <sub>2</sub> Co (Cobalt, [[2,2'-(iminobis(3,1-propanediy]nitrilomethylidyne)]bis[phenolato]](2-)-N,N',N'', O,O']-)	15306-22-6	**	7.31±0.07	EI	4213
$C_{20}H_{22}N_2O_3Co^+$	C <sub>20</sub> H <sub>22</sub> N <sub>2</sub> O <sub>3</sub> Co (Cobalt, [[2,2'-(oxybis(3,1-propanediy]nitrilomethylidyne)]bis[phenolato]](2-)-N,N',N'', O,O']-(T-4)-)	52279-51-3	**	7.53±0.10	EI	4213
$C_{15}H_{18}N_3O_{12}Co^+$	(C <sub>5</sub> H <sub>6</sub> O <sub>2</sub> NO <sub>2</sub> ) <sub>3</sub> Co (Cobalt, tris(3-nitro-2,4-pentanedionato-O <sup>2</sup> ,O <sup>4</sup> )-(OC-6-11)-)	15169-25-2	**	8.51 (V)	PE	4965
$C_1F_6Co_2^+$	CF <sub>3</sub> C≡CCF <sub>3</sub> (CO) <sub>6</sub> Co <sub>2</sub> (Cobalt, hexacarbonyl(1,1,1,4,4,4-hexafluoro-2-butynyl)di-)	12557-89-0	6CO	15.72±0.05	EI	4116

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7OF_6Co_2^+$	$CF_3C\equiv CCF_3(CO)_6Co_2$ (Cobalt, hexacarbonyl(1,1,1,4,4,4-hexafluoro-2-butyne)di-)	12557-89-0	5CO	$14.23 \pm 0.05$	EI	4116
$C_6O_2F_6Co_2^+$	$CF_3C\equiv CCF_3(CO)_6Co_2$ (Cobalt, hexacarbonyl(1,1,1,4,4,4-hexafluoro-2-butyne)di-)	12557-89-0	4CO	$12.84 \pm 0.05$	EI	4116
$C_7O_3F_6Co_2^+$	$CF_3C\equiv CCF_3(CO)_6Co_2$ (Cobalt, hexacarbonyl(1,1,1,4,4,4-hexafluoro-2-butyne)di-)	12557-89-0	3CO	$11.94 \pm 0.05$	EI	4116
$C_8O_4F_6Co_2^+$	$CF_3C\equiv CCF_3(CO)_6Co_2$ (Cobalt, hexacarbonyl(1,1,1,4,4,4-hexafluoro-2-butyne)di-)	12557-89-0	2CO	$10.48 \pm 0.05$	EI	4116
$C_9O_5F_6Co_2^+$	$CF_3C\equiv CCF_3(CO)_6Co_2$ (Cobalt, hexacarbonyl(1,1,1,4,4,4-hexafluoro-2-butyne)di-)	12557-89-0	CO	$9.53 \pm 0.05$	EI	4116
$C_{10}O_6F_6Co_2^+$	$CF_3C\equiv CCF_3(CO)_6Co_2$ (Cobalt, hexacarbonyl(1,1,1,4,4,4-hexafluoro-2-butyne)di-)	12557-89-0	**	$8.88 \pm 0.05$	EI	4116
$C_{10}H_8O_4F_6Co^+$	$(CF_3C(O)=CHCOCH_3)_2Co$	47115-08-2	**	9.35 (V)	PE	5100
$C_{15}H_3O_6F_{18}Co^+$	$(CF_3COCHCOCF_3)_3Co$ (Cobalt, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	16702-37-7	**	$9.73 \pm 0.07$ (V)	PE	3682
$C_4H_3O_4SiCo^+$	$(SiH_3)_3(CO)_4Co$	14652-62-1	**	$8.85 \pm 0.02$ (V)	PE	3827
$F_3PCo^+$	$Cl_3SiCo(CO)_3PF_3$	37769-28-1		$16.9 \pm 0.4$	EI	3653
	$Cl_3SiCo(CO)_2(PF_3)_2$	37769-29-2		$16.7 \pm 0.3$	EI	3653
$HF_{12}P_4Co^+$	$H(PF_3)_4Co$	19454-38-7	**	9.58 (V)	PE	4456
$C_{10}H_{11}S_4Co^+$	$(CH_3C(S)=CHCSCH_3)_2Co$	10170-78-2	**	7.20 (V)	PE	5100
$C_{12}H_{18}N_2S_2Co^+$	$(CH_3C(=S)CH_2C(CH_3)NCH_3)_2Co$	41254-15-3	**	6.50 (V)	PE	5446
$C_{10}H_{14}O_2S_2Co^+$	$(CH_3C(O)=CHCSCH_3)_2Co$	23523-21-9	**	7.50 (V)	PE	5100
$C_{20}H_{22}N_2O_2SCo^+$	$C_{20}H_{22}N_2O_2SCo$ (Cobalt, [[2,2'-(thiobis(3,1-propanediyl)nitrimethylidyne)]bis[phenolato]](2-)- <i>N,N',O,O'</i> ]-, ( <i>T</i> -4)-)	52279-54-6	**	$7.58 \pm 0.07$	EI	4213
$C_{12}H_{30}O_6P_3S_6Co^+$	$((C_2H_5)_2S_2PO_2)_3Co$	14177-94-7	**	7.95 (V)	PE	5203
$ClCo^+$	$Cl_3SiCo(CO)_3PF_3$	37769-28-1		$18.7 \pm 0.4$	EI	3653
	$Cl_3SiCo(CO)_2(PF_3)_2$	37769-29-2		$18.9 \pm 0.5$	EI	3653



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Cl}_2\text{Co}^+$	$\text{CoCl}_2$	7646-79-9	**	10.60 (V)	PE	5172
$\text{C}_{15}\text{H}_{18}\text{O}_6\text{Cl}_3\text{Co}^+$	$(\text{C}_5\text{H}_6\text{O}_2\text{Cl})_3\text{Co}$ (Cobalt, tris(3-chloro-2,4-pentanedionato-0,0')-(OC-6-11)-)	14566-97-3	**	7.59 (V)	PE	4965
$\text{C}_{10}\text{H}_4\text{O}_6\text{Cl}_2\text{Co}_2^+$	$(\text{CO})_6\text{CH}_2\text{ClC}\equiv\text{CCH}_2\text{ClCo}_2$ (Cobalt, hexacarbonyl[ $\mu$ -[(2,3- $\eta$ :2,3- $\eta$ )-1,4-dichloro-2-butyne]]di-, (Co-Co))	37685-62-4	**	$8.3 \pm 0.1$	EI	4116
$\text{SiCl}_2\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$ $\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-28-1 37769-29-2		$18.4 \pm 0.6$ $18.4 \pm 0.3$	EI EI	3653 3653
$\text{SiCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$ $\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-28-1 37769-29-2		$13.5 \pm 0.4$ $13.6 \pm 0.2$	EI EI	3653 3653
$\text{COSiCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$ $\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-28-1 37769-29-2		$11.9 \pm 0.3$ $11.9 \pm 0.3$	EI EI	3653 3653
$\text{C}_2\text{O}_2\text{SiCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$ $\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-28-1 37769-29-2		$10.8 \pm 0.4$ $11.0 \pm 0.2$	EI EI	3653 3653
$\text{C}_3\text{O}_3\text{SiCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$	37769-28-1		$9.6 \pm 0.3$	EI	3653
$\text{F}_3\text{SiPCL}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$ $\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-28-1 37769-29-2		$10.2 \pm 0.5$ $10.2 \pm 0.4$	EI EI	3653 3653
$\text{C}_3\text{O}_3\text{F}_3\text{SiPCL}_2\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$	37769-28-1		$9.8 \pm 0.2$	EI	3653
$\text{COF}_3\text{SiPCL}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$ $\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-28-1 37769-29-2		$10.7 \pm 0.3$ $10.9 \pm 0.2$	EI EI	3653 3653
$\text{C}_3\text{O}_3\text{F}_3\text{SiPCL}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_4\text{PF}_3$	37769-28-1	**	$9.4 \pm 0.2$	EI	3653
$\text{COF}_6\text{SiP}_2\text{Cl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-29-2		$9.7 \pm 0.2$	EI	3653
$\text{C}_2\text{O}_2\text{F}_6\text{SiP}_2\text{Cl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$	37769-29-2	**	$9.3 \pm 0.2$	EI	3653
$\text{Ni}^+$	Ni $(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene)	7440-02-0 1271-28-9	** $(\text{C}_5\text{H}_5)_2$	$7.6 \pm 0.2$ $13.00 \pm 0.25$	EI EI	4618 3628
	$(\text{CO})_5\text{Ni}$ $\text{C}_5\text{H}_5\text{NiNO}$	13463-39-3 12071-73-7	4CO	$13.9 \pm 0.4$ $15.8 \pm 0.2$	EI EI	3793 4618
	(Nickel, ( $\eta^5$ -2,4-cyclopentadien-1-yl)nitrosyl-)			14.8	EI	4015
$\text{C}_3\text{H}_3\text{Ni}^+$	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene)	1271-28-9		$16.7 \pm 0.1$	EI	3628

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_5Ni^+$	$(C_5H_5)_2Ni$ (Nickelocene)	1271-28-9	$C_5H_5$	$12.6 \pm 0.2$	EI	3793
	$C_5H_5NiNO$ (Nickel, ( $\eta^5$ -2,4-cyclopentadien-1-yl)nitrosyl-)	12071-73-7		$13.00 \pm 0.25$	EI	3628
				10.5	EI	4015
$C_6H_{10}Ni^+$	$(C_5H_5)_2Ni$	12077-85-9	**	7.76 (V)	PE	5281
			**	$7.33 \pm 0.04$	PE	3711
			**	7.76 (V)	PE	4396
$C_8H_8Ni^+$	$(C_5H_5)_2Ni$ (Nickelocene)	1271-28-9	$C_2H_2$	$12.6 \pm 0.1$	EI	3628
$C_8H_{11}Ni^+$	$(CH_3CH=CHCH_2)_2Ni$ (Nickel, bis((1,2,3- $\eta$ )-(1-methyl-2-propenyl))-)	12145-63-0	**	7.53 (V)	PE	4396
	$(CH_2=C(CH_3)CH_2)_2Ni$ (Nickel, bis(1,2,3- $\eta$ )-2-methyl-2-propenyl-))	12261-14-2	**	7.53 (V)	PE	4396
			**	7.53 (V)	PE	5281
$C_{10}H_{10}Ni^+$	$(C_5H_5)_2Ni$ (Nickelocene)	1271-28-9	**	6.2	PE	3725
			**	6.50 (V)	PE	5394
			**	6.51 (V)	PE	5507
			**	$6.50 \pm 0.25$	EI	3628
			**	$6.8 \pm 0.1$	EI	3793
$C_{10}H_{18}Ni^+$	$(CH_3CH=CHCHCH_3)_2Ni$ (Nickel, bis((1,2,3- $\eta$ )-2-pentenyl))-)	43062-19-7	**	7.22 (V)	PE	4396
$C_{12}H_{14}Ni^+$	$(C_5H_4CH_3)_2Ni$ (Nickelocene, 1,1'-dimethyl-)	1293-95-4	**	6.36 (V)	PE	5507
$C_{20}H_{30}Ni^+$	$(C_5(CH_3)_5)_2Ni$ (Nickelocene, decamethyl-)	XXXXX-XX-X	**	5.82 (V)	PE	5394
$C_{16}H_{16}N_4Ni^+$	$C_{16}H_{16}N_4Ni$ (Nickel, [N,N'-bis[(2-aminophenyl)methylene]-1,2-ethanediaminato(2-)-N,N',N'',N''']-)	15738-33-7	**	$6.84 \pm 0.08$	EI	4668
$C_{36}H_{44}N_4Ni^+$	$((C_2H_5)_2C_4NCH)_2Ni$ (Nickel, [2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ](SP-4-1)-)	24803-99-4	**	$6.38 \pm 0.03$ (V)	PE	5476
$C_{44}H_{28}N_4Ni^+$	$C_{20}H_8N_4(C_6H_5)_4Ni$ (Nickel, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ](SP-4-1)-)	14172-92-0	**	$6.29 \pm 0.2$	OTH	4962
			**	6.44 (V)	PE	4557
$C_{32}H_{16}N_8Ni^+$	$C_{12}H_{16}N_8Ni$ (Nickel, [29H,31H-phthalocyaninato(2-)-N <sup>29</sup> ,N <sup>30</sup> ,N <sup>31</sup> ,N <sup>32</sup> ](SP-4-1)-)	14055-02-8	**	$7.45 \pm 0.10$	EI	3829

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CONi}^+$	(CO) <sub>1</sub> Ni	13463-39-3	3CO	$12.6 \pm 0.2$	EI	4618
$\text{C}_2\text{O}_2\text{Ni}^+$	(CO) <sub>1</sub> Ni	13463-39-3	2CO	$10.6 \pm 0.2$	EI	4618
$\text{C}_3\text{O}_3\text{Ni}^+$	(CO) <sub>1</sub> Ni	13463-39-3	CO	$9.5 \pm 0.2$	EI	4618
$\text{C}_1\text{O}_1\text{Ni}^+$	(CO) <sub>1</sub> Ni	13463-39-3	** **	$8.21 \pm 0.03$ $8.8 \pm 0.2$	PE EI	5225 4618
$\text{C}_{10}\text{H}_{11}\text{O}_1\text{Ni}^+$	(CH <sub>3</sub> COCHCOCH <sub>3</sub> ) <sub>2</sub> Ni (Nickel, bis(2,4-pentanedionato-O,O')-(SP-4-1)-)	3264-82-2	** ** **	7.40 (V) 7.41 (V) 7.61 (V)	PE PE PE	5100 4571 4384
$\text{C}_{10}\text{H}_{16}\text{O}_1\text{Ni}^+$	((CH <sub>3</sub> CO) <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> Ni	XXXXX-XX-X	**	7.35 (V)	PE	5568
$\text{C}_{22}\text{H}_{10}\text{O}_1\text{Ni}^+$	(((CH <sub>3</sub> ) <sub>3</sub> CCO) <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> Ni	XXXXX-XX-X	**	7.40 (V)	PE	5568
$\text{C}_5\text{H}_5\text{NONi}^+$	C <sub>5</sub> H <sub>5</sub> NONi (Nickel, (η <sup>3</sup> -2,4-cyclopentadien-1-yl)nitrosyl-)	12071-73-7	** **	8.29 8.5	PE EI	4234 4015
$\text{C}_6\text{H}_7\text{NONi}^+$	C <sub>5</sub> H <sub>7</sub> (CH <sub>3</sub> )NONi (Nickel, [(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl]nitrosyl-)	32714-42-4	**	8.09	PE	4234
$\text{C}_{12}\text{H}_{18}\text{N}_2\text{O}_2\text{Ni}^+$	C <sub>12</sub> H <sub>18</sub> O <sub>2</sub> N <sub>2</sub> Ni (Nickel, [[4,4'-(1,2-ethanediyldinitrilo)bis[2-pentanonato]](2 <sup>-</sup> )-N,N',O,O']-)	13878-48-3	**	6.80 (V)	PE	3822
$\text{C}_{16}\text{H}_{11}\text{N}_2\text{O}_2\text{Ni}^+$	C <sub>16</sub> H <sub>11</sub> N <sub>2</sub> O <sub>2</sub> Ni (Nickel, [[2,2'-(1,2-ethanediybis(nitrilomethylidyne)]bis[phenolato]](2-)-N,N',O,O']-)	14167-20-5	**	$7.57 \pm 0.09$	EI	4668
$\text{C}_{21}\text{H}_{21}\text{N}_2\text{O}_2\text{Ni}^+$	C <sub>21</sub> H <sub>21</sub> N <sub>2</sub> O <sub>2</sub> Ni (Nickel, [[2,2'-(1,7-heptanediybis(nitrilomethylidyne)]bis[phenolato]](2-)-N,N',O,O']-)	52358-03-9	**	$7.69 \pm 0.09$	EI	4213
$\text{C}_{20}\text{H}_{23}\text{N}_3\text{O}_2\text{Ni}^+$	C <sub>20</sub> H <sub>23</sub> N <sub>3</sub> O <sub>2</sub> Ni (Nickel, [[2,2'-(iminobis(3,1-propanediylnitrilomethylidyne)]bis[phenolato]](2-)-N,N',N'',O,O']-)	15391-40-9	**	$7.41 \pm 0.08$	EI	4213
$\text{C}_{20}\text{H}_{22}\text{N}_2\text{O}_3\text{Ni}^+$	C <sub>20</sub> H <sub>22</sub> N <sub>2</sub> O <sub>3</sub> Ni (Nickel, [[2,2'-[oxybis(3,1-propanediylnitrilomethylidyne)]bis[phenolato]](2-)-N,N',O,O',O'']-)	52279-52-4	**	$7.61 \pm 0.06$	EI	4213
$\text{C}_{10}\text{H}_8\text{O}_1\text{F}_6\text{Ni}^+$	(CF <sub>3</sub> COCHCOCH <sub>3</sub> ) <sub>2</sub> Ni (Nickel, bis(1,1,1-trifluoro-2,4-pentanedionato-O,O')-)	14324-83-5	**	8.25 (V)	PE	4571



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{36}H_{11}N_1Cu^+$	$((C_2H_5)_2C_4NCH)_4Cu$ (Copper, [2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphinato(2-)- $N^{21},N^{22},N^{23},N^{24}$ ]-[SP-4-1]-)	14409-63-3	**	$6.31 \pm 0.03$ (V)	PE	5476
$C_{44}H_{28}N_1Cu^+$	$C_{20}H_8N_4(C_6H_5)_4Cu$ (Copper, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)- $N^{21},N^{22},N^{23},N^{24}$ ]- (SP-4-1)-)	14172-91-9	**	$6.24 \pm 0.2$	OTH	4962
			**	6.49 (V)	PE	4557
$C_{32}H_{16}N_8Cu^+$	$C_{12}H_{16}N_8Cu$ (Copper, [29H,31H-phthalocyaninato(2-)- $N^{29},N^{30},N^{31},N^{32}$ ]- (SP-4-1)-)	147-14-8	**	$7.37 \pm 0.10$	EI	3829
$C_{10}H_{11}O_1Cu^+$	$(CH_3C(O)=CHCOCH_3)_2Cu$ $(CH_3COCHCOCH_3)_2Cu$ (Copper, bis(2,4-pentanedionato-O,O')-(SP-4-1)-)	46369-53-3	**	8.35 (V)	PE	5100
		13395-16-9	**	8.20 (V)	PE	4384
$N_2O_6Cu^+$	$(NO_3)_2Cu$	XXXXX-XX-X	**	$10.47 \pm 0.04$ (V)	PE	4999
$C_{12}H_{18}N_2O_2Cu^+$	$C_{12}H_{18}O_2N_2Cu$ (Copper, [[4,4'-(1,2-ethanediyldinitrilo)bis[2-pentanonato]](2-)- $N,N',O,O'$ ]-)	14263-53-7	**	7.00 (V)	PE	3822
$C_{16}H_{14}N_2O_2Cu^+$	$C_{16}H_{14}N_2O_2Cu$ (Copper, [[2,2'-(1,2-ethanediyldis(nitriolomethylidene)) bis[phenolato]](2-)- $N,N',O,O'$ ]-)	14167-15-8	**	$7.69 \pm 0.09$	EI	4668
$C_{21}H_{24}N_2O_2Cu^+$	$C_{21}H_{24}N_2O_2Cu$ (Copper, [[2,2'-(1,7-heptanediyldis(nitriolomethylidene))bis[phenolato]](2-)- $N,N',O,O'$ ]-)	52279-50-2	**	$7.81 \pm 0.07$	EI	4213
$C_{26}H_{23}N_3O_2Cu^+$	$C_{26}H_{23}N_3O_2Cu$ (Copper, [[2,2'-(iminobis(3,1-propanediylnitriolomethylidene))bis[phenolato]](2-)- $N,N',N'',O,O'$ ]-)	15391-22-7	**	$7.54 \pm 0.08$	EI	4213
$C_{20}H_{22}N_2O_3Cu^+$	$C_{20}H_{22}N_2O_3Cu$ (Copper, [[2,2'-(oxybis(3,1-propanediylnitriolomethylidene)) bis[phenolato]](2-)- $N^2,N^2,O^1,O^1$ ]-, (SP-4-2)-)	52279-53-5	**	$7.75 \pm 0.05$	EI	4213
$C_{10}H_8O_4F_6Cu^+$	$(CF_3C(O)=CHCOCH_3)_2Cu$	14324-82-4	**	8.95 (V)	PE	5100
$C_{10}H_2O_4F_{12}Cu^+$	$(CF_3C(O)=CHCOCF_3)_2Cu$ (Copper, bis(1,1,1,5,5,5-hexafluoro-2,4-pentane- dionato-O,O')-(SP-4-1)-)	14781-45-4	**	10.20 (V)	PE	5100
			**	9.92 (V)	PE	4384
$C_{12}H_{18}N_2S_2Cu^+$	$(CH_3C(=S)CH_2C(CH_3)NCH)_2Cu$	41192-46-5	**	6.35 (V)	PE	5446
$C_{10}H_{11}O_2S_2Cu^+$	$(CH_3C(O)=CHSCH_3)_2Cu$	27821-98-3	**	7.65 (V)	PE	5100



Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{20}H_{22}N_2O_2SCu^+$	$C_{20}H_{22}N_2O_2SCu$ (Copper, [[2,2'-thiobis(3,1-propanediyl)nitridomethylidyne]]bis[phenolato]](2-)- <i>N,N',O,O'</i> ]-, (SP-4-2)-)	52358-04-0	**	$7.78 \pm 0.06$	EI	4213
$ClCu^+$	CuCl	7758-89-6	**	$10.7 \pm 0.3$	EI	5634
	$Cu_3Cl_3$	11093-65-5	2CuCl CuCl + Cu + Cl 2Cu + 2Cl	$16.0 \pm 0.05$	EI	4236
				$20.0 \pm 0.5$	EI	4236
				$23.3 \pm 0.5$	EI	4236
$ClCu_2^+$	$Cu_3Cl_3$	11093-65-5	CuCl <sub>2</sub>	$12.0 \pm 0.5$	EI	3455
$Cl_2Cu_2^+$	$Cu_3Cl_3$	12258-96-7	**	$9.6 \pm 0.03$	EI	5634
	$Cu_3Cl_3$	11093-65-5	CuCl	$13.5 \pm 0.5$	EI	4236
			Cu + Cl	$16.7 \pm 0.5$	EI	4236
	$Cu_3Cl_3$	11093-67-7		$14.0 \pm 0.5$	EI	3455
$Cl_2Cu_3^+$	$Cu_3Cl_3$	11093-65-5	Cl	$12.8 \pm 0.3$	EI	5330
$Cl_3Cu_3^+$	$Cu_3Cl_3$	11093-65-5	**	9.52 (V)	PE	5297
			**	$9.6 \pm 0.5$	EI	4236
			**	$9.9 \pm 0.5$	EI	3455
			**	$10.0 \pm 0.3$	EI	5330
	$Cu_3Cl_3$	11093-67-7	CuCl	$10.4 \pm 1.0$	EI	4236
$Cl_3Cu_4^+$	$Cu_3Cl_3$	11093-67-7	Cl	$12.2 \pm 0.5$	EI	4236
				$12.4 \pm 0.5$	EI	3455
$Cl_1Cu_4^+$	$Cu_3Cl_3$	11093-67-7	**	$9.6 \pm 0.5$	EI	4236
			**	$9.9 \pm 0.5$	EI	3455
$Cl_1Cu_5^+$	$Cu_3Cl_3$	11093-68-8	Cl	$10.5-1.0$	EI	4236
				$10.6 \pm 0.5$	EI	3455
$Cl_3Cu_5^+$	$Cu_3Cl_3$	11093-68-8	**	$9.2 \pm 1.0$	EI	4236
			**	$9.7 \pm 0.5$	EI	3455
$Zn^+$	Zn	7440-66-6	**	9.394	S	5450
			**	$9.57 \pm 0.07$	EI	3745
$C_2H_6Zn^+$	$(CH_3)_2Zn$	544-97-8	**	9.4 (V)	PE	5300
$C_4H_{10}Zn^+$	$(C_2H_5)_2Zn$	557-20-0	**	8.6 (V)	PE	5300
$C_{36}H_{44}N_4Zn^+$	$((C_3H_5)_2C_4NCH)_4Zn$ (Zinc, [2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphinato(2-)- $N^{21},N^{22},N^{23},N^{24}$ ]-[SP-4-1]-)	17632-18-7	**	$6.29 \pm 0.03$ (V)	PE	5476

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{28}N_1Zn^+$	$C_{20}H_{18}N_1(C_6H_5)_1Zn$ (Zinc, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)- $N^{21},N^{22},N^{23},N^{21}$ ]- (SP-4-1)-)	14074-80-7	**	$6.03 \pm 0.2$	OTH	4962
				6.42 (V)	PE	4557
$C_{32}H_{16}N_8Zn^+$	$C_{32}H_{16}N_8Zn$ (Zinc, [29H,31H-phthalocyaninato(2-)- $N^{29},N^{30},N^{31},N^{32}$ ]- (SP-4-1)-)	14320-04-8	**	$7.37 \pm 0.10$	EI	3829
$C_{10}H_{11}O_1Zn^+$	$(CH_3COCHCOCH_3)_2Zn$ (Zinc, bis(2,4-pentanedionato-O,O')-(T-4)-)	14024-63-6	**	$8.46$ (V)	PE	4384
$C_{22}H_{10}O_1Zn^+$	$((CH_3)_3CCO)_2CH_2)_2Zn$	XXXXX-XX-X	**	$8.15$ (V)	PE	5568
$F_2Zn^+$	$ZnF_2$	7783-49-5	**	$13.91 \pm 0.03$	PE	5433
$C_{10}H_2O_1F_{12}Zn^+$	$(CF_3COCHCOCF_3)_2Zn$ (Zinc, bis(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato-O,O')-(T-4)-)	14949-70-3	**	$10.25$ (V)	PE	4384
$C_{12}H_{36}N_2Si_1Zn^+$	$(N(Si(CH_3)_3)_2)_2Zn$	3999-27-7	**	$8.50 \pm 0.05$ (V)	PE	4725
$Cl_2Zn^+$	$ZnCl_2$	7646-85-7	**	$11.7$ (V)	PE	3963
				$11.85$ (V)	PE	4232
				$11.85$ (V)	PE	4232
				$11.87 \pm 0.05$ (V)	PE	3833
				$12.3$ (V)	PE	3963
				$12.39 \pm 0.05$ (V)	PE	3833
				$12.41$ (V)	PE	4232
				$12.41$ (V)	PE	4232
				$13.0$ (V)	PE	3963
				$13.07 \pm 0.05$ (V)	PE	3833
				$13.09$ (V)	PE	4232
				$14.0$ (V)	PE	3963
				$14.10 \pm 0.05$ (V)	PE	3833
				$14.13$ (V)	PE	4232
				$19.23$ (V)	PE	4232
				$19.51$ (V)	PE	4232
$Ga^+$	$Ga$	7440-55-3	**	$6.0 \pm 0.3$	EI	5067
				$6.1 \pm 0.4$	EI	4111
				6.1	EI	3472
	$(CH_3)_3Ga$	1445-79-0	$C_2H_6 + CH_3$	$13.24 \pm 0.03$	EI	3474
	$(CH_2=CH)_3Ga$	1188-13-2	$C_1H_6 + C_2H_3$	$11.17 \pm 0.05$	EI	3474
	$Ga_2S$	12259-25-5		$9.2 \pm 0.3$	EI	5229
$Ga_2^+$	$Ga_2S$	12259-25-5	S	$11.5 \pm 0.5$	EI	5229
$CH_3Ga^+$	$(CH_3)_3Ga$	1445-79-0	$2CH_4$	$13.65 \pm 0.07$	EI	3474
$C_2H_3Ga^+$	$(CH_2=CH)_3Ga$	1188-13-2	$C_1H_6$	$10.95 \pm 0.05$	EI	3474

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_4Ga^+$	$(CH_2=CH)_3Ga$	1188-13-2	$C_2H_3 + C_2H_2$	$11.85 \pm 0.05$	EI	3474
$C_2H_6Ga^+$	$(CH_3)_3Ga$	1445-79-0	$CH_3$	$10.16 \pm 0.03$	EI	3474
$C_3H_9Ga^+$	$(CH_3)_3Ga$	1445-79-0	** **	9.76 (V) $9.87 \pm 0.02$	PE EI	4398 3474
$C_4H_6Ga^+$	$(CH_2=CH)_3Ga$	1188-13-2	$C_2H_3$	$11.04 \pm 0.08$	EI	3474
$C_6H_9Ga^+$	$(CH_2=CH)_3Ga$	1188-13-2	**	$10.81 \pm 0.1$	EI	3474
$C_{12}H_{10}Ga^+$	$(C_6H_5)_3Ga$ (Gallium, triphenyl-)	1088-02-4	$C_6H_5$	8.63	PI	4055
$C_{18}H_{15}Ga^+$	$(C_6H_5)_3Ga$ (Gallium, triphenyl-)	1088-02-4	**	$8.46 \pm 0.03$	PI	4055
$CNGa^+$	GaCN	51750-59-5	**	$9 \pm 1$	EI	4205
$FGa^+$	GaF	13966-78-4	**	$10.7 \pm 0.6$	EI	3613
$F_2Ga^+$	GaF <sub>3</sub>	7783-51-9		$15.1 \pm 0.5$	EI	3613
$F_3Ga_2^+$	Ga <sub>2</sub> F <sub>6</sub>	38586-87-7		$15.6 \pm 0.5$	EI	3613
$C_{15}H_3O_6F_{18}Ga^+$	$(CF_3COCHCOCF_3)_3Ga$ (Gallium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	19648-92-1	**	$10.19 \pm 0.07$ (V)	PE	3682
$SGa^+$	Ga <sub>2</sub> S	12259-25-5	Ga	$12. \pm 0.5$	EI	5229
$SGa_2^+$	Ga <sub>2</sub> S	12259-25-5	**	$7.7 \pm 0.3$	EI	5229
$Cl_3Ga^+$	GaCl <sub>3</sub>	13450-90-3	** ** **	11.52 11.96 (V) 11.96 (V)	PE PE PE	4215 4398 4256
$Cl_6Ga_2^+$	$(GaCl_3)_2$	15654-66-7	** **	11.81 (V) 11.81 (V)	PE PE	4559 4256
$Ge^+$	Ge	7440-56-4	** ** ** **	7.899 8.1186 $7.8 \pm 0.5$ $8.0 \pm 0.3$	S S EI EI	5495 5495 4200 3610
	GeF <sub>4</sub>	14929-46-5		$29.4 \pm 0.2$	EI	5154
	GeS	12024-10-1		$13.51 \pm 0.03$	PI	4936

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Ge}_2^+$	$\text{Ge}_2$	12596-05-3	**	7.8	EI	3775
$\text{H}_1\text{Ge}^+$	$\text{GeH}_1$	7782-65-2	**	11.34 12.0 (V)	PE PE	3716 3508
$\text{C}_2\text{H}_8\text{Ge}^+$	$(\text{CH}_3)_2\text{GeH}_2$	1449-64-5	**	10.74 (V)	PE	5261
	$\text{C}_2\text{H}_7\text{GeH}_1$	1747-99-5	**	10.4 (V)	PE	4985
$\text{C}_3\text{H}_9\text{Ge}^+$	$(\text{CH}_3)_3\text{Ge}$	865-52-1	$\text{CH}_3$ $\text{CH}_1$	$10.05 \pm 0.14$ $10.07 \pm 0.07$	EI EI	3548 4126
	$(\text{CH}_3)_3\text{CGe}(\text{CH}_3)_3$	1184-91-4	$(\text{CH}_3)_3\text{C}$	$9.91 \pm 0.22$	EI	3548
	$((\text{CH}_3)_3\text{Ge})_2$	993-52-2	$(\text{CH}_3)_3\text{Ge}$	$9.96 \pm 0.16$	EI	3548
	$(\text{CH}_3)_3\text{SiGe}(\text{CH}_3)_3$	31608-80-7	$(\text{CH}_3)_3\text{Si}$	$9.99 \pm 0.14$	EI	3548
	$\text{C}_6\text{H}_7\text{SGe}(\text{CH}_3)_3$ (Germane, trimethyl(phenylthio)-)	4848-62-8		$9.83 \pm 0.1$	EI	4198
	$(\text{CH}_3)_3\text{GeCl}$	1529-47-1	Cl	$11.75 \pm 0.04$	EI	3939
	$\text{C}_5\text{H}_7(\text{CO})_3\text{CrGe}(\text{CH}_3)_3$ (Tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium)	34962-34-0		$9.06 \pm 0.1$	EI	3495
	$\text{C}_5\text{H}_7(\text{CO})_3\text{MoGe}(\text{CH}_3)_3$ (Tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(trimethylgermyl)molybdenum)	33306-91-1		$9.63 \pm 0.14$	EI	3495
	$((\text{CH}_3)_3\text{Ge})(\text{CH}_3)_3\text{Sn}$	16393-89-8	$(\text{CH}_3)_3\text{Sn}$	$10.01 \pm 0.18$	EI	3548
	$\text{C}_5\text{H}_7(\text{CO})_3\text{WGe}(\text{CH}_3)_3$ (Tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(trimethylgermyl)tungsten)	33306-93-3		$9.84 \pm 0.1$	EI	3495
$\text{C}_3\text{H}_{16}\text{Ge}^+$	$(\text{C}_2\text{H}_5)_3\text{GeH}$	1188-14-3	**	9.6 (V)	PE	4985
$\text{C}_4\text{H}_7\text{Ge}^+$	$(\text{CH}_3)_3\text{GeC}\equiv\text{CH}$	2290-58-6	$\text{CH}_1$	$10.56 \pm 0.07$	EI	4126
$\text{C}_4\text{H}_{12}\text{Ge}^+$	$(\text{CH}_3)_4\text{Ge}$	865-52-1	** ** ** **	$9.33 \pm 0.04$ $9.38 \pm 0.1$ $9.29 \pm 0.14$ $9.56 \pm 0.06$	PE PE EI EI	3880 3677 3548 4126
	$(\text{C}_2\text{H}_5)_2\text{GeH}_2$	1631-46-5	**	9.8 (V)	PE	4985
$\text{C}_5\text{H}_5\text{Ge}^+$	$(\text{CH}_3)_2\text{Ge}(\text{C}\equiv\text{CH})_2$	28056-58-8	$\text{CH}_1$	$10.94 \pm 0.04$	EI	4126
$\text{C}_5\text{H}_8\text{Ge}^+$	$\text{C}_5\text{H}_7(\text{GeH}_1)$ (Germane, 2,4-cyclopentadien-1-yl-)	35682-28-1	**	8.5 (V)	PE	4373
$\text{C}_5\text{H}_{10}\text{Ge}^+$	$(\text{CH}_3)_3\text{GeC}\equiv\text{CH}$	2290-58-6	**	$9.77 \pm 0.04$	EI	4126
$\text{C}_6\text{H}_3\text{Ge}^+$	$\text{CH}_3\text{Ge}(\text{C}\equiv\text{CH})_3$	28056-56-6	$\text{CH}_1$	$10.74 \pm 0.05$	EI	4126
$\text{C}_6\text{H}_8\text{Ge}^+$	$(\text{CH}_3)_2\text{Ge}(\text{C}\equiv\text{CH})_2$	28056-58-8	**	$10.57 \pm 0.07$	EI	4126
$\text{C}_6\text{H}_{12}\text{Ge}^+$	$\text{C}_1\text{H}_6\text{Ge}(\text{CH}_3)_2$ (Germacyclopent-3-ene, 1,1-dimethyl-)	1731-10-8	**	9.0 (V)	PE	5550

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}Ge^+$	$CH_2=CHCH_2Ge(CH_3)_3$	762-66-3	**	8.85 (V)	PE	4172
$C_7H_{18}Ge^+$	$(CH_3)_3CGe(CH_3)_3$	1184-91-4	**	$8.98 \pm 0.12$	EI	3548
$C_8H_4Ge^+$	$Ge(C \equiv CH)_4$	4531-35-5	**	$11.04 \pm 0.05$	EI	4126
$C_8H_{18}Ge^+$	$CH_2=CHGe(C_2H_5)_3$	6207-41-6	**	9.2 (V)	PE	3850
$C_8H_{20}Ge^+$	$(C_2H_5)_4Ge$	597-63-7	**	9.3 (V)	PE	3850
			**	9.4 (V)	PE	4985
$C_9H_{14}Ge^+$	$C_6H_5(CH_3)_3Ge$ (Germane, trimethylphenyl-)	1626-00-2	**	$8.98 \pm 0.05$	PE	4589
			**	9.00 (V)	PE	4280
			**	$\sim 8.75$	CTS	3922
$C_9H_{20}Ge^+$	$CH_2=CHCH_2Ge(C_2H_5)_3$	1793-90-4	**	8.8 (V)	PE	3850
$C_{10}H_{11}Ge^+$	$C_8H_8Ge(CH_3)_2$ (1H-2-Benzogermole, 2,3-dihydro-2,2-dimethyl-)	27490-21-7	**	8.39	CTS	3546
$C_{10}H_{16}Ge^+$	$C_6H_5CH_2(CH_3)_3Ge$ (Germane, trimethyl(phenylmethyl)-)	2848-62-6	**	8.25 (V)	PE	4172
			**	$8.36 \pm 0.05$	PE	4589
			**	8.40 (V)	PE	4280
			**	8.19	CTS	3922
			**	8.26	CTS	3546
$C_{12}H_{18}Ge^+$	$C_6H_5Ge(CH_3)_3$ (Germane, 1-indanyltrimethyl-)	27490-24-0	**	8.02	CTS	3546
$C_{13}H_{15}Ge^+$	$C_{10}H_7Ge(CH_3)_3$ (Germane, trimethyl-1-naphthalenyl-)	XXXXX-XX-X	**	8.00	CTS	3922
$C_{13}H_{22}Ge^+$	$C_6H_5CH_2Ge(C_2H_5)_3$ (Germane, triethyl(phenylmethyl)-)	2945-41-7	**	8.1 (V)	PE	4172
$C_{14}H_{18}Ge^+$	$C_{10}H_7CH_2Ge(CH_3)_3$ (Germane, trimethyl(1-naphthalenylmethyl)-)	51220-35-0	**	7.78	CTS	3922
$C_{18}H_{16}Ge^+$	$(C_6H_5)_3GeH$ (Germane, triphenyl-)	2816-43-5	**	$9.15 \pm 0.05$ (V)	PE	4620
$C_{20}H_{14}Ge^+$	$((CH_3)_3CCH_2)_4Ge$	50654-36-9	**	$9.01 \pm 0.1$ (V)	PE	4242
$C_6H_{18}Ge_2^+$	$((CH_3)_3Ge)_2$	993-52-2	**	$8.18 \pm 0.11$	EI	3548



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{NGe}_2^+$	$\text{Ge}_2\text{N}$	53262-45-6	**	$8.4 \pm 0.5$	EI	4200
$\text{H}_3\text{N}_3\text{Ge}^+$	$\text{GeH}_3\text{N}_3$	21138-22-7	**	$10.01 \pm 0.02$ (V)	PE	3670
$\text{H}_9\text{NGe}_3^+$	$(\text{GeH}_3)_3\text{N}$	22856-27-5	**	$9.2 \pm 0.1$ (V)	PE	3661
$\text{C}_9\text{H}_{14}\text{N}_2\text{Ge}^+$	$\text{C}_6\text{H}_5\text{N}=\text{NGe}(\text{CH}_3)_3$ (Diazene, phenyl(trimethylgermyl)-)	34472-62-3	**	$7.65 \pm 0.2$ (V)	PE	4581
$\text{C}_8\text{H}_{21}\text{N}_4\text{Ge}^+$	$(\text{N}(\text{CH}_3)_2)_4\text{Ge}$	7344-40-3	**	8.48 (V)	PE	4588
$\text{OGe}^+$ ( $^2\Sigma$ )	$\text{GeO}$	20619-16-3	**	$11.25 \pm 0.01$ (V)	PE	4760
			**	$11.25 \pm 0.01$ (V)	PE	4883
			**	11.25 (V)	PE	4967
$(^2\Pi)$			**	$11.40 \pm 0.01$ (V)	PE	4760
$(^2\Sigma)$			**	$15.17 \pm 0.01$	PE	4760
			**	$11.0 \pm 0.3$	EI	3610
$\text{O}_2\text{Ge}_2^+$	$\text{Ge}_2\text{O}_2$	XXXXX-XX-X	**	$10.76 \pm 0.02$ (V)	PE	4760
$\text{H}_6\text{OGe}_2^+$	$(\text{GeH}_3)_2\text{O}$	14939-17-4	**	10.40 (V)	PE	3656
$\text{C}_5\text{H}_{12}\text{OGe}^+$	$(\text{CH}_3)_3(\text{COCH}_3)\text{Ge}$	53520-45-9	**	8.5 (V)	PE	4139
$\text{CH}_3\text{NOGe}^+$	$\text{GeH}_3\text{NCO}$	6928-42-3	**	$10.76 \pm 0.02$ (V)	PE	3670
$\text{C}_8\text{H}_{13}\text{NOGe}^+$	$\text{C}_5\text{H}_4\text{N}(\text{O})\text{Ge}(\text{CH}_3)_3$ (Pyridine, 4-(trimethylgermyl)-, 1-oxide)	28867-08-5	**	8.12 (V)	PE	4222
$\text{FGe}^+$	$\text{GeF}_4$	14929-46-5		$23.4 \pm 0.4$	EI	5154
$\text{F}_2\text{Ge}^+$	$\text{GeF}_2$	13940-63-1	**	$12.9 \pm 0.3$	EI	3570
	$\text{GeF}_4$	14929-46-5		$20.7 \pm 0.3$	EI	5154
$\text{F}_3\text{Ge}^+$	$\text{GeF}_4$	14929-46-5	F	$15.7 \pm 0.2$	EI	5154
$\text{F}_4\text{Ge}^+$	$\text{GeF}_4$	7783-58-6	**	$16.06 \pm 0.04$ (V)	PE	3880
$\text{F}_4\text{Ge}_2^+$	$\text{Ge}_2\text{F}_4$	12332-08-0	**	$13.1 \pm 0.3$	EI	3570
$\text{H}_3\text{FGe}^+$	$\text{GeH}_3\text{F}$	13537-30-9	**	$12.3 \pm 0.1$ (V)	PE	3510
$\text{H}_2\text{F}_2\text{Ge}^+$	$\text{GeH}_2\text{F}_2$	14986-65-3	**	$13.0 \pm 0.1$ (V)	PE	3510

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_2\text{H}_6\text{F}_2\text{Ge}^+$	$(\text{CH}_3)_2\text{GeF}_2$	811-70-1	**	10.45 (V)	PE	5261
$\text{OF}_2\text{Ge}^+$	$\text{GeOF}_2$	XXXXX-XX-X	**	$12.3 \pm 0.3$	EI	3570
$\text{C}_6\text{H}_{18}\text{SiGe}^+$	$(\text{CH}_3)_3\text{SiGe}(\text{CH}_3)_3$	31608-80-7	**	$8.31 \pm 0.10$	EI	3548
$\text{C}_{11}\text{H}_{38}\text{Si}_1\text{Ge}^+$	$(\text{CH}(\text{Si}(\text{CH}_3)_3)_2)_2\text{Ge}$	60111-69-5	**	$7.75 \pm 0.05$ (V)	PE	4725
$\text{NSiGe}^+$	$\text{GeSiN}$	53262-44-5	**	$8.6 \pm 0.5$	EI	4200
$\text{C}_{11}\text{H}_{36}\text{N}_2\text{Si}_2\text{Ge}^+$	$\text{C}_{11}\text{H}_{36}\text{N}_2\text{Si}_2\text{Ge}$	55147-81-4	**	$7.24 \pm 0.05$ (V)	PE	4725
	$(\text{N}(\text{Si}(\text{CH}_3)_3)(\text{tert}-\text{C}_4\text{H}_9))_2\text{Ge}$	XXXXX-XX-X	**	7.26 (V)	PE	4157
$\text{C}_{12}\text{H}_{36}\text{N}_2\text{Si}_1\text{Ge}^+$	$(\text{N}(\text{Si}(\text{CH}_3)_3)_2)_2\text{Ge}$	55290-25-0	**	$7.71 \pm 0.05$ (V)	PE	4725
			**	7.72 (V)	PE	4157
$\text{H}_3\text{PGe}^+$	$\text{GeH}_3\text{PH}_2$	13573-06-3	**	$9.7 \pm 0.1$ (V)	PE	3661
$\text{H}_9\text{PGe}_3^+$	$(\text{GeH}_3)_3\text{P}$	15587-38-9	**	$9.0 \pm 0.1$ (V)	PE	3661
$\text{SGe}^+$	$\text{GeS}$	12025-32-0	**	$9.98 \pm 0.02$	PI	4936
			**	$10.18 \pm 0.03$ (V)	PI	4936
			**	$10.35 \pm 0.08$ (V)	PI	4936
			**	$10.25-10.28$ (V)	PE	4550
			**	10.36 (V)	PE	4967
			**	10.39 (V)	PE	4550
			**	$10.9 \pm 0.5$ (V)	EI	4550
$\text{H}_1\text{SGe}^+$	$\text{GeH}_3\text{SH}$	21847-06-3	**	9.69 (V)	PE	3656
$\text{H}_6\text{SGe}_2^+$	$(\text{GeH}_3)_2\text{S}$	18852-54-5	**	9.25 (V)	PE	3656
$\text{C}_4\text{H}_{12}\text{SGe}^+$	$(\text{CH}_3)_3\text{SCH}_3\text{Ge}$	3860-84-2	**	$8.50 \pm 0.05$ (V)	PE	4153
$\text{C}_8\text{H}_{11}\text{SGe}^+$	$\text{C}_6\text{H}_5\text{S}(\text{CH}_3)_3\text{Ge}$ (Germane, trimethyl(phenylthio)-)	4848-62-8	$\text{CH}_3$	$9.95 \pm 0.1$	EI	4198
$\text{C}_9\text{H}_{11}\text{SGe}^+$	$\text{C}_6\text{H}_5\text{S}(\text{CH}_3)_3\text{Ge}$ (Germane, trimethyl(phenylthio)-)	4848-62-8	**	$8.52 \pm 0.05$	PE	4589
			**	$8.08 \pm 0.1$	EI	4198
$\text{C}_{10}\text{H}_{16}\text{SGe}^+$	$\text{C}_6\text{H}_5(\text{SCH}_3)(\text{CH}_3)_3\text{Ge}$ (Germane, trimethyl[4-(methylthio)phenyl]-)	59163-56-3	**	$7.90 \pm 0.05$ (V)	PE	4627
$\text{C}_{13}\text{H}_{11}\text{SGe}^+$	$\text{C}_{12}\text{H}_9\text{SGe}(\text{CH}_3)_2$ (10H-Phenothiagermanin, 10,10-dimethyl-)	63447-23-4	$\text{CH}_3$	$8.7 \pm 0.1$	EI	4664

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{11}SGe^+$	$C_{12}H_{10}SGe(CH_3)_2$ (10H-Phenothiagermanin, 10,10-dimethyl-)	63447-23-4	**	$8.0 \pm 0.1$	EI	4664
$C_6H_{18}SGe_2^+$	$((CH_3)_3Ge)_2S$	6199-00-4	** **	$8.40 \pm 0.05$ (V) $8.60 \pm 0.1$	PE EI	4153 4198
$CH_3NSGe^+$	$GeH_3NCS$	16475-45-9	**	$9.14 \pm 0.02$ (V)	PE	3670
$Cl_3Ge^+$	$GeCl_4$ $CH_3GeCl_3$	10038-98-9 993-10-2	Cl $CH_3$	$12.12 \pm 0.04$ $12.22 \pm 0.05$	EI EI	3939 3939
$Cl_4Ge^+$	$GeCl_4$	10038-98-9	**	$11.68 \pm 0.05$	EI	3939
$H_3ClGe^+$	$GeH_3Cl$	13637-65-5	** **	$11.30 \pm 0.02$ (V) $11.34 \pm 0.05$ (V)	PE PE	3510 3502
$H_2Cl_2Ge^+$	$GeH_2Cl_2$	15230-48-5	**	$11.42 \pm 0.02$ (V)	PE	3510
$C_2H_6ClGe^+$	$(CH_3)_3GeCl$ $(CH_3)_2GeCl_2$	1529-47-1 1529-48-2	$CH_3$ Cl	$10.44 \pm 0.04$ $11.56 \pm 0.04$	EI EI	3939 3939
$C_3H_9ClGe^+$	$(CH_3)_3GeCl$	1529-47-1	** **	10.35 (V) $9.62 \pm 0.04$	PE EI	4566 3939
$C_9H_{13}ClGe^+$	$C_6H_5(CH_3)_3GeCl$ (Germane, (4-chlorophenyl)trimethyl-)	56866-67-2	**	8.84 (V)	PE	4438
$CH_3Cl_2Ge^+$	$(CH_3)_2GeCl_2$ $CH_3GeCl_3$	1529-48-2 993-10-2	$CH_3$ Cl	$11.08 \pm 0.05$ $11.78 \pm 0.05$	EI EI	3939 3939
$C_2H_6Cl_2Ge^+$	$(CH_3)_2GeCl_2$	1529-48-2	** **	10.65 (V) $10.18 \pm 0.05$	PE EI	5261 3939
$CH_3Cl_3Ge^+$	$CH_3GeCl_3$	993-10-2	**	$11.11 \pm 0.04$	EI	3939
$C_8H_{11}CrGe^+$	$C_5H_5(CO)_3CrGe(CH_3)_3$ (Tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium)	34962-34-0	3CO	$10.57 \pm 0.24$	EI	3495
$C_9H_{11}OCrGe^+$	$C_5H_5(CO)_3CrGe(CH_3)_3$ (Tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium)	34962-34-0	2CO	$9.53 \pm 0.15$	EI	3495
$C_{10}H_{11}O_2CrGe^+$	$C_5H_5(CO)_3CrGe(CH_3)_3$ (Tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium)	34962-34-0	CO	$9.13 \pm 0.1$	EI	3495
$C_{11}H_{11}O_3CrGe^+$	$C_5H_5(CO)_3CrGe(CH_3)_3$ (Tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium)	34962-34-0	**	$7.79 \pm 0.1$	EI	3495

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_3O_5MnGe^+$	(GeH <sub>3</sub> )(CO) <sub>5</sub> Mn	25069-08-3	**	8.90±0.02 (V)	PE	3827
$C_1H_3O_1CoGe^+$	(GeH <sub>3</sub> )(CO) <sub>1</sub> Co	28360-37-4	**	8.80±0.02 (V)	PE	3827
$CuGe^+$	GeCu	12394-89-7	**	7.5	EI	3775
$As^+$	As	7440-38-2	**	> 10.0	EI	3475
	AsF <sub>3</sub>	7784-35-2	3F	27.0±0.4	EI	5016
	AsCl <sub>3</sub>	7784-34-1	3Cl	20.4±0.4	EI	5016
$As_2^+$	As <sub>2</sub>	23878-46-8	**	10.1±0.2	S	3567
			**	11.0±0.5	EI	3555
$As_i^+$	As <sub>i</sub>	12187-08-5	**	9.9±0.2	EI	3555
$H_3As^+$	AsH <sub>3</sub>	7784-42-1	**	9.89	PE	3719
			**	10.58±0.05 (V)	PE	5419
$C_2H_7As^+$	(CH <sub>3</sub> ) <sub>2</sub> AsH	593-57-7	**	8.58	PE	3589
			**	9.14 (V)	PE	4185
$C_3H_9As^+$	(CH <sub>3</sub> ) <sub>3</sub> As	593-88-4	**	8.65 (V)	PE	4226
			**	8.65 (V)	PE	5368
$C_4H_9As^+$	(CH <sub>2</sub> =CH)(CH <sub>3</sub> ) <sub>2</sub> As	13652-14-7	**	8.68 (V)	PE	5122
$C_4H_{11}As^+$	(CH <sub>3</sub> ) <sub>4</sub> As=CH <sub>2</sub>	19415-86-2	**	6.72 (V)	PE	5368
$C_5H_5As^+$	C <sub>5</sub> H <sub>5</sub> As (Arsenin)	289-31-6	**	8.8 (V)	PE	3832
$C_5H_{11}As^+$	(CH <sub>2</sub> =CHCH <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> As	691-35-0	**	8.57 (V)	PE	5122
$C_6H_5As^+$	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> As (Arsine, triphenyl-)	603-32-7		8.2±0.1	PI	4325
$C_8H_{11}As^+$	(C <sub>6</sub> H <sub>5</sub> )(CH <sub>3</sub> ) <sub>2</sub> As (Arsine, dimethylphenyl-)	696-26-4	**	8.67 (V)	PE	5122
$C_9H_{13}As^+$	(C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> )(CH <sub>3</sub> ) <sub>2</sub> As (Arsine, dimethyl(phenylmethyl))	36678-76-9	**	8.45 (V)	PE	5122
$C_{12}H_{10}As^+$	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> As (Arsine, triphenyl-)	603-32-7		9.35±0.1	PI	4325

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{11}As^+$	$(C_6H_5)_2AsH$ (Arsine, diphenyl-)	829-83-4	**	$7.87 \pm 0.01$	PE	4154
$C_{12}H_{13}As^+$	$C_6H_5C_6H_4As(CH_3)_2$ (1 <i>H</i> -Arsole, 2,5-dimethyl-1-phenyl-)	20527-10-0	**	8.0 (V)	PE	4090
$C_{18}H_{13}As^+$	$(C_6H_5)_3As$ (Arsine, triphenyl-)	603-32-7	**	$7.32 \pm 0.05$	PI	4325
			**	$7.60 \pm 0.01$	PE	4154
			**	$8.03 \pm 0.05$ (V)	PE	4368
			**	8.11 (V)	PE	5139
$C_{19}H_{13}As^+$	$C_{11}H_8AsC_6H_5$ (Acridarsine, 10-phenyl-)	28660-45-9	**	7.05 (V)	PE	5630
$C_4H_{12}As_2^+$	$((CH_3)_2As)_2$ -trans $((CH_3)_2As)_2$ -gauche	471-35-2	**	7.91 (V)	PE	4185
			**	8.85 (V)	PE	4185
			**	8.85 (V)	PE	4185
$B_2C_6H_{18}N_3As^+$	$N_3B_2(CH_3)_4As(CH_3)_2$ (1,2,4,3,5-Triazadiborolidine, 4-(dimethylarsino)-1,2,3,5-tetramethyl-)	57877-84-6	**	7.5 (V)	PE	4526
$O_6As_4^+$	$As_4O_6$	12505-67-8	**	$10.01 \pm 0.05$ (V)	PE	4639
			**	10.05 (V)	PE	4704
			**	10.05 (V)	PE	5343
$CH_2OAs^+$	$As(OCH_3)_3$	6596-95-8		13.88	EI	4339
$CH_3OAs^+$	$As(OCH_3)_3$	6596-95-8		10.63	EI	4339
$CH_1OAs^+$	$As(OCH_3)_3$	6596-95-8		13.48	EI	4339
$C_2H_1OAs^+$	$As(OC_2H_5)_3$	3141-12-6		12.30	EI	4339
$C_2H_3OAs^+$	$As(OC_2H_5)_3$	3141-12-6		10.80	EI	4339
$C_2H_6OAs^+$	$As(OC_2H_5)_3$	3141-12-6		12.30	EI	4339
$C_3H_9OAs^+$	$(CH_3)_3As=O$	4964-14-1	**	9.08 (V)	PE	5368
$C_2H_5O_2As^+$	$As(OCH_3)_3$	6596-95-8	$CH_3OH$	8.98	EI	4339
$C_2H_6O_2As^+$	$As(OCH_3)_3$	6596-95-8	$CH_3O$	10.03	EI	4339
$C_2H_7O_2As^+$	$As(OCH_3)_3$	6596-95-8	$CH_2O$	8.80	EI	4339



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_7\text{H}_9\text{O}_2\text{As}^+$	$\text{As}(\text{OC}_2\text{H}_5)_3$	3141-12-6	$\text{C}_2\text{H}_5\text{OH}$	8.60	EI	4339
$\text{C}_7\text{H}_{10}\text{O}_2\text{As}^+$	$\text{As}(\text{OC}_2\text{H}_5)_3$	3141-12-6	$\text{C}_2\text{H}_5\text{O}$	10.03	EI	4339
$\text{C}_7\text{H}_{11}\text{O}_2\text{As}^+$	$\text{As}(\text{OC}_2\text{H}_5)_3$	3141-12-6	$\text{C}_2\text{H}_5\text{O}$	8.52	EI	4339
$\text{C}_3\text{H}_9\text{O}_3\text{As}^+$	$\text{As}(\text{OCH}_3)_3$	6596-95-8	** **	9.73 (V) 7.93	PE EI	4705 4339
$\text{FAs}^+$	$\text{AsF}_3$	7784-35-2		$19.6 \pm 0.1$	EI	5016
	$\text{AsF}_5$	7784-36-3		$23.8 \pm 0.2$	EI	5016
$\text{F}_2\text{As}^+$	$\text{AsF}_3$	7784-35-2	$\text{F}^-$	$12.80 \pm 0.1$	EI	5016
	$\text{AsF}_5$	7784-36-3		$15.8 \pm 0.2$	EI	5016
$\text{F}_3\text{As}^+$	$\text{AsF}_3$	7784-35-2	** **	$12.3 \pm 0.05$ $12.84 \pm 0.05$	EI EI	5016 3578
	$\text{AsF}_5$	7784-36-3	$\text{F}_2^-$	$14.0 \pm 0.1$	EI	5016
$\text{F}_4\text{As}^+$	$\text{AsF}_5$	7784-36-3	$\text{F}^-$	$13.8 \pm 0.2$	EI	5016
$\text{C}_4\text{F}_{12}\text{As}_2^+$	$((\text{CF}_3)_2\text{As})_2$ ( <i>Trans</i> conformer)	360-56-5	**	10.39 (V)	PE	4185
$\text{CH}_2\text{F}_3\text{As}^+$	$\text{H}_2\text{AsCF}_3$	XXXXX-XX-X	**	$14.0 \pm 0.05$ (V)	PE	5419
$\text{C}_6\text{H}_7\text{F}_6\text{As}^+$	<i>cis</i> -( $\text{CH}_3$ ) <sub>2</sub> AsC(CF <sub>3</sub> )=C(CF <sub>3</sub> )H <i>trans</i> -( $\text{CH}_3$ ) <sub>2</sub> AsC(CF <sub>3</sub> )=C(CF <sub>3</sub> )H	4648-64-0 4648-63-9	** **	8.61 8.71	PE PE	3589 3589
$\text{C}_8\text{H}_{11}\text{F}_6\text{As}^+$	$(\text{C}_2\text{H}_5)_2\text{AsC}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{H}$	XXXXX-XX-X	**	8.44	PE	3589
$\text{H}_9\text{Si}_3\text{As}^+$	$(\text{SiH}_3)_3\text{As}$	15110-34-6	**	$9.3 \pm 0.1$ (V)	PE	3661
$\text{C}_7\text{H}_{19}\text{SiAs}^+$	$(\text{CH}_3)_3\text{As}=\text{CHSi}(\text{CH}_3)_3$	3607-04-3	**	6.56 (V)	PE	5368
$\text{C}_{10}\text{H}_{27}\text{Si}_2\text{As}^+$	$(\text{CH}_3)_3\text{As}=\text{C}(\text{Si}(\text{CH}_3)_3)_2$	58972-45-5	**	6.66 (V)	PE	5368
$\text{H}_2\text{F}_3\text{SiAs}^+$	$\text{F}_3\text{SiAsH}_2$	53098-12-7	**	$10.90 \pm 0.05$ (V)	PE	5419
$\text{C}_2\text{H}_6\text{F}_3\text{SiAs}^+$	$\text{F}_3\text{SiAs}(\text{CH}_3)_2$	60387-29-3	**	$9.4 \pm 0.05$ (V)	PE	5419
$\text{PAs}^+$	$\text{AsP}$	12255-33-3	** **	$10.5 \pm 0.6$ $11.2 \pm 0.5$	EI EI	4120 3555

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{P}_3\text{As}^+$	$\text{AsP}_3$	12511-95-4	**	$10.3 \pm 0.3$	EI	3555
$\text{P}_2\text{As}_2^+$	$\text{As}_2\text{P}_2$	12512-03-7	**	$10.3 \pm 0.3$	EI	3555
$\text{PA}_3^+$	$\text{As}_3\text{P}$	12512-11-7	**	$10.0 \pm 0.3$	EI	3555
$\text{S}_3\text{As}_3^+$	$\text{As}_3\text{S}_4$	12279-90-2		$9.0 \pm 0.7$	EI	3475
$\text{S}_3\text{As}_4^+$	$\text{As}_4\text{S}_3$	12512-13-9	**	9.01 (V)	PE	4704
$\text{S}_4\text{As}_4^+$	$\text{As}_4\text{S}_4$	12279-90-2	**	$9.0 \pm 0.7$	EI	3475
$\text{ClAs}^+$	$\text{AsCl}_4$	7784-34-1		$17.7 \pm 0.2$	EI	5016
$\text{Cl}_2\text{As}^+$	$\text{AsCl}_3$	7784-34-1	$\text{Cl}^-$	$12.4 \pm 0.2$	EI	5016
$\text{Cl}_3\text{As}^+$	$\text{AsCl}_3$	7784-34-1	**	$10.55 \pm 0.025$	PE	3626
			**	10.90 (V)	PE	5473
			**	$10.57 \pm 0.03$	EI	3626
			**	$11.6 \pm 0.05$	EI	5016
$\text{C}_2\text{H}_6\text{SiCl}_3\text{As}^+$	$\text{Cl}_3\text{SiAs}(\text{CH}_3)_2$	XXXXX-XX-X	**	$9.20 \pm 0.05$ (V)	PE	5419
$\text{C}_{24}\text{H}_{22}\text{MnAs}^+$	$(\text{CH}_3\text{C}_5\text{H}_4)(\text{CO})_2((\text{C}_6\text{H}_5)_3\text{As})\text{Mn}$ (Manganese,dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-)	XXXXX-XX-X	2CO	$8.44 \pm 0.03$	EI	5576
	$\text{C}_{26}\text{H}_{22}\text{OSMnAs}^+$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-)	XXXXX-XX-X	CO + CS	$9.01 \pm 0.02$	EI	5576
$\text{C}_{25}\text{H}_{22}\text{OMnAs}^+$	$(\text{CH}_3\text{C}_5\text{H}_4)(\text{CO})_2((\text{C}_6\text{H}_5)_3\text{As})\text{Mn}$ (Manganese,dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-)	XXXXX-XX-X	CO	$8.53 \pm 0.04$	EI	5576
$\text{C}_{26}\text{H}_{22}\text{O}_2\text{MnAs}^+$	$(\text{CH}_3\text{C}_5\text{H}_4)(\text{CO})_2((\text{C}_6\text{H}_5)_3\text{As})\text{Mn}$ (Manganese,dicarbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-)	XXXXX-XX-X	**	$6.38 \pm 0.03$	EI	5576
$\text{C}_{25}\text{H}_{22}\text{SMnAs}^+$	$\text{C}_{26}\text{H}_{22}\text{OSMnAs}$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-)	XXXXX-XX-X	CO	$7.57 \pm 0.02$	EI	5576
$\text{C}_{26}\text{H}_{22}\text{OSMnAs}^+$	$\text{C}_{26}\text{H}_{22}\text{OSMnAs}$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl](triphenylarsine)-)	XXXXX-XX-X	**	$6.71 \pm 0.02$	EI	5576

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>22</sub>H<sub>15</sub>O<sub>4</sub>FeAs<sup>+</sup></b>						
	As(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (CO) <sub>4</sub> Fe (Iron,tetracarbonyl(triphenylarsine)-)	14375-84-9	**	7.50 (V)	PE	5559
<b>Se<sup>+</sup></b>						
	H <sub>2</sub> Se	7783-07-5		12.6±0.1	EI	3633
	CSe <sub>2</sub>	506-80-9		13.38±0.02	PI	4936
( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> )			CSe	13.4543	PI	5000
<b>Se<sub>2</sub><sup>+</sup></b>						
( <sup>2</sup> Π <sub>g,1/2</sub> ) Se <sub>2</sub>		12185-17-0	**	8.70±0.05	PE	4662
( <sup>2</sup> Π <sub>g,3/2</sub> )			**	9.13 (V)	PE	4662
( <sup>1</sup> Π <sub>u</sub> )			**	10.68 (V)	PE	4662
			**	11.27 (V)	PE	4662
( <sup>1</sup> Σ <sub>g</sub> <sup>+</sup> )			**	12.27 (V)	PE	4662
			**	12.81 (V)	PE	4662
( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> )			**	13.31 (V)	PE	4662
			**	14.00 (V)	PE	4662
	CSe <sub>2</sub>	506-80-9		15.21±0.02	PI	4936
<b>Se<sub>5</sub><sup>+</sup></b>						
	Se <sub>5</sub>	12597-28-3	**	7.83±0.02	PE	4662
<b>Se<sub>6</sub><sup>+</sup></b>						
	Se <sub>6</sub>	12597-30-7	**	8.23±0.05	PE	4662
<b>HSe<sup>+</sup></b>						
	SeH	13940-22-2	**	9.79	S	3742
	H <sub>2</sub> Se	7783-07-5	H	13.6±0.2	EI	4610
			H	13.8±0.2	EI	3633
<b>H<sub>2</sub>Se<sup>+</sup></b>						
( <sup>2</sup> B <sub>1</sub> )	H <sub>2</sub> Se	7783-07-5	**	9.88	PE	3719
( <sup>2</sup> B <sub>1</sub> )			**	9.93	PE	4073
( <sup>2</sup> A <sub>1</sub> )			**	12.40	PE	3719
( <sup>2</sup> B <sub>2</sub> )			**	14.11	PE	3719
( <sup>2</sup> A <sub>1</sub> )			**	21.0 (V)	PE	3719
			**	10.00±0.05	EI	4610
<b>CSe<sup>+</sup></b>						
	CSe	16674-18-3	**	10.8±0.5	EI	4966
			**	10.943	OTH	5000
	CSe <sub>2</sub>	506-80-9		14.37±0.02	PI	4936
			Se	14.586	PI	5000
<b>CSe<sub>2</sub><sup>+</sup></b>						
	CSe <sub>2</sub>	506-80-9	**	9.25	S	5098
( <sup>2</sup> Σ <sub>u</sub> <sup>+</sup> )			**	13.6336	S	5000
( <sup>1</sup> Σ <sub>g</sub> <sup>+</sup> )			**	15.899	S	5000
( <sup>2</sup> Π <sub>g,3/2</sub> )			**	9.258±0.0002	PI	5000
(Π <sub>3/2</sub> )			**	9.26±0.01	PI	4936
( <sup>2</sup> Π <sub>1/2</sub> )			**	9.52±0.01	PI	4936
( <sup>2</sup> Π <sub>g,1/2</sub> )			**	9.524	PI	5000
( <sup>2</sup> Σ <sub>u</sub> <sup>+</sup> )			**	13.63±0.02	PI	4936
( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> )			**	15.89±0.02	PI	4936
( <sup>2</sup> Π <sub>3/2p</sub> )			**	9.26	PE	4309
( <sup>2</sup> Π <sub>3/2</sub> )			**	9.27±0.01	PE	3965
( <sup>2</sup> Π <sub>1/2p</sub> )			**	9.52	PE	4309
( <sup>2</sup> Π <sub>1/2</sub> )			**	9.54±0.01	PE	3965
( <sup>2</sup> Π <sub>u</sub> )			**	11.45	PE	4309
( <sup>2</sup> Π <sub>u</sub> )			**	11.49±0.01	PE	3965
( <sup>2</sup> Σ <sub>u</sub> )			**	13.61	PE	4309

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CSe<sub>2</sub><sup>+</sup></b> ( <sup>2</sup> Σ <sub>u</sub> <sup>+</sup> ) ( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> ) ( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> )	CSe <sub>2</sub>	506-80-9	**	13.63±0.01	PE	3965
			**	15.87	PE	4309
			**	15.90±0.01	PE	3965
			**	9.4±0.5	EI	4966
<b>C<sub>2</sub>H<sub>2</sub>Se<sup>+</sup></b>	CH <sub>2</sub> =C=Se	61134-37-0	**	8.72 (V)	PE	4982
<b>C<sub>2</sub>H<sub>3</sub>Se<sup>+</sup></b>	CH <sub>3</sub> SeCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH	1464-42-2		12.03±0.06	EI	3443
<b>C<sub>2</sub>H<sub>6</sub>Se<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> Se	593-79-3	**	8.400±0.010	S	3970
			**	8.40 (V)	PE	3656
<b>C<sub>3</sub>H<sub>7</sub>Se<sup>+</sup></b>	CH <sub>3</sub> SeCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH	1464-42-2	C <sub>2</sub> H <sub>4</sub> NO <sub>2</sub>	9.34±0.15	EI	3443
<b>C<sub>1</sub>H<sub>1</sub>Se<sup>+</sup></b>	C <sub>1</sub> H <sub>1</sub> Se (Selenophene)	288-05-1	**	8.776	S	5456
			**	8.80 (V)	PE	3858
			**	8.92 (V)	PE	4626
			**	≤8.92 (V)	PE	3804
			**	9.01±0.05	EI	3482
			**	8.96	CTS	4382
<b>C<sub>1</sub>H<sub>8</sub>Se<sup>+</sup></b>	C <sub>1</sub> H <sub>8</sub> Se (Selenophene, tetrahydro-)	3465-98-3	**	8.14 (V)	PE	4145
<b>C<sub>5</sub>H<sub>6</sub>Se<sup>+</sup></b>	C <sub>1</sub> H <sub>3</sub> SeCH <sub>3</sub> (Selenophene, 2-methyl-)	7559-42-4	**	8.40±0.05 (V)	PE	4626
			**	8.38±0.1	EI	3804
<b>C<sub>6</sub>H<sub>1</sub>Se<sup>+</sup></b>	C <sub>7</sub> H <sub>1</sub> =C=Se (Methaneselone, 2,4-cyclopentadien-1-ylidene-)	72443-10-8	**	8.34 (V)	PE	4982
<b>C<sub>8</sub>H<sub>6</sub>Se<sup>+</sup></b>	C <sub>8</sub> H <sub>6</sub> Se (Benzo[b]selenophene)	272-30-0	**	8.03±0.05	PE	4435
<b>C<sub>8</sub>H<sub>10</sub>Se<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (SeCH <sub>3</sub> ) <sub>2</sub> (Benzene, 1,4-bis(methylseleno)-)	40400-26-8	**	7.95 (V)	PE	5403
<b>C<sub>6</sub>H<sub>1</sub>Se<sub>4</sub><sup>+</sup></b>	(C <sub>2</sub> H <sub>2</sub> Se <sub>2</sub> ) <sub>2</sub> (1,3-Diselenole, 2-(1,3-diselenol-2-ylidene)-)	54489-01-9	**	7.21	EI	5622
<b>C<sub>10</sub>H<sub>12</sub>Se<sub>4</sub><sup>+</sup></b>	C <sub>6</sub> Se <sub>4</sub> (CH <sub>3</sub> ) <sub>4</sub> (1,3-Diselenole, 2-(4,5-dimethyl-1,3-diselenol-2-ylidene)-4,5-dimethyl-)	55259-49-9	**	6.58 (V)	PE	4481
<b>C<sub>3</sub>H<sub>6</sub>NSe<sup>+</sup></b>	CH <sub>3</sub> SeCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH	1464-42-2		10.33±0.07	EI	3443
<b>C<sub>1</sub>H<sub>10</sub>NSe<sup>+</sup></b>	CH <sub>3</sub> SeCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH	1464-42-2	CO <sub>2</sub> H	9.83±0.16	EI	3443

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>9</sub>NSe<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (SeCH <sub>3</sub> )NH <sub>2</sub> (Benzenamine,2-(methylseleno)-)	70086-67-8	**	7.95 (V)	PE	5403
	C <sub>6</sub> H <sub>5</sub> (SeCH <sub>3</sub> )NH <sub>2</sub> (Benzenamine,3-(methylseleno)-)	70086-66-7	**	7.83 (V)	PE	5403
	C <sub>6</sub> H <sub>5</sub> (SeCH <sub>3</sub> )NH <sub>2</sub> (Benzenamine,4-(methylseleno)-)	35065-62-4	**	7.88 (V)	PE	5403
<b>C<sub>2</sub>H<sub>2</sub>N<sub>2</sub>Se<sup>+</sup></b>	C <sub>2</sub> H <sub>2</sub> N <sub>2</sub> Se (1,2,3-Selenadiazole)	26223-16-5	**	9.69 (V)	PE	4982
<b>C<sub>6</sub>H<sub>4</sub>N<sub>2</sub>Se<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> Se (1,2,3-Benzoselenadiazole)	123-92-7	**	8.83 (V)	PE	4982
<b>O<sub>2</sub>Se<sup>+</sup></b> ( <sup>2</sup> A <sub>1</sub> ) ( <sup>2</sup> A <sub>2</sub> + <sup>2</sup> B <sub>2</sub> ) ( <sup>2</sup> B <sub>2</sub> ) ( <sup>2</sup> A <sub>1</sub> + <sup>2</sup> B <sub>1</sub> ) ( <sup>2</sup> A <sub>1</sub> )	SeO <sub>2</sub>	7446-08-4	**	11.76 (V)	PE	4817
			**	12.18 (V)	PE	4817
			**	14.56 (V)	PE	4817
			**	14.95 (V)	PE	4817
			**	19.90 (V)	PE	4817
<b>COSe<sup>+</sup></b> ( <sup>2</sup> Π <sub>3/2</sub> ) (X <sup>2</sup> π <sub>3/2,1/2</sub> ) ( <sup>2</sup> Π <sub>1/2</sub> ) ( <sup>2</sup> Π) ( <sup>2</sup> Σ <sup>+</sup> )	COSe	1603-84-5	**	10.36±0.01	PE	3965
			**	10.37	PE	4383
			**	10.57±0.01	PE	3965
			**	14.58±0.01	PE	3965
			**	15.75±0.01	PE	3965
<b>C<sub>5</sub>H<sub>3</sub>OSe<sup>+</sup></b>	C <sub>5</sub> H <sub>3</sub> SeCHO (2-Selenophenecarboxaldehyde)	25109-26-6	**	9.47±0.05	EI	3482
<b>C<sub>5</sub>H<sub>6</sub>OSe<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> Se(=O)(CH <sub>3</sub> ) (2(5H)Selenophenone, 5-methyl-)	26562-65-2	**	8.84±0.05	EI	4666
<b>C<sub>6</sub>H<sub>6</sub>OSe<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> SeCOCH <sub>3</sub> (Ethanone, 1-selenophene-2-yl-)	15429-03-5	**	9.30±0.05	EI	3482
<b>C<sub>6</sub>H<sub>8</sub>OSe<sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> Se(=O)(CH <sub>3</sub> ) <sub>2</sub> (3(2H)-Selenophenone, 2,5-dimethyl-)	57556-10-2	**	8.24±0.05	EI	4673
<b>C<sub>7</sub>H<sub>10</sub>OSe<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> Se(CH <sub>3</sub> ) <sub>2</sub> OCH <sub>3</sub> (Selenophene, 3-methoxy-2,5-dimethyl-)	57556-13-5	**	7.69±0.05	EI	4673
	C <sub>6</sub> H <sub>5</sub> Se(=O)(CH <sub>3</sub> ) <sub>3</sub> (2(3H)-Selenophenone, 3,3,5-trimethyl-)	57556-20-4	**	7.98±0.05	EI	4666
	C <sub>6</sub> H <sub>5</sub> Se(=O)(CH <sub>3</sub> ) <sub>3</sub> (3(2H)-Selenophenone, 2,2,5-trimethyl-)	57556-11-3	**	8.21±0.05	EI	4673
<b>C<sub>8</sub>H<sub>10</sub>OSe<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (SeCH <sub>3</sub> )(OCH <sub>3</sub> ) (Benzene,1-methoxy-2-(methylseleno)-)	1657-75-6	**	7.86 (V)	PE	5403
	C <sub>6</sub> H <sub>4</sub> (SeCH <sub>3</sub> )(OCH <sub>3</sub> ) (Benzene,1-methoxy-3-(methylseleno)-)	2726-42-3	**	7.93 (V)	PE	5403
	C <sub>6</sub> H <sub>4</sub> (SeCH <sub>3</sub> )(OCH <sub>3</sub> ) (Benzene,1-methoxy-4-(methylseleno)-)	1694-07-1	**	8.05 (V)	PE	5403



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_{12}\text{H}_8\text{OSe}^+$	$\text{C}_{12}\text{H}_8\text{OSe}$ (Phenoxaselenin)	262-22-6	**	$7.74 \pm 0.05$ (V)	PE	4743
$\text{C}_5\text{H}_1\text{O}_2\text{Se}^+$	$\text{C}_5\text{H}_5\text{SeCOOH}$ (2-Selenophenecarboxylic acid)	22968-45-2	**	$9.19 \pm 0.05$ (V)	PE	4626
			**	$9.25 \pm 0.1$	EI	3804
$\text{C}_6\text{H}_6\text{O}_2\text{Se}^+$	$\text{C}_6\text{H}_5\text{SeCOOCH}_3$ (2-Selenophenecarboxylic acid methyl ester)	39697-33-1	**	$9.05 \pm 0.05$ (V)	PE	4626
$\text{C}_4\text{H}_6\text{NOSe}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$	1464-42-2	$\text{H}_2\text{O} + \text{CH}_3$	$10.00 \pm 0.05$	EI	3443
$\text{C}_3\text{H}_9\text{NOSe}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$	1464-42-2	$\text{H}_2\text{O}$	$8.73 \pm 0.10$	EI	3443
$\text{C}_7\text{H}_9\text{NOSe}^+$	$\text{C}_6\text{H}_5\text{SeCON}(\text{CH}_3)_2$ (2-Selenophenecarboxamide, N,N-dimethyl-)	55685-51-3	**	$8.85 \pm 0.05$ (V)	PE	4626
$\text{C}_4\text{H}_3\text{NO}_2\text{Se}^+$	$\text{C}_6\text{H}_3\text{SeNO}_2$ (Selenophene, 2-nitro-)	15429-04-6	**	$9.64 \pm 0.05$ (V)	PE	4626
$\text{C}_4\text{H}_8\text{NO}_2\text{Se}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$	1464-42-2	$\text{CH}_3$	$9.35 \pm 0.10$	EI	3443
$\text{C}_5\text{H}_{11}\text{NO}_2\text{Se}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$	1464-42-2	**	$8.26 \pm 0.03$	EI	3443
$\text{F}_2\text{Se}^+$	$\text{SeF}_2$	14017-34-6	**	10.20 (V)	PE	5074
$\text{C}_6\text{H}_3\text{OF}_3\text{Se}^+$	$\text{C}_6\text{H}_3\text{SeCOCF}_3$ (Ethanone, 2,2,2-trifluoro-1-(selenophene-2-yl)-)	26149-08-6	**	$9.64 \pm 0.05$	EI	3482
$\text{H}_6\text{Si}_2\text{Se}^+$	$(\text{SiH}_3)_2\text{Se}$	14939-45-8	**	9.18 (V)	PE	3656
$\text{PSe}^+$	$\text{SeP}$	12509-41-0	**	8.2	EI	4001
$\text{P}_1\text{Se}_3^+$	$\text{P}_1\text{Se}_3$	1314-86-9	**	8.71 (V)	PE	4704
$\text{C}_3\text{H}_9\text{O}_3\text{PSe}^+$	$(\text{CH}_3\text{O})_3\text{PSe}$	152-19-2	**	8.67 (V)	PE	4705
$\text{SSe}^+$	$\text{SSe}$	7446-34-6	**	$9.2 \pm 0.3$	EI	4682
$\text{CSSe}^+$	$\text{SCSe}$	5951-19-9	**	$9.58 \pm 0.01$	PE	3965
			**	9.58	PE	4383
			**	$9.77 \pm 0.01$	PE	3965
$\text{C}_4\text{H}_1\text{SSe}^+$	$\text{C}_4\text{H}_1\text{SSe}$ (1,4-Thiaselenin)	290-82-4	**	$8.1 \pm 0.1$ (V)	PE	4841

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_6SSe^+$	$C_4H_5Se(SH)CH_3$ (2-Selenophenethiol, 5-methyl-)	63359-60-4	**	$8.17 \pm 0.05$	EI	4706
$C_6H_8SSe^+$	$C_4H_5Se(CH_3)SCH_3$ (Selenophene, 2-methyl-5-(methylthio)-)	63359-62-6	**	$7.84 \pm 0.05$	EI	4706
	$C_4H_5Se(SH)(CH_3)_2$ (3-Selenophenethiol, 2,5-dimethyl-)	63359-61-5	**	$7.90 \pm 0.05$	EI	4706
$C_7H_{10}SSe^+$	$C_4H_5Se(CH_3)_2SCH_3$ (Selenophene, 2,5-dimethyl-3-(methylthio)-)	63394-81-0	**	$7.73 \pm 0.05$	EI	4706
$C_8H_{10}SSe^+$	$C_6H_4(SeCH_3)(SCH_3)$ (Benzene, 1-(methylseleno)-4-(methylthio)-)	70086-65-6	**	7.90 (V)	PE	5403
$C_6H_4S_2Se_2^+$	$(C_4H_5S_2Se)_2$ (1,3-Thiaselenole, 2-(1,3-thiaselenol-2-ylidene)-)		**	7.06	CTS	5622
$Cl_2Se^+$	$SeCl_2$	14457-70-6	** **	$9.50 \pm 0.2$ (V) $9.52$ (V)	PE PE	5023 5074
$Cl_2Se_2^+$	$Se_2Cl_2$	10025-68-0	**	$9.81 \pm 0.2$ (V)	PE	5023
$C_4H_3ClSe^+$	$C_4H_3SeCl$ (Selenophene, 2-chloro-)	1449-67-8	** **	$8.83 \pm 0.05$ (V) 8.72	PE CTS	4626 4382
$C_2H_6PClSe^+$	$(CH_3)_2P(Se)Cl$	XXXXX-XX-X	**	8.64 (V)	PE	5523
$CH_3PCl_2Se^+$	$CH_3P(Se)Cl_2$	2171-82-6	**	9.16 (V)	PE	5523
$C_6O_5SeCr^+$	$(CO)_5(CSe)Cr$	63356-87-6	**	8.03 (V)	PE	5333
$MnSe^+$	$MnSe$	1313-22-0	** **	$8.2 \pm 0.5$ $8.2 \pm 0.5$	EI EI	4901 4966
$GeSe^+$	$SeGe$	12065-10-0	** ** ** ** ** **	9.8 (V) 9.95 (V) 10.20 (V) 13.4 (V) 14.9 (V) $10.2 \pm 0.5$ (V)	PE PE PE PE PE EI	4967 4550 4550 4550 4550 4550
$H_6Ge_2Se^+$	$(GeH_3)_2Se$	24254-18-0	**	8.84 (V)	PE	3656
$Br^+$	$Br$	10097-32-2	** ** **	11.81 $11.81 \pm 0.02$ 11.81	S PE PE	5209 5087 5214

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Br<sup>+</sup></b>						
( <sup>1</sup> P <sub>1</sub> )	Br	10097-32-2	**	12.20±0.02	PE	5087
( <sup>3</sup> P <sub>1</sub> )			**	12.20	PE	5214
( <sup>3</sup> P <sub>0</sub> )			**	12.28	PE	5214
( <sup>3</sup> P <sub>2</sub> )			**	12.30±0.02	PE	5087
( <sup>1</sup> D <sub>2</sub> )			**	13.28	PE	5214
( <sup>3</sup> D <sub>2</sub> )			**	13.30±0.02	PE	5087
( <sup>1</sup> S <sub>0</sub> )			**	15.26	PE	5214
( <sup>3</sup> S <sub>0</sub> )			**	15.27±0.02	PE	5087
	CH <sub>3</sub> Br	74-83-9	CH <sub>3</sub>	15.8±0.5	EI	4533
	CH <sub>2</sub> Br <sub>2</sub>	74-95-3	CH <sub>2</sub> Br	15.5±0.1	EI	3442
			CH <sub>2</sub> Br	16.0	EI	3490
	AsBr <sub>3</sub>	7784-33-0	AsBr <sub>2</sub>	15.0±0.2	EI	5016
<b>Br<sub>2</sub><sup>+</sup></b>						
( <sup>2</sup> π <sub>3/2g</sub> )	Br <sub>2</sub>	7726-95-6	**	10.57 (V)	PE	4564
( <sup>2</sup> π <sub>1/2g</sub> )			**	10.92 (V)	PE	4564
			**	10.8±0.2	EI	4906
	AsBr <sub>3</sub>	7784-33-0	AsBr	13.4±0.1	EI	5016
<b>HBr<sup>+</sup></b>						
( <sup>2</sup> Σ <sup>+</sup> )	HBr	10035-10-6	**	15.2964±0.0025	S	4343
			**	11.66±0.02	PI	5307
( <sup>2</sup> Π <sub>3/2</sub> )			**	11.645±0.005	PE	3839
( <sup>2</sup> Π <sub>1/2</sub> )			**	11.979±0.005	PE	3839
( <sup>2</sup> Σ <sup>+</sup> )			**	15.288±0.005	PE	3839
	CH <sub>3</sub> Br	74-83-9	CH <sub>2</sub>	15.9±0.3	EI	4533
	C <sub>2</sub> H <sub>5</sub> Br	593-60-2		18.2±0.1	PI	5079
	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		11.60	EI	4809
<b>DBr<sup>+</sup></b>						
( <sup>2</sup> Π <sub>3/2</sub> )	DBr	13536-59-9	**	11.673±0.005	PE	3839
( <sup>2</sup> Π <sub>1/2</sub> )			**	12.002±0.005	PE	3839
( <sup>2</sup> Σ <sup>+</sup> )			**	15.284±0.005	PE	3839
<b>H<sub>2</sub>Br<sup>+</sup></b>						
	(HBr) <sub>2</sub>	XXXXX-XX-X Br		11.42±0.03	PI	5307
<b>H<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>						
	(HBr) <sub>2</sub>	XXXXX-XX-X **		10.83±0.05	PI	5307
<b>LiBr<sup>+</sup></b>						
	LiBr	7550-35-8	**	9.43±0.05 (V)	PE	4950
			**	10.0 (V)	PE	4307
<b>Li<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>						
	(LiBr) <sub>2</sub>	XXXXX-XX-X **		10.05±0.08 (V)	PE	4950
<b>H<sub>8</sub>B<sub>5</sub>Br<sup>+</sup></b>						
	B <sub>5</sub> H <sub>8</sub> Br (Pentaborane(9), 1-bromo-)	23753-67-5	**	9.71 (V)	PE	4519
	B <sub>5</sub> H <sub>8</sub> Br (Pentaborane(9), 2-bromo-)	23753-64-2	**	10.04 (V)	PE	4519
<b>CBr<sup>+</sup></b>						
	CH <sub>3</sub> Br	74-83-9	H + H <sub>2</sub>	18.8±0.3	EI	4533
<b>C<sub>1</sub>Br<sub>2</sub><sup>+</sup></b>						
	CBr≡CC≡CBr	36333-41-2	**	9.20±0.02	PE	4162
<b>CBr<sub>3</sub><sup>+</sup></b>						
	CBr <sub>4</sub>	558-13-4	Br	10.47±0.02	PI	4308

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CBr<sub>1</sub><sup>+</sup></b>	CBr <sub>1</sub>	558-13-4	**	10.31±0.02	PI	4308
<b>CHBr<sup>+</sup></b>	CH <sub>3</sub> Br	74-83-9	H <sub>2</sub>	16.3±0.5	EI	4533
<b>CH<sub>2</sub>Br<sup>+</sup></b>	CH <sub>3</sub> Br	74-83-9	H	13.4±0.3	EI	4533
	CH <sub>2</sub> Br <sub>2</sub>	74-95-3	**	11.35±0.02	PI	4640
<b>CH<sub>3</sub>Br<sup>+</sup></b>	CH <sub>3</sub> Br	74-83-9	**	10.541	S	5245
			**	10.54±0.01	PI	4640
			**	10.53 (V)	PE	5249
			**	10.5±0.2	EI	4533
<b>C<sub>2</sub>HBr<sup>+</sup></b>	CH≡CBr	593-61-3	**	10.762±0.004	S	3876
<b>C<sub>2</sub>H<sub>3</sub>Br<sup>+</sup></b>	C <sub>2</sub> H <sub>3</sub> Br	593-60-2	**	9.90±0.01	S	5123
			**	9.80±0.02	PE	3659
			**	9.80	PE	5079
			**	9.83	PE	3863
			**	9.87 (V)	PE	4303
<b>C<sub>2</sub>H<sub>1</sub>Br<sup>+</sup></b>	CH <sub>2</sub> BrCH <sub>2</sub> Br	106-93-4		10.53	PI	5501
	CH <sub>3</sub> CHBr <sub>2</sub>	557-91-5		10.48	PI	5501
	CH <sub>2</sub> BrCH <sub>2</sub> Cl	107-04-0		10.89	PI	5501
	CH <sub>3</sub> CHClBr	593-96-4		10.57	PI	5501
<b>C<sub>2</sub>H<sub>3</sub>Br<sup>+</sup></b>	C <sub>2</sub> H <sub>3</sub> Br	74-96-4	**	10.28 (V)	PE	4076
			**	10.28 (V)	PE	5088
			**	10.29 (V)	PE	5249
<b>C<sub>3</sub>H<sub>3</sub>Br<sup>+</sup></b>	CH≡CCH <sub>2</sub> Br	106-96-7	**	10.43 (V)	PE	4847
			**	10.47 (V)	PE	4684
				10.48	EI	5282
	CH <sub>3</sub> C≡CBr	2003-82-9	**	9.62±0.02	PE	4765
				9.6	EI	5282
	CH <sub>2</sub> =C=CHBr	10024-18-7	**	9.46 (V)	PE	4748
<b>C<sub>3</sub>H<sub>5</sub>Br<sup>+</sup></b>	CH <sub>2</sub> =CHCH <sub>2</sub> Br	106-95-6	**	10.01 (V)	PE	4260
			**	10.06	PE	3863
			**	10.18 (V)	PE	4091
	CH <sub>2</sub> =CBrCH <sub>3</sub>	557-93-7	**	9.58±0.02 (V)	PE	3659
<b>C<sub>3</sub>H<sub>6</sub>Br<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> CBrNO	7119-91-7		9.25	EI	4809
<b>C<sub>3</sub>H<sub>7</sub>Br<sup>+</sup></b>	<i>n</i> -C <sub>3</sub> H <sub>7</sub> Br	106-94-5	**	10.20	PI	5069
			**	10.18	PE	4076
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> Br	75-26-3	**	10.07	PI	5069
			**	10.4±0.1	EI	3735
<b>C<sub>4</sub>HBr<sup>+</sup></b>	CH≡CC≡CBr	6088-90-0	**	9.59±0.02	PE	4162

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>4</sub>H<sub>7</sub>Br<sup>+</sup></b>	CH <sub>2</sub> =CHCH <sub>2</sub> CH <sub>2</sub> Br	5162-44-7	**	9.9	EI	5633
<b>C<sub>4</sub>H<sub>9</sub>Br<sup>+</sup></b>	<i>n</i> -C <sub>4</sub> H <sub>9</sub> Br	109-65-9	**	10.15	PE	4076
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> Br	507-19-7	**	10.05 (V)	PE	4566
<b>C<sub>5</sub>H<sub>3</sub>Br<sup>+</sup></b>	CH <sub>3</sub> C≡CC≡CBr	40201-94-3	**	9.06±0.02	PE	4162
<b>C<sub>5</sub>H<sub>9</sub>Br<sup>+</sup></b>	CH <sub>2</sub> =CH(CH <sub>2</sub> ) <sub>3</sub> Br	1119-51-3	**	9.6	EI	5633
	C <sub>5</sub> H <sub>9</sub> Br (Cyclopentane, bromo-)	137-43-9	**	9.94±0.02	PE	4003
<b>C<sub>5</sub>H<sub>11</sub>Br<sup>+</sup></b>	<i>n</i> -C <sub>5</sub> H <sub>11</sub> Br	110-53-2	**	10.09	PE	3532
<b>C<sub>6</sub>H<sub>1</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Br)COOH (Benzoic acid, 3-bromo-)	585-76-2	CO + OH	14.91±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> (Br)COOH (Benzoic acid, 4-bromo-)	586-76-5	CO + OH	15.13±0.2	EI	3973
	C <sub>6</sub> H <sub>4</sub> BrNO <sub>2</sub> (Benzene, 1-bromo-3-nitro-)	585-79-5	NO <sub>2</sub>	12.01±0.1	EI	3447
	C <sub>6</sub> H <sub>4</sub> BrNO <sub>2</sub> (Benzene, 1-bromo-4-nitro-)	586-78-7	NO <sub>2</sub>	12.19±0.1	EI	3447
<b>C<sub>6</sub>H<sub>5</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> Br (Benzene, bromo-)	108-86-1	**	8.98	PE	4621
			**	8.99±0.03 (V)	PE	4890
			**	9.00 (V)	PE	3873
			**	9.041 (V)	PE	5257
			**	9.05±0.02	PE	5305
			**	9.05 (V)	PE	5125
			**	9.45	EI	4834
	C <sub>6</sub> H <sub>4</sub> BrOCH <sub>3</sub> (Benzene, 1-bromo-3-methoxy-)	2398-37-0	CH <sub>2</sub> O	11.59±0.1	EI	3446
	C <sub>6</sub> H <sub>4</sub> BrOCH <sub>3</sub> (Benzene, 1-bromo-4-methoxy-)	104-92-7	CH <sub>2</sub> O	11.52±0.1	EI	3446
<b>C<sub>6</sub>H<sub>11</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>11</sub> Br (Cyclohexane, bromo-)	108-85-0	**	9.85±0.01	PI	4078
			**	9.90±0.02	PE	4003
			**	10.00 (V)	PE	4078
<b>C<sub>6</sub>H<sub>7</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Br (Benzene, (bromomethyl)-)	100-39-0	**	9.23 (V)	PE	3992
	C <sub>6</sub> H <sub>4</sub> BrCH <sub>3</sub> (Benzene, 1-bromo-2-methyl-)	95-46-5	**	8.58±0.1	EI	3777
	C <sub>6</sub> H <sub>4</sub> BrCH <sub>3</sub> (Benzene, 1-bromo-3-methyl-)	591-17-3	**	8.77	PE	4089
			**	8.60±0.1	EI	3777
	C <sub>6</sub> H <sub>4</sub> BrCH <sub>3</sub> (Benzene, 1-bromo-4-methyl-)	106-38-7	**	8.67	PE	4089
			**	8.70±0.1	EI	3777
<b>C<sub>7</sub>H<sub>9</sub>Br<sup>+</sup></b>	C <sub>7</sub> H <sub>9</sub> Br (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>endo</i> -)	5810-82-2	**	9.2	EI	5633

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_9Br^+$	$C_7H_9Br$ (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>exo</i> -)	5889-54-3	**	9.2	EI	5633
$C_8H_5Br^+$	$C_6H_5C\equiv CBr$ (Benzene, (bromoethynyl)-)	932-87-6	**	8.65 (V)	PE	4334
	$C_6H_4(Br)C\equiv CH$ (Benzene, 1-bromo-4-ethynyl-)	766-96-1	**	8.62 (V)	PE	4334
$C_{10}H_{15}Br^+$	$C_{10}H_{15}Br$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 1-bromo-)	768-90-1	**	9.2	PE	3907
	$C_{10}H_{15}Br$ (Tricyclo[3.3.1.1 <sup>3,7</sup> ]decane, 2-bromo-)*	7314-85-4	**	$9.30 \pm 0.06$	PE	3886
			**	$9.31 \pm 0.05$	PE	3886
$C_{12}H_9Br^+$	$C_{10}H_5C_6H_4Br$ (1,1'-Biphenyl, 4-bromo-)	92-66-0	**	$8.05 \pm 0.02$	PE	3702
$C_{11}H_9Br^+$	$C_{11}H_9Br$ (Anthracene, 9-bromo-)	1564-64-3	**	$7.48 \pm 0.03$ (V)	PE	4887
$CHBr_2^+$	$CHBr_3$	75-25-2	**	$10.70 \pm 0.02$	PI	4640
$CH_2Br_2^+$	$CH_2Br_2$	74-95-3	**	$10.52 \pm 0.05$	PI	4640
$C_2H_2Br_2^+$	$CBr_2CH_2$	593-92-0	**	$9.78 \pm 0.01$	S	5123
			**	9.78 (V)	PE	4303
	<i>cis</i> -CHBrCHBr	590-11-4	**	$9.63 \pm 0.01$	S	5123
			**	$9.32 \pm 0.02$	PE	3659
			**	9.63 (V)	PE	4303
	<i>trans</i> -CHBr=CHBr	590-12-5	**	$9.47 \pm 0.01$	S	4653
			**	$9.55 \pm 0.01$	S	5123
			**	$9.30 \pm 0.02$	PE	3659
			**	9.55 (V)	PE	4303
			**	9.56 (V)	PE	3648
$C_2H_4Br_2^+$	$CH_2BrCH_2Br$	106-93-4	**	10.37	PI	5501
			**	10.42	PE	5501
			**	$10.57 \pm 0.02$ (V)	PE	4367
	$CH_3CHBr_2$	557-91-5	**	10.17	PI	5501
			**	10.17	PE	5501
$C_3H_6Br_2^+$	$Br(CH_2)_3Br$	109-64-8	**	10.26 (V)	PE	4482
$C_4H_8Br_2^+$	$Br(CH_2)_4Br$	110-52-1	**	10.27 (V)	PE	4482
	$CH_3(CHBr)_2CH_3$ (erythro) (Butane, (R',R')-(±)-2,3-dibromo-)	598-71-0	**	10.12 (V)	PE	4482
	$CH_3(CHBr)_2CH_3$ (threo) (Butane, (R',S')-2,3-dibromo-)	5780-13-2	**	10.16 (V)	PE	4482
$C_5H_8Br_2^+$	$C_5H_8Br_2$ (Cyclopentane, 1,2-dibromo-, <i>cis</i> -)	33547-17-0	**	$10.02 \pm 0.02$	PE	4003



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_8Br_2^+$	$C_5H_8Br_2$ (Cyclopentane, 1,2-dibromo-, <i>trans</i> -)	10230-26-9	**	$10.08 \pm 0.02$	PE	4003
			**	10.04 (V)	PE	4482
$C_5H_{10}Br_2^+$	$Br(CH_2)_3Br$	111-24-0	**	10.23 (V)	PE	4482
$C_6H_4Br_2^+$	$C_6H_4Br_2$ (Benzene, 1,2-dibromo-)	583-53-9	**	$8.99 \pm 0.03$ (V)	PE	4890
			**	9.02 (V)	PE	3873
	$C_6H_4Br_2$ (Benzene, 1,3-dibromo-)	108-36-1	**	$9.05 \pm 0.03$ (V)	PE	4890
			**	9.10 (V)	PE	3873
	$C_6H_4Br_2$ (Benzene, 1,4-dibromo-)	106-37-6	**	$8.90 \pm 0.03$ (V)	PE	4890
			**	8.909 (V)	PE	5257
$C_6H_{10}Br_2^+$	$C_6H_{10}Br_2$ (Cyclohexane, 1,2-dibromo- <i>cis</i> -)	19246-38-9	**	$9.94 \pm 0.02$	PE	4003
			**	10.02 $\pm$ 0.02	PE	4003
	$C_6H_{10}Br_2$ (Cyclohexane, 1,2-dibromo-, <i>trans</i> -)	7429-37-0	**	$10.06 \pm 0.01$ (V)	PE	5218
			**			
$C_{10}H_6Br_2^+$	$C_{10}H_6Br_2$ (Azulene, 1,3-dibromo-)	14658-95-8	**	7.40 (V)	PE	5397
$C_{12}H_8Br_2^+$	$(C_6H_4Br)_2$ (1,1'-Biphenyl, 2,2'-dibromo-)	13029-09-9	**	$8.40 \pm 0.02$	PE	3702
$C_{11}H_8Br_2^+$	$C_{11}H_8Br_2$ (Anthracene, 9,10-dibromo-)	523-27-3	**	7.58	PE	4364
$CHBr_3^+$	$CHBr_3$	75-25-2	**	$10.48 \pm 0.02$	PI	4640
			**	10.47 (V)	PE	4146
$C_6H_3Br_3^+$	$C_6H_3Br_3$ (Benzene, 1,3,5-tribromo-)	626-39-1	**	8.91 (V)	PE	3873
			**	$9.21 \pm 0.02$	PE	5305
$Be C_5H_5Br^+$	$(C_5H_5)BeBr$ (Beryllium, bromo( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	52140-35-9	**	9.52 (V)	PE	5384
$BC_2H_6Br^+$	$(CH_3)_2BrB$	5158-50-9	**	10.35 (V)	PE	4398
			**	10.25	PE	5485
$B_4C_2H_5Br^+$	$C_2B_4H_5Br$ (1,6-Dicarbahehexaborane(6), 2-bromo-)	XXXXX-XX-X	**	9.43 (V)	PE	5553
$BCH_3Br_2^+$	$CH_3Br_2B$	17933-16-3	**	10.61 (V)	PE	4398

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>BCH<sub>3</sub>Br<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> Br <sub>2</sub> B	17933-16-3	**	10.60	PE	5485
<b>B<sub>1</sub>C<sub>2</sub>H<sub>1</sub>Br<sub>2</sub><sup>+</sup></b>	C <sub>2</sub> B <sub>1</sub> H <sub>1</sub> Br <sub>2</sub> (1,6-Dicarbahexaborane(6),2,4-dibromo-)	XXXXXX-XX-X	**	9.17 (V)	PE	5553
<b>N<sub>3</sub>Br<sup>+</sup></b>	BrN <sub>3</sub>	13973-87-0	**	10.00±0.01	PE	5001
<b>H<sub>2</sub>NBr<sup>+</sup></b>	NH <sub>2</sub> Br	14519-10-9	**	10.18±0.04 (V)	PE	4947
<b>HNBr<sub>2</sub><sup>+</sup></b>	NHBr <sub>2</sub>	14519-03-0	**	10.1±0.2 (V)	PE	4948
<b>C<sub>3</sub>NBr<sup>+</sup></b>	CBr≡CCN	3114-46-3	**	10.71±0.02	PE	4765
<b>CH<sub>4</sub>NBr<sup>+</sup></b>	CH <sub>3</sub> NHBr	10218-87-8	** **	9.67 (V) 9.12	PE PE	4775 5329
<b>C<sub>2</sub>H<sub>2</sub>NBr<sup>+</sup></b>	CH <sub>2</sub> BrCN	590-17-0	**	11.28 (V)	PE	4684
<b>C<sub>2</sub>H<sub>6</sub>NBr<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> NBr	10218-90-3	** **	9.15 (V) 8.61	PE PE	5304 5329
<b>C<sub>5</sub>H<sub>4</sub>NBr<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> NBr (Pyridine, 2-bromo-) C <sub>5</sub> H <sub>4</sub> NBr (Pyridine, 3-bromo-) C <sub>5</sub> H <sub>4</sub> NBr (Pyridine, 4-bromo-)	109-04-6 626-55-1 1120-87-2	** ** **	9.7±0.1 9.75±0.1 9.95±0.1	EI EI EI	4302 4302 4302
<b>C<sub>5</sub>H<sub>10</sub>NBr<sup>+</sup></b>	C <sub>5</sub> H <sub>10</sub> NBr (Piperidine,1-bromo-)	60094-06-6	**	8.92±0.10 (V)	PE	5308
<b>C<sub>6</sub>H<sub>6</sub>NBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> BrNH <sub>2</sub> (Benzenamine, 2-bromo-) C <sub>6</sub> H <sub>4</sub> BrNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2-bromophenyl)-) C <sub>6</sub> H <sub>4</sub> BrNHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(4-bromophenyl)-)	615-36-1 614-76-6 103-88-8	** CH <sub>2</sub> =C=O CH <sub>2</sub> =C=O	8.45 11.17±0.03 10.56±0.03	EI EI EI	4834 3483 3483
<b>C<sub>7</sub>H<sub>12</sub>NBr<sup>+</sup></b>	C <sub>7</sub> H <sub>12</sub> NBr (1-Azabicyclo[2.2.2]octane, 4-bromo-)	2181-19-3	**	8.46±0.015 (V)	PE	4286
<b>C<sub>8</sub>H<sub>11</sub>NBr<sup>+</sup></b>	C <sub>8</sub> H <sub>11</sub> NBr (8-Azabicyclo[3.2.1]octane,3-bromo-8-methyl- <i>exo</i> -)	2292-11-7	**	7.8±0.15	EI	5401
<b>C<sub>13</sub>H<sub>10</sub>NBr<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> BrC(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine,2-[1-(2-bromophenyl)ethenyl]-) C <sub>6</sub> H <sub>4</sub> BrC(=CH <sub>2</sub> )C <sub>5</sub> H <sub>4</sub> N (Pyridine,2-[1-(4-bromophenyl)ethenyl]-)	XXXXXX-XX-X XXXXXX-XX-X	** **	8.6 8.62	OTH EI	5570 5570

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{10}NBr^+$	$C_6H_4(Br)CH=CHC_5H_4N$ (Pyridine, <i>trans</i> -3-[2-(4-bromophenyl)ethenyl]-)	5847-71-2	**	$8.15 \pm 0.05$ (V)	PE	4377
$C_9H_{10}N_2Br^+$	$C_6H_4(Br)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-bromophenyl)- <i>N,N</i> -dimethyl-)	53746-69-3	H	8.7	EI	4337
$C_9H_{11}N_2Br^+$	$C_6H_4(Br)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-bromophenyl)- <i>N,N</i> -dimethyl-)	53746-69-3	**	7.2	EI	4337
$C_{18}H_{17}N_2Br^+$	$C_6H_4(Br)C_3H_3(CN)C_6H_4N(CH_3)_2$ (Cyclopropanecarbonitrile, 1-( <i>p</i> -bromophenyl)-2-( <i>p</i> -(dimethylamino)phenyl)-)	32589-49-4	**	$7.10 \pm 0.05$	EI	3575
$C_2H_2N_3Br^+$	$C_2H_2N_3Br$ (1H-1,2,4-Triazole,5-bromo-)	XXXXX-XX-X	**	9.9 (V)	PE	5228
$C_3H_4N_3Br^+$	$C_3HN_3Br(CH_3)$ (1H-1,2,4-Triazole,3-bromo-1-methyl-)	56616-91-2	**	9.55 (V)	PE	5228
$C_3H_4N_3Br^+$	$C_3HN_3Br(CH_3)$ (1H-1,2,4-Triazole,5-bromo-1-methyl-)	16681-72-4	**	9.6 (V)	PE	5228
$C_3H_4N_3Br^+$	$C_3HN_3Br(CH_3)$ (1H-1,2,4-Triazole,5-bromo-3-methyl-)	XXXXX-XX-X	**	9.6 (V)	PE	5228
$C_3H_4N_3Br^+$	$C_2HN_3Br(CH_3)$ (4H-1,2,4-Triazole,3-bromo-4-methyl-)	16681-73-5	**	9.7 (V)	PE	5228
$C_4H_6N_3Br^+$	$C_2N_3Br(CH_3)_2$ (1H-1,2,4-Triazole,3-bromo-1,5-dimethyl-)	56616-93-4	**	9.3 (V)	PE	5228
$C_4H_6N_3Br^+$	$C_2N_3Br(CH_3)_2$ (1H-1,2,4-Triazole,5-bromo-1,3-dimethyl-)	56616-96-7	**	9.4 (V)	PE	5228
$C_4H_6N_3Br^+$	$C_2N_3Br(CH_3)_2$ (4H-1,2,4-Triazole,3-bromo-4,5-dimethyl-)	56616-84-3	**	9.25 (V)	PE	5228
$CH_3NBr_2^+$	$CH_3NBr_2$	10218-83-4	** **	9.68 (V) 9.15	PE PE	4775 5329
$C_5H_{13}NBr_2^+$	$(C_2H_5)_2NCH_2Br_2$	59777-81-0	**	10.60 (V)	PE	4564
$C_6H_5NBr_2^+$	$C_6H_4Br_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-dibromophenyl)-)	23373-04-8	$CH_2=C=O$	$10.24 \pm 0.03$	EI	3480
$C_6H_5NBr_2^+$	$C_6H_4Br_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-dibromophenyl)-)	33098-80-5	$CH_2=C=O$	$10.02 \pm 0.03$	EI	3480
$C_6H_{15}NBr_2^+$	$(C_2H_5)_4NBr_2$	56348-00-6	**	10.60 (V)	PE	4564
$C_9H_{21}NBr_2^+$	$(n-C_3H_7)_3NBr_2$	59777-82-1	**	10.77 (V)	PE	4564
$C_{12}H_{27}NBr_2^+$	$(n-C_4H_9)_3NBr_2$	59777-83-2	**	10.66 (V)	PE	4564
$BC_5H_7NBr^+$	$C_5H_4N(Br) \cdot BH_3$ (Pyridine, 4-bromo-, compound with borane (1:1))	56898-53-4	**	9.71 (V)	PE	4536

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>BC<sub>1</sub>H<sub>12</sub>N<sub>2</sub>Br<sup>+</sup></b>	$((\text{CH}_3)_2\text{N})_2\text{BBr}$	6990-27-8	** **	8.13 8.16 (V)	PE PE	3584 3704
<b>BC<sub>2</sub>H<sub>6</sub>NBr<sup>+</sup></b>	$(\text{CH}_3)_2\text{NBBR}$	7360-64-7	** **	9.55 (V) 9.60	PE PE	3704 3584
<b>B<sub>2</sub>C<sub>1</sub>H<sub>12</sub>N<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	$(\text{BrCH}_2\text{BNCH}_3)_2$	73775-15-2	**	9.58 (V)	PE	5628
<b>B<sub>2</sub>C<sub>3</sub>H<sub>9</sub>N<sub>3</sub>Br<sub>2</sub><sup>+</sup></b>	$\text{N}_3\text{B}_2\text{Br}_2(\text{CH}_3)_4$ (1,2,4,3,5-Triazadiborolidine, 3,5-dibromo-1,2,4-trimethyl-)	53246-10-9	**	8.14 (V)	PE	4526
<b>OBr<sup>+</sup></b> (X <sup>1</sup> Σ <sup>-</sup> )	$\text{BrO}(\text{X}^2\Pi_{1/2})$	14380-62-2	**	10.29±0.01 (V)	PE	5222
<b>COBr<sub>2</sub><sup>+</sup></b>	$\text{CBr}_2\text{O}$	593-95-3	**	11.0 (V)	PE	3726
<b>C<sub>2</sub>O<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	$(\text{COBr})_2$	15219-34-8	**	10.49±0.1	PE	4696
<b>C<sub>2</sub>H<sub>3</sub>OBr<sup>+</sup></b>	$\text{CH}_3\text{CBrO}$	506-96-7	**	10.68±0.05 (V)	PE	4220
<b>C<sub>2</sub>H<sub>3</sub>OBr<sup>+</sup></b>	$\text{CH}_2\text{BrCH}_2\text{OH}$ -gauche <i>trans</i> - $\text{CH}_2\text{BrCH}_2\text{OH}$	XXXXX-XX-X XXXXX-XX-X	** **	10.75 (V) 10.65 (V)	PE PE	5088 5088
<b>C<sub>3</sub>H<sub>7</sub>OBr<sup>+</sup></b>	$\text{CH}_2\text{BrCH}_2\text{OCH}_3$ -gauche <i>trans</i> - $\text{CH}_2\text{BrCH}_2\text{OCH}_3$	XXXXX-XX-X XXXXX-XX-X	** **	10.13 (V) 10.20 (V)	PE PE	5088 5088
<b>C<sub>4</sub>H<sub>5</sub>OBr<sup>+</sup></b>	$\text{C}_4\text{H}_5\text{OBr}$ (Furan, 3-bromo-)	22037-28-1	**	9.14	CTS	4382
<b>C<sub>5</sub>H<sub>9</sub>OBr<sup>+</sup></b>	$\text{C}_5\text{H}_9(\text{Br})\text{OH}$ (Cyclopentanol, 2-bromo-, <i>cis</i> -)	28435-62-3	**	10.19±0.02	PE	4003
	$\text{C}_5\text{H}_9(\text{Br})\text{OH}$ (Cyclopentanol, 2-bromo-, <i>trans</i> -)	20377-79-1	**	10.11±0.02	PE	4003
<b>C<sub>6</sub>H<sub>5</sub>OBr<sup>+</sup></b>	$\text{C}_6\text{H}_5\text{BrOCH}_3$ (Benzene, 1-bromo-3-methoxy-)	2398-37-0	$\text{CH}_3$	12.29±0.1	EI	3446
	$\text{C}_6\text{H}_5\text{BrOCH}_3$ (Benzene, 1-bromo-4-methoxy-)	104-92-7	$\text{CH}_3$	11.89±0.1	EI	3446
	$\text{C}_6\text{H}_5\text{BrNO}_2$ (Benzene, 1-bromo-3-nitro-)	585-79-5	NO	10.26±0.1	EI	3447
	$\text{C}_6\text{H}_5\text{BrNO}_2$ (Benzene, 1-bromo-4-nitro-)	586-78-7	NO	10.55±0.1	EI	3447
<b>C<sub>6</sub>H<sub>5</sub>OBr<sup>+</sup></b>	$\text{C}_6\text{H}_5(\text{OH})\text{Br}$ (Phenol, 2-bromo-)	95-56-7	**	9.09±0.1	EI	3553
	$\text{C}_6\text{H}_5\text{BrOOCCH}_3$ (Phenol, 2-bromo-, acetate)	1829-37-4	$\text{CH}_2=\text{C}=\text{O}$	9.62±0.03	EI	3483
	$\text{C}_6\text{H}_5\text{BrOOCCH}_3$ (Phenol, 3-bromo-, acetate)	35065-86-2	$\text{CH}_2=\text{C}=\text{O}$	10.02±0.2	EI	3484

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>5</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> BrOOCCH <sub>3</sub> (Phenol, 4-bromo-, acetate)	1927-95-3	CH <sub>2</sub> =C=O	9.84±0.03	EI	3483
			CH <sub>2</sub> =C=O	10.08±0.2	EI	3484
<b>C<sub>7</sub>H<sub>4</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Br)COOH (Benzoic acid, 3-bromo-)	585-76-2	OH	12.23±0.2	EI	3973
		586-76-5	OH	12.34±0.2	EI	3973
<b>C<sub>7</sub>H<sub>5</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> BrOCH <sub>3</sub> (Benzene, 1-bromo-3-methoxy-)	2398-37-0	**	8.69±0.1	EI	3446
		104-92-7	**	8.11	PE	4621
	C <sub>6</sub> H <sub>4</sub> (Br)OCH <sub>3</sub> (Benzene, 1-bromo-4-methoxy-)		**	8.39±0.1	EI	3446
<b>C<sub>8</sub>H<sub>7</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> Br(COCH <sub>3</sub> ) (Ethanone, 1-(4-bromophenyl)-)	99-90-1	**	9.0±0.1	PE	4401
<b>C<sub>8</sub>H<sub>9</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OCH <sub>2</sub> CH <sub>2</sub> Br (Benzene, 2-bromoethoxy-)	589-10-6	**	8.42	EI	5083
			**	8.49±0.05	EI	5484
<b>C<sub>9</sub>H<sub>12</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OC <sub>3</sub> H <sub>7</sub> Br (Benzene, (3-bromopropoxy)-)	XXXXX-XX-X	**	8.56±0.05	EI	5484
<b>C<sub>10</sub>H<sub>11</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OC <sub>4</sub> H <sub>9</sub> Br (Benzene, 4-bromobutoxy)-)	XXXXX-XX-X	**	8.54±0.05	EI	5484
<b>C<sub>11</sub>H<sub>16</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OC <sub>5</sub> H <sub>11</sub> Br (Benzene, [(5-bromopentyl)oxy]-)	XXXXX-XX-X	**	8.59±0.05	EI	5484
<b>C<sub>12</sub>H<sub>18</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> OC <sub>6</sub> H <sub>13</sub> Br (Benzene, [(6-bromohexyl)oxy]-)	XXXXX-XX-X	**	8.60±0.05	EI	5484
<b>C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>Br<sup>+</sup></b>	CH <sub>2</sub> BrCOOH	79-08-3	**	11.0 (V)	PE	3874
<b>C<sub>7</sub>H<sub>5</sub>O<sub>2</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Br)COOH (Benzoic acid, 3-bromo-)	585-76-2	**	9.66±0.2	EI	3973
		586-76-5	**	9.72±0.2	EI	3973
<b>C<sub>7</sub>H<sub>11</sub>O<sub>2</sub>Br<sup>+</sup></b>	C <sub>5</sub> H <sub>9</sub> (Br)OCOCH <sub>3</sub> (Cyclopentanol, 2-bromo-, acetate, <i>cis</i> -)	53093-41-7	**	10.00±0.02	PE	4003
		53093-42-8	**	10.07±0.02	PE	4003
<b>C<sub>8</sub>H<sub>7</sub>O<sub>2</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> BrOOCCH <sub>3</sub> (Phenol, 2-bromo-, acetate)	1829-37-4	**	8.66±0.03	EI	3483
		35065-86-2	**	8.79±0.2	EI	3484

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>7</sub>O<sub>2</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> BrOOCCH <sub>3</sub> (Phenol, 4-bromo-, acetate)	1927-95-3	**	8.42 ± 0.03	EI	3483
			**	8.61 ± 0.2	EI	3484
<b>C<sub>6</sub>H<sub>3</sub>OBr<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,4-dibromo-, acetate)	36914-79-1	CH <sub>2</sub> =C=O	9.45 ± 0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,6-dibromo-, acetate)	28165-72-2	CH <sub>2</sub> =C=O	9.74 ± 0.03	EI	3480
<b>C<sub>8</sub>H<sub>6</sub>O<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,4-dibromo-, acetate)	36914-79-1	**	8.21 ± 0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,6-dibromo-, acetate)	28165-72-2	**	8.42 ± 0.03	EI	3480
<b>NOBr<sup>+</sup></b> ( <sup>2</sup> A', <sup>2</sup> A'')	NOBr	13444-87-6	**	10.17	PE	4404
			**	10.20 ± 0.05	PE	4420
<b>CNOBr<sup>+</sup></b>	BrNCO	3644-72-2	**	10.46 ± 0.01	PE	5001
<b>CNOBr<sub>3</sub><sup>+</sup></b>	CBr <sub>3</sub> NO	XXXXX-XX-X		9.96 ± 0.05 (V)	PE	5298
<b>C<sub>5</sub>H<sub>4</sub>NOBr<sup>+</sup></b>	C <sub>5</sub> H <sub>4</sub> N(O)Br (Pyridine, 4-bromo-, 1-oxide)	14248-50-1	**	8.44 (V)	PE	4222
<b>C<sub>6</sub>H<sub>12</sub>NOBr<sup>+</sup></b>	C <sub>6</sub> H <sub>12</sub> NOBr	52761-86-1	**	9.06 ± 0.1 (V)	PE	4465
<b>C<sub>8</sub>H<sub>7</sub>NOBr<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, N-(2,4-dibromophenyl)-)	23373-04-8		8.84 ± 0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> Br <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, N-(2,6-dibromophenyl)-)	33098-80-5		8.88 ± 0.03	EI	3480
<b>C<sub>8</sub>H<sub>8</sub>NOBr<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> BrNHCOCH <sub>3</sub> (Acetamide, N-(2-bromophenyl)-)	614-76-6	**	8.50	EI	4834
			**	8.17 ± 0.03	EI	3483
	C <sub>6</sub> H <sub>4</sub> BrNHCOCH <sub>3</sub> (Acetamide, N-(4-bromophenyl)-)	103-88-8	**	8.17 ± 0.03	EI	3483
<b>C<sub>12</sub>H<sub>8</sub>NOBr<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> BrCOC <sub>5</sub> H <sub>4</sub> N (Methanone, (2-bromophenyl)-2-pyridinyl-)	XXXXX-XX-X	**	8.93	EI	5459
<b>C<sub>1</sub>H<sub>3</sub>N<sub>2</sub>OBr<sup>+</sup></b>	C <sub>1</sub> H <sub>3</sub> N <sub>2</sub> Br(=O) (2(1H)-Pyrimidinone, 5-bromo-)	38353-06-9	**	9.47 ± 0.05	EI	5159
<b>C<sub>5</sub>H<sub>5</sub>N<sub>2</sub>OBr<sup>+</sup></b>	C <sub>1</sub> H <sub>2</sub> N <sub>2</sub> BrOCH <sub>3</sub> (Pyrimidine, 5-bromo-2-methoxy-)	14001-66-2	**	9.11 ± 0.05	EI	5159
	C <sub>1</sub> H <sub>2</sub> N <sub>2</sub> Br(=O)CH <sub>3</sub> (2(1H)Pyrimidinone, 5-bromo-1-methyl-)	14248-01-2	**	8.78 ± 0.05	EI	5159



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>7</sub>N<sub>2</sub>OBr<sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> BrNHCONH <sub>2</sub> (Urea, (2-bromophenyl)-)	13114-90-4	**	8.45	EI	4834
<b>C<sub>5</sub>H<sub>7</sub>NO<sub>2</sub>Br<sup>+</sup></b>	C <sub>4</sub> H <sub>7</sub> N(Br)(=O) <sub>2</sub> (2,5-Pyrrolidinedione, 1-bromo-)	128-08-5	**	10.12 (V)	PE	4742
			**	10.12 (V)	PE	4810
<b>C<sub>5</sub>H<sub>8</sub>NO<sub>2</sub>Br<sup>+</sup></b>	C <sub>4</sub> H <sub>7</sub> NO(=O)(Br)(CH <sub>3</sub> ) <sub>2</sub> (2-Oxazolidinone, 3-bromo-4,4-dimethyl-)	60491-95-4	**	9.45 (V)	PE	4742
<b>C<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> BrNO <sub>2</sub> (Benzene, 1-bromo-3-nitro-)	585-79-5	**	9.82±0.1	EI	3447
		586-78-7	**	9.76±0.1	EI	3447
<b>C<sub>11</sub>H<sub>16</sub>NO<sub>2</sub>Br<sup>+</sup></b>	C <sub>11</sub> H <sub>16</sub> NO <sub>2</sub> Br (Benzeneethanamine, 4-bromo-2,5-dimethoxy- $\alpha$ -methyl-( $\pm$ )-)	64638-07-9	**	7.94±0.06	PE	4758
<b>C<sub>8</sub>H<sub>7</sub>NOBr<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> Br <sub>2</sub> NHCOCH <sub>3</sub> (Acetamide, <i>N</i> -(2,4-dibromophenyl)-)	23373-04-8	**	8.08±0.03	EI	3480
		33098-80-5	**	8.32±0.03	EI	3480
<b>FBr<sup>+</sup></b> ( <sup>2</sup> Π <sub>3/2</sub> ) ( <sup>2</sup> Π <sub>1/2</sub> ) ( <sup>2</sup> Π <sub>1/2</sub> ) ( <sup>2</sup> Π <sub>1/2</sub> ) ( <sup>2</sup> Π, <sup>2</sup> Σ)	BrF	13863-59-7	**	11.77±0.01	PE	4755
			**	11.78±0.01	PE	3680
			**	12.09±0.01	PE	3680
			**	12.10±0.01	PE	4755
			**	15.92±0.01 (V)	PE	4755
<b>F<sub>3</sub>Br<sup>+</sup></b>	BrF <sub>3</sub>	7787-71-5	**	12.15±0.04	PE	3680
<b>F<sub>3</sub>Br<sup>+</sup></b>	BrF <sub>3</sub>	7789-30-2	**	13.172±0.005	PE	3655
<b>CF<sub>3</sub>Br<sup>+</sup></b>	CF <sub>3</sub> Br	75-63-8	**	12.0 (V)	PE	3914
			**	12.08±0.05 (V)	PE	4727
			**	12.12±0.02 (V)	PE	4026
<b>C<sub>2</sub>F<sub>3</sub>Br<sup>+</sup></b>	C <sub>2</sub> F <sub>3</sub> Br	598-73-2	**	9.67	PE	3589
			**	10.11 (V)	PE	4303
<b>C<sub>3</sub>F<sub>3</sub>Br<sup>+</sup></b>	CF <sub>3</sub> C≡CBr	819-01-2	**	10.81±0.02	PE	4765
<b>C<sub>6</sub>F<sub>5</sub>Br<sup>+</sup></b>	C <sub>6</sub> F <sub>5</sub> Br (Benzene, bromopentafluoro-)	344-04-7	**	9.57 (V)	PE	5252
			**	9.67±0.02	PE	5305
<b>CF<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	CF <sub>2</sub> Br <sub>2</sub>	75-61-6	**	11.18 (V)	PE	5470

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2F_4Br_2^+$	$(CF_3Br)_2$	124-73-2	**	$11.44 \pm 0.01$ (V)	PE	4613
$C_6F_4Br_2^+$	$C_6F_4Br_2$ (Benzene, 1,2-dibromo-3,4,5,6-tetrafluoro-)	827-08-7	**	$9.50 \pm 0.02$	PE	5305
	$C_6F_4Br_2$ (Benzene, 1,3-dibromo-2,4,5,6-tetrafluoro-)	27516-63-8	**	$9.45 \pm 0.02$	PE	5305
	$C_6F_4Br_2$ (Benzene, 1,4-dibromo-2,3,5,6-tetrafluoro-)	344-03-6	**	$9.42 \pm 0.02$	PE	5305
$CFBr_3^+$	$CFBr_3$	353-54-8	**	$10.67 \pm 0.01$	PE	4365
$C_6F_3Br_3^+$	$C_6F_3Br_3$ (Benzene, 1,3,5-tribromo-2,4,6-trifluoro-)	XXXXX-XX-X	**	$9.33 \pm 0.02$	PE	5305
$C_2H_2FBr^+$	<i>cis</i> -CHF=CHBr	2366-31-6	**	9.75 (V)	PE	4303
$C_2H_4FBr^+$	$CH_2FCH_2Br$	762-49-2	**	10.57 (V)	PE	4482
$C_3H_6FBr^+$	$CH_2FCH_2CH_2Br$	352-91-0	**	10.38 (V)	PE	4482
	$CH_3CHFCH_2Br$	1871-72-3	**	10.44 (V)	PE	4482
$C_1H_8FBr^+$	$CH_3CH_2CHFCH_2Br$	1871-73-4	**	10.32 (V)	PE	4482
	$(CH_3)_2CFCH_2Br$	19869-78-4	**	10.28 (V)	PE	4482
	$CH_3CHFCHBrCH_3$ (erythro)	57302-15-5	**	10.91 (V)	PE	4482
	$CH_3CHFCHBrCH_3$ (threo)	5780-13-2	**	10.21 (V)	PE	4482
$C_3H_8FBr^+$	$C_3H_8FBr$ (Cyclopentane, 1-bromo-2-fluoro-, <i>cis</i> -)	51422-72-1	**	$10.10 \pm 0.02$	PE	4003
	$C_3H_8FBr$ (Cyclopentane, 1-bromo-2-fluoro-, <i>trans</i> -)	51422-73-2	**	$10.25 \pm 0.02$	PE	4003
$C_6H_4FBr^+$	$C_6H_4FBr$ (Benzene, 1-bromo-2-fluoro-)	1072-85-1	**	$9.11 \pm 0.02$	PE	5305
			**	9.14 (V)	PE	4567
	$C_6H_4FBr$ (Benzene, 1-bromo-3-fluoro-)	1073-06-9	**	$9.11 \pm 0.02$	PE	5305
			**	9.25 (V)	PE	4567
	$C_6H_4FBr$ (Benzene, 1-bromo-4-fluoro-)	460-00-4	**	$9.02 \pm 0.02$	PE	5305
			**	9.03 (V)	PE	4567
$C_6H_{10}FBr^+$	$C_6H_{10}FBr$ (Cyclohexane, 1-bromo-2-fluoro-, <i>cis</i> -)	51422-74-3	**	$10.04 \pm 0.02$	PE	4003
			**	10.06 (V)	PE	4482
	$C_6H_{10}FBr$ (Cyclohexane, 1-bromo-2-fluoro-, <i>trans</i> -)	17170-96-6	**	$10.18 \pm 0.02$	PE	4003
			**	10.05 (V)	PE	4482
$C_{12}H_8FBr^+$	$C_6H_4(Br)C_6H_4F$ (1,1'-Biphenyl, 4-bromo-4'-fluoro-)	398-21-0	**	$8.10 \pm 0.02$	PE	3702

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>3</sub>F<sub>2</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> Br (Benzene, 1-bromo-2,4-difluoro-)	348-57-2	**	9.16±0.02	PE	5305
	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> Br (Benzene, 2-bromo-1,4-difluoro-)	399-94-0	**	9.18±0.02	PE	5305
	C <sub>6</sub> H <sub>3</sub> F <sub>2</sub> Br (Benzene, 4-bromo-1,2-difluoro-)	348-61-8	**	9.19±0.02	PE	5305
<b>C<sub>6</sub>H<sub>2</sub>F<sub>3</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>2</sub> F <sub>3</sub> Br (Benzene, 1-bromo-2,4,5-trifluoro-)	327-52-6	**	9.25±0.02	PE	5305
	C <sub>6</sub> H <sub>2</sub> F <sub>3</sub> Br (Benzene, 2-bromo-1,3,5-trifluoro-)	2367-76-2	**	9.34±0.02	PE	5305
<b>C<sub>7</sub>H<sub>1</sub>F<sub>3</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>1</sub> BrCF <sub>3</sub> (Benzene, 1-bromo-2-trifluoromethyl-)	392-83-6	**	9.38 (V)	PE	4567
	C <sub>6</sub> H <sub>1</sub> BrCF <sub>3</sub> (Benzene, 1-bromo-3-trifluoromethyl-)	401-78-5	**	9.36 (V)	PE	4567
	C <sub>6</sub> H <sub>1</sub> BrCF <sub>3</sub> (Benzene, 1-bromo-4-trifluoromethyl-)	402-43-7	**	9.48 (V)	PE	4567
<b>C<sub>6</sub>HF<sub>4</sub>Br<sup>+</sup></b>	C <sub>6</sub> HF <sub>4</sub> Br (Benzene, 1-bromo-2,3,4,5-tetrafluoro-)	1074-91-5	**	9.50±0.02	PE	5305
	C <sub>6</sub> HF <sub>4</sub> Br (Benzene, 2-bromo-1,3,4,5-tetrafluoro-)	1559-86-0	**	9.46±0.02	PE	5305
	C <sub>6</sub> HF <sub>4</sub> Br (Benzene, 3-bromo-1,2,4,5-tetrafluoro-)	1559-88-2	**	9.45±0.02	PE	5305
<b>C<sub>6</sub>H<sub>3</sub>FBr<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> FBr <sub>2</sub> (Benzene, 2,4-dibromo-1-fluoro-)	XXXXX-XX-X	**	9.05±0.02	PE	5305
<b>C<sub>2</sub>H<sub>2</sub>F<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	CF <sub>2</sub> BrCH <sub>2</sub> Br	75-82-1	**	10.86±0.01 (V)	PE	4613
<b>C<sub>6</sub>H<sub>2</sub>F<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>2</sub> F <sub>2</sub> Br <sub>2</sub> (Benzene, 1,2-dibromo-4,5-difluoro-)	XXXXX-XX-X	**	9.13±0.02	PE	5305
	C <sub>6</sub> H <sub>2</sub> F <sub>2</sub> Br <sub>2</sub> (Benzene, 1,4-dibromo-2,5-difluoro-)	XXXXX-XX-X	**	9.09±0.02	PE	5305
<b>C<sub>3</sub>H<sub>2</sub>OF<sub>3</sub>Br<sup>+</sup></b>	CH <sub>2</sub> BrCOCF <sub>3</sub>	431-35-6	**	10.92±0.02 (V)	PE	4524
<b>NaBr<sup>+</sup></b>	NaBr	7647-15-6	**	8.31±0.1	PE	4344
			**	8.31±0.1	PE	5035
			**	8.7 (V)	PE	4307
			**	9.45±0.04 (V)	PE	5035
<b>AlBr<sup>+</sup></b>	AlBr	22359-97-3	**	9.3	PE	4860
<b>AlBr<sub>3</sub><sup>+</sup></b>	AlBr <sub>3</sub>	7727-15-3	**	10.91 (V)	PE	4398
			**	10.91 (V)	PE	4256
<b>Al<sub>2</sub>Br<sub>6</sub><sup>+</sup></b>	(AlBr <sub>3</sub> ) <sub>2</sub>	18898-34-5	**	10.97 (V)	PE	4559
			**	10.97 (V)	PE	4256

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_6AlBr^+$	$(CH_3)_2BrAl$	3017-85-4	**	9.90 (V)	PE	4398
$CH_3AlBr_2^+$	$CH_3Br_2Al$	3017-75-2	**	10.65 (V)	PE	4398
$C_4H_{12}Al_2Br_2^+$	$((CH_3)_2BrAl)_2$	15218-96-9	**	9.68 (V)	PE	4559
$SiBr^+$	$SiBr$	14791-57-2	** **	7.3 $9.0 \pm 1.$	S EI	3558 5166
$SiBr_2^+$	$SiBr_2$	14877-32-8	**	$12.0 \pm 1.$	EI	5166
$SiBr_3^+$	$SiBr_3$	13842-48-3	**	$12.5 \pm 1.$	EI	5166
$SiBr_4^+$	$SiBr_4$	7789-66-4	**	$14.0 \pm 1.$	EI	5166
$H_3SiBr^+$	$SiH_3Br$	13465-73-1	** ** ** **	10.90 (V) 11.03 $10.96 \pm 0.02$ (V) $11.03 \pm 0.05$ (V)	PE S PE PE	3511 4697 3510 3502
$H_2SiBr_2^+$	$SiH_2Br_2$	13768-94-0	**	$10.92 \pm 0.02$ (V)	PE	3510
$C_3H_9SiBr^+$	$(CH_3)_3SiBr$	2857-97-8	**	10.23 (V)	PE	4566
$C_3H_9SiBr^+$	$(CH_3)_3SiC \equiv CBr$	18243-59-9	**	$9.4 \pm 0.1$	PE	4002
$C_9H_{13}SiBr^+$	$BrC_6H_4Si(CH_3)_3$ (Silane,(4-bromophenyl)trimethyl-)	6999-03-7	**	8.67 (V)	PE	5380
$C_8H_{18}Si_2Br_2^+$	$C_8H_{18}Si_2Br_2$	65411-95-2	**	8.83 (V)	PE	4715
$C_9H_{13}OSiBr^+$	$BrC_6H_4Si(CH_3)_2OCH_3$ (Silane,(3-bromophenyl)methoxydimethyl-)	62244-46-6	**	9.22	EI	5421
	$BrC_6H_4Si(CH_3)_2OCH_3$ (Silane,(4-bromophenyl)methoxydimethyl-)	17021-92-0	**	9.16	EI	5421
$F_3SiBr^+$	$SiF_3Br$	14049-39-9	**	$12.46 \pm 0.02$ (V)	PE	4026
$C_7H_7FSiBr^+$	$BrC_6H_4Si(CH_3)_2F$ (Silane,(3-bromophenyl)fluorodimethyl-)	62244-54-6	$CH_3$	11.11	EI	5366
	$BrC_6H_4Si(CH_3)_2F$ (Silane,(4-bromophenyl)fluorodimethyl-)	62244-53-5	$CH_3$	10.91	EI	5366
$C_8H_{10}FSiBr^+$	$BrC_6H_4Si(CH_3)_2F$ (Silane,(3-bromophenyl)fluorodimethyl-)	62244-54-6	**	9.11	EI	5421

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization <sup>a</sup> or appearance potential (eV)	Method	Ref.
$C_9H_{10}FSiBr^+$	$BrC_9H_9Si(CH_3)_2F$ (Silane,(4-bromophenyl)fluorodimethyl-)	62244-53-5	**	9.01	EI	5421
$PBr^+$	$PBr_3$	7789-60-8		$14.2 \pm 0.2$	EI	3556
$PBr_2^+$	$PBr_4$	7789-60-8	Br	$11.2 \pm 0.1$	EI	3556
$PBr_3^+$	$PBr_3$	7789-60-8	** ** ** ** ** **	9.96 (V) 9.99 (V) 10.0 (V) $10.00 \pm 0.03$ (V) 10.00 (V) $10.1 \pm 0.1$	PE PE PE PE PE EI	4023 5539 5190 3669 4146 3556
$OPBr_3^+$	$POBr_3$	7789-59-5	** ** **	$10.75 \pm 0.02$ 10.99 (V) $11.03 \pm 0.03$ (V)	PE PE PE	3835 4023 3669
$CH_3O_2PBr_2^+$	$PBr_2O(OCH_3)$	63560-73-6	**	9.97 (V)	PE	4699
$F_2PBr^+$	$PF_2Br$	15597-40-7	**	$11.08 \pm 0.1$ (V)	PE	3662
$SBr_2^+$	$SBr_2$	14312-20-0	** **	$9.33 \pm 0.05$ (V) 9.4 (V)	PE PE	5031 5466
$S_2Br_2^+$	$S_2Br_2$	13172-31-1	**	9.5	PE	4188
$H_9B_9SBr^+$	$SB_9H_9(Br)$ (1-Thiadecaborane(9),10-bromo-)	58568-92-6	**	9.52 (V)	PE	5324
	$SB_9H_9(Br)$ (1-Thiadecaborane(9),6-bromo-)	58575-43-2	**	9.51 (V)	PE	5324
$C_1SBr_4^+$	$C_1SBr_4$ (Thiophene, tetrabromo-)	3958-03-0	**	8.53 (V)	PE	4690
$C_6S_2Br_1^+$	$C_6S_2Br_1^+$ (Thieno[2,3- <i>b</i> ]thiophene,2,3,4,5-tetrabromo-)	53255-86-0	**	8.39 (V)	PE	5478
$C_1H_3SBr^+$	$C_1H_3SBr$ (Thiophene, 2-bromo-)	1003-09-4	** ** ** ** ** **	8.60 (V) $8.664 \pm 0.005$ 8.664 $8.82 \pm 0.05$ (V) $8.93 \pm 0.05$ 8.80 $8.812 \pm 0.005$	PE PE PE PE EI CTS PE PE PE PE	4690 3911 3645 4626 3482 3787 3911 3645 4690
	$C_1H_3SBr$ (Thiophene, 3-bromo-)	872-31-1	** **	8.812 $8.97$ (V)	PE PE	3645 4690

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>7</sub>H<sub>3</sub>SBr<sup>+</sup></b>	C <sub>7</sub> H <sub>3</sub> SBr	872-31-1	**	9.02 ± 0.05	EI	3482
			**	8.87	CTS	4382
<b>C<sub>7</sub>H<sub>7</sub>SBr<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (Br)SCH <sub>3</sub> (Benzene, 1-bromo-4-(methylthio)-)	104-95-0	**	8.17 ± 0.05 (V)	PE	4627
<b>C<sub>6</sub>H<sub>3</sub>S<sub>2</sub>Br<sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> S <sub>2</sub> Br (Thieno[2,3- <i>b</i> ]thiophene, 2-bromo-)	25121-81-7	**	8.35 (V)	PE	5478
	C <sub>6</sub> H <sub>3</sub> S <sub>2</sub> Br (Thieno[2,3- <i>b</i> ]thiophene, 3-bromo-)	25121-84-0	**	8.43 (V)	PE	5478
<b>C<sub>1</sub>H<sub>2</sub>SBr<sub>2</sub><sup>+</sup></b>	C <sub>1</sub> H <sub>2</sub> SBr <sub>2</sub> (Thiophene, 2,5-dibromo-)	3141-27-3	**	8.49 (V)	PE	4690
	C <sub>1</sub> H <sub>2</sub> SBr <sub>2</sub> (Thiophene, 3,4-dibromo-)	3141-26-2	**	8.94 (V)	PE	4690
<b>C<sub>6</sub>H<sub>2</sub>S<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>2</sub> S <sub>2</sub> Br <sub>2</sub> (Thieno[2,3- <i>b</i> ]thiophene, 2,5-dibromo-)	25121-86-2	**	8.19 (V)	PE	5478
	C <sub>6</sub> H <sub>2</sub> S <sub>2</sub> Br <sub>2</sub> (Thieno[2,3- <i>b</i> ]thiophene, 3,4-dibromo-)	53255-78-0	**	8.30 (V)	PE	5478
<b>C<sub>8</sub>H<sub>1</sub>S<sub>3</sub>Br<sub>2</sub><sup>+</sup></b>	(C <sub>1</sub> H <sub>2</sub> S(Br)) <sub>2</sub> S (Thiophene, 2,2'-thiobis[3-bromo-])	28504-80-5	**	8.50 (V)	PE	5356
	(C <sub>1</sub> H <sub>2</sub> S(Br)) <sub>2</sub> S (Thiophene, 2,2'-thiobis[4-bromo-])	65828-00-4	**	8.60 (V)	PE	5356
	(C <sub>1</sub> H <sub>2</sub> S(Br)) <sub>2</sub> S (Thiophene, 3,3'-thiobis[2-bromo-])	65827-99-8	**	8.10 (V)	PE	5356
	(C <sub>1</sub> H <sub>2</sub> S(Br)) <sub>2</sub> S (Thiophene, 3,3'-thiobis[4-bromo-])	28504-81-6	**	8.20 (V)	PE	5356
<b>C<sub>6</sub>HS<sub>2</sub>Br<sub>3</sub><sup>+</sup></b>	C <sub>6</sub> HS <sub>2</sub> Br <sub>3</sub> (Thieno[2,3- <i>b</i> ]thiophene, 2,3,4-tribromo-)	53255-84-8	**	8.35 (V)	PE	5478
	C <sub>6</sub> HS <sub>2</sub> Br <sub>3</sub> (Thieno[2,3- <i>b</i> ]thiophene, 2,3,5-tribromo-)	53255-85-9	**	8.28 (V)	PE	5478
<b>BC<sub>12</sub>H<sub>18</sub>SBr<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (Br)SB( <i>n</i> -C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> (Borinic acid, dipropylthio-4-bromophenyl ester)	64503-49-7	**	8.67 ± 0.05 (V)	PE	4848
<b>C<sub>8</sub>H<sub>6</sub>NSBr<sup>+</sup></b>	C <sub>7</sub> H <sub>5</sub> NS(Br)CH <sub>3</sub> (Benzothiazole, 6-bromo-2-methyl-)	5304-21-2	**	8.55 (V)	PE	4437
<b>C<sub>6</sub>H<sub>8</sub>NSBr<sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> BrNHCSCH <sub>3</sub> (Ethanethioamide, N-(2-bromophenyl)-)	62635-46-5	**	8.05	EI	4834
<b>C<sub>7</sub>H<sub>7</sub>N<sub>2</sub>SBr<sup>+</sup></b>	C <sub>6</sub> H <sub>7</sub> BrNHCSNH <sub>2</sub> (Thiourea, (2-bromophenyl)-)	5391-30-0	**	8.10	EI	4834
<b>OSBr<sub>2</sub><sup>+</sup></b>	SOBr <sub>2</sub>	507-16-4	**	10.54 (V)	PE	3646
			**	10.54 (V)	PE	4295
			**	10.63 (V)	PE	3705



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>OSBr<sub>3</sub><sup>+</sup></b>	SOBr <sub>3</sub>	XXXXXX-XX-X	**	9.41±0.02	PE	3835
<b>C<sub>12</sub>H<sub>8</sub>O<sub>2</sub>SBr<sub>2</sub><sup>+</sup></b>	(C <sub>6</sub> H <sub>4</sub> Br) <sub>2</sub> SO <sub>2</sub> (Benzene, 1,1'-sulfonylbis[4-bromo-])	2050-48-8	**	8.84±0.05	PI	5040
<b>PSBr<sub>3</sub><sup>+</sup></b>	PSBr <sub>3</sub>	3931-89-3	** **	9.82 (V) 9.89±0.03 (V)	PE PE	4023 3669
<b>C<sub>2</sub>H<sub>6</sub>PSBr<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> P(S)Br	6839-93-6	**	8.18 (V)	PE	5523
<b>CH<sub>3</sub>PSBr<sub>2</sub><sup>+</sup></b>	CH <sub>3</sub> P(S)Br <sub>2</sub>	5827-24-7	**	9.53 (V)	PE	5523
<b>F<sub>2</sub>PSBr<sup>+</sup></b>	F <sub>2</sub> P(S)Br	13706-09-7	**	10.58 (V)	PE	5523
<b>FPSBr<sub>2</sub><sup>+</sup></b>	FP(S)Br <sub>2</sub>	13706-10-0	**	10.23 (V)	PE	5523
<b>CCl<sub>2</sub>Br<sub>2</sub><sup>+</sup></b>	CBr <sub>2</sub> Cl <sub>2</sub>	594-18-3	**	10.67±0.02 (V)	PE	4880
<b>C<sub>2</sub>H<sub>4</sub>ClBr<sup>+</sup></b>	CH <sub>2</sub> BrCH <sub>2</sub> Cl	107-04-0	** ** ** ** ** ** **	10.55 10.52 10.65±0.01 (V) 10.67±0.1 (V) 10.52±0.1 (V) 10.42 10.37	PI PE PE PE PE PI PE	5501 5501 4613 4751 4751 5501 5501
<b>C<sub>5</sub>H<sub>8</sub>ClBr<sup>+</sup></b>	C <sub>5</sub> H <sub>8</sub> ClBr (Cyclopentane, 1-bromo-2-chloro-, <i>cis</i> -)	37722-39-7	**	10.13±0.02	PE	4003
	C <sub>5</sub> H <sub>8</sub> ClBr (Cyclopentane, 1-bromo-2-chloro-, <i>trans</i> -)	14376-82-0	**	10.23±0.02	PE	4003
<b>C<sub>6</sub>H<sub>10</sub>ClBr<sup>+</sup></b>	C <sub>6</sub> H <sub>10</sub> ClBr (Cyclohexane, 1-bromo-2-chloro-, <i>cis</i> -)	51422-75-4	**	10.03±0.02	PE	4003
	C <sub>6</sub> H <sub>10</sub> ClBr (Cyclohexane, 1-bromo-2-chloro-, <i>trans</i> -)	13898-96-9	**	10.13±0.02	PE	4003
<b>CNOCl<sub>2</sub>Br<sup>+</sup></b>	CCl <sub>2</sub> BrNO	XXXXXX-XX-X		10.22±0.05 (V)	PE	5298
<b>CNOClBr<sub>2</sub><sup>+</sup></b>	CClBr <sub>2</sub> NO	XXXXXX-XX-X		10.02±0.05 (V)	PE	5298
<b>CF<sub>2</sub>ClBr<sup>+</sup></b>	CF <sub>2</sub> BrCl	353-59-3	**	11.83 (V)	PE	5470
<b>PClBr<sup>+</sup></b>	PClBr <sub>2</sub>	13550-32-8	Br	11.3±0.1	EI	3556
<b>PCl<sub>2</sub>Br<sup>+</sup></b>	PCl <sub>2</sub> Br	13536-48-6	**	10.4±0.1	EI	3556

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>PClBr<sub>2</sub><sup>+</sup></b>	PClBr <sub>2</sub>	13550-32-8	**	10.2±0.1	EI	3556
<b>KBr<sup>+</sup></b>	KBr	7758-02-3	**	7.85±0.1	PE	4344
<i>(<sup>2</sup>P<sub>3/2</sub>)</i>			**	7.85±0.1	PE	5035
<i>(<sup>2</sup>P<sub>3/2</sub>)</i>			**	8.1 (V)	PE	4307
<i>(<sup>2</sup>P<sub>1/2</sub>)</i>			**	8.82±0.04 (V)	PE	5035
<b>CaBr<sup>+</sup></b>	CaBr	10024-43-8	**	5.6	PE	4860
<b>TiBr<sub>1</sub><sup>+</sup></b>	TiBr <sub>1</sub>	7789-68-6	**	10.55 (V)	PE	5148
			**	10.59 (V)	PE	4694
<b>C<sub>10</sub>H<sub>10</sub>TiBr<sub>2</sub><sup>+</sup></b>	<i>(η</i> -C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> TiBr <sub>2</sub> (Titanium dibromobis( <i>η</i> <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	1293-73-8	**	8.8±0.1 (V)	PE	4987
<b>C<sub>10</sub>H<sub>11</sub>NO<sub>5</sub>CrBr<sup>+</sup></b>	(BrC <sub>5</sub> H <sub>4</sub> N)(CO) <sub>5</sub> Cr (Chromium,(4-bromopyridine)pentacarbonyl-(OC-6-22)-)	64914-27-8	**	7.37 (V)	PE	5566
<b>C<sub>3</sub>O<sub>3</sub>PCrBr<sub>3</sub><sup>+</sup></b>	(PBr <sub>3</sub> )(CO) <sub>5</sub> Cr	22466-06-4	**	8.32 (V)	PE	5539
<b>C<sub>3</sub>O<sub>3</sub>MnBr<sup>+</sup></b>	(CO) <sub>5</sub> MnBr	14516-54-2	**	8.83±0.05 (V)	PE	4492
			**	8.86 (V)	PE	3866
<b>C<sub>6</sub>H<sub>3</sub>NO<sub>1</sub>MnBr<sup>+</sup></b>	<i>cis</i> -(CO) <sub>4</sub> (CCH <sub>3</sub> )MnBr	37474-14-9	**	8.26 (V)	PE	3866
<b>C<sub>7</sub>H<sub>5</sub>O<sub>2</sub>PMnBr<sub>3</sub><sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> )(PBr <sub>3</sub> )(CO) <sub>2</sub> Mn (Manganese,dicarbonyl( <i>η</i> <sup>5</sup> -2,4-cyclopentadien-1-yl) (phosphorus tribromide)-)	XXXXX-XX-X	**	8.01	EI	5453
<b>C<sub>1</sub>O<sub>1</sub>FeBr<sub>2</sub><sup>+</sup></b>	(CO) <sub>4</sub> FeBr <sub>2</sub>	18475-84-8	**	8.68 (V)	PE	4431
<b>C<sub>7</sub>H<sub>5</sub>O<sub>2</sub>FeBr<sup>+</sup></b>	C <sub>5</sub> H <sub>5</sub> (CO) <sub>2</sub> FeBr (Iron, bromodicarbonyl ( <i>η</i> <sup>5</sup> -2,4-cyclopentadien-1-yl)-)	12078-20-5	**	7.93 (V)	PE	4570
			**	7.95 (V)	PE	4565
<b>C<sub>6</sub>H<sub>2</sub>O<sub>1</sub>FeBr<sub>2</sub><sup>+</sup></b>	<i>trans</i> -C <sub>2</sub> H <sub>2</sub> Br <sub>2</sub> (CO) <sub>4</sub> Fe	52646-68-1	**	8.74 (V)	PE	4908
<b>C<sub>15</sub>H<sub>18</sub>O<sub>6</sub>CoBr<sub>3</sub><sup>+</sup></b>	(C <sub>5</sub> H <sub>7</sub> O <sub>2</sub> Br) <sub>3</sub> Co (Cobalt, tris(3-bromo-2,4-pentanedionato-0,0')-(OC-6-11)-)	15218-44-7	**	7.58 (V)	PE	4965
<b>Cu<sub>3</sub>Br<sub>3</sub><sup>+</sup></b>	Cu <sub>3</sub> Br <sub>3</sub>	37190-22-0	**	9.7	EI	3954
			**	9.50±0.02 (V)	PE	4839
<b>Cu<sub>1</sub>Br<sub>3</sub><sup>+</sup></b>	Cu <sub>1</sub> Br <sub>1</sub>	XXXXX-XX-X		10.4	EI	3954
<b>Cu<sub>1</sub>Br<sub>1</sub><sup>+</sup></b>	Cu <sub>1</sub> Br <sub>1</sub>	XXXXX-XX-X	**	9.2	EI	3954

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>ZnBr<sub>2</sub><sup>+</sup></b>						
( <sup>2</sup> Π <sub>3/2g</sub> )	ZnBr <sub>2</sub>	7699-45-8	**	10.89±0.05 (V)	PE	3833
( <sup>2</sup> Π <sub>1/2g</sub> )			**	11.22±0.05 (V)	PE	3833
( <sup>2</sup> Π <sub>u</sub> )			**	11.40±0.05 (V)	PE	3833
( <sup>2</sup> Σ <sub>u</sub> )			**	12.28±0.05 (V)	PE	3833
( <sup>2</sup> Σ <sub>g</sub> )			**	13.55±0.05 (V)	PE	3833
( <sup>2</sup> Π <sub>3/2g</sub> )			**	10.8 (V)	PE	3963
( <sup>2</sup> Π <sub>3/2g</sub> )			**	10.90 (V)	PE	4232
( <sup>2</sup> Π <sub>3/2u</sub> )			**	11.1 (V)	PE	3963
( <sup>2</sup> Π <sub>1/2g</sub> )			**	11.2 (V)	PE	3963
( <sup>2</sup> Π <sub>1/2g</sub> )			**	11.285 (V)	PE	4232
( <sup>2</sup> Π <sub>1/2u</sub> )			**	11.4 (V)	PE	3963
( <sup>2</sup> Π <sub>3/2u</sub> )			**	11.46 (V)	PE	4232
( <sup>2</sup> Π <sub>1/2u</sub> )			**	11.625 (V)	PE	4232
( <sup>2</sup> Σ <sub>u</sub> )			**	12.3 (V)	PE	3963
( <sup>2</sup> Σ <sub>u</sub> )			**	12.33 (V)	PE	4232
( <sup>2</sup> Σ <sub>g</sub> )			**	13.0 (V)	PE	3963
( <sup>2</sup> Σ <sub>g</sub> )			**	13.55 (V)	PE	4232
( <sup>2</sup> D <sub>5/2</sub> )			**	18.89 (V)	PE	4232
( <sup>2</sup> D <sub>3/2</sub> )			**	19.19 (V)	PE	4232
<b>GaBr<sub>3</sub><sup>+</sup></b>						
	GaBr <sub>3</sub>	13450-88-9	**	10.40	PE	4215
			**	10.94 (V)	PE	4398
			**	10.94 (V)	PE	4256
<b>H<sub>3</sub>GeBr<sup>+</sup></b>						
	GeH <sub>3</sub> Br	13569-43-2	**	10.72±0.05 (V)	PE	3502
<b>H<sub>2</sub>GeBr<sub>2</sub><sup>+</sup></b>						
	GeH <sub>2</sub> Br <sub>2</sub>	13769-36-3	**	10.69±0.02 (V)	PE	3510
<b>C<sub>18</sub>H<sub>15</sub>GeBr<sup>+</sup></b>						
	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> GeBr (Germane, bromotriphenyl-)	3005-32-1	**	9.17±0.05 (V)	PE	4620
<b>AsBr<sup>+</sup></b>						
	AsBr <sub>3</sub>	7784-33-0		12.5±0.2	EI	5016
<b>AsBr<sub>2</sub><sup>+</sup></b>						
	AsBr <sub>3</sub>	7784-33-0	Br <sup>-</sup>	8.4±0.2	EI	5016
<b>AsBr<sub>3</sub><sup>+</sup></b>						
	AsBr <sub>3</sub>	7784-33-0	**	10.19 (V)	PE	5473
			**	10.21±0.04 (V)	PE	4635
			**	8.7±0.05	EI	5016
<b>SeBr<sub>2</sub><sup>+</sup></b>						
	SeBr <sub>2</sub>	22987-45-7	**	9.07 (V)	PE	5074
			**	9.17±0.05 (V)	PE	5031
<b>Kr<sup>+</sup></b>						
( <sup>2</sup> P <sub>3/2</sub> <sup>o</sup> )	Kr	7439-90-9	**	13.9997±0.00001	S	5162
( <sup>2</sup> P <sub>3/2</sub> )			**	14.0010±0.0012	S	3881
( <sup>2</sup> P <sub>1/2</sub> )			**	14.6655±0.00002	S	5162
( <sup>2</sup> P <sub>3/2</sub> )			**	13.992±0.002	PE	3525
( <sup>2</sup> P <sub>1/2</sub> )			**	14.661±0.002	PE	3525
( <sup>2</sup> P <sub>3/2</sub> )			**	13.974±0.004	PEN	3541
	KrF <sub>2</sub>	13773-81-4	F+F <sup>-</sup>	11.517	PI	4998
<b>Kr<sup>+2</sup></b>						
	Kr	7439-90-9	**	38.4±0.2	EI	4503
<b>Kr<sub>2</sub><sup>+</sup></b>						
	Kr <sub>2</sub>	12596-40-6	**	12.86±0.015	PI	4923
(1/2)u			**	13.76±0.02 (V)	PE	4885

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.	
<b>Kr<sub>2</sub><sup>+</sup></b> (3/2) <sub>g</sub> (1/2) <sub>u</sub>	Kr <sub>2</sub>	12596-40-6	**	13.90±0.015 (V)	PE	4885	
			**	14.57±0.015 (V)	PE	4885	
			**	13.45±0.3	EI	5350	
<b>FKr<sup>+</sup></b>	KrF <sub>2</sub>	13773-81-4	F	~ 13.38	PI	4998	
<b>F<sub>2</sub>Kr<sup>+</sup></b> ( <sup>2</sup> Π <sub>u</sub> ) ( <sup>2</sup> Π <sub>3/2u</sub> ) ( <sup>2</sup> Π <sub>1/2u</sub> ) ( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> ) ( <sup>2</sup> Σ <sub>g</sub> <sup>-</sup> ) ( <sup>2</sup> Π <sub>g</sub> ) ( <sup>2</sup> Π <sub>u</sub> ) ( <sup>2</sup> Π <sub>u</sub> ) ( <sup>2</sup> Π <sub>u</sub> ) ( <sup>2</sup> Σ <sub>u</sub> <sup>+</sup> ) ( <sup>2</sup> Σ <sub>u</sub> <sup>-</sup> ) ( <sup>2</sup> Σ <sub>g</sub> <sup>+</sup> )	KrF <sub>2</sub>	13773-81-4	**	13.06-13.16	PE	3642	
			**	13.34 (V)	PE	3501	
			**	13.47 (V)	PE	3501	
			**	13.75	PE	3642	
			**	13.90 (V)	PE	3501	
			**	14.0	PE	3642	
			**	14.37 (V)	PE	3501	
			**	16.25	PE	3642	
			**	16.92 (V)	PE	3501	
			**	17.7 (V)	PE	3501	
			**	17.7 (V)	PE	3642	
			**	23.0 (V)	PE	3501	
<b>ArKr<sup>+</sup></b>	KrAr	51184-77-1	**	13.425±0.02	PI	4926	
			**	14.0±0.2	EI	5350	
<b>Rb<sup>+</sup></b>	Rb	7440-17-7	**	4.18	PE	4642	
	RbOH	1310-82-3	OH	~ 10	EI	3461	
	RbCl	7791-11-9	Cl	8.695±0.03	PI	3536	
			Cl <sup>-</sup>	21.17±0.04 (V)	PE	5035	
	( <sup>2</sup> P <sub>3/2</sub> ) ( <sup>2</sup> P <sub>1/2</sub> )	RbBr	7789-39-1	Br Br <sup>-</sup>	22.00±0.04 (V)	PE	5035
					8.12±0.03	PI	3536
	( <sup>2</sup> P <sub>3/2</sub> ) ( <sup>2</sup> P <sub>1/2</sub> )	RbI	7790-29-6	I I <sup>-</sup>	21.10±0.04 (s)	PE	5035
					21.77±0.04 (s)	PE	5035
	( <sup>2</sup> P <sub>3/2</sub> ) ( <sup>2</sup> P <sub>1/2</sub> )			I I <sup>-</sup>	7.53±0.03	PI	3536
					21.33±0.04 (V)	PE	5035
					22.21±0.04 (V)	PE	5035
					9.4±0.4	EI	5239
<b>Rb<sup>2+</sup></b>	Rb <sup>+</sup>	22537-38-8	**	27.285±0.003	S	3924	
			**	27.2898±0.0001	S	5180	
<b>NO<sub>3</sub>Rb<sup>+</sup></b>	RbNO <sub>3</sub>	XXXXXX-XX-X	**	8.89±0.03 (V)	PE	5354	
<b>O<sub>3</sub>PRb<sup>+</sup></b>	RbPO <sub>3</sub>	XXXXXX-XX-X	**	9.70.0.04 (V)	PE	4840	
<b>ClRb<sup>+</sup></b>	RbCl	7791-11-9	**	8.50±0.03	PI	3536	
			**	8.26±0.1	PE	4344	
			**	8.26±0.1	PE	5035	
			**	8.7 (V)	PE	4307	
<b>Cl<sub>2</sub>Rb<sub>2</sub><sup>+</sup></b>	(RbCl) <sub>2</sub>	12265-61-1	**	9.30 (V)	PE	5035	
			**	9.30 (V)	PE	4344	
<b>AlCl<sub>4</sub>Rb<sup>+</sup></b>	RbAlCl <sub>4</sub>	17992-02-8	**	10.39±0.05 (V)	PE	5238	

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>BrRb<sup>+</sup></b>	RbBr	7789-39-1	**	7.935±0.03	PI	3536
			**	7.75±0.1	PE	4344
			**	7.75±0.1	PE	5035
			**	8.0 (V)	PE	4307
			**	8.62±0.04 (V)	PE	5035
<b>BrRb<sub>2</sub><sup>+</sup></b>	Rb <sub>2</sub> Br <sub>2</sub>	12409-58-4	Br	8.485±0.05	PI	3536
<b>Sr<sup>+</sup></b>	Sr	7440-24-6	**	5.5	PE	4860
			**	5.5±0.3	EI	5067
			**	~5.7	EI	3486
<b>Sr<sup>+2</sup></b>	Sr	7440-24-6	**	16	EI	3486
<b>OSr<sup>+</sup></b>	SrO	1314-11-0	**	6.5±1	EI	4881
<b>ClSr<sup>+</sup></b>	SrCl	14989-33-4	**	5.10±0.06	EI	3526
<b>Cl<sub>2</sub>Sr<sup>+</sup></b>	SrCl <sub>2</sub>	10476-85-4	**	10.2 (V)	PE	4761
<b>BrSr<sup>+</sup></b>	SrBr	14519-13-2	**	5.5	PE	4860
<b>Y<sup>+</sup></b>	Y	7440-65-5	**	6.35±0.10	EI	5342
			**	6.4±0.5	EI	5349
			**	6.45±0.15	EI	4114
			**	6.5±0.5	EI	4528
			**	6.6±0.6	EI	4902
			**	6.9±0.1	EI	4147
			**	~13	EI	4147
	YO	12036-00-9				
<b>C<sub>2</sub>Y<sup>+</sup></b>	YC <sub>2</sub>	12071-35-1	**	6.0±1.0	EI	5349
<b>OY<sup>+</sup></b>	YO	12036-00-9	**	5.85±0.15	EI	4114
			**	6.0±0.1	EI	4147
<b>SY<sup>+</sup></b>	YS	12210-79-6	**	6.0	EI	4001
			**	6.5±0.5	EI	4528
			**	7.2±0.6	EI	4902
<b>Zr<sup>+</sup></b>	Zr	7440-67-7	**	5.8±0.2	EI	4483
			**	6.4±0.1	EI	4114
			**	6.48±0.07	EI	5342
<b>H<sub>16</sub>B<sub>1</sub>Zr<sup>+</sup></b>	Zr(BH <sub>3</sub> ) <sub>1</sub>	12370-59-1	**	11.6±0.1 (V)	PE	4825
<b>C<sub>2</sub>Zr<sup>+</sup></b>	ZrC <sub>2</sub>	12340-54-4	**	7.5±0.5	EI	4112

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{12}Zr^+$	$(C_7H_7)(C_5H_5)Zr$ (Zirconium, $(\eta^5\text{-cycloheptatrienylium})(\eta^5\text{-2,4-cyclopentadien-1-yl})\text{-}$ )	54006-95-0	**	$6.94 \pm 0.05$ (V)	PE	4428
$C_{20}H_{14}Zr^+$	$((CH_3)_3CCH_2)_4Zr$	38010-72-9	**	$8.33 \pm 0.1$ (V)	PE	4242
$C_8H_{21}N_4Zr^+$	$(N(CH_3)_2)_4Zr$	XXXXXX-XX-X	**	7.23 (V)	PE	4588
$C_{16}H_{10}N_4Zr^+$	$(N(C_2H_5)_2)_4Zr$	XXXXXX-XX-X	**	6.76 (V)	PE	4588
$OZr^+$	ZrO	12036-01-0	**	$5.8 \pm 0.2$	EI	4483
			**	$6.2 \pm 0.1$	EI	4114
$O_2Zr^+$	ZrO <sub>2</sub>	1314-23-4	**	$9.4 \pm 0.2$	EI	4483
			**	$9.55 \pm 0.1$	EI	4114
$C_{20}H_{28}O_8Zr^+$	$((CH_3CO)_2CH)_4Zr$	17501-44-9	**	7.95 (V)	PE	5338
$C_{16}H_{14}Si_4Zr^+$	$((CH_3)_3SiCH_2)_4Zr$	32665-18-2	**	$8.64 \pm 0.1$ (V)	PE	4242
$ClZr^+$	ZrCl <sub>4</sub>	10026-11-6		21.9	EI	3783
$Cl_2Zr^+$	ZrCl <sub>4</sub>	10026-11-6		16.8	EI	3783
$Cl_3Zr^+$	ZrCl <sub>4</sub>	10026-11-6		12.3	EI	3783
$Cl_4Zr^+$	ZrCl <sub>4</sub>	10026-11-6	**	11.94 (V)	PE	4694
			**	10.6	EI	3783
$C_{10}H_{10}Cl_2Zr^+$	$(\eta\text{-}C_5H_5)_2ZrCl_2$ (Zirconium, dichlorobis( $\eta^5\text{-2,4-cyclopentadien-1-yl})\text{-}$ )	1291-32-3	**	$8.6 \pm 0.1$ (V)	PE	4987
			**	$8.60 \pm 0.05$ (V)	PE	4375
$C_{20}H_{30}Cl_2Zr^+$	$(C_5(CH_3)_5)_2ZrCl_2$ (Zirconium, dichlorobis[(1,2,3,4,5)- $\eta$ ]-1-(1-ethylpropyl)- 2,4-cyclopentadien-1-yl]-)	58628-41-4	**	7.55 (V)	PE	5560
$Br_4Zr^+$	$ZrBr_4$ (JC—Mean value of Jahn–Teller components)	13777-25-8	**	10.86 (V)	PE	4694
$C_{10}H_{10}Br_2Zr^+$	$(\eta\text{-}C_5H_5)_2ZrBr_2$ (Zirconium dibromobis( $\eta^5\text{-2,4-cyclopentadien-1-yl})\text{-}$ )	1294-67-3	**	$8.9 \pm 0.1$ (V)	PE	4987
$Nb^+$	Nb	7440-03-1	**	$6.61 \pm 0.05$	EI	5342
			**	$10.1 \pm 1.0$	EI	4900



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{12}Nb^+$	$(C_5H_7)(C_5H_7)Nb$ (Niobium, $(\eta^7\text{-cycloheptatrienyl})\eta^5\text{-2,4-cyclopentadien-1-yl-}$ )	54360-38-2	**	$5.98 \pm 0.05$ (V)	PE	4428
$C_{13}H_{15}Nb^+$	$(C_5H_7)_2(CH_2CH=CH_2)Nb$ (Niobium, bis( $\eta^7\text{-2,4-cyclopentadien-1-yl}$ )( $\eta^1\text{-2-propenyl-}$ ))	39413-65-5	**	$5.7 \pm 0.1$ (V)	PE	4425
$C_{10}H_{30}N_5Nb^+$	$(N(CH_3)_2)_5Nb$	XXXXXX-XX-X	**	6.77 (V)	PE	5036
$ClNb^+$	$NbCl_5$	10026-12-7		24.2	EI	3783
$Cl_2Nb^+$	$NbCl_5$	10026-12-7		19.5	EI	3783
$Cl_3Nb^+$	$NbCl_5$	10026-12-7		14.6	EI	3783
$Cl_4Nb^+$	$NbCl_5$	10026-12-7		10.7	EI	3783
$Cl_5Nb^+$	$NbCl_5$	10026-12-7	**	10.97 (s)	PE	4764
$C_{12}H_{11}Cl_2Nb^+$	$(\eta\text{-CH}_3C_5H_4)_2NbCl_2$ (Niobium, dichlorobis( $\eta^5\text{-2,4-cyclopentadien-1-yl-}$ ))	12793-14-5	**	$6.4 \pm 0.1$ (V)	PE	4987
$Mo^+$	Mo	7439-98-7	**	7.10	S	4864
			**	$7.0 \pm 0.3$	EI	4864
			**	$7.22 \pm 0.06$	EI	5342
			**	$10.5 \pm 1.0$	EI	4900
	$(CO)_6Mo$	13939-06-5	6CO	$18.24 \pm 0.06$	EI	5291
	$((CH_3)_2N)_3P(CO)_5Mo$	14971-43-8		$18.4 \pm 0.05$	EI	3952
	$((CH_3)_2N)_3P(CO)_4Mo$	27342-90-1		$15.3 \pm 0.05$	EI	3952
	$CS(CO)_5Mo$	50358-91-3	5CO + CS	$19.12 \pm 0.30$	EI	5291
	$MoCl_5$	10241-05-1		23.1	EI	3783
$Mo_2^+$	$Mo_2$	12596-54-2	**	$8.0 \pm 0.1$	EI	4900
$C_{10}H_{12}Mo^+$	$(C_5H_7)_2H_2Mo$ (Molybdenum, bis( $\eta^7\text{-2,4-cyclopentadien-1-yl}$ )dihydro-)	1291-40-3	**	$6.4 \pm 0.1$ (V)	PE	4425
$C_{12}H_{12}Mo^+$	$(C_6H_5)_2Mo$ (Molybdenum, bis( $\eta^6\text{-benzene-}$ ))	12129-68-9	**	$5.52 \pm 0.05$ (V)	PE	4132
	$(C_5H_7)(C_5H_7)Mo$ (Molybdenum, $(\eta^7\text{-cycloheptatrienyl})\eta^7\text{-2,4-cyclopentadien-1-yl-}$ )	12301-35-8	**	$5.87 \pm 0.05$ (V)	PE	4428
$C_{12}H_{11}Mo^+$	$(C_5H_7)_2(\eta\text{-CH}_2=CH_2)Mo$ (Molybdenum, bis( $\eta^7\text{-2,4-cyclopentadien-1-yl}$ )( $\eta^2\text{-ethene-}$ ))	37343-05-8	**	$6.0 \pm 0.1$ (V)	PE	4425
$C_{12}H_{16}Mo^+$	$(C_5H_7)_2(CH_3)_2Mo$ (Molybdenum, bis( $\eta^7\text{-2,4-cyclopentadien-1-yl}$ )dimethyl-)	39333-52-3	**	$6.1 \pm 0.1$ (V)	PE	4425

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{16}Mo^+$	$(C_6H_5CH_3)_2Mo$ (Molybdenum, bis[(1,2,3,4,5,6- $\eta$ )-methylbenzene]-)	12131-22-5	**	$5.32 \pm 0.05$ (V)	PE	4132
$C_{18}H_{21}Mo^+$	$(C_6H_3(CH_3)_3)_2Mo$ (Molybdenum, bis[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12131-50-9	**	$5.13 \pm 0.05$ (V)	PE	4132
$C_8H_{21}N_1Mo^+$	$(N(CH_3)_2)_3Mo$	XXXXXX-XX-X	**	5.30 (V)	PE	5036
$C_{16}H_{10}N_1Mo^+$	$(N(C_2H_5)_2)_3Mo$	XXXXXX-XX-X	**	5.3 (V)	PE	5036
$C_{12}H_{36}N_6Mo_2^+$	$(N(CH_3)_2)_6Mo_2$	51956-20-8	**	6.74 (V)	PE	5565
$COMo^+$	$(CO)_6Mo$ $CS(CO)_5Mo$	13939-06-5 50358-91-3	5CO 4CO + CS	$16.52 \pm 0.03$ $17.54 \pm 0.30$	EI EI	5291 5291
$C_2O_2Mo^+$	$(CO)_6Mo$ $CS(CO)_5Mo$	13939-06-5 50358-91-3	4CO 3CO + CS	$14.86 \pm 0.02$ $15.82 \pm 0.30$	EI EI	5291 5291
$C_3O_3Mo^+$	$(CO)_6Mo$ $CS(CO)_5Mo$	13939-06-5 50358-91-3	3CO 2CO + CS	$13.29 \pm 0.02$ $14.05 \pm 0.20$	EI EI	5291 5291
$C_1O_4Mo^+$	$(CO)_6Mo$ $CS(CO)_5Mo$	13939-06-5 50358-91-3	2CO CO + CS	$11.61 \pm 0.02$ $12.39 \pm 0.20$	EI EI	5291 5291
$C_3O_5Mo^+$	$(CO)_6Mo$ $CS(CO)_5Mo$	13939-06-5 50358-91-3	CO CS	$10.02 \pm 0.02$ $10.96 \pm 0.20$	EI EI	5291 5291
$C_6O_6Mo^+$	$(CO)_6Mo$	13939-06-5	** ** ** **	$8.50 \pm 0.02$ (V) 8.50 (V) $8.46 \pm 0.01$ $8.50 \pm 0.05$	PE PE EI EI	3979 4456 5291 4600
$C_{11}H_{10}OMo^+$	$(C_5H_5)_2COMo$ (Molybdenum, carbonylbis( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12701-85-8	**	$5.9 \pm 0.1$ (V)	PE	4425
$C_{10}H_8O_3Mo^+$	$C_7H_8(CO)_3Mo$ (Molybdenum, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-cycloheptatriene]-)	12125-77-8	** **	7.44 (V) $7.46 \pm 0.05$ (V)	PE PE	5206 4724
$C_{12}H_{12}O_3Mo^+$	$(C_6H_3(CH_3)_3)(CO)_3Mo$ (Molybdenum, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12089-15-5	** **	$7.35 \pm 0.05$ (V) 7.37 (V)	PE PE	4724 5367
$C_{11}H_8O_1Mo^+$	$(C_7H_8)(CO)_3Mo$ (Molybdenum, [(2,3,5,6- $\eta$ )-bicyclo[2.2.1]hepta-2,5-diene]tetracarbonyl-)	XXXXXX-XX-X	**	7.48 (V)	PE	5367

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_1H_1O_8Mo_2^+$	$Mo_2(O_2CH)_4$	51329-49-8	**	$7.60 \pm 0.05$ (V)	PE	4986
				7.5 (V)	PE	4426
$C_8H_{12}O_8Mo_2^+$	$Mo_2(O_2CCH_3)_4$	14221-06-8	**	$6.92 \pm 0.05$ (V)	PE	4986
				6.8 (V)	PE	4426
$C_{20}H_{36}O_8Mo_2^+$	$Mo_2(O_2CC(CH_3)_3)_4$	XXXXXX-XX-X	**	$6.75 \pm 0.05$ (V)	PE	4986
	$Mo_2(COOC(CH_3)_3)_4$	55946-68-4	**	6.7 (V)	PE	4426
	(Molybdenum, tetrakis[ $\mu$ -(2,2-dimethylpropanoato-0:0')di-(Mo-Mo)])					
$C_{12}H_{11}N_2O_3Mo^+$	$(C_3H_4N_2(C_2H_5)_2)(CO)_5Mo$	XXXXXX-XX-X	**	6.90 (V)	PE	5601
$C_2H_2N_4O_4Mo_2^+$	$(C_3H_4N(O)CH_3)_4Mo_2$	67634-80-4	**	5.89 (V)	PE	5191
	(Molybdenum, tetrakis[ $\mu$ -(6-methyl-2(1H)-pyridinonato- $N^1:O^3$ )]di-(Mo-Mo), stereoisomer)					
$C_{16}H_{20}N_2O_6Mo_2^+$	$C_{16}H_{20}N_2O_6Mo_2$	XXXXXX-XX-X	**	$6.24 \pm 0.04$	PE	5596
$FMo^+$	MoF	60388-18-3	**	$8.0 \pm 0.3$	EI	4864
$F_2Mo^+$	MoF <sub>2</sub>	20205-60-1	**	$9.00 \pm 0.15$	EI	4864
	MoF <sub>3</sub>	20193-58-2	F	$14.3 \pm 1.0$	EI	5424
	MoF <sub>4</sub>	XXXXXX-XX-X		$19.0 \pm 1.0$	EI	5424
$F_3Mo^+$	MoF <sub>3</sub>	20193-58-2	**	$9.88 \pm 0.10$	EI	4864
			**	$10.2 \pm 0.5$	EI	5424
	MoF <sub>4</sub>	23412-45-5	F	$14.01 \pm 0.5$	EI	5424
$F_4Mo^+$	MoF <sub>4</sub>	23412-45-5	**	$9.74 \pm 0.2$	EI	5424
			**	$10.11 \pm 0.10$	EI	4864
$F_5Mo^+$	MoF <sub>5</sub>	13819-84-6	**	$10.60 \pm 0.10$	EI	4864
			**	$10.81 \pm 0.2$	EI	5424
	MoF <sub>6</sub>	7783-77-9	F	$15.2 \pm 0.2$	EI	4864
$F_6Mo^+$	MoF <sub>6</sub>	7783-77-9	**	$14.5 \pm 0.1$	PE	4989
$OF_3Mo^+$	MoOF <sub>3</sub>	22529-29-9	**	$11.0 \pm 0.5$	EI	5434
$C_8F_{12}O_8Mo_2^+$	$Mo_2(O_2CCF_3)_4$	36608-07-8	**	$8.67 \pm 0.05$ (V)	PE	4986
$O_1Na_2Mo^+$	$Na_2MoO_4$	XXXXXX-XX-X	**	7.2	EI	4578
$C_{13}H_{21}O_6Si_2Mo^+$	$C_{13}H_{21}O_6Si_2Mo$	XXXXXX-XX-X	**	7.27 (V)	PE	5601

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{18}N_3PMo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>5</sub> Mo	14971-43-8	5CO	10.3±0.05	EI	3952
	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>4</sub> Mo	27342-90-1		16.1±0.05	EI	3952
$C_{12}H_{36}N_6P_2Mo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>4</sub> Mo	27342-90-1	4CO	14.8±0.05	EI	3952
$C_8H_9O_5PMo^+$	((CH <sub>3</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> Mo	16917-96-7	**	7.7	PE	5602
$C_{11}H_{15}O_5PMo^+$	((C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> Mo	19217-79-9	**	7.7	PE	5602
$C_{23}H_{15}O_5PMo^+$	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (CO) <sub>5</sub> PMo (Molybdenum, pentacarbonyl(triphenylphosphine)-)	14971-42-7	**	7.70±0.05	EI	4600
$C_{23}H_{33}O_5PMo^+$	(C <sub>6</sub> H <sub>11</sub> ) <sub>3</sub> P(CO) <sub>5</sub> Mo (Molybdenum, pentacarbonyl (tricyclohexylphosphine)-(OC-6-22)-)	15603-94-8	**	7.44 (V)	PE	5139
$C_8H_9O_8PMo^+$	((CH <sub>3</sub> O) <sub>3</sub> P)(CO) <sub>5</sub> Mo	15631-20-6	**	8.1	PE	5602
$C_{11}H_{15}O_8PMo^+$	((C <sub>2</sub> H <sub>5</sub> O) <sub>3</sub> P)(CO) <sub>5</sub> Mo	15603-75-5	**	8.0	PE	5602
$C_{40}H_{30}O_4P_2Mo^+$	C <sub>40</sub> H <sub>30</sub> O <sub>4</sub> P <sub>2</sub> Mo (Molybdenum, tetracarbonylbis(triphenylphosphine)-(OC-6-12)-)	16244-53-4	**	7.60±0.05	EI	4600
$C_7H_{18}N_3OPMo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>5</sub> Mo	14971-43-8	4CO	12.1±0.05	EI	3952
$C_8H_{18}N_3O_2PMo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>5</sub> Mo	14971-43-8	3CO	9.9±0.05	EI	3952
$C_9H_{18}N_3O_3PMo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>5</sub> Mo	14971-43-8	2CO	9.6±0.05	EI	3952
$C_{10}H_{18}N_3O_1PMo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>5</sub> Mo	14971-43-8	CO	7.8±0.05	EI	3952
$C_{11}H_{18}N_3O_5PMo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P)(CO) <sub>5</sub> Mo	14971-43-8	**	7.8	PE	5602
			**	5.7±0.05	EI	3952
$C_{13}H_{36}N_6OP_2Mo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>4</sub> Mo	27342-90-1	3CO	14.0±0.05	EI	3952
$C_{11}H_{36}N_6O_2P_2Mo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>4</sub> Mo	27342-90-1	2CO	11.2±0.05	EI	3952
$C_{15}H_{36}N_6O_3P_2Mo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>4</sub> Mo	27342-90-1	CO	11.1±0.05	EI	3952
$C_{16}H_{36}N_6O_4P_2Mo^+$	(((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>4</sub> Mo	27342-90-1	**	6.8±0.05	EI	3952
$F_{18}P_6Mo^+$	(PF <sub>6</sub> ) <sub>6</sub> Mo	15339-46-5	**	9.17 (V)	PE	4456

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_9N_3F_{12}P_6Mo^+$	(CH <sub>3</sub> N(PF <sub>2</sub> ) <sub>2</sub> ) <sub>3</sub> Mo	63353-75-3	**	7.93 (V)	PE	5376
$C_5O_5F_3PMo^+$	(PF <sub>3</sub> )(CO) <sub>5</sub> Mo	15322-05-1	** **	8.55 (V) 8.8	PE PE	5539 5602
$CSMo^+$	CS(CO) <sub>5</sub> Mo	50358-91-3	5CO	16.07±0.09	EI	5291
$C_2OSMo^+$	CS(CO) <sub>5</sub> Mo	50358-91-3	4CO	14.46±0.05	EI	5291
$C_3O_2SMo^+$	CS(CO) <sub>5</sub> Mo	50358-91-3	3CO	12.39±0.09	EI	5291
$C_1O_3SMo^+$	CS(CO) <sub>5</sub> Mo	50358-91-3	2CO	11.02±0.05	EI	5291
$C_5O_1SMo^+$	CS(CO) <sub>5</sub> Mo	50358-91-3	CO	9.36±0.05	EI	5291
$C_6O_5SMo^+$	CS(CO) <sub>5</sub> Mo	50358-91-3	**	8.18±0.02	EI	5291
$ClMo^+$	MoCl <sub>5</sub>	10241-05-1		20.3	EI	3783
$Cl_2Mo^+$	MoCl <sub>5</sub>	10241-05-1		17.1	EI	3783
$Cl_3Mo^+$	MoCl <sub>5</sub>	10241-05-1		12.9	EI	3783
$Cl_1Mo^+$	MoCl <sub>5</sub>	10241-05-1		10.1	EI	3783
$Cl_3Mo^+$	MoCl <sub>5</sub>	10241-05-1	** **	9.27 (V) 9.2	PE EI	4764 3783
$C_{12}H_{11}Cl_2Mo^+$	(η-CH <sub>3</sub> C <sub>5</sub> H <sub>4</sub> ) <sub>2</sub> MoCl <sub>2</sub> (Molybdenum,dichlorobis[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl]-)	63374-10-7	**	6.8±0.1 (V)	PE	4987
$O_2Cl_2Mo^+$	MoO <sub>2</sub> Cl <sub>2</sub>	XXXXX-XX-X	**	11.93±0.02	PE	5148
$C_5O_5PCl_3Mo^+$	(PCl <sub>3</sub> )(CO) <sub>5</sub> Mo	19212-18-1	**	8.36 (V)	PE	5539
$C_8H_{12}O_8CrMo^+$	CrMo(O <sub>2</sub> CCH <sub>3</sub> ) <sub>4</sub>	XXXXX-XX-X	**	7.06±0.05 (V)	PE	4986
$C_{21}H_{21}N_1O_1CrMo^+$	(C <sub>5</sub> H <sub>5</sub> N(O)CH <sub>3</sub> ) <sub>4</sub> MoCr (Molybdenum,(chromium)tetrakis[μ-(6-methyl-2(1H)-pyridinonato-N <sup>1</sup> :O <sup>2</sup> )]-(Cr-Mo))	72070-57-6	**	6.0 (V)	PE	5191
$C_{23}H_{15}O_5AsMo^+$	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (CO) <sub>5</sub> AsMo (Molybdenum, pentacarbonyl(triphenylarsine)-(OC-6-22)-)	19212-22-7	**	7.80±0.05	EI	4600

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{11}Br_2Mo^+$	$(\eta-CH_3C_5H_4)_2MoBr_2$ (Molybdenum, dibromobis[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl]-)	63984-91-8	**	$6.9 \pm 0.1$ (V)	PE	4987
$C_5O_5PBr_3Mo^+$	$(PBr_3)(CO)_5Mo$	22466-07-5	**	8.33 (V)	PE	5539
$Ru^+$	Ru	7440-18-8	**	$7.16 \pm 0.07$	EI	5342
	$(C_5H_5)_2Ru$ (Ruthenocene)	1287-13-4	$(C_5H_5)_2$	$16.50 \pm 0.25$	EI	3628
$C_3H_3Ru^+$	$(C_5H_5)_2Ru$ (Ruthenocene)	1287-13-4		$19.6 \pm 0.2$	EI	3628
$C_5H_5Ru^+$	$(C_5H_5)_2Ru$ (Ruthenocene)	1287-13-4	$C_5H_5$	$14.75 \pm 0.25$	EI	3628
$C_6H_8Ru^+$	$(C_5H_5)_2Ru$ (Ruthenocene)	1287-13-4	$C_2H_2$	$14.6 \pm 0.2$	EI	3628
$C_{10}H_{10}Ru^+$	$(C_5H_5)_2Ru$ (Ruthenocene)	1287-13-4	**	7.45 (V)	PE	3688
			**	7.45 (V)	PE	5394
			**	$7.50 \pm 0.25$	EI	3628
$C_{12}H_{11}Ru^+$	$(C_5H_4CH_3)_2Ru$ (Ruthenocene, 1,1'-dimethyl-)	33292-37-4	**	7.25 (V)	PE	3688
$O_1Ru^+$	$RuO_4$	20427-56-9	**	12.09	PE	3836
			**	12.15	PE	4166
			**	$12.15 \pm 0.02$ (V)	PE	5148
			**	12.16	PE	3838
$C_{12}O_{12}Ru_3^+$	$(CO)_{12}Ru_3$ (Ruthenium, dodecacarbonyltri-)	15243-33-1	**	$7.7 \pm 0.2$ (V)	PE	4882
			**	7.91 (V)	PE	5189
$C_9H_8O_3Ru^+$	$(C_6H_8)(CO)_3Ru$ (Ruthenium, tricarbonyl[(1,2,3,4- $\eta$ )-1,3-cyclohexadiene]-)	12108-25-7	**	8.01 (V)	PE	5551
$C_{10}H_{10}O_3Ru^+$	$(C_7H_{10})(CO)_3Ru$ (Ruthenium, tricarbonyl[(1,2,3,4- $\eta$ )-1,3-cycloheptadiene]-)	41550-67-8	**	7.96 (V)	PE	5551
$C_{15}H_3O_6F_{18}Ru^+$	$(CF_3COCHCOCF_3)_3Ru$ (Ruthenium, tris(1,1,1,5,5,5-hexafluoropentanedionato- <i>O,O'</i> )-, ( <i>OC</i> -6-11)-)	16827-63-7	**	$8.85 \pm 0.07$ (V)	PE	3682
$F_{15}P_3Ru^+$	$Ru(CO)_5$	19702-30-8	**	9.17 (V)	PE	4456
$Rh^+$	Rh	7440-16-6	**	$7.1 \pm 0.6$	EI	4909



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Rh}^+$	Rh	7440-16-6	**	$7.42 \pm 0.08$	EI	5342
$\text{Rh}_2^+$	$\text{Rh}_2$	12596-98-4	**	$7.1 \pm 1.0$	EI	4206
$\text{CRh}^+$	RhC	12127-42-3	**	$7.2 \pm 0.5$	EI	4909
			**	$9.2 \pm 1.0$	EI	5349
			**	$8.1 \pm 0.6$	EI	3978
			**	$8.6 \pm 0.4$	EI	4206
			**	$8.6 \pm 0.4$	EI	5635
$\text{C}_2\text{Rh}^+$	$\text{RhC}_2$	37306-47-1	**	$8.1 \pm 0.4$	EI	5635
$\text{C}_7\text{H}_7\text{O}_1\text{Rh}^+$	(CH <sub>3</sub> COCHCOCH <sub>3</sub> )Rh(CO) <sub>2</sub> (Dicarbonyl(2,4-pentanedionato)rhodium)	14874-82-9	**	$8.6 \pm 0.1$	EI	3497
$\text{C}_{12}\text{H}_6\text{O}_1\text{Rh}^+$	(CH <sub>3</sub> COCHCOC <sub>6</sub> H <sub>5</sub> )Rh(CO) <sub>2</sub> (Dicarbonyl(1-phenyl-1,3-butanedionato)rhodium)	24151-55-1	**	$8.4 \pm 0.1$	EI	3497
$\text{C}_{17}\text{H}_{11}\text{O}_1\text{Rh}^+$	(C <sub>6</sub> H <sub>5</sub> COCHCOC <sub>6</sub> H <sub>5</sub> )Rh(CO) <sub>2</sub> (Dicarbonyl(1,3-diphenyl-1,3-propanedionato)rhodium)	24151-56-2	**	$8.4 \pm 0.1$	EI	3497
$\text{C}_{15}\text{H}_{21}\text{O}_6\text{Rh}^+$	(CH <sub>3</sub> COCHCOCH <sub>3</sub> ) <sub>3</sub> Rh (Tris(2,4-pentanedionato)rhodium)	14284-92-5	**	$7.34 \pm 0.01$	EI	3496
			**	$7.75 \pm 0.05$	EI	3497
$\text{C}_{15}\text{H}_{20}\text{NO}_8\text{Rh}^+$	((CH <sub>3</sub> CO) <sub>2</sub> CH) <sub>2</sub> Rh(NO <sub>2</sub> C(OCCH <sub>3</sub> ) <sub>2</sub> ) (OC-6-22-(3-Nitro-2,4-pentanedionato-O <sup>2</sup> ,O <sup>1</sup> )bis(2,4-pentanedionato-O,O')rhodium)	36530-11-7	**	$7.65 \pm 0.02$	EI	3496
$\text{C}_{15}\text{H}_{19}\text{N}_2\text{O}_{10}\text{Rh}^+$	((CH <sub>3</sub> CO) <sub>2</sub> CNO <sub>2</sub> ) <sub>2</sub> Rh(CH(OCCH <sub>3</sub> ) <sub>2</sub> ) (OC-6-21-Bis(3-nitro-2,4-pentanedionato-O <sup>2</sup> ,O <sup>1</sup> )(2,4-pentanedionato-O,O')rhodium)	36530-12-8	**	$7.97 \pm 0.03$	EI	3496
$\text{C}_{15}\text{H}_{18}\text{N}_3\text{O}_{12}\text{Rh}^+$	(CH <sub>3</sub> CO(NO <sub>2</sub> )COCH <sub>3</sub> ) <sub>3</sub> Rh (OC-6-11-Tris(3-nitro-2,4-pentanedionato-O <sup>2</sup> ,O <sup>1</sup> )rhodium)	36530-13-9	**	$8.39 \pm 0.04$	EI	3496
$\text{C}_{21}\text{H}_{36}\text{N}_1\text{O}_1\text{Rh}_2^+$	(C <sub>5</sub> H <sub>7</sub> N(CH <sub>3</sub> )OH) <sub>3</sub> Rh <sub>2</sub> (Rhenium,tetrakis(6-methyl-2-pyridinol)-)	XXXXX-XX-X	**	$6.49 \pm 0.02$	PE	5579
$\text{C}_7\text{H}_1\text{O}_1\text{F}_3\text{Rh}^+$	(CH <sub>3</sub> COCHCOCF <sub>3</sub> )Rh(CO) <sub>2</sub> (Dicarbonyl(1,1,1-trifluoro-2,4-pentanedionato)rhodium)	18517-13-0	**	$8.85 \pm 0.05$	EI	3497
$\text{C}_7\text{HO}_1\text{F}_6\text{Rh}^+$	(CF <sub>3</sub> COCHCOCF <sub>3</sub> )Rh(CO) <sub>2</sub> (Dicarbonyl(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)rhodium)	18517-12-9	**	$9.2 \pm 0.1$	EI	3497
$\text{P}_2\text{Rh}^+$	$\text{RhP}_2$	11092-25-4	**	$7.7 \pm 1.0$	EI	4532
$\text{HF}_{12}\text{P}_1\text{Rh}^+$	$\text{H}(\text{PF}_6)_3\text{Rh}$	16842-03-8	**	9.70 (V)	PE	4456

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{HF}_{12}\text{P}_1\text{Rh}^+$	$(\text{PF}_3)_1\text{RhH}$	16949-48-7	**	9.7	PE	4021
$\text{C}_{12}\text{H}_{30}\text{O}_6\text{P}_3\text{S}_6\text{Rh}^+$	$((\text{C}_2\text{H}_5)_2\text{S}_2\text{PO}_2)_3\text{Rh}$	33991-54-7	**	7.70 (V)	PE	5203
$\text{C}_1\text{O}_1\text{Cl}_2\text{Rh}_2^+$	$((\text{CO})_1\text{RhCl})_2$	14404-25-2	**	$8.89 \pm 0.03$ (V)	PE	5255
	$(\text{CO})_1\text{Rh}_2\text{Cl}_2$	14523-22-9		9.01 (V)	PE	5327
$\text{F}_{12}\text{P}_1\text{Cl}_2\text{Rh}_2^+$	$(\text{PF}_3)_1\text{Rh}_2\text{Cl}_2$	14876-98-3		9.0 (V)	PE	5327
$\text{ScRh}^+$	RhSc	12166-12-0	**	$8.0 \pm 1.0$	EI	5349
$\text{TiRh}^+$	RhTi	12600-90-7	**	$8.2 \pm 1.0$	EI	4206
$\text{Ti}_2\text{Rh}^+$	$\text{RhTi}_2$	12067-05-9	**	$7.9 \pm 1.0$	EI	4206
$\text{YRh}^+$	RhY	XXXXX-XX-X	**	$7.2 \pm 1.0$	EI	5349
$\text{Pd}^+$	Pd	7440-05-3	**	$8.0 \pm 0.4$	EI	3597
			**	$8.35 \pm 0.05$	EI	5342
$\text{C}_6\text{H}_{16}\text{Pd}^+$	$(\text{C}_3\text{H}_5)_2\text{Pd}$	12240-87-8	**	7.56 (V)	PE	5281
			**	$7.24 \pm 0.03$	PE	3711
$\text{C}_8\text{H}_{11}\text{Pd}^+$	$(\text{CH}_2\text{C}(\text{CH}_3)\text{CH}_2)_2\text{Pd}$	41348-25-8	**	7.33 (V)	PE	5281
$\text{C}_{36}\text{H}_{11}\text{N}_1\text{Pd}^+$	$((\text{C}_2\text{H}_5)_2\text{C}_1\text{NCH})_1\text{Pd}$ (Palladium, [2,3,7,8,12,13,17,18-octaethyl-21H,23H-porphinato(2-)- $\text{N}^{21}, \text{N}^{22}, \text{N}^{23}, \text{N}^{24}$ ](SP-4-1)-)	24804-00-0	**	$6.37 \pm 0.03$ (V)	PE	5476
$\text{C}_{10}\text{H}_{16}\text{O}_1\text{Pd}^+$	$((\text{CH}_3\text{CO})_2\text{CH}_2)_2\text{Pd}$	XXXXX-XX-X	**	7.79 (V)	PE	5568
$\text{C}_{22}\text{H}_{10}\text{O}_1\text{Pd}^+$	$((\text{CH}_3)_1\text{CCO})_2\text{CH}_2)_2\text{Pd}$	XXXXX-XX-X	**	7.67 (V)	PE	5568
$\text{C}_{12}\text{H}_{18}\text{N}_2\text{O}_2\text{Pd}^+$	$\text{C}_{12}\text{H}_{18}\text{O}_2\text{N}_2\text{Pd}$	38337-62-1	**	6.88 (V)	PE	3822
	(Palladium, [[4,4'-(1,2-ethanediyldinitrilo)bis[2-pentanonato]](2-)-N,N',O,O']-(SP-4-2)-)					
$\text{F}_{12}\text{P}_1\text{Pd}^+$	$\text{Pd}(\text{PF}_3)_1$	13815-33-3	**	$9.9 \pm 0.1$ (V)	PE	4187
$\text{C}_{12}\text{H}_{18}\text{N}_2\text{S}_2\text{Pd}^+$	$(\text{CH}_3\text{C}(=\text{S})\text{CH}_2\text{C}(\text{CH}_3)\text{NCH})_2\text{Pd}$	41391-03-1	**	6.70 (V)	PE	5446
$\text{C}_8\text{H}_{20}\text{O}_1\text{P}_2\text{S}_1\text{Pd}^+$	$\text{Pd}(\text{S}_2\text{P}(\text{OC}_2\text{H}_5)_2)_2$	21312-72-1	**	$7.90 \pm 0.05$	PE	4636
$\text{Ag}^+$ ( $^2\text{p}^0$ )	Ag	7440-22-4	**	7.576	S	5494

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Ag}^+$ ( $^1\text{S}_0$ ) ( $^3\text{D}_3$ ) ( $^3\text{D}_2$ ) ( $^3\text{D}_1$ ) ( $^1\text{D}_2$ )	Ag	7440-22-4	**	7.57	PE	4858
			**	12.43	PE	4858
			**	12.62	PE	4858
			**	12.80	PE	4858
			**	13.28	PE	4858
			**	7.5±0.3	EI	4865
			**	7.51±0.07	EI	3574
			**	7.6	EI	3472
			**	7.62±0.07	EI	5342
			**	7.8±0.2	EI	3609
	AgCl	7783-90-6		11.1±0.3	EI	3622
	Ag <sub>3</sub> Cl <sub>3</sub>	12444-97-2		14.5	EI	3622
AgBr	7785-23-1	Br	11.3±0.1	EI	4313	
$\text{Ag}_2^+$	Ag <sub>2</sub>	12187-06-3	**	6.4±0.7	EI	3440
			**	7.35±0.05	EI	3574
			**	7.4±0.8	EI	3597
			**	8.0±1.0	EI	3609
	Ag <sub>3</sub> Cl <sub>3</sub>	12444-97-2		18.0±0.5	EI	3622
	$\text{Ag}_3^+$	Ag <sub>3</sub> Cl <sub>3</sub>	12444-97-2		18.4±0.5	EI
$\text{FAg}^+$	AgF	7775-41-9	**	11.0±0.3	EI	4865
$\text{NaAg}^+$	NaAg	38782-42-2	**	7.0±1.5	EI	4919
$\text{AlAg}^+$	AgAl	12379-67-8	**	7.8±0.5	EI	3796
$\text{O}_2\text{PAg}^+$	AgPO <sub>2</sub>	XXXXXX-XX-X	**	9.3	EI	4098
$\text{ClAg}^+$ ( $^2\Pi_{3/2}$ ) ( $^2\Pi_{1/2}$ ) ( $^2\Sigma_{1/2}$ ) ( $^2\Sigma^+$ ) ( $\text{E}_{5/2}$ ) ( $\text{E}_{3/2}$ ) ( $\text{E}_{1/2}$ ) ( $\text{E}_{3/2}$ ) ( $\text{E}_{1/2}$ ) ( $\text{E}_{3/2}$ ) ( $\text{E}_{1/2}$ )	AgCl	7783-90-6	**	10.08 (V)	PE	5297
			**	10.14 (V)	PE	5297
			**	10.62 (V)	PE	5297
			**	11.03±0.1 (V)	PE	4778
			**	13.50 (V)	PE	5297
			**	13.68 (V)	PE	5297
			**	13.80 (V)	PE	5297
			**	14.15 (V)	PE	5297
			**	14.26 (V)	PE	5297
			**	10.8±0.4	EI	3622
			**	11.3±0.5	EI	3605
			**	14.2	EI	3622
	Ag <sub>3</sub> Cl <sub>3</sub>	12444-97-2				
	$\text{ClAg}_2^+$	Ag <sub>3</sub> Cl <sub>3</sub>	12444-97-2		12.9	EI
$\text{Cl}_2\text{Ag}_2^+$	Ag <sub>2</sub> Cl <sub>2</sub>	XXXXXX-XX-X	**	10.3±0.5	EI	3605
$\text{ClAg}_3^+$	Ag <sub>3</sub> Cl <sub>3</sub>	12444-97-2		14.9±0.5	EI	3605
$\text{Cl}_2\text{Ag}_3^+$	Ag <sub>3</sub> Cl <sub>3</sub>	12444-97-2		11.1±0.3	EI	3622

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Cl}_2\text{Ag}_3^+$	$\text{Ag}_3\text{Cl}_3$	12444-97-2		$11.1 \pm 0.5$	EI	3605
$\text{Cl}_3\text{Ag}_3^+$	$\text{Ag}_3\text{Cl}_3$	12444-97-2	**	$11.44 \pm 0.04$ (V)	PE	5297
			**	$10.0 \pm 0.5$	EI	3605
			**	$10.4 \pm 0.3$	EI	3622
			**	$10.4 \pm 0.3$	EI	5330
	$(\text{AgCl})_3$	67244-69-3	**	$10.14 \pm 0.02$ (V)	PE	4839
$\text{Cl}_3\text{Ag}_1^+$	$\text{Ag}_1\text{Cl}_3$	XXXXXX-XX-X		$10.9 \pm 0.5$	EI	3605
$\text{Cl}_1\text{Ag}_1^+$	$\text{Ag}_1\text{Cl}_1$	XXXXXX-XX-X	**	$9.6 \pm 1.0$	EI	3605
$\text{Cl}_2\text{Cu}_2\text{Ag}^+$	$\text{AgCu}_2\text{Cl}_3$	XXXXXX-XX-X	Cl	$12.0 \pm 0.4$	EI	5330
$\text{Cl}_3\text{Cu}_2\text{Ag}^+$	$\text{AgCu}_2\text{Cl}_3$	XXXXXX-XX-X	**	$10.3 \pm 0.3$	EI	5330
$\text{Cl}_2\text{CuAg}_2^+$	$\text{Ag}_2\text{CuCl}_3$	XXXXXX-XX-X	Cl	$11.4 \pm 0.3$	EI	5330
$\text{Cl}_3\text{CuAg}_2^+$	$\text{Ag}_2\text{CuCl}_3$	XXXXXX-XX-X	**	$10.1 \pm 0.3$	EI	5330
$\text{BrAg}^+$ ( $^2\Pi_{3/2}$ ) ( $^2\Pi_{1/2}$ ) ( $^2\Sigma_{1/2}$ ) ( $^2\Sigma^+$ ) ( $E_{5/2}$ ) ( $E_{3/2}$ ) ( $E_{1/2}$ ) ( $E_{5/2}$ ) ( $E_{3/2}$ ) ( $E_{1/2}$ )	AgBr	7785-23-1	**	9.59 (V)	PE	5297
			**	9.85 (V)	PE	5297
			**	10.47 (V)	PE	5297
			**	$11.15 \pm 0.1$ (V)	PE	4778
			**	13.27 (V)	PE	5297
			**	13.39 (V)	PE	5297
			**	13.485 (V)	PE	5297
			**	13.98 (V)	PE	5297
			**	14.15 (V)	PE	5297
			**	$9.1 \pm 0.1$	EI	4313
			**	$9.5 \pm 0.3$	EI	3467
$\text{BrAg}_2^+$	$\text{Ag}_3\text{Br}_3$	11078-33-4		$11.9 \pm 0.6$	EI	4313
$\text{Br}_2\text{Ag}_3^+$	$\text{Ag}_3\text{Br}_2$	11078-32-3	**	$10.0 \pm 0.2$	EI	3467
	$\text{Ag}_3\text{Br}_3$	11078-33-4	Br	$9.8 \pm 0.2$	EI	4313
$\text{Br}_3\text{Ag}_3^+$	$\text{Ag}_3\text{Br}_3$	11078-33-4	**	9.60 (V)	PE	4981
			**	$11.46 \pm 0.04$ (V)	PE	5297
			**	$9.6 \pm 0.3$	EI	5330
			**	$9.6 \pm 0.3$	EI	4313
			**	$9.8 \pm 0.2$	EI	3467
$\text{Cl}_2\text{BrAg}_3^+$	$\text{Ag}_3\text{Cl}_2\text{Br}$	XXXXXX-XX-X	**	$10.35 \pm 0.2$	EI	5330
$\text{ClBr}_2\text{Ag}_3^+$	$\text{AgClBr}_2$	XXXXXX-XX-X	**	$9.8 \pm 0.3$	EI	5330

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Cd<sup>+</sup></b>						
(2S <sub>1/2</sub> ) (2P <sub>1/2</sub> ) (2P <sub>3/2</sub> ) (2D <sub>3/2</sub> ) (2D <sub>5/2</sub> ) (2D <sub>5/2</sub> )	Cd	7440-43-9	**	8.993	S	5450
			**	8.99	PEN	3537
			**	14.5	PEN	3537
			**	14.9	PEN	3537
			**	17.6	PEN	3537
			**	18.4	PEN	3537
			**	20.2	PEN	3537
			**	9.07±0.07	EI	3745
<b>C<sub>2</sub>H<sub>6</sub>Cd<sup>+</sup></b>						
(CH <sub>3</sub> ) <sub>2</sub> Cd	506-82-1	**	8.8 (V)	PE	5300	
		**	17.349 (V)	PE	4822	
<b>C<sub>1</sub>H<sub>10</sub>Cd<sup>+</sup></b>						
(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> Cd	592-02-9	**	8.2 (V)	PE	5300	
<b>C<sub>6</sub>H<sub>11</sub>Cd<sup>+</sup></b>						
(n-C <sub>3</sub> H <sub>7</sub> ) <sub>2</sub> Cd	5905-48-6	**	8.2 (V)	PE	5300	
<b>F<sub>2</sub>Cd<sup>+</sup></b>						
CdF <sub>2</sub>	7790-79-6	**	13.18±0.04	PE	5433	
<b>C<sub>8</sub>H<sub>22</sub>Si<sub>2</sub>Cd<sup>+</sup></b>						
((CH <sub>3</sub> ) <sub>3</sub> SiCH <sub>2</sub> ) <sub>2</sub> Cd	XXXXXX-XX-X	**	8.8 (V)	PE	5300	
<b>Cl<sub>2</sub>Cd<sup>+</sup></b>						
(2Π <sub>g</sub> ) (2Π <sub>3/2g</sub> ) (2Π <sub>1/2g</sub> ) (2Π <sub>u</sub> ) (2Π <sub>u</sub> ) (2Π <sub>1/2u</sub> ) (2Π <sub>3/2u</sub> ) (2Π <sub>u</sub> ) (2Σ <sub>u</sub> ) (2Σ <sub>u</sub> ) (2Σ <sub>u</sub> ) (2Σ <sub>g</sub> ) (2Σ <sub>g</sub> ) (2Σ <sub>g</sub> ) (2Σ <sub>g</sub> ) (2D <sub>5/2</sub> ) (2D <sub>3/2</sub> )	CdCl <sub>2</sub>	10108-64-2	**	11.3 (V)	PE	3963
			**	11.42 (V)	PE	4232
			**	11.42 (V)	PE	4232
			**	11.44±0.05 (V)	PE	3833
			**	11.8 (V)	PE	3963
			**	11.92 (V)	PE	4232
			**	11.92 (V)	PE	4232
			**	11.93±0.05 (V)	PE	3833
			**	12.4 (V)	PE	3963
			**	12.46 (V)	PE	4232
			**	12.53±0.05 (V)	PE	3833
			**	13.1 (V)	PE	3963
			**	13.12±0.05 (V)	PE	3833
			**	13.29 (V)	PE	4232
			**	19.55 (V)	PE	4232
			**	20.27 (V)	PE	4232
			<b>Br<sub>2</sub>Cd<sup>+</sup></b>			
(2Π <sub>3/2g</sub> ) (2Π <sub>3/2g</sub> ) (2Π <sub>3/2g</sub> ) (2Π <sub>3/2u</sub> ) (2Π <sub>1/2g</sub> ) (2Π <sub>1/2u</sub> ) (2Π <sub>1/2g</sub> ) (2Π <sub>1/2g</sub> ) (2Π <sub>u</sub> ) (2Π <sub>1/2u</sub> ) (2Σ <sub>u</sub> ) (2Σ <sub>u</sub> ) (2Σ <sub>g</sub> ) (2Σ <sub>g</sub> ) (2Σ <sub>g</sub> ) (2Σ <sub>g</sub> ) (2D <sub>5/2</sub> )	CdBr <sub>2</sub>	7789-42-6	**	10.3 (V)	PE	3963
			**	10.58±0.05 (V)	PE	3833
			**	10.59 (V)	PE	4232
			**	10.6 (V)	PE	3963
			**	10.7 (V)	PE	3963
			**	10.8 (V)	PE	3963
			**	10.94±0.05 (V)	PE	3833
			**	10.965 (V)	PE	4232
			**	11.15±0.05 (V)	PE	3833
			**	11.31 (V)	PE	4232
			**	11.7 (V)	PE	3963
			**	11.85±0.05 (V)	PE	3833
			**	11.85 (V)	PE	4232
			**	12.4 (V)	PE	3963
			**	12.78±0.05 (V)	PE	3833
			**	12.84 (V)	PE	4232
			**	19.31 (V)	PE	4232

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Br<sub>2</sub>Cd<sup>+</sup></b> ( <sup>2</sup> D <sub>3/2</sub> ) CdBr <sub>2</sub>		7789-42-6	**	19.95 (V)	PE	4232
<b>In<sup>+</sup></b>						
(S <sub>0</sub> )	In	7440-74-6	**	5.78±0.03	PE	5052
(P <sub>0</sub> )			**	11.01±0.06	PE	5052
(P <sub>1</sub> )			**	11.15±0.04	PE	5052
(P <sub>1</sub> )			**	13.56±0.05	PE	5052
(P <sub>2</sub> )			**	24.27±0.03	PE	5052
(F <sub>2</sub> )			**	24.88±0.04	PE	5052
(P <sub>0</sub> )			**	24.96±0.04	PE	5052
(D <sub>3</sub> )			**	25.06±0.03	PE	5052
(P <sub>1</sub> )			**	25.32	PE	5052
(D <sub>1</sub> )			**	25.91±0.04	PE	5052
			**	5.85±0.07	EI	3745
	InBO <sub>2</sub>	XXXXX-XX-X	BO <sub>2</sub>	10.65±0.11	EI	5587
<b>C<sub>5</sub>H<sub>5</sub>In<sup>+</sup></b>						
	C <sub>5</sub> H <sub>5</sub> In	34822-89-4	**	8.28 (V)	PE	4777
	(Indium, (η <sup>5</sup> -2,4-cyclopentadien-1-yl)-)		**	8.3±0.1 (V)	PE	4853
<b>OIn<sub>2</sub><sup>+</sup></b>						
	In <sub>2</sub> O	12030-22-7	**	8.3±0.3	EI	3491
<b>BO<sub>2</sub>In<sup>+</sup></b>						
	InBO <sub>2</sub>	XXXXX-XX-X	**	9.65±0.08	EI	5587
<b>C<sub>12</sub>H<sub>30</sub>O<sub>6</sub>P<sub>3</sub>S<sub>6</sub>In<sup>+</sup></b>						
	((C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> S <sub>2</sub> PO <sub>2</sub> ) <sub>3</sub> In	21602-84-6	**	8.3 (V)	PE	5203
<b>ClIn<sup>+</sup></b>						
(Σ)	InCl	13465-10-6	**	9.51	PE	3640
(Σ <sub>1/2</sub> )			**	9.71 (V)	PE	4713
(Π)			**	10.17	PE	3640
(Π <sub>3/2</sub> +Π <sub>1/2</sub> )			**	10.85 (V)	PE	4713
(Σ)			**	12.82	PE	3640
(Σ <sub>1/2</sub> )			**	13.11 (V)	PE	4713
(D <sub>5/2</sub> )			**	25.30 (V)	PE	5035
(D <sub>5/2</sub> )			**	25.31 (V)	PE	4713
(D <sub>5/2</sub> )			**	25.46 (V)	PE	4713
(D <sub>3/2</sub> )			**	26.20 (V)	PE	5035
(D <sub>3/2</sub> )			**	26.24 (V)	PE	4713
(D <sub>3/2</sub> )			**	26.46 (V)	PE	4713
<b>Cl<sub>3</sub>In<sup>+</sup></b>						
	InCl <sub>3</sub>	10025-82-8	**	~11.4 (V)	PE	4398
			**	11.45	PE	4215
<b>BrIn<sup>+</sup></b>						
(Π)	InBr	14280-53-6	**	6.62	PE	3640
(Σ)			**	9.09	PE	3640
(Σ <sub>1/2</sub> )			**	9.35 (V)	PE	4713
(Π <sub>3/2</sub> )			**	9.90 (V)	PE	4713
(Π <sub>1/2</sub> )			**	10.13 (V)	PE	4713
(Σ)			**	12.38	PE	3640
(Σ <sub>1/2</sub> )			**	12.78 (V)	PE	4713
(D <sub>5/2</sub> )			**	25.19 (V)	PE	4713
(D <sub>5/2</sub> )			**	25.26 (V)	PE	5035
(D <sub>5/2</sub> )			**	25.30 (V)	PE	4713
(D <sub>3/2</sub> )			**	26.07 (V)	PE	4713
(D <sub>3/2</sub> )			**	26.14 (V)	PE	5035



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>BrIn<sup>+</sup></b> ( <sup>2</sup> D <sub>3/2</sub> ) ( <sup>2</sup> Σ <sub>1/2</sub> )	InBr	14280-53-6	**	26.18 (V)	PE	4713
			**	26.40 (V)	PE	4713
<b>Br<sub>3</sub>In<sup>+</sup></b>	InBr <sub>3</sub>	13465-09-3	**	10.3 (V)?	PE	4398
			**	10.32	PE	4215
<b>Sn<sup>+</sup></b> ( <sup>2</sup> P <sub>1/2</sub> ) ( <sup>2</sup> P <sub>3/2</sub> )	Sn	7440-31-5	**	7.344	S	5496
			**	7.871	S	5496
			**	7.28±0.07	EI	3745
<b>H<sub>1</sub>Sn<sup>+</sup></b>	SnH <sub>4</sub>	2406-52-2	**	10.75	PE	3716
<b>C<sub>3</sub>H<sub>9</sub>Sn<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> Sn	594-27-4	CH <sub>3</sub>	9.58±0.19	EI	3548
	<i>tert</i> -C <sub>4</sub> H <sub>9</sub> (CH <sub>3</sub> ) <sub>2</sub> Sn	3531-47-3	(CH <sub>3</sub> ) <sub>3</sub> C	9.32±0.16	EI	3548
	((CH <sub>3</sub> ) <sub>2</sub> Sn) <sub>2</sub>	661-69-8	(CH <sub>3</sub> ) <sub>3</sub> Sn	9.51±0.22	EI	3548
	((CH <sub>3</sub> ) <sub>2</sub> Si)(CH <sub>3</sub> ) <sub>2</sub> Sn	16393-88-7	(CH <sub>3</sub> ) <sub>3</sub> Si	9.80±0.24	EI	3548
	C <sub>6</sub> H <sub>7</sub> SSn(CH <sub>3</sub> ) <sub>3</sub>	1007-27-8		9.42±0.1	EI	4198
	(Stannane, trimethyl(phenylthio)-)					
	C <sub>7</sub> H <sub>5</sub> (CO) <sub>3</sub> CrSn(CH <sub>3</sub> ) <sub>3</sub> (Tricarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(trimethylstannyl)chromium)	31854-87-2		9.09±0.1	EI	3495
	((CH <sub>3</sub> ) <sub>2</sub> Sn)(CO) <sub>3</sub> Mn	14126-94-4		8.85±0.13	EI	5321
	((CH <sub>3</sub> ) <sub>2</sub> Sn)(CO) <sub>3</sub> Co	13964-90-4		9.06±0.15	EI	5321
	((CH <sub>3</sub> ) <sub>2</sub> Ge)(CH <sub>3</sub> ) <sub>2</sub> Sn	16393-89-8	(CH <sub>3</sub> ) <sub>3</sub> Ge	9.85±0.22	EI	3548
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoH	51159-64-9		9.19±0.15	EI	5321
	(Molybdenum, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)hydro(trimethylstannyl)-)					
	C <sub>7</sub> H <sub>5</sub> (CO) <sub>3</sub> MoSn(CH <sub>3</sub> ) <sub>3</sub>	12214-92-5		9.85±0.1	EI	3495
	(Tricarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(trimethylstannyl)molybdenum)					
	C <sub>17</sub> H <sub>26</sub> O <sub>2</sub> SnMo	51231-85-7		9.44±0.13	EI	5321
	(Molybdenum, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)[3-methoxy-1-(methoxycarbonyl)-3-oxo-1-propenyl](trimethylstannyl)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoCl	51231-83-5		9.30±0.14	EI	5321
	(Molybdenum, chlorobis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(trimethylstannyl)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoBr	51231-84-6		9.36±0.12	EI	5321
	(Molybdenum, bromobis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(trimethylstannyl)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoI	51249-26-4		9.42±0.15	EI	5321
	(Molybdenum, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)iodo(trimethylstannyl)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )TaH <sub>2</sub>	51192-04-2		9.46±0.11	EI	5321
	(Tantalum, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)dihydro(trimethylstannyl)-)					
	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )WH	51192-18-8		9.73±0.12	EI	5321
	(Tungsten, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)hydro(trimethylstannyl)-)					
	C <sub>7</sub> H <sub>5</sub> (CO) <sub>3</sub> WSn(CH <sub>3</sub> ) <sub>3</sub>	12093-29-7		10.05±0.15	EI	3495
	(Tricarbonyl(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(trimethylstannyl)tungsten)					
	((CH <sub>3</sub> ) <sub>2</sub> Sn)(CO) <sub>3</sub> Re	15219-90-6		9.59±0.13	EI	5321
<b>C<sub>3</sub>H<sub>10</sub>Sn<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SnH	1631-73-8	**	9.9 (V)	PE	4985
<b>C<sub>4</sub>H<sub>7</sub>Sn<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> SnC≡CH	1112-00-1	CH <sub>3</sub>	9.84±0.08	EI	4126
<b>C<sub>4</sub>H<sub>12</sub>Sn<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> Sn	594-27-4	**	8.85±0.1	PE	3677
			**	8.93±0.04	PE	3880
			**	9.7 (V)	PE	5571
			**	9.75 (V)	PE	4457
			**	9.75 (V)	PE	4241
			**	8.76±0.12	EI	3548

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{12}Sn^+$	$CH_2=CHSn(CH_3)_3$	754-06-3	**	9.7 (V)	PE	4457
$C_5H_{11}Sn^+$	$C_2H_7Sn(CH_3)_3$	3531-44-0	** **	9.1 (V) 9.1 (V)	PE PE	4457 5571
$C_6H_{11}Sn^+$	$CH_2=CHCH_2Sn(CH_3)_3$	762-73-2	** **	8.50 (V) 8.70 (V)	PE PE	4172 4241
$C_6H_{16}Sn^+$	$(C_2H_5)_3SnH$ $(CH_3)_3(n-C_3H_7)Sn$	997-50-2 3531-45-1	** ** **	9.1 (V) 9.1 (V) 8.9 (V)	PE PE PE	4985 5571 4457
	$(CH_3)_2(C_2H_5)_2Sn$ $iso-C_3H_7Sn(CH_3)_3$	4282-05-7 3531-46-2	** ** **	9.01 (V) 8.77 (V) 8.9 (V)	PE PE PE	5571 4457 5571
$C_7H_{16}Sn^+$	$(CH_3)_3SnCH_2CH_2CH=CH_2$ $C_3H_7CH_2Sn(CH_3)_3$	17314-38-4 51675-53-7	** **	9.71 (V) 8.85 (V)	PE PE	4241 4241
	(Stannane, (cyclopropylmethyl)trimethyl-)					
$C_7H_{18}Sn^+$	$(CH_3)_3(C_4H_9)Sn$	1527-99-7	** **	9.0 (V) 9.52 (V)	PE PE	5571 4241
	$(C_2H_5)_3(CH_3)Sn$ $(CH_3)_3(iso-C_4H_9)Sn$	2097-60-1 1118-10-1	** ** **	8.95 (V) 9.05 (V) 9.33 (V)	PE PE PE	5571 5571 4241
	$(CH_3)_3(tert-C_4H_9)Sn$	3531-47-3	** ** **	8.50 (V) 8.65 (V) 8.34±0.11	PE PE EI	5571 4457 3548
$C_8H_{18}Sn^+$	$(CH_3)_3Sn(CH_2)_3CH=CH_2$ $C_5H_9Sn(CH_3)_3$	34232-11-6 15095-84-8	** **	9.72 (V) 8.72 (V)	PE PE	4241 4457
	(Stannane, cyclopentyltrimethyl-)					
$C_8H_{20}Sn^+$	$(C_2H_5)_3Sn$	597-64-8	** ** **	8.87 (V) 8.93 (V) 9.0 (V)	PE PE PE	4457 5571 4985
	$(CH_3)_2(C_3H_7)_2Sn$ $(CH_3)_2(iso-C_3H_7)_2Sn$	56535-52-5 XXXXX-XX-X	** **	8.8 (V) 8.56 (V)	PE PE	5571 5571
$C_9H_{11}Sn^+$	$C_6H_5(CH_3)_3Sn$ (Stannane, trimethylphenyl-)	934-56-5	** ** **	8.83±0.05 8.94 (V) ~8.75	PE PE CTS	4589 4280 3922
$C_9H_{20}Sn^+$	$C_6H_{11}Sn(CH_3)_3$ (Stannane, cyclohexyltrimethyl-)	3531-48-4	**	8.57 (V)	PE	4457
$C_9H_{22}Sn^+$	$(iso-C_3H_7)_3SnH$	759-23-9	**	8.6 (V)	PE	4985
$C_{10}H_{10}Sn^+$	$(C_3H_5)_2Sn$ (Stannocene)	1294-75-3	**	7.75±0.05 (V)	PE	4853

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>10</sub>H<sub>16</sub>Sn<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> Sn (Stannane, trimethyl(phenylmethyl)-)	4314-94-7	**	8.08±0.05	PE	4589
	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> Sn (Stannane, trimethyl(phenylmethyl)-)	4314-94-7	**	8.1 (V)	PE	4172
			**	8.21 (V)	PE	4280
			**	7.91	CTS	3922
<b>C<sub>10</sub>H<sub>18</sub>Sn<sup>+</sup></b>	C <sub>7</sub> H <sub>9</sub> Sn(CH <sub>3</sub> ) <sub>3</sub> (Stannane, bicyclo[2.2.1]hept-2-en-2-yltrimethyl-)	38573-92-1	**	8.45 (V)	PE	4457
<b>C<sub>10</sub>H<sub>21</sub>Sn<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> (C <sub>1</sub> H <sub>9</sub> ) <sub>2</sub> Sn	1528-00-3	**	8.8 (V)	PE	5571
	(CH <sub>3</sub> ) <sub>2</sub> ( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> Sn	35569-11-0	**	8.22 (V)	PE	5571
<b>C<sub>12</sub>H<sub>16</sub>Sn<sup>+</sup></b>	(C <sub>9</sub> H <sub>7</sub> )(CH <sub>3</sub> ) <sub>3</sub> Sn (Stannane, 1 <i>H</i> -inden-1-yltrimethyl-)	23022-40-4	**	7.29±0.01	EI	3805
<b>C<sub>12</sub>H<sub>18</sub>Sn<sup>+</sup></b>	(C <sub>9</sub> H <sub>9</sub> )(CH <sub>3</sub> ) <sub>3</sub> Sn (Stannane, (2,3-dihydro-1 <i>H</i> -inden-1-yl)trimethyl-)	41273-55-6	**	7.29±0.01	EI	3805
<b>C<sub>12</sub>H<sub>28</sub>Sn<sup>+</sup></b>	(C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> Sn	2176-98-9	**	8.82 (V)	PE	5571
	(n-C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> SnH	688-73-3	**	8.8 (V)	PE	4985
	(iso-C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> Sn	2949-42-0	**	8.46 (V)	PE	5571
<b>C<sub>13</sub>H<sub>16</sub>Sn<sup>+</sup></b>	C <sub>10</sub> H <sub>7</sub> Sn(CH <sub>3</sub> ) <sub>3</sub> (Stannane, trimethyl-1-naphthalenyl-)	944-85-4	**	7.99	CTS	3922
<b>C<sub>13</sub>H<sub>22</sub>Sn<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Sn(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> (Stannane, triethyl(phenylmethyl)-)	18629-74-8	**	7.9 (V)	PE	4172
<b>C<sub>11</sub>H<sub>13</sub>Sn<sup>+</sup></b>	C <sub>13</sub> H <sub>10</sub> Sn(CH <sub>3</sub> ) <sub>2</sub> (Dibenzo[ <i>b,e</i> ]stannin, 5,10-dihydro-5,5-dimethyl-)	23708-66-9	CH <sub>3</sub>	9.0	EI	4228
<b>C<sub>11</sub>H<sub>18</sub>Sn<sup>+</sup></b>	C <sub>10</sub> H <sub>7</sub> CH <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> Sn (Stannane, trimethyl(1-naphthalenylmethyl)-)	51220-36-1	**	~7.6	CTS	3922
<b>C<sub>11</sub>H<sub>30</sub>Sn<sup>+</sup></b>	(CH <sub>2</sub> =CH)(n-C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn	7486-35-3	**	8.6 (V)	PE	3850
<b>C<sub>15</sub>H<sub>16</sub>Sn<sup>+</sup></b>	C <sub>13</sub> H <sub>10</sub> Sn(CH <sub>3</sub> ) <sub>2</sub> (Dibenzo[ <i>b,e</i> ]stannin, 5,10-dihydro-5,5-dimethyl-)	23708-66-9	**	≤8.6	EI	4228
<b>C<sub>15</sub>H<sub>32</sub>Sn<sup>+</sup></b>	(CH <sub>2</sub> =CHCH <sub>2</sub> )(n-C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn	24850-33-7	**	8.4 (V)	PE	3850
<b>C<sub>16</sub>H<sub>36</sub>Sn<sup>+</sup></b>	(C <sub>1</sub> H <sub>9</sub> ) <sub>3</sub> Sn	1461-25-2	**	8.76 (V)	PE	5571
			**	8.7 (V)	PE	3850
	(sec-C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn	6031-41-0	**	8.45 (V)	PE	5571
	(iso-C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> Sn	3531-43-9	**	8.68 (V)	PE	5571

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{15}Sn^+$	$((C_6H_5)_3Sn)(CO)_5Mn$ (Manganese, pentacarbonyl(triphenylstannyl)-(OC-6-22)-)	14405-84-6		$8.38 \pm 0.15$	EI	5321
	$(C_6H_5)_3SnFe(CO)_2C_5H_5$ (Iron, dicarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)(triphenylstannyl)-)	12132-09-1		$9.00 \pm 0.24$	EI	4204
	$((C_6H_5)_3Sn)(CO)_5Re$ (Rhenium, pentacarbonyl(triphenylstannyl)-(OC-6-22)-)	15614-21-8		$9.16 \pm 0.21$	EI	4204
	$((C_6H_5)_3Sn)(CO)_5Re$ (Rhenium, pentacarbonyl(triphenylstannyl)-(OC-6-22)-)	15614-21-8		$9.16 \pm 0.11$	EI	5321
$C_{18}H_{16}Sn^+$	$(C_6H_5)_3SnH$ (Stannane, triphenyl-)	892-20-6	**	$9.11 \pm 0.05$ (V)	PE	4620
	$C_6H_5CH_2Sn(C_6H_5)_3$ (Stannane, tributyl(phenylmethyl)-)	28493-54-1	**	7.9 (V)	PE	4172
$C_{20}H_{11}Sn^+$	$((CH_3)_3CCH_2)_3Sn$	13356-21-3	**	$8.58 \pm 0.1$ (V)	PE	4242
			**	8.67 (V)	PE	5571
$C_{21}H_{20}Sn^+$	$(C_6H_5)_3Sn$ (Stannane, tetraphenyl-)	595-90-4	**	$8.34 \pm 0.03$	PI	4055
$C_6H_{18}Sn_2^+$	$((CH_3)_3Sn)_2$	661-69-8	**	$8.02 \pm 0.15$	EI	3548
$C_8H_{22}Sn_2^+$	$((CH_3)_3Sn)_2CHCH_3$	XXXXX-XX-X	**	8.25 (V)	PE	4457
	$(CH_3)_3Sn(CH_2)_2Sn(CH_3)_3$	56580-70-2	**	8.06 (V)	PE	4457
$C_9H_{21}Sn_2^+$	$(CH_3)_3Sn(CH_2)_3Sn(CH_3)_3$	35434-81-2	**	$9.46$ (V)	PE	4457
$C_{13}H_{28}Sn_2^+$	$C_7H_{10}(Sn(CH_3)_3)_2$ (Stannane, bicyclo[2.2.1]heptane-2,3-diylbis(trimethyl-, (2-endo, 3-exo)-)	56580-71-3	**	8.0 (V)	PE	4457
$C_8H_{21}N_1Sn^+$	$(N(CH_3)_2)_3Sn$	1066-77-9	**	$7.67$ (V)	PE	4588
$B_2C_7H_{21}N_3Sn^+$	$N_3B_2(CH_3)_4(CH_3)_3Sn$ (1,2,4,3,5-Triazadiborolidine, 1,2,3,5-tetramethyl-4-(trimethylstannyl)-)	53246-13-2	**	$7.28$ (V)	PE	4526
	$N_3B_2(CH_3)_4(CH_3)_3Sn$ (1,2,4,3,5-Triazadiborolidine, 1,3,4,5-tetramethyl-2-(trimethylstannyl)-)	53246-19-8	**	$7.27$ (V)	PE	4526
$OSn^+$	SnO	21651-19-4	**	$9.5 \pm 1$	EI	3819
$C_{13}H_{11}OSn^+$	$C_{12}H_9OSn(CH_3)_2$ (10 <i>H</i> -Phenoxastannin, 10,10-dimethyl-)	1802-94-4	$CH_3$	9.4	EI	4228
			$CH_3$	9.40	EI	4228
			$CH_3$	$8.5 \pm 0.1$	EI	4664
	$C_{21}H_{11}O_2Sn_3(CH_3)_1$ (10 <i>H</i> ,20 <i>H</i> -Tetrabenzo[ <i>b,e,h,k</i> ][1,7,4,10]dioxadistannacyclododecin, 10,10,20,20-tetramethyl-)	51452-88-1		11.05	EI	4228
$C_{11}H_{11}OSn^+$	$C_{12}H_9OSn(CH_3)_2$ (10 <i>H</i> -Phenoxastannin, 10,10-dimethyl-)	1802-94-4	**	8.1	EI	4228

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{11}OSn^+$	$C_{12}H_8OSn(CH_3)_2$	1802-94-4	**	$8.0 \pm 0.1$	EI	4664
$C_{12}H_{20}O_1Sn^+$	$C_{12}H_{20}O_1Sn$ (Tin,dimethylbis(2,4-pentanedionato- $O,O'$ )-(OC-6-21)-)	40866-48-6	**	8.35 (V)	PE	5103
$C_8H_{13}NOSn^+$	$C_7H_4N(O)Sn(CH_3)_3$ (Pyridine, 4-(trimethylstannyl)-, 1-oxide)	28867-09-6	**	8.04 (V)	PE	4222
$F_2Sn^+$	$SnF_2$	7783-47-3	**	$8.0 \pm 0.1$	PE	5054
$C_6H_{18}SiSn^+$	$((CH_3)_3Si)(CH_3)_3Sn$	16393-88-7	**	$8.18 \pm 0.14$	EI	3548
$C_{11}H_{38}Si_1Sn^+$	$(CH(Si(CH_3)_3)_2)_2Sn$	41823-72-7	**	$7.42 \pm 0.05$ (V)	PE	4725
$C_{16}H_{11}Si_1Sn^+$	$((CH_3)_3SiCH_2)_2Sn$	18547-12-1	**	$8.71 \pm 0.1$ (V)	PE	3830
$C_{11}H_{36}N_2Si_2Sn^+$	$C_{11}H_{36}N_2Si_2Sn$	55147-80-3	**	$7.26 \pm 0.05$ (V)	PE	4725
	$(N(Si(CH_3)_3)(tert-C_4H_9))_2Sn$	XXXXX-XX-X	**	7.25 (V)	PE	4157
$C_{12}H_{36}N_2Si_1Sn^+$	$(N(Si(CH_3)_3)_2)_2Sn$	55147-78-9	**	$7.75 \pm 0.05$ (V)	PE	4725
			**	$7.75 \pm 0.05$ (V)	PE	4725
$SSn^+$ ( $^2\Pi_{1/2,3/2}$ ) ( $^2\Sigma, ^2\Pi$ )	$SnS$	1314-95-0	**	9.42 (V)	PE	4967
			**	10.20 (V)	PE	4550
			**	$9.7 \pm 0.5$ (V)	EI	4550
$C_1H_{12}SSn^+$	$(CH_3)_3SCH_3Sn$	993-46-4	**	$8.37 \pm 0.05$ (V)	PE	4153
$C_8H_{11}SSn^+$	$C_6H_5SSn(CH_3)_3$ (Stannane, trimethyl(phenylthio)-)	1007-27-8	$CH_3$	$9.22 \pm 0.1$	EI	4198
$C_9H_{11}SSn^+$	$C_6H_5S(CH_3)_3Sn$ (Stannane, trimethyl(phenylthio)-)	1007-27-8	**	$8.40 \pm 0.05$ (V)	PE	4589
			**	$7.87 \pm 0.1$	EI	4198
$C_{10}H_{16}SSn^+$	$C_6H_5(SCH_3)Sn(CH_3)_3$ (Stannane, trimethyl[4-(methylthio)phenyl]-)	17113-79-0	**	$7.87 \pm 0.05$ (V)	PE	4627
	$C_6H_5SCH_2Sn(CH_3)_3$ (Stannane, trimethyl[(phenylthio)methyl]-)	59163-59-6	**	$7.74 \pm 0.05$ (V)	PE	4627
$C_{11}H_{18}SSn^+$	$C_{11}H_{18}SSn$ (Stannane, trimethyl[[4-(methylthio)phenyl]methyl]-)	59163-58-5	**	$7.70 \pm 0.05$ (V)	PE	4627
$C_{13}H_{11}SSn^+$	$C_{12}H_9SSn(CH_3)_2$ (10 <i>H</i> -Phenothiaastannin, 10,10-dimethyl-)	42371-86-8	$CH_3$	9.4	EI	4228
			$CH_3$	$8.9 \pm 0.1$	EI	4664

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{11}SSn^+$	$C_{12}H_8SSn(CH_3)_2$ (10 <i>H</i> -Phenothiaastannin, 10,10-dimethyl-)	42371-86-8	**	8.1	EI	4228
			**	$8.0 \pm 0.1$	EI	4664
$C_1H_{10}S_2Sn^+$	$C_2H_4S_2Sn(CH_3)_2$ (1,3,2-Dithiaastannolane, 2,2-dimethyl-)	1072-55-5	**	8.70 (V)	PE	5369
$C_3H_{12}S_2Sn^+$	$C_2H_4S_2Sn(CH_3)_3$ (1,3,2-Dithiaastannolane, 2,2,4-trimethyl-)	61235-66-3	**	8.15 (V)	PE	5369
$C_7H_{16}S_2Sn^+$	$C_2H_4S_2Sn(CH_3)(C_2H_5)_2$ (1,3,2-Dithiaastannolane, 2,2-diethyl-4-methyl-)	69032-03-7	**	7.98 (V)	PE	5369
$C_{11}H_{21}S_2Sn^+$	$C_2H_4S_2Sn(CH_3)(C_4H_9)_2$ (1,3,2-Dithiaastannolane, 2,2-dibutyl-4-methyl-)	61235-67-4	**	7.65 (V)	PE	5369
$C_1H_8S_1Sn^+$	$C_2H_4S_2SnS_2C_2H_4$ (1,4,6,9-Tetrathia-5-stannaspiro[4.4]nonane)	176-56-7	**	8.77 (V)	PE	5369
$C_6H_{12}S_1Sn^+$	$C_2H_4S_2(CH_3)SnS_2C_2H_4(CH_3)$ (1,4,6,9-Tetrathia-5-stannaspiro[4.4]nonane, 2,7-dimethyl-)	7191-35-7	**	8.70 (V)	PE	5369
$C_6H_{18}SSn_2^+$	$((CH_3)_3Sn)_2S$	1070-91-3	**	$8.22 \pm 0.05$ (V)	PE	4153
			**	$9.2 \pm 0.1$	EI	4198
$C_6H_{15}NS_2Sn^+$	$(CH_3)_3(S_2CN(CH_3)_2)Sn$	33726-89-5	**	7.86 (V)	PE	5569
$C_{11}H_{25}NS_2Sn^+$	$(C_2H_5)_3(S_2CN(C_2H_5)_2)Sn$	XXXXXX-XX-X	**	7.46 (V)	PE	5569
$C_{10}H_{24}N_2S_1Sn_2^+$	$((S_2CN(CH_3)_2)(CH_3)_2Sn)_2$	XXXXXX-XX-X	**	7.70 (V)	PE	5569
$C_{22}H_{18}N_2S_1Sn_2^+$	$((S_2CN(CH_3)_2)(C_4H_9)_2Sn)_2$	XXXXXX-XX-X	**	8.01 (V)	PE	5569
$C_{13}H_{11}O_2SSn^+$	$C_{12}H_8SSn(O)_2(CH_3)_2$ (10 <i>H</i> -Phenothiaastannin, 10,10-dimethyl- 5,5-dioxide)	17068-20-1	CH <sub>3</sub>	9.6	EI	4228
$C_{11}H_{11}O_2SSn^+$	$C_{12}H_8SSn(O)_2(CH_3)_2$ (10 <i>H</i> -Phenothiaastannin, 10,10-dimethyl- 5,5-dioxide)	17068-20-1	**	$\leq 9.3$	EI	4228
$C_5H_{15}PS_2Sn^+$	$(CH_3)_3(S_2P(CH_3)_2)Sn$	XXXXXX-XX-X	**	8.60 (V)	PE	5569
$C_{12}H_{32}P_2S_1Sn_2^+$	$((CH_3)_2(S_2P(C_2H_5)_2)Sn)_2$	XXXXXX-XX-X	**	8.34 (V)	PE	5569
$C_{21}H_{56}P_2S_1Sn_2^+$	$((C_4H_9)_2(S_2P(C_2H_5)_2)Sn)_2$	XXXXXX-XX-X	**	8.35 (V)	PE	5569



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Cl}_2\text{Sn}^+$	$\text{SnCl}_2$	7772-99-8	**	7.30 (V)	PE	4837
$(^2\text{B}_1)$			**	$10.31 \pm 0.05$ (V)	PE	4826
$(^2\text{A}_1)$			**	$10.37 \pm 0.05$ (V)	PE	4725
$(^2\text{B}_2)$			**	11.0 (V)	PE	4725
$(^2\text{A}_2)$			**	$11.33 \pm 0.05$ (V)	PE	4725
$(^2\text{B}_2)$			**	$12.12 \pm 0.05$ (V)	PE	4725
$(^2\text{A}_1)$			**	$12.77 \pm 0.05$ (V)	PE	4725
$(^2\text{A}_1)$			**	$15.90 \pm 0.05$ (V)	PE	4725
$(^2\text{D}_{3/2})$			**	33.48 (V)	PE	5035
$(^2\text{D}_{5/2})$			**	34.53 (V)	PE	5035
$\text{C}_2\text{H}_6\text{ClSn}^+$	$((\text{CH}_3)_2\text{SnCl})(\text{CO})_5\text{Mn}$	17501-04-1		$9.74 \pm 0.12$	EI	5321
$\text{C}_3\text{H}_9\text{ClSn}^+$	$(\text{CH}_3)_3\text{SnCl}$	1066-45-1	**	9.90	PE	5168
			**	10.16 (V)	PE	4566
$\text{C}_9\text{H}_{13}\text{ClSn}^+$	$\text{C}_6\text{H}_5(\text{CH}_3)_2\text{SnCl}$ (Stannane, (4-chlorophenyl)trimethyl-)	14064-15-4	**	8.95 (V)	PE	4438
$\text{C}_{18}\text{H}_{15}\text{ClSn}^+$	$(\text{C}_6\text{H}_5)_3\text{SnCl}$ (Stannane, chlorotriphenyl-)	639-58-7	**	$9.29 \pm 0.05$ (V)	PE	4620
$\text{C}_2\text{H}_6\text{Cl}_2\text{Sn}^+$	$(\text{CH}_3)_2\text{SnCl}_2$	753-73-1	**	10.43	PE	5168
$\text{C}_{10}\text{H}_{11}\text{O}_1\text{Cl}_2\text{Sn}^+$	$\text{C}_{10}\text{H}_{11}\text{O}_1\text{SnCl}_2$ (Tin, dichlorobis(2,4-pentanedionato-O,O')-)	16919-46-3	**	9.10 (V)	PE	5103
$\text{C}_8\text{H}_9\text{O}_5\text{MnSn}^+$	$\text{Mn}(\text{CO})_5\text{Sn}(\text{CH}_3)_3$	14126-94-4	**	$8.63 \pm 0.05$	PE	4492
			**	$8.24 \pm 0.11$	EI	5321
$\text{C}_{23}\text{H}_{15}\text{O}_3\text{MnSn}^+$	$((\text{C}_6\text{H}_5)_3\text{Sn})(\text{CO})_5\text{Mn}$ (Manganese, pentacarbonyl(triphenylstannyl)-(OC-6-22)-)	14405-84-6	**	$7.94 \pm 0.11$	EI	5321
$\text{C}_7\text{H}_6\text{O}_3\text{ClMnSn}^+$	$((\text{CH}_3)_2\text{SnCl})(\text{CO})_5\text{Mn}$	17501-04-1	**	$8.21 \pm 0.12$	EI	5321
$\text{C}_7\text{H}_9\text{O}_1\text{CoSn}^+$	$((\text{CH}_3)_3\text{Sn})(\text{CO})_5\text{Co}$	13964-90-4	**	8.25	PE	5321
$\text{CuSn}^+$	$\text{CuSn}$	12054-11-4	**	$7.2 \pm 1.0$	EI	5061
$\text{Cu}_2\text{Sn}^+$	$\text{Cu}_2\text{Sn}$	52935-15-6	**	$7.7 \pm 1.0$	EI	5061
$\text{C}_6\text{H}_{18}\text{GeSn}^+$	$(\text{CH}_3)_3\text{GeSn}(\text{CH}_3)_3$	16393-89-8	**	$8.20 \pm 0.10$	EI	3548
$\text{SeSn}^+$	$(\text{X}^2\Pi_{1/2})$ $\text{SnSe}$	1315-06-6	**	9.0 (V)	PE	4967
$\text{Br}_2\text{Sn}^+$	$\text{SnBr}_2$	10031-24-0	**	6.84 (V)	PE	4837

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Br<sub>2</sub>Sn<sup>+</sup></b>						
(²B <sub>1</sub> )	SnBr <sub>2</sub>	10031-24-0	**	9.85±0.05 (V)	PE	4826
(²A <sub>1</sub> )			**	9.87±0.05 (V)	PE	4725
(²Br <sub>2</sub> )			**	10.2 (V)	PE	4725
(²A <sub>2</sub> )			**	10.65±0.05 (V)	PE	4725
(²B <sub>1</sub> )			**	11.35±0.05 (V)	PE	4725
(²A <sub>1</sub> )			**	12.05±0.05 (V)	PE	4725
(²A <sub>1</sub> )			**	15.24±0.05 (V)	PE	4725
(²D <sub>5/2</sub> )			**	33.15 (V)	PE	5035
(²D <sub>3/2</sub> )			**	34.21 (V)	PE	5035
<b>C<sub>3</sub>H<sub>9</sub>BrSn<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SnBr	1066-44-0	**	9.60 (V)	PE	4566
<b>ClBrSn<sup>+</sup></b>	SnBrCl	13595-90-9	**	10.3±0.3	EI	3800
<b>ClBr<sub>3</sub>Sn<sup>+</sup></b>	SnBr <sub>3</sub> Cl	14779-73-8	**	11.1±0.3	EI	3800
<b>C<sub>13</sub>H<sub>20</sub>MoSn<sup>+</sup></b>	(C <sub>5</sub> H <sub>7</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoH (Molybdenum,bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)hydro(trimethylstannyl)-)	51159-64-9	**	6.48±0.11	EI	5321
<b>C<sub>19</sub>H<sub>26</sub>O<sub>1</sub>MoSn<sup>+</sup></b>	C <sub>19</sub> H <sub>26</sub> O <sub>1</sub> SnMo (Molybdenum,bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)[3-methoxy-1-(methoxycarbonyl)-3-oxo-1-propenyl](trimethylstannyl)-)	51231-85-7	**	6.80±0.13	EI	5321
<b>C<sub>13</sub>H<sub>19</sub>ClMoSn<sup>+</sup></b>	(C <sub>5</sub> H <sub>7</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoCl (Molybdenum,chlorobis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(trimethylstannyl)-)	51231-83-5	**	6.55±0.12	EI	5321
<b>C<sub>13</sub>H<sub>19</sub>BrMoSn<sup>+</sup></b>	(C <sub>5</sub> H <sub>7</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoBr (Molybdenum,bromobis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(trimethylstannyl)-)	51231-84-6	**	6.60±0.13	EI	5321
<b>Sb<sup>+</sup></b>	Sb	7440-36-0	**	8.3±0.4	EI	4111
			**	8.68±0.06	EI	3956
	Sb <sub>2</sub>	32679-33-7	Sb	11.5±0.5	EI	4111
<b>Sb<sub>2</sub><sup>+</sup></b>	Sb <sub>2</sub>	32679-33-7	**	9.3±0.2	S	3567
			**	8.64±0.06	EI	3956
			**	8.9±0.3	EI	3961
			**	9.5±0.5	EI	3555
<b>Sb<sub>3</sub><sup>+</sup></b>	Sb <sub>3</sub>	37267-70-2	**	7.50±0.13	EI	3956
			**	9.0±0.2	EI	3961
	Sb <sub>1</sub>	12597-17-0	Sb	10.8±0.3	EI	3961
<b>Sb<sub>4</sub><sup>+</sup></b>	Sb <sub>4</sub>	12597-17-0	**	7.70±0.06	EI	3956
			**	8.4±0.3	EI	3961
			**	9.1±0.3	EI	3555
<b>H<sub>3</sub>Sb<sup>+</sup></b>	SbH <sub>3</sub>	7803-52-3	**	9.51	PE	3719

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_9Sb^+$	$(CH_3)_3Sb$	594–10–5	**	8.48 (V)	PE	4226
$C_5H_5Sb^+$	$C_5H_5Sb$ (Antimonin)	289–75–8	**	8.3 (V)	PE	3832
$C_6H_5Sb^+$	$(C_6H_5)_3Sb$ (Stibine, triphenyl–)	603–36–1		$8.7 \pm 0.1$	PI	4325
$C_{12}H_{10}Sb^+$	$(C_6H_5)_3Sb$ (Stibine, triphenyl–)	603–36–1		$9.0 \pm 0.1$	PI	4325
$C_{18}H_{15}Sb^+$	$(C_6H_5)_3Sb$ (Stibine, triphenyl–)	603–36–1	**	$7.26 \pm 0.05$	PI	4325
			**	$7.80 \pm 0.01$	PE	4154
			**	$8.08 \pm 0.05$ (V)	PE	4368
$O_6Sb_4^+$	$Sb_4O_6$	72926–13–7	**	9.31 (V)	PE	5343
$F_3Sb^+$	$SbF_3$	7783–56–4	**	$12.61 \pm 0.1$	EI	3578
$PSb^+$	$SbP$	25889–81–0	**	$9.9 \pm 0.3$	EI	3596
$Cl_3Sb^+$	$SbCl_3$	10025–91–9	**	10.70 (V)	PE	5473
			**	10.73	PE	4146
$C_{21}H_{22}MnSb^+$	$C_{20}H_{22}O_2MnSb$ (Manganese,dicarbonyl[(1,2,3,4,5– $\eta$ )–1–methyl–2,4–cyclopentadien–1–yl](triphenylstibine)–)	XXXXXX–XX–X	2CO	$8.38 \pm 0.03$	EI	5576
	$C_{20}H_{22}OSMnSb$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5– $\eta$ )–1–methyl–2,4–cyclopentadien–1–yl](triphenylstibine)–)	XXXXXX–XX–X	CO + CS	$8.83 \pm 0.03$	EI	5576
$C_{23}H_{22}OMnSb^+$	$(CH_3C_3H_4)(CO)_2((C_6H_5)_3Sb)Mn$ (Manganese,dicarbonyl[(1,2,3,4,5– $\eta$ )–1–methyl–2,4–cyclopentadien–1–yl](triphenylstibine)–)	XXXXXX–XX–X	CO	$8.46 \pm 0.04$	EI	5576
$C_{26}H_{22}O_2MnSb^+$	$(CH_3C_3H_4)(CO)_2((C_6H_5)_3Sb)Mn$ (Manganese,dicarbonyl[(1,2,3,4,5– $\eta$ )–1–methyl–2,4–cyclopentadien–1–yl](triphenylstibine)–)	XXXXXX–XX–X	**	$6.37 \pm 0.03$	EI	5576
$C_{25}H_{22}SMnSb^+$	$C_{20}H_{22}OSMnSb$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5– $\eta$ )–1–methyl–2,4–cyclopentadien–1–yl](triphenylstibine)–)	XXXXXX–XX–X	CO	$7.30 \pm 0.04$	EI	5576
$C_{26}H_{22}OSMnSb^+$	$C_{20}H_{22}OSMnSb$ (Manganese,(carbonothioyl)carbonyl[(1,2,3,4,5– $\eta$ )–1–methyl–2,4–cyclopentadien–1–yl](triphenylstibine)–)	XXXXXX–XX–X	**	$6.61 \pm 0.03$	EI	5576

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>SbGa<sup>+</sup></b>	SbGa	12064-03-8	**	7.6±1.0	EI	4111
<b>Br<sub>3</sub>Sb<sup>+</sup></b>	SbBr <sub>3</sub>	7789-61-9	** **	9.77 (V) 10.07 (V)	PE PE	4146 5473
<b>C<sub>23</sub>H<sub>15</sub>O<sub>5</sub>MoSb<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (CO) <sub>5</sub> SbMo (Molybdenum, pentacarbonyl(triphenylstibine)-(OC-6-22)-)	19212-21-6	**	7.90±0.05	EI	4600
<b>Te<sub>2</sub><sup>+</sup></b>	(²Π <sub>g,1/2</sub> ) Te <sub>2</sub>	10028-16-7	**	8.05	PE	5475
	(²Π)		**	8.22 (V)	PE	4643
	(²Π <sub>g,1/2</sub> )		**	8.30 (V)	PE	4662
	(²Π <sub>g,3/2</sub> )		**	8.77 (V)	PE	4662
	(¹Π <sub>μ</sub> )		**	9.42 (V)	PE	4662
	(¹Π <sub>μ</sub> )		**	9.44 (V)	PE	4643
			**	10.10 (V)	PE	4662
	(¹Σ <sub>g</sub> <sup>-</sup> )		**	11.02 (V)	PE	4662
			**	11.58 (V)	PE	4662
	(²Σ <sub>g</sub> <sup>-</sup> )		**	11.87 (V)	PE	4662
			**	12.42 (V)	PE	4662
<b>Te<sub>3</sub><sup>+</sup></b>	Te <sub>3</sub>	50645-41-5	**	9.3	EI	5294
<b>Te<sub>4</sub><sup>+</sup></b>	Te <sub>4</sub>	12597-49-8	**	9.5	EI	5294
<b>Te<sub>5</sub><sup>+</sup></b>	Te <sub>5</sub>	50645-42-6	**	7.4	EI	5294
<b>Te<sub>6</sub><sup>+</sup></b>	Te <sub>6</sub>	XXXXX-XX-X	**	7.2	EI	5294
<b>HTe<sup>+</sup></b>	TeH	13940-36-8	**	9.09	S	3742
	H <sub>2</sub> Te	7783-09-7	H	11.9±0.2	EI	4610
<b>H<sub>2</sub>Te<sup>+</sup></b>	H <sub>2</sub> Te	7783-09-7	**	9.14	PE	3719
	(²B <sub>1</sub> )		**	11.63	PE	3719
	(²A <sub>1</sub> )		**	13.04	PE	3719
	(²B <sub>2</sub> )		**	18.6 (V)	PE	3719
	(²A <sub>1</sub> )		**	9.2±0.1	EI	4610
<b>C<sub>2</sub>H<sub>6</sub>Te<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>2</sub> Te	593-80-6	** **	7.926±0.010 7.89 (V)	S PE	3970 3656
<b>C<sub>1</sub>H<sub>4</sub>Te<sup>+</sup></b>	C <sub>1</sub> H <sub>4</sub> Te (Tellurophene)	288-08-4	** ** ** ** **	8.27 8.40±0.03 8.40±0.05 (V) 8.60±0.1 8.32	PE PE PE EI CTS	3858 3804 4626 3804 4382
<b>C<sub>1</sub>H<sub>8</sub>Te<sup>+</sup></b>	C <sub>1</sub> H <sub>8</sub> Te (Tellurophene, tetrahydro-)	3465-99-4	**	7.73 (V)	PE	4145

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>3</sub>H<sub>6</sub>Te<sup>+</sup></b>	C <sub>3</sub> H <sub>5</sub> TeCH <sub>3</sub> (Tellurophene, 2-methyl-)	35246-25-4	**	8.20±0.05 (V)	PE	4626
			**	8.25±0.1	EI	3804
			**	8.22	CTS	4382
<b>C<sub>7</sub>H<sub>8</sub>Te<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> TeCH <sub>3</sub> (Benzene,(methyltelluro)-)	872-89-9	**	7.6 (V)	PE	5520
<b>C<sub>8</sub>H<sub>6</sub>Te<sup>+</sup></b>	C <sub>8</sub> H <sub>6</sub> Te (Benzo[b]tellurophene)	272-35-5	**	7.76±0.05	PE	4435
<b>OTe<sup>+</sup></b> ( <sup>2</sup> Π <sub>1/2</sub> ) ( <sup>2</sup> Π <sub>3/2</sub> ) ( <sup>1</sup> Π) ( <sup>2</sup> Π + <sup>1</sup> Σ) ( <sup>2</sup> Σ) ( <sup>2</sup> Π?) ( <sup>2</sup> Π)	TeO	13451-17-7	**	8.72 (V)	PE	4643
			**	9.32 (V)	PE	4643
			**	10.80 (V)	PE	4643
			**	11.17 (V)	PE	4643
			**	12.00 (V)	PE	4643
			**	12.7 (V)	PE	4643
			**	13.49 (V)	PE	4643
<b>O<sub>2</sub>Te<sup>+</sup></b> ( <sup>2</sup> A <sub>1</sub> + <sup>2</sup> A <sub>2</sub> + <sup>2</sup> B <sub>2</sub> ) TeO <sub>2</sub>		59863-17-1	**	11.17 (V)	PE	4643
			**	12.7 (V)	PE	4643
			**	13.49 (V)	PE	4643
<b>C<sub>3</sub>H<sub>4</sub>OTe<sup>+</sup></b>	C <sub>3</sub> H <sub>4</sub> TeCHO (2-Telluorophenecarboxaldehyde)	35273-64-4	**	8.88±0.1	EI	3804
<b>C<sub>6</sub>H<sub>6</sub>OTe<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> TeCOCH <sub>3</sub> (Ethanone, 1-tellurophene-2-yl-)	35273-65-5	**	8.60±0.1	EI	3804
<b>C<sub>12</sub>H<sub>8</sub>OTe<sup>+</sup></b>	C <sub>12</sub> H <sub>8</sub> OTe (Phenoxatellurin)	262-24-8	**	7.61±0.05 (V)	PE	4743
<b>C<sub>3</sub>H<sub>4</sub>O<sub>2</sub>Te<sup>+</sup></b>	C <sub>3</sub> H <sub>4</sub> TeCOOH (2-Telluorophenecarboxylic acid)	35246-22-1	**	8.62±0.05 (V)	PE	4626
			**	8.80±0.1	EI	3804
<b>C<sub>6</sub>H<sub>6</sub>O<sub>2</sub>Te<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> TeCOOCH <sub>3</sub> (2-Telluorophenecarboxylic acid methyl ester)	35246-23-2	**	8.51±0.05 (V)	PE	4626
			**	8.64±0.1	EI	3804
<b>C<sub>7</sub>H<sub>9</sub>NOTe<sup>+</sup></b>	C <sub>7</sub> H <sub>9</sub> TeCON(CH <sub>3</sub> ) <sub>2</sub> (2-Telluorophenecarboxamide, N,N-dimethyl-)	55685-52-4	**	8.39±0.05 (V)	PE	4626
<b>Si<sub>2</sub>H<sub>6</sub>Te<sup>+</sup></b>	(SiH <sub>3</sub> ) <sub>2</sub> Te	19415-73-7	**	8.63 (V)	PE	3656
<b>PTe<sup>+</sup></b>	TeP	51890-39-2	**	7.8±1.0	EI	4001
<b>C<sub>7</sub>H<sub>5</sub>STe<sup>+</sup></b>	C <sub>7</sub> H <sub>5</sub> STe (1,4-Thiatellurin)	3092-46-4	**	7.9±0.1 (V)	PE	4841

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_6STe^+$	$C_4H_5TeSCH_3$ (Tellurophene, 2-(methylthio)-)	51299-95-7	**	$8.15 \pm 0.1$	EI	3804
$C_4H_3ClTe^+$	$C_4H_3TeCl$ (Tellurophene, 2-chloro-)	59163-66-5	**	$8.68 \pm 0.05$ (V)	PE	4626
$GeTe^+$ ( $X^2\Pi_{3/2}$ )	GeTe	12025-39-7	**	9.1 (V)	PE	4967
$H_6Ge_2Te^+$	( $GeH_3$ ) <sub>2</sub> Te	24312-07-0	**	8.34 (V)	PE	3656
$SeTe^+$	SeTe	12067-42-4	**	$8.8 \pm 0.3$	EI	4682
$C_4H_3BrTe^+$	$C_4H_3TeBr$ (Tellurophene, 2-bromo-)	59163-67-6	**	$8.59 \pm 0.05$ (V)	PE	4626
$SnTe^+$ ( $^2\Pi_{3/2}$ )	SnTe	12040-02-7	**	8.61 (V)	PE	4967
( $^2\Pi_{3/2}$ )			**	8.65 (V)	PE	4550
( $^2_{1/2}$ )			**	8.95 (V)	PE	4550
( $^2\Pi$ )			**	9.39 (V)	PE	4550
$I^+$ ( $^3P_2$ )	$I(^2P^o_{3/2})$	14362-44-8	**	$10.43 \pm 0.02$	PE	5087
( $^3P_2$ )			**	10.45	PE	5178
( $^3P_0$ )			**	$11.23 \pm 0.02$	PE	5087
( $^3P_0$ )			**	11.25	PE	5178
( $^3P_1$ )			**	$11.30 \pm 0.02$	PE	5087
( $^3P_1$ )			**	11.33	PE	5178
( $^1D_2$ )			**	$12.13 \pm 0.02$	PE	5087
( $^1D_2$ )			**	12.15	PE	5178
			**	10.5	EI	5177
	$I_2$	7553-56-2	I	13.0	EI	5177
	HI	10034-85-2		$13.49 \pm 0.13$	PI	4991
	$CH_2I_2$	75-11-6	$CH_2I$	$13.2 \pm 0.1$	EI	3442
			$CH_2I$	13.8	EI	3490
	AgI	7783-96-2	Ag	11.1	EI	4313
$I_2^+$ ( $^2\Pi_{3/2g}$ )	$I_2$	7553-56-2	**	$9.311 \pm 0.002$	PE	3870
( $^2\Pi_{1/2g}$ )			**	$9.953 \pm 0.002$	PE	3870
			**	9.5	EI	5177
	$Ag_3I_3$	37375-12-5		10.2	EI	4313
	$WO_2I_2$	14447-89-3		$15.0 \pm 0.8$	EI	3451
$I_2^{+2}$	$I_2$	7553-56-2	**	$25.5 \pm 0.4$	EI	4052
				$25.5 \pm 0.4$	EI	4311
$HI^+$ ( $^2\Pi_{1/2}$ )	HI	10034-85-2	**	$10.386 \pm 0.001$	S	4991
( $^2\Pi_{1/2}$ )			**	$11.0495 \pm 0.001$	S	4991
$DI^+$ ( $^2\Pi_{1/2}$ )	DI	14104-45-1	**	10.387	S	4991
( $^2\Pi_{1/2}$ )			**	$11.0505 \pm 0.001$	S	4991



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{LiI}^+$	LiI	10377-51-2	**	$8.44 \pm 0.03$ (V)	PE	4950
$\text{Li}_2\text{I}_2^+$	$(\text{LiI})_2$	37279-36-0	**	$9.23 \pm 0.06$ (V)	PE	4950
$\text{H}_8\text{B}_3\text{I}^+$	$\text{B}_5\text{H}_9\text{I}$ (Pentaborane(9), 1-iodo-)	30624-33-0	**	9.06 (V)	PE	4519
	$\text{B}_5\text{H}_9\text{I}$ (Pentaborane(9), 2-iodo-)	20199-87-5	**	9.30 (V)	PE	4519
$\text{C}_4\text{I}_2^+$	$\text{Cl} \equiv \text{CC} \equiv \text{Cl}$	53214-97-4	**	$8.76 \pm 0.02$	PE	4162
$\text{CH}_2\text{I}^+$	$\text{CH}_2\text{I}_2$	75-11-6	**	$10.55 \pm 0.02$	PI	4640
$\text{CH}_3\text{I}^+$	$\text{CH}_3\text{I}$	74-88-4	**	9.538	S	3748
			**	9.538	S	5245
			**	$9.533 \pm 0.01$	PI	4640
			**	9.52	PE	3532
			**	9.53 (V)	PE	5249
			**	9.54	PE	4194
			**	9.9 (V)	PE	4193
			**	10.14	PE	3532
			**	$9.48 \pm 0.03$	EI	3626
$\text{C}_2\text{HI}^+$	$\text{CH} \equiv \text{Cl}$	14545-08-5	**	9.7397	S	3751
$\text{C}_2\text{H}_3\text{I}^+$	$\text{C}_2\text{H}_3\text{I}$	593-66-8	**	9.296	S	5145
			**	9.32 (V)	PE	4194
			**	9.33	PE	3863
			**	9.35 (V)	PE	4310
			**	9.32	PE	4542
$\text{C}_2\text{H}_5\text{I}^+$	$\text{C}_2\text{H}_5\text{I}$	75-03-6	**	9.346	S	3748
			**	9.33 (V)	PE	5249
			**	9.34 (V)	PE	4076
			**	9.34 (V)	PE	5088
			**	9.35	PE	3532
			**	9.35	PE	4194
			**	$9.45 \pm 0.02$ (V)	PE	3987
$\text{C}_3\text{H}_3\text{I}^+$	$\text{CH}_3\text{C} \equiv \text{Cl}$	624-66-8	**	$9.18 \pm 0.02$	PE	4765
				9.20	EI	5282
$\text{C}_3\text{H}_5\text{I}^+$	$\text{CH}_2\text{CHCH}_2\text{I}$	556-56-9	**	9.298	S	5145
			**	9.25 (V)	PE	4260
			**	9.30	PE	4091
			**	9.30 (V)	PE	3863
			**	9.32 (V)	PE	4194
			**	9.37	PE	5145

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_7I^+$	<i>n</i> -C <sub>3</sub> H <sub>7</sub> I	107-08-4	**	9.269	S	3748
			**	9.26	PI	5069
			**	9.25	PE	3532
			**	9.26	PE	4194
			**	9.27	PE	4076
	<i>iso</i> -C <sub>3</sub> H <sub>7</sub> I	75-30-9	**	9.5 (V)	PE	4193
			**	9.175	S	5145
			**	9.18	PI	5069
			**	9.18	PE	4194
			**	9.18	PE	5145
			**	9.19	PE	3532
			**	9.4 (V)	PE	4193
			**	9.2 ± 0.1	EI	3735
$C_4HI^+$	CH≡CC≡CI	6088-91-1	**	9.24 ± 0.02	PE	4162
$C_4H_3I^+$	CH <sub>2</sub> CHC≡CI	40589-39-7	**	8.94 ± 0.02	PE	4374
$C_4H_9I^+$	<i>n</i> -C <sub>4</sub> H <sub>9</sub> I	542-69-8	**	9.229	S	3748
			**	9.23	PE	3532
			**	9.23	PE	4194
			**	9.24	PE	4076
			**	9.5 (V)	PE	4193
	<i>sec</i> -C <sub>4</sub> H <sub>9</sub> I	513-48-4	**	9.4 (V)	PE	4193
			**	9.202	S	5145
	<i>iso</i> -C <sub>4</sub> H <sub>9</sub> I	513-38-2	**	9.20	PE	4194
			**	9.20	PE	5145
			**	9.4 (V)	PE	4193
			**	9.04	PE	5145
			**	9.04	PE	4194
			**	9.08	PE	3532
			**	9.4 (V)	PE	4193
			**	9.4 (V)	PE	4193
$C_5H_3I^+$	CH <sub>3</sub> C≡CC≡CI	40201-91-0	**	8.82 ± 0.02	PE	4162
$C_5H_9I^+$	C <sub>5</sub> H <sub>9</sub> I (Cyclopentane, iodo-)	1556-18-9	**	9.076	S	5145
			**	9.07	PE	4194
			**	9.07	PE	5145
$C_5H_{11}I^+$	CH <sub>2</sub> ICH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>	541-28-6	**	9.192	S	5145
			**	9.20	PE	4194
			**	9.20	PE	5145
	<i>n</i> -C <sub>5</sub> H <sub>11</sub> I	628-17-1	**	9.201	S	3748
			**	9.20	PE	4194
			**	9.22	PE	3532
			**	9.4 (V)	PE	4193
$C_6H_5I^+$	C <sub>6</sub> H <sub>5</sub> I (Benzene, iodo-)	591-50-4	**	8.67	PE	4194
			**	8.67 (V)	PE	5125
			**	8.70	PE	4621
			**	8.801 (V)	PE	5257
			**	9.05	EI	4834

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}I^+$	$C_6H_{11}I$ (Cyclohexane, iodo-)	626-62-0	**	9.003	S	5145
			**	8.91	PE	4194
			**	8.91	PE	5145
$C_6H_{13}I^+$	$n-C_6H_{13}I$	638-45-9	**	9.179	S	3748
			**	9.20	PE	1494
$C_7H_7I^+$	$C_6H_5CH_2I$ (Benzene, (iodomethyl)-)	620-05-3	**	8.91 (V)	PE	3992
			**	$8.53 \pm 0.1$	EI	3777
	$C_6H_4ICH_3$ (Benzene, 1-iodo-2-methyl-)	615-37-2	**	$8.55 \pm 0.1$	EI	3777
			**	8.38	PE	4621
	$C_6H_4ICH_3$ (Benzene, 1-iodo-3-methyl-)	625-95-6	**	$8.60 \pm 0.1$	EI	3777
			**			
$C_8H_5I^+$	$C_6H_5C \equiv CI$ (Benzene, (iodoethynyl)-)	932-88-7	**	8.55 (V)	PE	4334
$C_{11}H_9I^+$	$C_{11}H_9(I)$ (1,4-Methanonaphthalene, 1,4-dihydro-5-iodo-)	63608-69-5	**	$8.52 \pm 0.05$ (V)	PE	5019
			**	$8.29 \pm 0.05$ (V)	PE	5019
	$C_{11}H_9(I)$ (1,4-Methanonaphthalene, 1,4-dihydro-6-iodo-)	63509-78-4	**			
$C_{12}H_9I^+$	$C_{12}H_9I$ (1,1'-Biphenyl, 2-iodo-)	2113-51-1	**	$8.20 \pm 0.02$	PE	3702
$CHI_2^+$	$CHI_3$	75-47-8	**	$9.77 \pm 0.02$	PI	4640
$CH_2I_2^+$	$CH_2I_2$	75-11-6	**	$9.46 \pm 0.02$	PI	4640
$C_2H_2I_2^+$	<i>cis</i> - $CHI=CHI$ <i>trans</i> - $CHI=CHI$	590-26-1	**	8.94 (V)	PE	4310
			**	8.92 (V)	PE	4310
		590-27-2	**	8.92 (V)	PE	3648
$C_2H_4I_2^+$	$CH_2ICH_2I$	624-73-7	**	$9.50 \pm 0.02$ (V)	PE	4367
$C_6H_4I_2^+$	$C_6H_4I_2$ (Benzene, 1,4-diiodo-)	624-38-4	**	8.60 (V)	PE	5257
$CHI_3^+$	$CHI_3$	75-47-8	**	$9.25 \pm 0.02$	PI	4640
			**	9.21	PE	5198
$BC_2H_6I^+$	$(CH_3)_2IB$	17933-09-4	**	9.48 (V)	PE	4398
$B_1C_2H_5I^+$	$C_2B_2H_5I$ (1,6-Dicarbaheptaborane(6), 2-iodo-)	38744-24-0	**	9.16 (V)	PE	5553

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$B_1C_2H_4I_2^+$	$C_2B_1H_4I_2$ (1,6-Dicarbahexaborane(6),2,4-diiodo-)	XXXXX-XX-X **		8.86 (V)	PE	5553
$C_3NI^+$	$Cl \equiv CCN$	2003-32-9	**	$10.18 \pm 0.02$	PE	4765
$C_6H_6NI^+$	$C_6H_5INH_2$ (Benzenamine, 2-iodo-)	615-43-0	**	8.35	EI	4834
	$C_6H_4(I)NH_2$ (Benzenamine, 4-iodo-)	540-37-4	**	7.51	PE	4621
	$C_6H_5INHCOCH_3$ (Acetamide, <i>N</i> -(2-iodophenyl)-)	19591-17-4	$CH_2 = C = O$	$10.48 \pm 0.03$	EI	3483
	$C_6H_5INHCOCH_3$ (Acetamide, <i>N</i> -(4-iodophenyl)-)	622-50-4	$CH_2 = C = O$	$9.72 \pm 0.03$	EI	3483
$C_7H_7NI^+$	$C_6H_4(I)CN$ (Benzonitrile, 4-iodo-)	3058-39-7	**	9.13	PE	4621
$C_7H_{12}NI^+$	$C_7H_{12}NI$ (1-Azabicyclo[2.2.2]octane, 4-iodo-)	27701-90-2	**	$8.35 \pm 0.015$ (V)	PE	4286
$C_{13}H_{10}NI^+$	$C_6H_4IC(=CH_2)C_5H_4N$ (Pyridine,2-[1-(2-iodophenyl)ethenyl]-)	XXXXX-XX-X **		8.3	OTH	5570
$C_9H_{10}N_2I^+$	$C_6H_4(I)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-iodophenyl)- <i>N,N</i> -dimethyl-)	53666-10-7	H	8.7	EI	4337
$C_9H_{11}N_2I^+$	$C_6H_4(I)N=CHN(CH_3)_2$ (Methanimidamide, <i>N'</i> -(2-iodophenyl)- <i>N,N</i> -dimethyl-)	53666-10-7	**	7.3	EI	4337
$C_{25}H_{25}N_2I^+$	$C_{25}H_{25}N_2I$ (Quinolinium, 1-ethyl-2-[3-(1-ethyl-2(1 <i>H</i> )-quinolinylidene)-1-propenyl]-, iodide)	605-91-4	**	7.25	PI	3586
$C_{29}H_{35}N_2I^+$	$C_{29}H_{35}N_2I$ (Quinolinium, 1-(3-methylbutyl)-4-[[1-(3-methylbutyl)-4(1 <i>H</i> )-quinolinylidene]methyl]-, iodide)	523-42-2	**	7.35	PI	3586
$BC_4H_{12}N_2I^+$	$((CH_3)_2N)_2BI$	7318-71-0	**	8.11 (V)	PE	3704
$BC_2H_6NI_2^+$	$(CH_3)_2NBI_2$	7318-72-1	**	8.95 (V)	PE	3704
$C_2H_3OI^+$	$CH_2ICH_2OH$ $CH_2ICH_2OH$ -gauche <i>trans</i> - $CH_2ICH_2OH$	624-76-0	**	$9.66 \pm 0.07$ (V)	PE	3987
		XXXXX-XX-X **		9.73 (V)	PE	5088
		XXXXX-XX-X **		9.60 (V)	PE	5088
$C_3H_7OI^+$	$CH_2ICH_2OCH_3$ $CH_2ICH_2OCH_3$ -gauche <i>trans</i> - $CH_2ICH_2OCH_3$	4296-15-5	**	$9.43 \pm 0.04$ (V)	PE	3987
		XXXXX-XX-X **		9.43 (V)	PE	5088
		XXXXX-XX-X **		9.40 (V)	PE	5088

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>6</sub>H<sub>5</sub>OI<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (I)OH (Phenol, 4-iodo-)	540-38-5	**	8.06	PE	4621
	C <sub>6</sub> H <sub>5</sub> IOOCCH <sub>3</sub> (Phenol, 2-iodo-, acetate)	32865-61-5	CH <sub>2</sub> =C=O	9.72±0.03	EI	3483
	C <sub>6</sub> H <sub>5</sub> IOOCCH <sub>3</sub> (Phenol, 4-iodo-, acetate)	33527-94-5	CH <sub>2</sub> =C=O	9.38±0.03	EI	3483
<b>C<sub>7</sub>H<sub>7</sub>OI<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> IOCH <sub>3</sub> (Benzene, 1-iodo-4-methoxy-)	696-62-8	**	7.97	PE	4621
<b>C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>I<sup>+</sup></b>	CH <sub>2</sub> ICOOH	64-69-7	**	11.03 (V)	PE	3874
<b>C<sub>8</sub>H<sub>7</sub>O<sub>2</sub>I<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (I)COOCH <sub>3</sub> (Benzoic acid, 4-iodo-, methyl ester)	619-44-3	**	8.73	PE	4621
	C <sub>6</sub> H <sub>5</sub> IOOCCH <sub>3</sub> (Phenol, 2-iodo-, acetate)	32865-61-5	**	8.25±0.03	EI	3483
	C <sub>6</sub> H <sub>5</sub> IOOCCH <sub>3</sub> (Phenol, 4-iodo-, acetate)	33527-94-5	**	8.20±0.03	EI	3483
<b>C<sub>6</sub>H<sub>4</sub>OI<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> I <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,4-diiodo-, acetate)	36914-80-4	CH <sub>2</sub> =C=O	8.94±0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> I <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,6-diiodo-, acetate)	28165-73-3	CH <sub>2</sub> =C=O	9.18±0.03	EI	3480
<b>C<sub>8</sub>H<sub>6</sub>O<sub>2</sub>I<sub>2</sub><sup>+</sup></b>	C <sub>6</sub> H <sub>3</sub> I <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,4-diiodo-, acetate)	36914-80-4	**	7.90±0.03	EI	3480
	C <sub>6</sub> H <sub>3</sub> I <sub>2</sub> OOCCH <sub>3</sub> (Phenol, 2,6-diiodo-, acetate)	28165-73-3	**	8.07±0.03	EI	3480
<b>CNOI<sup>+</sup></b>	INCO	3607-48-5	**	9.89±0.01	PE	5001
<b>C<sub>8</sub>H<sub>8</sub>NOI<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> INHCOCH <sub>3</sub> (Acetamide, N-(2-iodophenyl)-)	19591-17-4	**	8.45	EI	4834
	C <sub>6</sub> H <sub>5</sub> INHCOCH <sub>3</sub> (Acetamide, N-(4-iodophenyl)-)	622-50-4	**	7.98±0.03	EI	3483
			**	7.87±0.03	EI	3483
<b>C<sub>12</sub>H<sub>8</sub>NOI<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> ICOC <sub>2</sub> H <sub>5</sub> N (Methanone, (2-iodophenyl)-2-pyridinyl-)	XXXXX-XX-X	**	8.76	EI	5459
<b>C<sub>7</sub>H<sub>7</sub>N<sub>2</sub>OI<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> INHCONH <sub>2</sub> (Urea, (2-iodophenyl)-)	13114-93-7	**	8.30	EI	4834
<b>C<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>I<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (I)NO <sub>2</sub> (Benzene, 1-iodo-4-nitro-)	636-98-6	**	9.24	PE	4621
<b>FI<sup>+</sup></b>	IF	13873-84-2	**	10.54±0.01	PE	4755
			**	11.24±0.01	PE	4755
			**	15.22±0.01 (V)	PE	4755
			**	15.94±0.01 (V)	PE	4755

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{F}_3\text{I}^+$	$\text{IF}_3$	7783-66-6	**	$12.943 \pm 0.005$	PE	3655
$\text{CF}_3\text{I}^+$	$\text{CF}_3\text{I}$	2314-97-8	**	$10.45 \pm 0.05$ (V)	PE	4727
$\text{C}_3\text{F}_3\text{I}^+$	$\text{CF}_3\text{C}\equiv\text{Cl}$	39130-85-3	**	$10.17 \pm 0.02$	PE	4765
$\text{C}_2\text{F}_5\text{I}^+$	$\text{C}_2\text{F}_5\text{I}$	354-64-3	**	$10.66 \pm 0.1$	EI	4862
$\text{C}_6\text{F}_5\text{I}^+$	$\text{C}_6\text{F}_5\text{I}$ (Benzene,pentafluoroiodo-)	827-15-6	**	9.54 (V)	PE	5252
$\text{C}_2\text{F}_4\text{I}_2^+$	$(\text{CF}_2\text{I})_2$	354-65-4	**	$10.11 \pm 0.01$ (V)	PE	4613
$\text{C}_2\text{H}_2\text{F}_3\text{I}^+$	$\text{CF}_3\text{CH}_2\text{I}$	353-83-3	**	9.998	S	5145
$\text{NaI}^+$	$\text{NaI}$	7681-82-5	**	$7.64 \pm 0.02$	PI	3536
$(^3\text{P}_{3/2})$			**	$7.60 \pm 0.1$	PE	4344
$(^1\text{P}_{3/2})$			**	$7.60 \pm 0.1$	PE	5035
$(^3\text{P}_{1/2})$			**	8.0 (V)	PE	4307
$(^1\text{P}_{1/2})$			**	$9.21 \pm 0.04$ (V)	PE	4344
$(^3\text{P}_{1/2})$			**	$9.21 \pm 0.04$ (V)	PE	5035
$\text{MgI}_2^+$	$\text{MgI}_2$	10377-58-9	**	$9.57 \pm 0.03$	PI	3536
			**	10.5 (V)	PE	4761
$\text{AlI}^+$	$\text{AlI}$	29977-41-1	**	$9.3 \pm 0.3$	EI	5067
$\text{AlI}_3^+$	$\text{AlI}_3$	7784-23-8	**	9.66 (V)	PE	4398
			**	9.66 (V)	PE	4256
$\text{C}_2\text{H}_6\text{AlI}^+$	$(\text{CH}_3)_2\text{IAI}$	2938-72-9	**	9.48 (V)	PE	4398
$\text{CH}_3\text{AlI}_2^+$	$\text{CH}_3\text{I}_2\text{Al}$	2938-46-7	**	9.73 (V)	PE	4398
$\text{C}_4\text{H}_{12}\text{Al}_2\text{I}_2^+$	$((\text{CH}_3)_2\text{IAI})_2$	59585-02-3	**	9.38 (V)	PE	4559
$\text{H}_3\text{SiI}^+$	$\text{SiH}_3\text{I}$	13598-42-0	**	$9.78 \pm 0.02$ (V)	PE	3510
			**	$10.05 \pm 0.05$ (V)	PE	3502
$\text{H}_2\text{SiI}_2^+$	$\text{SiH}_3\text{I}_2$	13760-02-6	**	$9.69 \pm 0.02$ (V)	PE	3510
$\text{C}_5\text{H}_9\text{SiI}^+$	$(\text{CH}_3)_3\text{SiC}\equiv\text{Cl}$	18163-47-8	**	$9.1 \pm 0.1$	PE	4002
$\text{PI}_3^+$	$\text{PI}_3$	13455-01-1	**	9.15 (V)	PE	4023



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$F_2PI^+$	$PF_2I$	13819-11-9	**	$10.1 \pm 0.1$ (V)	PE	3662
			**	$9.6 \pm 0.1$	EI	4305
$C_1SI_4^+$	$C_1SI_4$ (Thiophene, tetraiodo-)	19259-11-1	**	8.27 (V)	PE	4690
$C_1H_3SI^+$	$C_1H_3SI$ (Thiophene, 3-iodo-)	10486-61-0	**	8.46 (V)	PE	4690
$C_1H_3SI^+$	$C_1H_3SI$ (Thiophene, 2-iodo-)	3437-95-4	**	8.46 (V)	PE	4690
			**	$8.52 \pm 0.05$ (V)	PE	4626
$C_6H_3S_2I^+$	$C_6H_3S_2I$ (Thieno[2,3- <i>b</i> ]thiophene, 2-iodo-)	53020-10-3	**	8.18 (V)	PE	5478
	$C_6H_3S_2I$ (Thieno[2,3- <i>b</i> ]thiophene, 3-iodo-)	53020-11-4	**	8.24 (V)	PE	5478
$C_1H_2SI_2^+$	$C_1H_2SI_2$ (Thiophene, 2,5-diiodo-)	625-88-7	**	8.28 (V)	PE	4690
			**	8.32	EI	3787
			**	8.35	CTS	3787
	$C_1H_2SI_2$ (Thiophene, 3,4-diiodo-)	19259-08-6	**	8.45 (V)	PE	4690
$C_8H_8NSI^+$	$C_8H_8INHCSCH_3$ (Ethanethioamide, N-(2-iodophenyl)-)	39184-84-4	**	8.10	EI	4834
$C_7H_7N_2SI^+$	$C_7H_7INHCSNH_2$ (Thiourea, (2-iodophenyl)-)	62635-52-3	**	8.15	EI	4834
$ClI^+$ ( $^2P_{1/2}$ ) ( $^2P_{1/2}$ )	ICI	7790-99-0	**	$10.088 \pm 0.01$	S	4027
			**	$10.662 \pm 0.01$	S	4027
$KI^+$ ( $^2P_{1/2}$ ) ( $^2P_{3/2}$ ) ( $^2P_{1/2}$ )	KI	7681-11-0	**	$7.21 \pm 0.1$	PE	4344
			**	$7.21 \pm 0.1$	PE	5035
			**	7.4 (V)	PE	4307
			**	$8.66 \pm 0.04$ (V)	PE	5035
$CaI^+$	CaI	15923-87-2	**	$6.1 \pm 0.3$	EI	5067
$CaI_2^+$	$CaI_2$	10102-68-8	**	10.1 (V)	PE	4761
$TiI_4^+$	$TiI_4$ (JC-Mean value of Jahn-Teller components)	7720-83-4	**	9.27 (V)	PE	4694
$C_{10}H_{10}I_2Ti^+$	( $\eta$ - $C_5H_5$ ) $_2TiI_2$ (Titanium, bis( $\eta^5$ -2,4-cyclopentadien-1-yl)diiodo-)	12152-92-0	**	$8.0 \pm 0.1$ (V)	PE	4987

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>MnI<sup>+</sup></b>	(C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)	58450-74-1		16.15±0.04	EI	5561
	(CH <sub>3</sub> C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)iodonitrosyl-)	XXXXX-XX-X		17.11±0.03	EI	5561
<b>C<sub>3</sub>H<sub>5</sub>MnI<sup>+</sup></b>	(C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)	58450-74-1	NO + CS	10.92±0.03	EI	5561
<b>C<sub>6</sub>H<sub>7</sub>MnI<sup>+</sup></b>	(CH <sub>3</sub> C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)iodonitrosyl-)	XXXXX-XX-X	NO + CS	10.93±0.02	EI	5561
<b>C<sub>3</sub>O<sub>3</sub>MnI<sup>+</sup></b>	(CO) <sub>3</sub> MnI	14879-42-6	** **	8.40±0.05 (V) 8.44-8.74 (V)	PE PE	4492 3866
<b>CSMnI<sup>+</sup></b>	(C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)	58450-74-1	NO + C <sub>3</sub> H <sub>5</sub>	13.97±0.03	EI	5561
	(CH <sub>3</sub> C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)iodonitrosyl-)	XXXXX-XX-X		14.91±0.04	EI	5561
<b>C<sub>6</sub>H<sub>5</sub>SMnI<sup>+</sup></b>	(C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)	58450-74-1	NO	8.81±0.02	EI	5561
<b>C<sub>7</sub>H<sub>7</sub>SMnI<sup>+</sup></b>	(CH <sub>3</sub> C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)iodonitrosyl-)	XXXXX-XX-X	NO	8.90±0.02	EI	5561
<b>C<sub>6</sub>H<sub>5</sub>NOSMnI<sup>+</sup></b>	(C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)( $\eta^5$ -2,4-cyclopentadien-1-yl)iodonitrosyl-)	58450-74-1	**	7.45±0.02	EI	5561
<b>C<sub>7</sub>H<sub>7</sub>NOSMnI<sup>+</sup></b>	(CH <sub>3</sub> C <sub>7</sub> H <sub>7</sub> )(CS)(NO)MnI (Manganese,(carbonothioyl)((1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl)iodonitrosyl-)	XXXXX-XX-X	**	7.35±0.02	EI	5561
<b>C<sub>1</sub>O<sub>2</sub>FeI<sup>+</sup></b>	(CO) <sub>2</sub> FeI <sub>2</sub>	14911-55-8	**	8.76 (V)	PE	4431
<b>C<sub>7</sub>H<sub>5</sub>O<sub>2</sub>FeI<sup>+</sup></b>	C <sub>7</sub> H <sub>5</sub> (CO) <sub>2</sub> FeI (Iron, dicarbonyl ( $\eta^5$ -2,4-cyclopentadien-1-yl)iodo-)	12078-28-3	** **	7.77 (V) 7.81 (V)	PE PE	4570 4565
<b>Cu<sub>3</sub>I<sub>3</sub><sup>+</sup></b>	(CuI) <sub>3</sub>	67244-68-2	**	8.99±0.02 (V)	PE	4839
<b>ZnI<sub>2</sub><sup>+</sup></b>	(2 <sup>1</sup> Π <sub>3/2g</sub> )	10139-47-6	**	9.73±0.05 (V)	PE	3833
	(2 <sup>1</sup> Π <sub>3/2g</sub> )		**	9.7 (V)	PE	3963
	(2 <sup>1</sup> Π <sub>3/2g</sub> )		**	9.76 (V)	PE	4232
	(2 <sup>1</sup> Π <sub>3/2u</sub> )		**	10.2 (V)	PE	3963
	(2 <sup>1</sup> Π <sub>1/2g</sub> , 2 <sup>1</sup> Π <sub>u</sub> )		**	10.32±0.05 (V)	PE	3833
	(2 <sup>1</sup> Π <sub>1/2g</sub> )		**	10.32 (V)	PE	4232
	(2 <sup>1</sup> Π <sub>1/2g</sub> )		**	10.35 (V)	PE	3963

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>ZnI<sub>2</sub><sup>+</sup></b>						
( <sup>2</sup> Π <sub>3/2u</sub> )	ZnI <sub>2</sub>	10139-47-6	**	10.40 (V)	PE	4232
( <sup>2</sup> Π <sub>1/2u</sub> )			**	10.5 (V)	PE	3963
( <sup>2</sup> Π <sub>1/2u</sub> )			**	10.575 (V)	PE	4232
( <sup>2</sup> Σ <sub>u</sub> )			**	11.4 (V)	PE	3963
( <sup>2</sup> Σ <sub>u</sub> )			**	11.45±0.05 (V)	PE	3833
( <sup>2</sup> Σ <sub>u</sub> )			**	10.32±0.05 (V)	PE	3833
			**	11.53 (V)	PE	4232
( <sup>2</sup> Σ <sub>g</sub> )			**	12.4 (V)	PE	3963
( <sup>2</sup> Σ <sub>g</sub> )			**	12.74±0.05 (V)	PE	3833
( <sup>2</sup> Σ <sub>g</sub> )			**	12.80 (V)	PE	4232
( <sup>2</sup> D <sub>5/2</sub> )			**	18.40 (V)	PE	4232
( <sup>2</sup> D <sub>3/2</sub> )			**	18.71 (V)	PE	4232
<b>Gal<sup>+</sup></b>						
	Gal	15605-68-2	**	9.0±0.3	EI	5067
<b>Gal<sub>3</sub><sup>+</sup></b>						
	Gal <sub>3</sub>	13450-91-4	**	9.40	PE	4215
			**	9.51 (V)	PE	4398
			**	9.51 (V)	PE	4256
<b>GeI<sub>1</sub><sup>+</sup></b>						
	GeI <sub>1</sub>	13450-95-8	**	9.42	PE	5148
<b>H<sub>3</sub>GeI<sup>+</sup></b>						
	GeH <sub>3</sub> I	13573-02-9	**	9.59±0.02 (V)	PE	3510
			**	9.84±0.05 (V)	PE	3502
<b>H<sub>2</sub>GeI<sub>2</sub><sup>+</sup></b>						
	GeH <sub>2</sub> I <sub>2</sub>	14694-31-6	**	12.6±0.1 (V)	PE	3510
<b>AsI<sub>3</sub><sup>+</sup></b>						
	AsI <sub>3</sub>	7784-45-4	**	9.00±0.04 (V)	PE	4635
			**	9.11 (V)	PE	5473
<b>BrI<sup>+</sup></b>						
( <sup>2</sup> Π <sub>3/2</sub> )	IBr	7789-33-5	**	9.790±0.004	PE	3870
( <sup>2</sup> Π <sub>1/2</sub> )			**	10.386±0.004	PE	3870
<b>C<sub>6</sub>H<sub>4</sub>BrI<sup>+</sup></b>						
	C <sub>6</sub> H <sub>4</sub> (I)Br (Benzene, 1-bromo-4-iodo-)	589-87-7	**	8.52	PE	4621
<b>RbI<sup>+</sup></b>						
	RbI	7790-29-6	**	7.308±0.03	PI	3536
( <sup>2</sup> P <sub>3/2</sub> )			**	7.12±0.1	PE	4344
( <sup>2</sup> P <sub>3/2</sub> )			**	7.12±0.1	PE	5035
			**	7.3 (V)	PE	4307
( <sup>2</sup> P <sub>1/2</sub> )			**	8.48±0.04 (V)	PE	5035
				6.6±0.4	EI	5239
<b>Rb<sub>2</sub>I<sup>+</sup></b>						
	Rb <sub>2</sub> I <sub>2</sub>	12532-37-5	I	7.674	PI	3536
			I	7.2±0.4	EI	5239
<b>SrI<sup>+</sup></b>						
	SrI	14696-99-2	**	5.5±0.3	EI	5067
	SrI <sub>2</sub>	10476-86-5	**	9.5±0.3	EI	5067
<b>SrI<sub>2</sub><sup>+</sup></b>						
	SrI <sub>2</sub>	10476-86-5	**	10.0 (V)	PE	4761

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>ZrI<sub>1</sub><sup>+</sup></b>	ZrI <sub>1</sub> (JC-Mean value of Jahn-Teller components)	13986-26-0	**	9.55 (V)	PE	4694
<b>C<sub>10</sub>H<sub>10</sub>ZrI<sub>2</sub><sup>+</sup></b>	(η-C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> ZrI <sub>2</sub> (Zirconium,bis(η <sup>1</sup> -2,4-cyclopentadien-1-yl)diiodo-)	1298-41-5	**	8.1±0.1 (V)	PE	4987
<b>C<sub>12</sub>H<sub>11</sub>MoI<sub>2</sub><sup>+</sup></b>	(η-CH(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> MoI <sub>2</sub> (Molybdenum,diiodobis[(1,2,3,4,5-η)-1-methyl-2,4-cyclopentadien-1-yl]-)	63984-92-9	**	6.8±0.1 (V)	PE	4987
<b>AgI<sup>+</sup></b>	AgI	7783-96-2	**	~8.4	PI	3536
(E <sub>1/2</sub> )			**	8.80 (V)	PE	5297
(E <sub>1/2</sub> )			**	9.27 (V)	PE	5297
(E <sub>1/2</sub> )			**	10.21 (V)	PE	5297
(E <sub>1/2</sub> )			**	13.18 (V)	PE	5297
(E <sub>1/2</sub> )			**	13.75 (V)	PE	5297
(E <sub>1/2</sub> )			**	8.8	EI	5177
(E <sub>1/2</sub> )			**	8.9	EI	4313
<b>Ag<sub>2</sub>I<sup>+</sup></b>	Ag <sub>2</sub> I <sub>3</sub>	37375-12-5		12.1	EI	4313
	Ag <sub>2</sub> I <sub>4</sub>	XXXXX-XX-X		11.4	EI	5177
<b>Ag<sub>3</sub>I<sub>2</sub><sup>+</sup></b>	Ag <sub>3</sub> I <sub>3</sub>	37375-12-5	I	9.8	EI	5177
			I	10.5	EI	4313
<b>AgI<sub>3</sub><sup>+</sup></b>	Ag <sub>3</sub> I <sub>3</sub>	37375-12-5	**	9.2	EI	4313
<b>Ag<sub>3</sub>I<sub>3</sub><sup>+</sup></b>	(AgI) <sub>3</sub>	XXXXX-XX-X	**	10.43 (V)	PE	4981
	Ag <sub>3</sub> I <sub>3</sub>	37375-12-5	**	9.2	EI	5177
<b>CdI<sub>2</sub><sup>+</sup></b>	CdI <sub>2</sub>	7790-80-9	**	9.5 (V)	PE	3963
(²Π <sub>3/2g</sub> )			**	9.53 (V)	PE	4232
(²Π <sub>3/2g</sub> )			**	9.57±0.05 (V)	PE	3833
(²Π <sub>3/2g</sub> )			**	10.0 (V)	PE	3963
(²Π <sub>1/2g</sub> )			**	10.07 (V)	PE	4232
(²Π <sub>1/2g</sub> , ²Π <sub>3/2g</sub> )			**	10.11±0.05 (V)	PE	3833
(²Π <sub>1/2g</sub> )			**	10.2 (V)	PE	3963
(²Π <sub>3/2g</sub> , ²Π <sub>1/2g</sub> )			**	10.21 (V)	PE	4232
(²Π <sub>1/2g</sub> )			**	10.4 (V)	PE	3963
(²Σ <sub>u</sub> )			**	11.15±0.05 (V)	PE	3833
(²Σ <sub>u</sub> )			**	11.2 (V)	PE	3963
(²Σ <sub>u</sub> )			**	11.20 (V)	PE	4232
(²Σ <sub>g</sub> )			**	12.10±0.05 (V)	PE	3833
(²Σ <sub>g</sub> )			**	12.27 (V)	PE	4232
(²Σ <sub>g</sub> )			**	12.3 (V)	PE	3963
(²D <sub>5/2</sub> )			**	19.00 (V)	PE	4232
(²D <sub>3/2</sub> )			**	19.66 (V)	PE	4232
<b>InI<sup>+</sup></b>	InI	13966-94-4	**	8.50	PE	3640
(²Π <sub>3/2</sub> )			**	8.78	PE	3640
(²Σ <sub>1/2</sub> )			**	8.88 (V)	PE	4713
(²Π <sub>5/2</sub> )			**	9.17 (V)	PE	4713
(²Π <sub>1/2</sub> )			**	9.46	PE	3640
(²Π <sub>1/2</sub> )			**	9.87 (V)	PE	4713
(²Σ)			**	11.89	PE	3640
(²Σ <sub>1/2</sub> )			**	12.13 (V)	PE	4713
(²D <sub>5/2</sub> )			**	13.75 (V)	PE	4713

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>InI<sup>+</sup></b>						
( <sup>2</sup> D <sub>3/2</sub> )	InI	13966-94-4	**	14.97 (V)	PE	4713
( <sup>2</sup> D <sub>5/2</sub> )			**	15.78 (V)	PE	4713
( <sup>2</sup> D <sub>3/2</sub> )			**	17.61 (V)	PE	4713
( <sup>2</sup> D <sub>3/2</sub> )			**	18.42 (V)	PE	4713
( <sup>2</sup> D <sub>5/2</sub> )			**	25.03 (V)	PE	4713
( <sup>2</sup> D <sub>3/2</sub> )			**	25.06 (V)	PE	5035
( <sup>2</sup> D <sub>5/2</sub> )			**	25.17 (V)	PE	4713
( <sup>2</sup> Σ <sub>1/2</sub> )			**	25.86 (V)	PE	4713
( <sup>2</sup> D <sub>3/2</sub> )			**	25.95 (V)	PE	5035
( <sup>2</sup> D <sub>5/2</sub> )			**	25.98 (V)	PE	4713
( <sup>2</sup> D <sub>3/2</sub> )			**	26.16 (V)	PE	4713
<b>InI<sub>3</sub><sup>+</sup></b>						
	InI <sub>3</sub>	13510-35-5	**	9.14	PE	4215
			**	~9.58 (V)	PE	4398
<b>SnI<sub>1</sub><sup>+</sup></b>						
	SnI <sub>1</sub>	7790-47-8	**	9.45 (V)	PE	5148
<b>C<sub>13</sub>H<sub>19</sub>MoSnI<sup>+</sup></b>						
	(C <sub>7</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )MoI (Molybdenum,bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)iodo(trimethylstannyl)-)	51249-26-4	**	6.51±0.09	EI	5321
<b>SbI<sub>3</sub><sup>+</sup></b>						
	SbI <sub>3</sub>	7790-44-5	**	9.05 (V)	PE	5473
			**	9.06 (V)	PE	4146
<b>C<sub>1</sub>H<sub>3</sub>TeI<sup>+</sup></b>						
	C <sub>1</sub> H <sub>3</sub> TeI (Tellurophene, 2-iodo-)	59163-68-7	**	8.34±0.05 (V) *	PE	4626
<b>Xe<sup>+</sup></b>						
( <sup>2</sup> P <sub>3/2</sub> )	Xe	7440-63-3	**	12.127±0.002	PE	3525
( <sup>2</sup> P <sub>1/2</sub> )			**	13.434±0.002	PE	3525
( <sup>2</sup> P <sub>1/2</sub> )			**	13.435	PE	4670
( <sup>2</sup> P <sub>3/2</sub> )			**	12.125±0.004	PEN	3541
			**	12.12±0.02	EI	5342
( <sup>2</sup> P <sub>3/2</sub> )			**	12.130	PE	4670
<b>Xe<sup>+2</sup></b>						
	Xe	7440-63-3	**	33.5±0.2	EI	4503
<b>Xe<sub>2</sub><sup>+</sup></b>						
	Xe <sub>2</sub>	12185-19-2	**	11.7 (V)	PE	4670
			**	11.13	PI	4930
(1/2)u			**	11.85±0.015 (V)	PE	4749
(3/2)g			**	12.02±0.015 (V)	PE	4749
(1/2)g			**	12.21±0.015 (V)	PE	4749
(1/2)u			**	13.31±0.015 (V)	PE	4749
			**	11.75±0.3	EI	5350
<b>F<sub>2</sub>Xe<sup>+</sup></b>						
	XeF <sub>2</sub>	13709-36-9	**	12.4 (V)	S	5182
<b>F<sub>1</sub>Xe<sup>+</sup></b>						
	XeF <sub>1</sub>	13709-61-0	**	13.1 (V)	S	5182
<b>F<sub>6</sub>Xe<sup>+</sup></b>						
	XeF <sub>6</sub>	13693-09-9	**	12.35 (V)	S	5182

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>OF<sub>2</sub>Xe<sup>+</sup></b>						
	XeOF <sub>2</sub>	13774-85-1	**	≥ 12.0	PE	3943
<b>ArXe<sup>+</sup></b>						
	XeAr	58206-67-0	**	11.985±0.017	PI	4926
<b>KrXe<sup>+</sup></b>						
	XeKr	12521-42-5	**	11.757±0.017	PI	4926
			**	12.2±0.2	EI	5350
<b>Cs<sup>+</sup></b>						
	Cs	7440-46-2	**	3.89	PE	4642
			**	3.89	EI	4352
	CsOH	21351-79-1	OH	~ 10	EI	3461
	CsNO <sub>3</sub>	XXXXXX-XX-X		10.50±0.5	EI	4100
( <sup>2</sup> P <sub>3/2</sub> )	CsCl	7647-17-8	Cl <sup>-</sup>	17.46±0.04 (V)	PE	5035
( <sup>2</sup> P <sub>1/2</sub> )				18.86±0.04 (V)	PE	5035
( <sup>2</sup> P <sub>3/2</sub> )	CsBr	7787-69-1	Br <sup>-</sup>	17.52±0.04 (V)	PE	5035
( <sup>2</sup> P <sub>1/2</sub> )				18.53±0.04 (V)	PE	5035
( <sup>2</sup> P <sub>3/2</sub> )	CsI	7789-17-5	I <sup>-</sup>	17.60±0.04 (V)	PE	5035
( <sup>2</sup> P <sub>1/2</sub> )				19.31±0.04 (V)	PE	5035
<b>Cs<sup>2+</sup></b>						
	Cs <sup>+</sup>	18459-37-5	**	23.14±0.02	S	5179
<b>Cs<sub>2</sub><sup>+</sup></b>						
	Cs <sub>2</sub>	12184-83-7	**	3.60-3.71	PI	3772
<b>Cs<sub>2</sub>O<sup>+</sup></b>						
	Cs <sub>2</sub> MoO <sub>4</sub>	XXXXXX-XX-X	MoO <sub>3</sub>	~ 12.	EI	4578
<b>NO<sub>3</sub>Cs<sup>+</sup></b>						
	CsNO <sub>3</sub>	XXXXXX-XX-X	**	8.78±0.06 (V)	PE	5354
<b>Cs<sub>2</sub>NO<sub>3</sub><sup>+</sup></b>						
	(CsNO <sub>3</sub> ) <sub>2</sub>	XXXXXX-XX-X		14.1±1.0	EI	4100
<b>FCs<sup>+</sup></b>						
	CsF	13400-13-0	**	8.80±0.10	PE	3958
			**	9.0±0.2	PE	4606
( <sup>2</sup> Π)			**	9.68±0.05 (V)	PE	4353
			**	9.7 (V)	PE	4307
( <sup>2</sup> Σ)			**	10.22±0.05 (V)	PE	4353
<b>F<sub>4</sub>AlCs<sup>+</sup></b>						
	CsAlF <sub>4</sub>	39211-00-2	**	13.12±0.05 (V)	PE	5238
<b>O<sub>3</sub>PCs<sup>+</sup></b>						
	CsPO <sub>3</sub>	XXXXXX-XX-X	**	9.41±0.04 (V)	PE	4840
<b>ClCs<sup>+</sup></b>						
	CsCl	7647-17-8	**	7.84±0.05	PE	3958
			**	7.9±0.2	PE	4606
( <sup>2</sup> P <sub>3/2</sub> )			**	8.32±0.1	PE	4344
( <sup>2</sup> P <sub>3/2</sub> )			**	8.32±0.1	PE	5035
			**	8.5 (V)	PE	4307
( <sup>2</sup> Π <sub>3/2</sub> )			**	8.7±0.1 (V)	PE	4353
			**	8.83±0.05 (V)	PE	4266
( <sup>2</sup> Π <sub>1/2</sub> )			**	8.9±0.1 (V)	PE	4353
( <sup>2</sup> Σ)			**	9.48±0.05 (V)	PE	4353



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Cl}_2\text{Cs}_2^+$	$(\text{CsCl})_2$	12258-95-6	**	9.15 (V)	PE	5035
			**	9.15 (V)	PE	4344
$\text{AlCl}_4\text{Cs}^+$	$\text{CsAlCl}_4$	17992-03-9	**	10.50±0.05 (V)	PE	5238
$\text{BrCs}^+$	$\text{CsBr}$	7787-69-1	**	7.3±0.2	PE	4606
			**	7.46±0.05	PE	3958
			**	7.74±0.1	PE	4344
			**	7.74±0.1	PE	5035
			**	8.0 (V)	PE	4307
			**	8.47±0.5 (V)	PE	4353
			**	8.57±0.04 (V)	PE	5035
			**	8.88±0.05 (V)	PE	4353
			**	9.21±0.05 (V)	PE	4353
$\text{O}_3\text{MoCs}_2^+$	$\text{Cs}_2\text{MoO}_4$	XXXXXX-XX-X	O	~12.	EI	4578
$\text{O}_4\text{MoCs}_2^+$	$\text{Cs}_2\text{MoO}_4$	XXXXXX-XX-X	**	7.	EI	4578
$\text{ICs}^+$	$\text{CsI}$	7789-17-5	**	6.5±0.2	PE	4606
			**	7.10±0.05	PE	3958
			**	7.10±0.1	PE	4344
			**	7.10±0.1	PE	5035
			**	7.2 (V)	PE	4307
			**	7.46±0.05 (V)	PE	4353
			**	8.00±0.10	PE	3958
			**	8.12±0.05 (V)	PE	4353
			**	8.40±0.04 (V)	PE	5035
			**	8.46±0.05 (V)	PE	4353
$\text{Ba}^+$	$\text{Ba}$	7440-39-3	**	5.1±0.2	EI	4458
			**	5.0	PE	4860
			**	5.22±0.03	PE	4381
			**	5.0±0.3	EI	5067
			**	5.15±0.1	EI	4114
			**	5.17±0.08	EI	5342
			**	~5.2	EI	3486
			O	10.95±0.18	EI	3821
	$\text{BaO}$	1304-28-5				
$\text{Ba}^{+2}$	$\text{Ba}$	7440-39-3	**	12	EI	3486
$\text{OBa}^+$	$\text{BaO}$	1304-28-5	**	6.5±0.2	EI	4458
			**	6.85±0.1	EI	5275
			**	6.97±0.12	EI	3821
			**	7.±1	EI	4506
$\text{BO}_2\text{Ba}^+$	$\text{BaBO}_2$	54597-36-3	**	10.8±0.2	EI	5585
$\text{ClBa}^+$	$\text{BaCl}$	14832-99-6	**	5.0	PE	4860

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Cl}_2\text{Ba}^+$	$\text{BaCl}_2$	10361-37-2	**	10.0 (V)	PE	4761
$\text{BrBa}^+$	$\text{BaBr}$	14832-97-4	**	5.0	PE	4860
$\text{BaI}^+$	$\text{BaI}$	12524-20-8	**	$5.0 \pm 0.3$	EI	5067
	$\text{BaI}_2$	13718-50-8	**	$9.0 \pm 0.3$	EI	5067
$\text{I}_2\text{Ba}^+$	$\text{BaI}_2$	13718-50-8	**	9.7 (V)	PE	4761
$\text{La}^+$	$\text{La}$	7439-91-0	**	$5.45 \pm 0.2$	EI	4114
			**	$5.5 \pm 0.7$	EI	5303
			**	$5.51 \pm 0.09$	EI	5342
			**	$5.6 \pm 0.1$	EI	4560
			**	$6.9 \pm 1.2$	EI	3978
	$\text{LaF}_3$	13709-38-1		26	EI	3456
				26.9	EI	3466
$\text{CLa}^+$	$\text{LaC}_2$	12071-15-7	C	$14.9 \pm 0.5$	EI	3457
$\text{C}_2\text{La}^+$	$\text{LaC}_2$	12071-15-7	**	$5.4 \pm 0.3$	EI	3457
$\text{C}_3\text{La}^+$	$\text{LaC}_3$	12602-63-0	**	$6.8 \pm 0.5$	EI	3457
$\text{C}_1\text{La}^+$	$\text{LaC}_1$	12603-31-5	**	$4.7 \pm 0.5$	EI	3457
$\text{C}_5\text{H}_5\text{La}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>3</sub> La (Lanthanum, tris[(1,2,3,4,5-η)-2,4-cyclopentadien-1-yl]-)	1272-23-7	2C <sub>5</sub> H <sub>5</sub>	$17.3 \pm 0.3$	EI	5490
$\text{C}_8\text{H}_8\text{La}^+$	(iso-C <sub>5</sub> H <sub>7</sub> -C <sub>5</sub> H <sub>11</sub> ) <sub>3</sub> La (Lanthanum, tris[(1,2,3,4,5-η)-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	68959-87-5		$22.5 \pm 0.3$	EI	5490
$\text{C}_{10}\text{H}_{10}\text{La}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>3</sub> La (Lanthanum, tris[(1,2,3,4,5-η)-2,4-cyclopentadien-1-yl]-)	1272-23-7	C <sub>5</sub> H <sub>5</sub>	$10.2 \pm 0.3$	EI	5490
$\text{C}_{15}\text{H}_{15}\text{La}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>3</sub> La (Lanthanum, tris[(1,2,3,4,5-η)-2,4-cyclopentadien-1-yl]-)	1272-23-7	**	$7.9 \pm 0.3$	EI	5490
$\text{C}_{16}\text{H}_{22}\text{La}^+$	(iso-C <sub>5</sub> H <sub>7</sub> -C <sub>5</sub> H <sub>11</sub> ) <sub>3</sub> La (Lanthanum, tris[(1,2,3,4,5-η)-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	68959-87-5	C <sub>3</sub> H <sub>7</sub> -C <sub>5</sub> H <sub>3</sub>	$13.8 \pm 0.3$	EI	5490
$\text{C}_{21}\text{H}_{33}\text{La}^+$	(iso-C <sub>5</sub> H <sub>7</sub> -C <sub>5</sub> H <sub>11</sub> ) <sub>3</sub> La (Lanthanum, tris[(1,2,3,4,5-η)-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	68959-87-5	**	$8.0 \pm 0.3$	EI	5490
$\text{OLa}^+$	$\text{LaO}$	12031-20-8	**	$4.90 \pm 0.1$	EI	4560
			**	$4.95 \pm 0.1$	EI	4114
			**	5.2	EI	4119

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>FLa<sup>+</sup></b>	LaF <sub>3</sub>	13709-38-1		16	EI	3456
				18.5	EI	3466
<b>F<sub>2</sub>La<sup>+</sup></b>	LaF <sub>3</sub>	13709-38-1		9	EI	3456
				11.8	EI	3466
<b>F<sub>5</sub>La<sub>2</sub><sup>+</sup></b>	(LaF <sub>3</sub> ) <sub>2</sub>	12592-31-3		12.4	EI	3466
<b>RhLa<sup>+</sup></b>	LaRh	12142-68-6	**	7.7±1.0	EI	3978
<b>Ce<sup>+</sup></b>	Ce	7440-45-1	**	5.5387±0.0004	S	5056
			**	5.5387±0.0004	S	5186
			**	5.537±0.0004	PI	5056
			**	5.44±0.1	EI	4624
			**	5.6±0.5	EI	3969
			**	5.7±0.3	EI	3597
			**	5.9±0.4	EI	3468
			**	5.9±0.6	EI	3621
			**	6.0±0.5	EI	3473
			**	6.0±0.5	EI	3986
	CeO	12014-74-3		~13.5	EI	4061
	CeF <sub>3</sub>	7758-88-5		25.2	EI	3607
	CeI <sub>3</sub>	7790-87-6		16.75±0.15	EI	4607
<b>Ce<sub>2</sub><sup>+</sup></b>	Ce <sub>2</sub>	12595-88-9	**	5.9±0.4	EI	3471
<b>C<sub>2</sub>Ce<sup>+</sup></b>	C <sub>2</sub> Ce	12012-32-7	**	5.6±0.4	EI	3597
			**	6.2±0.5	EI	3969
<b>NCe<sup>+</sup></b>	CeN	25764-08-3	**	5.8±0.6	EI	3469
<b>OCe<sup>+</sup></b>	CeO	12014-74-3	**	4.90±0.1	EI	4624
			**	5.2±0.2	EI	4061
			**	5.3±0.5	EI	3986
			**	6.0±0.5	EI	3473
	CeO <sub>2</sub>	1306-38-3		~11	EI	4061
<b>O<sub>2</sub>Ce<sup>+</sup></b>	CeO <sub>2</sub>	1306-38-3	**	9.7±0.5	EI	3986
			**	10.3±0.2	EI	4061
<b>O<sub>2</sub>Ce<sub>2</sub><sup>+</sup></b>	(CeO) <sub>2</sub>	12258-89-8	**	8±1	EI	3986
<b>FCe<sup>+</sup></b>	CeF <sub>3</sub>	7758-88-5		17.2	EI	3607
<b>F<sub>2</sub>Ce<sup>+</sup></b>	CeF <sub>3</sub>	7758-88-5		13.5	EI	3607
<b>F<sub>3</sub>Ce<sup>+</sup></b>	CeF <sub>3</sub>	7758-88-5	**	11.4	EI	3607

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{F}_5\text{Ce}^+$	$\text{Ce}_2\text{F}_{11}$	37346-47-7		13.1	EI	3607
$\text{CSiCe}^+$	CSiCe	51257-45-5	**	~9	EI	3969
$\text{SCe}^+$	CeS	12014-82-3	**	$6.0 \pm 0.6$	EI	3621
$\text{S}_2\text{Ce}^+$	$\text{CeS}_2$	12133-58-3	**	$13.5 \pm 1$	EI	3621
$\text{CRuCe}^+$	RuCeC	70378-92-6	**	$6.5 \pm 1$	EI	5331
$\text{C}_2\text{RuCe}^+$	$\text{RuCeC}_2$	XXXXX-XX-X	**	$7.5 \pm 0.8$	EI	5331
$\text{RhCe}^+$	CeRh	12157-69-6	**	$6.8 \pm 1.0$	EI	4209
$\text{CRhCe}^+$	RhCeC	70378-91-5	**	$6. \pm 1$	EI	5331
$\text{C}_2\text{RhCe}^+$	$\text{RhCeC}_2$	53262-56-9	**	$7.6 \pm 0.8$	EI	5331
$\text{PdCe}^+$	CePd	12292-14-7	**	$6.2 \pm 0.5$	EI	3597
$\text{ICe}^+$	$\text{CeI}_3$	7790-87-6	$\text{I}_2?$	$13.15 \pm 0.15$	EI	4607
			2I	$13.6 \pm 0.5$	EI	3820
$\text{ICe}^{+2}$	$\text{CeI}_3$	7790-87-6		$28 \pm 1$	EI	3820
$\text{I}_2\text{Ce}^+$	$\text{CeI}_3$	7790-87-6	I	$9.55 \pm 0.1$	EI	4607
			I	$9.7 \pm 0.5$	EI	3820
$\text{I}_3\text{Ce}^+$	$\text{CeI}_3$	7790-87-6	**	$9.05 \pm 0.1$	EI	4607
			**	$9.6 \pm 0.5$	EI	3820
$\text{Pr}^+$	Pr	7440-10-0	**	$5.464 \pm 0.006$	PI	5056
			**	5.464	PI	5186
			**	$5.37 \pm 0.1$	EI	4624
	$\text{PrI}_3$	13813-23-5	3I	$17.0 \pm 0.2$	EI	3820
$\text{C}_5\text{H}_5\text{Pr}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>3</sub> Pr (Praseodymium, tris[(1,2,3,4,5-η)-2,4-cyclopentadien-1-yl]-)	11077-59-1	2C <sub>5</sub> H <sub>5</sub>	$17.0 \pm 0.4$	EI	5490
$\text{C}_8\text{H}_8\text{Pr}^+$	(iso-C <sub>5</sub> H <sub>5</sub> -C <sub>3</sub> H <sub>3</sub> ) <sub>2</sub> Pr (Praseodymium, tris[(1,2,3,4,5-η)-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	69021-86-9		$22.1 \pm 0.3$	EI	5490
$\text{C}_{10}\text{H}_{10}\text{Pr}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Pr (Praseodymium, tris[(1,2,3,4,5-η)-2,4-cyclopentadien-1-yl]-)	11077-59-1	C <sub>5</sub> H <sub>5</sub>	$10.0 \pm 0.2$	EI	5490

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{15}Pr^+$	$(C_5H_5)_3Pr$ (Praseodymium, tris[(1,2,3,4,5- $\eta$ )-2,4-cyclopentadien-1-yl]-)	11077-59-1	**	$8.2 \pm 0.2$	EI	5490
$C_{16}H_{22}Pr^+$	$(iso-C_3H_7C_5H_5)_3Pr$ (Praseodymium, tris[(1,2,3,4,5- $\eta$ )-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	69021-86-9	$C_3H_7C_5H_5$	$12.4 \pm 0.3$	EI	5490
$C_{21}H_{33}Pr^+$	$(iso-C_3H_7C_5H_5)_3Pr$ (Praseodymium, tris[(1,2,3,4,5- $\eta$ )-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	69021-86-9	**	$8.2 \pm 0.3$	EI	5490
$CNPr^+$	PrCN	57137-34-5	**	$5.5 \pm 0.5$	EI	4505
$OPr^+$	PrO	12035-81-3	**	$4.90 \pm 0.1$	EI	4624
$IPr^+$	PrI <sub>3</sub>	13813-23-5	2I	$12.9 \pm 0.2$	EI	3820
$I_2Pr^+$	PrI <sub>3</sub>	13813-23-5	I	$10.0 \pm 0.2$	EI	3820
$I_3Pr^+$	PrI <sub>3</sub>	13813-23-5	**	$9.2 \pm 0.2$	EI	3820
$Nd^+$	Nd	7440-00-8	**	$5.5250 \pm 0.0006$	S	5056
			**	$5.5250 \pm 0.0006$	S	5186
			**	$5.523 \pm 0.003$	PI	5056
			**	$5.49 \pm 0.1$	EI	4624
			**	6.5	EI	4030
	NdCl <sub>3</sub>	10024-93-8	3Cl?	$20.9 \pm 1.0$	EI	3802
	NdBr <sub>3</sub>	13536-80-6		$16.9 \pm 0.7$	EI	3976
	NdI <sub>3</sub>	13813-24-6	3I	$15.9 \pm 0.2$	EI	3820
$C_3H_5Nd^+$	$(C_5H_5)_3Nd$ (Neodymium, tris[(1,2,3,4,5- $\eta$ )-2,4-cyclopentadien-1-yl]-)	1273-98-9	$2C_5H_5$	$16.8 \pm 0.2$	EI	5490
$C_8H_8Nd^+$	$(iso-C_3H_7C_5H_5)_3Nd$ (Neodymium, tris[(1,2,3,4,5- $\eta$ )-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	69021-85-8		$18.9 \pm 0.3$	EI	5490
$C_{10}H_{10}Nd^+$	$(C_5H_5)_3Nd$ (Neodymium, tris[(1,2,3,4,5- $\eta$ )-2,4-cyclopentadien-1-yl]-)	1273-98-9	$C_5H_5$	$9.8 \pm 0.2$	EI	5490
$C_{15}H_{15}Nd^+$	$(C_5H_5)_3Nd$ (Neodymium, tris[(1,2,3,4,5- $\eta$ )-2,4-cyclopentadien-1-yl]-)	1273-98-9	**	$8.0 \pm 0.2$	EI	5490
$C_{16}H_{22}Nd^+$	$(iso-C_3H_7C_5H_5)_3Nd$ (Neodymium, tris[(1,2,3,4,5- $\eta$ )-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	69021-85-8	$C_3H_7C_5H_5$	$10.8 \pm 0.3$	EI	5490
$C_{21}H_{33}Nd^+$	$(iso-C_3H_7C_5H_5)_3Nd$ (Neodymium, tris[(1,2,3,4,5- $\eta$ )-1-(1-methylethyl)-2,4-cyclopentadien-1-yl]-)	69021-85-8	**	$7.9 \pm 0.3$	EI	5490

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>ONd<sup>+</sup></b>	NdO	12035-20-0	**	4.97±0.1	EI	4624
<b>ClNd<sup>+</sup></b>	NdCl <sub>3</sub>	10024-93-8	2Cl?	17.3±1.0	EI	3802
<b>Cl<sub>2</sub>Nd<sup>+</sup></b>	NdCl <sub>3</sub>	10024-93-8	Cl?	11.9±0.3	EI	3802
<b>Cl<sub>3</sub>Nd<sup>+</sup></b>	NdCl <sub>3</sub>	10024-93-8	**	<11.4	EI	3802
<b>Br<sub>2</sub>Nd<sup>+</sup></b>	NdBr <sub>3</sub>	13536-80-6		10.5±0.7	EI	3976
<b>INd<sup>+</sup></b>	NdI <sub>3</sub>	13813-24-6	2I	13.6±0.5	EI	3820
<b>I<sub>2</sub>Nd<sup>+</sup></b>	NdI <sub>3</sub>	13813-24-6	I	9.3±0.5	EI	3820
<b>I<sub>3</sub>Nd<sup>+</sup></b>	NdI <sub>3</sub>	13813-24-6	**	9.2±0.5	EI	3820
<b>Pm<sup>+</sup></b>	Pm	7440-12-2	** **	5.582±0.01 5.582±0.010	OTH OTH	5056 5186
<b>Sm<sup>+</sup></b>	Sm	7440-19-9	** ** ** ** **	5.6437±0.0006 5.6437±0.001 5.639±0.003 5.5 5.58±0.1	S S PI EI EI	5186 5056 5056 4872 4624
	SmI <sub>2</sub>	32248-43-4	2I	12.5 13.1±0.2	EI EI	3820 4122
<b>OSm<sup>+</sup></b>	SmO	12035-88-0	** **	5.5 5.55±0.1	EI EI	4872 4624
<b>ISm<sup>+</sup></b>	SmI <sub>2</sub>	32248-43-4	I	9.2 9.8±0.2	EI EI	3820 4122
<b>I<sub>2</sub>Sm<sup>+</sup></b>	SmI <sub>2</sub>	32248-43-4	** **	8.7 9.0±0.2	EI EI	3820 4122
<b>Eu<sup>+</sup></b>	Eu	7440-53-1	** ** ** ** ** ** ** ** **	5.6704±0.0003 5.6704±0.0003 5.67045±0.00002 5.666±0.003 5.5 5.6±0.5 5.68±0.1 5.9±0.2 6.1±0.5	S S S PI EI EI EI EI EI	5056 5186 5511 5056 4872 3611 4624 3459 4869
	EuI <sub>2</sub>	22015-35-6		12.45±0.2	EI	3612



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Eu}^{+2}$	$\text{Eu}^+$	15065-79-9	**	$11.241 \pm 0.006$	S	4210
$\text{Eu}_2^+$	$\text{Eu}_2$	12596-00-8	**	$6.3 \pm 1.0$	EI	4012
$\text{C}_2\text{Eu}^+$	$\text{EuC}_2$	12127-44-5	**	$6.6 \pm 0.7$	EI	3611
$\text{CNEu}^+$	$\text{EuCN}$	50647-38-6	**	$5.5 \pm 1.5$	EI	3798
$\text{OEu}^+$	$\text{EuO}$	12020-60-9	** ** ** **	6.2 $6.3 \pm 0.2$ $6.3 \pm 0.8$ $6.48 \pm 0.1$	EI EI EI EI	4872 5468 4869 4624
$\text{OEu}_2^+$	$\text{Eu}_2\text{O}$	62462-47-9	**	$6.1 \pm 0.9$	EI	4869
$\text{O}_2\text{Eu}_2^+$	$\text{Eu}_2\text{O}_2$	62462-48-0	**	$7.4 \pm 1.0$	EI	4869
$\text{SEu}^+$	$\text{EuS}$	12020-65-4	** **	$6.8 \pm 0.3$ $6.8 \pm 0.3$	EI EI	4486 4874
$\text{S}_2\text{Eu}^+$	$\text{EuS}_2$	55957-42-1	** **	$7.2 \pm 0.5$ $7.2 \pm 0.5$	EI EI	4486 4874
$\text{SEu}_2^+$	$\text{Eu}_2\text{S}$	62462-49-1	** **	$6.7 \pm 0.5$ $6.7 \pm 0.5$	EI EI	4486 4874
$\text{S}_2\text{Eu}_2^+$	$\text{Eu}_2\text{S}_2$	62462-51-5	** **	$6.6 \pm 0.5$ $6.6 \pm 0.5$	EI EI	4486 4874
$\text{AgEu}^+$	$\text{EuAg}$	12249-50-2	**	$6.1 \pm 0.5$	EI	4012
$\text{IEu}^+$	$\text{EuI}_2$	22015-35-6		$9.90 \pm 0.2$	EI	3612
$\text{I}_2\text{Eu}^+$	$\text{EuI}_2$	22015-35-6	**	$8.85 \pm 0.2$	EI	3612
$\text{Gd}^+$	$\text{Gd}$	7440-54-2	** ** ** ** **	$6.1502 \pm 0.0006$ $6.1502 \pm 0.0006$ $6.1 \pm 0.6$ $6.24 \pm 0.1$ $6.3 \pm 0.6$	S S EI EI EI	5056 5186 4902 4624 4869
	$\text{GdCl}_3$	10138-52-0	3Cl?	$20.9 \pm 1.0$	EI	3802
	$\text{GdI}_3$	13572-98-0	3I	$17.0 \pm 0.2$	EI	3820
$\text{OGd}^+$	$\text{GdO}$	12024-77-0	** **	$5.75 \pm 0.1$ $6.5 \pm 0.8$	EI EI	4624 4869

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{O}_2\text{Gd}^+$	$\text{GdO}_2$	53789-25-6	**	$9.5 \pm 1.0$	EI	4869
$\text{OGd}_2^+$	$\text{Gd}_2\text{O}$	62462-54-8	**	$6.5 \pm 1.0$	EI	4869
$\text{O}_2\text{Gd}_2^+$	$\text{Gd}_2\text{O}_2$	62462-55-9	**	$8.2 \pm 1.0$	EI	4869
$\text{SGd}^+$	$\text{GdS}$	12134-74-6	**	$6.9 \pm 0.6$	EI	4902
$\text{ClGd}^+$	$\text{GdCl}_1$	10138-52-0	2Cl?	$16.5 \pm 1.0$	EI	3802
$\text{Cl}_2\text{Gd}^+$	$\text{GdCl}_1$	10138-52-0	Cl?	$11.9 \pm 0.3$	EI	3802
$\text{NaCl}_3\text{Gd}^+$	$\text{NaGdCl}_1$	XXXXXX-XX-X		$10.1 \pm 0.5$	EI	3802
$\text{IGd}^+$	$\text{GdI}_3$	13572-98-0	2I	$13.5 \pm 0.2$	EI	3820
$\text{I}_2\text{Gd}^+$	$\text{GdI}_3$	13572-98-0	I	$10.1 \pm 0.2$	EI	3820
$\text{I}_3\text{Gd}^+$	$\text{GdI}_3$	13572-98-0	**	$9.2 \pm 0.2$	EI	3820
$\text{Tb}^+$	Tb	7440-27-9	**	$5.8639 \pm 0.0006$	S	5056
			**	$5.8639 \pm 0.0006$	S	5186
			**	$5.84 \pm 0.1$	EI	4624
	$\text{TbI}_3$	13813-40-6	3I	$17.6 \pm 0.2$	EI	3820
$\text{OTb}^+$	TbO	12035-91-5	**	$5.62 \pm 0.1$	EI	4624
			**	$6.1 \pm 0.7$	EI	4869
$\text{OTb}_2^+$	$\text{Tb}_2\text{O}$	62462-71-9	**	$6.6 \pm 0.8$	EI	4869
$\text{O}_2\text{Tb}_2^+$	$\text{Tb}_2\text{O}_2$	62462-78-6	**	$6.0 \pm 0.8$	EI	4869
$\text{CuTb}^+$	$\text{TbCu}$	12019-22-6	**	$5.3 \pm 0.3$	EI	5296
$\text{ITb}^+$	$\text{TbI}_3$	13813-40-6	2I	$13.7 \pm 0.2$	EI	3820
$\text{I}_2\text{Tb}^+$	$\text{TbI}_3$	13813-40-6	I	$10.5 \pm 0.2$	EI	3820
$\text{I}_3\text{Tb}^+$	$\text{TbI}_3$	13813-40-6	**	$9.5 \pm 0.2$	EI	3820
$\text{Dy}^+$	Dy	7429-91-6	**	$5.9390 \pm 0.0006$	S	5056
			**	$5.9390 \pm 0.0006$	S	5186
			**	$5.936 \pm 0.003$	PI	5056
			**	$5.90 \pm 0.1$	EI	4624

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Dy<sup>+</sup></b>	DyI <sub>3</sub>	15474-63-2	3I	16.4±0.2	EI	3820
<b>ODy<sup>+</sup></b>	DyO	12175-28-9	**	6.08±0.1	EI	4624
<b>CuDy<sup>+</sup></b>	DyCu	12018-73-4	**	5.4±0.4	EI	5296
<b>IDy<sup>+</sup></b>	DyI <sub>3</sub>	15474-63-2	2I	13.1±0.2	EI	3820
<b>I<sub>2</sub>Dy<sup>+</sup></b>	DyI <sub>3</sub>	15474-63-2	I	10.5±0.2	EI	3820
<b>I<sub>3</sub>Dy<sup>+</sup></b>	DyI <sub>3</sub>	15474-63-2	**	9.6±0.2	EI	3820
<b>Ho<sup>+</sup></b>	Ho	7440-60-0	**	6.0216±0.0006	S	5056
			**	6.0216±0.0006	S	5186
			**	6.017±0.003	PI	5056
			**	5.8±0.2	EI	3440
			**	5.99±0.1	EI	4624
			**	6.1±0.6	EI	4869
	HoI <sub>3</sub>	13813-41-7	3I	16.7±0.2	EI	3820
<b>Ho<sub>2</sub><sup>+</sup></b>	Ho <sub>2</sub>	12596-28-0	**	6.0±1.0	EI	3440
<b>OHo<sup>+</sup></b>	HoO	12281-10-6	**	6.17±0.1	EI	4624
			**	6.2±0.7	EI	4869
<b>OHo<sub>2</sub><sup>+</sup></b>	Ho <sub>2</sub> O	62462-59-3	**	6.2±0.7	EI	4869
<b>O<sub>2</sub>Ho<sub>2</sub><sup>+</sup></b>	Ho <sub>2</sub> O <sub>2</sub>	62462-60-6	**	7.5±0.1	EI	4869
<b>CuHo<sup>+</sup></b>	HoCu	12018-93-8	**	5.3±0.3	EI	5296
<b>AgHo<sup>+</sup></b>	HoAg	12002-74-3	**	5.7±0.6	EI	3440
<b>IHo<sup>+</sup></b>	HoI <sub>3</sub>	13813-41-7	2I	13.2±0.2	EI	3820
<b>I<sub>2</sub>Ho<sup>+</sup></b>	HoI <sub>3</sub>	13813-41-7	I	10.4±0.2	EI	3820
<b>I<sub>3</sub>Ho<sup>+</sup></b>	HoI <sub>3</sub>	13813-41-7	**	9.2±0.2	EI	3820
<b>Er<sup>+</sup></b>	Er	7440-52-0	**	6.1077±0.0006	S	5056
			**	6.1077±0.0010	S	5186
			**	6.104±0.003	PI	5056
			**	5.93±0.1	EI	4624
	ErI <sub>3</sub>	13813-42-8	3I	16.2±0.2	EI	3820

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>OEr<sup>+</sup></b>	ErO	12280-61-4	**	6.30±0.1	EI	4624
<b>IEr<sup>+</sup></b>	ErI <sub>3</sub>	13813-42-8	2I	13.3±0.2	EI	3820
<b>I<sub>2</sub>Er<sup>+</sup></b>	ErI <sub>3</sub>	13813-42-8	I	10.2±0.2	EI	3820
<b>I<sub>3</sub>Er<sup>+</sup></b>	ErI <sub>3</sub>	13813-42-8	**	9.0±0.2	EI	3820
<b>Tm<sup>+</sup></b>	Tm	7440-30-4	**	5.7	EI	3460
			**	6.11±0.1	EI	4624
	TmBr <sub>3</sub>	14456-51-0		17.5±0.7	EI	3976
	TmI <sub>3</sub>	13813-43-9	3I	16.1±0.2	EI	4122
<b>OTm<sup>+</sup></b>	TmO	12281-29-7	**	6.44±0.1	EI	4624
<b>Br<sub>2</sub>Tm<sup>+</sup></b>	TmBr <sub>3</sub>	14456-51-0		11.1±0.7	EI	3976
<b>Br<sub>3</sub>Tm<sup>+</sup></b>	TmBr <sub>3</sub>	14456-51-0	**	9.6±0.7	EI	3976
<b>ITm<sup>+</sup></b>	TmI <sub>3</sub>	13813-43-9	2I	12.4±0.2	EI	4122
<b>I<sub>2</sub>Tm<sup>+</sup></b>	TmI <sub>3</sub>	13813-43-9	I	10.5±0.2	EI	4122
<b>I<sub>3</sub>Tm<sup>+</sup></b>	TmI <sub>3</sub>	13813-43-9	**	9.2±0.2	EI	4122
<b>Yb<sup>+</sup></b>	Yb	7440-64-4	**	6.21±0.1	EI	4624
			**	6.3±0.3	EI	4105
	YbCl <sub>2</sub>	13874-77-6		15.05±0.26	EI	3614
	YbBr <sub>3</sub> ?	13759-89-2		14.7±0.7	EI	3976
<b>Yb<sup>+2</sup></b>	Yb <sup>+</sup>	20205-78-1	**	12.184±0.006	S	3974
<b>Yb<sub>2</sub><sup>+</sup></b>	Yb <sub>2</sub>	12771-79-8	**	4-5	EI	4105
<b>OYb<sup>+</sup></b>	YbO	25578-79-4	**	6.55±0.1	EI	4624
<b>ClYb<sup>+</sup></b>	YbCl <sub>2</sub>	13874-77-6		10.70±0.21	EI	3614
<b>Cl<sub>2</sub>Yb<sup>+</sup></b>	YbCl <sub>2</sub>	13874-77-6	**	9.73±0.21	EI	3614
<b>BrYb<sup>+</sup></b>	YbBr <sub>2</sub> ?	25502-05-0		10.0±0.7	EI	3976
<b>Br<sub>2</sub>Yb<sup>+</sup></b>	YbBr <sub>3</sub> ?	13759-89-2		10.0±0.7	EI	3976

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Lu<sup>+</sup></b>	Lu	7439-94-3	**	5.425889±0.00001 S		4060
			**	5.2±0.5	EI	4869
			**	5.28±0.1	EI	4624
			**	5.3±0.3	EI	3618
<b>C<sub>2</sub>Lu<sup>+</sup></b>	LuC <sub>2</sub>	12175-89-2	**	7.8±1	EI	3618
<b>C<sub>1</sub>Lu<sup>+</sup></b>	LuC <sub>1</sub>	37215-84-2	**	11.1±1	EI	3618
<b>OLu<sup>+</sup></b>	LuO	12032-02-9	**	6.79±0.1	EI	4624
			**	7.8±0.6	EI	4869
<b>OLu<sub>2</sub><sup>+</sup></b>	Lu <sub>2</sub> O	12339-78-5	**	6.5±0.7	EI	4869
<b>Hf<sup>+</sup></b>	Hf	7440-58-6	**	6.65±0.1	EI	4114
			**	6.65±0.10	EI	5342
<b>H<sub>16</sub>B<sub>1</sub>Hf<sup>+</sup></b>	Hf(BH <sub>3</sub> ) <sub>1</sub>	37274-93-4	**	11.6±0.1 (V)	PE	4825
	Hf(BH <sub>3</sub> ) <sub>1</sub>	53608-70-1	**	11.6±0.1 (V)	PE	4888
<b>C<sub>20</sub>H<sub>11</sub>Hf<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> CCH <sub>2</sub> ) <sub>1</sub> Hf	50654-35-8	**	8.51±0.1 (V)	PE	4242
<b>NHf<sup>+</sup></b>	HfN	25817-87-2	**	<10	EI	4207
<b>C<sub>8</sub>H<sub>21</sub>N<sub>1</sub>Hf<sup>+</sup></b>	(N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>1</sub> Hf	XXXXX-XX-X	**	7.50 (V)	PE	4588
<b>C<sub>16</sub>H<sub>10</sub>N<sub>1</sub>Hf<sup>+</sup></b>	(N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ) <sub>1</sub> Hf	XXXXX-XX-X	**	7.15 (V)	PE	4588
<b>OHf<sup>+</sup></b>	HfO	12029-22-0	**	7.55±0.1	EI	4114
<b>O<sub>2</sub>Hf<sup>+</sup></b>	HfO <sub>2</sub>	12055-23-1	**	9.35±0.2	EI	4114
<b>C<sub>16</sub>H<sub>11</sub>Si<sub>1</sub>Hf<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> SiCH <sub>2</sub> ) <sub>1</sub> Hf	40334-04-1	**	8.58±0.1 (V)	PE	4242
<b>Cl<sub>1</sub>Hf<sup>+</sup></b>	HfCl <sub>1</sub>	13499-05-3	**	12.03 (V)	PE	4694
<b>C<sub>10</sub>H<sub>10</sub>Cl<sub>2</sub>Hf<sup>+</sup></b>	(η-C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> HfCl <sub>2</sub>	12116-66-4	**	8.9±0.1 (V)	PE	4987
	(Hafnium,dichlorobis(η <sup>3</sup> -2,4-cyclopentadien-1-yl)-)		**	8.87±0.05 (V)	PE	4375
<b>Br<sub>1</sub>Hf<sup>+</sup></b>	HfBr <sub>1</sub>	13777-22-5	**	11.06 (V)	PE	4694
	(JC-Mean value of Jahn-Teller components)					
<b>I<sub>1</sub>Hf<sup>+</sup></b>	HfI <sub>1</sub>	13777-23-6	**	9.53 (V)	PE	4694
	(JC-Mean value of Jahn-Teller components)					

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Ta}^+$	Ta	7440-25-7	**	$7.31 \pm 0.09$	EI	5342
$\text{C}_3\text{H}_{15}\text{Ta}^+$	$(\text{CH}_3)_5\text{Ta}$	53378-72-6	**	$8.83 \pm 0.02$ (V)	PE	4733
$\text{C}_{10}\text{H}_{13}\text{Ta}^+$	$(\text{C}_5\text{H}_5)_2\text{H}_2\text{Ta}$ (Tantalum, bis( $\eta^5$ -2,4-cyclopentadien-1-yl)dihydro-)	54474-28-1	**	$8.1 \pm 0.1$ (V)	PE	4425
$\text{C}_{10}\text{H}_{30}\text{N}_5\text{Ta}^+$	$(\text{N}(\text{CH}_3)_2)_5\text{Ta}$	XXXXX-XX-X	**	6.89 (V)	PE	5036
$\text{OTa}^+$	TaO	12035-90-4	**	$7.5 \pm 0.5$	EI	4678
			**	$7.92 \pm 0.1$	EI	4624
$\text{O}_2\text{Ta}^+$	TaO <sub>2</sub>	12036-14-5	**	$8.5 \pm 0.5$	EI	4678
$\text{Cl}_2\text{Ta}^+$	TaCl <sub>5</sub>	7721-01-9		20.3	EI	3783
$\text{Cl}_3\text{Ta}^+$	TaCl <sub>5</sub>	7721-01-9		15.2	EI	3783
$\text{Cl}_4\text{Ta}^+$	TaCl <sub>5</sub>	7721-01-9		10.9	EI	3783
$\text{Cl}_5\text{Ta}^+$	TaCl <sub>5</sub>	7721-01-9	**	11.08 (s)	PE	4764
$\text{C}_{10}\text{H}_{10}\text{Cl}_2\text{Ta}^+$	$(\eta\text{-C}_5\text{H}_5)_2\text{TaCl}_2$ (Tantalum, dichlorobis( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	54039-37-1	**	$6.4 \pm 0.1$ (V)	PE	4987
$\text{C}_{10}\text{H}_{10}\text{Br}_2\text{Ta}^+$	$(\eta\text{-C}_5\text{H}_5)_2\text{TaBr}_2$ (Tantalum, dibromobis( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	69005-97-6	**	$6.4 \pm 0.1$ (V)	PE	4987
$\text{C}_{13}\text{H}_{21}\text{SnTa}^+$	$(\text{C}_5\text{H}_5)_2(\text{Sn}(\text{CH}_3)_2)\text{TaH}_2$ (Tantalum, bis( $\eta^5$ -2,4-cyclopentadien-1-yl)dihydro(trimethylstannyl)-)	51192-04-2	**	$6.77 \pm 0.12$	EI	5321
$\text{W}^+$	W	7440-33-7	**	$7.49 \pm 0.08$	EI	5342
	(CO) <sub>6</sub> W	14040-11-0	6CO	$21.01 \pm 0.05$	EI	5291
	CS(CO) <sub>5</sub> W	50358-92-4	5CO + CS	$21.97 \pm 0.13$	EI	5291
	WBr <sub>4</sub>	14055-81-3	Br	$23.1 \pm 0.3$	EI	4906
	WBr <sub>5</sub>	13470-11-6	5Br	$25.0 \pm 0.3$	EI	4906
$\text{C}_3\text{H}_3\text{W}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{W}$ (Tungsten, tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12079-77-5	3CO + C <sub>2</sub> H <sub>2</sub>	$20.1 \pm 1.0$	EI	4598
$\text{C}_5\text{H}_5\text{W}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{W}$ (Tungsten, tricarbonyl( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12079-77-5	3CO	$14.5 \pm 0.5$	EI	4598
$\text{C}_6\text{H}_{18}\text{W}^+$	$(\text{CH}_3)_6\text{W}$	36133-73-0	**	$8.59 \pm 0.02$ (V)	PE	4733



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{12}W^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> H <sub>2</sub> W (Tungsten, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)dihydro-)	1271-33-6	**	6.4±0.1 (V)	PE	4425
			**	6.35±0.2	OTH	5278
$C_{12}H_{11}W^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (η-CH <sub>2</sub> =CH <sub>2</sub> )W (Tungsten, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)(η <sup>3</sup> -ethene)-)	37343-06-9	**	6.0±0.1 (V)	PE	4425
$C_{12}H_{16}W^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> W (Tungsten, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)dimethyl-)	39333-53-4	**	6.0±0.1 (V)	PE	4425
$C_{13}H_{16}W^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (η-CH <sub>2</sub> =CHCH <sub>3</sub> )W (Tungsten, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)[1,2-η]-1-propene)-)	37343-23-0	**	5.9±0.1 (V)	PE	4425
$C_6H_6W_2^+$	[C <sub>5</sub> H <sub>5</sub> (CO) <sub>3</sub> W] <sub>2</sub> (Tungsten, hexacarbonylbis (η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-)	12566-66-4		29.0±1.0	EI	4598
$C_8H_8W_2^+$	[C <sub>5</sub> H <sub>5</sub> (CO) <sub>3</sub> W] <sub>2</sub> (Tungsten, hexacarbonylbis (η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-)	12566-66-4		25.0±1.0	EI	4598
$C_{10}H_{10}W_2^+$	[C <sub>5</sub> H <sub>5</sub> (CO) <sub>3</sub> W] <sub>2</sub> (Tungsten, hexacarbonylbis (η <sup>5</sup> -2,4-cyclopentadien-1-yl)di-)	12566-66-4	6CO	15.5±0.5	EI	4598
$C_{12}H_{36}N_6W^+$	(N(CH <sub>3</sub> ) <sub>2</sub> ) <sub>6</sub> W	54935-70-5	**	6.73 (V)	PE	4588
$O_2W^+$	WO <sub>2</sub>	12036-22-5	**	9.6±0.3	EI	4556
$O_3W_2^+$	W <sub>2</sub> O <sub>6</sub>	XXXXX-XX-X		35.±1	EI	4131
$O_1W_2^+$	W <sub>2</sub> O <sub>6</sub>	XXXXX-XX-X		17.1±0.2	EI	4131
$O_3W_2^+$	W <sub>2</sub> O <sub>6</sub>	XXXXX-XX-X O		15.3±0.2	EI	4131
$O_6W_2^+$	W <sub>2</sub> O <sub>6</sub>	XXXXX-XX-X **		12.2±0.2	EI	4131
$O_8W_3^+$	W <sub>3</sub> O <sub>9</sub>	XXXXX-XX-X O		14.6±0.2	EI	4131
$O_9W_3^+$	W <sub>3</sub> O <sub>9</sub>	XXXXX-XX-X **		12.0±0.2	EI	4131
$O_{11}W_1^+$	W <sub>1</sub> O <sub>12</sub>	XXXXX-XX-X O		13.9±0.2	EI	4131
$W_1O_{12}^+$	W <sub>1</sub> O <sub>12</sub>	XXXXX-XX-X **		12.0±0.2	EI	4131
$BO_1W^+$	W(BO <sub>3</sub> )O	56644-98-5	**	10.9±0.3	EI	4556

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{B}_2\text{O}_6\text{W}^+$	$\text{B}_2\text{O}_7\text{WO}_3$	XXXXX-XX-X **		$12.3 \pm 0.3$	EI	4556
$\text{BO}_7\text{W}_2^+$	$\text{BO}\cdot\text{W}_2\text{O}_6$	XXXXX-XX-X **		$12.1 \pm 0.3$	EI	4556
$\text{BO}_{10}\text{W}_3^+$	$\text{BO}\cdot\text{W}_3\text{O}_9$	XXXXX-XX-X **		$12.5 \pm 0.3$	EI	4556
$\text{B}_2\text{O}_{12}\text{W}_3^+$	$\text{B}_2\text{O}_7\cdot\text{W}_3\text{O}_9$	XXXXX-XX-X **		$12.4 \pm 0.3$	EI	4556
$\text{BO}_{13}\text{W}_4^+$	$\text{BO}\cdot\text{W}_4\text{O}_{12}$	XXXXX-XX-X **		$13.1 \pm 0.3$	EI	4556
$\text{COW}^+$	$(\text{CO})_6\text{W}$	14040-11-0	5CO	$18.36 \pm 0.06$	EI	5291
	$\text{CS}(\text{CO})_5\text{W}$	50358-92-4	4CO + CS	$19.48 \pm 0.21$	EI	5291
$\text{C}_2\text{O}_2\text{W}^+$	$(\text{CO})_6\text{W}$	14040-11-0	4CO	$16.29 \pm 0.04$	EI	5291
	$\text{CS}(\text{CO})_5\text{W}$	50358-92-4	3CO + CS	$17.21 \pm 0.27$	EI	5291
$\text{C}_3\text{O}_3\text{W}^+$	$(\text{CO})_6\text{W}$	14040-11-0	3CO	$14.06 \pm 0.02$	EI	5291
	$\text{CS}(\text{CO})_5\text{W}$	50358-92-4	2CO + CS	$14.86 \pm 0.11$	EI	5291
$\text{C}_4\text{O}_4\text{W}^+$	$(\text{CO})_6\text{W}$	14040-11-0	2CO	$12.22 \pm 0.03$	EI	5291
	$\text{CS}(\text{CO})_5\text{W}$	50358-92-4	CO + CS	$13.12 \pm 0.11$	EI	5291
$\text{C}_5\text{O}_5\text{W}^+$	$(\text{CO})_6\text{W}$	14040-11-0	CO	$10.30 \pm 0.03$	EI	5291
	$\text{CS}(\text{CO})_5\text{W}$	50358-92-4	CS	$11.46 \pm 0.14$	EI	5291
$\text{C}_6\text{O}_6\text{W}^+$	$(\text{CO})_6\text{W}$	14040-11-0	**	$8.30 \pm 0.02$ (V)	PE	3979
			**	8.56 (V)	PE	4456
			**	$8.60 \pm 0.02$	EI	5291
$\text{C}_6\text{H}_5\text{OW}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{W}$ (Tungsten, tricarbonyl( $\eta^1$ -2,4-cyclopentadien-1-yl)-)	12079-77-5	2CO	$13.2 \pm 1.0$	EI	4598
$\text{C}_7\text{H}_5\text{O}_2\text{W}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{W}$ (Tungsten, tricarbonyl( $\eta^1$ -2,4-cyclopentadien-1-yl)-)	12079-77-5	CO	$12.3 \pm 0.2$	EI	4598
$\text{C}_8\text{H}_5\text{O}_3\text{W}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{W}$ (Tungsten, tricarbonyl( $\eta^1$ -2,4-cyclopentadien-1-yl)-)	12079-77-5	**	$7.66 \pm 0.05$	EI	4598
	$[\text{C}_5\text{H}_5(\text{CO})_3\text{W}]_2$ (Tungsten, hexacarbonylbis $\eta^1$ -2,4-cyclopentadien-1-yl)di-)	12566-66-4	$\text{C}_5\text{H}_5(\text{CO})_3\text{W}$	$10.05 \pm 0.2$	EI	4598
$\text{C}_{10}\text{H}_8\text{O}_3\text{W}^+$	$\text{C}_7\text{H}_8(\text{CO})_3\text{W}$ (Tungsten, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-cycloheptatriene]-)	12128-81-3	**	7.32 (V)	PE	5206
			**	$7.55 \pm 0.05$ (V)	PE	4724
$\text{C}_{12}\text{H}_{12}\text{O}_3\text{W}^+$	$(\text{C}_6\text{H}_5(\text{CH}_3)_3)(\text{CO})_3\text{W}$ (Tungsten, tricarbonyl[(1,2,3,4,5,6- $\eta$ )-1,3,5-trimethylbenzene]-)	12129-69-0	**	$7.20 \pm 0.05$ (V)	PE	4724

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{10}OW_2^+$	$[C_5H_5(CO)_3W]_2$ (Tungsten, hexacarbonylbis ( $\eta^5$ -2,4-cyclopentadien-1-yl)di-)	12566-66-4	5CO	$13.85 \pm 0.10$	EI	4598
$C_{12}H_{10}O_2W_2^+$	$[C_5H_5(CO)_3W]_2$ (Tungsten, hexacarbonylbis ( $\eta^5$ -2,4-cyclopentadien-1-yl)di-)	12566-66-4	4CO	$12.89 \pm 0.10$	EI	4598
$C_{13}H_{10}O_3W_2^+$	$[C_5H_5(CO)_3W]_2$ (Tungsten, hexacarbonylbis ( $\eta^5$ -2,4-cyclopentadien-1-yl)di-)	12566-66-4	3CO	$11.00 \pm 0.20$	EI	4598
$C_{11}H_{10}O_1W_2^+$	$[C_5H_5(CO)_3W]_2$ (Tungsten, hexacarbonylbis ( $\eta^5$ -2,4-cyclopentadien-1-yl)di-)	12566-66-4	2CO	$8.61 \pm 0.05$	EI	4598
$C_{13}H_{10}O_5W_2^+$	$[C_5H_5(CO)_3W]_2$ (Tungsten, hexacarbonylbis ( $\eta^5$ -2,4-cyclopentadien-1-yl)di-)	12566-66-4	CO	$7.70 \pm 0.05$	EI	4598
$C_{16}H_{10}O_6W_2^+$	$[C_5H_5(CO)_3W]_2$ (Tungsten, hexacarbonylbis ( $\eta^5$ -2,4-cyclopentadien-1-yl)di-)	12566-66-4	**	$6.65 \pm 0.05$	EI	4598
$C_3H_3NO_5W^+$	$(CO)_5NH_1W$	15133-64-9	**	7.54 (V)	PE	4252
$C_7H_7NO_5W^+$	$(CO)_5NH(CH_3)_2W$	15228-31-6	**	7.41 (V)	PE	4252
$C_8H_9NO_5W^+$	$(CO)_5N(CH_3)_3W$	15228-32-7	**	7.41 (V)	PE	4252
$C_{10}H_5NO_5W^+$	$C_5H_5NW(CO)_5$ (OC-6-22)-Pentacarbonyl(pyridine)tungsten)	14586-49-3	**	$7.53 \pm 0.05$	EI	3498
			**	7.53	EI	5292
$C_{10}H_{11}NO_5W^+$	$(C_5H_{10}NH)(CO)_5W$ (Tungsten, pentacarbonyl(piperidine)-(OC-6-22))	31082-68-5	**	7.35 (V)	PE	5540
$C_{11}H_7NO_5W^+$	$C_5H_1N(CH_3)W(CO)_5$ (Pentacarbonyl(4-methylpyridine)tungsten)	17000-14-5	**	$7.46 \pm 0.05$	EI	3498
			**	7.46	EI	5292
$C_{12}H_9NO_5W^+$	$C_5H_1N(CH_3)_2W(CO)_5$ ((OC-6-22)-Pentacarbonyl(2,6-dimethylpyridine)tungsten)	36252-39-8	**	$7.43 \pm 0.05$	EI	3498
			**	7.43	EI	5292
$C_{11}H_1N_2O_5W^+$	$C_5H_1N(CN)W(CO)_5$ ((OC-6-22)-Pentacarbonyl(2-pyridinecarbonitrile- $N^1$ )tungsten)	36252-42-3	**	$7.65 \pm 0.05$	EI	3498
			**	7.65	EI	5292
$C_{12}H_{11}N_2O_5W^+$	$(C_4H_1N_2(C_2H_5)_2)(CO)_5W$	XXXXX-XX-X	**	7.02 (V)	PE	5601
$C_{21}H_{21}N_1O_1W_2^+$	$(C_5H_1N(O)CH_3)_2W_2$ (Tungsten, tetrakis[ $\mu$ -(6-methyl-2(1H)-pyridinonato- $N^1$ :O $^3$ )] di-( $R$ - $R'$ ) stereoisomer)	67634-84-8	**	5.3 (V)	PE	5191

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
FW <sup>+</sup>	WF	51621-16-0	**	8.5±1	EI	4580
F <sub>2</sub> W <sup>+</sup>	WF <sub>2</sub>	33963-15-4	**	9.0±0.3	EI	4580
F <sub>3</sub> W <sup>+</sup>	WF <sub>3</sub>	51621-17-1	**	9.0±0.2	EI	4580
	WF <sub>6</sub>	7783-82-6		24.0±0.5	EI	4580
F <sub>4</sub> W <sup>+</sup>	WF <sub>4</sub>	13766-47-7	**	9.89±0.10	EI	4580
	WF <sub>6</sub>	7783-82-6	2F	19.5±0.3	EI	4580
F <sub>5</sub> W <sup>+</sup>	WF <sub>5</sub>	19357-83-6	**	14.9±0.1	PE	4989
			**	10.03±0.10	EI	4580
	WF <sub>6</sub>	7783-82-6	F	15.24±0.10	EI	4580
C <sub>15</sub> H <sub>21</sub> O <sub>6</sub> Si <sub>2</sub> W <sup>+</sup> C <sub>15</sub> H <sub>21</sub> O <sub>6</sub> Si <sub>2</sub> W		XXXXX-XX-X	**	7.55 (V)	PE	5601
C <sub>12</sub> H <sub>16</sub> N <sub>6</sub> P <sub>2</sub> W <sup>+</sup> (((CH <sub>3</sub> ) <sub>2</sub> N) <sub>3</sub> P) <sub>2</sub> (CO) <sub>4</sub> W		19976-86-4	4CO	10.7±0.05	EI	3952
C <sub>20</sub> H <sub>15</sub> O <sub>2</sub> PW <sup>+</sup> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> W (Tungsten,pentacarbonyl(triphenylphosphine)-(OC-6-22)-)		15444-65-2	3CO	9.5	EI	5564
C <sub>3</sub> H <sub>9</sub> O <sub>3</sub> PW <sup>+</sup> (P(OCH <sub>3</sub> ) <sub>3</sub> )(CO) <sub>5</sub> W		23306-42-5	5CO	13.1	EI	5564
C <sub>21</sub> H <sub>15</sub> O <sub>3</sub> PW <sup>+</sup> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> W (Tungsten,pentacarbonyl(triphenylphosphine)-(OC-6-22)-)		15444-65-2	2CO	9.1	EI	5564
C <sub>1</sub> H <sub>6</sub> O <sub>1</sub> PW <sup>+</sup> (P(OCH <sub>3</sub> ) <sub>3</sub> )(CO) <sub>5</sub> W		23306-42-5	4CO	12.3	EI	5564
C <sub>7</sub> H <sub>15</sub> O <sub>1</sub> PW <sup>+</sup> (P(OC <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )(CO) <sub>5</sub> W		23306-43-6	5CO	12.2	EI	5564
C <sub>16</sub> H <sub>27</sub> O <sub>1</sub> PW <sup>+</sup> ((n-C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> W		17000-19-0	CO	9.4	EI	5564
C <sub>22</sub> H <sub>15</sub> O <sub>1</sub> PW <sup>+</sup> ((C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> W (Tungsten,pentacarbonyl(triphenylphosphine)-(OC-6-22)-)		15444-65-2	CO	8.5	EI	5564
C <sub>5</sub> H <sub>9</sub> O <sub>5</sub> PW <sup>+</sup> (P(OCH <sub>3</sub> ) <sub>3</sub> )(CO) <sub>5</sub> W		23306-42-5	3CO	11.1	EI	5564
C <sub>8</sub> H <sub>9</sub> O <sub>5</sub> PW <sup>+</sup> ((CH <sub>3</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> W		26555-11-3	**	7.9	PE	5602
C <sub>8</sub> H <sub>15</sub> O <sub>5</sub> PW <sup>+</sup> (P(OC <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )(CO) <sub>5</sub> W		23306-43-6	3CO	11.3	EI	5564
C <sub>11</sub> H <sub>15</sub> O <sub>5</sub> PW <sup>+</sup> ((C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> P)(CO) <sub>5</sub> W		21321-31-3	**	7.8	PE	5602

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{23}H_{15}O_3PW^+$	$(C_6H_5)_3P(CO)_5W$	15444-65-2	**	7.36 (V)	PE	5139
	(Tungsten, pentacarbonyl (triphenylphosphine)-(OC-6-22)-)		**	$7.80 \pm 0.05$	EI	4600
$C_{23}H_{13}O_3PW^+$	$(C_6H_5)_3P(CO)_5W$	18474-91-4	**	7.29 (V)	PE	5139
	(Tungsten, pentacarbonyl (tricyclohexylphosphine)-(OC-6-22)-)					
$C_6H_6O_6PW^+$	$(P(OCH_3)_3)(CO)_5W$	23306-42-5	$OCH_3 + CO$	13.0	EI	5564
$C_6H_6O_6PW^+$	$(P(OCH_3)_3)(CO)_5W$	23306-42-5	2CO	9.8	EI	5564
$C_8H_{10}O_6PW^+$	$(P(OC_2H_5)_3)(CO)_5W$	23306-43-6	$OC_2H_5 + CO$	12.5	EI	5564
$C_8H_{15}O_6PW^+$	$(P(OC_2H_5)_3)(CO)_5W$	23306-43-6	2CO	10.5	EI	5564
$C_7H_6O_7PW^+$	$(P(OCH_3)_3)(CO)_5W$	23306-42-5	$OCH_3$	11.2	EI	5564
$C_7H_9O_7PW^+$	$(P(OCH_3)_3)(CO)_5W$	23306-42-5	CO	9.0	EI	5564
$C_9H_{10}O_7PW^+$	$(P(OC_2H_5)_3)(CO)_5W$	23306-43-6	$OC_2H_5$	11.5	EI	5564
$C_{10}H_{15}O_7PW^+$	$(P(OC_2H_5)_3)(CO)_5W$	23306-43-6	CO	9.4	EI	5564
$C_8H_9O_8PW^+$	$((CH_3O)_3P)(CO)_5W$	23306-42-5	**	8.2	PE	5602
$C_{11}H_{15}O_8PW^+$	$((C_2H_5O)_3P)(CO)_5W$	23306-43-6	**	8.1	PE	5602
$C_{11}H_{21}O_8PW^+$	<i>iso</i> - $C_3H_7O)_3P(CO)_5W$	XXXXX-XX-X	**	7.82 (V)	PE	5139
$C_{23}H_{15}O_8PW^+$	$(C_6H_5O)_3P(CO)_5W$	23306-41-4	**	7.90 (V)	PE	5139
	(Tungsten, pentacarbonyl (triphenyl phosphite-P)-(OC-6-22)-)					
$C_{10}H_{30}O_1P_2W^+$	$C_{10}H_{30}O_1P_2W$	16743-03-6	**	$7.50 \pm 0.05$	EI	4600
	(Tungsten, tetracarbonylbis(triphenylphosphine)-(OC-6-12)-)					
$C_{11}H_{18}N_3O_5PW^+$	$((CH_3)_2N)_3P(CO)_5W$	19976-82-0	**	7.9	PE	5602
$C_{11}H_{36}N_6O_2P_2W^+$	$((CH_3)_2N)_3P_2(CO)_1W$	19976-86-4	2CO	$12.2 \pm 0.05$	EI	3952
$C_{13}H_{36}N_6O_3P_2W^+$	$((CH_3)_2N)_3P_2(CO)_1W$	19976-86-4	CO	$10.3 \pm 0.05$	EI	3952
$C_{16}H_{36}N_6O_1P_2W^+$	$((CH_3)_2N)_3P_2(CO)_1W$	19976-86-4	**	$5.5 \pm 0.05$	EI	3952

Table of Ion Energetics Measurements—Continued

Ion	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{F}_{18}\text{P}_6\text{W}^+$	(PF <sub>5</sub> ) <sub>6</sub> W	13815-35-5	**	9.30 (V)	PE	4456
$\text{C}_3\text{H}_9\text{N}_3\text{F}_{12}\text{P}_6\text{W}^+$	(CH <sub>3</sub> N(PF <sub>2</sub> ) <sub>2</sub> ) <sub>3</sub> W	63371-85-7	**	7.70 (V)	PE	5376
$\text{C}_5\text{O}_3\text{F}_3\text{PW}^+$	(PF <sub>3</sub> )(CO) <sub>5</sub> W	18461-47-7	** **	8.68 (V) 8.9	PE PE	5539 5602
$\text{CSW}^+$	CS(CO) <sub>5</sub> W	50358-92-4	5CO	18.07±0.04	EI	5291
$\text{C}_2\text{OSW}^+$	CS(CO) <sub>5</sub> W	50358-92-4	4CO	15.83±0.04	EI	5291
$\text{C}_3\text{O}_2\text{SW}^+$	CS(CO) <sub>5</sub> W	50358-92-4	3CO	13.46±0.04	EI	5291
$\text{C}_4\text{O}_3\text{SW}^+$	CS(CO) <sub>5</sub> W	50358-92-4	2CO	11.61±0.04	EI	5291
$\text{C}_5\text{O}_4\text{SW}^+$	CS(CO) <sub>5</sub> W	50358-92-4	CO	9.74±0.04	EI	5291
$\text{C}_6\text{O}_5\text{SW}^+$	CS(CO) <sub>5</sub> W	50358-92-4	** **	8.08 (V) 8.22±0.01	PE EI	5518 5291
$\text{F}_2\text{SW}^+$	WSF <sub>2</sub>	41831-78-1	**	9.5±0.3	EI	4580
$\text{F}_3\text{SW}^+$	WSF <sub>3</sub> <sup>+</sup>	41831-79-2	**	9.0±0.3	EI	4580
$\text{F}_4\text{SW}^+$	WSF <sub>4</sub>	XXXXX-XX-X	**	12.0±0.3	EI	4580
$\text{F}_2\text{S}_2\text{W}^+$	WS <sub>2</sub> F <sub>2</sub>	41831-81-6	**	10.0±0.3	EI	4580
$\text{ClW}^+$	WCl <sub>n</sub>	13283-01-7		22.9	EI	3783
$\text{Cl}_2\text{W}^+$	WCl <sub>n</sub>	13283-01-7		19.4	EI	3783
$\text{Cl}_3\text{W}^+$	WCl <sub>n</sub>	13283-01-7		15.4	EI	3783
$\text{Cl}_4\text{W}^+$	WCl <sub>n</sub>	13283-01-7		11.4	EI	3783
$\text{Cl}_5\text{W}^+$	WCl <sub>5</sub> WCl <sub>n</sub>	13470-14-9 13283-01-7	**	8.84 (V) 10.9	PE EI	4764 3783
$\text{Cl}_6\text{W}^+$	WCl <sub>n</sub>	13283-01-7	**	9.5	EI	3783
$\text{C}_5\text{O}_3\text{PCl}_3\text{W}^+$	(PCl <sub>3</sub> )(CO) <sub>5</sub> W	21223-85-8	**	8.39 (V)	PE	5539



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$O_5VW^+$	$VW_2O_8$	XXXXX-XX-X		$11.7 \pm 0.3$	EI	4131
$O_{10}V_3W^+$	$V_3WO_{10}$	XXXXX-XX-X **		$11.5 \pm 0.3$	EI	4131
$O_8VW_2^+$	$VW_2O_8$	XXXXX-XX-X **		$10.4 \pm 0.2$	EI	4131
$O_9V_2W_2^+$	$V_2W_2O_{10}$	XXXXX-XX-X		$12.2 \pm 0.2$	EI	4131
$O_{10}V_2W_2^+$	$V_2W_2O_{10}$	XXXXX-XX-X **		$11.9 \pm 0.2$	EI	4131
$O_{13}V_3W_2^+$	$V_3W_2O_{13}$	XXXXX-XX-X **		$11.1 \pm 0.2$	EI	4131
$O_{11}VW_3^+$	$VW_3O_{11}$	XXXXX-XX-X **		$10.7 \pm 0.2$	EI	4131
$O_{13}V_2W_{13}^+$	$V_2W_{13}O_{14}$	XXXXX-XX-X 0		$12.3 \pm 0.4$	EI	4131
$C_{23}H_{15}O_5AsW^+$	$(C_6H_5)_4As(CO)_5W$ (Tungsten, pentacarbonyl (triphenylarsine)-(OC-6-22)-)	29743-02-0	**	7.37 (V)	PE	5139
$BrW^+$	$WBr_1$ $WBr_5$ $WOBr_1$	14055-81-3 13470-11-6 13520-77-9	3Br 4Br	$19.4 \pm 0.3$ $20.9 \pm 0.3$ $26.1 \pm 0.5$	EI EI EI	4906 4906 4906
$Br_2W^+$	$WBr_1$ $WBr_5$ $WOBr_1$	14055-81-3 13470-11-6 13520-77-9	2Br 3Br	$15.1 \pm 0.3$ $16.6 \pm 0.2$ $20.9 \pm 0.4$ $21.4 \pm 0.5$	EI EI EI EI	4906 4906 4906 3450
$Br_3W^+$	$WBr_1$ $WBr_5$ $WOBr_1$	14055-81-3 13470-11-6 13520-77-9	Br 2Br	$11.2 \pm 0.2$ $13.4 \pm 0.2$ $17.9 \pm 0.4$ $18.1 \pm 0.5$	EI EI EI EI	4906 4906 4906 3450
$Br_1W^+$	$WBr_1$ $WBr_5$	14055-81-3 13470-11-6	** Br	$8.2 \pm 0.2$ $10.0 \pm 0.2$	EI EI	4906 4906
$Br_3W^+$	$WBr_5$	13470-11-6	**	$8.3 \pm 0.2$	EI	4906
$Br_3W_2^+$	$W_2Br_6$	56729-72-7	3Br	$19.5 \pm 0.3$	EI	4906
$Br_1W_2^+$	$W_2Br_6$	56729-72-7	2Br	$15.2 \pm 0.3$	EI	4906
$Br_3W_2^+$	$W_2Br_6$	56729-72-7	Br	$11.0 \pm 0.2$	EI	4906

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Br}_6\text{W}_2^+$	$\text{W}_2\text{Br}_6$	56729-72-7	**	$9.0 \pm 0.2$	EI	4906
$\text{OBrW}^+$	$\text{WO}_3\text{Br}_2$	13520-75-7		$20.0 \pm 0.8$	EI	3450
	$\text{WOBr}_1$	13520-77-9		$18.3 \pm 0.5$	EI	4906
				$18.1 \pm 0.8$	EI	3450
$\text{O}_2\text{BrW}^+$	$\text{WO}_2\text{Br}_2$	13520-75-7		$13.0 \pm 0.4$	EI	3450
$\text{OBr}_2\text{W}^+$	$\text{WOBr}_1$	13520-77-9		$14.5 \pm 0.2$	EI	4906
				$14.4 \pm 0.5$	EI	3450
$\text{O}_2\text{Br}_2\text{W}^+$	$\text{WO}_2\text{Br}_2$	13520-75-7	**	$11.4 \pm 0.2$	EI	3450
$\text{OBr}_3\text{W}^+$	$\text{WOBr}_1$	13520-77-9		$10.5 \pm 0.2$	EI	4906
				$10.3 \pm 0.2$	EI	3450
$\text{OBr}_1\text{W}^+$	$\text{WOBr}_1$	13520-77-9	**	$10.3 \pm 0.3$	EI	3450
$\text{C}_{21}\text{H}_{21}\text{N}_1\text{O}_1\text{MoW}^+$	(C <sub>5</sub> H <sub>5</sub> N(O)CH <sub>3</sub> )WMo (Tungsten,tetrakis[μ-(6-methyl-2(1H)-pyridinonato-N <sup>1</sup> ,O <sup>2</sup> )] (molybdenum)-(Mo-W))	67577-06-4	**	5.60 (V)	PE	5191
$\text{C}_{13}\text{H}_{20}\text{SnW}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> (Sn(CH <sub>3</sub> ) <sub>3</sub> )WH (Tungsten,bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)hydro(trimethylstannyl)-)	51192-18-8	**	$6.18 \pm 0.11$	EI	5321
$\text{C}_{23}\text{H}_{15}\text{O}_5\text{SbW}^+$	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (CO) <sub>5</sub> SbW (Tungsten, pentacarbonyl(triphenylstibine)-(OC-6-22)-)	29743-03-1	**	$7.90 \pm 0.05$	EI	4600
$\text{O}_2\text{IW}^+$	$\text{WO}_2\text{I}_2$	14447-89-3		$12.5 \pm 0.5$	EI	3451
$\text{O}_2\text{I}_2\text{W}^+$	$\text{WO}_2\text{I}_2$	14447-89-3	**	$10.4 \pm 0.4$	EI	3451
$\text{Re}^+$	Re	7440-15-5	**	$7.76 \pm 0.03$	EI	5342
$\text{C}_6\text{H}_{18}\text{Re}^+$	(CH <sub>3</sub> ) <sub>6</sub> Re	56090-02-9	**	$7.89 \pm 0.03$ (V)	PE	4733
$\text{C}_{10}\text{H}_{11}\text{Re}^+$	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> HRe (Rhenium, bis(η <sup>5</sup> -2,4-cyclopentadien-1-yl)hydro-)	1271-32-5	**	$6.4 \pm 0.1$ (V)	PE	4425
$\text{ORe}^+$	$\text{ReO}_3$	1314-28-9		~18	EI	4016
$\text{O}_2\text{Re}^+$	$\text{ReO}_3$	1314-28-9		$14.4 \pm 1.0$	EI	4016
	$\text{Re}_2\text{O}_7$	1314-68-7		$21.9 \pm 1.0$	EI	4016

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{O}_3\text{Re}^+$	$\text{ReO}_3$	1314-28-9	**	$12.1 \pm 0.3$	EI	4245
			**	$12.5 \pm 0.4$	EI	4016
	$\text{Re}_2\text{O}_7$	1314-68-7		$16.2 \pm 0.5$	EI	4016
$\text{O}_5\text{Re}_2^+$	$\text{Re}_2\text{O}_7$	1314-68-7		$17.5 \pm 0.2$	EI	4016
$\text{O}_6\text{Re}_2^+$	$\text{Re}_2\text{O}_7$	1314-68-7		$16.2 \pm 0.5$	EI	4016
$\text{O}_7\text{Re}_2^+$	$\text{Re}_2\text{O}_7$	1314-68-7	**	$12.7 \pm 0.2$	EI	4016
$\text{C}_{10}\text{O}_{10}\text{Re}_2^+$	$(\text{CO})_{10}\text{Re}_2$	14285-68-8	**	8.07 (V)	PE	4492
			**	8.86 (V)	PE	4448
$\text{C}_1\text{H}_{12}\text{ORe}^+$	$(\text{CH}_3)_4\text{ORe}$	53022-70-1	**	$8.86 \pm 0.05$ (V)	PE	4733
$\text{C}_8\text{H}_5\text{O}_3\text{Re}^+$	$\text{C}_5\text{H}_3(\text{CO})_3\text{Re}$ (Rhenium, tricarbonyl ( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	12079-73-1	**	8.13 (V)	PE	4570
$\text{C}_5\text{HO}_5\text{Re}^+$	$(\text{CO})_5\text{ReH}$	16457-30-0	**	$8.86 \pm 0.02$ (V)	PE	3827
			**	$8.89 \pm 0.08$	PE	4492
			**	8.94 (V)	PE	4448
$\text{C}_6\text{H}_3\text{O}_5\text{Re}^+$	$(\text{CO})_5\text{CH}_3\text{Re}$	14524-92-6	**	$8.71 \pm 0.05$ (V)	PE	4492
			**	8.72 (V)	PE	4448
$\text{C}_{12}\text{H}_3\text{O}_{12}\text{Re}_3^+$	$(\text{CO})_{12}\text{Re}_3\text{H}_3$	XXXXXX-XX-X	**	8.45 (V)	PE	5547
	$(\text{CO})_{12}\text{Re}_3\text{H}_3$	73463-62-4	**	8.45 (V)	PE	5357
	(Rhenium, dodecacarbonyltri- $\mu$ -hydrotri-triangularo)					
$\text{F}_6\text{Re}^+$	$\text{ReF}_6$	10049-17-9	**	7.99	S	3565
			**	$11.1 \pm 0.1$	PE	4989
$\text{F}_7\text{Re}^+$	$\text{ReF}_7$	17029-21-9	**	$14.1 \pm 0.1$	PE	4989
$\text{O}_3\text{FRe}^+$	$\text{ReO}_3\text{F}$	42246-24-2	**	$12.37 \pm 0.1$ (V)	PE	4989
$\text{OF}_5\text{Re}^+$	$\text{ReOF}_5$	23377-53-9	**	$13.2 \pm 0.1$	PE	4989
$\text{C}_7\text{O}_6\text{F}_3\text{Re}^+$	$\text{COCF}_3(\text{CO})_5\text{Re}$	55615-47-9	**	8.80 (V)	PE	4448
$\text{O}_1\text{NaRe}^+$	$\text{NaReO}_4$	XXXXXX-XX-X	**	$10.62 \pm 0.03$ (V)	PE	4806
$\text{C}_3\text{H}_3\text{O}_5\text{SiRe}^+$	$(\text{SiH}_3)(\text{CO})_5\text{Re}$	40628-33-9	**	$8.9 \pm 0.1$ (V)	PE	3827

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{11}OSi_4Re^+$	((CH <sub>3</sub> ) <sub>3</sub> SiCH <sub>2</sub> ) <sub>4</sub> ORe	56519-47-2	**	8.00±0.1 (V)	PE	4733
$Cl_3Re^+$	ReCl <sub>3</sub> (JC—Mean value of Jahn–Teller components)	13596-35-5	**	9.50 (V)	PE	4764
$Cl_9Re_3^+$	Re <sub>3</sub> Cl <sub>9</sub> (Rhenium, tri-μ-chlorohexachlorotri-triangular)	14973-59-2	**	9.15±0.05 (V)	PE	5024
$C_5O_5ClRe^+$	(CO) <sub>5</sub> ReCl	14099-01-5	**	8.80 (V)	PE	4448
			**	9.02 (V)	PE	4167
			**	9.06 (V)	PE	4492
$O_1KRe^+$	KReO <sub>4</sub>	XXXXX-XX-X	**	9.98±0.05 (V)	PE	4806
$C_5H_3O_5CeRe^+$	(GeH <sub>3</sub> )(CO) <sub>5</sub> Re	30012-26-1	**	8.9±0.1 (V)	PE	3827
$Br_9Re_3^+$	Re <sub>3</sub> Br <sub>9</sub> (Rhenium, tri-μ-bromohexabromotri-triangular)	33517-16-7	**	8.72±0.10 (V)	PE	5024
$C_5O_5BrRe^+$	(CO) <sub>5</sub> ReBr	14220-21-4	**	8.80 (V)	PE	4448
			**	8.83 (V)	PE	4492
			**	8.86 (V)	PE	4167
$O_1RbRe^+$	RbReO <sub>4</sub>	XXXXX-XX-X	**	10.03±0.06 (V)	PE	4806
$C_8H_9O_5SnRe^+$	((CH <sub>3</sub> ) <sub>3</sub> Sn)(CO) <sub>5</sub> Re	15219-90-6	**	8.30±0.10	EI	5321
$C_{24}H_{15}O_5SnRe^+$	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Sn(CO) <sub>5</sub> Re (Rhenium, pentacarbonyl(triphenylstannyl)-(OC-6-22)-)	15614-21-8	**	7.98±0.09	EI	5321
$O_3IRe^+$	ReO <sub>3</sub> I	39327-80-5	**	10.9±0.5	EI	4013
$C_5O_5IRe^+$	(CO) <sub>5</sub> ReI	13821-00-6	**	8.32 (V)	PE	4448
			**	8.36 (V)	PE	4492
			**	8.50 (V)	PE	4167
$O_1CsRe^+$	CsReO <sub>4</sub>	XXXXX-XX-X	**	9.83±0.03 (V)	PE	4806
$O_1BaRe^+$	Ba(ReO <sub>4</sub> ) <sub>2</sub> ?	XXXXX-XX-X		13.4±0.5	EI	4108
$Os^+$	Os	7440-04-2	**	8.15±0.09	EI	5342
$C_{12}H_{11}Os^+$	(C <sub>3</sub> H <sub>7</sub> CH <sub>2</sub> ) <sub>2</sub> Os (Osmocene, 1,1'-dimethyl-)	40672-07-9	**	6.93 (V)	PE	3688
$O_1Os^+$	OsO <sub>4</sub>	20816-12-0	**	12.320	PE	3836
			**	12.35±0.02 (V)	PE	5148

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>O<sub>1</sub>Os<sup>+</sup></b>	OsO <sub>1</sub>	20816-12-0	**	12.35	PE	4166
			**	12.39	PE	3838
<b>C<sub>12</sub>O<sub>12</sub>Os<sub>3</sub><sup>+</sup></b>	(CO) <sub>12</sub> Os <sub>3</sub>	15696-40-9	**	7.83 (V)	PE	5547
			**	7.83±0.2 (V)	PE	4882
			**	7.83 (V)	PE	5357
<b>C<sub>18</sub>O<sub>18</sub>Os<sub>6</sub><sup>+</sup></b>	(CO) <sub>18</sub> Os <sub>6</sub> (Osmium, octadecacarbonylhexa-)	37216-50-5	**	7.50±0.2 (V)	PE	4882
<b>Ir<sup>+</sup></b>	Ir	7439-88-5	**	8.8±0.7	EI	5303
			**	8.87±0.05	EI	5342
<b>C<sub>7</sub>H<sub>7</sub>O<sub>1</sub>Ir<sup>+</sup></b>	(CH <sub>3</sub> COCHCOCH <sub>3</sub> )Ir(CO) <sub>2</sub> (Dicarbonyl(2,4-pentanedionato)iridium)	14023-80-4	**	8.6±0.1	EI	3497
<b>C<sub>7</sub>HO<sub>1</sub>F<sub>6</sub>Ir<sup>+</sup></b>	(CF <sub>3</sub> COCHCOCF <sub>3</sub> )Ir(CO) <sub>2</sub> (Dicarbonyl(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)iridium)	14049-69-5	**	8.85±0.05	EI	3497
<b>HF<sub>12</sub>P<sub>1</sub>Ir<sup>+</sup></b>	H(PF <sub>3</sub> ) <sub>1</sub> Ir	22372-64-1	**	9.82 (V)	PE	4456
<b>LaIr<sup>+</sup></b>	LaIr	53095-72-0	**	6.0±1.0	EI	5303
<b>CeIr<sup>+</sup></b>	IrCe	53239-19-3	**	6.0±1.0	EI	4209
<b>Pt<sup>+</sup></b>	Pt	7440-06-4	**	8.82±0.04	EI	5342
<b>C<sub>6</sub>H<sub>10</sub>Pt<sup>+</sup></b>	(C <sub>3</sub> H <sub>5</sub> ) <sub>2</sub> Pt	12240-88-9	**	7.91 (V)	PE	5281
<b>C<sub>8</sub>H<sub>11</sub>Pt<sup>+</sup></b>	(CH <sub>2</sub> C(CH <sub>3</sub> )CH <sub>2</sub> ) <sub>2</sub> Pt	33010-07-0	**	7.65 (V)	PE	5281
<b>C<sub>10</sub>H<sub>16</sub>O<sub>1</sub>Pt<sup>+</sup></b>	((CH <sub>3</sub> CO) <sub>2</sub> CH <sub>2</sub> )Pt	XXXXX-XX-X	**	7.60 (V)	PE	5568
<b>C<sub>8</sub>H<sub>21</sub>P<sub>2</sub>Pt<sup>+</sup></b>	C <sub>8</sub> H <sub>21</sub> P <sub>2</sub> Pt	51351-75-8	**	7.68 (V)	PE	4739
<b>C<sub>18</sub>H<sub>28</sub>P<sub>2</sub>Pt<sup>+</sup></b>	C <sub>18</sub> H <sub>28</sub> P <sub>2</sub> Pt (Platinum, bis(dimethylphenylphosphine)dimethyl-(SP-4-2)-)	24917-48-4	**	7.43 (V)	PE	4739
<b>F<sub>12</sub>P<sub>1</sub>Pt<sup>+</sup></b>	Pt(PF <sub>3</sub> ) <sub>1</sub>	19529-53-4	**	8.89±0.03	PE	4187
<b>C<sub>8</sub>H<sub>20</sub>O<sub>1</sub>P<sub>2</sub>S<sub>1</sub>Pt<sup>+</sup></b>	Pt(S <sub>2</sub> P(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ) <sub>2</sub>	37583-01-0	**	7.60±0.05	PE	4636
<b>C<sub>7</sub>H<sub>21</sub>P<sub>2</sub>ClPt<sup>+</sup></b>	C <sub>7</sub> H <sub>21</sub> P <sub>2</sub> ClPt	36512-52-4	**	7.76 (V)	PE	4739

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>17</sub>H<sub>23</sub>P<sub>2</sub>ClPt<sup>+</sup></b>	C <sub>17</sub> H <sub>23</sub> P <sub>2</sub> ClPt (Platinum, chlorobis(dimethylphenylphosphine)methyl-(SP-4-3)-)	24833-58-7	**	7.54 (V)	PE	4739
<b>C<sub>6</sub>H<sub>18</sub>P<sub>2</sub>Cl<sub>2</sub>Pt<sup>+</sup></b>	C <sub>6</sub> H <sub>18</sub> P <sub>2</sub> Cl <sub>2</sub> Pt	21545-76-6	**	7.86 (V)	PE	4739
<b>TiPt<sup>+</sup></b>	PtTi	12038-31-2	**	10.1±1.0	EI	5150
<b>C<sub>17</sub>H<sub>23</sub>P<sub>2</sub>BrPt<sup>+</sup></b>	C <sub>17</sub> H <sub>23</sub> P <sub>2</sub> BrPt (Platinum, bromobis(dimethylphenylphosphine)methyl-(SP-4-3)-)	24833-62-3	**	7.43 (V)	PE	4739
<b>C<sub>7</sub>H<sub>21</sub>P<sub>2</sub>IPt<sup>+</sup></b>	C <sub>7</sub> H <sub>21</sub> P <sub>2</sub> IPt	68146-10-1	**	7.33 (V)	PE	4739
<b>C<sub>17</sub>H<sub>23</sub>P<sub>2</sub>IPt<sup>+</sup></b>	C <sub>17</sub> H <sub>23</sub> P <sub>2</sub> IPt (Platinum, bis(dimethylphenylphosphine)iodomethyl-(SP-4-3)-)	24882-77-7	**	7.12 (V)	PE	4739
<b>C<sub>6</sub>H<sub>18</sub>P<sub>2</sub>I<sub>2</sub>Pt<sup>+</sup></b>	<i>trans</i> -((CH <sub>3</sub> ) <sub>3</sub> P) <sub>2</sub> I <sub>2</sub> Pt	15703-03-4	**	7.49 (V)	PE	4739
<b>C<sub>16</sub>H<sub>22</sub>P<sub>2</sub>I<sub>2</sub>Pt<sup>+</sup></b>	C <sub>16</sub> H <sub>22</sub> P <sub>2</sub> I <sub>2</sub> Pt (Platinum, bis(dimethylphenylphosphine)diiodo-(SP-4-1)-)	41119-53-3	**	7.39 (V)	PE	4739
<b>CePt<sup>+</sup></b>	PtCe	12157-68-5	**	6.4±1.0	EI	4209
<b>Au<sup>+</sup></b>	Au	7440-57-5	**	9.23	S	5500
(2P <sup>0</sup> )			**	9.22	PE	4858
(1S <sub>0</sub> )			**	11.08	PE	4858
(3D <sub>3</sub> )			**	11.41	PE	4858
(1D <sub>2</sub> )			**	12.66	PE	4858
(3D <sub>1</sub> )			**	12.89	PE	4858
(1D <sub>2</sub> )			**	8.5±0.8	EI	3978
			**	9.0±0.5	EI	3473
			**	9.21±0.05	EI	3745
	NaAu	XXXXX-XX-X Na		7.8	EI	4578
<b>Au<sub>2</sub><sup>+</sup></b>	Au <sub>2</sub>	12187-09-6	**	9.5±0.3	EI	4014
			**	8.7±1.0	EI	5391
			**	9.5±0.3	EI	4005
			**	9.7±0.4	EI	3468
<b>BAu<sup>+</sup></b>	AuB	12408-81-0	**	8.7±0.5	EI	3468
<b>BOAu<sup>+</sup></b>	AuBO	12588-90-8	**	9.7±0.2	EI	3473
<b>NaAu<sup>+</sup></b>	NaAu	61115-29-5	**	6.2	EI	4578
			**	8.5±1.5	EI	4919
<b>AlAu<sup>+</sup></b>	AuAl	12250-38-3	**	7.6±0.3	EI	4014
			**	7.6±0.3	EI	4005



Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>AlAu<sup>+</sup></b>	AuAl	12250-38-3	**	7.8±0.3	EI	3440
			**	9.0±1.0	EI	3796
<b>Al<sub>2</sub>Au<sup>+</sup></b>	AuAl <sub>2</sub>	12004-03-4	**	6.2±1.0	EI	3966
<b>AlAu<sub>2</sub><sup>+</sup></b>	Au <sub>2</sub> Al	12250-39-4	**	7.7±1.0	EI	3966
<b>C<sub>1</sub>H<sub>12</sub>PAu<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> P)(CH <sub>3</sub> )Au	32407-79-7	**	8.27 (V)	PE	4739
<b>C<sub>6</sub>H<sub>18</sub>PAu<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> P)(CH <sub>3</sub> ) <sub>3</sub> Au	33012-33-8	**	7.80 (V)	PE	4739
<b>C<sub>11</sub>H<sub>20</sub>PAu<sup>+</sup></b>	C <sub>11</sub> H <sub>20</sub> PAu	54854-73-8	**	7.69 (V)	PE	4739
	(Gold, (dimethylphenylphosphine)trimethyl-(SP-4-2)-)					
<b>C<sub>16</sub>H<sub>22</sub>PAu<sup>+</sup></b>	C <sub>16</sub> H <sub>22</sub> PAu	52170-97-5	**	7.64 (V)	PE	4739
	(Gold, trimethyl(methyldiphenylphosphine)-(SP-4-2)-)					
<b>GeAu<sup>+</sup></b>	AuGe	12256-41-6	**	7.7	EI	3775
<b>CsAu<sup>+</sup></b>	CsAu	12256-37-0	**	6.6±0.3	EI	5153
<b>LaAu<sup>+</sup></b>	LaAu	12429-32-2	**	5.8±1.0	EI	5303
<b>CeAu<sup>+</sup></b>	AuCe	12408-82-1	**	6.0±0.3	EI	3468
<b>AuEu<sup>+</sup></b>	EuAu	56214-25-6	**	5.6±1.0	EI	4529
<b>Au<sub>2</sub>Eu<sup>+</sup></b>	EuAu <sub>2</sub>	51198-56-2	**	5.9±1.0	EI	4529
<b>HoAu<sup>+</sup></b>	AuHo	12044-80-3	**	6.2±0.5	EI	3440
<b>Hg<sup>+</sup></b> ( <sup>2</sup> S <sub>1/2</sub> ) ( <sup>2</sup> D <sub>5/2</sub> ) ( <sup>2</sup> S <sub>1/2</sub> ) ( <sup>2</sup> D <sub>3/2</sub> ) ( <sup>2</sup> D <sub>5/2</sub> ) ( <sup>2</sup> P <sub>3/2</sub> )	Hg	7439-97-6	**	10.4	PE	3672
			**	14.8	PE	3672
			**	10.487±0.005	PEN	3541
			**	14.907±0.015	PEN	3541
			**	16.787±0.015	PEN	3541
			**	18.050±0.050	PEN	3541
			**	10.47±0.05	EI	3745
<b>Hg<sub>2</sub><sup>+</sup></b>	Hg <sub>2</sub>	12596-25-7	**	9.40±0.08	EI	5428
<b>Hg<sub>3</sub><sup>+</sup></b>	Hg <sub>3</sub>	11062-37-6	**	8.90±0.08	EI	5428
<b>Hg<sub>1</sub><sup>+</sup></b>	Hg <sub>1</sub>	XXXXX-XX-X	**	8.65±0.08	EI	5428

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Hg}_5^+$	$\text{Hg}_5$	XXXXX-XX-X **		$8.60 \pm 0.08$	EI	5428
$\text{Hg}_6^+$	$\text{Hg}_6$	XXXXX-XX-X **		$8.50 \pm 0.08$	EI	5428
$\text{Hg}_7^+$	$\text{Hg}_7$	XXXXX-XX-X **		$8.35 \pm 0.08$	EI	5428
$\text{Hg}_8^+$	$\text{Hg}_8$	XXXXX-XX-X **		$8.28 \pm 0.08$	EI	5428
$\text{Hg}_9^+$	$\text{Hg}_9$	XXXXX-XX-X **		$8.25 \pm 0.08$	EI	5428
$\text{Hg}_{10}^+$	$\text{Hg}_{10}$	XXXXX-XX-X **		$8.25 \pm 0.08$	EI	5428
$\text{Hg}_{11}^+$	$\text{Hg}_{11}$	XXXXX-XX-X **		$8.22 \pm 0.08$	EI	5428
$\text{Hg}_{12}^+$	$\text{Hg}_{12}$	XXXXX-XX-X **		$8.12 \pm 0.08$	EI	5428
$\text{C}_{12}\text{H}_{10}\text{Hg}^+$	$(\text{C}_6\text{H}_5)_2\text{Hg}$ (Mercury, diphenyl-)	587-85-9	**	$8.30 \pm 0.03$	PI	4055
$\text{C}_2\text{H}_6\text{Hg}^+$	$(\text{CH}_3)_2\text{Hg}$	593-74-8	**	9.3 (V)	PE	5300
				9.33 (V)	PE	4574
$\text{C}_3\text{H}_8\text{Hg}^+$	$(\text{CH}_3)(\text{C}_2\text{H}_5)\text{Hg}$	29138-86-1	**	8.84 (V)	PE	4574
$\text{C}_1\text{H}_{10}\text{Hg}^+$	$(\text{C}_2\text{H}_5)_2\text{Hg}$	627-44-1	**	8.45 (V)	PE	4574
			**	8.9 (V)	PE	5300
	$(\text{CH}_3)(\text{iso}-\text{C}_3\text{H}_7)\text{Hg}$	29138-88-3	**	8.48 (V)	PE	4574
$\text{C}_3\text{H}_{12}\text{Hg}^+$	$(\text{C}_2\text{H}_5)(\text{iso}-\text{C}_3\text{H}_7)\text{Hg}$	59049-79-5	**	8.18 (V)	PE	4574
	$(\text{CH}_3)(\text{iso}-\text{C}_4\text{H}_9)\text{Hg}$	59643-44-6	**	8.75 (V)	PE	4574
	$(\text{CH}_3)(\text{tert}-\text{C}_4\text{H}_9)\text{Hg}$	59049-78-4	**	8.31 (V)	PE	4574
$\text{C}_6\text{H}_{11}\text{Hg}^+$	$(n-\text{C}_7\text{H}_{15})_2\text{Hg}$	628-85-3	**	8.29 (V)	PE	4574
	$(\text{iso}-\text{C}_7\text{H}_{15})_2\text{Hg}$	1071-39-2	**	8.03 (V)	PE	4574
	$(\text{C}_2\text{H}_5)(\text{tert}-\text{C}_4\text{H}_9)\text{Hg}$	59049-80-8	**	8.06 (V)	PE	4574
$\text{C}_7\text{H}_{16}\text{Hg}^+$	$\text{C}_7\text{H}_{16}\text{Hg}$	59049-81-9	**	7.73 (V)	PE	4574
$\text{C}_8\text{H}_{18}\text{Hg}^+$	$(n-\text{C}_9\text{H}_{19})_2\text{Hg}$	629-35-6	**	8.35 (V)	PE	4574
	$(\text{iso}-\text{C}_9\text{H}_{19})_2\text{Hg}$	24470-76-6	**	8.30 (V)	PE	4574
	$(\text{tert}-\text{C}_9\text{H}_{19})_2\text{Hg}$	23587-90-8	**	7.57 (V)	PE	4574
$\text{C}_9\text{H}_{20}\text{Hg}^+$	$(\text{iso}-\text{C}_{10}\text{H}_{21})(\text{neo}-\text{C}_5\text{H}_{11})\text{Hg}$	59643-45-7	**	8.33 (V)	PE	4574

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{10}Hg^+$	$(C_5H_5)_2Hg$ (Mercurocene)	12083-67-9	**	$8.4 \pm 0.1$ (V)	PE	4853
$C_{10}H_{22}Hg^+$	$(neo-C_5H_{11})_2Hg$	10284-49-8	**	8.30 (V)	PE	4574
$C_8H_6O_2Hg^+$	$(C_4H_5O)_2Hg$ (Mercury, di-2-furanyl-)	28752-79-6	**	8.39 (V)	PE	5323
	$(C_4H_5O)_2Hg$ (Mercury, di-3-furanyl-)	28752-80-9	**	8.70 (V)	PE	5323
$CN_3F_3Hg^+$	$CF_3N_3Hg$	51353-52-7	**	9.87 (V)	PE	4512
$C_2NOF_3Hg^+$	$CF_3NCOHg$	51353-51-6	**	10.83 (V)	PE	4512
$CNO_3F_3Hg^+$	$CF_3ONO_2Hg$	461-40-5	**	11.07 (V)	PE	4512
$C_{11}H_{38}Si_1Hg^+$	$(CH(Si(CH_3)_3))_2Hg$	13294-24-1	**	$8.12 \pm 0.05$ (V)	PE	4725
$C_{12}H_{36}N_2Si_1Hg^+$	$(N(Si(CH_3)_3))_2Hg$	4104-81-8	**	$8.33 \pm 0.05$ (V)	PE	4725
$C_8H_6S_2Hg^+$	$(C_4H_5S)_2Hg$ (Mercury, di-2-thienyl-)	5980-89-2	**	8.47 (V)	PE	5323
	$(C_4H_5S)_2Hg$ (Mercury, di-3-thienyl-)	28752-81-0	**	8.72 (V)	PE	5323
$C_2F_6S_2Hg^+$	$(SCF_3)_2Hg$	XXXXX-XX-X	**	10.2 (V)	PE	4512
$Cl_2Hg^+$	$HgCl_2$	7487-94-7	**	11.5 (V)	PE	3963
$C_3H_5ClHg^+$	$CH_2=CHCH_2HgCl$	14155-77-2	**	9.35 (V)	PE	3859
$C_7H_7ClHg^+$	$C_6H_5CH_2HgCl$ (Mercury, chloro(phenylmethyl)-)	2117-39-7	**	8.65 (V)	PE	4490
$C_4H_3OClHg^+$	$C_4H_3O(HgCl)$ (Mercury, chloro-2-furanyl-)	5857-37-4	**	8.96 (V)	PE	5323
	$C_4H_3O(HgCl)$ (Mercury, chloro-3-furanyl-)	5857-38-5	**	9.10 (V)	PE	5323
$C_3H_5OClHg^+$	$C_3H_5O(CH_2HgCl)$ (Mercury, chloro(3-furanylmethyl)-)	73057-78-0	**	8.80 (V)	PE	5323
$C_4H_3SClHg^+$	$C_4H_3S(HgCl)$ (Mercury, chloro-2-thienyl-)	5857-39-6	**	9.05 (V)	PE	5323
	$C_4H_3S(HgCl)$ (Mercury, chloro-3-thienyl-)	73057-79-1	**	9.23 (V)	PE	5323

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_5SCHg^+$	$C_3H_5S(CH_2HgCl)$ (Mercury, chloro(3-thienylmethyl)-)	73057-80-4	**	8.79 (V)	PE	5323
$CF_3IHg^+$	$CF_3HgI$	421-11-4	**	9.89 (V)	PE	4512
$Tl^+$	$TlBO_2$	XXXXX-XX-X	$BO_2$	$10.43 \pm 0.07$	EI	4096
$Tl_2^+$	$Tl_2O$	1314-12-1		$11.97 \pm 0.09$	EI	4096
$C_5H_5Tl^+$	$C_5H_5Tl$ (Thallium, ( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	34822-90-7	**	7.96 (V)	PE	4777
			**	$8.12 \pm 0.05$ (V)	PE	4853
$OTl^+$	$TlBO_2$	XXXXX-XX-X		$10.68 \pm 0.11$	EI	4096
$OTl_2^+$	$Tl_2O$	1314-12-1	**	$8.02 \pm 0.10$	EI	4096
$BO_2Tl^+$	$TlBO_2$	XXXXX-XX-X	**	$10.2 \pm 0.05$ (V)	PE	4871
			**	$9.92 \pm 0.11$	EI	4096
$BO_2Tl_2^+$	$(TlBO_2)_2$	XXXXX-XX-X		$9.17 \pm 0.10$	EI	4096
$NO_3Tl^+$	$TlNO_3$	XXXXX-XX-X	**	$9.9 \pm 0.05$ (V)	PE	4871
$FTl^+$	TlF	7789-27-7	**	$10.80 \pm 0.02$ (V)	PE	4552
$(^2\Sigma)$			**	$11.90 \pm 0.02$ (V)	PE	4552
$(^2\Pi)$			**	$14.20 \pm 0.02$ (V)	PE	4552
$(^2\Sigma)$			**	10.52	PE	3971
$(^2\Sigma)$			**	11.15	PE	3971
$(^2\Pi)$			**	14.05	PE	3971
$FTl_2^+$	$(TlF)_2$	31970-97-5		$9.97 \pm 0.02$	PI	3971
$F_2Tl_2^+$	$(TlF)_2$	31970-97-5	**	$9.71 \pm 0.02$	PI	3971
			**	9.62	PE	3971
			**	$9.96 \pm 0.02$ (V)	PE	4552
$O_3STl_2^+$	$Tl_2SO_4$	XXXXX-XX-X	**	$9.8 \pm 0.05$ (V)	PE	4871
$CITl^+$	TlCl	7791-12-0	**	9.894 (V)	PE	3913
$(^2\Sigma)$			**	9.91 (V)	PE	4826
$(^2\Sigma_{1/2})$			**	9.92 (V)	PE	4713
$(^2\Pi)$			**	$9.925$ (V)	PE	3536
$(^2\Pi_{1/2} + ^2\Pi_{1/2})$			**	$10.38$ (V)	PE	4713
$(^2\Pi)$			**	$10.384$ (V)	PE	3913
$(^2D_{5/2})$			**	$11.04$ (V)	PE	4713
$(^2D_{3/2})$			**	$11.95$ (V)	PE	4713

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>CtI<sup>+</sup></b>						
<sup>(2)Π<sub>3/2</sub></sup>	TlCl	7791-12-0	**	10.38 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	13.17 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	13.41 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	13.68 (V)	PE	4713
<sup>(2)Σ</sup>			**	13.79	PE	3913
<sup>(2)Σ<sub>1/2</sub></sup>			**	13.89 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	15.86 (V)	PE	4713
<sup>(2)Π<sub>1/2</sub></sup>			**	18.55 (V)	PE	4713
<sup>(2)Π<sub>3/2</sub></sup>			**	20.23 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	20.97 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	21.16 (V)	PE	5035
<sup>(2)D<sub>5/2</sub></sup>			**	21.24 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	21.41 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	23.30 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	23.32 (V)	PE	5035
<sup>(2)D<sub>3/2</sub></sup>			**	23.42 (V)	PE	4713
<b>AsTl<sup>+</sup></b>						
	TlAs	12006-09-6	**	9±1	EI	3947
<b>BrTl<sup>+</sup></b>						
<sup>(2)Σ<sub>1/2</sub></sup>	TlBr	7789-40-4	**	9.50 (V)	PE	4713
<sup>(2)Π</sup>			**	9.832 (V)	PE	3913
<sup>(2)Π<sub>3/2</sub>+<sup>2</sup>Π<sub>1/2</sub></sup>			**	9.85 (V)	PE	4713
<sup>(2)Σ</sup>			**	13.57	PE	3913
<sup>(2)Σ<sub>1/2</sub></sup>			**	13.69 (V)	PE	4713
<sup>(2)Π<sub>1/2</sub>?</sup>			**	17.78 (V)	PE	4713
<sup>(2)Π<sub>3/2</sub></sup>			**	20.60 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	20.86 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	21.04 (V)	PE	5035
<sup>(2)D<sub>5/2</sub></sup>			**	21.13 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	23.11 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	23.23 (V)	PE	5035
<sup>(2)D<sub>3/2</sub></sup>			**	23.25 (V)	PE	4713
<b>ITl<sup>+</sup></b>						
	TlI	7790-30-9	**	8.47±0.02	PI	3536
<sup>(2)Σ<sub>1/2</sub>,<sup>2</sup>Π<sub>3/2</sub></sup>			**	8.47±0.02	PE	3913
<sup>(2)Σ<sub>1/2</sub>+<sup>2</sup>Π<sub>3/2</sub></sup>			**	8.89 (V)	PE	4713
			**	8.93 (V)	PE	3676
<sup>(2)Π</sup>			**	9.39	PE	3913
<sup>(2)Π<sub>1/2</sub></sup>			**	9.73 (V)	PE	4713
<sup>(2)Σ</sup>			**	13.0	PE	3913
<sup>(2)Σ<sub>1/2</sub></sup>			**	13.10 (V)	PE	4713
<sup>(2)Σ<sub>1/2</sub></sup>			**	13.47 (V)	PE	4713
<sup>(2)Π<sub>1/2</sub>?</sup>			**	18.07 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	20.59 (V)	PE	4713
<sup>(2)D<sub>5/2</sub></sup>			**	20.75 (V)	PE	5035
<sup>(2)D<sub>5/2</sub></sup>			**	20.78 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	22.87 (V)	PE	4713
<sup>(2)D<sub>3/2</sub></sup>			**	23.04 (V)	PE	5035
<sup>(2)D<sub>3/2</sub></sup>			**	23.05	PE	4713
<b>O<sub>1</sub>ReTl<sup>+</sup></b>						
	TlReO <sub>4</sub>	XXXXX-XX-X	**	10.6±0.05 (V)	PE	4871
<b>Pb<sup>+</sup></b>						
<sup>(2)P<sub>1/2</sub></sup>	Pb	7439-92-1	**	7.417	S	5449
<sup>(2)P<sub>3/2</sub></sup>			**	9.163	S	5449
<sup>(2)P<sub>1/2</sub></sup>			**	7.42±0.01	PE	5534
<sup>(2)P<sub>3/2</sub></sup>			**	9.16±0.01	PE	5534
<sup>(1)P<sub>1/2</sub></sup>			**	14.59±0.01	PE	5534

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>Pb<sup>+</sup></b>						
( <sup>1</sup> P <sub>3/2</sub> )	Pb	7439-92-1	**	15.61±0.01	PE	5534
( <sup>2</sup> D <sub>3/2</sub> )			**	15.97±0.01	PE	5534
( <sup>2</sup> D <sub>5/2</sub> )			**	16.06±0.01	PE	5534
( <sup>1</sup> P <sub>5/2</sub> )			**	16.57±0.01	PE	5534
( <sup>2</sup> P <sub>1/2</sub> )			**	18.35±0.01	PE	5534
<b>LiPb<sup>+</sup></b>	PbLi	12372-50-8	**	6.4±0.5	EI	5426
<b>C<sub>3</sub>H<sub>9</sub>Pb<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> Pb ( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> )(CH <sub>3</sub> ) <sub>2</sub> Pb ((CH <sub>3</sub> ) <sub>3</sub> Pb) <sub>2</sub> C <sub>6</sub> H <sub>5</sub> SPb(CH <sub>3</sub> ) <sub>3</sub> (Plumbane, trimethyl(phenylthio)-)	75-74-1 32997-03-8 6713-83-3 40560-63-2	CH <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> C (CH <sub>3</sub> ) <sub>3</sub> Pb	8.77±0.16 8.67±0.21 9.02±0.14 8.37±0.1	EI EI EI EI	3548 3548 3548 4198
<b>C<sub>4</sub>H<sub>12</sub>Pb<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>4</sub> Pb	75-74-1	** ** **	8.50±0.04 8.83±0.1 8.26±0.17	PE PE EI	3880 3677 3548
<b>C<sub>7</sub>H<sub>18</sub>Pb<sup>+</sup></b>	( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> )(CH <sub>3</sub> ) <sub>3</sub> Pb	32997-03-8	**	7.99±0.13	EI	3548
<b>C<sub>9</sub>H<sub>14</sub>Pb<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> ) <sub>3</sub> Pb (Plumbane, trimethylphenyl-)	19040-53-0	**	~8.82	PE	4589
<b>C<sub>10</sub>H<sub>10</sub>Pb<sup>+</sup></b>	(C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> Pb (Plumbocene)	1294-74-2	**	7.53±0.05 (V)	PE	4853
<b>C<sub>10</sub>H<sub>16</sub>Pb<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> (CH <sub>3</sub> ) <sub>3</sub> Pb (Plumbane, trimethyl(phenylmethyl)-)	54338-54-4	**	7.87±0.05	PE	4589
<b>C<sub>6</sub>H<sub>18</sub>Pb<sub>2</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> Pb) <sub>2</sub>	6713-83-3	**	7.41±0.10	EI	3548
<b>C<sub>44</sub>H<sub>28</sub>N<sub>4</sub>Pb<sup>+</sup></b>	C <sub>20</sub> H <sub>8</sub> N <sub>4</sub> (C <sub>6</sub> H <sub>5</sub> ) <sub>4</sub> Pb (Lead, [5,10,15,20-tetraphenyl-21H,23H-porphinato(2-)-N <sup>21</sup> ,N <sup>22</sup> ,N <sup>23</sup> ,N <sup>24</sup> ]- (SP-4-1)-)	14784-17-9	**	5.99±0.2	OTH	4962
<b>OPb<sup>+</sup></b>	PbO	1317-36-8	**	9.08±0.10	EI	5163
<b>O<sub>2</sub>Pb<sup>+</sup></b>	PbO <sub>2</sub>	1309-60-0	**	8.87±0.10	EI	5163
<b>C<sub>14</sub>H<sub>38</sub>Si<sub>1</sub>Pb<sup>+</sup></b>	(CH(Si(CH <sub>3</sub> ) <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> Pb	41823-73-8	**	7.25±0.05 (V)	PE	4725
<b>C<sub>16</sub>H<sub>44</sub>Si<sub>1</sub>Pb<sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> SiCH <sub>2</sub> ) <sub>4</sub> Pb	18547-13-2	**	8.14±0.1 (V)	PE	3830
<b>C<sub>14</sub>H<sub>36</sub>N<sub>2</sub>Si<sub>2</sub>Pb<sup>+</sup></b>	(N(Si(CH <sub>3</sub> ) <sub>3</sub> )( <i>tert</i> -C <sub>4</sub> H <sub>9</sub> )) <sub>2</sub> Pb	55147-79-0	** **	7.26±0.05 (V) 7.18 (V)	PE PE	4725 4157



Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>C<sub>12</sub>H<sub>36</sub>N<sub>2</sub>Si<sub>1</sub>Pb<sup>+</sup></b>	(N(Si(CH <sub>3</sub> ) <sub>3</sub> ) <sub>2</sub> ) <sub>2</sub> Pb	55147-59-6	**	7.92 (V)	PE	4157
			**	7.92±0.05 (V)	PE	4725
<b>C<sub>1</sub>H<sub>12</sub>SPb<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> SCH <sub>3</sub> Pb	14326-59-1	**	8.13±0.05 (V)	PE	4153
<b>C<sub>8</sub>H<sub>11</sub>SPb<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> SPb(CH <sub>3</sub> ) <sub>3</sub> (Plumbane, trimethyl(phenylthio)-)	40560-63-2	CH <sub>3</sub>	8.11±0.1	EI	4198
<b>C<sub>9</sub>H<sub>11</sub>SPb<sup>+</sup></b>	C <sub>6</sub> H <sub>5</sub> S(CH <sub>3</sub> ) <sub>3</sub> Pb (Plumbane, trimethyl(phenylthio)-)	40560-63-2	**	8.15±0.05	PE	4589
			**	7.75±0.1	EI	4198
<b>C<sub>10</sub>H<sub>16</sub>SPb<sup>+</sup></b>	C <sub>6</sub> H <sub>4</sub> (SCH <sub>3</sub> )(CH <sub>3</sub> ) <sub>3</sub> Pb (Plumbane, trimethyl[4-(methylthio)phenyl]-)	59163-57-4	**	<8.02 (V)	PE	4627
<b>C<sub>6</sub>H<sub>18</sub>SPb<sub>2</sub><sup>+</sup></b>	((CH <sub>3</sub> ) <sub>3</sub> Pb) <sub>2</sub> S	14511-33-2	**	7.78±0.05 (V)	PE	4153
<b>Cl<sub>2</sub>Pb<sup>+</sup></b>	PbCl <sub>2</sub>	7758-95-4	**	10.11 (V)	PE	3650
			**	27.34 (V)	PE	5035
			**	29.92 (V)	PE	5035
<b>C<sub>3</sub>H<sub>9</sub>ClPb<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> PbCl	1520-78-1	**	9.70 (V)	PE	4566
<b>Br<sub>2</sub>Pb<sup>+</sup></b>	PbBr <sub>2</sub>	10031-22-8	**	9.81±0.05 (V)	PE	4826
			**	27.02 (V)	PE	5035
			**	29.58 (V)	PE	5035
<b>C<sub>3</sub>H<sub>9</sub>BrPb<sup>+</sup></b>	(CH <sub>3</sub> ) <sub>3</sub> PbBr	6148-48-7	**	9.30 (V)	PE	4566
<b>TePb<sup>+</sup></b>	TePh	1314-91-6	**	8.04 (V)	PE	4550
			**	8.34 (V)	PE	4550
			**	9.01 (V)	PE	4550
<b>I<sub>2</sub>Pb<sup>+</sup></b>	PbI <sub>2</sub>	10101-63-0	**	8.86±0.03	PI	3536
			**	26.48 (V)	PE	5035
			**	29.20 (V)	PE	5035
<b>Bi<sup>+</sup></b>	Bi	7440-69-9	**	7.2±0.5	EI	4128
	Bi <sub>2</sub>	12187-12-1		9.6±0.5	EI	4128
<b>Bi<sub>2</sub><sup>+</sup></b>	Bi <sub>2</sub>	12187-12-1	**	7.3±0.5	EI	4120
			**	7.6±0.5	EI	4128
<b>Bi<sub>3</sub><sup>+</sup></b>	Bi <sub>3</sub>	XXXXX-XX-X	**	8.8±0.5	EI	4128
<b>Bi<sub>4</sub><sup>+</sup></b>	Bi <sub>4</sub>	12595-65-2	**	7.3±0.5	EI	4128

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
<b>LiBi<sup>+</sup></b>	BiLi	12048-27-0	**	6.0±0.5	EI	5426
<b>C<sub>3</sub>H<sub>5</sub>Bi<sup>+</sup></b>	C <sub>3</sub> H <sub>5</sub> Bi (Bismin)	289-52-1	**	7.9	PE	4416
<b>C<sub>6</sub>H<sub>5</sub>Bi<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Bi (Bismuthine, triphenyl-)	603-33-8		7.75±0.1	PI	4325
<b>C<sub>12</sub>H<sub>10</sub>Bi<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Bi (Bismuthine, triphenyl-)	603-33-8		7.9±0.1	PI	4325
<b>C<sub>18</sub>H<sub>15</sub>Bi<sup>+</sup></b>	(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> Bi (Bismuthine, triphenyl-)	603-33-8	**	7.45±0.05	PI	4325
<b>F<sub>3</sub>Bi<sup>+</sup></b>	BiF <sub>3</sub>	7787-61-3	**	~12	EI	3551
<b>F<sub>1</sub>Bi<sup>+</sup></b>	BiF <sub>5</sub>	7787-62-4		14.5-15	EI	3551
<b>GaBi<sup>+</sup></b>	GaBi	12010-43-4	**	7±1	EI	3608
<b>TlBi<sup>+</sup></b>	BiTl	26257-16-9	**	7.5±0.4	EI	3949
<b>Ac<sup>+</sup></b>	Ac	7440-34-8	**	5.17±0.12	OTH	3875
<b>Th<sup>+</sup></b>	Th	7440-29-1	**	6.11±0.02	PE	5052
(S <sub>0</sub> )			**	12.22±0.07	PE	5052
(P <sub>0</sub> )			**	12.56±0.06	PE	5052
(P <sub>1</sub> )			**	13.75±0.04	PE	5052
(P <sub>2</sub> )			**	15.49±0.03	PE	5052
(P <sub>3</sub> )			**	5.9±0.15	EI	3962
			**	6.0±0.1	EI	4114
			**	6.2±0.2	EI	4123
			**	6.8	EI	4119
			**	6.9±0.5	EI	4909
			**	6.9±0.5	EI	5306
			**	7.0±0.5	EI	4208
			**	6.08±0.12	OTH	3875
			**	7.4±0.3	OTH	5149
			O	15.9±0.1 16	EI	4123 4208
<b>CTh<sup>+</sup></b>	CTh	12012-16-7	**	7.9±1.0	EI	5306
			**	8.0±1.0	EI	4112
<b>C<sub>2</sub>Th<sup>+</sup></b>	C <sub>2</sub> Th	12071-31-7	**	6.4±0.5	EI	5306
			**	6.5±0.3	EI	4112
<b>C<sub>3</sub>Th<sup>+</sup></b>	C <sub>3</sub> Th	XXXXX-XX-X	**	8.4±1.0	EI	5306

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3Th^+$	$C_3Th$	XXXXX-XX-X **		$9.2 \pm 1.0$	EI	4112
$C_7Th^+$	$C_7Th$	52931-63-2	** **	$9.0 \pm 0.5$ $10.0 \pm 1.0$	EI EI	5306 4112
$C_{16}H_{16}Th^+$	$(C_8H_8)_2Th$ (Thorium, bis( $\eta^8$ -1,3,5,7-cyclooctatetraene)-)	12702-09-9	** **	$6.75$ (V) $6.79$ (V)	PE PE	4562 4612
$OTh^+$	$ThO$	12035-93-7	** ** ** **	$\geq 6.0 \pm 0.1$ $6.1 \pm 0.1$ $6.1 \pm 0.15$ $6.1$	EI EI EI EI	4208 4114 3962 4119
$O_2Th^+$	$ThO_2$	1314-20-1	** ** **	$8.7 \pm 0.15$ $8 \pm 1$ $8.7 \pm 0.15$	EI EI EI	4114 4208 3962
$C_{20}H_{28}O_8Th^+$	$((CH_3CO)_2CH)_4Th$	17499-48-8	**	$7.85$ (V)	PE	5338
$Cl_1Th^+$	$ThCl_1$	10026-08-1	**	$12.7 \pm 0.3$	EI	3795
$C_{15}H_{15}ClTh^+$	$(C_5H_5)_3ThCl$ (Thorium, chlorotris( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	1284-82-8	**	$7.85$ (V)	PE	4585
$C_{18}H_{21}ClTh^+$	$(C_5H_5CH_3)_3ThCl$ (Thorium, chlorotris(1,2,3,4,5- $\eta$ -1-methyl-2,4-cyclopentadien-1-yl)-)	62156-90-5	**	$7.75$ (V)	PE	4585
$RuTh^+$	$RuTh$	52014-55-8	** **	$6.4 \pm 0.5$ $7.1 \pm 1.0$	EI EI	4909 4130
$PtTh^+$	$ThPt$	12038-30-1	**	$8 \pm 2$	EI	3968
$Pa^+$	$Pa$	7440-13-3	**	$5.89 \pm 0.12$	OTH	3875
$U^+$	$U$	7440-61-1	** ** ** ** ** ** ** ** ** **	$6.22 \pm 0.5$ $6.0 \pm 0.5$ $6.0 \pm 0.5$ $6.1 \pm 0.1$ $6.1 \pm 0.3$ $6.8 \pm 1.5$ $\sim 6 \pm 0.5$ $6.05 \pm 0.07$ $6.3 \pm 0.3$	S EI EI EI EI EI EI OTH OTH	3566 4909 5169 4114 3557 3595 3448 3875 5149
$U^{+2}$	$U^+$	15721-70-7	**	$10.6 \pm 1$	S	3566

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_{16}\text{B}_1\text{U}^+$	$\text{U}(\text{BH})_4$	12523-77-2	**	$9.58 \pm 0.1$ (V)	PE	4825
			**	$9.59 \pm$ (V)	PE	4888
			**	$9.0 \pm 0.5$	EI	5375
$\text{CU}^+$	UC	12070-09-6	**	$7.8 \pm 1.0$	EI	5169
$\text{C}_2\text{U}^+$	$\text{UC}_2$	12071-33-9	**	$6.4 \pm 0.5$	EI	5169
$\text{C}_3\text{U}^+$	$\text{UC}_3$	XXXXX-XX-X	**	$8.1 \pm 1.0$	EI	5169
$\text{C}_1\text{U}^+$	$\text{UC}_1$	XXXXX-XX-X	**	$8.7 \pm 0.5$	EI	5169
$\text{C}_{16}\text{H}_{16}\text{U}^+$	$(\text{C}_6\text{H}_5)_2\text{U}$ (Uranium, bis( $\eta^5$ -1,3,5,7-cyclooctatetraene)-)	11079-26-8	**	6.15 (V)	PE	4562
			**	6.20 (V)	PE	4612
$\text{BC}_{18}\text{H}_{23}\text{U}^+$	$(\text{C}_7\text{H}_7\text{CH}_2)_3\text{UBH}_4$ (Uranium, tris[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl]-tetrahydroborate(1-))	62156-96-1	**	6.35 (V)	PE	4585
$\text{OU}^+$	UO	12035-97-1	**	$4.3 \pm 1.5$	EI	3595
			**	$5.6 \pm 0.1$	EI	4114
			**	$5.7 \pm 0.4$	EI	3557
			**	$\sim 6 \pm 0.5$	EI	3448
$\text{O}_2\text{U}^+$	$\text{UO}_2$	1344-57-6	**	$4.5 \pm 1.5$	EI	3595
			**	$5.4 \pm 0.1$	EI	4114
			**	$5.5 \pm 0.4$	EI	3557
$\text{O}_3\text{U}^+$	$\text{UO}_3$	1344-58-7	**	$9.5 \pm 1.5$	EI	3595
			**	$10.6 \pm 0.1$	EI	4114
			**	$11.1 \pm 0.4$	EI	3557
$\text{C}_{16}\text{H}_{11}\text{O}_6\text{U}^+$	$((\text{CH}_3\text{CO})_2\text{CH})_2\text{UO}_2$	18039-69-5	**	8.40 (V)	PE	5338
$\text{C}_{20}\text{H}_{28}\text{O}_8\text{U}^+$	$((\text{CH}_3\text{CO})_2\text{CH})_4\text{U}$	17923-26-1	**	6.65 (V)	PE	5338
$\text{F}_1\text{U}^+$	$\text{UF}_4$	10049-14-6	**	9.51	PE	5371
			**	$9.96 \pm 0.1$	EI	4865
			**	$10.0 \pm 0.3$	EI	4865
	$\text{UF}_6$	7783-81-5	2F	$17.35 \pm 0.1$	EI	4865
$\text{F}_3\text{U}^+$	$\text{UF}_5$	13775-07-0	**	$11.28 \pm 0.1$	EI	4865
			**	$11.5 \pm 0.3$	EI	4865
	$\text{UF}_6$	7783-81-5	F	$14.24 \pm 0.10$	EI	4865
$\text{F}_6\text{U}^+$	$\text{UF}_6$	7783-81-5	**	$14.00 \pm 0.10$	EI	4865

Table of Ion Energetics Measurements—Continued

Ion (state)	Reactant	CAS Registry Number	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_{10}\text{H}_2\text{O}_6\text{F}_{12}\text{U}^+$	$((\text{CF}_3\text{CO})_2\text{CH})_2\text{UO}_2$	67316-66-9	**	10.05 (V)	PE	5338
$\text{C}_{20}\text{H}_{16}\text{O}_8\text{F}_{12}\text{U}^+$	$(\text{CF}_3\text{COCHCOCH}_3)_4\text{U}$	32627-13-7	**	7.83 (V)	PE	5338
$\text{OSU}^+$	UOS	22201-28-1	**	$\sim 8 \pm 0.5$	EI	3448
$\text{Cl}_1\text{U}^+$	$\text{UCl}_1$	10026-10-5	**	9.18	PE	5371
			**	$11.0 \pm 0.3$	EI	3795
$\text{C}_{15}\text{H}_{15}\text{ClU}^+$	$(\text{C}_5\text{H}_5)_3\text{UCl}$ (Uranium, chlorotris ( $\eta^5$ -2,4-cyclopentadien-1-yl)-)	1284-81-7	**	6.90 (V)	PE	4585
$\text{C}_{18}\text{H}_{21}\text{ClU}^+$	$(\text{C}_5\text{H}_7\text{CH}_3)_3\text{UCl}$ (Uranium, chlorotris[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl]-)	59834-82-1	**	7.10 (V)	PE	4585
$\text{C}_{18}\text{H}_{21}\text{BrU}^+$	$(\text{C}_5\text{H}_7\text{CH}_3)_3\text{UBr}$ (Uranium, bromotris[(1,2,3,4,5- $\eta$ )-1-methyl-2,4-cyclopentadien-1-yl]-)	62050-82-2	**	6.95 (V)	PE	4585
$\text{RuU}^+$	$\text{RuU}$	12316-41-5	**	$6.1 \pm 0.5$	EI	4909
$\text{Np}^+$	$\text{Np}$	7439-99-8	**	$6.1 \pm 0.1$	EI	4560
			**	$6.20 \pm 0.12$	OTH	3875
			**	$6.2657 \pm 0.0005$	S	5165
$\text{ONp}^+$	$\text{NpO}$	XXXXX-XX-X	**	$5.7 \pm 0.1$	EI	4560
$\text{Pu}^+$	$\text{Pu}$	7440-07-5	**	$6.06 \pm 0.02$	OTH	3875
$\text{Am}^+$	$\text{Am}$	7440-35-9	**	$5.993 \pm 0.010$	OTH	3875
$\text{Cm}^+$	$\text{Cm}$	7440-51-9	**	$6.09 \pm 0.02$	OTH	3875
$\text{Bk}^+$	$\text{Bk}$	7440-40-6	**	$6.30 \pm 0.09$	OTH	3875
$\text{Cf}^+$	$\text{Cf}$	7440-71-3	**	$6.41 \pm 0.10$	OTH	3875
$\text{Es}^+$	$\text{Es}$	7429-92-7	**	$6.52 \pm 0.10$	OTH	3875
$\text{Fm}^+$	$\text{Fm}$	7440-72-4	**	$6.64 \pm 0.11$	OTH	3875
$\text{Md}^+$	$\text{Md}$	7440-11-1	**	$6.74 \pm 0.12$	OTH	3875
$\text{No}^+$	$\text{No}$	10028-14-5	**	$6.84 \pm 0.12$	OTH	3875

## Author Index

- Aarons, L. J., 4250  
 Abbas, M. I., 4422  
 Abbé, J.-C., 4052, 4311  
 Abbey, L. E., 5337  
 Abd-el-Mottaleb, S., 4600  
 Abdulnur, S., 5093  
 Abe, K., 4962  
 Abouaf, R., 5195  
 A'Campo, C., 5086  
 Achiba, Y., 4076, 5214, 5262, 5318, 5383  
 Ackermann, F., 3762  
 Ackermann, R. J., 3795, 3962, 4061, 4114, 4560, 4624, 5275, 5342  
 Adam, W., 4251, 5563  
 Adamchuk, V. K., 3729  
 Adams, G. P., 3570  
 Adams, J. E., 4159  
 Aerni, R. J., 3790  
 Agashkin, O. V., 4996  
 Aihara, J., 3877  
 Ajello, J. M., 4757  
 Ajò, D., 4983, 5189, 5243  
 Akaba, R., 5486  
 Åkermærk, B., 4269  
 Akhmedova, F. N., 5586  
 Akiyama, I., 5364, 5492, 5594  
 Akopyan, M. E., 3752, 3766, 4025, 4078, 4086, 4192, 4266, 4353, 4959, 5135, 5514, 5515, 5543, 5557  
 Albini, A., 4590  
 Albridge, R. G., 4351, 5506  
 Alder, R. W., 4419  
 Alderdice, D. S., 4420, 4485  
 Aldrich, H. S., 4215  
 Alikhanyan, A. S., 5424, 5434, 5440  
 Al-Khafaji, J. A., 5528  
 Allan, M., 4391, 4460, 4540, 5432, 5575  
 Allen, C. W., 5443  
 Allen, G. C., 5371  
 Allen, J. D., Jr., 3963, 4307, 4761, 4806, 4840, 4871, 4981, 5238, 5354  
 Allison, D. A., 4750  
 Almemark, M., 4269  
 Aloisi, G. G., 3787, 4272, 4382  
 Ames, D. L., 4561  
 Ames, L. L., 4100  
 Anastassiou, A. G., 4136, 4326, 4688  
 Andersen, E. L., 4937  
 Anderson, C. P., 3507, 3528  
 Anderson, S. L., 5307  
 Anderson III, G. M., 5567  
 Andreocci, M. V., 4699, 4847, 5376, 5559  
 Andrews, G. D., 5621  
 Andrews, M. N., 3805  
 Angelici, R. J., 5423  
 Anicich, V., 5501  
 Anthony, M. T., 4393  
 Antonova, N. L., 4030  
 Appel, R., 4827, 5207  
 Appell, J., 3521, 3906, 5007, 5147, 5266  
 Appelman, E. H., 3831, 3932, 4762, 5004  
 Arbelot, M., 4253, 4439, 4555, 5410  
 Armen, G. H., 5590  
 Armentrout, P. B., 5375  
 Armstrong, D. R., 3680  
 Arnett, J. F., 4471, 4487, 4593, 5517  
 Arnold, D. E. J., 4378, 4504, 4622  
 Arnold, D. R., 5260  
 Arriau, J., 5478  
 Artemov, A. N., 3786  
 Artyukhin, V. I., 4996  
 Åsbrink, L., 3516, 3530, 3531, 3639, 3651, 3720, 3740, 3750, 4269, 4323, 4525, 4602, 5084, 5313, 5525  
 Ashe, A. J., 3832  
 Ashe III, A. J., 4374, 4416  
 Ashmore, F. S., 4695  
 Askani, R., 4034  
 Aslanov, F. A., 5586  
 Asmus, P., 4249, 4385, 4433, 4434, 5344  
 Ast, T., 5141  
 Astrup, E. E., 4380, 4549  
 Audier, H. E., 3590, 5400  
 Aue, D. H., 4480, 4497, 4527, 4990  
 Avkhutsii, L. M., 4989  
 Avni, R., 5149  
 Azami, T., 5121  
 Bach, R. D., 4084  
 Bachhuber, H., 5248  
 Back, R. A., 4896  
 Backvall, J. E., 4269  
 Baer, T., 4308, 4640, 5201, 5283, 5289, 5455  
 Baerends, E. J., 4376  
 Bafus, D. A., 3442, 4548  
 Bagarat'yan, N. V., 4096  
 Bain, A. D., 3826, 3843  
 Bak, B., 4392  
 Baker, A. D., 3520, 4218, 4418, 4965, 5190, 5590  
 Baker, V. J., 5215  
 Balducci, G., 3455, 3594, 3611, 3618, 4105, 4111, 5634  
 Baldwin, J. E., 5621  
 Baldwin, M. A., 4759, 4834, 5080, 5462  
 Balkis, T., 4610  
 Balle, T., 4510, 4537, 4614  
 Bally, T., 4390, 4421, 4728, 5431  
 Baluev, A. V., 5620  
 Bancroft, G. M., 4822, 5300  
 Baney, H. F., 5625  
 Banna, M. S., 4415, 4970, 5534  
 Bardi, G., 3986, 5229  
 Barker, G. K., 4398  
 Barlos, K., 5628  
 Barnier, J.-P., 4963  
 Barraclough, P., 5481  
 Barrow, R. F., 4229  
 Bartetzko, R., 4849, 5341  
 Barton, T. J., 5216  
 Barz, P., 3747  
 Basch, H., 3643, 3649, 4738  
 Basco, N., 3882  
 Bass, V.-M., 5322  
 Bassett, P. J., 3641, 4187  
 Bassindale, A. R., 4139  
 Basso-Bert, M., 4734  
 Bastide, J., 4416, 4595, 4674, 4821  
 Batich, C., 3832, 3999, 4049, 4189, 4251, 4263, 4396, 4569, 5281  
 Batson, C. H., 5297, 5509  
 Battaglia, A., 4719  
 Batten, C. F., 4910, 4997  
 Battiste, D. R., 4576  
 Baumgärtel, H., 3930, 4350, 5079, 5196, 5270, 5352, 5399  
 Bavia, M., 5456  
 Bayer, H., 4432  
 Baylis, A. B., 3441  
 Bazhenov, B. A., 4058  
 Beauchamp, J. L., 3632, 3633, 4124, 4152, 4165, 4342, 4679, 4722, 4868, 4898, 4899, 4907, 4921, 5003, 5042, 5375, 5458, 5501, 5516, 5616  
 Becherer, J., 5335



Bechgaard, K., 4481  
 Becker, G., 3844, 3867, 3950, 4160, 4584  
 Beckhaus, H. –D., 5314, 5372  
 Beerlage, M., 4523  
 Beez, M., 3847  
 Begtrup, M., 5309  
 Begun, G. M., 3793  
 Behan, J. M., 4573, 4621, 4739, 5499  
 Bekki, K., 4830  
 Bel'ferman, A. L., 3539, 3769, 4070, 5554  
 Bell, S., 5465  
 Bellachioma, G., 5559  
 Bellamy, F., 5599  
 Bel'skii, V. E., 5032  
 Beltram, G. A., 4985, 5553  
 Bénard, M., 5317  
 Benezra, S. A., 3480, 3483, 3631  
 Benito, I., 4097  
 Bennett, S. L., 4131  
 Benoit, F. M., 3792, 3973, 4831, 4850  
 Bente, P. F., III., 3916  
 Bentley, T. W., 3443, 3784, 4621  
 Berger, H. –O., 5485  
 Berger, J. G., 3994  
 Bergman, R. G., 4374, 4779  
 Bergmann, H., 4226, 4379  
 Bergmark, T., 3529, 3645, 3725, 3728, 3911, 4351, 5060, 5506  
 Berkosky, J. L., 4023, 5479  
 Berkowitz, J., 3500, 3525, 3536, 3640, 3650, 3831, 3913, 3920, 3927, 3928, 3932, 3958, 3960, 3971, 4215, 4232, 4355, 4552, 4655, 4662, 4752, 4762, 4813, 4886, 4957, 4991, 4998, 5000, 5004, 5028, 5037, 5064, 5297, 5475, 5509  
 Berlinsky, A. J., 4155  
 Berman, D. W., 5501  
 Bernardi, F., 4386, 4389, 4848  
 Bernardini, A., 5228  
 Bernauer, O., 4313, 5330  
 Berry, A. D., 3814  
 Berry, M., 5579  
 Bert, G., 4698  
 Bertorello, H. E., 3454  
 Bertoti, I., 4517  
 Bertrand, M., 3845  
 Bethke, H., 3580  
 Betteridge, D., 5190  
 Bewick, A., 4735  
 Beynon, J. H., 3845, 5141  
 Bickelhaupt, F., 4262, 4515, 5436, 5630  
 Bicker, R., 5377  
 Bidinosti, D. R., 4598  
 Biefeld, R. M., 5239  
 Bieri, G., 3847, 4002, 4180, 4286, 4394, 4453, 4676, 4681, 4686, 4702, 4738, 4765, 5084, 5313, 5411, 5457, 5525  
 Biernbaum, M., 4683  
 Bigotto, A., 4854, 4889, 5095  
 Bilgic, S., 5481  
 Bimanand, A., 5099  
 Binger, P., 5192  
 Bischof, P., 3509, 3999, 4037, 4161, 4259, 4268, 4280, 4387, 4397, 4400, 4572, 4723, 4726, 5441, 5480, 5604, 5606, 5613  
 Bitchev, P., 4847  
 Bizot, M., 3945  
 Blackburn, P. E., 3595  
 Blair, A. S., 5268  
 Blais, N. C., 5299, 5412  
 Blake, A. J., 3672  
 Blankespoor, R. L., 4851  
 Bleckmann, P., 4296  
 Bloch, A. N., 4481  
 Bloch, M., 4740  
 Block, T. F., 4683, 4692  
 Bloodworth, A. J., 5563  
 Bloomfield, J. J., 4593  
 Bloor, J. E., 4806, 5354  
 Bock, H., 3504, 3584, 3646, 3648, 3673, 3746, 3778, 3781, 3844, 3847, 3867, 3946, 3950, 4067, 4092, 4097, 4139, 4150, 4160, 4181, 4243, 4244, 4274, 4276, 4291, 4294, 4295, 4303, 4310, 4332, 4345, 4379, 4380, 4417, 4476, 4512, 4549, 4558, 4579, 4581, 4680, 4698, 4756, 4827, 4984, 5012, 5102, 5107, 5204, 5207, 5216, 5319, 5386, 5504, 5535, 5574, 5609, 5610, 5612, 5629, 5632  
 Bodor, N., 4258, 4278, 4742, 4772, 4810  
 Boekelheide, V., 3647, 3948, 4824, 5600  
 Boggess, G. W., 3963  
 Boggs, J. E., 4984  
 Bogolyubov, G. M., 3674  
 Bohlmann, F., 3996, 4041, 4044, 4046, 4051, 4300, 4336, 4346, 5429  
 Böhm, M. C., 4832, 5108, 5194, 5281, 5373, 5384, 5392, 5447, 5599  
 Bomse, D. S., 4459  
 Bonapasta, A. A., 5285  
 Bonati, F., 3497  
 Bonnier, J. –M., 3588  
 Borden, W. T., 5562  
 Borossay, J., 3444, 4368, 4620  
 Boschi, R. A., 3644, 3748, 3751, 3846, 3951, 3953, 3990, 4088, 4194, 4196, 4542, 5145  
 Bossa, M., 5285  
 Bosse, D., 5606  
 Botter, R., 4003, 4482, 4567, 4684, 4943, 5626  
 Bouchoux, G., 3590, 5608, 5611  
 Bougeard, D., 4296  
 Bowers, M. T., 4480, 4497, 4527, 4990, 5482  
 Bowling, R. A., 4840, 5216, 5354  
 Boxhoorn, G., 5539  
 Boyd, R. J., 3828, 4449  
 Boyd, R. K., 5200, 5290  
 Božić, Z., 4690  
 Bradshaw, D. I., 4625  
 Brähler, G., 5612  
 Brähler, U. G., 5204  
 Branton, G. R., 3794  
 Braunstein, C., 5590  
 Breeze, A., 3666, 3680  
 Brehm, B., 4381, 4630  
 Breier, H., 5489  
 Briegleb, G., 3577  
 Brien, D. J., 5091, 5581  
 Briggs, P. R., 3549  
 Brint, P., 5090  
 Brion, C. E., 3492, 4224, 5170  
 Brisk, M. A., 4218, 4418  
 Brito-Palma, F. M. S., 5215  
 Brittain, H. G., 4384, 4965  
 Brock, A., 4139  
 Broer, W. J., 5058, 5316  
 Brogli, F., 3532, 3638, 3668, 3780, 4002, 4019, 4039, 4040, 4048, 4063, 4374, 4531, 4740, 5034  
 Brown, C. M., 4182, 4582, 4583, 5449, 5450, 5494, 5495, 5496, 5497, 5500  
 Brown, P., 3446, 3447  
 Brown, R. S., 4241, 4395, 4399, 4450, 4509, 4511, 4577, 4619, 4703, 4842, 4980, 5185, 5212, 5420  
 Brown, S. A., 5290  
 Browne, A. R., 5441  
 Bruckmann, P., 3997, 4347, 4766, 5605, 5607  
 Brundle, C. R., 3501, 3520, 3637, 3642, 3643, 3649, 3727, 3943, 4169, 4669  
 Büchler, A., 3613

- Budenz, R., 4332  
 Budnik, R. A., 4501  
 Bulgin, D. K., 4597, 4685, 4944  
 Bull, W. E., 3507  
 Bunbury, D. L., 4844  
 Bünzli, J. C., 3828, 3835, 3842, 3843, 4004, 4010, 4140, 4449, 4691, 4880  
 Burak, A. J., 4010  
 Burger, F., 4702, 5411  
 Burgers, P. C., 5445  
 Burgess, A. R., 4695  
 Burgess, E. M., 5337  
 Burns, G. T., 5216  
 Burns, R. P., 5171  
 Burroughs, P., 3979, 5148  
 Bursey, M. M., 3480, 3483, 3496, 3631, 3805  
 Bursten, B. E., 5024, 5191, 5565  
 Buschek, J. M., 3887, 3889, 4134, 4137, 4141, 4156, 4214  
 Buser, U., 4728  
 Busse, B., 5153, 5330  
 Bussièrès, N., 4693  
 But, P. G., 4079  
 Butlin, B. A., 5603  
 Butkovskaya, N. I., 4920  
 Butler, I. S., 5333  
 Butler, J. J., 5283  
 Butskii, V. D., 5424, 5434  
 Buttrill, S. E., Jr., 4369, 4868  
 Cabaud, B., 3574, 3745, 3956, 5428  
 Caesar, G. P., 4778  
 Camp, F. E., 4122  
 Campbell, B. E., 3621  
 Campbell, M. J., 4845  
 Camus, P., 4060  
 Cannington, P. H., 4704  
 Cantone, B., 3453  
 Cantú, A. M., 4312  
 Caprace, G., 4633, 4829, 4979  
 Caramella, P., 4719, 4954  
 Cardaci, G., 4566, 5559  
 Cardin, D. J., 3495  
 Cardnell, P. C., 4759  
 Carey, R. N., 3758  
 Carlier, J., 4943, 5626  
 Carlier, P., 4575, 5407, 5409  
 Carlson, K. D., 3491  
 Carlson, T. A., 3507, 3528, 3880, 4225  
 Carmichael, P. J., 3654  
 Carnovale, F., 4751, 4774, 4775, 4951, 5193, 5251, 5255, 5304, 5595  
 Carolan, J. F., 4155  
 Carusi, P., 4847  
 Carver, J. C., 3507  
 Caserio, M. C., 4124  
 Cassol, A., 5338  
 Cassoux, P., 4734  
 Castle, P. M., 3820, 4122  
 Cater, E. D., 3448, 4528, 4902  
 Caletti, C., 4571, 4710, 4987, 5100, 5285, 5376, 5394, 5446, 5569  
 Causley, G. C., 3970, 4697, 5183  
 Cava, M. P., 4838  
 Cavell, R. G., 4750  
 Ceasar, G. P., 3873, 4008, 4167, 4431, 4782, 5474  
 Cederbaum, L. S., 5269  
 Cederlund, B., 4666, 4706  
 Celotta, R. J., 5006  
 Centineo, A., 4375  
 Centineo, G., 3822  
 Cerfontain, H., 4233  
 Čermák, V., 3537, 5209  
 Cetinkaya, B., 3512  
 Ceyer, S. T., 5015, 5307  
 Chadwick, D., 3517, 3659, 3667, 3694, 3879, 4220  
 Chaghtai, M. S. Z., 3881  
 Chang, C.-A., 3966  
 Chang, J. C., 4609, 4820  
 Chang, L., 5477  
 Chang, Y.-M., 4429, 4719, 5099  
 Chanon, M., 4253  
 Chantry, P. J., 4607  
 Chau, F. T., 4365, 4367, 4613, 5218  
 Chen, B. H., 4258  
 Cheng, K. L., 4524, 4649  
 Cherednichenko, L. V., 4328  
 Chernyaev, N. P., 5490  
 Chervonny, A. D., 5587  
 Chesnavich, W. J., 5482  
 Cheung, A. S., 4430, 4445  
 Chibrikov, V. M., 4079  
 Chinone, A., 4348  
 Chisholm, M. H., 5036  
 Chiu, E., 4960  
 Chiyoda, T., 5278  
 Chizhov, Yu. V., 3658, 4078  
 Chmutova, G. A., 5403  
 Chondromatidis, G., 3580  
 Christian, S. D., 3915  
 Christie, J. R., 5025  
 Christoph, G. G., 4832  
 Chun, H.-U., 4287  
 Chupka, W. A., 3525, 3920, 3927, 3932, 4355, 4655  
 Chvalovsky, V., 4121, 4125  
 Ciach, S., 3800, 3802  
 Cihonski, J. L., 4167, 4431  
 Ciliberto, E., 4585, 4983, 4987, 5103, 5168, 5203, 5206, 5217, 5243, 5250, 5568  
 Clar, E., 4196, 4701, 4712, 4852  
 Clark, D. T., 3832  
 Clark, H. C., 4204  
 Clark, J. B., 4697  
 Clark, J. P., 4612, 4987  
 Clark, M. S., Jr., 4968  
 Clark, P. A., 3668, 4017  
 Clark, R. J., 4456, 4720, 4753  
 Clary, D. C., 4267  
 Clegg, W., 5579  
 Clements, P. J., 4618  
 Coatsworth, L. L., 4822  
 Cobley, U. T., 3832  
 Cocke, D. L., 3440, 3597, 3798, 3966, 3978, 4120, 4206, 4529, 4532, 5331, 5635  
 Cocksey, B. G., 3833  
 Coffen, D. L., 4756  
 Colbourn, E. A., 4755, 4760, 4883  
 Colbourne, D., 4737, 4763, 5030, 5253, 5329  
 Coleman, A. W., 4986, 4987  
 Colin, R., 4183, 5223  
 Collin, J. E., 3598, 3664, 3839, 4633, 4829  
 Collins, G. A. D., 3666  
 Collins, R. J., 3878  
 Colonna, F. P., 4153, 4386, 4452, 4589, 4626, 4627, 4708, 4743, 4841, 4854, 4889, 5002, 5320, 5323  
 Colton, R. J., 3938, 4022, 4188, 4278, 4500, 4647  
 Compernelle, F., 4507, 4660  
 Compton, R. N., 3793, 5274, 5430, 5622  
 Conard, B. R., 4736  
 Conde-Caprace, G., 3598  
 Condorelli, G., 3822, 4375, 4427, 4562, 5338, 5568  
 Conia, J.-M., 4963  
 Connor, J. A., 4250, 4252, 4412, 5044, 5286

Connors, R. E., 4254  
 Constantin, V., 4877, 5340, 5414  
 Conway, J. S. G., 4264, 5056, 5165, 5186  
 Cook, M. J., 4711  
 Cooks, R. G., 3479, 3845, 5141, 5487  
 Cooper, C. D., 5430  
 Coppens, P., 4356, 4924, 4936, 5435  
 Corderman, R. R., 4868  
 Cornford, A. B., 3499, 3671, 3694  
 Cosby, P. C., 5195  
 Costa, M. L., 3779  
 Costanzo, L. L., 5203, 5568  
 Cotton, F. A., 5024, 5191, 5565  
 Coughlin, D. J., 5212  
 Coustale, M., 5478  
 Cowan, D. O., 3518, 3660, 3936, 3981, 4481, 5373  
 Cowan, R. D., 3566  
 Cowley, A. H., 3825, 3872, 4185, 4191, 4261, 4371, 4705, 4942, 5036, 5191  
 Cowling, S. A., 3824, 3988  
 Cox, P. A., 3669  
 Cradock, S., 3502, 3508, 3510, 3656, 3661, 3662, 3663, 3670, 3827, 4009, 4026, 4179, 4309, 4373, 4383, 4409, 4413, 4517, 4853, 5154  
 Crandall, J. K., 4019, 4361  
 Crasnier, F., 4734  
 Cravey, W. E., 4952  
 Creber, D. K., 4822, 5300  
 Crowe, A., 3625, 3797, 3799, 4129  
 Cruickshank, D. W. J., 3666, 3680  
 Csákvári, B., 3444  
 Cullen, W. R., 3589  
 Cullison, D. A., 4083  
 Cundy, C. S., 4077  
 Cusachs, L. C., 3836, 3971, 4215, 4307, 4761, 4871  
 Cuthill, A. M., 3796  
 Cvitaš, T., 4690, 4727, 4890, 5151, 5352  
 Czekalla, J., 3577  
 Czira, G., 3939  
 Daamen, H., 5139, 5213, 5539, 5540  
 Dabard, R., 5448  
 Dach, R., 5604  
 Dacre, P. D., 4244  
 Daisey, J. M., 3730  
 Daly, N. R., 3445, 3452  
 Damany, N., 5048  
 Danby, C. J., 3833, 5041, 5066  
 Danieli, R., 4198, 4627, 4848  
 Danielson, P. M., 3595  
 Dannacher, J., 4993, 5370, 5404, 5432  
 Dargelos, A., 4650, 4814  
 D'Arrigo, C., 5568  
 Davidson, W. R., 4990  
 Davis, L. P., 3848, 4576  
 Davis, R., 5210  
 Davis, S. P., 4264  
 Day, J. S., 4809  
 Dean, C. R. S., 4305  
 Dean, F. M., 4573  
 Debies, T. P., 3955, 4022, 4154, 4221, 4623, 5479  
 DeBoer, Th. J., 4815  
 DeCicco, G. J., 4938  
 DeCorpo, J. J., 3442, 3814, 3952, 4870  
 Deffner, U., 5379  
 Deganello, G., 5206  
 Degenhardt, C. R., 4855  
 De Graaf, H., 4515  
 De Greef, D., 4183, 5223  
 Dehmer, J. L., 3640, 3831, 3958, 3960, 3971, 4215, 4670, 4749, 4885  
 Dehmer, P. M., 3920, 4355, 4670, 4749, 4885, 5037  
 Dehmlow, E. V., 5390  
 Dehmlow, S. S., 5390  
 de Jong, A. P., 5096, 5545  
 DeKock, R. L., 3655, 3666, 3675, 3680, 4388, 4604  
 Delaney, J. J., 5172  
 De Lange, C. A., 4468, 4969, 5026, 5073, 5074, 5087, 5466  
 De Leeuw, D. M., 5073, 5074, 5087, 5466  
 Delgado-Pena, F., 5373  
 de Liefde Meijer, H. J., 4428  
 Delmas, M. A., 5369  
 DeLoth, P., 4734  
 Delwiche, J. P., 3664, 3839, 4414, 4633, 4829, 4961, 4979  
 De Maria, G., 3594, 3611, 3618, 3949  
 Dembech, P., 4386  
 de Meijere, A., 3576, 3849, 4268, 4385, 4963, 5192, 5359, 5606  
 Demuth, R., 5419  
 Denisov, Yu. V., 3918, 4173  
 Depière, D., 4102  
 DeRoos, F. L., 4960  
 Derrick, L. M. R., 5044  
 Derrick, P. J., 4617, 5025, 5264  
 Deschamps, J., 4403  
 DeSchryver, F., 4660  
 Desideri, A., 3608, 3986  
 Detty, M. R., 4964  
 Dewar, M. J. S., 3657, 3825, 3872, 4185, 4191, 4261, 4280, 4371, 4608, 4942  
 Dewar, P. S., 4327  
 Diamond, J., 5124  
 Dibeler, V. H., 3921, 3929, 3931  
 Dickson, R. S., 5255  
 Dieck, H. t., 4181, 4584, 5442, 5523, 5529  
 Diemann, E., 3838, 4632, 4639, 5333  
 Dijkstra, G., 4228  
 Dill, J. D., 4686  
 Dillard, J. G., 4213, 4668  
 DiLonardo, G., 3731  
 Dimroth, K., 4053, 5271  
 Dinerstein, R. J., 5472  
 di Paolo, V., 5229  
 Disch, R. L., 4384  
 Distefano, G., 3497, 3498, 3804, 3806, 4145, 4153, 4198, 4368, 4377, 4386, 4389, 4452, 4589, 4620, 4626, 4627, 4664, 4708, 4743, 4841, 4848, 4854, 4889, 5002, 5013, 5095, 5292, 5320, 5323, 5564  
 Dixit, M. N., 3560  
 Dixon, D. A., 3633  
 Dixon, R. N., 3665, 4420, 4485, 4602, 4770  
 Dmitriev, A. B., 3729  
 Dodonov, A. F., 4920  
 Doecke, C. W., 5447, 5578  
 Dolbier, W. J., Jr., 4833, Jr., 5246  
 Dolby, L. J., 4586  
 Domcke, W., 5269  
 Domelsmith, L. N., 4651, 4654, 4667, 4672, 4758, 4803, 4819, 4833, 4855, 4866, 5099, 5246, 5567  
 Donchi, K. F., 5025  
 Donovan, R. J., 3567, 3742, 3878  
 Dông, P., 3945  
 Doran, M., 5172, 5536  
 Dorko, E. A., 4184  
 Dörr, F., 4334  
 Doucet, J., 3749, 3914, 4246, 4321, 4366, 5470  
 Dougherty, D., 4593, 4599, 4851, 5090, 5093, 5397, 5558  
 Dougherty, R. C., 3454  
 Douglas, J. E., 4990  
 Downs, A. J., 4825, 4888, 5355  
 Drake, J. E., 3511, 3514, 5261  
 Dreckschmidt, R., 5548

- Dromey, R. G., 3834, 4193  
Drowart, J., 3458, 3557, 3819, 4001, 4098, 4102, 4356, 4486, 4678, 4682, 4874, 4901, 4924, 4936, 4966, 5435  
Drury-Lessard, C. R., 5071  
Dube, G., 4121, 4125, 5366, 5421  
Dubois, J. E., 4575  
Dudin, A. S., 4989  
Dudin, A. V., 5620  
Duffy, N. V., 4710  
Dufner, D. C., 5061  
Duke, Jr., R. E., 3848, R. E., 4357  
Duncan, W., 4309, 4383, 4853  
Dunlavey, S. J., 5011, 5222  
Dunmur, R. E., 5462  
Dürr, H., 5480  
Durup, J., 3906, 5007, 5147  
Duxbury, G., 3665, 4602  
Dyke, J. M., 4230, 4239, 4370, 4422, 4596, 4597, 4634, 4657, 4685, 4755, 4760, 4858, 4883, 4944, 5008, 5011, 5222, 5371, 5425  
Eaton, D. F., 4211, 4241  
Eaton, P. E., 4726  
Eberbach, W., 3853, 4040  
Ebsworth, E. A. V., 3502, 3661, 3670, 3827, 4026, 4373, 4409, 4413, 4504, 4517, 4988  
Eck, V., 4744  
Edqvist, O., 3516  
Edwards, C. J., 4735  
Edwards, J. G., 3449  
Edwards, L. O., 4144  
Efraty, A., 4661, 5423, 5561, 5576  
Egdell, R. G., 4401, 4465, 4694, 4713, 4764, 4777, 4812, 4825, 4888, 5168, 5343, 5355  
Eggelte, H. J., 5563  
Eguchi, S., 4163  
Ehlert, T. C., 3623, 4745, 4873, 4875  
Eick, H. A., 3459, 3460, 3612, 3614, 3976  
Eidelsberg, M., 4237  
El-Abbady, S., 4711  
Eland, J. H. D., 3684, 3833, 3998, 4247, 4630, 4752, 4762, 4886, 4991, 5028, 5274  
Elbel, S., 4226, 4584, 5523, 5529  
Eley, D. D., 3829  
El-Gendy, M. A. F., 4117, 4677  
El-Kholy, S. B., 5513  
Ellingsen, P., 5502  
Ellis, B. E., 5290  
Ellison, F. O., 4023, 5479  
Ellison, G. B., 3727, 4669  
Él'man, M. S., 3884, 4043, 5589  
El-Sayed, M. A., 5045  
Emma, V., 3453  
Emmel, R. H., 3823  
Enders, D., 5604  
Engel, P. S., 4429  
Engler, E. M., 5622  
English, A. M., 5333  
Enrione, R. E., 3540, 3547  
Ensslin, W., 3504, 4160, 4226, 4558, 4584, 4715  
Epstein, A. J., 4782  
Epstein, G., 3924  
Erden, I., 5563  
Ereš, D., 5242  
Erker, G., 4665  
Ermolaeva, L. V., 5021  
Ernstbrunner, E., 4327  
Ernsting, N. P., 5298  
Evans, K., 3876  
Evans, R., 5355  
Evans, S., 3527, 3669, 3676, 3677, 3681, 3682, 3683, 3686, 3688, 3830, 4132, 4166, 4234, 4492, 4826, 5148, 5507  
Evlasheva, T. I., 4173, 4325, 4328, 4592, 5040, 5552  
Eweg, J. K., 4992  
Fabian, B. D., 5358  
Fabian, D. J., 3796  
Fackerell, A., 4760, 4883  
Fadeeva, I. I., 4174  
Fagan, P. J., 5560  
Farber, M., 3462, 3463, 3465, 3606, 3617, 3620, 3801, 4054, 4113, 4506, 4881, 4894, 5166  
Farmer, J. S. H., 3492  
Fattahallah, G. H., 5256, 5257  
Faure, R., 4437  
Fayad, N. K., 4755, 4858, 5371  
Feather, D. H., 3613  
Fedorova, M. S., 3918, 4173  
Fehér, F., 4558  
Fehlner, T. P., 3871, 4322, 4446, 4498, 4519, 4550, 4574, 4937, 4949, 4985, 5324, 5358, 5499, 5553, 5625  
Fehsenfeld, F. C., 5007, 5147  
Feil, D., 4523, 5530  
Felps, S., 3836  
Felps, W. S., 4653  
Fenderl, K., 3578, 3579, 5453  
Fenske, R. F., 3866, 4570, 4692, 4939, 5518  
Fenski, R. F., 4110  
Ferrari, R. P., 4116  
Ferraris, J. P., 3981, 4481  
Ferre, Y., 3587  
Ferreira, M. A. A., 3779, 3812  
Ferro, D., 5229  
Fetizon, M., 3590, 5400  
Finch, A., 4305  
Findlay, R. H., 3724, 4009, 4179, 5343, 5355  
Finkelbeiner, H. C., 3471, 3966  
Finkelstein, G., 4871  
Finney, C. D., 5503  
Finocchiaro, P., 5103  
Fischer, E. O., 3582  
Fischer, G., 5248  
Fischer, R. D., 3582, 4585  
Fishel, M. G., 4356  
Fishel, N. A., 3614  
Fjeldstad, P. E., 3977  
Flamini, A., 4427, 4566, 5559  
Flammang, R., 5487  
Flechtner, T. W., 4742, 4810  
Fleischhauer, J., 5265  
Fleming, G. R., 3665  
Flesch, G. D., 3628, 3791, 4546, 4714, 5291  
Flitsch, W., 5387  
Florida, D., 3773  
Flowers, M. C., 4610  
Fock, J.-H., 5167  
Foffani, A., 3498, 4198, 5292, 5564  
Foner, S. N., 3785, 4879, 4903, 4904  
Fonken, G. J., 4608  
Foos, J. S., 4189  
Forest, M., 4074  
Fort, R. C., Jr., 3886  
Fortin, C. J., 4018, 4074  
Foster, M. S., 3632, 4342  
Foster, R., 3543  
Foster, S., 3836  
Fournier, P., 5007, 5147  
Fragalà, I., 3822, 4375, 4562, 4585, 4777, 4983, 4987, 5103, 5134, 5168, 5189, 5203, 5206, 5217, 5243, 5317, 5338, 5560, 5568  
Franklin, J. L., 3442, 3487, 3490, 3808, 3987, 4548, 5016  
Franktseva, K. E., 5588



Franskin– Hubin, M.–J., 4829  
 Franz, K.–D., 5193, 5595  
 Franzen, H. F., 3449, 4202  
 Freckmann, B., 5288, 5301  
 Freiser, B. S., 4165, 5022  
 Freund, R. S., 4558, 5126, 5617  
 Frey, R., 4630, 4994, 5028, 5132  
 Fridh, C., 3639, 3651, 3720, 3740, 3750, 4525  
 Friege, H., 5202, 5310  
 Fries, J. A., 4902  
 Fringuelli, F., 3804, 3858, 4626  
 Frintrop, P. C. M., 4228  
 Fritz, G., 3844, 3855, 3867, 3950  
 Fritz, H. P., 3747  
 Frost, D. C., 3499, 3511, 3514, 3515, 3517, 3533, 3589, 3659, 3671, 3678, 3690, 3694, 3826, 3835, 3837, 3840, 3841, 3842, 3843, 3879, 3965, 4004, 4010, 4140, 4170, 4404, 4408, 4587, 4696, 4700, 4718, 4737, 4746, 4763, 4776, 4880, 5001, 5030, 5137, 5253, 5329, 5363, Frost  
 Fu, P. P., 5364  
 Fukui, K., 4769  
 Furlani, A., 4847  
 Furlani, C., 4571, 4699, 5100, 5376  
 Furlani, C. L., 4710  
 Fusina, L., 5456  
 Fuss, W., 3584, 3673, 4243, 5609  
 Gabdrakipov, V. Z., 4996  
 Gacek, M., 5159  
 Gadzhiev, M. M., 5586  
 Gaidis, J. M., 3549  
 Gaines, A. F., 4610  
 Gaivoronskii, P. E., 3786, 5490  
 Galasso, V., 4708, 4743, 4841, 4854, 4889, 5095  
 Galatsis, P., 5290  
 Galloni, G., 3731  
 Galyer, L., 4733  
 Gambino, O., 4116  
 Gamble, A. A., 3484  
 Gan, T. H., 4709, 4716, 4721, 4730, 4732, 4751, 4951, 5193, 5251, 5304, 5308, 5595  
 Gandour, R. W., 4781, 4952  
 Gardner, J. L., 3975, 4095, 4491, 4615, 4629  
 Gardner, P. J., 4305  
 Garner, C. D., 4999, 5579, 5596  
 Gassman, P. G., 4955  
 Gavin, R. M., Jr., 4235  
 Gavrishchuk, E. M., 5490  
 Gazizov, I. G., 5403  
 Gellender, M., 4218  
 Gelus, M., 3588  
 George, J. K., 4357  
 Gerson, S. H., 4742, 4772, 4810  
 Gervais, D., 4734  
 Gey, E., 5366, 5421  
 Gfeller, J.–C., 3953  
 Ghosh, S. N., 5136  
 Gibbins, S. G., 4588  
 Gibson, D. H., 5005, 5010  
 Gibson, D. M., 3979  
 Giessner, B. G., 3493  
 Gigli, G., 3455, 3969, 4205, 4505, 5634  
 Gilbert, J. R., 3484, 3788  
 Gilbert, K. E., 5621  
 Gilbert, R., 3764, 4271, 4321, 5470  
 Gilbert, W. C., 4668  
 Gil'burd, M. M., 3539, 3769, 4070, 5220, 5554  
 Gilje, J. W., 4261  
 Gilles, P. W., 3449, 4131  
 Gilmore, J. R., 4327  
 Gin, A., 5566  
 Gingerich, K. A., 3440, 3468, 3469, 3471, 3472, 3473, 3596, 3597, 3609, 3619, 3621, 3798, 3961, 3966, 3968, 3978, 4012, 4120, 4130, 4206, 4209, 4518, 4529, 4532, 4869, 4900, 4909, 4919, 5061, 5150, 5169, 5303, 5306, 5331, 5349, 5391, 5426, 5635  
 Ginter, M. L., 4182, 4582, 4583, 5449, 5450, 5494, 5495, 5496, 5497, 5500  
 Giovannini, E., 4063  
 Glavinčevski, B. M., 5261  
 Gleiter, R., 3513, 3518, 3569, 3576, 3660, 3679, 3849, 3936, 3981, 4006, 4017, 4034, 4045, 4161, 4259, 4268, 4387, 4397, 4400, 4406, 4461, 4481, 4572, 4637, 4659, 4707, 4723, 4726, 4756, 4808, 4832, 4849, 4861, 4963, 4964, 5020, 5108, 5192, 5194, 5281, 5341, 5372, 5373, 5378, 5384, 5392, 5447, 5480, 5563, 5578, 5597, 5599, 5604, 5606, 5613  
 Glemser, O., 3660, 3518  
 Glenn, K. G., 3695, 3700  
 Glockling, F., 3474, 3815  
 Gmur, D. J., 5327  
 Godfrey, M., 4327  
 Goethals, P., 4183  
 Goetz, H., 4297, 4333, 4340, 4341, 5417  
 Goldstein, M. J., 3991, 4394, 4453  
 Goldwhite, H., 4990  
 Gole, J. L., 3743  
 Goll, W., 4015  
 Gollnick, K., 5311  
 Golob, L., 3942, 4186, 4230, 4239, 4370  
 Golovin, A. V., 5135  
 Gompper, R., 3885  
 Gonbeau, D., 4323, 4403  
 Goode, N. C., 4419  
 Goodman, D. W., 3657, 3825, 3872, 4185, 4191, 4261, 4280, 4371  
 Goodman, G. L., 5297, 5509  
 Goodman, T. D., 4307  
 Gordon, S. M., 4320, 4922  
 Gorgoraki, V. I., 5424, 5434, 5440  
 Gorman, A. A., 3824  
 Gorodyskii, V. A., 4174  
 Gorokhov, L. N., 3821, 4556, 5620  
 Gorzelska, K., 5261  
 Gotchev, B., 4994, 5132  
 Gotkis, I. S., 4556  
 Gotthardt, H., 5341  
 Gounelle, Y., 4003, 4482, 4567, 4684  
 Gowenlock, B. G., 3654, 4465, 4809  
 Gower, M., 4724  
 Gräber, P., 3622  
 Graefe, J., 5532  
 Graeffe, G., 4549  
 Grahn, W., 3994, 4779  
 Granozzi, G., 4983, 5168, 5189, 5203, 5206, 5243, 5317  
 Grasso, F., 3453  
 Gravel, D., 4074  
 Green, D. C., 5622  
 Green, J., 4008  
 Green, J. C., 3677, 3686, 3830, 4132, 4401, 4425, 4426, 4465, 4612, 4733, 4882, 4986, 4987, 5024, 5298, 5357, 5394, 5443, 5551, 5565  
 Green, M. C., 3503  
 Green, M. L. H., 3688, 4393, 5507  
 Green, M. M., 4548  
 Greenhough, T. J., 5348  
 Greening, F. R., 5098  
 Gregor, I. K., 5462  
 Gregory, N. W., 3954  
 Greiss, G., 3545  
 Gress, M. E., 5439

- Grezzo, L. A., 5133  
 Griebel, R., 4334  
 Grim, S. O., 5438  
 Grimaud, M., 5085  
 Grimley, R. T., 3605, 4128, 4236  
 Grimm, F. A., 3507, 3880  
 Grindstaff, Q., 4236  
 Groenenboom, C. J., 4428  
 Gronneberg, T., 3635, 3636, 3891, 4178  
 Gronowitz, S., 3858  
 Grosjean, D., 3957  
 Gross, M. L., 3544, 3735, 3790, 4960, 5083  
 Grössl, M., 5176  
 Grütmacher, H. F., 3552, 3553, 3583, 4302, 4337, 4359, 4925, 5230, 5401, 5459, 5493, 5570  
 Guenot, P., 5448  
 Guerra, M., 5002, 5323  
 Guest, M. F., 3709, 4234, 4372, 4412, 4447, 4454, 4559, 4999, 5044, 5172, 5225, 5596  
 Guido, M., 3455, 3594, 3611, 3618, 3969, 4105, 4205, 4505, 5634  
 Guimon, C., 4253, 4323, 4402, 4403, 4405, 4407, 4410, 4439, 4555, 4711, 4995, 5215, 5224, 5228, 5309, 5389, 5410, 5415, 5478  
 Guimon, M. F., 4402, 4405, 4410, 5415  
 Gulamova, T. E., 5586  
 Gunkel, E., 4285, 4767  
 Gupta, K. A., 4909  
 Gupta, S. K., 3450, 3451, 4900, 5061, 5150, 5169, 5306, 5391  
 Gürtler, P., 5101, 5167  
 Gur'yanova, E. N., 5040  
 Gusarov, A. V., 3821, 4556  
 Gusef'nikov, L. E., 5287  
 Güsten, H., 4611, 4727, 4887, 5352, 5522, 5619  
 Guthier, H., 3555  
 Guyon, P. M., 3525, 4655  
 Gygax, R., 4406  
 Györösi, P., 3789, 4628  
 Haaland, A., 5108  
 Haas, A., 4345, 4512  
 Haddad, G. N., 5127  
 Haenel, M. W., 5575  
 Hafner, K., 4572, 4828, 5613  
 Hagan, L., 4210, 5081  
 Hahn, R. C., 4866  
 Hahn, Y. B., 4352  
 Haider, R., 4963, 5335, 5597  
 Haink, H. J., 4159  
 Hall, D., 4821, 5211  
 Hall, M. B., 3709, 4412, 4448, 5044, 5602  
 Hall W. E., 5474  
 Hamada, Y., 5623  
 Hammer, C. A., 4761  
 Hamnett, A., 3681, 3682, 4166, 5148  
 Haney, M. A., 3487, 3490  
 Hanrahan, R. J., 4553, 4862  
 Hansen, P. E., 4863  
 Hanson, A., 4072  
 Hanson, B. E., 5191  
 Hanson, G., 4586  
 Haque, R., 5303, 5349  
 Harada, Y., 4284, 4329, 5104  
 Hardin, A. H., 4424  
 Hargis, J. H., 5477  
 Hariharan, A. V., 3459, 3612, 3614  
 Harland, P. W., 4543, 5154  
 Harman, P. J., 4716  
 Harris, D., 5200  
 Harris, D. H., 4157, 4725, 5321  
 Harris, M. M., 3477  
 Harrison, A. G., 4831, 4850, 5460, 5503  
 Harshbarger, W. R., 4270  
 Hartmann, H., 3738  
 Hartmann, O.-R., 4287  
 Harvey, G. A., 4922  
 Harvey, R. G., 5364  
 Haselbach, E., 3505, 3741, 3853, 3860, 3888, 4037, 4040, 4142, 4390, 4417, 4421, 4541, 4728, 5431  
 Hashimoto, M., 4133, 4830  
 Hashmall, J. A., 3936  
 Hass, A., 3746  
 Hassan, V., 3881  
 Hauptmann, H., 4090  
 Hawksworth, R. W., 4999, 5172  
 Hayaisha, T., 4917  
 Hayakawa, T., 3538  
 Hayes, A. J., 4426, 4986  
 Hazeldine, D. J., 3829  
 Head, R. A., 4456, 4720, 4753  
 Hedaya, E., 3476  
 Heerma, W., 4228  
 Heier, K.-H., 4066  
 Heil, H. F., 3545  
 Heilbronner, E., 3505, 3509, 3513, 3518, 3532, 3576, 3638, 3660, 3668, 3679, 3685, 3687, 3741, 3780, 3832, 3847, 3849, 3936, 3991, 3999, 4002, 4006, 4017, 4019, 4034, 4037, 4038, 4039, 4040, 4045, 4047, 4048, 4049, 4063, 4158, 4162, 4180, 4189, 4263, 4267, 4286, 4374, 4394, 4531, 4731, 4816, 4828, 5034, 5094, 5537  
 Heimbach, P., 4380  
 Hekman, M., 4045  
 Helal, A. I., 5059  
 Heller, C., 4142, 4338, 5314, 5325, 5335  
 Heller, D., 3876  
 Heller, R., 4335, 4358  
 Hellwinkel, D., 4081  
 Helm, H., 5176, 5350  
 Hemmersbach, P., 4766, 5361  
 Henion, J. D., 3817  
 Henry, Y., 4684, 5400  
 Hentrich, G., 4285  
 Herberich, G. E., 3545  
 Herbst, P., 5480  
 Hernández, R., 4535, 5519  
 Herring, F. G., 3499, 3511, 3514, 3671, 3678, 3693, 3694, 3837, 3879, 4880  
 Herrmann, A., 4914, 5187  
 Herrmann, R., 4346  
 Hertzberg, M., 3634  
 Herzberg, G., 3770  
 Herzsuh, R., 5532  
 Hess, B., 5374  
 Heyman, M. L., 3828  
 Hickling, R. D., 3488  
 Higginson, B. R., 3655, 3680, 3870, 3979, 4132, 4187, 4233, 4252, 4372, 4425, 4447, 4492, 5044, 5225  
 Highsmith, R. E., 3653  
 Hildenbrand, D. L., 3610, 3616, 3816, 3818, 3909, 4123, 4208, 4436, 4483, 4544, 4554, 4580, 4860, 4864, 4865, 4872, 5067, 5468, 5471  
 Hill, R. K., 4083  
 Hill, W. E., 5362  
 Hille, E., 4958, 5240  
 Hillier, I. H., 3675, 3709, 4234, 4250, 4252, 4372, 4412, 4447, 4477, 4516, 4999, 5044, 5172, 5225, 5536, 5579, 5596  
 Hilpert, K., 4458, 5296  
 Hilton, P. R., 4430  
 Hino, S., 4171, 4478  
 Hintz, P. J., 3887  
 Hirabayashi, T., 5610



Hirakawa, A. Y., 5623  
 Hirayama, C., 3820, 4122  
 Hirooka, T., 5307  
 Hitchcock, A. P., 5170  
 Ho, P., 5171  
 Hoareau, A., 3745, 3956, 5428  
 Hochmann, P., 5245  
 Hodges, R. V., 5042, 5516  
 Hoffman, M. K., 3805, 4115  
 Hoffmann, R. W., 3933, 4094, 4363, 5335  
 Höfler, K., 4381  
 Hofmann, P., 4161, 4387, 5020  
 Högberg, S., 3569  
 Hohlneicher, G., 4334  
 Höhne, G., 4292  
 Hollinsed, W. C., 5133  
 Holloway, J. H., 4998  
 Holls, P. J., 4035  
 Holmes, J. L., 3535, 4203, 4617, 4729, 4971, 5039, 5070, 5072, 5086, 5263, 5267, 5268, 5282, 5284, 5445, 5483  
 Holmes, T. J., 4782  
 Holsboer, F., 3885, 4024  
 Holt, R. J., 4689  
 Holtz, D., 3633  
 Holzmann, G., 5488  
 Hoobler, J. A., 4945  
 Hopf, H., 4397, 5600  
 Hoppilliard, Y., 5088  
 Hörnfeldt, A.-B., 4666, 4673, 4706  
 Hornung, V., 3513, 3569, 3679, 3685, 3832, 3936, 3991, 4034, 4040, 4048, 4162, 4765  
 Horozoglu, G., 4965  
 Horsley, J. A., 5266  
 Hoshi, T., 3849, 4828  
 Hoshino, H., 4033  
 Hoskins, D. E., 5327  
 Hosomi, A., 4241, 4457  
 Hotop, H., 3541  
 Houk, K. N., 3848, 4357, 4429, 4459, 4651, 4654, 4667, 4672, 4719, 4747, 4758, 4781, 4803, 4819, 4833, 4835, 4855, 4859, 4866, 4918, 4938, 4952, 4954, 5019, 5099, 5235, 5246, 5567  
 Houle, F. A., 4722, 4898, 4899, 5042  
 Houte, J. J. v., 3910  
 Howe, I., 3479, 3916  
 Hsia, M., 3623  
 Hsieh, T.-C., 4862, 5388  
 Huang, J.-T.J., 5479  
 Huang, M. H. A., 4661, 5423, 5561, 5576  
 Huard, D., 4905, 5027  
 Huber, B. A., 5195  
 Huher, J. R., 4159  
 Huber, R., 3855  
 Hubin-Franskin, M.-J., 4633, 4897, 4905, 4961, 4979, 5027  
 Hühner, J., 3552, 3553, 3583  
 Hudson, B. S., 5124  
 Hudson, R. L., 3785, 4879, 4903, 4904  
 Huehner, R. H., 5006  
 Huffman, R. E., 3983, 5247  
 Hugo, J. M. V., 3665  
 Humski, K., 4690  
 Hünig, S., 4461  
 Huntress, W. T., Jr., 4757  
 Hurum, T., 4117, 4178  
 Husain, D., 3878  
 Hush, N. S., 4430, 4445  
 Hussain, M., 3725, 3728  
 Hvistendahl, G., 3494, 3627, 3630, 3789, 4317, 4628, 5502  
 Hwang, L.-S.J., 5358  
 Ihle, H. R., 4568, 4912, 5188, 5334, 5393, 5426  
 Ikeda, S., 3874, 3883, 4056, 4219, 5161  
 Ikuta, S., 4056  
 Il'in, M. K., 4096, 4663, 5585  
 Iljin, M. K., 4663  
 Imre, D., 4945, 5178  
 Inghram, M. G., 4494, 5130, 5615  
 Innorta, G., 3497, 3498, 3804, 3806, 3807, 4198, 4664, 5292, 5326, 5564  
 Inokuchi, H., 3877, 4171, 4284, 4329, 4478, 5104  
 Ipaktschi, J., 3780  
 Ippolitov, E. G., 4989  
 Irgolic, K. J., 4743  
 Isakov, L. I., 5508  
 Ishiguro, E., 4176, 4917  
 Iskakov, L. I., 4028, 4031, 4057  
 Islamov, R. G., 5328  
 Iverson, A. A., 3774  
 Ivko, A. A., 4071  
 Iwai, T., 4068  
 Jackson, J. R., 4922  
 Jackson, S. E., 3686, 3830, 4132, 4425, 4987  
 Jadrony, R., 4351, 4916, 5060, 5197, 5506  
 Jalonen, J., 3481, 3803  
 Jannitti, E., 4312  
 Jansen, P., 4392  
 Janssen, M. J., 5405  
 Jaouen, G., 5448  
 Jarnagin, R. C., 5455  
 Jason, A. J., 5009, 5014, 5050  
 Jaudon, P., 5038  
 Jellinek, F., 4428  
 Jenkin, J. G., 4837, 4845, 5054  
 Jenkins, F. A., 3561  
 Jennings, K. R., 3488  
 Jennings, W. B., 5477  
 Jewitt, B., 3688, 5507  
 Jian-qi, W., 5315  
 Jinno, M., 4056, 4219  
 Joachim, P. J., 3677, 3683  
 Jochims, H. W., 5079, 5196, 5270  
 Johansen, R., 5108  
 Johansson, S., 5233  
 Johnson, C. A. F., 3654, 4809  
 Johnson, I., 4578  
 Johnson, K. M., 5041  
 Johnson, L. P., 4503  
 Johnson, R. P., 4866  
 Johnstone, R. A. W., 3443, 3485, 3626, 3784, 3824, 3852, 3988, 4089, 4573, 4621, 4739, 5499  
 Jois, S. S., 3560  
 Jonas, A. E., 3880  
 Jonathan, N., 3534, 3691, 3701, 3717, 3942, 4186, 4230, 4239, 4370, 4596, 4634, 4944, 5008, 5011, 5142, 5208, 5425  
 Jones, D., 4854, 5002, 5323  
 Jones, G. G., 4932  
 Jones, G. R., 3501, 3642, 3943  
 Jones, M., Jr., 5339  
 Jones, R. W., 3869  
 Jones, S. R., 4735  
 Jones, T. B., 4280, 4608, 4726, 4731, 4738, 4740, 4816, 4846, 5094, 5537  
 Jongsma, C., 5436  
 Jonsson, B.-Ö., 3639, 3651, 3720, 3740, 3750, 5457  
 Jonsson, M., 5313  
 Jorgensen, F. S., 5395  
 Jorgensen, W. L., 5562  
 Judge, D. L., 3573, 5029  
 Juds, H., 4297, 4333, 5417  
 Jullien, J., 4567, 4684  
 Jungen, Ch., 3770

- Junk, G. A., 3628  
 Juslén, H., 4549  
 Just, G., 5336  
 Jutz, C., 4637  
 Kagabu, S., 4281  
 Kaim, W., 5012, 5102, 5319, 5332, 5382, 5504, 5535, 5574, 5629  
 Kaizu, Y., 4029  
 Kajitani, M., 5104  
 Kalman, O. F., 5132  
 Kamada, H., 4032, 4087, 5273  
 Kaminski, J. J., 4278, 4742, 4772, 4810  
 Kampars, V., 5591, 5592, 5593  
 Kane-Maguire, L. A. P., 4724  
 Kanter, H., 5271  
 Kaposi, O., 4533, 4906  
 Kardash, I. E., 4328, 5552  
 Karlsson, L., 3529, 3645, 3725, 3728, 3911, 4351, 4916, 5060, 5197, 5506  
 Kashparov, I. S., 4035  
 Katayama, D. H., 3983  
 Katihabwa, J., 4897  
 Kato, H., 4163  
 Katrib, A., 3511, 3514, 3515, 3659, 3678, 3694, 3837, 3864, 3879, 4022, 4220  
 Katritzky, A. R., 4711, 5215  
 Katsumata, S., 3862, 3984, 4068, 4076, 4513, 4514, 4547, 4768, 4773  
 Kaufman, D. C., 4719, 5099  
 Kaufman, F. B., 5622  
 Kaufman, J. J., 4646  
 Kaufman, V., 3754, 3756, 3974, 4175, 5081  
 Kaupp, G., 4540  
 Kaving, B., 4216  
 Keehn, P. M., 5575  
 Kelder, J., 4233  
 Kelly, M. R., 5394  
 Kelner, L., 5413  
 Kemeny, P. C., 5127  
 Kemp, N. R., 5190  
 Kent, J. E., 4716  
 Kent, M. E., 3476  
 Kenyon, G. L., 4990  
 Keppie, S. A., 3495  
 Kessel, C. R., 5091, 5581  
 Kessel, H., 5548  
 Khalil, O. S., 3856  
 Khandelwal, S. C., 4557  
 Khmel'nitskii, R. A., 3767  
 Kholodov, A. I., 4245  
 Kibel, M. H., 4843  
 Kilcast, D., 3832  
 Killgoar, P. C., Jr., 3927  
 Kim, Y. B., 5176  
 Kimura, K., 3862, 3984, 4068, 4076, 4168, 4513, 4514, 4547, 4631, 4768, 5063, 5068, 5214, 5262, 5318, 5383  
 King, C. E., 4743  
 King, G. H., 3512, 3696, 3704, 3707, 5507  
 King, G. W., 5098  
 King, R. B., 5376  
 King, T. J., 4419  
 Kingcade, J. E., 5061  
 Kingston, D. G. I., 3817  
 Kinneberg, K. F., 3823  
 Kira, M., 5102  
 Kirby, C., 4857, 5363, 5541  
 Kiriyama, T., 4163  
 Kitaev, Y. N., 5589  
 Kitaev, Yu. P., 3884, 4043, 4499, 5032, 5328, 5627  
 Kitagawa, S., 5476  
 Kitayama, J., 5273  
 Klasinc, L., 4611, 4641, 4653, 4690, 4727, 4805, 4887, 4890, 5043, 5151, 5258, 5352, 5396, 5522, 5614, 5619  
 Klebe, K. J., 3910  
 Kleckner, J. E., 4679  
 Kleemann, G., 4984  
 Kleimenov, V. I., 3658  
 Klein, F. S., 5149  
 Klein, G., 5578  
 Kleinschmidt, P. D., 5067  
 Klessinger, M., 3713, 3997, 4249, 4285, 4347, 4385, 4433, 4434, 4665, 4766, 4767, 5310, 5344, 5361, 5605, 5607  
 Kloster-Jensen, E., 4002, 4019, 4048, 4162, 4180, 4374, 4391, 4460, 4765, 4816, 5034  
 Klots, C. E., 5622  
 Kluge, G., 5258  
 Klumpp, G. W., 4468  
 Knauer, K. H., 5613  
 Knight, M. J., 5596  
 Knop, J. V., 4611, 4805, 5614  
 Knowles, D. J., 3800, 4306  
 Kobayashi, H., 4029  
 Kobayashi, M., 4029, 4481, 4572, 4659, 4707, 4756  
 Kobayashi, T., 3638, 3964, 4082, 4106, 4107, 4240, 4451, 4453, 4463, 4464, 4466, 4472, 4473, 4475, 4495, 4564, 4867, 4884, 4927, 5249, 5272, 5406, 5486, 5538  
 Koch, E. E., 3857, 5101, 5167  
 Koch, V. R., 3851  
 Kochi, J. K., 4574, 4985, 5571  
 Koenig, T., 3851, 4231, 4255, 4510, 4537, 4586, 4609, 4614, 4616, 4771, 4804, 4820, 4945, 5178  
 Kohl, F. J., 3457, 3470, 4005, 4014, 4112, 4207  
 Kojima, S., 5273  
 Kokars, V., 5591  
 Kollman, P. A., 4990, 5567  
 Kollmeier, H. J., 3582  
 Kolthammer, B. W. S., 5348  
 Komina, T. V., 5403  
 Kondo, T., 5318  
 Konstantatos, J., 3742  
 Koopman, H., 5353  
 Kopp, I., 4229  
 Köppel, C., 4300, 4336, 5429  
 Kordis, J., 3596, 3798, 3961, 3978, 4012, 4120, 4529, 4532, 4869  
 Kornfeld, R., 3916  
 Kosbahn, W., 4024, 4493, 4748  
 Koski, W. S., 3869, 4646  
 Koto, M., 5273  
 Kotov, B. V., 5505  
 Kovač, B., 4887, 5043, 5396, 5463, 5575, 5600, 5619  
 Kováč, P., 5227  
 Kováčik, V., 5227  
 Koyama, Y., 4118  
 Kozlov, L. P., 4174  
 Kraatz, U., 4434  
 Kraessig, R., 3930, 4350  
 Krapp, W., 4081  
 Krause, D. A., 4939  
 Krause, J. R., 4598, 5276  
 Krebs, A., 4304, 4362, 5094  
 Kreiberga, Y. N., 5593  
 Kreiter, C. G., 3582  
 Krenmayr, P., 3556, 4335, 4358  
 Krier, C., 5173  
 Krige, G. J., 4320  
 Krishnamurthy, S. S., 3512, 3704  
 Kronebusch, P. L., 5015, 5064  
 Kroner, J., 3781, 4024, 4065, 4298, 4299, 4432, 4493, 4526, 4748, 5347, 5485  
 Kroto, H. W., 3696, 3697, 3708, 3982, 4212, 4746, 4836, 4857, 5033, 5541

Ku, A. Y., 4835, 5235  
 Kubach, C., 3521  
 Kubota, T., 4470, 4551, 4674  
 Kuck, D., 4925, 5230  
 Kudrov, B. V., 4920  
 Kuebler, N. A., 3637, 3643, 3649, 3727, 3941, 4036, 4084, 4270, 4669  
 Kühn, Th., 4715  
 Kukla, M. J., 4259, 5606  
 Kunz, H., 5377  
 Kunze, M., 5372  
 Küpper, W., 5311  
 Kupperman, A., 5125, 5232, 5408  
 Kuppermann, A., 3739, 5017  
 Kurashova, E. K., 5451  
 Kurz, H. R., 4363, 5335  
 Kuschel, H., 4337, 4359  
 Kuthan, J., 4659  
 Kutsev, V. S., 3456, 4030  
 Kuyatt, C. E., 5006  
 Kuzmenko, N. E., 3558  
 Kuznetsova, L. A., 3558  
 Kuzyakov, Yu. Ya., 3558  
 Kwon, Y. S., 4418  
 Labarre, J.-F., 4734  
 Labinger, J. A., 5358  
 Laerum, T., 5416  
 Lageot, C., 3575, 3581, 3737  
 Lagerqvist, A., 5049  
 Lakshman, S. V. J., 3564  
 Lakshmikantham, M. V., 4838  
 Lampe, F. W., 4099  
 Landis, M. E., 4780  
 Landsberg, B. M., 4212  
 Lang, D., 5202  
 Lange, G., 5401  
 Lantz, R., 4673, 4706  
 Lanyiova, S., 3860, 4142, 4421  
 Lappert, M. F., 3495, 3503, 3512, 3548, 3704, 4077, 4157, 4242, 4256, 4398, 4474, 4559, 4588, 4725, 5601  
 Larichev, M. N., 4920  
 Larin, N. V., 3786  
 Larkins, J. T., 4075  
 Larrabee, J. C., 5247  
 Larson, D., 4471  
 Larson, D. B., 4487  
 Larzilliere, M., 5048  
 Lassiter, T. W., 5238  
 Lattman, M., 4222, 4536, 4705, 4942, 5036, 5191, 5438, 5526, 5566  
 Lau, W. M., 5363  
 Lauer, G., 4304, 4754, 5082  
 Law, D., 5433  
 Lawless, E. W., 3551  
 Leach, W. P., 3788  
 Leavell, S., 3987  
 Leaver, D., 4812  
 Lebert, K.-H., 3738, 4287  
 LeBreton, P. R., 4369, 4644, 4868, 5003, 5364, 5472, 5492, 5594  
 Leckey, R. C. G., 4837, 4845, 5054  
 Leduc, G., 4360  
 Lee, E., 4596, 4634  
 Lee, E. P. F., 4950, 5052, 5172, 5257, 5433  
 Lee, L. C., 5029  
 Lee, L. K., 5492  
 Lee, S. T., 3690, 3840, 3841, 3965, 4170, 4404, 4408, 4587, 4967, 5137  
 Lee, T. H., 4022, 4023, 4248, 4278, 4455, 4500, 4647, 5473  
 Lee, Y. T., 4923, 4926, 4930, 5015, 5307  
 Leeder, W. R., 3589  
 Lefaivre, D., 5046  
 Lefebvre-Brion, H., 3762  
 LeGeyt, M. R., 4718  
 Legzdins, P., 5348  
 Leight, R. S., 4394, 4453  
 Leipunskii, I. O., 4920  
 Lemal, D. M., 4040  
 Lempka, H. J., 3666, 3990  
 Leng, F. J., 4931  
 Lenich, F. T., 4397  
 Lentz, D., 4984  
 Leong, T. S., 5491  
 Leroi, G. E., 3927  
 Leupin, W., 5053  
 Leutwyler, S., 4914, 5187  
 Levenson, R. A., 4167, 4431  
 Levsen, K., 5374  
 Lewis, A. A., 4267  
 Lewis, J., 5397  
 Li, K. C., 5364, 5492  
 Li, L. K., 5492  
 Lichtenberger, D. I., 4110  
 Lichtenberger, D. L., 3866, 4501, 4570, 5518  
 Liebermann, R. W., 4122  
 Liebman, D., 5423, 5576  
 Liesegang, J., 4837, 4845, 5054  
 Lightman, A. J., 5143  
 Lightner, D. A., 3629  
 Limouzin, Y., 4438, 5380  
 Lin, J., 5492, 5594  
 Lin, L.-N., 3915  
 Lin, S. F., 4640  
 Lin, S.-S., 4131  
 Linda, P., 3482  
 Lindberg, B., 3569  
 Lindgren, B., 4216  
 Lindholm, E., 3516, 3639, 3651, 3720, 3740, 3750  
 Lindig, M., 5377  
 Linn, S. H., 5439  
 Lipton, M. S., 4394, 4453  
 Lisin, A. F., 5021  
 Little, D. J., 3742  
 Litzow, M. R., 3495  
 Liu, M. B., 4147  
 Livett, M. K., 4774, 5544  
 Lloyd, D. R., 3506, 3641, 3655, 3666, 3675, 3680, 3682, 3699, 3709, 3711, 3865, 3870, 3935, 3979, 4187, 4233, 4250, 4252, 4372, 4388, 4412, 4447, 4454, 4477, 4492, 4516, 4604, 4733, 4773, 4986, 5044, 5225  
 Loch, R., 4318, 4897, 5051, 5205, 5346  
 Loginov, M. V., 3526  
 Loginov, Y. V., 5543  
 Loginov, Yu. V., 3766, 4192  
 Lohr, W., 5079, 5196, 5270  
 Longmaid, H., 4255  
 Lopatin, S. N., 4086, 4279, 4521, 4675, 4989, 5514, 5515, 5624, 5627  
 Lossing, F. P., 3476, 3732, 4545, 4591, 4729, 4831, 4895, 4896, 4915, 5039, 5070, 5263, 5282, 5454, 5483  
 Loudet, M., 5085  
 Loudon, A. G., 3477, 4199, 4759, 4834, 4878, 5264, 5462  
 Loutfy, R. O., 5491  
 Louwen, J. N., 5536  
 Lowden, L. F., 4873, 4875  
 Lozac'h, N., 3569  
 Luszyk, J., 5108, 5384  
 Lynaugh, N., 3506, 3699, 3709, 3711, 4187, 4454  
 Lynch, B. M., 4918  
 Lynch, D. A., 3491  
 Lyus, M. L., 4839, 5257

- Maccoll, A., 4834, 4895  
 MacDiarmid, A. G., 3653, 3814, 4870  
 MacDonald, B., 4776  
 MacDonald, C. A., 5363  
 MacDonald, C. B., 5001  
 MacDowell, A. A., 4999, 5579, 5596  
 MacLean, D. I., 4126  
 MacNaughton, R. M., 4981  
 MacNeil, K. A. G., 4770  
 MacQuitty, J. J., 5601  
 Maeda, K., 4118, 4197, 4876, 4911, 5128, 5129  
 Mahan, B. H., 4923, 4926, 4930, 5015, 5307  
 Maier, E., 4417  
 Maier, G., 4293, 4361, 5094, 5107  
 Maier, J. P., 3677, 3702, 3703, 3854, 3890, 4143, 4158, 4162, 4275, 4416, 4460, 4470, 4551, 4595, 4636, 4674, 4686, 4702, 4724, 4731, 4765, 4816, 4821, 4846, 5138, 5184, 5211, 5269, 5305, 5411, 5432, 5461, 5521, 5575  
 Maire, J. C., 4438, 5369, 5380  
 Majer, J. R., 3550  
 Majeti, S., 3629  
 Makarov, A. V., 5585, 5587  
 Makowiecki, D. M., 3491  
 Malaspina, L., 3947, 3949, 3986  
 Maleev, A. N., 4245  
 Malkerova, I. P., 5424, 5440  
 Malmberg, C., 4229  
 Malsch, K. D., 5094  
 Maltsev, A. K., 3939  
 Malyusov, V. A., 5440  
 Mamantov, G., 3507  
 Mancini, V., 3806, 3807  
 Mangini, A., 4389  
 Manne, R., 4310, 5198  
 Mannschreck, A., 3505, 3888  
 Manocha, A. S., 5034  
 Manriquez, J. M., 5560  
 Manuel, G., 3850, 3859, 4172, 4490, 5389, 5550  
 Maquestiau, A., 5487  
 Marcinko, R. W., 4703, 4842, 4980, 5420  
 Marek, B. C., 3467  
 Maretina, I. A., 3674  
 Margrave, J. L., 3570, 3615, 3743, 4100, 5016  
 Marino, G., 3482, 3804, 4626  
 Märk, E., 5176  
 Mark, F., 4590  
 Märk, T. D., 4958, 5176, 5240, 5350  
 Märkl, G., 4066, 4090  
 Marks, T. J., 5560  
 Marmet, P., 4693, 4905, 5027, 5046  
 Marr, G. V., 3772  
 Marschner, F., 4292, 4297, 4333, 4340, 4341, 4421, 5390, 5417, 5548  
 Marsel, J., 4906  
 Martens, J., 4062  
 Marthaler, O., 5138, 5184, 5461, 5521  
 Martin, H.-D., 3509, 3687, 4045, 4047, 4142, 4281, 4301, 4338, 5119, 5314, 5325, 5335, 5372  
 Martin, W. C., 4210  
 Martínez de Bertorello, M., 3454  
 Martinho-Simoes, J. A., 5286  
 Martinson, E., 5583, 5584  
 Masclet, P., 3957, 4575, 5360, 5519  
 Mason, D. C., 3739  
 Masuko, H., 4917  
 Mateescu, G. D., 3886, 3907  
 Mathar, W., 3996, 4346  
 Mathey, F., 4090, 4423, 4995, 5618  
 Mathieu, G., 3812  
 Mathur, B. P., 5143, 5337  
 Matsumoto, A., 3538  
 Matsumoto, H., 3712, 4076  
 Matsumoto, M., 5318  
 Matthews, J. L., 4972  
 Mattice, W. L., 5517  
 Mattson, G. A., 5477  
 Mattsson, L., 4351, 4916, 5060, 5197, 5506  
 Matyuk, V. M., 5437  
 Mayer, B., 5314  
 Mazengo, R. Z., 3477, 4199  
 Mazerolles, P., 5389  
 Mazzucato, U., 4377  
 McAlduff, E. J., 4747, 4844, 4918, 4954, 5019, 5097  
 McAllister, T., 3476  
 McCabe, R. W., 5601  
 McConkey, J. W., 3625, 3797, 3799, 4129  
 McCulloh, K. E., 3925, 3931, 4807, 5009, 5146, 5454  
 McDiarmid, R., 3565, 4238, 5199  
 McDonnell, T. J., 5516  
 McDowell, C. A., 3499, 3515, 3659, 3671, 3678, 3690, 3692, 3694, 3835, 3837, 3840, 3841, 3879, 3965, 4170, 4365, 4367, 4404, 4408, 4587, 4613, 4696, 4700, 4737, 4746, 4763, 4776, 4880, 5001, 5030, 5137, 5218, 5253, 5329, 5363  
 McDowell, M. V., 3653, 3814, 3952  
 McFarland, C. W., 3886  
 McGee, H. A. Jr., 4522, 4689  
 McGillivray, D., 3535  
 McGlynn, S. P., 3836, 3856, 4462, 4471, 4487, 4520, 4593, 4599, 4648, 4653, 4851, 5090, 5093, 5245, 5397, 5517, 5549, 5558  
 McGowan, J. C., 5290  
 McNally, I. D., 4809  
 McKee, M., 4942  
 McKinnon, S., 5200  
 McLafferty, F. W., 3916, 4223  
 McLean, R. A. N., 3511, 3514, 3515, 3659, 3678, 3694, 3868, 3879  
 McLean, W., 5455  
 McLoughlin, R. G., 4928, 5120, 5293, 5345  
 McMahon, T. B., 4124  
 McMaster, B. N., 3784  
 McMurtrie, A. C., 4871  
 McNeil, D. W., 3476  
 Mead, P. T., 5025  
 Medynskii, G. S., 3658  
 Meeks, J., 4599  
 Meeks, J. L., 3856, 4462, 4471, 4487, 4520, 4648, 5549  
 Meijere, A., 3849  
 Meikle, G. D., 4409  
 Meinema, H. A., 4228  
 Meisels, G. G., 3493, 3823, 4910, 4997, 5388  
 Mel'der, U. K., 5531  
 Melinon, P., 5428  
 Mellink, W. A., 5405  
 Mellon, F. A., 3443, 3485, 3626, 3852, 4089  
 Mellor, J. M., 4327, 4419, 4735  
 Menard, C., 4482  
 Meneghelli, B. J., 5324  
 Menes, F., 4003, 4482, 4567, 4684  
 Merimson, V. G., 3571  
 Mertis, K., 4733  
 Mertschen, B., 5453  
 Mesnard, D., 5407  
 Metras, F., 4402, 5085, 5415  
 Meunier, P., 5356, 5422  
 Meyer, L.-U., 4268, 4385  
 Michels, G. D., 5291  
 Mielczarek, S. R., 5006  
 Miescher, E., 5144



Miginiac, L., 5407  
Mihálov, V., 5227  
Milazzo, P., 4167, 4431  
Miletić, M., 5163, 5188, 5242  
Millar, R. W., 4812  
Millefiori, A., 5320  
Millefiori, S., 5134, 5320  
Miller, B. W., 4419  
Miller, F., 4518  
Miller, J. C., 5430  
Miller, J. R., 3788  
Miller, L. L., 3851, 4804  
Mills, J. D., 5425  
Mills, J. L., 4942  
Mines, G. W., 3705, 3863, 4080, 4149, 4469  
Minghetti, G., 3497  
Mingos, D. M. P., 4882, 5357, 5547  
Minnhagen, L., 3754, 3923  
Minter, D. E., 4608  
Mintz, D. M., 3739, 5408  
Miroshnikov, A. I., 5279  
Mitchell, K. A. R., 5295  
Mitchum, R. K., 3823  
Mittsev, M. A., 3526  
Moberg, C., 4269  
Mochida, K., 4985  
Mock, W. L., 4324  
Modelli, A., 4377, 4848, 5095, 5323, 5326  
Mohanty, B. S., 5198  
Mohmand, S., 5610  
Mohraz, M., 5184, 5305, 5315, 5461, 5521, 5600  
Moin, F. B., 3539, 3769  
Molenaar–Langeveld, T. A., 4934  
Mollère, P., 3844, 3867, 3950  
Mollere, P. D., 3980, 4459, 4866  
Momigny, J., 3812, 3839, 5051, 5173, 5205, 5346  
Monaci, A., 5285  
Montag, R. A., 4705, 5042  
Mooyman, R., 5073, 5074, 5087, 5466  
Moran, M. J., 4870  
Moran, T. F., 5337  
Moretto, H., 4373  
Morgan, G. L., 5384  
Morgan, R. P., 4617, 5264  
Morioka, Y., 4176, 4917  
Morishima, I., 3712, 4133, 4830, 5476  
Moritani, I., 3759  
Morland, D., 4267  
Morozov, I. I., 4920  
Morris, A., 3534, 3691, 3698, 3701, 3942, 4186, 4230, 4239, 4370, 4422, 4596, 4597, 4634, 4657, 4685, 4755, 4760, 4858, 4883, 4944, 5008, 5011, 5142, 5208, 5222, 5371, 5425  
Morrison, J. D., 3811, 3813, 3834, 3967, 4503, 4928, 5293  
Morrison, R. J., 3815  
Morse, R. D., 3882  
Morton, T. H., 4459  
Moseley, J. T., 5195  
Moule, D. C., 5071  
Mouvier, G., 3957, 4535, 4575, 5360, 5407, 5409, 5519  
Moyes, R. B., 4625  
Moyes, W., 4891, 4892, 4893, 5259  
Muenow, D. W., 3615, 3810, 4200  
Mui, T. C., 4806  
Muiry, I. B., 4413  
Mukherjee, D., 5099  
Müller, A., 3838, 4632, 5333  
Müller, B., 5429  
Müller, C., 3993, 4304, 4324, 4326, 4508, 4638, 4779, 4838, 4856, 5444  
Müller, E., 4400  
Müller, F., 4992  
Müller, G., 4423  
Müller, J., 3545, 3578, 3579, 3582, 4015, 5453  
Muller, J.-F., 4275, 4435, 4470, 4551  
Müller, R., 5488  
Munchausen, L. L., 4667, 4672, 4719, 4859  
Munir, Z. A., 3475  
Murad, E., 4123, 4208, 4483, 5468  
Murata, I., 4637, 5597  
Murdoch, J. D., 3670  
Murphy, C. B., 3547  
Murphy, Jr., C. B., 3540  
Murphy, M. K., 4907  
Murray, P. T., 5455  
Murrell, J. N., 3644, 3707, 3710, 3948, 4267  
Musaev, I. A., 5451  
Musso, H., 3741, 4034, 4726  
Muszkat, K. A., 4038  
Muthard, J. L., 4832, 4849  
Müürisepp, M., 5584  
Myers, C. E., 3458, 3819, 4001, 4678  
Nagakura, S., 3964, 4076, 4082, 4106, 4107, 4240, 4466, 4472, 4473, 4475, 4495, 4564, 4867, 5249, 5272, 5406  
Nagaraj, S., 3560  
Nagata, S., 4769  
Nagy–Felsobuki, E., 4741, 4775, 4947, 4948, 5023, 5031, 5544  
Nakagaki, R., 5406  
Nakajima, T., 4917  
Nakamura, M., 4176, 4917  
Nakasujii, K., 4637  
Nakato, Y., 4962, 5277, 5278  
Nametkin, N. S., 5287  
Naoumidis, A., 4458  
Narayan, B., 3755  
Narayana, B., 3761  
Natalis, P., 3664, 3839, 4073, 4633, 4829, 4979  
Natowsky, S., 3991  
Nauman, R. V., 3848, 4576, 5397  
Neckel, A., 3775  
Nefedov, O. M., 3939  
Neijzen, B. J. M., 4468, 4969, 5026  
Neilands, O., 5591, 5592, 5593  
Nelsen, S. F., 3887, 3889, 4134, 4137, 4141, 4156, 4214, 4780, 5091, 5133, 5280, 5581  
Neubert, A., 4119, 5294, 5426  
Neubold, H. B., 4135  
Neunhoeffler, H., 4707  
Newkome, G. R., 3848, 4593, 5517  
Ng, C. Y., 4923, 4926, 4930, 5015, 5307, 5439  
Ng, T. L., 5465  
Nibbering, N. M. M., 4934, 5083  
Nicholson, A. J. C., 3524, 3800, 3802, 4306  
Nicholson, D. G., 4146  
Nicholson, J. A., 4837  
Nicoletti, R., 3629  
Nicotra, G., 5569  
Niedenzu, K., 4298  
Niehaus, A., 3541  
Nielsen, P., 4782  
Nielsen, U., 5182  
Niendorf, K., 4279  
Nieuwpoort, W. C., 5058  
Nihei, Y., 4032, 4087, 5273  
Nikitin, O. T., 4096, 4663, 5585, 5587  
Nikolaev, E. N., 4108  
Nisbet, J. D., 4812  
Nishida, S., 3759  
Nishimura, T., 5174  
Niwa, Y., 4986, 5174

- Nixon, J. F., 4021, 4456, 4720, 4753, 4836, 5033, 5327  
Nölle, D., 4065, 4299, 4526  
Nomoto, K., 5262, 5318, 5383  
Noodleman, L., 5295  
Norman, J. G., Jr., 5327  
Nöth, H., 4065, 4298, 4299, 4526, 5485, 5504, 5628  
Nounou, P., 3574, 3588, 3745, 3956  
Novadj, I., 4727  
Novak, I., 4805, 5258  
Nozoye, H., 5174  
Nugent, W. A., 4574  
Nutakul, W., 4952  
Nyberg, G. L., 4843, 4931  
Nygaard, K. J., 4352  
Obenland, S., 4488  
Oberhammer, H., 4984  
O'Bryan, C. L., 3983  
Oehling, H., 3934  
Oertel, H., 5399  
Ogata, H., 4032, 4087, 5273, 5623  
Ogawa, M., 3573, 3760, 5029  
Ogawa, S., 3760  
Ohno, K., 4284  
Ohta, M., 4348  
Ojo, I. A., 5210  
Okabe, H., 3929  
Okuda, M., 3691, 3701, 3714, 3942, 4186, 4230, 4239, 5142, 5208  
Okudaira, S., 3486  
Olavesen, C., 3550  
Olfky, R. S., 3634  
Olivier, J. L., 5205  
Olsen, H., 4691  
O'Neill, S. J., 4956  
Ong, T. -S., 5005, 5010  
Ongstad, L., 5159  
Onizuka, H., 4032, 4087  
Ono, Y., 5439  
Opendak, I. G., 4108  
Orchard, A. F., 3527, 3669, 3677, 3681, 3682, 3683, 3688, 3979,  
4166, 4234, 4492, 4694, 4713, 4764, 4777, 4825,  
4826, 4888, 5148, 5507  
Orders, P. J., 5054  
Oren, D., 5413  
Orlandi, G., 4377  
Orlov, V. M., 5279  
Osafune, K., 3862, 4168, 4514, 5063, 5068  
Osawa, H., 5102  
Osborne, A. D., 4971  
Oskam, A., 4376, 4428, 4908, 4946, 4992, 5139, 5213, 5536, 5539,  
5540  
Otto, A., 3857  
Oudshoorn, Ch., 4376  
Overman, L. E., 4803  
Owzarski, T. P., 4202  
Ozaki, M., 5277  
Özgen, G., 4610  
Özgen, I. T., 4610  
Pabst, R. E., 5016  
Paddock, N. L., 4718  
Padolina, M. C., 4185, 4191  
Padva, A., 4644, 5472  
Paetzold, R., 4279, 4600  
Pagni, R. M., 5597  
Paguette, L. A., 4964, 5235  
Paine, A. J., 4929  
Paine, R. T., 3652  
Paisner, J. A., 5056, 5186  
Paldoia, P., 5556  
Palenius, H. P., 5247  
Palmer, M. H., 3724, 4009, 4179, 4812, 4891, 4892, 4893, 5259,  
5343, 5355, 5577  
Palmer, T. F., 3829  
Panchenkov, I. G., 3821  
Pappalardo, G. C., 4743, 4854, 4889  
Paquette, L. A., 4006, 4008, 4259, 4723, 4832, 4835, 4849, 4855,  
5019, 5441, 5447, 5578, 5599, 5606  
Parker, D. H., 5045  
Parmelee, W. P., 5133  
Parr, A. C., 4807, 5009, 5014, 5050, 5181  
Parr, G. R., 4069, 4349  
Pasanen, P., 3803  
Pasto, D. J., 5625  
Patel, R. C., 5215  
Pattje, W. R., 4901  
Pattoret, A., 3557  
Paule, R. C., 4687  
Paulus, J.-M., 4052, 4311  
Payling, D. W., 4305  
Peacock, V. E., 4780 5280  
Peatman, W. B., 4994, 5132  
Pechine, J. M., 4003, 4482  
Pedley, J. B., 3503, 3512, 3548, 3704, 4077, 4242, 4256, 4398,  
4474, 4559, 4588, 4725, 5481  
Peel, J. B., 3834, 4193, 4484, 4489, 4635, 4709, 4716, 4721, 4730,  
4732, 4741, 4751, 4774, 4775, 4818, 4837, 4947,  
4948, 4951, 5023, 5031, 5193, 5251, 5255, 5304,  
5308, 5469, 5544, 5595  
Peeters, H., 5387  
Pelino, M., 5150, 5303  
Peng, S., 4644, 5492, 5594  
Pervov, V. S., 5424, 5434, 5440  
Pesterev, V. I., 4996  
Peters E. M., 4984  
Petersen, R. D., 5484  
Petrosky, V. E., 4288  
Petrov, A. A., 3674, 3767  
Pettsol'd, R., 4086, 5514, 5624  
Pfaff, J., 4465, 4809, 5298  
Pfeffer, H.-U., 4665  
Pfister-Guillouzo, G., 4253, 4323, 4402, 4403, 4405, 4407, 4410,  
4439, 4555, 4711, 4995, 5085, 5215, 5228 5309, 5356,  
5389, 5410, 5415, 5422, 5478  
Pfleger, K. H., 4512  
Pföhler, P., 5119  
Phillips, G. R., 4603  
Piacente, V., 3472, 3594, 3608, 3609, 3947, 3949, 3986, 4111,  
4919, 5229  
Piancastelli, M. N., 5569  
Piedrahita, C., 4833, 5246  
Pietropaolo, D., 4153, 4589, 4664  
Pignataro, S., 3482, 3497, 3498, 3787, 3804, 3806, 3807, 4145,  
4153, 4368, 4377, 4389, 4452, 4589, 4620, 4626,  
5013, 5292, 5320  
Pihlaja, K., 3481, 3803  
Pikver, R. I., 5531  
Pilet, O., 5315  
Pinchas, S., 5506  
Pincok, R. E., 3492  
Pinkerton, F. H., 3685  
Pirnazarova, F. N., 4079  
Piruzyan, L. A., 4079  
Pitacco, G., 4452  
Pitt, C. G., 3546, 3758, 3922, 3946  
Pittermann, U., 5177  
Planckaert, A. A., 4246  
Plantenga, F. L., 4530, 4658  
Platenkamp, R. J., 5577  
Plessner, T., 4296  
Plotnikov, V. F., 3674  
Plowman, K. R., 5333



Plum, H., 5265  
Pocklington, J., 5094  
Pohle, H., 5417  
Pokorny, D., 4960  
Pollak, H., 4994, 5132  
Poltorakov, A. P., 4079  
Polyakova, A. A., 3767  
Pong, W., 4606  
Ponomarev, D. A., 5557  
Poole, R. T., 4837, 4845, 5054  
Popkie, H. E., 4646  
Pople, J. A., 5034  
Popović, A., 4906  
Poppek, R., 5489  
Porter, R. F., 3461, 3464  
Potapov, V. K., 3523, 3918, 4028, 4031, 4055, 4057, 4058, 4173, 4325, 4328, 4592, 5040, 5437, 5505, 5508, 5512, 5552  
Pottier, R., 4814  
Potts, A. W., 3695, 3700, 3716, 3719, 4344, 4642, 4643, 4817, 4839, 4950, 5035, 5052, 5055, 5172, 5256, 5257, 5433  
Potzinger, P., 5276, 5311  
Pouzard, G., 4696  
Powell, P., 5394, 5551  
Powell, R. E., 3452  
Powis, I., 5041, 5066, 5175  
Pozdnyakov, V. P., 4174  
Pozharskii, A. F., 4035  
Praefcke, K., 4062, 4292  
Praet, M. –Th., 3585, 4414, 4633, 4829, 4961  
Prange, T., 5400  
Pravednikov, A. N., 4328  
Preiss, H., 3783, 4339  
Pressley, G. A., Jr., 3441  
Prest, H. F., 5439  
Preston, J. A., 3625  
Price, S. J. W., 4127, 5252  
Price, W. C., 3695, 3700, 3716, 3719, 3761, 4344, 5035  
Prins, I., 4815  
Prinzbach, H., 3509, 4740, 5463  
Prokhoda, A. L., 5437  
Prudnikova, G. V., 3729  
Pua, C. K. N., 3794  
Puchkova, V. V., 5040  
Puddephatt, R. J., 4739  
Pullen, B. P., 4645  
Pupp, C., 3473, 3621  
Pusatcioglu, S., 4522  
Puttemans, J.–P., 4072, 4319  
Pye, P. L., 5601  
Pygall, C. F., 3688  
Pykhtina, E. V., 4328  
Quinn, C. B., 4569  
Rabalais, J. W., 3529, 3530, 3645, 3721, 3725, 3728, 3864, 3911, 3938, 3955, 4022, 4023, 4154, 4188, 4221, 4248, 4278, 4455, 4500, 4602, 4623, 4647, 5473, 5479  
Rabeneck, H., 4013  
Rademacher, P., 4085, 4146, 4277, 5288, 5301, 5322, 5353, 5381, 5387, 5489  
Radler, K., 3857, 5000  
Radom, L., 5034  
Radwan, T. N., 4539  
Radziemski, L. J., 3756, Jr., 3566, Jr., 4175  
Rake, A. T., 4204  
Rakita, P. E., 3805  
Ramler, J., 5176  
Ramsey, B. G., 4139, 4956, 5092, 5527  
Rang, S., 5556, 5583, 5584  
Rankin, D. W. H., 3662, 4373, 4378, 4409, 4504, 4543, 4622, 4988, 5398  
Rao, C. N. R., 4401, 4465, 4467  
Rao, T. V. R., 3564  
Ratkovskii, I. A., 5603  
Rauh, E. G., 3448, 3795, 3962, 4061, 4114, 4560, 4624, 5275, 5342  
Ravishankara, A. R., 4553  
Rayermann, P., 4757  
Raymonda, J. W., 3559, 3757, 4144  
Raznikov, V. V., 4920  
Reader, J., 3924, 4210, 5179, 5180  
Recca, A., 5103, 5134  
Reck, G. P., 5143  
Redhead, P. A., 3489  
Recher, J. R., 4714  
Reetz, M. T., 4094  
Reid, D. H., 4406  
Reid, N. W., 4320  
Reineke, W., 5365  
Reingold, I. D., 4824  
Reinke, D., 3930, 4350, 5352  
Reiss, J. A., 5575  
Reiter, F., 5341  
Remane, H., 5532  
Renhorn, I., 5049  
Rennekamp, M. E., 3845  
Rettig, W., 4935  
Reuss, G., 3577  
Reynaert, J. C., 4936, 5435  
Ricci, A., 4153, 4198, 4589, 4627, 4664, 4848  
Rice, S. A., 3773, 3876, 4184, 4235  
Richardson, N. V., 3669, 4411, 5148  
Richter, W., 5368  
Ridyard, J. N. A., 3990, 4891, 4892, 4893, 5124, 5472  
Riedel, M., 4533  
Rieker, A., 4808  
Riley, J. D., 4845  
Riley, P. I., 5601  
Rinke, K., 4013  
Ritter, A., 5276  
Robb, J. C., 3550  
Roberge, R., 4972  
Robert, P., 4236  
Roberts, J. A., Jr., 3607  
Roberts, P., 4265  
Roberts, P. J., 3669, 3865, 3870, 4187, 4454, 4477, 4516, 4604  
Robertson, A., 3827  
Robin, M. B., 3637, 3643, 3649, 3727, 3941, 4084, 4270  
Roche, A. L., 3762  
Rodionov, A. N., 4055, 4325  
Roebber, J. L., 4254, 4557  
Rogers, A. J., 5481  
Rogerson, P. F., 3496  
Rogozhin, K. L., 4055, 4325  
Rohwer, H. E., 5012, 5574  
Römel, J., 5298  
Rommel, E., 4189  
Roos, B., 4269  
Rosenberg, R. A., 4967  
Rosenstock, H. M., 4075, 5106, 5181, 5454  
Rosmus, P., 4092, 4150, 4244, 4476, 4680, 4698, 5107, 5211, 5386  
Ross, K. J., 3534, 3691, 3942, 4186, 5142, 5208  
Rossi, M., 3860, 4421, 4541  
Roth, W. R., 4665  
Rothe, E. W., 5143  
Rothgery, E. F., 4522, 4689  
Rothkopf, H. W., 5488  
Rousseau, Y., 4018, 4074, 4360  
Roy, D., 4979  
Rozeboom, M. D., 4835, 5235  
Rücker, C., 5202  
Rudolph, R. W., 5324

- Ruge, B., 5480  
 Runge, W., 4493, 4748  
 Rušćić, B., 5522, 5619  
 Russ, B., 4041  
 Russell, B. R., 3774, 3776, 3970, 4144, 4697, 5123, 5183  
 Russell, D. H., 5083  
 Russell, M. E., 4603, 5467  
 Rye, R. T. B., 5072, 5267  
 Saalfeld, F. E., 3634, 3653, 3814, 3952, 4870  
 Sacher, R. E., 4126  
 Sadka, S., 4418  
 Sadvovskaya, V. L., 3571  
 Sahini, V. E., 4877, 5340, 5414  
 Saile, V., 5101  
 Saito, M., 4201  
 Sakito, Y., 4163  
 Sakurai, H., 5102  
 Salahub, D. R., 3748, 3751, 4194, 4542, 5145  
 Sale, F. R., 4618  
 Salisbury, K., 4289  
 Salmona, G., 3587, 4437  
 Salomon, R. G., 5212  
 Saltsburg, H., 4778  
 Samson, J. A. R., 3975, 4095, 4288, 4491, 4615, 4629, 5127  
 Sánchez, G. R., 4533  
 Sandhu, J. S., 3533  
 Sandman, D. J., 4782  
 Sandorfy, C., 3749, 3764, 3914, 4246, 4271, 4321, 4366, 4424, 4650, 4814, 4972, 5470  
 Sandström, J., 4323  
 Santiago, C., 4781, 4938, 4952, 5019, 5235  
 Santini, S., 4272, 4382  
 Santoro, E., 3989  
 Sapiano, H. J., 4127  
 Sarapu, A. C., 3866  
 Sasaki, T., 4163  
 Sasanuma, M., 4176, 4917  
 Sato, N., 5104, 5476  
 Sauer, J., 4291, 5202  
 Saunders, V. R., 3675  
 Sauvageau, P., 3749, 3764, 3914, 4321, 4366, 5470  
 Savage, W. J., 3661, 3663  
 Savelli, G., 4382  
 Saxon, R. P., 5195  
 Sayrac, T., 4293, 4361  
 Scanlan, I., 3832  
 Scarlata, G., 4854, 4889  
 Schaaf, D. W., 3954  
 Schäfer, H., 4013  
 Schäfer, W., 3858, 3933, 3934, 4053, 4066, 4090, 4094, 4104, 4262, 4293, 4361, 4363, 4515, 4638, 4754, 5082, 5271, 5378, 5427, 5436, 5618, 5630  
 Schander, J., 5123  
 Schang, P., 4808, 4861, 5020, 5563  
 Scharf, H.-D., 5265  
 Schäublin, J., 3518  
 Schenk, H., 5399  
 Scheppele, S. E., 3823  
 Scheps, R., 3773, 3876, 4184  
 Schiavone, J. A., 5126, 5617  
 Schirmer, J., 5269  
 Schlag, E. W., 4994, 5132  
 Schleker, W., 5265  
 Schmelzer, A., 3741, 4180, 4453, 4726, 4993, 5034, 5094, 5313  
 Schmidbaur, H., 3782, 5368  
 Schmidt, E., 3981  
 Schmidt, H., 3859, 3992, 3995, 4091, 4135, 4136, 4290, 4362, 4363, 4423, 4490, 4688, 5122, 5339  
 Schmidt, W., 3503, 3644, 3647, 3710, 3846, 3855, 3885, 3948, 3951, 3953, 3990, 4000, 4050, 4077, 4088, 4196, 4488, 4701, 4712, 4824, 4852, 4913  
 Schmidtke, H.-H., 4715  
 Schmitz, R. F., 4468  
 Schmutzler, R., 5462  
 Scholz, M., 5258  
 Schoof, S., 4887  
 Schoonmaker, R. C., 3461, 3464  
 Schoos, R., 4961  
 Schopman, J., 4318, 5051  
 Schrader, B., 4296  
 Schubert, R., 3892, 5459, 5493, 5570  
 Schulte, H., 4630, 5028  
 Schulte, K.-W., 4304  
 Schulten, W., 5387  
 Schulz, R., 4982, 5131  
 Schulz, W., 4756  
 Schumacher, E., 4914, 5187  
 Schurter, R., 4063  
 Schüttler, R., 3933  
 Schwartz, M. E., 5625  
 Schwarz, H., 3996, 4041, 4044, 4046, 4051, 4062, 4300, 4336, 4346, 5374, 5429, 5484  
 Schwarz, M., 4250  
 Schwarz, W. H. E., 5182  
 Schweig, A., 3850, 3858, 3859, 3861, 3908, 3933, 3934, 3940, 3992, 3993, 3994, 3995, 4053, 4066, 4081, 4083, 4090, 4091, 4094, 4104, 4135, 4136, 4172, 4195, 4262, 4290, 4293, 4304, 4324, 4326, 4361, 4362, 4363, 4423, 4479, 4490, 4508, 4515, 4638, 4688, 4744, 4754, 4779, 4838, 4856, 5082, 5089, 5122, 5131, 5271, 5378, 5427, 5444, 5550, 5618, 5630  
 Schweiger, J. R., 3825, 3872, 4261  
 Schweikert, O., 4740  
 Schweitzer, G. K., 3880, 3963, 4307, 4761, 4806, 4840, 4871, 4981, 5238, 5354  
 Schwesinger, R., 4281, 4301  
 Scott, J. D., 3776, 3970  
 Scott, L. T., 4938  
 Scudder, P. H., 4135  
 Searcy, A. W., 3466, 3607, 3613, 4016  
 Seddon, E. A., 4882, 4986, 5024, 5357, 5565  
 Seebach, D., 4291, 5604  
 Seel, F., 4332  
 Seidl, H., 4097, 4274  
 Seitz, G., 4861  
 Seitz, W., 3505, 3888  
 Seiver, R. L., 3460  
 Seki, K., 4284, 4329, 4478, 5104  
 Selim, E. T. M., 4534, 5244, 5513  
 Sell, J. A., 5017, 5125, 5232, 5408  
 Semenov, G. A., 4108, 4245, 5588  
 Semkow, A., 5504  
 Semmelhack, M. F., 4049, 4189  
 Semprini, E., 4427, 4566, 5559  
 Sen Sharma, D. K., 3808  
 Seppelt, K., 4984  
 Serban, I., 4877, 5340, 5414  
 Sergeev, Y. L., 5135  
 Sergeev, Yu. L., 3752, 4025, 4078  
 Sergeyev, Y. L., 5557  
 Setser, D. W., 3845  
 Seybold, G., 3885  
 Seykora, G., 5176  
 Shannon, T. W., 3549  
 Shanshal, M., 5528  
 Shapiro, R. H., 5631, 5633  
 Sharp, G. J., 4242, 4256, 4398, 4456, 4559, 4588, 4725  
 Sharpe, M. C., 5016  
 Shaw, R. W., Jr., 5231  
 Shehfeh, M. A., 4604

Sheley, C. F., 3886  
 Shen, K.-W., 4036  
 Shenton, P. C., 4516  
 Sherrod, R. E., 5354  
 Shevchenko, V. E., 4663  
 Shevchuk, V. U., 3769  
 Shikhmamedbekova, A. Z., 5586  
 Shimada, K., 3960  
 Shimizu, Y., 3624  
 Shiokawa, T., 4056  
 Shirley, D. A., 4415, 4967, 4970, 5534  
 Shudo, K., 4927  
 Shu-Shou-Shen, S., 3796  
 Shushunov, N. V., 3786  
 Sidorov, L. N., 4663  
 Sieber, A., 5020  
 Siegbahn, K., 3911, 3529, 3645, 3725, 3728, 4351, 4916, 5060, 5197, 5506  
 Sienel, G. R., 4585  
 Sima, J., 5446  
 Simmie, J. M., 3478  
 Simmons, L. L., 4873, 4875  
 Simmons, N. P. C., 4836, 5033  
 Simon, A., 4984  
 Simonneaux, G., 5448  
 Simpson, I., 5577  
 Simpson, J., 3548  
 Sims, J., 4719, 5099  
 Singh, M., 5290  
 Singhal, S. R., 3560  
 Siretskii, Yu. G., 4174  
 Sirotkin, N. I., 3786  
 Sizoy, V. F., 3571  
 Skinner, H. A., 5286  
 Skinner, H. B., 3466, 4016  
 Smagina, E. I., 3456  
 Smets, J., 4356, 4924, 4936  
 Smith, A. L., 4343  
 Smith, D. J., 3534, 3691, 3701, 4186, 4230, 5142, 5208  
 Smith, D. R., 3559  
 Smith, G., 5511  
 Smith, J. A., 4606  
 Smith, M., 4616  
 Smith, P. G., 3824  
 Smith, R. D., 4870  
 Smoes, S., 3458, 3557, 4098, 4102, 4486, 4678, 4682, 4874, 4901, 4966  
 Smolinsky, G., 3809  
 Smyth, K. C., 5126, 5617  
 Snell, W., 4510, 4609, 4614, 4616  
 Snow, R. A., 5019, 5447  
 Snyder, J. P., 3828, 4449, 4691, 5395  
 So, Y.-H., 4804  
 Sodeck, G., 3652, 3775  
 Sojka, S. A., 4019  
 Sokolov, S. A., 5552  
 Solarz, R. W., 5056, 5186  
 Solgadi, D., 4003, 4482, 4567, 4684, 5088  
 Solka, B. H., 4603, 5467  
 Solouki, B., 3646, 4092, 4150, 4244, 4295, 4680, 4698, 4827, 4984, 5107, 5207, 5216, 5386, 5610  
 Sonnessa, A. J., 3730  
 Sorokin, L. S., 3729  
 Sorokin, V. V., 3523, 4173, 4328, 5512, 5552  
 Sorriso, S., 4272, 4566  
 Southworth, S., 4771  
 Spalding, T. R., 3495, 3548, 5321  
 Spanget-Larsen, J., 4461, 4481, 4572, 4637, 4707, 4964, 5192, 5578, 5613  
 Spears, D. P., 4225  
 Speckamp, W. N., 4217  
 Spencer, J. A., 4780  
 Spiers, M., 4891, 4892, 4893, 5259  
 Spohr, R., 3525, 4655  
 Spoliti, M., 3455  
 Spunta, G., 4389  
 Sridhar, R., 4736  
 Srivastava, R. D., 3462, 3463, 3465, 3606, 3617, 3620, 3801, 4054, 4113, 4506, 4881, 4894, 5166  
 Stadelmann, J.-P., 4681, 4993, 5241, 5404  
 Stafast, H., 3778, 4067, 4294, 4392, 4417, 4476  
 Stafford, F. E., 3441, 3652  
 Staley, R. H., 4152, 4679  
 Stanley, G. G., 5024, 5565  
 Stanley, G. S., 5191  
 Stanovnik, B., 5396  
 Starowieyski, K. B., 5384  
 Starzewski, K. A. O., 4181, 4579, 5368, 5442  
 Starzewski, K.-H. A. O., 5368  
 Stearns, C. A., 3457, 3470, 4005, 4014, 4112, 4207  
 Stebbings, W. L., 3753  
 Steblevskii, A. V., 5424, 5434  
 Stefani, F., 4566, 5559  
 Stefanović, D., 4302  
 Steichen, J., 3987  
 Steiger, R. A., 4528  
 Steiger, R. P., 3570  
 Stein, U., 4756  
 Steinhaus, D. W., 3566  
 Stelzer, O., 4474  
 Stephan, K., 5176, 5350  
 Steudel, R., 4092  
 Stewart, W. B., 3492  
 Still, I. W. J., 5491  
 Stober, R., 4726  
 Stockbauer, R., 3919, 4494, 4807, 5009, 5014, 5050, 5106, 5130, 5181, 5615  
 Stockdale, J. A. D., 4645  
 Storto, G., 5100  
 Strachan, P., 3567  
 Strack, W., 4024, 5347  
 Stracke, H.-U., 5311  
 Strafford, R. G., 3474  
 Strausz, O.P., 4972  
 Street, G. B., 3475  
 Streets, D. G., 3873, 4354, 4552, 4662, 4813, 5474  
 Strein, K., 5365  
 Strozier, R. W., 4781  
 Stufkens, D. J., 5139, 5213  
 Su, T., 5482  
 Sucrow, W., 3580  
 Suffolk, R. J., 3696, 3697, 3707, 3708, 3982, 3990, 4212, 4330, 5327  
 Sugar, J., 3875, 3974, 4210  
 Sugimori, A., 5104  
 Sukodub, L. F., 5555  
 Sullivan, S. A., 4921  
 Sümmerrmann, W., 5379  
 Süss, H. U., 5613  
 Sustmann, R., 3892, 3937, 5202  
 Süzer, S., 5534  
 Suzuki, A., 4329  
 Suzuki, I. H., 4118, 4197, 4876, 4911, 5128, 5129  
 Svec, H. J., 3628, 3791, 4546, 4714, 5291  
 Sweigart, D. A., 3718, 3733, 4636, 4724  
 Swingler, D. L., 3800, 3802  
 Symon, D. A., 4565  
 Syrvatka, B. G., 3539, 3769, 4070, 5220, 5554  
 Szepes, L., 3444, 4368, 4620, 5013  
 Szilagyi, S., 4651

- Szwarc, M., 3960  
 Szwarc, R., 3819, 4001  
 Tabet, J.-C., 5038  
 Tadjeddine, M., 5195  
 Tajima, S., 3777, 3624, 4033, 4331, 5121  
 Takezawa, S., 3763, 5140  
 Takhimova, V. V., 5557-  
 Tal'roze, V. L., 4920  
 Talvari, A., 5556  
 Tam, W.-C., 4224  
 Tamás, J., 3939  
 Tan, H.-S., 4099  
 Tanaka, I., 4020  
 Tanaka, K., 4020  
 Tanaka, Y., 3763, 5140, 5162, 5247  
 Tang, S.-Y., 5290  
 Tani, T., 4201  
 Taniguchi, S., 3538  
 Tanimoto, M., 5318  
 Tarli, F., 5285  
 Taticchi, A., 3804, 3858, 4626  
 Taylor, G. F., 4803  
 Taylor, G. N., 4084  
 Taylor, J. A., 4910, 4997  
 Taylor, J. W., 3753, 4069, 4349, 4932, 4939, 5018  
 Taylor, K. G., 4968  
 Taylor, L. T., 4213, 4668  
 Taylor, M. J., 5327  
 Taylor, R. T., 5441  
 Templet, P. H., 5245  
 Teraji, T., 3759  
 Terenin, A., 3586  
 Terlouw, J. K., 4228, 4729, 5072, 5086, 5268, 5445  
 Terpstra, A., 4992  
 Terwilliger, D. T., 4343  
 Thames, S. F., 3685  
 Thiel, W., 3861, 4779, 5339  
 Thistlethwaite, P. J., 3802  
 Thomas, J. L., 5217  
 Thomas, P. D. P., 4825, 4888  
 Thomas, R. K., 3705, 3726, 3734, 4080, 4149, 5105  
 Thomas, T. D., 5231  
 Thommen, E., 3629  
 Thommen, F., 4765  
 Thompson, G. L., 4006  
 Thompson, H., 3705, 3726, 4080, 5105  
 Thompson, H. W., 3863, 4469  
 Thompson, K. R., 3985  
 Thompson, M., 5190, 5491  
 Thon, N., 4479, 4638  
 Thorn, R. J., 3448, 4624  
 Thorstad, O., 4316, 4317, 4666, 4673, 4677, 4706, 5159  
 Thuijl, J. v., 3910  
 Thulstrup, E. W., 4637  
 Thummel, R. P., 4952  
 Thynne, J. C. J., 4543, 5154  
 Tiedemann, P. W., 4926, 5015, 5307  
 Tilford, S. G., 4182, 4582, 4583, 5449, 5450, 5495, 5496  
 Tillett, J. G., 3484  
 Timberlake, J. W., 4651  
 Timoshenko, M. M., 4266, 4353  
 Timpe, H.-J., 5336  
 Tišler, M., 5396  
 Tokumaru, K., 5486  
 Tomer, K. B., 5633  
 Tomkins, F. S., 4060, 5511  
 Tondello, A., 5338  
 Tondello, E., 3822, 4375, 4562, 5189, 5317  
 Tondello, G., 4011, 4312  
 Toren, E. C., 3758  
 Torroni, S., 3807, 4198, 4664, 5326, 5564  
 Tóth, T., 4611  
 Tousey, R., 4582  
 Traeger, J. C., 3811, 3813, 3967, 4545, 4591, 4928, 5025, 5069, 5120, 5293, 5345  
 Traylor, T. G., 4211, 4241, 4457  
 Tresling, J. D., 4922  
 Trevor, D. J., 4923, 4930, 5015  
 Trickle, I. A., 4883  
 Trickle, I. R., 4657, 4760, 4858, 5371  
 Trill, H., 3937  
 Trinajstić, N., 5614  
 Tripol'skaya, T. A., 5440  
 Trofimov, B. A., 5531  
 Trombetti, A., 3731  
 Trost, B. M., 4135  
 Trott, W. M., 5299, 5412  
 Trotter, J., 5348  
 Trudell, B. C., 5252  
 Tsai, B. P., 4308, 4640, 4997  
 Tsai, S.-C., 3916  
 Tschmutowa, G., 5520  
 Tschuikow-Roux, E., 3478  
 Tse, A., 5420  
 Tse, J., 4822  
 Tsuboi, M., 5623  
 Tsubomura, H., 4962, 5277, 5278  
 Tsuchiya, T., 3624, 3777, 4033, 4331, 5121, 5174  
 Tsuji, K., 4201  
 Tulupov, V. A., 4592  
 Turk, J., 5631, 5633  
 Turner, D. W., 3520, 3527, 3677, 3683, 3702, 3703, 3718, 3733, 3854, 3871, 3890, 4322, 4539, 4561  
 Tuttle, M., 3851, 4231  
 Ulman, J. A., 4519, 4574, 4937, 4949  
 Ul'yanova, O. V., 4079  
 Undheim, K., 3494, 3627, 3630, 3635, 3636, 3789, 3891, 3977, 4117, 4178, 4316, 4317, 4628, 4666, 4673, 4677, 4706, 4863, 5159, 5416  
 Unger, E., 4474  
 Utsunomiya, C., 4466, 4564, 4867, 4927, 5249, 5486  
 Uy, O. M., 3463, 3606, 3617, 3620, 3819, 4001, 4054  
 Uzan, R., 3574, 3745, 3956  
 Vaglio, G. A., 4116  
 Vajda, J. H., 5460  
 Valentin, E., 4452  
 Valle, M., 4116  
 Vančik, H., 4727  
 Van Dam, H., 4908, 4946, 4992, 5096, 5536, 5545  
 Van Den Ham, D. M. W., 3722, 3723, 3959, 4523, 5530  
 Vander Auwera-Mahieu, A., 3819, 4001  
 Van Der Greef, J., 4934, 5083  
 Van Der Helm, D., 3915  
 Van Der Meer, D., 3722, 3723, 3959, 4523, 5530  
 Van der Wiel, M. J., 5170  
 Van De Sande, C. C., 5484  
 Van Deurzen, C. H. H., 4264  
 Van Haverbeke, Y., 5487  
 Van Hoorn, M. D., 4538  
 Van Niekerk, J. M., 4922  
 Van Tilborg, J., 5394, 5551  
 Van Veen, E. H., 4530, 4656, 4658, 4671  
 Varetto, E. L., 4632  
 Varmuza, K., 3556, 4335, 4358  
 Varshavsky, Y. M., 5279  
 Vasile, M. J., 3809  
 Vaziri, C., 4074  
 Veith, M., 4581  
 Velasco, R., 3768  
 Veljković, M., 5242



Venanzi, T. J., 4418  
 Venkateswarlu, P., 4027  
 Venugopalan, B., 4968  
 Verhaegen, G., 4183  
 Verhoeven, J. W., 4217, 4815  
 Verkade, J. G., 4705, 5042  
 Verkin, B. I., 5555  
 Verma, R. D., 3560, 5136  
 Vermeer, H., 4195, 4262, 4508, 4515, 4638, 4744, 4856, 5122, 5436, 5444, 5630  
 Vertal, L. E., 4990  
 Viallefont, P., 5228  
 Vick, D. O., 4806, 4871  
 Vidal, M., 4990  
 Vijlhuizen, P. C., 5086  
 Vikhlyaev, Yu. I., 4079  
 Vilesov, F. I., 3658, 3752, 3765, 3884, 4025, 4043, 4078, 4086, 4279, 4499, 4521, 4675, 5135, 5510, 5514, 5515, 5543, 5589, 5624, 5627  
 Villem, Y. Y., 4959, 5021, 5032, 5328  
 Vincent, E.-J., 3587, 4437  
 Visnapuu, A., 3467  
 Vivarelli, P., 4386  
 Vlădescu, C., 5340, 5414  
 Vocelle, D., 4814  
 Vodden, A., 4212  
 Vogel, E., 4263, 4531  
 Vogel, P., 5315  
 Vogt, J., 4681, 4993, 5241, 5404, 5458  
 Volkov, A. D., 5588  
 Voll, R., 5093  
 Vollhardt, K. P. C., 4374, 4779, 4781  
 Volz, W. E., 4723  
 Vonbacho, P. S., 4778  
 von Niessen, W., 4681, 4765, 5369, 5525  
 von Rosenberg, J. L., 4828  
 Vorlaender, W., 4051  
 Vornberger, W., 3782  
 Vovna, V. I., 3884, 4043, 4086, 4279, 4499, 4521, 4989, 5510, 5514, 5589, 5624, 5627  
 Vtyurina, N. N., 5403  
 Vyalykh, E. P., 5531  
 Waaijers, H. W., 5213  
 Waddington, T. C., 4565  
 Wagner, G., 3781, 4276, 4291, 4332, 5632  
 Wagner, L. C., 3605, 4128, 4236  
 Wahl, A. C., 3928  
 Wahlbeck, P. G., 4103, 4147  
 Wakabayashi, H., 4513  
 Walker, F. A., 5527  
 Walker, J. A., 3921, 3931, 4075  
 Walker, T. E. H., 3958, 5037  
 Walsh, A. D., 5465  
 Walsh, R., 5372  
 Walters, E. A., 5299, 5412  
 Walton, I. B., 5596  
 Wanczek, K.-P., 3738  
 Wang, H.-t., 5245  
 Wang, J. L.-F., 4100  
 Wankenne, H., 3812, 5051, 5173  
 Ward, C. H., 5362  
 Ward, S. D., 3485  
 Warneck, P., 3554, 4177  
 Watanabe, I., 3874, 3883, 4219, 5161  
 Webb, H. M., 4480, 4497, 4527, 4990  
 Webb, K. S., 4759, 4834, 4878  
 Webb, M. L., 5210  
 Webb, T. R., 5005, 5010, 5362, 5367  
 Weber, W., 4963  
 Weese, G. M., 5268  
 Weger, H., 5322  
 Weidmann, K., 5463  
 Weidner, U., 3850, 3908, 3940, 3994, 4081, 4083, 4172, 4195, 5089, 5550  
 Weil, K. G., 3622, 4313, 5153, 5177, 5330  
 Weiler, L., 3517, 3842, 3843, 4004, 4140, 4155  
 Weinberger, P., 4411  
 Weiner, M. A., 4222, 4536, 5438, 5526, 5566  
 Weinhold, F., 5581  
 Weinstein, M. I., 5590  
 Weisman, G. R., 4780, 5280  
 Weiss, K., 4254  
 Weiss, M. J., 5004, 5388  
 Weissler, G. L., 3573  
 Wells, P. B., 4625  
 Welter, J. M., 4486, 4874  
 Wendoloski, J. J., 4669  
 Weringa, W. D., 5058, 5316  
 Werme, L. O., 3529, 3645, 3725, 3728, 3911  
 Werner, A. S., 4308, 4640  
 Werp, J., 4338  
 Werstiuk, N. H., 4929  
 Weschke, W., 5336  
 Wesdemiotis, C., 5374  
 West, R., 4683  
 Weston, C. A., 4661, 5423, 5576  
 Westwood, N. P. C., 3511, 3514, 3982, 4138, 4256, 4398, 4404, 4408, 4587, 4696, 4700, 4718, 4737, 4746, 4753, 4763, 4776, 4836, 4857, 5001, 5030, 5033, 5137, 5253, 5295, 5329, 5363, 5562  
 Wetzel, J. C., 4326, 4688  
 Weyerstahl, P., 5429  
 Wherrett, S. R., 3772  
 White, G., 3634  
 White, M. G., 4500, 4647, 4967  
 White, R. M., 4225  
 Whiteford, R. A., 3510, 3656, 3661, 4026, 4517  
 Whitesides, T. H., 4501  
 Whitfield, H. J., 4704  
 Wiberg, K. B., 3727, 4669  
 Wiberg, N., 4432, 4581, 5248  
 Wiczorek, J. S., 4537  
 Wielesek, R., 4231, 4510, 4804  
 Wildemann, M., 5322  
 Wilkins, B. T., 3503, 3855, 3990, 4050, 4077, 4474  
 Wilkins, C. L., 3544  
 Wilkinson, G., 4733  
 Willet, G. D., 4775  
 Willett, G. D., 4484, 4489, 4635, 4709, 4716, 4721, 4730, 4732, 4818, 4947, 5201, 5289, 5469, 5544  
 Williams, D. H., 3479  
 Williams, T. A., 4344, 4364, 4642, 4643, 5055  
 Williamson, A. D., 4342, 4369, 4868, 5003, 5274, 5430, 5458, 5616  
 Willis, C., 4896  
 Wilson, J. W., 3815  
 Wilson, P. W., 3570  
 Wingard, R. E., Jr., 4006, Jr., 4008  
 Winkler, J., 4223  
 Winter, M., 4634, 5008  
 Winters, H. F., 3475  
 Winterstein, W., 4299, 4526  
 Wirz, J., 4180, 4374, 4652, 4935, 5053  
 Wiseman, J. R., 4569  
 Wittel, K., 3648, 3746, 4291, 4303, 4310, 4345, 4380, 4496, 4512, 4549, 4581, 4599, 4653, 5198  
 Wöhrlé, D., 5488  
 Wolff, G., 4458  
 Wolkoff, P., 5284, 5483  
 Wong, P. C., 5260  
 Wood, K. V., 5018

Woodley, D. G., 4806  
 Worden, E. F., 5056, 5165, 5186  
 Work, D. E., 3976  
 Worley, R. E., 3561  
 Worley, S. D., 3886, 3907, 4258, 4278, 4742, 4772, 4810, 4968,  
 5005, 5010, 5362, 5367, 5477  
 Worman, J. J., 5499  
 Worrell, C., 4217, 4815  
 Worrell, C. W., 4260  
 Wöste, L., 4914, 5187  
 Wright, J. G., 4988, 5398  
 Wright, J. M., 4241  
 Wu, C. H., 4568, 4912, 5164, 5188, 5254, 5334, 5393  
 Wu, H. Y., 4103  
 Wu, M., 4498, 4550, 5324  
 Wulfson, N. S., 3571, 5452, 5598  
 Wyatt, J. R., 4870  
 Yamabe, T., 4769  
 Yamaguchi, R., 4955  
 Yamakawa, M., 4551  
 Yamamoto, H., 4136  
 Yamazaki, T., 3984, 4513, 4631, 5214  
 Yanson, I. K., 5555  
 Yarbrough II, L. W., 5602  
 Yee, D., 4224  
 Yokota, K., 3964, 4475, and Nagakura, S., 4464  
 Yokoyama, Y., 3874, 3883, 4056, 4219, 5161  
 Yonezawa, T., 3712, 5476  
 Yoshihara, K., 4056  
 Yoshikawa, K., 3712, 4133, 4830  
 Yoshino, K., 5162  
 Younathan, E. S., 5093  
 Young, D., 4393  
 Young, D. W., 5481  
 Young, S. D., 5562  
 Young, V. Y., 4524, 4649  
 Yu, C., 5492, 5594  
 Yuan, D., 5267  
 Zafarani-Moattar, M. T., 5286  
 Zahran, N. F., 5059  
 Zaikin, V. G., 5451, 5452, 5598  
 Zaletov, V. G., 4035  
 Zanella, P., 4562, 4585  
 Zaretskii, V. I., 3571  
 Zaretskii, Z. V. I. 5413  
 Zauli, C., 3731, 5456  
 Zelenov, V. V., 4920  
 Zimina, K. I., 3767  
 Zmbov, K. F., 4119, 4912, 5163, 5188, 5242, 5393  
 Zollweg, R. J., 4122  
 Zverev, V. V., 3884, 4043, 4499, 5021, 5032, 5328, 5589, 5627  
 Zverev, Y. B., 5490



## Bibliography

- [3440] Cocke, D. L., and Gingerich, K. A. Mass spectrometric determination of the dissociation energies of the molecules  $\text{Ho}_2$ ,  $\text{HoAg}$ , and  $\text{HoAu}$ , *J. Phys. Chem.* **75**, 3264 (1971).
- [3441] Baylis, A. B., Pressley, G. A., Jr., and Stafford, F. E. Mass spectrometric investigation of the pyrolysis of boranes. IV. Diborane, *J. Am. Chem. Soc.* **88**, 2428 (1966).
- [3442] DeCorpo, J. J., Bafus, D. A., and Franklin, J. L. Enthalpies of formation of the monohalomethyl radicals from mass spectrometric studies of the dihalomethanes, *J. Chem. Thermodyn.* **3**, 125 (1971).
- [3443] Bentley, T. W., Johnstone, R. A. W., and Mellon, F. A. Aspects of mass spectra of organic compounds. Part IX. Evidence against charge localization in the fragmentation of methionine and selenomethionine, *J. Chem. Soc. (B)*, 1800 (1971).
- [3444] Borossay, J., Csákvári, B., and Szepes, L. Determination of bond energies of organic silicon compounds on the basis of appearance potentials, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 47 (1971).
- [3445] Daly, N. R. Higher autoionization processes in argon and xenon, *Proc. Phys. Soc.* **85**, 897 (1965).
- [3446] Brown, P. Kinetic studies in mass spectrometry. VIII. Competing  $[\text{M}-\text{CH}_2]$  and  $[\text{M}-\text{CH}_2\text{O}]$  reactions in substituted anisoles. Approximate activation energies from ionization and appearance potentials, *Org. Mass Spectrom.* **4**, 519 (1970).
- [3447] Brown, P. Kinetic studies in mass spectrometry. IX. Competing  $[\text{M}-\text{NO}_2]$  and  $[\text{M}-\text{NO}]$  reactions in substituted nitrobenzenes. Approximate activation energies from ionization and appearance potentials, *Org. Mass Spectrom.* **4**, 533 (1970).
- [3448] Cater, E. D., Rau, E. G., and Thorn, R. J. Thermochemistry of UOS; evaporation of  $\text{US}-\text{UO}_2$  mixtures; on the attainment of equilibrium in Knudsen cells, *J. Chem. Phys.* **49**, 5244 (1968).
- [3449] Edwards, J. G., Franzen, H. F., and Gilles, P. W. High-temperature mass spectrometry, vaporization, and thermodynamics of titanium monosulfide, *J. Chem. Phys.* **54**, 545 (1971).
- [3450] Gupta, S. K. A thermodynamic investigation of the tungsten-oxygen-hromine system, *J. Phys. Chem.* **75**, 112 (1971).
- [3451] Gupta, S. K. Thermal stabilities of tungsten oxyiodides, *J. Phys. Chem.* **73**, 4086 (1969).
- [3452] Daly, N. R., and Powell, R. E. Electron collisions in nitrogen, *Proc. Phys. Soc.* **89**, 273 (1966).
- [3453] Cantone, B., Emma, V., and Grasso, F. Fine structure near the ionization threshold of  $\text{Kr}$ ,  $\text{O}_2$ ,  $\text{NO}$  by electron impact, *Advan. Mass Spectrom.* **4**, 599 (1968).
- [3454] Dougherty, R. C., Bertorello, H. E., and Martínez de Bertorello, M. Mass spectra and thermochemistry of methyl phenanthrenes. A contribution to the analogy between mass spectral and thermal fragmentation reactions, *Org. Mass Spectrom.* **5**, 1321 (1971).
- [3455] Guido, M., Balducci, G., Gigli, G., and Spoliti, M. Mass spectrometric study of the vaporization of cuprous chloride and the dissociation energy of  $\text{Cu}_2\text{Cl}_2$ ,  $\text{Cu}_3\text{Cl}_3$ , and  $\text{Cu}_4\text{Cl}_4$ , *J. Chem. Phys.* **55**, 4566 (1971).
- [3456] Smagina, E. I., and Kutsev, V. S. A mass-spectrometric study of the mechanism of the decomposition of lanthanum oxide fluoride, *Zh. Fiz. Khim.* **45**, 46 (1971) [Engl. transl.: *Rus. J. Phys. Chem.* **45**, 24 (1971)].
- [3457] Stearns, C. A., and Kohl, F. J. Vaporization thermodynamics of the lanthanum carbon system. Mass spectrometric determination of the dissociation energy of  $\text{LaC}_2$ ,  $\text{LaC}_3$ , and  $\text{LaC}_4$ , *J. Chem. Phys.* **54**, 5180 (1971).
- [3458] Smoes, S., Mvers, C. E., and Drowart, J. Determination of the atomization energies of  $\text{CP}$ ,  $\text{C}_3\text{P}$ ,  $\text{CP}_2$  and  $\text{C}_3\text{P}_2$  by high temperature Knudsen cell mass spectrometry, *Chem. Phys. Letters* **8**, 10 (1971).
- [3459] Hariharan, A. V., and Eick, H. A. Vaporization thermodynamics of europium(II) sulfide, *High Temp. Sci.* **3**, 123 (1971).
- [3460] Seiver, R. L., and Eick, H. A. Vapor pressure measurements in the samarium dicarbide-carbon and thulium dicarbide-carbon systems, *High Temp. Sci.* **3**, 292 (1971).
- [3461] Schoonmaker, R. C., and Porter, R. F. Mass spectrometric study of alkali hydroxide vapors, *J. Chem. Phys.* **31**, 830 (1959).
- [3462] Srivastava, R. D., and Farber, M. Mass spectrometric determination of the heats of formation of  $\text{AlOCl(g)}$  and  $\text{AlOF(g)}$ , *J. Phys. Chem.* **75**, 1760 (1971).
- [3463] Farber, M., Srivastava, R. D., and Uy, O. M. Mass spectrometric determination of the heat of formation of the  $\text{AlO}_2$  molecule, *J. Chem. Phys.* **55**, 4142 (1971).
- [3464] Porter, R. F., and Schoonmaker, R. C. Mass spectrometric study of the vaporization of  $\text{LiF}$ ,  $\text{NaF}$ , and  $\text{LiF}-\text{NaF}$  mixtures, *J. Chem. Phys.* **29**, 1070 (1958).
- [3465] Srivastava, R. D., and Farber, M. Thermodynamic properties of the  $\text{B}-\text{Cl}-\text{F}$  system from mass spectrometer investigations, *Trans. Faraday Soc.* **67**, 2298 (1971).
- [3466] Skinner, H. B., and Searcy, A. W. Demonstration of the existence of  $\text{La}_2\text{F}_6$  gas and determination of its stability, *J. Phys. Chem.* **75**, 108 (1971).
- [3467] Visnapuu, A., and Marek, B. C. Properties of silver bromide vapors, *J. Less-Common Metals* **25**, 89 (1971).
- [3468] Gingerich, K. A. Gaseous metal borides. III. The dissociation energy and heat of formation of gold monoboride, *J. Chem. Phys.* **54**, 2646 (1971).
- [3469] Gingerich, K. A. Gaseous metal nitrides. IV. The dissociation energy of cerium mononitride, *J. Chem. Phys.* **54**, 3720 (1971).
- [3470] Kohl, F. J., and Stearns, C. A. Mass spectrometric determination of the dissociation energy of  $\text{ScC}_2$  and  $\text{ScC}_3$ , *J. Chem. Phys.* **54**, 1414 (1971).
- [3471] Gingerich, K. A., and Finkbeiner, H. C. Dissociation energy of diatomic cerium and predicted stability of gaseous intermetallic cerium compounds, *J. Chem. Phys.* **54**, 2621 (1971).
- [3472] Gingerich, K. A., and Piacente, V. Gaseous phosphorus compounds. IV. Thermodynamic study of gallium monophosphide with a mass spectrometer and dissociation energy of aluminum diphosphide, *J. Chem. Phys.* **54**, 2498 (1971).
- [3473] Gingerich, K. A., and Pupp, C. Mass spectrometric determination of the heats of formation and atomization of gaseous  $\text{AuBO}$ , *J. Chem. Phys.* **54**, 3713 (1971).
- [3474] Glockling, F., and Strafford, R. G. Electron impact studies on some group III metal alkyls, *J. Chem. Soc. (A)*, 1761 (1971).
- [3475] Munir, Z. A., Street, G. B., and Winters, H. F. Mass-spectrometric and vapor pressure studies on the sublimation of realgar ( $\text{As}_4\text{S}_4$ ), *J. Chem. Phys.* **55**, 4520 (1971).
- [3476] Hedaya, E., Kent, M. E., McNeil, D. W., Lossing, F. P., and McAllister, T. The thermal rearrangement of phenylnitrene to cyanocyclopentadiene, *Tetrahedron Letters* **30**, 3415 (1968).
- [3477] Harris, M. M., Loudon, A. G., and Mazengo, R. Z. Ring expansion reactions in aromatic systems. A study of steric strain in some *n,n'*-dimethyl-1,1'-binaphthyls, *Org. Mass Spectrom.* **5**, 1123 (1971).
- [3478] Simmie, J. M., and Tschuikow-Roux, E. Mass spectrum, appearance potentials and bond dissociation energies of

- 1,1,1-trifluoroethane, Intern. J. Mass Spectrom. Ion Phys. **7**, 41 (1971).
- [3479] Williams, D. H., Cooks, R. G., and Howe, J. Studies in mass spectrometry. XXXI. A comparison of reaction rates in common ions generated via fragmentation and direct ionization, J. Am. Chem. Soc. **90**, 6759 (1968).
- [3480] Benezra, S. A., and Bursey, M. M. *ortho*-Effects in mass spectra. Alteration of the molecular-ion energy distribution in disubstituted acetanilides, Z. Naturforsch. **27a**, 670 (1972).
- [3481] Pihlaja, K., and Jalonen, J. Appearance potentials determined by the electron-impact method as an analytical aid in the evaluation of conformational energies and clarification of ring conformation-I: Appearance potentials of the  $[M-R]^+$  ions formed in the primary fragmentation of stereo-isomeric 1,3-dioxans. A direct route to conformational energies, Org. Mass Spectrom. **5**, 1363 (1971).
- [3482] Linda, P., Marino, G., and Pignataro, S. A comparison of sensitivities to substituent effects of five-membered heteroaromatic rings in gas phase ionization, J. Chem. Soc. (B), 1585 (1971).
- [3483] Benezra, S. A., and Bursey, M. M. *ortho*-Effects on ordering factors in mass spectral rearrangements. Loss of keten from halogenated phenyl acetates and acetanilides, J. Chem. Soc. (B), 1515 (1971).
- [3484] Gamble, A. A., Gilbert, J. R., and Tillett, J. G. Substituent effects on the mass spectra of substituted phenyl acetates, Org. Mass Spectrom. **5**, 1093 (1971).
- [3485] Johnstone, R. A. W., Mellon, F. A., and Ward, S. D. On-line computer methods used in conjunction with the measurement of ionization and appearance potentials, Advan. Mass Spectrom. **5**, 334 (1971).
- [3486] Okudaira, S. Multiple ionization of Ca, Sr and Ba by electron impact, J. Phys. Soc. Japan **29**, 409 (1970).
- [3487] Haney, M. A., and Franklin, J. L. Heats of formation of  $H_3O^+$ ,  $H_3S^+$ , and  $NH_4^+$  by electron impact, J. Chem. Phys. **50**, 2028 (1969).
- [3488] Hickling, R. D., and Jennings, K. R. Kinetic shifts and metastable transitions, Org. Mass Spectrom. **3**, 1499 (1970).
- [3489] Redhead, P. A. Multiple ionization in carbon monoxide by successive electron impacts, Can. J. Phys. **47**, 2449 (1969).
- [3490] Franklin, J. L., and Haney, M. A. Energy distribution in ionic decomposition processes, Recent Developments in Mass Spectroscopy, ed. K. Ogata and T. Hayakawa (Baltimore University Park Press, Baltimore, 1970) p. 909.
- [3491] Makowiecki, D. M., Lynch, D. A., and Carlson, K. D. Infrared spectra of the aluminum family suboxides, J. Phys. Chem. **75**, 1963 (1971).
- [3492] Brion, C. E., Farmer, J. S. H., Pincock, R. E., and Stewart, W. B. Mass spectra of some geometric isomers at 1216 Å and 584 Å: The photoionization of isomeric tricyclo  $[3.2.1.0^{2,1}]$  octanes and related compounds, Org. Mass Spectrom. **4**, 587 (1970).
- [3493] Meisels, G. G., and Giessner, B. G. Threshold behavior and the determination of appearance potentials from second differential ionization efficiencies, Intern. J. Mass Spectrom. Ion Phys. **7**, 489 (1971).
- [3494] Hvistendahl, G., and Undheim, K. Ionization potentials of stable free radicals, Chemica Scripta **1**, 123 (1971).
- [3495] Cardin, D. J., Keppie, S. A., Lappert, M. F., Litzow, M. R., and Spalding, T. R. Binuclear organometallic compounds. Part III. Metal-metal bond dissociation energies, Raman, and infrared spectra for the series  $(\pi-C_5H_5)(CO)_2M^1M^2Me_2$ ; ( $M^1=Cr, Mo, or W$ ;  $M^2=Ge or Sn$ ), J. Chem. Soc. (A), 2262 (1971).
- [3496] Bursey, M. M., and Rogerson, P. F. The electron impact ionization potentials of successively substituted acetylacetonates of rhodium(III), Inorg. Chem. **10**, 1313 (1971).
- [3497] Bonati, F., Distefano, G., Innorta, G., Minghetti, G., and Pignataro, S. Ionization energies of rhodium and iridium  $\beta$ -diketonates: on the nature of the last occupied orbital, Z. Anorg. Allg. Chem. **386**, 107 (1971).
- [3498] Distefano, G., Foffani, A., Innorta, G., and Pignataro, S. Mass spectrometric study of transition metal complexes with ligands having nitrogen or sulphur as donor atom, Advan. Mass Spectrom. **5**, 696 (1971).
- [3499] Cornford, A. B., Frost, D. C., Herring, F. G., and McDowell, C. A. The photoelectron spectrum of the free radical chlorine dioxide, Chem. Phys. Letters **10**, 345 (1971).
- [3500] Berkowitz, J. Experimental potential energy curves for  $X^2\Pi$  and  $^2\Sigma^+$  states of  $HF^+$ , Chem. Phys. Letters **11**, 21 (1971).
- [3501] Brundle, C. R., and Jones, G. R. The molecular orbital energy levels and bonding in krypton difluoride, Chem. Commun., 1198 (1971).
- [3502] Cradock, S., and Ebsworth, E. A. V. Photo-electron spectra of silyl and germyl halides and  $(p \rightarrow d)\pi$  bonding, Chem. Commun., 57 (1971).
- [3503] Green, M. C., Lappert, M. F., Pedley, J. B., Schmidt, W., and Wilkins, B. T. Photoelectron spectra and energy level trends in  $Me_nSiCl_{4-n}$  and related series, J. Organometal. Chem. **31**, C55 (1971).
- [3504] Bock, H., and Ensslin, W. Bond-bond interaction in polysilanes, Angew. Chem. Intern. Ed. **10**, 404 (1971).
- [3505] Haselbach, E., Heilbronner, E., Mannschreck, A., and Seitz, W. Lone pair interaction in 3,3-dimethyldiazirine, Angew. Chem. Intern. Ed. **9**, 902 (1970).
- [3506] Lloyd, D. R., and Lynaugh, N. Photoelectron spectra of the symmetric trimethylborazines, Chem. Commun. **3**, 125 (1971).
- [3507] Anderson, C. P., Mamantov, G., Bull, W. E., Grimm, F. A., Carver, J. C., and Carlson, T. A. Photoelectron spectrum of chlorine monofluoride, Chem. Phys. Letters **12**, 137 (1971).
- [3508] Cradock, S. The photoelectron spectra of  $GeH_4$  and  $GeF_4$ , Chem. Phys. Letters **10**, 291 (1971).
- [3509] Bischof, P., Heilbronner, E., Prinzbach, H., and Martin, H. D. A photoelectron-spectroscopic investigation of the homoconjugative interaction between  $\pi$ - and *Walsh*-orbitals in *endo*- and *exo*-cyclopropano-norbornene, Helv. Chim. Acta **54**, 1072 (1971).
- [3510] Cradock, S., and Whiteford, R. A. Photo-electron spectra of the mono and dihalo silanes and germanes, Trans. Faraday Soc. **67**, 3425 (1971).
- [3511] Frost, D. C., Herring, F. G., Katrib, A., McLean, R. A. N., Drake, J. E., and Westwood, N. P. C. Photoelectron spectra and bonding in some halosilanes, Can. J. Chem. **49**, 4033 (1971).
- [3512] Cetinkaya, B., King, G. H., Krishnamurthy, S. S., Lappert, M. F., and Pedley, J. B. Photoelectron spectra of electron-rich olefins and an isostructural boron compound; olefins of exceptionally low first ionisation potential, Chem. Commun., 1370 (1971).
- [3513] Gleiter, R., Heilbronner, E., and Hornung, V. Lone pair interaction in pyridazine, pyrimidine, and pyrazine, Angew. Chem. Intern. Ed. **9**, 901 (1970).
- [3514] Frost, D. C., Herring, F. G., Katrib, A., McLean, R. A. N., Drake, J. E., and Westwood, N. P. C.  $(p \rightarrow d)\pi$  Bonding in halosilanes; evidence from photoelectron spectroscopy, Chem. Phys. Letters **10**, 347 (1971).
- [3515] Frost, D. C., Katrib, A., McDowell, C. A., and McLean, R. A. N. The  $^2A_1$  band in the photoelectron spectrum of hydrogen sulphide, Intern. J. Mass Spectrom. Ion Phys. **7**, 485 (1971).
- [3516] Edqvist, O., Åsbrink, L., and Lindholm, E. On the photoelectron spectrum of NO, Z. Naturforsch. **26a**, 1407 (1971).
- [3517] Chadwick, D., Frost, D. C., and Weiler, L. The photoelectron

- spectra of cyclic ketones, *Tetrahedron Letters* **47**, 4543 (1971).
- [3518] Cowan, D. O., Gleiter, R., Glemser, O., Heilbronner, E., and Schäublin, J. The photoelectron spectrum of thiazyl fluoride (NSF), *Helv. Chim. Acta* **54**, 1559 (1971).
- [3520] Baker, A. D., Brundle, C. R., and Turner, D. W. The interpretation of photoelectron spectra especially those of benzene and water, *Intern. J. Mass Spectrom. Ion Phys.* **1**, 443 (1968).
- [3521] Appell, J., and Kubach, C. On the formation of energetic protons by electron impact on methane, *Chem. Phys. Letters* **11**, 486 (1971).
- [3523] Potapov, V. K., and Sorokin, V. V. Photoionization and ion-molecule reactions in quinones and alcohols, *Khim. Vys. Energ.* **5**, 487 (1971) [Engl. transl.: *High Energy Chem.* **5**, 435 (1971)].
- [3524] Nicholson, A. J. C. Determination of bond dissociation energies from photoionization efficiency curves, *Recent Developments in Mass Spectrometry*, ed. K. Ogata and T. Hayakawa (University Park Press, Baltimore, 1970) p. 745.
- [3525] Spohr, R., Guyon, P. M., Chupka, W. A., and Berkowitz, J. Threshold photoelectron detector for use in the vacuum ultraviolet, *Rev. Sci. Instr.* **42**, 1872 (1971).
- [3526] Loginov, M. V., and Mittsev, M. A. Thermal dissociation of  $\text{SrCl}_2$  molecules at a tungsten surface, *Zh. Tekh. Fiz.* **41**, 709 (1971) [Engl. transl.: *Sov. Phys.-Tech. Phys.* **16**, 557 (1971)].
- [3527] Evans, S., Orchard, A. F., and Turner, D. W. A simple, medium resolution helium(I) photoelectron spectrometer, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 261 (1971).
- [3528] Carlson, T. A., and Anderson, C. P. Angular distribution of the photoelectron spectrum for benzene, *Chem. Phys. Letters* **10**, 561 (1971).
- [3529] Rabalais, J. W., Bergmark, T., Werme, L. O., Karlsson, L., and Siegbahn, K. The Jahn-Teller effect in the electron spectrum of methane, *Phys. Scr.* **3**, 13 (1971).
- [3530] Åsbrink, L., and Rabalais, J. W. Comments on the high resolution photoelectron spectrum of  $\text{H}_2\text{O}$  and  $\text{D}_2\text{O}$ , *Chem. Phys. Letters* **12**, 182 (1971).
- [3531] Åsbrink, L. The photoelectron spectrum of  $\text{H}_2$ , *Chem. Phys. Letters* **7**, 549 (1970).
- [3532] Brogli, F., and Heilbronner, E. The competition between spin orbit coupling and conjugation in alkyl halides and its repercussion on their photoelectron spectra, *Helv. Chim. Acta* **54**, 1423 (1971).
- [3533] Frost, D. C., and Sandhu, J. S. Ionization potentials of ethylene and some methyl-substituted ethylenes as determined by photoelectron spectroscopy, *Indian J. Chem.* **9**, 1105 (1971).
- [3534] Jonathan, N., Morris, A., Ross, K. J., and Smith, D. J. High resolution vacuum ultraviolet photoelectron spectra of transient species:  $\text{O}_2^+(\Delta_g)$  and previously unobserved states of  $\text{O}_2^+$ , *J. Chem. Phys.* **54**, 4954 (1971).
- [3535] Holmes, J. L., and McGillivray, D. The mass spectra of isomeric hydrocarbons—I: Norbornene and nortricyclene; The mechanisms and energetics of their fragmentations, *Org. Mass Spectrom.* **5**, 1349 (1971).
- [3536] Berkowitz, J. Photoionization mass spectrometry and photoelectron spectroscopy of high temperature vapors, *Advan. High Temp. Chem.* **3**, 123 (1971).
- [3537] Čermák, V. Penning ionization electron spectroscopy. III. Ionization of cadmium, *Coll. Czech. Chem. Com.* **36**, 948 (1971).
- [3538] Matsumoto, A., Taniguchi, S., and Hayakawa, T. Studies of dissociation of hydrogen and n-butane metastable ions by a pulsed ion source, *Recent Developments in Mass Spectrometry*, ed. K. Ogata and T. Hayakawa (University Park Press, Baltimore, 1970) p. 820.
- [3539] Syrvatka, B. G., Bel'ferman, A. L., Gil'burb, M. M., and Moin, F. B. Determination of the dissociation energy of the double bond in some fluorochlorosubstituted ethylenes and their ions by electron bombardment, *Zh. Org. Khim.* **7**, 9 (1971) [Engl. transl.: *J. Org. Chem. USSR* **7**, 8 (1971)].
- [3540] Murphy, Jr., C. B., and Enrione, R. E. Mass spectrometric determination of bond dissociation energies in  $\text{BF}_3\cdot\text{OEt}_2$ , *Chem. Comm.*, 1622 (1971).
- [3541] Hotop, H., and Niehaus, A. Reactions of excited atoms and molecules with atoms and molecules. II. Energy analysis of Penning electrons, *Z. Physik* **228**, 68 (1969).
- [3543] Foster, R. Ionization potentials of electron donors, *Nature* **183**, 1253 (1959).
- [3544] Gross, M. L., and Wilkins, C. L. Computer-assisted ion cyclotron resonance appearance potential measurements for  $\text{C}_5\text{H}_{10}$  isomers, *Anal. Chem.* **43**, 1624 (1971).
- [3545] Herberich, G. E., Greiss, G., Heil, H. F., and Müller, J. Paramagnetic borabenzene cobalt complexes, *Chem. Comm.*, 1328 (1971).
- [3546] Pitt, C. G. Hyperconjugation: an alternative to the concept of the  $p_\pi-d_\pi$  bond in Group IV chemistry, *J. Organometal. Chem.* **23**, C35 (1970).
- [3547] Murphy, C. B., and Enrione, R. E. Bond dissociation energies of the 1- and 2- isomers of pentaborane derivatives by electron impact and by extended Hückel calculations, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 327 (1971).
- [3548] Lappert, M. F., Pedley, J. B., Simpson, J., and Spalding, T. R. Bonding studies of compounds of boron and the Group IV elements. VI. Mass spectrometric studies on compounds  $\text{Me}_2\text{M}$  and  $\text{Me}_3\text{M}-\text{M}'\text{Me}_3$  (M and M' = C, Si, Ge, Sn, and Pb): thermochemical data, *J. Organometal. Chem.* **29**, 195 (1971).
- [3549] Gaidis, J. M., Briggs, P. R., and Shannon, T. W. Mass spectra of disilanes. Phenyl-silicon interaction and silicon-silicon bond strength, *J. Phys. Chem.* **75**, 974 (1971).
- [3550] Majer, J. R., Olavesen, C., and Robb, J. C. Wavelength effect in the photolysis of halogenated ketones, *J. Chem. Soc. (B)*, 48 (1971).
- [3551] Lawless, E. W. Mass spectrometric evidence of dimers in bismuth pentafluoride and antimony pentafluoride, *Inorg. Chem.* **10**, 2084 (1971).
- [3552] Grützmacher, H. F., and Hübner, J. Bildung und Struktur von  $\text{C}_6\text{H}_4\text{O}$  bei der Pyrolyse von Salicylsäureestern und verwandten Verbindungen, *Liebigs Ann. Chem.* **748**, 154 (1971).
- [3553] Grützmacher, H. F., and Hübner, J. Massenspektrometrie instabiler Moleküle. VII. Thermische Bildung von Fulven-6-on durch zweifache Ringverengung von 3-Bromtropolon, *Tetrahedron Letters* **19**, 1455 (1971).
- [3554] Warneck, P. Photoionisation von Methanol und Formaldehyd, *Z. Naturforsch.* **26a**, 2047 (1971).
- [3555] Gutbier, H. Massenspektrometrische Untersuchungen der Verdampfungsvorgänge bei einigen Verbindungen mit Zinkblende-Gitter im Temperaturbereich um 1000°K, *Z. Naturforsch.* **16a**, 268 (1961).
- [3556] Varmuza, K., and Krenmayr, P. Massenspektrometrische Untersuchungen einfacher und gemischter Phosphortrihalogenide, *Monatsh. Chem.* **102**, 1037 (1971).
- [3557] Pattoret, A., Drowart, J., and Smoes, S. Etudes thermodynamiques par spectrometrie de masse sur le systeme uranium-oxygene, *Thermodyn. Nucl. Mater., Proc. Symp.*, Vienna, 1967, 613 (1968).
- [3558] Kuznetsova, L. A., Kuzmenko, N. E., and Kuzyakov, Yu. Ya. Emission spectrum of the  $\text{SiBr}^+$  molecule, *Opt. Spektrosk.* **24**, 812 (1968) [Engl. transl.: *Opt. Spectry.* **24**, 434 (1968)].
- [3559] Smith, D. R., and Raymonda, J. W. Rydberg states in fluorinated benzenes: hexa-, penta-, and mono-fluorobenzene, *Chem. Phys. Letters* **12**, 269 (1971).



- [3560] Verma, R. D., Dixit, M. N., Jois, S. S., Nagaraj, S., and Singhal, S. R. Emission spectrum of the PO molecule. Part II.  $^2\Sigma^- \rightarrow ^2\Sigma$  transitions, *Can. J. Phys.* **49**, 3180 (1971).
- [3561] Worley, R. E., and Jenkins, F. A. A new Rydberg series in N<sub>2</sub>, *Phys. Rev.* **54**, 305 (1938).
- [3564] Rao, T. V. R., and Lakshman, S. V. J. The true potential energy curves and Franck-Condon factors of SiH and SiH<sup>+</sup> molecules, *Physica*, **56**, 322 (1971).
- [3565] McDiarmid, R. Higher electronic states of ReF<sub>6</sub>, *J. Mol. Spectry*, **39**, 332 (1971).
- [3566] Radziemski, L. J., Jr., Steinhaus, D. W., and Cowan, R. D. Present status of the analysis of U<sub>I</sub> and U<sub>II</sub> as derived from measurements of optical spectra, *J. Opt. Soc. Am.* **60**, 1556 (1970).
- [3567] Donovan, R. J., and Strachan, P. Vacuum U.-V. spectra of transient molecules and radicals, *Trans. Faraday Soc.* **67**, 3407 (1971).
- [3569] Gleiter, R., Hornung, V., Lindberg, B., Högberg, S., and Lozac'h, N. The He-584 Å and X-ray photoelectron spectra of thiathiophthenes, *Chem. Phys. Letters* **11**, 401 (1971).
- [3570] Adams, G. P., Margrave, J. L., Steiger, R. P., and Wilson, P. W. The enthalpy of sublimation of germanium difluoride and the thermodynamics of sublimation of the Group IVA difluorides, *J. Chem. Thermodyn.* **3**, 297 (1971).
- [3571] Zaretskii, V. I., Sadovskaya, V. L., Wulfson, N. S., Sizoy, V. F., and Merimson, V. G. Mass spectrometry of steroid systems-XXI. Appearance and ionization potentials for the stereoisomers of the D-homoestrane series, *Org. Mass Spectrom.* **5**, 1179 (1971).
- [3573] Weissler, G. L., Ogawa, M., and Judge, D. L. Absorption of O<sub>2</sub>, CO<sub>2</sub> and CS<sub>2</sub>; fluorescence from CS<sub>2</sub>; and photoionization of atomic carbon, *J. Physique Supp.* **32**, C4-154 (1971).
- [3574] Cabaud, B., Uzan, R., and Nounou, P. Étude des processus d'ionisation à haute température des vapeurs métalliques par couplage d'une cellule de Knudsen et d'une source Fox. I. Interprétation des processus d'ionisation de Ag et influence de la température sur les courbes d'efficacité d'ionisation, *Intern. J. Mass Spectrom. Ion Phys.* **6**, 89 (1971).
- [3575] Lageot, C. Potentiel d'ionisation, courbes d'efficacité d'ionisation différentielle, localisation de la charge de 9 cyclopropanes, *Org. Mass Spectrom.* **5**, 845 (1971).
- [3576] Gleiter, R., Heilbronner, E., and de Meijere, A. Die konjugative Wechselwirkung zwischen  $\pi$ - und Walsh-Orbitalen: das Photoelektron-Spektrum des Homofulvens, *Helv. Chim. Acta* **54**, 1029 (1971).
- [3577] Briegleb, G., Czekalla, J., and Reuss, G. Mesomeriemomente und Elektronenüberführungsbanden von Elektronen-Donator-Akzeptor-Komplexen des Chloranils und Tetracyanäthylens mit aromatischen Kohlenwasserstoffen, *Z. Physik. Chem.* **30**, 333 (1961).
- [3578] Müller, J., and Fenderl, K. Reaktionen des  $\pi$ -Cyclopentadienyl-mangantricarboxyl-Kations mit einfachen Fluorverbindungen in der Gasphase, *Chem. Ber.* **104**, 2207 (1971).
- [3579] Müller, J., and Fenderl, K. Sekundär-Ionen in den Massenspektren von Organochrom-Komplexen, *Chem. Ber.* **104**, 2199 (1971).
- [3580] Sucrow, W., Bethke, H., and Chondromatidis, G. Thermolyse von 1,2,4,5-Tetramethyl-hexahydro-1,2,4,5-tetrazinen im Massenspektrometer, *Tetrahedron Letters* **19**, 1481 (1971).
- [3581] Lageot, C. Potentiel d'ionisation, potentiel d'apparition et courbes d'ionisation différentielle pour les 1-2 dimethylcyclohexanes *cis* et *trans*, *Org. Mass Spectrom.* **5**, 839 (1971).
- [3582] Fischer, E. O., Kreiter, C. G., Kollmeier, H. J., Müller, J., and Fischer, R. D. Übergangsmetall-Carben-Komplexe. XXVII. Ringsubstituierte (Methoxyphenylcarben)-pentacarbonylchrom(0)-Komplexe, *J. Organometal. Chem.* **28**, 237 (1971).
- [3583] Grützmacher, H. -F., and Hübner, J. Massenspektrometrie instabiler Moleküle. III: Nachweis und Untersuchungen zur Stabilität chlosubstituierter Dehydrobenzole in der Gasphase, *Org. Mass Spectrom.* **2**, 649 (1969).
- [3584] Bock, H., and Füss, W. Ionisierungsenergien und Geometrie von Aminoborane, *Chem. Ber.* **104**, 1687 (1971).
- [3585] Praet, M. -Th. Ionisation et dissociation du 1-méthylcyclopentène, du méthylencyclopentane et de quelques isomères par impact d'électrons et de photons, *Org. Mass Spectrom.* **4**, 65 (1970).
- [3586] Terenin, A. Charge transfer in organic solids, induced by light, *Proc. Chem. Soc.*, 321 (1961).
- [3587] Salmona, G., Ferré, Y., and Vincent, E. J. Études expérimentales et théoriques de potentiels d'ionisation de dérivés de la série de l'isothiazole, *C. R. Acad. Sci., Ser. C*, **273**, 863 (1971).
- [3588] Bonnier, J. -M., Gelus, M., and Nounou, P. Contribution à l'étude de l'effet inductif et de l'effet d'hyperconjugaison dans quelques méthylaromatiques, *J. Chim. Phys.* **10**, 1191 (1965).
- [3589] Cullen, W. R., Frost, D. C., and Leeder, W. R. The ultraviolet and photoelectron spectra of some unsaturated fluorocarbon derivatives, *J. Fluorine Chem.* **1**, 227 (1971/72).
- [3590] Audier, H. E., Bouchoux, G., and Fetizon, M. Ionisation et fragmentation en spectrométrie de masse. II. Influence du substituant sur des fragmentations compétitives en série aromatique, *Bull. Soc. Chim. Fr.* **3**, 858 (1971).
- [3594] Balducci, G., De Maria, G., Guido, M.; and Piacente, V. Dissociation energy of TiO and TiO<sub>2</sub> gaseous molecules, *J. Chem. Phys.* **56**, 3422 (1972).
- [3595] Blackburn, P. E., and Danielson, P. M. Electron impact relative ionization cross sections and fragmentation of U, UO, UO<sub>2</sub>, and UO<sub>3</sub>, *J. Chem. Phys.* **56**, 6156 (1972).
- [3596] Kordis, J., and Gingerich, K. A. Gaseous phosphorus compounds. VIII. Thermodynamic study of antimony monophosphide with a mass spectrometer, *J. Phys. Chem.* **76**, 2336 (1972).
- [3597] Cocke, D. L., and Gingerich, K. A. Mass spectrometric determination of the bond dissociation energies of the molecules CePd and CeC<sub>2</sub>, *J. Phys. Chem.* **76**, 2332 (1972).
- [3598] Conde-Caprace, G., and Collin, J. E. Ionization and dissociation of cyclic ethers and thioethers by electron-impact. A comparison between 1,3-dioxolane, 1,3-dithiolane and 1,3-oxathiolane, *Org. Mass Spectrom.* **6**, 415 (1972).
- [3605] Wagner, L. C., and Grimley, R. T. A study of ionization processes by the angular distribution technique. The AgCl system, *J. Phys. Chem.* **76**, 2819 (1972).
- [3606] Uy, O. M., Srivastava, R. D., and Farber, M. Mass spectrometric determination of the heats of formation of the gaseous molecules AlOF<sub>2</sub> and AlF<sub>3</sub>, *High Temp. Sci.* **4**, 227 (1972).
- [3607] Roberts, J. A., Jr., and Searcy, A. W. The stabilities of C<sub>2</sub>F<sub>4</sub>(g) and La<sub>2</sub>F<sub>6</sub>(g), *High Temp. Sci.* **4**, 411 (1972).
- [3608] Piacente, V., and Desideri, A. Mass spectrometric determination of the dissociation energy of GaBi molecule, *J. Chem. Phys.* **57**, 2213 (1972).
- [3609] Piacente, V., and Gingerich, K. A. Thermodynamic study of the molecule NaAg with a mass spectrometer, *High Temp. Sci.* **4**, 312 (1972).
- [3610] Hildenbrand, D. L. The gaseous equilibrium Ge + SiO = GeO + Si and the dissociation energy of SiO, *High Temp. Sci.* **4**, 244 (1972).
- [3611] Balducci, G., De Maria, G., and Guido, M. Mass spectrometric

- determination of the dissociation energy of  $\text{EuC}_2(\text{g})$ , *J. Chem. Phys.* **56**, 1431 (1972).
- [3612] Hariharan, A. V., and Eick, H. A. Vaporization thermodynamics of  $\text{EuI}_2$ , *High Temp. Sci.* **4**, 379 (1972).
- [3613] Feather, D. H., Büchler, A., and Searcy, A. W. The vapor pressures of gallium trifluoride monomer and dimer, *High Temp. Sci.* **4**, 290 (1972).
- [3614] Hariharan, A. V., Fislief, N. A., and Eick, H. A. Vaporization thermodynamics of  $\text{YbCl}_2$ , *High Temp. Sci.* **4**, 405 (1972).
- [3615] Muenow, D. W., and Margrave, J. L. Mass spectrometric observations of gaseous phosphorus sulfides and oxysulfides, *J. Inorg. Nucl. Chem.* **34**, 89 (1972).
- [3616] Hildenbrand, D. L. Thermochemistry of the molecules  $\text{CS}$  and  $\text{CS}^+$ , *Chem. Phys. Letters* **15**, 379 (1972).
- [3617] Farber, M., Srivastava, R. D., and Uy, O. M. Mass spectrometric determination of the thermodynamic properties of the vapour species from alumina, *J. Chem. Soc. Faraday Trans. I* **68**, 249 (1972).
- [3618] Guido, M., Balducci, G., and De Maria, G. Thermodynamics of rare-earth-carbon systems. IV. The lutetium-carbon system, *J. Chem. Phys.* **57**, 1475 (1972).
- [3619] Gingerich, K. A. Gaseous phosphorus compounds. VII. The dissociation energy and heat of formation of boron monophosphide, *J. Chem. Phys.* **56**, 4239 (1972).
- [3620] Farber, M., Uy, O. M., and Srivastava, R. D. Effusion-mass spectrometric determination of the heats of formation of the gaseous molecules  $\text{V}_2\text{O}_{10}$ ,  $\text{V}_2\text{O}_5$ ,  $\text{VO}_2$ , and  $\text{VO}$ , *J. Chem. Phys.* **56**, 5312 (1972).
- [3621] Gingerich, K. A., Pupp, C., and Camphell, B. E. Mass spectrometric determination of the heats of atomization of the molecules  $\text{Ce}_2\text{S}$ ,  $\text{CeS}_2$ ,  $\text{Ce}_2\text{S}_2$ , and  $\text{Ce}_2\text{S}_3$ , *High Temp. Sci.* **4**, 236 (1972).
- [3622] Gräber, P., and Weil, K. G. Mass spectrometric investigations of silver halides I: mass spectrum, appearance potentials, and fragmentation scheme of silver chloride, *Ber. Bunsenges. Phys. Chem.* **76**, 410 (1972).
- [3623] Ehlert, T. C., and Hsia, M. Mass spectrometric and thermochemical studies of the manganese fluorides, *J. Fluorine Chem.* **2**, 33 (1972-73).
- [3624] Tajima, S., Shimizu, Y., and Tsuchiya, T. The effect of the shield voltage on appearance potential measurements using a mass spectrometer, *Bull. Chem. Soc. Japan* **45**, 931 (1972).
- [3625] Crowe, A., Preston, J. A., and McConkey, J. W. Ionization of argon by electron impact, *J. Chem. Phys.* **57**, 1620 (1972).
- [3626] Johnstone, R. A. W., and Mellon, F. A. Electron-impact ionization and appearance potentials, *J. Chem. Soc. Faraday Trans. II* **68**, 1209 (1972).
- [3627] Hvistendahl, G., and Undheim, K. Mass spectrometry of 'onium compounds. Part XIV. Methiodides of methyl pyridylacetates, *J. Chem. Soc., Perkin Trans. II* **14**, 2030 (1972).
- [3628] Flesch, G. D., Junk, G. A., and Svec, H. J. Ionization efficiency data and fragmentation mechanisms for ferrocene, nickelocene, and ruthenocene, *J. Chem. Soc. Dalton Trans.*, 1102 (1972).
- [3629] Lightner, D. A., Majeti, S., Nicoletti, R., and Thommen, E. Benzyl vs. tropylium ions in the electron impact induced decomposition of *n*-butylbenzenes, *Intra-Sci. Chem. Rep.* **6**, 113 (1972).
- [3630] Hvistendahl, G., and Undheim, K. Mass spectrometry of onium compounds. IX: on the evaporation of anilinium oxides. Ionization potential measurements, *Org. Mass Spectrom.* **6**, 217 (1972).
- [3631] Benezra, S. A., and Bursey, M. M. Hydrogen bonding in mass spectral activated complexes. A correction, *J. Chem. Soc., Perkin Trans. II* 1537 (1972).
- [3632] Foster, M. S., and Beauchamp, J. L. Gas-phase ion chemistry of azomethane by ion cyclotron resonance spectroscopy, *J. Am. Chem. Soc.* **94**, 2425 (1972).
- [3633] Dixon, D. A., Holtz, D., and Beauchamp, J. L. Acidity, basicity, and gas-phase ion chemistry of hydrogen selenide by ion cyclotron resonance spectroscopy, *Inorg. Chem.* **11**, 960 (1972).
- [3634] Hertzberg, M., White, G., Olfsky, R. S., and Saalfeld, F. E. Bisdifluoraminooalkanes: the mass spectral decomposition of isomeric propanes, *J. Phys. Chem.* **76**, 60 (1972).
- [3635] Gronneberg, T., and Undheim, K. Mass spectrometry of onium compounds. X: on the evaporation of pyridinium-3-oxides—ionization potential measurements, *Org. Mass Spectrom.* **6**, 225 (1972).
- [3636] Gronneberg, T., and Undheim, K. Mass spectrometry of onium compounds. XI: ionization potentials of hydroxy and mercapto pyridines, *Org. Mass Spectrom.* **6**, 823 (1972).
- [3637] Brundle, C. R., Robin, M. B., and Kuebler, N. A. Perfluoro effect in photoelectron spectroscopy. II. Aromatic molecules, *J. Am. Chem. Soc.* **94**, 1466 (1972).
- [3638] Brogli, F., Heilbronner, E., and Kobayashi, T. Photoelectron spectra of azabenzenes and azanaphthalenes: II. A reinvestigation of azanaphthalenes by high-resolution photoelectron spectroscopy, *Helv. Chim. Acta* **55**, 274 (1972).
- [3639] Åsbrink, L., Fridh, C., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules. XVII. Photoelectron, UV, mass and electron impact spectra of pyridazine, *Intern. J. Mass Spectrom. Ion Phys.* **8**, 229 (1972).
- [3640] Berkowitz, J., and Dehmer, J. L. Photoelectron spectroscopy of high-temperature vapors. II. Chemical bonding in the Group III monohalides, *J. Chem. Phys.* **57**, 3194 (1972).
- [3641] Basset, P. J., and Lloyd, D. R. Photoelectron spectra of halides. Part III. Trifluorides and oxide trifluorides of nitrogen and phosphorus, and phosphorus oxide trichloride, *J. Chem. Soc. Dalton Trans.* 248 (1972).
- [3642] Brundle, C. R., and Jones, G. R. Electronic structure of  $\text{KrF}_2$ , studied by photoelectron spectroscopy, *J. Chem. Soc. Faraday Trans. II* **68**, 959 (1972).
- [3643] Brundle, C. R., Kuebler, N. A., Robin, M. B., and Basch, H. Ionization potentials of the tetraphosphorus molecule, *Inorg. Chem.* **11**, 20 (1972).
- [3644] Boschi, R., Murrell, J. N., and Schmidt, W. Photoelectron spectra of polycyclic aromatic hydrocarbons, *Faraday Discuss. Chem.* **54**, 116 (1972).
- [3645] Bergmark, T., Rahalais, J. W., Werme, L. O., Karlsson, L., and Sieghahn, K. High-resolution electron spectra of methane, thiophene, 2-bromothiophene, and 3-bromothiophene, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972).
- [3646] Bock, H., and Solouki, B. The "sulfoxide bond", *Angew. Chem. Intern. Ed.* **11**, 436 (1972).
- [3647] Boekelheide, V., and Schmidt, W. A photoelectron spectroscopic study of a classically conjugated but orbitally unconjugated tris-bridged cyclophane: [2.2.2](1,3,5)cyclophane-1,9,17-triene, *Chem. Phys. Lett.* **17**, 410 (1972).
- [3648] Bock, H., and Wittel, K. Photoelectron spectra and molecular properties of *trans*-dihalogenoethylenes: substituent effects spin-orbit coupling, *J. Chem. Soc. Chem. Commun.* 602 (1972).
- [3649] Brundle, C. R., Robin, M. B., Kuebler, N. A., and Basch, H. Perfluoro effect in photoelectron spectroscopy. I. Nonaromatic molecules, *J. Am. Chem. Soc.* **94**, 1451 (1972).
- [3650] Berkowitz, J. Photoelectron spectroscopic studies with a cylindrical-mirror analyzer, in: *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972).
- [3651] Åsbrink, L., Fridh, C., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules. XVI. Photoelectron,



- UV, mass and electron impact spectra of pyrimidine, Intern. J. Mass Spectrom. Ion Phys. **8**, 215 (1972).
- [3652] Paine, R. T., Sodeck, G., and Stafford, F. E. Molecular beam mass spectra and pyrolyses of fluorophosphine-triborane(7) complexes. Formation and mass spectrum of triborane(7), Inorg. Chem. **11**, 2593 (1972).
- [3653] Saalfeld, F. E., McDowell, M. V., MacDiarmid, A. G., and Highsmith, R. E. Nature of the bonding between silicon and the cobalt tetracarbonyl group in silylcobalt tetracarbonyl. III. Mass spectral studies of trichlorosilyltrifluorophosphine cobalt carbonyl derivatives, Intern. J. Mass Spectrom. Ion Phys. **9**, 197 (1972).
- [3654] Carmichael, P. J., Gowenlock, B. G., and Johnson, C. A. F. Carbon-nitrogen bond dissociation energy values in C-nitrosocompounds, Intern. J. Chem. Kinet. **4**, 339 (1972).
- [3655] DeKock, R. L., Higginson, B. R., and Lloyd, D. R. Photoelectron spectra of halides. Part 6.—The spectra of SF<sub>3</sub>Cl, BrF<sub>3</sub> and IF<sub>3</sub>, Faraday Discuss. Chem. Soc. **54**, 84 (1972).
- [3656] Cradock, S., and Whiteford, R. A. Photoelectron spectra of the methyl, silyl and germlyl derivatives of the group VI elements, J. Chem. Soc. Faraday Trans. II **68**, 281 (1972).
- [3657] Dewar, M. J. S., and Goodman, D. W. Photoelectron spectra of molecules. Part 5.—Polycyclic aromatic hydrocarbons, J. Chem. Soc. Faraday Trans. II **68**, 1784 (1972).
- [3658] Chizhov, Yu. V., Kleimenov, V. I., Medynskii, G. S., and Vilesov, F. I. Photoelectron spectroscopy study of benzene, Opt. Spektrosk. **33**, 661 (1972) [Engl. transl.: Opt. Spectry. (USSR) **33**, 365 (1972)].
- [3659] Chadwick, D., Frost, D. C., Katrib, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of some bromoethylenes and 2-bromopropene, Can. J. Chem. **50**, 2642 (1972).
- [3660] Cowan, D. O., Gleiter, R., Glemser, O., and Heilbronner, E. The photoelectron spectra of NSCl, NSF and NSF<sub>3</sub>, Helv. Chim. Acta **55**, 2418 (1972).
- [3661] Cradock, S., Ebsworth, E. A. V., Savage, W. J., and Whiteford, R. A. Photoelectron spectra of some methyl, silyl and germlyl amines, phosphines and arsines, J. Chem. Soc. Faraday Trans. II **68**, (1972).
- [3662] Cradock, S., and Rankin, D. W. H. Photoelectron spectra of PF<sub>2</sub>H and some substituted difluorophosphines, J. Chem. Soc. Faraday Trans. II **68**, 940 (1972).
- [3663] Cradock, S., and Savage, W. The photoelectron spectrum and electronic structure of hexamethyl tungsten, Inorg. Nucl. Chem. Lett. **8**, 753 (1972).
- [3664] Collin, J. E., Delwiche, J., and Natalis, P. Autoionization observed by photoelectron spectrometry at different wavelengths, Electron Spectroscopy, ed. D. A. Shirley (North-Holland Publishing Co., Amsterdam, 1972) p. 401.
- [3665] Dixon, R. N., Duxbury, G., Fleming, G. R., and Hugo, J. M. V. The photoelectron spectrum of thiazyl fluoride, Chem. Phys. Lett. **14**, 60 (1972).
- [3666] DeKock, R. L., Lloyd, D. R., Breeze, A., Collins, G. A. D., Cruickshank, D. W. J., and Lempka, H. J. Photoelectron spectroscopy and ab initio LCAO MO SCF calculations on thiazyl fluoride, Chem. Phys. Lett. **14**, 52 (1972).
- [3667] Chadwick, D. Photoelectron spectra of phosgene and thiophosgene, Can. J. Chem. **50**, 737 (1972).
- [3668] Clark, P. A., and Brogli, F., and Heilbronner, E. The  $\pi$ -orbital energies of the acenes, Helv. Chim. Acta **55**, 1415 (1972).
- [3669] Cox, P. A., Evans, S., Orchard, A. F., Richardson, N. V., and Roberts, P. J. Simple quantitative molecular orbital methods used in connection with photoelectron spectroscopy, Faraday Discuss. Chem. Soc. **54**, 26 (1972).
- [3670] Cradock, S., Ebsworth, E. A. V., and Murdoch, J. D. Photoelectron spectra of some Group 4 pseudohalides and related compounds, J. Chem. Soc. Faraday Trans. II **68**, 86 (1972).
- [3671] Cornford, A. B., Frost, D. C., Herring, F. G., and McDowell, C. A. Photoelectron spectra of some free radicals, Faraday Discuss. Chem. Soc. **54**, 56 (1972).
- [3672] Blake, A. J. Photoionization study of mercury by photoelectron spectroscopy, Proc. Roy. Soc. (London) **325**, 555 (1971).
- [3673] Bock, H., and Fuss, W. Arguments concerning the orbital sequence in borazin, Angew. Chem. Intern. Ed. **10**, 182 (1971).
- [3674] Plotnikov, V. F., Bogolyubov, G. M., Maretina, I. A., and Petrov, A. A. Organic derivatives of elements of Groups V and VI. V. Mass spectra of 1-buten-3-ynylamines, Zh. Org. Khim. **5**, 1157 (1969) [Engl. transl.: J. Org. Chem. USSR **5**, 1137 (1969)].
- [3675] DeKock, R. L., Lloyd, D. R., Hillier, I. H., and Saunders, V. R. Experimental and theoretical study of the electronic structures of sulphuryl fluoride and perchloryl fluoride, Proc. Roy. Soc. (London) **328**, 401 (1972).
- [3676] Evans, S. General discussion, Faraday Discuss. Chem. Soc. **54**, 143 (1972).
- [3677] Evans, S., Green, J. C., Joachim, P. J., Orchard, A. F., Turner, D. W., and Maier, J. P. Electronic structures of the Group IV<sub>B</sub> tetramethyls by helium-(I) photoelectron spectroscopy, J. Chem. Soc. Faraday Trans. II **68**, 905 (1972).
- [3678] Frost, D. C., Herring, F. G., Katrib, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of CH<sub>3</sub>SH, (CH<sub>3</sub>)<sub>2</sub>S, C<sub>6</sub>H<sub>5</sub>SH, and C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>SH; the bonding between sulfur and carbon, J. Phys. Chem. **76**, 1030 (1972).
- [3679] Gleiter, R., Heilbronner, E., and Hornung, V. Photoelectron spectra of azabenzenes and azanaphthalenes: I. Pyridine, diazines *s*-triazine and *s*-tetrazine, Helv. Chim. Acta **55**, 255 (1972).
- [3680] DeKock, R. L., Higginson, B. R., Lloyd, D. R., Breeze, A., Cruickshank, D. W. J., and Armstrong, D. R. Photoelectron spectra of halides. V. Experimental and theoretical study of the electronic structures of ClF, ClF<sub>3</sub>, BrF and BrF<sub>3</sub>, Mol. Phys. **24**, 1059 (1972).
- [3681] Evans, S., Hamnett, A., and Orchard, A. F. The relative orbital energies of metal and ligand electrons in some tris(hexafluoroacetylacetonato) transition-metal complexes, J. Coord. Chem. **2**, 57 (1972).
- [3682] Evans, S., Hamnett, A., Orchard, A. F., and Lloyd, D. R. Study of the metal-oxygen bond in simple tris-chelate complexes by He(I) photoelectron spectroscopy, Faraday Discuss. Chem. Soc. **54**, 227 (1972).
- [3683] Evans, S., Joachim, P. J., Orchard, A. F., and Turner, D. W. A study of the orbital electronic structure of the P<sub>4</sub> molecule by photoelectron spectroscopy, Intern. J. Mass Spectrom. Ion Phys. **9**, 41 (1972).
- [3684] Eland, J. H. D. Photoelectron spectra and ionization potentials of aromatic hydrocarbons, Intern. J. Mass Spectrom. Ion Phys. **9**, 214 (1972).
- [3685] Heilbronner, E., Hornung, V., Pinkerton, F. H., and Thames, S. F. 31. Photoelectron spectra of azabenzenes and azanaphthalenes: III. The orbital sequence in methyl- and trimethylsilyl- substituted pyridines, Helv. Chim. Acta **55**, 289 (1972).
- [3686] Evans, S., Green, J. C., and Jackson, S. E. He(I) photoelectron spectra of some  $\pi$ -arene complexes, J. Chem. Soc. Faraday Trans. II **68**, 249 (1972).
- [3687] Heilbronner, E., and Martin, H. D. The  $\pi$ -orbital sequence in norbornadiene and related hydrocarbons, Helv. Chim. Acta **55**, 1490 (1972).
- [3688] Evans, S., Green, M. L. H., Jewitt, B., Orchard, A. F., and Pygall, C. F. Electronic structure of metal complexes containing  $\pi$ -cyclopentadienyl and related ligands, J.



- [3690] Frost, D. C., Lee, S. T., and McDowell, C. A. The high resolution photoelectron spectrum of CS, *Chem. Phys. Letters* **17**, 153 (1972).
- [3691] Jonathan, N., Morris, A., Okuda, M., Ross, K. J., and Smith, D. J. Photoelectron spectroscopy of transient species. The CS molecule, *Faraday Discuss. Chem. Soc.* **54**, 48 (1972).
- [3692] McDowell, C. A. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 68 (1972).
- [3693] Herring, F. G. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 68 (1972).
- [3694] Chadwick, D., Cornford, A. B., Frost, D. C., Herring, F. G., Katrih, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of some dihalocompounds, in *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Publishing Co., Amsterdam, 1972) p. 453.
- [3695] Potts, A. W., Glenn, K. G., and Price, W. C. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 65 (1972).
- [3696] King, G. H., Kroto, H. W., and Suffolk, R. J. The photoelectron spectrum of a short-lived species in the decomposition products of CS<sub>2</sub>, *Chem. Phys. Letters* **13**, 457 (1972).
- [3697] Kroto, H. W., and Suffolk, R. J. The photoelectron spectrum of an unstable species in the pyrolysis products of dimethyldisulphide, *Chem. Phys. Letters* **15**, 545 (1972).
- [3698] Morris, A. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 64 (1972).
- [3699] Lloyd, D. R., and Lynaugh, N. Photoelectron studies of boron compounds. Part 3. Complexes of borane with Lewis bases, *J. Chem. Soc. Faraday Trans. II* **68**, 947 (1972).
- [3700] Potts, A. W., Glenn, K. G., and Price, W. C. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 64 (1972).
- [3701] Jonathan, N., Morris, A., Okuda, M., and Smith, D. J. Electron spectroscopy of transient species, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972) p. 345.
- [3702] Maier, J. P., and Turner, D. W. Steric inhibition of resonance studied by molecular photoelectron spectroscopy. Part I. Biphenyls, *Faraday Discuss. Chem. Soc.* **54**, 149 (1972).
- [3703] Maier, J. P., and Turner, D. W. Photoelectron spectroscopy and the geometry of the phosphine and phosphorous trifluoride molecular ions, *J. Chem. Soc. Faraday Trans. II* **68**, 711 (1972).
- [3704] King, G. H., Krishnamurthy, S. S., Lappert, M. F., and Pedley, J. B. Bonding studies of compounds of boron and the Group 4 elements. Part 9. Photoelectron spectra and bonding studies of halogeno-, dimethylamino-, and methyl-boranes, BX<sub>3</sub> and BX<sub>2</sub>Y, *Faraday Discuss. Chem. Soc.* **54**, 70 (1972).
- [3705] Mines, G. W., Thomas, R. K., and Thompson, H. Photoelectron spectra of compounds containing thionyl and sulphuryl groups, *Proc. Roy. Soc. (London)* **A329**, 275 (1972).
- [3707] King, G. H., Murrell, J. N., and Suffolk, R. J. The vacuum-ultraviolet photoelectron spectra of fluoropyridines, *J. Chem. Soc. Dalton Trans.*, 564 (1972).
- [3708] Kroto, H. W., and Suffolk, R. J. The photoelectron spectrum of F<sub>2</sub>CS and fluorine substitution shifts, *Chem. Phys. Letters* **17**, 213 (1972).
- [3709] Lynaugh, N., Lloyd, D. R., Guest, M. F., Hall, M. B., and Hillier, I. H. Photoelectron studies of boron compounds. Part 4. Experimental and theoretical studies of dihoron tetrachloride and dihoron tetrafluoride, *J. Chem. Soc. Faraday Trans. II* **68**, (1972).
- [3710] Murrell, J. N., and Schmidt, W. Photoelectron spectroscopic correlation of the molecular orbitals of methane, ethane, propane, isobutane and neopentane, *J. Chem. Soc. Faraday Trans. II* **68**, 1709 (1972).
- [3711] Lloyd, D. R., and Lynaugh, N. Photoelectron spectra of the bis-( $\pi$ -allyl) complexes of nickel and palladium, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972) p. 445.
- [3712] Morishima, I., Yoshikawa, K., Yonezawa, T., and Matsumoto, H. Photoelectron spectral studies of organic free radicals. The nitroxide radical, *Chem. Phys. Letters* **16**, 336 (1972).
- [3713] Klessinger, M. Ionization potentials of substituted benzenes, *Angew. Chem. Intern. Ed.* **11**, 525 (1972).
- [3714] Okuda, M. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 140 (1972).
- [3716] Potts, A. W., and Price, W. C. The photoelectron spectra of methane, silane, germane and stannane, *Proc. Roy. Soc. (London)* **A165**, (1972).
- [3717] Jonathan, N. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 64 (1972).
- [3718] Sweigart, D. A., and Turner, D. W. Lone pair orbitals and their interactions studied by photoelectron spectroscopy. I. Carboxylic acids and their derivatives, *J. Am. Chem. Soc.* **94**, 5592 (1972).
- [3719] Potts, A. W., and Price, W. C. Photoelectron spectra and valence shell orbital structures of groups V and VI hydrides, *Proc. Roy. Soc. (London)* **A326**, 181 (1972).
- [3720] Fridh, C., Åsbrink, L., Jonsson, B. O., and Lindholm, E. Rydberg series in small molecules. XIV. Photoelectron, UV, mass and electron impact spectra of s-triazine, *Intern. J. Mass Spectrom. Ion Phys.* **8**, 85 (1972).
- [3721] Rabalais, J. W. Photoelectron spectroscopic investigation of the electronic structure of nitromethane and nitrobenzene, *J. Chem. Phys.* **57**, 960 (1972).
- [3722] Van Den Ham, D. M. W., and Van Der Meer, D. The photoelectron spectra of the diazanaphthalenes, *Chem. Phys. Letters* **12**, 447 (1972).
- [3723] Van Den Ham, D. M. W., and Van Der Meer, D. Perfluoro effect in the photoelectron spectra of quinoline and isoquinoline, *Chem. Phys. Letters* **15**, 549 (1972).
- [3724] Palmer, M. H., and Findlay, R. H. Ab initio molecular orbital calculations, the electronic structure and electron spectrum of norbornadiene, *Chem. Phys. Letters* **15**, 416 (1972).
- [3725] Rabalais, J. W., Werme, L. O., Bergmark, T., Karlsson, L., Hussain, M., and Siegbahn, K. Electron spectroscopy of open-shell systems: spectra of Ni(C<sub>2</sub>H<sub>3</sub>)<sub>2</sub>, Fe(C<sub>2</sub>H<sub>3</sub>)<sub>2</sub>, Mn(C<sub>2</sub>H<sub>3</sub>)<sub>2</sub>, and Cr(C<sub>2</sub>H<sub>3</sub>)<sub>2</sub>, *J. Chem. Phys.* **57**, 1185 (1972).
- [3726] Thomas, R. K., Thompson, H. Photoelectron spectra of carbonyl halides and related compounds, *Proc. Roy. Soc. (London)* **A327**, 13 (1972).
- [3727] Robin, M. B., Brundle, C. R., Kuebler, N. A., Ellison, G. B., and Wiberg, K. B. Photoelectron spectra of small rings. IV. The unsaturated three-membered rings, *J. Chem. Phys.* **57**, 1758 (1972).
- [3728] Rabalais, J. W., Bergmark, T., Werme, L. O., Karlsson, L., Hussain, M., and Siegbahn, K. The high-resolution electron spectrum of carbon suboxide, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972), p. 425.
- [3729] Adamchuk, V. K., Dmitriev, A. B., Prudnikova, G. V., and Sorokin, L. S. Photoionization of low-volatility molecules in a geiger counter, *Opt. Spektrosk.*, **33**, 358 (1972) [Eng. transl. *Opt. Spectrosc. USSR* **33**, 191 (1972)].
- [3730] Daisey, J. M., and Sonnessa, A. J. A study of the thermodynamic and spectral properties of molecular complexes of iodine with several aminopyridines, *J. Phys. Chem.* **76**, 1895 (1972).
- [3731] DiLorenzo, G., Galloni, G., Trombetti, A., and Zauli, C. Electronic spectrum of thiophen and some deuterated thiophenes, *J. Chem. Soc. Faraday Trans. II* **68**, 2009 (1972).
- [3732] Lossing, F. P. Free radicals by mass spectrometry. XLIV.

- Ionization potentials and bond dissociation energies for chloro- and fluoromethyl radicals, *Bull. Soc. Chim. Belges* **81**, 125 (1972).
- [3733] Sweigart, D. A., and Turner, D. W. Lone pair orbitals and their interactions studied by photoelectron spectroscopy. II. Equivalent orbitals in saturated oxygen and sulfur heterocycles, *J. Am. Chem. Soc.* **94**, 5599 (1972).
- [3734] Thomas, R. K. Photoelectron spectroscopy of hydrogen-bonded systems: spectra of monomers, dimers and mixed complexes of carboxylic acids, *Proc. Roy. Soc. (London)* **A331**, 249 (1972).
- [3735] Gross, M. L. Ion cyclotron resonance spectrometry. A means of evaluating kinetic shifts, *Org. Mass Spectrom.* **6**, 827 (1972).
- [3736] Salmona, Y. F., and Vincent, E.-J. Études expérimentales et théoriques de potentiels d'ionisation de dérivés de la série de l'isothiazole, *C. R. Acad. Sci., Ser. C* **273**, 863 (1971).
- [3737] Lageot, C. Étude des états excités de l'ion  $\text{HCN}^+$ , *J. Chim. Phys. Phys.-Chim. Biol.* **68**, 214 (1972).
- [3738] Wanczek, K.-P., Lebert, K.-H., and Hartmann, H. Untersuchung der Ion-Molekül-Reaktionen des Thiothionylfluorids mit Hilfe der Ionen-Cyclotronresonanz-Spektrometrie, *Z. Naturforsch.* **27a**, 155 (1972).
- [3739] Mason, D. C., Kuppermann, A., and Mintz, D. M. Angular distribution of electrons from the photoionization of ethylene, in *Electron Spectroscopy*, ed. D. A. Shirley (North Holland, Amsterdam, 1972) p. 269.
- [3740] Fridh, C., Åsbrink, L., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules XVIII. Photoelectron, UV, mass, and electron impact spectra of *s*-tetrazine, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 485 (1972).
- [3741] Haselbach, E., Heilbronner, E., Musso, H., and Schmelzer, A. Notiz über die Photoelektronen-Spektren des Nortricyclens und des Triasterans, *Helv. Chim. Acta* **55**, 302 (1972).
- [3742] Donovan, R. J., Little, D. J., and Konstantatos, J. Vacuum ultraviolet spectra of transient molecules and radicals, *J. Chem. Soc. Faraday Trans. II* **68**, 1812 (1972).
- [3743] Gole, J. L., and Margrave, J. L. The vacuum ultraviolet spectrum of molecular fluorine, *J. Mol. Spectry.* **43**, 65 (1972).
- [3745] Cabaud, B., Hoareau, A., Nounou, P., and Uzan, R. Étude des processus d'ionisation à haute température des vapeurs métalliques par couplage d'une cellule de knudsen et d'une source fox. II. Interprétation des processus d'autoionisation des vapeurs métalliques monoatomiques et influence de la température sur les courbes d'efficacité d'ionisation, *Int. J. Mass Spectrom. Ion Phys.* **8**, 181 (1972).
- [3746] Witel, K., Hass, A., and Bock, H. Photoelektronenspektren und Moleküleigenschaften, XVI. Thiocarbonylhalogenide-Orbitale und Ladungen, *Chem. Ber.* **105**, 3865 (1972).
- [3747] Barz, P., and Fritz, H. P. Untersuchungen an biochemischen Ligandensystemen. V. Komplexchemische und physikalisch-chemische Untersuchungen am 1,2-Dimethylhydrazin, *Z. Naturforsch.* **27b**, 1131 (1972).
- [3748] Boschi, R. A., and Salahub, D. R. The far ultra-violet spectra of some 1-iodoalkanes, *Mol. Phys.* **24**, 289 (1972).
- [3749] Doucet, J., Sauvageau, P., and Sandorfy, C. The vacuum ultraviolet spectrum of tetrahydrofuran, *Chem. Phys. Letters* **17**, 316 (1972).
- [3750] Fridh, C., Åsbrink, L., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules. XV. Photoelectron, UV, mass and electron impact spectra of pyrazine, *Intern. J. Mass Spectrom. Ion Phys.* **8**, 101 (1972).
- [3751] Salahub, D. R., and Boschi, R. A. The far ultraviolet spectrum of iodoacetylene, *Chem. Phys. Letters* **16**, 320 (1972).
- [3752] Sergeev, Yu. L., Akopyan, M. E., and Vilesov, F. I. Photoionization of the phenyl radical, *Opt. Spektrosk.* **32**, 230 (1972) [Engl. transl.: *Opt. Spectry. (USSR)* **32**, 121 (1972)].
- [3753] Stebbings, W. L., and Taylor, J. W. Photoionization mass spectrometry. II. Contrasting fragmentation of toluene by photons and by electrons, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 471 (1972).
- [3754] Kaufman, V., and Minnhagen, L. Accurate ground-term combinations in NeI, *J. Opt. Soc. Am.* **62**, 92 (1972).
- [3755] Narayan, B. Spectra and ionization potential of cyanoacetylene, *Proc. Indian Acad. Sci. A* **75**, 92 (1972).
- [3756] Radziemski, L. J., and Kaufman, V. New wavelengths and energy levels in the spectrum of singly ionized chlorine (Cl II), *J. Opt. Soc. Am.* **62**, 1371 (1972).
- [3757] Raymond, J. W. Rydberg states in cyclic alkanes, *J. Chem. Phys.* **56**, 3912 (1972).
- [3758] Pitt, C. G., Carey, R. N., and Toren, E. C. Nature of the electronic interactions in aryl-substituted polysilanes, *J. Am. Chem. Soc.* **94**, 3806 (1972).
- [3759] Nishida, S., Moritani, I., and Teraji, T. Ionization potentials of cyclopropylethylenes, *J. Chem. Soc. Chem. Commun.* 1114 (1972).
- [3760] Ogawa, M., and Ogawa, S. Absorption spectrum of CO in the Hopfield helium continuum region, 600–1020 Å, *J. Mol. Spectry.* **41**, 393 (1972).
- [3761] Narayana, B., and Price, W. C. Ionization of the  $\sigma^*2s$  orbital of NO and configuration interaction effects on the spin-split states arising from inner orbital ionization in paramagnetic molecules, *J. Phys. B* **5**, 1784 (1972).
- [3762] Ackermann, F., Lefebvre-Brion, H., and Roche, A. L. Calculated Rydberg states of the PO molecule, *Can. J. Phys.* **50**, 692 (1972).
- [3763] Takezawa, S., and Tanaka, Y. Absorption spectrum of HD in the vacuum-uv region. Rydberg states and ionization energy, *J. Chem. Phys.* **56**, 6125 (1972).
- [3764] Gilbert, R., Sauvageau, P., and Sandorfy, C. Far-UV and photoelectron spectra of 1,3,5-trifluorobenzene, *Chem. Phys. Letters* **17**, 465 (1972).
- [3765] Vilesov, F. I. The photoionization of vapors of compounds whose molecules contain carbonyl groups, *Dokl. Akad. Nauk SSSR* **132**, 1332 (1960) [Engl. transl.: *Dokl. Phys. Chem.* **132**, 521 (1960)].
- [3766] Akopyan, M. E., and Loginov, Yu. V. Mass-spectrometric study of the photoionization of free  $\alpha$ -aminoacids, *Khim. Vys. Energ.* **1**, 97 (1967) [Engl. transl.: *High Energy Chem.* **1**, 83 (1967)].
- [3767] Polyakova, A. A., Zimina, K. I., Petrov, A. A., and Khmel'nitskii, R. A. Mass spectra and the structure of vinylacetylenes, *Dokl. Akad. Nauk SSSR* **127**, 386 (1959) [Engl. transl.: *Dokl. Phys. Chem.* **127**, 597 (1959)].
- [3768] Velasco, R. Espectro ultravioleta de la molecula  $\text{Li}_2$ , *An. R. Soc. Esp. Fis. Quim.* **175**, (1960).
- [3769] Gil'burd, M. M., Syrvatka, B. G., Shevchuk, V. U., Bel'ferman, A. L., and Moin, F. B. Mass spectrometric study of fluorine-containing compounds. I. Comparative study of methylacetylene and difluoromethylacetylene, *Khim. Vys. Energ.* **1**, 411 (1967) [Engl. transl.: *High Energy Chem.* **1**, 359 (1967)].
- [3770] Herzberg, G., and Jungen, Ch. Rydberg series and ionization potential of the  $\text{H}_2$  molecule, *J. Mol. Spectry.* **41**, 425 (1972).
- [3772] Marr, G. V., and Wherrett, S. R. The ionization of caesium vapour by the method of space charge amplification, *J. Phys. B* **5**, 1735 (1972).
- [3773] Scheps, R., Florida, D., and Rice, S. A. Comments on the Rydberg spectrum of pyrazine, *J. Mol. Spectry.* **44**, 1 (1972).
- [3774] Iverson, A. A., and Russell, B. R. A medium resolution study of allene in the vacuum ultraviolet. I. Spectra and a



preliminary ionization potential, *Spectrochim. Acta* **28A**, 447 (1972).

- [3775] Neckel, A., and Sodeck, G. Bestimmung der Dissoziationsenergien der gasförmigen Moleküle CuGe, AgGe und AuGe, *Monatsh. Chem.* **103**, 367 (1972).
- [3776] Scott, J. D., and Russell, B. R. Vacuum-ultraviolet spectral studies of several chlorofluoroethylenes, *J. Am. Chem. Soc.* **94**, 2634 (1972).
- [3777] Tajima, S., and Tsuchiya, T. The effects of the repeller voltage and the shield voltage on appearance potential measurements by electron impact, *Shitsurgo Bunseki* **20**, 117 (1972).
- [3778] Bock, H., and Stafast, H. Photoelektronenspektren und Moleküleigenschaften, IX. Die  $\pi$ -Systeme der *cis*- und *trans*-Dicyan-äthylene, *Chem. Ber.* **105**, 1158 (1972).
- [3779] Ferreira, M. A. A., and Costa, M. L. Impacto eletrônico no oxi-sulfureto de carbono: potenciais de aparecimento de iões positivos, calores de formação e energias de dissociação, *Rev. Port. Quím.*, **14**, 21 (1972).
- [3780] Brogli, F., Heilbronner, E., and Ipaktschi, J. Die Wechselwirkung zwischen *Walsh*- und  $\pi$ -Orbitalen im 7-Cyclopropylden-norbornadien, *Helv. Chem. Acta* **55**, 2447 (1972).
- [3781] Bock, H., Wagner, G., and Kroner, J. Photoelektronenspektren und Moleküleigenschaften, XIV. Die Delokalisation des Schwefel-Elektronenpaares in  $\text{CH}_3\text{S}$ -substituierten Aromaten, *Chem. Ber.* **105**, 3850 (1972).
- [3782] Schmidbaur, H., and Vornberger, W. Die Organosiliciumchemie der Phosphor-Ylide, XVI. Si-Si-Struktureinheiten als Carbanion-Substituenten in Yliden, *Chem. Ber.* **105**, 3173 (1972).
- [3783] Preiss, H. Massenspektrometrische Untersuchungen an einigen Halogeniden der 5. Haupt- und Nebengruppe, *Z. Anorg. Allg. Chem.* **389**, 280 (1972).
- [3784] Bentley, T. W., Johnstone, R. A. W., and McMaster, B. N. Appearance potentials of metastable and normal ions and the kinetic shift, *J. Chem. Soc. Chem. Commun.*, 510 (1973).
- [3785] Foner, S. N., and Hudson, R. L. Mass spectrometric studies of tetrafluorohydrazine and the difluoroamino radical, *J. Chem. Phys.* **58**, 581 (1973).
- [3786] Gaivoronskii, P. E., Larin, N. V., Sirotkin, N. I., Artemov, A. N., and Shushunov, N. V. Study of arenechromium tricarbonyl complexes by mass spectrometry, *Izv. Akad. Nauk SSSR, Ser. Khim.* **11**, 2618 (1973) [Engl. transl.: *Bull. Acad. Sci. USSR, Div. Chem. Sci.* **22**, 2557 (1973)].
- [3787] Aloisi, G. G., and Pignataro, S. Molecular complexes of substituted thiophenes with  $\sigma$  and  $\pi$  acceptors, *J. Chem. Soc. Faraday Trans. 1* **69**, 534 (1973).
- [3788] Gilbert, J. R., Leach, W. P., and Miller, J. R. Ionisation and appearance potential measurements in arene chromium tricarbonyls, *J. Organometal. Chem.* **49**, 219 (1973).
- [3789] Hvistendahl, G., Undheim, K., and Györfi, P. Mass spectrometry of tropylium halides, *Org. Mass Spectrom.* **7**, 903 (1973).
- [3790] Gross, M. L., and Aerni, R. J. The unusual loss of hydrogen from ionized 1,5-hexadiyne, *J. Am. Chem. Soc.* **95**, 7875 (1973).
- [3791] Flesch, G. D., and Svec, H. J. Fragmentation reactions in the mass spectrometer for  $\text{C}_2$ - $\text{C}_5$  alkanes, *J. Chem. Soc. Faraday Trans. 1* **69**, 1187 (1973).
- [3792] Benoit, F. The benzoyl cation: The participation of isolated electronic excited states in the dissociation of molecular ions of the form  $[\text{C}_6\text{H}_5\text{COX}]^+$ , *Org. Mass Spectrom.* **7**, 1407 (1973).
- [3793] Begun, G. M., and Compton, R. N. Electron impact ionization studies of ferrocene, cobaltocene, nickelocene, and magnesocene, *J. Chem. Phys.* **58**, 2271 (1973).
- [3794] Branton, G. R., and Pua, C. K. N. Low energy electron impact ionization and fragmentation—cyclobutanone, *Can. J. Chem.* **51**, 624 (1973).
- [3795] Ackermann, R. J., and Rauh, E. G. The preparation and characterization of the metastable monoxides of thorium and uranium, *J. Inorg. Nucl. Chem.* **35**, 3787 (1973).
- [3796] Cuthill, A. M., Fabian, D. J., and Shu-Shou-Shen, S. Bond dissociation energies of the metallic vapor species aluminum-silver and aluminum-gold measured by Knudsen-cell mass spectrometry, *J. Phys. Chem.* **77**, 2008 (1973).
- [3797] Crowe, A., and McConkey, J. W. Dissociative ionization by electron impact II.  $\text{N}^+$  and  $\text{N}^{++}$  from  $\text{N}_2$ , *J. Phys. B (Proc. Phys. Soc.)* **6**, 2108 (1973).
- [3798] Cocke, D. L., Gingerich, K. A., and Kordis, J. Mass spectrometric observation of gaseous EuCN and the determination of its atomization energy, *J. Chem. Soc. Chem. Commun.* 561 (1973).
- [3799] Crowe, A., and McConkey, J. W. Dissociative ionization by electron impact. I. Protons from  $\text{H}_2$ , *J. Phys. B (Proc. Phys. Soc.)* **6**, 2088 (1973).
- [3800] Ciach, S., Knowles, D. J., Nicholson, A. J. C., and Swingler, D. L. Vaporization of tin(II) halides. I. Stannous chloride and stannous bromide, *Inorg. Chem.* **12**, 1443 (1973).
- [3801] Farber, M., and Srivastava, R. D. Effusion-mass spectrometric study of thermodynamic properties of vanadium and vanadium nitride, *J. Chem. Soc. Faraday Trans. 1* **69**, 390 (1973).
- [3802] Ciach, S., Nicholson, A. J. C., Swingler, D. L., and Thistlethwaite, P. J. Mass spectrometric study of the vapor phase over neodymium chloride and gadolinium chloride, *Inorg. Chem.* **12**, 2072 (1973).
- [3803] Jalonen, J., Pasanen, P., and Pihlaja, K. Ionisation and appearance potentials in the evaluation of nonbonded interactions. IV: Conformational effects in methyl-substituted 1,3-oxathianes, *Org. Mass Spectrom.* **7**, 949 (1973).
- [3804] Distefano, G., Pignataro, S., Innorta, G., Fringuelli, F., Marino, G., and Taticchi, A. Ionization energies of selenophen, tellurophen and some of their derivatives, *Chem. Phys. Letters* **22**, 132 (1973).
- [3805] Rakita, P. E., Hoffman, M. K., Andrews, M. N., and Bursey, M. M.  $\sigma$ - $\pi$  Conjugation in group IVA compounds of indene and indane, *J. Organometal. Chem.* **49**, 213 (1973).
- [3806] Pignataro, S., Mancini, V., Innorta, G., and Distefano, G. Ionization energies and ring orbital interaction in diarylmethanes and diarylethanes, *Z. Naturforsch.* **27**, 534 (1972).
- [3807] Innorta, G., Torrioni, S., Pignataro, S., and Mancini, V. The activation energy as guiding factor in the fragmentation of substituted diphenylmethanes, *Org. Mass Spectrom.* **7**, 1399 (1973).
- [3808] Sen Sharma, D. K., and Franklin, J. L. Heats of formation of free radicals by mass spectrometry, *J. Am. Chem. Soc.* **95**, 6562 (1973).
- [3809] Smolinsky, G., and Vasile, M. J. Mass spectra of vinyltrimethylsilane and vinyltri(methyl- $\text{d}_3$ )silane, *Org. Mass Spectrom.* **7**, 1069 (1973).
- [3810] Muenow, D. W. Mass spectrometric evidence for the gaseous silicon oxide nitride molecule and its heat of atomization, *J. Phys. Chem.* **77**, 970 (1973).
- [3811] Morrison, J. D., and Traeger, J. C. Ionization and dissociation by electron impact. II.  $\text{NH}_3$  and  $\text{PH}_3$ , *Intern. J. Mass Spectrom. Ion Phys.* **11**, 277 (1973).
- [3812] Momigny, J., Mathieu, G., Wankenne, H., and Ferreira, M. A. A. Collision- and non-collision-induced predissociation in the appearance of  $\text{S}^+$  and  $\text{CS}^+$  ions from  $\text{CS}_2$  under electron impact, *Chem. Phys. Letters* **21**, 606 (1973).
- [3813] Morrison, J. D., and Traeger, J. C. Ionization and dissociation by electron impact. III.  $\text{CH}_4$  and  $\text{SiH}_4$ , *Intern. J. Mass Spectrom. Ion Phys.* **11**, 289 (1973).

- [3814] Saalfeld, F. E., McDowell, M. V., DeCorpo, J. J., Berry, A. D., and MacDiarmid, A. G. Mass spectral studies of some manganese carbonyls, *Inorg. Chem.* **12**, 43 (1973).
- [3815] Glockling, F., Morrison, R. J., and Wilson, J. W. Diphenylberyllium: electron impact and calorimetric studies, *J. Chem. Soc. Dalton Trans.* 94 (1973).
- [3816] Hildenbrand, D. L. Dissociation energies of the molecules  $\text{AlO}$  and  $\text{Al}_2\text{O}$ , *Chem. Phys. Letters* **20**, 127 (1973).
- [3817] Henion, J. D., and Kingston, D. G. I. Mass spectrometry of organic compounds. VII. Energetics of substituent isomerization in diphenyl sulfide and diphenyl ether, *J. Am. Chem. Soc.* **95**, 8358 (1973).
- [3818] Hildenbrand, D. L. Mass spectrometric studies of some gaseous sulfur fluorides, *J. Phys. Chem.* **77**, 897 (1973).
- [3819] Drowart, J., Myers, C. E., Swarc, R., Vander Auwera-Mahieu, A., and Uy, O. M. Determination by the mass spectrometric Knudsen cell method of the atomization energies of the molecules  $\text{PO}$  and  $\text{PO}_2$ , *J. Chem. Soc. Faraday Trans. II* **68**, 1749 (1972).
- [3820] Hirayama, C., and Castle, P. M. Mass spectra of rare earth triiodides, *J. Phys. Chem.* **77**, 3110 (1973).
- [3821] Panchenkov, I. G., Gusarov, A. V., and Gorokhov, L. N. Dissociation energy of the barium oxide molecule, *Zh. Fiz. Khim.* **47**, 101 (1973) [Engl. transl. *Russ. J. Phys. Chem.* **47**, 55 (1973)].
- [3822] Condorelli, G., Fragalà, I., Centineo, G., and Tondello, E. The electronic structure and photoelectron spectra of  $\text{Ni}^{\text{II}}$ ,  $\text{Cu}^{\text{II}}$  and  $\text{Pd}^{\text{II}}$  complexes with  $\text{N,N}'$ -ethylene-bis(acetylacetoniminato) dianion, *Inorg. Chim. Acta* **7**, 725 (1973).
- [3823] Scheppele, S. E., Mitchum, R. K., Kinneberg, K. F., Meisels, G. G., and Emmel, R. H. Internal energy distributions and the fragmentation of gaseous organic ions. Dissociation of ions produced by electron impact on 4-methylbenzil, *J. Am. Chem. Soc.* **95**, 5105 (1973).
- [3824] Cowling, S. A., Johnstone, R. A. W., Gorman, A. A., and Smith, P. G. Photoelectron spectrum of 5-methylenenorborn-2-ene and through-space interactions (homobutadiene conjugation), *J. Chem. Soc. Chem. Commun.* 627 (1973).
- [3825] Cowley, A. H., Dewar, M. J. S., Goodman, D. W., Schweiger, J. R. Stereochemical dependence of lone pair interactions in the photoelectron spectra of nitrogen-phosphorus compounds, *J. Am. Chem. Soc.* **95**, 6506 (1973).
- [3826] Bain, A. D., and Frost, D. C. Studies of the carbonyl group in some five-membered ring compounds by photoelectron spectroscopy, *Can. J. Chem.* **51**, 1245 (1973).
- [3827] Cradock, S., Ebsworth, E. A. V., and Robertson, A. Photoelectron spectra of some silyl and germyl transition-metal carbonyls and related species, *J. Chem. Soc. Dalton Trans.* 22 (1973).
- [3828] Boyd, R. J., Bünzli, J. C., Snyder, J. P., and Heyman, M. L. Photoelectron spectra of 2,3-diazabicyclo[2.2. $n$ ]alk-2-enes ( $n = 1,2,3,4$ ), *J. Am. Chem. Soc.* **95**, 6478 (1973).
- [3829] Eley, D. D., Hazeldine, D. J., and Palmer, T. F. Mass spectra, ionisation potentials and related properties of metal-free and transition metal phthalocyanines, *J. Chem. Soc. Faraday Trans. II* **69**, 1808 (1973).
- [3830] Evans, S., Green, J. C., and Jackson, S. E. He-(I) photoelectron spectra of some metal complexes containing the ligands trimethylsilylmethyl and neopentyl, *J. Chem. Soc. Faraday Trans. II* **69**, 191 (1973).
- [3831] Berkowitz, J., Dehmer, J. L., and Appelman, E. H. Photoelectron spectrum of hypofluorous acid, *HOF*, *Chem. Phys. Letters* **19**, 334 (1973).
- [3832] Batich, C., Heilbronner, E., Hornung, V., Ashe, A. J., Clark, D. T., Cobley, U. T., Kilcast, D., and Scanlan, I. Photoelectron spectra of phosphabenzene, arsabenzene, and stibabenzene, *J. Am. Chem. Soc.* **95**, 928 (1973).
- [3833] Cocksey, B. G., Eland, J. H. D., and Danby, C. J. Photoelectron spectra of the zinc and cadmium halides, *J. Chem. Soc. Faraday Trans. II* **69**, 1558 (1973).
- [3834] Dromey, R. G., Morrison, J. D., and Peel, J. B. Time-averaged and deconvoluted photoelectron spectrum of the first band of  $\text{O}_2$ , *Chem. Phys. Letters*, **23**, 30 (1973).
- [3835] Bünzli, J. C., Frost, D. C., and McDowell, C. A. Photoelectron spectra of phosphoryl and thiophosphoryl chlorides and bromides, *J. Electron Spectrosc. Relat. Phenom.* **1**, 481 (1972/73).
- [3836] Foster, S., Felps, S., Cusachs, L. C., and McGlynn, S. P. Photoelectron spectra of osmium and ruthenium tetroxides, *J. Am. Chem. Soc.* **95**, 5521 (1973).
- [3837] Frost, D. C., Herring, F. G., Katrib, A., and McDowell, C. A. The photoelectron spectrum of ethylene sulphide, *Chem. Phys. Letters* **20**, 401 (1973).
- [3838] Diemann, E., and Müller, A. The He(I) photoelectron spectra of  $\text{OsO}_4$  and  $\text{RuO}_4$ , *Chem. Phys. Letters* **19**, 538 (1973).
- [3839] Delwiche, J., Natalis, P., Momigny, J., and Collin, J. E. On the photoelectron spectra of  $\text{HBr}$  and  $\text{DBr}$ , *J. Electron Spectrosc. Relat. Phenom.* **1**, 219 (1972/73).
- [3840] Frost, D. C., Lee, S. T., and McDowell, C. A. The photoelectron spectrum of HCP and comments on the first photoelectron band of HCN, *Chem. Phys. Letters* **23**, 472 (1973).
- [3841] Frost, D. C., Lee, S. T., and McDowell, C. A. The He I photoelectron spectrum of  $\text{S}_2\text{O}$ , *Chem. Phys. Letters* **22**, 243 (1973).
- [3842] Bünzli, J. C., Frost, D. C., and Weiler, L. Photoelectron spectrum of 7-thiabicyclo[2.2.1]heptane, *J. Am. Chem. Soc.* **95**, 7880 (1973).
- [3843] Bain, A. D., Bünzli, J. C., Frost, D. C., and Weiler, L. Photoelectron spectra of cyclic ethers, *J. Am. Chem. Soc.* **95**, 291 (1973).
- [3844] Bock, H., Mollère, P., Becker, G., and Fritz, G. Photoelectron spectra and molecular properties. XX. Dimethyl ether, methoxysilane, and disiloxane, *J. Organometal. Chem.* **61**, 113 (1973).
- [3845] Cooks, R. G., Bertrand, M., Beynon, J. H., Rennekamp, M. E., and Setser, D. W. Energy partitioning data as an ion structure probe. Substituted anisoles, *J. Am. Chem. Soc.* **95**, 1732 (1973).
- [3846] Boschi, R., and Schmidt, W. The photoelectron spectrum and structure of sulfur in the gas phase at  $140^\circ\text{C}$ , *Inorg. Nucl. Chem. Lett.* **9**, 643 (1973).
- [3847] Beez, M., Bieri, G., Bock, H., and Heilbronner, E. The ionization potentials of butadiene, hexatriene, and their methyl derivatives: evidence for through space interaction between double bond  $\pi$ -orbitals and non-bonded pseudo- $\pi$  orbitals of methyl groups?, *Helv. Chim. Acta* **56**, 1028 (1973).
- [3848] Houk, K. N., Davis, L. P., Newkome, G. R., Duke, Jr., R. E., and Nauman, R. V. Photoelectron spectroscopy of cyclic  $\beta$ -diketones and their enolone tautomers, *J. Am. Chem. Soc.* **95**, 8364 (1973).
- [3849] Heilbronner, E., Gleiter, R., Hoshi, T., and Meijere, A. The interaction of Walsh-orbitals in diademane and related hydrocarbons, *Helv. Chim. Acta* **56**, 1594 (1973).
- [3850] Schweig, A., Weidner, U., and Manuel, G. Theory and application of photoelectron spectroscopy. XVI. Photoelectron spectroscopy and molecular conformations: Ge-C and Sn-C hyperconjugation and the conformation of allylgermanes and -stannanes, *J. Organometal. Chem.* **54**, 145 (1973).
- [3851] Miller, L. L., Koch, V. R., Koenig, T., Tuttle, M. Photoelectron spectroscopy and the anodic fragmentation of adamantane derivatives, *J. Am. Chem. Soc.* **95**, 5075 (1973).
- [3852] Johnstone, R. A. W., and Mellon, F. A. Photoelectron spectroscopy of sulphur-containing heteroaromatics and molecular orbital calculations, *J. Chem. Soc. Faraday*



Trans. II **69**, 1155 (1973).

- [3853] Haselbach, E., and Eberbach, W. The photolysis of tricyclo[4.2.1.0<sup>2,5</sup>] nonadiene: support of a Dougherty 'Type N' mechanism from photoelectron spectroscopic studies, *Helv. Chim. Acta* **56**, 1944 (1973).
- [3854] Maier, J. P., and Turner, D. W. Steric inhibition of resonance studied by molecular photoelectron spectroscopy. Part 2. Phenylethylenes, *J. Chem. Soc. Faraday Trans. II* **69**, 196 (1973).
- [3855] Schmidt, W., Wilkins, B. T., Fritz, G., and Huber, R. Energy level trends in 1,3,5,7-tetrasilaadamantanes ("carborundanes") and related molecules from photoelectron spectroscopy, *J. Organometal. Chem.* **59**, 109 (1973).
- [3856] Khalil, O. S., Meeks, J. L., and McGlynn, S. P. Electronic spectroscopy of highly polar aromatics. VII. Photoelectron spectra of nitroanilines, *J. Am. Chem. Soc.* **95**, 5876 (1973).
- [3857] Koch, E. E., Otto, A., and Radler, K. The absorption spectrum of the anthracene molecule in the vacuum ultraviolet, *Chem. Phys. Letters* **21**, 501 (1973).
- [3858] Schäfer, W., Schweig, A., Gronowitz, S., Taticchi, A., and Fringuelli, Reversal in the sequence of two highest occupied molecular orbitals in the series thiophen, selenophen, and tellurophen, *J. Chem. Soc. Chem. Commun.*, 541 (1973).
- [3859] Schmidt, H., Schweig, A., and Manuel, G. Preliminary communication. Theory and application of photoelectron spectroscopy. XXX. Hg-C hyperconjugation, *J. Organometal. Chem.* **55**, C1 (1973).
- [3860] Haselbach, E., Lanyiova, Z., and Rossi, M. On the correlation between ionization potentials and excitation energies, part III: pyrazine, *Helv. Chim. Acta* **56**, 2889 (1973).
- [3861] Schweig, A., and Thiel, W. Photoionization cross sections: He I and He II photoelectron spectra of saturated three-membered rings, *Chem. Phys. Letters* **21**, 541 (1973).
- [3862] Osafune, K., Katsumata, S., and Kimura, K. Photoelectron spectroscopic study of hydrazine, *Chem. Phys. Letters* **19**, 369 (1973).
- [3863] Mines, G. W., and Thompson, H. W. Photoelectron spectra of vinyl and allyl halides, *Spectrochim. Acta* **29A**, 1377 (1973).
- [3864] Katrib, A., and Rabalais, J. W. Electronic interaction between the vinyl group and its substituents, *J. Phys. Chem.* **77**, 2358 (1973).
- [3865] Lloyd, D. R., Roberts, P. J. The assignment of the photoelectron spectrum of sulphur dioxide, *Mol. Phys.* **26**, 225 (1973).
- [3866] Lichtenberger, D. L., Sarapu, A. C., and Fenske, R. F. Photoelectron spectra and electronic structure of pentacarbonylmanganese halides, *Inorg. Chem.* **12**, 702 (1973).
- [3867] Mollère, P., Bock, H., Becker, G., Fritz, G. Photoelectron spectra and molecular properties. XXI. Dimethyl sulfide, methyl silyl sulfide, and disilyl sulfide, *J. Organometal. Chem.* **61**, 127 (1973).
- [3868] McLean, R. A. N. The bonding of a silicon atom with a phenyl ring: the photoelectron spectrum of phenylsilane, *Can. J. Chem.* **51**, 2089 (1973).
- [3869] Jones, R. W., Koski, W. S. Photoelectron spectrum of pentaborane, *J. Chem. Phys.* **59**, 1228 (1973).
- [3870] Higginson, B. R., Lloyd, D. R., and Roberts, P. J. Variable temperature photoelectron spectroscopy. The adiabatic ionization potential of the iodine molecule, *Chem. Phys. Letters* **19**, 480 (1973).
- [3871] Fehlner, T. P., and Turner, D. W. Photoelectron spectrum of HBS, *J. Am. Chem. Soc.* **95**, 7175 (1973).
- [3872] Goodman, D. W., Dewar, M. J. R., Schweiger, J. R., and Cowley, A. H. The photoelectron spectrum of phosphorus pentafluoride, *Chem. Phys. Letters* **21**, 474 (1973).
- [3873] Streets, D. G., and Ceasar, G. P. Inductive and mesomeric effects on the  $\pi$  orbitals of halobenzenes, *Mol. Phys.* **26**, 1037 (1973).
- [3874] Watanabe, I., Yokoyama, Y., and Ikeda, S. Lone pair ionization potentials of carboxylic acids determined by He(I) photoelectron spectroscopy, *Bull. Chem. Soc. Japan* **46**, 1959 (1973).
- [3875] Sugar, J. Ionization energies of the neutral actinides, *J. Chem. Phys.* **59**, 788 (1973).
- [3876] Evans, K., Scheps, R., Rice, S. A., and Heller, D. Primary photochemical and photophysical processes in chloro- and bromo-acetylene, *J. Chem. Soc. Faraday Trans. II* **69**, 856 (1973).
- [3877] Aihara, J., and Inokuchi, H. Ionization potentials of anthracene, *Chem. Letters*, 421 (1973).
- [3878] Collins, R. J., Husain, D., and Donovan, R. J. Kinetic and spectroscopic studies of  $O_3(^1\Delta_g)$  by time-resolved absorption spectroscopy in the vacuum ultra-violet, *J. Chem. Soc. Faraday Trans. II* **69**, 145 (1973).
- [3879] Chadwick, D., Frost, D. C., Herring, F. G., Katrib, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of sulfur and thionyl halides, *Can. J. Chem.* **51**, 1893 (1973).
- [3880] Jonas, A. E., Schweitzer, G. K., Grimm, F. A., and Carlson, T. A. The photoelectron spectra of the tetrafluoro and tetramethyl compounds of the group IV elements, *J. Electron Spectrosc. Relat. Phenom.* **1**, 29 (1972/73).
- [3881] Chaghtai, M. S. Z., and Hassan, V. The ionization potential and the  $4s4p^6nl$  levels of  $^{86}Kr$  I, *J. Phys. B* **6**, 433 (1973).
- [3882] Basco, N., and Morse, R. D. Analysis of the Rydberg transitions in ethylene sulphide, *Chem. Phys. Letters* **20**, 404 (1973).
- [3883] Watanabe, I., Yokoyama, Y., and Ikeda, S. Vibrational structures in the photoelectron spectrum of formic acid, *Chem. Phys. Letters* **19**, 406 (1973).
- [3884] Zverev, V. V., Vovna, V. I., El'man, M. S., Kitaev, Yu. P., and Vilesov, F. I. Photoelectron spectra and structure of hydrazones, *Dokl. Akad. Nauk SSSR* **213**, 1319 (1973) [Engl. Transl.: *Dokl. Phys. Chem.* **213**, 945 (1973)].
- [3885] Gompper, R., Holsboer, F., Schmidt, W., and Seybold, G. Rapid double bond shift in a donor acceptor substituted cyclobutadiene. Evidence from 584-Å and X-ray photoelectron spectroscopy, *J. Am. Chem. Soc.* **95**, 8479 (1973).
- [3886] Worley, S. D., Mateescu, G. D., McFarland, C. W., Fort, R. C., Jr., and Sheley, C. F. Photoelectron spectra and MINDO-SCF-MO calculations for adamantane and some of its derivatives, *J. Am. Chem. Soc.* **95**, 7580 (1973).
- [3887] Nelsen, S. F., Buschek, J. M., and Hintz, P. J. Photoelectron spectra of hydrazines. II. Conformations of hexahydropyridazines, *J. Am. Chem. Soc.* **95**, 2013 (1973).
- [3888] Haselbach, E., Mannschreck, A., and Seitz, W. 'Lone pair' electronic structure, conformation and oxidation behaviour of diaziridines, *Helv. Chim. Acta* **56**, 1614 (1973).
- [3889] Nelsen, S. F., and Buschek, J. M. Photoelectron spectra of hydrazines. I. Dependence of the lone pair-lone pair splitting on dihedral angle for tetraalkylhydrazines, *J. Am. Chem. Soc.* **95**, 2011 (1973).
- [3890] Maier, J. P., and Turner, D. W. Steric inhibition of resonance studied by molecular photoelectron spectroscopy, *J. Chem. Soc. Faraday Trans. II* **69**, 521 (1973).
- [3891] Gronneberg, T., and Undheim, K. Mass spectrometry of onium compounds - XV. ionization potentials of amino pyridines, *Tetrahedron Letters*, 3193 (1973).
- [3892] Sustmann, R., and Schubert, R. Photoelektronenspektroskopische Bestimmung von Substituenten-Effekten. I. Substituierte butadiene,

- Tetrahedron Letters **27**, 2739 (1972).
- [3906] Appell, J., and Durup, J. The formation of protons by impact of low energy electrons on water molecules, *Intern. J. Mass Spectrom. Ion Phys.* **10**, 247 (1972/73).
- [3907] Mateescu, G. D., and Workey, S. D. Electron spectroscopy. II. Photoelectron spectra of adamantane and 1-bromoadamantane, *Tetrahedron Letters* **52**, 5285 (1972).
- [3908] Weidner, U., Schweig, A. Nature of the "silicon  $\beta$ -effect" in allyltrimethylsilane, *Angew. Chem. Intern. Ed.* **11**, 146 (1972).
- [3909] Hildenbrand, D. L. Thermochemistry of the molecular species  $\text{LiO}$ ,  $\text{LiO}^+$ , and  $\text{Li}_2\text{O}^+$ , *J. Chem. Phys.* **57**, 4556 (1972).
- [3910] Klebe, K. J., Houde, J. J. v., and Thuijl, J. v. Loss of HCN and H from the molecular ion of imidazole, *Org. Mass Spectrom* **6**, 1363 (1972).
- [3911] Rabalais, J. W., Werme, L. O., Bergmark, T., Karlsson, L., and Siegbahn, K., The high resolution electron spectra of thiophene, 2-bromothiophene and 3-bromothiophene, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 185 (1972).
- [3913] Berkowitz, J. Photoelectron spectroscopy of high-temperature vapors. I.  $\text{TiCl}$ ,  $\text{TiBr}$ , and  $\text{TiH}$ , *J. Chem. Phys.* **56**, 2766 (1972).
- [3914] Doucet, J., Sauvageau, P., and Sandorfy, C. Vacuum ultraviolet and photoelectron spectra of fluoro-chloro derivatives of methane, *J. Chem. Phys.* **58**, 3708 (1973).
- [3915] Van Der Helm, D., Christian, S. D., and Lin, L.-N. Charge transfer complexes of purines and pyrimidines. 9-Cyclohexyladenine-iodine in organic solvents and in the solid state, *J. Am. Chem. Soc.* **95**, 2410 (1973).
- [3916] McLafferty, F. W., Bente, P. F., III., Kornfeld, R., Tsai, S.-C., and Howe, I. Collisional activation spectra of organic ions, *J. Am. Chem. Soc.* **95**, 2120 (1973).
- [3918] Fedorova, M. S., Denisov, Yu. V., and Potapov, V. K. Mass-spectrometric study of the photoionisation processes of tricyclo[5.2.1.0<sup>2,6</sup>] decane and its alkyl derivatives, *Zh. Fiz. Khim.* **47**, 2667 (1973) [Engl. transl.: *Russ. J. Phys. Chem.* **47**, 1498 (1973)].
- [3919] Stockbauer, R. Threshold electron-photoion coincidence mass spectrometric study of  $\text{CH}_4$ ,  $\text{CD}_4$ ,  $\text{C}_2\text{H}_6$ , and  $\text{C}_2\text{D}_6$ , *J. Chem. Phys.* **58**, 3800 (1973).
- [3920] Berkowitz, J., Dehmer, P. M., and Chupka, W. A. Photoionization mass spectrometry of  $\text{F}_2\text{O}$ , *J. Chem. Phys.* **59**, 925 (1973).
- [3921] Dibeler, V. H., and Walker, J. A. Photoionization of acetylene near threshold, *Intern. J. Mass Spectrom. Ion Phys.* **11**, 49 (1973).
- [3922] Pitt, C. G. Hyperconjugation and its role in group IV chemistry, *J. Organometal. Chem.* **61**, 49 (1973).
- [3923] Minnhagen, L. Spectrum and the energy levels of neutral argon, *Ar I*, *J. Opt. Soc. Am.* **63**, 1185 (1973).
- [3924] Reader, J., and Epstein, G. Zeeman effect and revised analysis of singly ionized rubidium ( $\text{Rb II}$ ), *J. Opt. Soc. Am.* **63**, 1153 (1973).
- [3925] McCulloh, K. E. Photoionization of carbon dioxide, *J. Chem. Phys.* **59**, 4250 (1973).
- [3927] Killgoar, P. C., Jr., Leroi, G. E., Chupka, W. A., and Berkowitz, J. Photoionization study of  $\text{NO}_2$ . I. The ionization potential, *J. Chem. Phys.* **59**, 1370 (1973).
- [3928] Berkowitz, J., and Wahl, A. C. The dissociation energy of fluorine, *Advan. Fluorine Chem.* **7**, 147 (1973).
- [3929] Okabe, H., and Dibeler, V. H. Photon impact studies of  $\text{C}_2\text{HCN}$  and  $\text{CH}_3\text{CN}$  in the vacuum ultraviolet; heats of formation of  $\text{C}_2\text{H}$  and  $\text{CH}_3\text{CN}$ , *J. Chem. Phys.* **59**, 2430 (1973).
- [3930] Reinke, D., Kraessig, R., and Baumgärtel, H. Photoreactions of small organic molecules, *Z. Naturforsch.* **28a**, 1021 (1973).
- [3931] Dibeler, V. H., Walker, J. A., and McCulloh, K. E. Observations on hot bands in the molecular and dissociative photoionization of acetylene and the heat of formation of the ethynyl ion, *J. Chem. Phys.* **59**, 2264 (1973).
- [3932] Berkowitz, J., Appelman, E. H., and Chupka, W. A. Photoionization of HOF with mass analysis, *J. Chem. Phys.* **58**, 1950 (1973).
- [3933] Hoffmann, R. W., Schüttler, R., Schäfer, W., and Schweig, A. Methylen-norbornadien, ein Bicycloheptafulven, *Angew. Chem.* **84**, 533 (1972).
- [3934] Oehling, H., Schäfer, W., and Schweig, A. Sequence of highest occupied molecular orbitals in the phosphorin system, *Angew. Chem. Intern. Ed.* **10**, 656 (1971).
- [3935] Lloyd, D. R. Calibration of a  $\text{He(I)}$  photoelectron spectrometer, *J. Phys. E* **3**, 629 (1972).
- [3936] Cowan, D. O., Gleiter, R., Hashmall, J. A., Heilbronner, E., and Hornung, V. Interaction between the orbitals of lone pair electrons in dicarbonyl compounds, *Angew. Chem. Intern. Ed.* **10**, 401 (1971).
- [3937] Sustmann, R., and Trill, H. Photoelektronenspektroskopische Bestimmung von Substituenten-Effekten. II.  $\alpha,\beta$ -ungesättigte Carbonester, *Tetrahedron Letters* **42**, 4271 (1972).
- [3938] Rabalais, J. W., and Colton, R. J. Electronic interaction between the phenyl group and its unsaturated substituents, *J. Electron Spectrosc. Relat. Phenom.* **1**, 83 (1972/73).
- [3939] Tamás, J., Czira, G., Maltsev, A. K., and Nefedov, O. M. Electron impact studies on some organochlorogermanes: mass spectra and bond dissociation energies, *J. Organometal. Chem.* **40**, 311 (1972).
- [3940] Weidner, U., and Schweig, A. Theory and application of photoelectron spectroscopy. V. The nature of bonding in vinyl- and allylsilanes: the effects of  $\sigma-\pi$  (hyperconjugation) and  $p_\pi-d_\pi$  conjugation in these compounds, *J. Organometal. Chem.* **39**, 261 (1972).
- [3941] Robin, M. B., and Kuebler, N. A. Excited electronic states of the simple alcohols, *J. Electron Spectrosc. Relat. Phenom.* **1**, 13 (1972/73).
- [3942] Golob, L., Jonathan, N., Morris, A., Okuda, M., and Ross, K. J. The first ionization potential of the methyl radical as determined by photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **1**, 506 (1972/73).
- [3943] Brundle, C. R., and Jones, G. R. The high resolution photoelectron spectra and the electronic structure of  $\text{XeOF}_4$ , *J. Electron Spectrosc. Relat. Phenom.* **1**, 403 (1972/73).
- [3945] Dông, P., and Bizot, M. Dissociation uni- et bi-moléculaire des ions  $\text{NO}^+$ , *Intern. J. Mass Spectrom. Ion Phys.* **10**, 227 (1972/73).
- [3946] Pitt, C. G., and Bock, H.  $\sigma-\pi$  Mixing in phenylpentamethyldisilane, *J. Chem. Soc. Chem. Commun.*, 28 (1972).
- [3947] Piacente, V., and Malaspina, L. Dissociation energy of the  $\text{TiAs}$  molecule, *J. Chem. Phys.* **56**, 1780 (1972).
- [3948] Boekelheide, V., Murrell, J. N., and Schmidt, W., The photoelectron spectrum of *trans*-15,16-dimethyl-dihydropyrene, *Tetrahedron Letters* **7**, 575 (1972).
- [3949] De Maria, G., Malaspina, L., and Piacente, V. Dissociation energy of the gaseous  $\text{TiBi}$  molecule, *J. Chem. Phys.* **56**, 1978 (1972).
- [3950] Mollère, P., Bock, H., Becker, G., and Fritz, G. Photoelectron spectra and molecular properties. XV. The effects of  $\alpha$ - and  $\beta$ -silyl substituents on  $\pi$ -systems, *J. Organometal. Chem.* **46**, 89 (1972).
- [3951] Boschi, R., and Schmidt, W. Photoelectron spectra of polycyclic aromatic hydrocarbons. Pyrene and coronene, *Tetrahedron Letters* **25**, 2577 (1972).
- [3952] Saalfeld, F. E., DeCorpo, J. J., and McDowell, M. V. The mass spectra of some metal carbonyl complexes of tris(dimethylamino)phosphine, *J. Organometal. Chem.* **44**,



- [3953] Boschi, R., Schmidt, W., and Gfeller, J.-C. The electronic structure of 1,6-methano-cyclodecapentaene, *Tetrahedron Letters*, 4107 (1972).
- [3954] Schaaf, D. W., and Gregory, N. W. Mass spectrometric study of the vaporization of cuprous bromide, *J. Phys. Chem.* **76**, 3271 (1972).
- [3955] Debies, T. P., and Rabalais, J. W. Photoelectron spectra of substituted benzenes. II. Seven valence electron substituents, *J. Electron Spectrosc. Relat. Phenom.* **1**, 355 (1972/73).
- [3956] Cabaud, B., Hoareau, A., Nounou, P., and Uzan, R. High temperature mass spectrometric study of polyatomic antimony species by electron impact. Direct evidence for the existence of  $Sb_4$  molecules, *Intern. J. Mass Spectrom. Ion Phys.* **11**, 157 (1973).
- [3957] Masclet, P., Grosjean, D., and Mouvier, G. Alkene ionization potentials. Part I. Quantitative determination of alkyl group structural effects, *J. Electron Spectrosc. Relat. Phenom.* **2**, 225 (1973).
- [3958] Berkowitz, J., Dehmer, J. L., and Walker, T. E. H. PES of hightemperature vapors. IV. The cesium halides. Effect of spin-orbit interaction on the photoelectron and mass spectra of the alkali halides, *J. Chem. Phys.* **59**, 3645 (1973).
- [3959] Van Den Ham, D. M. W., and Van Der Meer, D. Photoelectron spectra of some fluorine substituted diazanaphthalenes, *J. Electron Spectrosc. Relat. Phenom.* **2**, 247 (1973).
- [3960] Berkowitz, J., Dehmer, J. L., Shimada, K., and Szwarc, M. Photoelectron spectroscopic studies of  $(\alpha\text{-naphthyl})\text{-(CH}_3)_2\text{-(}\alpha\text{-naphthyl)}$  vapor: open chain or cyclic conformation?, *J. Elec. Spectrosc. Relat. Phenom.* **2**, 211 (1973).
- [3961] Kordis, J., and Gingerich, K. A. Mass spectroscopic investigation of the equilibrium dissociation of gaseous  $Sb_2$ ,  $Sb_3$ ,  $Sb_4$ ,  $SbP$ ,  $SbP_2$ , and  $P_2$ , *J. Chem. Phys.* **58**, 5141 (1973).
- [3962] Ackermann, R. J., and Rauh, E. G. High temperature properties of the thorium-oxygen system: a revision of the thermodynamic properties of  $ThO(g)$  and  $ThO_2(g)$ , *High Temp. Sci.* **5**, 463 (1973).
- [3963] Boggess, G. W., Allen, J. D., Jr., and Schweitzer, G. K. The photoelectron spectra of gaseous zinc(II) and cadmium(II) chlorides, bromides, and iodides, *J. Electron Spectrosc. Relat. Phenom.* **2**, 467 (1973).
- [3964] Kobayashi, T., Yokota, K., and Nagakura, S. Photoelectron spectra of styrenes, *J. Electron Spectrosc. Relat. Phenom.* **3**, 449 (1973).
- [3965] Frost, D. C., Lee, S. T., and McDowell, C. A. Photoelectron spectra of  $OCSe$ ,  $SCSe$ , and  $CSe_2$ , *J. Chem. Phys.* **59**, 5484 (1973).
- [3966] Gingerich, K. A., Cocke, D. L., Finkheiner, H. C., and Chang, C.-A. High temperature Knudsen cell mass spectrometric determination of the heats of atomization of  $AlAu_2$  and  $Al_2Au$ , *Chem. Phys. Letters* **18**, 102 (1973).
- [3967] Morrison, J. D., and Traeger, J. C. Ionization and dissociation by electron impact. I.  $H_2O$  and  $H_2S$ , *Intern. J. Mass Spectrom. Ion Phys.* **11**, 77 (1973).
- [3968] Gingerich, K. A. Mass spectrometric evidence for the very high stability of gaseous  $ThIr$  and  $ThPt$  and method of calculating dissociation energies of diatomic intermetallic compounds with multiple bonds, *Chem. Phys. Letters* **23**, 270 (1973).
- [3969] Guido, M., Gigli, G. Mass spectrometric study of the  $CeSiC$  molecules, *J. Chem. Phys.* **59**, 3437 (1973).
- [3970] Scott, J. D., Causley, G. C., and Russell, B. R. Vacuum ultraviolet absorption spectra of dimethylsulfide, dimethylselenide, and dimethyltelluride, *J. Chem. Phys.* **59**, 6577 (1973).
- [3971] Dehmer, J. L., Berkowitz, J., and Cusachs, L. C. Photoelectron spectroscopy of high-temperature vapors. III. Monomer and dimer spectra of thallous fluoride, *J. Chem. Phys.* **58**, 5681 (1973).
- [3973] Benoit, F. Substituent effects in mass spectrometry. III. Substituent effects in the dissociation of the molecular ions of *para* and *meta* substituted benzoic acids, *Org. Mass Spectrom.* **7**, 295 (1973).
- [3974] Kaufman, V., and Sugar, J. One-electron spectrum of singly ionized ytterbium ( $Yb II$ ), *J. Opt. Soc. Am.* **63**, 1168 (1973).
- [3975] Gardner, J. L., and Samson, J. A. R. 304. Å photoelectron spectra of  $CO$ ,  $N_2$ ,  $O_2$  and  $CO_2$ , *J. Electron Spectrosc. Relat. Phenom.* **2**, 259 (1973).
- [3976] Work, D. E., and Eick, H. A. An investigation of the incongruent sublimation of some lanthanide (III) oxobromides, *High Temp. Sci.* **5**, 313 (1973).
- [3977] Fjeldstad, P. E., and Undheim, K. Mass spectrometry of onium compounds. XXX. Ionisation potential in structural assignment of some gaseous molecules, *Org. Mass Spectrom.* **7**, 639 (1973).
- [3978] Cocke, D. L., Gingerich, K. A., and Kordis, J. Determination of the high bond dissociation energy of the molecule  $LaRh$ , *High Temp. Sci.* **5**, 474 (1973).
- [3979] Higginson, B. R., Lloyd, D. R., Burroughs, P., Gibson, D. M., and Orchard, A. F. Photoelectron studies of metal carbonyls. Part 2. The valence region photoelectron spectra of the Group VIA hexacarbonyls, *J. Chem. Soc. Faraday Trans. II* 1659 (1973).
- [3980] Mollere, P. D. The photoelectron spectrum of oxetane: non-degenerate Walsh orbitals in a four-membered heterocycle, *Tetrahedron Letters*, 2791 (1973).
- [3981] Gleiter, R., Schmidt, E., Cowan, D. O., and Ferraris, J. P. The electronic structure of tetrathiofulvalene, *J. Electron Spectrosc. Relat. Phenom.* **2**, 207 (1973).
- [3982] Kroto, H. W., Suffolk, R. J., and Westwood, N. P. C. The photoelectron spectrum of thioborane, *HBS*, *Chem. Phys. Letters* **22**, 495 (1973).
- [3983] Katayama, D. H., Huffman, R. E., and O'Bryan, C. L. Absorption and photoionization cross sections for  $H_2O$  and  $D_2O$  in the vacuum ultraviolet, *J. Chem. Phys.* **59**, 4309 (1973).
- [3984] Yamazaki, T., Katsumata, S., and Kimura, K. Photoelectron spectra and orbital assignments by sum rule consideration: ethyl and *n*-propyl fluorides, *J. Electron Spectrosc. Relat. Phenom.* **2**, 335 (1973).
- [3985] Thompson, K. R. Mass spectrometric determination of the atomization energies of  $AlSiO(g)$  and  $Al_2O(g)$ , *High Temp. Sci.* **5**, 62 (1973).
- [3986] Piacente, V., Bardi, G., Malaspina, L., and Desideri, A. Dissociation energy of  $CeO_2$  and  $Ce_2O_2$  molecules, *J. Chem. Phys.* **59**, 31 (1973).
- [3987] Leavell, S., Steichen, J., and Franklin, J. L. Photoelectron spectra of intramolecularly hydrogen bonded compounds, *J. Chem. Phys.* **59**, 4343 (1973).
- [3988] Cowling, S. A., and Johnstone, R. A. W. Photoelectron spectroscopy: the effects of steric inhibition to resonance in anilines, *J. Electron Spectrosc. Relat. Phenom.* **2**, 161 (1973).
- [3989] Santoro, E. The fragmentation of some alkyl thiophosphate esters by electron-impact, *Org. Mass Spectrom.* **7**, 589 (1973).
- [3990] Boschi, R., Schmidt, W., Suffolk, R. J., Wilkins, B. T., Lempka, H. J., and Ridyard, J. N. A. Complete valence shell electronic structure of adamantane from He I and He II photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **2**, 377 (1973).
- [3991] Goldstein, M. J., Natowsky, S., Heilbronner, E., and Hornung, V. Near cancellation of through space and through bond interaction in bicyclo[3.2.2]nona-6,8-diene, *Helv. Chim.*

- Acta **56**, 294 (1973).
- [3992] Schmidt, H., and Schweig, A. C-Hal Hyperkonjugation, *Tetrahedron Letters*, 981 (1973).
- [3993] Müller, C., and Schweig, A. Konjugation in Sulfonen, *Tetrahedron* **29**, 3973 (1973).
- [3994] Schweig, A., Weidner, U., Berger, J. G., and Grahn, W. Spirokonjugation, *Tetrahedron Letters*, 557 (1973).
- [3995] Schmidt, H., and Schweig, A. Ausschluss transanularer Wechselwirkung in 2,5-Dihydrothiophen, *Tetrahedron Letters*, 1437 (1973).
- [3996] Mathar, W., Bohlmann, F., and Schwarz, H. Massenspektrometrische Untersuchung von Amidin. V. Über den Einfluss der N-Donatorstärke auf die Aktivierungs-Energie der Methyl-Abspaltung aus Crotonsäureamidin, *Tetrahedron Letters*, 4583 (1973).
- [3997] Bruckmann, P., and Klessinger, M. Photoelektronenspektren organischer Verbindungen. III. Photoelektronenspektren acetylen-substituierter kleiner Ringe, *J. Electron Spectrosc. Relat. Phenom.* **2**, 341 (1973).
- [3998] Eland, J. H. D. Predissociation of  $N_2O^+$  and  $COS^+$  ions studied by photoelectronphotoion coincidence spectroscopy, *Intern. J. Mass Spectrom. Ion Phys.* **12**, 389 (1973).
- [3999] Batich, C., Bischof, P., and Heilbronner, E. The photoelectron spectra of cyclooctatetraene and its hydrogenated derivatives, *J. Electron Spectrosc. Relat. Phenom.* **1**, 333 (1972/73).
- [4000] Schmidt, W. Photoelectron spectra of diamondoid molecules, adamantane, silamantane and urotropine, *Tetrahedron* **29**, 2129 (1973).
- [4001] Drowart, J., Myers, C. E., Szwarc, R., Vander Auwera-Mahieu, A., and Uy, O. M. The dissociation energies of the molecules PS, PSe, and PTe, *High Temp. Sci.* **5**, 482 (1973).
- [4002] Bieri, G., Brogli, F., Heilbronner, E., and Kloster-Jensen, E. A photoelectron spectroscopic investigation of the electronic structure of trimethylsilylhaloacetylenes, *J. Electron Spectrosc. Relat. Phenom.* **1**, 67 (1972/73).
- [4003] Botter, R., Menes, F., Gounelle, Y., Pechine, J. M., and Solgadi, D. The ionization potentials of geometrical isomers: the *cis* and *trans* 2-substituted cyclopentyl and cyclohexyl bromides, *Intern. J. Mass Spectrom. Ion Phys.* **12**, 188 (1973).
- [4004] Bünzli, J. C., Frost, D. C., Weiler, L. The photoelectron spectrum of triquinacene, *Tetrahedron Letters*, 1159 (1973).
- [4005] Stearns, C. A., and Kohl, F. J. Mass spectrometric determination of the dissociation energies of gaseous  $Al_2$ ,  $AlSi$ , and  $AlSiO$ , *High Temp. Sci.* **5**, 113 (1973).
- [4006] Gleiter, R., Heilbronner, E., Paquette, L. A., Thompson, G. L., and Wingard, R. E., Jr. Photoelectron spectra of polyunsaturated [4,4,2]propellanes, *Tetrahedron* **29**, 565 (1973).
- [4008] Ceasar, G. P., Green, J., Paquette, L. A., and Wingard, R. E., Jr. Orbital interaction in 2a,8b-dihydrocyclopent[cd]azulene, *Tetrahedron Letters*, 1721 (1973).
- [4009] Cradock, S., Findlay, R. H., and Palmer, M. H. The molecular energy levels of the azoles: a study by photoelectron spectroscopy and ab initio molecular orbital calculations, *Tetrahedron* **29**, 2173 (1973).
- [4010] Bünzli, J. C., Burak, A. J., and Frost, D. C. Through-space interaction in non-conjugated acyclic dienes studied by photoelectron spectroscopy, *Tetrahedron* **29**, 3735 (1973).
- [4011] Tondello, G. Absorption spectrum of Cu I in the vacuum ultraviolet, *J. Opt. Soc. Am.* **63**, 346 (1973).
- [4012] Kordis, J., and Gingerich, K. A. Dissociation energies and heats of formation of the gaseous  $Eu_2$  and  $EuAg$  molecules, *J. Phys. Chem.* **77**, 700 (1973).
- [4013] Rabeneck, H., Rinke, K., and Schäfer, H.  $ReO_3$ , Jg Bildung, Massenspektrum, Ionisierungsenergie und Bildungsenthalpie, *Z. Anorg. Allg. Chem.* **397**, 112 (1973).
- [4014] Stearns, C. A., and Kohl, F. J. Mass spectrometric determination of the dissociation energies of  $AlCl_2$ ,  $Al_2C_2$ , and  $AlAuC_2$ , *J. Phys. Chem.* **77**, 136 (1973).
- [4015] Müller, J., and Goll, W. Ion-Molekül-Reaktionen von (Cyclopentadienyl)-nitrosynickel mit  $\sigma$ - und  $\pi$ -Donatoren in der Gasphase, *Chem. Ber.* **106**, 1129 (1973).
- [4016] Skinner, H. B., and Searcy, A. W. Mass spectrometric studies of gaseous oxides of rhenium, *J. Phys. Chem.* **77**, 1573 (1973).
- [4017] Clark, P. A., Gleiter, R., and Heilbronner, E. Photoelectron spectra of planar sulfur heterocycles, *Tetrahedron* **29**, 3085 (1973).
- [4018] Fortin, C. J., and Rousseau, Y. Spectrométrie de masse des cyclohexanones *gem*-diphénylées. II. Chaleurs de formation et structures possibles des principaux ions fragmentaires, *Can. J. Chem.* **51**, 3457 (1973).
- [4019] Brogli, F., Crandall, J. K., Heilbronner, E., Kloster-Jensen, E., and Sojka, S. A. The photoelectron spectra of methyl-substituted allenes and of tetramethyl-bisallenyl, *J. Electron Spectrosc. Relat. Phenom.* **2**, 455 (1973).
- [4020] Tanaka, K., and Tanaka, I. Photoelectron spectra from some autoionizing states of  $O_2$  near the ionization threshold, *J. Chem. Phys.* **59**, 5042 (1973).
- [4021] Nixon, J. F. Photoelectron spectra and bonding in metal-trifluorophosphine complexes, *J. Chem. Soc. Dalton Trans.* **21**, 2226 (1973).
- [4022] Katrib, A., Debies, T. P., Colton, R. J., Lee, T. H., and Rabalais, J. W. The use of differential photoionization cross sections as a function of excitation energy in assigning photoelectron spectra, *Chem. Phys. Letters* **22**, 196 (1973).
- [4023] Berkosky, J. L., Ellison, F. O., Lee, T. H., and Rabalais, J. W. Model for calculating spin-orbit interactions with applications to photoelectron spectroscopy, *J. Chem. Phys.* **59**, 5342 (1973).
- [4024] Kroner, J., Strack, W., Holsboer, F., and Kosbahn, W. Zur Elektronenstruktur der Thiokumulene, *Z. Naturforsch.* **28b**, 188 (1973).
- [4025] Akopyan, M. E., Sergeev, Yu. L., and Vilesov, F. I. Photoionization in vapors of aliphatic sulfides. I. Methylmercaptan, dimethyl and diethyl sulfides, *Khim. Vys. Energ.* **4**, 305 (1970) [Engl. transl.: *High Energy Chem.* **4**, 265 (1970)].
- [4026] Cradock, S., Ebsworth, E. A. V., and Whiteford, R. A. Photoelectron spectra of some simple fluorosilanes, *J. Chem. Soc. Dalton Trans.* **22**, 2401 (1973).
- [4027] Venkateswarlu, P. The vacuum ultraviolet spectrum of ICl, *Can. J. Phys.* **53**, 812 (1975).
- [4028] Potapov, V. K., and Isakov, L. I. Electronic structure and photoionization of aromatic amines, *Khim. Vys. Energ.* **5**, 264 (1971) [Engl. transl.: *High Energy Chem.* **5**, 237 (1971)].
- [4029] Kobayashi, H., Kobayashi, M., and Kaizu, Y. Molecular complexes of arenetricarbonylchromium, *Bull. Chem. Soc. Japan* **46**, 3109 (1973).
- [4030] Antonova, N. L., Kusev, V. S. Mass-spectrometric investigation of the thermal dissociation of neodymium dicarbide, *Zh. Fiz. Khim.* **47**, 2446 (1973) [Engl. transl.: *Russ. J. Phys. Chem.* **47**, 1385 (1973)].
- [4031] Isakov, L. I., Potapov, V. K. Photoionization and decomposition of benzaldehyde, acetophenone, and benzophenone, *Khim. Vys. Energ.* **5**, 265 (1971) [Engl. transl.: *High Energy Chem.* **5**, 238 (1971)].
- [4032] Ogata, H., Onizuka, H., Nihei, Y., Kamada, H. The photoelectron spectra of alcohols, mercaptans and amines, *Bull. Chem. Soc. Japan* **46**, 3036 (1973).



- [4033] Hoshino, H., Tajima, S., and Tsuchiya, T. The effect of the temperature on the mass spectra of aliphatic primary alcohols and 1-alkenes. I. *Bull. Chem. Soc. Japan* **46**, 3043 (1973).
- [4034] Askani, R., Gleiter, R., Heilbronner, E., Hornung, V., and Musso, H. The orbital sequence in semibullvalene, barbaralene and dihydrobullvalene, *Tetrahedron Letters*, 4461 (1971).
- [4035] Pozharskii, A. F., Kashparov, I. S., Holls, P. J., and Zaletov, V. G. Heterocyclic pleiadene analogs. VI. Electronic properties of perimidine, *Khim. Geterotsikl. Soedin.* **4**, 543 (1971) [Engl. transl.: *Chem. Heterocycl. Compd.* **4**, 507 (1971)].
- [4036] Shen, K.-W., and Kuebler, N. A. Synthesis, reactions, and photoelectron spectrum of 8,11-dimethylenepentacyclo [5.4.0.0<sup>2,6</sup>.0<sup>3,10</sup>.0<sup>5,9</sup>] tridecane, *Tetrahedron Letters*, 2145 (1973).
- [4037] Bischof, P., Haselbach, E., and Heilbronner, E. Photoelectron spectrum of cyclobutane, *Angew. Chem. Intern. Ed.* **9**, 953 (1970).
- [4038] Heilbronner, E., and Muszkat, K. A. On the relative importance of through-space vs. through-bond interaction between the lone pairs in 1,4-diazabicyclo[2.2.2]octane, *J. Am. Chem. Soc.* **92**, 3818 (1970).
- [4039] Brogli, F., and Heilbronner, E. The photoelectron spectra of benzenoid hydrocarbons C<sub>10</sub>H<sub>12</sub>, *Angew. Chem. Intern. Ed.* **11**, 538 (1972).
- [4040] Brogli, F., Eberbach, W., Haselbach, E., Heilbronner, E., Hornung, V., and Lemal, D. M. 199. Die Photoelektronen-Spektren des Tricyclo[4.2.1.0<sup>2,5</sup>]nonadiens und seines 3,4-Diaza-Analogons. Ein Beitrag zur Kenntnis der Wechselwirkung zwischen den einsamen Elektronenpaaren der cis-konfigurierten Azogruppe, *Helv. Chim. Acta* **56**, 1933 (1973).
- [4041] Schwarz, H., Bohlmann, F., and Russ, B. Elektronenstossinduzierte Fragmentierung von Polymethylbenzaldehyden. II. Mechanismus der Methyl-Abspaltung aus dem Molekül-Ion von tri- und Pentamethylbenzaldehyden, *Org. Mass Spectrom.* **7**, 1001 (1973).
- [4043] Zverev, V. V., Vovna, V. I., Él'man, M. S., Kitaev, Yu. P., and Vilesov, F. I. Photoelectronic spectra and electronic and three-dimensional structures of acyclic azines, *Dokl. Akad. Nauk. SSSR* **213**, 1117 (1973) [Engl. transl.: *Dokl. Phys. Chem.* **213**, 1100 (1973)].
- [4044] Schwarz, H., and Bohlmann, F. Elektronenstossinduzierte Fragmentierung von Acetylenverbindungen. VI. Struktur und Bildungsenthalpie der Ionen [C<sub>11</sub>H<sub>9</sub>]<sup>+</sup> und [C<sub>9</sub>H<sub>7</sub>]<sup>+</sup>, *Org. Mass Spectrom.* **7**, 395 (1973).
- [4045] Gleiter, R., Heilbronner, E., Hekman, M., and Martin, H.-D.  $\pi$ -Orbital-Wechselwirkungen "through space" and "through bond" in tricyclo[4.2.0.0<sup>2,5</sup>]octadienen, *Chem. Ber.* **106**, 28 (1973).
- [4046] Schwarz, H., and Bohlmann, F. Massenspektrometrische Untersuchung von Amidin. I. Energetische Betrachtungen zur elektronenstossinduzierten Fragmentierung von Piperidin- und Piperidein- Amidin, *Org. Mass Spectrom.* **7**, 1197 (1973).
- [4047] Heilbronner, E., and Martin, H.-D. Über die Orbitalsequenz in aliphatischen Diazoverbindungen, *Chem. Ber.* **106**, 3376 (1973).
- [4048] Brogli, F., Heilbronner, E., Hornung, V., and Kloster-Jensen, E. 230. Die Photoelektronen-Spektren methyl-substituierter Acetylene, *Helv. Chim. Acta* **56**, 2171 (1973).
- [4049] Batich, C., Heilbronner, E., and Semmelhack, M. F. 225. Bemerkung zur Gleichheit der Aufspaltungen  $\Delta I$  (zwischen den ersten beiden  $\pi$ -Ionisationspotentialen) und  $\Delta E$  (zwischen den entsprechenden  $\pi^* \leftarrow \Pi$  Übergangsenergien) des Spiro[4.4] nonatetraens, *Helv. Chim. Acta* **56**, 2110 (1973).
- [4050] Schmidt, W., and Wilkins, B. T. Das "Equivalent Orbital" (EO)-Verfahren zur Interpretation von Photoelektronen(PE)-Spektren: Neopentan, *Angew. Chem.* **84**, 168 (1972).
- [4051] Schwarz, H., Bohlmann, F., and Vorlaender, W. Elektronenstossinduzierte Fragmentierung von Polymethylbenzaldehyden. III. Bildung und Zerfall des Formyltropylium-Ions aus Dimethylbenzaldehyd, *Org. Mass Spectrom.* **7**, 1005 (1973).
- [4052] Paulus, J.-M., and Abbé, J.-C. Potentiel d'apparition de I<sub>2</sub><sup>2+</sup> a partir de I<sub>2</sub>, *J. Chim. Phys.* **70**, 690 (1973).
- [4053] Schweig, A., Schäfer, W., and Dimroth, K. Unusual sequence of the two highest occupied  $\pi$ -molecular orbitals in the phosphorin system, *Angew. Chem. Intern. Ed.* **11**, 631 (1972).
- [4054] Uy, O. M., Srivastava, R. D., and Farber, M. Mass spectrometric determination of the heats of formation of gaseous BO<sub>2</sub> and BOF<sub>2</sub>, *High Temp. Sci.* **3**, 462 (1971).
- [4055] Rodionov, A. N., Potapov, V. K., and Rogozhin, K. L. Photoionization of certain aromatic heteroorganic compounds, *Khim. Vys. Energ.* **7**, 278 (1973) [Engl. transl.: *High Energy Chem.* **7**, 249 (1973)].
- [4056] Ikuta, S., Yoshihara, K., Shiokawa, T., Jinno, M., Yokoyama, Y., and Ikeda, S. Photoelectron spectroscopy of cyclohexane, cyclopentane, and some related compounds, *Chem. Letters*, 1237 (1973).
- [4057] Isakov, L. I., and Potapov, V. K. Photoionization and decomposition of benzaldehyde, acetophenone, and benzophenone, *Khim. Vys. Energ.* **5**, 265 (1971) [Engl. transl.: *High Energy Chem.* **5**, 238 (1971)].
- [4058] Potapov, V. K., and Bazhenov, B. A. The photoionization of pyrrole, furan, and thiophene, *Khim. Vys. Energ.* **4**, 553 (1970) [Engl. transl.: *High Energy Chem.* **4**, 505 (1970)].
- [4060] Camus, P., and Tomkins, F. S. Absorption-line series in Lu I, *J. Phys. (Paris)* **33**, 197 (1972).
- [4061] Ackermann, R. J., and Rauh, E. G. A high-temperature study of the stoichiometry, phase behavior, vaporization characteristics, and thermodynamic properties of the cerium + oxygen system, *J. Chem. Thermodyn.* **3**, 609 (1971).
- [4062] Schwarz, H., Praefcke, K., and Martens, J. Organische Schwefelverbindungen. III. Elektronenstossinduzierte Untersuchungen von Arylestern der Monothiond Dithiophthalsäure und der isomeren 3,3-substituierten Phthalide, *Tetrahedron* **29**, 2877 (1973).
- [4063] Brogli, F., Giovannini, E., Heilbronner, E., and Schurter, R. Die Photoelektronenspektren der Benzocycloalkene, *Chem. Ber.* **106**, 961 (1973).
- [4065] Kroner, J., Nölle, D., and Nöth, H. Photoelektronenspektroskopische Untersuchungen an Bor-Verbindungen. I. Orbitalreihenfolgen und Ladungsdichten in Methylthiond Methoxyborane, *Z. Naturforsch. Teil. B.* **28**, 416 (1973).
- [4066] Schäfer, W., Schweig, A., Märkl, G., and Heier, K.-H. Zur Elektronenstruktur der  $\lambda_2$ - und  $\lambda_3$ -Phosphanaphthalene- ungewöhnlich grosse MO Destabilisierungen, *Tetrahedron Letters* 3743 (1973).
- [4067] Stafast, H., Bock, H. Photoelectron spectra and molecular properties. XVII. Hyperconjugation in dicyano methane and 2,2-dicyano propane, *Z. Naturforsch.* **28b**, 746 (1973).
- [4068] Katsumata, S., Iwai, T., and Kimura, K. Photoelectron spectra and sum rule consideration. Higher alkyl amines and alcohols, *Bull. Chem. Soc. Japan* **46**, 3391 (1973).
- [4069] Parr, G. R., and Taylor, J. W. A photoionization mass spectrometer utilizing a high intensity molecular beam sampling system and synchrotron radiation, *Rev. Sci.*

- Instrum. **44**, 1578 (1973).
- [4070] Syrvatka, B. G., Gil'burd, M. M., Bel'ferman, A. L. Mass spectrometric study of chlorofluoro-substituted ethylenes, *Zh. Org. Khim.* **8**, 1553 (1972) [Engl. transl.: *J. Org. Chem. USSR* **8**, 1587 (1972)].
- [4071] Ivko, A. A. Use of mass spectroscopy and isotope labelling for determining the structure of ions and molecules, *Org. Katal.*, 20 (1970).
- [4072] Puttemans, J.-P., and Hanson, A. Etude énergétique du ferrocène et du cobaltocène par impact électronique. Enthalpie de formation du radical cyclopentadiényle, *Ing. Chim. (Brussels)* **53**, 17 (1971).
- [4073] Natalis, P. Contribution à la spectroscopie photoélectronique. Effets de l'autoionisation dans les spectres photoélectroniques de molécules diatomiques et triatomiques, *Acad. R. Belg. Mem. Cl. Sci. Collect. 8<sup>me</sup>-2<sup>me</sup> Ser. T 41(1)*, (1973).
- [4074] Fortin, C. J., Forest, M., Vaziri, C., Gravel, D., and Rousseau, Y. Spectrométrie de masse des cyclohexanones *gem*-diphénylées. I. Localisation de la charge positive, *Can. J. Chem.* **51**, 3445 (1973).
- [4075] Rosenstock, H. M., Larkins, J. T., and Walker, J. A. Interpretation of photoionization thresholds: quasiequilibrium theory and the fragmentation of benzene, *Intern. J. Mass Spectrom. Ion Phys.* **11**, 309 (1973).
- [4076] Kimura, K., Katsumata, S., Achiba, Y., Matsumoto, H., and Nagakura, S. Photoelectron spectra and orbital structures of higher alkyl chlorides, bromides, and iodides, *Bull. Chem. Soc. Japan* **46**, 373 (1973).
- [4077] Cundy, C. S., Lappert, M. F., Pedley, J. B., Schmidt, W., and Wilkins, B. T. Bonding studies of compounds of boron and the Group IV elements. XI. Photoelectron spectra of strained cyclic organosilicon compounds, *J. Organometal. Chem.* **51**, 99 (1973).
- [4078] Sergeev, Yu. L., Akopyan, M. E., Vilesov, F. I., and Chizhov, Yu. V. Photoionization processes in gaseous cyclohexane, and chloro- and bromocyclohexane, *Khim. Vys. Energ.* **7**, 418 (1973) [Engl. transl.: *High Energy Chem.* **7**, 369 (1973)].
- [4079] Potorakov, A. P., Pirnazarova, F. N., But, P. G., Piruzyan, L. A., Chibrikov, V. M., Vikhlyayev, Yu. I., and Ul'yanova, O. V. Ionization potentials of phenothiazine derivatives and their correlation with the pharmacological effect, *Izv. Akad. Nauk SSSR, Ser. Khim.* 2106 (1973) [Engl. transl.: *Bull. Acad. Sci. USSR, Div. Chem. Sci.* **22**, 2050 (1973)].
- [4080] Mines, G. W., Thomas, R. K., and Thompson, H. The photoelectron spectra of thiocarbonyl fluoride and thiocarbonyl chloride, *Proc. Roy. Soc. Lond. A* **333**, 171 (1973).
- [4081] Schweig, A., Weidner, U., Hellwinkel, D., and Krapp, W. Spiroconjugation, *Angew. Chem. Intern. Ed.* **12**, 310 (1973).
- [4082] Kobayashi, T., and Nagakura, S. Photoelectron spectra of tetrahydropyran, 1,3-dioxane, and 1,4-dioxane, *Bull. Chem. Soc. Japan* **46**, 1558 (1973).
- [4083] Schweig, A., Weidner, U., Hill, R. K., and Cullison, D. A. A quantitative account of spiroconjugation, *J. Am. Chem. Soc.* **95**, 5426 (1973).
- [4084] Robin, M. B., Taylor, G. N., Kuebler, N. A., and Bach, R. D. Planarity of the carbon skeleton in various alkylated olefins, *J. Org. Chem.* **38**, 1049 (1973).
- [4085] Rademacher, P. Photoelectron spectra and conformation of hydrazine derivatives, *Angew. Chem. Intern. Ed.* **12**, 408 (1973).
- [4086] Vovna, V. I., Lopatin, S. N., Pettsold, R., Vilesov, F. I., and Akopyan, M. E. Photoelectron spectra of thiophosphorylchloride and some of its aminosubstituted derivatives, *Opt. i Spektrosk.* **34**, 868 (1973) [Engl. transl.: *Opt. Spectry.* **34**, 501 (1973)].
- [4087] Ogata, H., Onizuka, H., Nihei, Y., and Kamada, H. On the first bands of the photoelectron spectra of amines, alcohols, and mercaptans, *Chem. Letters* 895 (1972).
- [4088] Boschi, R., and Schmidt, W. Transannular  $\pi$ - $\pi$  interaction in cyclophanes, *Angew. Chem. Intern. Ed.* **12**, 402 (1973).
- [4089] Johnstone, R. A. W., and Mellon, F. A. Effects of induction and resonance in the calculation of ionization potentials of substituted benzenes by perturbation molecular orbital theory, *J. Chem. Soc. Faraday Trans. II* **69**, 36 (1973).
- [4090] Schäfer, W., Schweig, A., Märkl, G., Hauptmann, H., and Mathey, F. Direct proof of the non-aromaticity of phospholes and arsoles, *Angew. Chem. Intern. Ed.* **12**, 145 (1973).
- [4091] Schmidt, H., and Schweig, A. Semiquantitative proof of hyperconjugation, *Angew. Chem. Intern. Ed.* **12**, 307 (1973).
- [4092] Bock, H., Solouki, B., Rosmus, P., and Steudel, R. Photoelectron spectra and molecular properties: SSO and OSO, *Angew. Chem. Intern. Ed.* **12**, 933 (1973).
- [4094] Reetz, M. T., Hoffmann, R. W., Schäfer, W., and Schweig, A. Methylenebicyclo [4.2.1]nona-2,4,7-triene, *Angew. Chem. Intern. Ed.* **12**, 81 (1973).
- [4095] Samson, J. A. R., and Gardner, J. L. Fluorescence excitation and photoelectron spectra of CO<sub>2</sub> induced by vacuum ultraviolet radiation between 185 and 716 angstroms, *J. Geophys. Res.* **78**, 3663 (1973).
- [4096] Bagarat'yan, N. V., Il'in, M. K., and Nikitin, O. T. Mass-spectrometric study of thallium metaborate, *Teplofiz. Vysokikh Temperatur* **11**, 995 (1973) [Engl. transl.: *High Temp. (USSR)* **11**, 888 (1973)].
- [4097] Benito, I., Seidl, H., and Bock, H. Efectos electronicos y estericos de sustituyentes alqulicos y silicicos sobre el sistema electronico  $\pi$  del estireno, *Rev. Fac. Cienc. Univ. Oviedo* **14**, 95 (1973).
- [4098] Smoes, S., and Drowart, J. Atomization energies of phosphorus oxides, *Faraday Symp. Chem. Soc.* 139 (1973).
- [4099] Tan, H.-S., and Lampe, F. W. The reaction of ethyl radicals with nitric oxide. Nitrosoethane and triethylhydroxylamine formation, *J. Phys. Chem.* **76**, 3303 (1972).
- [4100] Ames, L. L., Wang, J. L.-F., and Margrave, J. L. The vaporization of cesium nitrate, *Inorg. Nucl. Chem. Letters* **9**, 1243 (1973).
- [4102] Smoes, S., Depière, D., and Drowart, J. The atomization energies of the gaseous molecules, *Rev. Int. Hautes Temp. Refract.* **9**, 171 (1972).
- [4103] Wu, H. Y., and Wahlbeck, P. G. Vapor pressures of TiO(g) in equilibrium with Ti<sub>2</sub>O<sub>3</sub>(s) and Ti<sub>3</sub>O<sub>5</sub>(s,  $\beta$ ); dissociation energy of TiO(g), *J. Chem. Phys.* **56**, 4534 (1972).
- [4104] Schäfer, W., and Schweig, A. Evidence against the significance of C-S hyperconjugation in determining the conformation of allyl methyl sulphide, *J. Chem. Soc. Chem. Commun.*, 824 (1972).
- [4105] Guido, M., and Balducci, G. Dissociation energy of Yb<sub>2</sub>, *J. Chem. Phys.* **57**, 5611 (1972).
- [4106] Kobayashi, T., and Nagakura, S. Photoelectron spectra of anilines, *Chem. Letters*, 1013 (1972).
- [4107] Kobayashi, T., and Nagakura, S. Photoelectron spectra of nitro-compounds, *Chem. Letters*, 903 (1972).
- [4108] Semenov, G. A., Nikolaev, E. N., and Opendak, I. G. Mass-spectrometric investigation of the vaporisation of barium and magnesium per-rhenates, *Zh. Neorg. Khim.* **17**, 1819 (1972) [Engl. transl.: *Russ. J. Inorg. Chem.* **17**, 943 (1972)].
- [4110] Lichtenberger, D. I., and Fenski, R. F. Assignment of the photoelectron spectra of Mn(CO)<sub>5</sub>CH<sub>3</sub> and Mn(CO)<sub>5</sub>CF<sub>3</sub>, *Inorg. Chem.* **13**, 486 (1974).
- [4111] Piacente, V., and Balducci, G. The dissociation energy of the



- molecule GaSb, High Temp. Sci. **6**, 254 (1974).
- [4112] Kohl, F. J., and Stearns, C. A. Vaporization and dissociation energies of the molecular carbides of titanium, zirconium, hafnium, and thorium, High Temp. Sci. **6**, 284 (1974).
- [4113] Farber, M., and Srivastava, R. D. Dissociation energies of BeF and BeCl and the heat of formation of BeClF, J. Chem. Soc. Faraday Trans. I **70**, 1581 (1974).
- [4114] Rauh, E. G., and Ackermann, R. J. First ionization potentials of some refractory oxide vapors, J. Chem. Phys. **60**, 1396 (1974).
- [4115] Hoffman, M. K. Hidden rearrangements in the mass spectral decomposition of cycloheptatriene, Z. Naturforsch. **29a**, 1077 (1974).
- [4116] Gambino, O., Vaglio, G. A., Ferrari, R. P., and Valle, M. Ionization and appearance potentials of cobalt carbonyl complexes, J. Organometal. Chem. **76**, 89 (1974).
- [4117] Undheim, K., El-Gendy, M. A. F., and Hurum, T. Mass spectrometry of onium compounds. XXVI. Ionisation potentials in structure analysis of gaseous aminopyridine 1-oxides, Acta Chem. Scand., Ser. B **28**, 743 (1974).
- [4118] Maeda, K., Suzuki, I. H., and Koyama, Y. Ionization efficiency curves of ethylene by electron impact, Intern. J. Mass Spectrom. Ion Phys. **14**, 273 (1974).
- [4119] Neubert, A., and Zmbov, K. F. Mass spectrometric determination of the dissociation energy of the ThO molecule, High Temp. Sci. **6**, 303 (1974).
- [4120] Gingerich, K. A., Cocke, D. L., and Kordis, J. Gaseous phosphorus compounds. X. Mass spectrometric determination of the dissociation energies of arsenic and bismuth monophosphides, J. Phys. Chem. **78**, 603 (1974).
- [4121] Dube, G., and Chvalovsky, V. Electron impact fragmentation of silyl-substituted phenyldimethylsilanes, Coll. Czech. Chem. Commun. **39**, 2641 (1974).
- [4122] Hirayama, C., Castle, P. M., Liebermann, R. W., Zollweg, R. J., and Camp, F. E. Vapor pressure of samarium diiodide and mass spectra of vapors over samarium diiodide and thulium triiodide, Inorg. Chem. **13**, 2804 (1974).
- [4123] Hildenbrand, D. L., and Murad, E. Ionization potential of thorium, J. Chem. Phys. **61**, 5466 (1974).
- [4124] Beauchamp, J. L., Caserio, M. C., and McMahon, T. B. Ion-molecule reactions of *tert*-butyl alcohol by ion cyclotron resonance spectroscopy, J. Am. Chem. Soc. **96**, 6243 (1974).
- [4125] Dube, G., and Chvalovsky, V. Electron impact fragmentation of substituted phenyldimethylsilanes, Coll. Czech. Chem. Commun. **39**, 2621 (1974).
- [4126] MacLean, D. I., and Sacher, R. E. A study of some spectroscopic properties of Group IVA acetylides, J. Organometal. Chem. **74**, 197 (1974).
- [4127] Price, S. J. W., and Sapiiano, H. J. C<sub>6</sub>F<sub>5</sub>X bond dissociation energies: determination from appearance potential measurements and correlation with thermochemical data, Can. J. Chem. **52**, 4109 (1974).
- [4128] Wagner, L. C., and Grimley, R. T. A mass spectrometric study of the bismuth vapor system by the angular distribution technique, Chem. Phys. Letters **29**, 594 (1974).
- [4129] Crowe, A., and McConkey, J. W. Dissociative ionization by electron impact. III. O<sup>+</sup>, CO<sup>+</sup> and C<sup>+</sup> from CO<sub>2</sub>, J. Phys. B. **7**, 349 (1974).
- [4130] Gingerich, K. A. Thermodynamic evidence for quadruple bond formation in the molecule ThRu and possible maximum bond energy between ligand-free metal atoms, Chem. Phys. Letters **25**, 523 (1974).
- [4131] Bennett, S. L., Lin, S.-S., and Gilles, P. W. High-temperature vaporization of ternary systems. I. Mass spectrometry of oxygen-rich vanadium-tungsten-oxygen species, J. Phys. Chem. **78**, 266 (1974).
- [4132] Evans, S., Green, J. C., Jackson, S. E., and Higginson, B. He(I) photoelectron spectra of some transition-metal sandwich complexes, J. Chem. Soc. Dalton Trans., 304 (1974).
- [4133] Yoshikawa, K., Hashimoto, M., and Morishima, I. Photoelectron spectroscopic study of cyclic amines. The relation between ionization potentials, basicities, and character of the nitrogen lone pair electrons, J. Am. Chem. Soc. **96**, 288 (1974).
- [4134] Nelsen, S. F., and Buschek, J. M. Photoelectron spectra of hydrazines. V. Pyrazolidine and hexahydropyridazine derivatives, J. Am. Chem. Soc. **96**, 6987 (1974).
- [4135] Schmidt, H., Schweig, A., Trost, B. M., Neubold, H. B., and Scudder, P. H. Influence of geometry on cyclopropyl participation in the thermolysis of azo compounds. A photoelectron spectroscopic rationalization, J. Am. Chem. Soc. **96**, 622 (1974).
- [4136] Schmidt, H., Schweig, A., Anastassiou, A. G., and Yamamoto, H. Photoelectron spectroscopic evidence for bicycloconjugation in 9-azabicyclo[4,2,1]nona-2,4,7-triene, J. Chem. Soc. Chem. Commun., 218 (1974).
- [4137] Nelsen, S. F., and Buschek, J. M. Photoelectron spectra of hydrazines. III. Evidence for similar lone pair-lone pair dihedral angles for acyclic hydrazines, J. Am. Chem. Soc. **96**, 2392 (1974).
- [4138] Westwood, N. P. C. The photoelectron spectrum of silicon difluoride, Chem. Phys. Letters **25**, 558 (1974).
- [4139] Ramsey, B. G., Brock, A., Bassindale, A. R., and Bock, H.  $\sigma\pi^*$ , a reassignment of the long wavelength UV transition in acyl-silanes and -germanes by photoelectron spectroscopy, J. Organometal. Chem. **74**, C41 (1974).
- [4140] Bünzli, J. C., Frost, D. C., and Weiler, L. Photoelectron spectrum of tropone. Inductive effect of carbonyl group, J. Am. Chem. Soc. **96**, 1952 (1974).
- [4141] Nelsen, S. F., and Buschek, J. M. Photoelectron spectra of some cyclic di- and polyamines. Lone pair-lone pair interaction in 1,3- and 1,4-diamines, J. Am. Chem. Soc. **96**, 7930 (1974).
- [4142] Martin, H.-D., Heller, C., Haselbach, E., and Lanyjova, Z. Quadricyclanes. Part I: photoelectron spectra and electronic structure, Helv. Chim. Acta **57**, 465 (1974).
- [4143] Maier, J. P. Photoelectron spectroscopy of *peri*-amino naphthalenes, Helv. Chim. Acta **57**, 994 (1974).
- [4144] Raymond, J. W., Edwards, L. O., and Russell, B. R. Vacuum ultraviolet absorption spectra of some chloroalkanes, J. Am. Chem. Soc. **96**, 1708 (1974).
- [4145] Pignataro, S., and Distefano, G.  $n-\sigma$  mixing in pentatomic heterocyclic compounds of sixth group by photoelectron spectroscopy, Chem. Phys. Letters **26**, 356 (1974).
- [4146] Nicholson, D. G., and Rademacher, P. Photoelectron spectra and electronic structures of antimony(III) halides, Acta Chem. Scand. Ser. A **28**, 1136 (1974).
- [4147] Liu, M. B., and Wahlbeck, P. G. Knudsen effusion and mass spectrometric studies of the vaporization of Y<sub>2</sub>O<sub>3</sub>(s). Dissociation energy of YO(g), High Temp. Sci. **6**, 179 (1974).
- [4149] Mines, G. W., and Thomas, R. K. The photoelectron spectrum of sulphur trioxide: Jahn-Teller distortion in SO<sub>3</sub><sup>+</sup>, Proc. Roy. Soc. (London) A **336**, 355 (1974).
- [4150] Solouki, B., Rosmus, P., and Bock, H. Photoelectron spectra and molecular properties. SCl<sub>2</sub>-ionization potentials and ab initio SCF calculations, Chem. Phys. Letters **26**, 20 (1974).
- [4152] Staley, R. H., and Beauchamp, J. L. Basicities and ion-molecule reactions of the methylphosphines in the gas phase by ion cyclotron resonance spectroscopy, J. Am. Chem. Soc. **96**, 6252 (1974).
- [4153] Distefano, G., Ricci, A., Colonna, F. P., Pietropaolo, D., and Pignataro, S. Bonding between sulfur and the elements of Group IV studied by UV photoelectron spectroscopy, J. Organometal. Chem. **78**, 93 (1974).
- [4154] Debies, T. P., and Rabalais, J. W. Photoelectron spectra of



- substituted benzenes. III. Bonding with Group V substituents, *Inorg. Chem.* **13**, 308 (1974).
- [4155] Berlinsky, A. J., Carolan, J. F., and Weiler, L. Photoelectron spectrum and electronic structure of tetrathiofulvalene (TTF), *Can. J. Chem.* **52**, 3373 (1974).
- [4156] Nelsen, S. F., and Buschek, J. M. Photoelectron spectra of hydrazines. IV. Empirical estimation of lone pair-lone pair dihedral angles and prediction of lone pair ionization potentials for some cyclic and bicyclic hydrazines, *J. Am. Chem. Soc.* **96**, 6982 (1974).
- [4157] Harris, D. H., and Lappert, M. F. Monomeric, volatile bivalent amides of Group IV<sub>B</sub> elements,  $M(NR^1)_2$  and  $M(NR^1R^2)_2$  ( $M = \text{Ge, Sn or Pb}$ ;  $R^1 = \text{Me}_3\text{Si}$ ,  $R^2 = \text{Me}_3\text{C}$ ), *J. Chem. Soc. Chem. Commun.*, 895 (1974).
- [4158] Heilbronner, E., and Maier, J. P. Consequences of substitution in the photoelectron spectra of [2,2] paracyclophanes: separation of 'through-space' and 'through-bond' interactions as a consequence of fluorosubstitution, *Helv. Chim. Acta* **57**, 151 (1974).
- [4159] Haink, H. J., Adams, J. E., and Huber, J. R. The electronic structure of aromatic amines: photoelectron spectroscopy of diphenylamine, iminobenzyl, acridan and carbazole, *Ber. Bunsenges.* **78**, 436 (1974).
- [4160] Ensslin, W., Bock, H., and Becker, G. Photoelectron spectra and molecular properties. XXX.  $\pi$  interactions in  $\text{H}_3\text{Si}$ - and  $\text{H}_3\text{C}$ -substituted acetylenes, *J. Am. Chem. Soc.* **96**, 2757 (1974).
- [4161] Bischof, P., Gleiter, R., and Hofmann, P. Reversal in the sequence of the two highest occupied molecular orbitals in the series pyrazine, 2,6-dimethylpyrazine, and tetramethylpyrazine, *J. Chem. Soc. Chem. Commun.*, 767 (1974).
- [4162] Heilbronner, E., Hornung, V., Maier, J. P., and Kloster-Jensen, E. The photoelectron spectra of halodiacetylenes, dihalodiacetylenes, and halomethyldiacetylenes, *J. Am. Chem. Soc.* **96**, 4252 (1974).
- [4163] Sasaki, T., Eguchi, S., Kiriyama, T., Sakito, Y., and Kato, H. Photoelectron spectroscopic evidence concerning ground-state through- $\sigma$ -bond interaction in the 1,3-diazadamantan-6-one system, *J. Chem. Soc. Chem. Commun.*, 725 (1974).
- [4165] Freiser, B. S., and Beauchamp, J. L. Gas phase ion chemistry and photochemistry of ions generated from perfluoropropylene. Photodissociation of the perfluoroallyl cation, *J. Am. Chem. Soc.* **96**, 6260 (1974).
- [4166] Evans, S., Hamnett, A., and Orchard, A. F. Concerning the ultraviolet photoelectron spectra of osmium and ruthenium tetroxide, *J. Am. Chem. Soc.* **96**, 6221 (1974).
- [4167] Ceasar, G. P., Milazzo, P., Cihonski, J. L., and Levenson, R. A. Photoelectron spectra of the rhenium pentacarbonyl halides, *Inorg. Chem.* **13**, 3035 (1974).
- [4168] Osafune, K., and Kimura, K. Photoelectron spectroscopic study of hydrogen peroxide, *Chem. Phys. Letters* **25**, 47 (1974).
- [4169] Brundle, C. R. He (I) and He (II) photoelectron spectra of ozone, *Chem. Phys. Letters* **26**, 25 (1974).
- [4170] Frost, D. C., Lee, S. T., and McDowell, C. A. High resolution photoelectron spectroscopy of ozone, *Chem. Phys. Letters* **24**, 149 (1974).
- [4171] Hino, S., and Inokuchi, H. Photoelectron spectrum (He I) of 9-methylantracene, *Chem. Letters*, 363 (1974).
- [4172] Schweig, A., Weidner, U., and Manuel, G. Theory and application of photoelectron spectroscopy. XLIV. A quantitative account of hyperconjugation in allyl and benzyl compounds of elements of Group IVB, *J. Organometal. Chem.* **67**, C4 (1974).
- [4173] Fedorova, M. S., Potapov, V. K., Denisov, Yu. V., Sorokin, V. V., and Evlasheva, T. I. A mass-spectrometric study of the photoionisation of certain cyclic hydrocarbons, *Zh. Fiz. Khim.* **48**, 1828 (1974) [Engl. transl.: *Russ. J. Phys. Chem.* **48**, 1078 (1974)].
- [4174] Gorodyskii, V. A., Pozdnyakov, V. P., Siretskii, Yu. G., Fadeeva, I. I., and Kozlov, L. P. The structures and properties of complexes of tetranitromethane and pyromellitic dianhydride with hydrocarbons of the benzene-tetracene series. II. Spectroscopic and thermodynamic characteristics, *Zh. Fiz. Khim.* **48**, 2190 (1974) [Engl. transl.: *Russ. J. Phys. Chem.* **48**, 1298 (1974)].
- [4175] Radziemski, L. J., Jr., and Kaufman, V. Wavelengths, energy levels, and analysis of the second spectrum of chlorine (Cl II), *J. Opt. Soc. Am.* **64**, 366 (1974).
- [4176] Sasanuma, M.; Morioka, Y.; Ishiguro, E., and Nakamura, M. Rydberg series in the NO molecule near 600 Å, *J. Chem. Phys.* **60**, 327 (1974).
- [4177] Warneck, P. Heat of formation of the HCO radical, *Z. Naturforsch.* **29a**, 350 (1974).
- [4178] Grönneberg, T., Hurum, T., and Undheim, K. Ionisation potentials in structure analysis of gaseous hydroxypyridine 1-oxides, *Acta Chem. Scand., Ser. B* **28**, 986 (1974).
- [4179] Cradock, S., Findlay, R. H., and Palmer, M. H. Bonding in methyl- and silyl-cyclopentadiene compounds: a study by photoelectron spectroscopy and *ab initio* molecular-orbital calculations, *J. Chem. Soc., Dalton Trans.*, 1650 (1974).
- [4180] Bieri, G., Heilbronner, E., Kloster-Jensen, E., Schmelzer, A., and Wirz, J. Electronic states of 1,5-cyclooctadienyl radical cation and of related systems: the electronic structure of *cis*-bent carbon-carbon triple bonds, *Helv. Chim. Acta* **57**, 1265 (1974).
- [4181] Starzewski, K. A. O., Dieck, H. t., and Bock, H. Photoelectron spectra and molecular properties. XXIII. Photoelectron spectra of silicon-substituted ylidic systems, *J. Organometal. Chem.* **65**, 311 (1974).
- [4182] Brown, C. M., Tilford, S. G., and Ginter, M. L. Absorption spectrum of B I in the 1350-1900-Å region, *J. Opt. Soc. Am.* **64**, 877 (1974).
- [4183] Colin, R., DeGreef, D., Goethals, P., and Verhaegen, G. The ionization potential of the BeH molecule, *Chem. Phys. Letters* **25**, 70 (1974).
- [4184] Dorko, E. A., Scheps, R., and Rice, S. A. Comments on the ultraviolet spectrum and photophysical properties of trimethylenecyclopropane, *J. Phys. Chem.* **78**, 568 (1974).
- [4185] Cowley, A. H., Dewar, M. J. S., Goodman, D. W., and Padolina, M. C. Detection of rotational isomerism in diphosphines and diarsines by photoelectron spectroscopy, *J. Am. Chem. Soc.* **96**, 2648 (1974).
- [4186] Golob, L., Jonathan, N., Morris, A., Okuda, M., Ross, K. J., and Smith, D. J. Vacuum ultraviolet photoelectron spectroscopy of transient species: the  $\text{SO}(\Sigma)$  radical, *Ber. Bunsenges.* **78**, 201 (1974).
- [4187] Bassett, P. J., Higginson, B. R., Lloyd, D. R., Lynaugh, N., and Roberts, P. J. Helium-I photoelectron spectra of tetrakis(trifluorophosphine)-nickel(0), -palladium(0), and -platinum(0), *J. Chem. Soc., Dalton Trans.*, 2316 (1974).
- [4188] Colton, R. J., and Rabalais, J. W. Photoelectron and electronic absorption spectra of  $\text{SCl}_2$ ,  $\text{S}_2\text{Cl}_2$ ,  $\text{S}_2\text{Br}_2$  and  $(\text{CH}_3)_2\text{S}_2$ , *J. Electron Spectrosc. Relat. Phenom.* **3**, 345 (1974).
- [4189] Batich, C., Heilbronner, E., Rommel, E., Semmelhack, M. F., and Foos, J. S. Equivalence of the energy gaps  $\Delta I(1,2)$  and  $\Delta E(1,2)$  between corresponding bands in the photoelectron (I) and electronic absorption (E) spectra of spiro[4.4] nonatetraene. An amusing consequence of spiroconjugation, *J. Am. Chem. Soc.* **96**, 7662 (1974).
- [4191] Cowley, A. H., Dewar, M. J. S., Goodman, D. W., and Padolina, M. C. A Photoelectron spectroscopic study of polyphosphines. The question of  $p\pi:d\pi$  bonding, *J. Am. Chem. Soc.* **96**, 3666 (1974).

- [4192] Akopyan, M. E., and Loginov, Yu. V. Photoelectron spectra of trimethylamine derivatives, *Opt. Spektrosk.* **37**, 442 (1974) [Engl. transl.: *Opt. Spectrosc.* **37**, 250 (1974)].
- [4193] Dromey, R. G., and Peel, J. B. Photoelectron spectroscopic correlation of the molecular orbitals of the alkanes and alkyl iodides, *J. Mol. Struct.* **23**, 53 (1974).
- [4194] Boschi, R. A. A., and Salahub, D. R. The high resolution photoelectron spectra of some iodoalkanes, iodocycloalkanes, iodoalkenes, and fluoroiodohydrocarbons, *Can. J. Chem.* **52**, 1217 (1974).
- [4195] Schweig, A., Vermeer, H., and Weidner, U. A photoelectron spectroscopic study of keto-enol tautomerism in acetylacetones - a new application of photoelectron spectroscopy, *Chem. Phys. Letters* **26**, 229 (1974).
- [4196] Boschi, R., Clar, E., and Schmidt, W. Photoelectron spectra of polynuclear aromatics. III. The effect of nonplanarity in sterically overcrowded aromatic hydrocarbons, *J. Chem. Phys.* **60**, 4406 (1974).
- [4197] Suzuki, I. H., and Maeda, K. Ionization efficiency curves and fragmentations of deuterated ethylenes by electron impact, *Intern. J. Mass Spectrom. Ion Phys.* **15**, 281 (1974).
- [4198] Distefano, G., Ricci, A., Danieli, R., Foffani, A., Innorta, G., and Torroni, S. Mass Spectrometric evidence for  $p_\pi$ - $d_\pi$  bonding between sulfur and the Group IVB elements, *J. Organometal. Chem.* **65**, 205 (1974).
- [4199] Loudon, A. G., and Mazengo, R. Z. Steric strain and electron-impact. The behaviour of some  $n,n'$ -dimethyl-1,1'-binaphthyls, some  $n,n'$ -dimethylbiphenyls and model compounds, *Org. Mass Spectrom.* **8**, 179 (1974).
- [4200] Muenow, D. W. Mass spectrometric determination of the heats of formation and atomization energies of the molecules  $\text{Ge}_2\text{N}$  and  $\text{GeSiN}$ , *J. Chem. Phys.* **60**, 3382 (1974).
- [4201] Tsuji, K., Saito, M., and Tani, T. Ionization potentials of phenylenediamines and steric effect in the ortho isomer, *Denki Kagaku Oyobi Kogyo Butsuri Kagaku* **41**, 688 (1973).
- [4202] Owzarski, T. P., and Franzen, H. F. High temperature mass spectrometry, vaporization, and thermodynamics of vanadium monosulfide, *J. Chem. Phys.* **60**, 1113 (1974).
- [4203] Holmes, J. L. The mass spectra of isomeric hydrocarbons - II: The  $\text{C}_7\text{H}_8$  isomers, spiropentane, cyclopentene, 1,3-pentadiene and isoprene; the mechanisms and energetics of their fragmentations, *Org. Mass Spectrom.* **8**, 247 (1974).
- [4204] Clark, H. C., and Rake, A. T. Mass spectrometry of systems containing a Group IVB - transition metal bond. I. The phenyl- and pentafluorophenyl-silicon, -germanium and -tin derivatives of pentacarbonylmanganese, *J. Organometal. Chem.* **82**, 159 (1974).
- [4205] Guido, M., and Gigli, G. Mass spectrometric study of the gaseous gallium monocyanide, *J. Chem. Phys.* **60**, 721 (1974).
- [4206] Cocke, D. L., and Gingerich, K. A. Thermodynamic investigation of the gaseous molecules  $\text{TiRh}$ ,  $\text{Rh}_2$ , and  $\text{Ti}_2\text{Rh}$  by mass spectrometry, *J. Chem. Phys.* **60**, 1958 (1974).
- [4207] Kohl, F. J., and Stearns, C. A. Identification and dissociation energy of gaseous hafnium mononitride, *J. Phys. Chem.* **78**, 273 (1974).
- [4208] Hildenbrand, D. L., and Murad, E. Mass spectrometric studies of gaseous  $\text{ThO}$  and  $\text{ThO}_2$ , *J. Chem. Phys.* **61**, 1232 (1974).
- [4209] Gingerich, K. A. Mass spectrometric evidence for the very high stability of diatomic cerium compounds with some platinum metals and predicted dissociation energies of selected diatomic intermetallic compounds with multiple bonds, *J. Chem. Soc. Faraday Trans. II* **70**, 471 (1974).
- [4210] Martin, W. C., Hagan, L., Reader, J., and Sugar, J. Ground levels and ionization potentials for lanthanide and actinide atoms and ions, *J. Phys. Chem. Ref. Data* **3**, 771 (1974).
- [4211] Eaton, D. F., and Traylor, T. G. Distortional stabilization in phenyl participations, *J. Am. Chem. Soc.* **96**, 7109 (1974).
- [4212] Kroto, H. W., Landsberg, B. M., Suffolk, R. J., and Vodden, A. The photoelectron and microwave spectra of the unstable species thioacetaldehyde,  $\text{CH}_3\text{CHS}$ , and thioacetone,  $(\text{CH}_3)_2\text{CS}$ , *Chem. Phys. Letters* **29**, 265 (1974).
- [4213] Taylor, L. T., and Dillard, J. G. Mass spectrometric study of polydentate Schiff base coordination complexes. II. Cobalt(II), nickel(II), and copper(II) complexes of  $\text{N,N}'$ -bis(salicylidene)heptanediamine,  $\text{N,N}'$ -bis(salicylidene)-3,3'-bis(aminopropyl)amine,  $\text{N,N}'$ -bis(salicylidene)-3,3'-bis(aminopropyl) ether, and  $\text{N,N}'$ -bis(salicylidene)-3,3'-bis(aminopropyl) sulfide, *Inorg. Chem.* **13**, 2620 (1974).
- [4214] Nelsen, S. F., and Buschek, J. M. Charge delocalization in saturated systems. The radical cation of 1,3,6,8-tetraazatricyclo[4.4.1.1<sup>3,6</sup>]dodecane, *J. Am. Chem. Soc.* **96**, 6424 (1974).
- [4215] Dehmer, J. L., Berkowitz, J., Cusachs, L. C., and Aldrich, H. S. Photoelectron spectroscopy of high temperature vapors. V. Hel spectra of  $\text{GaX}_3$  and  $\text{InX}_3$  ( $\text{X}=\text{Cl}, \text{Br}, \text{I}$ ), *J. Chem. Phys.* **61**, 594 (1974).
- [4216] Kaving, B., and Lindgren, B. Ultraviolet absorption spectrum of the  $\text{CaH}$  molecule. II. The structure of the d-complex around 2850 Å, *Physica Scripta* **10**, 81 (1974).
- [4217] Worrell, C., Verhoeven, J. W., and Speckamp, W. N. Through-bond interaction in 1-aza-adamantane derivatives, *Tetrahedron* **30**, 3525 (1974).
- [4218] Baker, A. D., Brisk, M., and Gellender, M. Photoelectron spectra and dihedral angles of disulfides, *J. Electron Spectrosc. Relat. Phenom.* **3**, 227 (1974).
- [4219] Yokoyama, Y., Jinno, M., Watanabe, I., and Ikeda, S. Identification of accidentally degenerate bands in UV photoelectron spectra of ethylene carbonate and propylene carbonate, *J. Electron Spectrosc. Relat. Phenom.* **5**, 1095 (1974).
- [4220] Chadwick, D., and Katrib, A. Photoelectron spectra of acetaldehyde and acetyl halides, *J. Electron Spectrosc. Relat. Phenom.* **3**, 39 (1974).
- [4221] Debies, T. P., and Rabalais, J. W. Electronic structure of amino acids and ureas, *J. Electron Spectrosc. Relat. Phenom.* **3**, 315 (1974).
- [4222] Weiner, M. A., and Lattman, M. Photoelectron spectra of 4-substituted pyridine N-oxides, *Tetrahedron Letters*, 1709 (1974).
- [4223] McLafferty, F. W., and Winkler, J. Gaseous tropylium, benzyl, tolyl, and norbornadienyl cations, *J. Am. Chem. Soc.* **96**, 5182 (1974).
- [4224] Tam, W.-C., Yee, D., and Brion, C. E. Photoelectron spectra of some aldehydes and ketones, *J. Electron Spectrosc. Relat. Phenom.* **4**, 77 (1974).
- [4225] White, R. M., Carlson, T. A., and Spears, D. P. Angular distribution of the photoelectron spectra for ethylene, propylene, butene and butadiene, *J. Electron Spectrosc. Relat. Phenom.* **3**, 59 (1974).
- [4226] Elbel, S., Bergmann, H., Enßlin, W. Photoelectron spectra of the trimethyl compounds of the Group V elements, *J. Chem. Soc. Faraday Trans. II* **70**, 555 (1974).
- [4228] Terlouw, J. K., Heerma, W., Frintrop, P. C. M., Dijkstra, G., and Meinema, H. A. Electron-impact induced fragmentation of some heterocyclic-tin compounds, *J. Organometal. Chem.* **64**, 205 (1974).
- [4229] Barrow, R. F., Kopp, I., and Malmberg, C. The electronic spectrum of gaseous  $\text{AlF}$ , *Physica Scripta*, **10**, 86 (1974).
- [4230] Dyke, J. M., Golob, L., Jonathan, N., Morris, A., Okuda, M., and Smith, D. J. Vacuum ultraviolet photoelectron spectroscopy of transient species. Part 3. The  $\text{SO}(\Sigma^-)$



- radical, *J. Chem. Soc. Faraday Trans. II* **70**, 1818 (1974).
- [4231] Koenig, T., Tuttle, M., and Wielesek, R. A. The He(I) photoelectron spectra of xylenes and metacyclophanes. A reassignment of the lowest ionic state of [2.2] metacyclophane, *Tetrahedron Letters*, 2537 (1974).
- [4232] Berkowitz, J. PES of high-temperature vapors. VI. 304 Å and 584 Å PES of Zn, Cd, and Hg halides and the electronegativity scale, *J. Chem. Phys.* **61**, 407 (1974).
- [4233] Kelder, J., Cerfontain, H., Higginson, B. R., and Lloyd, D. R. Photoelectron and ultraviolet absorption spectra of cyclopropyl conjugated 1,2-diketones, *Tetrahedron Letters*, 739 (1974).
- [4234] Evans, S., Guest, M. F., Hillier, I. H., and Orchard, A. F. Theoretical and experimental study of the low energy ionic states of  $\pi$ -cyclopentadienyl- nickel nitrosyl, *J. Chem. Soc., Faraday Trans. II* **70**, 417 (1974).
- [4235] Gavin, R. M., Jr., and Rice, S. A. Spectroscopic properties of polyenes. II. The vacuum ultraviolet spectra of *cis*- and *trans*-1,3,5-hexatriene, *J. Chem. Phys.* **60**, 3231 (1974).
- [4236] Wagner, L. C., Robert, P., Grindstaff, Q., and Grimley, R. T. A mass spectrometric study of the fragmentation of the cuprous chloride vapor system, *Intern. J. Mass Spectrom. Ion Phys.* **15**, 255 (1974).
- [4237] Eidelsberg, M. The spectrum and term system of helium-like boron, B IV, *J. Phys. B* **7**, 1476 (1974).
- [4238] McDiarmid, R. Assignments of Rydberg and valence transitions in the electronic absorption spectrum of dimethyl sulfide, *J. Chem. Phys.* **61**, 274 (1974).
- [4239] Dyke, J. M., Golob, L., Jonathan, N., Morris, A., and Okuda, M. Vacuum ultraviolet photoelectron spectroscopy of transient species. Part 4. Difluoromethylene and ozone, *J. Chem. Soc., Faraday Trans. II* **70**, 1828 (1974).
- [4240] Kobayashi, T., and Nagakura, S. Photoelectron spectra of aminopyridines and cyanopyridines, *J. Electron Spectrosc. Relat. Phenom.* **4**, 207 (1974).
- [4241] Brown, R. S., Eaton, D. F., Hosomi, A., Traylor, T. G., and Wright, J. M. Photoelectron spectra of cyclopropylcarbonyltrimethyltin and allyltrimethyltin. A comparison of  $\sigma$ - $\sigma$  and  $\sigma$ - $\pi$  conjugation, *J. Organometal. Chem.* **66**, 249 (1974).
- [4242] Lappert, M. F., Pedley, J. B., and Sharp, G. Bonding studies of transition metal complexes. I. He(I) photoelectron spectra of *d'* silylmethyl and neopentyl derivatives of Group IVA metals, *J. Organometal. Chem.* **66**, 271 (1974).
- [4243] Fuss, W., and Bock, H. Photoelectron spectra and molecular properties. XXXVI.  $(H_3C)_3B$ ,  $(H_3C)_2BF$ ,  $(H_3C)_2BN(CH_3)_2$ , and  $(H_3C)_2CC(CH_3)_2$ : The use of ionization potentials in assigning UV spectra, *J. Chem. Phys.* **61**, 1613 (1974).
- [4244] Rosmus, P., Dacre, P. D., Solouki, B., and Bock, H. Hartree-Fock calculations and photoelectron spectra of SSO and NSF, *Theoret. Chim. Acta* **35**, 129 (1974).
- [4245] Maleev, A. N., Semenov, G. A., and Kholodov, A. I. Evaporator with gas flooding for high-temperature thermodynamic investigations on a mass spectrometer, *Zavod. Lab.* **40**, 987 (1974) [Engl. transl.: *Ind. Lab. (USSR)* **40**, 1179 (1974)].
- [4246] Planckaert, A. A., Doucet, J., and Sandorfy, C. Comparative study of the vacuum ultraviolet absorption and photoelectron spectra of some simple ethers and thioethers, *J. Chem. Phys.* **60**, 4846 (1974).
- [4247] Eland, J. H. D. Predissociation of triatomic ions studied by photoelectron-photoion coincidence spectroscopy, *Advan. Mass Spectrom.* **6**, 917 (1974).
- [4248] Lee, T. H., and Rabalais, J. W. Vibrational transition probabilities in photoelectron spectra, *J. Chem. Phys.* **61**, 2747 (1974).
- [4249] Asmus, P., and Klessinger, M. Photoelectron spectra of organic compounds. VI. Exocyclic methylene compounds, *Tetrahedron* **30**, 2477 (1974).
- [4250] Aarons, L. J., Connor, J. A., Hillier, I. H., Schwarz, M., and Lloyd, D. R. Electronic structure of diazocyclopentadiene. A study using low and high energy photoelectron spectroscopy and *ab initio* molecular orbital calculations, *J. Chem. Soc., Faraday Trans. II* **70**, 1106 (1974).
- [4251] Batich, C., and Adam, W. The photoelectron spectra of alkylperoxides, *Tetrahedron Letters*, 1467 (1974).
- [4252] Higginson, B. R., Lloyd, D. R., Connor, J. A., and Hillier, I. H. Photoelectron studies of metal carbonyls. Part 4. Mono-substituted complexes of chromium and tungsten carbonyls, *J. Chem. Soc., Faraday Trans. II* **70**, 1418 (1974).
- [4253] Guimon, C., Pfister-Guillouzo, G., Arbelot, M., and Chanon, M. Electronic structure of sulphur compounds. VII. Photoelectron spectra of thiocarbonyl heterocycles, *Tetrahedron* **30**, 3831 (1974).
- [4254] Connors, R. E., Roebber, J. L., and Weiss, K. Vacuum ultraviolet spectroscopy of cyanogen and cyanoacetylenes, *J. Chem. Phys.* **60**, 5011 (1974).
- [4255] Koenig, T., and Longmaid, H. Photoelectron spectra of 1,4-dihydropyridine and *N*-methyl-1,4-dihydropyridine, *J. Org. Chem.* **39**, 560 (1974).
- [4256] Lappert, M. F., Pedley, J. B., Sharp, G. J., and Westwood, N. P. C. Bonding studies of compounds of boron and the Group III and IV elements. XII. Variable temperature He I photoelectron spectra of Group III halides,  $2MX_3 \rightleftharpoons M_2X_6$  ( $M = Al$  or  $Ga$ ,  $X = Cl$ ,  $Br$ , or  $I$ ), *J. Electron Spectrosc. Relat. Phenom.* **3**, 237 (1974).
- [4258] Bodor, N., Chen, B. H., and Worley, S. D. Photoelectron spectra and SCF MO calculations for the dimers of cyclobutadiene, *J. Electron Spectrosc. Relat. Phenom.* **4**, 65 (1974).
- [4259] Bischof, P., Gleiter, R., Kukla, M. J., and Paquette, L. A. The photoelectron spectra of tricyclo[3.3.0.0<sup>2,6</sup>]octene and tricyclo[3.3.0.0<sup>2,7</sup>]octane, *J. Electron Spectrosc. Relat. Phenom.* **4**, 177 (1974).
- [4260] Worrell, C. W. The photoelectron and absorption spectra of allyl halides, *J. Electron Spectrosc. Relat. Phenom.* **3**, 359 (1974).
- [4261] Cowley, A. H., Dewar, M. J. S., Gilje, J. W., Goodman, D. W., and Schweiger, J. R. Relationship between the photoelectron spectra and torsional barriers of aminophosphines, *J. Chem. Soc. Chem. Commun.*, 340 (1974).
- [4262] Schäfer, W., Schweig, A., Bickelhaupt, F., and Vermeer, H. The electronic structure of a  $\lambda_1$ -phosphaphenanthrene; a direct indication of the similarity of electronic effects produced by  $sp^2$  hybridized carbon and phosphorus atoms, *Recl. Trav. Chim. Pays-Bas* **93**, 1 (1974).
- [4263] Batich, C., Heilbronner, E., and Vogel, E. The ionization energies of bridged [14]annulenes and of dicyclohepta[*cd, gh*]pentalene, *Helv. Chim. Acta* **57**, 2288 (1974).
- [4264] Van Deurzen, C. H. H., Conway, J. G., and Davis, S. P. Spectrum and energy levels of quadruple-ionized vanadium (V v), *J. Opt. Soc. Am.* **64**, 498 (1974).
- [4265] Roberts, P. Ph.D. Thesis (Univ. Birmingham, 1974).
- [4266] Akopyan, M. E., and Timoshenko, M. M. A photoelectron spectrometer for investigating vapors of nonvolatile substances, *Prib. Tekh. Eksp.*, 164 (1974) [Engl. transl.: *Instrum. Exp. Tech.*, 185 (1974)].
- [4267] Clary, D. C., Lewis, A. A., Morland, D., Murrell, J. N., and Heilbronner, E. Ionization potentials of cycloalkenes, *J. Chem. Soc., Faraday Trans. II* **70**, 1889 (1974).
- [4268] Bischof, P., Gleiter, R., de Meijere, A., and Meyer, L.-U. The conjugative interaction between  $\pi$ -orbitals and cyclobutane-orbitals in spiro[3.4]octa-5,7-diene and spiro[3.4]octene-5, *Helv. Chim. Acta* **57**, 1519 (1974).
- [4269] Almemark, M., Backvall, J. E., Moberg, C., Åkermark, B., Åsbrink, L., and Roos, B. *Ab initio* calculations and

- assignment of photoelectron spectra of maleic and succinic anhydride, *Tetrahedron* **30**, 2503 (1974).
- [4270] Harshbarger, W. R., Kuebler, N. A., and Robin, M. B. Electronic structure and spectra of small rings. V. Photoelectron and electron impact spectra of cyclopropenone, *J. Chem. Phys.* **60**, 345 (1974).
- [4271] Gilbert, R., and Sandorfy, C. Rydberg transitions in the ultraviolet spectra of difluorobenzenes, *Chem. Phys. Letters* **27**, 457 (1974).
- [4272] Aloisi, G. G., Santini, S., and Sorriso, S. Molecular complexes of substituted diphenyl sulphides with  $\pi$  acceptors. Charge transfer spectra and ionization potentials of the donors, *J. Chem. Soc., Faraday Trans. I* **70**, 1908 (1974).
- [4274] Bock, H., and Seidl, H. "d-Orbital effects" in silicon-substituted  $\pi$ -electron systems. XI. Syntheses and properties of the isomeric bis(trimethylsilyl)-1,3-butadienes, *J. Am. Chem. Soc.* **90**, 5694 (1968).
- [4275] Maier, J. P., and Muller, J.-F. Ionisation energies of pyridine N-oxides determined by photoelectron spectroscopy, *J. Chem. Soc., Faraday Trans. II* **70**, 1991 (1974).
- [4276] Wagner, G., and Bock, H. Photoelektronenspektren und Moleküleigenschaften, XXVI. Die Delokalisation von Schwefel-Elektronenpaaren in Alkylsulfiden und -disulfiden, *Chem. Ber.* **107**, 68 (1974).
- [4277] Rademacher, P. Photoelectron spectra and conformation of cyclic N,N'-dimethylhydrazines, *Tetrahedron Letters*, 83 (1974).
- [4278] Bodor, N., Kaminski, J. J., Worley, S. D., Colton, R. J., Lee, T. H., and Rabalais, J. W. Photoelectron spectra, hydrolytic stability, and antimicrobial activity of N-chlorinated piperidines, *J. Pharm. Sci.* **63**, 1387 (1974).
- [4279] Vilesov, F. I., Lopatin, S. N., Vovna, V. I., Paetzold, R., and Niendorf, K. Untersuchungen an Molekülkomplexen. 3. Mitteilung: Zusammenhang zwischen der Ionisierungsenergie von  $R_1R_2R_3PS$ -Molekülen und der Stabilität ihrer Molekülkomplexe mit Jod, *Z. Phys. Chem. (Leipzig)* **255**, 661 (1974).
- [4280] Bischof, P. K., Dewar, M. J. S., Goodman, D. W., and Jones, T. B. Photoelectron spectra of molecules. VI. Hyperconjugation versus  $p_\pi$ - $d_\pi$  bonding in group IVb compounds, *J. Organometal. Chem.* **82**, 89 (1974).
- [4281] Martin, H.-D., Kagabu, S., and Schwesinger, R. Photoelektronenspektroskopische Untersuchung der intramolekularen  $\pi$ , $\pi$ -Wechselwirkungen in *endo*-Tricyclo[4.2.1.0<sup>2,5</sup>]-nonadienen. Homokonjugation mit Cyclobutanen, *Chem. Ber.* **107**, 3130 (1974).
- [4284] Harada, Y., Ohno, K., Seki, K., and Inokuchi, H. Photoelectron spectrum of dispiro[2.2.2]deca-4,9-diene. Conjugation of Walsh orbitals of cyclopropane rings with orbitals of diene, *Chem. Letters*, 1081 (1974).
- [4285] Hentrich, G., Gunkel, E., and Klessinger, M. Photoelektronenspektren organischer Verbindungen. 4. Photoelektronenspektren ungesättigter Carbonylverbindungen, *J. Mol. Struct.* **21**, 231 (1974).
- [4286] Bieri, G., and Heilbronner, E. Der Einfluss von Substituenten in Stellung 4 auf das n-Ionisations-potential des Chinuclidins, *Helv. Chim. Acta* **57**, 546 (1974).
- [4287] Hartmann, O.-R., Lebert, K.-H., and Chun, H.-U. Elektronenstoß- und Ionenstoßuntersuchungen an Schwefeldichlorid und Dischwefeldichlorid, *Z. Phys. Chem. (Frankfurt am Main)* **92**, 311 (1974).
- [4288] Samson, J. A. R., and Petrosky, V. E. Continuum ionization transition probabilities of atomic oxygen, *Phys. Rev. A* **9**, 2449 (1974).
- [4289] Salisbury, K. Quenching of the fluorescence of styrenes by ground state oxygen, *J. Photochem.* **2**, 401 (1973/1974).
- [4290] Schmidt, H., and Schweig, A. Notiz zur transannularen n/ $\pi$ -Wechselwirkung in 2,5-Dihydrofuran, *Chem. Ber.* **107**, 725 (1974).
- [4291] Bock, H., Wagner, G., Wittel, K., Sauer, J., and Seebach, D. Photoelektronenspektren und Moleküleigenschaften. XXXII. n/ $\pi$ -Konjugation in heterosubstituierten Äthylenen, *Chem. Ber.* **107**, 1869 (1974).
- [4292] Höhne, G., Marschner, F., and Praefcke, K. Organische Schwefelverbindungen. X. Photoelektronen- und UV-spektroskopische Untersuchung eines nichtkonjugierten 1,3-Oxathiol-Spiroketons, *Z. Naturforsch.* **29b**, 546 (1974).
- [4293] Schäfer, W., Schweig, A., Maier, G., and Sayrac, T. Inductive effect of a carbonyl group. The electronic structure of [5]annulenes, *J. Am. Chem. Soc.* **96**, 279 (1974).
- [4294] Stafast, H., and Bock, H. Photoelektronenspektren und Moleküleigenschaften, XXXIV. Cyanamid, *Chem. Ber.* **107**, 1882 (1974).
- [4295] Bock, H., and Solouki, B. Photoelektronenspektren und Moleküleigenschaften, XXXV. Sulfoxide  $X_2SO$  - Beispiele für den Nutzen von Korrelations - diagrammen bei der Diskussion von Substituenteneffekten und von geometrischen Störungen, *Chem. Ber.* **107**, 2299 (1974).
- [4296] Bougeard, D., Schrader, B., Bleckmann, P., and Plesser, T. Ramanspektroskopie und Molekülstruktur. VII. Infrarot-, Raman- und Photoelektronenspektrum des Hexamethyl-Dewarbenzols; Normalkoordinatenberechnung und Untersuchung der  $\pi$ -Elektronen-Wechselwirkung, *Justus Liebigs Ann. Chem.* **156**, 137 (1974).
- [4297] Marschner, F., Jüds, H., and Goetz, H. Zur Homokonjugation im Hexamethyl-Dewar-Benzol, *Tetrahedron Letters*, 3983 (1973).
- [4298] Kroner, J., Nöth, H., and Niedenzu, K. Photoelektronenspektroskopische Untersuchungen an Bor-Verbindungen. III.  $\pi$ -Elektronendelokalisation in 1,3,2-Diazaborolinen, *J. Organometal. Chem.* **71**, 165 (1974).
- [4299] Kroner, J., Nöth, D., Nöth, H., and Winterstein, W. Photoelektronenspektroskopische Untersuchungen an Bor-Verbindungen. IV. Ionisierungsenergien und Geometrie von Tetrazadiborinen, *Z. Naturforsch.* **29b**, 476 (1974).
- [4300] Köppel, C., Schwarz, H., and Bohlmann, F. Energetische Betrachtungen zur intramolekularen Solvatisierung von Ionen bei der elektronenstoßinduzierten Fragmentierung von  $\alpha,\omega$ -Bis-(Trimethylsilyl)-äthern, *Org. Mass Spectrom.* **9**, 567 (1974).
- [4301] Martin, H.-D., and Schwesinger, R. Notiz über eine beobachtete through-bond-Wechselwirkung über vier  $\sigma$ -Bindungen, *Chem. Ber.* **107**, 3143 (1974).
- [4302] Stefanović, D., and Grützmaker, H. F. The ionisation potential of some substituted pyridines, *Org. Mass Spectrom.* **9**, 1052 (1974).
- [4303] Wittel, K., and Bock, H. Photoelektronenspektren und Moleküleigenschaften. XXVII. Chlor- und Bromäthylene- Beispiele für Änderungen in  $\pi$ - und  $\sigma$ -Systemen, *Chem. Ber.* **107**, 317 (1974).
- [4304] Lauer, G., Müller, C., Schulte, K.-W., Schweig, A., and Krebs, A. Struktur und Spin-Multiplizität eines [4]Annulen-Systems, *Angew. Chem.* **86**, 597 (1974).
- [4305] Dean, C. R. S., Finch, A., Gardner, P. J., and Payling, D. W. Appearance and ionization potentials of ions produced by electron-impact on some phosphorus-fluorine compounds: the phosphorus-phosphorus bond dissociation energy in diphosphorus tetrafluoride, *J. Chem. Soc., Faraday Trans. I* **70**, 1921 (1974).
- [4306] Knowles, D. J., and Nicholson, A. J. C. Ionization energies of formic and acetic acid monomers, *J. Chem. Phys.* **60**, 1180 (1974).
- [4307] Goodman, T. D., Allen, J. D., Jr., Cusachs, L. C., and Schweitzer, G. K. The photoelectron spectra of gaseous alkali halides, *J. Electron Spectrosc. Relat. Phenom.* **3**, 289 (1974).



- [4308] Werner, A. S., Tsai, B. P., and Baer, T. Photoionization study of the ionization potentials and fragmentation paths of the chlorinated methanes and carbon tetrabromide, *J. Chem. Phys.* **60**, 3650 (1974).
- [4309] Cradock, S., and Duncan, W. The photoelectron spectrum of  $\text{CSe}_2$ , *Mol. Phys.* **27**, 837 (1974).
- [4310] Wittel, K., Bock, H., and Manne, R. Photoelectron spectra of iodo ethylenes. A simple method to incorporate spin orbit coupling in molecular orbital models, *Tetrahedron* **30**, 651 (1974).
- [4311] Paulus, J.-M., and Abbé, J.-C. Potentiel d'apparition de  $\text{I}_2^{2+}$  a partir de  $\text{I}_2$ , *J. Chim. Phys.*, 690 (1973).
- [4312] Cantú, A. M., Jannitti, E., and Tondello, G. Spectra of N VI, O VII, F VII, and F VIII in grazing- incidence region, *J. Opt. Soc. Am.* **64**, 699 (1974).
- [4313] Bernauer, O., and Weil, K. G. Massenspektrometrische Untersuchungen an Silberhalogeniden. III: Silberbromid und Silberjodid, *Ber. Bunsenges.* **12**, 1339 (1974).
- [4316] Thorstad, O., and Undheim, K. Mass spectrometry of onium compounds. XXIV. Ionisation potential in structure analysis of pyridodiaz-oxides, *Chem. Scr.* **6**, 222 (1974).
- [4317] Thorstad, O., Undheim, K., and Hvistendahl, G. Mass spectrometry of onium compounds. XXIII. Ionisation potentials in the structural assignment of  $[\text{M}-\text{N}_2]$  ions from diazo-oxides, *Org. Mass Spectrom.* **9**, 548 (1974).
- [4318] Locht, R., and Schopman, J. The dissociative ionization in oxygen, *Intern. J. Mass Spectrom. Ion Phys.* **15**, 361 (1974).
- [4319] Puttemans, J. P. Ionisation de cycloalcanes ( $\text{C}_5$  a  $\text{C}_{12}$ ) en spectroscopie photoelectronique et par impact électronique, *Ing. Chim. (Brussels)* **56**, 64 (1974).
- [4320] Gordon, S. M., Krige, G. J., and Reid, N. W. Isotope effects in the unimolecular decomposition of ethylene by low-energy electron impact, *Intern. J. Mass Spectrom. Ion Phys.* **14**, 109 (1974).
- [4321] Sauvageau, P., Doucet, J., Gilbert, R., and Sandorfy, C. Vacuum ultraviolet and photoelectron spectra of fluoroethanes, *J. Chem. Phys.* **61**, 391 (1974).
- [4322] Fehlner, T. P., and Turner, D. W. The photoelectron spectrum of  $\text{SiF}_2$ , *Inorg. Chem.* **13**, 754 (1974).
- [4323] Guimon, C., Gonbeau, D., Pfister-Guillouzo, G., Åsbrink, L., and Sandström, J. Electronic structure of sulphur compounds. VI. Photoelectron spectra of some simple thiocarbonyl compounds, *J. Electron Spectrosc. Relat. Phenom.* **4**, 49 (1974).
- [4324] Müller, C., Schweig, A., and Mock, W. L. Through-conjugation through the sulfone group in 2,5-di-*tert*-butylthiophene 1,1-dioxide, *J. Am. Chem. Soc.* **96**, 280 (1974).
- [4325] Potapov, V. K., Rodionov, A. N., Evlasheva, T. I., and Rogozhin, K. L. Photoionization of triphenyl derivatives of elements in group VB of the periodic table, *Khim. Vys. Energ.* **8**, 559 (1974) [Engl. Transl.: *High Energy Chem. (USSR)* **8**, 486 (1974)].
- [4326] Müller, C., Schweig, A., Anastassiou, A. G., and Wetzel, J. C. Heterohomoconjugation versus heterobicycloconjugation in 9-thiabicyclo[4.2.1]nona- 2,4,7,-triene, *Tetrahedron* **30**, 4089 (1974).
- [4327] Dewar, P. S., Ernstbrunner, E., Gilmore, J. R., Godfrey, M., and Mellor, J. M. Conformational analysis of alkyl aryl ethers and alkyl aryl sulphides by photoelectron spectroscopy, *Tetrahedron* **30**, 2455 (1974).
- [4328] Pykhtina, E. V., Cherednichenko, L. V., Kardash, I. E., Evlasheva, T. I., Sorokin, V. V., Potapov, V. K., and Pravednikov, A. N. Ionization potentials of amines and energies of charge transfer bands in the absorption spectra of complexes of 7,7,8,8-tetracyanoquinodimethan, *Khim. Vys. Energ.* **8**, 307 (1974) [Engl. transl.: *High Energy Chem. (USSR)* **8**, 257 (1974)].
- [4329] Harada, Y., Seki, K., Suzuki, A., and Inokuchi, H. Photoelectron spectrum of vinylcyclopropane, *Chem. Letters*, 893 (1973).
- [4330] Suffolk, R. J. The photoelectron spectra of the perfluorodiazines, *J. Electron Spectrosc. Relat. Phenom.* **3**, 53 (1974).
- [4331] Tajima, S., and Tsuchiya, T. Energetics consideration of  $\text{C}_3\text{H}_5^+$  ions produced from various precursors by electron impact, *Bull. Chem. Soc. Japan* **46**, 3291 (1973).
- [4332] Wagner, G., Bock, H., Budenz, R., and Seel, F. Photoelektronenspektren und Moleküleigenschaften. XIX. FSSF und SSF<sub>2</sub>, *Chem. Ber.* **106**, 1285 (1973).
- [4333] Goetz, H., Marschner, F., and Jüds, H. Zur  $n-\pi$  Wechselwirkung im Benzanilin, *Tetrahedron* **30**, 1133 (1974).
- [4334] Griebel, R., Hohlneicher, G., and Dörr, F. A photoelectron spectroscopic study of benzonitrile, ethynylbenzene and some of its substituted derivatives, *J. Electron Spectrosc. Relat. Phenom.* **4**, 185 (1974).
- [4335] Heller, R., Varmuza, K., and Krenmayr, P. Massenspektrometrische Untersuchung des Substituenteneffektes bei einfach substituierten Benzophenonen, *Monatsh. Chem.* **105**, 787 (1974).
- [4336] Köppel, C., Schwarz, H., and Bohlmann, F. Elektronenstoßinduzierte Fragmentierung von Acetylenverbindungen. VIII. Struktur der stabilen und instabilen Ionen  $[\text{C}_6\text{H}_6]^+$  aus isomeren  $\text{C}_6\text{H}_{10}$ -Kohlenwasserstoffen, *Org. Mass Spectrom.* **8**, 25 (1974).
- [4337] Kuschel, H., and Grützmacher, H.-F. Zum Mechanismus massenspektrometrischer Fragmentierungsreaktionen. XIII. Einfluß der Dissoziationsenergie auf intramolekulare aromatische Substitutionen in den Molekül- Ionen von *N,N*-Dimethyl-*N'*-phenylformamidinen, *Org. Mass Spectrom.* **9**, 408 (1974).
- [4338] Martin, H.-D., Heller, C., and Werp, J. Bishomofulvenkonjugation. Photoelektronenspektren und Elektronenstruktur homologer Quadricyclane, *Chem. Ber.* **107**, 1393 (1974).
- [4339] Preiss, H. Die Massenspektren einiger Arsen- und Arsenigsäureester. Kinetische Untersuchung ihres Fragmentierungsverhaltens, *Z. Anorg. Allg. Chem.* **404**, 175 (1974).
- [4340] Marschner, F., and Goetz, H. Korrelation zwischen Photoelektronen- und Elektronen-Spektren. III. Eine Methode zur Deutung der PE- und UV-Spektren vom Toluol, *Tetrahedron* **30**, 3451 (1974).
- [4341] Marschner, F., and Goetz, H. Korrelation zwischen Photoelektronen- und Elektronen-Spektren. II. Untersuchung aromatischer  $\pi$ -Systeme mit modifizierten PPP-SCF-CI-Parametern, *Tetrahedron* **30**, 3159 (1974).
- [4342] Foster, M. S., Williamson, A. D., and Beauchamp, J. L. Photoionization mass spectrometry of trans-azomethane, *Inter. J. Mass Spectrom. Ion Phys.* **15**, 429 (1974).
- [4343] Terwilliger, D. T., and Smith, A. L. Analysis of autoionizing Rydberg states in the vacuum ultraviolet absorption spectrum of HBr and DBr, *J. Mol. Spectrosc.* **50**, 30 (1974).
- [4344] Potts, A. W., Williams, T. A., and Price, W. C. Photoelectron spectra and electronic structure of diatomic alkali halides, *Proc. Roy. Soc. (London) A* **341**, 147 (1974).
- [4345] Bock, H., Wittel, K., and Haas, A. Photoelektronenspektren und Moleküleigenschaften. XLI. Vergleich von  $\text{F}_3\text{CS}$ -, Cl- und F-Substituenten in Thiocarbonyl- Verbindungen, *Z. Anorg. Allg. Chem.* **408**, 107 (1974).
- [4346] Bohlmann, F., Herrmann, R., Mathar, W., and Schwarz, H. Massenspektrometrische Untersuchung von Amidinen. VII. Intramolekulare Wechselwirkungen bifunktioneller Gruppen bei der elektronenstoßinduzierten Fragmentierung von Piperididen und Piperideiden, *Chem. Ber.* **107**, 1081 (1974).
- [4347] Bruckmann, P., and Klessinger, M. Photoelektronenspektren



- organischer Verbindungen. V. Wechselwirkung kleiner Ringe mit  $\pi$ -Systemen, *Chem. Ber.* **107**, 1108 (1974).
- [4348] Chinone, A., and Ohta, M. Charge-transfer complex of sydnones, *Bull. Chem. Soc. Japan* **47**, 1032 (1974).
- [4349] Parr, G. R., and Taylor, J. W. Photoionization mass spectrometry. IV. Carbon dioxide, *Intern. J. Mass Spectrom. Ion Phys.* **14**, 467 (1974).
- [4350] Kräβig, R., Reinke, D., and Baumgärtel, H. Photoreaktionen kleiner organischer Moleküle II. Die Photoionenspektren der Isomeren Propylen-Cyclopropan und Acetaldehyd-Äthylenoxyd, *Ber. Bunsenges.* **78**, 425 (1974).
- [4351] Bergmark, T., Karlsson, L., Jadry, R., Mattsson, L., Albridge, R. G., and Siegbahn, K. Isotopic effects in the electron spectra of  $H_2^{16}O$ ,  $H_2^{18}O$ , and  $D_2^{16}O$ , *J. Electron Spectrosc. Relat. Phenom.* **4**, 85 (1974).
- [4352] Nygaard, K. J., and Hahn, Y. B. Ion fluorescence in cesium, *Physica* **75**, 333 (1974).
- [4353] Timoshenko, M. M., and Akopyan, M. E. Photoelectron spectra of cesium halides, *Khim. Vys. Energ.* **8**, 211 (1974) [Engl. transl.: *High Energy Chem. (USSR)* **8**, 175 (1974)].
- [4355] Dehmer, P. M., Berkowitz, J., and Chupka, W. A. Photoionization of atomic nitrogen, *J. Chem. Phys.* **60**, 2676 (1974).
- [4356] Coppens, P., Smets, J., Fishel, M. G., and Drowart, J. Mass spectrometric study of the photoionization of nitrous oxide in the wavelength interval 1000–600 Å, *Intern. J. Mass Spectrom. Ion Phys.* **14**, 57 (1974).
- [4357] Houk, K. N., George, J. K., and Duke, Jr., R. E. A frontier molecular orbital treatment of fulvene cycloadditions. Molecular orbital calculations and photoelectron spectra of substituted fulvenes, *Tetrahedron* **30**, 523 (1974).
- [4358] Krenmayr, P., Heller, R., and Varmuza, K. Massenspektrometrische Untersuchungen an Benzophenon und substituierten Benzophenonen. I. Ermittlung thermodynamischer Größen, *Organic Mass Spectrom.* **9**, 998 (1974).
- [4359] Kuschel, H., and Grützmacher, H.-F. Zum Mechanismus massenspektrometrischer Fragmentierungsreaktionen. XI. Einfluß von Substituenten auf die Bildung cyclischer Fragment-Ionen in den Massenspektren von *N,N*-Dimethyl-*N'*-2-chlorphenylformamidinen und 2-Chlorformaniliden, *Org. Mass Spectrom.* **9**, 395 (1974).
- [4360] Leduc, G., and Rousseau, Y. Spectrometrie de masse d'imines aliphatiques, *Can. J. Chem.* **52**, 1648 (1974).
- [4361] Schäfer, W., Schweig, A., Maier, G., Sayrac, T., and Crandall, J. K. Electronic structure of cyclopropanone, *Tetrahedron Letters*, 1213 (1974).
- [4362] Schmidt, H., Schweig, A., and Krebs, A. Splitting of the degenerate acetylenic  $\pi$ MOs; a probe for ring strain, *Tetrahedron Letters*, 1471 (1974).
- [4363] Schäfer, W., Schmidt, H., Schweig, A., Hoffmann, R. W., and Kurz, H. Evidence for strong nonbonded  $n/\pi$  interaction in bicyclo[4.2.1]nona-2,4,7-trien-9-one, *Tetrahedron Letters*, 1953 (1974).
- [4364] Streets, D. G., and Williams, T. A. Photoelectron spectroscopy of 9,10-dihaloanthracenes, *J. Electron Spectrosc. Relat. Phenom.* **3**, 71 (1974).
- [4365] Chau, F. T., and McDowell, C. A. Photoelectron spectra of fluorotribromomethane and fluorotrichloromethane, *J. Electron Spectrosc. Relat. Phenom.* **6**, 357 (1975).
- [4366] Doucet, J., Sauvageau, P., and Sandorfy, C. Photoelectron and far-ultraviolet absorption spectra of chlorofluoro derivatives of ethane, *J. Chem. Phys.* **62**, 355 (1975).
- [4367] Chau, F. T., and McDowell, C. A. Photoelectron spectra of 1,2-dichloro-, 1,2-dibromo- and 1,2-diiodo-ethane, *J. Electron Spectrosc. Relat. Phenom.* **6**, 365 (1975).
- [4368] Distefano, G., Pignataro, S., Szepes, L., and Borossay, J. Photoelectron spectroscopy study of the triphenyl derivatives of the group V elements, *J. Organometal. Chem.* **102**, 313 (1975).
- [4369] Buttrill, S. E. Jr., Williamson, A. D., and LeBreton, P. Photoionization measurement of the heat of formation of allyl cations, *J. Chem. Phys.* **62**, 1586 (1975).
- [4370] J. M., Golob, L., Jonathan, N., and Morris, A. Vacuum ultraviolet photoelectron spectroscopy of transient species, *J. Chem. Soc. Faraday Trans. II* **71**, 1026 (1975).
- [4371] Cowley, A. H., Dewar, M. J. S., and Goodman, D. W. Molecular photoelectron spectroscopic studies of some trifluoromethyl-substituted phosphines and chlorophosphines, *J. Am. Chem. Soc.* **97**, 3653 (1975).
- [4372] Guest, M. F., Higginson, B. R., Lloyd, D. R., and Hillier, I. H. Interpretation of the valence photoelectron spectra of  $Mn(CO)_5H$ ,  $Mn(CO)_4CH_3$  and  $Fe(CO)_5H_2$ , *J. Chem. Soc. Faraday Trans. II*, **71**, 902 (1975).
- [4373] Cradock, S., Ebsworth, E. A. V., Moretto, H., and Rankin, D. W. H. Photoelectron spectra and fluxional behaviour in some  $\sigma$ -cyclopentadienes, *J. Chem. Soc. Dalton Trans.* 390, (1975).
- [4374] Brogli, F., Heilbronner, E., Wirz, J., Kloster-Jensen, E., Bergman, R. G., Vollhardt, K. P. C., and Ashe III, A. J. The consequences of  $\sigma$  and  $\pi$  conjugative interactions in mono-, di- and triacetylenes. A photoelectron spectroscopic investigation, *Helv. Chim. Acta* **58**, 2620 (1975).
- [4375] Condorelli, G., Fragalà, I., Centineo, A., and Tondello, E. The electronic structure and photoelectron spectra of dichlorodi- $\pi$ -cyclopentadienyl- titanium(IV),- zirconium(IV) and-hafnium(IV), *J. of Organomet. Chem.* **87**, 311 (1975).
- [4376] Baerends, E. J., Oudshoorn, Ch., and Oskam, A. Photoelectron spectra and X $\alpha$  calculations of iron pentacarbonyl and ethyleneiron tetracarbonyl, *J. Electron Spectrosc. Relat. Phenom.* **6**, 259 (1975).
- [4377] Distefano, G., Mazzucato, U., Modelli, A., Pignataro, S., and Orlandi, G. Photoelectron (He I) spectroscopic study of styrylpyridines, *J. Chem. Soc. Faraday Trans. II* **71**, 1583 (1975).
- [4378] Arnold, D. E. J., and Rankin, D. W. H. Preparation and properties of bis(difluorophosphino)- and tris(difluorophosphino)-amine, *J. Chem. Soc. Dalton Trans.* 889 (1975).
- [4379] Bergmann, H., and Bock, H. Photoelectron spectra and molecular properties, XLVI nitroso compounds - electron-rich molecules, *Z. Naturforsch.* **30b**, 629 (1975).
- [4380] Astrup, E. E., Bock, H., Wittel, K., and Heimbach, P. Photoelectron spectra and molecular properties. LIII. Methyl-substituent effects on the hexatriene  $\pi$  system, *Acta Chem. Scand. Ser. A* **29**, 827 (1975).
- [4381] Brehm, B., and Höfler, K. The 21.22-eV photoelectron spectrum of barium, *Intern. J. Mass Spectrom. Ion Phys.* **17**, 371 (1975).
- [4382] Aloisi, G., Santini, S., and Savelli, G. Molecular complexes of heteroaromatic five membered ring compounds with tetracyanoethylene. Charge transfer spectra, equilibrium constants and ionization potentials of the donors, *J. Chem. Soc. Faraday Trans. I* **70**, 2045 (1975).
- [4383] Cradock, S., and Duncan, W. Photoelectron spectra of OCSe and SCSe, *J. Chem. Soc. Faraday Trans. II* **6**, 1262 (1975).
- [4384] Brittain, H. G., and Disch, R. L. The He(I) photoelectron spectra of some bivalent transition metal  $\beta$ -diketonate complexes\* *J. Electron Spectrosc. Relat. Phenom.* **7**, 475 (1975).
- [4385] Asmus, P., Klessinger, M., Meyer, L.-U., and deMeijere, A. Conjugative interaction between cyclopropyl walsh orbitals and  $\pi$ -orbitals in dispiro[2.2.2]deca-4,9-diene, *Tetrahedron Letters* **6**, 381 (1975).

- [4386] Bernardi, F., Colonna, F. P., Dembech, P., Distefano, G., and Vivarelli, P. Through space and through bond interactions in [2.2] metacyclo-2,6- pyridinophane studied by ultraviolet photoelectron spectroscopy, *Chem. Phys. Letters* **36**, 539 (1975).
- [4387] Bischof, P., Gleiter, R., and Hofmann, P. 229. Photoelectron spectra of vicinal tricarbonyls, *Helv. Chim. Acta* **58**, 2130 (1975).
- [4388] DeKock, R. L., and Lloyd, D. R. The He I photoelectron spectrum of sulphur trioxide, *J. Chem. Soc. Dalton Trans.* 526 (1973).
- [4389] Bernardi, F., Distefano, G., Mangini, A., Pignataro, S., and Spunta, G. Photoelectron spectra of substituted anisoles and thioanisoles, *J. Electron Spectrosc. Relat. Phenom.* **7**, 457 (1975).
- [4390] Bally, T., and Haselbach, E. The photoelectron spectrum of triisopropylidenecyclopropane ('Hexamethyl-3-radialene'), *Helv. Chim. Acta* **58**, 321 (1975).
- [4391] Allan, M., Heilbronner, E., and Kloster-Jensen, E. A photoelectron-spectroscopic investigation of benzologue tropones, *J. Electron Spectrosc. Relat. Phenom.* **6**, 181 (1975).
- [4392] Bak, B., Jansen, P., and Stafast, H. Cyanogen azide: ionisation potentials and *ab initio* SCF MO calculation, *Chem. Phys. Letters* **35**, 247 (1975).
- [4393] Anthony, M. T., Green, M. L. H., and Young, D. Preparation of zerovalent di( $\eta$ -arene)titanium compounds using titanium vapour, *J. Chem. Soc. Dalton Trans.* 1419 (1975).
- [4394] Bieri, G., Heilbronner, E., Goldstein, M. J., Leight, R. S., and Lipton, M. S. The photoelectron spectrum of dewar benzene, *Tetrahedron Letters* **8**, 581 (1975).
- [4395] Brown, R. S. A photoelectron investigation of acyl silanes: The photoelectron spectra of trimethylsilyl phenyl ketone and phenyl *tert*-butyl ketone, *Can. J. Chem.* **53**, 2446 (1975).
- [4396] Batich, C. Photoelectron spectroscopy of bis( $\pi$ -allyl) nickel and its methyl substituted derivatives: support for the near validity of Koopmans' Theorem, *J. Am. Chem. Soc.* **98**, 7585 (1976).
- [4397] Bischof, P., Gleiter, R., Hopf, H., and Lenich, F. T., Photoelectron spectra of open chain  $C_6H_6$  isomers, *J. Am. Chem. Soc.* **97**, 5467 (1975).
- [4398] Barker, G. K., Lappert, M. F., Pedley, J. B., Sharp, G. J., and Westwood, N. P. C. Bonding studies of boron and the group 3-5 elements. Part XV. He(I) photoelectron spectra of monomeric group 3 trihalide, trimethyl, and mixed halogenomethyl species, *J. Chem. Soc. Dalton Trans.* 1765 (1975).
- [4399] Brown, R. S. Photoelectron studies on intramolecularly hydrogen-bonded systems. I. The photoelectron spectra of *cis*- and *trans*-2-amino- cyclopentanol, and *cis*- and *trans*-2-(*N,N*-dimethylamino) cyclopentanol, *Can. J. Chem.* **54**, 642 (1976).
- [4400] Bischof, P., Gleiter, R., and Müller, E. The electronic structure of benzvalene, *Tetrahedron* **32**, 2769 (1976).
- [4401] Egdell, R., Green, J. C., and Rao, C. N. R. Photoelectron spectra of substituted benzenes, *Chem. Phys. Letters* **33**, 600 (1975).
- [4402] Guimon, M. F., Guimon, C., Metras, F., and Pfister-Guillouzo, G. Application of photoelectron spectroscopy to conformational analysis of *S*- tetrathianes, *J. Am. Chem. Soc.* **98**, 2078 (1976).
- [4403] Gonbeau, D., Guimon, C., Deschamps, J., and Pfister-Guillouzo, G. Electronic structure of sulphur compounds IX. Photoelectron spectra of various 1,2-dithiole-3-thiones, *J. Electron Spectrosc. Relat. Phenom.* **6**, 99 (1975).
- [4404] Frost, D. C., Lee, S. T., McDowell, C. A., and Westwood, N. P. C. Photoelectron spectroscopic studies of some nitrosyl and nitril halides and nitric acid, *J. Electron Spectrosc. Relat. Phenom.* **7**, 331 (1975).
- [4405] Guimon, C., Guimon, M.-F., and Pfister-Guillouzo, G. Application of photoelectron spectroscopy to conformational analysis of two 1,3-dithia compounds, *Tetrahedron Letters* **17**, 1413 (1975).
- [4406] Gleiter, R., Gygax, R., and Reid, D. H. The He 584Å photoelectron spectra of analogs of thiathiophene, *Helv. Chim. Acta* **58**, 1591 (1975).
- [4407] Guimon, C., and Pfister-Guillouzo, G. Electronic structure of sulfur compounds XVI. Photoelectron spectra of ethylene trithiocarbonate and ethylene dithiocarbonate, *J. Electron Spectrosc. Relat. Phenom.* **7**, 191 (1975).
- [4408] Frost, D. C., Lee, S. T., McDowell, C. A., and Westwood, N. P. C. The photoelectron spectrum of diazene (diimine), *Chem. Phys. Letters* **30**, 26 (1975).
- [4409] Cradock, S., Ebsworth, E. A. V., Meikle, G. D., and Rankin, D. W. H. Preparation, properties, and molecular structure of silylsulphinylamine, *J. Chem. Soc. Dalton Trans.* 805 (1975).
- [4410] Guimon, M.-F., Guimon, C., and Pfister-Guillouzo, G. Application of photoelectron spectroscopy to conformational analysis of 1,2,4-trithiolanes, *Tetrahedron Letters* **7**, 441 (1975).
- [4411] Richardson, N. V., and Weinberger, P. The electronic structure of the  $S_8$  molecule, *J. Electron Spectrosc. Relat. Phenom.* **6**, 109 (1975).
- [4412] Hall, M. B., Hillier, I. H., Connor, J. A., Guest, M. F., and Lloyd, D. R. The electronic structure of transition metal complexes containing organic ligands III. Low energy photoelectron spectra and *ab initio* SCF MO calculations of iron tricarbonyl cyclobutadiene, *Mol. Phys.* **30**, 839 (1975).
- [4413] Cradock, S., Ebsworth, E. A. V., and Muir, I. B. Photoelectron spectra and bonding of (N-B) -2,8,9-trioxa-5-aza-1-bora-bicyclo[3.3.3]undecane (boratran) and some 2,8,9-trioxa-5-aza-1-sila-bicyclo[3.3.3]undecanes (silatrans), *J. Chem. Soc. Dalton Trans.* 25 (1975).
- [4414] Delwiche, J. P., and Praet, M. Th. Spectre de photoélectrons He(I) de l'hexafluorobicyclo-[2.2.0]- hexadiène-2,5, J. Electron Spectrosc. Relat. Phenom. **7**, 317 (1975).
- [4415] Banna, M. S., and Shirley, D. A. Molecular photoelectron spectroscopy at 132.3 eV:  $N_2$ , CO,  $C_2H_4$  and  $O_2$ , *J. Electron Spectrosc. Relat. Phenom.* **8**, 255 (1976).
- [4416] Bastide, J., Heilbronner, E., Maier, J. P., and Ashe III, A. J. The photoelectron spectrum of bismabenzene, *Tetrahedron Letters* **6**, 411 (1976).
- [4417] Bock, H., Haselbach, E., Maier, E., and Stafast, H. The photoelectron spectrum of tetracyanomethane, *Helv. Chim. Acta* **59**, 1035 (1976).
- [4418] Baker, A. D., Brisk, M. A., Venzani, T. J., Kwon, Y. S., and Sadka, S. Spiroconjugation involving sulfur 3p atomic orbitals, *Tetrahedron Letters* **38**, 3415 (1976).
- [4419] Alder, R. W., Goode, N. C., King, T. J., Mellor, J. M., and Miller, B. W. A 1,5-Diazabicyclo[3.3.3] undecane derivative with almost planar bridgehead nitrogens, *J. Chem. Soc. Chem. Commun.* 173, (1976).
- [4420] Alderdice, D. S., and Dixon, R. N. Photoelectron spectra of nitrosyl halides, *J. Chem. Soc. Faraday Trans. II* **73**, 245 (1977).
- [4421] Bally, T., Haselbach, E., Lanyiova, S., Marschner, F., and Rossi, M. Concerning the conformation of isolated benzylideneaniline, *Helv. Chim. Acta* **59**, 486 (1976).
- [4422] Abbas, M. I., Dyke, J. M., and Morris, A. Photoelectron spectrum of nitrosyl chloride, *J. Chem. Soc. Faraday Trans II* **72**, 814 (1976).
- [4423] Schmidt, H., Schweig, A., Mathey, F., and Müller, G. Molecular conformation and hyperconjugation. P-C-hyperconjugation and the conformation of vinyl-, allyl-, and nitril halides and nitric acid, *J. Electron Spectrosc. Relat. Phenom.* **7**, 331 (1975).



- phenyl- and benzylphosphines, *Tetrahedron*, **31**, 1287 (1975).
- [4424] Hardin, A. H., and Sandorfy, C. Photoelectron and vacuum ultraviolet spectra of a series of fluoroethers, *J. of Fluorine Chem.* **5**, 435 (1975).
- [4425] Green, J. C., Jackson, S. E., and Higginson, B. Photoelectron studies of some bent bis( $\eta$ -cyclopentadienyl)metal complexes. Part I. Some eighteen- electron systems with hydride, alkyl, olefin, allyl, and carbonyl ligands, *J. Chem. Soc. Dalton Trans.* 403 (1975).
- [4426] Green, J. C., and Hayes, A. J. Ionization energies of an Mo-Mo quadruple bond; a He(I) photoelectron study of some molybdenum-dicarboxylate dimers, *Chem. Phys. Letters* **31**, 306 (1975).
- [4427] Flamini, A., Semprini, E., and Condorelli, G. Electronic structure of donor groups by photoelectron spectroscopy: thioderivatives of the carboxylate group, *Chem. Phys. Letters* **32**, 365 (1975).
- [4428] Groenenboom, C. J., de Liefde Meijer, H. J., Jellinek, F., and Oskam, A. UV photoelectron spectra of (cyclopentadienyl)-(cycloheptatrienyl)- zirconium-, niobium and-molybdenum, *J. Organometal. Chem.* **97**, 73 (1975).
- [4429] Houk, K. N., Chang, Y.-M., and Engel, P. S. Photoelectron spectroscopy of azo compounds, *J. Am. Chem. Soc.* **97**, 1824 (1975).
- [4430] Hush, N. S., Cheung, A. S., and Hilton, P. R. Binding energies of  $\pi$ - and "lone-pair"-levels in mono- and diaza-phenanthrenes and anthracenes: an He(I) photoelectron spectroscopic study, *J. Electron Spectrosc. Relat. Phenom.* **7**, 385 (1975).
- [4431] Levenson, R. A., Cihonski, J. L., Milazzo, P., and Ceasar, G. P. Photoelectron spectra of  $\text{Fe}(\text{CO})_2\text{X}_2$  ( $\text{X}=\text{Br}, \text{I}$ ). Transition metal analogs of the methylene halides, *Inorg. Chem.* **14**, 2578 (1975).
- [4432] Kroner, J., Wiberg, N., and Bayer, H. Photoelektronenspektrum von tetrazen, *Angew. Chem.* **87**, 203 (1975).
- [4433] Asmus, P., and Klessinger, M. Photoelektronenspektren organischer Verbindungen, IX. Sterisch fixierte Bicyclopentyl, *Liebigs. Ann. Chem.* **12**, 2169 (1975).
- [4434] Klessinger, M., Asmus, P., and Kraatz, U. Photoelektronenspektren organischer Verbindungen-VII, *Tetrahedron* **31**, 517 (1975).
- [4435] Muller, J.-F. 287. Spectres photoélectroniques He(I) et He(II) du benzo[*b*]sélénophène et du benzo[*b*]tellurophène, *Helv. Chim. Acta* **58**, 2646 (1975).
- [4436] Hildenbrand, D. L. Thermochemistry of molecular  $\text{FeO}$ ,  $\text{FeO}^+$  and  $\text{FeO}_2$ , *Chem. Phys. Letters* **34**, 352 (1975).
- [4437] Salmons, G., Faure, R., and Vincent, E.-J. Structure électronique en série benzothiazolique: Spectres photoélectroniques et calculs C.N.D.O., *C. R. Acad. Sci. Paris* **280**, 605 (1975).
- [4438] Limouzin, Y., and Maire, J. C. Spectres photoélectroniques des composés organométalliques, *J. Organometal. Chem.* **92**, 169 (1975).
- [4439] Guimon, C., Pfister-Guillouzo, G., and Arbelot, M. Spectres photoélectroniques d'hétérocycles carbonyles et thiocarbonyles, *Tetrahedron* **31**, 2769 (1975).
- [4445] Hush, N. S., and Cheung, A. S. Ionization potentials and donor properties of nucleic acid bases and related compounds, *Chem. Phys. Letters* **34**, 11 (1975).
- [4446] Fehlner, T. P. Photoelectron spectroscopy of *closocarboranes*. Observation of exo-polyhedral molecular orbitals, *Inorg. Chem.* **14**, 934 (1975).
- [4447] Guest, M. F., Hillier, I. H., Higginson, B. R., and Lloyd, D. R. The electronic structure of transition metal complexes containing organic ligands II. Low energy photoelectron spectra and *ab initio* SCF MO calculations of dibenzene chromium and benzene chromium tricarbonyl, *Mol. Phys.* **29**, 113 (1975).
- [4448] Hall, M. B. The use of spin-orbit coupling in the interpretation of photoelectron spectra. I. Application to substituted rhenium pentacarbonyls, *J. Am. Chem. Soc.* **97**, 2057 (1975).
- [4449] Boyd, R. J., Bünzli, J.-C. G., and Snyder, J. P. Photoelectron spectra of diazabasketene, diazadelacyclene, and related polycyclic *cis*- azoalkanes, *J. Am. Chem. Soc.* **98**, 2398 (1976).
- [4450] Brown, R. S. Application of photoelectron spectroscopy to intramolecularly hydrogen-bonded systems. Part III. The photoelectron spectra of *cis* and *trans* 2-substituted cyclopentanols and *cis* and *trans* 2-substituted cyclohexanols, *Can J. Chem.* **54**, 1929 (1976).
- [4451] Kobayashi, T. Photoelectron spectra of *N,N*-dimethylnitrosamine and related compounds, *Z. Phys. Chem. N. Folge* **97**, 269 (1975).
- [4452] Colonna, F. P., Distefano, G., Pignataro, S., Pitacco, G., and Valentin, E. Ionization energies of some amines and enamines and an estimation of their relative basicity in gaseous phase, *J. Chem. Soc., Faraday Trans. II* **71**, 1572 (1975).
- [4453] Bieri, G., Heilbronner, E., Kobayashi, T., Schmelzer, A., Goldstein, M. J., Leight, R. S., and Lipton, M. S. 286. Dewar benzene and some of its derivatives. A photoelectron spectroscopic analysis, *Helv. Chim. Acta* **59**, 2657 (1976).
- [4454] Lloyd, D. R., Lynaugh, N., Roberts, P. J., and Guest, M. F. Photoelectron studies of boron compounds, Part 5. - Higher boron hydrides  $\text{B}_4\text{H}_{10}$ ,  $\text{B}_5\text{H}_{10}$  and  $\text{B}_{10}\text{H}_{12}$ , *J. Chem. Soc. Faraday Trans. II* **71**, 1382 (1975).
- [4455] Lee, T. H., and Rabalais, J. W. Photoelectron spectrum and ground state electronic structure of chromyl chloride vapor, *Chem. Phys. Letters* **34**, 135 (1975).
- [4456] Head, R. A., Nixon, J. F., Sharp, G. J., and Clark, R. J. Photoelectron spectroscopic study of metal trifluorophosphine and hydridotrifluorophosphine complexes, *J. Chem. Soc. Dalton Trans.* 2054 (1975).
- [4457] Hosomi, A., and Traylor, T. G. Studies of interactions of adjacent carbon-metal  $\sigma$  bonds by photoelectron spectroscopy, *J. Am. Chem. Soc.* **97**, 3682 (1975).
- [4458] Hilpert, K., Naoumidis, A., and Wolff, G. Mass spectrometric study of the evaporation of  $\text{BaAl}_2\text{O}_4$ , *High Temp. Sci.* **7**, 1 (1975).
- [4459] Mollere, P. D., Houk, K. N., Bomse, D. S., and Morton, T. H. Photoelectron spectra of sterically congested alkenes and dienes, *J. Am. Chem. Soc.* **98**, 4732 (1976).
- [4460] Allan, M., Heilbronner, E., Kloster-Jensen, E., and Maier, J. P. The  $\pi$ -states of tetraacetylene radical cation, *Chem. Phys. Letters* **41**, 228 (1976).
- [4461] Spanget-Larsen, J., Gleiter, R., and Hünig, S. The electronic structure of dibenzotetrathiafulvalene, *Chem. Phys. Letters* **37**, 29 (1976).
- [4462] Meeks, J. L., and McGlynn, S. P. Photoelectron spectra of carbonyls. Oxamide, parabanic acid, and their *N*-methyl derivatives, *J. Am. Chem. Soc.* **97**, 5079 (1975).
- [4463] Kobayashi, T. Photoelectron spectra of *p*-benzoquinones, *J. Electron Spectrosc. Relat. Phenom.* **7**, 349 (1975).
- [4464] Kobayashi, T., Yokota, K., and Nagakura, S. Photoelectron spectra of the *cis*- and *trans*-isomers of some ethylene derivatives, *Bull. Chem. Soc. Japan* **48**, 412 (1975).
- [4465] Egdel, R., Green, J. C., Rao, C. N. R., Gowenlock, B. G., and Pfaff, J. He(I) photoelectron studies of *C*-nitroso compounds, *J. Chem. Soc. Faraday Trans. II*, 988 (1975).
- [4466] Utsunomiya, C., Kobayashi, T., and Nagakura, S. Photoelectron spectra of substituted naphthalenes, *Bull. Chem. Soc. Japan* **48**, 1852 (1975).
- [4467] Rao, C. N. R. Lone-pair ionization bands of chromophores in the photoelectron spectra of organic molecules, *Indian J. Chem.* **13**, 950 (1975).
- [4468] Neijzen, B. J. M., Schmitz, R. F., Klumpp, G. W., and

- DeLange, C. A.  $n-\pi$  Interactions in homoallylic methyl ethers. A photoelectron spectroscopic study, *Tetrahedron* **31**, 873 (1975).
- [4469] Mines, G. W., and Thompson, H. W. The photoelectron spectra of amides, thioamides, ureas and thioureas, *Spectrochim. Acta* **31A**, 137 (1975).
- [4470] Maier, J. P., Muller, J.-F., and Kubota, T. Ionisation energies and the electronic structures of the N-oxides of diazabenzenes, *Helv. Chim. Acta* **58**, 1634 (1975).
- [4471] Meeks, J. L., Arnett, J. F., Larson, D., and McGlynn, S. P. Photoelectron spectroscopy of carbonyls. Ionization assignments, *Chem. Phys. Letters* **30**, 190 (1975).
- [4472] Kobayashi, T., and Nagakura, S. Angular distribution for the photoelectron spectra of benzene and hexafluorobenzene, *J. Electron Spectrosc. Relat. Phenom.* **7**, 187 (1975).
- [4473] Kobayashi, T., and Nagakura, S. Photoelectron spectra of nitrophenols and nitroanisoles, *J. Electron Spectrosc. Relat. Phenom.* **6**, 421 (1975).
- [4474] Lappert, M. F., Pedley, J. B., Wilkins, B. T., Stelzer, O., and Unger, E. Bonding studies of compounds of boron and the group 3-5 elements. Part XIII. He(I) photoelectron spectra of phosphines  $R_nPX_{3-n}$  ( $R=Me$  or  $Bu$ ;  $X=H, Cl$ , or  $F$ ;  $n=1-3$ ),  $(Me_2N)_nPCl_{3-n}$  ( $n=1-3$ ), and  $(R_2N)PF_2$  ( $R=Me$  or  $Et$ ), *J. Chem. Soc. Dalton Trans.* 1207 (1975).
- [4475] Kobayashi, T., Yokota, K., and Nagakura, S. Photoelectron spectra of trans-azobenzene and benzaniline, *J. Electron Spectrosc. Relat. Phenom.* **6**, 167 (1975).
- [4476] Rosmus, P., Stafast, H., and Bock, H. Sulphur dicyanide: Ionisation potentials and Hartree-Fock calculations, *Chem. Phys. Letters* **34**, 275 (1975).
- [4477] Lloyd, D. R., Roberts, P. J., and Hillier, I. H. Electronic structure of nitric acid studied by photoelectron spectroscopy and molecular orbital calculation, *J. Chem. Soc. Faraday Trans. II* **71**, 496 (1975).
- [4478] Hino, S., Seki, K., and Inokuchi, H. Photoelectron spectra of *p*-terphenyl in gaseous and solid states, *Chem. Phys. Letters* **36**, 335 (1975).
- [4479] Schweig, A., and Thon, N. Measurement of relative conformational stabilities by variable temperature photoelectron spectroscopy. A study of rotational isomerism in thioanisole, *Chem. Phys. Letters* **38**, 482 (1976).
- [4480] Aue, D. H., Webb, H. M., and Bowers, M. T. Quantitative proton affinities, ionization potentials, and hydrogen affinities of alkylamines, *J. Am. Chem. Soc.* **98**, 311 (1976).
- [4481] Gleiter, R., Kobayashi, M., Spanget-Larsen, J., Ferraris, J. P., Bloch, A. N., Bechgaard, K., and Cowan, D. O. Photoelectron and electronic absorption spectra of tetrathiafulvalene and related compounds, *Ber. Bunsenges.* **79**, 1218 (1975).
- [4482] Gounelle, Y., Menard, C., Pechine, J. M., Solgadi, D., Menes, F., and Botter, R. Conformational effects on ionization potentials; Photoelectron spectra of dibromo- and bromofluoro- alkyl compounds, *J. Electron Spectrosc. Relat. Phenom.* **7**, 247 (1975).
- [4483] Murad, E., and Hildenbrand, D. L. Thermochemical properties of gaseous  $ZrO$  and  $ZrO_2$ , *J. Chem. Phys.* **63**, 1133 (1975).
- [4484] Peel, J. B., and Willett, G. D. Photoelectron spectroscopic studies of the higher alcohols, *Aust. J. Chem.* **28**, 2357 (1975).
- [4485] Alderdice, D. S., and Dixon, R. N. Photoelectron spectrum of sulphur trioxide, *J. Chem. Soc. Faraday Trans II* **72**, 372 (1976).
- [4486] Smoes, S., Drowart, J., and Welter, J. M. Thermodynamic study of the vaporization of europium monosulfide by Knudsen-cell mass spectrometry. Atomization energies of  $EuS(g)$ ,  $Eu_2S(g)$ ,  $EuS_2(g)$ ,  $Eu_2O(g)$ ,  $Eu_2O_2(g)$ ,  $Eu_2OS(g)$ , and  $Eu_2S_2(g)$ , *J. Chem. Thermodyn.* **9**, 275 (1977).
- [4487] Meeks, J. L., Arnett, J. F., Larson, D. B., and McGlynn, S. P. Photoelectron spectroscopy of carbonyls. Urea, oxamide, oxalic acid and oxamic acid, *J. Am. Chem. Soc.* **97**, 3905 (1975).
- [4488] Obenland, S., and Schmidt, W. Photoelectron spectra of polynuclear aromatics. IV. The helicenes, *J. Am. Chem. Soc.* **97**, 6633 (1975).
- [4489] Peel, J. B., and Willett, G. D. Photoelectron spectrum of methylenimine by spectrum stripping, *J. Chem. Soc., Faraday Trans. II* **71**, 1799 (1975).
- [4490] Schmidt, H., Schweig, A., and Manuel, G. Vapourphase conformation of benzylmercuric chloride, *J. Chem. Soc. Chem. Commun.* 667, (1975).
- [4491] Samson, J. A. R., and Gardner, J. L. On the ionization potential of molecular oxygen, *Can. J. Phys.* **53**, 1948 (1975).
- [4492] Higginson, B. R., Lloyd, D. R., Evans, S., and Orchard, A. F. Photoelectron studies of metal carbonyls. Part 5. - Substituted group VIIA carbonyls, *J. Chem. Soc. Faraday Trans. II* **71**, 1913 (1975).
- [4493] Runge, W., Kosbahn, W., and Kroner, J. The molecular structure of allenes and ketenes II [1] Photoelectron spectra, absorption spectra, and CNDO/S-calculations of phenyl and methyl substituted allenes, *Ber. Bunsenges.* **79**, 371 (1975).
- [4494] Stockbauer, R., and Inghram M. G. Vibrational structure in the ground state of ethylene and ethylene- $d_4$  molecular ions investigated by threshold photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **7**, 492 (1975).
- [4495] Kobayashi, T., and Nagakura, S. Photoelectron spectra of phenyl isocyanates and phenyl isothiocyanate, *J. Electron Spectrosc. Relat. Phenom.* **7**, 488 (1975).
- [4496] Wittel, K. The photoelectron spectrum of formylfluoride, *J. Electron Spectrosc. Relat. Phenom.* **8**, 245 (1976).
- [4497] Aue, D. H., Webb, H. M., and Bowers, M. T. Photoelectron spectrum and gas-phase basicity of manxine. Evidence for a planar bridgehead nitrogen, *J. Am. Chem. Soc.* **97**, 4136 (1975).
- [4498] Wu, M., and Fehlner, T. P. Photoelectron spectroscopy of unstable species. The PN molecule, *Chem. Phys. Letters* **36**, 114 (1975).
- [4499] Zverev, V. V., Vovna, V. I., Kitaev, Yu. P., and Vilesov, F. I. Photoelectron spectrum and structure of formaldehyde azine, *J. Struct. Chem.* **16**, 947 (1975).
- [4500] Lee, T. H., Colton, R. J., White, M. G., and Rabalais, J. W. Electronic structure of hydrazoic acid and the azide ion from x-ray and ultra- violet electron spectroscopy, *J. Am. Chem. Soc.* **97**, 4845 (1975).
- [4501] Whitesides, T. H., Lichtenberger, D. L., and Budnik, R. A. Bonding in ring whizzers. I. Photoelectron spectra and molecular orbital calculations for  $(\eta^5-C_6H_7)Mn(CO)_3$ ,  $(\eta^5-C_7H_7)Mn(CO)_3$ , and  $(\eta^5-C_7H_7)Mn(CO)_3$ , *Inorg. Chem.* **14**, 68 (1975).
- [4503] Johnson, L. P., and Morrison, J. D. Double ionization to low-lying states of the doubly- charged rare gases, *Intern. J. Mass Spectrom. Ion Phys.* **18**, 355 (1975).
- [4504] Arnold, D. E. J., Ebsworth, E. A. V., and Rankin, D. W. H. Preparation and properties of difluoro- (difluorophosphinoamino)borane, *J. Chem. Soc. Dalton*, 823 (1976).
- [4505] Guido, M., and Gigli, G. Mass spectrometric study of the gaseous PrCN molecule, *High Temp. Sci.* **7**, 122 (1975).
- [4506] Farber, M., and Srivastava, R. D. The dissociation energy of barium oxide, *High Temp. Sci.* **7**, 74 (1975).
- [4507] Compennolle, F. Mass spectrum and heat of formation of isocyanic acid. Production of  $[HCO]^+$  from discrete electronic state of molecular ion, *Org. Mass Spectrom* **10**, 289 (1975).
- [4508] Müller, C., Schweig, A., and Vermeer, H. Thiirene dioxides. Electronic structure, *J. Am. Chem. Soc.* **97**, 982 (1975).



- [4509] Brown, R. S. Application of photoelectron spectroscopy to intramolecularly hydrogen-bonded systems. Part II. On the  $n-\pi^*$  blue shift of carbonyl-containing molecules, *Can. J. Chem.* **54**, 3203 (1976).
- [4510] Koenig, T., Wielesek, R., Snell, W., and Balle, T. Helium(I) photoelectron spectrum of *p*-quinodimethane, *J. Am. Chem. Soc.* **97**, 3225 (1975).
- [4511] Brown, R. S. Application of photoelectron spectroscopy to intramolecularly hydrogen-bonded systems. Part IV.  $\pi$ -systems; the photoelectron spectra of *syn*- and *anti*-7-norbornenol, *Can. J. Chem.* **54**, 3206 (1976).
- [4512] Wittel, K., Bock, H., Haas, A., and Pflieger, K. H. Photoelectron spectra and molecular properties XLVII.  $F_3C$ -substituted mercury compounds, *J. Electron Spectrosc. Relat. Phenom.* **7**, 365 (1975).
- [4513] Kimura, K., Katsumata, S., Yamazaki, T., and Wakabayashi, H. UV photoelectron spectra and sum rule consideration; Out-of-plane orbitals of unsaturated compounds with planar-skeleton structure, *J. Electron Spectrosc. Relat. Phenom.* **6**, 41 (1975).
- [4514] Kimura, K., Katsumata, S., and Osafune, K. Photoelectron spectroscopic study of skew compounds. Methylhydrazine and unsymmetrical dimethylhydrazine, *Bull. Chem. Soc. Japan* **48**, 2736 (1975).
- [4515] Schäfer, W., Schweig, A., Vermeer, H., Bickelhaupt, F., and De Graaf, H. On the nature of the "free electron pair" on phosphorus in aromatic phosphorus compounds: the photoelectron spectrum of 2-phosphanaphthalene, *J. Electron Spectrosc. Relat. Phenom.* **6**, 91 (1975).
- [4516] Lloyd, D. R., Roberts, P. J., Hillier, I. H., and Shenton, I. C. On the photoelectron spectrum of sulphur trioxide, *Mol. Phys.* **31**, 1549 (1976).
- [4517] Bertoti, I., Craddock, S., Ebsworth, E. A. V., and Whiteford, R. A. Photoelectron spectra and transannular interactions in 1-silacyclopent-3-enes, *J. Chem. Soc. Dalton* 937 (1976).
- [4518] Gingerich, K. A., and Miller, F. Thermodynamic study of gaseous sodium-phosphorus-oxygen ternary molecules by high temperature mass spectrometry, *J. Chem. Phys.* **63**, 1211 (1975).
- [4519] Ulman, J. A., and Fehlner, T. P. Substituent effects in cluster species. Photoelectron spectra of 1-, 2-, and  $\mu$ -substituted pentaborane(9), *J. Am. Chem. Soc.* **98**, 1119 (1976).
- [4520] McGlynn, S. P., and Meeks, J. L. Photoelectron spectra of carbonyls: Acetaldehyde, acetamide, biacetyl, pyruvic acid, methyl pyruvate and pyruvamide, *J. Electron Spectrosc. Relat. Phenom.* **6**, 269 (1975).
- [4521] Vovna, V. I., Vilesov, F. I., and Lopatin, S. N. Photoelectron spectra of hydrazine and some alkyl derivatives, *Opt. Spectrosc.* **38**, 143 (1975).
- [4522] Rothgery, E. F., McGee, H. A. Jr., and Pusatcioglu, S. Aminodifluoroborane, *Inorg. Chem.* **14**, 2236 (1975).
- [4523] Van Den Ham, D. M. W., Beerlage, M., Van Der Meer, D., and Feil, D. Photoelectron spectra of fluorine substituted diazanaphthalenes: "even cases," *J. Electron Spectrosc. Relat. Phenom.* **7**, 33 (1975).
- [4524] Young, V. Y., and Cheng, K. L. The photoelectron spectra of halogen substituted acetones, *J. Chem. Phys.* **65**, 3187 (1976).
- [4525] Fridh, C., and Åsbrink, L. Photoelectron and electron impact spectrum of HCN, *J. Electron Spectrosc. Relat. Phenom.* **7**, 119 (1975).
- [4526] Kroner, J., Nölle, D., Nöth, H., and Winterstein, W. Photoelektronenspektroskopische Untersuchungen an Bor-Verbindungen, II Fünfgliedrige Heterocyclen des Bors, *Chem. Ber.* **108**, 3807 (1975).
- [4527] Aue, D. H., Webb, H. M., and Bowers, M. T. Proton affinities, ionization potentials, and hydrogen affinities of nitrogen and oxygen bases. Hybridization effects, *J. Am. Chem. Soc.* **97**, 4137 (1975).
- [4528] Steiger, R. A., and Cater, E. D. Vaporization, thermodynamics, and dissociation energy of yttrium monosulfide, *High Temp. Sci.* **7**, 204 (1975).
- [4529] Cocke, D. L., Gingerich, K. A., and Kordis, J. Atomization energies of gaseous EuAu, EuAu<sub>2</sub>, EuRh, RhAu, Eu<sub>2</sub>, and EuAg, and predicted stability of selected diatomic europium compounds, *High Temp. Sci.* **7**, 61 (1975).
- [4530] Van Veen, E. H., and Plantenga, F. L. Threshold electron-impact excitation spectrum of pyridine, *Chem. Phys. Letters* **30**, 28 (1975).
- [4531] Heilbronner, E., Brogli, F., and Vogel, E. Photoelectron spectroscopic assignment of symmetry to the ground state and first excited state of the 1,4-cyclohexadiene radical cation, *J. Electron Spectrosc. Relat. Phenom.* **9**, 227 (1976).
- [4532] Cocke, D. L., Gingerich, K. A., and Kordis, J. Gaseous phosphorus compounds XI. Thermodynamic investigation of the gaseous molecule RhP<sub>2</sub>, *High Temp. Sci.* **7**, 20 (1975).
- [4533] Kaposi, O., Riedel, M., and Sánchez, G. R. Mass-spectrometric study of electron-impact and heterogeneous pyrolytic decomposition of methyl bromide, *Acta Chim. Acad. Sci. Hung.* **85**, 361 (1975).
- [4534] Selim, E. T. M. Electron impact study of benzene, *Egypt. J. Phys.* **7**, 91, (1976).
- [4535] Mouvier, G., and Hernández, R. Ionisation and appearance potentials of alkylketones, *Org. Mass Spectrom.* **10**, 958 (1975).
- [4536] Weiner, M. A., and Lattman, M. Ultraviolet photoelectron spectra of 4-substituted pyridineboranes, *Inorg. Nucl. Chem. Lett.* **11**, 723 (1975).
- [4537] Wieczorek, J. S., Koenig, T., and Balle, T. The He(I) photoelectron spectra of amine *n*-oxides, *J. Electron Spectrosc. Relat. Phenom.* **6**, 215 (1975).
- [4538] Van Hoorn, M. D. He(I) ionisation potentials and MO calculations of butenyne and the monomethyl-substituted butenyne, *J. Electron Spectrosc. Relat. Phenom.* **6**, 65 (1975).
- [4539] Radwan, T. N., and Turner, D. W. Molecular photoelectron spectroscopy. Part V. Ozone, *J. Chem. Soc. (A)*, 85 (1966).
- [4540] Allan, M., Heilbronner, E., and Kaupp, G. 203. The photoelectron spectrum of dibenzo-*p*-quinodimethane, *Helv. Chim. Acta* **59**, 1949 (1976).
- [4541] Haselbach, E., and Rossi, M. 33. Electronic structure, molecular conformation and reactivity of benzonorboradiene systems, *Helv. Chim. Acta* **59**, 278 (1976).
- [4542] Salahub, D. R., and Boschi, R. A. A pot-pourri of UV and PE spectra of iodides, *Chemical spectroscopy and photochemistry in the vacuum-ultraviolet* 191 (1974).
- [4543] Harland, P. W., Rankin, D. W. H., and Thynne, J. C. J. Ionisation by electron impact of phosphorus trifluoride and difluorocyanophosphine, *Int. J. Mass Spectrom. Ion Phys.* **13**, 395 (1974).
- [4544] Hildenbrand, D. L. Dissociation energy and ionization potential of the molecule CF, *Chem. Phys. Letters* **32**, 523 (1975).
- [4545] Lossing, F. P., and Traeger, J. C. Stabilization in cyclopentadienyl, cyclopentenyl, and cyclopentyl cations, *J. Am. Chem. Soc.* **97**, 1579 (1975).
- [4546] Flesch, G. D., and Svec, H. J. Thermochemistry of vanadium oxytrichloride and vanadium oxytrifluoride by mass spectrometry, *Inorg. Chem.* **14**, 1817 (1975).
- [4547] Katsumata, S., and Kimura, K. Photoelectron spectra and sum rule consideration. Effect of chlorine substitution on ionization energies for chloroethanes, chloroacetaldehydes and chloroacetyl chlorides, *J. Electron Spectrosc. Relat. Phenom.* **6**, 309 (1975).



- [4548] Green, M. M., Bafus, D., and Franklin, J. L. Short communication; Combined deuterium labeling and appearance potential measurements to uncover competing reaction mechanisms in the electron-impact-induced loss of water from cyclohexanol, *Org. Mass Spectrom.* **10**, 679 (1975).
- [4549] Wittel, K., Astrup, E. E., Bock, H., Graeffe, G., and Juslén, H. Photoelectron spectra and molecular properties. XLVIII Carbonates and thiocarbonates, *Z. Naturforsch.* **30b**, 862 (1975).
- [4550] Wu, M., and Fehlner, T. P. Valence level photoelectron spectra of some heavy group 4-6 diatomic molecules, *J. Am. Chem. Soc.* **98**, 7578 (1976).
- [4551] Maier, J. P., Muller, J.-F., Kubota, T., and Yamakawa, M. 183. Ionisation energies and the electronic structures of the N-oxides of azanaphthalenes and azaanthracenes, *Helv. Chim. Acta* **58**, 1641 (1975).
- [4552] Streets, D. G., and Berkowitz, J. The structure of  $Tl_2F_2$  from photoelectron spectroscopy, *Chem. Phys. Letters* **38**, 475 (1976).
- [4553] Ravishankara, A. R., and Hanrahan, R. J. An electron impact investigation of 1,1,2,2-tetrafluorocyclobutane, *J. Phys. Chem.* **79**, 876 (1975).
- [4554] Hildenbrand, D. L. Vertical ionization potential of the  $CF_2$  radical, *Chem. Phys. Letters* **30**, 32 (1975).
- [4555] Guimon, C., Arbelot, M., and Pfister-Guillouzo, G. Structure électronique de dérivés sulfures-VIII. Spectres photoélectroniques et électroniques d'hétérocycles thiocarbonylés benzo-substitués, *Spectrochim. Acta* **31A**, 985 (1975).
- [4556] Gusarov, A. V., Gotkis, I. S., and Gorokhov, L. N. Mass-spectrometric study of the evaporation products of the  $B_2O_3 - WO_3$  system; Heat of formation of  $BWO_3$ (gas), *High Temp. (USSR)* **13**, 324 (1975).
- [4557] Khandelwal, S. C., and Roebber, J. L. The photoelectron spectra of tetraphenylporphine and some metallotetraphenylporphyrins, *Chem. Phys. Letters* **34**, 355 (1975).
- [4558] Bock, H., Ensslin, W., Fehér, F., and Freund, R. Photoelectron spectra and molecular properties. LI. Ionization potentials of silanes  $Si_nH_{2n+2}$ , *J. Am. Chem. Soc.* **98**, 668 (1976).
- [4559] Lappert, M. F., Pedley, J. B., Sharp, G. J., and Guest, M. F. Bonding studies of compounds of boron and elements of groups 3-5, *J. Chem. Soc. Faraday Trans. II* **72**, 539 (1976).
- [4560] Rauh, E. G., and Ackermann, R. J. The first ionization potentials of neptunium and neptunium monoxide, *J. Chem. Phys.* **62**, 1584 (1975).
- [4561] Ames, D. L., and Turner, D. W. Photoelectron spectroscopic studies of dinitrogen tetroxide and dinitrogen pentoxide, *Proc. R. Soc. London Ser. A* **348**, 175 (1976).
- [4562] Fragala, I., Condorelli, G., Zanella, P., and Tondello, E. Photoelectron spectroscopy of actinide organometallic compounds I. Bis (cyclooctatetraene)actinide(IV) complexes, *J. Organometal. Chem.* **122**, 357 (1976).
- [4564] Utsunomiya, C., Kobayashi, T., and Nagakura, S. Photoelectron spectra of electron donor-acceptor complexes between bromine and alkylamines, *Chem. Phys. Letters* **39**, 245 (1976).
- [4565] Symon, D. A., and Waddington, T. C. Valence-band photoelectron spectra of some dicarbonyl( $\eta$ -cyclopentadienyl)(ligand)iron compounds and tetrakis [carbonyl( $\eta$ -cyclopentadienyl)iron(1)], *J. Chem. Soc. Dalton Trans.* 2140 (1975).
- [4566] Flamini, A., Semprini, E., Stefani, F., Sorriso, S., and Cardaci, G. He(I) photoelectron spectra and semiempirical molecular-orbital calculations on methylmetal halides of group 4A elements, *J. Chem. Soc. Dalton Trans.* 731 (1976).
- [4567] Gounelle, Y., Jullien, J., Solgadi, D., Botter, R., and Menes, F. No. 157. - Effets de l'isomérisation sur les potentiels d'ionisation: Spectres des photoélectrons de dihalogéno-benzènes, *J. Chim. Phys.* **10**, 1094 (1975).
- [4568] Ihle, H. R., and Wu, C. H. Mass spectrometric determination of the ionization potential and dissociation energy of LiD, *J. Chem. Phys.* **63**, 1605 (1975).
- [4569] Batich, C., Heilbronner, E., Quinn, C. B., and Wiseman, J. R. The electronic structure of vinyl ethers and sulfides with interrupted conjugation examined by photoelectron spectroscopy, *Helv. Chim. Acta* **59**, 512 (1976).
- [4570] Lichtenberger, D. L., and Fenske, R. F. The helium(I) photoelectron spectra and electronic structure of ( $\eta^1$ -Cyclopentadienyl) d<sup>0</sup> metal carbonyls, *J. Am. Chem. Soc.* **98**, 50 (1976).
- [4571] Cauletti, C., and Furlani, C. He(I) photoelectron spectra of bis( $\beta$ -diketonate)nickel(II) complexes and their mono- and di-thio analogues, *J. Electron Spectrosc. Relat. Phenom.* **6**, 465 (1975).
- [4572] Bischof, P., Gleiter, R., Hafner, K., Kobayashi, M., and Spanget-Larsen, J. Polarized absorption and photoelectron spectra of aceheptylene, 3,5-dimethylaceheptylene and 3,5,8,10-tetramethylaceheptylene, *Ber. Bunsenges.* **80**, 532 (1976).
- [4573] Behan, J. M., Dean, F. M., and Johnstone, R. A. W. Photoelectron spectra of cyclic aromatic ethers. The question of the Mills-Nixon effect, *Tetrahedron* **32**, 167 (1976).
- [4574] Fehlner, T. P., Ulman, J., Nugent, W. A., and Kochi, J. K. Effect of alkyl substituents on the first ionization potential and on  $5d^{10}$  ionization in dialkylmercury compounds, *Inorg. Chem.* **15**, 2544 (1976).
- [4575] Carlier, P., Dubois, J. E., Masclet, P., and Mouvier, G. Spectres de photoélectrons des alcynes, *J. Electron Spectrosc. Relat. Phenom.* **7**, 55 (1975).
- [4576] Battiste, D. R., Davis, L. P., and Nauman, R. V. Photoelectron spectroscopy and quantum chemical analysis of some N-nitrosamines, *J. Am. Chem. Soc.* **97**, 5071 (1975).
- [4577] Brown, R. S. A photoelectron investigation of the peroxide bond, *Can. J. Chem.* **53**, 3439 (1975).
- [4578] Johnson, I. Mass spectrometric study of the vaporization of cesium and sodium molybdates, *J. Phys. Chem.* **79**, 722 (1975).
- [4579] Starzewski, K. A. O., and Bock, H. Photoelectron spectra and molecular properties. 58.<sup>1,2</sup> Phosphorus ylides: Gas phase ionization potentials and charge distribution, *J. Am. Chem. Soc.* **98**, 8486 (1976).
- [4580] Hildenbrand, D. L. Thermochemistry of the gaseous tungsten fluorides, *J. Chem. Phys.* **62**, 3074 (1975).
- [4581] Bock, H., Wittel, K., Veith, M., and Wiberg, N. Photoelectron spectra and molecular properties. L.<sup>1-3</sup> On the blue color of bis(trimethylsilyl)diimine, *J. Am. Chem. Soc.* **98**, 109 (1976).
- [4582] Brown, C. M., Tilford, S. G., Tousey, R., and Ginter, M. L. Absorption spectrum of Si I between 1500 and 1900 Å, *J. Opt. Soc. Am.* **64**, 1665 (1974).
- [4583] Brown, C. M., Tilford, S. G., and Ginter, M. L. Absorption spectrum of Ca I in the 1580-2090 Å region, *J. Opt. Soc. Am.* **63**, 1454 (1973).
- [4584] Elbel, S., Dieck, H. t., Becker, G., and Ensslin, W. Photoelectron spectra of group 5 compounds. II. Conformational analysis of diphosphine ( $P_2H_4$ ), *Inorg. Chem.* **15**, 1235 (1976).
- [4585] Fragala, I., Ciliberto, E., Fischer, R. D., Siemel, G. R., and Zanella, P. Photoelectron spectroscopy of f-element organometallic compounds II. Tricyclopentadienyl derivatives of uranium (IV) and thorium (IV), *J. Organometal. Chem.* **120**, C9 (1976).
- [4586] Dolby, L. J., Hanson, G., and Koenig, T. The He I

- photoelectron spectra of *N*-methylisindole and *N*-methylindole, *J. Org. Chem.* **41**, 3537 (1976).
- [4587] Frost, D. C., Lee, S. T., McDowell, C. A., and Westwood, N. P. C. The photoelectron spectra of diazene, diazene-*d*<sub>2</sub>, and *trans*-methyldiazene, *J. Chem. Phys.* **64**, 4719 (1976).
- [4588] Gibbins, S. G., Lappert, M. F., Pedley, J. B., and Sharp, G. J. Bonding studies of transition-metal complexes. Part II. Helium-I photoelectron spectra of homoleptic *d*<sup>0</sup>, *d*<sup>1</sup>, and *d*<sup>10</sup>tetrakis(dialkylamides) of transition and group 4B metals and tungsten hexakis(dimethylamide), *J. Chem. Soc. Dalton* **72** (1975).
- [4589] Distefano, G., Pignataro, S., Ricci, A., Colonna, F. P., and Pietropaolo, D. Interactions of  $\pi$ orbitals with the group IV elements studied by ionization energy measurements, *Ann. Chim.* **64**, 153 (1974).
- [4590] Albini, A., and Mark, F. Photoelectron spectra of phenazine *N*-oxide and some of its derivatives, *J. Chem. Soc., Faraday Trans. II* **72**, 463 (1976).
- [4591] Lossing, F. P., and Traeger, J. C. Free radicals by mass spectrometry XLVI. Heats of formation of C<sub>3</sub>H<sub>7</sub><sup>•</sup> and C<sub>3</sub>H<sub>9</sub><sup>•</sup> radicals and cations, *Intern. J. Mass Spectrom. Ion Phys.* **19**, 9 (1975).
- [4592] Evlasheva, T. I., Potapov, V. K., and Tulupov, V. A. The structure of the ammonium chloride molecule, *Russ. J. Phys. Chem.* **49**, 738 (1975).
- [4593] Dougherty, D., Bloomfield, J. J., Newkome, G. R., Arnett, J. F., and McGlynn, S. P. Photoelectron spectra of carbonyls. Propellenes and propellanones, *J. Phys. Chem.* **80**, 2212 (1976).
- [4595] Bastide, J., and Maier, J. P. Electronic states of the radical cations of the 1,3-dipoles: HCNO, CH<sub>2</sub>N<sub>2</sub>, and N<sub>3</sub>H, studied by photoelectron spectroscopy, *Chem. Phys.* **12**, 177 (1976).
- [4596] Dyke, J., Jonathan, N., Lee, E., and Morris, A. Vacuum ultraviolet photoelectron spectroscopy of transient species, *J. Chem. Soc. Faraday Trans. II* **72**, 1385 (1976).
- [4597] Bulgin, D. K., Dyke, J. M., and Morris, A. Hel photoelectron spectrum of the P<sub>2</sub>(X<sup>1</sup>Σ<sub>g</sub><sup>+</sup>) molecule, *J. Chem. Soc. Faraday Trans. II* **72**, 2225 (1976).
- [4598] Krause, J. R., and Bidinosti, D. R. Mass spectrometric studies of the ionization and thermal decomposition of tungsten  $\pi$ -cyclopentadienyl tricarbonyl dimer, *Can. J. Chem.* **53**, 628 (1975).
- [4599] Dougherty, D., Wittel, K., Meeks, J., and McGlynn, S. P. Photoelectron spectroscopy of carbonyls. Ureas, uracils, and thymine, *J. Am. Chem. Soc.* **98**:13, 3815 (1976).
- [4600] Paetzold, R., and Abd-el-Mottaleb, S. Correlative studies of some spectroscopic and bonding parameters in octahedrally coordinated metal carbonyl complexes, *J. Mol. Struct.* **24**, 357 (1975).
- [4602] Dixon, R. N., Duxbury, G., Rabalais, J. W., and Åsbrink, L. Ro-vibronic structure in the photoelectron spectra of H<sub>2</sub>O, D<sub>2</sub>O and HDO, *Mol. Phys.* **31**, 423 (1976).
- [4603] Phillips, G. R., Russell, M. E., and Solka, B. H. The structure of the [C<sub>2</sub>H<sub>5</sub>O]<sup>+</sup> ion in the mass spectrum of diethyl ether, *Org. Mass. Spectrom.* **10**, 819 (1975).
- [4604] DeKock, R. L., Shehfeh, M. A., Lloyd, D. R., and Roberts, P. J. Ultraviolet photoelectron spectra of thiazyl chloride, *J. Chem. Soc. Faraday Trans. II* **72**, 807 (1976).
- [4606] Smith, J. A., and Pong, W. Ultraviolet photoelectron spectra of cesium halides, *Phys. Rev. B.* **12**, 5931 (1975).
- [4607] Chantry, P. J. Positive ion appearance potentials measured in Cel<sub>2</sub>, *J. Chem. Phys.* **65**, 4421 (1976).
- [4608] Dewar, M. J. S., Fonken, G. J., Jones, T. B., and Minter, D. E. Photoelectron spectra of molecules. Part VII. Cyclopropylallenes, *J. Chem. Soc. Perkin II*, 764 (1976).
- [4609] Koenig, T., Snell, W., and Chang, J. C. The He(I) photoelectron spectra of benzyl and  $\alpha$ -cyanoisopropyl radicals, *Tetrahedron Letters*, **50**, 4569 (1976).
- [4610] Balkis, T., Gaines, A. F., Özgen, G., Özgen, I. T., and Flowers, M. C. Ionization of hydrogen sulphide, selenide and telluride by electron impact, *J. Chem. Soc. Faraday Trans. II* **72**, 524 (1976).
- [4611] Güsten, H., Klasinc, L., Tóth, T., and Knop, J. V., Photoelectron spectroscopy of heterocycles. 5H-dibenzo(a,d) cycloheptene analogs, *J. Electron Spectrosc. Relat. Phenom.* **8**, 417 (1976).
- [4612] Clark, J. P., and Green, J. C. The He-I photoelectron spectra of uranocene and thorocene, *J. Organometal. Chem.* **112**, C14 (1976).
- [4613] Chau, F. T., and McDowell, C. A. Photoelectron spectra of 1,2-dibromo-1,1-difluoroethane, 1,2-bromochloroethane, and 1,2-dichloro-, 1,2-dibromo-, and 1,2-diiodotetrafluoroethane, *J. Phys. Chem.* **80**, 2923 (1976).
- [4614] Koenig, T., Balle, T., and Snell, W. Helium(I) photoelectron spectra of organic radicals, *J. Am. Chem. Soc.* **97**, 662, (1975).
- [4615] Gardner, J. L., and Samson, J. A. R. Photoion and photoelectron spectroscopy of CO and N<sub>2</sub>, *J. Chem. Phys.* **62**, 1447 (1975).
- [4616] Koenig, T., Smith, M., and Snell, W. The He(I) photoelectron spectrum of cyclopentadienone, *J. Am. Chem. Soc.* **99**, 6663 (1977).
- [4617] Derrick, P. J., Holmes, J. L., and Morgan, R. P. Kinetics and mechanisms of the loss of water from the cyclohexanol radical ion at times from 50 picoseconds to 10 microseconds following field ionization, *J. Am. Chem. Soc.* **97**, 4936 (1975).
- [4618] Clements, P. J., and Sale, F. R. A mass spectrometric study of nickel tetracarbonyl, iron pentacarbonyl and binary mixtures of these compounds, *Metall. Trans.* **7B**, 171 (1976).
- [4619] Brown, R. S. The influence of remote substituents upon ionization potential. Part I. The effect of two allylic oxygens upon the ionization of the  $\pi$ -bond, *Can. J. Chem.* **54**, 805 (1976).
- [4620] Distefano, G., Pignataro, S., Szepes, L., and Borossay, J. Photoelectron spectroscopy study of the triphenyl derivatives of the group IV elements, *J. Organometal. Chem.* **104**, 173 (1976).
- [4621] Behan, J. M., Johnstone, R. A. W., and Bentley, T. W. An evaluation of empirical methods for calculating the ionization potentials of substituted benzenes, *Organic Mass Spectrom.* **11**, 207 (1976).
- [4622] Arnold, D. E. J., and Rankin, D. W. H. Preparation and properties of diaminodifluorophosphorane, *J. Chem. Soc. Dalton* **1130** (1976).
- [4623] Debies, T. P., and Rabalais, J. W. Calculated photoionization cross-sections and angular distributions for the isoelectronic series Ne, HF, H<sub>2</sub>O, NH<sub>3</sub>, and CH<sub>4</sub>, *J. Am. Chem. Soc.* **97**, 487 (1975).
- [4624] Ackermann, R. J., Rauh, E. G., and Thorn, R. J. The thermodynamics of ionization of gaseous oxides; the first ionization potentials of the lanthanide metals and monoxides, *J. Chem. Phys.* **65**, 1027 (1976).
- [4625] Bradshaw, D. I., Moyes, R. B., and Wells, P. B. Mass spectra of some deuterium-labelled methylsilanes and the analysis of mixtures, *Can. J. Chem.* **54**, 599 (1976).
- [4626] Fringuelli, F., Marino, G., Taticchi, A., Distefano, G., Colonna, F. P., and Pignataro, S. Photoelectron spectra of the  $\alpha$ -substituted derivatives of furan, thiophen, selenophen, and tellurophen. A comparative study of the molecular orbital energies, *J. Chem. Soc. Perkin Trans. II*, 276 (1976).
- [4627] Colonna, F. P., Danieli, R., Distefano, G., and Ricci, A. The electronic effect of XMe<sub>3</sub> and CH<sub>2</sub>XMe<sub>3</sub> (X=Si, Ge, Sn, or Pb) substituents in organometallic sulphides. A kinetic and photoelectron spectroscopic study, *J. Chem. Soc.*



- Perkin Trans. **II**, 306 (1976).
- [4628] Györosi, P., Hvistendahl, G., and Undheim, K. Mass spectrometry of some triphenylcyclopropenium salts. Competition between dimerisation and adduct formation, *Org. Mass Spectrom.* **10**, 744 (1975).
- [4629] Gardner, J. L., and Samson, J. A. R. Photoion and photoelectron spectroscopy of oxygen, *J. Chem. Phys.* **62**, 4460 (1975).
- [4630] Eland, J. H. D., Frey, R., Schulte, H., and Brehm, B. New results on the fragmentation of the benzene ion, *Intern. J. Mass Spectrom. Ion Phys.* **21**, 209 (1976).
- [4631] Yamazaki, T., and Kimura, K. He I photoelectron spectrum of dinitrogen tetroxide ( $N_2O_4$ ), *Chem. Phys. Letters* **43**, 502 (1976).
- [4632] Diemann, E., Varetto, E. L.; and Müller, A. The He(I) photoelectron spectra of the substituted permanganates  $MnO_3F$  and  $MnO_3Cl$ , *Chem. Phys. Letters* **51**, 460 (1977).
- [4633] Delwiche, J. P.; Praet, M.-Th., Caprace, G., Hubin-Franskin, M.-J., Natalis, P., and Collin, J. E. The photoelectron spectra of perfluoro-2-butyne and perfluorohexa-2,4-diyne. The perfluorination effect, *J. Electron Spectrosc. Relat. Phenom.* **12**, 395 (1977).
- [4634] Dyke, J., Jonathan, N., Lee, E., Morris, A., and Winter, M. Vacuum ultraviolet photoelectron spectroscopy of transient species: Part 8, the *t*-butyl radical, *Physica Scripta* **16**, 197 (1977).
- [4635] Peel, J. B., and Willett, G. D. The photoelectron spectra of arsenic tribromide and arsenic triiodide, *J. Electron Spectrosc. Relat. Phenom.* **9**, 175 (1976).
- [4636] Maier, J. P., and Sweigart, D. A. Ultraviolet photoelectron spectra of nickel, palladium, and platinum diethyl dithiophosphate complexes, *Inorg. Chem.* **15**, 1989 (1976).
- [4637] Gleiter, R., Spanget-Larsen, J., Thulstrup, E. W., Murata, I., Nakasuji, K., and Jutz, C. 155. The electronic structure of azuleno[1,2,3-*cd*] phenalene and azuleno[5,6,7-*cd*]phenalene, a comparison, *Helv. Chim. Acta* **59**, 1459 (1976).
- [4638] Müller, C., Schäfer, W., Schweig, A., Thon, N., and Vermeer, H. Detection of rotational isomers by variable temperature photoelectron spectroscopy. A new technique in the realm of molecular conformational analysis, *J. Am. Chem. Soc.* **98**, 5440 (1976).
- [4639] Diemann, E. The orbital electronic structure of the  $As_3O_6$  molecule by photoelectron spectroscopy, *Inorg. Chim. Acta* **24**, L27 (1977).
- [4640] Tsai, B. P., Baer, T., Werner, A. S., and Lin, S. F. A photoelectron-photoion coincidence study of the ionization and fragment appearance potentials of bromo- and iodomethanes, *J. Phys. Chem.* **79**, 570 (1975).
- [4641] Klasinc, L. Application of photoelectron spectroscopy to biologically active molecules and their constituent parts, *J. Electron Spectrosc. Relat. Phenom.* **8**, 161 (1976).
- [4642] Williams, T. A., and Potts, A. W. Complexities in the He I photoelectron spectra of alkali metal vapours, *J. Electron Spectrosc. Relat. Phenom.* **8**, 331 (1976).
- [4643] Potts, A. W., and Williams, T. A. The He I photoelectron spectrum of  $TeO$ , *Chem. Phys. Letters* **42**, 550 (1976).
- [4644] Peng, S., Padva, A., and LeBreton, P. R. Ultraviolet photoelectron studies of biological purines: The valence electronic structure of adenine, *Proc. Nat. Acad. Sci. U.S.A.* **73**, 2966 (1976).
- [4645] Pullen, B. P., and Stockdale, J. A. D. Dissociative ionization of  $SF_6$  by electron impact, *Intern. J. Mass Spectrom. Ion Phys.* **19**, 35 (1976).
- [4646] Popkie, H. E., Koski, W. S., and Kaufman, J. J. Ab-Initio LCAO-MO-SCF calculations of morphine and nalorphine and measurement of their photoelectron spectra, *J. Am. Chem. Soc.* **98**, 1342 (1976).
- [4647] White, M. G., Colton, R. J., Lee, T. H., and Rabalais, J. W. Electronic structure of *N,N*-dimethylnitramine and *N,N*-dimethylnitrosamine from X-ray and uv electron spectroscopy, *Chem. Phys.* **8**, 391 (1975).
- [4648] McGlynn, S. P., and Meeks, J. L. Photoelectron spectra of carbonyls, carbonates, oxalates and esterification effects, *J. Electron Spectrosc. Relat. Phenom.* **8**, 85 (1976).
- [4649] Young, V. Y., and Cheng, K. L. The ultraviolet photoelectron spectra of aliphatic and aromatic isonitriles, *J. Electron Spectrosc. Relat. Phenom.* **9**, 317 (1976).
- [4650] Dargelos, A., Sandorfy, C. The photoelectron and far-ultraviolet absorption spectra of simple oximes, *J. Chem. Phys.* **67**, 3011 (1977).
- [4651] Domelsmith, L. N., Houk, K. N., Timberlake, J. W., and Szilagyi, S. The photoelectron spectrum of tetramethyldiazetene: The elucidation of ring size effects on azo group ionization potentials, *Chem. Phys. Letters* **48**, 471 (1977).
- [4652] Wirz, J. 173. Electronic structure and photophysical properties of planar conjugated hydrocarbons with 4n-membered rings. I. Photoelectron spectra of 1,5,9-tridehydro[12]-annulene and related compounds, *Helv. Chim. Acta* **59**, 1647 (1976).
- [4653] Wittel, K., Felps, W. S., Klasinc, L., and McGlynn, S. P. Molecular Rydberg transitions. VI. *trans*-dibromoethylene. The relation between vacuum ultraviolet and photoelectron spectroscopy, *J. Chem. Phys.* **65**, 3698 (1976).
- [4654] Domelsmith, L. N., and Houk, K. N. Photoelectron spectra of cyclopentanone and cyclohexanone enamines, *Tetrahedron Letters* **23**, 1981 (1977).
- [4655] Guyon, P.-M., Spohr, R., Chupka, W. A., and Berkowitz, J. Threshold photoelectron spectra of HF, DF, and  $F_2$ , *J. Chem. Phys.* **65**, 1650 (1976).
- [4656] Van Veen, E. H. Triplet  $\pi \rightarrow \pi^*$  transitions in thiophene, furan and pyrrole by low-energy electron-impact spectroscopy, *Chem. Phys. Letters* **41**, 535 (1976).
- [4657] Dyke, J. M., Morris, A., and Trickle, I. R. Characterization of the ground ionic state of the NS molecule using photoelectron spectroscopy, *J. Chem. Soc. Faraday Trans. II*, **73**, 147 (1977).
- [4658] Van Veen, E. H., and Plantenga, F. L. Low-energy electron-impact excitation spectra of acetylene, *Chem. Phys. Letters* **38**, 493 (1976).
- [4659] Gleiter, R., Kobayashi, M., and Kuthan, J. The *n*-orbital sequence in 1,3 diazaadamantane, *Tetrahedron* **32**, 2775 (1976).
- [4660] Compennolle, F., and DeSchryver, F. Nonconcerted cycloreversion by electron impact of substituted 2,4-azetidinediones. Relations between the mass spectral and photochemical reactions, *J. Am. Chem. Soc.* **97**, 3909 (1975).
- [4661] Efraty, A., Huang, M. H. A., and Weston, C. A. Mass spectra of organometallic compounds. V. Electron-impact study of the cyclopentadienylmanganese thiocarbonyl and carbonyl complexes  $RC_5H_5Mn(CO)_2CX$  [ $R=H, CH_3$ ;  $X=S, O$ ], *Inorg. Chem.* **14**, 2796 (1975).
- [4662] Streets, D. G., and Berkowitz, J. Photoelectron spectroscopy of  $Se_2$  and  $Te_2$ , *J. Electron Spectrosc. Relat. Phenom.* **9**, 269 (1976).
- [4663] Shevchenko, V. E., Iljin, M. K., Nikitin, O. T., and Sidorov, L. N. Mass-spectrometric study of mixed dimers  $M_2BO_2F$ , *Intern. J. Mass Spectrom. Ion Phys.* **21**, 279 (1976).
- [4664] Innorta, G., Torroni, S., Distefano, G., Pietropaolo, D., and Ricci, A. Mass spectra and energetic data for the formation of the  $[M-CH_3]^+$  ion of 10,10-dimethylphenylthio-silyl-, -germyl- and -stannyl- derivatives, and of 9,9-dimethylthioxantene, *Org. Mass Spectrom.* **12**, 766 (1977).
- [4665] Pfeffer, H.-U., Klessinger, M., Erker, G., and Roth, W. R.

- Photoelektronenspektren organischer Verbindungen, VIII 7,8-Dimethylenbicyclo [2.2.2]octa-2,5-dien und verwandte Verbindungen, Chem. Ber. **108**, 2923 (1975).
- [4666] Thorstad, O., Undheim, K., Cederlund, B., and Hörnfeldt, A.-B. Ionisation potentials in tautomeric analysis of 2-hydroxy derivatives of thiophenes, selenophenes, and furans, Acta Chem. Scand. **B29**, 647 (1975).
- [4667] Domelsmith, L. N., Munchausen, L. L., and Houk, K. N. Photoelectron spectra of psychotropic drugs. 2. Phenothiazine and related tranquilizers, J. Am. Chem. Soc. **99**, 6506 (1977).
- [4668] Gilbert, W. C., Taylor, L. T., and Dillard, J. G. Mass spectrometric study of polydentate Schiff base coordination compounds. 1. Cobalt(II), nickel(II), and copper(II) complexes of salen and oaben, J. Am. Chem. Soc. **95**, 2477 (1973).
- [4669] Wiberg, K. B., Ellison, G. B., Wendoloski, J. J., Brundle, C. R., and Kuebler, N. A. Electronic states of organic molecules. 3. Photoelectron spectra of cycloalkenes and methylenecycloalkanes, J. Am. Chem. Soc. **98**, 7179 (1976).
- [4670] Dehmer, P. M., and Dehmer, J. L. Photoelectron spectrum of the Xe<sub>2</sub> van der Waals molecule, J. Chem. Phys. **67**, 1774 (1977).
- [4671] Van Veen, E. H. Low-energy electron-impact spectroscopy on ethylene, Chem. Phys. Letters **41**, 540 (1976).
- [4672] Domelsmith, L. N., Munchausen, L. L., and Houk, K. N. Photoelectron spectra of psychotropic drugs. 1. Phenethylamines, tryptamines, and LSD, J. Am. Chem. Soc. **99**, 4311 (1977).
- [4673] Thorstad, O., Undheim, K., Lantz, R., and Hörnfeldt, A.-B. Ionisation potentials in tautomeric analysis of 3-hydroxy derivatives of thiophenes, selenophenes, and furans, Acta Chem. Scand. **B29**, 652 (1975).
- [4674] Bastide, J., Maier, J. P., and Kubota, T. Ionisation energies and electronic structures of the phenyl 1,3-dipoles, J. Electron Spectrosc. Relat. Phenom. **9**, 307 (1976).
- [4675] Vilesov, F. I., and Lopatin, S. N. Photoelectron spectrometer, Zh. Tekh. Fiz. **42**, 176 (1972).
- [4676] Bieri, G. Cyanogen fluoride: A photoelectron-spectroscopic investigation, Chem. Phys. Letters **46**, 107 (1977).
- [4677] Thorstad, O., Undheim, K., and El-Gendy, M. A. F. Ionisation potentials in structure analysis of isomeric nitrones, oxaziranes, O-ether oximes and acid amides, Org. Mass Spectrom. **10**, 1155 (1975).
- [4678] Smoes, S., Drowart, J., and Myers, C. E. Determination of the atomization energies of the molecules TaO(g) and TaO<sub>2</sub>(g) by the mass-spectrometric Knudsen-cell method, J. Chem. Thermodyn. **8**, 225 (1976).
- [4679] Staley, R. H., Kleckner, J. E., and Beauchamp, J. L. Relationship between orbital ionization energies and molecular properties. Proton affinities and photoelectron spectra of nitriles, J. Am. Chem. Soc. **98**, 2081 (1976).
- [4680] Solouki, B., Rosmus, P., and Bock, H. Unstable intermediates. 4. Thioformaldehyde, J. Am. Chem. Soc. **98**, 6054 (1976).
- [4681] Bieri, G., Heilbronner, E., Stadelmann, J.-P., Vogt, J., and von Niessen, W. Electronic states of difluoroacetylene, difluorodiacetylene, and perfluoropentadiyne-1,3 radical cations. A photoelectron spectroscopic investigation, J. Am. Chem. Soc. **99**, 6832 (1977).
- [4682] Drowart, J., and Smoes, S. Determination by the mass spectrometric Knudsen cell method and discussion of the dissociation energies of the molecules Se<sub>2</sub>(g), SSe(g) and SeTe(g), J. Chem. Soc. Faraday Trans. II **73**, 1755 (1977).
- [4683] Block, T. F., Biernbaum, M., and West, R. Cyclic polysilanes XII. Photoelectron spectra and bonding in 1,2,3,4-tetra-*t*-butyltetramethylcyclotetrasilane and related *t*-butylsilicon compounds, J. Organometal. Chem. **131**, 199 (1977).
- [4684] Botter, R., Gounelle, Y., Henry, Y., Jullien, J., Menes, F., and Solgadi, D. Photoelectron spectra of halogeno-3-propynes (XCH<sub>2</sub>≡CH) and halogeno- methylcyanides (XCH<sub>2</sub>C≡N) and comments on the attribution of fluorine IP, J. Electron Spectrosc. Relat. Phenom. **10**, 393 (1977).
- [4685] Bulgin, D. K., Dyke, J. M., and Morris, A. Vacuum ultraviolet photoelectron spectrum of the PN(X<sup>1</sup>Σ<sup>+</sup>) molecule, J. Chem. Soc. Faraday II **73**, 983 (1977).
- [4686] Bieri, G., Dill, J. D., Heilbronner, E., and Maier, J. P. 68. The electronic states of the pentatetraene radical cation, Helv. Chim. Acta **60**, 629 (1977).
- [4687] Paule, R. C. Mass spectrometric studies of Al<sub>2</sub>O<sub>3</sub> vaporization processes, High Temp. Sci. **8**, 257 (1976).
- [4688] Schmidt, H., Schweig, A., Anastassiou, A. G., and Wetzel, J. C. The dominant role of hyperconjugation in the 9-oxabicyclo[4.2.1] nona-2,4,7-triene series, Tetrahedron **32**, 2239 (1976).
- [4689] Rothgery, E. F., Holt, R. J., and McGee, H. A., Jr. Cryochemical synthesis and molecular energetics of cyclopropanone and some related compounds, J. Am. Chem. Soc. **97**, 4971 (1975).
- [4690] Božić, Z., Humski, K., Cvitaš, T., and Klasinc, L. Photoelectron spectra of bromo- and iodo- thiophens, J. Chem. Soc. Perkin Trans. II, 1413 (1977).
- [4691] Bünzli, J.-C. G., Olsen, H., and Snyder, J. P. Photoelectron spectra of bicyclic azo *N*-oxides and azo *N,N'*-dioxides, J. Org. Chem. **42**, 614 (1977).
- [4692] Block, T. F., and Fenske, R. F. A photoelectron spectroscopic study of some pentacarbonylchromium carbene complexes, J. Am. Chem. Soc. **99**, 4321 (1977).
- [4693] Bussièrès, N., and Marmet, P. Ionization and dissociative ionization of CO<sub>2</sub> by electron impact, Can. J. Phys. **55**, 1889 (1977).
- [4694] Egdell, R. G., and Orchard, A. F. Photoelectron spectra of the group IVA halides, J. Chem. Soc. Faraday Trans. II **74**, 485 (1978).
- [4695] Ashmore, F. S., and Burgess, A. R. Photoelectron spectra of the unbranched C<sub>2</sub>-C<sub>2</sub> alkenes, aldehydes and ketones, J. Chem. Soc. Faraday Trans. II **74**, 734 (1978).
- [4696] Frost, D. C., McDowell, C. A., Pouzard, G., and Westwood, N. P. C. The photoelectron spectra of the oxalyl halides (COX)<sub>2</sub>, [X=F, Cl and Br], J. Electron Spectrosc. Relat. Phenom. **10**, 273 (1977).
- [4697] Causley, G. C., Clark, J. B., and Russell, B. R. The vacuum ultraviolet spectrum of bromosilane, Chem. Phys. Letters **38**, 602 (1976).
- [4698] Bock, H., Solouki, B., Bert, G., and Rosmus, P. Unstable Intermediates. 5. Thioketene, J. Am. Chem. Soc. **99**, 1663 (1977).
- [4699] Furlani, C., and Andreocci, M. V. Valence-shell photoionization spectra of some methyl dihalogenophosphates, J. Chem. Soc. Dalton Trans. **7**, 673 (1977).
- [4700] Frost, D. C., McDowell, C. A., and Westwood, N. P. C. The photoelectron spectrum of dinitrogen tetroxide, J. Electron Spectrosc. Relat. Phenom. **10**, 293 (1977).
- [4701] Clar, E., and Schmidt, W. Correlations between photoelectron and phosphorescence spectra of polycyclic hydrocarbons, Tetrahedron **32**, 2563 (1976).
- [4702] Bieri, G., Burger, F., Heilbronner, E., and Maier, J. P. 223. Valence ionization energies of hydrocarbons, Helv. Chim. Acta **60**, 2213 (1977).
- [4703] Brown, R. S., and Marcinko, R. W. Application of photoelectron spectroscopy to intramolecular hydrogen bonding. 6. The relative importance of electrostatic and covalent contributions to the H bond of H-bonded alcohols containing a conjugated olefin as the electron donor, J. Am. Chem. Soc. **99**, 6500 (1977).
- [4704] Cannington, P. H., and Whitfield, H. J. Photoelectron spectra



- of  $\text{As}_3\text{S}_6$ ,  $\text{P}_3\text{S}_6$ ,  $\text{P}_3\text{Se}_6$ , and  $\text{As}_3\text{O}_6$ , J. Electron Spectrosc. Relat. Phenom. **10**, 35 (1977).
- [4705] Cowley, A. H., Lattman, M., Montag, R. A., and Verkade, J. G. The coordination behavior of acyclic phosphites; a UV photoelectron spectroscopic study, Inorg. Chim. Acta **25**, 1151 (1977).
- [4706] Cederlund, B., Lantz, R., Hörnfeldt, A.-B., Thorstad, O., and Undheim, K. Preparation of some thiophene-, selenophene- and furanthiols. Ionisation potentials in tautomer analysis, Acta Chem. Scand. Ser. **B31**, 198 (1977).
- [4707] Gleiter, R., Kobayashi, M., Neunhoeffer, H., and Spanget-Larsen, J. Photoelectron spectra of 1,2,4-triazine and some methyl derivatives, Chem. Phys. Letters **46**, 231 (1977).
- [4708] Galasso, V., Colonna, F. P., and Distefano, G. Photoelectron spectra of 1,2-indandione, 1,3-indandione and heterocyclic analogues, J. Electron Spectrosc. Relat. Phenom. **10**, 227 (1977).
- [4709] Gan, T. H., Peel, J. B., and Willett, G. D. Reinterpretation of the photoelectron spectrum of dinitrogen tetroxide, J. Chem. Soc. Faraday Trans. II **73**, 1459 (1977).
- [4710] Cauletti, C., Duffy, N. V., and Furlani, C. L. UV Photoelectron spectra of some substituted iron dithiocarbamates, Inorg. Chim. Acta **23**, 181 (1977).
- [4711] Cook, M. J., El-Abbady, S., Katritzky, A. R., Guimon, C., and Pfister-Guillouzo, G. Photoelectron spectra of hydroxy- and mercapto-pyridines and models of fixed structure, J. Chem. Soc. Perkin II, 1652 (1977).
- [4712] Clar, E., and Schmidt, W. Correlations between photoelectron and ultraviolet absorption spectra of polycyclic hydrocarbons. The perylene, coronene and bisanthene series, Tetrahedron, **33**, 2093 (1977).
- [4713] Egdell, R. G., and Orchard, A. F. He(II) Photoelectron spectra of indium(I) and thallium(I) halides, J. Chem. Soc. Faraday Trans. II **74**, 1179 (1978).
- [4714] Reeher, J. R., Flesch, G. D., and Svec, H. J. The mass spectra and ionization potentials of the neutral fragments produced during the electron bombardment of aromatic compounds, Org. Mass. Spectrom. **11**, 154 (1976).
- [4715] Ensslin, W., Schmidtke, H.-H., and Kühn, Th. Photoelectron spectra and electronic structure of symmetrically *trans*-substituted disilylethylenes, Inorg. Chim. Acta **24**, 159 (1977).
- [4716] Harman, P. J., Kent, J. E., Gan, T. H., Peel, J. B., and Willett, G. D. The photoelectron spectrum of benzvalene, J. Am. Chem. Soc. **99**, 943 (1977).
- [4718] Frost, D. C., LeGeyt, M. R., Paddock, N. L., and Westwood, N. P. C. Helium I photoelectron spectrum of disulphur dinitride, J. Chem. Soc. Chem. Commun. 217 (1977).
- [4719] Houk, K. N., Caramella, P., Munchausen, L. L., Chang, Y.-M., Battaglia, A., Sims, J., and Kaufman, D. C. Photoelectron spectra of nitrones and nitrile oxides, J. Electron Spectrosc. Relat. Phenom. **10**, 441 (1977).
- [4720] Head, R. A., Nixon, J. F., and Clark, R. J. UV photoelectron spectra of first-row transition metal hydridocarbonyl and hydridotrifluorophosphine complexes, J. Organometal. Chem. **135**, 209 (1977).
- [4721] Gan, T. H., Peel, J. B., and Willett, G. D. A comparison of the photoelectron spectra of the trimethyl- and triallyl-orthoformates, Chem. Phys. Letters **51**, 464 (1977).
- [4722] Houle, F. A., and Beauchamp, J. L. Detection and investigation of allyl and benzyl radicals by photoelectron spectroscopy, J. Am. Chem. Soc. **100**, 3290 (1978).
- [4723] Gleiter, R., Bischof, P., Volz, W. E., and Paquette, L. A. Conjugative interaction between II and cyclobutane orbitals. The synthesis and electronic structure of bicyclo[4.1.1]octa-2,4-diene, J. Am. Chem. Soc. **99**, 8 (1977).
- [4724] Gower, M., Kane-Maguire, L. A. P., Maier, J. P., and Sweigart, D. A. Ultraviolet photoelectron spectra of cyclohepta-1,3,5-triene and mesitylene tricarbonyl complexes of the group 6A metals, J. Chem. Soc. Dalton **316** (1977).
- [4725] Harris, D. H., Lappert, M. F., Pedley, J. B., and Sharp, G. J. Bonding studies of compounds of group 3-5 elements. Part XVIII. He(I) photoelectron spectra of bivalent homoleptic alkyls and amides, especially of group 4 elements, and of tin(II) chloride and bromide, J. Chem. Soc. Dalton II, 945 (1976).
- [4726] Bischof, P., Eaton, P. E., Gleiter, R., Heilbronner, E., Jones, T. B., Musso, H., Schmelter, A., and Stober, R. 44. The electronic structure of cubane ( $\text{C}_8\text{H}_8$ ) as revealed by photoelectron spectroscopy, Helv. Chim. Acta **61**, 547 (1978).
- [4727] Cvitaš, T., Güsten, H., Klasinc, L., Novadj, I., and Vančik, H. Photoelectron spectra of bromo- and iodotrifluoromethane, Z. Naturforsch. **33a**, 1528 (1978).
- [4728] Bally, T., Buser, U., and Haselbach, E. 1. Tetrakis (methylidene)cyclobutane(  $\text{C}_4\text{H}_4$  ) [4radialene]: Electronic states of the molecular ion, Helv. Chim. Acta **61**, 38 (1978).
- [4729] Holmes, J. L., Terlouw, J. K., and Lossing, F. P. The thermochemistry of  $\text{C}_2\text{H}_3\text{O}^+$  ions, J. Phys. Chem. **80**, 2860 (1976).
- [4730] Gan, T. H., Peel, J. B., and Willett, G. D. Comparison of He I and He II photoelectron spectra of phosphoryl chloride, Chem. Phys. Letters **48**, 483 (1977).
- [4731] Heilbronner, E., Jones, T. B., and Maier, J. P. 170. The ionization energies of di-*n*-alkyl diacetylenes, Helv. Chim. Acta **60**, 1697 (1977).
- [4732] Gan, T. H., Peel, J. B., and Willett, G. D. Photoelectron spectra of the *gauche* and *trans* conformers of 1,2-dichloroethane, J. Chem. Soc. Faraday Trans. II **73**, 965 (1977).
- [4733] Green, J. C., Lloyd, D. R., Galyer, L., Mertis, K., and Wilkinson, G. Photoelectron spectra of some transition metal alkyls and oxoalkyls, J. Chem. Soc. Dalton Trans. **10**, 1403 (1978).
- [4734] Basso-Bert, M., Cassoux, P., Crasnier, F., Gervais, D., Labarre, J.-F., and DeLoth, P. Molecular orbitals and photoelectron spectra of some titanium(IV) organometallic compounds, J. Organometal. Chem. **136**, 201 (1977).
- [4735] Bewick, A., Edwards, C. J., Jones, S. R., and Mellor, J. M. The electrochemical difunctionalisation of saturated hydrocarbons, Tetrahedron Letters 631 (1976).
- [4736] Conard, B. R., and Sridhar, R. Appearance potentials of ion fragments of iron pentacarbonyl, Can. J. Chem. **56**, 2607 (1978).
- [4737] Colbourne, D., Frost, D. C., McDowell, C. A., and Westwood, N. P. C. The photoelectron spectra of the chloramines  $\text{NH}_2\text{Cl}$ ,  $\text{NHCl}_2$ ,  $\text{NCl}_3$  and the methyl chloramines  $\text{CH}_3\text{NHCl}$ ,  $\text{CH}_3\text{NCl}_2$ , and  $(\text{CH}_3)_2\text{NCl}$ , J. Chem. Phys. **69**, 1078 (1978).
- [4738] Basch, H., Bieri, G., Heilbronner, E., and Jones, T. B. 2. The photoelectron spectrum of tetrafluorobutatriene, Helv. Chim. Acta **61**, 46 (1978).
- [4739] Behan, J., Johnstone, R. A. W., and Puddephatt, R. J. Photoelectron spectra and reactivity of methyl (tertiary phosphine)-platinum and -gold complexes, J. Chem. Soc. Chem. Commun., 444 (1978).
- [4740] Bloch, M., Brogli, F., Heilbronner, E., Jones, T. B., Prinzbach, H., and Schweikert, O. 138. Photoelectron spectra of unsaturated oxides. I. 1,4-dioxin and related systems, Helv. Chim. Acta **61**, 1388 (1978).
- [4741] Nagy-Felsobuki, E., and Peel, J. B. Photoelectron spectra of methylchloramine and methyldichloramine, J. Chem. Soc. Faraday Trans. II **74**, 1927 (1978).
- [4742] Gerson, S. H., Worley, S. D., Bodor, N., Kaminski, J. J., and Flechtner, T. W. The photoelectron spectra of some



- heterocyclic compounds which contain N, O, Cl, and Br, J. Electron Spectrosc. Relat. Phenom. **13**, 421 (1978).
- [4743] Colonna, F. P., Distefano, G., Galasso, V., Irgolic, K. J., King, C. E., and Pappalardo, G. C. The conformation, uv-absorption spectra and photoelectron spectra of phenoxachalcogenins, J. Organometal. Chem. **146**, 235 (1978).
- [4744] Eck, V., Schweig, A., and Vermeer, H. The ultraviolet photoelectron spectrum of *o*-benzoquinone methide, Tetrahedron Letters **27**, 2433 (1978).
- [4745] Ehlert, T. C. Mass spectrometric investigations of the oxides of potassium, High Temp. Sci. **9**, 237 (1977).
- [4746] Frost, D. C., Kroto, H. W., McDowell, C. A., and Westwood, N. P. C. The He I photoelectron spectra of the isoelectronic molecules, cyanogen azide,  $\text{NCN}_3$ , and cyanogen isocyanate,  $\text{NCNCO}$ , J. Electron Spectrosc. Relat. Phenom. **11**, 147 (1977).
- [4747] McAlduff, E. J., and Houk, K. N. Photoelectron spectra of substituted oxiranes and thiiranes. Substituent effects on ionization potentials involving  $\sigma$  orbitals, Can. J. Chem. **55**, 318 (1977).
- [4748] Kroner, J., Kosbahn, W., and Runge, W. The molecular structure of allenes and ketenes, IX [1]  $\pi$  and  $\sigma$  interactions in allenes: Photoelectron spectra, electronic absorption spectra, and quantumchemical calculations, Ber. Bunsenges. **81**, 826 (1977).
- [4749] Dehmer, P. M., and Dehmer, J. L. Photoelectron spectrum of  $\text{Xe}_2$  and potential energy curves for  $\text{Xe}_2^+$ , J. Chem. Phys. **68**, 3462 (1978).
- [4750] Cavell, R. G., and Allison, D. A. Photoelectron spectra of acetylene with  $\text{He}^I, \text{He}^{II}, \text{Zr M}$ , and  $\text{MgK}_\alpha$  radiation sources, J. Chem. Phys. **69**, 159 (1978).
- [4751] Carnovale, F., Gan, T. H., and Peel, J. B. Photoelectron spectra of the *gauche* and *trans* conformers of 1,2-bromochloroethane, J. Electron Spectrosc. Relat. Phenom. **16**, 87 (1979).
- [4752] Berkowitz, J., and Eland, J. H. D. Photoionization of  $\text{N}_2\text{O}$ : Mechanisms of photoionization and ion dissociation, J. Chem. Phys. **67**, 2740 (1977).
- [4753] Head, R. A., Nixon, J. F., Westwood, N. P. C., and Clark, R. J. He(I) photoelectron spectra of mixed carbonyltrifluorophosphine complexes of zero-valent iron, J. Organometal. Chem. **145**, 75 (1978).
- [4754] Lauer, G., Schäfer, W., and Schweig, A. Functional subunits in the nucleic acid bases uracil and thymine, Tetrahedron Letters **45**, 3939 (1975).
- [4755] Colbourn, E. A., Dyke, J. M., Fayad, N. K., and Morris, A. The He(I) photoelectron spectra of  $\text{BrF}$  and  $\text{IF}$ , J. Electron Spectrosc. Relat. Phenom. **14**, 443 (1978).
- [4756] Kobayashi, M., Gleiter, R., Coffen, D. L., Bock, H., Schulz, W., and Stein, U. Spiroconjugation in orthothiocarbonates, Tetrahedron **33**, 433 (1977).
- [4757] Ajello, J. M., Huntress, W. T., Jr., and Rayermann, P. A photoionization mass spectrometer study of  $\text{CFCl}_3$ ,  $\text{CF}_2\text{Cl}_2$  and  $\text{CF}_3\text{Cl}$ , J. Chem. Phys. **64**, 4746 (1976).
- [4758] Domelsmith, L. N., and Houk, K. N. Photoelectron spectroscopic studies of hallucinogens: The use of ionization potentials in QSAR, NIDA Res. Monogr. **22**, 423 (1978).
- [4759] Baldwin, M. A., Loudon, A. G., Webb, K. S., and Cardnell, P. C. Charge location and fragmentation under electron impact, Org. Mass Spectrom. **12**, 279 (1977).
- [4760] Colbourn, E. A., Dyke, J. M., Fackereil, A., Morris, A., and Trickle, I. R. Vacuum ultraviolet photoelectron spectrum of the  $\text{GeO}(\text{X}^I\text{X}^+)$  molecule, J. Chem. Soc. Faraday Trans. II **74**, 2278 (1978).
- [4761] Hammer, C. A., Allen, J. D. Jr., Cusachs, L. C., and Schweitzer, G. K. The high-temperature photoelectron spectra of alkaline-earth chlorides and iodides, J. Electron Spectrosc. Relat. Phenom. **13**, 149 (1978).
- [4762] Berkowitz, J., Eland, J. H. D., and Appelman, E. H. Photoionization mass spectrometry and heat of formation of  $\text{S}_2\text{O}$ , J. Chem. Phys. **66**, 2183 (1977).
- [4763] Colbourn, D., Frost, D. C., McDowell, C. A., and Westwood, N. P. C. The photoelectron spectra of the isoelectronic molecules hypochlorous acid  $\text{HOCl}$  and chloramine  $\text{NH}_2\text{Cl}$ , J. Chem. Phys. **68**, 3574 (1978).
- [4764] Egdell, R. G., and Orchard, A. F. Photoelectron spectra of some transition metal pentachlorides, J. Electron Spectrosc. Relat. Phenom. **14**, 277 (1978).
- [4765] Bieri, G., Heilbronner, E., Hornung, V., Kloster-Jensen, E., Maier, J. P., Thommen, F., and von Niessen, W. Electronic states of substituted haloacetylene and cyanoacetylene radical cations, Chem. Phys. **36**, 1 (1979).
- [4766] Hemmersbach, P., Klessinger, M., and Bruckmann, P. Electronic structure of *exo*-dimethylenecycloalkanes, J. Am. Chem. Soc. **100**, 6344 (1978).
- [4767] Klessinger, M., and Gunkel, E. The electronic structure of polyenes and unsaturated carbonyl compounds, Tetrahedron **34**, 3591 (1978).
- [4768] Kimura, K., and Katsumata, S. Photoelectron spectroscopic study of hydroxylamine ( $\text{NH}_2\text{OH}$ ) and *o*-methylhydroxylamine ( $\text{NH}_2\text{OCH}_3$ ), J. Chem. Phys. **67**, 1225 (1977).
- [4769] Nagata, S., Yamabe, T., and Fukui, K. A study of the electronic spectra of thioacetic acid and its ethyl ester, J. Phys. Chem. **79**, 2335 (1975).
- [4770] MacNeil, K. A. G., and Dixon, R. N. High-resolution photoelectron spectroscopy of methanol and its deuterated derivatives: Internal rotation in the ground ionic state, J. Electron Spectrosc. Relat. Phenom. **11**, 315 (1977).
- [4771] Koenig, T., and Southworth, S. The He I photoelectron spectrum of 3,7-dimethyl-*p*-quinodimethane. A non-Koopmans theorem effect, J. Am. Chem. Soc. **99**, 2807 (1977).
- [4772] Gerson, S. H., Worley, S. D., Bodor, N., and Kaminski, J. J. Electronic structures of some antimicrobial *N*-chloramines. Possible existence of intramolecular hydrogen bonding and its effect on germicidal efficiency, J. Med. Chem. **21**, 686 (1978).
- [4773] Katsumata, S., and Lloyd, D. R. The photoelectron spectra of the OH and OD radicals, Chem. Phys. Letters **45**, 519 (1977).
- [4774] Carnovale, F., Livett, M. K., and Peel, J. B. The photoelectron spectrum of the dimethyl etherhydrogen chloride complex, J. Am. Chem. Soc. **102**, 569 (1980).
- [4775] Carnovale, F., Nagy-Felsobuki, E., Peel, J. B., and Willet, G. D. The photoelectron spectra of *N*-bromo-methylamine and *N,N*-dibromo-methylamine, J. Electron Spectrosc. Relat. Phenom. **14**, 163 (1978).
- [4776] Frost, D. C., MacDonald, B., McDowell, C. A., and Westwood, N. P. C. Pyrolysis of trimethyl hexahydro-*s*-triazines. The photoelectron spectra of *N*-methylmethylenimine,  $\text{CH}_2=\text{NCH}_3$ , and *C*-methyl-methylenimine,  $\text{CH}_3\text{CH}=\text{NH}$ , J. Electron Spectrosc. Relat. Phenom. **14**, 379 (1978).
- [4777] Egdell, R. G., Fragala, I., and Orchard, A. F. UV photoelectron spectra of the indium(I) and thallium(I) cyclopentadienides, J. Electron Spectrosc. Relat. Phenom. **14**, 467 (1978).
- [4778] Vonbacho, P. S., Saltsburg, H., and Caesar, G. P. The photoelectron spectra of gaseous silver halides, J. Electron Spectrosc. Relat. Phenom. **8**, 359 (1976).
- [4779] Müller, C., Schweig, A., Thiel, W., Grahn, W., Bergman, R. G., and Vollhardt, K. P. C. Photoelectron spectra of 2,5-dehydrotropylidene, 3,6-dehydrooxepin, and fulvenallene, J. Am. Chem. Soc. **101**, 5579 (1979).
- [4780] Nelsen, S. F., Peacock, V. E., Weisman, G. R., Landis, M. E., and Spencer, J. A. Conformations of fourmembered ring

- hydrazines and hydrazine radical cations, *J. Am. Chem. Soc.* **100**, 2806 (1978).
- [4781] Houk, K. N., Strozier, R. W., Santiago, C., Gandour, R. W., and Vollhardt, K. P. C. Electronic structure and photoelectron spectrum of 1,5,9-cyclododecatriene, *J. Am. Chem. Soc.* **101**, 5183 (1979).
- [4782] Sandman, D. J., Ceasar, G. P., Nielsen, P., Epstein, A. J., and Holmes, T. J. Electronic structure of the  $\pi$  donor naphthalene 1,8-disulfide, *J. Am. Chem. Soc.* **100**, 202 (1978).
- [4803] Overman, L. E., Taylor, G. F., Houk, K. N., and Domelsmith, L. N. Diels-Alder reactions between *trans*-1-N-acylamino-1,3-dienes and methyl acrylate. A correlation between diene photoelectron ionization potentials and reactivity, stereoselectivity, and regioselectivity, *J. Am. Chem. Soc.* **100**, 3182 (1978).
- [4804] Koenig, T., Wielesek, R., Miller, L. L., and So, Y.-H. Correlation of electrochemical reactivity and photoelectron spectra of aromatic ketones, *J. Am. Chem. Soc.* **99**, 7061 (1977).
- [4805] Novak, I., Klasinc, L., and Knop, J. V. Photoelectron spectroscopy of heterocycles. Dipyriddylenes, *Z. Naturforsch.* **32a**, 886 (1977).
- [4806] Vick, D. O., Woodley, D. G., Bloor, J. E., Allen, J. D., Jr., Mui, T. C., and Schweitzer, G. K. The photoelectron spectra of gaseous alkali perhenates, *J. Electron Spectrosc. Relat. Phenom.* **13**, 247 (1978).
- [4807] Stockbauer, R., and McCulloh, K. E., and Parr, A. C. The ionization potential of allene, *Intern. J. Mass Spectrom. Ion Phys.* **31**, 187 (1979).
- [4808] Schang, P., Gleiter, R., and Rieker, A. The He(I) photoelectron spectrum of cyclobutene-1,2-dione and *o*-benzoquinone, *Ber. Bunsenges. Phys. Chem.* **82**, 629 (1978).
- [4809] Day, J. S., Gowenlock, B. G., Johnson, C. A. F., McNally, I. D., and Pfab, J. Appearance potential studies of some geminal substituted C-nitroso compounds, *J. Chem. Soc. Perkin Trans. II* **10**, 1110, (1978).
- [4810] Worley, S. D., Gerson, S. H., Bodor, N., Kaminski, J. J., and Flechtner, T. W. On the structure of N-chlorosuccinimide and N-bromosuccinimide. A photoelectron spectroscopic study, *J. Chem. Phys.* **68**, 1313 (1978).
- [4811] Ulman, J. A., Andersen, E. L., and Fehlner, T. P. Characterization of ferraboranes by ultraviolet photoelectron spectroscopy, *J. Am. Chem. Soc.* **100**, 456 (1978).
- [4812] Palmer, M. H., Leaver, D., Nisbet, J. D., Millar, R. W., and Egdell, R. The electronic structure of some heterocycles with bridgehead nitrogen: photoelectron spectra and ab initio molecular orbital calculations, *J. Mol. Struct.* **42**, 85 (1977).
- [4813] Streets, D. G., and Berkowitz, J. Electronic structures of fulvalene and octachlorofulvalene, *Chem. Phys.* **23**, 79 (1977).
- [4814] Vocelle, D., Dargelos, A., Pottier, R., and Sandorfy, C. Photoelectron and far-ultraviolet absorption spectra of nonaromatic azomethine compounds, *J. Chem. Phys.* **66**, 2860 (1977).
- [4815] Prins, I., Verhoeven, J. W., DeBoer, Th. J., and Worrell, C. Conformational studies on arylcyclopropanes-I, *Tetrahedron* **33**, 127 (1977).
- [4816] Heilbronner, E., Jones, T. B., Kloster-Jensen, E., and Maier, J. P. 191. Electronic states of di-*t*-butylpolyacetylene radical cations, *Helv. Chim. Acta* **61**, 2040 (1978).
- [4817] Potts, A. W. The valence electronic structure of SeO<sub>2</sub> studied by UPS and its relation to that of other group VIB dioxides, *J. Electron Spectrosc. Relat. Phenom.* **11**, 157 (1977).
- [4818] Peel, J. B., and Willett, G. D. Photoelectron spectroscopic studies of the propyl- and allyl- substituted amines, *Aust. J. Chem.* **30**, 2571 (1977).
- [4819] Domelsmith, L. N., and Houk, K. N. Photoelectron spectra of cyclopentanone and cyclohexanone enamines, *Tetrahedron Letters* **23**, 1981 (1977).
- [4820] Koenig, T., and Chang, J. C. Helium(I) photoelectron spectrum of tropyl radical, *J. Am. Chem. Soc.* **100**, 2240 (1978).
- [4821] Bastide, J., Hall, D., Heilbronner, E., and Maier, J. P. He(I $\alpha$ ) photoelectron spectra of some higher aromatic perfluoro compounds, *J. Electron Spectrosc. Relat. Phenom.* **16**, 205 (1979).
- [4822] Bancroft, G. M., Coatsworth, L. L., Creber, D. K., and Tse, J. High Resolution gas phase photoelectron spectra of core *d* levels using He II radiation, *Physica Scripta* **16**, 217 (1977).
- [4823] Hammer, C. A., Allen, J. D., Jr., Cusachs, L. C., and Schweitzer, G. K. The high-temperature photoelectron spectra of alkaline-earth chlorides and iodides, *J. Electron Spectrosc. Relat. Phenom.* **13**, 149 (1978).
- [4824] Reingold, I. D., Schmidt, W., and Boekelheide, V. Syntheses, properties, and photoelectron spectra of substituted and layered [2.2](2,6)pyridinoparacyclophanes, *J. Am. Chem. Soc.* **101**, 2121 (1979).
- [4825] Downs, A. J., Egdell, R. G., Orchard, A. F., and Thomas, P. D. P. Photoelectron spectra of metal tetrahydroborates, *J. Chem. Soc. Dalton Trans.* **12**, 1755 (1978).
- [4826] Evans, S., and Orchard, A. F. The vapour-phase ultra-violet photoelectron spectroscopy of metal halides at elevated temperatures, *J. Electron Spectrosc. Relat. Phenom.* **6**, 207 (1975).
- [4827] Solouki, B., Bock, H., and Appel, R. Photoelektronenspektren und Moleküleigenschaften, XLV Schwefelsäure-Derivate X<sub>2</sub>SY<sub>2</sub>: Alkyl-, Vinyl- und Arylsulfone, Alkylsulfoimide und Sulfurylhalogenide, *Chem. Ber.* **108**, 897 (1975).
- [4828] Heilbronner, E., Hoshi, T., von Rosenberg, J. L., and Hafner, K. Alkyl-induced, natural hypsochromic shifts of the <sup>2</sup>A $\leftarrow$ <sup>2</sup>X and <sup>2</sup>B $\leftarrow$ <sup>2</sup>X transitions of azulene and naphthalene radical cations, *Nouveau Journal de Chimie*, **1**, 105 (1976).
- [4829] Delwiche, J., Praet, M.-Th., Caprace, G., Franksin-Hubin, M.-J., Natalis, P., and Collin, J. E. The HeI photoelectron spectra of methyl-substituted 1,2,4-pentatrienes (vinylallene), *J. Electron Spectrosc. Relat. Phenom.* **16**, 35 (1979).
- [4830] Morishima, I., Yoshikawa, K., Hashimoto, M., and Bekki, K. Homoallylic interaction between the nitrogen lone pair and the nonadjacent  $\pi$  bond in cyclic and bicyclic amines. I. Photoelectron spectroscopic study, *J. Am. Chem. Soc.* **97**, 4283 (1975).
- [4831] Benoit, F. M., Harrison, A. G., and Lossing, F. P. Hydrogen migrations in mass spectrometry III- Energetics of formation of [R'CO<sub>2</sub>H<sub>2</sub>]<sup>+</sup> in the mass spectra of R'CO<sub>2</sub>R, *Organic Mass Spectrom.* **12**, 78 (1977).
- [4832] Christoph, G. G., Muthard, J. L., Paquette, L. A., Böhm, M. C., and Gleiter, R. Quantitative assessment of pp- $\sigma$  overlap in a topologically convex triene. Electronic and crystal structure analysis of C<sub>16</sub>-hexaquinacene, *J. Am. Chem. Soc.* **100**, 7782 (1978).
- [4833] Domelsmith, L. N., Houk, K. N., Piedrahita, C., and Dolbier, W. J., Jr. The photoelectron spectrum of 1,1-difluoroallene. On  $\pi$  electron donation and withdrawal by fluorine, *J. Am. Chem. Soc.* **100**, 6908 (1978).
- [4834] Baldwin, M. A., Loudon, A. G., Maccoll, A., and Webb, K. S. The nature and fragmentation pathways of the molecular ions of some arylureas, arylthiureas, acetanilides, thioacetanilides and related compounds, *Org. Mass Spectrom.* **11**, 1181 (1976).
- [4835] Ku, A. Y., Paquette, L. A., Rozeboom, M. D., and Houk, K. N. Polar effects on di- $\pi$ -methane rearrangements.



- Regiospecificity in the triplet-sensitized photoisomerizations of 2-cyanobenzonorbornadienes carrying methoxy aryl substituents, *J. Am. Chem. Soc.* **101**, 5981 (1979).
- [4836] Kroto, H. W., Nixon, J. F., Simmons, N. P. C., and Westwood, N. P. C.  $\text{FC}\equiv\text{P}$ , *C*-fluorophosphaethyne: Preparation and detection by photoelectron and microwave spectroscopy, *J. Am. Chem. Soc.* **100**, 446 (1978).
- [4837] Poole, R. T., Nicholson, J. A., Jenkin, J. G., Leckey, R. C. G., Peel, J. B., and Liesegang, J. Electronic structure of the valence bands of  $\text{SnCl}_2$  and  $\text{SnBr}_2$  studied by ultraviolet photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **15**, 91 (1979).
- [4838] Müller, C., Schweig, A., Cava, M. P., and Lakshmikantham, M. V. Thieno[3,4-*c*]thiophenes. Electronic structure, *J. Am. Chem. Soc.* **98**, 7187 (1976).
- [4839] Potts, A. W., and Lyus, M. L. The photoelectron spectrum and valence shell structure of  $(\text{CuX})_3$  and  $(\text{AgCl})_3$ , *J. Electron Spectrosc. Relat. Phenom.* **13**, 305 (1978).
- [4840] Bowling, R. A., Allen, J. D., Jr., and Schweitzer, G. K. The  $\text{He(I)}$  photoelectron spectra of gaseous alkali metaphosphates, *J. Electron Spectrosc. Relat. Phenom.* **17**, 25 (1979).
- [4841] Colonna, F. P., Distefano, G., and Galasso, V. Photoelectron spectra of 1,4-dithiin and related compounds, *J. Electron Spectrosc. Relat. Phenom.* **18**, 75 (1980).
- [4842] Brown, R. S., and Marcinko, R. W. Influence of substituents upon ionization potential. Dependence of the  $\pi$ -ionization energy on the orientation of an allylic hydroxyl or methoxyl substituent, *J. Am. Chem. Soc.* **100**, 5721 (1978).
- [4843] Kibel, M. H., and Nyberg, G. L. Angular distribution valence photoelectron spectra of nitric oxide, *J. Electron Spectrosc. Relat. Phenom.* **17**, 1 (1979).
- [4844] McAlduff, E. J., and Bunbury, D. L. Photoelectron spectra of some aromatic mono- and di-ketones, *J. Electron Spectrosc. Relat. Phenom.* **17**, 81 (1979).
- [4845] Campbell, M. J., Liesegang, J., Riley, J. D., Leckey, R. C. G., Jenkin, J. G., and Poole, R. T. The electronic structure of the valence bands of solid  $\text{NH}_3$  and  $\text{H}_2\text{O}$  studied by ultraviolet photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **15**, 83 (1979).
- [4846] Jones, T. B., and Maier, J. P. Study of the radical cation of all *trans*-1,3,5,7-octatetraene by its emission,  $\text{A}^2\text{A}_g \rightarrow \text{X}^2\text{B}_g$ , and by photoelectron spectroscopy, *Intern. J. Mass Spectrom. Ion Phys.* **31**, 287 (1979).
- [4847] Andreocci, M. V., Bitchev, P., Carusi, P., and Furlani, A. Valence shell photoionization spectra of some substituted hydroxy-acetylenes. A tentative correlation with their cyclotrimerization reactions, *J. Electron Spectrosc. Relat. Phenom.* **16**, 25 (1979).
- [4848] Bernardi, F., Danieli, R., Distefano, G., Modelli, A., and Ricci, A. Photoelectron spectra of substituted dialkylphenylthioboranes, *J. Organometal. Chem.* **136**, 161 (1977).
- [4849] Bartetzko, R., Gleiter, R., Muthard, J. L., and Paquette, L. A. Long range electronic transmission in conformationally rigid  $\alpha$ -diketones, *J. Am. Chem. Soc.* **100**, 5589 (1978).
- [4850] Benoit, F. M., and Harrison, A. G. Predictive value of proton affinity. Ionization energy correlations involving oxygenated molecules, *J. Am. Chem. Soc.* **99**, 3980 (1977).
- [4851] Dougherty, D., Blankespoor, R. L., and McGlynn, S. P. Photoelectron spectroscopy of carbonyls. Bicyclo [2.2.1]-heptane-2,3-diones and bicyclo[2.2.1] hept-5-ene-2,3-diones, *J. Electron Spectrosc. Relat. Phenom.* **16**, 245 (1979).
- [4852] Clar, E., and Schmidt, W. Correlations between photoelectron and ultraviolet absorption spectra of polycyclic hydrocarbons. The terylene and peropyrene series, *Tetrahedron* **34**, 3219 (1978).
- [4853] Cradock, S., and Duncan, W. Photoelectron spectra of cyclopentadienyl derivatives of mercury, thallium, indium, tin and lead, *J. Chem. Soc. Faraday Trans. II* **74**, 194 (1978).
- [4854] Distefano, G., Jones, D., Colonna, F. P., Bigotto, A., Galasso, V., Pappalardo, G. C., and Scarlata, G. Evidence from the ultraviolet photoelectron and x-ray photoelectron spectra of phthalimide, quinolinimide, and their *N*-methyl derivatives regarding the prevailing tautomeric form of quinolinimide, *J. Chem. Soc. Perkin II*, 441 (1978).
- [4855] Domelsmith, L. N., Houk, K. N., Degenhardt, C. R., and Paquette, L. A. Photoelectron spectra and orbital interactions in methyleneortriquinacenes, *J. Am. Chem. Soc.* **100**, 100 (1978).
- [4856] Müller, C., Schweig, A., and Vermeer, H. Photoelectron spectra of 1,2-diphenylcyclopropene, 2,3-diphenylcyclopropenone, 2,3-diphenylcyclopropenethione, 2,3-diphenylthiirene 1-oxide, and *cis*-stilbene. An experimental verification of conjugative and inductive interactions, *J. Am. Chem. Soc.* **100**, 8056 (1978).
- [4857] Kirby, C., Kroto, H. W., and Westwood, N. P. C. Detection of chlorothioborane,  $\text{ClB}=\text{S}$ , a new unstable triatomic molecule, by photoelectron and microwave spectroscopy, *J. Am. Chem. Soc.* **100**, 3766 (1978).
- [4858] Dyke, J. M., Fayad, N. K., Morris, A., and Trickle, I. R. Gas-phase He I photoelectron spectra of some transition metals: Cu, Ag, Au, Cr and Mn, *J. Phys. B.* **12**, 2985 (1979).
- [4859] Houk, K. N., and Munchausen, L. L. Ionization potentials, electron affinities, and reactivities of cyanoalkenes and related electron-deficient alkenes. A frontier molecular orbital treatment of cyanoalkene reactivities in cycloaddition, electrophilic, nucleophilic, and radical reactions, *J. Am. Chem. Soc.* **98**, 937 (1976).
- [4860] Hildenbrand, D. L. Dissociation energies of  $\text{CaBr}$ ,  $\text{SrBr}$ ,  $\text{BaBr}$ , and  $\text{BaCl}$  from mass spectrometric studies of gaseous equilibria, *J. Chem. Phys.* **66**, 3526 (1977).
- [4861] Gleiter, R., Schang, P., and Seitz, G. Photoelectron spectra of cyclobutene-1,2-dione derivatives, *Chem. Phys. Letters* **55**, 144 (1978).
- [4862] Hsieh, T., and Hanrahan, R. J. An electron impact investigation of pentafluoroethyl iodide, *Int. J. Mass Spectrom. Ion Phys.* **23**, 201 (1977).
- [4863] Hansen, P. E., and Undheim, K. Mass spectrometry of onium compounds. XXIX. Ionisation potential in structure analysis of valence isomers, *Acta Chem. Scand.* **B29**, 221 (1975).
- [4864] Hildenbrand, D. L. Thermochemical studies of the gaseous lower-valent fluorides of molybdenum, *J. Chem. Phys.* **65**, 614 (1976).
- [4865] Hildenbrand, D. L. Thermochemistry of gaseous  $\text{UF}_5$  and  $\text{UF}_6$ , *J. Chem. Phys.* **66**, 4788 (1977).
- [4866] Domelsmith, L. N., Mollere, P. D., Houk, K. N., Hahn, R. C., and Johnson, R. P. Photoelectron and charge transfer spectra of benzobicycloalkenes. Relationships between through-space interactions and reactivity, *J. Am. Chem. Soc.* **100**, 2959 (1978).
- [4867] Utsunomiya, C., Kobayashi, T., and Nagakura, S. Photoelectron angular distribution measurements for some pyridines, *Bull. Chem. Soc. Jpn.* **51**, 3482 (1978).
- [4868] Corderman, R. R., LeBreton, P. R., Buttrill, S. E., Jr., Williamson, A. D., and Beauchamp, J. L. Photoionization and ion cyclotron resonance studies of the ion chemistry of ethylene oxide, *J. Chem. Phys.* **65**, 4929 (1976).
- [4869] Kordis, J., and Gingerich, K. A. Mass spectrometric observations of some polyatomic gaseous rare earth oxides and their atomization energies, *J. Chem. Phys.* **66**, 483

- (1977).
- [4870] Smith, R. D., Wyatt, J. R., DeCorpo, J. J., Saalfeld, F. E., Moran, M. J., and MacDiarmid, A. G. Identification of the vapor phase species of (SN)<sub>x</sub>, Chem. Phys. Letters **41**, 362 (1976).
- [4871] Schweitzer, G. K., McMurtrie, A. C., Allen, J. D., Jr., Cusachs, L. C., Vick, D. O., and Finkelstein, G. The photoelectron spectra of some gaseous thallium (I) oxyanion salts, J. Electron Spectrosc. Relat. Phenom. **10**, 155 (1977).
- [4872] Hildenbrand, D. L. Dissociation energy of samarium monoxide and its relation to that of europium monoxide, Chem. Phys. Letters **48**, 340 (1977).
- [4873] Simmons, L. L., Lowden, L. F., and Ehlert, T. C. A mass spectrometric study of K<sub>2</sub>CO<sub>3</sub> and K<sub>2</sub>O, J. Phys. Chem. **81**, 706 (1977).
- [4874] Smoes, S., Drowart, J., and Welter, J. M. Thermodynamic study of the vaporization of europium sulfide by the mass spectrometric Knudsen cell method, Adv. Mass. Spectrom. **7A**, 622 (1978).
- [4875] Simmons, L. L., Lowden, L. F., and Ehlert, T. C. A mass spectrometric study of potassium cyanide, J. Phys. Chem. **81**, 709 (1977).
- [4876] Suzuki, I. H., and Maeda, K. Ionization efficiency curves of acetylene by electron impact, Mass Spectroscopy **25**, 223 (1977).
- [4877] Sahini, V. E., Constantin, V., and Serban, I. Determination of ionization potentials using a MI-1305 mass spectrometer, Rev. Roum. Chim. **23**, 479 (1978).
- [4878] Loudon, A. G., and Webb, K. S. The nature of the [C<sub>2</sub>H<sub>6</sub>N]<sup>+</sup> and [CH<sub>3</sub>N]<sup>+</sup> ions formed by electron impact on methylated formamides, acetamides, ureas, thioureas and hexamethylphosphoramide, Org. Mass Spectrom. **12**, 283 (1977).
- [4879] Foner, S. N., and Hudson, R. L. Mass spectrometry of excited state molecules: Observation of highly vibrationally excited HF by ionization potential measurement, J. Chem. Phys. **68**, 2987 (1978).
- [4880] Bunzli, J. C., Frost, D. C., Herring, F. G., and McDowell, C. A. Assignment of the doublet states arising from ionization of chlorine lone-pairs in molecules possessing C<sub>2v</sub> symmetry, J. Electron Spectrosc. Relat. Phenom. **9**, 289 (1976).
- [4881] Farber, M., and Srivastava, R. D. The dissociation energies of calcium oxide and strontium oxide, High Temp. Sci. **8**, 73 (1976).
- [4882] Green, J. C., Seddon, E. A., and Mingos, D. M. P. U.V. photoelectron spectral studies on the metal carbonyl cluster compounds Os<sub>3</sub>(CO)<sub>12</sub>, Ru<sub>3</sub>(CO)<sub>12</sub>, and Os<sub>6</sub>(CO)<sub>18</sub>, J. Chem. Soc. Chem. Commun. **94** (1979).
- [4883] Colbourn, E. A., Dyke, J. M., Fackerell, A., Morris, A., and Trickle, I. A. Vacuum ultraviolet photoelectron spectrum of the GeO(X<sup>1</sup>Σ<sup>+</sup>) molecule, J. Chem. Soc., Faraday Trans. II, 2278 (1978).
- [4884] Kobayashi, T. A simple general tendency in photoelectron angular distributions of some monosubstituted benzenes, Phys. Letters **69A**, 105 (1978).
- [4885] Dehmer, P. M., and Dehmer, J. L. Photoelectron spectra of Ar<sub>2</sub> and Kr<sub>2</sub> and dissociation energies of the rare gas dimer ions, J. Chem. Phys. **69**, 125 (1978).
- [4886] Eland, J. H. D., and Berkowitz, J. Formation and predissociation of CO<sub>2</sub><sup>+</sup>(C<sup>2</sup>Σ<sub>g</sub><sup>+</sup>), J. Chem. Phys. **67**, 2782 (1977).
- [4887] Klasinc, L., Kovač, B., Schoof, S., and Güsten, H. Photoelectron spectroscopy of 9-substituted anthracenes, Croat. Chem. Acta **51**, 307 (1978).
- [4888] Downs, A. J., Egdel, R. G., Orchard, A. F., and Thomas, P. D. P. Photoelectron spectra of metal tetrahydroborates, J. Chem. Soc. Dalton Trans. 1755 (1978).
- [4889] Bigotto, A., Galasso, V., Colonna, F. P., Distefano, G., Pappalardo, G. C., and Scarlata, G. Electronic structure and photophysical properties of quinolinic anhydride, quinolinic thioanhydride, and N-methylquinolinimide, J. Chem. Soc. Perkins II **11**, 1194 (1978).
- [4890] Cvitaš, T., and Klasinc, L. Photoelectron spectra of bromobenzenes, Croat. Chem. Acta **50**, 291 (1977).
- [4891] Palmer, M. H., Moyes, W., Speirs, M., and Ridyard, J. N. A. The electronic structure of substituted benzenes; ab initio calculations and photoelectron spectra for phenol, the methyl- and fluoro-derivatives, and the dihydroxybenzenes, J. Mol. Struct. **52**, 293 (1979).
- [4892] Palmer, M. H., Moyes, W., Spiers, M., and Ridyard, J. N. A. The electronic structure of substituted benzenes; ab initio calculations and photoelectron spectra for nitrobenzene, the nitrotoluenes, dinitrobenzenes and fluoronitrobenzenes, J. Mol. Struct. **55**, 243 (1979).
- [4893] Palmer, M. H., Moyes, W., Spiers, M., and Ridyard, J. N. A. The electronic structure of substituted benzenes; a study of aniline, the toluidines, phenylenediamines and fluoroanilines by photoelectron spectroscopy and ab initio calculations, J. Mol. Struct. **53**, 235 (1979).
- [4894] Farber, M., and Srivastava, R. D. Mass spectrometric determination of the heats of formation of the silane fluorides, Chem. Phys. Letters **51**, 307 (1977).
- [4895] Lossing, F. P., and Maccoll, A. Free radicals by mass spectrometry, XLVII. Ionization potentials and ionic heats of formation of C<sub>5</sub>-C<sub>7</sub> alkyl radicals, Can. J. Chem. **54**, 990 (1976).
- [4896] Willis, C., Lossing, F. P., and Back, R. A. The heat of formation of N<sub>2</sub>H<sub>2</sub> and the proton affinity of N<sub>2</sub>, Can. J. Chem. **54**, 1 (1976).
- [4897] Hubin-Franskin, M.-J., Loch, R., and Katiwabwa, J. Dissociative ionization of carbon disulphide in the gas phase. Heat of formation of the CS radical, Chem. Phys. Letters **37**, 488 (1976).
- [4898] Houle, F. A., and Beauchamp, J. L. Detection and investigation of allyl and benzyl radicals by photoelectron spectroscopy, J. Am. Chem. Soc. **100**, 3290 (1978).
- [4899] Houle, F. A., and Beauchamp, J. L. Photoelectron spectroscopy of methyl, ethyl, isopropyl, and *tert*-butyl radicals. Implications for the thermochemistry and structures of the radicals and their corresponding carbonium ions, J. Am. Chem. Soc. **101**, 4067 (1979).
- [4900] Gupta, S. K., and Gingerich, K. A. Mass spectrometric observation and dissociation energy of the gaseous molecule MoNb, J. Chem. Phys. **69**, 4318 (1978).
- [4901] Smoes, S., Pattje, W. R., and Drowart, J. Thermodynamic study of the vaporization of manganese metal and manganese selenide by Knudsen-cell mass spectrometry, High Temp. Sci. **10**, 109 (1978).
- [4902] Fries, J. A., and Cater, E. D. Vaporization, thermodynamics, and dissociation energy of gadolinium monosulfide: Systematics of vaporization of the rare earth monosulfides, J. Chem. Phys. **68**, 3978 (1978).
- [4903] Foner, S. N., and Hudson, R. L. Determination of the proton affinity of N<sub>2</sub> from ionization data on *trans*-diimide, J. Chem. Phys. **68**, 3169 (1978).
- [4904] Foner, S. N., and Hudson, R. L. On the heat of formation of diimide, J. Chem. Phys. **68**, 3162 (1978).
- [4905] Hubin-Franskin, M. J., Huard, D., and Marmet, P. On the heat of formation of CS from CS<sub>2</sub> and OCS, Int. J. Mass Spectrom. Ion Phys. **27**, 263 (1978).
- [4906] Kaposi, O., Popović, A., and Marsel, J. Mass spectrometric studies of tungsten bromides and oxybromides, J. Inorg. Nucl. Chem. **39**, 1809 (1977).
- [4907] Murphy, M. K., and Beauchamp, J. L. Photoionization mass spectrometry of the fluoromethylsilanes (CH<sub>3</sub>)<sub>n</sub>F<sub>4-n</sub>Si (n = 1-4), J. Am. Chem. Soc. **99**, 2085 (1977).
- [4908] Van Dam, H., and Oskam, A. He(I) and He(II) photoelectron spectra of iron tetracarbonyl-olefin complexes, J. Electron



- [4909] Gingerich, K. A., and Gupta, K. A. Dissociation energies of the molecules RhTh and RhU from high temperature mass spectrometry and predicted thermodynamic stabilities of selected diatomic actinide-platinum metal intermetallic molecules, *J. Chem. Phys.* **69**, 505 (1978).
- [4910] Batten, C. F., Taylor, J. A., and Meisels, G. G. Photoionization processes at threshold. I. Threshold photoelectron and photoionization spectra of CO<sub>2</sub>, *J. Chem. Phys.* **65**, 3316 (1976).
- [4911] Suzuki, I. H., and Maeda, K. Ionization efficiency curves of ethane by electron impact, *Intern. J. Mass Spectrom. Ion Phys.* **24**, 147 (1977).
- [4912] Zmbov, K. F., Wu, C. H., and Ihle, H. R. A mass spectrometric study of heteronuclear diatomic alkali metal molecules. Dissociation energies and ionization potentials of NaLi, KLi, and NaK, *J. Chem. Phys.* **67**, 4603 (1977).
- [4913] Schmidt, W. Photoelectron spectra of polynuclear aromatics. V. Correlations with ultraviolet absorption spectra in the catacondensed series, *J. Chem. Phys.* **66**, 828 (1977).
- [4914] Herrmann, A., Leutwyler, S., Schumacher, E., and Wöste, L. 38. On metal-atom clusters IV. Photoionization thresholds and multiphoton ionization spectra of alkali-metal molecules, *Helv. Chim. Acta* **61**, 453 (1978).
- [4915] Lossing, F. P. Heats of formation of some isomeric [C<sub>n</sub>H<sub>2n+1</sub>O]<sup>+</sup> ions. Substitutional effects on ion stability, *J. Am. Chem. Soc.* **99**, 7526 (1977).
- [4916] Jadrny, R., Karlsson, L., Mattsson, L., and Siegbahn, K. Valence electron spectra of the chlorofluoromethanes CF<sub>3</sub>Cl, CF<sub>2</sub>Cl<sub>2</sub> and CFCl<sub>3</sub>, *Physica Scripta* **16**, 235 (1977).
- [4917] Sasanuma, M., Ishiguro, E., Hayaisha, T., Masuko, H., Morioka, Y., Nakajima, T., and Nakamura, M. Photoionisation of SF<sub>6</sub> in the XUV region, *J. Phys. B* **12**, 4057 (1979).
- [4918] McAlduff, E. J., Lynch, B. M., and Houk, K. N. Photoelectron spectra of substituted benzamides, *Can. J. Chem.* **56**, 495 (1978).
- [4919] Piacente, V., and Gingerich, K. A. The mass spectrometric determination of the dissociation energies of the molecules NaAu and NaAg, *High Temp. Sci.* **9**, 189 (1977).
- [4920] Tal'roze, V. L., Butkovskaya, N. I., Larichev, M. N., Leipunskii, I. O., Morozov, I. I., Dodonov, A. F., Kudrov, B. V., Zelenov, V. V., and Raznikov, V. V. Advances in the mass spectrometry of free radicals, *Advan. Mass Spectrom.* **7A**, 693 (1978).
- [4921] Sullivan, S. A., and Beauchamp, J. L. Positive and negative ion chemistry of sulfonyl halides, *Intern. J. Mass Spectrom. Ion Phys.* **28**, 69 (1978).
- [4922] Gordon, S. M., Harvey, G. A., Jackson, J. R., Tresling, J. D., and Van Niekerk, J. M. Computer-assisted retarding potential difference system for ionization efficiency measurements, *Intern. J. Mass Spectrom. Ion Phys.* **23**, 259 (1977).
- [4923] Ng, C. Y., Trevor, D. J., Mahan, B. H., and Lee, Y. T., Photoionization studies of the Kr<sub>2</sub> and Ar<sub>2</sub> van der Waals molecules, *J. Chem. Phys.* **66**, 446 (1977).
- [4924] Smets, J., Coppens, P., and Drowart, J. Photoionization with mass spectrometric analysis of the tetraphosphorus molecule, *Chem. Phys.* **20**, 243 (1977).
- [4925] Kuck, D., and Grützmacher, H. F. Hydrogen rearrangement in molecular ions of alkyl benzenes: appearance potentials and substituent effects on the formation of [C<sub>7</sub>H<sub>8</sub>]<sup>+</sup> ions, *Org. Mass Spectrom.* **13**, 81 (1978).
- [4926] Ng, C. Y., Tiedemann, P. W., Mahan, B. H., and Lee, Y. T. Photoionization studies of the diatomic heteronuclear rare gas molecules XeKr, XeAr, and KrAr, *J. Chem. Phys.* **66**, 5737 (1977).
- [4927] Shudo, K., Kobayashi, T., and Utsunomiya, C. Photoelectron spectral studies on the interaction of three-membered rings with aryl groups, *Tetrahedron* **33**, 1721 (1977).
- [4928] McLoughlin, R. G., Morrison, J. D., and Traeger, J. C. A photoionization study of the [C<sub>7</sub>H<sub>8</sub>]<sup>+</sup> ion formed from some monosubstituted alkyl benzenes, *Org. Mass Spectrom.* **13**, 483 (1978).
- [4929] Paine, A. J., and Werstiuk, N. H. SCF molecular orbitals and the photoelectron spectrum of 5,5-dimethyl-Δ<sup>1</sup>-1,3,4-oxadiazolin-2-one, *Can. J. Chem.* **56**, 1319 (1978).
- [4930] Ng, C. Y., Trevor, D. J., Mahan, B. H., and Lee, Y. T. Photoionization study of the Xe<sub>2</sub> van der Waals molecule, *J. Chem. Phys.* **65**, 4327 (1976).
- [4931] Leng, F. J., and Nyberg, G. L. Angular-distribution He(I)/Ne(I) photoelectron spectra of allene, *J. Chem. Soc., Faraday Trans. II* **73**, 1719 (1977).
- [4932] Jones, G. G., and Taylor, J. W. A photoionization study of carbon dioxide dimers in a supersonic molecular beam, *J. Chem. Phys.* **68**, 1768 (1978).
- [4934] Van Der Greef, J., Molenaar-Langeveld, T. A., and Nibbering, N. M. M. The elimination of HCN (or HNC) from the molecular ions of some isomeric C<sub>6</sub>H<sub>7</sub>N compounds, studied by field ionization kinetic and kinetic energy release measurements, *Int. J. Mass Spectrom. Ion Phys.* **29**, 11 (1979).
- [4935] Rettig, W., and Wirz, J. 111. Electronic structure and photophysical properties of isoindole and its benzo[*f*]- and dibenzo[*e,g*]-derivatives, *Helv. Chim. Acta* **59**, 1054 (1976).
- [4936] Drowart, J., Smets, J., Reynaert, J. C., and Coppens, P. Mass spectrometric study of the photo-ionization of inorganic gases and vapours, *Adv. Mass Spectrom.* **7A**, 647 (1978).
- [4937] Ulman, J. A., Andersen, E. L., Fehlner, T. P. Characterization of ferraboranes by ultraviolet photoelectron spectroscopy, *J. Am. Chem. Soc.* **100**, 456 (1978).
- [4938] Santiago, C., Houk, K. N., DeCicco, G. J., Scott, L. T. The photoelectron and ultraviolet spectra of octamethylcyclododeca-1,3,7,9-tetrayne: a weakly antiaromatic molecule, *J. Am. Chem. Soc.* **100**, 692 (1978).
- [4939] Krause, D. A., Taylor, J. W., and Fenske, R. F. An analysis of the effects of alkyl substituents on the ionization potentials of *n*-alkenes, *J. Am. Chem. Soc.* **100**, 718 (1978).
- [4940] Gerson, S. H., Worley, S. D., Bodor, N., Kaminski, J. J., and Flechtner, T. W. The photoelectron spectra of some heterocyclic compounds which contain N, O, Cl and Br, *J. Electron Spectrosc. Relat. Phenom.* **13**, 421 (1978).
- [4941] Gerson, S. H., Worley, S. D., Bodor, N., and Kaminski, J. J. Electronic structures of some antimicrobial *N*-chloramines. Possible existence of intramolecular hydrogen bonding and its effect on germicidal efficiency, *J. Med. Chem.* **21**, 686 (1978).
- [4942] Cowley, A. H., Dewar, M. J. S., Lattman, M., Mills, J. L., McKee, M. An ultraviolet photoelectron spectroscopic-molecular orbital study of some cyclopolyposphines, *J. Am. Chem. Soc.* **100**, 3349 (1978).
- [4943] Carlier, J., and Botter, R. Photoelectron spectra of ethylene and of the six deuterated derivatives, *J. Electron Spectrosc. Relat. Phenom.* **17**, 91 (1979).
- [4944] Bulgin, D. K., Dyke, J. M., Jonathan, N., and Morris A. Vacuum ultraviolet photoelectron spectroscopy of transient species, *J. Chem. Soc. Faraday Trans. II* **75**, 456 (1979).
- [4945] Koenig, T., Imre, D., and Hoobler, J. A. He(I) photoelectron spectrum of benzocyclobutadiene, *J. Am. Chem. Soc.* **101**, 6446 (1979).
- [4946] Van Dam, H., and Oskam, A. A remeasurement of the UV photoelectron spectrum of Fe(CO)<sub>5</sub>, ethylene, *J. Electron Spectrosc. Relat. Phenom.* **17**, 357 (1979).
- [4947] Nagy-Felsöbuki, E., Peel, J. B., and Willett, G. D. The



- photoelectron spectrum of bromamine, *J. Electron Spectrosc. Relat. Phenom.* **13**, 17 (1978).
- [4948] Nagy-Felsobuki, E., and Peel, J. B. The photoelectron spectra of unstable intermediates: Dibromamine, *J. Electron Spectrosc. Relat. Phenom.* **15**, 61 (1979).
- [4949] Ulman, J. A., and Fehlner, T. P. Ultraviolet photoelectron spectroscopy of boranes and carboranes. Five-, six-, and seven-atom frameworks, *J. Am. Chem. Soc.* **100**, 449 (1978).
- [4950] Potts, A. W., and Lee, E. P. F. Photoelectron spectra and electronic structure of lithium halide monomers and dimers, *J. Chem. Soc. Faraday Trans. II* **75**, 941 (1979).
- [4951] Carnovale, F., Gan, T. H., and Peel, J. B. Semi-empirical calculations and the assignment of valence photoelectron spectra of large molecules: phenalen-9-amino-1-imine., *J. Electron Spectrosc. Relat. Phenom.* **15**, 173 (1979).
- [4952] Santiago, C., Gandour, R. W., Houk, K. N., Nutakul, W., Cravey, W. E., and Thummel, R. P. Photoelectron and ultraviolet spectra of small-ring fused aromatic molecules as probes of aromatic ring distortions, *J. Am. Chem. Soc.* **100**, 3730 (1978).
- [4954] McAlduff, E. J., Caramella, P., and Houk, K. N., Photoelectron spectra of 3-substituted cyclopentenes. Correlations between ionization potentials and cycloaddition regioselectivity, *J. Am. Chem. Soc.* **100**, 105 (1978).
- [4955] Gassman, P. G., and Yamaguchi, R. Electrochemical oxidation of strained hydrocarbons, *J. Am. Chem. Soc.* **101**, 1308 (1979).
- [4956] Ramsey, B. G., and O'Neill, S. J. A comparison of modified CNDO/2 calculations and the photoelectron, NMR, and UV spectroscopic properties of boronsubstituted monophenylboranes, *J. Organometal. Chem.* **141**, 257 (1977).
- [4957] Berkowitz, J. Photoionization of  $\text{CH}_3\text{OH}$ ,  $\text{CD}_3\text{OH}$ , and  $\text{CH}_3\text{OD}$ : Dissociative ionization mechanisms and ionic structures, *J. Chem. Phys.* **69**, 3044 (1978).
- [4958] Hille, E., and Märk, T. D. Cross section for single and double ionization of carbon monoxide by electron impact from threshold up to 180 eV, *J. Chem. Phys.* **69**, 4600 (1978).
- [4959] Akopyan, M. E., and Villem, Ya. Ya. Ion-molecule reactions in the photoionization of formic and acetic acid vapors, *High Energy Chem.* **10**, 24 (1976).
- [4960] Gross, M. L., Chiu, E., Pokorny, D., and DeRoos, F. L. Regiospecificity for water elimination. A mass spectral study of 1-tetralol and 2-tetralol, *Org. Mass Spectrom.* **12**, 55 (1977).
- [4961] Praet, M.-Th., Hubin-Franskin, M. J., Delwiche, J. P., and Schoos, R. Ionization and dissociation of  $\text{C}_6\text{F}_6$  isomers under electron impact, *Organic Mass Spectrom.* **12**, 297 (1977).
- [4962] Nakato, Y., Abe, K., and Tsubomura, H. Experimental determination of ionization potentials of tetraphenylporphine and metallotetraphenylporphines, *Chem. Phys. Letters*, **39**, 358 (1976).
- [4963] Gleiter, R., Haider, R., Conia, J.-M., Barnier, J.-P., de Meijere, A., and Weber, W. Interaction of Walsh orbitals in rotanes. Photoelectron spectroscopic investigation, *J. Chem. Soc. Chem. Commun.* 130 (1979).
- [4964] Spanget-Larsen, J., Gleiter, R., Detty, M. R., and Paguette, L. A. Interaction of Walsh orbitals in trishomocycloheptatrienes and related hydrocarbons, *J. Am. Chem. Soc.* **100**, 3005 (1978).
- [4965] Brittain, H. G., Horozoglu, G., and Baker, A. D. The He(I) photoelectron spectra of some  $\gamma$ -substituted Co(III) acetylacetonate complexes, *J. Electron Spectrosc. Relat. Phenom.* **16**, 107 (1979).
- [4966] Smoes, S., and Drowart, J. Determination of the atomization energies of the molecules  $\text{CSe(g)}$  and  $\text{CSe}_2\text{(g)}$  by the mass spectrometric Knudsen cell method, *J. Chem. Soc., Faraday Trans. II* **73**, 1746 (1977).
- [4967] White, M. G., Rosenberg, R. A., Lee, S. T., and Shirley, D. A. The He(I) photoelectron spectroscopy of heavy group IV-VI diatomics, *J. Electron Spectrosc. Relat. Phenom.* **17**, 323 (1979).
- [4968] Worley, S. D., Taylor, K. G., Venugopalan, B., and Clark, M. S., Jr. Photoelectron spectra, reactions and structures of some acyclic 2-azadiene systems, *Tetrahedron* **34**, 833 (1978).
- [4969] Neijzen, B. J. M., and DeLange, C. A. Photoelectron spectroscopy of mono- and dicyanobenzenes and their perfluoro derivatives, *J. Electron Spectrosc. Relat. Phenom.* **14**, 187 (1978).
- [4970] Banna, M. S., and Shirley, D. A. Molecular photoelectron spectroscopy at 132.3 eV. The second-row hydrides, *J. Chem. Phys.* **63**, 4759 (1975).
- [4971] Holmes, J. L., and Osborne, A. D. Energy partitioning in the metastable fragmentation  $[\text{C}_3\text{H}_3]^+ \rightarrow [\text{C}_3\text{H}_2]^+ + \text{H}_2$ , *Org. Mass Spectrom.* **13**, 133 (1978).
- [4972] Roberge, R., Sandorfy, C., Matthews, J. I., and Strausz, O. P. The far ultraviolet and HeI photoelectron spectra of alkyl and fluorine substituted silane derivatives, *J. Chem. Phys.* **69**, 5105 (1978).
- [4979] Hubin-Franskin, M.-J., Delwiche, J., Natalis, P., Caprace, G., and Roy, D. On the photoelectron spectrum of  $\text{CS}_2$ , *J. Elec. Spectrosc. Rel. Phenom.* **18**, 295 (1980).
- [4980] Brown, R. S., and Marcinko, R. W. Photoelectron spectra of the ozonides of ethylene, cyclopentene, and cyclohexene. Experimental evidence for the magnitude of the "pure" inductive effect of an ether oxygen on ionization energy, *J. Am. Chem. Soc.* **100**, 5584 (1978).
- [4981] MacNaughton, R. M., Allen, J. D., Jr., and Schweitzer, G. K. The He(I) photoelectron spectra of gaseous  $(\text{CuCl})_3$ ,  $(\text{CuBr})_3$ ,  $(\text{AgCl})_3$ ,  $(\text{AgBr})_3$ , and  $(\text{AgI})_3$ , *J. Electron Spectrosc. Relat. Phenom.* **18**, 363 (1980).
- [4982] Schulz, R., and Schweig, A. 6-Fulveneselone, *Angew. Chem. Int. Ed.* **19**, 69 (1980).
- [4983] Ajö, D., Granozzi, G., Ciliberto, E., and Fragalà, I. Investigation of the electronic structure of 2-(acetylaminoprop-2-enoic acid (N-acetyldehydroalanine) by He<sup>I</sup> and He<sup>II</sup> photoelectron spectroscopy, *J. Chem. Soc. Perkins Trans. 2* 483, (1980).
- [4984] Bock, H., Boggs, J. E., Kleemann, G., Lentz, D., Oberhammer, H., Peters E. M., Seppelt, K., Simon, A., and Solouki, B. Structure and reactions of methylenesulfur tetrafluoride, *Angew. Chem. Int. Ed.* **18**, 944 (1979).
- [4985] Beltram, G., Fehlner, T. P., Mochida, K., and Kochi, J. K. UV photoelectron spectra of group IV alkyl hydrides, *J. Electron Spectrosc. Relat. Phenom.* **18**, 153 (1980).
- [4986] Coleman, A. W., Green, J. C., Hayes, A. J., Seddon, E. A., Lloyd, D. R., and Niwa, Y. A comparison of the electronic structure of some group 6a dimetal tetracarboxylates using photoelectron spectroscopy, *J. Chem. Soc. Dalton* **75**, 1057 (1979).
- [4987] Cauletti, C., Clark, J. P., Green, J. C., Jackson, S. E., Fragalà, I. L., Ciliberto, E., and Coleman, A. W. Photoelectron spectra of bis-cyclopentadienyl metal dihalides, *J. Electron Spectrosc. Relat. Phenom.* **18**, 61 (1980).
- [4988] Ebsworth, E. A. V., Rankin, D. W. H., and Wright, J. G. Preparation and chemical and spectroscopic properties of (disilylamino)-difluorophosphine and bis(difluorophosphino)silylamine, *J. Chem. Soc. Dalton Trans.* **6**, 1065 (1979).
- [4989] Vovna, V. I., Dudin, A. S., Avkhutskii, L. M., Lopatin, S. N., and Ippolitov, E. G. Photoelectron spectra and electronic spectra of volatile rhenium fluorides [and oxide fluorides], *Russ. J. Inorg. Chem.* **24**, 1135 (1979).
- [4990] Aue, D. H., Webb, H. M., Davidson, W. R., Vidal, M., Bowers, M. T., Goldwhite, H., Vertal, L. E., Douglas, J.

- E., Kollman, P. A., and Kenyon, G. L. Proton affinities and photoelectron spectra of three-membered-ring heterocycles, *J. Am. Chem. Soc.* **102**, 5151 (1980).
- [4991] Eland, J. H. D., and Berkowitz, J. Photoionization mass spectrometry of HI and DI at high resolution, *J. Chem. Phys.* **67**, 5034 (1977).
- [4992] Eweg, J. K., Müller, F., van Dam, H., Terpstra, A., and Oskam, A. He(I) and He(II) photoelectron spectra of alloxazines and isalloxazines, *J. Am. Chem. Soc.* **102**, 51 (1980).
- [4993] Dannacher, J., Schmelzer, A., Stadelmann, J.-P., and Vogt, J. A photoelectron-photoion coincidence study of vinylfluoride, *Intern. J. Mass Spectrom. Ion Phys.* **31**, 175 (1979).
- [4994] Frey, R., Gotchev, B., Peatman, W. B., Pollak, H., and Schlag, E. W. Photoionization resonance study of the  $X(^2\Pi)$ ,  $A(^2\Pi)$ ,  $B(^2\Sigma^+)$  and  $C(^2\Sigma^+)$  states of  $CS_2^+$  and  $COS^+$  *Intern. J. Mass Spectrom. Ion Phys.* **26**, 137 (1978).
- [4995] Guimon, C., Pfister-Guillouzo, G., and Mathey, F. Electronic structure of phosphacymantrene by photoelectron spectroscopy (He I, He II) and E.H.T. calculations, *Nouveau J. de Chimie* **3**, 725 (1979).
- [4996] Pesterev, V. I., Gabdrakipov, V. Z., Artyukhin, V. I., and Agashkin, O. V. The ionisation and excitation of the conformers of piperidine and its alkyl derivatives, *Russ. J. Phys. Chem.* **53**, 845 (1979).
- [4997] Batten, C. F., Taylor, J. A., Tsai, B. P., and Meisels, G. G. Photoionization processes at threshold. II. Threshold photoelectron, photoionization, and coincidence ion-threshold photoelectron spectra of  $BF_3$ , *J. Chem. Phys.* **69**, 2547 (1978).
- [4998] Berkowitz, J., and Holloway, J. H. Photoionization mass spectrometric study of  $KrF_2$ , *J. Chem. Soc. Faraday Trans. II* **74**, 2077 (1978).
- [4999] Garner, C. D., Hawskworth, R. W., Hillier, I. H., MacDowell, A. A., and Guest, M. F. Electronic structure of the transition-metal nitrates  $Ti(NO_3)_3$ ,  $VO(NO_3)_3$ ,  $Co(NO_3)_2$ , and  $Cu(NO_3)_2$ . Studied by low-energy photoelectron spectroscopy and ab initio molecular orbital and scattered wave-X $\alpha$  calculations, *J. Am. Chem. Soc.* **102**, 4325 (1980).
- [5000] Radler, K., and Berkowitz, J. Photoionization mass spectrometric study of  $CSe_2$ , *J. Chem. Phys.* **66**, 2176 (1977).
- [5001] Frost, D. C., MacDonald, C. B., McDowell, C. A., and Westwood, N. P. C. The HeI photoelectron spectra of the halogen azides,  $XN_3$  ( $X=Cl$  and  $Br$ ) and the halogen isocyanates,  $XNCO$  ( $X=Cl$ ,  $Br$  and  $I$ ), *Chem. Phys.* **47**, 111 (1980).
- [5002] Colonna, F. P., Distefano, G., Guerra, M., and Jones, D. Photoelectron (He(I), He(II) and X-ray) spectroscopy of  $\gamma$ -pyrone and its related sulphur derivatives: valence and core ionization energies and shake-up satellites, *J. Electron Spectrosc. Relat. Phenom.* **18**, 309 (1980).
- [5003] Williamson, A. D., LeBreton, P. R., and Beauchamp, J. L. Photoionization mass spectrometry of 2-fluoropropane and 2,2-difluoropropane. A novel determination of the proton affinity of vinyl fluoride and 1,1-difluoroethylene, *J. Am. Chem. Soc.* **98**, 2705 (1976).
- [5004] Weiss, M. J., Berkowitz, J., and Appelman, E. H. Photoionization of ozone: Formation of  $O_4^+$  and  $O_5^+$ , *J. Chem. Phys.* **66**, 2049 (1977).
- [5005] Worley, S. D., Webb, T. R., Gibson, D. H., and Ong, T.-S. The photoelectron spectra of some iron tricarbonyl complexes of  $4\pi$ -electron donor ligands, *J. Electron Spectrosc. Relat. Phenom.* **18**, 189 (1980).
- [5006] Huebner, R. H., Celotta, R. J., Mielczarek, S. R., and Kuyatt, C. E. Electron energy loss spectroscopy of acetone vapor, *J. Chem. Phys.* **59**, 5434 (1973).
- [5007] Appell, J., Durup, J., Fehsenfeld, F. C., and Fournier, P. Double charge transfer spectroscopy of diatomic molecules, *J. Phys. B* **6**, 197 (1973).
- [5008] Dyke, J. M., Jonathan, N. B. H., Morris, A., and Winter, M. J. The first ionization potential of the formyl radical,  $HCO(X^2A)$ , studied using photoelectron spectroscopy, *Mol. Phys.* **39**, 629 (1980).
- [5009] Parr, A. C., Jason, A. J., Stockbauer, R., and McCulloh, K. E. Photoionization and threshold photoelectron-photoion coincidence study of propyne from onset to 20 eV, *Intern. J. Mass Spectrom. Ion Phys.* **30**, 319 (1979).
- [5010] Worley, S. D., Webb, T. R., Gibson, D. H., and Ong, T.-S. On the electronic structures of cyclobutadiene and trimethylenemethane, *J. Organometal. Chem.* **168**, C16 (1979).
- [5011] Dunlavey, S. J., Dyke, J. M., Jonathan, N., and Morris, A. Vacuum ultraviolet photoelectron spectroscopy of transient species. Part 11. The  $NH_2(X^2B_1)$  radical, *Mol. Phys.* **39**, 1121 (1980).
- [5012] Bock, H., Kaim, W., and Rohwer, H. E. Radical ions  $XI^+$ . One-electron oxidation of alkylsilyl benzenes in the gas phase and in solution, *J. Organometal. Chem.* **135**, C14 (1977).
- [5013] Szepes, L., Distefano, G., and Pignataro, S. Steric inhibition of resonance in acetanilides by UV photoelectron spectroscopy, *Ann. Chim.* **64**, 159 (1974).
- [5014] Parr, A. C., Jason, A. J., and Stockbauer, R. Photoionization and threshold photoelectron-photoion coincidence study of cyclopropene from onset to 20 eV, *Int. J. Mass Spectrom. Ion Phys.* **33**, 243 (1980).
- [5015] Ng, C. Y., Trevor, D. J., Tiedemann, P. W., Ceyer, S. T., Kronebusch, P. L., Mahan, B. H., and Lee, Y. T. Photoionization of dimeric polyatomic molecules: proton affinities of  $H_2O$  and  $HF$ , *J. Chem. Phys.* **67**, 4235 (1977).
- [5016] Pabst, R. E., Sharpe, M. C., Margrave, J. L., and Franklin, J. L. An electron impact study of the appearance energies of positive ions from  $AsF_3$ ,  $AsCl_3$ ,  $AsBr_3$  and  $AsF_5$ , *Int. J. Mass Spectrom. Ion Phys.* **33**, 187 (1980).
- [5017] Sell, J. A., and Kuppermann, A. Variable angle photoelectron spectroscopy of the fluoroethylenes, *J. Chem. Phys.* **71**, 4703 (1979).
- [5018] Wood, K. V., and Taylor, J. W. A photoionization mass spectrometric study of autoionization in ethylene and *trans*-2-butene, *Int. J. Mass Spectrom. Ion Phys.* **30**, 307 (1979).
- [5019] Santiago, C., McAlduff, E. J., Houk, K. N., Snow, R. A., and Paquette, L. A. Photoelectron spectra of ortho- and meta-substituted benzonorbornadienes. Relationships to regioselectivities in triplet di-methane rearrangements, *J. Am. Chem. Soc.* **100**, 6149 (1978).
- [5020] Gleiter, R., Hofmann, P., Schang, P., and Sieber, A. The orbital sequence in cyclic 1,3-diketones, *Tetrahedron* **36**, 655 (1980).
- [5021] Zverev, V. V., Villem, Y. Y., Ermolaeva, L. V., and Lisin, A. F. The photoelectron spectra and electronic structure of unsaturated phosphoryl compounds, *Doklady Akademii Nauk SSSR*, **246**, 1368 (1978).
- [5022] Freiser, B. S. Electron impact ionization of argon ions by trapped ion cyclotron resonance spectroscopy, *Int. J. Mass Spectrom. Ion Phys.* **33**, 263 (1980).
- [5023] Nagy-Felsobuki, E., and Peel, J. B. Photoelectron spectra of selenium dichloride and diselenium dichloride, *J. Chem. Soc. Faraday II*, **76**, 148 (1980).
- [5024] Bursten, B. E., Cotton, F. A., Green, J. C., Seddon, E. A., and Stanley, G. G. Electronic structures and photoelectron spectra of the metal atom cluster species  $Re_3Cl_n$ ,  $Re_3Br_n$ , and  $[Re_3Cl_{12}]^{+}$ , *J. Am. Chem. Soc.* **102**, 955 (1980).
- [5025] Mead, P. T., Donchi, K. F., Traeger, J. C., Christie, J. R., and Derrick, P. J. Secondary hydrogen isotope effect in the



- unimolecular decomposition of 2-methylpropane radical cations, *J. Am. Chem. Soc.* **102**, 3364 (1980).
- [5026] Neijzen, B. J. M., and DeLange, C. A. Photoelectron spectroscopy of some thiocyanates, isocyanates and isothiocyanates, *J. Electron Spectrosc. Relat. Phenom.* **18**, 179 (1980).
- [5027] Huhin-Franskin, M.-J., Marmet, P., and Huard, D. Excitation and ionization of OCS and CS<sub>2</sub> by electron impact, *Int. J. Mass Spectrom. Ion Phys.* **33**, 311 (1980).
- [5028] Eland, J. H. D., Berkowitz, J., Schulte, H., and Frey, R. Rates of unimolecular pyridine ion decay and the heat of formation of C<sub>5</sub>H<sub>5</sub><sup>+</sup>, *Int. J. Mass Spectrom. Ion Phys.* **28**, 297 (1978).
- [5029] Lee, L. C., Judge, D. L., and Ogawa, M. CS<sub>2</sub><sup>+</sup>(B<sup>2</sup>Σ<sub>u</sub><sup>+</sup>, A<sup>2</sup>Π<sub>u</sub> → X<sup>2</sup>Π<sub>g</sub>) fluorescence from photoionization excitation of CS<sub>2</sub> vapor, *Can. J. Phys.* **53**, 1861 (1975).
- [5030] Colbourne, D., Frost, D. C., McDowell, C. A., and Westwood, N. P. C. Dichloroketen; gas phase preparation and characterisation by photoelectron spectroscopy, *J. Chem. Soc. Chem. Comm.* 250, (1980).
- [5031] Nagy-Felsobuki, E., and Peel, J. B. Photoelectron spectra of sulfur dibromide and selenium dibromide, *Chem. Phys.* **45**, 189 (1980).
- [5032] Zverev, V. V., Villem, Ya. Ya., Bel'skii, V. E., and Kitaev, Yu. P. The photoelectronic spectra of phosphoryl compounds, *Izv. Akad. Nauk SSSR, Ser. Khim.* **1**, 84 (1979).
- [5033] Westwood, N. P. C., Kroto, H. W., Nixon, J. F., and Simmons, N. P. C. Formation of 1-phosphapropyne, CH<sub>3</sub>C≡P, by pyrolysis of dichloro(ethyl)phosphine: a He(I) photoelectron spectroscopic study, *J. Chem. Soc. Dalton Trans.* **9**, 1405 (1979).
- [5034] Brogli, F., Heilbronner, E., Kloster-Jensen, E., Schmelzer, A., Manocha, A. S., Pople, J. A., and Radom, L. The photoelectron spectrum of butatriene, *Chem. Phys.* **4**, 107 (1974).
- [5035] Potts, A. W., and Price, W. C. Photoelectron studies of ionic materials using molecular beam techniques, *Physica Scripta* **16**, 191 (1977).
- [5036] Chisholm, M. H., Cowley, A. H., and Lattman, M. A UV photoelectron spectroscopic investigation of the bonding in some tri-, tetra-, and penta- coordinated dialkylamino compounds of chromium, molybdenum, niobium, and tantalum, *J. Am. Chem. Soc.* **102**, 46 (1980).
- [5037] Walker, T. E. H., Dehmer, P. M., and Berkowitz, J. Rotational band shapes in photoelectron spectroscopy: HF and DF, *J. Chem. Phys.* **59**, 4292 (1973).
- [5038] Jaudon, P., and Tabet, J.-C. Rearrangement of molecular ions following electron impact. IV-Origin of the [M-28]<sup>+</sup> ions in the mass spectra of α-methyl-2- decalone, *Org. Mass Spectrom.* **15**, 65 (1980).
- [5039] Holmes, J. L., and Lossing, F. P. Gas-phase heats of formation of keto and enol ions of carbonyl compounds, *J. Am. Chem. Soc.* **102**, 1591 (1980).
- [5040] Evlasheva, T. I., Puchkova, V. V., Potapov, V. K., and Gur'yanova, E. N. Ionisation potentials and electron-donating properties of sulphones, *Russ. J. Phys. Chem.* **49**, 453 (1975).
- [5041] Johnson, K. M., Powis, I., and Danby, C. J. The fragmentation of COCl<sub>2</sub><sup>+</sup> and COF<sub>2</sub><sup>+</sup> ions studied by the photoelectron-photoion coincidence technique, *Int. J. Mass Spectrom. Ion Phys.* **32**, 1 (1979).
- [5042] Hodges, R. V., Houle, F. A., Beauchamp, J. L., Montag, R. A., and Verkade, J. G. Effects of molecular structure on basicity. Gas phase proton affinities of cyclic phosphites, *J. Am. Chem. Soc.* **102**, 932 (1980).
- [5043] Kovač, B., and Klasinc, L. Photoelectron spectroscopy of adamantane and some adamantanones, *Croat. Chem. Acta* **51**, 55 (1978).
- [5044] Connor, J. A., Derrick, L. M. R., Hall, M. B., Hillier, I. H., Guest, M. F., Higginson, B. R., and Lloyd, D. R. The electronic structure of transition metal complexes containing organic ligands 1. Low and high energy photoelectron spectra and ab initio SCF MO calculations of iron tricarbonyl butadiene, *Mol. Phys.* **28**, 1193 (1974).
- [5045] Parker, D. H., and El-Sayed, M. A. Determination of excited state lifetimes and ionization potentials by dual beam visible lasers, *Chem. Phys.* **42**, 379 (1979).
- [5046] Lefavre, D., and Marmet, P. Electroionization of D<sub>2</sub>O and H<sub>2</sub>O and study of fragments H<sup>+</sup> and OH<sup>+</sup>, *Can. J. Phys.* **56**, 1549 (1978).
- [5048] Larzilliere, M., and Damany, N. Rydberg series of carbon disulfide converging to A<sup>2</sup>Π<sub>u</sub> states of CS<sub>2</sub><sup>+</sup>, *Can. J. Phys.* **56**, 1150 (1978).
- [5049] Lagerqvist, A., and Renhorn, I. The spectrum of silicon monoxide (oxygen-18) in the vacuum ultraviolet region, *J. Mol. Spectrosc.* **19**, 157 (1974).
- [5050] Parr, A. C., Jason, A. J., and Stockbauer, R. Photoionization and threshold photoelectron-photoion coincidence study of allene from onset to 20eV, *Intern. J. Mass Spectrom. Ion Phys.* **26**, 23 (1978).
- [5051] Loch, R., Schopman, J., Wankenne, H., and Momigny, J. The dissociative ionization of nitrogen, *Chem. Phys.* **7**, 393 (1975).
- [5052] Lee, E. P. F., and Potts, A. W. The VUV photoelectron spectra of atomic In and Tl, *J. Electron Spectrosc. Relat. Phenom.* **19**, 65 (1980).
- [5053] Leupin, W., and Wirz, J. 161. Cyclooct-1-en-5-yne. Preparation, spectroscopic characteristics and chemical reactivity, *Helv. Chim. Acta* **61**, 1663 (1978).
- [5054] Poole, R. T., Orders, P. J., Jenkin, J. G., Leckey, R. C. G., and Liesegang, J. Electronic structure of the valence bands of SnF<sub>2</sub> studied by ultraviolet photoelectron spectroscopy, *Chem. Phys. Letters* **54**, 220 (1978).
- [5055] Potts, A. W., and Williams, T. A. The observation of "forbidden" transitions in He II photoelectron spectra, *J. Electron Spectrosc. Relat. Phenom.* **3**, 3 (1974).
- [5056] Paisner, J. A., Solarz, R. W., Worden, E. F., and Conway, J. G. IV. Highly excited states, ionization, and high intensity interactions, *Springer Series in Optical Sciences, Laser Spectroscopy III*, **7**, 160 (1977).
- [5058] Broer, W. J., Weringa, W. D., and Nieuwpoort, W. C. Rearrangements and fragmentations of [C<sub>2</sub>H<sub>5</sub>S]<sup>+</sup> ions, *Org. Mass Spectrom.* **14**, 543 (1979).
- [5059] Helal, A. I., and Zahran, N. F. Kinetic shift in some *para*-substituted acetophenones, *Org. Mass Spectrom.* **13**, 549 (1978).
- [5060] Karlsson, L., Mattsson, L., Jadrny, R., Bergmark, T., and Siegbahn, K. Vibrational and vibronic structure in the valence electron spectrum of H<sub>2</sub>S, *Physica Scripta* **13**, 229 (1976).
- [5061] Kingcade, J. E., Dufner, D. C., Gupta, S. K., and Gingerich, K. A. A thermodynamic study of the gaseous molecules CuSn<sub>2</sub> and Cu<sub>2</sub>Sn, *High Temp. Sci.* **10**, 213 (1978).
- [5063] Kimura, K., and Osafune, K. Sum rule consideration on valence orbital ionization energies in methyl amines, *Mol. Phys.* **29**, 1073 (1975).
- [5064] Kronebusch, P. L., and Berkowitz, J. Photodissociative ionization in the 21-41 eV region: O<sub>2</sub>, N<sub>2</sub>, CO, NO, CO<sub>2</sub>, H<sub>2</sub>O, NH<sub>3</sub> and CH<sub>4</sub>, *Int. J. Mass Spectrom. Ion Phys.* **22**, 283 (1976).
- [5066] Powis, I., and Danby, C. J. The unimolecular fragmentation of energy-selected acetone ions, *Int. J. Mass Spectrom. Ion Phys.* **32**, 27 (1979).
- [5067] Kleinschmidt, P. D., and Hildenbrand, D. L. Dissociation energies of CaI, SrI, and BaI from high temperature mass spectrometry, *J. Chem. Phys.* **68**, 2819 (1978).
- [5068] Kimura, K., and Osafune, K. Photoelectron spectroscopic study of skew compounds. III. *N,N'*-dimethylhydrazine,

- dimethyl peroxide, and dimethyl disulfide, *Bull. Chem. Soc. Japan* **48**, 2421 (1975).
- [5069] Traeger, J. C. Photoionization mass spectrometry of the propyl halides, *Int. J. Mass Spectrom. Ion Phys.* **32**, 309 (1980).
- [5070] Holmes, J. L., and Lossing, F. P. Keto and enol forms of methyl acetate molecular ions, their stability and interconvertibility prior to fragmentation in the gas phase, *Org. Mass Spectrom.* **14**, 512 (1979).
- [5071] Drury-Lessard, C. R., and Moule, D. C. The higher Rydberg states of formaldehyde, *Chem. Phys. Letters* **47**, 300 (1977).
- [5072] Holmes, J. L., Rye, R. T. B., and Terlouw, J. K. On the loss of ethylene from  $[C_3H_5O]^+$  ions of structure  $CH_3CH_2CHOH$ , *Org. Mass Spectrom.* **14**, 606 (1979).
- [5073] De Leeuw, D. M., Mooyman, R., and De Lange, C. A. He(I) photoelectron spectroscopy of transient species: The  $SF_2$  molecule, *Chem. Phys.* **34**, 287 (1978).
- [5074] De Leeuw, D. M., Mooyman, R., and De Lange, C. A. He(I) photoelectron spectroscopy of transient species: The  $SeX_2$  molecules ( $X=F, Cl$  and  $Br$ ), *Chem. Phys.* **38**, 21 (1979).
- [5079] Lohr, W., Jochims, H. W., and Baumgartel, H. Photoreaktionen kleiner organischer Moleküle IV Absorptionsspektren, Photoionen- und Resonanz-photoelektronenspektren von Vinylbromid, *Ber. Bunsenges.* **79**, 901 (1975).
- [5080] Baldwin, M. A. Appearance energies and the kinetic shift. Loss of HCN from the benzonitrile molecular ion, *Org. Mass. Spectrom.* **14**, 601 (1979).
- [5081] Kaufman, V., and Hagan, L. Spectrum and energy levels of singly ionized aluminum (Al II), *J. Opt. Soc. Am.* **69**, 232 (1979).
- [5082] Lauer, G., Schäfer, W., and Schweig, A. Assignment of the four lowest ionized states of *p*-benzoquinone and the question of "lone pair splitting" in this system, *Chem. Phys. Letters* **33**, 312 (1975).
- [5083] Russell, D. H., Gross, M. L., Van der Greef, J., and Nibbering, N. M. M. The chemistry of  $C_6H_5O$  radical cations: A study of rearrangement reactions of halogen substituted ethyl phenyl ethers, *Org. Mass Spectrom.* **14**, 474 (1979).
- [5084] Bieri, G., and Åsbrink, L. 30.4-nm He(II) photoelectron spectra of organic molecules, *J. Electron Spectrosc. Relat. Phenom.* **20**, 149 (1980).
- [5085] Loudet, M., Grimaud, M., Metras, F., and PfisterGuillouzo, G. Interactions intramoléculaires en série cyclohexanique partie II. Spectres photoélectroniques de chloro-2 cyclohexanones, *J. Mol. Struct.* **35**, 213 (1976).
- [5086] Holmes, J. L., Terlouw, J. K., Vijhuizen, P. C., and A'Campo, C. Metastable ion studies XII-Molecular and fragment ion structures for isomeric  $C_4H_6O_2$  acids, *Org. Mass Spectrom.* **14**, 204 (1979).
- [5087] De Leeuw, D. M., Mooyman, R., and De Lange, C. A. He(I) photoelectron spectroscopy of halogen atoms, *Chem. Phys. Letters* **54**, 231 (1978).
- [5088] Hoppilliard, Y., and Solgadi, D. Conformational analysis of 2-haloethanols and 2-methoxyethyl- halides in a photoelectron-spectrometer, *Tetrahedron* **36**, 377 (1980).
- [5089] Weidner, U., and Schweig, A. Evidence for conjugation through a saturated silicon atom, *Angew. Chem. Int. Ed.* **11**, 536 (1972).
- [5090] Dougherty, D., Brint, P., and McGlynn, S. P. Photoelectron spectroscopy of carbonyls. Lone-pair interactions in  $\alpha$ -,  $\beta$ -,  $\gamma$ -, and  $\delta$ -dicarbonyls, *J. Am. Chem. Soc.* **100**, 5597 (1978).
- [5091] Nelsen, S. F., Kessel, C. R., and Brien, D. J. Bredt's rule kinetically stabilized nitrogen- centered radical cations and radicals in the 9-azabicyclo[3.3.1]nonyl system, *J. Am. Chem. Soc.* **102**, 702 (1980).
- [5092] Ramsey, B. G. Substituent effects on imidazole basicity and photoelectron spectroscopy determined ionization energies, *J. Org. Chem.* **44**, 2093 (1979).
- [5093] Dougherty, D., Younathan, E. S., Voll, R., Abdulnur, S., and McGlynn, S. P. Photoelectron spectroscopy of some biological molecules, *J. Electron Spectrosc. Relat. Phenom.* **13**, 379 (1978).
- [5094] Heilbronner, E., Jones, T. B., Krebs, A., Maier, G., Malsch, K. D., Pocklington, J., and Schmelzer, A. A photoelectron spectroscopic investigation of tetra-*tert*-butyltetrahydrene and of tetra-*tert*- butylcyclobutadiene, *J. Am. Chem. Soc.* **102**, 564 (1980).
- [5095] Bigotto, A., Galasso, V., Distefano, G., and Modelli, A. Photoelectron and electronic spectra of acenaphthenequinone, naphthalic anhydride, and naphthalimide, *J. Chem. Soc. Perkin II*, 1502 (1979).
- [5096] de Jong, A. P., and van Dam, H. Ultraviolet photoelectron spectroscopy of cyclic amidines. I. Electronic structure of some  $\alpha$ -adrenergic benzylimidazolines, *J. Med. Chem.* **22**, 1290 (1979).
- [5097] McAlduff, E. J. Photoelectron spectra of substituted acetophenones. Correlations with reactivity, *Can. J. Chem.* **58**, 622 (1980).
- [5098] Greening, F. R., and King, G. W. Rydberg states of carbon diselenide, *J. Mol. Spectrosc.* **61**, 459 (1976).
- [5099] Houk, K. N., Bimanand, A., Mukherjee, D., Sims, J., Chang, Y.-M., Kaufman, D. C., and Domelsmith, L. N. Nitron ionization potentials and cycloaddition regioselectivities, *Heterocycles* **7**, 293 (1977).
- [5100] Cautelli, C., Furlani, C., and Storto, G. Coordinative bond and *d*-shell ionisations in the UV photoelectron spectra of bis( $\beta$ -diketonato) cobalt (II) and copper (II) complexes, and their thioanalogues, *J. Electron Spectrosc. Relat. Phenom.* **18**, 329 (1980).
- [5101] Gürtler, P., Saile, V., and Koch, E. E. Rydberg series in the absorption spectra of  $H_2O$  and  $D_2O$  in the vacuum ultraviolet, *Chem. Phys. Letters* **51**, 386 (1977).
- [5102] Bock, H., Kaim, W., Kira, M., Osawa, H., and Sakurai, H. Radical ions XXVIII. Tris(trimethylsilylmethyl) aminium,  $^+N(CH_2Si(CH_3)_3)_3$ : A stable fluxional aminium radical cation, *J. Organometal. Chem.* **164**, 295 (1979).
- [5103] Fragalà, I., Ciliberto, E., Finocchiaro, P., and Recca, A. He(I) and He(II) excited photoelectron spectra and electronic structure of 'pseudoctahedral' dichloro- and dimethylbis(pentane- 2,4-dionato) tin(IV), *J. Chem. Soc. Dalton II*, 240 (1979).
- [5104] Kajitani, M., Sugimori, A., Sato, N., Seki, K., Inokuchi, H., and Harada, Y. Ultraviolet photoelectron spectra of crown ethers, *Bull. Chem. Soc. Japan* **52**, 2199 (1979).
- [5105] Thomas, R. K., and Thompson, H. The photoelectron spectra of allene, deuterioallenes and tetrafluoroallene, *Proc. R. Soc. London Ser. A*, **339**, 29 (1974).
- [5106] Stockbauer, R., and Rosenstock, H. M. Kinetic shift in methane and allene ion fragmentation, *Intern. J. Mass Spectrom. Ion Phys.* **27**, 185 (1978).
- [5107] Solouki, B., Rosmus, P., Bock, H., and Maier, G. Short-path pyrolysis: Silabenzene, *Angew. Chem. Int. Ed.* **19**, 51 (1980).
- [5108] Gleiter, R., Böhm, M. C., Haaland, A., Johansen, R., and Luszyk, J. Beryllocene,  $(C_2H_5)_2Be$ . The He (I) photoelectron spectrum and ab initio molecular orbital calculations, *J. Organometal. Chem.* **170**, 285 (1979).
- [5119] Martin, H.-D., and Pfföhler, P. Pentacyclo[6.4.0.0<sup>2,3</sup>.0<sup>3,10</sup>.0<sup>1,10</sup>]dodeca-6,11-diene, an *o,o'*-*op'*-dimer of benzene, *Angew. Chem. Int. Ed.* **17**, 847 (1978).
- [5120] Traeger, J. C., and McLoughlin, R. G. Threshold photoionization and dissociation of toluene and cycloheptatriene, *J. Am. Chem. Soc.* **99**, 7351 (1977).
- [5121] Tajima, S., Azami, T., and Tsuchiya, T. An investigation of the decomposition of the common intermediate ions produced by electron impact, *Org. Mass. Spectrom.* **12**, 24 (1977).



- [5122] Schmidt, H., Schweig, A., and Vermeer, H. On the conformation of unsaturated arsines, *J. Mol. Struct.* **37**, 93 (1977).
- [5123] Schander, J., and Russell, B. R. Vacuum ultraviolet spectra of bromoethylene and dibromoethylenes, *J. Am. Chem. Soc.* **98**, 6900 (1976).
- [5124] Hudson, B. S., Ridyard, J. N. A., and Diamond, J. Polyene spectroscopy. Photoelectron spectra of the diphenylpolyenes, *J. Am. Chem. Soc.* **98**, 1126 (1976).
- [5125] Sell, J. A., and Kupperman, A. Angular distributions in the photoelectron spectra of benzene and its monohalogenated derivatives, *Chem. Phys.* **33**, 367 (1978).
- [5126] Smyth, K. C., Schiavone, J. A., and Freund, R. S. Dissociative excitation of CO by electron impact: Translational spectroscopy of long-lived high- Rydberg fragment atoms, *J. Chem. Phys.* **60**, 1358 (1974).
- [5127] Samson, J. A. R., Kemeny, P. C., and Haddad, G. N. Double ionization of CO<sub>2</sub> by photon impact, *Chem. Phys. Letters* **51**, 75 (1977).
- [5128] Suzuki, I. H., and Maeda, K. Behavior of hydrogen atoms in the fragmentation of CH<sub>3</sub>CD<sub>3</sub>, *Can. J. Chem.* **55**, 3124 (1977).
- [5129] Suzuki, I. H., and Maeda, K. Ionization efficiency curves of acetylene by mono-energetic electron impact, *Adv. Mass Spectrom.* **7**, 182 (1978).
- [5130] Stockbauer, R., and Inghram, M. G. Threshold photoelectron-photoion coincidence mass spectrometric study of ethylene and ethylene-d<sub>4</sub>, *J. Chem. Phys.* **62**, 4862 (1975).
- [5131] Schulz, R., and Schweig, A. Existence of 1,2,3-benzoxadiazole in the gas phase, *Angew. Chem. Int. Ed.* **18**, 692 (1979).
- [5132] Frey, R., Gotchev, B., Kalman, O. F., Peatman, W. B., Pollak, H., and Schlag, E. W. Photoionization resonance spectra of CO<sub>2</sub><sup>+</sup> and threshold electron-ion coincidence measurements of the fragmentation of CO<sub>2</sub><sup>+</sup>, *Chem. Phys.* **21**, 89 (1977).
- [5133] Nelsen, S. F., Hollinsed, W. C., Grezzo, L. A., and Parmelee, W. P. Conformational effects in 2,3- cycloalkyl-2,3-diazabicyclic tetraalkylhydrazines, *J. Am. Chem. Soc.* **101**, 7347 (1979).
- [5134] Fraga, I., Millefiori, S., and Recca, A. Gas phase ultraviolet photoelectron spectra of aromatic azomethine compounds, *J. Chem. Res.* **1**, 28 (1980).
- [5135] Golovin, A. V., Akopyan, M. E., Vilesov, F. I., and Sergeev, Y. L. Ion-electron coincidence study of the photoionization of formic and acetic acids, *Khim. Vys. Energ.* **13**, 200 (1979).
- [5136] Ghosh, S. N., and Verma, R. D. Rydberg states of the PO molecule, *J. Mol. Spectrosc.* **72**, 200 (1978).
- [5137] Frost, D. C., Lee, S. T., McDowell, C. A., and Westwood, N. P. C. The photoelectron spectrum of diazene (diimine), *Chem. Phys. Letters* **30**, 26 (1975).
- [5138] Maier, J. P., and Marthaler, O. Emission spectra of the radical cations of 1,3-dichlorobenzene, 1,4-dichlorobenzene and 1,3,5-trichlorobenzene in the gas phase, *Chem. Phys.* **32**, 419 (1978).
- [5139] Daamen, H., Oskam, A., and Stufkens, D. J. U.V.-photoelectron (He I and He II) studies of M(CO)<sub>5</sub>PR<sub>3</sub> (M = Cr, W and R = C<sub>6</sub>H<sub>11</sub>, C<sub>6</sub>H<sub>5</sub>, O-i-C<sub>3</sub>H<sub>7</sub>, OC<sub>6</sub>H<sub>5</sub>) and W(CO)<sub>5</sub>As(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>, *Inorg. Chim. Acta* **38**, 71 (1980).
- [5140] Takezawa, S., and Tanaka, Y. The absorption spectrum of D<sub>2</sub> in the vacuum-uv region, Rydberg bands,  $np\sigma^1\Sigma_u^+ \leftarrow X^1\Sigma_g^+$  and  $np\pi^1\Pi_u \leftarrow X^1\Sigma_g^+$  with n=4-6, and the ionization energy, *J. Mol. Spectrosc.* **54**, 379 (1975).
- [5141] Cooks, R. G., Ast, T., and Beynon, J. H. A new method for the determination of double and triple ionization potentials of organic ions, *Intern. J. Mass. Spectrom. Ion Phys.* **11**, 490 (1973).
- [5142] Jonathan, N., Morris, A., Okuda, M., Ross, K. J., and Smith, D. J. Vacuum ultraviolet photoelectron spectroscopy of transient species, *J. Chem. Soc. Faraday Trans. II*, **70**, 1810 (1974).
- [5143] Mathur, B. P., Rothe, E. W., Reck, G. P., and Lightman, A. J. Two-photon ionization of Li<sub>2</sub>: isotopic separation and determination of IP(Li<sub>2</sub>) and D<sub>0</sub>(Li<sub>2</sub><sup>+</sup>), *Chem. Phys. Letters* **56**, 336 (1978).
- [5144] Miescher, E. High resolution absorption spectrum of nitric oxide (NO) in the region of the first ionization limit, *Can. J. Phys.* **54**, 2074 (1976).
- [5145] Boschi, R. A., and Salahub, D. R. The far ultraviolet spectra of some branched chain iodo-alkanes, iodo-cyclo-alkanes, fluoro-iodo-alkanes and iodoalkenes, *Mol. Phys.* **24**, 735 (1972).
- [5146] McCulloh, K. E. Energetics and mechanisms of fragment ion formation in the photoionization of normal and deuterated water and ammonia, *Int. J. Mass Spectrom. Ion Phys.* **21**, 333 (1976).
- [5147] Appell, J., Durup, J., Fehsenfeld, F. C., and Fournier, P. Doubly ionized states of some polyatomic molecules studied by double charge transfer spectroscopy, *J. Phys.* **B**, **7**, 406 (1974).
- [5148] Burroughs, P., Evans, S., Hamnett, A., Orchard, A. F., and Richardson, N. V. He-I photoelectron spectra of some d<sup>0</sup> transition metal compounds, *J. Chem. Soc. Faraday Trans. II* **70**, 1895 (1974).
- [5149] Avni, R., and Klein, F. S. The first ionization potential of uranium and thorium measured in a d.c. arc plasma, *Spectrochim. Acta* **25B**, 331 (1973).
- [5150] Gupta, S. K., Pelino, M., and Gingerich, K. A. Dissociation energy of the gaseous molecule PtTi by high-temperature Knudsen effusion mass spectrometry, *J. Phys. Chem.* **83**, 2335 (1979).
- [5151] Cvitaš, T., and Klasinc, L. High resolution photoelectron spectrum of hydrazoic acid, *J. Chem. Soc. Faraday Trans. II*, **72**, 1240 (1976).
- [5153] Busse, B., and Weil, K. G. Existence and bond energy of the cesium auride molecule, *Angew. Chem. Int. Ed.* **18**, 629 (1979).
- [5154] Harland, P. W., Cradock, S., and Thynne, J. C. J. Positive- and negative-ion formation due to the electron bombardment of germanium tetrafluoride, *Int. J. Mass Spectrom. Ion Phys.* **10**, 169 (1972/73).
- [5159] Gacek, M., Thorstad, O., Ongstad, L., and Undheim, K. Ionisation potentials in tautomer analysis of 2-hydroxypyrimidines, *Chem. Scripta* **13**, 99 (1978).
- [5161] Watanabe, I., Yokoyama, Y., and Ikeda, S. Vibrational structures in the He(I) photoelectron spectra of carboxylic acids, *Bull. Chem. Soc. Japan* **47**, 627 (1974).
- [5162] Yoshino, K., and Tanaka, Y. Absorption spectrum of krypton in the vacuum UV region, *J. Opt. Soc. Am.* **69**, 159 (1979).
- [5163] Zmbov, K. F., and Miletic, M. Mass spectrometric determination of the dissociation energy of PbO<sub>2</sub> and ionization potentials of PbO and PbO<sub>2</sub> molecules, *Advan. Mass Spectrom.* **7A**, 573 (1978).
- [5164] Wu, C. H. Thermochemical properties of gaseous Li<sub>2</sub> and Li<sub>3</sub>, *J. Chem. Phys.* **65**, 3181 (1976).
- [5165] Worden, E. F., and Conway, J. G. Laser spectroscopy of neptunium; first ionization potential, lifetimes and new high-lying energy levels of Np I, *J. Opt. Soc. Am.* **69**, 733 (1979).
- [5166] Farber, M., and Srivastava, R. D. Mass spectrometric determination of the heats of formation of the silicon bromides SiBr(g), SiBr<sub>2</sub>(g), and SiBr<sub>3</sub>(g), *High Temp. Sci.* **12**, 21 (1980).
- [5167] Fock, J.-H., Gürtler, P., and Koch, E. E. Molecular Rydberg transitions in carbon monoxide: term value/ionization energy correlation of BF, CO and N<sub>2</sub>, *Chem. Phys.* **47**, 87 (1980).



- [5168] Fraga, I., Ciliberto, E., Egdell, R. G., and Granozzi, G. He(I) and He(II) photoelectron spectra of methyltin chlorides, *J. Chem. Soc. Dalton*, 145 (1980).
- [5169] Gupta, S. K., and Gingerich, K. A. Observation and atomization energies of the gaseous uranium carbides, UC, UC<sub>2</sub>, UC<sub>3</sub>, UC<sub>4</sub>, UC<sub>5</sub>, and UC<sub>6</sub>, by high temperature mass spectrometry, *J. Chem. Phys.* **71**, 3072 (1979).
- [5170] Hitchcock, A. P., Brion, C. E., and Van der Wiel, M. J. Absolute oscillator strengths for valence-shell ionic photofragmentation of N<sub>2</sub>O and CO<sub>2</sub> (8–75 eV), *Chem. Phys.* **45**, 461 (1980).
- [5171] Ho, P., and Burns, R. P. A mass spectrometric study of the AlO<sub>2</sub> molecule, *High Temp. Sci.* **12**, 31 (1980).
- [5172] Lee, E. P. F., Potts, A. W., Doran, M., Hillier, I. H., Delaney, J. J., Hawksworth, R. W., and Guest, M. F. Photoelectron spectra and electronic structure of the transition metal dichlorides, MCl<sub>2</sub> (M = Cr, Mn, Fe, Co, Ni), *J. Chem. Soc. Faraday II*, **76**, 506 (1980).
- [5173] Momigny, J., Wankenne, H., and Krier, C. Correlation diagram approach to the dissociative ionization mechanisms of methanol, *Intern. J. Mass Spectrom. Ion Phys.* **35**, 151 (1980).
- [5174] Nishimura, T., Niwa, Y., Tsuchiya, T., and Nozoye, H. Ionic dissociation of methanol studied by photoelectron-photoion coincidence spectroscopy, *J. Chem. Phys.* **72**, 2222 (1980).
- [5175] Powis, I. The dissociation of state-selected CF<sub>3</sub>X<sup>+</sup> molecular ions, *Mol. Phys.* **39**, 311 (1980).
- [5176] Stephan, K., Helm, H., Kim, Y. B., Seykora, G., Ramler, J., Grössl, M., Märk, E., and Märk, T. D. Single and double ionization of nitrogen dioxide by electron impact from threshold up to 180 eV, *J. Chem. Phys.* **73**, 303 (1980).
- [5177] Pittermann, U., and Weil, K. G. Massenspektrometrische Untersuchungen an Silberhalogeniden V: Verdampfung von Silberiodid, *Ber. Bunsenges. Phys. Chem.* **84**, 542 (1980).
- [5178] Imre, D., and Koenig, T. The He(I) photoelectron spectrum of atomic iodine by photodissociation of molecular iodine, *Chem. Phys. Letters* **73**, 62 (1980).
- [5179] Reader, J. Energy levels of singly ionized cesium (Cs II), *Phys. Rev. A* **13**, 507 (1976).
- [5180] Reader, J. Spectrum and energy levels of singly ionized rubidium (Rb II), *J. Opt. Soc. Am.* **65**, 286 (1975).
- [5181] Rosenstock, H. M., Stockbauer, R., and Parr, A. C. Kinetic shift in chlorobenzene ion fragmentation and the heat of formation of the phenyl ion, *J. Chem. Phys.* **71**, 3708 (1979).
- [5182] Nielsen, U., and Schwarz, W. H. E. VUV spectra of the xenon fluorides, *Chem. Phys.* **13**, 195 (1976).
- [5183] Causley, G. C., and Russell, B. R. Vacuum ultraviolet absorption spectra of dichlorosilane, dichloromethylsilane and dichlorodimethylsilane, *J. Electron Spectrosc. Relat. Phenom.* **8**, 71 (1976).
- [5184] Maier, J. P., Marthaler, O., and Mohraz, M. Emission spectra of the cations of some fluorosubstituted phenols in the gaseous phase, *J. Electron Spectrosc. Relat. Phenom.* **19**, 11 (1980).
- [5185] Brown, R. S., Influence of remote substituents on ionization potential. Part II. Enamines, *Can. J. Chem.* **54**, 1521 (1976).
- [5186] Worden, E. F., Solarz, R. W., Paisner, J. A., and Conway, J. G. First ionization potentials of lanthanides by laser spectroscopy, *J. Opt. Soc. Am.* **68**, 52 (1978).
- [5187] Leutwyler, S., Herrmann, A., Wöste, L., and Schumacher, E. Isotope selective two-step photoionization study of K<sub>2</sub> in a supersonic molecular beam, *Chem. Phys.* **48**, 253 (1980).
- [5188] Ihle, H. R., Wu, C. H., Miletic, M., and Zmbov, K. F. Mass spectrometric studies of gas species in the systems Si–Cl and Si–Li, *Adv. Mass Spectrom.* **7A**, 670 (1978).
- [5189] Ajò, D., Granozzi, G., Tondello, E., and Fraga, I. Nature of the metal–metal bond in *triangolo*-Ru<sub>3</sub>(CO)<sub>12</sub> from UV photoelectron spectroscopy and quantum mechanical calculations, *Inorg. Chim. Acta* **37**, 191 (1979).
- [5190] Betteridge, D., Thompson, M., Baker, A. D., and Kemp, N. R. Photoelectron spectra of phosphorus halides, alkyl phosphites and phosphates, organophosphorus pesticides, and related compounds, *Anal. Chem.* **44**, 2005 (1972).
- [5191] Bursten, B. E., Cotton, F. A., Cowley, A. H., Hanson, B. E., Lattman, M., and Stanley, G. S. Strong metal-to-metal quadruple bonds in a series of five isostructural compounds as indicated by photoelectron spectroscopy, *J. Am. Chem. Soc.* **101**, 6244 (1979).
- [5192] Spanget-Larsen, J., Gleiter, R., De Meijere, A., and Binger, P. Linear combination of Walsh orbitals in tris-σ-homobenzenes, *Tetrahedron* **35**, 1385 (1979).
- [5193] Carnovale, F., Gan, T. H., Peel, J. B., and Franz, K.-D. Photoelectron spectroscopic studies of some alkoxy phenalenones, *Tetrahedron* **35**, 129 (1979).
- [5194] Böhm, M. C., and Gleiter, R. Electronic structure and reactivity of propellanes, *Tetrahedron* **35**, 675 (1979).
- [5195] Moseley, J. T., Saxon, R. P., Huber, B. A., Cosby, P. C., Abouaf, R., and Tadjeddine, M. Photofragment spectroscopy and potential curves of Ar<sub>2</sub><sup>+</sup>, *J. Chem. Phys.* **67**, 1659 (1977).
- [5196] Jochims, H. W., Lohr, W., and Baumgärtel, H. Photoreactions of small organic molecules V. Absorption-, photoion- and resonancephotoelectronspectra of CF<sub>3</sub>Cl, CF<sub>2</sub>Cl<sub>2</sub>, CFCl<sub>3</sub> in the energy range 10–25 eV, *Ber. Bunsenges.* **80**, 130 (1976).
- [5197] Mattsson, L., Karlsson, L., Jadry, R., and Siegbahn, K. Valence electron spectrum of C<sub>6</sub>H<sub>6</sub> excited by linearly polarized HeI radiation, *Phys. Scripta* **16**, 221 (1977).
- [5198] Manne, R., Wittel, K., and Mohanty, B. S. Spinorbit interaction in molecular photoelectron spectra An intermediate coupling approach, *Mol. Phys.* **29**, 485 (1975).
- [5199] McDiarmid, R. On the ultraviolet spectrum of *trans*-1,3-butadiene, *J. Chem. Phys.* **64**, 514 (1976).
- [5200] Harris, D., McKinnon, S., and Boyd, R. K. The origins of the base peak in the electron impact spectrum of limonene, *Org. Mass Spectrom.* **14**, 265 (1979).
- [5201] Willett, G. D., and Baer, T. Thermochemistry and dissociation dynamics of state-selected C<sub>4</sub>H<sub>5</sub>X ions. 3. C<sub>4</sub>H<sub>5</sub>N<sup>+</sup>, *J. Am. Chem. Soc.* **102**, 6774 (1980).
- [5202] Rücker, C., Lang, D., Sauer, J., Friege, H., and Sustmann, R. Reaktivität substituierter 1,3-Butadiene in Diels-Alder-Reaktionen, *Chem. Ber.* **113**, 1663 (1980).
- [5203] Ciliberto, E., Costanzo, L. L., Fraga, I., and Granozzi, G. Ultraviolet photoelectron spectra of 'octahedral' (diethyldithiophosphato) metal(III) complexes, *Inorg. Chim. Acta* **44**, L25 (1980).
- [5204] Bock, H., and Brähler, U. G. Oxidation und Reduktion methylthio-substituierter Naphthaline – ein Vergleich von Molekülzuständen, *Chem. Ber.* **112**, 3081 (1979).
- [5205] Locht, R., Olivier, J. L., and Momigny, J. Dissociative autoionization as a mechanism for the proton formation from methane and methane-d<sub>4</sub> by low energy electron impact, *Chem. Phys.* **43**, 425 (1979).
- [5206] Fraga, I., Ciliberto, E., Granozzi, G., and Deganello, G. He-I and He-II excited photoelectron spectra of cycloheptatrienetricarbonyl complexes of group VIA metals, *J. Organometal. Chem.* **182**, 511 (1979).
- [5207] Solouki, B., Bock, H., and Appel, R. Sequence of orbitals in sulfones and sulfodiimides, *Angew. Chem. Int. Ed.* **11**, 927 (1972).
- [5208] Jonathan, N., Morris, A., Okuda, M., Smith, D. J., and Ross, K. J. Photoelectron spectroscopy of transient species: The CS molecule, *Chem. Phys. Letters* **13**, 334 (1972).
- [5209] Čermák, V. Electron spectroscopy of autoionizing states of

- oxygen, chlorine and bromine atoms, *J. Electron Spectrosc. Relat. Phenom.* **6**, 135 (1975).
- [5210] Davis, R., Ojo, I. A., and Webb, M. L. Mass spectrometry of transition-metal  $\pi$ -complexes, V.-Fragmentation and structure of chromium-coordinated  $[C_2H_6]^+$  and  $[C_6H_{10}]^+$  ions, *Org. Mass Spectrom.* **13**, 547 (1978).
- [5211] Hall, D., Maier, J. P., and Rosmus, P. Electronic states of ketene radical cation, *Chem. Phys.* **24**, 373 (1977).
- [5212] Coughlin, D. J., Brown, R. S., and Salomon, R. G. The prostaglandin endoperoxide nucleus and related bicyclic peroxides. Synthetic and spectroscopic studies, *J. Am. Chem. Soc.* **101**, 1533 (1979).
- [5213] Daamen, H., Oskam, A., Stufkens, D. J., and Waaijers, H. W. Bonding properties of group VIB metal pentacarbonyl azole complexes studied by electronic absorption, photoelectron,  $^{13}C$  NMR and vibrational spectroscopy, *Inorg. Chim. Acta* **34**, 253 (1979).
- [5214] Kimura, K., Yamazaki, T., and Achiba, Y. He I (584 Å) photoelectron spectra and photoionization cross sections of atomic chlorine and bromine, *Chem. Phys. Letters* **58**, 104 (1978).
- [5215] Katritzky, A. R., Baker, V. J., Brito-Palma, F. M. S., Patel, R. C., Pfister-Guillouzo, G., and Guimon, C. Conformational analysis of saturated heterocycles. Part 94. Applications of photoelectron spectroscopy to molecular properties. Part 3. Photoelectron spectroscopic studies of some 1-oxa-3,4-diaza-, 1-thia-3,4-diaza-, 1,2,4-triaza-, and 1,2,4,5-tetraaza-cyclohexanes, *J. Chem. Soc. Perkin II* 91, (1980).
- [5216] Bock, H., Bowling, R. A., Solouki, B., Barton, T. J., and Burns, G. T. Analysis and optimization of gas phase reactions. 13.<sup>1,2</sup>Silatoluene, *J. Am. Chem. Soc.* **102**, 429 (1980).
- [5217] Fragalà, I., Ciliberto, E., and Thomas, J. L. He(I) and He(II) excited photoelectron spectra of cyclopentadienyldicarbonyltitanium(II), *J. Organometal. Chem.* **175**, C25 (1979).
- [5218] Chau, F. T., and McDowell, C. A. The HeI photoelectron spectrum of *trans*-1,2-dibromocyclohexane, *J. Mol. Struct.* **34**, 93 (1976).
- [5220] Syrvatka, B. G., and Gil'burd, M. M. Mass-spectrometric study of trifluoronitrosomethane, *Russ. J. Phys. Chem.* **47**, 1215 (1973).
- [5222] Dunlavey, S. J., Dyke, J. M., and Morris, A. The first ionization potential of the  $BrO(X^2H)$  radical obtained using photoelectron spectroscopy, *Chem. Phys. Letters* **53**, 382 (1978).
- [5223] Colin, R., and De Greef, D. The absorption spectrum of the BeH and BeD molecules in the vacuum ultraviolet, *Can. J. Phys.* **53**, 2142 (1975).
- [5224] Guimon, C., Pfister-Guillouzo, G., and Arbelot, M. Spectres photoélectroniques de la dithiole-1,3- thione-2 et de son dérivé benzosubstitué, *J. Mol. Struct.* **30**, 339 (1976).
- [5225] Hillier, I. H., Guest, M. F., Higginson, B. R., and Lloyd, D. R. *Ab initio* calculations of transition metal complexes V. The electronic structure and He(I) photoelectron spectra of  $Fe(CO)_2(NO)_2$ ,  $Co(CO)_3NO$  and  $Ni(CO)_4$ , *Mol. Phys.* **27**, 215 (1974).
- [5227] Kováčik, V., Mihálov, V., and Kováč, P. Identification of methyl (methyl *O*-acetyl-*O*-methyl-hexopyranosid)uronates by mass spectrometry, *Carbohydr. Res.* **54**, 23 (1977).
- [5228] Guimon, C., Pfister-Guillouzo, G., Bernardini, A., and Viallefont, P. A photoelectron study (HeI, HeII) of the tautomeric equilibrium of chloro- and bromo-1,2,4-triazoles, *Tetrahedron* **36**, 1071 (1980).
- [5229] Piacente, V., Bardi, G., di Paolo, V., and Ferro, D. The vapour pressure over  $Ga_2S_3$  and  $Ga_2Se_3$ , *J. Chem. Thermodyn.* **8**, 391 (1976).
- [5230] Kuck, D., and Grützmacher, H.-Fr. The activation energy of the skeletal isomerization in the radical cations of toluene and cycloheptatriene by mass spectrometry of their 2-phenylethyl derivatives, *Org. Mass Spectrom.* **14**, 86 (1979).
- [5231] Shaw, R. W., Jr., and Thomas, T. D. Auger electron spectrum and ionization potentials of the HF molecule, *Phys. Rev. A* **11**, 1491 (1975).
- [5232] Sell, J. A., and Kupperman, A. Angular distributions in the photoelectron spectroscopy of  $SF_6$ , *Chem. Phys.* **33**, 379 (1978).
- [5233] Johansson, S. The spectrum and term system of Fe II, *Physica Scripta* **18**, 217 (1978).
- [5235] Paguette, L. A., Ku, A. Y., Santiago, C., Rozenboom, M. D., and Houk, K. N. Control of regioselectivity in the di- $\pi$ -methane rearrangement. Triplet-sensitized photoisomerization of benzonorbornadienes carrying cyano substituents in the aryl and vinyl segments, *J. Am. Chem. Soc.* **101**, 5972 (1979).
- [5238] Lassiter, T. W., Allen, J. D., Jr., and Schweitzer, G. K. The photoelectron spectroscopic characterization of vapors above heated alkali tetrafluoroaluminates, alkali tetrachloroaluminates, and ammonium tetrachloroaluminate, *J. Electron Spectrosc. Relat. Phenom.* **19**, 321 (1980).
- [5239] Biefeld, R. M. The vaporization thermodynamics of rubidium iodide as determined by mass-loss Knudsen effusion and mass spectrometry, *J. Chem. Thermodyn.* **10**, 907 (1978).
- [5240] Mark, T. D., and Hille, E. Cross section for single and double ionization of carbon dioxide by electron impact threshold up to 180 eV, *J. Chem. Phys.* **69**, 2492 (1978).
- [5241] Stadelmann, J. P., and Vogt, J. A photoelectronphotoion coincidence study of *cis*- and *trans*- difluoroethene, *Intern. J. Mass Spectrom. Ion Phys.* **35**, 83 (1980).
- [5242] Miletić, M., Ereš, D., Veljković, M., and Zmbov, K. F. Mass spectrometric study of the ionization and fragmentation of carbon disulphide by mono- energetic electron impact, *Intern. J. Mass Spectrom. Ion Phys.* **35**, 231 (1980).
- [5243] Ajò, D., Ciliberto, E., Fragalà, I., and Granozzi, G. Lone-pair interactions in the photoelectron spectra of dicarboxylic acids: Malonic acid and its  $\alpha$ -alkyl derivatives, *J. Mol. Struct.* **62**, 189 (1980).
- [5244] Selim, E. T. M. Ionization and dissociation of propylene by electron impact, *Indian J. Pure Appl. Phys.* **18**, 31 (1980).
- [5245] Hochmann, P., Templet, P. H., Wang, H.-t., and McGlynn, S. P. Molecular Rydberg transitions. I. Low- energy Rydberg transitions in methyl halides, *J. Chem. Phys.* **62**, 2588 (1975).
- [5246] Domelsmith, L. N., Houk, K. N., Piedrahita, C., and Dolbier, W. J., Jr. The photoelectron spectrum of 1,1-difluoroallene. On  $\pi$  electron donation and withdrawal by fluorine, *J. Am. Chem. Soc.* **100**, 6908 (1978).
- [5247] Palenius, H. P., Huffman, R. E., Larrabee, J. C., and Tanaka, Y. The absorption spectrum of fluorine F I observed with the helium continuum, *J. Opt. Soc. Am.* **68**, 1564 (1978).
- [5248] Wiberg, N., Fischer, G., and Bachhuber, H. Diazen und andere Distickstoffhydride: Bildungswärmen, Dissoziationsenergien, Aufttrittspotentiale, Protonenaffinitäten, *Z. Naturforsch.* **34b**, 1385 (1979).
- [5249] Utsunomiya, C., Kobayashi, T., and Nagakura, S. Photoelectron angular distribution measurements for some aliphatic alcohols, amines, and halides, *Bull. Chem. Soc. Japan* **53**, 1216 (1980).
- [5250] Fragalà, I., Ciliberto, E., Granozzi, G., and Deganello, G. He-I and He-II excited photoelectron spectra of cycloheptatrienetricarbonyl complexes of group VIA metals, *J. Organometal. Chem.* **182**, 511 (1979).
- [5251] Carnovale, F., Gan, T. H., and Peel, J. B. Photoelectron spectroscopic studies of the monomers and dimers of



- acetic and trifluoroacetic acids, *J. Electron Spectrosc. Relat. Phenom.* **20**, 53 (1980).
- [5252] Tudeli, B. C., and Price, S. J. W. The ultraviolet photoelectron spectra of  $C_6F_5X$  compounds,  $X=(F, Cl, Br, I, H, CH_3)$ , *Can. J. Chem.* **57**, 2256 (1979).
- [5253] Colbourne, D., Frost, D. C., McDowell, C. A., and Westwood, N. P. C. The vacuum ultraviolet photoelectron spectrum of difluoramine, *Chem. Phys. Letters* **72**, 247 (1980).
- [5254] Wu, C. H. Binding energies of  $LiH_2$  and  $LiH_2^+$  and the ionization potential of  $LiH_2$ , *J. Chem. Phys.* **71**, 783 (1979).
- [5255] Dickson, R. S., Carnovale, F., and Peel, J. B. A photoelectron spectroscopic study of  $[Rh(CO)_2Cl]_2$ , *J. Organometal. Chem.* **179**, 115 (1979).
- [5256] Potts, A. W., and Fattahallah, G. H. High-resolution ultraviolet photoelectron spectroscopy of  $CO_2$ ,  $COS$  and  $CS_2$ , *J. Phys. B: Atom. Molec. Phys.* **13**, 2545 (1980).
- [5257] Potts, A. W., Lyus, M. L., Lee, E. P. F., and Fattahallah, G. H. High resolution ultraviolet photoelectron spectra of  $C_6H_5X$  and  $p-C_6H_4X_2$  where  $X = Cl, Br$  or  $I$ , *J. Chem. Soc. Faraday II*, **76**, 556 (1980).
- [5258] Klasinc, L., Novak, I., Scholz, M., and Kluge, G. Photoelektronenspektren substituierter Pyridine und Benzole und ihre Interpretation durch die CNDO/SWW-Methode, *Croat. Chem. Acta* **51**, 43 (1978).
- [5259] Palmer, M. H., Moyes, W., and Spiers, M. The electronic structure of substituted benzenes: Ab initio calculations and photoelectron spectra for benzonitrile, the tolunitriles, fluorobenzonitriles, dicyanobenzenes and ethynylbenzene, *J. Mol. Struct.* **62**, 165 (1980).
- [5260] Arnold, D. R., and Wong, P. C. The oxidation potentials of *cis*- and *trans*-1,2-diphenylcyclopropane and *cis*- and *trans*-2,3-diphenyloxirane, *Can. J. Chem.* **57**, 2098 (1979).
- [5261] Drake, J. E., Giavinćevski, B. M., and Gorzelska, K. The photoelectron spectra of dimethylgermane, difluoro- and dichlorodimethyl germane, *Can. J. Chem.* **57**, 2278 (1979).
- [5262] Nomoto, K., Achiba, Y., and Kimura, K. HeI and HeII photoelectron study of  $N_2O_4$ , *Bull. Chem. Soc. Japan* **52**, 1614 (1979).
- [5263] Holmes, J. L., and Lossing, F. P. Thermochemistry and unimolecular reactions of ionized acetic acid and its enol in the gas phase, *J. Am. Chem. Soc.* **102**, 3732 (1980).
- [5264] Morgan, R. P., Derrick, P. J., and Loudon, A. G. Kinetics and mechanisms of the decompositions of the molecular ions of pentanal and its monomethyl- substituted homologues in the picosecond to microsecond time interval following field ionization, *J. Chem. Soc. Perkin II*, 306 (1980).
- [5265] Scharf, H.-D., Plum, H., Fleischhauer, J., and Schleker, W. Zur Diels-Alder-Reaktivität *s-cis*- fixierter 1,3-Diene, *Chem. Ber.* **112**, 862 (1979).
- [5266] Appell, J., and Horsley, J. A. Electronic states of doubly ionized ammonia, *J. Chem. Phys.* **60**, 3445 (1974).
- [5267] Holmes, J. L., Yuan, D., and Rye, R. T. B. Metastable ion studies, VII-Loss of water from the molecular ion of cyclopentanol, *Org. Mass Spectrom.* **12**, 254 (1977).
- [5268] Holmes, J. L., Weese, G. M., Blair, A. S., and Terlouw, J. K. Metastable ion studies IX-Thermochemistry and ion structures among fragmenting  $[C_4H_8]^+$  ions, an electron impact and field ionization investigation, *Org. Mass Spectrom.* **12**, 424 (1977).
- [5269] Domcke, W., Cederbaum, L. S., Schirmer, J., Von Niessen, W., and Maier, J. P. Breakdown of the molecular orbital picture of ionization for inner valence electrons: experimental and theoretical study of  $H_2S$  and  $PH_3$ , *J. Electron Spectrosc. Relat. Phenom.* **14**, 59 (1978).
- [5270] Jochims, H. W., Lohr, W., and Baumgärtel, H. Photoionization mass spectrometry studies of deuterated acetaldehydes  $CH_3CDO$  and  $CD_3CHO$ , *Chem. Phys. Letters* **54**, 594 (1978).
- [5271] Schäfer, W., Schweig, A., Dimroth, K., and Kanter, H. Nature of bonding in  $\lambda^5$ -phosphorins, *J. Am. Chem. Soc.* **98**, 4410 (1976).
- [5272] Kobayashi, T., and Nagakura, S. Photoelectron spectra of substituted benzenes, *Bull. Chem. Soc. Japan* **47**, 2563 (1974).
- [5273] Ogata, H., Kitayama, J., Koto, M., Kojima, S., Nihei, Y., and Kamada, H. Vacuum ultraviolet absorption and photoelectron spectra of aliphatic ketones, *Bull. Chem. Soc. Japan* **47**, 958 (1974).
- [5274] Williamson, A. D., Compton, R. N., and Eland, J. H. D. Accurate photoionization thresholds by multiphoton ionization: Pyrrole, *J. Chem. Phys.* **70**, 590 (1979).
- [5275] Rauh, E. G., and Ackermann, R. J. Erratum: First ionization potentials of some refractory oxide vapors, *J. Chem. Phys.* **64**, 1862 (1976).
- [5276] Potzinger, P., Ritter, A., and Krause, J. Massenspektrometrische Bestimmung von Bindungsenergien in siliciumorganischen Verbindungen, *Z. Naturforsch.* **30a**, 347 (1975).
- [5277] Nakato, Y., Ozaki, M., and Tsubomura, H. Ionization energies and Rydberg states of tetraaminoethylenes, *Bull. Chem. Soc. Japan* **45**, 1299 (1972).
- [5278] Nakato, Y., Chiyoda, T., and Tsubomura, H. Experimental determination of ionization potentials of organic amines,  $\beta$ -carotene and chlorophyll a, *Bull. Chem. Soc. Japan* **47**, 3001 (1974).
- [5279] Orlov, V. M., Varshavsky, Y. M., and Miroshnikov, A. I. Photoionisation mass spectra of volatile derivatives of short peptides and appearance potentials of their characteristic ions, *Org. Mass Spectrom.* **9**, 811 (1974).
- [5280] Nelsen, S. F., Peacock, V., and Weisman, G. R. Single-electron oxidation equilibria of tetraalkylhydrazines. Comparison of solution  $E^\circ$  values and vapor-phase ionization potentials, *J. Am. Chem. Soc.* **98**, 5269 (1976).
- [5281] Böhm, M. C., Gleiter, R., and Batich, C. D. 106. The photoelectron spectra of Ni, Pd, Pt-Diallyl), *Helv. Chim. Acta* **63**, 990 (1980).
- [5282] Holmes, J. L., and Lossing, F. P. The reactivity of  $[C_4H_7^+]$  ions; a thermochemical study, *Can. J. Chem.* **57**, 249 (1979).
- [5283] Butler, J. J., and Baer, T. Thermochemistry and dissociation dynamics of state-selected  $C_4H_5X$  ions. 1. Thiophene, *J. Am. Chem. Soc.* **102**, 6764 (1980).
- [5284] Wolkoff, P., and Holmes, J. L. Fragmentations of alkane molecular ions, *J. Am. Chem. Soc.* **100**, 7346 (1978).
- [5285] Cauletti, C., Tarli, F., Monaci, A., Bonapasta, A. A., and Bossa, M. Ultraviolet photoelectron spectra of some methyl esters of dithiocarbamic acids and of  $[Ni\{N(CH_3)_2-N=C(S)SCH_3\}_2]$  and comparison with quantum-mechanical calculations, *J. Chem. Soc. Dalton* 1087 (1980).
- [5286] Connor, J. A., Martinho-Simoes, J. A., Skinner, H. A., and Zafarani-Moattar, M. T. Thermochemistry of *bis*-Arene- and Arenetricarbonyl-chromium compounds containing hexamethylbenzene, 1,3,5-trimethylbenzene and naphthalene, *J. Organometal. Chem.* **179**, 331 (1979).
- [5287] Gusel'nikov, L. E., and Nametkin, N. S. 1,1-dimethyl-1-silaethylene. Heat of formation, ionization potential and the energy of the silicon-carbon  $\pi$ -bond, *J. Organometal. Chem.* **169**, 155 (1979).
- [5288] Rademacher, P., and Freckmann, B. Photoelektronenspektren und Konformations-verhalten von Hydroxylamin und Methylhydroxylaminen, *J. Electron Spectrosc. Relat. Phenom.* **19**, 251 (1980).
- [5289] Willett, G. D., and Baer, T. Thermochemistry and dissociation dynamics of state-selected  $C_4H_5X$  ions. 2. Furan and 3-butyn-2-one, *J. Am. Chem. Soc.* **102**, 6769 (1980).
- [5290] Tang, S.-Y., McGowan, J. C., Singh, M., Galatsis, P., Ellis, B.

- E., Boyd, R. K., and Brown, S. A. Mass spectrometry of some furanocoumarins, *Can. J. Chem.* **57**, 1995 (1979).
- [5291] Michels, G. D., Flesch, G. D., and Svec, H. J. Comparative mass spectrometry of the group 6B hexacarbonyls and pentacarbonyl thiocarbonyls, *Inorg. Chem.* **19**, 479 (1980).
- [5292] Distefano, G., Eoffani, A., Innorta, G., and Pignataro, S. Electron impact ionization potentials of some manganese, chromium and tungsten organometallic derivatives, *Int. J. Mass Spectrom. Ion Phys.* **7**, 383 (1971).
- [5293] McLoughlin, R. G., Morrison, J. D., and Traeger, J. C. Photoionization of the C-1 - C-4 monosubstituted alkyl benzenes: Thermochemistry of  $[C_7H_7]^+$  and  $[C_8H_9]^+$  formation, *Org. Mass Spectrom.* **14**, 104 (1979).
- [5294] Neubert, A. Mass spectrometric determination of the atomization energies of  $Te_n(n=3-7)$  molecules, *High Temp. Sci.* **10**, 261 (1978).
- [5295] Noodleman, L., Westwood, N. P. C., and Mitchell, K. A. R. Ionization energies and electronic structure of  $N_3P_3Cl_6$  as determined by UV photoelectron spectroscopy and the  $X\alpha$  scattered wave method, *Chem. Phys. Letters* **58**, 252 (1978).
- [5296] Hilpert, K. Mass spectrometric determination of the dissociation energies of CuTb(g), CuDy(g), and CuHo(g), *Ber. Bunsenges. Phys. Chem.* **83**, 161 (1979).
- [5297] Berkowitz, J., Batson, C. H., and Goodman, G. L. Photoelectron spectroscopy of AgCl, AgBr, and AgI vapors, *J. Chem. Phys.* **72**, 5829 (1980).
- [5298] Ernsting, N. P., Pfab, J.; Green, J. C., and Römel, J. Photoelectron spectra of nitrosomethane, *n*-nitrosobutane and some perhalogenonitrosomethanes, *J. Chem. Soc. Faraday II* **76**, 844 (1980).
- [5299] Trott, W. M., Blais, N. C., and Walters, E. A. Photoionization of carbon disulfide monomers and dimers in a supersonic molecular beam, *J. Chem. Phys.* **71**, 1692 (1979).
- [5300] Creber, D. K., and Bancroft, G. M. Photoelectron studies of dialkyl group 2B compounds: Ligand field splittings and intensity variations with photon energy, *Inorg. Chem.* **19**, 643 (1980).
- [5301] Rademacher, P., and Freckmann, B. Photoelectron spectra and conformations of tetrahydro-1,2-oxazines and isoxazolidines, *Tetrahedron Letters* 841 (1978).
- [5303] Haque, R., Pelino, M., and Gingerich, K. A. Investigation of the thermodynamic stability of the molecule LaIr(g) by high temperature mass spectrometry, *J. Chem. Phys.* **71**, 2929 (1979).
- [5304] Carnovale, F., Gan, T.-H., and Peel, J. B. The photoelectron spectra of the *N*-chloro and *N*-bromo derivatives of dimethylamine, *Aust. J. Chem.* **32**, 719 (1979).
- [5305] Mohraz, M., Maier, J. P., and Heilbronner, E. He(I $\alpha$ ) and He(II $\alpha$ ) photoelectron spectra of fluorinated chloro- and bromo-benzenes, *J. Electron Spectrosc. Relat. Phenom.* **19**, 429 (1980).
- [5306] Gupta, S. K., and Gingerich, K. A. A thermodynamic study of the gaseous thorium carbides, ThC, ThC<sub>2</sub>, ThC<sub>3</sub>, ThC<sub>4</sub>, ThC<sub>5</sub>, and ThC<sub>6</sub>, *J. Chem. Phys.* **72**, 2795 (1980).
- [5307] Tiedemann, P. W., Anderson, S. L., Ceyer, S. T., Hirooka, T., Ng, C. Y., Mahan, B. H., and Lee, Y. T. Proton affinities of hydrogen halides determined by the molecular beam photoionization method, *J. Chem. Phys.* **71**, 605 (1979).
- [5308] Gan, T.-H., and Peel, J. B. Photoelectron spectroscopic studies of piperidine and its *N*-halo derivatives, *Aust. J. Chem.* **32**, 475 (1979).
- [5309] Guimon, C., Pfister-Guillouzo, G., Begtrup, M. Photoelectron spectra of some pyrazolthiones, 1,2,3-triazolthiones, and 4-(1,2,3-triazolio) sulfides. Evidence of an abnormal effect of methylation, *J. Am. Chem. Soc.* **100**, 1275 (1978).
- [5310] Friege, H., and Klessinger, M. Elektronenstruktur von Alkyl-aryl- und Alkyl-vinyl-ethern, *Chem. Ber.* **112**, 1614 (1979).
- [5311] Potzinger, P., Stracke, H.-U., Küpper, W., and Gollnick, K. Ionisierungs- und Auftrittspotentialmessungen an Dialkylsulfoxiden, *Z. Naturforsch.* **30a**, 340 (1975).
- [5313] Bieri, G., Schmelzer, A., Asbrink, L., and Jonsson, M. Fluorine and the fluoroderivatives of acetylene and diacetylene studied by 30.4 nm He(II) photoelectron spectroscopy, *Chem. Phys.* **49**, 213 (1980).
- [5314] Martin, H.-D., Heller, C., Mayer, B., and Beckhaus, H.-D. Synthese bicyclischer, nicht-konjugierter Polyene. Stereochemie und transanulare Wechselwirkungen, *Chem. Ber.* **113**, 2589 (1980).
- [5315] Mohraz, M., Jian-qi, W., Heilbronner, E., Vogel, P., and Pilet, O. 57. Radical cation states of 2,3,5,6,7,8-hexamethylidenebicyclo[2.2.2]octane, *Helv. Chim. Acta* **63**, 568 (1980).
- [5316] Broer, W. J., and Weringa, W. D. Potential energy profiles for the unimolecular reactions of  $[C_3H_5S]^+$  ions, *Org. Mass Spectrom.* **15**, 229 (1980).
- [5317] Granozzi, G., Tondello, E., Bénard, M., and Fragalà, I. Electronic structure of  $trans-[(\eta^5-C_5H_5)Fe(CO)_2]_2$  by He(I) and He(II) photoelectron spectroscopy and ab initio calculations, *J. Organometal. Chem.* **194**, 83 (1980).
- [5318] Kondo, T., Tanimoto, M., Matsumoto, M., Nomoto, K., Achiba, Y., and Kimura, K. Cyclic peroxides: Dihedral angle around the peroxide bond by microwave and photoelectron spectroscopic studies, *Tetrahedron Letters* **21**, 1649 (1980).
- [5319] Bock, H., and Kaim, W. Reduktion  $R_3SiO$ -substituierter Benzol-Derivate, *Z. Anorg. Allg. Chem.* **459**, 103 (1979).
- [5320] Millefiori, S., Millefiori, A., Pignataro, S., Distefano, G., and Colonna, F. P. Gas phase UPS investigation of *trans*-azobenzenes, *Z. Naturforsch.* **34a**, 1496 (1979).
- [5321] Harris, D. H., and Spalding, T. R. Electron impact study of compounds with main group IV element to transition metal bonds, *Inorg. Chim. Acta* **39**, 187 (1980).
- [5322] Rademacher, P., Bass, V.-M., Wildemann, M., and Weger, H. Photoelektronenspektren und Konformation von Hydrazobenzolen, *Chem. Ber.* **110**, 1939 (1977).
- [5323] Colonna, F. P., Distefano, G., Guerra, M., Jones, D., and Modelli, A. Furyl- and thienyl-mercury derivatives studied by means of ultraviolet photoelectron spectroscopy. Evidence for the participation in bonding of the vacant  $6p\pi$  orbitals of mercury in bis-2-furyl- and bis-2-thienylmercury, *J. Chem. Soc. Dalton*, 2037 (1979).
- [5324] Fehner, T. P., Wu, M., Meneghelli, B. J., and Rudolph, R. W. Ultraviolet photoelectron spectroscopy of thiaboranes, *Inorg. Chem.* **19**, 49 (1980).
- [5325] Martin, H.-D., and Heller, C. Synthese homokonjugierter Polyene: 2,4-Dimethylenbicyclo[3.2.0]oct-6-en und 2,5-Dimethylenbicyclo[4.2.0]non-7-en, *Monatsh. Chem.* **110**, 1271 (1979).
- [5326] Modelli, A., Innorta, G., and Torroni, S. He(I) UPS spectra of some  $\alpha$ -diazoketones, *J. Electron Spectrosc. Relat. Phenom.* **18**, 359 (1980).
- [5327] Nixon, J. F., Suffolk, R. J., Taylor, M. J., Norman, J. G., Jr., Hoskins, D. E., and Gmur, D. J. Photoelectron and electronic spectra of  $Rh_2Cl_2(CO)_4$  and  $Rh_2Cl_2(PF_3)_4$ . Assignments from SCF- $X\alpha$ -SW calculations, *Inorg. Chem.* **19**, 810 (1980).
- [5328] Zverev, V. V., Villem, Y. Y., Islamov, R. G., and Kitaev, Y. P. Photoelectron spectrum and electron structure of vinylphosphonic dichloride  $Cl_2P(O)CH=CH_2$ , *Zh. Obshch. Khim.* **49**, 1737 (1979).
- [5329] Colbourne, D., Frost, D. C., McDowell, C. A., and Westwood, N. P. C. The photoelectron spectra of the methylbromamines and unsubstituted bromamines, *Can. J. Chem.* **57**, 1279 (1979).
- [5330] Bernauer, O., Busse, B., and Weil, K. G. Massenspek-



- trometrische Untersuchungen an Kupfer- und Silberhalogeniden IV: Die Systeme  $\text{Ag}, \text{Cu}_{1-X}\text{Cl}$  ( $0 \leq X \leq 1$ ) und  $\text{AgCl}, \text{Br}_X$  ( $0 \leq X \leq 1$ ). *Ber. Bunsenges. Phys. Chem.* **83**, 603 (1979).
- [5331] Gingerich, K. A., and Cocke, D. L. The atomization energies of ternary cerium-platinum metal monocarbides, *Inorg. Chim. Acta* **33**, L107 (1979).
- [5332] Kaim, W., and Bock, H. Radical ions XVII. Radical ions of tetrakis(trimethylsilyl)butatriene, *J. Organometal. Chem.* **164**, 281 (1979).
- [5333] English, A. M., Plowman, K. R., Butler, I. S., Diemann, E., and Müller, A. He(I) photoelectron spectra of pentacarbonyl(selenocarbonyl)chromium(0) and related complexes, *Inorg. Chim. Acta* **32**, 113 (1979).
- [5334] Wu, C. H., and Ihle, H. R. The existence of the molecule  $\text{CLi}_3$  and its ionization potential, *Chem. Phys. Letters* **61**, 54 (1979).
- [5335] Martin, H.-D., Heller, C., Haider, R., Hoffmann, R. W., Becherer, J., and Kurz, H. R. Vertikale oder nicht-vertikale Stabilisierung im Pentacyclo-[4.3.0.0<sup>2,1</sup>.0<sup>3,4</sup>.0<sup>5,7</sup>]non-9-yl-Kation? Das 9-Methylenpentacyclononan-Radikalkation, *Chem. Ber.* **110**, 3010 (1977).
- [5336] Weschke, W., Timpe, H.-J., and Just, G. Untersuchungen an EDA-Komplexen von Benzylarylethern, *J. Prakt. Chem.* **321**, 605 (1979).
- [5337] Mathur, B. P., Abbey, L. E., Burgess, E. M., and Moran, T. F. Doubly charged ion mass spectra, *Org. Mass Spectrom.* **15**, 312 (1980).
- [5338] Fragalà, I., Condorelli, G., Tondello, A., and Cassol, A. Photoelectron spectroscopy of f-element coordination compounds. I.  $\beta$ -diketonate complexes of uranium(IV), thorium(IV), zirconium(IV), and dioxouranium(VI), *Inorg. Chem.* **17**, 3175 (1978).
- [5339] Schmidt, H., Schweig, A., Thiel, W., and Jones, M., Jr. Photoelektronenspektren und MNDO-Rechnungen für [n]Paracyclophane, *Chem. Ber.* **111**, 1958 (1978).
- [5340] Sahini, V. E., Constantin, V., Serban, I., and Vlădescu, C. Electron impact-induced fragmentation of dibenzo[b,e]oxepin-11-one and dibenzo[b,e]thiepin-11-one, *Rev. Roum. Chim.* **23**, 163 (1978).
- [5341] Gotthardt, H., Reiter, F., Gleiter, R., and Bartetzko, R. Thieno[3,4-c]isothiazol. Synthese und Eigenschaften eines neuen nichtklassisch kondensierten Thiophens, *Chem. Ber.* **112**, 260 (1979).
- [5342] Rauh, E. G., and Ackermann, R. J. The first ionization potentials of the transition metals, *J. Chem. Phys.* **70**, 1004 (1979).
- [5343] Egdell, R. G., Palmer, M. H., and Findlay, R. H. Electronic structure of the group 5 oxides: Photoelectron spectra and ab initio molecular orbital calculations, *Inorg. Chem.* **19**, 1314 (1980).
- [5344] Asmus, P., and Klessinger, M. Wechselwirkung der Walsh-Orbitale in Bicyclopropyl, *Angew. Chem.* **88**, 343 (1976).
- [5345] McLoughlin, R. G., and Traeger, J. C. Heat of formation for *tert*-butyl cation in the gas phase, *J. Am. Chem. Soc.* **101**, 5791 (1979).
- [5346] Loch, R., and Momigny, J. Dissociative ionization by low energy electron impact. Energy distribution and appearance energy of doubly ionized fragments from  $\text{N}_2$  and  $\text{O}_2$ , *Chem. Phys. Letters* **66**, 574 (1979).
- [5347] Kroner, J., and Strack, W. Geometry and n-ionization energies of alkyl-substituted triketones, *Angew. Chem. Int. Ed.* **11**, 220 (1972).
- [5348] Greenhough, T. J., Kolthammer, B. W. S., Legzdins, P., and Trotter, J. Organometallic nitrosyl chemistry. 10. Synthesis, X-ray structural characterization, and properties of dicarbonyl ( $\eta^5$ -cyclopentadienyl)(thionitrosyl)chromium, *Inorg. Chem.* **18**, 3548 (1979).
- [5349] Haque, R., and Gingerich, K. A. Investigation of the thermodynamic stabilities of the gaseous molecules  $\text{RhScC}$ ,  $\text{RhScC}_2$  and  $\text{RhYCC}_2$  by Knudsen effusion mass spectrometry, *J. Chem. Soc. Faraday Trans. II*, 985 (1979).
- [5350] Helm, H., Stephan, K., and Märk, T. D. Electronimpact ionization of  $\text{Ar}_2$ ,  $\text{ArKr}$ ,  $\text{Kr}_2$ ,  $\text{KrXe}$ , and  $\text{Xe}_2$ , *Phys. Rev. A* **19**, 2154 (1979).
- [5351] Jochims, H. W., Lohr, W., and Baumgärtel, H. Photoreactions of small organic molecules V. Absorption-, photoion- and resonancephotoelectronspectra of  $\text{CF}_3\text{Cl}$ ,  $\text{CF}_2\text{Cl}_2$ ,  $\text{CFCl}_3$  in the energy range 10–25 eV, *Ber. Bunsenges.* **80**, 130 (1976).
- [5352] Reinke, D., Baumgärtel, H., Cvitaš, T., Klasinc, L., and Güsten, H. Vergleich der Photoelektronenspektren und Photoionenspektren von Vinylfluorid, *Ber. Bunsenges.* **78**, 1145 (1974).
- [5353] Rademacher, P., and Koopman, H. Cyclische und bicyclische Hydrazine, *Chem. Ber.* **108**, 1557 (1975).
- [5354] Bowling, R. A., Sherrod, R. E., Bloor, J. E., Allen, J. D., Jr., and Schweitzer, G. K. He I photoelectron spectra of gaseous alkali nitrates, *Inorg. Chem.* **17**, 3418 (1978).
- [5355] Findlay, R. H., Palmer, M. H., Downs, A. J., Egdell, R. G., and Evans, R. Electronic structure of the sulfur nitrides. Ab initio calculations and photoelectron spectra, *Inorg. Chem.* **19**, 1307 (1980).
- [5356] Meunier, P., and Pfister-Guillouzo, G. Etude conformationnelle par spectroscopie photoélectronique de sulfures de bithiényl, *Can. J. Chem.* **55**, 3901 (1977).
- [5357] Green, J. C., Mingos, D. M. P., and Seddon, E. A. UV photoelectron spectral studies of carbonylhydrido-clusters and the development of a topological bonding model, *J. Organometal. Chem.* **185**, C20 (1980).
- [5358] Fabian, B. D., Fehlner, T. P., Hwang, L.-S.J., and Labinger, J. A. Allylic interactions in organometallics: Probing electronic structure in ( $\eta^5$ - $\text{C}_5\text{H}_5$ ) $\text{Fe}(\text{CO})_2\text{R}$ ,  $\text{R} = \text{CH}_3$ ,  $\eta^1$ - $\text{C}_3\text{H}_5$ ,  $\eta^1$ - $\text{C}_3\text{H}_7$ , *J. Organometal. Chem.* **191**, 409 (1980).
- [5359] de Meijere, A. Dispiro[2.0.2.4]deca-7,9-dien und Vergleichsverbindungen: Darstellung, UV-, NMR- und Photoelektronen-spektroskopische Untersuchungen, *Chem. Ber.* **107**, 1684 (1974).
- [5360] Masclet, P., and Mouvier, G. Étude par spectrométrie photoélectronique d'aldéhydes et de cétones éthyléniques conjugués, *J. Electron Spectrosc. Relat. Phenom.* **14**, 77 (1978).
- [5361] Hemmersbach, P., and Klessinger, M. Der Einfluss von Wechselwirkungen durch den Raum und über Bindungen auf die Walsh-Orbitale von Spirocyclopropylverbindungen, *Tetrahedron* **36**, 1337 (1980).
- [5362] Hill, W. E., Ward, C. H., Webb, T. R., and Worley, S. D. Electronic structures of (alkene)iron tetracarbonyl compounds, *Inorg. Chem.* **18**, 2029 (1979).
- [5363] Frost, D. C., Kirby, C., Lau, W. M., MacDonald, C. A., McDowell, C. A., and Westwood, N. P. C. Thiocyanogen ( $\text{SCN})_2$ . Preparation, ultraviolet photoelectron spectrum and structure, *Chem. Phys. Letters* **69**, 1 (1980).
- [5364] Akiyama, I., Li, K. C., LeBreton, P. R., Fu, P. P., and Harvey, R. G. Ultraviolet photoelectron studies of polycyclic aromatic hydrocarbons. The ground-state electronic structure of aryloxiranes and metabolites of benzo[a]pyrene, *J. Phys. Chem.* **83**, 2997 (1979).
- [5365] Reineke, W., and Strein, K. Erzeugung eines methylenhaltigen Molekularstrahls durch Pyrolyse von Keten, *Ber. Bunsenges. Phys. Chem.* **80**, 343 (1976).
- [5366] Dube, G., and Gey, E. Das Verhalten disubstituierter Benzole  $\text{RC}_6\text{H}_4\text{Si}(\text{CH}_3)_2\text{F}$  bei Elektronenstoß, *Org. Mass Spectrom.* **14**, 17 (1979).
- [5367] Worley, S. D., and Webb, T. R. The electronic structure of transition-metal carbonyl complexes of norbornadiene and mesitylene, *J. Organometal. Chem.* **192**, 139 (1980).



- [5368] Starzewski, K.-H. A. O., Richter, W., and Schmidbaur, H. Photoelektronenspektren und Struktur von Arsenyliden. P versus As: Ein Beitrag zur Problematik der ylidischen Bindung, *Chem. Ber.* **109**, 473 (1976).
- [5369] Delmas, M. A., and Maire, J. C. Conformation du cycle dithia-1,3 stanna-2 cyclopentane: etude par RMN  $^1\text{H}$  et par spectroscopie photoelectronique, *J. Organometal. Chem.* **161**, 13 (1978).
- [5370] Dannacher, J. Photoelectron-photoion-coincidence measurements on 2,4-hexadiyne, *Chem. Phys.* **29**, 339 (1978).
- [5371] Dyke, J. M., Fayad, N. K., Morris, A., Trickle, I. R., and Allen, G. C. A study of the electronic structure of the actinide tetrahalides  $\text{UF}_4$ ,  $\text{ThF}_4$ ,  $\text{UCl}_4$ , and  $\text{ThCl}_4$  using vacuum ultraviolet photoelectron spectroscopy and SCF-X $\alpha$  scattered wave calculations, *J. Chem. Phys.* **72**, 3822 (1980).
- [5372] Martin, H.-D., Kunze, M., and Beckhaus, H.-D., Walsh, R., and Gleiter, R. Cis,trans-1,5-Cyclooctadien Thermolyse, Spannungsenergie und transannulare Wechselwirkungen, *Tetrahedron Letters* 3069 (1979).
- [5373] Böhm, M. C., Gleiter, R., Delgado-Pena, F., and Cowan, D. O. Photoelectron spectra of biferrocenylene and biferrocene, *Inorg. Chem.* **19**, 1081 (1980).
- [5374] Schwarz, H., Wesdemiotis, C., Hess, B., and Levsen, K. Massenspektrometrische Untersuchung organischer Stickstoffverbindungen, *Org. Mass Spectrom.* **10**, 595 (1975).
- [5375] Armentrout, P. B., and Beauchamp, J. L. Properties and reactions of uranium(IV) tetrahydroborate by ion cyclotron mass spectrometry, *Inorg. Chem.* **18**, 1349 (1979).
- [5376] Andreocci, M. V., Cauletti, C., Furlani, C., and King, R. B. UV photoelectron study of mononuclear metal complexes of methylaminobis(difluorophosphine), *Inorg. Chem.* **18**, 954 (1979).
- [5377] Kunz, H., Lindig, M., Bicker, R., and Bock, H. Intramolekulare Wasserstoffbrücken in sterisch fixierten Amino-alkoholen, *Chem. Ber.* **111**, 2282 (1978).
- [5378] Schäfer, W., and Schweig, A. Zur Konjugation in aromatischen Aminen und Phosphanen, *Angew. Chem.* **84**, 898 (1972).
- [5379] Sümmermann, W., and Deffner, U. Die elektrochemische Oxidation aliphatischer Nitroxyl-Radikale, *Tetrahedron* **31**, 593 (1975).
- [5380] Limouzin, Y., and Maire, J. C. Spectres photoelectroniques des composés organometalliques, *J. Organometal. Chem.* **105**, 179 (1976).
- [5381] Rademacher, P. Acyclische Hydrazine, *Chem. Ber.* **108**, 1548 (1975).
- [5382] Kaim, W., and Bock, H.  $\text{R}_2\text{P}$ - und  $\text{R}_2\text{N}$ -substituierte Benzole: Die Ladungsverteilung in ihren Kationen, Anionen und Trianionen, *Chem. Ber.* **111**, 3843 (1978).
- [5383] Nomoto, K., Achiba, Y., and Kimura, K. HeII(304 Å) photoelectron spectrum of  $\text{N}_2\text{O}_4$ , *Chem. Phys. Letters* **63**, 277 (1979).
- [5384] Böhm, M. C., Gleiter, R., Morgan, G. L., Luszyk, J., and Starowiejski, K. B. Electronic structure of metallocenes V. Photoelectron spectra of cyclopentadienyl-beryllium compounds, *J. Organometal. Chem.* **194**, 257 (1980).
- [5386] Solouki, B., Rosmus, P., and Bock, H. Photoelektronen-Spektrum von  $\text{HN}=\text{S}=\text{O}$ , *Angew. Chem.* **88**, 381 (1976).
- [5387] Flitsch, W., Peeters, H., Schulten, W., and Rademacher, P. Photoelektronenspektren und Konformation von 1,1'-bipyrrylen, *Tetrahedron* **34**, 2301 (1978).
- [5388] Weiss, M. J., Hsieh, T.-C., and Meisels, G. G. Fragmentation of  $\text{SO}_2^+$  prepared in state selected vibrational levels, *J. Chem. Phys.* **71**, 567 (1979).
- [5389] Guimon, C., Pfister-Guillouzo, G., Manuel, G., and Mazerolles, P. Structure électronique de sila-cyclopentenes-2 et-3, *J. Organometal. Chem.* **149**, 149 (1978).
- [5390] Dehmlow, E. V., Dehmlow, S. S., and Marschner, F. Chemische und photoelektronenspektroskopische Eigenschaften von cyclopropylsubstituierten Cyclopropenonen, *Chem. Ber.* **110**, 154 (1977).
- [5391] Gupta, S. K., and Gingerich, K. A. Knudsen effusion mass spectrometric determination of the dissociation energy of diniobium,  $\text{Nb}_2(\text{g})$ , and the heat of sublimation of solid niobium, *J. Chem. Phys.* **70**, 5350 (1979).
- [5392] Böhm, M. C., and Gleiter, R. Das He(I)-Photoelektronenspektrum von 1,2,6,7-Cyclodecatetraen. Hinweis auf eine starke transannulare Wechselwirkung, *Chem. Ber.* **111**, 3516 (1978).
- [5393] Wu, C. H., Ihle, H. R., and Zmbov, K. Atomization energies of the molecules  $\text{LiSiO}(\text{g})$  and  $\text{Si}_2\text{O}_2(\text{g})$  by mass spectrometric gaseous equilibria, *J. Chem. Soc. Faraday II* **76**, 447 (1980).
- [5394] Cauletti, C., Green, J. C., Kelly, M. R., Powell, P., and Van Tilborg, J. Photoelectron spectra of metallocenes, *J. Electron Spectrosc. Relat. Phenom.* **19**, 327 (1980).
- [5395] Jorgensen, F. S., and Snyder, J. P. Search for a trans-disulfide: Structural analysis of di-tertadamantyl disulfide by photoelectron spectroscopy, derivation of  $\sigma_1(t\text{-Ad})$ , and molecular mechanics calculations for related bulky disulfides, *J. Org. Chem.* **45**, 1015 (1980).
- [5396] Kovač, B., Klasinc, L., Stanovnik, B., and Tišler, M. Photoelectron spectroscopy of heterocycles. Azaindenes and azaindolizines (I), *J. Heterocycl. Chem.* **17**, 689 (1980).
- [5397] Dougherty, D., Lewis, J., Nauman, R. V., and McGlynn, S. P. Photoelectron spectroscopy of azulenes, *J. Electron Spectrosc. Relat. Phenom.* **19**, 21 (1980).
- [5398] Rankin, D. W. H., and Wright, J. G. Preparation and properties of difluorophosphino(tetrafluorophosphoranyl)amine, *J. Chem. Soc. Dalton*, 1070 (1979).
- [5399] Schenk, H., Oertel, H., and Baumgärtel, H. Photoreactions of small organic molecules VII Photoionization studies on the ion-pair formation of the fluorochloromethanes  $\text{CF}_2\text{Cl}_2$ ,  $\text{CF}_3\text{Cl}$ , and  $\text{CFCl}_3$ , *Ber. Bunsenges. Phys. Chem.* **83**, 683 (1979).
- [5400] Audier, H.-E., Fetizon, M., Henry, Y., and Prange, T. Mécanismes de fragmentation de l'oxazole, *Org. Mass Spectrom.* **11**, 1047 (1976).
- [5401] Grützmacher, H.-F., and Lange, G. Untersuchungen zur synchronen oder zweistufigen Fragmentierung der Molekül-Ionen von 3-substituierten Tropanen, *Chem. Ber.* **111**, 1962 (1978).
- [5403] Chmutova, G. A., Vtyurina, N. N., Komina, T. V., Gazizov, I. G., and Bock, H. Molecular-orbital characteristics of anisole isologs  $\text{X}-\text{C}_6\text{H}_4-\text{ECH}_3$  ( $\text{E} = \text{O}, \text{S}, \text{Se}$ ) containing donor substituents X, *Zh. Obshch. Khim.* **49**, 192 (1979).
- [5404] Dannacher, J., Heilbronner, E., Stadelmann, J.-P., and Vogt, J. 225. Fragmentation of energy selected butadiyne- and 1,3-pentadiyne radical cations, *Helv. Chim. Acta* **62**, 2186 (1979).
- [5405] Mellink, W. A., and Janssen, M. J. Photoelectron spectra of aromatic sulphides and sulphones, *J. Chem. Res.(S)*, 422 (1978).
- [5406] Nakagaki, R., Kobayashi, T., and Nagakura, S. Conformations of acetanilide and related compounds studied by ultraviolet photoelectron spectroscopy, *Bull. Chem. Soc. Jpn.* **53**, 901 (1980).
- [5407] Carlier, P., Mouvier, G., Mesnard, D., and Miginiac, L. Etude par spectrométrie de photoelectrons de la structure électronique de enynes conjugués, *J. Electron Spectrosc. Relat. Phenom.* **16**, 147 (1979).
- [5408] Sell, J. A., Mintz, D. M., and Kupperman, A. Photoelectron

- angular distributions of carbon- carbon pi electrons in ethylene, benzene, and their fluorinated derivatives, *Chem. Phys. Letters* **58**, 601 (1978).
- [5409] Carlier, P., and Mouvier, G. Etude par spectrometrie de photoelectrons de la structure electronique des phenylalcyne conjugues, *J. Electron Spectrosc. Relat. Phenom.* **16**, 169 (1979).
- [5410] Guimon, C., Pfister-Guillouzo, G., and Arbelot, M. Spectres photoelectroniques de la dithiole-1,3- thione-2 et de son derive benzosubstitue, *J. Mol. Struct.* **30**, 339 (1976).
- [5411] Bieri, G., Burger, F., Heilbronner, E., and Maier, J. P. 223. Valence ionization energies of hydrocarbons, *Helv. Chim. Acta* **60**, 2213 (1977).
- [5412] Trott, W. M., Blais, N. C., and Walters, E. A. Molecular beam photoionization study of acetone and acetone-d<sub>6</sub>, *J. Chem. Phys.* **69**, 3150 (1978).
- [5413] Zaretskii, Z. V. I.: Oren, D., and Kelner, L. Automatic method for the measurement of the electron impact ionization and appearance potentials, *Appl. Spectrosc.* **30**, 366 (1976).
- [5414] Sahini, V. E., Constantin, V., Serban, I., and Vladescu, C. Electron-impact-induced fragmentation of some dibenzo[b, e] thiepin, *Rev. Roum. Chim.* **23**, 315 (1978).
- [5415] Guimon, M. F., Guimon, C., Metras, F., and Pfister-Guillouzo, G. Analyse conformationnelle de trithiolanes-1,2,4, Can. *J. Chem.* **54**, 146 (1976).
- [5416] Laerum, T., and Undheim, K. N-Quaternary compounds. Part 52. Photochemically induced valence bond isomerism and rearrangement to pyridinones of thiazolo[3,2-a]-pyridinium-8-olate derivatives, *J. Chem. Soc. Perkin Trans. 1*, 1150 (1978).
- [5417] Goetz, H., Marschner, F., Juds, H., and Pohle, H. Korrelation zwischen pK<sub>s</sub>-Werten und vertikalen Ionisationspotentialen I, bei p-X-Phenyl-dicyclohexyl-phosphinen, *Phosphorus* **6**, 137 (1976).
- [5419] Demuth, R. Photoelektronenspektren von einigen Trihalogensilylphosphanen und -arsanen X<sub>3</sub>SiER<sub>2</sub> (X = F, Cl; E = N, P, As; R = H, CH<sub>3</sub>), *Z. Naturforsch.* **32b**, 1252 (1977).
- [5420] Brown, R. S., Marcinko, R. W., and Tse, A. Application of photoelectron spectroscopy to substituent effects. Conformational analysis of some flexible allylic ethers and alcohols, *Can. J. Chem.* **57**, 1890 (1979).
- [5421] Gey, E., and Dube, G. Die Ionisierungsenergien von substituierten Phenylmethylmethoxysilanen und Phenylmethylfluorsilanen, *Int. J. Mass Spectrom. Ion Phys.* **22**, 103 (1976).
- [5422] Meunier, P., and Pfister-Guillouzo, G. Etude conformationnelle par spectroscopie photoelectronique de dihydro "epinnes", *Can. J. Chem.* **55**, 2867 (1977).
- [5423] Efraty, A., Liebman, D., Huang, M. H. A., Weston, C. A., and Angelici, R. J. Mass spectra of organo- metallic compounds. 7. Electron-impact study of some cyclopentadienylmetal thiocarbonyl-bridged dimers, *Inorg. Chem.* **17**, 2831 (1978).
- [5424] Alikhanyan, A. S., Steblevskii, A. V., Malkerova, I. P., Pervov, V. S., Butskii, V. D., and Gorgoraki, V. I. Mass spectrometric study of the sublimation of molybdenum trifluoride, *Russ. J. Inorg. Chem.* **23**, 814 (1978).
- [5425] Dyke, J. M., Jonathan, N., Mills, J. D., and Morris, A. Vacuum ultraviolet photoelectron spectroscopy of transient species Part 12. The FO(X<sup>2</sup>II<sub>g</sub>) radical, *Mol. Phys.* **40**, 1177 (1980).
- [5426] Neubert, A., Ihle, H. R., and Gingerich, K. A. Thermodynamic study of the molecules BiLi and PbLi by Knudsen effusion mass spectrometry, *J. Chem. Phys.* **73**, 1406 (1980).
- [5427] Schäfer, W., and Schweig, A. C - S Hyperconjugation, *Tetrahedron Letters*, 5205 (1972).
- [5428] Cabaud, B., Hoareau, A., and Melinon, P. Time-of-flight spectroscopy of a supersonic beam of mercury. Intensities and appearance potentials of Hg<sub>n</sub> aggregates, *J. Phys. D.* **13**, 1831 (1980).
- [5429] Bohlmann, F., Köppel, C., Müller, B., Schwarz, H., and Weyerstahl, P. Massenspektrometrische Untersuchung isomerer Kohlenwasserstoffe: Struktur und Bildungsenthalpie stabiler (C<sub>13</sub>H<sub>11</sub><sup>+</sup>)-Ionen, *Tetrahedron* **30**, 1011 (1974).
- [5430] Cooper, C. D., Williamson, A. D., Miller, J. C., and Compton, R. N. Resonantly enhanced multiphoton ionization of pyrrole, N-methyl pyrrole, and furan, *J. Chem. Phys.* **73**, 1527 (1980).
- [5431] Bally, T., and Haselbach, E. 65. Tris(methylidene)-cyclopropane("3radialene"). Part 2. Electronic states of the molecular cation and revised uv- absorption spectrum of the parent neutral, *Helv. Chim. Acta* **61**, 754 (1978).
- [5432] Allan, M., Dannacher, J., and Maier, J. P. Radiative and fragmentation decay of the cations of *trans*- and *cis* 1,3,5-hexatriene and of all *trans*-1,3,5-heptatriene in the A(II<sup>-</sup>) states, studied by emission and photoelectron-photoion coincidence spectroscopy, *J. Chem. Phys.* **73**, 3114 (1980).
- [5433] Lee, E. P. F., Law, D., and Potts, A. W. Photoelectron spectra and valence shell electronic structure of zinc and cadmium difluoride, *J. Chem. Soc. Faraday II* **76**, 1314 (1980).
- [5434] Alikhanyan, A. S., Steblevskii, A. V., Pervov, V. S., Butskii, V. D., and Gorgoraki, V. I. Mass-spectrometric study of molybdenum oxide fluorides, *Russ. J. Inorg. Chem.* **23**, 1412 (1978).
- [5435] Coppens, P., Reynaert, J. C., and Drowart, J. Mass spectrometric study of the photoionization of carbon disulphide in the wavelength interval 125-60nm, *J. Chem. Soc. Faraday II* **75**, 292 (1979).
- [5436] Jongsma, C., Vermeer, H., Bickelhaupt, F., Schäfer, W., and Schweig, A. 10-methyl-9-phosphaanthracene, *Tetrahedron* **31**, 2931 (1975).
- [5437] Matyuk, V. M., Potapov, V. K., and Prokhoda, A. L. Photoexcitation and photoionisation of nitro- derivatives of benzene and toluene, *Russ. J. Phys. Chem.* **53**, 538 (1979).
- [5438] Weiner, M. A., Lattman, M., and Grim, S. O. Ultraviolet photoelectron spectra of some substituted triarylphosphines, *J. Org. Chem.* **40**, 1292 (1975).
- [5439] Ono, Y., Linn, S. H., Prest, H. F., Gress, M. E., and Ng, C. Y. Molecular beam photoionization study of carbon disulfide, carbon disulfide dimer and clusters, *J. Chem. Phys.* **73**, 2523 (1980).
- [5440] Malkerova, I. P., Alikhanyan, A. S., Pervov, V. S., Tripol'skaya, T. A., Gorgoraki, V. I., and Malyusov, V. A. High-temperature investigations of chromium lower fluorides, *Russ. J. Inorg. Chem.* **24**, 1775 (1979).
- [5441] Bischof, P., Gleiter, R., Taylor, R. T., Browne, A. R., and Paquette, L. A. Electronic structure of tricyclo[4.1.0.0<sup>2,7</sup>]hept-3-enes. Correlation with the regioselectivity of electrophilic attack, *J. Org. Chem.* **43**, 2391 (1978).
- [5442] Starzewski, K. A. O., and Dieck, H. t. Electronic structure and reactivity. 8. Iminophosphoranes simple ylides analogues? An investigation of quantitative and phenomenological differences, *Inorg. Chem.* **18**, 3307 (1979).
- [5443] Allen, C. W., and Green, J. C. Organophosphazenes. 12. He I photoelectron spectra of selected phenyl- and [p-(dimethylamino)phenyl]fluorocyclotriphosphazenes, *Inorg. Chem.* **19**, 1719 (1980).
- [5444] Müller, C., Schweig, A., and Vermeer, H. Methode zur Berechnung induktiver und konjugativer Effekte -



- Andwendung auf Tropon, *Angew. Chem.* **86**, 275 (1974).
- [5445] Holmes, J. L., Terlouw, J. K., and Burgers, P. C.  $[C_3H_3O]^+$  ions; Reacting and non-reacting configurations, *Org. Mass Spectrom.* **15**, 140 (1980).
- [5446] Cauletti, C., and Sima, J. The electronic structure of some  $N,N'$ -ethylenebis(thioacetylacetonimino) complexes studied by uv photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **19**, 1 (1980).
- [5447] Bischof, P., Böhm, M., Gleiter, R., Snow, R. A., Doecke, C. W., and Paquette, L. A. Evaluation of through-space interaction in 9-substituted pentacyclononane derivatives, *J. Org. Chem.* **43**, 2387 (1978).
- [5448] Simonneaux, G., Jaouen, G., Dabard, R., and Guenot, P. Contribution a l'étude des métaux asymétriques IV. Etude des complexes areniques du chrome(o) par spectroscopie de masse: modes de liaison du métal avec divers ligands a deux électrons: phosphines, phosphites, carbonyle et thiocarbonyle, *J. Organometal. Chem.* **132**, 231 (1977).
- [5449] Brown, C. M., Tilford, S. G., and Ginter, M. L. Absorption spectrum of Pb I between 1350 and 2041 Å, *J. Opt. Soc. Am.* **67**, 1240 (1977).
- [5450] Brown, C. M., Tilford, S. G., and Ginter, M. L. Absorption spectra of Zn I and Cd I in the 1300–1750 Å region, *J. Opt. Soc. Am.* **65**, 1404 (1975).
- [5451] Zaikin, V. G., Musaev, I. A., and Kurashova, E. K. Ionization and appearance potentials in organic chemistry, *Org. Mass Spectrom.* **13**, 685 (1978).
- [5452] Zaikin, V. G., and Wulfson, N. S. Dissociation energies of axial and equatorial carbon-carbon bonds in substituted decahydroquinolols, *Tetrahedron Letters*, 2935 (1978).
- [5453] Müller, J., Fenderl, K., and Mertschenk, B. Die Donor-Akzeptor-Eigenschaften des Liganden Trifluorphosphin in Übergangsmetallkomplexen, *Chem. Ber.* **104**, 700 (1971).
- [5454] Rosenstock, H. M., McCulloh, K. E., and Lossing, F. P. On the mechanisms of  $C_6H_6$  ionization and fragmentation, *Intern. J. Mass Spectrom. Ion Phys.* **25**, 327 (1977).
- [5455] McLean, W., Murray, P. T., Baer, T., and Jarnagin, R. C. Dissociative photoionization of *t*-butyl-lithium, *J. Chem. Phys.* **69**, 2715 (1978).
- [5456] Bavia, M., Zauli, C., and Fusina, L. Rydberg states in selenophen, *Mol. Phys.* **30**, 1289 (1975).
- [5457] Bieri, G., and Jonsson, B.-Ö.  $HNC^+$  radical cation studied by charge-exchange mass spectrometry, *Chem. Phys. Letters* **56**, 446 (1978).
- [5458] Vogt, J., Williamson, A. D., and Beauchamp, J. L. Properties and reactions of ketene in the gas phase by ion cyclotron resonance spectroscopy and photoionization mass spectrometry. Proton affinity, site specificity of protonation, and heat of formation of ketene, *J. Am. Chem. Soc.* **100**, 3478 (1978).
- [5459] Schubert, R., and Grützmacher, H.-F. Kinetic energy release and position of transition state during the intramolecular substitution of ionized 2-benzoyl pyridines, *Org. Mass Spectrom.* **15**, 122 (1980).
- [5460] Vajda, J. H., and Harrison, A. G. Proton affinities of some olefinic carbonyl compounds and heats of formation of  $C_nH_{2n-1}O^+$  ions, *Intern. J. Mass Spectrom. Ion Phys.* **30**, 293 (1979).
- [5461] Maier, J. P., Marthaler, O., and Mohraz, M. Decay of some substituted benzene cations in the B states in the gaseous phase, *J. Chim. Phys.* **77**, 661 (1980).
- [5462] Baldwin, M. A., Loudon, A. G., Dunmur, R. E., Schmutzler, R., and Gregor, I. K. Charge location and fragmentation under electron impact, *Org. Mass Spectrom.* **12**, 275 (1977).
- [5463] Kovač, B., Heilbronner, E., Prinzbach, H., and Weidmann, K. 288. The photoelectron spectra of  $D_{2d}$  and  $C_{2v}$  hydrocarbons containing two norbornadiene or quadricyclane groups, *Helv. Chim. Acta* **62**, 2841 (1979).
- [5465] Bell, S., Ng, T. L., and Walsh, A. D. Vacuum ultraviolet spectra of formic and acetic acids, *J. Chem. Soc. Faraday Trans. II* **71**, 393 (1975).
- [5466] De Leeuw, D. M., Mooyman, R., and DeLange, C. A. He(I) photoelectron spectroscopy of transient species: The  $SBr_2$  molecule, *Chem. Phys. Letters* **61**, 191 (1979).
- [5467] Solka, B. H., and Russell, M. E. Energetics of formation of some structural isomers of gaseous  $C_2H_5O^+$  and  $C_2H_6N^+$  ions, *J. Phys. Chem.* **78**, 1268 (1974).
- [5468] Murad, E., and Hildenbrand, D. L. Thermochemical properties of gaseous EuO, *J. Chem. Phys.* **65**, 3250 (1976).
- [5469] Peel, J. B., and Willett, G. D. Photoelectron spectra of the allyl amines, *Chem. Phys. Letters* **38**, 479 (1976).
- [5470] Doucet, J., Gilbert, R., Sauvageau, P., and Sandorfy, C. Photoelectron and far-ultraviolet spectra of  $CF_3Br$ ,  $CF_2BrCl$ , and  $CF_2Br_2$ , *J. Chem. Phys.* **62**, 366 (1975).
- [5471] Hildenbrand, D. L. Mass spectrometric studies of the thermochemistry of gaseous TiO and  $TiO_2$ , *Chem. Phys. Letters*, **44**, 281 (1976).
- [5472] Padva, A., LeBreton, P. R., Dinerstein, R. J., and Ridyard, J. N. A. UV photoelectron studies of biological pyrimidines: The electronic structure of uracil, *Biochem. Biophys. Res. Commun.* **60**, 1262 (1974).
- [5473] Lee, T. H., and Rabalais, J. W. Model for spin-orbit interactions with inclusion of *d* electrons: Applications to photoelectron spectroscopy, *J. Chem. Phys.* **60**, 1172 (1974).
- [5474] Streets, D. G., Hall, W. E., and Ceasar, G. P. Mesomeric mixing in the  $\pi$  energy levels of aminobenzenes studied by photoelectron spectroscopy, *Chem. Phys. Letters* **17**, 90 (1972).
- [5475] Berkowitz, J. PES of high temperature vapors. VII.  $S_2$  and  $Te_2$ , *J. Chem. Phys.* **62**, 4074 (1975).
- [5476] Kitagawa, S., Morishima, I., Yonezawa, T., and Sato, N. Photoelectron spectroscopic study on metallo-octaethylporphyrins, *Inorg. Chem.* **18**, 1345 (1979).
- [5477] Worley, S. D., Hargis, J. H., Chang, L., Mattson, G. A., and Jennings, W. B. A study of the electronic structure of 2-(dialkyl-amino)-1,3-dimethyl-1,3,2-diazaphospholanes and related molecules, *Inorg. Chem.* **18**, 3581 (1979).
- [5478] Coustale, M., Guimon, C., Arriau, J., and Pfister-Guillouzo, G. Spectres photoélectroniques de divers thiéno[2,3-*b*] thiophènes, *J. Heterocyclic Chem.* **13**, 231 (1976).
- [5479] Rabalais, J. W., Debies, T. P., Berkosky, J. L., Huang, J.-T.J., and Ellison, F. O. Calculated photoionization cross sections and relative experimental photoionization intensities for a selection of small molecules, *J. Chem. Phys.* **61**, 516 (1974).
- [5480] Bischof, P., Gleiter, R., Dürr, H., Ruge, B., and Herbst, P. Das Photoelektronenspektrum von 1,2-Diäthylspiro[2.4]hepta-1,4,6-trien. Beispiel für eine  $\pi$ - $\sigma$ -Wechselwirkung, *Chem. Ber.* **109**, 1412 (1976).
- [5481] Barraclough, P., Bilgic, S., Pedley, J. B., Rogers, A. J., and Young, D. W. Conjugative and homo-conjugative effects in 2-heterobicyclo[3.2.1]octa-3, 6-dienes, *Tetrahedron* **35**, 99 (1979).
- [5482] Chesnavich, W. J., Su, T., and Bowers, M. T. Reactions of vibrationally excited ions. A theoretical and experimental analysis of the reaction  $(C_4H_9^+) + NH_3 \rightarrow NH_4^+ + C_4H_8$ , *J. Am. Chem. Soc.* **100**, 4362 (1978).
- [5483] Wolkoff, P., Holmes, J. L., and Lossing, F. P. On the formation of cyclopentenium cations from all  $C_5H_{10}^+$  molecular ion structures, *Can. J. Chem.* **58**, 251 (1980).
- [5484] Schwarz, H., Petersen, R. D., and Van De Sande, C. C. Entropische und energetische Effekte bei der Bildung cyclischer Oxonium-, Sulfonium- und Bromonium-Ionen aus  $\omega$ -substituierten Phenoxyalkanen, *Org. Mass Spectrom.* **12**, 391 (1977).

- [5485] Berger, H.-O., Kroner, J., and Nöth, H. Die BorHalogen-Bindung in Methylhalogenboranen: Photoelektronenspektren und ab initio-Rechnungen, *Chem. Ber.* **109**, 2266 (1976).
- [5486] Akaba, R., Tokumaru, K., Kobayashi, T., and Utsunomiya, C. Electronic structures and conformations of *N*-benzylideneanilines. II. Photoelectron spectral study, *Bull. Chem. Soc. Japan* **53**, 2002 (1980).
- [5487] Maquestiau, A., Van Haverbeke, Y., Flammang, R., and Cooks, R. G. Fragmentation d'azoles sous l'impact électronique, *Org. Mass Spectrom.* **10**, 946 (1975).
- [5488] Holzmann, G., Rothkopf, H. W., Müller, R., and Wöhrle, D. Massenspektren heteroaromatischer Nitrile, *Org. Mass Spectrom.* **10**, 97 (1975).
- [5489] Rademacher, P., Breier, H., and Poppek, R. Photoelektronenspektren und Konformationen bi- und tricyclischer Hexahydro-1,2,4,5-tetrazine, *Chem. Ber.* **112**, 853 (1979).
- [5490] Gaivoronskii, P. E., Gavrichchuk, E. M., Chernyaev, N. P., and Zverev, Y. B. Mass spectrometric study of tris(isopropylcyclopentadienyl)  $\pi$ - complexes of lanthanum, praseodymium, and neodymium, *Russ. J. Inorg. Chem.* **23**, 1742 (1978).
- [5491] Loutfy, R. O., Still, I. W. J., Thompson, M., and Leong, T. S. Correlation of the photoelectron and electronic spectra of thiochromones and thiochromanones with their electrochemical data, *Can. J. Chem.* **57**, 638 (1979).
- [5492] Lin, J., Yu, C., Peng, S., Akiyama, I., Li, K., Lee, L. K., LeBreton, P. R. Ultraviolet photoelectron studies of the ground-state electronic structure and gas-phase tautomerism of purine and adenine, *J. Am. Chem. Soc.* **102**, 4627 (1980).
- [5493] Grützmacher, H.-F., and Schubert, R. Substituent effects in the mass spectra of benzoyl hetarenes, *Org. Mass Spectrom.* **14**, 567 (1979).
- [5494] Brown, C. M., and Ginter, M. L. Absorption spectrum of Ag I between 1540 and 1850 Å, *J. Opt. Soc. Am.* **67**, 1323 (1977).
- [5495] Brown, C. M., Tilford, S. G., and Ginter, M. L. Absorption spectrum of Ge I between 1500 and 1900 Å, *J. Opt. Soc. Am.* **67**, 584, 1977.
- [5496] Brown, C. M., Tilford, S. G., and Ginter, M. L. Absorption spectrum of Sn I between 1580 and 2040 Å, *J. Opt. Soc. Am.* **67**, 607 (1977).
- [5497] Brown, C. M., and Ginter, M. L. Absorption spectrum of Mn I between 1305 and 2040 Å, *J. Opt. Soc. Am.* **68**, 1541 (1978).
- [5499] Behan, J. M., Johnstone, R. A. W., Worman, J. J., and Fehlner, T. P. Photoelectron spectroscopy (HeI) of the dithione, bisimine and monoimine of tetramethyl-1,3-cyclobutanedione, *J. Mol. Struct.* **40**, 151 (1977).
- [5500] Brown, C. M., and Ginter, M. L. Absorption spectrum of Au I between 1300 and 1900 Å, *J. Opt. Soc. Am.* **68**, 243 (1978).
- [5501] Berman, D. W., Anicich, V., and Beauchamp, J. L. Stabilities of isomeric halonium ions  $C_2H_4X^+$  ( $X=Cl, Br$ ) by photoionization mass spectrometry and ion cyclotron resonance spectroscopy. General considerations of the relative stabilities of cyclic and acyclic isomeric onium ions, *J. Am. Chem. Soc.* **101**, 1239 (1979).
- [5502] Ellingsen, P., and Hvistendahl, G. Mass spectrometry of the simple *N*-vinylpyridinium salts, *Org. Mass Spectrom.* **15**, 18 (1980).
- [5503] Finney, C. D., and Harrison, A. G. A third-derivative method for determining electron-impact onset potentials, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 221 (1972).
- [5504] Bock, H., Kaim, W., Nöth, H., and Semkow, A. Radical ions. 36. Structural changes accompanying the one-electron oxidation of hydrazine and its silyl derivatives, *J. Am. Chem. Soc.* **102**, 4421 (1980).
- [5505] Kotov, B. V., and Potapov, V. K. Ionization potentials of strong organic electron acceptors, *Khim. Vys. Energ.* **6**, 375 (1972).
- [5506] Karlsson, L., Mattson, L., Jadrny, R., Albridge, R. G., Pinchas, S., Bergmark, T., and Siegbahn, K. Isotopic and vibronic coupling effects in the valence electron spectra of  $H_2^{16}O$ ,  $H_2^{18}O$ , and  $D_2^{16}O$ , *J. Chem. Phys.* **62**, 4745 (1975).
- [5507] Evans, S., Green, M. L. H., Jewitt, B., King, G. H., and Orchard, A. F. Electronic structures of metal complexes containing the  $\pi$ -cyclopentadienyl and related ligands, *J. Chem. Soc. Faraday II*, **70**, 356 (1974).
- [5508] Isakov, L. I., and Potapov, V. K. Dissociative photoionization of *n*-alkylamines, *Khim. Vys. Energ.* **5**, 534 (1971).
- [5509] Berkowitz, J., Batson, C. H., and Goodman, G. L. Photoionization of lithium chloride vapors: The structure and stability of alkali halide molecules and ions, *J. Chim. Phys.* **77**, 631 (1980).
- [5510] Vovna, V. I., and Vilesov, F. I. Photoelectron spectra and the structure of molecular orbitals of methyl amines, *Opt. Spectrosc.* **36**, 251 (1974).
- [5511] Smith, G., and Tomkins, F. S. Autoionization resonances in the Eu I absorption spectrum and a new determination of the ionization potential, *Proc. Roy. Soc. Lond.* **A342**, 149 (1975).
- [5512] Potapov, V. K., and Sorokin, V. V. Kinetic energies of products of dissociative photoionization of molecules. I. Aliphatic ketones and alcohols, *Khim. Vys. Energ.* **6**, 387 (1972).
- [5513] Selim, E. T. M., and El-Kholy, S. B. Mass spectrometric ionization and dissociation of methane, *Indian J. Pure Appl. Phys.* **13**, 233 (1975).
- [5514] Vovna, V. I., Lopatin, S. N., Pettsold, R., Vilesov, F. I., and Akopyan, M. E. Photoelectron spectra of a number of substitution products of thiophosphoryl chloride, *Opt. Spectrosc.* **36**, 99 (1974).
- [5515] Akopyan, M. E., Vilesov, F. I., and Lopatin, S. N. Photoionization of benzyl chloride, *Khim. Vys. Energ.* **6**, 110 (1972).
- [5516] Hodges, R. V., McDonnell, T. J., and Beauchamp, J. L. Properties and reactions of trimethyl phosphite, trimethyl phosphate, triethyl phosphate, and trimethyl phosphorothionate by ion cyclotron resonance spectroscopy, *J. Am. Chem. Soc.* **102**, 1327 (1980).
- [5517] Arnett, J. F., Newkome, G., Mattice, W. L., and McGlynn, S. P. Excited electronic states of the  $\alpha$ -dicarbonyls, *J. Am. Chem. Soc.* **96**, 4385 (1974).
- [5518] Lichtenberger, D. L., and Fenske, R. F. Electronic structure of transition metal thiocarbonyl complexes, *Inorg. Chem.* **15**, 2015 (1976).
- [5519] Hernandez, R., Masclet, P., and Mouvier, G. Spectroscopie de photoelectrons d'aldehydes et de cetonas aliphatiques, *J. Electron Spectrosc. Relat. Phenom.* **10**, 333 (1977).
- [5520] Tschmutowa, G., and Bock, H. Photoelektronen-Spektren und Moleküleigenschaften, LXIII Ionisierungsenergien von Phenyl-Methyl-Tellurid und Vergleich der Effekte von Sauerstoff-, Schwefel-, Selen- und Tellur-Substituenten auf das Benzol- $\pi$ -System, *Z. Naturforsch.* **31b**, 1611 (1976).
- [5521] Maier, J. P., Marthaler, O., and Mohraz, M. Decay of some substituted benzene cations in the B states in the gaseous phase, *J. Chim. Phys.* **77**, 661 (1980).
- [5522] Güsten, H., Klasinc, L., and Rušćić, B. Photoelectron spectroscopy of heterocycles. Indene analogs, *Z. Naturforsch.* **31a**, 1051 (1976).
- [5523] Elbel, S., and Dieck, H. t. Photoelectron spectra of group 5 compounds. Part V. Phosphorus halides,  $R_2P(X)Y$  and  $RP(X)Y_2$  ( $R=Me$  or  $F$ ;  $X=O, S$ , or  $Se$ ;  $Y=Cl$  or  $Br$ ), *J. Chem. Soc. Dalton* 1762 (1976).
- [5525] Åsbrink, L., Von Niessen, W., and Bieri, G. 30.4-nm He(II)



- photoelectron spectra of organic molecules, *J. Electron Spectrosc. Relat. Phenom.* **21**, 93 (1980).
- [5526] Weiner, M. A., and Lattman, M. Ultraviolet photoelectron spectra of some  $\text{Cr}(\text{CO})_5\text{L}$  complexes containing organosulfide and organophosphine ligands, *Inorg. Chem.* **17**, 1084 (1978).
- [5527] Ramsey, B. G., and Walker, F. A. A linear relationship between substituted pyridine lone pair vertical ionization potentials and  $\text{p}K_a$ , *J. Am. Chem. Soc.* **96**, 3314 (1974).
- [5528] Al-Khafaji, J. A., and Shanshal, M. The photoelectron spectra of cyclopropyl ketones, *Z. Naturforsch.* **32a**, 109 (1977).
- [5529] Elbel, S., and Dieck, H. t. Photoelectron spectra of group 5 compounds. Part IV. A study of the E-X bond in  $\text{R}_3\text{EX}$  compounds ( $\text{R}=\text{Me}$  or  $\text{F}$ ;  $\text{E}=\text{N}$  or  $\text{P}$ ;  $\text{X}=\text{O}$  or  $\text{S}$ ), *J. Chem. Soc. Dalton* 1757 (1976).
- [5530] Van den Ham, D. M. W., Van der Meer, D., and Feil, D. Photoelectron spectra of fluorine-substituted diazabenzenes, *J. Electron Spectrosc. Relat. Phenom.* **3**, 479 (1974).
- [5531] Trofimov, B. A., Mel'der, U. K., Pikver, R. I., and Vyalykh, E. P. Ionization potentials of unsaturated sulfides and the participation of neighboring multiple bonds of heteroatoms in the stabilization of the radical cation, *Teor. Eksp. Khim.* **11**, 129 (1975).
- [5532] Remane, H., Graefe, J., and Herzsuh, R. Ionisationspotentiale von cis- und trans- Cycloalkenen, *Z. Chem.* **12**, 194 (1972).
- [5534] Süzer, S., Banna, M. S., and Shirley, D. A. Relativistic and correlation effects in the 21.2-eV photoemission spectrum of atomic lead, *J. Chem. Phys.* **63**, 3473 (1975).
- [5535] Bock, H., and Kaim, W. Radical ions. 37. Ionization and one-electron oxidation of electron-rich silylalkyl olefins, *J. Am. Chem. Soc.* **102**, 4429 (1980).
- [5536] Van Dam, H., Louwen, J. N., Oskam, A., Doran, M., and Hillier, I. H. The electronic structure of dinuclear transition-metal complexes containing metal-metal interactions, *J. Electron Spectrosc. Relat. Phenom.* **21**, 57 (1980).
- [5537] Heilbronner, E., and Jones, T. B. Spectral differences between "isospectral" molecules, *J. Am. Chem. Soc.* **100**, 6506 (1978).
- [5538] Kobayashi, T. A new rule for photoelectron angular distributions of molecules, *Phys. Letters* **69A**, 31 (1978).
- [5539] Daamen, H., Boxhoorn, G., and Oskam, A. U. V. photoelectron (He I and He II) studies of  $\text{M}(\text{CO})_5\text{PX}_3$  ( $\text{M}=\text{Cr}, \text{Mo}, \text{W}$  and  $\text{X}=\text{F}, \text{Cl}, \text{Br}$ ) *Inorg. Chim. Acta* **28**, 263 (1978).
- [5540] Daamen, H., and Oskam, A. Bonding properties of some monosubstituted chromium and tungsten hexacarbonyls  $\text{M}(\text{CO})_5\text{L}$  ( $\text{L}=\text{amine}$ , substituted pyridine, azine), *Inorg. Chim. Acta* **26**, 81 (1978).
- [5541] Kirby, C., and Kroto, H. W. Microwave and photoelectron study of *cis*- and *trans*-isocyanato ethene,  $\text{CH}_2=\text{CHNCO}$  (vinyl isocyanate), *J. Mol. Spectrosc.* **70**, 216 (1978).
- [5543] Akopyan, M. E., Vilesov, F. I., and Loginov, Y. V. Photoionization of amines and the monomolecular decomposition of excited molecular ions, *Khim. Vys. Energ.* **9**, 327 (1975).
- [5544] Livett, M. K., Nagy-Felsobuki, E., Peel, J. B., and Willett, G. D. Photoelectron spectra of chloramine and dichloramine, *Inorg. Chem.* **17**, 1608 (1978).
- [5545] de Jong, A. P., and Van Dam, H. Ultraviolet photoelectron spectroscopy of cyclic amidines. 2. Electronic structure of clonidine and some related 2-(phenylimino)imidazolidines with  $\alpha$ -adrenergic activity, *J. Med. Chem.* **23**, 889 (1980).
- [5546] Barlos, K., and Nöth, H. Beiträge zur Chemie des Bors, CVIII[1] Synthese und Konformation von N,N'-Bis(boryl)-N,N'-dimethylhydrazinen, *Z. Naturforsch.* **35b**, 125 (1980).
- [5547] Mingos, D. M. P. Theoretical and structural studies on organometallic cluster molecules, *Pure Appl. Chem.* **52**, 705 (1980).
- [5548] Dreckschmidt, R., Kessel, H., and Marschner, F. Korrelation zwischen Photoelektronen- und Elektronen-Spektren—VI, *Tetrahedron* **33**, 101 (1977).
- [5549] Meeks, J. L., and McGlynn, S. P. Photoelectron spectra of carbonyls. Oxalyl chloride, ethyl oxalyl chloride, ethyl oxamate and N,N-dimethyl ethyl oxamate, *Spectrosc. Lett.* **8**, 439 (1975).
- [5550] Schweig, A., Weidner, U., and Manuel, G. Photoelektronen-Spektroskopie und transannulare Wechselwirkungen – Zur Frage transannularer d- $\pi$ -Wechselwirkung in 1-Sila- und 1-Germa-3- cyclopenten, *Angew. Chem.* **84**, 899 (1972).
- [5551] Green, J. C., Powell, P., and Van Tilborg, J. He(I) photoelectron spectra of tricarbonyl-iron and -ruthenium complexes of cyclic dienes, and of tricarbonylcycloheptatriene- and tricarbonylcyclo-octatetraene-iron, *J. Chem. Soc. Dalton* 1974, (1976).
- [5552] Potapov, V. K., Kardash, I. E., Sorokin, V. V., Sokolov, S. A., and Evlasheva, T. I. Photoionization of heteroaromatic compounds, *Khim. Vys. Energ.* **6**, 392 (1972).
- [5553] Beltram, G. A., and Fehlner, T. P. Substituent effects in cluster species. 2. Photoelectron spectra of 2- and 2,4-substituted 1,6-dicarba- *closo*-hexaborane(6) *J. Am. Chem. Soc.* **101**, 6237 (1979).
- [5554] Syrvatka, B. G., Gil'burd, M. M., and Bel'ferman, A. L. Ion-dissociative processes of some halogen- containing butadienes and particles structure, *Zh. Org. Khim.* **9**, 1117 (1973).
- [5555] Verkin, B. I., Sukodub, L. F., and Yanson, I. K. Ionization potentials of nitrogenous bases of nucleic acids, *Dokl. Akad. Nauk SSSR* **228**, 1452 (1976).
- [5556] Rang, S., Paldoia, P., and Talvari, A. Ionization potentials of unsaturated hydrocarbons. 2. Mono- substituted cyclopenten and cyclohexenes, *Eesti NSV Teaduste Akad. Toimetised* 354 (1974).
- [5557] Ponomarev, D. A., Takhimova, V. V., Akopyan, M. E., and Sergeyev, Y. L. Effect of alkyl groups on the stability of cations in the absence of solvation effects, *Zh. Org. Khim.* **10**, 403 (1974).
- [5558] Dougherty, D., and McGlynn, S. P. Photoelectron spectroscopy of carbonyls. 1,4-Benzoquinones, *J. Am. Chem. Soc.* **99**, 3234 (1977).
- [5559] Flamini, A., Semprini, E., Stefani, F., Cardaci, G., Bellachioma, G., and Andreocci, M. He(I) photoelectron spectra of tetracarbonyliron complexes of group 5 ligands and of olefinic ligands, *J. Chem. Soc. Dalton* 695 (1978).
- [5560] Fragala, I., Marks, T. J., Fagan, P. J., and Manriquez, J. M. He(I)- and He(II)- excited photoelectron spectra of bis(pentamethylcyclopentadienyl)zirconiumdichloride, *J. Electron Spectrosc. Relat. Phenom.* **20**, 249 (1980).
- [5561] Efraty, A., and Huang, M. H. A. Mass spectra of organometallic compounds. 8. Electron-impact study of the cyclopentadienylmanganese derivatives  $\text{RC}_5\text{H}_4\text{Mn}(\text{CS})(\text{NO})\text{I}$  ( $\text{R}=\text{H}, \text{CH}_3$ ) *Inorg. Chem.* **19**, 2296 (1980).
- [5562] Borden, W. T., Young, S. D., Frost, D. C., Westwood, N. P. C., and Jorgensen, W. L. Photoelectron spectra of the 1,2,5,6-tetramethyl-3,4,7,8-tetramethylene derivatives of tricyclo[3.3.0.0<sup>2,4</sup>] octane and tricyclo[4.2.0.0<sup>2,5</sup>] octane, *J. Org. Chem.* **44**, 737 (1979).
- [5563] Gleiter, R., Schang, P., Adam, W., Eggelte, H. J., Erden, I., and Bloodworth, A. J. Photoelectron spectra of bicyclic peroxides, *J. Electron Spectrosc. Relat. Phenom.* **19**, 223 (1980).
- [5564] Torroni, S., Innorta, G., Foffani, A., and Distefano, G. Interpretation of the mass spectra of substituted chromium and tungsten carbonyls by means of



- appearance potential measurements, *J. Organometall. Chem.* **65**, 209 (1974).
- [5565] Barsten, B. E., Cotton, F. A., Green, J. C., Seddon, E. A., and Stanley, G. G. Molecular orbital and spectroscopic studies of triple bonds between transition-metal atoms. 1. The  $d^1-d^1$   $Mo_2L_n$  compounds ( $L=OR, NR_2, CH_2R$ ), *J. Am. Chem. Soc.* **102**, 4579 (1980).
- [5566] Weiner, M. A., Gin, A., and Lattman, M. Ultraviolet photoelectron spectra of 4-substituted pyridine-pentacarbonylchromium complexes, *Inorg. Chim. Acta* **24**, 235 (1977).
- [5567] Anderson III, G. M., Kollman, P. A., Domelsmith, L. N., and Houk, K. N. Methoxy group nonplanarity in *o*-dimethoxybenzenes. Simple predictive models for conformations and rotational barriers in alkoxyaromatics, *J. Am. Chem. Soc.* **101**, 2344 (1979).
- [5568] Fragalà, I., Costanzo, L. L., Ciliberto, E., Condor-elli, G., and D'Arrigo, C. He-I and He-II excited photoelectron spectra of tetracoordinated complexes of transition metal ions with  $\beta$ -diketonate ligands, *Inorg. Chim. Acta* **40**, 15 (1980).
- [5569] Cauletti, C., Nicotra, G., and Piancastelli, M. N. The electronic structure of some alkyl-tin derivatives with sulphur-containing ligands studied by UV photoelectron spectroscopy, *J. Organomet. Chem.* **190**, 147 (1980).
- [5570] Schubert, R., and Grützmacher, H.-F. Kinetic energy release and position of transition state during intramolecular aromatic substitution in ionized 1-phenyl-1-(2-pyridyl)ethylenes, *J. Am. Chem. Soc.* **102**, 5323 (1980).
- [5571] Kochi, J. K. The role of electron transfer and charge transfer in organometallic chemistry, *Pure Appl. Chem.* **52**, 571 (1980).
- [5572] Bock, H., and Wagner, G. "Einsame" Elektronenpaare in organischen Sulfiden und Disulfiden, *Angew. Chem.* **84**, 119 (1972).
- [5574] Bock, H., Kaim, W., and Rohwer, H. E. Die hyperkonjugative Stabilisierung von *p*-Xylol-Radikalkationen durch  $(H_3C)_3Si$ -Substituenten, *Chem. Ber.* **111**, 3573 (1978).
- [5575] Kovač, B., Allan, M., Heilbronner, E., Maier, J. P., Gleiter, R., Haenel, M. W., Keehn, P. M., and Reiss, J. A. He(I $\alpha$ ) photoelectron spectra of [2.2] cyclophanes, *J. Elect. Spectrosc. Relat. Phenom.* **19**, 167 (1980).
- [5576] Efraty, A., Liebman, D., Huang, M. H. A., and Weston, C. A. Mass spectra of organometallic compounds. 6. Energetics of fragmentations of manganese-containing ions with intact ligands in the series  $CH_3C_5H_4Mn(CO)_2L$  and  $CH_3C_5H_4Mn(CO)(CS)L$  [ $L=Ph_3As$  and  $Ph_3Sb$ ], *Inorg. Chim. Acta* **39**, 105 (1980).
- [5577] Palmer, M. H., Simpson, I., and Platenkamp, R. J. The electronic structure of flavin derivatives, *J. Mol. Struct.* **66**, 243 (1980).
- [5578] Spanget-Larsen, J., Gleiter, R., Klein, G., Doecke, C. W., and Paquette, L. A. Orbital interactions in "hypostrophene" and its hydro- and homo-derivatives, A photoelectron spectroscopic investigation, *Chem. Ber.* **113**, 2120 (1980).
- [5579] Berry, M., Garner, C. D., Hillier, I. H., MacDowell, A. A., and Clegg, W. Crystal structure and U. V. photoelectron spectra of tetrakis-(6-methyl-2-oxopyridinato)dirhodium, *J. Chem. Soc. Chem. Commun.* 494 (1980).
- [5581] Nelsen, S. F., Kessel, C. R., Brien, D. J., and Weinhold, F. 9-(9-Borabicyclo[3.3.1]nonyl)-9-azabicyclo[3.3.1]nonane radical cation: A failure of Bredt's Rule kinetic stabilization, *J. Org. Chem.* **45**, 2116 (1980).
- [5582] Efraty, A., Liebman, D., Huang, M. H. A., Weston, C. A., and Angelici, R. J. Mass spectra of organometallic compounds. 7. Electron-impact study of some cyclopentadienylmetal thiocarbonyl-bridged dimers, *Inorg. Chem.* **17**, 2831 (1978).
- [5583] Rang, S., and Martinson, E. Ionization potentials of unsaturated hydrocarbons. 3. *n*-Alkynes  $C_n-C_{11}$ , *Eesti NSV Teaduste Akadeemia Toimetised* **27**. *Kõide Keemia Geol.* **44** (1978).
- [5584] Rang, S., Martinson, E., and Müürisepp, M. Ionization potentials of unsaturated hydrocarbons. 1. *n*-Alkenes, *Eesti NSV Teaduste Akadeemia Toimetised* **23**. *Kõide Keemia Geol.* **352** (1974).
- [5585] Il'in, M. K., Makarov, A. V., and Nikitin, O. T. A study of evaporating products of barium metaborate, *Vestn. Mosk. Univ., Ser. II: Khim.* **15**, 436 (1974).
- [5586] Shikhmamedbekova, A. Z., Aslanov, F. A., Gadzhiev, M. M., Gulamova, T. E., and Akhmedova, F. N. Mass spectrometric study of methylene cycloalkenes, *Dokl. Akad. Nauk Azerb. SSR* **26**, 34 (1970).
- [5587] Makarov, A. V., Nikitin, O. T., and Chervonny, A. D. The mass-spectrometric study of evaporation of indium metaborate, *Vestn. Mosk. Univ., Ser. II: Khim.* **15**, 193 (1974).
- [5588] Semenov, G. A., Volkov, A. D., and Franktseva, K. E. Mass-spectrometric study of sodium carbonate vaporization, *Tr. Leningrad. Tekhnol. Inst. Tsellyul.-Bum. Prom.* **30**, 153 (1973).
- [5589] Zverev, V. V., Vovna, V. I., Elman, M. S., Kitaev, Y. N., and Vilesov, F. I. Photoelectron spectra and spatial structure of acyclic azines, *Dokl. Akad. Nauk USSR* **213**, 1117 (1973).
- [5590] Armen, G. H., Braunstein, C., Weinstein, M. I., and Baker, A. D. Reaction of azoxyanisole with oxalyl chloride: Use of photoelectron spectroscopy in seeking new reactions, *Tetrahedron Letters* 4197 (1979).
- [5591] Kokars, V., Kampars, V., and Neilands, O. Characteristics of  $\pi$ -electron structure of betainelike active methylene group derivatives. VII. Electron absorption spectra and electron-donor properties of the series of  $\beta$ -diketone onium betaines, *Latv. Psr. Zinat. Akad. Vestis Kim. Ser.* **6**, 734 (1975).
- [5592] Kampars, V., and Neilands, O. Characteristics of  $\pi$ -electron structure of betainelike active methylene group derivatives. VI. Character of long-wave absorption bands and charge transfer complexes of 1,3-indanodine onium betaines, *Latv. Psr. Zinat. Akad. Vestis Kim. Ser.* **6**, 727 (1975).
- [5593] Kreicberga, Y. N., Kampars, V., and Neilands, O. Y. Onium derivatives of tetraarylcyclopentadienes, *Zh. Org. Khim.* **11**, 1508 (1975).
- [5594] Yu, C., Peng, S., Akiyama, I., Lin, J., and LeBreton, P. R. Ultraviolet photoelectron studies of biological pyrimidines. The valence electronic structure of cytosine, *J. Am. Chem. Soc.* **100**, 2303 (1978).
- [5595] Carnovale, F., Gan, T. H., Peel, J. B., and Franz, K.-D. The photoelectron spectra of some 1,9-disubstituted phenalenes, *J. Chem. Soc. Perkin II*, 957 (1980).
- [5596] Garner, C. D., Hillier, I. H., Knight, M. J., MacDowell, A. A., Walton, I. B., and Guest, M. F. Electronic structure and assignment of the ultraviolet photoelectron spectra of 6-methyl-2-oxo-pyridine complexes of dichromium(II) and dimolybdenum(II), *J. Chem. Soc. Faraday II* **76**, 885 (1980).
- [5597] Gleiter, R., Haider, R., Murata, I., and Pagni, R. M. Photoelectron spectra of three isomeric  $(C_{11}H_{10})$  naphtho[1,8]-fused hydrocarbons, *J. Chem. Res. (S)*, 72 (1979).
- [5598] Zaikin, V. G., and Wulfson, N. S. Ionization and appearance potentials in organic chemistry, *Org. Mass Spectrom.* **13**, 680 (1978).
- [5599] Paquette, L. A., Bellamy, F., Böhm, M. C., and Gleiter, R. Electronic control of stereoselectivity. 6. Directionality of singlet oxygen addition to 1,4-dimethoxynaphthalenes

- laterally fused to bridged bicyclic systems, *J. Org. Chem.* **45**, 4913 (1980).
- [5600] Kovač, B., Mohraz, M., Heilbronner, E., Boekelheide, V., and Hopf, H. Photoelectron spectra of the cyclophanes, *J. Am. Chem. Soc.* **102**, 4314 (1980).
- [5601] Lappert, M. F., McCabe, R. W., MacQuitty, J. J., Pye, P. L., and Riley, P. I. Paramagnetic carbenometal complexes. Part I. Cationic chromium(I) complexes and the chemistry of their chromium(0) precursors and of related molybdenum(0) and tungsten(0) complexes, especially with bulky carbene ligands  $C(OR')R[R=CH(SiMe_3)_2]$  or  $CH_2SiMe_3$ , *J. Chem. Soc. Dalton* **90** (1980).
- [5602] Yarbrough II, L. W., and Hall, M. B. Photoelectron spectra of substituted chromium, molybdenum, and tungsten pentacarbonyls. Relative  $\pi$ -acceptor and  $\sigma$ -donor properties of various phosphorus ligands, *Inorg. Chem.* **17**, 2269 (1978).
- [5603] Ratkovskii, I. A., and Butlin, B. A. Appearance potential of ions in the mass spectrum of  $LaPO_4$ , *Vest. Akad. Nauk* **5**, 115 (1973).
- [5604] Bischof, P., Gleiter, R., Dach, R., Enders, D., and Seebach, D. Zur Wechselwirkung einsamer Elektronenpaare in  $\Delta^2$  Tetrazenen. Photoelektronenspektroskopische Untersuchungen, *Tetrahedron* **31**, 1415 (1975).
- [5605] Bruckmann, P., and Klessinger, M. Photoelektronenspektren ungesättigter Systeme mit Cyclopropan- und Cyclobutanringen, *Angew. Chem.* **84**, 543 (1972).
- [5606] Bischof, P., Bosse, D., Gleiter, R., Kukla, M. J., de Meijere, A., and Paquette, L. A. Zur Frage der Homokonjugation in Triquinacen und 2a,4a,8a,8b-Tetrahydrocyclopent[cd]azulen. Photoelektronenspektroskopische Untersuchungen, *Chem. Ber.* **108**, 1218 (1975).
- [5607] Bruckmann, P., and Klessinger, M. Konjugative Wechselwirkungen des Cyclobutans, *Chem. Ber.* **111**, 944 (1978).
- [5608] Bouchoux, G. Ionisation et fragmentation en spectrométrie de masse VIII. Énergies d'activation de deux fragmentations compétitives, dissociation de l'acétate de phényle et de l'acetanilide sous impact électronique, *Int. J. Mass Spectrom. Ion Phys.* **26**, 379 (1978).
- [5609] Bock, H., and Fuss, W. Notiz zu Ionisierungsenergien und Geometrie von Aminoboranen, *Chem. Ber.* **109**, 799 (1976).
- [5610] Bock, H., Hirabayashi, T., Mohmand, S., and Solouki, B. Instabile Zwischenprodukte in der Gasphase: Der thermische Zerfall von Carbonsäurechloriden  $RCOCl$ , *Angew. Chem.* **89**, 106 (1977).
- [5611] Bouchoux, G. Ionisation et fragmentation en spectrométrie de masse, *Org. Mass Spectrom.* **13**, 184 (1978).
- [5612] Bock, H., and Brähler, G. Oxidation und Reduktion methylthio-substituierter  $\pi$ -Systeme und die Elektronenverteilung in ihren Radikationen, *Angew. Chem.* **89**, 893 (1977).
- [5613] Bischof, P., Gleiter, R., Hafner, K., Knauer, K. H., Spanget-Larsen, J., and Süss, H. U. Das Photoelektronen- und Elektronenspektrum des 1,3,5-Tri-*tert*-butylpentalens. Hinweis auf Bindungsalternanz im Grundzustand, *Chem. Ber.* **111**, 932 (1978).
- [5614] Klasinc, L., Trinajstić, N., and Knop, J. V. Application of photoelectron spectroscopy to biologically active molecules and their constituent parts. VIII. Thalidomide, *Int. J. Quantum Chem.* **7**, 403 (1980).
- [5615] Stockbauer, R., and Inghram, M. G. The fragmentation of propane and deuteropropane molecular ions, *J. Chem. Phys.* **65**, 4081 (1976).
- [5616] Williamson, A. D., and Beauchamp, J. L. Ion molecule reactions in vinyl fluoride by photoionization. Effects of vibrational excitation on major reaction pathways, *J. Chem. Phys.* **65**, 3196 (1976).
- [5617] Smyth, K. C., Schiavone, J. A., and Freund, R. S. Dissociative excitation of  $N_2$  by electron impact: Translational spectroscopy of long-lived high- Rydberg fragment atoms, *J. Chem. Phys.* **59**, 5225 (1973).
- [5618] Schäfer, W., Schweig, A., and Mathey, F. Phospholes. Electronic structure, *J. Am. Chem. Soc.* **98**, 407 (1976).
- [5619] Rušćić, B., Kovač, B., Klasinc, L., and Güsten, H. Photoelectron spectroscopy of heterocycles. Fluorene analogues, *Z. Naturforsch.* **33a**, 1006 (1978).
- [5620] Dudin, A. V., Gorokhov, L. N., and Baluev, A. V. A study of the electron-impact ionization of chlorine trifluoride and its decomposition products by mass spectrometry, *Izvest. Akad. Nauk SSSR, Ser. Khim.* 2408 (1979).
- [5621] Andrews, G. D., Baldwin, J. E., and Gilbert, K. E. Photoelectron spectrum of bicyclo[2.1.0]pent-2-ene: Electronic destabilization of a homo[4n] annulene, *J. Org. Chem.* **45**, 1523 (1980).
- [5622] Engler, E. M., Kaufman, F. B., Green, D. C., Klotz, C. E., and Compton, R. N. Ionization potentials and donor properties of selenium analogs of tetrathiafulvalene, *J. Am. Chem. Soc.* **97**, 2921 (1975).
- [5623] Hamada, Y., Hirakawa, A. Y., Tsuboi, M., and Ogata, H. Interaction between lone pair electrons on the nitrogen atoms in 1,5-diazabicyclo[3.2.1]octane, *Bull. Chem. Soc. Japan* **46**, 2244 (1973).
- [5624] Vovna, V. I., Lopatin, S. N., Pettsol'd, R., and Vilesov, F. I. Photoelectron spectra and electronic structure of some phosphoryl compounds, *Khim. Vys. Energ.* **9**, 9 (1975).
- [5625] Pasto, D. J., Fehlner, T. P., Schwartz, M. E., and Baney, H. F. On the orbital interactions of three-membered rings with  $\pi$  systems. Electronic structure of alkenylidenecyclopropanes, *J. Am. Chem. Soc.* **98**, 530 (1976).
- [5626] Botter, R., and Carlier, J. Spectre de photoélectrons et calcul des facteurs de Franck-Condon pour  $H_2O$ ,  $D_2O$ ,  $HDO$ , *J. Electron Spectrosc. Relat. Phenom.* **12**, 55 (1977).
- [5627] Zverev, V. V., Vilesov, F. I., Vovna, V. I., Lopatin, S. N., and Kitaev, Y. P. Photoelectron spectra, *Izv. Akad. Nauk. SSSR, Ser. Khim.* **1975**, 1051 (1975).
- [5628] Barlos, K., and Nöth, H. Beiträge zur Chemie des Bors, CVIII. Synthese und Konformation von  $N,N'$ -Bis(boryl)- $N,N'$ -dimethylhydrazinen, *Z. Naturforsch.* **35b**, 125 (1980).
- [5629] Bock, H., and Kaim, W. Einelektronen-Oxidationen  $(H_3C)_3SiCH_2$ -substituierter benzole in der gasphase und in Lösung, *Chem. Ber.* **111**, 3552 (1978).
- [5630] Schäfer, W., Schweig, A., Bickelhaupt, F., and Vermeer, H. Photoelectron spectroscopy and conjugation: direct proof of the unusual sequence of the two highest occupied  $\pi$ -molecular orbitals in the phosphorin (phosphabenzene) and the arsenin (arsabenzene) system, *Angew. Chem. Intern. Ed.* **11**, 924 (1972).
- [5631] Turk, J., and Shapiro, R. H. Formation of benzoyl ions: a complicated cleavage reaction, *Org. Mass Spectrom.* **6**, 189 (1972).
- [5632] Bock, H., and Wagner, G. "Electron lone pairs" in organic sulfides and disulfides, *Angew. Chem. Intern. Ed.* **11**, 150 (1972).
- [5633] Tomer, K. B., Turk, J., and Shapiro, R. H. Anchimeric assistance in electron-impact reactions: homoallylic systems, *Org. Mass Spectrom.* **6**, 235 (1972).
- [5634] Guido, M., Gigli, G., and Balducci, G. Dissociation energy of  $CuCl$  and  $Cu_2Cl_2$  gaseous molecules, *J. Chem. Phys.* **57**, 3731 (1972).
- [5635] Cocke, D. L., and Gingerich, K. A. Determination of the heats of atomization of the molecules  $RhC_2$ ,  $RhC$ , and  $TiC_2$  by high temperature mass spectrometry, *J. Chem. Phys.* **57**, 3654 (1972).

U.S. DEPT. OF COMM. <b>BIBLIOGRAPHIC DATA SHEET</b> (See instructions)	1. PUBLICATION OR REPORT NO. NSRDS-NBS 71	2. Performing Organ. Report No.	3. Publication Date October 1982
4. TITLE AND SUBTITLE <p style="text-align: center;">Ionization Potential and Appearance Potential Measurements, 1971-1981</p>			
5. AUTHOR(S) Rhoda D. Levin and Sharon G. Lias			
6. PERFORMING ORGANIZATION (If joint or other than NBS, see instructions)  NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234		7. Contract/Grant No. EA-77-A-01-6010 8. Type of Report & Period Covered Final	
9. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (Street, City, State, ZIP) Office of Standard Reference Data, National Bureau of Standards, Washington, DC 20234 and U. S. Department of Energy, Pollutant Characterization and Safety Research Division, Washington, DC 20545			
10. SUPPLEMENTARY NOTES <p style="text-align: center;">Library of Congress Catalog Card Number: 82-2095</p> <p><input type="checkbox"/> Document describes a computer program; SF-185, FIPS Software Summary, is attached.</p>			
11. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here) <p style="text-align: center;">A compilation is presented of the ionization potential and appearance potential measurements which appeared in the refereed literature in the time period 1971-1981. The data are sorted according to the identity of the ionic species formed in the ionization process. Precursor molecules or radicals are identified by a structural formula and, in the case of compounds containing rings, by name according to the Chemical Abstracts system of nomenclature. Chemical Abstracts Registry Numbers are provided where available. A complete bibliography and author index are provided.</p>			
12. KEY WORDS (Six to twelve entries; alphabetical order; capitalize only proper names; and separate key words by semicolons) appearance potential; charge transfer spectrum; electron impact ionization; ionization potential; photoelectron spectroscopy; photoionization; spectroscopy			
13. AVAILABILITY <input checked="" type="checkbox"/> Unlimited <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS <input checked="" type="checkbox"/> Order From Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. <input type="checkbox"/> Order From National Technical Information Service (NTIS), Springfield, VA. 22161		14. NO. OF PRINTED PAGES <p style="text-align: center;">634</p> 15. Price <p style="text-align: center;">\$12.00</p>	





**Announcement of New Publications in  
National Standard Reference Data Series**

Superintendent of Documents,  
Government Printing Office,  
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Standard Reference Data Series—National Bureau of Standards.

Name\_\_\_\_\_

Company\_\_\_\_\_

Address\_\_\_\_\_

City\_\_\_\_\_State\_\_\_\_\_Zip Code\_\_\_\_\_

(Notification Key N-519)









## NBS TECHNICAL PUBLICATIONS

### PERIODICALS

**JOURNAL OF RESEARCH**—The Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. As a special service to subscribers each issue contains complete citations to all recent Bureau publications in both NBS and non-NBS media. Issued six times a year. Annual subscription: domestic \$18; foreign \$22.50. Single copy, \$4.25 domestic; \$5.35 foreign.

### NONPERIODICALS

**Monographs**—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

**Handbooks**—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

**Special Publications**—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

**Applied Mathematics Series**—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

**National Standard Reference Data Series**—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NBS under the authority of the National Standard Data Act (Public Law 90-396).

NOTE: The principal publication outlet for the foregoing data is the Journal of Physical and Chemical Reference Data (JPCRD) published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

**Building Science Series**—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

**Technical Notes**—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

**Voluntary Product Standards**—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

**Consumer Information Series**—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

*Order the above NBS publications from: Superintendent of Documents, Government Printing Office, Washington, DC 20402.*

*Order the following NBS publications—FIPS and NBSIR's—from the National Technical Information Services, Springfield, VA 22161.*

**Federal Information Processing Standards Publications (FIPS PUB)**—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

**NBS Interagency Reports (NBSIR)**—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Services, Springfield, VA 22161, in paper copy or microfiche form.

**U.S. Department of Commerce**  
National Bureau of Standards

Washington, D.C. 20234  
Official Business

Penalty for Private Use \$300



POSTAGE AND FEES PAID  
U S DEPARTMENT OF COMMERCE  
COM-215

SPECIAL FOURTH-CLASS RATE  
BOOK