· ·

NATIONAL BUREAU OF STANDARDS REPORT NBS PROJECT **NBS REPORT**

1003-20-4714

1 - ·

April 17, 1953

Progress Report

TESTS OF REFRIGERATION AND MISCELLANEOUS EQUIPMENT

January 1 to March 31, 1953

by

Henry Karger C. W. Phillips P. R. Achenbach Heating and Air Conditioning Section

for

Office of The Quartermaster General



U. S. DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS

The publication, reprinting, or reproduc from the Office of the Director, Nationa which a report has been specifically p

Approved for public release by the Director of the National Institute of that particular report for its own use. Standards and Technology (NIST) on October 9, 2015.



.

TESTS OF REFRIGERATION AND MISCELLANEOUS EQUIDENT January 1 to Farch 31, 1953 Office of The Quartermaster General

Marehouse Units (1/3 ton)

A series of tests of two 1/3 ton maschine-driven warehouse refrigerating units was begun to determine the range of capacities available by varying the compressor speed from 1800 to 3000 rpm, both while holding the fan speed constant at design speed and while varying the fan speed in proportion to the compressor speed.

One of the two 1/3 ton units being used for this series of tests is a Thermo King Fodel (156 and the other is a Carrier Fodel 0731-9644.

The tests of the Carrier unit were completed for a range of compressor speeds while the evaporator fan was driven at constant speed by the electric motor normally furnished as a part of the unit. The tests of the Thereo Fing unit were completed for a range of compressor speeds with the evaporator fan belt-driven from the engine. Tests with constant evaporator fan speed are yet to be made.

the second second second

and a first of the second states

A 1/2 ton unit manufactured by The U. S. Thermo Control has been received for an extension of this series to include the larger size.

"Drifreez" Refrigerant Dryer

Tests of the "Drifreez" calcium-carbide refrigerant dehydrator were completed during this quarter.

The manufacturer has redesigned the product at least twice during the period of tests and has submitted one modification since the completion of the tests, apparently in order to correct deficient areas of performance.

Reports of the various phases of this project are being prepared. In addition to determining the relative value of this product as a dehydrator, the question of whether the acetylene-producing characteristic of the desiccant, calcium-carbide, made the use of the product hazardous was investigated. The possible hazard was that an explosion might occur, either through the decomposition of acetylene, the ignition of acetylene-air mixtures, or the self-igniting explosions of copper acetylide, if formed. the second second of the second descent from the first which is not the second se

second and the states.

-restriction address and the restriction of the state of

And a second second to a probability of a second se

Marine and and the contract of anomaly 100 according to a second the second term of term of the second term of t

- -

Tent Heater

The tests made to evaluate performance of various fans for the gasoline tent heater were completed during this quarter. Ferformance of fan samples identified as JAN-1, 2 and 3 was measured, and in meneral required less horsepower/ofm than the standard sample. The amount of air delivered at the open-duct condition was less for the JAN 1-3 series than for the standard fan (sample 5).

Because of the possibility, during manufacture of the tent heaters, of having the fan blades mounted in various positions with relation the fan shroud, a series of tests \sim was made to determine the effect of moving the fan in and out of the fan shroud. The fan position was altered by elongating; the engine mounting holes in the base. A tetal change of position of $3/4^{n}$ was obtained relative to the incermost position of the fan in the shroud. In general, this innermost position gave the lowest horsepower in relation to the air delivery but delivered less air at open-duct consition than at positions further out.

As part of the fan tests, calibrations were are of set of field test ducts to determine air delivery vostatic pressure. These ducts are intended to be used to check air delivery of tent heaters in the field and in production.

- 3 -

20000 2000

ы

3

int and such and and a subspace of the second second

- 1 -

Tests were made to determine the relative tres use drop in the air circuit of two competitive tent heaters, one rapufactured by Herman Felson Commany, the other by The Hilent Glow oil Burger Comporation.

Summaries of the test results and preliminary performance curves for all of the tests have been formit-ed to the interested personnel of The Office of The uartermaster General during the quarter.

Calorimeter

The secondary refrirerant calorimeter was checked out for proper operation preparatory to calorimeter tests of the scall radial compressor submitted for tests by longstreth Enterprises, La Jolla, California. This compressor is rated by its sanufacturer at 1/2 EL 6000 Btu/hr capacity, but no operating conditions are unceified. A series of tests of this compressor for a range of speeds and a range of compression ratio; will be started immediately.

Fydraulic frives

A preliminary investigation was made of certain anrects of the development of a hydraulic drive such for certain casoline-encine-driven, portable refri erating

no la m

an P

4

1

ì.

3

ξ.

١.

and descriptions of a subscription of the description of the subscription of the subsc

- 1 -

units which now use belting, couplings, and other devices to transmit power to the various driven components. A promosal for this work has been submitted to 1000. <u>ater coolers</u>

Tests on one electric drinkin water cooler anufactured by fritidaire Division of General lotors or the Chicaro Quartermanter Report to determine couplines with the performance requirements of Federal General General 20-C-566b were completed. The cooler did not wert the thermostat requirement of the specification. Becond ther ostat, installed on the cooler by a representative of the manufacturer, did not comply with the requirements either; however, further tests were not made of this cooler. The report on this cooler, as well as the reports on tests of coolers previously done for the Chicago martermaster Denot, have been issued to the arency requesting the tests.

- 5 -

inter a table of the second state of the

٣

١

4

11 13

Jul 26, 2016