



NBS SPECIAL PUBLICATION 260


SUPPLEMENT

1975 PRICE LIST

U.S. DEPARTMENT OF COMMERCE / National Bureau of Standards



STANDARD REFERENCE MATERIALS



Standard Reference Materials are well-characterized materials disseminated by the National Bureau of Standards to be used to calibrate and evaluate measuring instruments, methods, and systems or to produce scientific data that can be referred readily to a common base. The materials are certified for chemical composition or for a particular physical or chemical property. They are used on-site in science and industry to calibrate instruments and methods used in production and quality control of raw materials, chemicals, metals, ceramics, fuels, and radioactive nuclides in manufacturing processes and in research.

ORDERING PROCEDURE

Orders should be addressed to the Office of Standard Reference Materials, Room B311 Chemistry Building, National Bureau of Standards, Washington, D.C. 20234 (Telephone 301-921-2045). Orders should give the amount (number of units), catalog number and name of the standard requested. For example: 150g (1 unit) of No. 11h, Basic-Open-Hearth Steel, 0.2 percent C. These materials are distributed only in the units listed.

Acceptance of an order does not imply acceptance of any provision set forth in the order contrary to the policy, practice, or regulations of the National Bureau of Standards or the U.S. Government. Prices listed herein are subject to change without notice. Price changes when made are first announced in various NBS publications and in announcements mailed to users of these materials.

Prices in effect at time of shipment will be billed to the purchaser. No discounts are given on NBS Standard Reference Materials. Payments not accompanying purchase orders are expected within 30 days after receipt of invoices.

A. Both prepaid and non-prepaid orders will be processed, subject to export-import regulations of the United States and the country from which the order originates. (See mode of shipment—Foreign Shipments.)

Payments of foreign orders may be made by any of the following:

- (a) UNESCO coupons,
- (b) banker's draft against U.S.A. bank,
- (c) bank to bank transfer to a U.S.A. bank,
- (d) letter of credit* on a U.S.A. bank, or
- (e) by International Money Order.

Pro-forma invoice service requires 6 to 8 weeks to process, and is furnished only to those requiring such service.

*Letters of Credit may be used as advance payment for SRM's; they will be accepted from banks in the United States only.

Only the documents listed below will be furnished:

- (1) Six Commercial Invoices
- (2) Packing List
- (3) Certificate of Origin
- (4) Airway Bill (Only if material is shipped Collect, no receipt can be furnished for material shipped by International Air Parcel Post.)

DOMESTIC SHIPMENTS

Shipments of material (except for certain restricted categories, e.g., hydrocarbons, organic sulfur compounds, special nuclear materials, compressed gases and radioactive standards) intended for the United States, Mexico, and Canada are normally shipped prepaid air parcel post (providing that the parcel does not exceed the weight limits as prescribed by Postal Laws and Regulations) unless the purchaser requests a different mode of shipment, in which case the shipment will be sent collect. It is impractical for the Bureau to prepay shipping charges and add this to the billing invoice. Hydrocarbons, organic sulfur compounds, compressed gases, rubber compounding materials, radioactive standards and similar materials are shipped express collect.

FOREIGN SHIPMENTS

Both prepaid and non-prepaid orders will be shipped by prepaid International Air Parcel Post, subject to size, weight, and category of material limitations. Any other mode of shipment requested by customer must be paid for by the customer. Shipments excluded from International Air Parcel Post for any reason, must be handled through an agent (shipping or brokerage firm) located in the U.S. as designated by the Purchaser. These parcels will be packed for overseas shipment and forwarded via express collect to the U.S. firm designated as agent. NOTE: Nuclear SRM's will not be shipped through an agent, they will be shipped direct.

TECHNICAL INQUIRIES

All technical inquiries regarding SRM's, RM's, and GM's should be directed to the Office of Standard Reference Materials, National Bureau of Standards, Washington, D.C. 20234. Telephone (301) 921-2045.

AVAILABILITY AND PRICE LIST
A. STANDARD REFERENCE MATERIALS

SRM	Type	Unit	Price	SRM	Type	Unit	Price
1b	Limestone, argillaceous	50 g	\$ 40	58a	Ferrosilicon (Si 75%)	75 g	\$ 54
3c	Iron, white	110 g	41	59a	Ferrosilicon (Si 50%)	50 g	48
4k	Cast iron (in preparation)			64b	Ferrochromium (high carbon)	100 g	39
5L	Iron, cast	150 g	49	65d	Steel, basic electric, 0.3C	150 g	41
6g	Iron, cast	150 g	44	70a	Feldspar, potash	40 g	40
7g	Iron, cast (high phosphorus) ..	150 g	41	71	Calcium molybdate	60 g	37
8j	Steel, bessemer (simulated), 0.1C	150 g	41	72f	Steel, Cr-Mo (SAE X4130) ...	150 g	41
10g	Steel, bessemer, 0.2C	150 g	41	73c	Steel, stainless Cr13 (SAE 420)	150 g	41
11h	Steel, B.O.H. 0.2C	150 g	41	79a	Fluorspar	120 g	48
12h	Steel, B.O.H. 0.4C	150 g	41	82b	Iron, nickel-chromium cast ...	150 g	41
13g	Steel, B.O.H. 0.6C	150 g	41	83c	Arsenic trioxide, oxidimetric	75 g	40
14e	Steel, B.O.H. 0.8C	150 g	41	84h	Potassium phthalate, acid, acidimetric	60 g	34
15g	Steel, B.O.H. 0.1C	150 g	41	85b	Aluminum alloy, wrought	75 g	41
16e	Steel, B.O.H. 1.1C	150 g	41	87a	Aluminum-silicon alloy	75 g	41
17a	Sucrose (cane sugar)	60 g	34	88a	Limestone, dolomitic	50 g	40
19g	Steel, A.O.H. 0.2C	150 g	41	89	Glass, lead-barium	45 g	35
20g	Steel, AISI 1045	150 g	41	90	Ferrophosphorus	75 g	37
25c	Ore, manganese	100 g	35	91	Glass, opal	45 g	35
27e	Ore, iron, Sibley	100 g	36	92	Glass, low boron	45 g	35
30f	Steel, Cr-V (SAE 6150)	150 g	41	93a	Glass, high boron	ea	58
32e	Steel, Ni-Cr (SAE 3140)	150 g	41	94c	Zinc-base die-casting alloy ...	150 g	43
33d	Steel, Ni-Mo (SAE 4820)	150 g	41	97a	Clay, flint	60 g	90
36b	Steel, Cr2-Mol	150 g	41	98a	Clay, plastic	60 g	90
37e	Brass, sheet	150 g	41	99a	Feldspar, soda	40 g	40
39i	Benzoic acid, calorimetric	30 g	40	100b	Steel, manganese (SAE TI340)	150 g	41
40h	Sodium oxalate, oxidimetric ..	60 g	40	101f	Steel, stainless, Cr18-Ni9(SAE 304)	100 g	41
41b	Dextrose (glucose)	70 g	37	103a	Chrome refractory	60 g	35
42g	Tin, freezing-point std.	350 g	64	105	Steel, high-sulfur, 0.2C (car- bon only)	150 g	33
43h	Zinc, freezing-point	350 g	54	106b	Steel, Cr-Mo-Al (Nitalloy G)	150 g	41
44f	Aluminum, freezing-point std.	200 g	79	107b	Iron, cast, Ni-Cr-Mo	150 g	41
45d	Copper, freezing-point std. ..	450 g	54	113a	Zinc Concentrate	100 g	36
49e	Lead, freezing-point std.	600 g	54	114m	Cement, turbidimetric and fineness std.	set (20)	54
50c	Steel, W18-Cr4-V1	150 g	41	115a	Iron, cast, Cu-Ni-Cr	150 g	41
51b	Steel, electric furnace 1.2C ..	150 g	41				
53e	Bearing metal, lead-base	150 g	41				
54d	Bearing metal, tin-base	170 g	41				
57	Silicon, refined	60 g	37				

SRM	Type	Unit	Price	SRM	Type	Unit	Price
120b	Phosphate Rock (Florida)	90 g	\$ 53	181	Ore, lithium (Spodumene)	45 g	\$ 35
121d	Steel, Cr 17-Ni11-Ti0.3, AISI 321	150 g	41	182	Ore, lithium (Petalite)	45 g	35
122e	Iron, cast (car-wheel)	150 g	41	183	Ore, lithium (Lepidolite)	45 g	35
123c	Steel, Cr17-Ni11-Nb0.7, AISI 348	150 g	41	184	Bronze, leaded-tin	150 g	41
124d	Bronze (Cu85-Pb5-Sn5-Zn5) ounce metal	150 g	41	185e	Potassium hydrogen phthalate, pH	60 g	43
125b	Steel, high silicon	150 g	41	186Ic	Potassium dihydrogen phosphate, pH	30 g	43
126c	Steel, high-nickel (36% Ni) ...	150 g	41	186IIc	Disodium hydrogen phosphate, pH	30 g	38
127b	Solder (Sn40-Pb60)	150 g	41	187b	Borax, pH	30 g	38
129c	Steel, high-sulfur	150 g	41	188	Potassium hydrogen tartrate, pH	60 g	38
131b	Steel, low-carbon silicon	100 g	35	189	Potassium tetroxalate, pH	65 g	38
132b	Steel, tool	150 g	41	191	Sodium bicarbonate, pH	30 g	41
133a	Steel, stainless (Cr13-Mo0.3-S0.3)	150 g	41	192	Sodium carbonate, pH	30 g	41
134a	Steel, Mo8-W2-Cr 4-V1	150 g	41	193	Potassium Nitrate, Fertilizer	90 g	53
136c	Potassium dichromate, oxidimetric	60 g	40	194	Ammonium dihydrogen phosphate, Fertilizer	90 g	53
139a	Steel, Cr-Ni-Mo (AISI 8640) ..	150 g	41	195	Ferrosilicon (75% Si, High Purity)	75 g	54
140b	Benzoic acid	2 g	36	196	Ferrochromium (low carbon)	100 g	53
141b	Acetanilide	2 g	36	198	Silica refractory (0.2% Al ₂ O ₃)	45 g	35
142	Anisic acid	2 g	34	199	Silica refractory (0.5% Al ₂ O ₃)	45 g	35
143c	Cystine . . . Temporarily out of stock	2 g		200	Potassium Dihydrogen Phosphate	90 g	52
147	Triphenyl phosphate	2 g	36	217b-5	2,2,4-Trimethylpentane	5 ml	66
148	Nicotinic acid	2 g	32	217b-8S	2,2,4-Trimethylpentane	8 ml	73
152a	Steel, B.O.H. 0.5C, 0.03 Sn ..	150 g	41	217b-25	2,2,4-Trimethylpentane	25 ml	188
153a	Steel, Co8-Mo9-W2-Cr4-V2 ..	150 g	41	276	Tungsten Carbide	75 g	35
154b	Titanium Dioxide	90 g	58	291	Steel, Cr-Mo (ASTM A213-65)	150 g	41
155	Steel, Cr0.5-W0.5	150 g	41	293	Steel, Cr-Ni-Mo (AISI 8620)	150 g	41
157a	Nickel silver (Cu58-Ni12-Zn29)	135 g	41	307	Metallic brown	60 g	34
158a	Bronze, silicon	150 g	41	329	Zinc Concentrate	100 g	36
160b	Steel, stainless, Cr19-Ni14-Mo3 (SAE 316)	150 g	41	330	Copper, millheads	100 g	54
162a	Monel-type (Ni64-Cu31)	150 g	41	331	Copper, milltails	100 g	54
163	Steel, 0.9C, 0.9Mn, 1.0Cr	100 g	48	332	Copper, concentrate	50 g	54
166c	Steel, stainless, low-carbon ..	100 g	33	333	Molybdenum, concentrate ...	35 g	54
168	Cobalt-base alloy, Co41-Mo4-Nb3-Ta1-W4	150 g	41	335	Steel, B.O.H. 0.1C (carbon only)	300 g	35
171	Magnesium-base alloy	100 g	41	336	Steel, Cr-V (carbon only), 1-g pins	75 g	39
173a	Titanium alloy 6Al-4V	100 g	41	337	Steel, B.O.H. 1.1C (carbon only)	300 g	35
174	Titanium alloy 4Al-4Mn	100 g	41				
176	Titanium alloy 5Al-2.5Sn	100 g	41				
178	Steel, basic oxygen 0.4C	150 g	41				
180	Fluorspar, high-grade	120 g	48				

SRM	Type	Unit	Price	SRM	Type	Unit	Price
339	Steel, stainless, Cr17-Ni9-0.2Se (SAE 303Se)	150 g	\$ 48	381	Calcium silicate	4 kg	\$ 33
340	Ferroniobium	100 g	53	382a	Gas furnace black (Set of 4) ..	32 kg	60
341	Iron, ductile	150 g	41	383	Mercaptobenzothiazole (Set of 4)	3.2 kg	41
342	Iron, nodular	150 g	41	384b	N-tertiary-Butyl-2-benzothiazolesulfenamide (set of 4)	3.2 kg	67
342a	Iron, nodular	150 g	43	385b	Natural rubber	31.4 kg	113
343	Steel, stainless, Cr16-Ni2 (SAE 431)	150 g	41	386h	Styrene-butadiene type 1500 ..	34 kg	70
344	Steel, stainless, Cr15-Ni7-Mo2-Al1	150 g	41	388i	Butyl rubber	34 kg	111
345	Steel, stainless, Cr16-Ni4-Cu3	150 g	41	389	Styrene-butadiene, type 1503	34 kg	62
346	Steel, valve (Cr22-Ni4-Mn9) ..	150 g	48	391	Acrylonitrile-butadiene rubber	25 kg	113
348	Steel, Ni26-Cr15 (A286)	150 g	41	392	Ethylene Thiourea (in preparation)		
349	Nickel-base alloy (Ni57-Co14-Cr20)	150 g	41	404a	Steel, basic electric	ea	38
350	Benzoic acid, acidimetric	30 g	40	405a	Steel, medium manganese	ea	38
352	Titanium, unalloyed, for hydrogen	20 g	43	407a	Steel, chromium-vanadium ..	ea	38
353	Titanium, unalloyed, for hydrogen	20 g	43	408a	Steel, chromium-nickel	ea	38
354	Titanium, unalloyed, for hydrogen	20 g	43	409b	Steel, nickel	ea	38
355	Titanium, unalloyed, for oxygen	20 g	48	413	Steel, A.O.H. 0.4C	ea	38
356	Titanium alloy, 6Al-4V	20 g	48	414	Steel, Cr-Mo (SAE 4140)	ea	38
360a	Zircaloy-2	100 g	63	417a	Steel, B.O.H. 0.4C	ea	38
361	Steel, AISI 4340, chip	150 g	41	418	Steel, Cr-Mo (SAE X4130) ...	ea	38
362	Steel, AISI 94B17 (modified), chip	150 g	41	418a	Steel, Cr-Mo (SAE X4130) ...	ea	38
363	Steel, Cr-V (modified), chip ..	150 g	41	420a	Iron, ingot	ea	38
364	Steel, high carbon (modified), chip	150 g	41	427	Steel, Cr-Mo (boron only) (SAE 4150)	ea	38
365	Iron, electrolytic, chip	150 g	41	431	Tin A	ea	43
366	Set, 1 ea of 361, 362, 363, 364 and 365	set	108	432	Tin B	ea	43
370d	Zinc oxide (Set of 4)	8 kg	42	433	Tin C	ea	43
371g	Sulfur (Set of 4)	6 kg	49	434	Tin D	ea	43
372h	Stearic acid (Set of 4)	3.2 kg	46	435	Tin E	ea	43
373f	Benzothiazyl disulfide (Set of 4)	2 kg	48	436	Steel, special Cr6-Mo3-W10 ..	ea	43
374c	Tetramethylthiuram disulfide	2 kg	48	437	Steel, special Cr8-Mo2-W3-Co3	ea	43
375f	Channel black (Set of 4)	28 kg	75	438	Steel, Mo high speed (AISI-SAE-M30)	ea	43
376a	Light magnesia	450 g	33	439	Steel, Mo high speed (AISI-SAE-M36)	ea	43
377	Phenyl-beta-naphthylamine ..	600 g	35	440	Steel, special W high speed Cr2-W13-Co12	ea	43
379	Conducting black	5.5 kg	34	441	Steel, W high speed (AISI-SAE-TI)	ea	43
380	Calcium carbonate	6 kg	33	442	Steel, stainless, Cr16-Ni10 ...	ea	43
				443	Steel, stainless, Cr18.5-Ni9.5	ea	43

SRM	Type	Unit	Price	SRM	Type	Unit	Price
444	Steel, stainless, Cr20.5-Ni10 ..	ea	\$ 43	609	Glass, trace elements, set 2		
445	Steel, stainless, Cr13-Mo0.9 (Modified AISI 410)	ea	43		each 615 and 617	set	\$ 204
446	Steel, stainless, Cr18-Ni9 (Modified AISI 321)	ea	43	610	Glass, trace elements 500 ppm, 3 mm	ea	71
447	Steel, stainless, Cr24-Ni13 (Modified AISI 309)	ea	43	611	Glass, trace elements 500 ppm, 1 mm	ea	71
448	Steel, stainless, Cr9-Mo0.3 (Modified AISI 403)	ea	43	612	Glass, trace elements 50 ppm, 3 mm	ea	71
449	Steel, stainless, Cr5.5-Ni6.5 ..	ea	43	613	Glass, trace elements 50 ppm, 1 mm	ea	71
450	Steel, stainless, Cr3-Ni25	ea	43	614	Glass, trace elements 1 ppm, 3 mm	ea	71
461	Steel, low-alloy A	ea	43	615	Glass, trace elements 1 ppm, 1 mm	ea	71
462	Steel, low-alloy B	ea	43	616	Glass, trace elements .02 ppm, 3 mm	ea	71
463	Steel, low-alloy C	ea	43	617	Glass, trace elements, .02 ppm, 1 mm	ea	71
464	Steel, low-alloy D	ea	43	618	Glass, trace elements, 3 mm ..	set	204
465	Iron, ingot E	ea	43	619	Glass, trace elements, 1 mm ..	set	204
466	Iron, ingot F	ea	43	620	Glass flat, soda lime	pkg (3)	53
467	Steel, low-alloy G	ea	43	621	Glass, container, soda-line	pkg (3)	60
468	Steel, low-alloy H	ea	43	625	Zinc-base A	ea	58
478	Microprobe, cartridge brass ..	set (2)	52	626	Zinc-base B	ea	58
479	Microprobe, Fe-Cr-Ni Alloy ..	ea	58	627	Zinc-base C	ea	58
480	Microprobe, Tungsten—20% Molybdenum alloy	ea	133	628	Zinc-base D	ea	58
481	Microprobe, Gold-silver wires	set	138	629	Zinc-base E	ea	58
482	Microprobe, Gold-copper wires	set	138	630	Zinc-base F	ea	58
483	Microprobe, Iron-3% silicon ..	ea	58	631	Zinc spelter (Modified)	ea	58
485	Austenite in ferrite	ea	93	633	Cement, Portland B (red)	set (3)	36
493	Iron carbide in ferrite	ea	93	634	Cement, Portland C (gold)	set (3)	36
593	Hydrocarbon blends—Blend No. 2	set	40	635	Cement, Portland D (blue)	set (3)	36
594	Hydrocarbon blends—Blend No. 3	set	40	636	Cement, Portland F (yellow) ..	set (3)	36
595	Hydrocarbon blends—Blend No. 4	set	40	637	Cement, Portland G (pink) ...	set (3)	36
596	Hydrocarbon blends—Blend No. 5	set	40	638	Cement, Portland I (green) ...	set (3)	36
597	Hydrocarbon blends—Blend No. 6	set	40	639	Cement, Portland J (clear)	set (3)	36
599	Hydrocarbon blends—Blend No. 8	set	40	640	X-Ray diffraction standard ...	10 g	54
607	Potassium Feldspar, Trace Rubidium and Strontium	5 g	44	641	Titanium alloy 8Mn(A)	ea	58
608	Glass, trace elements, set 2 each 614 and 616	set	204	642	Titanium alloy 8Mn(B)	ea	58
				643	Titanium alloy 8Mn(C)	ea	58
				644	Titanium alloy 2Cr-2Fe- 2Mo(A)	ea	58
				645	Titanium alloy 2Cr-2Fe- 2Mo(B)	ea	58

SRM	Type	Unit	Price	SRM	Type	Unit	Price
646	Titanium alloy 2Cr-2Fe-2Mo(C)	ea	\$ 58	714	Glass, alkaline earth alumina silicate	225 g	\$ 46
654a	Titanium alloy, 6Al-4V	ea	43	715	Glass, alkali-free aluminosilicate	200 g	46
661	Steel, AISI 4340, rod	ea	33	716	Glass, neutral (borosilicate) ..	250 g	46
662	Steel, AISI 94B17 (modified), rod	ea	33	717	Glass, standard, borosilicate ..	450 g	79
663	Steel, Cr-V (modified), rod ...	ea	33	718	Polycrystalline alumina, Elasticity	ea	203
664	Steel, high carbon (modified), rod	ea	33	720	Sapphire, synthetic (Al ₂ O ₃) ..	15 g	64
665	Iron, electrolytic, rod	ea	33	723	Tris(hydroxymethyl)amino-methane, basimetric	50 g	59
666	Set of one each (661 & 665) ...	set	48	724a	Tris(hydroxymethyl)amino-methane, calorimetric	50 g	53
667	Set of one each (662 & 663) ...	set	48	725	Mossbauer Differential Chemical Shift	ea	163
668	Set of one each (661, 662, 663, 664 and 665)	set	83	726	Selenium	450 g	53
671	Nickel oxide 1	25 g	43	728	Zinc	450 g	51
672	Nickel oxide 2	25 g	43	731L1	Borosilicate glass, thermal expansion, 2 in.	ea	79
673	Nickel oxide 3	25 g	43	731L2	Borosilicate glass, thermal expansion, 4 in.	ea	127
680L-1	Platinum, high-purity	ea	53	731L3	Borosilicate glass, thermal expansion, 6 in.	ea	175
680L-2	Platinum, high-purity	ea	231	733	Thermocouple wire, Silver—28% Gold, 32 AWG (0.2019 mm dia.) and 3 meters long	ea	93
681L-1	Platinum, doped	ea	48	734S	Iron, electrolytic, thermal conductivity, rod 6.4 mm diam., 305 mm long	ea	83
681L-2	Platinum, doped	ea	231	734L1	Iron, electrolytic, thermal conductivity, rod, 31.8 mm diam., 152 mm long	ea	93
682	Zinc, high-purity	ea	98	734L2	Iron, electrolytic, thermal conductivity, rod 31.8 mm diam., 305 mm long	ea	158
683	Zinc metal	ea	63	735S	Stainless steel, thermal conductivity, rod 0.65 cm diam., 30 cm long	ea	83
685R	Gold, high-purity (rod)	ea	159	735M1	Stainless steel, thermal conductivity, rod 1.25 cm diam., 15 cm long	ea	108
685W	Gold, high-purity (wire)	ea	89	735M2	Stainless steel, thermal conductivity, rod 1.25 cm diam., 30 cm long	ea	158
700c	Paper, light-sensitive	pkg	48	735L1	Stainless steel, thermal conductivity, rod 3.2 cm diam., 5 cm long	ea	133
701c	Paper, standard faded strips ..	bkl	163				
702	Plastic chips, light-sensitive ..	pkg	48				
703	Plastic chips, light-sensitive ..	pkg	48				
704a	Paper, internal tearing resistance	set (4)	64				
705	Polystyrene, narrow molecular weight	5 g	91				
706	Polystyrene, broad molecular weight	18 g	41				
707	Water vapor permeance, 12 sheets	pkg	53				
708	Glass, relative stress optical coefficient	set (2)	79				
709	Glass, extra dense lead, 4×4×5 cm	500 g	74				
710	Glass, soda-lime silica	900 g	60				
711	Glass, lead-silica	1.3 kg	83				
712	Glass, mixed alkali lead silicate	225 g	46				
713	Glass, dense barium crown ...	225 g	46				

SRM	Type	Unit	Price	SRM	Type	Unit	Price
735L2	Stainless steel, thermal conductivity, rod 3.2 cm diam., 10 cm long	ea	\$ 183	764-1	Platinum, magnetic susceptibility, cylinder	ea	\$ 94
736L1	Copper, thermal expansion, 2 in.	ea	79	764-2	Platinum, magnetic susceptibility, wire	ea	54
736L2	Copper, thermal expansion, 4 in.	ea	127	765-1	Palladium, magnetic susceptibility, cylinder	ea	104
736L3	Copper, thermal expansion, 6 in.	ea	175	765-2	Palladium, magnetic susceptibility, wire	ea	64
737L1	Tungsten, thermal expansion 51mm (in preparation)			765-3	Palladium, magnetic susceptibility, sponge	ea	79
737L2	Tungsten, thermal expansion 102mm (in preparation)			766-1	Manganese Fluoride, magnetic susceptibility, cube	ea	79
737L3	Tungsten, thermal expansion 152mm (in preparation)			767	Superconducting fixed point ..	ea	254
739L1	Fused-silica, thermal expansion, 2 in.	ea	79	797-1	Electrolytic iron, 5 cm	ea	52
739L2	Fused-silica, thermal expansion, 4 in.	ea	127	797-2	Electrolytic iron, 10 cm	ea	62
739L3	Fused-silica, thermal expansion, 6 in.	ea	175	797-3	Electrolytic iron, 15 cm	ea	77
740	Zinc, primary freezing-point std.	350 g	104	798-1	Austenitic stainless steel, 5 cm	ea	52
741	Tin, primary freezing-point std.	350 g	129	798-2	Austenitic stainless steel, 10 cm	ea	62
742	Alumina, high temperature melting point	10 g	71	798-3	Austenitic stainless steel, 15 cm	ea	77
745	Gold, vapor pressure std.	ea	93	803a	Steel, A.O.H. 0.6C	ea	38
746	Cadmium, vapor pressure std.	ea	73	D803a	Steel, A.O.H. 0.6C	ea	43
747	Platinum vapor pressure standard (in preparation)			804a	Steel, basic electric	ea	38
748	Silver, vapor pressure std. ...	ea	83	805a	Steel, medium manganese	ea	38
749	Tungsten vapor pressure standard (in preparation)			D805a	Steel, medium manganese	ea	43
758	DTA temperature std. (125-435 °C)	set (5)	53	807a	Steel, chromium-vanadium ..	ea	38
759	DTA temperature std. (295-675 °C)	set (5)	53	D807a	Steel, chromium-vanadium ..	ea	43
760	DTA temperature std. (570-940 °C)	set (5)	53	808a	Steel, chromium-nickel	ea	38
763-1	Aluminum, magnetic susceptibility, cylinder	ea	49	809b	Steel, nickel	ea	38
763-2	Aluminum, magnetic susceptibility, wire	ea	44	D809b	Steel, nickel	ea	43
763-3	Aluminum, magnetic susceptibility, (GOUY), rod	ea	104	810a	Steel, Cr2-Mo1	ea	38
				817a	Steel, B.O.H. 0.4C	ea	38
				820a	Iron, ingot	ea	38
				D820a	Iron, ingot	ea	43
				821	Steel, Cr-W, 0.9C	ea	38
				827	Steel, Cr-Mo (boron only) (SAE 4150)	ea	38
				837	Steel, special (Cr8-Mo2-W3-Co3)	ea	51
				D837	Steel, special (Cr8-Mo2-W3-Co3)	ea	58
				838	Steel, Mo high speed (AISI-SAE-M30)	ea	51

SRM	Type	Unit	Price	SRM	Type	Unit	Price
D838	Steel, Mo high speed (AISI-SAE-M30)	ea	\$ 58	931a	Liquid filters for spectrophotometry, clinical, 3 sets of 4	set (12)	\$ 73
D839	Steel, Mo high speed (AISI-SAE-M36)	ea	58	932	Quartz cuvette for spectrophotometry	ea	213
840	Steel, special W high speed (Cr2-W13-Co12)	ea	51	933	Clinical laboratory thermometers	set (3)	385
D840	Steel, special W high speed (Cr2-W13-Co12)	ea	58	934	Clinical laboratory thermometer	ea	235
D841	Steel, W high speed (AISI-SAE-T1)	ea	58	944	Plutonium sulfate tetrahydrate, assay	0.5 g	84
845	Steel, Cr13-Mo0.9 (Modified AISI 410)	ea	51	945	Plutonium metal, std. matrix ..	5 g	508
D845	Steel, Cr13-Mo0.9 (Modified AISI 410)	ea	58	946	Plutonium, 12% isotopic	0.25 g	158
D846	Steel, Cr18-Ni9 (Modified AISI 321)	ea	58	947	Plutonium, 18% isotopic	0.25 g	158
D847	Steel, Cr24-Ni13 (Modified AISI 309)	ea	58	948	Plutonium, 8% isotopic	0.25 g	75
849	Steel, Cr5.5-Ni6.5	ea	51	949d	Plutonium metal, assay	0.5 g	158
D849	Steel, Cr5.5-Ni6.5	ea	58	950a	Uranium oxide (U ₃ O ₈)	25 g	36
850	Steel, Cr3-Ni25	ea	51	951	Boric acid	100 g	63
D850	Steel, Cr3-Ni25	ea	58	952	Boric acid, 95% enriched ¹⁰ B ..	0.25 g	48
911a	Cholesterol, clinical	2 g	48	953	Neutron density monitor wire, 1 meter long	ea	47
912	Urea, clinical	25 g	44	960	Uranium metal, assay	26 g	58
913	Uric acid, clinical	10 g	38	961	Fission Track Glass U-461 ...	set (6)	54
914	Creatinine, clinical	10 g	44	962	Fission Track Glass U-37	set (6)	54
915	Calcium carbonate, clinical ..	20 g	38	963	Fission Track Glass U-0.8	set (6)	54
916	Bilirubin, clinical	100 mg	100	964	Fission Track Glass U-0.07 ..	set (6)	54
917	D-Glucose, clinical	25 g	51	975	Sodium chloride—isotopic ...	0.25 g	48
918	Potassium chloride, clinical ..	30 g	48	976	Copper metal—isotopic	0.25 g	48
919	Sodium chloride, clinical	30 g	48	977	Sodium bromide—isotopic ...	0.25 g	48
920	D-Mannitol, clinical	50 g	65	978	Silver nitrate—isotopic	0.25 g	48
921	Cortisol	1 g	67	979	Chromium nitrate—isotopic ..	0.25 g	48
922	Tris (hydroxymethyl) aminomethane, clinical	25 g	48	980	Magnesium metal—isotopic ..	0.25 g	48
923	Tris (hydroxymethyl) aminomethane hydrochloride, clinical	35 g	48	981-3	Lead—isotopic	set	113
924	Lithium carbonate, clinical ...	30 g	58	984	Rubidium chloride, isotopic ..	1 g	51
925	VMA(4-Hydroxy-3-Methoxymandelic acid) clinical	1 g	61	987	Strontium carbonate, isotopic	1 g	48
930b	Glass filters for spectrophotometry, clinical	set (3)	395	988	Strontium-84 spike, isotopic ..	1 mg	158
				989	Rhenium, assay and isotopic ..	pkg (50)	82
				999	Potassium chloride, primary ..	60 g	61
				1001	X-ray step tablet, 0-4	ea	78
				1002b	Hardboard sheet	set (4)	43
				1003	Glass spheres (5-30 μ m)	40 g	41
				1004	Glass beads (sieve Nos. 140-400)	63 g	56
				1006	Smoke density std., nonflaming	set (3)	40

SRM	Type	Unit	Price	SRM	Type	Unit	Price
1007a	Smoke density std., flaming (Temporarily out of stock) ...			1064	Mercuric cyclohexanebutyrate	5 g	\$ 39
1008	Photographic step tablet, 0-4 ..	ea	\$ 76	1065b	Nickel cyclohexanebutyrate ..	5 g	39
1009	Photographic step tablet 0-3 ..	ea	62	1066a	Octaphenylcyclotetrasiloxane	5 g	39
1010a	Microcopy test chart	set (5)	18	1069b	Sodium cyclohexanebutyrate	5 g	39
1016	Cement, Portland	set (3)	36	1070a	Strontium cyclohexanebut- yrate	5 g	39
1017a	Glass beads (sieve Nos. 50- 140)	84 g	48	1071a	Triphenyl phosphate	5 g	39
1018a	Glass beads (sieve Nos. 25-60)	74 g	48	1073b	Zinc cyclohexanebutyrate	5 g	39
1019	Glass spheres (sieve Nos. 8- 18)	100 g	39	1074a	Calcium 2-ethylhexanoate	5 g	39
1020	Zinc sulfide phosphor	14 g	32	1075a	Aluminum 2-ethylhexanoate ..	5 g	39
1021	Zinc silicate phosphor	28 g	32	1076	Potassium erucate	5 g	39
1022	Zinc sulfide phosphor	14 g	32	1077a	Silver 2-ethylhexanoate	5 g	39
1023	Zinc-cadmium sulfide phos- phor (Ag activator)	14 g	34	1078b	Tris(1-phenyl-1,3-butane- diono) chromium (III)	5 g	41
1024	Zinc-cadmium sulfide phos- phor (Cu activator)	14 g	32	1079b	Tris(1-phenyl-1,3-butane- diono) iron (III)	5 g	39
1025	Zinc phosphate phosphor	28 g	32	1080a	Bis(1-phenyl-1,3-butane- diono) copper (II)	5 g	39
1026	Calcium tungstate phosphor ..	28 g	32	1089	Gasometric, Set: 1 ea of 1095, 1096, 1097, 1098, and 1099	set (5)	83
1027	Magnesium tungstate phos- phor	28 g	32	1090	Gasometric, Iron, ingot	ea	63
1028	Zinc silicate phosphor	28 g	32	1091	Gasometric, Steel, stainless (AISI 431)	ea	63
1029	Calcium silicate phosphor	14 g	32	1092	Gasometric, Steel, vacuum- melted	ea	63
1030	Magnesium arsenate phosphor	28 g	32	1093	Gasometric, Steel, valve	ea	63
1031	Calcium halophosphate phos- phor	28 g	32	1094	Gasometric, Steel, maraging ..	ea	63
1032	Barium silicate phosphor	28 g	32	1095	Gasometric, Steel, AISI 4340, rod	ea	41
1033	Calcium phosphate phosphor	28 g	32	1096	Gasometric, Steel, AISI 94B17 (modified), rod	ea	41
1051b	Barium cyclohexanebutyrate	5 g	39	1097	Gasometric, Steel, Cr-V (mo- dified), rod	ea	41
1052b	Bis(1-phenyl-1,3-butane- diono) oxovanadium (IV)	5 g	39	1098	Gasometric, Steel, highcarbon (modified), rod	ea	41
1053a	Cadmium cyclohexanebut- yrate	5 g	39	1099	Gasometric, Iron, electrolytic, rod	ea	41
1055b	Cobalt cyclohexanebutyrate ..	5 g	39	1101	Brass, cartridge B	ea	73
1057b	Dibutyltin bis(2-ethylhexan- oate)	5 g	39	C1101	Brass, cartridge B	ea	73
1059b	Lead cyclohexanebutyrate ...	5 g	39	1102	Brass, cartridge C	ea	73
1060a	Lithium cyclohexanebutyrate	5 g	39	1103	Brass, free-cutting A	ea	73
1061c	Magnesium cyclohexanebut- yrate	5 g	39	C1103	Brass, free-cutting A	ea	73
1062a	Manganous cyclohexanebut- yrate	5 g	39	1104	Brass, free-cutting B	ea	73
1063a	Menthyl borate	5 g	39	C1104	Brass, free-cutting B	ea	73

SRM	Type	Unit	Price	SRM	Type	Unit	Price
1105	Brass, free-cutting C	ea	\$ 73	1139	Steel, cast 2	ea	\$ 73
C1105	Brass, free-cutting C	ea	73	1140a	Iron, ductile 1	ea	73
1106	Brass, naval A	ea	73	1141a	Iron, ductile 2	ea	73
C1106	Brass, naval A	ea	73	1142a	Iron, ductile 3	ea	73
1107	Brass, naval B	ea	73	1143	Iron, blast furnace 1	ea	73
C1107	Brass, naval B	ea	73	1144	Iron, blast furnace 2	ea	73
1108	Brass, naval C	ea	73	1147a	Iron, white cast	ea	73
C1108	Brass, naval C	ea	73	1148	Iron, white	ea	73
1109	Brass, red A	ea	73	1149	Iron, white	ea	73
C1109	Brass, red A	ea	73	1152	Steel, stainless B (Cr18-Ni10)	ea	73
1110	Brass, red B	ea	73	1154	Steel, stainless D (Cr19-Ni10)	ea	73
C1110	Brass, red B	ea	73	1155	Steel, stainless, Cr18-Ni12-Mo2	ea	73
1111	Brass, red C	ea	73	1156	Steel, maraging (disk form) ..	ea	73
C1111	Brass, red C	ea	73	1157	Steel, tool	ea	58
1112	Gilding metal A	ea	73	1158	Steel, high nickel (36% Ni) ...	ea	58
C1112	Gilding metal A	ea	73	1159	Nickel-base alloy, 49% Ni, balance Fe	ea	73
1113	Gilding metal B	ea	73	1160	Nickel-base alloy, 80% Ni, 4% Mo, balance Fe	ea	73
C1113	Gilding metal B	ea	73	1166	Iron, ingot F	ea	73
1114	Gilding metal C	ea	73	1169	Steel, leaded	ea	73
C1114	Gilding metal C	ea	73	1170a	Steel, selenium-bearing	ea	42
1115	Bronze, commercial A	ea	73	1171	Steel, Cr17-Ni11-Ti0.3, AISI 321, disk	ea	58
C1115	Bronze, commercial A	ea	73	1172	Steel, Cr17-Ni11-Nb0.7, AISI 348, disk	ea	58
1116	Bronze, commercial B	ea	73	1185	Steel, stainless, AMS 5360A, AISI 316 alloy	ea	73
C1116	Bronze, commercial B	ea	73	1197	High temperature alloy, M308	ea	57
1117	Bronze, commercial C	ea	73	1198	High temperature alloy, Inco-loy 901 (Sold only in a set with SRM 1201)	set (2)	82
C1117	Bronze, commercial C	ea	73	1199	High temperature alloy, L605 (Sold only in a set with SRM 1200)	set (2)	82
1118	Brass, aluminum A	ea	73	1200	High temperature alloy, S816 (Sold only in a set with SRM 1199, above)		
C1118	Brass, aluminum A	ea	73	1201	High temperature alloy, Has-teloy (Sold only in a set with SRM 1198, above)		
1119	Brass, aluminum B	ea	73	1206-2	High temperature alloy, René 41	ea	58
C1119	Brass, aluminum B	ea	73	1207-1	High temperature alloy, Was-paloy (No. 1)	ea	58
1120	Brass, aluminum C	ea	73				
C1120	Brass, aluminum C	ea	73				
1121	Beryllium copper CA-172	ea	73				
C1121	Beryllium copper CA-172	ea	73				
1122	Beryllium copper CA-170	ea	73				
C1122	Beryllium copper CA-170	ea	73				
1123	Beryllium copper CA-175	ea	73				
C1123	Beryllium copper CA-175	ea	73				
1131	Solder (Sn40-Pb60)	ea	58				
1132	Bearing metal, lead-base	ea	58				
1134	Steel, high silicon	ea	58				
1135	Steel, high-silicon	ea	58				
1136	Steel, high-sulfur	ea	58				
1138	Steel, cast 1	ea	73				

SRM	Type	Unit	Price	SRM	Type	Unit	Price
1207-2	High temperature alloy, Waspaloy (No. 2)	ea	\$ 58	1315	Metal coating, nonmagnetic, 0.020 in thick	ea	\$ 47
1208-1	High temperature alloy, Inco 718 (No. 1)	ea	58	1316	Metal coating, nonmagnetic, 0.025 in thick	ea	47
1208-2	High temperature alloy, Inco 718 (No. 2)	ea	58	1317	Metal coating, nonmagnetic, 0.03 in thick	ea	47
1209	High temperature alloy, Set, 1 ea of 1206-2, 1207-1, 1207-2, 1208-1, and 1208-2	set	207	1318	Metal coating, nonmagnetic, 0.04 in thick	ea	47
1212a	Zirconium metal C	ea	62	1319	Metal coating, nonmagnetic, 0.06 in thick	ea	47
1261	Steel, AISI 4340, disk	ea	53	1320	Metal coating, nonmagnetic, 0.08 in thick	ea	47
1262	Steel, AISI 94B17 (modified), disk	ea	53	1331	Metal coating, magnetic, 0.00012 in thick	ea	47
1263	Steel, Cr-V (modified), disk ..	ea	53	1332	Metal coating, magnetic, 0.00035 in thick	ea	47
1264	Steel, high carbon (modified), disk	ea	53	1333	Metal coating, magnetic, 0.00055 in thick	ea	47
1265	Iron, electrolytic, disk	ea	53	1334	Metal coating, magnetic, 0.00075 in thick	ea	47
1266	Set, 1 ea of 1261, 1262, 1263, 1264, and 1265	set	183	1335	Metal coating, magnetic, 0.0010 in thick	ea	47
1301	Metal coating, nonmagnetic, 0.00010 in thick	ea	47	1336	Metal coating, magnetic, 0.0013 in thick	ea	47
1302	Metal coating, nonmagnetic, 0.00025 in thick	ea	47	1337	Metal coating, magnetic, 0.0016 in thick	ea	47
1303	Metal coating, nonmagnetic, 0.00050 in thick	ea	47	1338	Metal coating, magnetic, 0.0020 in thick	ea	47
1304	Metal coating, nonmagnetic, 0.00075 in thick	ea	47	1339	Metal coating, magnetic, 0.0025 in thick	ea	47
1305	Metal coating, nonmagnetic, 0.0010 in thick	ea	47	1341	Metal coating, magnetic, 0.00012 in thick	ea	47
1306	Metal coating, nonmagnetic, 0.0015 in thick	ea	47	1342	Metal coating, magnetic, 0.00035 in thick	ea	47
1307	Metal coating, nonmagnetic, 0.0020 in thick	ea	47	1343	Metal coating, magnetic, 0.00065 in thick	ea	47
1308	Metal coating, nonmagnetic, 0.0025 in thick	ea	47	1344	Metal coating, magnetic, 0.0010 in thick	ea	47
1309	Metal coating, nonmagnetic, 0.0027 in thick	ea	47	1345	Metal coating, magnetic, 0.0015 in thick	ea	47
1310	Metal coating, nonmagnetic, 0.0032 in thick	ea	47	1346	Metal coating, magnetic, 0.0020 in thick	ea	47
1311	Metal coating, nonmagnetic, 0.0055 in thick	ea	47	1351	Set of one each 1307 and 1311	set (2)	61
1312	Metal coating, nonmagnetic, 0.0080 in thick	ea	47	1352	Set of one each 1332 and 1334	set (2)	61
1313	Metal coating, nonmagnetic, 0.010 in thick	ea	47	1353	Set of one each 1335 and 1339	set (2)	61
1314	Metal coating, nonmagnetic, 0.015 in thick	ea	47	1361	Set of one each 1302, 1303, 1305, and 1307	set (4)	90

SRM	Type	Unit	Price	SRM	Type	Unit	Price
1362	Set of one each 1306, 1310, 1311, and 1312	set (4)	\$ 90	1404	Emittance std., 1 in. disk	ea	\$213
1363	Set of one each 1313, 1314, 1315, and 1316	set (4)	90	1405	Emittance std., 1 1/8 in. disk ..	ea	248
1364	Set of one each 1317, 1318, 1319, and 1320	set (4)	90	1406	Emittance std., 1 1/4 in. disk ..	ea	263
1365	Set of one each 1331, 1332, 1333, and 1334	set (4)	90	1407	Emittance std., 2 in. × 2 in. ...	ea	398
1366	Set of one each 1335, 1336, 1337, and 1338	set (4)	90	1408	Emittance std., 1 in. × 10 in. ...	ea	763
1367	Set of one each 1341, 1342, 1343, and 1344	set (4)	90	1409	Emittance std., 3/4 in. × 10 in.	ea	613
1368	Set of one each 1312, 1313, 1314, and 1315	set (4)	90	1420	Emittance std., 1/2 in. disk ...	ea	188
1369	Set of one each 1316, 1317, 1318, and 1319	set (4)	90	1421	Emittance std., 7/8 in. disk ...	ea	188
1370	Set of one each 1312, 1313, 1314, 1315, 1316, 1317, 1318, and 1319	set (8)	147	1422	Emittance std., 1 in. disk	ea	188
1371	Gold coating (Fe-Ni-Co) 30 microinches	ea	90	1423	Emittance std., 1 1/8 in. disk ..	ea	188
1372	Gold coating (Fe-Ni-Co) 60 microinches	ea	90	1424	Emittance std., 1 1/4 in. disk ..	ea	188
1373	Gold coating (Fe-Ni-Co) 120 microinches	ea	90	1425	Emittance std., 2 in. × 2 in. ...	ea	188
1374	Gold coating (Fe-Ni-Co) 280 microinches	ea	90	1427	Emittance std., 3/4 in. × 10 in.	ea	188
1375	Gold coating (Nickel) 30 microinches	ea	90	1428	Emittance std., 1/4 in. × 8 in.	ea	188
1376	Gold coating (Nickel) 60 microinches	ea	90	1440	Emittance std., 1/2 in. disk ...	ea	188
1377	Gold coating (Nickel) 120 microinches	ea	90	1441	Emittance std., 7/8 in. disk ...	ea	188
1378	Gold coating (Nickel) 350 microinches	ea	90	1442	Emittance std., 1 in. disk	ea	188
1381	Set of one each 1371 and 1372	set (2)	147	1443	Emittance std., 1 1/8 in. disk ..	ea	188
1382	Set of one each 1372 and 1373	set (2)	147	1444	Emittance std., 1 1/4 in. disk ..	ea	188
1383	Set of one each 1373 and 1374	set (2)	147	1445	Emittance std., 2 in. × 2 in. ...	ea	188
1384	Set of one each 1375 and 1376	set (2)	147	1475	Polyethylene, linear	50 g	108
1385	Set of one each 1376 and 1377	set (2)	147	1476	Polyethylene, branched	50 g	83
1386	Set of one each 1377 and 1378	set (2)	147	1511	Cyclohexane, dielectric	400 ml	133
1398	Set of one each 1371, 1372, 1373, and 1374	set (4)	262	1512	1,2 Dichloroethane, dielectric	400 ml	128
1399	Set of one each 1375, 1376, 1377, and 1378	set (4)	262	1513	Nitrobenzene, dielectric	400 ml	128
1402	Emittance std., 1/2 in. disk ...	ea	188	1516	Permittivity Std., 38 mm × 2.5 mm	ea	201
1403	Emittance std., 7/8 in. disk ...	ea	198	1517	Permittivity Std., 38 mm × 5 mm	ea	201
				1518	Permittivity Std., 51 mm × 2.5 mm	ea	201
				1519	Permittivity Std., 51 mm × 5 mm	ea	201
				1520	Resistivity, Boron-Doped Silicon	set (2)	429
				1541	Mossbauer, iron foil	ea	158
				1571	Botanical, orchard leaves, trace element	75 g	76
				1577	Biological, Liver, bovine	50 g	96
				1579	Powdered lead-base paint	35 g	39
				1600	Tape, magnetic, secondary std., cassette	ea	144
				1604a	Oxygen in nitrogen, 1.5 ppm ..	cyl	118
				1607	Oxygen in nitrogen, 211 ppm ..	cyl	118

SRM	Type	Unit	Price	SRM	Type	Unit	Price
1609	Oxygen in nitrogen, 20.98 mole percent	cyl	\$118	1677	Carbon Monoxide in N ₂ 9.74 ppm	cyl	\$ 303
1621	Sulfur in residual fuel oil, 1.05 wt percent	100 ml	38	1678	Carbon Monoxide in N ₂ 47.1 ppm	cyl	303
1622	Sulfur in residual fuel oil, 2.14 wt percent	100 ml	38	1679	Carbon Monoxide in N ₂ 94.7 ppm	cyl	303
1623	Sulfur in residual fuel oil, 0.268 wt percent	100 ml	38	1680	Carbon Monoxide in N ₂ 484 ppm	cyl	303
1624	Sulfur in distillate fuel oil, 0.211 wt percent	100 ml	38	1681	Carbon Monoxide in N ₂ 957 ppm	cyl	303
1625	Sulfur dioxide permeation tube 10 cm	ea	69	1683	Nitric oxide in N ₂ 50 ppm	cyl	303
1626	Sulfur dioxide permeation tube 5 cm	ea	69	1684	Nitric oxide in N ₂ 100 ppm ...	cyl	303
1627	Sulfur dioxide permeation tube 2 cm	ea	69	1685	Nitric oxide in N ₂ 250 ppm ...	cyl	303
1629	Nitrogen dioxide permeation device	ea	86	1686	Nitric oxide in N ₂ 500 ppm ..	cyl	303
1631	Sulfur in coal, three concentrations, 5 sets of 3	set	61	1687	Nitric oxide in N ₂ 1000 ppm ..	cyl	303
1632	Trace Elements in Coal	75 g	75	1810	Linerboard for tape test	pkg	41
1633	Trace Elements in Fly Ash ...	75 g	75	1815	n-Heptane	liter	192
1634	Trace Elements in Fuel Oil ...	100 ml		1816	Isooctane	liter	192
1636	Lead in reference fuel	set (12)	59	1820	Refractive index glass	set (2)	61
1637	Lead in reference fuel	set (12)	59	1821	Ethanol (in preparation)		
1638	Lead in reference fuel.....	set (12)	59	2003	Aluminum on glass, specular spectral reflectance	ea	283
1641	Mercury in water 1 ppm	set (6)	60	2005	Gold on glass, specular spectral reflectance	ea	283
1642	Mercury in water 1 ppb	950 ml	64	2006	Gold on glass, specular spectral reflectance	ea	283
1651	Zirconium-barium chromate heat source powder (ca 350 cal/g)	50 g	63	2007	Gold on glass, specular spectral reflectance	ea	283
1652	Zirconium-barium chromate heat source powder (ca 390 cal/g)	50 g	63	2008	Gold on glass, specular spectral reflectance	ea	283
1653	Zirconium-barium chromate heat source powder (ca 425 cal/g)	50 g	63	2101-5	Color std.	set	383
1654	α -Quartz for hydrofluoric acid solution calorimetry	25 g	183	2106	ISCC-NBS color charts	set	13
1665	Propane in Air 2.8 ppm	cyl	280	2141	Urea	2 g	41
1666	Propane in Air 9.5 ppm	cyl	280	2142	o-Bromobenzoic acid	2 g	41
1667	Propane in Air 48 ppm	cyl	280	2143	p-Fluorobenzoic acid	2 g	50
1668	Propane in Air 95 ppm	cyl	280	2144	m-Chlorobenzoic acid	2 g	43
1669	Propane in Air 475 ppm	cyl	280	2186-I	Potassium dihydrogen phosphate, pD	30 g	49
1673	Carbon Dioxide in N ₂ 0.95% ..	cyl	280	2186-II	Disodium hydrogen phosphate, pD	30 g	49
1674	Carbon Dioxide in N ₂ 7.2% ..	cyl	280	2191	Sodium bicarbonate, pD	30 g	49
1675	Carbon Dioxide in N ₂ 14.2% ..	cyl	280	2192	Sodium carbonate, pD	30 g	49
				2201	Sodium chloride ion-selective electrode	125 g	42
				2202	Potassium chloride ion-selective electrode	160 g	42

SRM	Type	Unit	Price	SRM	Type	Unit	Price
2301	Gold coating (epoxy) 30 microinches	ea	\$ 90	4202-B	Cadmium-109, gamma-ray point source	ea	\$ 102
2302	Gold coating (epoxy) 60 microinches	ea	90	4203-C	Cobalt-60, gamma-ray point source	ea	116
2303	Gold coating (epoxy) 120 microinches	ea	90	4207	Cesium-137, gamma-ray point source	ea	68
2304	Gold coating (epoxy) 280 microinches	ea	90	4209-B	Yttrium-88 point source	ea	151
2305	Set of one each 2301 and 2302	set (2)	147	4210	Cobalt-60, gamma-ray point source	ea	94
2306	Set of one each 2302 and 2303	set (2)	147	4211	Americium-241, gamma-ray point source	ea	136
2307	Set of one each 2303 and 2304	set (2)	147	4212	Krypton-85, gamma-ray point source	ea	168
2308	Set of one each 2301, 2302, 2303, and 2304	set (4)	262	4213	Americium-241, gamma-ray point source	ea	136
2311	Gold coating (copper) 30 microinches	ea	90	4214	Cobalt-57, gamma-ray point source	ea	86
2312	Gold coating (copper) 60 microinches	ea	90	4215-B	Mixed Radionuclides, gamma-ray point source	ea	68
2313	Gold coating (copper) 120 microinches	ea	90	4216-B	Mixed Radionuclides, gamma-ray point source	ea	68
2314	Gold coating (copper) 280 microinches	ea	90	4217	Silver-110m point source	ea	116
2315	Set of one each 2311 and 2312	set (2)	147	4219	Cadmium-109 soln std	5 g	102
2316	Set of one each 2312 and 2313	set (2)	147	4222	Carbon-14(n-hexadecane) soln. std.	3 g	63
2317	Set of one each 2313 and 2314	set (2)	147	4223	Carbon-14(n-hexadecane) soln. std.	3 g	63
2318	Set of one each 2311, 2312, 2313, and 2314	set (4)	262	4224	Carbon-14(n-hexadecane) soln. std.	3 g	63
2331	Tin coating 60 microinches ...	ea	90	4226	Nickel-63, soln. std.	4 g	157
2332	Tin coating 110 microinches ..	ea	90	4228-B	Selenium-75, soln. std.	4.6 g	102
2333	Tin coating 160 microinches ..	ea	90	4229	Aluminum-26, soln. std.	4.6 g	208
2334	Tin coating 275 microinches ..	ea	90	4232	Silver-110m soln. std.	5 g	116
2335	Tin coating 650 microinches ..	ea	90	4233	Cesium-137-Barium-137, Burn-up soln. std.	5.1 g	103
2336	Tin coating 750 microinches ..	ea	90	4235	Krypton-85, gamma-ray std. ..	ea	108
2338	Set of one each 2332 and 2335	set (2)	147	4240	Bismuth-207, gamma-ray point source	ea	147
2339	Set of one each 2331, 2333, 2334, and 2336	set (4)	262	4245	Carbon-14 (sodium carbonate) soln. std.	5 g	102
2340	Set of one each 2331, 2332, 2333, 2334, 2335, and 2336	set (6)	348	4246	Carbon-14 (sodium carbonate) soln. std.	5 g	102
3200	Tape, magnetic, secondary std, reel	ea	703	4247	Carbon-14 (sodium carbonate) soln. std.	5 g	102
4200-B	Cesium-137, gamma-ray point source	ea	68	4260	Iron-55 low energy photon source	ea	102
4201-B	Niobium-94, gamma-ray point source	ea	160	4302	Argon-39 (in preparation)		
				4303	Argon-39 (in preparation)		

SRM	Type	Unit	Price	SRM	Type	Unit	Price
4330	Plutonium-239 soln. std.	2 g	\$122	4964-B	Radium solution std., 102 μ g Ra	5 g	\$ 71
4331	Plutonium-239 soln. std.	2 g	122	4990-B	Carbon-14, contemporary std., for dating	1 lb	35
4332	Americium-243 soln. std.	2 g	102	4991-C	Sodium-22, gamma-ray point source	ea	87
4333	Americium-243 soln. std.	5 g	102	4996-B	Sodium-22, gamma-ray point source	ea	87
4904-D	Americium-241, alpha-particle source	ea	132				
4906	Plutonium-238, alpha-particle source	ea	166				
4907	Gadolinium-148, alpha-particle source	ea	100	4999-E	Cerium-139 point source	ea	112
4921-C	Sodium-22, soln. std.	3 g	50				
4922-E	Sodium-22, soln. std.	5 g	69				
4925	Carbon-14 (benzoic acid in toluene)	3 g	56	U-0002	Uranium oxide—depleted (U-235)	1 g	67
4926	Hydrogen-3 (water)	25 g	56	U-005	Uranium oxide—depleted (U-235)	1 g	57
4927	Hydrogen-3 (water)	3 g	56	U-010	Uranium oxide—enriched (U-235)	1 g	57
4929-C	Iron-55, soln. std.	4 g	123	U-015	Uranium oxide—enriched (U-235)	1 g	57
4935-C	Krypton-85, beta-particle gas std.	10 ml	108	U-020	Uranium oxide—enriched (U-235)	1 g	57
4940-B	Promethium-147, soln. std. ...	3 g	68	U-030	Uranium oxide—enriched (U-235)	1 g	57
4941-D	Cobalt-57, soln. std.	5 g	104	U-050	Uranium oxide—enriched (U-235)	1 g	57
4943	Chlorine-36, soln. std.	3 g	51	U-100	Uranium oxide—enriched (U-235)	1 g	58
4947	Hydrogen-3 (tritiated toluene)	4 g	54	U-150	Uranium oxide—enriched (U-235)	1 g	59
4949	Iodine-129, soln. std.	1 g	90	U-200	Uranium oxide—enriched (U-235)	1 g	60
4950-B	Radium solution std., 10 ⁻⁹ g (Rd analysis)	20 g	89	U-350	Uranium oxide—enriched (U-235)	1 g	63
4951	Radium solution std., 10 ⁻¹¹ g (Rd analysis)	100 g	56	U-500	Uranium oxide—enriched (U-235)	1 g	64
4952-B	Blank solution (in preparation)			U-750	Uranium oxide—enriched (U-235)	1 g	70
4953	Radium solution std., 10 ⁻⁸ g (Rd analysis)	20 g	89	U-800	Uranium oxide—enriched (U-235)	1 g	70
4955	Radium solution std., 0.1 μ g Ra	5 g	71	U-850	Uranium oxide—enriched (U-235)	1 g	71
4956	Radium solution std., 0.2 μ g Ra	5 g	71	U-900	Uranium oxide—enriched (U-235)	1 g	72
4957	Radium solution std., 0.5 μ g Ra	5 g	71	U-930	Uranium oxide—enriched (U-235)	1 g	74
4958	Radium solution std., 1 μ g Ra	5 g	71	U-970	Uranium oxide—enriched (U-235)	1 g	77
4959	Radium solution std., 2 μ g Ra	5 g	71				
4960	Radium solution std., 5 μ g Ra	5 g	71				
4961	Radium solution std., 10 μ g Ra	5 g	71				
4962	Radium solution std., 20 μ g Ra	5 g	80				
4963	Radium solution std., 50 μ g Ra	5 g	71				

RM	Type	Unit	Price
B. RESEARCH MATERIALS			
RM-1C	Ultra-purity aluminum, single crystal cube	ea	\$ 98
RM-1R	Ultra-purity aluminum, polycrystalline rod	ea	58
RM-100	SEM Resolution Test Specimen (A1-W)	ea	48

GM	Type	Unit	Price
C. GENERAL MATERIALS			
GM-1	Hydrogen in steel	set	\$ 94
GM-2	Hydrogen in steel	set	94
GM-5	Nickel and Vanadium in Residual Oil	500 ml	34
GM-2007	Clay, Attapulugus	18 kg	177

D. CONVERSION PACKAGE			
CP-1	ASCII, 800	ea	502
CP-2	ASCII, 1600	ea	502
CP-3	EBCDIC, 800	ea	502
CP-4	EBCDIC, 1600	ea	502
CP-5	BCD, 556	ea	502
CP-6	BCD, 800	ea	502

U.S. DEPARTMENT OF COMMERCE
National Bureau of Standards
Washington, D.C. 20234

OFFICIAL BUSINESS

Penalty for Private Use, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE
COM-215

FOURTH CLASS MAIL

