

National Bureau of Standards  
Library, E-01 Admin. Bldg.

JUN 3 1970

Reference book not to be  
taken from the library.

UNITED STATES  
DEPARTMENT OF  
COMMERCE  
PUBLICATION



## NBS SPECIAL PUBLICATION 315-5

# Bibliography on the High Temperature Chemistry and Physics of Materials

U.S.  
DEPARTMENT  
OF  
COMMERCE

National  
Bureau  
of  
Standards

JANUARY, FEBRUARY, MARCH 1970

## NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards<sup>1</sup> was established by an act of Congress March 3, 1901. Today, in addition to serving as the Nation's central measurement laboratory, the Bureau is a principal focal point in the Federal Government for assuring maximum application of the physical and engineering sciences to the advancement of technology in industry and commerce. To this end the Bureau conducts research and provides central national services in four broad program areas. These are: (1) basic measurements and standards, (2) materials measurements and standards, (3) technological measurements and standards, and (4) transfer of technology.

The Bureau comprises the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, the Center for Radiation Research, the Center for Computer Sciences and Technology, and the Office for Information Programs.

**THE INSTITUTE FOR BASIC STANDARDS** provides the central basis within the United States of a complete and consistent system of physical measurement; coordinates that system with measurement systems of other nations; and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of an Office of Measurement Services and the following technical divisions:

Applied Mathematics—Electricity—Metrology—Mechanics—Heat—Atomic and Molecular Physics—Radio Physics<sup>2</sup>—Radio Engineering<sup>2</sup>—Time and Frequency<sup>2</sup>—Astrophysics<sup>2</sup>—Cryogenics.<sup>2</sup>

**THE INSTITUTE FOR MATERIALS RESEARCH** conducts materials research leading to improved methods of measurement standards, and data on the properties of well-characterized materials needed by industry, commerce, educational institutions, and Government; develops, produces, and distributes standard reference materials; relates the physical and chemical properties of materials to their behavior and their interaction with their environments; and provides advisory and research services to other Government agencies. The Institute consists of an Office of Standard Reference Materials and the following divisions:

Analytical Chemistry—Polymers—Metallurgy—Inorganic Materials—Physical Chemistry.

**THE INSTITUTE FOR APPLIED TECHNOLOGY** provides technical services to promote the use of available technology and to facilitate technological innovation in industry and Government; cooperates with public and private organizations in the development of technological standards, and test methodologies; and provides advisory and research services for Federal, state, and local government agencies. The Institute consists of the following technical divisions and offices:

Engineering Standards—Weights and Measures—Invention and Innovation—Vehicle Systems Research—Product Evaluation—Building Research—Instrument Shops—Measurement Engineering—Electronic Technology—Technical Analysis.

**THE CENTER FOR RADIATION RESEARCH** engages in research, measurement, and application of radiation to the solution of Bureau mission problems and the problems of other agencies and institutions. The Center consists of the following divisions:

Reactor Radiation—Linac Radiation—Nuclear Radiation—Applied Radiation.

**THE CENTER FOR COMPUTER SCIENCES AND TECHNOLOGY** conducts research and provides technical services designed to aid Government agencies in the selection, acquisition, and effective use of automatic data processing equipment; and serves as the principal focus for the development of Federal standards for automatic data processing equipment, techniques, and computer languages. The Center consists of the following offices and divisions:

Information Processing Standards—Computer Information—Computer Services—Systems Development—Information Processing Technology.

**THE OFFICE FOR INFORMATION PROGRAMS** promotes optimum dissemination and accessibility of scientific information generated within NBS and other agencies of the Federal Government; promotes the development of the National Standard Reference Data System and a system of information analysis centers dealing with the broader aspects of the National Measurement System, and provides appropriate services to ensure that the NBS staff has optimum accessibility to the scientific information of the world. The Office consists of the following organizational units:

Office of Standard Reference Data—Clearinghouse for Federal Scientific and Technical Information<sup>3</sup>—Office of Technical Information and Publications—Library—Office of Public Information—Office of International Relations.

<sup>1</sup> Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D.C. 20234.

<sup>2</sup> Located at Boulder, Colorado 80302.

<sup>3</sup> Located at 5285 Port Royal Road, Springfield, Virginia 22151.

UNITED STATES DEPARTMENT OF COMMERCE  
MAURICE H. STANS, *Secretary*  
NATIONAL BUREAU OF STANDARDS • LEWIS M. BRANSCOMB, *Director*

# BIBLIOGRAPHY ON THE HIGH TEMPERATURE CHEMISTRY AND PHYSICS OF MATERIALS

January, February, March  
1970

J. J. Diamond, Editor  
Institute for Materials Research  
National Bureau of Standards  
Washington, D. C. 20234

Under the auspices of the  
International Union of Pure and Applied Chemistry  
Commission on High Temperatures and Refractories



U.S. National Bureau of Standards, Special Publication 315-5

Nat. Bur. Stand. (U.S.), Spec. Publ. 315-5, 82 pages (Apr. 1970)  
CODEN: XNBSA

Issued April 1970

AUG 2 1970

Not acc. Ref.  
AC 100  
.U57  
115.315.5  
1970

## Contributors

### PART I. Compiled by

N. F. H. Bright, Department of Energy, Mines and Resources, Ottawa, Ontario, Canada.  
G. MeMaria, University of Rome, Rome, Italy.  
J. J. Diamond, National Bureau of Standards, Washington, D. C., U.S.A.  
H. Flood, Norwegian Institute of Technology, Trondheim, Norway.  
M. Foex, C.N.R.S., Super-Refractories Laboratory, Odeillo, France.  
J. Hlavac, University of Chemical Technology, Prague, Czechoslovakia.  
M. G. Hocking, Imperial College of Science and Technology, London, England.  
H. Mii, University of Nagoya, Nagoya, Japan.  
H. Nowotny, University of Vienna, Vienna, Austria.  
G. D. Rieck, Eindhoven Institute of Technology, Eindhoven, Netherlands.  
A. Wittmann, Vienna Institute of Technology, Vienna, Austria.

### PART II. Compiled by

L. Brewer, University of California, Berkeley, California, U.S.A.

## Contents

### PART I. Solids and Liquids

	Page
A. Devices for achieving temperatures above 1500 °C .....	1
B. Devices for measuring and controlling temperatures above 1500 °C .....	2
C. Devices for physical measurements at temperatures above 1000 °C.....	2
D. Thermodynamic properties, at temperatures below 1000 °C, of materials which melt above 1500 °C .....	4
E. Properties, at temperatures above 1000 °C, of materials which melt above 1500 °C .....	4
a. Metallic materials .....	4
b. Non-metallic materials .....	9
c. Mixed materials .....	15
F. Properties, at temperatures above 1000 °C, of materials which melt below 1500 °C .....	15
a. Metallic materials .....	15
b. Non-metallic materials .....	17
c. Mixed materials .....	21
G. Phase equilibria above 1000 °C .....	22
H. Reactions at temperatures above 1000 °C .....	33
I. Books .....	44

### PART II. Gases

A. Spectroscopy of interest to high temperature chemistry .....	46
B. Reaction between gases and condensed phases .....	70



## PREFACE

This is one of a series of current-awareness bibliographies on high-temperature chemistry and physics published under the auspices of the Commission on High Temperatures and Refractories of the International Union of Pure and Applied Chemistry. The first issue covered the period October-December 1957 and, with several changes in title, format and content, the series has appeared quarterly since that time. It acquired its present format and status as a National Bureau of Standards publication with the issue covering the fourth quarter of 1968.

It is compiled by an International Working Group on Bibliographies, attached to the Commission, consisting of about fifteen scientists. Part I is compiled by the Contributors scanning the pertinent journals published in their countries and in some cases, of adjacent countries, while the literature of other countries is covered by the editor, mainly from published lists of tables of contents. Part II is obtained by searching Chemical Abstracts.

With very few exceptions, abbreviations of journal names follow the usage of Chemical Abstracts. Journal names using non-Roman alphabets are transliterated when the original is being referenced. In those cases where translation journals are referenced its name and pagination are used.

All titles are translated into English. Translations are by the contributors, the editor, Chemical Abstracts, or those published in table of contents lists.

Bibliography on the High Temperature Chemistry and  
Physics of Materials

January, February, March 1970

J. J. Diamond, Editor

The bibliography consists of references to research involving temperatures above 1000 °C, which were noted by the Contributors during the above three-month period. Since this is intended primarily as a current-awareness bibliography, there is no cross-referencing or indexing. This issue contains about 750 references roughly grouped under fifteen subject headings.

Key words: Bibliography, high temperature; chemistry, high temperature; high temperature chemistry; materials properties; research at high temperatures; thermophysical properties.

Part I. SOLIDS AND LIQUIDS

A. Devices for achieving temperatures above 1500 °C

1. A very high-temperature irradiation furnace  
A. Briand (Ctr. Études Nucl., 38-Grenoble, Fr.)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 137-47 (1969)
2. Ultra-vacuum furnace with external electron-gun  
B. Donville (Lab. Géol., Fac. Sci. Toulouse, Fr.)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 149-52 (1969)
3. Furnace for growing crystals by vapor-phase transport, in which growth can be continuously observed  
G. W. Lord and R. H. Moss (P. O. Res. Dept., London, N.W.2)  
J. Sci. Instr. 3, 177-79 (1970)
4. An apparatus for floating zone melting of refractory metals by electron bombardment  
K. Masumoto and Y. Tamura (Nat. Res. Inst. Met., Meguro-ku, Tokyo)  
Rept. Nat. Res. Inst. Met. 12 [1], 111-19 (1969)
5. New device for melting without crucible. Fusion of refractory oxides in a multitubular system  
Y. Roulin, G. Vitter and C. Déportes (Lab. Chim. Miner. Electrochim., Fac. Sci., 38-Grenoble, Fr.)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 153-58 (1969)

B. Devices for measuring and controlling temperatures above 1500 °C

1. International temperature scale 1968  
M. Brezinscak  
Tehnika (Belgrade) 24 [11], 1735-45 (1969)
2. Possibility of deriving a temperature scale by means of the absolute optical method  
V. E. Finkelshtein  
Izmeritel. Tekh. [7], 944-46 (1969)
3. Ratio pyrometer for use in Q-machines  
E. Guilino and P. Müller (Inst. Plasmaphys. GmbH, 8046 Garching bei München, Germ.)  
Rev. Sci. Instr. 41 [3], 429-34 (1970)
4. Investigation of errors in a vanishing-filament pyrometer  
A. V. Kogan  
Izmeritel. Tekh. [7], 947-50 (1969)
5. An isotype heterojunction detector for pyrometry  
M. J. Hampshire, T. I. Pritchard, R. D. Tomlinson and C. Hackney (Elec. Eng. Dept., Univ. Salford, U. K.)  
J. Sci. Instr. 3, 185-88 (1970)

C. Devices for physical measurements at temperatures above 1000 °C

1. Equipment for thermal and differential thermal analysis to 3000 °C  
N. L. Baldwin, S. Langer, F. L. Kester and C. Hancock (Gulf Gen. Atomic, San Diego, Calif. 92112)  
Rev. Sci. Instr. 41 [2], 200-06 (1970)
2. Quantitative thermography method for determining heats of reaction in melts  
V. I. Bershak and M. N. Smirnova  
Zh. Fiz. Khim. 43 [12], 3184-86 (1969)
3. Effusion from Knudsen triple cells  
L. R. Bidwell (AF Mater. Lab., Wright-Patterson AFB, Ohio)  
J. Chem. Phys. 52 [4], 1987-91 (1970)
4. High-speed (subsecond) measurement of heat capacity, electrical resistivity, and thermal radiation properties of Mo in the range 1900 to 2800 K  
A. Cezairliyan, M. S. Morse, H. A. Berman and C. W. Beckett (Nat. Bur. Std., Washington, D. C. 20234)  
J. Res. Nat. Bur. Stand. 74A [1], 65-92 (1970)
5. Application of high-temperature microscopy to production problems  
H. S. Hartmann (Owens-Illinois, Tech. Ctr., Toledo, Ohio)  
Glass Ind. 51 [2], 60-65; [3], 116-19 (1970)



- C. 6. An infra-red frequency shift method for determination of the high-temperature phases of aluminosilicate minerals  
K. J. D. MacKenzie (Chem. Dept., Victoria Univ. of Wellington, New Zealand)  
J. Appl. Chem. (London) 19, 65-67 (1969)
7. Device for measuring the thermal characteristics of metals at high temperatures  
I. N. Makarenko, A. V. Arutyunov and L. P. Filippov  
Zavod. Lab. 35 [9], 1129-31 (1969)
8. An electronic tensile testing machine for automatic control of strain rate between the gage marks at elevated temperatures  
T. Matsuba and G. Abe (Shimazu Seisakusho Ltd., Kyoto)  
Zairyo 18 [186], 215-20 (1969)
9. A new high-temperature calorimeter and its application for the determination of the enthalpies of mixing of liquid Co-Ni alloys  
B. Predel and R. Mohs (Inst. Metallforsch., Univ. Münster/Westf., Germ.)  
Arch. Eisenhüttenw. 41, 61-66 (1970)
10. A method for the determination of the expansion of refractory materials at temperatures between 20 and 2300 °C  
D. M. Schachtin, E. W. Lewintowitsch, T. L. Piwowar and G. G. Jeliszejewa  
Sprechsaal 103, 5-6 (1970)
11. Mass spectrometric method for determining oxygen self diffusion in glasses  
H. A. Schaeffer and H. J. Oel  
Z. Naturforsch. 25A [1], 59-64 (1970)
12. Chamber for investigating the effect of pressures up to 35 kbars and temperatures up to 1500 °C on the electrical conductivity of solid dielectric materials  
A. B. Slutskii  
Pribery Tekh. Eksper. [6], 183-84 (Nov.-Dec. 1969)
13. Some effects of a temperature gradient on Knudsen effusion  
E. Storms (Los Alamos Sci. Lab., Los Alamos, N. M. 87544)  
High Temp. Sci. 1 [4], 456-65 (1969)
14. Development and application of a furnace periscope  
H.-J. Voss and T. Werner (Huttentech. Vereinigung der Deut. Glasind., Frankfurt/Main, Germ.)  
Am. Ceram. Soc. Bull. 49 [3], 276-79 (1970)
15. Spacial distributions of the vapor species in alkali halide effusion beams  
W. L. Winterbottom (Ford Motor Co., Sci. Res. Staff, Dearborn, Mich. 48121)  
J. Chem. Phys. 51 [12], 5610-13 (1969)

- C. 16. On the trial production of heat insulating indenters for hot hardness testers  
Y. Yamane, T. Kinoshita and M. Sobajima (Nippon Kogaku K. K., Res. Lab., Tokyo)  
Zairyo 18 [186], 221-25 (1969)
- D. Thermodynamic properties, at temperatures below 1000 °C, of materials which melt above 1500 °C
1. Formation enthalpy of oxides and chalcogenides of transition elements  
S. M. Ariya and M. P. Morozova (Zhdanov Univ., Leningrad, USSR)  
Zh. Fiz. Khim. 43 [12], 3007-12 (1969)
  2. Thermal properties of alkaline earth oxides. Specific heat measurements  
E. Gmelin  
Z. Naturforsch. 24A [11], 1794-800 (1969)
  3. Studies on the sublimation of IIB-VIA compounds. II. The dependence of the sublimation pressure of CdS on crystalline orientation  
Z. A. Munir (Mater. Sci. Dept., Sch. Eng., San Jose State College, San Jose, Calif. 95114)  
High Temp. Sci. 2 [1], 58-64 (1970)
  4. Heat capacity at low temperatures, absolute entropy and enthalpy at standard conditions of niobium nitride  
I. E. Paukov, P. G. Strelkov, V. A. Palitsyn and E. M. Moroz (Acad. Sci., Inorg. Chem. Inst., Novosibirsk, USSR)  
Zh. Fiz. Khim. 43 [10], 2607-09 (1969)
  5. Specific heat of rare earth nitrides  
W. Stutius (Lab. Festkorperphys., E.T.H., Zurich, Switz.)  
Phys. Kondens. Mater. 10 [2], 152-85 (1969)
  6. Theory of heats of formation of solid solutions of alkaline earth metal oxides  
V. S. Urusov (Vernadskii Geochem. & Anal. Chem. Inst., Moscow)  
Zh. Fiz. Khim. 43 [12], 3026-29 (1969)
  7. Heats of formation of SiC and WC  
B. F. Yudin and T. P. Markholiya  
Zh. Prikl. Khim. 42 [11], 2587-89 (1969)
- E. Properties, at temperatures above 1000 °C, of materials which melt above 1500 °C
- a. Metallic materials
1. Physical nature of high-temperature creep of Nb  
E. A. Abramyan, L. I. Ivanov and V. A. Yanushkevich  
Fiz. Metal. Metallov. 28 [3], 496-500 (1969)

- Ea. 2. High temperature resistivity measurements on Cr  
J. M. Anderson, A. D. Stewart and I. Ramsay  
Phys. Status Solidi 37 [1], 325-28 (1970)
3. A mass spectrometric study of the volatilization behavior in the  
Pu-C system  
J. E. Battles, W. A. Shinn, P. E. Blackburn and R. K. Edwards  
(Argonne Nat. Lab., Chem. Eng. Div., Argonne, Ill. 60439)  
High Temp. Sci. 2 [1], 80-93 (1970)
4. Density and surface energy of liquid alloys of Cr with Fe and Si  
B. A. Baum, I. A. Pavars and P. V. Geld (Kirov Polytech. Inst.,  
Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [10], 2456-60 (1969)
5. Characteristics of some binary transition metal hydrides  
L. C. Beavis (Sandia Labs., Albuquerque, N. M. 87115)  
J. Less-Common Metals 19 [4], 315-28 (1969)
6. Investigation of cathode materials prepared from mixed metal  
hexaborides  
G. Bliznakov, I. Tselovski and P. Peshev (Inst. Gen. & Inorg. Chem.,  
Bulgarian Acad. Sci., Sofia 13, Bulg.)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 159-64 (1969)
7. High temperature tensile properties of Ir single crystals  
C. A. Brooks, J. H. Greenwood and J. L. Routbort  
J. Inst. Metals 98, 27-31 (1970)
8. Creep behavior of Mo single crystals  
A. H. Clauer, B. A. Wilcox and J. P. Hirth (Battelle Mem. Inst.  
and Met. Eng. Dept., Ohio State Univ., Columbus, Ohio)  
Acta Met. 18 [3], 367-79 (1970)
9. Dislocation substructure induced by creep in Mo single crystals  
A. H. Clauer, B. A. Wilcox and J. P. Hirth (Battelle Mem. Inst.  
and Met. Eng. Dept., Ohio State Univ., Columbus, Ohio)  
Acta Met. 18 [3], 381-97 (1970)
10. Specific electrical resistance of liquid Pd-Ni, Pd-Co, Pd-Cu,  
Pd-Fe, Pd-Mn, and Pd-Al alloys  
E. L. Dubinin, O. A. Esin and N. A. Vatolin (Acad. Sci., Met. Inst.,  
Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [10], 2611-13 (1969)
11. Surface properties and adsorption phenomena of Fe-C melts  
S. I. Filippov and A. A. Kipriyanov  
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 12 [11], 15-18 (Nov. 1969)

- Ea. 12. Evaluation of the high temperature creep of polycrystalline W by determining prolonged hot hardness  
Yu. N. Golovanov, A. A. Tsvetaev, O. A. Balakhovskii and R. K. Chuzhko  
Fiz.-Khim. Mekh. Mater. 5 [5], 628-30 (1969)
13. Effect of temperature and the rate of deformation on the creep strength of technically pure and alloyed Mo  
L. K. Gordienko, C. V. Kopetskii and L. G. Smalyakova  
Fiz. Khim. Obrab. Mater. [6], 76-84 (Nov.-Dec. 1969)
14. The surface energies of solid Mo, Nb, Ta and W  
E. N. Hodkin, M. G. Nicholas and D. M. Poole (A.E.R.E., Harwell, Didcot, Berks., U. K.)  
J. Less-Common Metals 20 [2], 93-103 (1970)
15. The W filament used in the electron tube heater of indirectly heating type  
M. Iwamura (New Nippon Electric Co., Otsu, Japan)  
Zairyo 18 [188], 428-33 (1969)
16. Mass spectrometric study of the thermodynamic properties of solid Au-Pt alloys  
R. W. Jones, F. E. Stafford and D. H. Whitmore (Mater. Res. Ctr., Northwestern Univ., Evanston, Ill.)  
Met. Trans. 1 [2], 403-13 (1970)
17. Creep of internally nitrided Mo-based alloy in a N<sub>2</sub> environment  
J. S. Kane (Lawrence Rad. Lab., Livermore, Calif.)  
Met. Trans. 1 [2], 548-49 (1970)
18. An investigation of the factors affecting the fracture characteristics of cracked W crystals  
P. L. Key, II (Univ. of Calif., Berkeley, 1969)  
Dissertation Abstr. 30B [5], 2212 (1969-70)
19. Recovery of damage in neutron irradiated W/25 wt% Re  
L. K. Keys (Magnavox Co., Fort Wayne, Indiana 46803), J. P. Smith and J. Moteff (G. E. Nucl. Systems Progr., Cincinnati, Ohio 45215)  
J. Nucl. Mater. 33 [3], 337-39 (1969)
20. On the stability of transition element carbides in N<sub>2</sub> up to pressures of 300 atm  
R. Kieffer, H. Nowotny, P. Ettmayer and M. Freudhofmeier (Inst. Chem. Tech. Anorg. Stoffe, Tech. Hochschule Wien and Inst. Phys. Chem., Univ. Wien, Austria)  
Monatsh. Chem. 101, 65-82 (1970)

- Ea. 21. Hot-pressing of  $ZrB_2$ - $LaB_6$  mixtures  
M. Kinoshita, S. Kose and Y. Hamano (Govt. Ind. Res. Inst., Osaka, Ikeda, Japan)  
Bull. Gov't. Ind. Res. Inst., Osaka 20 [4], 260-69 (1969); Yogyo Kyokai Shi 77 [886], 200-07 (1969)
22. Plasticity and creep in single crystals of ZrC  
D. W. Lee and J. S. Haggerty (A. D. Little, Inc., Cambridge, Mass. 02140)  
J. Am. Ceram. Soc. 52 [12], 641-47 (1969)
23. Effect of an Ar medium on the softening of W in the temperature regions of polygonization and recrystallization  
V. S. Mordyuk, G. F. Sinitsyn and V. I. Cherkashin  
Fiz. Khim. Obrab. Mater. [6], 140-42 (Nov.-Dec. 1969)
24. Thermodynamics of the Fe-S melts in the temperature range of 1100 ~ 1300 °C  
M. Nagamori, T. Hatakeyama and M. Kameda (Dept. Met., Fac. Eng., Tohoku Univ., Sendai)  
Nippon Kinzoku Gakkai Shi 33 [3], 366-70 (1969)
25. Emissivity of monocarbides of Ti, Nb and their alloys in the range of homogeneity  
L. N. Okhremchuk, I. A. Podchernyaeva, G. Sh. Upadkhaya and V. S. Fomenko (Polytech. Inst., Kiev, UkSSR)  
Izv. Vyssh. Ucheb. Zaved., Fiz. [11], 126 (Nov. 1969)
26. Kinematic viscosity and electric resistance of liquid alloys of Fe and Cr  
I. A. Pavars, B. A. Baum and P. V. Geld (Kirov Polytech. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [11], 2744-48 (1969)
27. Device for testing Pt alloys at temperatures of 100-1500 °C in silicate melts for creep and long-term strength  
S. S. Prapor, I. N. Novikov, F. S. Novik and E. I. Rytvin  
Zavod. Lab. 35 [11], 1394 (1969)
28. Thermal conductivity of transition metal carbides  
L. G. Radosevich and W. S. Williams (Phys. Dept. and Mater. Res. Lab., Univ. Illinois, Urbana, Ill. 61801)  
J. Am. Ceram. Soc. 53 [1], 30-33 (1970)
29. Dynamic strain aging during the creep of a Mo-Ti-C alloy  
P. L. Raffo (Illinois Inst. Tech., Chicago, Ill.)  
ASM Trans. Quart. 62 [4], 846-51 (1969)
30. Neutron damage in Mo irradiated at high temperatures  
R. C. Rau, F. S. D'Aragona and R. L. Ladd (G. E. Nucl. Systems, Cincinnati, Ohio 45215)  
Phil. Mag. 21, 441-52 (1970)



- Ea. 31. Microstructure of arc-cast W after high-temperature creep deformation  
R. C. Rau, S. F. Bartram and P. N. Flagella (G. E. Missiles & Space Div., Cincinnati, Ohio 45215)  
ASM Trans. Quart. 62 [4], 949-56 (1969)
32. The influence of a carbide dispersion on the recrystallization behaviour of Cr  
N. E. Ryan and S. T. M. Johnstone (Aero. Res. Labs., Australian Defence Sci. Service, Dept. Supply, Melbourne)  
J. Less-Common Metals 20 [1], 7-18 (1970)
33. Effect of Sn and Ni additions on the solubility and surface energy of Cu in mild steel  
W. J. M. Salter (Metallography Lab., Brit. Steel Co., Stocksbridge, U. K.)  
J. Iron Steel Inst. (London) 208, 1619-23 (1969)
34. Activation of W sintering by Pt-group metals  
G. F. Samsonov and V. I. Yakovlev  
Porosh. Met. 10 [1], 37-44 (Jan. 1970)
35. Positive and negative ion sublimation from transition metal surfaces. A review of some recent results  
M. D. Scheer (Nat. Bur. Std., Washington, D. C. 20234)  
J. Res. Nat. Bur. Stand. 74A [1], 37-43 (1970)
36. High temperature thermodynamic properties of solid refractory metal alloys. The Ta-Mo, Ta-W, and Nb-Mo systems  
S. C. Singhal (Univ. of Pennsylvania, 1969)  
Dissertation Abstr. 30B [6], 2730 (1969-70)
37. Activity of Mn in Pt-Mn alloys  
P. N. Smith and M. W. Davies (BISTA, British Steel Corp., London)  
Trans. Inst. Mining Met. 79C, 60-61 (1970)
38. The vaporization behavior of the defect carbides. I. The Nb-C system  
E. Storms, B. Calkin and A. Yench (Los Alamos Sci. Lab., Los Alamos, N. M. 87544)  
High Temp. Sci. 1 [4], 430-55 (1969)
39. The effects of small amounts of Be on the high temperature oxidation of 80Ni-20Cr alloy  
A. Takei and H. Takaishi (Nat. Res. Inst. Met., Meguro-ku, Tokyo)  
Rept. Nat. Res. Inst. Met. 12 [2], 185-91 (1969)
40. The thermoelectric powers of transition metals at high temperatures  
M. V. Vedernikov (Acad. Sci., Inst. Semiconductors, Leningrad, USSR)  
Advances in Phys. 18 [74], 337-70 (1969)

- Ea. 41. Tungsten emissive properties  
V. Vujnovic (Inst. Phys., Univ. of Zagreb, Yugoslavia)  
J. Opt. Soc. Am. 60 [2], 177-79 (1970)
42. Solubility of  $N_2$  in molten Fe-V alloy  
H. Wada, K. Gunji and T. Wada (Nat. Res. Inst. Met., Meguro-ku, Tokyo)  
Nippon Kinzoku Gakkai Shi 33 [6], 720-24 (1969)
43. Solubility of  $N_2$  and its interaction with  $O_2$  in liquid Fe  
H. Wada, K. Gunji and T. Wada (Nat. Res. Inst. Met., Meguro-ku, Tokyo)  
Rept. Nat. Res. Inst. Met. 12 [1], 9-15 (1969)
44. Solubility of  $N_2$  in molten Fe-Ni and Fe-Cr alloys  
H. Wada, K. Gunji and T. Wada (Nat. Res. Inst. Met., Meguro-ku, Tokyo)  
Rept. Nat. Res. Inst. Met. 12 [1], 17-24 (1969)

b. Non-metallic materials

1. Destabilization of the  $Y_2O_3$ - $ZrO_2$  fluorite phase by electrolysis  
S. K. Adams and R. E. W. Casselton (Int. R/D Co., Fossway, Newcastle upon Tyne, England)  
J. Am. Ceram. Soc. 53 [2], 117 (1970)
2. Columnar grain growth in axially heated urania based sinters  
I. Amato (FIAT, Sez. Energia Nucl., Torino, Italy) and R. L. Colombo (Ctr. Sperim. Met., Rome)  
J. Nucl. Mater. 32 [2], 351-53 (1969)
3. Matrix isolation studies of group-IV oxides. I. Infrared spectra and structures of  $SiO$ ,  $Si_2O_2$  and  $Si_3O_3$   
J. S. Anderson and J. S. Ogden (Inorg. Chem. Lab., Oxford Univ., Engl.)  
J. Chem. Phys. 51 [10], 4189-96 (1969)
4. Mechanism of initial sintering of  $UO_2$   
J. J. Backmann and G. Cizeron  
J. Nucl. Mater. 33 [3], 271-85 (1969)
5. Effect of  $TiO_2$  on initial sintering of  $Al_2O_3$   
R. D. Bagley, I. B. Cutler and D. L. Johnson (Mater. Sci. Div., Univ. Utah, Salt Lake City, Utah 84112)  
J. Am. Ceram. Soc. 53 [3], 136-41 (1970)
6. Surface enthalpy of thoria gel  
M. J. Bannister (Australian A.E.R.E., Lucas Heights, N.S.W., Australia)  
J. Am. Ceram. Soc. 52 [12], 675-76 (1969)

- Eb. 7. High-temperature deformation of alumina double bicrystals  
P. F. Becher and H. Palmour, III (Eng. Res. Dept., North Carolina State Univ., Raleigh, N. C. 27607)  
J. Am. Ceram. Soc. 53 [3], 119-23 (1970)
8. Stoichiometry of  $\text{UO}_2$ - $\text{SiO}_2$  vitroceramics  
I. L. Beleută (Inst. Atom. Phys., Bucharest, Rumania)  
J. Nucl. Mater. 33 [1], 124-27 (1969)
9. Selection and use of thermal insulating materials in furnaces  
J. D. Blakeley (Babcock & Wilcox (Operations) Ltd., U. K.)  
J. Brit. Ceram. Soc. 6, 140-45 (1969)
10. Behavior of C at very high pressures and temperatures  
F. P. Bundy (G. E. Co., R/D Ctr., Schenectady, N. Y. 12301)  
Proc. Koninkl. Ned. Akad. Wetenschap., Ser. B-Phys. Sci. 72 [5], 302-16 (1969)
11. Thermodynamic activity and Gibbs free energies of formation of  $\text{TiO}_2$  binary solutions with oxides  
B. P. Burylev, V. V. Vasilev and G. P. Borovik (Siber. Met. Inst., Novokuznetsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3057-60 (1969)
12. Life testing SiC heating elements  
R. L. Casper (Refract. and Elec. Develop. Dept., Carborundum Co., Niagara Falls, N. Y.)  
Am. Ceram. Soc. Bull. 49 [2], 201-03 (1970)
13. Substructure and perfection in  $\text{UO}_2$  single crystals  
A. T. Chapman (School of Ceram. Eng., Georgia Inst. Tech., Atlanta, Ga. 30332) and G. W. Clark, D. E. Hendrix, C. S. Yust and O. B. Cavin (Oak Ridge Nat. Lab., Oak Ridge, Tenn. 37830)  
J. Am. Ceram. Soc. 53 [1], 46-51 (1970)
14. Electrical conductivity of the  $\text{NiO}$ - $\text{CoFe}_2\text{O}_3$  system  
J. S. Choi and K. H. Yoon (Chem. Dept., Yonsei Univ., Seoul, Korea)  
J. Phys. Chem. 74 [5], 1095-98 (1970)
15. Refractories under stress  
W. Davies, G. M. Thomson, C. Millar and M. Wynne (Res. Lab., J. Stein Ltd., U. K.)  
J. Brit. Ceram. Soc. 6, 146-54 (1969)
16. Grain growth in fully dense ZnO  
S. K. Dutta and R. M. Spriggs (Mater. Res. Ctr., Lehigh Univ., Bethlehem, Pa. 18015)  
J. Am. Ceram. Soc. 53 [1], 61-62 (1970)
17. The heat of crystallization of diopside  
A. Ferrier (Inst. Rech. Sidérurgie, St. Germain-en-Laye, Fr.)  
Ber. Deut. Keram. Ges. 47, 64-67 (1970)

- Eb. 18. Carbon electrode in electric spark discharge. IV. Relation between electro-discharging properties in kerosene and physical properties of carbons  
T. Furuta, Y. Sanada and H. Honda (Resources Res. Inst., Kawaguchi, Saitama, Japan)  
Tanso [58], 246-50 (1969)
19. The composition of the vapour over  $\text{LaB}_6$  as it evaporates in vacuo  
L. M. Gert, V. I. Minashkin and A. A. Babad-Zakhryapin  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2000-01 (1969)
20. Vaporization of UN and heat of sublimation of U  
K. A. Gingerich (Battelle Mem. Inst., Columbus, Ohio 43201)  
J. Chem. Phys. 51 [10], 4433-39 (1969)
21. Strength of flame-fusion-grown Mg-Al spinel  
J. G. Grabmaier and H. R. Falckenberg (Forschungslab., Siemens AG, Munich, Germ.)  
J. Am. Ceram. Soc. 52 [12], 648-50 (1969)
22. Densification mechanisms in hot-pressing of MgO with a fugitive liquid  
P. E. Hart, R. B. Atkin and J. A. Pask (Inorg. Mater. Res. Div., Lawrence Rad. Lab. and Mater. Sci. & Eng. Dept., Univ. Calif., Berkeley, Calif. 94720)  
J. Am. Ceram. Soc. 53 [2], 83-86 (1970)
23. Mixed conduction in stabilized  $\text{ZrO}_2$  at a low  $\text{O}_2$  partial pressure  
K. Hirota (Chem. Dept., Tokyo Inst. Tech., Meguro-ku, Tokyo)  
Bull. Chem. Soc. Japan 42 [7], 1892-97 (1969)
24. Changes of surface morphology of Ti(III)-containing corundum by heating in air  
T. Horibe, H. Yamada and S. Katto (Govt. Ind. Res. Inst., Nagoya, Japan)  
Yogyo Kyokai Shi 77 [886], 187-93 (1969)
25. On the formation of 15R-type SiC in the growth process from vapor  
Y. Inomata and Z. Inoue (Nat. Inst. Res. Inorg. Mater., Tokyo)  
Yogyo Kyokai Shi 77 [892], 405-41 (1969)
26. On the formation of the 15R-type in the  $\beta$ - $\alpha$  transformation of SiC  
Y. Inomata, Z. Inoue and K. Kijima (Nat. Inst. Res. Inorg. Mater., Tokyo)  
Yogyo Kyokai Shi 77 [889], 313-18 (1969)
27. Thermal stability of the basic structures of SiC  
Y. Inomata, M. Mitomo, Z. Inoue and H. Tanaka (Nat. Inst. Res. Inorg. Mater., Tokyo)  
Yogyo Kyokai Shi 77 [884], 130-35 (1969)

- Eb. 28. Final stage sintering of  $\text{ThO}_2$   
P. J. Jorgensen and W. G. Schmidt (G. E. R/D Ctr., Schenectady,  
N. Y. 12301)  
J. Am. Ceram. Soc. 53 [1], 24-27 (1970)
29. Magnesia refractory corrosion by impedance measurements  
R. Kataoka, H. Yoneyama and H. Tamura (Dept. Appl. Chem., Fac.  
Eng., Osaka Univ., Suita, Japan)  
Kogyo Kagaku Zasshi 72 [3], 653-56 (1969)
30. Appearance process of transparency by vacuum sintering of alumina  
obtained by thermal decomposition of aluminum sulfate  
S. Katō, T. Iga, E. Ishii and S. Sano (Govt. Ind. Res. Inst.,  
Nagoya, Japan)  
Yogyo Kyokai Shi 77 [883], 77-83 (1969)
31. Thermodynamic study of the Al-O-C system at high temperature  
M. S. Khrushchev  
Izv. Akad. Nauk SSSR, Metal. [6], 46-49 (Nov.-Dec. 1969)
32. Grain growth of  $\text{ZrB}_2$   
M. Kinoshita, S. Kose and Y. Hamano (Govt. Ind. Res. Inst., Osaka,  
Japan)  
Yogyo Kyokai Shi 77 [888], 255-63 (1969)
33. Variation of TiN structure and properties on high-temperature  
heating in vacuo  
P. S. Kislyi and M. A. Kuzenkova (Acad. Sci., Mat. Tech. Inst.,  
Kiev, UkSSR)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2083-86 (1969)
34. Dissociation pressure of ferric oxide  
K. Koderu, I. Kusunoki and M. Watanabe (Kyoto Univ., Fac. Sci.,  
Dept. Chem., Sakyo, Kyoto, Japan)  
Bull. Chem. Soc. Japan 42 [10], 3036 (1969)
35. Sintering of aluminum nitride  
K. Komeya and H. Inoue (Ctr. Res. Lab., Tokyo Shibaura Electric Co.,  
Tokyo)  
Yogyo Kyokai Shi 77 [884], 136-43 (1969)
36. Effect of  $\text{TiO}_2$ ,  $\text{ZrO}_2$ ,  $\text{ZnO}$  and  $\text{BaPO}_4$  on the sintering of  $\text{MgO}$   
I. Kovachev and B. Slavov (Res. Inst. Electr. Ind., Sofia, Bulg.)  
Dokl. Bolgar. Akad. Nauk 22 [9], 1011-14 (1969)
37. Dissociation thermodynamics of the oxide systems  
I. S. Kulikov (Inst. Met., Acad. Sci. USSR, Moscow)  
Zh. Fiz. Khim. 43 [12], 3013-17 (1969)
38. Lattice contraction of hot-pressed CaO-stabilized  $\text{ZrO}_2$   
N. M. P. Low and A. C. D. Chaklader (Met. Dept., Univ. of Brit.  
Columbia, Vancouver, Can.)  
Mater. Res. Bull. 5 [2], 137-46 (1970)



- Eb. 39. Segregation of high-alumina fusion products  
J. Lukacs and F. Simmler (Lonza-Werke GmbH, Waldshut)  
Ber. Deut. Keram. Ges. 46, 635-38 (1969)
40. High temperature isothermal elastic moduli of  $\text{UO}_2$   
M. O. Marlowe (G. E. Vallecitos Nucl. Ctr., Pleasanton, Calif.  
94566)  
J. Nucl. Mater. 33 [2], 242-44 (1969)
41. Vapour-liquid-solid growth on sapphire whiskers  
C. A. May and J. S. Shah (Wills Phys. Lab., Univ. of Bristol, U.K.)  
Phil. Mag. 21, 559-70 (1970)
42. Preparation and characterization of submicron  $\text{HfO}_2$   
K. S. Mazdhyasni (A. F. Mater. Lab., Wright-Patterson AFB, Ohio  
45433) and L. M. Brown (Univ. of Cincinnati, Ohio 45221)  
J. Am. Ceram. Soc. 53 [1], 43-45 (1970)
43. Thermal and particle size effects in  $\text{MgO}$   
M. Natarajan, T. S. Sarma, J. C. Ahluwalia and C. N. R. Rao (Chem.  
Dept., Indian Inst. Tech., Kanpur, India)  
Trans. Faraday Soc. 65, 3088-92 (1969)
44. Spheroidization of refractory oxides with a  $\text{CO}_2$  laser  
L. S. Nelson, S. R. Skaggs and N. L. Richardson (Sandia Labs.,  
Albuquerque, N. M. 87115)  
J. Am. Ceram. Soc. 53 [2], 115-16 (1970)
45. Matrix isolation studies of group IV oxides. II. Infrared spectra  
and structures of  $\text{GeO}$ ,  $\text{Ge}_2\text{O}_2$ ,  $\text{Ge}_3\text{O}_3$  and  $\text{Ge}_4\text{O}_4$   
J. S. Ogden and M. J. Ricks (Inorg. Chem. Lab., Oxford Univ., Engl.)  
J. Chem. Phys. 52 [1], 352-57 (1970)
46. Corrosion of mullite refractory by alkaline vapor. I. Corrosion  
by  $\text{Na}_2\text{CO}_3$  vapor  
S. Okawara and A. Yamaguchi (Ceram. Dept., Nagoya Inst. Tech.,  
Nagoya, Japan)  
Yogyo Kyokai Shi 77 [886], 208-16 (1969)
47. Microstructure development in yttrium iron garnet  
A. E. Paladino and E. A. Maguire (Raytheon Res. Div., Waltham,  
Mass. 02154)  
J. Am. Ceram. Soc. 53 [2], 98-102 (1970)
48. Axial thermal expansion of  $\text{ZrO}_2$  and  $\text{HfO}_2$  in the range room  
temperature to  $1400^\circ\text{C}$   
R. N. Patel and E. C. Subbarao (Indian Inst. Tech., Kanpur, U. P.,  
India)  
J. Appl. Chryst. 2 [6], 281 (1969)

- Eb. 49. Effect of fluoride mineralizers on the sintering of alumina  
A. A. Pirogov, M. M. Mirakyan, E. N. Leonova and V. V. Primachenko  
Ogneupory 35 [1], 37-40 (Jan. 1970)
50. "Ceramics - from 3000 B.C. to 3000 °C"  
J. P. Roberts (Ceram. Dept., Univ. of Leeds, U. K.)  
J. Brit. Ceram. Soc. 6, 167-78 (1969)
51. The anisotropic expansion of neutron irradiated BeO, ZnO and AlN  
T. M. Sabine (A.A.E.C. Res. Establ., Lucas Heights, N.S.W. 2232, Australia)  
J. Nucl. Mater. 33 [3], 340-42 (1969)
52. Initial-stage sintering of active BeO powder  
H. Suzuki and T. Hattori (Nucl. Reactor Res. Lab., Tokyo Inst. Tech., Tokyo)  
Yogyo Kyokai Shi 77 [886], 193-200 (1969)
53. Effect of porosity on electrical conductivity of sintered  
 $(\text{ZrO}_2)_{0.9}(\text{Y}_2\text{O}_3)_{0.1}$   
T. Takahashi and Y. Suzuki (Appl. Chem. Dept., Fac. Eng., Univ. of Nagoya, Japan)  
Denki Kagaku 37 [11], 782-86 (1969)
54. Stress and strain in furnace life  
G. M. Thomson and W. Davies (Res. Lab., J. Stein Ltd., U. K.)  
Trans. Brit. Ceram. Soc. 69, 269-78 (1970)
55. Influence of pressing pressure on sintering of NiO  
V. I. Volkov, Yu. D. Tretyakov and V. V. Klimov (State Univ., Gen. Chem. Dept., Moscow)  
Vest. Mosk. Univ., Khim. 24 [6], 111-12 (Nov.-Dec. 1969)
56. Crystallization and melting kinetics of cristobalite  
F. E. Wagstaff (G. E. R/D Ctr., Schenectady, N. Y. 12301)  
J. Am. Ceram. Soc. 52 [12], 650-54 (1969)
57. Thermodynamic properties of the  $\text{V}_2\text{O}_3$ - $\text{V}_4\text{O}_7$  system at temperatures from 1400 K to 1700 K  
M. Wakihara and T. Katsura  
Met. Trans. 1 [2], 363-66 (1970)
58. Effect of stirring vapor phase on the formation and structural features of pyrolytic graphite  
S. Yajima and T. Hirai (Res. Inst. Iron, Steel and Other Metals, Tohoku Univ., Sendai, Japan)  
Zairyo 18 [184], 31-37 (1969)

## Ec. Mixed materials

1. Investigations in ceramics with the Leitz heating-microscope type IIA-P  
D. S. Buist (Res. Labs., Gen. Refract. Ltd., Worksop, U. K.)  
Trans. Brit. Ceram. Soc. 69, 15-20 (1970)
2.  $\text{UO}_2$ -W cermet produced by unidirectional solidification  
A. T. Chapman, G. W. Clark and D. E. Hendrix (School of Ceram. Eng., Georgia Inst. Tech., Atlanta, Ga. 30332)  
J. Am. Ceram. Soc. 53 [1], 60-61 (1970)
3. A study of the surface wettability of SiC monocrystals with metallic melts  
I. V. Naidich and G. M. Nevodnik (Acad. Sci., Mat. Tech. Inst., Kiev, UkSSR)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2066-70 (1969)
4. Wettability of refractories by steel melts  
E. A. Prokofeva  
Ogneupory 34 [11], 51-53 (Nov. 1969)
5. Carbon in Pt and Pd (solubility and diffusivity)  
G. L. Selman, P. J. Ellison and A. S. Darling (Res. Labs., Johnson-Matthey and Co., London, EC 1)  
Platinum Metals Rev. 14, 14-20 (1970)
6. Diffusion layers between carbon steels and cemented carbides containing tantalum or titanium carbide  
H. Suzuki, T. Yamamoto and I. Kawakatsu (Dept. Met., Fac. Eng., Univ. of Tokyo)  
Nippon Kinzoku Gakkai Shi 32 [8], 721-25 (1969)
7. Influence of oxide films in the impregnation of TiC with molten steel  
E. A. Viktorov  
Porosh. Met. 9 [11], 102-05 (Nov. 1969)
8. Solidification behavior of stabilized  $\text{ZrO}_2$ -W  
M. D. Watson, D. N. Hill and A. T. Chapman (Sch. Ceram. Eng., Georgia Inst. Tech., Atlanta, Ga. 30332)  
J. Am. Ceram. Soc. 53 [2], 112-13 (1970)

## F. Properties, at temperatures above 1000 °C, of materials which melt below 1500 °C

### a. Metallic materials

1. Effect of temperature and composition on density and surface energy of liquid alloys of Al with Co and Ni  
G. D. Ayushina, E. S. Levin and P. V. Geld (Kirov Polytech. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [11], 2756-60 (1969)

- Fa. 2. Vapour pressures and thermodynamics of liquid Zn-Cu alloys at 1150 °C  
E. H. Baker (Nuffield Res. Group, Imperial College, London, SW 7)  
Trans. Inst. Mining Met. 79C, 1-5 (1970)
3. Determination of the structure factor of liquid Cu by neutron diffraction  
M. Breuil and G. Tourand (Ctr. Etudes Nucl. de Saclay, 91-Gif-sur-Yvette, Fr.)  
J. Phys. Chem. Solids 31, 549-57 (1970)
4. Thermodynamics of rare earth alloys with various metals  
B. P. Burylev and V. V. Vasilev (Ordzhonikidze Met. Inst., Novokuznetsk, USSR)  
Zh. Fiz. Khim. 43 [11], 2771-75 (1969)
5. The viscosity of U and two U-Cr alloys  
J. S. Finucane and D. R. Olander (Inorg. Mater. Res. Div., Lawrence Rad. Lab. & Nucl. Eng. Dept., Univ. Calif., Berkeley, Calif. 94720)  
High Temp. Sci. 1 [4], 466-80 (1969)
6. Determination of thermodynamic activities in some liquid metal systems by mass spectrometry  
M. J. Ginsberg (Univ. of Pennsylvania, 1969)  
Dissertation Abstr. 30B [6], 2728 (1969-70)
7. Thermodynamic properties of the Cu-Sn and Cu-Au systems by mass spectrometry  
J. P. Hager, S. M. Howard and J. H. Jones (Met. Dept., Colorado School of Mines, Golden, Colo.)  
Met. Trans. 1 [2], 415-22 (1970)
8. Mass-spectrometric determination of the dissociation energies of the gaseous CuNi, CuCo, and CuCr  
A. Kant, B. Strauss and S. S. Lin (Army Mater. Mechan. Res. Ctr., Watertown, Mass. 02172)  
J. Chem. Phys. 52 [5], 2384-86 (1970)
9. Electrical conductivity of liquid lanthanum  
G. Krieg, R. B. Genter and A. V. Grosse  
Inorg. Nucl. Chem. Lett. 5 [10], 819-23 (1969)
10. Pure silver evaporation in melting  
G. F. Malinin and Yu. A. Priselkov (Lomonosov Univ., Chem. Fac., Moscow)  
Zh. Fiz. Khim. 43 [10], 2616-18 (1969)
11. Determination of the activities of Al in liquid Al-Fe binary alloys by the bubbling method  
H. Mitani and H. Nagai (Met. Dept., Fac. Eng., Univ. of Osaka, Japan)  
Nippon Kinzoku Gakkai Shi 32 [8], 752-55 (1969)

- Fa. 12. Thermodynamics of the La-Zn system  
R. Kh. Mullayanov, V. A. Lebedev, Yu. P. Kanashin, I. F. Nichkov  
and S. P. Raspopin (Kirov Polytech. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [11], 2776-79 (1969)
13. A thermodynamic and kinetic study of deoxidation of Cu alloys  
using an electrochemical technique  
C. R. Nanda (Univ. of Wisconsin, 1969)  
Dissertation Abstr. 30B [5], 2212 (1969-70)
14. Analysis of interlaboratory measurements on the vapor pressure of  
Au (Certification of Standard Reference Material 745)  
R. C. Paule and J. Mandel (Inst. Mater. Res., Nat. Bur. Stand.,  
Washington, D. C. 20234)  
Nat. Bur. Stand. Spec. Publ. 260-19, 21 p (Jan. 1970)
15. Density of liquid uranium  
W. G. Rohr and L. J. Wittenberg (Monsanto Res. Corp., Mound Lab.,  
Miamisburg, Ohio 45342)  
J. Phys. Chem. 74 [5], 1151-52 (1970)
16. The effect of V, Ga and In on the solubility of C in liquid Fe alloys  
H. Schenck, M. Gloz and E. Steinmetz (Inst. Eisenhüttenw., Rhein.-  
Westfäl. T. H., Aachen, Germ.)  
Arch. Eisenhüttenw. 41, 1-3 (1970)
17. Activity of oxygen in liquid Fe-Cu alloys  
E. S. Tankins (Naval Air Devel. Ctr., Johnsville, Warminster, Pa.)  
Met. Trans. 1 [2], 538-40 (1970)
18. Correlation of enthalpy and entropy in sufficiently equivalent  
systematic errors; vaporization of U  
R. J. Thorn (Argonne Nat. Lab., Argonne, Ill. 60439)  
J. Chem. Phys. 52 [1], 474-76 (1970)
19. Use for electric heating wire of Mo composite-cast with some  
heat-resistant alloys  
R. Yoda and T. Arai (Nat. Res. Inst. Met., Tokyo)  
Nippon Kinzoku Gakkai Shi 32 [9], 1087-92 (1969)

b. Non-metallic materials

1. A polymer model for  $\text{BeF}_2$  and  $\text{SiO}_2$  melts  
C. F. Baes, Jr. (Oak Ridge Nat. Lab., Oak Ridge, Tenn. 37830)  
J. Solid State Chem. 1 [2], 159-69 (1969-70)
2. Electrical conductivities of molten  $\text{AlCl}_3$ -KCl mixtures  
C. R. Boston, L. F. Grantham and S. J. Yosim (Atomics Int., Canoga  
Park, Calif.)  
J. Electrochem. Soc. 117 [1], 28-31 (1970)



- Fb. 3. Thermodynamic properties of Fe, Ni and Cu sulfides  
G. P. Burylev, I. T. Sryvalin and V. G. Korpachev (Ordzhonikidze  
Met. Inst., Novokuznetsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3156-58 (1969); Izv. Vyssh. Ucheb. Zaved.,  
Tsvet. Met. 12 [6], 16-21 (Nov.-Dec. 1969)
4. On magnetite dissociation  
D. M. Chizhikov, Yu. V. Tsvetkov and E. K. Kazenas (Baikov Met.  
Inst., Moscow)  
Dokl. Akad. Nauk SSSR 189 [6], 1318-20 (1969)
5. Mass spectrometric study of the GaAs system  
G. DeMaria, L. Malaspina and V. Piacente (Ist. Chim., Univ. di  
Roma, Italy)  
J. Chem. Phys. 52 [3], 1019-24 (1970)
6. Physicochemical properties of sulfide melts  
I. E. Dobrovinskii, O. A. Esin, L. N. Barmin and S. K. Chuchmarev  
(Kirov Polytech. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3151-55 (1969)
7. High temperature vapor pressure of molten KOH  
J. Dubois and J. Millet  
C. R. Acad. Sci., Ser. C 269 [22], 1336-38 (1969)
8. Model of heat transfer in molten flowing glass  
J. H. Duffin (U. S. Naval Postgraduate School, Monterey, Calif.)  
Am. Ceram. Soc. Bull. 49 [2], 180-87 (1970)
9. Effect of alkali and alkaline earth fluorides on surface tension  
of molten calcium silicates  
A. Ejima and M. Shimoji (Chem. Dept., Hokkaido Univ., Sapporo,  
Japan)  
Trans. Faraday Soc. 66, 99-106 (1970)
10. Acoustic loss of vitreous silica at elevated temperatures  
D. B. Fraser (Bell Tel. Labs., Murray Hill, N. J. 07974)  
J. Appl. Phys. 41 [1], 6-11 (1970)
11. The electrolytic dissociation of liquid slags and its significance  
for metallurgical reactions. II. Kinetics of the transport of  
sulfur between iron melts and liquid slags  
M. G. Froberg, Madan Lal Kapoor and A. Nilas (Inst. Allgem. Met.,  
Tech. Univ. Berlin)  
Arch. Eisenhüttenw. 41, 5-10 (1970)
12. Correlation and predictions of the mass spectra for inorganic and  
high temperature species  
J. W. Hastie and J. L. Margrave (Chem. Dept., Rice Univ., Houston,  
Texas 77001)  
High Temp. Sci. 1 [4], 481-95 (1969)

- Fb. 13. Surface tension, density and viscosity of  $\text{PbO-K}_2\text{O-SiO}_2$  ternary melts  
M. Hino, T. Ejima and M. Kameda (Dept. Met., Fac. Eng., Tohoku Univ., Sendai, Japan)  
Nippon Kinzoku Gakkai Shi 33 [5], 617-22 (1969)
14. The decomposition and transformation of solid solutions of wüstite by annealing in the range of 200 to 1100 °C  
A. Hoffmann (F. Krupp GmbH, Zentralinst. Forschung u. Entwicklung, Essen, Germ.)  
Arch. Eisenhüttenw. 41, 77-86 (1970)
15. Thermodynamics of iron oxide in  $\text{CaF}_2\text{-CaO-Fe}_t\text{O}$  electroslag fluxes  
D. A. R. Kay, A. Mitchell and M. Ram (Met. Dept., McMaster Univ., Hamilton, Ont., Can.)  
J. Iron Steel Inst. (London) 208, 141-46 (1970)
16. Thermal expansion of synthetic fluor-phlogopite crystal  
K. Kitajima and N. Daimon (Fac. Eng., Shinshu Univ., Nagano, Japan)  
Kogyo Kagaku Zasshi 72 [9], 1977-80 (1969)
17. Cryoscopic studies with molten fluorides. I. Depression of the freezing point of  $\text{CaF}_2$  by alkaline-earth fluorides and oxides and calcium silicates  
H. Kojima and C. R. Masson (Yamanashi Univ., Fac. Eng., Kofu, Japan)  
Can. J. Chem. 47 [22], 4221-28 (1969)
18. Effect of gases on the viscosity of oxide melts  
A. M. Kovalenko, I. A. Novokhatskii, A. K. Petrov and G. S. Ershov  
Izv. Akad. Nauk SSSR, Metal. [6], 17-22 (Nov.-Dec. 1969)
19. Thermodynamics of wüstite  
D. M. Laptev (Ordzhonikidze Met. Inst., Stalinsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3129-31 (1969)
20. Thermodynamics of binary oxide systems at higher temperatures. I. Equilibrium of ilmenite ( $\text{FeTi}_2\text{O}_3$ ) with  $\text{CO-CO}_2$  mixtures  
V. A. Levitskii, B. G. Lebedev, S. G. Popov and D. D. Ratiani (Lomonosov Univ., Chem. Fac., Moscow)  
Zh. Fiz. Khim. 43 [11], 2944-45 (1969)
21. Thermodynamics of wüstite  
A. A. Lykasov, Yu. S. Kusnetsov, E. I. Pilko, V. I. Shishkov and V. A. Kozheurov (Polytech. Inst., Chelyabinsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3124-25 (1969)
22. Vaporizability of boron-containing substances at high temperatures  
P. S. Mamykin and T. A. Drozdova (Kirov Polytech. Inst., Sverdlovsk, USSR)  
Zh. Prikl. Khim. 42 [12], 2829-30 (1969)

- Fb. 23. Viscosity of lunar lavas  
T. Murase and A. R. McBirney (Volcanology Ctr., Univ. of Oregon,  
Eugene, Oregon 97403)  
Science 167 [3924], 1491-93 (1970)
24. Lead activity in sulfide melts  
V. N. Nesterov, R. A. Isakova and A. S. Shendyapin (Acad. Sci.,  
Met. Inst., Alma Ata, KaSSR)  
Zh. Fiz. Khim. 43 [12], 3181-83 (1969)
25. Surface tension of molten binary CaO-SiO<sub>2</sub> slag  
K. Ono, K. Gunji and T. Araki (Nat. Res. Inst. Met., Meguro-ku,  
Tokyo)  
Nippon Kinzoku Gakkai Shi 33 [3], 299-304 (1969); Rept. Nat. Res.  
Inst. Met. 12 [4], 388-93 (1969)
26. Surface tension of SiO<sub>2</sub>-BaO-B<sub>2</sub>O<sub>3</sub> melts and their adhesion to  
Cr-Ni steels  
A. A. Perminov, S. I. Popel and A. M. Poltarak  
Zashch. Metal. 6 [1], 97-100 (1970)
27. Surface tension of binary MeO-SiO<sub>2</sub> melts  
S. I. Popel, V. I. Sokolov and O. A. Esin (Kirov Polytech. Inst.,  
Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3175-78 (1969)
28. An investigation of the evaporation process of dielectric materials  
H. K. Pulker and E. Jung (Balzers AG für Hochvakuumtechnik und  
Dünne Schichten, Balzers, Liechtenstein, and Phys.-Chem. Inst.,  
Univ. Innsbruck, Austria)  
Thin Solid Films 4 [3], 219-28 (1969)
29. Excess free energies in the Ge, Si and Ga binary systems: the  
 $\alpha$ -parameter approach  
M. V. Rao and W. A. Tiller (Mater. Sci. Dept., Stanford Univ.,  
Stanford, Calif.)  
J. Phys. Chem. Solids 31, 191-98 (1970)
30. Nonstoichiometric hexagonal close-packed U<sub>2</sub>N<sub>3</sub>  
Y. Sasa and T. Atoda (Inst. Phys. and Chem. Res., Yamatomachi,  
Kitaadachigun, Saitamaken, Japan)  
J. Am. Ceram. Soc. 53 [2], 102-05 (1970)
31. Improved values of surface tension of calcium silicate melts  
S. K. Sharma and W. O. Philbrook  
Scripta Met. 4 [2], 107-10 (1970)
32. Correlation among the chemical composition, structure, and  
viscosity of homogeneous aluminosilicate melts  
L. N. Sheludyakov and E. T. Sarancha  
Izv. Akad. Nauk Kaz. SSR, Ser. Khim. 19 [6], 34-41 (Nov.-Dec.  
1969)

- Fb. 33. Density and molar volumes of  $\text{PbO-SiO}_2$  melts  
M. A. Sherstobitov (Nosov Mining Met. Inst., Magnitogorsk, USSR)  
Zh. Prikl. Khim. 42 [11], 2595-96 (1969); Zh. Fiz. Khim. 43 [12],  
3179-80 (1969)
34. Activity-composition relations at  $1100^\circ$  in the system  $\text{CaO-FeO-MnO}$   
in contact with metallic Fe  
N. Tiberg and A. Muan  
Met. Trans. 1 [2], 435-39 (1970)
35. The solubility of Cu in fayalite slags at  $1300^\circ\text{C}$   
J. M. Toguri and N. H. Santander (Met. & Mater. Sci. Dept., Univ.  
Toronto, Ont., Can.)  
Can. Met. Quart. 8 [2], 167-71 (1969)
36. Thermodynamics of Fe in the Fe-Ni-S system at  $1300^\circ\text{C}$   
S. E. Vaisburd, T. F. Remen and A. B. Sheinin  
Zh. Fiz. Khim. 43 [12], 3172-74 (1969)
37. Thermodynamic properties of some Nd and Gd tungstates  
I. A. Vasileva and S. N. Mudretsova (Lomonosov State Univ., Moscow)  
Zh. Fiz. Khim. 43 [12], 3070-72 (1969)
38. Thermodynamics of the higher titanium oxides  
I. A. Vasileva and E. Yu. Shaulova (Lomonosov Univ., Chem. Fac.,  
Moscow)  
Zh. Fiz. Khim. 43 [12], 3047-49 (1969)
39. Fusibility of fluorine-containing slags  
G. I. Zhmoidin  
Izv. Akad. Nauk SSSR, Metal. [6], 9-16 (Nov.-Dec. 1969)

c. Mixed materials

1. Evaporation of IVB-VIB compounds from liquid Fe and Cu  
G. L. Green, D. A. R. Kay and A. Mitchell (Met. Dept., McMaster  
Univ., Hamilton, Ont., Can.)  
J. Iron Steel Inst. (London) 208, 157-62 (1970)
2. Compatibility studies of C fibres with Ni and Co  
P. W. Jackson and J. R. Marjoram (Rolls-Royce Ltd., Adv. Res. Lab.,  
Littleover, U. K.)  
J. Mater. Sci. 5, 9-23 (1970)
3. Sealing pure alumina ceramics to metals  
J. T. Klomp and Th. P. J. Botden (Philips Res. Labs., Eindhoven,  
Netherlands)  
Am. Ceram. Soc. Bull. 49 [2], 204-11 (1970)
4. Wetting of C by Cu and Cu alloys  
D. A. Mortimer and M. Nicholas (Solid State Div., AERE, Harwell, U.K.)  
J. Mater. Sci. 5, 149-55 (1970)

G. Phase equilibria above 1000 °C

1. Solid state reactions at 1600 °C between cerates and zirconates of alkaline earth metals  
L. Barbariol, V. Longo and A. Cocco (Univ. Degli Studi, Inst. Chim. Appl. Trieste, Italy)  
Ann. Chim. (Rome) 59 [10], 878-89 (1969)
2. Phase composition of the PbO-TiO<sub>2</sub> system  
I. N. Belyaev  
Zh. Neorg. Khim. 15 [1], 282 (1970)
3. The B-Ge system  
L. R. Bidwell (A. F. Mater. Lab., Wright-Patterson AFB, Ohio 45433)  
J. Less-Common Metals 20 [1], 19-27 (1970)
4. On the constitution of the system PbO-PbSiO<sub>3</sub>  
H. W. Billhardt (Inst. Mineral., Univ. Karlsruhe, Germ.)  
Glastech. Ber. 42, 498-505 (1969)
5. The Ce-Ni-Si system in the 0-33.3 at.% Ce range  
O. I. Bodak and E. I. Gladyshevski (Franko Univ., Lvov, UkSSR)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2060-65 (1969)
6. On the system of Ba[Al<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>]-Ca[Al<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>]. I. Ca-Ba substitution in polymorphic modifications of BaAl<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>  
E. Bruno and G. Gazzoni (Univ. Degli Studi, Inst. Miner. & Geochim., Turin, Italy)  
Contrib. Miner. Petrol. 25 [2], 144-52 (1970)
7. Calculation of thermodynamic properties of oxide systems from the phase diagrams  
B. P. Burylev (Siber. Met. Inst., Novokuznetsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3034-38 (1969)
8. Influence of the gas atmosphere on the solid state reaction in the ZnO-CrO<sub>3</sub> system  
J. Burzyk and J. Haber (Acad. Sci., Res. Labs. Catalysis and Surface Chem., Cracow, Poland)  
Bull. Acad. Pol. Sci., Ser. Sci. Chim. 17 [9], 539-42 (1969)
9. Determination of the limits of the FeO field at high temperature  
J. Campserveux, G. Boureau, C. Picard and P. Gerdanian (Lab. Chim. Thermodyn., Fac. Sci., 91-Orsay, Fr.)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 165-74 (1969)
10. Solid state phase relations in the quaternary system CeO<sub>2</sub>-BaO-CaO-SrO. III. Isotherms of the system at 1400 and 1600 °C  
A. Cocco, V. Longo and S. Roitti (Univ. Degli Studi, Inst. Chim. Appl., Trieste, Italy)  
Ann. Chim. (Rome) 59 [10], 867-77 (1969)



- G. 11. Phase studies in the system:  $\text{YTaTiO}_6$ - $\text{NdTaTiO}_6$   
P. D. Deshpande, V. S. Darshane and V. V. Deshpande (Inst. Sci.,  
Dept. Phys., Nagpur, India)  
Current Sci. 39 [2], 36 (1970)
12. Glass-formation regions in the  $\text{TeO}_2$ - $\text{V}_2\text{O}_5$ - $\text{MO}$  ( $\text{MO} = \text{MgO}, \text{CaO}, \text{SrO}, \text{BaO}, \text{CdO}, \text{ZnO}$ ) systems  
Ya. Dimitriev, M. Marinov and I. Ivanova (Chem. Tech. Inst., Sofia,  
Bulg.)  
Dokl. Bolgar. Akad. Nauk 22 [9], 1047-50 (1969)
13. The system  $\text{Zr-Hf-O}$   
R. F. Domagala and R. Ruh  
ASM Trans. Quart. 62 [4], 915-25 (1969)
14. Martensitic transformation in  $\text{Au-Ti}$ ,  $\text{Pd-Ti}$  and  $\text{Pt-Ti}$  alloys near  
the equiatomic composition  
H. C. Donkersloot and J. H. N. van Vucht (Philips Res. Labs.,  
Eindhoven, Netherlands)  
J. Less-Common Metals 20 [2], 83-91 (1970)
15. Phase equilibria in the  $\text{Mo-TiC-Ti}$  region of the  $\text{Mo-Ti-C}$  ternary  
system. Character of alloy crystallization and projection of  
the solidus surface  
V. N. Eremenko and T. Ya. Velikanova  
Porosh. Met. 9 [11], 82-88 (Nov. 1969)
16. The system  $\text{Mo-N}$   
P. Ettmayer (Inst. Chem. Tech. Anorg. Stoffe, Tech. Hochschule  
Wien, Austria)  
Monatsh. Chem. 101, 127-40 (1970)
17. Precipitation of magnesium ferrite from  $\text{MgO-Fe}_x\text{O}$  solid solutions  
S. K. Evans and I. B. Cutler (Mater. Sci. Div., Univ. of Utah,  
Salt Lake City, Utah)  
J. Mater. Sci. 5, 141-48 (1970)
18. Composition of an alpha solid solution in ternary alloys of  $\text{Ti}$   
with  $\text{Al}$ ,  $\text{Mo}$ , and  $\text{V}$   
S. G. Fedotov and 5 others  
Izv. Akad. Nauk SSSR, Metal. [6], 167-71 (Nov.-Dec. 1969)
19. Thermodynamic analysis of constrained solid solutions in the  
 $\text{Fe-Ti-O}$  system  
V. B. Fetisov, L. I. Leontev, A. N. Men and G. I. Chufarov (Ural  
Br. Acad. Sci., Met. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3061-62 (1969)
20. Studies of solid phase equilibria in the system  $\text{CaO-2CaO.SiO}_2$ -  
 $3\text{CaO.P}_2\text{O}_5$   
W. Fix, G. Trömel and R. Heinke (Inst. Eisenhüttenw., Tech. Univ.  
Clausthal, Germ.)  
Arch. Eisenhüttenw. 40, 979-84 (1969)

- G. 21. Phase equilibria in the system  $\text{CaO-MgO-B}_2\text{O}_3$  at 900 °C  
B. L. Fletcher, J. R. Stevenson and A. Whitaker (Phys. Dept., Brunel Univ., London)  
J. Am. Ceram. Soc. 53 [2], 95-97 (1970)
22. Structural diagrams of multicomponent systems  
E. A. Frolova and A. F. Frolov (Tech. Inst., Yaroslavl, USSR)  
Zh. Fiz. Khim. 43 [10], 2626-28 (1969)
23. Plotting the solidus surface of the Ti-Ta-Nb system using a mathematical statistics method  
A. L. Gavze, P. B. Budberg and S. A. Minaeva  
Izv. Akad. Nauk SSSR, Metal. [6], 159-62 (Nov.-Dec. 1969)
24. Composition of sodium aluminoferrite solid solutions in the  $\text{Na}_2\text{O} \cdot \text{Al}_2\text{O}_3 - \text{Na}_2\text{O} \cdot \text{Fe}_2\text{O}_3 - 2\text{CaO} \cdot \text{SiO}_2$  system  
A. I. Gaziev, N. I. Eremin and A. M. Dmitrieva  
Zh. Prikl. Khim. 42 [12], 2825-27 (1969)
25. ESR investigations on the formation of solid  $\text{MgO-NiO}$  solutions  
G. F. Gerasimova and N. P. Keier (Acad. Sci., Catalysis Inst., Novosibirsk, USSR)  
Kinet. Katal. 10 [6], 1259-63 (1969)
26. Tungsten bronze field and melt growth of crystals in the  $\text{Na}_2\text{O-BaO-Nb}_2\text{O}_6$  system  
E. A. Giess, B. A. Scott, B. L. Olson, G. Burns and D. F. O'Kane (IBM Thomas J. Watson Res. Ctr., Yorktown Heights, N. Y. 10598)  
J. Am. Ceram. Soc. 53 [1], 14-17 (1970)
27. The ternary system Nb-Ni-Si  
E. I. Gladyshevski, O. S. Koshel and R. V. Skolozdra (State Univ., Lvov, UkSSR)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2202-04 (1969)
28. Shapes of equilibrium curves in liquid-ideal vapor and crystals-ideal melt binary systems  
A. N. Gorbunov  
Teor. Eksp. Khim. 5 [6], 805-12 (1969)
29. Equilibria between liquid Fe and saturated slags of the system  $\text{CaO-FeO-MnO-SiO}_2$  at 1600 °C with respect to the distribution of S  
E. Görl, R. Klages, R. Scheel and G. Trömel (Inst. Eisenhüttenw., Tech. Univ. Clausthal, Germ.)  
Arch. Eisenhüttenw. 40, 959-67 (1969)
30. Phase diagram of the  $\text{BaTiO}_3\text{-BaB}_2\text{O}_4$  system and growth of  $\text{BaTiO}_3$  crystals in the melt  
Y. Goto and L. E. Cross (Fac. Sci., Univ. of Kyoto, Japan)  
Yogyo Kyokai Shi 77 [891], 355-56 (1969)

- G. 31. Phase separation in the  $\text{TiO}_2$ - $\text{SnO}_2$  system  
P. K. Gupta and A. R. Cooper (Met. Div., Case Western Reserve Univ., Cleveland, Ohio 44106)  
Phil. Mag. 21, 611-16 (1970)
32. A phase study and thermodynamic investigation of the Eu-O-Br system  
J. M. Haschke (Michigan State Univ., 1969)  
Dissertation Abstr. 30B [6], 2587 (1969-70)
33. A phase investigation of the Yb-C system  
J. M. Haschke and H. A. Eick (Chem. Dept., Michigan State Univ., East Lansing, Mich. 48823)  
J. Am. Chem. Soc. 92 [6], 1526-30 (1970)
34. On solid solution formation by mononitrides in the system  
 $\text{U-(Y,La,Pr)-N}$   
H. Holleck, E. Smailos and F. Thümmeler (Inst. Mater. und Festkörperforsch., Kernforschungszentrums Karlsruhe, B.R.D.)  
J. Nucl. Mater. 32 [2], 281-89 (1969)
35. The phase relations in the  $\text{VO}_2$ - $\text{WO}_2$  system  
M. Israelsson and L. Kihlberg (Inst. Inorg. & Phys. Chem., Univ. of Stockholm, Sweden)  
Mater. Res. Bull. 5 [1], 19-29 (1970)
36. An x-ray study of the interaction of the NbO-VO system  
A. N. Ivanov, V. V. Pristavko and A. L. Altshuler (Steel & Alloys Inst., Moscow)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2224-26 (1969)
37. The austenite liquidus surface and constitutional diagram for the Fe-Cr-C metastable system  
R. S. Jackson (Met. Dept., Aston Univ., Birmingham, U. K.)  
J. Iron Steel Inst. (London) 208, 163-67 (1970)
38. The system Nb-S  
F. Kadijk (Bedrijfslab. voor Grond- en Gewasonderzoek, Mariëndaal, Oosterbeek, Netherlands) and F. Jellinek (Lab. voor Anorgan. Chem., Rijksuniv, Groningen, Netherlands)  
J. Less-Common Metals 19 [4], 421-30 (1969)
39. Pressure-induced pyrochlore to perovskite transformations in the  $\text{Sr}_{1-x}\text{Pb}_x\text{RuO}_3$  system  
J. A. Kafalas and J. M. Longo (Lincoln Lab., Mass. Inst. Tech., Lexington, Mass. 02173)  
Mater. Res. Bull. 5 [3], 193-98 (1970)
40. Thermodynamic properties of the TiN-TiO system  
V. N. Kamyshev and Yu. A. Nechaev (Nat. Econ. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [11], 2761-65 (1969)

- G. 41. Glass formation region in the  $K_2O-SrO-SiO_2$  system  
S. Kasymova and D. Makhkamova  
Uzb. Khim. Zh. 13 [4], 10-12 (1970)
42. Crystal chemistry and phase equilibria in the system  $CdO-PbO-O$   
K. L. Keester and W. B. White (Mater. Res. Lab., Pennsylvania  
State Univ., Univ. Park, Pa. 16802)  
J. Am. Ceram. Soc. 53 [1], 39-42 (1970)
43. Some properties of the quaternary system  $Pb_xSn_{1-x}Te_ySe_{1-y}$   
C. A. Kennedy and K. J. Linden (Raytheon Co., Infrared and Opt.  
Res. Lab., Waltham, Mass. 02154)  
J. Appl. Phys. 41 [1], 252-53 (1970)
44. The Nd-Mn, Sm-Mn and Tb-Mn constitution diagrams  
H. R. Kirchmayr and W. Lugscheider (Inst. Angew. Phys., Tech.  
Hochschule Wien, Austria)  
Z. Metallk. 61, 22-23 (1970)
45. Precipitation in the Fe-Ni-Cr-Nb system  
I. Kirman (Olin Mathieson Chem. Co., Metals Res. Labs., New Haven,  
Conn.)  
J. Iron Steel Inst. (London) 208, 1612-18 (1969)
46. Cryoscopic studies with molten fluorides. I. Depression of the  
freezing point of  $CaF_2$  by alkaline-earth fluorides and oxides  
and calcium silicates  
H. Kojima and C. R. Masson (Atlantic Regional Lab., Nat. Res.  
Council of Canada, Halifax, N. S., Can.)  
Can. J. Chem. 47 [22], 4221-28 (1969)
47. Three dimensional phase diagram of the Cu-Ni-Be + 15% Ti primary  
cross section studied in the Cu-rich region  
V. I. Kucherov, M. V. Zakharov, G. M. Kuznetsov and V. N. Fedorov  
Izv. Vyssh. Ucheb. Zaved., Tsvet. Met. 12 [6], 84-89 (Nov.-Dec.  
1969)
48. Phase equilibrium and analysis of intermolecular reaction properties  
in systems formed by Cu and Sb chalcogenides  
R. A. Kuliev, A. N. Krestovnikov and V. M. Glazov (Steel & Alloys  
Inst., Moscow)  
Zh. Fiz. Khim. 43 [12], 3063-66 (1969)
49. Enquiry into phase equilibria between Cu and Sb chalcogenides  
R. A. Kuliev, A. N. Krestovnikov and V. M. Glazov (Steel & Alloys  
Inst., Moscow)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2217-18 (1969)
50. The Sc-O equilibrium diagram  
I. S. Kuprashvili, O. P. Naumkin and E. M. Savitski (Baikov Met.  
Inst., Moscow)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2123-27 (1969)

- G. 51. Activities of components of solid solutions in the Ni-Fe-O system  
M. T. Kushko and 5 others (Ural Br. Acad. Sci., Met. Inst.,  
Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 2095-97 (1969)
52. Interactions in the  $\text{ZrO}_2$ - $\text{SiO}_2$ - $\text{AlF}_3$  system  
A. I. Lainer and L. V. Mirkin  
Tsvet. Met. 42 [11], 50-52 (Nov. 1969)
53. Calculation of boundaries of the wüstite region  
D. M. Laptev (Ordzhonikidze Met. Inst., Stalinsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3132-33 (1969)
54.  $\text{Ni}_3\text{Ta}$  in Ni-rich Ni-Ta alloys  
J. M. Larson, R. Taggart and D. H. Polonis (Met. Eng. Dept., Univ.  
of Washington, Seattle, Wash.)  
Met. Trans. 1 [2], 485-89 (1970)
55. Investigation of the systems  $\text{CdTiO}_3$ - $\text{NaTaO}_3$  and  $\text{CdTiO}_3$ - $\text{BiFeO}_3$   
V. M. Lebedev, Yu. N. Venevtsev and G. S. Zhdanov (Karpov Phys.  
Chem. Inst., Moscow)  
Kristallografiya 14 [6], 1071-73 (1969)
56. The lattice parameter of U(C,N) as a function of composition  
J. M. Leitnaker, R. A. Potter, K. E. Spear and W. R. Laing (Oak  
Ridge Nat. Lab., Oak Ridge, Tenn. 37830)  
High Temp. Sci. 1 [4], 389-400 (1969)
57. Glass formation in the system  $\text{K}_2\text{O}$ - $\text{GeO}_2$ - $\text{Nb}_2\text{O}_5$   
J. Liebertz (Lab. Aachen, Philips Zentrallab. GmbH, Germ.)  
Glastech. Ber. 42, 510 (1969)
58. An investigation of the Ce-O-N system  
K. J. Manske (Michigan State Univ., 1969)  
Dissertation Abstr. 30B [6], 2590 (1969-70)
59. The Hf-N-Al system  
V. Ya. Markiv and V. V. Burnashova  
Izv. Akad. Nauk SSSR, Metal. [6], 181-84 (Nov.-Dec. 1969)
60. Investigation of the Al-rich part of the Mo-Fe-Al system  
V. Ya. Markiv, V. V. Burnashova and V. R. Ryabov (Acad. Sci., Kiev,  
UkSSR)  
Dopovidi Akad. Nauk Ukr. RSR, Ser. A-Fiz.-Tekh. Mat. Nauk [1],  
72-74 (1970)
61. Subsolidus equilibria in the system  $\text{ZrO}_2$ - $\text{WO}_3$ - $\text{P}_2\text{O}_5$   
C. A. Martinek and F. A. Hummel (Mater. Sci. Dept., Pennsylvania  
State Univ., Univ. Park, Pa. 16802)  
J. Am. Ceram. Soc. 53 [3], 159-61 (1970)



- G. 62. Solubility of graphite in bcc Fe  
R. B. McLellan and W. W. Dunn  
Met. Trans. 1 [2], 535-36 (1970)
63. The lutetium-lead system  
O. D. McMasters and K. A. Gschneidner, Jr. (Inst. At. Res. and  
Met. Dept., Iowa State Univ., Ames, Iowa 50010)  
J. Less-Common Metals 19 [4], 337-44 (1969)
64. Analysis of phase equilibrium in pseudobinary systems of chalcogenides of the first group and their study in approximation to regular solutions  
A. Yu. Mendelevich, A. N. Krestovnikov and V. M. Glazov (Steel & Alloys Inst., Moscow)  
Zh. Fiz. Khim. 43 [12], 3067-69 (1969)
65. Equilibrium conditions for FeLi spinel formation  
Yu. G. Metlin, N. N. Oleinikov, Yu. G. Saksonov, Yu. D. Tretyakov and A. P. Erastova (Lomonosov Univ., Moscow)  
Zh. Fiz. Khim. 43 [12], 3143-46 (1969)
66. Reaction of double lanthanum and alkaline metal molybdates with alkaline metal molybdates in melts  
M. V. Mokhosoev, I. F. Kokot, V. I. Ludyk and I. S. Kononenko  
Zh. Neorg. Khim. 15 [1], 271-74 (1970)
67. Phase relations of the Cu-S system at low temperatures. Stability of anilite  
N. Morimoto and K. Koto (Inst. Sci. Ind. Res., Osaka Univ., Osaka, Japan)  
Am. Mineralogist 55 [1-2], 106-17 (1970)
68. Phase equilibria in a section of the Ti-Al-Mo system  
T. T. Nartova and N. I. Shirokova  
Izv. Akad. Nauk SSSR, Metal. [6], 163-66 (Nov.-Dec. 1969)
69.  $Al_2O_3$  in the glassy and  $3CaO \cdot Al_2O_3$  phases of a portland cement clinker in the system  $CaO-Al_2O_3-SiO_2$   
D. K. Nath (Coll. of Earth Sci., Pennsylvania State Univ., Univ. Park, Pa.)  
Trans. Brit. Ceram. Soc. 69, 279-81 (1969)
70. Phase equilibrium study of the  $V_nO_{2n-1}$  system using a solid electrolyte cell  
H. Okinaka, K. Kosuge and S. Kachi (Kyoto Univ., Fac. Sci., Dept. Chem., Kyoto, Japan)  
Japan. J. Appl. Phys. 9 [2], 224 (1970)
71. Effect of internal oxidation on graphite nucleation in an Fe-3%Si-0.5%C alloy  
K. R. Olen and N. Birks (Met. Dept., Univ. of Sheffield, U. K.)  
J. Iron Steel Inst. (London) 208, 75-80 (1970)

- G. 72. Constitutional diagram of ternary Fe-Ca-Si alloys  
T. Ototani and Y. Katura (Res. Inst. Iron, Steel & Other Met.,  
Sendai, Japan)  
Sci. Repts. Res. Inst. Tohoku Univ. 21A [2], 69-82 (1969)
73. Water vapor equilibrium with melts of the CaO-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> system  
I. Yu. Pashkeev, V. I. Antonenko and V. A. Kozheurov (Polytech.  
Inst., Chelyabinsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3159-61 (1969)
74. Non-stoichiometry of melts containing V<sub>2</sub>O<sub>5</sub>  
E. A. Pastukhov, O. A. Esin and N. A. Vatolin (Acad. Sci., Met.  
Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3162-64 (1969)
75. Interaction of dioxides of Ti subgroup elements with Ga<sub>2</sub>O<sub>3</sub>  
V. E. Plyushchev, I. A. Rozkin, L. I. Trenin and B. A. Zhidkov  
Izv. Vyssh. Ucheb. Zaved., Khim. Khim. Tekhnol. 12 [11], 1472-75  
(1969)
76. The alloys of Ni with Ir and Rh  
E. Raub and E. Röschel (Forschungsinst. Edelmetall. Metallchem.,  
Schwäbisch-Gmünd, Germ.)  
Z. Metallk. 61, 113-15 (1970)
77. Phase transformation in barium tetraborate  
C. R. Robbins and E. M. Levin (Nat. Bur. Std., Washington, D. C.  
20234)  
J. Res. Nat. Bur. Stand. 73A [6], 615-20 (1969)
78. The Fe-Ho binary system and related magnetic properties  
G. J. Roe (Univ. of Missouri, Rolla, 1969)  
Dissertation Abstr. 30B [5], 2214 (1969-70)
79. Phase equilibria in the system CaO-MgO-TiO<sub>2</sub>  
M. A. Rouf, A. H. Cooper and H. B. Bell (Met. Dept., Univ. of  
Strathclyde, Scotland)  
Trans. Brit. Ceram. Soc. 69, 263-67 (1970)
80. Phase equilibria in Zr-rich Zr-Cr-O alloys  
W. M. Rumball and F. G. Elder (Chalk River Nucl. Labs., Chalk  
River, Ont., Can.)  
J. Less-Common Metals 19 [4], 245-58 (1969)
81. Solid phase reactions in CuO-M<sub>2</sub>O<sub>3</sub> systems (M = Sc, Y, La, Nd, Sm)  
V. F. Savchenko and Ya. S. Rubinchik  
Vestsi Akad. Navuk Belarus. SSR, Ser. Khim. Navuk [6], 44-48  
(Nov.-Dec. 1969)
82. The tungsten bronze field in the system K<sub>2</sub>O-Li<sub>2</sub>O-Nb<sub>2</sub>O<sub>5</sub>  
B. A. Scott and 5 others (IBM Res. Ctr., Yorktown Heights, N. Y.  
10598)  
Mater. Res. Bull. 5 [1], 47-56 (1970)

- G. 83. Phase equilibria in the  $\text{KNbO}_3$ - $\text{SrNb}_2\text{O}_6$  and  $\text{KNbO}_3$ - $\text{BaNb}_2\text{O}_6$  systems  
B. A. Scott, E. A. Giess, D. F. O'Kane and G. Burns (IBM Thomas J. Watson Res. Ctr., Yorktown Heights, N. Y. 10598)  
J. Am. Ceram. Soc. 53 [2], 106-09 (1970)
84. Studies in the system  $\text{BaO-Al}_2\text{O}_3$ - $\text{SiO}_2$ . IV. The system celsian-alumina and the join celsian-mullite  
C. E. Semler and W. R. Foster (Miner. Dept., Ohio State Univ., Columbus, Ohio 43210)  
J. Am. Ceram. Soc. 52 [12], 679-80 (1969)
85. A study of the  $\text{As}_2\text{S}_3$ - $\text{La}_2\text{S}_3$  system  
V. V. Serebrennikov and M. D. Dashiev (State Univ., Tomsk, USSR)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2210-11 (1969)
86. Calculation of the diopside-fluorite eutectic using ionic models. Comments on "the system  $\text{CaF}_2$ - $\text{CaMgSi}_2\text{O}_6$ "  
D. M. Shaw and S. M. Gibson (Geol. Dept., McMaster Univ., Hamilton, Ont., Can.)  
Can. J. Earth Sci. 6 [6], 1458-60 (1969)
87. Phase equilibria during dissociation of solid solutions of orthotitanates with ferrites and properties of their thermodynamic analysis  
A. A. Shchepetkin and 5 others (Acad. Sci., Met. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3080-83 (1969)
88. Crystallochemical conversions during dissociation of cobalt titanate  $\text{Co}_2\text{TiO}_4$  in equilibrium conditions  
A. A. Shchepetkin, V. K. Antonov, M. I. Zinigrad, A. N. Men and G. I. Chufarov (Ural Br. Acad. Sci., Met. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3084-85 (1969)
89. Equilibrium and properties of crystallochemical conversions during dissociation of solid solutions of manganese orthotitanate with magnetite  
A. A. Shchepetkin, R. G. Zakharov and G. I. Chufarov (Ural Br. Acad. Sci., Met. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3086-88 (1969)
90. Equilibrium diagram of the  $\text{Dy}_2\text{O}_3$ - $\text{Cr}_2\text{O}_3$  system  
A. V. Shevchenko, L. M. Lopato and V. N. Pavlikov (Acad. Sci., Mat. Tech. Inst., Kiev, UkrSSR)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2128-32 (1969)
91. Subsolvus crystallization in the glass formation region of the encryptite-spinel and petalite-spinel systems  
N. A. Sirazhiddinov and N. Rakhmanbekov (Acad. Sci., Chem. Inst., Tashkent, UzSSR)  
Zh. Fiz. Khim. 43 [11], 2749-55 (1969)

- G. 92. Equilibrium investigations of C-rich V(C,N) solutions  
K. E. Spear and J. M. Leitnaker (Oak Ridge Nat. Lab., Oak Ridge,  
Tenn. 37830)  
High Temp. Sci. 1 [4], 401-11 (1969)
93. The liquation mechanism in the pseudobinary section of  $\text{SrSiO}_3\text{-ZnSiO}_3$   
Yu. G. Steinberg and E. M. Milyukov  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2151-54 (1969)
94. Intermediate phases in the solution of oxides in basic slags  
R. A. Stoehr (Carnegie-Mellon Univ., 1969)  
Dissertation Abstr. 30B [5], 2214-15 (1969-70)
95. Phase diagram of the Ca-Eu system  
V. F. Stroganova, V. F. Terekhova and E. M. Savitskii  
Izv. Akad. Nauk SSSR, Metal. [6], 146-49 (Nov.-Dec. 1969)
96. The SnTe-CdTe system  
S. M. Tairov, B. F. Ormont and K. G. Gartsman (Lenin Electrotech.  
Inst., Leningrad, USSR)  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2215-16 (1969)
97. Thermodynamics of the Ge-O-CO and Ge-O-C systems  
I. N. Tanutrov and A. I. Okunev (Ural Br. Acad. Sci., Met. Inst.,  
Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3073-75 (1969)
98. X-ray investigation of the Re-Mn-B system  
V. S. Telegus and Yu. B. Kuzma (State Univ., Lvov, UkSSR)  
Dopovidi Akad. Nauk Ukr. RSR, Ser. A-Fiz. Tekh. Mat. Nauk [10],  
948-50 (1969)
99. Activity-composition relations at 1100 °C in the system CaO-FeO-MnO  
in contact with metallic Fe  
N. Tiberg and A. Muan (Dept. Geochem. Mineral., Pa. State Univ.,  
Univ. Park, Pa.)  
Met. Trans. 1 [2], 435-39 (1970)
100. Study of some new ternary compounds of niobium oxide  
G. Tilloca, M. Perez y Jorba and R. Collongues (Lab. Chim. Appl.  
Etat Solide, CECM, 94-Vitry, Fr.)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 175-80 (1969)
101. Phase equilibria and thermodynamic studies in the system CaO-FeO-  
 $\text{Fe}_2\text{O}_3\text{-SiO}_2$   
M. Timucin (Univ. Missouri, Rolla, 1969)  
Dissertation Abstr. 30B [5], 2215 (1969-70)
102. Dependence of Fe(III)/Fe(II) ratio on equilibrium metallic phase  
composition in the Fe-Ni-O and Fe-Co-O systems. Activity of  
components in systems  
L. Sh. Tsemekhman and S. E. Vaisburd  
Zh. Fiz. Khim. 43 [12], 3168-71 (1969)

- G. 103. Reactions with melt in the Ti-rich region of the ternary Ti-Al-Co system  
T. Tsujimoto and M. Adachi (Nat. Res. Inst. Met., Tokyo)  
Nippon Kinzoku Gakkai Shi 33 [5], 606-11 (1969)
104. Reactions in solid in the Ti-rich region of the ternary Ti-Al-Co system  
T. Tsujimoto and M. Adachi (Nat. Res. Inst. Met., Tokyo)  
Nippon Kinzoku Gakkai Shi 33 [5], 612-17 (1969)
105. On the P-T-x phase diagram of the Mn-Te system  
J. van den Boomgaard  
Philips Res. Repts. 24 [4], 284-98 (1969)
106. Solid phase equilibria of wüstite-alloy in the Fe-Ni-Co-O system  
G. S. Viktorovich, V. A. Gutin and D. I. Lisovskii (Steel & Alloys Inst., Moscow)  
Zh. Fiz. Khim. 43 [12], 3043-46 (1969)
107. Equilibria between oxide and metallic solid solutions in the Fe-Ni-O system  
G. S. Viktorovich, D. I. Lisovskii and V. A. Gutin (Steel & Alloys Inst., Moscow)  
Zh. Fiz. Khim. 43 [12], 3039-42 (1969)
108. Devitrification in the  $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{B}_2\text{O}_3-\text{SiO}_2$  system  
P. Vincenzini  
Ric. Sci. 39 [2], 194-200 (1969)
109. Ternary phases in the system Li-Cu-As  
K. von Benda and R. Juza (Inst. Anorg. Chem., Univ. Kiel, Germ.)  
Z. Anorg. Allg. Chem. 371, 172-92 (1969)
110. Reaction of Zr with transition metals and B  
Yu. V. Voroshilov and Yu. B. Kuzma  
Porosh. Met. 9 [11], 94-98 (Nov. 1969)
111. Thermodynamic properties of the  $\text{V}_2\text{O}_3-\text{V}_4\text{O}_7$  system at temperatures from 1400 to 1700 K  
M. Wakihara and T. Katsura (Chem. Dept., Tokyo Inst. Tech., Tokyo)  
Met. Trans. 1 [2], 363-66 (1970)
112. Contributions to the system  $\text{SiO}_2-\text{Na}_2\text{O}-\text{NaF}$   
A. Willgallis (Inst. Mineral., Freien Univ. Berlin)  
Glastech. Ber. 42, 506-09 (1969)
113. Interactions occurring in the  $\text{K}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$  system during heating. Reaction of  $\text{K}_2\text{SiO}_3$  with  $\text{Al}_2\text{O}_3$   
L. K. Yakovlev  
Izv. Sib. Otd. Akad. Nauk SSSR, Ser. Khim. Nauk [6], 61-69 (Nov.-Dec. 1969)



- G. 114. Existence of compounds in the Nb-Ti system  
A. M. Zakharov, V. Pshokin and A. I. Baikov  
Izv. Vyssh. Ucheb. Zaved., Tsvet. Met. 12 [6], 104-08 (Nov.-Dec. 1969)
115. Reaction of Mo with group IVa metals and C  
A. M. Zakharov and E. M. Savitskii  
Izv. Vyssh. Ucheb. Zaved., Tsvet. Met. 12 [6], 96-103 (Nov.-Dec. 1969)
116. Investigations on the system Ti-Fe-O  
O. Zemek, A. Wittmann and H. Nowotny (Treibacher Chem. Werke AG, Treibach/Kärnten, Inst. Phys. Chem., Tech. Hochschule Wien and Inst. Phys. Chem., Univ. Wien, Austria)  
Monatsh. Chem. 100, 2075-83 (1969)
117. Phase transformations in alloys of the Zr-Mo system  
V. N. Zvechnikov and A. Ts. Spektor  
Metallov. Term. Obrab. Metal. [10], 5-7 (Oct. 1969)
- H. Reactions at temperatures above 1000 °C
- On the solid state reaction between  $U_3O_8$  and MgO. II. Compositions other than  $U_3O_8 \cdot 3MgO$   
I. Amato and A. Negro (Inst. Gen. and Appl. Chem., Fac. Architecture, Polytech., Turin, Italy)  
J. Less-Common Metals 20 [1], 37-48 (1970)
  - Thermodynamic analysis of chemical reactions proceeding during the growth of thread-like sapphire crystals  
S. A. Ammer, K. S. Kutakov, A. G. Moskalenko, V. S. Postnikov and A. A. Shchetinin  
Fiz. Khim. Obrab. Mater. [6], 47-49 (Nov.-Dec. 1969)
  - Oxidation of  $SiCl_4$  using a plasma torch  
A. Audsley and R. K. Bayliss (Nat. Phys. Lab., Teddington, Mx., Engl.)  
J. Appl. Chem. (London) 19, 33-38 (1969)
  - The synthesis of YAl garnet from solution in the melt  
R. V. Bakradze and G. P. Kuznetsova  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2179-82 (1969)
  - Growth of the intermediate oxides of Ti from borate fluxes under controlled oxygen fugacities  
R. F. Bartholomew (IBM East Fishkill Facility, Hopewell Junction, N. Y. 12533) and W. B. White (Pa. State Univ., Univ. Park, Pa.)  
J. Crystal Growth 6 [3], 249-52 (1970)
  - Thermodynamics of the reaction of Ni, Mg, and Zn ferrites with Zn, Mg, and Ni oxides  
L. A. Bashkirov and M. G. Bashkirova  
Zh. Fiz. Khim. 43 [12], 3092-94 (1969)

- H. 7. Quasiequilibrium treatment of gas-solid reactions. I. Evaporation rates of volatile species formed in the reaction of  $O_2$  with W, Mo and C. II. Flash desorption of oxidation products from a W surface  
J. C. Batty and R. E. Stickney (Dept. Mech. Eng. & Res. Lab. Electron., Mass. Inst. Tech., Cambridge, Mass. 02139)  
J. Chem. Phys. 51 [10], 4475-92 (1969)
8. Diffusion of Si in Si-Mn melts  
B. A. Baum, Yu. N. Akshentsev and V. D. Shantarin  
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 12 [12], 19-22 (Dec. 1969)
9. Grain-boundary gas release and swelling in high burn-up  $UO_2$   
R. G. Bellamy and J. B. Rich (A.E.R.E., Harwell, Didcot, Berks., U. K.)  
J. Nucl. Mater. 33 [1], 64-76 (1969)
10. Mo as a container for melts containing iron oxide  
G. M. Biggar (Univ. Edinburgh, Scotland)  
Am. Ceram. Soc. Bull. 49 [3], 286-88 (1970)
11. A quantitative treatment of the simultaneous scaling and decarburization of steels  
N. Birks and W. Jackson (Met. Dept., Univ. of Sheffield, U. K.)  
J. Iron Steel Inst. (London) 208, 81-85 (1970)
12. Diffusion of Fe and Ni in MgO single crystals  
S. L. Blank and J. A. Pask (Lawrence Rad. Lab., Univ. Calif., Berkeley, Calif. 94720)  
J. Am. Ceram. Soc. 52 [12], 669-75 (1969)
13. Crystal growth and fluorescent properties of rare earth-doped Ca fluorovanadate  
L. H. Brixner (duPont, Wilmington, Del. 19898)  
J. Solid State Chem. 1 [2], 185-89 (1969-70)
14. Corrosion of Nb-1%Zr and Ta tubes containing liquid Li  
C. A. Busse (Euratom CCR, Ispra, Varese, Italy)  
Corrosion Sci. 10, 65-84 (1970)
15. High pressure, high temperature syntheses of selected lanthanide-Te compounds  
J. F. Cannon (Brigham Young Univ., 1969)  
Dissertation Abstr. 30B [5], 2105 (1969-70)
16. Processing of minerals in a plasma torch  
J. A. Charles, G. J. Davies, R. M. Jervis and G. Thursfield (Met. Dept., Univ. of Cambridge, U. K.)  
Trans. Inst. Mining Met. 79C, 54-59 (1970)

- H. 17. Formation and reactivity of nitrides  
N. G. Coles, D. R. Glasson and S. A. Jayaweera (Chem. Dept.,  
Coll. of Technology, Plymouth, U. K.)  
J. Appl. Chem. (London) 19, 178-84 (1969)
18. Transparent  $Y_2O_3$  by hot-pressing  
S. K. Dutta and G. E. Gazza (Army Mater. & Mech. Res. Ctr.,  
Watertown, Mass.)  
Mater. Res. Bull. 4 [11], 791-79 (1969)
19. Crucible-less zone melting of ruby crystals using laser heating  
of the molten zone  
K. Eickhoff and K. Gürs (Phys. Inst., Univ., 6 Frankfurt am Main,  
Germ.)  
J. Crystal Growth 6 [1], 21-25 (1969)
20. Diffusion of Ge and Ni in liquid Cu  
T. Ejima and M. Kameda (Dept. Met., Fac. Eng., Tohoku Univ.,  
Sendai, Japan)  
Nippon Kinzoku Gakkai Shi 33 [1], 89-96 (1969)
21. Diffusion of Fe and Co in liquid Cu  
T. Ejima and M. Kameda (Dept. Met., Fac. Eng., Tohoku Univ.,  
Sendai, Japan)  
Nippon Kinzoku Gakkai Shi 33 [1], 96-103 (1969)
22. Effect of micro-voids on the apparent diffusivity of H  
G. M. Evans and E. C. Rollason (Dept. Ind. Met., Univ. of  
Birmingham, U. K.)  
J. Iron Steel Inst. (London) 207, 1591-98 (1969)
23. Interaction of carbides of transition metals of groups IV-VI of  
periodic system of elements with  $ZrO_2$   
V. B. Fedorus, T. Ya. Kosolapova and Yu. B. Kuzma (Inst. Cermet  
and Spec. Alloys, Kiev, USSR)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 193-98 (1969)
24. High temperature reaction between UC and  $\beta$ -SiC  
I. F. Ferguson and D. E. Y. Walker (Reactor Fuel Lab., UKAEA,  
Springfields, U. K.)  
J. Chem. Soc. A, 35-37 (1970)
25. High-temperature solution growth of single-crystal  $NpO_2$   
C. B. Finch and G. W. Clark (Oak Ridge Nat. Lab., Oak Ridge,  
Tenn. 37830)  
J. Crystal Growth 6 [3], 245-48 (1970)
26. Techniques for melt-growth of luminescent semiconductor crystals  
under pressure  
A. G. Fischer (RCA Labs., Princeton, N. J.)  
J. Electrochem. Soc. 117 [2], 41C-47C (1970)

- H. 27. New Ta nitrides. Double nitride and oxinitrides of Ta and Nb  
A. Fontbonne and J.-C. Gilles (Lab. Chim. Appl. Etat Solide,  
C.E.C.M., 94-Vitry, Fr.)  
Rev. Int. Hautes Temp. Réfract. 6 [3], 181-92 (1969)
28. Silicon nitride as a mask in P diffusion  
I. Franz and W. Langheinrich (AEG-Telefunken, Forschungsinst.  
Ulm & Rohrenwerk Ulm, Germ.)  
Solid-State Electron. 12, 955-62 (1969)
29. Crystal growth of BeO from borate melts  
D. Ganguli and P. Saha (Ctr. Glass & Ceram. Res. Inst., Calcutta  
32, India)  
Indian J. Tech. 7 [10], 320-23 (1969)
30. Oxide crystal growth using gas lasers  
D. B. Gasson and B. Cockayne (Royal Radar Establ., Malvern, U. K.)  
J. Mater. Sci. 5, 100-04 (1970)
31. High index growth of  $\alpha$ -Al<sub>2</sub>O<sub>3</sub> filamentary crystals  
I. L. Gelles and W. P. Binnie (Ledgemont Lab., Kennecott Copper  
Co., Lexington, Mass. 02173)  
Mater. Sci. Eng. 5 [2], 71-92 (1970)
32. Interaction between LaB<sub>6</sub> and Mo, Ta and graphite  
L. M. Gert, A. A. Babad-Zakhryapin and V. I. Minashkin  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2198-99 (1969)
33. Tungsten bronze-type crystals grown in molten solutions of the  
pseudosystem KNbO<sub>3</sub>-LiNbO<sub>3</sub>-BaNb<sub>2</sub>O<sub>6</sub>  
E. A. Giess and 5 others (IBM Res. Ctr., Yorktown Heights, N. Y.  
10598)  
Mater. Res. Bull. 5 [2], 109-15 (1970)
34. Formation and reactivity of TiO<sub>2</sub> and basic titanate salts  
D. R. Glasson, J. S. Johnson and M. A. Sheppard (Chem. Dept.,  
Coll. of Technology, Plymouth, U. K.)  
J. Appl. Chem. (London) 19, 46-51 (1969)
35. Formation and reactivity of borides, carbides and silicides  
D. R. Glasson and J. A. Jones (Chem. Dept., Coll. of Technology,  
Plymouth, U. K.)  
J. Appl. Chem. (London) 19, 125-40 (1969)
36. Temperature distribution in Ge during its extraction from melts  
A. I. Gubanov and A. A. Nranyan (Ioffe Phys. Tech. Inst.,  
Leningrad, USSR)  
Izv. Akad. Nauk SSSR, Ser. Fiz. 33 [12], 1963-69 (1969)

- H. 37. Studies on the formation of WC powder from W powder  
A. Hara and M. Miyake (Sumitomo Elect. Ind. Res. Div., Itami,  
Japan)  
Nippon Kinzoku Gakkai Shi 32 [12], 1323-28 (1969)
38. Diffusion bonding of Mo  
T. Hashimoto and K. Tanuma (Nat. Res. Inst. Met., Tokyo)  
Rept. Nat. Res. Inst. Met. 12 [2], 241-49 (1969)
39. Vapor transport reaction of MgO and SiO<sub>2</sub>  
R. Hayami (Govt. Ind. Res. Inst., Osaka, Ikeda, Japan)  
Yogyo Kyokai Shi 77 [887], 234-38 (1969)
40. N diffusion in UN as measured by  $\alpha$  particle activation of <sup>15</sup>N  
J. B. Holt and M. Y. Almasy (Lawrence Rad. Lab., Univ. Calif.,  
Livermore, Calif. 94550)  
J. Am. Ceram. Soc. 52 [12], 631-35 (1969)
41. Synthesis and melt growth of doped ZnSe crystals  
W. C. Holton, R. K. Watts and R. D. Stinedurf (Texas Instr.,  
Dallas, Texas 75222)  
J. Crystal Growth 6 [1], 97-100 (1969)
42. Kinetics of reaction between MgO and Fe<sub>2</sub>O<sub>3</sub> in powder compacts  
S. F. Hulbert, H. H. Wilson and D. A. Venkatu (Eng. Coll.,  
Clemson Univ., Clemson, S. C.)  
Trans. Brit. Ceram. Soc. 69, 9-13 (1970)
43. Vapor transport reaction of MgO and SiO<sub>2</sub>  
R. Hyami  
Bull. Gov't. Ind. Res. Inst., Osaka 20 [4], 254-59 (1969)
44. Mechanism of formation of silicates by solid state reaction of  
alkaline earth compounds and SiO<sub>2</sub>  
R. Hyami and T. Ogura  
Bull. Gov't. Ind. Res. Inst., Osaka 20 [4], 270-74 (1969)
45. Preparation of BaTiO<sub>3</sub> film by evaporation methods  
Y. Iijima (Isogo Tech. High School, Yokohama)  
Zairyo 18 [192], 819-23 (1969)
46. Polytypes of SiC crystals grown from molten Si  
Y. Inomata, Z. Inoue, M. Mitomo and H. Tanaka (Nat. Inst. Res.  
Inorg. Mater., Tokyo)  
Yogyo Kyokai Shi 77 [883], 83-88 (1969)
47. Thermal decomposition and sintering of alkaline-earth carbonates  
M. D. Judd and M. I. Pope (Chem. Dept., Coll. of Technology,  
Portsmouth, U. K.)  
J. Appl. Chem. (London) 19, 191-94 (1969)



- H. 48. Effect of pressure on graphitization of C. VI. Normal pressure heat treatment of soft C pre-heat-treated under high pressure  
K. Kamiya, M. Inagaki and H. Saito (Fac. Eng., Univ. of Nagoya, Japan)  
Bull. Chem. Soc. Japan 42 [5], 1425-28 (1969)
49. Reaction mechanism of fluorapatite synthesis by dry method  
T. Kanazawa, Y. Katayama, M. Ueda and S. Inoue (Fac. Eng., Tokyo Metro. Univ., Tokyo)  
Kogyo Kagaku Zasshi 72 [6], 1253-58 (1969)
50. Formation process of alumina by thermal decomposition of aluminum sulfate  
S. Katō, T. Iga, S. Sano and E. Ishii (Govt. Ind. Res. Inst., Nagoya, Japan)  
Yogyo Kyokai Shi 77 [882], 60-65 (1969)
51. Solid state crystal growth of the spinel  $MgGa_2O_4$   
G. Katz (Israel Mining Ind. Inst. R/D, Haifa, Israel) and R. Roy (Mater. Res. Lab., Pennsylvania State Univ., Univ. Park, Pa.)  
J. Crystal Growth 6 [3], 221-27 (1970)
52. Dispersion strengthening austenitic stainless steels by nitriding  
L. E. Kindlimann and G. S. Ansell  
Met. Trans. 1 [2], 507-15 (1970)
53. Free enthalpy of formation of rhodium sesquioxide,  $Rh_2O_3$   
H. Kleykamp (Kernforschungszentrum Karlsruhe, Inst. Mater.-u. Festkörperforsch., Germ.)  
Z. Phys. Chem. (Frankfurt) 67, 277-83 (1969)
54. Effect of a gaseous medium on the interaction of  $ZrO_2$  with  $Ce_2O_3$  and properties of the roasted material  
Ya. V. Klyucharov and V. I. Strakhov  
Ogneupory 35 [1], 40-46 (Jan. 1970)
55. Thermal decomposition kinetics of barium metaferate (IV)  
I. G. Kokarovtseva and I. N. Belyaev (State Univ., Rostov, USSR)  
Zh. Fiz. Khim. 43 [10], 2645-47 (1969)
56. Hydrogen reduction of Mg and Mn ferro-aluminates in equilibrium conditions  
Yu. A. Korneev, T. D. Takenov, V. F. Balakirev and G. I. Chufarov (Acad. Sci., Met. Inst., Sverdlovsk, USSR)  
Zh. Fiz. Khim. 43 [12], 3098-3102 (1969)
57. Interaction of powders of Zr and Si carbides  
T. Ya. Kosolapova and E. V. Kutysheva  
Porosh. Met. 9 [11], 61-65 (Nov. 1969)

- H. 58. Thermodynamic analysis of liquid Mo deoxidation  
L. N. Kozina, A. V. Reviakin and A. M. Samarin (Baikov Met. Inst., Moscow)  
Dokl. Akad. Nauk SSSR 190 [4], 909-11 (1970)
59. Crystal growth and some magnetic properties of Ru doped YIG  
R. Krishnan  
Phys. Status Solid 1A [1], 17K-20K (1970)
60. High pressure synthesis of  $\text{Th}_2\text{C}_3$ : a new actinide carbide  
M. C. Krupka (Los Alamos Sci. Lab., Los Alamos, N. M. 87544)  
J. Less-Common Metals 20 [2], 135-40 (1970)
61. Interaction of Cr and Ti with a magnesite refractory  
T. I. Litvinova, T. F. Raichenko and V. P. Pirozhkova  
Ogneupory 35 [1], 46-49 (Jan. 1970)
62. Infrared kinetic study of high-temperature reactions of synthetic kaolinite  
K. J. D. MacKenzie (Ceram. with Refrac. Tech. Dept., Univ. of Sheffield, Engl.)  
J. Am. Ceram. Soc. 52 [12], 635-37 (1969)
63. Diffusion of Ca and Si in the liquid system  $\text{CaO-SiO}_2$   
A. Majdič and H. Hennig (Forschungsinst. Feuerfest-Ind., Bonn, Germ.)  
Ber. Deut. Keram. Ges. 47, 53-59 (1970)
64. Reaction kinetic properties of thermal  $\text{PbO}_2$  and  $\text{Pb}_3\text{O}_4$  decomposition  
G. V. Malinin and Yu. M. Tolmachev  
Zh. Neorg. Khim. 14 [11], 2889-2903 (1969)
65. Simultaneous chemical vapor deposition of C and U  
S. Marinković, Č. Sužnjević and I. Dezarov ("Boris Kidrič" Inst. Nucl. Sci., Vinča, Belgrade, Yugoslavia)  
J. Nucl. Mater. 33 [1], 103-06 (1969)
66. Kinetics and mechanism of formation of  $\text{Ca}_2\text{PbO}_4$  from CaO and PbO  
P. L. Martini and A. Bianchini (Ctr. Ric. Met., Lungodora Voghera 82, Turin 10153, Italy)  
J. Appl. Chem. (London) 19, 147-52 (1969)
67. The preparation of  $\text{U}_4\text{O}_9$  single crystal  
N. Masaki (Japan At. Energy Res. Inst., Tokai, Japan) and T. Ishii (Nucl. Eng. Dept., Fac. Eng., Univ. of Tokyo)  
J. Crystal Growth 6 [2], 207-09 (1970)
68. Thermodynamic analysis of the possible direct interaction of Al, Ni, Co, Fe and Nb with silicates of varying composition  
G. M. Matveev, B. L. Rudoi and M. K. Shorshorov  
Fiz. Khim. Obrab. Mater. [6], 94-98 (Nov.-Dec. 1969)

- H. 69. Production of pure carbon-free borides by the carbothermal technique  
G. A. Meerson and A. E. Gorbunov  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2075-82 (1969)
70. Thermodynamic analysis of equilibria in the  $\text{BaAl}_2\text{O}_4$ -W system  
G. A. Meerson, A. I. Soloveichik and A. Ya. Fisher  
Izv. Akad. Nauk SSSR, Neorg. Mater. 5 [12], 2227-29 (1969)
71. The role of  $\text{N}_2$  in the formation of microbubbles during the explosive combustion of Zr droplets in  $\text{N}_2/\text{O}_2$  mixtures  
R. T. Meyer and L. S. Nelson (Sandia Labs., Albuquerque, N. M. 87115)  
High Temp. Sci. 2 [1], 35-57 (1970)
72. Studies of the ionic ferromagnet  $(\text{LaPb})\text{MnO}_3$ . I. Growth and characteristics of single crystals  
A. H. Morrish, B. J. Evans, J. A. Eaton and L. K. Leung (Phys. Dept., Univ. Manitoba, Winnipeg, Manitoba, Can.)  
Can. J. Phys. 47 [23], 2691-96 (1969)
73. Formation of  $\text{Y}_3(\text{Mg}_y\text{Ga}_{2-y})(\text{Ga}_{3-y}\text{Si}_y)\text{O}_{12}$  garnet  
S. Naka, Y. Suwa and S. Ito (Synthetic Cryst. Res. Lab., Fac. Eng., Univ. of Nagoya, Japan)  
Kogyo Kagaku Zasshi 72 [7], 1480-83 (1969)
74. Diffusion controlled dissolving of water vapor bubbles in molten glass  
L. Nemec (Silicates Lab., Czech. Acad. Sci., Prague 5, Technicka 1905, Czech.)  
Glass Technol. 10, 176-81 (1969)
75. Self-diffusion of Ag in liquid Ag-Sb and Ag-Sn alloys  
K. Niwa, H. Nakajima, M. Tada and N. Seo (Fac. Sci., Hokkaido Univ., Sapporo, Japan)  
Nippon Kinzoku Gakkai Shi 33 [2], 203-09 (1969)
76. Accelerating effect of  $\text{CaCO}_3$  on graphitization of C under pressure  
T. Noda, M. Inagaki, S. Hirano and H. Saito (Fac. Eng., Nagoya Univ., Japan)  
Kogyo Kagaku Zasshi 72 [3], 643-48 (1969)
77. The reaction of  $\text{MgO}$  and C in  $\text{N}_2$  atmosphere (1 atm) at  $1400 \sim 1800^\circ\text{C}$   
H. Nomura and K. Fujii (Govt. Chem. Ind. Res. Inst., Shibuya-ku, Tokyo)  
Yogyo Kyokai Shi 77 [888], 271-77 (1969)
78. Solid state decarburization of high carbon ferrochromium by oxidizing gas  
T. Ohnishi, T. Yoshida and T. Takei (Dept. Appl. Chem., Fac. Eng., Keio Univ., Koganei-shi, Tokyo)  
Denki Kagaku 37 [8], 555-62 (1969)

- H. 79. Oxidation rate of Fe-Cu and Fe-Sn alloys to wüstite  
R. G. Olsson, B. B. Rice and E. T. Turkdogan (U. S. Steel Lab.  
Fund. Res., Monroeville, Pa.)  
J. Iron Steel Inst. (London) 208, 1607-11 (1969)
80. Growth of single crystal calcium aluminates in the system  $\text{CaO-Al}_2\text{O}_3$   
Y. P. Oudalov and Z. S. Medvedeva (Silicate Chem. Inst., Acad.  
Sci. USSR, Leningrad V-164)  
Mater. Res. Bull. 4 [12], 887-95 (1969)
81. Magnesiothermal production of Mo from  $\text{MoO}_3$  without using a furnace  
V. P. Perminov and V. A. Neronov  
Izv. Sib. Otd. Akad. Nauk SSSR, Ser. Khim. Nauk [5], 72-77 (1969)
82. The compatibility of UN with Mo, W and  $\text{ThO}_2$  at high temperatures  
C. Politis, F. Thümmel and H. Wedemeyer (Inst. Mater. &  
Festkörperforsch., Kernforschungszentrums Karlsruhe, B. R. D.)  
J. Nucl. Mater. 32 [2], 181-92 (1969)
83. Effect of water vapor on the combustion of flash-heated Be droplets  
J. L. Prentice (Michelson Labs., Naval Weapons Ctr., China Lake,  
Calif.)  
J. Electrochem. Soc. 117 [3], 385-87 (1970)
84. Diffusion of Mn in single crystalline MnO  
J. B. Price and J. B. Wagner, Jr. (Mater. Res. Ctr., Northwestern  
Univ., Evanston, Ill.)  
J. Electrochem. Soc. 117 [2], 242-47 (1970)
85. The time dependence of effusion cell steady-state pressures of CO  
and Ca vapors generated by the interaction of CaO and graphite  
J. H. Rai and N. W. Gregory (Chem. Dept., Univ. of Washington,  
Seattle, Wash. 98105)  
J. Phys. Chem. 74 [3], 529-34 (1970)
86. An effusion study of the reaction of ZrC with CaO  
J. H. Rai and N. W. Gregory (Chem. Dept., Univ. of Washington,  
Seattle, Wash. 98105)  
J. Phys. Chem. 74 [5], 1076-82 (1970)
87. Nucleation of crystalline phases in silicate glasses containing  
iron oxides  
P. S. Rogers and J. Williamson (Nuffield Res. Group, Imperial  
College, London, SW 7)  
Glass Technol. 10, 128-33 (1969)
88. Preparation of ferrimagnetic  $\text{BaFe}_{12}\text{O}_{19}$  and  $\text{SrFe}_{12}\text{O}_{19}$   
R. J. Rutil and D. Barham (Chem. Eng. & Appl. Chem. Dept., Univ.  
Toronto, Ont., Can.)  
Can. J. Chem. 47 [20], 3919-20 (1969)

- H. 89. Rate of the interaction of  $O_2$  with Fe-C melts  
K. M. Shakirov, Yu. S. Shchekalev, S. I. Popel and A. I. Pastukhov  
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 12 [12], 9-15 (Dec. 1969)
90. Calculation of thermal fields in Si monocrystals during extraction from melts  
Yu. M. Shashkov, V. M. Gurevich and V. B. Silkin (State Rare Met. Inst., Moscow)  
Izv. Akad. Nauk SSSR, Ser. Fiz. 33 [12], 1974-79 (1969)
91. Mechanism of non-stoichiometric  $UO_2$  reaction with Mo  
A. S. Shatalin, V. A. Malykh, A. V. Frolov and V. I. Uporov (Eng. Phys. Inst., Obninsk, USSR)  
Zh. Fiz. Khim. 43 [10], 2505-09 (1969)
92. Thermography of the  $Bi_4Ti_3O_{12}$  reaction with  $V_2O_5$ ,  $MoO_3$  and  $WO_3$   
N. P. Smolyaninov, A. P. Morozova and O. B. Bochkareva (Agric. Mechanization Inst., Zernovoi, USSR)  
Zh. Neorg. Khim. 15 [1], 258-61 (1970)
93. Diffusion of carbon in vanadium  
P. Son, S. Ihara, M. Miyake and T. Sano (Nucl. Eng. Dept., Fac. Eng., Osaka Univ., Suita)  
Nippon Kinzoku Gakkai Shi 33 [1], 1-3 (1969)
94. Use of hollow cathode dc plasma discharge float zoning for the growth of materials with high melting points: the growth of single crystal of  $Ta_2C$   
R. N. Storey and R. A. Laudise (Bell Tel. Labs., Murray Hill, N. J. 07974)  
J. Crystal Growth 6 [3], 261-65 (1970)
95. Crystal growth of rutile ( $TiO_2$ ) by flux method  
T. Sugai and S. Hasegawa (Res. Inst. Elect. Communication, Tohoku Univ., Sendai, Japan)  
Yogyo Kyokai Shi 77 [882], 65-72 (1969)
96. Solid state reactions between CaO and a single crystal of  $Al_2O_3$   
H. Tagai, T. Iseki, T. Saeki and T. Kounosu (Tokyo Inst. Tech.)  
Yogyo Kyokai Shi 77 [890], 341-47 (1969)
97. Mechanism of crystal growth of booklet fluor-phlogopite crystals by Stockbarger technique  
I. Tate, I. Sunagawa and M. Daimon (Fac. Eng., Shinshu Univ., Nagano, Japan)  
Kogyo Kagaku Zasshi 72 [7], 1484-89 (1969)
98. Self-diffusion of sodium ions in some silicate glasses  
R. Terai, T. Kitaoka and T. Ueno (Govt. Ind. Res. Inst., Osaka, Japan)  
Yogyo Kyokai Shi 77 [883], 88-95 (1969)



- H. 99. Anomalous diffusion in semiconductors  
N. D. Thai (Sch. of Electr. Eng., Univ. of New South Wales,  
Australia)  
Solid-State Electron. 13, 165-72 (1970)
100. Preparation of single crystals of  $\text{Cu}_2\text{O}$  in an arc-image furnace  
D. Trivich and G. P. Pollack (Chem. Dept., Wayne State Univ.,  
Detroit, Mich.)  
J. Electrochem. Soc. 117 [3], 344-45 (1970)
101. Hafnium. II. Oxidation  
F. W. Vahldiek (A. F. Mat. Lab., Dayton, Ohio 45433)  
J. Less-Common Metals 19 [4], 305-14 (1969)
102. Reactions between refractories of the system  $\text{SiO}_2\text{-Al}_2\text{O}_3$  and Fe  
melts containing Mn  
M. Wahlster, H. Maas, H. Abratis and A. Choudhury (Forschung-  
sabteil., Rheinstahl Hüttenwerke AG, Hattingen, Germ.)  
Arch. Eisenhüttenw. 41, 37-42 (1970)
103. Vitrification of feldspathic and feldspathoid fluxes  
E. G. Walker and D. A. Holdridge (Brit. Ceram. Res. Assn.,  
Penkull, U. K.)  
Trans. Brit. Ceram. Soc. 69, 21-27 (1970)
104. Effect of reducing gas composition on structure and reducibility  
of iron oxides  
R. D. Walker and D. L. Carpenter (Met. Dept., Univ. of Cardiff,  
U. K.)  
J. Iron Steel Inst. (London) 208, 67-74 (1970)
105. On the formation of Al inclusions in solid Fe at high temperature  
Y. Wanibe and K. Sano (Dept. Met., Fac. Eng., Nagoya Univ., Japan)  
Nippon Kinzoku Gakkai Shi 33 [1], 16-21 (1969)
106. On the effect of the initial  $\text{O}_2$  content in solid Fe on the formation  
of alumina inclusions during the diffusion of Al into solid Fe  
at high temperature  
Y. Wanibe and K. Sano (Dept. Met., Fac. Eng., Nagoya Univ., Japan)  
Nippon Kinzoku Gakkai Shi 33 [1], 22-27 (1969)
107. Variation of structure across the deposition surface of resistance-  
grown pyrolytic graphite  
O. Watanabe and I. Tomizuka (Nat. Res. Inst. Met., Tokyo)  
Yogyo Kyokai Shi 77 [888], 249-55 (1969)
108. Effect of vanadium oxides on the crystallization of silicate glasses  
J. Williamson, A. J. Tipple and P. S. Rogers (Nuffield Res. Group,  
Imperial College, London, SW 7)  
J. Mater. Sci. 4, 1069-74 (1969)

- H. 109. Corrosion by vapors of potassium salts. II. Corrosion of mullite refractory by alkaline vapor  
A. Yamaguchi, S. Okawara and A. Yamanaka (Dept. Ceram., Nagoya Inst. Tech., Nagoya, Japan)  
Yogyo Kyokai Shi 77 [891], 357-66 (1969)
110. Kinetic studies on the deoxidation of molten Cu by H<sub>2</sub> gas  
C. Yamauchi and K. Sano (Met. Dept., Fac. Eng., Univ. of Nagoya, Japan)  
Nippon Kinzoku Gakkai Shi 32 [11], 1249-55 (1969)
111. Effect of stirring on the speed of the deoxidation of molten Cu by H<sub>2</sub> gas  
C. Yamauchi and K. Sano (Met. Dept., Fac. Eng., Univ. of Nagoya, Japan)  
Nippon Kinzoku Gakkai Shi 32 [11], 1255-61 (1969)
112. Effect of crucible material on the speed of the deoxidation of molten Cu by H<sub>2</sub> gas  
C. Yamauchi and K. Sano (Dept. of Met., Faculty of Eng., Nagoya Univ., Nagoya)  
Nippon Kinzoku Gakkai Shi 32 [11], 1262-67 (1969)
113. Diffusion of S in GaP and GaAs  
A. B. Y. Young and G. L. Pearson (Stanford Electron. Labs., Stanford Univ., Stanford, Calif.)  
J. Phys. Chem. Solids 31, 517-27 (1970)
114. Preparation of thin film CdSe-CdS systems  
H. J. Yu and T. H. Weng (Sch. of Eng., Oakland Univ., Rochester, Mich.)  
Solid-State Electron. 13, 93-94 (1970)

#### I. Books

1. The review of high temperature materials (A journal)  
A. Abraham, Editor  
Freund Publ. Co., Holon, Israel, 1970, quarterly, \$22/yr.
2. Liquid semiconductors (Monographs in Semiconductor Physics, Vol. 2)  
V. M. Glazov, S. N. Chizhevskaya and N. N. Glagoleva  
Plenum Press, 1969, 364 p, \$22.50 (transl. of 1967 Russian edition)
3. Physico-chemical calculations in metallurgy (in German)  
A. Horvath  
Akademiai Kiado, Budapest, 320 p, \$14.40
4. Journal of solid state chemistry  
R. E. Hughes, M. J. Sienko and A. Wold, Eds.  
Academic Press, 1970, Quarterly, \$30/yr. (\$10/yr. personal)

- I. 5. Ceramic fibers and fibrous composite materials  
H. W. Rauch, Sr., W. H. Sutton and L. R. McCreight (G. E. Space  
Sci. Lab., King of Prussia, Pa.)  
Refractory Materials, Vol. 3, Academic Press, 1968, 436 p, \$12.50

A. Spectroscopy of Interest to High Temperature Chemistry

1. Potential energy curves and nature of binding in Group IIIA mono-halides.  
Thakur, S. N.; Singh, Ran B.; Rai, D. K. (Banaras Hindu Univ., Varanasi, India).  
J. Sci. Ind. Res. 1968, 27(9), 339-47.
2. Radiative lifetimes of excited electronic states in ionic-species of oxygen.  
Lewis, Myron R.; Zimnoch, Frederick S.; Wares, Gordon W. (Panamet-  
rics, Inc., Waltham, Mass.).  
Phys. Rev. 1969, 178(1), 49-54 (Eng).
3. Isotope shifts in the 7229-A. transition in lead measured under  
superradiant conditions.  
Deech, J.S.; Cole, J. B.; Sanders, John Howard (Oxford Univ.,  
Oxford, Engl.).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2]2 (1), 147-150  
(Eng).
4. Absorption spectra of molecular ions.  
Herzberg, Gerhard.  
Comment., Pontif. Acad. Sci. 1968, 2(15), 8 pp. (Eng).
5. Atmospheric implications of predissociation in nitrogen.  
Hudson, Robert D.; Carter, Virginia L. (Aerosp. Cor., El Segundo,  
Calif.).  
J. Geophys. Res. 1969, 74(1), 393-5 (Eng).
6. Theoretical interpretations of the even levels in the first  
spectrum of tungsten.  
Shadmir, Yehuda, Caspi, Eliahu (Hebrew Univ., Jerusalem, Israel).  
J. Res. Nat. Bur. Stand., Sect. A 1968 72(6), 757-60 (Eng).
7. First spectrum of tungsten ( $W_I$ ).  
Laun, Donald D.; Corliss, Charles H. (Inst. for Basic Stand., Nat.  
Bur. of Stand., Washington, D. C.).  
J. Res. Nat. Bur. Stand., Sect. A 1968 72(6), 609-755 (Eng).
8. The vapor-phase infrared spectra of the niobium oxotrihalides,  
 $NbOCl_3$ ,  $NbOBr_3$ , and  $NbOI_3$ .  
Schulz, Carl O; Stafford, Fred E. (Northwestern Univ., Evanston,  
Ill.).  
J. Phys. Chem. 1968, 72(13), 4686-8 (Eng).
9. Radiative lifetimes in the resonance series of neon.  
Lawrence, George M.; Liszt, H. S. (Douglas Advan. Res. Lab.,  
Huntington Beach, Calif.).  
Phys. Rev. 1969, 178(1), 122-5 (Eng).

- A. 10. Light emission in the vacuum ultraviolet by electron impact excitation in gases. I. Studies in oxygen.  
Sroka, W. (Univ. Hamburg, Hamburg, Ger.).  
Z. Naturforsch. A. 1968, 23(12), 2004-13 (Ger).
11. Configurations nf and ng in Ne I.  
Litzen, Ulf (Univ. Lund, Lund, Swed.).  
Ark. Fys. 1968, 38(17), 317-24 (Eng).
12. Mean lives of some doubly excited levels in lithium I.  
Bickel, William; Bergstrom, Ingmar; Buchta, Rudolf; Lindin, Lennart; Martinson, Indrek (Res. Inst. Phys., Stockholm, Swed.).  
Phys. Rev. 1969, 178(1), 118-22 (Eng).
13. New band systems of CoBr in the photographic infrared.  
Rao, N. V. Kirshna; Rao, P. Tiruvenganna (Andhra, Univ., Waltair, India).  
Curr. Sci. 1968, 37(20), 608-9 (Eng).
14. Measurements of Ar II transition probabilities and the continuous spectra of argon and neon.  
Schnapauuff, Rudolf (Univ. Kiel, Kiel, Ger.).  
Z. Astrophys. 1968 78(6), 431-44 (Ger).
15. Experimental Stark-widths of nitrogen II lines.  
Berg. Hans F.; Ervens, W.; Furch, B. (Tech. Hochsch., Aachen, Ger.).  
Phenomena Ioniz. Gases, Int. Conf., Contrib. Pap., 8th Vienna 1967, 439 (Eng).
16. Effect of anomalous dispersion on Hanle effect line shapes. Case of the 1850-A. line of mercury.  
Lecler, D. (Fac. Sci. Saen, Caen, Fr.).  
J. Phys. (Paris), 1968, 29(8-9), 739-47 (Fr).
17. Electron resonance spectrum of NCO in the gas phase.  
Carrington, Alan, Fabris, Allan R.; Lucas, Nigel J. D. (Univ. Southampton, Southampton, Engl.).  
J. Chem. Phys. 1968, 49(12), 5545-7 (Eng).
18. Vacuum-ultraviolet photolysis of nitrous oxide. II. Deactivation of nitrogen ( $A^3\Sigma_u^+$ ) and nitrogen ( $B^3\Pi_g$ ).  
Young, Robert Allen; Black, Graham; Slanger, Tom G. (Stanford Res. Inst., Menlo Park, Calif.).  
J. Chem. Phys. 1969, 50(1), 303-8 (Eng).
19. Vacuum-ultraviolet photolysis of nitrous oxide. III. Reaction rates of oxygen( $^1S$ ).  
Young, Robert Allen; Black Graham; Slanger, Tom G. (Stanford Res. Inst., Menlo Park, Calif.).  
J. Chem. Phys. 1969, 50(1), 309-11 (Eng).



- A. 20. Intra-atomic magnetic interactions in  $f^n$  and  $F^3$  configurations. I. Spin-spin interaction for  $f^2$  and  $f^3$  configurations. Malli, Gulzari; Saxena, K. M. S. (Simon Fraser Univ., Burnaby, British Columbia). J. Chem Phys. 1969 50(1), 174-81 (Eng).
21. Theoretical study of homogeneous perturbations. II. Least-squares fitting method to obtain deperturbed crossing Morse curves. Application to the perturbed  $^1\Sigma_u^+$  states of nitrogen. Lefebvre-Brion, Helen (Cent. Mec. Ondulatoire Appl., Paris, Fr.). Can J. Phys. 1969 47(5), 541-5 (Eng).
22. Angular dependence of low-energy electron-impact excitation cross section of the lowest triplet states of hydrogen. Trajmar, Sandor; Cartwright, D. C.; Rice, James K.; Brinkmann, R. T.; Kuppermann, A. (California Inst. of Technol., Pasadena Calif.). J. Chem. Phys. 1968, 49(12), 5464-72 (Eng).
23. Calculation of Franck-Condon factors for diatomic molecules in the approximation of the unified Wentzel-Kramers-Brillouin method. Zhirnov, N. I.; Kronrod, L. A. (USSR). Vop. Radiofiz. Spektrosk. 1967, No. 3, 6-14 (Russ). From Ref. Zh., Fiz., D. 1968, Abstr. No. 6D171. CA Vol 70 61042g 1969
24. Recent progress beyond the Hartree-Fock method for diatomic molecules: the method of optimized valence configurations. Wahl, Arnold C.; Bertoncini, Peter J.; Das, G.; Gilbert, T. L. (Argonne Nat. Lab., Argonne, Ill.). Int. J. Quantum Chem., Symp. 1967, (No.1), 123-52 (Eng).
25. Potential energy functions of diatomic molecules (halides and hydrides of the Groups IA and IIA). Szoke, S.; Baitz, E. (Hung. Acad. Sci., Budapest, Hung.). Acta Chim. (Budapest) 1968, 57(2), 129-40 (Eng).
26. Approximate calculation of the rotational constants of diatomic molecules. Vasilevskii, A. S.; Zhirnov, N. I. (USSR). Vop. Radiofiz. Spektroskop. 1967, No. 3, 15-20 (Russ). From Ref. Zh., Fiz., D 1968, Abstr. No. 7D160. CA Vol 70 61060m 1969.
27. Review of atomic and molecular excitation mechanisms in non-equilibrium gases up to 20,000°K. Gilmore, Forrest R.; Bauer, Ernest; McGowan, J. William (RAND Corp., Santa Monica, Calif.). J. Quant. Spectrosc. Radiat. Transfer 1969, 9(2), 157-83 (Eng).

- A. 28. Activation energy of the excited radicals formed in the undisturbed acetylene-air flame and in flames enhanced by a high frequency discharge.  
Nesterko, N. A.; Tsikora, I. L. (USSR).  
Fiz. Goreniya Vzryva 1968, 4(3), 383-6 (Russ). CA Vol 70 61549c 1969.
29. Physical constants relating to atomic spectra.  
Garstang, Roy H. (Univ. London Observ., London, Engl.).  
Abundance Determinations Stellar Spectra, Int. Astron. Union, Symp., 26th 1964 (Pub. 1966), 57-76 (Eng).
30. Oscillator strengths of the isoelectronic series of zinc.  
Zilitis, V. (USSR).  
Opt. Spektrosk. 1968, 25(5), 641-4 (Russ). CA Vol. 70 62538k 1969.
31. Studies of the  $\text{CO}_2^+$  ( $A^2\Pi_u \rightarrow X^2\Pi_g$ ) bands using photon excitation from the neutral molecule.  
Judge, D. L.; Bloom, G. S.; Morse, Arthur L. (Univ. of Southern California, Los Angeles, Calif.).  
Can J. Phys. 1969 47(5), 489-97 (Eng).
32. Fourth positive system of carbon monoxide observed in absorption at high resolution in the vacuum ultraviolet region.  
Simmons, Joe D.; Bass, Arnold M.; Tilford, Shelby G. (Nat. Bur. of Stand., Washington, D. C.).  
Astrophys. J. 1969, 155(1) (Pt.1), 345-58 (Eng).
33. Structure of the alkali hydroxides. III. Microwave spectra of rubidium hydroxide and rubidium hydroxide-d.  
Matsumura, Chi; Lide, David R., Jr., (Nat. Bur. of Stand., Washington, D. C.).  
J. Chem. Phys. 1969, 50(1), 71-5 (Eng).
34. Ultraviolet spectra and electronic structure of Group IVA dichlorides.  
Hastie, J. W.; Hauge, Robert H.; Margrave, John L. (Rice Univ., Houston, Tex.).  
J. Mol Spectrosc. 1969, 29(2), 152-62 (Eng).
35. Ultraviolet spectra of matrix isolated disulfur monoxide and sulfur dioxide.  
Phillips, Leigh F.; Smith, Jerry Joseph; Meyer, Beat (Univ. of Washington, Seattle, Wash.).  
J. Mol. Spectrosc. 1969, 29(2), 230-43 (Eng).
36. Analysis of band spectra. II.  
Lischka, H.; Derflinger, Gerhard (Univ. Wien, Vienna, Austria).  
Monatsh. Chem. 1968, 99(6), 2450-9 (Ger).

- A. 37. High resolution absorption studies of the  $b^1\Pi_u X^1\Sigma_g^+$  systems of nitrogen.  
Carroll, P. K.; Collins, C. P. (Univ., Coll., Dublin, Ireland).  
Can J. Phys. 1969 47(5), 563-89 (Eng).
38. Measurement of absorption oscillator strengths of S I and S II lines between 1100 and 2000 Å.  
Mueller, Drangutin (Max-Planck-Inst. Phys. Astrophys., Garching/Munich, Ger.).  
Z. Naturforsch. A 1968, 23(11), 1707-16 (Ger).
39. Low-voltage xenon lamp of continuous radiation for the vacuum region of the spectrum.  
Novikov, M. M.; Gurvich, L. V. (USSR).  
Zh. Prikl. Spektrosk. 1968, 9(5), 761-3 (Russ). CA Vol. 70 62667b 1969.
40. Calculated line strengths for the transition array ( $3d^3 + 3d^2 4s$ ) --  $3d^2 4p$  in titanium II.  
Mendlowitz, Harold (Howard University, Washington, D. C.).  
J. Res. Nat. Bur. Stand., Sect. A 1969, 73(1), 51-64 (Eng).
41. Atomic intensities: comparison of theoretical and experimental f-values for zinc I, cadmium I, and mercury I.  
Bieniewski, T. M.; Krueger, T. K. (Aerosp. Res. Lab., Wright-Patterson Air Force Base, Ohio).  
Advan. Quantum Chem. 1968, 4, 141-52 (Eng).
42. Interferometry.  
Steel, W. H. (Cambridge Univ. Press: New York). 1967. 271 pp. \$11.50. Reviewed in Anal. Chem. 1969, 41(1), 64A (Eng).
43. Analysis of vibrational and rotational structures of SnF bands in the 2500-Å. region.  
Uzikov, A. N.; Kuzyakov, Yu. Ya. (USSR).  
Vestn. Mosk. Univ., Khim. 1968, 23(5), 33-5 (Russ).
44. Rotational distribution of hydroxyl and  $C_2$  radicals in low-pressure plasmas.  
Meinel, H.; Krauss, L. (DVL-Inst. Raketentreibstoffe, Stuttgart, Ger.).  
J. Quant. Spectrosc. Radiat. Transfer 1969 9(3), 443-60 (Eng).
45. Interelectronic repulsion in chemistry.  
Joergensen, Christian K. (Cyanamid Eur. Res. Inst., Cologne, Switz.).  
Bull. Soc. Chim. Fr. 1968, (12), 4745-9 (Fr.).
46. Electronic spectroscopy.  
Parkin, James E. (Univ. Coll., London, Engl.).  
Annu. Rep. Progr. Chem. 1967 (Pub. 1968), 64, 181-8 (Eng).

- A. 47. Isotope shift measurements in the spectrum of trebly ionized cerium (Ce IV).  
Edwin, R. P.; King, William Holland (Univ. Newcastle upon Tyne, Newcastle upon Tyne, Engl.).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969 [2] 2 (2), 260-7 (Eng).
48. Reduction of molecular line intensities.  
Schadee, Aert (Sonnenborgh Observ., Utrecht, Neth.).  
Abundance Determinations Stellar Spectra, Int. Astron. Union, Symp., 26th 1964 (Pub. 1966,) 92-6 (Eng).
49. Oscillator strengths of the red autoionizing lines of calcium.  
Newsom, G. H. (Harvard Coll. Observ., Cambridge, Mass.).  
Astrophys. J. 1968, 145(3) (Pt. 1), 1095-8 (Eng).
50. Experimental investigation of Stark broadening in H $\alpha$ .  
Birkeland, J. W.; Oss, J. P.; Braun, Walter G. (Aerosp. Res. Lab., Wright-Patterson Air Force Base, Ohio).  
Phys. Rev. 1969, 178(1), 368-72 (Eng).
51. Experimental transition probabilities and the solar abundance of copper.  
Kock, Manfred; Richter, Johannes (Neue Univ., Kiel, Ger.).  
Z. Astrophys. 1968, 69(3), 180-92 (Ger).
52. Determination of the probability of electronic transition of a red atmospheric system of oxygen molecule bands.  
Sitnik, G. F.; Khlystov, A. I. (Gos. Astron. Inst. im. Shternberga, Moscow, USSR).  
Izv. Akad. Nauk SSSR, Fiz. Atmos. Okeana 1968, 4(10), 1120-2 (Russ). CA Vol 70 72260c 1969.
53. Energy levels and classified lines in the first spectrum of technetium (Tc I).  
Bozman, William R.; Corliss, Charles H.; Tech, J. L. (Inst. for Basic Stand., Nat. Bur. of Stand., Washington, D. C.).  
J. Res. Nat. Bur. Stand., Sect. A 1968, 72(6), 559-608 (Eng).
54. Broadening of the resonance lines of calcium I, strontium I, and barium I by inert gases.  
Penkin, N. P.; Shabanova, L. N. (USSR).  
Opt. Spektrosk. 1968, 25(6), 795-8 (Russ). CA Vol 70 72265h 1969.
55. Oscillator strengths of transitions between Rydberg states of nitric oxide in the near infrared.  
Wray, K. L. (Avco Everett Res. Lab., Everett, Mass.).  
J. Quant. Spectrosc. Radiat. Transfer 1969, 9(2), 255-76 (Eng).

- A. 56. Oscillator strengths of transitions between Rydberg states of nitric oxide in the near infrared.  
Wray, Kurt L. (Avco Everett Res. Lab., Everett, Mass.).  
U. S. Clearinghouse Fed Sci. Tech. Inform. AD 1968, AD-675530, 55 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res. Develop. Rep. 1968, 68(23), 10.
57. Pressure-induced fundamental infrared absorption band of gaseous chlorine.  
Winkel, R. G.; Hunt, J. L.; Clouter, M. J. (Univ. Guelph, Guelph, Ont.).  
J. Chem. Phys. 1969, 50(3), 1298-302 (Eng).
58. Extension of the branching-ratio method for intensity calibration between 1500 and 2600 Å.  
Aarts, J. F. M.; DeHeer, Frederick J. (F.O.M.-Inst. Atoom Molecuulfysica, Amsterdam, Neth.).  
J. Opt. Soc. Amer. 1968, 58(12), 1666-7 (Eng).
59. Mercury-xenon arc as a source for the far infrared.  
Johnson, Kent C.; Sievers, Albert J. (Cornell Univ., Ithaca, N.Y.).  
Appl. Opt. 1968, 7(12), 2430-1 (Eng).
60. Vibration spectra of magnesium oxide in the near ultraviolet.  
Schamps, J.; Gandara, G.; Becart, Maurice (Dept. Phys., Fac. Sci. Lille, Lille, Fr.).  
Can. Spectrosc. 1969, 14(1), 13-16 (Fr).
61. Mass-spectrometer studies of the ion composition in the pink afterglow.  
Broemer, Herbert H.; Hesse, Juergen (Tech. Univ. Braunschweig, Graunswick, Ger.).  
Z. Phys. 1969, 219(3), 269-79 (Eng).
62. Isotope shift studies of the visible and ultraviolet bands of aluminum monoxide.  
Singh, M.; Narasimham, N.A. (Spectrosc. Div., Bhabha At. Res. Center, Bombay, India).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2]2 (1), 119-21 (Eng).
63. Lifetimes of cascade-free transitions in ions of argon, chlorine, and sulfur.  
Lawrence, George M. (Douglas Advan. Res. Lab., McDonnell Douglas Corp., Huntington Beach, Calif.).  
Phys. Rev. 1969, 179(1), 134-8 (Eng).
64. Hyperfine structure of the  $6s6p\ ^1P_1$  level of stable ytterbium isotopes.  
Budick, Burtan, Snir, J. (Hebrew Univ., Jerusalem, Israel).  
Phys. Rev. 1969, 178(1), 18-23 (Eng).



- A. 65. Absorption spectra of calcium hydride  $A^2II-X^2\Sigma$  and  $B^2\Sigma-X^2\Sigma$  systems.  
Libérale, G.; Weniger, Schame (Sec. Astrophys., Observ. Paris-Meudon, Meudon, Fr.).  
Physica 1969, 41(1), 47-57 (Fr).
66. Molecular parameters of the oxygen 0.7620- $\mu$ absorption band and transmission function calculations.  
Adiks, T. G.; Dianov-Klokov, V. I. (Inst. Fiz. Atoms., Moscow, USSR).  
Izv. Akad. Nauk SSSR, Fiz. Atoms. Okeana 1968, 4(10), 1052-9 (Russ). CA Vol 70 72506n 1969.
67. Relative band intensities in the atmospheric and infrared atmospheric systems of molecular oxygen.  
Findlay, Frank D. (Can. Armament Res. Develop. Estab., Quebec, Que.).  
Can J. Phys. 1969, 47(6), 687-91 (Eng).
68. Observation of the oxygen ( $^1\Delta_g-^3\Sigma_g^-$ )0,1 band in the day airglow.  
Gattinger, R. L. (Radio Elec. Eng. Div., Nat. Res. Counc. Canada, Ottawa, Can.).  
Can. J. Phys. 1969, 47(4), 367-70 (Eng).
69. Calculated line strengths for the transitions between the configurations ( $3d^3 + 3d^24s$ ) and  $3d^24p$  in titanium II.  
Medlowitz, Harold (Howard Univ., Washington, D.C.).  
Astrophys. J. 1968, 154(3) (Pt. 1), 1099-100 (Eng).
70. Analysis of two band systems of  $CH^+$ :  $^1\Delta \rightarrow ^1II$  and  $^3\Sigma \rightarrow ^3II$ .  
Carre, Michel (Lab. Phys. Atoms., Fac. Sci., Lyons, Fr.).  
Physica 1969, 41(1), 63-6 (Eng).
71. g; Factors of the  $6s6p\ ^3P_1$  and  $6s6p\ ^1P_1$  states of ytterbium.  
Baumann, Max; Wandel, G. (Univ. Tuebingen, Tuebingen, Ger.).  
Phys. Lett. A 1968, 28(3), 200-1 (Eng).
72. Microwave magnetic-dipole transitions between excited electronic states of CN.  
Evenson, Kenneth M. (Nat. Bur. of Stand., Boulder, Colo.).  
Phys. Rev. 1969, 178(1), 1-4 (Eng).
73. Radio-frequency spectrum of potassium bromide by the molecular-beam electric-resonance method.  
De Leeuw, F. H.; Van Wachem, R.; Dymanus, Antoni (Katholieke Univ., Nijmegen, Neth.).  
J. Chem. Phys. 1969, 50(3), 1393-7 (Eng).

- A. 74. Raman apparatus using laser excitation and polarization measurements. Rotational spectrum of fluorine. Classen, Howard H.; Selig, Henry; Shamir, Jacob (Hebrew Univ., Jerusalem, Israel). Appl. Spectrosc. 1969, 23(1), 8-12 (Eng).
75. Generalized oscillator strengths in the electron impact spectra of potassium sodium. Hertel, Ingoldf V.; Ross, Kevin James Univ. Southampton, Southampton, Engl.). Proc. Phys. Soc., London, At. Mol. Phys. 1969 [2] 2(2), 285-93, (Eng).
76. Extension of the  $C_2(A^3\Pi_g - X'^3\Pi_u)$  band system. Kini, K. S.; Savadatti, M. I. (Karnatak Univ., Dharwar, India). Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2] 2(2), 307-308 (Eng).
77. Shock tube studies on two-phase systems: oscillator strengths of molecular band systems. Hooker, W. J.; Main, Roger P. (Heliodyne Corp., Van Nuys, Calif.). Physica 1969, 41(1), 35-46 (Eng).
78. Simultaneous and induced electronic transitions in oxygen. I. Krishna, Vemulapalli G. (Univ. of Arizona, Tucson, Ariz.). J. Chem. Phys. 1969, 50(2), 792-9 (Eng).
79. Hyperfine level crossing in stimulated emission. Levine, J.S.; Bonczyk, P.A.; Javan, Ali (Massachusetts Inst. of Technol., Cambridge, Mass.). Phys. Rev. Lett. 1969, 22(7), 267-70 (Eng).
80. Collision processes relevant to aeronomy. Donahue, Thomas M. (Univ. of Pittsburgh, Pittsburgh, Pa.). Phys. Electron. At. Collisions, Invited Pap. Int. Conf., 5th 1967 (Pub. 1968), 32-48 (Eng).
81. Photoionization of hydrogen cyanide: electron affinity and heat of formation of CN. Berkowitz, Joseph; Chupka, William A.; Walter, Theodore A. (Argonne Nat. Lab., Argonne, Ill.). J. Chem. Phys. 1969, 50(4), 1497-500.
82. Electron distributions of diatomic molecules in momentum space. Henneker, William H.; Cade, Paul E. (Univ. of Chicago, Chicago, Ill.). Chem. Phys. Lett. 1968, 2(8), 575-8.
83. Electron-impact ionization of oxygen. Electron and vibrational levels of  $O_2^+$ . Emma, V. (Univ. Catania, Catania, Italy). Boll. Sedute Accad. Gioenia 1966, [4]8 (10), 742-52 (Ital).

- A. 84. Metastable lifetimes in helium and neon.  
Steinberg, Murray (Lawrence Radiat. Lab., Univ. of California, Berkeley, Calif.).  
U. S. At. Energy Comm. 1968, UCRL-19387 90 pp. Avail. Dept.;  
CFSTI. From Nucl. Sci. Abstr. 1968, 22(24), 52481.
85. Rotational analysis of the  $C^3\Sigma_u^- - X^3\Sigma_g^-$  system of diatomic sulfur-32.  
Barrow, Richard F.; Du Parcq, R. P.; Ricks, J. M. (Oxford Univ., Oxford, Engl.).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2]2 (3), 413-18.
86. Critically evaluated transition probabilities for Ba I and II.  
Miles, B. M.; Wises, Wolfgang L. (At. Phys. Div., Nat. Bur. of Stand., Washington, D. C.).  
Nat. Bur. Stand. (US), Tech. Notes 1969, No. 474, 22 pp. Avail. GPO.
87. A  $2II - X^2\Sigma^+$  system of beryllium monofluoride.  
Walker, T. E. H.; Barrow, Richard F. (Oxford Univ., Oxford, Engl.).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2]2 (1), 102-6 (Eng).
88. Rotational temperature of the  $N_2^+$  first negative system excited by low-energy electrons.  
Moore, John H., Jr.; Doering, John P. (Johns Hopkins Univ., Baltimore, Md.).  
J. Chem. Phys. 1969, 50(3), 1487-8.
89. Rotational analysis of bands of a system  $A^1\Sigma^+ - X^1\Sigma^+$  of gaseous calcium sulfide.  
Blues, R. C.; Barrow, Richard F. (Oxford Univ., Oxford, Engl.).  
Trans. Faraday Soc. 1969, 65(3), 646-8 (Eng).
90. Bond-dissociation energy of gaseous magnesium oxide.  
Cotton, D. H.; Jenkins, Dennis R. (Thornton Res. Centre, "Shell" Res. Ltd., Chester, Engl.).  
Trans. Faraday Soc. 1969, 65(2), 376-9 (Eng).
91. Mean-life of the  $2p^2 \ ^1D$  level in boron II.  
Andersen, Torkild; Jessen, K. A.; Soerensen, Gunnar (Univ. Aarhus, Aarhus, Den.).  
Phys. Lett. A 1968, 28(6), 459-60.
92. Redetermination of the absolute oscillator-strength of the Fe I resonance line  $\lambda = 3720$  A. by optical double resonance.  
Wagner, R.; Otten, E. W. (Univ. Heidelberg, Heidelberg, Ger.).  
Z. Phys. 1969, 220(4), 349-61 (Ger).
93. Configuration mixing and oscillator strengths for some two-electron spectra (calcium I, barium I, and others).  
Friedrich, H.; Trefftz, Eleonore (Max-Planck-Inst. Phys. Astrophys., Munich, Ger.).  
J. Quant. Spectrosc. Radiat. Transfer 1969, 9(3), 333-59.

- A. 94. Decay curves of some N II, N III, N IV levels excited by the beam-foil technique.  
Denis, Alain; Desesquelles, Jean; Dufay, Maurice; Poulizac, Merle C. (Inst. Phys. Nucl., Fac. Sci. Lyon, Villeurbanne, Fr.).  
Beam-Foil Spectrosc., Proc. Conf. 1967 (Pub. 1968), 1, 341-69.
95.  $2II_{1/2}$  rotational analysis of the  $A^2II_{1/2} \rightarrow X^2\Sigma^+$  system of the magnesium chloride molecule.  
Patel, Madhubhai M.; Patel, P. D. (Maharaja Sayajirao Univ. Baroda, Baroda, India).  
Indian J. Phys. 1968, 42(4), 254-9.
96. Vibrational transition probabilities of the bands of the barium oxide ( $A^1\Sigma - X^1\Sigma$ ) system.  
Walvekar, A. P.; Korwar, V. M. (Bangalore Univ., Bangalore, India).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2]2 (1), 115-118.
97. Doubly excited states of lithium.  
Bucket, Jean P., Denis, Alain; Desesquelles, Jean; Dufay, Maurice (Lab. Phys. Atmos., Fac. Sci. Lyon, Lyons, Fr.).  
Phys. Lett. A 1969, 28(7), 529-30.
98. Radiative lifetimes for ultraviolet multiplets of carbon II and carbon III.  
Heroux, Leon J. (Air Force Cambridge Res. Lab., Laurence G. Hanscom Field, Bedford, Mass.).  
Phys. Rev. 1969, 180(1), 1-5.
99. Spectroscopy of iodine at the dissociation limit.  
Steinfeld, Jeffrey L.; Campbell, J. D.; Weiss, N. A. (Massachusetts Inst. of Technol., Cambridge, Mass.).  
J. Mol. Spectrosc. 1969, 29(2), 204-15.
100. Absorption cross section measurements on the vacuum ultraviolet spectrum of zinc vapor.  
Marr, Geoffrey V.; Austin, J. M. (Univ Reading, Reading Engl.).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2]2 (1), 107-14,
101. Absorption spectra of Zn I, Cd I, and Hg I in the vacuum ultraviolet.  
Garton, William R. S.; Connerade, J. P. (Imp. Coll., London, Engl.).  
Astrophys. J. 1969, 155(2) (Pt. 1), 667-75 (Eng).
102. Collision broadening of transient absorption spectra I. Hydroxyl linewidths in the (0,0) ( $A \rightarrow X$ ) transition at low temperatures.  
Engleman, Rolf, Jr. (Los Alamos Sci. Lab., Los Alamos, N. Mex.).  
J. Quant. Spectrosc. Radiat. Transfer 1969, 9(3), 391-400.



- A. 103. Measurements of radiative lifetimes in the extreme ultraviolet.  
Heroux, Leon J. (Air Force Cambridge Res. Lab., Bedford, Mass.).  
Beam-Foil Spectrosc., Proc. Conf. 1967 (Pub. 1968), 1, 205-32.
104. Absolute cross sections for electron excitation of the second  
positive bands of nitrogen.  
Burns, D. J.; Simpson, R. F.; McConkey, John W. (Queen's Univeristy  
Belfast, N. Ireland).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2]2 (1), 52-64.
105. Fluorescence spectra in frozen heptane at high pressures.  
Hein, David E.; Offen, Henry W. (Univ. of California, Santa Barbara,  
Calif.).  
Mol. Cryst. 1969, 5(3), 217-27.
106. Radiative lifetime and collisional quenching of nitrogen dioxide  
fluroescence and nature of the air afterglow.  
Keyser, Leon F.; Kaufman, Frederick; Zipf, Edward C., Jr.  
(Univ. of Pittsburgh, Pittsburgh, Pa.).  
Chem. Phys. Lett. 1968, 2(8), 523-5.
107. Observation and identification of iodine fluorescence excited  
by a 5682-A. kryton-ion laser.  
Sakurai, Katsumi; Broida, Herbert P. (Univ. of California,  
Santa Barbara, Calif.).  
J. Chem. Phys. 1969, 50(1), 557-8.
108. Tables of Spectral Lines, Neutral and Ionized Atoms.  
Striganov, A. R.; Sventitshkii, N. S. (Plenum: New York). 1968  
889 pp.
109. Self-consistent field claculations for energy levels of 6, 7 and  
8 electron isoelectronic sequences.  
Condon, Edward U.; Odabasi, Halis (Univ. of Colorado, Boulder,  
Colo.).  
Joint Inst. Lab. Astrophys., Rep. 1968 No. 95, 188 pp.
110. Absolute probabilities of spontaneous transitions for the neon  
atom.  
Krivchenkova, V. S. (USSR).  
Opt. Spektrosk. 1968, 25(6), 966-8 (Russ). CA Vol. 70, 90895  
(1969).
111. Atomic lifetime measurements with pulsed electron beams.  
Klose, Jules Z. (Nat. Bur. of Stand., Washington, D. C.).  
Beam-Foil Spectrosc., Proc. Conf. 1967 (Pub. 1968), 1, 285-304.
112. Metastable species produced by electron excitation of nitrogen,  
hydrogen, nitrous oxide, and carbon dioxide.  
Clampitt, R.; Newton, Amos S. (Lawrence Radiat. Lab., Univ. of  
California, Berkeley, Calif.).  
J. Chem. Phys. 1969, 50(5), 1997-2001.



- A. 113. Collisions of monoenergetic electrons with nitrogen dioxide: possible lower limits to electron affinities of oxygen and nitric oxide.  
Stockdale, J. A. D.; Compton, R. N.; Hurst, George S.; Reinhardt, Paul W. (Oak Ridge Nat. Lab., Oak Ridge, Tenn.).  
J. Chem. Phys. 1969, 50(5), 2176-80.
114. Some relations between molecular constants of triatomic and diatomic molecules.  
Timoshinin, V. S.; Krasnov, K. S. (Ivanov. Khim.-Tekhnol. Inst., Ivanovo, USSR).  
Zh. Strukt. Khim. 1969, 10(1), 161-3 (Russ). CA Vol. 70, 90935 (1969).
115. Bibliography on the analyses of optical atomic spectra: chromium to niobium.  
Moore, Charlotte E. (Nat. Bur. of Stand., Washington, D. C.).  
Nat. Bur. of Publ. 1969, No. 306-2, 57 pp. Avail. GPO.
116. Level-crossing spectroscopy in molecules: application to the hydroxyl free radical.  
Marshall, A.; DeZafra, Robert L.; Metcalf, Harold (State Univ. of New York, Stony Brook, N. Y.).  
Phys. Rev. Lett. 1969, 22(10), 445-9.
117. Calculation of the Rydberg states of water.  
Harada, Yoshiya (Japan)  
Bussei 1968, 9(8), 408-16 (Japan). CA Vol. 70, 91868 (1969).
118. Astrophysical determination of f-values for titanium II, chromium II, iron II.  
Little, Stephen J.; Ross, John E.; Aller, Lawrence H. (Univ. of California, Los Angeles, Calif.).  
Beam-Foil Spectrosc., Proc. Conf. 1967 (Pub. 1968), 2, 593-610.
119. Rotational analysis of the 000-020 and 000-030 bands of the  ${}^2A_1 - {}^2B_1$  transition of the triatomic radical,  $PH_2$ .  
Pascat, Bernard; Berthou, Jean M.; Prudhomme, Jean C.; Guenebaut, Henri; Ramsay, Donald A. (Lab. Chim. Phys., Fac. Sci., Reims. Fr.).  
J. Chim. Phys. Physicochim. Biol. 1968, 65(11-12), 2022-9 (Fr).
120. Optical pumping and magnetic resonance of vapors with high absorbance.  
Cagnac, Bernard; Izrael, Alice; Waysand, Georges (Lab. Spectrosc. Hertzienne, Fac. Sci., Paris, Fr.).  
C. R. Acad. Sci., Paris, Ser. A, B1968, 267B(22), 1207-10 (Fr).
121. Vibrational and electronic states of  $N_2O$  by photoelectron spectroscopy  
Dissociation processes in  $N_2O$ .  
Natalis, Paul; Collin, Jacques E. (Univ. Liege, Liege, Belg.).  
Int. J. Mass Spectrom. Ion Phys. 1969, 2(3), 221-9 (Eng).

- A. 122. Ionic states and photon impact-enhanced vibrational excitation in diatomic molecules by photoelectron spectroscopy. Photoelectron spectra of nitrogen, carbon monoxide, and oxygen. Collin, Jacques E.; Natalis, Paul (Univ. Liege, Liege, Belg.) Int. J. Mass Spectrom. Ion Phys. 1969, 2(3), 231-45 (Eng).
123. Absorption spectrum in the vacuum ultraviolet and visible emission spectrum of the nitric oxide molecule: 4d complex. Suter, R. (Univ. Basel, Basel, Switz.). Can. J. Phys. 1969, 47(8), 881-91.
124. Temperature measurements on the low-current argon arc for determination of transition probabilities of silicon I, selenium I, and sulfur I lines in the near vacuum ultraviolet. Krempel, Hans; Schmid, G. (Tech. Hochsch. Muenchen, Munich, Ger.). Spectrochim. Acta, Part B 1968, 23(12), 819-25 (Ger).
125. Band spectrum of zinc bromide in the near ultraviolet region. Rajan, K. Jacob; Shah, N. R. (M. S. Univ. Baroda, Baroda, India). Indian J. Pure Appl. Phys. 1969, 7(1), 61-2.
126. Absorption cross-section measurements on the vacuum ultraviolet spectrum of cadmium vapor. Marr, Geoffrey V.; Austin, J. M. (Univ. Whiteknights, Reading, Engl.). Proc. Roy. Soc., Ser. A 1969, 310(1500), 137-49 (Eng).
127. Vacuum ultraviolet absorption cross-section measurements in lead vapor. Heppinstall, R.; Marr, Geoffrey V. (Reading Univ., Reading, Engl.). Proc. Roy. Soc., Ser. A 1969, 310(1500), 35-42 (Eng).
128. Change of atomic absorption spectrum in the field of a light wave. I. Bonch-Bruevich, A. M.; Kostin, N. N.; Khodovoi, V. A.; Khromov, V. V. (USSR). Zh. Eksp. Teor. Fiz. 1969, 56(1), 144-50 (Russ). CA Vol. 70, 92034, (1969).
129. Atomic absorption spectrometry by a pulse technique and measurement of the half-life of copper and magnesium vapors. Yokoyama, Yu; Ikeda, Shigero (Osaka Univ., Toyonaka, Japan). Spectrochim. Acta, Part B 1969, 24(2), 117-24.
130. Excitation of material lines in the hollow cathode. Bueger, P. A.; Fink, Walter (Nat. Phys. Res. Lab., Pretoria, S. Africa). Fresenius' Z. Anal. Chem. 1969, 244(2), 121-2 (Ger).

- A. 131. Intensity calibration using molecular bands excited by controlled electron impact.  
McConkey, John W. (Queen's Univ., Belfast, Ireland).  
J. Opt. Soc. Amer. 1969, 59(1), 110-11 (Eng).
132. Application of light filters with variable absorption in emission spectral analysis.  
Nagy, Zsolt; Samsoni, Zoltan (Med. Div. Debrecen, Debrecen, Hung.).  
Spectrochim. Acta, Part B 1969, 24(2), 147-53 (Eng).
133. Chemiluminescences in the reaction of atomic hydrogen with boron halides. Assignment of an unknown emission to the triatomic radical  $B_3$ .  
Vidal, Bernard; Dessaux, Odile; Marteel, Jean P.; Goudmand, Pierre (Lab. Photochim. Chim.-Phys., U. E. R. Chim., Lille, Fr.).  
C. R. Acad. Sci., Paris, Ser. C. 1969, 268(7), 574-6 (Fr).
134. Observations on direct line fluorescence of thallium, indium, and gallium.  
Omenetto, Nicolo; Rossi, Guglielmo (Anal. Miner. Chem. Sect., EURATOM, Ispra, Italy).  
Spectrochim. Acta, Part B 1969, 24(2), 94-102.
135. Experimental estimation of fluorescence power efficiencies of several atoms in three turbulent flames used in atomic fluorescence flame spectrometry.  
Pearce, S. J.; De Galan, Leo; Winefordner, James D. (Univ. of Floride, Gainesville, Fla.).  
Spectrochim. Acta, Part B 1968, 23(12), 793-804 (Eng).
136. Energy pooling by triplet nitrogen  $A^3\Sigma_u^+$  molecules.  
Stedman, Donald H.; Setser, Donald W. (Kansas State Univ., Manhattan, Kansas)  
J. Chem. Phys. 1969, 50(5), 2258.
137. Rotational analysis of the band at  $14,900\text{ cm}^{-1}$  of a  $3\Sigma-3\Sigma$  system of the BF molecule.  
Czarny, Jean; Felenbok, Paul (Observ. Meudon, Meudon, Fr.).  
Chem. Phys. Lett. 1968, 2(8), 533-5 (Eng).
138. Microwave spectrum of sulfur dioxide in doubly excited vibrational states and determination of the  $\gamma$  constants.  
Saito, Shuji (Sagami Chem. Res. Center, Sagamihara, Japan).  
J. Mol. Spectrosc. 1969, 30(1), 1-16.
139. Microwave-optical double resonance. Frequencies and linewidths of stimulated emission transitions in the  $A-^2\Pi_{3/2}$  state of CN.  
Pratt, David W.; Broida, Herbert P. (Univ. of California, Santa Barbara, Calif.).  
J. Chem. Phys. 1969, 50(5), 2181-5.

- A. 140. Nitrogen pink afterglow in a magnetic field.  
Anketell, J.; Dugan, C. H. (York Univ., Toronto, Can.).  
J. Chem. Phys. 1969, 50(4), 1893-4.
141. Combination oven-linear pinch for spectroscopic studies of ionized vapors.  
Oettinger, Peter E. (Joint Inst. for Lab. Astrophys., Boulder, Colo.).  
Rev. Sci. Instrum. 1969, 40(2), 366-8.
142. Second-order modulation of atransverse light beam by magnetic resonance in sodium oriented vapor.  
Alzetta, G.; Arimondo, E. (Univ. Pisa, Pisa, Italy).  
Nuovo Cimento B 1969, 60(1), 158-68.
143. Photodissociation of  $H_2^+$  and  $D_2^+$ : theory and talbes.  
Dunn, Gordon H. (Univ. of Colorado, Boulder, Colo.).  
Joint Inst. Lab. Astrophys., Rep. 1968, No. 92, 55 pp.
144. Reduced potential energy curves of some electronic states of alkali molecules.  
Jain, Duli C.; Sahni, Roop C (York Coll., City Univ. of New York, Queens, N. Y.).  
Trans. Faraday Soc. 1969, 65(4), 897-903.
145. Franck-Condon factors and  $r$  centroids for the  $B^2\Sigma^+ \rightarrow A^2\Pi_i$  band system of  $^{12}C^{31}P$  molecule.  
Singh, P. D.~ Pathak, A. N. (Univ. Gorakhpur, Gorakhpur, India).  
Indian J. Pure Appl. Phys. 1969, 7(2), 132-3.
146. Frank-Condon factors and  $r$  centroids of some band systems of the monofluorides of silicon, clacium, and bismuth.  
Mohanty, B. S.~ Singh, O. N. (Banaras Hindu Univ., Varanasi, India).  
Indian J. Pure Appl. Phys. 1969, 7(2), 109-11.
147. Anomalies of the internal friction of metals near the melting point.  
Mal'tseva, G. K.~ Ivlev, V. I. (Mord. Gosuniv., Saransk, USSR)  
Fiz. Metal. Metalloved. 1969, 27(2), 354-6 (Russ). CA Vol. 70, 99847 (1969).
148. Dipole moments of the sulfides of lead, tin, and silicon from Stark-effect measurements.  
Murty, A. Narasimha~ Curl, Robert F., Jr. (Rice Univ., Houston, Tex.).  
J. Mol. Spectrosc. 1969, 30(1), 102-10.



- A. 149. Photoionization of the linear triatomic molecules: nitrous oxide, carbonyl sulfide, carbon disulfide, and carbon dioxide using high-resolution photoelectron spectroscopy.  
Brundle, C. R.; Turner, David Warren (Phys. Chem. Lab., Oxford, Engl.).  
Int. J. Mass Spectrum. Ion Phys. 1969, 2(3), 195-220.
150. Franck-Condon factors and r-centroids for the bands of  $A^2\Pi-X^2\Sigma$  system of BeF molecule.  
Mishra, Rajendra K.; Khanna, Baij N. (Aligarh Muslim Univ., Aligarh, India).  
Indian J. Pure Appl. Phys. 1969, 7(1), 63-4.
151. Mean lives excited terms in beryllium I, beryllium II, boron I, boron II, carbon II, and carbon III.  
Bergstrom, Ingmar; Bromander, J.; Buchta, R.; Lundin, L.; Martinson, I. (Res. Inst. Phys., Stockholm, Swed.).  
Phys. Lett. A 1969, 28(10), 721-2 (Eng).
152. Stark-induced anticrossings in the  $n = 4$  term of singly ionized helium.  
Eck, Thomas G.; Huff, R. J. (Case Western Reserve Univ., Cleveland, Ohio).  
Beam-Foil Spectrosc. Proc. Conf. 1967, (Pub. 1968), 1, 193-202.
153. Transition probability and oscillator strength by perturbation theory:  $1s3p^1,3P-1s3d^1,3D$  transition in helium isoelectronic sequence.  
Ali, M. Asgar; Crossley, Richard J. S. (Univ. York, Heslington Engl.).  
Int. J. Quantum Chem. 1969, 3(1), 17-24.
154. Removal of Zeeman degeneration of mercury-201 atoms under the effect of nonresonant light irradiation.  
Dupont-Roc, Jacques; Cohen-Tannoudji, Claude (Lab. Spectrosc. Hertzienne, Fac. Sci., Paris, Fr.)  
C. R. Acad. Sci., Paris, Ser. AB 1968, 267B(22), 1211-14 (Fr).
155. Study of hydrogen Lyman  $\alpha$ -radiation by using the beam-foil excitation method.  
Chupp, Edward L.; Dotchin, L. William; Pegg, David J. (Univ. of New Hampshire, Durham, N. H.).  
Beam-Foil Spectrosc., Proc. Conf. 1967 (Pub. 1968), 1, 371-82 (Eng).
156. Analysis of stellar spectra and the determination of f-values.  
Aller, Lawrence H. (Univ. of California, Los Angeles, Calif.).  
Beam-Foil Spectrosc., Proc. Conf. 1967 (Pub. 1968), 2, 575-92 (Eng).



- A. 157. Rotational analysis of (0,0) bands of  $A^2II \rightarrow X^2\Sigma^+$  system of magnesium bromide molecule.  
Patel, Madhubhai, M.; Patel, P. D. (M. S. Univ. Baroda, Baroda, India).  
Indian J. Phys. 1968, 42(7), 419-24 (Eng).
158. Extended analysis and new identifications in the spectrum of neon II.  
Persson, Willy (Lund. Inst. Technol., Lund, Swed.).  
J. Opt. Soc. Amer. 1969, 59(3), 285-7 (Eng).
159. Three electronic transitions of sulfur dioxide in the vacuum ultraviolet.  
Watkins, Ivan W. (Texas A and M Univ., College Station, Tex.).  
J. Mol. Spectrosc. 1969 29(3), 402-9 (Eng).
160.  $^2\Delta_i-A^2\Pi$  and two  $^2R^+-^2\Pi$  band systems of the boron monosulfide molecule.  
McDonald, J. K.; Inners, K. Keith (Vanderbilt Univ., Nashville, Tenn.).  
J. Mol. Spectrosc. 1969, 29(3), 251-72 (Eng).
161. Luminescence spectra of nitrogen, oxygen, and air, excited by fast electrons in the infrared part of the spectrum, and their comparison with aurora spectra.  
Koval, A. G.; Koppe, V. T.; Gritsyna, V. V.; Fogel, Ya. M. (Khar'kov. Gos. Univ. im. Gor'kogo, Kharkov, USSR).  
Geomagn. Aeron. 1969, 9(1), 112-19 (Russ).
162. Chemical applications of metastable argon atoms. II. Clean system for the formation of  $N_2(A^3\Sigma_u^+)$ .  
Stedman, Donald H.; Setser, Donald W. (Kansas State Univ., Manhattan, Kans.).  
Chem. Phys. Lett. 1968, 2(8) 542-4 (Eng).
163. Electron excitation of the first positive bands of  $N_2$  and of the first negative and Meinel bands of  $N_2^+$ .  
Stanton, Paul N.; St. John, Robert M. (Univ. of Oklahoma, Norman, Okla.).  
J. Opt. Soc. Amer. 1969, 59(3), 252-60 (Eng).
164. Isotope shift studies in the spectra of NS and PS.  
Narasimham, N. A.; Subramanian, T. K. B. (Spectrosc. Div., Bhabha At. Res. Centre, Trombay, India).  
J. Mol. Spectrosc. 1969, 29(3), 294-304 (Eng).
165. Isotope shifts in the visible spectra lines for xenon I.  
Jackson, Derek A.; Coulombe, Michel C. (Lab. Aime Cotton, C.N.R.S., Orsay, Fr.).  
C. R. Acad. Sci., Paris. Ser. A, B 1969, 268B (2), 146-7 (Fr).

- A. 167. Atomic beam measurement of the isotope shifts in cesium-127, -129, -133, -134, 134m, - 137.  
Wang, Edmond C. (Lawrence Radiat. Lab., Univ. of California, Berkeley, Calif.).  
U. S. At. Energy Comm. 1968, UCRL-18434, 72 pp. (Eng). Avail.  
Dep.; CFSTI. From Nucl. Sci. Abstr. 1969, 23(2), 3265.
168. Spectra and Energy Levels of Rare Earth Ions in Crystals.  
Dieke, Gerhard H.  
(Interscience: New York). 1968. 401 pp.
169. Long-range interatomic forces in the excited states of the hydroxyl radical.  
Horsley, John A.; Richards, W. Graham (Centre Mec. Ondulatoire Appl., Paris, Fr.).  
J. Chim. Phys. Physicochim Biol. 1969, 66(1), 41-3(Fr).
170. Atomic oscillator strengths. VI. Transitions of the type  $p^2$ -ps.  
Warner, Brian; Kirkpatrick, R. C. (Univ. of Texas, Austin, Tex.).  
Mon. Notic. Roy. Astron. Soc. 1969, 142(2), 265-7 (Eng).
171. Generalized oscillator strengths of the helium atom. II. Transitions from the metastable states.  
Kim, Yong-Ki; Inokuti, Mitio (Argonne Nat. Lab., Argonne, Ill.).  
Phys. Rev. 1969, 181(1), 205-14 (Eng).
172. Doubly excited states of atoms.  
Fano, Ugo (Univ. of Chicago, Chicago, Ill).  
At. Phys., Proc. Int. Conf., 1st 1968 (Pub. 1969), 209-25 (Eng).  
Edited by Bederson, Benjamin, Plenum Press: New York, N. Y.
173. Calculation of transition probabilities in argon.  
Meiners, H. (Tech. Hochsch., Hanover, Ger.).  
U. S. At. Energy Comm. 1968, BMWF-FBK-68-34, 31 pp. (Ger.).  
Avail. Dep. From Nucl. Sci. Abstr. 1969, 23(2), 3243.
174. Electronic structure of atoms and molecules.  
Lin, Chun Chia (Univ. of Oklahoma, Norman, Okla.).  
U.S. Clearinghouse Fed. Sci. Tech. Inform., AD 1968, AD-679745, 15 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res. Develop. Rep. 1969, 69(4), 59.
175. Electronic structure and molecular properties of boron hydride in its ground and excited states.  
Harrison, James F.; Allen, Ieland C. (Princeton Univ., Princeton, N. J.).  
J. Mol. Spectrosc. 1969, 29(3), 432-53 (Eng).

- A. 176. Oscillator strengths and wavelengths of some x-ray and extreme-ultraviolet spectrum lines of highly ionized iron.  
Chapman, Robert D. (Goddard Space Flight Center, Greenbelt, Md.).  
Astrophys. J. 1969, 156(1)(Pt. 1), 87-91 (Eng).
177. Relative transition probabilities for silicon.  
Miller, Myron H.; Bengtson, Roger D. (Univ. of Maryland, College Park, Md.).  
Astrophys. J. 1969, 156(1)(Pt. 1), 393-5 (Eng).
178. Spark spectrum of gadolinium.  
Blaise, Jean; Van Kleef, Th. A. M. (Lab. Aime Cotton, C.N.R.S., Orsay, Fr.).  
C. R. Acad. Sci., Paris, Ser. A B 1969, 268B(11), 792-5 (Fr).
179. Spectrum of SO: analysis of the  $B^3\Sigma^- - X^3\Sigma^-$  and  $A^3\Pi - X^3\Sigma$  band systems.  
Colin, Reginald (Div. Pure Phys., Nat. Res. Counc. Canada, Ottawa, Can.).  
Can. J. Phys. 1969, 47(9), 979-94 (Eng).
180. Band spectra of the singlet systems of the TiO molecule.  
Linton, C.; Nicholls, Ralph W. (York Univ., Toronto, Ont.).  
Proc. Phys. Soc., London, At. Mol. Phys. 1969, [2] 2(4), 490-8 (Eng).
181. Radio-frequency Stark spectra of sodium chloride, sodium bromide, and barium sulfide by the molecular beam electric resonance method.  
Melendres, Carlos A. (Lawrence Radiat. Lab., Univ. of California, Berkeley, Calif.).  
U. S. Clearinghouse Fed. Sci. Tech. Inform., PB Rep. 1968, PB-180823, 105 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res. Develop. Rep. 1969, 69(5) 64.
182. Precision atomic-beam studies of the Zeeman effect in thallium and gallium (electronic and nuclear magnetic moments).  
Fowler, Thomas R. (Lawrence Radiat. Lab., Univ. of California, Berkeley, Calif.).  
U. S. Clearinghouse Fed. Sci. Tech. Inform., PB Rep. 1968, PB-180885, 109 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res. Develop. Rep. 1969, 69(5), 65.
183. Absolute transition probabilities of some nitrogen III lines.  
Ervens, W.; Berg, Hans F. (Rheinisch Westfael. Tech. Hochsch. Aachen, Aachen, Ger.).  
Z. Phys. 1969, 222(2), 180-90 (Ger).

- A. 184. Spectrum transitions and their wavelengths from 2000 to 10,000 Å. for rare gas atoms.  
Young, Robert T. (Harry Diamond Lab., Washington, D.C.).  
U.S. Clearinghouse Fed. Sci. Tech. Inform., AD 1968, AD-680198, 134 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res. Develop. Rep. 1969, 69(5), 58.
185. Measurement of relative transition probabilities in argon II.  
Campbell, Hugh D.; Barnard, Adam J. (Univ. British Columbia, Vancouver, British Columbia).  
J. Quant. Spectrosc. Radiat. Transfer 1969, 9(3), 461-3 (Eng).
186. Computer program for a line-by-line calculation of spectra for diatomic molecules and atoms assuming a Voigt line profile.  
Whiting, Ellis E.; Arnold, James O.; Lyle, Gilbert C. (Ames Res. Center, Moffett Field, Calif.).  
NASA Tech. Note 1969, NASA-TN-D-5088, 115 pp. (Eng). Available CFSTI.
187. Ion beam spectra of iron.  
Whaling, Ward; King, Robert Bruce; Smith, Peter Lloyd (California Inst. of Technol., Pasadena, California).  
Beam-Foil Spectrosc., Proc. Conf. 1967 (Pub. 1968), 1, 81-100 (Eng). Edited by Bashkin, Stanley. Gordon and Breach, Sci. Publ: New York, New York.
188.  $5p^5(6s + 5d)$  and  $5p^5(6p + 7p)$  configurations of xenon I and their hyperfine structures.  
Liberman, Sylvain (Lab. Aime Cotton, Fac. Sci., Orsay, Fr.).  
J. Phys. (Paris) 1969, 30(1), 53-62 (Fr); cf. L., CA 68;100138y.
189. Singlet-triplet mixing in the helium sequence.  
Drake, G. W. F. (Smithsonian Inst. Astrophys. Observ., Cambridge, Mass.).  
Phys. Rev. 1969, 181(1), 23-4 (Eng).
190. Spectrum and term system of singly ionized fluorine, F II.  
Palenius, Hans P. (Univ. Lund, Lund, Swed.).  
Ark. Fys. 1968, 39(3), 16-64 (Eng).
191. Redetermined level values and interaction parameters of sulfur I and chlorine II ground configurations.  
Kaufman, Victor; Radziemski, Leon J., Jr. (Nat. Bur of Stands., J. Opt. Soc. Amer. 1969, 59(2), 227-8 (Eng).

- A. 192. Infrared emission spectra study using a SISAM spectrometer. I. Iodine spectrum between  $1.31$  and  $2.24 \mu$  and the Zeeman effect of the forbidden line  $5s^2 5p^5 \ ^2P_{3/2} - 5s^2 5p^5 \ ^2P_{1/2}$  at  $7603^\circ\text{K}$ . Verges, J. (Lab. Aime Cotton, C.N.R.S., Orsay, Fr.). Spectrochim. Acta Part B 1969, 24(3), 177-85 (Fr).
193. Electronic spectrum of cyanogen. Bell, Stephen; Cartwright, G. J.; Fish, G. B.; O'Hare, D. O.; Ritchie, Robert K.; Walsh, Arthur D.; Warsop, P.A. (Univ. Dundee, Dundee, Scot.). J. Mol. Spectrosc. 1969, 30(1), 162-3 (Eng).
194. Measurement of the transition probabilities of some nitrogen I ultraviolet multiplets. Bashkin, Stanley; Berry, Harold G.; Bickel, William S.; Desequelles, Jean (Univ. of Arizona, Tucson, Ariz.). C. R. Acad. Sci., Paris, Ser. A B 1969, 268(3), 234-6 (Fr).
195. Absorption spectrum of selenium dioxide in the  $4500$ - $2000 \text{ \AA}$  region. Dubois, Iwan (Univ. Liege, Liege, Belg.). Bull. Soc. Roy. Sci. Liege 1968, 37(11-12), 562-73 (Fr).
196. Emission spectrum of  $\text{DCl}^+$  and  $\text{DBr}^+$ . Vibrational structure of the transition  $^2\Sigma^+ \rightarrow ^2\Pi_1$ . Marsigny, Louis; Lebreton, Joseph; Ferran, Jacques (Coll. Sci. Univ. Tours, Tours-Grandmont, Fr.). C. R. Acad. Sci., Paris, Ser. C 1969, 268(3), 220-2 (Fr.).
197. Cesium vapor cells used as hyperfine filters. Bernabeu, Eusebio; Tougne, Pierre; Arditi, Maurice (Lab. Horloge At., C.N.R.S., Bagneux, Fr.). C. R. Acad. Sci., Paris, Ser. A B 1969, 268B(4), 321-4 (Fr).
198. Lifetime of the thallium  $7^2S_{1/2}$  atomic state as a function of the excitation conditions in a resonance fluorescence experiment. Seelbach, H. E.; Von Sichart, F. (Univ. Bonn, Bonn, Ger.). Z. Phys. 1969, 222(2), 128-37 (Ger.).
199. Observation of resonance effect in modulated fluorescent light from coherently excited  $4^2S_{1/2}$  and  $4^2P_{1/2}$  levels in  $^4\text{He}^+$ . Hadeishi, Tetsuo (Univ. of Arizona, Tucson, Ariz.). Phys. Rev. Lett. 1969, 22(16), 815-16 (Eng).
200. Spectrum of O V. Bockasten, Kjell; Johansson, K. Bertil (Lund. Inst. Technol., Lund, Swed.). Ark. Fys. 1968 38(31), 563-84 (Eng).



- A. 201. Spectrum of mercury discharge at average pressures.  
Irmer, Joachim; Worm, Manfred (Deut. Akad. Wiss. Berlin, Berlin, Ger.).  
Monatsber Deut. Akad. Wiss. Berlin 1967, 9 (9-10), 671-3 (Ger).
202. Modulation of resonance lines from a hollow-cathode spectral lamp.  
Lowe, R. M. (Chem. Res. Lab., C.S.I.R.O., Clayton, Aust.).  
Spectrochim. Acta, Part B 1969, 24(3), 191-3 (Eng).
203. Electronic and Vibrational Spectra of Molecules.  
Skobel'tsyn, D. V. Editor (Plenum: New York). 1968. 217 pp.  
\$22.50. Translated from Russian.
204. Deactivation of  $O(^1S)$  and  $O_2(b^1\Sigma_g^+)$ .  
Stuhl, F.; Welge, Karl H. (York Univ., Toronto, Ont.).  
Can. J. Chem. 1969, 47(10), 1870-7 (Eng).
205. Submillimeter cyclotron resonance in tellurium.  
Couder, Y. (Ecole Norm. Super., Paris, Fr.).  
Phys. Rev. Lett. 1969, 22(17), 890-2 (Eng).
206. Vacuum ultraviolet transition probabilities in C, N, O, and  $N_2$ .  
Lawrence, George M. (Douglas Advan. Res. Lab., Huntington, Calif.).  
Can. J. Chem. 1969, 47(10), 1856-6 (Eng).
207. Odd configuration of neutral titanium.  
Smith, Geoffrey; Siddall, Jean (Oxford Univ., Oxford, Engl.).  
J. Opt. Soc. Amer. 1969, 59(4), 419-23 (Eng).
208. Collisional deactivation of metastable atoms and molecules in the upper atmosphere.  
Zipf, Edward C., Jr. (Univ. of Pittsburgh, Pittsburgh, Pa.).  
Can. J. Chem. 1969, 47(10), 1863-70 (Eng).
209. Structure of the spectrum of neutral terbium. V. Configuration  $4f^8 5d^2 6s$ .  
Klinkenberg, P. F. A.; Meinders, E. (Univ. Amsterdam, Amsterdam, Neth.).  
Physica 1969, 42(2), 213-41.
210. Radiative lifetimes of ultraviolet transitions of argon II.  
Matilsky, Terry A.; Hesser, James E. (Princeton Univ. Observ. Princeton, N. J.).  
J. Opt. Soc. Amer. 1969, 59(5), 579-82 (Eng).
211. Absorption spectrum of the diatomic helium molecule in the 510-611-A. range.  
Tanaka, Yoshio; Yoshino, K. (Air Force Cambridge Res. Lab., Bedford, Mass.).  
J. Chem. Phys. 1969, 50(7), 3087-98 (Eng).

- A. 212. High-intensity spectroscopic emission source (observation of an atomic line of oxygen).  
Assous, Roger (Lab. Rech. Phys., Paris, Fr.).  
C. R. Acad. Sci., Paris, Ser. A B 1969, 268B(8), 619-21 (Fr).
213. Classification of terbium II lines in connection with hyperfine structure.  
Meinders, E. (Univ. Amsterdam, Amsterdam, Neth).  
Physica 1969, 42(3), 427-38 (Eng).
214. Mechanism of  $S_2$  chemiluminescence in the reaction of hydrogen atoms with hydrogen sulfide.  
Fair, R. W.; Thrush, B. A. (Dep. of Phys. Chem., Cambridge, Engl.).  
Trans. Faraday Soc. 1969, 65(5), 1208-18 (Eng).
215. Structure of the alkali hydroxides. IV. Interpretation of vibration rotation interactions in cesium hydroxide and rubidium hydroxide and refinement of structures.  
Lide, David R., Jr.; Matsumura, Chi, (Nat. Bur. of Stand., Washington, D. C.).  
J. Chem. Phys. 1969, 50(7), 3080-6.
216. Microwave spectrum of the  $ClO$  radical.  
Amano, Takayoshi; Saito, Shuji; Hirota, Eizi; Morino, Yonezo (Univ. Tokyo, Tokyo, Japan).  
J. Mol. Spectrosc. 1969, 30(2), 257-89 (Eng).
217.  $3p^5 4s 3d$  Configuration in neutral potassium (K I).  
Martin, William Clyde; Tech, Jack L.; Wilson, M. (Nat. Bur. of Stand., Washington, D. C. ).  
Phys. Rev. 1969, 181 (1), 66-9 (Eng).
218. Radiative-lifetime measurements for nitrogen ions.  
Pinnington, Eric H.; Lin, Chii-Chan (Univ. Alberta, Edmonton, Alberta).  
J. Opt. Soc. Amer. 1969, 59(6), 717-22 (Eng).
219. Relative line strengths of the forbidden  $2s^2 2p^2 2P_2s 2p^2 \ ^4P$  transitions in the boron I isoelectronic sequence.  
Hansen, J. E. (Lund Inst. Technol., Lund, Swed.).  
J. Opt. Soc. Amer. 1969, 59(6), 722-6 (Eng).
220. Long radiative lifetimes of small molecules.  
Bixon, Mordechai; Jortner, Joshua (Tel Aviv Univ., Tel Aviv, Israel).  
J. Chem. Phys. 1969, 50(8), 3284-90 (Eng).

## B. Reaction Between Gases and Condensed Phases.

1. Thermodynamics of the aluminothermic reduction of cesium and rubidium aluminates.  
Nadiradze, A. A.; Mgaloblishvili, N. P.; Bokeriya, B. N. (Inst. Met., Tbilisi, USSR).  
Soobshch. Akad. Nauk. Gruz., SSSR 1968, 52(3), 721-4 (Russ).  
CA Vol. 70, 91373 (1969).
2. Mass Spectrometric study of the evaporation of  $\text{BaMoO}_4$  and  $\text{BaWO}_4$ .  
Pupp, C.; Yamdagni, R.; Porter, Richard, F. (Cornell Univ., Ithaca, N. Y.).  
U. S. Clearinghouse Fed. Sci. Tech. Inform., AD 1968, AD-677008 26 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res. Develop. Rep. 1969, 69(1) 60.
3. Thermal chemistry of supersaturated solutions. I. Integral heats of dissolution and dilution of sodium sulfate in water at 25°.  
Gritsus, B. V.; Akhumov, E. I.; Zhilina, L. P. (USSR).  
Zh. Prikl. Khim. (Leningrad) 1969, 42(1), 208-10 (Russ)  
CA Vol. 70, 91380 (1969).
4. Carbothermic synthesis of a mixed uranium-plutonium nitride.  
Greenhalgh, Wilbur O.; Weber, E. T. (Pac. Northwest Lab., Battelle-Northwest, Richland, Wash.).  
U. S. At. Energy Comm. 1968, BNWL-SA-1866, 12 pp. (Eng). Avail. Dep.; CFSTI. From Nucl. Sci. Abstr. 1969, 23(1), 95.
5. Stability relations of rhodochrosite in the system manganese-carbon-oxygen.  
Huebner, J. Stephen (U. S. Geol. Surv., Washington, D. C.).  
Amer. Mineral. 1969, 54(3), 457-81.
6. Thermodynamics of nitrogen solutions in iron-chromium, iron-manganese, and iron-chromium-manganese melts.  
Nemichenko, V. P.; Malkin, I. P.; Popel, S. I. (Ural. Politekh. Inst., Sverdlovsk, USSR).  
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 1968, 11(12), 5-8 (Russ).  
CA Vol. 70, 98989 (1969).
7. Thermodynamic study of the  $\gamma$ -phase solid solutions formed between palladium, platinum, and iron.  
Alcock, Charles B.; Kubik, A. (Imp. Coll. Sci. Technol., London, Engl.).  
Acta Met. 1969, 17(4), 437-42.
8. Molecular structure of alkaline-earth halides and alkali metal oxides.  
Rambidi, N. G. (Inst. Vys. Temp., Moscow, (USSR)).  
Zh. Strukt. Khim. 1969, 10(1), 131-2 (Russ). CA Vol. 70, 99777 (1969).

- B. 9. Molecular composition of vapor from decomposing compounds having a readily volatile component.  
Ufimtsev, V. B.; Vigdorovich, V. N.; Krestovnikov, A. N. (Mosk. Inst. Stali Splavov, Moscow, USSR).  
Izv. Akad. Nauk SSSR, Neorg Mater. 1969, 5(2), 359-60 (Russ)  
CA Vol. 70, 99869 (1969)
10. Saturated vapor pressure of arsenic selenide and arsenic telluride.  
Ustyugov, G. P.; Kudryavtsev, A. A.; Kuadzhe, B. M.; Vigdorovich, E. N. (USSR).  
Izv. Akad. Nauk SSSR, Neorg. Mater. 1969, 5(2), 378-9 (Russ)  
CA Vol. 70, 99872 (1969).
11. Effect of water vapor on the sticking coefficient of lead on silicon monoxide.  
Harris, Phillip C.; Bloore, Ernest W. (U. S. Army Nucl. Def. Lab., Edgewood Arsenal, Md.).  
Surface Sci. 1969, 14(1), 270-3.
12. Homogeneity ranges and  $\text{Te}_2$ -pressure along the three-phase curves for  $\text{Bi}_2\text{Te}_3(\text{c})$  and a 55-58 at .% Te, peritectic phase.  
Brebrick, Robert F. (Massachusetts Inst. of Technol., Lexington Mass.).  
J. Phys. Chem. Solids 1969, 30(3), 719-31.
13. Palladium-bromine system. Molecular composition of palladium bromide vapor.  
Williams, Reed C.; Gregory, Norman W. (Univ. of Washington, Seattle, Wash.).  
J. Phys. Chem. 1969, 73(3), 623-31.
14. Thermodynamic studies of liquid copper alloys. III. Activities of zinc and cadmium in liquid copper-base alloys.  
Azakami, Takeshi; Yazawa, Akira (Tohoku Univ., Sendai, Japan).  
Nippon Kogyo Kaishi 1968, 84(968), 1663-8 (Japan). CA Vol. 70, 100330 (1969).
15. Thermodynamic properties in the systems vanadium-hydrogen, niobium-hydrogen, and tantalum-hydrogen.  
Veleckis, Ewald; Edwards, Russell Keith (Illinois Inst. of Technol. Chicago, Ill.).  
J. Phys. Chem. 1969, 73(3), 683-92 .
16. Thermodynamics of the sublimation and dissociation of zinc oxide.  
Kazenas, E. K.; Chizhikov, D. M.; Tsvetkov, Yu. V. (USSR).  
Izv. Akad. Nauk SSSR, Metal. 1969, (1), 150-3 (Russ). CA Vol. 70, 100333 (1969).
17. Heat of formation of the  $\text{BCl}_2$  radical.  
Rusin, A. D.; Tatevskii, V. M. (Mosk. Gos. Univ. im. Lomonosova, Moscow. USSR).  
Teplofiz. Vys. Temp. 1969, 7(1), 62-4(Russ) CA Vol. 70, 100335, (1969).



- B. 18. Exploding wire process as a source for high-temperature studies.  
Cassidy, Esther C.; Abramowitz, Stanley; Beckett, Charles W.  
(Nat. Bur. of Stand., Washington, D. C.).  
Nat. Bur. Stand. (US), Monogr. 1968, NBS-Mono-109, 57 pp.  
Avail. CFSTI; GPO. From U. S. Govt. Res. Develop. Rep. 1969  
69(4), 114.
19. Impurity effects on heterogeneous nucleation from the vapor.  
II. Cadmium on nitrogen-contaminated tungsten.  
Hudson, John B.; Sandejas, Jose S. (Rensselaer Polytech. Inst.,  
Troy, N. Y.).  
Surface Sci. 1969, 15(1), 27-36.
20. Use of the chemical transport reaction for growing boron phosphide  
single crystals.  
Medvedeva, Z. S.; Grinberg, Ya. Kh.; Zhukov, E. G.; Luzhnaya, N. P.  
(N. S. Kurnakov Inst. Allg. Anorg. Chem., Moscow, USSR).  
Krist. Tech. 1967, 2(4), 523-34 (Ger). From CZ 1968, (45),  
Abstr. No. 169.
21. Mass-spectrometric determination of thermodynamic activities.  
I. Gold-copper system.  
Neckel, Adolf; Wagner, Sigurd (Univ. Wien, Vienna, Austria).  
Ber. Bunsenges. Phys. Chem. 1969, 73(2), 210-17 (Ger).
22. Field-evaporation end forms of body-centered cubic metal surfaces  
observed by field ion microscope.  
Nakamura, Shogo; Kuroda, Tshkasa (Osada Univ., Suita, Japan).  
Oyo Butsuri 1968, 37(11), 997-1008 (Japan). CA Vol. 70, 100517  
(1969).
23. Sublimation kinetics of zinc single crystals.  
Wing, Raymond (Lawrence Radiat. Lab., Univ. of California, Berkeley,  
Calif.).  
U. S. Clearinghouse Fed. Sci. Tech. Inform., PB Rep. 1968,  
PB-180809, 98 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res.  
Develop. Rep. 1969, 69(5), 64.
24. Etching cadmium telluride crystals.  
Matveev, O. A.; Rud, Yu. V.; Sanin, K. V. (Fiz.-Tekh. Inst. im.  
Ioffe, Leningrad. USSR).  
Izv. Akad. Nauk SSSR, Neorg. Mater. 1969, 5(2), 372-3 (Russ).  
CA Vol. 70, 100531 (1969).
25. Mass-spectrometric study of the sublimation of some ternary  
semiconductor compounds of the  $Al^{III}B^{III}C_2^{VI}$  type.  
Strel'chenko, S. S.; Bondar, S. A.; Molodyk, A. D.; Berger, L. I.;  
Balanevskaya, A. E. (Vses. Nauch.-Issled. Inst. Khim. Reaktiv.  
Osobo Chist. Khim. Veshch., Moscow, USSR).  
Izv. Akad. Nauk SSSR, Neorg. Mater. 1969, 5(3), 593-4 (Russ)  
CA Vol. 70, 100953 (1969).



- B. 26. Ultrahigh-vacuum apparatus for studying the dissociation of oxides. Garin, R. I.; Glushachenkov, E. V.; Kulikov, I. S.; Mukhachev, N.A.; Shakirov, M. G.; Shchedrin, V. M. (Tsentr. Konstr. Byuro "Elektrofizpribor," Kazan, USSR). Prib. Tekh. Eksp. 1969, (1), 128-33 (Russ). CA Vol. 70, 107741 (1969).
27. Temperature measurement above 1500°. Erben, Edwin (Italy). G-I-T (Glas-Instrum.-Tech.) Fachz. Lab. 1969, 13(2), 77-82 (Ger).
28. Carbidothermic production of Groups IVa, Va, and VIa metals. Kieffer, Richard; Lihl, Franz; Effenberger, Erwin (Tech. Hochsch. Wien, Vienna, Austria). Z. Metallk. 1969, 60 (2), 94-100 (Ger).
29. Iron-carbon-nitrogen alloys. Levy, Sander A.; Libsch, Joseph F.; Wood, John Dudley (Reynolds Metals Co., Richmond, Va.). Trans. Met. Soc. AIME (Amer. Inst. Mining. Met., Petrol. Eng.) 1969, 245(4), 753-8 (Eng).
30. Kinetics and evaporation mechanisms during electron beam melting of Zr-O and Zr-Si alloys. Gosse, Gerard; Lehr, Pierre; Albert, Phillippe (Centre Etudes Chim. Metal., C. N. R. S., Vitry-sur-Seine, Fr.). Rev. Int. Hautes Temp. Refract. 1968, 5(4), 299-315 (Fr).
31. Activity-composition relations in solid copper-platinum alloys as derived from equilibrium measurements in the system copper-platinum-oxygen. Landolt, Carlos; Muan, Arnulf (Pennsylvania State Univ., University Park, Pa.). Trans Met. Soc. AIME (Amer. Inst. Mining. Met., Petrol. Eng.) 1969, 245(4), 791-6 (Eng).
32. Formation and study of properties of high-energy molecular beams obtained from triatomic hydrogen, deuterium, and nitrogen ions. Devienne, F. Marcel (Lab. Phys. Mol., Hautes Energ., Peymeinade, Fr.). Entropie 1968, No. 24, 35-50 (Fr).
33. Parameters affecting Knudsen effusion. VI. Monte Carlo analyses of channel orifices. Ward, John William; Fraser, Malcolm V. (Los Alamos Sci. Lab., Los Alamos, N. Mex.). J. Chem. Phys. 1969, 50(4), 1877-82.

- B. 34. Sorption characteristics of the cesium-graphite system at elevated temperatures and low cesium pressures.  
Milstead, Clyde E. (Gulf Gen. At. Inc., San Diego, Calif.)  
Carbon Oxford) 1969, 7(1), 199-200 (Eng).
35. Effect of oxygen pressure on the solidification temperature of certain transition element oxides.  
Coutures, Jean P.; Foex, Marc (Lab. Ultra-Refract., C. N. R. S., Montlouis, Fr.).  
C. R. Acad. Sci., Paris, Ser. C 1968, 267(23), 1577-80 (Fr).
36. Mass spectrometric study of the equilibrium sublimation of  $\text{SnPbTe}_2$ .  
Winchell, Perrin (John Jay Hopkins Lab. for Pure and Appl. Sci., Gulf Gen. At. Inc., San Diego, Calif. ).  
Energy Convers. 1968, 8(2), 81-3 (Eng).
37. Concentration changes in binary metal-gas solutions during simultaneous removal of gas and evaporation of metal. I. Theoretical considerations.  
Hoerz, Gerhard (Max-Planck-Inst. Metallforsch., Stuttgart. Ger.).  
Z. Metallk. 1969, 60(2), 115-20 (Ger).
38. Concentration changes in binar metal-gas solutions during simultaneous removal of gas and evaporation of metal. II. Concentration changes in the vanadium-oxygen, niobium-oxygen, tantalum-oxygen, vanadium-nitrogen, niobium-nitrogen, and tantalum-nitrogen systems.  
Hoerz, Gerhard (Max-Planck-Inst. Metallforsch., Stuttgart, Ger.).  
Z. Metallk. 1969, 60(2), 121-6 (Ger).
39. Thermal diffusion above the eutectoid temperature in titanium-hydrogen type systems.  
Sawatzky, Anton; Duclos, M. (Whiteshell Nucl. Res. Estab., At. Energy Canada Ltd., Pinagua, Manitoba).  
Trans. Met. Soc. AIME (Amer. Inst. Mining, Met., Petrol. Eng.) 1969, 245(4), 831-9 (Eng).
40. Thermodynamic background of the formation of alloys and intermetallic compounds by vapor-phase transport reactions.  
Alcock, Charles B.; Jeffes, James H. E. (Imp. Coll., London, Engl.).  
Inst. Mining Met., Trans. Sect. C 1968, 77 (Dec.), C195-C200 (Eng).
41. Thermodynamic studies of anhydrous iridium tribromide.  
Kolbin, N. I.; Samoilov, V. M. (Leningrad. Gos. Univ., Leningrad, USSR).  
Zh. Neorg. Khim. 1969, 14(3), 631-5 (Russ). CA Vol. 70, 109691, (1969).

- B. 42. Thermodynamic behavior of liquid iron-cobalt and nickel-platinum alloys.  
Alcock, Charles B.; Kubik, Annemarie (Imp. Coll., London, Engl.)  
Inst. Mining Met., Trans. Sect. C1968, 77 (Dec.), C220-C224.
43. Origin of water cluster ions in the D region.  
Fehsenfeld, Frederick C.; Ferguson, Eldon E. (ESSA Res. Lab., Boulder, Colo.).  
J. Geophys. Res. 1969, 74(9), 2217-22.
44. Apparatus for studying the vaporizability of refractory metals and alloys.  
Kudryavtsev, N. S.; Ivanov, L. I. (Inst. Met. im. Baikova, Moscow, USSR).  
Zavod. Lab. 1969, 35(3), 368-9 (Russ). CA Vol. 70, 116495 (1969).
45. Associative-detachment reactions of  $O^-$  and  $O_2^-$  by  $O_2(^1\Delta)$ .  
Fehsenfeld, Frederick C.; Albritton, D. L.; Burt, J. A.<sup>g</sup>,  
Schiff, Harold I. (Environ. Sci. Serv. Admin. Res. Lab., Boulder, Colo.).  
Can. J. Chem. 1969, 47(10), 1793-95.
46. Atmospheric electron-ion and ion-ion recombination processes.  
Biondi, Manfred A. (Univ. of Pittsburgh, Pittsburgh, Pa.).  
Can. J. Chem. 1969, 47(10), 1711-22.
47. Aeronomic importance of ion-molecule clustering reactions.  
Bohme, D. K. (Aeron. Lab., Environ. Sci. Ser. Admin., Boulder, Colo.).  
Can. J. Chem. 1969, 47(10), 1809-14 (Eng).
48. Negative ion-molecule reactions.  
Ferguson, Eldon E. (Aeron. Lab., Environ. Sci. Serv. Admin. Res. Lab., Boulder Colo.).  
Can. J. Chem. 1969, 47(10), 1815-20.
49. Positive ion reactions.  
Fite, Wade L. (Univ. of Pittsburgh, Pittsburgh, Pa.).  
Can. J. Chem. 1969, 47(10), 1797-807.
50. Extractive metallurgy of aluminum. II. Kinetics of the reaction  $2Al(l) + AlCl_3(g) = 3AlCl(g)$  in the aluminum subhalide process.  
Kikuchi, Takeaki; Kurosawa, Toshio; Yagihashi, Testuo (Nat. Res. Inst. Metals. Tokyo, Japan).  
Nippon Kinzoku Gakkaishi 1969, 33(3), 305-9 (Japan) CA Vol. 70, 117248 (1969).

- B. 51. Thermodynamics of iron-sulfur melts in the temperature range 1100-1300°. Nagamori, Meguru; Hatakeyama, Takeshi; Kameda, Mitsuo (Tohoku Univ., Sendai, Japan). Nippon Kinzoku Gakkaishi 1969, 33(3), 366-70 (Japan). CA Vol. 70, 117259 (1969).
52. Activities in iron oxide-silica slags. Fujita, Haruhiko; Maruhashi, Shigeaki (Japan). Tetsu To Hagane 1969, 55(4), 249-60 (Japan). CA Vol. 70, 117260 (1969).
53. Solubility of nitrogen in molten Kh17AG14 steel and ingot quality. Kondrat'ev, A. I.; Klimov, S. V. (Tsentr. Nauch.-Issled. Inst. Chern. Met. im. Bardina, Moscow). Izv. Vyssh. Ucheb. Zaved., Chern. Met. 1968, 11(12), 56-8 (Russ) CA Vol. 70, 117329 (1969).
54. Graphical method for calculating the solubility of nitrogen in alloyed iron melts. Kondrat'ev, A. I. (USSR). Izv. Akad. Nauk SSSR, Metal. 1969, (2), 44-9 (Russ). CA Vol. 70 117397 (1969).
55. Solubility of nitrogen in molten iron-chromium-manganese-silicon-carbon alloys and its effect on steel properties. Nizhel'shii, P. E.; Ryskina, S. G. (Kurgan. Mashinostroit. Inst., Kurgan, USSR). Izv. Vyssh. Ucheb. Zaved., Chern. Met. 1968, 11(12), 47-50 (Russ). CA Vol. 70, 117399 (1969).
56. Intermolecular bonding in supersonic jets. Electron diffraction study. Audit, Philippe (Lab. Diffr. Electron., Fac. Sci., Orsay, Fr.). J. Phys. (Paris) 1969, 30(2-3), 192202 (Fr.).
57. Direct determination of the oxygen equilibrium pressures of oxides at 600°. Application to the molybdenum-oxygen system. Le Brusq, Henri; Oehlig, Jean I.; Marion, Fernand (Lab. Chim. Gen., Fac. Sci., Amiens, Fr.). C. R. Acad. Sci., Paris, Ser. C 1969, 268 (11), 1047-9 (Fr.).
58. Saturated vapor pressure of antimony chalcogenides. Ustyugov, G. P.; Vigdorovich, E. N.; Kuadzhe, B. M.; Timoshin, I. A. (USSR). Izv. Akad. Nauk SSSR, Neorg. Mater. 1969, 5(3), 589-90 (Russ). CA Vol. 70, 118348 (1969).



- B. 59. Mass-spectrometric determination of the vapor composition and pressure of molybdenum trioxide.  
Kazenas, E. K.; Tsvetkov, Yu. V. (Inst. Met. im. Baikova, Moscow, USSR).  
Zh. Neorg. Khim. 1969, 14(1), 11-13 (Russ). CA Vol. 70, 118352 (1969).
60. Knudsen cell studies of the vaporization of samarium dicarbide.  
Stout, Norman D.; Hoenig, Clarence L.; Nordine, Paul C. (Lawrence Radiat. Lab., Univ. of California, Livermore, Calif. ).  
J. Amer. Ceram. Soc. 1969, 52(3), 145-51.
61. Determination of the saturated vapor pressure of zirconium tetrachloride.  
Safronov, E. K.; Shelest, L. N.; Selifonov, S. M. (USSR).  
Nauch. Tr., Gos. Nauch.-Issled. Proekt. Inst. Redkometal. Prom. 1968, 20, 127-32 (Russ). CA Vol. 70, 118354 (1969).
62. Vapor Pressure and Dissociation of Metal Sulfides (Davlenie Para i Dissotsiatsiya Sul'fidov Metallov). Isakova, R. A. (Nauka: Alma-Ata). 1968
63. Mass spectrometric investigation of the ion desorption in ultra-high vacuum gases.  
Huber, W. K.; Rettinghaus, G. (Balzers A.-G. Hochvakuumtech. und Duenne Schichten, Balzers, Liechtenstein).  
J. Vac. Sci. Technol. 1969, 6(1), 89-92 (Eng).
64. Sticking probability of atomic hydrogen on graphite.  
Beitel, George A. (Univ. of Wisconsin, Madison, Wis.).  
J. Vac. Sci. Technol. 1969, 6(1), 224-8 (Eng).
65. Hypersonic condensation phenomena in high-temperature gases.  
II. Condensation experiments in a shock tube.  
Falk, Theodore J. (Cornell Aeron. Lab., Inc., Buffalo, N. Y.).  
U. S. Clearinghouse Fed. Sci. Tech. Inform., AD 1968, AD-679219, 94 pp. (Eng). Avail. CFSTI. From U. S. Govt. Res. Develop. Rep. 1969, 69(3), 71.
66. Adsorption of nitrogen, hydrogen, oxygen, and carbon monoxide on a beryllium film.  
Hurd, J. T.; Adams, Richard O. (Rocky Flats Div., Dow Chem. Co., Golden, Colo.).  
J. Vac. Sci. Technol. 1969, 6(1), 229-33 (Eng.).
67. Adsorption of hydrogen by tungsten and field emission patterns of tungsten.  
Domer, A. P.; Astinov, Yu. K.; Belov, V. D. (Fiz.-Tekh. Inst. im. Ioffe, Leningrad, USSR).  
Fiz. Tverd. Tela 1969, 11(1), 142-8 (Russ). CA Vol. 70, 118394 (1969).



- B. 68. Rates of reaction between molybdenum trioxide vapor and solid niobium pentoxides.  
Andersson, Sten (Res. Inst. Nat. Def., Stockholm, Swed.).  
Z. Anorg. Allg. Chem. 1969, 366 (1-2), 96-103 (Eng).
69. Activity-composition relations in copper oxide-cobalt oxide solid solutions as determined from equilibria in the copper-cobalt-oxygen system.  
Landolt, Carlos; Muan, Arnulf (Pennsylvania State Univ., University Park, Pa.).  
J. Inorg. Nucl. Chem. 1969, 31(5), 1319-26 (Eng).
70. Cupric oxide-molybdenum oxide phase diagram in air and in oxygen.  
Nassau, Kurt; Shiever, J. W. (Bell Teleph. Lab., Inc., Murray Hill, N. J.).  
J. Amer. Ceram. Soc. 1969, 52(1), 36-40 (Eng).
71. Solubility of hydrogen in solid and molten titanium.  
Yavoiskii, V. I.; Kosterev, L. E.; Chuchuryukin, A. D.;  
Musatov, M. I.; Vishkarev, A. F.; Vilyaeva, N. G. (Mosk. Inst. Stali Solavov, Moscow, USSR).  
Izv. Vyssh. Ucheb. Zaved., Tsvet. Met. 1969, 12(1), 106-12 (Russ).  
CA Vol. 70, 118638 (1969).
72. Determination of the activities of aluminum and copper in liquid aluminum-copper binary alloys by the bubbling method.  
Mitani, Hiroyasu; Nagai, Hiroshi (Osaka Univ., Osaka, Japan).  
Nippon Kinzoku Gakkaishi 1969, 33(3), 344-8 (Japan). CA Vol. 70, 118715 (1969).
73. High-temperature chemistry of the vaporlike state.  
Novikov, G. I. (USSR).  
Vop. Les. Khoz. Les. Khim. Prom. 1967, 115-28 (Russ). From Ref. Zh. Khim. 1968, Abstr. No. 19B815. CA Vol. 70, 118740 (1969).
74. Measurement of high-temperature thermodynamic properties of nonstoichiometric oxides using solid-state emf. and coulometric techniques.  
Steele, B. C. H. (Imp. Coll., London, Engl.).  
Nat. Bur. Stand. (US), Spec. Publ. 1967 (Pub. 1968), No. 296 165-72.
75. Determination of the thermodynamic properties of liquid metal solutions at high temperatures.  
Tarby, S. K.; Robinson, V. S., III (Lehigh Univ., Bethlehem, Pa.).  
U. S. Clearinghouse Red. Sci. Tech. Inform., AD 1968, AD-679061, 37 pp. (Eng). Avail. CFSTI. From U. S. Govt. Rs. Develop. Rep. 1969, 69(3), 108.

- B. 76. Thermodynamic properties of rubidium-antimony compounds.  
Voronin, G. F.; Nguyen-Thach-Chieu; Gerasimov, Ya. I. (Mosk. Gos. Univ. im. Lomonosova, Moscow, USSR).  
Zh. Fiz. Khim. 1969, 43(2), 474-7 (Russ). CA Vol. 70, 118766 (1969).
77. Determination of thermodynamic properties in single-phase wustite by coulometric titration in a high-temperature galvanic cell.  
Rizzo, Harry F.; Gordon, Ronald S.; Cutler, Ivan B. (Univ. of Utah Salt Lake City, Utah). Nat. Bur. Stand. (US), Spec. Publ. 1967 (Pub. 1968). No. 296 129-42. Avail. GPO.
78. Free energies of formation of tungsten dioxide and molybdenum dioxide.  
Berglund, Sven; Kierkegaard, Peder (Univ. Stockholm, Stockholm, Swed.).  
Acta Chem. Scand. 1969, 23(1), 329-30.
79. Vaporization of mercury selenide.  
Pashinkin, A. S.; Ustyugov, G. P.; Vigdorovich, E. N.; Silina, E. Yu.; Klinchikova, S. A. (USSR).  
Izv. Akad. Nauk SSSR, Neorg. Mater. 1969, 5(3), 481-6 (Russ).  
CA Vol. 70, 119064 (1969).
80. Effect of an electric field on the vaporization of oxygen from alkaline-earth metal oxide.  
Pikus, G. Ya.; Teterya, V. P. (Kiev. Gos. Univ. im. Shevchenko, Kiev, USSR).  
Izv. Akad. Nauk SSSR, Ser. Fiz. 1969, 33(3), 403-8 (Russ).  
CA Vol. 70, 119298 (1969).
81. Mass-spectrometric study of the vaporization of some vanadium oxides.  
Frantseva, K. E.; Semenov, G. A. (Leningrad. Gos. Univ., Leningrad, USSR).  
Teplofiz. Vys. Temp. 1969, 7(1), 55-61 (Russ). CA Vol. 70, 119369 (1969).
82. Stabilized zirconia as an oxygen pump.  
Yuan, D.; Kroeger, F. A. (Univ. of Southern California, Los Angeles, Calif.).  
J. Electrochem. Soc. 1969, 116(5), 594-600 (Eng).
83. Determination of vaporization rate of liquids and solids at low pressures. I.  
Cordes, Heinrich; Cammenga, H. (Tech. Univ. Braunschweig, Brunswick, Ger.).  
Z. Phys. Chem. (Frankfurt am Main) 1969, 63(5-6), 280-96 (Ger).



**Announcement of New Bibliographies  
on the High Temperature Chemistry  
and Physics of Materials**

Superintendent of Documents,  
Government Printing Office,  
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Bureau of Standards Special Publication 315-.

Name .....

Company .....

Address .....

City ..... State ..... Zip Code .....

(Notification Key N-380)





**Announcement of New Bibliographies  
on the High Temperature Chemistry  
and Physics of Materials**

Superintendent of Documents,  
Government Printing Office,  
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Bureau of Standards Special Publication 315-.

Name .....

Company .....

Address .....

City ..... State ..... Zip Code.....

(Notification Key N-380)

















