

NAT'L INST. OF STAND & TECH



A11106 360652

155781

155781

155781

155781

155781

155781

OCT 1 1969

Library, E-01 (Encl. 213)
National Bureau of Standards.


NBS SPECIAL PUBLICATION 315

BIBLIOGRAPHY ON THE HIGH TEMPERATURE CHEMISTRY AND PHYSICS OF MATERIALS

OCTOBER, NOVEMBER, DECEMBER 1968

U.S. DEPARTMENT OF COMMERCE

NATIONAL BUREAU OF STANDARDS



NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress March 3, 1901. Today, in addition to serving as the Nation's central measurement laboratory, the Bureau is a principal focal point in the Federal Government for assuring maximum application of the physical and engineering sciences to the advancement of technology in industry and commerce. To this end the Bureau conducts research and provides central national services in three broad program areas and provides central national services in a fourth. These are: (1) basic measurements and standards, (2) materials measurements and standards, (3) technological measurements and standards, and (4) transfer of technology.

The Bureau comprises the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, and the Center for Radiation Research.

THE INSTITUTE FOR BASIC STANDARDS provides the central basis within the United States of a complete and consistent system of physical measurement, coordinates that system with the measurement systems of other nations, and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of an Office of Standard Reference Data and a group of divisions organized by the following areas of science and engineering:

Applied Mathematics—Electricity—Metrology—Mechanics—Heat—Atomic Physics—Cryogenics²—Radio Physics²—Radio Engineering²—Astrophysics²—Time and Frequency.²

THE INSTITUTE FOR MATERIALS RESEARCH conducts materials research leading to methods, standards of measurement, and data needed by industry, commerce, educational institutions, and government. The Institute also provides advisory and research services to other government agencies. The Institute consists of an Office of Standard Reference Materials and a group of divisions organized by the following areas of materials research:

Analytical Chemistry—Polymers—Metallurgy—Inorganic Materials—Physical Chemistry.

THE INSTITUTE FOR APPLIED TECHNOLOGY provides for the creation of appropriate opportunities for the use and application of technology within the Federal Government and within the civilian sector of American industry. The primary functions of the Institute may be broadly classified as programs relating to technological measurements and standards and techniques for the transfer of technology. The Institute consists of a Clearinghouse for Scientific and Technical Information,³ a Center for Computer Sciences and Technology, and a group of technical divisions and offices organized by the following fields of technology:

Building Research—Electronic Instrumentation—Technical Analysis—Product Evaluation—Invention and Innovation—Weights and Measures—Engineering Standards—Vehicle Systems Research.

THE CENTER FOR RADIATION RESEARCH engages in research, measurement, and application of radiation to the solution of Bureau mission problems and the problems of other agencies and institutions. The Center for Radiation Research consists of the following divisions:

Reactor Radiation—Linac Radiation—Applied Radiation—Nuclear Radiation.

¹ Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D. C. 20234.

² Located at Boulder, Colorado 80302.

³ Located at 5285 Port Royal Road, Springfield, Virginia 22151.

UNITED STATES DEPARTMENT OF COMMERCE
MAURICE H. STANS, *Secretary*
NATIONAL BUREAU OF STANDARDS • A. V. ASTIN, *Director*


BIBLIOGRAPHY on the
HIGH TEMPERATURE CHEMISTRY AND PHYSICS
of MATERIALS

October, November, December
1968

J. J. Diamond, Editor

Institute for Materials Research
National Bureau of Standards
Washington, D. C. 20234

Under the auspices of the
International Union of Pure and Applied Chemistry
Commission on High Temperatures and Refractories



U. S. National Bureau of Standards Special Publication 315,
Issued January 1969

FEB 27 1970

Not acc. Ref.

Q-100

-U57

No. 315

1968

Copy 1.

11

Library of Congress Catalog Card Number: 77-600413

Contributors

PART I. Compiled by

- N. F. H. Bright, Department of Energy, Mines and Resources, Ontario, Canada.
G. DeMaria, University of Rome, Rome, Italy.
J. J. Diamond, National Bureau of Standards, Washington, D. C., U.S.A.
H. Flood, Norwegian Institute of Technology, Trondheim, Norway.
M. Foex, C.N.R.S., Super-Refractories Laboratory, Odeillo, France.
M. G. Hocking, Imperial College of Science and Technology, London, England.
H. Mii, University of Nagoya, Nagoya, Japan.
H. Nowotny, University of Vienna, Vienna, Austria.
G. D. Rieck, Eindhoven Institute of Technology, Eindhoven, Netherlands.
R. L. Thakur, Central Glass and Ceramic Research Institute, Calcutta, India.
A. Wittmann, Vienna Institute of Technology, Vienna, Austria.

PART II. Compiled by

- L. Brewer, University of California, Berkeley, California, U.S.A.

Contents

PART I. Solids and Liquids

	Page
A. Devices for achieving temperatures above 1500°C.....	1
B. Devices for measuring and controlling temperatures above 1500°C.....	1
C. Devices for physical measurements at temperatures above 1000°C.....	1
D. Thermodynamic properties, at temperatures below 1000°C, of materials which melt above 1500°C	4
E. Properties, at temperatures above 1000°C, of materials which melt above 1500°C	4
a. Metallic materials	4
b. Non-metallic materials	7
c. Mixed materials	12
F. Properties, at temperatures above 1000°C, of materials which melt below 1500°C	13
a. Metallic materials	13
b. Non-metallic materials	16
c. Mixed materials	19
G. Phase equilibria above 1000°C.....	19
H. Reactions at temperatures above 1000°C.....	28
I. Books	40

PART II. Gases

A. Spectroscopy of interest to high temperature chemistry.....	41
B. Reactions between gases and condensed phases.....	55

Part I. SOLIDS AND LIQUIDS

Devices for achieving temperatures above 1500°C

1. Heating element for a high temperature (2500°K) furnace in oxidizing atmosphere
A. M. Anthony and M. Faucher (CNRS Lab. Echanges Therm., Meudon, Hauts-de-Seine, Fr.)
C. R. Acad. Sci. 267C [6], 444-47 (1968)
2. Vacuum deposition of thin films by means of a CO₂ laser
G. Groh (Philips Zentrallab., Hamburg 54, Germ.)
J. Appl. Phys. 39 [12], 5804-05 (1968)
3. Tri-arc furnace for Czochralski growth with a cold crucible
T. B. Reed and E. R. Pollard (Lincoln Lab., Mass. Inst. Tech., Lexington, Mass. 02173)
J. Crystal Growth 2 [4], 243-47 (1968)
4. Simple furnace for high temperature N.M.R. experiments
W. W. Warren, Jr. and W. G. Clark (Univ. of California, Los Angeles, Calif.)
J. Sci. Instr. 1, 1019-21 (1968)

Devices for measuring and controlling temperatures above 1500°C

1. Electrochemical thermometry. New approach to the determination of elevated temperatures on the thermodynamic scale
W. T. Lindsay and R. J. Ruka
Electrochim. Acta 13 [8], 1867-74 (1968)
2. The effect of stress on the E.M.F. of Pt/Pt-13% Rh thermocouples
E. S. Morgan (C.E.R.L., Leatherhead, U. K.)
Brit. J. Appl. Phys. 1, 1421-29 (1968)
3. Errors in the measurement of temperature using thermocouples
A. Zmyslowski
U.K.A.E.A. Reports, Windscale English Transl. No. 359 (Loanable from Nat. Lending Lib., Boston Spa, U. K.)

Devices for physical measurements at temperatures above 1000°C

1. Precious metal alloys for high temperature resistance strain gauges
R. Bertodo (Ruston & Hornsby Ltd., Lincoln, U. K.)
Brit. J. Appl. Phys. 1, 1743-52 (1968)
2. The application of DTA to devitrification studies on GeO glasses
G. Bonetti and M. Nicoletti (Staz. Sperim. Vetro-Murano, Venezia, Italy)
Vetro e Silicati 12 [69], 5-9 (1968)

- C. 3. Determination of the moduli of elasticity and shear at temperatures up to 2000°C and in a vacuum or in inert gases
V. A. Bugrov, V. K. Grigorovich, A. N. Kobylkin and O. S. Ivanov
Zavod. Lab. 34 [8], 994-95 (1968)
4. Isostatic hot pressing, a new technique in powder metallurgy
H. Bumm, F. Thümmeler and P. Weimar (Inst. Mater. u. Festkörperforsch., Kernforschungszentrum Karlsruhe, Germ.)
Ber. Deut. Keram. Ges. 45, 406-12 (1968)
5. A theoretical and experimental study of the angular distribution of flux from a Knudsen cell
T. E. Dunham (Ohio State Univ., 1968)
Dissertation Abstr. 29B [3], 1030 (1968-69)
6. Effusion from Knudsen cells with conical channels
T. E. Dunham (G. E. Lamp Metals & Compon. Dept., Cleveland, Ohio 44117) and J. P. Hirth (Met. Eng. Dept., Ohio State Univ., Columbus, Ohio)
J. Chem. Phys. 49 [10], 4650-59 (1968)
7. Shock-tube method for determining the vapor pressures of refractory metals at high temperatures
T. J. Falk (Cornell Aeronaut. Lab., Buffalo, N. Y. 14221)
J. Chem. Phys. 49 [8], 3727-28 (1968)
8. Analogue circuit for accurate evaluation of small power inputs in microcalorimetry
W. W. Forrest and V. A. Stephen (Biochem. Div., CSIRO, Adelaide, Australia)
J. Sci. Instr. 1, 1024-25 (1968)
9. High temperature diffusion cell for multiple time isothermal measurement of liquid metal diffusivities
J. P. Foster and R. J. Reynik (Met. Eng. Dept., Drexel Inst. Tech., Philadelphia, Pa. 19104)
Rev. Sci. Instr. 39 [10], 1579-81 (1968)
10. Method of high-temperature testing of refractory materials in a vacuum
L. B. Getsov, V. A. Kaprizov and A. P. Simakovskii
Zavod. Lab. 34 [8], 990-93 (1968)
11. Vacuum four-specimen system for creep testing during stretching at temperatures up to 1200°C
L. I. Gomozov, A. N. Kobylkin and O. S. Ivanov
Zavod. Lab. 34 [7], 874-75 (1968)
12. High-temperature oven for x-ray investigation of melts
V. P. Goncharov, A. S. Lashko and Yu. G. Poltavtsev
Zavod. Lab. 34 [9], 1146 (1968)

13. Rapid method of determining the modulus of liquid glasses
E. B. Grinberg
Zavod. Lab. 34 [8], 940 (1968)
14. Development of a triple Knudsen cell and its use to study the activity of Cu in the bcc β phase of the Ti-Cu system
J. V. Hackworth (Univ. of Cincinnati, 1968)
Dissertation Abstr. 29B [5], 1705-06 (1968-69)
15. High temperature Debye-Scherrer x-ray camera
J. Intrater and D. K. Smith (Electron. & Alloys, Inc., Englewood, N. J. 07631)
Rev. Sci. Instr. 39 [10], 1491-94 (1968)
16. Attachments to Stanton thermobalance for combined thermogravimetry and DTA
M. D. Karkanavala, V. V. Deshpande and S. H. Daroowala (Bhabha Atomic Res. Ctr., Trombay, Bombay, India)
J. Sci. Instr. 1, 1025-26 (1968)
17. Device for investigating the hardness of metals and alloys at temperatures up to 1300-1400°C
Yu. G. Kolonin
Zavod. Lab. 34 [7], 878 (1968)
18. Method of measuring vapor pressure of metals and alloys from the rate of flow of vapor through a diaphragm
N. S. Kudryavtsev and L. I. Ivanov (Inst. Met., Acad. Sci., Moscow)
Pribery Tekh. Eksper. [4], 163-65 (July, Aug. 1968)
19. High temperature remote strainometer
M. O. Marlowe and M. B. Reynolds (G. E. Vallecitos Nucl. Ctr., Pleasanton, Calif. 94566)
Rev. Sci. Instr. 39 [11], 1768-69 (1968)
20. Symmetrical vacuum thermobalance for corrosive atmospheres
E. Pedersen (Oersted Inst., Univ. of Copenhagen, Denmark)
J. Sci. Instr. 1, 1013-15 (1968)
21. Transpiration apparatus for measuring the vapour pressure of Au
R. A. Phillips and M. H. Rand (Chem. Div., AERE, Harwell, Berks., Engl.)
UKAEA Res. Group Rept. AERE-R5352 (Feb. 1967)
22. Tensile testing machine for materials at high temperatures in vacuum
V. I. Savchenko, D. I. Litovchenko, Yu. K. Smirnov and G. S. Gaidamachenko
Zavod. Lab. 34 [7], 876-77 (1968)

- C. 23. System for measuring differential thermal emf and electrical resistance at temperatures up to 1700°C in a vacuum
G. I. Terekhov and O. S. Ivanov
Zavod. Lab. 34 [9], 1145 (1968)
24. Density of molten metals
H. R. Thresh (Chase Brass & Copper Co., Cleveland, Ohio)
J. Inst. Metals-Met. Rev. 96, 308-13 (1968)
25. Some of the parameters affecting Knudsen effusion. IV. Monte Carlo calculations of effusion probabilities and flux gradients for Knudsen cells
J. W. Ward and M. V. Fraser (Los Alamos Sci. Lab., Los Alamos, N. M. 87544)
J. Chem. Phys. 49 [9], 3743-50 (1968)
26. High speed calorimetry in the Fe-C system between 600° and 1600°C
K. Yamaguchi (Pa. State Univ., 1967)
Dissertation Abstr. 29B, 1038 (1968-69)
- D. Thermodynamic properties, at temperatures below 1000°C, of materials which melt above 1500°C
1. Low temperature specific heat of graphite
I. Estermann
Helv. Phys. Acta 41 [6-7], 793-95 (1968)
2. Heat capacity and entropy of CdS at liquid N₂ temperature
Yu. Kh. Shaulov and E. N. Kostina (Chem. & Tech. Org. Elemental Cpds. Inst., Moscow)
Zh. Fiz. Khim. 42 [8], 2049-50 (1968)
3. Study of Nb-base alloys
R. Yoda (Nat. Res. Inst. Met., Meguro-ku, Tokyo)
Rept. Nat. Res. Inst. Met. 11 [1], 23-39 (1968)
- E. Properties, at temperatures above 1000°C, of materials which melt above 1500°C
- a. Metallic materials
1. Anomalous migration of Ti on W
R. C. Abbott, J. W. Trischka and A. M. Russell (Phys. Dept., Syracuse Univ., Syracuse, N. Y.)
J. Appl. Phys. 39 [10], 4859-60 (1968)
2. Electrical resistance of liquid alloys of the Fe-Cr-C-Si system
B. A. Baum, P. V. Geld and Yu. N. Akshentsev
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11 [8], 11-15 (Aug. 1968)

- Ea. 3. Internal void formation in powder metallurgy W
G. Das and S. V. Radcliffe (Met. Dept., Case Western Reserve Univ., Cleveland, Ohio)
Trans. Met. Soc. AIME 242 [10], 2191-98 (1968)
4. Thermal expansion of tungsten monocarbide
V. T. Deshpande, R. R. Pawar and S. V. Suryanarayana (Osmania Univ., Coll. Sci., Phys. Dept., Hyderabad 7, India)
Current Sci. 37 [19], 543-44 (1968)
5. The structure of, and the contact potential difference between, polycrystalline W foil and vapour-deposited W films
P. J. Dobson and B. J. Hopkins (Phys. Dept., Univ. of Southampton, U. K.)
Brit. J. Appl. Phys. 1, 1241-44 (1968)
6. Heat contents and specific heats of some uranium-bearing fuels
M. Farkas and E. Eldridge (Columbus Lab., Battelle Mem. Inst., Columbus, Ohio 43201)
J. Nucl. Mater. 27 [1], 94-96 (1968)
7. Solubility of N_2 in liquid Ni and in Ni-Cr, Ni-Mo and Ni-W melts
V. I. Fedorchenko, V. V. Averin and A. M. Samarin (Acad. Sci., Baikov Met. Inst., Moscow)
Dokl. Akad. Nauk SSSR 183 [4], 894-96 (1968)
8. Thermodynamic properties of niobium carbide in a homogeneous region between 1200-2500°K
V. V. Fesenko, A. G. Turchanin and E. A. Guseva (Mater. Tech. Inst., Kiev, UkSSR)
Zh. Fiz. Khim. 42 [9], 2332-34 (1968)
9. Self diffusion and isotope effect in γ -Fe
Th. Heumann and R. Imm (Inst. Metallforsch., Univ. Münster/Westf., Germ.)
J. Phys. Chem. Solids 29, 1613-21 (1968)
10. Surface tension and density of Pd-Fe, Pd-Cr and Pd-Si liquid alloys
V. F. Ikhov, E. L. Dubinin, O. A. Esin and N. A. Vatolin
Zh. Fiz. Khim. 42 [10], 2631-33 (1968)
11. Solubility of H_2 in liquid Nb
N. N. Kalinyuk and V. I. Lakomskii
Izv. Akad. Nauk SSSR, Metal [4], 28-32 (July-Aug. 1968)
12. Investigation of the positive ion emission of W filament with a time-of-flight mass spectrometer
O. Kaposi, M. Reidel and L. Matus
Magy. Kem. Foly. 74 [9], 429-33 (1968)

- Ea. 13. Mechanical properties at 20-1100°C of W produced by arc smelting
Ch. V. Kopetskii and V. M. Panovko
Metallov. Term. Obrab. Metal. [9], 15-17 (Sept. 1968)
14. Thermal release of inert gases from a (100) W surface
E. V. Kornelsen and M. K. Sinha (Radio & Elec. Eng. Div., Nat.
Res. Council, Ottawa, Canada)
J. Appl. Phys. 39 [10], 4546-55 (1968)
15. Diffusion of Co-57 in Pt and preparation of the optimum Mössbauer
source
J. Kučera and T. Zemčik (Inst. Met. Czech. Acad. Sci., Brno,
Czech.)
Can. Met. Quart. 7 [2], 83-89 (1968)
16. Determination of segregation tendency in δ -ferrite
B. E. Lindblom (AB Motala Verkstad, Motala, Sweden)
Jernkontorets Annaler 152 [2], 53 (1968)
17. Structural factor in the strength of metals for service at high
temperatures
M. G. Lozinski
U.K.A.E.A. Reports, AERE Engl. Trans. 1072 (1967) (Loanable from
Nat. Lending Lib., Boston Spa, U. K.)
18. Evaporation rate of Mn, Cu, Sn, Cr and S from molten iron under
vacuum
R. Ohno and T. Ishida (Tokohu Univ., Sendai, Japan)
J. Iron Steel Inst. (London) 206, 904-08 (1968)
19. Certain properties of Pt, Pd and their alloys during heating
E. I. Rytvin, V. M. Kuzmin and A. E. Rudenko
Metallov. Term. Obrab. Metal. [9], 71 (Sept. 1968)
20. Lattice constants, thermal expansion coefficients and densities
of Mo and the solubility of S, Se and Te in Mo
M. E. Straumanis and R. P. Shodhan (Ctr. for Mater. Res., Univ.
of Missouri, Rolla, Mo.)
Z. Metallk. 59, 492-95 (1968)
21. Growth morphology and solute segregation in the solidification of
iron alloys
S. V. Subramanian, C. W. Haworth and D. H. Kirkwood (Met. Dept.,
Univ. of Sheffield, U. K.)
J. Iron Steel Inst. (London) 206, 1027-32 (1968)
22. Thermal radiation from rough W surfaces in normal and off-normal
directions
L. K. Thomas (Westinghouse R/D Ctr., Pittsburgh, Pa. 15235)
J. Appl. Phys. 39 [10], 4681-86 (1968)

- Ea. 23. Temperature dependence of the hardness of W precipitated from the vapor phase
A. A. Tsvetaev, R. K. Chuzhko and O. A. Balakhovskii
Metallov. Term. Obrab. Metal. [9], 18-19 (Sept. 1968)
24. Fusion curves for graphite, W and Pt up to 60 kbars
L. F. Vereshchagin and N. S. Fateyeva (Acad. Sci., Inst. Phys. High Pressures, Moscow)
Zh. Eksper. Teor. Fiz. 55 [4], 1145-52 (1968)
25. Vacuum distillation of yttrium
V. V. Vorobev
Izv. Akad. Nauk SSSR, Metal. [4], 63-68 (July-Aug. 1968)
26. Thermal conductivity of Pt at high temperatures
V. E. Zinovev, R. P. Krentsis and P. V. Geld (Kirov Polytech. Inst., Sverdlovsk, USSR)
Fiz. Tverd. Tela 10 [9], 2826-28 (1968)

b. Non-metallic materials

1. Petrography and micro-structure of Indian magnesite calcined up to 2000°
J. C. Banerjee and N. R. Sircar
Central Glass Ceram. Res. Inst. Bull. (India) 14 [4], 144-63 (1967)
2. X-ray analysis of Indian magnesites on sintering
J. C. Banerjee and N. R. Sircar
Central Glass Ceram. Res. Inst. Bull. (India) 14 [4], 164-68 (1967)
3. Neutron damage in single crystal aluminum oxide
D. J. Barber and N. J. Tighe (Phys. Prop. Section, Nat. Bur. Stds., Washington, D. C. 20234)
J. Am. Ceram. Soc. 51 [11], 611-17 (1968)
4. High-temperature defect structure and electrical properties of NiO
I. Bransky and N. M. Tallan (Phys. Dept., Technion-Israel Inst. Tech., Haifa, Israel)
J. Chem. Phys. 49 [3], 1243-49 (1968)
5. Effect of nature of surfaces on wetting of sapphire by liquid Al
J. J. Brennan and J. A. Pask (Lawrence Rad. Lab. and Miner. Tech. Dept., Univ. California, Berkeley, Calif. 94720)
J. Am. Ceram. Soc. 51 [10], 569-73 (1968)
6. Stabilization of the phase transformations in HfO₂
J. D. Buckley (Iowa State Univ., 1968)
Dissertation Abstr. 29B [4], 1335-36 (1968-69)

- Eb. 7. Heating characteristics, final density, and residual porosity, during the sintering of UO_2 and BeO
R. Caillat
U.K.A.E.A. Reports, Winfrith Engl. Transl. no. 189 (Loanable from Nat. Lending Lib., Boston Spa, U. K.)
8. Pressure and temperature dependences of the isotropic elastic moduli of polycrystalline alumina
D. H. Chung and G. Simmons (Geol. & Geophys. Dept., Mass. Inst. Tech., Cambridge, Mass. 02139)
J. Appl. Phys. 39 [11], 5316-26 (1968)
9. Electrical transport processes in BeO
C. F. Cline and H. W. Newkirk (Lawrence Radiation Lab., Livermore, Calif.)
J. Chem. Phys. 49 [8], 3496-3504 (1968)
10. Solubility of plutonium oxides in UO_2
G. Dean
U.K.A.E.A. Reports, Dounreay Engl. Transl. 265 (1967)
11. Sintering of ZrO_2
E. V. Degtyareva, I. S. Kainarskii and L. S. Alekseenko
Ogneupory 33 [6], 33-40 (June 1968)
12. Vaporization of AlP
G. DeMaria, K. A. Gingerich and V. Piacente (Lab. Chim. Alte Temp., Ist. Chim. Fis. Elettrochim., Univ. di Roma, Italy)
J. Chem. Phys. 49 [10], 4705-10 (1968)
13. Dissociation of boron nitride in a gas flow
Yu. A. Dushin and A. V. Dmitriev
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1596-98 (1968)
14. Electrical conductivity and thermogravimetric studies of single crystal CoO
N. G. Eror and J. B. Wagner, Jr. (Matls. Sci. Dept., Technol. Inst., Northwestern Univ., Illinois 60201)
J. Phys. Chem. Solids 29, 1597-1611 (1968)
15. Certain ceramic properties and electrical conductivity of ZrO_2 ceramics stabilized with Y_2O_3
M. L. Ezerskii, N. I. Kozlova, R. Ya. Popilskii and I. M. Demonis
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1599-1600 (1968)
16. $\text{N}_2\text{O}/\text{N}_2$ isotope exchange on W
R. P. H. Gasser, M. F. King and P. R. Vaight (Phys. Chem. Lab., South Parks Rd., Univ. of Oxford)
Trans. Faraday Soc. 64, 2852-55 (1968)

- Eb. 17. Activated hot pressing of MgO
P. E. Hart (Univ. of Calif., Berkeley, 1968)
Dissertation Abstr. 29B [4], 1339 (1968-69)
18. The vaporization thermodynamics of Eu_3O_4
J. M. Haschke and H. A. Eick (Chem. Dept., Michigan State Univ.,
E. Lansing, Mich. 48823)
J. Phys. Chem. 72 [12], 4235-39 (1968)
19. Effect of Cr_2O_3 vaporization on the sintering of MgO
L. H. Hench and R. Russell, Jr. (Met. Eng. Dept., Univ. of Florida,
Fla. 32601)
Trans. Brit. Ceram. Soc. 67, 377-90 (1968)
20. High-temperature rheology of ceramic materials. III. Relaxation
behavior of refractories
H. W. Hennicke and R. Kersting (Lehrstuhl Steine u. Erden, T. H.
Clausthal, Germ.)
Ber. Deut. Keram. Ges. 45, 335-40 (1968)
21. Stress, temperature, and strain rate in creep of MgO
J. H. Hensler and G. V. Cullen (Met. Dept., Univ. Melbourne,
Parkville, Victoria 3052, Australia)
J. Am. Ceram. Soc. 51 [10], 557-59 (1968)
22. Experimental arrangements and results in the heat treatment of
carbon at high pressures
M. Inagaki, K. Kamiya and T. Noda (Eng. Fac., Univ. of Nagoya,
Japan)
Kogyo Kagaku Zasshi 71 [5], 652-57 (1968)
23. Effects of temperature and pressure gradients in specimen on
structural change of carbon heat-treated under pressure
M. Inagaki, K. Kamiya and T. Noda (Eng. Fac., Univ. of Nagoya,
Japan)
Kogyo Kagaku Zasshi 71 [6], 812-15 (1968)
24. Deformation theory of hot-pressing
A. K. Kakar (Univ. of Brit. Columbia, 1967)
Dissertation Abstr. 29B [3], 1032 (1968-69)
25. Melting, refining and some properties of elementary boron
K. Kawamura and K. Akashi (Nat. Res. Inst. Met., Meguro-ku, Tokyo)
Rept. Nat. Res. Inst. Met. 11 [3], 61-69 (1968)
26. Activity measurements in orthosilicate and metasilicate solid
solutions. I. Mg_2SiO_4 and MgSiO_3 at 1204°C
K. Kitayama and T. Katsura (Chem. Dept., Fac. Sci., Tokyo Inst.
Tech., Meguro-ku, Tokyo)
Bull. Chem. Soc. Japan 41 [5], 1146-51 (1968)

- Eb. 27. Variation of the technical properties of ZrO_2 refractories as a function of the degree of stabilization of ZrO_2
Ya. V. Klyucharov and V. I. Strakhov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1502-06 (1968)
28. Heat capacity and thermodynamic properties of PuO_2
O. L. Kruger (Argonne Nat. Lab., Argonne, Ill.) and H. Savage
(Met. Dept., Univ. of Illinois, Urbana, Ill.)
J. Chem. Phys. 49 [10], 4540-44 (1968)
29. Behavior of burnable poison dispersions in ZrO_2 at high temperature
T. Kubota (Mitsubishi Atomic Power Ind., Inc., Eng. and Res. Lab.,
Omiya, Japan)
Nippon Kinzoku Gakkai Shi 32 [2], 149-54 (1968)
30. Production and properties of molten UO_2
L. Löffler and C. Schurig
Kernenergie 11 [8], 220-22 (1968)
31. Effect of high temperature gas flow on refractories from ZrO_2
I. S. Mayauskas, R. I. Abrattis, A. G. Karaulov and A. A. Grebenyuk
Ogneupory 33 [6], 45-50 (June 1968)
32. Self-fluxing sinters of basicity 1-3.5
E. Mazanek and S. Jasienska (Akad. Gorniczo-Hutnicza, Krakow,
Poland)
J. Iron Steel Inst. (London) 206, 1104-09 (1968)
33. Ionic and electronic defect structure of pure and Cr-doped NiO
G. H. Meier (Ohio State Univ., 1968)
Dissertation Abstr. 29B [3], 1034-35 (1968-69)
34. Thermal stability of PrP
K. E. Mironov, I. G. Vasileva, Yu. I. Mironov and N. M. Prokhorova
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1869-73 (1968)
35. Role of crystallinity in the sintering of urania powders
V. K. Moorth and S. V. K. Rao
Trans. Indian Ceram. Soc. 27 [1], 16-30 (1968)
36. Pore migration in ceramic fuel elements
F. A. Nichols (Bettis At. Power Lab., Pittsburgh, Pa. 15122)
J. Nucl. Mater. 27 [2], 137-46 (1968)
37. Effect of coexisting minerals on graphitization of carbon. I. Heat treatments of carbon under 3 kbar in the presence of limestone
T. Noda, M. Inagaki, S. Hirano and K. Amanuma (Fac. Eng., Univ. of Nagoya, Japan)
Bull. Chem. Soc. Japan 41 [5], 1245-48 (1968)

- Eb. 38. Effect of pressure on graphitization of carbon. I. Heat treatment of soft carbon under 1, 3 and 5 kbar
T. Noda, K. Kamiya and M. Inagaki (Eng. Fac., Univ. of Nagoya, Japan)
Bull. Chem. Soc. Japan 41 [2], 485-92 (1968)
39. Oxygen redistribution in UO_2 fuels
P. O. Perron (At. Energy of Canada Ltd., Chalk River, Ont., Can.)
J. Nucl. Mater. 27 [2], 237-38 (1968)
40. Process of zone melting of yttrium-iron garnet without using a crucible and defects in crystals
Yu. B. Petrov, E. A. Bezrukova and V. G. Kurilenko
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1563-54 (1968)
41. Standard thermodynamic functions of oxides of elements in group V
V. F. Plekhotkin
Zh. Prikl. Khim. 41 [10], 2337-39 (1968)
42. Ionic and electronic conductivity in magnesium orthosilicate
W. Pluschkell and H. J. Engell (Max Planck-Inst. Metallforsch., Stuttgart, Germ.)
Ber. Deut. Keram. Ges. 45, 388-94 (1968)
43. Vaporization of aluminate and chrome spinels
D. S. Rutman, I. L. Shchetnikova, E. I. Kelareva and G. A. Semenov
Ogneupory 33 [10], 40-45 (Oct. 1968)
44. Some material properties of Ce_2O_3
T. Sata and M. Yoshimura (Res. Lab. Eng. Mater., Tokyo Inst. Tech., Meguro-ku, Tokyo)
Yogyo Kyokai Shi 76 [872], 116-22 (1968)
45. Modulated structures in TiO_2-SnO_2
A. H. Schultz and V. S. Stubican (Matls. Sci. Dept., Pa. State Univ., Pa.)
Phil. Mag. 18, 929-37 (1968)
46. Thermodynamic activities of NiO in NiO-MgO solid solutions
S. Seetharaman and K. P. Abraham
Indian J. Technol. 6 [4], 123 (1968)
47. Thermal broadening of stabilized ZrO_2 in the temperature interval 300-2600°K
D. M. Shakhtin, E. V. Levintovich, T. L. Pivovar and G. G. Eliseeva
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1603-04 (1968)
48. Decrease in the strength of ceramic materials under the action of metal melts
E. D. Shchukin and V. G. Bravinskii
Fiz.-Khim. Mekh. Mater. 4 [3], 295-300 (1968)

- Eb. 49. Thermal dissociation processes of alkaline earth metal oxides
V. F. Shnyukov
Ukr. Fiz. Zh. (Ukr. Ed.) 13 [9], 1438-42 (1968)
50. Effect of stoichiometry on plasticity of CoO scales
K. N. Strafford and H. Gartside (Met. Dept., Univ. of Liverpool,
U. K.)
Nature 220, 158-59 (1968)
51. Anode materials for high temperature solid electrolyte fuel cells
T. Takahashi, Y. Suzuki, K. Ito and H. Yamanaka (Appl. Chem. Dept.,
Eng. Fac., Univ. of Nagoya, Japan)
Denki Kagaku 36 [5], 345-49 (1968)
52. Sintering of TiO₂ with rutile crystals, MnO₂ and Na₂O as additives
R. L. Thakur and S. K. Das
Central Glass Ceram. Res. Inst. Bull. (India) 14 [3], 63-76 (1967)
53. Annealing studies of irradiation defects in graphite and the self-
diffusion mechanism
P. A. Thrower (Met. Div., AERE, Harwell, Berks., U. K.)
Phil. Mag. 18, 697-715 (1968)
54. Well oriented graphite composites
A. R. Ubbelohde (Imperial College, London)
Nature 220, 434-36 (1968)
55. Electrical conductivity of melts in the ZrO₂-La₂O₃ system
Z. S. Volchenkova
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1975-79 (1968)

c. Mixed materials

1. Driving forces for thermal mass transport
H. B. Huntington (Phys. Dept., Rensselaer Polytech. Inst., Troy,
N. Y.)
J. Phys. Chem. Solids 29, 1641-51 (1968)
2. Wetting of Al₂O₃ by liquid metals
P. J. Jones
HMSO Is. 9d. (1967)
3. The development and testing of protective coating on F 48 and SU 16
niobium alloys
J. E. Restall (Nat. Gas Turbine Estab., Pyestock, Farnborough,
Hants., Engl.)
J. Less-Common Metals 16 [1], 11-36 (1968)

F. Properties, at temperatures above 1000°C, of materials which melt below 1500°C

a. Metallic materials

1. Electrical resistance of alloys of the Mn-Fe-C and Mn-Fe-Si-C systems in temperature range of 1000-1500°C
Yu. N. Akshentsev and B. A. Baum (Kirov Polytech. Inst., Sverdlovsk, USSR)
Zh. Fiz. Khim. 42 [10], 2626-27 (1968)
2. The use of a high-speed press for forging Ni alloys
T. W. Allen and L. J. Cartmell (Lakefield Res. (Canada) Ltd., Lakefield, Ont., Can.)
J. Inst. Metals-Met. Rev. 96, 321-29 (1968)
3. Viscosity of Fe melts containing Mn, Cr and Si
P. P. Arsentev, S. I. Filippov, V. P. Burkin and N. N. Pankratov
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11 [7], 90-94 (July 1968)
4. Kinetic aspects of the solidification of binary and ternary alloy systems
L. Bäckerud (Svenska Metallverken, Sweden)
Jernkontorets Annaler 152 [3], 109 (1968)
5. Viscosity of Fe-Mn melts
B. A. Baum, Yu. N. Akshentsev and P. V. Geld
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11 [9], 27-30 (Sept. 1968)
6. Viscosity of Fe, Si and their alloys
B. A. Baum, P. V. Geld, P. V. Kocherov and M. A. Ryss
Izv. Akad. Nauk SSSR, Metal. [5], 60-66 (Sept.-Oct. 1968)
7. N₂ solubility in liquid Fe-Cr-Ni alloys
R. G. Blossey and R. D. Pehlke (Chem. Met. Eng. Dept., Univ. of Michigan, Ann Arbor, Mich.)
Trans. Met. Soc. AIME 242 [12], 2457-59 (1968)
8. Surface tension and density of the liquid alkaline earth metals Mg, Ca, Sr, Ba
J. Bohdanský and H. E. J. Schins (Direct Conversion Group, CCR-Euratom, Ispra (Varese), Italy)
J. Inorg. Nucl. Chem. 30, 2331-37 (1968)
9. Electrical conductivity of Sn, Pb, and Bi near their boiling points with estimates to their critical temperatures
J. A. Cahill, G. M. Krieg and A. V. Grosse (Res. Inst. Temple Univ., Philadelphia, Pa. 19144)
J. Chem. Eng. Data 13 [4], 504-07 (1968)

- Fa. 10. Study of the surface tension of molten $\text{NaF-ZrF}_4\text{-ZrO}_2$ mixtures
C. Decroly, A. Fontana and R. Winand (Service Mét. et Electrochim.,
Fac. Sci. Appl., Univ. Libre de Bruxelles, Belgium)
J. Nucl. Mater. 27 [1], 36-47 (1968)
11. The solubility of C in Co and Ni
W. W. Dunn, R. B. McLellan and W. A. Oates (Mater. Sci. Dept.,
Rice Univ., Houston, Texas)
Trans. Met. Soc. AIME 242 [10], 2129-32 (1968)
12. Electron transport in liquid Cu-Sn
J. E. Enderby and R. A. Howe (Phys. Dept., Univ. of Sheffield,
U. K.)
Phil. Mag. 18, 923-27 (1968)
13. Recovery of mechanical properties in Ni alloys by re-heat treatment
R. V. Hart and H. Gayter (Tech. Dept., Henry Wiggin & Co.,
Hereford, U. K.)
J. Inst. Metals-Met. Rev. 96, 338-44 (1968)
14. High temperature microscope investigation of carbon steel pressure
welds
T. Hashimoto and K. Tanuma (Nat. Res. Inst. Met., Meguro-ku, Tokyo)
Rept. Nat. Res. Inst. Met. 11 [2], 57-67 (1968)
15. Thermodynamic properties of cerium gas
D. T. Hawkins and P. D. Desai (Inorg. Mater. Res. Div., Lawrence
Radiation Lab. and Dept. of Miner. Tech., Univ. of Calif.,
Berkeley, Calif. 94720)
J. Chem. Eng. Data 13 [4], 497-98 (1968)
16. The condensation of Na vapour bubbles
A. M. Judd
U.K.A.E.A. Reports No. AEEW-M 813 (1968) (Loanable from Nat. Lend-
ing Lib., Boston Spa, U. K.)
17. Dissociation energy of Mn_2
A. Kant, S. S. Lin and B. Strauss (Army Mater. Mechan. Res. Ctr.,
Watertown, Mass. 02172)
J. Chem. Phys. 49 [4], 1983-85 (1968)
18. Dissociation energies of GeCu , GeCo , GeFe and GeCr
A. Kant and B. H. Strauss (Army Mater. & Mech. Res. Ctr., Water-
town, Mass. 02172)
J. Chem. Phys. 49 [8], 3579-82 (1968)
19. X-ray investigation of liquid Ga in a wide temperature range
A. S. Lashko and Yu. G. Poltavtsev
Ukr. Fiz. Zh. (Ukr. Ed.) 13 [9], 1575-76 (1968)

- Fa. 20. Oxygen content in carbon-saturated molten Fe in equilibrium with
0 to 25 atm. CO
N. Matsumoto (Tohoku Univ., Res. Inst. Iron Steel & Met., Sendai,
Japan)
Sci. Repts. Res. Inst. Tohoku Univ., Ser. A-Phys., Chem., Met.
23 [2-3], 80-93 (1968)
21. Nucleation of Al crystals on the solidification of a Ti-B
composition
J. Moriceau (Ctr. Rech. Groupe P echiney, Voreppe, Is ere, Fr.)
C. R. Acad. Sci. 267C, 231 (1968)
22. Thermodynamic study of liquid Au-Fe alloys at 1100° ~ 1300°C
M. Nagamori and M. Kameda (Carnegie Inst. Tech., Met. Res. Lab.,
Pittsburgh, Pa. 15213)
Trans. Japan Inst. Metals 9 [3], 181-86 (1968)
23. Effect of specimen and grain size on the strength of Ni-base high
temperature alloys
E. G. Richards (R/D Lab., Int. Ni Ltd., Birmingham, U. K.)
J. Inst. Metals-Met. Rev. 96, 365-70 (1968)
24. The effect of alloying elements on the solubility of N₂ in liquid
Fe-Cr-Ni alloys
W. M. Small and R. D. Pehlke (Chem. Met. Eng. Dept., Univ. of
Michigan, Ann Arbor, Mich.)
Trans. Met. Soc. AIME 242 [12], 2501-05 (1968)
25. Interdendritic segregation in an Fe-As alloy
S. V. Subramanian, C. W. Haworth and D. H. Kirkwood (Met. Dept.,
Univ. of Sheffield, U. K.)
J. Iron Steel Inst. (London) 206, 1124-30 (1968)
26. Measurement of the vapor pressure of liquid Fe using a melt in
suspension
A. G. Svyazhin, A. F. Vishkarev and V. I. Yavoiskii
Izv. Akad. Nauk SSSR, Metal. [5], 67-73 (Sept.-Oct. 1968)
27. A microstructural study of the reactivity of Co surfaces at elevated
temperatures
R. Taggart, D. H. Polonis and N. E. Dodds (Met. Eng. Div., Univ.
of Washington, Seattle, Wash.)
J. Electrochem. Soc. 115 [11], 1119-24 (1968)
28. Influence of N₂ on various properties of Cr-Mn stainless steels
R. Tanaka and M. Sawairi (Met. Eng. Dept., Eng. Fac., Tokyo
Inst. Tech., Tokyo and Gumma Tech. Coll., Maebashi, Japan)
Nippon Kinzoku Gakkai Shi 32 [6], 565-71 (1968)

- Fa. 29. Calorimetric study of liquid gold
 J. W. Tester, R. C. Feber and C. C. Herrick (Los Alamos Sci. Lab.,
 Los Alamos, N. M. 87544)
 J. Chem. Eng. Data 13 [3], 419-21 (1968)
30. Partial pressure of Si vapor over a Si-B alloy
 A. V. Tseplyaeva and Yu. A. Priselkov (State Univ., Radiochem.
 Dept., Moscow)
 Vestn. Mosk. Univ., Khim. 23 [4], 103-04 (July-Aug. 1968)
31. Thermal conductivity of Co at high temperatures
 V. E. Zinovev, R. P. Krentsis, L. N. Petrova and P. V. Geld
 Fiz. Metal. Metallov. 26 [1], 60-65 (1968)

b. Non-metallic materials

1. Single crystal growth of VO_2 by isothermal flux-evaporation
 S. Aramaki and R. Roy (Matls. Res. Lab., Pa. State Univ., Pa.)
 J. Mater. Sci. 3, 643-45 (1968)
2. Viscosity of Fe-O and Fe-S system melts
 P. P. Arsentev, S. I. Filippov and V. P. Burkin
 Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11 [9], 132-38 (Sept. 1968)
3. A novel lead titanate, PbTi_3O_7
 K. Aykan (du Pont Explosives Dept., Gibbstown, N. J. 08027)
 J. Am. Ceram. Soc. 51 [10], 577-82 (1968)
4. Determination of the saturated vapor pressure of solid Sb_2Te_3
 Z. Boncheva-Mladenova, A. S. Pashinkin and A. V. Novoselova (Chem.
 Fac., Lomonosov State Univ., Moscow)
 Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1211-15 (1968)
5. Density of melts of the $\text{MgO-FeO-SiO}_2-(\text{Al}_2\text{O}_3, \text{CaO}, \text{Na}_2\text{O})$ system
 B. A. Bryantsev
 Zh. Prikl. Khim. 41 [10], 2156-58 (1968)
6. Density and molar volume of liquid alloys of Fe, Co, Ni and S
 I. E. Dobrovinskii and S. K. Chuchmarev
 Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1808-09 (1968)
7. The temperature dependence of ordering in Ni and Mg ferrites
 J. G. Faller (Univ. of Delaware, 1967)
 Dissertation Abstr. 29B [5], 1705 (1968-69)
8. Measurement of the enthalpy of synthetic diopside between 298 and
 1885°K
 A. Ferrier (IRSID, Saint Germain en Laye, Yvelines, Fr.)
 C. R. Acad. Sci. 267C, 101 (1968)

- Fb. 9. Comparative study of the lanthanide molybdates
P. H. Hubert (Fac. Sci. Lyon, 69-Villeurbanne, Fr.)
C. R. Acad. Sci. 267C, 1611 (1968)
10. Mass spectrometric studies of Pu compounds at high temperatures.
II. Enthalpy of sublimation and PuF_3 and dissociation energy of
PuF
R. A. Kent (Los Alamos Sci. Lab., Los Alamos, N. M. 87544)
J. Am. Chem. Soc. 90 [21], 5657-59 (1968)
11. Melting temperatures of covalent semiconductors with stoichiometric
vacancies
V. M. Kishkin, L. G. Manyukova and L. A. Sysoev
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1633-39 (1968)
12. Mass spectrometric studies of laser-induced vaporization. III.
The As-Se system
B. E. Knox and V. S. Ban (Pa. State Univ., Univ. Park, Pa.)
Mater. Res. Bull. 3 [11], 885-94 (1968)
13. Melting points of inorganic fluorides
H. Kojima, S. G. Whiteway and C. R. Masson (Yamanashi Univ., Fac.
Eng., Kofu, Japan)
Can. J. Chem. 46 [18], 2968-72 (1968)
14. Thermodynamic study of molten SnO-SiO₂ system
Z. Kozuka, O. P. Siahhan and J. Moriyama (Kyoto Univ., Fac. Eng.,
Met. Dept., Kyoto, Japan)
Trans. Japan Inst. Metals 9 [3], 200-04 (1968)
15. Density of melted Na, K, and Zn metaphosphates
E. L. Krivovoyazov and N. K. Voskresenskaya
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1615-16 (1968)
16. Crystal structure of the phase $\text{WV}_2\text{O}_{7.5}$
S. Mondet (Fac. Sci., Paris 5, Fr.)
C. R. Acad. Sci. 267C, 1689 (1968)
17. Crystallization capacity of glasses in the B_2O_3 - La_2O_3 -CdO system
E. Ya. Mukhin and L. K. Shmatok
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1938-41 (1968)
18. Thermodynamics of pyrrhotite (Fe_{1-x}S) at the temperature range
800° ~ 1100°C
M. Nagamori and M. Kameda (Carnegie Inst. Tech., Met. Res. Lab.,
Pittsburgh, Pa. 15213)
Trans. Japan Inst. Metals 9 [3], 187-93 (1968)
19. Solubility of water vapor in molten blast furnace slags
I. A. Novokhatskii, Yu. M. Borts and I. A. Kopyrin
Izv. Akad. Nauk SSSR, Metal. [5], 27-33 (Sept.-Oct. 1968)

- Fb. 20. Determination of the activities of the components of Fe_3O_4 - FeCr_2O_4 solid solution
N. N. Oleinikov and 5 others
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1382-84 (1968)
21. Thermal expansion of synthetic β -spodumene and β -spodumene-silica solid solutions
W. Ostertag, G. R. Fischer and J. P. Williams (R/D Labs., Corning Glass Works, Corning, N. Y. 14830)
J. Am. Ceram. Soc. 51 [11], 651-54 (1968)
22. The 1040°C solid solubility of Zn in GaP: the Fermi level as a function of hole concentration
M. B. Panish and H. C. Casey, Jr. (Bell Tel. Labs., Murray Hill, N. J.)
J. Phys. Chem. Solids 29, 1719-26 (1968)
23. Influence of ferric oxide on viscosity of liquid phase formed by calcination of Portland cement clinkers
I. F. Ponomarev, A. N. Grachyan and G. I. Kramanovich
Zh. Prikl. Khim. 41 [8], 1859-60 (1968)
24. Physical properties of the germanides of the rare earth ceric group and yttrium
G. V. Samsonov, Yu. B. Paderno and B. M. Rod (Inst. Problems, Acad. Sci., Ukraine, Kiev, Ukr. RSR)
Rev. Int. Hautes Temp. Réfract. 5, 105 (1968)
25. The vapor pressure, the heat of sublimation, and the evaporation coefficient of PrF_3
H. B. Skinner and A. W. Searcy (Lawrence Rad. Lab. and Miner. Tech. Dept., Univ. of California, Berkeley, Calif. 94720)
J. Phys. Chem. 72 [10], 3375-81 (1968)
26. Crystal structure of high temperature hexagonal ThMo_2O_8
J. Thoret, A. Rimsky and W. Freundlich (Lab. Chim. Minér., Sorbonne, Paris 5, Fr.)
C. R. Acad. Sci. 267C, 1682 (1968)
27. Increase in preferred orientation in lead ferrite by firing
M. Tokar (School of Ceramics, Rutgers, The State Univ., New Brunswick, N. J. 08903)
J. Am. Ceram. Soc. 51 [10], 601-02 (1968)
28. Saturated vapor pressure over indium arsenide-gallium arsenide melts
B. F. Ufimtsev, V. N. Vigdorovich and A. N. Krestovnikov
Izv. Vyssh. Ucheb. Zaved., Tsvet. Met. 11 [5], 60-63 (Sept.-Oct. 1968)

- Fb. 29. Saturation vapor pressure of arsenic sulfides
G. P. Ustyugov, A. A. Kudryavtsev and B. M. Kuadzhe
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1338-39 (1968)
30. Electrical conductivity of glasses of industrial composition in
the temperature interval 200-1550°C
E. S. Verzhkhovskaya
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1164-69 (1968)

c. Mixed materials

1. Wetting of Mo with MgFe silicate melts
B. A. Bryantsev
Zh. Prikl. Khim. 41 [10], 2159-62 (1968)
2. Non-equilibrium values of interphase tension and adhesion in a
metal-oxide melt system
A. A. Deryabin, S. I. Popel and L. N. Saburov
Izv. Akad. Nauk SSSR, Metal. [5], 51-59 (Sept.-Oct. 1968)
3. Cold work and recrystallization substructures of ThO₂ dispersed Ni
composite
E. R. Kimmel (Pa. State Univ., 1968)
Dissertation Abstr. 29B [5], 1706-07 (1968-69)

G. Phase equilibria above 1000°C

1. Identification by x-ray diffraction of a synthetic solid solution
in the Fe-O system
F. Abesque and C. E. Beaulieu (Dept. Mining, Met. & Solid State
Res. Ctr., Laval Univ., Quebec City, Quebec)
Can. Met. Quart. 7 [2], 67-71 (1968)
2. Investigation of the Mn-Te system
N. Kh. Abrikosov, K. A. Dyuldina and V. V. Zhdanova
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1878-84 (1968)
3. A possible occurrence of ζ-phase in the V-O system
S. I. Alyamovskii, E. N. Shchetnikov, P. V. Geld and G. P. Shveikin
(Acad. Sci., Chem. Inst., Sverdlovsk, USSR)
Zh. Neorg. Khim. 13 [9], 2328-30 (1968)
4. Phase conversions in lanthanum
V. M. Amonenko and V. S. Pavlov
Izv. Akad. Nauk SSSR, Metal. [5], 212-14 (Sept.-Oct. 1968)
5. The Ca₃(PO₄)₂-CaNaPO₄ system
J. Ando and S. Matsuno (Ind. Chem. Dept., Fac. Sci. and Eng., Chuo
Univ., Bunkyo-ku, Tokyo)
Bull. Chem. Soc. Japan 41 [2], 342-47 (1968)

- G. 6. Ag-O₂ system in the pressure range 0.2 to 750 atm, and measurements on Ag-N₂ and Au-O₂ equilibria
E. H. Baker and M. I. Talukdar (Nuffield Res. Group, Imperial College, London)
Trans. I.M.M. 77, C128-33 and C168-69 (1968)
7. The systems CuO-P₂O₅ and Cu₂O-P₂O₅
M. C. Ball (Chem. Dept., Univ. of Technology, Loughborough, U. K.)
J. Chem. Soc. A 1113-15 (1968)
8. The Zr-Nb-Co system
S. K. Bataliova, V. V. Kuprina, V. V. Burnashova and V. Ya. Markiv
(State Univ., Gen. Chem. Dept., Moscow)
Vestn. Mosk. Univ., Khim. 23 [5], 48-53 (Sept.-Oct. 1968)
9. The systems CeF₃-CeO₂, CeF₃-Ce₂O₃ and CeF₃-CeO₂-Ce₂O₃
J. P. Besse and M. Capestan (Fac. Sci., 63-Clermont-Ferrand, Fr.)
Bull. Soc. Chim. France, 3095 (1968)
10. Study of the system CaO-CoO-O₂
C. Brisi and P. Rolando (Ist. Chim. Gen. Appl. e Met., Politecnico, Torino, Italy)
Ann. Chim. (Rome) 58 [6], 676 (1968)
11. Gold-silver tellurides: relation between composition and x-ray diffraction data
L. J. P. Cabri and J. C. Rucklidge (Miner. Sci. Div., Mines Br., Dept. Energy, Mines, & Resources, Ottawa, Ont., Can.)
Can. Miner. 9 [4], 547-51 (1968)
12. High temperature structure and electrical conductivity in the system ZrO₂-Y₂O₃-Ta₂O₅
M. Caillet, C. Deportes, G. Robert, G. Vallier and G. Vitter
(E.N.S. Electrochim. Electromét., 38-Grenoble, Isère, Fr.)
Rev. Int. Hautes Temp. Réfract. 5, 173 (1968)
13. Equilibrium diagram of the La₂O₃-Cr₂O₃ system
J. O. Cassedanne
An. Acad. Brasil. Cienc. 40 [1], 57-60 (1968)
14. The α Fe₂O₃-La₂O₃-Cr₂O₃ ternary diagram
J. O. Cassedanne
An. Acad. Brasil. Cienc. 40 [1], 61-66 (1968)
15. The Au-Se system and some Au seleno-tellurides
G. E. Cranton and R. D. Heyding (Chem. Dept., Queen's Univ., Kingston, Ont., Can.)
Can. J. Chem. 46 [16], 2637-40 (1968)

- G. 16. Order-disorder in $MgAl_2O_4$. The systems $MgAl_2O_4$ - $LiAl_5O_8$, $MgAl_2O_4$ - $NiCr_2O_4$, $MgAl_2O_4$ - $NiAl_2O_4$, and $NiAl_2O_4$ - $ZnAl_2O_4$
R. K. Datta and R. Roy (Mater. Res. Lab., Pa. State Univ., Univ. Park, Pa.)
Am. Mineralogist 53 [9-10], 1456-75 (1968)
17. Phase studies in the system $YNbTiO_6$ - $NdNbTiO_6$
V. V. Deshpande and K. R. Rao (Univ. Nagpur, Coll. Sci., Dept. Inorg. Chem., Nagpur, India)
Current Sci. 37 [23], 668 (1968)
18. Phase equilibria and point defect description in the systems La_2O_3 - ThO_2 , Gd_2O_3 - ThO_2 , Yb_2O_3 - ThO_2 and CaO - ZrO_2
A. M. Diness (Pa. State Univ., 1967)
Dissertation Abstr. 29B [3], 1030 (1968-69)
19. Tantalum oxycarbide phases
L. B. Dubrovskaya, S. I. Alyamovskii, G. P. Shveikin and P. V. Geld (Acad. Sci., Chem. Inst., Sverdlovsk, USSR)
Zh. Neorg. Khim. 13 [9], 2331-39 (1968)
20. The system MgO - SiO_2
E. J. Duff (Chem. Dept., Imperial College, London)
J. Chem. Soc. A 2485-87 (1968)
21. The Ta-V-Nb system
V. N. Eremenko, S. A. Komarova and L. A. Tretyachenko
Izv. Akad. Nauk SSSR, Metal. [4], 180-82 (July-Aug. 1968)
22. The phase diagrams of the systems VC-ZrC and VC-HfC
P. Ettmayer, R. Kieffer and L. Usner (Inst. Chem. Tech. Anorg. Stoffe, T. H. Wien, Austria)
Planseeber. Pulvermet. 16, 108-13 (1968)
23. The Mg-Ti phase diagram to 1.0 pct Ti
L. C. Fincher and D. H. Desy (Bureau of Mines, Rolla Met. Res. Ctr., Rolla, Mo.)
Trans. Met. Soc. AIME 242 [10], 2069-73 (1968)
24. Copper angle of the Cu-Ni-Zr phase diagram
V. N. Fyedorov, M. V. Zakharov, V. I. Kucherov and G. S. Ivanova
Izv. Vyssh. Ucheb. Zaved., Tsvet. Met. 11 [5], 74-77 (Sept.-Oct. 1968)
25. The cubic field in the system CaO - ZrO_2
R. C. Garvie (Bur. Mines, College Park Met. Res. Ctr., College Park, Md. 20740)
J. Am. Ceram. Soc. 51 [10], 553-56 (1968)

- G. 26. Phase diagrams and thermodynamic properties of the Mg-Si and Mg-Ge systems
R. Geffken and E. Miller (Met. & Mater. Sci. Dept., New York Univ., N. Y.)
Trans. Met. Soc. AIME 242 [11], 2323-28 (1968)
27. Investigation of the La_2O_3 - MoO_3 system
E. I. Getman and M. V. Mokhosoev
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1554-57 (1968)
28. Conditions for preparation of phase components. Phase diagram of the V_2O_5 - KVO_3 system
M. P. Glazyrin and A. A. Fotiev (Acad. Sci., Chem. Inst., Sverdlovsk, USSR)
Zh. Fiz. Khim. 42 [10], 2435-38 (1968)
29. The systems formed by Al_2O_3 with some trivalent and tetravalent metal oxides, particularly TiO_2
D. Goldberg (Ctr. Etudes et Rech. Chim. Mét., 94-Vitry sur Seine, Fr.)
Rev. Int. Hautes Temp. Réfract. 5, 181 (1968)
30. The SrSiO_3 - SrGeO_3 system
R. G. Grebenshchikov, A. K. Shirvinskaya and V. I. Shitova
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1376-78 (1968)
31. Investigations on the system Si-C-N
E. Gugel, P. Ettmayer and A. Schmidt (Forschungsinst. Cremer-Gruppe, Oslo and Inst. Chem. Tech. Anorg. Stoffe, T. H. Wien, Austria)
Ber. Deut. Keram. Ges. 45, 395-402 (1968)
32. Phase diagram of the V-Hf system
L. S. Guzei and 6 others (State Univ., Gen. Chem. Dept., Moscow)
Vestn. Mosk. Univ., Khim. 23 [4], 52-56 (July-Aug. 1968)
33. Quaternary system U-C-O-N at 1700°C: phase relations in the low-nitrogen region
J. L. Henry, R. Blickensderfer, and G. G. Thompson (Albany Met. Res. Ctr., Bur. Mines, Albany, Oregon 97321)
J. Am. Ceram. Soc. 51 [11], 617-21 (1968)
34. Precipitation of the omega phase in Ti-V alloys
B. S. Hickman (N. Amer. Rockwell Corp., Thousand Oaks, Calif.)
J. Inst. Metals-Met. Rev. 96, 330-37 (1968)
35. Formation of solid solutions in the pseudo-binary systems of UN and the mononitrides TiN, ZrN, HfN
H. Holleck, E. Smailos and F. Thümmeler (Inst. Mater. u. Festkörperforsch., Kernforschungszentrum Karlsruhe, Germ.)
Monatsh. Chem. 99, 985-89 (1968)

- G. 36. X-ray phase investigation of the $\text{InF}_3\text{-CaF}_2$ system
E. G. Ippolitov, E. N. Deichman, R. D. Yartseva and A. G. Maklachkov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1353-55 (1968)
37. The alkaline earth fluoride-lanthanum (III) fluoride systems
E. G. Ippolitov, L. S. Garashina and B. N. Zhigarnovskii
Izv. Sib. Otd. Akad. Nauk SSSR, Ser. Khim. Nauk [2], 49-54 (1968)
38. Study of the $\text{Gd}_2\text{O}_3\text{-HfO}_2$ system in the HfO_2 -rich field
E. N. Isupova, V. B. Glushkova and E. K. Keler
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1732-37 (1968)
39. Solubility of calcium in germanium
V. F. Kalabukhova, L. V. Kurtinova, N. M. Morozova, A. F. Prokofeva
and E. B. Sokolov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1845-48 (1968)
40. Investigations on the system $\text{MgO-CaO-Cr}_2\text{O}_3\text{-SiO}_2$ by means of high-
temperature microscopy
E. Kanclíř (Inorg. Chem. Inst., Slovak Acad. Sci., Bratislava,
ČSSR)
Ber. Deut. Keram. Ges. 45, 362-65 (1968)
41. Phases in the Pd-Te system
V. S. Kharkin, R. M. Imamov and S. A. Semiletov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1801-02 (1968)
42. Occurrence of miscibility gaps in cubic multi-component carbides
R. Kieffer, H. Nowotny, A. Neckel, P. Ettmayer and L. Usner (Inst.
Chem. Tech. Anorg. Stoffe, T. H. Wien and Inst. Phys. Chem.,
Univ. Wien, Austria)
Monatsh. Chem. 99, 1020-27 (1968)
43. Supplements to the Fe-Si system
W. Köster and T. Gödecke (Max Planck-Inst. Metallforsch., Stuttgart,
Germ.)
Z. Metallk. 59, 602-05 (1968)
44. The Fe-Si-Zn system
W. Köster and T. Gödecke (Max Planck-Inst. Metallforsch., Stuttgart,
Germ.)
Z. Metallk. 59, 605-13 (1968)
45. Phase equilibria in the $\text{Cu}_2\text{S-Ag}_2\text{S}$ system
A. N. Krestovnikov, A. Yu. Mendelevich and V. M. Glazov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1189-90 (1968)
46. Crystalline phase of the Rh-Be system. RhBe
A. A. Kruglykh, M. M. Matyushenko and G. P. Tikhinsky
Ukr. Fiz. Zh. (Ukr. Ed.) 13 [7], 1107-10 (1968)

- G. 47. The solubility of oxygen in δ -iron
A. Kusano, K. Ito and K. Sano (Fac. Eng., Univ of Nagoya, Japan)
Tetsu-to-Hagane 54 [5], 553-60 (1968)
48. The Nb-Fe-B and Nb-Co-B systems
Yu. B. Kuzma, T. I. Tsolkovskii and O. P. Baburova
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1081-85 (1968)
49. Investigation of the GaAs-Cu section
G. M. Kuznetsov, S. K. Kuznetsova and E. G. Sokolkova
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1934-37 (1968)
50. X-ray investigation of the system UO_2 - UCl_4 -KCl
N. S. Martynova and S. S. Tolkachev
Atomnaya Energiya 25 [3], 240 (1968)
51. Quasi-binary $MnSn_2$ - $FeSn_2$, $MnSn_2$ - $CoSn_2$, and $FeSn_2$ - $CoSn_2$ systems
N. M. Matveeva, S. V. Nikitina and S. B. Zezin
Izv. Akad. Nauk SSSR, Metal. [5], 194-97 (Sept.-Oct. 1968)
52. The CaF_2 - CaC_2 system, and its relation to electroslag remelting practice
A. Mitchell (Met. Dept., Univ. of Brit. Columbia, Vancouver, B. C., Can.)
Trans. Met. Soc. AIME 242 [12], 2507-11 (1968)
53. Solubility of carbon in α -Fe
B. M. Mobutnov, I. A. Tomilin and L. A. Shvartsman
Fiz. Metal. Metallov. 26 [2], 313-18 (1968)
54. Luminescent and x-ray investigation of the $3Y_2O_3$ - $(5-x)Ga_2O_3$ - xSc_2O_3 system
L. G. Morozova and P. P. Feofilov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1738-42 (1968)
55. Studies in GeO_2 systems. IV. Phase equilibria in the system K_2O - GeO_2
M. K. Murthy, L. Long and J. Ip (Mater. Chem. Dept., Ontario Res. Foundation, Sheridan Park, Ont., Can.)
J. Am. Ceram. Soc. 51 [11], 661-63 (1968)
56. Investigation of the phase diagram and certain properties of solid solutions in the Mg_2Si - Mg_2Sn system
E. N. Nikitin, E. N. Tkalenko, V. K. Zaitsev, A. I. Zaslavskii and A. K. Kuznetsov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1902-06 (1968)
57. Liquidus curve measurements in the ZrO_2 - MgO system with the solar furnace
T. Noguchi and M. Mizuno (Govt. Ind. Res. Inst., Hirate, Kita, Nagoya, Japan)
Bull. Chem. Soc. Japan 41 [7], 1583-87 (1968)

- G. 58. New compounds in the $\text{CaCl}_2\text{-CaO-Al}_2\text{O}_3$ system
B. I. Nudelman and V. P. Sharova
Dokl. Akad. Nauk Uzb. SSR 25 [5], 25-26 (May 1968)
59. Phase diagram of the ZrC-Re system
S. S. Ordanyan and A. I. Avgustinik
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 1898-1901 (1968)
60. Constitution diagram of the TiC-Re system
S. S. Ordanyan, G. V. Kruglova and A. I. Avgustinik
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1086-88 (1968)
61. The constitutional diagram of the system Cu-O in the temperature range of liquid phases
J. Osterwald (Inst. Metallhüttenk., Tech. Univ. Berlin)
Z. Metallk. 59, 573-76 (1968)
62. Constitutional diagram of ternary Fe-Ca-Si alloys
T. Ototani and Y. Kataura (Res. Inst. Iron, Steel & Other Met., Tohoku Univ., Sendai, Japan)
Nippon Kinzoku Gakkai Shi 32 [5], 458-63 (1968)
63. Mutual solubility of Ti_2O_3 and V_2O_3
V. A. Perelyaev, G. P. Shveikin and S. I. Alyamovskii
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1372-73 (1968)
64. The $\text{Eu}_2\text{O}_3\text{-Ta}_2\text{O}_5$ system
M. M. Pinaeva, E. I. Krylov and V. M. Ryakov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1118-23 (1968)
65. Fusibility diagram of the $\text{Eu}_2\text{O}_3\text{-Cr}_2\text{O}_3$ system
K. I. Portnoi, O. A. Mordovin and N. I. Timofeeva
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1368-70 (1968)
66. Phase diagram of the Nb-Be system
I. I. Raevskii and A. T. Grigorev
Izv. Akad. Nauk SSSR, Metal. [5], 198-202 (Sept.-Oct. 1968)
67. Formation of phases in a fusion cast magnesia-chrome brick
J. Recasens and others
U.K.A.E.A. Reports, Engl. Transl. No. HaP35621 (Loanable from Nat. Lending Lib. of Sci., Boston Spa, U. K.)
68. The system $\text{Al}_2\text{O}_3\text{-Cr}_2\text{O}_3\text{-SiO}_2$
P. L. Roeder, F. P. Glasser and E. F. Osborn (College of Earth & Miner. Sci., Pennsylvania State Univ., Univ. Park, Pa. 16802)
J. Am. Ceram. Soc. 51 [10], 585-94 (1968)
69. Study of the $\text{UMo}_2\text{O}_8\text{-UW}_2\text{O}_8$ system
O. N. Rosanova, L. M. Kovba and V. K. Trunov (State Univ., Inorg. Chem. Dept., Moscow)
Vestn. Mosk. Univ., Khim. 23 [4], 100-01 (July-Aug. 1968)

- G. 70. Solidification diagrams and high temperature phase diagrams of the systems $ZrO_2 - Er_2O_3$, $ZrO_2 - Y_2O_3$ and $ZrO_2 - Yb_2O_3$
 A. Rouanet (Lab. Ultra-Réfract., 66-Montlouis, Fr.)
 C. R. Acad. Sci. 267C, 1581 (1968)
71. The refractoriness and structures of the high temperature phases in the system $ZrO_2 - La_2O_3$
 A. Rouanet (Lab. Ultra-Réfract., 66-Montlouis, Fr.)
 C. R. Acad. Sci. 267C, 395 (1968)
72. High-temperature study of the systems formed by ZrO_2 with the sesquioxides of Sm and Gd
 A. Rouanet and M. Foex (Lab. Ultra-Réfract., 66-Montlouis, Fr.)
 C. R. Acad. Sci. 267C, 873 (1968)
73. The coprecipitation role of cations with sulfides. III. The $HgS - Ga_2S_3$ and $CdS - Ga_2S_3$ systems
 N. A. Rudnev, G. I. Malofeeva and A. A. Loginov (Vernadskii Geochem. & Anal. Chem. Inst., Moscow)
 Izv. Akad. Nauk SSSR, Khim. [12], 2682-86 (1968)
74. Thermodynamics of phase transformations of quartz between 848°K and 1953°K
 S. A. Salim and M. R. Soliman
 Central Glass Ceram. Res. Inst. Bull. (India) 14 [3], 81-84 (1967)
75. Conditions for V_3Ga formation in the V-Ga system
 N. P. Sazhin, Ya. N. Kunakov, N. S. Vorobeva and I. N. Tochenova (Rare Met. Ind. Inst., Moscow)
 Zh. Neorg. Khim. 13 [9], 2323-27 (1968)
76. Contribution to the study of the Fe-Co system
 H. Schumann
 Cobalt [40], 156-60 (1968)
77. Equilibrium correlations during dissociation of solid solutions of Mg titanate with Mg ferrite
 A. A. Shchepetkin, V. K. Antonov, V. I. Dvinin and G. I. Chufarov (Met. Inst., Sverdlovsk, USSR)
 Zh. Fiz. Khim. 42 [10], 2439-43 (1968)
78. On the transformation of $ZrCr_2$
 Y. S. Shen and O. G. Paasche (P. R. Mallory and Co., Phys. Sci. Lab., Burlington, Mass.)
 Trans. Met. Soc. AIME 242 [10], 2241-42 (1968)
79. Equilibrium and properties of Ti-Zr-Al alloys
 N. I. Shirokova, T. T. Nartova and I. I. Kornilov
 Izv. Akad. Nauk SSSR, Metal. [4], 183-87 (July-Aug. 1968)

- G. 80. Solubility of Pb and Cu, and the fusibility diagram of the $\text{Na}_2\text{S-ZnS}$ system
V. I. Shishkin, I. R. Polyvyannyi and R. S. Demchenko
Vestn. Akad. Nauk Kaz. SSR 24 [9], 20-30 (1968)
81. The solubility of C in Pd and Pt
R. H. Siller, W. A. Oates and R. B. McLellan (Rice Univ., Houston, Texas)
J. Less-Common Metals 16 [1], 71-73 (1968)
82. The systems formed between the rare earth selenides (L_2Se_3) and EuSe
C. Souleau and M. Guittard (Fac. Pharmacie, Paris 6, Fr.)
Bull. Soc. Chim. France 3632 (1968)
83. The $\text{Bi}_2\text{O}_3\text{-SiO}_2$ system
E. I. Speranskaya, V. M. Skorikov, G. M. Safronov and G. D. Mitkina
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1374-75 (1968)
84. Solid state phase diagram of the Zr-Mo-Nb system
V. N. Svechnikov and A. T. Spektor
Izv. Akad. Nauk SSSR, Metal. [4], 189-93 (July-Aug. 1968)
85. Ternary phases with the U_3Si_2 -type structure in the W-Mn-B and Mo-Mn-B systems
V. S. Telegus and Yu. B. Kuzma (State Univ., Lvov, UkSSR)
Dopovidi Akad. Nauk Ukr. RSR, Ser. A-Fiz. Tekh. Mat. Nauk [10], 951-53 (1968)
86. Thermal and x-ray diffraction studies of the $\text{NaNbO}_3\text{-KNbO}_3$ system
V. J. Tennery and K. W. Hang (Ceram. Eng. Dept., Univ. of Illinois, Urbana, Ill.)
J. Appl. Phys. 39 [10], 4749-53 (1968)
87. The MnTe-MnS system
T. Y. Tien, R. J. Martin and L. H. Van Vlack (Chem. & Met. Eng. Dept., Univ. Michigan, Ann Arbor, Mich.)
Trans. Met. Soc. AIME 242 [10], 2153-54 (1968)
88. Solid-liquid equilibria in the system CaO-''FeO''-MnO in contact with metallic Fe
O. Valla, K. Grjotheim and A. Muan (Met. Dept., Pa. State Univ., Univ. Park, Pa.)
Trans. Met. Soc. AIME 242 [12], 2389-92 (1968)
89. Thermographic and x-ray study of the ternary system KCl-NaCl-VCl_2 .
I. Fusibility diagram of the system KCl-NaCl-VCl_2
I. V. Vasilkova, A. I. Efimov and E. K. Lupenko
Vestn. Leningr. Univ. 23 [16], (Fiz., Khim. [3]), 170-72 (Aug. 1968)
90. Solid solutions in the InAs-CdS and InAs-CdSe systems
A. V. Voitsekhovskii, V. P. Drobyazko, V. K. Mityurev and V. P. Vasilenko
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1681-84 (1968)

G. 91. Interaction of NiS_2 -FeS and Cu_2S -FeS systems with iron silicate melts

V. Ya. Zaitsev, A. V. Vanyukov and V. S. Kolosova
Izv. Akad. Nauk SSSR, Metal. [5], 39-45 (Sept.-Oct. 1968)

H. Reactions at temperatures above 1000°C

1. Equilibrium study on the reaction; $4\text{CaO}(\text{S}) + 2\text{P} + 5\text{H}_2\text{O} = 4\text{CaO} \cdot \text{P}_2\text{O}_5(\text{S}) + \text{H}_2(\text{g})$, and interaction between phosphorus and oxygen in liquid iron

F. Aratani, Y. Omori and K. Sanbongi (Res. Inst. Tuberculosis and Leprosy, Tohoku Univ., Sendai, Japan)
Tetsu-to-Hagane 54 [2], 143-51 (1968)

2. Thermodynamic analyses and experiments for the preparation of silicon nitride

T. Arizumi, T. Nishinaga and H. Ogawa (Nagoya Univ., Fac. Eng., Dept. Electr., Nagoya, Japan)
Japan. J. Appl. Phys. 7 [9], 1021-27 (1968)

3. Reaction of transition metals with sodium silicate melts

I. B. Bankovskaya, A. A. Appen and M. V. Sazonova
(Grebenshchikov Silicate Chem. Inst., Leningrad)
Zh. Prikl. Khim. 41 [10], 2138-44 (1968)

4. Kinetics of hexagonal-cubic phase transformation of ZnS in vacuo, in Zn vapour and in S vapour

T. Bansagi, E. A. Secco, O. K. Srivastava and R. R. Martin (Chem. Dept., St. Francis-Xavier Univ., Antigonish, N. S., Can.)
Can. J. Chem. 46 [18], 2881-86 (1968)

5. Kinetics of the reduction of solid Cr_2O_3 by C dissolved in Fe
L. N. Barmin, A. I. Sotnikov, A. A. Plyshevskii, V. S. Kudryavtsev and M. S. Alinov

Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11 [8], 20-23 (1968)

6. Diffusion in polycrystalline Y_2O_3 and Er_2O_3

M. F. Berard (Iowa State Univ., 1968)
Dissertation Abstr. 29B [4], 1335 (1968-69)

7. Diffusion of oxygen in selected monocrystalline rare earth oxides

M. F. Berard, C. D. Wirkus and D. R. Wilder (Ceram. Eng. Dept., Iowa State Univ., Ames, Iowa 50010)
J. Am. Ceram. Soc. 51 [11], 643-47 (1968)

8. Formation of the spinel $\text{Cu}_{0.5}\text{Fe}_{2.5}\text{O}_4$ from CuFe_2O_4 and $\alpha\text{Fe}_2\text{O}_3$

A. Bergstein (Solid State Phys. Inst., Acad. Sci., Prague, Czech.)
Mater. Res. Bull. 3 [10], 787-96 (1968)

- H. 9. Synthesis of Ti, Zr, and Hf titanates and investigation of their properties
V. N. Bondarev, V. A. Podergin and V. P. Perminov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1689-93 (1968)
10. Reaction of SiC with refractory metals and oxides
A. L. Burykina, L. V. Strashinskaya and T. M. Yevtushok
Fiz.-Khim. Mekh. Mater. 4 [3], 301-05 (1968)
11. Tellurides and double tellurides: hydrothermal synthesis from metal or non-metal oxides and tellurium
L. Cambi and M. Elli (Lab. "L. Cambi", Univ. Milano, Italy)
Chim. Ind. (Milan) 50 [8], 869 (1968)
12. Interface reactions between metals and ceramics. IV. Wetting of sapphire by liquid Cu-O alloys
A. C. D. Chaklader, A. M. Armstrong and S. K. Misra (Met. Dept., Univ. British Columbia, Vancouver, B. C., Can.)
J. Am. Ceram. Soc. 51 [11], 630-33 (1968)
13. Analysis of alloys during their production in electron bombardment furnaces
B. Daigne and F. Girard (ONERA, 92-Chatillon sous Bagneux, Fr.)
Rev. Int. Hautes Temp. Réfract. 5, 213 (1968)
14. Oxidation mechanism of dilute Ni-Cr alloys
D. L. Douglass (Corrosion Sci. Sect., Stanford Res. Inst., Menlo Park, Calif.)
Corrosion Sci. 8, 665-78 (1968)
15. Reactions on the solar heated surface. Application to the production of pyrolytic carbon
M. Ducarroir (Lab. Energie Solaire, 66-Montlouis, Fr.)
Rev. Int. Hautes Temp. Réfract. 5, 89 (1968)
16. Kinetics and mechanism of the oxidation of various powdered specimens of α -W at very low O_2 pressures: sigmoid oxidation
L. C. Dufour and P. Dufour (Fac. Sci., 21-Dijon, Fr.)
Bull. Soc. Chim. France 3161 (1968)
17. Kinetics of oxidation at very low O_2 pressures of powdered samples of ZrC, WC and Mo_2C
L. C. Dufour and J. Simon (Fac. Sci., 21-Dijon, Fr.)
Bull. Soc. Chim. France 3643 (1968)
18. Triple alpha reaction at high temperatures
K. Duorah and H. L. Duorah
Indian J. Pure Appl. Phys. 6 [6], 263-64 (1968)

- H. 19. Diffusion of divalent solutes in liquid Ag
T. Ejima, N. Inagaki and M. Kameda (Tohoku Univ., Fac. Eng., Met.
Dept., Sendai, Japan)
Trans. Japan Inst. Metals 9 [3], 172-80 (1968)
20. Kinetic studies on the reduction of the silicic acid and on the
desulfurization between carbon-saturated Fe and CaO-SiO₂-Al₂O₃
slags at 1550°C
T. El Gammal (Inst. Eisenhüttenw., Rhein.-Westfäl. T. H., Aachen,
Germ.)
Arch. Eisenhüttenw. 39, 415-20 (1968)
21. High temperature interaction of Al₂O₃ with C
V. P. Elyutin, Yu. A. Pavlov, V. P. Polyakov, A. V. Manukhin and
V. S. Chelnokov
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11 [7], 5-10 (July 1968)
22. Diffusion of carbon in molybdenum carbide
V. S. Eremeev and A. S. Panov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1507-12 (1968)
23. The diffusion of carbon in single crystal graphite
F. S. Feates (Argonne Nat. Lab., Argonne, Ill. and AERE, Harwell,
Didcot, Berks., Engl.)
J. Nucl. Mater. 27 [3], 325-30 (1968)
24. Oxidation behavior of silicided Nb-Ti binary alloys
E. J. Felten (Advanced Mater. R/D Lab., Pratt & Whitney Aircraft,
Middletown, Conn.)
Electrochem. Technol. 6 [11-12], 438-47 (1968)
25. Growth of oxide on field-ion specimens of Ir
M. A. Fortes and B. Ralph (Met. Dept., Univ. of Cambridge, Engl.)
Proc. Roy. Soc. (London) A 307, 431-48 (1968)
26. Kinetics of high-temperature interaction in the V₂O₅-MeCO₃ systems
A. A. Fotiev (Acad. Sci., Chem. Inst., Sverdlovsk, USSR)
Kinet. Katal. 9 [4], 927-29 (1968)
27. High temperature oxidation of an Fe-Cr-Al-Y alloy in CO₂
J. M. Francis and J. A. Jutson (Matls. Div., Berkeley Nucl. Labs.,
Berkeley, U. K.)
Corrosion Sci. 8, 445-49 (1968)
28. The diffusion of Ni during Ni-induced recrystallization in doped W
S. Friedman and J. Brett (Gen. Tel. and Electron. Labs., Bayside,
N. Y.)
Trans. Met. Soc. AIME 242 [10], 2121-27 (1968)

- H. 29. Effects of rare earth elements on the high temperature oxidation behavior of 80 Ni/20 Cr alloys
Y. Fukase, T. Nishima, K. Osozawa and R. Nemoto (Nippon Yakin Kogyo Co., Kawasaki, Japan)
Nippon Kinzoku Gakkai Shi 32 [1], 33-38 (1968)
30. Growth of WC monocrystals
A. P. Gerck and J. J. Gilman (Met. & Phys. Depts. and Mater. Res. Lab., Univ. of Illinois, Urbana, Ill.)
J. Appl. Phys. 39 [10], 4497-4500 (1968)
31. Study of the kinetics of formation of La molybdate
E. I. Getman and M. V. Mokhosoev
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1743-48 (1968)
32. The kinetics of the gasification of vitreous carbon
F. Girard and H. Guérin (Fac. Sci., Orsay, Essonne, Fr.)
C. R. Acad. Sci. 267C, 685 (1968)
33. Reactivity of CaO and related oxides: XIX. Production of SrO
D. R. Glasson and M. A. Sheppard (Chem. Dept., College of Technology, Plymouth, Engl.)
J. Appl. Chem. (London) 18, 327-29 (1968)
34. Study on the dissolution of metals in molten glass
V. Gottardi and B. Locardi (Staz. Sperim. Vetro-Venezia, Murano, Italy)
Vetro e Silicati 12 [71], 5-8 (1968)
35. Contributions on volatile suboxides
K. Hartl (Inst. Anorg. Chem., Univ. München, Germ.)
Ber. Deut. Keram. Ges. 45, 355-56 (1968)
36. Interdiffusion in α -solid solution of the Fe-Al system
K. Hirano and A. Hishinuma (Mater. Sci. Dept., Eng. Fac., Tohoku Univ., Sendai and Tokai Lab., Japan Atomic Energy Res. Inst., Ibaragi, Japan)
Nippon Kinzoku Gakkai Shi 32 [6], 516-21 (1968)
37. Computer program for evaluating thermodynamic data for chemical reactions over a range of temperatures
R. A. Huber
U.K.A.E.A. Reports, No. AERE-R5793 (1968) (Loanable from Nat. Lending Lib., Boston Spa, U. K.)
38. Use of atomic absorption spectroscopy to study the kinetics of the reaction between MgO and SiO₂
S. F. Hulbert and G. Lane (Ceram. Eng. Dept., Clemson Univ., S. C.)
Trans. Brit. Ceram. Soc. 67, 391-95 (1968)

- H. 39. Carbon deoxidation of steel melts in Al_2O_3 crucibles under reduced CO pressures
C. W. Hunter (Lehigh Univ., 1968)
Dissertation Abstr. 29B [5], 1706 (1968-69)
40. The oxidation of TiB_2 and ZrB_2 at high temperatures
R. J. Irving and I. G. Worsley (Chem. Dept., Univ. of Surrey, London)
J. Less-Common Metals 16 [2], 103-12 (1968)
41. Preparation of silicides of transition elements using the method of auxiliary metal bath
G. Jangg, R. Kieffer and H. Kögler (Inst. Chem. Tech. Anorg. Stoffe, T. H. Wien, Austria)
Z. Metallk. 59, 546-52 (1968)
42. The production of refractory crystals by vapour transport reactions
J. H. E. Jeffes and C. B. Alcock (Met. Dept., Imperial College, London)
J. Mater. Sci. 3, 635-42 (1968)
43. The equilibrium between Al and N_2 in liquid 18 pct Cr-8 pct Ni stainless steel
F. G. Jones, H. E. Gardner and R. D. Pehlke (Chem. Met. Eng. Dept., Univ. of Michigan, Ann Arbor, Mich.)
Trans. Met. Soc. AIME 242 [12], 2453-56 (1968)
44. Catalyst and equilibrium: their interrelation in the processes taking place at high pressures and high temperatures
Ya. A. Kalashnikov (Lomonosov State Univ., Moscow)
Dokl. Akad. Nauk SSSR 182 [2], 382-85 (1968)
45. Study on the rate of reduction of solid silica by carbon in liquid iron
Y. Kawai, K. Mori and M. Iguchi (Fac. Eng., Kyushu Univ., Fukuoka, Japan)
Tetsu-to-Hagane 54 [4], 261-65 (1968)
46. Non-equilibrium fusibility diagram of the V_2O_5 - K_2SO_4 system
L. M. Kefeli, Zh. G. Bazarova, A. A. Fotiev and A. A. Ostankovich
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1108-11 (1968)
47. Mechanism of the chemical dissolution of nitrogen in glass melts. Kinetics of the reaction between silicon nitride and oxidic glass melts
T. Kelen and H.-O. Mulfinger (Max Planck-Inst. Silikatforsch., Würzburg, Germ.)
Glastech. Ber. 41, 230-42 (1968)

- H. 48. Growth and study of ZnO thin films
N. L. Kenigsberg and A. N. Chernets (Acad. Sci., Inst. Radioeng. & Electr., Kharkov, UkSSR)
Fiz. Tverd. Tela 10 [9], 2834-35 (1968)
49. Reaction of periclase with spinellides saturated with iron oxides
Ya. V. Klyucharov and S. A. Suvorov
Ogneupory 33 [9], 38-44 (Sept. 1968)
50. Measurement of the diffusion of Fe in Au by means of the Mössbauer effect
R. C. Knauer and J. G. Mullen (Phys. Dept., Purdue Univ., Lafayette, Ind. 47907)
Appl. Phys. Letters 13 [4], 150-52 (1968)
51. Pyrochemical processing of breeder reactor fuels
W. Knoch
U.K.A.E.A. Reports, Windscale Engl. Transl. No. 437 (1968)
(Loanable from Nat. Lending Lib., Boston Spa, U. K.)
52. Mechanism of in-vacuo silicothermal reduction of CaO
V. A. Kozlov and A. S. Mikulinskii
Izv. Akad. Nauk SSSR, Metal. [5], 74-78 (Sept.-Oct. 1968)
53. Incorporation of ions in γ -Al₂O₃. IV. The influence of Ca²⁺, Sr²⁺ and Ba²⁺ in γ -Al₂O₃ on the formation of spinels
H. Krischner, K. Torkar, R. Hoffmann and D. Donnert (Inst. Phys. Chem., T. H. Graz, Austria)
Monatsh. Chem. 99, 1080-89 (1968)
54. Activity of silicon in liquid iron
A. Kubo and H. Sakao (Fac. Eng., Univ. of Nagoya, Japan)
Tetsu-to-Hagane 54 [4], 314-20 (1968)
55. Rate of reduction of a dense Fe₂O₃ sphere by H₂
A. K. Lahiri (Indian Inst. Tech., Kanpur)
J. Iron Steel Inst. (London) 206, 925-29 (1968)
56. Kinetics of reduction of porous solid with gas
A. K. Lahiri and V. Seshadri (Mech. Eng. Dept., Indian Inst. Tech., Kanpur, India)
J. Iron Steel Inst. (London) 206, 1118-23 (1968)
57. Thermokinetics of the reduction process of metal oxides
D. K. Lambiev and M. S. Kourtchatow ("Metalokeramika" and Gen. & Inorg. Chem. Inst., Acad. Sci., Sofia, Bulgaria)
Met. Ital. 60 [10], 853 (1968)
58. The diffusion of Si in Mo
E. Lassner, R. Püschel and F. Benesovsky (Metallwerk Plansee AG, Reutte/Tirol, Austria)
Planseeber. Pulvermet. 16, 91-103 (1968)

- H. 59. Oxidation of alloys of Nb with V and Mo
E. M. Lazarev, D. A. Prokoshkin and E. V. Vasileva
Zh. Prikl. Khim. 41 [9], 1926-31 (1968)
60. Diffusion of C and U in uranium carbide
Hee Myong Lee (Met. Dept., Imperial College, London) and L. R.
Barrett (Dept. of Chem. Eng. and Chem. Tech., Imperial College,
London, S.W.7)
J. Nucl. Mater. 27 [3], 275-84 (1968)
61. Thermodynamics of carbon deposition during pyrolysis of gaseous
carbon compounds
B. Lersmacher and others
U.K.A.E.A. Reports, Engl. Transl. No. HaP36066 (1968) (Loanable
from Nat. Lending Lib., Boston Spa, U. K.)
62. Reaction probabilities of O₂ with heated Ge and Si single crystals
R. J. Madix and R. Korus (Chem. Eng. Dept., Stanford Univ., Calif.)
Trans. Faraday Soc. 64, 2514-20 (1968)
63. Growing single crystals of the scheelite type in crucibles made
of ZrO₂
G. V. Maksimova, A. A. Maier, E. V. Matveeva and V. M. Tatarintsev
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 2037-38 (1968)
64. Interaction of liquid Ti with foundry molds from refractory oxides
I. S. Matusевич
Ogneupory 33 [10], 50-53 (Oct. 1968)
65. Reactions in mixtures of quartz with lithium carbonate and sulfate
and their thermodynamics
M. A. Matveev, B. N. Frenkel and G. M. Matveev (Mendeleev Chem.
Tech. Inst., Moscow)
Zh. Prikl. Khim. 41 [8], 1652-61 (1968)
66. Diffusion of tritium in quartz and quartz glass
H. Matzke
U.K.A.E.A. Reports, Engl. Transl. No. HaP36281 (1968) (Loanable
from Nat. Lending Lib., Boston Spa, U. K.)
67. Segregation of Fe, Ag and Sn during growth of single crystals of
Tl₂Te₃ from the melt using the Czochralski method
Sh. Mavlonov and S. Karimov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1216-19 (1968)
68. Crystal growth of GdAlO₃
R. Mazelsky, W. E. Kramer and R. H. Hopkins (Westinghouse Res.
Lab., Pittsburgh, Pa. 15235)
J. Crystal Growth 2 [4], 209-14 (1968)

- H. 69. Sintering of PuO_2 - ThO_2
J. R. McLaren
U.K.A.E.A. Reports, No. AERE-M 1964 (1968) (Loanable from Nat.
Lending Lib., Boston Spa, U. K.)
70. Kinetics of the oxidation of C in liquid Fe
Yu. G. Medvedevskikh, O. A. Esin and S. K. Chuchmarev
Izv. Akad. Nauk SSSR, Metal. [4], 23-27 (July-Aug. 1968)
71. Investigation of interaction between liquid oxides and high-melting
metals
B. S. Mitin and V. Ya. Levin
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1694-99 (1968)
72. Effects of Cr, Cu and Sn on the activity of C in high carbon
liquid steel
T. Mori, K. Hujimura, H. Okajima and A. Yamauchi (Fac. Eng., Univ.
of Kyoto, Japan)
Tetsu-to-Hagane 54 [4], 321-29 (1968)
73. Reduction kinetics of hematite to magnetite in H_2 - H_2O vapor mixtures
G. Nabi and W. K. Lu (Met. Mater. Sci. Dept., McMaster Univ.,
Hamilton, Ont., Can.)
Trans. Met. Soc. AIME 242 [12], 2471-77 (1968)
74. Influence of the Ni content upon the process of decarburization by
 O_2 of stainless steels
W. Nicodemi (Cattedra di Siderurgia, Politecnico, Milano, Italy)
Met. Ital. 60 [7], 620 (1968)
75. Synthesis of Mo, W and Nb diselenides
V. A. Obolonchik and L. M. Prokoshina
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1654-57 (1968)
76. The influence of temperature on the reactions between iron melts,
blast furnace slags and elementary carbon
W. Oelsen, H. G. Schubert and C. Borgianni (Max Planck-Inst.
Eisenforsch., Düsseldorf, Germ.)
Arch. Eisenhüttenw. 39, 405-14 (1968)
77. The corrosion process of magnesia brick by the vapour of boric
oxide
S. Okawara and A. Yamaguchi (Nagoya Inst. Tech., Nagoya, Japan)
Yogyo Kyokai Shi 76 [870], 29-36 (1968)
78. Physico-chemical changes induced by baking in the mineralogic
composition of an Italian clay of Pliocene Age
G. Ortelli and P. Vincenzini (CNR, Gruppo Ric. Ind. Ceram.,
Faenza, Italy)
Chim. Ind. (Milan) 50 [10], 1091 (1968)

- H. 79. The phenomena of nucleation and growth of ZrO_2 as well as the striation of Zr during the reaction of this metal with O_2 at low pressures and elevated temperatures
J. Paidassi and J. Nierlich (C.E.N. de Saclay, Gif sur Yvette, Essonne, Fr.)
C. R. Acad. Sci. 267C, 1085 (1968)
80. Solubility and diffusivity of O in solid Cu
R. L. Pastorek (Ohio State Univ., 1968)
Dissertation Abstr. 29B [3], 1036 (1968-69)
81. Purification of V: elimination of O_2 , C and N_2
A. Pattoret, J. Trouvé and A. Accary (C.E.A., 91-Gif sur Yvette, Fr.)
Rev. Int. Hautes Temp. Réfract. 5, 205 (1968)
82. Growth of large Fe crystals from a polycrystalline matrix
R. Penelle and D. Pollnow (Fac. Sci. Orsay, Fr.)
Mém. Sci. Rev. Mét. 65 [15], 351 (1968)
83. Growth of single crystals of yttrium ferrogarnet
Yu. B. Petrov and E. A. Bezrukova
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1152-55 (1968)
84. Reduction of Al_2O_3 to Al in radio frequency generated plasmas
R. K. Rains (Univ. of Michigan, 1968)
Dissertation Abstr. 29B [3], 990 (1968-69)
85. Pb substitution in flux grown single crystal rare earth orthoferrites
J. P. Remeika and T. Y. Kometani (Bell Tel. Labs., Murray Hill, N. J.)
Mater. Res. Bull. 3 [11], 895-900 (1968)
86. Diffusion of Co and Fe in liquid Pb measured by grain boundary grooving
W. M. Robertson (Sci. Ctr./Aerospace and Sys. Grp., N. Am. Rockwell Co., Thousand Oaks, Calif.)
Trans. Met. Soc. AIME 242 [10], 2139-42 (1968)
87. Kinetics of elemental B chlorination by Cl atoms and Cl_2 molecules
D. E. Rosner and H. D. Allendorf (AeroChem Res. Labs., Princeton, N. J. 08540)
J. Phys. Chem. 72 [12], 4159-62 (1968)
88. Condensation-enhanced vaporization rates in nonisothermal systems
D. E. Rosner and M. Epstein (AeroChem Res. Labs., Inc., Princeton, N. J.)
Trans. Met. Soc. AIME 242 [11], 2355-57 (1968)

- H. 89. The diffusion of Cu in Fe
S. J. Rothman, N. L. Peterson, C. M. Walter and L. J. Nowicki
(Argonne Nat. Lab., Argonne, Ill. 60439)
J. Appl. Phys. 39 [11], 5041-44 (1968)
90. The growth of Fe single crystals
J. Rzepski (C.E.C.M., Vitry sur Seine, Fr.)
Mém. Sci. Rev. Mét. 65 [15], 349 (1968)
91. Synthesis of asbestiform crystals by gas reaction using double crucibles
H. Saito and I. Yamai (Fac. Eng., Univ. of Nagoya, Japan)
Kogyo Kagaku Zasshi 71 [3], 354-57 (1968)
92. Studies on synthetic conditions of fluor-asbestos from vapor phase
H. Saito, I. Yamai and E. Yamada (Fac. Eng., Univ. of Nagoya, Japan)
Kogyo Kagaku Zasshi 71 [6], 824-27 (1968)
93. High-temperature reduction of SiO_2 to SiO
B. A. Sakharov and 5 others
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [11], 2035-36 (1968)
94. High temperature oxidation of iron and steel
Conference report by G. P. Sanderson (Firth Brown Res. Labs.,
Sheffield, U. K.)
J. Iron Steel Inst. (London) 206, 1149-50 (1968)
95. Anomalous diffusion of ^{14}C in $\text{TiC}_{0.67}$
S. Sarian (Union Carbide Co., Parma, Ohio 44101)
J. Appl. Phys. 39 [11], 5036-41 (1968)
96. Production of samarium titanate $\text{Sm}_2\text{Ti}_2\text{O}_7$
E. S. Sarkisov, V. R. Berdnikov, Yu. M. Khozhainov and G. P.
Golovina
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1371 (1968)
97. Study on the activity and solubility of oxygen in liquid Fe-Nb alloy
Y. Satō, K. Suzuki, Y. Omori and K. Sanbongi (Res. Inst.
Tuberculosis and Leprosy, Tohoku Univ., Sendai, Japan)
Tetsu-to-Hagane 54 [4], 330-35 (1968)
98. A mass spectrometric investigation of the high-temperature diffusion of U in W and the allotropic phase transition in Zr
E. C. Schwegler, Jr. and F. A. White (Gen. Dynamic Co., Nucl. Weap.
Effects Group, Fort Worth, Texas)
Int. J. Mass Spectr., Ion Phys. 1 [2], 191-208 (1968)
99. Crystal growth of wollastonite from NaCl flux
M. Setoguchi and C. Sakamoto
Bull. Govt. Ind. Res. Inst., Osaka 19 [3], 161-66 (1968)

- H. 100. Kinetics of the interaction of ferruginous slags with liquid cast iron
V. D. Shantarin, O. A. Esin and V. N. Boronenkov
Izv. Akad. Nauk SSSR, Metal. [5], 18-26 (Sept.-Oct. 1968)
101. Effective distribution coefficients of impurities during growth of Si needles from a supercooled melt
Yu. M. Shashkov and V. P. Grishin
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [9], 1429-32 (1968)
102. Thermodynamics of the dissociation reactions of Mg-Cu ferrites
A. A. Shchepetkin, V. K. Antonov and G. I. Chufarov
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [7], 1156-59 (1968)
103. Influence of fluorides on the formation of mullite in kaolin
T. C. Shutt (Res. Ctr., Fiberglas Can. Ltd., Sarnia, Ont., Can.)
J. Can. Ceram. Soc. 37, 33-38 (1968) [in Can. Clay and Ceram. 41 (July-Aug. 1968)]
104. Preparation of high purity Ni. II. Zone melting
R. R. Soden and V. J. Albano (Bell Tel. Labs., Murray Hill, N. J.)
J. Electrochem. Soc. 115 [7], 766-69 (1968)
105. Growth of thread-like silicon crystals
S. V. Starodubtsev, D. A. Agievskii and S. A. Bakaev
Izv. Akad. Nauk Uzb. SSR, Ser. Fiz.-Mat. Nauk 12 [4], 76-68 (1968)
106. Measurement of the thermoelectric power of solid electrolytes of the ZrO₂ family. Application to the transport of O under thermal gradient
G. Stein, A. Lecante, M. Guillou and J. Millet (E.D.F., 92-Clamart, Fr.)
C. R. Acad. Sci. 267C, 1660 (1968)
107. Application of the Gibbs-Duhem equation to the activities of molten Fe alloys and slags
E. Steinmetz and R. Thielmann (Inst. Eisenhüttenw., Rheim.-Westfäl. T. H., Aachen, Germ.)
Arch. Eisenhüttenw. 39, 481-89 (1968)
108. Thermodynamics of carbide formation and graphite solubility in the CaO-SiO₂-Al₂O₃ system
J. H. Swisher (Bell Telephone Labs., Murray Hill, N. J.)
Trans. Met. Soc. AIME 242 [10], 2033-37 (1968)
109. Sulfur solubility and internal sulfidation of Fe-Ti alloys
J. H. Swisher (Bell Tel. Labs., Murray Hill, N. J.)
Trans. Met. Soc. AIME 242 [12], 2433-39 (1968)

- H. 110. Epitaxial growth of Si on sapphire by hydrogen reduction of SiCl_4
M. Tamura and M. Nomura (Central Res. Lab., Hitachi Ltd., Kokubunji,
Tokyo)
Oyo Buturi 37 [6], 496-504 (1968)
111. Direct production of Fe from ores using gas resulting from CH_4
conversion with CO_2
I. Tripsa and Ov. Hatarascu (Met. Sci. Inst. ICME, Bucarest,
Romania)
Met. Ital. 60 [9], (1968)
112. Diffusion of P in Nb and Mo
B. A. Vandyshev and A. S. Panov
Fiz. Metal. Metallov. 26 [3], 517-21 (1968)
113. Equilibrium of reduction of $\text{Nd}_2\text{O}_3 \cdot 3\text{WO}_3$ using hydrogen at 800-1100°C
I. A. Vasileva, S. N. Mudretsova and I. M. Kireeva
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [8], 1315-18 (1968)
114. Investigation of the kinetics of formation of Ba-Mg hexaferrites
M. A. Vinnik
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1767-71 (1968)
115. Interaction of Cr_2O_3 with NiZn ferrites
A. S. Vorobev
Izv. Vyssh. Ucheb. Zaved., Khim. Khim. Tekhnol. 11 [8], 925-27 (1968)
116. Growth of corundum single crystals from solution in a tungstate
melt
V. I. Voronkova, V. K. Yanovskii and V. A. Koptsik
Izv. Akad. Nauk SSSR, Neorg. Mater. 4 [10], 1727-31 (1968)
117. On the composition of the inclusions composed of a layer-like
inclusions group during the deoxidation of liquid iron with
aluminum
Y. Wanibe and K. Sano (Fac. Eng., Univ. of Nagoya, Japan)
Nippon Kinzoku Gakkai Shi 32 [6], 493-97 (1968)
118. The vapour growth of single crystals of WO_3 and MoO_3
B. M. Wanklyn (Clarendon Lab., Phys. Dept., Univ. of Oxford, Engl.)
J. Crystal Growth 2 [4], 251-53 (1968)
119. Electron microscopic studies on the equilibria and transformations
of the $\alpha\text{-Fe-Si}$ phases
H. Warlimont (Max Planck-Inst. Metallforsch., Stuttgart, Germ.)
Z. Metallk. 59, 595-602 (1968)
120. Platinum contamination and reduction of cerium oxide
B. M. Warmkessel and C. J. Kevane (Arizona State Univ., Tempe,
Ariz. 85281)
J. Am. Ceram. Soc. 51 [11], 663-64 (1968)

- H. 121. The effect of iron oxides on the kinetics of crystal growth in
CaO-MgO-Al₂O₃-SiO₂ glasses
J. Williamson, A. J. Tipple and P. S. Rogers (Nuffield Res. Grp.,
Imperial College, London)
J. Iron Steel Inst. (London) 206, 898-903 (1968)
122. Effect of Y and Gd on the oxidation of Fe-Cr alloys
G. C. Wood and J. Boustead (Chem. Eng. Dept., Univ. of Manchester,
Inst. Sci. & Tech., Manchester, U. K.)
Corrosion Sci. 8, 719-23 (1968)
123. Effect of Zr alloying on high temperature oxidation of Nb
M. Yamawaki, T. Mukaibo and M. Kanno
Denki Kagaku Oyobi Kogyo Butsuri Kagaku 36 [9], 671-75 (1968)

I. Books

1. Electrochemistry of molten and solid electrolytes. Vol. 6.
Structure and properties of electrolytes and kinetics of electrode
processes. (Trudy No. 9 of the Electrochemistry Institute,
Urals Academy of Sciences)
A. N. Baraboshkin, Ed. (Inst. Electrochem., Sverdlovsk)
Consultants Bureau, 1968, 136 p.
2. Plutonium nitride
N. J. Bridge and R. M. Dell
HMSO (1967) 4s 6d
3. Physical properties of graphite
W. N. Reynolds
Elsevier, Amsterdam (1968)

A. Spectroscopy of interest to high temperature chemistry

1. Resonance fluorescence studies in the vacuum ultraviolet.
D. K. Anderson (Montana State Univ., Bozeman).
Colloq. Int. Centre Nat. Sci. No. 162, 211-15(1967).
2. The A-X band system of the copper chloride molecule.
K. P. R. Nair and K. N. Upadhy (Banaras Hindu Univ., Varanasi, India).
Curr. Sci. 36(20), 535-6(1967).
3. Theoretical aspects of electronic excitation in molecules.
C. A. Coulson (Math. Inst., Oxford, Engl.).
Reactiv. Photoexcited Org. Mol., Proc. Conf. Chem., 13th, Univ. Brussels 1965, 1-35, discussion 36-49(Pub. 1967).
4. Binding energies of electrons in the next inner subshell of atoms and ions from boron to zinc.
Wolfgang Lotz (Inst. Plasmaphy., Garching/Munich, Ger.).
J. Opt. Soc. Amer. 58(2), 236-40(1968).
5. Lifetimes of 4^1P_1 , 4^1D_2 , 5^1D_2 , 4^3F_4 levels of calcium excited by electron impacts.
M. Chenevier, J. Dufayard, and J. C. Pebay-Pebay-Peyroula (C. N. R. S., Fac. Sci., Grenoble, France).
Phys. Lett., A 25(3), 283-4(1967).
6. Theoretical $^1\Sigma_g^+$ - $^1\Sigma_u^+$ dipole strengths of some homonuclear diatomic molecules: configuration interaction.
M. A. Marchetti and S. R. LaPaglia (Georgetown Univ., Washington, D.C.).
J. Chem. Phys. 48(1), 434-9(1968).
7. A semiempirical method for the calculation of the excited states of molecules.
J. Ladik (Hungarian Acad. Sci., Budapest).
Acta Phys. Acad. Sci. Hung. 23(3), 317-20(1967).
8. Calculation of the vibrational frequencies of scandium subgroup halides.
K. S. Krasnov (Ivanovsk. Khim.-Tekhnol. Inst., Ivanovo).
Teplofiz. Vys. Temp. 5(4), 715-16(1967)(Russ). CA Vol. 68, 72473 (1968).
9. The acetylene-active nitrogen system.
Oliviero Oreste Bernardini (Harvard Univ., Cambridge, Mass.).
Diss. Abstr. B 28(5), 1875(1967).

10. Quantum oscillations in the shape of pressure-broadened atomic lines. Frederick H. Mies (Nat. Bur. of Stand., Washington, D.C.). J. Chem. Phys. 48(1), 482-94(1968).
11. Bandwidth dependence of measured ultraviolet absorption cross sections of argon. Robert D. Hudson and Virginia L. Carter (Aerospace Corp., Los Angeles, Calif.). J. Opt. Soc. Amer. 58(2), 227-32(1968).
12. Ultraviolet absorption spectra of tin monobromide and tin monoiodide. G. A. Oldershaw and K. Robinson (Univ. Hull, Hull, Engl.). Trans. Faraday Soc. 64(3), 616-19(1968).
13. Systems for optical lifetime studies in vaporized metals, especially lithium. Haruo Shintani (Univ. of Oklahoma, Norman). U.S., Clearinghouse Fed. Sci. Tech. Inform., AD 637485. Avail. CFSTI, 116 pp.(1966).
14. Absorption spectrum of the lead molecule. S. Weniger (Obs. Paris, Meudon, France). J. Phys. (Paris) 28(7), 595-601(1967)(Fr).
15. The sp^2 configurations and configuration-mixing in the first spectra of indium (In I) and thallium (Tl I). W. R. S. Garton, W. H. Parkinson, and E. M. Reeves (Imp. Coll., London). Can. J. Phys. 44(8), 1745-52(1966).
16. Analysis of the spectrum of triply ionized manganese (Mn IV). Stanley J. Yarosewick and Frank L. Moore, Jr. (Clarkson Coll. of Technol., Potsdam, N.Y.). J. Opt. Soc. Amer. 57(11), 1381-7(1967).
17. Ion Hanle effect experiments with optical excitation. A. C. Gallagher (Univ. of Colorado, Boulder). Colloq. Int. Centre Nat. Rech. Sci. No. 162, 217-19(1967).
18. Pulse generation of radiation on zinc and cadmium vapors. M. F. Sem and V. S. Mikhalevskii. Zh. Prikl. Spektrosk. 6(5), 668-9(1967)(Russ). CA Vol. 68, 73753 (1968).
19. Analysis of the rotational structure of the 3577 A. band of boron suboxide positive ion. D. I. Kataev and A. A. Mal'tsev. Vestn. Mosk. Univ., Ser. II 22(2), 23-7(1967)(Russ). CA Vol. 68, 73754 (1968).

20. Slow electron excitation of a strontium atomic jet.
Henri Chantrel, Giovanni Montixi, and Michel Vedel (Fac. Sci.,
Marseille, France).
C. R. Acad. Sci., Paris, Ser. A,B 264B(24), 1651-2(1967)(Fr).
21. Hyperfrequency source for excitation of emission molecular spectra.
A. P. Montornenko and S. P. Martinyuk (Inst. Radiofiz. Elektron.,
Kharkov).
Ukr. Fiz. Zh. 12(5), 754-9(1967)(Ukrain).
22. Rotational and vibrational energy level distribution of nitrogen
molecule ions produced in collisions between electrons and
nitrogen molecules.
G. N. Polyakova, Ya. M. Fogel, and A. V. Zats.
Zh. Eksp. Teor. Fiz. 52(6), 1495-503(1967)(Russ). CA Vol. 68, 73769
(1968).
23. Quantitative measurements of the affinity continuum of fluorine.
Hanns Peter Popp (Tech. Hochsch. Munich, Ger.).
Z. Naturforsch., a 22(2), 254-9(1967)(Ger).
24. Spectrographic study of the 0-2 sequence of the transition $A^2\Sigma^+ - X^2\Pi$ for the OH radical.
Andre Stoebner and Ralph Delbourgo (Fac. Sci., Paris).
J. Chim. Phys. 64(7-8), 1115-23(1967)(Fr).
25. Level crossing experiment in indium I spectrum. Summary of results
of level crossing experiments in copper I and gold I.
M. Brieger, H. Bucka, J. Ney, and P. Zimmermann (Tech. Univ.,
Berlin).
Colloq. Int. Center Nat. Rech. Sci. No. 164, 359-61(1966)(Pub.
1967).
26. Molecular level-crossing spectroscopy: the g value for an excited
state of nitric oxide.
David R. Crosley and Richard N. Zare (Joint Inst. for Lab.
Astrophys., Boulder, Colo.).
Phys. Rev. Lett. 18(22), 942-4(1967).
27. Spectroscopic determination of cesium ($6^2P_{1/2}$) excited state
concentrations in cesium-argon low-pressure gas discharges.
R. Bleekrode and V. van Trigt (Phillips Res. Lab., Eindhoven, Neth.).
Appl. Phys. Lett. 10(12), 352-4(1967).
28. The polarization of light emitted by an atomic beam of barium
under electron bombardment.
F. M. Kelly and E. Tomchuk (Univ. Manitoba, Winnipeg, Can.).
Phys. Lett., A. 24(11), 602(1967).

29. Hyperfine structure of the 6^1P_1 levels in ^{199}Hg and ^{201}Hg isotopes studied by level crossing methods.
Daniel Lecler and Jean Margerie (C.N.R.S., Fac. Sci., Caen, France).
C. R. Acad. Sci., Paris, Ser. A, B. 265B(2), 123-6(1967)(Fr.).
30. Atomic beam radio-frequency spectroscopy of sulfur 32 -sulfur- 32 molecules.
K. H. Channappa, J. M. Pendlebury, and K. F. Smith (Univ. Sussex, Brighton, Engl.).
Colloq. Int. Centre Nat. Rech. Sci. No. 164, 73-81(1966)(Pub. 1967).
31. Hyperfine structural anomaly and nuclear quadrupole interaction constants of the excited $3d^9 4s^4 p^4 P_{3/2}$ -term in the copper I-spectrum of copper-63 and copper-65.
H. Bucka, J. Ney, and K. P. Wirtnik (Tech. Univ., Berlin).
Z. Phys. 202, 22-31(1967)(Ger).
32. Metastable atoms and molecules.
E. E. Muschlitz, Jr. (Univ. of Florida, Gainesville).
Science 159(3815), 599-604(1968).
33. Calculation of energy levels which arise from the p^2 configuration of the ground state of carbon. Multiconfiguration Hartree-Fock calculations.
P. S. Bagus and C. M. Moser (Centre Mec. Ondulatoire Appl. Paris Fr.).
Phys. Rev. 167(1), 13-16(1968).
34. Ground state reduced potential curves of BeF , CS , SiN , P_2 , SiS , and GeO .
F. Jenc (Ceskoslov. Akad. Ved, Prague, Czech.).
Spectrochim. Acta, Part A 24(3), 259-64(1968).
35. The fluorescence lifetimes of aromatic molecules.
J. B. Birks and I. H. Munro (Univ. Manchester, Engl.).
Progr. React. Kinet. 4, 239-303(1967).
36. A review of the measurements of electron-induced polarized optical radiation near threshold.
Robert H. McFarland (Univ. of California, Lawrence Radiation Lab., Livermore).
Colloq. Int. Centre Nat. Rech. Sci. No. 162, 35-49, discussion 49-50(1967).
37. Rapid spectrometry.
O. D. Dmitrievskii.
Opt. Mekh. Prom. 34(2), 55-62(1967)(Russ). CA Vol. 68, 82548 (1968).
38. Transfer of line radiation by multilevel atoms.
E. H. Avrett and W. Kalkofen (Smithsonian Astrophys. Obs., Cambridge, Mass.).
J. Quant. Spectrosc. Radiat. Transfer 8(1), 219-50(1968).

39. Stark effect in the excited states of rubidium, cesium, cadmium, and mercury.
Abbas Khadjavi, Allen Lurio, and W. Happer (Columbia Univ., New York, N.Y.).
Phys. Rev. 167(1), 128-35(1968).
40. Intramolecular radiationless transitions.
Mordechai Bixon and Joshua Jortner (Tel-Aviv Univ., Tel-Aviv, Israel).
J. Chem. Phys. 48(2), 715-26(1968).
41. The triplet state: its radiative and nonradiative properties.
M. A. El-Sayed (Univ. of California, Los Angeles).
Accounts Chem. Res. 1(1), 8-16(1968).
42. Forbidden carbon lines in the solar spectrum.
D. L. Lambert and J. P. Swings (Univ. Obs., Oxford, Engl.).
Solar Phys. 2(1), 34-8(1967).
43. Computation of the radial integrals of multipole transitions in atomic spectra.
Yu. K. Zemtsov (Mosk. Gos. Univ. im. Lomonosova, Moscow).
Dokl. Akad. Nauk SSSR 174(2), 330-1(1967)(Russ). CA Vol. 68, 82644 (1968).
44. Comments on multilevel atom radiation problems.
Gerard D. Finn (Hawaii Inst. of Geophys., Honolulu, Hawaii).
J. Quant. Spectrosc. Radiat. Transfer 8(1), 251-63(1968).
45. Vibrational spectra of molecules with van der Waals bonds.
M. O. Bulanin and M. V. Tonkov.
Opt. Spektrosk., Akad. Nauk SSSR, Otd. Fiz-Mat. Nauk, Sb. Statei 3, 207-13(1967)(Russ). CA Vol. 68, 82668 (1968).
46. Fine structure of the (0,2) transition in the ($^2\Sigma^+ - ^2\Pi^{1/2}$) and ($^2\Sigma^+ - ^2\Pi^{3/2}$) systems of the monovalent hydrogen bromide molecule. Determination of two vibrational constants for the ground state ($^2\Pi_1$).
Louis Marsigny, Joseph Lebreton, Jacques Ferran, and Rene Lagrange (Coll. Sci. Univ. Tours, Tours-Grandmont, France).
C. R. Acad. Sci., Paris, Ser. C 266(3), 176-8(1968)(Fr).
47. Franck-Condon factors and r-centroids of the new $^2\Sigma^+ - X^2\Sigma^+$ band system of aluminum monoxide.
D. V. A. Rao, K. P. R. Nair, and D. K. Rai (Banaras Hindu Univ., Varanasi, India).
Curr. Sci. 36(14), 372-3(1967).
48. Relative strengths of spectral lines for Zn II and Cd II doublets.
A. Bialas-Zabawa, M. Kucharski, E. Skulska, J. Urbaczka, and Z. Walach (Jagellonian Univ., Cracow, Poland).
Acta Phys. Pol. 30(5), 897-900(1966).

49. Intensity measurements in emission of 18 Vegard-Kaplan bands of nitrogen.
G. Chandraiah and G. G. Shepherd (Univ. Saskatoon, Sask.).
Can. J. Phys. 46(3), 221-6(1968).
50. The emission spectrum of bismuth fluoride (B-system).
M. M. Patel and P. S. Narayanan (Indian Inst. Sci. Bangalore).
Indian J. Pure Appl. Phys. 5(6), 223-6(1967).
51. Cross sections for depolarizing collisions involving excited sodium atoms and inert gas atoms obtained through optical pumping with molecular deuterium light.
M. Elbel and F. Naumann (Univ. Marburg, Ger.).
Z. Phys. 204(5), 501-13(1967)(Ger).
52. Rare earth spectra and the Zeeman effect.
P. F. A. Klinkenberg (Zeeman Lab., Amsterdam).
Proc. Int. Conf. Spectroc., 1st, Bombay 1, 42-6(1967).
53. Light sources for the excitation of atomic resonance fluorescence in cesium and sodium.
D. H. Burling, M. Czajkowski, and L. Krause (Univ. Windsor, Can.).
J. Opt. Soc. Amer. 57(9), 1162-3(1967).
54. Atomic beam light source.
A. G. Zhiglinskii and V. I. Noskov.
Vestn. Leningrad. Univ., 22(10), Fiz. Khim., No. 2, 34-40(1967)
(Russ). CA Vol. 68, 82829, (1968).
55. The emission spectrum of beryllium bromide.
Y. Prabhakara Reddy and P. Tiruvenganna Rao (Andhra Univ., Waltair, India).
Curr. Sci. 36(15), 399-400(1967).
56. Xenon-sensitized fluorescence of carbon monoxide excited by 1470-A. radiation.
Tom G. Slanger (Stanford Res. Inst., Menlo Park, Calif.).
J. Chem. Phys. 48(2), 586-96(1968).
57. The determination of cross sections for the quenching of resonance radiation of metal atoms. II. Results for potassium, rubidium, and cesium.
D. R. Jenkins (Shell Res. Ltd., Chester, Engl.).
Proc. Roy. Soc., Ser. A 303(1475), 453-65(1968).
58. The determination of cross sections for quenching of resonance of metal atoms. III. Results for thallium.
D. R. Jenkins (Shell Res. Ltd., Chester, Engl.).
Proc. Roy. Soc., Ser. A 303(1475), 467-75(1968).

59. Study of excited neon atomic levels by laser radiation.
Bernard Decomps and Michel Dumont (Ecole Normale Super., Paris).
Colloq. Int. Centre Nat. Rech. Sci. No. 162, 173-90(1967)(Fr).
60. Microwave spectrum of excited vibrational states of FCN.
Walter J. Lafferty and D. R. Lide, Jr. (Natl. Bur. of Stds.,
Washington, D.C.).
J. Mol. Spectrosc. 23(1), 94-6(1967).
61. Microwave rotational spectrum of germanium telluride.
J. Hoelt and H. P. Nolting (Freie Univ., Berlin).
Z. Naturforsch., A 22(7), 1121-3(1967)(Ger).
62. Hyperfine structure of HDO and D₂O by beam maser spectroscopy.
H. Bluysen, J. Verhoeven, and A. Dymanus (Katholieke Univ.,
Nijmegen, Neth.).
Phys. Lett., A 25(3), 214-15(1967).
63. Level crossing and coherent resonances.
E. Geneux and G. Bene (Univ. Geneva, Switz.).
Phys. Lett., A 25(3), 199-200(1967)(Fr).
64. Hyperfine structure of the $8^2P_{3/2}$ state of cesium-134.
U. Knohl, G. zu Putlitz, and A. Schenck (Univ. Heidelberg, Ger.).
Z. Phys. 208(4), 364-6(1968)(Ger).
65. Nuclear magnetic moment of rubidium-85: resolving a discrepancy.
Vernon J. Ehlers, Thomas R. Fowler, and Howard A. Shugart
(Lawrence Radiation Lab., Univ. of California, Berkeley, Calif.).
Phys. Rev. 167(4), 1062-4(1968).
66. A fast high-intensity-pulse light source for flash photolysis.
Ernst. G. Niemann and Max Klenert (Tech. Hochsch., Hanover, Ger.).
Appl. Opt. 7(2), 295-300(1968).
67. Microwave pressure broadening and its application to intermolecular
forces.
George Birnbaum (North American Aviation Sci. Center, Thousand Oaks,
Calif.).
Advan. Chem. Phys. 12, 487-587(1967).
68. Application of extended Huckel theory to the calculation of the
potential energy curve of diatomic copper.
C. R. Hare, T. P. Sleight, W. Cooper, and G. A. Clarke (State Univ.
of New York, Buffalo, N.Y.).
Inorg. Chem. 7(4), 669-73(1968).
69. Inelastic molecular collisions with an orientation-average inter-
action energy.
Hyung Kyu Shin (Univ. of Nevada, Reno, Nev.).
Int. J. Quantum Chem. 2(2), 265-79(1968).

70. Applications of diatomics-in-molecules theory. I. Prediction of stable LiH_2 and Li_2H molecules.
Audrey L. Companion (Illinois Inst. of Technol., Chicago, Ill.).
J. Chem. Phys. 48(3), 1186-91(1968).
71. Collision integrals for carbon + nitrogen atoms.
E. V. Samuilov and N. V. Voskresenskaya (Energ. Inst. im. Krzhizhanovskogo, Moscow).
Teplofiz. Vys. Term. 5(6), 983-6(1967)(Russ). CA Vol. 68, 90073 (1968).
72. Confirmation of the discrepancy between the theoretical and experimental ground-state energies of hydrogen.
W. Kolos and L. Wolniewicz (Univ. of Chicago).
Phys. Rev. Lett. 20(6), 243-4(1968).
73. Photoionization of CH_3 ; heat of formation of CH_2 .
W. A. Chupka and Chava Lifshitz (Argonne Nat. Lab., Argonne, Ill.).
J. Chem. Phys. 48(3), 1109-15(1968).
74. Nuclear hyperfine interactions in diatomic molecules and the ground state of vanadium (II) oxide.
D. Richards and R. F. Barrow (Univ. Oxford, Oxford, Engl.).
Nature 217(5131), 842(1968).
75. Configuration mixing in the aluminum sequence.
Charlotte Froese Fischer (Univ. British Columbia, Vancouver, British Columbia).
J. Quant. Spectrosc. Radiat. Transfer 8(2), 755-61(1968).
76. Near infrared bands of diatomic calcium oxide and strontium oxide.
Leo Brewer and Robert Hauge (Lawrence Radiation Lab., Univ. of California, Berkeley).
J. Mol. Spectrosc. 25(3), 330-9(1968).
77. The fifth spectrum of praseodymium.
Victor Kaufman and Jack Sugar (Natl. Bur. of Stds., Washington, D.C.).
J. Res. Nat. Bur. Stand., A 71(6), 583-5(1967).
78. Band spectrum of cadmium monoiodide molecule in the region 3586-3495 A. (C-system).
M. M. Patel, S. P. Patel, and A. B. Darji (M. S. Univ., Baroda, India).
Indian J. Pure Appl. Phys. 5(11), 526-7(1967).
79. An improved description of technetium spectra (Tc I and Tc II), 2000 to 9000 A.
W. R. Boxman, W. F. Meggers, and C. H. Corliss (Natl. Bur. of Stds., Washington, D.C.).
J. Res. Nat. Bur. Stand., A 71(6), 547-66(1967).

80. The second spectrum of ytterbium (Yb II).
William F. Meggers
J. Res. Nat. Bur. Stand., A 71(6), 397-545(1967).
81. A-X and B-X band systems of the calcium monofluoride molecule.
B. S. Mohanty and K. N. Upadhyya (Banaras Hindu Univ., Varanasi, India).
Indian J. Pure Appl. Phys. 5(11), 523-5(1967).
82. Fundamental energy levels of neutral promethium (Pm I).
Joseph Reader and Sumner P. Davis (Natl. Bur. of Stds., Washington, D.C.).
J. Res. Nat. Bur. Stand., A 71(16), 587-99(1967).
83. Self-broadening and the resonance oscillator strengths in krypton.
J. M. Vaughan (Clarendon Lab., Oxford, Engl.).
Phy. Rev. 166(1), 13-17(1968).
84. Wavelengths and relative A coefficients for the forbidden lines of atomic sulfur.
J. W. McConkey, D. J. Burns, K. A. Moran, and J. A. Kernahan (Queen's Univ. Belfast, Belfast, N. Ireland).
Nature 217(5128), 538-9(1968).
85. Revision of the NBS (National Bureau of Standards) tables of spectral-line intensities below 2450 Å.
C. H. Corliss (Nat. Bur. of Stand., Washington, D.C.).
Spectrochim. Acta, Part B 23(2), 117-27(1968).
86. Time-resolved studies of emission from I_2 ($B^3\Pi_{ou+}$).
E. W. Abrahamson, D. Husain, and J. R. Wiesenfeld (Case Western Reserve Univ., Cleveland, Ohio).
Trans. Faraday Soc. 64(4), 833-9(1968).
87. Visible absorption spectrum of bromine chloride.
M. A. A. Clyne and J. A. Coxon (Queen Mary Coll., London).
Nature 217(5127), 448-9(1968).
88. The photoionization absorption continua for alkali metal vapors.
G. V. Marr and D. M. Creek (Univ. Reading, Reading, Engl.).
Proc. Roy. Soc., Ser. A 304(1477), 237-48(1968).
89. Vacuum-ultraviolet absorption spectra of vapors of the aluminum group metals. II. Gallium and indium.
M. G. Kozlov and G. P. Startsev.
Opt. Spektrosk. 24(1), 8-11(1968)(Russ). CA Vol. 68, 91527 (1968).
90. The absorption oscillator strengths in alkali metal vapors.
G. V. Marr and D. M. Creek (Univ. Reading, Reading, Engl.).
Proc. Roy. Soc., Ser. A 304(1477), 249-58(1968).

91. Transition probabilities in argon I.
C. H. Corliss and J. B. Shumaker, Jr. (Natl. Bur. of Stds., Washington, D.C.).
J. Res. Nat. Bur. Stand., A 71(6), 575-81(1967).
92. Microwave Spectroscopy of Molecules, Bibliography, 1964-1966
(National Aeronautics and Space Administration, CL-951).
G. E. Jones, B. W. Castleman, and R. G. Oswald.
CFSTI: Springfield, Va. 1967. 39 pp. \$3.
93. Photodissociation of ammonia in the vacuum ultraviolet.
H. Okabe and M. Lenzi (Natl. Bur. of Stds., Washington, D.C.).
J. Chem. Phys. 47(12), 5241-6(1967).
94. Molecular ionization potentials.
Henri Lemaire (Univ. Grenoble, France).
Commis. Energ. At. (Fr.), Serv. Doc., Ser., Bibliogr. 81, 28 pp.
(1967)(Fr).
95. Combined Zeeman and Stark effects on nitric oxide.
Jean Claude Chardon and Jean Gerard Theobald (Lab. Spectrosc.
Hertzienne, Fac. Sci., Besancon, Fr.).
C. R. Acad. Sci., Paris, Ser. A,B 266B(10), 602-4(1968)(Fr).
96. Information on the $^1\Sigma^+$ and $^3\Sigma^+$ potentials of NaCs from total
scattering cross section measurements.
W. Neumann and H. Pauly (Univ. Bonn, Bonn, Ger.).
Phys. Rev. Lett. 20(8), 357-9(1968).
97. Cross sections for deactivation of As(4^2D).
A. B. Callear and R. J. Oldman (Univ. Cambridge, Cambridge, Engl.).
Trans. Faraday Soc. 64(4), 840-6(1968).
98. Direct measurement of atomic lifetimes of cesium and sodium.
Richard J. Wolff and Sumner P. Davis (Univ. of California,
Berkeley, Calif.).
J. Opt. Soc. Amer. 58(4), 490-5(1968).
99. Lifetime of the lowest triplet state of sulfur dioxide.
Robert B. Caton and A. B. F. Duncan (Univ. of Rochester, Rochester,
N.Y.).
J. Amer. Chem. Soc. 90(8), 1945-9(1968).
100. Rotational and vibrational excitation of molecules by low-energy
electrons.
A. V. Phelps (Westinghouse Res. Lab., Pittsburgh, Pa.).
Rev. Mod. Phys. 40(2), 399-410(1968).

101. Effective cross-sections of depolarizing collisions. II.
Depolarization of calcium resonator beams by noble gas collisions.
W. Ermisch (Humboldt Univ., Berlin).
Ann. Phys. (Leipzig) 18(7-8), 379-97(1966)(Ger).
102. A configuration interaction study of the $1\Sigma^+$ states of the lithium hydride molecule.
Richard Edwin Brown (Indiana Univ., Bloomington, Indiana).
Diss. Abstr. B 28(6), 2564-5(1967). Univ. Microfilms (Ann Arbor, Mich.), Order No. 67-15,069, 107 pp.
103. New theoretical method for the accurate calculation of expectation values on functions of internuclear separation in 1Σ -state diatomic molecules.
R. M. Herman and S. Short (Pennsylvania State Univ., University Park, Pa.).
J. Chem. Phys. 48(3), 1266-72(1968).
104. Direct measurements of predissociation probabilities in CH and CD molecules.
James E. Hesser and Barry L. Lutz (Princeton Univ., Princeton, N.J.).
Phys. Rev. Lett. 20(8), 363-5(1968).
105. Pyrolysis and combustion of metal hydrides-analysis by kinetic spectroscopy.
R. V. Petrella and T. L. Spink (Dow Chem. Co., Midland, Mich.).
J. Chem. Phys. 48(4), 1445-51(1968).
106. Shock-tube study of nitrogen dissociation using vacuum-ultraviolet light absorption.
J. P. Appleton, M. Steinberg, and D. J. Liquornik (Aerospace Operations Dep., AC Electron. Defense Res. Lab., Santa Barbara, Calif.).
J. Chem. Phys. 48(2), 599-608(1968).
107. $1\Delta_u-1\Delta_g$ transitions in gaseous diatomic sulfur.
R. F. Barrow and R. P. Du Parcq (Oxford Univ., Oxford, Engl.).
Proc. Phys. Soc., London, At. Mol. Phys. [2] 1(2), 283-8(1968).
108. Ultraviolet spectrum of the chlorine dioxygen radical.
E. D. Morris, Jr., and Harold S. Johnston (Univ. of California, Berkeley, Calif.).
J. Amer. Chem. Soc. 90(7), 1918-20(1968).

109. B-system of ultraviolet absorption bands in the silver indium molecule.
Michel Biron (Fac. Sci. Bordeaux, Talence, France).
C. R. Acad. Sci., Paris, Ser. A,B 265B(25), 1427-8(1967)(Fr).
110. Classification and oscillator strengths of lines in the far vacuum ultraviolet spectrum of the ion period elements.
B. C. Fawcett, N. J. Peacock, and R. D. Cowan (Culham Lab., Abingdon, Engl.).
Proc. Phys. Soc., London, At. Mol. Phys. [2] 1(2), 295-306(1968).
111. Absorption spectra of oxygen in the $a^1\Delta_g$, $b^1\Sigma_g^+$, and $X^3\Sigma_g^-$ states.
F. Alberti, R. A. Ashby, and A. E. Douglas (Natl. Res. Council. Canada, Ottawa, Can.).
Can. J. Phys. 46(5), 337-42(1968).
112. Total and photoionization coefficients and dissociation continua of oxygen in the 580-1070-A. region.
F. M. Matsunaga and K. Watanabe (Univ. of Hawaii, Honolulu).
Sci. Light (Tokyo) 16(1), 31-42(1967).
113. A high dispersion study of some new absorption bands of calcium monohydride and monodeuteride in the ultraviolet region.
M. Aslam Khan and M. K. Afridi (Univ. Karachi, Karachi, Pakistan).
Proc. Phys. Soc., London, At. Mol. Phys. [2] 1(2), 260-5(1968).
114. Thorium lamps and interferometrically measured thorium wavelengths.
Francisco P. J. Valero (Univ. Nac. La Plata, La Plata, Argent.).
J. Opt. Soc. Amer. 58(4), 484-9(1968).
115. Effect of sodium on the residence time of some element atoms in a direct current arc.
P. P. Polatbekov and I. A. Zhukov.
Vestn. Akad. Nauk Kaz. SSR 23(5), 75-8(1967)(Russ). CA Vol. 68, 100300 (1968).
116. Temperature regime for hot hollow cathodes.
K. A. Oganezov, R. R. Shvangiradze, and B. Ya. Chikhladze.
Zh. Prikl. Spektrosk. 6(6), 813-15(1967)(Russ). CA Vol. 68, 100309 (1968).
117. Emission spectrum of the lead monofluoride molecule.
S. P. Singh (Banaras Hindu Univ., Varanasi).
Indian J. Pure Appl. Phys. 5(7), 292-4(1967).
118. Absolute determination of lifetime of excited states.
C. Camhy-Val and A. M. Dumont (Inst. Astrophys., Paris).
Colloq. Int. Centre Nat. Rech. Sci. No. 162, 203-9(1967)(Fr).

119. Pulse excitation method of determining nanosecond fluorescent lifetimes.
James Andrew McIntosh (Wright Patterson Air Force Base, Dayton, Ohio).
U.S., Clearinghouse Fed. Sci. Tech. Inform., AD 651799. Avail. CFSTI, 71 pp. (1967).
120. Resonance fluorescence in cadmium: modulation effects and lifetime measurements.
J. N. Dodd, W. J. Sandle, and D. Zissermann (Univ. Otago, Dunedin, N.Z.).
Proc. Phys. Soc. 92(576), 497-504(1967).
121. Rotational constants of the B state of the carbon-fluorine molecule.
A. N. Uzikov and Yu. Ya. Kuzyakov.
Vestn. Mosk. Univ., Ser. II. 22(3), 22-6(1967)(Russ). CA Vol. 68, 100367 (1968).
122. Microwave rotational spectrum of stannous oxide.
Thomas Toerring (Univ. Berlin).
Z. Naturforsch., a 22(8), 1234-6(1967)(Ger).
123. Experiments on $N_2(A \ ^3\Sigma_u^+)$. I. Reaction with N.
Robert A. Young and Gilbert A. St. John (Stanford Res. Inst., Menlo Park, Calif.).
J. Chem. Phys. 48(2), 895-7(1968).
124. Electronic-vibrational-rotational spectrum of scandium monochloride molecule and some additional data on the molecular constants of scandium, yttrium, and lanthanum monofluorides.
E. A. Shenyavskaya, A. A. Mal'tsev, and L. V. Gurvich.
Vestn. Mosk. Univ., Ser. II 22(4), 104-5(1967)(Russ). CA Vol. 68, 100373 (1968).
125. Spectrum of doubly ionized aluminum.
Bengt Isberg (Univ. Lund, Swed.).
Ark. Fys. 35(45), 551-62(1968).
126. Level-crossing study on the hyperfine structure of tin-117 and tin-119 in the $(5p6s)^3P_1^0$ -term of the tin I spectrum.
M. Brieger and P. Zimmerman (Tech. Univ., Berlin).
Z. Naturforsch., A 22(12), 2001-4(1967)(Ger).
127. Lifetime and hyperfine structure of the first excited 3P_1 state of palladium.
B. Budick (Hebrew Univ., Jerusalem, Israel).
Phys. Rev. 168(1), 89-92(1968).
128. Core polarization in $4d^n$ and $5d^n$ configurations from E.S.R. data.
W. Low (Hebrew Univ., Jerusalem, Israel).
J. Appl. Phys. 39(2), 1246-7(1968).

129. Spectrum attributed to the AsCN free radical.
N. Basco and K. K. Yee (Univ. British Columbia, Vancouver, British Columbia).
Chem. Commun. 1968(3), 153-4.
130. Spectra attributed to the PCN and HPCN free radicals.
N. Basco and K. K. Yee (Univ. British Columbia, Vancouver, British Columbia).
Chem. Commun. 1968(3), 152-3.
131. The production of NCN, HNCN, and other free radicals by cyanogen radical reactions.
N. Basco and K. K. Yee (Univ. British Columbia, Vancouver, British Columbia).
Chem. Commun. 1968(3), 150-2.
132. Photodissociation of molecular iodine.
E. Wassermann, W. E. Falconer, and W. A. Yager (Bell Teleph. Lab., Inc., Murray Hill, N.J.).
Ber. Bunsenges. Phys. Chem. 72(2), 248-52(1968).
133. The hyperfine structure Stark effect. II. The ground levels of samarium, europium and aluminum.
N. J. Martin, P. G. H. Sandars, and G. K. Woodgate (Univ. Oxford, Oxford, Engl.).
Proc. Roy. Soc., Ser. A. 305(1480), 139-48(1968).
134. The first ionization potential of oxygen molecule.
R. K. Asundi (Spectrosc. Div., BARC, Trombay, India).
Curr. Sci. 37(6), 160(1968).
135. Surface ionization. III. The first ionization potentials of the lanthanides.
G. R. Hertel (Oak Ridge Nat. Lab., Oak Ridge, Tenn.).
J. Chem. Phys. 48(5), 2053-8(1968).
136. Optical pumping methods in atomic spectroscopy.
B. Budick (Hebrew Univ., Jerusalem, Israel).
Advan. At. Mol. Phys. 3, 73-117(1967).
137. Kinetic and spectroscopic constraints on the origin of the molecular nitrogen afterglow.
Sidney W. Benson (Stanford Res. Inst., Menlo Park, Calif.).
J. Chem. Phys. 48(4), 1765-8(1968).
138. Structure of the spectrum of neutral terbium, Tb I. IV.
E. Meinders and P. F. A. Klinkenberg (Univ. Amsterdam, Amsterdam, Neth.).
Physica 38(2), 253-74(1968).

B. Reactions between gases and condensed phases

1. Molecular beams and a chemical reaction.
E. F. Greene and J. Ross (Brown Univ., Providence, R.I.).
Science 159(3815), 587-95(1968).
2. Lifetime of a negative helium ion.
D. J. Nicholas, C. W. Trowbridge, and W. D. Allen (Rutherford High Energy Lab., Didcot, Engl.).
Phys. Rev. 167(1), 38-42(1968).
3. Dissociation pressure of silver selenite.
S. S. Bakeeva, E. A. Buketov, and A. S. Pashinkin (Khim.-Met. Inst., Karaganda).
Zh. Neorg. Khim. 13(1), 32-5(1968)(Russ). CA Vol. 68, 81545 (1968).
4. Equilibrium in the nickel-sulfur-oxygen system.
S. K. Chuchmarev, A. I. Tikhonov, V. I. Smirnov, and V. I. Rybnikov (Ural'sk. Politekh. Inst., Sverdlovsk).
Izv. Vyssh. Ucheb. Zaved., Tsvet. Met. 10(6), 32-7(1967)(Russ).
CA Vol. 68, 81757 (1968).
5. The solubility of silica in a water vapor-gas mixture.
S. M. Kuts.
Teploenergetika 14(9), 82-4(1967)(Russ). CA Vol. 68, 81780 (1968).
6. Application of thermodynamics to the selection of vapor transport reactions.
C. B. Alcock and J. H. E. Feffes (Imp. Coll., London, Engl.).
Inst. Mining Met., Trans. Sect. C 76(Dec.), 246-58(1967).
7. Mass spectrometric studies at high temperatures. XVI. Sublimation and vaporization of chromium trioxide.
J. D. McDonald and J. L. Margrave (Rice Univ., Houston, Tex.).
J. Inorg. Nucl. Chem. 30(2), 665-7(1968).
8. Vaporization of some rare earth dicarbides.
R. L. Faircloth, R. H. Flowers, and F. C. W. Pummery (U.K.A.E.A. Res. Group, At. Energy Res. Estab., Harwell, Engl.).
J. Inorg. Nucl. Chem. 30(2), 499-518(1968).
9. Mass-spectrometric study of the sublimation of a group of ternary compounds of the $A^I B^{III} C_2^{VI}$ type.
S. S. Strel'chenko, S. A. Bondar, A. D. Molodyk, A. E. Balaneyskava, and L. I. Berger (Vses. Nauch.-Issled. Inst. Khim. Reakt. Osobo Chist. Veshch., Moscow).
Zh. Fiz. Khim. 41(12), 3118-20(1967)(Russ). CA Vol. 68, 81925 (1968).

10. Electrical conductivity of liquid and saturated vapor of bismuth (III) chloride and mercury (II) chloride to their critical temperatures.
L. F. Grantham and S. J. Yosim (North American Rockwell Corp., Canoga Park, Calif.).
J. Phys. Chem. 72(2), 762-3(1968).
11. Interpretation of mass spectra in high-temperature thermodynamic investigations.
L. N. Sidorov (Mosk. Gos. Univ. im. Lomonosova, Moscow).
Dokl. Akad. Nauk SSSR 176(6), 1351-4(1967)(Russ). CA Vol. 68, 82296 (1968).
12. Oxygen content in carbon-rich and carbon-saturated molten iron at 1600°.
Hermann Scheneck, Eberhard Steinmetz, and Michael Gloz (Tech. Hochsch, Aachen, Ger.).
Arch. Eisenhuettenw. 39(1), 69-71(1968)(Ger).
13. The corrosion of metals under melts. II. Relevant physicochemical properties of molten vanadium pentoxide.
D. A. Pantony and K. I. Vasu (Imp. Coll., London, Engl.).
J. Inorg. Nucl. Chem. 30(2), 433-55(1968).
14. Reaction of chromium with oxygen at high temperatures.
Jean Paidassi, Lecien Cadiou, and Laure Berry (C. E. N. Saclay, Gif-sur Yvette, Fr.).
C. R. Acad. Sci., Paris, Ser. C 266(7), 413-16(1968)(Fr).
15. Mercury-vapor condensation coefficient.
M. N. Ivanovskii, Yu. V. Milovanov, and V. I. Subbotin.
At. Energ. 24(2), 146-61(1968)(Russ). CA Vol. 68, 88552 (1968).
16. Kinetics of the vacuum separation of nitrogen from molten metal.
A. L. Sobolevskii and B. V. Linchevskii (Mosk. Vech. Met. Inst., Moscow, U.S.S.R.).
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11(1), 62-6(1968)(Russ). CA Vol. 68, 89228 (1968)
17. Solubility of nitrogen in iron-base alloy melts.
B. S. Ivanov.
Sb. Tr. Tsent. Nauch.-Issled. Inst. Chern. Met. No. 55, 83-9(1967) (Russ). CA Vol. 68, 89275 (1968).
18. Purification of beryllium by vacuum melting followed by distillation and simultaneous deposition to sheet in an electron beam furnace.
R. F. Bunshah and R. S. Juntz (Lawrence Radiat. Lab., Univ. of California, Livermore, Calif.).
Trans., Vac. Met. Conf., 9th, N.Y. 1966, 209-38, appendix 238-9, discussion 311-13(Pub. 1967)(Eng).

19. Purification of zirconium in combination with oxygen by distillation. Pierre Ailloud, Louis Renucci, and Jean Paul Langeron (Centre Etudes Chim. Met., Vitry-sur-Seine, Fr.).
C. R. Acad. Sci., Paris, Ser. C 266(6), 366-8(1968)(Fr).
20. Investigation of corrosion processes by secondary ion-ionic emission. V. Ya. Kolot, V. F. Rybalko, Ya. M. Fogel, and G. F. Tikhinskii. Zashch. Metal. 3(6), 723-30(1967)(Russ). CA Vol. 68, 89468 (1968).
21. High Temperature Materials and Technology. Ivor E. Campbell and Edwin M. Sherwood, Editors. Interscience: New York. 1967. 1024pp. \$27.50.
22. Different uses of high energy molecular beams. F. M. Devienne (Lab. Mediterranee Rech. Thermodyn., Nice, France). Entropie No. 18, 61-7(1967)(Fr).
23. Saturated vapor pressure and enthalpy of iodine sublimation. E. E. Lukashenko and A. M. Pogadaev (Krasnoyarsk. Inst. Tsvet. Metal. im. Kalinina, Krasnoyarsk, USSR). Zh. Fiz. Khim. 42(1), 235-8(1968)(Russ). CA Vol. 68, 90124 (1968).
24. Methods for the determination of saturated vapor pressure of volatile components of decomposing semiconductor compounds. A. Ya. Nashel'skii. Zavod. Lab. 33(11), 1387-93(1967)(Russ). CA Vol. 68, 90125 (1968).
25. Tellurium vapor pressure and optical density at 370-615°. R. F. Brebrick (Massachusetts Inst. of Technol., Lexington, Mass.). J. Phys. Chem. 72(3), 1032-6(1968)(Eng).
26. Determination of the vapor pressure of tin by a vacuum evaporation method. Marc Onillon and Michel Olette (Inst. Rech. Siderurg. Fr., Saint-Germain-en-Laye, Fr.). C. R. Acad. Sci., Paris, Ser. C 266(8), 517-19(1968)(Fr.).
27. In vacuo reaction of silicon carbide with silicon dioxide. B. F. Yudin, N. L. Makarova, and V. G. Borisov (Leningrad. Inst. Ogneuporov, Leningrad, USSR). Zh. Prikl. Khim. 41(1), 33-9(1968)(Russ). CA Vol. 68, 90258 (1968).
28. Vaporization of arsenic and antimony single crystals. Kinetics of sublimation. Reaction with gaseous oxygen. Pang-Kai Lee (Pennsylvania State Univ., University Park, Pa.). Diss. Abstr. B 28(6), 2376(1967)(Eng).

29. Phase relations between palladium oxide and the rare earth sesquioxides in air.
C. L. McDaniel and S. J. Schneider (Inst. for Mater. Res., Natl. Bur. Stds., Washington, D.C.).
J. Res. Nat. Bur. Stand., A 72(1), 27-37(1968).
30. The ternary system samarium-nitrogen-oxygen and the question of lower oxides of samarium.
T. L. Felmlee and L. Eyring (Arizona State Univ., Tempe, Ariz.).
Inorg. Chem. 7(4), 660-6(1968).
31. Determination of the equilibrium constant of $2 \text{Al}(\text{liquid}) + \text{AlCl}_3(\text{gas}) = 3 \text{AlCl}(\text{gas})$ reaction and activities of aluminum and silicon in aluminum-silicon binary alloys.
Hiroyasu Mitani and Hiroshi Nagai (Osaka Univ., Osaka, Japan).
Nippon Kinzoku Gakkaishi 31(11), 1296-1300(1967)(Japan). CA Vol. 68, 90375 (1968).
32. Vapor-phase charge-transfer complexes. II. The $2\text{I}_2 \rightleftharpoons \text{I}_4$ system.
Milton Tamres, Walter K. Duerksen, and John M. Goodenow (Univ. of Michigan, Ann Arbor, Mich.).
J. Phys. Chem. 72(3), 966-70(1968).
33. Measurement of activities in gallium-indium liquid alloys.
G. J. Macur, R. K. Edwards, and P. G. Wahlbeck (Illinois Inst. of Technol., Chicago, Ill.).
J. Phys. Chem. 72(3), 1047-50(1968).
34. Vapor phase composition and activities for the molten $\text{PbBr}_2\text{-KBr}$ system.
H. Bloom and J. W. Hastie (Univ. Tasmania, Hobart, Aust.).
Aust. J. Chem. 21(3), 583-7(1968).
35. Molecular force fields and thermodynamic properties of electronically excited triatomic and tetraatomic molecules.
Shanti Arvind Kudchadker (Texas A and M Univ., College Station, Tex.).
Diss. Abstr. B 28(6), 2375(1967).
36. Thermodynamics of a calcium-tungsten-oxygen system.
I. A. Vasil'eva, S. N. Mudretsova, and S. D. Nikitina (Mosk. Gos. Univ. im. Lomonosova, Moscow, USSR).
Zh. Fiz. Khim. 42(1), 49-53(1968)(Russ). CA Vol. 68, 90435 (1968).
37. The application of oxygen concentration cells with $\text{ZrO}_2\text{-CaO}$ solid electrolyte to thermodynamic and kinetic studies at high temperature.
Kazuhiro Goto and Yukio Matsushita (Tokyo Inst. Technol., Tokyo).
J. Electrochem. Soc. Jap., Overseas Ed. 35(1), 1-7(1967).

38. Thermodynamic calculation of equilibriums in the system carbide-oxygen.
R. F. Voitovich and N. P. Shakhanova.
Porosh. Met. 7(4), 46-52(1967)(Russ). CA Vol. 68, 90443 (1968).
39. Vaporization rate, vapor pressure, and heat of vaporization of rhenium, rhodium, palladium, and titanium.
Hans Strassmair and Dietrich Stark (Univ. Munich, Ger.).
Z. Angew. Phys. 23(1), 40-4(1967)(Ger).
40. Mass spectrometric studies at high temperatures. XXIV. Thermodynamics of vaporization of SnF_2 and PbF_2 and the dissociation energies of SnF and PbF .
K. F. Zmbov, J. W. Hastie, and J. L. Margrave (Rice Univ., Houston, Tex.).
Trans. Faraday Soc. 64(4), 861-7(1968).
41. Mass spectrometric studies at high temperatures. XIX. Sublimation pressures and heats of sublimation of thulium fluoride, ytterbium fluoride, and lutetium fluoride.
K. F. Zmbov and J. L. Margrave (Rice Univ., Houston, Tex.).
J. Less-Common Metals 12(6), 494-6(1967).
42. The tungsten-oxygen-iodine system. I. The tungsten dioxide(s) + iodine(g) = tungsten dioxide diiodide(g) equilibrium.
J. H. Dettingmeijer and B. Meinders (Philips Gloeilampenfabrieken, Eindhoven, Neth.).
Z. Anorg. Allg. Chem. 357(1-2), 1-10(1968)(Ger).
43. The defect structure of strontium oxide.
W. D. Copeland and R. A. Swalin (Univ. of Minnesota, Minneapolis, Minn.).
J. Phys. Chem. Solids 29(2), 313-25(1968).
44. Vacancy concentrations of wustite (FeO_x) near the p to n transition.
B. Swaroop and J. Bruce Wagner, Jr. (Northwestern Univ., Evanston, Ill.).
Trans. Met. Soc. AIME (Amer. Inst. Mining, Met., Petrol. Eng.) 239(8), 1215-18(1967).
45. Mass spectrometric and theoretical studies of boron-nitrogen systems.
Paul Martin Kuznesof (Northwestern Univ., Evanston, Ill.).
Diss. Abstr. B 28(6), 2321-2(1967).
46. Gas phase equilibriums in the system Ga-As-Zn.
K. K. Shih, J. W. Allen, and G. L. Pearson (Stanford Univ., Palo Alto, Calif.).
J. Phys. Chem. Solids 29(2), 367-77(1968).

47. Diffusion of zinc in gallium arsenide under excess arsenic pressure.
K. K. Shih, J. W. Allen, and G. L. Pearson (Stanford Univ., Palo Alto, Calif.).
J. Phys. Chem. Solids 29(2), 379-86(1968).
48. Hydrogen reactions with graphite materials at high temperatures and pressures.
J. W. H. Chi and C. E. Landahl (Westinghouse Elec. Corp., Astronuc. Lab., Pittsburgh, Pa.).
Nucl. Appl. 4(3), 159-69(1968).
49. Formation of polymeric $(\text{GeF}_2)_n$ in the vapor phase over GeF_2 .
K. F. Zmbov, J. W. Hastie, R. Hauge, and J. L. Margrave (Rice Univ., Houston, Tex.).
Inorg. Chem. 7(3), 608-9(1968).
50. High-temperature synthesis in the gas phase.
Alois Fidler (Vojen. Akad. A. Zapotockeho, Brno, Czech.).
Chem. Prum. 18(2), 94-9(1968)(Czech).
51. The stability of Fe staurolite + quartz.
S. W. Richardson (Geophys. Lab., Washington, D.C.).
Carnegie Inst. Wash. Yearb. 66, 398-402(1966-1967)(Pub. 1968).
52. Controlling the activity of phosphorus in molten iron by means of carbon and silicon.
Hermann Schenck, Eberhard Steinmetz, and Reiner Gohlke (Rheinisch-Westfael. Tech. Hochsch., Aachen, Ger.).
Arch. Eisenhuettenw. 39(2), 109-11(1968)(Ger).
53. Equivalent effect of alloying elements on solubility, activity, and activity coefficient of hydrogen in iron-rich ternary and multi-component solutions at 1600°.
Hans Dieter Kunze and Eberhard Schuermann (Tech. Hochsch. Clausthal, Clausthal, Ger.).
Giessereiforschung 20(1), 35-48(1968)(Ger).
54. Reaction of hydrogen with scandium and titanium scandium alloys.
V. V. Grushina and A. M. Rodin.
Zh. Fiz. Khim. 42(2), 466-71(1968)(Russ). CA Vol. 68, 98119 (1968).
55. Permeation, diffusion, and solution of nitrogen in tungsten and molybdenum.
R. Frauenfelder (Westinghouse Res. Labs., Pittsburgh, Pa.).
U.S. At. Energy Comm. WERL-2823-28. Avail. Dep.; CFSTI, 27 pp. (1967).

56. Determination of thermodynamic activity of carbon in alloyed molybdenum carbide.
V. I. Alekseev, Yu. N. Surovoi, and L. A. Shvartsman (Tsentr. Nauch. Issled. Inst. Chernoi Met. im. Bardina, Moscow).
Porosh. Met. 7(9), 64-70(1967)(Russ). CA Vol. 68, 98127 (1968).
57. Thermodynamic properties of solid palladium-copper and platinum-copper alloys.
K. M. Myles and J. B. Darby, Jr. (Met. Div., Argonne Nat. Lab., Argonne, Ill.).
Acta Met. 16(4), 485-92(1968).
58. Solubility of hydrogen in aluminum at temperatures characteristic for arc welding.
G. M. Grigorenko and V. I. Lakomskii (Inst. Elektrosvariki im. Patona, Kiev, USSR).
Avtomat. Svarka 20(12), 24-6(1967)(Russ). CA Vol. 68, 98179 (1968).
59. A reconnaissance of the system beryllium oxide-aluminum oxide-silicon dioxide-water.
Dibyendu Ganguli and Prasenjit Saha (Cent. Glass Ceram. Res. Inst., Calcutta, India).
Trans. Indian Ceram. Soc. 26(4), 102-10(1967).
60. Formation and stability relationships of uranium nitrides.
J. P. Guha (Univ. Sheffield, Sheffield, Engl.).
Trans. Indian Ceram. Soc. 26(4), 86-92, 97(1967).
61. Modified mass spectrometer ion source for the study of high-temperature vaporization. Vaporization of zinc, cadmium, arsenic, selenium, cadmium arsenide, and cadmium selenide.
J. B. Westmore, H. Fujisaki, and A. W. Tickner (Univ. Manitoba, Winnipeg, Can.).
Advan. Chem. Ser. No. 72, 231-44(1968).
62. Thermal dissociation of mercury selenide vapors.
A. A. Reznikov and R. A. Isakova (Inst. Met. Obogashch., Alma-Ata, U.S.S.R.).
Zh. Neorg. Khim. 13(3), 625-9(1968)(Russ). CA Vol. 68, 108075 (1968).
63. High-temperature vaporization and thermodynamics of the titanium oxides. III. Vaporization characteristics of the liquid phase.
Paul W. Gilles, Hugo F. Franzen, G. Duane Stone, and Phillip G. Wahlbeck (Univ. of Kansas, Lawrence, Kans.).
J. Chem. Phys. 48(5), 1938-41(1968).
64. The vapor pressure of liquid silver.
S. K. Tarby and V. S. Robinson, III (Lehigh Univ., Bethlehem, Pa.).
Trans. Met. Soc. AIME (Amer. Inst. Mining, Met., Petrol. Eng.)
242(4), 719-21(1968).

65. Molecular beam kinetics.
George Hsing Kwei (Univ. of California, Berkeley, Calif.).
Diss. Abstr. B 28(7), 2794-5(1968). Univ. Microfilms (Ann Arbor, Mich.), Order No. 68-98, 360 pp.
66. Preparation of potassium from potassium fluoride by a silicocalcium thermal method in a vacuum.
G. N. Zviadadze, O. V. Shengeliya, and D. Sh. Oziashvili.
Tr. Inst. Met. Akad. Nauk Gruz. SSR 15, 27-35(1966)(Russ). CA Vol. 68, 108326 (1968).
67. Physicochemical study of lead selenide.
V. P. Zlomanov, O. V. Matveev, and A. V. Novoselova.
Vestn. Mosk. Univ., Ser. II 22(5), 81-90(1967)(Russ). CA Vol. 68, 108406 (1968).
68. Mass spectrum of the saturated vapor of a germanium telluride-lead telluride system.
S. G. Karbanov, V. I. Belousov, L. N. Sidorov, V. P. Zlomanov, and A. V. Novoselova (Mosk Gos. Univ. im. Lomonosova, Moscow, USSR).
Zh. Fiz. Khim. 42(1), 216-17(1968)(Russ). CA Vol. 68, 108450 (1968).
69. Phase diagrams of the bismuth trihalides at high pressure.
A. J. Darnell and W. A. McCollum (At. Intern. Div. N. Amer. Aviat., Inc., Canoga Park, Calif.).
J. Phys. Chem. 72(4), 1327-34(1968).
70. Vanadium pentoxide chlorination with gaseous chlorine.
R. G. Yankelevich and I. A. Sheka (Inst. Obshch. Neorg. Khim. Lab., Odessa, USSR).
Ukr. Khim. Zh. 34(1), 58-62(1968)(Russ). CA Vol. 68, 108554 (1968).
71. Thermodynamic data of molten rubidium and cesium halides from vapor pressure determinations.
I. G. Murgulescu and Letitia Topor (Inst. Phys. Chem., Bucharest, Romania).
Rev. Roum. Chim. 12(9), 1077-83(1967).
72. Mass spectrometric studies of scandium, yttrium, lanthanum, and rare-earth fluorides.
K. F. Zmbov and J. L. Margrave (Rice Univ., Houston, Tex.).
Advan. Chem. Ser. No. 72, 267-90(1968).
73. Mass-spectrometric study of the noble metal oxides. Ruthenium-oxygen system.
J. H. Norman, H. G. Staley, and W. E. Bell (Gulf Gen. At. Inc., John Jay Hopkins Lab. for Pure and Appl. Sci., San Diego, Calif.).
Advan. Chem. Ser. No. 72, 101-14(1968).

74. Application of time-resolved mass spectrometry to problems in high-temperature chemistry.
R. T. Meyer and L. L. Ames (Sandia Lab., Albuquerque, N. Mex.).
Advan. Chem. Ser. No. 72, 301-24(1968).
75. An inexpensive, bakeable quadrupole mass spectrometer.
D. Smith and P. R. Cromey (Univ. Birmingham, Birmingham, Engl.).
J. Sci. Instrum. [2] 1(5), 523-7(1968).
76. Mass spectrometry of molecules of the nitrogen family.
K. Douglas Carlson, Fred J. Kohl, and O. Manuel Uy (Case Western Reserve Univ., Cleveland, Ohio).
Advan. Chem. Ser. No. 72, 245-60(1968).
77. Mass spectrometry of phosphorus hydrides.
T. P. Fehlner and R. B. Callen (Univ. of Notre Dame, Notre Dame, Indiana).
Advan. Chem. Ser. No. 72, 181-90(1968).
78. Mass spectrometry of inorganic halides.
Robert W. Kiser, John G. Dillard, and Donald L. Dugger (Kansas State Univ., Manhattan, Kansas).
Advan. Chem. Ser. No. 72, 153-80(1968).
79. Mass-spectrometric studies of unstable species.
Fred E. Stafford, George A. Pressley, Jr., and Anthony B. Baylis (Northwestern Univ., Evanston, Ill.).
Advan. Chem. Ser. No. 72, 137-52(1968).
80. A mass spectrometric study of the angular distribution of molecular effusion.
David Warren Muenow (Purdue Univ., Lafayette, Indiana).
Diss. Abstr. B 28(7), 2796-7(1968). Univ. Microfilms (Ann Arbor, Mich.), Order No. 67-16,686, 174 pp.
81. "Mass" effect of electron multipliers in high-temperature mass spectrometric applications.
Karl A. Gingerich (Battelle Mem. Inst., Columbus Lab., Columbus, Ohio).
Advan. Chem. Ser. No. 72, 291-300(1968).
82. Mass-spectrometric study of intermediates in the photochemical oxidation of diborane.
Richard F. Porter and F. A. Grimm (Cornell Univ., Ithaca, N.Y.).
Advan. Chem. Ser. No. 72, 94-100(1968).

83. The stability of fayalite.
D. R. Wones and M. C. Gilbert (Massachusetts Inst. of Technol., Cambridge, Mass.).
Carnegie Inst. Washington, Yearb. 66, 402-3(1968).
84. High molecular weight boron sulfides. IV. Mass spectrometric investigation of the conversion of metathioiboric acid to boron sulfide.
Jimmie G. Edwards and Paul W. Gilles (Univ. of Kansas, Lawrence, Kans.).
Advan. Chem. Ser. No. 72, 211-30(1968).
85. Thermal efficiency of the production of acetylene from carbon and hydrogen.
J. T. Clarke and B. R. Fox (Brookhaven Natl. Lab., Upton, N.Y.).
Ind. Eng. Chem., Fundam. 7(2), 197-201(1968).
86. Equilibria in the nepheline-apatite-water system.
L. N. Kogarko and E. B. Lebedev (Inst. Geokhim. Anal. Khim. im. Vernadskogo, Moscow, USSR).
Geokhimiya 1968(3), 375-7(Russ). CA Vol. 68, 106779 (1968).
87. Thermodynamics and kinetics of absorption of oxygen in stagnant liquid silver and silver base alloys.
Ishwarlal Dhanjee Shah (Stanford Univ., Stanford, Calif.).
Diss. Abstr. B 28(7), 2872-3(1968). Univ. Microfilms (Ann Arbor, Mich.), Order No. 67-17,504, 238 pp.
88. High-temperature vaporization mechanisms.
Gabor A. Somorjai (Lawrence Radiat. Lab., Univ. of California, Berkeley, Calif.).
U.S. At. Energy Comm. UCRL-17628. Avail. Dep.; CFSTI, 42 pp. (1967).
89. Calcium vapor pressure.
S. S. Bogoslovskii and A. N. Krestovnikov.
Izv. Akad. Nauk SSSR, Metal. 1968(1), 226-31(Russ). CA Vol. 68, 98712 (1968).
90. Vapor species of the barium-oxygen system.
Ray S. Newbury, George W. Barton, Jr., and Alan W. Searcy (Lawrence Radiat. Lab., Univ. of California, Berkeley, Calif.).
J. Chem. Phys. 48(2), 793-800(1968).
91. Theory of thermal transpiration in a Knudsen gas.
Yau Wu (Princeton Univ., Princeton, N.J.).
J. Chem. Phys. 48(2), 889-94(1968).

92. Mass spectrometric studies at high temperatures. XXII. The stabilities of tantalum pentafluoride and tantalum oxytrifluoride. K. F. Zmbov and J. L. Margrave (Rice Univ., Houston, Tex.). *J. Phys. Chem.* 72(4), 1099-101(1968).
93. Effusion-torsion determination of vapor pressure using a magnetic suspension. A. V. Rodionov. *Vestn. Mosk. Univ., Ser. II* 22(6), 48-51(1967)(Russ). *CA Vol.* 68, 98948 (1968).
94. Determination of the pressure of dissociation of nonstoichiometric copper sulfides. A. N. Nesmeyanov, G. I. Samal, and M. M. Pavlyuchenko (Mosk. Gos. Univ. im. Lomonosova, Moscow). *Zh. Neorg. Khim.* 12(12), 3237-9(1967)(Russ). *CA Vol.* 68, 98951 (1968).
95. Vaporization studies on arsenic. C. C. Herrick and Roy C. Feber (Los Alamos Sci. Lab., Los Alamos, N. Mex.). *J. Phys. Chem.* 72(4), 1102-10(1968).
96. Mass-spectrometric study of the reaction rate of OH with itself and with CO. William E. Wilson, Jr., and J. T. O'Donovan (John Hopkins Univ., Silver Spring, Md.). *J. Chem. Phys.* 47(12), 5455-7(1967).
97. Mass spectrometric study of cesium carbonate evaporation products. A. V. Gusarov, L. N. Gorokhov, and A. G. Efimova (Mosk. Gos. Univ. im. Lomonosova, Moscow). *Teplofiz. Vys. Temp.* 5(5), 783-8(1967)(Russ). *CA Vol.* 68, 99279 (1968).
98. Thermodynamic description of the solid solution of carbon, nitrogen, and oxygen in niobium and tantalum. E. Fromm (Max-Planck-Inst. Metallforsch., Stuttgart, Ger.). *J. Less-Common Metals* 14(1), 113-25(1968)(Ger).
99. Thermodynamic measurements using atomic absorption. E. J. Rapperport and J. P. Pemsler (Ledgemont Lab., Kennecott Copper Corp., Lexington, Mass.). *Trans. Met. Soc. AIME (Amer. Inst. Mining, Met., Petrol. Eng.)* 242(1), 151-2(1968).

100. Thermodynamic evaluation of the carbon-hydrogen system at high temperatures.
J. L. Blanchet, J. R. Parent, and P. A. Courtois (Univ. Laval, Quebec).
Can. J. Chem. Eng. 45(5), 264-71(1967).
101. Dissociation energy of PN and other thermodynamic properties from the vaporization of phosphorus nitride.
Oscar Manuel Uy (Case Western Reserve Univ., Cleveland, Ohio).
Diss. Abstr. B 28(6), 2381-2(1967). Univ. Microfilms (Ann Arbor, Mich.), Order No. 67-16,106, 205 pp.
102. Dissociation energy of AgMn and gaseous equilibria in the silver-manganese system.
Arthur Kant (Interdisciplinary Res. Lab., Army Mater. and Mech. Res. Center, Watertown, Mass.).
J. Chem. Phys. 48(1), 523-5(1968).
103. Enthalpy and entropy increments above 298°K. and a Σ -plot treatment of vaporization data for niobium pentachloride.
F. J. Keneshea, D. Cubicciotti, G. Withers, and H. Eding (Stanford Res. Inst., Menlo Park, Calif.).
J. Phys. Chem. 72(4), 1272-7(1968).
104. Iridium bromides.
N. I. Kolbin and V. M. Samoilov (Leningrad. Gos. Univ., Leningrad, USSR).
Zh. Neorg. Khim. 13(3), 906-8(1968)(Russ). CA Vol. 68, 101310 (1968).
105. Thermal vacuum behavior of arsenopyrite and pyrrhotite.
R. A. Isakova, L. E. Ugryumova, L. S. Chelokhsaev, I. V. Novikov, and I. A. Sapukov.
Tr. Inst. Met. Obogashch., Akad. Nauk Kaz. SSR 26, 57-67(1967) (Russ). CA Vol. 68, 116549 (1968).
106. Thermal vacuum behavior of pyrite.
R. A. Isakova, L. E. Ugryumova, L. S. Chelokhsaev, and N. A. Potanina.
Tr. Inst. Met. Obogashch., Akad. Nauk Kaz. SSR 26, 49-56(1967) (Russ). CA Vol. 68, 116550 (1968).
107. Calculation of the maximum nitrogen content in alloy steels.
A. I. Kondrat'ev and S. M. Gnuchev (Tsentr. Nauch.-Issled. Inst. Chern. Met., Moscow, USSR).
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11(3), 56-61(1968)(Russ). CA Vol. 68, 116650 (1968).
108. Iron-nickel-aluminum-titanium system.
M. S. Levina, B. G. Livshits, and M. Ya. Tsviling (Mosk. Inst. Stali Splavov, Moscow, USSR).
Izv. Vyssh. Ucheb. Zaved., Chern. Met. 11(3), 117-22(1968)(Russ). CA Vol. 68, 116655 (1968).

109. Solubility of nitrogen in solid iron-carbon alloys.
I. N. Milinskaya and I. A. Tomilin (Tsentr. Nauch.-Issled. Inst. Chern. Met. im. Bardina, Moscow, USSR).
Dokl. Akad. Nauk SSSR 178(5), 1140-3(1966)(Russ). CA Vol. 68, 116687(1968).
110. Production and structure of silver amalgam.
S. A. Kuligin, R. Sh. Shklyar, and I. A. Kakovskii.
Tr. Nauch.-Issled. Proekt. Inst. Obogashch. Mekh. Obrab. Polez. Iskop. "Uralmekhanobr" No. 13, 187-99(1967)(Russ). CA Vol. 68, 116762 (1968).
111. Composition of vapor over solid alloys similar in composition to the compounds CaSi and Ca₂Pb.
V. G. Muradov and V. Ya. Gabeskiriya.
Uch. Zap., Ul'yanovsk Gos. Pedagog. Inst. 21(9), 3-4(1966)(Russ). CA Vol. 68, 116805 (1968).
112. Anomaly of vaporization during phase conversions in condensed systems.
Yu. A. Priselkov, A. V. Tseplyaeva, S. A. Zaitseva, G. Matern, Yu. A. Sapozhnikov, V. A. Polyakov, and V. I. Severin (Mosk. Gos. Univ. im. Lomonosova, Moscow, USSR).
Zh. Fiz. Khim. 42(3), 772-4(1968)(Russ). CA Vol. 68, 116808 (1968).
113. Reflection of molecular beams on a heated platinum surface at 100 ev. to several kev.
J. C. Roustan and F. M. Devienne (Lab. Mediterranee Rech. Thermodyn., Nice, France).
Entropie No. 18, 127-31(1967)(Fr).
114. Experimental and theoretical investigation of antimony molecular beam condensation.
A. M. Evseev and P. I. Ozhegov.
Vestn. Mosk. Univ., Ser. II 23(1), 28-34(1968)(Russ). CA Vol. 68, 117191 (1968).
115. Interaction of condensed molecular beams with solid surfaces.
E. W. Becker, R. Klingelhofer, and H. Mayer (Univ. Karlsruhe, Karlsruhe, Ger.).
Z. Naturforsch., A 23(2), 274-9(1968)(Ger).
116. Determination of the dissociation pressure of solid tin sulfides.
M. I. Karakhanova, A. S. Pashinkin, and A. V. Novoselova (Mosk. Gos. Univ. im. Lomonosova, Moscow, USSR).
Izv. Akad. Nauk SSSR, Neorg. Mater. 3(11), 1979-83(1967)(Russ). CA Vol. 68, 117245 (1968).

117. Electronic structure of C_3^+ , C_3' , and C_3^- .
J. W. Nibler and J. W. Linnett³ (Univ. Cambridge, Cambridge, Engl.).
Trans. Faraday Soc. 64(Pt. 5), 1153-64(1968).
118. The vapor pressure and resistivity of selenium at high temperatures.
E. H. Baker (Imp. Coll. Sci. and Technol., London, Engl.).
J. Chem. Soc., A 1968(5), 1089-92.
119. Thermodynamics of the tungsten-oxygen system.
F. E. Rizzo, L. R. Bidwell, and D. F. Frank (Aerospace Res. Lab.,
Wright-Patterson Air Force Base, Ohio).
Trans. Met. Soc. AIME (Amer. Inst. Mining Met., Petrol. Eng.)
239(12), 1901-5(1967).
120. Electrochemical determination of the oxygen partial pressures in
steam-hydrogen mixtures and iron melts containing oxygen.
Wilhelm Anton Fischer and Dieter Janke (Max-Planck-Inst. Eisenforsch.,
Duesseldorf, Ger.).
Arch. Eisenhuettenw. 39(2), 89-99(1968)(Ger).
121. Direct mass-spectrometric sampling of high-pressure systems.
Thomas A. Milne and Frank T. Greene (Midwest Res. Inst., Kansas
City, Mo.).
Advan. Chem. Ser. No. 72, 68-82(1968).
122. Change of composition of $UC_{1-x}N_x$ in nitrogen gas.
Hiroshi Kai, Masahiro Katsura, and Tadao Sano (Osaka Univ.,
Osaka, Japan).
J. Nucl. Sci. Technol. 5(2), 43-7(1968).
123. Molecular-beam mass-spectrometric investigation of ammonia borane
and aminoborane vapors.
P. M. Kuznesof, D. F. Shriver, and F. E. Stafford (Northwestern
Univ., Evanston, Ill.).
J. Amer. Chem. Soc. 90(10), 2557-60(1968).
124. Reaction of Group VIII elements with base metal oxides in a
hydrogen stream.
H. Schulz, K. Ritapal, W. Bronger, and W. Klemm (Univ. Muenster/
Westf., Muenster/Westf., Ger.).
Z. Anorg. Allg. Chem. 357(4-6), 299-313(1968)(Ger).
125. Thermal dissociation of gallium antimonide.
Yu. T. Zakharov and M. S. Mirgalovskaya (Inst. Met. im. Baikova,
Moscow, USSR).
Izv. Akad. Nauk SSSR, Neorg. Mater. 3(11), 1998-2002(1967)(Russ).
CA Vol. 68, 118959 (1968).

**Announcement of New Bibliographies
on the High Temperature Chemistry
and Physics of Materials**

Superintendent of Documents,
Government Printing Office,
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Bureau of Standards Special Publication 315.

Name

Company

Address

City State Zip Code.....

(Notification Key N-380)

(cut here)



**Announcement of New Bibliographies
on the High Temperature Chemistry
and Physics of Materials**

Superintendent of Documents,
Government Printing Office,
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Bureau of Standards Special Publication 315.

Name

Company

Address

City State Zip Code

(Notification Key N-380)

