A11103 089752



NCE & TECHNOLOGY:

THE LX39 LATENT FINGERPRINT MATCHER



)-36

NBS Special Publication 500-36 U.S. DEPARTMENT OF COMMERCE National Bureau of Standards

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau's technical work is performed by the National Measurement Laboratory, the National Engineering Laboratory, and the Institute for Computer Sciences and Technology.

THE NATIONAL MEASUREMENT LABORATORY provides the national system of physical and chemical and materials measurement; coordinates the system with measurement systems of other nations and furnishes essential services leading to accurate and uniform physical and chemical measurement throughout the Nation's scientific community, industry, and commerce; conducts materials research leading to improved methods of measurement, standards, and data on the properties of materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government Agencies; develops, produces, and distributes Standard Reference Materials; and provides calibration services. The Laboratory consists of the following centers:

Absolute Physical Quantities² — Radiation Research — Thermodynamics and Molecular Science — Analytical Chemistry — Materials Science.

THE NATIONAL ENGINEERING LABORATORY provides technology and technical services to users in the public and private sectors to address national needs and to solve national problems in the public interest; conducts research in engineering and applied science in support of objectives in these efforts; builds and maintains competence in the necessary disciplines required to carry out this research and technical service; develops engineering data and measurement capabilities; provides engineering measurement traceability services; develops test methods and proposes engineering standards and code changes; develops and proposes new engineering practices; and develops and improves mechanisms to transfer results of its research to the utlimate user. The Laboratory consists of the following centers:

Applied Mathematics — Electronics and Electrical Engineering² — Mechanical Engineering and Process Technology² — Building Technology — Fire Research — Consumer Product Technology — Field Methods.

THE INSTITUTE FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides scientific and technical services to aid Federal Agencies in the selection, acquisition, application, and use of computer technology to improve effectiveness and economy in Government operations in accordance with Public Law 89-306 (40 U.S.C. 759), relevant Executive Orders, and other directives; carries out this mission by managing the Federal Information Processing Standards Program, developing Federal ADP standards guidelines, and managing Federal participation in ADP voluntary standardization activities; provides scientific and technological advisory services and assistance to Federal Agencies; and provides the technical foundation for computer-related policies of the Federal Government. The Institute consists of the following divisions:

Systems and Software — Computer Systems Engineering — Information Technology.

¹Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D.C. 20234. ²Some divisions within the center are located at Boulder, Colorado, 80303.

The National Bureau of Standards was reorganized, effective April 9, 1978.

COMPUTER SCIENCE & TECHNOLOGY: The LX39 Latent Fingerprint Matcher

Especial fe vicition, 11 5 36

AUG 1 6 1978

Cy "

no 50

J.H. Wegstein and J.F. Rafferty

Institute for Computer Sciences and Technology National Bureau of Standards Washington, D.C. 20234

Sponsored by:

Federal Bureau of Investigation J. Edgar Hoover Building Washington, DC 20535



U.S. DEPARTMENT OF COMMERCE, Juanita M. Kreps, Secretary

Dr. Sidney Harman, Under Secretary

Jordan J. Baruch, Assistant Secretary for Science and Technology

ປ S[,] NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director

Issued August 1978

Reports on Computer Science and Technology

The National Bureau of Standards has a special responsibility within the Federal Government for computer science and technology activities. The programs of the NBS Institute for Computer Sciences and Technology are designed to provide ADP standards, guidelines, and technical advisory services to improve the effectiveness of computer utilization in the Federal sector, and to perform appropriate research and development efforts as foundation for such activities and programs. This publication series will report these NBS efforts to the Federal computer community as well as to interested specialists in the academic and private sectors. Those wishing to receive notices of publications in this series should complete and return the form at the end of this publication.

National Bureau of Standards Special Publication 500-36 Nat. Bur. Stand. (U.S.), Spec. Publ. 500-36, 18 pages (Aug. 1978) CODEN: XNBSAV

Library of Congress Catalog Card Number: 78-606167

U.S. GOVERNMENT PRINTING OFFICE WASHINGTON: 1978

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402 Stock No. 003-003-01958-5 Price \$1.10

(Add 25 percent additional for other than U.S. mailing).

The LX39 Latent Fingerprint Matcher

J.H. Wegstein and J.F. Rafferty

A procedure is described for automatically determining if a latent scene-of-crime fingerprint matches an inked, rolled file fingerprint. The procedure uses the x and y coordinates and the individual directions of the minutiae (ridge endings and bifurcations). The identity of the latent print with a print on file is indicated by a high score resulting from computations based on differences in angle and coordinate values of minutiae that are found in going from one of the fingerprints to the other.

> Key words: Automated-fingerprintidentification, pattern recognition

> > 1. Introduction

An average rolled fingerprint impression exhibits about eighty ridge endings and forks or bifurcations in its ridge pattern. By comparing the data representing these minutiae, a computer can determine whether or not two fingerprint impressions came from the same finger. Figure 1 shows how the x and y coordinates and the direction θ are defined for a minutia. If the areas marked A are ridges then the minutia is a ridge ending, but if the areas marked B are ridges the pattern is a bifurcation. Since a ridge ending in one print may appear as a bifurcation in another print from the same finger, no distinction is made between ridge endings and bifurcations in recording data.

A portion of a fingerprint along with a plot of the corresponding minutiae are shown in Figure 2. The minutiae data are read automatically from the rolled impressions on fingerprint cards and in addition, the reader also produces ridge direction data at equally spaced grid-points over the entire print. In a fully automated identification system, this ridge-direction data is utilized in finding the core or "center" of a print as well as the angle through which the print should be rotated.¹ This registration information is used to translate and rotate the minutia data into a standard position. The ridge-direction data in the neighborhood of each minutia is also used to make slight corrections to the angle θ of that minutia. Those registered minutiae within a certain distance of the center are then sorted into a descending order on y and this data may then be placed in a file or used to search against minutia data in a previously established file.

While the high speed $M40^2$ and M41 matchers can compare data and identify rolled fingerprints, a different technique is used for

identifying latent fingerprints found at the scene of a crime. Latent prints often produce only a portion of a fingerprint with correspondingly fewer minutiae than can be read from rolled fingerprints. Some typical latent fingerprints along with their mates from fingerprint cards are shown in Figure 3.

Because of their poor quality, latent fingerprint minutiae are read by a fingerprint expert using a semi-automated reader.³ The semiautomatically read minutiae data from latent prints are then compared with the automatically read data from rolled prints by a special matcher that is slower and more elaborate than the high-speed rolled print matchers. It is often impossible to tell which of the ten fingers produced a latent print. Consequently, the search process is further delayed because the latent search print data must be compared with the data from several of the rolled prints on each file card.

The previously reported M40 matcher can be characterized as a two-stage matcher whose software version requires about 20ms to match a pair of prints and whose hardwired version matches a pair of prints in less than a millisecond. On the other hand, the LX39 latent print matcher described here is a seven stage matcher requiring about 100ms to match a pair of prints in its software version. This matcher includes a number of parameters that limit its time requirements at a slight risk of missing a match.

2. Selecting Minutiae - Stage I

In stage I, a box of parameter-determined size is centered on each of the search minutia and the enclosed file minutiae are tabulated in an array, JT, as shown in Table I. The angle of each of these tabulated file minutia must not differ from the angle of the corresponding search minutia by more than a parameter-determined limit (angles are measured in degrees and distance is measured in units of one-tenth millimeter).

Min. File Minutiae								
I	LM	LI	JTI	JT2	JT3	JT4	JT5	JT6
1	3	3	8	12	15	0	0	0
2	6	1	5	6	7	9	11	16
3	2	4	13	14	0	0	0	0
4	4	6	11	17	18	19	0	0
5	6	7	9	11	16	17	18	19
6	4	2 -	13	26	27	29	0	0
7	4	5	26	27	29	31	0	0
8	6	8	24	26	27	30	32	33
9	0	10	0	0	0	0	0	0
10	6	0	26	27	30	32	33	34

Search

Ta	bl	le	1.

For example, the box around search minutia 2 in Figure 4 encloses file minutiae 5,6,7,9,11,16 as indicated above. A parameter limits the number of file minutiae entered in the JT table to the first six found in the box and ignores 18 and 20. Column LM indicates the number of entries in each row. Column LI orders the rows in ascending order according to column LM. That is, the first value, LI=3, indicates that for I=3, LM₃=2 is the lowest value in column LM (zero excluded). The next value, LI=1 indicates that LM₁=3 is next lowest, and so on.

3. Trial Pair Selections - Stage II

The matcher next seeks pairs of search minutiae that coincide with pairs of file minutiae. The method of computing the score for a pairfit is shown in Figure 5. DG,DH,DI, and DJ must each be less than an appropriate parameter. Then a large score, MS, indicates that the two pairs of minutiae fit each other well.

Following the order indicated by column LI in Table 1, search minutia IA=3 is first placed on file minutia JA=13. The matcher then tries to place search minutia IB=1, being the next item in column LI, on file minutia JB=8 or 12 or 15. Failing this, it will try to put minutia IB=4 on JB=11. After a very few of these failures, as determined by a parameter, the matcher will return and place search minutia IA=3 on file minutia JA=14 followed by placing IB=1 on 8, 12, and 15 where the first fit occurs. The fits are recorded in Table 2. This procedure continues, but the table length is limited by the trial terminating parameters.

М	MIA	MJA	MIB	MJB
1 2 3 4 5 6 7 8 9	3 6 7 7 7 2 8 8	14 14 26 26 27 27 27 7 24 27	1 4 8 10 8 10 5 10 10	15 19 27 33 30 32 9 30 33

Table 2.

Search minutia MIA=3 sitting on file minutia MJA=14 agrees with search minutia MIB=1 sitting on file minutia MJB=15 as can be seen in Figure 4. 3 on 14 also would agree with 4 on 19. Table 2 indicates that 8 might sit on 24, 27, or 30 and this inconsistency is resolved by further computation.

4. Pair Ordering - Stage III

All of the pairs in Table 2 are arranged in descending order according to the number of times, NJJ, that a pair occurs. Duplicates are eliminated. Each pair now appears as NIA-NJA along with its NJJ in Table 3.

NQ

N	NIA	NJA	NJJ	JS	M-≫]	2	3	4	5	6	7	8	9	10	11	12	13	14
Y 1	• 3	14	2	291	-1	-1	16	-1	19	26	-1	22	-1	-1	-1	-1	-1	-1
2	• 8	27	2	297	-1	-1	13	-1	28	-1	11	19	-1	-1	-1	-1	-1	-1
3	•10	33	2	374	16	13	-1	-1	23	14	18	18	-1	-1	-1	-1	-1	-1
4	7	27	2	0	-1	-1	-1	-1	-1	-1	-1	-1	15	20	-1	-1	-1	-1
5	•]	15	1	290	19	28	23	-1	-1	-1	21	25	0	0	0	0	0	0
6	4	19	1	229	26	-1	14	-1	-1	-1	-1	16	0	0	0	0	0	0
7	6	26	1		-1	11	18	-1	21	-1	-1	-1	0	0	0	0	0	0
8	• 7	26	1		22	19	18	-1	25	16	-1	-1	0	0	0	0	0	0
9	8	30	1		-1	-1	-1	15	0	0	0	0	-1	-1	0	0	0	0
10	10	32	1		_1	-1	-1	20	0	0	0	0	- 1	-1	0	0	0	0
11	2	7	1		_1	-1	-1	-1	0	0	0	0	0	0	0	0	0	0
12	5	9	1		-1	-1	-1	-1	0	0	0	0	0	0	0	0	0	0
13	8	24	1		-1	-1	-1	-1	0	0	0	0	0	0	0	0	0	0
14	10	30	1		-1	-1	-1	-1	0	0	0	0	0	0	0	0	0	0

Table 3.

The number of entries in Table 3 is limited by parameter to 30 thereby setting a limit on the computation time required.

In these tables, the correct mating minutiae are marked with dots to follow their behavior in the course of the matching process. It has been found in experimental searches that the true mating minutiae tend to float or rise to the top of Table 3. In actual practice the NJJ values are usually higher than those in the example shown here.

5. Verification of Pairs - Stage IV

Each of the first six pairs of minutiae in Table 3 that has a NJJ>1 is compared with the rest of the entries in the table using the procedure described in Figure 5. The resulting MS score is entered as $NQ_{m,n}$ and $NQ_{n,m}$ in the array shown in Table 3. No computation is allowed if the NIA's or NJA's are the same. The -1's indicate that the computation failed to produce a match or that no computation is allowed. Zeros indicate that no computation was made.

From the NQ array it may be seen that pair 3 on 14 produces an MS score of 16 when tested with pair 10 on 33. A score of 19 occurs with pair 1 on 15 and so on. It can be seen from Table 3 that the true mating minutiae tend to produce the most scores along the appropriate rows of the NQ array.

6. The IS Score

The LX39 matcher computes two scores, IS and RS. Either or preferably both of these scores can be used in a latent print search. The IS score is obtained by examining each of the first six rows in the NQ array except for those rows where NJJ<1. Each row is scanned from left to right. Whenever a positive number is encountered, all of the other positive numbers in that column are added together. The total of these sums, JS, is the score for that row. For example, in row one, 16 produces a sum of 13 + 23 + 14 + 18 + 18 = 86; 19 produces a sum of 97; 26 produces 30; and 22 produces 78. Then JS = 86 + 97 + 30 + 78 = 291. The JS scores for the different rows are shown in Table 3. The highest of these JS scores, IS = 374 is one of the final scores for the fingerprint match.

7. Relocation of Search Print Center Point - Stage V

The pairs of mating minutiae named by the matrix row that produced the IS score are used to locate a new center point for the search minutiae data. In Table 3, the third row names pairs 1, 2, 5, 6, 7, 8.

To develop the formulas for this procedure it must be noted that prior to being placed in file, the file data were registered so that the core or center point of the finger print was at a standard location cx,cy. Therefore this point can be located relative to any file minutia F with datum XF,YF, θ F. In Figure 6, the point cx,cy can be located relative to F using angle ϕ and distance R where ϕ = θ F - AF.

If a search minutia S is supposed to lie on the file minutia F then a search print center xc,yc can be located relative to S using its datum, XS,YS, θ S along with R and ϕ as shown in Figure 6. Accordingly, each of the mating minutiae pairs named for getting IS is used to compute a point xc,yc. The resulting xc,yc points are in a small cluster and the center of this cluster (xx,yy), is taken as the new center point for the search minutiae. The angle, N, through which the search minutiae must be rotated is the mean value of $\Delta\theta$ where $\Delta\theta = \theta F - \theta S$ corresponding to each of the mating pairs of minutiae that were selected earlier.

8. Re-registration of Search Minutiae - Stage VI

The set of all search minutiae which had been centered at the standard location cx,cy are translated so that the point xx,yy is now at cx,cy and at the same time, the set is rotated through the angle *N*.

9. The RS Score - Stage VII

Once again considering the search minutiae to be superimposed on the file minutiae, a small parameter-determined box is centered on each search minutia. Any file minutia falling in this box with an angle that differs by only a small amount, determined by a parameter, from the search minutia angle is paired with the search minutia for determining the final matching score: RS. In the example used earlier, six mating pairs of minutiae emerge as shown in Figure 7.

М	Search	File
1 2 3 4 5	1 2 3 7 8	15 16 14 26 27 33
U		55

Table 4.

Note that one pair, 2 on 16, had not been used in previous stages of the matching process. The minutiae data of each of these pairs is used to compute a score, FRS, where:

 $FRS = constant - |XS - XF| - |YS - YF| - |\Theta S - \Theta F|$

The final score, RS, equals the summation of these FRS scores.

10. Testing the Matcher

In order to test the performance of the LX39 matcher, 50 latent fingerprints including the four shown in Figures 3 and 4 were read with a semi-automated reader by latent fingerprint experts. These prints were then searched against a file of fifty fingerprint cards where each card was known to contain a print corresponding to one of the latent prints. (For convenience, a search print was given the same identification number as the file card containing its mating print.) The minutiae data from eight fingers of each card (little fingers excluded) were read by a fully automatic minutiae reader.⁴

Because it was originally impossible to tell which of the ten fingers produced the latent prints, each latent print was compared with all eight fingerprints from each card in the file. That is, the LX39 matcher compared each search print with 400 file prints. For each search print, the highest and second highest RS scores were determined along with their appropriate card and finger identifications. The highest and next highest IS scores with their card and finger identifications were also determined. When each search print was being compared with the eight prints of a given file card, the sum of the eight RS scores, RST, was also computed and the sum of the IS scores, IST, was also computed. For each file search, the highest RST score with its card identification and the highest IST score with its card identification were then determined. The resulting card numbers and scores are tabulated on page 15. In this table, the matcher has produced six file card numbers for each search print. The search print is considered to be identified if any of these six numbers agrees with the number of the search print.

11. Experimental Results

The "hits" are marked by dots on page 15 and the 42 "identified" latents are marked with an X. Latent print number 12 (finger 9) shown in Figure 4 failed to achieve any of the highest RS scores, but it did get the highest IS score (374) as well as the highest IST score (488). Latents 23 and 54 shown in Figure 3 were identified (see page 15). Latent 20 failed to be identified in spite of the fact that matching minutiae from its true file mate were at the top of the NQ array during stage III of that comparison.

In this test there were five cases where the right card was hit by the wrong finger. In three of these cases the right finger was also hit by an even higher score as is shown in Table 5.

Case	Latent Finger Type	File Finger Type	Score
1	4-3 U	4-4 U	IS=1418, RS=133
2	22-2 W	22-3 W	IS=484
3	38-3 U	38-3 U	RS=208, IS=1538
	38-3 U	38-4 W	RS=143
4	70-2 W	70-2 W	RS=157, IS=850
	70-2 W	70-9 W	RS=103
5	88-8 W	88-8 W	RS=231, IS=1588
	88-8 W	88-6 W	RS=168, IS=1458

Table 5

In another experiment with the same prints where the minutiae data were read with a different semi-automated reader, there were seven of these cases of correct cards hit with wrong fingers. In these cases the contributing minutiae were examined on the fingerprints and were indeed found to match each other. This suggests that there is a tendancy for two or more fingers from the same person to have similar minutiae patterns. It would be interesting to compare minutiae patterns from the right hand with reflected patterns from the left hand where the ridge patterns are already known to often be similar. This experiment also suggests that latent examiners seeking to verify a hit should compare the latent print with other prints from the same card when a file print that was "hit" by a search fails to agree with the latent print.

12. Conclusion

The LX39 fingerprint matcher appears to be capable of making latent fingerprint identifications in a practical latent search system. The software version of the matcher requires about 100 ms to compare a pair of prints, and consequently a large file might require a hardware version of this matcher. The small number of prints tested here are not sufficient to predict the performance on a large file or to indicate how many retrieved cards for each search print must be examined by an expert to confirm identification.

The authors are indebted to R.M. Stock of the FBI for advice and assistance and to I.R. Futrell and J.E. Ridgely of the FBI for reading the latent print data. The work was financially supported by the FBI. The authors also appreciate the assistance of Masatada Seto of the National Police Bureau of Japan who was a guest worker at NBS for a year. 13. References

- 1. Wegstein, J.H., <u>Manual and Automated Fingerprint Registration</u>, National Bureau of Standards Technical Note 730, U.S. Government Printing Office, Washington, D.C., 1972
- 2. Wegstein, J.H., <u>The M40 Fingerprint Matcher</u>, National Bureau of Standards Technical Note 878, U.S. Government Printing Office, Washington, D.C., 1972
- 3. Moore, R.T., and Park, J.R., "The Graphic Pen, an Economical Semiautomatic Fingerprint Reader," <u>Proceedings of the 1977</u> <u>Carnahan Conference on Crime Countermeasures</u>, University of Kentucky, Lexington, Kentucky, 1977, p. 59-62.
- 4. Stock, R.M., "Automatic Fingerprint Reading," <u>Proceedings of the</u> <u>1972 Carnahan Conference on Electronic Crime Countermeasures</u>, University of Kentucky, Lexington, Kentucky, 1972, p. 16-28.



Figure 1. Definition of Minutia Data



Figure 2. A Portion of a Fingerprint with a Plot of Corresponding Minutiae



Figure 3. Latent search fingerprints (left) with mating rolled file fingerprints (right).



Figure 4. (Above), Latent search fingerprint with its mating file print (x2). (Below), a portion of file minutiae — \circ read automatically with superimposed latent minutiae — \star read manually on a semi-automated reader (x10).



Figure 5. Matching Pairs of Minutiae

- DG=|DT-DU| DH=|DS-DF| DI=|DU-DA| DJ=|DT-DA| DZ=Lesser of DI and DJ DW=Greater of DI and DJ
- Score: MS=Constant-DH-DZ-DW



Figure 6. Locating a New Search Minutiae Center





33.PX10.

Figure 7。 Final Minutiae Pairing

Search Print	St Card RS	2 nd Card RS	<i> St</i> Card RST	/ 5t Card IS	2 nd Card IS	1 5t Card IST
× I	1 250	78 181	46 706	1•4324	40 770	1.4672
× 4	78 150	4 • 133	46 483	4•1418	78 936	90 1884
X 6	62 118	60 117	12 477	6• 642	22 500	27 930
× 8	8 • 161	25 143	46 588	8 • 1350	40 610	46 2178
× 12	73 109	15 96	22 342	12• 374	15 232	12• 488
× 14	14 318	24 237	140 893	14•1528	64 1142	14•2884
× 15	63 190	90 189	62 927	90 1554	15 •1172	90 3138
× 17	17 229	90 221	90 1049	21 2244	76 1320	21 3298
19	14 92	46 87	43 210	14 210	46 162	46 326
20	8 131	88 115	83 425	15 436	8 408	15 784
X 21	21 243	93 178	88 804	21•2972	42 1072	21•4550
X 22	46 139		46 572	46 584	22 484	46 1228
$\times 23$	23 130	83 135	90 545	23 900	90 288	90 1000
		24 136	22 760	07 510	38 458	88 1108
~ 2 3	43 148		42 700	47 049	257 1337	25-7730
28	12 239	93 737	93 835	93 1274		42 2078
× 30	57 204	15 193	15 706	3001832	57 836	3001964
32	27 192	76 176	43 614	17 610	57 586	83 1044
X 34	44 180	34 165	25 480	71 1546	43 878	71 2144
X 38	38 208	38 • 143	380 548	38•1538	60 894	3801998
X 40	40 0 303	42 225	42 1063	40-1950	90 830	22 2400
X 42	63 221	42 • 204	4201147	4201982	73 1690	4207000
× 43	43 • 314	79 174	430 747	43#1870	14 898	4302800
\times 44	44 • 180	42 169	46 523	44#1398	21 574	4401770
X 46	46 • 365	42 227	62 861	4601720	62 858	4602196
× 54	15 115	54 90	540 225	54• 838	78 170	54• 934
55	63 155	12 148	40 658	63 1356	19 742	63 1562
X 57	57 • 164	88 147	46 638	57 1530	88 952	90 2048
X 60	88 179	60 • 156	88 684	62 682	88 682	88 2494
X 62	62 185	90 146	62• 834	62•2578	90 1172	6204078
χ_{03}	63 1/2	23 124	88 354	63 1046	83 536	63-1046
	40 0 245	77 178	2/ 7/8	42 1336	67 1120	67 1870
\mathbf{x}	70 0 157	70 • 103	29 350	700 850		700 029
× 71	710 283	24 188	27 633	7101756	12 1178	7102728
× 73	73 220	28 204	28 918	73 1838	28 1422	28 3316
X 76	54 128	40 124	760 590	90 694	27 510	7601116
×77	85 161	54 116	46 457	85 844	77• 734	22 1034
\times 78	78 • 181	38 168	46 582	12 898	6 656	40 1584
79	85 228	94 184	27 555	85 1642	71 1110	85 1956
80	57 105	54 99	22 383	43 416	8 278	43 514
×83	70 209	62 187	46 737	70 1616	83•1574	83•2348
$\times 84$	69 124	93 121	79 298	38 334	8 312	84• 842
× 85	85 231	12 154	850 720	8501338	40 798	85•2042
X 88	88 290	88 168	88• 777	88 1588	8801458	88•3906
X 90	90 232	6 197	900 978	90-1796	46 1310	90•3992
× 91	4 123	910 122	69 323	9101040	90 606	9101078
× 93	93 245	42 220	46 1018	93-1528	88 1282	93-3030
L ~ 94	940 202	93 164	93 800	94-2962	93 1438	93 3680

NBS-114A (REV. 7-73)						
U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET	1. PUBLICATION OR REPORT NO. NBS SP 500-36	2. Gov't Accession No.	3. Recipient'	s Accession No.		
4. TITLE AND SUBTITLE	5. Publicatio August	n Date 1978				
The LX39 Latent	6. Performing	g Organization Code				
7. AUTHOR(S)	nd .] E Pafforty		8. Performing	g Organ, Report No.		
9. PERFORMING ORGANIZAT	ION NAME AND ADDRESS		10. Project/T	ask/Work Unit No.		
			6004/	100		
DEPARTMEN WASHINGTO	NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234					
12. Sponsoring Organization Na	me and Complete Address (Street, City, S	tate, ZIP)	13. Type of R	eport & Period		
Federal Bure	au of Investigation		Covered			
J. Edgar Hoo	over Bldg.		Inte	erim		
Washington,	D.C. 20535		14. Sponsorin FBI	g Agency Code		
15. SUPPLEMENTARY NOTES						
Library of Congre	ss Catalog Card Number 78-60	06167				
 bibliography or literature su A procedure is fingerprint matches y coordinates and t bifurcations). The by a high score res nate values of minu other. 17. KEY WORDS (six to twelve name, senated by semicol	described for automatically an inked, rolled file fing the individual directions of identity of the latent pri- ulting from computations bas tiae that are found in going	determining if erprint. The pr the minutiae (r nt with a print sed on difference g from one of th	a latent s cocedure us dge endin on file is es in angl e fingerpr	cene-of-crime es the x and igs and indicated e and coordi- ints to the		
name; separated by semicolons) Automated-fingerprint-identification, pattern recognition						
18. AVAILABILITY	X Unlimited	19. SECURI (THIS RI	TY CLASS EPORT)	21. NO. OF PAGES 18		
For Official Distributio	n. Do Not Release to NTIS	UNCL AS	SIFIED			
Order From Sup. of Doc Washington, D.C. 2040	., U.S. Government Printing Office 2, <u>SD Stock No. SN003-003</u>	20. SECURI (THIS P	TY CLASS AGE)	22. Price \$1.10		
Order From National Te Springfield, Virginia 22	echnical Information Service (NTIS) 2151	UNCLAS	SIFIED	1 - 1 - 1 - 1		

USCOMM-DC 29042-P74

ANNOUNCEMENT OF NEW PUBLICATIONS ON COMPUTER SCIENCE & TECHNOLOGY

Superintendent of Documents, Government Printing Office, Washington, D. C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Bureau of Standards Special Publication 500-.

Name			<u>-</u>
Company	a ann an a		
Address			
City	State	Zip Code	

(Notification key N-503)



NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH—The Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology, and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. As a special service to subscribers each issue contains complete citations to all recent NBS publications in NBS and non-NBS media. Issued six times a year. Annual subscription: domestic \$17.00; foreign \$21.25. Single copy, \$3.00 domestic; \$3.75 foreign.

Note: The Journal was formerly published in two sections: Section A "Physics and Chemistry" and Section B "Mathematical Sciences."

DIMENSIONS/NBS

This monthly magazine is published to inform scientists, engineers, businessmen, industry, teachers, students, and consumers of the latest advances in science and technology, with primary emphasis on the work at NBS. The magazine highlights and reviews such issues as energy research, fire protection, building technology, metric conversion, pollution abatement, health and safety, and consumer product performance. In addition, it reports the results of Bureau programs in measurement standards and techniques, properties of matter and materials, engineering standards and services, instrumentation, and automatic data processing.

Annual subscription: Domestic, \$11.00; Foreign \$13.75

NONPERIODICALS

Monographs—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

Applied Mathematics Series—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a world-wide program coordinated by NBS. Program under authority of National Standard Data Act (Public Law 90-396). NOTE: At present the principal publication outlet for these data is the Journal of Physical and Chemical Reference Data (JPCRD) published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements available from ACS, 1155 Sixteenth St. N.W., Wash., D.C. 20056.

Building Science Series—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The purpose of the standards is to establish nationally recognized requirements for products, and to provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

Consumer Information Series—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

Order **above** NBS publications from: Superintendent of Documents, Government Printing Office, Washington, D.C. 20402.

Order following NBS publications—NBSIR's and FIPS from the National Technical Information Services, Springfield, Va. 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NBS Interagency Reports (NBSIR)—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Services (Springfield, Va. 22161) in paper copy or microfiche form.

BIBLIOGRAPHIC SUBSCRIPTION SERVICES

The following current-awareness and literature-survey bibliographies are issued periodically by the Bureau:

Cryogenic Data Center Current Awareness Service. A literature survey issued biweekly. Annual subscription: Domestic, \$25.00; Foreign, \$30.00.

Liquified Natural Gas. A literature survey issued quarterly. Annual subscription: \$20.00. Superconducting Devices and Materials. A literature survey issued quarterly. Annual subscription: \$30.00. Send subscription orders and remittances for the preceding bibliographic services to National Bureau of Standards, Cryogenic Data Center (275.02) Boulder, Colorado 80302.

U.S. DEPARTMENT OF COMMERCE National Bureau of Standards Washington, D.C. 20234

OFFICIAL BUSINESS

Penalty for Private Use, \$300





SPECIAL FOURTH-CLASS RATE BOOK