

NIST
PUBLICATIONS

REFERENCE

NIST SP 260

January 2010

V.1

To Order:

www.nist.gov/srm

Phone: 301-975-2200

Fax: 301-948-3730

Email: srminfo@nist.gov

SRM

NIST
Standard
Reference
Materials®
CatalogQC
100
457
#260
2010

Mail Orders

Mail Orders (in English) for all NIST SRMs/RMs should be directed to:

Standard Reference Materials Program
National Institute of Standards and Technology
100 Bureau Drive, Stop 2322
Gaithersburg, MD 20899-2322
USA

Telephone: (301) 975-6776/(301) 975-2200
Fax: (301) 948-3730
E-Mail: srminfo@nist.gov
www.nist.gov/srm

Each purchase order should give the number of units, SRM number, and name of each reference material requested.

Example:

1 unit, SRM 930e Glass Filters for
Spectrophotometry

The following information must be included with each order:

- end user contact information
- name of customer
- shipping address
- billing address
- telephone number
- fax number
- purchase order number
- a customer identification number, i.e.,
a social security number (SSN) for
consumer customers, tax identification
number (TIN) for commercial customers,
or agency code (ALC) for U.S. Government
customers

Note: NIST SRMs/RMs are only distributed in the units of issue listed in this catalog and its supplement (price list).

All purchase orders must be in English.

Receipt of an order does not imply acceptance of provisions set forth in the order that are contrary to the policies, practices, or regulations of the National Institute of Standards and Technology or the United States Government.

NIST SP 260 - 2010

Standard Reference Materials® Catalog

January 2010

*Editors: Regina R. Montgomery and
Joan C. Sauerwein*

Measurement Services Division
National Institute of Standards and Technology
Gaithersburg, MD 20899-2320
Robert L. Watters, Jr., Chief



U.S. Department of Commerce
Gary Locke, Secretary

National Institute of Standards and Technology
Patrick D. Gallagher, Director

Please visit our website
www.nist.gov/srm

Certain commercial entities, equipment, or materials may be identified in this document in order to describe an experimental procedure or concept adequately. Such identification is not intended to imply recommendation or endorsement by the National Institute of Standards and Technology, nor is it intended to imply that the entities, materials, or equipment are necessarily the best available for the purpose.

National Institute of Standards and Technology
Special Publication 260
Supersedes NIST SP 260, 2009
142 pages (January 2010)
CODEN: NSPUE2

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON: 2010

For sale by the Superintendent of Documents,
U.S. Government Printing Office
Internet: bookstore.gpo.gov
Phone: (202) 512-1800
Fax: (202) 512-2250
Mail: Stop SSOP, Washington, DC 20402-0001

NIST Standard Reference Materials® (SRMs) are used by industry, government, and academia to ensure the highest quality measurements. This catalog lists over 1100 individual reference materials produced and sold by NIST, each with carefully assigned values for chemical composition and physical properties.

SRMs find use in calibrating instruments and in assuring the long-term integrity of quality assurance programs. They are also key mechanisms for verifying important measurement results and in developing new measurement methods. SRMs provide users with tools to assist in establishing traceability of measurement results to NIST.

Each SRM comes carefully packaged with documentation containing assigned values with stated uncertainties and a material safety data sheet, if applicable. Details on use, stability, and NIST analytical methods are also included.

For further information and prices, contact us at:

Telephone: (301) 975-2200

Fax: (301) 948-3730

E-mail: srminfo@nist.gov

www.nist.gov/srm

PLEASE NOTE: The tables are presented to facilitate comparisons among a family of materials to help customers select the best SRM for their needs. For specific values and uncertainties, the certificate is the only official source.

The data given in this catalog is constantly being revised. For the most up-to-date information, please consult our website at <http://www.nist.gov/srm>.

■ Engineering Materials

- 1 SIZING
 - 1 Particle Size
 - 2 Cement Turbidity and Fineness
 - 2 Specific Surface Area of Powders
 - 2 Mercury Porosimetry Standards
 - 3 Particle Count Materials
- 3 SURFACE FINISH
 - 3 Abrasive Wear
 - 3 Surface Roughness
- 3 FIRE RESEARCH
 - 3 Surface Flammability
 - 4 Smoke Density Chamber
 - 4 Smoke Toxicity
 - 5 Flooring Radiant Panel
- 5 NONDESTRUCTIVE EVALUATION
 - 5 Artificial Flaw for Eddy Current NDE
- 5 PERFORMANCE ENGINEERING MATERIALS
 - 5 Fracture Toughness of Steels (Charpy V-Notch Test Blocks)
 - 6 Rockwell Hardness
 - 6 Microindentation Hardness (Knoop and Vickers Test Blocks)
 - 7 Tape Adhesion Testing
 - 7 Bleached Kraft Pulp
 - 7 Secondary Ferrite Number (FN) Materials
 - 7 Fracture Toughness of Ceramics
 - 7 Magnetic Moment Standards

■ Food & Agriculture

- 9 Nutrient Composition
- 10 Trace Elements in Food and Agricultural Products
- 10 Dietary Supplement Materials
- 10 Fertilizers
- 11 Wheat Hardness
- 11 Trace Elements in Botanicals
- 11 Whole Biomass Feedstock

■ Health & Clinical

- 13 Pure Crystalline Standards
- 13 Molecular Genetics Testing
- 13 Human Serum and Milk
- 14 Animal Blood Products
- 14 Calibration Solutions
- 15 Human Urine
- 15 Biomaterials
- 15 Miscellaneous Health-Related Materials

■ Forensics

- 17 Ethanol Solutions
- 18 Crime Scene Investigations
- 18 DNA Profiling
- 19 Drugs of Abuse in Human Hair and Urine

■ Environmental

- 21 CALIBRATION MATERIALS
 - 21 Calibration Solutions, Organic
 - 23 Calibration Solutions, Inorganic
 - 26 Organo-Metallic
- 27 BIOLOGICAL TISSUES
- 28 SOILS, SEDIMENTS, PARTICULATES AND WATER
- 30 GEOLOGICAL MATERIALS AND ORES
 - 30 Ores
 - 30 Ores Bioleaching Substrate
 - 31 Clays
 - 31 Chinese Ores
 - 32 Rocks and Minerals
 - 32 Refractories
- 32 MICROANALYSIS
 - 32 Elements in Metals
 - 32 Elements in Synthetic Glasses
 - 33 High Purity Liquids in Fuel Rating
- 33 FOSSIL FUELS AND RELATED MATERIALS
 - 35 Materials for Sulfur and Mercury
- 36 GASES
- 40 INDUSTRIAL HYGIENE
 - 40 Materials on Filter Media
 - 41 Trace Constituents Elements in Blank Filters
 - 41 Respirable Silica
 - 42 Lead in Paint, Dust, and Soil
 - 43 Asbestos
 - 43 Zeolites

■ High Purity Materials

- 45 Elemental Composition in High Purity Metals
- 46 Stoichiometric Standards
- 47 Microchemistry
- 48 Spectrometric Single Element Solutions
- 50 Anion Chromatography Solutions
- 50 Stable Isotopic Materials
- 51 Light Stable Isotopic Materials

■ Industrial Materials

- 53 FERROUS METALS
 - 53 Steels
 - 53 Low Alloy Steels
 - 55 Plain Carbon Steels
 - 55 Stainless Steels
 - 56 Special Low Alloy Steels
 - 57 Specialty Steels
 - 57 Tool Steels
 - 57 High Alloy Steels
 - 58 Steelmaking Alloys
 - 58 Cast Irons
 - 59 Cast Steels, White Cast Irons, and Ductile Irons
 - 59 High Temperature Alloys
 - 60 Gases in Metals: Iron and Steel
- 60 NONFERROUS METALS
 - 60 Aluminum Base Alloys
 - 61 Cobalt Base Alloys
 - 61 Copper "Benchmark"
 - 62 Copper Base Alloys
 - 63 Lead Base Alloys
 - 64 Lead Base Materials
 - 64 Solder Thickness
 - 64 Tin Base Alloys
 - 65 Nickel Base Alloys
 - 65 Nickel Oxides
 - 65 Trace Elements in Nickel Base Superalloys
 - 66 Titanium Base Alloys
 - 66 Hydrogen in Titanium
 - 66 Zirconium Base Alloys
 - 67 Zinc Base Alloys
 - 67 Microindentation Hardness
- 68 CERAMICS AND GLASSES
 - 68 Carbides
 - 68 Cemented Tungsten Carbides
 - 68 Trace Elements
 - 69 Glasses
- 69 GLASS
 - 69 Chemical Resistance of Glass
 - 70 Electrical Properties of Glass
 - 70 Viscosity of Glass
 - 70 Glass Liquidus Temperature
 - 71 Viscosity Fixpoints
 - 71 Relative Stress Optical Coefficient
 - 71 Density
- 72 CEMENTS
 - 72 Portland Cements
 - 72 Cement Turbidity and Fineness
 - 72 Portland Cement Clinkers
- 73 LUBRICANTS
 - 73 Lubricating Oil Ingredients
 - 73 Wear-Metals in Oil
 - 73 Carbon Modified Silica
 - 73 Used Auto Catalysts

TABLE OF CONTENTS

Physical Properties

75 ION ACTIVITY

- 75 pH Calibration
- 76 Biological Buffer Systems
- 76 pD Calibration
- 76 Ion-Selective Electrode Calibration
- 77 Electrolytic Conductivity
- 77 Positive Electrophoretic Mobility

78 POLYMERIC PROPERTIES

- 78 Molar Mass/Molecular Weight
- 78 Melt Flow Rate
- 79 Viscosity
- 79 Biomaterials

80 THERMODYNAMIC PROPERTIES

- 80 Calorimetry - Combustion
- 80 Calorimetry - Solution
- 80 Enthalpy and Heat Capacity
- 81 Differential Scanning Calorimetry
- 81 Differential Thermal Analysis
- 81 Defining Fixed Points, International Temperature Scale of 1990, ITS-90
- 82 Reference Points
- 82 Freezing Point, Melting Point, and Triple Point Cells
- 82 Thermal Expansion of Metal and Glass
- 82 Thermal Resistance of Glass, Silica, and Polystyrene
- 83 Vapor Pressure of Metals
- 83 Thermal Conductivity of Graphite and Iron
- 83 Thermocouple Material, Platinum

84 OPTICAL PROPERTIES

- 84 Molecular Transmittance and Absorbance
- 85 Transmittance Wavelength Standards
- 85 Fluorescence
- 85 Specular Spectral Reflectance
- 86 Optical Rotation
- 86 Liquid Refractive Index
- 86 X-ray and Photographic Imaging

87 ELECTRICAL PROPERTIES

- 87 Electrical Resistivity and Conductivity of Electrolytic Iron and Graphite
- 87 Electrical Resistivity and Conductivity of Silicon

88 OPTOELECTRONICS

88 METROLOGY

- 88 Optical Microscope Linewidth Measurement
- 88 Microscale Dimensional Measurement Standards
- 89 Scanning Electron Microscope (SEM)
- 89 Thin Film for Transmission Electron Microscope
- 89 Depth Profiling
- 90 Solder Thickness for X-ray Fluorescence
- 90 Coating Thickness
- 91 Superconducting Critical Current

91 CERAMICS AND GLASSES

- 91 Chemical Resistance [Durability]
- 91 Electrical Properties
- 92 Viscosity
- 92 Viscosity Fixpoints
- 92 Relative Stress Optical Coefficient
- 92 Density (glass & liquid)
- 93 Glass Liquidus Temperature

93 X-RAY SPECTROMETRY

- 93 X-ray Diffraction

Radioactivity

- 95 Alpha Particle Solution Standards
- 96 Beta Particle and Electron Capture Solution Standards
- 97 Gamma Point Source
- 97 Radiopharmaceutical Standards
- 98 Beryllium Isotopic Ratio Standards
- 98 Radiocarbon Dating Contemporary Standards
- 98 Environmental Natural Matrix Standards
- 99 Neutron Density Monitor Wire
- 99 Fission Track Glass

Industrial Hygiene

- 101 Materials on Filter Media
- 101 Trace Constituent Elements in Blank Filters
- 101 Respirable Silica
- 102 Lead in Paint, Dust, and Soil
- 103 Asbestos

Subject Index 104

Numeric Index 120



ENGINEERING MATERIALS

- 1 Sizing
- 3 Surface Finish
- 3 Fire Research
- 5 Nondestructive Evaluation
- 5 Performance Engineering Materials





SIZING

Particle Size

These SRMs are used for particle size measuring instruments, including light scattering, electrical zone flow-through counters, optical and scanning electron microscopes, sedimentation systems, and wire cloth sieving devices.

SRM	Particle Diameter Distribution ($\mu\text{m}/\text{nm}$)	Unit Size (g)
Glass Beads, Soda Lime		
1021	2 μm to 12 μm	4
1003c	20 μm to 50 μm (No. 635 to No. 325)	28
1004b	53 μm to 125 μm (No. 270 to No. 120)	43
1017b	106 μm to 355 μm (No. 140 to No. 45)	70
1018b	250 μm to 710 μm (No. 60 to No. 25)	87
1019b	850 μm to 2000 μm (No. 20 to No. 10)	200
Sand		
RM 8010	(No. 30 to No. 325)	3 \times 150 g
Silicon Nitride (equiaxed)		
659	0.2 μm to 10 μm	5 \times 2.5 g
Zirconium Oxide (irregular)		
1978	0.2 μm to 10 μm	5
1982	10 μm to 150 μm	10
Tungsten Carbide/Cobalt (spheroidal)		
1984	9 μm to 30 μm	14
1985	18 μm to 55 μm	14
Polystyrene Spheres		
Unit Size: 5 mL vial (unless otherwise noted)		
1690 (0.5 % in H_2O)	0.895 μm	
1691 (0.5 % in H_2O)	0.269 μm	
1961* (0.5 % in H_2O)	29.64 μm	
1963a** (0.5 % in H_2O)	0.1007 μm	
1964 (0.06 μm)	0.0639 μm	5 mL vial
1965 (Slide Mounted: 1 slide)	9.94 μm (hexagonal array)	
	9.89 μm (unordered clusters)	
Gold Nanoparticles		
8011	10 nm	2 ampoules: 5 mL each
8012	30 nm	2 ampoules: 5 mL each
8013	60 nm	2 ampoules: 5 mL each

*Developed in cooperation with NASA

**This SRM is limited to the calibration of electron microscope and surface scanning inspection systems (not suitable for applications where monosize, unagglomerated spheres are necessary).

Cement Turbidity and Fineness

SRM 46h is only to determine sieve residue according to ASTM C430. Each set consists of 10 sealed vials, each containing approximately 5g of cement.

SRM 114q is for calibrating the Blaine fineness meter according to the latest issue of ASTM C204, to calibrate the Wagner turbidimeter according to ASTM C115, to determine sieve residue according to ASTM C430, and to verify procedure for particle size distribution by a laser diffraction method (no-standard method available). Each set consists of 20 sealed vials, each containing approximately 5g of cement

SRM	Description	Properties Certified	Value	Unit Size
114q	Portland Cement	Residue on 45 μm (No. 325) sieve	0.79 %	set (20)
		Specific Surface Area (Wagner Turbidimeter)	2183 $\text{cm}^2 \text{g}^{-1}$	
		Specific Surface Area (Blaine Air Permeability Apparatus) Particle Size Distribution	3818 $\text{cm}^2 \text{g}^{-1}$ 1-128 μm	
46h	Portland Cement Fineness Standard	Sieve Residue (45 μm residue) (No. 325)	7.43 %	10 \times 5 g

Specific Surface Area (SSA) of Powders (Brunauer, Emmett, and Teller Method)

SRM	Description	Surface Area (m^2/g)			Unit Size (g)
		Multi-point	Calculated	Single Point	
1897	Specific Surface Area Standard	258.32		253.08	7
1899	Specific Surface Area Standard	10.52		10.67	4
1900	Specific Surface Area Standard	2.85		2.79	4
2696	Silica Fume		(22.92)*		70

*The surface area for 2696 was calculated from a combination of single-point, and multi-point calibrations.

Mercury Porosimetry Standards

SRM	Description	Unit Size (g)
1917	Mercury Porosimetry Standard (Alumina Beads)	10
1918	Mercury Porosimetry Standard (Extruded Silica-Alumina)	12





Particle Count Materials

These SRMs are suitable for use with particle sizing instrumentation, including optical counters, in accordance with National Fluid Power Association (NFPA) T2.9.6 R2-1998 and ISO/DIS 11171.

SRM	Description	Particle Concentration	Unit Size
2806a	Medium Test Dust in Hydraulic Fluid	2.8 mg/L	400 mL
RM 8631a	Medium Test Dust	1 μm to 50 μm	20 g
RM 8632	Ultrafine Test Dust	1 μm to 20 μm	20 g

SURFACE FINISH

Abrasive Wear

This SRM is suitable for use with ASTM G 65, Procedure A.

SRM	Description	Unit Size
1857	D-2 Tool Steel	2 blocks: 0.78 cm \times 2.5 cm \times 7.6 cm

Surface Roughness

 Unit Size: 25 mm \times 34 mm \times 12 mm

These SRMs are used for calibrating stylus instruments that measure surface roughness. These electroless-nickel coated steel blocks have a sinusoidal roughness profile machined on the top surface.

SRM	Description	Roughness, R_a (μm)	Wavelength, D (μm)
2071b	Sinusoidal Roughness	0.3	100
2073a	Sinusoidal Roughness	3	100
2074	Sinusoidal Roughness	1	40
2075	Sinusoidal Roughness	1	800

FIRE RESEARCH



Surface Flammability

This SRM is suitable for checking the operation of radiant panel test equipment in accordance with ASTM E 162-78.

SRM	Description	Certification	Unit Size (cm)
1002d	Hardboard Sheet	Flame Spread Index, I = 203 Heat Evolution Factor, Q = 42.0	4 sheets: 15.2 \times 45.7 \times 0.6

Cigarette Ignition Strength Standard

This SRM is intended for use by test laboratories to access and control their testing of cigarette ignition strength in accordance with ASTM Standard Methods E 2187-04 (or ASTM E2187-02b). The SRM unit consists of one carton of cigarettes containing 10 packs of 20 cigarettes each.

SRM	Description	Ignition Strength	Unit Size (cm)
1082	Cigarette Ignition Strength Standard	12.6%	200 cigarettes - one carton

Smoke Density Chamber

These SRMs are suitable for use with National Fire Protection Agency (NFPA) 258-1998. SRM 1006d is also suitable for use with ASTM E 662-95.

SRM	Description	Maximum Specific Optical Density (D_m (corr.))	Unit Size (cm)
1006d	Non-Flaming Exposure Condition (paper)	193	9 sheets: 17.2 × 25.4 × 0.165
1007b	Flaming Exposure Condition (plastic)	388 to 512	1 sheet: 25.4 × 25.4 × 0.076



Smoke Toxicity

SRM	Description	Combustion on Mode	Observation Time	Values		Unit Size
				LC ₅₀	N-Gas	
1048	Cup Furnace Smoke Toxicity Method Standard (ABS copolymer)	Flaming	WE*	27	1.4	8 sheets: (16 × 16 × 0.76) mm
			WE & PE**	25	1.5	
		NonFlaming	WE*	58	1.2	
			WE & PE**	53	1.4	
1049	University of Pittsburgh I Smoke Toxicity Method Standard (Nylon 6/6)		30 min exposure, plus 10 min post-exposure	4.4		150 g

*WE = within 30 minutes

**WE & PE = 30 minutes + 14 days



Flooring Radiant Panel

This SRM is suitable for use with ASTM E 648-78 and NFPA 253-1978.

SRM	Description	Critical Radiant Flux	Unit Size (cm)
1012	Flooring Radiant Panel (Kraft Paperboard)	0.36 W/cm ²	3 sheets: 104.1 × 25.4 × 0.305

NONDESTRUCTIVE EVALUATION

Artificial Flaw for Eddy Current NDE

RM	Description	Flaw Size	Unit Size
8458	Artificial Flaw (Aluminum Alloy)	3.0 mm × 0.1 mm	7 cm × 7 cm × 2 cm

PERFORMANCE ENGINEERING MATERIALS

Fracture Toughness of Steels (Charpy V-Notch Test Blocks) and Izod Impact

Unit Size: set of 10 mm × 10 mm × 54 mm specimens

These SRMs are suitable for use with ASTM E 23 and ISO/DIS 12736.

SRM	Description	Energy Range (J)
2092	Low Energy (4340 Alloy Steel)	13 to 20
2096	High Energy (4340 Alloy Steel)	88 to 136
2098	Super High Energy (Maraging Steel)	176 to 244
2115	Low Energy Izod	13 to 25



Rockwell Hardness

Unit size: 60 mm diameter × 15 mm

SRM	Description	Nominal Hardness (HRC)
2810	Rockwell C Scale Hardness - Low Range	25
2811	Rockwell C Scale Hardness - Mid Range	45
2812	Rockwell C Scale Hardness - High Range	63

Microindentation Hardness (Knoop and Vickers Test Blocks)

Unit Size: 1.15 cm × 1.15 cm (unless otherwise noted)

These SRMs are suitable for use with ASTM E 384.

SRM	Description	Load (N)	Hardness (kg/mm ²)
Copper, Bright			
1893	Knoop	0.245, 0.49, 0.98	125
Nickel, Bright			
1894a	Vickers	0.245, 0.49, 0.98	125
1895	Knoop	0.245, 0.49, 0.98	600
1896b	Vickers	0.245, 0.49, 0.98	600
1905	Knoop	2.943	600
1906	Knoop	4.905	600
1907	Knoop	9.81	600
1908	Vickers	2.943	500
1909	Vickers	9.81	500
2798a	Vickers	4.905	600
Silicon Nitride, Ceramic			
2830 (22 mm diameter × 9.54 mm)	Knoop	19.6	1500
Tungsten Carbide, Ceramic			
2831 (25 mm diameter × 9.5 mm)	Vickers	9.8	1530



Tape Adhesion Testing


This SRM is suitable for use with ASTM D 2860 and ASTM D 3654.

SRM	Description	Unit Size
1810a	Linerboard for Tape Adhesion Testing	50 sheets: 21.6 cm × 28 cm

Bleached Kraft Pulp

These RMs are intended primarily for use in fundamental studies on the physical properties of fibers and paper sheets. No extensive property measurements have been made on these materials beyond ensuring that they were within the control limits of the normal production run.

RM	Description	Unit Size
8495*	Northern Softwood	10 standard lap sheets: 0.5 kg each
8496*	Eucalyptus Hardwood	10 standard lap sheets: 0.5 kg each



*Developed in cooperation with the Pulp Material Research Committee

Secondary Ferrite Number (FN) Materials

The RMs are suitable for use with ANSI/AWS A4.2 and ISO 8249.

RM	Ferrite Number	Unit Size (mm)
8480	0 to 30	10 × 12 × 20
8481	30 to 120	10 × 12 × 20

Fracture Toughness of Ceramics

Unit Size: 3 mm × 4 mm × (45 to 47) mm

SRM	Description	Fracture Toughness (MPa · m ^{1/2})	No. of Specimens
2100	Silicon Nitride Flexure Specimens	4.57	5

Magnetic Moment Standards

SRM	Description	Certified Property	Unit Size
762	Nickel Disk	Specific Magnetization	disk: 6 mm diameter × 0.13 mm
764a	Magnetic Susceptibility Standard Platinum	Magnetic Moment	cylinder: 2 mm diameter × 3.42 mmL
772a	Nickel Sphere	Magnetic Moment	sphere: 2.383 mm diameter sphere
2853	Yttrium Garnet Sphere	Magnetic Moment	sphere: 1 mm diameter (2.8 mg)

FOOD & AGRICULTURE

- 9 Nutrient Composition
- 10 Dietary Supplement Material
- 10 Trace Elements in Food and Agricultural Products
- 10 Fertilizers
- 11 Wheat Hardness
- 11 Trace Elements in Botanicals
- 11 Whole Biomass Feedstock






FOOD & AGRICULTURE

Nutrient Composition

SRM/RM	Description	Certified Constituents	Unit Size (g)
1544	Fatty Acids and Cholesterol in Frozen Diet Composite	Cholesterol, Fatty Acids, Calcium, Iron, Sodium	4 × 15 g
1546	Meat Homogenate	Cholesterol, Fatty Acids, Proximates, Minerals	4 × 85 g
1548a	Typical Diet	Minerals, Trace Elements,	2 × 6.5 g
1563	Cholesterol and Fat-Soluble Vitamins in Coconut Oil	Cholesterol, dl- α -Tocopheryl Acetate	10 ampoules: 5 fortified, 5 natural
1566b	Oyster Tissue	Trace Elements	25 g
1570a	Trace Elements in Spinach Leaves	Trace Elements, Minerals	60 g
1845	Cholesterol in Whole Egg Powder	Cholesterol	35 g
1849	Infant/Adult Nutritional Formula	Proximates, Fatty Acids, Vitamins, Elements, Amino Acids, Nucleotides	10 × 10 g
1946	Lake Superior Fish Tissue	Fat, Fatty Acid, Pesticides, Polychlorinated Biphenyls (PCBs), Mercury, Methylmercury	5 × 7 g to 9 g
1947	Lake Michigan Fish Tissue	Trace Elements, Mercury, Methylmercury, Polychlorinated Biphenyls (PCBs), Chlorinated Pesticides, Polybrominated Diphenyl Ether (PBDEs)	40 g
2383	Baby Food Composite	Carotenoids, Vitamins	4 × 70 g
2384	Baking Chocolate	Fat, Fatty Acids, Calcium, Iron, Caffeine, Theobromine, Catechins	5 × 91 g
2385	Slurried Spinach	Elements, Carotenoids,	4 × 70 g
2387	Peanut Butter	Fat, Fatty Acids, Elements, Tocopherols	3 × 170 g
RM 8445	Spray Dried Whole Egg for Allergen Detection	—	5 g



Distribution of SRMs in the AOAC Food Matrix Triangle

- | | | |
|-------------|--------------|-------------|
| 1. SRM 1563 | 6. SRM 1548a | 9. SRM 1946 |
| 2. SRM 2384 | SRM 1849 | SRM 1947 |
| 3. SRM 2387 | SRM 1544 | SRM 1974b |
| 4. SRM 1546 | SRM 1566b | SRM 3244 |
| | SRM 1570a | |
| | SRM 2385 | |



Trace Elements in Food and Agricultural Products

For more information, see Table 110.3 USA/Canada Collaborative Materials on our website www.nist.gov/srm. These SRMs and RMs are for use in evaluating analytical methods and instruments used for the determination of major, minor, and trace constituent elements.

SRM	Description	Unit Size (g)
1548a	Typical Diet	2 × 6.5 g
1549	Non-fat Milk Powder	100
1566b	Oyster Tissue	25
1567a	Wheat Flour	80
1568a	Rice Flour	80
1570a	Spinach Leaves	60
1577c	Bovine Liver	50

* Developed by Agriculture Canada in cooperation with NIST: reference values assigned

Dietary Supplement Materials

SRM	Description	Unit Size (g)
3240	<i>Ephedra sinica</i> Stapf Aerial Parts	10 × 5 g
3241	<i>Ephedra sinica</i> Stapf Native Extract	10 × 1.2 g
3242	<i>Ephedra sinica</i> Stapf Commercial Extract	10 × 1.2 g
3243	Ephedra-Containing Solid Oral Dosage Form	10 × 2.5 g
3244	Ephedra-Containing Protein Powder	10 × 12 g
3245	Ephedra Dietary Supplement Suite	2 bottles each of SRMs 3240 to 3244
3246	<i>Ginkgo biloba</i> Leaves	5 × 3 g
3247	<i>Ginkgo biloba</i> Extract	5 × 1 g
3248	Ginkgo Containing Tablets	5 × 1 g
3249	Ginkgo Dietary Supplement Suite	2 bottles each of SRMs 3246 to 3248
3250	<i>Serenoa repens</i> (fruit)	5 × 6 g
3251	<i>Serenoa repens</i> (extract)	5 × 1 g
3258	Bitter Orange Plant	5 × 5 g
3259	Bitter Orange Extract	5 × 1.2 g
3260	Orange Finished Product	5 × 2.5 g
3274	Botanical Oils Containing Omega-3 and Omega-6 Fatty Acids	
3276	Carrot Extract Oil	5 × 1 mL
3280	Multivitamin Tablets	5 bottles × 30 Tablets each

Fertilizers (powder form)

These SRMs are intended for use as working standards in the calibration and standardization of procedures employed in the fertilizer industry.

SRM	Description	Unit Size (g)
120c	Phosphate Rock (Florida)	90
193	Potassium Nitrate	90
194	Ammonium Dihydrogen Phosphate	90
200a	Potassium Dihydrogen Phosphate	90
694	Phosphate Rock (Western)	90
695	Multi-Nutrient Fertilizer	70



Wheat Hardness

This Reference Material (RM) was prepared and analyzed by the Federal Grain Inspection Service (FGIS) program, Grain Inspection Packers and Stockyards Administration of the U.S. Department of Agriculture. It is intended primarily for use in calibrating instruments used for determination of hardness of bulk or single kernel wheat.

RM	Description	Wheat Numbers
8441a*	Wheat Hardness	Hard-1 through Hard-5; 5 × 5 pouches each (20 g/pouch) Soft-1 through Soft-5; 5 × 5 pouches each (20 g/pouch)

* Developed by the U.S. Department of Agriculture

Trace Elements in Botanicals

These SRMs and RMs are for use in evaluating the reliability of analytical methods for the determination of major, minor, and trace elements in botanical materials, agriculture food products, and materials of similar matrix. The materials can be used for quality assurance when assigning values to in-house control materials.

SRM	Description	Unit Size (g)
1515	Apple Leaves	50
1547	Peach Leaves	50
1570a	Spinach Leaves	60
1573a	Tomato Leaves	50
2695*	Fluoride in Vegetation	2 × 25 g



* Developed in cooperation with Aluminum Association, Inc.

Whole Biomass Feedstock*

These RMs are intended for use in evaluating analytical methods for the determination of summative composition of lignocellulosic materials (hardwood, softwood, herbaceous biomass, and agriculture residues). The RMs can also be used for quality assurance when assigning values to in-house control materials.

RM	Description	Reference Constituents
8491	Sugarcane Bagasse	Ash, Ethanol Extractives, Acid-Soluble Lignin,
8492	Populus Deltoides	Acid-Insoluble Lignin, Total Lignin, Glucuronic Acid,
8493	Monterey Pine	Arabinan, Xylan, Mannan, Galactan, Glucan
8494	Wheat Straw	

* Developed by the International Atomic Energy Agency (IAEA) Biomass Annex, and NIST

HEALTH & CLINICAL

- 13 Pure Crystalline Standards
- 13 Molecular Genetics Testing
- 13 Human Serum and Milk
- 14 Animal Blood Products
- 14 Calibration Solutions
- 15 Human Urine
- 15 Biomaterials
- 15 Miscellaneous Health-Related Standards





Pure Crystalline Standards

SRM	Description	Purity (%)	Unit Size (g)
998	Angiotensin I (Human)	94.1	0.5
916a	Bilirubin	98.3	0.1
915b	Calcium Carbonate	99.9	20
911c	Cholesterol	99.2	2
921	Cortisol (Hydrocortisone)	98.9	1
914a	Creatinine	99.7	10
917c	D-Glucose (Dextrose)	99.7	50
920	D-Mannitol	99.8	50
937	Iron Metal (Clinical)	99.90	50
928	Lead Nitrate	100.00	30
924a	Lithium Carbonate	99.9	30
929a	Magnesium Gluconate Dihydrate	5.403 Mg	5
918b	Potassium Chloride	99.9817	30
919b	Sodium Chloride	99.8	30
1595	Tripalmitin	99.5	2
912a	Urea	99.9	25
913a	Uric Acid	99.6	10
925	VMA (4-hydroxy-3-methoxy-DL-mandelic acid)	99.4	1
8327	Peptide Reference Material for Molecular Mass and Purity Measurements	Amino Acid Residues Range: 11-26	Set of 3 Peptides
8395	Tissue Engineering Reference, Scaffold	1 scaffold	200
8396	Tissue Engineering Reference, Scaffold	1 scaffold	300
8396	Tissue Engineering Reference, Scaffold	1 scaffold	450

* Values in parentheses are not certified and are given for information only.

Molecular Genetics Testing

SRM	Description	Unit Size
2392, 2392-I	Mitochondrial DNA Sequencing	65 µL vial
2399	Fragile X-Human DNA Triplet Repeat	set (9)
2372	Human DNA Quantitation	set (3 × 1 each)

Human Serum and Milk

SRM	Description	Certified Constituents	Reference	Form	No. of Levels
909b	Human Serum	Calcium, Chloride, Cholesterol, Creatinine, Lithium, Magnesium, Potassium, Sodium, Total Glycerides, Triglycerides, Urea, and Uric Acid	Bilirubin	Lyophilized	2

Human Serum and Milk (continued)

SRM	Description	Certified Constituents	Reference	Form	No. of Levels
900	Antiepilepsy Drug Level Assay	Antiepileptics (4)		Lyophilized	3
956c	Electrolytes in Frozen Human Serum	Total Ca, Li, Mg, K, Na	Ionized Ca	Frozen	3
965a	Glucose in Frozen Human Serum	Glucose		Frozen	3
967	Creatinine in Frozen Serum	Creatinine		Frozen	2
968d	Fat-Soluble Vitamins, Carotenoids, and Cholesterol in Human Serum	Vitamins (4), Cholesterol, Carotenoids (4)	Carotenoids (8), Vitamin D	Lyophilized	2
970	Ascorbic Acid in Frozen Human Serum	Total Ascorbic Acid		Frozen	2
971	Hormones in Frozen Serum	—	—		
972	Vitamin D in Human Serum	—	—		4
1951b	Lipids in Frozen Human Serum	Total Cholesterol, Total Glycides, Triglycerides		Frozen	2
1952a	Cholesterol in Human Serum (Freeze-dried)	Cholesterol		Lyophilized	3
1953	Organic Contaminants in Non-Fortified Human Milk				
1954	Organic Contaminants in Fortified Human Milk				
1955	Homocysteine and Folate in Human Serum	Homocysteine 5-Methyltetrahydrofolic acid	Total Folate, Folic Acid	Frozen	3
1957	Organic Contaminants in Non-Fortified Human Serum	PCB Congeners, Chlorinated Pesticides, PBDE Congeners			
1958	Organic Contaminants in Fortified Human Serum	PCFs, dioxins/furans			
1599	Anticonvulsant Drug Level Assay (valproic acid and carbamazepine)	valproic acid carbamazepine		Lyophilized	1


Animal Blood Products

SRM	Description	Certified Constituents	Reference Constituents	Form	No. of Levels
1598a	Inorganic Constituents in Animal Serum	Elements (13)	—	Frozen	1
955c	Lead in Caprine Blood	Pb	—	Frozen	4
966	Toxic Metals in Bovine	Pb, Cd	Pb, Cd, Total Hg, Inorganic Hg	Frozen	2

Calibration Solutions for Determination of Proteins and Amino Acids

SRM	Description	Certified Constituents	Reference Values	Form	No. of Levels
927d	Bovine Serum Albumin (7 % Solution)	Protein Concentration	11 values	Solution	1
2921	Cardiac Troponin Complex	cTnI Concentration	cTnT, cTnC	Solution	1
2389a	Amino Acids in HCl	17 Amino Acids	—	Solution	1

Human Urine



SRM	Description	Unit Size
2669	Arsenic Species in Frozen Human Urine	10 × 2 mL each
2670a	14 Elements	2 × 20 mL
2672a	Mercury	2 × 20 mL
1507b	THC-COOH in Freeze-Dried Urine	set (3)
1508a	Benzoylgonine (Cocaine Metabolite) in Freeze-Dried Urine	set (4)
1511	Multi Drugs of Abuse in Urine	3 bottles
2381	Morphine and Codeine in Urine	set (4)
2382	Morphine Glucuronide in Urine	set (4)
RM 8444	Cotinine in Freeze-Dried Human Urine	set

Biomaterials


SRM/RM	Description	Certified Properties	Reference Properties	Unit Size
2910a	Calcium Hydroxyapatite	Calcium Phosphorus Specific Surface Area Ca/P Molar Ratio Solubility Product		2 g (powder)
8011	Gold Nanoparticles, Nominal 10 nm Diameter		- Reference Values for Particle Size - Information Values for Chemical and Electrochemical Properties	2 × 5 mL ampoules
8012	Gold Nanoparticles, Nominal 30 nm Diameter		- Reference Values for Particle Size - Information Values for Chemical and Electrochemical Properties	2 × 5 mL ampoules
8013	Gold Nanoparticles, Nominal 60 nm Diameter		- Reference Values for Particle Size - Information Values for Chemical and Electrochemical Properties	2 × 5 mL ampoules
8385	Ultra High Molecular Weight Polyethylene Wear Particles		- Reference Particle Size Populations - Information Values for Diameter of the Packed Rounded UHMWPE Particles - Information Values for Aspect Ratio and Length of the Packed Elongated UHMWPE Particles	5 ml vials
8456	Ultra High Molecular Weight Polyethylene		Young's Modulus Yield Strength Ultimate Strength Elongation	3 in diameter × 60 in (bar) (7.62 cm diameter × 152.4 cm)
8457	Ultra High Molecular Weight Polyethylene		Young's Modulus Yield Strength Ultimate Strength Elongation	10 (0.5 cm) c

Miscellaneous Health-Related Materials

SRM	Description	Certified Constituents	Form	Unit Size
1400	Bone Ash	Elements (8)	Powdered	50 g
1486	Bone Meal	Elements (8)	Powdered	50 g

FORENSICS

- 17 Ethanol Solutions
- 18 Crime Scene Investigations
- 18 DNA Profiling
- 19 Drugs of Abuse in Human Hair and Urine





Ethanol Solutions

These SRMs are for use in the calibration of instruments and techniques for the determination of ethanol (ethyl alcohol) in breath and blood.

SRM	Description
1828b	Ethanol-water Solution (Blood-alcohol Testing: six levels)
1847	Ethanol-water Solution (Breath-alcohol Testing: three levels)
2891	Ethanol-water Solution (nominal 0.02% by mass)
2892	Ethanol-water Solution (nominal 0.04% by mass)
2893	Ethanol-water Solution (nominal 0.08% by mass)
2894	Ethanol-water Solution (nominal 0.1% by mass)
2895	Ethanol-water Solution (nominal 0.2% by mass)
2896	Ethanol-water Solution (nominal 0.3% by mass)
2897	Ethanol-water Solution (nominal 2% by mass)
2898	Ethanol-water Solution (nominal 6% by mass)
2899	Ethanol-water Solution (nominal 25% by mass)
2900	Ethanol-water Solution (nominal 95.6% by mass)



SRM/RMs for Crime Scene Investigations



SRM/RM	Description	Certified/Reference Constituents	Unit Size
2460	Standard Bullet		1 each
RM 8107	Additives in Smokeless Powder	4 components	5 g
2285	Arson Test Mixture in Methylene Chloride	15 components	5 x 1.2 mL

DNA Profiling/Crime Scene Investigations

SRMs 2390, and 2391 b are intended for use in the standardization of forensic and paternity quality assurance procedures and instructional law enforcement or non-clinical research purposes.



SRM	Description	Unit Size
2372	Human DNA Quantitation Standard	3 components: 1 box
2390	DNA Profiling Standard - RFLP	20 components
2391b	PCR-Based DNA Profiling Standard	12 components
2392	Human Mitochondrial DNA Sequencing	3 components
2392-I	Human Mitochondrial DNA Sequencing	1 component
2394	Heteroplasmic Mitochondrial DNA Mutation Detection Standard	10 components
2395	Human Y-Chromosome DNA Profiling Standard	6 components
2396	Oxidative DNA Damage Mass Spectrometry Standard	12 components: 1 box
2399	Fragile X Human DNA Triplet Repeat Standard	9 components: 1 box



Drugs of Abuse in Human Hair and Urine

SRM/RM	Description	Certified Constituents	Reference Constituent	Form	Unit Size
1508a	Cocaine Metabolite in Urine	Benzoylcegonine		Lyophilized	3 levels, plus 1 blank
RM 8444	Cotinine in Urine		Cotinine (nicotine metabolite)	Lyophilized	2 levels, plus 1 blank
1507b	Marijuana Metabolite in Urine	THC-9-COOH		Lyophilized	3 levels, plus 1 blank
2379	Drugs of Abuse in Human Hair I	6			100 mg
2380	Drugs of Abuse in Human Hair II	4			100 mg
2381	Morphine and Codeine in Urine	Morphine and Codeine		Lyophilized	3 levels, plus 1 blank
2382	Morphine Glucuronide in Urine	Free Morphine		Lyophilized	3 levels, plus 1 blank
1511	Multi Drugs of Abuse in Urine	Drugs of Abuse (5)		Lyophilized	1 level



ENVIRONMENTAL

- 21 Calibration Materials
- 27 Biological Tissues
- 28 Soils, Sediments, Particulates
and Water
- 30 Geological Materials
and Ores
- 32 Microanalysis
- 33 Fossil Fuels and Related
Materials
- 36 Gases
- 40 Industrial Hygiene



CALIBRATION MATERIALS

Calibration Solutions, Organic

SRM/RM	Description	Certified Constituents	Reference Constituents	Unit Size
3000	Benzene in Methanol	1	—	2 x 2.5 mL
3001	Toluene in Methanol	1	—	2 x 2.5 mL
3002	Ethylbenzene in Methanol	1	—	2 x 2.5 mL
3003	o-Xylene in Methanol	1	—	2 x 2.5 mL
3004	m-Xylene in Methanol	1	—	2 x 2.5 mL
3005	p-Xylene in Methanol	1	—	2 x 2.5 mL
3006	Carbon Tetrachloride in Methanol	1	—	2 x 2.5 mL
3008	Methylene Chloride in Methanol	1	—	2 x 2.5 mL
3009	1,2-Dichloropropane in Methanol	1	—	2 x 2.5 mL
3010	Tetrachloroethene (Tetrachloroethylene) in Methanol	1	—	2 x 2.5 mL
3011	1,1,1-Trichloroethane in Methanol	1	—	2 x 2.5 mL
3012	1,2-Dichloroethane in Methanol	1	—	2 x 2.5 mL
3014	1,2,3-Trichloropropane in Methanol	1	—	2 x 2.5 mL
3015	Isopropylbenzene in Methanol	1	—	2 x 2.5 mL
3016	sec-Butylbenzene in Methanol	1	—	2 x 2.5 mL
3063	2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD) in Methanol	1	—	5 x 1.2 mL
3064	Endothall in Water	1	—	5 x 1.2 mL
3067	Toxaphene in Methanol	Total Toxaphene	—	5 x 1.2 mL
3068	Chlordane in Methanol	Total Chlordane	—	5 x 1.2 mL
3071	Glyphosate in Water	1	—	5 x 1.2 mL
3072	Diquat Dibromide Monohydrate in Water	1	—	5 x 1.2 mL
3074	Phalates/Adipate in Methanol	6	1	5 x 1.2 mL
3075	Aroclor 1016 in Transformer Oil	Total Aroclor	—	5 x 1.2 mL
3076	Aroclor 1232 in Transformer Oil	Total Aroclor	—	5 x 1.2 mL
3077	Aroclor 1242 in Transformer Oil	Total Aroclor	—	5 x 1.2 mL
3078	Aroclor 1248 in Transformer Oil	Total Aroclor	—	5 x 1.2 mL
3079	Aroclor 1254 in Transformer Oil	Total Aroclor	—	5 x 1.2 mL
3080	Aroclor 1260 in Transformer Oil	Total Aroclor	—	5 x 1.2 mL
3081	Aroclor 1016 in Methanol	Total Aroclor	—	5 x 1.2 mL
3082	Aroclor 1232 in Methanol	Total Aroclor	—	5 x 1.2 mL
3083	Aroclor 1242 in Methanol	Total Aroclor	—	5 x 1.2 mL
3084	Aroclor 1248 in Methanol	Total Aroclor	—	5 x 1.2 mL
3085	Aroclor 1254 in Methanol	Total Aroclor	—	5 x 1.2 mL
3086	Aroclor 1260 in Methanol	Total Aroclor	—	5 x 1.2 mL
3090	Aroclors in Transformer Oil (set SRMs 3075-3080)	Total Aroclor	—	6 x 1.2 mL
3091	Aroclors in Methanol (set SRMs 3081-3086)	Total Aroclor	—	6 x 1.2 mL
8504	Transformer Oil	(Diluent)	Total Aroclor	1 x 100 mL



ENVIRONMENTAL

Calibration Solutions, Organic (continued)

For more information, see Table 109.1 on our website www.nist.gov/srm

SRM/RM	Description	Certified Constituents	Reference Constituents	Unit Size
1582	Petroleum Crude Oil	PAHs (5), PASH (1)	PAHs (5), Phenols (2), PANH (1)	5 ampoules
1584	Priority Pollutant Phenols in Methanol	Phenols (10)	Phenols (1)	5 x 1.2 mL
1586	Isotopically Labeled and Unlabeled Priority Pollutants in Methanol	Priority pollutants (10)	—	6 x 1.2 mL
1639	Halocarbons (in Methanol) for Water Analysis	Halocarbons (7)	—	5 x 1.2 mL
1494	Aliphatic Hydrocarbons in 2, 2, 4-Trimethylpentane	(20)	—	5 x 1.2 mL
1647e	Priority Pollutant PAHs (in Acetonitrile)	PAHs (16)	—	5 x 1.2 mL
1491a	Methyl-substituted Polycyclic Aromatic Hydrocarbons in Toluene	PAHs (18)	—	5 x 1.2 mL
2260a	Aromatic Hydrocarbons in Toluene	PAHs (36)	—	5 x 1.2 mL
2269	Perdeuterated PAH-I	Perdeuterated PAHs (5)	—	5 x 1.2 mL
2270	Perdeuterated PAH-II	Perdeuterated PAHs (6)	—	5 x 1.2 mL
1596	Dinitropyrene Isomers and 1-Nitropyrene in Methylene Chloride	Nitro-PAHs (4)	—	5 x 1.2 mL
1493	Chlorinated Biphenyl Congeners in 2,2,4-Trimethylpentane	PCBs (18)	PCBs (2)	5 x 1.2 mL
2262	Chlorinated Biphenyl Congeners in 2,2,4-Trimethylpentane	PCBs (25)	PCBs (4)	5 x 1.2 mL
2274	PCB Congener Solution-II	PCBs (11)	—	5 x 1.2 mL
2276	Three Planar PCBs in Solution	PCBs (3)	—	5 x 1.2 mL
RM 8466	g-HCH (Lindane) (neat)	—	—	Vial: 100 mg
RM 8467	4,4'-DDE (neat)	—	—	Vial: 100 mg
RM 8469	4,4'-DDT (neat)	—	—	Vial: 100 mg
1492	Chlorinated Pesticides in Hexane	Pesticides (15)	—	5 x 1.2 mL
2261	Chlorinated Pesticides in Hexane	Pesticides (15)	—	5 x 1.2 mL
2273	DDTs and Metabolites in Solution	DDTs, Metabolites (7)	—	5 x 1.2 mL
2275	Chlorinated Pesticide Solution-II	Pesticides (9)	—	5 x 1.2 mL
1614	Dioxin (2,3,7,8-TCDD) in Isooctane	Dioxins (2)	Dioxins (2)	6 x 1.2 mL
869b	Column Performance Test Mixture for Liquid Chromatography (PAHs)	Shape Selectivity: PAHs (3)	Acetonitrile	5 x 1.1 mL
2257	PBDE Congers in 2,2,4-Trimethylpentane			
2258	BDE 209 in 2,2,4 2,2,4-Trimethylpentane			
2259	PCB Congers in 2,2,4-Trimethylpentane			



Calibration Solutions, Organic (continued)

SRM/RM	Description	Certified Constituents	Reference Constituents	Unit Size
870	Mixtures for Liquid Chromatography Column Performance Test Mixture for Liquid Chromatography	Silanol Activity, Trace Metal Activity, Hydrophobic Retention, Methylene Selectivity	Methanol	5 × 1.1 mL
877	Chiral Selectivity Test	Various Chiral Components	Ethanol	5 × 1.1 mL
1543	GC/MS System Performance Standard	(20)	—	4 × 1 mL
2264	Nitrated Aromatic Hydrocarbons in Methylene Chloride I	Methylene Chloride II		5 × 1.2 mL
2265	Nitrated Polycyclic Aromatic Hydrocarbons in Methylene Chloride II	Methylene Chloride II	1-Nitrobenzo[e]pyrene 3-Nitrobenzo[e]pyrene	5 × 1.2 mL
2266	Hopanes and Steranes in 2,2,4-Trimethylpentane	2,2,4-Trimethylpentane	17 α (H)-21 β (H)-22R-homohopane 17 α (H)-21 β (H)-22S-homohopane α β 20R-ethylcholestane	5 × 1.2 mL
2267	Deuterated Levoglucosan in Ethyl Acetate	Ethyl Acetate		5 × 1.2 mL
2268	Carbon-13 Labeled Levoglucosan in Ethyl Acetate	Ethyl Acetate		5 × 1.2 mL
2277	Organic Acids in Methanol: Methylene Chloride	Organic Acids	—	5 × 1.2 mL
2278	Deuterated Organic Acids in Methanol: Methylene Chloride	Deuterated Organic Acids	—	5 × 1.2 mL

Calibration Solutions, Inorganic

SRM/RM	Description	Certified Constituents	Unit Size
1641d	Mercury in Water	Mercury	10 × 10 mL
3101a	Aluminum Standard Solution	Aluminum	50 mL
3102a	Antimony Standard Solution	Antimony	50 mL
3103a	Arsenic Standard Solution	Arsenic	50 mL
3104a	Barium Standard Solution	Barium	50 mL
3105a	Beryllium Standard Solution	Beryllium	5 × 10 mL
3106	Bismuth Standard Solution	Bismuth	5 × 10 mL
3107	Boron Standard Solution	Boron	50 mL
3108	Cadmium Standard Solution	Cadmium	50 mL
3109a	Calcium Standard Solution	Calcium	50 mL
3110	Cerium Standard Solution	Cerium	5 × 10 mL
3111a	Cesium Standard Solution	Cesium	50 mL
3112a	Chromium Standard Solution	Chromium	5 × 10 mL
3113	Cobalt Standard Solution	Cobalt	5 × 10 mL
3114	Copper Standard Solution	Copper	5 × 10 mL
3115a	Dysprosium Standard Solution	Dysprosium	5 × 10 mL
3116a	Erbium Standard Solution	Erbium	5 × 10 mL
3117a	Europium Standard Solution	Europium	5 × 10 mL


Calibration Solutions, Inorganic (continued)

SRM/RM	Description	Certified Constituents	Unit Size
3118a	Gadolinium Standard Solution	Gadolinium	5 x 10 mL
3119a	Gallium Standard Solution	Gallium	5 x 10 mL
3120a	Germanium Standard Solution	Germanium	50 mL
3121	Gold Standard Solution	Gold	5 x 10 mL
3122	Hafnium Standard Solution	Hafnium	50 mL
3123a	Holmium Standard Solution	Holmium	5 x 10 mL
3124a	Indium Standard Solution	Indium	5 x 10 mL
3126a	Iron Standard Solution	Iron	5 x 10 mL
3127a	Lanthanum Standard Solution	Lanthanum	5 x 10 mL
3128	Lead Standard Solution	Lead	50 mL
3129a	Lithium Standard Solution	Lithium	5 x 10 mL
3130a	Lutetium Standard Solution	Lutetium	5 x 10 mL
3131a	Magnesium Standard Solution	Magnesium	50 mL
3132	Manganese Standard Solution	Manganese	5 x 10 mL
3133	Mercury Standard Solution	Mercury	5 x 10 mL
3134	Molybdenum Standard Solution	Molybdenum	5 x 10 mL
3135a	Neodymium Standard Solution	Neodymium	5 x 10 mL
3136	Nickel Standard Solution	Nickel	5 x 10 mL
3137	Niobium Standard Solution	Niobium	50 mL
3138	Palladium Standard Solution	Palladium	5 x 10 mL
3139a	Phosphorous Standard Solution	Phosphorous	5 x 10 mL
3140	Platinum Standard Solution	Platinum	5 x 10 mL
3141a	Potassium Standard Solution	Potassium	50 mL
3142a	Praseodymium Standard Solution	Praseodymium	5 x 10 mL
3143	Rhenium Standard Solution	Rhenium	50 mL
3144	Rhodium Standard Solution	Rhodium	5 x 10 mL
3145a	Rubidium Standard Solution	Rubidium	5 x 10 mL
3147a	Samarium Standard Solution	Samarium	5 x 10 mL
3148a	Scandium Standard Solution	Scandium	5 x 10 mL
3149	Selenium Standard Solution	Selenium	5 x 10 mL
3150	Silicon Standard Solution	Silicon	5 x 10 mL
3151	Silver Standard Solution	Silver	5 x 10 mL
3152a	Sodium Standard Solution	Sodium	5 x 10 mL
3153a	Strontium Standard Solution	Strontium	5 x 10 mL
3154	Sulfur Standard Solution	Sulfur	5 x 10 mL
3155	Tantalum Standard Solution	Tantalum	50 mL



Calibration Solutions, Inorganic (continued)

SRM/RM	Description	Certified Constituents	Unit Size
3156	Tellurium Standard Solution	Tellurium	5 x 10 mL
3157a	Terbium Standard Solution	Terbium	5 x 10 mL
3158	Thallium Standard Solution	Thallium	5 x 10 mL
3159	Thorium Standard Solution	Thorium	50 mL
3160a	Thulium Standard Solution	Thulium	5 x 10 mL
3161a	Tin Standard Solution	Tin	50 mL
3162a	Titanium Standard Solution	Titanium	50 mL
3163	Tungsten Standard Solution	Tungsten	50 mL
3164	Uranium Standard Solution	Uranium	5 x 10 mL
3165	Vanadium Standard Solution	Vanadium	5 x 10 mL
3166a	Ytterbium Standard Solution	Ytterbium	5 x 10 mL
3167a	Ytterium Standard Solution	Ytterium	5 x 10 mL
3168a	Zinc Standard Solution	Zinc	50 mL
3169	Zirconium Standard Solution	Zirconium	50 mL
3181	Sulfate Anion Solution	Sulfate	5 x 10 mL
3182	Chloride Anion Solution	Chloride	5 x 10 mL
3183	Fluoride Anion Solution	Fluoride	50 mL
3184	Bromide Anion Solution	Bromide	5 x 10 mL
3185	Nitrate Anion Solution	Nitrate	5 x 10 mL
3186	Phosphate Anion Solution	Phosphate	5 x 10 mL



Organo - Metallic

SRM	Description	Elemental Composition (Percent)
1075a	Aluminum 2-Ethylhexanoate	8.07 Al
1051b	Barium Cyclohexanebutyrate	28.7 Ba
1080a	Bis (1-phenyl-1,3-butanediono)copper (II)	16.37 Cu
1052b	Bis(1-phenyl-1,3-butanediono)oxovanadium (IV)	13.01 V
1053a	Cadmium Cyclohexanebutyrate	24.8 Cd
1057b	Dibutyltin bis (2-ethylhexanoate) (tin)	22.95 Sn
1065b	Nickel Cyclohexanebutyrate	13.89 Ni
1066a	Octaphenylcyclotetrasiloxane	14.14 Si
1077a	Silver 2-Ethylhexanoate	42.60 Ag
1069b	Sodium Cyclohexanebutyrate	12.0 Na
1078b	Tris (1-phenyl-1,3-butanediono)chromium (III)	9.6 Cr
1079b	Tris (1-phenyl-1,3-butanediono)iron (III)	10.45 Fe
1073b	Zinc Cyclohexanebutyrate	16.66 Zn





BIOLOGICAL TISSUES

SRM	Description	Certified Constituents	Reference Constituents	Unit Size
1554	Organic Contaminants in Non-Fortified Human Milk	PCBs (17), Pesticides (7)-PBDEs (5), PBC (1)	PBCs (13), Pesticides (2), PBDEs (5), Elements (10) PCDDs (7), PCDFs (7)	25 g
1566b	Oyster Tissue	22 Elements, Methylmercury	8 Elements, 8 Fatty Acids, Proximates, Caloric Content	25 g
1974b	Organics in Mussel Tissue (<i>Mytilus Edulis</i>) (Frozen)	PAHs (22), PCBs (31), Pesticides (7), Total Mercury	Trace Elements (11), PAHs (16), PCBs (8), Pesticides (6), Methylmercury	5 × 8 g
2976	Mussel Tissue	Methylmercury, Total Mercury, Trace Elements (7)	Trace elements (20)	25 g
2977	Mussel Tissue	PAHs (14), PCB Congeners (25), Pesticides (7), Trace Elements (6), Methylmercury	PAHs (16), Trace Elements (9)	10 g
1946	Lake Superior Fish Tissue	PCBs (30), Pesticides (15) Fat and Fatty Acids (14), Total Mercury, Methylmercury, Arsenic, Iron	PCBs (12), Pesticides (2), Fatty Acids (12), Proximates, Caloric Content, Trace Elements (9)	5 × 7–9 g
1947	Lake Michigan Fish Tissue	PCBs (32), Pesticides (15), PBDEs (7)	PCBs (13), Pesticides (2), PBDEs (2), Proximates, Caloric Content, Selected Fatty Acids	40 g
1945	Organics in Whale Blubber (Frozen)	PCBs (27), Pesticides (15)	PCBs (2), Pesticides (2)	2 × 10 g
1953	Organic Contaminants in Non-Fortified Human Milk	PCBs (17), Pesticides (7)-PBDEs (5), PBC (1)	PBCs (13), Pesticides (2), PBDEs (5), Elements (10) PCDDs (7), PCDFs (7)	5 vials × 5 mL
1954	Organic Contaminants in Fortified Human Milk	PCBs (37), Pesticides (15)-PBDEs (11), PBC (1)	PBCs (6), Pesticides (2), PBDEs (2), Elements (10) PCDDs (7), PCDFs (10)	5 vials × 5 mL
1955	Homocysteine and Folate in Frozen Human Serum	Homocysteine/Levels (3)-Folate/Levels (3)	Folic Acid/Levels (3)	set (3) (1 each conc)
1957	Organic Contaminants in Non-Fortified Human Serum	PCBs (8), Pesticides (3)-PBDEs (4), PBC (1)	PBCs (16), Pesticides (2), PBDEs (6), PFC Compounds (7) PCDDs (11), PCDFs (11)	5 vials × 10 mL
1958	Organic Contaminants in Fortified Human Milk	PCBs (38), Pesticides (12)-PBDEs (12), PBC (1)	PBCs (3), Pesticides (11), PFC Compounds (4), PCDDs (17), PCDFs (17), non-ortho PCBs (2)	5 vials × 10 mL
1588b	Organics in Cod Liver Oil	PCBs (27), Pesticides (15) Fatty Acids (14)	PCDDs/PCDFs (7), PCBs (47), Pesticides (3), Fatty Acids (6) PBDEs (6), Toxaphene (3)	4 × 1.2 mL
1577c	Bovine Liver	18 Elements	—	50 g
1515	Apple Leaves	Elements (24)	—	50 g
1547	Peach Leaves	Elements (24)	—	50 g
1570a	Trace Elements in Spinach Leaves	Elements (18)	Elements (5), Proximates	60 g
1573a	Tomato Leaves	Elements (21)	—	50 g
1575a	Trace Elements in Pine Needles	Elements (12)	Elements (11)	50 g

SOILS, SEDIMENTS, PARTICULATES AND WATER

For more information, see Table 111.7 Soils, Sediments and Sludges on our website www.nist.gov/srm



SRM/RM	Description	Certified Constituents	Reference Constituents	Unit Size
1640a	Natural Water	Elements (17)	Elements (10)	250 mL
1643e	Trace Elements in Water	—	Elements (29)	250 mL
2586	Trace Elements in Soil Containing Lead from Paint (Nominal 500 mg/kg Lead)	Elements (4)	Elements (18)	55 g
2587	Trace Elements in Soil Containing Lead from Paint (Nominal 3000 mg/kg Lead)	Elements (4)	Elements (14)	55 g
2709a	San Joaquin Soil	Elements (27)	Elements (22)	50 g
2710a	Montana Soil Highly Elevated Trace Element Concentrations	Elements (22)	Elements (26)	50 g
2711a	Montana Soil Moderately Elevated Trace Element Concentrations	Elements (25)	Elements (26)	50 g
2780	Hard Rock Mine Waste	Elements (12)	Elements (7)	50 g
2451	Fine Carbon (Activated) - From Cyanide Ore Leaching	Elements (1)	Elements (1)	100 g
2781	Domestic Sludge	Elements (10)	Elements (11)	40 g
2782	Industrial Sludge	Elements (10)	Elements (16)	70 g
2855	Additive Elements in Polyethylene			
1646a	Estuarine Sediment	Elements (19)	Elements (20)	70 g
1939a	PCB (Congeners) in River Sediment	PCBs (20) Pesticides (3)	PCBs (4)	50 g
1941b	Organics in Marine Sediment	PAHs (24), PCBs (29), Pesticides (7)	PAHs (44), PCBs (13), Pesticides (2), TOC	50 g
1944	NY/NJ Waterway Sediment	PAHs (24), PCBs (35), Pesticides (4) Elements (9)	PAHs (32) Pesticides (7), Elements (19), PCDDs/PCDFs (17), TOC, percent extractable, particle-size characteristics	50 g
2701	Hexavalent Chromium Contaminated Soil			
2702	Inorganics in Marine Sediment	Elements (25)	Elements (8)	50 g



SOILS, SEDIMENTS, PARTICULATES AND WATER (continued)

SRM	Description	Certified Constituents	Reference Constituents	Unit Size
2703	Sediment for Solid Sampling (Small Sample) Analytical Techniques	Elements (22)	Elements (7)	5 g
8704	Buffalo River Sediment	—	Reference Values (25)	50 g
1597a	Complex Mixture of PAHs from Coal Tar	PAHs (34)	PAHs (36)	3 × 1.3 mL
1648a	Urban Particulate Matter	Elements (15)	Elements (21)	2 g
1649b	Urban Dust	PAHs (22), PCBs (35), Pesticides (8), Total carbon	PAHs (22), Pesticides (1), PCDDs/PCDFs (17), Elements (32), Mutagenic activity, Particle-size characteristics, Chemical & isotopic carbon	2.5g
2783	Air Particulate on Filter Media	Elements (18)	Elements (9)	2 loaded and 2 blank filters
1650b	Diesel Particulate Matter	PAHs (31), nitro-PAHs (6)	PAHs (20), nitro-PAHs (16), Particle-size distribution	200 mg
1975	Diesel Particulate Extract	PAHs(8)	PAHs (23), nitro-PAHs (18), mutagenicity	4 × 1.2 mL
2975	Diesel Particulate Matter (Industrial Forklift)	PAHs (11)	PAHs (28) Particle-size distribution, Total extractable mass	1 g
2583	Trace Elements in Indoor Dust (nominal 90 mg/kg lead)	Elements (5)	—	8 g
2584	Trace Elements in Indoor Dust (nominal 1 % lead)	Elements (5)	Elements (10)	8 g
2585	Organic Contaminants in House Dust	PAHs (33), PCBs (30), Pesticides (4), PBDEs (15)	PAHs (33), PCBs (12), Pesticides (10), PBDEs (12)	10 g
RM 8785	Air Particulate Matter on Filter Media for Carbon Composition	—	2	3 filters
RM 8786	Blank Filter for RM 8785	—	—	1 blank filter



GEOLOGICAL MATERIALS AND ORES

Ores

SRM	Description	Certified Constituents	Reference Constituents	Unit Size (g)
699	Alumina (Reduction Grade)	13	—	60
69b	Bauxite, Arkansas	15	3	60
697	Bauxite, Dominican	15	—	60
698	Bauxite, Jamaican	15	—	60
696	Bauxite, Surinam	15	3	60
1835	Borate Ore	15	15	60
330	Copper Ore Mill Heads	3	—	100
331a	Copper Ore Mill Tails	3	—	40
79a	Fluorspar, Customs Grade	1	—	120
180	Fluorspar, High Grade	1	—	120
886	Gold Ore, Refractory	2	10	200
670	Iron Ore, Canada	6	—	90
690	Iron Ore, Canada	11	—	100
692	Iron Ore, Labrador	11	—	100
693	Iron Ore, Nimba	11	—	100
691	Iron Oxide, Reduced	9	—	100
182	Lithium Ore (Petalite)	1	—	45
181	Lithium Ore (Spodumene)	1	—	45
183	Lithium Ore (Lepidolite)	1	—	45
25d	Manganese Ore	8	—	60
120c	Phosphate Rock, Florida	8	10	90
694	Phosphate Rock, Western	13	—	90
600	Rutile Ore	16	—	90
2430	Scheelite Ore	6	—	100
277	Tungsten Concentrate	1	—	100
113b	Zinc Concentrate	10	—	100

Ore Bioleaching Substrate

This RM is for use as a bioleaching substrate and for testing bioleaching rates.

RM	Description	Reference Constituents	Unit Size (g)
8455	Pyrite Ore	Rate of bioleaching	100



Clays

SRM	Description	Certified Constituents	Unit Size (g)
679	Brick Clay	12	75
97b	Flint Clay	12	60
98b	Plastic Clay	12	60

Chinese Ores

Unit Size: 100 g

These RMs are a well characterized series of skarn deposit ores developed and certified by the Hubei Geological Research Laboratory, Hubei Province, China.

RM	Description	Reference Constituents
8602	Lead	41 Elements
8603	Lead	56 Elements and Oxides
8607	Tungsten	56 Elements and Oxides



Rocks and Minerals

SRM	Description	Certified Constituents	Reference Constituents	Unit Size (g)
688	Basalt Rock	14	—	60
70a	Feldspar, Potash	10	—	40
99a	Feldspar, Soda	11	—	40
81a	Glass Sand	5	—	75
165a	Glass Sand (Low Iron)	4	—	75
1413	Glass Sand (High Alumina)	9	—	75
1d	Limestone, Argillaceous	12	5	70
88b	Limestone, Dolomite	11	—	75
278	Obsidian Rock	18	—	35
607	Potassium Feldspar	—	—	5

Refractories

SRM	Description	Certified Constituents	Unit Size (g)
76a	Burnt Refractory (Al2O3-40 %)	12	75
77a	Burnt Refractory (Al2O3-60 %)	12	75
78a	Burnt Refractory (Al2O3-70 %)	12	75
198	Silica Brick	12	45
199	Silica Brick	12	45
154c	Titanium Dioxide	1	90

MICROANALYSIS

Elements in Metals

SRM	Description	Certified Constituents	Unit Size (g)
482	Gold-Copper Wires for Microprobe Analysis	2	wires: 6
481	Gold-Silver Wires for Microprobe Analysis	2	wires: 6
480	Tungsten-20 % Molybdenum Alloy Electron Microprobe Standard	2	rod:1
2061	Ti-Al Alloy for Microanalysis	—	—
2062	Ti-Al Alloy for Microanalysis	—	—

Elements in Synthetic Glasses

SRM	Description	Certified Constituents	Unit Size (g)
1873	Barium-Zinc Silicate Glasses for Microanalysis (K-458, K-489, K-963)	2	rod: 2 mm × 2 mm × 20 mm
2066	Glass Microspheres (K-411)	4 certified: 1 reference	glass microspheres: 50 mg
1872	Lead-Germanate Glasses for Microanalysis (K-453, K-491, K-968)	2	rod: 2 mm × 2 mm × 20 mm



FOSSIL FUELS AND RELATED MATERIALS

SRM	Description/Pb Concentration	Certified Constituents	Reference Constituents	Unit Size
1634c	Trace Elements in Fuel Oil "No. 6" (As, Co, Ni, Pb, S, Se, V)	5	—	100 mL
RM 8505	Vanadium in Crude Oil	—	1	250 mL
RM 8590	High Sulfur Gas Oil Feed	—	1	946 mL
1580	Organics in Shale Oil	9	—	5 × 1.2 mL
1632c	Trace Elements in Coal (Bituminous)	15	26	50 g
1635	Trace Elements in Coal (Subbituminous)	16	—	75 g
1633b	Trace Elements in Coal Fly Ash	23	—	75 g
2689	Coal Fly Ash	13	19	3 × 10 g
2690	Coal Fly Ash	13	19	3 × 10 g
2691	Coal Fly Ash	13	19	3 × 10 g
2718	Green Petroleum Coke	6	2	50 g
2719	Calcined Petroleum Coke	6	2	50 g
2775	Foundry Coke	1	2	50 g
2776	Furnace Coke	1	2	50 g
1829	Alcohols in Reference Fuel	4	—	6 × 20 mL
1837	Methanol (9 volume percent) and t-Butanol (6 volume percent) in Reference Fuel	2	—	5 × 20 mL



High Purity Liquids for Fuel Rating

Unit Size: 100 mL

SRM	Description	Purity (%)
1816a	Isooctane (2,2,4-Trimethylpentane)	99.987
1815a	n-Heptane	99.987



FOSSIL FUELS AND RELATED MATERIALS (continued)

SRM/RM	Description/Pb Concentration	Certified Constituents	Reference Constituents	Unit Size
1838	Ethanol (10 volume percent) in Reference Fuel	1	—	5 × 20 mL
1839	Methanol (0.3 volume percent) in Reference Fuel	1	—	5 × 20 mL
2286	Ethanol in Reference Gasoline (Nominal 2.0 weight percent oxygen)	2	—	3 × 20 mL
2287	Ethanol in Reference Gasoline (Nominal 3.5 weight percent oxygen)	2	—	3 × 20 mL
2288	t-Amyl Methyl Ether in Reference Gasoline (Nominal 2.0 weight percent oxygen)	2	—	3 × 20 mL
2289	t-Amyl Methyl Ether in Reference Gasoline (Nominal 2.7 weight percent oxygen)	2	—	3 × 20 mL
2290	Ethyl t-Butyl Ether in Reference Gasoline (Nominal 2.0 weight percent oxygen)	2	—	3 × 20 mL
2291	Ethyl t-Butyl Ether in Reference Gasoline (Nominal 2.7 weight percent oxygen)	2	—	3 × 20 mL
2293	Methyl t-Butyl Ether in Reference Gasoline (Nominal 2.7 weight percent oxygen)	2	—	3 × 20 mL
2294	Reformulated Gasoline (11 % MTBE)	4	26	2 × 20 mL
2295	Reformulated Gasoline (15 % MTBE)	4	26	2 × 20 mL
2296	Reformulated Gasoline (13 % ETBE)	4	26	2 × 20 mL
2297	Reformulated Gasoline (10 % Ethanol)	4	26	2 × 20 mL
2890	Water Saturated 1-Octanol	1	—	5 × 2 mL
RM8506a	Water in Transformer Oil	—	1	5 × 9.5 mL
RM8507	Moisture in Mineral Oil	—	1	10 mL
RM8509	Moisture in Methanol (93 mg/kg)	—	1	5 mL
RM8510	Moisture in Methanol (325 mg/kg)	—	1	5 mL
2285	Arson Test Mixture in Methylene Chloride	15	—	5 × 1.2 mL





Materials for Sulfur and Mercury

SRM/RM	Description	%S	Hg (µg/kg)	Unit Size
1616b	Sulfur in Kerosene	0.000841	—	100 mL
1617a	Sulfur in Kerosene	0.17307	—	100 mL
1619b	Sulfur in Residual Fuel Oil	0.6960	0.00346	100 mL
1620c	Sulfur in Residual Fuel Oil	4.561	—	100 mL
1621e	Sulfur in Residual Fuel Oil	0.9480	—	100 mL
1622e	Sulfur in Residual Fuel Oil	2.1468	—	100 mL
1623c	Sulfur in Residual Fuel Oil	0.3806	—	100 mL
1624d	Sulfur in Diesel Fuel Oil	0.3882	—	10 × 10 mL
1632c	Trace Elements in Coal Bituminous	1.462	93.8	50 g
1635	Trace Elements in Coal (Subbituminous)	0.3616	10.9	75 g
2294	Reformulated Gasoline (nominal 11 % MTBE)	0.00409	—	2 × 20 mL
2295	Reformulated Gasoline (nominal 15 % MTBE)	0.0308	—	2 × 20 mL
2296	Reformulated Gasoline (nominal 13 % ETBE)	0.00400	—	2 × 20 mL
2297	Reformulated Gasoline (nominal 10 % Ethanol)	0.03037	—	2 × 20 mL
2298	Reformulated Gasoline	0.00047	—	5 × 20 mL
2299	Gasoline (High Octane)	0.00136	—	5 × 20 mL
2682b	Sulfur and Mercury in Coal (Subbituminous)	0.4917	108.8	50 g
2683b	Sulfur and Mercury in Coal	1.955	90.0	50 g
2684b	Sulfur and Mercury in Coal	3.076	97.4	50 g
2685b	Sulfur and Mercury in Coal	4.730	146.2	50 g
2692b	Sulfur and Mercury in Coal	1.170	133.3	50 g
2693	Sulfur and Mercury in Coal	0.4571	37.3	50 g
2717a	Sulfur in Residual Fuel Oil	2.9957	—	100 mL
2718	Trace Elements in Green Petroleum Coke	4.7030	—	50 g
2719	Trace Elements in Calcined Petroleum Coke	0.8877	—	50 g
2720	Sulfur in Di-n-Butyl-Sulfide	21.91	—	5 × 10 mL
2721	Crude Oil	1.5832	0.0417	5 × 10 mL
2722	Crude Oil	0.21037	0.1292	5 × 10 mL
2723a	Sulfur in Diesel Fuel Oil	0.00110	—	10 × 10 mL
2724b	Sulfur in Diesel Fuel Oil	0.04265	0.000034	10 × 10 mL
2770	Sulfur in Diesel Fuel Oil	0.004157	—	10 × 10 mL
2775	Foundry Coke	0.5816	—	50 g
2776	Furnace Coke	0.825	—	50 g

GASES

SRM	Nominal Amount-of-Substance ($\mu\text{mol/mol}$)
Ambient Non-Methane Organics in Nitrogen (15 components in large cylinder)	
1800b	5 nmol/mol
Volatile Organics in Nitrogen (30 components)	
1804c	5 nmol/mol
Carbon Dioxide in Air (Certified for CO_2)	
1676	365
2617	500
Carbon Monoxide in Air (Certified for CO)	
2612a	10
2613a	20
2614a	42





GASES (continued)

ENVIRONMENTAL

SRM

Nominal Amount of
Substance Fraction
($\mu\text{mol/mol}$)

Carbon Dioxide in Nitrogen (Certified for CO₂)

1674b*	7 mol %
2619a	0.5 mol %
2620a	1.0 mol %
2621a	1.5 mol %
2622a	2.0 mol %
2623a	2.5 mol %
2624a	3.0 mol %
2625a*	3.5 mol %
2745*	16 mol %

Carbon Monoxide in Nitrogen (Certified for CO)

1677c*	10
1678c*	50
1679c*	100
1680b*	500
1681b*	1000
2635a*	25
2636a*	250
2637a*	2500
2638a*	5000
2639a	1 mol %
2640a	2 mol %
2641a	4 mol %
2642a*	8 mol %



*Available as a NIST Traceable Reference Material (NTRM); from commercial suppliers. A suppliers list is available on our website.

GASES (continued)

SRM	Nominal Amount of Substance Fraction ($\mu\text{mol/mol}$)
-----	--

Carbon Monoxide in Nitrogen (Certified for CO) continued

2740a	10 mol %
2741a	13 mol %

Hydrogen Sulfide in Nitrogen (Certified for H_2S)

2730	5
2731	20

Methane in Air (Certified for CH_4)

1658a	1
1659a	10
1660a (also certified for C_3H_8)	4 (methane) 1 (propane)
2750	50
2751	100

Nitric Oxide in Nitrogen (Certified for NO)

1683b*	50
1684b*	100
1685b*	250
1686b*	500
1687b*	1000
2629a*	20
2630*	1500
2631a*	3000
2735	800

*Available as a NIST Traceable Reference Material (NTRM); from commercial suppliers. A suppliers list is available on our website.





GASES (continued)

SRM	Nominal Amount of Substance Fraction ($\mu\text{mol/mol}$)
-----	---

**Nitric Oxide in Nitrogen
(Certified for NO)**

2627a	5
2628a	10
2737	0.5
2738	1.0

Oxygen in Nitrogen (Certified for O₂)

2657a*	2 mol %
2658a*	10 mol %
2659a*	21 mol %

Propane in Air (Certified for CH₄)

1660a (also certified for C ₃ H ₈)	4 (methane) 1 (propane)
1665b	3
1666b	10
1667b	50
1668b*	100
1669b	500
2764	0.25
2765 (also certified for C ₃ H ₈)	100

Propane in Nitrogen (Certified for C₃H₈)

2644a	250
2646a	1000
2647a	2500

Oxides of Nitrogen in Air (Certified for NO₂)

2660a*	100
--------	-----

*Available as a NIST Traceable Reference Material (NTRM); from commercial suppliers.
A suppliers list is available on our website.

The gas NTRM program was established in 1992 in partnership with the U.S. EPA and specialty gas companies as a means for providing end users with the wide variety of certified gas standards needed to implement the Emissions Trading Provision of the 1990 Clean Air Act.

GASES (continued)

SRM	Nominal Amount of Substance Fraction ($\mu\text{mol/mol}$)
Sulfur Dioxide in Nitrogen (Certified for SO_2)	
1661a*	500
1662a*	1000
1663a*	1500
1664a*	2500
1693a*	50
1694a*	100
1696a*	3500


*Available as a NIST Traceable Reference Material (NTRM); from commercial suppliers. A suppliers list is available on our website.

The gas NTRM program was established in 1992 in partnership with the U.S. EPA and specialty gas companies as a means for providing end users with the wide variety of certified gas standards needed to implement the Emissions Trading Provision of the 1990 Clean Air Act.

INDUSTRIAL HYGIENE

Materials on Filter Media

These SRMs consist of potentially hazardous materials deposited on filters to be used to determine the levels of these materials in industrial atmospheres.



SRM/RM	Description	Set Size	Elemental Composition	Diameter (mm)	Pore Size (μm)
2783	Air Particulate on Filter	2 filters, plus 2 blanks	18 certified values 9 reference values	47	0.4
8785	Particulate Matter on Filters	3 filters	1 reference value 2 information values	37	—
8786	Filter Blank for RM 8785	2 filters,	1 blank filter	37	—



Trace Constituent Elements in Blank Filters

SRMs 2678 and 2681 are for use in evaluating the performance of air sampling filter methods with either certified values (in μg) or limits of detection (X_{LOD}) for each of 30 constituent elements, as well as six leachable anions and cations.

SRM	Description	Diameter (mm)	Pore Size (μm)	Filter Weight (g)
2678	Cellulose Acetate Membrane	47	0.45	0.09
2681	Ashless Blank Filter	42.5	—	0.14

Respirable Silica

These SRMs are intended for use in determining, by X-ray diffraction, the levels of respirable silica in an industrial atmosphere according to the National Institute for Occupational Safety and Health (NIOSH) Analytical Method 7500 or equivalent methods.

SRM	Description	Mass Fraction/Mass Loading	Unit Size
1878a	Respirable Alpha Quartz	93.7% \pm 0.21%	5 g
1879a	Respirable Cristobalite	88.2% \pm 0.4%	5 g
2950	Respirable Alpha Quartz on Filter Media	(10, 20, 50, 100, 250, 500) $\mu\text{g}/\text{filter}$	set SRMs 2952-57
2951	Respirable Alpha Quartz on Filter Media	5 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2952	Respirable Alpha Quartz on Filter Media	10 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2953	Respirable Alpha Quartz on Filter Media	20 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2954	Respirable Alpha Quartz on Filter Media	50 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2955	Respirable Alpha Quartz on Filter Media	100 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2956	Respirable Alpha Quartz on Filter Media	250 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2957	Respirable Alpha Quartz on Filter Media	500 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2958	Respirable Alpha Quartz on Filter Media	1000 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2960	Respirable Alpha Cristobalite on Filter Media	(5, 10, 20, 50, 100, 250) $\mu\text{g}/\text{filter}$	set SRMs 2961-66
2961	Respirable Alpha Cristobalite on Filter Media	5 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2962	Respirable Alpha Cristobalite on Filter Media	10 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2963	Respirable Alpha Cristobalite on Filter Media	20 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2964	Respirable Alpha Cristobalite on Filter Media	50 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2965	Respirable Alpha Cristobalite on Filter Media	100 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2966	Respirable Alpha Cristobalite on Filter Media	250 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)
2967	Respirable Alpha Cristobalite on Filter Media	500 $\mu\text{g}/\text{filter}$	5 filters (5 blanks)

Lead in Paint, Dust, and Soil

These SRMs and RM have been developed in conjunction with the U.S. EPA to monitor paint, dust, and soil sources of lead.

SRM	Lead Concentration	Unit Size
Paint Film		
2570	<0.001 mg/cm ²	1 blank film
2571	3.58 mg/cm ²	1 film, plus 1 blank
2572	1.527 mg/cm ²	1 film, plus 1 blank
2573	1.040 mg/cm ²	1 film, plus 1 blank
2574	0.714 mg/cm ²	1 film, plus 1 blank
2575	0.307 mg/cm ²	1 film, plus 1 blank
2576 (High Level)	5.59 mg/cm ²	1 film, plus 1 blank
2579a (Set of 6: SRMs 2570 to 2575)	0.307 to 3.58 mg/cm ²	5 films, plus 1 blank
Powdered Paint		
2580	4.34 %	30 g
2581	0.449 %	35 g
2582	209.8 mg/kg	20 g
2589	9.99 %	35 g
Indoor Dust, Trace Elements in (As, Cd, Cr, Hg, Pb)		
2583	85.9 mg/kg	8 g
2584	9761 mg/kg	8 g
Soil, Trace Elements in		
2586	432 mg/kg	50 g
2587	3242 mg/kg	50 g
Paint on Fiberboard		
RM 8680	1 to 2 mg/cm ²	1 sheet: (10.2 × 15.2 × 1.3) cm



Asbestos

SRM	Description	Asbestos Type	Unit Size
1866b	Common Commercial Asbestos	chrysotile grunerite (Amosite) riebeckite (Crocidolite)	set (3) 1 to 3 g each



Zeolites (powder form)

RM	Type	Unit Size (in g)	Na	Al	Si**	Si***	LOI	LOF
8850	Zeolite Y	35 - 40	7.225	8.49	22.52	30.336	25.679	25.37
8851	Zeolite A	35 - 40	12.732	14.766	15.27	19.541	21.464	22.1
8852	Ammonium ZSM-5	35 - 40	-	1.396	41.18	45.19	8.5	8.47

*See current certificate of analysis for exact assigned values and estimates of uncertainty.

**Value relative to the hydrated sample mass.

***Value relative to sample mass ignited at 1000 °C

HIGH PURITY MATERIALS

45 Elemental Composition
in High Purity Metals

46 Stoichiometric Standards

47 Microchemistry

48 Spectrometric Single
Element Solutions

50 Anion Chromatography Solutions

50 Stable Isotopic Materials


51 Light Stable Isotopic Materials





Elemental Composition in High Purity Metals

For more information, see Table 104.1 High Purity Metals on our website www.nist.gov/srm



HIGH PURITY MATERIALS

SRM/RM	Description	Unit Size
680a(L1)	High Purity Platinum	wire: 0.51 mm diameter × 10 cm
682	High Purity Zinc	semicirc: 57 mm
683	Zinc Metal	semicirc: 57 mm
685R	High Purity Gold	rod: 5.9 mm diameter × 25 mm
726	Selenium, Intermediate Purity	shot: 450 g
728	Zinc, Intermediate Purity	shot: 450 g
885	Refined Copper	pin: 200 g
8011	Gold Nanoparticle RMs	2 × 5 mL ampoules
8012	Gold Nanoparticle RMs	2 × 5 mL ampoules
8013	Gold Nanoparticle RMs	2 × 5 mL ampoules

Stoichiometric Standards

These SRMs are defined as primary, working, and secondary standards in accordance with recommendations of the Analytical Chemistry Section of the International Union of Pure and Applied Chemistry [Ref. Analyst 90, 251 (1965)]. These definitions are as follows:

- Primary Standard: a commercially available substance of purity $100\% \pm 0.02\%$ (Purity $99.98\pm\%$)
- Working Standard: a commercially available substance of purity $100\% \pm 0.05\%$ (Purity $99.95\pm\%$)
- Secondary Standard: a substance of lower purity which can be standardized against a primary grade standard

SRM/RM	Description	Certified Use [mass fraction, in %]	Stoichiometric Purity	Unit Size (g)
17f	Sucrose	Purity Polarimetric Standard	99.950	60
84k	Potassium Hydrogen Phthalate	Acidimetric Standard	99.9911	60
136f	Potassium Dichromate	Oxidimetric Standard	99.9954	60
350b	Benzoic Acid	Acidimetric Standard	99.9978	30
351a	Sodium Carbonate	Acidimetric Standard	99.970	50
723d	Tris(hydroxymethyl)aminomethane	Acidimetric Standard	99.901	50
917c	D-Glucose (Dextrose)	Purity Polarimetric Standard	99.7	50
973	Boric Acid	Acidimetric Value	100.009	100
999b	Potassium Chloride	Assay Values for: 1. Potassium Chloride 2. Potassium 3. Chloride	99.977 52.4379 47.5519	60
8040	Sodium Oxalate	Reductometric Standard	99.951	60



Microchemistry

Unit Size: 2 g



HIGH PURITY MATERIALS

SRM	Description	Certified Component
141d	Acetanilide	C, H, N, O
142	Anisic Acid	CH ₃ O-
143d	Cystine	C, H, N, S, O
148	Nicotinic Acid	C, H, N
2141	Urea	N
2143	p-Fluorobenzoic Acid	F
2144	m-Chlorobenzoic Acid	Cl

Spectrometric Single Element Solutions

Unit Size: 50 mL

These SRMs are intended as standard solutions for calibrating instruments used in atomic spectrometry, including atomic absorption spectrophotometry, inductively coupled plasma optical emission spectrometry, and inductively coupled plasma mass spectrometry.

SRM	Element	Nominal Acid Concentration
3101a	Aluminum	HNO ₃ 10 %
3102a	Antimony	HNO ₃ 10 % + HF 2 %
3103a	Arsenic	HNO ₃ 10 %
3104a	Barium	HNO ₃ 10 %
3105a	Beryllium	HNO ₃ 10 %
3106	Bismuth	HNO ₃ 10 %
3107	Boron	H ₂ O
3108	Cadmium	HNO ₃ 10 %
3109a	Calcium	HNO ₃ 10 %
3110	Cerium	HNO ₃ 10 %
3111a	Cesium	HNO ₃ 1 %
3112a	Chromium	HNO ₃ 10 %
3113	Cobalt	HNO ₃ 10 %
3114	Copper	HNO ₃ 10 %
3115a	Dysprosium	HNO ₃ 10 %
3116a	Erbium	HNO ₃ 10 %
3117a	Europium	HNO ₃ 10 %
3118a	Gadolinium	HNO ₃ 10 %
3119a	Gallium	HNO ₃ 10 %
3120a	Germanium	HNO ₃ 10 % + HF 2 %
3121	Gold	HCl 10 %
3122	Hafnium	HNO ₃ 10 % + HF 2 %
3123a	Holmium	HNO ₃ 10 %
3124a	Indium	HNO ₃ 10 %
3126a	Iron	HNO ₃ 10 %
3127a	Lanthanum	HNO ₃ 10 %
3128	Lead	HNO ₃ 10 %
3129a	Lithium	HNO ₃ 1 %
3130a	Lutetium	HNO ₃ 10 %
3131a	Magnesium	HNO ₃ 10 %
3132	Manganese	HNO ₃ 10 %

(continued)



Spectrometric Single Element Solutions (continued)

HIGH PURITY MATERIALS

SRM	Element	Nominal Acid Concentration
3133	Mercury	HNO ₃ 10 %
3134	Molybdenum	HCl 10 %
3135a	Neodymium	HNO ₃ 10 %
3136	Nickel	HNO ₃ 10 %
3137	Niobium	HNO ₃ 10 % + HF 2 %
3138	Palladium	HCl 10 %
3139a	Phosphorus	HNO ₃ 0.8 %
3140	Platinum	HCl 10 %
3141a	Potassium	HNO ₃ 1 %
3142a	Praseodymium	HNO ₃ 10 %
3143	Rhenium	HNO ₃ 10 %
3144	Rhodium	HCl 10 %
3145a	Rubidium	HNO ₃ 1 %
3147a	Samarium	HNO ₃ 10 %
3148a	Scandium	HNO ₃ 10 %
3149	Selenium	HNO ₃ 10 %
3150	Silicon	H ₂ O
3151	Silver	HNO ₃ 10 %
3152a	Sodium	HNO ₃ 1 %
3153a	Strontium	HNO ₃ 10 %
3154	Sulfur	H ₂ SO ₄ 0.1 %
3155	Tantalum	HNO ₃ 10 % + HF 2 %
3156	Tellurium	HCl 10 %
3157a	Terbium	HNO ₃ 10 %
3158	Thallium	HNO ₃ 10 %
3159	Thorium	HNO ₃ 10 %
3160a	Thulium	HNO ₃ 10 %
3161a	Tin	HNO ₃ 5 % + HF 1 %
3162a	Titanium	HNO ₃ 10 % + HF 2 %
3163	Tungsten	HNO ₃ 7 % + HF 4 %
3164	Uranium	HNO ₃ 10 %
3165	Vanadium	HNO ₃ 10 %
3166a	Ytterbium	HNO ₃ 10 %
3167a	Yttrium	HNO ₃ 10 %
3168a	Zinc	HNO ₃ 10 %
3169	Zirconium	HNO ₃ 10 % + HF 2 %

Anion Chromatography Solutions

Unit Size: 50 mL

These SRMs are single component solutions prepared gravimetrically for use in anion chromatography or any other technique that requires aqueous standard solutions for calibration or control materials.

SRM	Description	Nominal Mass Fraction (mg/kg)
3181	Sulfate	1000
3182	Chloride	1000
3183	Fluoride	1000
3184	Bromide	1000
3185	Nitrate	1000
3186	Phosphate	1000

Stable Isotopic Materials

SRM	Description	Element for which Isotopic Composition is Certified	Unit Size and Form
951a	Boric Acid	Boron	2 g powder
952	Boric Acid, 95% enriched ^{10}B	Boron	0.25 g powder
973	Boric Acid	Boron	100 g powder
975a	Sodium Chloride	Chlorine	0.25 g powder
977	Sodium Bromide	Bromide	0.25 g powder
978a	Silver Nitrate	Silver	0.25 g powder
979	Chromium Nitrate	Chromium	0.25 g powder
980	Magnesium Metal	Magnesium	0.25 g chips
981	Lead Metal, Natural	Lead	1.0 g wire
982	Lead Metal, $^{208}\text{Pb}/^{209}\text{Pb}$ Equal Atom	Lead	1.0 g wire
983	Lead Metal, Radiogenic	Lead	1.0 g wire
984	Rubidium Chloride, Assay and Isotopic	Rubidium	0.25 g powder
986	Nickel Metal	Nickel	0.5 g powder
987	Strontium Carbonate	Strontium	1.0 g powder
991	Nitrate Spike, Assay and Isotopic Standard, ^{209}Pb	Lead	15 g solution
994	Gallium Metal	Gallium	0.25 g disk
997	Thallium Metal	Thallium	0.25 g rod
3231	Iodine-129 (high level)	Iodine	5 × 5 mL (plus blank)



HIGH PURITY MATERIALS

Light Stable Isotopic Materials

These RMs are for calibration of isotope-ratio mass spectrometers and associated sample preparation systems. They are distributed by NIST on behalf of the International Atomic Energy Agency (IAEA). At the request of the IAEA, quantities of these materials are limited to one unit of each RM per laboratory every 3 years.

Isotopic Ratio Legend:

1. $\delta^2\text{H}_{\text{VSMOW2}}$
2. $\delta^{18}\text{O}_{\text{VSMOW2}}$
3. $\delta^{13}\text{C}_{\text{VPDB}}$
4. $^6\text{Li} / ^7\text{Li}$
5. $\delta^{30}\text{S}_{\text{NBS28}}$
6. $\delta^{15}\text{N}_{\text{AIR}}$
7. $\delta^{34}\text{S}_{\text{VCDT}}$

RM	Description	Isotopic Systems	Unit Size
8535a	VSMOW2-Water	1,2	20 mL
8536	GISP-Water	1,2	20 mL
8537a	SLAP2-Water	1,2	20 mL
8538	NBS30-Biotite	1,2	2 g
8539	NBS22-Oil	1,3	1 mL
8540	PEFI-Polyethylene	1,3	~2 mg
8541	USGS24-Graphite	3	0.8 g
8542	Sucrose ANU-Sucrose	3	1 g
8543	NBS18-Carbonatite	2,3	0.4 g
8544	NBS19-Limestone	2,3	0.4 g
8545	LSVEC-Lithium Carbonate	2,3	0.4 g
8546	NBS28-Silica Sand (Optical)	2,5	0.4 g
8547	IAEA-N1-Ammonium Sulfate	6	0.4 g
8548	IAEA-N2-Ammonium Sulfate	6	0.4 g
8549	IAEA-N3-Potassium Nitrate	6	0.4 g
8550	USGS25-Ammonium Sulfate	6	0.4 g
8551	USGS26-Ammonium Sulfate	6	0.4 g
8552	NSVEC-Gaseous Nitrogen	6	300 μmol
8553	Soufre de Lacq - Elemental Sulfur	7	0.5 g
8554	IAEA-S1-Silver Sulfide	7	0.5 g
8555	IAEA-S2-Silver Sulfide	7	0.5 g
8556	NBS123-Sphalerite	7	0.5 g
8557	NBS127-Barium Sulfate	2,7	0.5 g
8558	USGS32-Potassium Nitrate	2,6	0.5 g
8559	Natural Gas Isotopic	1,3	1 cylinder (0.1 mole)
8561	Natural Gas Isotopic	1,3	1 cylinder (0.1 mole)
8562	CO-Heavy, Paleomarine Origin	2,3	2 tubes
8563	CO-Light, Petrochemical Origin	2,3	2 tubes
8564	CO-Biogenic, Modern Biomass Origin	2,3	2 tubes
8568	USGS34 Potassium nitrate	2,6	0.9 g
8569	USGS35 Sodium nitrate	2,6	0.9 g
8573	USGS40 L-glutamic acid	3,6	1 g
8574	USGS41 L-glutamic acid	3,6	0.5 g

INDUSTRIAL MATERIALS

53 Ferrous Metals

60 Nonferrous Metals

68 Ceramics and Glasses

69 Glass

72 Cements

73 Lubricants



FERROUS METALS**Steels**

These SRMs consist of selected steel alloys that provide a wide range of analytical values for relevant elements. Please visit our website to view the relevant certificate or report of investigation for all available certified, reference and information values.

Low Alloy Steels (chip)

Unit Size: 150 g (unless otherwise noted)

SRM	Description
72g	AISI 4130
293	AISI 8620 (Cr - Ni - Mo)
139b	AISI 8640 (Cr - Ni - Mo)
291	ASTM A213 (Cr - Mo)
163	Chromium Steel (100 g)
36b	Chromium-Molybdenum Steel
155	Chromium-Tungsten Steel
129c	SAE 112 High Sulfur
2171	HSLA 100 (6Ni - Cr - Cr - Cu - Mo)
106b	Nitralloy™ G (Cr - Mo - Al)
32e	SAE 3140 (Ni - Cr)
100b	SAE 340 (Mn)
33e	SAE 4820 (Ni)
30f	SAE 6150 (Cr - V)
16f	Basic Open Hearth Steel (1 % Carbon)

Silicon Steels

179	High Silicon Steel
125b	High Silicon Steel, Calcium-Bearing
131g	Low Carbon Silicon Steel



Low Alloy Steels (disk and rod)

For more information, see Table 101.8 Low Alloy Steels on our website www.nist.gov/srm.

Nominal Sizes for Solid Steel SRMs:

600 Series: 3.2 mm diameter × 51 mm

1100 and 1200 Series: 31 mm diameter × 19 mm

1700 Series: 34 mm diameter × 19 mm

A "C" preceding the SRM number indicates a chill cast sample; 31 mm diameter × 19 mm.

SRM	Description
1270	2-1/4 Chromium - 1 Molybdenum Low Alloy Steel, A 336 (F-22)
C1285	A242, Modified
C1221	AISI 1211, Modified, Resulfurized/Rephosphorized
1269	AISI 1526, Modified (Line Pipe Steel)
1224	Carbon (AISI 1078)
1225	Low Alloy (AISI 4130)
1262b	AISI 94B17 (Modified)
1254	Calcium in Low Alloy Silicon Steel
663	Chromium-Vanadium Steel, Modified
665	Electrolytic Iron
1265a	Electrolytic Iron
1264a	High Carbon Steel, Modified
1135	High Silicon Steel
1134	High Silicon Steel
1226	HY 130
1286	HY 80
1228	Basic Open Hearth Steel (0.1 % Carbon)
1227	Basic Open Hearth Steel (1 % Carbon)
1761a	Low Alloy Steel
1762	Low Alloy Steel
1763a	Low Alloy Steel
1764a	Low Alloy Steel
1765	Low Alloy Steel
1766	Low Alloy Steel
1767	Low Alloy Steel
1768	High Purity Iron
1218	Low Carbon & Sulfur Silicon Steel
1271	Ni-Cr-Cu-Mo (HSLA100)




Plain Carbon Steels (chip)

Unit Size: 150 g (unless otherwise noted)

SRM	Description
8k	Bessemer Steel (Simulated), 0.1% Carbon
178	0.4C Basic Oxygen Furnace Steel
13g	0.6 % Carbon Steel
20g	AISI 1045 Steel
14g	AISI 1078 Carbon Steel
368	AISI 1211 Steel
19h	Basic Electric Steel, 0.2 % Carbon

Basic Open-Hearth Steel

15h	0.1 % Carbon
12h	0.4 % Carbon
152a	0.5 % Carbon (Tin-Bearing)



Stainless Steels (disk)

Unit Size: 32 mm diameter × 19 mm

For more information, see Table 101.10 Stainless Steels (disk) on our website www.nist.gov/srm.

SRM	Description
1219	AISI 431 (16Cr - 2Ni)
1172	AISI 348 (17Cr - 11Ni - 0.6Nb)
1223	Chromium Steel
1297	SAE 201
1295	SAE 405
C1296	SAE 460
C1153a	(17Cr - 9Ni)
C1152a	(18Cr - 11Ni)
1155	AISI 316 (18Cr - 12Ni - 2Mo)
C1154a	Stainless Steel, (19Cr - 13Ni)
C1151a	Stainless Steel, (23Cr - 7Ni)
1171	AISI 321 (17 Cr - 11Ni - 0.3Ti)

Stainless Steels (chip)

Unit Size: 150 g (unless otherwise noted)

For more information, see Table 101.6 Stainless Steels (chip) on our website www.nist.gov/srm.

SRM	Description
339	SAE 303Se (17Cr - 9Ni - 0.2Se)
101g	AISI 304 L (18Cr - 10Ni)
343a	AISI 431 (16Cr - 2Ni)
123c	AISI 348 (17Cr - 11Ni - 0.6Nb)
121d	AISI 321 (17Cr - 11Ni - 0.3Ti)
160b	AISI 316 (18Cr - 12Ni - 2Mo)
166c	AISI 316L Low Carbon Stainless Steel (100 g)
893	SAE 405 (Cr)
895	SAE 201 (Cr-Mn)
73c	SAE 420 (13 % Cr)
133b	Cr-Mo



Special Low Alloy Steels (chip and pin)

Unit Size: 150 g (unless otherwise noted)

For more information, see Table 101.3 Special Low Alloy Steels (chip and pin) on our website www.nist.gov/srm.

SRM	Description
2159	Low Alloy Steel (pin - 200 g)
2160	Low Alloy Steel (pin - 200 g)
2165	Low Alloy Steel
2166	Low Alloy Steel
2167	Low Alloy Steel
361	AISI 4340 Steel
363	Chromium-Vanadium Steel, Modified
364	High Carbon Steel, Modified
2168	High Purity Iron





Specialty Steels (disk)

For more information, see Table 101.11 Specialty Steels (disk) on our website www.nist.gov/srm.


SRM	Description	Unit Size
1158	High Nickel Steel, 36 % Nickel	32 mm diameter × 19 mm
1772	S-7 Tool Steel	34 mm diameter × 19 mm
1157	AISI M2, Tool Steel	32 mm diameter × 19 mm
1233	Valve Steel	35 mm diameter × 19 mm

Tool Steels (chip)

Unit Size: 150 g

For more information, see Table 101.7 Tool Steels (chip form) on our website www.nist.gov/srm.

SRM	Description
134a	Molybdenum - Tungsten - Chromium - Vanadium Steel
2172	S-7 Tool Steel
132b	AISI M2, Tool Steel
50c	Tungsten - Chromium - Vanadium Steel



High Alloy Steels (chip)

Unit Size: 150 g (unless otherwise noted)

For more information, see Table 101.4 High Alloy Steels on our website www.nist.gov/srm.



SRM	Description
345a	Cu Precipitation Hardening Steel (15Cr - 4Ni)
344	Mo Precipitation Hardening Steel (15Cr - 7Ni)
126c	High Nickel Steel (36 % Ni)
868	High Temperature Alloy (Fe-Ni-Co) (100 g)
348a	High Temperature Alloy A286 (Ni-Cr)
862	High Temperature Alloy L605 (100 g)
346a	Valve Steel

Steelmaking Alloys (fine powder)

For more information, see Table 101.12 Steelmaking Alloys on our website www.nist.gov/srm.



SRM	Description
57b	Silicon Metal
58a	Ferrosilicon (73 % Silicon-Regular Grade)
59a	Ferrosilicon
195	Ferrosilicon (75 % Silicon High Purity Grade)
196	Low Carbon Ferrochromium
64c	High Carbon Ferrochromium
68c	High Carbon Ferromanganese
90	Ferrophosphorus
347	Magnesium Ferrosilicon
689	Silicon Ferrochromium

Cast Irons (chip)

For more information, see Table 101.13 Cast Irons (chip) on our website www.nist.gov/srm.

SRM	Title
4L	Cast Iron
5m	Cast Iron
6g	Cast Iron
122i	Cast Iron
115a	Copper-Nickel-Chromium Cast Iron
341	Ductile Cast Iron
334	Gray Cast Iron (Carbon and Sulfur)
890	High-Alloy White Cast Iron, HC 250+V
891	High-Alloy White Cast Iron, Nickel-Hard, Type I
892	High-Alloy White Cast Iron, Nickel-Hard, Type IV
82b	Nickel Chromium Cast Iron
107c	Nickel-Chromium-Molybdenum Cast Iron
342a	Nodular Cast Iron
338	White Cast Iron, Carbon and Sulfur






Cast Steels, White Cast Irons, and Ductile Irons (disk)

Unit Size: 32 mm diameter × 19 mm

For more information, see Table 101.14 Cast Steels, White Cast Irons, and Ductile Irons on our website www.nist.gov/srm.

SRM	Description	
1138a	Cast Steel (No. 1)	
1139a	Cast Steel (No. 2)	
C1173	Cast Steel (No. 3)	
C2423a	Ductile Iron B	
C2424	Ductile Iron C	
C2424	Ductile Iron D	
C1291	High Alloy White Cast Iron, Ni-Hard, Type I	
C1292	High Alloy White Cast Iron, Ni-Hard, Type IV	
C1290	High Alloy White Cast Iron, HC-250+V	
1173	Nickel-Chromium-Molybdenum-Vanadium Steel	
C1137a	White Cast Iron	
C1145a	White Cast Iron	

High Temperature Alloys (chip and disk)

For more information, see Table 101.9 High Temperature Alloys (chip and disk) on our website www.nist.gov/srm.

SRM	Description	Unit Size
866	Incoloy™ 800	100 g
867	Incoloy™ 825	100 g
1230	High Temperature Alloy A286	disk: 32 mm diameter × 19 mm
1246	Incoloy™ 800	disk: 35 mm diameter × 19 mm
1247	Incoloy™ 825	disk: 35 mm diameter × 19 mm
1250	High Temperature Alloy (Fe - Ni - Co)	disk: 32 mm diameter × 19 mm
C2400	High Alloy Steel, ACl 17/4 PH	disk: 32 mm diameter × 19 mm
C2401	High Alloy Steel ACl-CD-4M Cu	disk: 32 mm diameter × 19 mm

Gases in Metals: Iron and Steel (rod)

These SRMs are certified for oxygen content. Materials certified for nitrogen are noted.

SRM	Description	Rod Size (mm)
1089*	Gasometric Standard, set includes:	
	SRM 1095 AISI 4340 Steel	6.4 × 102
	SRM 1096 AISI 94B17 Steel, Modified**	6.4 × 102
	SRM 1097 Cr-V Steel, Modified	6.4 × 102
	SRM 1098 High Carbon Steel**	6.4 × 102
	SRM 1099 Electrolytic Iron	6.4 × 102
1754	AISI 4320 Oxygen in Low Alloy Steel,**	9.5 × 9.5 × 102
1755	Nitrogen in Low Alloy Steel	1.38 × 19
1090	Oxygen in Ingot Iron	6.35 × 102
1094	Oxygen in Maraging Steel	0.6 × 82
1091a	AISI 431 Oxygen in Stainless Steel	7.9 × 102
1093	Oxygen in Valve Steel	0.6 × 82

* These SRMs are sold only as a set designated SRM 1089.

** In addition to being certified for oxygen, these SRMs are also certified for nitrogen.

NONFERROUS METALS

Aluminum Base Alloys (chip and disk)

SRMs 1710 through 1715 are specially prepared to include low levels of cadmium and lead encountered in the analysis of recycled aluminum.

For more information, see Table 102.1 Aluminum Base Alloys (chip and disk) on our website www.nist.gov/srm.

SRM	Description	Unit Size
87a	Silicon - Aluminum Alloy	75 g
853a	Aluminum Alloy 3004	40 g
854a	Aluminum Alloy 5182	40 g
855a	Aluminum Casting Alloy 356	30 g
856a	Aluminum Casting Alloy 380, Fine Millings	30 g
858	Alloy 6011, Modified	35 g
1241c	Aluminum Alloy 5182	disk: 63 mm diameter × 1.9 cm
1255b	Aluminum Alloy 356	disk: 63 mm diameter × 1.9 cm
1256b	Aluminum Alloy 380	disk: 63 mm diameter × 1.9 cm
1258-I	Alloy 6011, Modified	disk: 35 mm diameter × 19 mm
1240C	Aluminum Alloy 3004	disk: 63 mm diameter × 19 mm
1259	Alloy 7075	disk: 35 mm diameter × 19 mm

(continued)



Aluminum Base Alloys (chip and disk) (continued)

SRM	Description	Unit Size
1710	Alloy 3004	disk: 63 mm diameter × 19 mm
1711	Alloy 3004	disk: 63 mm diameter × 19 mm
1712	Alloy 3004	disk: 63 mm diameter × 19 mm
1713	Alloy 5182	disk: 63 mm diameter × 19 mm
1714	Alloy 5182	disk: 63 mm diameter × 19 mm
1715	Alloy 5182	disk: 63 mm diameter × 19 mm
2426	55% Aluminum Zinc Alloy	chip: 31 mm diameter 2 × 10 ⁴ kg - 31 mm diameter

Cobalt Base Alloys (chip and disk)

For more information, see Table 102.2 Cobalt Base Alloys (chip and disk) on our website www.nist.gov/srm.


SRM	Description	Unit Size
862	High Temperature Alloy L605	chip: 100 g
1242	High Temperature Alloy L605	disk: 35 mm diameter × 19 mm
1775	Refractory Alloy MP 35 N	disk: 35 mm diameter × 19 mm
2175	Refractory Alloy MP 35 N	chip: 50 g

Copper "Benchmark" (chip and rod)

Unit Size: Chip: 50 g Rod: 6.4 mm × 103 mm

For more information, see Table 102.5 Copper Benchmark (chip and rod) on our website www.nist.gov/srm.

SRM	Description
Chip	Rod/Chill Cast
494	Unalloyed Copper - Cu I
395	495 Unalloyed Copper - Cu II
396	496 Unalloyed Copper - Cu III
457	Unalloyed Copper - Cu IV
398	Unalloyed Copper - Cu V
498	Unalloyed Copper - Cu V
399	499 Unalloyed Copper - Cu VI
400	500 Unalloyed Copper - Cu VII
C1251a	Phosphorus Deoxidized Copper VIII
C1252a	Phosphorus Deoxidized Copper IX
C1253a	Phosphorus Deoxidized Copper X
454 (35 g)	Unalloyed Copper - Cu XI



Copper Base Alloys (chip and rod)

For more information, see Table 102.3 Copper Base Alloys (chip and rod) on our website www.nist.gov/srm.

SRM	Description	Unit Size (g)
-----	-------------	---------------

158a	Silicon, Bronze	150
------	-----------------	-----

Beryllium-Copper

458	C-17510	50
-----	---------	----

459	C-17200	50
-----	---------	----

460	C-17300	50
-----	---------	----

Bronze

871	CDA 521 Phosphor Bronze	100
-----	-------------------------	-----

872	CDA 544 Phosphor Bronze	100
-----	-------------------------	-----

1034	Unalloyed Copper	rod
------	------------------	-----

1035	Leaded-Tin Bronze Alloy	50
------	-------------------------	----

Cupro-Nickel

874	10 % CDA 706, High-Purity	100
-----	---------------------------	-----

875	10 % CDA 706, Doped	100
-----	---------------------	-----

Nickel-Silver

879	CDA 762	100
-----	---------	-----

880	CDA 770	100
-----	---------	-----





Copper Base Alloys (block and disk)

For more information, see Table 102.4 Copper Base Alloys (block and disk) on our website www.nist.gov/srm. The 1100 series SRMs are wrought disks 32 mm diameter \times 19 mm. The C1100 series SRMs are chill cast blocks 32 mm square \times 19 mm. Both forms have nearly identical elemental compositions.

SRM		Description
Disk	Block	
1107		Naval Brass B
1110		Red Brass B
1111		Red Brass C
1112	C1112	Gilding Metal A
1113	C1113	Gilding Metal B
1114	C1114	Gilding Metal C
1115	C1115	Commercial Bronze A
1116		Commercial Bronze B
1117	C1117	Commercial Bronze C
1276a		CDA 715 Cupro-Nickel

Lead Base Alloys (disk and powder forms)

SRM		Description	Unit Size (g)	
Powder	Disk		Powder	Disk
1129		Solder 63Sn - 37Pb	200	
127b	1131	Solder 40Sn - 60Pb	150	32 mm diameter \times 19 mm
53e	1132	Lead Base Bearing Metal (84Pb - 10Sb - 6Sn)	150	32 mm diameter \times 19 mm
	1727	Anode Tin (block form)		(30 \times 30 \times 30 mm)



Lead Base Materials (disk)

Unit Size: 50 mm diameter × 16 mm

SRM	Description
C2415	Battery Lead
C2416	Bullet Lead
C2417	Lead Base Alloy
C2418	High Purity Lead



Solder Thickness (plate form)

SRM	Description	Unit Size (g)	
		Powder	Disk
2321	Tin-Lead Sn: 60 Alloy Pb: 40	6.8	295
			7.5

Tin Base Alloys (chip)

SRM	Description	Unit Size
54d	Tin Base Bearing Metal	170 g
1727	Anode Tin	30 × 30 × 30 mm

**Nickel Base Alloys (chip and disk)**

For more information, see Table 102.12 Nickel Base Alloys (chip and disk) on our website www.nist.gov/srm.

SRM	Description	Unit Size
349a	Waspaloy™	150 g
861	Nickel-Based Superalloy	50 g
864	Inconel™ 600	100 g
865	Inconel™ 625	100 g
882	Nickel-Copper Alloy (65Ni - 31Cu - 3Al)	100 g
1159	Electronic and Magnetic Alloy Ni-Fe	disk: 31 mm diameter × 19 mm
1160	Electronic and Magnetic Alloy Ni-Mo	disk: 31 mm diameter × 19 mm
1243	Waspaloy™	disk: 34 mm diameter × 19 mm
1244	Inconel™ 600	disk: 35 mm diameter × 19 mm
C1248	Nickel-Copper Alloy (66Ni - 30Cu)	disk: 32 mm diameter × 19 mm
1249	Inconel™ 718	disk: 41 mm diameter × 19 mm
C2402	Hastelloy™ C	disk: 32 mm diameter × 19 mm
1775	Refractory Alloy MP 35N	disk
2175	Refractory Alloy MP 35N	chip 50 g

Nickel Oxides (powder)

Unit Size: 25 g

For more information, see Table 102.14 Nickel Oxides on our website www.nist.gov/srm.

SRM	Description
671	Nickel Oxide No. 1
672	Nickel Oxide No. 2
673	Nickel Oxide No. 3

**Trace Elements in Nickel Base Superalloys (chip)**

Unit Size: 35 g


For more information, see Table 102.13 Trace Elements in Nickel Base Superalloys (chip) on our website www.nist.gov/srm.

SRM	Description	Unit Size (g)
897	"Tracealloy" A	35
898	"Tracealloy" B	35
899	"Tracealloy" C	35


Titanium Base Alloys (chip and disk)

For more information, see Table 102.16 Titanium Base Alloys (chip and disk) on our website www.nist.gov/srm.

SRM	Description	Unit Size (g)
641	8 Mn (A)	disk: 32 mm diameter × 19 mm
642	8 Mn (B)	disk: 32 mm diameter × 19 mm
643	8 Mn (C)	disk: 32 mm diameter × 19 mm
647	6Al - 2Mo - 2Sn - 4Zr	50
648	5Al - 2Sn - 2Cr - 4Mo	50
649	15V - 3Al - 2Cr - 3Sn	50
650	Unalloyed Titanium A	30
651	Unalloyed Titanium B	30
654b	6Al - 4V	disk: 31 mm diameter × 19 mm
1128	15V - 3Al - 3Cr - 3Sn	disk: 35 mm diameter × 19 mm
2061	TiAl (NbW) Alloy	cube, 2 mm × 2 mm × 2 mm
2062	TiAl (NbW) Alloy	disk, 2.4 cm diameter
2431	6Al - 2Sn - 4Zr - 6Mo	50
2432	10V - 2Fe - 3Al	50
2433	8Al - 1Mo - 1V	50
173c	6Al - 4V	50



Hydrogen in Titanium (platelet)



SRM	Description	Unit Size
2452	Hydrogen in Titanium Alloy	10 g
2453	Hydrogen in Titanium Alloy	10 g
2454	Hydrogen in Titanium Alloy	10 g

Zirconium Base Alloys (chip)

SRM	Description	Unit Size
360b	Zirconium (Sn-Fe-Cr) Alloy	100 g




Zinc Base Alloys (chip and disk)

For more information, see Table 102.17 Zinc Base Alloys (chip and disk) on our website www.nist.gov/srm.

SRM	Description	Unit Size
94c	Die Casting Alloy	chip: 150 g
625	ASTM AG 40A Die Casting Alloy A	disk: 44 mm diameter × 19 mm
626	ASTM AG 40A Die Casting Alloy B	disk: 44 mm diameter × 19 mm
627	ASTM AG 40A Die Casting Alloy C	disk: 44 mm diameter × 19 mm
628	ASTM AC 41A Die Casting Alloy D	disk: 44 mm diameter × 19 mm
629	ASTM AC 41A Die Casting Alloy E	disk: 44 mm diameter × 19 mm
630	ASTM AC 41A Die Casting Alloy F	disk: 44 mm diameter × 19 mm
631	Zinc spelter, Modified	disk: 45 mm diameter × 19 mm
1736	Zinc-Aluminum (0.31 % Al) Die Casting Alloy	disk: 50.8 mm diameter × 12.7 mm
1737	Zinc-Aluminum (0.63 % Al) Die Casting Alloy	disk: 50.8 mm diameter × 12.7 mm
1738	Zinc-Aluminum (0.10 % Al) Die Casting Alloy	disk: 50.8 mm diameter × 12.7 mm
1739	Zinc-Aluminum (0.21 % Al) Die Casting Alloy	disk: 50.8 mm diameter × 12.7 mm
1740	Zinc-Aluminum (0.42 % Al) Die Casting Alloy	disk: 50.8 mm diameter × 12.7 mm
1741	Zinc-Aluminum (0.52 % Al) Die Casting Alloy	disk: 50.8 mm diameter × 12.7 mm
1742	Zinc-Aluminum (0.79 % Al) Die Casting Alloy	disk: 50.8 mm diameter × 12.7 mm
2139	Zinc-Aluminum (0.80 % Al) Die Casting Alloy	chip: 100 g
2426	Zinc-Aluminum	chip: 40 g

Microindentation Hardness (block form)

SRM	Description	Hardness Nominal (kgf/mm ²)
1893	Bright Copper (Knoop)	125
1894a	Bright Copper (Vickers)	125
1895	Bright Nickel (Knoop)	600
1896b	Bright Nickel (Vickers)	600
1905	Bright Nickel (Knoop)	600
1906	Bright Nickel (Knoop)	600
1907	Bright Nickel (Knoop)	600
1908	Bright Nickel (Vickers)	600
1909	Bright Nickel (Vickers)	600
2798a	Bright Nickel (Vickers)	600
2830	Ceramic, Silicon Nitride (Knoop)	1500
2831	Ceramic, Tungsten Carbide (Vickers)	1530



CERAMICS AND GLASSES

Carbides (powder)

SRM/RM	Description	Unit Size (g)
112b	Silicon Carbide	80
276b	Tungsten Carbide	75
8983	Silicon Nitride Powder	4.5



Cemented Tungsten Carbides (powder)

Unit Size: 100 g

SRM	Description
887	Cemented Carbide (83W - 10Co)
888	Cemented Carbide (64W - 25Co - 5Ta)
889	Cemented Carbide (75W - 9Co - 5Ta - 4Ti)

Trace Elements (wafer)

These SRMs are for calibrating instruments and evaluating analytical techniques used to determine trace elements in inorganic matrices. SRMs 610 through 617 come in units of 6 wafers with wafer thicknesses of 3 mm for even numbered SRMs and 1 mm for odd numbered SRMs

SRM	Description
610/611	Nominal 500 mg/kg per element, 8 certified, 9 information values
612/613	Nominal 50 mg/kg per element, 8 certified, 18 information values
614/615	Nominal 1 mg/kg per element, 8 certified, 13 information values
616/617	Nominal 0.2 mg/kg per element, 5 certified, 11 information values



Glasses (powder and solid)

For more information, see Table 112.3 Glasses (powder and solid) on our website www.nist.gov/srm.

SRM	Description	Unit Size (g)
81a	Glass Sand	75
89	Lead-Barium	45
92	Low-Boron Soda-Lime Powder	45
93a	High-Boron Borosilicate	wafer: 32 mm diameter × 6 mm
165a	Glass Sand (low Iron)	75
620	Soda-Lime, Flat	3 platelets: 35 mm × 35 mm × 3 mm
621	Soda-Lime, Container	3 disks: 38 mm diameter × 5 mm
1411	Soft Borosilicate	10 platelets: 32 mm × 32 mm × 3 mm
1412	Multicomponent	8 platelets: 32 mm × 32 mm × 3 mm
1413	Glass Sand (high alumina)	75
1830	Soda-Lime, Float	3 platelets: 32 mm × 32 mm × 6 mm
1831	Soda-Lime, Sheet	3 platelets: 37 mm × 37 mm × 3 mm
1834	Fused Ore Glass	disk: 30 mm diameter × 3 mm

GLASS

Chemical and Physical Properties

Chemical Resistance [Durability] of Glass (solid form)

SRM	Description	Unit Size
622	Soda-Lime Silica	2.2 kg
623	Borosilicate	2.2 kg



Electrical Properties of Glass (bar form)

SRM	Description	Unit Size (cm)
624	Lead-Silica, for DC Resistivity	5 × 5 × 0.5
774	Lead-Silica, for Dielectric Constant	5 × 5 × 2.5
2870	Cross Linked Polystyrene	10 × 60

Viscosity of Glass (bar form)

SRM	Description	Unit Size
717a	Borosilicate	450 g

Glass Liquidus Temperature (solid form)

SRM	Description	Unit Size
773	Soda-Lime-Silica	2.5 cm × 2.5 cm × 0.6 cm
1416	Aluminosilicate	22 lengths of 12.7 cm tube (250 g)





Viscosity Fixpoints (solid forms)



SRM	Description	Unit Size
709	Extra Dense Lead Silica	4 cm × 4 cm × 5 cm
713	Dense Barium Crown 620/603	3.6 cm × 1.7 cm
714	Alkaline Earth Alumina Silicate	.6 cm × 15.2 cm
716	Neutral	1.2 cm × 15.2 cm
717a	Borosilicate	4.2 cm × 4.2 cm × 12.5 cm

Relative Stress Optical Coefficient (bar form)

SRM	Description	Unit Size
709	Extra Dense Lead Silica	4 cm × 4 cm × 5 cm

CEMENTS

Portland Cements (powder)


SRM	Unit Size
<i>Calcium Aluminate Cement</i>	
1882a	4 × 5 g
1883a	4 × 5 g
<i>Portland Cement</i>	
634a	1 × 100g
1880b	4 × 5 g
1881a	4 × 5 g
1884a	4 × 5 g
1885a	4 × 5 g
1886a	4 × 5 g
1887a	4 × 5 g
1888a	4 × 5 g
1889a	4 × 5 g
<i>Silica Fume</i>	
2696	1 × 70 g

Cement Turbidimetry and Fineness

SRM	Description	Unit Size
114q	Portland Cement	set (20)
46h	Portland Cement Fineness Standard	10 × 5 g

Portland Cement Clinkers (solid)

SRM	Unit Size
<i>Portland Cement Clinkers (5 phases certified)</i>	
2686a	3 × 10 g
2687	3 × 10 g
2688	3 × 10 g





LUBRICANTS

Lubricating Oil Ingredients

These SRMs are for determining the concentrations of a single element in lubricating base oil. SRMs 1818a and 1819a consist of five bottles, approximately 20 g of liquid each; SRM 1836 consists of four sets of four ampoules, each ampoule containing approximately 4 g of liquid.

SRM	Description	Elemental Composition (mg/kg)				
		I	II	III	IV	V
1818a	Total Chlorine	31.6	60.0	78.2	154.4	234.0
1819a	Total Sulfur	423.5	741.1	4022	4689	6135

Wear-Metals in Oil

SRM	Description	Unit Size
1083	Wear-Metals (Base Oil)	150 mL
1084a	Wear-Metals	5 × 1.6 g
1085b	Wear Metals in Lubricating Oil	set of 5 ampoules: 1.2 g each plus 5 blanks
1848	Lubricating Oil Additive Package	100 mL

Carbon Modified Silica

Unit Size: 3 × 1 g

This SRM is chemically modified microparticulate silica intended for the calibration of instruments used to measure total carbon.

SRM	Description	Bottle	Mass Fraction (%)
1216	Carbon Modified Silica	I	0.70
		II	9.06
		III	17.04

Used Auto Catalysts

Unit Size: 70 g

SRM	Description	Elemental Composition
2557	Recycled Monolith	Pt, Pd, Rh, Pb
2556	Recycled Pellet	



PHYSICAL PROPERTIES

- 75 Ion Activity
- 78 Polymeric Properties
- 80 Thermodynamic Properties
- 84 Optical Properties
- 87 Electrical Properties
- 88 Optoelectronics
- 88 Metrology
- 91 Ceramics and Glasses
- 93 X-ray Spectrometry




ION ACTIVITY

pH Calibration

SRM	Description	pH(S) Values (at 25 °C)	Unit Size (g)
2193a	Calcium Carbonate	12.469	30
185h	Potassium Hydrogen Phthalate	4.008	60
188	Potassium Hydrogen Tartrate	3.557	60
189c	Potassium Tetroxalate	1.719	65
187e	Sodium Tetraborate Decahydrate (Borax)	9.182	30
Admixtures			
Unit Size: 30 g (unless otherwise noted)			
186g	pH Standards		Set
191c	Sodium Bicarbonate (25 g)	10.012*	Set
	Sodium Bicarbonate (191-I-c)		25
	Sodium Carbonate (191-II-c)		30

*This pH results only when the two SRMs listed are used as an admixture in solution.



Biological Buffer Systems

Unit Size: 60 g

SRM	Description	pH(S) Values (at 37 °C)	
		0.05 molal	0.08 molal
2181	HEPES Free Acid	7.364*	7.373*
2182	NaHEPESate		
2183	MOPSO Free Acid	6.699*	6.694*
2184	NaMOPSOate		



*This pH results only when the two SRMs listed are used as an admixture in solution.

pD Calibration

SRM	Description	pD(S) Values (at 25 °C)	Unit Size (g)
2185	Potassium Hydrogen Phthalate	4.518	60
2186I	Potassium Dihydrogen Phosphate	7.428*	30
2186II	Disodium Hydrogen Phosphate		30
2191a	Sodium Bicarbonate	10.732*	30
2192a	Sodium Carbonate		30

*This pD results only when the two SRMs listed are used as an admixture in solution.

Ion-Selective Electrode Calibration

SRM	Description	Certified Property	Unit Size (g)
2201	Sodium Chloride	pNa, pCl	125
2202	Potassium Chloride	pK, pCl	160
2203	Potassium Fluoride	pF	125

Electrolytic Conductivity

SRM	Description	Nominal Conductivity ($\mu\text{S}/\text{cm}$)
-----	-------------	---

3190	HCl in Deionized Water	25
------	------------------------	----

KCl in Deionized Water

3191		100
3192		500
3193		1000

KCl in n-Propanol/Deionized Water

3198		5
3199		15



Positive Electrophoretic Mobility

SRM	Description	Certified Property	Unit Size
1980	Goethite ($\alpha\text{-FeOOH}$)	$+\mu_{\text{E}}, 2.53 \mu\text{m} \cdot \text{cm}/\text{V} \cdot \text{s}$	40 mL

POLYMERIC PROPERTIES

Molar Mass

SRM	Molar Mass (g/mol)	Unit Size (g)
Poly(methylmethacrylate)		
1489*	$M_n \approx 115\,000$ ($M_w/M_n \leq 1.1$)	1.1
1488*	$M_n \approx 29\,300$ ($M_w/M_n \leq 1.1$)	2
1487*	$M_n \approx 6300$	2
Polyethylene, linear		
2887*	$M_n \approx 196\,400$	0.3
2885*	$M_n \approx 6280$	0.3
2886*	$M_n \approx 87\,000$	0.3
1475a*	$M_n \approx 52\,000$ ($M_w/M_n \approx 2.90$) (see also melt flow)	50
1484a*	$M_n \approx 119\,600$ ($M_w/M_n \approx 1.19$)	0.3
1482a*	$M_n \approx 13\,600$ ($M_w/M_n \approx 1.19$)	0.3
1483a*	$M_n \approx 32\,100$ ($M_w/M_n \approx 1.11$)	1
Polystyrene, linear, broad molecular mass distribution		
706a	$M_n \approx 285\,000$	18
Polystyrene, linear, narrow molecular mass distribution		
1478*	$M_n \approx 37\,400$ ($M_w/M_n \approx 1.04$)	2
705a*	$M_n \approx 179\,300$ ($M_w/M_n \approx 1.07$)	5
1479	$M_n \approx 1\,050\,000$	2
2881**	$M_n \approx 9100$	0.3
2888	$M_n \approx 7190$	0.3

* Also certified for viscosity

** Certified for absolute molecular mass distribution



Melt Flow Rate

SRM	Description	Melt Flow Rate (g/10 min)	Unit Size (g)
1473b	Polyethylene Resin, Low Density	1.13	60
1474a	Polyethylene Resin	5.10	60
1475a	Polyethylene, Linear	2.02	50
1476a	Branched Polyethylene Resin	1.23	12
1496	Polyethylene Gas Pipe Resin, Unpigmented	0.26	908
1497	Polyethylene Gas Pipe Resin, Pigmented	0.186	9080

Viscosity

SRM	Description	Unit Size (mL)
2490	Non-Newtonian Polymer Solution for Rheology (Polyisobutylene Dissolved in 2,6,10,14-Tetramethylpentadecane)	100
2491	Non-Newtonian Polymer Melt for Rheology	100

Biomaterials

RM	Description	Unit Size
2910a	Calcium Hydroxyapatite <i>Properties:</i> - Calcium - Phosphorus - Ca/P Molar Ratio	2 g (powder)
8011	Gold Nanoparticles, Nominal 10 nm Diameter <i>Properties:</i> - Reference Values for Particle Size - Information Values for Chemical and Electrochemical Properties	2 x 5 mL ampoules
8012	Gold Nanoparticles, Nominal 30 nm Diameter <i>Properties:</i> - Reference Values for Particle Size - Information Values for Chemical and Electrochemical Properties	2 x 5 mL ampoules
8013	Gold Nanoparticles, Nominal 60 nm Diameter <i>Properties:</i> - Reference Values for Particle Size - Information Values for Chemical and Electrochemical Properties	2 x 5 mL ampoules
8385	Ultra High Molecular Weight Polyethylene Wear Particles <i>Properties:</i> - Reference Particle Size Populations - Information Values for Diameter of the Packed Rounded UHMWPE Particles - Information Values for Aspect Ratio and Length of the Packed Elongated UHMWPE Particles	5 ml vials
8456	Ultra High Molecular Weight Polyethylene <i>Properties:</i> - Young's Modulus - Yield Strength - Ultimate Strength - Elongation	bar: 7.62 cm diameter x 152.4 cm (3 in diameter x 60 in)
8457	Ultra High Molecular Weight Polyethylene <i>Properties:</i> - Young's Modulus - Yield Strength - Ultimate Strength - Elongation	10 (0.5 cm) cubes

THERMODYNAMIC PROPERTIES

Calorimetry - Combustion

SRM	Description	Heat of Combustion (MJ/kg)*	Unit Size (g)
39j	Benzoic Acid	26.434	30
2692b	Coal, Bituminous: % S = 1.170	(32.81)**	50
2685b	Coal, Bituminous: % S = 4.730	(26.94)**	50
2682b	Coal, Sub-Bituminous: % S = 0.4917	(25.66)**	50
2151	Nicotinic Acid	22.184	25
2684b	Coal, Bituminous, Sulfur and Mercury: % S = 3.08; Hg = 97.4 µg/kg	28.56**	50
1657	Synthetic Refuse-Derived Fuel	13.87**	100
2683b	Sulfur and Mercury in Coal: % S = 1.955, Hg = 90.0 µg/kg	30.62	50
1656	Thianthrene	33.480	30
2152	Urea	10.536	25



* The calorific values (MJ/kg) may decrease upon the aging or normal oxidation of the coals. NIST will continue to monitor these calorific values and report any substantive change to the purchaser.

** Gross calorific value or HHV (Higher Heating Value).

Calorimetry - Solution

SRM	Description	Heat of Solution	Unit Size
1655	Potassium Chloride (Water Solution Calorimetry)	Absorbed (235.86 J/g)	30 g

Enthalpy and Heat Capacity

SRM	Description	Unit Size	Temperature Range (K)
781D2	Molybdenum	0.64 cm diameter 10 cm	273.15 to 2800
705a	Polystyrene (Molecular Weight: 170 900 g/mol)	5 g	10 to 350
720	Synthetic Sapphire	15 g	10 to 2250

Differential Scanning Calorimetry

SRM	Description	Melting Temperature (K)	Enthalpy of Fusion (J/g)	Unit Size
2232	Indium (99.9999 %)	156.5985 °C	28.51	1 g
2234	Gallium for Thermal Analysis	302.9146	80.097	Approx. 2 g
2235	Bismuth for Thermal Analysis	544.556	53.146	1.5 g
2225	Mercury	234.30	11.469	2.5 g
2220	Tin (99.9995 %)	505.10	60.22	(2.5 × 2.5 × 0.0127) cm
1514	Thermal Analysis Purity Set	4 levels of p-ABA (0.0 mol % to 5.0 mol %)	—	4 × 0.5 g



Defining Fixed Points, International Temperature Scale of 1990, ITS-90

SRM	Description	Temperature (°C)	Unit Size (g)
Pure Metals			
743	Mercury (Triple Point)	-38.8344	ampoule: 680
1745	Indium (Freezing Point)	156.5985	ingot: 20 × 10 g
741a	Tin (Freezing Point)	231.928	shot: 200
740a	Zinc (Freezing Point)	419.527	shot: 200
1744	Aluminum (Freezing Point)	660.323	ingot: 200
1746	Silver (Freezing Point)	961.780	shot: 300
1751	Gallium Melting Point	29.7646	200

Devices (semi-open cell)

1747	Tin (Freezing Point), 99.9999+ %	231.928	1071
1748	Zinc (Freezing Point), 99.9999+ %	419.527	1031

Reference Points

SRM	Description	Temperature (°C)	Unit Size (g)
45d	Copper (Freezing Point)	1084.6	bar: 450
49e	Lead (Freezing Point)	327.453	bar: 600
742	Alumina, 99.9+ % (Melting Point)	2052	powder: 10



Freezing Point, Melting Point, and Triple Point Cells (sealed cell)

SRM	Description	Temperature (°C)	Unit Size (g)
1968	Gallium (Melting Point), 99.9999+ %	29.7646	25
1969	Rubidium (Triple Point), 99.9+ %	39.30	154
1970	Succinonitrile (Triple Point), 99.999+ %	58.0642	60
1971	Indium (Freezing Point), 99.9999+ %	156.598	100
1972	1,3-Dioxolan-2-one (Ethylene Carbonate) (Triple Point), 99.999+ %	36.3143	60

Thermal Expansion of Metal and Glass

SRM	Description	Temperature Range (K)	Unit Size (cm)
731L1	Borosilicate Glass	80 to 680	0.64 × 5.1
731L2	Borosilicate Glass	80 to 680	0.64 × 10.2
731L3	Borosilicate Glass	80 to 680	0.64 × 15.2
738	AISI 446 Stainless Steel	293 to 780	0.64 × 5.1

Thermal Resistance of Glass, Silica, and Polystyrene

SRM	Description	Unit Size (cm)	Temperature Range (K)	Thermal Resistance at (m ² · K · W ⁻¹)
1449	Fumed Silica Board	60 × 60 × 2.54	297.1	1.2
1450c	Fibrous Glass Board	61 × 61 × 2.54	280 to 340	0.78
1452	Fibrous Glass Blanket	60 × 60 × 2.54	297.1	0.6
1453	Expanded Polystyrene Board	66 × 93 × 1.34	285 to 310	0.4
1459	Fumed Silica Board	30 × 30 × 2.54	297.1	1.2

Vapor Pressure of Metals

SRM	Description	Pressure Range (Pa) (K, ITS-90)	Temperature Range	Unit Size
746	Cadmium	10 ⁻⁶ to 10 ⁵	350 to 594	rod: 0.64 cm diameter × 6.4 cm

Thermal Conductivity of Graphite and Iron

RM	Description	Unit Size	Conductivity at 293 K (W·m ⁻¹ ·K ⁻¹)
8420	Electrolytic Iron	0.64D × 5.0	77.9
8424	Graphite	0.64D × 5.0	90.9

Thermocouple Material, Platinum

Unit Size: 1 each

SRM	Description	Temperature Range
1749	Gold vs. Platinum Thermocouple Thermometer	0 °C to 1000 °C
1967	Platinum Wire, High Purity (99.999+ %)	-197 °C to 1768 °C
1750	Standard Platinum Resistance Thermometer	14 K to 430 K

OPTICAL PROPERTIES

Molecular Transmittance and Absorbance



SRM	Description	Wavelength Range	Unit Size
Crystalline and Solution Forms			
935a	Crystalline Potassium Dichromate, UV Absorbance	235 nm to 350 nm	15 g
1935a	Potassium Dichromate Solution, UV Absorbance	235 nm to 350 nm	10 ampoules: 5 samples, plus 5 blanks
931g	Liquid Filters, Absorbance	302 nm to 678 nm	12 ampoules: 3 × 3 levels, plus 3 blanks
Glass Filters, Transmittance			
930e	10 %, 20 %, 30 % Transmittance	440 nm to 635 nm	3 filters, plus 1 blank
2031a	Metal-on-Quartz Filters 10 %, 30 %, 90 % Transmittance	250 nm to 635 nm	3 filters, plus 1 blank
2055	77 nm Cu-Ni Film on Silica	2 μm to 25 μm	25 mm diameter × 250 μm



Transmittance Wavelength Standards

SRM	Description	Wavelength Range	Unit Size
2035	Near-IR Transmission	971 nm to 1949 nm	25 mm diameter × 1.5 mm
2036	Near-IR Wavelength/Wavenumber Reflection Standard	975 nm to 1946 nm	25 mm diameter × 1.5 mm
2037	Red Diesel Dye	—	100 mg
2065	Transmission Wavelength/Vacuum Wavenumber	ultraviolet–visible–near-infrared	25 mm diameter × 1.5 mm
1921b	Infrared Transmission	3.2 μm to 18.5 μm	1 polystyrene film

Fluorescence

SRM/RM	Description	Wavelength Range	Unit Size
936a	Quinine Sulfate Dihydrate	375 nm to 675 nm	1 g
1932	Fluorescein	488 nm to 491 nm	3 × 2 mL
2242	Relative Intensity Correction Standard, Raman Spectroscopy	532	1 artifact
2241	Relative Intensity Correction Standard, Raman Spectroscopy	785 nm	each
2243	Relative Intensity Correction Standard, Raman Spectroscopy	488 nm to 514.5 nm	each
2940	Relative Intensity Correction Standard, Fluorescence Spectroscopy (Orange Emission) 412 nm	500 to 800	each
2941	Relative Intensity Correction Standard, Fluorescence Spectroscopy (Green Emission) 427 nm	450 to 650	each
2942	Relative Intensity Correction Standard, Fluorescence Spectroscopy (Ultraviolet Emission) 310.1 nm	320 to 430	each
2943	Relative Intensity Correction Standard, Fluorescence Spectroscopy (Blue Emission) 330.3 nm	350 to 640	each



Specular Spectral Reflectance

SRM	Description	Wavelength Range (nm)
2017	Multi-Angle White Reflectance Standard	400 to 700

Optical Rotation

SRM	Description	Wavelength Range	Unit Size
917c	D-Glucose (Dextrose)	546 nm to 589 nm	50 g
17f	Sucrose	546 nm to 633 nm	60 g

Liquid Refractive Index

SRM	Description	Wavelength Range	Unit Size
1922	Mineral Oil	468 nm to 589 nm	30 mL

Solid Refractive Index

SRM	Description	Wavelength Range (nm)	n (at 22 °C)
1822a	Refractive Index Standard	480.1	$1.526132 \pm 1.6 \times 10^{-5}$
		501.7	$1.524468 \pm 1.6 \times 10^{-5}$
		508.7	$1.523971 \pm 1.6 \times 10^{-5}$
		546.2	$1.521629 \pm 1.6 \times 10^{-5}$
		587.7	$1.519535 \pm 1.6 \times 10^{-5}$
		644.0	$1.517277 \pm 1.6 \times 10^{-5}$

X-ray and Photographic Imaging

SRM	Description	Unit Size
1010a	Microcopy Resolution Test Chart	5 charts





ELECTRICAL PROPERTIES

Electrical Resistivity and Conductivity of Electrolytic Iron and Graphite

Unit Size: rod: 0.64 cm diameter × 5.0 cm

RM	Resistivity Range ($\mu\Omega \cdot \text{m}$)	Unit Size
<i>Electrolytic Iron (2 K to 1000 K)</i>		
8420	0.004 to 0.909	0.64 cm diameter × 5.0 cm
<i>Graphite (5 K to 2500 K)</i>		
8424	28.78 to 12.59	0.64 cm diameter × 5.0 cm



Electrical Resistivity and Conductivity of Silicon

SRM	Resistivity ($\Omega \cdot \text{cm}$)	Type	Unit Size (mm)
2541	Silicon Resistivity	0.01	100D × 0.625
2543	Silicon Resistivity	1	100D × 0.625
2546	Silicon Resistivity	100	100D × 0.625
2547	Silicon Resistivity	200	100D × 0.625

OPTOELECTRONICS

SRM	Description	Unit Size
Wavelength Calibration Standards		
2514	Wavelength Calibration Reference for 1560 nm to 1595 nm - Carbon Monoxide ($^{13}\text{C}^{16}\text{O}$)	Gas Absorption Cell
2515	Wavelength Calibration Reference for 1595 nm to 1630 nm - Carbon Monoxide ($^{13}\text{C}^{16}\text{O}$)	Gas Absorption Cell
2517a	High Resolution Wavelength Calibration Reference for 1510 nm to 1540 nm - Acetylene ($^{13}\text{C}_2\text{H}_2$)	Gas Absorption Cell
2519a	Wavelength Reference Absorption Cell for 1530 nm to 1560 nm Hydrogen Cyanide ($\text{H}^{13}\text{C}^{14}\text{N}$)	Gas Absorption Cell
Polarization Mode Dispersion Standards		
2518	Polarization Mode Dispersion Standard	1 each
2538	Deterministic Polarization Mode Dispersion Standard	1 each
Fiber and Fiber-Connector Geometry Standards		
2520	Optical Fiber Diameter Standard	1 each
2522	Pin Gauge Standard for Optical Fiber Ferrules	1 wire-sizing bore
2523	Optical Fiber Ferrule Geometry Standard	1 ceramic connector ferrule
2553	Optical Fiber Coating Diameter ($n = 1.504$)	1 each: 250 μm diameter
2554	Optical Fiber Coating Diameter ($n = 1.515$)	1 each: 250 μm diameter

METROLOGY

Optical Microscope Linewidth Measurement (Photomask)



SRM	Linewidth (μm)	Pitch (μm)	Unit Size (cm)
Linewidth Measurement Standards			
2059	0.25 to 32.0	0.5 to 250	15.24 × 15.24 × .635

Microscale Dimensional Measurement Standards

SRM/RM	Description	Unit Size (cm)
2800	Microscope Magnification Standard	25 mm × 75 mm × 2.3 mm
5000	Overlay Wafer Standard	17.6 mm × 16.0 mm
5001	Two-Dimensional Grid Photomask Standard	6.0 in × 6.0 in × 0.25 in
8820	Scanning Electron Microscope Scale Calibration Artifact	20 mm × 20 mm

Scanning Electron Microscope (SEM)

SRM/RM	Description	Spacings	Unit Size (mm)
2069b	SEM Performance Standard	2 mm to 4 mm	12 mm diameter with 3 mm peg
8091	SEM Sharpness Standard		semiconductor chip: 2 mm × 2 mm
8820	Scanning Electron Microscope Scale Calibration Artifact		20 mm × 20 mm
9951	Aluminum Wafer Drop-In Sample Holder		6 in
9952	Aluminum Wafer Drop-In Sample Holder		6 in
2800	Microscope Magnification Standard	1 μm to 5 mm	25 × 75 × 2.3

Thin Film for Transmission Electron Microscope

SRM	Description	Certified Element	Unit Size
2063a	Microanalysis Thin Film Mineral Glass	Ar, Ca, Fe, Mg, O, Si	1 glass film

Semiconductor Thin Film for the Composition of Thin Films

SRM	Description	Nominal Elemental Composition (group III mole fraction)	
		Al (x in Al _{1-x} Ga _x As)	
2841	Epitaxial Layer	0.20	
2842	Epitaxial Layers	0.30	

Depth Profiling

SRM	Description	Value	Unit Size (cm)
2133	Phosphorus Implant in Silicon Depth Profile Standard	³¹ P: 0.04927 μg/cm ² (9.58 × 10 ¹⁴ atoms/cm ²)	crystal 1 × 1
2134	Arsenic Implant in Silicon Profile Standard	⁷⁵ As - 7 × 10 ¹⁴ atoms/cm ²	crystal: 1 × 1
2135c	Nickel-Chromium Thin-Film Depth Profile Standard	Cr: 41.3 μg/cm ² Ni: 49.4 μg/cm ²	1 × 2.54 × 0.04
2137	Boron Implant in Silicon Depth Profile Standard	¹⁰ B - 1.018 v 10 ¹⁵ atoms/cm ²	1 × 1

Solder Thickness for X-ray Fluorescence

Unit Size: plate: 15 mm × 15 mm


SRM	Description	Composition	Coating Mass/Area	Coating Thickness	
				(μm)	(μm)
2321	Tin-Lead Alloy	60 % Sn, 40 % Pb	6.8 mg/cm ²	295	7.5

Coating Thickness

Unit Size: 45 mm × 45 mm

These SRMs are suitable for calibrating instruments based on magnetic induction and magnetic pull-off techniques used in the measurement of organic and non-magnetic inorganic coatings over steel.

SRM	Nominal Coating Thickness	
	(μm)	(mils)
Chromium over Copper on Steel		
1358b	20, 80, 255, 1000	0.8, 3.1, 9.8, 39
1359b	48, 140, 505, 800	2.0, 5.5, 20, 32
1361b	6, 12, 25, 48	0.2, 0.5, 1.0, 2.0
1362b	40, 80, 140, 205	1.6, 3.1, 5.5, 7.9
1363b	255, 385, 505, 635	9.8, 16, 20, 26
1364b	800, 1000, 1525, 1935	32, 39, 59, 79



Superconducting Critical Current (wire form)

Unit Size: wire: 8.7 cm diameter \times 2.2 m

SRM	Description	Magnetic Field Range (T)	Critical Current Range (A)
1457	Niobium-Titanium Wire	2.000 to 8.000	293.30 to 69.72

CERAMICS AND GLASSES

Chemical Resistance [Durability] of Glass



SRM	Description	mL of N/50 H ₂ SO ₄	Unit Size (kg)
623	Borosilicate	0.34	2.2
622	Soda-Lime Silica	7.67	2.2

Electrical Properties of Dielectrics

Unit Size: 5 cm \times 5 cm \times 2.5 cm

SRM 624 is suitable for use with ASTM C 657. SRM 774 is suitable for use with ASTM D 150.

SRM	Description	Geometry and Unit Size	Parameter(s)
624	Lead-SilicaGlass	Block 5 cm square 2.5 cm thick	DC Volume Resistivity
774	Lead-SilicaGlass	Block 5 cm square 2.5 cm thick	Dielectric Constant Dissipation Factor
2870	Cross-linked Polystyrene	Circular-Cylindrical Puck 60 mm diameter 10 mm thick	Relative Permittivity Loss Tangent

Viscosity of Glass

SRM	Description	Unit Size (mm)
717a	Borosilicate Glass	block: 40 × 40 × 150

Viscosity Fixpoints of Glass

These SRMs are for the calibration of equipment for the determination of the softening, annealing, and strain points of glass.

SRM	Description	Unit Size
714	Alkaline Earth Alumina Silicate	225 g
717a	Borosilicate	40 mm × 40 mm × 150 mm
713	Dense Barium Crown 620/603 Glass	225 g
709	Extra Dense Lead Silica	4 cm × 4 cm × 5 cm
716	Neutral Glass	250 g



Relative Stress Optical Coefficient

SRM	Description	Relative Stress Optical Coefficient (C) at $\lambda = 546.1$ nm (Value × 10^{-12} m ² /N)	Unit Size
709	Extra Dense Lead Silica	C = - 1.359	bar: 4 cm × 4 cm × 5 cm

Density

SRM	Description	Density (kg/m ³)	Unit Size
211d	Toluene	871.476 at 15 °C	4 × 5 mL
2214	Isooctane	695.969 at 15 °C	4 × 5 mL

Glass Liquidus Temperature

SRM	Description	Unit Size	Method	Temperature (°C)
773	Soda-Lime-Silica	2.5 cm × 2.5 cm × 0.6 cm	A (boat)	988
			B (perforated plate)	991
1416	Aluminosilicate	22 lengths of 12.7 cm tube (250 g)		1147

X-RAY SPECTROMETRY

X-ray Diffraction

SRM	Description	XRD Application	Unit Size (g)
676a	Alumina (Corundum Structure)	Quantitative Analysis	20
1976a	Alumina Plate, Sintered	Instrument Response	45 mm × 45 mm × 1.6 mm
660a	Lanthanum Hexaboride Powder	Line Position, Line Shape	6
675	Mica	Low 2θ (Large d-Spacing)	7.5
1879a	Respirable Cristobalite	Quantitative Analysis	5
1878a	Respirable Quartz	Quantitative Analysis	5
656	Silicon Nitride	Quantitative Analysis	2 × 10 g
640d	Silicon Powder 2~ /d-Spacing	Line Position, Line Shape	7.5
674b	X-ray Powder Diffraction Intensity Set (CeO ₂ , Cr ₂ O ₃ , TiO ₂ , ZnO)	Quantitative Analysis	—
1990	Single Crystal Diffractometer Alignment Standard	Quantitative Analysis	3 spheres
1994	Standard Silicon Single Crystal Wafer for Crystalline Orientation	Crystalline Orientation	100-mm wafer
1995	Standard Sapphire Single Crystal Wafer for Crystalline Orientation	Crystalline Orientation	50-mm wafer
2000	Calibration Standard for High-Resolution X-Ray Diffraction	Line Position	25 mm × 25 mm × 0.725 mm

RADIOACTIVITY

- 95 Alpha Particle Solution Standards
- 96 Beta Particle and Electron Capture Solution Standards
- 97 Gamma Point Source
- 97 Radiopharmaceutical Standards
- 98 Beryllium Isotopic Ratio Standard
- 98 Radiocarbon Dating Contemporary Standards
- 98 Environmental Natural Matrix Standards
- 99 Neutron Density Monitor Wire
- 99 Fission Track Glass





TABLE 1: Alpha Particle Solution Standards

Radionuclide	SRM Number	Approx. Bq·g ⁻¹	Reference Time	Expanded Uncertainty	Solution Mass	Chemical Form (%)	Solution Composition (g)	Notes
Americium-241*	4322C	100	May 2007	0.3	5	Am(NO ₃) ₃	1 M HNO ₃	
Americium-243*	4332D	40	#	#	5	Am(NO ₃) ₃	1 M HNO ₃	
Curium-243*	4329	70	Jun 1984	1.4	5	Cm(NO ₃) ₃	1 M HNO ₃	
Curium-244*	4320A	35	#	#	5	Cm(NO ₃) ₃	1 M HNO ₃	
Neptunium-237*	4341	100	Mar 1992	1.3	5	Np(NO ₃) ₃	2 M HNO ₃	
Plutonium-238*	4323B	30	Feb 1994	0.7	5	Pu(NO ₃) ₆	3 M HNO ₃	
Plutonium-239*	4330B	40	Dec 1995	0.7	5	Pu(NO ₃) ₆	3 M HNO ₃	
Plutonium-240*	4338A	40	May 1996	0.8	5	Pu(NO ₃) ₆	3 M HNO ₃	
Plutonium-242*	4334H	25	Jun 1994	0.8	5	Pu(NO ₃) ₆	3 M HNO ₃	
Polonium-209**	4326	85	#	#	5	PoCl ₄	2 M HCl	
Radium-226	4969	3	Sep 1998	1.8	5	RaCl ₂	1.5 M HCl	
Radium-226	4965	30	Sep 1991	1.2	5	RaCl ₂	1.4 M HCl	
Radium-226**	4966A	280	Jan 2007	1.3	5	RaCl ₂	1.0 M HCl	
Radium-226**	4967A	2,500	Sep 2003	0.9	5	RaCl ₂	1 M HCl	
Radon-222	4971	4 Total	#	#	0.2	RaCl ₂	1 M HCl	a
Radon-222	4972	40 Total	#	#	0.2	RaCl ₂	1 M HCl	a
Radon-222	4973	400 Total	#	#	0.2	RaCl ₂	1 M HCl	a
Radon-222	4974	5000 Total	May 2005	1.3	0.2	RaCl ₂	1 M HCl	
Thorium-229	4328C	35	Dec 2007	0.6	5	Th(NO ₃) ₄	1 M HNO ₃	
Thorium-230	4342A	40	April 2007	0.4	5	Th(NO ₃) ₄	1 M HNO ₃	
Uranium-232	4324B	30	Jul 2002	0.8	5	UO ₂ (NO ₃) ₂	2 M HNO ₃	
Uranium-238 (Natural)	4321C		Jan 1992		5	UO ₂ (NO ₃) ₂	1 M HNO ₃	
Uranium-238		250		0.9				
Uranium-235		11		1.0				
Uranium-234		240		1.9				

* **License Certification** is required by NIST for this material.

** **License Certification** is not required by NIST for this material but a state-issued license may be required for possession. Contact your state Office of Radiation Safety for further information.

Material in preparation.

a) SRMs 4971, 4972, and 4973 are intended for the calibration of radon-222 measuring instruments. They consist of small heat-sealed polyethylene cylinders containing approximately 0.2 g of radium-226 solution. These SRMs are calibrated in terms of radium-226 activity and in terms of the emanation fraction of the radon-222 under specified conditions.

TABLE 2: Beta Particle and Electron Capture Solution Standards

Radionuclide	SRM Number	Approx. Bq·g ⁻¹	Reference Time	Expanded Uncertainty	Solution Mass (%)	Chemical Form (g)	Solution Composition	Notes
Barium-133 *	4251C	500,000	Sep 1993	0.5	5	BaCl ₂	1 M HCl	
Carbon-14	4222C	50,000	Sep 1990	0.8	5	n-Hexadecane	n-Hexadecane	
Cesium-137 *	4233E	300,000	Sep 2005	0.7	5	CsCl	1 M HCl	
Chlorine-36	4943	10,000	Dec 1984	0.8	3	NaCl	H ₂ O	
Cobalt-60 *	4915F	60,000	Nov 2005	0.5	5	CoCl ₂	1 M HCl	
Europium-152*	4370C	90,000	Feb 1987	1.1	5	EuCl ₃	1 M HCl	
Holmium-166m*	4274	20,000	Feb 2006	0.81-2.4	5	HoCl ₃	1 M HCl	
Hydrogen-3†	4361C	2	Sep 1998	1.1	500	H ₂ O	H ₂ O	
Hydrogen-3	4926E	5,000	Sep 1998	1.1	20	H ₂ O	H ₂ O	
Hydrogen-3	4927F	600,000	Sep 1998	1.1	5	H ₂ O	H ₂ O	
Hydrogen-3	4947C	300,000	Mar 1987	1.2	4	Toluene	Toluene	
Iodine-129*	4949C	3,500	Mar 1993	0.7	5	Nal	0.01 M NaOH	
Iron-55	4929F	50,000	Nov 2005	1.7	5	FeCl ₃	1 M HCl	
Lead-210	4337	9,000	June 2006	2.4	5	Pb (NO ₃) ₂	1 M HNO ₃	
Nickel-63*	4226C	45,000	Nov 2005	0.9	5	NiCl ₂	1 M HCl	
Plutonium-241*	4340B	250	June 2007	3.8	5	Pu(NO ₃) ₃	3 M HNO ₃	
Radium-228	4339B	200	#	#	5	Ra(NO ₃) ₂	1 M HNO ₃	
Strontium-90*	4239	50,000	Dec 2006	0.5	5	SrCl ₂	1 M HCl	
Strontium-90*	4919I	4,000	Dec 2006	0.5	5	SrCl ₂	1 M HCl	
Technetium-99	4288B	30,000	May 2008	0.7	5	KTCO ₄	0.001 M KOH	



* **License Certification** is required by NIST for this material.

Material in preparation.

† This standard is not radioactive material for licensing or shipping purposes.



TABLE 3: Gamma Ray Point Source Standards

Radionuclide	SRM Number	Principal Photon Energies (keV)	Approx. Activity (Bq)	Reference Time	Expanded Uncertainty	Chemical Form (%)	Notes
Barium-133	4241C	81 - 384	60,000 to 140,000	Jan 1999	0.6	BaCl ₂	a
Europium-152*	4218F	122 - 1400	60,000 to 140,000	Jan 1999	0.8	EuCl ₃	a
Niobium-94*	4201B	702, 871	4,000	Apr 1970	1.5	NbO	a

* **License Certification** is required by NIST for this material.

- a) These standards consists of a dried deposit, usually with a diameter of less than 0.5 cm, of the radionuclide sealed between two layers of 0.006 cm thick polyester tape that are supported on an aluminum annulus. The annulus has an outside diameter of 5.4 cm, an inside diameter of 3.8 cm, and a thickness of 0.05 cm.

TABLE 4: Radiopharmaceutical Standards

Radionuclide	SRM Number	Approx. MBq·g ⁻¹	Approx. Half Life	Expanded Uncertainty (%)	Solution Mass (g)	Chemical Form	Solution Composition	Notes
Gallium-67*	4416L	4	3 d	0.6	5	GaCl ₃	2 M HCl	a
Indium-111*	4417L	5	3 d	0.6	5	InCl ₃	3 M HCl	a
Iodine-125*	4407L	1	60 d	0.8	5	KI	0.01 M LiOH	a
Iodine-131*	4401L	5	8 d	0.7	5	KI	0.01 M LiOH	a
Molybdenum-99*	4412L	10	3 d	0.8	5	Na ₂ MoO ₄	3 M HNO ₃	a
Technetium-99m*	4410H	1000	6 h	0.7	5	NaTcO ₄	0.15 M NaCl	a
Thallium-201*	4404L	4	3 d	0.8	5	TlNO ₃	1 M HNO ₃	a
Xenon-133*	4415L	500 Total	5 d	0.8	5 mL	Xe	Xe gas	a, b
Yttrium-90*	4427L	1	3 d	0.8	5	YCl ₃	1 M HCl	a

* **License Certification** is required by NIST for this material.

- a) Orders for these radionuclides must be received by the third day of the month in which the distribution is scheduled. For further information contact the NIST Radioactivity Group.
- b) SRM 4415 consists of xenon-133 plus non-radioactive xenon, uncompressed, in a flame-sealed borosilicate glass ampoule. The ampoule has an outside diameter of 1.5 cm and a length of 4.5 cm.

TABLE 5: Beryllium Isotopic Ratio Standard

Nuclides	SRM Number	Approx. Bqg ⁻¹	Isotopic Ratio	Reference Time	Expanded Uncertainty (%)	Solution Volume (mL)	Chemical Form	Solution Composition	Beryllium Concentration (mg·mL ⁻¹)
Beryllium-10/ Beryllium-9†	4325	0.0002	3 x 10 ⁻¹¹	Aug 1986	5.1	50	BeCl ₂	1 M HCl	5



† This standard is not radioactive material for licensing or shipping purposes.

TABLE 6: Radiocarbon Dating Contemporary Standard

Radionuclide	SRM Number	Approx. Bqg ⁻¹	Reference Time	Expanded Uncertainty (%)	Mass (g)	Chemical Form	Physical Form	Notes
Carbon-14†	4990C	0.08	1980	1.6	225 (8 x 28)	Oxalic Acid	Crystalline Powder	a

† This standard is not radioactive material for licensing or shipping purposes

- a) This SRM replaces SRM 4990, which has been in use in radiocarbon-dating laboratories since 1958. The material is part of a 450 kg lot of oxalic acid that was prepared by fermentation of French beet molasses from the 1977 spring, summer, and fall harvests. The ratio of the massic activity of SRM 4990C to that of SRM 4990, and the mass spectrometric ratios of carbon-13 to carbon-12 in each, were measured by eleven international carbon-dating laboratories in an intercomparison organized by L.M. Cavallo and W.B. Mann. See Proceedings of the 11th International Radiocarbon Dating Conference, M. Stuiver and R. Kra, Editors, *Radiocarbon* 25, No. 2 (1983).

TABLE 7: Environmental Natural Matrix Standards

SRM Number	Name	Mass (g)	Activity Certified	Activity Given But Not Certified	Other Data
4350B	River Sediment†	85	⁶⁰ Co, ¹³⁷ Cs, ¹⁵² Eu, ¹⁵⁴ Eu, ²²⁶ Ra, ²³⁸ Pu, ²³⁹⁺²⁴⁰ Pu, ²⁴¹ Am	⁴⁰ K, ⁵⁵ Fe, ⁹⁰ Sr, ²²⁸ Th, ²³⁰ Th, ²³² Th, ²³⁴ U, ²³⁵ U, ²³⁸ U	a, b, c
4351	Human Lung†	45	²³² Th, ²³⁴ U, ²³⁸ U, ²³⁹⁺²⁴⁰ Pu, ²³⁸ Pu/(²³⁹⁺²⁴⁰ Pu)	²²⁸ Th, ²³⁰ Th, ²⁴¹ Am	c
4352	Human Liver†	45	²³⁸ Pu, ²³⁹⁺²⁴⁰ Pu, ²⁴¹ Am	²²⁸ Th, ²³⁰ Th, ²³² Th, ²³⁴ U, ²³⁵ U, ²³⁸ U	c



TABLE 7 continued

SRM Number	Name	Mass (g)	Activity Certified	Activity Given But Not Certified	Other Data
4353A	Rocky Flats Soil II†	85	²³⁸ Pu, ^{239,240} Pu, ²³⁸ U, ²³⁵ U, ⁹⁰ Sr, ¹³⁷ Cs, ²²⁶ Ra, ²¹⁰ Pb, ²³² Th/ ²³² Th, ²³⁰ Th/ ²³⁰ Th	²²⁸ Th, ²³² Th, ²²⁷ Th, ²³⁴ Th, ²²⁶ Ra, ²¹⁴ Pb, ²¹⁴ Bi, ²¹⁴ Pb, ²¹⁴ Bi, ²⁰⁶ Tl, ⁴⁵ K, ²⁴¹ Pu, ²⁴¹ Am, ²⁴⁰ Pu/ ²³⁹ Pu, ²⁴¹ Pu/ ²³⁹ Pu, ²⁴¹ Pu/ ²⁴⁰ Pu	
4354	Lake Sediment†	25	⁶⁰ Co, ⁹⁰ Sr, ¹³⁷ Cs, ²²⁸ Th, ²³² Th, ²³⁸ U, ²³⁸ U, ²³⁸ Pu, ²³⁹⁺²⁴⁰ Pu, ²⁴¹ Am	²¹⁰ Pb, ²²⁶ Ra, ²³² Th, ²³⁴ U	a, c
4355	Peruvian Soil †	75	¹³⁷ Cs, ²²⁸ Th, ²³² Th, ²³⁰ Th/ ²³⁰ Th, ²³⁸ U, ²⁴¹ Am, Upper limits on: ⁶⁰ Co, ¹²⁵ Sb, ¹⁵² Eu, ¹⁵⁴ Eu, ¹⁵⁵ Eu	⁴⁵ K, ⁵⁵ Fe, ⁹⁰ Sr, ²⁰⁶ Tl, ²¹⁴ Bi, ²³⁸ Pu	c
4356	Ashed Bone†	15	⁶⁰ Co, ²²⁶ Ra, ²³⁰ Th, ²³² Th, ²³⁸ U, ²³⁸ U, ²³⁸ Pu, ²³⁹⁺²⁴⁰ Pu, ²⁴³⁺²⁴⁴ Cm	⁴⁵ K, ²¹⁰ Pb, ²¹⁰ Po, ²²⁶ Ac, ²²⁶ Ra, ²²⁸ Th, ²³⁴ U, ²⁴¹ Am	
4357	Ocean Sediment†	85	⁴⁰ K, ⁹⁰ Sr, ¹³⁷ Cs, ²²⁶ Ra, ²²⁸ Th, ²³⁰ Th, ²³² Th, ²³⁸ Pu, ²³⁹⁺²⁴⁰ Pu	¹²⁹ I, ¹³⁵ Eu, ²¹⁰ Pb, ²²⁶ Ra, ²³⁴ U, ²³⁸ U, ²³⁸ U, ²³⁸ U, ²³⁸ Np, ²⁴¹ Am	a, c
4358	Ocean Shellfish†	300	In preparation	In preparation	
4359	Seaweed Radionuclide				

† This standard is not radioactive material for licensing or shipping purposes.

a) Semi-quantitative elemental analysis by emission spectrographic measurements. b) Analysis of plutonium isotopes by mass spectrometry. c) Particle size distribution.

TABLE 8: Neutron Density Monitor Wire

SRM	Description	Cobalt Composition (weight %)	Unit Size
953	Cobalt in Aluminum Wire	0.116	0.5 mm diameter × 1 m

TABLE 9: Fission Track Glass

Each unit consists of four unirradiated glass wafers and two irradiated wafers.

SRM	Uranium Composition (µg/g)	Uranium-235 (Atom %)	Reactor Position	Neutron Fluence (× 10 ¹⁴ n/cm ²)	
				Copper Foil	Gold Foil
963a	0.823	0.2792	RT-4	39.5	43.0
			RT-3	41.2	45.8

TABLE 10: Accelerator Mass Spectrometry (solution form)

SRM	Radionuclide	Isotopic Ratio	Total Nuclide Concentration (mg g ⁻¹)	Time of Calibration (month/year)	Volume of Solution (mL)
4325	Beryllium-10/Beryllium-9	3 × 10 ⁻¹¹	5	08/86	2 × 25

INDUSTRIAL HYGIENE

101 Materials on Filter Media

**101 Trace Constituent Elements
in Blank Filters**

101 Respirable Silica

**102 Lead in Paint, Dust,
and Soil**

103 Asbestos



Materials on Filter Media

These SRMs consist of potentially hazardous materials deposited on filters to be used to determine the levels of these materials in industrial atmospheres.

SRM/RM	Description	Set Size	Elemental Composition	Diameter (mm)	Pore Size (µm)
2783	Air Particulate on Filter	2 filters, plus 2 blanks	18 certified values 9 reference values	47	0.4
RM 8785	Particulate Matter on Filters	3 filters	1 reference value 2 information values	37	—
RM 8786	Filter Blank for RM 8785	1 blank filter		37	—

Trace Constituent Elements in Blank Filters

SRMs 2678 and 2681 are for use in evaluating the performance of air sampling filter methods with either certified values (in µg) or limits of detection (X_{LO}) for each of 30 constituent elements, as well as six leachable anions and cations.

SRM	Description	Diameter (mm)	Pore Size (µm)	Filter Weight (g)
2678	Cellulose Acetate Membrane	47	0.45	0.09
2681	Ashless Blank Filter	42.5	—	0.14

Respirable Silica

These SRMs are intended for use in determining, by X-ray diffraction, the levels of respirable silica in an industrial atmosphere according to the National Institute for Occupational Safety and Health (NIOSH) Analytical Method 7500 or equivalent methods.

SRM	Description	Mass Fraction/Mass Loading	Unit Size
1878a	Respirable Alpha Quartz	100.00% ± 0.21%	5 g
1879a	Respirable Cristobalite	95.6% ± 0.4%	5 g
2950	Respirable Alpha Quartz on Filter Media	(10, 20, 50, 100, 250, 500) µg/filter	set SRMs 2952-57
2951	Respirable Alpha Quartz on Filter Media	5 µg/filter	5 filters (5 blanks)
2952	Respirable Alpha Quartz on Filter Media	10 µg/filter	5 filters (5 blanks)
2953	Respirable Alpha Quartz on Filter Media	20 µg/filter	5 filters (5 blanks)
2954	Respirable Alpha Quartz on Filter Media	50 µg/filter	5 filters (5 blanks)
2955	Respirable Alpha Quartz on Filter Media	100 µg/filter	5 filters (5 blanks)
2956	Respirable Alpha Quartz on Filter Media	250 µg/filter	5 filters (5 blanks)
2957	Respirable Alpha Quartz on Filter Media	500 µg/filter	5 filters (5 blanks)
2958	Respirable Alpha Quartz on Filter Media	1000 µg/filter	5 filters (5 blanks)
2960	Respirable Alpha Cristobalite on Filter Media	(5, 10, 20, 50, 100, 250) µg/filter	set SRMs 2961-66
2961	Respirable Alpha Cristobalite on Filter Media	5 µg/filter	5 filters (5 blanks)

(continued)

Respirable Silica (continued)

SRM	Description	Mass Loading	Unit Size
2962	Respirable Alpha Cristobalite on Filter Media	10 µg/filter	5 filters (5 blanks)
2963	Respirable Alpha Cristobalite on Filter Media	20 µg/filter	5 filters (5 blanks)
2964	Respirable Alpha Cristobalite on Filter Media	50 µg/filter	5 filters (5 blanks)
2965	Respirable Alpha Cristobalite on Filter Media	100 µg/filter	5 filters (5 blanks)
2966	Respirable Alpha Cristobalite on Filter Media	250 µg/filter	5 filters (5 blanks)
2967	Respirable Alpha Cristobalite on Filter Media	500 µg/filter	5 filters (5 blanks)

Lead in Paint, Dust, and Soil

These SRMs and RM have been developed in conjunction with the U.S. EPA to monitor paint, dust, and soil sources of lead.

SRM	Lead Concentration	Unit Size
Paint Film		
2570	<0.001 mg/cm ²	1 blank film
2571	3.58 mg/cm ²	1 film, plus 1 blank
2572	1.527 mg/cm ²	1 film, plus 1 blank
2573	1.040 mg/cm ²	1 film, plus 1 blank
2574	0.714 mg/cm ²	1 film, plus 1 blank
2575	0.307 mg/cm ²	1 film, plus 1 blank
2579a (Set of 6: SRMs 2570 to 2575)	0.307 to 3.58 mg/cm ²	5 films, plus 1 blank
2576 (High Level)	5.59 mg/cm ²	1 film, plus 1 blank
Powdered Paint		
2580	4.34 %	30 g
2581	0.449 %	35 g
2582	209.8 mg/kg	20 g
2589	9.99 %	35 g
Indoor Dust, Trace Elements in (As, Cd, Cr, Hg, Pb)		
2583	85.9 mg/kg	8 g
2584	9761 mg/kg	8 g
Soil, Trace Elements in		
2586	432 mg/kg	50 g
2587	3242 mg/kg	50 g
Paint on Fiberboard		
RM 8680	1 to 2 mg/cm ²	1 sheet: (10.2 × 15.2 × 1.3) cm

Asbestos

SRM	Description	Asbestos Type	Unit Size
1866b	Common Commercial Asbestos	chrysotile grunerite (Amosite) riebeckite (Crocidolite)	3 × 4 g



ASBESTOS TESTING

SUBJECT INDEX

A

ABSORBANCE

- 84 See MOLECULAR SPECTROMETRY

ACETANILIDE

- 47 use in MICROCHEMISTRY

ACIDIMETRIC VALUE (STOICHIOMETRY)

- 46 of Benzoic Acid
- 46 of Boric Acid
- 75, 76 of Potassium Hydrogen Phthalate

ADHESION (TAPE ADHESION TESTING)

- 7 Linerboard for ADVANCED MATERIALS

AGRICULTURAL MATERIALS

- 11 Apple Leaves
- 11 Fluoride in Vegetation
- 11 Peach Leaves
- 9 Peanut Butter
- 10, 11 Spinach Leaves
- 11 Tomato Leaves
- 9 Slurried Spinach

AIR PARTICULATE

- 101 See MATERIALS

ALCOHOL

- 17 Ethanol Solutions

ALCOHOLS (FOSSIL FUELS)

- 34 Alcohol in Gasoline
- 34 Ethanol
- 34 Methanol
- 34 Methanol and t-Butanol
- 34 Arson Test Mixture

ALLOYS (FERROUS)

- 53 See FERROUS METALS

ALLOYS (NONFERROUS)

- 60 See NONFERROUS METALS

ALPHA PARTICLE SOLUTION STANDARDS 95

ALUMINA

- 30 as Bauxite (ORES)
- 32 as Burnt REFRACTORIES

- 82 REFERENCE POINTS
- 93 X-RAY SPECTROMETRY

ALUMINUM

- 81 Freezing Point of (DEFINING FIXED POINT, ITS-90)
- 26 as a ORGANO-METALLIC COMPOUND
- 48 SPECTROMETRY Solution

ALUMINUM BASE ALLOYS

- 60 See NONFERROUS METALS

AMERICIUM (RADIOACTIVITY)

- 95 Americium-241
- 95 Americium-243
- 98 River Sediment
- 98 Human Liver
- 98 Human Lung
- 99 Peruvian Soil

AMMONIUM DIHYDROGEN PHOSPHATE

- 10 See FERTILIZERS

ANALYZED GASES

- 36 See PRIMARY GAS MIXTURES

ANGIOTENSIN I

- 13 See HEALTH & CLINICAL

ANISIC ACID

- 47 use in MICROCHEMISTRY

ANION CHROMATOGRAPHY

- 50 Bromide Solution
- 50 Chloride Solution
- 50 Fluoride Solution
- 50 Nitrate Solution
- 50 Phosphate Solution
- 50 Sulfate Solution

ANTICONVULSANT DRUG LEVEL ASSAY

- 14 See HEALTH & CLINICAL

ANTIPILEPSY DRUG LEVEL ASSAY

- 14 See HEALTH & CLINICAL

ANTIMONY

- 48 SPECTROMETRY Solution

ARGILLACEOUS LIMESTONE

- 32 See ROCKS AND MINERALS

ARSENIC

- 89 Implant in Silicon (DEPTH PROFILING)

- 48 SPECTROMETRY Solution

ASBESTOS

- 103 Common Commercial

ASHED BONE (RADIOACTIVITY)

- 99 NATURAL MATRIX

ATOMIC ABSORPTION SPECTROMETRY

- 48 See SPECTROMETRIC

SINGLE ELEMENTS AUTO CATALYSTS

- 73 Recycled Monolith
- 73 Recycled Pellet

B

BARIUM

- 96 as Barium-133 (RADIOACTIVITY)
- 96 as Cesium-137 Burn-up Standard
- 26 as a ORGANO-METALLIC COMPOUND
- 48 SPECTROMETRY Solution

BASALT ROCK

- 32 See ROCKS AND MINERALS

BASIMETRIC VALUE (STOICHIOMETRY)

- 46 of Tris(hydroxymethyl)-aminomethane

BAUXITE (ORES)

- 30 from Arkansas
- 30 from the Dominican Republic
- 30 from Jamaica
- 30 from Surinam

BEARING METAL (PB-SB-SN)

- 63 See LEAD BASE ALLOYS

BENZOIC ACID

- 46 Acidimetric Value (STOICHIOMETRY)
- 80 Calorimetric Value (CALORIMETRY COMBUSTION)

BERYLLIUM

- 62 in COPPER BASE ALLOYS
- 48 SPECTROMETRY Solution

BET

abbr. for Brunauer, Emmett,
and Teller (method)

BETA PARTICLE AND ELECTRON CAPTURE SOLUTION STANDARDS 96

BET SURFACE AREA

2 See SURFACE AREA OF

BILIRUBIN POWDERS

13 See HEALTH & CLINICAL

BIOLOGICAL

9 See FOOD & AGRICULTURE
13 See HEALTH & CLINICAL
27 See ENVIRONMENTAL
(Biological Tissues)

BIOLOGICAL BUFFER SYSTEMS (ION ACTIVITY)

76 HEPES Free Acid
76 MOPS Free Acid
76 NaHEPESate
76 NaMOPSOate

BIOMATERIALS 15

BISMUTH

48 SPECTROMETRY Solution

BLEACHED KRAFT PULPS

7 Northern Softwood
7 Eucalyptus Hardwood

BONE ASH

15 See HEALTH & CLINICAL
99 See NATURAL MATRIX
MATERIALS

BONE MEAL

15 See HEALTH & CLINICAL

BORATE ORE

30 See ORES

BORON

89 Implant in Silicon (DEPTH
PROFILING)
48 SPECTROMETRY Solution

BORIC ACID

46 Acidimetric/Assay Values of
(STOICHIOMETRY)
50 Enriched in Boron-10
(STABLE ISOTOPIC MATERIALS)

BOTANICAL

11 See FOOD & AGRICULTURE

BOVINE

10 Liver (FOOD & AGRICULTURE)
14 Serum Albumin (HEALTH &
CLINICAL)

BRASS

63 See NONFERROUS METALS

BROMIDE

50 ANION CHROMATOGRAPHY
Solution
50 Sodium Bromide (STABLE
ISOTOPICS)

BRONZE

62 See COPPER BASE ALLOYS

BUFFERS

76 See ION ACTIVITY

BURNT REFRACTORIES (ALUMINUM OXIDE)

32 See REFRACTORIES

C

CADMIUM

26 Cadmium
Cyclohexanecarboxylate
48 SPECTROMETRY Solution
83 VAPOR PRESSURE OF METALS

CALCIUM

13 Calcium Carbonate (HEALTH
& CLINICAL)
15 Calcium Hydroxyapatite
(BIOMATERIALS)
48 SPECTROMETRY Solution
80 CALORIMETRY COMBUSTION
81 DIFFERENTIAL SCANNING
CALORIMETRY
81 DIFFERENTIAL THERMAL
ANALYSIS
80 ENTHALPY AND HEAT CAPACITY
80 CALORIMETRY SOLUTION
68 Silicon CARBIDE
68 Tungsten CARBIDE
68 See CEMENTED TUNGSTON
CARBIDES

CALIBRATION SOLUTIONS (ORGANIC) 21

CALIBRATION SOLUTIONS (INORGANIC) 23

CARBON

73 Carbon Modified Silica
(INORGANICS)
98 Carbon-14 Dating
55 in PLAIN CARBON STEELS

CARBON DIOXIDE (PRIMARY GAS MIXTURES)

37 Carbon Dioxide in Nitrogen

CARBON MONOXIDE (PRIMARY GAS MIXTURES)

36 Carbon Monoxide in Air
37 Carbon Monoxide in Nitrogen

B-CAROTENE (FAT SOLUBLE VITAMINS)

14 in Human Serum (HEALTH &
CLINICAL)

CAST IRON

58 See FERROUS METALS

CAST STEEL

59 See FERROUS METALS

CATALYST MATERIALS

33 High Sulfur Gas Oil Feed
(CATALYST CHARACTERIZATION
MATERIAL)
73 Used Auto Catalysts

CEMENTS

2 CEMENT TURBIDIMETRY AND
FINENESS(SIZING)
72 PORTLAND CEMENT
CLINKERS
72 PORTLAND CEMENTS

CERAMICS AND GLASSES 91

CERAMIC MATERIALS

68 CARBIDES
68 CEMENTED TUNGSTON

CARBIDES

69 GLASSES
32 See REFRACTORIES
32 See ROCKS AND MINERALS
85 See SPECTRAL SPECTRAL
REFLECTANCE

CERIUM

48 SPECTROMETRY Solution

CESIUM (RADIOACTIVITY)

96 as Cesium-137 Burn-up
Standard

CHARPY

5 V-NOTCH TEST BLOCKS

CHEMICAL

45 See HIGH PURITY MATERIALS

CHLORIDE

50 ANION ION CHROMATOGRAPHY
Solution

CHLORINE

96 as Chlorine-36(RADIOACTIVITY)
73 in LUBRICATING OIL
INGREDIENTS
50 STABLE ISOTOPIC MATERIAL

CHLORO COMPOUNDS (ORGANIC CONSTITUENTS)

- 22 in Biphenyls
- 27 in Cod Liver Oil
- 22 in Halocarbons
- 47 m-Chlorobenzoic Acid
(MICROCHEMISTRY)
- 22 in Pesticides
- 22 in Phenols
- 22 in Pollutants

CHOLESTEROL (HEALTH & CLINICAL)

- 9 in Coconut Oil
- 14 in freeze-dried Human Serum
- 14 in frozen Human Serum

CHROMIUM

- 50 as Chromium Nitrate (STABLE
ISOTOPIC MATERIALS)
- 31 in CLAYS
- 89 Cr/CrO Thin Film Depth
Profile
- 26 Tris (1-phenyl-1,3-butane-
dione) chromium (III)
- 48 SPECTROMETRY Solution
- 55 in Steels (FERROUS METALS)

CHRYSTOLITE

- 103 in ASBESTOS (INDUSTRIAL
HYGIENE)

CLAYS

- 31 Brick
- 31 Flint
- 31 Plastic

CLINICAL LABORATORY MATERIALS

- 14 Amino Acids in HCl
- 13 Angiotensin I (Human)
- 14 Anticonvulsant Drug Level
Assay
- 14 Antiepilepsy Drug Level Assay
- 13 Bilirubin
- 15 Bone Ash
- 15 Bone Meal
- 14 Bovine Serum Albumin
- 14 Bovine Serum (Inorganic)
- 13 Calcium Carbonate
- 13 Cholesterol
- 14 Cholesterol in Freeze-dried
Human Serum
- 13 Cortisol (Hydrocortisone)
- 13 Creatinine
- 14 Electrolytes in Frozen Human
Serum
- 13 d-Glucose (Dextrose)
- 14 Glucose in Frozen Human
Serum

- 13 Iron Metal
- 14 Human Serum and Milk
(SERUM MATERIALS)
- 13 Lead Nitrate
- 14 Lead in Caprine Blood
- 14 Lipids in Frozen Human
Serum
- 13 Lithium Carbonate
- 13 Magnesium Gluconate
Dihydrate
- 13 d-Mannitol
- 13 Potassium Chloride
- 13 Sodium Chloride
- 13 Tripalmitin
- 13 Urea
- 13 Uric Acid
- 14 Vitamins (Fat-Soluble) and
Cholesterol in Human Serum
- 13 VMA (4-hydroxy-3-methoxy-DL-
mandelic acid)
- 14 Cardiac Troponin

COAL

- 80 for COMBUSTION

COAL FLY ASH

- 33 TRACE ELEMENTS in

COATING THICKNESS

- 90 Nonmagnetic CHROMIUM
AND COPPER ON STEEL
- 90 Tin-Lead Alloy (SOLDER
THICKNESS)

COBALT

- 96 as Cobalt-60 (RADIOACTIVITY)
- 48 SPECTROMETRY Solution

COBALT BASE ALLOYS

- 61 NONFERROUS METALS

COCAINE METABOLITE

- 19 See FREEZE-DRIED URINE

COCONUT OIL

- 9 Cholesterol in (FOOD &
AGRICULTURE)

COD LIVER OIL

- 27 Organics in (ORGANIC
CONSTITUENTS)

CONDUCTIVITY

- 83 of Electrolytic Iron
- 77 Hydrochloric Acid in Water
- 76 Potassium Chloride in Water
- 76 Sodium Chloride in Water
- 83 of Graphite

COPPER

- 26 Bis(1-phenyl-1,3-butane-
dione)copper (II) (ORGANO-
METALLIC COMPOUNDS)
- 63 Brass (COPPER BASE
ALLOYS)
- 63 Bronze (COPPER BASE
ALLOYS)
- 62 Cupro-Nickel (COPPER BASE
ALLOYS)
- 80 ENTHALPY AND HEAT
CAPACITY of
- 53 in FERROUS METALS
- 82 Freezing Point of (SECONDARY
REFERENCE POINTS)
- 45 High-Purity METALS (MICRO-
ANALYSIS)
- 62 Nickel Silver (COPPER BASE
ALLOYS) in NONFERROUS
METALS
- 30 in ORES
- 48 SPECTROMETRY Solution
- 62 as Unalloyed Copper (COPPER
BENCHMARK)

COPPER BASE ALLOYS

- 62 See NONFERROUS METALS

CORROSION

- 3 Tool Steel (ABRASIVE WEAR)

CORTISOL

(HYDROCORTISONE)

- 13 See PURE CRYSTALLINE
STANDARDS

CRIME SCENE

INVESTIGATIONS

- 18 Arson Test Mixture

CRUDE OIL

- 33 Vanadium in (METAL
CONSTITUENTS)

CRYSTALLINE STANDARDS 13

CUP FURNACE (FIRE RESEARCH)

- 4 See SMOKE TOXICITY

CURIUM (RADIOACTIVITY)

- 95 as Curium-243
- 95 as Curium-244

CYSTINE

- 47 See MICROCHEMISTRY

D

DENSITY

- 92 of Lead Silica Glass
- 99 Neutron Density Monitor Wire (RADIATION DOSIMETRY)
- 4 of Smoke (SMOKE DENSITY CHAMBER)

DEPTH PROFILING

- 89 Nickel/Chromium Thin Film
- 89 Arsenic Implant in Silicon
- 89 Boron Implant in Silicon

DEXTROSE (D-GLUCOSE)

- 13 See HEALTH & CLINICAL

DIETARY SUPPLEMENT MATERIALS 10

DIFFERENTIAL SCANNING CALORIMETRY

- 81 Bismuth
- 81 Gallium
- 81 Indium
- 81 Mercury
- 81 Thermal Analysis Purity Set
- 81 Tin

DIFFERENTIAL THERMAL ANALYSIS 81

DIFFACTION (X-RAY) 93

DIOXIN (IN ISOCTANE)

- 22 See CALIBRATION SOLUTIONS, ORGANIC

DISODIUM HYDROGEN PHOSPHATE

- 76 for pD CALIBRATION

DNA PROFILING

- 18 See FORENSICS/DNA Profiling
- 18 PCR-Based DNA Profiling
- 18 DNA Mitochondrial Sequencing

DOLOMITIC LIMESTONE

- 32 See ROCKS AND MINERALS

DOSIMETRY (RADIOACTIVITY)

- 99 Neutron Density Monitor Wire

DRUG LEVEL ASSAY

(ANTIPILEPSY)

- 14 See HEALTH & CLINICAL

DRUGS OF ABUSE

- 19 in FREEZE-DRIED URINE

DSC

- 81 abbr. for Differential Scanning Calorimetry

DTA

- 81 abbr. for Differential Thermal Analysis

DUST

- 102 Indoor (TRACE ELEMENTS)
- 29 Urban (ORGANIC CONSTITUENTS)

DYSPROSIUM

- 48 SPECTROMETRY Solution

E

EDDY CURRENT

- 5 ARTIFICIAL FLAW FOR NDE ELECTRICAL PROPERTIES
- 87 See ELECTRICAL RESISTIVITY AND CONDUCTIVITY OF ELECTROLYTIC IRON & GRAPHITE
- 87 See ELECTRICAL RESISTIVITY AND CONDUCTIVITY OF SILICON
- 91 See SUPERCONDUCTING CRITICAL CURRENT
- 91 of GLASS (CERAMICS AND GLASSES)

ELECTRICAL

PROPERTIES 87

ELECTROLYTIC CONDUCTIVITY

- 77 Hydrochloric Acid Solutions for
- 76 Potassium Chloride Solutions for
- 76 Sodium Chloride Solutions for

ELECTRON MICROSCOPE

- 89 THIN FILM FOR TRANSMISSION ELECTRON MICROSCOPE
- 77 ELECTROPHORETIC MOBILITY

ENVIRONMENTAL MATRICES

- 98 See NATURAL MATRIX MATERIALS (RADIOACTIVITY)
- 22 See CALIBRATION SOLUTIONS, ORGANIC
- 23 See CALIBRATION SOLUTIONS, INORGANIC
- 33 See TRACE ELEMENTS IN COALS & COKE

EPHEDRA

- 10 See Dietary Supplement Materials

ERBIUM

- 48 SPECTROMETRY Solution

ESTUARINE SEDIMENT

- 28 See (SOILS, SEDIMENTS, AND SLUDGES)

ETHANOL SOLUTIONS 17 (FORENSICS)

ETHANOL

- 34 Ethanol

ETHERS IN REFERENCE FUELS

- 17 Ethanol-Water (ETHANOL SOLUTIONS)

ETHERS (ALCOHOLS AND ETHERS IN REFERENCE FUELS

- 34 t-Amyl Methyl Ether
- 34 Ethyl t-Butyl Ether
- 34 Methyl t-Butyl Ether

EUCALYPTUS HARDWOOD

- 7 BLEACHED KRAFT PULPS

EUROPIUM

- 96 as Europium-152 (RADIOACTIVITY)
- 48 SPECTROMETRY Solution

F

FATTY ACIDS (FOOD & AGRICULTURE)

- 10 Typical Diet

FELDSPAR (ROCKS AND MINERALS)

- 32 in Potash
- 32 in Soda

FERROUS MATERIALS 53

FERTILIZERS

(FOOD & AGRICULTURE)

- 10 Ammonium Dihydrogen Phosphate
- 10 Phosphate Rock (Florida & Western)

- 10 Potassium Dihydrogen Phosphate
- 10 Potassium Nitrate

FIBROUS GLASS BOARD

- 82 See THERMAL RESISTANCE OF GLASS, SILICA, AND POLYSTYRENE FILTER MEDIA (MATERIALS ON FILTER MEDIA)
- 101 Air Particulate on Filter
- 101 Quartz on

FILTERS, OPTICAL 84

FINESS (SIZING)

- 2 of Portland Cement (CEMENT TURBIDIMETRY AND FINESS)

FIRE RESEARCH

- 5 FLOORING RADIANT PANEL
- 4 SMOKE DENSITY
- 4 SMOKE TOXICITY
- 3 SURFACE FLAMMABILITY

FISSION TRACK

GLASS 99

FLAMMABILITY

- 3 SURFACE FLAMMABILITY (FIRE RESEARCH)
- 5 FLOORING RADIANT PANEL
- 3 See FIRE RESEARCH

FLOUR

- 10 Rice
- 10 Spinach Leaves
- 11 Wheat Hardness

FLUORESCENCE

- 85 Quinine Sulfate Dihydrate
- 85 Raman Spectroscopy

FLUORIDE

- 50 ANION CHROMATOGRAPHY Solution
- 15 in FREEZE-DRIED URINE
- 11 in Vegetation

FLUORO COMPOUNDS

- 47 p-Fluorobenzoic Acid (MICROCHEMISTRY)

FLUORSPAR (ORES)

- 30 Customs Grade
- 30 High Grade

FLY ASH COAL

- 33 Coal Fly Ash (FOSSIL FUELS)

FOOD/BOTANICALS 11

FORENSICS 17

FOSSIL FUELS

- 33 Alcohols & Ethers in Reference Fuels
- 80 Coal Heat of Combustion (CALORIMETRY COMBUSTION)
- 33 Ethanol
- 33 Isooctane
- 33 n-Heptane
- 33 METAL CONSTITUENTS in Fossil Fuels
- 35 METAL CONSTITUENTS in Residual Fuel Oil
- 34 Methanol
- 35 Sulfur in Coal
- 35 Sulfur in Kerosine
- 35 Sulfur in Residual Fuel Oil
- 80 Synthetic Refuse Derived Oil (CALORIMETRY COMBUSTION)
- 35 TRACE ELEMENTS in Coal
- 33 TRACE ELEMENTS in Coal Fly Ash
- 33 TRACE ELEMENTS in Fuel Oil
- 33 Vanadium in Crude Oil (METAL CONSTITUENTS IN FOSSIL FUELS)

FRESHWATER LAKE

SEDIMENT (RADIOACTIVITY)

- 99 Freshwater Lake Sediment (NATURAL MATRIX MATERIALS)

FREEZING POINT

(THERMODYNAMIC PROPERTIES)

- 81 of Aluminum (DEFINING FIXED POINT, ITS-90)
- 82 of Copper (SECONDARY REFERENCE POINTS)
- 81 of Indium (DEFINING FIXED POINT, ITS-90)
- 82 of Lead (REFERENCE POINTS)
- 81 of Silver (DEFINING FIXED POINT, ITS-90)
- 81 of Tin (DEFINING FIXED POINT, ITS-90)
- 81 of Zinc (DEFINING FIXED POINT, ITS-90)

FSV

- 14 abbr. for Fat Soluble Vitamins

FUELS

- 33 See FOSSIL FUELS

FUMED SILICA BOARD

- 82 See THERMAL RESISTANCE OF GLASS, SILICA, AND POLYSTYRENE

G

GADOLINIUM

- 48 SPECTROMETRY Solution

GAMMA POINT SOURCE 97

GALLIUM

- 28 in Buffalo River Sediment (SOILS, SEDIMENTS, PARTICULATES AND WATER)
- 33 in Coal (TRACE ELEMENTS)
- 33 in Coal Fly Ash (TRACE ELEMENTS)
- 97 as Gallium-67 (RADIO PHARMACEUTICALS)
- 68 in Glass (TRACE ELEMENTS)
- 82 Melting Point (THERMODYNAMIC PROPERTIES)
- 50 Metal (STABLE ISOTOPIC MATERIALS)
- 48 SPECTROMETRY Solution

GAS CHROMATOGRAPHY (ORGANIC CONSTITUENTS)

- 23 GC/MS System Performance
- 23 LC Selectivity

GASES (PRIMARY GAS MIXTURES)

- 36 See PRIMARY GAS MIXTURES

GASES IN METALS

- 60 in Irons (FERROUS METALS)
- 60 in Steels (FERROUS METALS)

GASOLINE

- 33 See FOSSIL FUELS

GEOLOGICAL

- 30 See GEOLOGICAL MATERIALS AND ORES

GERMANIUM

- 48 SPECTROMETRY Solution

GILDING METAL

- 63 See NONFERROUS METALS

GINKGO

- 10 SEE DIETARY SUPPLEMENT MATERIALS

GLASS BEADS

- 1 See SIZING

GLASSES

- 92 Borosilicate (VISCOSITY OF GLASS)
- 69,91 Chemical Resistance
- 69 Fused Ore Glass
- 93 GLASS LIQUIDUS TEMPERATURE

- 69 High-Boron Borosilicate
- 69 Lead-Barium
- 70 Lead-Silica (ELECTRICAL PROPERTIES OF GLASS)
- 69 Low-Boron Soda-Lime Powder
- 83 LABORATORY THERMOMETER (MERCURY IN GLASS)
- 69 MultiComponent
- 92 RELATIVE STRESS OPTICAL COEFFICIENT of
- 69 Soda-Lime Container
- 69 Soda-Lime Flat
- 69 Soda-Lime Float
- 69 Soda-Lime Sheet
- 91 Soda-Lime-Silica
- 69 Soft Borosilicate
- 82 THERMAL EXPANSION OF METAL & GLASS
- 82 THERMAL RESISTANCE OF GLASS, SILICA, AND POLYSTYRENE
- 92 VISCOSITY FIXPOINTS of

GLASS SAND

- 32 See ROCKS AND MINERALS

GLASS SPHERES

- 1 PARTICLE SIZE (SIZING)

D-GLUCOSE

- 13 D-GLUCOSE aka. Dextrose (HEALTH & CLINICAL)
- 46 Polarimetric Value of (STOICHIOMETRY)

GOETHITE

- 77 Aka. A-FeOOH (ELECTROPHORETIC MOBILITY)

GOLD

- 45 METALS (HIGH PURITY METALS)
- 30 Ore Refractories
- 48 SPECTROMETRY Solution
- 83 VAPOR PRESSURE OF METALS

GRAPHITE

- 83 THERMAL CONDUCTIVITY OF GRAPHITE AND IRON

H

HAFNIUM

- 48 SPECTROMETRY Solution
- 66 in Zircaloy (ZIRCONIUM BASE ALLOYS)

HARDNESS (FOOD AND AGRICULTURE)

- 11 WHEAT HARDNESS
- 6 of Bright Nickel (MICRO-HARDNESS)

- 6 of Bright Nickel (MICROHARDNESS)
- 6 of Ceramic (MICROHARDNESS)
- 6 ROCKWELL HARDNESS

HASTELLOY

- 65 NICKEL BASE ALLOYS

HEAT (THERMODYNAMIC PROPERTIES)

- 80 CALORIMETRY COMBUSTION
- 81 DEFINING FIXED POINT, ITS-90
- 81 DIFFERENTIAL SCANNING CALORIMETRY
- 81 DIFFERENTIAL THERMAL ANALYSIS
- 80 ENTHALPY AND HEAT CAPACITY
- 82 FREEZING POINT, MELTING POINT, AND TRIPLE POINT CELLS
- 82 REFERENCE POINTS
- 80 CALORIMETRY SOLUTION
- 83 THERMAL CONDUCTIVITY OF GRAPHITE AND IRON
- 82 THERMAL EXPANSION OF METAL & GLASS
- 82 THERMAL RESISTANCE OF GLASS, SILICA, AND POLYSTYRENE
- 83 THERMOCOUPLE MATERIAL, PLATINUM
- 83 VAPOR PRESSURE OF METALS

HEPES (BIOLOGICAL BUFFERS)

- 76 HEPES Free Acid
- 76 NaHEPESate n-HEPTANE

HIGH PURITY METALS

- 45 High Purity Gold
- 45 High Purity Platinum
- 45 High Purity Zinc
- 45 Refined Copper
- 45 Selenium Intermediate Purity
- 45 Zinc Intermediate Purity
- 45 Zinc Metal

HIGH TEMPERATURE ALLOYS

- 53 See FERROUS METALS

HOLMIUM

- 48 SPECTROMETRY Solution
- 98 LIVER (NATURAL MATRIX MATERIALS) (RADIOACTIVITY)
- 98 LUNG (NATURAL MATRIX MATERIALS) (RADIOACTIVITY)

HUMAN SERUM AND MILK (HEALTH & CLINICAL)

- 14 Cholesterol in Human Serum
- 14 Electrolytes in (SERUM MATERIALS)
- 14 Fat Soluble Vitamins in

- 14 Glucose in Frozen (SERUM MATERIALS)
- 14 Lipids in Frozen (SERUM MATERIALS)
- 14 SERUM MATERIALS

HYDROGEN

- 96 as Hydrogen-3 (RADIOACTIVITY SOLUTIONS)

HYDROXYAPATITE

- 15 See Calcium Hydroxyapatite

4-HYDROXY-3-METHOXY-DL-MANDELIC ACID (VMA) 13

I

ICTAC

- 81 abbr. for International Confederation of Thermal Analysis and Calorimetry
- 86 X-RAY AND PHOTOGRAPHIC IMAGING

INCONEL

- 65 NICKEL BASE ALLOYS (NON-FERROUS METALS)

INDIUM

- 97 as Indium-111 (RADIOPHARMACEUTICALS)
- 81 DEFINED FIXED POINT, ITS-90
- 82 FREEZING POINT, MELTING POINT, AND TRIPLE POINT CELLS
- 48 SPECTROMETRY Solution

INDUSTRIAL HYGIENE

- 101 See INDUSTRIAL HYGIENE
- 40 See ENVIRONMENTAL

INFRARED, NEAR

- 85 INFRARED REFLECTANCE

INORGANIC CALIBRATION SOLUTIONS 23

IODINE (RADIOACTIVITY)

- 97 as Iodine-125 (RADIOPHARMACEUTICALS)
- 50 Iodine, Isotopic
- 97 as Iodine-131 (RADIOPHARMACEUTICALS)

ION ACTIVITY

- 76 BIOLOGICAL BUFFER SYSTEMS
- 77 ELECTROLYTIC CONDUCTIVITY
- 76 ION-SELECTIVE ELECTRODE CALIBRATION

- 76 pD CALIBRATION
- 75 pH CALIBRATION

IRON

- 83 Electrolytic Iron (THERMAL CONDUCTIVITY OF GRAPHITE AND IRON)
- 53 See FERROUS METALS
- 13 Iron Metal (HEALTH & CLINICAL)
- 48 SPECTROMETRY Solution
- 26 Tris(1-phenyl-1,3 butaine-diono)-iron(III) (ORGANO-METALLIC COMPOUNDS)

ISOTOPE(S)

- 51 See LIGHT STABLE ISOTOPIC MATERIALS
- 98 See RADIOACTIVITY

K

KEROSENE

- 35 Sulfur in (SULFUR IN FOSSIL FUELS)

KNOOP MICROHARDNESS (SURFACE FINISH)

- 6 Bright Copper
- 6 Bright Nickel
- 6 Silicon Nitride

L

LANTHANUM

- 48 SPECTROMETRY Solution

LAKE SEDIMENT (RADIOACTIVITY)

- 99 Freshwater Lake Sediment (NATURAL MATRIX MATERIALS)

LEAD

- 14 Lead in Caprine Blood (HEALTH & CLINICAL)
- 13 Lead Nitrate (HEALTH & CLINICAL)
- 50 Metal Equal Atom (STABLE ISOTOPIC MATERIALS)
- 50 Metal, Natural (STABLE ISOTOPIC MATERIALS)
- 50 Metal, Radiogenic (STABLE ISOTOPIC MATERIALS)
- 102 In Paint Film
- 102 In Powdered Paint
- 102 In Indoor Dust, Trace Elements
- 102 In Paint on Fiberboard

- 102 In Soil, Trace Elements
- 60 See NONFERROUS METALS
- 102 Powdered Lead Base Paint (LEAD IN PAINT, DUST AND SOIL)
- 33 in Reference Fuel (METAL CONSTITUENTS IN FOSSIL FUELS)
- 48 SPECTROMETRY Solution

LEAD BASE ALLOYS/ MATERIALS

- 63 See NONFERROUS METALS

LEAVES (FOOD & AGRICULTURE)

- 11, 27 Apple
- 11, 27 Peach
- 27 Pine Needles
- 11, 27 Spinach
- 11, 27 Tomato

LIMESTONE (ROCKS AND MINERALS)

- 32 Argillaceous
- 32 Dolomitic

LINERBOARD

- 7 for TAPE ADHESION TESTING

LINEWIDTH (METROLOGY)

- 88 OPTICAL MICROSCOPE LINEWIDTH MEASUREMENT

LIPIDS

- 14 in Human Serum (SERUM MATERIALS)

LIQUID CHROMATOGRAPHY

- 23 GS/MS AND LC SYSTEM PERFORMANCE

LIQUIDUS TEMPERATURE

- 93 Soda-Lime Silica
- 93 Aluminosilicate

LITHIUM

- 51 Carbonate (LIGHT STABLE ISOTOPIC MATERIALS)
- 13 Carbonate (HEALTH & CLINICAL)
- 30 Ore, Lepidolite
- 30 Ore, Petalite (ORES)
- 30 Ore, Spodumene (ORES)
- 48 SPECTROMETRY Solution

LIVER

- 10 Bovine (FOODS AND BEVERAGES)
- 98 Human (NATURAL MATRIX MATERIALS) (RADIOACTIVITY)

LUBRICATING BASE OIL

- 73 Total Chlorine
- 73 Total Sulfur
- 73 WEAR-METALS IN OIL

LUNG (RADIOACTIVITY)

- 98 Human (NATURAL MATRIX MATERIALS)

LUTETIUM

- 48 SPECTROMETRY Solution

M

MAGNETIC MOMENT

- 7 Nickel Disk
- 7 Nickel Sphere
- 7 Yttrium Garnet Sphere

MAGNESIUM

- 13 Magnesium Gluconate Dihydrate (HEALTH & CLINICAL)
- 50 Magnesium Metal (STABLE ISOTOPIC MATERIALS)
- 48 SPECTROMETRY Solution

MAGNIFICATION

- 89 SCANNING ELECTRON MICROSCOPE (SEM)
- 89 SEM Performance Standard
- 89 SEM Sharpness Standard

MANGANESE

- 48 SPECTROMETRY Solution

D-MANNITOL (HEALTH & CLINICAL) 13

MARIJUANA METABOLITE

- 19 THC-9-COOH (DRUGS OF ABUSE IN URINE)

MARINE MATERIALS

- 28 Buffalo River Sediment (METAL CONSTITUENTS IN NATURAL MATRICES)
- 28 Estuarine Sediment (METAL CONSTITUENTS IN NATURAL MATRICES)
- 28 Marine Sediment
- 32 Limestone Argillaceous
- 32 Limestone Dolomitic (ROCKS AND MINERALS)
- 28 Organics in Marine Sediment (ORGANIC CONSTITUENTS)
- 27 Organics in Mussel Tissue (ORGANIC CONSTITUENTS)
- 27 Organics in Whale Blubber (ORGANIC CONSTITUENTS)
- 10 Oyster Tissue (FOOD & AGRICULTURE)
- 28 Polychlorinated Biphenyls (Congeners) in River Sediment A (ORGANIC CONSTITUENTS)
- 28 Sediment for Solid Sampling

MASS SPECTROMETRY

- 23 GC/MS AND LC SYSTEM PERFORMANCE (ORGANICS)
- 23 GC/MS SYSTEM
- 23 LC Chiral Selectivity
- 23 LC Performance
- 23 LC Selectivity
- 51 See LIGHT STABLE ISOTOPIC MATERIALS
- 95 See RADIOACTIVITY
- 50 See STABLE ISOTOPIC MATERIALS

MATERIALS ON FILTER MEDIA

- 101 Quartz on Filter Media
- 101 Air Particulate on Filter
- 101 Cellulose Acetate Membrane
- 101 Ashless Blank Filter
- 101 Respirable Alpha Quartz
- 101 Respirable Cristobalite

MELTING POINT AND TRIPLE POINT (THERMODYNAMIC PROPERTIES) 82

MERCURY

- 15 Mercury (HUMAN URINE)
- 82 Mercury (Triple Point) (DEFINING FIXED POINT ITS-90)
- 49 SPECTROMETRY Solution
- 33 TRACE ELEMENTS (FOSSIL FUELS)
- 33 Trace Mercury in Coal (TRACE ELEMENTS)
- 23 in Water (METAL CONSTITUENTS IN NATURAL MATRICES)

METAL ALLOYS 54

METALS 53

METALS ON FILTER MEDIA

- 101 See MATERIALS ON FILTER MEDIA

METHANE (PRIMARY GAS MIXTURES) 38

METROLOGY 88

MICROANALYSIS 32

MICROCHEMISTRY (HIGH PURITY MATERIALS)

- 47 Acetanilide
- 47 Anisic Acid
- 47 m-Chlorobenzoic Acid
- 47 Cystine
- 47 p-Fluorobenzoic Acid
- 47 Nicotinic Acid
- 47 Urea

MICROCOPY

- 86 Microcopy Resolution Test Chart(X-RAY AND PHOTOGRAPHY)

MICROHARDNESS (SURFACE FINISH)

- 6 of Bright Copper
- 6 of Bright Nickel
- 6 of Ceramic

MICROSCOPY (METROLOGY)

- 89 DEPTH PROFILING
- 88 OPTICAL MICROSCOPE LINEWIDTH MEASUREMENT
- 89 SCANNING ELECTRON MICROSCOPE (SEM)

MICROSPHERE (SIZING) BEADS

- 1 Glass Beads (PARTICLE SIZE)
- 1 Polystyrene Spheres (PARTICLE SIZE)

MILK (FOOD AND AGRICULTURE)

- 9 Infant/Adult Nutritional Formula
- 10 Non-fat Milk Powder

MINERALS

- 32 See ROCKS AND MINERALS

MIXTURES AND POLLUTANTS (PRIMARY GAS MIXTURES)

- 36 Ambient Non-Methane Organics in Nitrogen
- 37 Carbon Dioxide in Nitrogen
- 36 Carbon Monoxide in Air
- 37 Carbon Monoxide in Nitrogen
- 38 Hydrogen Sulfide in Nitrogen
- 38 Methane in Air
- 38 Nitric Oxide in Nitrogen
- 39 Oxides of Nitrogen in Air
- 39 Oxygen in Nitrogen
- 39 Propane in Air
- 40 Sulfur Dioxide in Nitrogen

MOLECULAR WEIGHT AND MELT FLOW (POLYMERIC PROPERTIES)

- 79 Polyethylene Gas Pipe Resin
- 78 Polyethylene Linear
- 79 Polyethylene Resin
- 78 Poly(methylmethacrylate)
- 78 Polystyrene

MOLYBDENUM

- 80 ENTHALPY AND HEAT CAPACITY

- 97 as Molybdenum-99-Techneium-99m (RADIO-PHARMACEUTICALS)
- 49 SPECTROMETRY Solution

N

NAVAL BRASS

- 63 See NONFERROUS METALS

NDE

- 5 abbr. for Nondestructive Evaluation

NEODYMIUM

- 49 SPECTROMETRY Solution

NEUTRON MONITOR (RADIOACTIVITY)

- 99 Neutron Density Monitor Wire (RADIATION DOSIMETRY)

NICKEL

- 96 as Nickel-63 (RADIOACTIVE SOLUTION)
- 26 Nickel Cyclohexanebutyrate (ORGANO-METALLIC COMPOUNDS)
- 50 Nickel (STABLE ISOTOPIC MATERIALS)
- 89 Nickel-Chromium Thin Film(DEPTH PROFILING)
- 65 NICKEL BASE ALLOYS (NON-FERROUS METALS)
- 65 NICKEL OXIDES (NONFERROUS METALS)
- 7 Nickel Disk (MAGNETIC MOMENT)
- 7 Nickel Sphere (MAGNETIC MOMENT)
- 49 SPECTROMETRY Solution

NICOTINIC ACID

- 47 MICROCHEMISTRY (HIGH PURITY MATERIALS)

NIOBIUM

- 97 as Niobium-94 (GAMMA RAY POINT SOURCES)
- 49 SPECTROMETRY Solution

NITRATE

- 50 ANION CHROMATOGRAPHY Solution

NITRIC OXIDE (PRIMARY GAS MIXTURES)

- 38 Nitric Oxide in Nitrogen

NITRIDE

- 1 Silicon Nitride (SURFACE AREA OF POWDERS)

NONDESTRUCTIVE EVALUATION

- 5 ARTIFICIAL FLAW FOR EDDY CURRENT NDE

NONFERROUS METALS 60

NORTHERN SOFTWOOD

- 7 BLEACHED KRAFT PULPS

NUCLEAR MATERIALS (RADIOACTIVITY)

- 98 Carbon-14 DATING
- 99 FISSION TRACK GLASS
- 98 NATURAL MATRIX MATERIALS
- 95 RADIOACTIVE SOLUTIONS
- 97 RADIOPHARMACEUTICALS

NUTRIENT COMPOSITION

- 9 See FOOD & AGRICULTURE

O

OBSIDIAN ROCK

- 32 ROCKS AND MINERALS

OCEAN MATERIALS

(RADIOACTIVITY) (NATURAL MATRIX MATERIALS)

- 99 Ocean Sediment

OIL

- 73 Chlorine in (LUBRICATING BASE OILS)
- 33 Fuel Oil (FOSSIL FUELS)
- 33 High Sulfur Gas Oil Feed (CATALYST CHARACTERIZATION MATERIALS)
- 34 Moisture in Oils (FOSSIL FUELS)
- 27 Organics in Cod Liver Oil (ORGANIC CONSTITUENTS)
- 28 Polychlorinated Biphenyls in (ORGANIC CONSTITUENTS)
- 33 Shale Oil (ORGANIC CONSTITUENTS)
- 73 Sulfur in (LUBRICATING BASE OILS)
- 35 Sulfur in Residual Fuel Oil (SULFUR IN FOSSIL FUELS)
- 33 Vanadium in Crude Oil (METAL CONSTITUENTS IN FOSSIL FUELS)

- 73 WEAR-METALS IN OIL (ENGINE WEAR MATERIALS)

ORGANO-METALLIC COMPOUNDS 26

ORGANIC CALIBRATION SOLUTIONS 21

OPTICAL PROPERTIES 84

OPTOELECTRONICS

- 88 Optical Fiber Coating
- 88 Optical Fiber Diameter
- 88 Optical Fiber Ferrule Geometry
- 88 Pin Gauge for Optical Fiber Ferrules
- 88 Polarization Mode Dispersion
- 88 Wavelength Reference Absorption Cell

ORES (GEOLOGICAL MATERIALS AND ORES)

- 30 Alumina (Reduction Grade)
- 30 Bauxite, Arkansas
- 30 Bauxite, Dominican
- 30 Bauxite, Jamaican
- 30 Bauxite, Surinam
- 30 Borate Ore
- 31 Chinese Ores
- 30 Copper Ore Mill Heads
- 30 Copper Ore Mill Tails
- 30 Fluorspar, Customs Grade
- 30 Fluorspar, High Grade
- 30 Gold Ore, Refractory
- 30 Iron Ore, Canada
- 30 Iron Ore, Labrador
- 30 Iron Ore, Nimba
- 30 Iron Oxide Reduced
- 30 Lithium Ore (Petalite)
- 30 Lithium Ore (Spodumene)
- 30 Manganese Ore
- 30 Phosphate Rock Florida
- 30 Phosphate Rock Western
- 30 Pyrite Ore (ORE BIOLEACHING SUBSTRATE)
- 30 Rutile Ore
- 30 Scheelite Ore
- 30 Tungsten Concentrate
- 30 Zinc

ORGANICS

- 21 EPA: ORGANIC COMPOUNDS RELATED TO (WATER ANALYSIS)
- 21 ORGANIC CONSTITUENTS
- 23 GC/MS AND LC SYSTEM PERFORMANCE

OXALIC ACID (RADIOACTIVITY)

- 98 Carbon-14 Dating

OXYGEN (PRIMARY GAS MIXTURES)

- 39 Oxygen in Nitrogen

OXYGENATES

- 34 ALCOHOLS...IN REFERENCE FUELS

OYSTER TISSUE

- 9 FOOD & AGRICULTURE

P

PAINT

- 102 LEAD IN PAINT, DUST AND SOIL

PALLADIUM

- 49 SPECTROMETRY Solution

PARTICLE COUNT MATERIALS

- 3 For suspensions

PARTICLE SIZE (SIZING)

- 1 Glass Beads
- 1 Polystyrene Spheres
- 1 Silicon Nitride
- 1 Zirconium Oxide

PARTICULATES

- 29 Diesel Particulate Matter (ORGANIC CONSTITUENTS)
- 101 MATERIALS ON FILTER MEDIA
- 29 Urban Dust/Organics (ORGANIC CONSTITUENTS)
- 29 Urban Particulate Matter (INORGANICS)
- 76 pD CALIBRATION (ION ACTIVITY)
- 76 Disodium Hydrogen Phosphate
- 76 Potassium Dihydrogen Phosphate
- 76 Potassium Hydrogen Phthalate
- 76 Sodium Bicarbonate
- 76 Sodium Carbonate

PERFORMANCE ENGINEERING MATERIALS 5

PERUVIAN SOIL (RADIOACTIVITY) 99

PESTICIDES (ORGANIC CONSTITUENTS)

- 22 Chlorinated Pesticides in Hexane
- 22 Chlorinated Pesticides in Isooctane

PETROLEUM 33

PH CALIBRATION (ION ACTIVITY)

- 75 Calcium Carbonate
- 75 Potassium Hydrogen Phthalate
- 75 Potassium Hydrogen Tartrate
- 75 Potassium Tetroxalate
- 75 Sodium Bicarbonate
- 75 Sodium Carbonate
- 75 Sodium Tetraborate Decahydrate
- 76 See BIOLOGICAL BUFFER SYSTEMS

PHOSPHATE

- 76 See pD CALIBRATION
- 75 See pH CALIBRATION
- 50 ANION CHROMATOGRAPHY Solution
- 30 Phosphate Rock (ORES)

PHOSPHORUS

- 49 SPECTROMETRY Solution

PHOTOGRAPHY

- 86 See X-RAY AND PHOTOGRAPHY

PINE NEEDLES

- 27 See ENVIRONMENTAL BIOLOGICAL TISSUES

PLASTIC

- 78 See POLYMERIC PROPERTIES

PLATINUM (HIGH PURITY METALS)

- 45 High Purity Platinum
- 49 SPECTROMETRY Solution

PLUTONIUM

(RADIOACTIVITY)

- 99 Ashed Bone
- 98 River Sediment
- 99 Human Liver
- 99 Human Lung
- 99 Ocean Sediment
- 99 Peruvian Soil
- 95 Plutonium-238
- 95 Plutonium-239
- 95 Plutonium-240
- 96 Plutonium-241
- 95 Plutonium-242

POLLUTANTS

- 33 METAL CONSTITUENTS IN FOSSIL FUELS
- 36 PRIMARY GAS MIXTURES
- 21 ORGANIC CONSTITUENTS (ORGANICS)

POLONIUM

(RADIOACTIVITY)

- 95 Polonium-209 (RADIOACTIVE SOLUTIONS)

POLYCHLORINATED BIPHENYLS PCBs

- 22 Chlorinated Biphenyls
- 22 Chlorinated Biphenyl Congeners in Isooctane
- 22 Polychlorinated Biphenyl Congeners in Isooctane
- 28 Polychlorinated Biphenyls in River Sediment

POLYETHYLENE

(MOLECULAR WEIGHT AND MELT FLOW)

- 79 Polyethylene Gas Pipe Resin
- 78 Polyethylene Linear
- 78 Poly(ethylene Oxide)
- 79 Polyethylene Resin

POLYMER

- 78 See POLYMERIC PROPERTIES

POLY(METHYLMETHACRYLATE) (POLYMERIC PROPERTIES)

- 78 MOLECULAR WEIGHT AND MELT FLOW

POLYSTYRENE

- 80 ENTHALPY AND HEAT CAPACITY
- 80 (THERMODYNAMIC PROPERTIES)
- 78 MOLECULAR WEIGHT AND MELT FLOW

POTASSIUM

- 49 SPECTROMETRY Solution

POTASSIUM CHLORIDE

- 13 See PURE CRYSTALLINE STANDARDS
- 77 ELECTROLYTIC CONDUCTIVITY
- 76 ION-SELECTIVE ELECTRODE CALIBRATION
- 50 STABLE ISOTOPIC MATERIALS
- 80 SOLUTION CALORIMETRY
- 46 STOICHIOMETRY

POTASSIUM DICHROMATE

- 84 MOLECULAR ABSORPTION
- 46 STOICHIOMETRY

POTASSIUM DIHYDROGEN PHOSPHATE

- 10 FERTILIZERS
- 76 pD CALIBRATION
- 75 pH CALIBRATION

POTASSIUM FLUORIDE

- 76 ION-SELECTIVE ELECTRODE CALIBRATION

POTASSIUM HYDROGEN PHTHALATE

- 76 pD CALIBRATION
- 75 pH CALIBRATION
- 46 STOICHIOMETRY

POTASSIUM HYDROGEN TARTRATE

- 75 pH CALIBRATION

POTASSIUM NITRATE

- 10 FERTILIZERS
- 51 LIGHT STABLE ISOTOPIC MATERIALS

POTASSIUM TETROXALATE

- 75 pH CALIBRATION

POWDERED LEAD BASE PAINT

- 102 LEAD IN PAINT, DUST, AND SOIL

PRASEODYMIUM

- 49 SPECTROMETRY Solution

PRIMARY CHEMICALS

- 46 STOICHIOMETRY

PRIORITY POLLUTANT PAH

- 22 ORGANIC CONTAMINANTS

PYRITE ORE

- 30 ORE BIOLEACHING SUBSTRATE

Q

QUARTZ

- 101 MATERIALS ON FILTER MEDIA

R

RADIOACTIVITY

- 99 FISSION TRACK GLASS
- 98 NATURAL MATRIX MATERIALS
- 95 RADIOACTIVE SOLUTIONS
- 97 RADIOPHARMACEUTICALS
- 98 Carbon-14 DATING

RADIUM (RADIOACTIVITY)

- 95 Radium-226 (RADIOACTIVE SOLUTIONS)

REFERENCE FUELS

- 33 See FOSSIL FUELS

REFLECTANCE (OPTICAL PROPERTIES)

- 85 INFRARED REFLECTANCE
- 85 SPECULAR SPECTRAL REFLECTANCE

REFRACTORIES (GEOLOGICAL MATERIALS AND ORES)

- 32 Burnt Refractory

REFORMULATED GASOLINES

- 33 See FOSSIL FUELS

RESIDUAL RESISTIVITY RATIO (ELECTRICAL PROPERTIES) 87

RESISTANCE (THERMODYNAMIC PROPERTIES)

- 82 THERMAL RESISTANCE OF GLASS, SILICA, AND POLYSTYRENE

RESISTIVITY (ELECTRICAL PROPERTIES)

- 87 ELECTRICAL RESISTIVITY AND CONDUCTIVITY OF METALS
- 87 ELECTRICAL RESISTIVITY AND CONDUCTIVITY OF SILICON

RESPIRABLE SILICA 101

RHENIUM

- 49 SPECTROMETRY Solution

RHODIUM

- 49 SPECTROMETRY Solution

RICE FLOUR (FOOD & AGRICULTURE) 10

RIVER SEDIMENT (INORGANICS)

- 28 SOILS, SEDIMENTS, PARTICULATES AND WATER
- 29 Buffalo River Sediment
- 28 Estuarine Sediment

RIVER SEDIMENT (ORGANICS)

- 28 Polychlorinated Biphenyls in River Sediment A

RIVER SEDIMENT (RADIOACTIVITY)

- 98 River Sediment (NATURAL MATRIX MATERIALS)

ROCKS

- 32 Basalt Rock (ROCKS AND MINERALS)
- 32 Obsidian Rock (ROCKS AND MINERALS)
- 10, 30 Phosphate Rock (Florida) (FERTILIZERS)
- 10, 30 Phosphate Rock (Western) (FERTILIZERS)

RUBIDIUM

- 82 Rubidium (FREEZING POINT, MELTING POINT AND TRIPLE POINT CELLS)
- 50 Rubidium Chloride (STABLE ISOTOPIC MATERIALS)
- 49 SPECTROMETRY Solution

S

SAMARIUM

- 49 SPECTROMETRY Solution

SAND (GLASS)

- 32 See ROCKS AND MINERALS

SCANDIUM

- 49 SPECTROMETRY Solution

SCANNING ELECTRON MICROSCOPE (METROLOGY)

- 89 SEM Performance Standard
- 89 SEM Sharpness Standard

SCHÉEITE ORE

- 30 ORES

SEDIMENT

- 28 METAL CONSTITUENTS IN NATURAL MATRICES
- 98 NATURAL MATRIX MATERIALS (RADIOACTIVITY)

SELENIUM

- 45 Selenium Intermediate Purity (HIGH PURITY METALS)
- 49 SPECTROMETRY Solution

SERUM MATERIALS

- 14 Bovine Serum Albumin
- 14 Electrolytes in Frozen Human Serum
- 14 Glucose in Frozen Human Serum
- 14 Human Serum and Milk
- 14 Lipids in Frozen Human Serum

SHELLFISH

- 27 Mussel Tissue (ORGANIC CONSTITUENTS)
- 9 Oyster Tissue (FOOD & AGRICULTURE)

SILICA

- 73 Carbon Modified Silica (INORGANICS)
- 82 Fumed Silica Board (THERMAL RESISTANCE OF GLASS, SILICA, AND POLYSTYRENE)
- 82 THERMAL EXPANSION OF METAL AND GLASS
- 92 Lead Silica Glass
- 101 Respirable Alpha Quartz (RESPIRABLE SILICA)
- 101 Respirable Cristobalite (RESPIRABLE SILICA)
- 32 Silica Brick (REFRACTORIES)

SILICON

- 87 ELECTRICAL RESISTIVITY AND CONDUCTIVITY OF SILICON
- 26 Octaphenylcyclotetrasiloxane (ORGANO-METALLIC COMPOUNDS)
- 58 Silicon Metal (STEELMAKING ALLOYS)
- 93 Silicon Powder (X-RAY DIFFRACTION)
- 49 SPECTROMETRY Solution
- 58 See STEELMAKING ALLOYS

SILICON NITRIDE (SIZING) (SURFACE FINISH)

- 1 PARTICLE SIZE
- 2 SURFACE AREA OF POWDERS
- 6 MICROHARDNESS

SILVER

- 32 Alloy (METALS) (MICROANALYSIS)
- 26 Silver 2-ethylhexanoate (ORGANO-METALLIC COMPOUNDS)
- 50 Silver Nitrate (STABLE ISOTOPIC MATERIALS)
- 49 SPECTROMETRY Solution

SINUSOIDAL ROUGHNESS

- 3 SURFACE ROUGHNESS (SURFACE FINISH)

SIZING CEMENT TURBIDIMETRY AND FINENESS

- 2 SURFACE AREA OF POWDERS

SLUDGE

- 28 Domestic Sludge (METAL CONSTITUENTS IN NATURAL MATRICES)
- 28 Industrial Sludge (METAL CONSTITUENTS IN NATURAL MATRICES)
- 28 SOILS, SEDIMENTS, PARTICULATES AND WATER

SMOKE (FIRE RESEARCH)

- 4 SMOKE DENSITY CHAMBER
- 4 SMOKE TOXICITY

SODA LIME GLASS (CERAMICS AND GLASSES)

- 69 Soda-Lime, Container (GLASSES)
- 69 Soda-Lime, Flat (GLASSES)
- 69 Soda-Lime, Float (GLASSES)
- 69 Soda-Lime, Sheet (GLASSES)

SODIUM

- 76 Disodium Hydrogen Phosphate
- 75,76 Sodium Bicarbonate (ION ACTIVITY)
- 46 Sodium Carbonate (STOICHIOMETRY)
- 75,76 Sodium Carbonate (ION ACTIVITY)
- 13 Sodium Chloride (HEALTH & CLINICAL)
- 26 Sodium Cyclohexanecarboxylate (ORGANOMETALLIC COMPOUNDS)
- 46 Sodium Oxalate (STOICHIOMETRY)
- 75 Sodium Tetraborate Decahydrate
- 49 SPECTROMETRY Solution

SOILS

- 28 METAL CONSTITUENTS IN NATURAL MATRICES
- 28 SOILS, SEDIMENTS, AND SLUDGES

SOLDER (METROLOGY)

- 90 Tin-Lead Alloy (SOLDER THICKNESS)

SPECTRAL REFLECTANCE (OPTICAL PROPERTIES)

- 85 SPECULAR SPECTRAL REFLECTANCE

SPHERES (SIZING)

- 1 PARTICLE SIZE

SPECTROMETRY

- 48 SINGLE ELEMENT SOLUTIONS
- 84 See MOLECULAR ABSORPTION

STAINLESS STEEL

- 53 See FERROUS METALS

STEEL COATINGS

- 90 CHROMIUM OVER COPPER ON STEEL

STEELS (FERROUS METALS) 53

STOICHIOMETRIC STANDARDS 46

STRONTIUM

- 96 Strontium-90 (RADIOACTIVITY)
- 50 Strontium Carbonate (STABLE ISOTOPIC MATERIALS)
- 49 SPECTROMETRY Solution
- 82 SUCCINONITRILE (THERMODYNAMIC PROPERTIES)

SUCROSE

- 86 OPTICAL ROTATION
- 46 STOICHIOMETRY

SULFATE

- 50 ANION CHROMATOGRAPHY Solution

SULFIDE (PRIMARY GAS MIXTURES)

- 38 Hydrogen Sulfide in Nitrogen

SULFUR

- 49 SPECTROMETRY Solution
- 33 SULFUR IN FOSSIL FUELS
- 73 WEAR-METALS IN OIL

SULFUR DIOXIDE (PRIMARY GAS MIXTURES)

- 40 Sulfur Dioxide in Nitrogen
- 3 SURFACE FINISH
- 3 ABRASIVE WEAR
- 6 MICROHARDNESS
- 3 SURFACE ROUGHNESS

SURFACE FINISH

- 3 Abrasive Wear
- 3 Surface Roughness

SURFACE FLAMMABILITY (FIRE RESEARCH)

- 3 Hardboard Sheet

T

TANTALUM

- 49 SPECTROMETRY Solution

TAPE ADHESION TESTING

- 7 Linerboard for Tape Adhesion Testing

TECHNETIUM

- 96 Technetium-99 (RADIOACTIVE SOLUTIONS)
- 97 Technetium-99m (RADIO-PHARMACEUTICALS)

TELLURIUM

- 49 SPECTROMETRY Solution

TERBIUM

- 49 SPECTROMETRY Solution
- 91 TETRAHYDROCANNABINOL (Marijuana Metabolite)
- 19 DRUGS OF ABUSE IN URINE, SINGLE ANALYTE
- 19 DRUGS OF ABUSE IN URINE, MULTIANALYTE

THALLIUM

- 49 SPECTROMETRY Solution
- 97 Thallium-201 (RADIOPHARMACEUTICALS)

THERMAL ANALYSIS (THERMODYNAMIC PROPERTIES)

- 80 CALORIMETRY COMBUSTION
- 81 DIFFERENTIAL SCANNING CALORIMETRY
- 81 DIFFERENTIAL THERMAL ANALYSIS
- 80 ENTHALPY AND HEAT CAPACITY
- 80 CALORIMETRY SOLUTION

THERMAL CONDUCTIVITY OF GRAPHITE AND METALS

- 83 Electrolytic Iron
- 83 Graphite

THERMAL EXPANSION OF METAL GLASS AND SILICA

- 82 Borosilicate Glass
- 82 Copper
- 82 Stainless Steel (AISI 446)

THERMAL RESISTANCE OF GLASS, SILICA, AND POLYSTYRENE

- 82 Expanded Polystyrene Board
- 82 Fibrous Glass Board
- 82 Fumed Silica Board

THERMODYNAMIC PROPERTIES 80

THERMOMETRIC FIXED POINTS (THERMODYNAMIC PROPERTIES)

- 81 DEFINING FIXED POINT, ITS-90
- 82 FREEZING POINT, MELTING
POINT AND TRIPLE POINT

THIANTHRENE

- 80 CALORIMETRY COMBUSTION

THICKNESS (METROLOGY)

- 90 CHROMIUM OVER COPPER
ON STEEL
- 64, 90 SOLDER THICKNESS

THORIUM

- 49 SPECTROMETRY Solution

THORIUM (RADIOACTIVITY)

- 95 RADIOACTIVE SOLUTIONS

THULIUM

- 49 SPECTROMETRY Solution

TIN

- 81 DEFINING FIXED POINT,

ITS-90

- 81 DEFINING FIXED POINT
CELLS, ITS-90
- 26 Dibutyltin bis
(2-ethylhexanoate) (ORGANO-
METALLIC COMPOUNDS)
- 81 DIFFERENTIAL SCANNING
CALORIMETRY

TIN BASE ALLOYS

- 64 See NONFERROUS METALS

TITANIUM

- 66 GASES IN METALS
(NONFERROUS METALS)
- 49 SPECTROMETRY Solution

66 TITANIUM BASE ALLOYS (NONFERROUS METALS)

TITANIUM DIOXIDE

- 32 REFRACTORIES

TOXIC METALS

- 19 TOXIC SUBSTANCES IN
URINE

TRACE CONSTITUENT ELEMENTS IN BLANK FILTERS 101

TRACE ELEMENTS

- 68 See CERAMICS AND
GLASSES
- 33 See FOSSIL FUELS
- 65 See TRACE ELEMENTS IN
NICKEL BASE SUPERALLOYS
- 10 See FOOD AND
AGRICULTURAL PRODUCTS
- 11 See BOTANICALS

TRANSMISSION ELECTRON MICROSCOPE

- 89 See THIN FILM FOR
TRANSMISSION
- 103 See ASBESTOS

TRANSMITTANCE

- 84 See MOLECULAR
ABSORPTION

TRIPLE POINT

- 82 (THERMODYNAMIC
PROPERTIES)
- 33 REFERENCE LIQUIDS FOR
RATING FUELS

TRIPALMITIN

- 13 HEALTH & CLINICAL
- 46 TRIS(HYDROXYMETHYL)-
AMINOMETHANE
- 46 STOICHIOMETRY

TUNGSTEN

- 49 SPECTROMETRY Solution
- 68 Tungsten Carbide (CARBIDES)
- 6 Tungsten Carbide
(MICROHARDNESS)
- 30 Tungsten Concentrate (ORES)

TURBIDIMETRY (SIZING)

- 2 Portland Cement
(CEMENT TURBIDIMETRY
AND FINENESS)

U

URANIUM

- 49 SPECTROMETRY Solution

URANIUM (RADIOACTIVITY)

- 99 Fission Track Glass
- 95 RADIOACTIVE SOLUTIONS
- 98 NATURAL MATRIX MATERIALS

UREA

- 13 HEALTH & CLINICAL
- 80 CALORIMETRY COMBUSTION
(THERMODYNAMIC
PROPERTIES)
- 47 MICROCHEMISTRY

URIC ACID

- 13 HEALTH & CLINICAL

URINE FREEZE-DRIED (FORENSICS)

- 19 Cocaine and Metabolites in
- 19 Cotinine in
- 15 Fluoride in
- 15 Mercury in
- 19 Morphine and Codeine in
- 19 Morphine and Glucuronide in
- 19 Multi-drugs of Abuse in
- 19 THC (Marijuana Metabolite) in
- 15 Toxic Elements in

V

VANADIUM

- 26 Bis(1-phenyl-13-butenediono)oxovanadium (IV) (ORGANO-METALLIC COMPOUNDS)
- 49 SPECTROMETRY Solution
- 33 Vanadium in Crude Oil (METAL CONSTITUENTS IN FOSSIL FUELS)

VAPOR PRESSURE OF METALS (THERMODYNAMIC PROPERTIES)

- 83 Cadmium

VICKERS (MICROHARDNESS) (SURFACE FINISH)

- 6 Bright Copper
- 6 Bright Nickel
- 6 Tungsten Carbide

VISCOSITY OF GLASS (CERAMICS AND GLASSES)

- 92 VISCOSITY FIXPOINTS
- 92 VISCOSITY OF GLASS
- 79 VISCOSITY OF POLYMERS

VITAMINS

- 9 Baby Food Composite (NUTRITION COMPOSITION)
- 9 Cholesterol and FSV in Coconut Oil
- 14 Fat Soluble Vitamins in Human Serum (HEALTH & CLINICAL)
- 9 Infant/Adult Nutritional Formula

VMA

- 13 aka. 4-hydroxy-3-methoxymandelic acid

W

WASPALLOY

- 65 NICKEL BASE ALLOYS (NONFERROUS METALS)

WATER

- 21 WATER ANALYSIS (ORGANICS)
- 23 Mercury in Water (METAL CONSTITUENTS IN NATURAL MATRICES)

- 28 Natural Water (METAL CONSTITUENTS IN NATURAL MATRICES)
- 28 Trace Elements in Water (METAL CONSTITUENTS IN NATURAL MATRICES)

WAVELENGTH STANDARDS 85

WEAR (SURFACE FINISH)

- 3 D-2 Tool Steel (ABRASIVE WEAR)

WEAR-METALS (ENGINE WEAR MATERIALS)

- 73 WEAR METALS IN OIL

WHALE BLUBBER (ORGANICS) 27

WHEAT FLOUR (FOOD AND AGRICULTURE)

- 10 USA/CANADA COLLABORATIVE MATERIALS

WHOLE BIOMASS FEEDSTOCK 11

X

XENON (RADIOACTIVITY)

- 97 as Xenon-133 (RADIOPHARMACEUTICALS)

X-RAY

- 93 X-RAY DIFFRACTION

X-RAY FILM

- 86 X-Ray Film Step Tablet (X-RAY AND PHOTOGRAPHY)

Y

YTTERBIUM

- 49 SPECTROMETRY Solution

YTTRIUM

- 49 SPECTROMETRY Solution

Z

ZINC

- 81 DEFINING FIXED POINT, ITS-90
- 45 METALS (HIGH PURITY METALS)
- 101 Metals on Filter Media (MATERIALS ON FILTER MEDIA)
- 49 SPECTROMETRY Solution
- 26 Zinc Cyclohexanecarboxylate (ORGANO-METALLIC COMPOUNDS)
- 30 Zinc Concentrate (ORES)

ZIRCONIUM

- 49 SPECTROMETRY Solution
- 66 Zircaloy-4 (ZIRCONIUM BASE ALLOYS)

NUMERIC INDEX

SRM	Descriptor	Page	SRM	Descriptor	Page
1d	Limestone, Argillaceous	32	87a	Aluminum-Silicon Alloy	60
4l	Cast Iron	58	88b	Dolomitic Limestone	32
5m	Cast Iron	58	89	Glass, Lead Barium	69
6g	Cast Iron	58	90	Ferrophosphorus	58
8k	Bessemer Steel	55	92	Low-Boron, Soda-Lime Powder	69
12h	Carbon Steel, 0.4 C	55	93a	High-Boron Borosilicate	69
13g	Carbon Steel, 0.6 C	55	94c	Zinc-Base Die Casting Alloy	67
14g	Carbon Steel, 0.8 C	55	97b	Flint Clay	31
15h	Carbon Steel, 0.1 C	55	98a	Plastic Clay	31
16f	Basic Open Hearth Steel, 0.1 C	53	99a	Feldspar, Soda	32
17f	Sucrose (Polarimetric)	46, 86	100b	LA Steel, Manganese (SAE T340)	53
19h	Carbon Steel, 0.2 C	55	101g	Stainless Steel (AISI 304L)	56
20g	Carbon Steel	55	106b	LA Steel, Cr-Mo-Al (Nitalloy rG)	53
25d	Manganese Ore	30	107c	Cast Iron (Ni-Cr-Mo)	58
30f	LA Steel, Cr-V (SAE 6150)	53	112b	Silicon Carbide	68
32e	LA Steel, Ni-Cr (SAE 3140)	53	113b	Zinc Concentrate	30
33e	LA Steel, Ni-Mo (SAE 4820)	53	114q	Portland Cement Fineness Standard	2, 72
36b	LA Steel, Cr-Mo	53	115a	Cast Iron (Cu-Ni-Cr)	58
39j	Benzoic Acid (Calorimetric Standard)	80	120c	Phosphate Rock (Florida)	10, 30
45d	Cu Freezing Point	82	121d	Stainless Steel Cr-Ni-Ti (AISI 321)	56
46h	Portland Cement Fineness Standard	2, 72	122i	Cast Iron	58
49e	Lead Freezing Point	82	123c	Stainless Steel Cr-Ni-Nb (AISI 348)	56
50c	Tungsten-Chromium-Vanadium Steel	57	125b	High Silicon Steel - Calcium Bearing	53
53e	Bearing Metal (84Pb-10Sb-6Sn)	63	126c	High Alloy Steel, High Nickel	57
54d	Bearing Metal (Tin Base)	64	127b	Solder, 40Sn-60Pb	63
57b	Silicon Metal	58	129c	LA Steel, High Sulfur (SAE 112)	53
58a	Ferrosilicon (73 % Si)	58	131g	LA Steel, High Silicon	53
59a	Ferrosilicon	58	132b	Tool Steel (AISI M2)	57
64c	Ferrochromium, High Carbon	58	133b	Chromium-Molybdenum Steel	56
68c	Ferromanganese, High Carbon	58	134a	Molybdenum-Tungsten-Chromium-Vanadium Steel	57
69b	Bauxite (Arkansas)	30	136f	Potassium Dichromate (oxidimetric standard)	46
70a	Feldspar, Potash	32	139b	LA Steel, Cr-Ni-Mo (AISI 8640)	53
72g	LA Steel (AISI 4130)	53	141d	Acetanilide	47
73c	Stainless Steel, Cr (SAE 420)	56	142	Anisic Acid	47
76a	Burnt Refractory (Al2O3-40 %)	32	143d	Cystine	47
77a	Burnt Refractory, (Al2O3-60 %)	32	148	Nicotinic Acid	47
78a	Burnt Refractory, (Al2O3-70 %)	32	152a	Carbon Steel, 0.5 C	55
79a	Fluorspar, Customs Grade	30	154c	Titanium Dioxide	32
81a	Glass Sand	32, 69	155	LA Steel, Cr-W	53
82b	Cast Iron (Ni-Cr)	58			
84k	Potassium Hydrogen Phthalate	46			

SRM	Descriptor	Page	SRM	Descriptor	Page
158a	Bronze, Silicon	62	350b	Benzoic Acid	46
160b	Stainless Steel Cr-Ni-Mo (AISI 316)	56	351a	Sodium Carbonate	46
163	LA Steel, 1.0 C	53	360b	Zircaloy 4, Zr-Base Alloy	66
165a	Glass Sand (Low Iron)	32, 69	361	LA Steel (AISI 4340)	56
166c	Stainless Steel, Carbon Only	56	363	LA Steel, Cr-V (mod.)	56
173c	Titanium-Base Alloy	66	364	LA Steel, High C (mod.)	56
178	Carbon Steel, 0.4 C	55	368	Carbon Steel (AISI 1211)	55
179	LA Steel, High Silicon	53	395	Unalloyed Copper II (chips)	61
180	Fluorspar, High Grade	30	396	Unalloyed Copper III (chips)	61
181	Lithium Ore (Spodumene)	30	398	Unalloyed Copper V (chips)	61
182	Lithium Ore (Petalite)	30	399	Unalloyed Copper VI (chips)	61
183	Lithium Ore (Lepidolite)	30	400	Unalloyed Copper VII (chips)	61
185h	Potassium Hydrogen Phthalate, pH	75	454	Unalloyed Copper XI (chips)	61
186g	pH Standards	75	457	Unalloyed Copper	61
187e	Sodium Tetraborate (Borax), pH	75	458	Beryllium-Copper (17510)	62
188	Potassium Hydrogen Tartrate, pH	75	459	Beryllium-Copper (17200)	62
189c	Potassium Tetroxalate, pH	75	460	Beryllium-Copper (17300)	62
191IC	Sodium Bicarbonate, pH	75	480	Tungsten-Molybdenum EPMA	32
191IIC	Sodium Carbonate	75	481	Gold-Silver EPMA	32
193	Potassium Nitrate	10	482	Gold-Copper EPMA	32
194	Ammonium Dihydrogen Phosphate	10	494	Unalloyed Copper I (solid)	61
195	Ferrosilicon (75 % Si-HP Grade)	58	495	Unalloyed Copper II (solid)	61
196	Ferrochromium, Low Carbon	58	496	Unalloyed Copper III (solid)	61
198	Silica Brick	32	498	Unalloyed Copper V (solid)	61
199	Silica Brick	32	499	Unalloyed Copper VI (solid)	61
200a	Potassium Dihydrogen Phosphate	10	500	Unalloyed Copper VII (solid)	61
211d	Toluene Liquid Density	91, 92	600	Bauxite, Australian	30
276b	Tungsten Carbide	68	607	Potassium Feldspar	32
277	Tungsten Concentrate	30	610	Trace Elements in Glass	68
278	Obsidian Rock	32	611	Trace Elements in Glass	68
291	LA Steel, Cr-Mo (ASTM A 213)	53	612	Trace Elements in Glass	68
293	LA Steel, Cr-Ni-Mo (AISI 8620)	53	613	Trace Elements in Glass	68
330	Copper Ore Mill Heads	30	614	Trace Elements in Glass	68
331a	Copper Ore Mill Tails	30	615	Trace Elements in Glass	68
334	Gray Cast Iron (Carbon & Sulfur)	58	616	Trace Elements in Glass	68
338	White Cast Iron (Carbon & Sulfur)	58	617	Trace Elements in Glass	68
339	Stainless Steel, Cr-Ni-Se (SAE 30)	56	620	Soda Lime, Flat	69
341	Ductile Cast Iron	58	621	Soda-Lime Container	69
342a	Nodular Cast Iron	58	622	Soda-Lime Silica (Durability)	69, 91
343a	Stainless Steel (AISI 431)	56	623	Borosilicate (Durability)	69, 91
344	HA Steel, (Mo Precipitation Hardening)	57	624	Lead-Silica Glass for dc Resistivity	70, 91
345a	HA Steel, (Cu Precipitation Hardening)	57	625	Zinc-Base A	67
346a	Valve Steel	57	626	Zinc-Base B	67
347	Magnesium Ferrosilicon	58	627	Zinc-Base C	67
348a	Hi Temp. Alloy, (A286) Ni-Cr	57	628	Zinc-Base D	67
349a	Waspalloy	65	629	Zinc-Base E-ASTM AC 41A	67

SRM	Descriptor	Page	SRM	Descriptor	Page
630	Zinc-Base F	67	713	Barium Glass Anneal Pt	71, 92
631	Zinc Spelter (mod)	67	714	Alumina Glass Anneal Pt	71, 92
634a	Portland Cement	72	716	Neutral Glass Anneal Pt	71, 92
640d	Silicon Line Position (XRD)	93	717a	Hi Boron Glass Viscosity	71, 92
641	Titanium Alloy, 8 Mn (A)	66	720	Sapphire Heat Capacity	80
642	Titanium Alloy, 8 Mn (B)	66	723d	Tris (hydroxymethyl) amionmethane	46, 75
643	Titanium Alloy, 8 Mn (C)	66	726	Selenium, Inter-Purity	45
647	Titanium Alloy, Al-Mo-Sn-Zr	66	728	Zinc, Intermediate Purity	45
648	Titanium Alloy, Al-Sn-Zr-Cr-Mo	66	731L1	Borosilicate Glass - Thermal Expansion	82
649	Titanium Alloy V-Al-Cr-Sn	66	731L2	Borosilicate Glass - Thermal Expansion	82
650	Unalloyed Titanium A	66	731L3	Borosilicate Glass - Thermal Expansion	82
651	Unalloyed Titanium B	66	738	Stainless Steel - Thermal Expansion	82
654b	Titanium Alloy, Al-V	66	740a	Zinc (Freezing Point)	81
656	Silicon Nitride Quantitative Analysis	93	741a	Tin (Freezing Point)	81
659	Silicon Nitride, Particle Size	1	742	Alumina (Reference Point)	82
660a	Line Profile LaB6	93	743	Mercury (Triple Point)	81
663	LA Steel, Cr-V (mod.)	54	746	Cadmium-Vapor Pressure	83
665	Electrolytic Iron	54	762	Magnetic Moment Standard Nickel Disk	7
670	Rutile Ore	30	764a	Magnetic Susceptibility Standard	7
671	Nickel Oxide 1	65	772a	Nickel Sphere for Magnetic Moment	7
672	Nickel Oxide 2	65	773	Soda-Lime Silica (Glass Liquidus)	70, 93
673	Nickel Oxide 3	65	774	Lead-Silica (Dielectric Constant)	70, 91
674b	X-Ray Powder Diffraction Intensity, set	93	781D2	Molybdenum (Heat Capacity)	80
675	Line Position, Mica (XRD)	93	853a	Alloy 3004	60
676a	Quantitative Analysis, Alumina (XRD)	93	854a	Alloy 5182	60
679	Brick Clay	31	855a	Aluminum Casting Alloy 356	60
680L1a	High Purity Platinum	45	856a	Aluminum Casting Alloy 380	60
682	High Purity Zinc	45	858	Aluminum Alloy 6011	60
683	Zinc, Metal	45	861	Nickel-based Superalloy	65
685R	High Purity Gold	45	862	High Temperature Alloy L-605	57, 61
688	Basalt Rock	32	864	Inconel 600	65
689	Ferrochromium Silicon	58	865	Inconel 625	65
690	Iron Ore (Canada)	30	866	Incoloy, 800	59
691	Iron Oxide, Reduced	30	867	Incoloy, 825	59
692	Iron Ore, Labrador	30	868	High Temp Alloy Fe-Ni-Co	57
693	Iron Ore, Nimba	30	869b	LC Column Selectivity	22
694	Phosphate Rock, Western	10, 30	870	LC Column Performance	23
695	Trace Elements in Multi-Nutrient Fert.	10	871	Bronze, Phosphor (CDA521)	62
696	Bauxite, Surinam	30	872	Bronze, Phosphor (CDA 544)	62
697	Bauxite, Dominican	30	874	Cupro-Nickel, 10 % (CDA 706) "H-P"	62
698	Bauxite, Jamaican	30	875	Cupro-Nickel, 10 % (CDA 706)	62
699	Alumina (Reduction Grade)	30	877	LC Chiral Selectivity	23
705a	Polystyrene 179k Mol/Wt	78, 80	879	Nickel Silver (CDA 762)	62
706a	Polystyrene 258k mol/wt	78	880	Nickel Silver (CDA 770)	62
709	Extra Dense Lead	71, 92	882	Alloy Ni-Cu-Al	65

SRM	Descriptor	Page	SRM	Descriptor	Page
885	Refined Copper	45	970	Ascorbic Acid in Frozen Human Serum	14
886	Gold, Ore Refractory	30	971	Hormones in Frozen Human Serum	14
887	Cemented Carbide (W-83,Co-10)	68	972	Vitamin D in Human Serum	14
888	Cemented Carbide (W-64,Co-25,Ta-5)	68	973	Boric Acid	46,50
889	Cemented Carbide(W-75,Co-9,Ta-5,Ti-4)	~68	975a	Chlorine (Isotopic)	50
890	Cast Iron HC250+V	58	977	Bromine (Isotopic)	50
891	Cast Iron, Ni-Hard Type 1	58	978a	Silver (Isotopic)	50
892	Cast Iron, Ni-Hard, Type IV	58	979	Chromium (Isotopic)	50
893	Stainless Steel (SAE 405)	56	980	Magnesium (Isotopic)	50
895	Stainless Steel (SAE 201)	56	981	Natural Lead (Isotopic)	50
897	Tracealloy A	65	982	Equal Atom Lead (Isotopic)	50
898	Tracealloy B	65	983	Radiogenic Lead (Isotopic)	50
899	Tracealloy C	65	984	Rubidium Assay (Isotopic)	50
900	Antiepilepsy Drug (4) Level	14	986	Nickel (Isotopic)	50
909b	Human Serum	13	987	Strontium Assay and Isotopic	50
911c	Cholesterol	13	991	Lead-206 Spike Assay and Isotopic	50
912a	Urea	13	994	Gallium (Isotopic)	50
913a	Uric Acid	13	997	Thallium (Isotopic)	50
914a	Creatinine	13	998	Angiotensin I (Human)	13
915b	Calcium Carbonate (Clinical)	13	999b	Potassium Chloride(Assay)	46
916a	Bilirubin	13	1002d	Hard Board (Surface Flammability)	3
917c	D-Glucose (Dextrose-Clinical)	13, 46, 86	1003c	Glass Spheres (Particle Size)	1
918b	Potassium Chloride (Clinical)	13	1004b	Glass Beads - Particle Size Distribution	1
919b	Sodium Chloride (Clinical)	13	1006d	Smoke Density, Cellulose	4
920	D-Mannitol	13	1007b	Plastic (Smoke Density)	4
921	Cortisol (Hydrocortisone)	13	1010a	Microcopy Test Chart	86
924a	Lithium Carbonate (Clinical)	13	1012	Flooring Radiant Panel	4
925	VMA (Clinical)	13	1017b	Glass (Particle Size)	1
927d	Bovine Serum Albumin (7% solution)	14	1018b	Glass (Particle Size)	1
928	Lead Nitrate (Clinical)	13	1019b	Glass (Particle Size)	1
929a	Magnesium Glutamate Dihydrate	13	1021	Glass Beads, Soda Lime	1
930e	Glass Filters Transmittance	84	1034	Unalloyed Copper	61
931g	Liquid Absorbance Filters UV-VIS	84	1035	Leaded-Tin Bronze Alloy	62
935a	Potassium Dichromate, UV Absorbance	84	1048	Smoke Toxicity (Cup Furnace)	4
936a	Quinine Sulfate	85	1049	Smoke Toxicity (Univ of Pittsburgh)	4
937	Iron Metal Clinical	13	1051b	Barium (Metallo-Organic)	26
951a	Boric Acid, Assay and Isotopic	46, 50	1052b	Vanadium (Metallo-Organic)	26
952	Boric Acid 95 % enr 10B	50	1053a	Cadmium (Metallo-Organic)	26
953	Cobalt in Aluminum Wire	99	1057b	Tin (Metallo-Organic)	26
955c	Lead in Caprine Blood	14	1065b	Nickel (Metallo-Organic)	26
956c	Electrolytes in Frozen Human Serum	14	1066a	Silicon (Metallo-Organic)	26
963a	Fission Track Glass U-1 mg/g	99	1069b	Sodium (Metallo-Organic)	26
965a	Glucose in Human Serum	14	1073b	Zinc (Metallo-Organic)	26
966	Toxic Metals in Bovine Blood	14	1075a	Aluminum (Metallo-Organic)	26
967	Creatinine in Frozen Human Serum	14	1077a	Silver (Metallo-Organic)	26
968d	Fat-Sol Vit,Caroten,Cholest in Hum Serum14		1078b	Chromium (Metallo-Organic)	26

SRM	Descriptor	Page	SRM	Descriptor	Page
1079b	Iron (Metallo-Organic)	26	1172	Stainless Steel, Cr17-Ni11-Nb.6 AISI 348	55
1080a	Copper (Metallo-Organic)	26	1173	Ni-Cr-Mo-V Steel	59
1082	Cigarette Ignition Strength	4	C1173	Cast Steel 3	59
1083	Wear Metals (Base Oil)	73	1216	Carbon Modified Silica	73
1084a	Wear Metals in Oil, 100 mg/kg	73	1218	Low Carbon & Sulfur Silicon Steel	54
1085b	Wear Metals in Lubricating Oil	73	1219	Stainless Steel Cr-Ni (AISI 431)	55
1089	Steels, Set		C1221	Carbon Steel	54
	(consists of SRMs 1095-1099)	60	1223	Chromium Steel	55
1090	Ingot Iron, Oxygen	60	1225	LA Steel AISI 4130	54
1091a	Stainless Steel (AISI 431)	60	1226	LA Steel	54
1093	Valve Steel, Oxygen	60	1227	LA Steel, Basic Open Hearth, 1 %C	54
1094	Maraging Steel	60	1228	LA Steel 0.1 % C	54
1107	Naval Brass B	63	1230	High Temp Alloy A286	59
1110	Red Brass B	63	1233	Specialty Steel, Valve Steel	57
1111	Red Brass C	63	1240c	Alloy 3004	60
1112	Gilding Metal A (disk)	63	1241c	Alloy 5182	60
C1112	Gilding Metal A (block)	63	1242	High Temp Alloy L-605	61
1113	Gilding Metal B (disk)	63	1243	Waspalloy	65
C1113	Gilding Metal B (block)	63	1244	Inconel 600	65
1114	Gilding Metal C (disk)	63	1246	Incoloy 800	59
C1114	Gilding Metal C (block)	63	1247	Incoloy 825	59
1115	Commercial Bronze A (disk)	63	C1248	Nickel-Copper Alloy	65
C1115	Commercial Bronze A (block)	63	1249	Inconel 718	65
1116	Commercial Bronze B (disk)	63	1250	High Temp Alloy Fe-Ni-Co	59
1117	Commercial Bronze C (disk)	63	C1251a	Phosphorous Deoxidized Copper VII	61
C1117	Commercial Bronze C (block)	63	C1252a	Phosphorous Deoxidized Copper IX	61
1128	Ti Alloy (15V-3AL-3CR-3SN)	66	C1253a	Phosphorous Deoxidized Copper X	61
1129	Solder (63Sn-37Pb)	63	1254	LA Steel (Ca only)	54
1131	Solder Sn-60Pb	63	1255b	Alloy 6356	60
1132	Lead Base Wearing Metal	63	1256b	Aluminum Alloy 380	60
1134	LA Steel, High Silicon	54	1258-I	Aluminum Alloy 6011	60
1135	LA Steel, High Silicon	54	1259	Aluminum Alloy 7075	60
C1137a	White Cast Iron	59	1262b	LA Steel (AISI 94B17)	54
1138a	Cast Steel (No 1)	59	1264a	LA Steel, High Carbon (mod)	54
1139a	Cast Steel (No 2)	59	1265a	Electrolytic Iron	54
C1145a	White Cast Iron	59	1269	Line Pipe (AISI 1521 mod)	54
C1151a	Stainless Steel 23Cr-7Ni	55	1270	LA Steel, Cr-Mo (A336) (F-22)	54
C1152a	Stainless Steel 18Cr-11Ni	55	1271	LA Steel (HSLA-100)	54
C1153a	Stainless Steel 17Cr-9Ni	55	1276a	Cupro-Nickel (CDA 715)	63
C1154a	Stainless Steel 19Cr-13Ni	55	C1285	LA Steel (A242) (mod)	54
1155	Stainless Steel Cr18-Ni12-Mo2 (AISI 316)	55	1286	Low Alloy Steel (HY 80)	54
1157	Specialty Steel, Tool (AISI M2)	57	C1290	High Alloy (HC-250 + V)	59
1158	Specialty Steel, High Nickel (36 % Ni)	57	C1291	High Alloy (Ni-Hard, Type I)	59
1159	Elec/Mag Ni-Fe	65	C1292	High Alloy (Ni-Hard, Type IV)	59
1160	Elec/Mag Ni-Mo-Fe	65	1295	Stainless Steel (SAE 405)	55
1171	Stainless Steel Cr17-Ni11-Ti0.3 AISI 321	55	C1296	Stainless Steel	55

SRM	Descriptor	Page	SRM	Descriptor	Page
1297	Stainless Steel (SAE 201)	55	1543	GC/MS System Performance	23
1358a	Cu & Cr Coating on Steel	90	1544	Fatty Acids & Cholest in Frozen	
1359b	Cu & Cr Coating on Steel	90		Diet Composite	9
1361b	Cu & Cr Coating on Steel	90	1546	Meat Homogenate	9
1362b	Cu & Cr Coating on Steel	90	1547	Peach Leaves	11, 27
1363b	Cu & Cr Coating on Steel	90	1548a	Typical Diet	9, 10
1364b	Cu & Cr Coating on Steel	90	1549	Non-Fat Milk Powder	10
1400	Bone Ash	15	1563	Cholesterol & Fat Soluble	
1411	Soft Borosilicate Glass	69		Vitamins in Coconut Oil	9
1412	Multicomponent Glass	69	1566b	Oyster Tissue	9,10, 27
1413	Glass Sand (High Alumina)	32, 69	1567a	Wheat Flour	10
1416	Aluminosilicate Glass for Liquidus Temp	70, 93	1568a	Rice Flour	10
1449	Fumed Silica Board	82	1570a	Trace Elements in Spinach Leaves	9,10,11,27
1450c	Fibrous Glass Board	82	1573a	Tomato Leaves	11, 27
1452	Fibrous Glass Blanket	82	1575a	Trace Elements in Pine Needles	27
1453	Thermal Resis Expanded		1577c	Bovine Liver	10, 27
	Polystyrene Board	82	1580	Shale Oil	33
1457	Superconducting Nb-Ti Wire	91	1582	Petroleum Crude Oil	22
1459	Fumed Silica Board	82	1584	Phenols in Methanol	22
1473b	Low Density Polyethylene Resin	78	1586	Isotope Label Pollutants	22
1474a	Polyethylene Resin	78	1588b	Organics in Cod Liver Oil	27
1475a	Polyethylene, Linear	78, 79	1595	Tripalmitin	13
1476a	Branched Polyethylene Resin	78	1596	Dinitropyrene Imrs,1Nitropyrene Meth-Chl	22
1478	Polystyrene Narrow Mol Wt	78	1597a	Complex PAH Mix	29
1479	Polystyrene, Narrow Mol Wt	78	1598a	Inorganic Constituents in Bovine Serum	14
1482a	Polyethylene, 14K Molecular Weight	78	1599	2 Anticonvulsant Drugs	14
1483a	Polyethylene, Linear	78	1614	Dioxin in Isooctane	22
1484a	Polyethylene, Linear	78	1616b	Sulfur in Kerosene	35
1486	Bone Meal	15	1617a	Sulfur in Kerosene	35
1487	Poly (methyl methacrylate)	78	1619b	Sulfur in Residual Fuel Oil 0.7 %	35
1488	Poly (methyl methacrylate)	78	1620c	Sulfur in Residual Fuel Oil 4 %	35
1489	Poly (methyl methacrylate)	78	1621e	Sulfur in Residual Fuel Oil 1 %	35
1491a	Arom Hydro/Hexane Toluene	22	1622e	Sulfur in Residual Fuel Oil 2 %	35
1492	Chlor Pesticides/Hexane	22	1623c	Sulfur in Residual Fuel Oil 0.3 %	35
1493	PCB Congeners	22	1624d	Sulfur in Distillate Fuel Oil	35
1494	Aliphatic Hydrocarbons in		1632c	Trace Elements in Coal	33, 35
	2, 2, 4-Trimethylpentane	22	1633b	Trace Elements in Coal Fly Ash	33
1496	Polyethylene Gas Pipe Resin	78	1634c	Trace Elements in Fuel Oil	33
1497	Polyethylene Gas Pipe Resin	78	1635	Trace Elements in Coal	
1507b	THC-COOH in Freeze-Dried Urine	15,19		(Subbituminous)	33, 35
1508a	Benzoylgonine(Cocaine Meta)		1639	Halocarbons (in Methanol)	22
	Freeze-Dried Urine	15,19	1640a	Natural Water	28
1511	Multi Drugs of Abuse in		1641d	Mercury in Water	23
	Freeze-Dried Urine	15,19	1643e	Trace Elements in Water	28
1514	Thermal Analysis Purity Set (DSC)	81	1646a	Estuarine Sediment	28
1515	Apple Leaves	11, 27	1647e	Priority Pollutant PAHs	22

SRM	Descriptor	Page	SRM	Descriptor	Page
1648a	Urban Particulate Matter	29	1740	Zinc-Aluminum Alloy	67
1649b	Urban Dust/Organics	29	1741	Zinc-Aluminum Alloy	67
1650b	Diesel Particulate Matter	29	1742	Zinc-Aluminum Alloy	67
1655	KCl Solution Calorimetry	80	1744	Aluminum (Freezing Point)	81
1656	Thianthrene Combustion Calorimeter	80	1745	Indium (Freezing Point)	81
1657	Synthetic Refuse Derived Fuel	80	1746	Silver (Freezing Point)	81
1658a	CH ₄ /Air, 1umol/mol	38	1747	Tin Freezing Point Cell	81
1659a	CH ₄ /Air, 10 umol/mol	38	1748	Zinc Freezing Point Cell	81
1660a	CH ₄ /C ₃ H ₈ /Air 1 umol/mol	38, 39	1749	Gold vs. Platinum Thermocouple	
1661a	SO ₂ /N ₂ 500 umol/mol	40		Thermometer	83
1662a	SO ₂ /N ₂ 1000 umol/mol	40	1750	Standard Platinum Resistance	
1663a	SO ₂ /N ₂ 1500 umol/mol	40		Thermometer	83
1664a	SO ₂ /N ₂ 2500 umol/mol	40	1751	Gallium Melting Point	81
1665b	C ₃ H ₈ /Air 3 umol/mol	39	1754	Steel (AISI 4320)	60
1666b	Propane in Air 10 umol/mol	39	1755	Low Alloy Steel	60
1667b	Propane in Air 50 umol/mol	39	1761a	Low Alloy Steel	54
1668b	Propane in Air 100 umol/mol	39	1762	Low Alloy Steel	54
1669b	Propane in Air 500 umol/mol	39	1763a	Low Alloy Steel	54
1674b	CO ₂ /N ₂ mol 7%	37	1764a	Low Alloy Steel	54
1676	CO ₂ /Air, 365 umol/mol	36	1765	Low Alloy Steel	54
1677c	CO/N ₂ 10 ppm	37	1766	Low Alloy Steel	54
1678c	CO/N ₂ 50 umol/mol	37	1767	Low Alloy Steel	54
1679c	CO/N ₂ 100 umol/mol	37	1768	High-Purity Iron	54
1680b	CO/N ₂ 500 umol/mol	37	1772	Tool Steel (S-7)	57
1681b	CO/N ₂ 1000 umol/mol	37	1775	MP 35N Refractory Alloy	61, 65
1683b	NO/N ₂ 50 umol/mol	38	1800b	Organic Compounds/N ₂	36
1684b	NO/N ₂ 100 umol/mol	38	1804c	Organic Compounds/N ₂	36
1685b	NO/N ₂ 250 umol/mol	38	1810a	Linerboard	6
1686b	NO/N ₂ 500 umol/mol	38	1815a	n-Heptane (Fuel Rating)	33
1687b	NO/N ₂ 1000 umol/mol	38	1816a	Isooctane (Fuel Rating)	33
1690	Polystyrene (Particle Size)	1	1818a	Chlorine in Lub Base Oil	73
1691	Polystyrene (Particle Size)	1	1819a	Sulfur in Lub Base Oil	73
1693a	SO ₂ /N ₂ 50 umol/mol	40	1822a	Refractive Index Standard	86
1694a	SO ₂ /N ₂ 100 umol/mol	40	1828b	Ethanol-Water Solution	17
1696a	SO ₂ /N ₂ , 3500 umol/mol	40	1829	Alcohols in Reference Fuel	33
1710	Aluminum Alloy 3004	61	1830	Soda Lime Float (Glass)	69
1711	Aluminum Alloy 3004	61	1831	Soda Lime Sheet (Glass)	69
1712	Aluminum Alloy 3004	61	1834	Fused Ore (Glass)	69
1713	Aluminum Alloy 5182	61	1835	Borate Ore	30
1714	Aluminum Alloy 5182	61	1837	Methanol and Butanol (in Gasoline)	33
1715	Aluminum Alloy 5182	61	1838	Ethanol (in Gasoline)	34
1727	Anode Tin	63, 64	1839	Methanol (in Gasoline)	34
1736	Zinc-Aluminum Alloy	67	1845	Whole Egg Powder	9
1737	Zinc-Aluminum Alloy	67	1847	Ethanol-Water Solutions	17
1738	Zinc-Aluminum Alloy	67	1848	Lubricating Oil Additive Pkg	73
1739	Zinc-Aluminum Alloy	67	1849	Infant/Adult Nutritional Formula	9

SRM	Descriptor	Page	SRM	Descriptor	Page
1857	Tool Steel for Abrasive Wear	3	1953	Organic Contaminants in Non-Fortified Human Milk	14, 27
1866b	Common Commercial Asbestos	43, 103	1954	Organic Contaminants in Fortified Human Milk	14, 27
1872	Synthetic Glass	32	1955	Homocysteine and Folate in Human Serum	14, 27
1873	Synthetic Glass	32	1957	Organic Contaminants in Non-Fortified Human Serum	14, 27
1878a	Respirable Alpha Quartz	41, 93, 101	1958	Organic Contaminants in Fortified Human Serum	14, 27
1879a	Respirable Cristobalite	41, 93, 101	1961	Polystyrene (30 um)	1
1880b	Portland Cement (Formerly Black)	72	1963a	Polystyrene Spheres	1
1881a	Portland Cement	72	1964	Nominal 60nm Diameter Polystyrene	1
1882a	Calcium Aluminate Cement	72	1965	Polystyrene (on Slide) (Particle Size)	1
1883a	Calcium Aluminate Cement	72	1967	PT Thermocouple Wire	83
1884a	Portland Cement	72	1968	Gallium Melting Point	82
1885a	Portland Cement	72	1969	Rubidium Triple Point	82
1886a	Portland Cement	72	1970	Succinonitrile Triple Point	82
1887a	Portland Cement	72	1971	Indium Freezing Point	82
1888a	Portland Cement	72	1972	1, 3-Dioxolan-2-one Triple Point	82
1889a	Portland Cement	72	1974b	Organics-Mussel Tissue (Mytilus edulis)	27
1893	Microhardness Cu-Knoop	6, 67	1975	Diesel Particulate Extract	29
1894a	Microhardness Ni-Vickers	6, 67	1976a	Instrument Sens.for Xray Powder Diffraction	93
1895	Microhardness Ni-Knoop	6, 67	1978	Zirconium Oxide (Particle Size)	1
1896b	Microhardness Ni-Vickers	6, 67	1980	Geothite	77
1897	Specific Surface Area	2	1982	Zirconia Thermal Spray Powder	1
1899	Specific Surface Area for BET	2	1984	Thermal Spray Pwder Particle Size Distribution	1
1900	Specific Surface Area for BET	2	1985	Thermal Spray Pwder Particle Size Distribution	1
1905	Microhardness, Ni-Knoop	6, 67	1990	Single Crystal Diffractometer Alignment	93
1906	Microhardness, Ni-Knoop	6, 67	1994	Silicon Single Crystal Wafer	93
1907	Microhardness, Ni-Knoop	6, 67	1995	Sapphire Single Crystal Wafer	93
1908	Microhardness, Ni-Vickers	6, 67	2000	Calibration Standard for High Resolution X-ray Diffraction	93
1909	Microhardness, Ni-Vickers	6, 67	2017	Multi-Angle White Reflectance	85
1917	Mercury Porosimeter Instrusion	2	2031a	Metal-on-Quartz Filters	84
1918	Mercury Porosimeter Instrusion	2	2035	Near Infrared Transmission Wavelength	85
1921b	IR Transmiss Wavelength		2036	Near-IR Wavelength/Wavenumber Reflection	85
	Polystyrene film	85	2037	Red Diesel Dye	85
1922	Liquid Refractive Index - Mineral Oil	86	2055	IR Transmission Filter	84
1932	Fluorescein	85	2059	Photomask Linewidth Calibration Std.	88
1935a	Potassium Dichromate Soln/UV Absorbance	84			
1939a	PCBs in River Sediment A	28			
1941b	Organics in Marine Sediment	28			
1944	New York/New Jersey Waterway Sediment	28			
1945	Organics in Whale Blubber	27			
1946	Lake Superior Fish Tissue	9, 27			
1947	Lake Michigan Fish Tissue	9, 27			
1951b	Lipids in Frozen (Liquid) Human Serum	14			
1952a	Cholesterol in Human Serum	14			

SRM	Descriptor	Page	SRM	Descriptor	Page
2061	TiAl Alloy for Microanalysis/XRF	32, 66	2193a	Calcium Carbonate	75
2062	TiAl Alloy for Microanalysis/XRF	32, 66	2201	Sodium Chloride (Ion-Selective)	76
2063a	Mineral Glass (Thin Film)	89	2202	Potassium Chloride (Ion-Selective Electr)	76
2065	UV-Vis-NIR Transmission Wavelength	85	2203	Potassium Fluoride (Ion-Selective Electr)	76
2066	K-411 Glass Microspheres	32	2214	Isooctane Liquid Density	92
2069b	SEM Performance	89	2220	Tin (99.9995%)	81
2071b	Sinusoidal Roughness	3	2225	Mercury (Differen Scanning Calorimeter)	81
2073a	Sinusoidal Roughness	3	2232	Indium DSC Calibr Std Temp & Enth of Fus	81
2074	Sinusoidal Roughness	3	2234	Gallium for Thermal Analysis	81
2075	Sinusoidal Roughness	3	2235	Bismuth for Thermal Analysis	81
2092	Low-Energy Charpy V-Notch	5	2241	Relative Intensity Correction Standard	85
2096	High-Energy Charpy V-Notch	5	2242	Relative Intensity Correction Standard	85
2098	Super High-Energy Charpy V-Notch	5	2243	Relative Intensity Correction Standard	85
2100	Fracture Toughness of Ceramic	7	2257	PBDE Congeners in 2,2,4-Trimethylpentane	22
2115	Low Energy Izod	5	2258	BDE 209 in 2,2,4-Trimethylpentane	22
2133	Phosphorus Implant in Silicon		2259	PCB Congeners in 2,2,4-Trimethylpentane	22
	Depth Profile	89	2260a	Aromatic Hydrocarbon in Toluene	22
2134	Arsenic in Silicon	89	2261	Chlorinated Pesticides in Hexane	22
2135d	Ni-Cr Thin Film Depth Profile	89	2262	Chlorinated Biphenyls in Isooctan	22
2137	B Implant in Si Depth Profile	89	2264	Nitrated Aromatic Hydrocarbons	23
2139	Zinc-Aluminum Alloy	67	2265	Nitrated Polycyclic Hydrocarbons	23
2141	Urea	47	2266	Hopananes and Steranes	23
2143	p-Fluorobenzoic Acid	47	2267	Deuterated Levoglucosan	23
2144	m-Chlorobenzoic Acid	47	2268	Carbon-13 Labeled Levoglucosan	23
2151	Nicotinic Acid (Combus		2269	Perdeuterated PAH I	22
	Calorimetric Standard)	80	2270	Perdeuterated PAH II	22
2152	Urea (Combustion & Calorimetric		2273	DDT and Metabolites	22
	Standard)	80	2274	PCB Congeners II	22
2159	LA Steel, Carbon & Sulfur Only	56	2275	Chlorinated Pesticide II	22
2160	LA Steel, Carbon & Sulfur only	56	2276	Coplanar PCBs	22
2165	LA Steel	56	2277	Organic Acids in Methanol:	
2166	LA Steel, F	56		Methylene Chloride	23
2167	LA Steel, G	56	2278	Deuterated Organic Acids in Methanol:	
2168	High Purity Iron	56		Methylene Chloride	23
2171	LA Steel, (HSLA-100)	53	2285	Arson Test Mixture	18, 34
2172	S-7 Tool Steel	57	2286	Ethanol (in Gasoline)	34
2175	MP 35N Refractory Alloy	61, 65	2287	Ethanol (in Gasoline)	34
2181	HEPES Free Acid	76	2288	t-Amyl-methyl-Ether (in Gasoline)	34
2182	NaHEPESate	76	2289	t-Amyl-methyl-Ether (in Gasoline)	34
2183	MOPSO Free Acid	76	2290	Ethyl-t-butyl Ether (in Gasoline)	34
2184	NaMOPSOate	76	2291	Ethyl-t-butyl Ether (in Gasoline)	34
2185	Pot. Hydrogen Phthalate	76	2293	Methyl-t-Butyl Ether (in Gasoline)	34
2186i	Potassium Dihydrogen Phosphate	76	2294	Reformulated Fuels	
2186ii	Disodium Hydrogen Phosphate	76		(Nominal 11 % MTBE)	34, 35
2191a	Sodium Bicarbonate	76	2295	Reformulated Fuel	
2192a	Sodium Carbonate	76		(Nominal 15 % MTBE)	34, 35

SRM	Descriptor	Page	SRM	Descriptor	Page
2296	Reformulated Fuel (Nominal 13 % ETBE)	34, 35	2452	Hydrogen in Titanium Alloys	66
2297	Reformulated Fuel (Nominal 10 % ETOH)	34, 35	2453	Hydrogen in Titanium Alloys	66
2298	Sulfur in Gasoline	35	2454	Hydrogen in Titanium Alloys	66
2299	Sulfur in Gasoline	35	2460	Standard Bullet	18
2321	Sn-Pb Alloy Coating	64, 90	2490	Non-Newtonian Polymer Solution/Rheology	79
2372	Human DNA Quantitation Stand.	13, 18	2491	Non-Newtonian Polymer Melt for Rheology	79
2379	Cocaine in Human Hair Segments I	19	2514	Wavelength Reference Absorption Cell-12CO	88
2380	Codeine in Human Hair Segments II	19	2515	Wavelength Reference Absorption Cell-13CO	88
2381	Morphine and Codeine in Urine	15, 19	2517a	Wavelength Reference Absorption Cell	88
2382	Morphine Glucoronide in Urine	15, 19	2518	Polarization Mode Dispersion	88
2383	Baby Food Composite	9	2519a	Wavelength Reference Absorption	88
2384	Baking Chocolate	9	2520	Optical Fiber Geometry Standard	88
2385	Slurried Spinach	9	2522	Pin Gage for Optical Fiber Ferrules	88
2387	Peanut Butter	9	2523	Optical Fiber Ferrule Geometry	88
2389a	Amino Acids in 0.1 mol/L Hydrochloric Acid	14, 19	2538	Deterministic Polarization Mode Dispersion	88
2390	DNA Profiling	18	2541	Silicon Resistivity	87
2391b	PCR-Based DNA Profiling	18	2543	Silicon Resistivity	87
2392	DNA Mitochondrial Sequencing	13, 18	2546	Silicon Resistivity	87
2392-I	Mitochondrial Sequencing	13, 18	2547	Silicon Resistivity	87
2394	Heteroplasmic Mitochondrial DNA Mutation Detection	18	2553	Optical Fiber Coating Standard	88
2395	Human Y-Chromosome DNA Profiling Standard	18	2554	Optical Fiber Coating Standard	88
2396	Oxidative DNA Damage/Mass Spec	18	2556	Recycled Pellet (Autocatalyst)	73
2399	Fragile X Human DNA Triplet Repeat Standard	13, 18	2557	Recycled Monolith (Autocatalyst)	73
C2400	HA Steel ACl (17/4 PH)	59	2570	Lead Paint Film White/Blank .001 mg/cm2	42, 102
C2401	HA Steel (ACI-C-4M-Cu)	59	2571	Lead Paint Film (Yellow) Nominal 3.5 mg/cm2	42, 102
C2402	Hastelloy 7C	65	2572	Lead Paint Film (Orange) Nominal 1.6 mg/cm2	42, 102
C2415	Battery Lead	64	2573	Lead Paint Film (Red) Nominal 1.0 mg/cm2	42, 102
C2416	Bullet Lead	64	2574	Lead Paint Film (Gold) Nominal .7 mg/cm2	42, 102
C2417	Lead-Base Alloy	64	2575	Lead Paint Film (Green) Nominal .3 mg/cm2	42, 102
C2418	High-Purity Lead	64	2576	Lead Paint Film, High Level	42, 102
C2423a	Ductile Iron B	59	2579a	Lead Paint Films for Portable XRF Analyz	42, 102
C2424	Ductile Iron C	59	2580	Powdered Paint Nominal 4 % Lead	42, 102
C2424	Ductile Iron D	59	2581	Powdered Paint Nominal 0.5 % Lead	42, 102
2426	55% Aluminum Zinc	61, 67			
2430	Scheelite Ore	30			
2431	Titanium Base Alloy	66			
2432	Titanium Base Alloy	66			
2433	Titanium Alloy	66			
2451	Fine Carbon (Activated)	28			

SRM	Descriptor	Page	SRM	Descriptor	Page
2582	Powdered Paint Nominal		2657a	O2/N2 2 % mol/mol	39
	200 mg/kg L	42, 102	2658a	O2/N2 10 % mol/mol	39
2583	Trace Elements in Indoor Dust	29, 42, 102	2659a	O2/N2, 21 % mol/mol	39
2584	Trace Element in Indoor Dust	29, 42, 102	2660a	Total Oxides of Nitr in Air 100 umol/mol	39
2585	Organic Contaminants in		2669	Arsenic Species in Frozen Human Urine	15
	House Dust	29	2670	Toxic Elements in Urine	15
2586	Trace Elements in Soil w/lead		2672a	Mercury in Urine	15
	from paint	28, 42, 102	2678	Membrane Blank Filter	41, 101
2587	Trace Elements in Soil w/Lead		2681	Ashless Blank Filter	41, 101
	from Paint	28, 42, 102	2682b	Sulfur & Mercury in Coal	35, 80
2589	Powdered Paint Nominal 10 % Lead	42, 102	2683b	Sulfur in Coal, 2 %	35, 80
2612a	CO/Air 10 umol/mol	36	2684b	Sulfur & Mercury in Coal	35, 80
2613a	CO/Air 20 umol/mol	36	2685b	Sulfur & Mercury in Coal	35, 80
2614a	CO/Air 45 umol/mol	36	2686a	Portland Cement Clinker	72
2617	Carbon Dioxide in Nitrogen	36	2687	Portland Cement Clinker	72
2619a	Carbon Dioxide in Nitrogen		2688	Portland Cement Clinker	72
	.5 % mol/mol	37	2689	Coal Fly Ash	33
2620	Carbon Dioxide in Nitrogen		2690	Coal Fly Ash	33
	1.0 % mol/mol	37	2691	Coal Fly Ash	33
2621a	Carbon Dioxide in Nitrogen		2692b	Sulfur & Mercury in Coal	35, 80
	5 % mol/mol	37	2693	Low Sulfur/Mercury Coal	35
2622a	Carbon Dioxide in Nitrogen		2695	Fluoride in Vegetation	11
	2.0 % mol/mol	37	2696	Silica Fume	2, 72
2623a	Carbon Dioxide in Nitrogen		2701	Hexavalent Chromium in Contaminated	
	2.5 % mol/mol	37		Soil	28
2624a	Carbon Dioxide in Nitrogen		2702	Marine Sediment	28
	3.0 % mol/mol	37	2703	Sediment for Solid Sampling	29
2625a	Carbon Dioxide in Nitrogen		2709a	San Joaquin Soil	28
	3.5 % umol/mol	37	2710a	Montana I Soil	28
2627a	Nitric Oxide in Nitrogen	39	2711a	Montana II Soil	28
2628a	NO/N2	39	2717a	Sulfur in Residual Fuel Oil	35
2629a	NO/N2, 20 umol/mol	38	2718	Green Petroleum Coke	33, 35
2630	NO/N2, 1500 umol/mol	38	2719	Calcined Petroleum Coke	33, 35
2631a	NO/N2, 3,000 umol/mol	38	2720	Sulfur in Di-n-Butyl Sulfide	35
2635a	CO/N2 25 umol/mol	37	2721	Moisture & Sulfur in Crude Oil	
2636a	CO/N2 250 umol/mol	37		(Light Sour)	35
2637a	CO/N2 2500 umol/mol	37	2722	Moisture & Sulfur in Crude Oil	
2638a	CO/N2 5000 umol/mol	37		(Heavy Sweet)	35
2639a	CO/N2 1.0 % mol/mol	37	2723a	Sulfur in Diesel Fuel Oil	35
2640a	CO/N2 2.0 % mol/mol	37	2724b	Sulfur in Diesel Fuel Oil, 0.04 %	35
2641a	CO/N2 4 % mol/mol	37	2730	H2S/N2, 5 umol/mol	38
2642a	CO/N2 8 % mol/mol	37	2731	H2S/N2, 20 umol/mol	38
2644a	Propane in Nitrogen 250 umol/mol	39	2735	NO/N2, 800 umol/mol	38
2646a	C3H8/N2, 1000 umol/mol	39	2737	NO/N2	39
2647a	C3H8/N2, 2500 umol/mol	39	2738	NO/N2	39

SRM	Descriptor	Page	SRM	Descriptor	Page
2740a	CO/N ₂ , 10 % mol/mol	38	2921	Cardiac Troponin	14
2741a	CO/N ₂ , 13 % mol/mol	38	2940	Relative Intensity Correction Std	85
2745	CO ₂ /N ₂ , 16 % mol/mol	37	2941	Relative Intensity Correction Std	85
2750	CH ₄ /Air 50 umol/mol	38	2942	Relative Intensity Correction Std.	85
2751	CH ₄ /Air 100 umol/mol	38	2943	Relative Intensity Correction Std	85
2764	C ₃ H ₈ /Air .25 umol/mol	39	2950	Respirable Alpha Quartz on Filter Media	41, 101
2765	Propane in Air	39	2951	Respirable Alpha Quartz on Filter Media	41, 101
2770	Sulfur in Diesel Fuel	35	2952	Respirable Alpha Quartz on Filter Media	41, 101
2775	Foundry Coke	33, 35	2953	Respirable Alpha Quartz on Filter Media	41, 101
2776	Furnace Coke	33, 35	2954	Respirable Alpha Quartz on Filter Media	41, 101
2780	Hard Rock Mine Waste	28	2955	Respirable Alpha Quartz on Filter Media	41, 101
2781	Domestic Sludge	28	2956	Respirable Alpha Quartz on Filter Media	41, 101
2782	Industrial Sludge	28	2957	Respirable Alpha Quartz on Filter Media	41, 101
2783	Air Particulate on Filter Media	29,40,101	2958	Respirable Alpha Quartz on Filter Media	41, 101
2798a	Microhardness Ni-Vickers	6, 67	2960	Respirable Alpha Cristobalite on Filter Media	41, 101
2800	Microscope Magnification Standard	88, 89	2961	Respirable Alpha Cristobalite on Filter Media	41, 101
2806a	Medium Test Dust(MTD) in Hydraulic Fluid	2	2962	Respirable Alpha Cristobalite on Filter Media	41, 102
2810	Rockwell C Hardness, Low	6	2963	Respirable Alpha Cristobalite on Filter Media	41, 102
2811	Rockwell C Hardness, Mid	6	2964	Respirable Alpha Cristobalite on Filter Media	41, 102
2812	Rockwell C Hardness, High	6	2965	Respirable Alpha Cristobalite on Filter Media	41, 102
2830	Microhardness, Ceramic-Knoop	6, 67	2966	Respirable Alpha Cristobalite on Filter Media	41, 102
2831	Microhardness, Ceramic-Vickers	6, 67	2967	Respirable Alpha Cristobalite on Filter Media	41, 102
2841	Semiconductor Thin Film	89	2975	Diesel Partic.Matter (Indus.Forklift)	29
2842	Semiconductor Thin Film	89	2976	Mussel Tissue T.E. & Methylmercury Frz-Dr	27
2853	Magnetic Moment Standard - Yttrium Iron Garnet	7	2977	Mussel Tissue Organic Contaminants &T.E.	27
2855	Additive Elements in Polyethylene	28	3000	Benzene in Methanol	21
2870	Relative Permittivity and Loss Tangent	70,91	3001	Toluene in Methanol	21
2881	Polyethylene (Molar Mass 9,100 g/mol)	78			
2885	Polyethylene (Molar Mass 6,280 g/mol)	78			
2886	Polyethylene (Molar Mass 87,000 g/mol)	78			
2887	Polyethylene (Molar Mass 196,400 g/mol)	78			
2888	Polyethylene (Molar Mass 7,190 g/mol)	78			
2890	Water Saturated Octanol	34			
2891	Ethanol in Water Solutions	17			
2892	Ethanol in Water Solutions	17			
2893	Ethanol in Water Solutions	17			
2894	Ethanol in Water Solutions	17			
2895	Ethanol in Water Solutions	17			
2896	Ethanol in Water Solutions	17			
2897	Ethanol in Water Solutions	17			
2898	Ethanol in Water Solutions	17			
2899	Ethanol in Water Solutions	17			
2900	Ethanol in Water Solutions	17			
2910a	Calcium Hydroxyapatite	15, 79			

SRM	Descriptor	Page	SRM	Descriptor	Page
3002	Ethylbenzene in Methanol	21	3110	Cerium Standard Solution	23, 48
3003	o-Xylene in Methanol	21	3111a	Cesium Standard Solution	23, 48
3004	m-Xylene in Methanol	21	3112a	Chromium Standard Solution	23, 48
3005	p-Xylene in Methanol	21	3113	Cobalt Standard Solution	23, 48
3006	Carbon Tetrachloride in Methanol	21	3114	Copper Standard Solution	23, 48
3008	Methylene Chloride in Methanol	21	3115a	Dysprosium Standard Solution	23, 48
3009	1,2 Dichloropropane in Methanol	21	3116a	Erbium Standard Solution	23, 48
3010	Tetrachloroethylene in Methanol	21	3117a	Europium Standard Solution	23, 48
3011	1,1,1 Trichloroethane in Methanol	21	3118a	Gadolinium Standard Solution	24, 48
3012	1,2-Dichloroethane in Methanol	21	3119a	Gallium Standard Solution	24, 48
3014	1,2,3 Trichloropropane in Methanol	21	3120a	Germanium Standard Solution	24, 48
3015	Isopropylbenzene in Methanol	21	3121	Gold Standard Solution	24, 48
3016	sec-Butylbenzene in Methanol	21	3122	Hafnium Standard Solution	24, 48
3063	Dioxin in Methanol	21	3123a	Holmium Standard Solution	24, 48
3064	Endothall in Water	21	3124a	Indium Standard Solution	24, 48
3067	Toxaphene in Methanol	21	3126a	Iron Standard Solution	24, 48
3068	Chlordane in Methanol	21	3127a	Lanthanum Standard Solution	24, 48
3071	Glyphosate	21	3128	Lead Standard Solution	24, 48
3072	Diquat Dibromide Monohydrate in Water	21	3129a	Lithium Standard Solution	24, 48
3074	Phalates/Adipate in Methanol	21	3130a	Lutetium Standard Solution	24, 48
3075	Aroclor 1016 in Transformer Oil	21	3131a	Magnesium Standard Solution	24, 48
3076	Aroclor 1232 in Transformer Oil	21	3132	Manganese Standard Solution	24, 48
3077	Aroclor 1242 in Transformer Oil	21	3133	Mercury Standard Solution	24, 49
3078	Aroclor 1248 in Transformer Oil	21	3134	Molybdenum Standard Solution	24, 49
3079	Aroclor 1254 in Transformer Oil	21	3135a	Neodymium Standard Solution	24, 49
3080	Aroclor 1260 in Transformer Oil	21	3136	Nickel Standard Solution	24, 49
3081	Aroclor 1016 in Methanol	21	3137	Niobium Standard Solution	24, 49
3082	Aroclor 1232 in Methanol	21	3138	Palladium Standard Solution	24, 49
3083	Aroclor 1242 in Methanol	21	3139a	Phosphorus Standard Solution	24, 49
3084	Aroclor 1248 in Methanol	21	3140	Platinum Standard Solution	24, 49
3085	Aroclor 1254 in Methanol	21	3141a	Potassium Standard Solution	24, 49
3086	Aroclor 1260 in Methanol	21	3142a	Praseodymium Standard Solution	24, 49
3090	Aroclors in Transformer Oil (set SRMs 3075-3080)	21	3143	Rhenium Standard Solution	24, 49
3091	Aroclors in Methanol (set SRMs 3081 - 3086)	21	3144	Rhodium Standard Solution	24, 49
3101a	Aluminum Standard Solution	23, 48	3145a	Rubidium Standard Solution	24, 49
3102a	Antimony Standard Solution	23, 48	3147a	Samarium Standard Solution	24, 49
3103a	Arsenic Standard Solution	23, 48	3148a	Scandium Standard Solution	24, 49
3104a	Barium Standard Solution	23, 48	3149	Selenium Standard Solution	24, 49
3105a	Beryllium Standard Solution	23, 48	3150	Silicon Standard Solution	24, 49
3106	Bismuth Standard Solution	23, 48	3151	Silver Standard Solution	24, 49
3107	Boron Standard Solution	23, 48	3152a	Sodium Standard Solution	24, 49
3108	Cadmium Standard Solution	23, 48	3153a	Strontium Standard Solution	24, 49
3109a	Calcium Standard Solution	23, 48	3154	Sulfur Standard Solution	24, 49
			3155	Tantalum Standard Solution	24, 49
			3156	Tellurium Standard Solution	25, 49

SRM	Descriptor	Page	SRM	Descriptor	Page
3157a	Terbium Standard Solution	25, 49	3274	Botanical Oils Containing Omega 3	10
3158	Thallium Standard Solution	25, 49	3276	Carrot Extract in Oil	10
3159	Thorium Standard Solution	25, 49	3280	Multivitamin/Multielement Tablets	10
3160a	Thulium Standard Solution	25, 49	4201B	Niobium-94 Point Source	97
3161a	Tin Standard Solution	25, 49	4218F	Europium-152 Point Source	97
3162a	Titanium Standard Solution	25, 49	4222C	Carbon-14 (as hexadene)	96
3163	Tungsten Standard Solution	25, 49	4226C	Nickel-63 Solution	96
3164	Uranium Standard Solution	25, 49	4233E	Cesium-137	96
3165	Vanadium Standard Solution	25, 49	4239	Strontium	96
3166a	Ytterbium Standard Solution	25, 49	4241C	Barium-133 Point Source	97
3167a	Yttrium Standard Solution	25, 49	4251C	Barium-133 Solution	96
3168a	Zinc Standard Solution	25, 49	4274	Holmium-166m	96
3169	Zirconium Standard Solution	25, 49	4288B	Technetium-99	96
3181	Sulfate Anion Solution	25, 50	4320A	Curium-244 Solution	95
3182	Chloride Anion Solution	25, 50	4321C	Natural Uranium Solution	95
3183	Fluoride Anion Solution	25, 50	4322C	Americium-241 Solution	95
3184	Bromide Anion Solution	25, 50	4323B	Plutonium-238 Solution	95
3185	Nitrate Anion Solution	25, 50	4324B	Uranium-232	95
3186	Phosphate Anion Solution	25, 50	4325	Beryllium-10/9 Solution	98,99
3190	Aqueous Electrolytic Conductivity 25 uS/cm	77	4326	Polonium-209 Solution	95
3191	Aqueous Electrolytic Conductivity 100 uS/cm	77	4328C	Thorium-299	95
3192	Aqueous Electrolytic Conductivity 500 uS/cm	77	4329	Curium-243 Solution	95
3193	Aqueous Electrolytic Conductivity 1000 uS/cm	77	4330B	Plutonium-239 Solution	95
3198	Aqueous Electrolytic Conductivity 5 uS/cm	77	4332D	Americium-243 Solution	95
3199	Aqueous Electrolytic Conductivity 15 uS/cm	77	4334H	Plutonium-242 Solution	95
3231	Iodine-129, Isotopic (high levels)	50	4337	Lead-210 Solution	96
3240	Ephedra sinica Stapf Aerial Parts	10	4338A	Plutonium-240 Solution	95
3241	Ephedra sinica Stapf Native Extract	10	4339B	Radium-228 Solution	96
3242	Ephedra sinica Stapf Commercial Extract	10	4340B	Plutonium-241 Solution	96
3243	Ephedra Containing Solid Oral Dosage	10	4341	Neptunium-237 Solution	95
3245	Ephedra Dietary Supplement Suite	10	4342A	Thorium-230	95
3246	Ginkgo biloba Dietary Sup.	10	4350B	River Sediment (Radioactivity)	98
3247	Ginkgo biloba Extract	10	4351	Human Lung Powder	98
3248	Ginkgo Containing Tablets	10	4352	Human Liver Powder	98
3249	Ginkgo Dietary Supplement Suite	10	4353A	Rocky Flats Soil II	99
3250	Serona repens (Fruit)	10	4354	Lake Sediment Powder	99
3251	Serona repens (Extract)	10	4355	Peruvian Soil Powder	99
3258	Bitter Orange Plant	10	4356	Ashed Bone (Radioactivity)	99
3259	Bitter Orange Extract	10	4357	Ocean Sediment Powder	99
3260	Orange Finished Product	10	4358	Ocean Shellfish	99
			4359	Seaweed	99
			4361C	Hydrogen-3 Water	96
			4370C	Europium-152 Solution	96
			4401L	Iodine-131 Solution	97
			4404L	Thallium-201	97
			4407L	Iodine-125 Solution	97

SRM	Descriptor	Page	SRM	Descriptor	Page
4410H	Technetium-99m	97	8456	Ultra-hi Molecular Wt.	
4412L	Molybdenum-99 Solution	97		Polyethylene Bar	15, 79
4415L	Xenon-133 Solution	97	8457	Ultra-hi Molecular Wt.	
4416L	Gallium-67 Solution	97		Polyethylene Bar	15, 79
4417L	Indium-111	97	8458	Artificial Flaw for Eddy Current	5
4427L	Yttrium-90 Solution (Lot 5)	97	8466	Y-HCH (Lindane)(neat)	22
4915F	Cobalt-60 Solution	96	8467	4, 4'-DDE (neat)	22
4919I	Strontium-90 Solution	96	8469	Pesticide, 4,4'-DDT (neat)	22
4926E	Hydrogen-3 Water	96	8480	Secondary Ferrite # Standard -	
4927F	Hydrogen-3 Water	96		Low Range	7
4929F	Iron-55 Solution	96	8481	Secondary Ferrite # Standard -	
4943	Chlorine-36 Solution	96		High Range	7
4947C	Hydrogen-3 Toluene	96	8491	Sugar Cane Bagasse	11
4949C	Iodine-129 Solution	96	8492	Eastern Cottonwood	11
4965	Radium-226 Solution	95	8493	Monterey Pine	11
4966A	Radium-226 Solution	95	8494	Wheat Straw	11
4967A	Radium-226 Solution	95	8495	Northern Softwood	7
4969	Radium-226 Solution	95	8496	Eucalyptus Hardwood	7
4971	Radon-222	95	8504	Transformer Oil	21
4972	Radon-222	95	8505	Vanadium in Crude Oil	33
4973	Radon-222	95	8506a	Transformer Oil	34
4974	Radon-222	95	8507	Mineral Oil	34
4990C	Oxalic Acid Powder	98	8509	Moisture in Methanol, 93 mg/kg	34
5000	Calibrated Overlay Wafer Std.	88	8510	Moisture in Methanol, 325 mg/kg	34
5001	Two-Dimensional Grid Photomask	88	8535	Vismow-Water	51
8010	Sand for Sand Sieve Analysis	1	8536	GISP-Water	51
8011	Gold Nanoparticles	1, 45, 79	8537	SLAP-Water Light Stable Isotopic Std	51
8012	Gold Nanoparticles	1, 45, 79	8538	NBS30-Biotite	51
8013	Gold Nanoparticles	1, 45, 79	8539	NBS22-Oil	51
8040	Sodium Oxalate	46	8540	PEFI-Polyethylene Foil	51
8091	SEM Sharpness Standard	89	8541	USGS24-Graphite	51
8107	Additives in Smokeless Powder	18	8542	Sucrose ANU-Sucrose	51
8327	Peptide Reference Material	13	8543	NBS18-Carbonatite	51
8385	Ultra-High Molecular Weight		8544	NBS19-Limestone	51
	Polyethylene Wear Particles	15, 79	8545	LSVEC-Lithium Carbonate	51
8395	Tissue Engineering Reference, Scaffold	13	8546	NBS28-Silica Sand	51
8396	Tissue Engineering Reference, Scaffold	13	8547	IAEAN1-Ammonium Sulfate	51
8397	Tissue Engineering Reference, Scaffold	13	8548	IAEAN2-Ammonium Sulfate	51
8420	Iron Electrolytic	83, 87	8549	IAEA-N3-Potassium Nitrate	51
8424	Graphite Thermal Conductivity	83, 87	8550	USGS25-Ammonium Sulfate	51
8441a	Wheat Hardness	11	8551	USGS26-Ammonium Sulfate	51
8444	Cotinine in Freeze Dried Human Urine	15, 19	8552	NSVEC-Gaseous Nitrogen	51
8445	Egg for Allergen Detection	9	8553	Soufre de Lacq-Elemental Sulfur	51
8455	Pyrite Ore	30	8554	NZ1-Silver Sulfide	51
			8555	NZ2-Silver Sulfide	51

SRM	Descriptor	Page	SRM	Descriptor	Page
8556	NBS123-Sphalerite	51	8607	Chinese Tungsten Ore	31
8557	NBS127-Barium Sulfate	51	8631	Medium Test Dust (MTD)	2
8558	USGS32-Potassium Nitrate	51	8632	Ultrafine Test Dust	2
8559	Natural Gas Isotopic	51	8680	Paint on Fiberboard	42, 102
8561	Natural Gas Isotopic	51	8704	Buffalo River Sediment	28
8562	CO2-Heavy, Paleomarine Origin	51	8785	Particulate Matter on Filters	29, 40, 101
8563	CO2-Light, Paleomarine Origin	51	8786	Blank Filter for RM8785	29, 40, 101
8564	CO2-Biogenic, Modern Biomass Origin	51	8820	Scanning Electron Microscope...	88, 89
8568	USGS34 Potassium Nitrate	51	8850	Zeolite Y	43
8569	USGS35 Sodium Nitrate	51	8851	Zeolite A	43
8573	Carbon and Nitrogen Isotopes	51	8852	Ammonium ZSM-5	43
8574	Carbon and Nitrogen Isotopes	51	8983	Silicon Nitride Powder	68
8590	High Sulfur Gas Oil Feed	33	9951	Aluminum Wafer Drop In Sample	89
8602	Chinese Lead Ore	31	9952	Aluminum Wafer Drop-In Sample	89
8603	Chinese Lead Ore	31			

NIST develops and promotes measurements, standards, and technology to enhance productivity, facilitate trade, and improve the quality of life. As the U.S. National Metrology Institute, NIST continually strives to meet the nation's measurement needs with Standard Reference Materials, Calibration Services, and Standard Reference Data. Please visit our website at www.nist.gov/srm for further information.





NIST

National Institute of Standards and Technology
U.S. Department of Commerce