
NIST Special Publication 881-45







Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003050 Transaction Set 196 Contractor Cost Data Reporting

Implementation Convention



QC 100 .U57 NO.881-45 1998 U.S. DEPARTMENT OF COMMERCE Technology Administration National Institute of Standards and Technology The National Institute of Standards and Technology was established in 1988 by Congress to "assist industry in the development of technology... needed to improve product quality, to modernize manufacturing processes, to ensure product reliability... and to facilitate rapid commercialization... of products based on new scientific discoveries."

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry's competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency's basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department's Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering, and develops measurement techniques, test methods, standards, and related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST's research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Publications and Program Inquiries Desk, 301-975-3058.

Office of the Director

- National Quality Program
- International and Academic Affairs

Technology Services

- Standards Services
- Technology Partnerships
- Measurement Services
- Technology Innovation
- Information Services

Advanced Technology Program

- Economic Assessment
- Information Technology and Applications
- Chemical and Biomedical Technology
- Materials and Manufacturing Technology
- Electronics and Photonics Technology

Manufacturing Extension Partnership Program

- Regional Programs
- National Programs
- Program Development

Electronics and Electrical Engineering Laboratory

- Microelectronics
- · Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields¹
- Electromagnetic Technology¹
- Optoelectronics¹

Chemical Science and Technology Laboratory

- Biotechnology
- Physical and Chemical Properties²
- Analytical Chemistry
- Process Measurements
- Surface and Microanalysis Science

Physics Laboratory

- Electron and Optical Physics
- Atomic Physics
- · Optical Technology
- Ionizing Radiation
- Time and Frequency¹
- Quantum Physics¹

Materials Science and Engineering Laboratory

- Intelligent Processing of Materials
- Ceramics
- Materials Reliability¹
- Polymers
- Metallurgy
- NIST Center for Neutron Research

Manufacturing Engineering Laboratory

- Precision Engineering
- Automated Production Technology
- Intelligent Systems
- Fabrication Technology
- Manufacturing Systems Integration

Building and Fire Research Laboratory

- Structures
- Building Materials
- Building Environment
- Fire Safety Engineering
- Fire Science

Information Technology Laboratory

- Mathematical and Computational Sciences²
- Advanced Network Technologies
- Computer Security
- Information Access and User Interfaces
- High Performance Systems and Services
- Distributed Computing and Information Services
- Software Diagnostics and Conformance Testing

¹At Boulder, CO 80303.

²Some elements at Boulder, CO.

Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003050 Transaction Set 196 Contractor Cost Data Reporting

Implementation Convention

Electronic Commerce Acquisition Program Management Office Standard Management Committee - Secretariat National Institute of Standards and Technology Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

January 1998



U.S. DEPARTMENT OF COMMERCE William M. Daley, Secretary

Technology Administration Gary R. Bachula, Acting Under Secretary for Technology

National Institute of Standards and Technology Raymond G. Kammer, Director

Reports on Information Technology

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

National Institute of Standards and Technology Special Publication 881-45 Natl. Inst. Stand. Technol. Spec. Publ. 881-45, 46 pages (Jan. 1998) CODEN: NSPUE2

U.S. GOVERNMENT PRINTING OFFICE WASHINGTON: 1998

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402

196 Contractor Cost Data Reporting

Functional Group ID=**PK**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Contractor Cost Data Reporting Transaction Set (196) for use within an Electronic Data Interchange (EDI) environment. This transaction set can be used to support contractor cost reporting requirements for actual costs and estimates at completion associated with major research and development (R&D) and production contracts or programs. This includes nonrecurring and recurring costs by work breakdown structure elements summarizing all activities on a contract or proposal; non recurring and recurring functional cost or hour categories for selected work breakdown structure elements; progress curve (learning curve) information detailing unit or average lot data by functional cost or hour categories; and summary contractor business base information such as indirect expenses, rates, and resources. This information can be used to evaluate contractor proposals, make cost projections of a given program, develop historical data bases to develop statistical techniques, and make independent cost analysis of new acquisitions. This transaction set can be used to convey proposed, initial, progress, updated, or final (end of contract) cost information.

Notes:

1. The 196 Transaction Set is designed to support the Contractor Cost Data Reporting (CCDR) or 1921 series of formats for the Department of Defense (DoD). The four formats are the Cost Data Summary Report (DD Form 1921), the Functional Cost and Hour Report (DD Form 1921-1), the Progress Curve Report (DD Form 1921-2), and the Plant Wide Data Report (DD Form 1921-3). For specific information about the report formats and the data that needs to be conveyed in these reports, obtain a copy of the CCDR handbook titled "Acquisition Management, Contractor Cost Data Reporting (CCDR) System" (NAVMAT P-5241, AMCP 715-8, AFLCP 800-15, AFSCP 800-15) from the contracting officer or government publications office. This handbook is needed for specific instructions and data requirement references.

2. A single transaction set may contain one or more of the Contractor Cost Data Report formats. Refer to the implementation notes throughout this convention for more information about the specific requirements for each report format.

3. This implementation convention is designed to be used when a Contract Data Requirements List (CDRL) for a given contract specifies the Contractor Cost Data Report formats. The approved CCDR Plan defines the data content and report requirements. This convention assumes the data will be moving in one direction only - from the contractor or organization performing the work on a contract to the government customer.

4. There are two appendices for this implementation convention. The example appendix provides additional reference information on how this transaction set is used to exchange data electronically for all four CCDR formats. The other appendix includes a series of tables that provides cross reference details on how to use the 196 transaction set for each report format. This includes a Contractor Cost Data Report Segment and Data Element Matrix table, an HL Levels and CLI Segment Map, and a Contractor Cost Data Report DD Forms 1921 Forms Cross Reference table.

Heading:

Must Use	Pos. <u>No.</u> 010	Seg. <u>ID</u> ST	<u>Name</u> Transaction Set Header	Req. <u>Des.</u> M	<u>Max.Use</u> 1	Loop <u>Repeat</u>	Notes and <u>Comments</u>
Must Use	020	BCM	Beginning Segment for Contractor Cost Data Reporting	М	1		
	030	DTP	Date or Time or Period	0	>1		
	040	REF	Reference Numbers	0	>1		

			LOOP ID - NI	de transmissioner transmission	>
Must Use	060	Nl	Name	М	1
	070	N2	Additional Name Information	0	2
	080	N3	Address Information	0	2
	090	N4	Geographic Location	0	1
			LOOP ID - G61	Mary Hill Berther	ا<
Must Use	100	G61	Contact	0	1
Must Use	110	DTM	Date/Time Reference	0	>1

Detail:

	Pos. <u>No.</u>	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	Max.Use	Loop <u>Repeat</u>	Notes and <u>Comments</u>
			LOOP ID - HL			>1	
Must Use	010	HL	Hierarchical Level	M	1		
	020	CRT	Contractor Report Type	0	1		
	030	BSD	Breakdown Structure Description	0	1		
	040	CLI	Cost Line Item	0	1		
	050	CAL	Calendar	0	1		
	060	REF	Reference Numbers	0	>1		
	070	AMT	Monetary Amount	0	>1		
	080	QTY	Quantity	0	>1		
	090	RPA	Rate Amounts or Percents	0	>1		
	100	PCT	Percent Amounts	0	>1		
	110	DTM	Date/Time Reference	0	>1		
	120	P1D	Product/Item Description	0	>1		
	130	MEA	Measurements	0	>1		
	140	MSG	Message Text	0	>1		
			LOOP ID - PD			>1	The second second
Not Used	150	PD	Pricing Data	0	1		
Not Used	160	REF	Reference Numbers	0	>1		
Not Used	170	PDD	Pricing Data Detail	0	>1		
Not Used	180	MSG	Message Text	0	>1		
Must Use	200	SE	Transaction Set Trailer	М	1		

.

Segment:	ST Transaction Set Header					
Position:	010					
Loop:						
Level:	Heading					
Usage:	Mandatory					
Max Use:	1					
Purpose:	To indicate the start of a transaction set and to assign a control number					
Syntax Notes:						
Semantic Notes:	1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).					
Comments:						

	Ref.	Data		
	Des.	Element	Name	Attributes
Must Use	ST01	143	Transaction Set Identifier Code	M ID 3/3
			Code uniquely identifying a Transaction Set	
			196 X12.280 Contractor Cost I	Data Reporting
Must Use	ST02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique functional group assigned by the originator for a	
			A unique number assigned by the originator of originator's application program. This number SE02.	r is the same as the number in

Segment:	BCM Beginning Segment for Contractor Cost Data Reporting
Position: Loop:	020
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the beginning of the contractor cost data reports and transmit identifying numbers, descriptions, action codes, program and contract type, funding identification, and security level
Syntax Notes:	1 At least one of BCM04 or BCM05 is required.
Semantic Notes:	1 BCM02 is the transaction set effective date.
	2 BCM03 is the report effective date.
	3 BCM05 is used to describe the report.
	4 BCM08 is used to describe other unlisted program types.

Comments:

			Data Elen	ient Summary	
B <i>A</i> ATL -	Ref. Des.	Data Element	<u>Name</u>	Attributes	
Must Use	BCM01	353	Transaction Set P	urpose CodeMID 2/2urpose of transaction set	
				-	
			00	Original	
				This code is typically used for a new or ongoing contract.	
			05	Replace	
				Use this code to over write any previously transmith data (i.e., old data is deleted and new data is entere into the database).	12/0/25
			22	Information Copy	Ministerio en esta
				Use this code when directed to send information	
				copies to named parties on a specified distribution	list.
Must Use BCM0	BCM02	CM02 373	Date Date (YYMMDD)	, and the second secon	5
			Enter the date the purposes only.	data report was created. This date is used for referen	се
Must Use	BCM03	373	Date Date (YYMMDD)	M DT 6/6	5
			format is required sent at the same tin formats.	late for the CCDR report. When more than one CCD. (for example, the DD Forms 1921, 1921-1 and 1921- me), this as of date should be the same for all report	
			-	t Ending date for the DD Form 1921-2. t Period Ending date for the DD Form 1921-3.	
	BCM04	367	Contract Number	. The second se	30
			Contract number		
			This contract num 2 for current or ex	ber is required for the DD Forms 1921, 1921-1, and isting contracts.	1921-

BCM05	369	Free-form Des	scription	X AN 1/45		
		Free-form desc	riptive text			
		This program name or title is required for the DD Forms 1921, 1921-1, and 1921-2. For the DD Form 1921-3, enter text "Plant Wide Report".				
BCM06	1308	Contract Actio	on Code	O ID 2/2		
		of contract acti This is require	ng the expected resultant type of con on <i>d for the DD Forms 1921 and 192.</i> <i>nveyed in the 196 transaction set.</i>			
		СО	Existing Contract	· · · · · · · · · · · · · · · · · · ·		
		PE	Program Estimate			
			If the Program Estimate is for RFP number in the REF (R. (1/REF/040). If the Program beyond the current contract Contract Number (BCM04).	eference) segment n Estimate is for work requirements, include the		
		RP	Request for Proposal			
BCM07	1193	Program Type		O ID 2/2		
	11/0		ng a program type			
		· · · ·	d for the DD Forms 1921 and 192. nveyed in the 196 transaction set.	1-1 and applies to all		
		01	Research, Development, Tes	t & Evaluation (RDT&E)		
		04	Other			
		05	Procurement			
SCM08	369	Free-form Des	cription	O AN 1/45		
		Free-form desc	riptive text			
		Enter the appropriations	opriation title when BCM07 is cod	le 04 for other		
BCM09	1198	Contracting F	unding Code	O ID 2/2		
		-	ig the funding type			
			quired for the DD Forms 1921, 19	21-1, and 1921-2.		
		01	Multi-Year Procurement	nendenskierdedenendelike mensemme also		
			Contract procurement that ex	tends beyond one year		
		02	Incrementally Funded Contra	act (INC)		
			Contract funded in increment performance criteria	ts based on agreed		
		03	Contract for a Single Year (S Funding for a contract for a s			
CM10	1166	Contract Type	e Code	O ID 2/2		
		Code identifyin	ng a contract type			
		Contract Type	quired for the DD Form 1921. Wh is used, describe the type of contra gment (1/REF/040).	0		
		СН	Cost Sharing	N hataranda Mallahana		
		UII				

			СР	Cost Plus
			CW	Cost Plus Award Fee
			CX	Cost Plus Fixed Fee
			CY	Cost Plus Incentive Fee
			FD	Fixed Price Redetermination
			FE	Fixed Price with Escalation
			FI	Fixed Price Incentive
			FR	Firm Fixed Price
			FX	Fixed Price with Economic Price Adjustment
			OC	Other Contract Type
				A type of contract which is neither covered by an existing code nor previously mutually defined
				Use this code for other, non listed contract types or when there is a mixture of contract types.
	BCM11	786	Security Level C	ode O ID 2/2
			•	he level of confidentiality assigned by the sender to the
			non-classified inf 11). As an option the data is supplie separately. This s in the 196 transac	I in the 196 Transaction Set is assumed to be government formation and company proprietary information (use code 1, a contractor may want to make an entry to indicate that er proprietary (code 06) when supplier data is submitted security level reference applies to all information conveyed ction set. All other security data elements in this transaction
			set are marked as	s noi usea.
			06	Supplier Proprietary
Not Used	BCM12	100		

Segment:	DTP Date or Time or Period
Position:	030
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	>1
Purpose:	To specify any or all of a date, a time, or a time period
Syntax Notes:	
Semantic Notes: Comments:	1 DTP02 is the date or time or period format that will appear in DTP03.

Must Use	Ref. <u>Des.</u> DTP01	Data <u>Element</u> 374	<u>Name</u> Date/Time Qualifie Code specifying tyr	er <u>Attributes</u> M ID 3/3 be of date or time, or both date and time
			581	Contract Period
				This code is used to convey the fiscal years over which the contract is funded (the Funding Years reference) for the DD Forms 1921, 1921-1, and 1921-2. This information is required for these forms.
			582	Report Period
				This code is used to convey the funded fiscal year(s) that the report represents when there are contract options (the Fiscal Year(s) Funded reference) for the DD Forms 1921, 1921-1, and 1921-2. This information is required when applicable for these forms.
Must Use	DTP02	1250	Date Time Period	
			RD4	date format, time format, or date and time format Range of Years Expressed in Format CCYY-CCYY
				Use this code when there is more than one fiscal year.
			YY	Last Two Digits of Year Expressed in Format CCYY
				The year in the century (00 to 99)
				Use this code when the fiscal year reference is for a single year.

REF Reference Numbers

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments: Notes:

040 Heading Optional >1 To specify identifying numbers. 1 At least one of REF02 or REF03 is required.

Use this **REF** segment to convey reference information that applies to the entire 196 transaction set. For specific report, reporting element, or line item references, use the **REF** segment in Table 2.

	-		Data Eleme	ent Summary
Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Number Code qualifying the	-
			2G	Amendment
				<i>Use this code for the DD Forms 1921, 1921-1, and 1921-2.</i>
			39	Proposal Number
			55	Sequence Number
				Use this code to provide a unique reference number for this Contractor Cost Data Reporting (196) transaction set. Enter the unique reference number for this transaction set in REF02. Use this code only one time for each 196 transaction set.
			CT	Contract Number
				Use this code when BCM10 (Contract Type Code) is code OC for Other Contract Type.
	REF02	127	Reference Number	X AN 1/30
			Transaction Set, or a <i>Enter the Amendme</i>	r identification number as defined for a particular as specified by the Reference Number Qualifier. ent or Proposal number when REF01 is code 2G or 39. ference number for this transaction set when REF01 is
	REF03	352	Description	X AN 1/80
			-	tion to clarify the related data elements and their content
			· ·	n of the other contract type or mixture of contract types te CT. This is used when BCM10 is used to indicate Other te OC).
			The second se	

Segment:	N1 Name
Position:	060
Loop:	N1 Mandatory
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	1 At least one of N102 or N103 is required.
	2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. N105 and N106 further define the type of entity in N101.
Notes:	Whenever possible, identification and address information should be provided using N101, N103, and N104. Use N102 and segments N2, N3, and N4 as applicable when this information cannot be provided by using one of the codes listed in N103.

	Ref.	Data		
	Des.	Element	Name	Attributes
Must Use	N101	98	Entity Identif	
				ng an organizational entity, a physical location, or an individual
			28	Subcontractor
			MP	Manufacturing Plant
				Use this code for the DD Form 1921-3 to identify the specific contractor plant or division that the report applies to. If possible, identify by using one of the codes in N103. Enter the company name in N102 and the division or plant name in the N2 segment if this information cannot be provided by using one of the codes in N103. This information is required for DD Form 1921-3.
			PG	Prime Contractor
				Typically, this code is used for the reporting contractor. In the event a subcontractor is reporting separately, the subcontractor should use code 28.
			SU	Supplier/Manufacturer
				Use this code to indicate an associate (to a Prime) contractor. Typically this is a contractor teamed with a Prime Contractor.
			ТО	Message To
				Use this code to identify the organization receiving the data.
			ZD	Party to Receive Reports
				The organization designated to receive reports
				Use this code to identify the organization that receives an information copy of the data.

	N102	93	Name		Χ	AN 1/35
			Free-form name			
	N103	66	Identification Cod	e Qualifier	Χ	ID 1/2
			Code designating th Code (67)	ne system/method of code structure use	d for I	dentification
			1	D-U-N-S Number, Dun & Bradstreet		
			9	D-U-N-S+4, D-U-N-S Number with Suffix	Four C	Character
			10	Department of Defense Activity Add (DODAAC)	ress C	ode
			33	Commercial and Government Entity	(CAG	E)
	N104	67	Identification Cod	e	Χ	AN 2/20
			Code identifying a	party or other code		
Not Used	N105	706	Entity Relationshi Code describing en		0	ID 2/2
Not Used	N106	98	Entity Identifier C Code identifying an	ode organizational entity, a physical locati	O on, or	ID 2/2 an individual

	Segment:		dditional Name Information	
	Position:	070	Can lateras	
	Loop:		Mandatory	
	Level:	Heading		
	Usage:	Optional		
	Max Use:	2		
	Purpose:	To specif	fy additional names or those longer that	an 35 characters in length
-	ax Notes:			
	tic Notes:			
C	omments:			
	Notes:		and the second se	is used and it is necessary to provide ion or plant name in this segment when
	Notes:	addition the infor	and the second se	ion or plant name in this segment when one of the codes listed in N103. The
	Notes:	addition the infor	al name information. Enter the divisi mation cannot be provided by using o	ion or plant name in this segment when one of the codes listed in N103. The
	Notes: Ref.	addition the infor	al name information. Enter the divisi mation cannot be provided by using o or plant name is required for the DD	ion or plant name in this segment when one of the codes listed in N103. The
		addition the infor division	al name information. Enter the divisi mation cannot be provided by using o or plant name is required for the DD	ion or plant name in this segment when one of the codes listed in N103. The
Must Use	Ref.	additiona the infor division Data	al name information. Enter the divisi mation cannot be provided by using o or plant name is required for the DD Data Element Summary	ion or plant name in this segment when one of the codes listed in N103. The Form 1921-3.
Must Use	Ref. Des.	additiona the infor division Data <u>Element</u>	al name information. Enter the divisi mation cannot be provided by using o or plant name is required for the DD Data Element Summary <u>Name</u>	ion or plant name in this segment when one of the codes listed in N103. The Form 1921-3. <u>Attributes</u>
Must Use	Ref. Des.	additiona the infor division Data <u>Element</u>	al name information. Enter the divisi mation cannot be provided by using o or plant name is required for the DD Data Element Summary <u>Name</u> Name	ion or plant name in this segment when one of the codes listed in N103. The Form 1921-3. <u>Attributes</u>

Segment:	N3 Address Information
Position:	080
Loop:	N1 Mandatory
Level:	Heading
Usage:	Optional
Max Use:	2
Purpose:	To specify the location of the named party
Syntax Notes:	
Semantic Notes:	
Comments:	
Notes:	This segment should only be used when N102 is used.

	Ref. Des.	Data Element	Name	Attributes
Marad XI.				
Must Use	N301	166	Address Information	M AN 1/35
			Address information	
	N302	166	Address Information	O AN 1/35
			Address information	

Synt	Segment: Position: Loop: Level: Usage: Max Use: Purpose: ax Notes: tic Notes:	090 N1 M Heading Optional 1 To specify	Geographic Location Mandatory fy the geographic place of the named party 406 is present, then N405 is required.		
Co	omments:		ombination of either N401 through N404, or N405 and N ify a location.	1406 may 1	be adequate to
	Notes:	This seg	2 is required only if city name (N401) is in the USA or (ment should only be used when N102 is used.	Canada.	
			Data Element Summary		
	Ref.	Data	N		
	Des.	Element	Name		ributes
Must Use	N401	19	City Name Free-form text for city name	0	AN 2/30
Must Use	N402	156	State or Province Code	0	ID 2/2
			Code (Standard State/Province) as defined by appropriate	ate govern	nment agency
Must Use	N403	116	Postal Code	0	ID 3/11
			Code defining international postal zone code excluding (zip code for United States)	g punctuat	ion and blanks
	N404	26	Country Code	0	ID 2/3
			Code identifying the country		
Not Used	N405	309	Location Qualifier Code identifying type of location	X	ID 1/2
Not Used	N406	310	Location Identifier Code which identifies a specific location	0	AN 1/30

G61 Contact

Segment:	G61 Contact
Position:	100
Loop:	G61 Optional (Must Use)
Level:	Heading
Usage:	Optional (Must Use)
Max Use:	1
Purpose:	To identify a person or office to whom communications should be directed
Syntax Notes:	1 If either G6103 or G6104 is present, then the other is required.
Semantic Notes:	
Comments:	1 G6103 qualifies G6104.
Notes:	At least one repetition of the G61 segment is required per transaction set to identify a contact person for the report.

	D	D (Data Ele	ement Summary		
Must Use	Ref. <u>Des.</u> G6101	Data <u>Element</u> 366		the major duty or responsibility of the p	Μ	r <mark>ibutes</mark> ID 2/2 r group named
			РР	Program Manager Use this code to identify the receivi Manager or Program Office if appliits is optional.	~ ~	1 1 26000
			PU	Report Preparer	ni apropi i i se de conserva de ma	un detre
				This code is required. Use this cod contact person for the report.	e to ide	ntify the
Must Use	G6102	93	Name Free-form name	a a construction de la construction de la construcción de la construcción de la construcción de la construcción	М	AN 1/35
			initial if availabl	of the person. Provide the last name, fi le. Include blank spaces between name tials. Omit the comma between the last	compo	nents and
Must Use	G6103	365	Communication	Number Qualifier	X	ID 2/2
			Code identifying	the type of communication number		
			EM	Electronic Mail		
			FX	Facsimile		
			TE	Telephone		
Must Use	G6104	364	Communication Complete communication applicable	Number unications number including country or a	X area cod	AN 1/80 le when
	G6105	443	Contact Inquiry	Reference	0	AN 1/20
				nce number or description to clarify a co	ontact n	umber
				ment to enter the title of person named		

DTM Date/Time Reference

Segment:	DTM Date/Time Reference
Position:	110
Loop:	G61 Optional (Must Use)
Level:	Heading
Usage:	Optional (Must Use)
Max Use:	>1
Purpose:	To specify pertinent dates and times
Syntax Notes: '	1 At least one of DTM02 DTM03 or DTM06 is required.
	2 If either DTM06 or DTM07 is present, then the other is required.
emantic Notes:	

Sei **Comments:** Notes:

This segment is required.

			Data Eleme	ent Summary		
Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	<u>Name</u> Date/Time Qualifie Code specifying typ 275	e of date or time, or both date and time Approved	Μ	<u>ributes</u> ID 3/3
				Date report was approved by contracto	_	
				Use this code to indicate the date the i "signed" and approved for transmissi preparer.	*	
Must Use	DTM02	373	Date Date (YYMMDD)	Na kana kana kana kana kana kana kana ka	X	DT 6/6
Not Used	DTM03	337	Time		X	TM 4/8
			HHMMSSD, or HH 59), $S = integer secondare expressed as follows:$	4-hour clock time as follows: HHMM, of MMSSDD, where $H =$ hours (00-23), Monds (00-59) and DD = decimal seconds lows: D = tenths (0-9) and DD = hundred	l = m deci	ninutes (00- imal seconds (00-99)
Not Used	DTM04	623	Time Code		0	ID 2/2
			Organization standa in hours in relation t	e time. In accordance with International and rd 8601, time can be specified by a + or to Universal Time Coordinate (UTC) tim + and - are substituted by P and M in the	- and ne; si	l an indication nce + is a
	DTM05	624	Century		0	N0 2/2
			The first two charac	ters in the designation of the year (CCY	Y)	
Not Used	DTM06	1250	Date Time Period 1	-	X	ID 2/3
N 7		10.51	•	date format, time format, or date and tin		
Not Used	DTM07	1251	Date Time Period Expression of a date	e, a time, or range of dates, times or dates	X s and	AN 1/35 times

	Segment:	HL	Hierarchical Level
	Position:	010	
	Loop:	HL N	Mandatory
	Level:	Detail	
	Usage:	Mandato	ry
	Max Use:	1	
	Purpose:	To identi segments	ify dependencies among and the content of hierarchically related groups of data
•	ax Notes:		
	tic Notes:	4 001	
	omments:	2 HL0 segn num be "2 subs	HL segment defines a top-down/left-right ordered structure. I shall contain a unique alphanumeric number for each occurrence of the HL nent in the transaction set. For example, HL01 could be used to indicate the ber of occurrences of the HL segment, in which case the value of HL01 would 1" for the initial HL segment and would be incremented by one in each sequent HL segment within the transaction.
		HL s	2 identifies the hierarchical ID number of the HL segment to which the current segment is subordinate.
		segn HL0 grou	 3 indicates the context of the series of segments following the current HL nent up to the next occurrence of an HL segment in the transaction. For example, 13 is used to indicate that subsequent segments in the HL loop form a logical apping of data referring to shipment, order, or item-level information. b4 indicates whether or not there are subordinate (or child) HL segments related
			e current HL segment.
			segment is used in combination with the other segments in Table 2 to convey
	Ref.	the infor grouping relations	The segment is used in combination with the other segments in Tuble 2 to convey or mation in the DD 1921 forms. The HL codes identify the various levels or gs of data in a given report format. HL01 and HL02 are used to identify the ships or hierarchy of the information conveyed. Data Element Summary
	Ref. Des.	the infor grouping relations Data	rmation in the DD 1921 forms. The HL codes identify the various levels or gs of data in a given report format. HL01 and HL02 are used to identify the ships or hierarchy of the information conveyed. Data Element Summary
lust Use	Ref. <u>Des.</u> HL01	the infor grouping relations	mation in the DD 1921 forms. The HL codes identify the various levels or gs of data in a given report format. HL01 and HL02 are used to identify the chips or hierarchy of the information conveyed.
1ust Use	Des.	the infor grouping relations Data <u>Element</u>	Imation in the DD 1921 forms. The HL codes identify the various levels oras of data in a given report format. HL01 and HL02 are used to identify theships or hierarchy of the information conveyed.Data Element SummaryNameAttributesHierarchical ID NumberM AN 1/12A unique number assigned by the sender to identify a particular data segmentin a hierarchical structure
lust Use	Des. HL01	the infor grouping relations Data <u>Element</u> 628	mation in the DD 1921 forms. The HL codes identify the various levels or as of data in a given report format. HL01 and HL02 are used to identify the ships or hierarchy of the information conveyed. Data Element Summary Name Attributes Hierarchical ID Number M AN 1/12 A unique number assigned by the sender to identify a particular data segment in a hierarchical structure Sequential number to identify the item. Hierarchical Parent ID Number O AN 1/12 Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to 1. This Parent ID Number is not required at the originating top level for a given transmission. There should only be one originating top level HL entry per transmission. 2. This Parent ID Number reference is required for all lower level HL records. Enter the Hierarchical ID Number (HL01) entered for the related
	Des. HL01	the infor grouping relations Data <u>Element</u> 628	mation in the DD 1921 forms. The HL codes identify the various levels or gs of data in a given report format. HL01 and HL02 are used to identify the chips or hierarchy of the information conveyed. Data Element Summary Name Attributes Hierarchical ID Number M AN 1/12 A unique number assigned by the sender to identify a particular data segment in a hierarchical structure Sequential number to identify the item. Hierarchical Parent ID Number O AN 1/12 Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to 1. This Parent ID Number is not required at the originating top level for a given transmission. There should only be one originating top level HL entry per transmission. 2. This Parent ID Number reference is required for all lower level HL records. Enter the Hierarchical ID Number (HL01) entered for the related (one level above or parent) HL record in this data element. Hierarchical Level Code M ID 1/2 Code defining the characteristic of a level in a hierarchical structure
	Des. HL01	the infor grouping relations Data <u>Element</u> 628 734	mation in the DD 1921 forms. The HL codes identify the various levels or gs of data in a given report format. HL01 and HL02 are used to identify the chips or hierarchy of the information conveyed. Data Element Summary Name Attributes Hierarchical ID Number M AN 1/12 A unique number assigned by the sender to identify a particular data segment in a hierarchical structure Sequential number to identify the item. Hierarchical Parent ID Number O AN 1/12 Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to 1. This Parent ID Number is not required at the originating top level for a given transmission. There should only be one originating top level HL entry per transmission. 2. This Parent ID Number reference is required for all lower level HL records. Enter the Hierarchical ID Number (HL01) entered for the related (one level above or parent) HL record in this data element. Hierarchical Level Code M ID 1/2
Aust Use	Des. HL01	the infor grouping relations Data <u>Element</u> 628 734	mation in the DD 1921 forms. The HL codes identify the various levels or gs of data in a given report format. HL01 and HL02 are used to identify the chips or hierarchy of the information conveyed. Data Element Summary Name Attributes M AN 1/12 A unique number assigned by the sender to identify a particular data segment in a hierarchical structure Sequential number to identify the item. Hierarchical Parent ID Number O AN 1/12 Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to 1. This Parent ID Number is not required at the originating top level for a given transmission. There should only be one originating top level HL entry per transmission. 2. This Parent ID Number reference is required for all lower level HL records. Enter the Hierarchical ID Number (HL01) entered for the related (one level above or parent) HL record in this data element. Hierarchical Level Code M ID 1/2 Code defining the characteristic of a level in a hierarchical structure 1. Use codes RP, WB, and CE for the DD Form 1921.

4. Use codes RP, 9, FC, and C for the DD Form 1921-3.

5	Category
	Code identifying the sub-division of the group
	Use for the DD Form 1921-1, Section C and D. Categories for this form, Section C and D are defined as functional categories such as engineering, tooling, quality control, and manufacturing. These categories are defined in the CLI (Cost Line Item) segment.
0	a divine an
9	Line Detail Code identifying the supporting detail associated with the charge or group Use for the DD Form 1921-3. This is used to identify a specific line number for Sections A and B on the form.
C	en tertand als an try that date date set at another and another was a Date
С	Date Use for the DD Forms 1921-1 and 1921-3.
CE	Cost Element
	A element of cost within a total proposed price
	Use for the DD Form 1921. A Cost Element for this form is defined a category of cost such as recurring or non-recurring costs. These cost elements may be further broken down by contractor or subcontractor references in the CLI (Cost Line Item) segment.
FC	Function Code
	A function within a larger set describing the total work to be performed
	Use for the DD Forms 1921-1, 1921-2, and 1921-3. Functional Categories for these forms are defined as functional groups such a manufacturing, tooling, quality control, and engineering. It may also be used to identify a contractor or subcontractor category reference. These Functional Categories are defined in the CLI (Cost Line Item) segment.
Ι	Item
	Use for the DD Form 1921-2. This is used to identify the item (column) reference on this form and is used in combination with the CLI (Cost Line Item) segment.
RP	Report
	The level of the hierachial structure used to identify basic report information Use for all the report forms. This is the highest reporting level (or parent) for all the forms and is used in combination with the CRT (Contractor Report Type) segment.
UT	Unit or Lot
	Use for the DD Form 1921-2. This is used to identify
	ANA ANA

				the unit or column references for this form and is used in combination with the CLI (Cost Line Item) segment. It is subordinate to the Item (HL03 is I) HL reference.
			WB	Work Breakdown Structure
				An individual element of work portrayed in tree structure stages of the total performance of a contract Use for the DD Form 1921, 1921-1, 1921-2. This is used to identify the reporting element and is used in combination with the BSD (Breakdown Structure Description) segment. Note that the combination of HL and BSD can be used to describe the hierarchy of the Work Breakdown Structure codes.
Not Used	HL04	736	Hierarchical Chil	
			U	hether if there are hierarchical child data segments level being described.

Segment:	CRT Contractor Report Type	
Position:	020	
Loop:	HL Mandatory	
Level:	Detail	
Usage:	Optional	
Max Use:	1	
Purpose:	To identify the contractor report type, type of units reported, status information, and related reporting details	
Syntax Notes:		
Semantic Notes:	 CRT02 indicates the unit type used for monetary amounts (for example, values are in thousands) for the entire report. CRT03 indicates unit type for quantities (for example, quantities in thousands) for the entire report. CRT06 indicates whether all report values are unit total values or unit average values. CRT09 is used to describe other unlisted program types. 	n
Comments:		
	Data Element Summary	
Ref.	Data	
Des.	<u>Element</u> <u>Name</u> <u>Attributes</u>	

	Des.	<u>Element</u>	Name		Attributes
Must Use	CRT01	755	Report Type Code		M ID 2/2
			-	e title or contents of a document, report of	or supporting item
			C1	Cost Data Summary	Ng 1 - 1 - 11 - 12 - 22 - 1
				Use this code for the DD Form 1921.	
			C2	Functional Cost and Hour	
				Use this code for the DD Form 1921-	-1.
			C3	Progress Curve	nome
				Use this code for the DD Form 1921-	-2.
			C4	Plant-Wide Data	
				Use this code for the DD Form 1921-	-3.
Must Use	CRT02	C001	Composite Unit of	Measure	0
			To identify a comp of use)	osite unit of measure (See Figures App	endix for examples
Must Use	C00101	355		Measurement Code	M ID 2/2
				e units in which a value is being express	ed, or manner in
			which a measurem		
			have been factored	ed for all the report forms to indicate if l (for example, numbers represent dolla unts are assumed to be in U.S. dollars.	
			DO	Dollars, U.S.	an matalata da ana ana ana ana ana ana ana ana ana
				Use this code when the monetary ambeen factored.	ounts have NOT
			R5	Thousands of Dollars	
			R6	Millions of Dollars	
			R7	Billions of Dollars	
Not Used	C00102	1018	Exponent		O R 1/15

	C00100	< 10	Power to which	a unit is raised	0	
Not Used	C00103	649	Multiplier	d as a multiplier to obtain a new value	0	R 1/10
Not Used	C00104	355		or Measurement Code	0	ID 2/2
Not Used	C00104	333		g the units in which a value is being expres	~	
				ement has been taken		
Not Used	C00105	1018	Exponent		0	R 1/15
			Power to which	a unit is raised		
Not Used	C00106	649	Multiplier		0	R 1/10
	000107	255		d as a multiplier to obtain a new value	0	
Not Used	C00107	355		or Measurement Code g the units in which a value is being expres	0 sed or	ID 2/2
				ement has been taken	scu, o	i manner m
Not Used	C00108	1018	Exponent		0	R 1/15
			Power to which	a unit is raised		
Not Used	C00109	649	Multiplier		0	R 1/10
				d as a multiplier to obtain a new value	_	
Not Used	C00110	355		or Measurement Code g the units in which a value is being expres	0	ID 2/2
				ement has been taken	sed, of	r manner in
Not Used	C00111	1018	Exponent		0	R 1/15
			Power to which	a unit is raised		
Not Used	C00112	649	Multiplier		0	R 1/10
				d as a multiplier to obtain a new value		
Not Used	C00113	355		or Measurement Code	0	ID 2/2
				g the units in which a value is being expres ement has been taken	sed, of	r manner in
Not Used	C00114	1018	Exponent	ement has been taken	0	R 1/15
			Power to which	a unit is raised		
Not Used	C00115	649	Multiplier		0	R 1/10
			Value to be used	d as a multiplier to obtain a new value		
	CRT03	C001	Composite Uni		0	
				mposite unit of measure (See Figures App	bendix	for examples
Must Use	C00101	355	of use) Unit or Basis fo	or Measurement Code	М	ID 2/2
WIUSt Use	00101	335		g the units in which a value is being expres		
				ement has been taken	,	
				uired for the DD Forms 1921-1 and 1921		• • • • • • • • • • • • • • • • • • •
			-	have been factored (for example, numbe	rs repr	esent hours in
			hundreds).			
			HR 400 King	, in a substantial sector of the sector of t	hallaldet territoren	anna an an san an an an talain an Anna
				Use this code when hour quantities	have N	NOT been
				factored.		
				Na mana an an ann an ann an an an an an ann an a	n gente i se se se se tit	And and a second se
			HU	Hundred		
			TH	Thousand		
			UM	Million Units		
				Measure used to indicate large quant	ities in	multiples of
Not Used	C00102	1018	Exponent	one milliion	0	R 1/15
not Oscu	00104	1010	Power to which	a unit is raised	U	K 1/15
Not Used	C00103	649	Multiplier		0	R 1/10
			-	d as a multiplier to obtain a new value		
Not Used	C00104	355	Unit or Basis fo	or Measurement Code	0	ID 2/2
0030505196	0			20		15 July 1007

				g the units in which a value is being expr rement has been taken	essed, or	manner in
Not Used	C00105	1018	Exponent	n a unit is raised	0	R 1/15
Not Used	C00106	649	Multiplier			
				ed as a multiplier to obtain a new value		
Not Used	C00107	355	Code specifyin	for Measurement Code g the units in which a value is being expr rement has been taken	O essed, or	ID 2/2 manner in
Not Used	C00108	1018	Exponent	n a unit is raised	0	R 1/15
Not Used	C00109	649	Multiplier	ed as a multiplier to obtain a new value	0	R 1/10
Not Used	C00110	355	Unit or Basis f Code specifyin	for Measurement Code g the units in which a value is being expr rement has been taken	O essed, or	ID 2/2 manner in
Not Used	C00111	1018	Exponent	a unit is raised	0	R 1/15
Not Used	C00112	649	Multiplier	ed as a multiplier to obtain a new value	0	R 1/10
Not Used	C00113	355	Unit or Basis f	Unit or Basis for Measurement Code Code specifying the units in which a value is being expres		
				rement has been taken	, -	
Not Used	C00114	1018	Exponent Power to which	Exponent Power to which a unit is raised		R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value		0	R 1/10
Not Used	CRT04	1196		ructure Detail Code ing details relating to a reporting breakdor	O wn struc	ID 2/2 ture tree
	CRT05	306	Action Code		0	ID 1/2
			Code indicating	g type of action		
			This code is rea	quired for the DD Forms 1921, 1921-1, a	and 192.	1-2.
			F	Final	a di kamangan kang di kamangan kang di kamangan kang kang kang kang kang kang kang	1011734-
			IN	Interim		
				This code is required for all open of contracts.	or ongoi	ng
			IT	Initiate		Nes v
				Use this code if this transmission i CCDR information for a given con to the customer, i.e., it is initial inf given contract.	ntract is	being sent
			PF	Preliminary Final		
	CRT06	562	Rate or Value	-	0	ID 1/2
	CRIV	502		ng method used to determine the type of ra		
				quired for the DD Form 1921-2. Use the	code the	at annline for
			the entire repo		coue m	u appues joi
			the entire repo	rt.	couc m	u uppues joi
					coue m	u uppues joi

			Code identifying the expected resultant type of contract act of contract action	ion or	current type
Not Used	CRT08	1193	Program Type Code	0	ID 2/2
			Codes identifying a program type		
Not Used	CRT09	369	Free-form Description	0	AN 1/45
			Free-form descriptive text		
Not Used	CRT10	786	Security Level Code	0	ID 2/2
			Code indicating the level of confidentiality assigned by the information following	sende	er to the

Segment:

030

BSD Breakdown Structure Description

Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments: Notes:

HL Mandatory
Detail
Optional
1
To define discrete line items within industry or government reports
1 At least one of BSD02 or BSD03 is required.
1 BSD05 is the summary level structure code reference.
1 BSD07 is the summary level reporting structure identification.
1. This segment is used for the reporting element detail for the DD Forms 1921, 1921-1, and 1921-2.

2. For the DD Form 1921, if this transmission is the first time CCDR information for a given contract is being sent to the customer, include ALL WBS elements, including GFE items. For all ongoing contracts, only transmit those WBS elements that have associated monetary values (do not include GFE items).

			Data Element Summary		
	Ref.	Data			
March Has	Des.	Element	Name Defenses Number Quelifier		ributes
Must Use	BSD01	128	Reference Number Qualifier Code qualifying the Reference Number.	Μ	ID 2/2
			74 Work Breakdown Structure (WBS)		
			A product-oriented family tree compo	ased o	fhardware
			software, services, and data that comp project or program		
	BSD02	127	Reference Number	Χ	AN 1/30
			Reference number or identification number as defined for Transaction Set, or as specified by the Reference Number	Qualif	ier.
			Enter an optional Work Breakdown Structure reporting	elemer	nt code.
Must Use	BSD03	352	Description	X	AN 1/80
must est	DODUO	001	A free-form description to clarify the related data elements		
			 This description can also be used to include the name of along with the element description if needed. If a reporting assigned to one subcontractor, include the name of the subcontractor assigned to a reporting element and it is not cost detail at the subcontractor level, use additional iterations segment using CLI04 to identify each subcontractor. If there is needed (i.e., cost values are not broken down by subcontractor), use multiple iterations of the REF segment name them. For the DD Form 1921 bottom line information (for explanation). 	ng ele abcont an on ecessat tions o here is simple by each nt (2/H	ment is tractor in the e ry to provide f the CLI more than e list of who h REF/060) to e, Total Cost
	BSD04	1178	Less G&A, G&A, Cost of Money), enter the description of example, for the Total Cost Less G&A information enter "Total Cost Less G&A". Level	·	
	101001	11.0	Reporting structure identification	Ŭ	7 KI \ 1/5
			reporting of dotate recitineation		

This data element is required for the DD Form 1921. Enter the reporting structure level number for the element code entered in BSD02.

			State	
	BSD05	127	Reference Nu	umber O AN 1/30
			Transaction S This data eler code for the e level element	mber or identification number as defined for a particular et, or as specified by the Reference Number Qualifier. ment is used for the DD Form 1921 to enter the parent element element code entered in BSD02. This is required for all lower codes (a level 1 code will not have a parent element). Leave this blank when BSD04 is "1" for level 1.
	BSD06	1196	Breakdown S	Structure Detail Code O ID 2/2
			Codes identify	ying details relating to a reporting breakdown structure tree
			elements. For details are no 2. Codes 26, 2 breakout of re	used for the DD Form 1921 to identify GFE reporting or GFE reporting elements, monetary amounts and quantity of included. 27, 28, 29, and 30 used for the DD Form 1921-1 when a ecurring and non-recurring costs is required for the specific ment. This is required for the DD Form 1921-1.
			26	Recurring
				Costs that will incurr continually over the life of the contract
			27	Nonrecurring Costs that will only be incurred once
			28	Total
			29	Nonrecurring and Total
			30	Recurring and Total
			59	Government Furnished Equipment
				Government property provided to a contractor that is of a capital nature, including equipment, machine tools, test equipment, etc.; used in manufacturing or providing services in performance of a government contract
	BSD07	1178	Level	O AN 1/3
			Reporting stru	acture identification
			code (BSD05) codes (a level	nent is used for the DD Form 1921 to enter the parent element) level number. This is required for all lower level element '1 code will not have a parent element). Leave this data element ISD04 is "1" for level 1.
Not Used	BSD08	786	Security Leve	el Code O ID 2/2
				ng the level of confidentiality assigned by the sender to the

Prime Contractor Quality Control

Tooling Design

Tooling Fabrication

Codes identifying details relating to a reporting breakdown structure tree

1. Use codes 26, 27, 28, 33, 34, 35, 36, 37, and 39 for the DD Form 1921. For the total contract summary information, codes 28, 33, and 35 are required;

2. Use codes 01, 02, 03, 07, 09, 28, 33, 34, 35, 36, 37, 38, 39, 42, and 43 for

Tooling

Breakdown Structure Detail Code

codes 34, 36, 37, and 39 are optional.

the DD Form 1921-1.

003050F196_0

CLI02

1196

Х

ID 2/2

PG

QQ TB

TD TG

3. Use codes 01, 13, 28, 40, 41, 42, 43, and 44 for the DD Form 1921-2.

4. Use codes 06, 08, 09, 10, 33, 39, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, and 58 for the DD Form 1921-3.

nin	والمحمد والمحاركة والمحارجة والمحاركة والمحمد والمحمد والمحمد والمحاركة والمحاركة والمحاركة والمحاركة	and a second
	01	Labor
		Direct labor costs
	02	Material
		Direct material
	03	Other Direct Costs (ODC)
		Other costs associated with a contract such as freight,
	06	travel, postage Labor Overhead
	06	Indirect costs associated with direct labor
	07	Material Overhead
	07	Indirect costs associated with direct material
	08	Other Overhead
	08	Indirect costs associated with other direct costs
	09	Total Overhead
	0,	Total of all indirect costs incurred on a contract
	10	Total General and Administrative
	10	Total of all general and administrative types of indirect
		costs incurred on a contract
	13	Manufacturing Labor
		Direct manufacturing labor
	26	Recurring
		Costs that will incurr continually over the life of the
		contract
	27	Nonrecurring
	• •	Costs that will only be incurred once
	28	Total
	33	General & Administrative
	34	Cost of Money
	35	Profit or Fee
	36	Total Price
	37	Total Cost Less General & Administrative
	38	Total Cost Plus General & Administrative
	39	Other Costs
	40	Standard
	41	Variance
	42	Purchased Equipment
	43	Materials and Purchased Items
	44	Quality Control Labor Other Coursement Effort
	45	Other Government Effort
	46	Commercial Effort
	47	Total Direct Cost Base
	48	Indirect Labor
	49	Employee Benefits
	50	Payroll Taxes
	51	Employment

			52	Communications an	d Travel		
			53	Production Related			
			54	54 Facilities - Building and Land			
			55 Facilities - Furniture and Equipment				
			56	Administration			
			57	Future Business			
			58	Credits			
	CLI03	350	Assigned Ide	ntification	X AN 1/11		
			Alphanumeric	c characters assigned for dif	ferentiation within a transaction set		
			and to identif	•	Section B line items 1 to 7, 32 to 39 G). Also used for the DD Form 1921- projects or programs.		
	CLI04	369	Free-form Do	escription	O AN 1/45		
	02101	007	Free-form des				
			on the variou used to enter subcontractor be broken dow 2. For the DL characteristic 3. For the DL (Section A). I category in Sa categories can description en If additional to	s reports (for example, to d the name of a subcontractors assigned to a reporting en- wn by individual subcontra Form 1921-2, it is used to s detail of the items being p Form 1921-3, it can be use t can also be used to descri- ection A and B. If desired, of the entered in CLI03 (for the entered here (for example, E text is required to describe to	lement and reporting is required to ctors. describe the model, series, and produced. eed to describe the project or program be any contractor unique overhead a short code reference for these example, ENGT1) with a long ingineering Type 1 Labor Overhead). the category, use the PID Segment.		
Not Used	CL105	562	-		O ID 1/2 ne the type of rate, value, or percent		
	CLI06	1166	details Contract Typ	e Code	O ID 2/2		
	CLICC	1100	••	ing a contract type			
			Used for the l describe other each project,	DD Form 1921-3. It is only r projects at the contractor	used for those line items that is plant (line items in Section A). For or anticipated business. This is		
٠			AC	Anticipated Contrac	en na autometri la se en face en state de la companya de la companya de la companya de la companya de la compan t		

Segment:	CAL Calendar
Position:	050
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To identify the calendar and working shift details for the plan or schedule
Syntax Notes:	1 If either CAL14 or CAL15 is present, then the other is required.
Semantic Notes:	1 CAL01 identifies whether a reference number is a calendar or shift.
Comments:	
Notes:	The CAL (Calendar) segment is used to convey start and stop dates and what time group the dates represent, such as a quarter year, previous year, or remaining years. It is only used for the DD Form 1921-3.

		Banan Manan		a and a and a second and a second and a second and a second		and the state of the state of the second
			Data Elem	ent Summary		
	Ref.	Data				
	Des.	Element	Name			ributes
Must Use CAL0		128	Reference Numbe Code qualifying the	r Qualifier e Reference Number.	Μ	ID 2/2
			70	Calendar Number		
Must Use	CAL02	127		Identifies a working calendar (for through Friday) for a company, or r or identification number as defined as specified by the Reference Num	division, or M l for a parti	labor group AN 1/30 cular
			1. Requires specifi	c text entry for the DD Form 1921	-3 Section	s A, B, and C
			for group 1, "Curr Year 2" for group 3. For Section C, th quarter year refere	nd B, there are five calendar grou, ent Year" for group 2, "Out Year 4, and "Out Year 3" for group 5. here are seven calendar groups. T nces. Enter "1" for group 1, "2"	1" for gro The first fou for group 2	up 3, "Out ir groups are 2, "3" for
				roup 4, "Prior Year" for group 5,		
				" for group 7. Note that "Prior Y Year" reference on the DD Form	• •	
			sume us the Tust	Teur reference on the DD Form	1921-5,50	cuon C.
Must Use	CAL03	344	Unit of Time Perio Code indicating the	od or Interval time period or interval	0	ID 2/2
			Q2, Q3, Q4 for the	ections A and B on the DD Form quarter year references, and code ences for Section C on the DD For	e CY for the	
			ilio iliona en	Calendar Year	-140 - 1886 /1000-1000-200	e erret zermenterschlittinging
			Q1	First Quarter		
			Q2	Second Quarter		
			Q3	Third Quarter		
			Q4	Fourth Quarter		
Aust Use	CAL04	374	Date/Time Qualifi Code specifying typ	-	O time	ID 3/3
			196	Start		
fust Use	CAL05	373	Date Date (YYMMDD)		0	DT 6/6
ot Used	CAL06	337	Time		0	TM 4/8
000000000	0					

28

			Time expressed in 24-hour clock time as follows: HHM HHMMSSD, or HHMMSSDD, where $H =$ hours (00-23 59), S = integer seconds (00-59) and DD = decimal second are expressed as follows: D = tenths (0,0) and DD = hour	b), $M = n$ onds; dec	ninutes (00- imal seconds
Not Used	CAL07	623	are expressed as follows: D = tenths (0-9) and DD = hur Time Code Code identifying the time. In accordance with Internatio Organization standard 8601, time can be specified by a - in hours in relation to Universal Time Coordinate (UTC)	O onal Stan + or - and) time; si	ID 2/2 dards d an indication ince + is a
Not Used	CAL08	678	restricted character, + and - are substituted by P and M i Ship/Delivery or Calendar Pattern Code Code which specifies the routine shipments, deliveries, of	0	ID 1/2
Must Use	CAL09	374	Date/Time QualifierCode specifying type of date or time, or both date and time197End	0 me	ID 3/3
Must Use	CAL10	373	Date Date (YYMMDD)	0	DT 6/6
Not Used	CAL11	337	Time Time expressed in 24-hour clock time as follows: HHM HHMMSSD, or HHMMSSDD, where H = hours (00-23 59), S = integer seconds (00-59) and DD = decimal second are expressed as follows: D = tenths (0-9) and DD = hur), M = n onds; dec	ninutes (00- imal seconds
Not Used	CAL12	623	Time Code Code identifying the time. In accordance with Internatio Organization standard 8601, time can be specified by a - in hours in relation to Universal Time Coordinate (UTC) restricted character, + and - are substituted by P and M i	+ or - and) time; si	d an indication nce + is a
Not Used	CAL13	678	Ship/Delivery or Calendar Pattern Code Code which specifies the routine shipments, deliveries, of	0	ID 1/2
Not Used	CAL14	673	Quantity Qualifier Code specifying the type of quantity	X	ID 2/2
Not Used	CAL15	380	Quantity Numeric value of quantity	X	R 1/15
Not Used	CAL16	369	Free-form Description Free-form descriptive text	0	AN 1/45

I.

REF Reference Numbers

Segment:	REF Reference Numbers
Position:	060
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify identifying numbers.
Syntax Notes:	1 At least one of REF02 or REF03 is required.
Semantic Notes:	
Comments:	

	Def	Dete	Data Eleme	ent Summary		
Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Number Code qualifying the	-		
			3X	Subcontract Number		
				Use this code for DD Form 1921 to list subcontractor names associated with a reporting element. Only use this code when it is necessary to provide a list of subcontractor names and cost values are not broken down by individual subcontractors (use multiple iterations of the CLI segment if cost values must be related to specific named subcontractors). Enter the subcontractor name in REF03.		
			C7	Contract Line Item Number		
				Use this code for the DD Form 1921 to identify a contract line item number (CLIN). If there are multiple CLINs for a Work Breakdown Structure element, use a "/" to delimit them or, if there is range of CLINs, use "-".		
			KQ	Procuring Agency		
				Use this code for the DD Form 1921-3 to identify the procuring or buying agency.		
			YB	Revision Number		
				Use this code for the DD Form 1921-2 to indicate the revision number for the revised Planned Release date. Only one revision number is allowed for each functional category.		
	REF02	127	Reference Number	X AN 1/30		
			Reference number o Transaction Set, or a	r identification number as defined for a particular as specified by the Reference Number Qualifier. a element is required when REF01 is code YB.		
	REF03	352	Description	X AN 1/80		
			-	ion to clarify the related data elements and their content		
			An entry in this date	a element is required when REF01 is code 3X, C7 or KQ.		

AMT Monetary Amount

Segment: 070 **Position:** HL Mandatory Loop: Level: Detail Optional Usage: Max Use: >1 Purpose: Syntax Notes: To indicate the total monetary amount Semantic Notes: **Comments:**

Ref. <u>Des.</u> Must Use AMT01		Data <u>Element</u> 522	NameAttributesAmount Qualifier CodeMCode to qualify amount1. Use codes 28, 30, 32, 33, 55, and D9 for the DD Form 1921. Codes 28, 30,32, 33 are used for the overall contract amounts (at the report or CRT				
			Segment level) 2. Use codes B	Codes 55 and D9 are used in the body of the report. M, CA, CR, CU, CV, TX, and TY for the DD Form 1921-1. , 54, and CX for the DD Form 1921-2. Code "54" is the			
			4. Use codes B	and CX for the DD Form 1921-3.			
			28	Target Price			
				The negotiated contract cost plus profit or fee applicable to the defined contract effort			
			30	Contract Ceiling			
			32	The ceiling price applicable to defined effort Target Fee or Profit Amount			
				The fee (can also be percent) of profit that will apply to defined contract effort			
			33	Original Contract Target Cost			
			54	Value of the original negotiated contract Forecast			
			55	Alternate term for Estimate to Complete (amount of work remaining); or a number to compare to an Estimate to Complete At Complete Forecast			
				Alternate term for Estimate at Complete (actual costs plus estimate of remaining work ETC); or to compare to an Estimate at Complete			
			В	Estimated			
				Indicates the estimated amount			
			BM	Adjustments Contractor Cumulative to Date			
			CA CR	Contractor Cumulative to Date Contractor at Complete			
			CU	Subcontractor Cumulative to Date			
			CV	Subcontractor at Complete			
			CX	Actual			

			D9	Cumulative Actual		
			TX	Total to Date		
			TY	Total at Complete		
Must Use	AMT02	782	Monetary Amount Monetary amount		Μ	R 1/15
			Use a maximum of three decimal places.			
Not Used	AMT03	478	Credit/Debit F		0	ID 1/1

QTY Quantity

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:

080 HL Mandatory Detail Optional >1 To specify quantity information

Data Element Summary

Must Use	Ref. <u>Des.</u> QTY01	Data <u>Element</u> 673	<u>Name</u> Quantity Qua	
			Code specifyin	g the type of quantity
			procured or pr 2. Use codes A Form 1921-1. 3. Use codes A Code AY is the at the report le cumulative to a 4. Use codes 6. enter the fiscal	for the DD Form 1921. This is the total number of units to be oposed for the specific reporting element. 5, AU, BB, BD, BE, BG, DR, IN, TC, and TD for the DD T, AY, KA, MN, PX, ST, and VR for the DD Form 1921-2. Estimate To Complete quantity. Codes MN and PX are used wel (CRT Segment) - the PX quantity is assumed to be late from the beginning of the program. 8, DR, and IN for the DD Form 1921-3. Code 63 is used to year buy quantities for the specific program or project (by noted in a DTM segment).
			63	On Order Quantity
			63 A5	Adjusted Quantity
			AT	Actual
			AU	Cumulative Actual
			AU	Forecast
			BB	Contractor Cumulative to Date
			BD	Contractor at Complete
			BE	Subcontractor Cumulative to Date
			BG	Subcontractor at Complete
			DR	Direct Workers
			IN	Indirect Workers
			KA	Estimated
			КЛ	The quantity shown is an estimated quantity
			MN	Month
			PX	Prior Units Accepted
			ST	Standard
			TC	Total at Complete
			TD	Total to Date
			VR	Variance
Must Use	QTY02	380	Quantity	M R 1/15
	VIIV4	500	Quantity	

QTY03

355

Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

1. Typically quantities represent hours. Use code HR to note this.

2. Typically no entry is required when QTY01 is code 63. As an option for the 1921, use code UN for the number of units information.

3. For the DD Form 1921-3, the number of direct and indirect workers may be factored - for example, by a hundred, thousand, or million. Use code HU, TH, or UM to note this. If the number is NOT factored, leave this data element blank.

cincin orann	en freste en tel de annue de la terre de la constant de la constant de la constant de la constant de la terre de la
HR	Hours
HU	Hundred
TH	Thousand
UM	Million Units
	Measure used to indicate large quantities in multiples of one milliion
UN	Unit
	Use this code for the DD Form 1921-1, Section B, lines 2, 3, and 4 column A through G details. As an option, it can also be used for the DD Form 1921.

	Segment:	RPA	Rate Amounts or Percents		
	U	090	Kate Amounts of 1 el cents		
	Position:		Mandaton		
	Loop: Level:	Detail	Mandatory		
	Usage:	Optional			
	Max Use:	>1			
	Purpose:	To identi	fy rate amounts or percents for a specific cost or other line	item	
Synt	ax Notes:	1 At le	east one of RPA02 RPA04 or RPA05 is required.		
-	tic Notes:				
Co	omments: Notes:	used for example,	I segment is used to convey direct and indirect rates per h the DD Forms 1921-1 and 1921-3. Enter a rate and unit j , per hour), OR a percent. Use this segment to convey ove I percents (i.e., do not use the PCT (Percent) segment to d	for the rhead d	rate (for and G&A
			Data Element Summary	needen maatataa "soon	n - and recellar theory and the form in the
	Ref.	Data	·		
	Des.	Element	Name		ributes
st Use	RPA01	562	Rate or Value Type Code	M	ID 1/2
			Code identifying method used to determine the type of raddetails	te, valu	e, or percent
			Use the code that applies. Use code OI when expressing	overha	ad or G&A
			percents.	oreine	un vi UdlA
			AB Average Basic Rate	na an a	undessense maathäantuttetterepsis
			AE Average Effective Rate		
			OI Overhead or Indirect Rate		
Used	RPA02	782	Monetary Amount Monetary amount	х	R 1/15
	RPA03	118	Rate	0	R 1/9
		110	Rate expressed in the standard monetary denomination fo		
			specified		
	RPA04	C001	Composite Unit of Measure	X	
			To identify a composite unit of measure (See Figures Ap of use)	pendix	for examples
t Use	C00101	355	Unit or Basis for Measurement Code	Μ	ID 2/2
			Code specifying the units in which a value is being expres	ssed, or	manner in
			which a measurement has been taken	r y r	d. UTTT
			Make an entry in this data element when RPA03 is used	. Use c	oae "HK" -
			all rates are assumed to be "per hour".	4	
			HR Hours	adar Sungalana an aika sa Aka	1779an
U sed	C00102	1018		0	R 1/15
Useu	00102	1010	Exponent Power to which a unit is raised	U	K 1/15
Used	C00103	649	Multiplier	0	R 1/10
oscu	00105	(+)	Value to be used as a multiplier to obtain a new value	U	1 1/10
Used	C00104	355	Unit or Basis for Measurement Code	0	ID 2/2
0004	000104	000	Code specifying the units in which a value is being express which a measurement has been taken	-	
Used	C00105	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Used	C00106	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Used	C00107	355	Unit or Basis for Measurement Code	0	ID 2/2
SOE106	0		25		1 7 7 1 40

			Code specifying the units in which a value is being express which a measurement has been taken	ssed, or	manner in
Not Used	C00108	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00109	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00110	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being express which a measurement has been taken	ssed, or	manner in
Not Used	C00111	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00112	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00113	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being express which a measurement has been taken	ssed, or	manner in
Not Used	C00114	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
	RPA05	954	Percent	Χ	R 1/10
			Percentage expressed as a decimal		
			Enter the overhead or G&A percentage for the DD Form	1921	-3.

PCT Percent Amounts

Segment: PCI Position: 100 Loop: HL H Level: Detail Usage: Optional Max Use: >1 Purpose: To qualit Syntax Notes: Semantic Notes: Comments: Notes: The PCI

100 HL Mandatory Detail Optional >1 To qualify percent amounts and supply percent amounts

The PCT (Percent) segment is used for the DD Forms 1921 and 1921-2.

Data Element Summary Ref. Data Element Des. Name Attributes **Percent Qualifier** Must Use **PCT01** 1004 M ID 1/2 Code to qualify percent 1. Use codes CR and CS to convey share ratio information on the DD Form 1921. 2. Use code 10, OH, and SC for the DD Form 1921-2. 10 Complete The percent of work completed for a given activity, task, or event Contractor Share Ratio CR Customer Share Ratio CS OH **Outside Hours** Percent of (labor) hours related to outside suppliers SC Subcontracted Costs Percent of costs related to subcontractors Must Use **PCT02** 954 Percent M R 1/10 Percentage expressed as a decimal

DTM Date/Time Reference

Segment:	DTM Date/Time Reference
Position:	110
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify pertinent dates and times
Syntax Notes:	1 At least one of DTM02 DTM03 or DTM06 is required.
	2 If either DTM06 or DTM07 is present, then the other is required.
Semantic Notes:	
Comments:	

Data Element Summary

	Ref.	Data			
	Des.	Element	Name		Attributes
Must Use	DTM01	374	Date/Time Qualifi		M ID 3/3
			Code specifying typ	pe of date or time, or both date and time	
			beginning and end or period ending re 2. Use codes 174, 1 580 (Section C, sch 3. Use code 035 to indicate the buy qu	191, and 174 or 194 for the DD Form 19 ing report period references as well as references for the line items in Section C 194, 196, 197 (Section B, lines 32 through nedule of release dates) for the DD Form indicate the date submitted (title block) pantity fiscal year reference for the DD g to the DD Form 1921-3 are expressed at.	the month ending C. gh 39), 579, and m 1921-2. and code 404 to Form 1921-3.
				na se an an an ann an an an an an an an an an	ramana and a second a second secon
			035	Delivered	
			090	Report Start	
			091	Report End	
			171	Revision Use this code for the DD Form 1921- revised Planned Release date. Use the time for each functional category.	
			174	Month Ending	dinantari kartara mana kartari kartari kartari da a
			194	Period End	
			196	Start	
			197	End	
			404	Year Ending	
			579	Planned Release	
			580	Actual Release	
Must Use	DTM02	373	Date		X DT 6/6
			Date (YYMMDD)		
Not Used	DTM03	337	HHMMSSD, or HH 59), $S = integer sec$	24-hour clock time as follows: HHMM, HMMSSDD, where $H = hours (00-23)$, N onds (00-59) and DD = decimal seconds llows: D = tenths (0-9) and DD = hundred	A = minutes (00- s; decimal seconds
Not Used	DTM04	623	Time Code	e time. In accordance with International	O ID 2/2

			Organization standard 8601, time can be specified by a + in hours in relation to Universal Time Coordinate (UTC) restricted character, + and - are substituted by P and M in	time; s	ince + is a		
	DTM05	624	Century	0	N0 2/2		
			The first two characters in the designation of the year (CC	CYY)			
Not Used	DTM06	1250	Date Time Period Format Qualifier	Χ	ID 2/3		
			Code indicating the date format, time format, or date and	time fo	ormat		
Not Used	DTM07	1251	Date Time Period	Χ	AN 1/35		
			Expression of a date, a time, or range of dates, times or da	Expression of a date, a time, or range of dates, times or dates and times			

.

Segment:	PID Product/Item Description
Position:	120
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To describe a product or process in coded or free-form format
Syntax Notes:	1 If PID04 is present, then PID03 is required.
	2 At least one of PID04 or PID05 is required.
	3 If PID07 is present, then PID03 is required.
	4 If PID08 is present, then PID03 is required.
Semantic Notes:	1 Use PID03 to indicate the organization that publishes the code list being referred to.
	2 PID04 should be used for industry-specific product description codes.
0	
Comments:	
	2 Use PID06 when necessary to refer to the product surface or layer being described in
	3 PID07 specifies the individual code list of the agency specified in PID03.
Notes:	1. The PID (Product/Item Description) segment is an optional segment that can be
	used to describe specific lot or unit characteristics for the DD Form 1921-2. The free
	form description data element is used for this purpose. For specific measurements such
	as weights, use the MEA (Measurements) segment.
	2. This segment can also be used for the DD Form 1921-3 when a contractor is using
	unique overhead categories and requires additional text space to describe the category.
Comments:	 PID04 should be used for industry-specific product description codes. PID08 describes the physical characteristics of the product identified in PID04. A "Y" indicates that the specified attribute applies to this item. A "N" indicates it does not apply. Any other value is indeterminate. If PID01 = "F", then PID05 is used. If PID01 = "S", then PID04 is used. If PID01 = "X", then both PID04 and PID05 are used. Use PID06 when necessary to refer to the product surface or layer being described in the segment. PID07 specifies the individual code list of the agency specified in PID03. The PID (Product/Item Description) segment is an optional segment that can be used to describe specific lot or unit characteristics for the DD Form 1921-2. The free form description data element is used for this purpose. For specific measurements such as weights, use the MEA (Measurements) segment. This segment can also be used for the DD Form 1921-3 when a contractor is using

This is only used when CLI04 is not sufficient to describe the category.

			Data Element Summary		
	Ref.	Data			
	Des.	<u>Element</u>	Name	<u>Att</u>	<u>ributes</u>
Must Use	PID01	349	Item Description Type	Μ	ID 1/1
			Code indicating the format of a description		
			F Free-form		
Not Used	PID02	750	Product/Process Characteristic Code	0	ID 2/3
			Code identifying the general class of a product or process of	charac	teristic
Not Used	PID03	559	Agency Qualifier Code	Χ	ID 2/2
			Code identifying the agency assigning the code values		
Not Used	PID04	751	Product Description Code	Χ	AN 1/12
			A code from an industry code list which provides specific	data a	bout a product
			characteristic		
Must Use	PID05	352	Description	Χ	AN 1/80
			A free-form description to clarify the related data elements	and t	heir content
Not Used	PID06	752	Surface/Layer/Position Code	0	ID 2/2
			Code indicating the product surface, layer or position that	is bein	g described
Not Used	PID07	822	Source Subqualifier	0	AN 1/15
			A reference that indicates the table or text maintained by the	ne Sou	rce Qualifier
Not Used	PID08	1073	Yes/No Condition or Response Code	0	ID 1/1
			Code indicating a Yes or No condition or response		

Segment:	MEA Measurements
Position:	130
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances,
	and weights (See Figures Appendix for example of use of C001)
Syntax Notes:	1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.
	2 If MEA05 is present, then MEA04 is required.
	3 If MEA06 is present, then MEA04 is required.
	4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.
	5 Only one of MEA08 or MEA03 may be present.
Semantic Notes:	1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
Comments:	1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.
Notes:	The MEA (Measurement) segment is used to describe specific lot or unit measurement characteristics for the DD Form 1921-2. This is used in combination with the CLI (Cost Line Item) and PID (Product/Item Description - optional) segments to convey additional details about the item being manufactured.

Data	Element	Summary
Data	LICHICHU	Summary

	Rel.	Data	Namo		A 44	ributos	
Not Used	<u>Des.</u> MEA01	Element 737	<u>Name</u> Magaunaman	t Reference ID Code	<u>Au</u> O	<u>ributes</u> ID 2/2	
Not Used	MEAUI	131		ing the broad category to which a r			
	MEA02	738	Measuremen	t Qualifier	0	ID 1/3	
			measurement	ing a specific product or process cl applies <i>that applies in the X12 data dictid</i>			
			used include: DI for Diameter; DN for Density; EW for Empty Weight; G for Gross Weight; GW for Gross Weight, Maximum; HT for Height; LN for Length; U for Weight per Unit (for aircraft contracts, use this code for the				
			airframe unit	weight, this code is required for a WD for Width.			
			Refer to 003050 Data Element Dictionary for acceptable code values.				
	MEA03	739	Measurement	t Value	X	R 1/20	
			The value of t	he measurement			
	MEA04	C001	Composite U	nit of Measure	Х		
			To identify a c of use)	composite unit of measure (See Fi	gures Appendix	for examples	
Must Use	C00101	355	Unit or Basis	for Measurement Code	Μ	ID 2/2	
				ng the units in which a value is bei	ng expressed, or	manner in	
				urement has been taken	· · · · · ·		
			Use the code i	that applies.			
			LO	Lot			
				Use this code for an average	ge measurement.		
			UN	Unit	nessen die Braeksanse		
Not Used	C00102	1018	Exponent Power to whic	ch a unit is raised	0	R 1/15	

n.

Not Used	C00103	649	Multiplier Value to be used as a multiplier to obtain a new value	0	R 1/10
No.4 Theod	C00104	255	the second se	•	ID ava
Not Used	C00104	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being express which a measurement has been taken	O sed, or	ID 2/2 r manner in
Not Used	C00105	1018	Exponent Power to which a unit is raised	0	R 1/15
Not Used	C00106	649	Multiplier Value to be used as a multiplier to obtain a new value	0	R 1/10
Not Used	C00107	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being express which a measurement has been taken	O sed, or	ID 2/2 r manner in
Not Used	C00108	1018	Exponent Power to which a unit is raised	0	R 1/15
Not Used	C00109	649	Multiplier Value to be used as a multiplier to obtain a new value	0	R 1/10
Not Used	C00110	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being express	ed, o	r manner in
			which a measurement has been taken		
Not Used	C00111	1018	Exponent	0	R 1/15
		<i>c</i>	Power to which a unit is raised	-	
Not Used	C00112	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value	_	
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being express which a measurement has been taken	O sed, or	ID 2/2 r manner in
Not Used	C00114	1018	Exponent Power to which a unit is raised	0	R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	0	R 1/10
	MEA05	740	Range Minimum	X	R 1/20
			The value specifying the minimum of the measurement ran	ige	
			Optional. Make an entry if needed to fully describe the ite	-	
	MEA06	741	Range Maximum	X	R 1/20
			The value specifying the maximum of the measurement ran	ıge	
			Optional. Make an entry if needed to fully describe the ite	m.	
Not Used	MEA07	935	Measurement Significance Code Code used to benchmark, qualify or further define a measu	O remer	ID 2/2 nt value
Not Used	MEA08	936	Measurement Attribute Code	X	ID 2/2
			Code used to express an attribute response when a numeric cannot be determined	meas	surement valu
Not Used	MEA09	752	Surface/Layer/Position Code	0	ID 2/2
			Code indicating the product surface, layer or position that i	s bein	-
Not Used	MEA10	1373	Measurement Method or Device The method or device used to record the measurement	0	ID 2/4

MSG Message Text

Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:

Segment:

140
HL Mandatory
Detail
Optional
>1
To provide a free form format that would allow the transmission of text information.
1
MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Notes:

page, advance a line, etc. 1. Use the MSG (Message Text) segment only at the report level (where HL03 is code RP) for DD Forms 1921 and 1921-3; and only at the WBS level (where HL03 is WB) for DD Forms 1921-1 and 1921-2. When entering text, be very specific about the data item the remarks apply to. Limit the use of this segment to convey relevant details that

2. Use this segment to convey additional details about the total number of units for the DD Form 1921.

3. Maximum use is 100.

cannot be carried in other data elements.

Data Element Summary

	Ref.	Data					
	Des.	Element	Name	Att	Attributes		
Must Use	MSG01	933	Free-Form Message Text Free-form message text	Μ	AN 1/264		
Not Used	MSG02	934	Printer Carriage Control Code A field to be used for the control of the line feed of the rece	O iving	ID 2/2 printer		

;	Segment:	SE T	ransaction Set Trailer					
Position: 200								
	Loop:							
	Level:	Detail	Detail					
	Usage:	Mandatory						
Max Use:		1						
Purpose:		To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).						
•	ax Notes: tic Notes:							
Comments:		1 SE is the last segment of each transaction set.						
	Ref.	Data	Data Element Summary					
	Des.	Element	Name	Attr	ributes			
Must Use	SE01	96	Number of Included Segments	M	N0 1/10			
			Total number of segments included in a transaction set include segments	ling	ST and SE			
Must Use	SE02	329		M	AN 4/9			
			Identifying control number that must be unique within the tra		ction set			
				set				
			SE02 is the same number as the number in S102.					
			functional group assigned by the originator for a transaction s SE02 is the same number as the number in ST02.					

NIST Technical Publications

Periodical

Journal of Research of the National Institute of Standards and Technology—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies. Special Publications—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

Order the following NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NIST Interagency Reports (NISTIR)—A special series of interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.

U.S. Department of Commerce National Institute of Standards and Technology Gaithersburg, MD 20899–0001

Official Business Penalty for Private Use \$300

.