



Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003060 Transaction Set 846R Inventory Inquiry/Advice (Location Reconciliation)

Implementation Convention



U.S. DEPARTMENT OF COMMERCE Technology Administration National Institute of Standards and Technology

QC 100 .U57 NO.881-79 1998 he National Institute of Standards and Technology was established in 1988 by Congress to "assist industry in the development of technology . . . needed to improve product quality, to modernize manufacturing processes, to ensure product reliability . . . and to facilitate rapid commercialization . . . of products based on new scientific discoveries."

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry's competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency's basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department's Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering, and develops measurement techniques, test methods, standards, and related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST's research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Publications and Program Inquiries Desk, 301-975-3058.

Office of the Director

- · National Quality Program
- · International and Academic Affairs

Technology Services

- Standards Services
- Technology Partnerships
- Measurement Services
- Technology Innovation
- Information Services

Advanced Technology Program

- Economic Assessment
- Information Technology and Applications
- Chemical and Biomedical Technology
- Materials and Manufacturing Technology
- · Electronics and Photonics Technology

Manufacturing Extension Partnership Program

- Regional Programs
- National Programs
- Program Development

Electronics and Electrical Engineering Laboratory

- Microelectronics
- · Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields¹
- Electromagnetic Technology¹
- Optoelectronics¹

Chemical Science and Technology Laboratory

- Biotechnology
- Physical and Chemical Properties²
- Analytical Chemistry
- Process Measurements
- Surface and Microanalysis Science

Physics Laboratory

- Electron and Optical Physics
- Atomic Physics
- · Optical Technology
- Ionizing Radiation
- Time and Frequency¹
- Quantum Physics¹

Materials Science and Engineering Laboratory

- Intelligent Processing of Materials
- Ceramics
- Materials Reliability¹
- Polymers
- Metallurgy
- NIST Center for Neutron Research

Manufacturing Engineering Laboratory

- Precision Engineering
- · Automated Production Technology
- Intelligent Systems
- Fabrication Technology
- Manufacturing Systems Integration

Building and Fire Research Laboratory

- Structures
- Building Materials
- Building Environment
- · Fire Safety Engineering
- Fire Science

Information Technology Laboratory

- Mathematical and Computational Sciences²
- Advanced Network Technologies
- Computer Security
- Information Access and User Interfaces
- High Performance Systems and Services
- Distributed Computing and Information Services
- · Software Diagnostics and Conformance Testing

¹At Boulder, CO 80303.

²Some elements at Boulder, CO.

Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003060 Transaction Set 846R Inventory Inquiry/Advice (Location Reconciliation)

Implementation Convention

Electronic Commerce Acquisition Program Management Office Standard Management Committee - Secretariat National Institute of Standards and Technology Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

August 1998



U.S. DEPARTMENT OF COMMERCE William M. Daley, Secretary

Technology Administration

Gary R. Bachula, Acting Under Secretary for Technology

National Institute of Standards and Technology Raymond G. Kammer, Director

Reports on Information Technology

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

National Institute of Standards and Technology Special Publication 881-79
Natl. Inst. Stand. Technol. Spec. Publ. 881-79, 23 pages (Aug. 1998)
CODEN: NSPUE2

U.S. GOVERNMENT PRINTING OFFICE WASHINGTON: 1998

846 Inventory Inquiry/Advice

Functional Group ID=IB

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Inventory Inquiry/Advice Transaction Set (846) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used in the following ways: (1) for a seller of goods and services to provide inventory information to a prospective purchaser, with no obligation to the purchaser to acquire these goods or services; (2) for a representative of a seller of goods and services to supply inventory information to that seller; (3) for one location to supply another location with inventory information; and (4) for an inquiry as to the availability of inventory with no obligation on the seller of goods and services to reserve that inventory.

Notes:

- 1. Distribution depots/storage activities use this transaction set to transmit location reconciliation request transactions to owners/managers.
- 2. Use a single occurrence of this transaction set to transmit location reconciliation request transactions to one owner/manager. Use one occurrence of this transaction set to transmit a single or multiple transactions.
- 3. Users operating under the Defense Logistics Management System (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table which can be found on the National Institute of Standards and Technology (NIST) World Wide Web site.

Heading:

Must Use	Pos. No. 010	Seg. <u>ID</u> ST	Name Transaction Set Header	Req. <u>Des.</u> M	Max.Use	Loop Repeat	Notes and Comments
Must Use	020	BIA	Beginning Segment for Inventory Inquiry/Advice	М	1		
Not Used	040	CUR	Currency	0	1		
Not Used	050	DTM	Date/Time Reference	О	10		
Not Used	060	REF	Reference Identification	О	12		
Not Used	070	PER	Administrative Communications Contact	O	3		
Not Used	075	MEA	Measurements	O	20		
			LOOP ID - N1			5	
Must Use	080	NI	Name	О	1		
Not Used	090	N2	Additional Name Information	О	2		
Not Used	100	N3	Address Information	О	2		
Not Used	110	N4	Geographic Location	О	1		
Not Used	120	REF	Reference Identification	О	12		
Not Used	130	PER	Administrative Communications Contact	O	3		
			LOOP ID - LM			10	
Must Use	140	LM	Code Source Information	О	1		
Must Use	150	LQ	Industry Code	М	100		

Detail:

Pos.	Seg.		Req.		Loop	Notes and
No.	<u>ID</u>	<u>Name</u>	Des.	Max.Use	Repeat	Comments

	·	• •					
			LOOP ID - LIN	Kiw	· .	10000	~
Must Use	010	LIN	Item Identification	M	1		
Not Used	030	PID	Product/Item Description	O	200		
Not Used	040	MEA	Measurements	0	40		
Not Used	050	PKG	Marking, Packaging, Loading	0	25		
	100	DTM	Date/Time Reference	O	10		
Not Used	110	CTP	Pricing Information	0	25		
Not Used	120	CUR	Currency	O	1		
Not Used	130	SAC	Service, Promotion, Allowance, or Charge Information	O	25		
	140	REF	Reference Identification	O	>1		
Not Used	150	PER	Administrative Communications Contact	0	3		
Not Used	220	SDQ	Destination Quantity	O	500		
Not Used	230	MAN	Marks and Numbers	0	1		
Not Used	235	UIT	Unit Detail	0	5		
Not Used	240	CS	Contract Summary	O	1		
Not Used	250	DD	Demand Detail	0	>1		
Not Used	255	G53	Maintenance Type	O	1		
Not Used	256	PCT	Percent Amounts	O	>1		
Not Used	257	LDT	Lead Time	0	12		
			LOOP ID - LM			10	
	260	LM	Code Source Information	O	1		
Must Use	270	LQ	Industry Code	M	100		
			LOOP ID - SLN			1000	
Not Used	280	SLN	Subline Item Detail	O	1		
Not Used	290	PID	Product/Item Description	0	200		
Not Used	300	MEA	Measurements	0	40		
Not Used	310	PKG	Marking, Packaging, Loading	0	25		
			LOOP ID - MAN			100	
Not Used	312	MAN	Marks and Numbers	0	1		
Not Used	314	MEA	Measurements	О	40		
			LOOP ID - QTY			99	
	320	QTY	Quantity	0	1		
Not Used	330	UIT	Unit Detail	0	12		
Not Used	340	MEA	Measurements	0	25		
Not Used	350	LDT	Lead Time	0	12		
Not Used	355	DTM	Date/Time Reference	0	10		
			LOOP ID - SCH			25	
Not Used	360	SCH	Line Item Schedule	О	1		
Not Used	370	MEA	Measurements	0	25		
			LOOP ID - LM			>1	
	375	LM	Code Source Information	0	1		
Must Use	376	LQ	Industry Code	M	100		
Not Used	380	LS	Loop Header	0	1		
			LOOP ID - REF			>1	
Not Used	390	REF	Reference Identification	О	1		nl
Not Used	400	DTM	Date/Time Reference	О	>1		
Not Used	410	NI	Name	О	1		
			LOOP ID - LM			10	

Not Used	420	LM	Code Source Information	O	1	
Not Used	430	LQ	Industry Code	M	100	
Not Used	440	LE	Loop Trailer	0	1	
			LOOP ID - N1			200
Not Used	450	NI	Name	O	1	Allegation III And Lines
Not Used	460	N2	Additional Name Information	0	2	
Not Used	470	N3	Address Information	0	2	
Not Used	480	N4	Geographic Location	0	1	
Not Used	490	REF	Reference Identification	0	12	
Not Used	500	PER	Administrative Communications Contact	0	3	

Summary:

	Pos. No.	Seg. ID	Name	Req. <u>Des.</u>	Max.Use	Loop Repeat	Notes and Comments
Not Used	010	CTT	Transaction Totals	0	1		n2
Must Use	020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

- 1.
- The REF loop conveys serial number, lot number, and inventory data. Number of line items (CTT01) is the accumulation of number of LIN segments. If used, hash total (CTT02) is · 2. the sum of the values of the quantities (QTY02) of each QTY segment.

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use:

Purpose:

To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes:

The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:

	Ref.	Data	2 au 2.0 2 a	
	Des.	Element	Name	Attributes
Must Use	ST01	143	Transaction Set Identifier Code	M ID 3/3
			Code uniquely identifying a Transaction Set	
			846 X12.28 Inventory Inquiry/Advice	
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the tr functional group assigned by the originator for a transaction	
			A unique number assigned by the originator of the transactoriginator's application program.	tion set, or the

Segment: BIA Beginning Segment for Inventory Inquiry/Advice

Position: 02

Loop:

Level: Heading Usage: Mandatory

Max Use:

Purpose:

To indicate the beginning of an Inventory Inquiry/Advice Transaction Set

Syntax Notes:

Semantic Notes: 1 BIA03 identifies the number of the inquiry/advice that is transferred.

2 BIA04 identifies the date of the inquiry/advice that is transferred.

BIA05 identifies the time of the inquiry/advice that is transferred.

Comments:

Must Use BIA01 353 Transaction Set Purpose Code M ID 2/2 Part		D.C	Data	Data Elem	ent Summary	
Must Use BIA01 353 Transaction Set Purpose Code Code identifying purpose of transaction set O0 Original 77 Simulation Exercise Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercise transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records. Must Use BIA02 755 Report Type Code Code indicating the title or contents of a document, report or supporting item LC Location Inventory Report Use to identify location reconciliation request transactions. Must Use BIA03 127 Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date Must Use BIA05 337 Time Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSSD, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format.		Ref.	Data	Nama		Attributos
Code identifying purpose of transaction set 00 Original 77 Simulation Exercise Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises transaction with all activities involved. All transaction with all activities involved. All transaction with all activities must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records. Must Use BIA02 755 Report Type Code Code indicating the title or contents of a document, report or supporting item LC Location Inventory Report Use to identify location reconciliation request transactions. Must Use BIA03 127 Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. Not Used BIA06 306 Action Code O ID 1/2	Must Use				rnose Code	
Must Use BIA03 127 Reference Identification M AN 1/30 Reference information as defined for a particular Transaction set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed as follows: De tenths (0-9) and DD = hundredths (00-99) 1. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2	Must Use	DIAUI	333			IVI ID 2/2
Must Use BIA03 127 Reference Identification Reference Information Security Security Reference Information Security Security				, ,,	•	
Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records. Must Use BIA02 755 Report Type Code M ID 2/2						
transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records. Must Use BIA02 755 Report Type Code				77		
Must Use BIA02 755 Report Type Code M ID 2/2 Code indicating the title or contents of a document, report or supporting item LC Location Inventory Report Use to identify location reconciliation request transactions. Must Use BIA03 127 Reference Identification M AN 1/30 Reference Information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date M DT 6/6 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00- 59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) I. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2					transaction set. Activities initiating sir mobilization exercises must ensure co coordination with all activities involve	nulated mplete ed. All
Must Use BIA02 755 Report Type Code M ID 2/2 Code indicating the title or contents of a document, report or supporting item LC Location Inventory Report Use to identify location reconciliation request transactions. Must Use BIA03 127 Reference Identification M AN 1/30 Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date M DT 6/6 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2					•	
Must Use BIA02 755 Report Type Code Code indicating the title or contents of a document, report or supporting item LC Location Inventory Report Use to identify location reconciliation request transactions. Must Use BIA03 127 Reference Identification M AN 1/30 Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date M DT 6/6 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2						-
Code indicating the title or contents of a document, report or supporting item LC Location Inventory Report Use to identify location reconciliation request transactions. M AN 1/30 Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date Date M DT 6/6 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2	Must Use	BIA02	755	Report Type Code		
Must Use BIA03 127 Reference Identification M AN 1/30 Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date M DT 6/6 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2						r supporting item
Must Use BIA03 127 Reference Identification M AN 1/30 Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date M DT 6/6 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2				LC	Location Inventory Report	
Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 syntax requirements. Must Use BIA04 373 Date M DT 6/6 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2						request
Must Use BIA04 373 Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2	Must Use	BIA03	127	Reference informati specified by the Ref Use Code "Z" for to	on as defined for a particular Transactio erence Identification Qualifier	n Set or as
Date (YYMMDD) This date is the date of the transaction set preparation and corresponds to the Universal Time Coordinate (UTC). Must Use BIA05 337 Time O TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2	Must Has	DIAGA	272			M DT C/C
Must Use BIA05 337 Time Coordinate (UTC). Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2	wiust Use	BIAU4	3/3			WI DI 6/6
Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) 1. Express the originating activity's time of transaction set preparation in UTC. 2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2						corresponds to the
2. Express time in a four-position (HHMM) format. Not Used BIA06 306 Action Code O ID 1/2	Must Use	BIA05	337	Time expressed in 2 HHMMSSD, or HH 59), S = integer second are expressed as foll 1. Express the original second in 2 HHMMSSD, or HHMMSSD,	MMSSDD, where H = hours (00-23), Monds (00-59) and DD = decimal seconds; lows: D = tenths (0-9) and DD = hundred	or HHMMSS, or I = minutes (00- decimal seconds dths (00-99)
Not Used BIA06 306 Action Code O ID 1/2					four-position (HHMM) format	
	Not Used	BIA06	306	-	Jour-position (IIIIIIII) Jointus.	O ID 1/2
	1.00 0504	211100			e of action	

Segment:	N1	Name
Position:	080	

N1 Loop: Optional (Must Use)

Level: Heading

Optional (Must Use) Usage:

Max Use:

To identify a party by type of organization, name, and code Purpose:

At least one of N102 or N103 is required. **Syntax Notes:**

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments:

1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Must use this 1/N1/080 loop to identify the organization originating and receiving the **Notes:** transaction set.

			Data Eleme	ent Summary		
Must Use	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	Name Entity Identifier C Code identifying an	ode organizational entity, a physical location	M	ributes ID 2/2 In individual
			Use only one of coa	2011, #80,000 (1905) (1905) (1905) AND		
			KA	Item Manager		* 87.33964
			OW	The address of the person responsible for management of an item of supply Use to identify the Integrated Material (IMM) for the material reported. Owner of Property or Unit	111.	A
				Use to identify the owner of the materia	ıl rej	ported.
			SB	Storage Area	- 3	989 F. S
				Must use to identify the depot or storag	e act	tivity.
Not Used	N102	93	Name Free-form name		X	AN 1/35
Must Use	N103	66	Identification Code Code designating th Code (67)	e Qualifier e system/method of code structure used for	X or Ide	ID 1/2 entification
			1	D-U-N-S Number, Dun & Bradstreet		
			9	D-U-N-S+4, D-U-N-S Number with Foundation	ır Ch	aracter
			10	Department of Defense Activity Address (DODAAC)	s Coo	de
			M4	Department of Defense Routing Identifie	er Co	ode (RIC)
				An integral and predetermined participal established logistical system performing control, distribution, and storage functio	gene	
Must Use	N104	67	Identification Code Code identifying a p	e	X	AN 2/20
Not Used	N105	706	Entity Relationship Code describing ent		O	ID 2/2
Must Use	N106	98	Entity Identifier Code identifying an FR	organizational entity, a physical location, Message From		
				Must use with 1/N101/080 code SB to it organization cited in N104 is origination		

transaction set.

TO

Message To

Must use with the 1/N101/080 codes KA or OW to indicate the organization cited in 1/N104/080 is receiving the transaction set.

Segment: LM Code Source Information

Position: 140

Loop: LM Optional (Must Use)

Level: Heading

Usage: Optional (Must Use)

Max Use:

Purpose: To trans

To transmit standard code list identification information

Syntax Notes:

Semantic Notes:

Comments: 1 LM02 identifies the applicable industry code list source information.

Notes: Must use this 1/LM/140 loop to identify coded information maintained in department

or agency documentation.

Must Use	Ref. <u>Des.</u> LM01	Data Element 559	Name Agency Qualifier Code Code identifying the agency assigning the code values	Attı M	ributes ID 2/2
			DF Department of Defense (DoD)		
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by t	he Sour	AN 1/15 ce Qualifier

Segment: LQ Industry Code

Position: 150

Loop: LM Optional (Must Use)

Level: Heading
Usage: Mandatory
Max Use: 100

Purpose: Code to transmit standard industry codes

Syntax Notes: 1 If LQ01 is present, then LQ02 is required.

Semantic Notes:

Comments:

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

Ref.	Data			
Des.	Element	<u>Name</u>	Att	<u>ributes</u>
LQ01	1270	Code List Qualifier Code	0	ID 1/3
		Code identifying a specific industry code list		
		0 Document Identification Code		
		Codes that subclassify a transaction		
LQ02	1271	Industry Code	X	AN 1/30
		Code indicating a code from a specific industry code list		

Segment: LIN Item Identification

Position: 010

Loop: LIN Mandatory

Level: Detail
Usage: Mandatory

Max Use:

Purpose:

To specify basic item identification data

Syntax Notes:

- 1 If either LIN04 or LIN05 is present, then the other is required.
- 2 If either LIN06 or LIN07 is present, then the other is required.
- 3 If either LIN08 or LIN09 is present, then the other is required.
- 4 If either LIN10 or LIN11 is present, then the other is required.
- 5 If either LIN12 or LIN13 is present, then the other is required.
- 6 If either LIN14 or LIN15 is present, then the other is required.
- 7 If either LIN16 or LIN17 is present, then the other is required.
- 8 If either LIN18 or LIN19 is present, then the other is required.
- 9 If either LIN20 or LIN21 is present, then the other is required.
- 10 If either LIN22 or LIN23 is present, then the other is required.
- 11 If either LIN24 or LIN25 is present, then the other is required.
- 12 If either LIN26 or LIN27 is present, then the other is required.
- 13 If either LIN28 or LIN29 is present, then the other is required.
- 14 If either LIN30 or LIN31 is present, then the other is required.

Semantic Notes:

1 LIN01 is the line item identification

Comments:

- 1 See the Data Dictionary for a complete list of IDs.
- 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Notes:

Must use the 2/LIN/010 loop to identify the material, transaction number, and

inventory information associated with the transaction.

	Ref.	Data				
	Des.	Element	Name		<u>Attributes</u>	
	LIN01	350	Assigned Identi	fication	O AN 1/20	
			Alphanumeric ch	naracters assigned for differentiation within	a transaction set	
			2/LIN/010 loop	he count of location reconciliation transactiteration cite the numeric 1. In each subse the incrementally by one.		
Must Use	LIN02	235	Product/Service		M ID 2/2	
				the type/source of the descriptive number u	ised in	
			Use only one of	A1, A2, A4, FB, FS, MG, or YP to identify	the item reported.	
Must use National Stock Number (NSN) when known.						
			A1	Plant Equipment Number		
				Item identifier is a plant equipment nur	nber	
				Use to identify plant equipment.		
			A2	Department of Defense Identification (Code (DoDIC)	
				Qualifies a code that uniquely identifie	s a type of	
				explosive or ammunition		
				Use to identify ammunition items.		
			A4	Subsistence Identification Number		
				Item identifier is a brand-name resale s	ubsistence item	
				Use to identify subsistence items.		
			FB	Form Number		
				Use to identify the form stock number		
			FS	National Stock Number		
				Must use NSN when known.		
			MG	Manufacturer's Part Number		

				to identify nonstandard material.		
				lication Number		
				to identify the publication stock n		
Must Use	LIN03	234	Product/Service ID Identifying number for a	product or service	M	AN 1/40
	LIN04	235	Product/Service ID Qua	llifier	X	ID 2/2
			Product/Service ID (234)	s/source of the descriptive number unmercial and Government Entity (C		
				ode that identifies a commercial cor		
				orized to do business with the U.S.		
				with LIN02 code MG to uniquely	identi	fy a
	* ****			ufacturer's part number.		
	LIN05	234	Product/Service ID		X	AN 1/40
			Identifying number for a			
Not Used	LIN06	235	Product/Service ID Qua Code identifying the type Product/Service ID (234)	/source of the descriptive number u		ID 2/2
Not Used	LIN07	234	Product/Service ID Identifying number for a	product or service	X	AN 1/40
Not Used	LIN08	235	Product/Service ID Qua			ID 2/2
				/source of the descriptive number u	sed in	1
Nat II	T INIOO	224	Product/Service ID (234)		3 7	A DI 1/40
Not Used	LIN09	234	Product/Service ID Identifying number for a	product or service	X	AN 1/40
Not Used	LIN10	235	Product/Service ID Qua		X	ID 2/2
1,000 0000			-	/source of the descriptive number u		
			Product/Service ID (234)			
Not Used	LIN11	234	Product/Service ID Identifying number for a	product or service	X	AN 1/40
Not Used	LIN12	235	Product/Service ID Qua		X	ID 2/2
			Code identifying the type Product/Service ID (234)	/source of the descriptive number u	sed in	ı
Not Used	LIN13	234	Product/Service ID		X	AN 1/40
			Identifying number for a	product or service		
Not Used	LIN14	235	Product/Service ID Qua	lifier /source of the descriptive number u		ID 2/2
			Product/Service ID (234)		Jou III	
Not Used	LIN15	234	Product/Service ID		X	AN 1/40
			Identifying number for a	product or service		
Not Used	LIN16	235	Product/Service ID Qua			ID 2/2
				/source of the descriptive number u	sed in	
Not Used	LIN17	234	Product/Service ID (234) Product/Service ID		X	AN 1/40
Not Oscu	Linti/	234	Identifying number for a	product or service	A	AIT 1/40
Not Used	LIN18	235	Product/Service ID Qua	lifier		ID 2/2
				/source of the descriptive number u	sed in	
Not Used	LIN19	234	Product/Service ID (234) Product/Service ID		X	AN 1/40
1401 USEU	LINIY	234	Identifying number for a	product or service	А	AIN 1/40
Not Used	LIN20	235	Product/Service ID Qua		X	ID 2/2
			Code identifying the type	/source of the descriptive number us	sed in	
NT . **		•••	Product/Service ID (234)			
Not Used	LIN21	234	Product/Service ID	product or sorvice	X	AN 1/40
Not Used	LIN22	235	Identifying number for a p		v	ID 2/2
Not Osea	LINZZ	233	Product/Service ID Qua	mei	X	ID 2/2

040IX - IIIVCIII	iory mquiry/A	uvice (Loc	ation Reconcination)		
			Code identifying the type/source of the descriptive number us Product/Service ID (234)	ed ir	1
Not Used	LIN23	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
Not Used	LIN24	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number us Product/Service ID (234)	X ed in	ID 2/2
Not Used	LIN25	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
Not Used	LIN26	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number us Product/Service ID (234)	X ed in	ID 2/2
Not Used	LIN27	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
Not Used	LIN28	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number us Product/Service ID (234)		ID 2/2
Not Used	LIN29	234	Product/Service ID Identifying number for a product or service	X	AN 1/40
Not Used	LIN30	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number us Product/Service ID (234)	X ed ir	ID 2/2
Not Used	LIN31	234	Product/Service ID Identifying number for a product or service	X	AN 1/40

Segment: DTM Date/Time Reference

Position: 100

I and I DI

Loop: LIN Mandatory

Level: Detail
Usage: Optional
Max Use: 10

Purpose:

To specify pertinent dates and times

Syntax Notes:

At least one of DTM02 DTM03 or DTM06 is required.

2 If either DTM06 or DTM07 is present, then the other is required.

Semantic Notes:

Comments:

Notes: Must use 2/DTM/100 to identify dates associated with the transaction.

			Data Elem	ent Summary		
3	Ref. Des.	Data Element	Name Date Till On 115			ributes
Must Use	DTM01	374	Date/Time Qualifie	er be of date or time, or both date and time	M	ID 3/3
			036	Expiration		
			030	•		
				Date coverage expires	ושעו	. A. wommerson
			510	For subsistence items, use to identify the date associated with the reported mater. Date Packed	_	piration %
			600	For subsistence items, use to identify the associated with the reported material. As Of	re da	te packed
				Must use to identify the close of busine mutually agreed upon cutoff date) assolocation reconciliation.		
Must Use	DTM02	373	Date Date (YYMMDD)		X	DT 6/6
Not Used	DTM03	337	HHMMSSD, or HH 59), S = integer second	24-hour clock time as follows: HHMM, or IMMSSDD, where H = hours (00-23), M onds (00-59) and DD = decimal seconds; lows: D = tenths (0-9) and DD = hundred	= mir decin	nutes (00- nal seconds
Not Used	DTM04	623	Time Code Code identifying the Organization standa in hours in relation	e time. In accordance with International S and 8601, time can be specified by a + or - to Universal Time Coordinate (UTC) time + and - are substituted by P and M in the	O tanda and a e; sind	ID 2/2 ards an indication ce + is a
	DTM05	624	Century		0	N0 2/2
NT 4 TT N	D. W. 10.6	40.50		eters in the designation of the year (CCYY	·	XD 0.00
Not Used	DTM06	1250	Date Time Period I Code indicating the	Format Qualifier date format, or date and time	X e forn	ID 2/3 nat
Not Used	DTM07	1251	Date Time Period Expression of a date	e, a time, or range of dates, times or dates	X and t	AN 1/35 imes

Segment: REF Reference Identification

Position: 140

Loop: LIN Mandatory

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

If either C04003 or C04004 is present, then the other is required.
If either C04005 or C04006 is present, then the other is required.

Semantic Notes: Comments:

1 REF04 contains data relating to the value cited in REF02.

Must Use	Ref. <u>Des.</u> REF01	Data Element 128	Name Reference Identification Qualifier	Att:	ributes ID 2/3
			Code qualifying the Reference Identification TN Transaction Reference Number		
			Use to identify the transaction number		
Must Use	REF02	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	Set	or as
Not Used	REF03	352	Description A free-form description to clarify the related data elements at	X nd the	AN 1/80 eir content
Not Used	REF04	C040	Reference Identifier	0	
			To identify one or more reference numbers or identification is specified by the Reference Qualifier	ıumb	ers as
Not Used	C04001	128	Reference Identification Qualifier Code qualifying the Reference Identification	M	ID 2/3
Not Used	C04002	127	Reference Identification Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	M Set	AN 1/30 or as
Not Used	C04003	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	C04004	127	Reference Identification Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	X Set o	AN 1/30 or as
Not Used	C04005	128	Reference Identification Qualifier Code qualifying the Reference Identification	X	ID 2/3
Not Used	C04006	127	Reference Identification Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier	X Set o	AN 1/30 or as

Segment: LM Code Source Information

Position: 260

Loop: LM Optional

Level: Detail Usage: Optional

Max Use: Purpose:

To transmit standard code list identification information

Syntax Notes: Semantic Notes:

Comments: 1 LM02 identifies the applicable industry code list source information.

Notes: Use this 2/LM/260 loop to identify coded information maintained in department or

agency documentation.

	Ref.	Data			
	Des.	Element	Name	Att	ributes
Must Use	LM01	559	Agency Qualifier Code	M	ID 2/2
			Code identifying the agency assigning the code values		
			DF Department of Defense (DoD)		
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the	O Sour	AN 1/15 ce Qualifier

J Industry Code Segment:

Position: 270

> LM Loop: **Optional**

Level: Detail Usage: Mandatory 100

Max Use:

Purpose: Code to transmit standard industry codes If LQ01 is present, then LQ02 is required.

Syntax Notes: Semantic Notes:

Comments:

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

1271

LQ02

Data Element Summary

Ref. Data Des. Element Attributes Name **Must Use** LQ01 1270 Code List Qualifier Code ID 1/3 Code identifying a specific industry code list Controlled Inventory Item Code EO Categorizes pilferable items Use to identify the controlled inventory item code associated with the reported material. FE Shelf Life Code The storage time period or perishability of an item Use to identify the shelf-life code associated with the reported material. FH Type of Location Reconciliation Request Use to identify type of location reconciliation.

> **Industry Code** Code indicating a code from a specific industry code list

Must Use

X AN 1/30

Segment: QTY Quantity

Position: 320

Loop: QTY Optional

Level: Detail
Usage: Optional

Max Use: 1

Purpose: To specify quantity information

Syntax Notes: Semantic Notes:

Comments: Notes:

Use multiple iterations of the 2/QTY/320 loop to stratify the on hand quantity by

material classification.

				Data Element Summary			
		Ref.	Data				
		Des.	Element		Att	<u>ribu</u>	tes
M	ust Use	QTY01	673	Quantity Qualifier	M	ID	2/2
				Code specifying the type of quantity			
				17 Quantity on Hand			
				Use to identify custodial record balance			
M	ust Use	QTY02	380	Quantity	M	R	1/15
				Numeric value of quantity			
				Express as a whole number with no decimals.			
		QTY03	C001	Composite Unit of Measure	0		
				To identify a composite unit of measure (See Figures Append of use)	lix f	or e	xamples
M	ust Use	C00101	355	Unit or Basis for Measurement Code	M	ID	2/2
				Code specifying the units in which a value is being expressed, which a measurement has been taken	or 1	nan	ner in
				DLMS users see the Unit of Issue and Purchase Unit Conveavailable codes.	rsio	n Ta	ible for
No	ot Used	C00102	1018	Exponent	0	R	1/15
				Power to which a unit is raised			
No	ot Used	C00103	649	Multiplier	0	R	1/10
				Value to be used as a multiplier to obtain a new value			
No	t Used	C00104	355	Unit or Basis for Measurement Code	0		2/2
				Code specifying the units in which a value is being expressed, which a measurement has been taken	or i		
No	t Used	C00105	1018	Exponent	0	R	1/15
				Power to which a unit is raised			
No	ot Used	C00106	649	Multiplier	0	R	1/10
				Value to be used as a multiplier to obtain a new value			
No	ot Used	C00107	355	Unit or Basis for Measurement Code	0		2/2
				Code specifying the units in which a value is being expressed, which a measurement has been taken	or r	nan	ner in
No	t Used	C00108	1018	Exponent	o	R	1/15
110	e osca	200100	1010	Power to which a unit is raised			1,10
No	t Used	C00109	649	Multiplier	o	R	1/10
110		000107		Value to be used as a multiplier to obtain a new value			1,10
No	ot Used	C00110	355	Unit or Basis for Measurement Code	0	ID	2/2
				Code specifying the units in which a value is being expressed, which a measurement has been taken	or r		
No	ot Used	C00111	1018	Exponent	o	R	1/15
				Power to which a unit is raised			
No	t Used	C00112	649	Multiplier	o	R	1/10
				Value to be used as a multiplier to obtain a new value			

Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expresse which a measurement has been taken	O d, or i	ID 2/2 manner in
Not Used	C00114	1018	Exponent Power to which a unit is raised	0	R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	0	R 1/10

Segment: LM Code Source Information

Position: 375

Loop: LM Optional

Level: Detail
Usage: Optional

Max Use: Purpose:

To transmit standard code list identification information

Syntax Notes: Semantic Notes:

Comments: 1 LM02 identifies the applicable industry code list source information.

Notes: Use this 2/LM/375 loop to identify coded information maintained in department or

agency documentation.

	Ref. Des.	Data Element	Name	Attr	ibutes
Must Use	LM01	559	Agency Qualifier Code	M	ID 2/2
			Code identifying the agency assigning the code values		
			DF Department of Defense (DoD)		
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the	O e Sourc	AN 1/15 ce Qualifier

Segment: LQ Industry Code

Position: 376

Loop: LM Optional

Level: Detail
Usage: Mandatory
Max Use: 100

Purpose: Code to transmit standard industry codes

Syntax Notes: Semantic Notes:

1 If LQ01 is present, then LQ02 is required.

Comments:

Notes:

Use to identify codes, as appropriate, consistent with management information requirements.

Data Element Summary

	Ref.	Data	2		
	Des.	Element	Name		Attributes
Must Use	LQ01	1270	Code List Qualifi	er Code	O ID 1/3
				specific industry code list	
			Use only one of co	iate.	
			83	Supply Condition Code	
				Classifies material by readiness for is describes actions underway to change material, or identifies material as excessive serviceable	the status of
			87	Subsistence Type of Pack Code	
				A certain level of protection from the shipping container for perishable and subsistence items	
				Use only for subsistence items to ideatype of pack information.	ntify subsistence
			99	Purpose Code	
			A1	Codes that inform the material owner balance is being reserved Ownership Code	why an inventory
				Items included in the inventory record organization that is not the owner of t	he items
Must Use	LQ02	1271	Industry Code		X AN 1/30

Code indicating a code from a specific industry code list

Segment: SE Transaction Set Trailer

Position: 020

Loop:

Level: Summary Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

	Ref.	Data	· ·			
	Des.	Element	Name	Att	<u>ributes</u>	
Must Use	SE01	96	Number of Included Segments	M	NO 1/10	
			Total number of segments included in a transaction set include segments	ding S	ST and SE	
Must Use	SE02	329	Transaction Set Control Number	\mathbf{M}	AN 4/9	
			Identifying control number that must be unique within the tra	insact	tion set	
			functional group assigned by the originator for a transaction set			
			Cite the same number as the one cited in ST02.			



NIST Technical Publications

Periodical

Journal of Research of the National Institute of Standards and Technology—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

Order the following NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NIST Interagency or Internal Reports (NISTIR)—The series includes interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is handled by sales through the National Technical Information Service, Springfield, VA 22161, in hard copy, electronic media, or microfiche form. NISTIR's may also report results of NIST projects of transitory or limited interest, including those that will be published subsequently in more comprehensive form.

U.S. Department of Commerce National Institute of Standards and Technology Gaithersburg, MD 20899–0001

Official Business Penalty for Private Use \$300