



# NBS TECHNICAL NOTE **878**

**U.S. DEPARTMENT OF COMMERCE /** National Bureau of Standards

## **The M40 Fingerprint Matcher**

QC  
100  
U5753  
No. 878  
1975  
c.2

## NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards<sup>1</sup> was established by an act of Congress March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau consists of the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, the Institute for Computer Sciences and Technology, and the Office for Information Programs.

**THE INSTITUTE FOR BASIC STANDARDS** provides the central basis within the United States of a complete and consistent system of physical measurement; coordinates that system with measurement systems of other nations; and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of a Center for Radiation Research, an Office of Measurement Services and the following divisions:

Applied Mathematics — Electricity — Mechanics — Heat — Optical Physics — Nuclear Sciences<sup>2</sup> — Applied Radiation<sup>2</sup> — Quantum Electronics<sup>3</sup> — Electromagnetics<sup>3</sup> — Time and Frequency<sup>3</sup> — Laboratory Astrophysics<sup>3</sup> — Cryogenics<sup>3</sup>.

**THE INSTITUTE FOR MATERIALS RESEARCH** conducts materials research leading to improved methods of measurement, standards, and data on the properties of well-characterized materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government agencies; and develops, produces, and distributes standard reference materials. The Institute consists of the Office of Standard Reference Materials and the following divisions:

Analytical Chemistry — Polymers — Metallurgy — Inorganic Materials — Reactor Radiation — Physical Chemistry.

**THE INSTITUTE FOR APPLIED TECHNOLOGY** provides technical services to promote the use of available technology and to facilitate technological innovation in industry and Government; cooperates with public and private organizations leading to the development of technological standards (including mandatory safety standards), codes and methods of test; and provides technical advice and services to Government agencies upon request. The Institute consists of a Center for Building Technology and the following divisions and offices:

Engineering and Product Standards — Weights and Measures — Invention and Innovation — Product Evaluation Technology — Electronic Technology — Technical Analysis — Measurement Engineering — Structures, Materials, and Life Safety<sup>4</sup> — Building Environment<sup>4</sup> — Technical Evaluation and Application<sup>4</sup> — Fire Technology.

**THE INSTITUTE FOR COMPUTER SCIENCES AND TECHNOLOGY** conducts research and provides technical services designed to aid Government agencies in improving cost effectiveness in the conduct of their programs through the selection, acquisition, and effective utilization of automatic data processing equipment; and serves as the principal focus within the executive branch for the development of Federal standards for automatic data processing equipment, techniques, and computer languages. The Institute consists of the following divisions:

Computer Services — Systems and Software — Computer Systems Engineering — Information Technology.

**THE OFFICE FOR INFORMATION PROGRAMS** promotes optimum dissemination and accessibility of scientific information generated within NBS and other agencies of the Federal Government; promotes the development of the National Standard Reference Data System and a system of information analysis centers dealing with the broader aspects of the National Measurement System; provides appropriate services to ensure that the NBS staff has optimum accessibility to the scientific information of the world. The Office consists of the following organizational units:

Office of Standard Reference Data — Office of Information Activities — Office of Technical Publications — Library — Office of International Relations.

<sup>1</sup> Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D.C. 20234.

<sup>2</sup> Part of the Center for Radiation Research.

<sup>3</sup> Located at Boulder, Colorado 80302.

<sup>4</sup> Part of the Center for Building Technology.

3 1977  
ACC,  
100  
953  
878  
75  
2

# The M40 Fingerprint Matcher

technical note, no. 278

---

J. H. Wegstein

Institute for Computer Sciences and Technology  
National Bureau of Standards  
Washington, D.C. 20234

Sponsored by

The Federal Bureau of Investigation  
Washington, D.C. 20535



---

U.S. DEPARTMENT OF COMMERCE, Rogers C. B. Morton, Secretary

U.S. NATIONAL BUREAU OF STANDARDS, Richard W. Roberts, Director

Issued July 1975

**National Bureau of Standards Technical Note 878**

**Nat. Bur. Stand. (U.S.), Tech. Note 878, 14 pages (July 1975)**

**CODEN: NBTNAE**

**U.S. GOVERNMENT PRINTING OFFICE  
WASHINGTON: 1975**

---

**For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402  
(Order by SD Catalog No. C13.46:878). Price    cents (Add 25 percent additional for other than U.S. mailing).**

# The M40 Fingerprint Matcher

J.H. Wegstein

A procedure is described for automatically determining whether two fingerprint impressions were made by the same finger. The procedure uses the x and y coordinates and the individual directions of the minutiae (ridge endings and bifurcations). The identity of the two impressions is established by computing the density of clusters of points in  $\Delta x$ ,  $\Delta y$  space where  $\Delta x$  and  $\Delta y$  are the differences in coordinates that are found in going from one of the fingerprint impressions to the other.

Key words: Computerized - fingerprint - identification, fingerprint, pattern recognition.

## 1. Introduction

An average rolled fingerprint impression exhibits about eighty ridge endings and forks or bifurcations in its ridge pattern. By comparing the data representing these minutiae, a computer can determine whether or not two fingerprint impressions came from the same finger. Figure 1 shows how the x and y coordinates and the direction  $\theta$  are defined for a minutia. If the areas marked A are ridges then the minutia is a ridge ending, but if the areas marked B are ridges the pattern is a bifurcation. Since a ridge ending in one print may appear as a bifurcation in another print from the same finger, no distinction is made between ridge endings and bifurcations in recording data.

A portion of a fingerprint along with a plot of the corresponding minutiae are shown in Figure 2. The minutia data are read automatically from the rolled impressions on fingerprint cards 1,2,3,4 and in addition, the reader also produces ridge direction data at equally spaced grid-points over the entire print. In a fully automated identification system, this ridge-direction data is utilized in finding the core or "center" of a print as well as the angle through which the print should be rotated.<sup>5,6</sup> This registration information is used to translate and rotate the minutia data into a standard position. The ridge-direction data in the neighborhood of each minutia is also used to make slight corrections to the angle  $\theta$  of that minutia. Those registered minutiae within a certain distance of the center are then sorted into a descending order on y and this data may then be placed in a file or used to search against minutia data in a previously established file.

The matcher, M40, described here differs from the previously reported M19 matcher<sup>7</sup> only in that M40 utilizes ordering in the y direction to achieve a great increase in speed, and the final matching score is computed in a slightly different manner.



## 2. Selecting Minutiae

Complete details for the M40 procedure are given in Flow Chart 1. The values of  $x, y$ , and  $\theta$  are handled as elements in an array,  $A$ , as follows:

	<u>x</u>	<u>y</u>	<u><math>\theta</math></u>
Search Minutiae	$A_{i11}$	$A_{i21}$	$A_{i31}$
	----	----	----
File Minutiae	$A_{j12}$	$A_{j22}$	$A_{j32}$
	----	----	----

The number of search minutiae  $IMX_1$ , is first compared with the number of file minutiae  $IMX_2$ . Whichever is smaller is identified as  $IMXB$ .

Each value of  $y_i$  ( $A_{i21}$ ) in the control set 1 is then used to determine the range of values of  $y_j$  ( $A_{j22}$ ) in set 2 with which comparisons are to be made. Thus  $YBL \leq A_{j22} \leq YAB$ , where  $YAB$  (above) and  $YBL$  (below) are determined by  $A_{i21}$ . While index  $i$  runs from 1 to  $IMX_1$ , index  $j$  is determined by this "window".

## 3. Difference Tables

The M40 matcher can deal with a certain amount of distortion and lack of registration between two fingerprints that are being compared. To illustrate this, the superimposed plots of minutiae from two different prints A and B, made by the same finger, are shown in Figure 3. This is typical of the appearance of superimposed minutiae from two prints that have been read by machine. There may be missing or false minutiae. Here one print is rotated about six degrees and is shifted about 35 units in the  $x$  direction with respect to the other print, but, of course, this information is unknown to the computer when it attempts to match these prints.  $X$  and  $Y$  are measured in units of one-tenth millimeter and  $\theta$  is measured in degrees. The minutia data for prints A and B is shown in Figure 4.

Since print A has 5 minutiae and print B has 6 minutiae,  $IMXB = 5$ . The procedure begins by comparing:

$$DX = X_i - X_j$$

$$DY = Y_i - Y_j$$

$$D\theta = \theta_i - \theta_j$$

where  $i$  runs from 1 to  $IMX_1$  and  $j$  is determined by the previously described window. Only those pairs of minutiae that satisfy the following conditions simultaneously are used.

$$|DX| \leq LS$$

$$|DY| \leq LS$$

$$|D\theta| \leq L\theta$$

If the matcher parameters have the values

$$LS = 60$$

$$L\theta = 25$$

then the resulting differences can be plotted as points in a  $\Delta x, \Delta y$  coordinate system as shown in Figure 5. If the prints are from the same finger then many points will tend to be in a cluster, but if the prints are from different fingers the points tend to be randomly located over the entire area. Figure 6 is an enlargement of the cluster area from Figure 5 and Figure 7 gives the difference table for prints A and B. For example, point 1, 1 in Figure 6 indicates the distance from minutia B1 to A1 in Figure 3.

#### 4. The Matching Score

The task of the matcher is to compute a matching score that increases as the density of the cluster increases. The M40 matcher accomplishes this by starting from each point in the graph in Figure 6 and counting the number of steps in the  $\Delta x$  and  $\Delta y$  directions to each of the other points. (See boxes 23 through 36 in the Flow Chart.) If this number of steps,  $TR$ , is less than a matcher parameter  $KR$ , then the quantity  $KR - TR$  is added to an accumulating sum  $R$ .  $D\theta$  can also be made to contribute to the  $R$  score by selecting a suitable value for a parameter  $K\theta$ . To see how this works, let  $KR = 10$  and refer to Figure 6 and the difference table in Figure 7. The column  $S$  in Figure 7 determines the order in which steps are counted. One goes from  $S = 2$  to  $S = 1$ ,  $S = 3$  to  $S = 1$ ,  $S = 3$  to  $S = 2$ ,  $S = 4$  to  $S = 1$ , etc. The number of steps from point 2,2 to point 1,1 exceeds 10 so that nothing is added to  $R$ . The distance from 2,3 to 1,1 is just 10 so again, nothing is added to  $R$ . In fact nothing is added to  $R$  until one goes from  $S = 4$  to  $S = 2$ . Here, in going from point 3,4 to point 2,2 one steps down 5 steps and to the left 3 steps, or a total of 8 steps. Thus  $TR = 8$ , and the score  $R$  is increased by  $KR - TR = 10 - 8 = 2$ . Referring to Box 25 in the Flow Chart, the computer computes

$$\begin{aligned} TR &= |DX_4 - DX_2| + |DY_4 - DY_2| \\ \text{or } TR &= |-35 + 38| + |9 - 4| = 3 + 5 = 8 \end{aligned}$$

In Box 29,  $R$  which was previously set to 0 is increased to 2.

The next contribution to the score R occurs when one steps from point 4,5 to 2,2. Two steps to the right and two steps down gives TR = 4. Then R = 2 + (10 - 4) = 8. The history of the development of the R score is shown in Figure 8 where the final value of R is found to be 12. The matching score actually used is

$$RS = \frac{KRR \times R}{IMyB}$$

where KRR is a scaling parameter. In this illustration let KRR = 2. Then

$$RS = \frac{2 \times 12}{5} = 4.8$$

## 5. Conclusion

Matching runs have been made with a Univac 1108 computer on data read by the FBI's prototype fingerprint reader from somewhat better than average quality fingerprint cards. The parameter values most frequently used were:

L0	LS	K0	KR	KH0	KHR	KRR
10.	10.	0.	8.	8.	8.	2.

The average matching time per pair of prints was about 20 milliseconds. Eight prints from each card were used (little fingers excluded). For the most frequently used reference data set, the average matching score for prints from the same finger was 26.04. The highest mating print score observed was 165. The average score for non-mating prints (false matches) was 0.97. The highest false matching score observed was 17. It appears that a threshold score can be established such that when a pair of prints exceeds this threshold, a positive identification is achieved.

The computer programs used in this work were written by J.F. Rafferty of the National Bureau of Standards. The author is also indebted for advice and assistance to R.T. Moore of NBS, and R.M. Stock of the FBI. The work was financially supported by the FBI.



## 6. References

1. Banner, C.S., and Stock, R.M., "FINDER, The FBI's Approach to Automatic Fingerprint Identification," Proceedings of a Conference on the Science of Fingerprints, Home Office, London, England, 1974
2. Stock, R.M., "Automatic Fingerprint Reading," Proceedings of the 1972 Carnahan Conference on Electronic Crime Countermeasures, University of Kentucky, Lexington, Kentucky, 1972, p. 16-28.
3. Banner, C.S., and Stock, R.M., "The FBI's Approach to Automatic Fingerprint Identification, Part I," FBI Law Enforcement Bulletin, Vol. 44, No. 1 (Jan. 1975).
4. Banner, C.S., and Stock, R.M., "The FBI's Approach to Automatic Fingerprint Identification, Part II," FBI Law Enforcement Bulletin, Vol. 44, No.2 (Feb. 1975).
5. Wegstein, J.H., Manual and Automated Fingerprint Registration, National Bureau of Standards Technical Note 730, U.S. Government Printing Office, Washington, D.C., 1972
6. Wegstein, J.H., "The Automated Classification and Identification of Fingerprints," Proceedings of a Conference on the Science of Fingerprints, Home Office, London, England, 1974.
7. Wegstein, J.H., Automated Fingerprint Identification, National Bureau of Standards Technical Note 538, U.S. Government Printing Office, Washinaton, D.C., 1970.




Figure 1. Definition of Minutia Data



Figure 2. A Portion of a Fingerprint with a Plot of Corresponding Minutiae






Figure 3. Superimposed Machine-Read Minutiae from Prints of the Same Finger

Minutiae from Print A   
Minutiae from Print B 

Print A				Print B			
i	x	y	$\theta$	j	x	y	$\theta$
1	48	252	67	1	75	241	65
2	136	233	111	2	174	229	128
3	27	190	226	3	157	226	111
4	142	181	327	4	62	181	225
5	68	174	205	5	182	175	346
				6	109	161	222

Figure 4. Minutia Data for Prints A and B




Figure 5. Difference Graph for Prints A and B




Figure 6. Enlarged Portion of Difference Graph for Prints A and B

s	i	j	DX	DY	Dθ
1	1	1	-27	11	2
2	2	2	-38	4	-17
3	2	3	-21	7	0
4	3	4	-35	9	1
5	4	5	-40	6	-19
6	5	4	6	-7	-20
7	5	6	-41	13	-17

Figure 7. Difference Table for Prints A and B



i	j	TR	T $\theta$	R
4	2	8	18	2
5	2	4	2	8
5	4	8	20	10
7	5	8	2	12

Figure 8. Matching Score Computation Using Data from Figure 7.

FLOW CHART 1 M40 (Matcher)


In Core:

IMX<sub>1</sub>                      IMX<sub>2</sub>  
A<sub>xx1</sub>                      A<sub>xx2</sub>  
(Search Print)    (File Print)  
Minutiae Arrays Ordered on y


### Key to Arrays :

$$\begin{array}{ccc} A_{11n} & A_{12n} & A_{13n} \\ \chi & y & \theta \end{array}$$

Parameters: L0 LS K0 KR KH0 KHR KRR







U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET		1. PUBLICATION OR REPORT NO.  NBS TN-878		2. Gov't Accession No.		3. Recipient's Accession No.	
4. TITLE AND SUBTITLE  The M40 Fingerprint Matcher						5. Publication Date  July 1975	
						6. Performing Organization Code	
7. AUTHOR(S) J. H. Wegstein						8. Performing Organ. Report No.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS  NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234						10. Project/Task/Work Unit No. 600 4400	
						11. Contract/Grant No.	
12. Sponsoring Organization Name and Complete Address (Street, City, State, ZIP)  Federal Bureau of Investigation Washington, D. C. 20535						13. Type of Report & Period Covered	
						14. Sponsoring Agency Code	
15. SUPPLEMENTARY NOTES							
16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.)  A procedure is described for automatically determining whether two fingerprint impressions were made by the same finger. The procedure uses the x and y coordinates and the individual directions of the minutiae (ridge endings and bifurcations). The identity of the two impressions is established by computing the density of clusters of points in $\Delta x$ , $\Delta y$ space where $\Delta x$ and $\Delta y$ are the differences in coordinates that are found in going from one of the fingerprint impressions to the other.							
17. KEY WORDS (six to twelve entries; alphabetical order; capitalize only the first letter of the first key word unless a proper name; separated by semicolons) Computerized fingerprint identification, fingerprint, pattern recognition							
18. AVAILABILITY <input checked="" type="checkbox"/> Unlimited  <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS  <input checked="" type="checkbox"/> Order From Sup. of Doc., U.S. Government Printing Office Washington, D.C. 20402, SD Cat. No. C13. 46:878  <input type="checkbox"/> Order From National Technical Information Service (NTIS) Springfield, Virginia 22151				19. SECURITY CLASS (THIS REPORT)  UNCLASSIFIED		21. NO. OF PAGES  14	
				20. SECURITY CLASS (THIS PAGE)  UNCLASSIFIED		22. Price  65 cents	



# NBS TECHNICAL PUBLICATIONS

## PERIODICALS

**JOURNAL OF RESEARCH** reports National Bureau of Standards research and development in physics, mathematics, and chemistry. It is published in two sections, available separately:

• **Physics and Chemistry (Section A)**

Papers of interest primarily to scientists working in these fields. This section covers a broad range of physical and chemical research, with major emphasis on standards of physical measurement, fundamental constants, and properties of matter. Issued six times a year. Annual subscription: Domestic, \$17.00; Foreign, \$21.25.

• **Mathematical Sciences (Section B)**

Studies and compilations designed mainly for the mathematician and theoretical physicist. Topics in mathematical statistics, theory of experiment design, numerical analysis, theoretical physics and chemistry, logical design and programming of computers and computer systems. Short numerical tables. Issued quarterly. Annual subscription: Domestic, \$9.00; Foreign, \$11.25.

**DIMENSIONS/NBS** (formerly *Technical News Bulletin*)—This monthly magazine is published to inform scientists, engineers, businessmen, industry, teachers, students, and consumers of the latest advances in science and technology, with primary emphasis on the work at NBS. The magazine highlights and reviews such issues as energy research, fire protection, building technology, metric conversion, pollution abatement, health and safety, and consumer product performance. In addition, it reports the results of Bureau programs in measurement standards and techniques, properties of matter and materials, engineering standards and services, instrumentation, and automatic data processing.

Annual subscription: Domestic, \$9.45; Foreign, \$11.85.

## NONPERIODICALS

**Monographs**—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

**Handbooks**—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

**Special Publications**—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

**Applied Mathematics Series**—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

**National Standard Reference Data Series**—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a world-wide

program coordinated by NBS. Program under authority of National Standard Data Act (Public Law 90-396).

**NOTE:** At present the principal publication outlet for these data is the *Journal of Physical and Chemical Reference Data* (JPCRD) published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements available from ACS, 1155 Sixteenth St. N. W., Wash. D. C. 20056.

**Building Science Series**—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

**Technical Notes**—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

**Voluntary Product Standards**—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The purpose of the standards is to establish nationally recognized requirements for products, and to provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

**Federal Information Processing Standards Publications (FIPS PUBS)**—Publications in this series collectively constitute the Federal Information Processing Standards Register. Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

**Consumer Information Series**—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

**NBS Interagency Reports (NBSIR)**—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service (Springfield, Va. 22161) in paper copy or microfiche form.

Order NBS publications (except NBSIR's and Bibliographic Subscription Services) from: Superintendent of Documents, Government Printing Office, Washington, D.C. 20402.

## BIBLIOGRAPHIC SUBSCRIPTION SERVICES

The following current-awareness and literature-survey bibliographies are issued periodically by the Bureau: Cryogenic Data Center Current Awareness Service

A literature survey issued biweekly. Annual subscription: Domestic, \$20.00; foreign, \$25.00.

Liquefied Natural Gas. A literature survey issued quarterly. Annual subscription: \$20.00.

Superconducting Devices and Materials. A literature

survey issued quarterly. Annual subscription: \$20.00. Send subscription orders and remittances for the preceding bibliographic services to National Technical Information Service, Springfield, Va. 22161.

Electromagnetic Metrology Current Awareness Service Issued monthly. Annual subscription: \$100.00 (Special rates for multi-subscriptions). Send subscription order and remittance to Electromagnetics Division, National Bureau of Standards, Boulder, Colo. 80302.

**U.S. DEPARTMENT OF COMMERCE**  
**National Bureau of Standards**  
Washington, D.C. 20234

OFFICIAL BUSINESS

Penalty for Private Use, \$300

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF COMMERCE  
COM-215

SPECIAL FOURTH-CLASS RATE  
BOOK

